

International Agency for Research on Cancer



World Health
Organization



IACR
International Association of Cancer Registries

Cancer Incidence in Five Continents Vol. XII



**Edited by F. Bray, M. Colombet, J.F. Aitken, A. Bardot,
S. Eser, J. Galceran, M. Hagenimana, T. Matsuda,
L. Mery, M. Piñeros, I. Soerjomataram, E. de Vries,
C. Wiggins, Y.J. Won, A. Znaor and J. Ferlay**

IARC Scientific Publications
No. 169

Cancer Incidence in Five Continents

Volume XII

INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

The International Agency for Research on Cancer (IARC) was established in 1965 by the World Health Assembly, as an independently financed organization within the framework of the World Health Organization (WHO). The headquarters of the Agency are in Lyon, France.

The Agency conducts a programme of research concentrating particularly on the epidemiology of cancer and the study of potential carcinogens in the human environment. Its epidemiological studies are supplemented by studies of the mechanisms of carcinogenesis carried out in the Agency's laboratories in Lyon. The promotion of collaborative research among scientists worldwide is a strong feature of the Agency's activities. The Agency also conducts a programme for the education and training of personnel for cancer research.

The publications of the Agency are intended to contribute to the dissemination of authoritative information on various aspects of cancer research. Information about IARC publications and how to order them is available online at <https://publications.iarc.who.int/>.

INTERNATIONAL ASSOCIATION OF CANCER REGISTRIES

The International Association of Cancer Registries (IACR) was created following the Ninth International Cancer Congress, held in Tokyo, in 1966. The Association is a voluntary nongovernmental organization in official relations with WHO, representing the scientific and professional interests of cancer registries, with members interested in the development of cancer registration and its application to studies of well-defined populations.

There are currently more than 700 member registries in IACR, along with an elected executive board. Since 1973, IARC has provided a secretariat for the Association, with the primary functions of organizing meetings and coordinating scientific studies. Information about the Association, including membership, activities, and publications, is available online at <http://www.iacr.com.fr/>.

Cancer Incidence in Five Continents

Volume XII

Edited by

**F. Bray, M. Colombet, J.F. Aitken, A. Bardot, S. Eser, J. Galceran,
M. Hagenimana, T. Matsuda, L. Mery, M. Piñeros, I. Soerjomataram,
E. de Vries, C. Wiggins, Y.J. Won, A. Znaor and J. Ferlay**

IARC Scientific Publications No. 169

© International Agency for Research on Cancer 2024

Data published online October 2023 (<https://ci5.iarc.who.int/ci5-xii/>)

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 IGO licence (CC BY-NC-ND 3.0 IGO; <https://creativecommons.org/licenses/by-nc-nd/3.0/igo/>).

Under the terms of this licence, you may copy and redistribute the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products, or services. The use of the WHO logo is not permitted.

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

Suggested citation.

Bray F, Colombet M, Aitken JF, Bardot A, Eser S, Galceran J, et al., editors (2024). Cancer Incidence in Five Continents, Vol. XII. IARC Scientific Publication No. 169. Lyon, France: International Agency for Research on Cancer. Available from: <https://publications.iarc.who.int/641>. Licence: CC BY-NC-ND 3.0 IGO.

Sales, rights and permissions.

To purchase print copies distributed by WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, see <https://www.who.int/publications/book-orders>. Tel.: +41 22 791 3264; Fax: +41 22 791 4857; email: bookorders@who.int.

To obtain IARC publications in electronic format, see the IARC Publications website (<https://publications.iarc.who.int>).

To submit requests for adaptations or commercial use and queries on rights and licensing, see the IARC Publications website (<https://publications.iarc.who.int/Rights-And-Permissions>).

Third-party materials.

If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO or contributing agencies concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO or contributing agencies in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO or contributing agencies be liable for damages arising from its use.

IARC Library Cataloguing-in-Publication Data

Names: Bray, Freddie, editor. | Colombet, Murielle, editor. | Aitken, Joanne F., editor. | Bardot, Aude, editor. | Eser, Sultan, editor. | Galceran, Jaume, editor. | Hagenimana, Marc, editor. | Matsuda, Tomohiro, editor. | Mery, Les, editor. | Piñeros, Marion, editor. | Soerjomataram, Isabelle, editor. | de Vries, Esther, editor. | Wiggins, Charles, editor. | Won, Young-Joo, editor. | Znaor, Ariana, editor. | Ferlay, Jacques, editor.

Title: Cancer incidence in five continents, volume XII / edited by Freddie Bray, Murielle Colombet, Joanne F. Aitken, Aude Bardot, Sultan Eser, Jaume Galceran, Marc Hagenimana, Tomohiro Matsuda, Les Mery, Marion Piñeros, Isabelle Soerjomataram, Esther de Vries, Charles Wiggins, Young-Joo Won, Ariana Znaor and Jacques Ferlay.

Description: Lyon: International Agency for Research on Cancer, 2024. | Series: IARC scientific publications, ISSN 0300-5085; v. 169. | Includes bibliographical references.

Identifiers: ISBN 9789283222255 (pbk.) | ISBN 9789283222248 (ebook)

Subjects: MESH: Neoplasms—epidemiology. | Incidence. | Registries. | Statistics.

Classification: NLM QZ220.1

Contents

| | |
|--|------|
| Foreword | xi |
| Editors | xiii |
| Maps | 1 |
| Chapter 1: Introduction and guide to this volume | |
| <i>Freddie Bray, Murielle Colombet, Joanne F. Aitken, Aude Bardot, Sultan Eser, Jaume Galceran, Marc Hagenimana, Tomohiro Matsuda, Les Mery, Marion Piñeros, Isabelle Soerjomataram, Esther de Vries, Charles Wiggins, Young-Joo Won, Ariana Znaor, and Jacques Ferlay</i> | 23 |
| Chapter 2: Registration techniques | |
| <i>Marion Piñeros, Les Mery, and Ariana Znaor</i> | 45 |
| Chapter 3: Classification and coding | |
| <i>Ariana Znaor, Brian Rous, and Jacques Ferlay</i> | 93 |
| Chapter 4: Histological groups | |
| <i>Ariana Znaor, Jacques Ferlay, and Brian Rous</i> | 111 |
| Chapter 5: Data comparability and quality | |
| <i>Freddie Bray, Aude Bardot, Isabelle Soerjomataram, and Jacques Ferlay</i> | 121 |
| Chapter 6: Data processing | |
| <i>Murielle Colombet, Aude Bardot, and Jacques Ferlay</i> | 143 |
| Chapter 7: Age standardization | |
| <i>Freddie Bray, Jacques Ferlay, Aude Bardot, and Les Mery</i> | 147 |
| REGISTRY SUMMARIES | |
| Africa | |
| Algeria | |
| Batna | 152 |
| Tizi Ouzou | 154 |
| Benin | |
| Cotonou | 156 |
| France | |
| La Réunion | 158 |
| Kenya | |
| Eldoret | 160 |
| Nairobi | 162 |
| Mauritius | 164 |
| Morocco | |
| Casablanca | 166 |
| Seychelles | 168 |
| South Africa | |
| Eastern Cape | 170 |
| Uganda | |
| Gulu | 172 |
| Kyadondo County | 174 |
| Zimbabwe | |
| Bulawayo: African | 176 |
| Harare: African | 178 |
| Central and South America and the Caribbean | |
| Argentina | |
| Entre Ríos Province | 180 |
| Mendoza | 182 |
| Brazil | |
| Aracaju | 184 |
| Barretos | 186 |
| Belo Horizonte | 188 |
| Campinas | 190 |
| Curitiba | 192 |
| Goiânia | 194 |
| Jaú | 196 |
| João Pessoa | 198 |
| Recife | 200 |
| Chile | |
| Region of Antofagasta | 202 |
| Valdivia | 204 |
| Colombia | |
| Bucaramanga | 206 |
| Cali | 208 |
| Manizales | 210 |
| Pasto | 212 |
| Costa Rica | 214 |
| Ecuador | |
| Guayaquil | 216 |
| Manabí | 218 |
| Quito | 220 |
| France | |
| Guadeloupe | 222 |
| Martinique | 224 |
| Peru | |
| Lima | 226 |
| Trinidad and Tobago | 228 |
| USA | |
| Puerto Rico | 230 |
| Uruguay | 232 |
| North America | |
| Canada | |
| Alberta | 234 |
| British Columbia | 236 |
| Manitoba | 238 |
| New Brunswick | 240 |
| Newfoundland and Labrador | 242 |
| Ontario | 244 |
| Prince Edward Island | 246 |
| Quebec | 248 |
| Saskatchewan | 250 |
| Yukon | 252 |

| | |
|--|-----|
| USA | 254 |
| NPCR | 259 |
| SEER (18 registries) | 267 |
| SEER (9 registries) | 277 |
| Alabama | 282 |
| Alaska | 287 |
| Arizona | 291 |
| Arkansas | 299 |
| California | 304 |
| California, Los Angeles County | 311 |
| California, San Francisco Bay Area | 325 |
| Colorado | 335 |
| Connecticut | 342 |
| District of Columbia | 347 |
| Florida | 352 |
| Georgia | 359 |
| Georgia, Atlanta | 366 |
| Idaho | 371 |
| Indiana | 373 |
| Iowa | 378 |
| Kentucky | 380 |
| Louisiana | 382 |
| Louisiana, New Orleans | 387 |
| Maine | 392 |
| Maryland | 394 |
| Massachusetts | 401 |
| Michigan | 408 |
| Michigan, Detroit | 415 |
| Minnesota | 420 |
| Mississippi | 427 |
| Missouri | 429 |
| Montana | 434 |
| Nebraska | 438 |
| Nevada | 443 |
| New Jersey | 450 |
| New Mexico | 455 |
| New York State | 463 |
| North Carolina | 470 |
| North Dakota | 478 |
| Ohio | 480 |
| Oklahoma | 487 |
| Oregon | 494 |
| Rhode Island | 501 |
| South Carolina | 506 |
| South Dakota | 511 |
| Tennessee | 513 |
| Texas | 518 |
| Utah | 525 |
| Vermont | 527 |
| Washington State | 529 |
| Washington, Seattle | 531 |
| West Virginia | 533 |
| Wyoming | 535 |

Asia

| | |
|-------------------------|-----|
| Bahrain | |
| Bahrainis | 538 |
| Brunei Darussalam | 540 |

China

| | |
|---|-----|
| Anfu County | 542 |
| Anguo City | 544 |
| Anshan City | 546 |
| Aohan Banner, Chifeng City | 548 |
| Arongqi | 550 |
| Baoding City | 552 |
| Beijing City | 554 |
| Binhai County | 556 |
| Cangzhou City | 558 |
| Changfeng County | 560 |
| Changzhou City | 562 |
| Chengdu City | 564 |
| Cixian County | 566 |
| Cixi City | 568 |
| Dafeng District, Yancheng City | 570 |
| Dalian City | 572 |
| Dancheng County | 574 |
| Dangtu County | 576 |
| Danyang City | 578 |
| Dawukou District, Shizuishan City | 580 |
| Dehui City | 582 |
| Donggang County | 584 |
| Dongguan City | 586 |
| Donghai County | 588 |
| Dongtai City | 590 |
| Duanzhou District, Zhaoqing City | 592 |
| Evenki Autonomous Banner | 594 |
| Faku County | 596 |
| Fangcheng County | 598 |
| Feicheng City | 600 |
| Feixi County | 602 |
| Fuqing City | 604 |
| Ganyu District, Lianyungang City | 606 |
| Ganzhou District, Zhangye City | 608 |
| Gaocheng City | 610 |
| Gaomi City | 612 |
| Gong'an County | 614 |
| Guang'an District, Guang'an City | 616 |
| Guanghan City | 618 |
| Guangzhou City | 620 |
| Guanyun County | 622 |
| Guilin City | 624 |
| Hai'an City | 626 |
| Hailar District, Hulun Buir City | 628 |
| Haimen District, Nantong City | 630 |
| Haining City | 632 |
| Hangzhou City | 634 |
| Hebi City | 636 |
| Hefei City | 638 |
| Hengdong County | 640 |
| Hengfeng County | 642 |
| Hepu County | 644 |
| Honghu City | 646 |
| Hongshan District, Chifeng City | 648 |
| Hongta District, Yuxi City | 650 |
| Huaiyin District, Hua'an City | 652 |
| Jiange County | 654 |

| | | | |
|------------------------------------|-----|-----------------------------------|-----|
| Jiangmen City | 656 | Wuhan City | 772 |
| Jiangyin City | 658 | Wuhu City | 774 |
| Jiashan County | 660 | Wuxi City | 776 |
| Jiayu County | 662 | Wuzhou City | 778 |
| Jinan City | 664 | Xiangfu District, Kaifeng City | 780 |
| Jingtai County | 666 | Xianju County | 782 |
| Jingxian County | 668 | Xin'an County | 784 |
| Jintan District, Changzhou City | 670 | Xining City | 786 |
| Jiulongpo District, Chongqing City | 672 | Xinji City | 788 |
| Jiyuan City | 674 | Xinluo District, Longyan City | 790 |
| Kaihua County | 676 | Xinzhou District, Shangrao City | 792 |
| Kunshan City | 678 | Xiping County | 794 |
| Langzhong City | 680 | Xishan District, Kunming City | 796 |
| Liangshan County | 682 | Xuyi County | 798 |
| Lianshui County | 684 | Ya'an City | 800 |
| Lianyungang City | 686 | Yakeshi City | 802 |
| Linhe District, Bayannur City | 688 | Yancheng City | 804 |
| Linqu County | 690 | Yangquan City | 806 |
| Linzhou City | 692 | Yangzhong City | 808 |
| Liuzhou City | 694 | Yanji City | 810 |
| Liyang City | 696 | Yanshi City | 812 |
| Longquan City | 698 | Yanting County | 814 |
| Lucheng District, Wenzhou City | 700 | Yi'an District, Tongling City | 816 |
| Luoding City | 702 | Yingdong District, Fuyang City | 818 |
| Luohe City | 704 | Yinzhou District, Ningbo City | 820 |
| Luoyang City | 706 | Yiyuan County | 822 |
| Luquan City | 708 | Yong'an City | 824 |
| Ma'anshan City | 710 | Yongding District, Longyan City | 826 |
| Macheng City | 712 | Yongkang City | 828 |
| Meihekou City | 714 | Yucheng County | 830 |
| Mengjin County | 716 | Yueyanglou District, Yueyang City | 832 |
| Nangang District, Harbin City | 718 | Yunmeng County | 834 |
| Nanhai District, Foshan City | 720 | Yunyang District, Shiyang City | 836 |
| Nanhu District, Jiaying City | 722 | Yuzhong District, Chongqing City | 838 |
| Nantong City | 724 | Zanhuang County | 840 |
| Nanxiong City | 726 | Zhangjiagang City | 842 |
| Neixiang County | 728 | Zhaoyuan City | 844 |
| Qianxi County | 730 | Zhengding County | 846 |
| Qidong City | 732 | Zhongshan City | 848 |
| Qingzhou City | 734 | Zhongxiang City | 850 |
| Rudong County | 736 | Zhuanghe City | 852 |
| Rugao City | 738 | Zhuhai City | 854 |
| Rural areas of Shanghai City | 740 | | |
| Ruyang County | 742 | India | |
| Shan County | 744 | Ahmedabad, Urban | 856 |
| Shanghai City | 746 | Aurangabad | 858 |
| Shangyu District, Shaoxing City | 748 | Bangalore | 860 |
| Shapingba District, Chongqing City | 750 | Barshi, Paranda, and Bhum | 862 |
| Shexian County | 752 | Bhopal | 864 |
| Sheyang County | 754 | Chandigarh | 866 |
| Shijiazhuang City | 756 | Chennai | 868 |
| Shunde District, Foshan City | 758 | Dibrugarh | 870 |
| Song County | 760 | Dindigul, Ambilikkai | 872 |
| Suzhou City | 762 | Kamrup Urban District | 874 |
| Tengzhou City | 764 | Kollam | 876 |
| Wangdu County | 766 | Manipur | 878 |
| Wanzai County | 768 | Meghalaya | 880 |
| Wu'an City | 770 | Mizoram | 882 |
| | | Mumbai | 884 |

| | | | |
|----------------------------|------|-------------------------------------|------|
| New Delhi | 886 | Tyrol | 1002 |
| Poona | 888 | Vorarlberg | 1004 |
| Sangrur District | 890 | Belarus | 1006 |
| SAS Nagar | 892 | Belgium | 1008 |
| Tamil Nadu | 894 | Croatia | 1010 |
| Tripura | 896 | Cyprus | 1012 |
| Trivandrum | 898 | Czech Republic | 1014 |
| Wardha | 900 | Denmark | 1016 |
| West Arunachal | 902 | Estonia | 1018 |
| Iran (Islamic Republic of) | | Finland | 1020 |
| Ardabil Province | 904 | France | |
| Golestan Province | 906 | Bas-Rhin | 1022 |
| Israel | 908 | Calvados | 1024 |
| Japan | 914 | Doubs | 1026 |
| Aichi Prefecture | 916 | Gironde | 1028 |
| Akita Prefecture | 918 | Haut-Rhin | 1030 |
| Aomori Prefecture | 920 | Hérault | 1032 |
| Gunma Prefecture | 922 | Isère | 1034 |
| Hiroshima Prefecture | 924 | Lille-Métropole | 1036 |
| Miyagi Prefecture | 926 | Limousin | 1038 |
| Osaka Prefecture | 928 | Loire-Atlantique | 1040 |
| Republic of Korea | 930 | Manche | 1042 |
| Busan | 932 | Poitou-Charentes | 1044 |
| Daegu | 934 | Somme | 1046 |
| Daejeon | 936 | Tarn | 1048 |
| Gwangju | 938 | Territoire de Belfort | 1050 |
| Incheon | 940 | Vendée | 1052 |
| Jeju | 942 | Germany | |
| Seoul | 944 | Baden-Württemberg | 1054 |
| Ulsan | 946 | Bavaria | 1056 |
| Kuwait | 948 | Bremen | 1058 |
| Philippines | | Hamburg | 1060 |
| Manila | 954 | Lower Saxony | 1062 |
| Qatar | | North Rhine-Westphalia | 1064 |
| Qatari | 956 | Rhineland-Palatinate | 1066 |
| Singapore | 958 | Saarland | 1068 |
| Thailand | | Schleswig-Holstein | 1070 |
| Bangkok | 966 | Iceland | 1072 |
| Chiang Mai | 968 | Ireland | 1074 |
| Khon Kaen | 970 | Italy | |
| Lampang | 972 | Aosta Valley | 1076 |
| Lopburi Province | 974 | Avellino | 1078 |
| Songkhla | 976 | Basilicata | 1080 |
| Turkey | | Benevento | 1082 |
| Antalya | 978 | Bergamo | 1084 |
| Bursa | 980 | Brescia | 1086 |
| Edirne | 982 | Brianza (Lecco and Monza e Brianza) | 1088 |
| Erzurum | 984 | Calabria | 1090 |
| Eskişehir | 986 | Caserta | 1092 |
| Gaziantep | 988 | Catania, Messina, and Enna | 1094 |
| Izmir | 990 | Emilia-Romagna | 1096 |
| Malatya | 992 | Friuli-Venezia Giulia | 1098 |
| Samsun | 994 | Genova | 1100 |
| Trabzon | 996 | Lombardy, South, Pavia | 1102 |
| Europe | | Mantova and Cremona | 1104 |
| Austria | 998 | Marche | 1106 |
| Carinthia | 1000 | Milan | 1108 |
| | | Molise | 1110 |

| | | | |
|-------------------------------|------|--|------|
| Naples Centre | 1112 | Salamanca..... | 1202 |
| Naples North..... | 1114 | Tarragona..... | 1204 |
| Naples South | 1116 | Sweden..... | 1206 |
| Nuoro | 1118 | Switzerland | |
| Palermo | 1120 | Aargau | 1208 |
| Puglia | 1122 | Basel..... | 1210 |
| Ragusa and Caltanissetta..... | 1124 | Berne Solothurn..... | 1212 |
| Salerno..... | 1126 | East..... | 1214 |
| Sassari..... | 1128 | Fribourg | 1216 |
| Sondrio..... | 1130 | Geneva | 1218 |
| South Tyrol | 1132 | Graubünden and Glarus | 1220 |
| Syracuse | 1134 | Lucerne | 1222 |
| Trento | 1136 | Neuchâtel and Jura..... | 1224 |
| Turin..... | 1138 | Ticino | 1226 |
| Tuscany | 1140 | Valais..... | 1228 |
| Umbria | 1142 | Vaud..... | 1230 |
| Varese..... | 1144 | Zurich and Zug..... | 1232 |
| Veneto..... | 1146 | Ukraine | 1234 |
| Latvia..... | 1148 | United Kingdom | |
| Liechtenstein..... | 1150 | UK, England..... | 1236 |
| Lithuania | 1152 | UK, Northern Ireland..... | 1238 |
| Malta | 1154 | UK, Scotland..... | 1240 |
| The Netherlands..... | 1156 | UK, Wales..... | 1242 |
| Norway | 1158 | | |
| Poland | | Oceania | |
| Kielce | 1160 | Australia | |
| Portugal | | NSW/ACT..... | 1244 |
| Azores..... | 1162 | Northern Territory..... | 1246 |
| Russian Federation | | Queensland..... | 1252 |
| Arkhangelsk | 1164 | South Australia..... | 1254 |
| Kaliningrad..... | 1166 | Tasmania | 1256 |
| Karelia..... | 1168 | Victoria | 1258 |
| Komi Republic..... | 1170 | Western Australia | 1260 |
| Murmansk | 1172 | France | |
| Orenburg | 1174 | New Caledonia..... | 1262 |
| Pskov..... | 1176 | New Zealand | 1264 |
| Samara..... | 1178 | USA | |
| Vologda Region | 1180 | Hawaii | 1272 |
| Slovenia..... | 1182 | | |
| Spain | | TABLES | |
| Asturias | 1184 | Age-standardized and cumulative | |
| Basque Country..... | 1186 | incidence rates and standard errors.... | 1283 |
| Canary Islands | 1188 | Indices of data quality | 1879 |
| Castellón | 1190 | Disclosures of interests..... | 2078 |
| Girona..... | 1192 | | |
| Granada..... | 1194 | | |
| La Rioja..... | 1196 | | |
| Murcia..... | 1198 | | |
| Navarra..... | 1200 | | |

Foreword

Almost 60 years have passed since Sir Richard Doll and colleagues published the first volume of *Cancer Incidence in Five Continents (CI5)* as a compendium of reliable cancer incidence data in different geographical locations. Now in its 12th volume, this long-standing collaboration between the International Agency for Research on Cancer (IARC) and the International Association of Cancer Registries (IACR) serves as a unique source of cancer incidence data from high-quality population-based cancer registries (PBCRs) around the world. Each volume provides comparable quinquennial data on incident cancers and serves as a unique documentation of the current and evolving magnitude and profile of cancer in different locations.

In the first volume of CI5, data on only 32 PBCRs in 29 countries were compiled. Over subsequent decades, international cancer registry coverage has expanded, and this 12th volume of CI5, based on cancers diagnosed during the period 2013–2017, contains high-quality cancer incidence data from 460 PBCRs in 65 countries. The exponential rise in the number of PBCRs worldwide points to PBCRs being recognized as a cornerstone of cancer research and cancer control. Yet there remain challenges, old and new. The most pressing is to ensure that countries in transitioning regions invest in improvements in data collection, recognizing PBCRs as an asset rather than a cost in health planning.

Led by IARC, a complementary programme to CI5 is the Global Initiative for Cancer Registry Development (GICR), the first worldwide strategy to inform cancer control through better data. Given that only two in three countries currently have high-quality cancer registration data, the GICR focuses on supporting the sustainable development of PBCRs in transitioning regions where the need is greatest, ultimately seeking to save lives by providing decision-makers with the information they need to tackle the cancer burden. The GICR is a partnership with leading cancer organizations committed to strengthening the quality, availability, and use of cancer data. A marker of its success will be to see a larger proportion of PBCRs in transitioning countries included in future volumes of CI5.

I take this opportunity to personally thank all the registry staff of each of the PBCRs worldwide for submitting their cancer incidence data to this volume of CI5 and, in doing so, supporting IARC's primary aim of promoting international collaboration in cancer research.

Dr Elisabete Weiderpass
Director, IARC

Editors

FOR IARC:

Freddie Bray

Murielle Colombet

Aude Bardot

Les Mery

Marion Piñeros

Isabelle Soerjomataram

Ariana Znaor

Jacques Ferlay

Cancer Surveillance Branch, International Agency for Research on Cancer, Lyon, France

FOR IACR:

Joanne F. Aitken

Cancer Council Queensland, Brisbane, Australia

Sultan Eser

Department of Public Health, Balıkesir University, Balıkesir, Türkiye

Jaume Galceran

Tarragona Cancer Registry, Reus, Spain

Marc Hagenimana

Rwanda Biomedical Centre, Ministry of Health, Kigali, Rwanda

Tomohiro Matsuda

Office of International Affairs, National Cancer Center, Tokyo, Japan

Esther de Vries

Department of Clinical Epidemiology and Biostatistics, Pontificia Universidad Javeriana, Bogotá, Colombia

Charles Wiggins

New Mexico Tumor Registry, University of New Mexico, Albuquerque, New Mexico, USA

Young-Joo Won

Yonsei University, Wonju, Gangwon-do, Republic of Korea

Additional contributor to introductory chapters

Brian Rous

Department of Pathology, Cambridge University Hospitals NHS Foundation Trust, Cambridge, United Kingdom

IARC production team and technical assistance

Maria Fernan, Administrative Support

Mathieu Laversanne, Production

Sylvia Lesage, Publishing Assistant


Eric Masuyer, Information Assistant



Karen Müller, English Editor



Jérôme Vignat, Production

MAPS


Africa








Central and South America and the Caribbean














North America





Asia















1. Anfu County
2. Anguo City
3. Anshan City
4. Aohan Banner, Chifeng City
5. Arongqi
6. Baoding City
7. Beijing City
8. Binhai County
9. Cangzhou City
10. Changfeng County
11. Changzhou City
12. Chengdu City
13. Cixian County
14. Cixi City
15. Dafeng District, Yancheng City
16. Dalian City
17. Dancheng County
18. Dangtu County
19. Danyang City
20. Dawukou District, Shizuishan City
21. Dehui City
22. Donggang County
23. Dongguan City
24. Donghai County
25. Dongtai City
26. Duanzhou District, Zhaoqing City
27. Evenki Autonomous Banner
28. Faku County
29. Fangcheng County
30. Feicheng City
31. Feixi County
32. Fuqing City
33. Ganyu District, Lianyungang City
34. Ganzhou District, Zhangye City
35. Gaocheng City
36. Gaomi City
37. Gong'an County
38. Guang'an District, Guang'an City
39. Guanghan City
40. Guangzhou City
41. Guanyun County
42. Guilin City
43. Hai'an City
44. Hailar District, Hulun Buir City
45. Haimen District, Nantong City
46. Haining City
47. Hangzhou City
48. Hebi City
49. Hefei City
50. Hengdong County
51. Hengfeng County
52. Hepu County
53. Honghu City
54. Hongshan District, Chifeng City
55. Hongta District, Yuxi City
56. Huaiyin District, Huai'an City
57. Jiange County
58. Jiangmen City
59. Jianguyin City
60. Jiashan County
61. Jiayu County
62. Jinan City
63. Jingtai County
64. Jingxian County
65. Jintan District, Changzhou City
66. Jiulongpo District, Chongqing City
67. Jiyuan City
68. Kaihua County
69. Kunshan City
70. Langzhong City
71. Liangshan County
72. Lianshui County
73. Lianyungang City
74. Linhe District, Bayannur City
75. Linqu County
76. Linzhou City
77. Liuzhou City
78. Liyang City
79. Longquan City
80. Lucheng District, Wenzhou City
81. Luoding City
82. Luohe City
83. Luoyang City
84. Luquan City
85. Ma'anshan City
86. Macheng City
87. Meihekou City
88. Mengjin County
89. Nangang District, Harbin City
90. Nanhai District, Foshan City
91. Nanhu District, Jiaying City
92. Nantong City
93. Nanxiong City
94. Neixiang County
95. Qianxi County
96. Qidong City
97. Qingzhou City
98. Rudong County
99. Rugao City
100. Rural areas of Shanghai City
101. Ruyang County
102. Shan County
103. Shanghai City
104. Shangyu District, Shaoxing City
105. Shapingba District, Chongqing City
106. Shexian County
107. Sheyang County
108. Shijiazhuang City
109. Shunde District, Foshan City
110. Song County
111. Suzhou City
112. Tengzhou City
113. Wangdu County
114. Wanzai County
115. Wu'an City
116. Wuhan City
117. Wuhu City
118. Wuxi City
119. Wuzhou City
120. Xiangfu District, Kaifeng City
121. Xianju County
122. Xin'an County
123. Xining City
124. Xinji City
125. Xinluo District, Longyan City
126. Xinzhou District, Shangrao City
127. Xiping County
128. Xishan District, Kunming City
129. Xuyi County
130. Ya'an City
131. Yakeshi City
132. Yancheng City
133. Yangquan City
134. Yangzhong City
135. Yanji City
136. Yanshi City
137. Yanting County
138. Yi'an District, Tongling City
139. Yingdong District, Fuyang City
140. Yinzhou District, Ningbo City
141. Yiyuan County
142. Yong'an City
143. Yongding District, Longyan City
144. Yongkang City
145. Yucheng County
146. Yueyanglou District, Yueyang City
147. Yunmeng County
148. Yunyang District, Shiyan City
149. Yuzhong District, Chongqing City
150. Zanhuang County
151. Zhangjiagang City
152. Zhaoyuan City
153. Zhengding County
154. Zhongshan City
155. Zhongxiang City
156. Zhuanghe City
157. Zhuhai City


Europe














Oceania



Chapter 1: Introduction and guide to this volume

Freddie Bray, Murielle Colombet, Joanne F. Aitken, Aude Bardot, Sultan Eser, Jaume Galceran, Marc Hagenimana, Tomohiro Matsuda, Les Mery, Marion Piñeros, Isabelle Soerjomataram, Esther de Vries, Charles Wiggins, Young-Joo Won, Ariana Znaor, and Jacques Ferlay

The main objective of the *Cancer Incidence in Five Continents (CI5)* series, now in its 12th volume, is as an exposition of comparable cancer incidence data from around the globe. The series is a joint publication of the International Agency for Research on Cancer (IARC) and the International Association of Cancer Registries (IACR). Each volume provides unique insights into the occurrence of cancer, based on the high-quality data that are made available by population-based cancer registries. As with every volume of CI5, the principal aim of Volume XII is to ensure that the information included can be reliably used to compare geographical and temporal patterns in cancer incidence. The sheer variation in cancer incidence worldwide – whether rates are compared across registry populations (within a volume) or within a registry population over time (across volumes) – continues to provide compelling evidence of the environmental, lifestyle, and infectious origin of many types of cancer and, by extension, their potential avoidability (Doll et al., 1966; Bray et al., 2015).

To ensure appropriate representation from IACR and to anticipate the additional workload involved with an increasing number of submissions, the CI5 Volume XII Editorial Board was extended to include representation from Africa, the Asia–Pacific region, and the Americas. The 16 editors of CI5 Volume XII have endeavoured to uphold the long-standing principles of meticulous review of data quality across the submitted datasets, which document cancers diagnosed in the registry populations during the period 2013–2017.

CALL FOR DATA

Given the data protection regulations in place, including the General Data Protection Regulation (GDPR) drafted and passed by the European Union (EU), there were some challenges to international transfer of data to IARC. However, solutions were developed to ensure that all registries could send datasets for possible inclusion in Volume XII.

The call for data and an accompanying questionnaire were sent to all population-based cancer registries

outside of Europe in July 2021. The call for data and the questionnaire were also published on the IACR website; the documents were available in English, French, and Spanish. Registries that wished to submit datasets for Volume XII were requested to do so using the IARC Registries Portal (see Chapter 6), and the questionnaire was available for completion online. Detailed instructions for preparing the registry dataset and the accompanying mortality and population information were provided in the call for data. In some countries, registries delegated data submission to their national associations or networks, but each registry was required to submit its own responses to the questionnaire.

Under the current circumstances, it was agreed that the European Network of Cancer Registries (ENCR) and the Secretariat hosted at the Joint Research Centre of the European Commission (JRC) would run independent data calls. The call for data and accompanying questionnaires were sent to European registries in early 2022. Because several registries in Europe and in other regions expressed concern that they would not be able to submit individual-level data in response to the call for data, an aggregating tool was developed at IARC. The software package IARctoolsTAB (Colombet et al., 2020) comprises a set of routines written in **R** that validate the registry incidence data file and generate an aggregated dataset that is suitable for a standard evaluation by the editors of CI5 (see Chapter 6).

Although the reference period for Volume XII was defined as 2013–2017, contributors were also asked to send data for the years before and (if available) after the reference period, to enable the volume editors to verify certain aspects of quality, comparability, and completeness for each submission. Not all registries were able to provide data for the entire 5-year period covered by Volume XII, but a minimum consecutive series of 3 years was required for a registry to be considered for inclusion.

NUMBER OF DATASETS RECEIVED AND INCLUDED

Datasets were received from 675 cancer registries covering 813 populations in 99 countries. After the evaluation, datasets from 215 cancer registries,

representing 224 populations, were excluded. Consequently, Volume XII presents cancer incidence data from 65 countries, 460 cancer registries, and 589 populations (Table 1.1).

Table 1.1. Geographical coverage in CI5 Volume XII, worldwide and by continent

| | Countries | | Registries | | Populations | |
|---|-----------|--------------|------------|--------------|-------------|--------------|
| | Submitted | Accepted (%) | Submitted | Accepted (%) | Submitted | Accepted (%) |
| Worldwide | 99* | 65* (66%) | 675 | 460 (68%) | 813 | 589 (72%) |
| Africa | 19 | 10 (53%) | 32 | 14 (44%) | 34 | 14 (41%) |
| Central and South America and the Caribbean | 15 | 11 (73%) | 42 | 27 (64%) | 42 | 27 (64%) |
| North America | 3 | 2 (67%) | 64 | 63 (98%) | 180 | 175 (97%) |
| Asia | 30 | 14 (47%) | 391 | 223 (57%) | 400 | 230 (58%) |
| Europe | 33 | 29 (88%) | 136 | 123 (90%) | 136 | 123 (90%) |
| Oceania | 4 | 4 (100%) | 10 | 10 (100%) | 21 | 20 (95%) |

*The sum of the number of individual countries across continents is greater than the total figure, reflecting the fact that some countries (i.e. France and the USA) have territory on more than one continent.

GEOGRAPHICAL COVERAGE IN CI5 VOLUME XII

Table 1.1 also shows the geographical coverage in CI5 Volume XII by continent. Among those countries that submitted datasets to this volume, data were included from 10 of the 19 countries in Africa, 11 of the 15 countries in Central and South America and the Caribbean, 2 of the 3 countries in North America, 14 of the 30 countries in Asia, 29 of the 33 countries in Europe, and all 4 of the 4 countries in Oceania.

The proportions of cancer registries that submitted datasets for Volume XII and were accepted for inclusion varied considerably by region, with acceptance proportions of 44% (14 of 32 registries) in Africa, 64% (27 of 42 registries) in Central and South America and the Caribbean, 98% (63 of 64 registries) in North America, 57% (223 of 391 registries) in Asia, 90% (123 of 136 registries) in Europe, and 100% (10 of 10 registries) in Oceania.

The proportion of the world's total population covered by the registries included in Volume XII was 19% (up from 15% in Volume XI). The following levels of coverage by continent were attained: 2% in Africa, 8% in Central and South America and the Caribbean, 98% in North America, 13% in Asia, 48% in Europe, and 75% in Oceania.

COVERAGE IN CI5 VOLUMES I-XII

Fig. 1.1 shows the overall coverage in terms of the number of countries, registries, and populations included in each volume of CI5. An overview of all registry populations appearing across the 12 volumes, as well as the specific incidence periods contributed by each registry, is provided in Table 1.2 at the end of this chapter. Of note in Volume XII is the large increase in cancer registry submissions from China, as part of

the country's ongoing implementation of extended population coverage of cancer registration. There were 261 registry submissions from China in response to the call for data, compared with 103 submissions for Volume XI and 30 submissions for Volume X. In addition, a number of established registries were unable to submit data for this call; several registries (predominantly in Central and South America and the Caribbean) cited the impact of the COVID-19 pandemic on their operations as a critical factor.

The editors have made every effort to standardize the data presented or, where this was not possible, to draw attention to any differences that might affect comparability between registries. The editorial processes of checking internal coherence, consistency, and completeness are described in Chapters 5 and 6 of this volume and are broadly based on principles outlined in IARC Scientific Publication No. 95 (Jensen et al., 1991), IARC Technical Publication No. 43 (Bray et al., 2014), and a two-part review of practical techniques for evaluation of data quality at the cancer registry (Bray and Parkin, 2009; Parkin and Bray, 2009).

With improved definition of registration methodology and increased adherence to internationally recognized practices, more stringent editorial processes are needed, and the editors of each successive volume are more demanding with regard to the quality of the published datasets. However, the editors also have to accept that some datasets from registries in low- and middle-income countries may be less complete than those from registries in high-income countries, because of problems of underdiagnosis due to local medical and economic situations (as opposed to underregistration) and/or problems with enumeration of the population. These datasets are still of great interest because they




Fig. 1.1. Coverage in the 12 volumes of CI5: number of countries, registries, and registry populations included.

describe cancer incidence in unique populations for which often no other information is available.

On the pages of this volume that present tables reporting the data from each registry by site, an asterisk preceding the registry title indicates that special considerations (which may include underregistration) must be taken into account in interpreting the published rates or indicators of quality (see Chapter 5). The specific reasons for a given asterisk are stated under the heading “Notes on the data” in the accompanying text.

CONTENT AND LAYOUT OF THE BOOK

Like the previous volume, Volume XII is published online on a dedicated website (<https://ci5.iarc.who.int/CI5-XII/>). The website has separate menus for the chapters and the tables, including the registry summary tables,

comparative tables of incidence by three- and four-digit codes of the International Statistical Classification of Diseases and Related Health Problems, 10th revision (ICD-10) and, for 15 selected cancer sites, by histological subtype, as well as the indices of data quality. Building on this, the IACR website is undergoing a major revision with the intention to elevate awareness of the value of the individual registry datasets, while making comparative analyses easily accessible (see the *Future directions* section later in this chapter). The text below refers to the contents of this book.

Chapters

Maps showing the location of each contributing registry are provided on the initial pages before this introductory chapter. Chapter 2 describes the registries in terms

of geographical location, legislative background, and registration practices. Chapter 3 presents the system of classification used to report the incidence data and addresses the issue of comparability of coding practices between the registries. For selected cancers, the data have been analysed by histological subtype within site. Chapter 4 introduces the histological groupings used and explains the rationale behind them.

Issues that can affect comparability between registries and validity of registry data are discussed in Chapter 5, as are the methods by which the submitted datasets were assessed. Chapter 6 describes how the raw data received for CI5 were processed. Finally, Chapter 7 describes the summary measures of incidence used in this volume to enable comparisons across registry populations.

Registry summary tables

After the standard introductory chapters, registry-specific entries are presented in alphabetical order within each world region. Each population label includes the name of the country, the name of the region (if applicable), the name of the subpopulation (such as racial or ethnic group, if applicable), and the period of data contribution. Each registry-specific entry provides a list of individual contributors at the registry, together with summary statistics from the accepted dataset.

For each population defined by a registry, a population pyramid is provided, showing the average annual person-years at risk during the reference period, for males and females, in 5-year age groups. The number of age groups depends on the age distribution of the population data provided. The horizontal bars of the pyramids represent the percentage contribution of each sex–age group to the total population. References to the source(s) of population data are provided.

The sex-specific age-standardized rates per 100 000 population (using the world standard population; see Chapter 7) observed in each registry area during the reference period are tabulated for the most common cancers and for all sites combined. In addition, a one-page overview table per population presents sex-specific statistics for all ages: the total number of cases, the percentage contribution of each cancer site to the total, and the incidence rates (crude and standardized rates per 100 000, and cumulative rates for the age ranges 0–64 years and 0–74 years, expressed as percentages). The cancer sites are arranged in ascending order of ICD-10 codes, which are displayed along with the site labels. Where applicable, these tables are provided for each subpopulation defined by the registry.

Comparative cancer incidence tables

Comparative summary tables are provided by site (ICD-10 three-digit rubrics). The set of tables shows all cancers combined (including and excluding non-melanoma skin cancers), the three-digit (ICD-10) cancer sites (as described in Chapter 3), and the three grouped categories “Head and neck”, “Colon and rectum”, and “Leukaemia”. Each table for these categories shows sex-specific data for all ages combined, including the number of cases, the age-

standardized incidence rate (using the world standard population), and the cumulative incidence rate for the age range 0–74 years. The rates are accompanied by their standard errors.

All submitted datasets were subjected to computerized records checks and editorial review. The decision about whether to include a given dataset in Volume XII was largely based on the indicators of data quality, which are described and tabulated in Chapter 5. Other indicators are presented systematically for all registries in the site-specific tables titled *Indices of data quality* located at the end of this volume.

FUTURE DIRECTIONS

The long-standing collaboration between IARC and IACR serves as a unique source of cancer incidence data from high-quality population-based cancer registries around the world. The recording and assessment of rates remains a core task of cancer registries today, and the function of this collaboration is to report registry results using a common format. CI5 continues to be an invaluable resource for cancer research and cancer control worldwide, and it is the primary source of the national (GLOBOCAN) estimates in 185 countries and territories by cancer, sex, and age, which are available for online analysis on the IARC Global Cancer Observatory website, currently for 2022 (<https://gco.iarc.who.int/today/>).

For these reasons, the CI5 volume structure – encompassing a quinquennial review and compilation of submitted datasets – continues to serve many important purposes. Nevertheless, the online presence of CI5 needs rejuvenation to draw greater attention to the uniqueness of local incidence data as an evidence base for cancer research and cancer control. Building on the Global Cancer Observatory subsite, geographical and temporal analyses of individual registry datasets accepted in the 12 volumes of CI5 will be made available via a dedicated IACR website. Although there is a trade-off between the requirement for timely data and other aspects of data quality at the registry (Bray and Parkin, 2009), IACR and IARC have a responsibility to showcase this aspect of registry best practice. Therefore, registries included in the three most recent volumes of CI5 will be able to submit (aggregated) datasets on a regular basis to ensure that the website contains timely registry data for trend analyses that is independent of the CI5 cycle.

ACKNOWLEDGEMENTS

The CI5 Volume XII Editorial Board, IACR, and IARC take this opportunity to thank the many directors and registrars of cancer registries around the world that submitted their data to CI5 Volume XII, for their efforts to produce cancer incidence data and make them available to the global community. Their work remains the cornerstone of descriptive cancer epidemiology and provides a basis for future cancer research and cancer control policies.

The editors would like to thank Maria Fernan (“Chelle”) for the considerable time spent documenting the evaluations of each dataset and questionnaire and liaising individually with the submitting cancer registries.

REFERENCES

- Bray F, Znaor A, Cueva P, Korir A, Swaminathan R, Ullrich A, et al. (2014). Planning and Developing Population-Based Cancer Registration in Low- and Middle-Income Settings. IARC Technical Publication No. 43. Lyon: International Agency for Research on Cancer Available from: <https://publications.iarc.who.int/370>.
- Bray F, Ferlay J, Laversanne M, Brewster DH, Gombe Mbalawa C, Kohler B, et al. (2015). Cancer Incidence in Five Continents: inclusion criteria, highlights from Volume X and the global status of cancer registration. *Int J Cancer*. 137(9):2060–71. <https://doi.org/10.1002/ijc.29670> PMID:26135522
- Bray F, Parkin DM (2009). Evaluation of data quality in the cancer registry: principles and methods. Part I: comparability, validity and timeliness. *Eur J Cancer*. 45(5):747–55. <https://doi.org/10.1016/j.ejca.2008.11.032> PMID:19117750
- Colombet M, Bray F, Ferlay J (2020). IARC toolsTAB package: a federated solution to registry data submission. Lyon: International Agency for Research on Cancer.
- Doll R, Payne P, Waterhouse J, editors (1966). *Cancer Incidence in Five Continents: A Technical Report*. Berlin: Springer-Verlag (for UICC).
- Jensen OM, Parkin DM, MacLennan R, Muir CS, Skeet RG, editors (1991). *Cancer Registration: Principles and Methods*. IARC Scientific Publication No. 95. Lyon: IARC Press. Available from: <https://publications.iarc.who.int/238>.
- Parkin DM, Bray F (2009). Evaluation of data quality in the cancer registry: principles and methods. Part II: completeness. *Eur J Cancer*. 45(5):756–64. <https://doi.org/10.1016/j.ejca.2008.11.033> PMID:19128954

Table 1.2. Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|--|---------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| Africa | | | | | | | | | | | | |
| Algeria, Algiers | - | - | - | - | - | - | - | 1993-97 | - | - | - | - |
| Algeria, Batna | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2015-17 |
| Algeria, Sétif | - | - | - | - | - | 1986-89 | 1990-93 | - | 1998-02 | 2003-07 | 2008-11 | - |
| Algeria, Tizi Ouzou | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| Benin, Cotonou | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| Egypt, Gharbiah | - | - | - | - | - | - | - | - | 1999-02 | 2003-07 | - | - |
| France, Réunion | - | - | - | - | - | - | 1988-92 | 1993-94 | - | - | - | 2013-16 |
| The Gambia | - | - | - | - | - | 1987-89 | - | 1997-98 | - | - | - | - |
| Kenya, Eldoret | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| Kenya, Nairobi | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-16 |
| Libya, Benghazi | - | - | - | - | - | - | - | - | - | 2003-05 | - | - |
| Malawi, Blantyre | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| Mali, Bamako | - | - | - | - | - | 1987-89 | 1988-92 | 1994-96 | - | - | - | - |
| Mauritius | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Morocco, Casablanca | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Mozambique, Lourenço Marques | 1956-60 | - | - | - | - | - | - | - | - | - | - | - |
| Nigeria, Ibadan | 1960-62 | 1960-65 | 1960-69 | - | - | - | - | - | - | - | - | - |
| Senegal, Dakar | - | - | - | 1969-74 | - | - | - | - | - | - | - | - |
| Seychelles | - | - | - | - | - | - | - | - | - | - | 2009-12 | 2013-17 |
| South Africa, Eastern Cape | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2015-17 |
| South Africa, Johannesburg: | - | - | - | - | - | - | - | - | - | - | - | - |
| Bantu | 1953-55 | - | - | - | - | - | - | - | - | - | - | - |
| South Africa, Natal Province: | - | - | - | - | - | - | - | - | - | - | - | - |
| African | - | 1964-66 | - | - | - | - | - | - | - | - | - | - |
| Indian | - | 1964-66 | - | - | - | - | - | - | - | - | - | - |
| South Africa, PROMEC | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| Tunisia, Central Region | - | - | - | - | - | - | - | - | 1998-02 | - | - | - |
| Tunisia, North | - | - | - | - | - | - | - | - | - | 2003-05 | - | - |
| Uganda, Gulu | - | - | - | - | - | - | - | - | - | - | - | 2013-15 |
| Uganda, Kyadondo County | 1954-60 | - | - | - | - | - | 1991-93 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Zimbabwe, Bulawayo: African | - | 1963-67 | 1968-72 | - | - | - | - | - | - | - | - | 2013-17 |
| Zimbabwe, Harare: | - | - | - | - | - | - | 1990-92 | - | - | - | - | - |
| African | - | - | - | - | - | - | 1990-92 | 1993-97 | 1998-02 | 2003-06 | 2010-12 | 2013-17 |
| European | - | - | - | - | - | - | 1990-92 | - | - | - | - | - |
| Central and South America and the Caribbean | | | | | | | | | | | | |
| Argentina, Bahía Blanca | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | - | - |
| Argentina, Chaco | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Argentina, Concordia | - | - | - | - | - | - | 1990-94 | 1993-97 | - | - | - | - |
| Argentina, Córdoba | - | - | - | - | - | - | - | - | - | 2004-07 | 2008-12 | - |
| Argentina, Entre Ríos Province | - | - | - | - | - | - | - | - | - | - | 2008-11 | 2013-15 |
| Argentina, Mendoza | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Argentina, Tierra del Fuego | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| Brazil, Aracaju | - | - | - | - | - | - | - | - | - | 2003-06 | 2008-12 | 2013-16 |
| Brazil, Barretos | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Brazil, Belém | - | - | - | - | - | - | 1989-91 | - | - | - | - | - |
| Brazil, Belo Horizonte | - | - | - | - | - | - | - | - | - | 2003-05 | - | 2013-17 |
| Brazil, Brasília | - | - | - | - | - | - | - | - | 1998-01 | - | - | - |
| Brazil, Campinas | - | - | - | - | - | - | - | 1991-95 | - | - | - | 2013-16 |
| Brazil, Cuiabá | - | - | - | - | - | - | - | - | 2000-02 | 2003-06 | - | - |
| Brazil, Curitiba | - | - | - | - | - | - | - | - | - | - | 2008-11 | 2013-16 |
| Brazil, Florianópolis | - | - | - | - | - | - | - | - | - | - | 2008-10 | - |
| Brazil, Fortaleza | - | - | - | - | 1978-82 | - | - | - | - | 2003-06 | - | - |
| Brazil, Goiânia | - | - | - | - | - | 1988-89 | 1990-93 | 1995-98 | 1999-02 | 2003-07 | 2008-12 | 2013-16 |
| Brazil, Jaú | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Brazil, João Pessoa | - | - | - | - | - | - | - | - | - | - | - | 2013-15 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of C15

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|---|---------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| Brazil, Porto Alegre | - | - | - | - | 1979-82 | 1987 | 1990-92 | - | - | - | - | - |
| Brazil, Poços de Caldas | - | - | - | - | - | - | - | - | - | - | 2008-11 | - |
| Brazil, Recife (formerly Pernambuco) | - | - | 1968-71 | - | 1980 | - | - | - | - | - | - | 2015-17 |
| Brazil, São Paulo | - | - | 1969 | 1973 | 1978 | - | - | - | 1998-02 | 2003-07 | - | - |
| Chile | 1959-61 | - | - | - | - | - | - | - | - | - | - | - |
| Chile, Bío Bío Province | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| Chile, Concepción | - | - | - | - | - | - | - | - | - | - | 2008-10 | - |
| Chile, Region of Antofagasta | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-10 | 2013-15 |
| Chile, Valdivia | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Colombia, Bucaramanga | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Colombia, Cali | 1962-64 | 1962-66 | 1967-71 | 1972-76 | 1977-81 | 1982-86 | 1987-91 | 1992-96 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Colombia, Manizales | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Colombia, Pasto | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Costa Rica | - | - | - | - | 1980-82 | 1984-87 | 1988-92 | 1995-96 | 1998-02 | 2003-07 | 2008-11 | 2013-16 |
| Cuba | - | - | 1968-72 | 1973-77 | - | 1986 | - | - | - | - | - | - |
| Cuba, Villa Clara | - | - | - | - | - | - | - | 1995-97 | - | 2004-07 | - | - |
| Ecuador, Cuenca | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| Ecuador, Guayaquil | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Ecuador, Loja | - | - | - | - | - | - | - | - | - | - | 2008-10 | - |
| Ecuador, Manabí | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Ecuador, Quito | - | - | - | - | - | 1985-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| France, Guadeloupe | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| France, Martinique | - | - | - | - | 1981-82 | 1983-87 | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| French Guiana | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Jamaica, Kingston and St Andrew | 1958-63 | 1964-66 | 1967-72 | 1973-77 | - | - | - | - | - | 2003-07 | 2008-11 | - |
| The Netherlands Antilles (except Aruba) | - | - | - | 1973-78 | 1978-82 | - | - | - | - | - | - | - |
| Paraguay, Asunción | - | - | - | - | - | 1988-89 | - | - | - | - | - | - |
| Peru, Lima | - | - | - | - | - | - | 1990-91 | - | - | - | 2010-12 | 2013-15 |
| Peru, Trujillo | - | - | - | - | - | 1984-87 | 1988-90 | - | 1998-02 | - | - | - |
| Trinidad and Tobago | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| UK, Bermuda: | - | - | - | - | - | - | - | - | - | - | - | - |
| Black | - | - | - | - | - | 1983-87 | - | - | - | - | - | - |
| White and other | - | - | - | - | - | 1983-87 | - | - | - | - | - | - |
| USA, Puerto Rico | 1962-63 | 1964-66 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-91 | 1992-93 | - | 2003-07 | 2008-12 | 2013-17 |
| Uruguay | - | - | - | - | - | - | - | - | - | 2005-07 | 2008-12 | 2013-17 |
| Uruguay, Montevideo | - | - | - | - | - | - | 1990-92 | 1993-95 | - | - | - | - |
| North America | | | | | | | | | | | | |
| Canada | - | - | 1969-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | - |
| Canada, Alberta | 1960-62 | 1963-66 | 1969-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Canada, British Columbia | - | - | 1969-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Canada, Manitoba | 1960-62 | 1963-66 | 1969-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Canada, Maritime Provinces (New Brunswick, Nova Scotia, Prince Edward Island) | - | - | 1969-72 | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| Canada, New Brunswick | 1962-64 | 1965-66 | - | - | 1978-82 | 1983-86 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Canada, Newfoundland and Labrador | 1960-62 | 1963-66 | 1969-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Canada, Northwest Territories | - | - | - | - | - | - | 1983-92 | 1983-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Canada, Northwest Territories and Yukon | - | - | - | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| Canada, Nova Scotia | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Canada, Nunavut | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Canada, Ontario | - | - | 1969-71 | 1969-71 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Canada, Prince Edward Island | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Canada, Quebec | - | 1963-66 | 1969-72 | 1973-77 | 1978-81 | 1983-87 | 1988-92 | 1993-97 | - | 2003-07 | - | 2013-17 |
| Canada, Saskatchewan | 1960-62 | 1963-66 | 1969-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Canada, Yukon | - | - | - | - | - | - | 1983-92 | 1983-97 | - | 2003-07 | 2008-12 | 2013-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|--|--------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| USA | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| USA, NPCR: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| American Indian | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| American Indian/Alaska Natives | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, SEER (14 registries, then 18 registries): | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Hispanic White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Non-Hispanic White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, SEER (9 registries): | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Alabama: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Alaska: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Alaska Natives | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| American Indian | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| USA, Arizona: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| American Indian | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Arkansas: | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, California: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| American Indian | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Hispanic White | - | - | - | - | - | - | - | - | 1998-02 | - | - | - |
| Non-Hispanic White | - | - | - | - | - | - | - | - | 1998-02 | - | - | - |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, California, Alameda County: | - | - | - | - | - | - | - | - | - | - | - | - |
| Black | - | 1960-64 | 1969-73 | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| White | - | 1960-64 | 1969-73 | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| USA, California, Central Valley: | - | - | - | - | - | - | - | - | - | - | - | - |
| Hispanic White | - | - | - | - | - | - | 1988-92 | - | - | - | - | - |
| Non-Hispanic White | - | - | - | - | - | - | 1988-92 | - | - | - | - | - |
| USA, California, Los Angeles County: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | 1972-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Chinese | - | - | - | 1972-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Filipino | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Hispanic White | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Japanese | - | - | - | 1972-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | - |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of C15

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|--|---------|---------|----------|---------|---------|---------|----------|-----------|---------|--------------------|---------|----------|
| Korean | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Non-Hispanic White | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Other White | - | - | - | 1972-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| Spanish-surnamed White | - | - | - | 1972-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, California, San Francisco Bay Area: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | 1969-73 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Chinese | - | - | 1969-73 | 1973-77 | 1978-82 | - | 1988-92 | - | 1998-02 | - | 2008-12 | - |
| Filipino | - | - | - | - | 1978-82 | - | 1988-92 | - | 1998-02 | - | 2008-12 | - |
| Hispanic White | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Japanese | - | - | - | 1973-77 | 1978-82 | - | 1988-92 | - | 1998-02 | - | 2008-12 | - |
| Non-Hispanic White | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | 1969-73 | 1973-77 | 1978-82 | 1983-87 | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Colorado: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Connecticut: | 1960-62 | 1963-65 | 1968-72 | 1973-77 | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Delaware: | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| USA, District of Columbia: | - | - | - | - | - | - | - | - | 1998-02 | - | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | - | - | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | - | - | 2013-17 |
| USA, Florida: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Georgia: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Georgia, Atlanta: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | 1975-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | 1975-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Idaho | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Illinois: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| USA, Indiana: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Iowa | - | - | 1969-71 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Kentucky | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Louisiana: | - | - | - | - | - | - | - | - | 1998-02 | 2003-04 2006-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-04 2006-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-04 2006-07 | 2008-12 | 2013-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|---------------------------------|--------|---------|----------|---------|---------|---------|----------|-----------|---------|--------------------|---------|----------|
| USA, Louisiana, Central Region: | - | - | - | - | - | - | - | - | - | - | - | - |
| Black | - | - | - | - | - | - | 1988-92 | 1993-97 | - | - | - | - |
| White | - | - | - | - | - | - | 1988-92 | 1993-97 | - | - | - | - |
| USA, Louisiana, New Orleans: | - | - | - | - | - | - | - | - | - | 2003-04 2006-07 | 2008-12 | 2013-17 |
| Black | - | - | - | 1974-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-04 2006-07 | 2008-12 | 2013-17 |
| White | - | - | - | 1974-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-04 2006-07 | 2008-12 | 2013-17 |
| USA, Maine | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Maryland | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| USA, Massachusetts: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Michigan: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Michigan, Detroit: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | 1969-71 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | 1969-71 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Minnesota | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| USA, Mississippi | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Missouri: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Montana: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| American Indian | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| USA, Nebraska: | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Nevada | - | 1959-66 | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| USA, New Hampshire | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| USA, New Jersey: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, New Mexico: | - | - | - | - | - | 1983-87 | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| American Indian | - | - | 1969-72 | 1973-77 | 1978-82 | - | 1988-92 | 1993-97 | 1998-02 | - | - | 2013-17 |
| Hispanic | - | - | 1969-72 | 1973-77 | 1978-82 | - | - | - | - | - | - | - |
| Hispanic White | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Non-Hispanic White | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Other White (Anglo) | - | - | 1969-72 | 1973-77 | 1978-82 | - | - | - | - | - | - | - |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, New York City | - | - | - | - | 1978-82 | 1983-87 | - | - | - | - | - | - |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|---|---------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| USA, New York State: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, New York State (except New York City): | 1959-61 | - | 1969-71 | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| USA, North Carolina: | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| American Indian | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, North Dakota | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Ohio: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Oklahoma: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| American Indian | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Oregon: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Pennsylvania: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| USA, Rhode Island: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, South Carolina: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, South Dakota | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Tennessee: | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| USA, Texas: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| Black | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| White | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Texas, El Paso: | - | - | - | - | - | - | - | - | - | - | - | - |
| Latin | - | 1960-66 | 1968-70 | - | - | - | - | - | - | - | - | - |
| Other than Latin | - | 1960-66 | 1968-70 | - | - | - | - | - | - | - | - | - |
| USA, Utah | - | - | 1966-70 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Vermont | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Virginia: | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| Asian and Pacific Islander | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| USA, Washington State | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Washington, Seattle | - | - | - | 1974-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|--|--------|---------|----------|---------|--------|---------|----------|-----------|---------|---------|---------|----------|
| USA, West Virginia | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| USA, Wisconsin: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| Black | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| White | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| USA, Wyoming | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Asia | | | | | | | | | | | | |
| Bahrain: Bahraini | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Brunei Darussalam | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| China, Anfu County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Anguo City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Anshan City | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Aohan Banner, Chifeng City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Arongqi | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Baoding City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Beijing City | - | - | - | - | - | - | - | 1993-97 | - | 2003-07 | 2008-12 | 2013-17 |
| China, Benxi | - | - | - | - | - | - | - | - | - | - | 2008-11 | - |
| China, Binhai County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Cangzhou City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Changfeng County | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Changle | - | - | - | - | - | - | - | 1993-97 | - | - | - | - |
| China, Changzhou City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Chengdu City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Ci Xian County | - | - | - | - | - | - | - | 1993-97 | - | 2003-07 | 2008-12 | 2013-17 |
| China, Cixi City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Dafeng District, Yancheng City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Dalian City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Dancheng County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Dangtu County | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Danyang City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Dawukou District, Shizuishan City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Dehui City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Donggang County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Dongguan City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Donghai County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Dongtai City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Duanzhou District, Zhaoqing City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Evenki Autonomous Banner | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Faku County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Fangcheng County | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Feicheng City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Feixi County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Fuqing City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Ganyu District, Lianyungang City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Ganzhou District, Zhangye City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Gaocheng City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Gaomi City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Gong'an County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Guang'an District, Guang'an City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Guanghan City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Guangzhou City | - | - | - | - | - | - | - | - | 2000-02 | - | 2010-12 | 2013-17 |
| China, Guanyun County | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Guilin City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of C15

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|---|--------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| China, Hai'an City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Hailar District, Hulun Buir City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Haimen District, Nantong City | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Haining City | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 |
| China, Hangzhou City | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Hebi City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Hefei City | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| China, Hengdong County | - | - | - | - | - | - | - | - | - | - | 2009-12 | 2015-17 |
| China, Hengfeng County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Hepu County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Hong Kong | - | - | - | 1974-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| China, Honghu City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Hongshan District, Chifeng City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Hongta District, Yuxi City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Huaiyin District, Huai'an City | - | - | - | - | - | - | - | - | - | - | 2009-12 | 2013-17 |
| China, Jiange County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Jiangmen City | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| China, Jiangyin City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Jianhu County | - | - | - | - | - | - | - | - | - | - | 2010-12 | - |
| China, Jiashan County | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| China, Jiayu County | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Jinan City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Jingtai County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Jingxian County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Jintan District, Changzhou City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Jiulongpo District, Chongqing City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Jiyuan City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Kaihua County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Kunshan City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Langzhong City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Liangshan County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Lianshui County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Lianyungang City | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Linhe District, Bayannur City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Linqu County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Linzhou City | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Liuzhou City | - | - | - | - | - | - | - | - | - | - | 2009-12 | 2013-17 |
| China, Liyang City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Longquan City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Lucheng District, Wenzhou City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Luoding City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Luohe City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Luoyang City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Luquan City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Ma'anshan City | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Macao | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| China, Macheng City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Meihkekou City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Mengjin County | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Nangang District, Harbin City | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| China, Nanhai District, Foshan City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|---|--------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| China, Nanhu District, Jiaxing City | - | - | - | - | - | - | - | - | - | 2005-07 | 2008-12 | 2013-17 |
| China, Nantong City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Nanxiong City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Neixiang County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Qianxi County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Qidong City | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | - | 2003-07 | 2008-12 | 2013-17 |
| China, Qingzhou City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Rudong County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Rugao City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Rural areas of Shanghai City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Ruyang County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Shan County | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Shanghai City | - | - | - | 1975 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| China, Shangyu District, Shaoxing City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Shapingba District, Chongqing City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Shenyang | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| China, She Xian County | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Sheyang County | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| China, Shijiazhuang City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Shunde District, Foshan City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Song County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Suzhou City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Taiwan | - | - | - | - | - | - | - | 1997-97 | - | - | - | - |
| China, Tengzhou City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Tianjin | - | - | - | - | 1981-82 | 1983-87 | 1988-92 | 1993-97 | - | - | - | - |
| China, Tongling City | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| China, Wangdu County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Wanzai County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Wu'an City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Wuhan City | - | - | - | - | - | - | - | 1993-97 | - | 2003-07 | 2008-12 | 2013-17 |
| China, Wuhu City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Wuxi City | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| China, Wuzhou City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Xiangfu District, Kaifeng City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Xianju County | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| China, Xin'an County | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Xining City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Xinji City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Xinluo District, Longyan City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Xinzhou District, Shangrao City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Xiping County | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| China, Xishan District, Kunming City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Xuyi County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Ya'an City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yakeshi City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yancheng City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yangcheng County | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| China, Yangquan City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yangzhong City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yanji City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yanshi City | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| China, Yanting County | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|--|--------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| China, Yi'an District, Tongling City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Yingdong District, Fuyang City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yinzhou District, Ningbo City | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Yiyuan County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Yong'an City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yongding District, Longyan City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yongkang City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yucheng County | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Yueyanglou District, Yueyang City | - | - | - | - | - | - | - | - | - | - | 2009-12 | 2015-17 |
| China, Yunmeng County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Yunyang District, Shiyan City | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| China, Yuzhong District, Chongqing City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Zanhuan County | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Zhangjiagang City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Zhaoyuan City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Zhengding County | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| China, Zhongshan City | - | - | - | - | - | - | - | - | 1998-02 | 2004-07 | 2010-12 | 2013-17 |
| China, Zhongxiang City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Zhuanghe City | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| China, Zhuhai City | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| India, Ahmedabad | - | - | - | - | - | 1983-87 | - | 1993-97 | - | - | 2008-11 | - |
| India, Ahmedabad, urban | - | - | - | - | - | - | - | - | - | - | - | 2013-16 |
| India, Aurangabad | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| India, Bangalore | - | - | - | - | 1982 | 1983-87 | 1988-92 | 1993-97 | - | 2005-07 | 2008-12 | 2013-15 |
| India, Barshi, Paranda, and Bhum | - | - | - | - | - | - | 1988-92 | - | - | 2003-07 | 2008-12 | 2013-17 |
| India, Bhopal | - | - | - | - | - | - | - | - | - | 2004-07 | 2008-12 | 2013-15 |
| India, Cachar | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| India, Chandigarh | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| India, Chennai (formerly Madras) | - | - | - | - | 1982 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| India, Dibrugarh District | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| India, Dindigul, Ambilikkai | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| India, Kamrup Urban District | - | - | - | - | - | - | - | - | - | - | 2009-12 | 2013-16 |
| India, Karunagappally | - | - | - | - | - | - | 1991-92 | 1993-97 | 1998-02 | 2003-07 | - | - |
| India, Kollam | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-16 |
| India, Manipur | - | - | - | - | - | - | - | - | - | - | - | 2013-16 |
| India, Meghalaya | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| India, Mizoram | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-16 |
| India, Mumbai (formerly Bombay) | - | 1964-66 | 1968-72 | 1973-75 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| India, Nagpur | - | - | - | - | 1980-82 | - | - | 1993-97 | 1998-02 | - | - | - |
| India, New Delhi | - | - | - | - | - | - | - | 1993-96 | 1998-02 | 2003-07 | - | 2013-15 |
| India, Poona | - | - | - | 1973-77 | 1978-82 | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-11 | 2013-17 |
| India, SAS Nagar | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| India, Sangrur District | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| India, Sikkim State | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| India, Tamil Nadu | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| India, Tripura | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-16 |
| India, Trivandrum | - | - | - | - | - | - | 1991-92 | 1993-97 | 1998-02 | 2005-07 | 2008-12 | 2013-16 |
| India, Wardha | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| India, West Arunachal | - | - | - | - | - | - | - | - | - | - | - | 2013-16 |
| Iran (Islamic Republic of), Ardabil Province | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|---|---------|---------|----------|---------|---------|---------|--------------------|-----------|---------|---------|---------|----------|
| Iran (Islamic Republic of), Golestan Province | - | - | - | - | - | - | - | - | - | 2005-07 | 2008-11 | 2015-17 |
| Israel: | 1960-63 | 1960-66 | 1967-71 | 1972-76 | 1977-81 | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| All Jews | - | 1960-66 | 1967-71 | 1972-76 | 1977-81 | 1982-86 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Jews born in Africa or Asia | - | 1960-66 | 1967-71 | 1972-76 | 1977-81 | 1982-86 | 1988-92 | 1993-97 | - | - | - | - |
| Jews born in Europe or America | - | 1960-66 | 1967-71 | 1972-76 | 1977-81 | 1982-86 | 1988-92 | 1993-97 | - | - | - | - |
| Jews born in Israel | - | 1960-66 | 1967-71 | 1972-76 | 1977-81 | 1982-86 | 1988-92 | 1993-97 | - | - | - | - |
| Non-Jews | - | 1960-66 | 1967-71 | 1972-76 | 1977-81 | 1982-86 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | - |
| Non-Jews, Arab | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Non-Jews, Other | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Japan | - | - | - | - | - | - | - | - | - | - | - | 2013-15 |
| Japan, Aichi Prefecture | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-15 |
| Japan, Akita Prefecture | - | - | - | - | - | - | - | - | - | - | - | 2013-15 |
| Japan, Aomori Prefecture | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Japan, Fukui Prefecture | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| Japan, Fukuoka | - | - | - | 1974-75 | - | - | - | - | - | - | - | - |
| Japan, Gunma Prefecture | - | - | - | - | - | - | - | - | - | - | - | 2013-15 |
| Japan, Hiroshima | - | - | - | - | 1978-80 | 1981-85 | 1986-90 | 1991-95 | 1996-00 | 2003-07 | - | - |
| Japan, Hiroshima Prefecture | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2014-17 |
| Japan, Miyagi Prefecture | 1959-60 | 1962-64 | 1968-71 | 1973-77 | 1978-81 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-10 | 2013-17 |
| Rural | - | - | - | - | 1978-81 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-81 | - | - | - | - | - | - | - |
| Japan, Nagasaki Prefecture | - | - | - | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Japan, Niigata Prefecture | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| Japan, Okayama | - | 1966 | 1969 | - | - | - | - | - | - | - | - | - |
| Japan, Osaka Prefecture | - | - | 1970-71 | 1973-77 | 1979-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-15 |
| Japan, Saga Prefecture | - | - | - | - | - | 1984-86 | 1988-92 | 1993-97 | - | 2003-07 | - | - |
| Japan, Tochigi Prefecture | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Japan, Yamagata Prefecture | - | - | - | - | - | 1983-86 | 1988-92 | 1993-97 | 1998-02 | - | 2008-12 | - |
| Jordan: Jordanians | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Republic of Korea | - | - | - | - | - | - | - | - | 1999-02 | 2003-07 | 2008-12 | 2013-17 |
| Republic of Korea, Busan | - | - | - | - | - | - | - | 1996-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Republic of Korea, Daegu | - | - | - | - | - | - | - | 1997-98 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Republic of Korea, Daejeon | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Republic of Korea, Gwangju | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Republic of Korea, Incheon | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Republic of Korea, Jeju-do | - | - | - | - | - | - | - | - | 2000-02 | 2004-07 | 2008-12 | 2013-17 |
| Republic of Korea, Kangwha County | - | - | - | - | - | - | 1986-92 | 1993-97 | - | - | - | - |
| Republic of Korea, Seoul | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Republic of Korea, Ulsan | - | - | - | - | - | - | - | - | 1999-02 | 2003-07 | 2008-12 | 2013-17 |
| Kuwait: | - | - | - | - | 1979-82 | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Kuwaiti | - | - | - | - | 1979-82 | 1983-87 | 1988-89 1992-93 | 1994-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Non-Kuwaiti | - | - | - | - | 1979-82 | 1983-87 | 1988-89 1992-93 | 1994-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Kyrgyzstan | - | - | - | - | - | 1986-87 | - | - | - | - | - | - |
| Malaysia, Penang: | - | - | - | - | - | - | - | - | 1998-02 | 2004-07 | 2008-10 | - |
| Chinese | - | - | - | - | - | - | - | - | - | 2004-07 | 2008-10 | - |
| Indian | - | - | - | - | - | - | - | - | - | 2004-07 | 2008-10 | - |
| Malay | - | - | - | - | - | - | - | - | - | 2004-07 | 2008-10 | - |
| Malaysia, Sarawak | - | - | - | - | - | - | - | - | 1998-02 | - | - | - |
| Oman: Omani | - | - | - | - | - | - | - | 1993-97 | 1998-01 | - | - | - |
| Pakistan, South Karachi | - | - | - | - | - | - | - | 1995-97 | 1998-02 | - | - | - |
| Philippines, Manila | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Philippines, Rizal | - | - | - | - | 1978-82 | 1983-87 | - | 1993-97 | - | 2003-07 | 2008-12 | - |
| Qatar: Qatari | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Saudi Arabia, Riyadh: Saudi | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|------------------------------------|---------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| Singapore: | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | - | 2013-17 |
| Chinese | 1950-61 | - | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | 2013-17 |
| Indian | - | - | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | 2013-17 |
| Malay | - | - | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | 2013-17 |
| Thailand, Bangkok | - | - | - | - | - | - | - | 1995-97 | - | 2003-07 | 2008-10 | 2013-16 |
| Thailand, Chiang Mai | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Thailand, Chonburi | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-11 | - |
| Thailand, Khon Kaen | - | - | - | - | - | 1988-89 | 1990-93 | 1993-97 | - | 2003-07 | 2008-12 | 2013-17 |
| Thailand, Lampang | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Thailand, Lopburi Province | - | - | - | - | - | - | - | - | - | - | 2009-12 | 2013-17 |
| Thailand, Songkhla | - | - | - | - | - | - | - | 1993-96 | 1998-02 | 2004-07 | 2008-12 | 2013-17 |
| Turkey, Antalya | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Turkey, Bursa | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Turkey, Edirne | - | - | - | - | - | - | - | - | - | 2004-07 | 2008-12 | 2013-17 |
| Turkey, Erzurum | - | - | - | - | - | - | - | - | - | - | 2010-12 | 2013-17 |
| Turkey, Eskişehir | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Turkey, Gaziantep | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Turkey, İzmir | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Turkey, Malatya | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Turkey, Samsun | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Turkey, Trabzon | - | - | - | - | - | - | - | - | - | 2005-07 | 2008-12 | 2013-17 |
| Viet Nam, Hanoi | - | - | - | - | - | - | 1991-93 | 1993-97 | - | - | - | - |
| Viet Nam, Ho Chi Minh City | - | - | - | - | - | - | - | 1995-98 | - | - | 2009-12 | - |
| Europe | | | | | | | | | | | | |
| Austria | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Austria, Carinthia | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Austria, Tyrol | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Austria, Vorarlberg | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Belarus | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Belgium | - | - | - | - | - | - | - | - | - | 2004-07 | 2008-12 | 2013-17 |
| Belgium, Antwerp | - | - | - | - | - | - | - | - | 1998-02 | - | - | - |
| Belgium, Flanders | - | - | - | - | - | - | - | - | 1998-01 | - | - | - |
| Belgium, Flanders (except Limburg) | - | - | - | - | - | - | - | 1997-98 | - | - | - | - |
| Belgium, Limburg | - | - | - | - | - | - | - | 1997-98 | - | - | - | - |
| Bulgaria | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| Croatia | - | - | - | - | - | - | 1988-91 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Cyprus | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Czech Republic | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Denmark | 1958-62 | 1963-67 | 1968-72 | 1973-76 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Estonia | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Finland | 1959-61 | 1962-65 | 1966-70 | 1971-76 | 1977-81 | 1982-86 | 1987-92 | 1993-97 | 1998-02 | 2003-07 | - | 2013-17 |
| France, Bas-Rhin | - | - | - | 1975-77 | 1978-81 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-11 | 2013-16 |
| France, Calvados | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Rural | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| France, Côte-d'Or | - | - | - | - | - | - | - | 1993-97 | - | - | - | - |
| France, Doubs | - | - | - | 1977 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Rural | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| France, Gironde | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| France, Haut-Rhin | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| France, Hérault | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| France, Isère | - | - | - | - | 1979-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| France, Lille-Métropole | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| France, Limousin | - | - | - | - | - | - | - | - | - | - | 2009-12 | 2013-17 |
| France, Loire-Atlantique | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| France, Manche | - | - | - | - | - | - | - | 1994-97 | 1998-02 | 2003-07 | 2008-11 | 2013-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|--|---------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| France, Poitou-Charentes | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| France, Somme | - | - | - | - | - | 1983-84 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| France, Tarn | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| France, Territoire de Belfort | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-16 |
| France, Vendée | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Germany, Bavaria | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Germany, Baden-Württemberg | - | - | - | - | - | - | - | - | - | - | - | 2015-17 |
| Germany, Brandenburg | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | - | - |
| Germany, Bremen | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Germany, Eastern States (ex-GDR) | - | 1964-66 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-89 | - | - | - | - | - |
| Germany, Free State of Saxony | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | - | - |
| Germany, Hamburg | - | - | 1969-72 | 1973-77 | 1978-79 | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Germany, Lower Saxony | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Germany, Mecklenburg-Western Pomerania | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | - | - |
| Germany, Munich | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| Germany, North Rhine-Westphalia | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Germany, Rhineland-Palatinate | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Germany, Saarland | - | - | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Rural | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Germany, Schleswig-Holstein | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Hungary, Miskolc | - | 1962-66 | - | - | - | - | - | - | - | - | - | - |
| Hungary, Szabolcs-Szatmár-Bereg County | - | 1962-66 | 1969-71 | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| Rural | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Hungary, Vas County | - | 1962-66 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| Iceland | 1955-63 | - | 1964-72 | - | 1973-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Ireland | - | - | - | - | - | - | - | 1994-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Ireland, Southern | - | - | - | - | 1980-82 | 1983-86 | 1988-92 | - | - | - | - | - |
| Italy, Aosta Valley | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-16 |
| Italy, Avellino | - | - | - | - | - | - | - | - | - | - | - | 2013-15 |
| Italy, Barletta | - | - | - | - | - | - | - | - | - | - | 2008-11 | - |
| Italy, Basilicata | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Italy, Benevento | - | - | - | - | - | - | - | - | - | - | - | 2013-16 |
| Italy, Bergamo | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Italy, Biella | - | - | - | - | - | - | - | 1995-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Italy, Brescia | - | - | - | - | - | - | - | - | 1999-01 | 2003-06 | - | 2013-17 |
| Italy, Calabria | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Italy, Caserta | - | - | - | - | - | - | - | - | - | - | 2008-10 | 2013-16 |
| Italy, Catania and Messina | - | - | - | - | - | - | - | - | - | 2003-05 | - | - |
| Italy, Catania, Messina, and Enna | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Italy, Catanzaro | - | - | - | - | - | - | - | - | - | 2003-07 | - | - |
| Italy, Como | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-11 | - |
| Italy, Cremona | - | - | - | - | - | - | - | - | - | - | 2008-10 | - |
| Italy, Emilia-Romagna | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Italy, Ferrara | - | - | - | - | - | - | 1991-92 | 1993-97 | 1998-02 | 2003-07 | 2008-11 | - |
| Italy, Tuscany (formerly Florence and Prato) | - | - | - | - | - | 1985-87 | 1988-91 | 1993-97 | 1998-02 | 2003-05 | 2008-10 | 2013-15 |
| Italy, Friuli-Venezia Giulia | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-10 | 2013-17 |
| Italy, Genoa | - | - | - | - | - | 1986-87 | 1988-92 | 1993-96 | 1998-00 | 2003-06 | - | 2013-16 |
| Italy, Latina | - | - | - | - | - | 1983-85 | 1988-91 | - | - | 2003-07 | 2008-12 | - |
| Italy, Lecco | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-10 | - |
| Italy, Liguria | - | - | - | - | - | - | - | 1996-97 | - | - | - | - |
| Italy, Lombardy, South | - | - | - | - | - | - | - | - | - | 2003-05 | - | - |
| Italy, Lombardy, South, Pavia | - | - | - | - | - | - | - | - | - | - | 2008-10 | 2013-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|---|---------|---------|----------|---------|---------|---------|----------|--------------------|---------|---------|---------|----------|
| Italy, Macerata | - | - | - | - | - | - | 1991-92 | 1993-97 | 1998-00 | - | - | - |
| Italy, Mantova and Cremona | - | - | - | - | - | - | - | - | - | - | - | 2013-16 |
| Italy, Mantua | - | - | - | - | - | - | - | - | - | 2003-05 | 2008-10 | - |
| Italy, Marche | - | - | - | - | - | - | - | - | - | - | - | 2013-16 |
| Italy, Milan | - | - | - | - | - | - | - | - | 1999-02 | 2003-06 | 2008-12 | 2013-17 |
| Italy, Modena | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Italy, Molise | - | - | - | - | - | - | - | - | - | - | - | 2013-15 |
| Italy, Brianza (Lecco and Monza e Brianza) | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-15 |
| Italy, Naples Centre | - | - | - | - | - | - | - | - | - | - | - | 2013-15 |
| Italy, Naples North | - | - | - | - | - | - | - | - | - | - | - | 2013-16 |
| Italy, Naples South | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Italy, Northeast | - | - | - | - | - | - | - | 1995-97 | 1998-02 | - | - | - |
| Italy, Nuoro | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-15 |
| Italy, Palermo | - | - | - | - | - | - | - | - | - | 2003-06 | 2008-12 | 2013-17 |
| Italy, Parma | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Italy, Piacenza | - | - | - | - | - | - | - | - | - | - | 2008-11 | - |
| Italy, Puglia | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Italy, Ragusa | - | - | - | - | 1981-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | - |
| Italy, Ragusa and Caltanissetta | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Italy, Reggio Emilia | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | - |
| Italy, Romagna | - | - | - | - | - | 1986-87 | 1989-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Italy, Salerno | - | - | - | - | - | - | - | - | 1998-01 | 2003-07 | - | 2013-16 |
| Italy, Sassari | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-11 | 2013-15 |
| Italy, Sondrio | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-16 |
| Italy, South Tyrol | - | - | - | - | - | - | - | - | - | 2003-06 | 2008-10 | 2013-17 |
| Italy, Syracuse | - | - | - | - | - | - | - | - | 1999-02 | 2003-07 | 2008-12 | 2013-17 |
| Italy, Taranto | - | - | - | - | - | - | - | - | - | - | 2008-11 | - |
| Italy, Trapani | - | - | - | - | - | - | - | - | - | 2003-06 | - | - |
| Italy, Trento | - | - | - | - | - | - | - | - | - | 2003-06 | 2008-10 | 2013-17 |
| Italy, Trieste | - | - | - | - | - | 1984-85 | 1989-92 | - | - | - | - | - |
| Italy, Turin | - | - | - | - | - | 1985-87 | 1988-91 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Italy, Umbria | - | - | - | - | - | - | - | 1994-96 | 1998-02 | 2003-07 | 2008-11 | 2013-16 |
| Italy, Varese | - | - | - | 1976-77 | 1978-81 | 1983-87 | 1988-92 | 1993-97 | 1998-00 | 2003-07 | 2008-12 | 2013-15 |
| Italy, Veneto | - | - | - | - | - | - | 1988-92 | 1993-96 | 1998-01 | 2003-06 | 2008-10 | 2013-17 |
| Latvia | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2004-07 | 2010-12 | 2013-17 |
| Liechtenstein | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Lithuania | - | - | - | - | - | - | - | 1988-92 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Malta | - | - | 1969-72 | - | - | - | 1992-93 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| The Netherlands | - | - | - | - | - | - | 1989-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| The Netherlands, Eindhoven | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | - |
| The Netherlands, Maastricht | - | - | - | - | - | 1986-88 | 1988-92 | 1993-97 | 1998-02 | - | - | - |
| The Netherlands, three provinces | 1960-62 | - | - | - | - | - | - | - | - | - | - | - |
| Norway | 1959-61 | 1964-66 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Rural | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Poland, Cieszyn Area | - | - | 1968-72 | 1973-77 | - | - | - | - | - | - | - | - |
| Poland, Cracow | - | 1965-66 | 1968-72 | 1973-77 | 1978-81 | 1983-86 | 1988-92 | 1993-97 | 1998-02 | 2003-06 | - | - |
| Poland, Greater Poland | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Poland, Katowice District | - | 1965-66 | 1970-72 | 1973-74 | - | - | - | - | - | - | - | - |
| Poland, Kielce | - | - | - | - | - | - | 1988-92 | 1993-96 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Poland, Lower Silesia | - | - | - | - | - | 1984-87 | 1988-92 | 1993-97 | - | 2003-07 | 2008-12 | - |
| Poland, Lublin | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Poland, Nowy Sącz | - | - | 1968-72 | 1973-77 | 1978-81 | 1983-86 | - | - | - | - | - | - |
| Poland, Opole | - | - | - | - | - | 1985-87 | - | - | - | - | - | - |
| Poland, Podkarpackie | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | - |
| Poland, Warsaw (rural areas) | - | 1965-66 | 1968-72 | 1973-77 | - | 1983-87 | - | - | - | - | - | - |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|--------------------------------------|---------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| Poland, Warsaw (urban area) | - | 1965-66 | 1968-72 | 1973-77 | 1980-82 | 1983-87 | 1989-92 | 1993-97 | 1998-02 | - | - | - |
| Portugal, Azores | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-11 | 2013-16 |
| Portugal, Porto | - | - | - | - | - | - | - | - | 1998-02 | - | - | - |
| Portugal, South Region | - | - | - | - | - | - | - | - | 1999-01 | - | - | - |
| Portugal, Vila Nova de Gaia | - | - | - | - | - | 1983-87 | - | 1993-97 | - | - | - | - |
| Romania, Banat Region | - | 1967 | - | - | - | - | - | - | - | - | - | - |
| Romania, Cluj County | - | - | - | 1974-78 | 1979-82 | 1983-87 | - | - | - | - | - | - |
| Rural | - | - | - | - | 1979-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1979-82 | - | - | - | - | - | - | - |
| Romania, Timiș County | - | - | 1970-72 | - | - | - | - | - | - | - | - | - |
| Russian Federation, Arkhangelsk | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Russian Federation, Chelyabinsk | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Russian Federation, Kaliningrad | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Russian Federation, Karelia | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Russian Federation, Komi Republic | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Russian Federation, Murmansk | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Russian Federation, Orenburg | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Russian Federation, Pskov | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Russian Federation, Saint Petersburg | - | - | - | - | - | 1983-87 | - | 1994-97 | 1998-02 | 2003-07 | - | - |
| Russian Federation, Samara | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Russian Federation, Vologda Region | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Serbia, Central | - | - | - | - | - | - | - | - | 1999-02 | 2003-07 | - | - |
| Slovakia | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-10 | - |
| Rural | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Slovakia, Western | - | - | - | 1973-77 | - | - | - | - | - | - | - | - |
| Slovenia | 1956-60 | 1961-65 | 1968-72 | 1973-76 | 1978-81 | 1982-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Spain, Albacete | - | - | - | - | - | - | 1991-92 | 1993-97 | 1998-01 | 2003-07 | 2008-10 | - |
| Spain, Asturias | - | - | - | - | - | - | 1988-91 | 1992-95 | 1996-00 | 2003-07 | 2008-10 | 2013-15 |
| Spain, Basque Country | - | - | - | - | - | 1986-87 | 1988-91 | - | 1998-01 | 2003-07 | 2008-12 | 2013-16 |
| Spain, Canary Islands | - | - | - | - | - | - | - | 1993-95 | 1997-01 | 2003-06 | 2008-11 | 2013-16 |
| Spain, Castellón | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Spain, Ciudad Real | - | - | - | - | - | - | - | - | - | 2004-07 | 2008-11 | - |
| Spain, Cuenca | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-11 | - |
| Spain, Girona | - | - | - | - | - | - | - | 1995-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Spain, Granada | - | - | - | - | - | 1985-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Spain, La Rioja | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Spain, Mallorca | - | - | - | - | - | - | 1988-92 | 1993-96 | - | 2003-07 | 2008-11 | - |
| Spain, Murcia | - | - | - | - | - | 1984-87 | 1988-92 | 1993-96 | 1997-01 | 2003-07 | 2008-10 | 2013-17 |
| Spain, Navarra | - | - | - | 1973-77 | 1978-82 | 1983-86 | 1987-91 | 1993-97 | 1998-02 | 2003-07 | 2008-10 | 2013-16 |
| Spain, Salamanca | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Spain, Tarragona | - | - | - | - | 1980-83 | 1984-87 | 1988-92 | 1993-97 | 1998-01 | 2003-07 | 2008-12 | 2013-17 |
| Spain, Zaragoza | - | - | 1968-72 | 1973-77 | 1978-82 | 1983-85 | 1986-90 | 1991-95 | 1996-00 | - | - | - |
| Sweden | 1959-61 | 1962-65 | 1966-70 | 1971-75 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | 2013-17 |
| Switzerland, Aargau | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Switzerland, Basel | - | - | - | - | 1981-82 | 1983-87 | 1988-92 | 1993-97 | - | 2003-07 | - | 2013-17 |
| Switzerland, Berne Solothurn | - | - | - | - | - | - | - | - | - | - | - | 2014-17 |
| Switzerland, Fribourg | - | - | - | - | - | - | - | - | - | - | 2008-12 | 2013-17 |
| Switzerland, Geneva | - | - | 1970-72 | 1973-77 | 1979-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Switzerland, Graubünden | - | - | - | - | - | - | 1989-92 | - | - | - | - | - |
| Switzerland, Graubünden and Glarus | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Switzerland, Lucerne | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Switzerland, Neuchâtel | - | - | - | 1974-76 | 1978-82 | 1983-87 | 1988-92 | 1993-96 | 1998-02 | 2003-07 | 2008-12 | - |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII |
|---|---------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|
| Switzerland, Neuchâtel and Jura | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Switzerland, East (formerly St Gall-Appenzell) | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Switzerland, Ticino | - | - | - | - | - | - | - | 1996-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Switzerland, Valais | - | - | - | - | - | - | 1989-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Switzerland, Vaud | - | - | - | 1975-77 | 1978-82 | 1983-87 | 1988-92 | 1993-96 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Rural | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Switzerland, Zurich | - | - | - | - | 1980-82 | 1983-87 | 1988-92 | 1993-96 | - | 2003-07 | 2008-12 | - |
| Switzerland, Zurich and Zug | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |
| Ukraine | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| UK | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| UK, England | - | - | - | - | - | - | - | 1993-97 | - | 2003-07 | 2008-12 | 2013-17 |
| UK, England and Wales | - | - | - | - | 1979-82 | 1983-87 | 1988-90 | - | - | - | - | - |
| Rural | - | - | - | - | 1979-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1979-82 | - | - | - | - | - | - | - |
| UK, England, East Midlands | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| UK, England, East of England Region | - | - | - | - | - | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| UK, England, London | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| UK, England, Merseyside and Cheshire | 1959-63 | 1963-66 | 1968-72 | 1975-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | - | - | - |
| UK, England, North East | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| UK, England, North Western | - | - | - | 1973-77 | 1979-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| UK, England, Northern and Yorkshire | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | - | - |
| UK, England, Oxford Region | - | 1963-66 | 1968-72 | 1974-77 | 1979-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | - |
| UK, England, South East | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| UK, England, South and Western Regions | 1960-62 | 1962-65 | 1966-70 | - | 1979-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | - | - |
| UK, England, South Thames (South Metropolitan) | 1960-62 | 1963-66 | - | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | - | - | - | - |
| | - | - | 1967-71 | - | - | - | - | - | - | - | - | - |
| UK, England, South West | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| UK, England, Thames | - | - | - | - | - | - | - | - | 1998-02 | 2003-07 | - | - |
| UK, England, Trent | - | 1963-66 | 1967-70 | 1974-76 | 1979-82 | 1983-87 | - | 1993-97 | 1998-02 | 2005-07 | - | - |
| UK, England, Wessex | - | - | - | - | - | - | 1988-92 | - | - | - | - | - |
| UK, England, West Midlands | 1960-62 | 1963-66 | 1968-72 | 1973-76 | 1979-82 | 1983-86 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| UK, England, Yorkshire | - | - | - | - | - | 1983-87 | 1988-92 | 1993-97 | - | - | - | - |
| UK, England, Yorkshire and The Humber | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| UK, Northern Ireland | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| UK, Scotland | - | 1963-66 | - | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| UK, Scotland, Ayrshire | - | - | 1970-72 | - | - | - | - | - | - | - | - | - |
| UK, Scotland, East | - | - | - | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| UK, Scotland, North | - | - | - | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| UK, Scotland, North East | - | - | - | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| UK, Scotland, South East | - | - | - | 1973-77 | 1978-82 | 1983-87 | - | - | - | - | - | - |
| UK, Scotland, West | - | - | - | 1975-77 | 1978-82 | 1983-87 | 1988-92 | - | - | - | - | - |
| UK, Wales | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 |
| Yugoslavia, Vojvodina | - | - | - | - | - | - | 1988-92 | 1993-97 | - | - | - | - |
| Oceania | | | | | | | | | | | | |
| Australia | - | - | - | - | - | - | - | - | - | - | 2008-12 | - |
| Australia, Australian Capital Territory | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Australia, New South Wales | - | - | - | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | - |
| Rural | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Urban | - | - | - | - | 1978-82 | - | - | - | - | - | - | - |
| Australia, New South Wales and Australian Capital Territory | - | - | - | - | - | - | - | - | - | - | - | 2013-17 |

Table 1.2. (Contd) Geographical coverage (and specific incidence periods) across the 12 volumes of CI5

| | Vol. I | Vol. II | Vol. III | Vol. IV | Vol. V | Vol. VI | Vol. VII | Vol. VIII | Vol. IX | Vol. X | Vol. XI | Vol. XII | |
|--------------------------------|---------|---------|----------|---------|---------|---------|----------|-----------|---------|---------|---------|----------|---------|
| Australia, Northern Territory: | - | - | - | - | - | - | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 |
| Indigenous | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 | |
| Non-Indigenous | - | - | - | - | - | - | - | - | - | 2003-07 | 2008-12 | 2013-17 | |
| Australia, Queensland | - | - | - | - | 1982 | - | - | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Australia, South Australia | - | - | - | 1977 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Australia, Tasmania | - | - | - | - | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Australia, Victoria | - | - | - | - | 1982 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Australia, Western Australia | - | - | - | - | 1982 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| France, French Polynesia | - | - | - | - | - | - | 1988-92 | - | 1998-02 | - | - | - | |
| France, New Caledonia | - | - | - | - | - | - | - | - | - | - | 2008-11 | 2013-17 | |
| New Zealand: | 1960-62 | 1962-66 | 1968-71 | 1972-76 | 1978-82 | - | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Maori | - | 1962-66 | 1968-71 | 1972-76 | 1978-82 | 1983-87 | 1988-92 | - | - | 2003-07 | 2008-12 | 2013-17 | |
| Non-Maori | - | 1962-66 | 1968-71 | 1972-76 | 1978-82 | 1983-87 | 1988-92 | - | - | - | - | - | |
| Pacific Polynesian Islanders | - | - | - | - | 1978-82 | - | - | - | - | 2003-07 | 2008-12 | 2013-17 | |
| Other | - | - | - | - | - | - | - | - | - | 2003-07 | - | 2013-17 | |
| USA, Hawaii: | 1960-63 | - | 1968-72 | 1973-77 | - | - | - | - | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Chinese | - | 1960-64 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Filipino | - | 1960-64 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Hawaiian | 1960-63 | 1960-64 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| Japanese | 1960-63 | 1960-64 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| White | 1960-63 | 1960-64 | 1968-72 | 1973-77 | 1978-82 | 1983-87 | 1988-92 | 1993-97 | 1998-02 | 2003-07 | 2008-12 | 2013-17 | |
| USA, Pacific Islands | - | - | - | - | - | - | - | - | - | - | 2008-12 | - | |

Chapter 2: Registration techniques

Marion Piñeros, Les Mery, and Ariana Znaor

Cancer registration procedures differ globally from region to region and are at least in part dependent on local factors, including the level of development of cancer information systems, the potential for data linkages, and the resources available to the registry. The *Cancer Incidence in Five Continents (CI5)* series compiles a set of comparable high-quality data on the incidence rates of specific cancers in different populations and over time. Nevertheless, data users are advised to consider the factors related to registration techniques that may lead to artefactual differences. The primary purpose of this chapter is to describe variations between the cancer registries included in CI5 Volume XII – including variations in populations, the methods and standards used to collect data on new cases, and the sources of data accessed.

All contributors were required to complete an online questionnaire to provide descriptive information about their registry. For each registry, information was collected about the nature and size of the geographical area covered, the reporting facilities and data sources, the procedures for case finding and data abstraction, the coding methods, the type of data collected on incident cases, and the methods of follow-up for vital status. The information provided by each registry included in this volume is tabulated in Tables 2.1–2.3 at the end of this chapter. The majority (380) of the registries included in this volume (460) completed the questionnaire; for 61 registries, the information provided in Volume XI was used.

REGISTRY BACKGROUND (TABLE 2.1)

Table 2.1 lists the registries that contributed to this volume (grouped by geographical area) and provides information about several variables that describe each registry's characteristics, population size, and some basic aspects of operation. The significance of each variable included in Table 2.1 is described here.

Population: The size of the total population at risk on which a rate estimate is based influences the accuracy of that estimate. Rate estimates based on small numbers of individuals are more susceptible to the effects of random variation than are estimates based on large populations. Summary information about each cancer registry is provided later in this volume, including the age distribution of the estimated populations at risk and the specific sources of the population data. These are usually official sources, such as census data, and projections based on information about birth, death, and migration rates. Estimates tend to be more accurate for years closer to a census, and estimates based on interpolations

between censuses tend to be more accurate than are projections based only on the previous census. The estimated populations for each registry, listed in Table 2.1, are the estimated average total populations covered during the reporting period (generally 2013–2017, although some registries provided data for a shorter period).

Surface area (km²) and Population in urban area (%):

Cancer registries or registry networks in transitioned countries, such as the National Program of Cancer Registries (NPCR) and the Surveillance, Epidemiology, and End Results (SEER) Program in the USA, may cover very large geographical areas (entire provinces, states, or countries), whereas the covered populations in transitioning countries are often limited to urban centres. This is due to well-recognized difficulties with the diagnosis and enumeration of cancer cases in rural settings, in particular if the data collection relies on paper-based data sources. Although the calculated incidence rate for an urban area may be a reasonable estimate of the true rate in that community, the rate may not be representative of the entire country in which the registry is located, because lifestyles may be different in rural versus urban populations and in different geographical subregions within a country. In contrast, some of the registries that cover the largest surface areas are those with very low population density, for example in Australia, as well as those near the Arctic Circle, including parts of Canada, the Arkhangelsk region in the Russian Federation, and Alaska in the USA.

Latitude: The incidence rates of some cancers vary with latitude. This variation may provide evidence of the role of ultraviolet radiation (sunlight) in the etiology of certain cancers; however, similar variations in the rates of other cancers remain unexplained. Information about latitude is provided in Table 2.1 for those interested in investigating this phenomenon further.

Year registry started and Year population-based data first available: Developing a highly complete and accurate cancer registry takes time. Therefore, data from recently established registries should be interpreted with some caution. Rates may be underestimated because of incomplete registration. Alternatively, during the early years of data collection, prevalent cases (especially from death certificate diagnosis) may be erroneously included as new incident cases, resulting in the overestimation of incidence rates.

Cancer reportable (yes or no): Legislation or administrative orders making cancer a reportable disease and requiring the reporting of cancers to a registry do not guarantee completeness of reporting. Conversely, the absence of such reporting requirements does not necessarily prevent complete case finding. However, laws or rules requiring reporting generally do enhance registry operations, by ensuring access to (or reporting from) all facilities that diagnose or treat cancer, including those in the private sector. Of the 441 registries in CI5 Volume XII that provided this information, cancer reporting was included in legislation (L) in 173 (39%) and was regulated by an administrative order (A) in 170 (39%).

Privacy regulations apply (yes or no): An increasing number of registries must operate under privacy regulations that govern the confidentiality of all patient-level data they handle. Such regulations may affect both the ease with which registries can collect data and their ability to share their data with the research community.

Non-residents treated inside registration area (%) and Estimated cases missed because of problems accessing data sources (%): When a registry catchment area has a well-reputed cancer care centre that provides treatment and diagnosis to the population, the number of non-residents treated in the area may be higher than usual. If these non-resident cancer cases are included in the cancer registry database and incidence reporting, local rates may be overestimated. Conversely, if there is a cancer centre within reasonable travelling distance outside of a registry catchment area, that area's rates may be underestimated.

Screening programmes (and starting years, if available): The final five columns of Table 2.1 indicate the starting years of population-based screening programmes for breast, cervical, colorectal, prostate, and oral cancers within the registration areas. These dates are important to consider because the accelerated detection of prevalent cases can inflate incidence estimates, especially during the early years of screening programmes. The abbreviation "NA" (for "not applicable") indicates that a programme does not yet exist in the area.

CASE FINDING, ABSTRACTING, AND CODING (TABLE 2.2)

Table 2.2 lists the usual data sources (primarily diagnostic and clinical facilities) from which cases are identified by each participating cancer registry, and which therefore serve as the basis for the information that is abstracted and recorded by the registry. The most important of these sources are typically pathology laboratories (used in all registries except 29 in China, Japan, Latvia, and Turkey), hospital records (from both public and private hospitals), and death certificates. Of the 441 cancer registries in CI5 Volume XII that responded to the questionnaire, public hospital inpatient records are used as a data source in 416 (94%) of the registries, and private hospital

inpatient records are available to 328 (74%) of the registries. Together, these sources can provide a reasonably high level of reporting. However, access to records from radiotherapy and oncology departments, hospital discharge records, imaging facilities, and haematology laboratories can also be important. Some registries also obtain information from hospices and palliative care services, outpatient departments, general practitioners, and health insurance companies. In low- and middle-income countries, there is still a major lack of availability of death certificates, mostly because of the low quality of mortality statistics in general. Of the 441 responding registries, 370 (84%) had access to all death certificates, and 384 (87%) had access to cancer death certificates from the registration area.

Information from autopsy services is also used by some registries, but the inclusion of cases identified as incidental findings at autopsy may spuriously increase incidence rates. However, because autopsy is becoming an increasingly infrequent routine procedure, this source of error is likely to be minor. About 45% of the registries included in CI5 Volume XII stated that autopsy services were used as a data source.

In general, the more sources used for case finding, the more complete and accurate the reporting. Significant omissions may raise concerns that case finding is incomplete. For example, the absence of any information from radiotherapy facilities would likely be due to a lack of such facilities in the registration area, which might therefore suggest that some cases are missed because patients must go outside the registration area for care. However, the unavailability of some sources does not necessarily indicate underregistration; for example, the absence of private hospital information in a country with universal public health care may not affect registration. The use of multiple sources of case finding requires efficient record matching and de-duplication procedures to ensure that all records pertaining to the same case are brought together in a single registration, so that multiple recordings of the same cancers do not lead to the overestimation of incidence rates.

TYPES OF INFORMATION RECORDED (TABLE 2.3)

Table 2.3 indicates whether certain patient-level variables are recorded by each of the cancer registries included in CI5 Volume XII, which may be of interest to researchers wishing to conduct studies in collaboration with the registries. The majority (88%) of the 441 registries providing the information record unique identifying (ID) numbers (such as national identity numbers, social security numbers, or national health insurance numbers), and this can be very useful for record-linkage studies. Almost all registries are required to anonymize their data by using a registry-generated ID number as an alternative to storing patient names (or addresses) in their databases. The other patient-level variables included in Table 2.3 are ethnic group (or race/colour), stage of disease at diagnosis (for selected cancers), and nature of the initial clinical treatment received. Data on ethnic group are recorded by 57% of the 441 registries, mainly

in Brazil, China, India, and the USA. Among the 441 responding registries, staging data on breast, cervical, lung, colorectal, and prostate cancer are available in 78%, 75%, 71%, 76%, and 71%, respectively, of registries included in this volume. However, more detailed studies have shown that even if stage is recorded, this data item is often incomplete and is not included in the registry reports. About two thirds of responding registries record information on initial treatment.

The most basic patient-level variables (which are nearly always collected by high-quality population-based registries) are not included in Table 2.3, because they can be assumed to be recorded by all registries included in this volume. These universally recorded variables include name, sex, date of birth (or age), permanent residential address, incidence date (usually the date of diagnosis, hospitalization, or first treatment), and primary site and histological type of the cancer diagnosed – preferably coded according to the *International Classification of Diseases for Oncology* (ICD-O) schema (see Chapters 3 and 4).

Table 2.3 also indicates whether there is systematic vital status follow-up of registered patients. This is

essential for registries wishing to conduct survival analysis. Information is also provided about whether follow-up is carried out passively (by access to death certificates for all causes of death) and/or by active follow-up of live cases. Systematic vital status follow-up was done by 96% of the registries, by either passive or active follow-up or a combination of the two.

The last two columns of Table 2.3 indicate whether each registry follows any standard rules for recording incidence data and whether each registry can reliably identify subsequent primary cancers diagnosed in an individual previously diagnosed with an initial primary. Incidence date definitions in use were those of IARC/IACR (58% of responding registries included in this volume), the European Network of Cancer Registries (ENCR) (20%), and SEER (13%). Some of these recorded variables can provide information relevant to the care of cancer patients and the outcome of disease but are not used in this publication. If required for a specific research study, the data must be obtained from the individual registries.

Table 2.1. Background information on the registries included in CI5 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | |
|--|---|--------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate |
| Africa | | | | | | | | | | | | | | |
| Algeria, Batna | 1 270 667 | 12 039 | 69 | 35°N | 1995 | 1995 | N | Y | 30 | 20 | NA | NA | NA | NA |
| Algeria, Tizi Ouzou | 1 178 355 | 3 568 | 100 | 36°N | 2003 | 2003 | N | Y | 2 | 1 | 2015 | 2003 | NA | NA |
| Benin, Cotonou | 740 696 | 79 | 100 | 6°N | 2014 | 2014 | N | Y | | | NA | NA | NA | NA |
| France, La Réunion | 847 690 | 2 500 | | 20°S | 1988 | 1988 | N | Y | | | 2004 | 2018 | 2008 | NA |
| Kenya, Eldoret | 1 058 540 | 3 345 | 55 | 0°N | 1999 | 1999 | Y(L) | Y | 25 | 5 | 2010 | 2010 | NA | 2010 |
| Kenya, Nairobi | 3 771 577 | 696 | 100 | 1°S | 2001 | 2001 | Y(L) | Y | 15 | 3 | Y | Y | NA | NA |
| Mauritius | 1 265 766 | 1 969 | 40 | 20°S | 1991 | 2001 | N | Y | 2 | 3 | NA | NA | NA | NA |
| Morocco, Casablanca | 4 305 666 | 1 157 | 92 | 33°N | 2004 | 2004 | N | Y | 40 | 2 | 2009 | 2009 | NA | NA |
| Seychelles | 93 049 | 459 | 95 | 4°S | 2008 | 2008 | Y(A) | Y | 0 | 5 | 2012 | 2010 | 2022 | 2012 |
| South Africa, Eastern Cape | 1 121 119 | 14 312 | 100 | 31°S | 1998 | 1998 | Y(L) | Y | 10 | 10 | 2010 | 2000 | 2010 | 2010 |
| Uganda, Gulu | 754 917 | 14 775 | 40 | 2°N | 2014 | 2013 | Y(A) | Y | 1 | 2 | NA | 2018 | NA | NA |
| Uganda, Kyadondo County | 2 689 526 | 1 914 | 70 | 0°N | 1951 | 1954 | N | Y | 5 | 5 | NA | NA | NA | NA |
| Zimbabwe, Bulawayo: African | 704 651 | 546 | 100 | 20°S | 2012 | 2013 | N | Y | | | NA | 2015 | NA | NA |
| Zimbabwe, Harare: African | 1 630 663 | 836 | 100 | 19°S | 1985 | 1990 | N | Y | 60 | 2 | NA | 2015 | NA | NA |
| Central and South America and the Caribbean | | | | | | | | | | | | | | |
| Argentina, Entre Rios Province | 1 307 926 | 78 871 | 86 | 31°S | 2001 | 2001 | N | Y | 2 | 5 | 2015 | 2010 | 2016 | NA |
| Argentina, Mendoza | 1 827 669 | 148 827 | 80 | 32°S | 1999 | 2003 | Y(L) | Y | 8 | 5 | 1991 | 1991 | 2013 | NA |
| Brazil, Aracaju | 620 432 | 182 | 100 | 10°S | 1998 | 1996 | Y(L) | Y | | | NA | NA | NA | NA |
| Brazil, Barretos | 431 631 | 5 101 054 | 95 | 20°S | 2013 | 2000 | N | Y | 5 | 5 | NA | NA | NA | NA |
| Brazil, Belo Horizonte | 2 471 225 | 331 | 100 | 19°S | 2001 | 2000 | N | Y | | | NA | NA | NA | NA |
| Brazil, Campinas | 1 136 407 | 798 | 98 | 22°S | 2015 | 2010 | Y(L) | Y | | | Y | Y | NA | Y |
| Brazil, Curitiba | 1 859 876 | 434 892 | 100 | 25°S | 1997 | 1998 | Y(L) | Y | 10 | 10 | Y | Y | NA | NA |
| Brazil, Goiânia | 1 422 722 | 739 | 99 | 16°S | 1986 | 1988 | N | Y | 30 | 3 | NA | NA | NA | NA |
| Brazil, Jau | 143 336 | 687 | 97 | 22°S | 2006 | 1996 | N | Y | | | 2006 | 1996 | NA | 2000 |
| Brazil, João Pessoa | 765 976 | 210 551 | 100 | 7°S | 2000 | 1999 | N | Y | | | NA | NA | NA | NA |
| Brazil, Recife | 1 622 240 | 219 | 100 | 8°S | 1996 | 1996 | N | Y | | | Y | Y | NA | NA |
| Chile, Region of Antofagasta | 611 666 | 126 049 | 97 | 23°S | 1998 | 1998 | N | Y | 15 | 1 | 2007 | 1987 | NA | NA |
| Chile, Valdivia | 393 894 | 18 472 | 72 | 39°S | 1992 | 1998 | Y(A) | Y | 0 | 0 | 1995 | 1987 | NA | NA |
| Colombia, Bucaramanga | 1 138 988 | 1 479 | 96 | 7°N | 2000 | 2000 | Other | Y | 50 | 20 | NA | 2000 | NA | NA |
| Colombia, Cali | 2 369 854 | 121 | | 3°N | 1962 | 1962 | N | Y | 60 | | NA | NA | NA | NA |
| Colombia, Manizales | 422 021 | 572 | 93 | 5°N | 2001 | 2002 | N | Y | 2 | 15 | 2000 | 1995 | 2018 | 2000 |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | | |
|-------------------------------------|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|----|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity | |
| Colombia, Pasto | 387 419 | 1 181 | 82 | 1°N | 1998 | 1998 | Y(A) | Y | 61 | 1 | NA | 1991 | NA | NA | NA | NA |
| Costa Rica | 4 802 227 | 51 100 | 77 | 10°N | 1977 | 1980 | Y(L) | Y | 40 | 2 | 2008 | 1960 | 2016 | 2000 | NA | NA |
| Ecuador, Guayaquil | 2 588 640 | 345 | 66 | 2°S | 1990 | 1990 | N | Y | 19 | 1 | NA | NA | NA | NA | NA | NA |
| Ecuador, Manabí | 1 495 947 | 18 940 | 100 | 1°S | 1995 | 1995 | N | Y | 47 | 1 | NA | 1995 | NA | NA | NA | NA |
| Ecuador, Quito | 1 845 062 | 360 | 100 | 0°S | 1984 | 1985 | N | Y | 0 | 4 | 2004 | NA | NA | NA | NA | NA |
| France, Guadeloupe | 395 482 | 1 724 | 96 | 16°N | 2008 | 2008 | N | Y | 0 | 3 | 2004 | 1991 | 2008 | NA | NA | NA |
| France, Martinique | 378 132 | 1 080 | 98 | 14°N | 1983 | 1983 | N | Y | 40 | 5 | 2012 | 2012 | NA | 2012 | NA | NA |
| Peru, Lima | 9 752 186 | 2 812 | 100 | 12°S | 1968 | 1968 | Y(A) | Y | 1 | 10 | NA | NA | NA | NA | NA | NA |
| Trinidad and Tobago | 1 353 399 | 5 128 | 53 | 10°N | 1994 | 1995 | N | Y | 0 | 4 | NA | NA | NA | NA | NA | NA |
| USA, Puerto Rico | 3 466 628 | 9 104 | 94 | 18°N | 1951 | 1987 | Y(L) | Y | 0 | 4 | NA | NA | NA | NA | NA | NA |
| Uruguay | 3 466 864 | 176 215 | 94 | 32°S | 1987 | 1987 | Y(L) | Y | 0 | 4 | NA | 2005 | NA | NA | NA | NA |
| North America | | | | | | | | | | | | | | | | |
| Canada, Alberta | 4 129 267 | 661 848 | 85 | 52°N | 1942 | 1975 | Y(L) | Y | 5 | 0 | 2009 | 2008 | Y | 2012 | NA | NA |
| Canada, British Columbia | 4 780 440 | 892 677 | 85 | 50°N | 1966 | 1970 | Y(L) | Y | 11 | 2 | 1988 | 1960 | 2013 | NA | NA | NA |
| Canada, Manitoba | 1 319 851 | 550 000 | 68 | 55°N | 1937 | 1956 | Y(L) | Y | 0 | 0 | 1995 | 2001 | 2008 | NA | NA | NA |
| Canada, New Brunswick | 761 266 | 72 908 | 53 | 47°N | 1955 | 1986 | N | Y | 0 | 0 | 1995 | 2015 | 2014 | NA | NA | NA |
| Canada, Newfoundland and Labrador | 528 213 | 405 212 | 60 | 53°N | 1960 | 1996 | Y(L) | Y | 0 | 0 | 1996 | 2001 | 2012 | NA | NA | NA |
| Canada, Ontario | 13 756 196 | 1 076 000 | 82 | 44°N | 1964 | 1964 | Y(A) | Y | 0 | 0 | 1990 | 2000 | 2008 | NA | NA | NA |
| Canada, Prince Edward Island | 146 058 | 5 660 | 50 | 47°N | 1969 | 1969 | Y(L) | Y | 0 | 1 | 1998 | Y | 2011 | NA | NA | NA |
| Canada, Quebec | 8 192 868 | 1 667 441 | 80 | 46°N | 1975 | 1984 | Y(L) | Y | 0 | 1 | 1998 | NA | NA | NA | NA | NA |
| Canada, Saskatchewan | 1 157 760 | 651 900 | 67 | 51°N | 1932 | 1944 | Y(L) | Y | 0 | 3 | 1990 | 2003 | 2009 | NA | NA | NA |
| Canada, Yukon | 37 901 | 474 711 | 60 | 61°N | 1987 | 1987 | Y(L) | Y | 0 | 5 | 1990 | NA | 2017 | NA | NA | NA |
| +USA | 320 571 328 | - | - | 40°N | - | - | - | - | - | - | - | - | - | - | - | - |
| +USA, NPCR | 310 356 224 | 9 157 481 | 74 | 37°N | 1995 | 1995 | Y(L) | Y | - | 0 | 1991 | 1991 | 2009 | NA | NA | NA |
| +USA, SEER (18 registries) | 89 153 160 | 3 649 692 | 90 | NA | 1973 | 1973 | Y(L) | Y | - | 0 | NA | NA | NA | NA | NA | NA |
| +USA, SEER (9 registries) | 30 298 488 | - | - | NA | - | - | - | - | - | - | - | - | - | - | - | - |
| USA, Alabama | 4 852 447 | 135 765 | 59 | 33°N | 1996 | 1996 | Y(L) | Y | 2 | 8 | 1996 | 1996 | NA | NA | NA | NA |
| USA, Alaska | 738 401 | 1 717 854 | 66 | 61°N | 1996 | 1996 | Y(L) | Y | 6 | 5 | 1995 | 1995 | NA | NA | NA | NA |
| USA, Arizona | 6 835 586 | 294 207 | 90 | 33°N | 1980 | 1995 | Y(L) | Y | 0 | 5 | 1995 | 1995 | NA | NA | NA | NA |
| USA, Arkansas | 2 979 220 | 137 732 | 56 | 35°N | 1996 | 1996 | Y(L) | Y | 1 | 1 | Y | Y | NA | NA | NA | NA |
| USA, California | 38 860 284 | 155 973 | 95 | 34°N | 1988 | 1988 | Y(L) | Y | 1 | 1 | Y | Y | NA | NA | NA | NA |
| USA, California, Los Angeles County | 10 065 478 | 10 518 | 100 | 34°N | 1970 | 1972 | Y(L) | Y | 0 | 1 | NA | NA | NA | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | |
|---|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate |
| \$USA, California, San Francisco Bay Area | 4 630 632 | 6 427 | | 37°N | 1973 | 1973 | Y(L) | Y | | 18 | NA | NA | NA | NA |
| \$USA, Colorado | 5 444 171 | 269 620 | 86 | 40°N | 1968 | 1988 | Y(L) | Y | 4 | 2 | 1991 | 2006 | NA | NA |
| USA, Connecticut | 3 585 585 | 14 357 | 88 | 41°N | 1935 | 1935 | Y(L) | Y | | | NA | NA | NA | NA |
| \$USA, District of Columbia | 673 806 | 170 | 100 | 38°N | 1985 | 1996 | Y(L) | Y | 60 | | 1996 | Y | 1996 | NA |
| \$USA, Florida | 20 235 530 | 138 887 | 91 | 28°N | 1981 | 1981 | Y(L) | Y | 10 | | NA | NA | NA | NA |
| \$USA, Georgia | 10 186 084 | 148 959 | 75 | 33°N | 1995 | 1995 | Y(L) | N | | | 1993 | NA | NA | NA |
| \$USA, Georgia, Atlanta | 3 640 340 | 4 500 | 100 | 33°N | 1975 | 1975 | Y(L) | N | | | 1993 | NA | NA | NA |
| USA, Idaho | 1 658 694 | 216 500 | 71 | 45°N | 1969 | 1971 | Y(L) | Y | 1 | 5 | NA | NA | NA | NA |
| \$USA, Indiana | 6 612 632 | 94 330 | 72 | 40°N | 1985 | 1986 | Y(L) | Y | | | Y | Y | NA | NA |
| USA, Iowa | 3 119 245 | 145 800 | | 42°N | 1973 | 1973 | Y(A) | Y | 2 | 1 | NA | NA | NA | NA |
| \$USA, Kentucky | 4 427 086 | 104 656 | 58 | 38°N | 1991 | 1995 | Y(L) | Y | 7 | 1 | NA | NA | NA | NA |
| USA, Louisiana | 4 656 372 | 135 614 | 73 | 30°N | 1947 | 1974 | Y(L) | Y | 1 | 1 | 2002 | NA | NA | NA |
| \$USA, Louisiana, New Orleans | 867 409 | 7 217 | 100 | 30°N | 1974 | 1974 | Y(L) | Y | 5 | 0 | 2002 | NA | NA | NA |
| \$USA, Maine | 1 330 542 | 91 660 | 39 | 44°N | 1981 | 1983 | Y(L) | Y | 4 | | 1995 | NA | NA | NA |
| \$USA, Maryland | 5 978 644 | 32 133 | 87 | 39°N | 1982 | 1996 | Y(L) | Y | | | NA | NA | NA | NA |
| \$USA, Massachusetts | 6 790 707 | 27 340 | 92 | 42°N | 1980 | 1982 | Y(L) | Y | | | NA | NA | NA | NA |
| \$USA, Michigan | 9 939 662 | 264 180 | 75 | 45°N | 1981 | 1985 | Y(L) | Y | 4 | | 1996 | NA | NA | NA |
| \$USA, Michigan, Detroit | 3 877 883 | 5 094 | | 42°N | 1949 | 1973 | Y(L) | Y | 0 | 2 | 1991 | NA | NA | NA |
| \$USA, Minnesota | 5 487 112 | 225 163 | 73 | 46°N | 1988 | 1988 | Y(L) | Y | 15 | 2 | 1991 | 2009 | 1900 | 1900 |
| \$USA, Mississippi | 2 988 819 | 121 531 | 49 | 32°N | 1993 | 1996 | Y(L) | Y | | | NA | NA | NA | NA |
| \$USA, Missouri | 6 072 490 | 69 704 | 70 | 38°N | 1972 | 1985 | Y(L) | Y | | 4 | 1992 | NA | NA | NA |
| \$USA, Montana | 1 031 850 | 381 160 | 56 | 47°N | 1979 | 1979 | Y(L) | Y | 8 | 1 | 1996 | 2010 | NA | NA |
| \$USA, Nebraska | 1 891 488 | 200 520 | 73 | 41°N | 1987 | 1987 | Y(L) | Y | 10 | | 1991 | 2005 | NA | NA |
| \$USA, Nevada | 2 869 601 | 286 367 | 94 | 38°N | 1995 | 1995 | Y(L) | Y | 0 | 10 | 1996 | 2011 | NA | NA |
| USA, New Jersey | 8 869 160 | 19 044 | 95 | 40°N | 1979 | 1979 | Y(L) | Y | | 3 | NA | NA | NA | NA |
| \$USA, New Mexico | 2 090 909 | 314 159 | 65 | 35°N | 1966 | 1969 | Other | Y | 5 | 0 | 1992 | NA | NA | NA |
| \$USA, New York State | 19 630 632 | 123 234 | 88 | 40°N | 1940 | 1976 | Y(L) | Y | 10 | 3 | NA | NA | NA | NA |
| \$USA, North Carolina | 10 046 178 | 139 581 | 66 | 35°N | 1989 | 1990 | Y(L) | Y | | 4 | NA | NA | NA | NA |
| \$USA, North Dakota | 744 575 | 193 482 | 60 | 47°N | 1997 | 1997 | Y(L) | Y | | 8 | NA | NA | NA | NA |
| \$USA, Ohio | 11 618 185 | 44 825 | 78 | 40°N | 1992 | 1996 | Y(L) | Y | 4 | 1 | NA | NA | NA | NA |
| \$USA, Oklahoma | 3 899 709 | 177 850 | 66 | 35°N | 1995 | 1997 | Y(L) | Y | | | Y | Y | NA | NA |
| \$USA, Oregon | 4 027 021 | 251 180 | 81 | 44°N | 1996 | 1996 | Y(L) | Y | 0 | 0 | NA | NA | NA | NA |
| \$USA, Rhode Island | 1 055 905 | 3 140 | 91 | 41°N | 1986 | 1986 | Y(L) | Y | 1 | 11 | NA | NA | NA | NA |
| \$USA, South Carolina | 4 891 774 | 82 932 | 66 | 34°N | 1993 | 1996 | Y(L) | Y | 0 | | 1991 | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | | |
|---------------------------------------|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|----|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity | |
| \$USA, South Dakota | 856 259 | 199 905 | 57 | 43°N | 2001 | 2001 | Y(L) | Y | 3 | 4 | 1996 | 1996 | 2010 | NA | NA | NA |
| \$USA, Tennessee | 6 596 308 | 109 150 | 66 | 35°N | 1986 | 1986 | Y(L) | Y | 4 | 4 | 1999 | NA | NA | NA | NA | NA |
| \$USA, Texas | 27 424 868 | 678 055 | 85 | 31°N | 1979 | 1995 | Y(L) | Y | 4 | 10 | NA | NA | NA | NA | NA | NA |
| \$USA, Utah | 2 991 852 | 219 888 | 91 | 41°N | 1966 | 1966 | Y(L) | Y | 0 | 15 | NA | NA | NA | NA | NA | NA |
| \$USA, Vermont | 624 928 | 23 960 | 39 | 44°N | 1994 | 1996 | Y(L) | Y | 5 | 1 | 1995 | 1995 | NA | NA | NA | NA |
| \$USA, Washington State | 7 180 086 | 184 675 | 84 | 38°N | 1991 | 1992 | Y(L) | Y | 15 | 0 | 1991 | 1991 | 2010 | NA | NA | NA |
| \$USA, Washington, Seattle | 4 942 683 | 17 696 | | 47°N | 1974 | 1974 | Y(L) | Y | 13 | 12 | NA | NA | NA | NA | NA | NA |
| \$USA, West Virginia | 1 838 696 | 62 890 | 49 | 38°N | 1993 | 1993 | Y(L) | Y | 10 | 15 | 1991 | 1991 | NA | NA | NA | NA |
| \$USA, Wyoming | 582 682 | 253 325 | 65 | 43°N | 1966 | 1977 | Y(L) | Y | | | 1997 | 1997 | 2008 | Y | Y | Y |
| Asia | | | | | | | | | | | | | | | | |
| Bahrain: Bahrainis | 647 124 | 765 | 0 | | 1998 | 1998 | Y(L) | Y | 0 | 0 | NA | NA | NA | NA | NA | NA |
| Brunei Darussalam | 414 011 | 5 765 | 100 | 4°N | 2002 | 2002 | Y(A) | Y | 10 | 5 | 2019 | 2009 | 2019 | NA | NA | NA |
| China, Anfu County | 394 016 | 2 793 | 33 | 27°N | 2013 | 2013 | Y(A) | Y | 5 | 5 | NA | NA | NA | NA | NA | NA |
| China, Anguo City | 379 780 | 486 | 15 | 38°N | 2013 | 2013 | Y(A) | Y | 4 | 5 | NA | NA | NA | NA | NA | NA |
| China, Anshan City | 1 502 793 | 675 | 97 | 41°N | 1985 | 1985 | Y(A) | Y | | | NA | NA | NA | NA | NA | NA |
| China, Aohan Banner, Chifeng City | 544 790 | 8 300 | 56 | 23°N | 2012 | 2012 | Y(A) | Y | | | 2012 | 2012 | NA | NA | NA | NA |
| China, Arongqi | 279 538 | 12 063 | 28 | 22°N | 2010 | 2010 | Y(A) | Y | | | 2015 | 2015 | NA | NA | NA | NA |
| China, Baoding City | 1 164 407 | 327 | 100 | 38°N | 2009 | 2009 | Y(A) | N | 40 | 5 | NA | NA | NA | NA | NA | NA |
| China, Beijing City | 8 345 990 | 1 368 | 99 | 40°N | 1976 | 1977 | Y(A) | Y | 45 | 5 | 2009 | 2009 | 2010 | NA | NA | NA |
| China, Binhai County | 1 214 032 | 1 950 | 54 | 22°N | 2008 | 2008 | Y(A) | Y | 2 | 1 | NA | NA | NA | NA | NA | NA |
| China, Cangzhou City | 512 062 | 219 | 80 | 38°N | 2011 | 2011 | Y(A) | Y | 40 | 5 | NA | NA | NA | NA | NA | NA |
| China, Changfeng County | 764 109 | 1 841 | 56 | 25°N | 2008 | 2009 | Y(A) | N | | | NA | NA | NA | NA | NA | NA |
| China, Changzhou City | 2 343 533 | 1 723 | 72 | 31°N | 2010 | 2010 | Y(A) | Y | | | NA | NA | NA | NA | NA | NA |
| China, Chengdu City | 1 742 412 | 1 001 | 100 | 30°N | 2009 | 2009 | Y(A) | Y | 60 | 10 | 2019 | 2019 | 2019 | NA | NA | NA |
| China, Cixian County | 639 795 | 967 | 7 | 36°N | 1973 | 1973 | Y(A) | Y | 8 | 1 | NA | NA | NA | NA | NA | NA |
| China, Cixi City | 1 046 662 | 1 361 | 73 | 30°N | 2009 | 2010 | Y(A) | Y | 8 | | NA | NA | NA | NA | NA | NA |
| China, Dafeng District, Yancheng City | 719 801 | 3 059 | 61 | 33°N | 1999 | 2004 | Y(A) | Y | 10 | 5 | NA | NA | NA | NA | NA | NA |
| China, Dalian City | 2 362 002 | 1 062 | | 39°N | 1985 | 1985 | Y(A) | Y | | | NA | NA | NA | NA | NA | NA |
| China, Dancheng County | 1 390 152 | 1 496 | 30 | 33°N | 2010 | 2010 | Y(A) | Y | 1 | 1 | 2010 | 2010 | Y | Y | Y | Y |
| China, Dangtu County | 475 621 | 1 002 | | 31°N | 2015 | 2015 | Y(A) | Y | | | NA | NA | NA | NA | NA | NA |
| China, Danyang City | 820 854 | - | - | 31°N | - | - | - | - | - | - | - | - | - | - | - | - |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|--|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| China, Dawukou District, Shizuishan City | 265 050 | 1 008 | 90 | 39°N | 2010 | 2010 | Y(A) | Y | 1 | 2 | 2011 | 2011 | NA | NA | NA |
| \$China, Dehui City | 929 262 | 3 435 | 20 | 44°N | 2009 | 2009 | N | Y | 1 | 2 | NA | NA | NA | NA | NA |
| China, Donggang County | 604 587 | 2 445 | 39°N | 2008 | 2008 | 2008 | Y(A) | Y | 60 | 3 | 2012 | 2012 | NA | NA | NA |
| China, Dongguan City | 2 024 165 | 2 460 | 89 | 23°N | 2014 | 2015 | Y(A) | Y | 2 | 2 | NA | NA | NA | NA | NA |
| China, Donghai County | 1 224 702 | 2 037 | 53 | 34°N | 2004 | 2007 | Y(A) | Y | 2 | 2 | NA | NA | NA | NA | NA |
| China, Dongtai City | 1 123 223 | 3 176 | | 32°N | 2009 | 2009 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Duanzhou District, Zhaoqing City | 384 728 | 152 | 100 | 23°N | 2014 | 2014 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Evenki Autonomous Banner | 134 709 | 19 111 | 84 | 48°N | 2010 | 2010 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Faku County | 446 730 | 2 030 | | 42°N | 2010 | 2010 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Fangcheng County | 1 150 522 | 2 542 | | 33°N | 2014 | 2014 | N | Y | 0 | 1 | 2017 | 2017 | NA | NA | NA |
| China, Feicheng City | 989 785 | 1 277 | 52 | 36°N | 1999 | 1999 | Y(A) | Y | | | NA | NA | 2013 | NA | NA |
| China, Feixi County | 1 063 273 | 1 695 | 69 | 31°N | 2008 | 2010 | Y(A) | Y | 2 | 5 | NA | NA | NA | NA | NA |
| China, Fuqing City | 1 351 416 | 2 430 | 49 | 25°N | 2014 | 2014 | Y(A) | Y | | | 2009 | 2012 | NA | NA | NA |
| China, Ganyu District, Lianyungang City | 1 199 503 | 1 514 | 57 | 34°N | 1999 | 1999 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| \$China, Ganzhou District, Zhangye City | 517 943 | 4 240 | | 38°N | 2009 | 2009 | Y(A) | N | | | NA | NA | NA | NA | NA |
| China, Gaocheng City | 841 867 | 836 | 100 | 38°N | 2014 | 2014 | Y(A) | Y | 40 | 5 | NA | NA | NA | NA | NA |
| China, Gaomi City | 893 163 | 1 527 | 57 | 36°N | 2005 | 2005 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Gong'an County | 881 085 | 2 258 | 41 | 29°N | 2010 | 2010 | Y(A) | Y | 5 | 1 | NA | NA | NA | NA | NA |
| China, Guangan District, Guangan City | 898 733 | 1 028 | 28 | 30°N | 2015 | 2015 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Guanghan City | 596 639 | 54 868 | 54 | 30°N | 2011 | 2015 | Y(A) | Y | 5 | 5 | 2017 | 2017 | NA | NA | NA |
| China, Guangzhou City | 8 585 288 | 7 434 | 84 | 23°N | 1999 | 1999 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| \$China, Guanyun County | 1 043 542 | 1 543 | 100 | 34°N | 2004 | 2004 | Y(L) | Y | 10 | 2 | NA | NA | NA | NA | NA |
| China, Guilin City | 776 798 | 140 | 91 | 25°N | 2010 | 2010 | Y(A) | Y | 20 | 1 | NA | NA | NA | NA | NA |
| China, Hai'an City | 939 969 | - | - | 32°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Hailar District, Hulun Buir City | 348 714 | 1 320 | 84 | 49°N | 2010 | 2010 | Y(A) | Y | | | 2013 | 2013 | NA | NA | NA |
| China, Haimen District, Nantong City | 1 001 216 | 1 148 | 61 | 31°N | 1999 | 1999 | Y(A) | Y | 5 | | 2011 | 2011 | NA | NA | NA |
| China, Haining City | 676 123 | 668 | 58 | 30°N | 1977 | 1977 | Y(A) | Y | 5 | 1 | 2014 | 2014 | 1978 | NA | NA |
| China, Hangzhou City | 7 188 944 | 16 850 | 77 | 30°N | 1987 | 1987 | Y(A) | Y | 50 | 23 | NA | NA | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|--|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| China, Hebi City | 646 387 | 630 | 20 | 35°N | 2012 | 2012 | Y(A) | Y | 30 | 5 | NA | NA | NA | NA | NA |
| China, Hefei City | 2 484 991 | 925 | 84 | 31°N | 2008 | 2009 | Y(A) | Y | 5 | 2 | Y | NA | NA | NA | NA |
| China, Hengfeng County | 757 468 | 1 926 | 41 | 27°N | 2009 | 2009 | Y(A) | Y | 10 | 5 | 2009 | 2016 | NA | NA | NA |
| China, Hengfeng County | 187 946 | 655 | 52 | 28°N | 2013 | 2013 | Y(A) | Y | 1 | 1 | 2017 | 2017 | NA | NA | NA |
| China, Hepu County | 906 820 | 2 380 | 0 | 21°N | 2010 | 2010 | Y(A) | Y | 1 | 2 | NA | NA | NA | NA | NA |
| China, Honghu City | 833 594 | 2 519 | 47 | 30°N | 2013 | 2013 | Y(A) | Y | 1 | 2 | NA | NA | NA | NA | NA |
| China, Hongshan District, Chifeng City | 432 224 | 506 | 97 | 42°N | 2009 | 2009 | Y(A) | Y | - | - | NA | NA | NA | NA | NA |
| China, Hongta District, Yuxi City | 440 858 | - | - | 24°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Huaiyin District, Huailan City | 928 553 | 1 264 | 47 | 33°N | 2006 | 2008 | Y(A) | Y | 70 | 1 | NA | NA | NA | NA | NA |
| China, Jiange County | 665 576 | 3 203 | 32°N | 2014 | 2014 | 2014 | Y(A) | Y | 2016 | 2016 | 2016 | NA | NA | NA | NA |
| China, Jiangmen City | 655 600 | 431 | 22°N | 2010 | 2010 | 2010 | Y(A) | Y | NA | NA | NA | NA | NA | NA | NA |
| China, Jiangyin City | 1 234 227 | 987 | 69 | 31°N | 2013 | 2013 | Y(A) | Y | 20 | 1 | 2010 | 2010 | NA | NA | NA |
| China, Jiashan County | 388 028 | 506 | 45 | 30°N | 1987 | 1987 | Y(A) | Y | 3 | 1 | 2012 | 2012 | 2007 | NA | NA |
| China, Jiayu County | 371 634 | 1 020 | 49 | 30°N | 2012 | 2012 | Y(A) | Y | 50 | 1 | NA | NA | NA | NA | NA |
| China, Jinan City | 3 719 171 | 3 257 | 36°N | 2015 | 2015 | 2015 | Y(A) | Y | 1 | 2 | NA | NA | NA | NA | NA |
| China, Jingtai County | 238 043 | 5 483 | 0 | 37°N | 2009 | 2009 | N | N | 1 | 2 | NA | 2012 | NA | NA | NA |
| China, Jingxian County | 302 479 | 2 055 | 20 | 30°N | 2010 | 2010 | Y(A) | Y | 1 | 2 | 2006 | 2006 | NA | NA | NA |
| China, Jintan District, Changzhou City | 549 495 | - | - | 31°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Julongpo District, Chongqing City | 909 131 | 432 | 29°N | 2002 | 2002 | 2002 | Y(A) | Y | 20 | 1 | NA | NA | NA | NA | NA |
| China, Jiyuan City | 708 963 | 1 931 | 23 | 35°N | 2010 | 2010 | Y(A) | Y | 0 | 0 | 2012 | 2012 | NA | NA | NA |
| China, Kaihua County | 358 546 | 2 237 | 48 | 29°N | 2009 | 2012 | Y(A) | Y | 3 | 3 | NA | NA | NA | NA | NA |
| China, Kunshan City | 786 380 | 931 | 73 | 31°N | 2005 | 2005 | Y(A) | Y | 5 | 1 | 2009 | 2009 | NA | NA | NA |
| China, Langzhong City | 855 036 | 1 878 | 35 | 31°N | 2015 | 2015 | Y(A) | Y | 5 | 1 | 2013 | 2013 | NA | NA | NA |
| China, Liangshan County | 820 826 | - | - | 35°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Lianshui County | 1 145 264 | 1 676 | 49 | 33°N | 2007 | 2007 | Y(A) | Y | 7 | 1 | NA | NA | NA | NA | NA |
| China, Lianyungang City | 1 014 935 | 1 156 | 100 | 34°N | 2004 | 2005 | Y(A) | Y | 10 | 2 | NA | NA | NA | NA | NA |
| China, Linhe District, Bayannur City | 437 182 | 2 | 70 | 38°N | 2011 | 2011 | Y(A) | Y | 1 | 1 | NA | NA | NA | NA | NA |
| China, Linqu County | 900 070 | 1 831 | 52 | 36°N | 1987 | 1987 | Y(A) | Y | 60 | 2 | NA | NA | NA | NA | NA |
| China, Linzhou City | 1 108 517 | 2 046 | 20 | 36°N | 1959 | 1959 | Y(A) | Y | 5 | 1 | 2017 | 2017 | NA | NA | NA |
| China, Luzhou City | 1 193 682 | 1 017 | 50 | 24°N | 2009 | 2009 | Y(A) | Y | 5 | 1 | 2017 | 2017 | NA | NA | NA |
| China, Liyang City | 793 892 | 1 536 | 31°N | 2011 | 2011 | 2011 | Y(A) | Y | 1 | 1 | NA | NA | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|---|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| China, Longquan City | 290 411 | 3 059 | 32 | 28°N | 2014 | 2017 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Lucheng District, Wenzhou City | 755 204 | 293 | 87 | 28°N | 2009 | 2014 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Luoding City | 1 291 959 | 2 328 | 32 | 22°N | 2015 | 2015 | Y(A) | Y | 7 | | NA | NA | NA | NA | NA |
| China, Luohe City | 1 295 517 | 1 020 | 36 | 33°N | 2010 | 2010 | Other | Y | 2 | 0 | NA | NA | NA | NA | NA |
| China, Luoyang City | 1 123 923 | 231 | 95 | 34°N | 2009 | 2009 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Luquan City | 411 242 | 603 | 100 | 38°N | 2011 | 2011 | Y(A) | Y | 1 | 10 | 2010 | 2010 | NA | NA | NA |
| China, Maanshan City | 638 067 | 704 | | 31°N | 2000 | 2003 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Macheng City | 1 163 718 | 3 747 | 18 | 31°N | 2010 | 2010 | Y(A) | Y | 1 | 7 | 2015 | 2015 | NA | NA | NA |
| China, Meihou City | 617 898 | 2 174 | | 42°N | 2013 | 2013 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Mengjin County | 531 398 | 759 | 48 | 34°N | 2013 | 2013 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Nangang District, Harbin City | 1 010 711 | 183 | 96 | 44°N | 1997 | 1997 | Y(L) | Y | | | NA | 2012 | NA | NA | NA |
| China, Nanhai District, Foshan City | 1 343 770 | 1 072 | 95 | 23°N | 2014 | 2015 | Y(A) | Y | | | 2015 | 2015 | NA | NA | NA |
| China, Nanhu District, Jiaxing City | 534 794 | 439 | 52 | 30°N | 1992 | 1992 | Y(A) | Y | 75 | | NA | NA | NA | NA | NA |
| China, Nantong City | 1 822 203 | - | - | 32°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Nanxiang County | 482 894 | 2 326 | 47 | 25°N | 2012 | 2012 | Other | Y | 3 | 1 | NA | NA | NA | NA | NA |
| China, Neixiang County | 701 579 | 2 465 | 5 | 33°N | 2009 | 2009 | Y(A) | Y | 1 | 2 | NA | NA | NA | NA | NA |
| China, Qianxi County | 402 633 | 1 439 | 14 | 40°N | 2009 | 2009 | Y(A) | Y | 1 | 10 | NA | NA | NA | NA | NA |
| China, Qidong City | 1 121 328 | 1 208 | 59 | 31°N | 1972 | 1972 | Y(A) | Y | 2 | 1 | 2010 | 2010 | NA | NA | NA |
| China, Qingzhou City | 944 720 | 1 564 | 52 | 36°N | 2012 | 2012 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Rudong County | 1 037 814 | 1 872 | 58 | 32°N | 2012 | 2012 | Y(A) | Y | 1 | 1 | NA | NA | NA | NA | NA |
| China, Rugao City | 1 431 465 | - | - | 32°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Rural areas of Shanghai City | 8 322 078 | - | - | 31°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Ruyang County | 518 381 | 1 325 | 23 | 34°N | 2013 | 2013 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Shan County | 1 263 197 | 1 702 | 44 | 34°N | 2012 | 2015 | Y(A) | Y | 0 | 1 | NA | NA | NA | NA | NA |
| China, Shanghai City | 6 097 961 | 6 341 | 89 | 31°N | 1963 | 1972 | Y(L) | Y | | | NA | NA | 2013 | NA | NA |
| China, Shangyu District, Shaoxing City | 720 941 | 1 406 | 50 | 30°N | 2009 | 2009 | Y(A) | Y | 1 | 8 | 2012 | 2012 | NA | NA | NA |
| China, Shapingba District, Chongqing City | 1 047 137 | 396 | | 29°N | 1999 | 2010 | Y(A) | Y | 0 | 5 | NA | NA | NA | NA | NA |
| China, She Xian County | 424 744 | 1 509 | 48 | 29°N | 1978 | 1978 | Y(A) | Y | 0 | 0 | NA | NA | NA | NA | NA |
| China, Sheyang County | 964 451 | 3 137 | 58 | 33°N | 2008 | 2008 | Y(A) | Y | | | NA | NA | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|--|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| China, Shijiazhuang City | 2 261 738 | 358 | 100 | 38°N | 2013 | 2013 | Y(A) | Y | 10 | 2 | NA | NA | NA | NA | NA |
| China, Shunde District, Foshan City | 1 319 569 | 806 | 99 | 23°N | 2014 | 2014 | Y(A) | Y | 50 | 5 | NA | NA | NA | NA | NA |
| China, Song County | 602 425 | 3 009 | 38 | 34°N | 2012 | 2012 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Suzhou City | 3 404 621 | 4 653 | 82 | 31°N | 2004 | 2005 | Y(A) | Y | | | 2009 | NA | NA | NA | NA |
| China, Tengzhou City | 1 691 695 | 1 485 | 60 | 35°N | 2005 | 2005 | Y(A) | Y | 4 | 2 | 2013 | NA | NA | NA | NA |
| China, Wangdu County | 256 888 | 370 | 14 | 38°N | 2014 | 2014 | Y(A) | Y | 4 | 5 | NA | NA | NA | NA | NA |
| China, Wanzai County | 486 244 | 1 719 | 52 | 28°N | 2013 | 2013 | Y(A) | Y | 4 | 3 | 2013 | NA | NA | NA | NA |
| China, Wu'an City | 842 548 | 1 806 | 29 | 36°N | 2010 | 2010 | Y(A) | Y | 2 | 15 | NA | NA | NA | NA | NA |
| China, Wuhan City | 4 966 344 | 1 818 | 100 | 30°N | 1980 | 1980 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Wuhu City | 1 467 648 | 1 446 | 100 | 31°N | 2011 | 2011 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Wuxi City | 2 478 354 | 1 644 | 75 | 31°N | 1986 | 2010 | Y(A) | Y | 15 | 1 | 2013 | NA | NA | NA | NA |
| China, Wuzhou City | 788 234 | 1 800 | 75 | 23°N | 2011 | 2014 | Y(A) | Y | 10 | 0 | NA | NA | NA | NA | NA |
| China, Xiangfu District, Kaifeng City | 692 853 | 1 291 | 13 | 34°N | 2012 | 2012 | Y(A) | N | | | 2017 | NA | NA | NA | NA |
| China, Xianju County | 508 768 | 2 000 | 51 | 28°N | 2010 | 2010 | Y(A) | Y | 1 | 3 | 2014 | NA | NA | NA | NA |
| China, Xin'an County | 539 710 | 1 160 | | 34°N | 2013 | 2013 | Y(A) | Y | | | 2018 | NA | NA | NA | NA |
| \$China, Xining City | 954 336 | 380 | 83 | 36°N | 2009 | 2009 | Y(L) | Y | 20 | 10 | NA | NA | NA | NA | NA |
| China, Xinji City | 636 197 | 951 | 12 | 37°N | 2013 | 2013 | Y(A) | Y | 2 | 3 | NA | NA | NA | NA | NA |
| China, Xinluo District, Longyan City | 518 777 | 2 678 | | 25°N | 2014 | 2014 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Xinzhou District, Shangrao City | 420 114 | 339 | 74 | 28°N | 2010 | 2010 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Xiping County | 878 823 | 1 090 | 20 | 33°N | 2009 | 2009 | Y(A) | Y | 1 | 2 | NA | NA | NA | NA | NA |
| China, Xishan District, Kunming City | 540 492 | - | - | 25°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Xuyi County | 797 110 | 2 497 | 39 | 32°N | 2005 | 2008 | Y(A) | Y | 5 | 1 | NA | NA | NA | NA | NA |
| China, Ya'an City | 1 561 088 | 15 046 | 43 | 30°N | 2013 | 2013 | Y(A) | Y | 5 | 3 | 2013 | NA | NA | NA | NA |
| China, Yakeshi City | 353 165 | 27 590 | 56 | 49°N | 2010 | 2010 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Yancheng City | 1 421 258 | 1 815 | 76 | 33°N | 2009 | 2009 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Yangquan City | 699 973 | - | - | 37°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Yangzhong City | 280 804 | 228 | 63 | 32°N | 1985 | 1991 | Y(A) | Y | 0 | 0 | NA | NA | NA | NA | NA |
| \$China, Yanji City | 538 134 | 1 748 | 100 | 42°N | 2009 | 2009 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Yanshi City | 625 271 | 668 | 15 | 34°N | 2009 | 2009 | Y(A) | Y | | | NA | NA | NA | NA | NA |
| China, Yanting County | 600 678 | 1 645 | 18 | 31°N | 1969 | 1969 | Y(A) | Y | 35 | 1 | NA | NA | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|--|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| China, Yian District, Tongling City | 290 494 | 796 | 48 | 30°N | 2009 | 2009 | Y(A) | Y | 5 | 1 | NA | NA | NA | NA | NA |
| China, Yingdong District, Fuyang City | 648 221 | 685 | 21 | 32°N | 2007 | 2007 | Y(A) | Y | 1 | 4 | NA | NA | NA | NA | NA |
| China, Yinzhou District, Ningbo City | 265 582 | - | - | 29°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Yiyuan County | 570 254 | - | - | 36°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Yonglan City | 330 678 | 2 942 | 69 | 25°N | 2012 | 2012 | Y(A) | Y | - | - | NA | NA | NA | NA | NA |
| China, Yongqing District, Longyan City | 500 727 | - | - | 25°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Yongkang City | 596 917 | 1 049 | 39 | 28°N | 2010 | 2013 | Y(A) | Y | 2 | 2 | 2012 | 2012 | NA | NA | NA |
| China, Yucheng County | 1 120 581 | 1 485 | 43 | 34°N | 2010 | 2010 | Y(A) | Y | 1 | 3 | 2013 | 2013 | NA | NA | NA |
| China, Yueyanglou District, Yueyang City | 517 541 | 141 | 96 | 29°N | 2009 | 2009 | Y(A) | Y | 60 | 2 | 2012 | 2012 | NA | NA | NA |
| China, Yunmeng County | 534 780 | 604 | 54 | 31°N | 2009 | 2009 | Y(A) | Y | - | - | NA | NA | NA | NA | NA |
| China, Yuryang District, Shiyan City | 563 799 | 3 863 | - | 32°N | 2014 | 2014 | Y(A) | Y | 0 | 1 | 2011 | 2011 | NA | NA | NA |
| China, Yuzhong District, Chongqing City | 648 527 | 20 | 100 | 29°N | 1999 | 2008 | Y(A) | Y | 5 | 5 | 2013 | 2013 | NA | NA | NA |
| China, Zanhua County | 268 010 | 1 210 | 100 | 37°N | 2010 | 2010 | Y(A) | Y | 40 | 5 | NA | NA | NA | NA | NA |
| China, Zhangjiagang City | 920 703 | - | - | 31°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Zhaoyuan City | 566 583 | 1 432 | 44 | 37°N | 2005 | 2005 | Y(L) | Y | 1 | 1 | NA | NA | NA | NA | NA |
| China, Zhengding County | 496 751 | 487 | 41 | 38°N | 2014 | 2014 | Y(A) | Y | 1 | 10 | 2012 | 2012 | NA | NA | NA |
| China, Zhongshan City | 1 589 347 | 1 784 | 72 | 22°N | 1970 | 1970 | Y(A) | Y | - | - | NA | NA | NA | NA | NA |
| China, Zhongxiang City | 1 019 896 | 4 488 | - | 31°N | 2010 | 2010 | Y(A) | Y | - | - | NA | 2015 | NA | NA | NA |
| China, Zhuanghe City | 901 799 | - | - | 39°N | - | - | - | - | - | - | - | - | - | - | - |
| China, Zhuhai City | 1 121 050 | 1 736 | 89 | 22°N | 2010 | 2010 | Y(A) | Y | 40 | 1 | NA | NA | NA | NA | NA |
| India, Ahmedabad, Urban | 6 311 634 | 364 | 100 | 23°N | 2007 | 2007 | Y(A) | Y | 80 | 3 | NA | NA | NA | NA | NA |
| India, Aurangabad | 1 354 378 | 148 | 100 | 19°N | 1978 | 1978 | N | Y | - | 1 | NA | NA | NA | NA | NA |
| India, Bangalore | 9 080 486 | 741 | 100 | 12°N | 1981 | 1982 | Y(A) | Y | - | - | NA | NA | NA | NA | NA |
| India, Barshi, Paranda, and Bhim | 517 018 | 3 713 | 0 | 17°N | 1987 | 1988 | N | Y | 80 | 0 | 2015 | 2015 | NA | NA | 2015 |
| India, Bhopal | 2 088 990 | 350 | 100 | 23°N | 1986 | 1986 | N | Y | 40 | - | NA | NA | NA | NA | NA |
| India, Chandigarh | 1 156 860 | 114 | 97 | 30°N | 2013 | 2013 | N | N | 60 | 5 | 2010 | 2010 | NA | NA | 2010 |
| India, Chennai | 4 785 196 | 170 | 100 | 13°N | 1982 | 1982 | Y(A) | Y | 30 | 8 | NA | NA | NA | NA | NA |
| India, Dibrugarh | 1 392 949 | 3 381 | 18 | 27°N | 2003 | 2003 | N | Y | - | - | NA | NA | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | | |
|---|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|----|------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | | |
| India, Dindigul, Ambliikkai | 2 271 554 | 6 267 | 37 | 10°N | 2004 | 2003 | Y(A) | Y | 1 | 4 | 2012 | 2000 | NA | NA | NA | NA |
| India, Kamrup Urban District | 1 305 269 | 336 | 100 | 26°N | 2003 | 2003 | Y(A) | Y | 5 | 5 | NA | NA | NA | NA | NA | NA |
| India, Kollam | 2 655 169 | 2 491 | 45 | 8°N | 1990 | 1990 | Y(A) | Y | 10 | 5 | 2007 | 2007 | NA | NA | NA | 2007 |
| India, Manipur | 3 176 149 | 22 327 | 29 | 24°N | 2003 | 2003 | Y(A) | Y | 5 | 5 | NA | NA | NA | NA | NA | NA |
| India, Meghalaya | 2 080 867 | 14 262 | 25 | 25°N | 2009 | 2010 | N | Y | 1 | 3 | NA | NA | NA | NA | NA | NA |
| India, Mizoram | 1 190 072 | 21 087 | 52 | 23°N | 2003 | 2003 | Y(A) | Y | 1 | 3 | 2017 | 2017 | NA | NA | NA | 2017 |
| India, Mumbai | 12 651 858 | 603 | 100 | 18°N | 1963 | 1964 | N | Y | 25 | 3 | NA | NA | NA | NA | NA | NA |
| India, New Delhi | 17 725 082 | 1 157 | 100 | 28°N | 1986 | 1988 | N | Y | 28 | 1 | NA | NA | NA | NA | NA | NA |
| India, Poona | 5 637 053 | 613 | 100 | 18°N | 1972 | 1972 | N | Y | 35 | 3 | NA | NA | NA | NA | NA | NA |
| India, Sangrur District | 1 762 766 | 3 625 | 31 | 30°N | 2013 | 2013 | Y(A) | N | 55 | 5 | NA | NA | NA | NA | NA | NA |
| India, SAS Nagar | 1 160 191 | 1 094 | 55 | 30°N | 2013 | 2013 | Y(A) | N | 40 | 5 | 2010 | 2010 | NA | NA | NA | 2010 |
| India, Tamil Nadu | 76 842 128 | 130 060 | 48 | 11°N | 2012 | 2012 | Y(A) | Y | 10 | 1 | 2014 | 2014 | NA | NA | NA | 2014 |
| India, Tripura | 3 874 535 | 10 492 | 26 | 23°N | 2009 | 2010 | Y(A) | Y | 5 | 5 | NA | NA | NA | NA | NA | NA |
| India, Trivandrum | 3 327 656 | 2 192 | 54 | 8°N | 1982 | 1991 | Y(A) | Y | 70 | 8 | NA | NA | NA | NA | NA | NA |
| India, Wardha | 1 329 591 | 6 309 | 33 | 20°N | 2010 | 2010 | N | Y | 20 | 10 | NA | NA | NA | NA | NA | NA |
| India, West Arunachal | 860 911 | 42 095 | 26 | 27°N | 2011 | 2012 | Y(A) | Y | 5 | 10 | 2018 | NA | NA | NA | NA | 2018 |
| Iran (Islamic Republic of), Ardabil Province | 1 273 208 | 17 953 | 68 | 38°N | 2003 | 2003 | Y(L) | Y | 1 | 5 | NA | NA | NA | NA | NA | NA |
| Iran (Islamic Republic of), Golestan Province | 1 868 823 | 20 438 | 50 | 36°N | 2004 | 2004 | Y(L) | Y | 1 | 5 | NA | NA | NA | NA | NA | NA |
| Israel | 8 382 910 | 21 643 | 90 | 32°N | 1960 | 1960 | Y(L) | Y | 0 | 0 | 1995 | 1995 | 2000 | NA | NA | NA |
| Japan | 127 157 000 | 378 000 | 100 | 36°N | 2016 | 2016 | Y(L) | Y | 0 | 0 | 1987 | 1983 | 1992 | NA | NA | NA |
| Japan, Aichi Prefecture | 7 460 333 | 5 173 | 78 | 35°N | 1962 | 1962 | Y(L) | Y | 0 | 0 | 1987 | 1983 | 1992 | NA | NA | NA |
| Japan, Akita Prefecture | 1 036 000 | - | - | 39°N | - | - | - | - | - | - | - | - | - | - | - | - |
| Japan, Aomori Prefecture | 1 306 800 | 9 646 | 40°N | 40°N | 1989 | 1989 | Y(L) | Y | 1 | 1 | Y | Y | Y | NA | NA | NA |
| Japan, Gunma Prefecture | 1 975 666 | 6 362 | 36°N | 36°N | 1996 | 1996 | Y(L) | Y | 5 | 5 | 1987 | 1983 | 1987 | NA | NA | NA |
| Japan, Hiroshima Prefecture | 2 834 500 | 8 480 | 65 | 34°N | 2002 | 2002 | Y(L) | Y | 10 | 0 | 1987 | 1983 | 1992 | NA | NA | NA |
| Japan, Miyagi Prefecture | 2 330 000 | 7 282 | 64 | 38°N | 1959 | 1959 | Other | Y | 0 | 0 | 2005 | 2005 | 1992 | NA | NA | NA |
| Japan, Osaka Prefecture | 8 841 666 | 1 905 | 96 | 34°N | 1962 | 1963 | Y(L) | Y | 1 | 1 | 1987 | 1983 | 1992 | NA | NA | NA |
| Kuwait | 4 177 586 | 17 818 | 100 | 29°N | 1974 | 1974 | Y(A) | Y | 5 | 5 | NA | NA | NA | NA | NA | NA |
| Philippines, Manila | 6 653 039 | 274 | 100 | 14°N | 1980 | 1980 | Y(A) | Y | 10 | 0 | NA | NA | NA | NA | NA | NA |
| Qatar: Qatari | 283 935 | 11 000 | 81 | 25°N | 1998 | 2003 | Y(A) | Y | 0 | 0 | 2016 | NA | NA | NA | NA | NA |
| Republic of Korea | 50 923 512 | 100 210 | 81 | 37°N | 1980 | 1999 | Y(L) | Y | 1 | 1 | 2002 | 2002 | 2004 | NA | NA | NA |
| \$Republic of Korea, Busan | 3 474 142 | 764 | 95 | 34°N | 1995 | 1999 | Y(L) | Y | 1 | 1 | 2002 | 2002 | 2004 | NA | NA | NA |
| \$Republic of Korea, Daegu | 2 471 785 | 100 032 | 82 | 35°N | 1980 | 1999 | Y(L) | Y | 1 | 1 | 2002 | 2002 | 2004 | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|------------------------------|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| \$Republic of Korea, Daejeon | 1 511 157 | 540 | 100 | 36°N | 1998 | 1999 | Y(L) | Y | 0 | 0 | 2002 | 2002 | 2004 | NA | NA |
| \$Republic of Korea, Gwangju | 1 462 226 | 501 | 95 | 36°N | 1997 | 1997 | Y(A) | Y | 0 | 0 | 1999 | 1999 | 2004 | NA | NA |
| Republic of Korea, Incheon | 2 919 963 | 1 029 | 98 | 37°N | 1996 | 1997 | Y(L) | Y | 1 | 1 | 2002 | 2002 | 2004 | NA | NA |
| Republic of Korea, Jeju | 612 732 | 1 848 | 100 | 34°N | 2000 | 1999 | Y(L) | Y | 0 | 0 | 2002 | 2002 | 2004 | NA | NA |
| Republic of Korea, Seoul | 9 885 268 | 605 | 100 | 37°N | 1991 | 1993 | Y(L) | Y | 0 | 0 | 2002 | 2002 | 2004 | NA | NA |
| Republic of Korea, Ulsan | 1 158 357 | 1 145 | 100 | 35°N | 2001 | 2001 | Y(L) | Y | 0 | 0 | 2002 | 2002 | 2004 | NA | NA |
| Singapore | 3 903 436 | 728 | 100 | 1°N | 1968 | 1968 | Y(L) | Y | 15 | 15 | 2002 | 2004 | 2011 | NA | NA |
| Thailand, Bangkok | 8 008 413 | 1 569 | 100 | 13°N | 1990 | 1990 | N | Y | 3 | 2 | 2013 | 2005 | 2018 | NA | NA |
| Thailand, Chiang Mai | 1 585 123 | 20 107 | 56 | 18°N | 1978 | 1983 | N | Y | 2 | 2 | NA | 2004 | NA | NA | NA |
| Thailand, Khon Kaen | 1 724 700 | 10 866 | 23 | 60°N | 1985 | 1988 | N | Y | 2 | 2 | NA | NA | NA | NA | NA |
| Thailand, Lampang | 751 118 | 12 534 | 50 | 17°N | 1995 | 1995 | N | Y | 2 | 3 | 1999 | 2004 | 2018 | NA | NA |
| Thailand, Lopburi Province | 759 400 | 6 199 | 60 | 14°N | 1996 | 2000 | N | Y | 2 | 2 | 2010 | 2004 | 2010 | NA | NA |
| Thailand, Songkhla | 1 408 688 | 7 394 | 55 | 7°N | 1988 | 1989 | N | Y | 1 | 1 | 2018 | 2018 | NA | NA | NA |
| Turkey, Antalya | 2 272 446 | 20 815 | 99 | 36°N | 1995 | 1995 | Y(L) | Y | 26 | 3 | NA | NA | NA | NA | NA |
| Turkey, Bursa | 2 841 851 | 10 882 | 99 | 40°N | 2000 | 2000 | Y(L) | Y | 2 | 2 | 2007 | 2007 | 2007 | NA | NA |
| Turkey, Edirne | 401 991 | 6 279 | 64 | 26°N | 2004 | 2004 | Y(L) | Y | 53 | 2 | NA | NA | NA | NA | NA |
| Turkey, Erzurum | 762 973 | 25 066 | 87 | 39°N | 2006 | 2006 | Y(L) | Y | 2 | 1 | 2007 | 2007 | 2007 | NA | NA |
| Turkey, Eskişehir | 828 844 | 13 925 | 89 | 39°N | 2005 | 2005 | Y(L) | Y | 36 | 2 | 2008 | 2008 | 2008 | NA | NA |
| Turkey, Gaziantep | 1 929 099 | 6 803 | 99 | 37°N | 2010 | 2010 | Y(L) | Y | 38 | 1 | 2007 | 2007 | 2012 | NA | NA |
| Turkey, Izmir | 4 169 156 | 11 973 | 91 | 38°N | 1992 | 1993 | Y(L) | Y | 4 | 2 | NA | NA | NA | NA | NA |
| Turkey, Malatya | 774 593 | 12 313 | 89 | 38°N | 2010 | 2010 | Y(L) | Y | 30 | 3 | 2007 | 2007 | 2012 | NA | NA |
| Turkey, Samsun | 1 284 120 | 9 352 | 95 | 41°N | 2001 | 2005 | Y(L) | Y | 35 | 1 | 2008 | 2008 | 2014 | NA | NA |
| Turkey, Trabzon | 771 828 | 4 685 | 89 | 41°N | 2003 | 2003 | Y(L) | Y | 42 | 1 | 2008 | 2008 | 2014 | NA | NA |
| Europe | | | | | | | | | | | | | | | |
| Austria | 8 637 112 | 83 879 | 51 | 48°N | 1958 | 1970 | Y(L) | Y | 7 | NA | NA | NA | NA | NA | NA |
| Austria, Carinthia | 558 110 | 9 538 | 51 | 46°N | 1987 | 1987 | Y(L) | Y | 7 | NA | NA | NA | NA | NA | NA |
| Austria, Tyrol | 733 340 | 12 648 | 36 | 46°N | 1987 | 1988 | Y(L) | Y | 7 | 2008 | NA | NA | NA | NA | NA |
| Austria, Vorarlberg | 382 598 | 2 601 | 100 | 47°N | 1978 | 1981 | Y(L) | Y | 0 | NA | NA | NA | NA | NA | NA |
| Belarus | 9 456 234 | 207 600 | 100 | 54°N | 1973 | 1978 | Y(L) | Y | 0 | 1 | NA | NA | NA | NA | NA |
| Belgium | 11 209 822 | 30 528 | 56 | 50°N | 1983 | 1996 | Y(L) | Y | 1 | 1 | 2001 | 2013 | 2009 | NA | NA |
| Croatia | 4 215 907 | 56 542 | 56 | 45°N | 1959 | 1962 | Y(L) | Y | 1 | 2 | 2006 | 2012 | 2007 | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | | |
|---------------------------------|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity | |
| Cyprus | 854 473 | 6 060 | 68 | 35°N | 1998 | 1998 | N | Y | 2 | 0 | 2003 | NA | 2013 | NA | NA | NA |
| §Czech Republic | 10 546 650 | 78 866 | 100 | 50°N | 1976 | 1976 | Y(L) | Y | 0 | 5 | NA | NA | NA | NA | NA | NA |
| Denmark | 5 669 119 | 42 924 | 69 | 55°N | 1942 | 1943 | Y(L) | Y | 0 | 0 | 2007 | Y | 2014 | NA | NA | NA |
| Estonia | 1 316 064 | 45 339 | 69 | 58°N | 1978 | 1968 | Y(L) | Y | 0 | 0 | 2003 | 2006 | 2016 | NA | NA | NA |
| Finland | 5 476 705 | 338 440 | 71 | 64°N | 1952 | 1953 | Y(L) | Y | 0 | 0 | 1987 | 1963 | 2004 | NA | NA | NA |
| §France, Bas-Rhin | 1 117 098 | 4 758 | 87 | 48°N | 1974 | 1975 | N | Y | 0 | 0 | 1989 | 1994 | 2007 | NA | NA | NA |
| France, Calvados | 692 986 | 5 535 | 69 | 49°N | 1978 | 1978 | N | Y | 0 | 0 | 1996 | NA | 2004 | NA | NA | NA |
| France, Doubs | 537 334 | 5 234 | 78 | 47°N | 1976 | 1977 | N | Y | 0 | 0 | 2003 | 1993 | 2008 | NA | NA | NA |
| France, Gironde | 1 555 647 | 10 000 | 65 | 44°N | 2004 | 2005 | N | Y | 0 | 0 | Y | 2018 | Y | NA | NA | NA |
| France, Haut-Rhin | 762 273 | 3 525 | 71 | 48°N | 1988 | 1988 | N | Y | 35 | 1 | 2003 | 2001 | 2003 | NA | NA | NA |
| France, Hérault | 1 126 146 | 6 101 | 83 | 43°N | 1983 | 1987 | N | Y | 0 | 0 | 1990 | NA | 2003 | NA | NA | NA |
| §France, Isère | 1 251 151 | 7 431 | 93 | 45°N | 1978 | 1979 | N | Y | 0 | 0 | Y | Y | Y | NA | NA | NA |
| France, Lille-Métropole | 811 068 | 661 | 95 | 50°N | 2005 | 2008 | N | Y | 0 | 0 | 1997 | 2018 | 2004 | NA | NA | NA |
| France, Limousin | 375 185 | 5 520 | 76 | 45°N | 1998 | 2003 | N | Y | 0 | 0 | 1996 | NA | 2004 | NA | NA | NA |
| France, Loire-Atlantique | 1 371 628 | 6 815 | 79 | 47°N | 1997 | 1998 | N | Y | 0 | 0 | 1996 | NA | 2008 | NA | NA | NA |
| France, Manche | 498 487 | 5 938 | 48 | 49°N | 1994 | 1994 | N | Y | 0 | 0 | 2004 | NA | 2009 | NA | NA | NA |
| France, Poitou-Charentes | 1 803 032 | 25 809 | 55 | 46°N | 2008 | 2008 | N | Y | 0 | 0 | 2004 | NA | 2008 | NA | NA | NA |
| France, Somme | 571 974 | 6 170 | 57 | 49°N | 1982 | 1982 | N | Y | 0 | 0 | 1991 | 2018 | 2007 | NA | NA | NA |
| France, Tarn | 386 124 | 5 758 | 68 | 44°N | 1981 | 1982 | N | Y | 3 | 1 | 2004 | 2022 | 2009 | NA | NA | NA |
| France, Territoire de Belfort | 144 097 | 609 | 90 | 47°N | 2006 | 2007 | N | Y | 0 | 0 | 2003 | NA | 2008 | NA | NA | NA |
| France, Vendée | 668 486 | 6 720 | 50 | 46°N | 1997 | 1997 | N | Y | 0 | 0 | 1996 | NA | 2008 | NA | NA | NA |
| Germany, Baden-Württemberg | 10 900 524 | 3 567 676 | 63 | 48°N | 2009 | 2009 | Y(L) | Y | 0 | 0 | 2005 | 2020 | 2019 | NA | NA | NA |
| Germany, Bavaria | 12 765 691 | 70 552 | 27 | 48°N | 1998 | 2002 | Y(L) | Y | 0 | 0 | 2006 | 2020 | 2020 | NA | NA | NA |
| Germany, Bremen | 670 110 | 404 | 100 | 53°N | 1998 | 1998 | Y(L) | Y | 0 | 0 | 2001 | 2020 | 2019 | NA | NA | NA |
| Germany, Hamburg | 1 833 065 | 755 | 100 | 53°N | 1926 | 1926 | Y(L) | Y | 2 | 8 | 2008 | 2020 | 2020 | NA | NA | NA |
| Germany, Lower Saxony | 7 885 929 | 47 641 | 64 | 52°N | 2000 | 2003 | Y(L) | Y | 0 | 0 | 2005 | NA | NA | NA | NA | NA |
| Germany, North Rhine-Westphalia | 17 753 052 | 34 110 | 51 | 51°N | 2005 | 2005 | Y(L) | Y | 0 | 0 | 2005 | NA | NA | NA | NA | NA |
| Germany, Rhineland-Palatinate | 4 023 016 | 19 847 | 25 | 49°N | 1992 | 1998 | Y(L) | Y | 0 | 10 | 2007 | NA | 2002 | NA | NA | NA |
| Germany, Saarland | 993 256 | 2 567 | 65 | 49°N | 1967 | 1967 | Y(L) | Y | 0 | 0 | 2007 | NA | NA | NA | NA | NA |
| Germany, Schleswig-Holstein | 2 858 477 | 15 799 | 65 | 54°N | 1997 | 1998 | Y(L) | Y | 0 | 0 | 2008 | NA | NA | NA | NA | NA |
| Iceland | 332 159 | 103 000 | 30 | 64°N | 1954 | 1955 | Y(L) | Y | 0 | 0 | 1987 | 1964 | NA | NA | NA | NA |
| Ireland | 4 695 996 | 70 280 | 63 | 53°N | 1991 | 1994 | N | Y | 0 | 0 | 2000 | 2008 | 2012 | NA | NA | NA |
| Italy, Aosta Valley | 128 015 | 3 262 | 30 | 45°N | 2008 | 2008 | N | Y | 0 | 1 | 1998 | 1998 | 2001 | NA | NA | NA |
| Italy, Avellino | 429 926 | 2 800 | 15 | 40°N | 2010 | 2010 | Y(L) | Y | 0 | 0 | 2000 | 1998 | 2013 | 2014 | 2018 | 2018 |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|--|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| Italy, Basilicata | 572 578 | 10 073 | 50 | 40°N | 2000 | 2005 | Y(L) | Y | 0 | 0 | 1999 | 2005 | NA | NA | NA |
| Italy, Benevento | 282 418 | 2 070 | 15 | 41°N | 2015 | 2010 | Y(L) | Y | 0 | 0 | 2019 | 2014 | 2018 | NA | NA |
| Italy, Bergamo | 1 104 421 | 2 723 | 33 | 45°N | 2007 | 2007 | Y(L) | Y | 15 | 0 | 2001 | NA | 2005 | NA | NA |
| Italy, Brescia | 1 159 279 | 3 465 | 45°N | 45°N | 1994 | 1999 | N | Y | 0 | 0 | 1998 | 2004 | 2005 | NA | NA |
| Italy, Brianza (Lecco and Monza e Brianza) | 1 195 322 | 1 203 | 50 | 45°N | 2011 | 2007 | Y(L) | Y | 0 | 0 | 2001 | NA | 2006 | NA | NA |
| Italy, Calabria | 548 505 | 3 183 | 73 | 39°N | 2014 | 2010 | Y(L) | Y | 5 | 1 | 2008 | 2008 | NA | NA | NA |
| Italy, Caserta | 917 819 | 2 639 | 60 | 41°N | 2008 | 2008 | Y(L) | Y | 0 | 0 | 2007 | 2006 | 2014 | NA | NA |
| Italy, Catania, Messina, and Enna | 1 922 304 | 9 415 | 37°N | 37°N | 2003 | 2003 | N | Y | 0 | 0 | 2000 | 2001 | 2011 | NA | NA |
| Italy, Emilia-Romagna | 3 563 642 | 22 453 | 44°N | 44°N | 1978 | 1978 | Y(L) | Y | 0 | 0 | 1997 | 1997 | 2005 | NA | NA |
| Italy, Friuli-Venezia Giulia | 1 222 303 | 7 845 | 80 | 45°N | 1995 | 1995 | Y(L) | Y | 20 | 0 | 2006 | 1995 | 2006 | NA | NA |
| Italy, Genova | 856 272 | 1 834 | 68 | 44°N | 1984 | 1986 | Y(L) | Y | 0 | 0 | 2002 | 2011 | 2009 | NA | NA |
| Italy, Lombardy, South, Pavia | 546 199 | 2 969 | 35 | 45°N | 2003 | 2003 | Y(A) | Y | 0 | 3 | 2006 | 2008 | 2006 | NA | NA |
| Italy, Mantova and Cremona | 771 365 | 4 111 | 20 | 45°N | 1999 | 1999 | Y(L) | Y | 0 | 2 | 2001 | 1989 | 2004 | NA | NA |
| Italy, Marche | 1 546 364 | 9 344 | 78 | 43°N | 2015 | 2010 | Y(L) | Y | 4 | 1 | 2012 | 2011 | 2013 | NA | NA |
| Italy, Milan | 3 405 292 | 2 359 | 97 | 45°N | 1999 | 1999 | Y(L) | Y | 0 | 1 | 2000 | 2016 | 2005 | NA | NA |
| Italy, Molise | 312 567 | 4 438 | 44 | 41°N | 2014 | 2010 | Y(L) | Y | 20 | 0 | 2001 | 2001 | 2008 | NA | NA |
| Italy, Naples Centre | 977 342 | 117 | 100 | 40°N | 2016 | 2010 | Y(A) | Y | 0 | 0 | 2000 | 1998 | 2013 | NA | NA |
| Italy, Naples North | 1 036 255 | 441 | 100 | 40°N | 2015 | 2010 | Y(L) | Y | 0 | 0 | 2004 | 2002 | 2016 | NA | NA |
| Italy, Naples South | 1 062 185 | 635 | 80 | 40°N | 1996 | 1997 | Y(L) | Y | 0 | 0 | 2000 | 1998 | 2013 | NA | NA |
| Italy, Nuoro | 214 279 | 5 785 | 38°N | 38°N | 2003 | 2003 | N | Y | 0 | 1 | NA | 2008 | NA | NA | NA |
| Italy, Palermo | 1 252 974 | 4 992 | 50 | 38°N | 2003 | 2003 | N | Y | 0 | 2 | 2004 | 2004 | 2011 | NA | NA |
| Italy, Puglia | 4 059 877 | 19 540 | 100 | 41°N | 2006 | 2003 | Y(L) | Y | 5 | 0 | 2008 | 2008 | 2020 | NA | NA |
| Italy, Ragusa and Caltanissetta | 590 343 | 3 738 | 95 | 36°N | 1979 | 1981 | N | Y | 10 | 10 | 2012 | 2012 | 2012 | NA | NA |
| Italy, Salerno | 1 102 418 | 4 952 | 76 | 40°N | 1996 | 1996 | Y(L) | Y | 2 | 0 | 2000 | 2005 | 2014 | NA | NA |
| Italy, Sassari | 331 866 | 7 520 | 41°N | 41°N | 1991 | 1992 | N | Y | 0 | 2 | Y | Y | Y | NA | NA |
| Italy, Sondrio | 259 543 | 3 212 | 46°N | 46°N | 1998 | 1998 | Y(A) | Y | 0 | 1 | 2000 | NA | 2005 | NA | NA |
| Italy, South Tyrol | 521 425 | 7 400 | 35 | 46°N | 1995 | 1995 | Y(A) | Y | 0 | 1 | 2003 | 2001 | 2012 | NA | NA |
| Italy, Syracuse | 403 246 | 2 124 | 37°N | 37°N | 1999 | 1999 | N | Y | 0 | 0 | 2012 | 2010 | 2011 | NA | NA |
| Italy, Trento | 536 157 | 6 206 | 58 | 46°N | 1995 | 1998 | Y(L) | Y | 5 | 0 | 2000 | 1993 | 2007 | NA | NA |
| Italy, Turin | 2 275 737 | 6 827 | 88 | 45°N | 1965 | 1965 | N | Y | 5 | 5 | 1992 | 1992 | 1998 | NA | NA |
| Italy, Tuscany | 3 406 285 | 23 | 60 | 44°N | 1984 | 1985 | N | Y | 0 | 0 | 1990 | 1998 | 2000 | NA | NA |
| Italy, Umbria | 889 305 | 8 456 | 52 | 43°N | 1991 | 1994 | Y(A) | Y | 1 | 1 | 1998 | 1998 | 2006 | NA | NA |
| Italy, Varese | 884 541 | 1 198 | 45°N | 45°N | 1976 | 1976 | Y(A) | Y | 0 | 0 | 2000 | NA | 2006 | NA | NA |

Table 2.1. (Contd) Background information on the registries included in C15 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|------------------------------------|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| Italy, Veneto | 4 855 044 | 18 345 | 99 | 45°N | 1987 | 1987 | N | Y | 15 | 2 | 1998 | 1997 | 2002 | NA | NA |
| Latvia | 1 977 148 | 64 589 | 100 | 55°N | 1991 | 1991 | Y(L) | Y | 0 | 15 | 2009 | 2009 | 2009 | NA | NA |
| Liechtenstein | 37 608 | 161 | 100 | 47°N | 2011 | 2011 | Y(L) | Y | 0 | 2 | NA | NA | NA | NA | NA |
| Lithuania | 2 898 320 | 65 300 | 67 | 54°N | 1978 | 1991 | Y(L) | Y | 0 | 5 | 2005 | 2004 | 2009 | 2006 | NA |
| Malta | 445 839 | 316 | 85 | 35°N | 1985 | 1991 | Y(L) | Y | 0 | 3 | 2009 | 2015 | 2012 | NA | NA |
| Norway | 5 159 687 | 324 000 | 60°N | 60°N | 1952 | 1953 | Y(L) | Y | 0 | 0 | 1996 | Y | NA | NA | NA |
| Poland, Kielce | 1 257 845 | 11 710 | 45 | 51°N | 1988 | 1988 | Y(L) | Y | 5 | 0 | 2006 | 2006 | 2003 | NA | NA |
| Portugal, Azores | 246 210 | 2 346 | 45 | 38°N | 1993 | 1997 | N | Y | 3 | 0 | 2008 | 2010 | 2014 | NA | 2017 |
| Russian Federation, Arkhangelsk | 1 183 410 | 589 913 | 78 | 64°N | 1993 | 1955 | Y(A) | Y | 0 | 0 | 2013 | 2013 | 2013 | 2013 | NA |
| Russian Federation, Kaliningrad | 972 284 | 15 100 | 77 | 54°N | 1999 | 1999 | Y(L) | Y | 2 | 1 | 2013 | 2013 | 2013 | 2013 | NA |
| Russian Federation, Karelia | 629 273 | 180 500 | 81 | 63°N | 1996 | 1955 | Y(L) | Y | 0 | 0 | 2015 | 2015 | 2015 | 2015 | NA |
| Russian Federation, Komi Republic | 864 901 | 416 | 78 | 64°N | 1993 | 1960 | Y(L) | Y | 0 | 0 | 2015 | 2015 | NA | NA | NA |
| Russian Federation, Murmansk | 767 795 | 144 902 | 92 | 68°N | 1998 | 1952 | Y(L) | Y | 0 | 0 | 2013 | 2013 | 2013 | 2013 | NA |
| Russian Federation, Orenburg | 2 002 022 | 60 | 100 | 51°N | 1996 | 1996 | Y(L) | Y | 95 | 0 | 2013 | 2013 | 2013 | 2013 | NA |
| Russian Federation, Pskov | 651 542 | 56 | 73 | 57°N | 1998 | 1998 | Y(L) | Y | 1 | 1 | 2011 | 2011 | 2011 | 2011 | 2011 |
| Russian Federation, Samara | 3 209 361 | 54 | 100 | 53°N | 2003 | 2003 | Y(L) | Y | 95 | 0 | 2013 | 2013 | 2013 | 2013 | NA |
| Russian Federation, Vologda Region | 1 186 523 | 144 500 | 72 | 60°N | 2006 | 1986 | Y(L) | Y | 0 | 0 | 2013 | 2013 | 2013 | 2013 | NA |
| Slovenia | 2 062 843 | 20 273 | 55 | 46°N | 1950 | 1950 | Y(L) | Y | 0 | 2 | 2008 | 2003 | 2009 | NA | NA |
| Spain, Asturias | 1 053 780 | 10 565 | 74 | 43°N | 1978 | 1982 | N | Y | 1 | 0 | 1991 | NA | 2016 | NA | NA |
| Spain, Basque Country | 2 174 230 | 7 261 | 90 | 43°N | 1986 | 1986 | N | Y | 3 | | 1995 | 2018 | 2009 | NA | NA |
| Spain, Canary Islands | 1 738 938 | 3 594 | | 28°N | 1992 | 1993 | N | Y | 13 | | 1999 | NA | 2009 | NA | NA |
| Spain, Castellón | 585 249 | 6 632 | 78 | 39°N | 1998 | 2004 | N | Y | 4 | 2 | 1993 | NA | 2008 | NA | NA |
| Spain, Girona | 743 501 | 5 910 | | 41°N | 1977 | 1994 | Y(A) | Y | 0 | 0 | 1999 | NA | 2014 | NA | NA |
| Spain, Granada | 918 790 | 12 635 | 75 | 37°N | 1985 | 1985 | N | Y | 8 | 3 | 1997 | NA | 2019 | NA | NA |
| Spain, La Rioja | 313 757 | 5 034 | 65 | 42°N | 1993 | 1993 | N | Y | | 4 | 1993 | 2005 | 2010 | NA | NA |
| Spain, Murcia | 1 468 255 | 11 313 | 97 | 37°N | 1981 | 1982 | Other | Y | 1 | 1 | 1994 | NA | 2006 | NA | NA |
| Spain, Navarra | 641 597 | 10 491 | 50 | 50°N | 1970 | 1973 | N | Y | | 1 | 1990 | NA | 2014 | NA | NA |
| Spain, Salamanca | 341 656 | 12 | 59 | 40°N | 2005 | 2006 | Y(A) | Y | 18 | 1 | 1996 | 1986 | 2013 | NA | NA |
| Spain, Tarragona | 794 360 | 6 283 | 67 | 41°N | 1979 | 1980 | Other | Y | 1 | 3 | 1998 | NA | 2015 | NA | NA |
| Sweden | 9 815 302 | 438 574 | 87 | 63°N | 1958 | 1958 | Y(L) | Y | 0 | 0 | 1990 | 1975 | NA | NA | NA |
| Switzerland, Aargau | 649 579 | 1 404 | 48 | 47°N | 2013 | 2013 | Y(L) | Y | 5 | 1 | NA | NA | NA | NA | NA |
| Switzerland, Basel | 473 203 | 555 | 100 | 47°N | 1969 | 1970 | N | Y | 0 | 3 | 2014 | NA | NA | NA | NA |

Table 2.1. (Contd) Background information on the registries included in CI5 Volume XII

| Registry | Estimated annual population, 2013-2017* | Surface area (km ²) | Population in urban area (%) | Latitude | Year registry started | Year population-based data first available | Cancer reportable disease | Privacy regulations apply | Non-residents treated inside registration area (%) | Estimated cases missed because of problems accessing data sources (%) | Screening programmes (and starting years, if available) | | | | |
|------------------------------------|---|---------------------------------|------------------------------|----------|-----------------------|--|---------------------------|---------------------------|--|---|---|--------|------------|----------|-------------|
| | | | | | | | | | | | Breast | Cervix | Colorectum | Prostate | Oral cavity |
| Switzerland, Berne Solothurn | 1 017 396 | 5 960 | 42 | 46°N | 2013 | 2013 | N | Y | | | 2017 | NA | NA | NA | NA |
| Switzerland, East | 832 641 | 3 438 | 100 | 47°N | 1960 | 1980 | Y(L) | Y | | | 2010 | NA | NA | NA | NA |
| Switzerland, Fribourg | 304 712 | 1 671 | | 46°N | 2006 | 2006 | Y(L) | Y | | | 2004 | NA | NA | NA | NA |
| Switzerland, Geneva | 480 043 | 36 | 80 | 46°N | 1970 | 1970 | N | Y | 20 | 0 | 1999 | NA | 2019 | NA | NA |
| Switzerland, Graubünden and Glarus | 236 058 | 7 700 | | 46°N | 1989 | 1989 | Y(L) | Y | | | 2011 | NA | NA | NA | NA |
| Switzerland, Lucerne | 511 841 | - | - | 47°N | - | - | - | - | - | - | - | - | - | - | - |
| Switzerland, Neuchâtel and Jura | 249 756 | 1 641 | 70 | 47°N | 1972 | 1974 | N | Y | 0 | 0 | 2005 | NA | NA | NA | NA |
| Switzerland, Ticino | 350 171 | 2 812 | 100 | 46°N | 1995 | 1996 | Y(L) | Y | 0 | 2 | 2015 | NA | NA | NA | NA |
| Switzerland, Valais | 333 039 | 5 225 | | 46°N | 1988 | 1989 | Y(A) | N | | | 1999 | NA | NA | NA | NA |
| Switzerland, Vaud | 766 549 | 3 212 | 90 | 47°N | 1972 | 1974 | N | Y | 5 | 2 | 1999 | NA | 2015 | NA | NA |
| Switzerland, Zurich and Zug | 1 577 597 | 1 729 | 95 | 47°N | 1980 | 1980 | Y(L) | Y | | | NA | NA | NA | NA | NA |
| The Netherlands | 16 914 040 | 41 543 | 100 | 52°N | 1955 | 1989 | N | Y | 1 | 0 | 1990 | 1976 | 2014 | NA | NA |
| UK, England | 54 771 256 | 130 279 | 82 | 53°N | 2013 | 1971 | Y(A) | Y | | | 1988 | 1988 | 2006 | NA | NA |
| UK, Northern Ireland | 1 850 963 | 14 139 | 65 | 54°N | 1993 | 1993 | N | Y | | 0 | 1993 | 1987 | 2010 | NA | NA |
| UK, Scotland | 5 375 560 | 77 925 | 82 | 56°N | 1936 | 1958 | N | Y | 0 | 1 | 1988 | 1988 | 2007 | NA | NA |
| UK, Wales | 3 102 369 | 20 779 | 65 | 52°N | 1972 | 1974 | Y(A) | Y | 0 | 0 | 1990 | 1999 | 2008 | NA | NA |
| Ukraine | 36 229 704 | 560 790 | 65 | 50°N | 1989 | 1989 | Y(L) | Y | 1 | 5 | NA | NA | NA | NA | NA |
| Oceania | | | | | | | | | | | | | | | |
| Australia, NSW/ACT | 8 022 470 | 809 952 | 84 | 38°S | 1972 | 1972 | Y(L) | Y | | | 2013 | 2017 | Y | NA | NA |
| Australia, Northern Territory | 244 500 | 1 346 200 | 70 | 13°S | 1981 | 1991 | Y(L) | Y | | | Y | 1996 | NA | NA | NA |
| Australia, Queensland | 4 784 590 | 1 730 648 | | 26°S | 1982 | 1982 | Y(L) | Y | | | 1991 | 1991 | 2006 | NA | NA |
| Australia, South Australia | 1 699 173 | 984 375 | | 30°S | 1977 | 1977 | Y(L) | Y | | | 1989 | 1991 | 2012 | NA | NA |
| Australia, Tasmania | 516 178 | 68 114 | 70 | 42°S | 1977 | 1978 | Y(L) | Y | 0 | 1 | Y | Y | Y | NA | NA |
| Australia, Victoria | 6 036 937 | 227 420 | 88 | 37°S | 1940 | 1982 | Y(L) | Y | 1 | 0 | 1994 | 1991 | 2007 | NA | NA |
| Australia, Western Australia | 2 538 944 | 2 525 500 | 78 | 32°S | 1981 | 1982 | Y(L) | Y | 3 | 2 | 1988 | 1991 | 2006 | NA | NA |
| France, New Caledonia | 268 472 | 18 575 | 65 | 20°S | 1977 | 1977 | Y(L) | Y | | | 2009 | 2012 | NA | NA | NA |
| New Zealand | 4 595 158 | 270 534 | 86 | 39°S | 1948 | 1972 | Y(L) | Y | | 1 | 1998 | 1990 | 2012 | NA | NA |
| USA, Hawaii | 1 419 357 | 28 311 | 92 | 18°N | 1960 | 1973 | Other | Y | | | NA | NA | NA | NA | NA |

*Some registries provided data for a shorter time period.

§ Information comes from CI5 Volume XI.

+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 1.1).

Table 2.2. Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|--|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| Africa | | | | | | | | | | | | | | | | | |
| Algeria, Batna | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | N | N | N | Y |
| Algeria, Tizi Ouzou | Y | N | N | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | N |
| Benin, Cotonou | N | Y | N | Y | Y | Y | Y | Y | N | Y | N | Y | N | N | Y | Y | Y |
| France, La Réunion | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Kenya, Eldoret | N | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| Kenya, Nairobi | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y |
| Mauritius | Y | Y | N | Y | N | Y | N | N | N | Y | N | Y | Y | Y | N | N | N |
| Morocco, Casablanca | Y | Y | N | Y | Y | Y | Y | N | N | Y | Y | Y | Y | N | N | N | Y |
| Seychelles | N | Y | N | Y | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | Y |
| South Africa, Eastern Cape | Y | Y | N | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | N | N | N |
| Uganda, Gulu | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N | Y |
| Uganda, Kyadondo County | Y | N | N | Y | Y | Y | Y | N | N | Y | Y | Y | Y | Y | N | N | Y |
| Zimbabwe, Bulawayo: African | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| Zimbabwe, Harare: African | Y | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| Central and South America and the Caribbean | | | | | | | | | | | | | | | | | |
| Argentina, Entre Rios Province | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N |
| Argentina, Mendoza | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | Y | N |
| Brazil, Aracaju | Y | Y | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | N | N | N |
| Brazil, Barretos | Y | Y | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | N | Y |
| Brazil, Belo Horizonte | N | N | N | N | Y | N | Y | N | N | Y | N | N | Y | N | N | N | N |
| Brazil, Campinas | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Brazil, Curitiba | Y | N | N | N | Y | Y | Y | Y | N | Y | Y | Y | Y | N | N | N | Y |
| Brazil, Goiânia | Y | N | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | N | Y | N | N |
| Brazil, Jaú | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y |
| Brazil, João Pessoa | Y | Y | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | N | N | N |
| Brazil, Recife | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | N | N |
| Chile, Region of Antofagasta | N | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | Y |
| Chile, Valdivia | Y | Y | Y | N | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | Y |
| Colombia, Bucaramanga | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Colombia, Cali | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | N | Y |
| Colombia, Manizales | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | N | N |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|---|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| Colombia, Pasto | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Costa Rica | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Ecuador, Guayaquil | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Ecuador, Manabí | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Ecuador, Quito | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| France, Guadeloupe | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| France, Martinique | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Peru, Lima | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Trinidad and Tobago | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y |
| USA, Puerto Rico | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Uruguay | Y | Y | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | Y | Y |
| North America | | | | | | | | | | | | | | | | | |
| Canada, Alberta | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| Canada, British Columbia | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| Canada, Manitoba | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| Canada, New Brunswick | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| Canada, Newfoundland and Labrador | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| Canada, Ontario | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| Canada, Prince Edward Island | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| Canada, Quebec | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| Canada, Saskatchewan | Y | N | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Canada, Yukon | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| +USA | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| +USA, NPCR | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| +\$USA, SEER (18 registries) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| +USA, SEER (9 registries) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| \$USA, Alabama | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| USA, Alaska | N | N | N | Y | Y | Y | N | N | N | Y | N | N | Y | Y | Y | Y | N |
| \$USA, Arizona | N | N | N | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | N | N |
| \$USA, Arkansas | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$USA, California | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$USA, California, Los Angeles County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$USA, California, San Francisco Bay Area | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|-------------------------------|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| \$USA, Colorado | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| USA, Connecticut | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | Y |
| \$USA, District of Columbia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y |
| \$USA, Florida | Y | Y | Y | NA | Y | Y | Y | Y | NA | Y | NA | NA | Y | Y | Y | NA | NA |
| \$USA, Georgia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | NA | NA | Y |
| USA, Georgia, Atlanta | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | NA | NA | Y |
| USA, Idaho | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y | Y | N | N | N |
| \$USA, Indiana | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | N | N | N | Y |
| USA, Iowa | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | N |
| \$USA, Kentucky | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| USA, Louisiana | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y |
| \$USA, Louisiana, New Orleans | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | Y |
| \$USA, Maine | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | NA | NA |
| \$USA, Maryland | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| \$USA, Massachusetts | Y | N | Y | Y | Y | Y | Y | Y | N | Y | N | Y | Y | N | Y | N | N |
| \$USA, Michigan | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | NA | NA | Y |
| \$USA, Michigan, Detroit | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y |
| \$USA, Minnesota | N | N | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | N | Y |
| \$USA, Mississippi | Y | NA | NA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | NA | NA |
| \$USA, Missouri | NA | Y | Y | NA | Y | Y | Y | Y | Y | Y | NA | NA | Y | Y | NA | NA | NA |
| \$USA, Montana | Y | N | N | Y | N | N | Y | Y | N | Y | Y | NA | Y | Y | N | N | N |
| \$USA, Nebraska | Y | Y | Y | NA | Y | Y | Y | Y | NA | Y | Y | NA | Y | Y | NA | NA | NA |
| \$USA, Nevada | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| USA, New Jersey | Y | N | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N |
| \$USA, New Mexico | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | NA | NA | NA |
| \$USA, New York State | Y | N | N | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| \$USA, North Carolina | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | Y | N | Y |
| \$USA, North Dakota | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| \$USA, Ohio | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| \$USA, Oklahoma | Y | NA | NA | Y | Y | Y | Y | Y | Y | Y | NA | NA | Y | Y | Y | NA | NA |
| \$USA, Oregon | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N |
| \$USA, Rhode Island | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N |
| \$USA, South Carolina | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y |
| \$USA, South Dakota | Y | N | N | N | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y |

Table 2.2. (Contd) Data sources of the registries included in C15 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|--|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| \$USA, Tennessee | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$USA, Texas | Y | N | N | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | N |
| \$USA, Utah | Y | N | N | N | Y | Y | Y | Y | N | Y | Y | N | Y | Y | Y | N | N |
| \$USA, Vermont | Y | Y | N | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N |
| \$USA, Washington State | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$USA, Washington, Seattle | Y | Y | Y | Y | Y | Y | Y | Y | NA | Y | Y | NA | Y | Y | NA | NA | NA |
| \$USA, West Virginia | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | N | Y | N | Y | Y | N | N |
| \$USA, Wyoming | Y | Y | Y | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | Y | Y | Y |
| Asia | | | | | | | | | | | | | | | | | |
| Bahrain: Bahrainis | Y | N | N | Y | Y | Y | Y | Y | N | Y | N | N | Y | Y | N | N | N |
| Brunei Darussalam | N | Y | N | Y | Y | Y | N | N | N | Y | N | Y | Y | N | N | N | N |
| China, Anfu County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Anguo City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Anshan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Aohan Banner, Chifeng City | N | Y | N | N | Y | Y | N | N | N | N | N | N | Y | Y | N | N | N |
| China, Arongqi | N | Y | N | N | Y | Y | N | N | N | Y | N | N | Y | Y | N | N | N |
| China, Baoding City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | Y | Y |
| China, Beijing City | N | Y | Y | N | Y | N | Y | N | Y | N | N | Y | Y | Y | N | N | N |
| China, Binhai County | N | Y | N | Y | N | N | N | N | Y | Y | N | Y | Y | Y | N | N | N |
| China, Cangzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y |
| China, Changfeng County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Changzhou City | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N | N | Y | Y | N | N | N |
| China, Chengdu City | N | Y | N | Y | Y | N | N | N | Y | Y | N | Y | Y | Y | Y | Y | N |
| China, Cixian County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N |
| China, Cixi City | N | Y | Y | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | Y | N |
| China, Dafeng District, Yancheng City | N | Y | N | Y | Y | N | N | N | Y | Y | N | N | Y | Y | N | N | N |
| China, Dalian City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| China, Dancheng County | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | Y | N | Y | N | N | N |
| China, Dangu County | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | N |
| China, Danyang City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Dawukou District, Shizuishan City | Y | Y | N | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | Y | Y | N |
| \$China, Dehui City | N | N | N | Y | Y | Y | N | N | N | Y | N | Y | N | Y | N | Y | N |
| China, Donggang County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|---|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| China, Dongguan City | N | Y | Y | Y | Y | N | N | N | N | Y | Y | Y | Y | Y | N | N | N |
| China, Donghai County | Y | Y | Y | Y | Y | Y | N | N | Y | N | N | N | N | Y | Y | N | N |
| China, Dongtai City | N | Y | N | Y | Y | Y | N | N | N | Y | N | N | N | Y | N | N | N |
| China, Duanzhou District, Zhaoqing City | Y | Y | Y | Y | Y | Y | N | N | N | Y | N | Y | Y | Y | N | Y | N |
| China, Evenki Autonomous Banner | N | Y | N | N | Y | Y | N | N | N | N | N | N | Y | Y | N | N | N |
| China, Faku County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N |
| China, Fangcheng County | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| China, Feicheng City | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N |
| China, Feixi County | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Fuqing City | N | Y | N | Y | Y | Y | N | N | N | N | N | N | Y | Y | N | N | N |
| China, Ganyu District, Lianyungang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y |
| \$China, Ganzhou District, Zhangye City | N | N | N | N | Y | N | N | N | N | N | N | N | N | Y | N | Y | Y |
| China, Gaocheng City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y |
| China, Gaomi City | Y | Y | Y | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | N | N | N |
| China, Gong'an County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | N | N |
| China, Guang'an District, Guang'an City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Guanghan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Guangzhou City | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N | N | Y | Y | N | N | N |
| \$China, Guanyun County | N | Y | Y | Y | N | N | N | N | Y | Y | N | N | Y | Y | N | N | N |
| China, Guilin City | N | Y | N | N | Y | Y | Y | N | N | N | N | N | Y | Y | N | N | N |
| China, Hai'an City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Hailar District, Hulun Buir City | N | Y | Y | N | Y | Y | Y | Y | N | N | N | N | Y | Y | N | N | N |
| China, Haimen District, Nantong City | N | Y | N | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | Y | Y | N |
| China, Haining City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Hangzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Hebi City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y |
| China, Hefei City | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N | N | Y | Y | Y | N | N |
| China, Hengdong County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Hengfeng County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | Y | N |
| \$China, Hepu County | N | Y | N | N | Y | Y | N | N | Y | Y | N | Y | Y | Y | Y | Y | N |
| China, Honghu City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Hongshan District, Chifeng City | Y | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Hongta District, Yuxi City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Huaiyin District, Huai'an City | N | Y | N | N | Y | N | N | N | N | Y | N | Y | Y | Y | N | N | N |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|---|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| China, Jiange County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | N | N |
| China, Jiangmen City | N | Y | Y | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | Y | N | Y |
| China, Jiangyin City | Y | Y | N | Y | Y | N | N | N | Y | N | Y | Y | Y | Y | N | N | Y |
| China, Jiashan County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y |
| China, Jiayu County | N | Y | N | N | Y | Y | Y | N | Y | N | N | Y | Y | N | Y | N | Y |
| China, Jinan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N |
| §China, Jingtai County | Y | Y | Y | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | N | N | N |
| China, Jingxian County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N |
| China, Jintan District, Changzhou City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Jiulongpo District, Chongqing City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | N |
| China, Jiyuan City | Y | Y | N | Y | Y | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Kaihua County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Kunshan City | N | Y | Y | N | Y | N | Y | N | N | Y | Y | Y | Y | Y | Y | N | N |
| China, Langzhong City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Liangshan County | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Lianshui County | Y | Y | Y | Y | Y | Y | N | N | Y | Y | N | N | Y | Y | N | N | Y |
| China, Lianyungang City | N | Y | Y | Y | Y | N | Y | N | N | Y | N | Y | Y | Y | Y | Y | Y |
| China, Linhe District, Bayannur City | N | Y | N | N | N | N | N | N | N | N | N | N | Y | Y | N | N | N |
| China, Linqu County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N |
| §China, Linzhou City | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | Y | Y | Y | N |
| China, Liuzhou City | Y | Y | Y | N | Y | N | Y | N | Y | Y | N | Y | Y | Y | N | N | N |
| China, Liyang City | N | Y | Y | N | Y | N | N | N | N | Y | N | N | Y | Y | N | N | N |
| China, Longquan City | Y | Y | Y | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | N | N | N |
| China, Lucheng District, Wenzhou City | N | Y | Y | Y | Y | Y | Y | Y | N | N | N | Y | Y | Y | Y | Y | Y |
| China, Luoding City | Y | Y | N | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | Y | N | N |
| China, Luohe City | Y | Y | N | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | Y | Y | N |
| China, Luoyang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y |
| China, Luquan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y |
| China, Ma'anshan City | Y | Y | N | Y | Y | Y | N | N | Y | Y | N | Y | Y | Y | Y | N | N |
| China, Macheng City | N | Y | Y | Y | Y | Y | Y | N | N | Y | N | Y | Y | Y | N | N | N |
| China, Meihekou City | N | Y | N | N | Y | Y | N | N | N | Y | N | Y | Y | Y | N | N | N |
| China, Mengjin County | N | N | N | N | Y | Y | N | N | Y | Y | N | Y | Y | Y | N | N | N |
| China, Nangang District, Harbin City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N |
| China, Nanhai District, Foshan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|---|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| China, Nanhui District, Jiaying City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Nantong City | - | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Nanxiang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Neixiang County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Qianxi County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Qidong City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Qingzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Qingzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Rudong County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Rugao City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Rural areas of Shanghai City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Ruyang County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Shan County | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Shanghai City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Shangyu District, Shaoxing City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Shapingba District, Chongqing City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, She Xian County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Sheyang County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Shijiazhuang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Shunde District, Foshan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Song County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Suzhou City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Tengzhou City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Wangdu County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Wanzai County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Wu'an City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Wuhan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Wuhu City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Wuxi City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Wuzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Xiangfu District, Kaifeng City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Xianju County | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Xin'an County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Xining City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Xinji City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|--|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| China, Xinluo District, Longyan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Xinzhou District, Shangrao City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Xiping County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Xishan District, Kunming City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Xuyi County | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Ya'an City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yakeshi City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yancheng City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yangquan City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Yangzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$China, Yanji City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yanshi City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yanting County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yian District, Tongling City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yingdong District, Fuyang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yinzhou District, Ningbo City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Yiyuan County | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Yong'an City | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yongding District, Longyan City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Yongkang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yucheng County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yueyanglou District, Yueyang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yunmeng County | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yunyang District, Shiyan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Yuzhong District, Chongqing City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Zanzhuang County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Zhangjiagang City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Zhaoyuan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Zhengding County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Zhongshan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Zhongxiang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| China, Zhuanghe City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Zhuhai City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| India, Ahmedabad, Urban | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|---|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| India, Aurangabad | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y | Y | N | N | Y |
| India, Bangalore | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | N | Y |
| India, Barshi, Paranda, and Bhum | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y | Y | Y | N | Y |
| India, Bhopal | Y | Y | Y | Y | Y | N | Y | N | Y | Y | N | Y | Y | Y | N | N | Y |
| India, Chandigarh | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | Y | Y |
| India, Chennai | Y | N | Y | Y | Y | N | Y | N | Y | Y | N | Y | Y | Y | N | N | Y |
| India, Dibrugarh | Y | N | N | Y | Y | N | Y | N | Y | Y | N | Y | Y | Y | N | N | Y |
| India, Dindigul, Ambilikkai | Y | N | Y | Y | Y | N | Y | N | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Kamrup Urban District | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Kollam | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Manipur | Y | N | Y | Y | Y | N | Y | N | N | Y | Y | N | Y | Y | N | Y | Y |
| India, Meghalaya | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Mizoram | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Mumbai | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, New Delhi | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Poona | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Sangrur District | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, SAS Nagar | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Tamil Nadu | Y | Y | Y | Y | Y | N | Y | N | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Tripura | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Trivandrum | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, Wardha | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | Y | Y |
| India, West Arunachal | Y | Y | Y | Y | Y | N | Y | N | Y | Y | N | Y | Y | Y | Y | Y | Y |
| Iran (Islamic Republic of), Ardabil Province | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | N | Y |
| Iran (Islamic Republic of), Golestan Province | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | N | Y |
| Israel | N | N | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | N | N | Y |
| Japan | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | N | Y |
| Japan, Aichi Prefecture | N | N | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | N | N |
| Japan, Akita Prefecture | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Japan, Aomori Prefecture | N | N | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | N | N |
| Japan, Gunma Prefecture | N | Y | Y | N | Y | N | Y | Y | N | Y | N | Y | Y | Y | Y | N | N |
| Japan, Hiroshima Prefecture | N | N | N | N | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | N | N |
| Japan, Miyagi Prefecture | Y | N | N | N | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | N | N |
| Japan, Osaka Prefecture | N | N | N | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | N | N |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|------------------------------|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| Kuwait | Y | N | N | Y | Y | Y | Y | N | N | Y | Y | Y | Y | Y | N | N | Y |
| Philippines, Manila | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Qatar: Qatari | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Republic of Korea | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$Republic of Korea, Busan | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$Republic of Korea, Daegu | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$Republic of Korea, Daejeon | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| \$Republic of Korea, Gwangju | Y | N | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Republic of Korea, Incheon | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Republic of Korea, Jeju | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Republic of Korea, Seoul | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Republic of Korea, Ulsan | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Singapore | Y | Y | N | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Thailand, Bangkok | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Thailand, Chiang Mai | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | Y | Y |
| Thailand, Khon Kaen | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Thailand, Lampang | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Thailand, Lopburi Province | Y | N | N | Y | Y | Y | N | N | N | Y | Y | N | Y | Y | N | N | Y |
| Thailand, Songkhla | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Turkey, Antalya | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | N | Y |
| Turkey, Bursa | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Turkey, Edirne | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Turkey, Erzurum | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Turkey, Eskisehir | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Turkey, Gaziantep | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Turkey, Izmir | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Turkey, Malatya | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Turkey, Samsun | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Turkey, Trabzon | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | N | N | Y |
| Europe | | | | | | | | | | | | | | | | | |
| Austria | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | N | N | Y |
| Austria, Carinthia | Y | N | N | Y | N | N | N | N | N | Y | Y | Y | N | Y | N | N | Y |
| Austria, Tyrol | Y | Y | N | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | Y |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|---------------------------------|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| Austria, Vorarlberg | Y | | | | | | | | | | | | | | | | |
| Belarus | Y | | | | | | | | | | | | | | | | |
| Belgium | Y | | | | | | | | | | | | | | | | |
| Croatia | N | | | | | | | | | | | | | | | | |
| Cyprus | Y | | | | | | | | | | | | | | | | |
| §Czech Republic | Y | | | | | | | | | | | | | | | | |
| Denmark | N | | | | | | | | | | | | | | | | |
| Estonia | Y | | | | | | | | | | | | | | | | |
| Finland | N | | | | | | | | | | | | | | | | |
| §France, Bas-Rhin | Y | | | | | | | | | | | | | | | | |
| France, Calvados | Y | | | | | | | | | | | | | | | | |
| France, Doubs | Y | | | | | | | | | | | | | | | | |
| France, Gironde | Y | | | | | | | | | | | | | | | | |
| France, Haut-Rhin | Y | | | | | | | | | | | | | | | | |
| France, Hérault | Y | | | | | | | | | | | | | | | | |
| §France, Isère | Y | | | | | | | | | | | | | | | | |
| France, Lille-Métropole | Y | | | | | | | | | | | | | | | | |
| France, Limousin | Y | | | | | | | | | | | | | | | | |
| France, Loire-Atlantique | Y | | | | | | | | | | | | | | | | |
| France, Manche | Y | | | | | | | | | | | | | | | | |
| France, Poitou-Charentes | Y | | | | | | | | | | | | | | | | |
| France, Somme | Y | | | | | | | | | | | | | | | | |
| France, Tarn | Y | | | | | | | | | | | | | | | | |
| France, Territoire de Belfort | Y | | | | | | | | | | | | | | | | |
| France, Vendée | Y | | | | | | | | | | | | | | | | |
| Germany, Baden-Württemberg | Y | | | | | | | | | | | | | | | | |
| Germany, Bavaria | Y | | | | | | | | | | | | | | | | |
| Germany, Bremen | Y | | | | | | | | | | | | | | | | |
| Germany, Hamburg | Y | | | | | | | | | | | | | | | | |
| Germany, Lower Saxony | Y | | | | | | | | | | | | | | | | |
| Germany, North Rhine-Westphalia | N | | | | | | | | | | | | | | | | |
| Germany, Rhineland-Palatinate | N | | | | | | | | | | | | | | | | |
| Germany, Saarland | Y | | | | | | | | | | | | | | | | |
| Germany, Schleswig-Holstein | Y | | | | | | | | | | | | | | | | |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|--|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| Iceland | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Ireland | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Aosta Valley | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Avellino | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Basilicata | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Benevento | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Bergamo | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Brescia | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Brianza (Lecco and Monza e Brianza) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Calabria | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Caserta | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Catania, Messina, and Enna | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Emilia-Romagna | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Friuli-Venezia Giulia | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Genova | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Lombardy, South, Pavia | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Mantova and Cremona | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Marche | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Milan | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Molise | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Naples Centre | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Naples North | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Naples South | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Nuoro | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Palermo | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Puglia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Ragusa and Caltanissetta | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Salerno | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Sassari | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Sondrio | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, South Tyrol | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Syracuse | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Trento | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Italy, Turin | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|------------------------------------|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| Italy, Tuscany | N | | | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | N | N |
| Italy, Umbria | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| Italy, Varese | N | Y | Y | N | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | Y |
| Italy, Veneto | N | Y | Y | N | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| Latvia | N | N | N | N | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | N |
| Liechtenstein | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N |
| Lithuania | N | Y | Y | N | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| Malta | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N |
| Norway | Y | N | N | N | N | N | N | N | N | Y | Y | N | Y | Y | N | N | N |
| Poland, Kielce | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Portugal, Azores | N | Y | Y | Y | Y | Y | Y | Y | N | Y | N | Y | Y | N | N | N | N |
| Russian Federation, Arkhangelsk | Y | N | N | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | Y |
| Russian Federation, Kaliningrad | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y |
| Russian Federation, Karelia | Y | N | N | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | Y |
| Russian Federation, Komi Republic | Y | N | N | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | Y |
| Russian Federation, Murmansk | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | Y |
| Russian Federation, Orenburg | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | Y |
| Russian Federation, Pskov | Y | N | N | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y |
| Russian Federation, Samara | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | Y |
| Russian Federation, Vologda Region | Y | Y | N | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | Y |
| Slovenia | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | N | Y |
| Spain, Asturias | N | Y | Y | Y | N | N | N | N | N | Y | Y | Y | Y | Y | N | N | N |
| Spain, Basque Country | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N |
| Spain, Canary Islands | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | N | Y | Y | N | N | N |
| Spain, Castellón | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | N | Y | Y | Y | N | N | N |
| Spain, Girona | Y | Y | Y | N | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| Spain, Granada | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| Spain, La Rioja | Y | Y | N | N | Y | Y | N | N | N | Y | Y | Y | Y | Y | N | N | N |
| Spain, Murcia | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| Spain, Navarra | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N |
| Spain, Salamanca | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| Spain, Tarragona | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | Y | Y |
| Sweden | N | N | N | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | Y | N |
| Switzerland, Aargau | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | Y | N |

Table 2.2. (Contd) Data sources of the registries included in CI5 Volume XII

| Registry | Radiotherapy departments | Public hospital discharge records | Private hospital discharge records | Oncology department outpatient records | Public hospital inpatient records | Public hospital outpatient records | Private hospital inpatient records | Private hospital outpatient records | Imaging facilities | Pathology laboratories | Autopsy services | Haematology laboratories | Cancer death certificates | All death certificates | General practitioner records | Health insurance records | Hospice/palliative care records |
|------------------------------------|--------------------------|-----------------------------------|------------------------------------|--|-----------------------------------|------------------------------------|------------------------------------|-------------------------------------|--------------------|------------------------|------------------|--------------------------|---------------------------|------------------------|------------------------------|--------------------------|---------------------------------|
| Switzerland, Basel | Y | Y | N | N | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | N |
| Switzerland, Berne Solothurn | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | Y |
| Switzerland, East | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | Y |
| Switzerland, Fribourg | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | Y |
| Switzerland, Geneva | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | Y |
| Switzerland, Graubünden and Glarus | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | Y |
| Switzerland, Lucerne | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Switzerland, Neuchâtel and Jura | Y | N | N | Y | Y | Y | N | N | N | Y | Y | Y | Y | Y | N | N | N |
| Switzerland, Ticino | Y | Y | N | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | Y | N | N |
| Switzerland, Valais | Y | Y | Y | Y | Y | Y | N | N | N | Y | Y | Y | Y | Y | N | N | N |
| Switzerland, Vaud | Y | Y | Y | Y | Y | Y | N | N | N | Y | Y | Y | Y | Y | N | N | N |
| Switzerland, Zurich and Zug | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | N | N | N | N |
| The Netherlands | Y | Y | N | N | Y | Y | Y | Y | N | Y | N | Y | N | N | N | N | N |
| UK, England | Y | Y | Y | N | Y | Y | Y | N | Y | Y | N | Y | Y | N | Y | N | N |
| UK, Northern Ireland | Y | Y | N | N | Y | Y | N | N | Y | Y | N | Y | Y | N | N | N | N |
| UK, Scotland | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| UK, Wales | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | N |
| Ukraine | N | N | Y | Y | Y | Y | N | Y | N | Y | Y | Y | Y | Y | Y | N | N |
| Oceania | | | | | | | | | | | | | | | | | |
| Australia, NSW/ACT | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y |
| Australia, Northern Territory | N | Y | N | N | Y | N | Y | N | N | Y | N | N | Y | N | N | N | N |
| Australia, Queensland | N | Y | Y | N | Y | N | Y | N | N | Y | Y | Y | Y | Y | N | N | N |
| Australia, South Australia | Y | Y | Y | N | N | N | N | N | N | Y | N | Y | Y | N | N | N | N |
| Australia, Tasmania | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N |
| Australia, Victoria | Y | N | N | N | Y | Y | Y | Y | N | Y | Y | Y | Y | Y | N | N | Y |
| Australia, Western Australia | Y | Y | Y | N | Y | N | Y | N | N | Y | Y | Y | Y | Y | N | N | Y |
| France, New Caledonia | Y | Y | N | Y | Y | Y | N | N | N | Y | N | N | Y | Y | N | Y | N |
| New Zealand | N | Y | N | N | Y | N | N | N | N | Y | Y | Y | Y | Y | N | N | Y |
| USA, Hawaii | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | N | Y |

§ Information comes from CI5 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. Types of information recorded by the registries included in C15 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Initial treatment | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|--|--------|--------------|-------------------------------|--------|------|------------|----------|---|---|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | | | | | | | | |
| Africa | | | | | | | | | | | | | | | |
| Algeria, Batna | N | N | N | N | N | N | N | N | N | Y | Active | Y | IARC/IACR | Y | |
| Algeria, Tizi Ouzou | N | N | Y | Y | Y | Y | Y | Y | Y | N | Active | NA | IARC/IACR | Y | |
| Benin, Cotonou | N | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | NA | IARC/IACR | N | |
| France, La Réunion | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Kenya, Eldoret | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Kenya, Nairobi | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | N | IARC/IACR | Y | |
| Mauritius | N | Y | N | N | N | N | N | N | N | N | Active+Passive | NA | IARC/IACR | N | |
| Morocco, Casablanca | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | NA | IARC/IACR | Y | |
| Seychelles | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| South Africa, Eastern Cape | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Uganda, Gulu | Y | Y | Y | Y | N | N | N | Y | Y | Y | Active+Passive | N | IARC/IACR | Y | |
| Uganda, Kyadondo County | N | Y | Y | Y | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| Zimbabwe, Bulawayo: African | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Zimbabwe, Harare: African | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Central and South America and the Caribbean | | | | | | | | | | | | | | | |
| Argentina, Entre Rios Province | Y | N | Y | Y | N | N | Y | N | N | N | Active | Y | IARC/IACR | Y | |
| Argentina, Mendoza | Y | N | N | N | N | N | N | N | N | Y | Passive | Y | ENCR | Y | |
| Brazil, Aracaju | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Brazil, Barretos | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Brazil, Belo Horizonte | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | NA | IARC/IACR | Y | |
| Brazil, Campinas | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | NA | IARC/IACR | Y | |
| Brazil, Curitiba | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Brazil, Goiânia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Brazil, Jau | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Brazil, João Pessoa | Y | Y | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| Brazil, Recife | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | Passive | NA | IARC/IACR | N | |
| Chile, Region of Antofagasta | Y | N | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| Chile, Valdivia | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Colombia, Bucaramanga | Y | N | N | N | N | N | N | N | N | Y | Active | Y | IARC/IACR | Y | |
| Colombia, Cali | Y | N | N | N | N | N | N | N | Y | Y | Passive | Y | IARC/IACR | Y | |
| Colombia, Manizales | Y | N | Y | N | Y | Y | Y | N | N | Y | Passive | Y | IARC/IACR | Y | |

§ Information comes from C15 Volume XI.

+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in C15 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|-----------------------------------|--------|--------------|-------------------------------|--------|------|------------|----------|-------------------|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | Initial treatment | Initial treatment | | | | | |
| Colombia, Pasto | Y | N | Y | Y | N | N | N | N | Y | Passive | Y | ENCR | Y | |
| Costa Rica | Y | N | N | N | N | N | N | N | N | Passive | Y | IARC/IACR | Y | |
| Ecuador, Guayaquil | Y | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| Ecuador, Manabí | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | |
| Ecuador, Quito | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| France, Guadeloupe | N | N | Y | Y | N | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| France, Martinique | N | N | Y | Y | N | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Peru, Lima | Y | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| Trinidad and Tobago | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| USA, Puerto Rico | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| Uruguay | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| North America | | | | | | | | | | | | | | |
| Canada, Alberta | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| Canada, British Columbia | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| Canada, Manitoba | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | N | Other | Y | |
| Canada, New Brunswick | Y | N | Y | N | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| Canada, Newfoundland and Labrador | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| Canada, Ontario | Y | N | Y | Y | Y | Y | Y | Y | N | NA | NA | Other | Y | |
| Canada, Prince Edward Island | Y | N | Y | Y | Y | Y | Y | Y | N | NA | NA | Other | Y | |
| Canada, Quebec | Y | N | Y | N | Y | Y | Y | Y | Y | Passive | Y | Other | Y | |
| Canada, Saskatchewan | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| Canada, Yukon | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| +USA | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| +USA, NPCR | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| +\$USA, SEER (18 registries) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| +USA, SEER (9 registries) | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| \$USA, Alabama | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| USA, Alaska | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Arizona | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| \$USA, Arkansas | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| \$USA, California | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |

\$ Information comes from C15 Volume XI.
+A combination of registries used in statistical analyses - not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in C15 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Initial treatment | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|---|--------|--------------|-------------------------------|--------|------|------------|----------|---|---|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | | | | | | | | |
| \$USA, California, Los Angeles County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | SEER | Y | |
| \$USA, California, San Francisco Bay Area | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| \$USA, Colorado | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| USA, Connecticut | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| \$USA, District of Columbia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| \$USA, Florida | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Other | Y | SEER | Y | |
| \$USA, Georgia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Other | Y | SEER | Y | |
| \$USA, Georgia, Atlanta | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Other | Y | SEER | Y | |
| USA, Idaho | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Indiana | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| USA, Iowa | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Kentucky | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| USA, Louisiana | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| \$USA, Louisiana, New Orleans | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| \$USA, Maine | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | Other | Y | |
| \$USA, Maryland | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Massachusetts | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| \$USA, Michigan | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Michigan, Detroit | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| \$USA, Minnesota | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Mississippi | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Missouri | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Montana | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | Other | Y | |
| \$USA, Nebraska | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Nevada | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| USA, New Jersey | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |
| \$USA, New Mexico | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Other | Y | SEER | Y | |
| \$USA, New York State | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, North Carolina | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | Other | Y | |
| \$USA, North Dakota | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | Other | Y | |
| \$USA, Ohio | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| \$USA, Oklahoma | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |

\$ Information comes from C15 Volume XI
 +A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in C15 Volume XI

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Initial treatment | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|---------------------------------------|--------|--------------|-------------------------------|--------|------|------------|----------|---|---|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | | | | | | | | |
| \$USA, Oregon | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | | |
| \$USA, Rhode Island | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | | |
| \$USA, South Carolina | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | | |
| \$USA, South Dakota | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | | |
| \$USA, Tennessee | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | Other | Y | | |
| \$USA, Texas | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | | |
| \$USA, Utah | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | | |
| \$USA, Vermont | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | Other | Y | | |
| \$USA, Washington State | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | | |
| \$USA, Washington, Seattle | Y | Y | Y | Y | Y | Y | Y | Y | Y | Other | Y | SEER | Y | | |
| \$USA, West Virginia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | | |
| \$USA, Wyoming | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | | |
| Asia | | | | | | | | | | | | | | | |
| Bahrain: Bahrainis | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | | |
| Brunei Darussalam | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | | |
| China, Anfu County | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Anguo City | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | Y | IARC/IACR | Y | | |
| China, Anshan City | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | Y | IARC/IACR | Y | | |
| China, Aohan Banner, Chifeng City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Arongqi | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Baoding City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Beijing City | Y | N | N | N | N | N | N | N | N | Active+Passive | Y | IARC/IACR | Y | | |
| China, Binhai County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Cangzhou City | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | Y | IARC/IACR | Y | | |
| China, Changfeng County | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | Y | IARC/IACR | Y | | |
| China, Changzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Chengdu City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Cixian County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Cixi City | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | Y | IARC/IACR | Y | | |
| China, Dafeng District, Yancheng City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | | |
| China, Dalian City | Y | Y | Y | Y | Y | Y | Y | Y | N | Active+Passive | Y | IARC/IACR | Y | | |

\$ Information comes from C15 Volume XI
 +A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in CI5 Volume XI

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|--|--------|--------------|-------------------------------|--------|------|------------|----------|-------------------|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | Initial treatment | Initial treatment | | | | | |
| China, Dancheng County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | N | |
| China, Dangu County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Danyang City | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Dawukou District, Shizuishan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| §China, Dehui City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | N | |
| China, Donggang County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | N | IARC/IACR | Y | |
| China, Dongguan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Donghai County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Dongtai City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Duanzhou District, Zhaoqing City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Evenki Autonomous Banner | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Faku County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Fangcheng County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Feicheng City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Feixi County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Fuqing City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Ganyu District, Liangyungang City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| §China, Ganzhou District, Zhangye City | Y | Y | NA | NA | NA | NA | NA | NA | Y | Active+Passive | Y | IARC/IACR | N | |
| China, Gaocheng City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Gaomi City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Gong'an County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| China, Guang'an District, Guang'an City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Guanghan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Guangzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| §China, Guanyun County | Y | Y | NA | NA | NA | NA | NA | NA | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Gullin City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Hai'an City | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Hailar District, Hulun Buir City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |

§ Information comes from CI5 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in CI5 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|---|--------|--------------|-------------------------------|--------|------|------------|----------|-------------------|----------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | Initial treatment | Systematic follow-up | | | | | |
| China, Haiamen District, Nantong City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Haining City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Hangzhou City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Hebi City | Y | Y | N | N | N | N | N | N | N | N | NA | NA | IARC/IACR | Y |
| China, Hefei City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Hengdong County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Hengfeng County | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| \$China, Hepu County | Y | Y | NA | NA | NA | NA | NA | NA | NA | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Honghu City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Hongshan District, Chifeng City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Hongta District, Yuxi City | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Huaiyin District, Huailan City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Jiange County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Jiangmen City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Jiangyin City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Jiashan County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Jiayu County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Jinan City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| \$China, Jingtai County | Y | Y | NA | NA | NA | NA | NA | NA | NA | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Jingxian County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Jintan District, Changzhou City | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Jiulongpo District, Chongqing City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y |
| China, Jiyuan City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Kaihua County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Kunshan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Langzhong City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Liangshan County | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Lianshui County | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Lianyungang City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Linhe District, Bayannur City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |

\$ Information comes from CI5 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 13).

Table 2.3. (Contd) Types of information recorded by the registries included in CI5 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|--|--------|--------------|-------------------------------|--------|------|------------|----------|-------------------|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | Initial treatment | Initial treatment | | | | | |
| China, Linqu County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| §China, Linzhou City | Y | Y | NA | NA | NA | NA | NA | NA | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Liuzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Liyang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Longquan City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Lucheng District, Wenzhou City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Luoding City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Luohe City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Luoyang City | Y | N | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | N | |
| China, Luquan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Maanshan City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Macheng City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Mehekou City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Mengjin County | N | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | N | |
| China, Nangang District, Harbin City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Nanhai District, Foshan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Nanhu District, Jiaying City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Nantong City | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Nanxiang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Neixiang County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Qianxi County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Qidong City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Qingzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Rudong County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Rugao City | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Rural areas of Shanghai City | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Ruyang County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | N | |
| China, Shan County | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Shanghai City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Shangyu District, Shaoxing City | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |

§ Information comes from CI5 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 13).

Table 2.3. (Contd) Types of information recorded by the registries included in C15 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|---|--------|--------------|-------------------------------|--------|------|------------|----------|-------------------|-----------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | Initial treatment | Follow-up | | | | | |
| China, Shapingba District, Chongqing City | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | N |
| China, She Xian County | Y | Y | N | N | N | N | N | N | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Sheyang County | Y | Y | N | N | N | N | N | N | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Shijiazhuang City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Shunde District, Foshan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Song County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Suzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Tengzhou City | Y | Y | N | N | N | N | N | N | N | N | Active+ Passive | NA | IARC/IACR | Y |
| China, Wangdu County | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Wanzai County | Y | Y | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y |
| China, Wu'an City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Wuhan City | Y | Y | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y |
| China, Wuhu City | Y | Y | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y |
| China, Wuxi City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Wuzhou City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Xiangfu District, Kaifeng City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+ Passive | Y | IARC/IACR | N |
| China, Xianju County | Y | Y | N | N | N | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Xin'an County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| §China, Xining City | Y | Y | NA | NA | NA | NA | NA | NA | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Xinji City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Xinluo District, Longyan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Xinzhou District, Shangrao City | Y | Y | N | N | Y | N | N | N | N | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Xiping County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | ENCR | Y |
| China, Xishan District, Kunming City | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Xuyi County | Y | Y | N | N | N | N | N | N | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Ya'an City | Y | Y | N | N | N | N | N | N | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Yakeshi City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Yancheng City | Y | Y | N | N | N | N | N | N | Y | Y | Active+ Passive | Y | IARC/IACR | Y |
| China, Yangquan City | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| China, Yangzhong City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+ Passive | Y | IARC/IACR | Y |

§ Information comes from C15 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 13).

Table 2.3. (Contd) Types of information recorded by the registries included in CI5 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Initial treatment | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|--|--------|--------------|-------------------------------|--------|------|------------|----------|---|---|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | | | | | | | | |
| \$China, Yanji City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Passive | Y | IARC/IACR | Y | |
| China, Yanshi City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+Passive | Y | IARC/IACR | N | |
| China, Yanting County | Y | Y | N | N | N | N | N | N | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yian District, Tongling City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yingdong District, Fuyang City | Y | Y | N | N | N | N | N | N | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yinzhou District, Ningbo City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Yiyuan County | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Yong'an City | Y | Y | N | N | Y | N | N | N | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yongding District, Longyan City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Yongkang City | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yucheng County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yueyanglou District, Yueyang City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yunmeng County | Y | Y | N | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yunyang District, Shiyuan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Yuzhong District, Chongqing City | Y | Y | N | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Zanhua County | Y | Y | Y | Y | Y | Y | Y | Y | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Zhangjiagang City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Zhaoyuan City | Y | Y | N | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Zhengding County | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Zhongshan City | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Zhongxiang City | Y | Y | N | N | N | N | N | N | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| China, Zhuanghe City | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| China, Zhuhai City | Y | Y | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| India, Ahmedabad, Urban | Y | N | Y | Y | N | N | N | N | Y | Y | Active+Passive | Y | Other | Y | |
| India, Aurangabad | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | Other | Y | |
| India, Bangalore | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Barshi, Paranda, and Bhum | Y | Y | N | N | N | N | N | N | Y | Y | Active | Y | Other | Y | |
| India, Bhopal | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Chandigarh | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |

\$ Information comes from CI5 Volume XI
 +A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in CI5 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Initial treatment | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|---|--------|--------------|-------------------------------|--------|------|------------|----------|---|---|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | | | | | | | | |
| India, Chennai | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Dibrugarh | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Dindigul, Amblikkai | N | N | N | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| India, Kamrup Urban District | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Kollam | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Manipur | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Meghalaya | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Mizoram | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Mumbai | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | Other | Y | |
| India, New Delhi | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Poona | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | Other | Y | |
| India, Sangrur District | Y | Y | N | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| India, SAS Nagar | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| India, Tamil Nadu | N | N | N | N | N | N | N | N | N | N | NA | NA | IARC/IACR | Y | |
| India, Tripura | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Trivandrum | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, Wardha | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| India, West Arunachal | Y | Y | Y | Y | N | Y | Y | N | Y | Y | Active+Passive | Y | Other | Y | |
| Iran (Islamic Republic of), Ardabil Province | Y | N | N | N | N | N | N | N | N | Y | Active+Passive | NA | IARC/IACR | N | |
| Iran (Islamic Republic of), Golestan Province | Y | N | N | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| Israel | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | Other | Y | |
| Japan | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Japan, Aichi Prefecture | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Japan, Akita Prefecture | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Japan, Aomori Prefecture | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Japan, Gunma Prefecture | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Japan, Hiroshima Prefecture | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Japan, Miyagi Prefecture | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Japan, Osaka Prefecture | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Kuwait | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Philippines, Manila | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Qatar: Qatari | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | N | |

§ Information comes from CI5 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in CI5 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Initial treatment | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|------------------------------|--------|--------------|-------------------------------|--------|------|------------|----------|---|---|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | | | | | | | | |
| Republic of Korea | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| \$Republic of Korea, Busan | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| \$Republic of Korea, Daegu | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| \$Republic of Korea, Daejeon | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| \$Republic of Korea, Gwangju | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Republic of Korea, Incheon | Y | N | N | Y | N | N | N | N | N | N | Passive | NA | IARC/IACR | Y | |
| Republic of Korea, Jeju | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Republic of Korea, Seoul | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Republic of Korea, Ulsan | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Singapore | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | SEER | Y | |
| Thailand, Bangkok | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Thailand, Chiang Mai | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Thailand, Khon Kaen | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Thailand, Lampang | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Thailand, Lopburi Province | Y | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| Thailand, Songkhla | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Turkey, Antalya | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Turkey, Bursa | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| Turkey, Edirne | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| Turkey, Erzurum | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| Turkey, Eskisehir | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| Turkey, Gaziantep | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| Turkey, Izmir | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Turkey, Malatya | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | SEER | Y | |
| Turkey, Samsun | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Turkey, Trabzon | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Europe | | | | | | | | | | | | | | | |
| Austria | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | |
| Austria, Carinthia | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Austria, Tyrol | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | |
| Austria, Vorarlberg | Y | N | Y | Y | Y | Y | Y | Y | N | Y | Active | Y | IARC/IACR | Y | |
| Belarus | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Belgium | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Passive | N | ENCR | Y | |

\$ Information comes from CI5 Volume XI.
+ A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in C15 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Initial treatment | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|---------------------------------|--------|--------------|-------------------------------|--------|------|------------|----------|----|----|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | | | | | | | | |
| Croatia | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | | |
| Cyprus | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | | |
| §Czech Republic | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | | |
| Denmark | Y | N | Y | Y | Y | Y | Y | Y | N | Passive | N | IARC/IACR | Y | | |
| Estonia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | | |
| Finland | Y | N | Y | Y | Y | Y | Y | Y | N | Passive | Y | ENCR | Y | | |
| §France, Bas-Rhin | N | N | NA | NA | NA | NA | NA | NA | NA | Active | N | ENCR | Y | | |
| France, Calvados | N | N | N | N | N | N | N | N | N | Active | N | ENCR | Y | | |
| France, Doubs | N | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | | |
| France, Gironde | N | N | N | N | N | N | N | N | Y | Active+Passive | N | ENCR | Y | | |
| France, Haut-Rhin | N | N | Y | Y | Y | Y | Y | Y | N | Active+Passive | Y | ENCR | Y | | |
| France, Hérault | N | N | N | N | N | N | N | N | N | Active | N | ENCR | Y | | |
| §France, Isère | N | N | NA | NA | NA | NA | NA | NA | N | Active | N | ENCR | Y | | |
| France, Lille-Métropole | N | N | N | N | N | N | N | N | N | Active+Passive | N | ENCR | Y | | |
| France, Limousin | N | N | N | N | N | N | N | N | N | Active | N | ENCR | Y | | |
| France, Loire-Atlantique | N | N | N | N | N | N | N | N | N | Active | N | ENCR | Y | | |
| France, Manche | N | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | | |
| France, Poitou-Charentes | N | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | N | IARC/IACR | Y | | |
| France, Somme | N | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | N | ENCR | Y | | |
| France, Tarn | N | N | Y | Y | Y | Y | Y | Y | N | Active | Y | ENCR | Y | | |
| France, Territoire de Belfort | N | N | Y | Y | Y | Y | Y | Y | N | Active | NA | ENCR | Y | | |
| France, Vendée | N | N | N | N | N | N | N | N | N | Active | N | ENCR | Y | | |
| Germany, Baden-Württemberg | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | | |
| Germany, Bavaria | N | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | | |
| Germany, Bremen | N | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | | |
| Germany, Hamburg | N | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | | |
| Germany, Lower Saxony | N | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | | |
| Germany, North Rhine-Westphalia | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | | |
| Germany, Rhineland-Palatinate | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | | |
| Germany, Saarland | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | | |
| Germany, Schleswig-Holstein | N | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | | |
| Iceland | Y | N | Y | Y | N | Y | Y | Y | N | Passive | N | ENCR | Y | | |
| Ireland | N | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | | |

§ Information comes from C15 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in C15 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Initial treatment | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|--|--------|--------------|-------------------------------|--------|------|------------|----------|---|---|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | | | | | | | | |
| Italy, Aosta Valley | Y | N | Y | Y | Y | Y | Y | Y | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| Italy, Avellino | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Italy, Basilicata | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Benevento | Y | N | Y | Y | Y | Y | Y | Y | N | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Bergamo | Y | N | N | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| Italy, Brescia | Y | N | N | N | N | N | N | N | N | Y | Passive | Y | ENCR | Y | |
| Italy, Brianza (Lecco and Monza e Brianza) | Y | N | Y | N | N | Y | Y | Y | N | Y | Active | Y | IARC/IACR | Y | |
| Italy, Calabria | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Caserta | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Italy, Catania, Messina, and Enna | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Emilia-Romagna | Y | N | Y | Y | Y | Y | Y | Y | N | Y | Active | Y | ENCR | Y | |
| Italy, Friuli-Venezia Giulia | Y | N | Y | Y | Y | Y | Y | Y | N | Y | Passive | Y | IARC/IACR | Y | |
| Italy, Genova | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Lombardy, South, Pavia | Y | N | Y | N | N | Y | Y | Y | N | Y | Passive | Y | IARC/IACR | Y | |
| Italy, Mantova and Cremona | Y | N | Y | Y | Y | Y | Y | Y | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| Italy, Marche | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Milan | Y | N | Y | N | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Italy, Molise | Y | N | N | N | N | N | N | N | N | Y | Passive | Y | ENCR | Y | |
| Italy, Naples Centre | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Italy, Naples North | Y | N | Y | Y | Y | Y | Y | Y | N | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Naples South | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Italy, Nuoro | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Italy, Palermo | Y | N | Y | N | N | Y | Y | Y | N | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Puglia | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Regusa and Caltanissetta | Y | N | Y | N | N | Y | Y | Y | N | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Salerno | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | Other | Y | |
| Italy, Sassari | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Sondrio | Y | N | Y | N | N | Y | Y | Y | N | Y | Active | Y | ENCR | Y | |
| Italy, South Tyrol | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Italy, Syracuse | Y | N | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Italy, Trento | Y | N | Y | Y | N | Y | Y | Y | N | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Turin | Y | N | N | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| Italy, Tuscany | Y | N | Y | Y | N | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |

\$ Information comes from C15 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in CI5 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|------------------------------------|--------|--------------|-------------------------------|--------|------|------------|----------|-------------------|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | Initial treatment | Initial treatment | | | | | |
| Italy, Umbria | Y | N | Y | Y | N | Y | N | Y | Y | Active+Passive | Y | ENCR | Y | |
| Italy, Varese | Y | N | Y | Y | N | Y | Y | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| Italy, Veneto | Y | N | N | N | N | N | N | N | Y | Active+Passive | Y | ENCR | Y | |
| Latvia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Liechtenstein | N | N | Y | Y | Y | Y | Y | Y | Y | Passive | N | IARC/IACR | Y | |
| Lithuania | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Malta | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Norway | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Poland, Kielce | Y | N | N | N | N | N | N | N | Y | Active | Y | IARC/IACR | Y | |
| Portugal, Azores | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Russian Federation, Arkhangelsk | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| Russian Federation, Kaliningrad | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| Russian Federation, Karelia | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| Russian Federation, Komi Republic | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| Russian Federation, Murmansk | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| Russian Federation, Orenburg | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Russian Federation, Pskov | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| Russian Federation, Samara | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Russian Federation, Vologda Region | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | Other | Y | |
| Slovenia | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | N | ENCR | Y | |
| Spain, Asturias | Y | N | N | N | N | N | N | N | Y | Active+Passive | Y | ENCR | Y | |
| Spain, Basque Country | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Spain, Canary Islands | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Spain, Castellón | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Spain, Girona | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Spain, Granada | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Spain, La Rioja | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Spain, Murcia | Y | N | N | N | Y | Y | Y | N | Y | Active | Y | ENCR | Y | |
| Spain, Navarra | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Spain, Salamanca | Y | N | Y | Y | Y | Y | Y | Y | N | Active | Y | ENCR | Y | |
| Spain, Tarragona | Y | N | Y | Y | Y | Y | Y | Y | N | Passive | Y | ENCR | Y | |

§ Information comes from CI5 Volume XI
 +A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Table 2.3. (Contd) Types of information recorded by the registries included in C15 Volume XII

| Registry | ID no. | Ethnic group | Stage of disease at diagnosis | | | | | | | Systematic follow-up | Follow-up method | Death certificates used to update vital status | Definition of incidence date | Identification of subsequent primaries possible |
|------------------------------------|--------|--------------|-------------------------------|--------|------|------------|----------|-------------------|-------------------|----------------------|------------------|--|------------------------------|---|
| | | | Breast | Cervix | Lung | Colorectum | Prostate | Initial treatment | Initial treatment | | | | | |
| Sweden | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Switzerland, Aargau | N | N | N | N | N | N | N | N | Y | Active+Passive | N | ENCR | Y | |
| Switzerland, Basel | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | IARC/IACR | Y | |
| Switzerland, Berne Solothurn | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Switzerland, East | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Switzerland, Fribourg | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Switzerland, Geneva | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Switzerland, Graubünden and Glarus | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Switzerland, Lucerne | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Switzerland, Neuchâtel and Jura | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Switzerland, Ticino | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | ENCR | Y | |
| Switzerland, Valais | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| Switzerland, Vaud | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Switzerland, Zurich and Zug | Y | N | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| The Netherlands | N | N | Y | Y | Y | Y | Y | Y | Y | Active | N | ENCR | Y | |
| UK, England | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| UK, Northern Ireland | Y | N | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| UK, Scotland | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| UK, Wales | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active | Y | ENCR | Y | |
| Ukraine | N | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | IARC/IACR | Y | |
| Oceania | | | | | | | | | | | | | | |
| Australia, NSW/ACT | Y | N | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Australia, Northern Territory | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| Australia, Queensland | Y | Y | N | N | N | N | N | N | Y | Active+Passive | Y | IARC/IACR | Y | |
| Australia, South Australia | Y | N | N | N | N | N | N | N | Y | Active+Passive | Y | SEER | Y | |
| Australia, Tasmania | Y | Y | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| Australia, Victoria | Y | Y | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| Australia, Western Australia | Y | Y | N | N | N | N | N | N | Y | Passive | Y | IARC/IACR | Y | |
| France, New Caledonia | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | ENCR | Y | |
| New Zealand | Y | Y | Y | Y | Y | Y | Y | Y | Y | Passive | Y | IARC/IACR | Y | |
| USA, Hawaii | Y | Y | Y | Y | Y | Y | Y | Y | Y | Active+Passive | Y | SEER | Y | |

§ Information comes from C15 Volume XI.
+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 11).

Chapter 3: Classification and coding

Ariana Znaor, Brian Rous, and Jacques Ferlay

The *Cancer Incidence in Five Continents* (CI5) series has followed the evolution of the *International Classification of Diseases* (ICD) through four revisions, from the seventh revision (ICD-7) to the 10th (ICD-10), and the creation of a coding scheme for oncology: the *International Classification of Diseases for Oncology* (ICD-O) (WHO, 1976), now in its third edition (ICD-O-3) (Fritz et al., 2000). CI5 Volumes I (Doll et al., 1966) and II (Doll et al., 1970) presented data on cancer incidence coded to ICD-7 (WHO, 1957). Volume III (Waterhouse et al., 1976) published data using both ICD-7 and ICD-8 (WHO, 1967). ICD-8, which came into effect in 1968, was also used in Volume IV (Waterhouse et al., 1982). ICD-9 (WHO, 1977) was used for Volumes V (Muir et al., 1987), VI (Parkin et al., 1992), and VII (Parkin et al., 1997). ICD-10 (WHO, 1992) was used for Volumes VIII (Parkin et al., 2002), IX (Curado et al., 2007), X (Forman et al., 2014), and XI (Bray et al., 2017).

The updates to ICD-10 (2010 version; WHO, 2010) and the 2011 revision of ICD-O-3 (WHO, 2013) were considered in this volume, which presents data for the 5-year period of 2013–2017. The data are published at the level of the three-character ICD-10 codes in the individual registry tables. The groupings of ICD codes adopted in the previous four volumes of CI5 have been used again in this volume to maintain comparability over time. Table 3.1 presents the individual ICD-10 site codes, the full ICD-10 titles, the Volume XII groupings, and the short titles used in the incidence tables.

UPDATES OF ICD-10 AND ICD-O-3

The update of ICD-10 introduced in 2010 resulted in changes for the neoplasm chapter that affected the “Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue (C81–C96)” group. Mainly, a new three-digit category C86 “Other specified types of T/NK-cell lymphoma” and several new four-digit codes were added to the existing ones, in particular the new code C88.4 “Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma], Lymphoma of skin-associated lymphoid tissue (SALT-lymphoma), and Lymphoma of bronchial-associated lymphoid tissue (BALT-lymphoma)”. These diagnoses were previously included within the ICD-10 (1990) category C82.7 in CI5 Volume X. The 2011 revision of ICD-O-3 affected the morphology numerical list only, introducing new terms that have appeared in the recent literature, particularly in the “Lymphoma and leukaemia” group. Therefore, a new conversion table from the first (2011) revision of ICD-O-3 to ICD-10 (2010 version) for the ICD-O-3

morphology codes 9590/3 to 9992/3 had to be developed (see Table 3.2). In 2019, the second revision of the ICD-O-3 morphology codes was published online on the IACR website (<http://www.iacr.com.fr/>). The fourth edition (ICD-O-4) is currently in preparation and is planned for publication in 2025. ICD-11 (WHO, 2019) was endorsed in 2019 and came into effect in 2022. Therefore, these classification updates are not applicable to the data period presented in this volume.

CLASSIFICATIONS USED IN THE CANCER REGISTRY

Data submitted for the first four volumes of CI5 were sent in tabular format – organized by sex, site, and 5-year age group – on tape, diskette, or (most commonly) forms specifically designed for the purpose. The only verification possible was to tally the columns and rows. For Volume V, registries were given the option of sending data in the form of a case listing coded to ICD-9 topography only, or to ICD-9 or ICD-O topography plus ICD-O morphology. Only a very small minority of registries sent data coded to ICD-O. Contributors to Volume VI were encouraged to send data as a listing of individual cases, but 24% still sent tabulated data. Starting from Volume VII, data had to be sent as a listing of individual cases. Since the publication in 1976 of the first edition of ICD-O – which clearly defined axes of anatomical location, histology, and behaviour – international conformity to standard classification systems and coding rules has increased steadily. For data published in Volume IV (1973–1977), 90% of registries recorded histological diagnosis. For coding, just more than one third of the registries used the American Cancer Society’s *Manual of Tumor Nomenclature and Coding* (MOTNAC) (ACS, 1951, 1968), one third had started to use ICD-O, and 12% used the *Systematized Nomenclature of Pathology* (SNOP) (CAP, 1965). About 75% of contributors to Volume V used ICD-O to code histology, and that proportion rose to more than 90% for Volumes VI and VII. A total of 182 of the 186 contributors to Volume VIII, 224 of the 225 contributors to Volume IX, 288 of the 290 contributors to Volume X, and all of the contributors to Volume XI and the present volume coded their histological data to ICD-O. Although most of the data submitted for this volume had been coded or converted to ICD-O-3 (see Chapter 6), registries were also asked what classification systems were used for coding data in the registry during the period. Of the 460 registries that contributed, almost all coded to ICD-O-3 topography and morphology.

COMPARABILITY

All data supplied for this volume either were already coded to ICD-O-3 when submitted or were converted by IARC to ICD-O-3 for checking and were then converted to ICD-10 for presentation (see Chapter 6). This process ensures that the same validity checks and multiple primary rules are applied to all data, and that the final ICD-10 codes used in this publication follow a standard ICD-O-3 to ICD-10 (2010 version) conversion. When a dataset included an ICD-10 code, this was ignored in the tabulations. The ICD-O-3 to ICD-10 conversion program was written at IARC using the rules of the ICD-O-2 to ICD-10 conversion program developed by Percy (1998). The conversions strictly follow the ICD-10 coding rules, as expressed in the instruction manual of ICD-10 Volume 2 (Percy et al., 1990) or in the alphabetical index of ICD-10 Volume 3.

Theoretically, the use of a standard, well-designed coding system such as ICD should make the analysis and tabulation of comparable results a simple matter. But in practice, it has been a continual exercise in detection for the editors of CI5 to establish exactly how registries code various cancers. For the present volume, registries were asked whether any malignant diagnoses were excluded from their data, and how they coded intraductal carcinoma of breast, NOS; ductal and lobular carcinoma in situ of breast; ovarian cystadenoma of borderline malignancy; borderline tumour of ovary; benign tumours of brain and nervous system; and in situ and unspecified carcinoma of bladder (see Table 3.3).

Non-melanoma skin cancer

The incidence of non-melanoma skin cancer (NMSC) is difficult to assess. These cancers are very common and are rarely fatal, and the completeness of their registration varies widely depending on access to outpatient and general practitioners' records. Most NMSCs are basal cell carcinomas (BCCs) or squamous cell carcinomas (SCCs); other skin cancers are rare. Although some registries record the first occurrence of all NMSC, others register SCC only, and many do not collect data on either SCC or BCC.

Bladder cancer

The issue of coding non-invasive tumours (taking into account the recorded level of invasion and grade) – and which to include in the tables as “cancer of the bladder” – has long been a subject of debate. In CI5 Volume VI, it was decided, for the sake of geographical comparability, to exclude tumours of benign, in situ, and unspecified behaviour. In principle, the availability of data as individual case listings with histological type and behaviour should make it possible to publish only data on malignant cancer, by excluding diagnoses with any behaviour code other than /3. But when registries were asked about the behaviour codes they used for non-invasive and unspecified diagnoses of malignant bladder cancer for Volume VII, many of them reported that they assigned

the behaviour code /3 to both in situ and unspecified diagnoses, making it impossible to distinguish such cases. As a result, the editors decided to accept that non-invasive diagnoses of bladder cancer are generally considered malignant by pathologists; therefore, since Volume VII, the bladder cancer rubric (ICD-10 C67) has included the in situ (ICD-10 D09.0) and unspecified (ICD-10 D41.4) categories. In this volume, whenever possible, the inclusion of neoplasms of uncertain or unknown behaviour together with invasive cancers is indicated by a dagger symbol (†) beside C67 in the tables, and a note under the heading “Notes on the data” in the accompanying text. A few registries preferred not to include such cases in their dataset, even when available in the registry, for the sake of continuity over time.

Breast cancer

Intraductal carcinoma, ductal carcinoma in situ (DCIS), and lobular carcinoma in situ of breast are classified in ICD-O-3 as in situ cancers (behaviour code /2).

Ovarian cancer

The registries contributing to this volume were asked how they coded ovarian cystadenoma of borderline malignancy and borderline tumour of ovary. Borderline ovarian diagnoses are classified as non-malignant tumours in ICD-O-3 (behaviour code /1) and are excluded from the tabulations, but a few registries still code them as malignant neoplasms.

Brain and central nervous system

Many registries choose to include benign and unspecified tumours of the brain and central nervous system in their data, because of the potentially serious clinical consequences of these tumours. Before Volume VII, such tumours may therefore have been included in the tables along with cancers of the brain and nervous system. However, the proportion of such cases varies widely between registries, so since Volume VII they are no longer included.

Myeloproliferative disorders and myelodysplastic syndromes

These include records with the ICD-O-3 morphological codes 9950/3, 996_/3, 9971/3, 9975/3, 998_/3, and 999_/3. Only registries that originally coded their data to ICD-O-3 can report such diagnoses, because they were not considered malignant tumours in ICD-O-2 (behaviour code /1). These codes are converted to the ICD-10 codes D45, D46_, and D47_ by the IARC ICD-O-3 to ICD-10 conversion program (except M9966/3, M9967/3, and M9984/3, which are converted to ICD-10 C92.7, C96.7, and C92.0, respectively; see Table 3.2) and are presented in two separate categories in the tables – “Myeloproliferative disorders (MPD)” and “Myelodysplastic syndromes (MDS)” – and also included in the “All sites (C00–96)” category (see Table 3.1).

Table 3.1. Classifications used in the incidence tables in C15 Volume XII

| ICD-10 (2010 version) site code | Full ICD-10 title | Grouping used in tables | Short title used in tables |
|---------------------------------------|--|--|-----------------------------|
| C00 | Malignant neoplasm of lip | – | Lip |
| C01 | Malignant neoplasm of base of tongue | C01–C02 are grouped | Tongue |
| C02 | Malignant neoplasm of other and unspecified parts of tongue | | |
| C03 | Malignant neoplasm of gum | C03–C06 are grouped | Mouth |
| C04 | Malignant neoplasm of floor of mouth | | |
| C05 | Malignant neoplasm of palate | | |
| C06 | Malignant neoplasm of other and unspecified parts of mouth | | |
| C07 | Malignant neoplasm of parotid gland | C07–C08 are grouped | Salivary glands |
| C08 | Malignant neoplasm of other and unspecified major salivary glands | | |
| C09 | Malignant neoplasm of tonsil | – | Tonsil |
| C10 | Malignant neoplasm of oropharynx | – | Other oropharynx |
| C11 | Malignant neoplasm of nasopharynx | – | Nasopharynx |
| C12 | Malignant neoplasm of pyriform sinus | C12–C13 are grouped | Hypopharynx |
| C13 | Malignant neoplasm of hypopharynx | | |
| C14 | Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx | – | Pharynx unspecified |
| C15 | Malignant neoplasm of oesophagus | – | Oesophagus |
| C16 | Malignant neoplasm of stomach | – | Stomach |
| C17 | Malignant neoplasm of small intestine | – | Small intestine |
| C18 | Malignant neoplasm of colon | – | Colon |
| C19 | Malignant neoplasm of rectosigmoid junction | C19–C20 are grouped | Rectum |
| C20 | Malignant neoplasm of rectum | | |
| C21 | Malignant neoplasm of anus and anal canal | – | Anus |
| C22 | Malignant neoplasm of liver and intrahepatic bile ducts | – | Liver |
| C23 | Malignant neoplasm of gallbladder | C23–C24 are grouped | Gallbladder etc. |
| C24 | Malignant neoplasm of other and unspecified parts of biliary tract | | |
| C25 | Malignant neoplasm of pancreas | – | Pancreas |
| C26 | Malignant neoplasm of other and ill-defined digestive organs | C26 is included in other and unspecified | |
| C30 | Malignant neoplasm of nasal cavity and middle ear | C30–C31 are grouped | Nose, sinuses etc. |
| C31 | Malignant neoplasm of accessory sinuses | | |
| C32 | Malignant neoplasm of larynx | – | Larynx |
| C33 | Malignant neoplasm of trachea | C33–C34 are grouped | Trachea, bronchus, and lung |
| C34 | Malignant neoplasm of bronchus and lung | | |
| C37 | Malignant neoplasm of thymus | C37–C38 are grouped | Other thoracic organs |
| C38 | Malignant neoplasm of heart, mediastinum and pleura | | |
| C39 | Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs | C39 is included in other and unspecified | |
| C40 | Malignant neoplasm of bone and articular cartilage of limbs | C40–C41 are grouped | Bone |
| C41 | Malignant neoplasm of bone and articular cartilage of other and unspecified sites | | |
| C43 | Malignant melanoma of skin | – | Melanoma of skin |
| C44 | Other malignant neoplasms of skin | – | Other skin |
| C45 | Mesothelioma | – | Mesothelioma |
| C46 | Kaposi sarcoma | – | Kaposi sarcoma |
| C47 | Malignant neoplasm of peripheral nerves and autonomic nervous system | C47 is grouped with C49 | Connective and soft tissue |
| C48 | Malignant neoplasm of retroperitoneum and peritoneum | C48 is included in other and unspecified | |
| C49 | Malignant neoplasm of other connective and soft tissue | C49 is grouped with C47 | |
| C50 | Malignant neoplasm of breast | – | Breast |
| C51 | Malignant neoplasm of vulva | – | Vulva |
| C52 | Malignant neoplasm of vagina | – | Vagina |

Table 3.1. (Contd) Classifications used in the incidence tables in CI5 Volume XII

| ICD-10 (2010 version) site code | Full ICD-10 title | Grouping used in tables | Short title used in tables |
|---------------------------------------|---|---|------------------------------|
| C53 | Malignant neoplasm of cervix uteri | – | Cervix uteri |
| C54 | Malignant neoplasm of corpus uteri | – | Corpus uteri |
| C55 | Malignant neoplasm of uterus, part unspecified | – | Uterus unspecified |
| C56 | Malignant neoplasm of ovary | – | Ovary |
| C57 | Malignant neoplasm of other and unspecified female genital organs | – | Other female genital organs |
| C58 | Malignant neoplasm of placenta | – | Placenta |
| C60 | Malignant neoplasm of penis | – | Penis |
| C61 | Malignant neoplasm of prostate | – | Prostate |
| C62 | Malignant neoplasm of testis | – | Testis |
| C63 | Malignant neoplasm of other and unspecified male genital organs | – | Other male genital organs |
| C64 | Malignant neoplasm of kidney, except renal pelvis | – | Kidney |
| C65 | Malignant neoplasm of renal pelvis | – | Renal pelvis |
| C66 | Malignant neoplasm of ureter | – | Ureter |
| C67 | Malignant neoplasm of bladder | – | Bladder |
| C68 | Malignant neoplasm of other and unspecified urinary organs | – | Other urinary organs |
| C69 | Malignant neoplasm of eye and adnexa | – | Eye |
| C70 | Malignant neoplasm of meninges | C70–C72 are grouped | Brain and nervous system |
| C71 | Malignant neoplasm of brain | | |
| C72 | Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system | | |
| C73 | Malignant neoplasm of thyroid gland | – | Thyroid |
| C74 | Malignant neoplasm of adrenal gland | – | Adrenal gland |
| C75 | Malignant neoplasm of other endocrine glands and related structures | – | Other endocrine |
| C76 | Malignant neoplasm of other and ill-defined sites | C76 is included in other and unspecified | |
| C80 | Malignant neoplasm without specification of site | C80 is included in other and unspecified | |
| C81 | Hodgkin lymphoma | – | Hodgkin lymphoma |
| C82 | Follicular lymphoma | C82–C86 and C96 are grouped | Non-Hodgkin lymphoma |
| C83 | Non-follicular lymphoma | | |
| C84 | Mature T/NK-cell lymphomas | | |
| C85 | Other and unspecified types of non-Hodgkin lymphoma | | |
| C86 | Other specified types of T/NK-cell lymphoma | | |
| C88 | Malignant immunoproliferative diseases | – | Immunoproliferative diseases |
| C90 | Multiple myeloma and malignant plasma cell neoplasms | – | Multiple myeloma |
| C91 | Lymphoid leukaemia | – | Lymphoid leukaemia |
| C92 | Myeloid leukaemia | C92–C94 are grouped (following ICD-O-3) | Myeloid leukaemia |
| C93 | Monocytic leukaemia | | |
| C94 | Other leukaemias of specified cell type | | |
| C95 | Leukaemia of unspecified cell type | – | Leukaemia unspecified |
| C96 | Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue | C96 is grouped with C82–C86 | |
| O&U | Other and unspecified | Includes C26, C39, C48, C76, and C80 | Other and unspecified |
| MPD | Myeloproliferative disorders | Includes ICD-O-3 M9950/3, M9960–9965/3, M9971/3, and M9975/3 | Myeloproliferative disorders |
| MDS | Myelodysplastic syndromes | Includes ICD-O-3 M9980–9983/3, M9985–9989/3, M9991/3, and M9992/3 | Myelodysplastic syndromes |
| C00–96* | | | All sites |
| C00–96* exc. C44 | | | All sites except C44 |

*Includes O&U, MPD, and MDS site codes

Table 3.2. Conversion of lymphoid and haematopoietic diseases (ICD-O-3 M9590–M9992)

| ICD-O-3 (first revision) code | Full ICD-O-3 title | ICD-10 (2010 version) site code |
|-------------------------------|---|--|
| 9590/3 | Malignant lymphoma, NOS | C85.9 |
| 9591/3 | Malignant lymphoma, non-Hodgkin, NOS | C85.9 |
| 9596/3 | Composite Hodgkin and non-Hodgkin lymphoma | C85.1 |
| 9597/3 | Primary cutaneous follicle centre lymphoma | C82.6 |
| 9650/3 | Hodgkin lymphoma, NOS | C81.9 |
| 9651/3 | Hodgkin lymphoma, lymphocyte-rich | C81.4 |
| 9652/3 | Hodgkin lymphoma, mixed cellularity, NOS | C81.2 |
| 9653/3 | Hodgkin lymphoma, lymphocyte depletion, NOS | C81.3 |
| 9654/3 | Hodgkin lymphoma, lymphocyte depletion, diffuse fibrosis | C81.3 |
| 9655/3 | Hodgkin lymphoma, lymphocyte depletion, reticular | C81.3 |
| 9659/3 | Hodgkin lymphoma, nodular lymphocyte predominance | C81.0 |
| 9661/3 | Hodgkin granuloma | C81.9 |
| 9662/3 | Hodgkin sarcoma | C81.3 |
| 9663/3 | Hodgkin lymphoma, nodular sclerosis, NOS | C81.1 |
| 9664/3 | Hodgkin lymphoma, nodular sclerosis, cellular phase | C81.1 |
| 9665/3 | Hodgkin lymphoma, nodular sclerosis, grade 1 | C81.1 |
| 9667/3 | Hodgkin lymphoma, nodular sclerosis, grade 2 | C81.1 |
| 9670/3 | Malignant lymphoma, small B lymphocytic, NOS | C83.0 |
| 9671/3 | Malignant lymphoma, lymphoplasmacytic | C83.0 |
| 9673/3 | Mantle cell lymphoma | C83.1 |
| 9675/3 | Malignant lymphoma, mixed small and large cell, diffuse | C85.9 |
| 9678/3 | Primary effusion lymphoma | C83.8 |
| 9679/3 | Mediastinal large B-cell lymphoma (C38.3) | C85.2 |
| 9680/3 | Malignant lymphoma, large B-cell, diffuse, NOS | C83.3 |
| 9684/3 | Malignant lymphoma, large B-cell, diffuse, immunoblastic, NOS | C83.3 |
| 9687/3 | Burkitt lymphoma, NOS | C83.7 |
| 9688/3 | T-cell/histiocyte-rich large B-cell lymphoma | C83.3 |
| 9689/3 | Splenic marginal zone B-cell lymphoma (C42.2) | C83.0 |
| 9690/3 | Follicular lymphoma, NOS | C82.9 |
| 9691/3 | Follicular lymphoma, grade 2 | C82.1 |
| 9695/3 | Follicular lymphoma, grade 1 | C82.0 |
| 9698/3 | Follicular lymphoma, grade 3 | C82.2 |
| 9699/3 | Marginal zone B-cell lymphoma, NOS | C83.0 (C42.0, C42.1, C42.4, C77._) C88.4 (other topography) |
| 9700/3 | Mycosis fungoides (C44._) | C84.0 |
| 9701/3 | Sezary syndrome | C84.1 |
| 9702/3 | Mature T-cell lymphoma, NOS | C84.4 |
| 9705/3 | Angioimmunoblastic T-cell lymphoma | C86.5 |
| 9708/3 | Subcutaneous panniculitis-like T-cell lymphoma | C86.3 |
| 9709/3 | Cutaneous T-cell lymphoma, NOS (C44._) | C84.8 |
| 9712/3 | Intravascular large B-cell lymphoma (C49.9) | C83.8 |
| 9714/3 | Anaplastic large cell lymphoma, T-cell and Null cell type | C84.6 |
| 9716/3 | Hepatosplenic T-cell lymphoma | C86.1 |
| 9717/3 | Intestinal T-cell lymphoma | C86.2 |
| 9718/3 | Primary cutaneous CD30+ T-cell lymphoproliferative disorder (C44._) | C86.6 |
| 9719/3 | NK/T-cell lymphoma, nasal and nasal-type | C86.0 |
| 9724/3 | Systemic EBV positive T-cell lymphoproliferative disease of childhood | C84.5 |
| 9725/3 | Hydroa vacciniforme-like lymphoma | C84.5 |
| 9726/3 | Primary cutaneous gamma-delta T-cell lymphoma | C84.5 |
| 9727/3 | Precursor cell lymphoblastic lymphoma, NOS | C83.5* |
| 9728/3 | Precursor B-cell lymphoblastic lymphoma | C83.5 |
| 9729/3 | Precursor T-cell lymphoblastic lymphoma | C83.5 |
| 9731/3 | Plasmacytoma, NOS | C90.3 |
| 9732/3 | Multiple myeloma (C42.1) | C90.0 |
| 9733/3 | Plasma cell leukemia (C42.1) | C90.1 |
| 9734/3 | Plasmacytoma, extramedullary | C90.2 |
| 9735/3 | Plasmablastic lymphoma | C83.3 |

Table 3.2. (Contd) Conversion of lymphoid and haematopoietic diseases (ICD-O-3 M9590–M9992)

| ICD-O-3 (first revision) code | Full ICD-O-3 title | ICD-10 (2010 version) site code |
|-------------------------------|---|---------------------------------|
| 9737/3 | ALK positive large B-cell lymphoma | C83.3 |
| 9738/3 | Large B-cell lymphoma arising in HHV8-associated multicentric Castleman disease | C83.3 |
| 9740/3 | Mast cell sarcoma | C96.2 |
| 9741/3 | Malignant mastocytosis | C96.2 |
| 9742/3 | Mast cell leukemia (C42.1) | C94.3 |
| 9750/3 | Malignant histiocytosis | C96.8 |
| 9751/3 | Langerhans cell histiocytosis, NOS | C96.6 |
| 9755/3 | Histiocytic sarcoma | C96.8 |
| 9756/3 | Langerhans cell sarcoma | C96.4 |
| 9757/3 | Interdigitating dendritic cell sarcoma | C96.4 |
| 9758/3 | Follicular dendritic cell sarcoma | C96.4 |
| 9759/3 | Fibroblastic reticular cell tumor | C96.4 |
| 9760/3 | Immunoproliferative disease, NOS | C88.9 |
| 9761/3 | Waldenstrom macroglobulinemia (C42.0) | C88.0 |
| 9762/3 | Heavy chain disease, NOS | C88.2 |
| 9764/3 | Immunoproliferative small intestinal disease (C17.) | C88.3 |
| 9766/3# | Angiocentric immunoproliferative lesion | C83.8 |
| 9767/3# | Angioimmunoblastic lymphadenopathy (AIC) | C86.5 |
| 9800/3 | Leukemia, NOS | C95.9 |
| 9801/3 | Acute leukemia, NOS | C95.0 |
| 9805/3 | Acute biphenotypic leukemia | C95.0 |
| 9806/3 | Mixed phenotype acute leukemia with t(9;22)(q34;q11.2); BCR-ABL1 | C95.0 |
| 9807/3 | Mixed phenotype acute leukemia with t(v;11q23); MLL rearranged | C95.0 |
| 9808/3 | Mixed phenotype acute leukemia, B/myeloid, NOS | C95.0 |
| 9809/3 | Mixed phenotype acute leukemia, T/myeloid, NOS | C95.0 |
| 9811/3 | B lymphoblastic leukemia/lymphoma, NOS | C91.0 |
| 9812/3 | B lymphoblastic leukemia/lymphoma with t(9;22)(q34;q11.2); BCR-ABL1 | C91.0 |
| 9813/3 | B lymphoblastic leukemia/lymphoma with t(v;11q23); MLL rearranged | C91.0 |
| 9814/3 | B lymphoblastic leukemia/lymphoma with t(12;21)(p13;q22); TEL-AML1 (ETV6-RUNX1) | C91.0 |
| 9815/3 | B lymphoblastic leukemia/lymphoma with hyperdiploidy | C91.0 |
| 9816/3 | B lymphoblastic leukemia/lymphoma with hypodiploidy (Hypodiploid ALL) | C91.0 |
| 9817/3 | B lymphoblastic leukemia/lymphoma with t(5;14)(q31;q32); IL3-IGH | C91.0 |
| 9818/3 | B lymphoblastic leukemia/lymphoma with t(1;19)(q23;p13.3); E2A-PBX1 (TCF3-PBX1) | C91.0 |
| 9820/3 | Lymphoid leukemia, NOS | C91.9 |
| 9823/3 | B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma | C91.1 |
| 9826/3 | Burkitt cell leukemia | C91.8 |
| 9827/3 | Adult T-cell leukemia/lymphoma (HTLV-1 positive) | C91.5 |
| 9831/3 | T-cell large granular lymphocytic leukemia | C91.7 |
| 9832/3 | Prolymphocytic leukemia, NOS | C91.3 |
| 9833/3 | Prolymphocytic leukemia, B-cell type | C91.3 |
| 9834/3 | Prolymphocytic leukemia, T-cell type | C91.6 |
| 9835/3 | Precursor cell lymphoblastic leukemia, NOS | C91.0 |
| 9836/3 | Precursor B-cell lymphoblastic leukemia | C91.0 |
| 9837/3 | T lymphoblastic leukemia/lymphoma | C91.0 |
| 9840/3 | Acute myeloid leukemia, M6 type | C94.0 |
| 9860/3 | Myeloid leukemia, NOS | C92.9 |
| 9861/3 | Acute myeloid leukemia, NOS | C92.0 |
| 9863/3 | Chronic myeloid leukemia, NOS | C92.1 |
| 9865/3 | Acute myeloid leukemia with t(6;9)(p23;q34); DEK-NUP214 | C92.0 |
| 9866/3 | Acute promyelocytic leukemia, t(15;17)(q22;q11-12) | C92.4 |
| 9867/3 | Acute myelomonocytic leukemia | C92.5 |
| 9869/3 | Acute myeloid leukemia with inv(3)(q21;q26.2) or t(3;3)(q21;q26.2); RPN1-EVI1 | C92.0 |
| 9870/3 | Acute basophilic leukemia | C94.7 |
| 9871/3 | Acute myeloid leukemia with abnormal marrow eosinophils | C92.5 |

Table 3.2. (Contd) Conversion of lymphoid and haematopoietic diseases (ICD-O-3 M9590–M9992)

| ICD-O-3 (first revision) code | Full ICD-O-3 title | ICD-10 (2010 version) site code |
|-------------------------------|---|---------------------------------|
| 9872/3 | Acute myeloid leukemia, minimal differentiation | C92.0 |
| 9873/3 | Acute myeloid leukemia without maturation | C92.0 |
| 9874/3 | Acute myeloid leukemia with maturation | C92.0 |
| 9875/3 | Chronic myelogenous leukemia, BCR/ABL positive | C92.1 |
| 9876/3 | Atypical chronic myeloid leukemia, BCR/ABL negative | C92.2 |
| 9891/3 | Acute monocytic leukemia | C93.0 |
| 9895/3 | Acute myeloid leukemia with myelodysplasia-related changes | C92.8 |
| 9896/3 | Acute myeloid leukemia, t(8;21)(q22;q22) | C92.0 |
| 9897/3 | Acute myeloid leukemia, 11q23 abnormalities | C92.6 |
| 9898/3 | Myeloid leukemia associated with Down Syndrome | C92.7 |
| 9910/3 | Acute megakaryoblastic leukemia | C94.2 |
| 9911/3 | Acute myeloid leukemia (megakaryoblastic) with t(1;22)(p13;q13); RBM15-MKL1 | C94.2 |
| 9920/3 | Therapy-related myeloid neoplasm | C94.6 |
| 9930/3 | Myeloid sarcoma | C92.3 |
| 9931/3 | Acute panmyelosis with myelofibrosis (C42.1) | C94.4 |
| 9940/3 | Hairy cell leukemia (C42.1) | C91.4 |
| 9945/3 | Chronic myelomonocytic leukemia, NOS | C93.1 |
| 9946/3 | Juvenile myelomonocytic leukemia | C93.3 |
| 9948/3 | Aggressive NK-cell leukemia | C94.7 |
| 9950/3 | Polycythemia vera | D45/MPD |
| 9960/3 | Myeloproliferative neoplasm, NOS | D47.1/MPD |
| 9961/3 | Primary myelofibrosis | D47.4/MPD |
| 9962/3 | Essential thrombocythemia | D47.3/MPD |
| 9963/3 | Chronic neutrophilic leukemia | D47.1/MPD |
| 9964/3 | Chronic eosinophilic leukemia, NOS | D47.5/MPD |
| 9965/3 | Myeloid and lymphoid neoplasms with PDGFRA rearrangement | D47.5/MPD |
| 9966/3 | Myeloid neoplasms with PDGFRB rearrangement | C92.7 |
| 9967/3 | Myeloid and lymphoid neoplasms with FGFR1 abnormalities | C96.7 |
| 9971/3 | Polymorphic post-transplant lymphoproliferative disorder | D47.7/MPD |
| 9975/3 | Myeloproliferative neoplasm, unclassifiable | D47.1/MPD |
| 9980/3 | Refractory anemia | D46.4/MDS |
| 9982/3 | Refractory anemia with sideroblasts | D46.1/MDS |
| 9983/3 | Refractory anemia with excess blasts | D46.2/MDS |
| 9984/3 | Refractory anemia with excess blasts in transformation | C92.0 |
| 9985/3 | Refractory cytopenia with multilineage dysplasia | D46.5/MDS |
| 9986/3 | Myelodysplastic syndrome with 5q deletion (5q-) syndrome | D46.6/MDS |
| 9987/3 | Therapy-related myelodysplastic syndrome, NOS | D46.7/MDS |
| 9989/3 | Myelodysplastic syndrome, NOS | D46.9/MDS |
| 9991/3 | Refractory neutropenia | D46.7/MDS |
| 9992/3 | Refractory thrombocytopenia | D46.7/MDS |

§If used for "Blastic plasmacytoid dendritic cell neoplasm", then convert to C86.4

#Normally coded with behaviour code /1, but a few cases were reported with behaviour code /3

Table 3.3. Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|--|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| Africa | | | | | | | | |
| Algeria, Batna | – | – | – | – | – | – | – | – |
| Algeria, Tizi Ouzou | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Benin, Cotonou | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 3 |
| France, La Réunion | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Kenya, Eldoret | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Kenya, Nairobi | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Mauritius | 3 | 2 | 3 | 3 | 3 | 2 | 2 | 2 |
| Morocco, Casablanca | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Seychelles | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| South Africa, Eastern Cape | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Uganda, Gulu | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Uganda, Kyadondo County | 3 | – | 3 | 3 | – | – | 3 | – |
| Zimbabwe, Bulawayo: African | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Zimbabwe, Harare: African | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Central and South America and the Caribbean | | | | | | | | |
| Argentina, Entre Ríos Province | 3 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Argentina, Mendoza | 0 | 2 | 9 | 1 | 1 | 2 | 2 | 2 |
| Brazil, Aracaju | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Brazil, Barretos | 9 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Brazil, Belo Horizonte | – | – | – | – | – | – | – | – |
| Brazil, Campinas | – | – | – | – | – | – | – | – |
| Brazil, Curitiba | – | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Brazil, Goiânia | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 2 |
| Brazil, Jaú | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Brazil, João Pessoa | – | – | – | – | – | – | – | – |
| Brazil, Recife | – | – | – | – | – | – | – | – |
| Chile, Region of Antofagasta | 0 | – | 3 | – | – | 2 | 2 | 2 |
| Chile, Valdivia | 0 | 2 | 3 | 2 | 2 | 2 | 2 | 2 |
| Colombia, Bucaramanga | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Colombia, Cali | 0 | – | – | – | – | 2 | 2 | 2 |
| Colombia, Manizales | 1 | 2 | 3 | – | – | – | 3 | – |
| Colombia, Pasto | 1 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Costa Rica | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Ecuador, Guayaquil | 1 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Ecuador, Manabí | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Ecuador, Quito | 0 | 2 | 3 | – | – | 2 | 2 | 2 |
| France, Guadeloupe | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| France, Martinique | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Peru, Lima | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Trinidad and Tobago | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| USA, Puerto Rico | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Uruguay | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| North America | | | | | | | | |
| Canada, Alberta | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Canada, British Columbia | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Canada, Manitoba | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Canada, New Brunswick | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Canada, Newfoundland and Labrador | 0 | 2 | 2 | 0 | 1 | 2 | 2 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|--|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| Canada, Ontario | 0 | 2 | 3 | 0 | 0 | 2 | 2 | 2 |
| Canada, Prince Edward Island | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Canada, Quebec | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Canada, Saskatchewan | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Canada, Yukon | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| +USA | - | - | - | - | - | - | - | - |
| +USA, NPCR | 0 | 3 | 3 | 1 | 1 | 2 | 2 | 2 |
| +\$USA, SEER (18 registries) | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| +USA, SEER (9 registries) | - | - | - | - | - | - | - | - |
| §USA, Alabama | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| USA, Alaska | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| §USA, Arizona | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Arkansas | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, California | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, California, Los Angeles County | 1 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, California, San Francisco Bay Area | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Colorado | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| USA, Connecticut | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, District of Columbia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Florida | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Georgia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Georgia, Atlanta | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| USA, Idaho | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Indiana | 0,1 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| USA, Iowa | 0 | 2 | 3 | - | - | 2 | 2 | 2 |
| §USA, Kentucky | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| USA, Louisiana | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Louisiana, New Orleans | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Maine | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Maryland | 1 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| §USA, Massachusetts | 0 | 2 | 3 | 1 | 1 | 0 | 3 | 0 |
| §USA, Michigan | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Michigan, Detroit | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| §USA, Minnesota | 0 | 2 | - | 1 | 1 | 2 | 2 | 2 |
| §USA, Mississippi | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Missouri | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Montana | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Nebraska | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| §USA, Nevada | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| USA, New Jersey | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, New Mexico | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, New York State | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, North Carolina | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, North Dakota | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Ohio | 0 | 2 | 1 | 1 | 1 | 2 | 1 | 2 |
| §USA, Oklahoma | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Oregon | 0,1 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Rhode Island | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| §USA, South Carolina | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, South Dakota | 0 | 2 | 3 | 0 | 1 | 2 | 3 | 2 |
| §USA, Tennessee | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|--|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| §USA, Texas | 0,1 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Utah | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Vermont | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Washington State | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| §USA, Washington, Seattle | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, West Virginia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §USA, Wyoming | 0 | 2 | - | 1 | 1 | 2 | 2 | 2 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | - | - | - | - | - | - | - | - |
| Brunei Darussalam | 1 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Anfu County | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Anguo City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Anshan City | 0 | 2 | 1 | 3 | 1 | 2 | 1 | 2 |
| China, Aohan Banner, Chifeng City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Arongqi | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Baoding City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Beijing City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Binhai County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Cangzhou City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Changfeng County | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| China, Changzhou City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Chengdu City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Ci Xian County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Cixi City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Dafeng District, Yancheng City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Dalian City | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Dancheng County | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Dangtu County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Danyang City | - | - | - | - | - | - | - | - |
| China, Dawukou District, Shizuishan City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §China, Dehui City | 0 | 2 | 3 | 1 | 2 | 2 | 3 | 2 |
| China, Donggang County | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| China, Dongguan City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Donghai County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Dongtai City | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| China, Duanzhou District, Zhaoqing City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Evenki Autonomous Banner | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Faku County | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| China, Fangcheng County | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Feicheng City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Feixi County | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| China, Fuqing City | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Ganyu District, Lianyungang City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §China, Ganzhou District, Zhangye City | - | - | - | - | - | - | - | - |
| China, Gaocheng City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Gaomi City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|---|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| China, Gong'an County | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Guang'an District, Guang'an City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Guanghan City | 0 | 2 | 2 | 1 | 1 | 2 | 1 | 2 |
| China, Guangzhou City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §China, Guanyun County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Guilin City | 0 | 2 | 1 | 1 | 1 | 2 | 1 | 2 |
| China, Hai'an City | - | - | - | - | - | - | - | - |
| China, Hailar District, Hulun Buir City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Haimen District, Nantong City | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Haining City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Hangzhou City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Hebi City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Hefei City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Hengdong County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Hengfeng County | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| §China, Hepu County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Honghu City | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Hongshan District, Chifeng City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Hongta District, Yuxi City | - | - | - | - | - | - | - | - |
| China, Huaiyin District, Huai'an City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Jiange County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Jiangmen City | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Jiangyin City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Jiashan County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Jiayu County | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Jinan City | 0 | 2 | 1 | 1 | 1 | 2 | 9 | 2 |
| §China, Jingtai County | 3 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Jingxian County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Jintan District, Changzhou City | - | - | - | - | - | - | - | - |
| China, Jiulongpo District, Chongqing City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Jiyuan City | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Kaihua County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Kunshan City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Langzhong City | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| China, Liangshan County | - | - | - | - | - | - | - | - |
| China, Lianshui County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Lianyungang City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Linhe District, Bayannur City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Linqu County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §China, Linzhou City | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 2 |
| China, Liuzhou City | 0 | 2 | 1 | 1 | 1 | 2 | 1 | 2 |
| China, Liyang City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Longquan City | 0 | 2 | 3 | 1 | 0 | 2 | 2 | 2 |
| China, Lucheng District, Wenzhou City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Luoding City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Luohe City | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|---|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| China, Luoyang City | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Luquan City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Ma'anshan City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Macheng City | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Meihekou City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Mengjin County | 0 | 0 | 3 | 3 | 2 | 2 | 3 | 2 |
| China, Nangang District, Harbin City | 0 | 1 | 3 | 3 | 1 | 1 | 1 | 1 |
| China, Nanhai District, Foshan City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Nanhu District, Jiaxing City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Nantong City | - | - | - | - | - | - | - | - |
| China, Nanxiong City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Neixiang County | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Qianxi County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Qidong City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Qingzhou City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Rudong County | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Rugao City | - | - | - | - | - | - | - | - |
| China, Rural areas of Shanghai City | - | - | - | - | - | - | - | - |
| China, Ruyang County | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Shan County | 0 | 2 | 9 | 3 | 1 | 2 | 9 | 2 |
| China, Shanghai City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Shangyu District, Shaoxing City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Shapingba District, Chongqing City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, She Xian County | 3 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Sheyang County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Shijiazhuang City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Shunde District, Foshan City | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Song County | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Suzhou City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Tengzhou City | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Wangdu County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Wanzai County | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Wu'an City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Wuhan City | 3 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Wuhu City | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| China, Wuxi City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Wuzhou City | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| China, Xiangfu District, Kaifeng City | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Xianju County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Xin'an County | 0 | 0 | 0 | 3 | 3 | 2 | 3 | 2 |
| China, Xining City | 0 | 2 | 3 | 3 | 0 | 2 | 3 | 2 |
| China, Xinji City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Xinluo District, Longyan City | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Xinzhou District, Shangrao City | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Xiping County | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|--|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| China, Xishan District, Kunming City | – | – | – | – | – | – | – | – |
| China, Xuyi County | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Ya'an City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Yakeshi City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Yancheng City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Yangquan City | – | – | – | – | – | – | – | – |
| China, Yangzhong City | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 2 |
| China, Yanji City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Yanshi City | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Yanting County | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| China, Yi'an District, Tongling City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Yingdong District, Fuyang City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Yinzhou District, Ningbo City | – | – | – | – | – | – | – | – |
| China, Yiyuan County | – | – | – | – | – | – | – | – |
| China, Yong'an City | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Yongding District, Longyan City | – | – | – | – | – | – | – | – |
| China, Yongkang City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Yucheng County | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Yueyanglou District, Yueyang City | 0 | 2 | 3 | 3 | 0 | 2 | 2 | 2 |
| China, Yunmeng County | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| China, Yunyang District, Shiyan City | 0 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| China, Yuzhong District, Chongqing City | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Zanhuan County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Zhangjiagang City | – | – | – | – | – | – | – | – |
| China, Zhaoyuan City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Zhengding County | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| China, Zhongshan City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| China, Zhongxiang City | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| China, Zhuanghe City | – | – | – | – | – | – | – | – |
| China, Zhuhai City | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| India, Ahmedabad, Urban | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Aurangabad | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Bangalore | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Barshi, Paranda, and Bhum | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Bhopal | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Chandigarh | – | – | – | – | – | – | – | – |
| India, Chennai | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Dibrugarh | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Dindigul, Ambilikkai | 0 | 2 | 9 | 1 | 1 | 2 | 2 | 2 |
| India, Kamrup Urban District | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Kollam | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Manipur | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Meghalaya | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Mizoram | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Mumbai | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, New Delhi | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|---|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| India, Poona | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Sangrur District | - | - | - | - | - | - | - | - |
| India, SAS Nagar | - | - | - | - | - | - | - | - |
| India, Tamil Nadu | - | - | - | - | - | - | - | - |
| India, Tripura | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Trivandrum | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, Wardha | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| India, West Arunachal | - | - | - | - | - | - | - | - |
| Iran (Islamic Republic of), Ardabil Province | - | - | - | - | - | - | - | - |
| Iran (Islamic Republic of), Golestan Province | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Israel | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Japan | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Japan, Aichi Prefecture | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Japan, Akita Prefecture | - | - | - | - | - | - | - | - |
| Japan, Aomori Prefecture | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Japan, Gunma Prefecture | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Japan, Hiroshima Prefecture | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Japan, Miyagi Prefecture | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Japan, Osaka Prefecture | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Kuwait | - | - | - | - | - | - | - | - |
| Philippines, Manila | 1 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Qatar: Qatari | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Republic of Korea | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §Republic of Korea, Busan | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §Republic of Korea, Daegu | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §Republic of Korea, Daejeon | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §Republic of Korea, Gwangju | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Republic of Korea, Incheon | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Republic of Korea, Jeju | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Republic of Korea, Seoul | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Republic of Korea, Ulsan | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Singapore | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Thailand, Bangkok | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| Thailand, Chiang Mai | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Thailand, Khon Kaen | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Thailand, Lampang | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Thailand, Lopburi Province | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Thailand, Songkhla | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Turkey, Antalya | - | - | - | - | - | - | - | - |
| Turkey, Bursa | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Turkey, Edirne | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Turkey, Erzurum | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Turkey, Eskişehir | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Turkey, Gaziantep | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Turkey, Izmir | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Turkey, Malatya | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Turkey, Samsun | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Turkey, Trabzon | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|--|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| Europe | | | | | | | | |
| Austria | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Austria, Carinthia | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Austria, Tyrol | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Austria, Vorarlberg | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Belarus | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Belgium | 1 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Croatia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Cyprus | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §Czech Republic | 0 | 2 | 3 | 2 | 1 | 2 | 3 | 2 |
| Denmark | 0 | 2 | 1 | 1 | 1 | 2 | 1 | 2 |
| Estonia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Finland | 1 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| §France, Bas-Rhin | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| France, Calvados | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| France, Doubs | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| France, Gironde | 1 | 2 | 3 | 1 | 2 | 2 | 2 | 2 |
| France, Haut-Rhin | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| France, Hérault | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| §France, Isère | 0,1 | 2 | 1,3 | 1 | 1 | 2 | 2 | 2 |
| France, Lille-Métropole | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| France, Limousin | 1 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| France, Loire-Atlantique | 9 | 2 | 9 | 1 | 1 | 2 | 2 | 2 |
| France, Manche | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| France, Poitou-Charentes | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| France, Somme | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| France, Tarn | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| France, Territoire de Belfort | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| France, Vendée | 9 | 2 | 9 | 1 | 1 | 2 | 2 | 2 |
| Germany, Baden-Württemberg | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Germany, Bavaria | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Germany, Bremen | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Germany, Hamburg | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Germany, Lower Saxony | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Germany, North Rhine-Westphalia | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Germany, Rhineland-Palatinate | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Germany, Saarland | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| Germany, Schleswig-Holstein | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Iceland | 1 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Ireland | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Aosta Valley | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Avellino | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Basilicata | 0 | 2 | 3 | 1 | 2 | 2 | 2 | 2 |
| Italy, Benevento | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Bergamo | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Brescia | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Brianza (Lecco and Monza e Brianza) | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Calabria | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Caserta | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Catania, Messina, and Enna | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|------------------------------------|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| Italy, Emilia-Romagna | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Italy, Friuli-Venezia Giulia | 0 | 2 | 1 | 1 | 1 | 2 | 1 | 2 |
| Italy, Genova | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Lombardy, South, Pavia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Mantova and Cremona | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Marche | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Italy, Milan | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Molise | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Naples Centre | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Naples North | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Naples South | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Nuoro | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Palermo | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Puglia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Ragusa and Caltanissetta | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Salerno | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Italy, Sassari | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Sondrio | 0 | 2 | 3 | 3 | 3 | 2 | 2 | 2 |
| Italy, South Tyrol | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Syracuse | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Trento | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Turin | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Italy, Tuscany | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Italy, Umbria | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Italy, Varese | 0 | 2 | 1 | 0 | 0 | 2 | 2 | 2 |
| Italy, Veneto | – | 2 | 1 | – | – | – | – | – |
| Latvia | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Liechtenstein | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Lithuania | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Malta | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Norway | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Poland, Kielce | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Portugal, Azores | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Russian Federation, Arkhangelsk | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Russian Federation, Kaliningrad | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Russian Federation, Karelia | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Russian Federation, Komi Republic | – | – | – | – | – | – | – | – |
| Russian Federation, Murmansk | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Russian Federation, Orenburg | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Russian Federation, Pskov | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Russian Federation, Samara | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Russian Federation, Vologda Region | 0 | 2 | 3 | 3 | 3 | 2 | 3 | 2 |
| Slovenia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Spain, Asturias | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Spain, Basque Country | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Spain, Canary Islands | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Spain, Castellón | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Spain, Girona | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Spain, Granada | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Spain, La Rioja | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |

Table 3.3. (Contd) Coding practices of the registries included in CI5 Volume XII

| Registry | Behaviour codes | | | | | | | |
|------------------------------------|--|-------------------------------|---|--|----------------------------|-------------------------------------|--|--------------------------------------|
| | Benign tumours of brain and nervous system | Carcinoma of bladder, in situ | Carcinoma of bladder, not otherwise specified | Ovarian cystadenoma of borderline malignancy | Borderline tumour of ovary | Ductal carcinoma of breast, in situ | Intraductal carcinoma of breast, not otherwise specified | Lobular carcinoma of breast, in situ |
| Spain, Murcia | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Spain, Navarra | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Spain, Salamanca | 9 | 9 | 3 | 9 | 9 | 9 | 9 | 9 |
| Spain, Tarragona | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Sweden | 1 | 2 | 1 | 1 | 3 | 2 | 2 | 2 |
| Switzerland, Aargau | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Switzerland, Basel | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Switzerland, Berne Solothurn | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Switzerland, East | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Switzerland, Fribourg | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Switzerland, Geneva | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Switzerland, Graubünden and Glarus | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| Switzerland, Lucerne | – | – | – | – | – | – | – | – |
| Switzerland, Neuchâtel and Jura | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Switzerland, Ticino | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Switzerland, Valais | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Switzerland, Vaud | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Switzerland, Zurich and Zug | 0 | 2 | 3 | – | – | 2 | 2 | 2 |
| The Netherlands | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| UK, England | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| UK, Northern Ireland | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| UK, Scotland | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| UK, Wales | 9 | 9 | 9 | 1 | 1 | 9 | 9 | 9 |
| Ukraine | 0 | 2 | 3 | 3 | 1 | 2 | 3 | 2 |
| Oceania | | | | | | | | |
| Australia, NSW/ACT | 0 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| Australia, Northern Territory | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Australia, Queensland | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Australia, South Australia | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Australia, Tasmania | – | 2 | – | 1 | 1 | 2 | 2 | 2 |
| Australia, Victoria | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |
| Australia, Western Australia | 0 | 2 | 3 | 1 | 1 | 2 | 3 | 2 |
| France, New Caledonia | 0 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| New Zealand | – | 2 | 3 | – | – | 2 | 3 | 2 |
| USA, Hawaii | 0 | 2 | 3 | 1 | 1 | 2 | 2 | 2 |

§Information comes from CI5 Volume XI.

+A combination of registries used in statistical analyses – not included in the count of registries included in this volume (Table 1.1).

REFERENCES

- ACS (1951). *Manual of Tumor Nomenclature and Coding (MOTNAC)*. New York: American Cancer Society.
- ACS (1968). *Manual of Tumor Nomenclature and Coding (MOTNAC)*. 1968 ed. New York: American Cancer Society.
- Bray F, Colombet M, Mery L, Piñeros M, Znaor A, Zanetti R, et al., editors (2017). *Cancer Incidence in Five Continents, Vol. XI*. IARC Scientific Publication No. 166. Lyon: International Agency for Research on Cancer.
- CAP (1965). *Systematized Nomenclature of Pathology (SNOP)*. Chicago, IL: College of American Pathologists.
- Curado MP, Edwards B, Shin HR, Storm H, Ferlay J, Heanue M, et al., editors (2007). *Cancer Incidence in Five Continents, Vol. IX*. IARC Scientific Publication No. 160. Lyon: International Agency for Research on Cancer.
- Doll R, Muir C, Waterhouse J, editors (1970). *Cancer Incidence in Five Continents, Vol. II*. Berlin: Springer-Verlag (for UICC).
- Doll R, Payne P, Waterhouse J, editors (1966). *Cancer Incidence in Five Continents: A Technical Report*. Berlin: Springer-Verlag (for UICC).
- Forman D, Bray F, Brewster DH, Gombe Mbalawa C, Kohler B, Piñeros M, et al., editors (2014). *Cancer Incidence in Five Continents, Vol. X*. IARC Scientific Publication No. 164. Lyon: International Agency for Research on Cancer.
- Fritz A, Percy CL, Jack A, Shanmugaratnam K, Sobin L, Parkin DM, et al., editors (2000). *International Classification of Diseases for Oncology*. 3rd ed. (ICD-O-3). Geneva: World Health Organization.
- Muir C, Waterhouse J, Mack T, Powell J, Whelan S, editors (1987). *Cancer Incidence in Five Continents, Vol. V*. IARC Scientific Publication No. 88. Lyon: International Agency for Research on Cancer.
- Parkin DM, Muir CS, Whelan SL, Gao Y-T, Ferlay J, Powell J, editors (1992). *Cancer Incidence in Five Continents, Vol. VI*. IARC Scientific Publication No. 120. Lyon: International Agency for Research on Cancer.
- Parkin DM, Whelan SL, Ferlay J, Raymond L, Young J, editors (1997). *Cancer Incidence in Five Continents, Vol. VII*. IARC Scientific Publication No. 143. Lyon: International Agency for Research on Cancer.
- Parkin DM, Whelan SL, Ferlay J, Teppo L, Thomas DB, editors (2002). *Cancer Incidence in Five Continents, Vol. VIII*. IARC Scientific Publication No. 155. Lyon: International Agency for Research on Cancer.
- Percy CL, editor (1998). *Conversion of Neoplasms by Topography and Morphology from the International Classification of Diseases for Oncology, Second Edition (ICD-O-2) to the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10)*. Bethesda, MD: National Cancer Institute, National Institutes of Health.
- Percy CL, Van Holten V, Muir CS, editors (1990). *International Classification of Diseases for Oncology*. 2nd ed. (ICD-O-2). Geneva: World Health Organization.
- Waterhouse J, Muir C, Correa P, Powell J, editors (1976). *Cancer Incidence in Five Continents, Vol. III*. IARC Scientific Publication No. 15. Lyon: International Agency for Research on Cancer.
- Waterhouse J, Muir C, Shanmugaratnam K, Powell J, editors (1982). *Cancer Incidence in Five Continents, Vol. IV*. IARC Scientific Publication No. 42. Lyon: International Agency for Research on Cancer.
- WHO (1957). *International Classification of Diseases*. 1955 revision (ICD-7). Geneva: World Health Organization.
- WHO (1967). *International Classification of Diseases*. 1965 revision (ICD-8). Geneva: World Health Organization.
- WHO (1976). *International Classification of Diseases for Oncology*. 1st ed. (ICD-O-1). Geneva: World Health Organization.
- WHO (1977). *International Classification of Diseases*. 1975 revision (ICD-9). Geneva: World Health Organization.
- WHO (1992). *International Statistical Classification of Diseases and Related Health Problems*. 10th revision (ICD-10). Geneva: World Health Organization.
- WHO (2010). *International Statistical Classification of Diseases and Related Health Problems*. 10th revision (ICD-10). 2010 version. Geneva: World Health Organization. Available from: <https://icd.who.int/browse10/2010/en/#/>.
- WHO (2013). *International Classification of Diseases for Oncology*. 3rd ed. (ICD-O-3), 1st revision. Geneva: World Health Organization.
- WHO (2019). *International Classification of Diseases*. 11th revision (ICD-11). Geneva: World Health Organization.

Chapter 4: Histological groups

Ariana Znaor, Jacques Ferlay, and Brian Rous

BACKGROUND

The data presented in this volume of *Cancer Incidence in Five Continents (CI5)* cover the period 2013–2017 and are mainly organized by the predominantly site-based categories of Chapter II (Neoplasms) of the 10th revision of the *International Classification of Diseases (ICD-10, 2010 version; WHO, 2010)* (see Chapter 3 of this volume). However, for some sites of cancer, the histological type is particularly relevant clinically and/or epidemiologically. In the present volume, the data are grouped according to the same histological types as used in CI5 Volume XI (Bray et al., 2017) and listed in this chapter.

GENERAL STRUCTURE

The main structure of the histological grouping is that specific types of malignant neoplasms are listed, as well as the category “Unspecified malignant neoplasm” (i.e. malignant tumours that are so poorly differentiated that we are unable to classify them into major groups such as carcinoma or sarcoma, or for which the registry does not have specific information on the tumour). Neoplasms that have a specific morphology but are too rare to be listed among the major histological groups are grouped together in the category “Other specified malignant neoplasm”. Similarly, in the category “Carcinoma”, specific subtypes, such as “Squamous cell carcinoma” and “Adenocarcinoma”, are listed, as well as “Unspecified carcinoma” (i.e. carcinomas that are so poorly differentiated that we are unable to classify them according to histological subtype, although it is still possible to distinguish them from non-epithelial malignant neoplasms, such as sarcoma). Morphological codes are listed for the specific types of neoplasm (or carcinoma), and for “Unspecified malignant neoplasm” (or carcinoma). The remaining codes of neoplasia (or carcinoma) are then automatically assigned to the “Other specified malignant neoplasm” (or carcinoma) category.

SITES

For inclusion in CI5 as a distinct histological type within a site group, a type must be both sufficiently common at the site and clinically epidemiologically relevant. The following 15 organ sites are included in this chapter, with accompanying histological type information: oesophagus, anus, liver, lung, bone, skin, cervix uteri, corpus uteri, ovary, testis, kidney and renal pelvis, urinary bladder, eye, brain and central nervous system,

and thyroid, as well as haematological malignancies. Some major cancer sites, such as breast and prostate, are not included, because most malignant neoplasms at these sites are adenocarcinomas, and the coding of adenocarcinoma subtypes is not consistent. Kidney was combined with renal pelvis because some urothelial carcinomas originating from the renal pelvis are site coded as kidney cancers, whereas others are coded as renal pelvis cancers. Hodgkin lymphoma and leukaemias are combined together in the haematological group.

TYPES OF NEOPLASMS INCLUDED

The CI5 Volume XII data include all invasive malignant neoplasms and some non-invasive malignant neoplasms (see Chapter 3). For most morphology codes, a fifth digit of /1 or /2 automatically excludes data entry. Carcinoma in situ is reported by many cancer registries but is not generally dealt with in this volume, with the exception of urothelial carcinoma in situ. A few lesions of borderline malignancy are included, such as low-grade non-invasive papillary transitional cell tumours, which are now designated as papillary urothelial neoplasia of low malignant potential (PUNLMP) (8130/1). Flat carcinoma in situ of the urothelium (8120/2) and PUNLMP (8130/1, 8130/2) have been grouped with transitional cell carcinoma in this volume. Because skin has been included, basal cell carcinoma is reported as a separate group, although many cancer registries do not have statistics on these tumours. Within the 15 organ sites presented, there are no cases of mesothelioma (ICD-O M905_), Kaposi sarcoma (9140), lymphoma, or leukaemia (9590–9992), because these cancers have their own specific ICD-10 codes and are presented separately in this volume.

MORPHOLOGY CODES

The grouping of morphology codes presents several difficulties. The ICD-O system is based on separate site (topography) and morphology (histology) codes that can be combined. Inevitably, in cancer registry data, morphology codes are sometimes mistakenly combined with codes for sites where these entities do not occur or have not been reported. Some morphology codes are redundant (i.e. multiple codes can be applied for the same tumour). Other codes are obsolete (i.e. the entities have been renamed or deleted in later revisions of tumour classifications). A major difficulty is the variation in coding precision (specific codes for

tumour subtypes vs comprehensive codes for broad categories such as adenocarcinoma), which limits the utility of detailed codes. An example of this is kidney tumours. Renal cell carcinomas are often coded as renal cell carcinoma, not otherwise specified (NOS) (8312) or adenocarcinoma, NOS (8140), whereas others are subtyped. Therefore, all carcinomas of the kidney are grouped together in this chapter.

Some cancer types occur in several organs but have different clinical behaviour depending on the site of origin. For most sites, adenosquamous carcinoma (8560) and mucoepidermoid carcinoma (8430) are included in the category “Other specified carcinoma”. An exception is the corpus uteri (C54), where these are included in the category “Adenocarcinoma” because they are thought to have similar biology (Zaino and Kurman, 1988). Furthermore, squamous differentiation is very common in endometrioid carcinoma (8380–8383), which makes it difficult to differentiate between these tumours. Another example is metaplastic carcinoma (8575), which is generally included in the category “Other specified carcinoma”. However, for the corpus uteri, it is included in the category “Other specified malignant neoplasm”, because metaplastic carcinoma is considered equivalent to carcinosarcoma at this site (Silverberg et al., 1990).

The “Unspecified carcinoma” category includes tumours that are coded as carcinoma, NOS, but also some descriptive diagnoses of poorly differentiated

cancers. These tumours can be recognized as carcinomas but are too undifferentiated to be further classified according to their histogenetic origin. This group generally includes the morphology codes 8010–8035. An exception is the lung, where “Large cell carcinoma” is a separate category in the WHO classification, and includes the morphology codes 8010–8012, 8014–8031, and 8035 (Travis et al., 2004). Another exception is the thyroid, where “Anaplastic carcinoma” is also a specific category in the WHO classification, and includes the morphology codes 8020–8035 (DeLellis et al., 2004).

Some tumours are evidently miscoded in cancer registry data, because their incidence is far higher than expected. Papillary carcinoma, NOS is listed in the category “Squamous cell neoplasm” in ICD-O-3 (Fritz et al., 2000). Most bladder tumours for which this code is used are probably miscoded urothelial carcinomas rather than papillary squamous cell carcinomas, and they are therefore included in the “Transitional cell carcinoma” category. In the thyroid, it can be assumed that carcinomas assigned to the morphology code 8050 are actually papillary carcinomas of the thyroid, and they are therefore included in that category. In the kidney, it can be assumed that the majority of tumours with the morphology code 8050 are miscoded papillary renal cell carcinomas, and they are therefore included in the “Renal cell carcinoma” category.

OESOPHAGUS (C15)

The “Adenocarcinoma” category excludes linitis plastica (8142), which occurs in the gastric epithelium. The “Squamous cell carcinoma” category includes basaloid squamous cell carcinoma (8083). The principal cancers in the “Other specified carcinoma”

category are large cell carcinoma (8012–8014) and small cell carcinoma (8041–8045). Melanoma and carcinosarcoma are included in the category “Other specified malignant neoplasm”.

Table 4.1. Oesophagus (C15)

| | |
|---|---|
| 1 Carcinoma | 8010–8576 |
| 1.1 Squamous cell carcinoma | 8050–8078, 8083–8084 |
| 1.2 Adenocarcinoma | 8140–8141, 8143–8145, 8190–8231, 8260–8265, 8310, 8401, 8480–8490, 8550–8552, 8570–8574, 8576 |
| 1.3 Other specified carcinoma | |
| 1.4 Unspecified carcinoma | 8010–8035 |
| 2 Sarcoma | 8800–8811, 8830, 8840–8921, 8990–8991, 9040–9044, 9120–9133, 9150, 9540–9581 |
| 3 Other specified malignant neoplasm | |
| 4 Unspecified malignant neoplasm | 8000–8005 |

ANUS (C21)

The category “Squamous cell carcinoma” includes basaloid and cloacogenic carcinomas (8123–8124) and basaloid squamous cell carcinoma (8083). Cloacogenic carcinoma is a controversial entity, sometimes defined as carcinoma arising from the anal transition zone, and sometimes as a morphological variant of squamous

cell carcinoma. The term “basaloid carcinoma” has also been used to designate this group of tumours. Their reported incidence is highly variable, possibly because of the confusing nomenclature. Hence, these tumour types are included in the category “Squamous cell carcinoma”.

Table 4.2. Anus (C21)

| | |
|---|--|
| 1 Carcinoma | 8010–8576 |
| 1.1 Squamous cell carcinoma | 8050–8076, 8083–8084, 8123–8124 |
| 1.2 Adenocarcinoma | 8140–8145, 8190–8231, 8260–8265, 8310, 8401, 8480–8490, 8550–8552, 8570–8574, 8576 |
| 1.3 Other specified carcinoma | |
| 1.4 Unspecified carcinoma | 8010–8011 |
| 2 Melanoma | 8720–8790 |
| 3 Other specified malignant neoplasm | |
| 4 Unspecified malignant neoplasm | 8000–8005 |

LIVER (C22)

The category “Hepatocellular carcinoma” includes hepatoid carcinomas (8576), under the assumption that these are actually miscoded hepatocellular carcinomas. The category “Cholangiocarcinoma” encompasses all primary carcinomas of the liver of biliary epithelial type

(i.e. it excludes hepatocellular carcinoma and combined hepatocellular and cholangiocarcinoma). Combined hepatocellular and cholangiocarcinoma (8180) is included in the “Other specified carcinoma” category, as are carcinoids.

Table 4.3. Liver and intrahepatic bile ducts (C22)

| | |
|--|---|
| 1 Carcinoma | 8010–8576 |
| 1.1 Hepatocellular carcinoma | 8170–8175 |
| 1.2 Cholangiocarcinoma (all intrahepatic biliary carcinomas, i.e. all primary adenocarcinomas) | 8050, 8140–8141, 8160–8161, 8260, 8440, 8480–8500, 8570–8572 |
| 1.3 Other specified carcinoma | |
| 1.4 Unspecified carcinoma | 8010–8035 |
| 2 Hepatoblastoma | 8970 |
| 3 Sarcoma | |
| 3.1 Haemangiosarcoma | 9120–9133, 9161 |
| 3.2 Other sarcomas | 8800–8811, 8830, 8840–8921, 8990–8991, 9040–9044, 9150, 9170, 9540–9581 |
| 4 Other specified malignant neoplasm | |
| 5 Unspecified malignant neoplasm | 8000–8005 |

LUNG (C34)

The “Squamous cell carcinoma” category includes papillary carcinoma, NOS (8050), because this is listed under “Squamous cell neoplasm” in ICD-O-3. The category “Adenocarcinoma” includes bronchioloalveolar adenocarcinoma (8250–8254) but excludes adenoid cystic (8200), mucoepidermoid (8430), and adenosquamous (8560) carcinomas, which are instead included in the category “Other specified carcinoma”. The category “Large cell carcinoma” includes cancers

so described (8012), as well as other morphological variants of undifferentiated carcinomas (except those with neuroendocrine or spindle cell differentiation) and clear cell adenocarcinoma (8310). The category “Other specified carcinoma” includes non-small cell carcinoma (8046); carcinoid tumours (8240–8245); and adenoid cystic (8200), mucoepidermoid (8430), adenosquamous (8560), and large cell neuroendocrine (8013) carcinomas.

Table 4.4. Lung (C34)

| | |
|---|---|
| 1 Carcinoma | 8010–8576 |
| 1.1 Squamous cell carcinoma | 8050–8078, 8083–8084 |
| 1.2 Adenocarcinoma | 8140, 8211, 8230–8231, 8250–8260, 8323, 8480–8490, 8550–8552, 8570–8574, 8576 |
| 1.3 Small cell carcinoma | 8041–8045 |
| 1.4 Large cell carcinoma (including giant cell, clear cell and large cell undifferentiated carcinoma) | 8010–8012, 8014–8031, 8035, 8310 |
| 1.5 Other specified carcinoma | |
| 2 Sarcoma | 8800–8811, 8830, 8840–8921, 8990–8991, 9040–9044, 9120–9133, 9150, 9540–9581 |
| 3 Other specified malignant neoplasm | |
| 4 Unspecified malignant neoplasm | 8000–8005 |

BONE (C40–C41)

The main categories are “Osteosarcoma”, “Chondrosarcoma”, and “Ewing sarcoma”. These three groups encompass the same ICD-O entities as groups VIII A–C in the third edition of *International Classification of Childhood Cancer* (Steliarova-Foucher et al., 2005). The “Other specified sarcoma” category includes epithelioid sarcoma (8804), fibrosarcoma (8810–8812), malignant fibrous histiocytoma (8830), liposarcomas

(8850–8858), angiosarcomas (9120–9133), and malignant giant cell tumours (9250). The “Other specified malignant neoplasm” category includes desmoplastic small round cell tumour (8806), mesenchymoma (8990), chordoma (9370–9372), adamantinomas (9261, 9310), and primitive neuroectodermal tumour (PNET) (9473).

Table 4.5. Bone (C40–C41)

| | |
|---|--|
| 1 Sarcoma | 8800–8921, 9040–9044, 9120–9133, 9150, 9180–9250, 9260, 9540–9581 |
| 1.1 Osteosarcoma | 9180–9200 |
| 1.2 Chondrosarcoma | 9210–9243 |
| 1.3 Ewing sarcoma | 9260 |
| 1.4 Other specified sarcoma | |
| 1.5 Unspecified sarcoma | 8800–8803, 8805 |
| 2 Other specified malignant neoplasm | |
| 3 Unspecified malignant neoplasm | 8000–8005 |

SKIN (C43-C44)

Basal cell carcinoma is registered and reported by several cancer registries and has therefore been included.

Table 4.6. Skin (C43-C44)

| | | |
|----------|---|----------------------|
| 1 | Carcinoma | 8010-8576 |
| 1.1 | Squamous cell carcinoma | 8050-8078, 8083-8084 |
| 1.2 | Basal cell carcinoma | 8090-8098 |
| 1.3 | Other specified carcinoma | |
| 1.4 | Unspecified carcinoma | 8010-8035 |
| 2 | Melanoma | 8720-8790 |
| 3 | Other specified malignant neoplasm | |
| 4 | Unspecified malignant neoplasm | 8000-8005 |

CERVIX UTERI (C53)

Mucoepidermoid carcinoma (8430) and adenosquamous carcinoma (8560) are included in the category "Other specified carcinoma". The "Other specified malignant neoplasm" category includes Mullerian mixed

tumour (8950), carcinosarcoma (8980), and melanoma (8720-8790). Malignant endometrioid adenofibroma (8381) is also classified as "Other specified malignant neoplasm".

Table 4.7. Cervix uteri (C53)

| | | |
|----------|---|---|
| 1 | Carcinoma | 8010-8380, 8382-8576 |
| 1.1 | Squamous cell carcinoma | 8050-8078, 8083-8084 |
| 1.2 | Adenocarcinoma | 8140-8141, 8190-8211, 8230-8231, 8260-8265, 8310, 8380, 8382-8384, 8440-8490, 8570-8574, 8576 |
| 1.3 | Other specified carcinoma | |
| 1.4 | Unspecified carcinoma | 8010-8035 |
| 2 | Sarcoma | 8800-8811, 8830, 8840-8921, 8990-8991, 9040-9044, 9120-9133, 9150, 9540-9581 |
| 3 | Other specified malignant neoplasm | |
| 4 | Unspecified malignant neoplasm | 8000-8005 |

CORPUS UTERI (C54)

Squamous cell carcinomas are included in the category “Other specified carcinoma” because of their rarity at this site. Unlike for other sites, mucoepidermoid (8430) and adenosquamous (8569) carcinomas are included in the category “Adenocarcinoma”, because squamous differentiation is very common in adenocarcinoma of the corpus uteri, and it is assumed that partial squamous

differentiation does not change the behaviour of these neoplasms. Also, unlike for other sites, metaplastic carcinoma (8575) is included in the category “Other specified malignant neoplasm”, because in the corpus uteri, metaplastic carcinoma of the endometrium has been equated with carcinosarcoma.

Table 4.8. Corpus uteri (C54)

| | |
|---|---|
| 1 Carcinoma | 8010–8574, 8576 |
| 1.1 Adenocarcinoma (including mucoepidermoid and adenosquamous carcinoma) | 8140–8141, 8190–8211, 8230–8231, 8260–8265, 8310, 8380, 8382–8384, 8430, 8440–8490, 8510, 8560, 8569, 8570–8574, 8576 |
| 1.2 Other specified carcinoma | |
| 1.3 Unspecified carcinoma | 8010–8035 |
| 2 Sarcoma | 8800–8811, 8830, 8840–8921, 8990–8991, 9040–9044, 9120–9133, 9150, 9540–9581 |
| 3 Other specified malignant neoplasm | |
| 4 Unspecified malignant neoplasm | 8000–8005 |

OVARY (C56)

The first four carcinoma categories listed here correspond to malignant serous, mucinous, endometrioid, and clear cell tumours. Among the carcinomas not included in these four groups, there are various adenocarcinomas that cannot with certainty be allocated to any of the above-mentioned groups and are hence included in the category “Adenocarcinoma, NOS”. This category also includes papillary adenocarcinoma (8260), cystadenocarcinoma (8440), and other variants of adenocarcinoma. Within the category “Adenocarcinoma, NOS”, there are probably a

substantial number of tumours that actually belong to categories 1.1–1.4. Truly unclassified adenocarcinomas of the ovary are uncommon. Sex cord-stromal tumours have their own group. The category “Germ cell tumours” includes dysgerminomas, embryonal carcinomas, and teratomas, as well as the rare carcinoid tumours of the ovary and the very rare gonadoblastomas. Lipid cell tumours, malignant Brenner tumours, and sarcomas are very rare and are consigned to the category “Other specified malignant neoplasm”.

Table 4.9. Ovary (C56)

| | |
|--|---|
| 1 Carcinoma | 8010–8231, 8246–8576, 9014–9015, 9110 |
| 1.1 Serous carcinoma | 8441, 8460–8463, 9014 |
| 1.2 Mucinous carcinoma | 8470–8490, 9015 |
| 1.3 Endometrioid carcinoma | 8380–8383, 8560, 8570 |
| 1.4 Clear cell carcinoma | 8310–8313, 9110 |
| 1.5 Adenocarcinoma, NOS | 8140–8147, 8170–8190, 8211–8231, 8260, 8384, 8440, 8576 |
| 1.6 Other specified carcinoma | |
| 1.7 Unspecified carcinoma | 8010–8035 |
| 2 Sex cord-stromal tumours | 8590–8671 |
| 3 Germ cell tumours | 8240–8245, 9060–9102 |
| 4 Other specified malignant neoplasm (including Mullerian mixed tumour, carcinosarcoma) | |
| 5 Unspecified malignant neoplasm | 8000–8005 |

TESTIS (C62)

Spermatocytic seminoma has a more favourable prognosis than does seminoma, and these tumours should not be grouped together. Embryonal carcinoma, malignant teratoma, yolk sac tumour, choriocarcinoma,

and mixed germ cell tumours are included in the category “Non-seminomatous germ cell tumours”. Sex cord-stromal tumours are included in the category “Other specified malignant neoplasm”.

Table 4.10. Testis (C62)

| | |
|---|------------------|
| 1 Germ cell tumours | 9060–9102 |
| 1.1 Seminoma | 9060–9062, 9064 |
| 1.2 Spermatocytic seminoma | 9063 |
| 1.3 Non-seminomatous germ cell tumours | 9065–9102 |
| 2 Other specified malignant neoplasm | |
| 3 Unspecified malignant neoplasm | 8000–8005 |

KIDNEY (C64) AND RENAL PELVIS (C65)

There are several major difficulties with the histological grouping of kidney tumours. Transitional cell and squamous carcinomas in the kidney usually originate from the renal pelvis, although it may be difficult to trace the origin of the tumour. It can be assumed that some of these are site coded as kidney cancers (C64) and others as renal pelvis cancers (C65). Hence, these two sites are now grouped.

Renal cell carcinomas have recently undergone a reclassification based on molecular, cytogenetic, morphological, and clinical data. However, a substantial portion of these tumours are coded as renal cell

carcinoma, NOS (8312) or adenocarcinoma, NOS (8140), whereas others are subtyped. Therefore, the “Renal cell carcinoma” category includes adenocarcinoma, NOS (8140), specific subtypes of renal cell carcinoma, and also obsolete entities such as granular cell carcinoma (8320). Papillary carcinoma, NOS (8050) is listed under “Squamous cell neoplasm” in ICD-O-3. When this code is used for renal tumours, it is probably most often a miscoding of papillary renal cell carcinoma, and it is therefore included in the “Renal cell carcinoma” category as well.

Table 4.11. Kidney (C64) and renal pelvis (C65)

| | |
|---|---|
| 1 Carcinoma | 8010–8576 |
| 1.1 Squamous, transitional cell carcinoma | 8051–8084, 8120–8122, 8130–8131 |
| 1.2 Renal cell carcinoma | 8050, 8140, 8260, 8270, 8280–8312, 8316–8320, 8340–8344 |
| 1.3 Other specified carcinoma | |
| 1.4 Unspecified carcinoma | 8010–8035 |
| 2 Other specified malignant neoplasm | |
| 3 Unspecified malignant neoplasm | 8000–8005 |

URINARY BLADDER (C67)

The classification of urinary bladder tumours has undergone several revisions in recent years. Some low-grade papillary transitional cell tumours are now designated as PUNLMP (8130/1). To enable longitudinal comparisons, flat carcinoma in situ (8120/2) and PUNLMP (8130/1, 8130/2) have been included in the category “Transitional cell carcinoma”.

Papillary carcinoma, NOS (8050) is listed under “Squamous cell neoplasm” in ICD-O-3. When this code

is used for bladder tumours, it is probably most often a miscoding of transitional cell carcinoma, and it is therefore included in the “Transitional cell carcinoma” category. Pheochromocytoma, malignant paraganglioma, melanoma, and carcinosarcoma are included in the “Other specified malignant neoplasm” category.

Table 4.12. Urinary bladder (C67)

| | |
|--|---|
| 1 Carcinoma | 8010–8576 |
| 1.1 Squamous cell carcinoma | 8051–8078, 8083–8084 |
| 1.2 Transitional cell carcinoma (including transitional cell carcinoma with squamous and/or glandular differentiation) | 8050, 8120–8122, 8130–8131 |
| 1.3 Adenocarcinoma | 8140–8145, 8190–8231, 8260–8265, 8310, 8401, 8480–8490, 8550–8552, 8570–8574, 8576 |
| 1.4 Other specified carcinoma | |
| 1.5 Unspecified carcinoma | 8010–8035 |
| 2 Sarcoma | 8800–8811, 8830, 8840–8921, 8990–8991, 9040–9044, 9120–9133, 9150, 9540–9581 |
| 3 Other specified malignant neoplasm | |
| 4 Unspecified malignant neoplasm | 8000–8005 |

EYE (C69)

The principal eye cancers – retinoblastoma and malignant melanoma – form two categories. The carcinomas are divided into three subgroups: “Squamous cell carcinoma” (70% of the carcinomas, principally tumours of the conjunctiva and cornea), “Other specified carcinoma” (14.6% of the carcinomas,

comprising almost entirely adenocarcinomas and mainly originating in the lacrimal gland and duct), and “Unspecified carcinoma”. Squamous cell carcinomas that are site coded for the eye (C69) probably include some cancers that originate in the skin (C44) of the eyelids.

Table 4.13. Eye (C69)

| | |
|---|---|
| 1 Retinoblastoma | 9510–9513 |
| 2 Malignant melanoma | 8720–8790 |
| 3 Carcinoma | 8010–8576 |
| 3.1 Squamous cell carcinoma | 8050–8078, 8083–8084 |
| 3.2 Other specified carcinoma | |
| 3.3 Unspecified carcinoma | 8010–8035 |
| 4 Sarcoma | 8800–8811, 8830, 8840–8921, 8990–8991, 9040–9044, 9120–9133, 9150, 9540–9581 |
| 5 Other specified malignant neoplasm | |
| 6 Unspecified malignant neoplasm | 8000–8005 |

BRAIN AND CENTRAL NERVOUS SYSTEM (C71-C72)

These categories are based on those of the WHO *Pathology and Genetics of Tumours of the Nervous System* classification (Kleihues and Cavenee, 1997). Atypical teratoid/rhabdoid tumour (9508) is included in the “Embryonal tumours” category. The “Other neuroepithelial tumours” category includes

olfactory, pineal, and some pituitary tumours, such as craniopharyngioma (9350–9352); pinealoma, pineocytoma, and pineoblastoma (9360–9362); papillary tumour of the pineal region (9395); and olfactory neuroepitheliomatous neoplasms (9520–9523).

Table 4.14. Brain and central nervous system (C71-C72)

| | |
|--|--|
| 1 Tumours of neuroepithelial tissue | 8680, 9350–9362, 9380–9508, 9520–9523 |
| 1.1 Gliomas | 9380–9384, 9391–9460 |
| 1.1.1 Astrocytic tumours | 9384, 9400–9421, 9424–9425, 9440–9442 |
| 1.1.2 Oligodendroglial tumours and mixed gliomas | 9382, 9450–9451 |
| 1.1.3 Ependymal tumours | 9383, 9391–9394 |
| 1.1.4 Gliomas, others | 9380–9381, 9423, 9430, 9444, 9460 |
| 1.2 Embryonal tumours | 9470–9474, 9490, 9500–9504, 9508 |
| 1.2.1 Medulloblastoma | 9470–9472, 9474 |
| 1.2.2 Other | 9473, 9490, 9500–9504, 9508 |
| 1.3 Other neuroepithelial tumours | |
| 2 Other specified malignant neoplasm | |
| 3 Unspecified malignant neoplasm | 8000–8005 |

THYROID (C73)

Follicular and papillary carcinomas constitute the majority of thyroid cancers. The “Papillary carcinoma” category includes follicular carcinomas with a papillary component (8340). It is assumed that most cases of papillary squamous carcinoma (8050) are actually papillary carcinomas, and they are therefore included in this category as well. Squamous carcinoma is no longer recognized as a major histological type in the WHO classification, and it is therefore included in the category “Other specified carcinoma”.

“Anaplastic carcinoma” (encompassing undifferentiated, giant cell, and spindle cell carcinomas) is a

separate category from “Unspecified carcinoma”. Poorly differentiated carcinoma is a controversial entity and has been classified under “Anaplastic carcinoma”. Small cell carcinoma (8040–8045) is specifically excluded, because the great majority of tumours previously so diagnosed are in fact lymphomas.

Insular thyroid carcinoma (8337) is a distinctive clinicopathological entity that has been included in the “Other specified carcinoma” category. Mixed medullary-follicular carcinoma (8346) and mixed medullary-papillary carcinoma (8347) are also included in this category.

Table 4.15. Thyroid (C73)

| | |
|---|---|
| 1 Carcinoma | 8010–8576 |
| 1.1 Follicular carcinoma | 8290, 8330–8335 |
| 1.2 Papillary carcinoma | 8050, 8260, 8340–8344, 8350, 8450–8460 |
| 1.3 Medullary carcinoma | 8345, 8510–8513 |
| 1.4 Anaplastic carcinoma | 8020–8035 |
| 1.5 Other specified carcinoma | |
| 1.6 Unspecified carcinoma | 8010–8015 |
| 2 Sarcoma | 8800–8811, 8830, 8840–8921, 8990–8991, 9040–9044, 9120–9133, 9150, 9540–9581 |
| 3 Other specified malignant neoplasm | |
| 4 Unspecified malignant neoplasm | 8000–8005 |

**HAEMATOPOIETIC AND LYMPHOID TISSUES
(9590–9992)**

The category “Non-Hodgkin lymphoma NOS” is used because some cancer registries lack sufficiently specific data for lineage-based classification.

Table 4.16. Haematopoietic and lymphoid tissues (9590–9992)

| | |
|--|--|
| 1 Hodgkin lymphoma | 9650–9667 |
| 1.1 Nodular lymphocytic predominance | 9659 |
| 1.2 Classical lymphocyte-rich | 9651 |
| 1.3 Nodular sclerosis | 9663–9667 |
| 1.4 Mixed cellularity | 9652 |
| 1.5 Lymphocytic depletion | 9653–9655 |
| 1.6 Unspecified | |
| 2 B-cell neoplasms | 9597, 9670–9699, 9712, 9728, 9731–9738, 9761–9764, 9811–9818, 9823–9826, 9833, 9836, 9940 |
| 3 T-cell and NK-cell neoplasms | 9700–9726, 9729, 9827–9831, 9834, 9837, 9948 |
| 4 Myeloid neoplasms | 9840, 9860–9931, 9945–9946, 9950, 9960–9964, 9975, 9980–9989, 9991–9992 |
| 5 Non-Hodgkin lymphoma NOS | 9591 |
| 6 Other specified malignant neoplasms | |
| 7 Unspecified malignant neoplasms | 9590, 9596, 9727, 9760, 9800–9801, 9805–9809, 9820, 9832, 9835, 9965–9967, 9971 |

REFERENCES

- DeLellis RA, Lloyd RV, Heitz PU, Eng C, editors (2004). World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of Endocrine Organs. 3rd ed. Vol. 8. Lyon: IARCPress.
- Bray F, Colombet M, Mery L, Piñeros M, Znaor A, Zanetti R, et al., editors (2017). Cancer Incidence in Five Continents, Vol. XI. IARC Scientific Publication No. 166. Lyon: International Agency for Research on Cancer.
- Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin L, Parkin DM, et al., editors (2000). International Classification of Diseases for Oncology. 3rd ed. (ICD-O-3). Geneva: World Health Organization.
- Kleihues P, Cavenee WK, editors (1997). Pathology and Genetics of Tumours of the Nervous System. Lyon: IARCPress.
- Silverberg SG, Major FJ, Blessing JA, Fetter B, Askin FB, Liao SY, et al. (1990). Carcinosarcoma (malignant mixed mesodermal tumor) of the uterus. A Gynecologic Oncology Group pathologic study of 203 cases. *Int J Gynecol Pathol.* 9(1):1–19. <https://doi.org/10.1097/00004347-199001000-00001> PMID:2152890
- Steliarova-Foucher E, Stiller C, Lacour B, Kaatsch P (2005). International Classification of Childhood Cancer, third edition. *Cancer.* 103(7):1457–67. <https://doi.org/10.1002/cncr.20910> PMID:15712273
- Travis WD, Brambilla E, Muller-Hermelink HK, Harris CC, editors (2004). World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Lung, Pleura, Thymus and Heart. 3rd ed. Vol. 10. Lyon: IARCPress; pp. 179–84.
- WHO (2010). International Statistical Classification of Diseases and Related Health Problems. 10th revision (ICD-10). 2010 version. Geneva: World Health Organization. Available from: <https://icd.who.int/browse10/2010/en#/>.
- Zaino RJ, Kurman RJ (1988). Squamous differentiation in carcinoma of the endometrium: a critical appraisal of adenoacanthoma and adenosquamous carcinoma. *Semin Diagn Pathol.* 5(2):154–71. PMID:3041509

Chapter 5: Data comparability and quality

Freddie Bray, Aude Bardot, Isabelle Soerjomataram,
and Jacques Ferlay

INTRODUCTION

The utility of a cancer registry is contingent on the underlying quality of its data and the quality control procedures it has in place (Bray and Parkin, 2009; Parkin and Bray, 2009); the primary function of *Cancer Incidence in Five Continents* (CI5) is to enable the comparison of cancer incidence rates across a multitude of populations worldwide. In the evaluation of registered cases, three dimensions of quality have been assessed to ensure that the registry submissions to this volume meet a sufficiently high standard for inclusion.

Comparability is the extent to which a registry's coding and classification procedures and definitions adhere to established international standards and guidelines. The definition of an incident case is especially important in evaluating comparability.

Completeness is the degree to which all diagnosed neoplasms within a registry's catchment population are included in the registry database. Several methods can be used to evaluate the level of completeness of the enumeration of cases within a catchment population.

Validity (or accuracy) is the proportion of cases recorded as having a given characteristic that truly do have that attribute. Several indicators of validity relate to the precision of a registry's source documents and the level of expertise in abstracting, coding, and recoding cases.

The preparation and evaluation of the indices of data quality for CI5 require careful attention from the volume editors, to ensure that all accepted datasets are of sufficiently high quality to merit their inclusion in the volume. The editorial procedures used to conduct a transparent and impartial evaluation of each submitted dataset are outlined in this chapter.

ELEMENTS OF THE EVALUATION

The practical aspects and techniques of evaluating cancer registry data quality were examined in a two-part review (Bray and Parkin, 2009; Parkin and Bray, 2009) and were briefly described – with an emphasis on low- and middle-income settings – in IARC Technical Publication No. 43: *Planning and Developing Population-Based Cancer Registration in Low- and Middle-Income Settings* (Bray et al., 2014). The CI5 Volume XII Editorial Board sought to comprehensively assess data quality on the basis of the indicators of comparability, completeness, and validity reported in these publications; in keeping with the approach taken in Volume XI (Bray et al., 2017), readers can examine

and form their own opinions on the quality of individual datasets by reviewing the accompanying comparative tabulations and graphics in the printed book and online. These tables and figures serve as a guide to evaluating registries' adherence to the standard definitions and recommendations, and the completeness and validity of their data.

As in previous volumes, the editors carried out an extensive process of verifying coding, identifying duplicate registrations, querying unlikely or impossible combinations of codes, and converting the data to a standard format before formal editorial consideration. At the meetings of the CI5 Volume XII Editorial Board, the editors consulted a series of pre-assembled registry-specific tables and other documentation:

- a set of editorial tables (see the examples at the end of this chapter, generated using a hypothetical 2013–2017 dataset for a fictional registration area called *Erewhon*);
- tables of site-specific case numbers, age-specific rates, and summary rates (crude, cumulative, and age-standardized), as presented in this volume;
- the populations at risk by sex and age, including the source or method of estimation used (where applicable), and a comparison with the previous 5-year population data (where available), as presented in this volume; and
- the completed questionnaires, including responses related to the definitions used by each registry.

This review process was routinely applied to the evaluation of most of the 813 datasets submitted, but the increasing number of registries submitting data (including 261 registries in China) also warranted additional comparative overviews of key quality indicators across registries by region and country. As in previous volumes, asterisks are used to denote datasets for which particular consideration is required in interpreting the numerical results for some or all of the reviewed cancer sites (see the *Notes on the datasets* section later in this chapter).

COMPARABILITY

Determining the extent of the comparability of a cancer dataset requires consideration of the registry's procedures, including the standards and definitions used in registration. In the preparation of this volume, the editorial team particularly focused on the following procedural aspects:

- the system used for classifying and coding neoplasms;

- the definition of incidence – what constitutes a cancer case, the definition of date of incidence, and the rules for dealing with multiple primaries (i.e. for distinguishing new cases of primary cancer from extensions, recurrences, or metastases of existing cancers); and
- the registration of cancers detected in asymptomatic individuals.

International standards for the classification and coding of neoplasms

The registries were asked to submit their data coded according to the third edition of the *International Classification of Diseases for Oncology* (ICD-O-3) (Fritz et al., 2000) and to verify (and if necessary, to correct) their data before submission. Coding from other systems can be converted to ICD-O-3 using software such as IARCcrgTools (Ferlay et al., 2005).

ICD-O-3 provides a standardized system for coding the following aspects of disease classification:

- **topography:** the anatomical location (body site) of the tumour;
- **morphology:** the microscopic appearance and cellular origin of the tumour;
- **behaviour:** the classification of the tumour as malignant, benign, in situ, or of uncertain behaviour;
- **grade:** the extent of differentiation of the tumour; and
- **basis of diagnosis:** the method of diagnosis used.

Definition of incidence

The CI5 Volume XII call for data specifically requested the submission of data on all primary tumours, including data (if collected) on basal and squamous cell skin cancers and non-malignant tumours of the central nervous system and urinary bladder. The rules for determining incidence date and multiple primaries are briefly described below.

Incidence date: Because the period from the occurrence of the first mutation to the clinical diagnosis of cancer often spans decades, a standardized definition of cancer is needed for determining whether to register a case and establishing the precise date when the disease became incident. Incidence dates are commonly defined using a hierarchical set of rules from one of three available algorithms, published by

IARC (Jensen et al., 1991), the European Network of Cancer Registries (ENCR) (Pheby et al., 1997), and the Surveillance, Epidemiology, and End Results (SEER) Program in the USA (Johnson et al., 2007). The registries were asked to state whether one of these algorithms or other, in-house rules were applied.

Multiple primaries: Because an individual may develop more than one cancer, there must be a clear distinction between new cases of primary cancer and cases that are actually extensions or progressions, recurrences, or metastases of an existing cancer. There are two sets of rules commonly used by cancer registries for this purpose. The SEER rules (Johnson et al., 2007) are used mainly by cancer registries in North America, whereas the jointly developed IARC/IACR rules (IARC, 2004) tend to be used throughout the rest of the world, at least for the purpose of reporting incidence rates.

The SEER rules result in somewhat higher incidence rates because they allow for the occurrence of multiple incident cancers at the same body site, providing the new case occurs 2 months to 5 years (depending on the site) after an earlier diagnosis, whereas the IARC/IACR rules allow for the occurrence of only one cancer per body site during a patient’s lifetime, unless there are multiple cancers of different histological types. The SEER rules also recognize new cases at different subsites of the same organ or on opposite sides of the body (for paired organs) (Weir et al., 2016). Melanoma and cancers of the breast, kidney, and colon are among the common cancer types for which the numbers of incident cases vary depending on which rules were used (Table 5.1).

Links to these rules were provided to all contributors to this volume. The registries were asked to include all multiple primary cancers in their submitted datasets for the time period covered (2013–2017) and to state which set of rules was used to define new primary cancers, and whether these could be distinguished from subsequent primaries that occur in the same person. The sites at which varying definitions of multiple primaries are likely to have the largest effect on incidence rates are listed in Table 5.1, along with the percentage differences in incidence at these sites (among a subset of SEER registries in the USA) using the SEER definition of a second primary (Johnson et al., 2007) versus the IARC/IACR rules (IARC, 2004).

Table 5.1. The percentage difference in crude and age-standardized incidence rates (at selected body sites) within the SEER (9 registries) 2013–2017 dataset when determined using the SEER rules for multiple primary cancers versus the IARC/IACR rules (2004)

| Body site | Difference in incidence rates using the SEER rules vs the IARC/IACR rules (%) | | | |
|-----------------------|---|------------------|---------|------------------|
| | Males | | Females | |
| | Crude | Age-standardized | Crude | Age-standardized |
| Colon | 3.4 | 3.3 | 3.8 | 2.6 |
| Lung | 2.6 | 2.6 | 3.7 | 3.8 |
| Skin (melanoma only) | 11.2 | 9.6 | 6.5 | 5.9 |
| Breast | – | – | 6.9 | 6.4 |
| Testis | 1.6 | 1.7 | – | – |
| Kidney | 4.5 | 4.8 | 2.6 | 2.8 |
| All sites except skin | 2.8 | 2.6 | 4.0 | 3.6 |

Registration of cancers in asymptomatic individuals

Incidental diagnosis is the detection of cancer in an asymptomatic individual (e.g. upon microscopic examination of tissue that has been removed for a reason unrelated to cancer). The incidental diagnosis of cancer occurs with particular frequency as a result of screening examinations and at autopsy.

Screen-detected cancers

When a screening programme is introduced within a population, cancer incidence rates increase, because the programme identifies prevalent cancers that are detectable by the screening test but have not yet progressed to the stage where they begin to cause symptoms. After the initial rounds of screening, these prevalent cases have all been detected, so the incidence rate decreases, but usually not all the way to the pre-screening level, due to some degree of overdiagnosis. This phenomenon occurs when cases are detected that would otherwise not have been diagnosed during a person's lifetime, either because the cancer was so slow-growing that the individual would have died of another cause before the cancer was detected, or because the cancer was non-progressive and would never actually have become invasive. These cancers are sometimes called pseudodisease. Overdiagnosis can occur as a consequence of breast cancer screening, and it is even more common in prostate cancer testing. In both cases, screening (by mammography for breast cancer or by prostate-specific antigen [PSA] testing for prostate cancer) identifies small, slow-growing, latent tumours. Although many of these tumours would never have progressed to clinically significant cancer during the patient's lifetime, it is currently impossible to predict which of them will. Therefore, incidence rates are elevated in screened populations. Mammography screening programmes typically target women within the age range of 50–74 years. Men may undergo PSA testing at any age, but it is more common among men older than 50 years. In addition, the increased use of diagnostic testing such as use of ultrasound, computed tomography (CT), and magnetic resonance imaging (MRI) may have resulted in increased incidental findings of certain tumours, notably of the thyroid.

Almost all cancer registries include malignant tumours that are detected during screening programmes or diagnosed on the basis of histological specimens taken from asymptomatic individuals in whom there was no clinical suspicion of cancer. The inclusion of these cases is likely to increase incidence rates, because at least some of the malignant cells identified in these ways would never have resulted in a clinical cancer diagnosis had they otherwise remained undetected.

Autopsy-detected cancers

Most cancer registries include cases identified during necropsy examinations of individuals in whom cancer had not been diagnosed (or perhaps even suspected) during life. The extent of the resulting inflation of incidence rates depends on the prevalence of necropsy examinations within the population. The impact is greatest in countries and regions with legislation

that permits autopsies to be conducted for medical, scientific, or educational purposes without consent. However, such practices have generally been declining in most countries over recent decades.

Application of international standards in low- and middle-income settings

Cancer registries operating in low- and middle-income settings may face particular challenges to following international registration standards (Bray et al., 2014). For example, a lack of coverage by pathology laboratories or difficulty accessing diagnosis records reduces the percentage of microscopically verified cases and results in postponement of the incidence date as determined according to the ENCR recommendations, which define the incidence date as the date of first histological or cytological confirmation of malignancy.

COMPLETENESS

Completeness – the extent to which all of the incident cancers occurring in the population are included in the registry database – is a very important aspect of data quality. The incidence rates calculated from registry data most closely approximate their true values within the population when maximum completeness is achieved (through the use of comprehensive case-finding procedures). The methods used in the editorial process for this volume to evaluate overall completeness are semiquantitative, in that they provide an indication of the degree of completeness of a given registry's database relative to those of other registries or over time.

The indices of completeness evaluated during the editorial process can be grouped into four categories:

- historical data:
 - the stability of incidence rates (the number of new cases) over time,
 - a comparison of incidence rates in different populations,
 - age-specific incidence curves, and
 - childhood cancer incidence rates;
- the proportion of cases microscopically verified (MV%);
- the mortality-to-incidence (M:I) ratio; and
- the proportion of death-certificate-only (DCO) cases.

Duplicate registrations of the same case should be avoided through careful attention to record linkage during the registration process. Because the datasets submitted for this volume contained individual anonymous patient identification numbers, it was possible for the editors to check for duplicates (and multiple primaries) according to the IARC/IACR rules (IARC, 2004). However, it was not possible to check for duplicates within a dataset using other data items, which could only be assessed by the individual registries before submission.

Regional comparisons

For several of the quantitative indices described below, a comparison with standard values was performed. In most cases, the standard used for comparison was the values from cancer registries in the same region (or

in the same country when the number of high-quality registries was sufficient), using the data published in the previous two volumes of CI5. Diagnostic practices (especially with respect to histology and cytology) and the accuracy of recording the underlying cause of death on death certificates vary between populations

and regions, but it is reasonable to assume that the incidence rates for specific cancers will tend to be relatively similar in datasets from the same region. In total, 35 regions or countries were defined for the purpose of calculating the standard values used to support editorial decisions (see Table 5.2).

Table 5.2. The regions defined for calculating standard values of age-standardized incidence rates, proportions of cases microscopically verified (MV%), and mortality-to-incidence (M:I) ratios

| Continent | Region or country | Number of registries or populations in the region or country |
|--|--|--|
| Africa | Algeria | 7 |
| | North Africa | 11 |
| | North Africa and West Asia | 17 |
| | Sub-Saharan Africa | 16 |
| Central and South America and the Caribbean | Argentina | 8 |
| | Brazil | 6 |
| | Chile | 5 |
| | Colombia | 4 |
| | Ecuador | 5 |
| | Central America and the Caribbean | 8 |
| | South America | 38 |
| North America | Canada | 12 |
| | USA | 13 |
| Asia | China | 36 |
| | India | 24 |
| | Japan | 9 |
| | Republic of Korea | 8 |
| | Thailand | 16 |
| | Turkey | 9 |
| | Central, Eastern, and Southern Asia | 9 |
| Europe | France | 15 |
| | Germany | 9 |
| | Italy | 36 |
| | Poland | 6 |
| | Russian Federation | 5 |
| | Spain | 14 |
| | Switzerland | 11 |
| | United Kingdom and Republic of Ireland | 13 |
| | Selected Eastern European and Baltic countries | 10 |
| | Eastern Europe | 18 |
| | Northern Europe | 19 |
| | Southern Europe | 8 |
| | Western Europe | 39 |
| Oceania | Australia and New Zealand | 9 |
| | Oceania | 5 |

For each regional group of registries, the data from the previous two volumes of CI5 were used to calculate the mean and variance of the site-specific age-standardized incidence rates, the MV%, and the M:I ratios. Ad hoc tables were used to identify unusually high or low incidence rates in specific regions – both for all sites combined and for certain major cancers. This helped the editors to assess completeness, by enabling them to identify outliers or unusual patterns.

Historical data

Stability of the incidence rates (the number of new cases) over time

Changes in the completeness of registration may lead to the appearance of unexpected or implausible incidence trends. Therefore, one of the key CI5 editorial tables (Editorial table 1) lists the number of new cases registered by major diagnosis groups per calendar year (and the corresponding percentage of the total number of cases), by sex and major cancer sites, with an accompanying bar chart that provides a visual check of the amount of variation in the total numbers of cases per year (at all sites and in both sexes) over the time period covered. At the bottom of each bar, a percentage value indicates how many cases were registered that year relative to the highest number of cases registered in any single year of the covered period. In some cases, this visual check may suggest potential problems or changes within the registration process (or the source population data) during the registration period.

Another editorial table (Editorial table 2) presents, for males and females, average annual incidence rates (per 100 000 person-years) by site and age group, as well as summary rates. This table also includes a column (with the heading *CHV11*) that lists the estimated annual percentage change in the incidence rates since CI5 Volume XI, and the changes that are statistically significant are shown in bold. This incidence rate comparison of CI5 Volumes XI and XII, and other comparisons that were performed as part of the editorial process, are described in the *Statistical tests* section later in this chapter. Changes in incidence rates over time that are larger than expected (and that cannot be attributed to discrepancies in the estimation of person-years at risk) suggest the possibility of changes in the completeness of case ascertainment.

Comparison of incidence rates in different populations

The possibility of incomplete registration is also investigated by comparing observed incidence rates with expected values calculated using data from registries in the same region, and an editorial table is

generated for this purpose (Editorial table 3). This table presents the age-standardized incidence rates, and their standard errors (se), for 23 sites (and the total for all sites) in males and females, along with the ratio of the observed to the expected value (O/E). If the observed age-standardized rate is significantly different from the expected value for the corresponding country or region, the O/E is shown in bold and flagged with a greater-than symbol (>) if the value is higher than expected or a less-than symbol (<) if the value is lower than expected. This comparison and others that were performed as part of the editorial process are described in the *Statistical tests* section later in this chapter. In addition to consulting this editorial table, the editors also frequently compared sorted ranges of values of key indicators from registries covering geographically or ethnically similar populations. In some cases, deviation from regional standards may be the result of specific local variations in the prevalence and distribution of risk factors, or in the presence or intensity of screening for certain cancers, but systematic discrepancies (i.e. those seen for several different sites) suggest the possibility of underregistration (or overregistration, e.g. due to the inclusion of duplicate records).

Age-specific incidence curves

As part of the editorial process, age-specific incidence (per 100 000 person-years) curves for 12 sites by sex (Editorial figure 1) were generated and examined to detect any abnormal fluctuations in the anticipated patterns, such as an unexpected drop in the rate of increase in incidence in older age groups, which may be indicative of underascertainment within these groups (although there can also be other explanations). These curves can also reveal problems with the source files used to determine the size of the populations at risk in the various age groups (see also the *Population* section later in this chapter).

Childhood cancer incidence rates

The incidence rates of cancer (all types combined) in children (i.e. within the age groups 0–4 years, 5–9 years, and 10–14 years) tend to exhibit much less variability than do the incidence rates of cancer in adults, although there are some well documented geographical and ethnic differences for certain childhood cancers. The possibility of underenumeration (and duplicate registration) in this age range within the Volume XII data was investigated by comparing incidence rates within the childhood age groups with the corresponding values from Volume XI. The lowest and highest deciles of incidence rates of childhood cancer in the Volume XI data are shown in Table 5.3.

Table 5.3. The lowest and highest deciles of incidence rates (per 100 000) of childhood cancer in Volume XI

| Age group (years) | Boys | | Girls | |
|-------------------|--------|---------|--------|---------|
| | Lowest | Highest | Lowest | Highest |
| 0–4 | < 13.2 | > 26.7 | < 12.2 | > 24.8 |
| 5–9 | < 9.2 | > 15.8 | < 7.1 | > 13.9 |
| 10–14 | < 8.9 | > 17.2 | < 8.1 | > 15.6 |

Proportion of cases microscopically verified (MV%)

The MV% is the percentage of cases that were diagnosed on the basis of microscopic verification of a tissue specimen (sometimes also called morphological verification; the two terms are synonymous). The definition of microscopically verified cases includes histologically confirmed cases, cases diagnosed on the basis of exfoliative cytology specimens, and cases of leukaemia diagnosed on the basis of haematological examination (without examination of bone marrow). The main use of MV% as an indicator of data quality is as a measure of validity (see the *Validity* section later in this chapter), but a very high proportion of cases diagnosed by histology, cytology, or haematology – higher than might reasonably be expected – may also suggest that a registry is overreliant on pathology laboratories as a source of information and is failing to find cases diagnosed by other means. Editorial table 3 also includes a column showing observed MV% values for 23 sites (and the total of all sites) in males and females. In this MV% column, any observed values that are significantly greater than or less than the expected value (an average for the corresponding country or region) are shown in bold and flagged with a greater-than symbol (>) or a less-than symbol (<), respectively. This comparison is also described in the *Statistical tests* section later in this chapter.

Mortality-to-incidence (M:I) ratio

The M:I ratio is an important indicator of completeness, and its use for this purpose is an example of the independent case ascertainment method of evaluating registry completeness. The M:I ratio compares the number of deaths due to a specific type of cancer over a specific period of time (obtained from a source that is independent of the registry – usually the vital statistics system) with the number of new cases of that type of cancer registered during the same period. When the quality of the mortality data is good (especially in terms of the accuracy of cause of death) and incidence and survival are in steady state, the M:I ratio is approximated by 1 minus the 5-year survival probability. Because both survival and the quality of mortality statistics are somewhat related to the level of socioeconomic development, it is important to consider a registry's geographical location when evaluating this statistic. As part of the CI5 editorial process, the observed M:I ratios for registries' datasets were compared against standard values from the same region, testing for significant differences (see the *Statistical tests* section later in this chapter). Editorial table 3 includes a column showing observed M:I ratios for 23 sites (and the total of all sites) in males and females. Within this column, any observed values that are significantly greater than or less than expected (based on the average regional values from Volume XI) are shown in bold and flagged with a greater-than symbol (>) or a less-than symbol (<), respectively.

M:I ratios that are higher than expected raise suspicion of incompleteness (i.e. incident cancers missed by the registry), especially if the values are high for several different sites. However, underreporting or overreporting of tumours on the death certificates distorts this relationship, as does a lack of constancy

in incidence and case fatality (the rate of death among incident cases) over time. For example, if incidence increases while case fatality (or survival) remains relatively constant, the M:I ratio tends to be less than (1 minus survival); conversely, if incidence decreases relative to case fatality, the M:I ratio is greater than (1 minus survival) and may even exceed a value of 1 for more lethal cancers.

All contributing registries were asked to provide cancer mortality data from an independent source and to state the source. The use of this method requires mortality data that are of good quality, especially in terms of the accuracy of cause of death. This method cannot be used where there is no comprehensive death registration, or when cause of death is missing or inaccurate on death certificates, which is the situation in almost all countries in Africa and many countries in Asia.

Death certificate methods of evaluating completeness

Access to death certificates is important to cancer registries as a means of finding cases not captured by other registration procedures. The completeness of registration may be evaluated on the basis of the proportion of incident cancers that come to the registry's attention via death certificates. Fig. 5.1 illustrates the process of registering new cases using death certificates that mention cancer.

A cancer registry's record linkage procedures should enable the registry to accurately determine whether a death certificate case is already in the database (i.e. previously notified by and registered from another source). A death-certificate-notified (DCN) case is any case first notified by a death certificate. For some DCN cases, the registry later receives a separate notification (without needing to initiate trace-back procedures), and the case is consequently registered from this non-death-certificate source. Because it is possible (depending on registry procedures) for a death certificate mentioning cancer to be received before other relevant notifications (e.g. a pathology report), it has been suggested that registries should establish a suitable interval between receiving a first notification by death certificate and initiating a registration on the basis of this information. If no other notifications are received after this interval, trace-back procedures are initiated. Some cases that are successfully traced back may be found not to be cancers, and are therefore not registered. The remaining cases are classified as death-certificate-initiated (DCI) cases, of which there are two types: (1) successfully traced cases found to be cancers, which are consequently registered from the appropriate source, and (2) cases for which no information source other than a death certificate mentioning cancer can be found, which are consequently registered as death-certificate-only (DCO) cases.

DCO cases represent the residuum of the trace-back process; they are the remaining DCN cases for which no other information source could be obtained through any of the registry's trace-back procedures. Therefore, by itself the proportion of DCO cases (DCO%) is not an indicator of completeness of registration; a low DCO% may indicate efficient case finding or may result from the efficient trace-back of

DCN cases. However, the proportion of DCI cases (DCI%) is always greater than or equal to the DCO%, so an elevated DCO% is suggestive of incompleteness.

Like other indicators, the DCO% must be interpreted in the context of local circumstances. In some transitioning countries, the quality of death certificates may be very poor, with many deaths erroneously attributed to cancer, and registries may have difficulty tracing these notifications back to a hospital or a

clinician capable of confirming (or contradicting) the death certificate statement.

Because death certificate methods rely on the availability of relatively high-quality (complete and accurate) certification of cause of death within the registration area, they are not readily applicable in many low- and middle-income settings, or even in many high-income settings.




Fig. 5.1. The process of using death certificates (DCs) to identify new cancer cases, which may subsequently be classified as death-certificate-notified (DCN), death-certificate-initiated (DCI), or death-certificate-only (DCO) cases (see the chapter text for more details). Adapted from European Journal of Cancer, 45(5), Bray F and Parkin DM, Evaluation of data quality in the cancer registry: principles and methods. Part I: comparability, validity and timeliness, pages 747–55, Copyright 2009, with permission from Elsevier.

VALIDITY

Validity (or accuracy) is defined as the proportion of cases in a dataset recorded as having a given characteristic (e.g. site or age) that truly do have that attribute. Several methods are used in this volume to provide numerical indices of validity, which enable (at least on an interval scale) comparisons between registries, within a single registry over time, and within a single registry with respect to specified subsets of cases (cases at certain sites, from different sources, etc.). These methods include internal consistency methods, diagnostic criteria methods (histological verification and DCO cases), and missing information analyses (e.g. primary site unspecified, age unknown).

Internal consistency

The use of the IARCcrgTools software to perform consistency checks on the submitted datasets is described in Chapter 6 of this volume. Registries were asked to verify and correct their data using this or other software tools before submission, and to ensure that the ICD-O-3 coding system was used for all relevant variables.

Microscopic verification

Typically, the accuracy of a stated diagnosis is likely to be better if the diagnosis is based on histological examination by a pathologist. However, surveys have shown that many cancer registries code diagnoses based on exfoliative cytology (often used for lung cancer, cervical cancer, etc.) or haematological examination of peripheral blood in the same category as those based on histological examination (i.e. the cases are all coded as microscopically verified), making it impossible to distinguish between them in the data. Partly for this reason, the index of validity used in the editorial tables and the tables showing indices of data quality located at the end of this volume include the MV% rather than the proportion of cases histologically verified (HV%).

As noted in the *Completeness* section above, any observed MV% values in Editorial table 3 that are significantly greater than or less than expected (compared with the regional standard) are shown in bold and flagged with a greater-than symbol (>) or a less-than symbol (<), respectively.

Death-certificate-only (DCO) cases

The proportion of cancers for which no information other than a death certificate mentioning cancer can be found – the DCO% – is another measure of validity, because the information on death certificates is generally less accurate and/or precise than information obtained from clinical or pathology records. A considerable effort has been made in the editorial process to ensure that cases reported as DCO truly are DCO cases. As stated earlier in this chapter, DCO cases represent the residuum of the trace-back process; they are the remaining DCN cases for which no information other than a death certificate mentioning cancer could be obtained through any of the registry's trace-back procedures (see Fig. 5.1). Establishing acceptable and objective criteria for the DCO% has been a contentious issue in international comparative studies. As stated earlier, a low DCO% may simply reflect efficient trace-

back of cases initially missed by the normal case-finding procedures. The DCO% is also influenced by local circumstances (including the availability and accuracy of death certificates) and the registry's ability to successfully link records.

Other and unspecified/age unknown

The proportion of registered cases with unknown values for various data items can be an indicator of data quality. Unknown values can result from problems with:

- the data collection system (or access to necessary source documents);
- the item and code values that are defined;
- the application of coding rules.

The definitions used influence the proportion of unknown codes, for example, when evaluating cases with the primary site coded as "Other and unspecified" (O&U). This classification is defined in detail in Chapter 3. Other variables for which the proportion of cases with missing values is commonly evaluated include age, ethnicity, and disease stage. A high proportion of cases with missing values generally implies poor diagnostic precision (as evidenced by the low MV% observed among O&U cases) or a failure to specify the site of the primary cancer in cases diagnosed on the basis of tissue obtained from a metastasis. The proportion of unknown values usually varies by primary site and tends to be higher among elderly patients. The proportions also vary somewhat between registries. The percentages of O&U cases and cases with unknown age, by registry, are shown in Table 5.4 at the end of this chapter.

POPULATION

It is important to remember that a 10% error in the estimation of the population at risk produces the same level of inaccuracy in the calculated incidence rate as a 10% error in enumeration of cases. However, cancer registries are generally not responsible for population estimates and must rely on official censuses or intercensal/postcensal estimates provided by vital statistics departments or their equivalents. The editors asked all contributing registries to provide official population estimates and state the source of the population data. This information has been summarized for each registry entry, along with the average annual population at risk during the period covered by the registrations.

Although the population data provided by the registries could rarely be directly verified by the editors, the shapes of the population pyramids, as well as any irregularities in the age-specific incidence curves, were used to identify potential errors in the population estimates, and if necessary the appropriateness of the source of the information provided was queried. In addition, a comparison with previous population estimates (if available) was undertaken. Potential problems with estimating the population at risk are stated in the *Notes on the data* section of each registry entry. In some cases, a high likelihood of inaccuracy in estimates of the population at risk contributed to the editorial decision to mark a registry's contribution with an asterisk.

NOTES ON THE DATASETS: THE ASTERISKS (*)

The presence of an asterisk indicates that additional care is required in interpreting the numerical results for some or all cancer sites; readers should refer to the *Notes on the data* section of the corresponding registry entry for the specific reasons. The principal use of the asterisks is to denote datasets that are considered by the editors to have characteristics suggesting questionable quality or completeness of information on cases or the population at risk, as well as datasets for which the editors could not evaluate the relevant indices because of deficiencies in the registration process. The criteria used in this judgement were not rigidly defined; the decision was based on an examination of all the indices described in this chapter and knowledge of the local circumstances within which the registry operates. The intrinsic value of a given dataset in providing information on little-known geographical and ethnic patterns, as well as continuity with earlier data from the same registry, were also taken into consideration. For the purpose of comparability between registries, all datasets for which no official mortality data could be provided or that included no DCO registrations (because of lack of access to death certificates) were also flagged with an asterisk. In addition, an asterisk was noted for registries for which a completed questionnaire was not received.

STATISTICAL TESTS

Four comparisons (for which statistical tests were applied) were made as part of the editorial process for C15 Volume XII:

- a comparison of each age-standardized incidence rate with the corresponding value from Volume XI;
- a comparison of each registry's age-standardized incidence rates for major sites with the corresponding Volume XI values for registries in the same country or region;
- a comparison of each registry's MV% values for major sites with the corresponding Volume XI values for registries in the same country or region; and
- a comparison of each registry's M:I ratios for major sites with the corresponding Volume XI values for registries in the same country or region.

The results of these tests were not published but have been used to flag certain registry datasets as unusual or possibly inconsistent with previously published data, and therefore requiring further investigation. This battery of tests was first implemented in Volume VIII, and the methodological details and formulae are provided in Chapter 5 of that volume (Parkin and Plummer, 2002).

REFERENCES

- Bray F, Colombet M, Mery L, Piñeros M, Znaor A, Zanetti R, et al., editors (2017). *Cancer Incidence in Five Continents, Vol. XI*. IARC Scientific Publication No. 166. Lyon: International Agency for Research on Cancer.
- Bray F, Parkin DM (2009). Evaluation of data quality in the cancer registry: principles and methods. Part I: comparability, validity and timeliness. *Eur J Cancer*. 45(5):747–55. <https://doi.org/10.1016/j.ejca.2008.11.032> PMID:19117750
- Bray F, Znaor A, Cueva P, Korir A, Swaminathan R, Ullrich A, et al. (2014). *Planning and Developing Population-Based Cancer Registration in Low- and Middle-Income Settings*. IARC Technical Publication No. 43. Lyon: International Agency for Research on Cancer. Available from: <https://publications.iarc.who.int/370>.
- Ferlay J, Burkhard C, Whelan S, Parkin DM (2005). *Check and Conversion Programs for Cancer Registries (IARC/IACR Tools for Cancer Registries)*. IARC Technical Report No. 42. Lyon: International Agency for Research on Cancer.
- Fritz A, Percy CL, Jack A, Shanmugaratnam K, Sobin L, Parkin DM, et al., editors (2000). *International Classification of Diseases for Oncology*. 3rd ed. (ICD-O-3). Geneva: World Health Organization.
- IARC (2004). *International Rules for Multiple Primary Cancers ICD-O Third Edition*. Internal Report No. 2004/02. Lyon: International Agency for Research on Cancer.
- Jensen OM, Parkin DM, MacLennan R, Muir CS, Skeet RG, editors (1991). *Cancer Registration: Principles and Methods*. IARC Scientific Publication No. 95. Lyon: IARC Press. Available from: <https://publications.iarc.who.int/238>.
- Johnson CH, Peace S, Adamo P, Fritz A, Percy-Laurry A, Edwards BK (2007). *The 2007 Multiple Primary and Histology Coding Rules*. Bethesda, MD: National Cancer Institute, Surveillance, Epidemiology and End Results Program. Available from: <https://seer.cancer.gov/tools/mphrules/>.
- Parkin DM, Bray F (2009). Evaluation of data quality in the cancer registry: principles and methods. Part II: completeness. *Eur J Cancer*. 45(5):756–64. <https://doi.org/10.1016/j.ejca.2008.11.033> PMID:19128954
- Parkin DM, Plummer M (2002). Comparability and quality of data. In: Parkin DM, Whelan SL, Ferlay J, Teppo L, Thomas DB, editors. *Cancer Incidence in Five Continents, Vol. VIII*. IARC Scientific Publication No. 155. Lyon: International Agency for Research on Cancer; pp. 57–73.
- Pheby D, Martínez C, Roumagnac M, Schouten LJ (1997). *Recommendations for Coding Incidence Date*. Ispra, Italy: European Network of Cancer Registries. Available from: <https://encr.eu/sites/default/files/pdf/incideng.pdf>.
- Weir HK, Johnson CJ, Ward KC, Coleman MP (2016). The effect of multiple primary rules on cancer incidence rates and trends. *Cancer Causes Control*. 27(3):377–90. <https://doi.org/10.1007/s10552-016-0714-9> PMID:26809509

Table 5.4. Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|--|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| Africa | | | | |
| *Algeria, Batna | 1.6 | – | 1.0 | – |
| *Algeria, Tizi Ouzou | 2.1 | 0.2 | 1.7 | 0.1 |
| *Benin, Cotonou | 1.5 | – | 2.3 | – |
| *France, La Réunion | 3.1 | – | 2.9 | – |
| *Kenya, Eldoret | 2.7 | – | 2.3 | – |
| *Kenya, Nairobi | 2.2 | – | 1.6 | – |
| Mauritius | 9.1 | 2.4 | 6.7 | 1.6 |
| *Morocco, Casablanca | 3.4 | 0.2 | 1.9 | 0.1 |
| *Seychelles | 4.7 | – | 3.8 | – |
| *South Africa, Eastern Cape | 4.6 | – | 1.9 | – |
| *Uganda, Kyadondo County | 2.8 | 1.5 | 3.0 | 1.0 |
| *Uganda, Gulu | 4.7 | – | 0.9 | – |
| *Zimbabwe, Bulawayo: African | 4.6 | – | 3.3 | – |
| *Zimbabwe, Harare: African | 3.4 | 0.3 | 3.2 | 0.3 |
| Central and South America and the Caribbean | | | | |
| *Argentina, Entre Ríos Province | 4.9 | – | 4.5 | – |
| *Argentina, Mendoza | 4.0 | – | 3.6 | – |
| Brazil, Aracaju | 1.1 | – | 0.9 | – |
| *Brazil, Barretos | 2.7 | 0.0 | 2.7 | – |
| Brazil, Belo Horizonte | 3.5 | 0.5 | 3.7 | 0.4 |
| *Brazil, Campinas | 1.5 | 0.0 | 1.7 | 0.0 |
| *Brazil, Curitiba | 2.9 | – | 3.0 | – |
| Brazil, Goiânia | 1.9 | – | 1.8 | – |
| *Brazil, Jaú | 2.6 | – | 2.1 | – |
| Brazil, João Pessoa | 5.0 | – | 6.0 | – |
| Brazil, Recife | 3.0 | – | 3.4 | – |
| Chile, Region of Antofagasta | 2.0 | – | 2.3 | – |
| Chile, Valdivia | 3.6 | – | 3.9 | – |
| Colombia, Bucaramanga | 3.9 | 0.1 | 3.8 | 0.1 |
| Colombia, Cali | 4.5 | 0.7 | 4.3 | 0.5 |
| Colombia, Manizales | 4.9 | 3.7 | 4.6 | 5.3 |
| Colombia, Pasto | 3.7 | 0.1 | 3.6 | 0.0 |
| Costa Rica | 2.6 | – | 2.3 | – |
| Ecuador, Guayaquil | 3.6 | – | 2.9 | – |
| Ecuador, Manabí | 2.3 | 0.3 | 2.3 | 0.5 |
| Ecuador, Quito | 1.4 | 0.2 | 1.7 | 0.2 |
| *France, Guadeloupe | 0.8 | – | 1.4 | – |
| *France, Martinique | 0.8 | – | 1.8 | – |
| *Peru, Lima | 2.5 | 0.0 | 2.7 | 0.0 |
| *Trinidad and Tobago | 3.7 | – | 3.4 | – |
| USA, Puerto Rico | 1.5 | 0.0 | 1.5 | 0.0 |
| *Uruguay | 2.9 | 0.1 | 3.1 | 0.0 |
| North America | | | | |
| Canada, Alberta | 1.5 | – | 1.8 | – |
| Canada, British Columbia | 1.5 | – | 1.7 | – |
| *Canada, Manitoba | 1.5 | – | 1.7 | – |
| *Canada, New Brunswick | 1.0 | – | 1.3 | – |
| *Canada, Newfoundland and Labrador | 1.0 | – | 1.6 | – |
| Canada, Ontario | 0.5 | 0.0 | 0.5 | 0.0 |
| *Canada, Prince Edward Island | 2.2 | – | 2.2 | – |
| Canada, Quebec | 2.1 | 0.0 | 2.5 | 0.0 |
| Canada, Saskatchewan | 1.0 | – | 1.4 | – |
| *Canada, Yukon | 2.5 | – | 0.8 | – |
| USA | 1.9 | 0.0 | 2.1 | 0.0 |
| USA: White | 2.0 | 0.0 | 2.1 | 0.0 |
| USA: Black | 1.9 | 0.0 | 2.2 | 0.0 |
| USA, NPCR | 1.9 | 0.0 | 2.1 | 0.0 |
| USA, NPCR: White | 2.0 | 0.0 | 2.1 | 0.0 |
| USA, NPCR: Black | 1.9 | 0.0 | 2.2 | 0.0 |
| USA, NPCR: Asian and Pacific Islander | 1.8 | – | 1.7 | 0.0 |
| USA, NPCR: American Indian | 2.7 | – | 2.6 | – |
| *USA, SEER (18 registries) | 1.9 | – | 2.0 | – |
| *USA, SEER (18 registries): White | 1.9 | – | 2.1 | – |
| *USA, SEER (18 registries): Non-Hispanic White | 1.9 | – | 2.0 | – |
| *USA, SEER (18 registries): Hispanic White | 2.1 | – | 2.1 | – |
| *USA, SEER (18 registries): Black | 1.8 | – | 2.2 | – |
| *USA, SEER (18 registries): Asian and Pacific Islander | 1.8 | – | 1.8 | – |
| *USA, SEER (9 registries) | 1.7 | – | 1.8 | – |
| *USA, SEER (9 registries): White | 1.7 | – | 1.8 | – |
| *USA, SEER (9 registries): Black | 1.6 | – | 1.9 | – |
| USA, Alabama | 2.3 | – | 2.5 | – |
| USA, Alabama: White | 2.4 | – | 2.4 | – |

*Important. See note on population page.

Table 5.4. (Contd) Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|--|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| North America (contd) | | | | |
| USA, Alabama: Black | 2.0 | – | 2.8 | – |
| USA, Alaska | 2.5 | – | 1.9 | – |
| *USA, Alaska: Alaska Natives | 3.3 | – | 1.9 | – |
| USA, Arizona | 2.7 | 0.0 | 2.6 | 0.0 |
| USA, Arizona: White | 2.7 | 0.0 | 2.5 | 0.0 |
| USA, Arizona: Black | 3.0 | 0.0 | 2.8 | – |
| *USA, Arizona: Asian and Pacific Islander | 1.6 | – | 2.2 | – |
| USA, Arizona: American Indian | 3.5 | – | 4.0 | – |
| USA, Arkansas | 2.0 | – | 2.0 | 0.0 |
| USA, Arkansas: White | 2.0 | – | 1.9 | 0.0 |
| USA, Arkansas: Black | 1.9 | – | 2.3 | – |
| USA, California | 2.1 | 0.0 | 2.2 | 0.0 |
| USA, California: White | 2.1 | 0.0 | 2.3 | 0.0 |
| USA, California: Black | 2.3 | – | 2.6 | – |
| USA, California: Asian and Pacific Islander | 1.8 | – | 1.9 | – |
| *USA, California, Los Angeles County | 2.1 | – | 2.2 | – |
| *USA, California, Los Angeles County: White | 2.1 | – | 2.2 | – |
| *USA, California, Los Angeles County: Non-Hispanic White | 2.1 | – | 2.2 | – |
| *USA, California, Los Angeles County: Hispanic White | 2.2 | – | 2.2 | – |
| *USA, California, Los Angeles County: Black | 2.3 | – | 2.5 | – |
| *USA, California, Los Angeles County: Chinese | 2.2 | – | 2.1 | – |
| *USA, California, Los Angeles County: Filipino | 2.1 | – | 1.8 | – |
| *USA, California, Los Angeles County: Korean | 1.8 | – | 2.1 | – |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 2.0 | – | 2.0 | – |
| *USA, California, San Francisco Bay Area | 1.7 | – | 2.0 | – |
| *USA, California, San Francisco Bay Area: White | 1.7 | – | 2.0 | – |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1.8 | – | 2.0 | – |
| *USA, California, San Francisco Bay Area: Hispanic White | 1.6 | – | 2.0 | – |
| *USA, California, San Francisco Bay Area: Black | 2.5 | – | 2.8 | – |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 1.6 | – | 1.8 | – |
| USA, Colorado | 1.7 | – | 1.9 | – |
| USA, Colorado: White | 1.8 | – | 1.9 | – |
| *USA, Colorado: Black | 1.6 | – | 2.2 | – |
| *USA, Colorado: Asian and Pacific Islander | 1.2 | – | 1.8 | – |
| USA, Connecticut | 1.5 | – | 1.7 | – |
| USA, Connecticut: White | 1.5 | – | 1.8 | – |
| USA, Connecticut: Black | 1.4 | – | 1.9 | – |
| USA, District of Columbia | 2.3 | – | 2.8 | – |
| USA, District of Columbia: White | 1.9 | – | 2.3 | – |
| USA, District of Columbia: Black | 2.7 | – | 3.1 | – |
| USA, Florida | 2.2 | – | 2.3 | – |
| USA, Florida: White | 2.2 | – | 2.3 | – |
| USA, Florida: Black | 2.3 | – | 2.7 | – |
| USA, Florida: Asian and Pacific Islander | 2.4 | – | 1.5 | – |
| USA, Georgia | 1.5 | – | 1.7 | – |
| USA, Georgia: White | 1.5 | – | 1.6 | – |
| USA, Georgia: Black | 1.5 | – | 1.7 | – |
| USA, Georgia: Asian and Pacific Islander | 1.3 | – | 1.2 | – |
| *USA, Georgia, Atlanta | 1.3 | – | 1.5 | – |
| *USA, Georgia, Atlanta: White | 1.3 | – | 1.6 | – |
| *USA, Georgia, Atlanta: Black | 1.4 | – | 1.5 | – |
| USA, Idaho | 1.6 | – | 1.9 | – |
| USA, Indiana | 1.9 | – | 2.1 | – |
| USA, Indiana: White | 1.9 | – | 2.1 | – |
| USA, Indiana: Black | 1.6 | – | 2.1 | – |
| *USA, Iowa | 1.9 | – | 2.0 | – |
| USA, Kentucky | 1.9 | – | 1.9 | – |
| USA, Louisiana | 2.0 | – | 2.2 | – |
| USA, Louisiana: White | 1.9 | – | 2.0 | – |
| USA, Louisiana: Black | 2.2 | – | 2.6 | – |
| *USA, Louisiana, New Orleans | 2.2 | – | 2.6 | – |
| *USA, Louisiana, New Orleans: White | 2.2 | – | 2.5 | – |
| *USA, Louisiana, New Orleans: Black | 2.2 | – | 2.9 | – |
| USA, Maine | 2.1 | – | 2.4 | – |
| USA, Maryland | 2.0 | 0.0 | 2.2 | 0.0 |
| USA, Maryland: White | 2.0 | 0.0 | 2.1 | 0.0 |
| USA, Maryland: Black | 2.1 | 0.0 | 2.4 | 0.0 |
| USA, Maryland: Asian and Pacific Islander | 1.8 | – | 1.9 | 0.0 |
| USA, Massachusetts | 1.5 | – | 1.7 | – |
| USA, Massachusetts: White | 1.5 | – | 1.7 | – |
| USA, Massachusetts: Black | 1.6 | – | 1.7 | – |
| USA, Massachusetts: Asian and Pacific Islander | 1.1 | – | 1.2 | – |

*Important. See note on population page.

Table 5.4. (Contd) Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|---|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| North America (contd) | | | | |
| USA, Michigan | 1.9 | 0.0 | 2.0 | 0.0 |
| USA, Michigan: White | 1.9 | 0.0 | 2.0 | – |
| USA, Michigan: Black | 1.6 | – | 2.0 | 0.0 |
| USA, Michigan: Asian and Pacific Islander | 1.8 | – | 1.2 | – |
| *USA, Michigan, Detroit | 1.6 | – | 1.7 | – |
| *USA, Michigan, Detroit: White | 1.6 | – | 1.6 | – |
| *USA, Michigan, Detroit: Black | 1.6 | – | 1.9 | – |
| USA, Minnesota | 1.5 | – | 1.8 | – |
| USA, Minnesota: White | 1.5 | – | 1.8 | – |
| USA, Minnesota: Black | 1.7 | – | 1.9 | – |
| *USA, Minnesota: Asian and Pacific Islander | 1.5 | – | 2.2 | – |
| USA, Mississippi | 1.8 | – | 2.0 | – |
| USA, Missouri | 2.0 | 0.0 | 2.2 | – |
| USA, Missouri: White | 2.1 | – | 2.2 | – |
| USA, Missouri: Black | 1.8 | – | 2.0 | – |
| USA, Montana | 2.1 | – | 2.5 | – |
| *USA, Montana: American Indian | 2.2 | – | 2.5 | – |
| USA, Nebraska | 2.1 | – | 2.5 | – |
| USA, Nebraska: White | 2.1 | – | 2.5 | – |
| *USA, Nebraska: Black | 1.2 | – | 2.1 | – |
| USA, Nevada | 3.2 | 0.0 | 3.0 | – |
| USA, Nevada: White | 3.3 | 0.0 | 3.0 | – |
| USA, Nevada: Black | 3.4 | – | 3.6 | – |
| *USA, Nevada: Asian and Pacific Islander | 2.3 | – | 2.5 | – |
| USA, New Jersey | 1.7 | 0.0 | 1.9 | 0.0 |
| USA, New Jersey: White | 1.7 | 0.0 | 1.9 | – |
| USA, New Jersey: Black | 1.8 | 0.0 | 2.2 | – |
| USA, New Mexico | 2.5 | – | 2.3 | – |
| USA, New Mexico: White | 2.5 | – | 2.2 | – |
| USA, New Mexico: Non-Hispanic White | 2.5 | – | 2.1 | – |
| USA, New Mexico: Hispanic White | 2.5 | – | 2.5 | – |
| *USA, New Mexico: American Indian | 2.7 | – | 2.9 | – |
| USA, New York State | 1.6 | 0.0 | 1.9 | 0.0 |
| USA, New York State: White | 1.7 | – | 1.9 | 0.0 |
| USA, New York State: Black | 1.6 | – | 2.2 | – |
| USA, New York State: Asian and Pacific Islander | 1.6 | – | 1.3 | 0.0 |
| USA, North Carolina | 1.7 | 0.0 | 1.9 | 0.0 |
| USA, North Carolina: White | 1.7 | 0.0 | 1.9 | – |
| USA, North Carolina: Black | 1.8 | – | 2.0 | – |
| USA, North Carolina: Asian and Pacific Islander | 1.4 | – | 1.6 | – |
| *USA, North Carolina: American Indian | 1.7 | – | 2.0 | – |
| USA, North Dakota | 1.6 | – | 2.0 | – |
| USA, Ohio | 2.0 | – | 2.2 | – |
| USA, Ohio: White | 2.0 | – | 2.2 | – |
| USA, Ohio: Black | 1.9 | – | 2.2 | – |
| *USA, Ohio: Asian and Pacific Islander | 1.5 | – | 0.9 | – |
| USA, Oklahoma | 2.8 | – | 2.6 | – |
| USA, Oklahoma: White | 2.9 | – | 2.6 | – |
| USA, Oklahoma: Black | 2.2 | – | 2.6 | – |
| USA, Oklahoma: American Indian | 3.4 | – | 3.1 | – |
| USA, Oregon | 2.0 | – | 2.1 | – |
| USA, Oregon: White | 2.0 | – | 2.1 | – |
| *USA, Oregon: Black | 2.1 | – | 2.4 | – |
| *USA, Oregon: Asian and Pacific Islander | 2.7 | – | 1.5 | – |
| USA, Rhode Island | 1.8 | 0.0 | 1.9 | – |
| USA, Rhode Island: White | 1.8 | 0.0 | 1.9 | – |
| *USA, Rhode Island: Black | 1.4 | – | 1.5 | – |
| USA, South Carolina | 2.0 | – | 2.2 | – |
| USA, South Carolina: White | 2.1 | – | 2.1 | – |
| USA, South Carolina: Black | 2.0 | – | 2.4 | – |
| USA, South Dakota | 1.9 | – | 2.2 | – |
| USA, Tennessee | 2.4 | 0.0 | 2.5 | – |
| USA, Tennessee: White | 2.3 | – | 2.4 | – |
| USA, Tennessee: Black | 2.4 | 0.0 | 2.7 | – |
| USA, Texas | 1.9 | 0.0 | 2.0 | – |
| USA, Texas: White | 2.0 | 0.0 | 2.0 | – |
| USA, Texas: Black | 1.8 | – | 2.1 | – |
| USA, Texas: Asian and Pacific Islander | 1.6 | – | 1.7 | – |
| USA, Utah | 1.6 | – | 1.8 | – |
| USA, Vermont | 2.2 | – | 2.1 | – |
| USA, Washington State | 1.7 | – | 1.8 | – |
| *USA, Washington, Seattle | 1.6 | – | 1.6 | – |

*Important. See note on population page.

Table 5.4. (Contd) Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|--|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| North America (contd) | | | | |
| USA, West Virginia | 2.0 | – | 2.0 | – |
| USA, Wyoming | 2.5 | – | 2.7 | – |
| Asia | | | | |
| Bahrain: Bahrainis | 2.5 | – | 2.5 | – |
| Brunei Darussalam | 1.3 | – | 1.6 | – |
| *China, Anfu County | 0.8 | – | 0.5 | – |
| *China, Anguo City | 0.9 | – | 0.7 | – |
| *China, Anshan City | 1.3 | – | 1.4 | – |
| *China, Aohan Banner, Chifeng City | 0.7 | – | 0.9 | – |
| *China, Arongqi | 1.3 | – | 1.3 | – |
| *China, Baoding City | 2.1 | – | 1.8 | – |
| *China, Beijing City | 1.5 | – | 1.6 | – |
| *China, Binhai County | 0.5 | – | 0.8 | – |
| *China, Cangzhou City | 1.2 | – | 1.2 | – |
| China, Changfeng County | 2.7 | – | 3.5 | – |
| China, Changzhou City | 1.1 | – | 1.1 | – |
| China, Chengdu City | 2.0 | – | 2.2 | – |
| China, Cixian County | 0.1 | – | 0.1 | – |
| China, Cixi City | 0.7 | – | 0.9 | – |
| *China, Dafeng District, Yancheng City | 0.3 | – | 0.3 | – |
| China, Dalian City | 1.2 | – | 1.2 | – |
| *China, Dancheng County | 0.9 | – | 0.7 | – |
| China, Dangtu County | 0.5 | – | 1.1 | – |
| *China, Danyang City | 1.0 | – | 1.0 | – |
| *China, Dawukou District, Shizuishan City | 2.0 | – | 1.7 | – |
| *China, Dehui City | 0.7 | – | 0.8 | – |
| *China, Donggang County | 1.6 | – | 1.5 | – |
| *China, Dongguan City | 1.5 | – | 1.9 | – |
| China, Donghai County | 0.7 | – | 1.2 | – |
| *China, Dongtai City | 2.1 | – | 2.6 | – |
| China, Duanzhou District, Zhaoqing City | 2.7 | – | 2.3 | – |
| *China, Evenki Autonomous Banner | 0.5 | – | 0.6 | – |
| *China, Faku County | 1.5 | – | 1.6 | – |
| *China, Fangcheng County | 5.3 | – | 5.7 | – |
| *China, Feicheng City | 1.3 | – | 2.2 | – |
| China, Feixi County | 2.2 | – | 3.5 | – |
| China, Fuqing City | 1.9 | – | 2.2 | – |
| *China, Ganyu District, Lianyungang City | 0.6 | – | 0.8 | – |
| *China, Ganzhou District, Zhangye City | 1.2 | – | 2.1 | – |
| *China, Gaocheng City | 7.4 | – | 5.1 | – |
| China, Gaomi City | 0.3 | – | 0.4 | – |
| China, Gong'an County | 0.5 | – | 0.5 | – |
| *China, Guang'an District, Guang'an City | 0.8 | – | 0.8 | – |
| China, Guanghan City | 1.7 | – | 2.1 | – |
| China, Guangzhou City | 2.1 | – | 1.9 | – |
| *China, Guanyun County | 0.7 | – | 0.5 | – |
| China, Guilin City | 1.3 | – | 1.6 | – |
| *China, Hai'an City | 0.4 | – | 0.5 | – |
| China, Hailar District, Hulun Buir City | 0.7 | – | 0.6 | – |
| China, Haimen District, Nantong City | 0.5 | – | 0.7 | – |
| China, Haining City | 0.5 | – | 0.4 | – |
| China, Hangzhou City | 0.9 | – | 1.0 | – |
| China, Hebi City | 0.2 | – | 0.8 | – |
| China, Hefei City | 2.0 | – | 2.4 | – |
| China, Hengdong County | 3.7 | – | 3.1 | – |
| *China, Hengfeng County | 0.9 | – | 0.9 | – |
| *China, Hepu County | 1.9 | – | 2.0 | – |
| China, Honghu City | 0.3 | – | 0.6 | – |
| China, Hongshan District, Chifeng City | 1.5 | – | 1.0 | – |
| *China, Hongta District, Yuxi City | 1.3 | – | 0.8 | – |
| *China, Huaiyin District, Huai'an City | 0.9 | – | 0.9 | – |
| *China, Jiange County | 0.7 | – | 0.8 | – |
| China, Jiangmen City | 1.4 | – | 1.5 | – |
| *China, Jiangyin City | 0.6 | – | 0.7 | – |
| *China, Jiashan County | 0.7 | – | 0.7 | – |
| China, Jiayu County | 1.0 | – | 1.1 | – |
| *China, Jinan City | 1.0 | – | 1.0 | – |
| *China, Jingtai County | 1.6 | – | 0.9 | – |
| *China, Jingxian County | 1.3 | – | 1.3 | – |
| *China, Jintan District, Changzhou City | 1.8 | – | 1.9 | – |
| *China, Jiulongpo District, Chongqing City | 1.4 | – | 1.7 | – |
| *China, Jiyuan City | 2.1 | – | 2.4 | – |

*Important. See note on population page.

Table 5.4. (Contd) Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|--|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| Asia (contd) | | | | |
| China, Kaihua County | 0.9 | – | 0.8 | – |
| China, Kunshan City | 0.9 | – | 1.1 | – |
| China, Langzhong City | 1.1 | – | 1.4 | – |
| *China, Liangshan County | 0.5 | – | 0.6 | – |
| *China, Lianshui County | 0.6 | – | 1.2 | – |
| China, Lianyungang City | 1.0 | – | 1.2 | – |
| China, Linhe District, Bayannur City | 0.9 | – | 0.4 | – |
| China, Linqu County | 0.4 | – | 0.5 | – |
| *China, Linzhou City | 1.2 | – | 1.6 | – |
| China, Liuzhou City | 2.1 | – | 1.7 | – |
| China, Liyang City | 1.0 | – | 1.4 | – |
| *China, Longquan City | 0.6 | – | 0.6 | – |
| China, Lucheng District, Wenzhou City | 0.7 | – | 0.5 | – |
| China, Luoding City | 3.3 | – | 3.2 | – |
| *China, Luohe City | 1.3 | – | 1.4 | – |
| *China, Luoyang City | 1.4 | – | 1.6 | – |
| *China, Luquan City | 1.0 | – | 1.0 | – |
| China, Ma'anshan City | 0.5 | – | 1.2 | – |
| *China, Macheng City | 0.6 | – | 0.7 | – |
| China, Meihekou City | 1.8 | – | 1.1 | – |
| *China, Mengjin County | 0.9 | – | 1.1 | – |
| China, Nangang District, Harbin City | 0.8 | – | 1.0 | – |
| *China, Nanhai District, Foshan City | 1.2 | – | 1.1 | – |
| China, Nanhu District, Jiaying City | 1.0 | – | 0.7 | – |
| *China, Nantong City | 1.6 | – | 2.1 | – |
| *China, Nanxiong City | 1.7 | – | 2.5 | – |
| China, Neixiang County | 0.6 | – | 0.6 | – |
| *China, Qianxi County | 0.5 | – | 0.8 | – |
| China, Qidong City | 0.3 | – | 0.3 | – |
| China, Qingzhou City | 1.0 | – | 0.9 | – |
| *China, Rudong County | 1.1 | – | 1.1 | – |
| *China, Rugao City | 0.6 | – | 0.8 | – |
| *China, Rural areas of Shanghai City | 1.5 | – | 1.6 | – |
| China, Ruyang County | 1.5 | – | 1.6 | – |
| *China, Shan County | 0.5 | – | 0.7 | – |
| China, Shanghai City | 1.8 | – | 2.1 | – |
| China, Shangyu District, Shaoxing City | 0.3 | – | 0.5 | – |
| *China, Shapingba District, Chongqing City | 0.9 | – | 1.2 | – |
| China, Shexian County | 0.2 | – | 0.9 | – |
| China, Sheyang County | 0.2 | – | 0.3 | – |
| *China, Shijiazhuang City | 3.2 | – | 3.6 | – |
| China, Shunde District, Foshan City | 3.4 | – | 3.6 | – |
| *China, Song County | 0.6 | – | 0.5 | – |
| China, Suzhou City | 1.8 | – | 1.9 | – |
| *China, Tengzhou City | 0.2 | – | 0.3 | – |
| *China, Wangdu County | 2.8 | – | 2.5 | – |
| *China, Wanzai County | 1.6 | – | 1.1 | – |
| *China, Wu'an City | 1.6 | – | 1.8 | – |
| China, Wuhan City | 1.5 | – | 1.7 | – |
| *China, Wuhu City | 1.8 | – | 2.0 | – |
| China, Wuxi City | 0.9 | – | 1.3 | – |
| China, Wuzhou City | 0.8 | – | 1.0 | – |
| China, Xiangfu District, Kaifeng City | 0.4 | – | 0.5 | – |
| China, Xianju County | 0.9 | – | 0.7 | – |
| *China, Xin'an County | 1.7 | – | 1.4 | – |
| *China, Xining City | 2.1 | – | 2.2 | – |
| *China, Xinji City | 2.4 | – | 2.4 | – |
| *China, Xinluo District, Longyan City | 2.8 | – | 3.1 | – |
| *China, Xinzhou District, Shangrao City | 1.4 | – | 1.6 | – |
| China, Xiping County | 0.8 | – | 0.9 | – |
| *China, Xishan District, Kunming City | 0.4 | – | 0.9 | – |
| *China, Xuyi County | 0.6 | – | 0.6 | – |
| *China, Ya'an City | 1.4 | – | 1.7 | – |
| *China, Yakeshi City | 0.7 | – | 1.0 | – |
| China, Yancheng City | 1.0 | – | 1.2 | – |
| *China, Yangquan City | 1.3 | – | 1.0 | – |
| *China, Yangzhong City | 0.2 | – | 0.2 | – |
| *China, Yanji City | 1.0 | – | 1.0 | – |
| *China, Yanshi City | 0.7 | – | 1.0 | – |
| China, Yanting County | 0.9 | – | 0.9 | – |
| *China, Yi'an District, Tongling City | 2.2 | – | 3.9 | – |
| *China, Yingdong District, Fuyang City | 0.7 | – | 1.2 | – |

*Important. See note on population page.

Table 5.4. (Contd) Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|--|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| Asia (contd) | | | | |
| *China, Yinzhou District, Ningbo City | 0.3 | – | 0.5 | – |
| *China, Yiyuan County | 0.3 | – | 0.9 | – |
| China, Yong’an City | 2.9 | – | 2.6 | – |
| *China, Yongding District, Longyan City | 1.4 | – | 1.6 | – |
| China, Yongkang City | 1.1 | – | 1.2 | – |
| *China, Yucheng County | 2.4 | – | 2.3 | – |
| China, Yueyanglou District, Yueyang City | 0.4 | – | 0.4 | – |
| China, Yunmeng County | 0.8 | – | 1.0 | – |
| *China, Yunyang District, Shiyang City | 0.8 | – | 1.4 | – |
| China, Yuzhong District, Chongqing City | 1.1 | – | 1.8 | – |
| *China, Zanhuang County | 0.5 | – | 1.0 | – |
| *China, Zhangjiagang City | 0.5 | – | 0.6 | – |
| *China, Zhaoyuan City | 0.5 | – | 0.7 | – |
| *China, Zhengding County | 2.1 | – | 2.1 | – |
| *China, Zhongshan City | 1.4 | – | 1.2 | – |
| China, Zhongxiang City | 1.0 | – | 0.9 | – |
| *China, Zhuanghe City | 1.5 | – | 1.3 | – |
| *China, Zhuhai City | 1.3 | – | 1.3 | – |
| India, Ahmedabad, Urban | 5.8 | 0.0 | 4.0 | 0.1 |
| India, Aurangabad | 2.8 | – | 1.6 | – |
| India, Bangalore | 7.9 | 0.0 | 5.0 | 0.0 |
| India, Barshi, Paranda, and Bhum | 8.0 | – | 4.6 | – |
| *India, Bhopal | 4.3 | – | 2.3 | – |
| India, Chandigarh | 4.1 | – | 2.3 | – |
| *India, Chennai | 5.1 | – | 3.8 | – |
| India, Dibrugarh | 5.1 | – | 3.3 | – |
| *India, Dindigul, Ambalikkai | 11.1 | – | 8.1 | – |
| India, Kamrup Urban District | 5.9 | 0.0 | 4.2 | – |
| India, Kollam | 6.9 | 0.1 | 5.5 | 0.0 |
| *India, Manipur | 5.2 | – | 3.2 | – |
| India, Meghalaya | 7.4 | 0.0 | 6.2 | 0.0 |
| India, Mizoram | 9.5 | – | 8.9 | – |
| India, Mumbai | 4.9 | 0.1 | 4.2 | 0.1 |
| *India, New Delhi | 4.9 | 0.6 | 3.6 | 0.5 |
| India, Poona | 4.4 | – | 3.6 | 0.0 |
| *India, Sangrur District | 11.2 | – | 6.1 | – |
| India, SAS Nagar | 5.9 | – | 3.9 | – |
| *India, Tamil Nadu | 8.2 | – | 5.1 | – |
| *India, Tripura | 7.3 | 0.0 | 4.7 | – |
| India, Trivandrum | 10.1 | 0.0 | 8.2 | – |
| India, Wardha | 2.2 | – | 1.1 | – |
| India, West Arunachal | 1.0 | – | 0.3 | – |
| *Iran (Islamic Republic of), Ardabil Province | 2.3 | – | 3.0 | – |
| *Iran (Islamic Republic of), Golestan Province | 2.9 | 0.2 | 2.3 | 0.2 |
| Israel | 3.3 | – | 3.1 | – |
| *Israel: Jews | 3.3 | – | 3.2 | – |
| *Israel: Arabs | 3.7 | – | 2.8 | – |
| Japan | 0.9 | 0.0 | 1.4 | 0.0 |
| Japan, Aichi Prefecture | 0.8 | – | 1.3 | – |
| *Japan, Akita Prefecture | 1.0 | – | 1.4 | – |
| Japan, Aomori Prefecture | 0.8 | 0.0 | 1.4 | – |
| Japan, Gunma Prefecture | 0.7 | – | 1.2 | – |
| Japan, Hiroshima Prefecture | 0.6 | – | 1.2 | – |
| Japan, Miyagi Prefecture | 0.8 | – | 1.1 | – |
| Japan, Osaka Prefecture | 0.8 | 0.0 | 1.3 | – |
| Kuwait | 2.3 | – | 1.9 | – |
| *Kuwait: Kuwaitis | 2.3 | – | 2.0 | – |
| *Kuwait: Non-Kuwaitis | 2.3 | – | 1.9 | – |
| *Philippines, Manila | 5.1 | 0.1 | 3.9 | 0.1 |
| *Qatar: Qatari | 0.9 | 0.3 | 1.0 | – |
| Republic of Korea | 0.7 | – | 0.8 | – |
| *Republic of Korea, Busan | 0.8 | – | 0.8 | – |
| *Republic of Korea, Daegu | 0.8 | – | 0.8 | – |
| *Republic of Korea, Daejeon | 0.6 | – | 0.7 | – |
| *Republic of Korea, Gwangju | 0.7 | – | 0.9 | – |
| Republic of Korea, Incheon | 0.7 | – | 0.9 | – |
| Republic of Korea, Jeju | 0.8 | – | 0.6 | – |
| Republic of Korea, Seoul | 0.6 | – | 0.7 | – |
| Republic of Korea, Ulsan | 0.5 | – | 0.6 | – |
| Singapore | 1.2 | – | 1.3 | – |
| Singapore: Chinese | 1.2 | – | 1.3 | – |
| Singapore: Indian | 1.9 | – | 0.9 | – |

*Important. See note on population page.

Table 5.4. (Contd) Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|--|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| Asia (contd) | | | | |
| Singapore: Malay | 1.2 | – | 1.2 | – |
| Thailand, Bangkok | 3.4 | – | 2.5 | – |
| *Thailand, Chiang Mai | 3.1 | – | 2.4 | – |
| *Thailand, Khon Kaen | 4.0 | – | 2.8 | – |
| Thailand, Lampang | 2.3 | – | 2.2 | – |
| Thailand, Lopburi Province | 2.7 | – | 2.1 | – |
| *Thailand, Songkhla | 3.8 | – | 2.6 | – |
| Turkey, Antalya | 1.4 | – | 1.4 | – |
| Turkey, Bursa | 2.4 | – | 2.2 | – |
| *Turkey, Edirne | 2.6 | – | 2.2 | – |
| *Turkey, Erzurum | 1.3 | – | 1.9 | – |
| Turkey, Eskişehir | 1.7 | – | 1.6 | – |
| Turkey, Gaziantep | 2.2 | – | 2.2 | – |
| *Turkey, Izmir | 1.9 | 0.0 | 2.0 | 0.0 |
| Turkey, Malatya | 1.6 | – | 2.0 | – |
| Turkey, Samsun | 2.2 | – | 2.1 | – |
| Turkey, Trabzon | 1.6 | – | 1.6 | – |
| Europe | | | | |
| Austria | 2.4 | – | 2.8 | – |
| Austria, Carinthia | 1.4 | – | 1.1 | – |
| Austria, Tyrol | 1.1 | – | 1.5 | – |
| Austria, Vorarlberg | 1.4 | – | 2.1 | – |
| Belarus | 1.9 | – | 1.7 | – |
| *Belgium | 1.0 | – | 1.0 | – |
| Croatia | 2.2 | – | 2.7 | – |
| Cyprus | 1.5 | 1.3 | 1.7 | 0.4 |
| *Czech Republic | 1.9 | – | 2.1 | – |
| Denmark | 1.6 | – | 2.1 | – |
| Estonia | 1.7 | – | 1.9 | – |
| Finland | 1.6 | – | 2.0 | – |
| *France, Bas-Rhin | 1.7 | – | 2.3 | – |
| *France, Calvados | 1.8 | – | 2.1 | – |
| *France, Doubs | 1.4 | – | 1.6 | – |
| *France, Gironde | 1.5 | – | 1.5 | – |
| *France, Haut-Rhin | 1.4 | – | 1.7 | – |
| *France, Hérault | 1.4 | – | 1.5 | – |
| *France, Isère | 1.5 | – | 1.5 | – |
| *France, Lille-Métropole | 1.8 | – | 1.5 | – |
| *France, Limousin | 2.3 | – | 2.4 | – |
| *France, Loire-Atlantique | 1.5 | – | 1.8 | – |
| *France, Manche | 1.4 | – | 1.5 | – |
| *France, Poitou-Charentes | 1.5 | – | 1.5 | – |
| *France, Somme | 1.9 | – | 2.5 | – |
| *France, Tarn | 2.4 | – | 2.6 | – |
| *France, Territoire de Belfort | 2.0 | – | 2.2 | – |
| *France, Vendée | 1.7 | – | 1.8 | – |
| Germany, Baden-Württemberg | 2.1 | – | 2.6 | – |
| Germany, Bavaria | 2.0 | – | 2.5 | – |
| Germany, Bremen | 1.5 | – | 1.9 | – |
| Germany, Hamburg | 2.3 | – | 2.5 | – |
| Germany, Lower Saxony | 1.5 | – | 1.8 | – |
| Germany, North Rhine-Westphalia | 1.8 | – | 2.0 | – |
| Germany, Rhineland-Palatinate | 1.8 | – | 2.2 | – |
| Germany, Saarland | 3.4 | – | 3.4 | – |
| Germany, Schleswig-Holstein | 1.5 | – | 1.7 | – |
| Iceland | 1.1 | – | 1.8 | – |
| Ireland | 1.3 | – | 1.6 | – |
| *Italy, Aosta Valley | 0.7 | – | 0.8 | – |
| *Italy, Avellino | 1.0 | – | 1.5 | – |
| Italy, Basilicata | 1.4 | – | 1.6 | – |
| *Italy, Benevento | 0.8 | – | 1.3 | – |
| Italy, Bergamo | 1.1 | – | 1.6 | – |
| *Italy, Brescia | 1.2 | – | 1.6 | – |
| Italy, Brianza (Lecco and Monza e Brianza) | 1.1 | – | 1.7 | – |
| Italy, Calabria | 1.0 | – | 1.1 | – |
| *Italy, Caserta | 1.1 | – | 1.5 | – |
| *Italy, Catania, Messina, and Enna | 1.3 | – | 1.9 | – |
| Italy, Emilia-Romagna | 1.2 | – | 1.6 | – |
| Italy, Friuli-Venezia Giulia | 1.3 | – | 1.7 | – |
| Italy, Genova | 1.4 | – | 1.8 | – |
| *Italy, Lombardy, South, Pavia | 1.4 | – | 2.0 | – |
| Italy, Mantova and Cremona | 1.4 | – | 1.8 | – |

*Important. See note on population page.

Table 5.4. (Contd) Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|-------------------------------------|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| Europe (contd) | | | | |
| Italy, Marche | 0.7 | – | 1.1 | – |
| Italy, Milan | 1.1 | – | 1.5 | – |
| Italy, Molise | 1.1 | – | 1.9 | – |
| *Italy, Naples Centre | 1.3 | – | 1.2 | – |
| *Italy, Naples North | 0.7 | – | 0.8 | – |
| *Italy, Naples South | 1.0 | – | 1.3 | – |
| *Italy, Nuoro | 0.9 | – | 1.0 | – |
| *Italy, Palermo | 1.7 | – | 2.0 | – |
| Italy, Puglia | 0.9 | – | 1.3 | – |
| *Italy, Ragusa and Caltanissetta | 1.1 | – | 1.5 | – |
| *Italy, Salerno | 0.9 | – | 1.3 | – |
| Italy, Sassari | 0.9 | – | 1.3 | – |
| *Italy, Sondrio | 1.3 | – | 2.1 | – |
| Italy, South Tyrol | 1.1 | – | 2.0 | – |
| *Italy, Syracuse | 1.8 | – | 1.8 | – |
| Italy, Trento | 0.9 | – | 1.3 | – |
| Italy, Turin | 1.3 | – | 2.1 | – |
| *Italy, Tuscany | 1.0 | – | 1.4 | – |
| Italy, Umbria | 1.1 | – | 1.4 | – |
| Italy, Varese | 1.0 | – | 1.2 | – |
| Italy, Veneto | 1.1 | – | 1.4 | – |
| Latvia | 3.2 | – | 3.2 | – |
| *Liechtenstein | 0.8 | – | 0.8 | – |
| *Lithuania | 2.5 | – | 2.4 | – |
| Malta | 4.6 | 0.0 | 5.2 | – |
| *The Netherlands | 1.3 | – | 1.7 | – |
| Norway | 1.3 | – | 1.9 | – |
| Poland, Kielce | 1.7 | – | 1.9 | – |
| *Portugal, Azores | 2.0 | – | 1.9 | – |
| Russian Federation, Arkhangelsk | 2.2 | – | 2.1 | – |
| Russian Federation, Kaliningrad | 2.5 | – | 2.0 | – |
| Russian Federation, Karelia | 2.2 | – | 1.5 | – |
| *Russian Federation, Komi Republic | 2.6 | – | 2.0 | – |
| Russian Federation, Murmansk | 1.9 | – | 1.7 | – |
| *Russian Federation, Orenburg | 4.5 | – | 8.1 | – |
| Russian Federation, Pskov | 2.6 | – | 2.2 | – |
| *Russian Federation, Samara | 1.7 | – | 1.3 | – |
| Russian Federation, Vologda Region | 3.4 | – | 2.6 | – |
| Slovenia | 1.5 | – | 2.4 | – |
| Spain, Asturias | 2.2 | – | 3.0 | – |
| Spain, Basque Country | 1.7 | – | 2.1 | – |
| Spain, Canary Islands | 1.8 | – | 2.1 | – |
| Spain, Castellón | 1.1 | – | 1.6 | – |
| Spain, Girona | 1.4 | – | 1.8 | – |
| Spain, Granada | 1.7 | – | 2.1 | – |
| Spain, La Rioja | 2.2 | – | 2.6 | – |
| Spain, Murcia | 2.0 | – | 2.1 | – |
| Spain, Navarra | 0.9 | – | 1.6 | – |
| Spain, Salamanca | 1.1 | – | 1.7 | – |
| Spain, Tarragona | 1.5 | 0.1 | 1.5 | 0.1 |
| *Sweden | 1.3 | – | 2.6 | – |
| Switzerland, Aargau | 1.3 | – | 2.3 | – |
| Switzerland, Basel | 1.0 | – | 1.4 | – |
| Switzerland, Berne Solothurn | 1.3 | – | 1.7 | – |
| Switzerland, East | 0.8 | – | 1.1 | – |
| *Switzerland, Fribourg | 1.2 | – | 1.1 | – |
| Switzerland, Geneva | 1.1 | – | 1.3 | – |
| *Switzerland, Graubünden and Glarus | 1.2 | – | 1.6 | – |
| *Switzerland, Lucerne | 1.6 | – | 1.9 | – |
| *Switzerland, Neuchâtel and Jura | 1.2 | – | 1.5 | – |
| Switzerland, Ticino | 0.9 | – | 1.5 | – |
| Switzerland, Valais | 1.2 | – | 1.5 | – |
| Switzerland, Vaud | 0.9 | – | 1.0 | – |
| Switzerland, Zurich and Zug | 1.0 | – | 1.6 | – |
| Ukraine | 3.3 | – | 2.3 | – |
| UK, England | 1.5 | – | 2.2 | – |
| UK, Northern Ireland | 1.7 | – | 2.3 | – |
| UK, Scotland | 2.0 | – | 2.7 | – |
| UK, Wales | 1.9 | – | 2.7 | – |
| Oceania | | | | |
| *Australia, NSW/ACT | 2.1 | – | 2.5 | – |
| *Australia, Northern Territory | 2.6 | – | 3.0 | – |

*Important. See note on population page.

Table 5.4. (Contd) Percentage of cases site coded as “Other and unspecified” (O&U) and percentages of cases with unknown age (Unk), for all sites, by population

| | Male | | Female | |
|--|------|-----|--------|-----|
| | O&U | Unk | O&U | Unk |
| Oceania (contd) | | | | |
| *Australia, Northern Territory: Non-Indigenous | 1.8 | – | 2.2 | – |
| *Australia, Northern Territory: Indigenous | 7.1 | – | 5.6 | – |
| *Australia, Queensland | 2.1 | – | 2.3 | – |
| Australia, South Australia | 2.5 | 0.1 | 3.1 | 0.1 |
| Australia, Tasmania | 2.7 | – | 3.4 | – |
| *Australia, Victoria | 3.8 | – | 4.0 | – |
| *Australia, Western Australia | 2.1 | – | 2.2 | – |
| *France, New Caledonia | 2.4 | – | 2.4 | – |
| New Zealand | 2.3 | – | 3.0 | – |
| *New Zealand: Maori | 2.6 | – | 3.1 | – |
| *New Zealand: Pacific peoples | 2.5 | – | 2.6 | – |
| *New Zealand: Other | 2.2 | – | 3.0 | – |
| USA, Hawaii | 2.2 | – | 1.8 | – |
| USA, Hawaii: White | 2.5 | – | 1.8 | – |
| *USA, Hawaii: Japanese | 2.2 | – | 2.0 | – |
| *USA, Hawaii: Chinese | 2.0 | – | 1.8 | – |
| *USA, Hawaii: Hawaiian | 2.3 | – | 1.7 | – |
| *USA, Hawaii: Filipino | 1.6 | – | 1.6 | – |

*Important. See note on population page.


Editorial table 1: Number of cases registered per year by site, and a bar chart of the total number of cases registered per year; see the chapter text for more details

EREWHON (2013–2017)

| SITE | MALE | | | | | Total |
|--|---------------|---------------|---------------|---------------|---------------|---------------|
| | 2013 | 2014 | 2015 | 2016 | 2017 | |
| Lip, oral cavity and pharynx (C00–14) | 408 (2.9) | 462 (3.4) | 460 (3.3) | 480 (3.5) | 477 (3.6) | 2287 (3.3) |
| Digestive organs (C15–26) | 2479 (17.8) | 2423 (17.6) | 2569 (18.5) | 2670 (19.4) | 2585 (19.6) | 12726 (18.6) |
| Respiratory organs (C30–39) | 2152 (15.4) | 2018 (14.6) | 2029 (14.6) | 1989 (14.5) | 1946 (14.7) | 10134 (14.8) |
| Bone, cartilage, melanoma (C40–43) | 701 (5.0) | 677 (4.9) | 709 (5.1) | 723 (5.3) | 744 (5.6) | 3554 (5.2) |
| Male genital (C60–63) | 4548 (32.6) | 4529 (32.9) | 4302 (30.9) | 4162 (30.3) | 3637 (27.5) | 21178 (30.9) |
| Urinary organs (C64–68, D0.90+D41.4) | 1385 (9.9) | 1351 (9.8) | 1391 (10.0) | 1361 (9.9) | 1503 (11.4) | 6991 (10.2) |
| Eye, brain, thyroid etc. (C69–75) | 417 (3.0) | 424 (3.1) | 462 (3.3) | 420 (3.1) | 488 (3.7) | 2211 (3.2) |
| Haematopoietic (C81–96, D45–47) | 1365 (9.8) | 1426 (10.3) | 1472 (10.6) | 1431 (10.4) | 1374 (10.4) | 7068 (10.3) |
| Other and unspecified | 487 (3.5) | 472 (3.4) | 519 (3.7) | 506 (3.7) | 457 (3.5) | 2441 (3.6) |
| All sites but skin (C00–96bC44, DXX.X) | 13942 (100.0) | 13782 (100.0) | 13913 (100.0) | 13742 (100.0) | 13211 (100.0) | 68590 (100.0) |


| SITE | FEMALE | | | | | Total |
|--|---------------|---------------|---------------|---------------|---------------|---------------|
| | 2013 | 2014 | 2015 | 2016 | 2017 | |
| Lip, oral cavity and pharynx (C00–14) | 190 (1.4) | 181 (1.3) | 193 (1.4) | 179 (1.3) | 210 (1.5) | 953 (1.4) |
| Digestive organs (C15–26) | 2155 (15.9) | 2171 (16.0) | 2114 (15.5) | 2132 (15.5) | 2124 (15.6) | 10696 (15.7) |
| Respiratory organs (C30–39) | 1942 (14.3) | 1892 (13.9) | 1822 (13.4) | 1865 (13.6) | 1841 (13.5) | 9362 (13.7) |
| Bone, cartilage, melanoma (C40–43) | 517 (3.8) | 502 (3.7) | 566 (4.2) | 515 (3.8) | 511 (3.8) | 2611 (3.8) |
| Breast (C50) | 4175 (30.8) | 4062 (29.9) | 4100 (30.1) | 4138 (30.2) | 4045 (29.7) | 20520 (30.1) |
| Female genital (C51–58) | 1511 (11.2) | 1665 (12.2) | 1608 (11.8) | 1668 (12.2) | 1685 (12.4) | 8137 (12.0) |
| Urinary organs (C64–68, D0.90+D41.4) | 687 (5.1) | 660 (4.9) | 662 (4.9) | 683 (5.0) | 655 (4.8) | 3347 (4.9) |
| Eye, brain, thyroid etc. (C69–75) | 734 (5.4) | 839 (6.2) | 840 (6.2) | 837 (6.1) | 936 (6.9) | 4186 (6.1) |
| Haematopoietic (C81–96, D45–47) | 1154 (8.5) | 1154 (8.5) | 1272 (9.3) | 1290 (9.4) | 1170 (8.6) | 6040 (8.9) |
| Other and unspecified | 472 (3.5) | 474 (3.5) | 431 (3.2) | 413 (3.0) | 446 (3.3) | 2236 (3.3) |
| All sites but skin (C00–96bC44, DXX.X) | 13537 (100.0) | 13600 (100.0) | 13608 (100.0) | 13720 (100.0) | 13623 (100.0) | 68088 (100.0) |

| SITE | BOTH SEXES | | | | | Total |
|--|---------------|---------------|---------------|---------------|---------------|----------------|
| | 2013 | 2014 | 2015 | 2016 | 2017 | |
| Lip, oral cavity and pharynx (C00–14) | 598 (2.2) | 643 (2.3) | 653 (2.4) | 659 (2.4) | 687 (2.6) | 3240 (2.4) |
| Digestive organs (C15–26) | 4634 (16.9) | 4594 (16.8) | 4683 (17.0) | 4802 (17.5) | 4709 (17.5) | 23422 (17.1) |
| Respiratory organs (C30–39) | 4094 (14.9) | 3910 (14.3) | 3851 (14.0) | 3854 (14.0) | 3787 (14.1) | 19496 (14.3) |
| Bone, cartilage, melanoma (C40–43) | 1218 (4.4) | 1179 (4.3) | 1275 (4.6) | 1238 (4.5) | 1255 (4.7) | 6165 (4.5) |
| Breast (C50) | 4175 (15.2) | 4062 (14.8) | 4100 (14.9) | 4138 (15.1) | 4045 (15.1) | 20520 (15.0) |
| Female genital (C51–58) | 1511 (5.5) | 1665 (6.1) | 1608 (5.8) | 1668 (6.1) | 1685 (6.3) | 8137 (6.0) |
| Male genital (C60–63) | 4548 (16.6) | 4529 (16.5) | 4302 (15.6) | 4162 (15.2) | 3637 (13.6) | 21178 (15.5) |
| Urinary organs (C64–68, D0.90+D41.4) | 2072 (7.5) | 2011 (7.3) | 2053 (7.5) | 2044 (7.4) | 2158 (8.0) | 10338 (7.6) |
| Eye, brain, thyroid etc. (C69–75) | 1151 (4.2) | 1263 (4.6) | 1302 (4.7) | 1257 (4.6) | 1424 (5.3) | 6397 (4.7) |
| Haematopoietic (C81–96, D45–47) | 2519 (9.2) | 2580 (9.4) | 2744 (10.0) | 2721 (9.9) | 2544 (9.5) | 13108 (9.6) |
| Other and unspecified | 959 (3.5) | 946 (3.5) | 950 (3.5) | 919 (3.3) | 903 (3.4) | 4677 (3.4) |
| All sites but skin (C00–96bC44, DXX.X) | 27479 (100.0) | 27382 (100.0) | 27521 (100.0) | 27462 (100.0) | 26834 (100.0) | 136678 (100.0) |



Editorial figure 1: Age-specific incidence curves for major diagnosis groups in males (solid lines) and females (dashed lines); see the chapter text for more details

EREWHON (2013–2017)



Editorial table 3: Values compared against standard values from registries in the same region; see the chapter text for more details

EREWTON (2013–2017)

MALE

| SITE | Cases | ASR (se) | O/E | MV(%) | DCO(%) | M/I(%) | ICD-10 |
|-------------------------------|-------|----------------------|-------------|---------------|--------|---------------|------------|
| Lip, oral cavity and pharynx | 2287 | 11.2 (0.24) | 1.01 | 96.3 < | 3.1 | 21.5 | C00–14 |
| Oesophagus | 1139 | 5.3 (0.16) | 1.01 | 92.3 < | 6.8 | 86.7 | C15 |
| Stomach | 1177 | 5.5 (0.16) | 0.85 | 93.1 < | 6.2 | 52.3 | C16 |
| Colon, rectum and anus | 5994 | 28.0 (0.37) < | 0.79 | 94.6 < | 4.4 | 40.8 > | C18–21 |
| Liver | 1656 | 8.0 (0.20) | 1.13 | 60.0 | 12.8 | 79.0 | C22 |
| Gallbladder etc. | 384 | 1.7 (0.09) | 1.04 | 91.1 | 3.1 | 26.8 | C23–24 |
| Pancreas | 1905 | 8.7 (0.21) | 1.05 | 81.7 | 11.9 | 91.4 | C25 |
| Larynx | 802 | 3.8 (0.14) | 0.84 | 95.6 < | 3.7 | 37.2 | C32 |
| Lung (incl. trachea) | 9091 | 41.7 (0.45) | 0.85 | 86.3 | 9.3 | 80.9 | C33–34 |
| Melanoma of skin | 3402 | 16.5 (0.29) | 1.00 | 97.9 < | 1.9 | 15.5 | C43 |
| Prostate | 20483 | 100.5 (0.71) | 0.90 | 96.7 | 2.7 | 12.5 | C61 |
| Testis | 590 | 3.9 (0.16) | 0.76 | 99.3 | 0.3 | 4.4 | C62 |
| Kidney etc. | 2857 | 14.0 (0.27) | 1.01 | 90.7 | 3.3 | 26.7 | C64–66,C68 |
| Bladder | 4134 | 18.2 (0.29) | 0.87 | 96.3 < | 2.8 | 24.3 > | C67 |
| Brain, central nervous system | 1043 | 6.0 (0.20) | 0.95 | 87.7 | 6.6 | 65.4 | C70–72 |
| Thyroid | 1046 | 5.7 (0.18) | 1.34 | 99.4 | 0.5 | 5.4 | C73 |
| Lymphoma | 4238 | 21.4 (0.34) | 0.90 | 91.6 < | 6.1 | 36.4 | C81–88,C90 |
| Leukaemia | 1955 | 10.1 (0.25) | 0.88 | 79.2 < | 12.3 | 53.1 | C91–95 |
| Ill-defined (2.0% of total) | 1396 | 6.2 (0.17) | 1.08 | 67.6 < | 20.1 | 134.7 | C76–80 |
| All sites except skin | 68590 | 331.5 (1.30) | 0.91 | 91.4 < | 5.5 | 38.4 | C00–96bC44 |

FEMALE

| SITE | Cases | ASR (se) | O/E | MV(%) | DCO(%) | M/I(%) | ICD-10 |
|-------------------------------|-------|----------------------|-------------|---------------|--------|---------------|------------|
| Lip, oral cavity and pharynx | 953 | 3.9 (0.14) | 0.95 | 96.9 | 2.5 | 24.6 | C00–14 |
| Oesophagus | 290 | 1.0 (0.06) | 0.86 | 91.0 | 7.9 | 91.4 | C15 |
| Stomach | 798 | 2.9 (0.11) | 0.93 | 93.1 < | 5.6 | 51.5 < | C16 |
| Colon, rectum and anus | 6101 | 22.4 (0.31) < | 0.83 | 94.7 < | 3.9 | 37.3 | C18–21 |
| Liver | 621 | 2.4 (0.11) | 1.06 | 65.7 | 15.1 | 95.8 | C22 |
| Gallbladder etc. | 497 | 1.7 (0.08) | 0.98 | 87.1 | 4.8 | 34.0 | C23–24 |
| Pancreas | 1953 | 6.9 (0.17) | 1.11 | 81.6 | 10.3 | 89.6 | C25 |
| Larynx | 239 | 0.9 (0.06) | 0.91 | 95.0 | 3.8 | 30.1 | C32 |
| Lung (incl. trachea) | 8947 | 32.8 (0.37) | 0.97 | 87.2 | 7.4 | 73.2 | C33–34 |
| Melanoma of skin | 2488 | 11.3 (0.24) | 0.92 | 98.2 < | 1.7 | 10.9 | C43 |
| Breast | 20520 | 87.0 (0.63) | 1.00 | 97.7 < | 2.0 | 20.0 | C50 |
| Cervix uteri | 1047 | 5.2 (0.16) | 0.83 | 96.4 < | 3.2 | 34.6 | C53 |
| O&U part of uterus | 4429 | 18.7 (0.29) | 1.06 | 98.0 < | 1.6 | 20.9 | C54–55 |
| Ovary | 1949 | 8.1 (0.19) < | 0.88 | 89.7 | 6.8 | 68.6 | C56 |
| Kidney etc. | 1860 | 7.8 (0.19) | 1.04 | 89.6 | 3.2 | 22.9 | C64–66,C68 |
| Bladder | 1487 | 5.0 (0.14) | 0.93 | 96.0 < | 3.0 | 29.7 | C67 |
| Brain, central nervous system | 847 | 4.5 (0.18) | 0.97 | 81.5 | 7.3 | 62.8 | C70–72 |
| Thyroid | 3211 | 16.5 (0.30) | 1.25 | 99.5 | 0.4 | 2.2 | C73 |
| Lymphoma | 3743 | 15.4 (0.28) | 0.92 | 90.5 < | 6.4 | 37.1 | C81–88,C90 |
| Leukaemia | 1564 | 7.0 (0.21) | 0.97 | 78.3 < | 12.8 | 54.9 | C91–95 |
| Ill-defined (2.2% of total) | 1506 | 4.9 (0.14) | 1.12 | 68.1 | 17.3 | 113.7 | C76–80 |
| All sites except skin | 68088 | 278.6 (1.14) | 0.98 | 92.5 | 4.6 | 37.4 | C00–96bC44 |

Data compared with that from 12 cancer registries in the the same region/country
Significant lower (<) or higher (>) changes are marked in bold.

Mortality data: official statistics

A detailed description of the statistical tests used can be found in the *Comparability and quality of data* chapter (page 72) of Volume VIII.

Chapter 6: Data processing

Murielle Colombet, Aude Bardot, and Jacques Ferlay

The call for data for Volume XII of *Cancer Incidence in Five Continents* (CI5) was launched in July 2021. The call included detailed instructions about the content and format of the material to be submitted and was disseminated to all identified cancer registries worldwide and posted on the IACR website. Registries that wished to submit data for inclusion in CI5 Volume XII were asked to provide cancer incidence and mortality data, population data, a 350-word introductory text (narrative), a completed questionnaire, a coding schema, and other relevant information.

DATA FLOW

Registries were asked to submit all material via the IARC Registries Portal, at a secure website (<https://cinportal.iarc.fr/>). The portal enables the automatic exchange of information between the cancer registries and the CI5 Secretariat at the Cancer Surveillance Branch (CSU) at IARC. Based on each registry's access credentials and the submitted data file types, uploaded files were automatically named and stored in an organized system of folders on an internal server at IARC. The submitting registry and the designated CSU staff members were notified of each submission by an automatically generated email. Throughout the process, the registries could review their submissions and manage their uploaded files at any time.

The portal was also used for communication between IARC and potential contributors during the editorial process. Requests for data correction, table revision, or supplementary information, as well as decisions about registries' inclusion in the volume, were communicated through the portal. The relevant files were uploaded to the registry-specific *Feedback* section of the portal, where the registries could retrieve the files after being notified by an automatically generated email. The registries could then submit their responses and any revised or supplementary data in the same way as their initial material. A log of the files' movements on the IARC server was monitored by CSU staff members.

A schematic representation of the overall flow of data and processing steps is shown in Fig. 6.1.

DATA PROTECTION

All raw, individual-level data collected for CI5 Volume XII were stored on a secure protected server at IARC, to which only a limited number of selected CSU staff members had access. These data will not be used for any other purpose or transferred to any third party without the registries' explicit permission.




Fig. 6.1. A schematic representation of the overall flow of data and processing steps in the creation of Volume XII of *Cancer Incidence in Five Continents*.

DATA PROCESSING

A total of 675 cancer registries submitted data in response to the invitation to participate in CI5 Volume XII. Although the preferred file formats were specified in the study protocol, data were received in several electronic formats (text files, spreadsheets, database files, etc.), with varying layouts. Therefore, the first step of data processing included a quick check of the files' contents (sometimes resulting in a request for additional material), as well as some reorganization and formatting.

About 149 million individual cancer records were received and processed by IARC. The largest dataset, with about 32 million records, was supplied by the

National Program of Cancer Registries (NPCR) in the USA. Coupled with mortality files, preliminary datasets representing 813 populations (including various ethnic groups) were produced and reviewed by the editors (see Chapter 5). All submitted data were processed and checked by IARC using automated in-house processes based on standard measures of data quality.

The IARC software package IARCtoolsTAB (Colombet et al., 2020) was used to check and convert the data. This tool was also made available to population-based cancer registries that wished to supply their incidence data for CI5 Volume XII in an aggregated format. Eight registries provided aggregated data using this tool (cancer registries of Denmark, Finland, Iceland, Japan, The Netherlands, Norway, Sweden, and UK, England). All programs used to process, check, and convert the data and create the tables were written in Stata, R, and C++.

Incidence data

Registries were asked to submit their incidence data as individual anonymized case listings including all malignant tumours and non-malignant tumours (except benign tumours) of the bladder and of the central nervous system, collected for the longest period possible, and to include incident diagnoses for a minimum of 3 consecutive years within the period of 2013–2017. Each record contained at least the following variables:

1. A registration number that uniquely identified the patient
2. Sex
3. Ethnic group or race (optional)
4. Birth date and/or age at incidence date
5. Incidence date
6. Tumour site (topography)
7. Tumour morphology
8. Tumour behaviour
9. Most valid basis of diagnosis.

Descriptions of the codes used for each variable were also required. However, it was not unusual for code values not to match the descriptions provided, or for coding information to be missing. In such cases, the registry was asked for clarification and to provide the correct codes if necessary. This was particularly important for calculating the percentage of microscopically verified or death-certificate-only (DCO) cases, for evaluating the important indicators of data quality influencing the decision to include a dataset in the volume, and for determining the potential designation of data with an asterisk.

CONVERSION TO ICD-O-3

Although almost all registries submitted data already coded to ICD-O-3 (Fritz et al., 2000) or to the 2011 revision of ICD-O-3 (WHO, 2013), three datasets had to be converted to ICD-O-3 before processing. The alternative coding system used in the three population-based cancer registries was a combination of ICD-10 (WHO, 1992) topography with ICD-O morphology. Conversions from ICD-10 combined with ICD-O required a two-step process: conversion from ICD-10 to ICD-O-2 and then to ICD-O-3. These preliminary conversions helped to detect incompatibilities between ICD-10

codes and the ICD-O system. Any incompatible records were sent back to the registry for review and correction.

CHECKING

All datasets with complete ICD-O-3 coding of tumour site, morphology, behaviour (and optionally grade), and basis of diagnosis were run through the IARC-CHECK program (Ferlay et al., 2005) included in the IARCtoolsTAB package, which performed the following checks:

1. Code verification
 - Sex
 - Age
 - Incidence date (and birth date, if provided and complete)
 - ICD-O-3 topography, morphology, behaviour, and basis of diagnosis.
2. Consistency between items
 - Age versus birth and incidence dates
 - Chronology between birth and incidence dates
 - Sex versus site
 - Sex versus histology
 - Age versus site
 - Age versus histology
 - Site versus histology
 - Basis of diagnosis versus histology
 - Behaviour versus site
 - Behaviour versus histology.

Registries submitting data for CI5 Volume XII were invited to process their data through the IARC-CHECK program before submission, and most did so. The datasets of registries that used CanReg software (available from <http://www.iacr.com.fr/>) were checked using the equivalent built-in functionalities. All datasets were rechecked by CSU staff members. Any errors or unlikely or rare combinations of items were sent back to the registry for verification, unless they were already flagged as double-checked. The received corrections and resubmissions were then consolidated, converted if necessary, and rechecked to ensure that no further errors were found. More than one cycle of data validation was required for many of the datasets.

MULTIPLE PRIMARIES

All records included a unique patient number, so it was possible to check for multiple primary tumours occurring in the same patient using the multiple primary check program included in the IARCtoolsTAB package. The software lists all sets of tumours recorded for a single patient that should be considered a single primary tumour according to the IARC/IACR rules specifically defined for ICD-O-3 (IARC, 2004) and modified to take into consideration the new terms that appeared in the 2011 revision (see Chapter 3). The longer the time period for which data were submitted, the more complete the identification of multiple primary tumours within the reference period (2013–2017).

CONVERSION TO ICD-10

When no errors remained, the incidence data were converted from the first (2011) revision of ICD-O-3 to ICD-10 (2010 version), to ensure that the ICD-10

categories resulted from the same conversion process (ICD-O-3 to ICD-10) for all cancer registries. The ICD-O-3 to ICD-10 conversion program was written at IARC and is based on the rules defined in *Conversion of Neoplasms by Topography and Morphology from ICD-O-2 to ICD-10* by Percy (1998). In summary, each new ICD-O-3 morphology code (as listed in Appendix 1 of ICD-O-3) was converted first to the closest ICD-O-2 morphology code using the ICD-O-3 to ICD-O-2 conversion program (Fritz and Ries, 2001), and then the corresponding ICD-O-2 to ICD-10 conversion rule was applied. For example, the ICD-O-3 code M8174/3 (Hepatocellular carcinoma, clear cell type) was converted to the ICD-10 code C22.0, following the rule that applies to the ICD-O-2 code M8170/3 (Hepatocellular carcinoma, not otherwise specified [NOS]). The 2011 revision of ICD-O-3 affected the morphology numerical list only, introducing new terms that have appeared in the recent literature, particularly in the "Lymphoma and leukaemia" group. Therefore, a new conversion table from the first (2011) revision of ICD-O-3 to ICD-10 (2010 version) for the ICD-O-3 morphology codes 9590/3 to 9992/3 was developed (see Chapter 3).

The conversion rules strictly follow the ICD-10 coding rules expressed in the instruction manual of ICD-10 Volume 2 and the alphabetical index of ICD-10 Volume 3. For example, the combination of unknown primary site (ICD-O-3 topography code C80.9) and fibrosarcoma, NOS (ICD-O-3 morphology code 8810/3) was converted to ICD-10 code C49.9 (Connective and other soft tissues, NOS; see ICD-10 Volume 2, p. 74). The ICD-O-3 codes M9950/3, M9960–9965/3, M9971/3, and M9975/3 (myeloproliferative disorders [MPD]), and M9980–9983/3, M9985–9989/3, M9991/3, and M9992/3 (myelodysplastic syndromes [MDS]), for which no ICD-10 code in the malignant C category exists, were converted to the ICD-10 codes D45, D46_, and D47_ (i.e. non-malignant tumours), respectively, and are included and presented in the tables under the categories MPD and MDS (see Chapter 3).

MISCELLANEOUS CONVERSIONS

In addition to tumour topography and morphology, certain other variables (sex, basis of diagnosis, ethnic group or race, and dates) were also recoded to a common system according to the descriptions supplied by the registries.

Mortality data

Together with data on cancer incidence, registries were asked to provide official cancer mortality data for the reference period (2013–2017), ideally for each calendar year of the period. For the national cancer registries, mortality data were extracted from the WHO Mortality Database (<https://platform.who.int/mortality/>) by CSU staff members. The mortality data were used for editorial purposes as an indicator of the completeness of registration. Because the data were generally provided in tabular form for the available ICD-10 (and sometimes ICD-9) three-digit categories by sex and 5-year age

groups, only checks for the validity of the ICD code and the combination of sex and site were performed. The data provided by some registries were grouped into wider cancer sites or age groups than conventionally used, and therefore had to be reformatted before being processed by the series of editorial programs and added to the CI5 Volume XII database. Some population-based cancer registries supplied mortality data based on the cancer registry dataset. Such data were not considered by the volume editors to represent official mortality data (see Chapter 5).

Population data

The registries were required to submit population denominators for each individual year of the reference period, by sex and 5-year age groups. In the absence of corresponding data sources, a population denominator for a single central year of the reference period was accepted. The population data were checked first by careful examination of the data file, then by comparing the age distribution with that from the previous CI5 volume, if available. Unexpected changes in the age structure or in the total population by year and sex were identified and queried. After examination, the population files were formatted and added to the CI5 Volume XII database.

THE CI5 VOLUME XII DATABASE

The CI5 Volume XII database contains all the incidence, mortality, and population datasets supplied by the registries and checked by IARC for the project, irrespective of whether they were ultimately selected for inclusion in the volume itself. The data (i.e. the total number of cases, the microscopically verified cases, and the DCO cases) are stored in aggregated format by 18 age groups, sex, calendar year, and 347 disease entities. The database is hosted and maintained on a protected server at IARC, with access restricted to identified CSU staff members.

CONCLUSIONS

The complete process of data checking and validation conducted by IARC in collaboration with the cancer registries took several months. The help provided by those contributors who converted and checked their data before submission was greatly appreciated. Although prompt data provision is of the utmost importance, this importance is counterbalanced by the necessity of validating and ensuring the comparability of the global cancer incidence data. Online publication of the data ahead of the published volume provided earlier public access to the results.

The data processing methods described in this chapter resulted in the standardization of the information provided, which enabled the CI5 editors to compare datasets within large defined geographical regions, as described in Chapter 5. The CI5 data validation processes contributed substantially to the overall quality and comparability of the data from all submitting registries, as well as to data harmonization, with the benefit extending beyond this publication.

REFERENCES

- Colombet M, Bray F, Ferlay J (2020). IARCtoolsTAB package: a federated solution to registry data submission. Lyon: International Agency for Research on Cancer.
- Ferlay J, Burkhard C, Whelan S, Parkin DM (2005). Check and Conversion Programs for Cancer Registries (IARC/IACR Tools for Cancer Registries). IARC Technical Report No. 42. Lyon: International Agency for Research on Cancer.
- Fritz A, Percy CL, Jack A, Shanmugaratnam K, Sobin L, Parkin DM, et al., editors (2000). International Classification of Diseases for Oncology. 3rd ed. (ICD-O-3). Geneva: World Health Organization.
- Fritz A, Ries L (2001). Conversion of Neoplasms by Topography and Morphology from the International Classification of Diseases for Oncology, Third Edition (ICD-O-3) to the International Classification of Diseases for Oncology, Second Edition (ICD-O-2). Bethesda, MD: National Cancer Institute, Division of Cancer Control and Population Sciences, Surveillance Research Program, Cancer Statistics Branch.
- IARC (2004). International Rules for Multiple Primary Cancers ICD-O Third Edition. Internal Report No. 2004/02. Lyon: International Agency for Research on Cancer.
- Percy CL, editor (1998). Conversion of Neoplasms by Topography and Morphology from the International Classification of Diseases for Oncology, Second Edition (ICD-O-2) to the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10). Bethesda, MD: National Cancer Institute, National Institutes of Health.
- Percy CL, Van Holten V, Muir CS, editors (1990). International Classification of Diseases for Oncology. 2nd ed. (ICD-O-2). Geneva: World Health Organization.
- WHO (1992). International Statistical Classification of Diseases and Related Health Problems. 10th revision (ICD-10). Geneva: World Health Organization.
- WHO (2013). International Classification of Diseases for Oncology. 3rd ed. (ICD-O-3), 1st revision. Geneva: World Health Organization.

Chapter 7: Age standardization

Freddie Bray, Jacques Ferlay, Aude Bardot, and Les Mery

INTRODUCTION

For every type of cancer in every population worldwide, age is a key determinant of the risk of developing the disease (Armitage and Doll, 1954). Furthermore, the age structures of the registry catchment populations included in this volume vary considerably. For these two reasons, meaningful international comparisons of incidence rates must be made independent of the effects of age. This chapter briefly discusses the summary measures used for this purpose in the preparation of *Cancer Incidence in Five Continents (CI5)*, allowing for comparisons of incidence across populations (within Volume XII) and within the same population over time (across consecutive volumes).

As in previous volumes, we emphasize an age-specific assessment of cancer incidence rates as an essential exploratory step in any comparative analysis. Graphical displays of age-specific rates may reveal possible artefacts in the data or provide insights into the biology and etiology of cancer in the population or populations under study. The online resources available at <https://ci5.iarc.who.int/> (and the graphical facilities within) enable a visual inspection that complements the tabulated summaries in the published volume.

To compare incidence across multiple populations or time points, we require a summary measure that absorbs the schedule of age-specific rates in different registries and across time. The crude rate does not take into account the varying age structures in the underlying populations. Therefore, as in previous volumes, two standardized measures – the age-standardized rate and the cumulative rate – are presented; this enables comparisons of cancer risk between registries, independent of the effects of age.

A brief description of the properties of these summary measures is given below, together with the principal calculations involved. Readers who wish to explore the topic in more depth may consult the chapters by Smith (1992) and Day (1992) in CI5 Volume VI. The books by Jensen et al. (1991), Dos Santos Silva (1999), and Kirkwood and Sterne (2003) also include chapters that discuss in practical terms the age standardization of cancer data, whereas Estève et al. (1994) give a more theoretical account of the underlying methodology.

CALCULATING AGE-STANDARDIZED RATES

The age-standardized incidence rate is the summary rate that would have been observed, given the schedule of age-specific rates, in a population with the age composition of some reference population,

often called the standard population. Calculation of the standardized rate is an example of direct standardization, whereby the observed age-specific rates are applied (directly) to a theoretical standard population. The calculation is illustrated in Table 7.1, for female breast cancer incidence data in the Cancer Registry of the Bucaramanga Metropolitan Area in Colombia, as compiled in this volume for 2013–2017. The world standard population was first introduced by Segi (1960), drawn from a pooled population of 46 countries and modified for the first volume of this series by Doll et al. (1966). The Segi–Doll world standard is used in this and all previous volumes of CI5 as a means to rapidly examine geographical and temporal variations in cancer risk.

The main criticism levelled at age-standardized rates concerns the need to select an arbitrary standard population; age-standardized rates can be meaningfully compared only if they refer to the same standard. Although it should be evident that the age composition of the world standard is representative of neither the present nor the future age-specific global population, switching to a more up-to-date standard would be worthwhile only if it could provide benefits that outweighed the drawbacks of rendering the Segi–Doll standardized rates obsolete. However, it has been shown that although very different absolute values of age-standardized rates are obtained using different standards, the estimates of age-adjusted relative risk (the main purpose of such routine comparisons) are quite similar (Bray et al., 2002). Therefore, the main effect of changing the standard to a more up-to-date representation of the global population would be the inconsequential result that the value of the age-standardized rate would be closer to that of the crude rate. Accordingly, for both theoretical and practical reasons, the age-standardized rates in this volume are calculated as previously, using the age composition of the Segi–Doll world standard, shown in Table 7.1.

Age groups are indexed by the subscript i , d_i is the number of cases in age group i , y_i is the number of person-years at risk in age group i , and w_i is the number of individuals in (or the weight of) age group i in the world standard population. The crude rate per 100 000 per year is therefore calculated as follows (using the data presented in Table 7.1 as an example):

$$10^5 \left(\sum_i d_i \right) / \left(\sum_i y_i \right) = 10^5 \times 1650 / 2972542 \\ = 55.5$$

Table 7.1. Calculation of age-standardized incidence rates: breast cancer (ICD-10 C50), Colombia, Bucaramanga, females (2013–2017)

| Age group (years) | No. of cases | Person-years at risk | Age-specific incidence (per 10 ⁵ years) | Standard world population | Expected no. of cases in standard world population |
|-------------------|----------------------|----------------------|---|---------------------------|--|
| <i>i</i> | <i>d_i</i> | <i>y_i</i> | 10 ⁵ (<i>d_i</i> / <i>y_i</i>) | <i>w_i</i> | <i>d_i</i> <i>w_i</i> / <i>y_i</i> |
| 0–4 | 0 | 192 737 | 0.0 | 12 000 | 0.0 |
| 5–9 | 0 | 198 927 | 0.0 | 10 000 | 0.0 |
| 10–14 | 0 | 211 749 | 0.0 | 9 000 | 0.0 |
| 15–19 | 0 | 242 747 | 0.0 | 9 000 | 0.0 |
| 20–24 | 1 | 264 008 | 0.4 | 8 000 | 0.0 |
| 25–29 | 16 | 250 390 | 6.4 | 8 000 | 0.5 |
| 30–34 | 39 | 232 055 | 16.8 | 6 000 | 1.0 |
| 35–39 | 90 | 214 003 | 42.1 | 6 000 | 2.5 |
| 40–44 | 108 | 203 789 | 53.0 | 6 000 | 3.2 |
| 45–49 | 240 | 204 834 | 117.2 | 6 000 | 7.0 |
| 50–54 | 229 | 190 847 | 120.0 | 5 000 | 6.0 |
| 55–59 | 225 | 159 137 | 141.4 | 4 000 | 5.7 |
| 60–64 | 210 | 125 700 | 167.1 | 4 000 | 6.7 |
| 65–69 | 155 | 96 470 | 160.7 | 3 000 | 4.8 |
| 70–74 | 125 | 70 550 | 177.2 | 2 000 | 3.5 |
| 75–79 | 92 | 48 747 | 188.7 | 1 000 | 1.9 |
| 80–84 | 74 | 32 459 | 228.0 | 500 | 1.1 |
| 85+ | 46 | 33 393 | 137.8 | 500 | 0.7 |
| Total | 1 650 | 2 972 542 | 55.5 | 100 000 | 44.7 |

And the age-standardized rate is calculated as follows:

$$\sum_i d_i w_i / y_i = 44.7$$

In this example, the age-standardized rate is 19% less than the crude rate in the same 5-year period. This is because the world standard population has proportionally fewer individuals in the older age groups than does the actual registry population, and the risk of disease (according to the age-specific rates) is higher at older ages.

CUMULATIVE RATE AND CUMULATIVE RISK

The cumulative rate is the sum of the age-specific rates over each year of age from birth to a defined upper age limit. Because age-specific incidence rates are usually computed for 5-year age intervals, the cumulative rate is 5 times the sum of the age-specific rates calculated over the 5-year age groups, assuming that the age-specific rates are the same for all ages within a 5-year age group. In the example of breast cancer incidence in females in the Bucaramanga, Colombia, registry population, all the age groups have a width of 5 years, so the cumulative rate for ages 0 to 74 years is calculated as follows:

$$5 \sum_i d_i / y_i = 5 \times 1002.1 \times 10^{-5} = 0.050$$

The cumulative rate is in fact not a rate at all but a dimensionless quantity most conveniently expressed as a percentage. In the example above, the cumulative rate up to the age of 74 years would be given as 5.0%.

The age span over which a rate is accumulated must be specified. In this volume, the age ranges 0–64 years and 0–74 years are used to provide two representations of the lifetime risk of developing the disease. Other age ranges may be more appropriate for more specific purposes, such as investigating childhood cancers.

The cumulative rate's companion – the cumulative risk – is defined as the probability that an individual will develop the disease in question during a certain age span, in the absence of other causes of death. If the cumulative risk in an age range is less than 10%, as is the case with most tumours, it can be approximated very well by the cumulative rate. Table 7.2 shows the correction needed to convert the cumulative rate into the cumulative risk. For values of less than 10%, the difference between the two is small. The precise mathematical relationship between the cumulative rate and the cumulative risk is as follows:

$$\text{cumulative risk} = 1 - \exp(-\text{cumulative rate})$$

Continuing with our example, the cumulative risk is 4.9%, and thus the estimated risk for a female in Bucaramanga of developing breast cancer between the ages of 0 and 74 years is estimated as 5.0%. In other words, approximately 1 in 20 females would develop breast cancer in this city in Colombia within the specified lifetime, assuming no other causes of death.

Table 7.2. Conversion of cumulative rates, 100x, into the corresponding cumulative risks, 100(1-e^{-x})

| | | | | | | | | | | | |
|------------------------------|-----|-------|-------|------|------|------|-------|-------|-------|-------|-------|
| 100x | 0.1 | 0.5 | 1.0 | 5.0 | 7.0 | 10.0 | 15.0 | 20.0 | 30.0 | 40.0 | 50.0 |
| 100(1-e^{-x}) | 0.1 | 0.499 | 0.995 | 4.88 | 6.76 | 9.52 | 13.93 | 18.13 | 25.92 | 32.97 | 39.35 |

The cumulative rate has two principal advantages over the age-standardized rate. First, because it is a form of direct standardization, the problem of choosing an arbitrary reference population is eliminated. Second, as an approximation of the cumulative risk, it has a greater intuitive appeal and is more directly interpretable as a measurement of lifetime risk, assuming no other causes of death.

CALCULATING THE STANDARD ERROR

Both the age-standardized rate and the cumulative rate are weighted sums of the age-specific rates, so the standard error can be derived in both cases from the same formula. If the age-specific rate in age group i is estimated from d_i cases and y_i person-years, then the age-standardized rate (with w_i representing the standardization weights) is

$$\sum_i d_i w_i / y_i$$

with an estimated variance (based on the Poisson distribution) of

$$\sum_i d_i (w_i / y_i)^2$$

and an estimated standard error of

$$\sqrt{\sum_i d_i (w_i / y_i)^2}$$

For the age-standardized rate, the weights are given by the number of individuals in each age group per 100 000 in the standard population. For the cumulative rate, the weights are equal to the widths of the age groups. When all age groups are 5 years wide, the expression for the standard error (SE) of the cumulative rate (expressed as a percentage) reduces to:

$$SE(\text{cumulative rate}) = 500 \sqrt{\sum_i d_i / y_i^2}$$

Continuing the example of breast cancer incidence in females in the Cancer Registry of the Bucaramanga Metropolitan Area, the estimate (with standard error) is 44.7 (1.11) for the rate standardized to the world population.

CASES OF UNKNOWN AGE

The age-standardized rate and the cumulative rate are necessarily corrected for cases of unknown age that occur within the CI5 registry datasets. The correction procedure involves multiplying the summary measure (based on cases of known age) by T/K , where T is the total number of cases of cancer of the same type in individuals of the same sex, and K is the number of cancers occurring in individuals of known age. The standard errors are also multiplied by the same correction factor (T/K).

This correction relies on the assumption that the cases of unknown age are randomly distributed, and therefore have the same age distribution as the cases of known age. In other words, the correction assumes that the probability that the age of a case is unknown does not depend on the age of the case. Although this assumption probably does not hold – it is more likely that age is not recorded among older patients – it is nevertheless important that all registered cases are accounted for, so that the summary statistics are not underestimated.

AVAILABILITY OF DATA FOR UPPER AGE GROUPS

The precision of rates calculated using direct standardization varies according to the number and width of the age groups used. Age-standardized rates, for example, yield slightly different values depending on the extent to which population data are available for the oldest age groups (aged 75 years or more). For most registries, census data are available for the same 18 age groups shown in Table 7.1, enabling the calculation of rates for the upper age ranges of 75–79, 80–84, and 85+. However, some registries can obtain population data for only 16 or 17 age groups, and thus the oldest age groups instead correspond to individuals aged 75+, or 80+, respectively.

REFERENCES


- Armitage P, Doll R (1954). The age distribution of cancer and a multi-stage theory of carcinogenesis. *Br J Cancer*. 8(1):1-12. <https://doi.org/10.1038/bjc.1954.1> PMID:13172380
- Bray F, Guilloux A, Sankila R, Parkin DM (2002). Practical implications of imposing a new world standard population. *Cancer Causes Control*. 13(2):175-82. <https://doi.org/10.1023/A:1014344519276> PMID:11936824
- Day NE (1992). Cumulative rate and cumulative risk. In: Parkin DM, Muir CS, Whelan SL, Gao Y-T, Ferlay J, Powell J, editors. *Cancer Incidence in Five Continents, Vol. VI*. IARC Scientific Publication No. 120. Lyon: International Agency for Research on Cancer.
- Doll R, Payne P, Waterhouse J, editors (1966). *Cancer Incidence in Five Continents: A Technical Report*. Berlin: Springer-Verlag (for UICC).
- Dos Santos Silva I (1999). *Cancer Epidemiology: Principles and Methods*. IARC Non-Series Publication. Lyon: International Agency for Research on Cancer. Available from: <https://publications.iarc.who.int/421>.
- Estève J, Benhamou E, Raymond L (1994). *Statistical Methods in Cancer Research, Vol. IV. Descriptive Epidemiology*. IARC Scientific Publication No. 128. Lyon: International Agency for Research on Cancer. Available from: <https://publications.iarc.who.int/283>.
- Jensen OM, Parkin DM, MacLennan R, Muir CS, Skeet RG, editors (1991). *Cancer Registration: Principles and Methods*. IARC Scientific Publication No. 95. Lyon: IARC Press. Available from: <https://publications.iarc.who.int/238>.
- Kirkwood BR, Sterne JAC (2003). *Essential Medical Statistics*. 2nd ed. Oxford: Blackwell Science.
- Segi M (1960). *Cancer mortality for selected sites in 24 countries (1950-57)*. Sendai, Japan: Department of Public Health, Tohoku University School of Medicine.
- Smith PG (1992). Comparison between registries: age-standardized rates. In: Parkin DM, Muir CS, Whelan SL, Gao Y-T, Ferlay J, Powell J, editors. *Cancer Incidence in Five Continents, Vol. VI*. IARC Scientific Publication No. 120. Lyon: International Agency for Research on Cancer.

REGISTRY SUMMARIES

Algeria, Batna

CONTRIBUTORS

Fayçal Beichi
Maaref Abdel-Ouahab
Oudjehih Messaouda
Wassila Benbrahim



NOTES ON THE DATA

*No official mortality data. No DCO registrations.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 15.5 | Breast | 44.5 |
| Prostate | 8.4 | Thyroid | 10.8 |
| Colon | 7.9 | Colon | 8.7 |
| Bladder | 7.1 | Gallbladder etc. | 6.4 |
| Stomach | 6.5 | Brain and nervous system | 5.6 |
| Rectum | 5.5 | Rectum | 5.3 |
| Non-melanoma skin cancer | 5.3 | Ovary | 4.9 |
| Pancreas | 4.9 | Cervix uteri | 4.1 |
| Nasopharynx | 4.7 | Stomach | 3.9 |
| Brain and nervous system | 4.2 | Non-Hodgkin lymphoma | 3.8 |
| Larynx | 4.1 | Liver | 3.1 |
| Non-Hodgkin lymphoma | 4.1 | Corpus uteri | 3.0 |
| Myeloid leukaemia | 3.1 | Pancreas | 2.3 |
| Gallbladder etc. | 2.7 | Myeloid leukaemia | 2.3 |
| Liver | 2.7 | Nasopharynx | 2.1 |
| Kidney | 2.2 | Trachea, bronchus, and lung | 2.0 |
| Other and unspecified | 1.9 | Kidney | 1.9 |
| Multiple myeloma | 1.9 | Multiple myeloma | 1.8 |
| Lymphoid leukaemia | 1.7 | Hodgkin lymphoma | 1.7 |
| Connective and soft tissue | 1.4 | Non-melanoma skin cancer | 1.6 |
| All sites | 107.8 | All sites | 132.0 |

*Algeria, Batna (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 3 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C01–02 |
| Mouth | 8 | 0.6 | 0.4 | 0.6 | 0.06 | 0.06 | 4 | 0.2 | 0.2 | 0.3 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 11 | 0.8 | 0.6 | 0.7 | 0.03 | 0.06 | 5 | 0.3 | 0.3 | 0.3 | 0.01 | 0.03 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 71 | 4.9 | 3.7 | 4.7 | 0.41 | 0.50 | 33 | 1.7 | 1.7 | 2.1 | 0.19 | 0.22 | C11 |
| Hypopharynx | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 15 | 1.0 | 0.8 | 1.1 | 0.08 | 0.10 | 11 | 0.6 | 0.6 | 0.8 | 0.07 | 0.08 | C15 |
| Stomach | 92 | 6.3 | 4.8 | 6.5 | 0.43 | 0.75 | 57 | 2.9 | 3.0 | 3.9 | 0.32 | 0.37 | C16 |
| Small intestine | 8 | 0.6 | 0.4 | 0.5 | 0.05 | 0.05 | 5 | 0.3 | 0.3 | 0.4 | 0.02 | 0.06 | C17 |
| Colon | 109 | 7.5 | 5.7 | 7.9 | 0.39 | 0.99 | 122 | 6.3 | 6.5 | 8.7 | 0.69 | 0.92 | C18 |
| Rectum | 76 | 5.2 | 3.9 | 5.5 | 0.40 | 0.62 | 74 | 3.8 | 3.9 | 5.3 | 0.37 | 0.55 | C19–20 |
| Anus | 5 | 0.3 | 0.3 | 0.4 | 0.04 | 0.04 | 3 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 38 | 2.6 | 2.0 | 2.7 | 0.15 | 0.27 | 41 | 2.1 | 2.2 | 3.1 | 0.18 | 0.35 | C22 |
| Gallbladder etc. | 36 | 2.5 | 1.9 | 2.7 | 0.22 | 0.26 | 83 | 4.3 | 4.4 | 6.4 | 0.39 | 0.77 | C23–24 |
| Pancreas | 68 | 4.7 | 3.5 | 4.9 | 0.19 | 0.55 | 32 | 1.7 | 1.7 | 2.3 | 0.11 | 0.26 | C25 |
| Nose, sinuses etc. | 3 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.2 | 0.2 | 0.2 | 0.02 | 0.03 | C30–31 |
| Larynx | 51 | 3.5 | 2.6 | 4.1 | 0.33 | 0.52 | 4 | 0.2 | 0.2 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 201 | 13.9 | 10.4 | 15.5 | 1.02 | 1.88 | 28 | 1.4 | 1.5 | 2.0 | 0.13 | 0.24 | C33–34 |
| Other thoracic organs | 6 | 0.4 | 0.3 | 0.4 | 0.04 | 0.06 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 16 | 1.1 | 0.8 | 0.9 | 0.07 | 0.07 | 23 | 1.2 | 1.2 | 1.3 | 0.09 | 0.11 | C40–41 |
| Melanoma of skin | 9 | 0.6 | 0.5 | 0.6 | 0.04 | 0.06 | 10 | 0.5 | 0.5 | 0.7 | 0.05 | 0.07 | C43 |
| Other skin | 72 | 5.0 | 3.7 | 5.3 | 0.31 | 0.64 | 27 | 1.4 | 1.4 | 1.6 | 0.07 | 0.14 | C44 |
| Mesothelioma | 5 | 0.3 | 0.3 | 0.3 | 0.01 | 0.02 | 3 | 0.2 | 0.2 | 0.2 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 22 | 1.5 | 1.1 | 1.4 | 0.10 | 0.16 | 8 | 0.4 | 0.4 | 0.5 | 0.05 | 0.05 | C47+C49 |
| Breast | 16 | 1.1 | 0.8 | 1.1 | 0.05 | 0.12 | 675 | 34.9 | 35.8 | 44.5 | 3.92 | 4.48 | C50 |
| Vulva | | | | | | | 5 | 0.3 | 0.3 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.2 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 56 | 2.9 | 3.0 | 4.1 | 0.35 | 0.47 | C53 |
| Corpus uteri | | | | | | | 38 | 2.0 | 2.0 | 3.0 | 0.21 | 0.42 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.3 | 0.3 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 68 | 3.5 | 3.6 | 4.9 | 0.38 | 0.56 | C56 |
| Other female genital organs | | | | | | | 4 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 114 | 7.9 | 5.9 | 8.4 | 0.28 | 0.97 | | | | | | | C61 |
| Testis | 12 | 0.8 | 0.6 | 0.6 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 3 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 32 | 2.2 | 1.7 | 2.2 | 0.14 | 0.25 | 27 | 1.4 | 1.4 | 1.9 | 0.13 | 0.21 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 96 | 6.6 | 5.0 | 7.1 | 0.40 | 0.81 | 8 | 0.4 | 0.4 | 0.6 | 0.04 | 0.05 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C68 |
| Eye | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 66 | 4.6 | 3.4 | 4.2 | 0.33 | 0.42 | 88 | 4.5 | 4.7 | 5.6 | 0.47 | 0.54 | C70–72 |
| Thyroid | 20 | 1.4 | 1.0 | 1.3 | 0.10 | 0.15 | 176 | 9.1 | 9.3 | 10.8 | 0.95 | 1.07 | C73 |
| Adrenal gland | 2 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 4 | 0.3 | 0.2 | 0.3 | 0.02 | 0.02 | 4 | 0.2 | 0.2 | 0.3 | 0.01 | 0.04 | C75 |
| Hodgkin lymphoma | 23 | 1.6 | 1.2 | 1.2 | 0.10 | 0.11 | 37 | 1.9 | 2.0 | 1.7 | 0.13 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 64 | 4.4 | 3.3 | 4.1 | 0.27 | 0.43 | 55 | 2.8 | 2.9 | 3.8 | 0.26 | 0.39 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.2 | 0.2 | 0.3 | 0.01 | 0.04 | C88 |
| Multiple myeloma | 22 | 1.5 | 1.1 | 1.9 | 0.15 | 0.23 | 24 | 1.2 | 1.3 | 1.8 | 0.10 | 0.22 | C90 |
| Lymphoid leukaemia | 30 | 2.1 | 1.6 | 1.7 | 0.09 | 0.14 | 27 | 1.4 | 1.4 | 1.6 | 0.07 | 0.10 | C91 |
| Myeloid leukaemia | 51 | 3.5 | 2.6 | 3.1 | 0.21 | 0.34 | 37 | 1.9 | 2.0 | 2.3 | 0.16 | 0.21 | C92–94 |
| Leukaemia unspecified | 3 | 0.2 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 5 | 0.3 | 0.3 | 0.3 | 0.02 | 0.02 | 7 | 0.4 | 0.4 | 0.4 | 0.03 | 0.05 | MPD |
| Myelodysplastic syndromes | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 24 | 1.7 | 1.2 | 1.9 | 0.13 | 0.25 | 20 | 1.0 | 1.1 | 1.5 | 0.10 | 0.17 | O&U |
| All sites | 1522 | | 79.1 | 107.8 | 6.84 | 12.15 | 1963 | | 104.0 | 132.0 | 10.27 | 13.76 | C00–96 |
| All sites except C44 | 1450 | 100.0 | 75.3 | 102.5 | 6.53 | 11.51 | 1936 | 100.0 | 102.6 | 130.4 | 10.21 | 13.62 | C00–96 exc. C44 |

*See note following population pyramid

Algeria, Tizi Ouzou

CONTRIBUTORS

Fadhila Toudeft
Faiza Issiakhem
Fazilet Saidi
Hakima Messad
Nadia Kitous
F/Zahra Benserai



NOTES ON THE DATA

*No official mortality data. No DCO registrations.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 25.2 | Breast | 58.7 |
| Trachea, bronchus, and lung | 21.9 | Colon | 10.9 |
| Bladder | 20.6 | Thyroid | 10.0 |
| Colon | 14.3 | Cervix uteri | 7.9 |
| Rectum | 10.0 | Rectum | 7.0 |
| Brain and nervous system | 7.9 | Ovary | 6.3 |
| Non-melanoma skin cancer | 6.1 | Brain and nervous system | 5.0 |
| Stomach | 5.6 | Stomach | 4.6 |
| Pancreas | 5.0 | Non-melanoma skin cancer | 4.2 |
| Non-Hodgkin lymphoma | 4.4 | Non-Hodgkin lymphoma | 4.0 |
| Gallbladder etc. | 4.0 | Multiple myeloma | 3.8 |
| Other and unspecified | 3.4 | Gallbladder etc. | 3.7 |
| Multiple myeloma | 3.4 | Bladder | 3.3 |
| Nasopharynx | 3.2 | Pancreas | 3.1 |
| Larynx | 2.6 | Corpus uteri | 2.9 |
| Kidney | 2.6 | Other and unspecified | 2.6 |
| Hodgkin lymphoma | 2.2 | Trachea, bronchus, and lung | 2.6 |
| Thyroid | 2.1 | Kidney | 2.6 |
| Liver | 1.9 | Hodgkin lymphoma | 2.5 |
| Oesophagus | 1.6 | Liver | 1.6 |
| All sites | 162.4 | All sites | 162.8 |

***Algeria, Tizi Ouzou (2015–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 6 | 0.2 | 0.3 | 0.4 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 8 | 0.3 | 0.5 | 0.5 | 0.03 | 0.08 | 11 | 0.4 | 0.6 | 0.7 | 0.04 | 0.10 | C01–02 |
| Mouth | 6 | 0.2 | 0.3 | 0.4 | 0.02 | 0.04 | 7 | 0.3 | 0.4 | 0.4 | 0.03 | 0.04 | C03–06 |
| Salivary glands | 7 | 0.3 | 0.4 | 0.5 | 0.03 | 0.08 | 7 | 0.3 | 0.4 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 53 | 2.2 | 3.0 | 3.2 | 0.26 | 0.33 | 27 | 1.0 | 1.5 | 1.6 | 0.12 | 0.14 | C11 |
| Hypopharynx | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 22 | 0.9 | 1.2 | 1.6 | 0.08 | 0.23 | 22 | 0.8 | 1.2 | 1.1 | 0.08 | 0.15 | C15 |
| Stomach | 88 | 3.7 | 5.0 | 5.6 | 0.38 | 0.66 | 89 | 3.2 | 5.0 | 4.6 | 0.24 | 0.54 | C16 |
| Small intestine | 12 | 0.5 | 0.7 | 0.8 | 0.07 | 0.10 | 12 | 0.4 | 0.7 | 0.7 | 0.04 | 0.07 | C17 |
| Colon | 221 | 9.2 | 12.5 | 14.3 | 0.73 | 1.78 | 196 | 7.0 | 11.1 | 10.9 | 0.77 | 1.24 | C18 |
| Rectum | 151 | 6.3 | 8.5 | 10.0 | 0.60 | 1.19 | 129 | 4.6 | 7.3 | 7.0 | 0.49 | 0.82 | C19–20 |
| Anus | 5 | 0.2 | 0.3 | 0.3 | 0.03 | 0.04 | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 30 | 1.2 | 1.7 | 1.9 | 0.05 | 0.25 | 31 | 1.1 | 1.8 | 1.6 | 0.10 | 0.20 | C22 |
| Gallbladder etc. | 59 | 2.5 | 3.3 | 4.0 | 0.25 | 0.51 | 68 | 2.4 | 3.9 | 3.7 | 0.19 | 0.44 | C23–24 |
| Pancreas | 74 | 3.1 | 4.2 | 5.0 | 0.33 | 0.60 | 55 | 2.0 | 3.1 | 3.1 | 0.16 | 0.42 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 0.2 | 0.3 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 40 | 1.7 | 2.3 | 2.6 | 0.15 | 0.34 | 5 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 333 | 13.8 | 18.8 | 21.9 | 1.11 | 2.83 | 49 | 1.8 | 2.8 | 2.6 | 0.17 | 0.30 | C33–34 |
| Other thoracic organs | 10 | 0.4 | 0.6 | 0.6 | 0.05 | 0.06 | 8 | 0.3 | 0.5 | 0.5 | 0.04 | 0.05 | C37–38 |
| Bone | 18 | 0.7 | 1.0 | 1.2 | 0.06 | 0.11 | 19 | 0.7 | 1.1 | 1.1 | 0.08 | 0.08 | C40–41 |
| Melanoma of skin | 20 | 0.8 | 1.1 | 1.4 | 0.08 | 0.21 | 12 | 0.4 | 0.7 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 94 | 3.9 | 5.3 | 6.1 | 0.37 | 0.70 | 91 | 3.3 | 5.2 | 4.2 | 0.19 | 0.39 | C44 |
| Mesothelioma | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 24 | 1.0 | 1.4 | 1.3 | 0.07 | 0.13 | 22 | 0.8 | 1.2 | 1.2 | 0.09 | 0.10 | C47+C49 |
| Breast | 18 | 0.7 | 1.0 | 1.2 | 0.07 | 0.15 | 1001 | 35.9 | 56.8 | 58.7 | 4.92 | 5.90 | C50 |
| Vulva | | | | | | | 14 | 0.5 | 0.8 | 0.7 | 0.04 | 0.06 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 138 | 4.9 | 7.8 | 7.9 | 0.46 | 0.99 | C53 |
| Corpus uteri | | | | | | | 49 | 1.8 | 2.8 | 2.9 | 0.25 | 0.36 | C54 |
| Uterus unspecified | | | | | | | 16 | 0.6 | 0.9 | 1.0 | 0.07 | 0.12 | C55 |
| Ovary | | | | | | | 104 | 3.7 | 5.9 | 6.3 | 0.47 | 0.72 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.3 | 0.3 | 0.00 | 0.04 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 386 | 16.0 | 21.8 | 25.2 | 1.04 | 3.27 | | | | | | | C61 |
| Testis | 19 | 0.8 | 1.1 | 1.0 | 0.08 | 0.08 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 42 | 1.7 | 2.4 | 2.6 | 0.19 | 0.25 | 40 | 1.4 | 2.3 | 2.6 | 0.16 | 0.32 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 319 | 13.3 | 18.0 | 20.6 | 0.94 | 2.73 | 66 | 2.4 | 3.7 | 3.3 | 0.14 | 0.37 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 7 | 0.3 | 0.4 | 0.5 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 114 | 4.7 | 6.4 | 7.9 | 0.62 | 0.87 | 85 | 3.0 | 4.8 | 5.0 | 0.33 | 0.54 | C70–72 |
| Thyroid | 35 | 1.5 | 2.0 | 2.1 | 0.17 | 0.23 | 175 | 6.3 | 9.9 | 10.0 | 0.86 | 0.97 | C73 |
| Adrenal gland | 6 | 0.2 | 0.3 | 0.5 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 38 | 1.6 | 2.1 | 2.2 | 0.15 | 0.17 | 53 | 1.9 | 3.0 | 2.5 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 67 | 2.8 | 3.8 | 4.4 | 0.27 | 0.56 | 71 | 2.5 | 4.0 | 4.0 | 0.27 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 52 | 2.2 | 2.9 | 3.4 | 0.22 | 0.38 | 68 | 2.4 | 3.9 | 3.8 | 0.27 | 0.46 | C90 |
| Lymphoid leukaemia | 18 | 0.7 | 1.0 | 1.1 | 0.05 | 0.09 | 23 | 0.8 | 1.3 | 1.5 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 16 | 0.7 | 0.9 | 0.9 | 0.05 | 0.09 | 21 | 0.8 | 1.2 | 1.1 | 0.09 | 0.14 | C92–94 |
| Leukaemia unspecified | 9 | 0.4 | 0.5 | 0.6 | 0.04 | 0.07 | 12 | 0.4 | 0.7 | 0.7 | 0.03 | 0.06 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 52 | 2.2 | 2.9 | 3.4 | 0.22 | 0.44 | 48 | 1.7 | 2.7 | 2.6 | 0.15 | 0.30 | O&U |
| All sites | 2499 | | 141.1 | 162.4 | 9.04 | 19.95 | 2883 | | 163.5 | 162.8 | 11.80 | 17.50 | C00–96 |
| All sites except C44 | 2405 | 100.0 | 135.8 | 156.3 | 8.66 | 19.25 | 2792 | 100.0 | 158.3 | 158.7 | 11.60 | 17.11 | C00–96 exc.C44 |

§Includes 4 cases of unknown age


§Includes 2 cases of unknown age

*†See note following population pyramid

Benin, Cotonou

CONTRIBUTORS

Freddy Houéhanou Rodrigue Gnanon
 Salmane Ariyoh Amidou
 Marcel Egue
 Cosme Toume
 Constantine Worou
 Marie-Thérèse Akele-Akpo
 Dismand Stephan Houinato



NOTES ON THE DATA

*No official mortality data. No DCO registrations.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|------|
| Prostate | 32.5 | Breast | 25.3 |
| Liver | 10.6 | Cervix uteri | 16.1 |
| Colon | 5.7 | Corpus uteri | 4.2 |
| Stomach | 4.6 | Liver | 3.4 |
| Non-melanoma skin cancer | 3.4 | Ovary | 3.3 |
| Oesophagus | 3.4 | Oesophagus | 3.2 |
| Lymphoid leukaemia | 3.2 | Stomach | 3.1 |
| Rectum | 2.7 | Bone | 2.3 |
| Brain and nervous system | 2.2 | Colon | 2.3 |
| Pancreas | 2.1 | Myeloid leukaemia | 2.2 |
| Non-Hodgkin lymphoma | 2.1 | Pancreas | 2.1 |
| Myeloid leukaemia | 2.0 | Non-melanoma skin cancer | 1.8 |
| Bone | 1.8 | Other and unspecified | 1.8 |
| Salivary glands | 1.8 | Non-Hodgkin lymphoma | 1.6 |
| Bladder | 1.7 | Salivary glands | 1.4 |
| Kidney | 1.6 | Rectum | 1.3 |
| Breast | 1.6 | Trachea, bronchus, and lung | 1.2 |
| Anus | 1.5 | Mouth | 1.1 |
| Trachea, bronchus, and lung | 1.4 | Thyroid | 1.0 |
| Leukaemia unspecified | 1.2 | Eye | 0.9 |
| All sites | 97.7 | All sites | 88.7 |

*Benin, Cotonou (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|----------|-----------|-----------|--------------------------|-------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 1 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 3 | 0.6 | 0.3 | 0.6 | 0.02 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 2 | 0.4 | 0.2 | 0.2 | 0.01 | 0.01 | 8 | 1.2 | 0.7 | 1.1 | 0.09 | 0.12 | C03–06 |
| Salivary glands | 10 | 2.0 | 0.9 | 1.8 | 0.12 | 0.21 | 10 | 1.5 | 0.9 | 1.4 | 0.07 | 0.21 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 4 | 0.8 | 0.4 | 0.5 | 0.05 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | C10 |
| Nasopharynx | 5 | 1.0 | 0.5 | 0.7 | 0.07 | 0.07 | 5 | 0.7 | 0.4 | 0.5 | 0.03 | 0.03 | C11 |
| Hypopharynx | 1 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.2 | 0.03 | 0.03 | C12–13 |
| Pharynx unspecified | 3 | 0.6 | 0.3 | 0.3 | 0.02 | 0.02 | 7 | 1.0 | 0.6 | 0.6 | 0.06 | 0.06 | C14 |
| Oesophagus | 16 | 3.2 | 1.5 | 3.4 | 0.18 | 0.46 | 19 | 2.8 | 1.6 | 3.2 | 0.22 | 0.45 | C15 |
| Stomach | 24 | 4.8 | 2.3 | 4.6 | 0.35 | 0.55 | 21 | 3.1 | 1.8 | 3.1 | 0.21 | 0.35 | C16 |
| Small intestine | 4 | 0.8 | 0.4 | 0.9 | 0.05 | 0.13 | 3 | 0.4 | 0.3 | 0.5 | 0.05 | 0.05 | C17 |
| Colon | 29 | 5.8 | 2.8 | 5.7 | 0.30 | 0.82 | 18 | 2.6 | 1.5 | 2.3 | 0.19 | 0.21 | C18 |
| Rectum | 15 | 3.0 | 1.4 | 2.7 | 0.17 | 0.29 | 10 | 1.5 | 0.9 | 1.3 | 0.11 | 0.14 | C19–20 |
| Anus | 10 | 2.0 | 0.9 | 1.5 | 0.09 | 0.21 | 2 | 0.3 | 0.2 | 0.3 | 0.04 | 0.04 | C21 |
| Liver | 68 | 13.5 | 6.5 | 10.6 | 0.65 | 1.25 | 24 | 3.5 | 2.1 | 3.4 | 0.26 | 0.38 | C22 |
| Gallbladder etc. | 6 | 1.2 | 0.6 | 1.1 | 0.05 | 0.13 | 5 | 0.7 | 0.4 | 0.5 | 0.04 | 0.04 | C23–24 |
| Pancreas | 13 | 2.6 | 1.2 | 2.1 | 0.17 | 0.25 | 13 | 1.9 | 1.1 | 2.1 | 0.09 | 0.26 | C25 |
| Nose, sinuses etc. | 3 | 0.6 | 0.3 | 0.4 | 0.04 | 0.04 | 2 | 0.3 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 4 | 0.8 | 0.4 | 0.9 | 0.03 | 0.12 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 9 | 1.8 | 0.9 | 1.4 | 0.10 | 0.13 | 7 | 1.0 | 0.6 | 1.2 | 0.08 | 0.19 | C33–34 |
| Other thoracic organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 13 | 2.6 | 1.2 | 1.8 | 0.09 | 0.25 | 20 | 2.9 | 1.7 | 2.3 | 0.20 | 0.25 | C40–41 |
| Melanoma of skin | 2 | 0.4 | 0.2 | 0.6 | 0.00 | 0.08 | 1 | 0.1 | 0.1 | 0.2 | 0.03 | 0.03 | C43 |
| Other skin | 23 | 4.6 | 2.2 | 3.4 | 0.17 | 0.33 | 14 | 2.0 | 1.2 | 1.8 | 0.14 | 0.22 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 4 | 0.8 | 0.4 | 0.5 | 0.04 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 3 | 0.6 | 0.3 | 0.3 | 0.03 | 0.03 | 3 | 0.4 | 0.3 | 0.4 | 0.04 | 0.04 | C47+C49 |
| Breast | 7 | 1.4 | 0.7 | 1.6 | 0.12 | 0.24 | 225 | 32.8 | 19.3 | 25.3 | 2.15 | 2.57 | C50 |
| Vulva | | | | | | | 6 | 0.9 | 0.5 | 0.8 | 0.06 | 0.09 | C51 |
| Vagina | | | | | | | 2 | 0.3 | 0.2 | 0.3 | 0.04 | 0.04 | C52 |
| Cervix uteri | | | | | | | 118 | 17.2 | 10.1 | 16.1 | 1.14 | 1.84 | C53 |
| Corpus uteri | | | | | | | 23 | 3.3 | 2.0 | 4.2 | 0.26 | 0.68 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.7 | 0.4 | 0.6 | 0.07 | 0.07 | C55 |
| Ovary | | | | | | | 25 | 3.6 | 2.1 | 3.3 | 0.25 | 0.40 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 127 | 25.3 | 12.1 | 32.5 | 1.13 | 3.94 | | | | | | | C61 |
| Testis | 3 | 0.6 | 0.3 | 0.5 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 9 | 1.8 | 0.9 | 1.6 | 0.09 | 0.26 | 6 | 0.9 | 0.5 | 0.8 | 0.05 | 0.11 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 10 | 2.0 | 0.9 | 1.7 | 0.10 | 0.25 | 2 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.06 | C68 |
| Eye | 2 | 0.4 | 0.2 | 0.4 | 0.00 | 0.08 | 10 | 1.5 | 0.9 | 0.9 | 0.08 | 0.08 | C69 |
| Brain and nervous system | 12 | 2.4 | 1.1 | 2.2 | 0.15 | 0.39 | 8 | 1.2 | 0.7 | 0.9 | 0.08 | 0.08 | C70–72 |
| Thyroid | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 9 | 1.3 | 0.8 | 1.0 | 0.06 | 0.11 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 5 | 1.0 | 0.5 | 0.4 | 0.03 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 15 | 3.0 | 1.4 | 2.1 | 0.15 | 0.23 | 14 | 2.0 | 1.2 | 1.6 | 0.09 | 0.18 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 6 | 1.2 | 0.6 | 0.9 | 0.07 | 0.11 | 5 | 0.7 | 0.4 | 0.7 | 0.05 | 0.08 | C90 |
| Lymphoid leukaemia | 16 | 3.2 | 1.5 | 3.2 | 0.05 | 0.20 | 2 | 0.3 | 0.2 | 0.3 | 0.04 | 0.04 | C91 |
| Myeloid leukaemia | 18 | 3.6 | 1.7 | 2.0 | 0.19 | 0.19 | 20 | 2.9 | 1.7 | 2.2 | 0.19 | 0.24 | C92–94 |
| Leukaemia unspecified | 12 | 2.4 | 1.1 | 1.2 | 0.05 | 0.09 | 5 | 0.7 | 0.4 | 0.4 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 8 | 1.6 | 0.8 | 1.2 | 0.08 | 0.08 | 16 | 2.3 | 1.4 | 1.8 | 0.15 | 0.21 | O&U |
| All sites | 525 | | 49.8 | 97.7 | 5.05 | 11.68 | 701 | | 60.0 | 88.7 | 6.85 | 10.07 | C00–96 |
| All sites except C44 | 502 | 100.0 | 47.7 | 94.3 | 4.88 | 11.35 | 687 | 100.0 | 58.8 | 86.9 | 6.72 | 9.85 | C00–96 exc. C44 |

*See note following population pyramid

France, La Réunion

CONTRIBUTORS

Emmanuel Chirpaz
Imène Deneche
Cathy Gonthier
Stéphanie Maillot
Malika Omarjee
Karine Pierre
Miguel Saint-Lambert
Geneviève Virapin



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|-----------------------------|-------|
| Prostate | 68.0 | Breast | 60.1 |
| Trachea, bronchus, and lung | 32.8 | Colon | 16.0 |
| Colon | 19.2 | Trachea, bronchus, and lung | 10.5 |
| Rectum | 11.5 | Cervix uteri | 9.2 |
| Stomach | 11.3 | Thyroid | 7.9 |
| Oesophagus | 8.9 | Corpus uteri | 7.8 |
| Other and unspecified | 8.2 | Rectum | 6.5 |
| Non-Hodgkin lymphoma | 7.9 | Ovary | 6.1 |
| Liver | 7.7 | Stomach | 5.8 |
| Bladder | 7.2 | Other and unspecified | 4.7 |
| Kidney | 6.5 | Non-Hodgkin lymphoma | 4.5 |
| Pancreas | 6.3 | Pancreas | 4.3 |
| Larynx | 5.3 | Melanoma of skin | 4.1 |
| Melanoma of skin | 5.1 | Brain and nervous system | 3.6 |
| Brain and nervous system | 4.9 | Multiple myeloma | 3.2 |
| Lymphoid leukaemia | 4.6 | Kidney | 2.9 |
| Myeloid leukaemia | 4.3 | Myeloid leukaemia | 2.8 |
| Myeloproliferative disorders | 4.2 | Gallbladder etc. | 2.7 |
| Mouth | 3.9 | Liver | 2.6 |
| Tongue | 3.7 | Lymphoid leukaemia | 2.2 |
| All sites | 267.4 | All sites | 187.6 |

*France, La Réunion (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 80 | 1.4 | 4.9 | 3.7 | 0.25 | 0.48 | 13 | 0.3 | 0.7 | 0.5 | 0.05 | 0.07 | C01–02 |
| Mouth | 84 | 1.5 | 5.1 | 3.9 | 0.28 | 0.49 | 24 | 0.5 | 1.4 | 0.9 | 0.06 | 0.09 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 12 | 0.3 | 0.7 | 0.5 | 0.03 | 0.04 | C07–08 |
| Tonsil | 66 | 1.2 | 4.0 | 3.1 | 0.19 | 0.39 | 10 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C09 |
| Other oropharynx | 61 | 1.1 | 3.7 | 2.8 | 0.25 | 0.33 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 9 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 5 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 71 | 1.3 | 4.3 | 3.4 | 0.23 | 0.40 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 192 | 3.4 | 11.7 | 8.9 | 0.64 | 1.13 | 25 | 0.5 | 1.4 | 0.9 | 0.06 | 0.11 | C15 |
| Stomach | 244 | 4.3 | 14.9 | 11.3 | 0.54 | 1.23 | 163 | 3.5 | 9.3 | 5.8 | 0.28 | 0.65 | C16 |
| Small intestine | 27 | 0.5 | 1.7 | 1.2 | 0.06 | 0.14 | 20 | 0.4 | 1.1 | 0.8 | 0.03 | 0.10 | C17 |
| Colon | 413 | 7.3 | 25.3 | 19.2 | 0.94 | 2.35 | 434 | 9.4 | 24.7 | 16.0 | 0.77 | 1.90 | C18 |
| Rectum | 246 | 4.4 | 15.0 | 11.5 | 0.66 | 1.38 | 170 | 3.7 | 9.7 | 6.5 | 0.38 | 0.74 | C19–20 |
| Anus | 8 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 21 | 0.5 | 1.2 | 0.8 | 0.07 | 0.11 | C21 |
| Liver | 163 | 2.9 | 10.0 | 7.7 | 0.35 | 0.95 | 69 | 1.5 | 3.9 | 2.6 | 0.10 | 0.33 | C22 |
| Gallbladder etc. | 60 | 1.1 | 3.7 | 2.8 | 0.18 | 0.36 | 78 | 1.7 | 4.4 | 2.7 | 0.09 | 0.31 | C23–24 |
| Pancreas | 139 | 2.5 | 8.5 | 6.3 | 0.37 | 0.73 | 119 | 2.6 | 6.8 | 4.3 | 0.21 | 0.51 | C25 |
| Nose, sinuses etc. | 13 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 116 | 2.1 | 7.1 | 5.3 | 0.41 | 0.64 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 701 | 12.5 | 42.9 | 32.8 | 1.66 | 4.21 | 268 | 5.8 | 15.3 | 10.5 | 0.74 | 1.28 | C33–34 |
| Other thoracic organs | 10 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 13 | 0.3 | 0.7 | 0.5 | 0.04 | 0.06 | C37–38 |
| Bone | 20 | 0.4 | 1.2 | 1.1 | 0.04 | 0.10 | 18 | 0.4 | 1.0 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 103 | 1.8 | 6.3 | 5.1 | 0.33 | 0.56 | 91 | 2.0 | 5.2 | 4.1 | 0.28 | 0.41 | C43 |
| Other skin | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 8 | 0.2 | 0.5 | 0.5 | 0.03 | 0.03 | C44 |
| Mesothelioma | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 32 | 0.6 | 2.0 | 1.8 | 0.11 | 0.14 | 32 | 0.7 | 1.8 | 1.6 | 0.09 | 0.11 | C47+C49 |
| Breast | 22 | 0.4 | 1.3 | 1.0 | 0.05 | 0.10 | 1416 | 30.7 | 80.6 | 60.1 | 4.54 | 6.65 | C50 |
| Vulva | | | | | | | 25 | 0.5 | 1.4 | 1.0 | 0.04 | 0.14 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 218 | 4.7 | 12.4 | 9.2 | 0.65 | 0.95 | C53 |
| Corpus uteri | | | | | | | 191 | 4.1 | 10.9 | 7.8 | 0.49 | 1.01 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 144 | 3.1 | 8.2 | 6.1 | 0.40 | 0.67 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 13 | 0.2 | 0.8 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 1445 | 25.7 | 88.4 | 68.0 | 2.95 | 9.35 | | | | | | | C61 |
| Testis | 46 | 0.8 | 2.8 | 2.8 | 0.22 | 0.22 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 136 | 2.4 | 8.3 | 6.5 | 0.41 | 0.73 | 72 | 1.6 | 4.1 | 2.9 | 0.17 | 0.31 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 157 | 2.8 | 9.6 | 7.2 | 0.26 | 0.90 | 49 | 1.1 | 2.8 | 1.5 | 0.04 | 0.15 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 10 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 90 | 1.6 | 5.5 | 4.9 | 0.31 | 0.48 | 82 | 1.8 | 4.7 | 3.6 | 0.23 | 0.33 | C70–72 |
| Thyroid | 36 | 0.6 | 2.2 | 1.8 | 0.16 | 0.19 | 162 | 3.5 | 9.2 | 7.9 | 0.63 | 0.74 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 8 | 0.2 | 0.5 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 35 | 0.6 | 2.1 | 2.1 | 0.15 | 0.16 | 30 | 0.7 | 1.7 | 1.8 | 0.11 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 158 | 2.8 | 9.7 | 7.9 | 0.45 | 0.78 | 107 | 2.3 | 6.1 | 4.5 | 0.30 | 0.48 | C82–86,C96 |
| Immunoproliferative diseases | 17 | 0.3 | 1.0 | 0.8 | 0.03 | 0.06 | 15 | 0.3 | 0.9 | 0.6 | 0.03 | 0.08 | C88 |
| Multiple myeloma | 79 | 1.4 | 4.8 | 3.6 | 0.18 | 0.43 | 91 | 2.0 | 5.2 | 3.2 | 0.14 | 0.38 | C90 |
| Lymphoid leukaemia | 83 | 1.5 | 5.1 | 4.6 | 0.24 | 0.48 | 44 | 1.0 | 2.5 | 2.2 | 0.14 | 0.21 | C91 |
| Myeloid leukaemia | 86 | 1.5 | 5.3 | 4.3 | 0.22 | 0.35 | 70 | 1.5 | 4.0 | 2.8 | 0.18 | 0.25 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 86 | 1.5 | 5.3 | 4.2 | 0.24 | 0.49 | 53 | 1.1 | 3.0 | 2.1 | 0.12 | 0.21 | MPD |
| Myelodysplastic syndromes | 58 | 1.0 | 3.5 | 2.6 | 0.06 | 0.28 | 64 | 1.4 | 3.6 | 2.0 | 0.08 | 0.18 | MPS |
| Other and unspecified | 173 | 3.1 | 10.6 | 8.2 | 0.41 | 0.99 | 135 | 2.9 | 7.7 | 4.7 | 0.22 | 0.47 | O&U |
| All sites | 5628 | | 344.2 | 267.4 | 14.14 | 32.57 | 4617 | | 263.0 | 187.6 | 12.05 | 20.55 | C00–96 |
| All sites except C44 | 5624 | 100.0 | 344.0 | 267.2 | 14.12 | 32.55 | 4609 | 100.0 | 262.5 | 187.1 | 12.02 | 20.52 | C00–96 exc. C44 |

*See note following population pyramid

Kenya, Eldoret

CONTRIBUTORS

Nathan Gyabi Buziba
 Gladys Chebet Chesumbai
 Jane Chepkosgei Sang
 Jacqueline Nafula Gavana
 Hillary Kipkosgei Mugun
 Anne Chepkorir Koskei
 Eunice Chemutai Rutto



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|----------------------------|-------|
| Prostate | 19.6 | Cervix uteri | 22.6 |
| Oesophagus | 16.0 | Breast | 20.0 |
| Stomach | 5.6 | Oesophagus | 11.9 |
| Pancreas | 3.3 | Ovary | 4.2 |
| Lymphoid leukaemia | 3.2 | Colon | 3.9 |
| Liver | 3.2 | Stomach | 3.4 |
| Nasopharynx | 3.2 | Pancreas | 3.3 |
| Colon | 3.1 | Non-Hodgkin lymphoma | 3.2 |
| Non-Hodgkin lymphoma | 3.0 | Liver | 2.8 |
| Kaposi sarcoma | 2.7 | Corpus uteri | 2.7 |
| Rectum | 2.7 | Other and unspecified | 2.7 |
| Breast | 2.4 | Kaposi sarcoma | 2.6 |
| Other and unspecified | 2.3 | Myeloid leukaemia | 2.5 |
| Multiple myeloma | 2.3 | Rectum | 2.5 |
| Trachea, bronchus, and lung | 2.1 | Lymphoid leukaemia | 2.1 |
| Myeloid leukaemia | 1.9 | Multiple myeloma | 1.9 |
| Larynx | 1.7 | Non-melanoma skin cancer | 1.5 |
| Non-melanoma skin cancer | 1.6 | Thyroid | 1.4 |
| Melanoma of skin | 1.3 | Connective and soft tissue | 1.3 |
| Tongue | 1.3 | Gallbladder etc. | 1.2 |
| All sites | 94.7 | All sites | 110.7 |

*Kenya, Eldoret (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 14 | 1.4 | 0.7 | 1.3 | 0.12 | 0.16 | 4 | 0.3 | 0.2 | 0.4 | 0.06 | 0.06 | C01–02 |
| Mouth | 4 | 0.4 | 0.2 | 0.4 | 0.02 | 0.04 | 1 | 0.1 | 0.0 | 0.1 | 0.02 | 0.02 | C03–06 |
| Salivary glands | 4 | 0.4 | 0.2 | 0.5 | 0.02 | 0.09 | 8 | 0.6 | 0.4 | 0.6 | 0.03 | 0.07 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.2 | 0.1 | 0.2 | 0.00 | 0.03 | 2 | 0.2 | 0.1 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 41 | 4.0 | 1.9 | 3.2 | 0.23 | 0.37 | 17 | 1.3 | 0.8 | 1.1 | 0.07 | 0.13 | C11 |
| Hypopharynx | 3 | 0.3 | 0.1 | 0.2 | 0.01 | 0.01 | 3 | 0.2 | 0.1 | 0.3 | 0.01 | 0.04 | C12–13 |
| Pharynx unspecified | 6 | 0.6 | 0.3 | 0.5 | 0.06 | 0.06 | 2 | 0.2 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 155 | 15.2 | 7.3 | 16.0 | 0.96 | 1.88 | 111 | 8.7 | 5.2 | 11.9 | 0.59 | 1.62 | C15 |
| Stomach | 54 | 5.3 | 2.6 | 5.6 | 0.30 | 0.72 | 35 | 2.8 | 1.7 | 3.4 | 0.23 | 0.44 | C16 |
| Small intestine | 3 | 0.3 | 0.1 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | C17 |
| Colon | 31 | 3.0 | 1.5 | 3.1 | 0.21 | 0.42 | 43 | 3.4 | 2.0 | 3.9 | 0.31 | 0.45 | C18 |
| Rectum | 29 | 2.8 | 1.4 | 2.7 | 0.19 | 0.33 | 28 | 2.2 | 1.3 | 2.5 | 0.11 | 0.32 | C19–20 |
| Anus | 2 | 0.2 | 0.1 | 0.2 | 0.00 | 0.02 | 4 | 0.3 | 0.2 | 0.4 | 0.04 | 0.04 | C21 |
| Liver | 38 | 3.7 | 1.8 | 3.2 | 0.22 | 0.36 | 30 | 2.4 | 1.4 | 2.8 | 0.21 | 0.28 | C22 |
| Gallbladder etc. | 4 | 0.4 | 0.2 | 0.3 | 0.01 | 0.01 | 11 | 0.9 | 0.5 | 1.2 | 0.07 | 0.18 | C23–24 |
| Pancreas | 31 | 3.0 | 1.5 | 3.3 | 0.17 | 0.42 | 30 | 2.4 | 1.4 | 3.3 | 0.08 | 0.53 | C25 |
| Nose, sinuses etc. | 4 | 0.4 | 0.2 | 0.4 | 0.01 | 0.06 | 2 | 0.2 | 0.1 | 0.2 | 0.03 | 0.03 | C30–31 |
| Larynx | 16 | 1.6 | 0.8 | 1.7 | 0.14 | 0.23 | 2 | 0.2 | 0.1 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 22 | 2.2 | 1.0 | 2.1 | 0.11 | 0.23 | 8 | 0.6 | 0.4 | 0.8 | 0.06 | 0.09 | C33–34 |
| Other thoracic organs | 3 | 0.3 | 0.1 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 24 | 2.3 | 1.1 | 1.2 | 0.06 | 0.08 | 13 | 1.0 | 0.6 | 0.6 | 0.02 | 0.05 | C40–41 |
| Melanoma of skin | 13 | 1.3 | 0.6 | 1.3 | 0.08 | 0.18 | 8 | 0.6 | 0.4 | 0.8 | 0.05 | 0.10 | C43 |
| Other skin | 22 | 2.2 | 1.0 | 1.6 | 0.13 | 0.13 | 18 | 1.4 | 0.9 | 1.5 | 0.13 | 0.19 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 43 | 4.2 | 2.0 | 2.7 | 0.24 | 0.24 | 42 | 3.3 | 2.0 | 2.6 | 0.21 | 0.26 | C46 |
| Connective and soft tissue | 19 | 1.9 | 0.9 | 0.9 | 0.08 | 0.08 | 22 | 1.7 | 1.0 | 1.3 | 0.09 | 0.11 | C47+C49 |
| Breast | 21 | 2.1 | 1.0 | 2.4 | 0.14 | 0.34 | 245 | 19.3 | 11.6 | 20.0 | 1.49 | 2.06 | C50 |
| Vulva | | | | | | | 12 | 0.9 | 0.6 | 0.7 | 0.05 | 0.08 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.0 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 252 | 19.8 | 11.9 | 22.6 | 1.75 | 2.66 | C53 |
| Corpus uteri | | | | | | | 26 | 2.0 | 1.2 | 2.7 | 0.22 | 0.32 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.7 | 0.4 | 0.8 | 0.07 | 0.07 | C55 |
| Ovary | | | | | | | 48 | 3.8 | 2.3 | 4.2 | 0.29 | 0.46 | C56 |
| Other female genital organs | | | | | | | 1 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.3 | 0.1 | 0.4 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 167 | 16.3 | 7.9 | 19.6 | 0.31 | 2.62 | | | | | | | C61 |
| Testis | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 18 | 1.8 | 0.9 | 1.1 | 0.04 | 0.09 | 13 | 1.0 | 0.6 | 0.9 | 0.02 | 0.07 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 10 | 1.0 | 0.5 | 0.9 | 0.07 | 0.10 | 8 | 0.6 | 0.4 | 0.9 | 0.04 | 0.13 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 11 | 1.1 | 0.5 | 0.7 | 0.03 | 0.08 | 10 | 0.8 | 0.5 | 0.7 | 0.07 | 0.07 | C69 |
| Brain and nervous system | 16 | 1.6 | 0.8 | 1.0 | 0.05 | 0.14 | 11 | 0.9 | 0.5 | 0.7 | 0.07 | 0.07 | C70–72 |
| Thyroid | 4 | 0.4 | 0.2 | 0.5 | 0.02 | 0.06 | 17 | 1.3 | 0.8 | 1.4 | 0.13 | 0.13 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 20 | 2.0 | 0.9 | 1.0 | 0.08 | 0.08 | 14 | 1.1 | 0.7 | 0.8 | 0.07 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 51 | 5.0 | 2.4 | 3.0 | 0.20 | 0.26 | 41 | 3.2 | 1.9 | 3.2 | 0.23 | 0.38 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 23 | 2.2 | 1.1 | 2.3 | 0.17 | 0.30 | 22 | 1.7 | 1.0 | 1.9 | 0.14 | 0.20 | C90 |
| Lymphoid leukaemia | 41 | 4.0 | 1.9 | 3.2 | 0.14 | 0.37 | 25 | 2.0 | 1.2 | 2.1 | 0.12 | 0.26 | C91 |
| Myeloid leukaemia | 33 | 3.2 | 1.6 | 1.9 | 0.15 | 0.18 | 42 | 3.3 | 2.0 | 2.5 | 0.16 | 0.22 | C92–94 |
| Leukaemia unspecified | 8 | 0.8 | 0.4 | 0.7 | 0.01 | 0.09 | 8 | 0.6 | 0.4 | 0.4 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.4 | 0.2 | 0.5 | 0.06 | 0.06 | MPD |
| Myelodysplastic syndromes | 2 | 0.2 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.2 | 0.1 | 0.2 | 0.01 | 0.03 | MPS |
| Other and unspecified | 28 | 2.7 | 1.3 | 2.3 | 0.10 | 0.29 | 30 | 2.4 | 1.4 | 2.7 | 0.20 | 0.33 | O&U |
| All sites | 1045 | | 49.3 | 94.7 | 4.98 | 11.29 | 1290 | | 60.9 | 110.7 | 7.69 | 12.79 | C00–96 |
| All sites except C44 | 1023 | 100.0 | 48.3 | 93.1 | 4.84 | 11.15 | 1272 | 100.0 | 60.1 | 109.2 | 7.56 | 12.60 | C00–96 exc.C44 |

*See note following population pyramid

Kenya, Nairobi

CONTRIBUTORS

Anne Korir
Nathan Okerosi
Mary Nyanchama
Newton Mudome
Maureen Lutomia
Robai Gakunga



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 48.8 | Breast | 53.1 |
| Oesophagus | 16.1 | Cervix uteri | 33.8 |
| Stomach | 9.5 | Oesophagus | 14.3 |
| Colon | 8.9 | Ovary | 10.9 |
| Trachea, bronchus, and lung | 6.0 | Stomach | 9.6 |
| Non-Hodgkin lymphoma | 5.9 | Colon | 8.3 |
| Rectum | 5.0 | Corpus uteri | 7.9 |
| Pancreas | 4.1 | Pancreas | 6.0 |
| Non-melanoma skin cancer | 3.7 | Trachea, bronchus, and lung | 5.0 |
| Bladder | 3.6 | Non-Hodgkin lymphoma | 5.0 |
| Liver | 3.5 | Multiple myeloma | 4.8 |
| Multiple myeloma | 3.5 | Rectum | 4.6 |
| Other and unspecified | 3.3 | Brain and nervous system | 4.0 |
| Nasopharynx | 3.2 | Other and unspecified | 3.8 |
| Larynx | 3.2 | Liver | 3.6 |
| Gallbladder etc. | 2.7 | Gallbladder etc. | 3.5 |
| Brain and nervous system | 2.7 | Non-melanoma skin cancer | 3.3 |
| Myeloid leukaemia | 2.6 | Thyroid | 2.9 |
| Kaposi sarcoma | 2.2 | Myeloid leukaemia | 2.6 |
| Lymphoid leukaemia | 2.1 | Mouth | 2.4 |
| All sites | 162.2 | All sites | 213.3 |

*Kenya, Nairobi (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 9 | 0.2 | 0.1 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 45 | 1.1 | 0.6 | 1.7 | 0.08 | 0.20 | 38 | 0.7 | 0.5 | 1.7 | 0.18 | 0.20 | C01–02 |
| Mouth | 54 | 1.4 | 0.7 | 1.8 | 0.08 | 0.15 | 50 | 0.9 | 0.7 | 2.4 | 0.12 | 0.30 | C03–06 |
| Salivary glands | 23 | 0.6 | 0.3 | 0.5 | 0.05 | 0.06 | 20 | 0.4 | 0.3 | 0.6 | 0.03 | 0.08 | C07–08 |
| Tonsil | 6 | 0.2 | 0.1 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.2 | 0.02 | 0.04 | C09 |
| Other oropharynx | 10 | 0.3 | 0.1 | 0.5 | 0.03 | 0.07 | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C10 |
| Nasopharynx | 140 | 3.5 | 1.8 | 3.2 | 0.24 | 0.35 | 62 | 1.1 | 0.8 | 1.7 | 0.11 | 0.19 | C11 |
| Hypopharynx | 26 | 0.7 | 0.3 | 0.8 | 0.05 | 0.08 | 13 | 0.2 | 0.2 | 0.6 | 0.02 | 0.08 | C12–13 |
| Pharynx unspecified | 18 | 0.5 | 0.2 | 0.7 | 0.05 | 0.10 | 5 | 0.1 | 0.1 | 0.2 | 0.01 | 0.03 | C14 |
| Oesophagus | 354 | 9.0 | 4.6 | 16.1 | 0.67 | 1.98 | 281 | 5.1 | 3.8 | 14.3 | 0.70 | 1.71 | C15 |
| Stomach | 229 | 5.8 | 3.0 | 9.5 | 0.40 | 1.11 | 189 | 3.4 | 2.5 | 9.6 | 0.43 | 1.24 | C16 |
| Small intestine | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | C17 |
| Colon | 209 | 5.3 | 2.7 | 8.9 | 0.40 | 1.21 | 175 | 3.2 | 2.3 | 8.3 | 0.43 | 0.99 | C18 |
| Rectum | 144 | 3.6 | 1.9 | 5.0 | 0.28 | 0.58 | 119 | 2.1 | 1.6 | 4.6 | 0.32 | 0.48 | C19–20 |
| Anus | 19 | 0.5 | 0.2 | 0.9 | 0.04 | 0.09 | 25 | 0.5 | 0.3 | 1.1 | 0.08 | 0.11 | C21 |
| Liver | 134 | 3.4 | 1.8 | 3.5 | 0.21 | 0.39 | 87 | 1.6 | 1.2 | 3.6 | 0.18 | 0.46 | C22 |
| Gallbladder etc. | 63 | 1.6 | 0.8 | 2.7 | 0.12 | 0.34 | 77 | 1.4 | 1.0 | 3.5 | 0.22 | 0.50 | C23–24 |
| Pancreas | 89 | 2.3 | 1.2 | 4.1 | 0.20 | 0.49 | 106 | 1.9 | 1.4 | 6.0 | 0.26 | 0.87 | C25 |
| Nose, sinuses etc. | 23 | 0.6 | 0.3 | 0.6 | 0.03 | 0.06 | 24 | 0.4 | 0.3 | 0.8 | 0.03 | 0.10 | C30–31 |
| Larynx | 71 | 1.8 | 0.9 | 3.2 | 0.19 | 0.42 | 6 | 0.1 | 0.1 | 0.3 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 120 | 3.0 | 1.6 | 6.0 | 0.23 | 0.85 | 100 | 1.8 | 1.3 | 5.0 | 0.32 | 0.69 | C33–34 |
| Other thoracic organs | 5 | 0.1 | 0.1 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 61 | 1.5 | 0.8 | 1.2 | 0.05 | 0.12 | 49 | 0.9 | 0.7 | 1.5 | 0.08 | 0.19 | C40–41 |
| Melanoma of skin | 19 | 0.5 | 0.2 | 1.0 | 0.04 | 0.09 | 23 | 0.4 | 0.3 | 1.0 | 0.06 | 0.15 | C43 |
| Other skin | 97 | 2.5 | 1.3 | 3.7 | 0.13 | 0.51 | 84 | 1.5 | 1.1 | 3.3 | 0.16 | 0.38 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 104 | 2.6 | 1.4 | 2.2 | 0.16 | 0.27 | 56 | 1.0 | 0.7 | 0.9 | 0.08 | 0.08 | C46 |
| Connective and soft tissue | 90 | 2.3 | 1.2 | 2.0 | 0.10 | 0.20 | 77 | 1.4 | 1.0 | 1.6 | 0.11 | 0.18 | C47+C49 |
| Breast | 49 | 1.2 | 0.6 | 2.1 | 0.08 | 0.24 | 1522 | 27.5 | 20.4 | 53.1 | 3.80 | 6.29 | C50 |
| Vulva | | | | | | | 40 | 0.7 | 0.5 | 1.5 | 0.11 | 0.15 | C51 |
| Vagina | | | | | | | 13 | 0.2 | 0.2 | 0.5 | 0.04 | 0.08 | C52 |
| Cervix uteri | | | | | | | 989 | 17.8 | 13.2 | 33.8 | 2.41 | 3.98 | C53 |
| Corpus uteri | | | | | | | 136 | 2.5 | 1.8 | 7.9 | 0.46 | 1.11 | C54 |
| Uterus unspecified | | | | | | | 31 | 0.6 | 0.4 | 1.4 | 0.09 | 0.19 | C55 |
| Ovary | | | | | | | 248 | 4.5 | 3.3 | 10.9 | 0.63 | 1.44 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 13 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 12 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 769 | 19.5 | 10.1 | 48.8 | 1.20 | 5.55 | | | | | | | C61 |
| Testis | 17 | 0.4 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 72 | 1.8 | 0.9 | 1.9 | 0.08 | 0.22 | 61 | 1.1 | 0.8 | 1.7 | 0.06 | 0.19 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 68 | 1.7 | 0.9 | 3.6 | 0.12 | 0.40 | 41 | 0.7 | 0.5 | 2.1 | 0.07 | 0.23 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.1 | 0.2 | 0.00 | 0.04 | C68 |
| Eye | 58 | 1.5 | 0.8 | 1.2 | 0.05 | 0.08 | 36 | 0.6 | 0.5 | 0.5 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 101 | 2.6 | 1.3 | 2.7 | 0.16 | 0.31 | 134 | 2.4 | 1.8 | 4.0 | 0.28 | 0.48 | C70–72 |
| Thyroid | 26 | 0.7 | 0.3 | 0.9 | 0.04 | 0.10 | 82 | 1.5 | 1.1 | 2.9 | 0.19 | 0.36 | C73 |
| Adrenal gland | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 7 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | C75 |
| Hodgkin lymphoma | 69 | 1.7 | 0.9 | 1.1 | 0.07 | 0.09 | 44 | 0.8 | 0.6 | 0.7 | 0.06 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 219 | 5.5 | 2.9 | 5.9 | 0.34 | 0.66 | 169 | 3.0 | 2.3 | 5.0 | 0.34 | 0.52 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 83 | 2.1 | 1.1 | 3.5 | 0.18 | 0.48 | 91 | 1.6 | 1.2 | 4.8 | 0.26 | 0.56 | C90 |
| Lymphoid leukaemia | 79 | 2.0 | 1.0 | 2.1 | 0.09 | 0.20 | 49 | 0.9 | 0.7 | 1.3 | 0.06 | 0.11 | C91 |
| Myeloid leukaemia | 128 | 3.2 | 1.7 | 2.6 | 0.16 | 0.26 | 106 | 1.9 | 1.4 | 2.6 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 29 | 0.7 | 0.4 | 0.8 | 0.04 | 0.10 | 28 | 0.5 | 0.4 | 0.7 | 0.04 | 0.06 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 89 | 2.3 | 1.2 | 3.3 | 0.13 | 0.38 | 89 | 1.6 | 1.2 | 3.8 | 0.26 | 0.51 | O&U |
| All sites | 4048 | | 53.2 | 162.2 | 6.70 | 18.98 | 5627 | | 75.3 | 213.3 | 13.42 | 25.82 | C00–96 |
| All sites except C44 | 3951 | 100.0 | 51.9 | 158.5 | 6.57 | 18.48 | 5543 | 100.0 | 74.2 | 210.0 | 13.26 | 25.44 | C00–96 exc. C44 |

*See note following population pyramid

Mauritius

CONTRIBUTORS

Shyam S. Manraj
Marvin Koon Sun Pat
Salim Ramjaun
Roshnee Callicharrun



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 17.2 | Breast | 58.8 |
| Trachea, bronchus, and lung | 11.6 | Other and unspecified | 10.7 |
| Other and unspecified | 11.4 | Cervix uteri | 10.7 |
| Colon | 8.8 | Colon | 9.3 |
| Non-melanoma skin cancer | 8.3 | Corpus uteri | 7.2 |
| Stomach | 7.2 | Ovary | 6.6 |
| Rectum | 6.8 | Non-melanoma skin cancer | 5.3 |
| Bladder | 5.6 | Trachea, bronchus, and lung | 4.7 |
| Liver | 3.4 | Stomach | 4.2 |
| Leukaemia unspecified | 3.3 | Rectum | 4.0 |
| Non-Hodgkin lymphoma | 3.3 | Liver | 2.9 |
| Larynx | 3.2 | Thyroid | 2.4 |
| Oesophagus | 2.9 | Pancreas | 2.3 |
| Brain and nervous system | 2.9 | Uterus unspecified | 2.3 |
| Testis | 2.5 | Brain and nervous system | 2.2 |
| Pancreas | 2.3 | Leukaemia unspecified | 2.2 |
| Kidney | 2.2 | Non-Hodgkin lymphoma | 2.1 |
| Multiple myeloma | 2.0 | Connective and soft tissue | 2.0 |
| Connective and soft tissue | 2.0 | Myeloid leukaemia | 2.0 |
| Myeloid leukaemia | 1.8 | Oesophagus | 1.5 |
| All sites | 124.7 | All sites | 158.9 |

Mauritius (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 72 | 1.5 | 2.3 | 1.7 | 0.11 | 0.22 | 62 | 0.9 | 1.9 | 1.3 | 0.09 | 0.15 | C01–02 |
| Mouth | 65 | 1.4 | 2.1 | 1.5 | 0.12 | 0.15 | 43 | 0.6 | 1.3 | 0.9 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 19 | 0.4 | 0.6 | 0.5 | 0.02 | 0.06 | 28 | 0.4 | 0.9 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 38 | 0.8 | 1.2 | 0.9 | 0.08 | 0.11 | 12 | 0.2 | 0.4 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 12 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 26 | 0.6 | 0.8 | 0.6 | 0.04 | 0.07 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 15 | 0.3 | 0.5 | 0.4 | 0.04 | 0.04 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 19 | 0.4 | 0.6 | 0.4 | 0.03 | 0.05 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 119 | 2.5 | 3.8 | 2.9 | 0.16 | 0.37 | 74 | 1.1 | 2.3 | 1.5 | 0.08 | 0.19 | C15 |
| Stomach | 299 | 6.4 | 9.5 | 7.2 | 0.37 | 0.83 | 198 | 2.9 | 6.2 | 4.2 | 0.21 | 0.50 | C16 |
| Small intestine | 15 | 0.3 | 0.5 | 0.4 | 0.02 | 0.05 | 30 | 0.4 | 0.9 | 0.7 | 0.05 | 0.08 | C17 |
| Colon | 367 | 7.8 | 11.7 | 8.8 | 0.44 | 1.05 | 435 | 6.4 | 13.6 | 9.3 | 0.49 | 1.06 | C18 |
| Rectum | 294 | 6.3 | 9.4 | 6.8 | 0.44 | 0.80 | 181 | 2.7 | 5.7 | 4.0 | 0.23 | 0.49 | C19–20 |
| Anus | 14 | 0.3 | 0.4 | 0.3 | 0.02 | 0.03 | 21 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | C21 |
| Liver | 139 | 3.0 | 4.4 | 3.4 | 0.23 | 0.41 | 128 | 1.9 | 4.0 | 2.9 | 0.18 | 0.28 | C22 |
| Gallbladder etc. | 23 | 0.5 | 0.7 | 0.5 | 0.03 | 0.07 | 59 | 0.9 | 1.9 | 1.2 | 0.08 | 0.16 | C23–24 |
| Pancreas | 101 | 2.2 | 3.2 | 2.3 | 0.15 | 0.29 | 108 | 1.6 | 3.4 | 2.3 | 0.13 | 0.25 | C25 |
| Nose, sinuses etc. | 13 | 0.3 | 0.4 | 0.3 | 0.03 | 0.04 | 12 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 139 | 3.0 | 4.4 | 3.2 | 0.21 | 0.41 | 12 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 482 | 10.3 | 15.3 | 11.6 | 0.56 | 1.42 | 224 | 3.3 | 7.0 | 4.7 | 0.29 | 0.56 | C33–34 |
| Other thoracic organs | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 50 | 1.1 | 1.6 | 1.5 | 0.09 | 0.15 | 31 | 0.5 | 1.0 | 0.8 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 13 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 344 | 7.3 | 11.0 | 8.3 | 0.47 | 0.82 | 247 | 3.7 | 7.7 | 5.3 | 0.29 | 0.59 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 78 | 1.7 | 2.5 | 2.0 | 0.14 | 0.20 | 76 | 1.1 | 2.4 | 2.0 | 0.14 | 0.20 | C47+C49 |
| Breast | 53 | 1.1 | 1.7 | 1.3 | 0.06 | 0.16 | 2600 | 38.4 | 81.6 | 58.8 | 4.33 | 6.62 | C50 |
| Vulva | | | | | | | 33 | 0.5 | 1.0 | 0.7 | 0.03 | 0.08 | C51 |
| Vagina | | | | | | | 21 | 0.3 | 0.7 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 460 | 6.8 | 14.4 | 10.7 | 0.77 | 1.22 | C53 |
| Corpus uteri | | | | | | | 327 | 4.8 | 10.3 | 7.2 | 0.49 | 0.90 | C54 |
| Uterus unspecified | | | | | | | 102 | 1.5 | 3.2 | 2.3 | 0.16 | 0.24 | C55 |
| Ovary | | | | | | | 281 | 4.2 | 8.8 | 6.6 | 0.51 | 0.73 | C56 |
| Other female genital organs | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 18 | 0.4 | 0.6 | 0.4 | 0.01 | 0.05 | | | | | | | C60 |
| Prostate | 711 | 15.1 | 22.6 | 17.2 | 0.54 | 2.02 | | | | | | | C61 |
| Testis | 78 | 1.7 | 2.5 | 2.5 | 0.16 | 0.18 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 82 | 1.7 | 2.6 | 2.2 | 0.14 | 0.25 | 56 | 0.8 | 1.8 | 1.3 | 0.09 | 0.15 | C64 |
| Renal pelvis | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 235 | 5.0 | 7.5 | 5.6 | 0.23 | 0.65 | 67 | 1.0 | 2.1 | 1.2 | 0.05 | 0.10 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 102 | 2.2 | 3.2 | 2.9 | 0.20 | 0.25 | 90 | 1.3 | 2.8 | 2.2 | 0.18 | 0.22 | C70–72 |
| Thyroid | 34 | 0.7 | 1.1 | 0.8 | 0.06 | 0.08 | 100 | 1.5 | 3.1 | 2.4 | 0.20 | 0.25 | C73 |
| Adrenal gland | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 27 | 0.6 | 0.9 | 0.8 | 0.05 | 0.06 | 37 | 0.5 | 1.2 | 1.1 | 0.07 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 121 | 2.6 | 3.9 | 3.3 | 0.19 | 0.31 | 82 | 1.2 | 2.6 | 2.1 | 0.13 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 83 | 1.8 | 2.6 | 2.0 | 0.11 | 0.25 | 70 | 1.0 | 2.2 | 1.5 | 0.08 | 0.18 | C90 |
| Lymphoid leukaemia | 26 | 0.6 | 0.8 | 0.8 | 0.03 | 0.06 | 24 | 0.4 | 0.8 | 0.7 | 0.04 | 0.06 | C91 |
| Myeloid leukaemia | 68 | 1.4 | 2.2 | 1.8 | 0.11 | 0.18 | 75 | 1.1 | 2.4 | 2.0 | 0.12 | 0.21 | C92–94 |
| Leukaemia unspecified | 99 | 2.1 | 3.2 | 3.3 | 0.20 | 0.26 | 63 | 0.9 | 2.0 | 2.2 | 0.10 | 0.15 | C95 |
| Myeloproliferative disorders | 25 | 0.5 | 0.8 | 0.6 | 0.04 | 0.06 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 17 | 0.4 | 0.5 | 0.4 | 0.01 | 0.05 | 13 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | MPS |
| Other and unspecified | 460 | 9.8 | 14.6 | 11.4 | 0.65 | 1.28 | 468 | 6.9 | 14.7 | 10.7 | 0.69 | 1.23 | O&U |
| All sites | 5038 | | 160.4 | 124.7 | 6.70 | 14.00 | 7013 | | 220.0 | 158.9 | 10.65 | 17.75 | C00–96 |
| All sites except C44 | 4694 | 100.0 | 149.4 | 116.3 | 6.23 | 13.16 | 6766 | 100.0 | 212.3 | 153.5 | 10.35 | 17.16 | C00–96 exc. C44 |


§Includes 123 cases of unknown age

§Includes 114 cases of unknown age

Morocco, Casablanca

CONTRIBUTORS

Karima Bendahhou
 Maria Bennani
 Rachid Bekkali
 Youssef Chami
 Abdellatif Benider



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 25.8 | Breast | 45.5 |
| Prostate | 15.2 | Thyroid | 13.5 |
| Bladder | 5.8 | Cervix uteri | 10.0 |
| Colon | 4.9 | Colon | 5.1 |
| Non-Hodgkin lymphoma | 4.4 | Ovary | 4.9 |
| Stomach | 4.3 | Trachea, bronchus, and lung | 3.7 |
| Rectum | 4.0 | Rectum | 3.6 |
| Other and unspecified | 3.5 | Non-Hodgkin lymphoma | 3.2 |
| Larynx | 3.2 | Corpus uteri | 2.8 |
| Pancreas | 2.8 | Stomach | 2.8 |
| Thyroid | 2.4 | Other and unspecified | 2.4 |
| Brain and nervous system | 2.3 | Brain and nervous system | 1.9 |
| Nasopharynx | 2.2 | Pancreas | 1.8 |
| Non-melanoma skin cancer | 1.7 | Hodgkin lymphoma | 1.5 |
| Multiple myeloma | 1.6 | Multiple myeloma | 1.3 |
| Myeloid leukaemia | 1.4 | Uterus unspecified | 1.2 |
| Hodgkin lymphoma | 1.4 | Myeloid leukaemia | 1.2 |
| Kidney | 1.4 | Non-melanoma skin cancer | 1.2 |
| Lymphoid leukaemia | 1.3 | Nasopharynx | 1.2 |
| Liver | 1.2 | Liver | 1.1 |
| All sites | 101.7 | All sites | 122.5 |

*Morocco, Casablanca (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 27 | 0.3 | 0.3 | 0.2 | 0.02 | 0.03 | 12 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 57 | 0.6 | 0.5 | 0.5 | 0.04 | 0.07 | 59 | 0.4 | 0.5 | 0.5 | 0.03 | 0.05 | C01–02 |
| Mouth | 44 | 0.4 | 0.4 | 0.4 | 0.02 | 0.05 | 45 | 0.3 | 0.4 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 55 | 0.5 | 0.5 | 0.5 | 0.03 | 0.06 | 47 | 0.3 | 0.4 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 15 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 12 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 251 | 2.4 | 2.4 | 2.2 | 0.17 | 0.23 | 142 | 1.0 | 1.3 | 1.2 | 0.09 | 0.12 | C11 |
| Hypopharynx | 18 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 12 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 66 | 0.6 | 0.6 | 0.6 | 0.03 | 0.07 | 54 | 0.4 | 0.5 | 0.4 | 0.03 | 0.05 | C15 |
| Stomach | 454 | 4.4 | 4.3 | 4.3 | 0.25 | 0.53 | 328 | 2.3 | 3.0 | 2.8 | 0.19 | 0.33 | C16 |
| Small intestine | 32 | 0.3 | 0.3 | 0.3 | 0.02 | 0.05 | 36 | 0.3 | 0.3 | 0.3 | 0.02 | 0.03 | C17 |
| Colon | 505 | 4.9 | 4.7 | 4.9 | 0.26 | 0.62 | 590 | 4.1 | 5.4 | 5.1 | 0.33 | 0.64 | C18 |
| Rectum | 432 | 4.2 | 4.0 | 4.0 | 0.25 | 0.52 | 414 | 2.9 | 3.8 | 3.6 | 0.24 | 0.43 | C19–20 |
| Anus | 40 | 0.4 | 0.4 | 0.4 | 0.02 | 0.04 | 30 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 123 | 1.2 | 1.2 | 1.2 | 0.05 | 0.11 | 125 | 0.9 | 1.2 | 1.1 | 0.05 | 0.12 | C22 |
| Gallbladder etc. | 54 | 0.5 | 0.5 | 0.5 | 0.03 | 0.06 | 120 | 0.8 | 1.1 | 1.0 | 0.06 | 0.12 | C23–24 |
| Pancreas | 285 | 2.8 | 2.7 | 2.8 | 0.15 | 0.35 | 202 | 1.4 | 1.9 | 1.8 | 0.10 | 0.23 | C25 |
| Nose, sinuses etc. | 26 | 0.3 | 0.2 | 0.2 | 0.02 | 0.03 | 20 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 333 | 3.2 | 3.1 | 3.2 | 0.19 | 0.41 | 42 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 2700 | 26.1 | 25.3 | 25.8 | 1.58 | 3.37 | 425 | 3.0 | 3.9 | 3.7 | 0.24 | 0.45 | C33–34 |
| Other thoracic organs | 63 | 0.6 | 0.6 | 0.6 | 0.03 | 0.07 | 38 | 0.3 | 0.3 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 91 | 0.9 | 0.9 | 0.9 | 0.06 | 0.07 | 78 | 0.5 | 0.7 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 36 | 0.3 | 0.3 | 0.3 | 0.01 | 0.03 | 44 | 0.3 | 0.4 | 0.4 | 0.03 | 0.04 | C43 |
| Other skin | 186 | 1.8 | 1.7 | 1.7 | 0.10 | 0.20 | 144 | 1.0 | 1.3 | 1.2 | 0.06 | 0.12 | C44 |
| Mesothelioma | 21 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | 11 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 16 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 18 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C46 |
| Connective and soft tissue | 106 | 1.0 | 1.0 | 1.0 | 0.05 | 0.09 | 104 | 0.7 | 1.0 | 0.9 | 0.06 | 0.08 | C47+C49 |
| Breast | 112 | 1.1 | 1.0 | 1.0 | 0.06 | 0.11 | 5545 | 38.6 | 51.1 | 45.5 | 3.68 | 4.94 | C50 |
| Vulva | | | | | | | 77 | 0.5 | 0.7 | 0.6 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 20 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 1188 | 8.3 | 10.9 | 10.0 | 0.74 | 1.13 | C53 |
| Corpus uteri | | | | | | | 314 | 2.2 | 2.9 | 2.8 | 0.18 | 0.37 | C54 |
| Uterus unspecified | | | | | | | 142 | 1.0 | 1.3 | 1.2 | 0.09 | 0.15 | C55 |
| Ovary | | | | | | | 577 | 4.0 | 5.3 | 4.9 | 0.35 | 0.58 | C56 |
| Other female genital organs | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 24 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 1433 | 13.8 | 13.4 | 15.2 | 0.33 | 1.94 | | | | | | | C61 |
| Testis | 67 | 0.6 | 0.6 | 0.6 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 138 | 1.3 | 1.3 | 1.4 | 0.07 | 0.16 | 103 | 0.7 | 0.9 | 1.0 | 0.06 | 0.09 | C64 |
| Renal pelvis | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 8 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 589 | 5.7 | 5.5 | 5.8 | 0.29 | 0.72 | 84 | 0.6 | 0.8 | 0.7 | 0.04 | 0.09 | C67 |
| Other urinary organs | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 30 | 0.3 | 0.3 | 0.3 | 0.02 | 0.02 | 23 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 244 | 2.4 | 2.3 | 2.3 | 0.16 | 0.22 | 213 | 1.5 | 2.0 | 1.9 | 0.13 | 0.19 | C70–72 |
| Thyroid | 275 | 2.7 | 2.6 | 2.4 | 0.19 | 0.26 | 1654 | 11.5 | 15.2 | 13.5 | 1.09 | 1.35 | C73 |
| Adrenal gland | 29 | 0.3 | 0.3 | 0.3 | 0.01 | 0.02 | 22 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 11 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 11 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 155 | 1.5 | 1.5 | 1.4 | 0.10 | 0.11 | 175 | 1.2 | 1.6 | 1.5 | 0.11 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 467 | 4.5 | 4.4 | 4.4 | 0.26 | 0.48 | 364 | 2.5 | 3.4 | 3.2 | 0.18 | 0.39 | C82–86,C96 |
| Immunoproliferative diseases | 12 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 17 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 165 | 1.6 | 1.5 | 1.6 | 0.09 | 0.19 | 151 | 1.1 | 1.4 | 1.3 | 0.08 | 0.17 | C90 |
| Lymphoid leukaemia | 131 | 1.3 | 1.2 | 1.3 | 0.07 | 0.12 | 86 | 0.6 | 0.8 | 0.8 | 0.04 | 0.08 | C91 |
| Myeloid leukaemia | 147 | 1.4 | 1.4 | 1.4 | 0.08 | 0.13 | 138 | 1.0 | 1.3 | 1.2 | 0.08 | 0.13 | C92–94 |
| Leukaemia unspecified | 55 | 0.5 | 0.5 | 0.5 | 0.03 | 0.05 | 47 | 0.3 | 0.4 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 11 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 14 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 42 | 0.4 | 0.4 | 0.4 | 0.02 | 0.05 | 75 | 0.5 | 0.7 | 0.6 | 0.04 | 0.07 | MPS |
| Other and unspecified | 361 | 3.5 | 3.4 | 3.5 | 0.18 | 0.42 | 282 | 2.0 | 2.6 | 2.4 | 0.15 | 0.26 | O&U |
| All sites | 10535 | | 98.7 | 101.7 | 5.44 | 12.25 | 14519 | | 133.7 | 122.5 | 8.90 | 13.47 | C00–96 |
| All sites except C44 | 10349 | 100.0 | 97.0 | 100.0 | 5.34 | 12.05 | 14375 | 100.0 | 132.4 | 121.3 | 8.84 | 13.35 | C00–96 exc.C44 |

§Includes 16 cases of unknown age


§Includes 10 cases of unknown age

*See note following population pyramid

Seychelles

CONTRIBUTORS

Anne Finesse
Laurent Doffay



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 76.4 | Breast | 53.4 |
| Trachea, bronchus, and lung | 16.3 | Cervix uteri | 18.5 |
| Colon | 13.5 | Colon | 11.4 |
| Rectum | 11.5 | Corpus uteri | 9.2 |
| Other and unspecified | 10.0 | Rectum | 8.5 |
| Non-melanoma skin cancer | 8.9 | Ovary | 6.2 |
| Larynx | 7.1 | Other and unspecified | 5.3 |
| Mouth | 6.3 | Non-Hodgkin lymphoma | 4.3 |
| Liver | 6.2 | Trachea, bronchus, and lung | 4.3 |
| Oesophagus | 5.0 | Leukaemia unspecified | 3.4 |
| Other oropharynx | 4.8 | Brain and nervous system | 3.2 |
| Stomach | 4.6 | Stomach | 3.1 |
| Bladder | 4.5 | Non-melanoma skin cancer | 2.6 |
| Pancreas | 4.5 | Hodgkin lymphoma | 2.5 |
| Tongue | 4.4 | Thyroid | 2.2 |
| Myeloid leukaemia | 3.9 | Multiple myeloma | 2.1 |
| Non-Hodgkin lymphoma | 3.2 | Myeloid leukaemia | 2.1 |
| Brain and nervous system | 2.8 | Uterus unspecified | 1.8 |
| Multiple myeloma | 2.7 | Liver | 1.7 |
| Bone | 2.6 | Bladder | 1.7 |
| All sites | 220.3 | All sites | 163.6 |

*Seychelles (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.4 | 0.9 | 0.7 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 13 | 2.3 | 5.6 | 4.4 | 0.24 | 0.49 | 4 | 0.8 | 1.7 | 1.2 | 0.06 | 0.13 | C01–02 |
| Mouth | 18 | 3.2 | 7.7 | 6.3 | 0.32 | 0.57 | 3 | 0.6 | 1.3 | 1.0 | 0.00 | 0.19 | C03–06 |
| Salivary glands | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 1 | 0.2 | 0.4 | 0.4 | 0.05 | 0.05 | C07–08 |
| Tonsil | 2 | 0.4 | 0.9 | 0.7 | 0.08 | 0.08 | 1 | 0.2 | 0.4 | 0.4 | 0.05 | 0.05 | C09 |
| Other oropharynx | 14 | 2.5 | 6.0 | 4.8 | 0.36 | 0.65 | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C10 |
| Nasopharynx | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 5 | 0.9 | 2.2 | 1.8 | 0.09 | 0.27 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.4 | 0.9 | 0.8 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 14 | 2.5 | 6.0 | 5.0 | 0.33 | 0.73 | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C15 |
| Stomach | 12 | 2.2 | 5.2 | 4.6 | 0.17 | 0.24 | 10 | 1.9 | 4.3 | 3.1 | 0.25 | 0.34 | C16 |
| Small intestine | 2 | 0.4 | 0.9 | 0.7 | 0.02 | 0.02 | 1 | 0.2 | 0.4 | 0.2 | 0.00 | 0.00 | C17 |
| Colon | 36 | 6.5 | 15.5 | 13.5 | 0.51 | 1.59 | 37 | 7.1 | 15.9 | 11.4 | 0.59 | 1.60 | C18 |
| Rectum | 31 | 5.6 | 13.3 | 11.5 | 0.49 | 1.07 | 28 | 5.4 | 12.0 | 8.5 | 0.51 | 1.00 | C19–20 |
| Anus | 2 | 0.4 | 0.9 | 0.8 | 0.03 | 0.14 | 4 | 0.8 | 1.7 | 1.0 | 0.00 | 0.07 | C21 |
| Liver | 17 | 3.1 | 7.3 | 6.2 | 0.28 | 0.50 | 6 | 1.2 | 2.6 | 1.7 | 0.06 | 0.22 | C22 |
| Gallbladder etc. | 2 | 0.4 | 0.9 | 0.7 | 0.03 | 0.10 | 2 | 0.4 | 0.9 | 0.8 | 0.05 | 0.14 | C23–24 |
| Pancreas | 12 | 2.2 | 5.2 | 4.5 | 0.28 | 0.57 | 6 | 1.2 | 2.6 | 1.5 | 0.06 | 0.16 | C25 |
| Nose, sinuses etc. | 2 | 0.4 | 0.9 | 0.7 | 0.03 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 19 | 3.4 | 8.2 | 7.1 | 0.37 | 0.89 | 2 | 0.4 | 0.9 | 0.5 | 0.03 | 0.03 | C32 |
| Trachea, bronchus, and lung | 43 | 7.7 | 18.5 | 16.3 | 0.64 | 1.94 | 15 | 2.9 | 6.4 | 4.3 | 0.17 | 0.50 | C33–34 |
| Other thoracic organs | 2 | 0.4 | 0.9 | 0.9 | 0.00 | 0.18 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 6 | 1.1 | 2.6 | 2.6 | 0.19 | 0.19 | 3 | 0.6 | 1.3 | 1.6 | 0.08 | 0.17 | C40–41 |
| Melanoma of skin | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 1 | 0.2 | 0.4 | 0.2 | 0.00 | 0.00 | C43 |
| Other skin | 23 | 4.1 | 9.9 | 8.9 | 0.39 | 1.41 | 8 | 1.5 | 3.4 | 2.6 | 0.16 | 0.30 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C46 |
| Connective and soft tissue | 1 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 3 | 0.6 | 1.3 | 1.3 | 0.06 | 0.13 | C47+C49 |
| Breast | 2 | 0.4 | 0.9 | 0.7 | 0.08 | 0.08 | 175 | 33.8 | 75.2 | 53.4 | 3.67 | 5.92 | C50 |
| Vulva | | | | | | | 2 | 0.4 | 0.9 | 0.5 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C52 |
| Cervix uteri | | | | | | | 58 | 11.2 | 24.9 | 18.5 | 1.43 | 1.92 | C53 |
| Corpus uteri | | | | | | | 30 | 5.8 | 12.9 | 9.2 | 0.36 | 1.16 | C54 |
| Uterus unspecified | | | | | | | 7 | 1.4 | 3.0 | 1.8 | 0.08 | 0.18 | C55 |
| Ovary | | | | | | | 19 | 3.7 | 8.2 | 6.2 | 0.44 | 0.54 | C56 |
| Other female genital organs | | | | | | | 1 | 0.2 | 0.4 | 0.4 | 0.00 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.2 | 0.4 | 0.4 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 195 | 35.0 | 83.9 | 76.4 | 2.34 | 9.50 | | | | | | | C61 |
| Testis | 2 | 0.4 | 0.9 | 0.8 | 0.00 | 0.07 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 3 | 0.5 | 1.3 | 1.4 | 0.12 | 0.12 | 4 | 0.8 | 1.7 | 1.3 | 0.06 | 0.06 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.4 | 0.4 | 0.05 | 0.05 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 13 | 2.3 | 5.6 | 4.5 | 0.30 | 0.37 | 6 | 1.2 | 2.6 | 1.7 | 0.11 | 0.20 | C67 |
| Other urinary organs | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C68 |
| Eye | 1 | 0.2 | 0.4 | 0.6 | 0.03 | 0.03 | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 8 | 1.4 | 3.4 | 2.8 | 0.23 | 0.23 | 9 | 1.7 | 3.9 | 3.2 | 0.14 | 0.35 | C70–72 |
| Thyroid | 2 | 0.4 | 0.9 | 0.6 | 0.06 | 0.06 | 7 | 1.4 | 3.0 | 2.2 | 0.16 | 0.23 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 4 | 0.7 | 1.7 | 1.8 | 0.06 | 0.24 | 6 | 1.2 | 2.6 | 2.5 | 0.15 | 0.25 | C81 |
| Non-Hodgkin lymphoma | 9 | 1.6 | 3.9 | 3.2 | 0.23 | 0.42 | 11 | 2.1 | 4.7 | 4.3 | 0.27 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 7 | 1.3 | 3.0 | 2.7 | 0.15 | 0.40 | 7 | 1.4 | 3.0 | 2.1 | 0.20 | 0.27 | C90 |
| Lymphoid leukaemia | 5 | 0.9 | 2.2 | 2.0 | 0.10 | 0.10 | 2 | 0.4 | 0.9 | 0.6 | 0.00 | 0.07 | C91 |
| Myeloid leukaemia | 9 | 1.6 | 3.9 | 3.9 | 0.08 | 0.55 | 6 | 1.2 | 2.6 | 2.1 | 0.08 | 0.15 | C92–94 |
| Leukaemia unspecified | 4 | 0.7 | 1.7 | 1.8 | 0.08 | 0.08 | 9 | 1.7 | 3.9 | 3.4 | 0.24 | 0.24 | C95 |
| Myeloproliferative disorders | 3 | 0.5 | 1.3 | 1.2 | 0.09 | 0.09 | 3 | 0.6 | 1.3 | 0.8 | 0.03 | 0.13 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | MPS |
| Other and unspecified | 27 | 4.8 | 11.6 | 10.0 | 0.57 | 1.22 | 20 | 3.9 | 8.6 | 5.3 | 0.15 | 0.47 | O&U |
| All sites | 580 | | 249.5 | 220.3 | 9.57 | 25.52 | 526 | | 226.0 | 163.6 | 10.05 | 18.06 | C00–96 |
| All sites except C44 | 557 | 100.0 | 239.6 | 211.4 | 9.18 | 24.11 | 518 | 100.0 | 222.5 | 161.0 | 9.89 | 17.76 | C00–96 exc. C44 |

*See note following population pyramid

South Africa, Eastern Cape

CONTRIBUTORS

Nontuthuzelo I.M. Somdyala
 Nomfuneko Sithole
 Linda Mbuthini
 Akhona Ncinitwa
 Debbie Bradshaw



NOTES ON THE DATA

*No official mortality data. No DCO registrations. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|-------|
| Prostate | 19.1 | Cervix uteri | 60.8 |
| Oesophagus | 18.4 | Breast | 17.9 |
| Kaposi sarcoma | 9.2 | Oesophagus | 16.1 |
| Trachea, bronchus, and lung | 5.4 | Kaposi sarcoma | 4.8 |
| Other and unspecified | 3.7 | Ovary | 3.5 |
| Liver | 3.3 | Vulva | 3.1 |
| Larynx | 3.2 | Trachea, bronchus, and lung | 2.7 |
| Eye | 2.3 | Corpus uteri | 2.5 |
| Mouth | 2.0 | Other and unspecified | 2.4 |
| Breast | 1.9 | Eye | 1.5 |
| Non-melanoma skin cancer | 1.5 | Rectum | 1.4 |
| Non-Hodgkin lymphoma | 1.5 | Colon | 1.3 |
| Bladder | 1.5 | Non-Hodgkin lymphoma | 1.2 |
| Rectum | 1.5 | Liver | 1.2 |
| Tongue | 1.4 | Non-melanoma skin cancer | 1.2 |
| Colon | 1.4 | Leukaemia unspecified | 1.0 |
| Penis | 1.1 | Vagina | 0.9 |
| Anus | 0.9 | Mouth | 0.8 |
| Leukaemia unspecified | 0.9 | Thyroid | 0.8 |
| Stomach | 0.7 | Uterus unspecified | 0.8 |
| All sites | 85.8 | All sites | 133.7 |

*South Africa, Eastern Cape (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.4 | 0.5 | 0.5 | 0.03 | 0.06 | C00 |
| Tongue | 13 | 1.4 | 0.8 | 1.4 | 0.11 | 0.17 | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.05 | C01–02 |
| Mouth | 21 | 2.3 | 1.3 | 2.0 | 0.13 | 0.21 | 18 | 0.9 | 1.0 | 0.8 | 0.03 | 0.09 | C03–06 |
| Salivary glands | 2 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.05 | C07–08 |
| Tonsil | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 2 | 0.2 | 0.1 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.2 | 0.1 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 196 | 21.8 | 12.5 | 18.4 | 1.18 | 2.23 | 298 | 14.2 | 16.6 | 16.1 | 1.00 | 2.03 | C15 |
| Stomach | 8 | 0.9 | 0.5 | 0.7 | 0.03 | 0.07 | 15 | 0.7 | 0.8 | 0.8 | 0.08 | 0.09 | C16 |
| Small intestine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C17 |
| Colon | 15 | 1.7 | 1.0 | 1.4 | 0.10 | 0.17 | 21 | 1.0 | 1.2 | 1.3 | 0.10 | 0.15 | C18 |
| Rectum | 15 | 1.7 | 1.0 | 1.5 | 0.08 | 0.16 | 22 | 1.0 | 1.2 | 1.4 | 0.08 | 0.16 | C19–20 |
| Anus | 10 | 1.1 | 0.6 | 0.9 | 0.06 | 0.11 | 6 | 0.3 | 0.3 | 0.4 | 0.03 | 0.03 | C21 |
| Liver | 32 | 3.6 | 2.0 | 3.3 | 0.25 | 0.36 | 22 | 1.0 | 1.2 | 1.2 | 0.08 | 0.14 | C22 |
| Gallbladder etc. | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C23–24 |
| Pancreas | 6 | 0.7 | 0.4 | 0.6 | 0.07 | 0.07 | 8 | 0.4 | 0.4 | 0.5 | 0.03 | 0.08 | C25 |
| Nose, sinuses etc. | 2 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C30–31 |
| Larynx | 32 | 3.6 | 2.0 | 3.2 | 0.26 | 0.38 | 6 | 0.3 | 0.3 | 0.4 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 54 | 6.0 | 3.4 | 5.4 | 0.41 | 0.65 | 42 | 2.0 | 2.3 | 2.7 | 0.18 | 0.34 | C33–34 |
| Other thoracic organs | 3 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | C37–38 |
| Bone | 3 | 0.3 | 0.2 | 0.2 | 0.01 | 0.03 | 6 | 0.3 | 0.3 | 0.4 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 3 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | 8 | 0.4 | 0.4 | 0.4 | 0.03 | 0.04 | C43 |
| Other skin | 14 | 1.6 | 0.9 | 1.5 | 0.12 | 0.18 | 17 | 0.8 | 0.9 | 1.2 | 0.09 | 0.10 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 92 | 10.2 | 5.9 | 9.2 | 0.72 | 0.76 | 72 | 3.4 | 4.0 | 4.8 | 0.36 | 0.39 | C46 |
| Connective and soft tissue | 8 | 0.9 | 0.5 | 0.6 | 0.04 | 0.06 | 10 | 0.5 | 0.6 | 0.7 | 0.06 | 0.07 | C47+C49 |
| Breast | 21 | 2.3 | 1.3 | 1.9 | 0.06 | 0.28 | 280 | 13.3 | 15.6 | 17.9 | 1.36 | 1.95 | C50 |
| Vulva | | | | | | | 45 | 2.1 | 2.5 | 3.1 | 0.25 | 0.26 | C51 |
| Vagina | | | | | | | 14 | 0.7 | 0.8 | 0.9 | 0.06 | 0.09 | C52 |
| Cervix uteri | | | | | | | 915 | 43.5 | 51.0 | 60.8 | 4.80 | 6.36 | C53 |
| Corpus uteri | | | | | | | 41 | 1.9 | 2.3 | 2.5 | 0.14 | 0.35 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.6 | 0.7 | 0.8 | 0.07 | 0.07 | C55 |
| Ovary | | | | | | | 58 | 2.8 | 3.2 | 3.5 | 0.23 | 0.35 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 8 | 0.9 | 0.5 | 1.1 | 0.10 | 0.10 | | | | | | | C60 |
| Prostate | 214 | 23.8 | 13.6 | 19.1 | 0.75 | 2.20 | | | | | | | C61 |
| Testis | 2 | 0.2 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 5 | 0.6 | 0.3 | 0.4 | 0.03 | 0.03 | 14 | 0.7 | 0.8 | 0.7 | 0.05 | 0.05 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 14 | 1.6 | 0.9 | 1.5 | 0.13 | 0.13 | 8 | 0.4 | 0.4 | 0.5 | 0.03 | 0.04 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 25 | 2.8 | 1.6 | 2.3 | 0.20 | 0.20 | 24 | 1.1 | 1.3 | 1.5 | 0.11 | 0.13 | C69 |
| Brain and nervous system | 3 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | 6 | 0.3 | 0.3 | 0.3 | 0.03 | 0.03 | C70–72 |
| Thyroid | 2 | 0.2 | 0.1 | 0.2 | 0.00 | 0.02 | 13 | 0.6 | 0.7 | 0.8 | 0.08 | 0.10 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 1 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 17 | 1.9 | 1.1 | 1.5 | 0.10 | 0.16 | 18 | 0.9 | 1.0 | 1.2 | 0.10 | 0.13 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 4 | 0.4 | 0.3 | 0.4 | 0.02 | 0.07 | 8 | 0.4 | 0.4 | 0.5 | 0.03 | 0.07 | C90 |
| Lymphoid leukaemia | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C91 |
| Myeloid leukaemia | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C92–94 |
| Leukaemia unspecified | 15 | 1.7 | 1.0 | 0.9 | 0.03 | 0.10 | 17 | 0.8 | 0.9 | 1.0 | 0.07 | 0.08 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 42 | 4.7 | 2.7 | 3.7 | 0.24 | 0.46 | 41 | 1.9 | 2.3 | 2.4 | 0.16 | 0.24 | O&U |
| All sites | 913 | | 58.2 | 85.8 | 5.40 | 9.58 | 2120 | | 118.2 | 133.7 | 9.93 | 14.35 | C00–96 |
| All sites except C44 | 899 | 100.0 | 57.3 | 84.3 | 5.29 | 9.40 | 2103 | 100.0 | 117.2 | 132.5 | 9.84 | 14.25 | C00–96 exc.C44 |

*See note following population pyramid

Uganda, Gulu

CONTRIBUTORS

Martin David Ogwang
Francis Okongo
Charles Methodius Okot



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 23.3 | Cervix uteri | 56.4 |
| Liver | 13.8 | Breast | 10.6 |
| Non-Hodgkin lymphoma | 11.5 | Non-Hodgkin lymphoma | 9.8 |
| Kaposi sarcoma | 10.0 | Liver | 6.9 |
| Oesophagus | 7.8 | Kaposi sarcoma | 3.9 |
| Other and unspecified | 5.5 | Ovary | 2.8 |
| Penis | 5.2 | Non-melanoma skin cancer | 1.8 |
| Breast | 3.2 | Pancreas | 1.7 |
| Trachea, bronchus, and lung | 2.8 | Thyroid | 1.7 |
| Non-melanoma skin cancer | 2.4 | Trachea, bronchus, and lung | 1.4 |
| Connective and soft tissue | 2.0 | Uterus unspecified | 1.4 |
| Eye | 2.0 | Hodgkin lymphoma | 1.4 |
| Larynx | 1.7 | Oesophagus | 1.2 |
| Stomach | 1.5 | Other and unspecified | 1.2 |
| Nasopharynx | 1.5 | Eye | 1.2 |
| Other male genital organs | 1.5 | Leukaemia unspecified | 1.2 |
| Tongue | 1.4 | Melanoma of skin | 1.1 |
| Colon | 1.2 | Nasopharynx | 1.0 |
| Pancreas | 1.1 | Stomach | 0.8 |
| Thyroid | 1.0 | Placenta | 0.7 |
| All sites | 110.2 | All sites | 114.8 |

*Uganda, Gulu (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------|-----------|--------------------------|-----------|---------------------|----------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 4 | 0.7 | 0.4 | 1.4 | 0.13 | 0.19 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 1 | 0.2 | 0.1 | 0.4 | 0.04 | 0.04 | 3 | 0.4 | 0.3 | 0.3 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 1 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 8 | 1.4 | 0.7 | 1.5 | 0.17 | 0.17 | 6 | 0.8 | 0.5 | 1.0 | 0.11 | 0.11 | C11 |
| Hypopharynx | 2 | 0.3 | 0.2 | 0.6 | 0.08 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.2 | 0.1 | 0.3 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 31 | 5.4 | 2.8 | 7.8 | 0.69 | 0.92 | 7 | 0.9 | 0.6 | 1.2 | 0.06 | 0.16 | C15 |
| Stomach | 6 | 1.0 | 0.5 | 1.5 | 0.01 | 0.23 | 4 | 0.5 | 0.3 | 0.8 | 0.09 | 0.09 | C16 |
| Small intestine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C17 |
| Colon | 7 | 1.2 | 0.6 | 1.2 | 0.09 | 0.09 | 4 | 0.5 | 0.3 | 0.7 | 0.05 | 0.10 | C18 |
| Rectum | 3 | 0.5 | 0.3 | 0.7 | 0.08 | 0.08 | 2 | 0.3 | 0.2 | 0.5 | 0.06 | 0.06 | C19–20 |
| Anus | 4 | 0.7 | 0.4 | 0.7 | 0.07 | 0.07 | 1 | 0.1 | 0.1 | 0.3 | 0.00 | 0.05 | C21 |
| Liver | 78 | 13.5 | 7.0 | 13.8 | 0.95 | 1.52 | 38 | 5.1 | 3.3 | 6.9 | 0.60 | 0.75 | C22 |
| Gallbladder etc. | 1 | 0.2 | 0.1 | 0.4 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C23–24 |
| Pancreas | 8 | 1.4 | 0.7 | 1.1 | 0.06 | 0.12 | 8 | 1.1 | 0.7 | 1.7 | 0.03 | 0.23 | C25 |
| Nose, sinuses etc. | 3 | 0.5 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.4 | 0.3 | 0.4 | 0.00 | 0.00 | C30–31 |
| Larynx | 7 | 1.2 | 0.6 | 1.7 | 0.13 | 0.13 | 3 | 0.4 | 0.3 | 0.4 | 0.03 | 0.03 | C32 |
| Trachea, bronchus, and lung | 10 | 1.7 | 0.9 | 2.8 | 0.14 | 0.34 | 9 | 1.2 | 0.8 | 1.4 | 0.05 | 0.15 | C33–34 |
| Other thoracic organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 4 | 0.7 | 0.4 | 0.4 | 0.03 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C40–41 |
| Melanoma of skin | 1 | 0.2 | 0.1 | 0.2 | 0.00 | 0.00 | 6 | 0.8 | 0.5 | 1.1 | 0.07 | 0.11 | C43 |
| Other skin | 11 | 1.9 | 1.0 | 2.4 | 0.16 | 0.23 | 10 | 1.3 | 0.9 | 1.8 | 0.10 | 0.24 | C44 |
| Mesothelioma | 2 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 77 | 13.3 | 6.9 | 10.0 | 0.74 | 0.89 | 36 | 4.9 | 3.1 | 3.9 | 0.28 | 0.33 | C46 |
| Connective and soft tissue | 13 | 2.2 | 1.2 | 2.0 | 0.13 | 0.21 | 1 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | C47+C49 |
| Breast | 15 | 2.6 | 1.3 | 3.2 | 0.25 | 0.32 | 64 | 8.6 | 5.5 | 10.6 | 0.90 | 1.20 | C50 |
| Vulva | | | | | | | 3 | 0.4 | 0.3 | 0.4 | 0.04 | 0.04 | C51 |
| Vagina | | | | | | | 3 | 0.4 | 0.3 | 0.6 | 0.04 | 0.09 | C52 |
| Cervix uteri | | | | | | | 352 | 47.5 | 30.5 | 56.4 | 4.45 | 5.71 | C53 |
| Corpus uteri | | | | | | | 2 | 0.3 | 0.2 | 0.2 | 0.01 | 0.01 | C54 |
| Uterus unspecified | | | | | | | 9 | 1.2 | 0.8 | 1.4 | 0.10 | 0.15 | C55 |
| Ovary | | | | | | | 17 | 2.3 | 1.5 | 2.8 | 0.17 | 0.27 | C56 |
| Other female genital organs | | | | | | | 3 | 0.4 | 0.3 | 0.3 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 8 | 1.1 | 0.7 | 0.7 | 0.05 | 0.05 | C58 |
| Penis | 21 | 3.6 | 1.9 | 5.2 | 0.39 | 0.52 | | | | | | | C60 |
| Prostate | 83 | 14.3 | 7.5 | 23.3 | 0.65 | 3.00 | | | | | | | C61 |
| Testis | 2 | 0.3 | 0.2 | 0.5 | 0.01 | 0.07 | | | | | | | C62 |
| Other male genital organs | 7 | 1.2 | 0.6 | 1.5 | 0.10 | 0.18 | | | | | | | C63 |
| Kidney | 8 | 1.4 | 0.7 | 0.5 | 0.03 | 0.03 | 7 | 0.9 | 0.6 | 0.5 | 0.03 | 0.03 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 4 | 0.7 | 0.4 | 0.9 | 0.01 | 0.09 | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.00 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 17 | 2.9 | 1.5 | 2.0 | 0.15 | 0.15 | 9 | 1.2 | 0.8 | 1.2 | 0.10 | 0.10 | C69 |
| Brain and nervous system | 4 | 0.7 | 0.4 | 0.8 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C70–72 |
| Thyroid | 4 | 0.7 | 0.4 | 1.0 | 0.03 | 0.17 | 10 | 1.3 | 0.9 | 1.7 | 0.17 | 0.17 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.2 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 6 | 1.0 | 0.5 | 0.7 | 0.06 | 0.06 | 10 | 1.3 | 0.9 | 1.4 | 0.08 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 91 | 15.7 | 8.2 | 11.5 | 0.82 | 1.11 | 83 | 11.2 | 7.2 | 9.8 | 0.70 | 1.00 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 1 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.3 | 0.2 | 0.2 | 0.01 | 0.01 | C90 |
| Lymphoid leukaemia | 2 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.4 | 0.3 | 0.5 | 0.00 | 0.05 | C91 |
| Myeloid leukaemia | 5 | 0.9 | 0.4 | 1.0 | 0.07 | 0.15 | 2 | 0.3 | 0.2 | 0.3 | 0.02 | 0.02 | C92–94 |
| Leukaemia unspecified | 8 | 1.4 | 0.7 | 0.7 | 0.05 | 0.05 | 9 | 1.2 | 0.8 | 1.2 | 0.06 | 0.11 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 28 | 4.8 | 2.5 | 5.5 | 0.40 | 0.62 | 7 | 0.9 | 0.6 | 1.2 | 0.13 | 0.13 | O&U |
| All sites | 590 | | 53.1 | 110.2 | 6.93 | 12.08 | 751 | | 65.1 | 114.8 | 8.64 | 11.76 | C00–96 |
| All sites except C44 | 579 | 100.0 | 52.1 | 107.8 | 6.77 | 11.85 | 741 | 100.0 | 64.2 | 113.0 | 8.55 | 11.51 | C00–96 exc.C44 |

*See note following population pyramid

Uganda, Kyadondo County

CONTRIBUTORS

Henry Wabinga
Maxwell Parkin
Fiona Bukirwa
Sarah Nambooze
Mary Phoebe Amulen



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 53.0 | Cervix uteri | 48.0 |
| Oesophagus | 23.4 | Breast | 32.0 |
| Kaposi sarcoma | 15.8 | Oesophagus | 13.0 |
| Liver | 8.9 | Ovary | 7.9 |
| Colon | 7.3 | Kaposi sarcoma | 7.5 |
| Stomach | 6.1 | Other and unspecified | 6.2 |
| Non-Hodgkin lymphoma | 6.0 | Liver | 5.7 |
| Rectum | 4.6 | Corpus uteri | 5.2 |
| Other and unspecified | 4.4 | Colon | 4.8 |
| Trachea, bronchus, and lung | 4.3 | Stomach | 4.5 |
| Breast | 3.5 | Rectum | 3.9 |
| Nasopharynx | 3.3 | Trachea, bronchus, and lung | 3.7 |
| Larynx | 3.2 | Non-Hodgkin lymphoma | 3.4 |
| Multiple myeloma | 2.7 | Thyroid | 2.4 |
| Bladder | 2.7 | Connective and soft tissue | 2.3 |
| Penis | 2.6 | Pancreas | 2.3 |
| Pancreas | 2.6 | Vulva | 1.9 |
| Tongue | 2.5 | Non-melanoma skin cancer | 1.9 |
| Mouth | 2.2 | Multiple myeloma | 1.7 |
| Connective and soft tissue | 2.0 | Brain and nervous system | 1.6 |
| All sites | 179.3 | All sites | 176.9 |

*Uganda, Kyadondo County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 51 | 1.4 | 0.8 | 2.5 | 0.18 | 0.33 | 15 | 0.3 | 0.2 | 0.9 | 0.05 | 0.12 | C01–02 |
| Mouth | 52 | 1.4 | 0.8 | 2.2 | 0.13 | 0.28 | 31 | 0.6 | 0.4 | 1.1 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 17 | 0.5 | 0.3 | 0.7 | 0.05 | 0.09 | 13 | 0.3 | 0.2 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 11 | 0.3 | 0.2 | 0.4 | 0.03 | 0.03 | 2 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 10 | 0.3 | 0.2 | 0.7 | 0.01 | 0.08 | 3 | 0.1 | 0.0 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 85 | 2.3 | 1.3 | 3.3 | 0.24 | 0.39 | 51 | 1.1 | 0.7 | 1.4 | 0.11 | 0.16 | C11 |
| Hypopharynx | 4 | 0.1 | 0.1 | 0.4 | 0.00 | 0.07 | 3 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 348 | 9.4 | 5.5 | 23.4 | 1.43 | 3.01 | 244 | 5.1 | 3.4 | 13.0 | 0.78 | 1.54 | C15 |
| Stomach | 100 | 2.7 | 1.6 | 6.1 | 0.33 | 0.75 | 95 | 2.0 | 1.3 | 4.5 | 0.24 | 0.56 | C16 |
| Small intestine | 9 | 0.2 | 0.1 | 0.5 | 0.02 | 0.07 | 7 | 0.1 | 0.1 | 0.3 | 0.00 | 0.02 | C17 |
| Colon | 122 | 3.3 | 1.9 | 7.3 | 0.38 | 1.00 | 94 | 1.9 | 1.3 | 4.8 | 0.24 | 0.63 | C18 |
| Rectum | 83 | 2.2 | 1.3 | 4.6 | 0.28 | 0.53 | 72 | 1.5 | 1.0 | 3.9 | 0.23 | 0.51 | C19–20 |
| Anus | 14 | 0.4 | 0.2 | 0.8 | 0.03 | 0.07 | 18 | 0.4 | 0.3 | 0.7 | 0.07 | 0.07 | C21 |
| Liver | 194 | 5.2 | 3.1 | 8.9 | 0.54 | 1.16 | 152 | 3.1 | 2.1 | 5.7 | 0.33 | 0.72 | C22 |
| Gallbladder etc. | 6 | 0.2 | 0.1 | 0.2 | 0.02 | 0.02 | 5 | 0.1 | 0.1 | 0.3 | 0.03 | 0.03 | C23–24 |
| Pancreas | 41 | 1.1 | 0.6 | 2.6 | 0.15 | 0.32 | 41 | 0.8 | 0.6 | 2.3 | 0.12 | 0.29 | C25 |
| Nose, sinuses etc. | 16 | 0.4 | 0.3 | 0.6 | 0.04 | 0.10 | 7 | 0.1 | 0.1 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 40 | 1.1 | 0.6 | 3.2 | 0.21 | 0.47 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 77 | 2.1 | 1.2 | 4.3 | 0.22 | 0.57 | 73 | 1.5 | 1.0 | 3.7 | 0.18 | 0.52 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.0 | 0.2 | 0.00 | 0.03 | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 47 | 1.3 | 0.7 | 1.0 | 0.06 | 0.08 | 21 | 0.4 | 0.3 | 0.4 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 11 | 0.3 | 0.2 | 0.5 | 0.03 | 0.05 | 25 | 0.5 | 0.4 | 1.0 | 0.06 | 0.10 | C43 |
| Other skin | 44 | 1.2 | 0.7 | 1.6 | 0.15 | 0.18 | 58 | 1.2 | 0.8 | 1.9 | 0.10 | 0.21 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 766 | 20.6 | 12.1 | 15.8 | 1.26 | 1.45 | 467 | 9.7 | 6.6 | 7.5 | 0.56 | 0.69 | C46 |
| Connective and soft tissue | 82 | 2.2 | 1.3 | 2.0 | 0.14 | 0.22 | 105 | 2.2 | 1.5 | 2.3 | 0.15 | 0.21 | C47+C49 |
| Breast | 70 | 1.9 | 1.1 | 3.5 | 0.23 | 0.41 | 857 | 17.7 | 12.1 | 32.0 | 2.56 | 3.68 | C50 |
| Vulva | | | | | | | 51 | 1.1 | 0.7 | 1.9 | 0.14 | 0.20 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 0.1 | 0.3 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 1219 | 25.2 | 17.2 | 48.0 | 3.80 | 5.54 | C53 |
| Corpus uteri | | | | | | | 92 | 1.9 | 1.3 | 5.2 | 0.34 | 0.71 | C54 |
| Uterus unspecified | | | | | | | 16 | 0.3 | 0.2 | 0.7 | 0.05 | 0.07 | C55 |
| Ovary | | | | | | | 223 | 4.6 | 3.1 | 7.9 | 0.56 | 0.90 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 51 | 1.1 | 0.7 | 0.7 | 0.06 | 0.06 | C58 |
| Penis | 61 | 1.6 | 1.0 | 2.6 | 0.21 | 0.23 | | | | | | | C60 |
| Prostate | 594 | 16.0 | 9.4 | 53.0 | 1.21 | 6.77 | | | | | | | C61 |
| Testis | 14 | 0.4 | 0.2 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 54 | 1.5 | 0.9 | 1.2 | 0.05 | 0.12 | 56 | 1.2 | 0.8 | 1.0 | 0.06 | 0.07 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 41 | 1.1 | 0.6 | 2.7 | 0.16 | 0.34 | 32 | 0.7 | 0.5 | 1.4 | 0.05 | 0.14 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 54 | 1.5 | 0.9 | 1.5 | 0.12 | 0.15 | 68 | 1.4 | 1.0 | 1.3 | 0.10 | 0.14 | C69 |
| Brain and nervous system | 50 | 1.3 | 0.8 | 1.7 | 0.12 | 0.19 | 51 | 1.1 | 0.7 | 1.6 | 0.09 | 0.16 | C70–72 |
| Thyroid | 18 | 0.5 | 0.3 | 0.7 | 0.05 | 0.08 | 63 | 1.3 | 0.9 | 2.4 | 0.10 | 0.34 | C73 |
| Adrenal gland | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 53 | 1.4 | 0.8 | 1.2 | 0.07 | 0.10 | 51 | 1.1 | 0.7 | 1.3 | 0.09 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 219 | 5.9 | 3.5 | 6.0 | 0.41 | 0.59 | 137 | 2.8 | 1.9 | 3.4 | 0.27 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 38 | 1.0 | 0.6 | 2.7 | 0.10 | 0.36 | 35 | 0.7 | 0.5 | 1.7 | 0.12 | 0.22 | C90 |
| Lymphoid leukaemia | 36 | 1.0 | 0.6 | 0.9 | 0.04 | 0.08 | 19 | 0.4 | 0.3 | 0.4 | 0.02 | 0.04 | C91 |
| Myeloid leukaemia | 54 | 1.5 | 0.9 | 1.4 | 0.08 | 0.12 | 58 | 1.2 | 0.8 | 1.1 | 0.06 | 0.11 | C92–94 |
| Leukaemia unspecified | 49 | 1.3 | 0.8 | 1.4 | 0.09 | 0.16 | 24 | 0.5 | 0.3 | 0.5 | 0.02 | 0.06 | C95 |
| Myeloproliferative disorders | 2 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 2 | 0.1 | 0.0 | 0.1 | 0.00 | 0.03 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 104 | 2.8 | 1.6 | 4.4 | 0.29 | 0.44 | 149 | 3.1 | 2.1 | 6.2 | 0.45 | 0.72 | O&U |
| All sites | 3759 | | 59.3 | 179.3 | 9.22 | 21.58 | 4888 | | 68.8 | 176.9 | 12.44 | 20.39 | C00–96 |
| All sites except C44 | 3715 | 100.0 | 58.6 | 177.7 | 9.06 | 21.40 | 4830 | 100.0 | 68.0 | 175.0 | 12.34 | 20.17 | C00–96 exc.C44 |

§Includes 56 cases of unknown age


§Includes 51 cases of unknown age

*See note following population pyramid

Zimbabwe, Bulawayo: African

CONTRIBUTORS

M.Z. Borok
T. Chingonzoh
E. Chokunonga
R. Makunike-Mutasa
S. Ngwenya
S. Vuma



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 80.4 | Cervix uteri | 89.9 |
| Oesophagus | 23.3 | Breast | 37.3 |
| Non-Hodgkin lymphoma | 15.4 | Oesophagus | 16.3 |
| Kaposi sarcoma | 15.0 | Non-Hodgkin lymphoma | 12.2 |
| Liver | 13.4 | Corpus uteri | 11.6 |
| Other and unspecified | 11.0 | Other and unspecified | 9.2 |
| Trachea, bronchus, and lung | 6.7 | Ovary | 7.8 |
| Penis | 5.9 | Liver | 7.8 |
| Multiple myeloma | 5.8 | Stomach | 6.4 |
| Stomach | 5.8 | Non-melanoma skin cancer | 6.0 |
| Colon | 5.5 | Kaposi sarcoma | 5.8 |
| Non-melanoma skin cancer | 5.4 | Multiple myeloma | 5.4 |
| Eye | 5.2 | Colon | 5.2 |
| Rectum | 4.9 | Eye | 3.8 |
| Pancreas | 3.8 | Pancreas | 3.4 |
| Bladder | 2.9 | Rectum | 3.4 |
| Larynx | 2.3 | Melanoma of skin | 3.2 |
| Connective and soft tissue | 1.9 | Thyroid | 3.2 |
| Melanoma of skin | 1.8 | Vulva | 3.1 |
| Kidney | 1.6 | Trachea, bronchus, and lung | 2.6 |
| All sites | 235.7 | All sites | 264.8 |

*Zimbabwe, Bulawayo: African (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 4 | 0.2 | 0.2 | 0.5 | 0.04 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 11 | 0.6 | 0.7 | 1.4 | 0.04 | 0.04 | 9 | 0.3 | 0.5 | 0.8 | 0.03 | 0.11 | C03–06 |
| Salivary glands | 6 | 0.3 | 0.4 | 0.7 | 0.04 | 0.07 | 5 | 0.2 | 0.3 | 0.5 | 0.02 | 0.02 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 9 | 0.5 | 0.5 | 0.9 | 0.06 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 183 | 9.3 | 11.1 | 23.3 | 0.94 | 2.36 | 160 | 5.4 | 8.5 | 16.3 | 0.74 | 1.72 | C15 |
| Stomach | 46 | 2.3 | 2.8 | 5.8 | 0.28 | 0.67 | 61 | 2.1 | 3.2 | 6.4 | 0.22 | 0.75 | C16 |
| Small intestine | 1 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.4 | 0.01 | 0.03 | C17 |
| Colon | 49 | 2.5 | 3.0 | 5.5 | 0.36 | 0.61 | 57 | 1.9 | 3.0 | 5.2 | 0.32 | 0.58 | C18 |
| Rectum | 38 | 1.9 | 2.3 | 4.9 | 0.19 | 0.59 | 32 | 1.1 | 1.7 | 3.4 | 0.13 | 0.43 | C19–20 |
| Anus | 9 | 0.5 | 0.5 | 1.1 | 0.07 | 0.14 | 23 | 0.8 | 1.2 | 1.7 | 0.15 | 0.19 | C21 |
| Liver | 122 | 6.2 | 7.4 | 13.4 | 0.73 | 1.16 | 81 | 2.7 | 4.3 | 7.8 | 0.44 | 0.89 | C22 |
| Gallbladder etc. | 6 | 0.3 | 0.4 | 0.8 | 0.03 | 0.09 | 12 | 0.4 | 0.6 | 1.1 | 0.08 | 0.11 | C23–24 |
| Pancreas | 31 | 1.6 | 1.9 | 3.8 | 0.18 | 0.51 | 34 | 1.1 | 1.8 | 3.4 | 0.14 | 0.36 | C25 |
| Nose, sinuses etc. | 5 | 0.3 | 0.3 | 0.6 | 0.03 | 0.07 | 2 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 18 | 0.9 | 1.1 | 2.3 | 0.13 | 0.23 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 50 | 2.5 | 3.0 | 6.7 | 0.26 | 0.88 | 29 | 1.0 | 1.5 | 2.6 | 0.11 | 0.29 | C33–34 |
| Other thoracic organs | 4 | 0.2 | 0.2 | 0.4 | 0.02 | 0.05 | 6 | 0.2 | 0.3 | 0.6 | 0.03 | 0.06 | C37–38 |
| Bone | 19 | 1.0 | 1.2 | 1.5 | 0.10 | 0.13 | 20 | 0.7 | 1.1 | 1.3 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 14 | 0.7 | 0.9 | 1.8 | 0.10 | 0.22 | 30 | 1.0 | 1.6 | 3.2 | 0.09 | 0.43 | C43 |
| Other skin | 55 | 2.8 | 3.3 | 5.4 | 0.33 | 0.59 | 66 | 2.2 | 3.5 | 6.0 | 0.28 | 0.60 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 194 | 9.9 | 11.8 | 15.0 | 1.14 | 1.42 | 93 | 3.1 | 5.0 | 5.8 | 0.47 | 0.56 | C46 |
| Connective and soft tissue | 23 | 1.2 | 1.4 | 1.9 | 0.16 | 0.16 | 28 | 0.9 | 1.5 | 2.1 | 0.11 | 0.22 | C47+C49 |
| Breast | 10 | 0.5 | 0.6 | 1.4 | 0.03 | 0.22 | 422 | 14.2 | 22.5 | 37.3 | 2.63 | 4.25 | C50 |
| Vulva | | | | | | | 45 | 1.5 | 2.4 | 3.1 | 0.23 | 0.25 | C51 |
| Vagina | | | | | | | 25 | 0.8 | 1.3 | 2.0 | 0.14 | 0.17 | C52 |
| Cervix uteri | | | | | | | 1043 | 35.1 | 55.5 | 89.9 | 6.18 | 10.22 | C53 |
| Corpus uteri | | | | | | | 108 | 3.6 | 5.7 | 11.6 | 0.53 | 1.59 | C54 |
| Uterus unspecified | | | | | | | 16 | 0.5 | 0.9 | 1.7 | 0.08 | 0.25 | C55 |
| Ovary | | | | | | | 95 | 3.2 | 5.1 | 7.8 | 0.52 | 0.91 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 15 | 0.5 | 0.8 | 0.8 | 0.06 | 0.06 | C58 |
| Penis | 56 | 2.9 | 3.4 | 5.9 | 0.35 | 0.56 | | | | | | | C60 |
| Prostate | 545 | 27.8 | 33.1 | 80.4 | 1.24 | 7.94 | | | | | | | C61 |
| Testis | 6 | 0.3 | 0.4 | 0.5 | 0.01 | 0.04 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 16 | 0.8 | 1.0 | 1.6 | 0.08 | 0.17 | 12 | 0.4 | 0.6 | 0.9 | 0.05 | 0.10 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 23 | 1.2 | 1.4 | 2.9 | 0.08 | 0.24 | 17 | 0.6 | 0.9 | 1.7 | 0.04 | 0.19 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 64 | 3.3 | 3.9 | 5.2 | 0.40 | 0.47 | 58 | 1.9 | 3.1 | 3.8 | 0.30 | 0.32 | C69 |
| Brain and nervous system | 15 | 0.8 | 0.9 | 1.1 | 0.10 | 0.10 | 11 | 0.4 | 0.6 | 0.7 | 0.04 | 0.04 | C70–72 |
| Thyroid | 6 | 0.3 | 0.4 | 0.9 | 0.02 | 0.11 | 31 | 1.0 | 1.7 | 3.2 | 0.13 | 0.40 | C73 |
| Adrenal gland | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 16 | 0.8 | 1.0 | 1.1 | 0.09 | 0.09 | 15 | 0.5 | 0.8 | 1.0 | 0.09 | 0.09 | C81 |
| Non-Hodgkin lymphoma | 167 | 8.5 | 10.2 | 15.4 | 1.03 | 1.46 | 173 | 5.8 | 9.2 | 12.2 | 0.90 | 1.23 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 50 | 2.5 | 3.0 | 5.8 | 0.34 | 0.77 | 53 | 1.8 | 2.8 | 5.4 | 0.27 | 0.54 | C90 |
| Lymphoid leukaemia | 16 | 0.8 | 1.0 | 1.3 | 0.05 | 0.12 | 12 | 0.4 | 0.6 | 0.9 | 0.03 | 0.05 | C91 |
| Myeloid leukaemia | 18 | 0.9 | 1.1 | 1.3 | 0.11 | 0.11 | 16 | 0.5 | 0.9 | 1.2 | 0.07 | 0.10 | C92–94 |
| Leukaemia unspecified | 14 | 0.7 | 0.9 | 1.3 | 0.05 | 0.18 | 15 | 0.5 | 0.8 | 1.1 | 0.05 | 0.08 | C95 |
| Myeloproliferative disorders | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 92 | 4.7 | 5.6 | 11.0 | 0.53 | 1.25 | 100 | 3.4 | 5.3 | 9.2 | 0.41 | 1.00 | O&U |
| All sites | 2017 | | 122.6 | 235.7 | 9.80 | 24.02 | 3041 | | 161.9 | 264.8 | 16.25 | 29.33 | C00–96 |
| All sites except C44 | 1962 | 100.0 | 119.3 | 230.3 | 9.47 | 23.43 | 2975 | 100.0 | 158.4 | 258.8 | 15.97 | 28.73 | C00–96 exc. C44 |

*See note following population pyramid

Zimbabwe, Harare: African

CONTRIBUTORS

M.Z. Borok
E. Chokunonga
R. Makunike-Mutasa
Z.M. Chirenje
N. Ndlovu



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 114.7 | Cervix uteri | 75.0 |
| Stomach | 18.0 | Breast | 40.3 |
| Oesophagus | 17.9 | Stomach | 18.4 |
| Kaposi sarcoma | 16.9 | Oesophagus | 15.2 |
| Trachea, bronchus, and lung | 16.0 | Non-Hodgkin lymphoma | 10.6 |
| Liver | 15.5 | Other and unspecified | 10.3 |
| Non-Hodgkin lymphoma | 13.7 | Liver | 9.6 |
| Other and unspecified | 10.7 | Ovary | 9.6 |
| Colon | 9.7 | Trachea, bronchus, and lung | 8.2 |
| Non-melanoma skin cancer | 6.8 | Kaposi sarcoma | 8.1 |
| Pancreas | 6.4 | Corpus uteri | 7.1 |
| Rectum | 6.1 | Colon | 7.0 |
| Bladder | 5.7 | Non-melanoma skin cancer | 6.2 |
| Larynx | 5.6 | Brain and nervous system | 5.6 |
| Multiple myeloma | 4.2 | Pancreas | 5.2 |
| Penis | 4.2 | Multiple myeloma | 5.0 |
| Eye | 3.6 | Thyroid | 4.8 |
| Brain and nervous system | 3.6 | Rectum | 4.6 |
| Gallbladder etc. | 2.9 | Bladder | 4.5 |
| Mouth | 2.8 | Melanoma of skin | 3.6 |
| All sites | 312.9 | All sites | 288.6 |

*Zimbabwe, Harare: African (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 4 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 17 | 0.3 | 0.4 | 1.2 | 0.04 | 0.11 | 13 | 0.2 | 0.3 | 0.7 | 0.04 | 0.11 | C01–02 |
| Mouth | 42 | 0.9 | 1.1 | 2.8 | 0.13 | 0.35 | 25 | 0.4 | 0.6 | 1.2 | 0.06 | 0.14 | C03–06 |
| Salivary glands | 16 | 0.3 | 0.4 | 0.8 | 0.04 | 0.10 | 18 | 0.3 | 0.4 | 0.8 | 0.04 | 0.09 | C07–08 |
| Tonsil | 6 | 0.1 | 0.2 | 0.3 | 0.04 | 0.04 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 29 | 0.6 | 0.7 | 1.5 | 0.10 | 0.17 | 14 | 0.2 | 0.3 | 0.5 | 0.05 | 0.05 | C11 |
| Hypopharynx | 5 | 0.1 | 0.1 | 0.4 | 0.02 | 0.04 | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 259 | 5.3 | 6.6 | 17.9 | 0.67 | 2.00 | 261 | 4.5 | 6.1 | 15.2 | 0.77 | 1.84 | C15 |
| Stomach | 252 | 5.1 | 6.5 | 18.0 | 0.64 | 2.03 | 307 | 5.3 | 7.2 | 18.4 | 0.65 | 2.19 | C16 |
| Small intestine | 17 | 0.3 | 0.4 | 1.0 | 0.06 | 0.06 | 10 | 0.2 | 0.2 | 0.6 | 0.02 | 0.11 | C17 |
| Colon | 150 | 3.0 | 3.8 | 9.7 | 0.43 | 1.15 | 128 | 2.2 | 3.0 | 7.0 | 0.35 | 0.82 | C18 |
| Rectum | 107 | 2.2 | 2.7 | 6.1 | 0.35 | 0.64 | 93 | 1.6 | 2.2 | 4.6 | 0.23 | 0.53 | C19–20 |
| Anus | 22 | 0.4 | 0.6 | 1.2 | 0.05 | 0.11 | 25 | 0.4 | 0.6 | 1.0 | 0.07 | 0.11 | C21 |
| Liver | 298 | 6.0 | 7.6 | 15.5 | 0.77 | 1.72 | 176 | 3.0 | 4.1 | 9.6 | 0.43 | 1.02 | C22 |
| Gallbladder etc. | 40 | 0.8 | 1.0 | 2.9 | 0.10 | 0.34 | 37 | 0.6 | 0.9 | 2.3 | 0.10 | 0.33 | C23–24 |
| Pancreas | 89 | 1.8 | 2.3 | 6.4 | 0.28 | 0.72 | 89 | 1.5 | 2.1 | 5.2 | 0.21 | 0.58 | C25 |
| Nose, sinuses etc. | 34 | 0.7 | 0.9 | 2.0 | 0.11 | 0.26 | 19 | 0.3 | 0.4 | 0.8 | 0.03 | 0.08 | C30–31 |
| Larynx | 75 | 1.5 | 1.9 | 5.6 | 0.30 | 0.69 | 10 | 0.2 | 0.2 | 0.5 | 0.04 | 0.04 | C32 |
| Trachea, bronchus, and lung | 219 | 4.4 | 5.6 | 16.0 | 0.60 | 2.01 | 134 | 2.3 | 3.1 | 8.2 | 0.31 | 1.10 | C33–34 |
| Other thoracic organs | 18 | 0.4 | 0.5 | 0.9 | 0.08 | 0.10 | 21 | 0.4 | 0.5 | 1.0 | 0.07 | 0.12 | C37–38 |
| Bone | 57 | 1.2 | 1.5 | 2.2 | 0.12 | 0.23 | 43 | 0.7 | 1.0 | 1.2 | 0.06 | 0.11 | C40–41 |
| Melanoma of skin | 37 | 0.8 | 0.9 | 2.4 | 0.09 | 0.30 | 60 | 1.0 | 1.4 | 3.6 | 0.15 | 0.46 | C43 |
| Other skin | 121 | 2.5 | 3.1 | 6.8 | 0.31 | 0.82 | 132 | 2.3 | 3.1 | 6.2 | 0.35 | 0.66 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 485 | 9.8 | 12.4 | 16.9 | 1.27 | 1.64 | 289 | 5.0 | 6.8 | 8.1 | 0.64 | 0.76 | C46 |
| Connective and soft tissue | 74 | 1.5 | 1.9 | 2.7 | 0.19 | 0.23 | 67 | 1.1 | 1.6 | 2.4 | 0.16 | 0.20 | C47+C49 |
| Breast | 29 | 0.6 | 0.7 | 1.6 | 0.07 | 0.18 | 838 | 14.4 | 19.7 | 40.3 | 2.91 | 4.51 | C50 |
| Vulva | | | | | | | 84 | 1.4 | 2.0 | 3.2 | 0.23 | 0.34 | C51 |
| Vagina | | | | | | | 23 | 0.4 | 0.5 | 1.2 | 0.06 | 0.16 | C52 |
| Cervix uteri | | | | | | | 1566 | 26.9 | 36.8 | 75.0 | 5.23 | 8.56 | C53 |
| Corpus uteri | | | | | | | 108 | 1.9 | 2.5 | 7.1 | 0.31 | 1.04 | C54 |
| Uterus unspecified | | | | | | | 24 | 0.4 | 0.6 | 1.5 | 0.08 | 0.21 | C55 |
| Ovary | | | | | | | 190 | 3.3 | 4.5 | 9.6 | 0.58 | 1.23 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 29 | 0.5 | 0.7 | 0.7 | 0.05 | 0.05 | C58 |
| Penis | 79 | 1.6 | 2.0 | 4.2 | 0.24 | 0.47 | | | | | | | C60 |
| Prostate | 1395 | 28.3 | 35.8 | 114.7 | 1.98 | 12.03 | | | | | | | C61 |
| Testis | 8 | 0.2 | 0.2 | 0.3 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 35 | 0.7 | 0.9 | 1.8 | 0.07 | 0.24 | 51 | 0.9 | 1.2 | 1.9 | 0.10 | 0.22 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 79 | 1.6 | 2.0 | 5.7 | 0.17 | 0.66 | 74 | 1.3 | 1.7 | 4.5 | 0.28 | 0.54 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 93 | 1.9 | 2.4 | 3.6 | 0.24 | 0.36 | 82 | 1.4 | 1.9 | 2.9 | 0.23 | 0.27 | C69 |
| Brain and nervous system | 92 | 1.9 | 2.4 | 3.6 | 0.26 | 0.36 | 134 | 2.3 | 3.1 | 5.6 | 0.35 | 0.59 | C70–72 |
| Thyroid | 19 | 0.4 | 0.5 | 1.0 | 0.06 | 0.13 | 77 | 1.3 | 1.8 | 4.8 | 0.33 | 0.69 | C73 |
| Adrenal gland | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 9 | 0.2 | 0.2 | 0.4 | 0.03 | 0.04 | 12 | 0.2 | 0.3 | 0.5 | 0.04 | 0.04 | C75 |
| Hodgkin lymphoma | 32 | 0.6 | 0.8 | 0.9 | 0.05 | 0.10 | 23 | 0.4 | 0.5 | 0.7 | 0.06 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 347 | 7.0 | 8.9 | 13.7 | 1.08 | 1.44 | 288 | 4.9 | 6.8 | 10.6 | 0.81 | 1.08 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.04 | 2 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 60 | 1.2 | 1.5 | 4.2 | 0.16 | 0.52 | 81 | 1.4 | 1.9 | 5.0 | 0.23 | 0.67 | C90 |
| Lymphoid leukaemia | 45 | 0.9 | 1.2 | 1.7 | 0.08 | 0.16 | 22 | 0.4 | 0.5 | 0.6 | 0.03 | 0.04 | C91 |
| Myeloid leukaemia | 48 | 1.0 | 1.2 | 2.0 | 0.11 | 0.20 | 49 | 0.8 | 1.2 | 1.6 | 0.12 | 0.15 | C92–94 |
| Leukaemia unspecified | 16 | 0.3 | 0.4 | 0.5 | 0.03 | 0.05 | 18 | 0.3 | 0.4 | 0.6 | 0.03 | 0.06 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 173 | 3.5 | 4.4 | 10.7 | 0.46 | 1.25 | 191 | 3.3 | 4.5 | 10.3 | 0.46 | 1.27 | O&U |
| All sites | 5051 | | 129.6 | 312.9 | 11.95 | 34.20 | 5960 | | 140.0 | 288.6 | 17.43 | 33.34 | C00–96 |
| All sites except C44 | 4930 | 100.0 | 126.5 | 306.0 | 11.65 | 33.38 | 5828 | 100.0 | 136.9 | 282.3 | 17.08 | 32.67 | C00–96 exc.C44 |

§Includes 14 cases of unknown age


§Includes 19 cases of unknown age

*See note following population pyramid

Argentina, Entre Ríos Province

CONTRIBUTORS

Patricia Giacciani
 Enrique Fernández
 Miguel Angel Prince
 Cármen González
 Lily Herrera
 Julio Bechelli
 Héctor Arocena
 Diego Garcilazo
 Jorge Weber



NOTES ON THE DATA

*High DCO%.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 44.0 | Breast | 58.6 |
| Trachea, bronchus, and lung | 35.2 | Colon | 20.9 |
| Colon | 25.2 | Cervix uteri | 14.3 |
| Kidney | 15.1 | Thyroid | 10.9 |
| Other and unspecified | 11.7 | Trachea, bronchus, and lung | 9.9 |
| Bladder | 10.5 | Ovary | 8.4 |
| Stomach | 10.5 | Other and unspecified | 7.5 |
| Rectum | 8.8 | Corpus uteri | 7.3 |
| Pancreas | 8.8 | Pancreas | 6.0 |
| Oesophagus | 7.3 | Kidney | 5.9 |
| Testis | 6.3 | Stomach | 5.1 |
| Non-Hodgkin lymphoma | 5.4 | Melanoma of skin | 4.9 |
| Larynx | 5.2 | Rectum | 4.8 |
| Brain and nervous system | 5.0 | Brain and nervous system | 4.1 |
| Melanoma of skin | 4.6 | Non-Hodgkin lymphoma | 2.8 |
| Liver | 4.2 | Bladder | 2.7 |
| Tongue | 2.7 | Oesophagus | 2.6 |
| Thyroid | 2.2 | Gallbladder etc. | 2.1 |
| Mouth | 2.2 | Uterus unspecified | 1.8 |
| Gallbladder etc. | 1.7 | Liver | 1.7 |
| All sites | 236.2 | All sites | 198.3 |

***Argentina, Entre Ríos Province (2013–2015)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 13 | 0.2 | 0.7 | 0.6 | 0.05 | 0.06 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 57 | 1.1 | 3.0 | 2.7 | 0.23 | 0.34 | 18 | 0.3 | 0.9 | 0.7 | 0.06 | 0.08 | C01–02 |
| Mouth | 48 | 0.9 | 2.5 | 2.2 | 0.14 | 0.27 | 14 | 0.3 | 0.7 | 0.5 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 20 | 0.4 | 1.0 | 0.9 | 0.06 | 0.10 | 14 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 18 | 0.3 | 0.9 | 0.8 | 0.07 | 0.08 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 12 | 0.2 | 0.6 | 0.5 | 0.02 | 0.09 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 14 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 168 | 3.1 | 8.7 | 7.3 | 0.37 | 0.88 | 81 | 1.5 | 4.1 | 2.6 | 0.14 | 0.33 | C15 |
| Stomach | 242 | 4.5 | 12.6 | 10.5 | 0.53 | 1.22 | 146 | 2.7 | 7.3 | 5.1 | 0.32 | 0.61 | C16 |
| Small intestine | 24 | 0.4 | 1.2 | 1.1 | 0.07 | 0.12 | 30 | 0.6 | 1.5 | 1.0 | 0.06 | 0.10 | C17 |
| Colon | 583 | 10.8 | 30.3 | 25.2 | 1.32 | 2.93 | 616 | 11.6 | 30.8 | 20.9 | 1.25 | 2.40 | C18 |
| Rectum | 200 | 3.7 | 10.4 | 8.8 | 0.52 | 1.08 | 135 | 2.5 | 6.8 | 4.8 | 0.28 | 0.56 | C19–20 |
| Anus | 28 | 0.5 | 1.5 | 1.3 | 0.08 | 0.15 | 20 | 0.4 | 1.0 | 0.7 | 0.05 | 0.09 | C21 |
| Liver | 96 | 1.8 | 5.0 | 4.2 | 0.18 | 0.47 | 59 | 1.1 | 3.0 | 1.7 | 0.06 | 0.17 | C22 |
| Gallbladder etc. | 38 | 0.7 | 2.0 | 1.7 | 0.09 | 0.22 | 68 | 1.3 | 3.4 | 2.1 | 0.11 | 0.23 | C23–24 |
| Pancreas | 206 | 3.8 | 10.7 | 8.8 | 0.48 | 1.01 | 197 | 3.7 | 9.9 | 6.0 | 0.30 | 0.69 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 116 | 2.2 | 6.0 | 5.2 | 0.30 | 0.70 | 16 | 0.3 | 0.8 | 0.7 | 0.06 | 0.08 | C32 |
| Trachea, bronchus, and lung | 804 | 14.9 | 41.8 | 35.2 | 1.81 | 4.60 | 274 | 5.2 | 13.7 | 9.9 | 0.64 | 1.24 | C33–34 |
| Other thoracic organs | 20 | 0.4 | 1.0 | 0.9 | 0.06 | 0.10 | 22 | 0.4 | 1.1 | 0.8 | 0.05 | 0.08 | C37–38 |
| Bone | 19 | 0.4 | 1.0 | 0.8 | 0.04 | 0.08 | 18 | 0.3 | 0.9 | 0.8 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 101 | 1.9 | 5.2 | 4.6 | 0.26 | 0.52 | 120 | 2.3 | 6.0 | 4.9 | 0.33 | 0.54 | C43 |
| Other skin | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 10 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.06 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 33 | 0.6 | 1.7 | 1.5 | 0.11 | 0.15 | 20 | 0.4 | 1.0 | 0.8 | 0.07 | 0.08 | C47+C49 |
| Breast | 18 | 0.3 | 0.9 | 0.8 | 0.05 | 0.08 | 1508 | 28.4 | 75.4 | 58.6 | 4.12 | 6.72 | C50 |
| Vulva | | | | | | | 34 | 0.6 | 1.7 | 1.1 | 0.05 | 0.11 | C51 |
| Vagina | | | | | | | 17 | 0.3 | 0.9 | 0.6 | 0.04 | 0.08 | C52 |
| Cervix uteri | | | | | | | 326 | 6.1 | 16.3 | 14.3 | 1.13 | 1.42 | C53 |
| Corpus uteri | | | | | | | 191 | 3.6 | 9.6 | 7.3 | 0.54 | 0.87 | C54 |
| Uterus unspecified | | | | | | | 51 | 1.0 | 2.6 | 1.8 | 0.11 | 0.19 | C55 |
| Ovary | | | | | | | 216 | 4.1 | 10.8 | 8.4 | 0.56 | 0.98 | C56 |
| Other female genital organs | | | | | | | 8 | 0.2 | 0.4 | 0.3 | 0.00 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 37 | 0.7 | 1.9 | 1.7 | 0.11 | 0.18 | | | | | | | C60 |
| Prostate | 1061 | 19.7 | 55.1 | 44.0 | 1.41 | 5.65 | | | | | | | C61 |
| Testis | 128 | 2.4 | 6.7 | 6.3 | 0.46 | 0.49 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 332 | 6.2 | 17.3 | 15.1 | 0.88 | 1.94 | 163 | 3.1 | 8.2 | 5.9 | 0.40 | 0.70 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 247 | 4.6 | 12.8 | 10.5 | 0.45 | 1.22 | 89 | 1.7 | 4.5 | 2.7 | 0.12 | 0.30 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 106 | 2.0 | 5.5 | 5.0 | 0.28 | 0.54 | 101 | 1.9 | 5.1 | 4.1 | 0.24 | 0.48 | C70–72 |
| Thyroid | 45 | 0.8 | 2.3 | 2.2 | 0.18 | 0.23 | 238 | 4.5 | 11.9 | 10.9 | 0.88 | 1.03 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 8 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 30 | 0.6 | 1.6 | 1.5 | 0.11 | 0.13 | 18 | 0.3 | 0.9 | 0.7 | 0.04 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 121 | 2.2 | 6.3 | 5.4 | 0.28 | 0.63 | 78 | 1.5 | 3.9 | 2.8 | 0.18 | 0.34 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C88 |
| Multiple myeloma | 24 | 0.4 | 1.2 | 1.1 | 0.08 | 0.17 | 36 | 0.7 | 1.8 | 1.2 | 0.05 | 0.15 | C90 |
| Lymphoid leukaemia | 25 | 0.5 | 1.3 | 1.5 | 0.07 | 0.10 | 23 | 0.4 | 1.2 | 1.4 | 0.07 | 0.07 | C91 |
| Myeloid leukaemia | 18 | 0.3 | 0.9 | 0.9 | 0.05 | 0.10 | 21 | 0.4 | 1.1 | 0.9 | 0.05 | 0.07 | C92–94 |
| Leukaemia unspecified | 36 | 0.7 | 1.9 | 1.5 | 0.06 | 0.16 | 30 | 0.6 | 1.5 | 1.0 | 0.06 | 0.10 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 264 | 4.9 | 13.7 | 11.7 | 0.66 | 1.28 | 237 | 4.5 | 11.9 | 7.5 | 0.43 | 0.80 | O&U |
| All sites | 5393 | | 280.3 | 236.2 | 12.07 | 28.35 | 5316 | | 265.9 | 198.3 | 13.16 | 22.27 | C00–96 |
| All sites except C44 | 5392 | 100.0 | 280.2 | 236.2 | 12.07 | 28.35 | 5316 | 100.0 | 265.9 | 198.3 | 13.16 | 22.27 | C00–96 exc. C44 |

*†See note following population pyramid

Argentina, Mendoza

CONTRIBUTORS

Andrea Falaschi
 Carlos Alejandro Vázquez Rizzetto
 Alejandro Nelson Corti
 Graciela Alejandra Mónica
 Ana Laura Pogonza
 María Cristina Diumenjo
 Walter Daniel Laspada
 Adriana Lizie Koch
 Dalinda Agostini
 María Eugenia Alvarez



NOTES ON THE DATA

*High DCO%.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 38.2 | Breast | 71.6 |
| Colon | 21.1 | Colon | 13.9 |
| Trachea, bronchus, and lung | 20.9 | Non-melanoma skin cancer | 13.7 |
| Non-melanoma skin cancer | 19.3 | Cervix uteri | 12.7 |
| Kidney | 12.0 | Corpus uteri | 9.3 |
| Stomach | 11.4 | Ovary | 9.0 |
| Bladder | 10.6 | Trachea, bronchus, and lung | 8.1 |
| Other and unspecified | 9.0 | Other and unspecified | 7.0 |
| Non-Hodgkin lymphoma | 8.0 | Thyroid | 6.7 |
| Rectum | 7.7 | Pancreas | 6.4 |
| Testis | 7.7 | Brain and nervous system | 5.6 |
| Pancreas | 7.6 | Non-Hodgkin lymphoma | 5.1 |
| Brain and nervous system | 7.1 | Stomach | 5.0 |
| Liver | 5.8 | Kidney | 4.9 |
| Oesophagus | 4.6 | Rectum | 4.2 |
| Larynx | 3.5 | Liver | 3.3 |
| Melanoma of skin | 3.0 | Gallbladder etc. | 2.9 |
| Lymphoid leukaemia | 2.9 | Myeloid leukaemia | 2.5 |
| Gallbladder etc. | 2.7 | Melanoma of skin | 2.5 |
| Myeloid leukaemia | 2.6 | Connective and soft tissue | 2.1 |
| All sites | 231.3 | All sites | 218.5 |

***Argentina, Mendoza (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 70 | 0.6 | 1.6 | 1.4 | 0.09 | 0.15 | 38 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | C01–02 |
| Mouth | 51 | 0.5 | 1.1 | 1.0 | 0.06 | 0.09 | 27 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 49 | 0.4 | 1.1 | 1.0 | 0.05 | 0.11 | 24 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C07–08 |
| Tonsil | 29 | 0.3 | 0.7 | 0.6 | 0.03 | 0.06 | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 14 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 246 | 2.2 | 5.5 | 4.6 | 0.23 | 0.53 | 120 | 1.0 | 2.6 | 1.6 | 0.07 | 0.17 | C15 |
| Stomach | 609 | 5.5 | 13.7 | 11.4 | 0.51 | 1.37 | 340 | 2.8 | 7.3 | 5.0 | 0.26 | 0.60 | C16 |
| Small intestine | 51 | 0.5 | 1.1 | 1.0 | 0.04 | 0.13 | 65 | 0.5 | 1.4 | 1.1 | 0.07 | 0.13 | C17 |
| Colon | 1109 | 10.1 | 24.9 | 21.1 | 1.05 | 2.54 | 927 | 7.5 | 19.8 | 13.9 | 0.75 | 1.53 | C18 |
| Rectum | 393 | 3.6 | 8.8 | 7.7 | 0.43 | 0.94 | 261 | 2.1 | 5.6 | 4.2 | 0.25 | 0.52 | C19–20 |
| Anus | 33 | 0.3 | 0.7 | 0.7 | 0.04 | 0.08 | 47 | 0.4 | 1.0 | 0.7 | 0.05 | 0.08 | C21 |
| Liver | 311 | 2.8 | 7.0 | 5.8 | 0.24 | 0.69 | 231 | 1.9 | 4.9 | 3.3 | 0.16 | 0.38 | C22 |
| Gallbladder etc. | 144 | 1.3 | 3.2 | 2.7 | 0.12 | 0.33 | 187 | 1.5 | 4.0 | 2.9 | 0.17 | 0.34 | C23–24 |
| Pancreas | 401 | 3.6 | 9.0 | 7.6 | 0.32 | 0.94 | 464 | 3.8 | 9.9 | 6.4 | 0.29 | 0.72 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 180 | 1.6 | 4.0 | 3.5 | 0.19 | 0.45 | 25 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1100 | 10.0 | 24.7 | 20.9 | 1.01 | 2.68 | 515 | 4.2 | 11.0 | 8.1 | 0.48 | 1.02 | C33–34 |
| Other thoracic organs | 51 | 0.5 | 1.1 | 1.0 | 0.06 | 0.11 | 40 | 0.3 | 0.9 | 0.7 | 0.04 | 0.07 | C37–38 |
| Bone | 75 | 0.7 | 1.7 | 1.6 | 0.09 | 0.15 | 67 | 0.5 | 1.4 | 1.2 | 0.07 | 0.11 | C40–41 |
| Melanoma of skin | 151 | 1.4 | 3.4 | 3.0 | 0.20 | 0.32 | 140 | 1.1 | 3.0 | 2.5 | 0.16 | 0.24 | C43 |
| Other skin | 1062 | 9.7 | 23.9 | 19.3 | 0.78 | 2.14 | 925 | 7.5 | 19.7 | 13.7 | 0.73 | 1.52 | C44 |
| Mesothelioma | 22 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 116 | 1.1 | 2.6 | 2.4 | 0.16 | 0.25 | 115 | 0.9 | 2.5 | 2.1 | 0.15 | 0.20 | C47+C49 |
| Breast | 56 | 0.5 | 1.3 | 1.1 | 0.06 | 0.13 | 4157 | 33.8 | 88.7 | 71.6 | 4.92 | 8.15 | C50 |
| Vulva | | | | | | | 72 | 0.6 | 1.5 | 1.0 | 0.05 | 0.12 | C51 |
| Vagina | | | | | | | 21 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 656 | 5.3 | 14.0 | 12.7 | 1.02 | 1.28 | C53 |
| Corpus uteri | | | | | | | 565 | 4.6 | 12.1 | 9.3 | 0.62 | 1.16 | C54 |
| Uterus unspecified | | | | | | | 116 | 0.9 | 2.5 | 1.8 | 0.12 | 0.19 | C55 |
| Ovary | | | | | | | 510 | 4.1 | 10.9 | 9.0 | 0.65 | 1.02 | C56 |
| Other female genital organs | | | | | | | 18 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 16 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 60 | 0.5 | 1.3 | 1.2 | 0.07 | 0.14 | | | | | | | C60 |
| Prostate | 2101 | 19.1 | 47.2 | 38.2 | 1.24 | 4.94 | | | | | | | C61 |
| Testis | 358 | 3.3 | 8.0 | 7.7 | 0.56 | 0.60 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 589 | 5.4 | 13.2 | 12.0 | 0.73 | 1.51 | 302 | 2.5 | 6.4 | 4.9 | 0.30 | 0.59 | C64 |
| Renal pelvis | 6 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 558 | 5.1 | 12.5 | 10.6 | 0.47 | 1.37 | 144 | 1.2 | 3.1 | 2.0 | 0.11 | 0.21 | C67 |
| Other urinary organs | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 20 | 0.2 | 0.4 | 0.5 | 0.02 | 0.04 | 14 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 340 | 3.1 | 7.6 | 7.1 | 0.42 | 0.76 | 313 | 2.5 | 6.7 | 5.6 | 0.35 | 0.58 | C70–72 |
| Thyroid | 69 | 0.6 | 1.6 | 1.5 | 0.10 | 0.15 | 351 | 2.9 | 7.5 | 6.7 | 0.51 | 0.68 | C73 |
| Adrenal gland | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 16 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 9 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 99 | 0.9 | 2.2 | 2.1 | 0.14 | 0.21 | 76 | 0.6 | 1.6 | 1.5 | 0.10 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 391 | 3.6 | 8.8 | 8.0 | 0.51 | 0.87 | 292 | 2.4 | 6.2 | 5.1 | 0.32 | 0.54 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 127 | 1.2 | 2.9 | 2.6 | 0.14 | 0.32 | 102 | 0.8 | 2.2 | 1.5 | 0.07 | 0.20 | C90 |
| Lymphoid leukaemia | 137 | 1.2 | 3.1 | 2.9 | 0.17 | 0.22 | 102 | 0.8 | 2.2 | 2.1 | 0.11 | 0.16 | C91 |
| Myeloid leukaemia | 125 | 1.1 | 2.8 | 2.6 | 0.16 | 0.28 | 133 | 1.1 | 2.8 | 2.5 | 0.15 | 0.26 | C92–94 |
| Leukaemia unspecified | 39 | 0.4 | 0.9 | 0.7 | 0.03 | 0.06 | 36 | 0.3 | 0.8 | 0.5 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 59 | 0.5 | 1.3 | 1.2 | 0.08 | 0.14 | 59 | 0.5 | 1.3 | 1.0 | 0.08 | 0.11 | MPD |
| Myelodysplastic syndromes | 74 | 0.7 | 1.7 | 1.4 | 0.05 | 0.16 | 44 | 0.4 | 0.9 | 0.6 | 0.04 | 0.07 | MPS |
| Other and unspecified | 481 | 4.4 | 10.8 | 9.0 | 0.40 | 1.01 | 476 | 3.9 | 10.2 | 7.0 | 0.38 | 0.71 | O&U |
| All sites | 12050 | | 270.7 | 231.3 | 11.24 | 27.28 | 13219 | | 282.0 | 218.5 | 13.91 | 24.33 | C00–96 |
| All sites except C44 | 10988 | 100.0 | 246.9 | 212.0 | 10.45 | 25.14 | 12294 | 100.0 | 262.3 | 204.8 | 13.18 | 22.81 | C00–96 exc. C44 |

*†See note following population pyramid

Brazil, Aracaju

CONTRIBUTORS

Carlos Anselmo Lima
 José Erinaldo Lôbo de Oliveira
 Elma Santana de Oliveira
 Maria das Graças Prata França
 Sueli Pina Vieira
 Cecilia Ferreira
 Marina Ferreira de Oliveira Kobilseki
 Maria Cristina da Conceição Coelho Santos
 Maria das Graças Rodrigues de Melo
 Amanda Laryssa Cardoso Nunes Gonzaga
 Hugo Leonardo de Oliveira Gomes



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 165.9 | Non-melanoma skin cancer | 127.2 |
| Prostate | 92.9 | Breast | 53.4 |
| Trachea, bronchus, and lung | 17.4 | Thyroid | 43.7 |
| Colon | 11.2 | Cervix uteri | 11.6 |
| Thyroid | 10.4 | Colon | 10.0 |
| Stomach | 10.2 | Corpus uteri | 8.7 |
| Non-Hodgkin lymphoma | 7.4 | Trachea, bronchus, and lung | 7.7 |
| Bladder | 7.3 | Ovary | 6.8 |
| Larynx | 6.7 | Stomach | 5.5 |
| Liver | 6.3 | Rectum | 5.4 |
| Kidney | 6.2 | Non-Hodgkin lymphoma | 4.8 |
| Rectum | 6.1 | Brain and nervous system | 4.4 |
| Pancreas | 5.6 | Pancreas | 3.9 |
| Other and unspecified | 4.6 | Kidney | 3.5 |
| Oesophagus | 4.4 | Other and unspecified | 3.1 |
| Brain and nervous system | 4.0 | Melanoma of skin | 2.7 |
| Multiple myeloma | 3.8 | Gallbladder etc. | 2.7 |
| Melanoma of skin | 3.6 | Multiple myeloma | 2.2 |
| Tongue | 3.4 | Anus | 2.1 |
| Lymphoid leukaemia | 2.7 | Liver | 2.1 |
| All sites | 409.8 | All sites | 332.0 |


Brazil, Aracaju (2013–2016)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 23 | 0.9 | 2.0 | 2.3 | 0.09 | 0.36 | 11 | 0.3 | 0.8 | 0.7 | 0.03 | 0.07 | C00 |
| Tongue | 35 | 1.4 | 3.0 | 3.4 | 0.24 | 0.47 | 14 | 0.4 | 1.1 | 0.8 | 0.04 | 0.07 | C01–02 |
| Mouth | 21 | 0.9 | 1.8 | 2.0 | 0.10 | 0.19 | 17 | 0.5 | 1.3 | 1.0 | 0.02 | 0.08 | C03–06 |
| Salivary glands | 10 | 0.4 | 0.9 | 0.9 | 0.03 | 0.10 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 11 | 0.4 | 1.0 | 1.0 | 0.06 | 0.17 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 13 | 0.5 | 1.1 | 1.2 | 0.11 | 0.14 | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | C10 |
| Nasopharynx | 4 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 7 | 0.3 | 0.6 | 0.6 | 0.06 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.2 | 0.3 | 0.4 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 47 | 1.9 | 4.1 | 4.4 | 0.27 | 0.56 | 17 | 0.5 | 1.3 | 1.0 | 0.05 | 0.09 | C15 |
| Stomach | 105 | 4.3 | 9.1 | 10.2 | 0.56 | 1.13 | 88 | 2.8 | 6.6 | 5.5 | 0.33 | 0.64 | C16 |
| Small intestine | 11 | 0.4 | 1.0 | 1.1 | 0.06 | 0.16 | 16 | 0.5 | 1.2 | 1.0 | 0.05 | 0.11 | C17 |
| Colon | 116 | 4.7 | 10.1 | 11.2 | 0.62 | 1.29 | 156 | 4.9 | 11.7 | 10.0 | 0.54 | 1.14 | C18 |
| Rectum | 63 | 2.6 | 5.5 | 6.1 | 0.29 | 0.72 | 85 | 2.7 | 6.4 | 5.4 | 0.29 | 0.61 | C19–20 |
| Anus | 5 | 0.2 | 0.4 | 0.5 | 0.02 | 0.04 | 32 | 1.0 | 2.4 | 2.1 | 0.10 | 0.25 | C21 |
| Liver | 63 | 2.6 | 5.5 | 6.3 | 0.32 | 0.79 | 36 | 1.1 | 2.7 | 2.1 | 0.06 | 0.20 | C22 |
| Gallbladder etc. | 24 | 1.0 | 2.1 | 2.5 | 0.06 | 0.30 | 43 | 1.3 | 3.2 | 2.7 | 0.15 | 0.31 | C23–24 |
| Pancreas | 55 | 2.2 | 4.8 | 5.6 | 0.22 | 0.65 | 64 | 2.0 | 4.8 | 3.9 | 0.18 | 0.43 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 67 | 2.7 | 5.8 | 6.7 | 0.40 | 0.93 | 7 | 0.2 | 0.5 | 0.4 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 169 | 6.9 | 14.7 | 17.4 | 0.86 | 1.98 | 124 | 3.9 | 9.3 | 7.7 | 0.54 | 0.78 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.3 | 0.4 | 0.01 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 7 | 0.3 | 0.6 | 0.6 | 0.04 | 0.04 | 8 | 0.3 | 0.6 | 0.6 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 39 | 1.6 | 3.4 | 3.6 | 0.22 | 0.39 | 43 | 1.3 | 3.2 | 2.7 | 0.20 | 0.28 | C43 |
| Other skin | 1662 | 67.6 | 144.5 | 165.9 | 7.30 | 17.89 | 2026 | 63.5 | 152.2 | 127.2 | 6.99 | 13.85 | C44 |
| Mesothelioma | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 8 | 0.3 | 0.7 | 0.7 | 0.03 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 20 | 0.8 | 1.7 | 1.7 | 0.10 | 0.18 | 19 | 0.6 | 1.4 | 1.3 | 0.10 | 0.14 | C47+C49 |
| Breast | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 830 | 26.0 | 62.3 | 53.4 | 3.90 | 5.98 | C50 |
| Vulva | | | | | | | 17 | 0.5 | 1.3 | 1.0 | 0.04 | 0.08 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.4 | 0.4 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 188 | 5.9 | 14.1 | 11.6 | 0.83 | 1.15 | C53 |
| Corpus uteri | | | | | | | 130 | 4.1 | 9.8 | 8.7 | 0.51 | 1.16 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.3 | 0.6 | 0.4 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 104 | 3.3 | 7.8 | 6.8 | 0.46 | 0.72 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 11 | 0.4 | 1.0 | 1.0 | 0.05 | 0.11 | | | | | | | C60 |
| Prostate | 883 | 35.9 | 76.7 | 92.9 | 3.79 | 12.07 | | | | | | | C61 |
| Testis | 20 | 0.8 | 1.7 | 1.4 | 0.11 | 0.11 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 63 | 2.6 | 5.5 | 6.2 | 0.36 | 0.66 | 49 | 1.5 | 3.7 | 3.5 | 0.22 | 0.38 | C64 |
| Renal pelvis | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 71 | 2.9 | 6.2 | 7.3 | 0.22 | 0.82 | 24 | 0.8 | 1.8 | 1.5 | 0.07 | 0.19 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.3 | 0.6 | 0.6 | 0.04 | 0.04 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 42 | 1.7 | 3.7 | 4.0 | 0.30 | 0.42 | 61 | 1.9 | 4.6 | 4.4 | 0.25 | 0.53 | C70–72 |
| Thyroid | 131 | 5.3 | 11.4 | 10.4 | 0.84 | 1.12 | 692 | 21.7 | 52.0 | 43.7 | 3.64 | 4.46 | C73 |
| Adrenal gland | 6 | 0.2 | 0.5 | 0.6 | 0.04 | 0.04 | 3 | 0.1 | 0.2 | 0.5 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 21 | 0.9 | 1.8 | 1.7 | 0.12 | 0.15 | 11 | 0.3 | 0.8 | 0.8 | 0.05 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 76 | 3.1 | 6.6 | 7.4 | 0.32 | 0.75 | 72 | 2.3 | 5.4 | 4.8 | 0.26 | 0.50 | C82–86, C96 |
| Immunoproliferative diseases | 6 | 0.2 | 0.5 | 0.6 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 37 | 1.5 | 3.2 | 3.8 | 0.15 | 0.47 | 32 | 1.0 | 2.4 | 2.2 | 0.13 | 0.32 | C90 |
| Lymphoid leukaemia | 27 | 1.1 | 2.3 | 2.7 | 0.12 | 0.17 | 16 | 0.5 | 1.2 | 1.3 | 0.07 | 0.09 | C91 |
| Myeloid leukaemia | 26 | 1.1 | 2.3 | 2.4 | 0.14 | 0.18 | 28 | 0.9 | 2.1 | 1.9 | 0.11 | 0.17 | C92–94 |
| Leukaemia unspecified | 9 | 0.4 | 0.8 | 0.9 | 0.02 | 0.08 | 12 | 0.4 | 0.9 | 0.7 | 0.04 | 0.06 | C95 |
| Myeloproliferative disorders | 9 | 0.4 | 0.8 | 0.9 | 0.06 | 0.06 | 20 | 0.6 | 1.5 | 1.4 | 0.07 | 0.19 | MPD |
| Myelodysplastic syndromes | 22 | 0.9 | 1.9 | 2.2 | 0.12 | 0.22 | 29 | 0.9 | 2.2 | 1.8 | 0.09 | 0.17 | MPS |
| Other and unspecified | 45 | 1.8 | 3.9 | 4.6 | 0.23 | 0.54 | 49 | 1.5 | 3.7 | 3.1 | 0.18 | 0.34 | O&U |
| All sites | 4119 | | 358.0 | 409.8 | 19.22 | 46.93 | 5219 | | 392.1 | 332.0 | 20.86 | 35.97 | C00–96 |
| All sites except C44 | 2457 | 100.0 | 213.6 | 244.0 | 11.93 | 29.04 | 3193 | 100.0 | 239.9 | 204.8 | 13.87 | 22.12 | C00–96 exc. C44 |

Brazil, Barretos

CONTRIBUTORS

Allini Mafra da Costa
 Daniele Ferreira Martins
 Walmiro Ferreira Neto
 José Humberto Tavares Guerreiro Fregnani
 Rui Manoel Reis
 Edmundo Carvalho Mauad
 Vinicius de Lima Vazquez
 André Lopes Carvalho



NOTES ON THE DATA

*High DCO%.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 82.4 | Non-melanoma skin cancer | 61.9 |
| Prostate | 56.2 | Breast | 55.2 |
| Trachea, bronchus, and lung | 17.8 | Colon | 11.1 |
| Colon | 12.8 | Trachea, bronchus, and lung | 10.9 |
| Stomach | 11.3 | Thyroid | 10.8 |
| Rectum | 10.8 | Cervix uteri | 9.1 |
| Bladder | 10.1 | Corpus uteri | 6.6 |
| Other and unspecified | 7.8 | Rectum | 6.4 |
| Oesophagus | 7.6 | Other and unspecified | 5.9 |
| Liver | 6.9 | Stomach | 4.8 |
| Larynx | 6.4 | Brain and nervous system | 3.9 |
| Kidney | 5.7 | Melanoma of skin | 3.4 |
| Pancreas | 5.2 | Pancreas | 3.3 |
| Brain and nervous system | 5.2 | Ovary | 3.1 |
| Non-Hodgkin lymphoma | 4.9 | Liver | 2.9 |
| Melanoma of skin | 4.8 | Kidney | 2.7 |
| Mouth | 4.8 | Non-Hodgkin lymphoma | 2.5 |
| Tongue | 4.2 | Lymphoid leukaemia | 2.5 |
| Lip | 4.0 | Myeloid leukaemia | 2.4 |
| Multiple myeloma | 3.5 | Bladder | 2.3 |
| All sites | 303.5 | All sites | 233.2 |

***Brazil, Barretos (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 56 | 1.9 | 5.2 | 4.0 | 0.26 | 0.45 | 22 | 0.9 | 2.0 | 1.2 | 0.06 | 0.14 | C00 |
| Tongue | 55 | 1.9 | 5.2 | 4.2 | 0.31 | 0.58 | 17 | 0.7 | 1.6 | 1.0 | 0.09 | 0.10 | C01–02 |
| Mouth | 62 | 2.1 | 5.8 | 4.8 | 0.33 | 0.64 | 17 | 0.7 | 1.6 | 1.0 | 0.07 | 0.10 | C03–06 |
| Salivary glands | 9 | 0.3 | 0.8 | 0.7 | 0.04 | 0.04 | 7 | 0.3 | 0.6 | 0.4 | 0.02 | 0.05 | C07–08 |
| Tonsil | 19 | 0.6 | 1.8 | 1.4 | 0.11 | 0.16 | 6 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | C09 |
| Other oropharynx | 41 | 1.4 | 3.8 | 3.1 | 0.27 | 0.35 | 6 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | C10 |
| Nasopharynx | 11 | 0.4 | 1.0 | 0.9 | 0.08 | 0.10 | 7 | 0.3 | 0.6 | 0.5 | 0.03 | 0.07 | C11 |
| Hypopharynx | 35 | 1.2 | 3.3 | 2.7 | 0.17 | 0.34 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 99 | 3.3 | 9.3 | 7.6 | 0.59 | 0.94 | 18 | 0.7 | 1.6 | 1.1 | 0.07 | 0.12 | C15 |
| Stomach | 157 | 5.3 | 14.7 | 11.3 | 0.57 | 1.42 | 78 | 3.0 | 7.1 | 4.8 | 0.25 | 0.57 | C16 |
| Small intestine | 11 | 0.4 | 1.0 | 0.8 | 0.04 | 0.09 | 6 | 0.2 | 0.5 | 0.4 | 0.01 | 0.04 | C17 |
| Colon | 173 | 5.8 | 16.2 | 12.8 | 0.69 | 1.57 | 176 | 6.8 | 16.1 | 11.1 | 0.69 | 1.30 | C18 |
| Rectum | 146 | 4.9 | 13.7 | 10.8 | 0.63 | 1.36 | 100 | 3.9 | 9.2 | 6.4 | 0.45 | 0.75 | C19–20 |
| Anus | 4 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 14 | 0.5 | 1.3 | 0.9 | 0.05 | 0.10 | C21 |
| Liver | 93 | 3.1 | 8.7 | 6.9 | 0.42 | 0.89 | 46 | 1.8 | 4.2 | 2.9 | 0.18 | 0.32 | C22 |
| Gallbladder etc. | 24 | 0.8 | 2.2 | 1.8 | 0.07 | 0.27 | 29 | 1.1 | 2.7 | 1.8 | 0.10 | 0.19 | C23–24 |
| Pancreas | 72 | 2.4 | 6.7 | 5.2 | 0.22 | 0.63 | 62 | 2.4 | 5.7 | 3.3 | 0.10 | 0.34 | C25 |
| Nose, sinuses etc. | 4 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 86 | 2.9 | 8.1 | 6.4 | 0.42 | 0.81 | 15 | 0.6 | 1.4 | 0.9 | 0.04 | 0.12 | C32 |
| Trachea, bronchus, and lung | 245 | 8.3 | 23.0 | 17.8 | 1.03 | 2.10 | 175 | 6.8 | 16.0 | 10.9 | 0.71 | 1.39 | C33–34 |
| Other thoracic organs | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 10 | 0.3 | 0.9 | 0.9 | 0.07 | 0.07 | 15 | 0.6 | 1.4 | 1.3 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 66 | 2.2 | 6.2 | 4.8 | 0.28 | 0.52 | 54 | 2.1 | 4.9 | 3.4 | 0.22 | 0.38 | C43 |
| Other skin | 1172 | 39.5 | 109.8 | 82.4 | 3.47 | 9.62 | 1137 | 44.2 | 104.2 | 61.9 | 2.73 | 6.69 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 18 | 0.6 | 1.7 | 1.5 | 0.10 | 0.12 | 15 | 0.6 | 1.4 | 1.1 | 0.06 | 0.09 | C47+C49 |
| Breast | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.05 | 817 | 31.8 | 74.9 | 55.2 | 4.26 | 6.21 | C50 |
| Vulva | | | | | | | 12 | 0.5 | 1.1 | 0.7 | 0.03 | 0.07 | C51 |
| Vagina | | | | | | | 6 | 0.2 | 0.5 | 0.5 | 0.04 | 0.05 | C52 |
| Cervix uteri | | | | | | | 127 | 4.9 | 11.6 | 9.1 | 0.78 | 0.91 | C53 |
| Corpus uteri | | | | | | | 103 | 4.0 | 9.4 | 6.6 | 0.44 | 0.87 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.3 | 0.6 | 0.4 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 45 | 1.7 | 4.1 | 3.1 | 0.24 | 0.35 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 14 | 0.5 | 1.3 | 1.0 | 0.05 | 0.11 | | | | | | | C60 |
| Prostate | 764 | 25.7 | 71.6 | 56.2 | 2.64 | 7.64 | | | | | | | C61 |
| Testis | 17 | 0.6 | 1.6 | 1.4 | 0.09 | 0.10 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 74 | 2.5 | 6.9 | 5.7 | 0.40 | 0.69 | 40 | 1.6 | 3.7 | 2.7 | 0.19 | 0.31 | C64 |
| Renal pelvis | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 141 | 4.8 | 13.2 | 10.1 | 0.40 | 1.30 | 42 | 1.6 | 3.8 | 2.3 | 0.12 | 0.25 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.2 | 0.7 | 0.8 | 0.06 | 0.06 | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 62 | 2.1 | 5.8 | 5.2 | 0.34 | 0.57 | 52 | 2.0 | 4.8 | 3.9 | 0.22 | 0.38 | C70–72 |
| Thyroid | 34 | 1.1 | 3.2 | 2.6 | 0.23 | 0.26 | 143 | 5.6 | 13.1 | 10.8 | 0.86 | 0.98 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.2 | 0.5 | 0.6 | 0.04 | 0.04 | C74 |
| Other endocrine | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 19 | 0.6 | 1.8 | 1.5 | 0.12 | 0.14 | 16 | 0.6 | 1.5 | 1.6 | 0.10 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 63 | 2.1 | 5.9 | 4.9 | 0.27 | 0.52 | 35 | 1.4 | 3.2 | 2.5 | 0.18 | 0.26 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 11 | 0.4 | 1.0 | 0.7 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 46 | 1.6 | 4.3 | 3.5 | 0.18 | 0.49 | 32 | 1.2 | 2.9 | 2.0 | 0.13 | 0.23 | C90 |
| Lymphoid leukaemia | 28 | 0.9 | 2.6 | 2.9 | 0.15 | 0.25 | 26 | 1.0 | 2.4 | 2.5 | 0.12 | 0.14 | C91 |
| Myeloid leukaemia | 39 | 1.3 | 3.7 | 3.2 | 0.20 | 0.29 | 33 | 1.3 | 3.0 | 2.4 | 0.15 | 0.20 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 8 | 0.3 | 0.7 | 0.6 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 10 | 0.3 | 0.9 | 0.7 | 0.01 | 0.07 | 7 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | MPD |
| Myelodysplastic syndromes | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | MPS |
| Other and unspecified | 113 | 3.8 | 10.6 | 7.8 | 0.35 | 0.81 | 100 | 3.9 | 9.2 | 5.9 | 0.28 | 0.60 | O&U |
| All sites | 4139 | | 387.9 | 303.5 | 15.85 | 36.67 | 3710 | | 340.0 | 233.2 | 14.48 | 25.34 | C00–96 |
| All sites except C44 | 2967 | 100.0 | 278.1 | 221.2 | 12.38 | 27.05 | 2573 | 100.0 | 235.8 | 171.3 | 11.75 | 18.65 | C00–96 exc. C44 |


§Includes 2 cases of unknown age

*†See note following population pyramid

Brazil, Belo Horizonte

CONTRIBUTORS

Gil Patrus Pena
 Claudina Agnese Casale
 Rafael Wenceslau Grabe
 Sylvania Lourenço Ribeiro
 Aparicia Neves Ferreira
 Monica Nazaré Torres
 Elen Sabino da Silva Coelho
 Fernanda Cordeiro Freire
 Margarete Aparecida dos Santos



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 90.2 | Breast | 68.7 |
| Non-melanoma skin cancer | 75.8 | Non-melanoma skin cancer | 58.8 |
| Colon | 14.9 | Colon | 14.0 |
| Trachea, bronchus, and lung | 14.8 | Thyroid | 12.9 |
| Stomach | 12.0 | Cervix uteri | 10.0 |
| Other and unspecified | 11.5 | Other and unspecified | 9.1 |
| Bladder | 9.3 | Trachea, bronchus, and lung | 8.6 |
| Rectum | 9.0 | Corpus uteri | 7.7 |
| Oesophagus | 8.9 | Rectum | 7.2 |
| Kidney | 7.6 | Stomach | 6.2 |
| Non-Hodgkin lymphoma | 6.8 | Ovary | 5.3 |
| Larynx | 6.3 | Non-Hodgkin lymphoma | 4.4 |
| Brain and nervous system | 6.2 | Pancreas | 4.0 |
| Pancreas | 5.4 | Brain and nervous system | 4.0 |
| Liver | 5.3 | Kidney | 3.8 |
| Tongue | 4.0 | Bladder | 3.2 |
| Thyroid | 3.8 | Melanoma of skin | 2.9 |
| Melanoma of skin | 3.7 | Multiple myeloma | 2.3 |
| Other oropharynx | 3.3 | Liver | 2.2 |
| Multiple myeloma | 3.1 | Oesophagus | 2.1 |
| All sites | 333.1 | All sites | 259.2 |

Brazil, Belo Horizonte (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 28 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 13 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 281 | 1.6 | 4.9 | 4.0 | 0.32 | 0.49 | 97 | 0.5 | 1.5 | 0.9 | 0.06 | 0.10 | C01–02 |
| Mouth | 212 | 1.2 | 3.7 | 3.0 | 0.22 | 0.36 | 110 | 0.6 | 1.7 | 1.1 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 47 | 0.3 | 0.8 | 0.7 | 0.04 | 0.08 | 49 | 0.3 | 0.7 | 0.6 | 0.04 | 0.05 | C07–08 |
| Tonsil | 54 | 0.3 | 0.9 | 0.8 | 0.07 | 0.10 | 15 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 229 | 1.3 | 4.0 | 3.3 | 0.27 | 0.38 | 43 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | C10 |
| Nasopharynx | 37 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | 21 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 96 | 0.5 | 1.7 | 1.4 | 0.10 | 0.18 | 16 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 14 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 621 | 3.4 | 10.7 | 8.9 | 0.60 | 1.09 | 218 | 1.1 | 3.3 | 2.1 | 0.12 | 0.24 | C15 |
| Stomach | 864 | 4.8 | 14.9 | 12.0 | 0.59 | 1.38 | 656 | 3.4 | 10.0 | 6.2 | 0.33 | 0.70 | C16 |
| Small intestine | 76 | 0.4 | 1.3 | 1.1 | 0.06 | 0.14 | 89 | 0.5 | 1.4 | 0.8 | 0.04 | 0.09 | C17 |
| Colon | 1079 | 6.0 | 18.6 | 14.9 | 0.81 | 1.72 | 1417 | 7.4 | 21.6 | 14.0 | 0.83 | 1.62 | C18 |
| Rectum | 635 | 3.5 | 11.0 | 9.0 | 0.50 | 1.09 | 709 | 3.7 | 10.8 | 7.2 | 0.47 | 0.86 | C19–20 |
| Anus | 58 | 0.3 | 1.0 | 0.8 | 0.06 | 0.09 | 96 | 0.5 | 1.5 | 0.9 | 0.06 | 0.11 | C21 |
| Liver | 372 | 2.1 | 6.4 | 5.3 | 0.31 | 0.65 | 231 | 1.2 | 3.5 | 2.2 | 0.10 | 0.27 | C22 |
| Gallbladder etc. | 108 | 0.6 | 1.9 | 1.5 | 0.07 | 0.18 | 210 | 1.1 | 3.2 | 2.0 | 0.10 | 0.24 | C23–24 |
| Pancreas | 393 | 2.2 | 6.8 | 5.4 | 0.27 | 0.68 | 449 | 2.3 | 6.8 | 4.0 | 0.19 | 0.44 | C25 |
| Nose, sinuses etc. | 41 | 0.2 | 0.7 | 0.6 | 0.04 | 0.08 | 31 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 444 | 2.5 | 7.7 | 6.3 | 0.38 | 0.76 | 83 | 0.4 | 1.3 | 0.8 | 0.06 | 0.10 | C32 |
| Trachea, bronchus, and lung | 1074 | 5.9 | 18.6 | 14.8 | 0.63 | 1.82 | 896 | 4.7 | 13.6 | 8.6 | 0.52 | 1.01 | C33–34 |
| Other thoracic organs | 37 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 38 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | C37–38 |
| Bone | 80 | 0.4 | 1.4 | 1.3 | 0.08 | 0.11 | 66 | 0.3 | 1.0 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 269 | 1.5 | 4.6 | 3.7 | 0.21 | 0.41 | 276 | 1.4 | 4.2 | 2.9 | 0.21 | 0.32 | C43 |
| Other skin | 5581 | 30.9 | 96.4 | 75.8 | 3.40 | 8.40 | 6279 | 32.8 | 95.6 | 58.8 | 3.02 | 6.64 | C44 |
| Mesothelioma | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 52 | 0.3 | 0.9 | 0.7 | 0.05 | 0.06 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 136 | 0.8 | 2.3 | 2.0 | 0.13 | 0.21 | 146 | 0.8 | 2.2 | 1.7 | 0.11 | 0.17 | C47+C49 |
| Breast | 41 | 0.2 | 0.7 | 0.6 | 0.03 | 0.08 | 6378 | 33.3 | 97.1 | 68.7 | 5.02 | 7.65 | C50 |
| Vulva | | | | | | | 122 | 0.6 | 1.9 | 1.1 | 0.04 | 0.13 | C51 |
| Vagina | | | | | | | 30 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 906 | 4.7 | 13.8 | 10.0 | 0.75 | 1.03 | C53 |
| Corpus uteri | | | | | | | 754 | 3.9 | 11.5 | 7.7 | 0.48 | 1.00 | C54 |
| Uterus unspecified | | | | | | | 59 | 0.3 | 0.9 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 516 | 2.7 | 7.9 | 5.3 | 0.35 | 0.60 | C56 |
| Other female genital organs | | | | | | | 23 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 66 | 0.4 | 1.1 | 0.9 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 6290 | 34.8 | 108.7 | 90.2 | 4.53 | 12.14 | | | | | | | C61 |
| Testis | 166 | 0.9 | 2.9 | 2.4 | 0.18 | 0.18 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 532 | 2.9 | 9.2 | 7.6 | 0.45 | 0.90 | 327 | 1.7 | 5.0 | 3.8 | 0.24 | 0.41 | C64 |
| Renal pelvis | 21 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 19 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 9 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 683 | 3.8 | 11.8 | 9.3 | 0.34 | 1.09 | 346 | 1.8 | 5.3 | 3.2 | 0.14 | 0.38 | C67 |
| Other urinary organs | 10 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 47 | 0.3 | 0.8 | 0.8 | 0.04 | 0.07 | 33 | 0.2 | 0.5 | 0.5 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 413 | 2.3 | 7.1 | 6.2 | 0.41 | 0.63 | 337 | 1.8 | 5.1 | 4.0 | 0.26 | 0.40 | C70–72 |
| Thyroid | 267 | 1.5 | 4.6 | 3.8 | 0.29 | 0.39 | 1094 | 5.7 | 16.7 | 12.9 | 1.04 | 1.27 | C73 |
| Adrenal gland | 9 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 25 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 14 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 16 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 134 | 0.7 | 2.3 | 2.1 | 0.14 | 0.17 | 116 | 0.6 | 1.8 | 1.5 | 0.10 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 474 | 2.6 | 8.2 | 6.8 | 0.42 | 0.72 | 421 | 2.2 | 6.4 | 4.4 | 0.26 | 0.50 | C82–86,C96 |
| Immunoproliferative diseases | 18 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 18 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 220 | 1.2 | 3.8 | 3.1 | 0.17 | 0.36 | 252 | 1.3 | 3.8 | 2.3 | 0.12 | 0.26 | C90 |
| Lymphoid leukaemia | 128 | 0.7 | 2.2 | 2.3 | 0.10 | 0.19 | 105 | 0.5 | 1.6 | 1.4 | 0.06 | 0.10 | C91 |
| Myeloid leukaemia | 181 | 1.0 | 3.1 | 2.8 | 0.15 | 0.27 | 161 | 0.8 | 2.5 | 1.8 | 0.10 | 0.16 | C92–94 |
| Leukaemia unspecified | 40 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | 27 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 65 | 0.4 | 1.1 | 0.9 | 0.05 | 0.10 | 74 | 0.4 | 1.1 | 0.8 | 0.04 | 0.09 | MPD |
| Myelodysplastic syndromes | 68 | 0.4 | 1.2 | 0.9 | 0.02 | 0.10 | 55 | 0.3 | 0.8 | 0.4 | 0.01 | 0.03 | MPS |
| Other and unspecified | 825 | 4.6 | 14.3 | 11.5 | 0.61 | 1.25 | 951 | 5.0 | 14.5 | 9.1 | 0.49 | 0.99 | O&U |
| All sites | 23647 | | 408.5 | 333.1 | 17.34 | 39.56 | 25446 | | 387.5 | 259.2 | 16.19 | 28.76 | C00–96 |
| All sites except C44 | 18066 | 100.0 | 312.1 | 257.3 | 13.94 | 31.16 | 19167 | 100.0 | 291.9 | 200.3 | 13.16 | 22.12 | C00–96 exc.C44 |

§Includes 109 cases of unknown age


§Includes 98 cases of unknown age

†See note following population pyramid

Brazil, Campinas

CONTRIBUTORS

Cecilia de Moraes Barbosa Horita
 Elba Cristiane Garcia Pietrobom
 Karen Rosa da Silva
 Patrícia Gonçalves de Santana
 Sandra Aparecida Candido dos Santos



NOTES ON THE DATA

*High DCO%.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 159.1 | Non-melanoma skin cancer | 121.9 |
| Prostate | 91.0 | Breast | 76.9 |
| Trachea, bronchus, and lung | 20.7 | Thyroid | 18.1 |
| Colon | 20.4 | Colon | 17.3 |
| Stomach | 16.7 | Trachea, bronchus, and lung | 11.8 |
| Rectum | 14.9 | Corpus uteri | 10.2 |
| Bladder | 13.5 | Rectum | 8.4 |
| Liver | 10.0 | Stomach | 7.5 |
| Kidney | 9.3 | Ovary | 6.9 |
| Non-Hodgkin lymphoma | 8.6 | Non-Hodgkin lymphoma | 6.9 |
| Melanoma of skin | 7.4 | Cervix uteri | 6.8 |
| Pancreas | 7.3 | Pancreas | 6.2 |
| Other and unspecified | 7.1 | Melanoma of skin | 5.8 |
| Brain and nervous system | 7.0 | Other and unspecified | 5.6 |
| Larynx | 6.5 | Brain and nervous system | 5.3 |
| Oesophagus | 6.3 | Bladder | 4.0 |
| Tongue | 5.0 | Kidney | 3.7 |
| Thyroid | 4.8 | Liver | 3.5 |
| Mouth | 4.8 | Multiple myeloma | 3.1 |
| Myeloid leukaemia | 3.9 | Gallbladder etc. | 2.2 |
| All sites | 460.3 | All sites | 358.7 |

***Brazil, Campinas (2013–2016)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 35 | 0.5 | 1.6 | 1.5 | 0.08 | 0.16 | 20 | 0.3 | 0.9 | 0.6 | 0.03 | 0.06 | C00 |
| Tongue | 115 | 1.6 | 5.2 | 5.0 | 0.38 | 0.62 | 39 | 0.5 | 1.7 | 1.3 | 0.09 | 0.14 | C01–02 |
| Mouth | 113 | 1.6 | 5.2 | 4.8 | 0.34 | 0.58 | 40 | 0.6 | 1.7 | 1.2 | 0.05 | 0.16 | C03–06 |
| Salivary glands | 21 | 0.3 | 1.0 | 0.9 | 0.03 | 0.07 | 23 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | C07–08 |
| Tonsil | 15 | 0.2 | 0.7 | 0.6 | 0.06 | 0.07 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 49 | 0.7 | 2.2 | 2.0 | 0.17 | 0.23 | 11 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C10 |
| Nasopharynx | 12 | 0.2 | 0.5 | 0.5 | 0.04 | 0.05 | 9 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 29 | 0.4 | 1.3 | 1.2 | 0.08 | 0.15 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 12 | 0.2 | 0.5 | 0.5 | 0.04 | 0.05 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 145 | 2.1 | 6.6 | 6.3 | 0.42 | 0.80 | 42 | 0.6 | 1.8 | 1.4 | 0.07 | 0.15 | C15 |
| Stomach | 391 | 5.6 | 17.8 | 16.7 | 0.73 | 1.90 | 239 | 3.4 | 10.2 | 7.5 | 0.42 | 0.81 | C16 |
| Small intestine | 35 | 0.5 | 1.6 | 1.5 | 0.11 | 0.18 | 40 | 0.6 | 1.7 | 1.3 | 0.06 | 0.14 | C17 |
| Colon | 481 | 6.9 | 21.9 | 20.4 | 1.01 | 2.30 | 539 | 7.6 | 22.9 | 17.3 | 0.93 | 1.94 | C18 |
| Rectum | 348 | 5.0 | 15.9 | 14.9 | 0.78 | 1.82 | 261 | 3.7 | 11.1 | 8.4 | 0.52 | 0.94 | C19–20 |
| Anus | 10 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | 35 | 0.5 | 1.5 | 1.2 | 0.07 | 0.15 | C21 |
| Liver | 237 | 3.4 | 10.8 | 10.0 | 0.58 | 1.12 | 110 | 1.5 | 4.7 | 3.5 | 0.18 | 0.42 | C22 |
| Gallbladder etc. | 35 | 0.5 | 1.6 | 1.6 | 0.05 | 0.21 | 69 | 1.0 | 2.9 | 2.2 | 0.11 | 0.24 | C23–24 |
| Pancreas | 169 | 2.4 | 7.7 | 7.3 | 0.34 | 0.90 | 192 | 2.7 | 8.2 | 6.2 | 0.34 | 0.72 | C25 |
| Nose, sinuses etc. | 11 | 0.2 | 0.5 | 0.5 | 0.01 | 0.08 | 9 | 0.1 | 0.4 | 0.4 | 0.01 | 0.05 | C30–31 |
| Larynx | 150 | 2.2 | 6.8 | 6.5 | 0.41 | 0.78 | 18 | 0.3 | 0.8 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 479 | 6.9 | 21.8 | 20.7 | 0.96 | 2.52 | 360 | 5.1 | 15.3 | 11.8 | 0.63 | 1.45 | C33–34 |
| Other thoracic organs | 19 | 0.3 | 0.9 | 0.8 | 0.05 | 0.09 | 14 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | C37–38 |
| Bone | 31 | 0.4 | 1.4 | 1.4 | 0.07 | 0.13 | 32 | 0.5 | 1.4 | 1.2 | 0.07 | 0.11 | C40–41 |
| Melanoma of skin | 178 | 2.6 | 8.1 | 7.4 | 0.36 | 0.84 | 176 | 2.5 | 7.5 | 5.8 | 0.37 | 0.60 | C43 |
| Other skin | 3751 | 53.8 | 171.0 | 159.1 | 6.93 | 17.37 | 3970 | 55.9 | 168.8 | 121.9 | 5.97 | 13.11 | C44 |
| Mesothelioma | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 17 | 0.2 | 0.8 | 0.6 | 0.04 | 0.04 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 42 | 0.6 | 1.9 | 1.8 | 0.09 | 0.18 | 53 | 0.7 | 2.3 | 1.8 | 0.12 | 0.17 | C47+C49 |
| Breast | 12 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 2286 | 32.2 | 97.2 | 76.9 | 5.38 | 8.66 | C50 |
| Vulva | | | | | | | 19 | 0.3 | 0.8 | 0.6 | 0.04 | 0.08 | C51 |
| Vagina | | | | | | | 13 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 198 | 2.8 | 8.4 | 6.8 | 0.53 | 0.70 | C53 |
| Corpus uteri | | | | | | | 293 | 4.1 | 12.5 | 10.2 | 0.64 | 1.36 | C54 |
| Uterus unspecified | | | | | | | 38 | 0.5 | 1.6 | 1.3 | 0.08 | 0.15 | C55 |
| Ovary | | | | | | | 210 | 3.0 | 8.9 | 6.9 | 0.42 | 0.76 | C56 |
| Other female genital organs | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 13 | 0.2 | 0.6 | 0.5 | 0.01 | 0.06 | | | | | | | C60 |
| Prostate | 2051 | 29.4 | 93.5 | 91.0 | 4.22 | 12.04 | | | | | | | C61 |
| Testis | 106 | 1.5 | 4.8 | 3.9 | 0.29 | 0.29 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 218 | 3.1 | 9.9 | 9.3 | 0.55 | 1.07 | 113 | 1.6 | 4.8 | 3.7 | 0.23 | 0.42 | C64 |
| Renal pelvis | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 7 | 0.1 | 0.3 | 0.3 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 315 | 4.5 | 14.4 | 13.5 | 0.50 | 1.48 | 130 | 1.8 | 5.5 | 4.0 | 0.18 | 0.42 | C67 |
| Other urinary organs | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 14 | 0.2 | 0.6 | 0.6 | 0.03 | 0.07 | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 163 | 2.3 | 7.4 | 7.0 | 0.38 | 0.73 | 145 | 2.0 | 6.2 | 5.3 | 0.28 | 0.55 | C70–72 |
| Thyroid | 121 | 1.7 | 5.5 | 4.8 | 0.40 | 0.49 | 520 | 7.3 | 22.1 | 18.1 | 1.44 | 1.78 | C73 |
| Adrenal gland | 8 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 9 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 54 | 0.8 | 2.5 | 2.2 | 0.15 | 0.19 | 49 | 0.7 | 2.1 | 1.8 | 0.11 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 198 | 2.8 | 9.0 | 8.6 | 0.43 | 0.85 | 201 | 2.8 | 8.5 | 6.9 | 0.44 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 11 | 0.2 | 0.5 | 0.4 | 0.01 | 0.04 | C88 |
| Multiple myeloma | 83 | 1.2 | 3.8 | 3.8 | 0.13 | 0.49 | 93 | 1.3 | 4.0 | 3.1 | 0.17 | 0.39 | C90 |
| Lymphoid leukaemia | 49 | 0.7 | 2.2 | 2.5 | 0.15 | 0.20 | 47 | 0.7 | 2.0 | 2.0 | 0.10 | 0.13 | C91 |
| Myeloid leukaemia | 88 | 1.3 | 4.0 | 3.9 | 0.24 | 0.39 | 62 | 0.9 | 2.6 | 2.1 | 0.10 | 0.24 | C92–94 |
| Leukaemia unspecified | 41 | 0.6 | 1.9 | 1.7 | 0.05 | 0.12 | 45 | 0.6 | 1.9 | 1.3 | 0.03 | 0.14 | C95 |
| Myeloproliferative disorders | 32 | 0.5 | 1.5 | 1.3 | 0.07 | 0.12 | 25 | 0.4 | 1.1 | 0.8 | 0.03 | 0.10 | MPD |
| Myelodysplastic syndromes | 35 | 0.5 | 1.6 | 1.5 | 0.04 | 0.13 | 36 | 0.5 | 1.5 | 1.1 | 0.03 | 0.08 | MPS |
| Other and unspecified | 162 | 2.3 | 7.4 | 7.1 | 0.33 | 0.74 | 186 | 2.6 | 7.9 | 5.6 | 0.27 | 0.57 | O&U |
| All sites | 10725 | | 488.9 | 460.3 | 22.32 | 52.98 | 11071 | | 470.7 | 358.7 | 20.82 | 39.35 | C00–96 |
| All sites except C44 | 6974 | 100.0 | 317.9 | 301.2 | 15.38 | 35.62 | 7101 | 100.0 | 301.9 | 236.8 | 14.85 | 26.24 | C00–96 exc. C44 |

§Includes 1 case of unknown age


§Includes 1 case of unknown age

*See note following population pyramid

Brazil, Curitiba

CONTRIBUTORS

Cyntia Asturian Laporte
 Cintia da Costa Marques
 Juliana Chaves
 Dulce Meri Blitzkow
 Lucia Helena Nascimento Tonon
 Alcides Augusto Souto de Oliveira



NOTES ON THE DATA

*High DCO%.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 51.2 | Breast | 52.6 |
| Prostate | 43.8 | Non-melanoma skin cancer | 41.0 |
| Trachea, bronchus, and lung | 16.2 | Cervix uteri | 11.1 |
| Colon | 13.1 | Trachea, bronchus, and lung | 10.9 |
| Stomach | 13.1 | Colon | 10.5 |
| Rectum | 9.5 | Corpus uteri | 6.9 |
| Bladder | 8.6 | Rectum | 6.7 |
| Oesophagus | 7.6 | Other and unspecified | 6.0 |
| Non-Hodgkin lymphoma | 7.5 | Thyroid | 5.8 |
| Other and unspecified | 7.4 | Ovary | 5.8 |
| Kidney | 7.1 | Stomach | 5.6 |
| Brain and nervous system | 6.4 | Non-Hodgkin lymphoma | 5.1 |
| Liver | 6.2 | Melanoma of skin | 4.7 |
| Pancreas | 6.0 | Pancreas | 4.6 |
| Melanoma of skin | 5.5 | Brain and nervous system | 4.4 |
| Larynx | 4.7 | Kidney | 3.3 |
| Testis | 3.6 | Liver | 2.6 |
| Myeloid leukaemia | 3.2 | Myeloid leukaemia | 2.6 |
| Tongue | 3.1 | Bladder | 2.5 |
| Lymphoid leukaemia | 2.8 | Lymphoid leukaemia | 2.3 |
| All sites | 253.8 | All sites | 213.8 |

***Brazil, Curitiba (2013–2016)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 35 | 0.4 | 1.0 | 0.8 | 0.05 | 0.10 | 21 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C00 |
| Tongue | 124 | 1.6 | 3.5 | 3.1 | 0.22 | 0.34 | 28 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 108 | 1.4 | 3.0 | 2.7 | 0.18 | 0.32 | 45 | 0.5 | 1.2 | 0.8 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 33 | 0.4 | 0.9 | 0.8 | 0.04 | 0.10 | 19 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 33 | 0.4 | 0.9 | 0.8 | 0.06 | 0.10 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 92 | 1.2 | 2.6 | 2.3 | 0.20 | 0.26 | 9 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 23 | 0.3 | 0.6 | 0.6 | 0.05 | 0.06 | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 41 | 0.5 | 1.2 | 1.1 | 0.07 | 0.14 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 299 | 3.8 | 8.4 | 7.6 | 0.44 | 0.93 | 82 | 0.9 | 2.1 | 1.4 | 0.07 | 0.15 | C15 |
| Stomach | 519 | 6.5 | 14.6 | 13.1 | 0.62 | 1.48 | 316 | 3.5 | 8.1 | 5.6 | 0.29 | 0.63 | C16 |
| Small intestine | 31 | 0.4 | 0.9 | 0.8 | 0.04 | 0.09 | 25 | 0.3 | 0.6 | 0.5 | 0.02 | 0.06 | C17 |
| Colon | 523 | 6.6 | 14.8 | 13.1 | 0.65 | 1.51 | 582 | 6.4 | 14.9 | 10.5 | 0.58 | 1.21 | C18 |
| Rectum | 374 | 4.7 | 10.6 | 9.5 | 0.53 | 1.16 | 366 | 4.0 | 9.4 | 6.7 | 0.42 | 0.76 | C19–20 |
| Anus | 17 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 47 | 0.5 | 1.2 | 0.9 | 0.05 | 0.11 | C21 |
| Liver | 242 | 3.0 | 6.8 | 6.2 | 0.33 | 0.76 | 142 | 1.6 | 3.6 | 2.6 | 0.12 | 0.27 | C22 |
| Gallbladder etc. | 60 | 0.8 | 1.7 | 1.5 | 0.08 | 0.16 | 105 | 1.2 | 2.7 | 1.8 | 0.07 | 0.20 | C23–24 |
| Pancreas | 239 | 3.0 | 6.7 | 6.0 | 0.27 | 0.68 | 263 | 2.9 | 6.8 | 4.6 | 0.22 | 0.55 | C25 |
| Nose, sinuses etc. | 22 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 188 | 2.4 | 5.3 | 4.7 | 0.33 | 0.57 | 40 | 0.4 | 1.0 | 0.7 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 633 | 8.0 | 17.9 | 16.2 | 0.73 | 2.01 | 607 | 6.7 | 15.6 | 10.9 | 0.54 | 1.35 | C33–34 |
| Other thoracic organs | 21 | 0.3 | 0.6 | 0.6 | 0.03 | 0.06 | 19 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 38 | 0.5 | 1.1 | 1.1 | 0.07 | 0.10 | 46 | 0.5 | 1.2 | 1.1 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 219 | 2.8 | 6.2 | 5.5 | 0.28 | 0.63 | 243 | 2.7 | 6.2 | 4.7 | 0.33 | 0.50 | C43 |
| Other skin | 2054 | 25.9 | 57.9 | 51.2 | 2.40 | 5.59 | 2332 | 25.7 | 59.9 | 41.0 | 2.04 | 4.63 | C44 |
| Mesothelioma | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 16 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 71 | 0.9 | 2.0 | 2.0 | 0.13 | 0.19 | 69 | 0.8 | 1.8 | 1.5 | 0.10 | 0.16 | C47+C49 |
| Breast | 16 | 0.2 | 0.5 | 0.4 | 0.03 | 0.06 | 2754 | 30.3 | 70.7 | 52.6 | 3.81 | 5.83 | C50 |
| Vulva | | | | | | | 47 | 0.5 | 1.2 | 0.7 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 564 | 6.2 | 14.5 | 11.1 | 0.86 | 1.07 | C53 |
| Corpus uteri | | | | | | | 371 | 4.1 | 9.5 | 6.9 | 0.45 | 0.86 | C54 |
| Uterus unspecified | | | | | | | 45 | 0.5 | 1.2 | 0.9 | 0.06 | 0.09 | C55 |
| Ovary | | | | | | | 301 | 3.3 | 7.7 | 5.8 | 0.38 | 0.65 | C56 |
| Other female genital organs | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 1699 | 21.4 | 47.9 | 43.8 | 1.75 | 5.63 | | | | | | | C61 |
| Testis | 152 | 1.9 | 4.3 | 3.6 | 0.26 | 0.26 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 274 | 3.5 | 7.7 | 7.1 | 0.42 | 0.81 | 159 | 1.7 | 4.1 | 3.3 | 0.17 | 0.36 | C64 |
| Renal pelvis | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 340 | 4.3 | 9.6 | 8.6 | 0.35 | 0.97 | 146 | 1.6 | 3.7 | 2.5 | 0.11 | 0.27 | C67 |
| Other urinary organs | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 22 | 0.3 | 0.6 | 0.6 | 0.03 | 0.07 | 18 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 245 | 3.1 | 6.9 | 6.4 | 0.37 | 0.68 | 207 | 2.3 | 5.3 | 4.4 | 0.25 | 0.45 | C70–72 |
| Thyroid | 70 | 0.9 | 2.0 | 1.7 | 0.13 | 0.17 | 287 | 3.2 | 7.4 | 5.8 | 0.43 | 0.58 | C73 |
| Adrenal gland | 12 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | 21 | 0.2 | 0.5 | 0.8 | 0.04 | 0.05 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 70 | 0.9 | 2.0 | 1.7 | 0.12 | 0.15 | 59 | 0.6 | 1.5 | 1.5 | 0.10 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 298 | 3.8 | 8.4 | 7.5 | 0.46 | 0.82 | 265 | 2.9 | 6.8 | 5.1 | 0.30 | 0.56 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 110 | 1.4 | 3.1 | 2.7 | 0.15 | 0.31 | 98 | 1.1 | 2.5 | 1.8 | 0.10 | 0.22 | C90 |
| Lymphoid leukaemia | 91 | 1.1 | 2.6 | 2.8 | 0.15 | 0.19 | 77 | 0.8 | 2.0 | 2.3 | 0.12 | 0.16 | C91 |
| Myeloid leukaemia | 124 | 1.6 | 3.5 | 3.2 | 0.17 | 0.30 | 123 | 1.4 | 3.2 | 2.6 | 0.16 | 0.24 | C92–94 |
| Leukaemia unspecified | 16 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | 15 | 0.2 | 0.4 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 30 | 0.4 | 0.8 | 0.8 | 0.02 | 0.06 | 26 | 0.3 | 0.7 | 0.4 | 0.01 | 0.04 | MPS |
| Other and unspecified | 293 | 3.7 | 8.3 | 7.4 | 0.36 | 0.83 | 345 | 3.8 | 8.9 | 6.0 | 0.32 | 0.63 | O&U |
| All sites | 9994 | | 281.9 | 253.8 | 12.80 | 29.05 | 11422 | | 293.3 | 213.8 | 12.94 | 23.52 | C00–96 |
| All sites except C44 | 7940 | 100.0 | 224.0 | 202.6 | 10.40 | 23.46 | 9090 | 100.0 | 233.4 | 172.8 | 10.90 | 18.89 | C00–96 exc. C44 |

*See note following population pyramid

Brazil, Goiânia

CONTRIBUTORS

Jose Carlos de Oliveira
 Maria Paula Curado
 Carleane Maciel Bandeira
 Matinair Siqueira Mineiro
 Elcivone Cirienu Souza
 Larissa Pria de Oliveira



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 119.0 | Non-melanoma skin cancer | 97.5 |
| Prostate | 82.7 | Breast | 50.7 |
| Trachea, bronchus, and lung | 18.0 | Cervix uteri | 14.5 |
| Colon | 15.7 | Thyroid | 14.5 |
| Stomach | 11.9 | Colon | 13.2 |
| Rectum | 10.5 | Trachea, bronchus, and lung | 11.1 |
| Bladder | 8.2 | Ovary | 6.7 |
| Non-Hodgkin lymphoma | 7.2 | Stomach | 6.4 |
| Other and unspecified | 6.7 | Corpus uteri | 6.3 |
| Kidney | 6.7 | Rectum | 5.9 |
| Brain and nervous system | 6.7 | Other and unspecified | 5.0 |
| Larynx | 5.9 | Brain and nervous system | 4.7 |
| Oesophagus | 5.7 | Non-Hodgkin lymphoma | 4.5 |
| Pancreas | 4.9 | Pancreas | 3.6 |
| Liver | 4.8 | Kidney | 3.4 |
| Melanoma of skin | 4.0 | Melanoma of skin | 3.2 |
| Other oropharynx | 3.7 | Bladder | 2.8 |
| Mouth | 3.4 | Multiple myeloma | 2.3 |
| Thyroid | 3.4 | Connective and soft tissue | 2.1 |
| Multiple myeloma | 3.4 | Gallbladder etc. | 2.0 |
| All sites | 363.9 | All sites | 280.8 |

Brazil, Goiânia (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.2 | 0.4 | 0.4 | 0.02 | 0.03 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 86 | 1.4 | 3.1 | 3.2 | 0.22 | 0.39 | 31 | 0.5 | 1.0 | 0.9 | 0.04 | 0.11 | C01–02 |
| Mouth | 93 | 1.5 | 3.4 | 3.4 | 0.23 | 0.41 | 41 | 0.6 | 1.4 | 1.2 | 0.04 | 0.13 | C03–06 |
| Salivary glands | 26 | 0.4 | 1.0 | 1.0 | 0.05 | 0.11 | 16 | 0.3 | 0.5 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 23 | 0.4 | 0.8 | 0.8 | 0.08 | 0.10 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 98 | 1.6 | 3.6 | 3.7 | 0.28 | 0.49 | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 24 | 0.4 | 0.9 | 0.9 | 0.06 | 0.07 | 18 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C11 |
| Hypopharynx | 51 | 0.8 | 1.9 | 1.9 | 0.14 | 0.22 | 7 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 147 | 2.4 | 5.4 | 5.7 | 0.31 | 0.72 | 46 | 0.7 | 1.6 | 1.3 | 0.07 | 0.16 | C15 |
| Stomach | 306 | 4.9 | 11.2 | 11.9 | 0.60 | 1.43 | 227 | 3.6 | 7.7 | 6.4 | 0.33 | 0.70 | C16 |
| Small intestine | 23 | 0.4 | 0.8 | 0.9 | 0.05 | 0.10 | 24 | 0.4 | 0.8 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 409 | 6.5 | 15.0 | 15.7 | 0.87 | 1.77 | 462 | 7.3 | 15.6 | 13.2 | 0.77 | 1.51 | C18 |
| Rectum | 275 | 4.4 | 10.1 | 10.5 | 0.61 | 1.22 | 208 | 3.3 | 7.0 | 5.9 | 0.37 | 0.66 | C19–20 |
| Anus | 14 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 50 | 0.8 | 1.7 | 1.4 | 0.09 | 0.18 | C21 |
| Liver | 121 | 1.9 | 4.4 | 4.8 | 0.26 | 0.63 | 64 | 1.0 | 2.2 | 1.9 | 0.10 | 0.24 | C22 |
| Gallbladder etc. | 50 | 0.8 | 1.8 | 1.9 | 0.11 | 0.20 | 70 | 1.1 | 2.4 | 2.0 | 0.10 | 0.23 | C23–24 |
| Pancreas | 125 | 2.0 | 4.6 | 4.9 | 0.31 | 0.62 | 125 | 2.0 | 4.2 | 3.6 | 0.15 | 0.41 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 0.5 | 0.5 | 0.03 | 0.03 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 151 | 2.4 | 5.5 | 5.9 | 0.34 | 0.70 | 18 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 449 | 7.2 | 16.4 | 18.0 | 0.81 | 2.18 | 383 | 6.0 | 13.0 | 11.1 | 0.58 | 1.36 | C33–34 |
| Other thoracic organs | 7 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C37–38 |
| Bone | 32 | 0.5 | 1.2 | 1.1 | 0.08 | 0.10 | 31 | 0.5 | 1.0 | 1.0 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 105 | 1.7 | 3.8 | 4.0 | 0.25 | 0.49 | 112 | 1.8 | 3.8 | 3.2 | 0.18 | 0.33 | C43 |
| Other skin | 3054 | 48.9 | 111.7 | 119.0 | 4.88 | 12.62 | 3505 | 55.2 | 118.6 | 97.5 | 4.31 | 10.37 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 28 | 0.4 | 1.0 | 0.9 | 0.05 | 0.09 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 61 | 1.0 | 2.2 | 2.3 | 0.14 | 0.24 | 71 | 1.1 | 2.4 | 2.1 | 0.13 | 0.19 | C47+C49 |
| Breast | 18 | 0.3 | 0.7 | 0.7 | 0.05 | 0.08 | 1774 | 27.9 | 60.0 | 50.7 | 3.55 | 5.78 | C50 |
| Vulva | | | | | | | 29 | 0.5 | 1.0 | 0.8 | 0.05 | 0.07 | C51 |
| Vagina | | | | | | | 11 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 527 | 8.3 | 17.8 | 14.5 | 1.09 | 1.54 | C53 |
| Corpus uteri | | | | | | | 212 | 3.3 | 7.2 | 6.3 | 0.41 | 0.79 | C54 |
| Uterus unspecified | | | | | | | 31 | 0.5 | 1.0 | 0.9 | 0.06 | 0.12 | C55 |
| Ovary | | | | | | | 226 | 3.6 | 7.6 | 6.7 | 0.46 | 0.70 | C56 |
| Other female genital organs | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 46 | 0.7 | 1.7 | 1.7 | 0.08 | 0.15 | | | | | | | C60 |
| Prostate | 2009 | 32.2 | 73.5 | 82.7 | 3.24 | 11.00 | | | | | | | C61 |
| Testis | 56 | 0.9 | 2.0 | 1.7 | 0.12 | 0.12 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 175 | 2.8 | 6.4 | 6.7 | 0.41 | 0.77 | 106 | 1.7 | 3.6 | 3.4 | 0.20 | 0.35 | C64 |
| Renal pelvis | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 207 | 3.3 | 7.6 | 8.2 | 0.24 | 0.84 | 99 | 1.6 | 3.3 | 2.8 | 0.13 | 0.33 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 17 | 0.3 | 0.6 | 0.8 | 0.04 | 0.07 | 10 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 175 | 2.8 | 6.4 | 6.7 | 0.44 | 0.69 | 147 | 2.3 | 5.0 | 4.7 | 0.29 | 0.46 | C70–72 |
| Thyroid | 102 | 1.6 | 3.7 | 3.4 | 0.27 | 0.33 | 515 | 8.1 | 17.4 | 14.5 | 1.17 | 1.41 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 10 | 0.2 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 12 | 0.2 | 0.4 | 0.5 | 0.02 | 0.07 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 57 | 0.9 | 2.1 | 2.0 | 0.12 | 0.16 | 50 | 0.8 | 1.7 | 1.6 | 0.10 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 190 | 3.0 | 6.9 | 7.2 | 0.38 | 0.79 | 150 | 2.4 | 5.1 | 4.5 | 0.27 | 0.48 | C82–86,C96 |
| Immunoproliferative diseases | 10 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C88 |
| Multiple myeloma | 84 | 1.3 | 3.1 | 3.4 | 0.14 | 0.41 | 78 | 1.2 | 2.6 | 2.3 | 0.15 | 0.28 | C90 |
| Lymphoid leukaemia | 68 | 1.1 | 2.5 | 2.9 | 0.14 | 0.19 | 37 | 0.6 | 1.3 | 1.5 | 0.06 | 0.12 | C91 |
| Myeloid leukaemia | 49 | 0.8 | 1.8 | 1.9 | 0.13 | 0.22 | 53 | 0.8 | 1.8 | 1.7 | 0.11 | 0.16 | C92–94 |
| Leukaemia unspecified | 12 | 0.2 | 0.4 | 0.5 | 0.02 | 0.06 | 10 | 0.2 | 0.3 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 26 | 0.4 | 1.0 | 1.0 | 0.04 | 0.08 | 30 | 0.5 | 1.0 | 0.8 | 0.04 | 0.09 | MPS |
| Other and unspecified | 176 | 2.8 | 6.4 | 6.7 | 0.37 | 0.75 | 178 | 2.8 | 6.0 | 5.0 | 0.28 | 0.57 | O&U |
| All sites | 9299 | | 340.1 | 363.9 | 17.14 | 42.00 | 9856 | | 333.4 | 280.8 | 16.07 | 30.63 | C00–96 |
| All sites except C44 | 6245 | 100.0 | 228.4 | 244.9 | 12.26 | 29.39 | 6351 | 100.0 | 214.8 | 183.3 | 11.75 | 20.26 | C00–96 exc. C44 |

†See note following population pyramid

Brazil, Jaú

CONTRIBUTORS

Donaldo Botelho Veneziano
Claudia Luciana de Araujo Veneziano



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 193.0 | Non-melanoma skin cancer | 155.5 |
| Prostate | 48.4 | Breast | 51.9 |
| Colon | 15.6 | Corpus uteri | 14.6 |
| Trachea, bronchus, and lung | 13.8 | Colon | 14.2 |
| Stomach | 13.5 | Thyroid | 10.1 |
| Rectum | 13.4 | Rectum | 7.4 |
| Other and unspecified | 10.7 | Other and unspecified | 6.3 |
| Oesophagus | 8.8 | Melanoma of skin | 6.1 |
| Larynx | 7.1 | Trachea, bronchus, and lung | 6.1 |
| Kidney | 7.0 | Stomach | 5.9 |
| Non-Hodgkin lymphoma | 6.8 | Cervix uteri | 5.7 |
| Bladder | 6.2 | Ovary | 4.6 |
| Tongue | 5.8 | Kidney | 4.3 |
| Liver | 5.6 | Non-Hodgkin lymphoma | 3.3 |
| Testis | 5.2 | Brain and nervous system | 2.9 |
| Melanoma of skin | 5.1 | Gallbladder etc. | 2.6 |
| Mouth | 4.1 | Pancreas | 2.6 |
| Brain and nervous system | 3.9 | Multiple myeloma | 2.4 |
| Lip | 3.5 | Lymphoid leukaemia | 2.3 |
| Multiple myeloma | 3.3 | Myeloid leukaemia | 2.0 |
| All sites | 407.7 | All sites | 326.7 |

***Brazil, Jaú (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 15 | 1.7 | 4.3 | 3.5 | 0.23 | 0.39 | 8 | 0.9 | 2.2 | 1.4 | 0.07 | 0.13 | C00 |
| Tongue | 25 | 2.8 | 7.1 | 5.8 | 0.49 | 0.65 | 6 | 0.7 | 1.6 | 1.0 | 0.05 | 0.09 | C01–02 |
| Mouth | 17 | 1.9 | 4.8 | 4.1 | 0.33 | 0.46 | 4 | 0.5 | 1.1 | 0.7 | 0.05 | 0.05 | C03–06 |
| Salivary glands | 1 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 1 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | C07–08 |
| Tonsil | 10 | 1.1 | 2.8 | 2.5 | 0.12 | 0.32 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.3 | 0.9 | 0.8 | 0.06 | 0.13 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 4 | 0.4 | 1.1 | 0.9 | 0.07 | 0.07 | 1 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C11 |
| Hypopharynx | 6 | 0.7 | 1.7 | 1.5 | 0.15 | 0.19 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 1 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C14 |
| Oesophagus | 39 | 4.3 | 11.1 | 8.8 | 0.71 | 0.96 | 3 | 0.3 | 0.8 | 0.5 | 0.02 | 0.07 | C15 |
| Stomach | 58 | 6.4 | 16.5 | 13.5 | 0.70 | 1.59 | 31 | 3.6 | 8.5 | 5.9 | 0.25 | 0.87 | C16 |
| Small intestine | 4 | 0.4 | 1.1 | 0.9 | 0.06 | 0.06 | 2 | 0.2 | 0.5 | 0.5 | 0.03 | 0.07 | C17 |
| Colon | 67 | 7.4 | 19.1 | 15.6 | 0.75 | 1.92 | 77 | 8.9 | 21.1 | 14.2 | 0.76 | 1.65 | C18 |
| Rectum | 57 | 6.3 | 16.2 | 13.4 | 0.90 | 1.59 | 38 | 4.4 | 10.4 | 7.4 | 0.50 | 0.88 | C19–20 |
| Anus | 3 | 0.3 | 0.9 | 0.7 | 0.04 | 0.11 | 1 | 0.1 | 0.3 | 0.2 | 0.00 | 0.05 | C21 |
| Liver | 24 | 2.7 | 6.8 | 5.6 | 0.45 | 0.63 | 8 | 0.9 | 2.2 | 1.4 | 0.07 | 0.11 | C22 |
| Gallbladder etc. | 5 | 0.6 | 1.4 | 1.0 | 0.05 | 0.10 | 15 | 1.7 | 4.1 | 2.6 | 0.10 | 0.28 | C23–24 |
| Pancreas | 12 | 1.3 | 3.4 | 2.9 | 0.13 | 0.45 | 13 | 1.5 | 3.6 | 2.6 | 0.22 | 0.29 | C25 |
| Nose, sinuses etc. | 1 | 0.1 | 0.3 | 0.3 | 0.00 | 0.05 | 1 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C30–31 |
| Larynx | 30 | 3.3 | 8.5 | 7.1 | 0.42 | 0.94 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 59 | 6.5 | 16.8 | 13.8 | 0.90 | 1.83 | 32 | 3.7 | 8.8 | 6.1 | 0.47 | 0.71 | C33–34 |
| Other thoracic organs | 1 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 4 | 0.5 | 1.1 | 1.1 | 0.06 | 0.06 | C37–38 |
| Bone | 4 | 0.4 | 1.1 | 0.9 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C40–41 |
| Melanoma of skin | 22 | 2.4 | 6.3 | 5.1 | 0.31 | 0.54 | 30 | 3.5 | 8.2 | 6.1 | 0.35 | 0.74 | C43 |
| Other skin | 851 | 94.0 | 242.3 | 193.0 | 8.94 | 21.62 | 861 | 99.4 | 235.6 | 155.5 | 8.25 | 17.47 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.3 | 0.9 | 0.6 | 0.03 | 0.03 | 1 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C47+C49 |
| Breast | 3 | 0.3 | 0.9 | 0.7 | 0.05 | 0.05 | 255 | 29.4 | 69.8 | 51.9 | 3.97 | 5.83 | C50 |
| Vulva | | | | | | | 7 | 0.8 | 1.9 | 1.2 | 0.04 | 0.14 | C51 |
| Vagina | | | | | | | 4 | 0.5 | 1.1 | 0.8 | 0.06 | 0.06 | C52 |
| Cervix uteri | | | | | | | 26 | 3.0 | 7.1 | 5.7 | 0.38 | 0.65 | C53 |
| Corpus uteri | | | | | | | 74 | 8.5 | 20.2 | 14.6 | 0.91 | 1.97 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | C55 |
| Ovary | | | | | | | 23 | 2.7 | 6.3 | 4.6 | 0.40 | 0.47 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 2 | 0.2 | 0.6 | 0.5 | 0.02 | 0.07 | | | | | | C60 |
| Prostate | 203 | 22.4 | 57.8 | 48.4 | 2.04 | 6.60 | | | | | | | C61 |
| Testis | 22 | 2.4 | 6.3 | 5.2 | 0.38 | 0.38 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 28 | 3.1 | 8.0 | 7.0 | 0.43 | 0.91 | 21 | 2.4 | 5.7 | 4.3 | 0.22 | 0.60 | C64 |
| Renal pelvis | 3 | 0.3 | 0.9 | 0.7 | 0.03 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C66 |
| Bladder | 26 | 2.9 | 7.4 | 6.2 | 0.23 | 0.87 | 8 | 0.9 | 2.2 | 1.4 | 0.10 | 0.20 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | C69 |
| Brain and nervous system | 16 | 1.8 | 4.6 | 3.9 | 0.23 | 0.35 | 15 | 1.7 | 4.1 | 2.9 | 0.18 | 0.22 | C70–72 |
| Thyroid | 5 | 0.6 | 1.4 | 1.2 | 0.11 | 0.11 | 46 | 5.3 | 12.6 | 10.1 | 0.81 | 0.99 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 7 | 0.8 | 2.0 | 1.6 | 0.15 | 0.15 | 5 | 0.6 | 1.4 | 1.1 | 0.10 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 28 | 3.1 | 8.0 | 6.8 | 0.39 | 0.71 | 16 | 1.8 | 4.4 | 3.3 | 0.15 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 14 | 1.5 | 4.0 | 3.3 | 0.17 | 0.47 | 13 | 1.5 | 3.6 | 2.4 | 0.11 | 0.28 | C90 |
| Lymphoid leukaemia | 8 | 0.9 | 2.3 | 2.4 | 0.10 | 0.16 | 8 | 0.9 | 2.2 | 2.3 | 0.11 | 0.22 | C91 |
| Myeloid leukaemia | 9 | 1.0 | 2.6 | 2.5 | 0.09 | 0.23 | 11 | 1.3 | 3.0 | 2.0 | 0.09 | 0.27 | C92–94 |
| Leukaemia unspecified | 2 | 0.2 | 0.6 | 0.4 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 4 | 0.4 | 1.1 | 1.0 | 0.05 | 0.14 | 6 | 0.7 | 1.6 | 1.3 | 0.09 | 0.18 | MPD |
| Myelodysplastic syndromes | 6 | 0.7 | 1.7 | 1.5 | 0.05 | 0.17 | 8 | 0.9 | 2.2 | 1.2 | 0.05 | 0.09 | MPS |
| Other and unspecified | 45 | 5.0 | 12.8 | 10.7 | 0.56 | 1.39 | 37 | 4.3 | 10.1 | 6.3 | 0.36 | 0.63 | O&U |
| All sites | 1756 | | 500.0 | 407.7 | 21.14 | 47.71 | 1727 | | 472.5 | 326.7 | 19.54 | 37.05 | C00–96 |
| All sites except C44 | 905 | 100.0 | 257.7 | 214.6 | 12.21 | 26.09 | 866 | 100.0 | 236.9 | 171.3 | 11.29 | 19.58 | C00–96 exc. C44 |

*See note following population pyramid

Brazil, João Pessoa

CONTRIBUTORS

Josefa Ângela Aquino
 Vanja Raquel Lemos
 Helemário José Pacheco França Filho
 Maria de Lourdes Silva
 Osmaldo Barbosa Miranda



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 77.4 | Breast | 55.5 |
| Non-melanoma skin cancer | 50.9 | Non-melanoma skin cancer | 39.6 |
| Trachea, bronchus, and lung | 15.2 | Other and unspecified | 13.3 |
| Stomach | 13.4 | Thyroid | 13.2 |
| Other and unspecified | 13.2 | Cervix uteri | 12.5 |
| Colon | 6.9 | Trachea, bronchus, and lung | 9.9 |
| Larynx | 6.9 | Corpus uteri | 7.6 |
| Kidney | 6.1 | Ovary | 7.5 |
| Non-Hodgkin lymphoma | 6.1 | Colon | 6.4 |
| Liver | 5.9 | Stomach | 5.5 |
| Bladder | 4.9 | Rectum | 4.9 |
| Rectum | 4.5 | Brain and nervous system | 4.6 |
| Mouth | 4.5 | Uterus unspecified | 4.5 |
| Brain and nervous system | 4.2 | Non-Hodgkin lymphoma | 4.5 |
| Oesophagus | 4.2 | Kidney | 4.3 |
| Pancreas | 3.9 | Liver | 3.7 |
| Thyroid | 3.6 | Pancreas | 3.5 |
| Tongue | 3.3 | Melanoma of skin | 2.5 |
| Lymphoid leukaemia | 3.0 | Gallbladder etc. | 2.2 |
| Leukaemia unspecified | 3.0 | Leukaemia unspecified | 1.9 |
| All sites | 267.2 | All sites | 230.4 |


Brazil, João Pessoa (2013–2015)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.4 | 0.7 | 0.7 | 0.04 | 0.07 | 6 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C00 |
| Tongue | 35 | 1.6 | 3.3 | 3.3 | 0.24 | 0.34 | 16 | 0.6 | 1.3 | 1.0 | 0.06 | 0.07 | C01–02 |
| Mouth | 48 | 2.2 | 4.5 | 4.5 | 0.28 | 0.51 | 31 | 1.1 | 2.5 | 1.6 | 0.05 | 0.12 | C03–06 |
| Salivary glands | 7 | 0.3 | 0.7 | 0.7 | 0.02 | 0.09 | 14 | 0.5 | 1.1 | 0.9 | 0.06 | 0.11 | C07–08 |
| Tonsil | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 27 | 1.2 | 2.5 | 2.5 | 0.15 | 0.26 | 7 | 0.2 | 0.6 | 0.4 | 0.01 | 0.05 | C10 |
| Nasopharynx | 4 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 5 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.2 | 0.5 | 0.5 | 0.02 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C14 |
| Oesophagus | 43 | 2.0 | 4.0 | 4.2 | 0.26 | 0.50 | 13 | 0.5 | 1.1 | 0.8 | 0.05 | 0.05 | C15 |
| Stomach | 134 | 6.1 | 12.5 | 13.4 | 0.63 | 1.61 | 87 | 3.0 | 7.1 | 5.5 | 0.33 | 0.57 | C16 |
| Small intestine | 12 | 0.6 | 1.1 | 1.2 | 0.08 | 0.15 | 18 | 0.6 | 1.5 | 1.1 | 0.03 | 0.12 | C17 |
| Colon | 73 | 3.4 | 6.8 | 6.9 | 0.41 | 0.80 | 102 | 3.5 | 8.3 | 6.4 | 0.36 | 0.64 | C18 |
| Rectum | 48 | 2.2 | 4.5 | 4.5 | 0.26 | 0.47 | 79 | 2.7 | 6.4 | 4.9 | 0.24 | 0.53 | C19–20 |
| Anus | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 8 | 0.3 | 0.7 | 0.5 | 0.03 | 0.08 | C21 |
| Liver | 59 | 2.7 | 5.5 | 5.9 | 0.30 | 0.64 | 58 | 2.0 | 4.7 | 3.7 | 0.20 | 0.45 | C22 |
| Gallbladder etc. | 18 | 0.8 | 1.7 | 1.8 | 0.05 | 0.19 | 35 | 1.2 | 2.9 | 2.2 | 0.11 | 0.24 | C23–24 |
| Pancreas | 40 | 1.8 | 3.7 | 3.9 | 0.11 | 0.47 | 55 | 1.9 | 4.5 | 3.5 | 0.16 | 0.40 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 0.4 | 0.4 | 0.01 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C30–31 |
| Larynx | 69 | 3.2 | 6.4 | 6.9 | 0.48 | 0.87 | 12 | 0.4 | 1.0 | 0.9 | 0.04 | 0.13 | C32 |
| Trachea, bronchus, and lung | 152 | 7.0 | 14.2 | 15.2 | 0.62 | 1.90 | 149 | 5.2 | 12.1 | 9.9 | 0.49 | 1.25 | C33–34 |
| Other thoracic organs | 5 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | 6 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 10 | 0.5 | 0.9 | 1.0 | 0.05 | 0.12 | 23 | 0.8 | 1.9 | 1.7 | 0.12 | 0.13 | C40–41 |
| Melanoma of skin | 30 | 1.4 | 2.8 | 2.9 | 0.16 | 0.39 | 34 | 1.2 | 2.8 | 2.5 | 0.15 | 0.31 | C43 |
| Other skin | 533 | 24.5 | 49.8 | 50.9 | 2.50 | 5.29 | 626 | 21.8 | 51.0 | 39.6 | 2.11 | 4.30 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 19 | 0.9 | 1.8 | 1.8 | 0.12 | 0.16 | 25 | 0.9 | 2.0 | 1.8 | 0.12 | 0.21 | C47+C49 |
| Breast | 4 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 829 | 28.8 | 67.6 | 55.5 | 3.90 | 6.17 | C50 |
| Vulva | | | | | | | 16 | 0.6 | 1.3 | 1.1 | 0.08 | 0.11 | C51 |
| Vagina | | | | | | | 12 | 0.4 | 1.0 | 0.8 | 0.05 | 0.08 | C52 |
| Cervix uteri | | | | | | | 188 | 6.5 | 15.3 | 12.5 | 0.86 | 1.32 | C53 |
| Corpus uteri | | | | | | | 111 | 3.9 | 9.0 | 7.6 | 0.54 | 0.94 | C54 |
| Uterus unspecified | | | | | | | 71 | 2.5 | 5.8 | 4.5 | 0.35 | 0.46 | C55 |
| Ovary | | | | | | | 111 | 3.9 | 9.0 | 7.5 | 0.50 | 0.82 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.7 | 1.5 | 1.5 | 0.08 | 0.11 | | | | | | | C60 |
| Prostate | 754 | 34.6 | 70.4 | 77.4 | 3.21 | 9.75 | | | | | | | C61 |
| Testis | 14 | 0.6 | 1.3 | 1.2 | 0.08 | 0.10 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | | | | | | | C63 |
| Kidney | 61 | 2.8 | 5.7 | 6.1 | 0.37 | 0.75 | 57 | 2.0 | 4.6 | 4.3 | 0.25 | 0.44 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 48 | 2.2 | 4.5 | 4.9 | 0.25 | 0.62 | 31 | 1.1 | 2.5 | 1.9 | 0.06 | 0.22 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 6 | 0.3 | 0.6 | 0.6 | 0.02 | 0.08 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 45 | 2.1 | 4.2 | 4.2 | 0.26 | 0.47 | 64 | 2.2 | 5.2 | 4.6 | 0.26 | 0.44 | C70–72 |
| Thyroid | 40 | 1.8 | 3.7 | 3.6 | 0.26 | 0.35 | 196 | 6.8 | 16.0 | 13.2 | 1.02 | 1.38 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.1 | 0.3 | 0.3 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 12 | 0.6 | 1.1 | 1.1 | 0.06 | 0.06 | 14 | 0.5 | 1.1 | 1.1 | 0.08 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 62 | 2.8 | 5.8 | 6.1 | 0.39 | 0.64 | 68 | 2.4 | 5.5 | 4.5 | 0.24 | 0.54 | C82–86, C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 20 | 0.9 | 1.9 | 1.9 | 0.10 | 0.25 | 17 | 0.6 | 1.4 | 1.1 | 0.04 | 0.16 | C90 |
| Lymphoid leukaemia | 29 | 1.3 | 2.7 | 3.0 | 0.20 | 0.20 | 16 | 0.6 | 1.3 | 1.4 | 0.08 | 0.09 | C91 |
| Myeloid leukaemia | 23 | 1.1 | 2.1 | 2.0 | 0.13 | 0.17 | 28 | 1.0 | 2.3 | 1.9 | 0.12 | 0.14 | C92–94 |
| Leukaemia unspecified | 29 | 1.3 | 2.7 | 3.0 | 0.14 | 0.29 | 28 | 1.0 | 2.3 | 1.9 | 0.10 | 0.20 | C95 |
| Myeloproliferative disorders | 7 | 0.3 | 0.7 | 0.7 | 0.04 | 0.05 | 14 | 0.5 | 1.1 | 0.9 | 0.05 | 0.08 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 136 | 6.2 | 12.7 | 13.2 | 0.69 | 1.30 | 209 | 7.3 | 17.0 | 13.3 | 0.79 | 1.45 | O&U |
| All sites | 2712 | | 253.3 | 267.2 | 13.25 | 30.47 | 3501 | | 285.3 | 230.4 | 14.20 | 25.14 | C00–96 |
| All sites except C44 | 2179 | 100.0 | 203.5 | 216.3 | 10.75 | 25.18 | 2875 | 100.0 | 234.3 | 190.8 | 12.09 | 20.85 | C00–96 exc. C44 |

Brazil, Recife

CONTRIBUTORS

Claudia Castro
 Terezinha Aquino
 Erica Selva
 Thiago Sales
 Marta Cabral
 Katia Oliveira
 Alba Moraes
 Kassiana Silva



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 57.9 | Breast | 62.0 |
| Non-melanoma skin cancer | 32.6 | Non-melanoma skin cancer | 24.8 |
| Trachea, bronchus, and lung | 19.7 | Cervix uteri | 12.3 |
| Stomach | 11.3 | Trachea, bronchus, and lung | 11.7 |
| Colon | 8.4 | Corpus uteri | 8.9 |
| Liver | 8.2 | Ovary | 8.7 |
| Rectum | 7.2 | Thyroid | 7.6 |
| Other and unspecified | 7.0 | Colon | 7.4 |
| Pancreas | 6.9 | Other and unspecified | 6.7 |
| Larynx | 6.6 | Rectum | 5.6 |
| Oesophagus | 6.0 | Stomach | 5.3 |
| Brain and nervous system | 6.0 | Pancreas | 4.9 |
| Bladder | 5.5 | Liver | 4.8 |
| Kidney | 5.0 | Non-Hodgkin lymphoma | 3.9 |
| Non-Hodgkin lymphoma | 4.9 | Brain and nervous system | 3.9 |
| Tongue | 3.6 | Gallbladder etc. | 3.6 |
| Lymphoid leukaemia | 3.4 | Kidney | 3.1 |
| Multiple myeloma | 3.2 | Lymphoid leukaemia | 2.8 |
| Mouth | 3.2 | Myeloid leukaemia | 2.6 |
| Myeloid leukaemia | 3.0 | Multiple myeloma | 2.4 |
| All sites | 237.3 | All sites | 212.8 |


Brazil, Recife (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 91 | 1.9 | 4.1 | 3.6 | 0.25 | 0.41 | 26 | 0.4 | 1.0 | 0.7 | 0.04 | 0.08 | C01–02 |
| Mouth | 81 | 1.7 | 3.6 | 3.2 | 0.25 | 0.38 | 23 | 0.3 | 0.9 | 0.5 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 17 | 0.3 | 0.8 | 0.7 | 0.03 | 0.06 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 13 | 0.3 | 0.6 | 0.5 | 0.05 | 0.06 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 52 | 1.1 | 2.3 | 2.1 | 0.19 | 0.23 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C10 |
| Nasopharynx | 17 | 0.3 | 0.8 | 0.6 | 0.05 | 0.06 | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 22 | 0.4 | 1.0 | 0.9 | 0.06 | 0.13 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 11 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 147 | 3.0 | 6.6 | 6.0 | 0.38 | 0.76 | 54 | 0.8 | 2.1 | 1.3 | 0.06 | 0.16 | C15 |
| Stomach | 278 | 5.7 | 12.4 | 11.3 | 0.56 | 1.40 | 211 | 3.0 | 8.0 | 5.3 | 0.31 | 0.56 | C16 |
| Small intestine | 32 | 0.7 | 1.4 | 1.3 | 0.09 | 0.14 | 24 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 208 | 4.2 | 9.3 | 8.4 | 0.43 | 0.94 | 300 | 4.3 | 11.4 | 7.4 | 0.43 | 0.79 | C18 |
| Rectum | 175 | 3.6 | 7.8 | 7.2 | 0.33 | 0.92 | 217 | 3.1 | 8.3 | 5.6 | 0.39 | 0.62 | C19–20 |
| Anus | 15 | 0.3 | 0.7 | 0.6 | 0.05 | 0.07 | 48 | 0.7 | 1.8 | 1.3 | 0.07 | 0.15 | C21 |
| Liver | 196 | 4.0 | 8.8 | 8.2 | 0.34 | 1.01 | 198 | 2.8 | 7.5 | 4.8 | 0.25 | 0.50 | C22 |
| Gallbladder etc. | 53 | 1.1 | 2.4 | 2.2 | 0.09 | 0.25 | 150 | 2.1 | 5.7 | 3.6 | 0.18 | 0.40 | C23–24 |
| Pancreas | 166 | 3.4 | 7.4 | 6.9 | 0.35 | 0.83 | 209 | 3.0 | 7.9 | 4.9 | 0.20 | 0.61 | C25 |
| Nose, sinuses etc. | 8 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.04 | C30–31 |
| Larynx | 158 | 3.2 | 7.1 | 6.6 | 0.37 | 0.84 | 32 | 0.5 | 1.2 | 0.8 | 0.05 | 0.11 | C32 |
| Trachea, bronchus, and lung | 466 | 9.5 | 20.8 | 19.7 | 0.88 | 2.49 | 476 | 6.8 | 18.1 | 11.7 | 0.64 | 1.40 | C33–34 |
| Other thoracic organs | 31 | 0.6 | 1.4 | 1.3 | 0.08 | 0.19 | 29 | 0.4 | 1.1 | 0.8 | 0.07 | 0.10 | C37–38 |
| Bone | 39 | 0.8 | 1.7 | 1.6 | 0.09 | 0.17 | 33 | 0.5 | 1.3 | 1.1 | 0.07 | 0.10 | C40–41 |
| Melanoma of skin | 73 | 1.5 | 3.3 | 2.9 | 0.16 | 0.30 | 53 | 0.8 | 2.0 | 1.3 | 0.07 | 0.15 | C43 |
| Other skin | 806 | 16.5 | 36.0 | 32.6 | 1.62 | 3.69 | 1013 | 14.5 | 38.5 | 24.8 | 1.29 | 2.80 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 19 | 0.4 | 0.8 | 0.7 | 0.05 | 0.05 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 42 | 0.9 | 1.9 | 1.9 | 0.09 | 0.17 | 50 | 0.7 | 1.9 | 1.5 | 0.08 | 0.13 | C47+C49 |
| Breast | 15 | 0.3 | 0.7 | 0.6 | 0.04 | 0.06 | 2265 | 32.4 | 86.1 | 62.0 | 4.59 | 6.99 | C50 |
| Vulva | | | | | | | 33 | 0.5 | 1.3 | 0.9 | 0.05 | 0.09 | C51 |
| Vagina | | | | | | | 14 | 0.2 | 0.5 | 0.4 | 0.01 | 0.06 | C52 |
| Cervix uteri | | | | | | | 434 | 6.2 | 16.5 | 12.3 | 0.96 | 1.27 | C53 |
| Corpus uteri | | | | | | | 329 | 4.7 | 12.5 | 8.9 | 0.63 | 1.14 | C54 |
| Uterus unspecified | | | | | | | 58 | 0.8 | 2.2 | 1.4 | 0.09 | 0.15 | C55 |
| Ovary | | | | | | | 303 | 4.3 | 11.5 | 8.7 | 0.61 | 0.94 | C56 |
| Other female genital organs | | | | | | | 12 | 0.2 | 0.5 | 0.3 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 23 | 0.5 | 1.0 | 1.0 | 0.04 | 0.11 | | | | | | | C60 |
| Prostate | 1371 | 28.0 | 61.3 | 57.9 | 2.07 | 7.19 | | | | | | | C61 |
| Testis | 19 | 0.4 | 0.8 | 0.7 | 0.05 | 0.05 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 119 | 2.4 | 5.3 | 5.0 | 0.33 | 0.60 | 105 | 1.5 | 4.0 | 3.1 | 0.16 | 0.29 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 133 | 2.7 | 5.9 | 5.5 | 0.22 | 0.57 | 95 | 1.4 | 3.6 | 2.1 | 0.11 | 0.22 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 140 | 2.9 | 6.3 | 6.0 | 0.38 | 0.59 | 126 | 1.8 | 4.8 | 3.9 | 0.26 | 0.40 | C70–72 |
| Thyroid | 51 | 1.0 | 2.3 | 2.0 | 0.14 | 0.21 | 255 | 3.6 | 9.7 | 7.6 | 0.59 | 0.73 | C73 |
| Adrenal gland | 8 | 0.2 | 0.4 | 0.5 | 0.02 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 12 | 0.2 | 0.5 | 0.5 | 0.02 | 0.07 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C75 |
| Hodgkin lymphoma | 28 | 0.6 | 1.3 | 1.1 | 0.08 | 0.09 | 31 | 0.4 | 1.2 | 1.0 | 0.07 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 119 | 2.4 | 5.3 | 4.9 | 0.30 | 0.51 | 150 | 2.1 | 5.7 | 3.9 | 0.22 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 79 | 1.6 | 3.5 | 3.2 | 0.15 | 0.40 | 91 | 1.3 | 3.5 | 2.4 | 0.15 | 0.31 | C90 |
| Lymphoid leukaemia | 64 | 1.3 | 2.9 | 3.4 | 0.16 | 0.22 | 63 | 0.9 | 2.4 | 2.8 | 0.12 | 0.18 | C91 |
| Myeloid leukaemia | 70 | 1.4 | 3.1 | 3.0 | 0.19 | 0.31 | 91 | 1.3 | 3.5 | 2.6 | 0.17 | 0.25 | C92–94 |
| Leukaemia unspecified | 14 | 0.3 | 0.6 | 0.6 | 0.02 | 0.06 | 23 | 0.3 | 0.9 | 0.6 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 8 | 0.2 | 0.4 | 0.4 | 0.02 | 0.06 | 12 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 28 | 0.6 | 1.3 | 1.1 | 0.01 | 0.08 | 19 | 0.3 | 0.7 | 0.4 | 0.01 | 0.02 | MPS |
| Other and unspecified | 172 | 3.5 | 7.7 | 7.0 | 0.39 | 0.80 | 271 | 3.9 | 10.3 | 6.7 | 0.39 | 0.77 | O&U |
| All sites | 5705 | | 255.0 | 237.3 | 11.57 | 27.73 | 8012 | | 304.7 | 212.8 | 13.70 | 23.51 | C00–96 |
| All sites except C44 | 4899 | 100.0 | 219.0 | 204.6 | 9.94 | 24.03 | 6999 | 100.0 | 266.2 | 188.0 | 12.41 | 20.70 | C00–96 exc. C44 |

Chile, Region of Antofagasta

CONTRIBUTORS

Juan Carlos Galaz Alamos
Alvaro Montiel Ardiles



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 60.5 | Non-melanoma skin cancer | 51.8 |
| Trachea, bronchus, and lung | 38.9 | Breast | 37.7 |
| Prostate | 36.5 | Thyroid | 20.3 |
| Stomach | 17.0 | Trachea, bronchus, and lung | 15.0 |
| Bladder | 15.7 | Cervix uteri | 14.0 |
| Colon | 11.2 | Colon | 10.8 |
| Kidney | 9.1 | Stomach | 7.8 |
| Testis | 8.2 | Gallbladder etc. | 7.5 |
| Non-Hodgkin lymphoma | 6.5 | Bladder | 6.3 |
| Pancreas | 6.0 | Kidney | 6.0 |
| Rectum | 5.9 | Pancreas | 6.0 |
| Other and unspecified | 5.5 | Other and unspecified | 5.4 |
| Liver | 4.9 | Corpus uteri | 5.3 |
| Gallbladder etc. | 3.9 | Ovary | 4.8 |
| Thyroid | 3.7 | Non-Hodgkin lymphoma | 4.8 |
| Brain and nervous system | 3.4 | Rectum | 4.7 |
| Oesophagus | 2.7 | Liver | 4.0 |
| Larynx | 2.6 | Lymphoid leukaemia | 2.9 |
| Melanoma of skin | 2.3 | Melanoma of skin | 2.7 |
| Lymphoid leukaemia | 2.2 | Brain and nervous system | 2.2 |
| All sites | 267.4 | All sites | 236.7 |


Chile, Region of Antofagasta (2013–2015)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 10 | 0.5 | 1.0 | 1.0 | 0.05 | 0.07 | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.05 | C01–02 |
| Mouth | 7 | 0.4 | 0.7 | 0.7 | 0.04 | 0.06 | 7 | 0.4 | 0.8 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 3 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | 7 | 0.4 | 0.8 | 0.8 | 0.03 | 0.10 | C07–08 |
| Tonsil | 5 | 0.3 | 0.5 | 0.5 | 0.04 | 0.10 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C11 |
| Hypopharynx | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C14 |
| Oesophagus | 26 | 1.3 | 2.7 | 2.7 | 0.11 | 0.23 | 14 | 0.7 | 1.6 | 1.3 | 0.06 | 0.16 | C15 |
| Stomach | 163 | 8.2 | 17.0 | 17.0 | 0.62 | 2.02 | 86 | 4.5 | 9.8 | 7.8 | 0.36 | 0.78 | C16 |
| Small intestine | 7 | 0.4 | 0.7 | 0.7 | 0.04 | 0.08 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C17 |
| Colon | 108 | 5.4 | 11.2 | 11.2 | 0.44 | 1.19 | 115 | 6.0 | 13.1 | 10.8 | 0.52 | 1.21 | C18 |
| Rectum | 59 | 3.0 | 6.1 | 5.9 | 0.25 | 0.61 | 52 | 2.7 | 5.9 | 4.7 | 0.29 | 0.46 | C19–20 |
| Anus | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 8 | 0.4 | 0.9 | 0.8 | 0.02 | 0.09 | C21 |
| Liver | 46 | 2.3 | 4.8 | 4.9 | 0.19 | 0.61 | 43 | 2.2 | 4.9 | 4.0 | 0.14 | 0.40 | C22 |
| Gallbladder etc. | 36 | 1.8 | 3.7 | 3.9 | 0.07 | 0.43 | 79 | 4.1 | 9.0 | 7.5 | 0.36 | 0.92 | C23–24 |
| Pancreas | 57 | 2.9 | 5.9 | 6.0 | 0.21 | 0.70 | 61 | 3.2 | 7.0 | 6.0 | 0.30 | 0.72 | C25 |
| Nose, sinuses etc. | 9 | 0.5 | 0.9 | 0.9 | 0.04 | 0.09 | 6 | 0.3 | 0.7 | 0.5 | 0.05 | 0.05 | C30–31 |
| Larynx | 25 | 1.3 | 2.6 | 2.6 | 0.13 | 0.26 | 3 | 0.2 | 0.3 | 0.3 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 358 | 18.0 | 37.3 | 38.9 | 1.41 | 4.86 | 160 | 8.3 | 18.3 | 15.0 | 0.58 | 1.78 | C33–34 |
| Other thoracic organs | 16 | 0.8 | 1.7 | 1.5 | 0.11 | 0.13 | 14 | 0.7 | 1.6 | 1.3 | 0.12 | 0.14 | C37–38 |
| Bone | 8 | 0.4 | 0.8 | 0.9 | 0.04 | 0.09 | 10 | 0.5 | 1.1 | 1.2 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 23 | 1.2 | 2.4 | 2.3 | 0.12 | 0.28 | 29 | 1.5 | 3.3 | 2.7 | 0.18 | 0.30 | C43 |
| Other skin | 580 | 29.2 | 60.4 | 60.5 | 2.34 | 6.41 | 564 | 29.4 | 64.5 | 51.8 | 2.55 | 5.61 | C44 |
| Mesothelioma | 6 | 0.3 | 0.6 | 0.6 | 0.02 | 0.04 | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 5 | 0.3 | 0.5 | 0.5 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 14 | 0.7 | 1.5 | 1.4 | 0.07 | 0.12 | 14 | 0.7 | 1.6 | 1.4 | 0.10 | 0.12 | C47+C49 |
| Breast | 8 | 0.4 | 0.8 | 0.7 | 0.06 | 0.08 | 384 | 20.0 | 43.9 | 37.7 | 2.55 | 4.52 | C50 |
| Vulva | | | | | | | 8 | 0.4 | 0.9 | 0.8 | 0.05 | 0.12 | C51 |
| Vagina | | | | | | | 5 | 0.3 | 0.6 | 0.5 | 0.01 | 0.06 | C52 |
| Cervix uteri | | | | | | | 147 | 7.7 | 16.8 | 14.0 | 1.12 | 1.34 | C53 |
| Corpus uteri | | | | | | | 55 | 2.9 | 6.3 | 5.3 | 0.31 | 0.64 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.03 | C55 |
| Ovary | | | | | | | 47 | 2.5 | 5.4 | 4.8 | 0.37 | 0.57 | C56 |
| Other female genital organs | | | | | | | 3 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | | | | | | 13 | 0.7 | 1.4 | 1.3 | 0.07 | 0.14 | C60 |
| Prostate | 336 | 16.9 | 35.0 | 36.5 | 1.31 | 4.52 | | | | | | | C61 |
| Testis | 90 | 4.5 | 9.4 | 8.2 | 0.59 | 0.61 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 90 | 4.5 | 9.4 | 9.1 | 0.41 | 0.96 | 62 | 3.2 | 7.1 | 6.0 | 0.30 | 0.64 | C64 |
| Renal pelvis | 6 | 0.3 | 0.6 | 0.7 | 0.01 | 0.03 | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C65 |
| Ureter | 14 | 0.7 | 1.5 | 1.5 | 0.04 | 0.19 | 7 | 0.4 | 0.8 | 0.7 | 0.05 | 0.10 | C66 |
| Bladder | 153 | 7.7 | 15.9 | 15.7 | 0.70 | 1.79 | 69 | 3.6 | 7.9 | 6.3 | 0.34 | 0.64 | C67 |
| Other urinary organs | 10 | 0.5 | 1.0 | 1.0 | 0.04 | 0.12 | 5 | 0.3 | 0.6 | 0.4 | 0.03 | 0.03 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 32 | 1.6 | 3.3 | 3.4 | 0.14 | 0.30 | 21 | 1.1 | 2.4 | 2.2 | 0.13 | 0.23 | C70–72 |
| Thyroid | 43 | 2.2 | 4.5 | 3.7 | 0.30 | 0.37 | 206 | 10.7 | 23.6 | 20.3 | 1.60 | 1.95 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 8 | 0.4 | 0.8 | 0.7 | 0.04 | 0.09 | 7 | 0.4 | 0.8 | 0.7 | 0.06 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 66 | 3.3 | 6.9 | 6.5 | 0.34 | 0.72 | 50 | 2.6 | 5.7 | 4.8 | 0.22 | 0.56 | C82–86, C96 |
| Immunoproliferative diseases | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.07 | C88 |
| Multiple myeloma | 18 | 0.9 | 1.9 | 1.9 | 0.07 | 0.26 | 6 | 0.3 | 0.7 | 0.6 | 0.01 | 0.07 | C90 |
| Lymphoid leukaemia | 19 | 1.0 | 2.0 | 2.2 | 0.11 | 0.13 | 24 | 1.3 | 2.7 | 2.9 | 0.17 | 0.17 | C91 |
| Myeloid leukaemia | 16 | 0.8 | 1.7 | 1.7 | 0.11 | 0.11 | 14 | 0.7 | 1.6 | 1.5 | 0.09 | 0.13 | C92–94 |
| Leukaemia unspecified | 7 | 0.4 | 0.7 | 0.8 | 0.03 | 0.10 | 3 | 0.2 | 0.3 | 0.4 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.3 | 0.5 | 0.5 | 0.05 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.03 | MPS |
| Other and unspecified | 52 | 2.6 | 5.4 | 5.5 | 0.21 | 0.59 | 58 | 3.0 | 6.6 | 5.4 | 0.22 | 0.59 | O&U |
| All sites | 2567 | | 267.3 | 267.4 | 11.09 | 29.71 | 2481 | | 283.6 | 236.7 | 13.55 | 25.90 | C00–96 |
| All sites except C44 | 1987 | 100.0 | 206.9 | 206.9 | 8.76 | 23.31 | 1917 | 100.0 | 219.2 | 184.9 | 11.00 | 20.29 | C00–96 exc. C44 |

Chile, Valdivia

CONTRIBUTORS

Solange Vargas Gallagher
 Katy Heise Mora
 Enriqueta Bertrán Vives
 Roxana Moyano Adriazola
 Claudia Jara Santos
 Juan Carlos Velásquez Márquez
 Carol Aracena Solar
 Javiera Illanes Diaz
 Ingrid Lavin Brüning
 Felipe Santana Alvarado
 Natalia Bilbao Novoa



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 54.4 | Breast | 37.0 |
| Stomach | 31.2 | Non-melanoma skin cancer | 18.5 |
| Non-melanoma skin cancer | 17.7 | Gallbladder etc. | 17.7 |
| Testis | 15.5 | Thyroid | 16.7 |
| Kidney | 11.5 | Cervix uteri | 12.2 |
| Trachea, bronchus, and lung | 10.1 | Stomach | 11.7 |
| Colon | 10.1 | Colon | 11.5 |
| Rectum | 9.6 | Corpus uteri | 7.8 |
| Gallbladder etc. | 7.7 | Ovary | 6.9 |
| Other and unspecified | 7.7 | Other and unspecified | 6.5 |
| Liver | 5.9 | Rectum | 5.7 |
| Non-Hodgkin lymphoma | 5.9 | Trachea, bronchus, and lung | 5.3 |
| Oesophagus | 4.9 | Non-Hodgkin lymphoma | 5.3 |
| Lymphoid leukaemia | 4.5 | Kidney | 5.3 |
| Pancreas | 4.4 | Pancreas | 4.6 |
| Brain and nervous system | 3.8 | Brain and nervous system | 3.2 |
| Thyroid | 3.2 | Liver | 3.0 |
| Bladder | 3.2 | Multiple myeloma | 2.9 |
| Multiple myeloma | 3.1 | Melanoma of skin | 2.8 |
| Melanoma of skin | 2.6 | Lymphoid leukaemia | 2.6 |
| All sites | 236.0 | All sites | 205.8 |


Chile, Valdivia (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 3 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.05 | C01–02 |
| Mouth | 8 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C03–06 |
| Salivary glands | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | C07–08 |
| Tonsil | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 74 | 2.5 | 7.6 | 4.9 | 0.18 | 0.53 | 46 | 1.6 | 4.6 | 2.1 | 0.05 | 0.20 | C15 |
| Stomach | 452 | 15.4 | 46.6 | 31.2 | 1.47 | 3.56 | 199 | 7.1 | 19.9 | 11.7 | 0.67 | 1.39 | C16 |
| Small intestine | 10 | 0.3 | 1.0 | 0.8 | 0.05 | 0.08 | 13 | 0.5 | 1.3 | 0.8 | 0.02 | 0.14 | C17 |
| Colon | 137 | 4.7 | 14.1 | 10.1 | 0.49 | 1.26 | 188 | 6.7 | 18.8 | 11.5 | 0.61 | 1.19 | C18 |
| Rectum | 134 | 4.6 | 13.8 | 9.6 | 0.47 | 1.13 | 88 | 3.1 | 8.8 | 5.7 | 0.35 | 0.67 | C19–20 |
| Anus | 5 | 0.2 | 0.5 | 0.3 | 0.00 | 0.06 | 9 | 0.3 | 0.9 | 0.5 | 0.02 | 0.04 | C21 |
| Liver | 82 | 2.8 | 8.5 | 5.9 | 0.26 | 0.73 | 55 | 1.9 | 5.5 | 3.0 | 0.08 | 0.38 | C22 |
| Gallbladder etc. | 111 | 3.8 | 11.4 | 7.7 | 0.29 | 0.91 | 297 | 10.5 | 29.7 | 17.7 | 0.89 | 2.20 | C23–24 |
| Pancreas | 59 | 2.0 | 6.1 | 4.4 | 0.24 | 0.57 | 80 | 2.8 | 8.0 | 4.6 | 0.22 | 0.55 | C25 |
| Nose, sinuses etc. | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.2 | 0.5 | 0.3 | 0.00 | 0.04 | C30–31 |
| Larynx | 19 | 0.6 | 2.0 | 1.3 | 0.08 | 0.13 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 147 | 5.0 | 15.2 | 10.1 | 0.42 | 1.20 | 96 | 3.4 | 9.6 | 5.3 | 0.23 | 0.56 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | C37–38 |
| Bone | 7 | 0.2 | 0.7 | 0.7 | 0.04 | 0.06 | 6 | 0.2 | 0.6 | 0.7 | 0.05 | 0.05 | C40–41 |
| Melanoma of skin | 35 | 1.2 | 3.6 | 2.6 | 0.17 | 0.30 | 40 | 1.4 | 4.0 | 2.8 | 0.19 | 0.31 | C43 |
| Other skin | 260 | 8.9 | 26.8 | 17.7 | 0.88 | 1.79 | 328 | 11.6 | 32.8 | 18.5 | 0.89 | 2.09 | C44 |
| Mesothelioma | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 6 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 19 | 0.6 | 2.0 | 1.6 | 0.10 | 0.14 | 23 | 0.8 | 2.3 | 1.6 | 0.12 | 0.17 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 526 | 18.6 | 52.6 | 37.0 | 2.63 | 4.40 | C50 |
| Vulva | | | | | | | 15 | 0.5 | 1.5 | 0.8 | 0.04 | 0.07 | C51 |
| Vagina | | | | | | | 6 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 162 | 5.7 | 16.2 | 12.2 | 0.81 | 1.21 | C53 |
| Corpus uteri | | | | | | | 108 | 3.8 | 10.8 | 7.8 | 0.46 | 1.03 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 97 | 3.4 | 9.7 | 6.9 | 0.44 | 0.83 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 9 | 0.3 | 0.9 | 0.7 | 0.03 | 0.10 | | | | | | | C60 |
| Prostate | 748 | 25.5 | 77.1 | 54.4 | 2.29 | 7.50 | | | | | | | C61 |
| Testis | 157 | 5.3 | 16.2 | 15.5 | 1.13 | 1.19 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 152 | 5.2 | 15.7 | 11.5 | 0.66 | 1.41 | 79 | 2.8 | 7.9 | 5.3 | 0.31 | 0.69 | C64 |
| Renal pelvis | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 47 | 1.6 | 4.8 | 3.2 | 0.08 | 0.37 | 27 | 1.0 | 2.7 | 1.3 | 0.01 | 0.14 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.3 | 0.8 | 0.8 | 0.04 | 0.07 | 3 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 43 | 1.5 | 4.4 | 3.8 | 0.26 | 0.36 | 40 | 1.4 | 4.0 | 3.2 | 0.21 | 0.31 | C70–72 |
| Thyroid | 36 | 1.2 | 3.7 | 3.2 | 0.21 | 0.30 | 197 | 7.0 | 19.7 | 16.7 | 1.35 | 1.48 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 13 | 0.4 | 1.3 | 1.3 | 0.10 | 0.12 | 19 | 0.7 | 1.9 | 1.4 | 0.09 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 77 | 2.6 | 7.9 | 5.9 | 0.33 | 0.61 | 68 | 2.4 | 6.8 | 5.3 | 0.29 | 0.61 | C82–86, C96 |
| Immunoproliferative diseases | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 9 | 0.3 | 0.9 | 0.6 | 0.02 | 0.09 | C88 |
| Multiple myeloma | 45 | 1.5 | 4.6 | 3.1 | 0.23 | 0.30 | 45 | 1.6 | 4.5 | 2.9 | 0.19 | 0.36 | C90 |
| Lymphoid leukaemia | 46 | 1.6 | 4.7 | 4.5 | 0.22 | 0.38 | 23 | 0.8 | 2.3 | 2.6 | 0.13 | 0.21 | C91 |
| Myeloid leukaemia | 25 | 0.9 | 2.6 | 2.0 | 0.14 | 0.19 | 32 | 1.1 | 3.2 | 2.3 | 0.13 | 0.26 | C92–94 |
| Leukaemia unspecified | 7 | 0.2 | 0.7 | 0.6 | 0.03 | 0.05 | 6 | 0.2 | 0.6 | 0.4 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 31 | 1.1 | 3.2 | 2.4 | 0.11 | 0.33 | 35 | 1.2 | 3.5 | 2.2 | 0.10 | 0.27 | MPD |
| Myelodysplastic syndromes | 21 | 0.7 | 2.2 | 1.5 | 0.07 | 0.16 | 20 | 0.7 | 2.0 | 1.3 | 0.06 | 0.17 | MPS |
| Other and unspecified | 114 | 3.9 | 11.8 | 7.7 | 0.31 | 0.74 | 123 | 4.4 | 12.3 | 6.5 | 0.24 | 0.71 | O&U |
| All sites | 3195 | | 329.5 | 236.0 | 11.67 | 27.12 | 3150 | | 315.1 | 205.8 | 12.03 | 23.21 | C00–96 |
| All sites except C44 | 2935 | 100.0 | 302.7 | 218.3 | 10.79 | 25.33 | 2822 | 100.0 | 282.3 | 187.3 | 11.14 | 21.12 | C00–96 exc. C44 |

Colombia, Bucaramanga

CONTRIBUTORS

Claudia Janeth Uribe
Erika Eliana Meza Durán



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 42.6 | Breast | 44.7 |
| Stomach | 19.9 | Thyroid | 23.5 |
| Non-melanoma skin cancer | 19.6 | Cervix uteri | 11.7 |
| Trachea, bronchus, and lung | 10.3 | Non-melanoma skin cancer | 10.8 |
| Colon | 9.8 | Stomach | 9.8 |
| Non-Hodgkin lymphoma | 8.3 | Colon | 9.2 |
| Other and unspecified | 7.6 | Corpus uteri | 7.4 |
| Brain and nervous system | 5.2 | Ovary | 7.0 |
| Kidney | 5.1 | Other and unspecified | 6.8 |
| Thyroid | 5.1 | Non-Hodgkin lymphoma | 6.2 |
| Rectum | 4.9 | Trachea, bronchus, and lung | 6.2 |
| Lymphoid leukaemia | 4.6 | Rectum | 3.9 |
| Liver | 4.6 | Brain and nervous system | 3.5 |
| Testis | 3.8 | Lymphoid leukaemia | 3.5 |
| Pancreas | 3.5 | Gallbladder etc. | 3.4 |
| Myeloid leukaemia | 3.0 | Kidney | 3.4 |
| Oesophagus | 2.8 | Liver | 2.8 |
| Gallbladder etc. | 2.7 | Myeloid leukaemia | 2.5 |
| Multiple myeloma | 2.6 | Pancreas | 2.4 |
| Bladder | 2.6 | Multiple myeloma | 2.2 |
| All sites | 194.6 | All sites | 191.0 |

Colombia, Bucaramanga (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 37 | 0.7 | 1.4 | 1.2 | 0.04 | 0.14 | 36 | 0.5 | 1.2 | 0.9 | 0.05 | 0.12 | C01–02 |
| Mouth | 27 | 0.5 | 1.0 | 1.0 | 0.06 | 0.12 | 27 | 0.4 | 0.9 | 0.7 | 0.05 | 0.06 | C03–06 |
| Salivary glands | 30 | 0.6 | 1.1 | 0.9 | 0.06 | 0.07 | 15 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C07–08 |
| Tonsil | 24 | 0.5 | 0.9 | 0.9 | 0.07 | 0.10 | 13 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C09 |
| Other oropharynx | 9 | 0.2 | 0.3 | 0.3 | 0.01 | 0.05 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 14 | 0.3 | 0.5 | 0.5 | 0.03 | 0.06 | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 86 | 1.7 | 3.2 | 2.8 | 0.09 | 0.28 | 34 | 0.5 | 1.1 | 0.8 | 0.02 | 0.07 | C15 |
| Stomach | 597 | 11.6 | 21.9 | 19.9 | 0.98 | 2.20 | 390 | 5.8 | 13.1 | 9.8 | 0.54 | 1.02 | C16 |
| Small intestine | 29 | 0.6 | 1.1 | 1.0 | 0.06 | 0.11 | 29 | 0.4 | 1.0 | 0.8 | 0.04 | 0.10 | C17 |
| Colon | 294 | 5.7 | 10.8 | 9.8 | 0.48 | 1.06 | 372 | 5.5 | 12.5 | 9.2 | 0.42 | 1.00 | C18 |
| Rectum | 141 | 2.7 | 5.2 | 4.9 | 0.28 | 0.60 | 149 | 2.2 | 5.0 | 3.9 | 0.21 | 0.46 | C19–20 |
| Anus | 26 | 0.5 | 1.0 | 0.9 | 0.06 | 0.12 | 57 | 0.8 | 1.9 | 1.4 | 0.07 | 0.16 | C21 |
| Liver | 132 | 2.6 | 4.8 | 4.6 | 0.16 | 0.57 | 116 | 1.7 | 3.9 | 2.8 | 0.10 | 0.29 | C22 |
| Gallbladder etc. | 82 | 1.6 | 3.0 | 2.7 | 0.14 | 0.28 | 141 | 2.1 | 4.7 | 3.4 | 0.15 | 0.36 | C23–24 |
| Pancreas | 104 | 2.0 | 3.8 | 3.5 | 0.15 | 0.43 | 103 | 1.5 | 3.5 | 2.4 | 0.08 | 0.26 | C25 |
| Nose, sinuses etc. | 16 | 0.3 | 0.6 | 0.6 | 0.03 | 0.08 | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 57 | 1.1 | 2.1 | 2.0 | 0.06 | 0.24 | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 307 | 6.0 | 11.3 | 10.3 | 0.37 | 1.27 | 245 | 3.6 | 8.2 | 6.2 | 0.30 | 0.73 | C33–34 |
| Other thoracic organs | 15 | 0.3 | 0.6 | 0.5 | 0.04 | 0.04 | 19 | 0.3 | 0.6 | 0.5 | 0.05 | 0.05 | C37–38 |
| Bone | 48 | 0.9 | 1.8 | 1.7 | 0.10 | 0.13 | 32 | 0.5 | 1.1 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 65 | 1.3 | 2.4 | 2.2 | 0.16 | 0.23 | 72 | 1.1 | 2.4 | 1.9 | 0.14 | 0.22 | C43 |
| Other skin | 613 | 11.9 | 22.5 | 19.6 | 0.76 | 1.93 | 493 | 7.3 | 16.6 | 10.8 | 0.37 | 0.93 | C44 |
| Mesothelioma | 14 | 0.3 | 0.5 | 0.4 | 0.01 | 0.03 | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 44 | 0.9 | 1.6 | 1.4 | 0.09 | 0.11 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C46 |
| Connective and soft tissue | 61 | 1.2 | 2.2 | 2.0 | 0.11 | 0.21 | 69 | 1.0 | 2.3 | 1.9 | 0.13 | 0.19 | C47+C49 |
| Breast | 9 | 0.2 | 0.3 | 0.3 | 0.01 | 0.02 | 1650 | 24.6 | 55.5 | 44.7 | 3.32 | 5.01 | C50 |
| Vulva | | | | | | | 31 | 0.5 | 1.0 | 0.8 | 0.06 | 0.10 | C51 |
| Vagina | | | | | | | 15 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 438 | 6.5 | 14.7 | 11.7 | 0.85 | 1.20 | C53 |
| Corpus uteri | | | | | | | 272 | 4.0 | 9.2 | 7.4 | 0.55 | 0.87 | C54 |
| Uterus unspecified | | | | | | | 35 | 0.5 | 1.2 | 0.9 | 0.06 | 0.09 | C55 |
| Ovary | | | | | | | 258 | 3.8 | 8.7 | 7.0 | 0.50 | 0.79 | C56 |
| Other female genital organs | | | | | | | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 34 | 0.7 | 1.2 | 1.1 | 0.05 | 0.12 | | | | | | | C60 |
| Prostate | 1250 | 24.3 | 45.9 | 42.6 | 1.48 | 5.36 | | | | | | | C61 |
| Testis | 117 | 2.3 | 4.3 | 3.8 | 0.26 | 0.28 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 140 | 2.7 | 5.1 | 5.1 | 0.37 | 0.56 | 110 | 1.6 | 3.7 | 3.4 | 0.23 | 0.35 | C64 |
| Renal pelvis | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 79 | 1.5 | 2.9 | 2.6 | 0.09 | 0.30 | 41 | 0.6 | 1.4 | 1.0 | 0.03 | 0.11 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 24 | 0.5 | 0.9 | 0.9 | 0.04 | 0.10 | 17 | 0.3 | 0.6 | 0.6 | 0.02 | 0.06 | C69 |
| Brain and nervous system | 147 | 2.9 | 5.4 | 5.2 | 0.30 | 0.50 | 115 | 1.7 | 3.9 | 3.5 | 0.21 | 0.33 | C70–72 |
| Thyroid | 148 | 2.9 | 5.4 | 5.1 | 0.41 | 0.54 | 833 | 12.4 | 28.0 | 23.5 | 1.93 | 2.44 | C73 |
| Adrenal gland | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 67 | 1.3 | 2.5 | 2.4 | 0.15 | 0.21 | 41 | 0.6 | 1.4 | 1.2 | 0.07 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 238 | 4.6 | 8.7 | 8.3 | 0.51 | 0.86 | 230 | 3.4 | 7.7 | 6.2 | 0.37 | 0.65 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 76 | 1.5 | 2.8 | 2.6 | 0.14 | 0.33 | 87 | 1.3 | 2.9 | 2.2 | 0.10 | 0.27 | C90 |
| Lymphoid leukaemia | 112 | 2.2 | 4.1 | 4.6 | 0.25 | 0.30 | 95 | 1.4 | 3.2 | 3.5 | 0.18 | 0.26 | C91 |
| Myeloid leukaemia | 89 | 1.7 | 3.3 | 3.0 | 0.15 | 0.29 | 90 | 1.3 | 3.0 | 2.5 | 0.15 | 0.23 | C92–94 |
| Leukaemia unspecified | 45 | 0.9 | 1.7 | 1.6 | 0.08 | 0.14 | 33 | 0.5 | 1.1 | 0.9 | 0.06 | 0.10 | C95 |
| Myeloproliferative disorders | 21 | 0.4 | 0.8 | 0.7 | 0.04 | 0.08 | 32 | 0.5 | 1.1 | 0.8 | 0.04 | 0.08 | MPD |
| Myelodysplastic syndromes | 26 | 0.5 | 1.0 | 0.8 | 0.02 | 0.07 | 27 | 0.4 | 0.9 | 0.6 | 0.01 | 0.08 | MPS |
| Other and unspecified | 226 | 4.4 | 8.3 | 7.6 | 0.33 | 0.88 | 273 | 4.1 | 9.2 | 6.8 | 0.34 | 0.73 | O&U |
| All sites | 5748 | | 211.1 | 194.6 | 9.11 | 21.50 | 7210 | | 242.6 | 191.0 | 12.10 | 20.29 | C00–96 exc. C44 |
| All sites except C44 | 5135 | 100.0 | 188.6 | 175.0 | 8.35 | 19.57 | 6717 | 100.0 | 226.0 | 180.2 | 11.73 | 19.35 | C00–96 exc. C44 |


§Includes 7 cases of unknown age

§Includes 5 cases of unknown age

Colombia, Cali

CONTRIBUTORS

Luis Eduardo Bravo
 Edwin Carrascal
 Luz Stella García
 Paola Andrea Collazos



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 59.0 | Breast | 50.2 |
| Stomach | 20.5 | Thyroid | 19.2 |
| Trachea, bronchus, and lung | 14.8 | Cervix uteri | 14.1 |
| Colon | 12.3 | Colon | 11.4 |
| Non-Hodgkin lymphoma | 10.5 | Stomach | 11.0 |
| Other and unspecified | 9.7 | Other and unspecified | 8.3 |
| Rectum | 6.4 | Trachea, bronchus, and lung | 7.7 |
| Lymphoid leukaemia | 5.8 | Non-Hodgkin lymphoma | 7.5 |
| Kidney | 5.7 | Ovary | 7.1 |
| Bladder | 5.7 | Corpus uteri | 5.7 |
| Brain and nervous system | 5.6 | Rectum | 4.6 |
| Liver | 5.2 | Brain and nervous system | 4.3 |
| Pancreas | 5.0 | Pancreas | 3.9 |
| Myeloid leukaemia | 4.9 | Lymphoid leukaemia | 3.9 |
| Thyroid | 4.4 | Liver | 3.7 |
| Multiple myeloma | 4.3 | Kidney | 3.4 |
| Testis | 3.3 | Gallbladder etc. | 3.3 |
| Melanoma of skin | 2.9 | Myeloid leukaemia | 2.9 |
| Connective and soft tissue | 2.9 | Multiple myeloma | 2.7 |
| Larynx | 2.8 | Melanoma of skin | 2.6 |
| All sites | 218.6 | All sites | 199.0 |

Colombia, Cali (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 16 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 68 | 0.5 | 1.2 | 1.2 | 0.07 | 0.13 | 91 | 0.6 | 1.5 | 1.2 | 0.07 | 0.12 | C01–02 |
| Mouth | 49 | 0.4 | 0.9 | 0.8 | 0.04 | 0.08 | 62 | 0.4 | 1.0 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 63 | 0.5 | 1.1 | 1.0 | 0.07 | 0.10 | 48 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 72 | 0.6 | 1.3 | 1.3 | 0.07 | 0.17 | 26 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 15 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 12 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 34 | 0.3 | 0.6 | 0.6 | 0.04 | 0.06 | 13 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 15 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 132 | 1.0 | 2.3 | 2.2 | 0.09 | 0.20 | 62 | 0.4 | 1.0 | 0.7 | 0.02 | 0.07 | C15 |
| Stomach | 1224 | 9.6 | 21.6 | 20.5 | 0.98 | 2.21 | 924 | 5.9 | 14.9 | 11.0 | 0.58 | 1.10 | C16 |
| Small intestine | 51 | 0.4 | 0.9 | 0.9 | 0.05 | 0.08 | 58 | 0.4 | 0.9 | 0.7 | 0.04 | 0.07 | C17 |
| Colon | 734 | 5.8 | 13.0 | 12.3 | 0.56 | 1.36 | 936 | 6.0 | 15.1 | 11.4 | 0.59 | 1.25 | C18 |
| Rectum | 380 | 3.0 | 6.7 | 6.4 | 0.33 | 0.74 | 371 | 2.4 | 6.0 | 4.6 | 0.27 | 0.51 | C19–20 |
| Anus | 39 | 0.3 | 0.7 | 0.7 | 0.04 | 0.08 | 100 | 0.6 | 1.6 | 1.2 | 0.06 | 0.14 | C21 |
| Liver | 301 | 2.4 | 5.3 | 5.2 | 0.18 | 0.58 | 324 | 2.1 | 5.2 | 3.7 | 0.11 | 0.43 | C22 |
| Gallbladder etc. | 133 | 1.0 | 2.3 | 2.3 | 0.10 | 0.24 | 278 | 1.8 | 4.5 | 3.3 | 0.15 | 0.38 | C23–24 |
| Pancreas | 294 | 2.3 | 5.2 | 5.0 | 0.23 | 0.58 | 336 | 2.2 | 5.4 | 3.9 | 0.16 | 0.43 | C25 |
| Nose, sinuses etc. | 37 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | 44 | 0.3 | 0.7 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 160 | 1.3 | 2.8 | 2.8 | 0.14 | 0.34 | 31 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 867 | 6.8 | 15.3 | 14.8 | 0.59 | 1.68 | 667 | 4.3 | 10.8 | 7.7 | 0.32 | 0.83 | C33–34 |
| Other thoracic organs | 41 | 0.3 | 0.7 | 0.7 | 0.04 | 0.07 | 31 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 127 | 1.0 | 2.2 | 2.1 | 0.13 | 0.17 | 126 | 0.8 | 2.0 | 1.8 | 0.12 | 0.16 | C40–41 |
| Melanoma of skin | 174 | 1.4 | 3.1 | 2.9 | 0.15 | 0.31 | 206 | 1.3 | 3.3 | 2.6 | 0.16 | 0.27 | C43 |
| Other skin | 71 | 0.6 | 1.3 | 1.2 | 0.05 | 0.10 | 79 | 0.5 | 1.3 | 1.0 | 0.06 | 0.09 | C44 |
| Mesothelioma | 17 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 9 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 70 | 0.5 | 1.2 | 1.1 | 0.06 | 0.09 | 12 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 176 | 1.4 | 3.1 | 2.9 | 0.16 | 0.27 | 176 | 1.1 | 2.8 | 2.4 | 0.16 | 0.23 | C47+C49 |
| Breast | 64 | 0.5 | 1.1 | 1.1 | 0.05 | 0.12 | 3872 | 24.9 | 62.6 | 50.2 | 3.48 | 5.80 | C50 |
| Vulva | | | | | | | 57 | 0.4 | 0.9 | 0.6 | 0.02 | 0.07 | C51 |
| Vagina | | | | | | | 40 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1079 | 6.9 | 17.4 | 14.1 | 1.05 | 1.40 | C53 |
| Corpus uteri | | | | | | | 448 | 2.9 | 7.2 | 5.7 | 0.39 | 0.70 | C54 |
| Uterus unspecified | | | | | | | 74 | 0.5 | 1.2 | 0.9 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 550 | 3.5 | 8.9 | 7.1 | 0.47 | 0.80 | C56 |
| Other female genital organs | | | | | | | 37 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 68 | 0.5 | 1.2 | 1.1 | 0.07 | 0.11 | | | | | | | C60 |
| Prostate | 3380 | 26.5 | 59.7 | 59.0 | 2.17 | 7.40 | | | | | | | C61 |
| Testis | 205 | 1.6 | 3.6 | 3.3 | 0.22 | 0.24 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 332 | 2.6 | 5.9 | 5.7 | 0.36 | 0.64 | 259 | 1.7 | 4.2 | 3.4 | 0.21 | 0.36 | C64 |
| Renal pelvis | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C66 |
| Bladder | 335 | 2.6 | 5.9 | 5.7 | 0.23 | 0.61 | 137 | 0.9 | 2.2 | 1.6 | 0.06 | 0.15 | C67 |
| Other urinary organs | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 84 | 0.7 | 1.5 | 1.4 | 0.07 | 0.14 | 76 | 0.5 | 1.2 | 1.1 | 0.07 | 0.10 | C69 |
| Brain and nervous system | 323 | 2.5 | 5.7 | 5.6 | 0.35 | 0.52 | 313 | 2.0 | 5.1 | 4.3 | 0.26 | 0.41 | C70–72 |
| Thyroid | 265 | 2.1 | 4.7 | 4.4 | 0.31 | 0.48 | 1419 | 9.1 | 22.9 | 19.2 | 1.50 | 2.03 | C73 |
| Adrenal gland | 7 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 12 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 12 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 9 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 116 | 0.9 | 2.0 | 2.0 | 0.12 | 0.18 | 83 | 0.5 | 1.3 | 1.2 | 0.07 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 623 | 4.9 | 11.0 | 10.5 | 0.60 | 1.13 | 586 | 3.8 | 9.5 | 7.5 | 0.43 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 9 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 23 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 251 | 2.0 | 4.4 | 4.3 | 0.22 | 0.52 | 220 | 1.4 | 3.6 | 2.7 | 0.16 | 0.32 | C90 |
| Lymphoid leukaemia | 310 | 2.4 | 5.5 | 5.8 | 0.31 | 0.47 | 245 | 1.6 | 4.0 | 3.9 | 0.21 | 0.32 | C91 |
| Myeloid leukaemia | 296 | 2.3 | 5.2 | 4.9 | 0.25 | 0.48 | 213 | 1.4 | 3.4 | 2.9 | 0.15 | 0.29 | C92–94 |
| Leukaemia unspecified | 85 | 0.7 | 1.5 | 1.4 | 0.07 | 0.14 | 70 | 0.5 | 1.1 | 0.9 | 0.05 | 0.08 | C95 |
| Myeloproliferative disorders | 46 | 0.4 | 0.8 | 0.7 | 0.05 | 0.07 | 28 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | MPD |
| Myelodysplastic syndromes | 30 | 0.2 | 0.5 | 0.5 | 0.01 | 0.05 | 38 | 0.2 | 0.6 | 0.4 | 0.01 | 0.02 | MPS |
| Other and unspecified | 577 | 4.5 | 10.2 | 9.7 | 0.47 | 1.05 | 679 | 4.4 | 11.0 | 8.3 | 0.41 | 0.91 | O&U |
| All sites | 12805 | | 226.0 | 218.6 | 10.23 | 24.29 | 15612 | | 252.4 | 199.0 | 12.29 | 21.50 | C00–96 |
| All sites except C44 | 12734 | 100.0 | 224.8 | 217.5 | 10.18 | 24.18 | 15533 | 100.0 | 251.2 | 198.0 | 12.23 | 21.41 | C00–96 exc. C44 |


§Includes 86 cases of unknown age

§Includes 76 cases of unknown age

Colombia, Manizales

CONTRIBUTORS

Nelson Arias-Ortiz
 Juan David Rodríguez Betancourt
 Dayana Castaño Ramírez
 Zareth Estefany Ladino Villada
 Mónica Castaño Corrales
 María Pineda Muñoz



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 47.3 | Breast | 42.5 |
| Stomach | 20.4 | Thyroid | 30.0 |
| Trachea, bronchus, and lung | 14.3 | Cervix uteri | 11.2 |
| Non-melanoma skin cancer | 11.1 | Colon | 10.8 |
| Colon | 10.1 | Stomach | 9.6 |
| Other and unspecified | 9.4 | Other and unspecified | 8.0 |
| Thyroid | 7.6 | Non-melanoma skin cancer | 7.6 |
| Non-Hodgkin lymphoma | 7.4 | Trachea, bronchus, and lung | 7.4 |
| Rectum | 6.0 | Ovary | 7.3 |
| Bladder | 5.3 | Corpus uteri | 7.0 |
| Testis | 5.0 | Non-Hodgkin lymphoma | 5.8 |
| Brain and nervous system | 4.9 | Rectum | 5.0 |
| Kidney | 4.6 | Brain and nervous system | 3.9 |
| Pancreas | 3.9 | Pancreas | 3.9 |
| Melanoma of skin | 3.3 | Gallbladder etc. | 3.6 |
| Myeloid leukaemia | 3.1 | Kidney | 3.6 |
| Gallbladder etc. | 3.0 | Melanoma of skin | 2.9 |
| Liver | 2.9 | Uterus unspecified | 2.2 |
| Lymphoid leukaemia | 2.9 | Liver | 2.2 |
| Oesophagus | 2.2 | Bladder | 2.1 |
| All sites | 196.3 | All sites | 195.4 |

Colombia, Manizales (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 10 | 0.4 | 1.0 | 0.8 | 0.05 | 0.08 | 14 | 0.4 | 1.3 | 0.8 | 0.04 | 0.08 | C01–02 |
| Mouth | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C03–06 |
| Salivary glands | 11 | 0.4 | 1.1 | 0.9 | 0.06 | 0.10 | 8 | 0.3 | 0.7 | 0.5 | 0.01 | 0.05 | C07–08 |
| Tonsil | 12 | 0.5 | 1.2 | 0.8 | 0.04 | 0.09 | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 5 | 0.2 | 0.5 | 0.4 | 0.01 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 32 | 1.3 | 3.2 | 2.2 | 0.08 | 0.26 | 26 | 0.8 | 2.3 | 1.4 | 0.05 | 0.17 | C15 |
| Stomach | 284 | 11.3 | 28.4 | 20.4 | 0.99 | 2.37 | 178 | 5.7 | 16.0 | 9.6 | 0.43 | 1.06 | C16 |
| Small intestine | 11 | 0.4 | 1.1 | 0.8 | 0.05 | 0.10 | 18 | 0.6 | 1.6 | 1.1 | 0.08 | 0.12 | C17 |
| Colon | 139 | 5.5 | 13.9 | 10.1 | 0.54 | 1.05 | 199 | 6.3 | 17.9 | 10.8 | 0.55 | 1.18 | C18 |
| Rectum | 84 | 3.3 | 8.4 | 6.0 | 0.33 | 0.66 | 89 | 2.8 | 8.0 | 5.0 | 0.29 | 0.54 | C19–20 |
| Anus | 15 | 0.6 | 1.5 | 1.2 | 0.05 | 0.18 | 16 | 0.5 | 1.4 | 0.9 | 0.06 | 0.08 | C21 |
| Liver | 43 | 1.7 | 4.3 | 2.9 | 0.10 | 0.31 | 39 | 1.2 | 3.5 | 2.2 | 0.12 | 0.19 | C22 |
| Gallbladder etc. | 43 | 1.7 | 4.3 | 3.0 | 0.13 | 0.34 | 72 | 2.3 | 6.5 | 3.6 | 0.16 | 0.30 | C23–24 |
| Pancreas | 55 | 2.2 | 5.5 | 3.9 | 0.21 | 0.45 | 72 | 2.3 | 6.5 | 3.9 | 0.14 | 0.50 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 30 | 1.2 | 3.0 | 2.1 | 0.10 | 0.26 | 12 | 0.4 | 1.1 | 0.6 | 0.02 | 0.07 | C32 |
| Trachea, bronchus, and lung | 206 | 8.2 | 20.6 | 14.3 | 0.56 | 1.64 | 141 | 4.5 | 12.7 | 7.4 | 0.36 | 0.79 | C33–34 |
| Other thoracic organs | 9 | 0.4 | 0.9 | 0.7 | 0.04 | 0.07 | 8 | 0.3 | 0.7 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 19 | 0.8 | 1.9 | 1.6 | 0.08 | 0.13 | 10 | 0.3 | 0.9 | 0.8 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 44 | 1.7 | 4.4 | 3.3 | 0.21 | 0.39 | 47 | 1.5 | 4.2 | 2.9 | 0.18 | 0.30 | C43 |
| Other skin | 157 | 6.2 | 15.7 | 11.1 | 0.52 | 1.26 | 143 | 4.6 | 12.9 | 7.6 | 0.35 | 0.78 | C44 |
| Mesothelioma | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 11 | 0.4 | 1.0 | 0.7 | 0.05 | 0.07 | C45 |
| Kaposi sarcoma | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 22 | 0.9 | 2.2 | 1.7 | 0.10 | 0.17 | 26 | 0.8 | 2.3 | 1.7 | 0.13 | 0.18 | C47+C49 |
| Breast | 19 | 0.8 | 1.9 | 1.4 | 0.06 | 0.14 | 701 | 22.3 | 63.1 | 42.5 | 2.99 | 4.71 | C50 |
| Vulva | | | | | | | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 14 | 0.4 | 1.3 | 0.9 | 0.05 | 0.09 | C52 |
| Cervix uteri | | | | | | | 172 | 5.5 | 15.5 | 11.2 | 0.81 | 1.06 | C53 |
| Corpus uteri | | | | | | | 115 | 3.7 | 10.4 | 7.0 | 0.51 | 0.89 | C54 |
| Uterus unspecified | | | | | | | 36 | 1.1 | 3.2 | 2.2 | 0.13 | 0.26 | C55 |
| Ovary | | | | | | | 124 | 3.9 | 11.2 | 7.3 | 0.47 | 0.76 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 670 | 26.6 | 67.1 | 47.3 | 1.84 | 5.77 | | | | | | | C61 |
| Testis | 57 | 2.3 | 5.7 | 5.0 | 0.37 | 0.39 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 60 | 2.4 | 6.0 | 4.6 | 0.30 | 0.53 | 53 | 1.7 | 4.8 | 3.6 | 0.21 | 0.40 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 77 | 3.1 | 7.7 | 5.3 | 0.16 | 0.62 | 40 | 1.3 | 3.6 | 2.1 | 0.13 | 0.23 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.3 | 0.8 | 0.7 | 0.06 | 0.06 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 57 | 2.3 | 5.7 | 4.9 | 0.32 | 0.49 | 58 | 1.8 | 5.2 | 3.9 | 0.24 | 0.38 | C70–72 |
| Thyroid | 93 | 3.7 | 9.3 | 7.6 | 0.54 | 0.76 | 451 | 14.4 | 40.6 | 30.0 | 2.27 | 3.02 | C73 |
| Adrenal gland | 6 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 24 | 1.0 | 2.4 | 2.1 | 0.14 | 0.16 | 14 | 0.4 | 1.3 | 1.0 | 0.07 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 97 | 3.8 | 9.7 | 7.4 | 0.47 | 0.70 | 95 | 3.0 | 8.6 | 5.8 | 0.37 | 0.62 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | 7 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C88 |
| Multiple myeloma | 25 | 1.0 | 2.5 | 1.8 | 0.09 | 0.23 | 27 | 0.9 | 2.4 | 1.4 | 0.09 | 0.14 | C90 |
| Lymphoid leukaemia | 29 | 1.1 | 2.9 | 2.9 | 0.14 | 0.20 | 23 | 0.7 | 2.1 | 1.8 | 0.09 | 0.14 | C91 |
| Myeloid leukaemia | 39 | 1.5 | 3.9 | 3.1 | 0.18 | 0.37 | 23 | 0.7 | 2.1 | 1.5 | 0.08 | 0.15 | C92–94 |
| Leukaemia unspecified | 4 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 6 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 9 | 0.4 | 0.9 | 0.7 | 0.01 | 0.08 | 10 | 0.3 | 0.9 | 0.5 | 0.01 | 0.03 | MPS |
| Other and unspecified | 130 | 5.2 | 13.0 | 9.4 | 0.46 | 0.95 | 151 | 4.8 | 13.6 | 8.0 | 0.36 | 0.83 | O&U |
| All sites | 2680 | | 268.2 | 196.3 | 9.60 | 21.89 | 3284 | | 295.6 | 195.4 | 12.12 | 20.58 | C00–96 |
| All sites except C44 | 2523 | 100.0 | 252.5 | 185.2 | 9.07 | 20.63 | 3141 | 100.0 | 282.7 | 187.7 | 11.74 | 19.78 | C00–96 exc. C44 |

§Includes 100 cases of unknown age


§Includes 174 cases of unknown age

†See note following population pyramid

Colombia, Pasto

CONTRIBUTORS

María Clara Yépez Chamorro
 Luisa Mercedes Bravo Goyes
 Daniel Marcelo Jurado Fajardo
 Harold Mauricio Casas Cruz
 Jaqueline Mena Huertas



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 37.9 | Non-melanoma skin cancer | 41.1 |
| Non-melanoma skin cancer | 37.2 | Breast | 33.6 |
| Stomach | 24.6 | Thyroid | 21.3 |
| Trachea, bronchus, and lung | 7.3 | Cervix uteri | 17.6 |
| Non-Hodgkin lymphoma | 6.9 | Stomach | 11.3 |
| Testis | 6.7 | Ovary | 7.8 |
| Other and unspecified | 6.6 | Other and unspecified | 6.8 |
| Colon | 5.7 | Colon | 6.4 |
| Rectum | 4.7 | Gallbladder etc. | 6.3 |
| Pancreas | 4.5 | Corpus uteri | 5.9 |
| Bladder | 3.9 | Non-Hodgkin lymphoma | 5.5 |
| Gallbladder etc. | 3.8 | Pancreas | 4.5 |
| Brain and nervous system | 3.6 | Brain and nervous system | 3.5 |
| Lymphoid leukaemia | 3.5 | Rectum | 3.4 |
| Liver | 3.3 | Trachea, bronchus, and lung | 3.4 |
| Thyroid | 3.0 | Melanoma of skin | 2.8 |
| Multiple myeloma | 2.2 | Lymphoid leukaemia | 2.5 |
| Kidney | 2.2 | Liver | 2.3 |
| Penis | 2.1 | Myeloid leukaemia | 2.1 |
| Melanoma of skin | 2.0 | Bladder | 1.8 |
| All sites | 187.8 | All sites | 204.6 |

Colombia, Pasto (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 4 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 14 | 0.7 | 1.4 | 1.0 | 0.08 | 0.10 | C01–02 |
| Mouth | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 6 | 0.3 | 0.6 | 0.4 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 8 | 0.5 | 0.9 | 0.8 | 0.03 | 0.09 | 7 | 0.3 | 0.7 | 0.5 | 0.02 | 0.02 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 21 | 1.3 | 2.3 | 1.8 | 0.04 | 0.17 | 10 | 0.5 | 1.0 | 0.7 | 0.01 | 0.07 | C15 |
| Stomach | 266 | 16.6 | 28.8 | 24.6 | 1.24 | 2.95 | 158 | 7.4 | 15.6 | 11.3 | 0.53 | 1.15 | C16 |
| Small intestine | 9 | 0.6 | 1.0 | 0.9 | 0.03 | 0.14 | 9 | 0.4 | 0.9 | 0.6 | 0.05 | 0.05 | C17 |
| Colon | 60 | 3.7 | 6.5 | 5.7 | 0.30 | 0.66 | 89 | 4.2 | 8.8 | 6.4 | 0.36 | 0.67 | C18 |
| Rectum | 46 | 2.9 | 5.0 | 4.7 | 0.28 | 0.60 | 47 | 2.2 | 4.6 | 3.4 | 0.19 | 0.41 | C19–20 |
| Anus | 7 | 0.4 | 0.8 | 0.7 | 0.04 | 0.08 | 6 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | C21 |
| Liver | 34 | 2.1 | 3.7 | 3.3 | 0.13 | 0.35 | 38 | 1.8 | 3.7 | 2.3 | 0.03 | 0.23 | C22 |
| Gallbladder etc. | 40 | 2.5 | 4.3 | 3.8 | 0.21 | 0.41 | 90 | 4.2 | 8.9 | 6.3 | 0.28 | 0.72 | C23–24 |
| Pancreas | 47 | 2.9 | 5.1 | 4.5 | 0.23 | 0.51 | 63 | 2.9 | 6.2 | 4.5 | 0.21 | 0.51 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 11 | 0.7 | 1.2 | 1.1 | 0.07 | 0.16 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 77 | 4.8 | 8.3 | 7.3 | 0.30 | 0.93 | 46 | 2.2 | 4.5 | 3.4 | 0.15 | 0.40 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 6 | 0.4 | 0.6 | 0.6 | 0.04 | 0.06 | 7 | 0.3 | 0.7 | 0.6 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 22 | 1.4 | 2.4 | 2.0 | 0.12 | 0.22 | 38 | 1.8 | 3.7 | 2.8 | 0.18 | 0.25 | C43 |
| Other skin | 405 | 25.3 | 43.8 | 37.2 | 1.75 | 4.23 | 580 | 27.2 | 57.2 | 41.1 | 1.99 | 4.44 | C44 |
| Mesothelioma | 6 | 0.4 | 0.6 | 0.5 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 5 | 0.3 | 0.5 | 0.4 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.9 | 1.6 | 1.5 | 0.10 | 0.16 | 17 | 0.8 | 1.7 | 1.3 | 0.08 | 0.11 | C47+C49 |
| Breast | 3 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | 423 | 19.8 | 41.7 | 33.6 | 2.55 | 3.70 | C50 |
| Vulva | | | | | | | 9 | 0.4 | 0.9 | 0.6 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 228 | 10.7 | 22.5 | 17.6 | 1.34 | 1.80 | C53 |
| Corpus uteri | | | | | | | 73 | 3.4 | 7.2 | 5.9 | 0.40 | 0.72 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 98 | 4.6 | 9.7 | 7.8 | 0.50 | 0.86 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 417 | 26.0 | 45.1 | 37.9 | 1.15 | 4.61 | | | | | | | C61 |
| Testis | 70 | 4.4 | 7.6 | 6.7 | 0.49 | 0.52 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 21 | 1.3 | 2.3 | 2.2 | 0.13 | 0.28 | 18 | 0.8 | 1.8 | 1.5 | 0.07 | 0.14 | C64 |
| Renal pelvis | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 41 | 2.6 | 4.4 | 3.9 | 0.23 | 0.47 | 25 | 1.2 | 2.5 | 1.8 | 0.07 | 0.23 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 6 | 0.4 | 0.6 | 0.6 | 0.06 | 0.06 | 7 | 0.3 | 0.7 | 0.6 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 36 | 2.2 | 3.9 | 3.6 | 0.24 | 0.28 | 45 | 2.1 | 4.4 | 3.5 | 0.22 | 0.34 | C70–72 |
| Thyroid | 30 | 1.9 | 3.2 | 3.0 | 0.23 | 0.31 | 262 | 12.3 | 25.9 | 21.3 | 1.63 | 2.09 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 10 | 0.6 | 1.1 | 1.0 | 0.08 | 0.10 | 8 | 0.4 | 0.8 | 0.8 | 0.05 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 71 | 4.4 | 7.7 | 6.9 | 0.41 | 0.80 | 72 | 3.4 | 7.1 | 5.5 | 0.32 | 0.67 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C88 |
| Multiple myeloma | 22 | 1.4 | 2.4 | 2.2 | 0.14 | 0.25 | 20 | 0.9 | 2.0 | 1.6 | 0.11 | 0.20 | C90 |
| Lymphoid leukaemia | 32 | 2.0 | 3.5 | 3.5 | 0.16 | 0.30 | 25 | 1.2 | 2.5 | 2.5 | 0.15 | 0.18 | C91 |
| Myeloid leukaemia | 18 | 1.1 | 1.9 | 1.7 | 0.09 | 0.14 | 24 | 1.1 | 2.4 | 2.1 | 0.08 | 0.20 | C92–94 |
| Leukaemia unspecified | 11 | 0.7 | 1.2 | 1.0 | 0.06 | 0.11 | 13 | 0.6 | 1.3 | 1.0 | 0.06 | 0.10 | C95 |
| Myeloproliferative disorders | 4 | 0.2 | 0.4 | 0.4 | 0.02 | 0.06 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | MPD |
| Myelodysplastic syndromes | 13 | 0.8 | 1.4 | 1.1 | 0.04 | 0.09 | 13 | 0.6 | 1.3 | 0.9 | 0.05 | 0.09 | MPS |
| Other and unspecified | 74 | 4.6 | 8.0 | 6.6 | 0.28 | 0.74 | 97 | 4.5 | 9.6 | 6.8 | 0.34 | 0.66 | O&U |
| All sites | 2006 | | 217.2 | 187.8 | 8.98 | 21.26 | 2716 | | 268.0 | 204.6 | 12.34 | 21.62 | C00–96 exc.C44 |
| All sites except C44 | 1601 | 100.0 | 173.3 | 150.5 | 7.23 | 17.03 | 2136 | 100.0 | 210.8 | 163.5 | 10.35 | 17.18 | C00–96 exc.C44 |

§Includes 2 cases of unknown age


§Includes 1 case of unknown age

†See note following population pyramid

Costa Rica

CONTRIBUTORS

Guillermo Torres Alvarado
Sandra Delgado Jiménez
Adriana Torres Moreno



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 51.8 | Breast | 46.1 |
| Prostate | 41.1 | Non-melanoma skin cancer | 45.1 |
| Stomach | 16.1 | Thyroid | 22.4 |
| Colon | 9.0 | Cervix uteri | 11.7 |
| Rectum | 6.2 | Colon | 10.4 |
| Trachea, bronchus, and lung | 5.6 | Stomach | 10.1 |
| Bladder | 5.3 | Corpus uteri | 8.2 |
| Other and unspecified | 5.0 | Ovary | 4.9 |
| Non-Hodgkin lymphoma | 4.6 | Other and unspecified | 4.6 |
| Kidney | 4.1 | Rectum | 4.4 |
| Thyroid | 4.0 | Trachea, bronchus, and lung | 3.4 |
| Testis | 3.9 | Non-Hodgkin lymphoma | 3.4 |
| Liver | 3.5 | Pancreas | 2.4 |
| Brain and nervous system | 2.8 | Kidney | 2.3 |
| Lymphoid leukaemia | 2.4 | Liver | 2.3 |
| Leukaemia unspecified | 2.4 | Brain and nervous system | 2.2 |
| Melanoma of skin | 2.2 | Leukaemia unspecified | 2.0 |
| Connective and soft tissue | 2.1 | Connective and soft tissue | 2.0 |
| Larynx | 2.1 | Melanoma of skin | 1.9 |
| Pancreas | 2.0 | Lymphoid leukaemia | 1.5 |
| All sites | 191.7 | All sites | 204.6 |

Costa Rica (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 67 | 0.5 | 0.7 | 0.6 | 0.03 | 0.07 | 60 | 0.4 | 0.6 | 0.6 | 0.04 | 0.06 | C01–02 |
| Mouth | 60 | 0.4 | 0.6 | 0.6 | 0.03 | 0.07 | 45 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 63 | 0.5 | 0.6 | 0.6 | 0.04 | 0.07 | 65 | 0.4 | 0.7 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 70 | 0.5 | 0.7 | 0.7 | 0.05 | 0.08 | 27 | 0.2 | 0.3 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 13 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 58 | 0.4 | 0.6 | 0.6 | 0.04 | 0.05 | 19 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 23 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 118 | 0.9 | 1.2 | 1.2 | 0.04 | 0.14 | 36 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C15 |
| Stomach | 1623 | 11.8 | 16.7 | 16.1 | 0.79 | 1.83 | 1111 | 6.6 | 11.7 | 10.1 | 0.51 | 1.15 | C16 |
| Small intestine | 61 | 0.4 | 0.6 | 0.6 | 0.03 | 0.05 | 38 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C17 |
| Colon | 894 | 6.5 | 9.2 | 9.0 | 0.42 | 1.09 | 1149 | 6.8 | 12.1 | 10.4 | 0.54 | 1.21 | C18 |
| Rectum | 619 | 4.5 | 6.4 | 6.2 | 0.35 | 0.75 | 472 | 2.8 | 5.0 | 4.4 | 0.27 | 0.50 | C19–20 |
| Anus | 50 | 0.4 | 0.5 | 0.5 | 0.03 | 0.06 | 61 | 0.4 | 0.6 | 0.6 | 0.03 | 0.09 | C21 |
| Liver | 343 | 2.5 | 3.5 | 3.5 | 0.16 | 0.40 | 238 | 1.4 | 2.5 | 2.3 | 0.10 | 0.30 | C22 |
| Gallbladder etc. | 99 | 0.7 | 1.0 | 1.0 | 0.05 | 0.11 | 132 | 0.8 | 1.4 | 1.2 | 0.06 | 0.13 | C23–24 |
| Pancreas | 200 | 1.4 | 2.1 | 2.0 | 0.09 | 0.23 | 256 | 1.5 | 2.7 | 2.4 | 0.12 | 0.29 | C25 |
| Nose, sinuses etc. | 52 | 0.4 | 0.5 | 0.5 | 0.03 | 0.06 | 34 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 213 | 1.5 | 2.2 | 2.1 | 0.10 | 0.24 | 26 | 0.2 | 0.3 | 0.2 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 559 | 4.0 | 5.8 | 5.6 | 0.22 | 0.68 | 360 | 2.1 | 3.8 | 3.4 | 0.16 | 0.43 | C33–34 |
| Other thoracic organs | 49 | 0.4 | 0.5 | 0.5 | 0.02 | 0.05 | 30 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 99 | 0.7 | 1.0 | 1.0 | 0.06 | 0.08 | 75 | 0.4 | 0.8 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 229 | 1.7 | 2.4 | 2.2 | 0.11 | 0.23 | 207 | 1.2 | 2.2 | 1.9 | 0.12 | 0.21 | C43 |
| Other skin | 5278 | 38.2 | 54.4 | 51.8 | 2.10 | 5.73 | 5074 | 30.1 | 53.4 | 45.1 | 2.17 | 4.95 | C44 |
| Mesothelioma | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 55 | 0.4 | 0.6 | 0.5 | 0.03 | 0.04 | 10 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 215 | 1.6 | 2.2 | 2.1 | 0.12 | 0.22 | 203 | 1.2 | 2.1 | 2.0 | 0.14 | 0.20 | C47+C49 |
| Breast | 38 | 0.3 | 0.4 | 0.4 | 0.02 | 0.04 | 4824 | 28.6 | 50.7 | 46.1 | 3.27 | 5.41 | C50 |
| Vulva | | | | | | | 86 | 0.5 | 0.9 | 0.7 | 0.03 | 0.07 | C51 |
| Vagina | | | | | | | 58 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1275 | 7.6 | 13.4 | 11.7 | 0.94 | 1.14 | C53 |
| Corpus uteri | | | | | | | 842 | 5.0 | 8.9 | 8.2 | 0.60 | 1.02 | C54 |
| Uterus unspecified | | | | | | | 53 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 508 | 3.0 | 5.3 | 4.9 | 0.32 | 0.54 | C56 |
| Other female genital organs | | | | | | | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 9 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 102 | 0.7 | 1.1 | 1.0 | 0.06 | 0.11 | | | | | | | C60 |
| Prostate | 3897 | 28.2 | 40.2 | 41.1 | 1.70 | 5.62 | | | | | | | C61 |
| Testis | 441 | 3.2 | 4.5 | 3.9 | 0.27 | 0.29 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 395 | 2.9 | 4.1 | 4.1 | 0.25 | 0.48 | 234 | 1.4 | 2.5 | 2.3 | 0.14 | 0.27 | C64 |
| Renal pelvis | 9 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 543 | 3.9 | 5.6 | 5.3 | 0.18 | 0.58 | 153 | 0.9 | 1.6 | 1.4 | 0.06 | 0.17 | C67 |
| Other urinary organs | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 70 | 0.5 | 0.7 | 0.7 | 0.04 | 0.07 | 45 | 0.3 | 0.5 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 264 | 1.9 | 2.7 | 2.8 | 0.18 | 0.29 | 206 | 1.2 | 2.2 | 2.2 | 0.14 | 0.19 | C70–72 |
| Thyroid | 424 | 3.1 | 4.4 | 4.0 | 0.30 | 0.43 | 2393 | 14.2 | 25.2 | 22.4 | 1.85 | 2.22 | C73 |
| Adrenal gland | 18 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 15 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 11 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 15 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 156 | 1.1 | 1.6 | 1.5 | 0.10 | 0.13 | 139 | 0.8 | 1.5 | 1.4 | 0.09 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 454 | 3.3 | 4.7 | 4.6 | 0.26 | 0.49 | 358 | 2.1 | 3.8 | 3.4 | 0.20 | 0.40 | C82–86, C96 |
| Immunoproliferative diseases | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 71 | 0.5 | 0.7 | 0.7 | 0.03 | 0.09 | 60 | 0.4 | 0.6 | 0.6 | 0.03 | 0.06 | C90 |
| Lymphoid leukaemia | 192 | 1.4 | 2.0 | 2.4 | 0.13 | 0.16 | 122 | 0.7 | 1.3 | 1.5 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 100 | 0.7 | 1.0 | 1.0 | 0.06 | 0.08 | 57 | 0.3 | 0.6 | 0.6 | 0.04 | 0.05 | C92–94 |
| Leukaemia unspecified | 236 | 1.7 | 2.4 | 2.4 | 0.12 | 0.26 | 214 | 1.3 | 2.3 | 2.0 | 0.12 | 0.21 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 14 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 13 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 503 | 3.6 | 5.2 | 5.0 | 0.27 | 0.53 | 497 | 2.9 | 5.2 | 4.6 | 0.25 | 0.49 | O&U |
| All sites | 19089 | | 196.8 | 191.7 | 9.02 | 22.12 | 21949 | | 230.8 | 204.6 | 12.80 | 22.63 | C00–96 |
| All sites except C44 | 13811 | 100.0 | 142.4 | 139.9 | 6.92 | 16.39 | 16875 | 100.0 | 177.4 | 159.5 | 10.63 | 17.68 | C00–96 exc. C44 |

†See note following population pyramid

Ecuador, Guayaquil

CONTRIBUTORS

Juan Tanca Camposano
 Leyda Jaramillo Feijoo
 Rina Quinto Briones
 Jhony Real Cotto
 Jackeline Herrera Pacheco
 Ana Roha Ochoa



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 33.6 | Breast | 39.4 |
| Prostate | 28.2 | Non-melanoma skin cancer | 28.0 |
| Stomach | 16.7 | Cervix uteri | 20.0 |
| Colon | 8.4 | Thyroid | 10.5 |
| Non-Hodgkin lymphoma | 8.1 | Stomach | 9.4 |
| Trachea, bronchus, and lung | 7.6 | Colon | 8.6 |
| Other and unspecified | 6.4 | Corpus uteri | 6.4 |
| Kidney | 5.4 | Ovary | 6.3 |
| Liver | 5.0 | Non-Hodgkin lymphoma | 6.3 |
| Brain and nervous system | 4.8 | Other and unspecified | 5.8 |
| Rectum | 4.6 | Trachea, bronchus, and lung | 5.1 |
| Lymphoid leukaemia | 3.8 | Rectum | 4.0 |
| Bladder | 3.4 | Brain and nervous system | 3.6 |
| Thyroid | 2.9 | Kidney | 3.3 |
| Multiple myeloma | 2.9 | Lymphoid leukaemia | 3.3 |
| Pancreas | 2.6 | Liver | 3.3 |
| Connective and soft tissue | 2.5 | Myeloid leukaemia | 2.4 |
| Myeloid leukaemia | 2.4 | Gallbladder etc. | 2.3 |
| Larynx | 2.2 | Pancreas | 2.1 |
| Oesophagus | 2.1 | Multiple myeloma | 1.8 |
| All sites | 175.3 | All sites | 191.1 |

Ecuador, Guayaquil (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 39 | 0.5 | 0.6 | 0.7 | 0.04 | 0.08 | 54 | 0.5 | 0.8 | 0.9 | 0.06 | 0.10 | C01–02 |
| Mouth | 39 | 0.5 | 0.6 | 0.7 | 0.04 | 0.08 | 37 | 0.4 | 0.6 | 0.6 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 30 | 0.4 | 0.5 | 0.6 | 0.02 | 0.07 | 24 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 52 | 0.7 | 0.8 | 0.9 | 0.07 | 0.12 | 12 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 13 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 6 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 111 | 1.5 | 1.7 | 2.1 | 0.09 | 0.24 | 33 | 0.3 | 0.5 | 0.6 | 0.04 | 0.07 | C15 |
| Stomach | 884 | 11.6 | 13.9 | 16.7 | 0.80 | 1.95 | 598 | 5.9 | 9.1 | 9.4 | 0.52 | 1.05 | C16 |
| Small intestine | 44 | 0.6 | 0.7 | 0.8 | 0.05 | 0.10 | 50 | 0.5 | 0.8 | 0.8 | 0.05 | 0.07 | C17 |
| Colon | 453 | 5.9 | 7.1 | 8.4 | 0.43 | 0.92 | 533 | 5.3 | 8.1 | 8.6 | 0.43 | 0.99 | C18 |
| Rectum | 247 | 3.2 | 3.9 | 4.6 | 0.26 | 0.55 | 243 | 2.4 | 3.7 | 4.0 | 0.23 | 0.45 | C19–20 |
| Anus | 34 | 0.4 | 0.5 | 0.6 | 0.04 | 0.08 | 87 | 0.9 | 1.3 | 1.5 | 0.08 | 0.18 | C21 |
| Liver | 255 | 3.3 | 4.0 | 5.0 | 0.19 | 0.63 | 205 | 2.0 | 3.1 | 3.3 | 0.14 | 0.38 | C22 |
| Gallbladder etc. | 93 | 1.2 | 1.5 | 1.8 | 0.10 | 0.21 | 137 | 1.4 | 2.1 | 2.3 | 0.14 | 0.28 | C23–24 |
| Pancreas | 136 | 1.8 | 2.1 | 2.6 | 0.15 | 0.32 | 130 | 1.3 | 2.0 | 2.1 | 0.09 | 0.26 | C25 |
| Nose, sinuses etc. | 23 | 0.3 | 0.4 | 0.4 | 0.02 | 0.05 | 19 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 113 | 1.5 | 1.8 | 2.2 | 0.13 | 0.29 | 16 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 391 | 5.1 | 6.1 | 7.6 | 0.30 | 0.92 | 308 | 3.0 | 4.7 | 5.1 | 0.25 | 0.62 | C33–34 |
| Other thoracic organs | 49 | 0.6 | 0.8 | 0.9 | 0.05 | 0.10 | 35 | 0.3 | 0.5 | 0.6 | 0.03 | 0.07 | C37–38 |
| Bone | 67 | 0.9 | 1.1 | 1.1 | 0.07 | 0.10 | 80 | 0.8 | 1.2 | 1.2 | 0.08 | 0.12 | C40–41 |
| Melanoma of skin | 90 | 1.2 | 1.4 | 1.7 | 0.09 | 0.20 | 76 | 0.7 | 1.2 | 1.2 | 0.08 | 0.13 | C43 |
| Other skin | 1780 | 23.4 | 27.9 | 33.6 | 1.48 | 3.74 | 1783 | 17.6 | 27.2 | 28.0 | 1.30 | 3.07 | C44 |
| Mesothelioma | 8 | 0.1 | 0.1 | 0.2 | 0.01 | 0.03 | 9 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 86 | 1.1 | 1.3 | 1.3 | 0.09 | 0.11 | 8 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C46 |
| Connective and soft tissue | 149 | 2.0 | 2.3 | 2.5 | 0.16 | 0.26 | 106 | 1.0 | 1.6 | 1.7 | 0.10 | 0.17 | C47+C49 |
| Breast | 29 | 0.4 | 0.5 | 0.5 | 0.03 | 0.05 | 2404 | 23.7 | 36.6 | 39.4 | 2.85 | 4.54 | C50 |
| Vulva | | | | | | | 49 | 0.5 | 0.7 | 0.8 | 0.04 | 0.09 | C51 |
| Vagina | | | | | | | 47 | 0.5 | 0.7 | 0.8 | 0.03 | 0.09 | C52 |
| Cervix uteri | | | | | | | 1289 | 12.7 | 19.6 | 20.0 | 1.46 | 2.15 | C53 |
| Corpus uteri | | | | | | | 381 | 3.8 | 5.8 | 6.4 | 0.47 | 0.81 | C54 |
| Uterus unspecified | | | | | | | 53 | 0.5 | 0.8 | 0.8 | 0.06 | 0.09 | C55 |
| Ovary | | | | | | | 396 | 3.9 | 6.0 | 6.3 | 0.46 | 0.67 | C56 |
| Other female genital organs | | | | | | | 8 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 86 | 1.1 | 1.3 | 1.6 | 0.10 | 0.17 | | | | | | | C60 |
| Prostate | 1428 | 18.7 | 22.4 | 28.2 | 0.80 | 3.33 | | | | | | | C61 |
| Testis | 143 | 1.9 | 2.2 | 2.1 | 0.14 | 0.15 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 282 | 3.7 | 4.4 | 5.4 | 0.35 | 0.67 | 192 | 1.9 | 2.9 | 3.3 | 0.20 | 0.38 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 180 | 2.4 | 2.8 | 3.4 | 0.14 | 0.38 | 70 | 0.7 | 1.1 | 1.1 | 0.05 | 0.12 | C67 |
| Other urinary organs | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 36 | 0.5 | 0.6 | 0.6 | 0.03 | 0.04 | 27 | 0.3 | 0.4 | 0.5 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 284 | 3.7 | 4.5 | 4.8 | 0.30 | 0.46 | 228 | 2.2 | 3.5 | 3.6 | 0.23 | 0.33 | C70–72 |
| Thyroid | 163 | 2.1 | 2.6 | 2.9 | 0.21 | 0.33 | 692 | 6.8 | 10.5 | 10.5 | 0.84 | 1.07 | C73 |
| Adrenal gland | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 81 | 1.1 | 1.3 | 1.4 | 0.07 | 0.12 | 82 | 0.8 | 1.2 | 1.2 | 0.07 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 445 | 5.8 | 7.0 | 8.1 | 0.45 | 0.92 | 380 | 3.7 | 5.8 | 6.3 | 0.34 | 0.71 | C82–86,C96 |
| Immunoproliferative diseases | 15 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | 22 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 155 | 2.0 | 2.4 | 2.9 | 0.19 | 0.34 | 110 | 1.1 | 1.7 | 1.8 | 0.12 | 0.21 | C90 |
| Lymphoid leukaemia | 227 | 3.0 | 3.6 | 3.8 | 0.20 | 0.25 | 204 | 2.0 | 3.1 | 3.3 | 0.19 | 0.24 | C91 |
| Myeloid leukaemia | 137 | 1.8 | 2.1 | 2.4 | 0.11 | 0.24 | 153 | 1.5 | 2.3 | 2.4 | 0.15 | 0.24 | C92–94 |
| Leukaemia unspecified | 61 | 0.8 | 1.0 | 1.0 | 0.05 | 0.09 | 50 | 0.5 | 0.8 | 0.8 | 0.04 | 0.09 | C95 |
| Myeloproliferative disorders | 26 | 0.3 | 0.4 | 0.5 | 0.02 | 0.07 | 37 | 0.4 | 0.6 | 0.6 | 0.03 | 0.07 | MPD |
| Myelodysplastic syndromes | 76 | 1.0 | 1.2 | 1.4 | 0.05 | 0.16 | 90 | 0.9 | 1.4 | 1.5 | 0.07 | 0.17 | MPS |
| Other and unspecified | 336 | 4.4 | 5.3 | 6.4 | 0.35 | 0.76 | 348 | 3.4 | 5.3 | 5.8 | 0.33 | 0.66 | O&U |
| All sites | 9400 | | 147.4 | 175.3 | 8.34 | 19.76 | 11925 | | 181.6 | 191.1 | 11.80 | 21.15 | C00–96 |
| All sites except C44 | 7620 | 100.0 | 119.5 | 141.7 | 6.87 | 16.02 | 10142 | 100.0 | 154.5 | 163.1 | 10.50 | 18.08 | C00–96 exc. C44 |

†See note following population pyramid

Ecuador, Manabí

CONTRIBUTORS

Mariela Mendoza Alava
 Juan Carlos González Macías
 Vanessa Zambrano Azúa
 Margarita Basurto Rezabala



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 23.6 | Breast | 23.1 |
| Prostate | 20.6 | Non-melanoma skin cancer | 21.3 |
| Stomach | 18.5 | Thyroid | 14.6 |
| Non-Hodgkin lymphoma | 6.5 | Cervix uteri | 13.0 |
| Colon | 5.5 | Stomach | 9.5 |
| Trachea, bronchus, and lung | 5.3 | Non-Hodgkin lymphoma | 5.1 |
| Liver | 4.7 | Colon | 5.1 |
| Brain and nervous system | 3.3 | Corpus uteri | 4.5 |
| Rectum | 3.1 | Ovary | 4.3 |
| Other and unspecified | 3.0 | Liver | 4.0 |
| Lymphoid leukaemia | 2.7 | Trachea, bronchus, and lung | 3.8 |
| Kidney | 2.2 | Other and unspecified | 3.2 |
| Bladder | 2.2 | Rectum | 2.6 |
| Thyroid | 2.1 | Brain and nervous system | 2.5 |
| Connective and soft tissue | 2.0 | Lymphoid leukaemia | 2.4 |
| Pancreas | 2.0 | Pancreas | 2.0 |
| Myeloid leukaemia | 2.0 | Connective and soft tissue | 1.9 |
| Testis | 1.7 | Kidney | 1.8 |
| Multiple myeloma | 1.4 | Gallbladder etc. | 1.7 |
| Oesophagus | 1.4 | Myeloid leukaemia | 1.6 |
| All sites | 126.8 | All sites | 139.2 |

Ecuador, Manabí (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 2 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 18 | 0.5 | 0.5 | 0.5 | 0.03 | 0.07 | 22 | 0.5 | 0.6 | 0.6 | 0.04 | 0.06 | C01–02 |
| Mouth | 19 | 0.5 | 0.5 | 0.6 | 0.02 | 0.06 | 18 | 0.4 | 0.5 | 0.5 | 0.02 | 0.07 | C03–06 |
| Salivary glands | 22 | 0.6 | 0.6 | 0.6 | 0.04 | 0.07 | 9 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 9 | 0.2 | 0.2 | 0.3 | 0.02 | 0.03 | 8 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 47 | 1.3 | 1.3 | 1.4 | 0.09 | 0.18 | 9 | 0.2 | 0.2 | 0.3 | 0.02 | 0.03 | C15 |
| Stomach | 660 | 17.6 | 17.6 | 18.5 | 0.98 | 2.14 | 349 | 8.3 | 9.4 | 9.5 | 0.46 | 1.01 | C16 |
| Small intestine | 14 | 0.4 | 0.4 | 0.4 | 0.03 | 0.04 | 18 | 0.4 | 0.5 | 0.5 | 0.03 | 0.06 | C17 |
| Colon | 195 | 5.2 | 5.2 | 5.5 | 0.32 | 0.65 | 193 | 4.6 | 5.2 | 5.1 | 0.27 | 0.52 | C18 |
| Rectum | 110 | 2.9 | 2.9 | 3.1 | 0.16 | 0.34 | 93 | 2.2 | 2.5 | 2.6 | 0.17 | 0.28 | C19–20 |
| Anus | 9 | 0.2 | 0.2 | 0.3 | 0.02 | 0.02 | 38 | 0.9 | 1.0 | 1.1 | 0.08 | 0.13 | C21 |
| Liver | 168 | 4.5 | 4.5 | 4.7 | 0.24 | 0.54 | 146 | 3.5 | 3.9 | 4.0 | 0.17 | 0.48 | C22 |
| Gallbladder etc. | 37 | 1.0 | 1.0 | 1.1 | 0.07 | 0.14 | 62 | 1.5 | 1.7 | 1.7 | 0.09 | 0.19 | C23–24 |
| Pancreas | 71 | 1.9 | 1.9 | 2.0 | 0.09 | 0.24 | 78 | 1.9 | 2.1 | 2.0 | 0.08 | 0.18 | C25 |
| Nose, sinuses etc. | 11 | 0.3 | 0.3 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 44 | 1.2 | 1.2 | 1.3 | 0.06 | 0.16 | 5 | 0.1 | 0.1 | 0.2 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 200 | 5.3 | 5.3 | 5.3 | 0.15 | 0.57 | 143 | 3.4 | 3.8 | 3.8 | 0.16 | 0.40 | C33–34 |
| Other thoracic organs | 18 | 0.5 | 0.5 | 0.5 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C37–38 |
| Bone | 32 | 0.9 | 0.9 | 0.8 | 0.04 | 0.05 | 22 | 0.5 | 0.6 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 32 | 0.9 | 0.9 | 0.9 | 0.06 | 0.07 | 19 | 0.5 | 0.5 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 856 | 22.8 | 22.8 | 23.6 | 1.15 | 2.61 | 788 | 18.8 | 21.1 | 21.3 | 1.04 | 2.27 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 10 | 0.3 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 74 | 2.0 | 2.0 | 2.0 | 0.13 | 0.18 | 70 | 1.7 | 1.9 | 1.9 | 0.10 | 0.20 | C47+C49 |
| Breast | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 785 | 18.7 | 21.1 | 23.1 | 1.72 | 2.55 | C50 |
| Vulva | | | | | | | 18 | 0.4 | 0.5 | 0.4 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 10 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 455 | 10.9 | 12.2 | 13.0 | 0.97 | 1.39 | C53 |
| Corpus uteri | | | | | | | 145 | 3.5 | 3.9 | 4.5 | 0.36 | 0.56 | C54 |
| Uterus unspecified | | | | | | | 33 | 0.8 | 0.9 | 0.9 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 151 | 3.6 | 4.1 | 4.3 | 0.32 | 0.44 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 48 | 1.3 | 1.3 | 1.4 | 0.09 | 0.15 | | | | | | | C60 |
| Prostate | 782 | 20.9 | 20.8 | 20.6 | 0.56 | 2.33 | | | | | | | C61 |
| Testis | 64 | 1.7 | 1.7 | 1.7 | 0.12 | 0.12 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 76 | 2.0 | 2.0 | 2.2 | 0.16 | 0.24 | 62 | 1.5 | 1.7 | 1.8 | 0.11 | 0.21 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 80 | 2.1 | 2.1 | 2.2 | 0.08 | 0.25 | 24 | 0.6 | 0.6 | 0.7 | 0.04 | 0.06 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 16 | 0.4 | 0.4 | 0.4 | 0.02 | 0.05 | 18 | 0.4 | 0.5 | 0.5 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 119 | 3.2 | 3.2 | 3.3 | 0.22 | 0.32 | 91 | 2.2 | 2.4 | 2.5 | 0.16 | 0.25 | C70–72 |
| Thyroid | 77 | 2.1 | 2.1 | 2.1 | 0.15 | 0.21 | 514 | 12.3 | 13.8 | 14.6 | 1.18 | 1.40 | C73 |
| Adrenal gland | 5 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 39 | 1.0 | 1.0 | 1.0 | 0.07 | 0.09 | 25 | 0.6 | 0.7 | 0.7 | 0.04 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 236 | 6.3 | 6.3 | 6.5 | 0.37 | 0.67 | 185 | 4.4 | 5.0 | 5.1 | 0.29 | 0.50 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 48 | 1.3 | 1.3 | 1.4 | 0.10 | 0.17 | 31 | 0.7 | 0.8 | 0.9 | 0.06 | 0.09 | C90 |
| Lymphoid leukaemia | 103 | 2.7 | 2.7 | 2.7 | 0.14 | 0.16 | 90 | 2.1 | 2.4 | 2.4 | 0.13 | 0.18 | C91 |
| Myeloid leukaemia | 73 | 1.9 | 1.9 | 2.0 | 0.13 | 0.17 | 61 | 1.5 | 1.6 | 1.6 | 0.11 | 0.13 | C92–94 |
| Leukaemia unspecified | 21 | 0.6 | 0.6 | 0.5 | 0.03 | 0.04 | 26 | 0.6 | 0.7 | 0.6 | 0.04 | 0.04 | C95 |
| Myeloproliferative disorders | 10 | 0.3 | 0.3 | 0.3 | 0.01 | 0.03 | 7 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 20 | 0.5 | 0.5 | 0.5 | 0.01 | 0.07 | 22 | 0.5 | 0.6 | 0.6 | 0.02 | 0.08 | MPS |
| Other and unspecified | 106 | 2.8 | 2.8 | 3.0 | 0.16 | 0.34 | 114 | 2.7 | 3.1 | 3.2 | 0.17 | 0.36 | O&U |
| All sites | 4606 | | 122.8 | 126.8 | 6.27 | 13.82 | 4980 | | 133.6 | 139.2 | 8.66 | 14.60 | C00–96 exc.C44 |
| All sites except C44 | 3750 | 100.0 | 100.0 | 103.3 | 5.13 | 11.21 | 4192 | 100.0 | 112.4 | 117.9 | 7.61 | 12.33 | C00–96 exc.C44 |

§Includes 15 cases of unknown age


§Includes 23 cases of unknown age

†See note following population pyramid

Ecuador, Quito

CONTRIBUTORS

Patricia Cueva Ayala
 Wilmer Tarupi
 María Belén Morejón
 Doris Chauca
 Paulina Bedón
 Silvia Jacho



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 63.3 | Thyroid | 47.0 |
| Non-melanoma skin cancer | 44.0 | Breast | 41.8 |
| Stomach | 19.5 | Non-melanoma skin cancer | 38.4 |
| Non-Hodgkin lymphoma | 15.0 | Cervix uteri | 17.5 |
| Thyroid | 10.2 | Stomach | 13.6 |
| Colon | 9.8 | Non-Hodgkin lymphoma | 11.7 |
| Trachea, bronchus, and lung | 8.2 | Ovary | 9.0 |
| Bladder | 6.7 | Colon | 8.5 |
| Kidney | 6.6 | Trachea, bronchus, and lung | 6.8 |
| Brain and nervous system | 5.9 | Corpus uteri | 6.3 |
| Liver | 5.9 | Gallbladder etc. | 5.5 |
| Testis | 5.6 | Brain and nervous system | 5.2 |
| Lymphoid leukaemia | 5.2 | Liver | 4.9 |
| Melanoma of skin | 4.7 | Other and unspecified | 4.5 |
| Rectum | 4.5 | Pancreas | 4.3 |
| Myeloid leukaemia | 4.2 | Melanoma of skin | 4.1 |
| Gallbladder etc. | 4.1 | Rectum | 4.0 |
| Multiple myeloma | 3.6 | Kidney | 3.8 |
| Pancreas | 3.6 | Lymphoid leukaemia | 3.7 |
| Connective and soft tissue | 3.6 | Myeloid leukaemia | 3.6 |
| All sites | 256.6 | All sites | 266.1 |

Ecuador, Quito (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 17 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | 41 | 0.4 | 0.9 | 0.8 | 0.04 | 0.08 | C01–02 |
| Mouth | 24 | 0.3 | 0.5 | 0.6 | 0.03 | 0.05 | 25 | 0.2 | 0.5 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 26 | 0.3 | 0.6 | 0.6 | 0.03 | 0.06 | 34 | 0.3 | 0.7 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 10 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C11 |
| Hypopharynx | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 72 | 0.8 | 1.6 | 1.7 | 0.06 | 0.16 | 31 | 0.3 | 0.7 | 0.6 | 0.01 | 0.05 | C15 |
| Stomach | 804 | 9.2 | 18.0 | 19.5 | 0.74 | 2.15 | 707 | 6.2 | 14.9 | 13.6 | 0.67 | 1.43 | C16 |
| Small intestine | 68 | 0.8 | 1.5 | 1.7 | 0.07 | 0.22 | 68 | 0.6 | 1.4 | 1.4 | 0.08 | 0.17 | C17 |
| Colon | 411 | 4.7 | 9.2 | 9.8 | 0.49 | 0.99 | 440 | 3.8 | 9.3 | 8.5 | 0.40 | 0.94 | C18 |
| Rectum | 182 | 2.1 | 4.1 | 4.5 | 0.21 | 0.53 | 201 | 1.8 | 4.2 | 4.0 | 0.20 | 0.48 | C19–20 |
| Anus | 22 | 0.3 | 0.5 | 0.5 | 0.02 | 0.07 | 50 | 0.4 | 1.1 | 0.9 | 0.04 | 0.10 | C21 |
| Liver | 234 | 2.7 | 5.2 | 5.9 | 0.21 | 0.68 | 253 | 2.2 | 5.3 | 4.9 | 0.17 | 0.49 | C22 |
| Gallbladder etc. | 167 | 1.9 | 3.7 | 4.1 | 0.17 | 0.47 | 286 | 2.5 | 6.0 | 5.5 | 0.22 | 0.59 | C23–24 |
| Pancreas | 146 | 1.7 | 3.3 | 3.6 | 0.17 | 0.42 | 227 | 2.0 | 4.8 | 4.3 | 0.18 | 0.42 | C25 |
| Nose, sinuses etc. | 27 | 0.3 | 0.6 | 0.6 | 0.03 | 0.06 | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 58 | 0.7 | 1.3 | 1.5 | 0.07 | 0.18 | 17 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 333 | 3.8 | 7.4 | 8.2 | 0.28 | 0.96 | 342 | 3.0 | 7.2 | 6.8 | 0.33 | 0.79 | C33–34 |
| Other thoracic organs | 12 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 14 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C37–38 |
| Bone | 80 | 0.9 | 1.8 | 1.8 | 0.09 | 0.15 | 61 | 0.5 | 1.3 | 1.3 | 0.08 | 0.11 | C40–41 |
| Melanoma of skin | 196 | 2.2 | 4.4 | 4.7 | 0.20 | 0.52 | 212 | 1.8 | 4.5 | 4.1 | 0.22 | 0.43 | C43 |
| Other skin | 1813 | 20.8 | 40.5 | 44.0 | 1.73 | 4.75 | 2019 | 17.6 | 42.5 | 38.4 | 1.74 | 3.89 | C44 |
| Mesothelioma | 14 | 0.2 | 0.3 | 0.4 | 0.02 | 0.03 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 67 | 0.8 | 1.5 | 1.4 | 0.10 | 0.12 | 13 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C46 |
| Connective and soft tissue | 149 | 1.7 | 3.3 | 3.6 | 0.22 | 0.38 | 156 | 1.4 | 3.3 | 3.1 | 0.21 | 0.30 | C47+C49 |
| Breast | 23 | 0.3 | 0.5 | 0.6 | 0.03 | 0.06 | 2055 | 17.9 | 43.2 | 41.8 | 2.91 | 4.82 | C50 |
| Vulva | | | | | | | 31 | 0.3 | 0.7 | 0.6 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 24 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 900 | 7.8 | 18.9 | 17.5 | 1.26 | 1.80 | C53 |
| Corpus uteri | | | | | | | 307 | 2.7 | 6.5 | 6.3 | 0.45 | 0.75 | C54 |
| Uterus unspecified | | | | | | | 47 | 0.4 | 1.0 | 0.9 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 450 | 3.9 | 9.5 | 9.0 | 0.64 | 0.95 | C56 |
| Other female genital organs | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 11 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 47 | 0.5 | 1.1 | 1.1 | 0.05 | 0.10 | | | | | | | C60 |
| Prostate | 2475 | 28.3 | 55.3 | 63.3 | 2.14 | 8.05 | | | | | | | C61 |
| Testis | 280 | 3.2 | 6.3 | 5.6 | 0.39 | 0.43 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 260 | 3.0 | 5.8 | 6.6 | 0.37 | 0.80 | 182 | 1.6 | 3.8 | 3.8 | 0.24 | 0.42 | C64 |
| Renal pelvis | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 273 | 3.1 | 6.1 | 6.7 | 0.19 | 0.73 | 98 | 0.9 | 2.1 | 1.8 | 0.08 | 0.19 | C67 |
| Other urinary organs | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 32 | 0.4 | 0.7 | 0.8 | 0.04 | 0.07 | 29 | 0.3 | 0.6 | 0.6 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 259 | 3.0 | 5.8 | 5.9 | 0.35 | 0.56 | 251 | 2.2 | 5.3 | 5.2 | 0.30 | 0.50 | C70–72 |
| Thyroid | 445 | 5.1 | 10.0 | 10.2 | 0.77 | 1.11 | 2400 | 20.9 | 50.5 | 47.0 | 3.92 | 4.76 | C73 |
| Adrenal gland | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 11 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 7 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 65 | 0.7 | 1.5 | 1.5 | 0.08 | 0.15 | 50 | 0.4 | 1.1 | 1.0 | 0.06 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 631 | 7.2 | 14.1 | 15.0 | 0.75 | 1.59 | 587 | 5.1 | 12.4 | 11.7 | 0.64 | 1.31 | C82–86,C96 |
| Immunoproliferative diseases | 12 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C88 |
| Multiple myeloma | 147 | 1.7 | 3.3 | 3.6 | 0.19 | 0.43 | 105 | 0.9 | 2.2 | 2.1 | 0.14 | 0.26 | C90 |
| Lymphoid leukaemia | 216 | 2.5 | 4.8 | 5.2 | 0.27 | 0.34 | 161 | 1.4 | 3.4 | 3.7 | 0.19 | 0.26 | C91 |
| Myeloid leukaemia | 179 | 2.0 | 4.0 | 4.2 | 0.21 | 0.43 | 175 | 1.5 | 3.7 | 3.6 | 0.22 | 0.35 | C92–94 |
| Leukaemia unspecified | 29 | 0.3 | 0.6 | 0.7 | 0.03 | 0.04 | 58 | 0.5 | 1.2 | 1.1 | 0.04 | 0.10 | C95 |
| Myeloproliferative disorders | 22 | 0.3 | 0.5 | 0.6 | 0.03 | 0.04 | 35 | 0.3 | 0.7 | 1.0 | 0.04 | 0.05 | MPD |
| Myelodysplastic syndromes | 34 | 0.4 | 0.8 | 0.8 | 0.04 | 0.08 | 45 | 0.4 | 0.9 | 0.8 | 0.04 | 0.07 | MPS |
| Other and unspecified | 144 | 1.6 | 3.2 | 3.5 | 0.17 | 0.36 | 227 | 2.0 | 4.8 | 4.5 | 0.21 | 0.53 | O&U |
| All sites | 10550 | | 235.9 | 256.6 | 11.17 | 28.51 | 13486 | | 283.7 | 266.1 | 16.27 | 28.02 | C00–96 |
| All sites except C44 | 8737 | 100.0 | 195.4 | 212.7 | 9.44 | 23.77 | 11467 | 100.0 | 241.3 | 227.7 | 14.54 | 24.13 | C00–96 exc. C44 |

§Includes 23 cases of unknown age


§Includes 26 cases of unknown age

†See note following population pyramid

France, Guadeloupe

CONTRIBUTORS

Jacqueline Deloumeaux
Bernard Bhakkan
Jessica Peruvien



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 149.0 | Breast | 67.2 |
| Colon | 17.1 | Colon | 15.0 |
| Trachea, bronchus, and lung | 13.3 | Corpus uteri | 9.7 |
| Stomach | 12.9 | Cervix uteri | 7.4 |
| Rectum | 9.0 | Stomach | 6.2 |
| Oesophagus | 6.8 | Trachea, bronchus, and lung | 6.0 |
| Kidney | 6.1 | Thyroid | 5.5 |
| Multiple myeloma | 5.8 | Ovary | 5.2 |
| Pancreas | 5.8 | Rectum | 4.7 |
| Non-Hodgkin lymphoma | 5.5 | Multiple myeloma | 4.5 |
| Liver | 5.1 | Pancreas | 3.7 |
| Myeloid leukaemia | 4.3 | Myeloid leukaemia | 2.7 |
| Larynx | 4.1 | Brain and nervous system | 2.6 |
| Bladder | 3.5 | Kidney | 2.6 |
| Lymphoid leukaemia | 3.5 | Lymphoid leukaemia | 2.6 |
| Melanoma of skin | 3.3 | Non-Hodgkin lymphoma | 2.5 |
| Mouth | 3.1 | Gallbladder etc. | 2.2 |
| Brain and nervous system | 2.7 | Myeloproliferative disorders | 2.2 |
| Other oropharynx | 2.3 | Other and unspecified | 2.1 |
| Other and unspecified | 2.3 | Melanoma of skin | 1.7 |
| All sites | 292.6 | All sites | 172.5 |

***France, Guadeloupe (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 30 | 0.6 | 3.3 | 1.7 | 0.11 | 0.20 | 8 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | C01–02 |
| Mouth | 48 | 1.0 | 5.3 | 3.1 | 0.25 | 0.33 | 13 | 0.4 | 1.2 | 0.7 | 0.05 | 0.06 | C03–06 |
| Salivary glands | 12 | 0.2 | 1.3 | 0.8 | 0.06 | 0.07 | 6 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | C07–08 |
| Tonsil | 34 | 0.7 | 3.7 | 2.2 | 0.17 | 0.30 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 36 | 0.7 | 4.0 | 2.3 | 0.19 | 0.28 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 9 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 21 | 0.4 | 2.3 | 1.2 | 0.05 | 0.16 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 10 | 0.2 | 1.1 | 0.7 | 0.06 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 114 | 2.3 | 12.5 | 6.8 | 0.45 | 0.84 | 19 | 0.6 | 1.8 | 1.0 | 0.07 | 0.10 | C15 |
| Stomach | 242 | 4.9 | 26.6 | 12.9 | 0.52 | 1.44 | 162 | 4.9 | 15.2 | 6.2 | 0.30 | 0.66 | C16 |
| Small intestine | 22 | 0.4 | 2.4 | 1.3 | 0.06 | 0.19 | 26 | 0.8 | 2.4 | 1.2 | 0.07 | 0.13 | C17 |
| Colon | 296 | 5.9 | 32.5 | 17.1 | 0.90 | 2.17 | 349 | 10.6 | 32.7 | 15.0 | 0.90 | 1.70 | C18 |
| Rectum | 142 | 2.8 | 15.6 | 9.0 | 0.57 | 1.08 | 100 | 3.0 | 9.4 | 4.7 | 0.31 | 0.56 | C19–20 |
| Anus | 6 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 17 | 0.5 | 1.6 | 0.7 | 0.03 | 0.08 | C21 |
| Liver | 86 | 1.7 | 9.5 | 5.1 | 0.31 | 0.60 | 25 | 0.8 | 2.3 | 0.9 | 0.05 | 0.09 | C22 |
| Gallbladder etc. | 42 | 0.8 | 4.6 | 2.2 | 0.12 | 0.22 | 53 | 1.6 | 5.0 | 2.2 | 0.12 | 0.27 | C23–24 |
| Pancreas | 108 | 2.2 | 11.9 | 5.8 | 0.28 | 0.66 | 95 | 2.9 | 8.9 | 3.7 | 0.17 | 0.47 | C25 |
| Nose, sinuses etc. | 7 | 0.1 | 0.8 | 0.6 | 0.04 | 0.06 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 67 | 1.3 | 7.4 | 4.1 | 0.26 | 0.55 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 229 | 4.6 | 25.2 | 13.3 | 0.79 | 1.64 | 126 | 3.8 | 11.8 | 6.0 | 0.37 | 0.68 | C33–34 |
| Other thoracic organs | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C40–41 |
| Melanoma of skin | 53 | 1.1 | 5.8 | 3.3 | 0.19 | 0.38 | 34 | 1.0 | 3.2 | 1.7 | 0.13 | 0.18 | C43 |
| Other skin | 12 | 0.2 | 1.3 | 0.8 | 0.04 | 0.11 | 14 | 0.4 | 1.3 | 0.8 | 0.04 | 0.09 | C44 |
| Mesothelioma | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 15 | 0.3 | 1.6 | 0.9 | 0.03 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 12 | 0.2 | 1.3 | 0.7 | 0.04 | 0.06 | 12 | 0.4 | 1.1 | 0.8 | 0.04 | 0.08 | C47+C49 |
| Breast | 9 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 1163 | 35.4 | 109.0 | 67.2 | 5.14 | 7.48 | C50 |
| Vulva | | | | | | | 16 | 0.5 | 1.5 | 0.6 | 0.03 | 0.07 | C51 |
| Vagina | | | | | | | 9 | 0.3 | 0.8 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 125 | 3.8 | 11.7 | 7.4 | 0.58 | 0.78 | C53 |
| Corpus uteri | | | | | | | 203 | 6.2 | 19.0 | 9.7 | 0.55 | 1.30 | C54 |
| Uterus unspecified | | | | | | | 17 | 0.5 | 1.6 | 0.9 | 0.07 | 0.09 | C55 |
| Ovary | | | | | | | 76 | 2.3 | 7.1 | 5.2 | 0.39 | 0.50 | C56 |
| Other female genital organs | | | | | | | 13 | 0.4 | 1.2 | 0.6 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 26 | 0.5 | 2.9 | 1.4 | 0.06 | 0.15 | | | | | | | C60 |
| Prostate | 2629 | 52.7 | 288.9 | 149.0 | 7.65 | 20.54 | | | | | | | C61 |
| Testis | 17 | 0.3 | 1.9 | 2.0 | 0.16 | 0.16 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 89 | 1.8 | 9.8 | 6.1 | 0.43 | 0.71 | 46 | 1.4 | 4.3 | 2.6 | 0.19 | 0.28 | C64 |
| Renal pelvis | 6 | 0.1 | 0.7 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 72 | 1.4 | 7.9 | 3.5 | 0.13 | 0.38 | 33 | 1.0 | 3.1 | 1.2 | 0.05 | 0.11 | C67 |
| Other urinary organs | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 32 | 0.6 | 3.5 | 2.7 | 0.15 | 0.27 | 35 | 1.1 | 3.3 | 2.6 | 0.14 | 0.24 | C70–72 |
| Thyroid | 23 | 0.5 | 2.5 | 1.6 | 0.12 | 0.18 | 81 | 2.5 | 7.6 | 5.5 | 0.45 | 0.56 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 16 | 0.3 | 1.8 | 1.5 | 0.10 | 0.12 | 15 | 0.5 | 1.4 | 1.4 | 0.10 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 79 | 1.6 | 8.7 | 5.5 | 0.36 | 0.59 | 56 | 1.7 | 5.2 | 2.5 | 0.14 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.2 | 0.9 | 0.4 | 0.03 | 0.04 | 9 | 0.3 | 0.8 | 0.6 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 109 | 2.2 | 12.0 | 5.8 | 0.28 | 0.63 | 111 | 3.4 | 10.4 | 4.5 | 0.22 | 0.52 | C90 |
| Lymphoid leukaemia | 50 | 1.0 | 5.5 | 3.5 | 0.16 | 0.35 | 40 | 1.2 | 3.7 | 2.6 | 0.16 | 0.28 | C91 |
| Myeloid leukaemia | 56 | 1.1 | 6.2 | 4.3 | 0.28 | 0.42 | 40 | 1.2 | 3.7 | 2.7 | 0.16 | 0.29 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 28 | 0.6 | 3.1 | 1.9 | 0.13 | 0.18 | 39 | 1.2 | 3.7 | 2.2 | 0.13 | 0.23 | MPD |
| Myelodysplastic syndromes | 27 | 0.5 | 3.0 | 1.3 | 0.06 | 0.13 | 34 | 1.0 | 3.2 | 1.4 | 0.08 | 0.14 | MPS |
| Other and unspecified | 40 | 0.8 | 4.4 | 2.3 | 0.14 | 0.26 | 46 | 1.4 | 4.3 | 2.1 | 0.11 | 0.23 | O&U |
| All sites | 4998 | | 549.2 | 292.6 | 15.98 | 37.04 | 3299 | | 309.1 | 172.5 | 11.61 | 19.12 | C00–96 |
| All sites except C44 | 4986 | 100.0 | 547.9 | 291.8 | 15.95 | 36.93 | 3285 | 100.0 | 307.8 | 171.7 | 11.58 | 19.03 | C00–96 exc. C44 |

*See note following population pyramid

France, Martinique

CONTRIBUTORS

Clarisse Joachim
Jonathan Macni
Jacqueline Véronique-Baudin
Manon Boullard
Stephen Ulric-Gervaise
Aimée Pierre-Louis
Mylène Vestris
Murielle Beaubrun-Renard



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 168.0 | Breast | 66.6 |
| Colon | 19.4 | Colon | 15.6 |
| Stomach | 13.1 | Corpus uteri | 9.2 |
| Trachea, bronchus, and lung | 10.9 | Thyroid | 8.0 |
| Non-melanoma skin cancer | 9.3 | Trachea, bronchus, and lung | 6.9 |
| Rectum | 8.7 | Non-melanoma skin cancer | 6.4 |
| Pancreas | 7.3 | Cervix uteri | 6.3 |
| Multiple myeloma | 6.6 | Stomach | 6.2 |
| Lymphoid leukaemia | 4.9 | Rectum | 5.3 |
| Bladder | 4.7 | Multiple myeloma | 4.7 |
| Non-Hodgkin lymphoma | 4.0 | Pancreas | 4.6 |
| Kidney | 3.9 | Ovary | 3.5 |
| Myeloid leukaemia | 3.3 | Lymphoid leukaemia | 3.5 |
| Liver | 2.9 | Non-Hodgkin lymphoma | 3.2 |
| Oesophagus | 2.9 | Other and unspecified | 2.7 |
| Brain and nervous system | 2.7 | Kidney | 2.3 |
| Testis | 2.6 | Brain and nervous system | 2.2 |
| Melanoma of skin | 2.5 | Gallbladder etc. | 1.8 |
| Other and unspecified | 2.4 | Melanoma of skin | 1.8 |
| Tonsil | 2.3 | Myeloid leukaemia | 1.5 |
| All sites | 307.2 | All sites | 176.8 |

***France, Martinique (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 33 | 0.6 | 3.8 | 2.1 | 0.19 | 0.25 | 9 | 0.3 | 0.9 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 29 | 0.5 | 3.3 | 1.7 | 0.13 | 0.21 | 11 | 0.3 | 1.1 | 0.5 | 0.04 | 0.05 | C03–06 |
| Salivary glands | 8 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | 15 | 0.4 | 1.5 | 0.8 | 0.07 | 0.11 | C07–08 |
| Tonsil | 33 | 0.6 | 3.8 | 2.3 | 0.17 | 0.27 | 11 | 0.3 | 1.1 | 0.6 | 0.06 | 0.07 | C09 |
| Other oropharynx | 23 | 0.4 | 2.6 | 1.3 | 0.10 | 0.13 | 6 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | C10 |
| Nasopharynx | 11 | 0.2 | 1.3 | 1.0 | 0.07 | 0.09 | 4 | 0.1 | 0.4 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 15 | 0.3 | 1.7 | 0.9 | 0.05 | 0.14 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.6 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 50 | 0.9 | 5.7 | 2.9 | 0.18 | 0.37 | 9 | 0.3 | 0.9 | 0.4 | 0.02 | 0.07 | C15 |
| Stomach | 265 | 5.0 | 30.4 | 13.1 | 0.57 | 1.58 | 176 | 5.2 | 17.3 | 6.2 | 0.29 | 0.62 | C16 |
| Small intestine | 16 | 0.3 | 1.8 | 0.9 | 0.09 | 0.09 | 17 | 0.5 | 1.7 | 0.8 | 0.06 | 0.10 | C17 |
| Colon | 376 | 7.1 | 43.1 | 19.4 | 1.02 | 2.28 | 359 | 10.6 | 35.2 | 15.6 | 0.97 | 1.77 | C18 |
| Rectum | 159 | 3.0 | 18.2 | 8.7 | 0.54 | 1.07 | 111 | 3.3 | 10.9 | 5.3 | 0.33 | 0.66 | C19–20 |
| Anus | 4 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 12 | 0.4 | 1.2 | 0.7 | 0.06 | 0.07 | C21 |
| Liver | 52 | 1.0 | 6.0 | 2.9 | 0.17 | 0.34 | 32 | 0.9 | 3.1 | 1.3 | 0.05 | 0.11 | C22 |
| Gallbladder etc. | 43 | 0.8 | 4.9 | 2.1 | 0.11 | 0.25 | 50 | 1.5 | 4.9 | 1.8 | 0.07 | 0.18 | C23–24 |
| Pancreas | 136 | 2.6 | 15.6 | 7.3 | 0.39 | 0.92 | 126 | 3.7 | 12.4 | 4.6 | 0.22 | 0.52 | C25 |
| Nose, sinuses etc. | 10 | 0.2 | 1.1 | 0.7 | 0.04 | 0.05 | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 37 | 0.7 | 4.2 | 2.1 | 0.13 | 0.24 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 206 | 3.9 | 23.6 | 10.9 | 0.65 | 1.26 | 154 | 4.5 | 15.1 | 6.9 | 0.44 | 0.88 | C33–34 |
| Other thoracic organs | 21 | 0.4 | 2.4 | 1.2 | 0.06 | 0.16 | 15 | 0.4 | 1.5 | 0.7 | 0.04 | 0.06 | C37–38 |
| Bone | 4 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 42 | 0.8 | 4.8 | 2.5 | 0.18 | 0.25 | 36 | 1.1 | 3.5 | 1.8 | 0.12 | 0.21 | C43 |
| Other skin | 173 | 3.3 | 19.8 | 9.3 | 0.48 | 1.10 | 155 | 4.6 | 15.2 | 6.4 | 0.30 | 0.76 | C44 |
| Mesothelioma | 4 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 6 | 0.1 | 0.7 | 0.2 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.2 | 1.3 | 0.6 | 0.04 | 0.07 | 10 | 0.3 | 1.0 | 0.5 | 0.03 | 0.06 | C47+C49 |
| Breast | 16 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | 1169 | 34.5 | 114.7 | 66.6 | 5.20 | 7.33 | C50 |
| Vulva | | | | | | | 8 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 12 | 0.4 | 1.2 | 0.5 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 106 | 3.1 | 10.4 | 6.3 | 0.43 | 0.64 | C53 |
| Corpus uteri | | | | | | | 211 | 6.2 | 20.7 | 9.2 | 0.48 | 1.22 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 62 | 1.8 | 6.1 | 3.5 | 0.26 | 0.40 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 13 | 0.2 | 1.5 | 0.6 | 0.01 | 0.07 | | | | | | | C60 |
| Prostate | 2999 | 56.6 | 344.0 | 168.0 | 9.23 | 23.65 | | | | | | | C61 |
| Testis | 17 | 0.3 | 2.0 | 2.6 | 0.18 | 0.18 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 59 | 1.1 | 6.8 | 3.9 | 0.25 | 0.44 | 43 | 1.3 | 4.2 | 2.3 | 0.13 | 0.22 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 94 | 1.8 | 10.8 | 4.7 | 0.27 | 0.51 | 38 | 1.1 | 3.7 | 1.3 | 0.04 | 0.14 | C67 |
| Other urinary organs | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 42 | 0.8 | 4.8 | 2.7 | 0.17 | 0.30 | 30 | 0.9 | 2.9 | 2.2 | 0.14 | 0.21 | C70–72 |
| Thyroid | 27 | 0.5 | 3.1 | 1.8 | 0.13 | 0.19 | 117 | 3.5 | 11.5 | 8.0 | 0.57 | 0.83 | C73 |
| Adrenal gland | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 10 | 0.2 | 1.1 | 1.1 | 0.08 | 0.09 | 10 | 0.3 | 1.0 | 1.3 | 0.09 | 0.09 | C81 |
| Non-Hodgkin lymphoma | 62 | 1.2 | 7.1 | 4.0 | 0.23 | 0.42 | 55 | 1.6 | 5.4 | 3.2 | 0.21 | 0.33 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.1 | 0.7 | 0.4 | 0.03 | 0.03 | 5 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C88 |
| Multiple myeloma | 130 | 2.5 | 14.9 | 6.6 | 0.32 | 0.74 | 119 | 3.5 | 11.7 | 4.7 | 0.23 | 0.56 | C90 |
| Lymphoid leukaemia | 74 | 1.4 | 8.5 | 4.9 | 0.23 | 0.47 | 76 | 2.2 | 7.5 | 3.5 | 0.17 | 0.41 | C91 |
| Myeloid leukaemia | 53 | 1.0 | 6.1 | 3.3 | 0.21 | 0.32 | 32 | 0.9 | 3.1 | 1.5 | 0.07 | 0.17 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 28 | 0.5 | 3.2 | 1.9 | 0.13 | 0.19 | 29 | 0.9 | 2.8 | 1.3 | 0.06 | 0.13 | MPD |
| Myelodysplastic syndromes | 10 | 0.2 | 1.1 | 0.4 | 0.00 | 0.04 | 10 | 0.3 | 1.0 | 0.4 | 0.01 | 0.06 | MPS |
| Other and unspecified | 43 | 0.8 | 4.9 | 2.4 | 0.11 | 0.31 | 64 | 1.9 | 6.3 | 2.7 | 0.15 | 0.30 | O&U |
| All sites | 5468 | | 627.3 | 307.2 | 17.16 | 39.47 | 3546 | | 348.0 | 176.8 | 11.66 | 19.73 | C00–96 |
| All sites except C44 | 5295 | 100.0 | 607.4 | 297.9 | 16.68 | 38.37 | 3391 | 100.0 | 332.8 | 170.4 | 11.36 | 18.98 | C00–96 exc. C44 |

*See note following population pyramid

Peru, Lima

CONTRIBUTORS

Eduardo Payet
 Patricia Perez
 Ebert Poquioma
 Saria Villanueva
 Silvia Dominguez
 Marilyn Chavez
 Enrique Zevallos
 Ruth Avalos
 Corinna Rodriguez
 Margarita Espinoza
 Franklin Villalobos



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 45.1 | Breast | 43.1 |
| Non-melanoma skin cancer | 28.2 | Non-melanoma skin cancer | 24.0 |
| Stomach | 19.4 | Cervix uteri | 22.0 |
| Trachea, bronchus, and lung | 13.1 | Stomach | 14.4 |
| Non-Hodgkin lymphoma | 12.9 | Thyroid | 13.5 |
| Colon | 11.5 | Colon | 10.5 |
| Kidney | 9.1 | Trachea, bronchus, and lung | 9.8 |
| Liver | 5.5 | Non-Hodgkin lymphoma | 9.4 |
| Other and unspecified | 5.4 | Ovary | 7.8 |
| Bladder | 5.2 | Corpus uteri | 5.8 |
| Brain and nervous system | 5.2 | Other and unspecified | 5.8 |
| Pancreas | 5.2 | Gallbladder etc. | 5.3 |
| Rectum | 4.6 | Pancreas | 4.7 |
| Gallbladder etc. | 3.9 | Liver | 4.2 |
| Testis | 3.8 | Kidney | 3.8 |
| Multiple myeloma | 3.7 | Rectum | 3.8 |
| Lymphoid leukaemia | 3.4 | Brain and nervous system | 3.6 |
| Myeloid leukaemia | 3.1 | Lymphoid leukaemia | 3.2 |
| Thyroid | 2.9 | Melanoma of skin | 2.4 |
| Connective and soft tissue | 2.9 | Myeloid leukaemia | 2.3 |
| All sites | 218.7 | All sites | 222.6 |

***Peru, Lima (2013–2015)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 29 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 24 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 141 | 0.5 | 1.0 | 1.0 | 0.06 | 0.11 | 179 | 0.5 | 1.2 | 1.1 | 0.06 | 0.13 | C01–02 |
| Mouth | 110 | 0.4 | 0.8 | 0.8 | 0.03 | 0.08 | 140 | 0.4 | 0.9 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 86 | 0.3 | 0.6 | 0.6 | 0.03 | 0.06 | 66 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 42 | 0.2 | 0.3 | 0.3 | 0.03 | 0.04 | 18 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 52 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 33 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | 21 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 31 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 39 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 7 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 238 | 0.9 | 1.7 | 1.7 | 0.06 | 0.19 | 122 | 0.4 | 0.8 | 0.7 | 0.04 | 0.07 | C15 |
| Stomach | 2707 | 10.2 | 19.0 | 19.4 | 0.78 | 2.12 | 2510 | 7.6 | 16.7 | 14.4 | 0.70 | 1.51 | C16 |
| Small intestine | 147 | 0.6 | 1.0 | 1.1 | 0.05 | 0.13 | 153 | 0.5 | 1.0 | 0.9 | 0.04 | 0.10 | C17 |
| Colon | 1615 | 6.1 | 11.3 | 11.5 | 0.44 | 1.25 | 1861 | 5.6 | 12.4 | 10.5 | 0.43 | 1.10 | C18 |
| Rectum | 635 | 2.4 | 4.5 | 4.6 | 0.21 | 0.52 | 640 | 1.9 | 4.3 | 3.8 | 0.20 | 0.43 | C19–20 |
| Anus | 61 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | 237 | 0.7 | 1.6 | 1.4 | 0.07 | 0.17 | C21 |
| Liver | 773 | 2.9 | 5.4 | 5.5 | 0.24 | 0.58 | 754 | 2.3 | 5.0 | 4.2 | 0.15 | 0.39 | C22 |
| Gallbladder etc. | 549 | 2.1 | 3.9 | 3.9 | 0.17 | 0.44 | 880 | 2.7 | 5.9 | 5.3 | 0.26 | 0.65 | C23–24 |
| Pancreas | 717 | 2.7 | 5.0 | 5.2 | 0.21 | 0.57 | 834 | 2.5 | 5.6 | 4.7 | 0.19 | 0.53 | C25 |
| Nose, sinuses etc. | 88 | 0.3 | 0.6 | 0.6 | 0.04 | 0.06 | 72 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 244 | 0.9 | 1.7 | 1.8 | 0.06 | 0.20 | 54 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1831 | 6.9 | 12.9 | 13.1 | 0.50 | 1.42 | 1689 | 5.1 | 11.2 | 9.8 | 0.46 | 1.10 | C33–34 |
| Other thoracic organs | 105 | 0.4 | 0.7 | 0.8 | 0.03 | 0.08 | 82 | 0.2 | 0.5 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 151 | 0.6 | 1.1 | 1.0 | 0.06 | 0.08 | 125 | 0.4 | 0.8 | 0.8 | 0.04 | 0.07 | C40–41 |
| Melanoma of skin | 392 | 1.5 | 2.8 | 2.8 | 0.14 | 0.29 | 400 | 1.2 | 2.7 | 2.4 | 0.14 | 0.26 | C43 |
| Other skin | 4034 | 15.2 | 28.3 | 28.2 | 0.93 | 2.66 | 4293 | 13.0 | 28.6 | 24.0 | 0.96 | 2.47 | C44 |
| Mesothelioma | 76 | 0.3 | 0.5 | 0.6 | 0.03 | 0.07 | 47 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 279 | 1.0 | 2.0 | 1.7 | 0.12 | 0.15 | 48 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 405 | 1.5 | 2.8 | 2.9 | 0.16 | 0.28 | 366 | 1.1 | 2.4 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 31 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 7029 | 21.2 | 46.8 | 43.1 | 3.12 | 4.79 | C50 |
| Vulva | | | | | | | 164 | 0.5 | 1.1 | 0.9 | 0.03 | 0.09 | C51 |
| Vagina | | | | | | | 60 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 3627 | 10.9 | 24.1 | 22.0 | 1.68 | 2.33 | C53 |
| Corpus uteri | | | | | | | 928 | 2.8 | 6.2 | 5.8 | 0.44 | 0.70 | C54 |
| Uterus unspecified | | | | | | | 162 | 0.5 | 1.1 | 0.9 | 0.06 | 0.09 | C55 |
| Ovary | | | | | | | 1271 | 3.8 | 8.5 | 7.8 | 0.56 | 0.83 | C56 |
| Other female genital organs | | | | | | | 43 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 87 | 0.3 | 0.6 | 0.5 | 0.04 | 0.04 | C58 |
| Penis | 169 | 0.6 | 1.2 | 1.2 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 6192 | 23.3 | 43.5 | 45.1 | 1.22 | 5.22 | | | | | | | C61 |
| Testis | 606 | 2.3 | 4.3 | 3.8 | 0.27 | 0.29 | | | | | | | C62 |
| Other male genital organs | 14 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1226 | 4.6 | 8.6 | 9.1 | 0.50 | 1.10 | 601 | 1.8 | 4.0 | 3.8 | 0.22 | 0.42 | C64 |
| Renal pelvis | 53 | 0.2 | 0.4 | 0.4 | 0.01 | 0.04 | 37 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 744 | 2.8 | 5.2 | 5.2 | 0.15 | 0.52 | 367 | 1.1 | 2.4 | 2.0 | 0.07 | 0.19 | C67 |
| Other urinary organs | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 106 | 0.4 | 0.7 | 0.9 | 0.04 | 0.07 | 98 | 0.3 | 0.7 | 0.7 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 729 | 2.7 | 5.1 | 5.2 | 0.31 | 0.50 | 576 | 1.7 | 3.8 | 3.6 | 0.22 | 0.33 | C70–72 |
| Thyroid | 406 | 1.5 | 2.9 | 2.9 | 0.19 | 0.31 | 2240 | 6.8 | 14.9 | 13.5 | 1.03 | 1.35 | C73 |
| Adrenal gland | 17 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 16 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 16 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 171 | 0.6 | 1.2 | 1.2 | 0.07 | 0.12 | 109 | 0.3 | 0.7 | 0.6 | 0.04 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 1826 | 6.9 | 12.8 | 12.9 | 0.66 | 1.34 | 1568 | 4.7 | 10.4 | 9.4 | 0.49 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 40 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 57 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 508 | 1.9 | 3.6 | 3.7 | 0.19 | 0.44 | 327 | 1.0 | 2.2 | 2.0 | 0.11 | 0.24 | C90 |
| Lymphoid leukaemia | 453 | 1.7 | 3.2 | 3.4 | 0.18 | 0.24 | 437 | 1.3 | 2.9 | 3.2 | 0.18 | 0.23 | C91 |
| Myeloid leukaemia | 441 | 1.7 | 3.1 | 3.1 | 0.18 | 0.29 | 370 | 1.1 | 2.5 | 2.3 | 0.13 | 0.21 | C92–94 |
| Leukaemia unspecified | 169 | 0.6 | 1.2 | 1.2 | 0.05 | 0.10 | 177 | 0.5 | 1.2 | 1.0 | 0.04 | 0.08 | C95 |
| Myeloproliferative disorders | 154 | 0.6 | 1.1 | 1.2 | 0.05 | 0.12 | 156 | 0.5 | 1.0 | 1.0 | 0.06 | 0.10 | MPD |
| Myelodysplastic syndromes | 216 | 0.8 | 1.5 | 1.5 | 0.04 | 0.12 | 211 | 0.6 | 1.4 | 1.2 | 0.05 | 0.13 | MPS |
| Other and unspecified | 763 | 2.9 | 5.4 | 5.4 | 0.24 | 0.54 | 1003 | 3.0 | 6.7 | 5.8 | 0.28 | 0.59 | O&U |
| All sites | 30646 | | 215.3 | 218.7 | 8.93 | 23.11 | 37421 | | 249.2 | 222.6 | 13.06 | 23.63 | C00–96 |
| All sites except C44 | 26612 | 100.0 | 186.9 | 190.5 | 8.00 | 20.45 | 33128 | 100.0 | 220.6 | 198.6 | 12.10 | 21.16 | C00–96 exc. C44 |

§Includes 2 cases of unknown age


§Includes 6 cases of unknown age

*See note following population pyramid

Trinidad and Tobago

CONTRIBUTORS

Nkese Felix
 Emily Prince-Joseph
 Avion Quava-Jones
 Jessica Pena
 Abbi Phillip
 Tishana Sutherland



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 55.4 | Breast | 51.4 |
| Trachea, bronchus, and lung | 19.0 | Corpus uteri | 16.7 |
| Colon | 10.9 | Cervix uteri | 14.1 |
| Rectum | 6.4 | Colon | 10.1 |
| Pancreas | 6.4 | Ovary | 10.1 |
| Other and unspecified | 5.7 | Trachea, bronchus, and lung | 6.0 |
| Multiple myeloma | 4.5 | Other and unspecified | 5.1 |
| Non-Hodgkin lymphoma | 4.2 | Rectum | 4.6 |
| Stomach | 4.0 | Pancreas | 4.5 |
| Bladder | 3.9 | Multiple myeloma | 3.9 |
| Larynx | 3.4 | Non-Hodgkin lymphoma | 3.0 |
| Brain and nervous system | 3.2 | Stomach | 2.5 |
| Oesophagus | 3.2 | Thyroid | 2.4 |
| Kidney | 2.7 | Brain and nervous system | 2.3 |
| Myeloid leukaemia | 2.7 | Gallbladder etc. | 2.0 |
| Liver | 2.6 | Non-melanoma skin cancer | 1.5 |
| Non-melanoma skin cancer | 2.3 | Connective and soft tissue | 1.4 |
| Lymphoid leukaemia | 2.0 | Myeloid leukaemia | 1.4 |
| Bone | 1.2 | Kidney | 1.4 |
| Tongue | 1.0 | Bladder | 1.3 |
| All sites | 157.4 | All sites | 158.5 |

***Trinidad and Tobago (2015–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 25 | 0.7 | 1.2 | 1.0 | 0.07 | 0.13 | 12 | 0.3 | 0.6 | 0.5 | 0.02 | 0.06 | C01–02 |
| Mouth | 15 | 0.4 | 0.7 | 0.6 | 0.02 | 0.08 | 14 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 23 | 0.6 | 1.1 | 1.0 | 0.05 | 0.10 | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 15 | 0.4 | 0.7 | 0.6 | 0.02 | 0.10 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 6 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 15 | 0.4 | 0.7 | 0.6 | 0.04 | 0.09 | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C11 |
| Hypopharynx | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 12 | 0.3 | 0.6 | 0.5 | 0.02 | 0.07 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 77 | 2.0 | 3.8 | 3.2 | 0.16 | 0.43 | 22 | 0.5 | 1.1 | 0.9 | 0.04 | 0.12 | C15 |
| Stomach | 99 | 2.6 | 4.9 | 4.0 | 0.21 | 0.47 | 73 | 1.8 | 3.6 | 2.5 | 0.12 | 0.26 | C16 |
| Small intestine | 8 | 0.2 | 0.4 | 0.3 | 0.03 | 0.04 | 11 | 0.3 | 0.5 | 0.4 | 0.04 | 0.05 | C17 |
| Colon | 265 | 7.0 | 13.0 | 10.9 | 0.54 | 1.39 | 271 | 6.6 | 13.4 | 10.1 | 0.64 | 1.17 | C18 |
| Rectum | 158 | 4.2 | 7.8 | 6.4 | 0.38 | 0.80 | 124 | 3.0 | 6.1 | 4.6 | 0.23 | 0.57 | C19–20 |
| Anus | 13 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | 14 | 0.3 | 0.7 | 0.5 | 0.02 | 0.05 | C21 |
| Liver | 63 | 1.7 | 3.1 | 2.6 | 0.17 | 0.32 | 36 | 0.9 | 1.8 | 1.3 | 0.06 | 0.14 | C22 |
| Gallbladder etc. | 14 | 0.4 | 0.7 | 0.6 | 0.03 | 0.06 | 54 | 1.3 | 2.7 | 2.0 | 0.09 | 0.22 | C23–24 |
| Pancreas | 156 | 4.1 | 7.7 | 6.4 | 0.30 | 0.79 | 130 | 3.2 | 6.4 | 4.5 | 0.20 | 0.53 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 84 | 2.2 | 4.1 | 3.4 | 0.18 | 0.43 | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 465 | 12.3 | 22.8 | 19.0 | 1.02 | 2.54 | 161 | 3.9 | 8.0 | 6.0 | 0.35 | 0.68 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 9 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 26 | 0.7 | 1.3 | 1.2 | 0.06 | 0.12 | 20 | 0.5 | 1.0 | 0.9 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 16 | 0.4 | 0.8 | 0.7 | 0.03 | 0.08 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 56 | 1.5 | 2.7 | 2.3 | 0.11 | 0.29 | 41 | 1.0 | 2.0 | 1.5 | 0.07 | 0.16 | C44 |
| Mesothelioma | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 0.5 | 0.9 | 0.8 | 0.05 | 0.08 | 34 | 0.8 | 1.7 | 1.4 | 0.09 | 0.13 | C47+C49 |
| Breast | 23 | 0.6 | 1.1 | 0.9 | 0.05 | 0.12 | 1329 | 32.4 | 65.7 | 51.4 | 3.66 | 5.99 | C50 |
| Vulva | | | | | | | 13 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 14 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | C52 |
| Cervix uteri | | | | | | | 356 | 8.7 | 17.6 | 14.1 | 1.01 | 1.56 | C53 |
| Corpus uteri | | | | | | | 431 | 10.5 | 21.3 | 16.7 | 1.02 | 2.18 | C54 |
| Uterus unspecified | | | | | | | 30 | 0.7 | 1.5 | 1.1 | 0.05 | 0.13 | C55 |
| Ovary | | | | | | | 266 | 6.5 | 13.1 | 10.1 | 0.68 | 1.19 | C56 |
| Other female genital organs | | | | | | | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.6 | 1.0 | 0.9 | 0.04 | 0.11 | | | | | | | C60 |
| Prostate | 1376 | 36.4 | 67.5 | 55.4 | 1.55 | 6.39 | | | | | | | C61 |
| Testis | 18 | 0.5 | 0.9 | 0.7 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 64 | 1.7 | 3.1 | 2.7 | 0.14 | 0.31 | 32 | 0.8 | 1.6 | 1.4 | 0.07 | 0.12 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 96 | 2.5 | 4.7 | 3.9 | 0.21 | 0.45 | 35 | 0.9 | 1.7 | 1.3 | 0.05 | 0.19 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 6 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | 7 | 0.2 | 0.3 | 0.5 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 68 | 1.8 | 3.3 | 3.2 | 0.20 | 0.31 | 60 | 1.5 | 3.0 | 2.3 | 0.13 | 0.28 | C70–72 |
| Thyroid | 18 | 0.5 | 0.9 | 0.7 | 0.03 | 0.07 | 61 | 1.5 | 3.0 | 2.4 | 0.17 | 0.26 | C73 |
| Adrenal gland | 1 | 0.0 | 0.0 | 0.0 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 20 | 0.5 | 1.0 | 0.9 | 0.05 | 0.08 | 19 | 0.5 | 0.9 | 0.9 | 0.07 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 97 | 2.6 | 4.8 | 4.2 | 0.26 | 0.47 | 78 | 1.9 | 3.9 | 3.0 | 0.18 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 108 | 2.9 | 5.3 | 4.5 | 0.20 | 0.61 | 103 | 2.5 | 5.1 | 3.9 | 0.19 | 0.58 | C90 |
| Lymphoid leukaemia | 44 | 1.2 | 2.2 | 2.0 | 0.13 | 0.19 | 26 | 0.6 | 1.3 | 1.3 | 0.06 | 0.14 | C91 |
| Myeloid leukaemia | 59 | 1.6 | 2.9 | 2.7 | 0.11 | 0.31 | 37 | 0.9 | 1.8 | 1.4 | 0.09 | 0.16 | C92–94 |
| Leukaemia unspecified | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | 9 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | MPD |
| Myelodysplastic syndromes | 6 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPS |
| Other and unspecified | 140 | 3.7 | 6.9 | 5.7 | 0.27 | 0.65 | 142 | 3.5 | 7.0 | 5.1 | 0.22 | 0.59 | O&U |
| All sites | 3835 | | 188.3 | 157.4 | 6.93 | 18.87 | 4137 | | 204.5 | 158.5 | 9.98 | 18.53 | C00–96 |
| All sites except C44 | 3779 | 100.0 | 185.5 | 155.1 | 6.82 | 18.57 | 4096 | 100.0 | 202.5 | 157.0 | 9.91 | 18.37 | C00–96 exc. C44 |

*†See note following population pyramid

USA, Puerto Rico

CONTRIBUTORS

Diego E. Zavala Zegarra
 Carlos R. Torres Cintron
 Mariela Alvarado Ortiz
 Yadira Roman Ruiz
 Nivia E. Vazquez Cubano
 Yarenid Santiago Colon
 Julio Arce Cortes
 Omar Centeno Rodriguez
 Karen J. Ortiz Ortiz
 Guillermo Tortolero Luna



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 95.9 | Breast | 66.1 |
| Colon | 22.4 | Thyroid | 36.5 |
| Trachea, bronchus, and lung | 13.9 | Corpus uteri | 20.9 |
| Non-Hodgkin lymphoma | 11.0 | Colon | 16.1 |
| Rectum | 10.7 | Cervix uteri | 10.1 |
| Thyroid | 9.4 | Non-Hodgkin lymphoma | 7.9 |
| Bladder | 9.0 | Trachea, bronchus, and lung | 7.3 |
| Liver | 8.9 | Rectum | 6.6 |
| Kidney | 8.5 | Ovary | 6.1 |
| Pancreas | 6.2 | Kidney | 4.3 |
| Stomach | 5.7 | Pancreas | 4.1 |
| Testis | 5.0 | Stomach | 3.8 |
| Lymphoid leukaemia | 4.5 | Multiple myeloma | 3.5 |
| Multiple myeloma | 4.5 | Lymphoid leukaemia | 3.5 |
| Larynx | 4.3 | Myeloid leukaemia | 3.2 |
| Brain and nervous system | 4.2 | Brain and nervous system | 3.1 |
| Myeloid leukaemia | 4.0 | Other and unspecified | 2.8 |
| Other and unspecified | 3.9 | Liver | 2.7 |
| Oesophagus | 3.7 | Bladder | 2.6 |
| Tongue | 2.9 | Myeloproliferative disorders | 2.2 |
| All sites | 272.3 | All sites | 235.6 |

USA, Puerto Rico (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 100 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 64 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 408 | 1.0 | 4.9 | 2.9 | 0.21 | 0.35 | 140 | 0.4 | 1.5 | 0.8 | 0.05 | 0.09 | C01–02 |
| Mouth | 310 | 0.8 | 3.8 | 2.1 | 0.14 | 0.27 | 166 | 0.4 | 1.8 | 0.8 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 151 | 0.4 | 1.8 | 1.0 | 0.06 | 0.09 | 92 | 0.2 | 1.0 | 0.6 | 0.03 | 0.05 | C07–08 |
| Tonsil | 195 | 0.5 | 2.4 | 1.5 | 0.12 | 0.18 | 32 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 94 | 0.2 | 1.1 | 0.7 | 0.06 | 0.09 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 70 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 136 | 0.3 | 1.6 | 0.9 | 0.06 | 0.12 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 148 | 0.4 | 1.8 | 1.0 | 0.07 | 0.12 | 25 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 591 | 1.5 | 7.1 | 3.7 | 0.21 | 0.47 | 128 | 0.3 | 1.4 | 0.5 | 0.02 | 0.05 | C15 |
| Stomach | 948 | 2.3 | 11.5 | 5.7 | 0.28 | 0.66 | 775 | 2.1 | 8.5 | 3.8 | 0.20 | 0.44 | C16 |
| Small intestine | 204 | 0.5 | 2.5 | 1.4 | 0.09 | 0.17 | 157 | 0.4 | 1.7 | 0.8 | 0.05 | 0.10 | C17 |
| Colon | 3467 | 8.5 | 41.9 | 22.4 | 1.24 | 2.66 | 3077 | 8.3 | 33.9 | 16.1 | 0.95 | 1.81 | C18 |
| Rectum | 1522 | 3.7 | 18.4 | 10.7 | 0.69 | 1.32 | 1121 | 3.0 | 12.4 | 6.6 | 0.45 | 0.76 | C19–20 |
| Anus | 119 | 0.3 | 1.4 | 0.9 | 0.06 | 0.10 | 235 | 0.6 | 2.6 | 1.2 | 0.08 | 0.14 | C21 |
| Liver | 1383 | 3.4 | 16.7 | 8.9 | 0.52 | 1.12 | 597 | 1.6 | 6.6 | 2.7 | 0.11 | 0.30 | C22 |
| Gallbladder etc. | 259 | 0.6 | 3.1 | 1.6 | 0.08 | 0.19 | 300 | 0.8 | 3.3 | 1.4 | 0.07 | 0.16 | C23–24 |
| Pancreas | 984 | 2.4 | 11.9 | 6.2 | 0.33 | 0.74 | 884 | 2.4 | 9.8 | 4.1 | 0.20 | 0.45 | C25 |
| Nose, sinuses etc. | 73 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 42 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 670 | 1.6 | 8.1 | 4.3 | 0.25 | 0.54 | 66 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 2417 | 5.9 | 29.2 | 13.9 | 0.58 | 1.71 | 1534 | 4.1 | 16.9 | 7.3 | 0.38 | 0.86 | C33–34 |
| Other thoracic organs | 45 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 109 | 0.3 | 1.3 | 1.1 | 0.07 | 0.09 | 71 | 0.2 | 0.8 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 415 | 1.0 | 5.0 | 2.9 | 0.17 | 0.30 | 312 | 0.8 | 3.4 | 2.1 | 0.15 | 0.21 | C43 |
| Other skin | 144 | 0.4 | 1.7 | 1.0 | 0.05 | 0.10 | 120 | 0.3 | 1.3 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 86 | 0.2 | 1.0 | 0.8 | 0.06 | 0.08 | 20 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 269 | 0.7 | 3.3 | 2.2 | 0.14 | 0.21 | 212 | 0.6 | 2.3 | 1.4 | 0.09 | 0.14 | C47+C49 |
| Breast | 97 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | 10469 | 28.1 | 115.5 | 66.1 | 4.70 | 7.71 | C50 |
| Vulva | | | | | | | 256 | 0.7 | 2.8 | 1.2 | 0.07 | 0.14 | C51 |
| Vagina | | | | | | | 120 | 0.3 | 1.3 | 0.7 | 0.04 | 0.08 | C52 |
| Cervix uteri | | | | | | | 1211 | 3.3 | 13.4 | 10.1 | 0.79 | 0.97 | C53 |
| Corpus uteri | | | | | | | 3128 | 8.4 | 34.5 | 20.9 | 1.61 | 2.46 | C54 |
| Uterus unspecified | | | | | | | 112 | 0.3 | 1.2 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 940 | 2.5 | 10.4 | 6.1 | 0.43 | 0.68 | C56 |
| Other female genital organs | | | | | | | 66 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 249 | 0.6 | 3.0 | 1.6 | 0.09 | 0.18 | | | | | | | C60 |
| Prostate | 15031 | 36.9 | 181.8 | 95.9 | 5.03 | 13.06 | | | | | | | C61 |
| Testis | 403 | 1.0 | 4.9 | 5.0 | 0.36 | 0.37 | | | | | | | C62 |
| Other male genital organs | 28 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1154 | 2.8 | 14.0 | 8.5 | 0.58 | 1.01 | 657 | 1.8 | 7.2 | 4.3 | 0.30 | 0.48 | C64 |
| Renal pelvis | 43 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 37 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 40 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 26 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 1620 | 4.0 | 19.6 | 9.0 | 0.38 | 1.01 | 564 | 1.5 | 6.2 | 2.6 | 0.13 | 0.30 | C67 |
| Other urinary organs | 40 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 15 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 102 | 0.3 | 1.2 | 0.8 | 0.04 | 0.08 | 49 | 0.1 | 0.5 | 0.5 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 445 | 1.1 | 5.4 | 4.2 | 0.24 | 0.39 | 391 | 1.1 | 4.3 | 3.1 | 0.18 | 0.27 | C70–72 |
| Thyroid | 1047 | 2.6 | 12.7 | 9.4 | 0.72 | 0.99 | 4284 | 11.5 | 47.3 | 36.5 | 2.91 | 3.56 | C73 |
| Adrenal gland | 32 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 22 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 15 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 240 | 0.6 | 2.9 | 2.5 | 0.18 | 0.22 | 220 | 0.6 | 2.4 | 2.2 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 1510 | 3.7 | 18.3 | 11.0 | 0.67 | 1.17 | 1336 | 3.6 | 14.7 | 7.9 | 0.50 | 0.88 | C82–86,C96 |
| Immunoproliferative diseases | 106 | 0.3 | 1.3 | 0.7 | 0.03 | 0.08 | 108 | 0.3 | 1.2 | 0.6 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 735 | 1.8 | 8.9 | 4.5 | 0.22 | 0.53 | 678 | 1.8 | 7.5 | 3.5 | 0.21 | 0.43 | C90 |
| Lymphoid leukaemia | 541 | 1.3 | 6.5 | 4.5 | 0.25 | 0.44 | 428 | 1.1 | 4.7 | 3.5 | 0.19 | 0.29 | C91 |
| Myeloid leukaemia | 542 | 1.3 | 6.6 | 4.0 | 0.24 | 0.40 | 482 | 1.3 | 5.3 | 3.2 | 0.21 | 0.33 | C92–94 |
| Leukaemia unspecified | 61 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 59 | 0.2 | 0.7 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 397 | 1.0 | 4.8 | 2.6 | 0.12 | 0.31 | 397 | 1.1 | 4.4 | 2.2 | 0.13 | 0.24 | MPD |
| Myelodysplastic syndromes | 402 | 1.0 | 4.9 | 2.1 | 0.06 | 0.21 | 442 | 1.2 | 4.9 | 2.0 | 0.07 | 0.22 | MPS |
| Other and unspecified | 631 | 1.5 | 7.6 | 3.9 | 0.19 | 0.43 | 569 | 1.5 | 6.3 | 2.8 | 0.16 | 0.28 | O&U |
| All sites | 40859 | | 494.3 | 272.3 | 15.20 | 33.05 | 37346 | | 411.9 | 235.6 | 16.01 | 25.76 | C00–96 |
| All sites except C44 | 40715 | 100.0 | 492.5 | 271.4 | 15.15 | 32.95 | 37226 | 100.0 | 410.6 | 234.8 | 15.97 | 25.70 | C00–96 exc. C44 |

§Includes 4 cases of unknown age


§Includes 5 cases of unknown age

†See note following population pyramid

Uruguay

CONTRIBUTORS

Enrique Barrios
 Rafael Alonso
 Mariela Garau
 Carina Musetti



NOTES ON THE DATA

*High DCO%.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 57.5 | Breast | 71.2 |
| Prostate | 57.4 | Non-melanoma skin cancer | 41.3 |
| Trachea, bronchus, and lung | 44.4 | Colon | 18.7 |
| Colon | 24.7 | Cervix uteri | 13.7 |
| Kidney | 16.9 | Thyroid | 13.3 |
| Bladder | 16.3 | Trachea, bronchus, and lung | 13.2 |
| Stomach | 12.7 | Pancreas | 8.2 |
| Rectum | 11.9 | Ovary | 8.2 |
| Pancreas | 11.0 | Corpus uteri | 8.1 |
| Non-Hodgkin lymphoma | 10.9 | Non-Hodgkin lymphoma | 7.6 |
| Other and unspecified | 9.2 | Kidney | 7.4 |
| Testis | 7.4 | Rectum | 7.1 |
| Oesophagus | 6.1 | Other and unspecified | 6.0 |
| Brain and nervous system | 6.0 | Stomach | 5.6 |
| Melanoma of skin | 5.5 | Melanoma of skin | 4.4 |
| Larynx | 5.3 | Brain and nervous system | 4.1 |
| Liver | 4.0 | Bladder | 3.6 |
| Lymphoid leukaemia | 3.6 | Gallbladder etc. | 3.6 |
| Multiple myeloma | 3.4 | Lymphoid leukaemia | 2.5 |
| Gallbladder etc. | 3.2 | Myeloid leukaemia | 2.2 |
| All sites | 349.9 | All sites | 272.9 |

***Uruguay (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 63 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 278 | 0.8 | 3.3 | 2.5 | 0.16 | 0.31 | 106 | 0.3 | 1.2 | 0.6 | 0.03 | 0.07 | C01–02 |
| Mouth | 222 | 0.6 | 2.6 | 1.9 | 0.13 | 0.23 | 113 | 0.3 | 1.3 | 0.6 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 94 | 0.3 | 1.1 | 0.8 | 0.04 | 0.10 | 72 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 153 | 0.4 | 1.8 | 1.4 | 0.10 | 0.18 | 39 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 75 | 0.2 | 0.9 | 0.7 | 0.04 | 0.10 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 81 | 0.2 | 1.0 | 0.7 | 0.05 | 0.09 | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 110 | 0.3 | 1.3 | 0.9 | 0.07 | 0.12 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 53 | 0.1 | 0.6 | 0.4 | 0.02 | 0.06 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 792 | 2.2 | 9.4 | 6.1 | 0.31 | 0.71 | 410 | 1.2 | 4.6 | 2.1 | 0.10 | 0.24 | C15 |
| Stomach | 1598 | 4.4 | 19.1 | 12.7 | 0.64 | 1.55 | 1012 | 3.0 | 11.3 | 5.6 | 0.29 | 0.62 | C16 |
| Small intestine | 137 | 0.4 | 1.6 | 1.2 | 0.07 | 0.15 | 131 | 0.4 | 1.5 | 0.9 | 0.05 | 0.11 | C17 |
| Colon | 3197 | 8.9 | 38.1 | 24.7 | 1.13 | 2.84 | 3329 | 9.7 | 37.2 | 18.7 | 0.96 | 2.10 | C18 |
| Rectum | 1507 | 4.2 | 18.0 | 11.9 | 0.60 | 1.42 | 1151 | 3.4 | 12.9 | 7.1 | 0.41 | 0.82 | C19–20 |
| Anus | 132 | 0.4 | 1.6 | 1.2 | 0.08 | 0.14 | 227 | 0.7 | 2.5 | 1.4 | 0.08 | 0.16 | C21 |
| Liver | 490 | 1.4 | 5.8 | 4.0 | 0.20 | 0.52 | 201 | 0.6 | 2.2 | 1.1 | 0.05 | 0.14 | C22 |
| Gallbladder etc. | 435 | 1.2 | 5.2 | 3.2 | 0.12 | 0.37 | 662 | 1.9 | 7.4 | 3.6 | 0.17 | 0.42 | C23–24 |
| Pancreas | 1414 | 3.9 | 16.9 | 11.0 | 0.53 | 1.32 | 1615 | 4.7 | 18.0 | 8.2 | 0.34 | 0.96 | C25 |
| Nose, sinuses etc. | 72 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 32 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 631 | 1.8 | 7.5 | 5.3 | 0.33 | 0.68 | 104 | 0.3 | 1.2 | 0.7 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 5489 | 15.2 | 65.5 | 44.4 | 2.29 | 5.79 | 2005 | 5.9 | 22.4 | 13.2 | 0.85 | 1.69 | C33–34 |
| Other thoracic organs | 54 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 33 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 101 | 0.3 | 1.2 | 1.1 | 0.06 | 0.09 | 67 | 0.2 | 0.7 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 667 | 1.9 | 8.0 | 5.5 | 0.31 | 0.61 | 609 | 1.8 | 6.8 | 4.4 | 0.30 | 0.46 | C43 |
| Other skin | 7580 | 21.0 | 90.4 | 57.5 | 2.64 | 6.33 | 6949 | 20.3 | 77.7 | 41.3 | 2.35 | 4.64 | C44 |
| Mesothelioma | 38 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 23 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 50 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 19 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 227 | 0.6 | 2.7 | 2.0 | 0.10 | 0.21 | 218 | 0.6 | 2.4 | 1.6 | 0.10 | 0.16 | C47+C49 |
| Breast | 81 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | 9649 | 28.2 | 107.8 | 71.2 | 5.09 | 8.00 | C50 |
| Vulva | | | | | | | 228 | 0.7 | 2.5 | 1.3 | 0.06 | 0.14 | C51 |
| Vagina | | | | | | | 87 | 0.3 | 1.0 | 0.5 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1550 | 4.5 | 17.3 | 13.7 | 1.10 | 1.34 | C53 |
| Corpus uteri | | | | | | | 1176 | 3.4 | 13.1 | 8.1 | 0.54 | 1.01 | C54 |
| Uterus unspecified | | | | | | | 211 | 0.6 | 2.4 | 1.2 | 0.07 | 0.12 | C55 |
| Ovary | | | | | | | 1125 | 3.3 | 12.6 | 8.2 | 0.56 | 0.93 | C56 |
| Other female genital organs | | | | | | | 83 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 157 | 0.4 | 1.9 | 1.2 | 0.06 | 0.13 | | | | | | | C60 |
| Prostate | 7363 | 20.4 | 87.8 | 57.4 | 2.35 | 7.58 | | | | | | | C61 |
| Testis | 663 | 1.8 | 7.9 | 7.4 | 0.55 | 0.57 | | | | | | | C62 |
| Other male genital organs | 15 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1977 | 5.5 | 23.6 | 16.9 | 1.04 | 2.07 | 1056 | 3.1 | 11.8 | 7.4 | 0.50 | 0.86 | C64 |
| Renal pelvis | 55 | 0.2 | 0.7 | 0.5 | 0.02 | 0.06 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 16 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 2150 | 6.0 | 25.6 | 16.3 | 0.67 | 2.00 | 673 | 2.0 | 7.5 | 3.6 | 0.19 | 0.42 | C67 |
| Other urinary organs | 33 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 46 | 0.1 | 0.5 | 0.4 | 0.02 | 0.03 | 35 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 628 | 1.7 | 7.5 | 6.0 | 0.37 | 0.62 | 550 | 1.6 | 6.1 | 4.1 | 0.25 | 0.40 | C70–72 |
| Thyroid | 301 | 0.8 | 3.6 | 3.0 | 0.24 | 0.31 | 1405 | 4.1 | 15.7 | 13.3 | 1.06 | 1.27 | C73 |
| Adrenal gland | 19 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 33 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | C74 |
| Other endocrine | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 238 | 0.7 | 2.8 | 2.6 | 0.18 | 0.21 | 196 | 0.6 | 2.2 | 2.0 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 1249 | 3.5 | 14.9 | 10.9 | 0.63 | 1.19 | 1133 | 3.3 | 12.7 | 7.6 | 0.45 | 0.89 | C82–86,C96 |
| Immunoproliferative diseases | 33 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 421 | 1.2 | 5.0 | 3.4 | 0.17 | 0.39 | 384 | 1.1 | 4.3 | 2.2 | 0.11 | 0.27 | C90 |
| Lymphoid leukaemia | 383 | 1.1 | 4.6 | 3.6 | 0.16 | 0.29 | 277 | 0.8 | 3.1 | 2.5 | 0.13 | 0.19 | C91 |
| Myeloid leukaemia | 318 | 0.9 | 3.8 | 2.9 | 0.16 | 0.28 | 295 | 0.9 | 3.3 | 2.2 | 0.12 | 0.22 | C92–94 |
| Leukaemia unspecified | 88 | 0.2 | 1.0 | 0.6 | 0.02 | 0.06 | 90 | 0.3 | 1.0 | 0.4 | 0.01 | 0.03 | C95 |
| Myeloproliferative disorders | 133 | 0.4 | 1.6 | 1.1 | 0.05 | 0.14 | 117 | 0.3 | 1.3 | 0.7 | 0.04 | 0.09 | MPD |
| Myelodysplastic syndromes | 223 | 0.6 | 2.7 | 1.5 | 0.06 | 0.15 | 252 | 0.7 | 2.8 | 1.3 | 0.06 | 0.14 | MPS |
| Other and unspecified | 1267 | 3.5 | 15.1 | 9.2 | 0.35 | 0.93 | 1285 | 3.8 | 14.4 | 6.0 | 0.24 | 0.61 | O&U |
| All sites | 43605 | | 520.0 | 349.9 | 17.39 | 41.35 | 41179 | | 460.1 | 272.9 | 17.19 | 30.31 | C00–96 |
| All sites except C44 | 36025 | 100.0 | 429.6 | 292.5 | 14.75 | 35.01 | 34230 | 100.0 | 382.5 | 231.6 | 14.84 | 25.67 | C00–96 exc.C44 |

§Includes 22 cases of unknown age


§Includes 15 cases of unknown age

*†See note following population pyramid

Canada, Alberta

CONTRIBUTORS

Angela Eckstrand
Tuyet Thieu
Vidhi Dave



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 75.8 | Breast | 80.4 |
| Trachea, bronchus, and lung | 33.8 | Trachea, bronchus, and lung | 31.6 |
| Colon | 21.7 | Corpus uteri | 20.1 |
| Bladder | 21.2 | Colon | 17.5 |
| Rectum | 14.7 | Thyroid | 14.5 |
| Non-Hodgkin lymphoma | 12.9 | Melanoma of skin | 10.5 |
| Kidney | 12.8 | Non-Hodgkin lymphoma | 9.1 |
| Melanoma of skin | 11.1 | Rectum | 7.9 |
| Lymphoid leukaemia | 8.7 | Ovary | 7.2 |
| Pancreas | 7.8 | Cervix uteri | 6.5 |
| Liver | 7.0 | Kidney | 6.4 |
| Testis | 6.1 | Pancreas | 6.3 |
| Brain and nervous system | 6.0 | Bladder | 5.7 |
| Stomach | 5.5 | Lymphoid leukaemia | 5.0 |
| Thyroid | 5.1 | Brain and nervous system | 4.4 |
| Oesophagus | 4.9 | Other and unspecified | 4.1 |
| Myeloid leukaemia | 4.5 | Myeloid leukaemia | 3.2 |
| Multiple myeloma | 4.5 | Myeloproliferative disorders | 3.1 |
| Other and unspecified | 4.2 | Liver | 2.8 |
| Myeloproliferative disorders | 3.5 | Multiple myeloma | 2.6 |
| All sites | 305.2 | All sites | 275.7 |

Canada, Alberta (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 73 | 0.2 | 0.7 | 0.5 | 0.02 | 0.05 | 16 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C00</i> |
| Tongue | 460 | 1.0 | 4.4 | 3.1 | 0.23 | 0.39 | 184 | 0.4 | 1.8 | 1.2 | 0.07 | 0.14 | <i>C01–02</i> |
| Mouth | 200 | 0.4 | 1.9 | 1.3 | 0.08 | 0.17 | 145 | 0.3 | 1.4 | 0.9 | 0.05 | 0.09 | <i>C03–06</i> |
| Salivary glands | 94 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | 103 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | <i>C07–08</i> |
| Tonsil | 310 | 0.7 | 3.0 | 2.1 | 0.17 | 0.26 | 88 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | <i>C09</i> |
| Other oropharynx | 76 | 0.2 | 0.7 | 0.5 | 0.04 | 0.07 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C10</i> |
| Nasopharynx | 94 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | 37 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | <i>C11</i> |
| Hypopharynx | 86 | 0.2 | 0.8 | 0.6 | 0.03 | 0.07 | 25 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | <i>C12–13</i> |
| Pharynx unspecified | 13 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C14</i> |
| Oesophagus | 779 | 1.7 | 7.5 | 4.9 | 0.28 | 0.60 | 203 | 0.5 | 2.0 | 1.2 | 0.06 | 0.14 | <i>C15</i> |
| Stomach | 886 | 1.9 | 8.5 | 5.5 | 0.27 | 0.60 | 451 | 1.0 | 4.4 | 2.6 | 0.13 | 0.29 | <i>C16</i> |
| Small intestine | 255 | 0.5 | 2.4 | 1.7 | 0.09 | 0.19 | 228 | 0.5 | 2.2 | 1.4 | 0.08 | 0.16 | <i>C17</i> |
| Colon | 3446 | 7.4 | 33.0 | 21.7 | 1.00 | 2.53 | 3075 | 7.1 | 30.1 | 17.5 | 0.85 | 2.00 | <i>C18</i> |
| Rectum | 2254 | 4.8 | 21.6 | 14.7 | 0.83 | 1.79 | 1296 | 3.0 | 12.7 | 7.9 | 0.49 | 0.92 | <i>C19–20</i> |
| Anus | 87 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 215 | 0.5 | 2.1 | 1.4 | 0.10 | 0.17 | <i>C21</i> |
| Liver | 1069 | 2.3 | 10.2 | 7.0 | 0.45 | 0.87 | 452 | 1.0 | 4.4 | 2.8 | 0.16 | 0.33 | <i>C22</i> |
| Gallbladder etc. | 326 | 0.7 | 3.1 | 2.0 | 0.07 | 0.23 | 342 | 0.8 | 3.4 | 1.9 | 0.09 | 0.22 | <i>C23–24</i> |
| Pancreas | 1259 | 2.7 | 12.1 | 7.8 | 0.36 | 0.89 | 1158 | 2.7 | 11.4 | 6.3 | 0.28 | 0.70 | <i>C25</i> |
| Nose, sinuses etc. | 83 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 53 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | <i>C30–31</i> |
| Larynx | 331 | 0.7 | 3.2 | 2.1 | 0.12 | 0.26 | 49 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | <i>C32</i> |
| Trachea, bronchus, and lung | 5475 | 11.7 | 52.4 | 33.8 | 1.22 | 4.17 | 5525 | 12.8 | 54.2 | 31.6 | 1.32 | 4.03 | <i>C33–34</i> |
| Other thoracic organs | 77 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 65 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | <i>C37–38</i> |
| Bone | 117 | 0.3 | 1.1 | 1.0 | 0.06 | 0.08 | 84 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | <i>C40–41</i> |
| Melanoma of skin | 1698 | 3.6 | 16.3 | 11.1 | 0.67 | 1.25 | 1560 | 3.6 | 15.3 | 10.5 | 0.76 | 1.14 | <i>C43</i> |
| Other skin | 182 | 0.4 | 1.7 | 1.2 | 0.06 | 0.11 | 100 | 0.2 | 1.0 | 0.6 | 0.04 | 0.05 | <i>C44</i> |
| Mesothelioma | 214 | 0.5 | 2.0 | 1.3 | 0.03 | 0.14 | 45 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | <i>C45</i> |
| Kaposi sarcoma | 29 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 397 | 0.8 | 3.8 | 2.9 | 0.15 | 0.27 | 247 | 0.6 | 2.4 | 1.8 | 0.12 | 0.17 | <i>C47+C49</i> |
| Breast | 96 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 12103 | 28.0 | 118.7 | 80.4 | 5.42 | 9.55 | <i>C50</i> |
| Vulva | | | | | | | 269 | 0.6 | 2.6 | 1.7 | 0.10 | 0.18 | <i>C51</i> |
| Vagina | | | | | | | 84 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | <i>C52</i> |
| Cervix uteri | | | | | | | 865 | 2.0 | 8.5 | 6.5 | 0.53 | 0.61 | <i>C53</i> |
| Corpus uteri | | | | | | | 3040 | 7.0 | 29.8 | 20.1 | 1.41 | 2.59 | <i>C54</i> |
| Uterus unspecified | | | | | | | 30 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | <i>C55</i> |
| Ovary | | | | | | | 1098 | 2.5 | 10.8 | 7.2 | 0.51 | 0.79 | <i>C56</i> |
| Other female genital organs | | | | | | | 200 | 0.5 | 2.0 | 1.2 | 0.07 | 0.14 | <i>C57</i> |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | <i>C58</i> |
| Penis | | | | | | | | | | | | | <i>C60</i> |
| Prostate | 11705 | 25.0 | 112.1 | 75.8 | 3.86 | 10.03 | | | | | | | <i>C61</i> |
| Testis | 728 | 1.6 | 7.0 | 6.1 | 0.45 | 0.47 | | | | | | | <i>C62</i> |
| Other male genital organs | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | <i>C63</i> |
| Kidney | 1892 | 4.0 | 18.1 | 12.8 | 0.81 | 1.52 | 970 | 2.2 | 9.5 | 6.4 | 0.42 | 0.74 | <i>C64</i> |
| Renal pelvis | 108 | 0.2 | 1.0 | 0.6 | 0.02 | 0.07 | 84 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | <i>C65</i> |
| Ureter | 69 | 0.1 | 0.7 | 0.4 | 0.01 | 0.06 | 42 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | <i>C66</i> |
| †Bladder | 3457 | 7.4 | 33.1 | 21.2 | 0.83 | 2.45 | 1036 | 2.4 | 10.2 | 5.7 | 0.26 | 0.68 | <i>C67</i> |
| Other urinary organs | 43 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 31 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | <i>C68</i> |
| Eye | 111 | 0.2 | 1.1 | 0.9 | 0.06 | 0.09 | 116 | 0.3 | 1.1 | 0.9 | 0.05 | 0.09 | <i>C69</i> |
| Brain and nervous system | 776 | 1.7 | 7.4 | 6.0 | 0.38 | 0.58 | 566 | 1.3 | 5.5 | 4.4 | 0.27 | 0.42 | <i>C70–72</i> |
| Thyroid | 702 | 1.5 | 6.7 | 5.1 | 0.38 | 0.53 | 1873 | 4.3 | 18.4 | 14.5 | 1.13 | 1.37 | <i>C73</i> |
| Adrenal gland | 30 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 27 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | <i>C74</i> |
| Other endocrine | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C75</i> |
| Hodgkin lymphoma | 314 | 0.7 | 3.0 | 2.7 | 0.18 | 0.22 | 219 | 0.5 | 2.1 | 2.0 | 0.13 | 0.16 | <i>C81</i> |
| Non-Hodgkin lymphoma | 1938 | 4.1 | 18.6 | 12.9 | 0.71 | 1.43 | 1458 | 3.4 | 14.3 | 9.1 | 0.51 | 1.01 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 193 | 0.4 | 1.8 | 1.2 | 0.05 | 0.13 | 146 | 0.3 | 1.4 | 0.9 | 0.05 | 0.10 | <i>C88</i> |
| Multiple myeloma | 726 | 1.6 | 7.0 | 4.5 | 0.21 | 0.50 | 467 | 1.1 | 4.6 | 2.6 | 0.12 | 0.32 | <i>C90</i> |
| Lymphoid leukaemia | 1215 | 2.6 | 11.6 | 8.7 | 0.43 | 0.96 | 710 | 1.6 | 7.0 | 5.0 | 0.25 | 0.51 | <i>C91</i> |
| Myeloid leukaemia | 659 | 1.4 | 6.3 | 4.5 | 0.22 | 0.46 | 475 | 1.1 | 4.7 | 3.2 | 0.18 | 0.30 | <i>C92–94</i> |
| Leukaemia unspecified | 24 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 23 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C95</i> |
| Myeloproliferative disorders | 535 | 1.1 | 5.1 | 3.5 | 0.17 | 0.38 | 517 | 1.2 | 5.1 | 3.1 | 0.17 | 0.35 | <i>MPD</i> |
| Myelodysplastic syndromes | 358 | 0.8 | 3.4 | 2.0 | 0.05 | 0.18 | 229 | 0.5 | 2.2 | 1.1 | 0.03 | 0.11 | <i>MPS</i> |
| Other and unspecified | 701 | 1.5 | 6.7 | 4.2 | 0.17 | 0.41 | 795 | 1.8 | 7.8 | 4.1 | 0.16 | 0.39 | <i>O&U</i> |
| All sites | 46914 | | 449.1 | 305.2 | 15.53 | 36.09 | 43262 | | 424.1 | 275.7 | 16.72 | 31.60 | <i>C00–96</i> |
| All sites except C44 | 46732 | 100.0 | 447.4 | 304.1 | 15.47 | 35.98 | 43162 | 100.0 | 423.1 | 275.0 | 16.68 | 31.55 | <i>C00–96 exc. C44</i> |


†See note following population pyramid

Canada, British Columbia

CONTRIBUTORS

Jonathan Simkin
Cathy MacKay
Ryan Woods

<https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1710000501>



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 57.4 | Breast | 77.2 |
| Trachea, bronchus, and lung | 30.9 | Trachea, bronchus, and lung | 29.9 |
| Colon | 22.1 | Colon | 17.5 |
| Bladder | 20.7 | Corpus uteri | 16.8 |
| Rectum | 14.4 | Melanoma of skin | 11.2 |
| Non-Hodgkin lymphoma | 12.9 | Thyroid | 9.7 |
| Melanoma of skin | 12.9 | Non-Hodgkin lymphoma | 9.3 |
| Kidney | 10.2 | Rectum | 8.2 |
| Liver | 8.5 | Ovary | 7.8 |
| Pancreas | 7.6 | Pancreas | 6.2 |
| Non-melanoma skin cancer | 7.5 | Bladder | 5.5 |
| Lymphoid leukaemia | 6.3 | Cervix uteri | 5.4 |
| Brain and nervous system | 6.3 | Kidney | 5.1 |
| Testis | 5.7 | Brain and nervous system | 4.3 |
| Stomach | 5.4 | Lymphoid leukaemia | 4.2 |
| Oesophagus | 4.9 | Non-melanoma skin cancer | 3.9 |
| Myeloid leukaemia | 4.2 | Other and unspecified | 3.6 |
| Multiple myeloma | 4.2 | Myeloid leukaemia | 3.1 |
| Other and unspecified | 4.0 | Liver | 2.8 |
| Thyroid | 3.7 | Multiple myeloma | 2.5 |
| All sites | 285.3 | All sites | 261.5 |

Canada, British Columbia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 93 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | 38 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | <i>C00</i> |
| Tongue | 734 | 1.1 | 6.2 | 3.6 | 0.24 | 0.45 | 280 | 0.5 | 2.3 | 1.2 | 0.09 | 0.14 | <i>C01–02</i> |
| Mouth | 354 | 0.5 | 3.0 | 1.6 | 0.10 | 0.18 | 279 | 0.5 | 2.3 | 1.0 | 0.05 | 0.11 | <i>C03–06</i> |
| Salivary glands | 172 | 0.3 | 1.5 | 0.7 | 0.04 | 0.07 | 153 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | <i>C07–08</i> |
| Tonsil | 483 | 0.7 | 4.1 | 2.4 | 0.18 | 0.29 | 111 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | <i>C09</i> |
| Other oropharynx | 148 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 26 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C10</i> |
| Nasopharynx | 188 | 0.3 | 1.6 | 1.0 | 0.08 | 0.11 | 73 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | <i>C11</i> |
| Hypopharynx | 114 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 35 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | <i>C12–13</i> |
| Pharynx unspecified | 33 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | <i>C14</i> |
| Oesophagus | 1188 | 1.8 | 10.0 | 4.9 | 0.25 | 0.62 | 396 | 0.6 | 3.3 | 1.3 | 0.06 | 0.15 | <i>C15</i> |
| Stomach | 1344 | 2.1 | 11.3 | 5.4 | 0.26 | 0.61 | 633 | 1.0 | 5.2 | 2.3 | 0.11 | 0.25 | <i>C16</i> |
| Small intestine | 326 | 0.5 | 2.8 | 1.4 | 0.07 | 0.16 | 252 | 0.4 | 2.1 | 1.0 | 0.05 | 0.12 | <i>C17</i> |
| Colon | 5479 | 8.4 | 46.3 | 22.1 | 1.00 | 2.58 | 4973 | 8.1 | 41.2 | 17.5 | 0.80 | 1.94 | <i>C18</i> |
| Rectum | 3323 | 5.1 | 28.1 | 14.4 | 0.83 | 1.77 | 2006 | 3.3 | 16.6 | 8.2 | 0.52 | 0.95 | <i>C19–20</i> |
| Anus | 194 | 0.3 | 1.6 | 0.9 | 0.06 | 0.10 | 364 | 0.6 | 3.0 | 1.6 | 0.12 | 0.19 | <i>C21</i> |
| Liver | 1946 | 3.0 | 16.4 | 8.5 | 0.52 | 1.05 | 777 | 1.3 | 6.4 | 2.8 | 0.14 | 0.31 | <i>C22</i> |
| Gallbladder etc. | 427 | 0.7 | 3.6 | 1.6 | 0.06 | 0.19 | 454 | 0.7 | 3.8 | 1.6 | 0.08 | 0.19 | <i>C23–24</i> |
| Pancreas | 1916 | 2.9 | 16.2 | 7.6 | 0.34 | 0.89 | 1792 | 2.9 | 14.9 | 6.2 | 0.26 | 0.72 | <i>C25</i> |
| Nose, sinuses etc. | 131 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 73 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | <i>C30–31</i> |
| Larynx | 511 | 0.8 | 4.3 | 2.1 | 0.12 | 0.27 | 73 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | <i>C32</i> |
| Trachea, bronchus, and lung | 8120 | 12.4 | 68.6 | 30.9 | 1.19 | 3.66 | 8535 | 13.9 | 70.8 | 29.9 | 1.26 | 3.68 | <i>C33–34</i> |
| Other thoracic organs | 90 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | 74 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | <i>C37–38</i> |
| Bone | 160 | 0.2 | 1.4 | 1.1 | 0.07 | 0.09 | 126 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | <i>C40–41</i> |
| Melanoma of skin | 2946 | 4.5 | 24.9 | 12.9 | 0.71 | 1.47 | 2424 | 3.9 | 20.1 | 11.2 | 0.75 | 1.21 | <i>C43</i> |
| Other skin | 2277 | 3.5 | 19.2 | 7.5 | 0.17 | 0.60 | 1464 | 2.4 | 12.1 | 3.9 | 0.11 | 0.32 | <i>C44</i> |
| Mesothelioma | 390 | 0.6 | 3.3 | 1.4 | 0.04 | 0.14 | 88 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | <i>C45</i> |
| Kaposi sarcoma | 34 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 496 | 0.8 | 4.2 | 2.6 | 0.14 | 0.25 | 341 | 0.6 | 2.8 | 1.8 | 0.10 | 0.17 | <i>C47+C49</i> |
| Breast | 142 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | 17202 | 27.9 | 142.6 | 77.2 | 5.18 | 9.14 | <i>C50</i> |
| Vulva | | | | | | | 415 | 0.7 | 3.4 | 1.6 | 0.09 | 0.18 | <i>C51</i> |
| Vagina | | | | | | | 157 | 0.3 | 1.3 | 0.6 | 0.04 | 0.07 | <i>C52</i> |
| Cervix uteri | | | | | | | 903 | 1.5 | 7.5 | 5.4 | 0.43 | 0.51 | <i>C53</i> |
| Corpus uteri | | | | | | | 3831 | 6.2 | 31.8 | 16.8 | 1.16 | 2.12 | <i>C54</i> |
| Uterus unspecified | | | | | | | 81 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | <i>C55</i> |
| Ovary | | | | | | | 1767 | 2.9 | 14.7 | 7.8 | 0.51 | 0.86 | <i>C56</i> |
| Other female genital organs | | | | | | | 332 | 0.5 | 2.8 | 1.3 | 0.08 | 0.16 | <i>C57</i> |
| Placenta | | | | | | | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C58</i> |
| Penis | 121 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | | | | | | | <i>C60</i> |
| Prostate | 14225 | 21.7 | 120.1 | 57.4 | 2.43 | 7.61 | | | | | | | <i>C61</i> |
| Testis | 729 | 1.1 | 6.2 | 5.7 | 0.43 | 0.45 | | | | | | | <i>C62</i> |
| Other male genital organs | 41 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | <i>C63</i> |
| Kidney | 2225 | 3.4 | 18.8 | 10.2 | 0.61 | 1.23 | 1145 | 1.9 | 9.5 | 5.1 | 0.30 | 0.58 | <i>C64</i> |
| Renal pelvis | 162 | 0.2 | 1.4 | 0.6 | 0.02 | 0.06 | 108 | 0.2 | 0.9 | 0.3 | 0.01 | 0.03 | <i>C65</i> |
| Ureter | 123 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | 75 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | <i>C66</i> |
| †Bladder | 5526 | 8.4 | 46.7 | 20.7 | 0.75 | 2.27 | 1621 | 2.6 | 13.4 | 5.5 | 0.23 | 0.60 | <i>C67</i> |
| Other urinary organs | 62 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 33 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | <i>C68</i> |
| Eye | 122 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 100 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | <i>C69</i> |
| Brain and nervous system | 1079 | 1.6 | 9.1 | 6.3 | 0.38 | 0.61 | 744 | 1.2 | 6.2 | 4.3 | 0.26 | 0.40 | <i>C70–72</i> |
| Thyroid | 634 | 1.0 | 5.4 | 3.7 | 0.27 | 0.37 | 1634 | 2.7 | 13.5 | 9.7 | 0.75 | 0.93 | <i>C73</i> |
| Adrenal gland | 31 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 41 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | <i>C74</i> |
| Other endocrine | 30 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C75</i> |
| Hodgkin lymphoma | 346 | 0.5 | 2.9 | 2.5 | 0.17 | 0.21 | 242 | 0.4 | 2.0 | 1.9 | 0.13 | 0.14 | <i>C81</i> |
| Non-Hodgkin lymphoma | 2900 | 4.4 | 24.5 | 12.9 | 0.68 | 1.44 | 2311 | 3.8 | 19.2 | 9.3 | 0.52 | 1.04 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 186 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | 157 | 0.3 | 1.3 | 0.7 | 0.04 | 0.08 | <i>C88</i> |
| Multiple myeloma | 1042 | 1.6 | 8.8 | 4.2 | 0.19 | 0.48 | 714 | 1.2 | 5.9 | 2.5 | 0.12 | 0.28 | <i>C90</i> |
| Lymphoid leukaemia | 1231 | 1.9 | 10.4 | 6.3 | 0.30 | 0.64 | 767 | 1.2 | 6.4 | 4.2 | 0.20 | 0.39 | <i>C91</i> |
| Myeloid leukaemia | 953 | 1.5 | 8.0 | 4.2 | 0.19 | 0.42 | 693 | 1.1 | 5.7 | 3.1 | 0.17 | 0.30 | <i>C92–94</i> |
| Leukaemia unspecified | 50 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 38 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | <i>C95</i> |
| Myeloproliferative disorders | 648 | 1.0 | 5.5 | 2.7 | 0.13 | 0.29 | 657 | 1.1 | 5.4 | 2.5 | 0.12 | 0.27 | <i>MPD</i> |
| Myelodysplastic syndromes | 591 | 0.9 | 5.0 | 2.0 | 0.05 | 0.19 | 339 | 0.6 | 2.8 | 1.0 | 0.04 | 0.08 | <i>MPS</i> |
| Other and unspecified | 1004 | 1.5 | 8.5 | 4.0 | 0.17 | 0.42 | 1102 | 1.8 | 9.1 | 3.6 | 0.15 | 0.35 | <i>O&U</i> |
| All sites | 67820 | | 572.7 | 285.3 | 13.63 | 33.04 | 63083 | | 523.0 | 261.5 | 15.39 | 29.59 | <i>C00–96</i> |
| All sites except C44 | 65543 | 100.0 | 553.5 | 277.8 | 13.46 | 32.44 | 61619 | 100.0 | 510.9 | 257.6 | 15.28 | 29.27 | <i>C00–96 exc. C44</i> |

†See note following population pyramid

Canada, Manitoba

CONTRIBUTORS

Donna Turner
Sheila Fukumura
Oliver Bucher
Grace Musto



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 134.7 | Non-melanoma skin cancer | 99.8 |
| Prostate | 61.1 | Breast | 75.8 |
| Trachea, bronchus, and lung | 36.2 | Trachea, bronchus, and lung | 34.6 |
| Colon | 23.5 | Corpus uteri | 25.8 |
| Bladder | 19.3 | Colon | 18.5 |
| Rectum | 16.6 | Thyroid | 13.0 |
| Non-Hodgkin lymphoma | 14.8 | Non-Hodgkin lymphoma | 10.3 |
| Kidney | 14.5 | Melanoma of skin | 9.9 |
| Melanoma of skin | 11.7 | Rectum | 9.0 |
| Lymphoid leukaemia | 8.7 | Ovary | 8.1 |
| Pancreas | 7.8 | Pancreas | 6.7 |
| Stomach | 6.8 | Kidney | 6.5 |
| Other and unspecified | 5.9 | Bladder | 5.9 |
| Brain and nervous system | 5.8 | Cervix uteri | 5.6 |
| Liver | 5.7 | Lymphoid leukaemia | 5.2 |
| Testis | 5.6 | Other and unspecified | 5.0 |
| Multiple myeloma | 4.9 | Brain and nervous system | 4.5 |
| Thyroid | 4.5 | Multiple myeloma | 3.1 |
| Myeloid leukaemia | 4.5 | Stomach | 3.0 |
| Oesophagus | 4.2 | Myeloid leukaemia | 3.0 |
| All sites | 435.7 | All sites | 382.9 |

***Canada, Manitoba (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 179 | 1.1 | 5.5 | 2.9 | 0.13 | 0.32 | 69 | 0.4 | 2.1 | 1.0 | 0.05 | 0.11 | C00 |
| Tongue | 163 | 1.0 | 5.0 | 3.3 | 0.22 | 0.42 | 67 | 0.4 | 2.0 | 1.2 | 0.09 | 0.14 | C01–02 |
| Mouth | 65 | 0.4 | 2.0 | 1.3 | 0.09 | 0.18 | 67 | 0.4 | 2.0 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 22 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 30 | 0.2 | 0.9 | 0.6 | 0.05 | 0.06 | C07–08 |
| Tonsil | 98 | 0.6 | 3.0 | 2.1 | 0.17 | 0.26 | 26 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 19 | 0.1 | 0.6 | 0.4 | 0.04 | 0.04 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 26 | 0.2 | 0.8 | 0.6 | 0.05 | 0.07 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 34 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 249 | 1.5 | 7.6 | 4.2 | 0.21 | 0.50 | 79 | 0.5 | 2.4 | 1.2 | 0.07 | 0.16 | C15 |
| Stomach | 392 | 2.3 | 11.9 | 6.8 | 0.33 | 0.82 | 195 | 1.2 | 5.9 | 3.0 | 0.15 | 0.35 | C16 |
| Small intestine | 89 | 0.5 | 2.7 | 1.6 | 0.10 | 0.19 | 68 | 0.4 | 2.0 | 1.1 | 0.08 | 0.13 | C17 |
| Colon | 1358 | 8.1 | 41.4 | 23.5 | 1.10 | 2.75 | 1290 | 7.8 | 38.9 | 18.5 | 0.90 | 2.05 | C18 |
| Rectum | 913 | 5.4 | 27.8 | 16.6 | 0.95 | 1.95 | 534 | 3.2 | 16.1 | 9.0 | 0.54 | 1.07 | C19–20 |
| Anus | 42 | 0.3 | 1.3 | 0.8 | 0.06 | 0.10 | 64 | 0.4 | 1.9 | 1.1 | 0.08 | 0.13 | C21 |
| Liver | 310 | 1.8 | 9.4 | 5.7 | 0.33 | 0.72 | 152 | 0.9 | 4.6 | 2.5 | 0.14 | 0.29 | C22 |
| Gallbladder etc. | 140 | 0.8 | 4.3 | 2.4 | 0.09 | 0.29 | 179 | 1.1 | 5.4 | 2.6 | 0.12 | 0.29 | C23–24 |
| Pancreas | 456 | 2.7 | 13.9 | 7.8 | 0.36 | 0.95 | 472 | 2.9 | 14.2 | 6.7 | 0.30 | 0.80 | C25 |
| Nose, sinuses etc. | 23 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 19 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 130 | 0.8 | 4.0 | 2.2 | 0.11 | 0.28 | 17 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 2185 | 13.0 | 66.6 | 36.2 | 1.41 | 4.46 | 2327 | 14.1 | 70.1 | 34.6 | 1.53 | 4.48 | C33–34 |
| Other thoracic organs | 22 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 35 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 32 | 0.2 | 1.0 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 647 | 3.9 | 19.7 | 11.7 | 0.65 | 1.32 | 542 | 3.3 | 16.3 | 9.9 | 0.67 | 1.10 | C43 |
| Other skin | 7976 | 47.5 | 243.1 | 134.7 | 6.06 | 15.48 | 6441 | 39.0 | 194.1 | 99.8 | 5.68 | 11.44 | C44 |
| Mesothelioma | 84 | 0.5 | 2.6 | 1.4 | 0.04 | 0.15 | 24 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 14 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 129 | 0.8 | 3.9 | 2.7 | 0.16 | 0.23 | 101 | 0.6 | 3.0 | 2.1 | 0.13 | 0.20 | C47+C49 |
| Breast | 27 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | 4182 | 25.3 | 126.0 | 75.8 | 5.19 | 9.02 | C50 |
| Vulva | | | | | | | 121 | 0.7 | 3.6 | 1.9 | 0.11 | 0.21 | C51 |
| Vagina | | | | | | | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 239 | 1.4 | 7.2 | 5.6 | 0.46 | 0.55 | C53 |
| Corpus uteri | | | | | | | 1393 | 8.4 | 42.0 | 25.8 | 1.85 | 3.23 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 424 | 2.6 | 12.8 | 8.1 | 0.60 | 0.92 | C56 |
| Other female genital organs | | | | | | | 77 | 0.5 | 2.3 | 1.3 | 0.08 | 0.17 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 67 | 0.4 | 2.0 | 1.2 | 0.05 | 0.15 | | | | | | | C60 |
| Prostate | 3543 | 21.1 | 108.0 | 61.1 | 2.65 | 8.07 | | | | | | | C61 |
| Testis | 195 | 1.2 | 5.9 | 5.6 | 0.42 | 0.44 | | | | | | | C62 |
| Other male genital organs | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 740 | 4.4 | 22.6 | 14.5 | 0.97 | 1.72 | 360 | 2.2 | 10.8 | 6.5 | 0.41 | 0.76 | C64 |
| Renal pelvis | 34 | 0.2 | 1.0 | 0.6 | 0.02 | 0.07 | 20 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 27 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | 21 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C66 |
| †Bladder | 1206 | 7.2 | 36.8 | 19.3 | 0.71 | 2.18 | 418 | 2.5 | 12.6 | 5.9 | 0.26 | 0.67 | C67 |
| Other urinary organs | 28 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | 9 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 23 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | 23 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 245 | 1.5 | 7.5 | 5.8 | 0.36 | 0.58 | 193 | 1.2 | 5.8 | 4.5 | 0.29 | 0.41 | C70–72 |
| Thyroid | 201 | 1.2 | 6.1 | 4.5 | 0.36 | 0.48 | 549 | 3.3 | 16.5 | 13.0 | 1.06 | 1.27 | C73 |
| Adrenal gland | 16 | 0.1 | 0.5 | 0.7 | 0.04 | 0.04 | 16 | 0.1 | 0.5 | 0.5 | 0.02 | 0.03 | C74 |
| Other endocrine | 7 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 116 | 0.7 | 3.5 | 3.0 | 0.19 | 0.26 | 73 | 0.4 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 781 | 4.7 | 23.8 | 14.8 | 0.82 | 1.72 | 634 | 3.8 | 19.1 | 10.3 | 0.56 | 1.18 | C82–86,C96 |
| Immunoproliferative diseases | 85 | 0.5 | 2.6 | 1.4 | 0.06 | 0.17 | 66 | 0.4 | 2.0 | 1.1 | 0.06 | 0.13 | C88 |
| Multiple myeloma | 284 | 1.7 | 8.7 | 4.9 | 0.21 | 0.61 | 206 | 1.2 | 6.2 | 3.1 | 0.15 | 0.38 | C90 |
| Lymphoid leukaemia | 431 | 2.6 | 13.1 | 8.7 | 0.46 | 0.92 | 266 | 1.6 | 8.0 | 5.2 | 0.24 | 0.48 | C91 |
| Myeloid leukaemia | 234 | 1.4 | 7.1 | 4.5 | 0.21 | 0.47 | 162 | 1.0 | 4.9 | 3.0 | 0.17 | 0.29 | C92–94 |
| Leukaemia unspecified | 10 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 136 | 0.8 | 4.1 | 2.4 | 0.09 | 0.28 | 149 | 0.9 | 4.5 | 2.2 | 0.10 | 0.26 | MPD |
| Myelodysplastic syndromes | 146 | 0.9 | 4.5 | 2.2 | 0.06 | 0.24 | 83 | 0.5 | 2.5 | 1.0 | 0.04 | 0.09 | MPS |
| Other and unspecified | 360 | 2.1 | 11.0 | 5.9 | 0.25 | 0.67 | 392 | 2.4 | 11.8 | 5.0 | 0.22 | 0.53 | O&U |
| All sites | 24755 | | 754.5 | 435.7 | 20.88 | 51.12 | 22960 | | 691.9 | 382.9 | 22.94 | 44.14 | C00–96 |
| All sites except C44 | 16779 | 100.0 | 511.4 | 301.0 | 14.82 | 35.64 | 16519 | 100.0 | 497.8 | 283.1 | 17.26 | 32.70 | C00–96 exc. C44 |

*†See note following population pyramid

Canada, New Brunswick

CONTRIBUTORS

Eshwar Kumar
Bin Zhang



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 137.5 | Non-melanoma skin cancer | 103.9 |
| Prostate | 65.2 | Breast | 77.4 |
| Trachea, bronchus, and lung | 50.2 | Trachea, bronchus, and lung | 39.2 |
| Colon | 24.3 | Corpus uteri | 19.4 |
| Bladder | 23.5 | Colon | 18.7 |
| Rectum | 16.3 | Thyroid | 14.6 |
| Kidney | 15.8 | Melanoma of skin | 13.7 |
| Non-Hodgkin lymphoma | 14.3 | Non-Hodgkin lymphoma | 12.0 |
| Melanoma of skin | 12.9 | Kidney | 8.9 |
| Pancreas | 8.8 | Ovary | 7.5 |
| Lymphoid leukaemia | 8.7 | Rectum | 7.5 |
| Stomach | 7.8 | Bladder | 6.8 |
| Brain and nervous system | 6.1 | Cervix uteri | 6.3 |
| Thyroid | 5.7 | Pancreas | 6.0 |
| Testis | 5.7 | Lymphoid leukaemia | 5.7 |
| Myeloid leukaemia | 5.0 | Brain and nervous system | 5.2 |
| Multiple myeloma | 4.4 | Myeloid leukaemia | 3.8 |
| Oesophagus | 4.4 | Other and unspecified | 3.4 |
| Other and unspecified | 4.3 | Stomach | 2.9 |
| Liver | 4.0 | Multiple myeloma | 2.8 |
| All sites | 460.5 | All sites | 391.8 |

*Canada, New Brunswick (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 31 | 0.2 | 1.6 | 0.7 | 0.03 | 0.07 | 12 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 126 | 1.0 | 6.7 | 3.3 | 0.21 | 0.41 | 42 | 0.4 | 2.2 | 0.9 | 0.05 | 0.12 | C01–02 |
| Mouth | 56 | 0.4 | 3.0 | 1.4 | 0.09 | 0.18 | 46 | 0.4 | 2.4 | 1.0 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 21 | 0.2 | 1.1 | 0.5 | 0.03 | 0.04 | 17 | 0.1 | 0.9 | 0.5 | 0.03 | 0.04 | C07–08 |
| Tonsil | 127 | 1.0 | 6.7 | 3.7 | 0.30 | 0.46 | 28 | 0.2 | 1.5 | 0.7 | 0.06 | 0.07 | C09 |
| Other oropharynx | 27 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 16 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | 10 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 14 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 5 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 179 | 1.4 | 9.5 | 4.4 | 0.26 | 0.54 | 48 | 0.4 | 2.5 | 0.9 | 0.05 | 0.10 | C15 |
| Stomach | 326 | 2.5 | 17.3 | 7.8 | 0.41 | 0.93 | 148 | 1.3 | 7.7 | 2.9 | 0.15 | 0.33 | C16 |
| Small intestine | 77 | 0.6 | 4.1 | 1.9 | 0.11 | 0.23 | 47 | 0.4 | 2.4 | 1.0 | 0.06 | 0.11 | C17 |
| Colon | 1024 | 7.9 | 54.4 | 24.3 | 1.11 | 2.83 | 965 | 8.2 | 50.2 | 18.7 | 0.76 | 2.10 | C18 |
| Rectum | 633 | 4.9 | 33.6 | 16.3 | 0.95 | 2.00 | 318 | 2.7 | 16.5 | 7.5 | 0.46 | 0.85 | C19–20 |
| Anus | 23 | 0.2 | 1.2 | 0.6 | 0.03 | 0.08 | 78 | 0.7 | 4.1 | 2.0 | 0.14 | 0.25 | C21 |
| Liver | 176 | 1.4 | 9.4 | 4.0 | 0.14 | 0.53 | 103 | 0.9 | 5.4 | 2.2 | 0.08 | 0.26 | C22 |
| Gallbladder etc. | 72 | 0.6 | 3.8 | 1.6 | 0.06 | 0.20 | 75 | 0.6 | 3.9 | 1.4 | 0.06 | 0.16 | C23–24 |
| Pancreas | 378 | 2.9 | 20.1 | 8.8 | 0.40 | 0.98 | 312 | 2.6 | 16.2 | 6.0 | 0.27 | 0.74 | C25 |
| Nose, sinuses etc. | 16 | 0.1 | 0.9 | 0.4 | 0.03 | 0.05 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 127 | 1.0 | 6.7 | 3.1 | 0.15 | 0.42 | 18 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 2226 | 17.2 | 118.3 | 50.2 | 1.91 | 6.10 | 1869 | 15.9 | 97.1 | 39.2 | 1.90 | 5.04 | C33–34 |
| Other thoracic organs | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 21 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | 17 | 0.1 | 0.9 | 1.0 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 491 | 3.8 | 26.1 | 12.9 | 0.75 | 1.48 | 473 | 4.0 | 24.6 | 13.7 | 0.94 | 1.45 | C43 |
| Other skin | 5832 | 45.1 | 309.8 | 137.5 | 6.13 | 15.79 | 4701 | 39.9 | 244.3 | 103.9 | 5.91 | 11.52 | C44 |
| Mesothelioma | 45 | 0.3 | 2.4 | 0.9 | 0.02 | 0.10 | 16 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 6 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 78 | 0.6 | 4.1 | 2.7 | 0.15 | 0.24 | 62 | 0.5 | 3.2 | 1.9 | 0.12 | 0.19 | C47+C49 |
| Breast | 26 | 0.2 | 1.4 | 0.6 | 0.02 | 0.06 | 3017 | 25.6 | 156.8 | 77.4 | 5.22 | 9.12 | C50 |
| Vulva | | | | | | | 90 | 0.8 | 4.7 | 2.2 | 0.17 | 0.23 | C51 |
| Vagina | | | | | | | 18 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 149 | 1.3 | 7.7 | 6.3 | 0.49 | 0.56 | C53 |
| Corpus uteri | | | | | | | 769 | 6.5 | 40.0 | 19.4 | 1.42 | 2.50 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 295 | 2.5 | 15.3 | 7.5 | 0.45 | 0.80 | C56 |
| Other female genital organs | | | | | | | 21 | 0.2 | 1.1 | 0.5 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 33 | 0.3 | 1.8 | 0.8 | 0.03 | 0.10 | | | | | | | C60 |
| Prostate | 2638 | 20.4 | 140.2 | 65.2 | 3.49 | 9.15 | | | | | | | C61 |
| Testis | 104 | 0.8 | 5.5 | 5.7 | 0.43 | 0.44 | | | | | | | C62 |
| Other male genital organs | 6 | 0.0 | 0.3 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 593 | 4.6 | 31.5 | 15.8 | 0.99 | 1.96 | 344 | 2.9 | 17.9 | 8.9 | 0.60 | 1.06 | C64 |
| Renal pelvis | 22 | 0.2 | 1.2 | 0.5 | 0.02 | 0.05 | 19 | 0.2 | 1.0 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 25 | 0.2 | 1.3 | 0.5 | 0.01 | 0.04 | 16 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | C66 |
| †Bladder | 1018 | 7.9 | 54.1 | 23.5 | 1.01 | 2.87 | 319 | 2.7 | 16.6 | 6.8 | 0.35 | 0.82 | C67 |
| Other urinary organs | 14 | 0.1 | 0.7 | 0.3 | 0.00 | 0.01 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 11 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 188 | 1.5 | 10.0 | 6.1 | 0.38 | 0.66 | 137 | 1.2 | 7.1 | 5.2 | 0.31 | 0.45 | C70–72 |
| Thyroid | 174 | 1.3 | 9.2 | 5.7 | 0.41 | 0.61 | 402 | 3.4 | 20.9 | 14.6 | 1.13 | 1.45 | C73 |
| Adrenal gland | 4 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 66 | 0.5 | 3.5 | 3.2 | 0.21 | 0.26 | 47 | 0.4 | 2.4 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 553 | 4.3 | 29.4 | 14.3 | 0.74 | 1.63 | 472 | 4.0 | 24.5 | 12.0 | 0.70 | 1.31 | C82–86,C96 |
| Immunoproliferative diseases | 32 | 0.2 | 1.7 | 0.8 | 0.02 | 0.11 | 34 | 0.3 | 1.8 | 0.8 | 0.04 | 0.10 | C88 |
| Multiple myeloma | 184 | 1.4 | 9.8 | 4.4 | 0.21 | 0.52 | 138 | 1.2 | 7.2 | 2.8 | 0.14 | 0.32 | C90 |
| Lymphoid leukaemia | 323 | 2.5 | 17.2 | 8.7 | 0.44 | 0.96 | 230 | 2.0 | 12.0 | 5.7 | 0.28 | 0.60 | C91 |
| Myeloid leukaemia | 186 | 1.4 | 9.9 | 5.0 | 0.22 | 0.52 | 136 | 1.2 | 7.1 | 3.8 | 0.20 | 0.38 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 86 | 0.7 | 4.6 | 2.0 | 0.09 | 0.22 | 70 | 0.6 | 3.6 | 1.5 | 0.06 | 0.18 | MPD |
| Myelodysplastic syndromes | 106 | 0.8 | 5.6 | 2.2 | 0.05 | 0.23 | 86 | 0.7 | 4.5 | 1.5 | 0.05 | 0.18 | MPS |
| Other and unspecified | 194 | 1.5 | 10.3 | 4.3 | 0.16 | 0.40 | 209 | 1.8 | 10.9 | 3.4 | 0.12 | 0.36 | O&U |
| All sites | 18754 | | 996.4 | 460.5 | 22.44 | 54.84 | 16483 | | 856.7 | 391.8 | 23.22 | 44.61 | C00–96 |
| All sites except C44 | 12922 | 100.0 | 686.5 | 323.0 | 16.31 | 39.06 | 11782 | 100.0 | 612.3 | 287.9 | 17.31 | 33.09 | C00–96 exc. C44 |

*†See note following population pyramid

Canada, Newfoundland and Labrador

CONTRIBUTORS

Elizabeth Snow
Gregory Doyle
Jennifer Gushue
Jeff Dowden



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 148.5 | Non-melanoma skin cancer | 100.2 |
| Prostate | 75.8 | Breast | 84.8 |
| Trachea, bronchus, and lung | 44.8 | Trachea, bronchus, and lung | 35.7 |
| Colon | 36.0 | Colon | 31.0 |
| Rectum | 22.8 | Thyroid | 23.0 |
| Bladder | 20.8 | Corpus uteri | 20.4 |
| Kidney | 16.9 | Non-Hodgkin lymphoma | 11.6 |
| Non-Hodgkin lymphoma | 15.4 | Rectum | 11.2 |
| Melanoma of skin | 11.7 | Melanoma of skin | 9.9 |
| Stomach | 8.8 | Kidney | 9.5 |
| Thyroid | 6.6 | Cervix uteri | 8.5 |
| Pancreas | 6.0 | Ovary | 7.6 |
| Brain and nervous system | 5.6 | Bladder | 7.2 |
| Oesophagus | 5.5 | Other and unspecified | 5.3 |
| Lymphoid leukaemia | 5.3 | Pancreas | 5.0 |
| Other and unspecified | 5.1 | Brain and nervous system | 4.8 |
| Liver | 4.3 | Stomach | 4.4 |
| Testis | 4.2 | Myeloid leukaemia | 3.4 |
| Myeloid leukaemia | 4.2 | Vulva | 3.1 |
| Multiple myeloma | 3.8 | Multiple myeloma | 2.9 |
| All sites | 488.5 | All sites | 416.8 |

*Canada, Newfoundland and Labrador (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 52 | 0.6 | 4.0 | 1.9 | 0.09 | 0.22 | 6 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 72 | 0.8 | 5.5 | 2.7 | 0.18 | 0.33 | 27 | 0.3 | 2.0 | 1.0 | 0.08 | 0.12 | C01–02 |
| Mouth | 49 | 0.5 | 3.7 | 1.8 | 0.13 | 0.22 | 17 | 0.2 | 1.3 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 14 | 0.1 | 1.1 | 0.5 | 0.04 | 0.07 | 14 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 57 | 0.6 | 4.4 | 2.3 | 0.18 | 0.28 | 20 | 0.2 | 1.5 | 0.8 | 0.07 | 0.09 | C09 |
| Other oropharynx | 13 | 0.1 | 1.0 | 0.5 | 0.02 | 0.07 | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 15 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 8 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 17 | 0.2 | 1.3 | 0.6 | 0.03 | 0.08 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 21 | 0.2 | 1.6 | 0.9 | 0.08 | 0.09 | 4 | 0.0 | 0.3 | 0.1 | 0.00 | 0.02 | C14 |
| Oesophagus | 156 | 1.7 | 11.9 | 5.5 | 0.30 | 0.70 | 33 | 0.4 | 2.5 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 261 | 2.8 | 20.0 | 8.8 | 0.43 | 0.98 | 135 | 1.6 | 10.1 | 4.4 | 0.22 | 0.46 | C16 |
| Small intestine | 51 | 0.5 | 3.9 | 1.8 | 0.12 | 0.22 | 56 | 0.6 | 4.2 | 1.9 | 0.10 | 0.24 | C17 |
| Colon | 1050 | 11.2 | 80.3 | 36.0 | 1.60 | 4.46 | 979 | 11.3 | 73.4 | 31.0 | 1.57 | 3.50 | C18 |
| Rectum | 628 | 6.7 | 48.0 | 22.8 | 1.31 | 2.76 | 333 | 3.8 | 25.0 | 11.2 | 0.64 | 1.32 | C19–20 |
| Anus | 20 | 0.2 | 1.5 | 0.7 | 0.05 | 0.07 | 30 | 0.3 | 2.3 | 1.1 | 0.07 | 0.11 | C21 |
| Liver | 125 | 1.3 | 9.6 | 4.3 | 0.21 | 0.51 | 79 | 0.9 | 5.9 | 2.4 | 0.09 | 0.26 | C22 |
| Gallbladder etc. | 55 | 0.6 | 4.2 | 1.8 | 0.07 | 0.20 | 54 | 0.6 | 4.1 | 1.6 | 0.07 | 0.21 | C23–24 |
| Pancreas | 173 | 1.8 | 13.2 | 6.0 | 0.27 | 0.77 | 171 | 2.0 | 12.8 | 5.0 | 0.23 | 0.56 | C25 |
| Nose, sinuses etc. | 14 | 0.1 | 1.1 | 0.6 | 0.05 | 0.07 | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 107 | 1.1 | 8.2 | 3.7 | 0.20 | 0.41 | 15 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1374 | 14.6 | 105.1 | 44.8 | 1.76 | 5.47 | 1132 | 13.0 | 84.9 | 35.7 | 1.62 | 4.59 | C33–34 |
| Other thoracic organs | 6 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C37–38 |
| Bone | 16 | 0.2 | 1.2 | 1.1 | 0.06 | 0.10 | 7 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 292 | 3.1 | 22.3 | 11.7 | 0.67 | 1.29 | 239 | 2.7 | 17.9 | 9.9 | 0.71 | 1.04 | C43 |
| Other skin | 4340 | 46.3 | 331.9 | 148.5 | 6.61 | 16.77 | 3049 | 35.1 | 228.7 | 100.2 | 5.52 | 10.98 | C44 |
| Mesothelioma | 24 | 0.3 | 1.8 | 0.8 | 0.02 | 0.09 | 6 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 61 | 0.7 | 4.7 | 2.9 | 0.17 | 0.24 | 33 | 0.4 | 2.5 | 1.4 | 0.09 | 0.12 | C47+C49 |
| Breast | 21 | 0.2 | 1.6 | 0.7 | 0.05 | 0.07 | 2270 | 26.1 | 170.3 | 84.8 | 5.63 | 10.16 | C50 |
| Vulva | | | | | | | 80 | 0.9 | 6.0 | 3.1 | 0.19 | 0.33 | C51 |
| Vagina | | | | | | | 11 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 156 | 1.8 | 11.7 | 8.5 | 0.69 | 0.82 | C53 |
| Corpus uteri | | | | | | | 542 | 6.2 | 40.7 | 20.4 | 1.53 | 2.54 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.2 | 1.1 | 0.6 | 0.05 | 0.06 | C55 |
| Ovary | | | | | | | 197 | 2.3 | 14.8 | 7.6 | 0.48 | 0.86 | C56 |
| Other female genital organs | | | | | | | 45 | 0.5 | 3.4 | 1.2 | 0.05 | 0.12 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 24 | 0.3 | 1.8 | 1.0 | 0.07 | 0.11 | | | | | | | C60 |
| Prostate | 2163 | 23.1 | 165.4 | 75.8 | 4.35 | 10.45 | | | | | | | C61 |
| Testis | 53 | 0.6 | 4.1 | 4.2 | 0.32 | 0.32 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 440 | 4.7 | 33.6 | 16.9 | 1.13 | 2.14 | 254 | 2.9 | 19.1 | 9.5 | 0.67 | 1.10 | C64 |
| Renal pelvis | 19 | 0.2 | 1.5 | 0.6 | 0.02 | 0.07 | 17 | 0.2 | 1.3 | 0.5 | 0.02 | 0.04 | C65 |
| Ureter | 19 | 0.2 | 1.5 | 0.7 | 0.03 | 0.09 | 6 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C66 |
| †Bladder | 637 | 6.8 | 48.7 | 20.8 | 0.85 | 2.39 | 230 | 2.6 | 17.3 | 7.2 | 0.30 | 0.94 | C67 |
| Other urinary organs | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 17 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 10 | 0.1 | 0.8 | 0.4 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 117 | 1.2 | 8.9 | 5.6 | 0.37 | 0.57 | 103 | 1.2 | 7.7 | 4.8 | 0.29 | 0.47 | C70–72 |
| Thyroid | 149 | 1.6 | 11.4 | 6.6 | 0.44 | 0.76 | 464 | 5.3 | 34.8 | 23.0 | 1.79 | 2.32 | C73 |
| Adrenal gland | 5 | 0.1 | 0.4 | 0.5 | 0.02 | 0.04 | 5 | 0.1 | 0.4 | 0.8 | 0.04 | 0.04 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 33 | 0.4 | 2.5 | 2.2 | 0.15 | 0.20 | 33 | 0.4 | 2.5 | 2.4 | 0.16 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 385 | 4.1 | 29.4 | 15.4 | 0.91 | 1.82 | 325 | 3.7 | 24.4 | 11.6 | 0.72 | 1.30 | C82–86,C96 |
| Immunoproliferative diseases | 36 | 0.4 | 2.8 | 1.5 | 0.09 | 0.17 | 25 | 0.3 | 1.9 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 109 | 1.2 | 8.3 | 3.8 | 0.21 | 0.45 | 94 | 1.1 | 7.1 | 2.9 | 0.11 | 0.39 | C90 |
| Lymphoid leukaemia | 95 | 1.0 | 7.3 | 5.3 | 0.30 | 0.43 | 57 | 0.7 | 4.3 | 2.8 | 0.14 | 0.29 | C91 |
| Myeloid leukaemia | 99 | 1.1 | 7.6 | 4.2 | 0.22 | 0.43 | 82 | 0.9 | 6.2 | 3.4 | 0.21 | 0.37 | C92–94 |
| Leukaemia unspecified | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | 8 | 0.1 | 0.6 | 0.2 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 28 | 0.3 | 2.1 | 1.0 | 0.06 | 0.13 | 26 | 0.3 | 2.0 | 1.0 | 0.06 | 0.12 | MPD |
| Myelodysplastic syndromes | 48 | 0.5 | 3.7 | 1.5 | 0.05 | 0.16 | 33 | 0.4 | 2.5 | 1.1 | 0.04 | 0.14 | MPS |
| Other and unspecified | 143 | 1.5 | 10.9 | 5.1 | 0.19 | 0.44 | 186 | 2.1 | 14.0 | 5.3 | 0.20 | 0.50 | O&U |
| All sites | 13723 | | 1049.3 | 488.5 | 24.63 | 57.93 | 11745 | | 880.9 | 416.8 | 24.84 | 47.40 | C00–96 |
| All sites except C44 | 9383 | 100.0 | 717.5 | 340.1 | 18.02 | 41.16 | 8696 | 100.0 | 652.2 | 316.6 | 19.32 | 36.43 | C00–96 exc. C44 |

*†See note following population pyramid

Canada, Ontario

CONTRIBUTORS

Mary Jane King
Bogdan Pylypenko
Prithwish De



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 64.4 | Breast | 85.5 |
| Trachea, bronchus, and lung | 35.9 | Trachea, bronchus, and lung | 31.7 |
| Colon | 22.3 | Thyroid | 25.1 |
| Bladder | 21.5 | Corpus uteri | 20.7 |
| Melanoma of skin | 15.8 | Colon | 17.6 |
| Non-Hodgkin lymphoma | 14.9 | Melanoma of skin | 12.8 |
| Rectum | 13.1 | Non-Hodgkin lymphoma | 10.3 |
| Kidney | 12.9 | Ovary | 9.8 |
| Lymphoid leukaemia | 10.0 | Rectum | 7.6 |
| Thyroid | 8.2 | Kidney | 6.3 |
| Pancreas | 8.0 | Pancreas | 5.9 |
| Stomach | 7.3 | Bladder | 5.9 |
| Liver | 7.2 | Cervix uteri | 5.9 |
| Brain and nervous system | 6.4 | Lymphoid leukaemia | 5.9 |
| Testis | 5.8 | Myeloproliferative disorders | 4.8 |
| Multiple myeloma | 5.6 | Brain and nervous system | 4.7 |
| Myeloproliferative disorders | 5.0 | Multiple myeloma | 3.7 |
| Myeloid leukaemia | 4.6 | Stomach | 3.6 |
| Oesophagus | 4.6 | Myeloid leukaemia | 3.3 |
| Myelodysplastic syndromes | 3.7 | Connective and soft tissue | 2.6 |
| All sites | 317.5 | All sites | 304.6 |

Canada, Ontario (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 407 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | 146 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 1984 | 1.0 | 5.9 | 3.5 | 0.24 | 0.44 | 871 | 0.4 | 2.5 | 1.3 | 0.09 | 0.16 | C01–02 |
| Mouth | 1281 | 0.7 | 3.8 | 2.2 | 0.14 | 0.26 | 879 | 0.5 | 2.5 | 1.2 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 761 | 0.4 | 2.2 | 1.2 | 0.06 | 0.13 | 478 | 0.2 | 1.4 | 0.8 | 0.06 | 0.08 | C07–08 |
| Tonsil | 1140 | 0.6 | 3.4 | 2.1 | 0.17 | 0.26 | 306 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 290 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 100 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 422 | 0.2 | 1.2 | 0.8 | 0.06 | 0.09 | 160 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 386 | 0.2 | 1.1 | 0.6 | 0.03 | 0.08 | 76 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 251 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 90 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 2879 | 1.5 | 8.5 | 4.6 | 0.24 | 0.57 | 988 | 0.5 | 2.8 | 1.2 | 0.06 | 0.15 | C15 |
| Stomach | 4711 | 2.4 | 13.9 | 7.3 | 0.35 | 0.83 | 2728 | 1.4 | 7.8 | 3.6 | 0.19 | 0.40 | C16 |
| Small intestine | 1238 | 0.6 | 3.7 | 2.0 | 0.11 | 0.24 | 1120 | 0.6 | 3.2 | 1.7 | 0.10 | 0.20 | C17 |
| Colon | 14537 | 7.5 | 42.9 | 22.3 | 1.04 | 2.55 | 13753 | 7.0 | 39.4 | 17.6 | 0.86 | 1.91 | C18 |
| Rectum | 7975 | 4.1 | 23.6 | 13.1 | 0.76 | 1.56 | 5190 | 2.7 | 14.9 | 7.6 | 0.48 | 0.86 | C19–20 |
| Anus | 505 | 0.3 | 1.5 | 0.9 | 0.06 | 0.10 | 896 | 0.5 | 2.6 | 1.4 | 0.10 | 0.16 | C21 |
| Liver | 4480 | 2.3 | 13.2 | 7.2 | 0.42 | 0.87 | 1996 | 1.0 | 5.7 | 2.6 | 0.12 | 0.29 | C22 |
| Gallbladder etc. | 1680 | 0.9 | 5.0 | 2.5 | 0.11 | 0.28 | 1747 | 0.9 | 5.0 | 2.2 | 0.10 | 0.25 | C23–24 |
| Pancreas | 5224 | 2.7 | 15.4 | 8.0 | 0.38 | 0.95 | 4828 | 2.5 | 13.8 | 5.9 | 0.26 | 0.68 | C25 |
| Nose, sinuses etc. | 344 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 232 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 1736 | 0.9 | 5.1 | 2.8 | 0.15 | 0.36 | 327 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 24376 | 12.6 | 72.0 | 35.9 | 1.41 | 4.36 | 24134 | 12.4 | 69.1 | 31.7 | 1.45 | 4.05 | C33–34 |
| Other thoracic organs | 291 | 0.1 | 0.9 | 0.6 | 0.04 | 0.06 | 210 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 476 | 0.2 | 1.4 | 1.1 | 0.07 | 0.10 | 413 | 0.2 | 1.2 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 9713 | 5.0 | 28.7 | 15.8 | 0.85 | 1.78 | 7654 | 3.9 | 21.9 | 12.8 | 0.87 | 1.37 | C43 |
| Other skin | 972 | 0.5 | 2.9 | 1.5 | 0.07 | 0.15 | 826 | 0.4 | 2.4 | 1.2 | 0.07 | 0.12 | C44 |
| Mesothelioma | 814 | 0.4 | 2.4 | 1.1 | 0.03 | 0.12 | 251 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 194 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 39 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1866 | 1.0 | 5.5 | 3.5 | 0.19 | 0.34 | 1384 | 0.7 | 4.0 | 2.6 | 0.16 | 0.24 | C47+C49 |
| Breast | 444 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | 52335 | 26.8 | 149.9 | 85.5 | 5.86 | 10.04 | C50 |
| Vulva | | | | | | | 1572 | 0.8 | 4.5 | 2.2 | 0.13 | 0.24 | C51 |
| Vagina | | | | | | | 461 | 0.2 | 1.3 | 0.7 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 2786 | 1.4 | 8.0 | 5.9 | 0.46 | 0.56 | C53 |
| Corpus uteri | | | | | | | 12880 | 6.6 | 36.9 | 20.7 | 1.44 | 2.62 | C54 |
| Uterus unspecified | | | | | | | 289 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 5983 | 3.1 | 17.1 | 9.8 | 0.65 | 1.11 | C56 |
| Other female genital organs | | | | | | | 426 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 22 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 477 | 0.2 | 1.4 | 0.7 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 40625 | 20.9 | 120.0 | 64.4 | 3.11 | 8.69 | | | | | | | C61 |
| Testis | 2070 | 1.1 | 6.1 | 5.8 | 0.43 | 0.45 | | | | | | | C62 |
| Other male genital organs | 135 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 7379 | 3.8 | 21.8 | 12.9 | 0.81 | 1.54 | 3969 | 2.0 | 11.4 | 6.3 | 0.40 | 0.73 | C64 |
| Renal pelvis | 298 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | 227 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 181 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 128 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 14798 | 7.6 | 43.7 | 21.5 | 0.82 | 2.43 | 4715 | 2.4 | 13.5 | 5.9 | 0.27 | 0.69 | C67 |
| Other urinary organs | 1121 | 0.6 | 3.3 | 1.6 | 0.06 | 0.18 | 510 | 0.3 | 1.5 | 0.6 | 0.02 | 0.07 | C68 |
| Eye | 449 | 0.2 | 1.3 | 0.9 | 0.05 | 0.09 | 369 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 3016 | 1.6 | 8.9 | 6.4 | 0.40 | 0.63 | 2336 | 1.2 | 6.7 | 4.7 | 0.29 | 0.45 | C70–72 |
| Thyroid | 3865 | 2.0 | 11.4 | 8.2 | 0.62 | 0.86 | 11690 | 6.0 | 33.5 | 25.1 | 2.01 | 2.44 | C73 |
| Adrenal gland | 163 | 0.1 | 0.5 | 0.5 | 0.02 | 0.04 | 155 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 59 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 52 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1066 | 0.5 | 3.1 | 2.8 | 0.19 | 0.23 | 919 | 0.5 | 2.6 | 2.4 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 8650 | 4.5 | 25.5 | 14.9 | 0.84 | 1.63 | 6859 | 3.5 | 19.6 | 10.3 | 0.59 | 1.16 | C82–86,C96 |
| Immunoproliferative diseases | 609 | 0.3 | 1.8 | 1.0 | 0.05 | 0.12 | 586 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 3733 | 1.9 | 11.0 | 5.6 | 0.25 | 0.65 | 2866 | 1.5 | 8.2 | 3.7 | 0.18 | 0.44 | C90 |
| Lymphoid leukaemia | 5220 | 2.7 | 15.4 | 10.0 | 0.50 | 1.01 | 3423 | 1.8 | 9.8 | 5.9 | 0.30 | 0.58 | C91 |
| Myeloid leukaemia | 2716 | 1.4 | 8.0 | 4.6 | 0.23 | 0.46 | 2065 | 1.1 | 5.9 | 3.3 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 335 | 0.2 | 1.0 | 0.5 | 0.02 | 0.04 | 371 | 0.2 | 1.1 | 0.5 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 2965 | 1.5 | 8.8 | 5.0 | 0.27 | 0.51 | 3307 | 1.7 | 9.5 | 4.8 | 0.26 | 0.50 | MPD |
| Myelodysplastic syndromes | 2901 | 1.5 | 8.6 | 3.7 | 0.08 | 0.33 | 1944 | 1.0 | 5.6 | 2.0 | 0.06 | 0.20 | MPS |
| Other and unspecified | 950 | 0.5 | 2.8 | 1.6 | 0.09 | 0.17 | 1025 | 0.5 | 2.9 | 1.4 | 0.07 | 0.15 | O&U |
| All sites | 195158 | | 576.3 | 317.5 | 16.11 | 37.08 | 196092 | | 561.6 | 304.6 | 18.89 | 34.47 | C00–96 |
| All sites except C44 | 194186 | 100.0 | 573.5 | 316.0 | 16.04 | 36.94 | 195266 | 100.0 | 559.2 | 303.4 | 18.82 | 34.35 | C00–96 exc. C44 |

§Includes 7 cases of unknown age


§Includes 8 cases of unknown age

†See note following population pyramid

Canada, Prince Edward Island

CONTRIBUTORS

Kim Vriends
 Carol McClure
 Julie Phillips
 Emily Connolly



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 64.0 | Breast | 75.7 |
| Trachea, bronchus, and lung | 41.5 | Trachea, bronchus, and lung | 39.3 |
| Colon | 27.7 | Melanoma of skin | 21.0 |
| Melanoma of skin | 22.1 | Colon | 19.9 |
| Bladder | 20.0 | Corpus uteri | 17.7 |
| Rectum | 16.8 | Rectum | 9.8 |
| Non-Hodgkin lymphoma | 15.4 | Non-Hodgkin lymphoma | 9.2 |
| Kidney | 13.5 | Kidney | 7.6 |
| Pancreas | 8.2 | Bladder | 7.1 |
| Stomach | 7.4 | Cervix uteri | 6.9 |
| Lymphoid leukaemia | 6.9 | Ovary | 6.8 |
| Brain and nervous system | 6.4 | Thyroid | 6.8 |
| Oesophagus | 6.2 | Pancreas | 5.7 |
| Other and unspecified | 6.2 | Other and unspecified | 5.2 |
| Multiple myeloma | 5.8 | Lymphoid leukaemia | 4.3 |
| Liver | 5.5 | Brain and nervous system | 3.5 |
| Non-melanoma skin cancer | 4.4 | Multiple myeloma | 3.0 |
| Myeloid leukaemia | 4.2 | Myeloid leukaemia | 2.8 |
| Lip | 3.9 | Stomach | 2.5 |
| Tongue | 3.8 | Myeloproliferative disorders | 2.3 |
| All sites | 328.2 | All sites | 284.0 |

*Canada, Prince Edward Island (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 28 | 1.2 | 7.9 | 3.9 | 0.24 | 0.39 | 8 | 0.4 | 2.1 | 1.0 | 0.11 | 0.11 | C00 |
| Tongue | 25 | 1.0 | 7.0 | 3.8 | 0.32 | 0.41 | 14 | 0.6 | 3.7 | 1.7 | 0.09 | 0.18 | C01–02 |
| Mouth | 13 | 0.5 | 3.7 | 1.6 | 0.10 | 0.16 | 12 | 0.5 | 3.2 | 1.5 | 0.11 | 0.18 | C03–06 |
| Salivary glands | 4 | 0.2 | 1.1 | 0.4 | 0.02 | 0.02 | 4 | 0.2 | 1.1 | 0.7 | 0.08 | 0.08 | C07–08 |
| Tonsil | 17 | 0.7 | 4.8 | 2.8 | 0.25 | 0.36 | 3 | 0.1 | 0.8 | 0.4 | 0.02 | 0.07 | C09 |
| Other oropharynx | 5 | 0.2 | 1.4 | 0.7 | 0.04 | 0.10 | 1 | 0.0 | 0.3 | 0.1 | 0.02 | 0.02 | C10 |
| Nasopharynx | 4 | 0.2 | 1.1 | 0.5 | 0.04 | 0.04 | 1 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | C11 |
| Hypopharynx | 4 | 0.2 | 1.1 | 0.5 | 0.00 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 45 | 1.9 | 12.6 | 6.2 | 0.35 | 0.91 | 12 | 0.5 | 3.2 | 1.4 | 0.05 | 0.22 | C15 |
| Stomach | 56 | 2.3 | 15.7 | 7.4 | 0.37 | 0.90 | 23 | 1.0 | 6.1 | 2.5 | 0.14 | 0.30 | C16 |
| Small intestine | 10 | 0.4 | 2.8 | 1.2 | 0.06 | 0.13 | 7 | 0.3 | 1.9 | 0.6 | 0.00 | 0.08 | C17 |
| Colon | 221 | 9.2 | 62.1 | 27.7 | 1.17 | 3.45 | 188 | 8.4 | 50.2 | 19.9 | 0.86 | 2.19 | C18 |
| Rectum | 123 | 5.1 | 34.6 | 16.8 | 0.85 | 2.02 | 77 | 3.5 | 20.6 | 9.8 | 0.57 | 1.22 | C19–20 |
| Anus | 2 | 0.1 | 0.6 | 0.3 | 0.02 | 0.05 | 7 | 0.3 | 1.9 | 0.9 | 0.06 | 0.06 | C21 |
| Liver | 41 | 1.7 | 11.5 | 5.5 | 0.27 | 0.74 | 19 | 0.9 | 5.1 | 1.9 | 0.13 | 0.18 | C22 |
| Gallbladder etc. | 23 | 1.0 | 6.5 | 2.8 | 0.07 | 0.34 | 19 | 0.9 | 5.1 | 1.8 | 0.09 | 0.20 | C23–24 |
| Pancreas | 68 | 2.8 | 19.1 | 8.2 | 0.41 | 0.79 | 53 | 2.4 | 14.2 | 5.7 | 0.26 | 0.64 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 1.1 | 0.7 | 0.06 | 0.06 | 1 | 0.0 | 0.3 | 0.1 | 0.00 | 0.03 | C30–31 |
| Larynx | 19 | 0.8 | 5.3 | 2.3 | 0.13 | 0.21 | 4 | 0.2 | 1.1 | 0.6 | 0.06 | 0.08 | C32 |
| Trachea, bronchus, and lung | 345 | 14.3 | 96.9 | 41.5 | 1.42 | 5.13 | 367 | 16.5 | 98.0 | 39.3 | 1.66 | 4.99 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.6 | 0.2 | 0.00 | 0.00 | 4 | 0.2 | 1.1 | 0.7 | 0.04 | 0.09 | C37–38 |
| Bone | 6 | 0.2 | 1.7 | 1.6 | 0.10 | 0.13 | 6 | 0.3 | 1.6 | 1.4 | 0.10 | 0.10 | C40–41 |
| Melanoma of skin | 154 | 6.4 | 43.3 | 22.1 | 1.09 | 2.42 | 134 | 6.0 | 35.8 | 21.0 | 1.58 | 2.36 | C43 |
| Other skin | 34 | 1.4 | 9.6 | 4.4 | 0.14 | 0.45 | 18 | 0.8 | 4.8 | 2.1 | 0.13 | 0.16 | C44 |
| Mesothelioma | 12 | 0.5 | 3.4 | 1.2 | 0.02 | 0.12 | 6 | 0.3 | 1.6 | 0.5 | 0.00 | 0.04 | C45 |
| Kaposi sarcoma | 3 | 0.1 | 0.8 | 0.3 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 21 | 0.9 | 5.9 | 3.3 | 0.14 | 0.32 | 15 | 0.7 | 4.0 | 2.0 | 0.13 | 0.27 | C47+C49 |
| Breast | 7 | 0.3 | 2.0 | 0.6 | 0.02 | 0.02 | 575 | 25.8 | 153.6 | 75.7 | 4.94 | 8.96 | C50 |
| Vulva | | | | | | | 8 | 0.4 | 2.1 | 0.9 | 0.06 | 0.11 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.8 | 0.3 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 37 | 1.7 | 9.9 | 6.9 | 0.57 | 0.71 | C53 |
| Corpus uteri | | | | | | | 129 | 5.8 | 34.5 | 17.7 | 1.27 | 2.24 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.0 | 0.3 | 0.1 | 0.00 | 0.02 | C55 |
| Ovary | | | | | | | 54 | 2.4 | 14.4 | 6.8 | 0.40 | 0.67 | C56 |
| Other female genital organs | | | | | | | 10 | 0.4 | 2.7 | 1.3 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.0 | 0.3 | 0.1 | 0.02 | 0.02 | | | | | | | C60 |
| Prostate | 493 | 20.4 | 138.5 | 64.0 | 3.11 | 8.71 | | | | | | | C61 |
| Testis | 11 | 0.5 | 3.1 | 3.2 | 0.22 | 0.22 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 93 | 3.9 | 26.1 | 13.5 | 0.82 | 1.70 | 61 | 2.7 | 16.3 | 7.6 | 0.48 | 0.79 | C64 |
| Renal pelvis | 5 | 0.2 | 1.4 | 0.4 | 0.00 | 0.00 | 5 | 0.2 | 1.3 | 0.5 | 0.00 | 0.08 | C65 |
| Ureter | 1 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | 6 | 0.3 | 1.6 | 0.6 | 0.03 | 0.05 | C66 |
| Bladder | 171 | 7.1 | 48.0 | 20.0 | 0.55 | 2.51 | 65 | 2.9 | 17.4 | 7.1 | 0.32 | 0.91 | C67 |
| Other urinary organs | 2 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.8 | 0.4 | 0.02 | 0.06 | 5 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | C69 |
| Brain and nervous system | 34 | 1.4 | 9.6 | 6.4 | 0.42 | 0.60 | 20 | 0.9 | 5.3 | 3.5 | 0.24 | 0.35 | C70–72 |
| Thyroid | 18 | 0.7 | 5.1 | 3.4 | 0.24 | 0.31 | 36 | 1.6 | 9.6 | 6.8 | 0.50 | 0.68 | C73 |
| Adrenal gland | 2 | 0.1 | 0.6 | 0.7 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 13 | 0.5 | 3.7 | 3.2 | 0.19 | 0.30 | 9 | 0.4 | 2.4 | 1.8 | 0.14 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 97 | 4.0 | 27.3 | 15.4 | 0.98 | 1.75 | 59 | 2.7 | 15.8 | 9.2 | 0.58 | 1.04 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | 3 | 0.1 | 0.8 | 0.3 | 0.00 | 0.02 | C88 |
| Multiple myeloma | 43 | 1.8 | 12.1 | 5.8 | 0.29 | 0.73 | 30 | 1.3 | 8.0 | 3.0 | 0.12 | 0.38 | C90 |
| Lymphoid leukaemia | 42 | 1.7 | 11.8 | 6.9 | 0.40 | 0.66 | 29 | 1.3 | 7.7 | 4.3 | 0.20 | 0.44 | C91 |
| Myeloid leukaemia | 25 | 1.0 | 7.0 | 4.2 | 0.21 | 0.40 | 18 | 0.8 | 4.8 | 2.8 | 0.16 | 0.28 | C92–94 |
| Leukaemia unspecified | 2 | 0.1 | 0.6 | 0.2 | 0.00 | 0.00 | 2 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 21 | 0.9 | 5.9 | 2.6 | 0.10 | 0.31 | 20 | 0.9 | 5.3 | 2.3 | 0.09 | 0.26 | MPD |
| Myelodysplastic syndromes | 18 | 0.7 | 5.1 | 1.9 | 0.00 | 0.14 | 6 | 0.3 | 1.6 | 0.5 | 0.02 | 0.02 | MPS |
| Other and unspecified | 54 | 2.2 | 15.2 | 6.2 | 0.24 | 0.56 | 50 | 2.2 | 13.4 | 5.2 | 0.24 | 0.43 | O&U |
| All sites | 2449 | | 688.0 | 328.2 | 15.60 | 38.89 | 2244 | | 599.4 | 284.0 | 16.79 | 32.75 | C00–96 |
| All sites except C44 | 2415 | 100.0 | 678.5 | 323.8 | 15.45 | 38.44 | 2226 | 100.0 | 594.6 | 281.9 | 16.66 | 32.59 | C00–96 exc. C44 |

*See note following population pyramid

Canada, Quebec

CONTRIBUTORS

Christine Bertrand
Annie Bourassa
Brigitte Morin
Karine Pinard
Guillaume Ruel
Janie Allaire
Raman Agnihotram



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 72.6 | Breast | 92.7 |
| Trachea, bronchus, and lung | 53.0 | Trachea, bronchus, and lung | 48.6 |
| Colon | 27.0 | Colon | 20.8 |
| Bladder | 22.8 | Thyroid | 19.5 |
| Rectum | 16.0 | Corpus uteri | 17.1 |
| Non-Hodgkin lymphoma | 15.2 | Non-Hodgkin lymphoma | 10.4 |
| Kidney | 13.9 | Melanoma of skin | 10.2 |
| Melanoma of skin | 11.3 | Rectum | 8.7 |
| Pancreas | 8.4 | Ovary | 7.9 |
| Lymphoid leukaemia | 7.7 | Bladder | 7.1 |
| Liver | 6.9 | Kidney | 7.0 |
| Brain and nervous system | 6.8 | Pancreas | 6.5 |
| Other and unspecified | 6.5 | Cervix uteri | 6.0 |
| Stomach | 6.3 | Other and unspecified | 5.5 |
| Thyroid | 6.2 | Brain and nervous system | 4.9 |
| Testis | 5.6 | Lymphoid leukaemia | 4.4 |
| Multiple myeloma | 5.2 | Multiple myeloma | 3.4 |
| Oesophagus | 4.2 | Myeloid leukaemia | 3.1 |
| Myeloid leukaemia | 4.2 | Stomach | 3.0 |
| Larynx | 3.5 | Hodgkin lymphoma | 2.9 |
| All sites | 342.5 | All sites | 320.2 |

Canada, Quebec (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 300 | 0.2 | 1.5 | 0.7 | 0.03 | 0.07 | 83 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1315 | 0.9 | 6.5 | 3.5 | 0.22 | 0.44 | 570 | 0.4 | 2.8 | 1.4 | 0.09 | 0.16 | C01–02 |
| Mouth | 729 | 0.5 | 3.6 | 1.9 | 0.11 | 0.22 | 499 | 0.4 | 2.4 | 1.1 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 341 | 0.2 | 1.7 | 0.8 | 0.04 | 0.09 | 281 | 0.2 | 1.4 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 976 | 0.7 | 4.8 | 2.6 | 0.20 | 0.33 | 333 | 0.2 | 1.6 | 0.9 | 0.06 | 0.11 | C09 |
| Other oropharynx | 202 | 0.1 | 1.0 | 0.5 | 0.03 | 0.07 | 69 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 163 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | 75 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 309 | 0.2 | 1.5 | 0.7 | 0.03 | 0.10 | 70 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 123 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 53 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1774 | 1.3 | 8.7 | 4.2 | 0.20 | 0.53 | 577 | 0.4 | 2.8 | 1.1 | 0.05 | 0.12 | C15 |
| Stomach | 2734 | 2.0 | 13.4 | 6.3 | 0.27 | 0.70 | 1566 | 1.2 | 7.6 | 3.0 | 0.14 | 0.32 | C16 |
| Small intestine | 622 | 0.4 | 3.1 | 1.6 | 0.09 | 0.18 | 552 | 0.4 | 2.7 | 1.2 | 0.06 | 0.14 | C17 |
| Colon | 11707 | 8.4 | 57.4 | 27.0 | 1.12 | 3.04 | 10740 | 8.0 | 52.2 | 20.8 | 0.93 | 2.30 | C18 |
| Rectum | 6534 | 4.7 | 32.1 | 16.0 | 0.82 | 1.95 | 3984 | 3.0 | 19.4 | 8.7 | 0.51 | 1.02 | C19–20 |
| Anus | 309 | 0.2 | 1.5 | 0.8 | 0.05 | 0.09 | 536 | 0.4 | 2.6 | 1.3 | 0.08 | 0.16 | C21 |
| Liver | 2855 | 2.0 | 14.0 | 6.9 | 0.34 | 0.81 | 1284 | 1.0 | 6.2 | 2.5 | 0.11 | 0.27 | C22 |
| Gallbladder etc. | 822 | 0.6 | 4.0 | 1.9 | 0.07 | 0.20 | 989 | 0.7 | 4.8 | 1.8 | 0.07 | 0.20 | C23–24 |
| Pancreas | 3641 | 2.6 | 17.9 | 8.4 | 0.37 | 0.97 | 3444 | 2.6 | 16.7 | 6.5 | 0.29 | 0.74 | C25 |
| Nose, sinuses etc. | 235 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | 188 | 0.1 | 0.9 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 1480 | 1.1 | 7.3 | 3.5 | 0.17 | 0.45 | 337 | 0.3 | 1.6 | 0.7 | 0.04 | 0.09 | C32 |
| Trachea, bronchus, and lung | 23765 | 17.0 | 116.6 | 53.0 | 1.93 | 6.39 | 22771 | 17.0 | 110.7 | 48.6 | 2.56 | 6.30 | C33–34 |
| Other thoracic organs | 232 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 155 | 0.1 | 0.8 | 0.5 | 0.03 | 0.04 | C37–38 |
| Bone | 341 | 0.2 | 1.7 | 1.4 | 0.08 | 0.12 | 267 | 0.2 | 1.3 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 4302 | 3.1 | 21.1 | 11.3 | 0.65 | 1.28 | 3558 | 2.7 | 17.3 | 10.2 | 0.74 | 1.07 | C43 |
| Other skin | 413 | 0.3 | 2.0 | 1.1 | 0.06 | 0.11 | 378 | 0.3 | 1.8 | 0.9 | 0.06 | 0.09 | C44 |
| Mesothelioma | 655 | 0.5 | 3.2 | 1.4 | 0.02 | 0.15 | 204 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 123 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 23 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 824 | 0.6 | 4.0 | 2.4 | 0.13 | 0.23 | 623 | 0.5 | 3.0 | 1.9 | 0.11 | 0.18 | C47+C49 |
| Breast | 312 | 0.2 | 1.5 | 0.8 | 0.04 | 0.09 | 36019 | 26.9 | 175.0 | 92.7 | 6.36 | 10.87 | C50 |
| Vulva | | | | | | | 813 | 0.6 | 4.0 | 1.7 | 0.09 | 0.18 | C51 |
| Vagina | | | | | | | 169 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1714 | 1.3 | 8.3 | 6.0 | 0.48 | 0.58 | C53 |
| Corpus uteri | | | | | | | 6959 | 5.2 | 33.8 | 17.1 | 1.17 | 2.20 | C54 |
| Uterus unspecified | | | | | | | 217 | 0.2 | 1.1 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 3181 | 2.4 | 15.5 | 7.9 | 0.53 | 0.90 | C56 |
| Other female genital organs | | | | | | | 689 | 0.5 | 3.3 | 1.6 | 0.09 | 0.19 | C57 |
| Placenta | | | | | | | 49 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 273 | 0.2 | 1.3 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 30469 | 21.8 | 149.5 | 72.6 | 3.35 | 9.70 | | | | | | | C61 |
| Testis | 1203 | 0.9 | 5.9 | 5.6 | 0.42 | 0.43 | | | | | | | C62 |
| Other male genital organs | 70 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 5261 | 3.8 | 25.8 | 13.9 | 0.82 | 1.65 | 2867 | 2.1 | 13.9 | 7.0 | 0.41 | 0.82 | C64 |
| Renal pelvis | 295 | 0.2 | 1.4 | 0.6 | 0.02 | 0.07 | 206 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 251 | 0.2 | 1.2 | 0.5 | 0.01 | 0.06 | 136 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 10167 | 7.3 | 49.9 | 22.8 | 0.85 | 2.63 | 3531 | 2.6 | 17.2 | 7.1 | 0.33 | 0.84 | C67 |
| Other urinary organs | 282 | 0.2 | 1.4 | 0.6 | 0.02 | 0.07 | 129 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 242 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | 218 | 0.2 | 1.1 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 2104 | 1.5 | 10.3 | 6.8 | 0.41 | 0.68 | 1626 | 1.2 | 7.9 | 4.9 | 0.29 | 0.47 | C70–72 |
| Thyroid | 1972 | 1.4 | 9.7 | 6.2 | 0.45 | 0.67 | 5549 | 4.1 | 27.0 | 19.5 | 1.52 | 1.91 | C73 |
| Adrenal gland | 90 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | 104 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C74 |
| Other endocrine | 32 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 27 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 736 | 0.5 | 3.6 | 3.1 | 0.21 | 0.26 | 628 | 0.5 | 3.1 | 2.9 | 0.19 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 5761 | 4.1 | 28.3 | 15.2 | 0.80 | 1.66 | 4440 | 3.3 | 21.6 | 10.4 | 0.57 | 1.15 | C82–86,C96 |
| Immunoproliferative diseases | 563 | 0.4 | 2.8 | 1.4 | 0.07 | 0.15 | 501 | 0.4 | 2.4 | 1.1 | 0.06 | 0.14 | C88 |
| Multiple myeloma | 2265 | 1.6 | 11.1 | 5.2 | 0.22 | 0.61 | 1712 | 1.3 | 8.3 | 3.4 | 0.15 | 0.41 | C90 |
| Lymphoid leukaemia | 2632 | 1.9 | 12.9 | 7.7 | 0.39 | 0.79 | 1605 | 1.2 | 7.8 | 4.4 | 0.21 | 0.43 | C91 |
| Myeloid leukaemia | 1604 | 1.1 | 7.9 | 4.2 | 0.21 | 0.41 | 1309 | 1.0 | 6.4 | 3.1 | 0.16 | 0.31 | C92–94 |
| Leukaemia unspecified | 209 | 0.1 | 1.0 | 0.5 | 0.01 | 0.04 | 207 | 0.2 | 1.0 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 1068 | 0.8 | 5.2 | 2.6 | 0.12 | 0.28 | 1065 | 0.8 | 5.2 | 2.2 | 0.10 | 0.24 | MPD |
| Myelodysplastic syndromes | 1604 | 1.1 | 7.9 | 3.3 | 0.07 | 0.29 | 1141 | 0.9 | 5.5 | 1.7 | 0.05 | 0.15 | MPS |
| Other and unspecified | 2981 | 2.1 | 14.6 | 6.5 | 0.23 | 0.62 | 3420 | 2.6 | 16.6 | 5.5 | 0.22 | 0.52 | O&U |
| All sites | 140272 | | 688.1 | 342.5 | 16.02 | 40.13 | 134440 | | 653.3 | 320.2 | 19.35 | 36.64 | C00–96 |
| All sites except C44 | 139859 | 100.0 | 686.1 | 341.4 | 15.96 | 40.02 | 134062 | 100.0 | 651.5 | 319.3 | 19.29 | 36.56 | C00–96 exc. C44 |

§Includes 5 cases of unknown age


§Includes 3 cases of unknown age

†See note following population pyramid

Canada, Saskatchewan

CONTRIBUTORS

Laci Davies
 Riaz Alvi
 Serena Kozie
 Danielle Langston



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 132.5 | Non-melanoma skin cancer | 91.0 |
| Prostate | 67.6 | Breast | 78.9 |
| Trachea, bronchus, and lung | 35.5 | Trachea, bronchus, and lung | 34.8 |
| Colon | 26.9 | Colon | 20.0 |
| Bladder | 21.0 | Corpus uteri | 18.9 |
| Rectum | 16.6 | Melanoma of skin | 11.2 |
| Kidney | 12.9 | Thyroid | 9.2 |
| Non-Hodgkin lymphoma | 12.5 | Non-Hodgkin lymphoma | 9.2 |
| Lymphoid leukaemia | 10.5 | Rectum | 8.5 |
| Melanoma of skin | 9.9 | Ovary | 7.8 |
| Pancreas | 7.9 | Kidney | 7.5 |
| Stomach | 6.3 | Cervix uteri | 6.8 |
| Brain and nervous system | 5.9 | Bladder | 6.4 |
| Testis | 5.4 | Lymphoid leukaemia | 5.8 |
| Multiple myeloma | 4.9 | Pancreas | 5.5 |
| Liver | 4.5 | Brain and nervous system | 3.9 |
| Oesophagus | 4.4 | Other and unspecified | 3.5 |
| Myeloid leukaemia | 4.1 | Multiple myeloma | 2.9 |
| Thyroid | 4.0 | Myeloid leukaemia | 2.9 |
| Other and unspecified | 4.0 | Stomach | 2.5 |
| All sites | 429.7 | All sites | 362.7 |

Canada, Saskatchewan (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 39 | 0.3 | 1.3 | 0.7 | 0.03 | 0.07 | 9 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 115 | 0.8 | 4.0 | 2.6 | 0.19 | 0.32 | 50 | 0.4 | 1.7 | 1.0 | 0.06 | 0.12 | C01–02 |
| Mouth | 60 | 0.4 | 2.1 | 1.3 | 0.08 | 0.14 | 62 | 0.5 | 2.2 | 1.0 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 42 | 0.3 | 1.4 | 0.9 | 0.05 | 0.09 | 26 | 0.2 | 0.9 | 0.6 | 0.04 | 0.05 | C07–08 |
| Tonsil | 97 | 0.7 | 3.3 | 2.3 | 0.20 | 0.28 | 17 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C09 |
| Other oropharynx | 18 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 19 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 22 | 0.2 | 0.8 | 0.4 | 0.01 | 0.06 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 14 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 214 | 1.5 | 7.4 | 4.4 | 0.23 | 0.55 | 59 | 0.4 | 2.0 | 1.0 | 0.05 | 0.14 | C15 |
| Stomach | 325 | 2.2 | 11.2 | 6.3 | 0.31 | 0.71 | 154 | 1.1 | 5.3 | 2.5 | 0.14 | 0.26 | C16 |
| Small intestine | 63 | 0.4 | 2.2 | 1.2 | 0.08 | 0.12 | 81 | 0.6 | 2.8 | 1.5 | 0.07 | 0.18 | C17 |
| Colon | 1378 | 9.4 | 47.4 | 26.9 | 1.29 | 3.14 | 1192 | 8.7 | 41.4 | 20.0 | 0.92 | 2.25 | C18 |
| Rectum | 810 | 5.5 | 27.9 | 16.6 | 0.97 | 2.09 | 439 | 3.2 | 15.2 | 8.5 | 0.54 | 0.98 | C19–20 |
| Anus | 28 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 50 | 0.4 | 1.7 | 1.0 | 0.06 | 0.13 | C21 |
| Liver | 211 | 1.4 | 7.3 | 4.5 | 0.30 | 0.57 | 106 | 0.8 | 3.7 | 1.8 | 0.09 | 0.18 | C22 |
| Gallbladder etc. | 135 | 0.9 | 4.6 | 2.5 | 0.11 | 0.29 | 112 | 0.8 | 3.9 | 1.9 | 0.05 | 0.24 | C23–24 |
| Pancreas | 408 | 2.8 | 14.0 | 7.9 | 0.35 | 0.97 | 352 | 2.6 | 12.2 | 5.5 | 0.25 | 0.63 | C25 |
| Nose, sinuses etc. | 31 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 16 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 115 | 0.8 | 4.0 | 2.3 | 0.14 | 0.29 | 19 | 0.1 | 0.7 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1903 | 13.0 | 65.4 | 35.5 | 1.30 | 4.36 | 2008 | 14.6 | 69.7 | 34.8 | 1.35 | 4.63 | C33–34 |
| Other thoracic organs | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C37–38 |
| Bone | 33 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | 27 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 468 | 3.2 | 16.1 | 9.9 | 0.54 | 1.19 | 474 | 3.4 | 16.5 | 11.2 | 0.81 | 1.20 | C43 |
| Other skin | 7332 | 50.0 | 252.1 | 132.5 | 5.33 | 14.49 | 5453 | 39.6 | 189.3 | 91.0 | 4.77 | 9.94 | C44 |
| Mesothelioma | 63 | 0.4 | 2.2 | 1.1 | 0.03 | 0.15 | 16 | 0.1 | 0.6 | 0.4 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 91 | 0.6 | 3.1 | 1.9 | 0.11 | 0.17 | 69 | 0.5 | 2.4 | 1.5 | 0.08 | 0.14 | C47+C49 |
| Breast | 34 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 3693 | 26.8 | 128.2 | 78.9 | 5.12 | 9.54 | C50 |
| Vulva | | | | | | | 98 | 0.7 | 3.4 | 1.7 | 0.09 | 0.18 | C51 |
| Vagina | | | | | | | 17 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 241 | 1.8 | 8.4 | 6.8 | 0.55 | 0.62 | C53 |
| Corpus uteri | | | | | | | 876 | 6.4 | 30.4 | 18.9 | 1.33 | 2.43 | C54 |
| Uterus unspecified | | | | | | | 21 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 383 | 2.8 | 13.3 | 7.8 | 0.50 | 0.89 | C56 |
| Other female genital organs | | | | | | | 52 | 0.4 | 1.8 | 0.9 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 47 | 0.3 | 1.6 | 0.9 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 3362 | 22.9 | 115.6 | 67.6 | 3.32 | 9.05 | | | | | | | C61 |
| Testis | 165 | 1.1 | 5.7 | 5.4 | 0.39 | 0.41 | | | | | | | C62 |
| Other male genital organs | 12 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 589 | 4.0 | 20.3 | 12.9 | 0.71 | 1.64 | 362 | 2.6 | 12.6 | 7.5 | 0.46 | 0.90 | C64 |
| Renal pelvis | 40 | 0.3 | 1.4 | 0.8 | 0.03 | 0.08 | 32 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C65 |
| Ureter | 17 | 0.1 | 0.6 | 0.3 | 0.01 | 0.05 | 12 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C66 |
| †Bladder | 1166 | 8.0 | 40.1 | 21.0 | 0.77 | 2.36 | 405 | 2.9 | 14.1 | 6.4 | 0.28 | 0.73 | C67 |
| Other urinary organs | 20 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 18 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | 25 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 223 | 1.5 | 7.7 | 5.9 | 0.36 | 0.59 | 158 | 1.1 | 5.5 | 3.9 | 0.25 | 0.40 | C70–72 |
| Thyroid | 159 | 1.1 | 5.5 | 4.0 | 0.31 | 0.41 | 336 | 2.4 | 11.7 | 9.2 | 0.71 | 0.91 | C73 |
| Adrenal gland | 7 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 73 | 0.5 | 2.5 | 2.1 | 0.14 | 0.19 | 61 | 0.4 | 2.1 | 1.8 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 573 | 3.9 | 19.7 | 12.5 | 0.71 | 1.38 | 496 | 3.6 | 17.2 | 9.2 | 0.53 | 1.02 | C82–86,C96 |
| Immunoproliferative diseases | 58 | 0.4 | 2.0 | 1.2 | 0.04 | 0.16 | 64 | 0.5 | 2.2 | 1.3 | 0.08 | 0.15 | C88 |
| Multiple myeloma | 252 | 1.7 | 8.7 | 4.9 | 0.24 | 0.57 | 164 | 1.2 | 5.7 | 2.9 | 0.14 | 0.36 | C90 |
| Lymphoid leukaemia | 470 | 3.2 | 16.2 | 10.5 | 0.49 | 1.12 | 264 | 1.9 | 9.2 | 5.8 | 0.29 | 0.57 | C91 |
| Myeloid leukaemia | 189 | 1.3 | 6.5 | 4.1 | 0.20 | 0.48 | 145 | 1.1 | 5.0 | 2.9 | 0.15 | 0.30 | C92–94 |
| Leukaemia unspecified | 17 | 0.1 | 0.6 | 0.2 | 0.00 | 0.01 | 16 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 130 | 0.9 | 4.5 | 2.5 | 0.09 | 0.31 | 149 | 1.1 | 5.2 | 2.4 | 0.09 | 0.28 | MPD |
| Myelodysplastic syndromes | 92 | 0.6 | 3.2 | 1.6 | 0.03 | 0.18 | 58 | 0.4 | 2.0 | 0.9 | 0.02 | 0.09 | MPS |
| Other and unspecified | 229 | 1.6 | 7.9 | 4.0 | 0.15 | 0.44 | 262 | 1.9 | 9.1 | 3.5 | 0.13 | 0.36 | O&U |
| All sites | 21994 | | 756.3 | 429.7 | 20.01 | 50.17 | 19222 | | 667.3 | 362.7 | 20.55 | 41.74 | C00–96 |
| All sites except C44 | 14662 | 100.0 | 504.1 | 297.2 | 14.68 | 35.69 | 13769 | 100.0 | 478.0 | 271.7 | 15.78 | 31.80 | C00–96 exc. C44 |

†See note following population pyramid

Canada, Yukon

CONTRIBUTORS

Jonathan Simkin
Cathy MacKay
Laura Hillier
Samantha Salter



NOTES ON THE DATA

*No official mortality data. No DCO registrations. Rates based on low numbers due to small population.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 61.4 | Breast | 86.7 |
| Trachea, bronchus, and lung | 33.8 | Trachea, bronchus, and lung | 31.8 |
| Colon | 25.9 | Corpus uteri | 17.1 |
| Bladder | 25.8 | Colon | 16.8 |
| Rectum | 15.5 | Ovary | 10.1 |
| Testis | 13.2 | Non-Hodgkin lymphoma | 8.2 |
| Liver | 10.2 | Melanoma of skin | 7.5 |
| Kidney | 10.2 | Thyroid | 7.3 |
| Non-Hodgkin lymphoma | 8.8 | Kidney | 7.0 |
| Lymphoid leukaemia | 8.2 | Brain and nervous system | 6.2 |
| Other and unspecified | 7.6 | Pancreas | 5.7 |
| Connective and soft tissue | 6.3 | Bladder | 4.9 |
| Oesophagus | 6.2 | Oesophagus | 4.7 |
| Larynx | 5.1 | Rectum | 4.6 |
| Tongue | 4.8 | Myeloid leukaemia | 3.0 |
| Melanoma of skin | 4.5 | Cervix uteri | 3.0 |
| Myeloid leukaemia | 4.3 | Liver | 2.8 |
| Pancreas | 3.9 | Stomach | 2.4 |
| Eye | 3.7 | Tongue | 2.3 |
| Hodgkin lymphoma | 3.5 | Other endocrine | 2.0 |
| All sites | 293.3 | All sites | 254.3 |

***Canada, Yukon (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 8 | 1.9 | 8.3 | 4.8 | 0.38 | 0.48 | 3 | 0.8 | 3.2 | 2.3 | 0.08 | 0.43 | C01–02 |
| Mouth | 3 | 0.7 | 3.1 | 1.7 | 0.18 | 0.18 | 2 | 0.6 | 2.1 | 1.3 | 0.14 | 0.14 | C03–06 |
| Salivary glands | 2 | 0.5 | 2.1 | 1.3 | 0.08 | 0.25 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C07–08 |
| Tonsil | 5 | 1.2 | 5.2 | 3.2 | 0.36 | 0.36 | 1 | 0.3 | 1.1 | 0.5 | 0.07 | 0.07 | C09 |
| Other oropharynx | 2 | 0.5 | 2.1 | 1.3 | 0.08 | 0.25 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 3 | 0.7 | 3.1 | 1.7 | 0.20 | 0.20 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 1 | 0.2 | 1.0 | 0.6 | 0.08 | 0.08 | 1 | 0.3 | 1.1 | 0.6 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 9 | 2.1 | 9.3 | 6.2 | 0.13 | 0.59 | 7 | 1.9 | 7.5 | 4.7 | 0.26 | 0.63 | C15 |
| Stomach | 2 | 0.5 | 2.1 | 1.5 | 0.00 | 0.00 | 4 | 1.1 | 4.3 | 2.4 | 0.19 | 0.19 | C16 |
| Small intestine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.3 | 1.1 | 0.9 | 0.00 | 0.22 | C17 |
| Colon | 41 | 9.5 | 42.5 | 25.9 | 1.34 | 2.41 | 26 | 7.2 | 27.9 | 16.8 | 0.98 | 1.35 | C18 |
| Rectum | 23 | 5.3 | 23.8 | 15.5 | 1.00 | 1.74 | 7 | 1.9 | 7.5 | 4.6 | 0.19 | 0.66 | C19–20 |
| Anus | 3 | 0.7 | 3.1 | 1.7 | 0.12 | 0.12 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 15 | 3.5 | 15.6 | 10.2 | 0.69 | 1.15 | 4 | 1.1 | 4.3 | 2.8 | 0.14 | 0.36 | C22 |
| Gallbladder etc. | 1 | 0.2 | 1.0 | 0.6 | 0.00 | 0.00 | 2 | 0.6 | 2.1 | 1.2 | 0.15 | 0.15 | C23–24 |
| Pancreas | 6 | 1.4 | 6.2 | 3.9 | 0.00 | 0.45 | 8 | 2.2 | 8.6 | 5.7 | 0.42 | 0.76 | C25 |
| Nose, sinuses etc. | 1 | 0.2 | 1.0 | 0.5 | 0.06 | 0.06 | 1 | 0.3 | 1.1 | 0.5 | 0.00 | 0.00 | C30–31 |
| Larynx | 8 | 1.9 | 8.3 | 5.1 | 0.20 | 0.76 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 51 | 11.8 | 52.9 | 33.8 | 0.75 | 3.71 | 46 | 12.8 | 49.4 | 31.8 | 0.88 | 3.94 | C33–34 |
| Other thoracic organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 1 | 0.2 | 1.0 | 0.6 | 0.08 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C40–41 |
| Melanoma of skin | 8 | 1.9 | 8.3 | 4.5 | 0.51 | 0.51 | 10 | 2.8 | 10.7 | 7.5 | 0.50 | 0.97 | C43 |
| Other skin | 1 | 0.2 | 1.0 | 0.6 | 0.00 | 0.00 | 1 | 0.3 | 1.1 | 0.7 | 0.00 | 0.12 | C44 |
| Mesothelioma | 2 | 0.5 | 2.1 | 1.3 | 0.00 | 0.11 | 3 | 0.8 | 3.2 | 1.9 | 0.12 | 0.24 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 7 | 1.6 | 7.3 | 6.3 | 0.38 | 0.55 | 3 | 0.8 | 3.2 | 2.0 | 0.12 | 0.12 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 127 | 35.3 | 136.5 | 86.7 | 5.96 | 10.29 | C50 |
| Vulva | 2 | 0.6 | 2.1 | 1.2 | 0.15 | 0.15 | 2 | 0.6 | 2.1 | 1.4 | 0.00 | 0.22 | C51 |
| Vagina | 2 | 0.6 | 2.1 | 1.4 | 0.00 | 0.22 | 2 | 0.6 | 2.1 | 1.4 | 0.00 | 0.22 | C52 |
| Cervix uteri | 4 | 1.1 | 4.3 | 3.0 | 0.20 | 0.32 | 4 | 1.1 | 4.3 | 3.0 | 0.20 | 0.32 | C53 |
| Corpus uteri | 24 | 6.7 | 25.8 | 17.1 | 1.06 | 2.33 | 24 | 6.7 | 25.8 | 17.1 | 1.06 | 2.33 | C54 |
| Uterus unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | 13 | 3.6 | 14.0 | 10.1 | 0.62 | 0.96 | 13 | 3.6 | 14.0 | 10.1 | 0.62 | 0.96 | C56 |
| Other female genital organs | 1 | 0.3 | 1.1 | 0.7 | 0.00 | 0.12 | 1 | 0.3 | 1.1 | 0.7 | 0.00 | 0.12 | C57 |
| Placenta | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.2 | 1.0 | 0.6 | 0.00 | 0.11 | | | | | | | C60 |
| Prostate | 99 | 23.0 | 102.6 | 61.4 | 2.38 | 8.08 | | | | | | | C61 |
| Testis | 13 | 3.0 | 13.5 | 13.2 | 0.94 | 0.94 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 14 | 3.2 | 14.5 | 10.2 | 0.64 | 0.64 | 10 | 2.8 | 10.7 | 7.0 | 0.50 | 0.97 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 40 | 9.3 | 41.5 | 25.8 | 0.95 | 3.15 | 6 | 1.7 | 6.4 | 4.9 | 0.00 | 0.80 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.3 | 1.1 | 0.7 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.9 | 4.1 | 3.7 | 0.28 | 0.28 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 2 | 0.5 | 2.1 | 2.8 | 0.09 | 0.26 | 7 | 1.9 | 7.5 | 6.2 | 0.45 | 0.45 | C70–72 |
| Thyroid | 2 | 0.5 | 2.1 | 1.9 | 0.08 | 0.08 | 9 | 2.5 | 9.7 | 7.3 | 0.47 | 0.81 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.3 | 1.1 | 2.0 | 0.10 | 0.10 | C75 |
| Hodgkin lymphoma | 3 | 0.7 | 3.1 | 3.5 | 0.17 | 0.17 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 14 | 3.2 | 14.5 | 8.8 | 0.49 | 0.87 | 12 | 3.3 | 12.9 | 8.2 | 0.42 | 0.78 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.7 | 3.1 | 2.1 | 0.08 | 0.18 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 4 | 0.9 | 4.1 | 2.4 | 0.12 | 0.33 | 2 | 0.6 | 2.1 | 1.5 | 0.00 | 0.12 | C90 |
| Lymphoid leukaemia | 7 | 1.6 | 7.3 | 8.2 | 0.32 | 0.64 | 2 | 0.6 | 2.1 | 1.6 | 0.07 | 0.19 | C91 |
| Myeloid leukaemia | 6 | 1.4 | 6.2 | 4.3 | 0.14 | 0.42 | 3 | 0.8 | 3.2 | 3.0 | 0.09 | 0.32 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 4 | 0.9 | 4.1 | 2.6 | 0.21 | 0.32 | 1 | 0.3 | 1.1 | 0.9 | 0.00 | 0.22 | MPD |
| Myelodysplastic syndromes | 2 | 0.5 | 2.1 | 1.3 | 0.00 | 0.11 | 1 | 0.3 | 1.1 | 0.9 | 0.00 | 0.22 | MPS |
| Other and unspecified | 11 | 2.6 | 11.4 | 7.6 | 0.43 | 0.92 | 3 | 0.8 | 3.2 | 1.8 | 0.06 | 0.18 | O&U |
| All sites | 432 | | 447.9 | 293.3 | 13.93 | 31.54 | 361 | | 388.0 | 254.3 | 14.39 | 29.94 | C00–96 |
| All sites except C44 | 431 | 100.0 | 446.9 | 292.6 | 13.93 | 31.54 | 360 | 100.0 | 386.9 | 253.6 | 14.39 | 29.82 | C00–96 exc. C44 |

*†See note following population pyramid

USA


CONTRIBUTORS

Reda J. Wilson
 Mary Elizabeth O'Neil
 Jessica B. King
 Simple D. Singh
 Manxia Wu
 Joseph D. Rogers
 Vicki B. Benard
 Lloyd Mueller
 Cathryn Phillips
 Lou Gonsalves
 Charles Wiggins
 Virginia Wiggins
 Angela Meisner
 Marc Barry
 Brenda Hernandez
 Joni Davis
 Mary Charlton
 Suzanne Bentler
 Bobbi Matt



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 73.8 | Breast | 91.0 |
| Trachea, bronchus, and lung | 41.1 | Trachea, bronchus, and lung | 32.3 |
| Bladder | 19.4 | Corpus uteri | 19.6 |
| Colon | 18.9 | Thyroid | 17.4 |
| Melanoma of skin | 18.4 | Colon | 15.6 |
| Kidney | 15.4 | Melanoma of skin | 13.1 |
| Non-Hodgkin lymphoma | 14.0 | Non-Hodgkin lymphoma | 9.6 |
| Rectum | 9.8 | Kidney | 8.0 |
| Liver | 9.4 | Ovary | 7.9 |
| Pancreas | 9.2 | Pancreas | 6.9 |
| Lymphoid leukaemia | 7.9 | Rectum | 6.1 |
| Brain and nervous system | 6.2 | Cervix uteri | 6.0 |
| Other and unspecified | 5.8 | Bladder | 5.1 |
| Thyroid | 5.7 | Other and unspecified | 4.8 |
| Stomach | 5.6 | Lymphoid leukaemia | 4.8 |
| Multiple myeloma | 5.4 | Brain and nervous system | 4.7 |
| Myeloid leukaemia | 5.3 | Myeloid leukaemia | 3.8 |
| Testis | 5.3 | Multiple myeloma | 3.6 |
| Oesophagus | 5.1 | Liver | 3.1 |
| Tongue | 4.2 | Stomach | 3.0 |
| All sites | 325.3 | All sites | 295.9 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 123.8 |
| Trachea, bronchus, and lung | 49.5 |
| Colon | 24.4 |
| Kidney | 18.2 |
| Liver | 14.0 |
| Bladder | 11.3 |
| Pancreas | 11.2 |
| Non-Hodgkin lymphoma | 10.8 |
| Multiple myeloma | 10.4 |
| Rectum | 10.0 |
| All sites | 364.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 91.0 |
| Trachea, bronchus, and lung | 30.5 |
| Colon | 19.3 |
| Corpus uteri | 18.7 |
| Thyroid | 10.8 |
| Kidney | 9.2 |
| Pancreas | 9.0 |
| Multiple myeloma | 7.9 |
| Non-Hodgkin lymphoma | 7.5 |
| Cervix uteri | 6.8 |
| All sites | 281.9 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 67.8 |
| Trachea, bronchus, and lung | 41.0 |
| Melanoma of skin | 21.0 |
| Bladder | 20.7 |
| Colon | 18.5 |
| Kidney | 15.5 |
| Non-Hodgkin lymphoma | 14.5 |
| Rectum | 9.7 |
| Pancreas | 9.1 |
| Liver | 8.6 |
| All sites | 324.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 92.1 |
| Trachea, bronchus, and lung | 33.5 |
| Corpus uteri | 20.1 |
| Thyroid | 18.5 |
| Melanoma of skin | 15.5 |
| Colon | 15.2 |
| Non-Hodgkin lymphoma | 10.0 |
| Ovary | 8.2 |
| Kidney | 8.1 |
| Pancreas | 6.7 |
| All sites | 302.7 |

USA (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|--------------------------|-------|------------|-----------|--------------------------|--------------|--------------------------|-------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 6963 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 2570 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 51358 | 1.2 | 6.5 | 4.2 | 0.29 | 0.52 | 19648 | 0.5 | 2.4 | 1.4 | 0.09 | 0.16 | C01–02 |
| Mouth | 23338 | 0.6 | 3.0 | 1.8 | 0.11 | 0.22 | 16108 | 0.4 | 2.0 | 1.0 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 13413 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 9418 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 36090 | 0.9 | 4.6 | 3.1 | 0.25 | 0.38 | 7404 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 8702 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | 2432 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 6656 | 0.2 | 0.8 | 0.6 | 0.05 | 0.07 | 2760 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 9340 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 2307 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 4893 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 1422 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 68905 | 1.6 | 8.7 | 5.1 | 0.28 | 0.65 | 18386 | 0.4 | 2.3 | 1.1 | 0.06 | 0.13 | C15 |
| Stomach | 74704 | 1.8 | 9.5 | 5.6 | 0.29 | 0.65 | 46073 | 1.1 | 5.7 | 3.0 | 0.17 | 0.33 | C16 |
| Small intestine | 24209 | 0.6 | 3.1 | 1.9 | 0.11 | 0.22 | 21526 | 0.5 | 2.6 | 1.5 | 0.09 | 0.18 | C17 |
| Colon | 251827 | 6.0 | 31.9 | 18.9 | 1.04 | 2.15 | 251994 | 6.1 | 31.0 | 15.6 | 0.84 | 1.70 | C18 |
| Rectum | 121403 | 2.9 | 15.4 | 9.8 | 0.66 | 1.14 | 85195 | 2.1 | 10.5 | 6.1 | 0.43 | 0.69 | C19–20 |
| Anus | 13010 | 0.3 | 1.6 | 1.1 | 0.08 | 0.12 | 23398 | 0.6 | 2.9 | 1.7 | 0.12 | 0.20 | C21 |
| Liver | 120158 | 2.8 | 15.2 | 9.4 | 0.65 | 1.18 | 47818 | 1.2 | 5.9 | 3.1 | 0.18 | 0.37 | C22 |
| Gallbladder etc. | 24322 | 0.6 | 3.1 | 1.7 | 0.08 | 0.20 | 28593 | 0.7 | 3.5 | 1.7 | 0.08 | 0.20 | C23–24 |
| Pancreas | 126398 | 3.0 | 16.0 | 9.2 | 0.46 | 1.11 | 118421 | 2.9 | 14.6 | 6.9 | 0.34 | 0.81 | C25 |
| Nose, sinuses etc. | 7360 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 4750 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 49852 | 1.2 | 6.3 | 3.8 | 0.24 | 0.48 | 12848 | 0.3 | 1.6 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 580308 | 13.8 | 73.5 | 41.1 | 1.80 | 5.13 | 533824 | 12.9 | 65.6 | 32.3 | 1.54 | 4.10 | C33–34 |
| Other thoracic organs | 5092 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 3659 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 10291 | 0.2 | 1.3 | 1.1 | 0.07 | 0.10 | 7951 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 240843 | 5.7 | 30.5 | 18.4 | 1.00 | 2.10 | 166357 | 4.0 | 20.4 | 13.1 | 0.92 | 1.39 | C43 |
| Other skin | 17968 | 0.4 | 2.3 | 1.3 | 0.06 | 0.14 | 12750 | 0.3 | 1.6 | 0.9 | 0.05 | 0.09 | C44 |
| Mesothelioma | 12217 | 0.3 | 1.5 | 0.8 | 0.02 | 0.08 | 4009 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 5101 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | 617 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 34738 | 0.8 | 4.4 | 3.0 | 0.17 | 0.29 | 25884 | 0.6 | 3.2 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 11067 | 0.3 | 1.4 | 0.8 | 0.04 | 0.10 | 1219770 | 29.5 | 149.9 | 91.0 | 6.23 | 10.68 | C50 |
| Vulva | | | | | | | 26192 | 0.6 | 3.2 | 1.7 | 0.11 | 0.19 | C51 |
| Vagina | | | | | | | 6617 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 64070 | 1.5 | 7.9 | 6.0 | 0.48 | 0.59 | C53 |
| Corpus uteri | | | | | | | 265602 | 6.4 | 32.6 | 19.6 | 1.40 | 2.45 | C54 |
| Uterus unspecified | | | | | | | 9086 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 107319 | 2.6 | 13.2 | 7.9 | 0.53 | 0.88 | C56 |
| Other female genital organs | | | | | | | 14470 | 0.3 | 1.8 | 1.0 | 0.06 | 0.12 | C57 |
| Placenta | | | | | | | 634 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 7252 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 973357 | 23.1 | 123.4 | 73.8 | 3.99 | 10.15 | | | | | | | C61 |
| Testis | 43726 | 1.0 | 5.5 | 5.3 | 0.40 | 0.41 | | | | | | | C62 |
| Other male genital organs | 1941 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 189169 | 4.5 | 24.0 | 15.4 | 0.98 | 1.85 | 108612 | 2.6 | 13.3 | 8.0 | 0.51 | 0.93 | C64 |
| Renal pelvis | 9562 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 6839 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 6398 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | 4014 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 285975 | 6.8 | 36.2 | 19.4 | 0.73 | 2.22 | 89415 | 2.2 | 11.0 | 5.1 | 0.22 | 0.59 | C67 |
| Other urinary organs | 4344 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 2022 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 8237 | 0.2 | 1.0 | 0.8 | 0.04 | 0.08 | 7085 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 63504 | 1.5 | 8.0 | 6.2 | 0.38 | 0.60 | 50496 | 1.2 | 6.2 | 4.7 | 0.28 | 0.43 | C70–72 |
| Thyroid | 61167 | 1.5 | 7.8 | 5.7 | 0.42 | 0.61 | 178852 | 4.3 | 22.0 | 17.4 | 1.36 | 1.68 | C73 |
| Adrenal gland | 2468 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 2737 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 1405 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 919 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 23888 | 0.6 | 3.0 | 2.6 | 0.18 | 0.22 | 19276 | 0.5 | 2.4 | 2.1 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 176804 | 4.2 | 22.4 | 14.0 | 0.76 | 1.54 | 142556 | 3.4 | 17.5 | 9.6 | 0.53 | 1.07 | C82–86,C96 |
| Immunoproliferative diseases | 13153 | 0.3 | 1.7 | 1.0 | 0.05 | 0.12 | 13813 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 73272 | 1.7 | 9.3 | 5.4 | 0.27 | 0.64 | 57965 | 1.4 | 7.1 | 3.6 | 0.19 | 0.44 | C90 |
| Lymphoid leukaemia | 91169 | 2.2 | 11.6 | 7.9 | 0.41 | 0.80 | 60241 | 1.5 | 7.4 | 4.8 | 0.24 | 0.45 | C91 |
| Myeloid leukaemia | 66718 | 1.6 | 8.5 | 5.3 | 0.27 | 0.55 | 51539 | 1.2 | 6.3 | 3.8 | 0.22 | 0.39 | C92–94 |
| Leukaemia unspecified | 4821 | 0.1 | 0.6 | 0.4 | 0.01 | 0.03 | 4383 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 37771 | 0.9 | 4.8 | 2.9 | 0.16 | 0.32 | 39746 | 1.0 | 4.9 | 2.7 | 0.15 | 0.29 | MPD |
| Myelodysplastic syndromes | 47029 | 1.1 | 6.0 | 3.0 | 0.07 | 0.29 | 34222 | 0.8 | 4.2 | 1.7 | 0.06 | 0.18 | MPS |
| Other and unspecified | 82377 | 2.0 | 10.4 | 5.8 | 0.27 | 0.64 | 86486 | 2.1 | 10.6 | 4.8 | 0.23 | 0.52 | O&U |
| All sites | 4236033 | | 536.8 | 325.3 | 17.58 | 38.91 | 4153100 | | 510.3 | 295.9 | 18.59 | 33.65 | C00–96 |
| All sites except C44 | 4218065 | 100.0 | 534.6 | 324.0 | 17.51 | 38.77 | 4140350 | 100.0 | 508.8 | 295.0 | 18.54 | 33.56 | C00–96 exc. C44 |

§Includes 43 cases of unknown age

§Includes 45 cases of unknown age

USA: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|--------------------------|-------|------------|-----------|--------------------------|-----------|--------------------------|-------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 79 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 55 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 3046 | 0.7 | 2.8 | 2.4 | 0.16 | 0.30 | 1177 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 2191 | 0.5 | 2.0 | 1.7 | 0.12 | 0.21 | 1401 | 0.3 | 1.2 | 0.8 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 1084 | 0.2 | 1.0 | 0.9 | 0.06 | 0.10 | 1285 | 0.3 | 1.1 | 0.8 | 0.06 | 0.09 | C07–08 |
| Tonsil | 2715 | 0.6 | 2.5 | 2.1 | 0.16 | 0.26 | 669 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 1031 | 0.2 | 1.0 | 0.8 | 0.06 | 0.10 | 328 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 1018 | 0.2 | 0.9 | 0.8 | 0.06 | 0.09 | 440 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 1435 | 0.3 | 1.3 | 1.1 | 0.07 | 0.14 | 355 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 498 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 164 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 5458 | 1.2 | 5.1 | 4.2 | 0.24 | 0.54 | 2475 | 0.5 | 2.1 | 1.4 | 0.09 | 0.17 | C15 |
| Stomach | 10949 | 2.4 | 10.2 | 8.4 | 0.44 | 0.99 | 8163 | 1.8 | 7.0 | 4.6 | 0.25 | 0.51 | C16 |
| Small intestine | 3812 | 0.8 | 3.6 | 3.0 | 0.17 | 0.36 | 3993 | 0.9 | 3.4 | 2.4 | 0.16 | 0.29 | C17 |
| Colon | 31659 | 6.8 | 29.5 | 24.4 | 1.41 | 2.88 | 33324 | 7.3 | 28.6 | 19.3 | 1.14 | 2.24 | C18 |
| Rectum | 12931 | 2.8 | 12.1 | 10.0 | 0.67 | 1.18 | 10419 | 2.3 | 8.9 | 6.4 | 0.45 | 0.73 | C19–20 |
| Anus | 1928 | 0.4 | 1.8 | 1.5 | 0.12 | 0.17 | 2094 | 0.5 | 1.8 | 1.3 | 0.09 | 0.15 | C21 |
| Liver | 17929 | 3.9 | 16.7 | 14.0 | 1.00 | 1.86 | 6680 | 1.5 | 5.7 | 4.0 | 0.27 | 0.50 | C22 |
| Gallbladder etc. | 2632 | 0.6 | 2.5 | 2.0 | 0.09 | 0.24 | 4003 | 0.9 | 3.4 | 2.2 | 0.12 | 0.26 | C23–24 |
| Pancreas | 14485 | 3.1 | 13.5 | 11.2 | 0.60 | 1.36 | 16290 | 3.6 | 14.0 | 9.0 | 0.46 | 1.05 | C25 |
| Nose, sinuses etc. | 711 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 514 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 7089 | 1.5 | 6.6 | 5.5 | 0.33 | 0.71 | 1814 | 0.4 | 1.6 | 1.1 | 0.08 | 0.14 | C32 |
| Trachea, bronchus, and lung | 64550 | 13.9 | 60.2 | 49.5 | 2.39 | 6.37 | 53768 | 11.7 | 46.2 | 30.5 | 1.61 | 3.87 | C33–34 |
| Other thoracic organs | 715 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 625 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 1060 | 0.2 | 1.0 | 0.9 | 0.06 | 0.08 | 895 | 0.2 | 0.8 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 922 | 0.2 | 0.9 | 0.7 | 0.04 | 0.08 | 1016 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 1271 | 0.3 | 1.2 | 1.1 | 0.07 | 0.10 | 1319 | 0.3 | 1.1 | 0.9 | 0.06 | 0.09 | C44 |
| Mesothelioma | 582 | 0.1 | 0.5 | 0.4 | 0.01 | 0.05 | 222 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1523 | 0.3 | 1.4 | 1.3 | 0.10 | 0.11 | 157 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 3076 | 0.7 | 2.9 | 2.6 | 0.16 | 0.26 | 3302 | 0.7 | 2.8 | 2.3 | 0.15 | 0.22 | C47+C49 |
| Breast | 1563 | 0.3 | 1.5 | 1.2 | 0.07 | 0.15 | 144185 | 31.5 | 123.8 | 91.0 | 6.39 | 10.57 | C50 |
| Vulva | | | | | | | 2059 | 0.4 | 1.8 | 1.3 | 0.09 | 0.14 | C51 |
| Vagina | | | | | | | 1021 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 9972 | 2.2 | 8.6 | 6.8 | 0.52 | 0.70 | C53 |
| Corpus uteri | | | | | | | 30349 | 6.6 | 26.1 | 18.7 | 1.23 | 2.43 | C54 |
| Uterus unspecified | | | | | | | 2079 | 0.5 | 1.8 | 1.2 | 0.08 | 0.15 | C55 |
| Ovary | | | | | | | 10228 | 2.2 | 8.8 | 6.4 | 0.42 | 0.71 | C56 |
| Other female genital organs | | | | | | | 1338 | 0.3 | 1.1 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 130 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 725 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 159124 | 34.2 | 148.3 | 123.8 | 7.41 | 16.85 | | | | | | | C61 |
| Testis | 1564 | 0.3 | 1.5 | 1.4 | 0.10 | 0.11 | | | | | | | C62 |
| Other male genital organs | 217 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 22970 | 4.9 | 21.4 | 18.2 | 1.17 | 2.22 | 14659 | 3.2 | 12.6 | 9.2 | 0.57 | 1.09 | C64 |
| Renal pelvis | 466 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 448 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 215 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 199 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 14832 | 3.2 | 13.8 | 11.3 | 0.47 | 1.32 | 7117 | 1.6 | 6.1 | 3.7 | 0.16 | 0.43 | C67 |
| Other urinary organs | 367 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 345 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 296 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 269 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 4589 | 1.0 | 4.3 | 4.0 | 0.25 | 0.38 | 4025 | 0.9 | 3.5 | 3.1 | 0.18 | 0.27 | C70–72 |
| Thyroid | 3636 | 0.8 | 3.4 | 2.9 | 0.21 | 0.33 | 15523 | 3.4 | 13.3 | 10.8 | 0.84 | 1.12 | C73 |
| Adrenal gland | 311 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 394 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 206 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 194 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3146 | 0.7 | 2.9 | 2.7 | 0.20 | 0.23 | 2676 | 0.6 | 2.3 | 2.1 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 13546 | 2.9 | 12.6 | 10.8 | 0.70 | 1.17 | 11897 | 2.6 | 10.2 | 7.5 | 0.48 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 991 | 0.2 | 0.9 | 0.8 | 0.05 | 0.09 | 1321 | 0.3 | 1.1 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 13560 | 2.9 | 12.6 | 10.4 | 0.53 | 1.26 | 13650 | 3.0 | 11.7 | 7.9 | 0.43 | 0.96 | C90 |
| Lymphoid leukaemia | 6749 | 1.4 | 6.3 | 5.6 | 0.30 | 0.59 | 5226 | 1.1 | 4.5 | 3.5 | 0.18 | 0.36 | C91 |
| Myeloid leukaemia | 5840 | 1.3 | 5.4 | 4.7 | 0.26 | 0.49 | 5548 | 1.2 | 4.8 | 3.6 | 0.22 | 0.37 | C92–94 |
| Leukaemia unspecified | 403 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 447 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 3319 | 0.7 | 3.1 | 2.6 | 0.15 | 0.30 | 4019 | 0.9 | 3.5 | 2.5 | 0.15 | 0.27 | MPD |
| Myelodysplastic syndromes | 2970 | 0.6 | 2.8 | 2.2 | 0.07 | 0.23 | 2989 | 0.7 | 2.6 | 1.6 | 0.06 | 0.17 | MPS |
| Other and unspecified | 8812 | 1.9 | 8.2 | 6.8 | 0.34 | 0.78 | 10271 | 2.2 | 8.8 | 5.6 | 0.28 | 0.61 | O&U |
| All sites | 466796 | | 435.1 | 364.3 | 21.13 | 45.50 | 459525 | | 394.7 | 281.9 | 17.98 | 32.64 | C00–96 |
| All sites except C44 | 465525 | 100.0 | 433.9 | 363.3 | 21.05 | 45.40 | 458206 | 100.0 | 393.6 | 281.0 | 17.92 | 32.55 | C00–96 exc. C44 |

§Includes 5 cases of unknown age

§Includes 4 cases of unknown age

USA: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|--------------------------|-------|------------|-----------|--------------------------|-----------|--------------------------|-------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 6607 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | 2393 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 46662 | 1.3 | 7.5 | 4.5 | 0.32 | 0.57 | 17396 | 0.5 | 2.7 | 1.5 | 0.10 | 0.18 | C01–02 |
| Mouth | 19838 | 0.6 | 3.2 | 1.8 | 0.11 | 0.22 | 13899 | 0.4 | 2.2 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 11702 | 0.3 | 1.9 | 1.0 | 0.05 | 0.11 | 7537 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 32483 | 0.9 | 5.2 | 3.3 | 0.28 | 0.41 | 6528 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 7464 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 2045 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 3986 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 1669 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 7535 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 1857 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 4271 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 1224 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 61339 | 1.7 | 9.9 | 5.4 | 0.30 | 0.68 | 15255 | 0.4 | 2.4 | 1.1 | 0.06 | 0.13 | C15 |
| Stomach | 57709 | 1.6 | 9.3 | 5.1 | 0.27 | 0.60 | 33340 | 1.0 | 5.3 | 2.6 | 0.15 | 0.29 | C16 |
| Small intestine | 19511 | 0.5 | 3.1 | 1.8 | 0.11 | 0.21 | 16808 | 0.5 | 2.7 | 1.4 | 0.09 | 0.17 | C17 |
| Colon | 208038 | 5.9 | 33.4 | 18.5 | 1.00 | 2.08 | 206789 | 6.0 | 32.6 | 15.2 | 0.81 | 1.65 | C18 |
| Rectum | 100522 | 2.8 | 16.1 | 9.7 | 0.65 | 1.12 | 69021 | 2.0 | 10.9 | 6.0 | 0.42 | 0.68 | C19–20 |
| Anus | 10748 | 0.3 | 1.7 | 1.0 | 0.07 | 0.12 | 20840 | 0.6 | 3.3 | 1.8 | 0.14 | 0.22 | C21 |
| Liver | 92260 | 2.6 | 14.8 | 8.6 | 0.58 | 1.07 | 36838 | 1.1 | 5.8 | 2.9 | 0.16 | 0.34 | C22 |
| Gallbladder etc. | 19972 | 0.6 | 3.2 | 1.7 | 0.08 | 0.19 | 22615 | 0.7 | 3.6 | 1.6 | 0.07 | 0.18 | C23–24 |
| Pancreas | 106884 | 3.0 | 17.2 | 9.1 | 0.45 | 1.10 | 96983 | 2.8 | 15.3 | 6.7 | 0.32 | 0.79 | C25 |
| Nose, sinuses etc. | 6263 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 3958 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 41415 | 1.2 | 6.7 | 3.8 | 0.23 | 0.47 | 10783 | 0.3 | 1.7 | 0.9 | 0.07 | 0.12 | C32 |
| Trachea, bronchus, and lung | 494647 | 13.9 | 79.5 | 41.0 | 1.77 | 5.10 | 461957 | 13.3 | 72.8 | 33.5 | 1.59 | 4.26 | C33–34 |
| Other thoracic organs | 3874 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 2664 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 8651 | 0.2 | 1.4 | 1.2 | 0.08 | 0.10 | 6591 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 230215 | 6.5 | 37.0 | 21.0 | 1.16 | 2.39 | 156817 | 4.5 | 24.7 | 15.5 | 1.10 | 1.63 | C43 |
| Other skin | 15770 | 0.4 | 2.5 | 1.4 | 0.06 | 0.14 | 10518 | 0.3 | 1.7 | 0.9 | 0.05 | 0.09 | C44 |
| Mesothelioma | 11341 | 0.3 | 1.8 | 0.8 | 0.02 | 0.09 | 3670 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 3160 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | 394 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 29766 | 0.8 | 4.8 | 3.1 | 0.17 | 0.30 | 21078 | 0.6 | 3.3 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 9124 | 0.3 | 1.5 | 0.8 | 0.04 | 0.10 | 1011600 | 29.1 | 159.5 | 92.1 | 6.28 | 10.83 | C50 |
| Vulva | | | | | | | 23401 | 0.7 | 3.7 | 1.8 | 0.11 | 0.20 | C51 |
| Vagina | | | | | | | 5314 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 49535 | 1.4 | 7.8 | 6.0 | 0.49 | 0.58 | C53 |
| Corpus uteri | | | | | | | 221466 | 6.4 | 34.9 | 20.1 | 1.44 | 2.50 | C54 |
| Uterus unspecified | | | | | | | 6593 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 91028 | 2.6 | 14.4 | 8.2 | 0.54 | 0.92 | C56 |
| Other female genital organs | | | | | | | 12454 | 0.4 | 2.0 | 1.0 | 0.06 | 0.13 | C57 |
| Placenta | | | | | | | 417 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 6244 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 761238 | 21.4 | 122.3 | 67.8 | 3.57 | 9.35 | | | | | | | C61 |
| Testis | 39962 | 1.1 | 6.4 | 6.3 | 0.47 | 0.48 | | | | | | | C62 |
| Other male genital organs | 1559 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 159253 | 4.5 | 25.6 | 15.5 | 0.98 | 1.86 | 89939 | 2.6 | 14.2 | 8.1 | 0.52 | 0.94 | C64 |
| Renal pelvis | 8781 | 0.2 | 1.4 | 0.7 | 0.03 | 0.08 | 6107 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 5953 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | 3606 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 261457 | 7.4 | 42.0 | 20.7 | 0.79 | 2.38 | 79155 | 2.3 | 12.5 | 5.4 | 0.24 | 0.63 | C67 |
| Other urinary organs | 3766 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 1578 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 7541 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | 6491 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 56356 | 1.6 | 9.1 | 6.7 | 0.42 | 0.64 | 44362 | 1.3 | 7.0 | 5.1 | 0.31 | 0.47 | C70–72 |
| Thyroid | 53315 | 1.5 | 8.6 | 6.1 | 0.45 | 0.65 | 148432 | 4.3 | 23.4 | 18.5 | 1.45 | 1.77 | C73 |
| Adrenal gland | 2024 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 2201 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 1082 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 672 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 19647 | 0.6 | 3.2 | 2.7 | 0.18 | 0.23 | 15710 | 0.5 | 2.5 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 154616 | 4.4 | 24.8 | 14.5 | 0.78 | 1.59 | 123154 | 3.5 | 19.4 | 10.0 | 0.55 | 1.11 | C82–86,C96 |
| Immunoproliferative diseases | 11372 | 0.3 | 1.8 | 1.0 | 0.05 | 0.12 | 11718 | 0.3 | 1.8 | 1.0 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 56774 | 1.6 | 9.1 | 4.8 | 0.23 | 0.58 | 41910 | 1.2 | 6.6 | 3.1 | 0.16 | 0.37 | C90 |
| Lymphoid leukaemia | 80559 | 2.3 | 12.9 | 8.4 | 0.43 | 0.84 | 52340 | 1.5 | 8.3 | 5.1 | 0.26 | 0.48 | C91 |
| Myeloid leukaemia | 57631 | 1.6 | 9.3 | 5.5 | 0.27 | 0.57 | 43319 | 1.2 | 6.8 | 3.8 | 0.22 | 0.39 | C92–94 |
| Leukaemia unspecified | 4193 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 3710 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 32097 | 0.9 | 5.2 | 2.9 | 0.16 | 0.32 | 33053 | 1.0 | 5.2 | 2.6 | 0.14 | 0.28 | MPD |
| Myelodysplastic syndromes | 42039 | 1.2 | 6.8 | 3.0 | 0.07 | 0.30 | 29459 | 0.8 | 4.6 | 1.7 | 0.05 | 0.18 | MPS |
| Other and unspecified | 70397 | 2.0 | 11.3 | 5.8 | 0.27 | 0.63 | 72562 | 2.1 | 11.4 | 4.8 | 0.22 | 0.52 | O&U |
| All sites | 3569613 | | 573.4 | 324.6 | 17.38 | 38.58 | 3482753 | | 549.2 | 302.7 | 18.98 | 34.35 | C00–96 |
| All sites except C44 | 3553843 | 100.0 | 570.8 | 323.2 | 17.32 | 38.45 | 3472235 | 100.0 | 547.6 | 301.8 | 18.93 | 34.27 | C00–96 exc. C44 |


§Includes 11 cases of unknown age

§Includes 16 cases of unknown age

USA, NPCR

CONTRIBUTORS

Reda J. Wilson
 Mary Elizabeth O'Neil
 Jessica B. King
 Simple D. Singh
 Manxia Wu
 Joseph D. Rogers
 Vicki B. Benard




NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 73.9 | Breast | 91.0 |
| Trachea, bronchus, and lung | 41.3 | Trachea, bronchus, and lung | 32.4 |
| Bladder | 19.4 | Corpus uteri | 19.6 |
| Colon | 19.0 | Thyroid | 17.3 |
| Melanoma of skin | 18.5 | Colon | 15.6 |
| Kidney | 15.5 | Melanoma of skin | 13.1 |
| Non-Hodgkin lymphoma | 14.0 | Non-Hodgkin lymphoma | 9.6 |
| Rectum | 9.8 | Kidney | 8.0 |
| Liver | 9.4 | Ovary | 7.9 |
| Pancreas | 9.2 | Pancreas | 6.9 |
| Lymphoid leukaemia | 7.9 | Rectum | 6.1 |
| Brain and nervous system | 6.2 | Cervix uteri | 6.0 |
| Other and unspecified | 5.8 | Bladder | 5.0 |
| Thyroid | 5.7 | Other and unspecified | 4.9 |
| Stomach | 5.6 | Lymphoid leukaemia | 4.7 |
| Multiple myeloma | 5.4 | Brain and nervous system | 4.7 |
| Myeloid leukaemia | 5.4 | Myeloid leukaemia | 3.8 |
| Testis | 5.3 | Multiple myeloma | 3.6 |
| Oesophagus | 5.1 | Liver | 3.1 |
| Tongue | 4.2 | Stomach | 3.0 |
| All sites | 325.8 | All sites | 296.0 |



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 30.9 |
| Trachea, bronchus, and lung | 26.0 |
| Colon | 12.2 |
| Kidney | 12.1 |
| Liver | 10.9 |
| Bladder | 7.7 |
| Rectum | 7.2 |
| Non-Hodgkin lymphoma | 6.2 |
| Pancreas | 5.3 |
| Other and unspecified | 4.6 |
| All sites | 172.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 45.6 |
| Trachea, bronchus, and lung | 22.5 |
| Colon | 11.0 |
| Corpus uteri | 10.5 |
| Thyroid | 7.9 |
| Kidney | 7.2 |
| Non-Hodgkin lymphoma | 5.1 |
| Ovary | 4.6 |
| Rectum | 4.6 |
| Cervix uteri | 4.3 |
| All sites | 166.7 |



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 34.9 |
| Trachea, bronchus, and lung | 24.8 |
| Colon | 13.8 |
| Liver | 13.3 |
| Non-Hodgkin lymphoma | 9.7 |
| Rectum | 9.3 |
| Bladder | 8.0 |
| Stomach | 7.9 |
| Kidney | 7.3 |
| Pancreas | 5.9 |
| All sites | 190.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 70.4 |
| Thyroid | 18.1 |
| Trachea, bronchus, and lung | 16.8 |
| Corpus uteri | 14.3 |
| Colon | 10.9 |
| Ovary | 7.0 |
| Non-Hodgkin lymphoma | 6.7 |
| Rectum | 5.5 |
| Pancreas | 4.8 |
| Stomach | 4.7 |
| All sites | 206.2 |




NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Prostate | 123.9 |
| Trachea, bronchus, and lung | 49.6 |
| Colon | 24.5 |
| Kidney | 18.2 |
| Liver | 14.0 |
| Bladder | 11.3 |
| Pancreas | 11.2 |
| Non-Hodgkin lymphoma | 10.9 |
| Multiple myeloma | 10.4 |
| Rectum | 10.0 |
| All sites | 364.7 |
| Female | |
| Breast | 91.2 |
| Trachea, bronchus, and lung | 30.5 |
| Colon | 19.4 |
| Corpus uteri | 18.7 |
| Thyroid | 10.8 |
| Kidney | 9.2 |
| Pancreas | 9.0 |
| Multiple myeloma | 7.9 |
| Non-Hodgkin lymphoma | 7.5 |
| Cervix uteri | 6.8 |
| All sites | 282.3 |



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Prostate | 67.7 |
| Trachea, bronchus, and lung | 41.1 |
| Melanoma of skin | 21.1 |
| Bladder | 20.8 |
| Colon | 18.5 |
| Kidney | 15.5 |
| Non-Hodgkin lymphoma | 14.5 |
| Rectum | 9.7 |
| Pancreas | 9.1 |
| Liver | 8.6 |
| All sites | 324.9 |
| Female | |
| Breast | 92.2 |
| Trachea, bronchus, and lung | 33.6 |
| Corpus uteri | 20.0 |
| Thyroid | 18.5 |
| Melanoma of skin | 15.5 |
| Colon | 15.3 |
| Non-Hodgkin lymphoma | 10.0 |
| Ovary | 8.2 |
| Kidney | 8.2 |
| Pancreas | 6.7 |
| All sites | 303.0 |

USA, NPCR (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6659 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 2475 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 49727 | 1.2 | 6.5 | 4.2 | 0.29 | 0.52 | 18942 | 0.5 | 2.4 | 1.4 | 0.09 | 0.16 | C01–02 |
| Mouth | 22616 | 0.6 | 3.0 | 1.8 | 0.11 | 0.22 | 15598 | 0.4 | 2.0 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 12956 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 9065 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 34994 | 0.9 | 4.6 | 3.1 | 0.25 | 0.38 | 7178 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 8468 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | 2364 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 6425 | 0.2 | 0.8 | 0.6 | 0.05 | 0.07 | 2668 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 9021 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 2237 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 4806 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 1391 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 66459 | 1.6 | 8.7 | 5.1 | 0.28 | 0.65 | 17790 | 0.4 | 2.3 | 1.1 | 0.06 | 0.13 | C15 |
| Stomach | 72106 | 1.8 | 9.4 | 5.6 | 0.29 | 0.65 | 44478 | 1.1 | 5.6 | 3.0 | 0.17 | 0.33 | C16 |
| Small intestine | 23433 | 0.6 | 3.1 | 1.9 | 0.11 | 0.23 | 20836 | 0.5 | 2.6 | 1.5 | 0.09 | 0.18 | C17 |
| Colon | 243902 | 6.0 | 31.9 | 19.0 | 1.04 | 2.16 | 243767 | 6.1 | 30.9 | 15.6 | 0.85 | 1.71 | C18 |
| Rectum | 117228 | 2.9 | 15.3 | 9.8 | 0.66 | 1.14 | 82309 | 2.1 | 10.4 | 6.1 | 0.43 | 0.69 | C19–20 |
| Anus | 12636 | 0.3 | 1.7 | 1.1 | 0.08 | 0.12 | 22691 | 0.6 | 2.9 | 1.7 | 0.12 | 0.20 | C21 |
| Liver | 116096 | 2.8 | 15.2 | 9.4 | 0.65 | 1.18 | 46196 | 1.2 | 5.9 | 3.1 | 0.18 | 0.37 | C22 |
| Gallbladder etc. | 23380 | 0.6 | 3.1 | 1.7 | 0.08 | 0.20 | 27648 | 0.7 | 3.5 | 1.7 | 0.08 | 0.19 | C23–24 |
| Pancreas | 122010 | 3.0 | 16.0 | 9.2 | 0.46 | 1.11 | 114290 | 2.9 | 14.5 | 6.9 | 0.34 | 0.81 | C25 |
| Nose, sinuses etc. | 7127 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 4596 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 48293 | 1.2 | 6.3 | 3.8 | 0.24 | 0.48 | 12456 | 0.3 | 1.6 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 562475 | 13.8 | 73.6 | 41.3 | 1.81 | 5.15 | 517365 | 12.9 | 65.7 | 32.4 | 1.55 | 4.11 | C33–34 |
| Other thoracic organs | 4902 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 3532 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 9982 | 0.2 | 1.3 | 1.1 | 0.07 | 0.10 | 7692 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 233945 | 5.7 | 30.6 | 18.5 | 1.01 | 2.10 | 161128 | 4.0 | 20.4 | 13.1 | 0.92 | 1.39 | C43 |
| Other skin | 17362 | 0.4 | 2.3 | 1.3 | 0.06 | 0.14 | 12304 | 0.3 | 1.6 | 0.9 | 0.05 | 0.09 | C44 |
| Mesothelioma | 11833 | 0.3 | 1.5 | 0.8 | 0.02 | 0.08 | 3904 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 5001 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 599 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 33538 | 0.8 | 4.4 | 3.0 | 0.17 | 0.29 | 25040 | 0.6 | 3.2 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 10714 | 0.3 | 1.4 | 0.8 | 0.04 | 0.10 | 1180666 | 29.5 | 149.8 | 91.0 | 6.23 | 10.68 | C50 |
| Vulva | | | | | | | 25303 | 0.6 | 3.2 | 1.7 | 0.11 | 0.19 | C51 |
| Vagina | | | | | | | 6428 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 62230 | 1.6 | 7.9 | 6.0 | 0.48 | 0.59 | C53 |
| Corpus uteri | | | | | | | 256121 | 6.4 | 32.5 | 19.6 | 1.40 | 2.44 | C54 |
| Uterus unspecified | | | | | | | 8809 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 103783 | 2.6 | 13.2 | 7.9 | 0.53 | 0.88 | C56 |
| Other female genital organs | | | | | | | 13828 | 0.3 | 1.8 | 1.0 | 0.06 | 0.12 | C57 |
| Placenta | | | | | | | 607 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 6998 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 941491 | 23.1 | 123.3 | 73.9 | 4.00 | 10.16 | | | | | | | C61 |
| Testis | 42141 | 1.0 | 5.5 | 5.3 | 0.39 | 0.41 | | | | | | | C62 |
| Other male genital organs | 1875 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 183199 | 4.5 | 24.0 | 15.5 | 0.98 | 1.86 | 105329 | 2.6 | 13.4 | 8.0 | 0.51 | 0.93 | C64 |
| Renal pelvis | 9298 | 0.2 | 1.2 | 0.7 | 0.02 | 0.07 | 6591 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 6227 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | 3882 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 276419 | 6.8 | 36.2 | 19.4 | 0.73 | 2.23 | 86379 | 2.2 | 11.0 | 5.0 | 0.22 | 0.59 | C67 |
| Other urinary organs | 4168 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 1946 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 7952 | 0.2 | 1.0 | 0.8 | 0.04 | 0.08 | 6826 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 61490 | 1.5 | 8.1 | 6.2 | 0.38 | 0.60 | 48891 | 1.2 | 6.2 | 4.7 | 0.28 | 0.43 | C70–72 |
| Thyroid | 58898 | 1.4 | 7.7 | 5.7 | 0.42 | 0.60 | 172420 | 4.3 | 21.9 | 17.3 | 1.35 | 1.67 | C73 |
| Adrenal gland | 2390 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 2670 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 1355 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 893 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 23052 | 0.6 | 3.0 | 2.6 | 0.18 | 0.22 | 18671 | 0.5 | 2.4 | 2.1 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 171153 | 4.2 | 22.4 | 14.0 | 0.76 | 1.54 | 138039 | 3.4 | 17.5 | 9.6 | 0.54 | 1.07 | C82–86,C96 |
| Immunoproliferative diseases | 12639 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 13310 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 70887 | 1.7 | 9.3 | 5.4 | 0.27 | 0.64 | 56184 | 1.4 | 7.1 | 3.6 | 0.19 | 0.44 | C90 |
| Lymphoid leukaemia | 88112 | 2.2 | 11.5 | 7.9 | 0.41 | 0.80 | 58105 | 1.5 | 7.4 | 4.7 | 0.24 | 0.45 | C91 |
| Myeloid leukaemia | 64638 | 1.6 | 8.5 | 5.4 | 0.27 | 0.56 | 49900 | 1.2 | 6.3 | 3.8 | 0.22 | 0.39 | C92–94 |
| Leukaemia unspecified | 4712 | 0.1 | 0.6 | 0.4 | 0.01 | 0.03 | 4294 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 36669 | 0.9 | 4.8 | 2.9 | 0.16 | 0.33 | 38602 | 1.0 | 4.9 | 2.7 | 0.15 | 0.29 | MPD |
| Myelodysplastic syndromes | 45631 | 1.1 | 6.0 | 3.0 | 0.07 | 0.29 | 33313 | 0.8 | 4.2 | 1.7 | 0.06 | 0.18 | MPS |
| Other and unspecified | 79818 | 2.0 | 10.4 | 5.8 | 0.28 | 0.64 | 83880 | 2.1 | 10.6 | 4.9 | 0.23 | 0.52 | O&U |
| All sites | 4099306 | | 536.7 | 325.8 | 17.60 | 38.98 | 4018439 | | 510.0 | 296.0 | 18.59 | 33.67 | C00–96 |
| All sites except C44 | 4081944 | 100.0 | 534.4 | 324.5 | 17.54 | 38.84 | 4006135 | 100.0 | 508.4 | 295.2 | 18.54 | 33.59 | C00–96 exc. C44 |

§Includes 43 cases of unknown age

§Includes 45 cases of unknown age

†See note following population pyramid

USA, NPCR: American Indian (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 204 | 1.0 | 1.9 | 1.8 | 0.13 | 0.21 | 94 | 0.4 | 0.9 | 0.8 | 0.06 | 0.10 | C01–02 |
| Mouth | 119 | 0.6 | 1.1 | 1.0 | 0.07 | 0.13 | 78 | 0.4 | 0.7 | 0.6 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 44 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 42 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 192 | 1.0 | 1.8 | 1.6 | 0.14 | 0.20 | 26 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 42 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | 13 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 73 | 0.4 | 0.7 | 0.6 | 0.05 | 0.07 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 67 | 0.3 | 0.6 | 0.6 | 0.04 | 0.08 | 22 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 34 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 378 | 1.9 | 3.5 | 3.4 | 0.18 | 0.43 | 105 | 0.5 | 1.0 | 0.8 | 0.05 | 0.10 | C15 |
| Stomach | 477 | 2.4 | 4.4 | 4.2 | 0.21 | 0.47 | 358 | 1.7 | 3.4 | 2.8 | 0.16 | 0.31 | C16 |
| Small intestine | 102 | 0.5 | 0.9 | 0.9 | 0.05 | 0.12 | 76 | 0.4 | 0.7 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 1385 | 7.1 | 12.9 | 12.2 | 0.66 | 1.40 | 1426 | 6.8 | 13.4 | 11.0 | 0.61 | 1.27 | C18 |
| Rectum | 827 | 4.2 | 7.7 | 7.2 | 0.46 | 0.87 | 584 | 2.8 | 5.5 | 4.6 | 0.32 | 0.53 | C19–20 |
| Anus | 60 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | 96 | 0.5 | 0.9 | 0.8 | 0.06 | 0.09 | C21 |
| Liver | 1250 | 6.4 | 11.6 | 10.9 | 0.75 | 1.42 | 503 | 2.4 | 4.7 | 3.9 | 0.22 | 0.46 | C22 |
| Gallbladder etc. | 137 | 0.7 | 1.3 | 1.2 | 0.06 | 0.14 | 216 | 1.0 | 2.0 | 1.6 | 0.09 | 0.17 | C23–24 |
| Pancreas | 607 | 3.1 | 5.6 | 5.3 | 0.29 | 0.66 | 548 | 2.6 | 5.1 | 4.2 | 0.19 | 0.49 | C25 |
| Nose, sinuses etc. | 30 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 23 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 283 | 1.5 | 2.6 | 2.5 | 0.15 | 0.31 | 80 | 0.4 | 0.8 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 2921 | 15.0 | 27.1 | 26.0 | 1.04 | 3.26 | 2907 | 13.9 | 27.3 | 22.5 | 1.02 | 2.91 | C33–34 |
| Other thoracic organs | 26 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 16 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 69 | 0.4 | 0.6 | 0.6 | 0.04 | 0.05 | 54 | 0.3 | 0.5 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 394 | 2.0 | 3.7 | 3.5 | 0.18 | 0.40 | 300 | 1.4 | 2.8 | 2.4 | 0.17 | 0.24 | C43 |
| Other skin | 63 | 0.3 | 0.6 | 0.6 | 0.02 | 0.06 | 69 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C44 |
| Mesothelioma | 44 | 0.2 | 0.4 | 0.4 | 0.01 | 0.05 | 22 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 26 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 173 | 0.9 | 1.6 | 1.5 | 0.09 | 0.15 | 137 | 0.7 | 1.3 | 1.1 | 0.07 | 0.10 | C47+C49 |
| Breast | 23 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 5687 | 27.2 | 53.4 | 45.6 | 3.02 | 5.47 | C50 |
| Vulva | | | | | | | 105 | 0.5 | 1.0 | 0.8 | 0.06 | 0.09 | C51 |
| Vagina | | | | | | | 28 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 521 | 2.5 | 4.9 | 4.3 | 0.35 | 0.41 | C53 |
| Corpus uteri | | | | | | | 1306 | 6.2 | 12.3 | 10.5 | 0.78 | 1.27 | C54 |
| Uterus unspecified | | | | | | | 49 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 579 | 2.8 | 5.4 | 4.6 | 0.31 | 0.52 | C56 |
| Other female genital organs | | | | | | | 68 | 0.3 | 0.6 | 0.5 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 45 | 0.2 | 0.4 | 0.4 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 3458 | 17.8 | 32.1 | 30.9 | 1.50 | 4.14 | | | | | | | C61 |
| Testis | 330 | 1.7 | 3.1 | 2.8 | 0.21 | 0.22 | | | | | | | C62 |
| Other male genital organs | 10 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1383 | 7.1 | 12.8 | 12.1 | 0.78 | 1.48 | 897 | 4.3 | 8.4 | 7.2 | 0.49 | 0.84 | C64 |
| Renal pelvis | 31 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | 19 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 15 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 17 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 867 | 4.5 | 8.1 | 7.7 | 0.28 | 0.87 | 278 | 1.3 | 2.6 | 2.1 | 0.10 | 0.23 | C67 |
| Other urinary organs | 15 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 23 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 29 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 298 | 1.5 | 2.8 | 2.7 | 0.15 | 0.25 | 219 | 1.0 | 2.1 | 1.9 | 0.12 | 0.17 | C70–72 |
| Thyroid | 263 | 1.4 | 2.4 | 2.3 | 0.15 | 0.24 | 940 | 4.5 | 8.8 | 7.9 | 0.60 | 0.77 | C73 |
| Adrenal gland | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 17 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 93 | 0.5 | 0.9 | 0.8 | 0.05 | 0.08 | 86 | 0.4 | 0.8 | 0.7 | 0.05 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 706 | 3.6 | 6.6 | 6.2 | 0.33 | 0.70 | 639 | 3.1 | 6.0 | 5.1 | 0.26 | 0.59 | C82–86,C96 |
| Immunoproliferative diseases | 37 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | 62 | 0.3 | 0.6 | 0.5 | 0.02 | 0.06 | C88 |
| Multiple myeloma | 373 | 1.9 | 3.5 | 3.3 | 0.16 | 0.38 | 300 | 1.4 | 2.8 | 2.3 | 0.11 | 0.29 | C90 |
| Lymphoid leukaemia | 355 | 1.8 | 3.3 | 3.4 | 0.17 | 0.30 | 239 | 1.1 | 2.2 | 2.1 | 0.11 | 0.18 | C91 |
| Myeloid leukaemia | 312 | 1.6 | 2.9 | 2.8 | 0.14 | 0.31 | 235 | 1.1 | 2.2 | 1.9 | 0.11 | 0.21 | C92–94 |
| Leukaemia unspecified | 22 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 142 | 0.7 | 1.3 | 1.3 | 0.07 | 0.13 | 132 | 0.6 | 1.2 | 1.0 | 0.06 | 0.11 | MPD |
| Myelodysplastic syndromes | 142 | 0.7 | 1.3 | 1.3 | 0.04 | 0.15 | 121 | 0.6 | 1.1 | 0.9 | 0.02 | 0.09 | MPS |
| Other and unspecified | 527 | 2.7 | 4.9 | 4.6 | 0.22 | 0.54 | 537 | 2.6 | 5.0 | 4.0 | 0.19 | 0.42 | O&U |
| All sites | 19544 | | 181.5 | 172.9 | 9.15 | 20.80 | 21004 | | 197.1 | 166.7 | 10.19 | 19.30 | C00–96 |
| All sites except C44 | 19481 | 100.0 | 180.9 | 172.4 | 9.13 | 20.73 | 20935 | 100.0 | 196.5 | 166.1 | 10.15 | 19.25 | C00–96 exc. C44 |

†See note following population pyramid

USA, NPCR: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 41 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 29 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 996 | 0.9 | 2.2 | 1.8 | 0.12 | 0.21 | 722 | 0.5 | 1.5 | 1.0 | 0.06 | 0.12 | C01–02 |
| Mouth | 898 | 0.8 | 2.0 | 1.6 | 0.11 | 0.19 | 499 | 0.4 | 1.0 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 432 | 0.4 | 1.0 | 0.8 | 0.05 | 0.09 | 422 | 0.3 | 0.9 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 419 | 0.4 | 0.9 | 0.8 | 0.06 | 0.10 | 117 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 97 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 32 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 1446 | 1.3 | 3.2 | 2.6 | 0.21 | 0.29 | 552 | 0.4 | 1.1 | 0.9 | 0.07 | 0.09 | C11 |
| Hypopharynx | 221 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 54 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 59 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 17 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1289 | 1.2 | 2.9 | 2.2 | 0.12 | 0.27 | 433 | 0.3 | 0.9 | 0.6 | 0.02 | 0.07 | C15 |
| Stomach | 4702 | 4.3 | 10.6 | 7.9 | 0.39 | 0.91 | 3551 | 2.5 | 7.3 | 4.7 | 0.25 | 0.51 | C16 |
| Small intestine | 558 | 0.5 | 1.3 | 1.0 | 0.05 | 0.11 | 421 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 8023 | 7.4 | 18.0 | 13.8 | 0.76 | 1.61 | 8038 | 5.7 | 16.6 | 10.9 | 0.60 | 1.21 | C18 |
| Rectum | 5302 | 4.9 | 11.9 | 9.3 | 0.63 | 1.10 | 3813 | 2.7 | 7.9 | 5.5 | 0.37 | 0.62 | C19–20 |
| Anus | 162 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 217 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 7588 | 7.0 | 17.0 | 13.3 | 0.80 | 1.62 | 3290 | 2.3 | 6.8 | 4.4 | 0.19 | 0.50 | C22 |
| Gallbladder etc. | 1338 | 1.2 | 3.0 | 2.2 | 0.10 | 0.26 | 1501 | 1.1 | 3.1 | 1.9 | 0.10 | 0.22 | C23–24 |
| Pancreas | 3539 | 3.3 | 7.9 | 5.9 | 0.28 | 0.69 | 3777 | 2.7 | 7.8 | 4.8 | 0.21 | 0.54 | C25 |
| Nose, sinuses etc. | 269 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 192 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 726 | 0.7 | 1.6 | 1.2 | 0.06 | 0.16 | 106 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 14868 | 13.7 | 33.4 | 24.8 | 1.03 | 2.94 | 12666 | 9.0 | 26.1 | 16.8 | 0.79 | 1.95 | C33–34 |
| Other thoracic organs | 407 | 0.4 | 0.9 | 0.8 | 0.05 | 0.08 | 304 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 407 | 0.4 | 0.9 | 0.9 | 0.06 | 0.07 | 318 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 530 | 0.5 | 1.2 | 0.9 | 0.05 | 0.10 | 579 | 0.4 | 1.2 | 0.9 | 0.06 | 0.09 | C43 |
| Other skin | 391 | 0.4 | 0.9 | 0.7 | 0.04 | 0.07 | 350 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | C44 |
| Mesothelioma | 189 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 73 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 139 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 15 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1116 | 1.0 | 2.5 | 2.1 | 0.12 | 0.21 | 976 | 0.7 | 2.0 | 1.6 | 0.10 | 0.15 | C47+C49 |
| Breast | 256 | 0.2 | 0.6 | 0.4 | 0.03 | 0.06 | 46806 | 33.4 | 96.5 | 70.4 | 5.23 | 8.08 | C50 |
| Vulva | | | | | | | 380 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | C51 |
| Vagina | | | | | | | 197 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 3123 | 2.2 | 6.4 | 4.7 | 0.37 | 0.49 | C53 |
| Corpus uteri | | | | | | | 9454 | 6.8 | 19.5 | 14.3 | 1.11 | 1.71 | C54 |
| Uterus unspecified | | | | | | | 290 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 4613 | 3.3 | 9.5 | 7.0 | 0.52 | 0.76 | C56 |
| Other female genital organs | | | | | | | 474 | 0.3 | 1.0 | 0.7 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 62 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 163 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 19973 | 18.4 | 44.8 | 34.9 | 1.56 | 4.84 | | | | | | | C61 |
| Testis | 976 | 0.9 | 2.2 | 1.9 | 0.14 | 0.14 | | | | | | | C62 |
| Other male genital organs | 97 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 4090 | 3.8 | 9.2 | 7.3 | 0.45 | 0.87 | 2257 | 1.6 | 4.7 | 3.3 | 0.20 | 0.38 | C64 |
| Renal pelvis | 225 | 0.2 | 0.5 | 0.4 | 0.01 | 0.04 | 226 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 175 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 167 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 4920 | 4.5 | 11.0 | 8.0 | 0.30 | 0.86 | 1574 | 1.1 | 3.2 | 1.9 | 0.08 | 0.21 | C67 |
| Other urinary organs | 98 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 67 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 146 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 127 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 1841 | 1.7 | 4.1 | 3.8 | 0.23 | 0.34 | 1508 | 1.1 | 3.1 | 2.8 | 0.17 | 0.24 | C70–72 |
| Thyroid | 3198 | 2.9 | 7.2 | 5.8 | 0.43 | 0.60 | 11326 | 8.1 | 23.4 | 18.1 | 1.43 | 1.77 | C73 |
| Adrenal gland | 86 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 102 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 86 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 40 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 691 | 0.6 | 1.6 | 1.4 | 0.10 | 0.11 | 545 | 0.4 | 1.1 | 1.1 | 0.07 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 5468 | 5.0 | 12.3 | 9.7 | 0.52 | 1.03 | 4601 | 3.3 | 9.5 | 6.7 | 0.38 | 0.73 | C82–86,C96 |
| Immunoproliferative diseases | 488 | 0.4 | 1.1 | 0.8 | 0.05 | 0.10 | 450 | 0.3 | 0.9 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 1816 | 1.7 | 4.1 | 3.1 | 0.16 | 0.37 | 1414 | 1.0 | 2.9 | 1.9 | 0.10 | 0.24 | C90 |
| Lymphoid leukaemia | 1690 | 1.6 | 3.8 | 3.8 | 0.20 | 0.32 | 1147 | 0.8 | 2.4 | 2.4 | 0.13 | 0.18 | C91 |
| Myeloid leukaemia | 2224 | 2.0 | 5.0 | 4.1 | 0.21 | 0.40 | 1861 | 1.3 | 3.8 | 2.9 | 0.17 | 0.29 | C92–94 |
| Leukaemia unspecified | 108 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 103 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 1038 | 1.0 | 2.3 | 1.8 | 0.11 | 0.20 | 1101 | 0.8 | 2.3 | 1.6 | 0.09 | 0.17 | MPD |
| Myelodysplastic syndromes | 1166 | 1.1 | 2.6 | 1.8 | 0.05 | 0.17 | 934 | 0.7 | 1.9 | 1.1 | 0.03 | 0.10 | MPS |
| Other and unspecified | 1911 | 1.8 | 4.3 | 3.1 | 0.13 | 0.33 | 2383 | 1.7 | 4.9 | 3.1 | 0.14 | 0.30 | O&U |
| All sites | 109082 | | 244.9 | 190.7 | 9.95 | 22.25 | 140396 | | 289.6 | 206.2 | 13.58 | 22.71 | C00–96 |
| All sites except C44 | 108691 | 100.0 | 244.0 | 190.0 | 9.91 | 22.18 | 140046 | 100.0 | 288.8 | 205.6 | 13.54 | 22.66 | C00–96 exc. C44 |

§Includes 3 cases of unknown age

†See note following population pyramid

USA, NPCR: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 79 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 54 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 3018 | 0.7 | 2.9 | 2.4 | 0.17 | 0.30 | 1167 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 2172 | 0.5 | 2.1 | 1.7 | 0.12 | 0.21 | 1387 | 0.3 | 1.2 | 0.8 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 1062 | 0.2 | 1.0 | 0.9 | 0.06 | 0.10 | 1268 | 0.3 | 1.1 | 0.8 | 0.06 | 0.09 | C07–08 |
| Tonsil | 2671 | 0.6 | 2.5 | 2.1 | 0.16 | 0.26 | 662 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 1019 | 0.2 | 1.0 | 0.8 | 0.05 | 0.10 | 324 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 1006 | 0.2 | 1.0 | 0.8 | 0.06 | 0.09 | 434 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 1421 | 0.3 | 1.3 | 1.1 | 0.07 | 0.14 | 351 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 495 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 162 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 5386 | 1.2 | 5.1 | 4.2 | 0.24 | 0.54 | 2449 | 0.5 | 2.1 | 1.4 | 0.09 | 0.17 | C15 |
| Stomach | 10796 | 2.3 | 10.2 | 8.4 | 0.44 | 0.99 | 8046 | 1.8 | 7.0 | 4.6 | 0.25 | 0.51 | C16 |
| Small intestine | 3750 | 0.8 | 3.6 | 3.0 | 0.17 | 0.36 | 3942 | 0.9 | 3.4 | 2.4 | 0.15 | 0.29 | C17 |
| Colon | 31326 | 6.8 | 29.7 | 24.5 | 1.41 | 2.89 | 32990 | 7.3 | 28.8 | 19.4 | 1.14 | 2.25 | C18 |
| Rectum | 12769 | 2.8 | 12.1 | 10.0 | 0.67 | 1.18 | 10303 | 2.3 | 9.0 | 6.4 | 0.45 | 0.73 | C19–20 |
| Anus | 1915 | 0.4 | 1.8 | 1.6 | 0.12 | 0.17 | 2066 | 0.5 | 1.8 | 1.3 | 0.09 | 0.15 | C21 |
| Liver | 17698 | 3.8 | 16.8 | 14.0 | 1.00 | 1.86 | 6594 | 1.5 | 5.7 | 4.0 | 0.27 | 0.50 | C22 |
| Gallbladder etc. | 2601 | 0.6 | 2.5 | 2.0 | 0.09 | 0.24 | 3946 | 0.9 | 3.4 | 2.2 | 0.12 | 0.26 | C23–24 |
| Pancreas | 14311 | 3.1 | 13.6 | 11.2 | 0.60 | 1.36 | 16109 | 3.6 | 14.0 | 9.0 | 0.46 | 1.06 | C25 |
| Nose, sinuses etc. | 702 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 509 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 7000 | 1.5 | 6.6 | 5.5 | 0.33 | 0.71 | 1796 | 0.4 | 1.6 | 1.1 | 0.08 | 0.14 | C32 |
| Trachea, bronchus, and lung | 63839 | 13.9 | 60.5 | 49.6 | 2.40 | 6.38 | 53165 | 11.7 | 46.3 | 30.5 | 1.61 | 3.87 | C33–34 |
| Other thoracic organs | 703 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 612 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 1048 | 0.2 | 1.0 | 0.9 | 0.06 | 0.08 | 878 | 0.2 | 0.8 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 910 | 0.2 | 0.9 | 0.7 | 0.04 | 0.08 | 1002 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 1255 | 0.3 | 1.2 | 1.1 | 0.07 | 0.10 | 1302 | 0.3 | 1.1 | 0.9 | 0.07 | 0.09 | C44 |
| Mesothelioma | 579 | 0.1 | 0.5 | 0.4 | 0.01 | 0.05 | 220 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1514 | 0.3 | 1.4 | 1.3 | 0.10 | 0.11 | 156 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 3026 | 0.7 | 2.9 | 2.6 | 0.16 | 0.25 | 3272 | 0.7 | 2.9 | 2.3 | 0.15 | 0.22 | C47+C49 |
| Breast | 1544 | 0.3 | 1.5 | 1.2 | 0.07 | 0.15 | 142629 | 31.5 | 124.3 | 91.2 | 6.40 | 10.59 | C50 |
| Vulva | | | | | | | 2027 | 0.4 | 1.8 | 1.3 | 0.09 | 0.14 | C51 |
| Vagina | | | | | | | 1006 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 9878 | 2.2 | 8.6 | 6.8 | 0.52 | 0.70 | C53 |
| Corpus uteri | | | | | | | 29976 | 6.6 | 26.1 | 18.7 | 1.23 | 2.43 | C54 |
| Uterus unspecified | | | | | | | 2053 | 0.5 | 1.8 | 1.2 | 0.08 | 0.15 | C55 |
| Ovary | | | | | | | 10106 | 2.2 | 8.8 | 6.4 | 0.42 | 0.71 | C56 |
| Other female genital organs | | | | | | | 1321 | 0.3 | 1.2 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 127 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 714 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 157137 | 34.2 | 148.8 | 123.9 | 7.41 | 16.86 | | | | | | | C61 |
| Testis | 1538 | 0.3 | 1.5 | 1.4 | 0.10 | 0.11 | | | | | | | C62 |
| Other male genital organs | 214 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 22698 | 4.9 | 21.5 | 18.2 | 1.17 | 2.23 | 14508 | 3.2 | 12.6 | 9.2 | 0.57 | 1.10 | C64 |
| Renal pelvis | 458 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 445 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 212 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 195 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 14635 | 3.2 | 13.9 | 11.3 | 0.47 | 1.32 | 7024 | 1.6 | 6.1 | 3.7 | 0.16 | 0.43 | C67 |
| Other urinary organs | 355 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 342 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 291 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 265 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 4527 | 1.0 | 4.3 | 4.0 | 0.25 | 0.38 | 3973 | 0.9 | 3.5 | 3.1 | 0.18 | 0.27 | C70–72 |
| Thyroid | 3581 | 0.8 | 3.4 | 2.9 | 0.21 | 0.33 | 15295 | 3.4 | 13.3 | 10.8 | 0.84 | 1.12 | C73 |
| Adrenal gland | 303 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 391 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 204 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 189 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3092 | 0.7 | 2.9 | 2.7 | 0.20 | 0.23 | 2634 | 0.6 | 2.3 | 2.1 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 13377 | 2.9 | 12.7 | 10.9 | 0.70 | 1.17 | 11788 | 2.6 | 10.3 | 7.5 | 0.48 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 973 | 0.2 | 0.9 | 0.8 | 0.05 | 0.09 | 1299 | 0.3 | 1.1 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 13368 | 2.9 | 12.7 | 10.4 | 0.53 | 1.26 | 13480 | 3.0 | 11.7 | 7.9 | 0.42 | 0.96 | C90 |
| Lymphoid leukaemia | 6665 | 1.4 | 6.3 | 5.6 | 0.30 | 0.59 | 5156 | 1.1 | 4.5 | 3.5 | 0.18 | 0.36 | C91 |
| Myeloid leukaemia | 5760 | 1.3 | 5.5 | 4.7 | 0.26 | 0.49 | 5481 | 1.2 | 4.8 | 3.6 | 0.22 | 0.37 | C92–94 |
| Leukaemia unspecified | 400 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 446 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 3274 | 0.7 | 3.1 | 2.6 | 0.15 | 0.30 | 3973 | 0.9 | 3.5 | 2.5 | 0.15 | 0.27 | MPD |
| Myelodysplastic syndromes | 2938 | 0.6 | 2.8 | 2.2 | 0.07 | 0.23 | 2953 | 0.7 | 2.6 | 1.6 | 0.06 | 0.17 | MPS |
| Other and unspecified | 8723 | 1.9 | 8.3 | 6.8 | 0.34 | 0.79 | 10167 | 2.2 | 8.9 | 5.6 | 0.28 | 0.61 | O&U |
| All sites | 461052 | | 436.7 | 364.7 | 21.15 | 45.55 | 454293 | | 395.9 | 282.3 | 18.00 | 32.68 | C00–96 |
| All sites except C44 | 459797 | 100.0 | 435.5 | 363.7 | 21.08 | 45.44 | 452991 | 100.0 | 394.8 | 281.3 | 17.94 | 32.58 | C00–96 exc. C44 |

§Includes 5 cases of unknown age

§Includes 4 cases of unknown age

†See note following population pyramid

USA, NPCR: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 6324 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | 2306 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 45198 | 1.3 | 7.5 | 4.5 | 0.32 | 0.57 | 16811 | 0.5 | 2.7 | 1.5 | 0.10 | 0.18 | C01–02 |
| Mouth | 19228 | 0.6 | 3.2 | 1.8 | 0.12 | 0.22 | 13472 | 0.4 | 2.2 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 11311 | 0.3 | 1.9 | 1.0 | 0.05 | 0.11 | 7262 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 31512 | 0.9 | 5.2 | 3.3 | 0.28 | 0.41 | 6324 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 7252 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 1984 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 3859 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 1627 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 7280 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 1799 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 4196 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 1196 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 59166 | 1.7 | 9.8 | 5.4 | 0.30 | 0.68 | 14738 | 0.4 | 2.4 | 1.1 | 0.06 | 0.13 | C15 |
| Stomach | 55764 | 1.6 | 9.2 | 5.1 | 0.27 | 0.60 | 32241 | 1.0 | 5.3 | 2.6 | 0.15 | 0.29 | C16 |
| Small intestine | 18888 | 0.5 | 3.1 | 1.8 | 0.11 | 0.21 | 16257 | 0.5 | 2.6 | 1.4 | 0.09 | 0.17 | C17 |
| Colon | 201527 | 5.9 | 33.4 | 18.5 | 1.00 | 2.08 | 199987 | 6.0 | 32.6 | 15.3 | 0.81 | 1.65 | C18 |
| Rectum | 97261 | 2.8 | 16.1 | 9.7 | 0.65 | 1.12 | 66780 | 2.0 | 10.9 | 6.1 | 0.42 | 0.68 | C19–20 |
| Anus | 10411 | 0.3 | 1.7 | 1.0 | 0.07 | 0.12 | 20187 | 0.6 | 3.3 | 1.8 | 0.14 | 0.22 | C21 |
| Liver | 89198 | 2.6 | 14.8 | 8.6 | 0.58 | 1.07 | 35668 | 1.1 | 5.8 | 2.9 | 0.17 | 0.34 | C22 |
| Gallbladder etc. | 19218 | 0.6 | 3.2 | 1.7 | 0.08 | 0.19 | 21890 | 0.7 | 3.6 | 1.6 | 0.07 | 0.18 | C23–24 |
| Pancreas | 103220 | 3.0 | 17.1 | 9.1 | 0.45 | 1.10 | 93582 | 2.8 | 15.2 | 6.7 | 0.32 | 0.79 | C25 |
| Nose, sinuses etc. | 6080 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 3829 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 40054 | 1.2 | 6.6 | 3.8 | 0.23 | 0.47 | 10426 | 0.3 | 1.7 | 0.9 | 0.07 | 0.12 | C32 |
| Trachea, bronchus, and lung | 479505 | 13.9 | 79.5 | 41.1 | 1.78 | 5.12 | 447619 | 13.3 | 72.9 | 33.6 | 1.59 | 4.27 | C33–34 |
| Other thoracic organs | 3736 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 2580 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 8390 | 0.2 | 1.4 | 1.2 | 0.08 | 0.10 | 6387 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 223726 | 6.5 | 37.1 | 21.1 | 1.17 | 2.40 | 151918 | 4.5 | 24.7 | 15.5 | 1.10 | 1.63 | C43 |
| Other skin | 15259 | 0.4 | 2.5 | 1.3 | 0.06 | 0.14 | 10150 | 0.3 | 1.7 | 0.9 | 0.05 | 0.09 | C44 |
| Mesothelioma | 10989 | 0.3 | 1.8 | 0.8 | 0.02 | 0.09 | 3577 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 3091 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | 378 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 28775 | 0.8 | 4.8 | 3.1 | 0.17 | 0.30 | 20399 | 0.6 | 3.3 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 8823 | 0.3 | 1.5 | 0.8 | 0.04 | 0.10 | 979606 | 29.1 | 159.5 | 92.2 | 6.28 | 10.84 | C50 |
| Vulva | | | | | | | 22607 | 0.7 | 3.7 | 1.9 | 0.11 | 0.21 | C51 |
| Vagina | | | | | | | 5156 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 48095 | 1.4 | 7.8 | 6.0 | 0.49 | 0.58 | C53 |
| Corpus uteri | | | | | | | 213813 | 6.4 | 34.8 | 20.0 | 1.44 | 2.50 | C54 |
| Uterus unspecified | | | | | | | 6374 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 88052 | 2.6 | 14.3 | 8.2 | 0.55 | 0.92 | C56 |
| Other female genital organs | | | | | | | 11910 | 0.4 | 1.9 | 1.0 | 0.06 | 0.13 | C57 |
| Placenta | | | | | | | 404 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 6026 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 735012 | 21.4 | 121.9 | 67.7 | 3.56 | 9.34 | | | | | | | C61 |
| Testis | 38631 | 1.1 | 6.4 | 6.3 | 0.47 | 0.48 | | | | | | | C62 |
| Other male genital organs | 1506 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 154291 | 4.5 | 25.6 | 15.5 | 0.98 | 1.86 | 87245 | 2.6 | 14.2 | 8.2 | 0.52 | 0.94 | C64 |
| Renal pelvis | 8555 | 0.2 | 1.4 | 0.7 | 0.03 | 0.08 | 5890 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 5807 | 0.2 | 1.0 | 0.5 | 0.01 | 0.05 | 3492 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 252788 | 7.4 | 41.9 | 20.8 | 0.79 | 2.38 | 76456 | 2.3 | 12.5 | 5.4 | 0.24 | 0.63 | C67 |
| Other urinary organs | 3624 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 1511 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 7283 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | 6246 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 54559 | 1.6 | 9.0 | 6.7 | 0.42 | 0.65 | 42975 | 1.3 | 7.0 | 5.1 | 0.31 | 0.47 | C70–72 |
| Thyroid | 51405 | 1.5 | 8.5 | 6.1 | 0.45 | 0.64 | 143291 | 4.3 | 23.3 | 18.5 | 1.44 | 1.77 | C73 |
| Adrenal gland | 1963 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 2149 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 1045 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 654 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 18944 | 0.6 | 3.1 | 2.7 | 0.18 | 0.23 | 15206 | 0.5 | 2.5 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 149762 | 4.4 | 24.8 | 14.5 | 0.78 | 1.60 | 119299 | 3.5 | 19.4 | 10.0 | 0.55 | 1.12 | C82–86,C96 |
| Immunoproliferative diseases | 10939 | 0.3 | 1.8 | 1.0 | 0.05 | 0.12 | 11297 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 54815 | 1.6 | 9.1 | 4.8 | 0.23 | 0.58 | 40525 | 1.2 | 6.6 | 3.1 | 0.16 | 0.37 | C90 |
| Lymphoid leukaemia | 77841 | 2.3 | 12.9 | 8.4 | 0.43 | 0.84 | 50458 | 1.5 | 8.2 | 5.1 | 0.26 | 0.48 | C91 |
| Myeloid leukaemia | 55907 | 1.6 | 9.3 | 5.5 | 0.28 | 0.57 | 41936 | 1.2 | 6.8 | 3.9 | 0.22 | 0.39 | C92–94 |
| Leukaemia unspecified | 4105 | 0.1 | 0.7 | 0.4 | 0.01 | 0.03 | 3632 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 31187 | 0.9 | 5.2 | 3.0 | 0.16 | 0.33 | 32070 | 1.0 | 5.2 | 2.6 | 0.14 | 0.29 | MPD |
| Myelodysplastic syndromes | 40826 | 1.2 | 6.8 | 3.1 | 0.08 | 0.30 | 28682 | 0.9 | 4.7 | 1.8 | 0.06 | 0.18 | MPS |
| Other and unspecified | 68229 | 2.0 | 11.3 | 5.8 | 0.27 | 0.64 | 70369 | 2.1 | 11.5 | 4.8 | 0.22 | 0.52 | O&U |
| All sites | 3454291 | | 572.9 | 324.9 | 17.40 | 38.63 | 3370774 | | 548.9 | 303.0 | 19.00 | 34.39 | C00–96 |
| All sites except C44 | 3439032 | 100.0 | 570.4 | 323.6 | 17.34 | 38.50 | 3360624 | 100.0 | 547.3 | 302.1 | 18.95 | 34.30 | C00–96 exc. C44 |

§Includes 11 cases of unknown age


§Includes 16 cases of unknown age

†See note following population pyramid

USA, SEER (18 registries)

CONTRIBUTORS

Surveillance Research Program, National Cancer Institute



NOTES ON THE DATA

*No official mortality data.


20 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 75.0 |
| Trachea, bronchus, and lung | 35.4 |
| Colon | 18.1 |
| Bladder | 17.7 |
| Melanoma of skin | 17.7 |
| Kidney | 14.4 |
| Non-Hodgkin lymphoma | 13.5 |
| Liver | 10.0 |
| Rectum | 9.9 |
| Pancreas | 9.0 |
| Lymphoid leukaemia | 7.9 |
| Brain and nervous system | 6.0 |
| Stomach | 5.8 |
| Thyroid | 5.8 |
| Testis | 5.5 |
| Other and unspecified | 5.4 |
| Multiple myeloma | 5.2 |
| Myeloid leukaemia | 4.9 |
| Oesophagus | 4.6 |
| Tongue | 3.8 |
| All sites | 313.1 |


Female

| | |
|-----------------------------|-------|
| Breast | 86.4 |
| Trachea, bronchus, and lung | 27.8 |
| Corpus uteri | 19.5 |
| Thyroid | 17.7 |
| Colon | 15.0 |
| Melanoma of skin | 12.8 |
| Non-Hodgkin lymphoma | 9.1 |
| Ovary | 8.0 |
| Kidney | 7.4 |
| Pancreas | 6.9 |
| Rectum | 6.4 |
| Cervix uteri | 5.9 |
| Lymphoid leukaemia | 4.8 |
| Other and unspecified | 4.6 |
| Bladder | 4.5 |
| Brain and nervous system | 4.5 |
| Myeloid leukaemia | 3.5 |
| Multiple myeloma | 3.5 |
| Liver | 3.3 |
| Stomach | 3.3 |
| All sites | 283.0 |



NOTES ON THE DATA

*No official mortality data.



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 37.6 |
| Trachea, bronchus, and lung | 25.5 |
| Colon | 14.8 |
| Liver | 13.1 |
| Rectum | 10.3 |
| Non-Hodgkin lymphoma | 9.9 |
| Kidney | 8.1 |
| Bladder | 8.1 |
| Stomach | 7.5 |
| Pancreas | 6.6 |
| All sites | 197.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 74.4 |
| Thyroid | 16.8 |
| Corpus uteri | 16.7 |
| Trachea, bronchus, and lung | 16.5 |
| Colon | 11.4 |
| Ovary | 7.2 |
| Non-Hodgkin lymphoma | 6.7 |
| Rectum | 5.8 |
| Pancreas | 5.3 |
| Cervix uteri | 4.8 |
| All sites | 213.1 |


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 125.1 |
| Trachea, bronchus, and lung | 46.9 |
| Colon | 23.8 |
| Kidney | 16.9 |
| Liver | 13.8 |
| Pancreas | 11.2 |
| Bladder | 11.1 |
| Non-Hodgkin lymphoma | 10.7 |
| Multiple myeloma | 10.3 |
| Rectum | 10.3 |
| All sites | 360.2 |


Female

| | |
|-----------------------------|-------|
| Breast | 86.1 |
| Trachea, bronchus, and lung | 28.9 |
| Colon | 19.2 |
| Corpus uteri | 18.5 |
| Thyroid | 10.6 |
| Pancreas | 8.9 |
| Kidney | 8.7 |
| Multiple myeloma | 7.6 |
| Non-Hodgkin lymphoma | 7.1 |
| Rectum | 6.8 |
| All sites | 272.7 |



NOTES ON THE DATA

*No official mortality data.



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 70.0 |
| Trachea, bronchus, and lung | 35.2 |
| Melanoma of skin | 21.1 |
| Bladder | 19.4 |
| Colon | 17.6 |
| Kidney | 14.8 |
| Non-Hodgkin lymphoma | 14.1 |
| Rectum | 9.7 |
| Liver | 9.1 |
| Pancreas | 9.0 |
| All sites | 315.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 87.6 |
| Trachea, bronchus, and lung | 29.2 |
| Corpus uteri | 20.0 |
| Thyroid | 18.9 |
| Melanoma of skin | 15.8 |
| Colon | 14.7 |
| Non-Hodgkin lymphoma | 9.6 |
| Ovary | 8.3 |
| Kidney | 7.7 |
| Pancreas | 6.8 |
| All sites | 292.0 |


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 56.3 |
| Trachea, bronchus, and lung | 18.4 |
| Colon | 16.4 |
| Kidney | 15.2 |
| Liver | 14.9 |
| Non-Hodgkin lymphoma | 12.6 |
| Bladder | 9.8 |
| Rectum | 9.6 |
| Stomach | 8.0 |
| Pancreas | 7.9 |
| All sites | 241.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 70.8 |
| Corpus uteri | 18.2 |
| Thyroid | 18.0 |
| Trachea, bronchus, and lung | 14.2 |
| Colon | 13.8 |
| Non-Hodgkin lymphoma | 9.6 |
| Kidney | 8.8 |
| Ovary | 8.1 |
| Cervix uteri | 7.3 |
| Pancreas | 6.8 |
| All sites | 242.5 |



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 72.8 |
| Trachea, bronchus, and lung | 38.3 |
| Melanoma of skin | 25.3 |
| Bladder | 21.1 |
| Colon | 18.1 |
| Kidney | 14.8 |
| Non-Hodgkin lymphoma | 14.4 |
| Rectum | 9.8 |
| Pancreas | 9.2 |
| Lymphoid leukaemia | 8.8 |
| All sites | 331.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 91.7 |
| Trachea, bronchus, and lung | 32.1 |
| Corpus uteri | 20.1 |
| Melanoma of skin | 19.5 |
| Thyroid | 19.5 |
| Colon | 15.0 |
| Non-Hodgkin lymphoma | 9.6 |
| Ovary | 8.3 |
| Kidney | 7.4 |
| Pancreas | 6.8 |
| All sites | 304.4 |

***USA, SEER (18 registries) (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 2193 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | 808 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 12729 | 1.2 | 5.8 | 3.8 | 0.26 | 0.48 | 4926 | 0.5 | 2.2 | 1.3 | 0.09 | 0.15 | C01–02 |
| Mouth | 5340 | 0.5 | 2.4 | 1.6 | 0.10 | 0.19 | 3788 | 0.4 | 1.7 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 3604 | 0.3 | 1.6 | 1.0 | 0.05 | 0.11 | 2520 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | C07–08 |
| Tonsil | 8976 | 0.8 | 4.1 | 2.8 | 0.23 | 0.35 | 1822 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 1881 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 538 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 2116 | 0.2 | 1.0 | 0.7 | 0.05 | 0.08 | 834 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 2186 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 543 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 1048 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 306 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 16162 | 1.5 | 7.3 | 4.6 | 0.24 | 0.57 | 4532 | 0.4 | 2.0 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 20887 | 1.9 | 9.5 | 5.8 | 0.30 | 0.67 | 13606 | 1.3 | 6.0 | 3.3 | 0.19 | 0.36 | C16 |
| Small intestine | 6143 | 0.6 | 2.8 | 1.8 | 0.10 | 0.21 | 5535 | 0.5 | 2.5 | 1.4 | 0.08 | 0.17 | C17 |
| Colon | 63541 | 5.9 | 28.9 | 18.1 | 1.00 | 2.06 | 63806 | 6.0 | 28.3 | 15.0 | 0.82 | 1.64 | C18 |
| Rectum | 32927 | 3.1 | 15.0 | 9.9 | 0.68 | 1.16 | 23739 | 2.2 | 10.5 | 6.4 | 0.45 | 0.72 | C19–20 |
| Anus | 3483 | 0.3 | 1.6 | 1.1 | 0.08 | 0.12 | 5929 | 0.6 | 2.6 | 1.6 | 0.11 | 0.19 | C21 |
| Liver | 34009 | 3.2 | 15.5 | 10.0 | 0.67 | 1.26 | 13676 | 1.3 | 6.1 | 3.3 | 0.18 | 0.39 | C22 |
| Gallbladder etc. | 6930 | 0.6 | 3.1 | 1.9 | 0.08 | 0.22 | 8059 | 0.8 | 3.6 | 1.8 | 0.09 | 0.21 | C23–24 |
| Pancreas | 32717 | 3.0 | 14.9 | 9.0 | 0.43 | 1.08 | 31310 | 3.0 | 13.9 | 6.9 | 0.32 | 0.79 | C25 |
| Nose, sinuses etc. | 1959 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 1316 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 11372 | 1.1 | 5.2 | 3.3 | 0.19 | 0.41 | 2815 | 0.3 | 1.2 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 131806 | 12.3 | 59.9 | 35.4 | 1.48 | 4.36 | 123432 | 11.7 | 54.7 | 27.8 | 1.26 | 3.49 | C33–34 |
| Other thoracic organs | 1433 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 1027 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 2721 | 0.3 | 1.2 | 1.1 | 0.07 | 0.09 | 2124 | 0.2 | 0.9 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 60921 | 5.7 | 27.7 | 17.7 | 0.98 | 2.03 | 43923 | 4.2 | 19.5 | 12.8 | 0.90 | 1.37 | C43 |
| Other skin | 5322 | 0.5 | 2.4 | 1.5 | 0.07 | 0.15 | 3943 | 0.4 | 1.7 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 3144 | 0.3 | 1.4 | 0.8 | 0.02 | 0.08 | 1063 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 1880 | 0.2 | 0.9 | 0.7 | 0.05 | 0.06 | 202 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10027 | 0.9 | 4.6 | 3.2 | 0.17 | 0.31 | 7210 | 0.7 | 3.2 | 2.2 | 0.14 | 0.22 | C47+C49 |
| Breast | 2611 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 308543 | 29.2 | 136.7 | 86.4 | 5.98 | 10.11 | C50 |
| Vulva | | | | | | | 6272 | 0.6 | 2.8 | 1.5 | 0.09 | 0.17 | C51 |
| Vagina | | | | | | | 1819 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 17281 | 1.6 | 7.7 | 5.9 | 0.47 | 0.57 | C53 |
| Corpus uteri | | | | | | | 70697 | 6.7 | 31.3 | 19.5 | 1.40 | 2.44 | C54 |
| Uterus unspecified | | | | | | | 2286 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 29153 | 2.8 | 12.9 | 8.0 | 0.54 | 0.90 | C56 |
| Other female genital organs | | | | | | | 4081 | 0.4 | 1.8 | 1.0 | 0.06 | 0.13 | C57 |
| Placenta | | | | | | | 192 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 1903 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 261170 | 24.3 | 118.7 | 75.0 | 3.96 | 10.31 | | | | | | | C61 |
| Testis | 12865 | 1.2 | 5.8 | 5.5 | 0.41 | 0.42 | | | | | | | C62 |
| Other male genital organs | 612 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 47297 | 4.4 | 21.5 | 14.4 | 0.90 | 1.73 | 26879 | 2.5 | 11.9 | 7.4 | 0.47 | 0.85 | C64 |
| Renal pelvis | 2079 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 1713 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 1201 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 925 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 68159 | 6.4 | 31.0 | 17.7 | 0.66 | 2.03 | 21295 | 2.0 | 9.4 | 4.5 | 0.19 | 0.53 | C67 |
| Other urinary organs | 1152 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 580 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 2220 | 0.2 | 1.0 | 0.8 | 0.04 | 0.08 | 1888 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 16674 | 1.6 | 7.6 | 6.0 | 0.37 | 0.58 | 13156 | 1.2 | 5.8 | 4.5 | 0.27 | 0.41 | C70–72 |
| Thyroid | 16929 | 1.6 | 7.7 | 5.8 | 0.42 | 0.62 | 50424 | 4.8 | 22.3 | 17.7 | 1.39 | 1.72 | C73 |
| Adrenal gland | 626 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 688 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 423 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 257 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 6313 | 0.6 | 2.9 | 2.5 | 0.17 | 0.21 | 5026 | 0.5 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 44928 | 4.2 | 20.4 | 13.5 | 0.74 | 1.46 | 35782 | 3.4 | 15.9 | 9.1 | 0.51 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 3556 | 0.3 | 1.6 | 1.0 | 0.05 | 0.12 | 3671 | 0.3 | 1.6 | 0.9 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 18715 | 1.7 | 8.5 | 5.2 | 0.25 | 0.62 | 14589 | 1.4 | 6.5 | 3.5 | 0.18 | 0.42 | C90 |
| Lymphoid leukaemia | 23801 | 2.2 | 10.8 | 7.9 | 0.40 | 0.78 | 15986 | 1.5 | 7.1 | 4.8 | 0.25 | 0.46 | C91 |
| Myeloid leukaemia | 15847 | 1.5 | 7.2 | 4.9 | 0.25 | 0.50 | 12551 | 1.2 | 5.6 | 3.5 | 0.20 | 0.35 | C92–94 |
| Leukaemia unspecified | 914 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 836 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 8882 | 0.8 | 4.0 | 2.6 | 0.14 | 0.29 | 9341 | 0.9 | 4.1 | 2.3 | 0.13 | 0.25 | MPD |
| Myelodysplastic syndromes | 11419 | 1.1 | 5.2 | 2.7 | 0.07 | 0.26 | 8405 | 0.8 | 3.7 | 1.6 | 0.05 | 0.16 | MPS |
| Other and unspecified | 20291 | 1.9 | 9.2 | 5.4 | 0.25 | 0.59 | 21643 | 2.1 | 9.6 | 4.6 | 0.21 | 0.49 | O&U |
| All sites | 1078044 | | 489.8 | 313.1 | 16.76 | 37.39 | 1059291 | | 469.4 | 283.0 | 17.81 | 32.03 | C00–96 |
| All sites except C44 | 1072722 | 100.0 | 487.4 | 311.6 | 16.69 | 37.24 | 1055348 | 100.0 | 467.6 | 282.0 | 17.75 | 31.93 | C00–96 exc. C44 |

*See note following population pyramid

***USA, SEER (18 registries): Asian and Pacific Islander (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 28 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 18 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 575 | 0.9 | 2.4 | 1.7 | 0.11 | 0.21 | 433 | 0.5 | 1.7 | 1.1 | 0.07 | 0.12 | C01–02 |
| Mouth | 440 | 0.7 | 1.8 | 1.3 | 0.09 | 0.15 | 289 | 0.3 | 1.1 | 0.7 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 271 | 0.4 | 1.1 | 0.8 | 0.05 | 0.09 | 258 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 278 | 0.4 | 1.2 | 0.9 | 0.06 | 0.11 | 75 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 50 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 19 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 810 | 1.2 | 3.4 | 2.6 | 0.20 | 0.29 | 325 | 0.4 | 1.3 | 0.9 | 0.07 | 0.10 | C11 |
| Hypopharynx | 158 | 0.2 | 0.7 | 0.4 | 0.02 | 0.06 | 35 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 27 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 788 | 1.2 | 3.3 | 2.3 | 0.12 | 0.28 | 261 | 0.3 | 1.0 | 0.6 | 0.03 | 0.07 | C15 |
| Stomach | 2733 | 4.1 | 11.5 | 7.5 | 0.36 | 0.85 | 2104 | 2.5 | 8.1 | 4.5 | 0.24 | 0.48 | C16 |
| Small intestine | 339 | 0.5 | 1.4 | 1.0 | 0.06 | 0.12 | 266 | 0.3 | 1.0 | 0.6 | 0.03 | 0.06 | C17 |
| Colon | 5113 | 7.6 | 21.5 | 14.8 | 0.84 | 1.74 | 5123 | 6.1 | 19.8 | 11.4 | 0.64 | 1.27 | C18 |
| Rectum | 3396 | 5.1 | 14.3 | 10.3 | 0.71 | 1.20 | 2370 | 2.8 | 9.2 | 5.8 | 0.40 | 0.66 | C19–20 |
| Anus | 102 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 131 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 4463 | 6.6 | 18.7 | 13.1 | 0.78 | 1.60 | 1974 | 2.3 | 7.6 | 4.3 | 0.19 | 0.49 | C22 |
| Gallbladder etc. | 826 | 1.2 | 3.5 | 2.2 | 0.10 | 0.26 | 897 | 1.1 | 3.5 | 1.9 | 0.09 | 0.21 | C23–24 |
| Pancreas | 2396 | 3.6 | 10.1 | 6.6 | 0.30 | 0.75 | 2577 | 3.1 | 10.0 | 5.3 | 0.23 | 0.60 | C25 |
| Nose, sinuses etc. | 181 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | 109 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 398 | 0.6 | 1.7 | 1.1 | 0.05 | 0.14 | 60 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 9407 | 14.0 | 39.5 | 25.5 | 1.04 | 3.03 | 7683 | 9.1 | 29.7 | 16.5 | 0.77 | 1.94 | C33–34 |
| Other thoracic organs | 230 | 0.3 | 1.0 | 0.8 | 0.05 | 0.08 | 174 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 211 | 0.3 | 0.9 | 0.8 | 0.05 | 0.07 | 173 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 334 | 0.5 | 1.4 | 1.0 | 0.06 | 0.11 | 347 | 0.4 | 1.3 | 0.9 | 0.06 | 0.09 | C43 |
| Other skin | 276 | 0.4 | 1.2 | 0.8 | 0.05 | 0.08 | 223 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | C44 |
| Mesothelioma | 130 | 0.2 | 0.5 | 0.4 | 0.01 | 0.04 | 45 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 87 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 9 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 694 | 1.0 | 2.9 | 2.3 | 0.14 | 0.23 | 598 | 0.7 | 2.3 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 152 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 28283 | 33.5 | 109.3 | 74.4 | 5.52 | 8.61 | C50 |
| Vulva | | | | | | | 230 | 0.3 | 0.9 | 0.5 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 123 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1743 | 2.1 | 6.7 | 4.8 | 0.38 | 0.48 | C53 |
| Corpus uteri | | | | | | | 6324 | 7.5 | 24.4 | 16.7 | 1.32 | 1.99 | C54 |
| Uterus unspecified | | | | | | | 158 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 2689 | 3.2 | 10.4 | 7.2 | 0.53 | 0.77 | C56 |
| Other female genital organs | | | | | | | 318 | 0.4 | 1.2 | 0.8 | 0.06 | 0.10 | C57 |
| Placenta | | | | | | | 26 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 88 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 13000 | 19.4 | 54.6 | 37.6 | 1.66 | 5.16 | | | | | | | C61 |
| Testis | 613 | 0.9 | 2.6 | 2.3 | 0.17 | 0.17 | | | | | | | C62 |
| Other male genital organs | 68 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2669 | 4.0 | 11.2 | 8.1 | 0.50 | 0.98 | 1490 | 1.8 | 5.8 | 3.7 | 0.23 | 0.43 | C64 |
| Renal pelvis | 138 | 0.2 | 0.6 | 0.4 | 0.01 | 0.04 | 137 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 114 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | 103 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 3088 | 4.6 | 13.0 | 8.1 | 0.30 | 0.87 | 1024 | 1.2 | 4.0 | 2.0 | 0.08 | 0.23 | C67 |
| Other urinary organs | 62 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 37 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 86 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 67 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 1010 | 1.5 | 4.2 | 3.7 | 0.22 | 0.33 | 829 | 1.0 | 3.2 | 2.7 | 0.17 | 0.23 | C70–72 |
| Thyroid | 1673 | 2.5 | 7.0 | 5.5 | 0.41 | 0.57 | 5711 | 6.8 | 22.1 | 16.8 | 1.31 | 1.65 | C73 |
| Adrenal gland | 52 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 56 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 57 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 20 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 352 | 0.5 | 1.5 | 1.3 | 0.09 | 0.10 | 284 | 0.3 | 1.1 | 1.0 | 0.07 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 3282 | 4.9 | 13.8 | 9.9 | 0.54 | 1.06 | 2752 | 3.3 | 10.6 | 6.7 | 0.38 | 0.72 | C82–86,C96 |
| Immunoproliferative diseases | 300 | 0.4 | 1.3 | 0.9 | 0.05 | 0.10 | 293 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | C88 |
| Multiple myeloma | 1074 | 1.6 | 4.5 | 3.0 | 0.15 | 0.35 | 899 | 1.1 | 3.5 | 2.0 | 0.10 | 0.25 | C90 |
| Lymphoid leukaemia | 916 | 1.4 | 3.8 | 3.6 | 0.19 | 0.31 | 679 | 0.8 | 2.6 | 2.6 | 0.14 | 0.19 | C91 |
| Myeloid leukaemia | 1250 | 1.9 | 5.2 | 4.0 | 0.21 | 0.39 | 1015 | 1.2 | 3.9 | 2.7 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 57 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 55 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 602 | 0.9 | 2.5 | 1.8 | 0.10 | 0.20 | 625 | 0.7 | 2.4 | 1.5 | 0.09 | 0.17 | MPD |
| Myelodysplastic syndromes | 751 | 1.1 | 3.2 | 1.8 | 0.05 | 0.17 | 605 | 0.7 | 2.3 | 1.1 | 0.04 | 0.10 | MPS |
| Other and unspecified | 1231 | 1.8 | 5.2 | 3.3 | 0.14 | 0.35 | 1549 | 1.8 | 6.0 | 3.2 | 0.15 | 0.31 | O&U |
| All sites | 67426 | | 283.0 | 197.4 | 10.26 | 23.03 | 84708 | | 327.5 | 213.1 | 14.09 | 23.59 | C00–96 |
| All sites except C44 | 67150 | 100.0 | 281.9 | 196.6 | 10.22 | 22.95 | 84485 | 100.0 | 326.6 | 212.5 | 14.05 | 23.54 | C00–96 exc. C44 |

*See note following population pyramid

***USA, SEER (18 registries): Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 25 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 10 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 793 | 0.7 | 2.9 | 2.4 | 0.17 | 0.30 | 300 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 553 | 0.5 | 2.0 | 1.7 | 0.12 | 0.21 | 345 | 0.3 | 1.2 | 0.8 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 273 | 0.2 | 1.0 | 0.8 | 0.06 | 0.09 | 313 | 0.3 | 1.1 | 0.8 | 0.06 | 0.09 | C07–08 |
| Tonsil | 735 | 0.6 | 2.7 | 2.2 | 0.16 | 0.28 | 173 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 250 | 0.2 | 0.9 | 0.8 | 0.05 | 0.10 | 79 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 259 | 0.2 | 0.9 | 0.8 | 0.06 | 0.09 | 101 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 320 | 0.3 | 1.2 | 1.0 | 0.06 | 0.13 | 99 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 102 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 42 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1394 | 1.2 | 5.0 | 4.2 | 0.25 | 0.54 | 606 | 0.5 | 2.0 | 1.4 | 0.09 | 0.17 | C15 |
| Stomach | 2733 | 2.3 | 9.9 | 8.2 | 0.42 | 0.94 | 2015 | 1.8 | 6.8 | 4.5 | 0.25 | 0.50 | C16 |
| Small intestine | 979 | 0.8 | 3.5 | 3.0 | 0.17 | 0.36 | 1058 | 0.9 | 3.6 | 2.5 | 0.16 | 0.30 | C17 |
| Colon | 7920 | 6.7 | 28.7 | 23.8 | 1.37 | 2.85 | 8386 | 7.4 | 28.2 | 19.2 | 1.12 | 2.22 | C18 |
| Rectum | 3443 | 2.9 | 12.5 | 10.3 | 0.71 | 1.22 | 2816 | 2.5 | 9.5 | 6.8 | 0.48 | 0.78 | C19–20 |
| Anus | 517 | 0.4 | 1.9 | 1.6 | 0.13 | 0.16 | 533 | 0.5 | 1.8 | 1.3 | 0.09 | 0.15 | C21 |
| Liver | 4512 | 3.8 | 16.3 | 13.8 | 0.95 | 1.87 | 1618 | 1.4 | 5.4 | 3.8 | 0.25 | 0.48 | C22 |
| Gallbladder etc. | 680 | 0.6 | 2.5 | 2.0 | 0.10 | 0.26 | 974 | 0.9 | 3.3 | 2.1 | 0.12 | 0.25 | C23–24 |
| Pancreas | 3722 | 3.2 | 13.5 | 11.2 | 0.60 | 1.39 | 4065 | 3.6 | 13.6 | 8.9 | 0.46 | 1.05 | C25 |
| Nose, sinuses etc. | 184 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 140 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 1782 | 1.5 | 6.5 | 5.4 | 0.32 | 0.70 | 453 | 0.4 | 1.5 | 1.1 | 0.07 | 0.13 | C32 |
| Trachea, bronchus, and lung | 15663 | 13.3 | 56.7 | 46.9 | 2.21 | 5.99 | 12962 | 11.5 | 43.5 | 28.9 | 1.49 | 3.63 | C33–34 |
| Other thoracic organs | 163 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 166 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 249 | 0.2 | 0.9 | 0.9 | 0.05 | 0.07 | 215 | 0.2 | 0.7 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 233 | 0.2 | 0.8 | 0.7 | 0.04 | 0.08 | 258 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | C43 |
| Other skin | 364 | 0.3 | 1.3 | 1.2 | 0.08 | 0.12 | 386 | 0.3 | 1.3 | 1.1 | 0.08 | 0.11 | C44 |
| Mesothelioma | 158 | 0.1 | 0.6 | 0.5 | 0.01 | 0.05 | 68 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 521 | 0.4 | 1.9 | 1.7 | 0.13 | 0.14 | 48 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 778 | 0.7 | 2.8 | 2.5 | 0.15 | 0.25 | 851 | 0.8 | 2.9 | 2.3 | 0.14 | 0.22 | C47+C49 |
| Breast | 385 | 0.3 | 1.4 | 1.2 | 0.06 | 0.14 | 34875 | 30.9 | 117.1 | 86.1 | 6.03 | 9.98 | C50 |
| Vulva | | | | | | | 497 | 0.4 | 1.7 | 1.2 | 0.09 | 0.13 | C51 |
| Vagina | | | | | | | 280 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | C52 |
| Cervix uteri | | | | | | | 2376 | 2.1 | 8.0 | 6.3 | 0.48 | 0.64 | C53 |
| Corpus uteri | | | | | | | 7626 | 6.8 | 25.6 | 18.5 | 1.21 | 2.42 | C54 |
| Uterus unspecified | | | | | | | 469 | 0.4 | 1.6 | 1.1 | 0.06 | 0.14 | C55 |
| Ovary | | | | | | | 2699 | 2.4 | 9.1 | 6.6 | 0.44 | 0.75 | C56 |
| Other female genital organs | | | | | | | 352 | 0.3 | 1.2 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 33 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 201 | 0.2 | 0.7 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 41244 | 34.9 | 149.4 | 125.1 | 7.40 | 17.07 | | | | | | | C61 |
| Testis | 422 | 0.4 | 1.5 | 1.4 | 0.11 | 0.12 | | | | | | | C62 |
| Other male genital organs | 61 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 5487 | 4.6 | 19.9 | 16.9 | 1.10 | 2.03 | 3524 | 3.1 | 11.8 | 8.7 | 0.54 | 1.02 | C64 |
| Renal pelvis | 105 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 117 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 46 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 44 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 3735 | 3.2 | 13.5 | 11.1 | 0.45 | 1.30 | 1740 | 1.5 | 5.8 | 3.6 | 0.14 | 0.39 | C67 |
| Other urinary organs | 119 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 96 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 70 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 79 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 1143 | 1.0 | 4.1 | 3.9 | 0.24 | 0.36 | 995 | 0.9 | 3.3 | 3.0 | 0.18 | 0.26 | C70–72 |
| Thyroid | 937 | 0.8 | 3.4 | 2.9 | 0.21 | 0.32 | 3913 | 3.5 | 13.1 | 10.6 | 0.83 | 1.09 | C73 |
| Adrenal gland | 81 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 96 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 48 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 57 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 811 | 0.7 | 2.9 | 2.7 | 0.20 | 0.23 | 651 | 0.6 | 2.2 | 2.0 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 3451 | 2.9 | 12.5 | 10.7 | 0.70 | 1.16 | 2865 | 2.5 | 9.6 | 7.1 | 0.44 | 0.78 | C82–86,C96 |
| Immunoproliferative diseases | 248 | 0.2 | 0.9 | 0.8 | 0.05 | 0.09 | 338 | 0.3 | 1.1 | 0.8 | 0.06 | 0.10 | C88 |
| Multiple myeloma | 3437 | 2.9 | 12.4 | 10.3 | 0.51 | 1.26 | 3353 | 3.0 | 11.3 | 7.6 | 0.40 | 0.93 | C90 |
| Lymphoid leukaemia | 1792 | 1.5 | 6.5 | 5.7 | 0.31 | 0.61 | 1354 | 1.2 | 4.5 | 3.6 | 0.19 | 0.36 | C91 |
| Myeloid leukaemia | 1422 | 1.2 | 5.2 | 4.5 | 0.25 | 0.46 | 1347 | 1.2 | 4.5 | 3.5 | 0.21 | 0.34 | C92–94 |
| Leukaemia unspecified | 78 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 90 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 871 | 0.7 | 3.2 | 2.7 | 0.15 | 0.30 | 1027 | 0.9 | 3.4 | 2.5 | 0.15 | 0.28 | MPD |
| Myelodysplastic syndromes | 792 | 0.7 | 2.9 | 2.3 | 0.07 | 0.23 | 786 | 0.7 | 2.6 | 1.6 | 0.06 | 0.17 | MPS |
| Other and unspecified | 2178 | 1.8 | 7.9 | 6.5 | 0.33 | 0.72 | 2479 | 2.2 | 8.3 | 5.4 | 0.27 | 0.59 | O&U |
| All sites | 118469 | | 429.1 | 360.2 | 20.72 | 45.03 | 113238 | | 380.1 | 272.7 | 17.28 | 31.50 | C00–96 |
| All sites except C44 | 118105 | 100.0 | 427.8 | 359.0 | 20.64 | 44.91 | 112852 | 100.0 | 378.8 | 271.6 | 17.21 | 31.40 | C00–96 exc. C44 |

*See note following population pyramid

***USA, SEER (18 registries): White (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 2054 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 746 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 11179 | 1.3 | 6.8 | 4.3 | 0.29 | 0.54 | 4104 | 0.5 | 2.5 | 1.4 | 0.10 | 0.17 | C01–02 |
| Mouth | 4246 | 0.5 | 2.6 | 1.6 | 0.09 | 0.19 | 3089 | 0.4 | 1.9 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 2995 | 0.3 | 1.8 | 1.1 | 0.05 | 0.11 | 1896 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 7831 | 0.9 | 4.8 | 3.1 | 0.26 | 0.39 | 1548 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 1549 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | 431 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 988 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 386 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 1679 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 400 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 907 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 251 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 13795 | 1.6 | 8.4 | 4.9 | 0.26 | 0.61 | 3601 | 0.4 | 2.2 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 15065 | 1.8 | 9.1 | 5.3 | 0.28 | 0.61 | 9190 | 1.1 | 5.5 | 2.9 | 0.17 | 0.32 | C16 |
| Small intestine | 4728 | 0.5 | 2.9 | 1.7 | 0.10 | 0.20 | 4118 | 0.5 | 2.5 | 1.4 | 0.08 | 0.16 | C17 |
| Colon | 49435 | 5.8 | 30.0 | 17.6 | 0.96 | 1.99 | 49238 | 5.9 | 29.6 | 14.7 | 0.79 | 1.59 | C18 |
| Rectum | 25270 | 2.9 | 15.3 | 9.7 | 0.65 | 1.12 | 17921 | 2.1 | 10.8 | 6.3 | 0.44 | 0.70 | C19–20 |
| Anus | 2796 | 0.3 | 1.7 | 1.1 | 0.07 | 0.12 | 5191 | 0.6 | 3.1 | 1.8 | 0.13 | 0.22 | C21 |
| Liver | 24366 | 2.8 | 14.8 | 9.1 | 0.61 | 1.13 | 9800 | 1.2 | 5.9 | 3.1 | 0.17 | 0.36 | C22 |
| Gallbladder etc. | 5338 | 0.6 | 3.2 | 1.8 | 0.08 | 0.21 | 6064 | 0.7 | 3.6 | 1.7 | 0.08 | 0.20 | C23–24 |
| Pancreas | 26235 | 3.1 | 15.9 | 9.0 | 0.43 | 1.09 | 24398 | 2.9 | 14.7 | 6.8 | 0.32 | 0.78 | C25 |
| Nose, sinuses etc. | 1565 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 1030 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 9039 | 1.1 | 5.5 | 3.3 | 0.19 | 0.41 | 2270 | 0.3 | 1.4 | 0.8 | 0.05 | 0.10 | C32 |
| Trachea, bronchus, and lung | 105592 | 12.3 | 64.1 | 35.2 | 1.44 | 4.33 | 101677 | 12.1 | 61.2 | 29.2 | 1.30 | 3.68 | C33–34 |
| Other thoracic organs | 1017 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 669 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 2216 | 0.3 | 1.3 | 1.2 | 0.07 | 0.10 | 1683 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 57253 | 6.7 | 34.7 | 21.1 | 1.18 | 2.41 | 40686 | 4.9 | 24.5 | 15.8 | 1.11 | 1.68 | C43 |
| Other skin | 4461 | 0.5 | 2.7 | 1.5 | 0.07 | 0.15 | 3090 | 0.4 | 1.9 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 2826 | 0.3 | 1.7 | 0.9 | 0.02 | 0.09 | 935 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 1142 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 119 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 8289 | 1.0 | 5.0 | 3.3 | 0.18 | 0.32 | 5592 | 0.7 | 3.4 | 2.3 | 0.14 | 0.22 | C47+C49 |
| Breast | 2049 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 240625 | 28.7 | 144.7 | 87.6 | 6.01 | 10.29 | C50 |
| Vulva | | | | | | | 5410 | 0.6 | 3.3 | 1.7 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 1388 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 12737 | 1.5 | 7.7 | 5.9 | 0.48 | 0.57 | C53 |
| Corpus uteri | | | | | | | 55476 | 6.6 | 33.4 | 20.0 | 1.43 | 2.49 | C54 |
| Uterus unspecified | | | | | | | 1624 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 23360 | 2.8 | 14.1 | 8.3 | 0.55 | 0.93 | C56 |
| Other female genital organs | | | | | | | 3352 | 0.4 | 2.0 | 1.1 | 0.06 | 0.14 | C57 |
| Placenta | | | | | | | 122 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 1565 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 195271 | 22.7 | 118.5 | 70.0 | 3.60 | 9.66 | | | | | | | C61 |
| Testis | 11283 | 1.3 | 6.8 | 6.6 | 0.49 | 0.50 | | | | | | | C62 |
| Other male genital organs | 459 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 38251 | 4.4 | 23.2 | 14.8 | 0.91 | 1.77 | 21289 | 2.5 | 12.8 | 7.7 | 0.49 | 0.88 | C64 |
| Renal pelvis | 1822 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 1452 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 1032 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 771 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 59999 | 7.0 | 36.4 | 19.4 | 0.72 | 2.22 | 18121 | 2.2 | 10.9 | 4.9 | 0.21 | 0.58 | C67 |
| Other urinary organs | 928 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 436 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 2007 | 0.2 | 1.2 | 0.9 | 0.05 | 0.09 | 1709 | 0.2 | 1.0 | 0.8 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 14292 | 1.7 | 8.7 | 6.6 | 0.40 | 0.64 | 11132 | 1.3 | 6.7 | 4.9 | 0.30 | 0.46 | C70–72 |
| Thyroid | 13961 | 1.6 | 8.5 | 6.2 | 0.46 | 0.66 | 39488 | 4.7 | 23.8 | 18.9 | 1.48 | 1.82 | C73 |
| Adrenal gland | 479 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 525 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 312 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 174 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 4993 | 0.6 | 3.0 | 2.6 | 0.18 | 0.22 | 3980 | 0.5 | 2.4 | 2.2 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 37302 | 4.3 | 22.6 | 14.1 | 0.76 | 1.53 | 29362 | 3.5 | 17.7 | 9.6 | 0.53 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 2914 | 0.3 | 1.8 | 1.0 | 0.05 | 0.12 | 2921 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 13907 | 1.6 | 8.4 | 4.8 | 0.23 | 0.57 | 10083 | 1.2 | 6.1 | 3.0 | 0.15 | 0.36 | C90 |
| Lymphoid leukaemia | 20349 | 2.4 | 12.3 | 8.6 | 0.44 | 0.85 | 13474 | 1.6 | 8.1 | 5.3 | 0.27 | 0.50 | C91 |
| Myeloid leukaemia | 12901 | 1.5 | 7.8 | 5.0 | 0.25 | 0.51 | 9998 | 1.2 | 6.0 | 3.6 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 758 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 679 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 7182 | 0.8 | 4.4 | 2.6 | 0.14 | 0.29 | 7426 | 0.9 | 4.5 | 2.3 | 0.12 | 0.25 | MPD |
| Myelodysplastic syndromes | 9724 | 1.1 | 5.9 | 2.9 | 0.07 | 0.27 | 6900 | 0.8 | 4.2 | 1.6 | 0.05 | 0.16 | MPS |
| Other and unspecified | 16538 | 1.9 | 10.0 | 5.5 | 0.24 | 0.59 | 17291 | 2.1 | 10.4 | 4.6 | 0.20 | 0.49 | O&U |
| All sites | 864134 | | 524.2 | 315.7 | 16.72 | 37.47 | 841428 | | 506.1 | 292.0 | 18.29 | 33.02 | C00–96 |
| All sites except C44 | 859673 | 100.0 | 521.5 | 314.2 | 16.65 | 37.31 | 838338 | 100.0 | 504.3 | 291.0 | 18.23 | 32.92 | C00–96 exc. C44 |

*See note following population pyramid

***USA, SEER (18 registries): Hispanic White (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 126 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 60 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 780 | 0.7 | 1.6 | 1.8 | 0.12 | 0.23 | 426 | 0.3 | 0.9 | 0.8 | 0.05 | 0.09 | C01–02 |
| Mouth | 434 | 0.4 | 0.9 | 1.0 | 0.06 | 0.12 | 275 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 325 | 0.3 | 0.7 | 0.7 | 0.04 | 0.08 | 309 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 666 | 0.6 | 1.4 | 1.5 | 0.11 | 0.19 | 147 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 156 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 40 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 167 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 68 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 167 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | 34 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 52 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 18 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1307 | 1.2 | 2.7 | 3.0 | 0.14 | 0.37 | 335 | 0.3 | 0.7 | 0.6 | 0.03 | 0.06 | C15 |
| Stomach | 3580 | 3.4 | 7.5 | 8.0 | 0.42 | 0.94 | 2923 | 2.4 | 6.3 | 5.6 | 0.33 | 0.63 | C16 |
| Small intestine | 591 | 0.6 | 1.2 | 1.3 | 0.07 | 0.15 | 535 | 0.4 | 1.1 | 1.0 | 0.06 | 0.13 | C17 |
| Colon | 7233 | 6.9 | 15.2 | 16.4 | 0.88 | 1.91 | 7172 | 5.9 | 15.4 | 13.8 | 0.78 | 1.56 | C18 |
| Rectum | 4288 | 4.1 | 9.0 | 9.6 | 0.63 | 1.15 | 2950 | 2.4 | 6.3 | 5.9 | 0.41 | 0.67 | C19–20 |
| Anus | 311 | 0.3 | 0.7 | 0.7 | 0.05 | 0.08 | 524 | 0.4 | 1.1 | 1.0 | 0.07 | 0.12 | C21 |
| Liver | 6320 | 6.0 | 13.3 | 14.9 | 0.93 | 1.90 | 2734 | 2.2 | 5.9 | 5.4 | 0.26 | 0.66 | C22 |
| Gallbladder etc. | 1159 | 1.1 | 2.4 | 2.6 | 0.12 | 0.29 | 1668 | 1.4 | 3.6 | 3.2 | 0.16 | 0.39 | C23–24 |
| Pancreas | 3373 | 3.2 | 7.1 | 7.9 | 0.37 | 0.96 | 3606 | 3.0 | 7.7 | 6.8 | 0.31 | 0.78 | C25 |
| Nose, sinuses etc. | 250 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 157 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 1009 | 1.0 | 2.1 | 2.4 | 0.12 | 0.30 | 179 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 7839 | 7.5 | 16.5 | 18.4 | 0.61 | 2.16 | 7448 | 6.1 | 16.0 | 14.2 | 0.59 | 1.74 | C33–34 |
| Other thoracic organs | 243 | 0.2 | 0.5 | 0.5 | 0.03 | 0.05 | 114 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 563 | 0.5 | 1.2 | 1.2 | 0.07 | 0.10 | 425 | 0.3 | 0.9 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 1448 | 1.4 | 3.0 | 3.2 | 0.18 | 0.37 | 1851 | 1.5 | 4.0 | 3.6 | 0.25 | 0.40 | C43 |
| Other skin | 393 | 0.4 | 0.8 | 0.8 | 0.04 | 0.09 | 420 | 0.3 | 0.9 | 0.8 | 0.05 | 0.08 | C44 |
| Mesothelioma | 356 | 0.3 | 0.7 | 0.8 | 0.03 | 0.09 | 129 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 436 | 0.4 | 0.9 | 0.8 | 0.06 | 0.08 | 35 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 1243 | 1.2 | 2.6 | 2.7 | 0.16 | 0.28 | 1129 | 0.9 | 2.4 | 2.3 | 0.15 | 0.23 | C47+C49 |
| Breast | 195 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | 35127 | 28.8 | 75.3 | 70.8 | 5.02 | 8.29 | C50 |
| Vulva | | | | | | | 556 | 0.5 | 1.2 | 1.0 | 0.05 | 0.11 | C51 |
| Vagina | | | | | | | 235 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 3745 | 3.1 | 8.0 | 7.3 | 0.57 | 0.73 | C53 |
| Corpus uteri | | | | | | | 8848 | 7.3 | 19.0 | 18.2 | 1.34 | 2.21 | C54 |
| Uterus unspecified | | | | | | | 389 | 0.3 | 0.8 | 0.8 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 4070 | 3.3 | 8.7 | 8.1 | 0.55 | 0.91 | C56 |
| Other female genital organs | | | | | | | 444 | 0.4 | 1.0 | 0.9 | 0.06 | 0.12 | C57 |
| Placenta | | | | | | | 60 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 402 | 0.4 | 0.8 | 0.9 | 0.05 | 0.10 | | | | | | | C60 |
| Prostate | 22911 | 21.8 | 48.1 | 56.3 | 2.67 | 7.74 | | | | | | | C61 |
| Testis | 3166 | 3.0 | 6.6 | 5.9 | 0.42 | 0.43 | | | | | | | C62 |
| Other male genital organs | 56 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 6699 | 6.4 | 14.1 | 15.2 | 0.93 | 1.85 | 4322 | 3.5 | 9.3 | 8.8 | 0.56 | 1.04 | C64 |
| Renal pelvis | 208 | 0.2 | 0.4 | 0.5 | 0.02 | 0.05 | 153 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 104 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 78 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 4268 | 4.1 | 9.0 | 9.8 | 0.33 | 1.08 | 1458 | 1.2 | 3.1 | 2.7 | 0.11 | 0.31 | C67 |
| Other urinary organs | 81 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 57 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 201 | 0.2 | 0.4 | 0.5 | 0.02 | 0.04 | 215 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 2181 | 2.1 | 4.6 | 4.8 | 0.28 | 0.48 | 1851 | 1.5 | 4.0 | 3.9 | 0.24 | 0.36 | C70–72 |
| Thyroid | 2164 | 2.1 | 4.5 | 4.5 | 0.32 | 0.48 | 9049 | 7.4 | 19.4 | 18.0 | 1.40 | 1.79 | C73 |
| Adrenal gland | 87 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 114 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 75 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 46 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1037 | 1.0 | 2.2 | 2.1 | 0.14 | 0.19 | 867 | 0.7 | 1.9 | 1.8 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 5662 | 5.4 | 11.9 | 12.6 | 0.68 | 1.36 | 4871 | 4.0 | 10.4 | 9.6 | 0.53 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 350 | 0.3 | 0.7 | 0.8 | 0.04 | 0.10 | 441 | 0.4 | 0.9 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 2102 | 2.0 | 4.4 | 4.8 | 0.24 | 0.58 | 1745 | 1.4 | 3.7 | 3.5 | 0.19 | 0.42 | C90 |
| Lymphoid leukaemia | 2726 | 2.6 | 5.7 | 6.2 | 0.33 | 0.51 | 2017 | 1.7 | 4.3 | 4.4 | 0.24 | 0.37 | C91 |
| Myeloid leukaemia | 1993 | 1.9 | 4.2 | 4.3 | 0.23 | 0.41 | 1657 | 1.4 | 3.6 | 3.3 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 133 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 124 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 719 | 0.7 | 1.5 | 1.6 | 0.08 | 0.17 | 698 | 0.6 | 1.5 | 1.4 | 0.07 | 0.15 | MPD |
| Myelodysplastic syndromes | 797 | 0.8 | 1.7 | 1.8 | 0.05 | 0.17 | 744 | 0.6 | 1.6 | 1.3 | 0.04 | 0.12 | MPS |
| Other and unspecified | 2266 | 2.2 | 4.8 | 5.1 | 0.22 | 0.53 | 2576 | 2.1 | 5.5 | 4.7 | 0.21 | 0.51 | O&U |
| All sites | 105398 | | 221.3 | 241.8 | 12.48 | 28.55 | 122268 | | 262.2 | 242.5 | 15.42 | 27.34 | C00–96 |
| All sites except C44 | 105005 | 100.0 | 220.5 | 240.9 | 12.43 | 28.46 | 121848 | 100.0 | 261.3 | 241.7 | 15.37 | 27.26 | C00–96 exc. C44 |

*See note following population pyramid

***USA, SEER (18 registries): Non-Hispanic White (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1928 | 0.3 | 1.6 | 0.8 | 0.05 | 0.09 | 686 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 10399 | 1.4 | 8.9 | 4.8 | 0.34 | 0.61 | 3678 | 0.5 | 3.1 | 1.6 | 0.11 | 0.18 | C01–02 |
| Mouth | 3812 | 0.5 | 3.3 | 1.7 | 0.10 | 0.20 | 2814 | 0.4 | 2.4 | 1.0 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 2670 | 0.4 | 2.3 | 1.1 | 0.05 | 0.12 | 1587 | 0.2 | 1.3 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 7165 | 0.9 | 6.1 | 3.5 | 0.29 | 0.43 | 1401 | 0.2 | 1.2 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 1393 | 0.2 | 1.2 | 0.6 | 0.05 | 0.08 | 391 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 821 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 318 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 1512 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | 366 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 855 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 233 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 12488 | 1.7 | 10.7 | 5.2 | 0.28 | 0.66 | 3266 | 0.5 | 2.7 | 1.1 | 0.06 | 0.13 | C15 |
| Stomach | 11485 | 1.5 | 9.8 | 4.7 | 0.24 | 0.55 | 6267 | 0.9 | 5.2 | 2.2 | 0.12 | 0.25 | C16 |
| Small intestine | 4137 | 0.5 | 3.5 | 1.8 | 0.11 | 0.22 | 3583 | 0.5 | 3.0 | 1.4 | 0.09 | 0.17 | C17 |
| Colon | 42202 | 5.6 | 36.0 | 18.1 | 0.99 | 2.02 | 42066 | 5.9 | 35.2 | 15.0 | 0.80 | 1.60 | C18 |
| Rectum | 20982 | 2.8 | 17.9 | 9.8 | 0.67 | 1.13 | 14971 | 2.1 | 12.5 | 6.4 | 0.45 | 0.71 | C19–20 |
| Anus | 2485 | 0.3 | 2.1 | 1.2 | 0.08 | 0.14 | 4667 | 0.7 | 3.9 | 2.0 | 0.15 | 0.24 | C21 |
| Liver | 18046 | 2.4 | 15.4 | 8.0 | 0.53 | 0.99 | 7066 | 1.0 | 5.9 | 2.6 | 0.15 | 0.31 | C22 |
| Gallbladder etc. | 4179 | 0.6 | 3.6 | 1.7 | 0.07 | 0.19 | 4396 | 0.6 | 3.7 | 1.4 | 0.06 | 0.16 | C23–24 |
| Pancreas | 22862 | 3.0 | 19.5 | 9.2 | 0.44 | 1.11 | 20792 | 2.9 | 17.4 | 6.8 | 0.32 | 0.78 | C25 |
| Nose, sinuses etc. | 1315 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 873 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 8030 | 1.1 | 6.9 | 3.5 | 0.21 | 0.43 | 2091 | 0.3 | 1.7 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 97753 | 13.0 | 83.4 | 38.3 | 1.64 | 4.72 | 94229 | 13.2 | 78.8 | 32.1 | 1.47 | 4.04 | C33–34 |
| Other thoracic organs | 774 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 555 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 1653 | 0.2 | 1.4 | 1.2 | 0.07 | 0.10 | 1258 | 0.2 | 1.1 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 55805 | 7.4 | 47.6 | 25.3 | 1.48 | 2.86 | 38835 | 5.4 | 32.5 | 19.5 | 1.40 | 2.03 | C43 |
| Other skin | 4068 | 0.5 | 3.5 | 1.7 | 0.07 | 0.17 | 2670 | 0.4 | 2.2 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 2470 | 0.3 | 2.1 | 0.9 | 0.02 | 0.09 | 806 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 706 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 84 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 7046 | 0.9 | 6.0 | 3.4 | 0.18 | 0.33 | 4463 | 0.6 | 3.7 | 2.3 | 0.14 | 0.22 | C47+C49 |
| Breast | 1854 | 0.2 | 1.6 | 0.8 | 0.04 | 0.09 | 205498 | 28.7 | 171.8 | 91.7 | 6.30 | 10.73 | C50 |
| Vulva | | | | | | | 4854 | 0.7 | 4.1 | 1.9 | 0.11 | 0.21 | C51 |
| Vagina | | | | | | | 1153 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 8992 | 1.3 | 7.5 | 5.6 | 0.45 | 0.54 | C53 |
| Corpus uteri | | | | | | | 46628 | 6.5 | 39.0 | 20.1 | 1.44 | 2.53 | C54 |
| Uterus unspecified | | | | | | | 1235 | 0.2 | 1.0 | 0.4 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 19290 | 2.7 | 16.1 | 8.3 | 0.55 | 0.93 | C56 |
| Other female genital organs | | | | | | | 2908 | 0.4 | 2.4 | 1.1 | 0.06 | 0.14 | C57 |
| Placenta | | | | | | | 62 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 1163 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 172360 | 22.8 | 147.0 | 72.8 | 3.81 | 10.01 | | | | | | | C61 |
| Testis | 8117 | 1.1 | 6.9 | 6.8 | 0.51 | 0.53 | | | | | | | C62 |
| Other male genital organs | 403 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 31552 | 4.2 | 26.9 | 14.8 | 0.92 | 1.76 | 16967 | 2.4 | 14.2 | 7.4 | 0.47 | 0.84 | C64 |
| Renal pelvis | 1614 | 0.2 | 1.4 | 0.6 | 0.02 | 0.07 | 1299 | 0.2 | 1.1 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 928 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | 693 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 55731 | 7.4 | 47.5 | 21.1 | 0.81 | 2.42 | 16663 | 2.3 | 13.9 | 5.4 | 0.24 | 0.63 | C67 |
| Other urinary organs | 847 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 379 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 1806 | 0.2 | 1.5 | 1.0 | 0.06 | 0.10 | 1494 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 12111 | 1.6 | 10.3 | 7.2 | 0.45 | 0.69 | 9281 | 1.3 | 7.8 | 5.4 | 0.33 | 0.49 | C70–72 |
| Thyroid | 11797 | 1.6 | 10.1 | 6.8 | 0.50 | 0.72 | 30439 | 4.2 | 25.4 | 19.5 | 1.53 | 1.86 | C73 |
| Adrenal gland | 392 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 411 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 237 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 128 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3956 | 0.5 | 3.4 | 2.9 | 0.20 | 0.24 | 3113 | 0.4 | 2.6 | 2.4 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 31640 | 4.2 | 27.0 | 14.4 | 0.79 | 1.56 | 24491 | 3.4 | 20.5 | 9.6 | 0.53 | 1.07 | C82–86,C96 |
| Immunoproliferative diseases | 2564 | 0.3 | 2.2 | 1.1 | 0.05 | 0.13 | 2480 | 0.3 | 2.1 | 1.0 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 11805 | 1.6 | 10.1 | 4.7 | 0.22 | 0.56 | 8338 | 1.2 | 7.0 | 2.9 | 0.15 | 0.35 | C90 |
| Lymphoid leukaemia | 17623 | 2.3 | 15.0 | 8.8 | 0.45 | 0.89 | 11457 | 1.6 | 9.6 | 5.3 | 0.27 | 0.51 | C91 |
| Myeloid leukaemia | 10908 | 1.4 | 9.3 | 5.0 | 0.25 | 0.52 | 8341 | 1.2 | 7.0 | 3.6 | 0.21 | 0.36 | C92–94 |
| Leukaemia unspecified | 625 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 555 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 6463 | 0.9 | 5.5 | 2.8 | 0.15 | 0.31 | 6728 | 0.9 | 5.6 | 2.6 | 0.14 | 0.28 | MPD |
| Myelodysplastic syndromes | 8927 | 1.2 | 7.6 | 3.0 | 0.07 | 0.28 | 6156 | 0.9 | 5.1 | 1.7 | 0.05 | 0.17 | MPS |
| Other and unspecified | 14272 | 1.9 | 12.2 | 5.5 | 0.25 | 0.60 | 14715 | 2.1 | 12.3 | 4.6 | 0.20 | 0.49 | O&U |
| All sites | 758736 | | 647.3 | 331.7 | 17.84 | 39.26 | 719160 | | 601.2 | 304.4 | 19.14 | 34.32 | C00–96 |
| All sites except C44 | 754668 | 100.0 | 643.8 | 330.0 | 17.76 | 39.10 | 716490 | 100.0 | 599.0 | 303.4 | 19.09 | 34.22 | C00–96 exc. C44 |

*See note following population pyramid

USA, SEER (9 registries)

CONTRIBUTORS

Surveillance Research Program, National Cancer Institute




NOTES ON THE DATA

*No official mortality data.


20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 76.6 | Breast | 89.1 |
| Trachea, bronchus, and lung | 33.9 | Trachea, bronchus, and lung | 27.6 |
| Melanoma of skin | 18.8 | Corpus uteri | 20.4 |
| Bladder | 18.3 | Thyroid | 18.0 |
| Colon | 17.4 | Colon | 14.7 |
| Kidney | 13.9 | Melanoma of skin | 14.4 |
| Non-Hodgkin lymphoma | 13.8 | Non-Hodgkin lymphoma | 9.3 |
| Liver | 9.8 | Ovary | 8.0 |
| Rectum | 9.7 | Pancreas | 7.0 |
| Pancreas | 9.0 | Kidney | 6.9 |
| Lymphoid leukaemia | 8.3 | Rectum | 6.2 |
| Brain and nervous system | 6.1 | Cervix uteri | 5.2 |
| Thyroid | 6.0 | Lymphoid leukaemia | 4.9 |
| Testis | 5.7 | Bladder | 4.7 |
| Stomach | 5.5 | Brain and nervous system | 4.5 |
| Multiple myeloma | 5.3 | Other and unspecified | 4.0 |
| Myeloid leukaemia | 4.9 | Multiple myeloma | 3.5 |
| Oesophagus | 4.8 | Myeloid leukaemia | 3.5 |
| Other and unspecified | 4.8 | Liver | 3.2 |
| Tongue | 4.0 | Stomach | 2.9 |
| All sites | 314.4 | All sites | 286.3 |



NOTES ON THE DATA

*No official mortality data.



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 128.8 |
| Trachea, bronchus, and lung | 45.7 |
| Colon | 23.6 |
| Kidney | 18.0 |
| Liver | 15.4 |
| Non-Hodgkin lymphoma | 12.0 |
| Pancreas | 11.8 |
| Bladder | 11.7 |
| Multiple myeloma | 10.6 |
| Rectum | 10.2 |
| All sites | 370.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 86.3 |
| Trachea, bronchus, and lung | 30.4 |
| Corpus uteri | 19.3 |
| Colon | 18.7 |
| Thyroid | 10.6 |
| Pancreas | 9.2 |
| Kidney | 8.5 |
| Multiple myeloma | 7.9 |
| Non-Hodgkin lymphoma | 7.3 |
| Ovary | 6.7 |
| All sites | 275.1 |

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 73.0 |
| Trachea, bronchus, and lung | 33.3 |
| Melanoma of skin | 23.1 |
| Bladder | 20.2 |
| Colon | 16.6 |
| Non-Hodgkin lymphoma | 14.3 |
| Kidney | 13.9 |
| Rectum | 9.3 |
| Lymphoid leukaemia | 9.1 |
| Pancreas | 8.9 |
| All sites | 317.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 90.6 |
| Trachea, bronchus, and lung | 28.7 |
| Corpus uteri | 20.5 |
| Thyroid | 19.5 |
| Melanoma of skin | 18.7 |
| Colon | 14.4 |
| Non-Hodgkin lymphoma | 9.8 |
| Ovary | 8.2 |
| Kidney | 6.9 |
| Pancreas | 6.8 |
| All sites | 295.8 |

***USA, SEER (9 registries) (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 745 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | 314 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 4554 | 1.2 | 6.1 | 4.0 | 0.27 | 0.51 | 1800 | 0.5 | 2.3 | 1.4 | 0.09 | 0.16 | C01–02 |
| Mouth | 1909 | 0.5 | 2.6 | 1.6 | 0.10 | 0.19 | 1374 | 0.4 | 1.8 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 1162 | 0.3 | 1.6 | 1.0 | 0.05 | 0.10 | 898 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 2990 | 0.8 | 4.0 | 2.7 | 0.22 | 0.33 | 594 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C09 |
| Other oropharynx | 620 | 0.2 | 0.8 | 0.5 | 0.04 | 0.07 | 182 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 763 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | 286 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 779 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 204 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 351 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 101 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 5914 | 1.6 | 7.9 | 4.8 | 0.25 | 0.59 | 1629 | 0.4 | 2.1 | 1.1 | 0.05 | 0.13 | C15 |
| Stomach | 6807 | 1.8 | 9.1 | 5.5 | 0.28 | 0.62 | 4305 | 1.2 | 5.6 | 2.9 | 0.16 | 0.32 | C16 |
| Small intestine | 2232 | 0.6 | 3.0 | 1.9 | 0.11 | 0.22 | 1951 | 0.5 | 2.5 | 1.5 | 0.09 | 0.17 | C17 |
| Colon | 21045 | 5.7 | 28.2 | 17.4 | 0.96 | 1.95 | 21662 | 5.9 | 28.2 | 14.7 | 0.80 | 1.58 | C18 |
| Rectum | 11056 | 3.0 | 14.8 | 9.7 | 0.67 | 1.13 | 7863 | 2.1 | 10.2 | 6.2 | 0.44 | 0.69 | C19–20 |
| Anus | 1278 | 0.3 | 1.7 | 1.1 | 0.08 | 0.13 | 1978 | 0.5 | 2.6 | 1.5 | 0.11 | 0.19 | C21 |
| Liver | 11456 | 3.1 | 15.3 | 9.8 | 0.64 | 1.23 | 4608 | 1.3 | 6.0 | 3.2 | 0.18 | 0.38 | C22 |
| Gallbladder etc. | 2293 | 0.6 | 3.1 | 1.8 | 0.08 | 0.20 | 2595 | 0.7 | 3.4 | 1.6 | 0.08 | 0.19 | C23–24 |
| Pancreas | 11428 | 3.1 | 15.3 | 9.0 | 0.43 | 1.09 | 10999 | 3.0 | 14.3 | 7.0 | 0.32 | 0.80 | C25 |
| Nose, sinuses etc. | 644 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 448 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 3780 | 1.0 | 5.1 | 3.1 | 0.19 | 0.39 | 931 | 0.3 | 1.2 | 0.7 | 0.04 | 0.09 | C32 |
| Trachea, bronchus, and lung | 43899 | 11.8 | 58.8 | 33.9 | 1.40 | 4.12 | 42322 | 11.5 | 55.1 | 27.6 | 1.24 | 3.45 | C33–34 |
| Other thoracic organs | 488 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 361 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 970 | 0.3 | 1.3 | 1.2 | 0.07 | 0.09 | 718 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 21992 | 5.9 | 29.4 | 18.8 | 1.07 | 2.16 | 16667 | 4.5 | 21.7 | 14.4 | 1.02 | 1.52 | C43 |
| Other skin | 1901 | 0.5 | 2.5 | 1.5 | 0.07 | 0.15 | 1420 | 0.4 | 1.8 | 1.1 | 0.06 | 0.11 | C44 |
| Mesothelioma | 1088 | 0.3 | 1.5 | 0.8 | 0.02 | 0.08 | 340 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 725 | 0.2 | 1.0 | 0.8 | 0.06 | 0.07 | 78 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3519 | 0.9 | 4.7 | 3.2 | 0.17 | 0.31 | 2471 | 0.7 | 3.2 | 2.2 | 0.14 | 0.21 | C47+C49 |
| Breast | 930 | 0.3 | 1.2 | 0.7 | 0.04 | 0.09 | 109227 | 29.8 | 142.3 | 89.1 | 6.16 | 10.43 | C50 |
| Vulva | | | | | | | 2217 | 0.6 | 2.9 | 1.5 | 0.09 | 0.17 | C51 |
| Vagina | | | | | | | 582 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 5201 | 1.4 | 6.8 | 5.2 | 0.41 | 0.50 | C53 |
| Corpus uteri | | | | | | | 25514 | 7.0 | 33.2 | 20.4 | 1.44 | 2.56 | C54 |
| Uterus unspecified | | | | | | | 620 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 9983 | 2.7 | 13.0 | 8.0 | 0.53 | 0.89 | C56 |
| Other female genital organs | | | | | | | 1676 | 0.5 | 2.2 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 68 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 588 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 92168 | 24.8 | 123.4 | 76.6 | 4.06 | 10.55 | | | | | | | C61 |
| Testis | 4525 | 1.2 | 6.1 | 5.7 | 0.42 | 0.44 | | | | | | | C62 |
| Other male genital organs | 228 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 15840 | 4.3 | 21.2 | 13.9 | 0.87 | 1.66 | 8597 | 2.3 | 11.2 | 6.9 | 0.43 | 0.78 | C64 |
| Renal pelvis | 727 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 613 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 409 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 324 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 24390 | 6.6 | 32.6 | 18.3 | 0.69 | 2.07 | 7614 | 2.1 | 9.9 | 4.7 | 0.20 | 0.55 | C67 |
| Other urinary organs | 449 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 207 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 798 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | 675 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 5881 | 1.6 | 7.9 | 6.1 | 0.38 | 0.60 | 4501 | 1.2 | 5.9 | 4.5 | 0.28 | 0.41 | C70–72 |
| Thyroid | 5981 | 1.6 | 8.0 | 6.0 | 0.44 | 0.63 | 17347 | 4.7 | 22.6 | 18.0 | 1.41 | 1.72 | C73 |
| Adrenal gland | 218 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 215 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 146 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 85 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 2268 | 0.6 | 3.0 | 2.7 | 0.18 | 0.22 | 1750 | 0.5 | 2.3 | 2.1 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 15913 | 4.3 | 21.3 | 13.8 | 0.76 | 1.49 | 12507 | 3.4 | 16.3 | 9.3 | 0.52 | 1.02 | C82–86,C96 |
| Immunoproliferative diseases | 1328 | 0.4 | 1.8 | 1.1 | 0.05 | 0.13 | 1286 | 0.4 | 1.7 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 6619 | 1.8 | 8.9 | 5.3 | 0.26 | 0.64 | 5129 | 1.4 | 6.7 | 3.5 | 0.18 | 0.42 | C90 |
| Lymphoid leukaemia | 8756 | 2.4 | 11.7 | 8.3 | 0.43 | 0.84 | 5654 | 1.5 | 7.4 | 4.9 | 0.25 | 0.47 | C91 |
| Myeloid leukaemia | 5572 | 1.5 | 7.5 | 4.9 | 0.25 | 0.51 | 4375 | 1.2 | 5.7 | 3.5 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 262 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 222 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 3212 | 0.9 | 4.3 | 2.7 | 0.14 | 0.29 | 3496 | 1.0 | 4.6 | 2.5 | 0.14 | 0.27 | MPD |
| Myelodysplastic syndromes | 3939 | 1.1 | 5.3 | 2.7 | 0.06 | 0.25 | 2684 | 0.7 | 3.5 | 1.4 | 0.04 | 0.14 | MPS |
| Other and unspecified | 6274 | 1.7 | 8.4 | 4.8 | 0.21 | 0.51 | 6670 | 1.8 | 8.7 | 4.0 | 0.18 | 0.43 | O&U |
| All sites | 373809 | | 500.3 | 314.4 | 16.86 | 37.40 | 368138 | | 479.5 | 286.3 | 18.01 | 32.33 | C00–96 |
| All sites except C44 | 371908 | 100.0 | 497.8 | 312.9 | 16.79 | 37.25 | 366718 | 100.0 | 477.7 | 285.2 | 17.95 | 32.22 | C00–96 exc. C44 |

*See note following population pyramid

***USA, SEER (9 registries): Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 255 | 0.6 | 2.7 | 2.3 | 0.16 | 0.30 | 105 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 175 | 0.4 | 1.8 | 1.6 | 0.11 | 0.20 | 94 | 0.2 | 0.9 | 0.7 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 111 | 0.3 | 1.2 | 1.0 | 0.07 | 0.11 | 114 | 0.3 | 1.1 | 0.9 | 0.06 | 0.09 | C07–08 |
| Tonsil | 262 | 0.7 | 2.8 | 2.4 | 0.18 | 0.28 | 61 | 0.2 | 0.6 | 0.4 | 0.03 | 0.06 | C09 |
| Other oropharynx | 74 | 0.2 | 0.8 | 0.7 | 0.05 | 0.08 | 28 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 95 | 0.2 | 1.0 | 0.9 | 0.06 | 0.10 | 29 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 99 | 0.2 | 1.0 | 0.9 | 0.06 | 0.11 | 47 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 39 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 15 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 463 | 1.2 | 4.9 | 4.2 | 0.24 | 0.53 | 213 | 0.6 | 2.0 | 1.4 | 0.09 | 0.18 | C15 |
| Stomach | 888 | 2.2 | 9.3 | 8.0 | 0.38 | 0.92 | 689 | 1.8 | 6.6 | 4.5 | 0.24 | 0.49 | C16 |
| Small intestine | 380 | 0.9 | 4.0 | 3.5 | 0.21 | 0.40 | 366 | 0.9 | 3.5 | 2.5 | 0.17 | 0.30 | C17 |
| Colon | 2601 | 6.5 | 27.4 | 23.6 | 1.34 | 2.75 | 2772 | 7.2 | 26.5 | 18.7 | 1.09 | 2.13 | C18 |
| Rectum | 1144 | 2.8 | 12.0 | 10.2 | 0.71 | 1.21 | 935 | 2.4 | 9.0 | 6.6 | 0.45 | 0.74 | C19–20 |
| Anus | 228 | 0.6 | 2.4 | 2.1 | 0.17 | 0.20 | 191 | 0.5 | 1.8 | 1.4 | 0.10 | 0.16 | C21 |
| Liver | 1656 | 4.1 | 17.4 | 15.4 | 1.02 | 2.12 | 633 | 1.6 | 6.1 | 4.5 | 0.28 | 0.56 | C22 |
| Gallbladder etc. | 227 | 0.6 | 2.4 | 2.1 | 0.09 | 0.26 | 321 | 0.8 | 3.1 | 2.1 | 0.12 | 0.24 | C23–24 |
| Pancreas | 1283 | 3.2 | 13.5 | 11.8 | 0.62 | 1.49 | 1403 | 3.6 | 13.4 | 9.2 | 0.49 | 1.06 | C25 |
| Nose, sinuses etc. | 59 | 0.1 | 0.6 | 0.5 | 0.03 | 0.06 | 57 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 595 | 1.5 | 6.3 | 5.4 | 0.33 | 0.69 | 160 | 0.4 | 1.5 | 1.1 | 0.07 | 0.14 | C32 |
| Trachea, bronchus, and lung | 4992 | 12.4 | 52.6 | 45.7 | 2.05 | 5.77 | 4544 | 11.7 | 43.5 | 30.4 | 1.53 | 3.86 | C33–34 |
| Other thoracic organs | 61 | 0.2 | 0.6 | 0.6 | 0.04 | 0.06 | 58 | 0.1 | 0.6 | 0.4 | 0.02 | 0.06 | C37–38 |
| Bone | 88 | 0.2 | 0.9 | 0.9 | 0.06 | 0.08 | 86 | 0.2 | 0.8 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 74 | 0.2 | 0.8 | 0.7 | 0.04 | 0.07 | 79 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | C43 |
| Other skin | 124 | 0.3 | 1.3 | 1.2 | 0.08 | 0.12 | 140 | 0.4 | 1.3 | 1.1 | 0.07 | 0.11 | C44 |
| Mesothelioma | 37 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 17 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 274 | 0.7 | 2.9 | 2.6 | 0.20 | 0.22 | 24 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 274 | 0.7 | 2.9 | 2.6 | 0.17 | 0.25 | 295 | 0.8 | 2.8 | 2.3 | 0.15 | 0.21 | C47+C49 |
| Breast | 142 | 0.4 | 1.5 | 1.3 | 0.07 | 0.14 | 11928 | 30.8 | 114.2 | 86.3 | 6.08 | 9.97 | C50 |
| Vulva | | | | | | | 186 | 0.5 | 1.8 | 1.3 | 0.10 | 0.15 | C51 |
| Vagina | | | | | | | 95 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 714 | 1.8 | 6.8 | 5.4 | 0.41 | 0.55 | C53 |
| Corpus uteri | | | | | | | 2703 | 7.0 | 25.9 | 19.3 | 1.24 | 2.53 | C54 |
| Uterus unspecified | | | | | | | 138 | 0.4 | 1.3 | 1.0 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 935 | 2.4 | 9.0 | 6.7 | 0.45 | 0.75 | C56 |
| Other female genital organs | | | | | | | 125 | 0.3 | 1.2 | 0.9 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 71 | 0.2 | 0.7 | 0.6 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 14020 | 34.9 | 147.6 | 128.8 | 7.73 | 17.50 | | | | | | | C61 |
| Testis | 150 | 0.4 | 1.6 | 1.5 | 0.11 | 0.12 | | | | | | | C62 |
| Other male genital organs | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1953 | 4.9 | 20.6 | 18.0 | 1.17 | 2.15 | 1164 | 3.0 | 11.1 | 8.5 | 0.51 | 1.00 | C64 |
| Renal pelvis | 39 | 0.1 | 0.4 | 0.4 | 0.01 | 0.04 | 43 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 1290 | 3.2 | 13.6 | 11.7 | 0.46 | 1.37 | 647 | 1.7 | 6.2 | 4.0 | 0.16 | 0.43 | C67 |
| Other urinary organs | 51 | 0.1 | 0.5 | 0.5 | 0.02 | 0.06 | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 35 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 27 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 384 | 1.0 | 4.0 | 3.9 | 0.23 | 0.37 | 327 | 0.8 | 3.1 | 2.9 | 0.17 | 0.24 | C70–72 |
| Thyroid | 329 | 0.8 | 3.5 | 3.0 | 0.22 | 0.33 | 1356 | 3.5 | 13.0 | 10.6 | 0.82 | 1.09 | C73 |
| Adrenal gland | 32 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 24 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 12 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 316 | 0.8 | 3.3 | 3.1 | 0.22 | 0.26 | 249 | 0.6 | 2.4 | 2.2 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 1281 | 3.2 | 13.5 | 12.0 | 0.77 | 1.31 | 1017 | 2.6 | 9.7 | 7.3 | 0.46 | 0.78 | C82–86,C96 |
| Immunoproliferative diseases | 91 | 0.2 | 1.0 | 0.9 | 0.05 | 0.10 | 126 | 0.3 | 1.2 | 0.9 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 1158 | 2.9 | 12.2 | 10.6 | 0.53 | 1.32 | 1164 | 3.0 | 11.1 | 7.9 | 0.42 | 0.95 | C90 |
| Lymphoid leukaemia | 633 | 1.6 | 6.7 | 6.1 | 0.33 | 0.65 | 461 | 1.2 | 4.4 | 3.6 | 0.19 | 0.35 | C91 |
| Myeloid leukaemia | 489 | 1.2 | 5.1 | 4.6 | 0.24 | 0.48 | 471 | 1.2 | 4.5 | 3.5 | 0.21 | 0.35 | C92–94 |
| Leukaemia unspecified | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 20 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 318 | 0.8 | 3.3 | 3.0 | 0.16 | 0.34 | 405 | 1.0 | 3.9 | 2.9 | 0.18 | 0.32 | MPD |
| Myelodysplastic syndromes | 249 | 0.6 | 2.6 | 2.3 | 0.07 | 0.24 | 244 | 0.6 | 2.3 | 1.5 | 0.05 | 0.15 | MPS |
| Other and unspecified | 637 | 1.6 | 6.7 | 5.7 | 0.28 | 0.62 | 721 | 1.9 | 6.9 | 4.6 | 0.22 | 0.51 | O&U |
| All sites | 40312 | | 424.4 | 370.9 | 21.30 | 46.09 | 38852 | | 371.9 | 275.1 | 17.36 | 31.70 | C00–96 |
| All sites except C44 | 40188 | 100.0 | 423.1 | 369.7 | 21.21 | 45.97 | 38712 | 100.0 | 370.6 | 274.0 | 17.29 | 31.59 | C00–96 exc. C44 |

*See note following population pyramid

***USA, SEER (9 registries): White (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 704 | 0.2 | 1.3 | 0.7 | 0.04 | 0.07 | 289 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 3987 | 1.3 | 7.3 | 4.5 | 0.31 | 0.57 | 1446 | 0.5 | 2.6 | 1.5 | 0.10 | 0.17 | C01–02 |
| Mouth | 1527 | 0.5 | 2.8 | 1.6 | 0.10 | 0.19 | 1112 | 0.4 | 2.0 | 1.0 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 930 | 0.3 | 1.7 | 1.0 | 0.04 | 0.10 | 659 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | C07–08 |
| Tonsil | 2570 | 0.9 | 4.7 | 3.0 | 0.25 | 0.37 | 497 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 515 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 145 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 309 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 105 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 589 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 138 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 299 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 82 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 5011 | 1.7 | 9.2 | 5.1 | 0.26 | 0.63 | 1295 | 0.5 | 2.4 | 1.1 | 0.05 | 0.13 | C15 |
| Stomach | 4746 | 1.6 | 8.7 | 4.8 | 0.24 | 0.56 | 2703 | 0.9 | 4.9 | 2.4 | 0.13 | 0.26 | C16 |
| Small intestine | 1665 | 0.6 | 3.0 | 1.8 | 0.10 | 0.21 | 1425 | 0.5 | 2.6 | 1.4 | 0.08 | 0.16 | C17 |
| Colon | 15960 | 5.4 | 29.2 | 16.6 | 0.90 | 1.84 | 16444 | 5.7 | 29.9 | 14.4 | 0.76 | 1.53 | C18 |
| Rectum | 8238 | 2.8 | 15.1 | 9.3 | 0.64 | 1.07 | 5738 | 2.0 | 10.4 | 6.0 | 0.42 | 0.66 | C19–20 |
| Anus | 979 | 0.3 | 1.8 | 1.1 | 0.07 | 0.13 | 1718 | 0.6 | 3.1 | 1.8 | 0.13 | 0.22 | C21 |
| Liver | 7712 | 2.6 | 14.1 | 8.3 | 0.55 | 1.04 | 3039 | 1.1 | 5.5 | 2.8 | 0.15 | 0.32 | C22 |
| Gallbladder etc. | 1706 | 0.6 | 3.1 | 1.6 | 0.07 | 0.19 | 1861 | 0.6 | 3.4 | 1.5 | 0.06 | 0.17 | C23–24 |
| Pancreas | 8977 | 3.0 | 16.4 | 8.9 | 0.42 | 1.08 | 8380 | 2.9 | 15.2 | 6.8 | 0.31 | 0.78 | C25 |
| Nose, sinuses etc. | 509 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | 340 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 2958 | 1.0 | 5.4 | 3.1 | 0.18 | 0.39 | 736 | 0.3 | 1.3 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 34456 | 11.7 | 63.1 | 33.3 | 1.35 | 4.04 | 34076 | 11.9 | 62.0 | 28.7 | 1.26 | 3.59 | C33–34 |
| Other thoracic organs | 323 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 214 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 778 | 0.3 | 1.4 | 1.3 | 0.08 | 0.10 | 534 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 21026 | 7.1 | 38.5 | 23.1 | 1.34 | 2.64 | 15818 | 5.5 | 28.8 | 18.7 | 1.35 | 1.96 | C43 |
| Other skin | 1586 | 0.5 | 2.9 | 1.6 | 0.07 | 0.16 | 1120 | 0.4 | 2.0 | 1.1 | 0.06 | 0.11 | C44 |
| Mesothelioma | 973 | 0.3 | 1.8 | 0.9 | 0.02 | 0.09 | 294 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 382 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 45 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2868 | 1.0 | 5.3 | 3.3 | 0.18 | 0.32 | 1865 | 0.7 | 3.4 | 2.3 | 0.14 | 0.21 | C47+C49 |
| Breast | 712 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | 83987 | 29.3 | 152.8 | 90.6 | 6.20 | 10.62 | C50 |
| Vulva | | | | | | | 1892 | 0.7 | 3.4 | 1.7 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 433 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 3718 | 1.3 | 6.8 | 5.2 | 0.42 | 0.50 | C53 |
| Corpus uteri | | | | | | | 19603 | 6.8 | 35.7 | 20.5 | 1.44 | 2.59 | C54 |
| Uterus unspecified | | | | | | | 420 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 7890 | 2.8 | 14.4 | 8.2 | 0.54 | 0.93 | C56 |
| Other female genital organs | | | | | | | 1366 | 0.5 | 2.5 | 1.3 | 0.07 | 0.16 | C57 |
| Placenta | | | | | | | 34 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 466 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 69877 | 23.6 | 127.9 | 73.0 | 3.78 | 10.10 | | | | | | | C61 |
| Testis | 3912 | 1.3 | 7.2 | 6.8 | 0.51 | 0.53 | | | | | | | C62 |
| Other male genital organs | 173 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 12382 | 4.2 | 22.7 | 13.9 | 0.85 | 1.65 | 6583 | 2.3 | 12.0 | 6.9 | 0.44 | 0.78 | C64 |
| Renal pelvis | 633 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 511 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 346 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 265 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 21436 | 7.2 | 39.2 | 20.2 | 0.76 | 2.29 | 6404 | 2.2 | 11.7 | 5.1 | 0.22 | 0.60 | C67 |
| Other urinary organs | 353 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 159 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 713 | 0.2 | 1.3 | 0.9 | 0.06 | 0.09 | 618 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 5010 | 1.7 | 9.2 | 6.8 | 0.42 | 0.66 | 3774 | 1.3 | 6.9 | 5.1 | 0.31 | 0.47 | C70–72 |
| Thyroid | 4897 | 1.7 | 9.0 | 6.5 | 0.48 | 0.68 | 13386 | 4.7 | 24.4 | 19.5 | 1.53 | 1.84 | C73 |
| Adrenal gland | 159 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 166 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 103 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 55 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1758 | 0.6 | 3.2 | 2.8 | 0.19 | 0.24 | 1345 | 0.5 | 2.4 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 13006 | 4.4 | 23.8 | 14.3 | 0.77 | 1.54 | 10153 | 3.5 | 18.5 | 9.8 | 0.54 | 1.09 | C82–86,C96 |
| Immunoproliferative diseases | 1089 | 0.4 | 2.0 | 1.1 | 0.05 | 0.13 | 1022 | 0.4 | 1.9 | 1.0 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 4887 | 1.7 | 8.9 | 4.9 | 0.23 | 0.58 | 3458 | 1.2 | 6.3 | 3.0 | 0.15 | 0.36 | C90 |
| Lymphoid leukaemia | 7549 | 2.6 | 13.8 | 9.1 | 0.47 | 0.93 | 4781 | 1.7 | 8.7 | 5.3 | 0.27 | 0.52 | C91 |
| Myeloid leukaemia | 4427 | 1.5 | 8.1 | 5.0 | 0.25 | 0.51 | 3463 | 1.2 | 6.3 | 3.6 | 0.21 | 0.37 | C92–94 |
| Leukaemia unspecified | 206 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 175 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 2552 | 0.9 | 4.7 | 2.7 | 0.14 | 0.30 | 2756 | 1.0 | 5.0 | 2.5 | 0.13 | 0.27 | MPD |
| Myelodysplastic syndromes | 3310 | 1.1 | 6.1 | 2.8 | 0.06 | 0.26 | 2156 | 0.8 | 3.9 | 1.4 | 0.04 | 0.14 | MPS |
| Other and unspecified | 5033 | 1.7 | 9.2 | 4.8 | 0.20 | 0.51 | 5234 | 1.8 | 9.5 | 4.0 | 0.17 | 0.43 | O&U |
| All sites | 297272 | | 544.2 | 317.2 | 16.82 | 37.52 | 287925 | | 523.9 | 295.8 | 18.48 | 33.32 | C00–96 |
| All sites except C44 | 295686 | 100.0 | 541.3 | 315.6 | 16.75 | 37.37 | 286805 | 100.0 | 521.8 | 294.7 | 18.42 | 33.22 | C00–96 exc. C44 |

*See note following population pyramid

USA, Alabama


CONTRIBUTORS

Xuejun Shen
 Justin T. George
 Diane Hadley
 Mark K. Jackson
 Tara Freeman
 Teisha Robertson
 Ashley Gruenwald
 Crystal Morton
 Teresa Trailer
 Elaine Wooden



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 85.1 | Breast | 87.9 |
| Trachea, bronchus, and lung | 53.4 | Trachea, bronchus, and lung | 33.1 |
| Colon | 23.7 | Colon | 19.0 |
| Bladder | 18.6 | Corpus uteri | 14.0 |
| Melanoma of skin | 18.3 | Melanoma of skin | 12.6 |
| Kidney | 16.7 | Thyroid | 11.7 |
| Non-Hodgkin lymphoma | 11.8 | Kidney | 9.2 |
| Rectum | 10.0 | Ovary | 8.1 |
| Pancreas | 9.5 | Non-Hodgkin lymphoma | 8.0 |
| Liver | 8.8 | Cervix uteri | 7.3 |
| Other and unspecified | 7.5 | Pancreas | 6.9 |
| Lymphoid leukaemia | 6.8 | Rectum | 6.2 |
| Brain and nervous system | 5.8 | Other and unspecified | 5.9 |
| Stomach | 5.6 | Brain and nervous system | 4.6 |
| Oesophagus | 5.6 | Bladder | 4.5 |
| Multiple myeloma | 5.5 | Multiple myeloma | 4.0 |
| Larynx | 5.2 | Lymphoid leukaemia | 3.8 |
| Myeloid leukaemia | 4.8 | Myeloid leukaemia | 3.6 |
| Tongue | 4.3 | Stomach | 3.3 |
| Testis | 4.0 | Liver | 2.9 |
| All sites | 349.2 | All sites | 285.3 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 134.4 |
| Trachea, bronchus, and lung | 56.3 |
| Colon | 27.8 |
| Kidney | 18.6 |
| Bladder | 11.0 |
| Liver | 10.8 |
| Pancreas | 10.6 |
| Rectum | 10.4 |
| Multiple myeloma | 9.8 |
| Non-Hodgkin lymphoma | 9.3 |
| All sites | 378.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 93.5 |
| Trachea, bronchus, and lung | 24.8 |
| Colon | 22.6 |
| Corpus uteri | 14.8 |
| Kidney | 9.4 |
| Pancreas | 9.0 |
| Multiple myeloma | 8.1 |
| Cervix uteri | 7.8 |
| Thyroid | 7.6 |
| Ovary | 7.3 |
| All sites | 273.6 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 68.4 |
| Trachea, bronchus, and lung | 53.1 |
| Melanoma of skin | 23.5 |
| Colon | 22.6 |
| Bladder | 20.4 |
| Kidney | 16.4 |
| Non-Hodgkin lymphoma | 12.1 |
| Rectum | 9.9 |
| Pancreas | 9.3 |
| Liver | 8.2 |
| All sites | 338.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 86.1 |
| Trachea, bronchus, and lung | 36.1 |
| Colon | 17.9 |
| Melanoma of skin | 17.5 |
| Corpus uteri | 13.9 |
| Thyroid | 13.3 |
| Kidney | 9.3 |
| Ovary | 8.3 |
| Non-Hodgkin lymphoma | 8.3 |
| Cervix uteri | 7.2 |
| All sites | 290.8 |

USA, Alabama (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 171 | 0.2 | 1.5 | 0.8 | 0.03 | 0.09 | 95 | 0.2 | 0.8 | 0.3 | 0.02 | 0.03 | C00 |
| Tongue | 812 | 1.2 | 6.9 | 4.3 | 0.31 | 0.54 | 286 | 0.5 | 2.3 | 1.4 | 0.10 | 0.16 | C01–02 |
| Mouth | 418 | 0.6 | 3.6 | 2.1 | 0.13 | 0.26 | 268 | 0.4 | 2.1 | 1.1 | 0.07 | 0.12 | C03–06 |
| Salivary glands | 266 | 0.4 | 2.3 | 1.3 | 0.06 | 0.15 | 167 | 0.3 | 1.3 | 0.8 | 0.05 | 0.09 | C07–08 |
| Tonsil | 602 | 0.9 | 5.1 | 3.3 | 0.27 | 0.40 | 140 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C09 |
| Other oropharynx | 164 | 0.2 | 1.4 | 0.9 | 0.07 | 0.11 | 44 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 116 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 33 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 158 | 0.2 | 1.3 | 0.8 | 0.06 | 0.10 | 32 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 87 | 0.1 | 0.7 | 0.4 | 0.03 | 0.06 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1112 | 1.6 | 9.5 | 5.6 | 0.33 | 0.71 | 268 | 0.4 | 2.1 | 1.1 | 0.07 | 0.13 | C15 |
| Stomach | 1156 | 1.7 | 9.8 | 5.6 | 0.31 | 0.65 | 814 | 1.3 | 6.5 | 3.3 | 0.18 | 0.36 | C16 |
| Small intestine | 372 | 0.5 | 3.2 | 1.9 | 0.12 | 0.23 | 365 | 0.6 | 2.9 | 1.6 | 0.11 | 0.19 | C17 |
| Colon | 4752 | 6.8 | 40.4 | 23.7 | 1.38 | 2.74 | 4630 | 7.4 | 37.0 | 19.0 | 1.14 | 2.12 | C18 |
| Rectum | 1897 | 2.7 | 16.1 | 10.0 | 0.70 | 1.17 | 1351 | 2.2 | 10.8 | 6.2 | 0.43 | 0.69 | C19–20 |
| Anus | 193 | 0.3 | 1.6 | 1.1 | 0.08 | 0.12 | 361 | 0.6 | 2.9 | 1.6 | 0.11 | 0.20 | C21 |
| Liver | 1732 | 2.5 | 14.7 | 8.8 | 0.65 | 1.10 | 696 | 1.1 | 5.6 | 2.9 | 0.17 | 0.34 | C22 |
| Gallbladder etc. | 327 | 0.5 | 2.8 | 1.6 | 0.08 | 0.18 | 367 | 0.6 | 2.9 | 1.4 | 0.07 | 0.16 | C23–24 |
| Pancreas | 1993 | 2.9 | 17.0 | 9.5 | 0.53 | 1.13 | 1816 | 2.9 | 14.5 | 6.9 | 0.38 | 0.81 | C25 |
| Nose, sinuses etc. | 99 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | 88 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 1022 | 1.5 | 8.7 | 5.2 | 0.35 | 0.66 | 259 | 0.4 | 2.1 | 1.2 | 0.09 | 0.15 | C32 |
| Trachea, bronchus, and lung | 11465 | 16.5 | 97.5 | 53.4 | 2.65 | 6.76 | 8425 | 13.5 | 67.4 | 33.1 | 1.75 | 4.30 | C33–34 |
| Other thoracic organs | 73 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 46 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 167 | 0.2 | 1.4 | 1.2 | 0.08 | 0.10 | 140 | 0.2 | 1.1 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 3637 | 5.2 | 30.9 | 18.3 | 1.01 | 2.06 | 2458 | 3.9 | 19.7 | 12.6 | 0.90 | 1.30 | C43 |
| Other skin | 196 | 0.3 | 1.7 | 0.9 | 0.04 | 0.09 | 173 | 0.3 | 1.4 | 0.8 | 0.05 | 0.08 | C44 |
| Mesothelioma | 146 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 40 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 48 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 557 | 0.8 | 4.7 | 3.1 | 0.18 | 0.30 | 451 | 0.7 | 3.6 | 2.4 | 0.15 | 0.23 | C47+C49 |
| Breast | 225 | 0.3 | 1.9 | 1.1 | 0.06 | 0.12 | 18718 | 29.9 | 149.7 | 87.9 | 6.08 | 10.28 | C50 |
| Vulva | | | | | | | 420 | 0.7 | 3.4 | 1.9 | 0.12 | 0.20 | C51 |
| Vagina | | | | | | | 124 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1192 | 1.9 | 9.5 | 7.3 | 0.59 | 0.69 | C53 |
| Corpus uteri | | | | | | | 3032 | 4.8 | 24.2 | 14.0 | 0.99 | 1.70 | C54 |
| Uterus unspecified | | | | | | | 167 | 0.3 | 1.3 | 0.8 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 1770 | 2.8 | 14.2 | 8.1 | 0.53 | 0.90 | C56 |
| Other female genital organs | | | | | | | 81 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 17423 | 25.0 | 148.2 | 85.1 | 4.89 | 11.49 | | | | | | | C61 |
| Testis | 476 | 0.7 | 4.0 | 4.0 | 0.30 | 0.31 | | | | | | | C62 |
| Other male genital organs | 24 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 3119 | 4.5 | 26.5 | 16.7 | 1.10 | 1.97 | 1917 | 3.1 | 15.3 | 9.2 | 0.60 | 1.06 | C64 |
| Renal pelvis | 92 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 83 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 97 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 65 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 4174 | 6.0 | 35.5 | 18.6 | 0.76 | 2.17 | 1230 | 2.0 | 9.8 | 4.5 | 0.21 | 0.53 | C67 |
| Other urinary organs | 36 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 23 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 143 | 0.2 | 1.2 | 0.8 | 0.05 | 0.09 | 103 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 912 | 1.3 | 7.8 | 5.8 | 0.35 | 0.56 | 779 | 1.2 | 6.2 | 4.6 | 0.27 | 0.41 | C70–72 |
| Thyroid | 640 | 0.9 | 5.4 | 3.9 | 0.27 | 0.41 | 1887 | 3.0 | 15.1 | 11.7 | 0.89 | 1.14 | C73 |
| Adrenal gland | 54 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 70 | 0.1 | 0.6 | 0.6 | 0.03 | 0.04 | C74 |
| Other endocrine | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 320 | 0.5 | 2.7 | 2.4 | 0.17 | 0.20 | 269 | 0.4 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 2290 | 3.3 | 19.5 | 11.8 | 0.65 | 1.28 | 1930 | 3.1 | 15.4 | 8.0 | 0.43 | 0.90 | C82–86, C96 |
| Immunoproliferative diseases | 107 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | 129 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 1131 | 1.6 | 9.6 | 5.5 | 0.29 | 0.66 | 1002 | 1.6 | 8.0 | 4.0 | 0.22 | 0.49 | C90 |
| Lymphoid leukaemia | 1167 | 1.7 | 9.9 | 6.8 | 0.34 | 0.68 | 763 | 1.2 | 6.1 | 3.8 | 0.20 | 0.36 | C91 |
| Myeloid leukaemia | 890 | 1.3 | 7.6 | 4.8 | 0.25 | 0.50 | 728 | 1.2 | 5.8 | 3.6 | 0.21 | 0.38 | C92–94 |
| Leukaemia unspecified | 109 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | 94 | 0.2 | 0.8 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 410 | 0.6 | 3.5 | 2.6 | 0.15 | 0.26 | 434 | 0.7 | 3.5 | 2.3 | 0.13 | 0.22 | MPD |
| Myelodysplastic syndromes | 480 | 0.7 | 4.1 | 2.1 | 0.07 | 0.24 | 357 | 0.6 | 2.9 | 1.3 | 0.06 | 0.15 | MPS |
| Other and unspecified | 1586 | 2.3 | 13.5 | 7.5 | 0.38 | 0.85 | 1546 | 2.5 | 12.4 | 5.9 | 0.31 | 0.63 | O&U |
| All sites | 69779 | | 593.6 | 349.2 | 19.87 | 42.12 | 62772 | | 501.9 | 285.3 | 18.29 | 32.42 | C00–96 |
| All sites except C44 | 69583 | 100.0 | 591.9 | 348.3 | 19.83 | 42.04 | 62599 | 100.0 | 500.5 | 284.5 | 18.24 | 32.34 | C00–96 exc. C44 |

USA, Alabama: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 99 | 0.7 | 3.2 | 2.5 | 0.16 | 0.36 | 42 | 0.3 | 1.2 | 0.8 | 0.06 | 0.10 | C01–02 |
| Mouth | 74 | 0.5 | 2.4 | 1.9 | 0.12 | 0.22 | 48 | 0.3 | 1.4 | 0.9 | 0.06 | 0.09 | C03–06 |
| Salivary glands | 33 | 0.2 | 1.1 | 0.9 | 0.07 | 0.09 | 43 | 0.3 | 1.2 | 0.9 | 0.06 | 0.10 | C07–08 |
| Tonsil | 76 | 0.5 | 2.5 | 1.9 | 0.13 | 0.25 | 14 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 31 | 0.2 | 1.0 | 0.8 | 0.06 | 0.09 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 29 | 0.2 | 0.9 | 0.7 | 0.05 | 0.08 | 11 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 42 | 0.3 | 1.4 | 1.0 | 0.06 | 0.14 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 24 | 0.2 | 0.8 | 0.6 | 0.04 | 0.08 | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 229 | 1.5 | 7.4 | 5.6 | 0.35 | 0.73 | 78 | 0.6 | 2.2 | 1.4 | 0.10 | 0.17 | C15 |
| Stomach | 356 | 2.3 | 11.5 | 8.7 | 0.53 | 0.98 | 290 | 2.1 | 8.2 | 5.1 | 0.27 | 0.57 | C16 |
| Small intestine | 101 | 0.7 | 3.3 | 2.6 | 0.16 | 0.34 | 122 | 0.9 | 3.5 | 2.3 | 0.15 | 0.28 | C17 |
| Colon | 1119 | 7.4 | 36.3 | 27.8 | 1.62 | 3.29 | 1251 | 8.9 | 35.5 | 22.6 | 1.33 | 2.60 | C18 |
| Rectum | 415 | 2.7 | 13.5 | 10.4 | 0.72 | 1.21 | 345 | 2.4 | 9.8 | 6.7 | 0.46 | 0.79 | C19–20 |
| Anus | 52 | 0.3 | 1.7 | 1.4 | 0.10 | 0.15 | 49 | 0.3 | 1.4 | 0.9 | 0.06 | 0.11 | C21 |
| Liver | 439 | 2.9 | 14.2 | 10.8 | 0.80 | 1.41 | 159 | 1.1 | 4.5 | 2.9 | 0.18 | 0.34 | C22 |
| Gallbladder etc. | 67 | 0.4 | 2.2 | 1.6 | 0.08 | 0.17 | 95 | 0.7 | 2.7 | 1.7 | 0.09 | 0.21 | C23–24 |
| Pancreas | 439 | 2.9 | 14.2 | 10.6 | 0.59 | 1.27 | 522 | 3.7 | 14.8 | 9.0 | 0.46 | 1.06 | C25 |
| Nose, sinuses etc. | 20 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 17 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 280 | 1.8 | 9.1 | 6.8 | 0.47 | 0.88 | 41 | 0.3 | 1.2 | 0.8 | 0.06 | 0.10 | C32 |
| Trachea, bronchus, and lung | 2327 | 15.3 | 75.5 | 56.3 | 2.97 | 7.39 | 1398 | 9.9 | 39.7 | 24.8 | 1.33 | 3.24 | C33–34 |
| Other thoracic organs | 21 | 0.1 | 0.7 | 0.6 | 0.04 | 0.07 | 23 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C37–38 |
| Bone | 42 | 0.3 | 1.4 | 1.3 | 0.08 | 0.10 | 43 | 0.3 | 1.2 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 33 | 0.2 | 1.1 | 0.9 | 0.05 | 0.09 | 41 | 0.3 | 1.2 | 0.7 | 0.03 | 0.07 | C43 |
| Other skin | 17 | 0.1 | 0.6 | 0.5 | 0.02 | 0.05 | 33 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | C44 |
| Mesothelioma | 14 | 0.1 | 0.5 | 0.4 | 0.01 | 0.04 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 22 | 0.1 | 0.7 | 0.6 | 0.05 | 0.05 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 93 | 0.6 | 3.0 | 2.6 | 0.17 | 0.27 | 118 | 0.8 | 3.3 | 2.5 | 0.18 | 0.24 | C47+C49 |
| Breast | 52 | 0.3 | 1.7 | 1.3 | 0.06 | 0.16 | 4683 | 33.2 | 132.9 | 93.5 | 6.69 | 10.88 | C50 |
| Vulva | | | | | | | 66 | 0.5 | 1.9 | 1.4 | 0.09 | 0.15 | C51 |
| Vagina | | | | | | | 38 | 0.3 | 1.1 | 0.7 | 0.04 | 0.09 | C52 |
| Cervix uteri | | | | | | | 358 | 2.5 | 10.2 | 7.8 | 0.59 | 0.77 | C53 |
| Corpus uteri | | | | | | | 773 | 5.5 | 21.9 | 14.8 | 0.97 | 1.88 | C54 |
| Uterus unspecified | | | | | | | 79 | 0.6 | 2.2 | 1.5 | 0.10 | 0.18 | C55 |
| Ovary | | | | | | | 369 | 2.6 | 10.5 | 7.3 | 0.48 | 0.83 | C56 |
| Other female genital organs | | | | | | | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 18 | 0.1 | 0.6 | 0.4 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 5499 | 36.1 | 178.3 | 134.4 | 8.17 | 17.76 | | | | | | | C61 |
| Testis | 40 | 0.3 | 1.3 | 1.2 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 729 | 4.8 | 23.6 | 18.6 | 1.27 | 2.28 | 477 | 3.4 | 13.5 | 9.4 | 0.58 | 1.19 | C64 |
| Renal pelvis | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 454 | 3.0 | 14.7 | 11.0 | 0.48 | 1.30 | 226 | 1.6 | 6.4 | 3.6 | 0.17 | 0.39 | C67 |
| Other urinary organs | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | 10 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C68 |
| Eye | 12 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 150 | 1.0 | 4.9 | 4.4 | 0.30 | 0.42 | 134 | 0.9 | 3.8 | 3.3 | 0.20 | 0.28 | C70–72 |
| Thyroid | 81 | 0.5 | 2.6 | 2.1 | 0.14 | 0.23 | 337 | 2.4 | 9.6 | 7.6 | 0.58 | 0.81 | C73 |
| Adrenal gland | 14 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 26 | 0.2 | 0.7 | 0.9 | 0.04 | 0.05 | C74 |
| Other endocrine | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 88 | 0.6 | 2.9 | 2.6 | 0.20 | 0.22 | 81 | 0.6 | 2.3 | 2.1 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 353 | 2.3 | 11.4 | 9.3 | 0.59 | 0.98 | 319 | 2.3 | 9.1 | 6.3 | 0.37 | 0.72 | C82–86,C96 |
| Immunoproliferative diseases | 28 | 0.2 | 0.9 | 0.7 | 0.05 | 0.08 | 22 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 397 | 2.6 | 12.9 | 9.8 | 0.53 | 1.16 | 446 | 3.2 | 12.7 | 8.1 | 0.47 | 0.99 | C90 |
| Lymphoid leukaemia | 191 | 1.3 | 6.2 | 5.1 | 0.28 | 0.55 | 136 | 1.0 | 3.9 | 2.7 | 0.16 | 0.29 | C91 |
| Myeloid leukaemia | 134 | 0.9 | 4.3 | 3.6 | 0.22 | 0.37 | 142 | 1.0 | 4.0 | 3.0 | 0.19 | 0.32 | C92–94 |
| Leukaemia unspecified | 19 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 15 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 80 | 0.5 | 2.6 | 2.4 | 0.14 | 0.23 | 87 | 0.6 | 2.5 | 2.0 | 0.11 | 0.19 | MPD |
| Myelodysplastic syndromes | 62 | 0.4 | 2.0 | 1.5 | 0.05 | 0.18 | 62 | 0.4 | 1.8 | 1.1 | 0.05 | 0.12 | MPS |
| Other and unspecified | 299 | 2.0 | 9.7 | 7.3 | 0.38 | 0.86 | 390 | 2.8 | 11.1 | 6.7 | 0.37 | 0.72 | O&U |
| All sites | 15231 | | 493.9 | 378.5 | 22.66 | 46.98 | 14143 | | 401.5 | 273.6 | 17.67 | 31.64 | C00–96 |
| All sites except C44 | 15214 | 100.0 | 493.4 | 378.0 | 22.64 | 46.93 | 14110 | 100.0 | 400.6 | 272.9 | 17.62 | 31.57 | C00–96 exc. C44 |


USA, Alabama: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 161 | 0.3 | 1.9 | 0.9 | 0.04 | 0.10 | 89 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C00 |
| Tongue | 696 | 1.3 | 8.3 | 4.8 | 0.36 | 0.59 | 239 | 0.5 | 2.8 | 1.6 | 0.11 | 0.18 | C01–02 |
| Mouth | 331 | 0.6 | 3.9 | 2.1 | 0.13 | 0.26 | 213 | 0.4 | 2.5 | 1.1 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 230 | 0.4 | 2.7 | 1.4 | 0.05 | 0.16 | 121 | 0.3 | 1.4 | 0.8 | 0.05 | 0.09 | C07–08 |
| Tonsil | 514 | 1.0 | 6.1 | 3.8 | 0.32 | 0.45 | 126 | 0.3 | 1.5 | 0.8 | 0.07 | 0.09 | C09 |
| Other oropharynx | 132 | 0.2 | 1.6 | 0.9 | 0.07 | 0.12 | 35 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 83 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 20 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 116 | 0.2 | 1.4 | 0.8 | 0.06 | 0.09 | 23 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 61 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 875 | 1.7 | 10.4 | 5.6 | 0.33 | 0.71 | 186 | 0.4 | 2.1 | 1.0 | 0.06 | 0.11 | C15 |
| Stomach | 775 | 1.5 | 9.2 | 4.7 | 0.24 | 0.55 | 497 | 1.0 | 5.7 | 2.6 | 0.14 | 0.29 | C16 |
| Small intestine | 264 | 0.5 | 3.1 | 1.8 | 0.11 | 0.20 | 241 | 0.5 | 2.8 | 1.4 | 0.10 | 0.17 | C17 |
| Colon | 3558 | 6.7 | 42.4 | 22.6 | 1.31 | 2.60 | 3293 | 6.9 | 37.9 | 17.9 | 1.06 | 1.97 | C18 |
| Rectum | 1442 | 2.7 | 17.2 | 9.9 | 0.69 | 1.15 | 968 | 2.0 | 11.1 | 5.9 | 0.41 | 0.66 | C19–20 |
| Anus | 139 | 0.3 | 1.7 | 1.0 | 0.08 | 0.11 | 310 | 0.7 | 3.6 | 1.9 | 0.14 | 0.23 | C21 |
| Liver | 1260 | 2.4 | 15.0 | 8.2 | 0.60 | 1.01 | 518 | 1.1 | 6.0 | 2.9 | 0.17 | 0.33 | C22 |
| Gallbladder etc. | 254 | 0.5 | 3.0 | 1.5 | 0.08 | 0.18 | 267 | 0.6 | 3.1 | 1.3 | 0.06 | 0.15 | C23–24 |
| Pancreas | 1534 | 2.9 | 18.3 | 9.3 | 0.51 | 1.10 | 1275 | 2.7 | 14.7 | 6.3 | 0.35 | 0.73 | C25 |
| Nose, sinuses etc. | 79 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 69 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 728 | 1.4 | 8.7 | 4.7 | 0.32 | 0.61 | 212 | 0.4 | 2.4 | 1.3 | 0.10 | 0.17 | C32 |
| Trachea, bronchus, and lung | 9066 | 17.2 | 108.0 | 53.1 | 2.60 | 6.67 | 6965 | 14.7 | 80.2 | 36.1 | 1.93 | 4.69 | C33–34 |
| Other thoracic organs | 52 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 23 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 124 | 0.2 | 1.5 | 1.2 | 0.07 | 0.10 | 96 | 0.2 | 1.1 | 1.0 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 3599 | 6.8 | 42.9 | 23.5 | 1.36 | 2.65 | 2413 | 5.1 | 27.8 | 17.5 | 1.28 | 1.79 | C43 |
| Other skin | 171 | 0.3 | 2.0 | 1.0 | 0.04 | 0.09 | 128 | 0.3 | 1.5 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 132 | 0.2 | 1.6 | 0.7 | 0.02 | 0.08 | 34 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 25 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 454 | 0.9 | 5.4 | 3.3 | 0.19 | 0.31 | 320 | 0.7 | 3.7 | 2.3 | 0.15 | 0.22 | C47+C49 |
| Breast | 171 | 0.3 | 2.0 | 1.1 | 0.06 | 0.12 | 13776 | 29.0 | 158.5 | 86.1 | 5.88 | 10.11 | C50 |
| Vulva | | | | | | | 349 | 0.7 | 4.0 | 2.1 | 0.14 | 0.23 | C51 |
| Vagina | | | | | | | 82 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 805 | 1.7 | 9.3 | 7.2 | 0.59 | 0.67 | C53 |
| Corpus uteri | | | | | | | 2217 | 4.7 | 25.5 | 13.9 | 1.00 | 1.67 | C54 |
| Uterus unspecified | | | | | | | 86 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 1369 | 2.9 | 15.8 | 8.3 | 0.54 | 0.92 | C56 |
| Other female genital organs | | | | | | | 63 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 104 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 11117 | 21.0 | 132.4 | 68.4 | 3.73 | 9.31 | | | | | | | C61 |
| Testis | 419 | 0.8 | 5.0 | 5.0 | 0.38 | 0.39 | | | | | | | C62 |
| Other male genital organs | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2374 | 4.5 | 28.3 | 16.4 | 1.07 | 1.92 | 1423 | 3.0 | 16.4 | 9.3 | 0.63 | 1.04 | C64 |
| Renal pelvis | 81 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | 72 | 0.2 | 0.8 | 0.3 | 0.02 | 0.03 | C65 |
| Ureter | 91 | 0.2 | 1.1 | 0.5 | 0.01 | 0.06 | 55 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C66 |
| Bladder | 3655 | 6.9 | 43.5 | 20.4 | 0.84 | 2.39 | 989 | 2.1 | 11.4 | 4.8 | 0.22 | 0.57 | C67 |
| Other urinary organs | 30 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 130 | 0.2 | 1.5 | 1.0 | 0.06 | 0.10 | 94 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 751 | 1.4 | 8.9 | 6.3 | 0.37 | 0.61 | 634 | 1.3 | 7.3 | 5.1 | 0.30 | 0.46 | C70–72 |
| Thyroid | 544 | 1.0 | 6.5 | 4.4 | 0.31 | 0.46 | 1494 | 3.1 | 17.2 | 13.3 | 1.02 | 1.26 | C73 |
| Adrenal gland | 40 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 44 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 225 | 0.4 | 2.7 | 2.4 | 0.16 | 0.20 | 179 | 0.4 | 2.1 | 1.9 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 1885 | 3.6 | 22.5 | 12.1 | 0.66 | 1.34 | 1553 | 3.3 | 17.9 | 8.3 | 0.44 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 77 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 105 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 719 | 1.4 | 8.6 | 4.4 | 0.22 | 0.53 | 545 | 1.1 | 6.3 | 2.7 | 0.14 | 0.34 | C90 |
| Lymphoid leukaemia | 901 | 1.7 | 10.7 | 7.0 | 0.35 | 0.68 | 587 | 1.2 | 6.8 | 4.1 | 0.21 | 0.37 | C91 |
| Myeloid leukaemia | 723 | 1.4 | 8.6 | 4.9 | 0.25 | 0.51 | 555 | 1.2 | 6.4 | 3.7 | 0.21 | 0.38 | C92–94 |
| Leukaemia unspecified | 85 | 0.2 | 1.0 | 0.5 | 0.02 | 0.04 | 70 | 0.1 | 0.8 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 321 | 0.6 | 3.8 | 2.7 | 0.16 | 0.26 | 338 | 0.7 | 3.9 | 2.4 | 0.14 | 0.23 | MPD |
| Myelodysplastic syndromes | 410 | 0.8 | 4.9 | 2.3 | 0.08 | 0.25 | 291 | 0.6 | 3.3 | 1.4 | 0.06 | 0.16 | MPS |
| Other and unspecified | 1251 | 2.4 | 14.9 | 7.5 | 0.38 | 0.85 | 1131 | 2.4 | 13.0 | 5.7 | 0.29 | 0.61 | O&U |
| All sites | 52984 | | 631.0 | 338.6 | 18.96 | 40.42 | 47624 | | 548.1 | 290.8 | 18.65 | 32.86 | C00–96 |
| All sites except C44 | 52813 | 100.0 | 629.0 | 337.6 | 18.92 | 40.33 | 47496 | 100.0 | 546.6 | 290.1 | 18.61 | 32.79 | C00–96 exc. C44 |

USA, Alaska


CONTRIBUTORS

Rosa Avila
David O'Brien
Diane Sallee
Jeanette Kroeker Breeding
Belinda Hopkins



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 56.1 | Breast | 87.9 |
| Trachea, bronchus, and lung | 38.0 | Trachea, bronchus, and lung | 29.5 |
| Bladder | 19.2 | Colon | 18.5 |
| Colon | 18.6 | Corpus uteri | 17.5 |
| Kidney | 15.8 | Thyroid | 16.2 |
| Non-Hodgkin lymphoma | 12.8 | Kidney | 9.5 |
| Rectum | 11.0 | Melanoma of skin | 9.5 |
| Melanoma of skin | 10.8 | Non-Hodgkin lymphoma | 8.1 |
| Liver | 9.4 | Rectum | 8.1 |
| Pancreas | 8.6 | Ovary | 7.4 |
| Other and unspecified | 7.0 | Pancreas | 7.2 |
| Stomach | 6.7 | Cervix uteri | 5.7 |
| Brain and nervous system | 6.1 | Bladder | 5.5 |
| Lymphoid leukaemia | 6.1 | Other and unspecified | 4.8 |
| Testis | 5.7 | Brain and nervous system | 4.6 |
| Oesophagus | 5.6 | Lymphoid leukaemia | 4.0 |
| Thyroid | 5.0 | Liver | 3.9 |
| Myeloid leukaemia | 4.9 | Stomach | 3.5 |
| Multiple myeloma | 4.0 | Myeloid leukaemia | 3.4 |
| Connective and soft tissue | 3.4 | Multiple myeloma | 2.5 |
| All sites | 287.8 | All sites | 285.3 |



NOTES ON THE DATA

*Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Trachea, bronchus, and lung | 58.8 |
| Colon | 38.0 |
| Prostate | 33.7 |
| Kidney | 23.7 |
| Rectum | 20.3 |
| Stomach | 19.0 |
| Pancreas | 13.3 |
| Bladder | 12.7 |
| Liver | 11.8 |
| Other and unspecified | 10.8 |
| All sites | 337.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 99.4 |
| Trachea, bronchus, and lung | 46.6 |
| Colon | 38.9 |
| Rectum | 21.4 |
| Thyroid | 16.8 |
| Kidney | 16.1 |
| Corpus uteri | 12.6 |
| Cervix uteri | 9.4 |
| Stomach | 8.7 |
| Non-Hodgkin lymphoma | 8.4 |
| All sites | 363.1 |

USA, Alaska (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 12 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 93 | 1.2 | 4.8 | 3.4 | 0.23 | 0.44 | 30 | 0.4 | 1.7 | 1.2 | 0.07 | 0.15 | C01–02 |
| Mouth | 33 | 0.4 | 1.7 | 1.2 | 0.07 | 0.14 | 28 | 0.4 | 1.6 | 1.1 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 12 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | 14 | 0.2 | 0.8 | 0.6 | 0.03 | 0.05 | C07–08 |
| Tonsil | 77 | 1.0 | 4.0 | 2.9 | 0.22 | 0.35 | 12 | 0.2 | 0.7 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 22 | 0.3 | 1.1 | 0.8 | 0.06 | 0.10 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 30 | 0.4 | 1.6 | 1.1 | 0.10 | 0.14 | 10 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | C11 |
| Hypopharynx | 24 | 0.3 | 1.2 | 0.9 | 0.06 | 0.12 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 151 | 2.0 | 7.8 | 5.6 | 0.31 | 0.63 | 51 | 0.7 | 2.9 | 1.9 | 0.12 | 0.23 | C15 |
| Stomach | 176 | 2.3 | 9.1 | 6.7 | 0.34 | 0.80 | 88 | 1.3 | 5.0 | 3.5 | 0.22 | 0.38 | C16 |
| Small intestine | 41 | 0.5 | 2.1 | 1.6 | 0.09 | 0.18 | 35 | 0.5 | 2.0 | 1.4 | 0.08 | 0.17 | C17 |
| Colon | 497 | 6.6 | 25.7 | 18.6 | 1.00 | 2.20 | 469 | 6.7 | 26.6 | 18.5 | 1.00 | 2.04 | C18 |
| Rectum | 289 | 3.8 | 15.0 | 11.0 | 0.72 | 1.30 | 198 | 2.8 | 11.2 | 8.1 | 0.53 | 0.88 | C19–20 |
| Anus | 28 | 0.4 | 1.4 | 1.0 | 0.07 | 0.10 | 44 | 0.6 | 2.5 | 1.8 | 0.12 | 0.22 | C21 |
| Liver | 255 | 3.4 | 13.2 | 9.4 | 0.62 | 1.20 | 96 | 1.4 | 5.5 | 3.9 | 0.23 | 0.42 | C22 |
| Gallbladder etc. | 41 | 0.5 | 2.1 | 1.5 | 0.05 | 0.19 | 39 | 0.6 | 2.2 | 1.4 | 0.08 | 0.17 | C23–24 |
| Pancreas | 230 | 3.1 | 11.9 | 8.6 | 0.42 | 1.04 | 193 | 2.8 | 11.0 | 7.2 | 0.34 | 0.84 | C25 |
| Nose, sinuses etc. | 15 | 0.2 | 0.8 | 0.6 | 0.02 | 0.06 | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 80 | 1.1 | 4.1 | 2.9 | 0.17 | 0.39 | 15 | 0.2 | 0.9 | 0.6 | 0.02 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1027 | 13.7 | 53.2 | 38.0 | 1.48 | 4.35 | 792 | 11.4 | 45.0 | 29.5 | 1.33 | 3.69 | C33–34 |
| Other thoracic organs | 11 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 21 | 0.3 | 1.1 | 0.9 | 0.06 | 0.07 | 16 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 275 | 3.7 | 14.2 | 10.8 | 0.50 | 1.26 | 216 | 3.1 | 12.3 | 9.5 | 0.72 | 0.98 | C43 |
| Other skin | 20 | 0.3 | 1.0 | 0.8 | 0.03 | 0.06 | 22 | 0.3 | 1.2 | 0.9 | 0.04 | 0.10 | C44 |
| Mesothelioma | 26 | 0.3 | 1.3 | 1.0 | 0.02 | 0.09 | 8 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 82 | 1.1 | 4.2 | 3.4 | 0.20 | 0.35 | 44 | 0.6 | 2.5 | 2.0 | 0.13 | 0.19 | C47+C49 |
| Breast | 18 | 0.2 | 0.9 | 0.7 | 0.03 | 0.10 | 2134 | 30.6 | 121.2 | 87.9 | 5.96 | 10.34 | C50 |
| Vulva | | | | | | | 48 | 0.7 | 2.7 | 1.9 | 0.13 | 0.22 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 125 | 1.8 | 7.1 | 5.7 | 0.45 | 0.54 | C53 |
| Corpus uteri | | | | | | | 443 | 6.4 | 25.2 | 17.5 | 1.27 | 2.12 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 177 | 2.5 | 10.1 | 7.4 | 0.53 | 0.81 | C56 |
| Other female genital organs | | | | | | | 37 | 0.5 | 2.1 | 1.4 | 0.13 | 0.19 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 11 | 0.1 | 0.6 | 0.4 | 0.01 | 0.05 | | | | | | | C60 |
| Prostate | 1533 | 20.4 | 79.4 | 56.1 | 2.71 | 7.63 | | | | | | | C61 |
| Testis | 126 | 1.7 | 6.5 | 5.7 | 0.43 | 0.45 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 403 | 5.4 | 20.9 | 15.8 | 0.95 | 1.85 | 229 | 3.3 | 13.0 | 9.5 | 0.54 | 1.12 | C64 |
| Renal pelvis | 14 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | 17 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | C65 |
| Ureter | 11 | 0.1 | 0.6 | 0.4 | 0.01 | 0.01 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | C66 |
| Bladder | 513 | 6.8 | 26.6 | 19.2 | 0.69 | 2.18 | 148 | 2.1 | 8.4 | 5.5 | 0.26 | 0.66 | C67 |
| Other urinary organs | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 22 | 0.3 | 1.2 | 1.0 | 0.05 | 0.09 | C69 |
| Brain and nervous system | 137 | 1.8 | 7.1 | 6.1 | 0.42 | 0.57 | 100 | 1.4 | 5.7 | 4.6 | 0.29 | 0.43 | C70–72 |
| Thyroid | 125 | 1.7 | 6.5 | 5.0 | 0.34 | 0.55 | 342 | 4.9 | 19.4 | 16.2 | 1.24 | 1.52 | C73 |
| Adrenal gland | 9 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | 7 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 42 | 0.6 | 2.2 | 2.0 | 0.13 | 0.15 | 28 | 0.4 | 1.6 | 1.4 | 0.10 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 325 | 4.3 | 16.8 | 12.8 | 0.71 | 1.40 | 202 | 2.9 | 11.5 | 8.1 | 0.52 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 20 | 0.3 | 1.0 | 0.8 | 0.04 | 0.07 | 27 | 0.4 | 1.5 | 1.1 | 0.06 | 0.14 | C88 |
| Multiple myeloma | 104 | 1.4 | 5.4 | 4.0 | 0.17 | 0.53 | 64 | 0.9 | 3.6 | 2.5 | 0.12 | 0.32 | C90 |
| Lymphoid leukaemia | 141 | 1.9 | 7.3 | 6.1 | 0.30 | 0.62 | 83 | 1.2 | 4.7 | 4.0 | 0.20 | 0.36 | C91 |
| Myeloid leukaemia | 119 | 1.6 | 6.2 | 4.9 | 0.26 | 0.53 | 78 | 1.1 | 4.4 | 3.4 | 0.18 | 0.33 | C92–94 |
| Leukaemia unspecified | 14 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 53 | 0.7 | 2.7 | 2.0 | 0.08 | 0.26 | 40 | 0.6 | 2.3 | 1.6 | 0.08 | 0.18 | MPD |
| Myelodysplastic syndromes | 41 | 0.5 | 2.1 | 1.6 | 0.03 | 0.14 | 28 | 0.4 | 1.6 | 1.1 | 0.02 | 0.13 | MPS |
| Other and unspecified | 185 | 2.5 | 9.6 | 7.0 | 0.27 | 0.77 | 132 | 1.9 | 7.5 | 4.8 | 0.22 | 0.52 | O&U |
| All sites | 7542 | | 390.4 | 287.8 | 14.68 | 33.82 | 6993 | | 397.3 | 285.3 | 17.80 | 32.34 | C00–96 |
| All sites except C44 | 7522 | 100.0 | 389.4 | 287.0 | 14.65 | 33.76 | 6971 | 100.0 | 396.0 | 284.4 | 17.76 | 32.23 | C00–96 exc. C44 |

***USA, Alaska: Alaska Natives (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 9 | 0.8 | 2.8 | 2.7 | 0.18 | 0.37 | 6 | 0.5 | 1.9 | 1.8 | 0.10 | 0.27 | C01–02 |
| Mouth | 6 | 0.5 | 1.9 | 1.6 | 0.14 | 0.20 | 5 | 0.4 | 1.6 | 1.2 | 0.09 | 0.17 | C03–06 |
| Salivary glands | 1 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 5 | 0.4 | 1.6 | 1.4 | 0.06 | 0.16 | C07–08 |
| Tonsil | 5 | 0.5 | 1.6 | 1.4 | 0.12 | 0.18 | 2 | 0.2 | 0.6 | 0.7 | 0.03 | 0.08 | C09 |
| Other oropharynx | 3 | 0.3 | 0.9 | 0.9 | 0.11 | 0.11 | 1 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | C10 |
| Nasopharynx | 18 | 1.6 | 5.6 | 5.5 | 0.43 | 0.68 | 9 | 0.7 | 2.9 | 2.4 | 0.14 | 0.19 | C11 |
| Hypopharynx | 6 | 0.5 | 1.9 | 1.7 | 0.12 | 0.21 | 2 | 0.2 | 0.6 | 0.5 | 0.07 | 0.07 | C12–13 |
| Pharynx unspecified | 2 | 0.2 | 0.6 | 0.6 | 0.03 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 33 | 3.0 | 10.3 | 10.0 | 0.66 | 1.23 | 17 | 1.3 | 5.4 | 4.6 | 0.37 | 0.55 | C15 |
| Stomach | 62 | 5.6 | 19.3 | 19.0 | 1.16 | 2.50 | 32 | 2.5 | 10.3 | 8.7 | 0.57 | 0.89 | C16 |
| Small intestine | 2 | 0.2 | 0.6 | 0.5 | 0.06 | 0.06 | 1 | 0.1 | 0.3 | 0.4 | 0.03 | 0.03 | C17 |
| Colon | 125 | 11.4 | 38.9 | 38.0 | 2.03 | 4.62 | 144 | 11.2 | 46.1 | 38.9 | 2.11 | 4.24 | C18 |
| Rectum | 66 | 6.0 | 20.6 | 20.3 | 1.38 | 2.35 | 75 | 5.8 | 24.0 | 21.4 | 1.43 | 2.16 | C19–20 |
| Anus | 1 | 0.1 | 0.3 | 0.3 | 0.00 | 0.00 | 7 | 0.5 | 2.2 | 1.9 | 0.21 | 0.21 | C21 |
| Liver | 38 | 3.5 | 11.8 | 11.8 | 0.70 | 1.47 | 29 | 2.2 | 9.3 | 7.9 | 0.60 | 0.85 | C22 |
| Gallbladder etc. | 8 | 0.7 | 2.5 | 2.4 | 0.11 | 0.31 | 13 | 1.0 | 4.2 | 3.3 | 0.30 | 0.35 | C23–24 |
| Pancreas | 43 | 3.9 | 13.4 | 13.3 | 0.61 | 1.72 | 32 | 2.5 | 10.3 | 8.0 | 0.50 | 0.73 | C25 |
| Nose, sinuses etc. | 1 | 0.1 | 0.3 | 0.3 | 0.00 | 0.00 | 1 | 0.1 | 0.3 | 0.4 | 0.03 | 0.03 | C30–31 |
| Larynx | 16 | 1.5 | 5.0 | 4.7 | 0.15 | 0.46 | 2 | 0.2 | 0.6 | 0.6 | 0.00 | 0.13 | C32 |
| Trachea, bronchus, and lung | 193 | 17.5 | 60.1 | 58.8 | 2.31 | 7.45 | 174 | 13.5 | 55.7 | 46.6 | 2.04 | 6.19 | C33–34 |
| Other thoracic organs | 3 | 0.3 | 0.9 | 0.9 | 0.06 | 0.12 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 4 | 0.4 | 1.2 | 1.2 | 0.08 | 0.08 | 6 | 0.5 | 1.9 | 1.9 | 0.13 | 0.21 | C40–41 |
| Melanoma of skin | 9 | 0.8 | 2.8 | 2.9 | 0.18 | 0.27 | 16 | 1.2 | 5.1 | 4.8 | 0.45 | 0.50 | C43 |
| Other skin | 4 | 0.4 | 1.2 | 1.2 | 0.08 | 0.13 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 1 | 0.1 | 0.3 | 0.4 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 2 | 0.2 | 0.6 | 0.7 | 0.00 | 0.00 | 2 | 0.2 | 0.6 | 0.4 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 13 | 1.2 | 4.0 | 4.0 | 0.29 | 0.43 | 4 | 0.3 | 1.3 | 1.3 | 0.05 | 0.10 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 343 | 26.6 | 109.9 | 99.4 | 7.03 | 11.65 | C50 |
| Vulva | | | | | | | 7 | 0.5 | 2.2 | 1.6 | 0.04 | 0.11 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 1.0 | 0.8 | 0.08 | 0.08 | C52 |
| Cervix uteri | | | | | | | 32 | 2.5 | 10.3 | 9.4 | 0.68 | 0.86 | C53 |
| Corpus uteri | | | | | | | 45 | 3.5 | 14.4 | 12.6 | 0.93 | 1.45 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 20 | 1.5 | 6.4 | 5.7 | 0.42 | 0.72 | C56 |
| Other female genital organs | | | | | | | 6 | 0.5 | 1.9 | 2.0 | 0.19 | 0.19 | C57 |
| Placenta | | | | | | | 2 | 0.2 | 0.6 | 0.6 | 0.04 | 0.04 | C58 |
| Penis | 6 | 0.5 | 1.9 | 2.0 | 0.03 | 0.22 | | | | | | | C60 |
| Prostate | 110 | 10.0 | 34.3 | 33.7 | 1.42 | 4.11 | | | | | | | C61 |
| Testis | 19 | 1.7 | 5.9 | 5.5 | 0.44 | 0.44 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 77 | 7.0 | 24.0 | 23.7 | 1.45 | 2.75 | 53 | 4.1 | 17.0 | 16.1 | 1.13 | 1.99 | C64 |
| Renal pelvis | 1 | 0.1 | 0.3 | 0.3 | 0.04 | 0.04 | 1 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.2 | 0.6 | 0.5 | 0.03 | 0.03 | 1 | 0.1 | 0.3 | 0.3 | 0.00 | 0.08 | C66 |
| Bladder | 40 | 3.6 | 12.5 | 12.7 | 0.57 | 1.53 | 14 | 1.1 | 4.5 | 3.5 | 0.10 | 0.43 | C67 |
| Other urinary organs | 2 | 0.2 | 0.6 | 0.6 | 0.00 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.2 | 1.0 | 0.9 | 0.05 | 0.05 | C69 |
| Brain and nervous system | 17 | 1.5 | 5.3 | 5.3 | 0.29 | 0.35 | 10 | 0.8 | 3.2 | 3.0 | 0.25 | 0.25 | C70–72 |
| Thyroid | 18 | 1.6 | 5.6 | 5.4 | 0.31 | 0.53 | 56 | 4.3 | 17.9 | 16.8 | 1.21 | 1.59 | C73 |
| Adrenal gland | 4 | 0.4 | 1.2 | 1.2 | 0.08 | 0.08 | 1 | 0.1 | 0.3 | 0.4 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.1 | 0.3 | 0.3 | 0.00 | 0.09 | 1 | 0.1 | 0.3 | 0.3 | 0.04 | 0.04 | C75 |
| Hodgkin lymphoma | 3 | 0.3 | 0.9 | 1.0 | 0.06 | 0.06 | 4 | 0.3 | 1.3 | 1.2 | 0.10 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 29 | 2.6 | 9.0 | 8.4 | 0.55 | 0.69 | 29 | 2.2 | 9.3 | 8.4 | 0.56 | 0.94 | C82–86, C96 |
| Immunoproliferative diseases | 1 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 3 | 0.2 | 1.0 | 0.7 | 0.05 | 0.05 | C88 |
| Multiple myeloma | 11 | 1.0 | 3.4 | 3.7 | 0.08 | 0.45 | 9 | 0.7 | 2.9 | 2.5 | 0.17 | 0.32 | C90 |
| Lymphoid leukaemia | 23 | 2.1 | 7.2 | 7.2 | 0.33 | 0.67 | 15 | 1.2 | 4.8 | 4.6 | 0.21 | 0.32 | C91 |
| Myeloid leukaemia | 18 | 1.6 | 5.6 | 5.3 | 0.31 | 0.62 | 6 | 0.5 | 1.9 | 1.9 | 0.11 | 0.21 | C92–94 |
| Leukaemia unspecified | 4 | 0.4 | 1.2 | 1.3 | 0.08 | 0.08 | 1 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 3 | 0.3 | 0.9 | 1.0 | 0.04 | 0.21 | 9 | 0.7 | 2.9 | 2.7 | 0.12 | 0.32 | MPD |
| Myelodysplastic syndromes | 4 | 0.4 | 1.2 | 1.2 | 0.00 | 0.14 | 6 | 0.5 | 1.9 | 1.4 | 0.00 | 0.13 | MPS |
| Other and unspecified | 36 | 3.3 | 11.2 | 10.8 | 0.50 | 1.29 | 25 | 1.9 | 8.0 | 6.4 | 0.28 | 0.64 | O&U |
| All sites | 1104 | | 343.8 | 337.2 | 17.69 | 39.56 | 1291 | | 413.6 | 363.1 | 23.14 | 40.77 | C00–96 |
| All sites except C44 | 1100 | 100.0 | 342.6 | 335.9 | 17.61 | 39.43 | 1291 | 100.0 | 413.6 | 363.1 | 23.14 | 40.77 | C00–96 exc. C44 |

*See note following population pyramid

USA, Arizona


CONTRIBUTORS

Georgia Yee
Chris Newton



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 55.7 | Breast | 82.6 |
| Trachea, bronchus, and lung | 30.9 | Trachea, bronchus, and lung | 26.1 |
| Melanoma of skin | 21.2 | Thyroid | 17.3 |
| Bladder | 17.8 | Corpus uteri | 16.5 |
| Colon | 15.8 | Colon | 12.8 |
| Kidney | 15.0 | Melanoma of skin | 12.8 |
| Non-Hodgkin lymphoma | 11.3 | Non-Hodgkin lymphoma | 7.9 |
| Liver | 9.1 | Kidney | 7.7 |
| Rectum | 8.8 | Ovary | 7.5 |
| Pancreas | 8.4 | Pancreas | 6.0 |
| Other and unspecified | 6.9 | Other and unspecified | 5.4 |
| Lymphoid leukaemia | 5.8 | Cervix uteri | 5.2 |
| Brain and nervous system | 5.6 | Rectum | 5.1 |
| Thyroid | 5.1 | Bladder | 4.5 |
| Testis | 5.0 | Brain and nervous system | 4.1 |
| Oesophagus | 4.7 | Lymphoid leukaemia | 3.7 |
| Myeloid leukaemia | 4.6 | Myeloid leukaemia | 3.2 |
| Stomach | 4.5 | Liver | 3.1 |
| Multiple myeloma | 4.1 | Multiple myeloma | 2.6 |
| Tongue | 3.8 | Stomach | 2.5 |
| All sites | 274.3 | All sites | 258.8 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 25.6 |
| Kidney | 22.8 |
| Liver | 15.2 |
| Colon | 11.2 |
| Rectum | 8.9 |
| Trachea, bronchus, and lung | 8.7 |
| Non-Hodgkin lymphoma | 7.2 |
| Stomach | 6.7 |
| Other and unspecified | 5.6 |
| Pancreas | 5.5 |
| All sites | 165.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 35.8 |
| Corpus uteri | 16.9 |
| Kidney | 11.8 |
| Thyroid | 11.1 |
| Colon | 8.9 |
| Trachea, bronchus, and lung | 8.1 |
| Ovary | 6.3 |
| Non-Hodgkin lymphoma | 6.2 |
| Other and unspecified | 6.0 |
| Liver | 5.5 |
| All sites | 163.5 |



10 major cancers, ASR (World) per 100 000

Male


| | |
|-----------------------------|-------|
| Prostate | 27.8 |
| Trachea, bronchus, and lung | 20.2 |
| Liver | 9.8 |
| Colon | 8.9 |
| Kidney | 7.3 |
| Bladder | 7.0 |
| Non-Hodgkin lymphoma | 6.6 |
| Rectum | 6.3 |
| Stomach | 5.1 |
| Myeloid leukaemia | 4.8 |
| All sites | 145.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 60.5 |
| Trachea, bronchus, and lung | 16.7 |
| Thyroid | 14.3 |
| Corpus uteri | 10.3 |
| Colon | 8.3 |
| Non-Hodgkin lymphoma | 5.7 |
| Ovary | 5.3 |
| Liver | 4.0 |
| Pancreas | 3.9 |
| Rectum | 3.6 |
| All sites | 170.9 |

NOTES ON THE DATA

*Rates based on low numbers due to small population.




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 84.9 |
| Trachea, bronchus, and lung | 36.6 |
| Kidney | 17.3 |
| Colon | 14.2 |
| Liver | 10.3 |
| Pancreas | 9.6 |
| Non-Hodgkin lymphoma | 9.5 |
| Multiple myeloma | 8.9 |
| Bladder | 8.4 |
| Other and unspecified | 8.0 |
| All sites | 267.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 75.3 |
| Trachea, bronchus, and lung | 25.0 |
| Colon | 16.5 |
| Corpus uteri | 13.8 |
| Thyroid | 10.4 |
| Pancreas | 9.2 |
| Kidney | 6.3 |
| Multiple myeloma | 6.0 |
| Other and unspecified | 5.9 |
| Ovary | 5.6 |
| All sites | 226.2 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 55.6 |
| Trachea, bronchus, and lung | 31.6 |
| Melanoma of skin | 22.6 |
| Bladder | 18.7 |
| Colon | 16.2 |
| Kidney | 14.8 |
| Non-Hodgkin lymphoma | 11.7 |
| Rectum | 8.9 |
| Liver | 8.7 |
| Pancreas | 8.6 |
| All sites | 280.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 85.6 |
| Trachea, bronchus, and lung | 27.0 |
| Thyroid | 18.4 |
| Corpus uteri | 16.8 |
| Melanoma of skin | 14.0 |
| Colon | 13.0 |
| Non-Hodgkin lymphoma | 8.1 |
| Ovary | 7.8 |
| Kidney | 7.8 |
| Pancreas | 6.0 |
| All sites | 267.8 |

USA, Arizona (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 76 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 25 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1013 | 1.3 | 6.0 | 3.8 | 0.25 | 0.49 | 352 | 0.5 | 2.0 | 1.2 | 0.08 | 0.14 | C01–02 |
| Mouth | 367 | 0.5 | 2.2 | 1.3 | 0.08 | 0.16 | 234 | 0.3 | 1.4 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 282 | 0.4 | 1.7 | 0.9 | 0.05 | 0.09 | 167 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 644 | 0.8 | 3.8 | 2.6 | 0.21 | 0.32 | 113 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 131 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 40 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 86 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 36 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 115 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 33 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 83 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 24 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1441 | 1.8 | 8.5 | 4.7 | 0.24 | 0.59 | 371 | 0.5 | 2.2 | 1.1 | 0.06 | 0.12 | C15 |
| Stomach | 1363 | 1.7 | 8.0 | 4.5 | 0.24 | 0.52 | 807 | 1.0 | 4.7 | 2.5 | 0.15 | 0.28 | C16 |
| Small intestine | 390 | 0.5 | 2.3 | 1.3 | 0.07 | 0.16 | 379 | 0.5 | 2.2 | 1.2 | 0.07 | 0.14 | C17 |
| Colon | 4748 | 5.9 | 27.9 | 15.8 | 0.88 | 1.80 | 4527 | 5.8 | 26.3 | 12.8 | 0.69 | 1.36 | C18 |
| Rectum | 2379 | 3.0 | 14.0 | 8.8 | 0.60 | 1.01 | 1495 | 1.9 | 8.7 | 5.1 | 0.36 | 0.57 | C19–20 |
| Anus | 188 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 392 | 0.5 | 2.3 | 1.3 | 0.10 | 0.16 | C21 |
| Liver | 2459 | 3.1 | 14.5 | 9.1 | 0.67 | 1.12 | 987 | 1.3 | 5.7 | 3.1 | 0.18 | 0.36 | C22 |
| Gallbladder etc. | 508 | 0.6 | 3.0 | 1.6 | 0.07 | 0.19 | 543 | 0.7 | 3.2 | 1.5 | 0.07 | 0.18 | C23–24 |
| Pancreas | 2637 | 3.3 | 15.5 | 8.4 | 0.43 | 1.02 | 2248 | 2.9 | 13.1 | 6.0 | 0.28 | 0.68 | C25 |
| Nose, sinuses etc. | 156 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 94 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 760 | 0.9 | 4.5 | 2.5 | 0.14 | 0.32 | 169 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 10251 | 12.8 | 60.3 | 30.9 | 1.26 | 3.83 | 9796 | 12.7 | 57.0 | 26.1 | 1.11 | 3.25 | C33–34 |
| Other thoracic organs | 92 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 53 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 242 | 0.3 | 1.4 | 1.2 | 0.08 | 0.10 | 164 | 0.2 | 1.0 | 0.9 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 6350 | 7.9 | 37.4 | 21.2 | 1.11 | 2.44 | 3532 | 4.6 | 20.5 | 12.8 | 0.86 | 1.42 | C43 |
| Other skin | 336 | 0.4 | 2.0 | 1.1 | 0.05 | 0.11 | 166 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C44 |
| Mesothelioma | 274 | 0.3 | 1.6 | 0.7 | 0.02 | 0.08 | 73 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 58 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 715 | 0.9 | 4.2 | 2.8 | 0.16 | 0.28 | 470 | 0.6 | 2.7 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 238 | 0.3 | 1.4 | 0.8 | 0.05 | 0.11 | 23744 | 30.7 | 138.1 | 82.6 | 5.57 | 9.74 | C50 |
| Vulva | | | | | | | 361 | 0.5 | 2.1 | 1.1 | 0.06 | 0.12 | C51 |
| Vagina | | | | | | | 84 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1119 | 1.4 | 6.5 | 5.2 | 0.42 | 0.50 | C53 |
| Corpus uteri | | | | | | | 4617 | 6.0 | 26.9 | 16.5 | 1.22 | 2.01 | C54 |
| Uterus unspecified | | | | | | | 233 | 0.3 | 1.4 | 0.8 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 2162 | 2.8 | 12.6 | 7.5 | 0.51 | 0.84 | C56 |
| Other female genital organs | | | | | | | 252 | 0.3 | 1.5 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 125 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 16542 | 20.6 | 97.4 | 55.7 | 2.98 | 7.56 | | | | | | | C61 |
| Testis | 865 | 1.1 | 5.1 | 5.0 | 0.37 | 0.38 | | | | | | | C62 |
| Other male genital organs | 34 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 4011 | 5.0 | 23.6 | 15.0 | 0.96 | 1.83 | 2161 | 2.8 | 12.6 | 7.7 | 0.50 | 0.87 | C64 |
| Renal pelvis | 154 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | 125 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 139 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | 78 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 6194 | 7.7 | 36.5 | 17.8 | 0.63 | 2.05 | 1714 | 2.2 | 10.0 | 4.5 | 0.20 | 0.53 | C67 |
| Other urinary organs | 67 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 26 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 136 | 0.2 | 0.8 | 0.6 | 0.03 | 0.05 | 142 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 1298 | 1.6 | 7.6 | 5.6 | 0.35 | 0.54 | 994 | 1.3 | 5.8 | 4.1 | 0.25 | 0.38 | C70–72 |
| Thyroid | 1175 | 1.5 | 6.9 | 5.1 | 0.37 | 0.54 | 3661 | 4.7 | 21.3 | 17.3 | 1.35 | 1.65 | C73 |
| Adrenal gland | 63 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 54 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 22 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 427 | 0.5 | 2.5 | 2.1 | 0.14 | 0.18 | 337 | 0.4 | 2.0 | 1.7 | 0.11 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 3212 | 4.0 | 18.9 | 11.3 | 0.62 | 1.24 | 2521 | 3.3 | 14.7 | 7.9 | 0.44 | 0.86 | C82–86, C96 |
| Immunoproliferative diseases | 190 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | 205 | 0.3 | 1.2 | 0.6 | 0.03 | 0.07 | C88 |
| Multiple myeloma | 1260 | 1.6 | 7.4 | 4.1 | 0.22 | 0.50 | 888 | 1.1 | 5.2 | 2.6 | 0.14 | 0.31 | C90 |
| Lymphoid leukaemia | 1415 | 1.8 | 8.3 | 5.8 | 0.30 | 0.55 | 856 | 1.1 | 5.0 | 3.7 | 0.20 | 0.30 | C91 |
| Myeloid leukaemia | 1278 | 1.6 | 7.5 | 4.6 | 0.24 | 0.48 | 905 | 1.2 | 5.3 | 3.2 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 130 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 117 | 0.2 | 0.7 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 484 | 0.6 | 2.8 | 1.6 | 0.09 | 0.19 | 383 | 0.5 | 2.2 | 1.2 | 0.07 | 0.13 | MPD |
| Myelodysplastic syndromes | 800 | 1.0 | 4.7 | 2.1 | 0.05 | 0.21 | 527 | 0.7 | 3.1 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 2195 | 2.7 | 12.9 | 6.9 | 0.34 | 0.79 | 1998 | 2.6 | 11.6 | 5.4 | 0.26 | 0.59 | O&U |
| All sites | 80598 | | 474.4 | 274.3 | 14.74 | 32.56 | 77582 | | 451.4 | 258.8 | 16.17 | 29.23 | C00–96 |
| All sites except C44 | 80262 | 100.0 | 472.4 | 273.2 | 14.69 | 32.45 | 77416 | 100.0 | 450.4 | 258.3 | 16.15 | 29.18 | C00–96 exc. C44 |

§Includes 2 cases of unknown age

§Includes 1 case of unknown age

USA, Arizona: American Indian (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 8 | 0.5 | 0.8 | 0.9 | 0.03 | 0.11 | 5 | 0.3 | 0.5 | 0.5 | 0.04 | 0.06 | C01–02 |
| Mouth | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 5 | 0.3 | 0.5 | 0.5 | 0.01 | 0.07 | C03–06 |
| Salivary glands | 5 | 0.3 | 0.5 | 0.6 | 0.07 | 0.07 | 5 | 0.3 | 0.5 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 7 | 0.5 | 0.7 | 0.8 | 0.07 | 0.10 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C09 |
| Other oropharynx | 3 | 0.2 | 0.3 | 0.4 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 9 | 0.6 | 0.9 | 1.0 | 0.06 | 0.14 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.2 | 0.3 | 0.4 | 0.02 | 0.06 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 38 | 2.5 | 3.9 | 4.3 | 0.17 | 0.54 | 8 | 0.4 | 0.8 | 0.7 | 0.04 | 0.09 | C15 |
| Stomach | 64 | 4.2 | 6.6 | 6.7 | 0.33 | 0.67 | 53 | 2.9 | 5.4 | 4.5 | 0.28 | 0.47 | C16 |
| Small intestine | 5 | 0.3 | 0.5 | 0.5 | 0.03 | 0.05 | 9 | 0.5 | 0.9 | 0.8 | 0.04 | 0.09 | C17 |
| Colon | 104 | 6.8 | 10.8 | 11.2 | 0.69 | 1.26 | 104 | 5.7 | 10.5 | 8.9 | 0.47 | 0.97 | C18 |
| Rectum | 82 | 5.4 | 8.5 | 8.9 | 0.56 | 1.04 | 46 | 2.5 | 4.7 | 4.2 | 0.31 | 0.44 | C19–20 |
| Anus | 4 | 0.3 | 0.4 | 0.4 | 0.04 | 0.04 | 9 | 0.5 | 0.9 | 0.8 | 0.08 | 0.10 | C21 |
| Liver | 141 | 9.2 | 14.6 | 15.2 | 1.19 | 1.86 | 64 | 3.5 | 6.5 | 5.5 | 0.21 | 0.69 | C22 |
| Gallbladder etc. | 24 | 1.6 | 2.5 | 2.5 | 0.12 | 0.24 | 44 | 2.4 | 4.5 | 3.7 | 0.18 | 0.40 | C23–24 |
| Pancreas | 50 | 3.3 | 5.2 | 5.5 | 0.33 | 0.66 | 56 | 3.1 | 5.7 | 4.6 | 0.17 | 0.56 | C25 |
| Nose, sinuses etc. | 3 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 9 | 0.6 | 0.9 | 1.0 | 0.06 | 0.14 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 79 | 5.2 | 8.2 | 8.7 | 0.26 | 1.03 | 95 | 5.3 | 9.6 | 8.1 | 0.35 | 1.02 | C33–34 |
| Other thoracic organs | 5 | 0.3 | 0.5 | 0.6 | 0.05 | 0.07 | 4 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C37–38 |
| Bone | 10 | 0.7 | 1.0 | 1.1 | 0.07 | 0.09 | 6 | 0.3 | 0.6 | 0.6 | 0.03 | 0.06 | C40–41 |
| Melanoma of skin | 26 | 1.7 | 2.7 | 2.8 | 0.07 | 0.28 | 25 | 1.4 | 2.5 | 2.3 | 0.15 | 0.20 | C43 |
| Other skin | 6 | 0.4 | 0.6 | 0.7 | 0.03 | 0.08 | 7 | 0.4 | 0.7 | 0.6 | 0.04 | 0.05 | C44 |
| Mesothelioma | 4 | 0.3 | 0.4 | 0.4 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 5 | 0.3 | 0.5 | 0.5 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 23 | 1.5 | 2.4 | 2.4 | 0.14 | 0.20 | 17 | 0.9 | 1.7 | 1.6 | 0.10 | 0.14 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 391 | 21.6 | 39.6 | 35.8 | 2.45 | 4.17 | C50 |
| Vulva | | | | | | | 4 | 0.2 | 0.4 | 0.4 | 0.01 | 0.06 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.3 | 0.3 | 0.01 | 0.05 | C52 |
| Cervix uteri | | | | | | | 29 | 1.6 | 2.9 | 2.8 | 0.24 | 0.26 | C53 |
| Corpus uteri | | | | | | | 179 | 9.9 | 18.1 | 16.9 | 1.35 | 1.93 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.7 | 1.2 | 1.1 | 0.07 | 0.11 | C55 |
| Ovary | | | | | | | 70 | 3.9 | 7.1 | 6.3 | 0.39 | 0.74 | C56 |
| Other female genital organs | | | | | | | 4 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 4 | 0.3 | 0.4 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 231 | 15.1 | 24.0 | 25.6 | 0.87 | 3.31 | | | | | | | C61 |
| Testis | 43 | 2.8 | 4.5 | 4.0 | 0.29 | 0.29 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 210 | 13.8 | 21.8 | 22.8 | 1.51 | 2.66 | 129 | 7.1 | 13.1 | 11.8 | 0.84 | 1.29 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 27 | 1.8 | 2.8 | 2.9 | 0.12 | 0.34 | 11 | 0.6 | 1.1 | 1.0 | 0.06 | 0.10 | C67 |
| Other urinary organs | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 3 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 21 | 1.4 | 2.2 | 2.4 | 0.17 | 0.17 | 20 | 1.1 | 2.0 | 1.9 | 0.11 | 0.15 | C70–72 |
| Thyroid | 23 | 1.5 | 2.4 | 2.5 | 0.16 | 0.33 | 117 | 6.5 | 11.8 | 11.1 | 0.87 | 1.16 | C73 |
| Adrenal gland | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 4 | 0.3 | 0.4 | 0.4 | 0.01 | 0.03 | 5 | 0.3 | 0.5 | 0.4 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 66 | 4.3 | 6.9 | 7.2 | 0.46 | 0.78 | 71 | 3.9 | 7.2 | 6.2 | 0.35 | 0.73 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | 6 | 0.3 | 0.6 | 0.5 | 0.04 | 0.04 | C88 |
| Multiple myeloma | 50 | 3.3 | 5.2 | 5.5 | 0.31 | 0.65 | 45 | 2.5 | 4.6 | 3.9 | 0.21 | 0.53 | C90 |
| Lymphoid leukaemia | 23 | 1.5 | 2.4 | 2.6 | 0.14 | 0.21 | 19 | 1.1 | 1.9 | 1.9 | 0.09 | 0.13 | C91 |
| Myeloid leukaemia | 28 | 1.8 | 2.9 | 3.1 | 0.18 | 0.39 | 21 | 1.2 | 2.1 | 2.0 | 0.13 | 0.18 | C92–94 |
| Leukaemia unspecified | 3 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | 8 | 0.4 | 0.8 | 0.7 | 0.05 | 0.07 | C95 |
| Myeloproliferative disorders | 7 | 0.5 | 0.7 | 0.8 | 0.04 | 0.10 | 8 | 0.4 | 0.8 | 0.8 | 0.05 | 0.09 | MPD |
| Myelodysplastic syndromes | 8 | 0.5 | 0.8 | 0.9 | 0.03 | 0.12 | 12 | 0.7 | 1.2 | 1.0 | 0.03 | 0.08 | MPS |
| Other and unspecified | 54 | 3.5 | 5.6 | 5.6 | 0.22 | 0.48 | 73 | 4.0 | 7.4 | 6.0 | 0.27 | 0.64 | O&U |
| All sites | 1531 | | 159.0 | 165.9 | 9.10 | 18.93 | 1816 | | 183.8 | 163.5 | 10.35 | 18.24 | C00–96 |
| All sites except C44 | 1525 | 100.0 | 158.4 | 165.3 | 9.07 | 18.85 | 1809 | 100.0 | 183.0 | 162.9 | 10.31 | 18.18 | C00–96 exc. C44 |

***USA, Arizona: Asian and Pacific Islander (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 9 | 0.9 | 1.4 | 1.1 | 0.07 | 0.11 | 12 | 0.7 | 1.7 | 1.3 | 0.11 | 0.14 | C01–02 |
| Mouth | 12 | 1.2 | 1.8 | 1.6 | 0.12 | 0.15 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 3 | 0.3 | 0.5 | 0.3 | 0.02 | 0.02 | 5 | 0.3 | 0.7 | 0.6 | 0.05 | 0.05 | C07–08 |
| Tonsil | 4 | 0.4 | 0.6 | 0.6 | 0.01 | 0.10 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 2 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 5 | 0.5 | 0.8 | 0.7 | 0.06 | 0.10 | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 3 | 0.3 | 0.5 | 0.4 | 0.04 | 0.04 | 3 | 0.2 | 0.4 | 0.3 | 0.00 | 0.05 | C12–13 |
| Pharynx unspecified | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 18 | 1.7 | 2.7 | 2.4 | 0.09 | 0.24 | 6 | 0.4 | 0.8 | 0.6 | 0.04 | 0.07 | C15 |
| Stomach | 37 | 3.6 | 5.6 | 5.1 | 0.23 | 0.61 | 33 | 2.0 | 4.5 | 3.2 | 0.16 | 0.40 | C16 |
| Small intestine | 5 | 0.5 | 0.8 | 0.6 | 0.02 | 0.05 | 4 | 0.2 | 0.6 | 0.4 | 0.02 | 0.07 | C17 |
| Colon | 66 | 6.3 | 9.9 | 8.9 | 0.41 | 1.02 | 88 | 5.3 | 12.1 | 8.3 | 0.38 | 0.87 | C18 |
| Rectum | 46 | 4.4 | 6.9 | 6.3 | 0.41 | 0.78 | 36 | 2.2 | 5.0 | 3.6 | 0.20 | 0.43 | C19–20 |
| Anus | 2 | 0.2 | 0.3 | 0.3 | 0.01 | 0.05 | 4 | 0.2 | 0.6 | 0.3 | 0.02 | 0.02 | C21 |
| Liver | 72 | 6.9 | 10.8 | 9.8 | 0.51 | 1.14 | 40 | 2.4 | 5.5 | 4.0 | 0.10 | 0.41 | C22 |
| Gallbladder etc. | 12 | 1.2 | 1.8 | 1.6 | 0.03 | 0.15 | 17 | 1.0 | 2.3 | 1.8 | 0.11 | 0.27 | C23–24 |
| Pancreas | 29 | 2.8 | 4.4 | 4.0 | 0.21 | 0.41 | 41 | 2.5 | 5.6 | 3.9 | 0.14 | 0.50 | C25 |
| Nose, sinuses etc. | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 9 | 0.9 | 1.4 | 1.2 | 0.04 | 0.14 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 146 | 14.0 | 22.0 | 20.2 | 0.96 | 2.38 | 176 | 10.6 | 24.2 | 16.7 | 0.74 | 1.89 | C33–34 |
| Other thoracic organs | 6 | 0.6 | 0.9 | 0.9 | 0.05 | 0.11 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | C37–38 |
| Bone | 7 | 0.7 | 1.1 | 1.0 | 0.05 | 0.08 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 4 | 0.4 | 0.6 | 0.6 | 0.03 | 0.11 | 7 | 0.4 | 1.0 | 0.8 | 0.05 | 0.07 | C43 |
| Other skin | 4 | 0.4 | 0.6 | 0.6 | 0.02 | 0.07 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C44 |
| Mesothelioma | 3 | 0.3 | 0.5 | 0.4 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 16 | 1.5 | 2.4 | 2.5 | 0.13 | 0.22 | 17 | 1.0 | 2.3 | 2.0 | 0.11 | 0.21 | C47+C49 |
| Breast | 3 | 0.3 | 0.5 | 0.5 | 0.02 | 0.07 | 579 | 34.9 | 79.7 | 60.5 | 4.50 | 6.73 | C50 |
| Vulva | | | | | | | 3 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 28 | 1.7 | 3.9 | 3.0 | 0.27 | 0.31 | C53 |
| Corpus uteri | | | | | | | 97 | 5.9 | 13.4 | 10.3 | 0.82 | 1.14 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.4 | 0.8 | 0.6 | 0.06 | 0.06 | C55 |
| Ovary | | | | | | | 51 | 3.1 | 7.0 | 5.3 | 0.38 | 0.59 | C56 |
| Other female genital organs | | | | | | | 5 | 0.3 | 0.7 | 0.5 | 0.01 | 0.06 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 4 | 0.4 | 0.6 | 0.4 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 193 | 18.5 | 29.1 | 27.8 | 1.29 | 3.87 | | | | | | | C61 |
| Testis | 10 | 1.0 | 1.5 | 1.2 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 52 | 5.0 | 7.8 | 7.3 | 0.56 | 0.80 | 21 | 1.3 | 2.9 | 2.2 | 0.11 | 0.19 | C64 |
| Renal pelvis | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 3 | 0.2 | 0.4 | 0.3 | 0.01 | 0.01 | C65 |
| Ureter | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 3 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C66 |
| Bladder | 52 | 5.0 | 7.8 | 7.0 | 0.16 | 0.84 | 17 | 1.0 | 2.3 | 1.5 | 0.05 | 0.14 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 20 | 1.9 | 3.0 | 2.7 | 0.15 | 0.29 | 21 | 1.3 | 2.9 | 2.3 | 0.17 | 0.25 | C70–72 |
| Thyroid | 27 | 2.6 | 4.1 | 3.6 | 0.27 | 0.36 | 135 | 8.1 | 18.6 | 14.3 | 1.14 | 1.38 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 12 | 1.2 | 1.8 | 1.5 | 0.11 | 0.13 | 9 | 0.5 | 1.2 | 1.2 | 0.09 | 0.09 | C81 |
| Non-Hodgkin lymphoma | 50 | 4.8 | 7.5 | 6.6 | 0.26 | 0.81 | 56 | 3.4 | 7.7 | 5.7 | 0.30 | 0.63 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.4 | 0.6 | 0.6 | 0.01 | 0.11 | 3 | 0.2 | 0.4 | 0.2 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 9 | 0.9 | 1.4 | 1.4 | 0.06 | 0.21 | 11 | 0.7 | 1.5 | 1.1 | 0.06 | 0.12 | C90 |
| Lymphoid leukaemia | 20 | 1.9 | 3.0 | 3.2 | 0.21 | 0.24 | 15 | 0.9 | 2.1 | 2.8 | 0.15 | 0.18 | C91 |
| Myeloid leukaemia | 34 | 3.3 | 5.1 | 4.8 | 0.29 | 0.49 | 26 | 1.6 | 3.6 | 2.6 | 0.16 | 0.29 | C92–94 |
| Leukaemia unspecified | 4 | 0.4 | 0.6 | 0.6 | 0.01 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 5 | 0.5 | 0.8 | 0.8 | 0.05 | 0.05 | 10 | 0.6 | 1.4 | 1.0 | 0.06 | 0.14 | MPD |
| Myelodysplastic syndromes | 5 | 0.5 | 0.8 | 0.6 | 0.01 | 0.07 | 11 | 0.7 | 1.5 | 1.2 | 0.02 | 0.06 | MPS |
| Other and unspecified | 17 | 1.6 | 2.6 | 2.4 | 0.12 | 0.27 | 36 | 2.2 | 5.0 | 3.4 | 0.13 | 0.30 | O&U |
| All sites | 1046 | | 157.6 | 145.4 | 7.28 | 16.98 | 1659 | | 228.5 | 170.9 | 11.02 | 18.43 | C00–96 |
| All sites except C44 | 1042 | 100.0 | 157.0 | 144.9 | 7.26 | 16.90 | 1657 | 100.0 | 228.2 | 170.7 | 10.99 | 18.41 | C00–96 exc. C44 |

*See note following population pyramid

USA, Arizona: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 12 | 0.5 | 1.2 | 1.3 | 0.06 | 0.16 | 5 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C01–02 |
| Mouth | 9 | 0.4 | 0.9 | 0.9 | 0.06 | 0.14 | 3 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C07–08 |
| Tonsil | 11 | 0.4 | 1.1 | 1.2 | 0.09 | 0.15 | 3 | 0.1 | 0.3 | 0.3 | 0.04 | 0.04 | C09 |
| Other oropharynx | 5 | 0.2 | 0.5 | 0.5 | 0.02 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 6 | 0.2 | 0.6 | 0.7 | 0.03 | 0.11 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 5 | 0.2 | 0.5 | 0.6 | 0.02 | 0.10 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 21 | 0.8 | 2.2 | 2.2 | 0.09 | 0.19 | 12 | 0.5 | 1.3 | 1.2 | 0.05 | 0.15 | C15 |
| Stomach | 62 | 2.5 | 6.4 | 6.8 | 0.29 | 0.94 | 38 | 1.7 | 4.2 | 3.7 | 0.22 | 0.36 | C16 |
| Small intestine | 23 | 0.9 | 2.4 | 2.3 | 0.17 | 0.30 | 19 | 0.8 | 2.1 | 2.0 | 0.06 | 0.35 | C17 |
| Colon | 135 | 5.4 | 14.0 | 14.2 | 0.76 | 1.64 | 170 | 7.5 | 18.9 | 16.5 | 1.02 | 1.84 | C18 |
| Rectum | 67 | 2.7 | 6.9 | 6.8 | 0.51 | 0.73 | 42 | 1.9 | 4.7 | 4.1 | 0.26 | 0.40 | C19–20 |
| Anus | 5 | 0.2 | 0.5 | 0.5 | 0.04 | 0.06 | 9 | 0.4 | 1.0 | 1.0 | 0.09 | 0.11 | C21 |
| Liver | 94 | 3.8 | 9.7 | 10.3 | 0.56 | 1.38 | 34 | 1.5 | 3.8 | 3.4 | 0.18 | 0.38 | C22 |
| Gallbladder etc. | 10 | 0.4 | 1.0 | 1.1 | 0.08 | 0.16 | 14 | 0.6 | 1.6 | 1.5 | 0.09 | 0.20 | C23–24 |
| Pancreas | 90 | 3.6 | 9.3 | 9.6 | 0.60 | 1.20 | 96 | 4.2 | 10.7 | 9.2 | 0.46 | 1.02 | C25 |
| Nose, sinuses etc. | 5 | 0.2 | 0.5 | 0.5 | 0.04 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 34 | 1.4 | 3.5 | 3.7 | 0.17 | 0.53 | 8 | 0.4 | 0.9 | 0.8 | 0.06 | 0.12 | C32 |
| Trachea, bronchus, and lung | 339 | 13.6 | 35.2 | 36.6 | 1.58 | 4.66 | 256 | 11.3 | 28.5 | 25.0 | 1.23 | 3.23 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.3 | 0.04 | 0.04 | C37–38 |
| Bone | 5 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 12 | 0.5 | 1.2 | 1.2 | 0.07 | 0.17 | 14 | 0.6 | 1.6 | 1.4 | 0.04 | 0.21 | C43 |
| Other skin | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C44 |
| Mesothelioma | 3 | 0.1 | 0.3 | 0.4 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 12 | 0.5 | 1.2 | 1.1 | 0.09 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 24 | 1.0 | 2.5 | 2.6 | 0.13 | 0.26 | 16 | 0.7 | 1.8 | 1.5 | 0.09 | 0.15 | C47+C49 |
| Breast | 6 | 0.2 | 0.6 | 0.6 | 0.04 | 0.04 | 743 | 32.8 | 82.6 | 75.3 | 5.25 | 8.64 | C50 |
| Vulva | | | | | | | 4 | 0.2 | 0.4 | 0.4 | 0.01 | 0.08 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C52 |
| Cervix uteri | | | | | | | 46 | 2.0 | 5.1 | 4.8 | 0.38 | 0.48 | C53 |
| Corpus uteri | | | | | | | 136 | 6.0 | 15.1 | 13.8 | 0.89 | 1.69 | C54 |
| Uterus unspecified | | | | | | | 15 | 0.7 | 1.7 | 1.6 | 0.09 | 0.20 | C55 |
| Ovary | | | | | | | 57 | 2.5 | 6.3 | 5.6 | 0.31 | 0.60 | C56 |
| Other female genital organs | | | | | | | 7 | 0.3 | 0.8 | 0.7 | 0.02 | 0.12 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C60 |
| Prostate | 787 | 31.5 | 81.6 | 84.9 | 5.07 | 11.40 | | | | | | | C61 |
| Testis | 9 | 0.4 | 0.9 | 0.8 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 164 | 6.6 | 17.0 | 17.3 | 1.05 | 2.08 | 62 | 2.7 | 6.9 | 6.3 | 0.40 | 0.77 | C64 |
| Renal pelvis | 2 | 0.1 | 0.2 | 0.2 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 77 | 3.1 | 8.0 | 8.4 | 0.32 | 0.87 | 41 | 1.8 | 4.6 | 3.8 | 0.22 | 0.39 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 30 | 1.2 | 3.1 | 3.2 | 0.21 | 0.30 | 22 | 1.0 | 2.4 | 2.2 | 0.12 | 0.23 | C70–72 |
| Thyroid | 30 | 1.2 | 3.1 | 3.0 | 0.19 | 0.35 | 100 | 4.4 | 11.1 | 10.4 | 0.79 | 1.10 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.4 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 36 | 1.4 | 3.7 | 3.5 | 0.27 | 0.27 | 17 | 0.8 | 1.9 | 1.8 | 0.12 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 93 | 3.7 | 9.6 | 9.5 | 0.62 | 0.95 | 50 | 2.2 | 5.6 | 5.0 | 0.30 | 0.57 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | 4 | 0.2 | 0.4 | 0.4 | 0.01 | 0.07 | C88 |
| Multiple myeloma | 83 | 3.3 | 8.6 | 8.9 | 0.52 | 1.16 | 61 | 2.7 | 6.8 | 6.0 | 0.38 | 0.70 | C90 |
| Lymphoid leukaemia | 25 | 1.0 | 2.6 | 2.7 | 0.16 | 0.34 | 17 | 0.8 | 1.9 | 1.8 | 0.05 | 0.22 | C91 |
| Myeloid leukaemia | 41 | 1.6 | 4.3 | 4.2 | 0.22 | 0.34 | 33 | 1.5 | 3.7 | 3.3 | 0.22 | 0.32 | C92–94 |
| Leukaemia unspecified | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 15 | 0.6 | 1.6 | 1.6 | 0.09 | 0.22 | 9 | 0.4 | 1.0 | 0.8 | 0.04 | 0.06 | MPD |
| Myelodysplastic syndromes | 18 | 0.7 | 1.9 | 2.1 | 0.04 | 0.31 | 13 | 0.6 | 1.4 | 1.3 | 0.03 | 0.14 | MPS |
| Other and unspecified | 74 | 3.0 | 7.7 | 8.0 | 0.37 | 0.99 | 63 | 2.8 | 7.0 | 5.9 | 0.33 | 0.64 | O&U |
| All sites | 2506 | | 259.9 | 267.1 | 14.94 | 33.14 | 2265 | | 251.9 | 226.2 | 14.14 | 26.05 | C00–96 |
| All sites except C44 | 2501 | 100.0 | 259.4 | 266.6 | 14.90 | 33.10 | 2263 | 100.0 | 251.7 | 226.0 | 14.12 | 26.03 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, Arizona: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 73 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 25 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 981 | 1.3 | 6.8 | 4.1 | 0.28 | 0.52 | 328 | 0.5 | 2.3 | 1.2 | 0.08 | 0.15 | C01–02 |
| Mouth | 343 | 0.5 | 2.4 | 1.3 | 0.08 | 0.16 | 221 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 272 | 0.4 | 1.9 | 0.9 | 0.05 | 0.10 | 153 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 620 | 0.8 | 4.3 | 2.8 | 0.22 | 0.34 | 107 | 0.1 | 0.7 | 0.4 | 0.03 | 0.06 | C09 |
| Other oropharynx | 121 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 40 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 66 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 29 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 105 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 29 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 78 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 22 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1361 | 1.8 | 9.5 | 4.8 | 0.25 | 0.61 | 344 | 0.5 | 2.4 | 1.1 | 0.06 | 0.13 | C15 |
| Stomach | 1198 | 1.6 | 8.3 | 4.3 | 0.24 | 0.50 | 681 | 1.0 | 4.7 | 2.4 | 0.14 | 0.27 | C16 |
| Small intestine | 357 | 0.5 | 2.5 | 1.3 | 0.07 | 0.16 | 346 | 0.5 | 2.4 | 1.2 | 0.07 | 0.14 | C17 |
| Colon | 4436 | 5.9 | 30.8 | 16.2 | 0.91 | 1.85 | 4158 | 5.8 | 28.5 | 13.0 | 0.70 | 1.38 | C18 |
| Rectum | 2179 | 2.9 | 15.1 | 8.9 | 0.61 | 1.03 | 1369 | 1.9 | 9.4 | 5.2 | 0.38 | 0.58 | C19–20 |
| Anus | 175 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 369 | 0.5 | 2.5 | 1.4 | 0.10 | 0.17 | C21 |
| Liver | 2146 | 2.9 | 14.9 | 8.7 | 0.65 | 1.08 | 848 | 1.2 | 5.8 | 3.0 | 0.18 | 0.34 | C22 |
| Gallbladder etc. | 462 | 0.6 | 3.2 | 1.6 | 0.07 | 0.19 | 467 | 0.7 | 3.2 | 1.4 | 0.07 | 0.17 | C23–24 |
| Pancreas | 2463 | 3.3 | 17.1 | 8.6 | 0.43 | 1.04 | 2053 | 2.9 | 14.1 | 6.0 | 0.28 | 0.68 | C25 |
| Nose, sinuses etc. | 145 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 87 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 703 | 0.9 | 4.9 | 2.6 | 0.15 | 0.33 | 158 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 9677 | 13.0 | 67.2 | 31.6 | 1.30 | 3.93 | 9255 | 13.0 | 63.5 | 27.0 | 1.16 | 3.37 | C33–34 |
| Other thoracic organs | 79 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 44 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 220 | 0.3 | 1.5 | 1.3 | 0.08 | 0.11 | 154 | 0.2 | 1.1 | 1.0 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 6126 | 8.2 | 42.5 | 22.6 | 1.21 | 2.58 | 3383 | 4.7 | 23.2 | 14.0 | 0.95 | 1.54 | C43 |
| Other skin | 320 | 0.4 | 2.2 | 1.1 | 0.05 | 0.11 | 155 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C44 |
| Mesothelioma | 263 | 0.4 | 1.8 | 0.8 | 0.02 | 0.08 | 72 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 40 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 649 | 0.9 | 4.5 | 2.8 | 0.16 | 0.28 | 419 | 0.6 | 2.9 | 1.9 | 0.11 | 0.17 | C47+C49 |
| Breast | 227 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | 21958 | 30.7 | 150.7 | 85.6 | 5.78 | 10.11 | C50 |
| Vulva | | | | | | | 350 | 0.5 | 2.4 | 1.2 | 0.07 | 0.13 | C51 |
| Vagina | | | | | | | 77 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1012 | 1.4 | 6.9 | 5.5 | 0.44 | 0.53 | C53 |
| Corpus uteri | | | | | | | 4198 | 5.9 | 28.8 | 16.8 | 1.24 | 2.05 | C54 |
| Uterus unspecified | | | | | | | 199 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 1979 | 2.8 | 13.6 | 7.8 | 0.53 | 0.87 | C56 |
| Other female genital organs | | | | | | | 236 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 114 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 15097 | 20.2 | 104.8 | 55.6 | 2.99 | 7.53 | | | | | | | C61 |
| Testis | 794 | 1.1 | 5.5 | 5.5 | 0.41 | 0.42 | | | | | | | C62 |
| Other male genital organs | 32 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 3582 | 4.8 | 24.9 | 14.8 | 0.95 | 1.81 | 1947 | 2.7 | 13.4 | 7.8 | 0.51 | 0.88 | C64 |
| Renal pelvis | 151 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | 120 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 136 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | 75 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 6019 | 8.1 | 41.8 | 18.7 | 0.68 | 2.17 | 1635 | 2.3 | 11.2 | 4.7 | 0.21 | 0.56 | C67 |
| Other urinary organs | 66 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 22 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 134 | 0.2 | 0.9 | 0.7 | 0.03 | 0.06 | 138 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1220 | 1.6 | 8.5 | 6.1 | 0.38 | 0.57 | 929 | 1.3 | 6.4 | 4.4 | 0.27 | 0.41 | C70–72 |
| Thyroid | 1095 | 1.5 | 7.6 | 5.4 | 0.40 | 0.57 | 3306 | 4.6 | 22.7 | 18.4 | 1.44 | 1.74 | C73 |
| Adrenal gland | 59 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 48 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 21 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 375 | 0.5 | 2.6 | 2.2 | 0.14 | 0.18 | 306 | 0.4 | 2.1 | 1.8 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 2993 | 4.0 | 20.8 | 11.7 | 0.64 | 1.27 | 2336 | 3.3 | 16.0 | 8.1 | 0.46 | 0.88 | C82–86,C96 |
| Immunoproliferative diseases | 179 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | 192 | 0.3 | 1.3 | 0.6 | 0.03 | 0.08 | C88 |
| Multiple myeloma | 1115 | 1.5 | 7.7 | 4.0 | 0.20 | 0.48 | 770 | 1.1 | 5.3 | 2.4 | 0.13 | 0.29 | C90 |
| Lymphoid leukaemia | 1342 | 1.8 | 9.3 | 6.2 | 0.33 | 0.59 | 805 | 1.1 | 5.5 | 3.9 | 0.21 | 0.32 | C91 |
| Myeloid leukaemia | 1174 | 1.6 | 8.2 | 4.7 | 0.24 | 0.49 | 825 | 1.2 | 5.7 | 3.2 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 121 | 0.2 | 0.8 | 0.5 | 0.02 | 0.04 | 106 | 0.1 | 0.7 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 455 | 0.6 | 3.2 | 1.7 | 0.09 | 0.19 | 356 | 0.5 | 2.4 | 1.3 | 0.07 | 0.14 | MPD |
| Myelodysplastic syndromes | 767 | 1.0 | 5.3 | 2.2 | 0.05 | 0.21 | 489 | 0.7 | 3.4 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 2041 | 2.7 | 14.2 | 7.0 | 0.35 | 0.80 | 1822 | 2.6 | 12.5 | 5.4 | 0.26 | 0.59 | O&U |
| All sites | 74967 | | 520.6 | 280.7 | 15.16 | 33.22 | 71578 | | 491.1 | 267.8 | 16.80 | 30.18 | C00–96 |
| All sites except C44 | 74647 | 100.0 | 518.4 | 279.5 | 15.11 | 33.10 | 71423 | 100.0 | 490.0 | 267.3 | 16.77 | 30.13 | C00–96 exc. C44 |


§Includes 1 case of unknown age

§Includes 1 case of unknown age

USA, Arkansas


CONTRIBUTORS

Theressia C. Mitchell
Nathaniel Smith
Joseph Bates
John Senner
Abby Holt



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 79.4 | Breast | 85.6 |
| Trachea, bronchus, and lung | 60.7 | Trachea, bronchus, and lung | 41.6 |
| Colon | 23.0 | Colon | 18.7 |
| Bladder | 20.0 | Corpus uteri | 17.8 |
| Kidney | 18.5 | Thyroid | 14.5 |
| Melanoma of skin | 18.2 | Melanoma of skin | 12.7 |
| Non-Hodgkin lymphoma | 13.3 | Kidney | 9.8 |
| Rectum | 11.4 | Non-Hodgkin lymphoma | 9.2 |
| Pancreas | 9.4 | Ovary | 8.0 |
| Liver | 8.9 | Cervix uteri | 7.5 |
| Lymphoid leukaemia | 8.1 | Rectum | 6.5 |
| Other and unspecified | 6.9 | Pancreas | 6.4 |
| Brain and nervous system | 6.8 | Bladder | 4.9 |
| Stomach | 5.8 | Other and unspecified | 4.8 |
| Oesophagus | 5.4 | Brain and nervous system | 4.6 |
| Myeloid leukaemia | 5.2 | Lymphoid leukaemia | 4.6 |
| Multiple myeloma | 5.1 | Myeloid leukaemia | 4.0 |
| Thyroid | 4.9 | Multiple myeloma | 3.6 |
| Testis | 4.7 | Stomach | 2.8 |
| Tongue | 4.7 | Liver | 2.8 |
| All sites | 361.7 | All sites | 300.7 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 136.5 |
| Trachea, bronchus, and lung | 71.8 |
| Colon | 29.6 |
| Kidney | 19.4 |
| Liver | 11.9 |
| Pancreas | 11.7 |
| Rectum | 11.2 |
| Bladder | 11.2 |
| Non-Hodgkin lymphoma | 10.8 |
| Multiple myeloma | 10.4 |
| All sites | 414.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 90.7 |
| Trachea, bronchus, and lung | 34.8 |
| Colon | 23.6 |
| Corpus uteri | 18.1 |
| Kidney | 10.9 |
| Pancreas | 9.7 |
| Thyroid | 9.5 |
| Cervix uteri | 8.1 |
| Multiple myeloma | 8.1 |
| Rectum | 6.7 |
| All sites | 290.0 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 70.2 |
| Trachea, bronchus, and lung | 59.4 |
| Colon | 22.1 |
| Bladder | 21.2 |
| Melanoma of skin | 20.1 |
| Kidney | 18.5 |
| Non-Hodgkin lymphoma | 13.5 |
| Rectum | 11.3 |
| Pancreas | 9.1 |
| Lymphoid leukaemia | 8.3 |
| All sites | 353.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 83.7 |
| Trachea, bronchus, and lung | 42.8 |
| Colon | 17.9 |
| Corpus uteri | 17.8 |
| Thyroid | 15.4 |
| Melanoma of skin | 14.5 |
| Kidney | 9.7 |
| Non-Hodgkin lymphoma | 9.4 |
| Ovary | 8.3 |
| Cervix uteri | 7.2 |
| All sites | 301.0 |

USA, Arkansas (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 90 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | 24 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 541 | 1.2 | 7.4 | 4.7 | 0.36 | 0.58 | 195 | 0.5 | 2.6 | 1.5 | 0.10 | 0.17 | C01–02 |
| Mouth | 267 | 0.6 | 3.6 | 2.2 | 0.14 | 0.26 | 177 | 0.4 | 2.3 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 147 | 0.3 | 2.0 | 1.1 | 0.04 | 0.11 | 96 | 0.2 | 1.3 | 0.9 | 0.06 | 0.09 | C07–08 |
| Tonsil | 441 | 1.0 | 6.0 | 4.0 | 0.34 | 0.50 | 108 | 0.3 | 1.4 | 0.9 | 0.07 | 0.10 | C09 |
| Other oropharynx | 88 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 60 | 0.1 | 0.8 | 0.6 | 0.05 | 0.06 | 22 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 111 | 0.2 | 1.5 | 0.9 | 0.06 | 0.12 | 30 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 42 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 18 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 675 | 1.5 | 9.2 | 5.4 | 0.34 | 0.68 | 147 | 0.4 | 1.9 | 1.0 | 0.07 | 0.11 | C15 |
| Stomach | 730 | 1.6 | 10.0 | 5.8 | 0.33 | 0.70 | 409 | 1.0 | 5.4 | 2.8 | 0.17 | 0.32 | C16 |
| Small intestine | 262 | 0.6 | 3.6 | 2.2 | 0.15 | 0.27 | 221 | 0.6 | 2.9 | 1.7 | 0.12 | 0.20 | C17 |
| Colon | 2877 | 6.4 | 39.3 | 23.0 | 1.35 | 2.66 | 2766 | 7.0 | 36.5 | 18.7 | 1.08 | 2.10 | C18 |
| Rectum | 1315 | 2.9 | 18.0 | 11.4 | 0.79 | 1.34 | 868 | 2.2 | 11.5 | 6.5 | 0.46 | 0.75 | C19–20 |
| Anus | 130 | 0.3 | 1.8 | 1.2 | 0.09 | 0.14 | 242 | 0.6 | 3.2 | 1.9 | 0.14 | 0.23 | C21 |
| Liver | 1073 | 2.4 | 14.7 | 8.9 | 0.63 | 1.11 | 397 | 1.0 | 5.2 | 2.8 | 0.17 | 0.32 | C22 |
| Gallbladder etc. | 204 | 0.5 | 2.8 | 1.5 | 0.08 | 0.18 | 234 | 0.6 | 3.1 | 1.5 | 0.08 | 0.18 | C23–24 |
| Pancreas | 1230 | 2.7 | 16.8 | 9.4 | 0.52 | 1.14 | 1079 | 2.7 | 14.2 | 6.4 | 0.32 | 0.73 | C25 |
| Nose, sinuses etc. | 62 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 48 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 577 | 1.3 | 7.9 | 4.7 | 0.31 | 0.60 | 173 | 0.4 | 2.3 | 1.4 | 0.10 | 0.17 | C32 |
| Trachea, bronchus, and lung | 8164 | 18.2 | 111.6 | 60.7 | 2.91 | 7.77 | 6336 | 15.9 | 83.6 | 41.6 | 2.15 | 5.44 | C33–34 |
| Other thoracic organs | 35 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 105 | 0.2 | 1.4 | 1.2 | 0.08 | 0.11 | 80 | 0.2 | 1.1 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 2283 | 5.1 | 31.2 | 18.2 | 0.97 | 2.05 | 1472 | 3.7 | 19.4 | 12.7 | 0.92 | 1.32 | C43 |
| Other skin | 161 | 0.4 | 2.2 | 1.2 | 0.05 | 0.12 | 97 | 0.2 | 1.3 | 0.8 | 0.05 | 0.07 | C44 |
| Mesothelioma | 96 | 0.2 | 1.3 | 0.7 | 0.02 | 0.08 | 29 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 27 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 290 | 0.6 | 4.0 | 2.7 | 0.16 | 0.26 | 236 | 0.6 | 3.1 | 2.1 | 0.13 | 0.20 | C47+C49 |
| Breast | 103 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | 10962 | 27.6 | 144.6 | 85.6 | 5.88 | 10.07 | C50 |
| Vulva | | | | | | | 273 | 0.7 | 3.6 | 2.2 | 0.17 | 0.24 | C51 |
| Vagina | | | | | | | 85 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 730 | 1.8 | 9.6 | 7.5 | 0.61 | 0.73 | C53 |
| Corpus uteri | | | | | | | 2206 | 5.5 | 29.1 | 17.8 | 1.35 | 2.15 | C54 |
| Uterus unspecified | | | | | | | 79 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 1026 | 2.6 | 13.5 | 8.0 | 0.55 | 0.87 | C56 |
| Other female genital organs | | | | | | | 73 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 88 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 10092 | 22.5 | 137.9 | 79.4 | 4.43 | 10.94 | | | | | | | C61 |
| Testis | 354 | 0.8 | 4.8 | 4.7 | 0.37 | 0.37 | | | | | | | C62 |
| Other male genital organs | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 2149 | 4.8 | 29.4 | 18.5 | 1.19 | 2.20 | 1247 | 3.1 | 16.5 | 9.8 | 0.63 | 1.15 | C64 |
| Renal pelvis | 96 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | 60 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 73 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 2831 | 6.3 | 38.7 | 20.0 | 0.81 | 2.29 | 803 | 2.0 | 10.6 | 4.9 | 0.23 | 0.56 | C67 |
| Other urinary organs | 36 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 15 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 69 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | 54 | 0.1 | 0.7 | 0.6 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 651 | 1.4 | 8.9 | 6.8 | 0.43 | 0.66 | 487 | 1.2 | 6.4 | 4.6 | 0.28 | 0.44 | C70–72 |
| Thyroid | 495 | 1.1 | 6.8 | 4.9 | 0.34 | 0.52 | 1379 | 3.5 | 18.2 | 14.5 | 1.14 | 1.40 | C73 |
| Adrenal gland | 35 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | 36 | 0.1 | 0.5 | 0.5 | 0.02 | 0.03 | C74 |
| Other endocrine | 14 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 222 | 0.5 | 3.0 | 2.7 | 0.19 | 0.23 | 184 | 0.5 | 2.4 | 2.2 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 1635 | 3.6 | 22.3 | 13.3 | 0.70 | 1.49 | 1323 | 3.3 | 17.5 | 9.2 | 0.51 | 1.04 | C82–86,C96 |
| Immunoproliferative diseases | 81 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 103 | 0.3 | 1.4 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 691 | 1.5 | 9.4 | 5.1 | 0.26 | 0.61 | 561 | 1.4 | 7.4 | 3.6 | 0.19 | 0.44 | C90 |
| Lymphoid leukaemia | 904 | 2.0 | 12.4 | 8.1 | 0.43 | 0.84 | 563 | 1.4 | 7.4 | 4.6 | 0.24 | 0.46 | C91 |
| Myeloid leukaemia | 632 | 1.4 | 8.6 | 5.2 | 0.26 | 0.55 | 502 | 1.3 | 6.6 | 4.0 | 0.24 | 0.40 | C92–94 |
| Leukaemia unspecified | 55 | 0.1 | 0.8 | 0.4 | 0.01 | 0.03 | 43 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 390 | 0.9 | 5.3 | 3.4 | 0.21 | 0.35 | 343 | 0.9 | 4.5 | 2.5 | 0.15 | 0.29 | MPD |
| Myelodysplastic syndromes | 412 | 0.9 | 5.6 | 2.7 | 0.07 | 0.27 | 314 | 0.8 | 4.1 | 1.8 | 0.07 | 0.20 | MPS |
| Other and unspecified | 897 | 2.0 | 12.3 | 6.9 | 0.38 | 0.82 | 782 | 2.0 | 10.3 | 4.8 | 0.26 | 0.53 | O&U |
| All sites | 45096 | | 616.3 | 361.7 | 20.27 | 43.88 | 39852 | | 525.8 | 300.7 | 19.30 | 34.47 | C00–96 |
| All sites except C44 | 44935 | 100.0 | 614.1 | 360.5 | 20.22 | 43.76 | 39755 | 100.0 | 524.6 | 300.0 | 19.25 | 34.41 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, Arkansas: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 44 | 0.8 | 3.8 | 3.2 | 0.26 | 0.40 | 10 | 0.2 | 0.8 | 0.6 | 0.06 | 0.07 | C01–02 |
| Mouth | 29 | 0.5 | 2.5 | 2.1 | 0.15 | 0.28 | 18 | 0.4 | 1.4 | 1.0 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 10 | 0.2 | 0.9 | 0.8 | 0.06 | 0.07 | 22 | 0.4 | 1.7 | 1.5 | 0.12 | 0.14 | C07–08 |
| Tonsil | 37 | 0.7 | 3.2 | 2.7 | 0.22 | 0.34 | 10 | 0.2 | 0.8 | 0.6 | 0.05 | 0.09 | C09 |
| Other oropharynx | 8 | 0.1 | 0.7 | 0.6 | 0.04 | 0.09 | 6 | 0.1 | 0.5 | 0.4 | 0.01 | 0.06 | C10 |
| Nasopharynx | 7 | 0.1 | 0.6 | 0.6 | 0.05 | 0.05 | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 26 | 0.5 | 2.3 | 1.9 | 0.14 | 0.26 | 9 | 0.2 | 0.7 | 0.5 | 0.04 | 0.07 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 65 | 1.1 | 5.7 | 4.7 | 0.32 | 0.59 | 27 | 0.5 | 2.1 | 1.6 | 0.12 | 0.20 | C15 |
| Stomach | 140 | 2.5 | 12.2 | 10.4 | 0.52 | 1.37 | 81 | 1.6 | 6.4 | 4.5 | 0.28 | 0.52 | C16 |
| Small intestine | 28 | 0.5 | 2.4 | 2.0 | 0.16 | 0.21 | 39 | 0.8 | 3.1 | 2.3 | 0.19 | 0.26 | C17 |
| Colon | 411 | 7.2 | 35.8 | 29.6 | 1.90 | 3.45 | 418 | 8.5 | 33.2 | 23.6 | 1.40 | 2.82 | C18 |
| Rectum | 153 | 2.7 | 13.3 | 11.2 | 0.80 | 1.35 | 118 | 2.4 | 9.4 | 6.7 | 0.44 | 0.72 | C19–20 |
| Anus | 16 | 0.3 | 1.4 | 1.3 | 0.08 | 0.15 | 13 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | C21 |
| Liver | 167 | 2.9 | 14.5 | 11.9 | 0.83 | 1.53 | 51 | 1.0 | 4.1 | 3.0 | 0.19 | 0.36 | C22 |
| Gallbladder etc. | 21 | 0.4 | 1.8 | 1.5 | 0.05 | 0.18 | 30 | 0.6 | 2.4 | 1.6 | 0.07 | 0.20 | C23–24 |
| Pancreas | 163 | 2.9 | 14.2 | 11.7 | 0.71 | 1.33 | 190 | 3.9 | 15.1 | 9.7 | 0.44 | 1.13 | C25 |
| Nose, sinuses etc. | 5 | 0.1 | 0.4 | 0.4 | 0.02 | 0.07 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 93 | 1.6 | 8.1 | 6.6 | 0.40 | 0.80 | 22 | 0.4 | 1.7 | 1.3 | 0.10 | 0.17 | C32 |
| Trachea, bronchus, and lung | 1006 | 17.7 | 87.5 | 71.8 | 3.71 | 9.29 | 623 | 12.7 | 49.5 | 34.8 | 1.99 | 4.59 | C33–34 |
| Other thoracic organs | 5 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 5 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C37–38 |
| Bone | 13 | 0.2 | 1.1 | 1.1 | 0.06 | 0.09 | 9 | 0.2 | 0.7 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 15 | 0.3 | 1.3 | 1.1 | 0.04 | 0.15 | 15 | 0.3 | 1.2 | 0.8 | 0.04 | 0.07 | C43 |
| Other skin | 21 | 0.4 | 1.8 | 1.7 | 0.09 | 0.18 | 14 | 0.3 | 1.1 | 1.0 | 0.08 | 0.08 | C44 |
| Mesothelioma | 4 | 0.1 | 0.3 | 0.3 | 0.00 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 8 | 0.1 | 0.7 | 0.6 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 43 | 0.8 | 3.7 | 3.4 | 0.23 | 0.33 | 34 | 0.7 | 2.7 | 2.3 | 0.16 | 0.21 | C47+C49 |
| Breast | 21 | 0.4 | 1.8 | 1.6 | 0.09 | 0.14 | 1485 | 30.2 | 118.0 | 90.7 | 6.81 | 10.32 | C50 |
| Vulva | | | | | | | 25 | 0.5 | 2.0 | 1.4 | 0.11 | 0.17 | C51 |
| Vagina | | | | | | | 15 | 0.3 | 1.2 | 0.8 | 0.03 | 0.09 | C52 |
| Cervix uteri | | | | | | | 122 | 2.5 | 9.7 | 8.1 | 0.61 | 0.79 | C53 |
| Corpus uteri | | | | | | | 308 | 6.3 | 24.5 | 18.1 | 1.23 | 2.42 | C54 |
| Uterus unspecified | | | | | | | 19 | 0.4 | 1.5 | 1.0 | 0.04 | 0.11 | C55 |
| Ovary | | | | | | | 107 | 2.2 | 8.5 | 6.2 | 0.42 | 0.64 | C56 |
| Other female genital organs | | | | | | | 9 | 0.2 | 0.7 | 0.6 | 0.02 | 0.07 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 8 | 0.1 | 0.7 | 0.6 | 0.02 | 0.09 | | | | | | | C60 |
| Prostate | 1904 | 33.5 | 165.6 | 136.5 | 8.75 | 18.42 | | | | | | | C61 |
| Testis | 14 | 0.2 | 1.2 | 1.1 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 260 | 4.6 | 22.6 | 19.4 | 1.32 | 2.26 | 188 | 3.8 | 14.9 | 10.9 | 0.66 | 1.31 | C64 |
| Renal pelvis | 7 | 0.1 | 0.6 | 0.5 | 0.04 | 0.06 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 157 | 2.8 | 13.7 | 11.2 | 0.48 | 1.35 | 75 | 1.5 | 6.0 | 3.9 | 0.20 | 0.46 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 57 | 1.0 | 5.0 | 4.5 | 0.28 | 0.42 | 35 | 0.7 | 2.8 | 2.4 | 0.15 | 0.24 | C70–72 |
| Thyroid | 39 | 0.7 | 3.4 | 3.0 | 0.20 | 0.32 | 142 | 2.9 | 11.3 | 9.5 | 0.76 | 0.97 | C73 |
| Adrenal gland | 4 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 7 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | C74 |
| Other endocrine | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 39 | 0.7 | 3.4 | 3.4 | 0.24 | 0.27 | 30 | 0.6 | 2.4 | 2.2 | 0.17 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 141 | 2.5 | 12.3 | 10.8 | 0.66 | 1.24 | 114 | 2.3 | 9.1 | 6.7 | 0.40 | 0.78 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.1 | 0.6 | 0.5 | 0.03 | 0.06 | 9 | 0.2 | 0.7 | 0.5 | 0.05 | 0.07 | C88 |
| Multiple myeloma | 145 | 2.6 | 12.6 | 10.4 | 0.51 | 1.28 | 142 | 2.9 | 11.3 | 8.1 | 0.46 | 1.00 | C90 |
| Lymphoid leukaemia | 87 | 1.5 | 7.6 | 6.9 | 0.28 | 0.74 | 67 | 1.4 | 5.3 | 4.0 | 0.25 | 0.46 | C91 |
| Myeloid leukaemia | 60 | 1.1 | 5.2 | 4.6 | 0.31 | 0.42 | 50 | 1.0 | 4.0 | 3.1 | 0.23 | 0.30 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 6 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 45 | 0.8 | 3.9 | 3.5 | 0.20 | 0.40 | 36 | 0.7 | 2.9 | 2.1 | 0.14 | 0.24 | MPD |
| Myelodysplastic syndromes | 41 | 0.7 | 3.6 | 2.9 | 0.09 | 0.33 | 37 | 0.8 | 2.9 | 2.0 | 0.10 | 0.24 | MPS |
| Other and unspecified | 110 | 1.9 | 9.6 | 8.0 | 0.43 | 1.02 | 114 | 2.3 | 9.1 | 6.1 | 0.33 | 0.69 | O&U |
| All sites | 5702 | | 496.0 | 414.4 | 25.05 | 51.77 | 4927 | | 391.4 | 290.0 | 19.25 | 33.76 | C00–96 |
| All sites except C44 | 5681 | 100.0 | 494.2 | 412.8 | 24.97 | 51.59 | 4913 | 100.0 | 390.3 | 289.0 | 19.17 | 33.69 | C00–96 exc. C44 |

USA, Arkansas: White (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 88 | 0.2 | 1.5 | 0.7 | 0.04 | 0.08 | 24 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 487 | 1.3 | 8.2 | 5.0 | 0.38 | 0.60 | 183 | 0.5 | 3.0 | 1.6 | 0.11 | 0.19 | C01–02 |
| Mouth | 228 | 0.6 | 3.8 | 2.1 | 0.13 | 0.26 | 153 | 0.5 | 2.5 | 1.1 | 0.05 | 0.12 | C03–06 |
| Salivary glands | 134 | 0.3 | 2.3 | 1.1 | 0.04 | 0.11 | 72 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 399 | 1.0 | 6.7 | 4.3 | 0.37 | 0.53 | 95 | 0.3 | 1.6 | 0.9 | 0.08 | 0.10 | C09 |
| Other oropharynx | 78 | 0.2 | 1.3 | 0.7 | 0.05 | 0.09 | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 52 | 0.1 | 0.9 | 0.6 | 0.05 | 0.06 | 17 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 84 | 0.2 | 1.4 | 0.8 | 0.05 | 0.11 | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 37 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 17 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C14 |
| Oesophagus | 601 | 1.6 | 10.1 | 5.5 | 0.35 | 0.69 | 119 | 0.4 | 2.0 | 0.9 | 0.06 | 0.10 | C15 |
| Stomach | 575 | 1.5 | 9.7 | 5.2 | 0.30 | 0.62 | 317 | 0.9 | 5.2 | 2.5 | 0.15 | 0.28 | C16 |
| Small intestine | 231 | 0.6 | 3.9 | 2.2 | 0.15 | 0.27 | 171 | 0.5 | 2.8 | 1.5 | 0.10 | 0.18 | C17 |
| Colon | 2411 | 6.3 | 40.6 | 22.1 | 1.26 | 2.54 | 2289 | 6.8 | 37.6 | 17.9 | 1.02 | 1.99 | C18 |
| Rectum | 1127 | 2.9 | 19.0 | 11.3 | 0.78 | 1.33 | 720 | 2.1 | 11.8 | 6.3 | 0.44 | 0.74 | C19–20 |
| Anus | 112 | 0.3 | 1.9 | 1.2 | 0.09 | 0.14 | 223 | 0.7 | 3.7 | 2.1 | 0.16 | 0.25 | C21 |
| Liver | 875 | 2.3 | 14.7 | 8.3 | 0.58 | 1.04 | 333 | 1.0 | 5.5 | 2.7 | 0.17 | 0.32 | C22 |
| Gallbladder etc. | 181 | 0.5 | 3.0 | 1.6 | 0.09 | 0.19 | 197 | 0.6 | 3.2 | 1.4 | 0.07 | 0.17 | C23–24 |
| Pancreas | 1053 | 2.7 | 17.7 | 9.1 | 0.48 | 1.12 | 880 | 2.6 | 14.5 | 6.0 | 0.31 | 0.68 | C25 |
| Nose, sinuses etc. | 57 | 0.1 | 1.0 | 0.5 | 0.03 | 0.06 | 44 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 477 | 1.2 | 8.0 | 4.5 | 0.30 | 0.58 | 150 | 0.4 | 2.5 | 1.4 | 0.10 | 0.17 | C32 |
| Trachea, bronchus, and lung | 7069 | 18.4 | 118.9 | 59.4 | 2.81 | 7.60 | 5634 | 16.6 | 92.5 | 42.8 | 2.22 | 5.60 | C33–34 |
| Other thoracic organs | 30 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 26 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 88 | 0.2 | 1.5 | 1.2 | 0.08 | 0.11 | 68 | 0.2 | 1.1 | 1.0 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 2187 | 5.7 | 36.8 | 20.1 | 1.09 | 2.27 | 1386 | 4.1 | 22.8 | 14.5 | 1.06 | 1.50 | C43 |
| Other skin | 139 | 0.4 | 2.3 | 1.1 | 0.04 | 0.12 | 76 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | C44 |
| Mesothelioma | 90 | 0.2 | 1.5 | 0.7 | 0.03 | 0.08 | 28 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 18 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 240 | 0.6 | 4.0 | 2.6 | 0.14 | 0.25 | 198 | 0.6 | 3.3 | 2.1 | 0.12 | 0.20 | C47+C49 |
| Breast | 78 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 9176 | 27.1 | 150.7 | 83.7 | 5.69 | 9.90 | C50 |
| Vulva | | | | | | | 244 | 0.7 | 4.0 | 2.3 | 0.18 | 0.26 | C51 |
| Vagina | | | | | | | 70 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 571 | 1.7 | 9.4 | 7.2 | 0.59 | 0.70 | C53 |
| Corpus uteri | | | | | | | 1839 | 5.4 | 30.2 | 17.8 | 1.37 | 2.12 | C54 |
| Uterus unspecified | | | | | | | 58 | 0.2 | 1.0 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 895 | 2.6 | 14.7 | 8.3 | 0.57 | 0.90 | C56 |
| Other female genital organs | | | | | | | 62 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 80 | 0.2 | 1.3 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 7893 | 20.6 | 132.8 | 70.2 | 3.70 | 9.74 | | | | | | | C61 |
| Testis | 333 | 0.9 | 5.6 | 5.6 | 0.43 | 0.44 | | | | | | | C62 |
| Other male genital organs | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1858 | 4.8 | 31.3 | 18.5 | 1.18 | 2.20 | 1035 | 3.1 | 17.0 | 9.7 | 0.63 | 1.14 | C64 |
| Renal pelvis | 88 | 0.2 | 1.5 | 0.7 | 0.03 | 0.08 | 56 | 0.2 | 0.9 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 72 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | 31 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 2646 | 6.9 | 44.5 | 21.2 | 0.89 | 2.43 | 710 | 2.1 | 11.7 | 4.9 | 0.23 | 0.57 | C67 |
| Other urinary organs | 33 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 65 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | 53 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 587 | 1.5 | 9.9 | 7.3 | 0.47 | 0.71 | 445 | 1.3 | 7.3 | 5.2 | 0.32 | 0.48 | C70–72 |
| Thyroid | 449 | 1.2 | 7.6 | 5.2 | 0.36 | 0.56 | 1183 | 3.5 | 19.4 | 15.4 | 1.20 | 1.48 | C73 |
| Adrenal gland | 30 | 0.1 | 0.5 | 0.6 | 0.03 | 0.04 | 29 | 0.1 | 0.5 | 0.5 | 0.02 | 0.04 | C74 |
| Other endocrine | 10 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 10 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 180 | 0.5 | 3.0 | 2.7 | 0.18 | 0.22 | 148 | 0.4 | 2.4 | 2.1 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 1455 | 3.8 | 24.5 | 13.5 | 0.70 | 1.51 | 1168 | 3.5 | 19.2 | 9.4 | 0.52 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 73 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 91 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 531 | 1.4 | 8.9 | 4.4 | 0.22 | 0.52 | 405 | 1.2 | 6.7 | 2.9 | 0.14 | 0.35 | C90 |
| Lymphoid leukaemia | 790 | 2.1 | 13.3 | 8.3 | 0.45 | 0.85 | 474 | 1.4 | 7.8 | 4.7 | 0.24 | 0.45 | C91 |
| Myeloid leukaemia | 551 | 1.4 | 9.3 | 5.2 | 0.24 | 0.55 | 431 | 1.3 | 7.1 | 4.0 | 0.23 | 0.41 | C92–94 |
| Leukaemia unspecified | 49 | 0.1 | 0.8 | 0.4 | 0.01 | 0.03 | 34 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 328 | 0.9 | 5.5 | 3.3 | 0.21 | 0.34 | 298 | 0.9 | 4.9 | 2.6 | 0.16 | 0.30 | MPD |
| Myelodysplastic syndromes | 365 | 1.0 | 6.1 | 2.6 | 0.07 | 0.26 | 266 | 0.8 | 4.4 | 1.7 | 0.06 | 0.19 | MPS |
| Other and unspecified | 768 | 2.0 | 12.9 | 6.8 | 0.37 | 0.80 | 658 | 1.9 | 10.8 | 4.7 | 0.25 | 0.52 | O&U |
| All sites | 38468 | | 647.2 | 353.1 | 19.50 | 42.64 | 33924 | | 557.1 | 301.0 | 19.25 | 34.42 | C00–96 |
| All sites except C44 | 38329 | 100.0 | 644.9 | 352.0 | 19.45 | 42.52 | 33848 | 100.0 | 555.9 | 300.3 | 19.21 | 34.36 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, California

CONTRIBUTORS


Kurt Snipes



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 64.4 | Breast | 88.1 |
| Trachea, bronchus, and lung | 26.7 | Trachea, bronchus, and lung | 22.4 |
| Melanoma of skin | 19.3 | Corpus uteri | 18.7 |
| Colon | 16.8 | Thyroid | 16.0 |
| Bladder | 16.0 | Colon | 14.0 |
| Kidney | 13.5 | Melanoma of skin | 12.4 |
| Non-Hodgkin lymphoma | 13.4 | Non-Hodgkin lymphoma | 9.0 |
| Liver | 10.8 | Ovary | 8.2 |
| Rectum | 9.2 | Kidney | 6.7 |
| Pancreas | 8.2 | Pancreas | 6.3 |
| Lymphoid leukaemia | 7.3 | Rectum | 6.0 |
| Stomach | 6.0 | Cervix uteri | 5.7 |
| Testis | 5.9 | Other and unspecified | 4.8 |
| Brain and nervous system | 5.7 | Lymphoid leukaemia | 4.5 |
| Other and unspecified | 5.4 | Brain and nervous system | 4.2 |
| Thyroid | 5.1 | Bladder | 3.9 |
| Myeloid leukaemia | 4.9 | Liver | 3.7 |
| Multiple myeloma | 4.7 | Stomach | 3.6 |
| Oesophagus | 3.7 | Myeloid leukaemia | 3.4 |
| Tongue | 3.6 | Multiple myeloma | 3.0 |
| All sites | 285.2 | All sites | 270.3 |

USA, California: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Prostate | 33.9 |
| Trachea, bronchus, and lung | 25.7 |
| Colon | 15.0 |
| Liver | 13.5 |
| Non-Hodgkin lymphoma | 10.4 |
| Rectum | 9.8 |
| Bladder | 8.2 |
| Kidney | 8.0 |
| Stomach | 7.4 |
| Pancreas | 6.3 |
| All sites | 192.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 76.3 |
| Trachea, bronchus, and lung | 16.5 |
| Thyroid | 16.3 |
| Corpus uteri | 16.1 |
| Colon | 11.8 |
| Ovary | 7.2 |
| Non-Hodgkin lymphoma | 6.9 |
| Rectum | 5.6 |
| Pancreas | 5.1 |
| Cervix uteri | 4.9 |
| All sites | 213.5 |

USA, California: Black (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 103.1 |
| Trachea, bronchus, and lung | 37.4 |
| Colon | 21.0 |
| Kidney | 16.7 |
| Liver | 13.8 |
| Bladder | 11.7 |
| Pancreas | 10.5 |
| Non-Hodgkin lymphoma | 10.3 |
| Multiple myeloma | 9.6 |
| Rectum | 8.0 |
| All sites | 314.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 86.8 |
| Trachea, bronchus, and lung | 28.3 |
| Corpus uteri | 17.9 |
| Colon | 17.9 |
| Kidney | 8.4 |
| Pancreas | 8.2 |
| Thyroid | 7.9 |
| Non-Hodgkin lymphoma | 7.2 |
| Ovary | 6.5 |
| Multiple myeloma | 6.1 |
| All sites | 260.6 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 62.5 |
| Trachea, bronchus, and lung | 26.2 |
| Melanoma of skin | 22.7 |
| Bladder | 17.7 |
| Colon | 16.9 |
| Kidney | 14.5 |
| Non-Hodgkin lymphoma | 14.1 |
| Liver | 10.1 |
| Rectum | 9.1 |
| Pancreas | 8.5 |
| All sites | 294.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 91.0 |
| Trachea, bronchus, and lung | 23.3 |
| Corpus uteri | 19.4 |
| Thyroid | 16.7 |
| Melanoma of skin | 14.7 |
| Colon | 14.2 |
| Non-Hodgkin lymphoma | 9.5 |
| Ovary | 8.6 |
| Kidney | 7.3 |
| Pancreas | 6.4 |
| All sites | 282.8 |

USA, California (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 970 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 368 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 5073 | 1.2 | 5.3 | 3.6 | 0.23 | 0.45 | 1986 | 0.5 | 2.0 | 1.2 | 0.08 | 0.14 | C01–02 |
| Mouth | 1877 | 0.5 | 1.9 | 1.3 | 0.07 | 0.15 | 1373 | 0.3 | 1.4 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 1472 | 0.4 | 1.5 | 1.0 | 0.05 | 0.11 | 970 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 3448 | 0.8 | 3.6 | 2.5 | 0.20 | 0.32 | 684 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 673 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 181 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 1017 | 0.2 | 1.1 | 0.8 | 0.06 | 0.09 | 412 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 749 | 0.2 | 0.8 | 0.5 | 0.03 | 0.07 | 179 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 234 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 70 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 5625 | 1.4 | 5.8 | 3.7 | 0.18 | 0.46 | 1702 | 0.4 | 1.7 | 0.9 | 0.04 | 0.10 | C15 |
| Stomach | 9088 | 2.2 | 9.4 | 6.0 | 0.31 | 0.69 | 6176 | 1.4 | 6.3 | 3.6 | 0.21 | 0.39 | C16 |
| Small intestine | 2098 | 0.5 | 2.2 | 1.4 | 0.08 | 0.17 | 1881 | 0.4 | 1.9 | 1.1 | 0.06 | 0.14 | C17 |
| Colon | 25248 | 6.1 | 26.2 | 16.8 | 0.91 | 1.90 | 25282 | 5.9 | 25.9 | 14.0 | 0.76 | 1.52 | C18 |
| Rectum | 12992 | 3.1 | 13.5 | 9.2 | 0.62 | 1.07 | 9399 | 2.2 | 9.6 | 6.0 | 0.42 | 0.67 | C19–20 |
| Anus | 1486 | 0.4 | 1.5 | 1.1 | 0.07 | 0.12 | 2375 | 0.6 | 2.4 | 1.5 | 0.10 | 0.18 | C21 |
| Liver | 15405 | 3.7 | 16.0 | 10.8 | 0.71 | 1.37 | 6400 | 1.5 | 6.5 | 3.7 | 0.20 | 0.44 | C22 |
| Gallbladder etc. | 3029 | 0.7 | 3.1 | 1.9 | 0.09 | 0.23 | 3641 | 0.9 | 3.7 | 1.9 | 0.10 | 0.22 | C23–24 |
| Pancreas | 12717 | 3.1 | 13.2 | 8.2 | 0.39 | 0.99 | 12026 | 2.8 | 12.3 | 6.3 | 0.29 | 0.72 | C25 |
| Nose, sinuses etc. | 802 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 509 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 3360 | 0.8 | 3.5 | 2.2 | 0.12 | 0.28 | 685 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 42777 | 10.3 | 44.3 | 26.7 | 0.99 | 3.22 | 42812 | 10.0 | 43.8 | 22.4 | 0.91 | 2.74 | C33–34 |
| Other thoracic organs | 682 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 444 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 1133 | 0.3 | 1.2 | 1.1 | 0.07 | 0.09 | 863 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 28886 | 7.0 | 29.9 | 19.3 | 1.01 | 2.24 | 18723 | 4.4 | 19.1 | 12.4 | 0.84 | 1.36 | C43 |
| Other skin | 2303 | 0.6 | 2.4 | 1.5 | 0.07 | 0.15 | 1668 | 0.4 | 1.7 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 1246 | 0.3 | 1.3 | 0.7 | 0.02 | 0.08 | 439 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 961 | 0.2 | 1.0 | 0.8 | 0.06 | 0.07 | 94 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 4515 | 1.1 | 4.7 | 3.3 | 0.18 | 0.33 | 3222 | 0.8 | 3.3 | 2.3 | 0.15 | 0.22 | C47+C49 |
| Breast | 971 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | 132956 | 31.2 | 136.0 | 88.1 | 6.05 | 10.35 | C50 |
| Vulva | | | | | | | 2207 | 0.5 | 2.3 | 1.2 | 0.06 | 0.14 | C51 |
| Vagina | | | | | | | 701 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 7297 | 1.7 | 7.5 | 5.7 | 0.45 | 0.56 | C53 |
| Corpus uteri | | | | | | | 28371 | 6.7 | 29.0 | 18.7 | 1.34 | 2.33 | C54 |
| Uterus unspecified | | | | | | | 1057 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 12423 | 2.9 | 12.7 | 8.2 | 0.56 | 0.90 | C56 |
| Other female genital organs | | | | | | | 1520 | 0.4 | 1.6 | 0.9 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 79 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 763 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 94568 | 22.8 | 98.0 | 64.4 | 3.25 | 8.85 | | | | | | | C61 |
| Testis | 6081 | 1.5 | 6.3 | 5.9 | 0.43 | 0.44 | | | | | | | C62 |
| Other male genital organs | 259 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 18920 | 4.6 | 19.6 | 13.5 | 0.82 | 1.64 | 10343 | 2.4 | 10.6 | 6.7 | 0.42 | 0.78 | C64 |
| Renal pelvis | 915 | 0.2 | 0.9 | 0.6 | 0.02 | 0.06 | 686 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 543 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 353 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 26530 | 6.4 | 27.5 | 16.0 | 0.56 | 1.80 | 7868 | 1.8 | 8.0 | 3.9 | 0.15 | 0.44 | C67 |
| Other urinary organs | 450 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 207 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 960 | 0.2 | 1.0 | 0.8 | 0.04 | 0.08 | 808 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 6845 | 1.6 | 7.1 | 5.7 | 0.35 | 0.56 | 5289 | 1.2 | 5.4 | 4.2 | 0.26 | 0.38 | C70–72 |
| Thyroid | 6524 | 1.6 | 6.8 | 5.1 | 0.37 | 0.55 | 19725 | 4.6 | 20.2 | 16.0 | 1.25 | 1.57 | C73 |
| Adrenal gland | 229 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 276 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 184 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 106 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 2423 | 0.6 | 2.5 | 2.2 | 0.15 | 0.19 | 1958 | 0.5 | 2.0 | 1.8 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 19179 | 4.6 | 19.9 | 13.4 | 0.73 | 1.47 | 14876 | 3.5 | 15.2 | 9.0 | 0.49 | 1.00 | C82–86,C96 |
| Immunoproliferative diseases | 1565 | 0.4 | 1.6 | 1.1 | 0.05 | 0.13 | 1536 | 0.4 | 1.6 | 0.9 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 7177 | 1.7 | 7.4 | 4.7 | 0.23 | 0.56 | 5330 | 1.3 | 5.5 | 3.0 | 0.16 | 0.36 | C90 |
| Lymphoid leukaemia | 8995 | 2.2 | 9.3 | 7.3 | 0.37 | 0.70 | 5886 | 1.4 | 6.0 | 4.5 | 0.23 | 0.40 | C91 |
| Myeloid leukaemia | 6769 | 1.6 | 7.0 | 4.9 | 0.24 | 0.49 | 5169 | 1.2 | 5.3 | 3.4 | 0.19 | 0.34 | C92–94 |
| Leukaemia unspecified | 400 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 354 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 3091 | 0.7 | 3.2 | 2.1 | 0.11 | 0.24 | 3173 | 0.7 | 3.2 | 1.8 | 0.10 | 0.20 | MPD |
| Myelodysplastic syndromes | 4593 | 1.1 | 4.8 | 2.6 | 0.06 | 0.25 | 3319 | 0.8 | 3.4 | 1.5 | 0.04 | 0.15 | MPS |
| Other and unspecified | 8631 | 2.1 | 8.9 | 5.4 | 0.24 | 0.59 | 9498 | 2.2 | 9.7 | 4.8 | 0.22 | 0.52 | O&U |
| All sites | 417431 | | 432.4 | 285.2 | 14.81 | 33.77 | 427935 | | 437.7 | 270.3 | 16.86 | 30.56 | C00–96 |
| All sites except C44 | 415128 | 100.0 | 430.1 | 283.7 | 14.74 | 33.62 | 426267 | 100.0 | 436.0 | 269.2 | 16.80 | 30.46 | C00–96 exc. C44 |

§Includes 9 cases of unknown age

§Includes 15 cases of unknown age

USA, California: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 12 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 333 | 0.8 | 2.3 | 1.6 | 0.10 | 0.20 | 251 | 0.5 | 1.5 | 0.9 | 0.06 | 0.11 | C01–02 |
| Mouth | 240 | 0.6 | 1.6 | 1.1 | 0.06 | 0.13 | 156 | 0.3 | 1.0 | 0.5 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 174 | 0.4 | 1.2 | 0.9 | 0.05 | 0.10 | 166 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 150 | 0.4 | 1.0 | 0.7 | 0.05 | 0.09 | 50 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 31 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 593 | 1.4 | 4.0 | 3.0 | 0.23 | 0.33 | 231 | 0.4 | 1.4 | 1.0 | 0.08 | 0.11 | C11 |
| Hypopharynx | 81 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 20 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 457 | 1.1 | 3.1 | 2.0 | 0.11 | 0.23 | 158 | 0.3 | 1.0 | 0.5 | 0.02 | 0.06 | C15 |
| Stomach | 1776 | 4.2 | 12.0 | 7.4 | 0.35 | 0.85 | 1382 | 2.5 | 8.5 | 4.5 | 0.23 | 0.47 | C16 |
| Small intestine | 192 | 0.4 | 1.3 | 0.9 | 0.04 | 0.11 | 147 | 0.3 | 0.9 | 0.5 | 0.02 | 0.06 | C17 |
| Colon | 3427 | 8.0 | 23.2 | 15.0 | 0.84 | 1.77 | 3491 | 6.3 | 21.5 | 11.8 | 0.66 | 1.33 | C18 |
| Rectum | 2121 | 5.0 | 14.3 | 9.8 | 0.66 | 1.15 | 1511 | 2.7 | 9.3 | 5.6 | 0.38 | 0.63 | C19–20 |
| Anus | 67 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 79 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 3004 | 7.0 | 20.3 | 13.5 | 0.80 | 1.66 | 1316 | 2.4 | 8.1 | 4.2 | 0.18 | 0.48 | C22 |
| Gallbladder etc. | 554 | 1.3 | 3.7 | 2.3 | 0.10 | 0.27 | 608 | 1.1 | 3.7 | 1.9 | 0.09 | 0.21 | C23–24 |
| Pancreas | 1503 | 3.5 | 10.2 | 6.3 | 0.29 | 0.72 | 1661 | 3.0 | 10.2 | 5.1 | 0.22 | 0.58 | C25 |
| Nose, sinuses etc. | 121 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | 70 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 237 | 0.6 | 1.6 | 1.0 | 0.05 | 0.12 | 32 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 6242 | 14.6 | 42.2 | 25.7 | 1.04 | 3.06 | 5112 | 9.2 | 31.5 | 16.5 | 0.77 | 1.94 | C33–34 |
| Other thoracic organs | 158 | 0.4 | 1.1 | 0.8 | 0.05 | 0.08 | 110 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 125 | 0.3 | 0.8 | 0.8 | 0.05 | 0.06 | 98 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 193 | 0.5 | 1.3 | 0.9 | 0.05 | 0.09 | 223 | 0.4 | 1.4 | 0.9 | 0.06 | 0.10 | C43 |
| Other skin | 165 | 0.4 | 1.1 | 0.8 | 0.04 | 0.07 | 143 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | C44 |
| Mesothelioma | 78 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | 28 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 62 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 454 | 1.1 | 3.1 | 2.3 | 0.14 | 0.23 | 391 | 0.7 | 2.4 | 1.7 | 0.11 | 0.16 | C47+C49 |
| Breast | 87 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 18907 | 34.0 | 116.3 | 76.3 | 5.71 | 8.80 | C50 |
| Vulva | | | | | | | 145 | 0.3 | 0.9 | 0.5 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 86 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1174 | 2.1 | 7.2 | 4.9 | 0.39 | 0.50 | C53 |
| Corpus uteri | | | | | | | 3997 | 7.2 | 24.6 | 16.1 | 1.27 | 1.91 | C54 |
| Uterus unspecified | | | | | | | 115 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 1759 | 3.2 | 10.8 | 7.2 | 0.54 | 0.77 | C56 |
| Other female genital organs | | | | | | | 185 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | C57 |
| Placenta | | | | | | | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 58 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 7649 | 17.9 | 51.7 | 33.9 | 1.55 | 4.68 | | | | | | | C61 |
| Testis | 362 | 0.8 | 2.4 | 2.2 | 0.16 | 0.16 | | | | | | | C62 |
| Other male genital organs | 43 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1707 | 4.0 | 11.5 | 8.0 | 0.48 | 0.97 | 952 | 1.7 | 5.9 | 3.6 | 0.22 | 0.42 | C64 |
| Renal pelvis | 103 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 98 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 83 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | 67 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 2062 | 4.8 | 13.9 | 8.2 | 0.30 | 0.88 | 686 | 1.2 | 4.2 | 2.1 | 0.08 | 0.23 | C67 |
| Other urinary organs | 38 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 26 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 56 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 42 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 639 | 1.5 | 4.3 | 3.7 | 0.22 | 0.33 | 514 | 0.9 | 3.2 | 2.6 | 0.16 | 0.22 | C70–72 |
| Thyroid | 1034 | 2.4 | 7.0 | 5.3 | 0.39 | 0.55 | 3603 | 6.5 | 22.2 | 16.3 | 1.27 | 1.63 | C73 |
| Adrenal gland | 29 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 35 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 32 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 224 | 0.5 | 1.5 | 1.4 | 0.09 | 0.11 | 169 | 0.3 | 1.0 | 0.9 | 0.06 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 2230 | 5.2 | 15.1 | 10.4 | 0.56 | 1.11 | 1867 | 3.4 | 11.5 | 6.9 | 0.37 | 0.74 | C82–86,C96 |
| Immunoproliferative diseases | 201 | 0.5 | 1.4 | 0.9 | 0.05 | 0.11 | 204 | 0.4 | 1.3 | 0.8 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 681 | 1.6 | 4.6 | 2.9 | 0.15 | 0.34 | 563 | 1.0 | 3.5 | 1.9 | 0.11 | 0.23 | C90 |
| Lymphoid leukaemia | 546 | 1.3 | 3.7 | 3.4 | 0.18 | 0.29 | 390 | 0.7 | 2.4 | 2.5 | 0.13 | 0.18 | C91 |
| Myeloid leukaemia | 827 | 1.9 | 5.6 | 4.0 | 0.20 | 0.40 | 719 | 1.3 | 4.4 | 2.9 | 0.17 | 0.28 | C92–94 |
| Leukaemia unspecified | 30 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 38 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 346 | 0.8 | 2.3 | 1.6 | 0.09 | 0.18 | 416 | 0.7 | 2.6 | 1.5 | 0.08 | 0.17 | MPD |
| Myelodysplastic syndromes | 497 | 1.2 | 3.4 | 1.8 | 0.04 | 0.17 | 419 | 0.8 | 2.6 | 1.2 | 0.04 | 0.11 | MPS |
| Other and unspecified | 789 | 1.8 | 5.3 | 3.2 | 0.13 | 0.35 | 1065 | 1.9 | 6.6 | 3.3 | 0.16 | 0.33 | O&U |
| All sites | 42920 | | 290.3 | 192.4 | 9.95 | 22.46 | 55734 | | 342.9 | 213.5 | 14.13 | 23.65 | C00–96 |
| All sites except C44 | 42755 | 100.0 | 289.2 | 191.6 | 9.91 | 22.38 | 55591 | 100.0 | 342.1 | 212.9 | 14.09 | 23.59 | C00–96 exc. C44 |

USA, California: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 201 | 0.7 | 2.9 | 2.3 | 0.17 | 0.29 | 75 | 0.3 | 1.1 | 0.8 | 0.06 | 0.09 | C01–02 |
| Mouth | 119 | 0.4 | 1.7 | 1.4 | 0.09 | 0.16 | 81 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 58 | 0.2 | 0.8 | 0.7 | 0.04 | 0.08 | 64 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 175 | 0.6 | 2.5 | 2.0 | 0.14 | 0.27 | 39 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C09 |
| Other oropharynx | 67 | 0.2 | 1.0 | 0.8 | 0.06 | 0.11 | 22 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 52 | 0.2 | 0.7 | 0.6 | 0.05 | 0.06 | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 56 | 0.2 | 0.8 | 0.7 | 0.04 | 0.09 | 13 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 233 | 0.9 | 3.4 | 2.7 | 0.16 | 0.36 | 119 | 0.4 | 1.7 | 1.1 | 0.06 | 0.11 | C15 |
| Stomach | 652 | 2.4 | 9.4 | 7.2 | 0.34 | 0.79 | 448 | 1.7 | 6.3 | 4.0 | 0.21 | 0.45 | C16 |
| Small intestine | 208 | 0.8 | 3.0 | 2.4 | 0.12 | 0.28 | 197 | 0.7 | 2.8 | 1.9 | 0.11 | 0.23 | C17 |
| Colon | 1863 | 6.8 | 26.9 | 21.0 | 1.17 | 2.52 | 1976 | 7.4 | 28.0 | 17.9 | 0.98 | 2.05 | C18 |
| Rectum | 709 | 2.6 | 10.2 | 8.0 | 0.53 | 0.95 | 583 | 2.2 | 8.2 | 5.7 | 0.38 | 0.69 | C19–20 |
| Anus | 140 | 0.5 | 2.0 | 1.6 | 0.12 | 0.18 | 137 | 0.5 | 1.9 | 1.3 | 0.10 | 0.15 | C21 |
| Liver | 1175 | 4.3 | 16.9 | 13.8 | 0.88 | 1.89 | 434 | 1.6 | 6.1 | 4.2 | 0.27 | 0.55 | C22 |
| Gallbladder etc. | 165 | 0.6 | 2.4 | 1.8 | 0.09 | 0.24 | 234 | 0.9 | 3.3 | 2.0 | 0.10 | 0.24 | C23–24 |
| Pancreas | 941 | 3.4 | 13.6 | 10.5 | 0.54 | 1.30 | 930 | 3.5 | 13.2 | 8.2 | 0.43 | 0.98 | C25 |
| Nose, sinuses etc. | 42 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | 36 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 294 | 1.1 | 4.2 | 3.2 | 0.18 | 0.39 | 65 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 3340 | 12.2 | 48.1 | 37.4 | 1.63 | 4.79 | 3165 | 11.9 | 44.8 | 28.3 | 1.43 | 3.51 | C33–34 |
| Other thoracic organs | 42 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | 49 | 0.2 | 0.7 | 0.5 | 0.02 | 0.05 | C37–38 |
| Bone | 56 | 0.2 | 0.8 | 0.7 | 0.05 | 0.06 | 48 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 74 | 0.3 | 1.1 | 0.9 | 0.04 | 0.10 | 57 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 102 | 0.4 | 1.5 | 1.2 | 0.09 | 0.12 | 86 | 0.3 | 1.2 | 1.0 | 0.07 | 0.10 | C44 |
| Mesothelioma | 51 | 0.2 | 0.7 | 0.5 | 0.01 | 0.06 | 13 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 116 | 0.4 | 1.7 | 1.5 | 0.11 | 0.13 | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 230 | 0.8 | 3.3 | 2.9 | 0.18 | 0.28 | 236 | 0.9 | 3.3 | 2.6 | 0.16 | 0.26 | C47+C49 |
| Breast | 88 | 0.3 | 1.3 | 1.0 | 0.06 | 0.13 | 8654 | 32.4 | 122.4 | 86.8 | 5.92 | 10.13 | C50 |
| Vulva | | | | | | | 96 | 0.4 | 1.4 | 0.9 | 0.06 | 0.10 | C51 |
| Vagina | | | | | | | 61 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 483 | 1.8 | 6.8 | 5.4 | 0.41 | 0.55 | C53 |
| Corpus uteri | | | | | | | 1806 | 6.8 | 25.5 | 17.9 | 1.16 | 2.40 | C54 |
| Uterus unspecified | | | | | | | 146 | 0.5 | 2.1 | 1.4 | 0.09 | 0.18 | C55 |
| Ovary | | | | | | | 653 | 2.4 | 9.2 | 6.5 | 0.45 | 0.73 | C56 |
| Other female genital organs | | | | | | | 87 | 0.3 | 1.2 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 33 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 8977 | 32.9 | 129.4 | 103.1 | 6.23 | 13.92 | | | | | | | C61 |
| Testis | 109 | 0.4 | 1.6 | 1.4 | 0.10 | 0.11 | | | | | | | C62 |
| Other male genital organs | 15 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1432 | 5.2 | 20.6 | 16.7 | 1.06 | 2.04 | 834 | 3.1 | 11.8 | 8.4 | 0.50 | 1.00 | C64 |
| Renal pelvis | 31 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 35 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 14 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 1067 | 3.9 | 15.4 | 11.7 | 0.47 | 1.35 | 415 | 1.6 | 5.9 | 3.4 | 0.13 | 0.38 | C67 |
| Other urinary organs | 27 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 22 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 14 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 21 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 315 | 1.2 | 4.5 | 4.1 | 0.27 | 0.39 | 212 | 0.8 | 3.0 | 2.5 | 0.16 | 0.24 | C70–72 |
| Thyroid | 223 | 0.8 | 3.2 | 2.6 | 0.18 | 0.31 | 703 | 2.6 | 9.9 | 7.9 | 0.61 | 0.81 | C73 |
| Adrenal gland | 19 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 22 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 11 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 12 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 165 | 0.6 | 2.4 | 2.2 | 0.16 | 0.18 | 134 | 0.5 | 1.9 | 1.7 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 877 | 3.2 | 12.6 | 10.3 | 0.65 | 1.13 | 722 | 2.7 | 10.2 | 7.2 | 0.42 | 0.80 | C82–86, C96 |
| Immunoproliferative diseases | 66 | 0.2 | 1.0 | 0.8 | 0.05 | 0.09 | 84 | 0.3 | 1.2 | 0.9 | 0.06 | 0.10 | C88 |
| Multiple myeloma | 861 | 3.2 | 12.4 | 9.6 | 0.48 | 1.13 | 674 | 2.5 | 9.5 | 6.1 | 0.31 | 0.74 | C90 |
| Lymphoid leukaemia | 448 | 1.6 | 6.5 | 5.5 | 0.29 | 0.56 | 317 | 1.2 | 4.5 | 3.4 | 0.19 | 0.35 | C91 |
| Myeloid leukaemia | 382 | 1.4 | 5.5 | 4.5 | 0.24 | 0.47 | 306 | 1.1 | 4.3 | 3.2 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 17 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 25 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 191 | 0.7 | 2.8 | 2.2 | 0.12 | 0.28 | 205 | 0.8 | 2.9 | 2.0 | 0.12 | 0.22 | MPD |
| Myelodysplastic syndromes | 221 | 0.8 | 3.2 | 2.4 | 0.08 | 0.24 | 184 | 0.7 | 2.6 | 1.5 | 0.06 | 0.16 | MPS |
| Other and unspecified | 634 | 2.3 | 9.1 | 7.1 | 0.36 | 0.83 | 693 | 2.6 | 9.8 | 6.0 | 0.29 | 0.67 | O&U |
| All sites | 27412 | | 395.1 | 314.4 | 17.81 | 38.97 | 26774 | | 378.8 | 260.6 | 16.12 | 30.37 | C00–96 |
| All sites except C44 | 27310 | 100.0 | 393.6 | 313.2 | 17.72 | 38.85 | 26688 | 100.0 | 377.5 | 259.6 | 16.05 | 30.27 | C00–96 exc. C44 |

USA, California: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 897 | 0.3 | 1.2 | 0.8 | 0.05 | 0.09 | 337 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 4465 | 1.3 | 6.1 | 4.1 | 0.26 | 0.52 | 1633 | 0.5 | 2.3 | 1.3 | 0.09 | 0.16 | C01–02 |
| Mouth | 1492 | 0.4 | 2.0 | 1.3 | 0.07 | 0.16 | 1114 | 0.3 | 1.5 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 1210 | 0.4 | 1.7 | 1.0 | 0.05 | 0.11 | 725 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 3069 | 0.9 | 4.2 | 2.9 | 0.23 | 0.37 | 583 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 564 | 0.2 | 0.8 | 0.5 | 0.03 | 0.07 | 146 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 351 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 149 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 603 | 0.2 | 0.8 | 0.5 | 0.03 | 0.07 | 143 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 207 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 59 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 4888 | 1.5 | 6.7 | 4.2 | 0.20 | 0.52 | 1408 | 0.4 | 1.9 | 0.9 | 0.04 | 0.11 | C15 |
| Stomach | 6579 | 2.0 | 9.0 | 5.7 | 0.30 | 0.65 | 4268 | 1.3 | 5.9 | 3.3 | 0.20 | 0.37 | C16 |
| Small intestine | 1677 | 0.5 | 2.3 | 1.5 | 0.08 | 0.17 | 1513 | 0.4 | 2.1 | 1.2 | 0.07 | 0.15 | C17 |
| Colon | 19643 | 5.9 | 27.0 | 16.9 | 0.91 | 1.88 | 19546 | 5.8 | 26.9 | 14.2 | 0.77 | 1.52 | C18 |
| Rectum | 9862 | 3.0 | 13.5 | 9.1 | 0.61 | 1.05 | 7099 | 2.1 | 9.8 | 6.0 | 0.42 | 0.68 | C19–20 |
| Anus | 1252 | 0.4 | 1.7 | 1.1 | 0.08 | 0.13 | 2127 | 0.6 | 2.9 | 1.7 | 0.12 | 0.22 | C21 |
| Liver | 11037 | 3.3 | 15.1 | 10.1 | 0.67 | 1.27 | 4583 | 1.4 | 6.3 | 3.5 | 0.20 | 0.43 | C22 |
| Gallbladder etc. | 2293 | 0.7 | 3.1 | 1.9 | 0.09 | 0.22 | 2780 | 0.8 | 3.8 | 2.0 | 0.10 | 0.23 | C23–24 |
| Pancreas | 10199 | 3.1 | 14.0 | 8.5 | 0.40 | 1.03 | 9383 | 2.8 | 12.9 | 6.4 | 0.30 | 0.74 | C25 |
| Nose, sinuses etc. | 634 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 386 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 2776 | 0.8 | 3.8 | 2.4 | 0.12 | 0.30 | 579 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 32931 | 9.9 | 45.2 | 26.2 | 0.93 | 3.15 | 34251 | 10.2 | 47.2 | 23.3 | 0.89 | 2.86 | C33–34 |
| Other thoracic organs | 479 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 281 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 944 | 0.3 | 1.3 | 1.2 | 0.07 | 0.10 | 712 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 26389 | 7.9 | 36.2 | 22.7 | 1.18 | 2.62 | 16597 | 4.9 | 22.9 | 14.7 | 0.99 | 1.61 | C43 |
| Other skin | 1910 | 0.6 | 2.6 | 1.5 | 0.06 | 0.16 | 1300 | 0.4 | 1.8 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 1113 | 0.3 | 1.5 | 0.8 | 0.02 | 0.09 | 395 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 694 | 0.2 | 1.0 | 0.7 | 0.06 | 0.07 | 60 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3699 | 1.1 | 5.1 | 3.5 | 0.19 | 0.35 | 2527 | 0.8 | 3.5 | 2.4 | 0.15 | 0.24 | C47+C49 |
| Breast | 789 | 0.2 | 1.1 | 0.7 | 0.03 | 0.08 | 103644 | 30.8 | 142.8 | 91.0 | 6.17 | 10.74 | C50 |
| Vulva | | | | | | | 1910 | 0.6 | 2.6 | 1.4 | 0.07 | 0.16 | C51 |
| Vagina | | | | | | | 545 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 5494 | 1.6 | 7.6 | 5.9 | 0.47 | 0.58 | C53 |
| Corpus uteri | | | | | | | 22167 | 6.6 | 30.5 | 19.4 | 1.38 | 2.42 | C54 |
| Uterus unspecified | | | | | | | 786 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 9930 | 2.9 | 13.7 | 8.6 | 0.58 | 0.96 | C56 |
| Other female genital organs | | | | | | | 1233 | 0.4 | 1.7 | 1.0 | 0.06 | 0.12 | C57 |
| Placenta | | | | | | | 59 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 650 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 71329 | 21.5 | 97.9 | 62.5 | 3.11 | 8.60 | | | | | | | C61 |
| Testis | 5385 | 1.6 | 7.4 | 7.0 | 0.51 | 0.53 | | | | | | | C62 |
| Other male genital organs | 187 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 15590 | 4.7 | 21.4 | 14.5 | 0.88 | 1.76 | 8425 | 2.5 | 11.6 | 7.3 | 0.47 | 0.85 | C64 |
| Renal pelvis | 778 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 551 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 449 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 267 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 22819 | 6.9 | 31.3 | 17.7 | 0.61 | 1.98 | 6616 | 2.0 | 9.1 | 4.3 | 0.17 | 0.49 | C67 |
| Other urinary organs | 371 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 156 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 861 | 0.3 | 1.2 | 0.9 | 0.05 | 0.09 | 736 | 0.2 | 1.0 | 0.8 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 5839 | 1.8 | 8.0 | 6.3 | 0.39 | 0.62 | 4518 | 1.3 | 6.2 | 4.7 | 0.29 | 0.44 | C70–72 |
| Thyroid | 5180 | 1.6 | 7.1 | 5.4 | 0.39 | 0.58 | 15112 | 4.5 | 20.8 | 16.7 | 1.31 | 1.63 | C73 |
| Adrenal gland | 178 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 218 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 140 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 80 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1993 | 0.6 | 2.7 | 2.4 | 0.16 | 0.20 | 1616 | 0.5 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 15670 | 4.7 | 21.5 | 14.1 | 0.76 | 1.54 | 11973 | 3.6 | 16.5 | 9.5 | 0.52 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 1246 | 0.4 | 1.7 | 1.1 | 0.05 | 0.13 | 1191 | 0.4 | 1.6 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 5551 | 1.7 | 7.6 | 4.7 | 0.23 | 0.56 | 4021 | 1.2 | 5.5 | 3.0 | 0.16 | 0.36 | C90 |
| Lymphoid leukaemia | 7731 | 2.3 | 10.6 | 8.2 | 0.41 | 0.77 | 5010 | 1.5 | 6.9 | 5.0 | 0.26 | 0.45 | C91 |
| Myeloid leukaemia | 5488 | 1.7 | 7.5 | 5.1 | 0.25 | 0.52 | 4092 | 1.2 | 5.6 | 3.5 | 0.20 | 0.35 | C92–94 |
| Leukaemia unspecified | 349 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 287 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 2482 | 0.7 | 3.4 | 2.2 | 0.11 | 0.24 | 2459 | 0.7 | 3.4 | 1.8 | 0.10 | 0.20 | MPD |
| Myelodysplastic syndromes | 3822 | 1.2 | 5.2 | 2.8 | 0.07 | 0.26 | 2677 | 0.8 | 3.7 | 1.5 | 0.04 | 0.15 | MPS |
| Other and unspecified | 7116 | 2.1 | 9.8 | 5.7 | 0.25 | 0.62 | 7649 | 2.3 | 10.5 | 5.0 | 0.22 | 0.55 | O&U |
| All sites | 333850 | | 458.1 | 294.4 | 15.19 | 34.66 | 338106 | | 465.9 | 282.8 | 17.50 | 32.00 | C00–96 |
| All sites except C44 | 331940 | 100.0 | 455.4 | 292.9 | 15.12 | 34.50 | 336806 | 100.0 | 464.1 | 281.9 | 17.45 | 31.90 | C00–96 exc. C44 |


§Includes 2 cases of unknown age

§Includes 7 cases of unknown age

USA, California, Los Angeles County

CONTRIBUTORS

Dennis Deapen
Donna Morrell
Lihua Liu




NOTES ON THE DATA

*No official mortality data.


20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 63.4 | Breast | 79.8 |
| Trachea, bronchus, and lung | 24.4 | Corpus uteri | 19.2 |
| Colon | 16.9 | Trachea, bronchus, and lung | 18.2 |
| Bladder | 14.0 | Thyroid | 16.4 |
| Non-Hodgkin lymphoma | 12.5 | Colon | 13.8 |
| Kidney | 12.5 | Ovary | 8.7 |
| Melanoma of skin | 10.8 | Non-Hodgkin lymphoma | 8.6 |
| Liver | 9.8 | Melanoma of skin | 6.7 |
| Rectum | 9.0 | Kidney | 6.4 |
| Pancreas | 7.9 | Pancreas | 6.3 |
| Stomach | 7.4 | Rectum | 6.0 |
| Lymphoid leukaemia | 6.7 | Cervix uteri | 5.9 |
| Testis | 5.7 | Other and unspecified | 4.4 |
| Thyroid | 5.4 | Stomach | 4.3 |
| Other and unspecified | 5.0 | Lymphoid leukaemia | 4.3 |
| Brain and nervous system | 5.0 | Brain and nervous system | 3.9 |
| Multiple myeloma | 4.4 | Liver | 3.8 |
| Myeloid leukaemia | 4.4 | Bladder | 3.4 |
| Connective and soft tissue | 3.1 | Myeloid leukaemia | 3.3 |
| Tongue | 3.0 | Multiple myeloma | 2.9 |
| All sites | 262.8 | All sites | 250.6 |



NOTES ON THE DATA

*No official mortality data.



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 30.9 |
| Trachea, bronchus, and lung | 25.2 |
| Colon | 15.8 |
| Liver | 11.9 |
| Rectum | 10.0 |
| Non-Hodgkin lymphoma | 9.4 |
| Stomach | 9.2 |
| Kidney | 8.2 |
| Bladder | 8.0 |
| Pancreas | 6.4 |
| All sites | 186.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 74.1 |
| Thyroid | 17.1 |
| Corpus uteri | 16.1 |
| Trachea, bronchus, and lung | 15.4 |
| Colon | 12.3 |
| Ovary | 7.9 |
| Non-Hodgkin lymphoma | 6.1 |
| Rectum | 5.9 |
| Cervix uteri | 5.4 |
| Pancreas | 5.0 |
| All sites | 209.7 |


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 100.3 |
| Trachea, bronchus, and lung | 37.3 |
| Colon | 20.7 |
| Kidney | 14.7 |
| Liver | 11.6 |
| Bladder | 11.2 |
| Non-Hodgkin lymphoma | 10.0 |
| Pancreas | 9.8 |
| Multiple myeloma | 9.3 |
| Rectum | 7.9 |
| All sites | 303.8 |


Female

| | |
|-----------------------------|-------|
| Breast | 80.5 |
| Trachea, bronchus, and lung | 27.5 |
| Corpus uteri | 18.6 |
| Colon | 17.2 |
| Thyroid | 9.0 |
| Pancreas | 8.4 |
| Kidney | 7.2 |
| Non-Hodgkin lymphoma | 7.0 |
| Ovary | 6.4 |
| Cervix uteri | 6.0 |
| All sites | 251.9 |



NOTES ON THE DATA

*No official mortality data.



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Trachea, bronchus, and lung | 22.2 |
| Prostate | 15.4 |
| Colon | 13.9 |
| Liver | 9.8 |
| Stomach | 7.2 |
| Non-Hodgkin lymphoma | 7.1 |
| Rectum | 6.9 |
| Kidney | 5.7 |
| Bladder | 5.6 |
| Pancreas | 4.6 |
| All sites | 136.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 48.1 |
| Trachea, bronchus, and lung | 15.4 |
| Thyroid | 11.6 |
| Colon | 9.7 |
| Corpus uteri | 9.7 |
| Ovary | 5.9 |
| Non-Hodgkin lymphoma | 4.3 |
| Stomach | 4.3 |
| Cervix uteri | 4.1 |
| Rectum | 4.1 |
| All sites | 149.0 |


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 40.2 |
| Trachea, bronchus, and lung | 26.3 |
| Colon | 12.2 |
| Non-Hodgkin lymphoma | 10.4 |
| Liver | 9.9 |
| Kidney | 9.8 |
| Rectum | 8.5 |
| Thyroid | 7.6 |
| Pancreas | 6.6 |
| Bladder | 5.7 |
| All sites | 183.1 |


Female

| | |
|-----------------------------|-------|
| Breast | 83.2 |
| Corpus uteri | 20.1 |
| Thyroid | 19.7 |
| Trachea, bronchus, and lung | 13.6 |
| Colon | 9.6 |
| Ovary | 8.6 |
| Non-Hodgkin lymphoma | 6.7 |
| Cervix uteri | 6.2 |
| Kidney | 5.3 |
| Pancreas | 5.1 |
| All sites | 220.4 |



NOTES ON THE DATA

*No official mortality data. Rates based on low numbers due to small population.



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Trachea, bronchus, and lung | 25.2 |
| Prostate | 19.2 |
| Stomach | 18.3 |
| Colon | 17.6 |
| Liver | 14.7 |
| Rectum | 11.7 |
| Bladder | 8.7 |
| Pancreas | 8.5 |
| Thyroid | 6.3 |
| Kidney | 6.2 |
| All sites | 175.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 50.6 |
| Thyroid | 14.9 |
| Colon | 12.1 |
| Trachea, bronchus, and lung | 10.7 |
| Stomach | 8.8 |
| Corpus uteri | 8.6 |
| Rectum | 6.1 |
| Ovary | 6.0 |
| Pancreas | 5.3 |
| Cervix uteri | 5.1 |
| All sites | 164.6 |


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 58.9 |
| Trachea, bronchus, and lung | 22.7 |
| Colon | 16.5 |
| Bladder | 15.6 |
| Non-Hodgkin lymphoma | 13.3 |
| Melanoma of skin | 13.3 |
| Kidney | 13.2 |
| Liver | 9.1 |
| Rectum | 8.8 |
| Pancreas | 8.0 |
| All sites | 265.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 81.1 |
| Corpus uteri | 20.0 |
| Trachea, bronchus, and lung | 17.7 |
| Thyroid | 17.2 |
| Colon | 13.7 |
| Non-Hodgkin lymphoma | 9.3 |
| Ovary | 9.2 |
| Melanoma of skin | 8.1 |
| Kidney | 6.9 |
| Pancreas | 6.4 |
| All sites | 258.8 |



NOTES ON THE DATA

*No official mortality data.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 49.9 |
| Colon | 15.7 |
| Trachea, bronchus, and lung | 15.3 |
| Kidney | 13.9 |
| Liver | 12.4 |
| Non-Hodgkin lymphoma | 12.2 |
| Rectum | 9.4 |
| Stomach | 8.8 |
| Bladder | 8.1 |
| Pancreas | 7.1 |
| All sites | 220.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 63.9 |
| Corpus uteri | 19.2 |
| Thyroid | 16.1 |
| Colon | 13.1 |
| Trachea, bronchus, and lung | 10.3 |
| Non-Hodgkin lymphoma | 9.0 |
| Ovary | 8.7 |
| Kidney | 8.2 |
| Cervix uteri | 7.0 |
| Pancreas | 6.4 |
| All sites | 223.8 |



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 66.0 |
| Trachea, bronchus, and lung | 27.9 |
| Melanoma of skin | 22.7 |
| Bladder | 20.9 |
| Colon | 17.5 |
| Non-Hodgkin lymphoma | 14.7 |
| Kidney | 12.9 |
| Pancreas | 8.7 |
| Rectum | 8.5 |
| Lymphoid leukaemia | 8.3 |
| All sites | 302.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 99.2 |
| Trachea, bronchus, and lung | 23.6 |
| Corpus uteri | 20.0 |
| Thyroid | 19.4 |
| Melanoma of skin | 15.1 |
| Colon | 14.3 |
| Non-Hodgkin lymphoma | 9.7 |
| Ovary | 9.6 |
| Rectum | 6.6 |
| Pancreas | 6.3 |
| All sites | 294.8 |

***USA, California, Los Angeles County (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 156 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 63 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1051 | 1.1 | 4.2 | 3.0 | 0.19 | 0.38 | 414 | 0.4 | 1.6 | 1.0 | 0.06 | 0.12 | C01–02 |
| Mouth | 409 | 0.4 | 1.6 | 1.1 | 0.07 | 0.14 | 292 | 0.3 | 1.1 | 0.6 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 303 | 0.3 | 1.2 | 0.9 | 0.04 | 0.10 | 231 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 688 | 0.7 | 2.8 | 2.0 | 0.16 | 0.25 | 145 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C09 |
| Other oropharynx | 132 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 36 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 250 | 0.3 | 1.0 | 0.8 | 0.06 | 0.08 | 114 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 180 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 36 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 61 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 14 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1107 | 1.2 | 4.5 | 3.0 | 0.14 | 0.38 | 338 | 0.3 | 1.3 | 0.7 | 0.03 | 0.08 | C15 |
| Stomach | 2756 | 2.9 | 11.1 | 7.4 | 0.39 | 0.86 | 1924 | 1.9 | 7.5 | 4.3 | 0.24 | 0.47 | C16 |
| Small intestine | 462 | 0.5 | 1.9 | 1.3 | 0.06 | 0.16 | 472 | 0.5 | 1.8 | 1.1 | 0.06 | 0.14 | C17 |
| Colon | 6263 | 6.7 | 25.3 | 16.9 | 0.89 | 1.93 | 6312 | 6.3 | 24.7 | 13.8 | 0.76 | 1.54 | C18 |
| Rectum | 3171 | 3.4 | 12.8 | 9.0 | 0.60 | 1.05 | 2439 | 2.4 | 9.6 | 6.0 | 0.42 | 0.69 | C19–20 |
| Anus | 387 | 0.4 | 1.6 | 1.1 | 0.08 | 0.13 | 461 | 0.5 | 1.8 | 1.1 | 0.07 | 0.14 | C21 |
| Liver | 3481 | 3.7 | 14.0 | 9.8 | 0.59 | 1.25 | 1684 | 1.7 | 6.6 | 3.8 | 0.19 | 0.47 | C22 |
| Gallbladder etc. | 817 | 0.9 | 3.3 | 2.2 | 0.10 | 0.26 | 1127 | 1.1 | 4.4 | 2.4 | 0.12 | 0.28 | C23–24 |
| Pancreas | 3006 | 3.2 | 12.1 | 7.9 | 0.37 | 0.96 | 3048 | 3.0 | 11.9 | 6.3 | 0.29 | 0.73 | C25 |
| Nose, sinuses etc. | 206 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 127 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 798 | 0.9 | 3.2 | 2.2 | 0.11 | 0.27 | 135 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 9496 | 10.1 | 38.3 | 24.4 | 0.90 | 2.96 | 8741 | 8.7 | 34.2 | 18.2 | 0.77 | 2.22 | C33–34 |
| Other thoracic organs | 170 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 125 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 290 | 0.3 | 1.2 | 1.1 | 0.07 | 0.09 | 220 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 3948 | 4.2 | 15.9 | 10.8 | 0.57 | 1.25 | 2637 | 2.6 | 10.3 | 6.7 | 0.44 | 0.71 | C43 |
| Other skin | 465 | 0.5 | 1.9 | 1.3 | 0.06 | 0.13 | 367 | 0.4 | 1.4 | 0.9 | 0.05 | 0.08 | C44 |
| Mesothelioma | 256 | 0.3 | 1.0 | 0.6 | 0.02 | 0.07 | 97 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 345 | 0.4 | 1.4 | 1.1 | 0.08 | 0.10 | 26 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1042 | 1.1 | 4.2 | 3.1 | 0.18 | 0.31 | 818 | 0.8 | 3.2 | 2.3 | 0.15 | 0.24 | C47+C49 |
| Breast | 221 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | 30603 | 30.5 | 119.9 | 79.8 | 5.57 | 9.36 | C50 |
| Vulva | | | | | | | 489 | 0.5 | 1.9 | 1.0 | 0.05 | 0.12 | C51 |
| Vagina | | | | | | | 197 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 2027 | 2.0 | 7.9 | 5.9 | 0.47 | 0.59 | C53 |
| Corpus uteri | | | | | | | 7345 | 7.3 | 28.8 | 19.2 | 1.39 | 2.37 | C54 |
| Uterus unspecified | | | | | | | 367 | 0.4 | 1.4 | 0.9 | 0.06 | 0.10 | C55 |
| Ovary | | | | | | | 3334 | 3.3 | 13.1 | 8.7 | 0.61 | 0.95 | C56 |
| Other female genital organs | | | | | | | 361 | 0.4 | 1.4 | 0.9 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 23 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 177 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 22587 | 24.1 | 91.1 | 63.4 | 3.19 | 8.68 | | | | | | | C61 |
| Testis | 1538 | 1.6 | 6.2 | 5.7 | 0.41 | 0.42 | | | | | | | C62 |
| Other male genital organs | 70 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 4321 | 4.6 | 17.4 | 12.5 | 0.76 | 1.52 | 2476 | 2.5 | 9.7 | 6.4 | 0.39 | 0.75 | C64 |
| Renal pelvis | 190 | 0.2 | 0.8 | 0.5 | 0.02 | 0.05 | 173 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 79 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 79 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 5614 | 6.0 | 22.6 | 14.0 | 0.49 | 1.60 | 1759 | 1.8 | 6.9 | 3.4 | 0.13 | 0.39 | C67 |
| Other urinary organs | 98 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 46 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 172 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | 193 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1529 | 1.6 | 6.2 | 5.0 | 0.30 | 0.50 | 1244 | 1.2 | 4.9 | 3.9 | 0.24 | 0.35 | C70–72 |
| Thyroid | 1741 | 1.9 | 7.0 | 5.4 | 0.39 | 0.59 | 5342 | 5.3 | 20.9 | 16.4 | 1.28 | 1.62 | C73 |
| Adrenal gland | 57 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 64 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 43 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 28 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 588 | 0.6 | 2.4 | 2.1 | 0.14 | 0.17 | 480 | 0.5 | 1.9 | 1.7 | 0.11 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 4414 | 4.7 | 17.8 | 12.5 | 0.69 | 1.39 | 3646 | 3.6 | 14.3 | 8.6 | 0.48 | 0.96 | C82–86,C96 |
| Immunoproliferative diseases | 345 | 0.4 | 1.4 | 1.0 | 0.05 | 0.11 | 366 | 0.4 | 1.4 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 1662 | 1.8 | 6.7 | 4.4 | 0.21 | 0.52 | 1303 | 1.3 | 5.1 | 2.9 | 0.16 | 0.35 | C90 |
| Lymphoid leukaemia | 1953 | 2.1 | 7.9 | 6.7 | 0.35 | 0.61 | 1367 | 1.4 | 5.4 | 4.3 | 0.23 | 0.37 | C91 |
| Myeloid leukaemia | 1478 | 1.6 | 6.0 | 4.4 | 0.22 | 0.43 | 1268 | 1.3 | 5.0 | 3.3 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 79 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 65 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 657 | 0.7 | 2.6 | 1.8 | 0.10 | 0.20 | 708 | 0.7 | 2.8 | 1.6 | 0.08 | 0.18 | MPD |
| Myelodysplastic syndromes | 922 | 1.0 | 3.7 | 2.2 | 0.05 | 0.22 | 697 | 0.7 | 2.7 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 1971 | 2.1 | 7.9 | 5.0 | 0.23 | 0.55 | 2219 | 2.2 | 8.7 | 4.4 | 0.20 | 0.49 | O&U |
| All sites | 94202 | | 379.8 | 262.8 | 13.63 | 31.25 | 100712 | | 394.5 | 250.6 | 15.82 | 28.31 | C00–96 |
| All sites except C44 | 93737 | 100.0 | 378.0 | 261.5 | 13.56 | 31.13 | 100345 | 100.0 | 393.1 | 249.7 | 15.77 | 28.23 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, Los Angeles County: Asian and Pacific Islander (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 104 | 0.9 | 2.8 | 1.1 | 0.11 | 0.22 | 54 | 0.3 | 1.3 | 0.7 | 0.04 | 0.08 | C01–02 |
| Mouth | 67 | 0.6 | 1.8 | 1.1 | 0.06 | 0.13 | 33 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 44 | 0.4 | 1.2 | 0.8 | 0.05 | 0.09 | 43 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 41 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | 10 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 142 | 1.2 | 3.8 | 2.7 | 0.21 | 0.29 | 47 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | C11 |
| Hypopharynx | 35 | 0.3 | 0.9 | 0.5 | 0.02 | 0.05 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 124 | 1.0 | 3.3 | 1.8 | 0.10 | 0.21 | 47 | 0.3 | 1.1 | 0.5 | 0.03 | 0.06 | C15 |
| Stomach | 631 | 5.3 | 16.7 | 9.2 | 0.44 | 1.07 | 441 | 2.8 | 10.4 | 4.7 | 0.24 | 0.48 | C16 |
| Small intestine | 46 | 0.4 | 1.2 | 0.7 | 0.04 | 0.08 | 40 | 0.3 | 0.9 | 0.4 | 0.02 | 0.04 | C17 |
| Colon | 1054 | 8.8 | 27.9 | 15.8 | 0.87 | 1.83 | 1086 | 7.0 | 25.5 | 12.3 | 0.68 | 1.39 | C18 |
| Rectum | 614 | 5.1 | 16.3 | 10.0 | 0.66 | 1.19 | 452 | 2.9 | 10.6 | 5.9 | 0.41 | 0.67 | C19–20 |
| Anus | 16 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 28 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C21 |
| Liver | 765 | 6.4 | 20.3 | 11.9 | 0.71 | 1.41 | 369 | 2.4 | 8.7 | 4.0 | 0.19 | 0.47 | C22 |
| Gallbladder etc. | 170 | 1.4 | 4.5 | 2.3 | 0.09 | 0.29 | 179 | 1.1 | 4.2 | 1.9 | 0.09 | 0.22 | C23–24 |
| Pancreas | 443 | 3.7 | 11.7 | 6.4 | 0.31 | 0.73 | 481 | 3.1 | 11.3 | 5.0 | 0.22 | 0.56 | C25 |
| Nose, sinuses etc. | 38 | 0.3 | 1.0 | 0.7 | 0.04 | 0.07 | 18 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 75 | 0.6 | 2.0 | 1.1 | 0.05 | 0.13 | 13 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1789 | 14.9 | 47.4 | 25.2 | 1.05 | 3.02 | 1385 | 8.9 | 32.5 | 15.4 | 0.75 | 1.87 | C33–34 |
| Other thoracic organs | 27 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 25 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 36 | 0.3 | 1.0 | 0.9 | 0.06 | 0.07 | 30 | 0.2 | 0.7 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 46 | 0.4 | 1.2 | 0.8 | 0.04 | 0.08 | 48 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C43 |
| Other skin | 39 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | 38 | 0.2 | 0.9 | 0.6 | 0.04 | 0.05 | C44 |
| Mesothelioma | 18 | 0.2 | 0.5 | 0.2 | 0.01 | 0.03 | 10 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 15 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 135 | 1.1 | 3.6 | 2.5 | 0.15 | 0.26 | 109 | 0.7 | 2.6 | 1.7 | 0.11 | 0.18 | C47+C49 |
| Breast | 28 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | 5161 | 33.1 | 121.3 | 74.1 | 5.59 | 8.56 | C50 |
| Vulva | | | | | | | 30 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 24 | 0.2 | 0.6 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 354 | 2.3 | 8.3 | 5.4 | 0.43 | 0.54 | C53 |
| Corpus uteri | | | | | | | 1119 | 7.2 | 26.3 | 16.1 | 1.29 | 1.89 | C54 |
| Uterus unspecified | | | | | | | 45 | 0.3 | 1.1 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 547 | 3.5 | 12.9 | 7.9 | 0.59 | 0.83 | C56 |
| Other female genital organs | | | | | | | 45 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 13 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | | | | | | | C60 |
| Prostate | 2036 | 17.0 | 54.0 | 30.9 | 1.46 | 4.25 | | | | | | | C61 |
| Testis | 88 | 0.7 | 2.3 | 2.1 | 0.15 | 0.15 | | | | | | | C62 |
| Other male genital organs | 16 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 493 | 4.1 | 13.1 | 8.2 | 0.50 | 0.98 | 295 | 1.9 | 6.9 | 4.0 | 0.25 | 0.46 | C64 |
| Renal pelvis | 37 | 0.3 | 1.0 | 0.5 | 0.02 | 0.05 | 30 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 24 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | 23 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 613 | 5.1 | 16.3 | 8.0 | 0.28 | 0.88 | 209 | 1.3 | 4.9 | 2.2 | 0.09 | 0.24 | C67 |
| Other urinary organs | 14 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 16 | 0.1 | 0.4 | 0.5 | 0.03 | 0.04 | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 141 | 1.2 | 3.7 | 2.9 | 0.18 | 0.26 | 130 | 0.8 | 3.1 | 2.4 | 0.15 | 0.19 | C70–72 |
| Thyroid | 310 | 2.6 | 8.2 | 5.9 | 0.44 | 0.62 | 1041 | 6.7 | 24.5 | 17.1 | 1.32 | 1.72 | C73 |
| Adrenal gland | 11 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 6 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 45 | 0.4 | 1.2 | 1.1 | 0.07 | 0.08 | 43 | 0.3 | 1.0 | 0.9 | 0.06 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 598 | 5.0 | 15.9 | 9.4 | 0.49 | 1.03 | 507 | 3.2 | 11.9 | 6.1 | 0.33 | 0.65 | C82–86,C96 |
| Immunoproliferative diseases | 47 | 0.4 | 1.2 | 0.7 | 0.04 | 0.08 | 52 | 0.3 | 1.2 | 0.7 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 165 | 1.4 | 4.4 | 2.4 | 0.12 | 0.27 | 134 | 0.9 | 3.1 | 1.6 | 0.10 | 0.21 | C90 |
| Lymphoid leukaemia | 122 | 1.0 | 3.2 | 2.8 | 0.15 | 0.23 | 87 | 0.6 | 2.0 | 1.9 | 0.10 | 0.14 | C91 |
| Myeloid leukaemia | 203 | 1.7 | 5.4 | 3.6 | 0.20 | 0.34 | 212 | 1.4 | 5.0 | 3.1 | 0.20 | 0.30 | C92–94 |
| Leukaemia unspecified | 8 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 80 | 0.7 | 2.1 | 1.3 | 0.08 | 0.15 | 110 | 0.7 | 2.6 | 1.3 | 0.07 | 0.16 | MPD |
| Myelodysplastic syndromes | 126 | 1.1 | 3.3 | 1.7 | 0.06 | 0.16 | 102 | 0.7 | 2.4 | 0.9 | 0.04 | 0.09 | MPS |
| Other and unspecified | 244 | 2.0 | 6.5 | 3.5 | 0.15 | 0.40 | 308 | 2.0 | 7.2 | 3.2 | 0.14 | 0.36 | O&U |
| All sites | 12016 | | 318.5 | 186.6 | 9.76 | 21.76 | 15639 | | 367.4 | 209.7 | 14.08 | 23.35 | C00–96 |
| All sites except C44 | 11977 | 100.0 | 317.5 | 185.9 | 9.71 | 21.70 | 15601 | 100.0 | 366.5 | 209.1 | 14.04 | 23.29 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, Los Angeles County: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 92 | 0.9 | 4.0 | 2.8 | 0.21 | 0.35 | 29 | 0.3 | 1.1 | 0.7 | 0.06 | 0.08 | C01–02 |
| Mouth | 51 | 0.5 | 2.2 | 1.7 | 0.12 | 0.19 | 36 | 0.3 | 1.4 | 0.8 | 0.06 | 0.09 | C03–06 |
| Salivary glands | 19 | 0.2 | 0.8 | 0.7 | 0.05 | 0.08 | 21 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 59 | 0.6 | 2.6 | 1.9 | 0.14 | 0.26 | 16 | 0.2 | 0.6 | 0.4 | 0.03 | 0.06 | C09 |
| Other oropharynx | 25 | 0.3 | 1.1 | 0.8 | 0.05 | 0.12 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 15 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 11 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C11 |
| Hypopharynx | 23 | 0.2 | 1.0 | 0.7 | 0.05 | 0.10 | 9 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 87 | 0.9 | 3.8 | 2.7 | 0.16 | 0.35 | 46 | 0.4 | 1.8 | 1.0 | 0.06 | 0.10 | C15 |
| Stomach | 254 | 2.6 | 11.0 | 7.4 | 0.34 | 0.86 | 178 | 1.7 | 6.9 | 3.6 | 0.18 | 0.40 | C16 |
| Small intestine | 64 | 0.6 | 2.8 | 2.0 | 0.09 | 0.25 | 81 | 0.8 | 3.2 | 1.9 | 0.11 | 0.24 | C17 |
| Colon | 688 | 7.0 | 29.8 | 20.7 | 1.12 | 2.43 | 784 | 7.5 | 30.6 | 17.2 | 0.97 | 1.98 | C18 |
| Rectum | 250 | 2.5 | 10.8 | 7.9 | 0.50 | 0.92 | 231 | 2.2 | 9.0 | 5.6 | 0.38 | 0.70 | C19–20 |
| Anus | 66 | 0.7 | 2.9 | 2.1 | 0.16 | 0.23 | 45 | 0.4 | 1.8 | 1.1 | 0.09 | 0.13 | C21 |
| Liver | 369 | 3.7 | 16.0 | 11.6 | 0.72 | 1.62 | 179 | 1.7 | 7.0 | 4.1 | 0.23 | 0.55 | C22 |
| Gallbladder etc. | 60 | 0.6 | 2.6 | 1.8 | 0.10 | 0.25 | 104 | 1.0 | 4.1 | 2.2 | 0.11 | 0.26 | C23–24 |
| Pancreas | 335 | 3.4 | 14.5 | 9.8 | 0.52 | 1.23 | 401 | 3.8 | 15.6 | 8.4 | 0.43 | 1.01 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 0.7 | 0.6 | 0.03 | 0.04 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 109 | 1.1 | 4.7 | 3.2 | 0.18 | 0.40 | 25 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1279 | 13.0 | 55.4 | 37.3 | 1.69 | 4.75 | 1289 | 12.3 | 50.3 | 27.5 | 1.38 | 3.37 | C33–34 |
| Other thoracic organs | 19 | 0.2 | 0.8 | 0.7 | 0.05 | 0.05 | 16 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 20 | 0.2 | 0.9 | 0.8 | 0.04 | 0.07 | 15 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 26 | 0.3 | 1.1 | 0.8 | 0.03 | 0.09 | 18 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | C43 |
| Other skin | 41 | 0.4 | 1.8 | 1.4 | 0.10 | 0.13 | 35 | 0.3 | 1.4 | 1.1 | 0.08 | 0.10 | C44 |
| Mesothelioma | 14 | 0.1 | 0.6 | 0.4 | 0.01 | 0.03 | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 57 | 0.6 | 2.5 | 2.1 | 0.16 | 0.18 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 78 | 0.8 | 3.4 | 2.8 | 0.17 | 0.28 | 99 | 0.9 | 3.9 | 2.8 | 0.17 | 0.30 | C47+C49 |
| Breast | 30 | 0.3 | 1.3 | 0.9 | 0.05 | 0.13 | 3249 | 31.0 | 126.8 | 80.5 | 5.46 | 9.34 | C50 |
| Vulva | | | | | | | 36 | 0.3 | 1.4 | 0.8 | 0.06 | 0.09 | C51 |
| Vagina | | | | | | | 28 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 208 | 2.0 | 8.1 | 6.0 | 0.47 | 0.61 | C53 |
| Corpus uteri | | | | | | | 761 | 7.3 | 29.7 | 18.6 | 1.23 | 2.46 | C54 |
| Uterus unspecified | | | | | | | 73 | 0.7 | 2.8 | 1.8 | 0.10 | 0.22 | C55 |
| Ovary | | | | | | | 261 | 2.5 | 10.2 | 6.4 | 0.46 | 0.69 | C56 |
| Other female genital organs | | | | | | | 30 | 0.3 | 1.2 | 0.7 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 13 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | | | | | | | C60 |
| Prostate | 3269 | 33.1 | 141.7 | 100.3 | 6.07 | 13.35 | | | | | | | C61 |
| Testis | 30 | 0.3 | 1.3 | 1.2 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 460 | 4.7 | 19.9 | 14.7 | 0.91 | 1.79 | 283 | 2.7 | 11.0 | 7.2 | 0.41 | 0.82 | C64 |
| Renal pelvis | 11 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 13 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C65 |
| Ureter | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 402 | 4.1 | 17.4 | 11.2 | 0.44 | 1.25 | 160 | 1.5 | 6.2 | 3.0 | 0.11 | 0.33 | C67 |
| Other urinary organs | 10 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 8 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 105 | 1.1 | 4.6 | 3.9 | 0.25 | 0.37 | 81 | 0.8 | 3.2 | 2.4 | 0.15 | 0.24 | C70–72 |
| Thyroid | 88 | 0.9 | 3.8 | 2.8 | 0.20 | 0.32 | 305 | 2.9 | 11.9 | 9.0 | 0.70 | 0.88 | C73 |
| Adrenal gland | 7 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 6 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 51 | 0.5 | 2.2 | 1.9 | 0.14 | 0.16 | 50 | 0.5 | 2.0 | 1.7 | 0.12 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 315 | 3.2 | 13.7 | 10.0 | 0.62 | 1.05 | 279 | 2.7 | 10.9 | 7.0 | 0.43 | 0.78 | C82–86, C96 |
| Immunoproliferative diseases | 24 | 0.2 | 1.0 | 0.7 | 0.05 | 0.09 | 26 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 319 | 3.2 | 13.8 | 9.3 | 0.44 | 1.09 | 267 | 2.5 | 10.4 | 5.7 | 0.27 | 0.69 | C90 |
| Lymphoid leukaemia | 157 | 1.6 | 6.8 | 5.3 | 0.29 | 0.53 | 135 | 1.3 | 5.3 | 3.9 | 0.21 | 0.38 | C91 |
| Myeloid leukaemia | 121 | 1.2 | 5.2 | 4.0 | 0.24 | 0.39 | 130 | 1.2 | 5.1 | 3.4 | 0.19 | 0.35 | C92–94 |
| Leukaemia unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 62 | 0.6 | 2.7 | 2.0 | 0.10 | 0.20 | 87 | 0.8 | 3.4 | 2.1 | 0.13 | 0.22 | MPD |
| Myelodysplastic syndromes | 58 | 0.6 | 2.5 | 1.5 | 0.05 | 0.11 | 62 | 0.6 | 2.4 | 1.3 | 0.06 | 0.14 | MPS |
| Other and unspecified | 228 | 2.3 | 9.9 | 6.6 | 0.34 | 0.78 | 268 | 2.6 | 10.5 | 5.6 | 0.29 | 0.62 | O&U |
| All sites | 9909 | | 429.4 | 303.8 | 17.24 | 37.25 | 10525 | | 410.7 | 251.9 | 15.60 | 29.14 | C00–96 |
| All sites except C44 | 9868 | 100.0 | 427.6 | 302.3 | 17.14 | 37.13 | 10490 | 100.0 | 409.4 | 250.9 | 15.52 | 29.04 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, Los Angeles County: Chinese (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 25 | 0.8 | 2.2 | 1.4 | 0.10 | 0.15 | 9 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C01–02 |
| Mouth | 14 | 0.5 | 1.2 | 0.5 | 0.02 | 0.07 | 10 | 0.3 | 0.8 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 7 | 0.2 | 0.6 | 0.3 | 0.02 | 0.05 | 8 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 6 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 62 | 2.1 | 5.3 | 3.6 | 0.29 | 0.38 | 23 | 0.6 | 1.8 | 1.1 | 0.08 | 0.10 | C11 |
| Hypopharynx | 11 | 0.4 | 0.9 | 0.4 | 0.00 | 0.03 | 2 | 0.1 | 0.2 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 36 | 1.2 | 3.1 | 1.5 | 0.08 | 0.19 | 12 | 0.3 | 0.9 | 0.4 | 0.02 | 0.06 | C15 |
| Stomach | 171 | 5.7 | 14.7 | 7.2 | 0.37 | 0.80 | 129 | 3.6 | 9.8 | 4.3 | 0.22 | 0.40 | C16 |
| Small intestine | 10 | 0.3 | 0.9 | 0.4 | 0.03 | 0.04 | 10 | 0.3 | 0.8 | 0.3 | 0.01 | 0.02 | C17 |
| Colon | 328 | 10.9 | 28.3 | 13.9 | 0.76 | 1.54 | 290 | 8.0 | 22.1 | 9.7 | 0.57 | 1.01 | C18 |
| Rectum | 146 | 4.8 | 12.6 | 6.9 | 0.47 | 0.77 | 107 | 3.0 | 8.2 | 4.1 | 0.26 | 0.44 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C21 |
| Liver | 212 | 7.0 | 18.3 | 9.8 | 0.55 | 1.15 | 101 | 2.8 | 7.7 | 3.2 | 0.16 | 0.36 | C22 |
| Gallbladder etc. | 35 | 1.2 | 3.0 | 1.5 | 0.06 | 0.20 | 44 | 1.2 | 3.4 | 1.4 | 0.06 | 0.15 | C23–24 |
| Pancreas | 111 | 3.7 | 9.6 | 4.6 | 0.24 | 0.55 | 119 | 3.3 | 9.1 | 3.7 | 0.15 | 0.42 | C25 |
| Nose, sinuses etc. | 7 | 0.2 | 0.6 | 0.4 | 0.02 | 0.03 | 6 | 0.2 | 0.5 | 0.3 | 0.01 | 0.01 | C30–31 |
| Larynx | 21 | 0.7 | 1.8 | 0.9 | 0.05 | 0.11 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 538 | 17.8 | 46.4 | 22.2 | 1.05 | 2.57 | 439 | 12.1 | 33.4 | 15.4 | 0.75 | 1.81 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 6 | 0.2 | 0.5 | 0.2 | 0.02 | 0.03 | C37–38 |
| Bone | 9 | 0.3 | 0.8 | 0.6 | 0.05 | 0.05 | 8 | 0.2 | 0.6 | 0.8 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 6 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | 10 | 0.3 | 0.8 | 0.3 | 0.01 | 0.03 | C43 |
| Other skin | 8 | 0.3 | 0.7 | 0.3 | 0.02 | 0.04 | 6 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C44 |
| Mesothelioma | 7 | 0.2 | 0.6 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 39 | 1.3 | 3.4 | 2.1 | 0.11 | 0.24 | 19 | 0.5 | 1.4 | 1.1 | 0.08 | 0.10 | C47+C49 |
| Breast | 6 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | 1066 | 29.5 | 81.2 | 48.1 | 3.64 | 5.45 | C50 |
| Vulva | | | | | | | 9 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 0.7 | 0.3 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 82 | 2.3 | 6.2 | 4.1 | 0.35 | 0.41 | C53 |
| Corpus uteri | | | | | | | 216 | 6.0 | 16.5 | 9.7 | 0.74 | 1.06 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.3 | 0.8 | 0.4 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 119 | 3.3 | 9.1 | 5.9 | 0.42 | 0.58 | C56 |
| Other female genital organs | | | | | | | 10 | 0.3 | 0.8 | 0.4 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 353 | 11.7 | 30.4 | 15.4 | 0.62 | 2.17 | | | | | | | C61 |
| Testis | 14 | 0.5 | 1.2 | 1.1 | 0.08 | 0.08 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 116 | 3.8 | 10.0 | 5.7 | 0.34 | 0.67 | 57 | 1.6 | 4.3 | 2.3 | 0.15 | 0.25 | C64 |
| Renal pelvis | 10 | 0.3 | 0.9 | 0.3 | 0.01 | 0.03 | 10 | 0.3 | 0.8 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 9 | 0.3 | 0.8 | 0.3 | 0.01 | 0.03 | 10 | 0.3 | 0.8 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 158 | 5.2 | 13.6 | 5.6 | 0.21 | 0.59 | 57 | 1.6 | 4.3 | 1.8 | 0.07 | 0.22 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.2 | 0.6 | 0.8 | 0.03 | 0.07 | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 37 | 1.2 | 3.2 | 2.3 | 0.15 | 0.19 | 29 | 0.8 | 2.2 | 1.2 | 0.08 | 0.11 | C70–72 |
| Thyroid | 62 | 2.1 | 5.3 | 3.9 | 0.28 | 0.38 | 218 | 6.0 | 16.6 | 11.6 | 0.88 | 1.13 | C73 |
| Adrenal gland | 6 | 0.2 | 0.5 | 0.6 | 0.04 | 0.04 | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 9 | 0.3 | 0.8 | 0.7 | 0.05 | 0.05 | 7 | 0.2 | 0.5 | 0.7 | 0.04 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 152 | 5.0 | 13.1 | 7.1 | 0.39 | 0.78 | 111 | 3.1 | 8.5 | 4.3 | 0.24 | 0.38 | C82–86,C96 |
| Immunoproliferative diseases | 10 | 0.3 | 0.9 | 0.5 | 0.02 | 0.06 | 7 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | C88 |
| Multiple myeloma | 42 | 1.4 | 3.6 | 1.8 | 0.10 | 0.19 | 23 | 0.6 | 1.8 | 0.9 | 0.07 | 0.11 | C90 |
| Lymphoid leukaemia | 22 | 0.7 | 1.9 | 1.7 | 0.08 | 0.11 | 20 | 0.6 | 1.5 | 1.1 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 55 | 1.8 | 4.7 | 2.6 | 0.13 | 0.23 | 52 | 1.4 | 4.0 | 2.5 | 0.16 | 0.22 | C92–94 |
| Leukaemia unspecified | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 18 | 0.6 | 1.6 | 0.8 | 0.07 | 0.09 | 21 | 0.6 | 1.6 | 0.7 | 0.02 | 0.09 | MPD |
| Myelodysplastic syndromes | 43 | 1.4 | 3.7 | 2.0 | 0.08 | 0.18 | 27 | 0.7 | 2.1 | 0.7 | 0.03 | 0.08 | MPS |
| Other and unspecified | 67 | 2.2 | 5.8 | 2.4 | 0.10 | 0.21 | 75 | 2.1 | 5.7 | 2.4 | 0.11 | 0.24 | O&U |
| All sites | 3026 | | 260.7 | 136.5 | 7.20 | 15.38 | 3625 | | 276.2 | 149.0 | 9.78 | 15.95 | C00–96 |
| All sites except C44 | 3018 | 100.0 | 260.0 | 136.2 | 7.18 | 15.34 | 3619 | 100.0 | 275.7 | 148.6 | 9.76 | 15.91 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, Los Angeles County: Filipino (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 14 | 0.6 | 1.6 | 1.1 | 0.06 | 0.12 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C01–02 |
| Mouth | 10 | 0.4 | 1.2 | 0.7 | 0.04 | 0.10 | 6 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C03–06 |
| Salivary glands | 10 | 0.4 | 1.2 | 0.9 | 0.06 | 0.12 | 13 | 0.3 | 1.3 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 8 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 27 | 1.1 | 3.1 | 2.1 | 0.17 | 0.23 | 13 | 0.3 | 1.3 | 0.8 | 0.06 | 0.09 | C11 |
| Hypopharynx | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 24 | 1.0 | 2.8 | 1.7 | 0.13 | 0.20 | 8 | 0.2 | 0.8 | 0.3 | 0.01 | 0.03 | C15 |
| Stomach | 56 | 2.2 | 6.5 | 4.0 | 0.24 | 0.45 | 48 | 1.2 | 4.7 | 2.1 | 0.12 | 0.26 | C16 |
| Small intestine | 9 | 0.4 | 1.0 | 0.7 | 0.04 | 0.11 | 9 | 0.2 | 0.9 | 0.4 | 0.03 | 0.04 | C17 |
| Colon | 168 | 6.7 | 19.4 | 12.2 | 0.65 | 1.60 | 207 | 5.1 | 20.4 | 9.6 | 0.52 | 1.11 | C18 |
| Rectum | 113 | 4.5 | 13.1 | 8.5 | 0.56 | 1.07 | 89 | 2.2 | 8.8 | 4.8 | 0.35 | 0.56 | C19–20 |
| Anus | 6 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 10 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C21 |
| Liver | 137 | 5.5 | 15.9 | 9.9 | 0.49 | 1.15 | 75 | 1.9 | 7.4 | 3.2 | 0.13 | 0.36 | C22 |
| Gallbladder etc. | 24 | 1.0 | 2.8 | 1.5 | 0.07 | 0.15 | 34 | 0.8 | 3.4 | 1.5 | 0.08 | 0.17 | C23–24 |
| Pancreas | 96 | 3.8 | 11.1 | 6.6 | 0.26 | 0.78 | 117 | 2.9 | 11.5 | 5.1 | 0.24 | 0.55 | C25 |
| Nose, sinuses etc. | 9 | 0.4 | 1.0 | 0.7 | 0.04 | 0.08 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 12 | 0.5 | 1.4 | 0.8 | 0.03 | 0.10 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 397 | 15.8 | 46.0 | 26.3 | 0.85 | 3.23 | 314 | 7.8 | 30.9 | 13.6 | 0.61 | 1.72 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 0.7 | 0.6 | 0.02 | 0.06 | 7 | 0.2 | 0.7 | 0.6 | 0.03 | 0.05 | C37–38 |
| Bone | 12 | 0.5 | 1.4 | 1.4 | 0.09 | 0.13 | 10 | 0.2 | 1.0 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 10 | 0.4 | 1.2 | 0.7 | 0.04 | 0.08 | 9 | 0.2 | 0.9 | 0.5 | 0.05 | 0.06 | C43 |
| Other skin | 10 | 0.4 | 1.2 | 0.8 | 0.06 | 0.10 | 9 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | C44 |
| Mesothelioma | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 8 | 0.3 | 0.9 | 0.8 | 0.06 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 29 | 1.2 | 3.4 | 2.2 | 0.12 | 0.25 | 32 | 0.8 | 3.2 | 1.9 | 0.13 | 0.23 | C47+C49 |
| Breast | 12 | 0.5 | 1.4 | 1.0 | 0.06 | 0.13 | 1477 | 36.5 | 145.6 | 83.2 | 6.32 | 9.70 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 98 | 2.4 | 9.7 | 6.2 | 0.49 | 0.64 | C53 |
| Corpus uteri | | | | | | | 352 | 8.7 | 34.7 | 20.1 | 1.61 | 2.37 | C54 |
| Uterus unspecified | | | | | | | 17 | 0.4 | 1.7 | 0.9 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 146 | 3.6 | 14.4 | 8.6 | 0.65 | 0.94 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 577 | 23.0 | 66.8 | 40.2 | 1.97 | 5.55 | | | | | | | C61 |
| Testis | 8 | 0.3 | 0.9 | 0.9 | 0.07 | 0.07 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | | | | | | | C63 |
| Kidney | 128 | 5.1 | 14.8 | 9.8 | 0.63 | 1.26 | 94 | 2.3 | 9.3 | 5.3 | 0.34 | 0.65 | C64 |
| Renal pelvis | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 86 | 3.4 | 10.0 | 5.7 | 0.21 | 0.59 | 29 | 0.7 | 2.9 | 1.4 | 0.05 | 0.17 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 29 | 1.2 | 3.4 | 2.8 | 0.15 | 0.27 | 41 | 1.0 | 4.0 | 2.9 | 0.21 | 0.25 | C70–72 |
| Thyroid | 94 | 3.8 | 10.9 | 7.6 | 0.59 | 0.80 | 306 | 7.6 | 30.2 | 19.7 | 1.56 | 2.06 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 10 | 0.4 | 1.2 | 1.0 | 0.07 | 0.08 | 16 | 0.4 | 1.6 | 1.2 | 0.10 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 141 | 5.6 | 16.3 | 10.4 | 0.55 | 1.09 | 147 | 3.6 | 14.5 | 6.7 | 0.33 | 0.78 | C82–86,C96 |
| Immunoproliferative diseases | 9 | 0.4 | 1.0 | 0.7 | 0.04 | 0.08 | 11 | 0.3 | 1.1 | 0.6 | 0.02 | 0.07 | C88 |
| Multiple myeloma | 32 | 1.3 | 3.7 | 2.3 | 0.14 | 0.23 | 52 | 1.3 | 5.1 | 2.4 | 0.14 | 0.32 | C90 |
| Lymphoid leukaemia | 28 | 1.1 | 3.2 | 2.9 | 0.15 | 0.28 | 22 | 0.5 | 2.2 | 2.0 | 0.10 | 0.15 | C91 |
| Myeloid leukaemia | 45 | 1.8 | 5.2 | 3.6 | 0.18 | 0.34 | 65 | 1.6 | 6.4 | 3.9 | 0.25 | 0.38 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 24 | 1.0 | 2.8 | 1.9 | 0.11 | 0.24 | 39 | 1.0 | 3.8 | 1.9 | 0.11 | 0.20 | MPD |
| Myelodysplastic syndromes | 24 | 1.0 | 2.8 | 1.7 | 0.03 | 0.25 | 18 | 0.4 | 1.8 | 0.7 | 0.04 | 0.08 | MPS |
| Other and unspecified | 52 | 2.1 | 6.0 | 3.6 | 0.16 | 0.48 | 73 | 1.8 | 7.2 | 3.0 | 0.15 | 0.37 | O&U |
| All sites | 2516 | 100.0 | 291.2 | 183.1 | 9.32 | 22.17 | 4056 | 100.0 | 399.7 | 220.4 | 15.21 | 25.08 | C00–96 |
| All sites except C44 | 2506 | 100.0 | 290.1 | 182.3 | 9.26 | 22.07 | 4047 | 100.0 | 398.8 | 219.9 | 15.17 | 25.03 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, Los Angeles County: Korean (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 17 | 1.0 | 3.2 | 2.1 | 0.14 | 0.25 | 7 | 0.4 | 1.1 | 1.0 | 0.05 | 0.10 | C01–02 |
| Mouth | 3 | 0.2 | 0.6 | 0.3 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 5 | 0.3 | 0.9 | 0.7 | 0.03 | 0.07 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 7 | 0.4 | 1.3 | 0.7 | 0.05 | 0.09 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 2 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 4 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 4 | 0.2 | 0.8 | 0.3 | 0.01 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 13 | 0.7 | 2.5 | 1.3 | 0.09 | 0.13 | 4 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C15 |
| Stomach | 189 | 10.7 | 35.8 | 18.3 | 0.80 | 2.36 | 130 | 6.9 | 21.3 | 8.8 | 0.44 | 0.87 | C16 |
| Small intestine | 6 | 0.3 | 1.1 | 0.6 | 0.03 | 0.05 | 5 | 0.3 | 0.8 | 0.3 | 0.01 | 0.04 | C17 |
| Colon | 178 | 10.1 | 33.7 | 17.6 | 0.91 | 2.04 | 164 | 8.6 | 26.9 | 12.1 | 0.66 | 1.42 | C18 |
| Rectum | 106 | 6.0 | 20.1 | 11.7 | 0.81 | 1.46 | 70 | 3.7 | 11.5 | 6.1 | 0.41 | 0.77 | C19–20 |
| Anus | 2 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 136 | 7.7 | 25.8 | 14.7 | 1.01 | 1.64 | 65 | 3.4 | 10.7 | 4.7 | 0.25 | 0.54 | C22 |
| Gallbladder etc. | 59 | 3.3 | 11.2 | 5.0 | 0.12 | 0.62 | 42 | 2.2 | 6.9 | 2.8 | 0.12 | 0.33 | C23–24 |
| Pancreas | 83 | 4.7 | 15.7 | 8.5 | 0.53 | 0.90 | 80 | 4.2 | 13.1 | 5.3 | 0.21 | 0.59 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 12 | 0.7 | 2.3 | 1.0 | 0.04 | 0.11 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 283 | 16.0 | 53.7 | 25.2 | 0.81 | 3.06 | 146 | 7.7 | 23.9 | 10.7 | 0.53 | 1.29 | C33–34 |
| Other thoracic organs | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 3 | 0.2 | 0.6 | 0.2 | 0.00 | 0.02 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C40–41 |
| Melanoma of skin | 7 | 0.4 | 1.3 | 0.7 | 0.04 | 0.08 | 8 | 0.4 | 1.3 | 0.7 | 0.03 | 0.12 | C43 |
| Other skin | 3 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C44 |
| Mesothelioma | 3 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 14 | 0.8 | 2.7 | 1.9 | 0.13 | 0.21 | 13 | 0.7 | 2.1 | 1.3 | 0.08 | 0.16 | C47+C49 |
| Breast | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 513 | 27.1 | 84.1 | 50.6 | 3.93 | 5.68 | C50 |
| Vulva | | | | | | | 1 | 0.1 | 0.2 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 59 | 3.1 | 9.7 | 5.1 | 0.41 | 0.49 | C53 |
| Corpus uteri | | | | | | | 90 | 4.7 | 14.8 | 8.6 | 0.67 | 1.06 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.3 | 0.8 | 0.4 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 69 | 3.6 | 11.3 | 6.0 | 0.44 | 0.65 | C56 |
| Other female genital organs | | | | | | | 6 | 0.3 | 1.0 | 0.5 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 7 | 0.4 | 1.3 | 0.6 | 0.00 | 0.08 | | | | | | | C60 |
| Prostate | 199 | 11.3 | 37.7 | 19.2 | 0.62 | 2.59 | | | | | | | C61 |
| Testis | 7 | 0.4 | 1.3 | 1.3 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 60 | 3.4 | 11.4 | 6.2 | 0.37 | 0.74 | 39 | 2.1 | 6.4 | 3.4 | 0.22 | 0.35 | C64 |
| Renal pelvis | 7 | 0.4 | 1.3 | 0.5 | 0.02 | 0.06 | 6 | 0.3 | 1.0 | 0.5 | 0.03 | 0.05 | C65 |
| Ureter | 4 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 6 | 0.3 | 1.0 | 0.4 | 0.00 | 0.05 | C66 |
| Bladder | 101 | 5.7 | 19.2 | 8.7 | 0.29 | 0.94 | 34 | 1.8 | 5.6 | 2.5 | 0.12 | 0.30 | C67 |
| Other urinary organs | 4 | 0.2 | 0.8 | 0.3 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C69 |
| Brain and nervous system | 13 | 0.7 | 2.5 | 1.8 | 0.11 | 0.15 | 13 | 0.7 | 2.1 | 1.7 | 0.11 | 0.13 | C70–72 |
| Thyroid | 46 | 2.6 | 8.7 | 6.3 | 0.48 | 0.68 | 142 | 7.5 | 23.3 | 14.9 | 1.09 | 1.50 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 4 | 0.2 | 0.8 | 0.5 | 0.02 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 55 | 3.1 | 10.4 | 5.3 | 0.23 | 0.65 | 44 | 2.3 | 7.2 | 3.6 | 0.26 | 0.40 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.2 | 0.6 | 0.4 | 0.01 | 0.05 | 6 | 0.3 | 1.0 | 0.6 | 0.06 | 0.07 | C88 |
| Multiple myeloma | 19 | 1.1 | 3.6 | 1.7 | 0.04 | 0.22 | 10 | 0.5 | 1.6 | 0.6 | 0.04 | 0.04 | C90 |
| Lymphoid leukaemia | 8 | 0.5 | 1.5 | 1.0 | 0.08 | 0.10 | 7 | 0.4 | 1.1 | 1.3 | 0.07 | 0.11 | C91 |
| Myeloid leukaemia | 26 | 1.5 | 4.9 | 3.1 | 0.19 | 0.29 | 25 | 1.3 | 4.1 | 2.6 | 0.17 | 0.22 | C92–94 |
| Leukaemia unspecified | 2 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 6 | 0.3 | 1.1 | 0.5 | 0.01 | 0.06 | 9 | 0.5 | 1.5 | 0.7 | 0.04 | 0.11 | MPD |
| Myelodysplastic syndromes | 15 | 0.8 | 2.8 | 1.1 | 0.02 | 0.04 | 15 | 0.8 | 2.5 | 1.0 | 0.04 | 0.13 | MPS |
| Other and unspecified | 32 | 1.8 | 6.1 | 2.9 | 0.12 | 0.35 | 39 | 2.1 | 6.4 | 2.6 | 0.11 | 0.30 | O&U |
| All sites | 1769 | | 335.4 | 175.5 | 8.50 | 20.71 | 1899 | | 311.3 | 164.6 | 10.89 | 18.31 | C00–96 |
| All sites except C44 | 1766 | 100.0 | 334.8 | 175.1 | 8.48 | 20.68 | 1896 | 100.0 | 310.8 | 164.3 | 10.87 | 18.27 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, Los Angeles County: White (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 144 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 61 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 832 | 1.2 | 4.5 | 3.3 | 0.21 | 0.42 | 318 | 0.4 | 1.7 | 1.1 | 0.07 | 0.13 | C01–02 |
| Mouth | 288 | 0.4 | 1.6 | 1.1 | 0.06 | 0.13 | 219 | 0.3 | 1.2 | 0.7 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 234 | 0.3 | 1.3 | 0.9 | 0.04 | 0.10 | 163 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 564 | 0.8 | 3.1 | 2.3 | 0.18 | 0.29 | 114 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 97 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 26 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 88 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 53 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 119 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 24 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 45 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 11 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 879 | 1.3 | 4.8 | 3.3 | 0.15 | 0.42 | 239 | 0.3 | 1.3 | 0.7 | 0.02 | 0.07 | C15 |
| Stomach | 1842 | 2.7 | 10.1 | 7.0 | 0.39 | 0.81 | 1271 | 1.8 | 7.0 | 4.2 | 0.25 | 0.48 | C16 |
| Small intestine | 343 | 0.5 | 1.9 | 1.3 | 0.07 | 0.16 | 342 | 0.5 | 1.9 | 1.2 | 0.06 | 0.14 | C17 |
| Colon | 4419 | 6.5 | 24.2 | 16.5 | 0.87 | 1.87 | 4360 | 6.0 | 23.8 | 13.7 | 0.75 | 1.50 | C18 |
| Rectum | 2229 | 3.3 | 12.2 | 8.8 | 0.58 | 1.02 | 1694 | 2.3 | 9.3 | 6.0 | 0.42 | 0.68 | C19–20 |
| Anus | 295 | 0.4 | 1.6 | 1.2 | 0.08 | 0.14 | 378 | 0.5 | 2.1 | 1.3 | 0.09 | 0.17 | C21 |
| Liver | 2300 | 3.4 | 12.6 | 9.1 | 0.54 | 1.16 | 1117 | 1.5 | 6.1 | 3.7 | 0.18 | 0.45 | C22 |
| Gallbladder etc. | 580 | 0.9 | 3.2 | 2.1 | 0.11 | 0.25 | 838 | 1.2 | 4.6 | 2.6 | 0.13 | 0.30 | C23–24 |
| Pancreas | 2183 | 3.2 | 11.9 | 8.0 | 0.36 | 0.98 | 2147 | 3.0 | 11.7 | 6.4 | 0.28 | 0.74 | C25 |
| Nose, sinuses etc. | 149 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 93 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 601 | 0.9 | 3.3 | 2.3 | 0.11 | 0.29 | 96 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 6353 | 9.3 | 34.7 | 22.7 | 0.77 | 2.73 | 5991 | 8.3 | 32.8 | 17.7 | 0.68 | 2.15 | C33–34 |
| Other thoracic organs | 123 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 82 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 231 | 0.3 | 1.3 | 1.2 | 0.07 | 0.10 | 173 | 0.2 | 0.9 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 3525 | 5.2 | 19.3 | 13.3 | 0.68 | 1.55 | 2271 | 3.1 | 12.4 | 8.1 | 0.53 | 0.88 | C43 |
| Other skin | 351 | 0.5 | 1.9 | 1.3 | 0.06 | 0.13 | 271 | 0.4 | 1.5 | 0.8 | 0.04 | 0.08 | C44 |
| Mesothelioma | 220 | 0.3 | 1.2 | 0.8 | 0.02 | 0.09 | 79 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 225 | 0.3 | 1.2 | 0.9 | 0.07 | 0.08 | 16 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 796 | 1.2 | 4.4 | 3.2 | 0.18 | 0.32 | 590 | 0.8 | 3.2 | 2.4 | 0.15 | 0.24 | C47+C49 |
| Breast | 159 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | 21672 | 30.0 | 118.5 | 81.1 | 5.57 | 9.55 | C50 |
| Vulva | | | | | | | 405 | 0.6 | 2.2 | 1.2 | 0.06 | 0.14 | C51 |
| Vagina | | | | | | | 144 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1416 | 2.0 | 7.7 | 6.0 | 0.48 | 0.59 | C53 |
| Corpus uteri | | | | | | | 5301 | 7.3 | 29.0 | 20.0 | 1.43 | 2.46 | C54 |
| Uterus unspecified | | | | | | | 245 | 0.3 | 1.3 | 0.9 | 0.06 | 0.10 | C55 |
| Ovary | | | | | | | 2472 | 3.4 | 13.5 | 9.2 | 0.63 | 1.02 | C56 |
| Other female genital organs | | | | | | | 280 | 0.4 | 1.5 | 1.0 | 0.06 | 0.12 | C57 |
| Placenta | | | | | | | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 148 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 15013 | 22.1 | 82.1 | 58.9 | 2.87 | 8.11 | | | | | | | C61 |
| Testis | 1346 | 2.0 | 7.4 | 6.7 | 0.48 | 0.50 | | | | | | | C62 |
| Other male genital organs | 42 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 3294 | 4.8 | 18.0 | 13.2 | 0.79 | 1.62 | 1855 | 2.6 | 10.1 | 6.9 | 0.43 | 0.81 | C64 |
| Renal pelvis | 141 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | 129 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 51 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 50 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 4463 | 6.6 | 24.4 | 15.6 | 0.53 | 1.79 | 1358 | 1.9 | 7.4 | 3.8 | 0.14 | 0.44 | C67 |
| Other urinary organs | 70 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 30 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 146 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 169 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 1264 | 1.9 | 6.9 | 5.6 | 0.33 | 0.57 | 1013 | 1.4 | 5.5 | 4.4 | 0.27 | 0.41 | C70–72 |
| Thyroid | 1312 | 1.9 | 7.2 | 5.7 | 0.40 | 0.61 | 3898 | 5.4 | 21.3 | 17.2 | 1.35 | 1.70 | C73 |
| Adrenal gland | 38 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 51 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 33 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 22 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 473 | 0.7 | 2.6 | 2.2 | 0.15 | 0.19 | 371 | 0.5 | 2.0 | 1.8 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 3389 | 5.0 | 18.5 | 13.3 | 0.73 | 1.48 | 2751 | 3.8 | 15.0 | 9.3 | 0.52 | 1.04 | C82–86,C96 |
| Immunoproliferative diseases | 258 | 0.4 | 1.4 | 1.0 | 0.05 | 0.11 | 275 | 0.4 | 1.5 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 1151 | 1.7 | 6.3 | 4.3 | 0.20 | 0.51 | 886 | 1.2 | 4.8 | 2.9 | 0.16 | 0.34 | C90 |
| Lymphoid leukaemia | 1601 | 2.4 | 8.8 | 7.6 | 0.40 | 0.69 | 1097 | 1.5 | 6.0 | 4.8 | 0.26 | 0.41 | C91 |
| Myeloid leukaemia | 1143 | 1.7 | 6.2 | 4.6 | 0.23 | 0.46 | 902 | 1.2 | 4.9 | 3.4 | 0.18 | 0.33 | C92–94 |
| Leukaemia unspecified | 68 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 54 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 495 | 0.7 | 2.7 | 1.9 | 0.10 | 0.21 | 488 | 0.7 | 2.7 | 1.5 | 0.07 | 0.17 | MPD |
| Myelodysplastic syndromes | 723 | 1.1 | 4.0 | 2.4 | 0.05 | 0.25 | 524 | 0.7 | 2.9 | 1.3 | 0.03 | 0.12 | MPS |
| Other and unspecified | 1467 | 2.2 | 8.0 | 5.2 | 0.23 | 0.55 | 1612 | 2.2 | 8.8 | 4.6 | 0.21 | 0.50 | O&U |
| All sites | 68343 | | 373.7 | 265.4 | 13.50 | 31.39 | 72525 | | 396.6 | 258.8 | 16.14 | 29.25 | C00–96 |
| All sites except C44 | 67992 | 100.0 | 371.8 | 264.1 | 13.44 | 31.26 | 72254 | 100.0 | 395.1 | 258.0 | 16.09 | 29.17 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, Los Angeles County: Hispanic White (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 32 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 18 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 196 | 0.8 | 1.7 | 1.8 | 0.12 | 0.22 | 102 | 0.3 | 0.9 | 0.7 | 0.05 | 0.09 | C01–02 |
| Mouth | 107 | 0.4 | 0.9 | 0.9 | 0.05 | 0.12 | 62 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 69 | 0.3 | 0.6 | 0.6 | 0.03 | 0.07 | 69 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 143 | 0.6 | 1.3 | 1.3 | 0.09 | 0.17 | 31 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 24 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 40 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 25 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 46 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 14 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 313 | 1.3 | 2.8 | 2.8 | 0.12 | 0.37 | 63 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C15 |
| Stomach | 1013 | 4.1 | 9.0 | 8.8 | 0.49 | 1.02 | 841 | 2.8 | 7.4 | 6.0 | 0.36 | 0.67 | C16 |
| Small intestine | 115 | 0.5 | 1.0 | 1.0 | 0.04 | 0.11 | 141 | 0.5 | 1.2 | 1.0 | 0.05 | 0.13 | C17 |
| Colon | 1774 | 7.3 | 15.8 | 15.7 | 0.82 | 1.83 | 1827 | 6.1 | 16.1 | 13.1 | 0.75 | 1.52 | C18 |
| Rectum | 1069 | 4.4 | 9.5 | 9.4 | 0.61 | 1.13 | 740 | 2.5 | 6.5 | 5.5 | 0.39 | 0.64 | C19–20 |
| Anus | 95 | 0.4 | 0.8 | 0.8 | 0.06 | 0.08 | 100 | 0.3 | 0.9 | 0.7 | 0.05 | 0.09 | C21 |
| Liver | 1344 | 5.5 | 11.9 | 12.4 | 0.67 | 1.57 | 691 | 2.3 | 6.1 | 5.0 | 0.23 | 0.63 | C22 |
| Gallbladder etc. | 317 | 1.3 | 2.8 | 2.8 | 0.14 | 0.31 | 549 | 1.8 | 4.8 | 3.9 | 0.20 | 0.47 | C23–24 |
| Pancreas | 783 | 3.2 | 7.0 | 7.1 | 0.32 | 0.88 | 916 | 3.1 | 8.1 | 6.4 | 0.29 | 0.73 | C25 |
| Nose, sinuses etc. | 63 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | 37 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 242 | 1.0 | 2.1 | 2.2 | 0.10 | 0.26 | 36 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1687 | 6.9 | 15.0 | 15.3 | 0.47 | 1.78 | 1511 | 5.1 | 13.3 | 10.3 | 0.43 | 1.20 | C33–34 |
| Other thoracic organs | 64 | 0.3 | 0.6 | 0.5 | 0.03 | 0.04 | 36 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 135 | 0.6 | 1.2 | 1.2 | 0.07 | 0.09 | 93 | 0.3 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 282 | 1.2 | 2.5 | 2.5 | 0.13 | 0.30 | 312 | 1.0 | 2.8 | 2.3 | 0.16 | 0.25 | C43 |
| Other skin | 70 | 0.3 | 0.6 | 0.6 | 0.03 | 0.06 | 107 | 0.4 | 0.9 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 95 | 0.4 | 0.8 | 0.8 | 0.04 | 0.09 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 143 | 0.6 | 1.3 | 1.1 | 0.08 | 0.09 | 9 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 313 | 1.3 | 2.8 | 2.7 | 0.16 | 0.27 | 301 | 1.0 | 2.7 | 2.4 | 0.16 | 0.24 | C47+C49 |
| Breast | 40 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 8376 | 28.1 | 73.9 | 63.9 | 4.55 | 7.45 | C50 |
| Vulva | | | | | | | 129 | 0.4 | 1.1 | 0.9 | 0.04 | 0.10 | C51 |
| Vagina | | | | | | | 69 | 0.2 | 0.6 | 0.5 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 931 | 3.1 | 8.2 | 7.0 | 0.55 | 0.71 | C53 |
| Corpus uteri | | | | | | | 2488 | 8.4 | 22.0 | 19.2 | 1.40 | 2.33 | C54 |
| Uterus unspecified | | | | | | | 114 | 0.4 | 1.0 | 0.8 | 0.06 | 0.10 | C55 |
| Ovary | | | | | | | 1150 | 3.9 | 10.2 | 8.7 | 0.61 | 0.96 | C56 |
| Other female genital organs | | | | | | | 108 | 0.4 | 1.0 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 89 | 0.4 | 0.8 | 0.8 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 5228 | 21.4 | 46.4 | 49.9 | 2.30 | 6.92 | | | | | | | C61 |
| Testis | 776 | 3.2 | 6.9 | 6.2 | 0.43 | 0.43 | | | | | | | C62 |
| Other male genital organs | 20 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1561 | 6.4 | 13.9 | 13.9 | 0.85 | 1.70 | 1071 | 3.6 | 9.5 | 8.2 | 0.52 | 0.98 | C64 |
| Renal pelvis | 53 | 0.2 | 0.5 | 0.5 | 0.02 | 0.05 | 42 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 18 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 17 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 909 | 3.7 | 8.1 | 8.1 | 0.25 | 0.89 | 328 | 1.1 | 2.9 | 2.3 | 0.09 | 0.26 | C67 |
| Other urinary organs | 20 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 40 | 0.2 | 0.4 | 0.4 | 0.01 | 0.04 | 53 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 492 | 2.0 | 4.4 | 4.4 | 0.26 | 0.45 | 444 | 1.5 | 3.9 | 3.7 | 0.22 | 0.34 | C70–72 |
| Thyroid | 508 | 2.1 | 4.5 | 4.2 | 0.30 | 0.45 | 2062 | 6.9 | 18.2 | 16.1 | 1.26 | 1.62 | C73 |
| Adrenal gland | 17 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 23 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 20 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 227 | 0.9 | 2.0 | 1.9 | 0.12 | 0.16 | 186 | 0.6 | 1.6 | 1.5 | 0.10 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 1389 | 5.7 | 12.3 | 12.2 | 0.68 | 1.37 | 1236 | 4.1 | 10.9 | 9.0 | 0.50 | 1.00 | C82–86,C96 |
| Immunoproliferative diseases | 73 | 0.3 | 0.6 | 0.7 | 0.03 | 0.09 | 113 | 0.4 | 1.0 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 479 | 2.0 | 4.3 | 4.2 | 0.21 | 0.48 | 430 | 1.4 | 3.8 | 3.1 | 0.18 | 0.37 | C90 |
| Lymphoid leukaemia | 629 | 2.6 | 5.6 | 6.0 | 0.33 | 0.47 | 450 | 1.5 | 4.0 | 4.1 | 0.22 | 0.31 | C91 |
| Myeloid leukaemia | 461 | 1.9 | 4.1 | 4.0 | 0.22 | 0.38 | 411 | 1.4 | 3.6 | 3.2 | 0.18 | 0.33 | C92–94 |
| Leukaemia unspecified | 32 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 24 | 0.1 | 0.2 | 0.2 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 129 | 0.5 | 1.1 | 1.1 | 0.06 | 0.12 | 109 | 0.4 | 1.0 | 0.8 | 0.03 | 0.08 | MPD |
| Myelodysplastic syndromes | 181 | 0.7 | 1.6 | 1.6 | 0.04 | 0.17 | 165 | 0.6 | 1.5 | 1.1 | 0.03 | 0.11 | MPS |
| Other and unspecified | 536 | 2.2 | 4.8 | 4.7 | 0.21 | 0.49 | 669 | 2.2 | 5.9 | 4.5 | 0.21 | 0.49 | O&U |
| All sites | 24515 | | 217.7 | 220.3 | 11.25 | 25.94 | 29896 | | 263.9 | 223.8 | 14.33 | 25.18 | C00–96 |
| All sites except C44 | 24445 | 100.0 | 217.0 | 219.7 | 11.22 | 25.88 | 29789 | 100.0 | 262.9 | 223.0 | 14.28 | 25.11 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, Los Angeles County: Non-Hispanic White (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 112 | 0.3 | 1.6 | 0.8 | 0.05 | 0.09 | 43 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 636 | 1.5 | 9.1 | 4.6 | 0.30 | 0.58 | 216 | 0.5 | 3.1 | 1.4 | 0.09 | 0.17 | C01–02 |
| Mouth | 181 | 0.4 | 2.6 | 1.2 | 0.07 | 0.14 | 157 | 0.4 | 2.3 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 165 | 0.4 | 2.3 | 1.1 | 0.05 | 0.13 | 94 | 0.2 | 1.4 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 421 | 1.0 | 6.0 | 3.3 | 0.27 | 0.39 | 83 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 73 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | 21 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 48 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 28 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 73 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 14 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 566 | 1.3 | 8.1 | 3.6 | 0.18 | 0.46 | 176 | 0.4 | 2.5 | 0.8 | 0.02 | 0.10 | C15 |
| Stomach | 829 | 1.9 | 11.8 | 5.3 | 0.27 | 0.62 | 430 | 1.0 | 6.2 | 2.4 | 0.12 | 0.28 | C16 |
| Small intestine | 228 | 0.5 | 3.2 | 1.6 | 0.09 | 0.20 | 201 | 0.5 | 2.9 | 1.3 | 0.08 | 0.16 | C17 |
| Colon | 2645 | 6.1 | 37.6 | 17.5 | 0.94 | 1.94 | 2533 | 6.0 | 36.4 | 14.3 | 0.77 | 1.51 | C18 |
| Rectum | 1160 | 2.7 | 16.5 | 8.5 | 0.57 | 0.95 | 954 | 2.2 | 13.7 | 6.6 | 0.46 | 0.73 | C19–20 |
| Anus | 200 | 0.5 | 2.8 | 1.5 | 0.10 | 0.18 | 278 | 0.7 | 4.0 | 1.9 | 0.13 | 0.24 | C21 |
| Liver | 956 | 2.2 | 13.6 | 6.8 | 0.42 | 0.87 | 426 | 1.0 | 6.1 | 2.6 | 0.14 | 0.31 | C22 |
| Gallbladder etc. | 263 | 0.6 | 3.7 | 1.6 | 0.07 | 0.19 | 289 | 0.7 | 4.2 | 1.4 | 0.06 | 0.16 | C23–24 |
| Pancreas | 1400 | 3.2 | 19.9 | 8.7 | 0.39 | 1.06 | 1231 | 2.9 | 17.7 | 6.3 | 0.27 | 0.74 | C25 |
| Nose, sinuses etc. | 86 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | 56 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 359 | 0.8 | 5.1 | 2.4 | 0.13 | 0.31 | 60 | 0.1 | 0.9 | 0.3 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 4666 | 10.7 | 66.4 | 27.9 | 1.05 | 3.41 | 4480 | 10.5 | 64.4 | 23.6 | 0.94 | 2.93 | C33–34 |
| Other thoracic organs | 59 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | 46 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 96 | 0.2 | 1.4 | 1.3 | 0.07 | 0.10 | 80 | 0.2 | 1.1 | 1.1 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 3243 | 7.4 | 46.2 | 22.7 | 1.28 | 2.59 | 1959 | 4.6 | 28.2 | 15.1 | 1.04 | 1.58 | C43 |
| Other skin | 281 | 0.6 | 4.0 | 1.8 | 0.09 | 0.18 | 164 | 0.4 | 2.4 | 0.9 | 0.04 | 0.08 | C44 |
| Mesothelioma | 125 | 0.3 | 1.8 | 0.7 | 0.01 | 0.07 | 50 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 82 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 483 | 1.1 | 6.9 | 3.5 | 0.20 | 0.36 | 289 | 0.7 | 4.2 | 2.4 | 0.14 | 0.24 | C47+C49 |
| Breast | 119 | 0.3 | 1.7 | 0.7 | 0.03 | 0.09 | 13296 | 31.3 | 191.1 | 99.2 | 6.85 | 11.63 | C50 |
| Vulva | | | | | | | 276 | 0.6 | 4.0 | 1.5 | 0.08 | 0.18 | C51 |
| Vagina | | | | | | | 75 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 485 | 1.1 | 7.0 | 4.7 | 0.38 | 0.46 | C53 |
| Corpus uteri | | | | | | | 2813 | 6.6 | 40.4 | 20.0 | 1.42 | 2.52 | C54 |
| Uterus unspecified | | | | | | | 131 | 0.3 | 1.9 | 0.8 | 0.05 | 0.10 | C55 |
| Ovary | | | | | | | 1322 | 3.1 | 19.0 | 9.6 | 0.66 | 1.07 | C56 |
| Other female genital organs | | | | | | | 172 | 0.4 | 2.5 | 1.1 | 0.07 | 0.14 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 59 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 9785 | 22.5 | 139.3 | 66.0 | 3.39 | 9.03 | | | | | | | C61 |
| Testis | 570 | 1.3 | 8.1 | 7.2 | 0.55 | 0.58 | | | | | | | C62 |
| Other male genital organs | 22 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1733 | 4.0 | 24.7 | 12.9 | 0.75 | 1.57 | 784 | 1.8 | 11.3 | 5.5 | 0.32 | 0.64 | C64 |
| Renal pelvis | 88 | 0.2 | 1.3 | 0.5 | 0.02 | 0.06 | 87 | 0.2 | 1.3 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 33 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 33 | 0.1 | 0.5 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 3554 | 8.2 | 50.6 | 20.9 | 0.79 | 2.44 | 1030 | 2.4 | 14.8 | 5.1 | 0.20 | 0.59 | C67 |
| Other urinary organs | 50 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 18 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 106 | 0.2 | 1.5 | 0.8 | 0.05 | 0.09 | 116 | 0.3 | 1.7 | 1.0 | 0.06 | 0.10 | C69 |
| Brain and nervous system | 772 | 1.8 | 11.0 | 7.1 | 0.43 | 0.70 | 569 | 1.3 | 8.2 | 5.6 | 0.36 | 0.50 | C70–72 |
| Thyroid | 804 | 1.8 | 11.4 | 7.3 | 0.53 | 0.78 | 1836 | 4.3 | 26.4 | 19.4 | 1.53 | 1.87 | C73 |
| Adrenal gland | 21 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 28 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 13 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 246 | 0.6 | 3.5 | 2.9 | 0.20 | 0.24 | 185 | 0.4 | 2.7 | 2.4 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 2000 | 4.6 | 28.5 | 14.7 | 0.80 | 1.60 | 1515 | 3.6 | 21.8 | 9.7 | 0.55 | 1.08 | C82–86,C96 |
| Immunoproliferative diseases | 185 | 0.4 | 2.6 | 1.3 | 0.06 | 0.14 | 162 | 0.4 | 2.3 | 1.0 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 672 | 1.5 | 9.6 | 4.3 | 0.20 | 0.52 | 456 | 1.1 | 6.6 | 2.6 | 0.15 | 0.31 | C90 |
| Lymphoid leukaemia | 972 | 2.2 | 13.8 | 8.3 | 0.43 | 0.82 | 647 | 1.5 | 9.3 | 5.1 | 0.28 | 0.47 | C91 |
| Myeloid leukaemia | 682 | 1.6 | 9.7 | 5.0 | 0.23 | 0.51 | 491 | 1.2 | 7.1 | 3.5 | 0.18 | 0.34 | C92–94 |
| Leukaemia unspecified | 36 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 30 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 366 | 0.8 | 5.2 | 2.5 | 0.14 | 0.28 | 379 | 0.9 | 5.4 | 2.3 | 0.12 | 0.26 | MPD |
| Myelodysplastic syndromes | 542 | 1.2 | 7.7 | 2.8 | 0.06 | 0.30 | 359 | 0.8 | 5.2 | 1.4 | 0.03 | 0.13 | MPS |
| Other and unspecified | 931 | 2.1 | 13.3 | 5.6 | 0.25 | 0.60 | 943 | 2.2 | 13.6 | 4.6 | 0.20 | 0.50 | O&U |
| All sites | 43828 | | 623.8 | 302.6 | 15.84 | 35.73 | 42629 | | 612.6 | 294.8 | 18.44 | 33.23 | C00–96 |
| All sites except C44 | 43547 | 100.0 | 619.8 | 300.8 | 15.75 | 35.55 | 42465 | 100.0 | 610.3 | 293.9 | 18.39 | 33.14 | C00–96 exc. C44 |

*See note following population pyramid

USA, California, San Francisco Bay Area

CONTRIBUTORS

Scarlett Lin Gomez
Sally Glaser
Iona Cheng
Salma Shariff-Marco
Tina Clarke
Kathleen Davidson-Allen
Daphne Lichtensztajn




NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 65.4 | Breast | 87.8 |
| Trachea, bronchus, and lung | 25.2 | Trachea, bronchus, and lung | 21.3 |
| Melanoma of skin | 19.9 | Corpus uteri | 19.6 |
| Colon | 16.1 | Thyroid | 14.1 |
| Bladder | 15.4 | Melanoma of skin | 14.0 |
| Non-Hodgkin lymphoma | 14.0 | Colon | 13.7 |
| Kidney | 12.2 | Non-Hodgkin lymphoma | 9.1 |
| Liver | 11.7 | Ovary | 7.9 |
| Rectum | 8.8 | Pancreas | 6.4 |
| Pancreas | 8.2 | Kidney | 5.4 |
| Lymphoid leukaemia | 7.4 | Rectum | 5.3 |
| Brain and nervous system | 5.9 | Cervix uteri | 4.4 |
| Stomach | 5.7 | Lymphoid leukaemia | 4.2 |
| Testis | 5.6 | Other and unspecified | 4.1 |
| Thyroid | 5.3 | Brain and nervous system | 4.0 |
| Multiple myeloma | 4.6 | Bladder | 3.8 |
| Other and unspecified | 4.3 | Liver | 3.6 |
| Myeloid leukaemia | 4.3 | Stomach | 3.4 |
| Oesophagus | 3.5 | Multiple myeloma | 2.9 |
| Tongue | 3.5 | Myeloid leukaemia | 2.8 |
| All sites | 281.6 | All sites | 263.3 |



NOTES ON THE DATA

*No official mortality data.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 37.5 |
| Trachea, bronchus, and lung | 26.9 |
| Colon | 15.2 |
| Liver | 14.2 |
| Non-Hodgkin lymphoma | 11.2 |
| Rectum | 9.5 |
| Bladder | 8.6 |
| Kidney | 8.1 |
| Stomach | 6.8 |
| Pancreas | 6.4 |
| All sites | 201.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 78.9 |
| Corpus uteri | 17.3 |
| Trachea, bronchus, and lung | 17.3 |
| Thyroid | 14.7 |
| Colon | 11.1 |
| Ovary | 6.6 |
| Non-Hodgkin lymphoma | 6.5 |
| Rectum | 5.7 |
| Pancreas | 5.4 |
| Stomach | 4.2 |
| All sites | 215.1 |



NOTES ON THE DATA

*No official mortality data.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 108.9 |
| Trachea, bronchus, and lung | 41.2 |
| Colon | 20.7 |
| Kidney | 18.5 |
| Liver | 17.8 |
| Pancreas | 11.9 |
| Non-Hodgkin lymphoma | 11.7 |
| Bladder | 11.7 |
| Multiple myeloma | 10.2 |
| Rectum | 8.2 |
| All sites | 340.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 83.9 |
| Trachea, bronchus, and lung | 31.2 |
| Corpus uteri | 20.5 |
| Colon | 20.3 |
| Kidney | 9.9 |
| Pancreas | 9.5 |
| Non-Hodgkin lymphoma | 8.0 |
| Ovary | 6.9 |
| Other and unspecified | 6.2 |
| Multiple myeloma | 6.1 |
| All sites | 268.5 |



NOTES ON THE DATA

*No official mortality data.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 65.9 |
| Melanoma of skin | 28.0 |
| Trachea, bronchus, and lung | 22.5 |
| Bladder | 18.1 |
| Colon | 15.8 |
| Non-Hodgkin lymphoma | 15.1 |
| Kidney | 13.1 |
| Liver | 9.8 |
| Lymphoid leukaemia | 8.8 |
| Pancreas | 8.6 |
| All sites | 297.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 92.3 |
| Trachea, bronchus, and lung | 21.8 |
| Melanoma of skin | 20.8 |
| Corpus uteri | 20.3 |
| Thyroid | 15.0 |
| Colon | 13.9 |
| Non-Hodgkin lymphoma | 10.3 |
| Ovary | 8.6 |
| Pancreas | 6.5 |
| Kidney | 5.6 |
| All sites | 282.3 |



NOTES ON THE DATA

*No official mortality data.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 59.1 |
| Trachea, bronchus, and lung | 19.6 |
| Liver | 16.1 |
| Colon | 15.8 |
| Kidney | 15.7 |
| Non-Hodgkin lymphoma | 14.4 |
| Bladder | 12.3 |
| Rectum | 8.9 |
| Stomach | 8.9 |
| Pancreas | 8.3 |
| All sites | 255.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 72.3 |
| Corpus uteri | 20.0 |
| Thyroid | 15.9 |
| Trachea, bronchus, and lung | 14.6 |
| Colon | 14.2 |
| Non-Hodgkin lymphoma | 11.7 |
| Kidney | 8.1 |
| Ovary | 7.8 |
| Pancreas | 7.4 |
| Cervix uteri | 6.7 |
| All sites | 247.5 |



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 67.3 |
| Melanoma of skin | 34.1 |
| Trachea, bronchus, and lung | 23.2 |
| Bladder | 19.3 |
| Colon | 15.9 |
| Non-Hodgkin lymphoma | 15.4 |
| Kidney | 12.5 |
| Lymphoid leukaemia | 8.9 |
| Pancreas | 8.7 |
| Liver | 8.5 |
| All sites | 308.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 98.1 |
| Melanoma of skin | 26.2 |
| Trachea, bronchus, and lung | 23.3 |
| Corpus uteri | 19.8 |
| Thyroid | 14.8 |
| Colon | 13.9 |
| Non-Hodgkin lymphoma | 9.9 |
| Ovary | 8.7 |
| Pancreas | 6.2 |
| Brain and nervous system | 5.3 |
| All sites | 292.2 |

***USA, California, San Francisco Bay Area (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 82 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 41 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 629 | 1.2 | 5.5 | 3.5 | 0.22 | 0.43 | 270 | 0.5 | 2.3 | 1.3 | 0.09 | 0.17 | C01–02 |
| Mouth | 235 | 0.5 | 2.1 | 1.2 | 0.07 | 0.15 | 185 | 0.3 | 1.6 | 0.7 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 167 | 0.3 | 1.5 | 0.9 | 0.04 | 0.10 | 120 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 417 | 0.8 | 3.6 | 2.4 | 0.20 | 0.30 | 76 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C09 |
| Other oropharynx | 79 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | 26 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 216 | 0.4 | 1.9 | 1.3 | 0.10 | 0.14 | 92 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C11 |
| Hypopharynx | 88 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | 25 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 689 | 1.3 | 6.0 | 3.5 | 0.18 | 0.44 | 239 | 0.4 | 2.0 | 0.9 | 0.04 | 0.10 | C15 |
| Stomach | 1129 | 2.2 | 9.9 | 5.7 | 0.29 | 0.63 | 787 | 1.5 | 6.7 | 3.4 | 0.20 | 0.36 | C16 |
| Small intestine | 273 | 0.5 | 2.4 | 1.4 | 0.08 | 0.16 | 221 | 0.4 | 1.9 | 1.0 | 0.06 | 0.12 | C17 |
| Colon | 3089 | 5.9 | 27.0 | 16.1 | 0.89 | 1.79 | 3207 | 6.0 | 27.4 | 13.7 | 0.75 | 1.46 | C18 |
| Rectum | 1580 | 3.0 | 13.8 | 8.8 | 0.62 | 1.01 | 1095 | 2.1 | 9.3 | 5.3 | 0.36 | 0.59 | C19–20 |
| Anus | 250 | 0.5 | 2.2 | 1.4 | 0.11 | 0.15 | 269 | 0.5 | 2.3 | 1.3 | 0.09 | 0.16 | C21 |
| Liver | 2149 | 4.1 | 18.8 | 11.7 | 0.73 | 1.49 | 833 | 1.6 | 7.1 | 3.6 | 0.18 | 0.43 | C22 |
| Gallbladder etc. | 335 | 0.6 | 2.9 | 1.7 | 0.07 | 0.20 | 454 | 0.9 | 3.9 | 1.8 | 0.08 | 0.21 | C23–24 |
| Pancreas | 1646 | 3.2 | 14.4 | 8.2 | 0.38 | 0.98 | 1603 | 3.0 | 13.7 | 6.4 | 0.29 | 0.73 | C25 |
| Nose, sinuses etc. | 100 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 59 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 413 | 0.8 | 3.6 | 2.1 | 0.11 | 0.25 | 68 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 5221 | 10.0 | 45.7 | 25.2 | 0.93 | 2.99 | 5339 | 10.0 | 45.6 | 21.3 | 0.87 | 2.55 | C33–34 |
| Other thoracic organs | 100 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | 79 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 132 | 0.3 | 1.2 | 1.1 | 0.07 | 0.08 | 91 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 3682 | 7.1 | 32.2 | 19.9 | 1.15 | 2.34 | 2604 | 4.9 | 22.2 | 14.0 | 0.98 | 1.50 | C43 |
| Other skin | 328 | 0.6 | 2.9 | 1.7 | 0.08 | 0.16 | 217 | 0.4 | 1.9 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 169 | 0.3 | 1.5 | 0.7 | 0.02 | 0.08 | 64 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 191 | 0.4 | 1.7 | 1.2 | 0.10 | 0.12 | 17 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 610 | 1.2 | 5.3 | 3.5 | 0.19 | 0.34 | 410 | 0.8 | 3.5 | 2.3 | 0.15 | 0.21 | C47+C49 |
| Breast | 124 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 16757 | 31.5 | 143.0 | 87.8 | 6.18 | 10.25 | C50 |
| Vulva | | | | | | | 234 | 0.4 | 2.0 | 1.0 | 0.05 | 0.11 | C51 |
| Vagina | | | | | | | 70 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 726 | 1.4 | 6.2 | 4.4 | 0.35 | 0.43 | C53 |
| Corpus uteri | | | | | | | 3853 | 7.2 | 32.9 | 19.6 | 1.36 | 2.48 | C54 |
| Uterus unspecified | | | | | | | 93 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 1531 | 2.9 | 13.1 | 7.9 | 0.52 | 0.89 | C56 |
| Other female genital organs | | | | | | | 251 | 0.5 | 2.1 | 1.2 | 0.07 | 0.14 | C57 |
| Placenta | | | | | | | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 75 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | | | | | | | C60 |
| Prostate | 12245 | 23.5 | 107.1 | 65.4 | 3.41 | 9.00 | | | | | | | C61 |
| Testis | 710 | 1.4 | 6.2 | 5.6 | 0.41 | 0.43 | | | | | | | C62 |
| Other male genital organs | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2228 | 4.3 | 19.5 | 12.2 | 0.72 | 1.46 | 1083 | 2.0 | 9.2 | 5.4 | 0.35 | 0.62 | C64 |
| Renal pelvis | 100 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | 80 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 58 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 45 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 3243 | 6.2 | 28.4 | 15.4 | 0.56 | 1.71 | 989 | 1.9 | 8.4 | 3.8 | 0.14 | 0.44 | C67 |
| Other urinary organs | 34 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 28 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 121 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | 115 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 872 | 1.7 | 7.6 | 5.9 | 0.35 | 0.58 | 627 | 1.2 | 5.4 | 4.0 | 0.25 | 0.37 | C70–72 |
| Thyroid | 845 | 1.6 | 7.4 | 5.3 | 0.39 | 0.56 | 2177 | 4.1 | 18.6 | 14.1 | 1.11 | 1.34 | C73 |
| Adrenal gland | 34 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 34 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 26 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 15 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 301 | 0.6 | 2.6 | 2.3 | 0.16 | 0.19 | 247 | 0.5 | 2.1 | 1.9 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 2500 | 4.8 | 21.9 | 14.0 | 0.78 | 1.48 | 1896 | 3.6 | 16.2 | 9.1 | 0.50 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 223 | 0.4 | 2.0 | 1.2 | 0.06 | 0.13 | 208 | 0.4 | 1.8 | 1.0 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 922 | 1.8 | 8.1 | 4.6 | 0.21 | 0.57 | 682 | 1.3 | 5.8 | 2.9 | 0.15 | 0.35 | C90 |
| Lymphoid leukaemia | 1150 | 2.2 | 10.1 | 7.4 | 0.37 | 0.71 | 692 | 1.3 | 5.9 | 4.2 | 0.22 | 0.39 | C91 |
| Myeloid leukaemia | 762 | 1.5 | 6.7 | 4.3 | 0.20 | 0.43 | 538 | 1.0 | 4.6 | 2.8 | 0.16 | 0.29 | C92–94 |
| Leukaemia unspecified | 33 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 28 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 405 | 0.8 | 3.5 | 2.1 | 0.09 | 0.24 | 483 | 0.9 | 4.1 | 2.1 | 0.11 | 0.22 | MPD |
| Myelodysplastic syndromes | 503 | 1.0 | 4.4 | 2.1 | 0.04 | 0.20 | 402 | 0.8 | 3.4 | 1.3 | 0.04 | 0.12 | MPS |
| Other and unspecified | 915 | 1.8 | 8.0 | 4.3 | 0.17 | 0.46 | 1073 | 2.0 | 9.2 | 4.1 | 0.18 | 0.43 | O&U |
| All sites | 52471 | | 458.9 | 281.6 | 14.88 | 33.16 | 53459 | | 456.2 | 263.3 | 16.54 | 29.60 | C00–96 |
| All sites except C44 | 52143 | 100.0 | 456.0 | 280.0 | 14.80 | 33.00 | 53242 | 100.0 | 454.3 | 262.3 | 16.48 | 29.50 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, San Francisco Bay Area: Asian and Pacific Islander (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 80 | 0.8 | 2.6 | 1.8 | 0.10 | 0.22 | 77 | 0.6 | 2.2 | 1.3 | 0.07 | 0.17 | C01–02 |
| Mouth | 45 | 0.5 | 1.5 | 0.9 | 0.05 | 0.12 | 49 | 0.4 | 1.4 | 0.7 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 39 | 0.4 | 1.3 | 0.9 | 0.05 | 0.11 | 35 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 23 | 0.2 | 0.7 | 0.5 | 0.04 | 0.07 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C09 |
| Other oropharynx | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 174 | 1.8 | 5.6 | 4.0 | 0.31 | 0.43 | 78 | 0.6 | 2.3 | 1.6 | 0.13 | 0.17 | C11 |
| Hypopharynx | 15 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 122 | 1.3 | 3.9 | 2.4 | 0.16 | 0.29 | 35 | 0.3 | 1.0 | 0.4 | 0.02 | 0.05 | C15 |
| Stomach | 361 | 3.7 | 11.7 | 6.8 | 0.34 | 0.73 | 274 | 2.2 | 7.9 | 4.2 | 0.24 | 0.42 | C16 |
| Small intestine | 39 | 0.4 | 1.3 | 0.8 | 0.04 | 0.09 | 28 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C17 |
| Colon | 744 | 7.6 | 24.0 | 15.2 | 0.86 | 1.80 | 725 | 5.9 | 21.0 | 11.1 | 0.66 | 1.24 | C18 |
| Rectum | 445 | 4.6 | 14.4 | 9.5 | 0.64 | 1.09 | 341 | 2.8 | 9.9 | 5.7 | 0.38 | 0.63 | C19–20 |
| Anus | 15 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 17 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 691 | 7.1 | 22.3 | 14.2 | 0.87 | 1.76 | 286 | 2.3 | 8.3 | 4.1 | 0.16 | 0.47 | C22 |
| Gallbladder etc. | 109 | 1.1 | 3.5 | 2.0 | 0.08 | 0.24 | 140 | 1.1 | 4.1 | 1.9 | 0.09 | 0.21 | C23–24 |
| Pancreas | 334 | 3.4 | 10.8 | 6.4 | 0.29 | 0.76 | 383 | 3.1 | 11.1 | 5.4 | 0.23 | 0.62 | C25 |
| Nose, sinuses etc. | 24 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 17 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 48 | 0.5 | 1.5 | 0.9 | 0.06 | 0.11 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1461 | 15.0 | 47.2 | 26.9 | 1.05 | 3.10 | 1201 | 9.8 | 34.8 | 17.3 | 0.82 | 1.97 | C33–34 |
| Other thoracic organs | 42 | 0.4 | 1.4 | 1.1 | 0.07 | 0.09 | 34 | 0.3 | 1.0 | 0.7 | 0.03 | 0.07 | C37–38 |
| Bone | 21 | 0.2 | 0.7 | 0.7 | 0.04 | 0.06 | 23 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 36 | 0.4 | 1.2 | 0.8 | 0.05 | 0.07 | 50 | 0.4 | 1.5 | 1.0 | 0.07 | 0.09 | C43 |
| Other skin | 51 | 0.5 | 1.6 | 1.1 | 0.06 | 0.10 | 37 | 0.3 | 1.1 | 0.7 | 0.05 | 0.07 | C44 |
| Mesothelioma | 21 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 21 | 0.2 | 0.7 | 0.5 | 0.04 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 96 | 1.0 | 3.1 | 2.3 | 0.15 | 0.20 | 84 | 0.7 | 2.4 | 1.7 | 0.10 | 0.15 | C47+C49 |
| Breast | 18 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 4229 | 34.6 | 122.7 | 78.9 | 5.93 | 9.08 | C50 |
| Vulva | | | | | | | 33 | 0.3 | 1.0 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 20 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 204 | 1.7 | 5.9 | 3.9 | 0.31 | 0.39 | C53 |
| Corpus uteri | | | | | | | 943 | 7.7 | 27.4 | 17.3 | 1.35 | 2.09 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C55 |
| Ovary | | | | | | | 355 | 2.9 | 10.3 | 6.6 | 0.50 | 0.71 | C56 |
| Other female genital organs | | | | | | | 52 | 0.4 | 1.5 | 0.9 | 0.07 | 0.11 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 1851 | 19.0 | 59.8 | 37.5 | 1.64 | 5.18 | | | | | | | C61 |
| Testis | 81 | 0.8 | 2.6 | 2.4 | 0.17 | 0.17 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 379 | 3.9 | 12.2 | 8.1 | 0.47 | 0.97 | 200 | 1.6 | 5.8 | 3.4 | 0.22 | 0.39 | C64 |
| Renal pelvis | 16 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | 20 | 0.2 | 0.6 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 16 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 486 | 5.0 | 15.7 | 8.6 | 0.31 | 0.91 | 153 | 1.3 | 4.4 | 2.1 | 0.09 | 0.24 | C67 |
| Other urinary organs | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 13 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 8 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 150 | 1.5 | 4.8 | 4.4 | 0.25 | 0.38 | 111 | 0.9 | 3.2 | 2.5 | 0.16 | 0.23 | C70–72 |
| Thyroid | 215 | 2.2 | 6.9 | 5.1 | 0.38 | 0.53 | 697 | 5.7 | 20.2 | 14.7 | 1.14 | 1.43 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 9 | 0.1 | 0.3 | 0.5 | 0.02 | 0.02 | C74 |
| Other endocrine | 8 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 55 | 0.6 | 1.8 | 1.6 | 0.10 | 0.12 | 39 | 0.3 | 1.1 | 1.0 | 0.07 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 508 | 5.2 | 16.4 | 11.2 | 0.64 | 1.16 | 386 | 3.2 | 11.2 | 6.5 | 0.36 | 0.74 | C82–86,C96 |
| Immunoproliferative diseases | 42 | 0.4 | 1.4 | 0.9 | 0.06 | 0.11 | 47 | 0.4 | 1.4 | 0.9 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 170 | 1.7 | 5.5 | 3.3 | 0.16 | 0.41 | 143 | 1.2 | 4.1 | 2.2 | 0.12 | 0.24 | C90 |
| Lymphoid leukaemia | 133 | 1.4 | 4.3 | 3.9 | 0.21 | 0.33 | 88 | 0.7 | 2.6 | 2.7 | 0.15 | 0.18 | C91 |
| Myeloid leukaemia | 188 | 1.9 | 6.1 | 4.2 | 0.20 | 0.42 | 119 | 1.0 | 3.5 | 2.3 | 0.15 | 0.22 | C92–94 |
| Leukaemia unspecified | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 84 | 0.9 | 2.7 | 1.7 | 0.09 | 0.19 | 94 | 0.8 | 2.7 | 1.6 | 0.09 | 0.17 | MPD |
| Myelodysplastic syndromes | 118 | 1.2 | 3.8 | 1.9 | 0.03 | 0.18 | 100 | 0.8 | 2.9 | 1.3 | 0.04 | 0.12 | MPS |
| Other and unspecified | 157 | 1.6 | 5.1 | 2.8 | 0.09 | 0.30 | 215 | 1.8 | 6.2 | 2.9 | 0.14 | 0.28 | O&U |
| All sites | 9788 | | 316.0 | 201.5 | 10.40 | 23.30 | 12274 | | 356.0 | 215.1 | 14.32 | 23.72 | C00–96 |
| All sites except C44 | 9737 | 100.0 | 314.3 | 200.5 | 10.34 | 23.20 | 12237 | 100.0 | 354.9 | 214.4 | 14.27 | 23.66 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, San Francisco Bay Area: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 32 | 0.6 | 3.2 | 2.2 | 0.14 | 0.28 | 12 | 0.3 | 1.1 | 0.8 | 0.08 | 0.09 | C01–02 |
| Mouth | 26 | 0.5 | 2.6 | 1.8 | 0.10 | 0.21 | 12 | 0.3 | 1.1 | 0.7 | 0.04 | 0.12 | C03–06 |
| Salivary glands | 13 | 0.3 | 1.3 | 0.9 | 0.04 | 0.11 | 11 | 0.2 | 1.0 | 0.8 | 0.04 | 0.09 | C07–08 |
| Tonsil | 39 | 0.8 | 3.8 | 2.8 | 0.21 | 0.32 | 6 | 0.1 | 0.6 | 0.3 | 0.02 | 0.05 | C09 |
| Other oropharynx | 12 | 0.2 | 1.2 | 0.9 | 0.06 | 0.13 | 6 | 0.1 | 0.6 | 0.3 | 0.02 | 0.05 | C10 |
| Nasopharynx | 8 | 0.2 | 0.8 | 0.6 | 0.06 | 0.06 | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 9 | 0.2 | 0.9 | 0.6 | 0.03 | 0.08 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 55 | 1.1 | 5.4 | 3.7 | 0.23 | 0.47 | 27 | 0.6 | 2.5 | 1.5 | 0.09 | 0.16 | C15 |
| Stomach | 119 | 2.4 | 11.7 | 7.7 | 0.38 | 0.88 | 86 | 1.8 | 8.0 | 4.4 | 0.26 | 0.47 | C16 |
| Small intestine | 46 | 0.9 | 4.5 | 3.1 | 0.19 | 0.35 | 31 | 0.7 | 2.9 | 1.6 | 0.10 | 0.19 | C17 |
| Colon | 307 | 6.2 | 30.3 | 20.7 | 1.13 | 2.50 | 384 | 8.2 | 35.5 | 20.3 | 1.11 | 2.32 | C18 |
| Rectum | 123 | 2.5 | 12.1 | 8.2 | 0.57 | 1.03 | 95 | 2.0 | 8.8 | 5.3 | 0.34 | 0.59 | C19–20 |
| Anus | 33 | 0.7 | 3.3 | 2.4 | 0.21 | 0.24 | 27 | 0.6 | 2.5 | 1.6 | 0.09 | 0.19 | C21 |
| Liver | 258 | 5.2 | 25.4 | 17.8 | 1.12 | 2.47 | 74 | 1.6 | 6.8 | 4.4 | 0.31 | 0.57 | C22 |
| Gallbladder etc. | 32 | 0.6 | 3.2 | 2.2 | 0.07 | 0.30 | 43 | 0.9 | 4.0 | 2.1 | 0.10 | 0.26 | C23–24 |
| Pancreas | 177 | 3.6 | 17.5 | 11.9 | 0.59 | 1.50 | 182 | 3.9 | 16.8 | 9.5 | 0.54 | 1.11 | C25 |
| Nose, sinuses etc. | 9 | 0.2 | 0.9 | 0.7 | 0.04 | 0.10 | 10 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | C30–31 |
| Larynx | 71 | 1.4 | 7.0 | 4.5 | 0.23 | 0.51 | 15 | 0.3 | 1.4 | 0.9 | 0.05 | 0.11 | C32 |
| Trachea, bronchus, and lung | 632 | 12.7 | 62.3 | 41.2 | 1.89 | 5.13 | 601 | 12.9 | 55.6 | 31.2 | 1.61 | 3.93 | C33–34 |
| Other thoracic organs | 8 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | 11 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | C37–38 |
| Bone | 7 | 0.1 | 0.7 | 0.7 | 0.04 | 0.04 | 11 | 0.2 | 1.0 | 0.8 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 16 | 0.3 | 1.6 | 1.0 | 0.05 | 0.09 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C43 |
| Other skin | 23 | 0.5 | 2.3 | 1.9 | 0.12 | 0.17 | 13 | 0.3 | 1.2 | 0.8 | 0.05 | 0.11 | C44 |
| Mesothelioma | 13 | 0.3 | 1.3 | 0.7 | 0.00 | 0.04 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 23 | 0.5 | 2.3 | 1.9 | 0.15 | 0.16 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 34 | 0.7 | 3.4 | 2.6 | 0.19 | 0.25 | 47 | 1.0 | 4.3 | 3.4 | 0.22 | 0.29 | C47+C49 |
| Breast | 14 | 0.3 | 1.4 | 0.9 | 0.05 | 0.11 | 1381 | 29.6 | 127.8 | 83.9 | 5.94 | 9.81 | C50 |
| Vulva | | | | | | | 18 | 0.4 | 1.7 | 1.0 | 0.05 | 0.11 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 58 | 1.2 | 5.4 | 4.1 | 0.32 | 0.42 | C53 |
| Corpus uteri | | | | | | | 358 | 7.7 | 33.1 | 20.5 | 1.29 | 2.73 | C54 |
| Uterus unspecified | | | | | | | 19 | 0.4 | 1.8 | 1.0 | 0.06 | 0.10 | C55 |
| Ovary | | | | | | | 117 | 2.5 | 10.8 | 6.9 | 0.43 | 0.82 | C56 |
| Other female genital organs | | | | | | | 25 | 0.5 | 2.3 | 1.2 | 0.09 | 0.14 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 6 | 0.1 | 0.6 | 0.4 | 0.01 | 0.08 | | | | | | | C60 |
| Prostate | 1603 | 32.3 | 158.1 | 108.9 | 6.77 | 14.63 | | | | | | | C61 |
| Testis | 15 | 0.3 | 1.5 | 1.3 | 0.10 | 0.11 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 268 | 5.4 | 26.4 | 18.5 | 1.11 | 2.27 | 166 | 3.6 | 15.4 | 9.9 | 0.55 | 1.26 | C64 |
| Renal pelvis | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C66 |
| Bladder | 179 | 3.6 | 17.7 | 11.7 | 0.48 | 1.38 | 76 | 1.6 | 7.0 | 3.4 | 0.13 | 0.37 | C67 |
| Other urinary organs | 5 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 6 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C68 |
| Eye | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 46 | 0.9 | 4.5 | 3.8 | 0.26 | 0.35 | 31 | 0.7 | 2.9 | 2.3 | 0.15 | 0.20 | C70–72 |
| Thyroid | 29 | 0.6 | 2.9 | 2.2 | 0.16 | 0.27 | 80 | 1.7 | 7.4 | 5.6 | 0.44 | 0.54 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 27 | 0.5 | 2.7 | 2.4 | 0.17 | 0.20 | 25 | 0.5 | 2.3 | 2.0 | 0.14 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 157 | 3.2 | 15.5 | 11.7 | 0.73 | 1.35 | 136 | 2.9 | 12.6 | 8.0 | 0.48 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 11 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | 23 | 0.5 | 2.1 | 1.4 | 0.11 | 0.16 | C88 |
| Multiple myeloma | 155 | 3.1 | 15.3 | 10.2 | 0.46 | 1.26 | 115 | 2.5 | 10.6 | 6.1 | 0.31 | 0.70 | C90 |
| Lymphoid leukaemia | 78 | 1.6 | 7.7 | 6.2 | 0.33 | 0.63 | 52 | 1.1 | 4.8 | 3.1 | 0.20 | 0.33 | C91 |
| Myeloid leukaemia | 61 | 1.2 | 6.0 | 4.3 | 0.17 | 0.50 | 46 | 1.0 | 4.3 | 3.0 | 0.17 | 0.27 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 31 | 0.6 | 3.1 | 2.3 | 0.12 | 0.31 | 41 | 0.9 | 3.8 | 2.3 | 0.14 | 0.24 | MPD |
| Myelodysplastic syndromes | 25 | 0.5 | 2.5 | 1.7 | 0.04 | 0.19 | 30 | 0.6 | 2.8 | 1.4 | 0.04 | 0.18 | MPS |
| Other and unspecified | 123 | 2.5 | 12.1 | 8.0 | 0.34 | 0.92 | 133 | 2.8 | 12.3 | 6.2 | 0.27 | 0.65 | O&U |
| All sites | 4981 | | 491.3 | 340.6 | 19.32 | 42.29 | 4684 | | 433.4 | 268.5 | 16.70 | 31.36 | C00–96 |
| All sites except C44 | 4958 | 100.0 | 489.1 | 338.7 | 19.20 | 42.12 | 4671 | 100.0 | 432.2 | 267.7 | 16.65 | 31.24 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, San Francisco Bay Area: White (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 78 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 36 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 511 | 1.4 | 7.1 | 4.3 | 0.27 | 0.54 | 179 | 0.5 | 2.5 | 1.4 | 0.10 | 0.18 | C01–02 |
| Mouth | 160 | 0.4 | 2.2 | 1.3 | 0.07 | 0.16 | 122 | 0.3 | 1.7 | 0.8 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 112 | 0.3 | 1.6 | 0.9 | 0.04 | 0.10 | 74 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 353 | 1.0 | 4.9 | 3.2 | 0.26 | 0.40 | 58 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C09 |
| Other oropharynx | 59 | 0.2 | 0.8 | 0.5 | 0.03 | 0.07 | 18 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 30 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 62 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 507 | 1.4 | 7.1 | 4.0 | 0.19 | 0.49 | 176 | 0.5 | 2.5 | 1.1 | 0.04 | 0.12 | C15 |
| Stomach | 643 | 1.8 | 9.0 | 5.0 | 0.26 | 0.57 | 420 | 1.2 | 6.0 | 2.9 | 0.17 | 0.31 | C16 |
| Small intestine | 185 | 0.5 | 2.6 | 1.4 | 0.08 | 0.16 | 160 | 0.4 | 2.3 | 1.2 | 0.07 | 0.14 | C17 |
| Colon | 1999 | 5.5 | 27.9 | 15.8 | 0.87 | 1.68 | 2067 | 5.8 | 29.3 | 13.9 | 0.74 | 1.44 | C18 |
| Rectum | 987 | 2.7 | 13.8 | 8.4 | 0.60 | 0.97 | 643 | 1.8 | 9.1 | 5.1 | 0.35 | 0.57 | C19–20 |
| Anus | 194 | 0.5 | 2.7 | 1.6 | 0.12 | 0.18 | 222 | 0.6 | 3.1 | 1.8 | 0.12 | 0.22 | C21 |
| Liver | 1174 | 3.3 | 16.4 | 9.8 | 0.62 | 1.25 | 466 | 1.3 | 6.6 | 3.2 | 0.16 | 0.40 | C22 |
| Gallbladder etc. | 193 | 0.5 | 2.7 | 1.5 | 0.06 | 0.17 | 266 | 0.7 | 3.8 | 1.6 | 0.07 | 0.19 | C23–24 |
| Pancreas | 1127 | 3.1 | 15.7 | 8.6 | 0.39 | 1.01 | 1032 | 2.9 | 14.6 | 6.5 | 0.29 | 0.73 | C25 |
| Nose, sinuses etc. | 67 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 32 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 286 | 0.8 | 4.0 | 2.2 | 0.11 | 0.26 | 47 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 3099 | 8.6 | 43.2 | 22.5 | 0.75 | 2.68 | 3518 | 9.9 | 49.9 | 21.8 | 0.79 | 2.61 | C33–34 |
| Other thoracic organs | 50 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 34 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 104 | 0.3 | 1.4 | 1.3 | 0.08 | 0.10 | 54 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 3386 | 9.4 | 47.2 | 28.0 | 1.61 | 3.27 | 2363 | 6.6 | 33.5 | 20.8 | 1.46 | 2.24 | C43 |
| Other skin | 246 | 0.7 | 3.4 | 1.8 | 0.07 | 0.18 | 156 | 0.4 | 2.2 | 1.1 | 0.06 | 0.10 | C44 |
| Mesothelioma | 133 | 0.4 | 1.9 | 0.9 | 0.02 | 0.09 | 52 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 138 | 0.4 | 1.9 | 1.3 | 0.11 | 0.13 | 12 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 459 | 1.3 | 6.4 | 3.9 | 0.20 | 0.39 | 269 | 0.8 | 3.8 | 2.4 | 0.15 | 0.22 | C47+C49 |
| Breast | 89 | 0.2 | 1.2 | 0.7 | 0.03 | 0.08 | 10992 | 30.9 | 155.8 | 92.3 | 6.34 | 10.81 | C50 |
| Vulva | | | | | | | 179 | 0.5 | 2.5 | 1.2 | 0.06 | 0.14 | C51 |
| Vagina | | | | | | | 44 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 457 | 1.3 | 6.5 | 4.8 | 0.37 | 0.46 | C53 |
| Corpus uteri | | | | | | | 2504 | 7.0 | 35.5 | 20.3 | 1.37 | 2.60 | C54 |
| Uterus unspecified | | | | | | | 52 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 1048 | 2.9 | 14.9 | 8.6 | 0.54 | 0.98 | C56 |
| Other female genital organs | | | | | | | 172 | 0.5 | 2.4 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 55 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 8106 | 22.5 | 112.9 | 65.9 | 3.42 | 9.05 | | | | | | | C61 |
| Testis | 592 | 1.6 | 8.2 | 7.5 | 0.56 | 0.58 | | | | | | | C62 |
| Other male genital organs | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1565 | 4.3 | 21.8 | 13.1 | 0.76 | 1.55 | 701 | 2.0 | 9.9 | 5.6 | 0.37 | 0.63 | C64 |
| Renal pelvis | 80 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 55 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 43 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 26 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 2513 | 7.0 | 35.0 | 18.1 | 0.66 | 2.02 | 739 | 2.1 | 10.5 | 4.5 | 0.16 | 0.52 | C67 |
| Other urinary organs | 23 | 0.1 | 0.3 | 0.2 | 0.00 | 0.01 | 18 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 105 | 0.3 | 1.5 | 1.0 | 0.06 | 0.11 | 103 | 0.3 | 1.5 | 1.0 | 0.06 | 0.10 | C69 |
| Brain and nervous system | 668 | 1.9 | 9.3 | 6.7 | 0.41 | 0.68 | 475 | 1.3 | 6.7 | 4.8 | 0.31 | 0.45 | C70–72 |
| Thyroid | 588 | 1.6 | 8.2 | 5.8 | 0.42 | 0.60 | 1369 | 3.8 | 19.4 | 15.0 | 1.18 | 1.41 | C73 |
| Adrenal gland | 25 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | 21 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 17 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 216 | 0.6 | 3.0 | 2.6 | 0.18 | 0.22 | 177 | 0.5 | 2.5 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 1781 | 4.9 | 24.8 | 15.1 | 0.83 | 1.59 | 1337 | 3.8 | 19.0 | 10.3 | 0.57 | 1.13 | C82–86,C96 |
| Immunoproliferative diseases | 168 | 0.5 | 2.3 | 1.4 | 0.06 | 0.15 | 136 | 0.4 | 1.9 | 1.0 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 587 | 1.6 | 8.2 | 4.5 | 0.20 | 0.54 | 415 | 1.2 | 5.9 | 2.8 | 0.14 | 0.34 | C90 |
| Lymphoid leukaemia | 921 | 2.6 | 12.8 | 8.8 | 0.43 | 0.86 | 536 | 1.5 | 7.6 | 4.8 | 0.24 | 0.47 | C91 |
| Myeloid leukaemia | 502 | 1.4 | 7.0 | 4.3 | 0.20 | 0.42 | 370 | 1.0 | 5.2 | 2.9 | 0.16 | 0.32 | C92–94 |
| Leukaemia unspecified | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 16 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 286 | 0.8 | 4.0 | 2.2 | 0.09 | 0.26 | 339 | 1.0 | 4.8 | 2.3 | 0.12 | 0.23 | MPD |
| Myelodysplastic syndromes | 354 | 1.0 | 4.9 | 2.2 | 0.04 | 0.20 | 270 | 0.8 | 3.8 | 1.3 | 0.04 | 0.12 | MPS |
| Other and unspecified | 630 | 1.7 | 8.8 | 4.5 | 0.18 | 0.47 | 716 | 2.0 | 10.1 | 4.3 | 0.18 | 0.47 | O&U |
| All sites | 36308 | | 505.9 | 297.8 | 15.62 | 34.74 | 35786 | | 507.3 | 282.3 | 17.43 | 31.73 | C00–96 |
| All sites except C44 | 36062 | 100.0 | 502.4 | 296.0 | 15.54 | 34.57 | 35630 | 100.0 | 505.1 | 281.1 | 17.37 | 31.64 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, San Francisco Bay Area: Hispanic White (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 41 | 0.8 | 1.8 | 2.0 | 0.13 | 0.24 | 21 | 0.3 | 1.0 | 0.8 | 0.04 | 0.12 | C01–02 |
| Mouth | 22 | 0.4 | 1.0 | 0.9 | 0.06 | 0.08 | 16 | 0.3 | 0.7 | 0.5 | 0.01 | 0.05 | C03–06 |
| Salivary glands | 18 | 0.3 | 0.8 | 0.8 | 0.05 | 0.09 | 16 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | C07–08 |
| Tonsil | 41 | 0.8 | 1.8 | 2.0 | 0.15 | 0.27 | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 10 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 1 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 8 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 61 | 1.1 | 2.7 | 2.8 | 0.15 | 0.30 | 22 | 0.4 | 1.0 | 0.7 | 0.02 | 0.06 | C15 |
| Stomach | 190 | 3.5 | 8.5 | 8.9 | 0.47 | 1.06 | 165 | 2.7 | 7.6 | 6.6 | 0.42 | 0.76 | C16 |
| Small intestine | 30 | 0.6 | 1.3 | 1.4 | 0.07 | 0.16 | 27 | 0.4 | 1.2 | 1.0 | 0.04 | 0.13 | C17 |
| Colon | 348 | 6.5 | 15.6 | 15.8 | 0.87 | 1.67 | 375 | 6.1 | 17.3 | 14.2 | 0.74 | 1.54 | C18 |
| Rectum | 200 | 3.7 | 8.9 | 8.9 | 0.62 | 1.05 | 126 | 2.1 | 5.8 | 4.8 | 0.34 | 0.52 | C19–20 |
| Anus | 16 | 0.3 | 0.7 | 0.7 | 0.05 | 0.08 | 33 | 0.5 | 1.5 | 1.4 | 0.09 | 0.16 | C21 |
| Liver | 325 | 6.0 | 14.5 | 16.1 | 0.95 | 2.10 | 150 | 2.5 | 6.9 | 6.2 | 0.22 | 0.80 | C22 |
| Gallbladder etc. | 50 | 0.9 | 2.2 | 2.4 | 0.10 | 0.29 | 85 | 1.4 | 3.9 | 3.4 | 0.14 | 0.44 | C23–24 |
| Pancreas | 169 | 3.1 | 7.6 | 8.3 | 0.34 | 1.00 | 201 | 3.3 | 9.3 | 7.4 | 0.36 | 0.83 | C25 |
| Nose, sinuses etc. | 14 | 0.3 | 0.6 | 0.6 | 0.03 | 0.05 | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C30–31 |
| Larynx | 48 | 0.9 | 2.1 | 2.2 | 0.10 | 0.24 | 7 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 410 | 7.6 | 18.3 | 19.6 | 0.56 | 2.08 | 393 | 6.4 | 18.1 | 14.6 | 0.52 | 1.79 | C33–34 |
| Other thoracic organs | 11 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 33 | 0.6 | 1.5 | 1.4 | 0.09 | 0.09 | 13 | 0.2 | 0.6 | 0.6 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 98 | 1.8 | 4.4 | 4.5 | 0.26 | 0.52 | 135 | 2.2 | 6.2 | 5.3 | 0.35 | 0.58 | C43 |
| Other skin | 31 | 0.6 | 1.4 | 1.4 | 0.08 | 0.18 | 25 | 0.4 | 1.2 | 1.0 | 0.07 | 0.08 | C44 |
| Mesothelioma | 21 | 0.4 | 0.9 | 1.0 | 0.01 | 0.09 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 31 | 0.6 | 1.4 | 1.2 | 0.11 | 0.11 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 67 | 1.2 | 3.0 | 2.9 | 0.18 | 0.29 | 57 | 0.9 | 2.6 | 2.4 | 0.16 | 0.23 | C47+C49 |
| Breast | 12 | 0.2 | 0.5 | 0.5 | 0.02 | 0.07 | 1745 | 28.5 | 80.3 | 72.3 | 4.98 | 8.59 | C50 |
| Vulva | | | | | | | 24 | 0.4 | 1.1 | 0.9 | 0.06 | 0.11 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 166 | 2.7 | 7.6 | 6.7 | 0.52 | 0.69 | C53 |
| Corpus uteri | | | | | | | 474 | 7.7 | 21.8 | 20.0 | 1.50 | 2.42 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | C55 |
| Ovary | | | | | | | 192 | 3.1 | 8.8 | 7.8 | 0.48 | 0.86 | C56 |
| Other female genital organs | | | | | | | 24 | 0.4 | 1.1 | 0.9 | 0.08 | 0.09 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 17 | 0.3 | 0.8 | 0.8 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 1163 | 21.6 | 52.0 | 59.1 | 3.02 | 8.05 | | | | | | | C61 |
| Testis | 164 | 3.0 | 7.3 | 6.3 | 0.45 | 0.48 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 334 | 6.2 | 14.9 | 15.7 | 0.92 | 1.89 | 192 | 3.1 | 8.8 | 8.1 | 0.54 | 1.00 | C64 |
| Renal pelvis | 14 | 0.3 | 0.6 | 0.7 | 0.01 | 0.08 | 6 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 9 | 0.2 | 0.4 | 0.4 | 0.01 | 0.06 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 260 | 4.8 | 11.6 | 12.3 | 0.44 | 1.33 | 86 | 1.4 | 4.0 | 3.1 | 0.10 | 0.38 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 12 | 0.2 | 0.5 | 0.6 | 0.03 | 0.07 | 12 | 0.2 | 0.6 | 0.6 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 110 | 2.0 | 4.9 | 5.0 | 0.28 | 0.51 | 84 | 1.4 | 3.9 | 3.6 | 0.22 | 0.37 | C70–72 |
| Thyroid | 128 | 2.4 | 5.7 | 5.2 | 0.37 | 0.51 | 385 | 6.3 | 17.7 | 15.9 | 1.24 | 1.53 | C73 |
| Adrenal gland | 10 | 0.2 | 0.4 | 0.6 | 0.03 | 0.03 | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 56 | 1.0 | 2.5 | 2.4 | 0.15 | 0.21 | 47 | 0.8 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 309 | 5.7 | 13.8 | 14.4 | 0.75 | 1.60 | 287 | 4.7 | 13.2 | 11.7 | 0.67 | 1.29 | C82–86,C96 |
| Immunoproliferative diseases | 21 | 0.4 | 0.9 | 1.0 | 0.06 | 0.11 | 22 | 0.4 | 1.0 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 105 | 1.9 | 4.7 | 4.9 | 0.24 | 0.59 | 77 | 1.3 | 3.5 | 3.0 | 0.18 | 0.39 | C90 |
| Lymphoid leukaemia | 132 | 2.4 | 5.9 | 6.4 | 0.32 | 0.52 | 93 | 1.5 | 4.3 | 4.3 | 0.23 | 0.35 | C91 |
| Myeloid leukaemia | 86 | 1.6 | 3.8 | 3.9 | 0.22 | 0.35 | 74 | 1.2 | 3.4 | 3.0 | 0.17 | 0.34 | C92–94 |
| Leukaemia unspecified | 7 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 32 | 0.6 | 1.4 | 1.4 | 0.06 | 0.13 | 53 | 0.9 | 2.4 | 2.1 | 0.11 | 0.26 | MPD |
| Myelodysplastic syndromes | 40 | 0.7 | 1.8 | 1.9 | 0.03 | 0.20 | 42 | 0.7 | 1.9 | 1.3 | 0.03 | 0.10 | MPS |
| Other and unspecified | 86 | 1.6 | 3.8 | 4.0 | 0.17 | 0.45 | 123 | 2.0 | 5.7 | 4.4 | 0.19 | 0.46 | O&U |
| All sites | 5419 | | 242.3 | 255.8 | 13.19 | 29.66 | 6147 | | 282.9 | 247.5 | 15.28 | 28.07 | C00–96 |
| All sites except C44 | 5388 | 100.0 | 240.9 | 254.4 | 13.11 | 29.48 | 6122 | 100.0 | 281.7 | 246.5 | 15.21 | 27.99 | C00–96 exc. C44 |

*See note following population pyramid

***USA, California, San Francisco Bay Area: Non-Hispanic White (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 72 | 0.2 | 1.5 | 0.7 | 0.04 | 0.08 | 33 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C00 |
| Tongue | 470 | 1.5 | 9.5 | 4.8 | 0.32 | 0.60 | 158 | 0.5 | 3.2 | 1.6 | 0.12 | 0.20 | C01–02 |
| Mouth | 138 | 0.4 | 2.8 | 1.3 | 0.07 | 0.16 | 106 | 0.4 | 2.2 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 94 | 0.3 | 1.9 | 0.9 | 0.04 | 0.10 | 58 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 312 | 1.0 | 6.3 | 3.5 | 0.29 | 0.43 | 53 | 0.2 | 1.1 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 49 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 17 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 25 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 54 | 0.2 | 1.1 | 0.5 | 0.02 | 0.07 | 16 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 9 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 446 | 1.5 | 9.0 | 4.1 | 0.19 | 0.52 | 154 | 0.5 | 3.2 | 1.2 | 0.05 | 0.14 | C15 |
| Stomach | 453 | 1.5 | 9.2 | 4.1 | 0.20 | 0.47 | 255 | 0.9 | 5.2 | 1.9 | 0.10 | 0.20 | C16 |
| Small intestine | 155 | 0.5 | 3.1 | 1.5 | 0.09 | 0.16 | 133 | 0.5 | 2.7 | 1.2 | 0.08 | 0.14 | C17 |
| Colon | 1651 | 5.4 | 33.4 | 15.9 | 0.88 | 1.70 | 1692 | 5.7 | 34.7 | 13.9 | 0.75 | 1.42 | C18 |
| Rectum | 787 | 2.6 | 15.9 | 8.4 | 0.60 | 0.96 | 517 | 1.8 | 10.6 | 5.1 | 0.35 | 0.58 | C19–20 |
| Anus | 178 | 0.6 | 3.6 | 1.8 | 0.14 | 0.21 | 189 | 0.6 | 3.9 | 1.8 | 0.12 | 0.23 | C21 |
| Liver | 849 | 2.8 | 17.2 | 8.5 | 0.54 | 1.09 | 316 | 1.1 | 6.5 | 2.6 | 0.15 | 0.32 | C22 |
| Gallbladder etc. | 143 | 0.5 | 2.9 | 1.3 | 0.05 | 0.14 | 181 | 0.6 | 3.7 | 1.3 | 0.06 | 0.14 | C23–24 |
| Pancreas | 958 | 3.1 | 19.4 | 8.7 | 0.41 | 1.02 | 831 | 2.8 | 17.0 | 6.2 | 0.27 | 0.70 | C25 |
| Nose, sinuses etc. | 53 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | 27 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 238 | 0.8 | 4.8 | 2.2 | 0.11 | 0.26 | 40 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 2689 | 8.8 | 54.4 | 23.2 | 0.80 | 2.79 | 3125 | 10.6 | 64.0 | 23.3 | 0.86 | 2.78 | C33–34 |
| Other thoracic organs | 39 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | 29 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 71 | 0.2 | 1.4 | 1.2 | 0.08 | 0.10 | 41 | 0.1 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 3288 | 10.7 | 66.5 | 34.1 | 2.03 | 3.91 | 2228 | 7.6 | 45.6 | 26.2 | 1.88 | 2.75 | C43 |
| Other skin | 215 | 0.7 | 4.4 | 1.9 | 0.07 | 0.18 | 131 | 0.4 | 2.7 | 1.1 | 0.06 | 0.10 | C44 |
| Mesothelioma | 112 | 0.4 | 2.3 | 0.9 | 0.02 | 0.10 | 46 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 107 | 0.3 | 2.2 | 1.3 | 0.11 | 0.13 | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 392 | 1.3 | 7.9 | 4.1 | 0.20 | 0.40 | 212 | 0.7 | 4.3 | 2.5 | 0.15 | 0.22 | C47+C49 |
| Breast | 77 | 0.3 | 1.6 | 0.7 | 0.03 | 0.08 | 9247 | 31.3 | 189.4 | 98.1 | 6.79 | 11.41 | C50 |
| Vulva | | | | | | | 155 | 0.5 | 3.2 | 1.2 | 0.06 | 0.15 | C51 |
| Vagina | | | | | | | 38 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 291 | 1.0 | 6.0 | 4.2 | 0.32 | 0.40 | C53 |
| Corpus uteri | | | | | | | 2030 | 6.9 | 41.6 | 19.8 | 1.30 | 2.58 | C54 |
| Uterus unspecified | | | | | | | 40 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 856 | 2.9 | 17.5 | 8.7 | 0.55 | 1.00 | C56 |
| Other female genital organs | | | | | | | 148 | 0.5 | 3.0 | 1.3 | 0.07 | 0.16 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 38 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 6943 | 22.6 | 140.5 | 67.3 | 3.52 | 9.25 | | | | | | | C61 |
| Testis | 428 | 1.4 | 8.7 | 8.0 | 0.60 | 0.62 | | | | | | | C62 |
| Other male genital organs | 15 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1231 | 4.0 | 24.9 | 12.5 | 0.72 | 1.48 | 509 | 1.7 | 10.4 | 4.8 | 0.31 | 0.54 | C64 |
| Renal pelvis | 66 | 0.2 | 1.3 | 0.6 | 0.02 | 0.06 | 49 | 0.2 | 1.0 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 34 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 23 | 0.1 | 0.5 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 2253 | 7.3 | 45.6 | 19.3 | 0.72 | 2.15 | 653 | 2.2 | 13.4 | 4.8 | 0.18 | 0.55 | C67 |
| Other urinary organs | 21 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | 15 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 93 | 0.3 | 1.9 | 1.1 | 0.07 | 0.12 | 91 | 0.3 | 1.9 | 1.1 | 0.07 | 0.11 | C69 |
| Brain and nervous system | 558 | 1.8 | 11.3 | 7.5 | 0.46 | 0.74 | 391 | 1.3 | 8.0 | 5.3 | 0.34 | 0.48 | C70–72 |
| Thyroid | 460 | 1.5 | 9.3 | 5.9 | 0.43 | 0.62 | 984 | 3.3 | 20.2 | 14.8 | 1.16 | 1.38 | C73 |
| Adrenal gland | 15 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 14 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 15 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 160 | 0.5 | 3.2 | 2.9 | 0.20 | 0.24 | 130 | 0.4 | 2.7 | 2.6 | 0.17 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 1472 | 4.8 | 29.8 | 15.4 | 0.86 | 1.61 | 1050 | 3.6 | 21.5 | 9.9 | 0.54 | 1.09 | C82–86, C96 |
| Immunoproliferative diseases | 147 | 0.5 | 3.0 | 1.4 | 0.06 | 0.15 | 114 | 0.4 | 2.3 | 1.0 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 482 | 1.6 | 9.8 | 4.3 | 0.19 | 0.52 | 338 | 1.1 | 6.9 | 2.8 | 0.13 | 0.33 | C90 |
| Lymphoid leukaemia | 789 | 2.6 | 16.0 | 8.9 | 0.44 | 0.90 | 443 | 1.5 | 9.1 | 4.7 | 0.23 | 0.48 | C91 |
| Myeloid leukaemia | 416 | 1.4 | 8.4 | 4.3 | 0.20 | 0.43 | 296 | 1.0 | 6.1 | 2.9 | 0.16 | 0.32 | C92–94 |
| Leukaemia unspecified | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 13 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 254 | 0.8 | 5.1 | 2.5 | 0.10 | 0.28 | 286 | 1.0 | 5.9 | 2.4 | 0.13 | 0.23 | MPD |
| Myelodysplastic syndromes | 314 | 1.0 | 6.4 | 2.3 | 0.04 | 0.20 | 228 | 0.8 | 4.7 | 1.3 | 0.04 | 0.12 | MPS |
| Other and unspecified | 544 | 1.8 | 11.0 | 4.6 | 0.18 | 0.48 | 593 | 2.0 | 12.1 | 4.3 | 0.18 | 0.47 | O&U |
| All sites | 30889 | | 625.1 | 308.1 | 16.36 | 35.90 | 29639 | | 607.1 | 292.2 | 18.15 | 32.71 | C00–96 |
| All sites except C44 | 30674 | 100.0 | 620.8 | 306.3 | 16.29 | 35.72 | 29508 | 100.0 | 604.5 | 291.1 | 18.09 | 32.61 | C00–96 exc. C44 |

*See note following population pyramid

USA, Colorado

CONTRIBUTORS


Randi K. Rycroft
Kieu Vu
Jack Finch
Valerie Somma



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 64.1 | Breast | 91.5 |
| Trachea, bronchus, and lung | 25.4 | Trachea, bronchus, and lung | 23.3 |
| Melanoma of skin | 18.0 | Thyroid | 18.2 |
| Bladder | 17.7 | Corpus uteri | 16.7 |
| Colon | 15.4 | Melanoma of skin | 13.6 |
| Non-Hodgkin lymphoma | 12.4 | Colon | 13.4 |
| Kidney | 11.9 | Non-Hodgkin lymphoma | 8.2 |
| Rectum | 8.2 | Ovary | 7.2 |
| Liver | 8.1 | Kidney | 6.6 |
| Pancreas | 8.0 | Pancreas | 5.7 |
| Lymphoid leukaemia | 7.5 | Rectum | 5.2 |
| Brain and nervous system | 6.0 | Cervix uteri | 4.9 |
| Thyroid | 6.0 | Brain and nervous system | 4.8 |
| Testis | 5.3 | Lymphoid leukaemia | 4.5 |
| Multiple myeloma | 5.0 | Bladder | 4.4 |
| Myeloid leukaemia | 4.9 | Other and unspecified | 4.1 |
| Oesophagus | 4.9 | Myeloid leukaemia | 3.6 |
| Stomach | 4.7 | Multiple myeloma | 2.9 |
| Other and unspecified | 4.4 | Liver | 2.5 |
| Tongue | 3.7 | Stomach | 2.2 |
| All sites | 274.9 | All sites | 268.9 |

USA, Colorado (2013–2017)



NOTES ON THE DATA

*Rates based on low numbers due to small population.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 27.3 |
| Trachea, bronchus, and lung | 22.2 |
| Colon | 15.4 |
| Liver | 14.8 |
| Non-Hodgkin lymphoma | 10.1 |
| Rectum | 8.6 |
| Stomach | 7.4 |
| Bladder | 6.9 |
| Kidney | 6.2 |
| Thyroid | 5.4 |
| All sites | 177.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 59.6 |
| Trachea, bronchus, and lung | 17.3 |
| Thyroid | 16.3 |
| Corpus uteri | 12.1 |
| Colon | 10.7 |
| Stomach | 6.5 |
| Ovary | 6.1 |
| Rectum | 5.4 |
| Liver | 5.1 |
| Brain and nervous system | 4.0 |
| All sites | 187.1 |



NOTES ON THE DATA

*Rates based on low numbers due to small population.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 96.6 |
| Trachea, bronchus, and lung | 30.1 |
| Colon | 20.1 |
| Kidney | 15.0 |
| Liver | 13.3 |
| Bladder | 11.2 |
| Multiple myeloma | 10.9 |
| Non-Hodgkin lymphoma | 10.1 |
| Rectum | 8.9 |
| Pancreas | 8.3 |
| All sites | 292.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 80.8 |
| Trachea, bronchus, and lung | 24.5 |
| Corpus uteri | 16.0 |
| Colon | 14.7 |
| Thyroid | 11.2 |
| Kidney | 7.1 |
| Multiple myeloma | 6.8 |
| Pancreas | 6.7 |
| Rectum | 6.7 |
| Non-Hodgkin lymphoma | 6.6 |
| All sites | 235.8 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 60.0 |
| Trachea, bronchus, and lung | 25.4 |
| Melanoma of skin | 19.5 |
| Bladder | 17.8 |
| Colon | 15.3 |
| Non-Hodgkin lymphoma | 12.5 |
| Kidney | 11.9 |
| Rectum | 8.1 |
| Pancreas | 8.1 |
| Lymphoid leukaemia | 7.7 |
| All sites | 273.0 |

Female

| | |
|-----------------------------|-------|
| Breast | 93.4 |
| Trachea, bronchus, and lung | 23.5 |
| Thyroid | 18.8 |
| Corpus uteri | 16.9 |
| Melanoma of skin | 14.9 |
| Colon | 13.4 |
| Non-Hodgkin lymphoma | 8.4 |
| Ovary | 7.5 |
| Kidney | 6.7 |
| Pancreas | 5.8 |
| All sites | 274.2 |

USA, Colorado (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 123 | 0.2 | 0.9 | 0.6 | 0.02 | 0.06 | 56 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 758 | 1.3 | 5.5 | 3.7 | 0.25 | 0.46 | 307 | 0.5 | 2.3 | 1.4 | 0.10 | 0.17 | C01–02 |
| Mouth | 291 | 0.5 | 2.1 | 1.4 | 0.09 | 0.17 | 202 | 0.3 | 1.5 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 195 | 0.3 | 1.4 | 0.9 | 0.04 | 0.10 | 128 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 548 | 1.0 | 4.0 | 2.8 | 0.23 | 0.34 | 84 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 94 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 22 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 79 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 37 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 75 | 0.1 | 0.5 | 0.3 | 0.02 | 0.05 | 29 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 148 | 0.3 | 1.1 | 0.7 | 0.05 | 0.09 | 30 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1060 | 1.9 | 7.7 | 4.9 | 0.24 | 0.60 | 216 | 0.4 | 1.6 | 0.9 | 0.05 | 0.10 | C15 |
| Stomach | 1005 | 1.8 | 7.3 | 4.7 | 0.23 | 0.55 | 503 | 0.9 | 3.7 | 2.2 | 0.13 | 0.24 | C16 |
| Small intestine | 352 | 0.6 | 2.6 | 1.7 | 0.10 | 0.19 | 298 | 0.5 | 2.2 | 1.3 | 0.08 | 0.14 | C17 |
| Colon | 3273 | 5.7 | 23.9 | 15.4 | 0.83 | 1.71 | 3296 | 5.7 | 24.3 | 13.4 | 0.70 | 1.45 | C18 |
| Rectum | 1660 | 2.9 | 12.1 | 8.2 | 0.57 | 0.95 | 1138 | 2.0 | 8.4 | 5.2 | 0.37 | 0.58 | C19–20 |
| Anus | 160 | 0.3 | 1.2 | 0.8 | 0.06 | 0.09 | 349 | 0.6 | 2.6 | 1.6 | 0.12 | 0.20 | C21 |
| Liver | 1671 | 2.9 | 12.2 | 8.1 | 0.56 | 1.02 | 607 | 1.0 | 4.5 | 2.5 | 0.14 | 0.30 | C22 |
| Gallbladder etc. | 333 | 0.6 | 2.4 | 1.5 | 0.06 | 0.17 | 412 | 0.7 | 3.0 | 1.6 | 0.07 | 0.18 | C23–24 |
| Pancreas | 1755 | 3.1 | 12.8 | 8.0 | 0.38 | 0.98 | 1475 | 2.5 | 10.9 | 5.7 | 0.26 | 0.65 | C25 |
| Nose, sinuses etc. | 108 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 73 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 548 | 1.0 | 4.0 | 2.6 | 0.14 | 0.32 | 145 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 5738 | 10.0 | 41.9 | 25.4 | 0.99 | 3.02 | 6011 | 10.3 | 44.4 | 23.3 | 0.97 | 2.87 | C33–34 |
| Other thoracic organs | 86 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 57 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 199 | 0.3 | 1.5 | 1.2 | 0.07 | 0.11 | 123 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 3747 | 6.6 | 27.4 | 18.0 | 0.99 | 2.07 | 2718 | 4.7 | 20.1 | 13.6 | 0.95 | 1.46 | C43 |
| Other skin | 244 | 0.4 | 1.8 | 1.1 | 0.05 | 0.12 | 206 | 0.4 | 1.5 | 0.9 | 0.05 | 0.10 | C44 |
| Mesothelioma | 173 | 0.3 | 1.3 | 0.7 | 0.02 | 0.08 | 54 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 49 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 517 | 0.9 | 3.8 | 2.8 | 0.15 | 0.28 | 359 | 0.6 | 2.7 | 2.0 | 0.12 | 0.17 | C47+C49 |
| Breast | 137 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | 19295 | 33.1 | 142.5 | 91.5 | 6.22 | 10.72 | C50 |
| Vulva | | | | | | | 370 | 0.6 | 2.7 | 1.6 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 89 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 858 | 1.5 | 6.3 | 4.9 | 0.39 | 0.48 | C53 |
| Corpus uteri | | | | | | | 3606 | 6.2 | 26.6 | 16.7 | 1.21 | 2.08 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 1545 | 2.7 | 11.4 | 7.2 | 0.46 | 0.80 | C56 |
| Other female genital organs | | | | | | | 252 | 0.4 | 1.9 | 1.1 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 92 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 13691 | 24.0 | 100.1 | 64.1 | 3.37 | 8.74 | | | | | | | C61 |
| Testis | 791 | 1.4 | 5.8 | 5.3 | 0.39 | 0.40 | | | | | | | C62 |
| Other male genital organs | 31 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2393 | 4.2 | 17.5 | 11.9 | 0.73 | 1.43 | 1406 | 2.4 | 10.4 | 6.6 | 0.40 | 0.75 | C64 |
| Renal pelvis | 151 | 0.3 | 1.1 | 0.7 | 0.03 | 0.07 | 105 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 94 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | 46 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 4020 | 7.0 | 29.4 | 17.7 | 0.66 | 2.05 | 1178 | 2.0 | 8.7 | 4.4 | 0.19 | 0.51 | C67 |
| Other urinary organs | 57 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 22 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 158 | 0.3 | 1.2 | 0.9 | 0.05 | 0.09 | 137 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 1031 | 1.8 | 7.5 | 6.0 | 0.37 | 0.58 | 808 | 1.4 | 6.0 | 4.8 | 0.29 | 0.44 | C70–72 |
| Thyroid | 1101 | 1.9 | 8.0 | 6.0 | 0.45 | 0.64 | 3085 | 5.3 | 22.8 | 18.2 | 1.41 | 1.74 | C73 |
| Adrenal gland | 38 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 35 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 20 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 17 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 379 | 0.7 | 2.8 | 2.4 | 0.16 | 0.21 | 272 | 0.5 | 2.0 | 1.8 | 0.12 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 2499 | 4.4 | 18.3 | 12.4 | 0.65 | 1.36 | 1875 | 3.2 | 13.8 | 8.2 | 0.43 | 0.92 | C82–86, C96 |
| Immunoproliferative diseases | 204 | 0.4 | 1.5 | 1.0 | 0.05 | 0.10 | 186 | 0.3 | 1.4 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 1086 | 1.9 | 7.9 | 5.0 | 0.25 | 0.62 | 708 | 1.2 | 5.2 | 2.9 | 0.15 | 0.36 | C90 |
| Lymphoid leukaemia | 1387 | 2.4 | 10.1 | 7.5 | 0.38 | 0.75 | 861 | 1.5 | 6.4 | 4.5 | 0.23 | 0.43 | C91 |
| Myeloid leukaemia | 992 | 1.7 | 7.3 | 4.9 | 0.25 | 0.49 | 748 | 1.3 | 5.5 | 3.6 | 0.21 | 0.36 | C92–94 |
| Leukaemia unspecified | 45 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 35 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 473 | 0.8 | 3.5 | 2.2 | 0.10 | 0.25 | 443 | 0.8 | 3.3 | 1.9 | 0.10 | 0.20 | MPD |
| Myelodysplastic syndromes | 524 | 0.9 | 3.8 | 2.2 | 0.05 | 0.21 | 360 | 0.6 | 2.7 | 1.2 | 0.03 | 0.13 | MPS |
| Other and unspecified | 997 | 1.7 | 7.3 | 4.4 | 0.18 | 0.42 | 1125 | 1.9 | 8.3 | 4.1 | 0.17 | 0.40 | O&U |
| All sites | 57380 | | 419.4 | 274.9 | 14.54 | 32.45 | 58434 | | 431.6 | 268.9 | 16.75 | 30.29 | C00–96 |
| All sites except C44 | 57136 | 100.0 | 417.6 | 273.8 | 14.50 | 32.33 | 58228 | 100.0 | 430.0 | 267.9 | 16.70 | 30.19 | C00–96 exc. C44 |

*USA, Colorado: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 3 | 0.3 | 0.6 | 0.7 | 0.00 | 0.13 | 8 | 0.6 | 1.4 | 1.1 | 0.06 | 0.16 | C01–02 |
| Mouth | 3 | 0.3 | 0.6 | 0.5 | 0.06 | 0.06 | 4 | 0.3 | 0.7 | 0.6 | 0.01 | 0.08 | C03–06 |
| Salivary glands | 3 | 0.3 | 0.6 | 0.6 | 0.05 | 0.11 | 5 | 0.4 | 0.9 | 0.7 | 0.03 | 0.08 | C07–08 |
| Tonsil | 3 | 0.3 | 0.6 | 0.6 | 0.07 | 0.07 | 2 | 0.2 | 0.4 | 0.3 | 0.00 | 0.04 | C09 |
| Other oropharynx | 1 | 0.1 | 0.2 | 0.2 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 20 | 2.2 | 4.1 | 3.7 | 0.27 | 0.31 | 7 | 0.5 | 1.3 | 1.2 | 0.09 | 0.16 | C11 |
| Hypopharynx | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 11 | 1.2 | 2.3 | 2.2 | 0.13 | 0.28 | 6 | 0.5 | 1.1 | 0.8 | 0.04 | 0.10 | C15 |
| Stomach | 36 | 4.0 | 7.4 | 7.4 | 0.28 | 1.06 | 48 | 3.7 | 8.6 | 6.5 | 0.27 | 0.79 | C16 |
| Small intestine | 5 | 0.6 | 1.0 | 0.9 | 0.05 | 0.11 | 7 | 0.5 | 1.3 | 1.1 | 0.10 | 0.14 | C17 |
| Colon | 79 | 8.9 | 16.3 | 15.4 | 0.92 | 1.92 | 79 | 6.1 | 14.2 | 10.7 | 0.45 | 1.29 | C18 |
| Rectum | 44 | 4.9 | 9.1 | 8.6 | 0.63 | 1.01 | 39 | 3.0 | 7.0 | 5.4 | 0.42 | 0.52 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.3 | 0.7 | 0.6 | 0.01 | 0.08 | C21 |
| Liver | 75 | 8.4 | 15.5 | 14.8 | 1.03 | 1.77 | 37 | 2.8 | 6.6 | 5.1 | 0.30 | 0.59 | C22 |
| Gallbladder etc. | 10 | 1.1 | 2.1 | 1.9 | 0.08 | 0.21 | 12 | 0.9 | 2.2 | 1.5 | 0.06 | 0.13 | C23–24 |
| Pancreas | 24 | 2.7 | 4.9 | 5.2 | 0.15 | 0.80 | 31 | 2.4 | 5.6 | 4.0 | 0.20 | 0.36 | C25 |
| Nose, sinuses etc. | 4 | 0.4 | 0.8 | 0.8 | 0.03 | 0.13 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C30–31 |
| Larynx | 6 | 0.7 | 1.2 | 1.1 | 0.03 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 115 | 12.9 | 23.7 | 22.2 | 0.91 | 2.61 | 129 | 9.9 | 23.2 | 17.3 | 0.62 | 2.14 | C33–34 |
| Other thoracic organs | 3 | 0.3 | 0.6 | 0.6 | 0.02 | 0.08 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 4 | 0.4 | 0.8 | 0.8 | 0.01 | 0.14 | 2 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 10 | 0.8 | 1.8 | 1.5 | 0.12 | 0.15 | C43 |
| Other skin | 5 | 0.6 | 1.0 | 1.1 | 0.04 | 0.15 | 4 | 0.3 | 0.7 | 0.4 | 0.01 | 0.01 | C44 |
| Mesothelioma | 3 | 0.3 | 0.6 | 0.6 | 0.07 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 9 | 1.0 | 1.9 | 1.7 | 0.09 | 0.13 | 7 | 0.5 | 1.3 | 0.9 | 0.05 | 0.07 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 413 | 31.7 | 74.1 | 59.6 | 4.66 | 6.70 | C50 |
| Vulva | | | | | | | 2 | 0.2 | 0.4 | 0.3 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | C52 |
| Cervix uteri | | | | | | | 23 | 1.8 | 4.1 | 3.2 | 0.24 | 0.30 | C53 |
| Corpus uteri | | | | | | | 82 | 6.3 | 14.7 | 12.1 | 1.00 | 1.47 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 42 | 3.2 | 7.5 | 6.1 | 0.43 | 0.66 | C56 |
| Other female genital organs | | | | | | | 2 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 133 | 15.0 | 27.4 | 27.3 | 1.10 | 3.66 | | | | | | | C61 |
| Testis | 10 | 1.1 | 2.1 | 1.6 | 0.12 | 0.12 | | | | | | | C62 |
| Other male genital organs | 2 | 0.2 | 0.4 | 0.5 | 0.00 | 0.09 | | | | | | | C63 |
| Kidney | 31 | 3.5 | 6.4 | 6.2 | 0.35 | 0.84 | 22 | 1.7 | 3.9 | 3.2 | 0.20 | 0.44 | C64 |
| Renal pelvis | 3 | 0.3 | 0.6 | 0.5 | 0.02 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.06 | 3 | 0.2 | 0.5 | 0.4 | 0.00 | 0.05 | C66 |
| Bladder | 35 | 3.9 | 7.2 | 6.9 | 0.27 | 0.84 | 17 | 1.3 | 3.1 | 2.1 | 0.02 | 0.23 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.4 | 0.8 | 0.8 | 0.04 | 0.04 | 2 | 0.2 | 0.4 | 0.7 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 22 | 2.5 | 4.5 | 4.6 | 0.24 | 0.40 | 21 | 1.6 | 3.8 | 4.0 | 0.21 | 0.36 | C70–72 |
| Thyroid | 28 | 3.1 | 5.8 | 5.4 | 0.43 | 0.53 | 113 | 8.7 | 20.3 | 16.3 | 1.36 | 1.56 | C73 |
| Adrenal gland | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.2 | 0.4 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.1 | 0.2 | 0.2 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 9 | 1.0 | 1.9 | 1.7 | 0.12 | 0.12 | 8 | 0.6 | 1.4 | 1.5 | 0.10 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 53 | 6.0 | 10.9 | 10.1 | 0.40 | 1.08 | 26 | 2.0 | 4.7 | 3.8 | 0.12 | 0.51 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.4 | 0.8 | 0.8 | 0.06 | 0.12 | 6 | 0.5 | 1.1 | 0.8 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 17 | 1.9 | 3.5 | 3.2 | 0.21 | 0.37 | 13 | 1.0 | 2.3 | 2.0 | 0.11 | 0.36 | C90 |
| Lymphoid leukaemia | 16 | 1.8 | 3.3 | 4.6 | 0.19 | 0.23 | 9 | 0.7 | 1.6 | 1.7 | 0.10 | 0.14 | C91 |
| Myeloid leukaemia | 22 | 2.5 | 4.5 | 4.1 | 0.24 | 0.33 | 17 | 1.3 | 3.1 | 2.7 | 0.20 | 0.27 | C92–94 |
| Leukaemia unspecified | 3 | 0.3 | 0.6 | 0.6 | 0.00 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 8 | 0.9 | 1.6 | 1.5 | 0.11 | 0.17 | 10 | 0.8 | 1.8 | 1.4 | 0.08 | 0.15 | MPD |
| Myelodysplastic syndromes | 10 | 1.1 | 2.1 | 1.8 | 0.09 | 0.13 | 5 | 0.4 | 0.9 | 0.5 | 0.01 | 0.01 | MPS |
| Other and unspecified | 11 | 1.2 | 2.3 | 2.1 | 0.11 | 0.19 | 24 | 1.8 | 4.3 | 3.1 | 0.11 | 0.19 | O&U |
| All sites | 894 | | 184.2 | 177.2 | 9.15 | 20.79 | 1308 | | 234.8 | 187.1 | 12.01 | 20.76 | C00–96 |
| All sites except C44 | 889 | 100.0 | 183.2 | 176.2 | 9.11 | 20.64 | 1304 | 100.0 | 234.0 | 186.6 | 12.00 | 20.75 | C00–96 exc. C44 |

*See note following population pyramid

***USA, Colorado: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 23 | 1.1 | 3.1 | 3.0 | 0.15 | 0.31 | 4 | 0.2 | 0.6 | 0.5 | 0.06 | 0.06 | C01–02 |
| Mouth | 12 | 0.6 | 1.6 | 1.8 | 0.09 | 0.24 | 3 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 7 | 0.3 | 0.9 | 0.9 | 0.06 | 0.08 | 6 | 0.3 | 0.9 | 0.9 | 0.04 | 0.11 | C07–08 |
| Tonsil | 20 | 0.9 | 2.7 | 2.6 | 0.18 | 0.36 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 2 | 0.1 | 0.3 | 0.3 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 5 | 0.2 | 0.7 | 0.6 | 0.05 | 0.05 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 5 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C14 |
| Oesophagus | 20 | 0.9 | 2.7 | 2.9 | 0.10 | 0.41 | 9 | 0.5 | 1.4 | 1.2 | 0.09 | 0.16 | C15 |
| Stomach | 49 | 2.3 | 6.6 | 6.8 | 0.25 | 0.82 | 20 | 1.1 | 3.0 | 2.5 | 0.18 | 0.31 | C16 |
| Small intestine | 16 | 0.7 | 2.2 | 2.0 | 0.14 | 0.23 | 16 | 0.9 | 2.4 | 2.2 | 0.17 | 0.26 | C17 |
| Colon | 150 | 6.9 | 20.2 | 20.1 | 1.07 | 2.36 | 116 | 6.5 | 17.4 | 14.7 | 0.78 | 1.64 | C18 |
| Rectum | 69 | 3.2 | 9.3 | 8.9 | 0.67 | 0.97 | 49 | 2.8 | 7.4 | 6.7 | 0.44 | 0.82 | C19–20 |
| Anus | 7 | 0.3 | 0.9 | 0.8 | 0.08 | 0.08 | 10 | 0.6 | 1.5 | 1.3 | 0.09 | 0.17 | C21 |
| Liver | 96 | 4.4 | 12.9 | 13.3 | 0.81 | 1.85 | 33 | 1.9 | 5.0 | 4.3 | 0.20 | 0.58 | C22 |
| Gallbladder etc. | 10 | 0.5 | 1.3 | 1.4 | 0.05 | 0.07 | 19 | 1.1 | 2.9 | 2.2 | 0.04 | 0.28 | C23–24 |
| Pancreas | 66 | 3.0 | 8.9 | 8.3 | 0.54 | 0.93 | 52 | 2.9 | 7.8 | 6.7 | 0.36 | 0.75 | C25 |
| Nose, sinuses etc. | 9 | 0.4 | 1.2 | 1.3 | 0.10 | 0.19 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C30–31 |
| Larynx | 21 | 1.0 | 2.8 | 2.7 | 0.19 | 0.30 | 5 | 0.3 | 0.8 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 221 | 10.2 | 29.7 | 30.1 | 1.31 | 3.37 | 185 | 10.4 | 27.8 | 24.5 | 1.11 | 3.30 | C33–34 |
| Other thoracic organs | 5 | 0.2 | 0.7 | 0.7 | 0.02 | 0.14 | 3 | 0.2 | 0.5 | 0.4 | 0.03 | 0.07 | C37–38 |
| Bone | 8 | 0.4 | 1.1 | 1.0 | 0.08 | 0.08 | 7 | 0.4 | 1.1 | 1.0 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 5 | 0.2 | 0.7 | 0.5 | 0.04 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C43 |
| Other skin | 11 | 0.5 | 1.5 | 1.4 | 0.09 | 0.14 | 6 | 0.3 | 0.9 | 0.8 | 0.05 | 0.07 | C44 |
| Mesothelioma | 8 | 0.4 | 1.1 | 1.1 | 0.05 | 0.14 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 8 | 0.4 | 1.1 | 1.0 | 0.08 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 16 | 0.7 | 2.2 | 2.1 | 0.14 | 0.22 | 17 | 1.0 | 2.6 | 2.6 | 0.17 | 0.27 | C47+C49 |
| Breast | 4 | 0.2 | 0.5 | 0.5 | 0.02 | 0.07 | 608 | 34.2 | 91.3 | 80.8 | 5.59 | 9.31 | C50 |
| Vulva | | | | | | | 11 | 0.6 | 1.7 | 1.4 | 0.11 | 0.15 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.5 | 0.4 | 0.00 | 0.05 | C52 |
| Cervix uteri | | | | | | | 31 | 1.7 | 4.7 | 4.1 | 0.31 | 0.45 | C53 |
| Corpus uteri | | | | | | | 120 | 6.7 | 18.0 | 16.0 | 0.97 | 2.07 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 37 | 2.1 | 5.6 | 4.8 | 0.23 | 0.61 | C56 |
| Other female genital organs | | | | | | | 8 | 0.4 | 1.2 | 0.9 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.1 | 0.4 | 0.4 | 0.01 | 0.08 | | | | | | | C60 |
| Prostate | 716 | 33.0 | 96.3 | 96.6 | 6.20 | 12.59 | | | | | | | C61 |
| Testis | 8 | 0.4 | 1.1 | 0.9 | 0.07 | 0.07 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 112 | 5.2 | 15.1 | 15.0 | 0.91 | 1.72 | 54 | 3.0 | 8.1 | 7.1 | 0.43 | 0.72 | C64 |
| Renal pelvis | 4 | 0.2 | 0.5 | 0.5 | 0.04 | 0.06 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 3 | 0.1 | 0.4 | 0.4 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 82 | 3.8 | 11.0 | 11.2 | 0.51 | 1.29 | 22 | 1.2 | 3.3 | 2.9 | 0.10 | 0.31 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.02 | 0.02 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 25 | 1.2 | 3.4 | 3.4 | 0.21 | 0.30 | 17 | 1.0 | 2.6 | 2.7 | 0.16 | 0.18 | C70–72 |
| Thyroid | 23 | 1.1 | 3.1 | 2.9 | 0.21 | 0.28 | 79 | 4.4 | 11.9 | 11.2 | 0.83 | 1.19 | C73 |
| Adrenal gland | 3 | 0.1 | 0.4 | 0.6 | 0.02 | 0.06 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C75 |
| Hodgkin lymphoma | 17 | 0.8 | 2.3 | 2.2 | 0.13 | 0.20 | 11 | 0.6 | 1.7 | 1.6 | 0.12 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 76 | 3.5 | 10.2 | 10.1 | 0.61 | 1.13 | 50 | 2.8 | 7.5 | 6.6 | 0.43 | 0.80 | C82–86, C96 |
| Immunoproliferative diseases | 10 | 0.5 | 1.3 | 1.3 | 0.10 | 0.12 | 5 | 0.3 | 0.8 | 0.6 | 0.03 | 0.09 | C88 |
| Multiple myeloma | 81 | 3.7 | 10.9 | 10.9 | 0.55 | 1.26 | 54 | 3.0 | 8.1 | 6.8 | 0.44 | 0.86 | C90 |
| Lymphoid leukaemia | 29 | 1.3 | 3.9 | 4.1 | 0.19 | 0.47 | 19 | 1.1 | 2.9 | 2.8 | 0.17 | 0.32 | C91 |
| Myeloid leukaemia | 40 | 1.8 | 5.4 | 5.1 | 0.29 | 0.36 | 19 | 1.1 | 2.9 | 2.5 | 0.14 | 0.26 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 27 | 1.2 | 3.6 | 3.4 | 0.23 | 0.35 | 16 | 0.9 | 2.4 | 2.0 | 0.13 | 0.26 | MPD |
| Myelodysplastic syndromes | 9 | 0.4 | 1.2 | 1.1 | 0.03 | 0.03 | 4 | 0.2 | 0.6 | 0.5 | 0.01 | 0.07 | MPS |
| Other and unspecified | 35 | 1.6 | 4.7 | 4.8 | 0.12 | 0.45 | 39 | 2.2 | 5.9 | 4.5 | 0.19 | 0.48 | O&U |
| All sites | 2181 | | 293.4 | 292.2 | 16.86 | 34.54 | 1785 | | 268.2 | 235.8 | 14.53 | 27.67 | C00–96 |
| All sites except C44 | 2170 | 100.0 | 291.9 | 290.8 | 16.78 | 34.40 | 1779 | 100.0 | 267.3 | 235.1 | 14.48 | 27.59 | C00–96 exc. C44 |

*See note following population pyramid


USA, Colorado: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 119 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | 55 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 725 | 1.4 | 5.9 | 3.8 | 0.26 | 0.48 | 290 | 0.5 | 2.4 | 1.4 | 0.10 | 0.17 | C01–02 |
| Mouth | 273 | 0.5 | 2.2 | 1.4 | 0.09 | 0.17 | 192 | 0.4 | 1.6 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 182 | 0.3 | 1.5 | 0.9 | 0.04 | 0.10 | 116 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 517 | 1.0 | 4.2 | 2.9 | 0.24 | 0.35 | 80 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 88 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 51 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 29 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 68 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 28 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 143 | 0.3 | 1.2 | 0.8 | 0.05 | 0.09 | 29 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1021 | 1.9 | 8.4 | 5.1 | 0.26 | 0.62 | 200 | 0.4 | 1.7 | 0.9 | 0.04 | 0.10 | C15 |
| Stomach | 910 | 1.7 | 7.5 | 4.6 | 0.23 | 0.53 | 429 | 0.8 | 3.6 | 2.0 | 0.12 | 0.22 | C16 |
| Small intestine | 328 | 0.6 | 2.7 | 1.7 | 0.10 | 0.19 | 273 | 0.5 | 2.3 | 1.3 | 0.08 | 0.14 | C17 |
| Colon | 3002 | 5.7 | 24.6 | 15.3 | 0.82 | 1.68 | 3056 | 5.6 | 25.3 | 13.4 | 0.70 | 1.44 | C18 |
| Rectum | 1516 | 2.9 | 12.4 | 8.1 | 0.56 | 0.94 | 1035 | 1.9 | 8.6 | 5.1 | 0.36 | 0.57 | C19–20 |
| Anus | 148 | 0.3 | 1.2 | 0.8 | 0.06 | 0.09 | 331 | 0.6 | 2.7 | 1.6 | 0.12 | 0.21 | C21 |
| Liver | 1469 | 2.8 | 12.0 | 7.6 | 0.53 | 0.96 | 527 | 1.0 | 4.4 | 2.3 | 0.13 | 0.27 | C22 |
| Gallbladder etc. | 313 | 0.6 | 2.6 | 1.5 | 0.06 | 0.18 | 381 | 0.7 | 3.2 | 1.6 | 0.07 | 0.18 | C23–24 |
| Pancreas | 1651 | 3.1 | 13.5 | 8.1 | 0.38 | 0.99 | 1381 | 2.5 | 11.4 | 5.8 | 0.27 | 0.66 | C25 |
| Nose, sinuses etc. | 94 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 71 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 512 | 1.0 | 4.2 | 2.6 | 0.14 | 0.33 | 140 | 0.3 | 1.2 | 0.7 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 5350 | 10.2 | 43.9 | 25.4 | 0.98 | 3.03 | 5653 | 10.4 | 46.9 | 23.5 | 0.98 | 2.89 | C33–34 |
| Other thoracic organs | 77 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 52 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 185 | 0.4 | 1.5 | 1.3 | 0.08 | 0.11 | 111 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 3733 | 7.1 | 30.6 | 19.5 | 1.08 | 2.23 | 2699 | 5.0 | 22.4 | 14.9 | 1.05 | 1.59 | C43 |
| Other skin | 222 | 0.4 | 1.8 | 1.1 | 0.04 | 0.11 | 188 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | C44 |
| Mesothelioma | 160 | 0.3 | 1.3 | 0.7 | 0.01 | 0.07 | 54 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 37 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 489 | 0.9 | 4.0 | 2.8 | 0.16 | 0.28 | 332 | 0.6 | 2.8 | 2.0 | 0.12 | 0.17 | C47+C49 |
| Breast | 130 | 0.2 | 1.1 | 0.6 | 0.03 | 0.08 | 18069 | 33.1 | 149.8 | 93.4 | 6.34 | 10.94 | C50 |
| Vulva | | | | | | | 352 | 0.6 | 2.9 | 1.6 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 84 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 786 | 1.4 | 6.5 | 5.0 | 0.40 | 0.48 | C53 |
| Corpus uteri | | | | | | | 3361 | 6.2 | 27.9 | 16.9 | 1.22 | 2.11 | C54 |
| Uterus unspecified | | | | | | | 18 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 1457 | 2.7 | 12.1 | 7.5 | 0.48 | 0.82 | C56 |
| Other female genital organs | | | | | | | 241 | 0.4 | 2.0 | 1.2 | 0.07 | 0.16 | C57 |
| Placenta | | | | | | | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 85 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 11961 | 22.7 | 98.1 | 60.0 | 3.09 | 8.19 | | | | | | | C61 |
| Testis | 739 | 1.4 | 6.1 | 5.6 | 0.42 | 0.43 | | | | | | | C62 |
| Other male genital organs | 28 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2219 | 4.2 | 18.2 | 11.9 | 0.73 | 1.43 | 1312 | 2.4 | 10.9 | 6.7 | 0.41 | 0.77 | C64 |
| Renal pelvis | 142 | 0.3 | 1.2 | 0.7 | 0.03 | 0.07 | 103 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 89 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | 43 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 3786 | 7.2 | 31.1 | 17.8 | 0.67 | 2.06 | 1094 | 2.0 | 9.1 | 4.4 | 0.19 | 0.51 | C67 |
| Other urinary organs | 56 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 20 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 148 | 0.3 | 1.2 | 0.9 | 0.05 | 0.09 | 132 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 979 | 1.9 | 8.0 | 6.3 | 0.39 | 0.61 | 765 | 1.4 | 6.3 | 4.9 | 0.30 | 0.46 | C70–72 |
| Thyroid | 1037 | 2.0 | 8.5 | 6.2 | 0.47 | 0.66 | 2859 | 5.2 | 23.7 | 18.8 | 1.46 | 1.79 | C73 |
| Adrenal gland | 34 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 32 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 346 | 0.7 | 2.8 | 2.4 | 0.16 | 0.21 | 246 | 0.5 | 2.0 | 1.9 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 2338 | 4.4 | 19.2 | 12.5 | 0.66 | 1.37 | 1777 | 3.3 | 14.7 | 8.4 | 0.44 | 0.94 | C82–86,C96 |
| Immunoproliferative diseases | 190 | 0.4 | 1.6 | 0.9 | 0.04 | 0.10 | 172 | 0.3 | 1.4 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 980 | 1.9 | 8.0 | 4.9 | 0.24 | 0.60 | 634 | 1.2 | 5.3 | 2.8 | 0.14 | 0.34 | C90 |
| Lymphoid leukaemia | 1313 | 2.5 | 10.8 | 7.7 | 0.39 | 0.77 | 814 | 1.5 | 6.7 | 4.7 | 0.24 | 0.44 | C91 |
| Myeloid leukaemia | 917 | 1.7 | 7.5 | 4.9 | 0.25 | 0.50 | 707 | 1.3 | 5.9 | 3.7 | 0.22 | 0.37 | C92–94 |
| Leukaemia unspecified | 41 | 0.1 | 0.3 | 0.2 | 0.00 | 0.01 | 33 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 432 | 0.8 | 3.5 | 2.2 | 0.10 | 0.24 | 413 | 0.8 | 3.4 | 1.9 | 0.10 | 0.20 | MPD |
| Myelodysplastic syndromes | 503 | 1.0 | 4.1 | 2.2 | 0.05 | 0.21 | 348 | 0.6 | 2.9 | 1.3 | 0.04 | 0.14 | MPS |
| Other and unspecified | 940 | 1.8 | 7.7 | 4.4 | 0.19 | 0.43 | 1056 | 1.9 | 8.8 | 4.1 | 0.17 | 0.41 | O&U |
| All sites | 52834 | | 433.3 | 273.0 | 14.40 | 32.13 | 54705 | | 453.5 | 274.2 | 17.12 | 30.81 | C00–96 |
| All sites except C44 | 52612 | 100.0 | 431.5 | 271.9 | 14.35 | 32.02 | 54517 | 100.0 | 451.9 | 273.2 | 17.06 | 30.71 | C00–96 exc. C44 |

USA, Connecticut


CONTRIBUTORS

Lloyd Mueller
Cathryn Phillips
Lou Gonsalves



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 78.8 | Breast | 95.1 |
| Trachea, bronchus, and lung | 37.6 | Trachea, bronchus, and lung | 33.0 |
| Bladder | 23.3 | Thyroid | 22.9 |
| Colon | 16.6 | Corpus uteri | 21.4 |
| Melanoma of skin | 14.9 | Colon | 13.7 |
| Non-Hodgkin lymphoma | 14.8 | Melanoma of skin | 11.1 |
| Kidney | 14.5 | Non-Hodgkin lymphoma | 9.4 |
| Pancreas | 9.6 | Ovary | 7.7 |
| Liver | 9.0 | Pancreas | 7.2 |
| Rectum | 8.9 | Kidney | 7.0 |
| Lymphoid leukaemia | 8.1 | Bladder | 6.5 |
| Thyroid | 7.8 | Rectum | 5.9 |
| Stomach | 6.8 | Lymphoid leukaemia | 5.3 |
| Brain and nervous system | 6.5 | Brain and nervous system | 4.9 |
| Testis | 5.9 | Cervix uteri | 4.8 |
| Multiple myeloma | 5.7 | Other and unspecified | 4.0 |
| Oesophagus | 5.2 | Multiple myeloma | 3.7 |
| Myeloid leukaemia | 4.5 | Myeloid leukaemia | 3.5 |
| Other and unspecified | 4.5 | Stomach | 3.3 |
| Tongue | 4.0 | Myeloproliferative disorders | 2.8 |
| All sites | 326.4 | All sites | 303.4 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 120.0 |
| Trachea, bronchus, and lung | 41.0 |
| Colon | 18.7 |
| Kidney | 16.8 |
| Liver | 12.4 |
| Multiple myeloma | 12.1 |
| Bladder | 10.9 |
| Pancreas | 10.5 |
| Stomach | 9.9 |
| Non-Hodgkin lymphoma | 9.7 |
| All sites | 340.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 79.9 |
| Trachea, bronchus, and lung | 26.9 |
| Corpus uteri | 19.5 |
| Colon | 15.4 |
| Thyroid | 12.9 |
| Pancreas | 8.3 |
| Multiple myeloma | 7.4 |
| Kidney | 6.7 |
| Ovary | 5.9 |
| Rectum | 5.5 |
| All sites | 256.2 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 73.5 |
| Trachea, bronchus, and lung | 37.6 |
| Bladder | 24.5 |
| Melanoma of skin | 16.2 |
| Colon | 16.2 |
| Non-Hodgkin lymphoma | 15.0 |
| Kidney | 14.1 |
| Pancreas | 9.5 |
| Rectum | 8.5 |
| Liver | 8.4 |
| All sites | 322.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 95.8 |
| Trachea, bronchus, and lung | 33.9 |
| Thyroid | 23.4 |
| Corpus uteri | 21.4 |
| Colon | 13.4 |
| Melanoma of skin | 12.5 |
| Non-Hodgkin lymphoma | 9.7 |
| Ovary | 7.7 |
| Pancreas | 7.1 |
| Bladder | 6.7 |
| All sites | 305.1 |

USA, Connecticut (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 42 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 589 | 1.2 | 6.7 | 4.0 | 0.29 | 0.50 | 261 | 0.5 | 2.8 | 1.6 | 0.11 | 0.19 | C01–02 |
| Mouth | 273 | 0.5 | 3.1 | 1.8 | 0.11 | 0.21 | 195 | 0.4 | 2.1 | 1.0 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 138 | 0.3 | 1.6 | 0.9 | 0.04 | 0.09 | 133 | 0.3 | 1.4 | 0.9 | 0.05 | 0.10 | C07–08 |
| Tonsil | 439 | 0.9 | 5.0 | 3.1 | 0.26 | 0.38 | 98 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 88 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 62 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 32 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 121 | 0.2 | 1.4 | 0.8 | 0.05 | 0.10 | 29 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 839 | 1.7 | 9.6 | 5.2 | 0.26 | 0.64 | 248 | 0.5 | 2.7 | 1.2 | 0.07 | 0.15 | C15 |
| Stomach | 1116 | 2.2 | 12.8 | 6.8 | 0.35 | 0.81 | 644 | 1.3 | 7.0 | 3.3 | 0.18 | 0.36 | C16 |
| Small intestine | 272 | 0.5 | 3.1 | 1.8 | 0.09 | 0.20 | 272 | 0.5 | 3.0 | 1.5 | 0.10 | 0.18 | C17 |
| Colon | 2618 | 5.2 | 29.9 | 16.6 | 0.92 | 1.86 | 2776 | 5.4 | 30.2 | 13.7 | 0.73 | 1.46 | C18 |
| Rectum | 1315 | 2.6 | 15.0 | 8.9 | 0.58 | 1.01 | 996 | 1.9 | 10.8 | 5.9 | 0.41 | 0.65 | C19–20 |
| Anus | 148 | 0.3 | 1.7 | 1.0 | 0.06 | 0.12 | 266 | 0.5 | 2.9 | 1.6 | 0.11 | 0.20 | C21 |
| Liver | 1387 | 2.8 | 15.9 | 9.0 | 0.58 | 1.16 | 507 | 1.0 | 5.5 | 2.6 | 0.15 | 0.30 | C22 |
| Gallbladder etc. | 329 | 0.7 | 3.8 | 1.9 | 0.08 | 0.21 | 345 | 0.7 | 3.8 | 1.6 | 0.08 | 0.20 | C23–24 |
| Pancreas | 1583 | 3.2 | 18.1 | 9.6 | 0.44 | 1.18 | 1552 | 3.0 | 16.9 | 7.2 | 0.33 | 0.81 | C25 |
| Nose, sinuses etc. | 84 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 65 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 600 | 1.2 | 6.9 | 3.8 | 0.23 | 0.49 | 167 | 0.3 | 1.8 | 1.0 | 0.06 | 0.12 | C32 |
| Trachea, bronchus, and lung | 6366 | 12.7 | 72.8 | 37.6 | 1.55 | 4.65 | 6749 | 13.2 | 73.5 | 33.0 | 1.50 | 4.19 | C33–34 |
| Other thoracic organs | 74 | 0.1 | 0.8 | 0.6 | 0.04 | 0.06 | 47 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 110 | 0.2 | 1.3 | 1.2 | 0.07 | 0.09 | 88 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 2329 | 4.6 | 26.6 | 14.9 | 0.82 | 1.70 | 1783 | 3.5 | 19.4 | 11.1 | 0.75 | 1.20 | C43 |
| Other skin | 192 | 0.4 | 2.2 | 1.2 | 0.06 | 0.11 | 136 | 0.3 | 1.5 | 0.8 | 0.05 | 0.08 | C44 |
| Mesothelioma | 156 | 0.3 | 1.8 | 0.8 | 0.02 | 0.09 | 34 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 49 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 9 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 436 | 0.9 | 5.0 | 3.2 | 0.19 | 0.32 | 316 | 0.6 | 3.4 | 2.1 | 0.13 | 0.20 | C47+C49 |
| Breast | 149 | 0.3 | 1.7 | 1.0 | 0.06 | 0.11 | 15103 | 29.5 | 164.4 | 95.1 | 6.58 | 11.07 | C50 |
| Vulva | | | | | | | 318 | 0.6 | 3.5 | 1.6 | 0.10 | 0.17 | C51 |
| Vagina | | | | | | | 65 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 593 | 1.2 | 6.5 | 4.8 | 0.36 | 0.47 | C53 |
| Corpus uteri | | | | | | | 3567 | 7.0 | 38.8 | 21.4 | 1.41 | 2.79 | C54 |
| Uterus unspecified | | | | | | | 115 | 0.2 | 1.3 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 1280 | 2.5 | 13.9 | 7.7 | 0.51 | 0.87 | C56 |
| Other female genital organs | | | | | | | 217 | 0.4 | 2.4 | 1.2 | 0.06 | 0.15 | C57 |
| Placenta | | | | | | | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 91 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 12277 | 24.5 | 140.4 | 78.8 | 4.24 | 10.97 | | | | | | | C61 |
| Testis | 535 | 1.1 | 6.1 | 5.9 | 0.45 | 0.47 | | | | | | | C62 |
| Other male genital organs | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 2089 | 4.2 | 23.9 | 14.5 | 0.91 | 1.75 | 1117 | 2.2 | 12.2 | 7.0 | 0.45 | 0.77 | C64 |
| Renal pelvis | 98 | 0.2 | 1.1 | 0.6 | 0.02 | 0.06 | 104 | 0.2 | 1.1 | 0.5 | 0.01 | 0.05 | C65 |
| Ureter | 58 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 63 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 4105 | 8.2 | 47.0 | 23.3 | 0.87 | 2.66 | 1405 | 2.7 | 15.3 | 6.5 | 0.28 | 0.78 | C67 |
| Other urinary organs | 76 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | 40 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 87 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 98 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | C69 |
| Brain and nervous system | 787 | 1.6 | 9.0 | 6.5 | 0.40 | 0.64 | 617 | 1.2 | 6.7 | 4.9 | 0.30 | 0.44 | C70–72 |
| Thyroid | 935 | 1.9 | 10.7 | 7.8 | 0.58 | 0.83 | 2659 | 5.2 | 28.9 | 22.9 | 1.79 | 2.18 | C73 |
| Adrenal gland | 28 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 21 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 18 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 338 | 0.7 | 3.9 | 3.3 | 0.22 | 0.28 | 256 | 0.5 | 2.8 | 2.6 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 2210 | 4.4 | 25.3 | 14.8 | 0.79 | 1.59 | 1733 | 3.4 | 18.9 | 9.4 | 0.53 | 1.05 | C82–86,C96 |
| Immunoproliferative diseases | 236 | 0.5 | 2.7 | 1.5 | 0.08 | 0.18 | 240 | 0.5 | 2.6 | 1.3 | 0.08 | 0.16 | C88 |
| Multiple myeloma | 930 | 1.9 | 10.6 | 5.7 | 0.29 | 0.69 | 706 | 1.4 | 7.7 | 3.7 | 0.21 | 0.44 | C90 |
| Lymphoid leukaemia | 1105 | 2.2 | 12.6 | 8.1 | 0.42 | 0.83 | 858 | 1.7 | 9.3 | 5.3 | 0.27 | 0.53 | C91 |
| Myeloid leukaemia | 663 | 1.3 | 7.6 | 4.5 | 0.22 | 0.47 | 595 | 1.2 | 6.5 | 3.5 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 37 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 26 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 420 | 0.8 | 4.8 | 2.7 | 0.14 | 0.30 | 506 | 1.0 | 5.5 | 2.8 | 0.14 | 0.29 | MPD |
| Myelodysplastic syndromes | 560 | 1.1 | 6.4 | 2.8 | 0.06 | 0.25 | 377 | 0.7 | 4.1 | 1.5 | 0.05 | 0.15 | MPS |
| Other and unspecified | 761 | 1.5 | 8.7 | 4.5 | 0.21 | 0.47 | 897 | 1.7 | 9.8 | 4.0 | 0.17 | 0.43 | O&U |
| All sites | 50395 | | 576.4 | 326.4 | 17.38 | 39.07 | 51418 | | 559.8 | 303.4 | 18.91 | 34.48 | C00–96 |
| All sites except C44 | 50203 | 100.0 | 574.2 | 325.2 | 17.32 | 38.97 | 51282 | 100.0 | 558.3 | 302.6 | 18.86 | 34.40 | C00–96 exc. C44 |

USA, Connecticut: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 21 | 0.5 | 2.0 | 1.8 | 0.11 | 0.25 | 9 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C01–02 |
| Mouth | 16 | 0.4 | 1.5 | 1.3 | 0.09 | 0.15 | 12 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 14 | 0.3 | 1.3 | 1.2 | 0.08 | 0.10 | 12 | 0.3 | 1.0 | 0.8 | 0.07 | 0.08 | C07–08 |
| Tonsil | 29 | 0.7 | 2.7 | 2.4 | 0.18 | 0.28 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 9 | 0.2 | 0.8 | 0.8 | 0.04 | 0.11 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C10 |
| Nasopharynx | 8 | 0.2 | 0.8 | 0.7 | 0.06 | 0.06 | 6 | 0.2 | 0.5 | 0.5 | 0.04 | 0.05 | C11 |
| Hypopharynx | 12 | 0.3 | 1.1 | 1.0 | 0.06 | 0.11 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 55 | 1.4 | 5.2 | 4.7 | 0.27 | 0.59 | 21 | 0.5 | 1.8 | 1.5 | 0.10 | 0.21 | C15 |
| Stomach | 121 | 3.0 | 11.4 | 9.9 | 0.39 | 1.14 | 90 | 2.3 | 7.8 | 5.1 | 0.24 | 0.59 | C16 |
| Small intestine | 44 | 1.1 | 4.2 | 3.6 | 0.22 | 0.47 | 38 | 1.0 | 3.3 | 2.4 | 0.18 | 0.26 | C17 |
| Colon | 227 | 5.7 | 21.4 | 18.7 | 1.07 | 2.12 | 255 | 6.4 | 22.1 | 15.4 | 0.92 | 1.72 | C18 |
| Rectum | 119 | 3.0 | 11.2 | 9.6 | 0.64 | 1.07 | 88 | 2.2 | 7.6 | 5.5 | 0.39 | 0.57 | C19–20 |
| Anus | 7 | 0.2 | 0.7 | 0.6 | 0.07 | 0.07 | 21 | 0.5 | 1.8 | 1.4 | 0.12 | 0.17 | C21 |
| Liver | 142 | 3.5 | 13.4 | 12.4 | 0.79 | 1.70 | 63 | 1.6 | 5.5 | 4.0 | 0.25 | 0.55 | C22 |
| Gallbladder etc. | 23 | 0.6 | 2.2 | 1.9 | 0.14 | 0.23 | 45 | 1.1 | 3.9 | 2.8 | 0.21 | 0.32 | C23–24 |
| Pancreas | 122 | 3.0 | 11.5 | 10.5 | 0.59 | 1.42 | 141 | 3.5 | 12.2 | 8.3 | 0.39 | 0.97 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.6 | 0.5 | 0.03 | 0.07 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 63 | 1.6 | 5.9 | 5.4 | 0.30 | 0.74 | 17 | 0.4 | 1.5 | 1.1 | 0.08 | 0.13 | C32 |
| Trachea, bronchus, and lung | 489 | 12.2 | 46.1 | 41.0 | 1.56 | 5.16 | 449 | 11.2 | 38.9 | 26.9 | 1.48 | 3.34 | C33–34 |
| Other thoracic organs | 10 | 0.2 | 0.9 | 0.9 | 0.04 | 0.15 | 11 | 0.3 | 1.0 | 1.0 | 0.06 | 0.08 | C37–38 |
| Bone | 6 | 0.1 | 0.6 | 0.6 | 0.04 | 0.04 | 14 | 0.4 | 1.2 | 1.1 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 10 | 0.2 | 0.9 | 0.8 | 0.06 | 0.11 | 9 | 0.2 | 0.8 | 0.5 | 0.02 | 0.05 | C43 |
| Other skin | 11 | 0.3 | 1.0 | 0.9 | 0.09 | 0.09 | 13 | 0.3 | 1.1 | 1.0 | 0.06 | 0.09 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 6 | 0.1 | 0.6 | 0.5 | 0.03 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 32 | 0.8 | 3.0 | 2.7 | 0.16 | 0.30 | 28 | 0.7 | 2.4 | 1.9 | 0.12 | 0.18 | C47+C49 |
| Breast | 18 | 0.4 | 1.7 | 1.5 | 0.09 | 0.16 | 1223 | 30.6 | 105.8 | 79.9 | 5.63 | 9.22 | C50 |
| Vulva | | | | | | | 23 | 0.6 | 2.0 | 1.4 | 0.12 | 0.14 | C51 |
| Vagina | | | | | | | 11 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | C52 |
| Cervix uteri | | | | | | | 75 | 1.9 | 6.5 | 4.9 | 0.30 | 0.55 | C53 |
| Corpus uteri | | | | | | | 296 | 7.4 | 25.6 | 19.5 | 1.30 | 2.67 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.5 | 1.7 | 1.3 | 0.09 | 0.13 | C55 |
| Ovary | | | | | | | 90 | 2.3 | 7.8 | 5.9 | 0.43 | 0.65 | C56 |
| Other female genital organs | | | | | | | 13 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 8 | 0.2 | 0.8 | 0.7 | 0.02 | 0.10 | | | | | | | C60 |
| Prostate | 1400 | 35.0 | 132.1 | 120.0 | 7.07 | 16.56 | | | | | | | C61 |
| Testis | 13 | 0.3 | 1.2 | 1.1 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 195 | 4.9 | 18.4 | 16.8 | 1.13 | 2.03 | 97 | 2.4 | 8.4 | 6.7 | 0.41 | 0.73 | C64 |
| Renal pelvis | 7 | 0.2 | 0.7 | 0.6 | 0.02 | 0.06 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | C66 |
| Bladder | 132 | 3.3 | 12.5 | 10.9 | 0.40 | 1.19 | 74 | 1.9 | 6.4 | 4.3 | 0.21 | 0.48 | C67 |
| Other urinary organs | 8 | 0.2 | 0.8 | 0.7 | 0.04 | 0.08 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 4 | 0.1 | 0.3 | 0.4 | 0.01 | 0.04 | C69 |
| Brain and nervous system | 47 | 1.2 | 4.4 | 4.4 | 0.24 | 0.46 | 36 | 0.9 | 3.1 | 2.6 | 0.16 | 0.23 | C70–72 |
| Thyroid | 42 | 1.0 | 4.0 | 3.6 | 0.26 | 0.44 | 183 | 4.6 | 15.8 | 12.9 | 1.00 | 1.37 | C73 |
| Adrenal gland | 5 | 0.1 | 0.5 | 0.7 | 0.03 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 37 | 0.9 | 3.5 | 3.1 | 0.21 | 0.24 | 26 | 0.7 | 2.3 | 2.1 | 0.15 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 115 | 2.9 | 10.9 | 9.7 | 0.56 | 1.08 | 83 | 2.1 | 7.2 | 5.1 | 0.30 | 0.50 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.2 | 0.8 | 0.7 | 0.05 | 0.09 | 16 | 0.4 | 1.4 | 1.0 | 0.07 | 0.12 | C88 |
| Multiple myeloma | 146 | 3.6 | 13.8 | 12.1 | 0.61 | 1.54 | 123 | 3.1 | 10.6 | 7.4 | 0.39 | 0.94 | C90 |
| Lymphoid leukaemia | 56 | 1.4 | 5.3 | 4.8 | 0.27 | 0.50 | 47 | 1.2 | 4.1 | 3.3 | 0.15 | 0.42 | C91 |
| Myeloid leukaemia | 51 | 1.3 | 4.8 | 4.4 | 0.19 | 0.40 | 51 | 1.3 | 4.4 | 3.1 | 0.15 | 0.32 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.2 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 36 | 0.9 | 3.4 | 3.0 | 0.18 | 0.31 | 39 | 1.0 | 3.4 | 2.8 | 0.18 | 0.31 | MPD |
| Myelodysplastic syndromes | 20 | 0.5 | 1.9 | 1.6 | 0.09 | 0.19 | 25 | 0.6 | 2.2 | 1.5 | 0.07 | 0.14 | MPS |
| Other and unspecified | 55 | 1.4 | 5.2 | 4.7 | 0.27 | 0.51 | 75 | 1.9 | 6.5 | 4.1 | 0.23 | 0.43 | O&U |
| All sites | 4016 | | 378.9 | 340.9 | 18.96 | 42.81 | 4007 | | 346.8 | 256.2 | 16.41 | 29.61 | C00–96 |
| All sites except C44 | 4005 | 100.0 | 377.9 | 340.0 | 18.88 | 42.72 | 3994 | 100.0 | 345.6 | 255.3 | 16.35 | 29.53 | C00–96 exc. C44 |


USA, Connecticut: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 40 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 30 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 552 | 1.2 | 7.7 | 4.3 | 0.31 | 0.52 | 238 | 0.5 | 3.2 | 1.7 | 0.11 | 0.20 | C01–02 |
| Mouth | 235 | 0.5 | 3.3 | 1.7 | 0.11 | 0.21 | 174 | 0.4 | 2.3 | 1.0 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 121 | 0.3 | 1.7 | 0.8 | 0.03 | 0.09 | 114 | 0.3 | 1.5 | 0.9 | 0.05 | 0.10 | C07–08 |
| Tonsil | 399 | 0.9 | 5.5 | 3.2 | 0.27 | 0.40 | 93 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | C09 |
| Other oropharynx | 78 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 29 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 46 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 20 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 105 | 0.2 | 1.5 | 0.8 | 0.05 | 0.10 | 26 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 15 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 774 | 1.8 | 10.7 | 5.4 | 0.26 | 0.66 | 221 | 0.5 | 2.9 | 1.1 | 0.06 | 0.14 | C15 |
| Stomach | 935 | 2.1 | 13.0 | 6.4 | 0.33 | 0.76 | 515 | 1.1 | 6.8 | 2.9 | 0.16 | 0.33 | C16 |
| Small intestine | 218 | 0.5 | 3.0 | 1.6 | 0.07 | 0.17 | 220 | 0.5 | 2.9 | 1.4 | 0.09 | 0.17 | C17 |
| Colon | 2274 | 5.1 | 31.6 | 16.2 | 0.88 | 1.80 | 2424 | 5.4 | 32.2 | 13.4 | 0.70 | 1.43 | C18 |
| Rectum | 1121 | 2.5 | 15.6 | 8.5 | 0.54 | 0.96 | 842 | 1.9 | 11.2 | 5.6 | 0.39 | 0.63 | C19–20 |
| Anus | 136 | 0.3 | 1.9 | 1.0 | 0.07 | 0.12 | 241 | 0.5 | 3.2 | 1.6 | 0.12 | 0.20 | C21 |
| Liver | 1166 | 2.6 | 16.2 | 8.4 | 0.54 | 1.08 | 408 | 0.9 | 5.4 | 2.4 | 0.14 | 0.27 | C22 |
| Gallbladder etc. | 297 | 0.7 | 4.1 | 1.9 | 0.07 | 0.21 | 283 | 0.6 | 3.8 | 1.4 | 0.06 | 0.17 | C23–24 |
| Pancreas | 1419 | 3.2 | 19.7 | 9.5 | 0.43 | 1.16 | 1375 | 3.1 | 18.3 | 7.1 | 0.33 | 0.80 | C25 |
| Nose, sinuses etc. | 74 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 54 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 519 | 1.2 | 7.2 | 3.7 | 0.22 | 0.48 | 149 | 0.3 | 2.0 | 1.0 | 0.06 | 0.12 | C32 |
| Trachea, bronchus, and lung | 5743 | 13.0 | 79.7 | 37.6 | 1.56 | 4.65 | 6171 | 13.7 | 82.0 | 33.9 | 1.52 | 4.32 | C33–34 |
| Other thoracic organs | 62 | 0.1 | 0.9 | 0.6 | 0.04 | 0.06 | 34 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 99 | 0.2 | 1.4 | 1.3 | 0.08 | 0.10 | 69 | 0.2 | 0.9 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 2224 | 5.0 | 30.9 | 16.2 | 0.91 | 1.84 | 1687 | 3.7 | 22.4 | 12.5 | 0.85 | 1.33 | C43 |
| Other skin | 171 | 0.4 | 2.4 | 1.1 | 0.05 | 0.10 | 118 | 0.3 | 1.6 | 0.7 | 0.04 | 0.08 | C44 |
| Mesothelioma | 153 | 0.3 | 2.1 | 0.9 | 0.02 | 0.10 | 30 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 37 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | 9 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 387 | 0.9 | 5.4 | 3.2 | 0.19 | 0.32 | 269 | 0.6 | 3.6 | 2.1 | 0.12 | 0.20 | C47+C49 |
| Breast | 127 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | 13176 | 29.2 | 175.1 | 95.8 | 6.60 | 11.17 | C50 |
| Vulva | | | | | | | 286 | 0.6 | 3.8 | 1.6 | 0.10 | 0.17 | C51 |
| Vagina | | | | | | | 51 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 478 | 1.1 | 6.4 | 4.8 | 0.37 | 0.46 | C53 |
| Corpus uteri | | | | | | | 3124 | 6.9 | 41.5 | 21.4 | 1.40 | 2.79 | C54 |
| Uterus unspecified | | | | | | | 91 | 0.2 | 1.2 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1135 | 2.5 | 15.1 | 7.7 | 0.51 | 0.89 | C56 |
| Other female genital organs | | | | | | | 194 | 0.4 | 2.6 | 1.2 | 0.06 | 0.15 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 79 | 0.2 | 1.1 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 10287 | 23.3 | 142.8 | 73.5 | 3.87 | 10.25 | | | | | | | C61 |
| Testis | 495 | 1.1 | 6.9 | 6.9 | 0.52 | 0.54 | | | | | | | C62 |
| Other male genital organs | 25 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1811 | 4.1 | 25.1 | 14.1 | 0.88 | 1.71 | 954 | 2.1 | 12.7 | 6.7 | 0.43 | 0.75 | C64 |
| Renal pelvis | 86 | 0.2 | 1.2 | 0.6 | 0.02 | 0.06 | 101 | 0.2 | 1.3 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 55 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | 59 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 3880 | 8.8 | 53.9 | 24.5 | 0.92 | 2.81 | 1306 | 2.9 | 17.4 | 6.7 | 0.29 | 0.82 | C67 |
| Other urinary organs | 63 | 0.1 | 0.9 | 0.4 | 0.01 | 0.03 | 35 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 82 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | 93 | 0.2 | 1.2 | 0.8 | 0.05 | 0.09 | C69 |
| Brain and nervous system | 708 | 1.6 | 9.8 | 6.7 | 0.42 | 0.67 | 542 | 1.2 | 7.2 | 4.9 | 0.30 | 0.45 | C70–72 |
| Thyroid | 828 | 1.9 | 11.5 | 8.1 | 0.61 | 0.85 | 2225 | 4.9 | 29.6 | 23.4 | 1.83 | 2.21 | C73 |
| Adrenal gland | 22 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 18 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 13 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 274 | 0.6 | 3.8 | 3.3 | 0.22 | 0.28 | 208 | 0.5 | 2.8 | 2.6 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 1993 | 4.5 | 27.7 | 15.0 | 0.80 | 1.61 | 1567 | 3.5 | 20.8 | 9.7 | 0.54 | 1.09 | C82–86,C96 |
| Immunoproliferative diseases | 217 | 0.5 | 3.0 | 1.6 | 0.08 | 0.18 | 210 | 0.5 | 2.8 | 1.3 | 0.08 | 0.16 | C88 |
| Multiple myeloma | 751 | 1.7 | 10.4 | 5.1 | 0.25 | 0.61 | 553 | 1.2 | 7.3 | 3.3 | 0.18 | 0.38 | C90 |
| Lymphoid leukaemia | 989 | 2.2 | 13.7 | 8.1 | 0.42 | 0.84 | 778 | 1.7 | 10.3 | 5.3 | 0.28 | 0.53 | C91 |
| Myeloid leukaemia | 581 | 1.3 | 8.1 | 4.5 | 0.22 | 0.47 | 525 | 1.2 | 7.0 | 3.6 | 0.21 | 0.37 | C92–94 |
| Leukaemia unspecified | 35 | 0.1 | 0.5 | 0.4 | 0.01 | 0.03 | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 351 | 0.8 | 4.9 | 2.5 | 0.12 | 0.28 | 440 | 1.0 | 5.8 | 2.6 | 0.13 | 0.29 | MPD |
| Myelodysplastic syndromes | 524 | 1.2 | 7.3 | 2.8 | 0.06 | 0.25 | 343 | 0.8 | 4.6 | 1.4 | 0.04 | 0.15 | MPS |
| Other and unspecified | 681 | 1.5 | 9.5 | 4.4 | 0.19 | 0.47 | 794 | 1.8 | 10.6 | 3.9 | 0.17 | 0.43 | O&U |
| All sites | 44357 | | 615.8 | 322.2 | 17.00 | 38.41 | 45174 | | 600.3 | 305.1 | 18.91 | 34.70 | C00–96 |
| All sites except C44 | 44186 | 100.0 | 613.5 | 321.1 | 16.94 | 38.30 | 45056 | 100.0 | 598.7 | 304.4 | 18.87 | 34.63 | C00–96 exc. C44 |

USA, District of Columbia


CONTRIBUTORS

Jason Brown
Alicia Vargas



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 89.4 | Breast | 98.7 |
| Trachea, bronchus, and lung | 32.9 | Trachea, bronchus, and lung | 29.4 |
| Colon | 18.5 | Corpus uteri | 21.1 |
| Liver | 15.1 | Colon | 17.8 |
| Bladder | 12.3 | Thyroid | 15.8 |
| Kidney | 12.3 | Ovary | 9.1 |
| Non-Hodgkin lymphoma | 12.2 | Pancreas | 8.8 |
| Pancreas | 11.8 | Non-Hodgkin lymphoma | 7.6 |
| Melanoma of skin | 9.7 | Other and unspecified | 6.9 |
| Rectum | 8.6 | Rectum | 6.5 |
| Stomach | 7.7 | Kidney | 6.5 |
| Other and unspecified | 7.2 | Cervix uteri | 6.2 |
| Multiple myeloma | 6.5 | Multiple myeloma | 5.4 |
| Thyroid | 5.8 | Melanoma of skin | 5.3 |
| Lymphoid leukaemia | 5.4 | Liver | 4.8 |
| Brain and nervous system | 5.1 | Bladder | 4.4 |
| Testis | 4.8 | Stomach | 3.9 |
| Oesophagus | 3.8 | Brain and nervous system | 3.3 |
| Myeloid leukaemia | 3.5 | Small intestine | 2.6 |
| Tongue | 3.5 | Myeloid leukaemia | 2.5 |
| All sites | 315.8 | All sites | 295.1 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 103.1 |
| Trachea, bronchus, and lung | 47.2 |
| Colon | 24.2 |
| Liver | 23.0 |
| Kidney | 16.2 |
| Pancreas | 15.2 |
| Non-Hodgkin lymphoma | 12.8 |
| Bladder | 10.8 |
| Rectum | 10.7 |
| Other and unspecified | 9.7 |
| All sites | 361.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 99.3 |
| Trachea, bronchus, and lung | 37.0 |
| Corpus uteri | 23.1 |
| Colon | 21.6 |
| Thyroid | 12.0 |
| Pancreas | 10.2 |
| Ovary | 8.8 |
| Kidney | 8.3 |
| Other and unspecified | 8.3 |
| Non-Hodgkin lymphoma | 7.9 |
| All sites | 316.0 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 61.6 |
| Melanoma of skin | 15.2 |
| Trachea, bronchus, and lung | 14.4 |
| Bladder | 13.4 |
| Non-Hodgkin lymphoma | 12.2 |
| Colon | 11.0 |
| Kidney | 7.7 |
| Lymphoid leukaemia | 7.4 |
| Pancreas | 7.1 |
| Thyroid | 7.0 |
| All sites | 237.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 97.9 |
| Thyroid | 19.6 |
| Trachea, bronchus, and lung | 17.2 |
| Corpus uteri | 15.6 |
| Colon | 11.5 |
| Ovary | 9.0 |
| Melanoma of skin | 8.0 |
| Non-Hodgkin lymphoma | 7.4 |
| Pancreas | 6.6 |
| Rectum | 5.2 |
| All sites | 251.4 |

USA, District of Columbia (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 73 | 1.1 | 4.6 | 3.5 | 0.22 | 0.41 | 25 | 0.3 | 1.4 | 0.9 | 0.04 | 0.11 | C01–02 |
| Mouth | 37 | 0.6 | 2.3 | 1.7 | 0.08 | 0.21 | 20 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 24 | 0.4 | 1.5 | 1.3 | 0.06 | 0.14 | 27 | 0.4 | 1.5 | 1.1 | 0.06 | 0.14 | C07–08 |
| Tonsil | 41 | 0.6 | 2.6 | 2.0 | 0.17 | 0.22 | 7 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C09 |
| Other oropharynx | 17 | 0.3 | 1.1 | 0.8 | 0.03 | 0.10 | 10 | 0.1 | 0.6 | 0.4 | 0.04 | 0.06 | C10 |
| Nasopharynx | 20 | 0.3 | 1.3 | 1.1 | 0.08 | 0.13 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 24 | 0.4 | 1.5 | 1.2 | 0.06 | 0.15 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 80 | 1.2 | 5.0 | 3.8 | 0.20 | 0.45 | 43 | 0.6 | 2.4 | 1.5 | 0.08 | 0.18 | C15 |
| Stomach | 170 | 2.6 | 10.6 | 7.7 | 0.43 | 0.94 | 108 | 1.4 | 6.1 | 3.9 | 0.24 | 0.40 | C16 |
| Small intestine | 54 | 0.8 | 3.4 | 2.6 | 0.14 | 0.31 | 60 | 0.8 | 3.4 | 2.6 | 0.19 | 0.32 | C17 |
| Colon | 404 | 6.1 | 25.3 | 18.5 | 1.11 | 2.07 | 492 | 6.6 | 27.8 | 17.8 | 1.08 | 2.05 | C18 |
| Rectum | 176 | 2.7 | 11.0 | 8.6 | 0.60 | 0.99 | 162 | 2.2 | 9.1 | 6.5 | 0.47 | 0.74 | C19–20 |
| Anus | 62 | 0.9 | 3.9 | 3.1 | 0.22 | 0.38 | 53 | 0.7 | 3.0 | 2.3 | 0.19 | 0.27 | C21 |
| Liver | 303 | 4.6 | 19.0 | 15.1 | 1.16 | 2.01 | 124 | 1.7 | 7.0 | 4.8 | 0.31 | 0.61 | C22 |
| Gallbladder etc. | 45 | 0.7 | 2.8 | 2.1 | 0.12 | 0.25 | 57 | 0.8 | 3.2 | 1.8 | 0.09 | 0.20 | C23–24 |
| Pancreas | 256 | 3.9 | 16.0 | 11.8 | 0.66 | 1.49 | 259 | 3.5 | 14.6 | 8.8 | 0.49 | 1.02 | C25 |
| Nose, sinuses etc. | 16 | 0.2 | 1.0 | 0.7 | 0.05 | 0.08 | 7 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C30–31 |
| Larynx | 67 | 1.0 | 4.2 | 3.1 | 0.22 | 0.39 | 29 | 0.4 | 1.6 | 1.2 | 0.08 | 0.14 | C32 |
| Trachea, bronchus, and lung | 712 | 10.8 | 44.5 | 32.9 | 1.66 | 4.31 | 819 | 11.0 | 46.3 | 29.4 | 1.72 | 3.65 | C33–34 |
| Other thoracic organs | 17 | 0.3 | 1.1 | 0.9 | 0.05 | 0.11 | 7 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 24 | 0.4 | 1.5 | 1.5 | 0.10 | 0.10 | 20 | 0.3 | 1.1 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 213 | 3.2 | 13.3 | 9.7 | 0.51 | 1.14 | 133 | 1.8 | 7.5 | 5.3 | 0.34 | 0.53 | C43 |
| Other skin | 18 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | 18 | 0.2 | 1.0 | 0.8 | 0.06 | 0.08 | C44 |
| Mesothelioma | 10 | 0.2 | 0.6 | 0.4 | 0.01 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 40 | 0.6 | 2.5 | 2.0 | 0.15 | 0.19 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C46 |
| Connective and soft tissue | 55 | 0.8 | 3.4 | 2.9 | 0.16 | 0.30 | 49 | 0.7 | 2.8 | 2.2 | 0.14 | 0.19 | C47+C49 |
| Breast | 36 | 0.5 | 2.3 | 1.7 | 0.08 | 0.18 | 2415 | 32.3 | 136.4 | 98.7 | 6.80 | 11.38 | C50 |
| Vulva | | | | | | | 29 | 0.4 | 1.6 | 1.0 | 0.06 | 0.12 | C51 |
| Vagina | | | | | | | 17 | 0.2 | 1.0 | 0.7 | 0.05 | 0.08 | C52 |
| Cervix uteri | | | | | | | 147 | 2.0 | 8.3 | 6.2 | 0.45 | 0.66 | C53 |
| Corpus uteri | | | | | | | 523 | 7.0 | 29.5 | 21.1 | 1.48 | 2.71 | C54 |
| Uterus unspecified | | | | | | | 32 | 0.4 | 1.8 | 1.4 | 0.11 | 0.17 | C55 |
| Ovary | | | | | | | 220 | 2.9 | 12.4 | 9.1 | 0.63 | 1.03 | C56 |
| Other female genital organs | | | | | | | 23 | 0.3 | 1.3 | 0.9 | 0.06 | 0.11 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | | | | | | | C60 |
| Prostate | 1884 | 28.5 | 117.9 | 89.4 | 5.14 | 12.02 | | | | | | | C61 |
| Testis | 102 | 1.5 | 6.4 | 4.8 | 0.36 | 0.36 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 253 | 3.8 | 15.8 | 12.3 | 0.87 | 1.49 | 158 | 2.1 | 8.9 | 6.5 | 0.44 | 0.74 | C64 |
| Renal pelvis | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 11 | 0.1 | 0.6 | 0.3 | 0.00 | 0.02 | C65 |
| Ureter | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 283 | 4.3 | 17.7 | 12.3 | 0.53 | 1.49 | 136 | 1.8 | 7.7 | 4.4 | 0.20 | 0.54 | C67 |
| Other urinary organs | 10 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C68 |
| Eye | 5 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 7 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 89 | 1.3 | 5.6 | 5.1 | 0.31 | 0.50 | 66 | 0.9 | 3.7 | 3.3 | 0.21 | 0.33 | C70–72 |
| Thyroid | 120 | 1.8 | 7.5 | 5.8 | 0.43 | 0.61 | 353 | 4.7 | 19.9 | 15.8 | 1.29 | 1.57 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.3 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | C74 |
| Other endocrine | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 45 | 0.7 | 2.8 | 2.3 | 0.15 | 0.20 | 52 | 0.7 | 2.9 | 2.4 | 0.17 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 247 | 3.7 | 15.5 | 12.2 | 0.73 | 1.25 | 197 | 2.6 | 11.1 | 7.6 | 0.46 | 0.85 | C82–86,C96 |
| Immunoproliferative diseases | 23 | 0.3 | 1.4 | 1.1 | 0.07 | 0.14 | 17 | 0.2 | 1.0 | 0.7 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 145 | 2.2 | 9.1 | 6.5 | 0.33 | 0.77 | 149 | 2.0 | 8.4 | 5.4 | 0.30 | 0.65 | C90 |
| Lymphoid leukaemia | 90 | 1.4 | 5.6 | 5.4 | 0.31 | 0.43 | 57 | 0.8 | 3.2 | 2.5 | 0.12 | 0.29 | C91 |
| Myeloid leukaemia | 77 | 1.2 | 4.8 | 3.5 | 0.20 | 0.40 | 60 | 0.8 | 3.4 | 2.5 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 11 | 0.2 | 0.7 | 0.4 | 0.01 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 32 | 0.5 | 2.0 | 1.5 | 0.10 | 0.15 | 29 | 0.4 | 1.6 | 1.1 | 0.07 | 0.11 | MPD |
| Myelodysplastic syndromes | 35 | 0.5 | 2.2 | 1.6 | 0.06 | 0.17 | 14 | 0.2 | 0.8 | 0.5 | 0.01 | 0.07 | MPS |
| Other and unspecified | 154 | 2.3 | 9.6 | 7.2 | 0.39 | 0.87 | 208 | 2.8 | 11.7 | 6.9 | 0.36 | 0.76 | O&U |
| All sites | 6637 | | 415.2 | 315.8 | 18.54 | 38.37 | 7492 | | 423.1 | 295.1 | 19.40 | 33.93 | C00–96 |
| All sites except C44 | 6619 | 100.0 | 414.1 | 315.0 | 18.49 | 38.28 | 7474 | 100.0 | 422.1 | 294.2 | 19.33 | 33.85 | C00–96 exc. C44 |

USA, District of Columbia: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 32 | 0.8 | 4.2 | 2.9 | 0.21 | 0.32 | 11 | 0.2 | 1.2 | 0.7 | 0.02 | 0.11 | C01–02 |
| Mouth | 18 | 0.4 | 2.4 | 1.5 | 0.07 | 0.19 | 14 | 0.3 | 1.5 | 0.9 | 0.07 | 0.10 | C03–06 |
| Salivary glands | 10 | 0.2 | 1.3 | 1.1 | 0.04 | 0.11 | 15 | 0.3 | 1.6 | 1.3 | 0.09 | 0.13 | C07–08 |
| Tonsil | 22 | 0.5 | 2.9 | 1.9 | 0.16 | 0.22 | 6 | 0.1 | 0.7 | 0.4 | 0.04 | 0.04 | C09 |
| Other oropharynx | 11 | 0.3 | 1.4 | 0.9 | 0.03 | 0.13 | 8 | 0.2 | 0.9 | 0.6 | 0.06 | 0.07 | C10 |
| Nasopharynx | 15 | 0.4 | 2.0 | 1.7 | 0.12 | 0.20 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 21 | 0.5 | 2.8 | 1.9 | 0.11 | 0.21 | 2 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 53 | 1.3 | 7.0 | 4.7 | 0.27 | 0.58 | 33 | 0.7 | 3.6 | 1.8 | 0.11 | 0.22 | C15 |
| Stomach | 108 | 2.7 | 14.2 | 9.3 | 0.52 | 1.15 | 82 | 1.7 | 9.0 | 4.9 | 0.33 | 0.50 | C16 |
| Small intestine | 38 | 0.9 | 5.0 | 3.6 | 0.20 | 0.42 | 49 | 1.0 | 5.4 | 3.5 | 0.26 | 0.43 | C17 |
| Colon | 277 | 6.9 | 36.4 | 24.2 | 1.45 | 2.72 | 364 | 7.5 | 39.8 | 21.6 | 1.29 | 2.55 | C18 |
| Rectum | 115 | 2.8 | 15.1 | 10.7 | 0.76 | 1.21 | 106 | 2.2 | 11.6 | 7.2 | 0.54 | 0.77 | C19–20 |
| Anus | 38 | 0.9 | 5.0 | 4.0 | 0.25 | 0.42 | 36 | 0.7 | 3.9 | 2.5 | 0.21 | 0.30 | C21 |
| Liver | 253 | 6.3 | 33.3 | 23.0 | 1.76 | 3.09 | 101 | 2.1 | 11.0 | 6.4 | 0.44 | 0.83 | C22 |
| Gallbladder etc. | 27 | 0.7 | 3.6 | 2.3 | 0.10 | 0.32 | 36 | 0.7 | 3.9 | 1.7 | 0.08 | 0.20 | C23–24 |
| Pancreas | 172 | 4.3 | 22.6 | 15.2 | 0.93 | 2.04 | 180 | 3.7 | 19.7 | 10.2 | 0.64 | 1.20 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 4 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C30–31 |
| Larynx | 56 | 1.4 | 7.4 | 4.7 | 0.36 | 0.56 | 27 | 0.6 | 3.0 | 1.8 | 0.12 | 0.22 | C32 |
| Trachea, bronchus, and lung | 549 | 13.6 | 72.2 | 47.2 | 2.45 | 6.33 | 622 | 12.9 | 68.0 | 37.0 | 2.32 | 4.68 | C33–34 |
| Other thoracic organs | 5 | 0.1 | 0.7 | 0.5 | 0.04 | 0.04 | 5 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | C37–38 |
| Bone | 13 | 0.3 | 1.7 | 1.7 | 0.12 | 0.12 | 7 | 0.1 | 0.8 | 0.6 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 9 | 0.2 | 1.2 | 0.7 | 0.04 | 0.06 | 9 | 0.2 | 1.0 | 0.8 | 0.06 | 0.07 | C43 |
| Other skin | 8 | 0.2 | 1.1 | 0.9 | 0.05 | 0.07 | 9 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C44 |
| Mesothelioma | 2 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 25 | 0.6 | 3.3 | 2.9 | 0.20 | 0.26 | 5 | 0.1 | 0.5 | 0.5 | 0.04 | 0.04 | C46 |
| Connective and soft tissue | 31 | 0.8 | 4.1 | 3.0 | 0.16 | 0.27 | 29 | 0.6 | 3.2 | 2.1 | 0.15 | 0.22 | C47+C49 |
| Breast | 24 | 0.6 | 3.2 | 2.3 | 0.12 | 0.26 | 1476 | 30.6 | 161.4 | 99.3 | 6.99 | 11.29 | C50 |
| Vulva | | | | | | | 15 | 0.3 | 1.6 | 1.1 | 0.08 | 0.13 | C51 |
| Vagina | | | | | | | 12 | 0.2 | 1.3 | 0.7 | 0.05 | 0.09 | C52 |
| Cervix uteri | | | | | | | 96 | 2.0 | 10.5 | 7.4 | 0.53 | 0.79 | C53 |
| Corpus uteri | | | | | | | 354 | 7.3 | 38.7 | 23.1 | 1.56 | 3.04 | C54 |
| Uterus unspecified | | | | | | | 29 | 0.6 | 3.2 | 2.0 | 0.16 | 0.25 | C55 |
| Ovary | | | | | | | 127 | 2.6 | 13.9 | 8.8 | 0.62 | 0.97 | C56 |
| Other female genital organs | | | | | | | 15 | 0.3 | 1.6 | 1.0 | 0.07 | 0.12 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 1190 | 29.4 | 156.5 | 103.1 | 6.25 | 13.62 | | | | | | | C61 |
| Testis | 17 | 0.4 | 2.2 | 1.9 | 0.16 | 0.16 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 174 | 4.3 | 22.9 | 16.2 | 1.20 | 1.94 | 118 | 2.4 | 12.9 | 8.3 | 0.57 | 0.96 | C64 |
| Renal pelvis | 6 | 0.1 | 0.8 | 0.5 | 0.03 | 0.03 | 5 | 0.1 | 0.5 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 2 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 136 | 3.4 | 17.9 | 10.8 | 0.52 | 1.33 | 98 | 2.0 | 10.7 | 5.0 | 0.24 | 0.61 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | C68 |
| Eye | 2 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 37 | 0.9 | 4.9 | 4.2 | 0.27 | 0.41 | 37 | 0.8 | 4.0 | 3.4 | 0.24 | 0.33 | C70–72 |
| Thyroid | 43 | 1.1 | 5.7 | 4.0 | 0.27 | 0.50 | 151 | 3.1 | 16.5 | 12.0 | 1.00 | 1.30 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C74 |
| Other endocrine | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 18 | 0.4 | 2.4 | 1.9 | 0.12 | 0.19 | 26 | 0.5 | 2.8 | 2.3 | 0.17 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 126 | 3.1 | 16.6 | 12.8 | 0.85 | 1.44 | 112 | 2.3 | 12.2 | 7.9 | 0.53 | 0.87 | C82–86,C96 |
| Immunoproliferative diseases | 12 | 0.3 | 1.6 | 1.2 | 0.08 | 0.16 | 10 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | C88 |
| Multiple myeloma | 103 | 2.5 | 13.5 | 8.8 | 0.46 | 1.00 | 121 | 2.5 | 13.2 | 7.1 | 0.40 | 0.88 | C90 |
| Lymphoid leukaemia | 43 | 1.1 | 5.7 | 4.3 | 0.23 | 0.34 | 33 | 0.7 | 3.6 | 2.6 | 0.14 | 0.28 | C91 |
| Myeloid leukaemia | 36 | 0.9 | 4.7 | 3.1 | 0.17 | 0.37 | 42 | 0.9 | 4.6 | 3.0 | 0.19 | 0.32 | C92–94 |
| Leukaemia unspecified | 9 | 0.2 | 1.2 | 0.6 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 15 | 0.4 | 2.0 | 1.5 | 0.11 | 0.15 | 20 | 0.4 | 2.2 | 1.2 | 0.08 | 0.14 | MPD |
| Myelodysplastic syndromes | 21 | 0.5 | 2.8 | 1.8 | 0.06 | 0.18 | 8 | 0.2 | 0.9 | 0.5 | 0.02 | 0.07 | MPS |
| Other and unspecified | 109 | 2.7 | 14.3 | 9.7 | 0.50 | 1.25 | 151 | 3.1 | 16.5 | 8.3 | 0.46 | 0.91 | O&U |
| All sites | 4050 | | 532.6 | 361.8 | 22.02 | 44.65 | 4839 | | 529.2 | 316.0 | 21.30 | 36.74 | C00–96 |
| All sites except C44 | 4042 | 100.0 | 531.5 | 360.9 | 21.96 | 44.58 | 4830 | 100.0 | 528.2 | 315.2 | 21.24 | 36.67 | C00–96 exc. C44 |


USA, District of Columbia: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | <i>C00</i> |
| Tongue | 36 | 1.6 | 4.7 | 3.9 | 0.22 | 0.46 | 13 | 0.6 | 1.7 | 1.3 | 0.06 | 0.13 | <i>C01–02</i> |
| Mouth | 17 | 0.8 | 2.2 | 1.8 | 0.08 | 0.23 | 6 | 0.3 | 0.8 | 0.6 | 0.02 | 0.06 | <i>C03–06</i> |
| Salivary glands | 13 | 0.6 | 1.7 | 1.4 | 0.08 | 0.18 | 10 | 0.4 | 1.3 | 1.0 | 0.02 | 0.15 | <i>C07–08</i> |
| Tonsil | 18 | 0.8 | 2.4 | 2.1 | 0.19 | 0.24 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | <i>C09</i> |
| Other oropharynx | 6 | 0.3 | 0.8 | 0.6 | 0.04 | 0.07 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | <i>C10</i> |
| Nasopharynx | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | <i>C11</i> |
| Hypopharynx | 3 | 0.1 | 0.4 | 0.3 | 0.00 | 0.08 | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.06 | <i>C12–13</i> |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C14</i> |
| Oesophagus | 23 | 1.1 | 3.0 | 2.4 | 0.07 | 0.27 | 9 | 0.4 | 1.2 | 0.8 | 0.03 | 0.10 | <i>C15</i> |
| Stomach | 53 | 2.4 | 7.0 | 5.6 | 0.32 | 0.65 | 22 | 1.0 | 2.9 | 2.1 | 0.09 | 0.24 | <i>C16</i> |
| Small intestine | 15 | 0.7 | 2.0 | 1.6 | 0.10 | 0.20 | 8 | 0.3 | 1.1 | 0.9 | 0.06 | 0.13 | <i>C17</i> |
| Colon | 110 | 5.0 | 14.5 | 11.0 | 0.61 | 1.23 | 113 | 4.9 | 14.9 | 11.5 | 0.69 | 1.25 | <i>C18</i> |
| Rectum | 47 | 2.1 | 6.2 | 5.4 | 0.38 | 0.62 | 48 | 2.1 | 6.3 | 5.2 | 0.35 | 0.66 | <i>C19–20</i> |
| Anus | 24 | 1.1 | 3.2 | 2.9 | 0.25 | 0.40 | 12 | 0.5 | 1.6 | 1.4 | 0.13 | 0.17 | <i>C21</i> |
| Liver | 43 | 2.0 | 5.7 | 5.1 | 0.34 | 0.64 | 17 | 0.7 | 2.2 | 1.8 | 0.09 | 0.23 | <i>C22</i> |
| Gallbladder etc. | 15 | 0.7 | 2.0 | 1.6 | 0.10 | 0.16 | 17 | 0.7 | 2.2 | 1.7 | 0.10 | 0.19 | <i>C23–24</i> |
| Pancreas | 73 | 3.3 | 9.6 | 7.1 | 0.28 | 0.72 | 72 | 3.1 | 9.5 | 6.6 | 0.26 | 0.73 | <i>C25</i> |
| Nose, sinuses etc. | 8 | 0.4 | 1.1 | 0.9 | 0.04 | 0.11 | 3 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | <i>C30–31</i> |
| Larynx | 10 | 0.5 | 1.3 | 1.0 | 0.04 | 0.14 | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | <i>C32</i> |
| Trachea, bronchus, and lung | 141 | 6.4 | 18.6 | 14.4 | 0.64 | 1.67 | 182 | 7.9 | 24.1 | 17.2 | 0.62 | 2.03 | <i>C33–34</i> |
| Other thoracic organs | 11 | 0.5 | 1.4 | 1.2 | 0.05 | 0.18 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C37–38</i> |
| Bone | 11 | 0.5 | 1.4 | 1.1 | 0.07 | 0.07 | 11 | 0.5 | 1.5 | 1.4 | 0.06 | 0.11 | <i>C40–41</i> |
| Melanoma of skin | 149 | 6.8 | 19.6 | 15.2 | 0.78 | 1.79 | 90 | 3.9 | 11.9 | 8.0 | 0.42 | 0.80 | <i>C43</i> |
| Other skin | 7 | 0.3 | 0.9 | 0.8 | 0.04 | 0.10 | 7 | 0.3 | 0.9 | 0.7 | 0.06 | 0.08 | <i>C44</i> |
| Mesothelioma | 7 | 0.3 | 0.9 | 0.7 | 0.00 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C45</i> |
| Kaposi sarcoma | 8 | 0.4 | 1.1 | 0.7 | 0.07 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 23 | 1.1 | 3.0 | 2.6 | 0.16 | 0.35 | 19 | 0.8 | 2.5 | 2.7 | 0.14 | 0.18 | <i>C47+C49</i> |
| Breast | 12 | 0.5 | 1.6 | 1.1 | 0.04 | 0.10 | 845 | 36.7 | 111.8 | 97.9 | 6.40 | 11.59 | <i>C50</i> |
| Vulva | | | | | | | 10 | 0.4 | 1.3 | 0.9 | 0.02 | 0.06 | <i>C51</i> |
| Vagina | | | | | | | 3 | 0.1 | 0.4 | 0.5 | 0.01 | 0.04 | <i>C52</i> |
| Cervix uteri | | | | | | | 42 | 1.8 | 5.6 | 4.1 | 0.31 | 0.43 | <i>C53</i> |
| Corpus uteri | | | | | | | 134 | 5.8 | 17.7 | 15.6 | 1.10 | 1.94 | <i>C54</i> |
| Uterus unspecified | | | | | | | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | <i>C55</i> |
| Ovary | | | | | | | 78 | 3.4 | 10.3 | 9.0 | 0.58 | 1.08 | <i>C56</i> |
| Other female genital organs | | | | | | | 8 | 0.3 | 1.1 | 0.9 | 0.05 | 0.10 | <i>C57</i> |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C58</i> |
| Penis | 3 | 0.1 | 0.4 | 0.3 | 0.00 | 0.02 | | | | | | | <i>C60</i> |
| Prostate | 549 | 25.1 | 72.3 | 61.6 | 3.20 | 8.59 | | | | | | | <i>C61</i> |
| Testis | 79 | 3.6 | 10.4 | 7.0 | 0.52 | 0.52 | | | | | | | <i>C62</i> |
| Other male genital organs | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | | | | | | | <i>C63</i> |
| Kidney | 70 | 3.2 | 9.2 | 7.7 | 0.51 | 0.94 | 36 | 1.6 | 4.8 | 3.8 | 0.24 | 0.38 | <i>C64</i> |
| Renal pelvis | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 6 | 0.3 | 0.8 | 0.6 | 0.02 | 0.04 | <i>C65</i> |
| Ureter | 3 | 0.1 | 0.4 | 0.3 | 0.00 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C66</i> |
| Bladder | 131 | 6.0 | 17.3 | 13.4 | 0.50 | 1.61 | 35 | 1.5 | 4.6 | 3.4 | 0.13 | 0.42 | <i>C67</i> |
| Other urinary organs | 7 | 0.3 | 0.9 | 0.7 | 0.04 | 0.09 | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | <i>C68</i> |
| Eye | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 6 | 0.3 | 0.8 | 0.9 | 0.06 | 0.08 | <i>C69</i> |
| Brain and nervous system | 49 | 2.2 | 6.5 | 6.7 | 0.37 | 0.64 | 23 | 1.0 | 3.0 | 3.1 | 0.19 | 0.35 | <i>C70–72</i> |
| Thyroid | 69 | 3.2 | 9.1 | 7.0 | 0.55 | 0.68 | 178 | 7.7 | 23.5 | 19.6 | 1.57 | 1.82 | <i>C73</i> |
| Adrenal gland | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C74</i> |
| Other endocrine | 1 | 0.0 | 0.1 | 0.5 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C75</i> |
| Hodgkin lymphoma | 24 | 1.1 | 3.2 | 2.5 | 0.17 | 0.21 | 22 | 1.0 | 2.9 | 2.2 | 0.15 | 0.15 | <i>C81</i> |
| Non-Hodgkin lymphoma | 114 | 5.2 | 15.0 | 12.2 | 0.64 | 1.09 | 73 | 3.2 | 9.7 | 7.4 | 0.35 | 0.81 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 7 | 0.3 | 0.9 | 0.6 | 0.02 | 0.06 | 5 | 0.2 | 0.7 | 0.5 | 0.02 | 0.07 | <i>C88</i> |
| Multiple myeloma | 40 | 1.8 | 5.3 | 4.3 | 0.21 | 0.55 | 26 | 1.1 | 3.4 | 2.7 | 0.15 | 0.32 | <i>C90</i> |
| Lymphoid leukaemia | 44 | 2.0 | 5.8 | 7.4 | 0.43 | 0.58 | 22 | 1.0 | 2.9 | 2.9 | 0.13 | 0.33 | <i>C91</i> |
| Myeloid leukaemia | 38 | 1.7 | 5.0 | 4.1 | 0.23 | 0.42 | 15 | 0.7 | 2.0 | 1.8 | 0.12 | 0.17 | <i>C92–94</i> |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | <i>C95</i> |
| Myeloproliferative disorders | 15 | 0.7 | 2.0 | 1.4 | 0.09 | 0.15 | 9 | 0.4 | 1.2 | 0.9 | 0.06 | 0.09 | <i>MPD</i> |
| Myelodysplastic syndromes | 12 | 0.5 | 1.6 | 1.3 | 0.06 | 0.18 | 5 | 0.2 | 0.7 | 0.4 | 0.00 | 0.05 | <i>MPS</i> |
| Other and unspecified | 42 | 1.9 | 5.5 | 4.1 | 0.23 | 0.43 | 52 | 2.3 | 6.9 | 4.7 | 0.20 | 0.52 | <i>O&U</i> |
| All sites | 2197 | | 289.5 | 237.6 | 12.89 | 27.79 | 2311 | | 305.7 | 251.4 | 15.23 | 28.39 | <i>C00–96</i> |
| All sites except C44 | 2190 | 100.0 | 288.6 | 236.8 | 12.85 | 27.68 | 2304 | 100.0 | 304.8 | 250.7 | 15.17 | 28.31 | <i>C00–96 exc. C44</i> |

USA, Florida

CONTRIBUTORS


Jill MacKinnon



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 68.4 | Breast | 86.5 |
| Trachea, bronchus, and lung | 42.0 | Trachea, bronchus, and lung | 32.5 |
| Melanoma of skin | 21.6 | Corpus uteri | 17.9 |
| Colon | 19.2 | Colon | 15.3 |
| Bladder | 18.8 | Thyroid | 15.1 |
| Non-Hodgkin lymphoma | 17.7 | Melanoma of skin | 13.1 |
| Kidney | 13.3 | Non-Hodgkin lymphoma | 12.8 |
| Lymphoid leukaemia | 9.7 | Ovary | 8.2 |
| Pancreas | 9.1 | Myeloproliferative disorders | 7.6 |
| Liver | 9.0 | Cervix uteri | 7.1 |
| Rectum | 8.9 | Kidney | 6.7 |
| Myeloproliferative disorders | 7.5 | Pancreas | 6.7 |
| Other and unspecified | 7.0 | Lymphoid leukaemia | 6.0 |
| Myeloid leukaemia | 6.5 | Other and unspecified | 5.6 |
| Multiple myeloma | 6.4 | Rectum | 5.5 |
| Brain and nervous system | 6.4 | Bladder | 5.0 |
| Myelodysplastic syndromes | 5.8 | Myeloid leukaemia | 4.8 |
| Tongue | 5.3 | Brain and nervous system | 4.6 |
| Oesophagus | 5.1 | Multiple myeloma | 4.4 |
| Stomach | 5.1 | Myelodysplastic syndromes | 4.2 |
| All sites | 340.4 | All sites | 302.0 |

USA, Florida: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Prostate | 28.1 |
| Trachea, bronchus, and lung | 19.2 |
| Colon | 11.2 |
| Non-Hodgkin lymphoma | 9.1 |
| Liver | 7.9 |
| Rectum | 7.5 |
| Kidney | 6.0 |
| Bladder | 5.9 |
| Stomach | 4.8 |
| Lymphoid leukaemia | 4.7 |
| All sites | 156.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 59.8 |
| Trachea, bronchus, and lung | 13.8 |
| Thyroid | 12.5 |
| Corpus uteri | 11.2 |
| Colon | 8.5 |
| Non-Hodgkin lymphoma | 7.8 |
| Ovary | 6.1 |
| Cervix uteri | 4.1 |
| Rectum | 3.9 |
| Pancreas | 3.8 |
| All sites | 174.5 |

USA, Florida: Black (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 110.9 |
| Trachea, bronchus, and lung | 37.6 |
| Colon | 23.4 |
| Kidney | 13.4 |
| Non-Hodgkin lymphoma | 12.7 |
| Multiple myeloma | 11.3 |
| Liver | 9.9 |
| Pancreas | 9.1 |
| Bladder | 8.4 |
| Rectum | 8.3 |
| All sites | 326.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 80.4 |
| Trachea, bronchus, and lung | 21.7 |
| Corpus uteri | 20.3 |
| Colon | 18.3 |
| Thyroid | 9.7 |
| Non-Hodgkin lymphoma | 9.5 |
| Multiple myeloma | 8.9 |
| Pancreas | 8.1 |
| Cervix uteri | 8.1 |
| Kidney | 7.2 |
| All sites | 266.3 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 60.9 |
| Trachea, bronchus, and lung | 42.6 |
| Melanoma of skin | 24.1 |
| Bladder | 19.5 |
| Colon | 18.5 |
| Non-Hodgkin lymphoma | 18.0 |
| Kidney | 13.4 |
| Lymphoid leukaemia | 10.1 |
| Pancreas | 9.1 |
| Rectum | 9.0 |
| All sites | 338.2 |

Female

| | |
|------------------------------|-------|
| Breast | 86.7 |
| Trachea, bronchus, and lung | 34.4 |
| Corpus uteri | 17.7 |
| Thyroid | 16.4 |
| Melanoma of skin | 15.1 |
| Colon | 14.8 |
| Non-Hodgkin lymphoma | 12.7 |
| Ovary | 8.4 |
| Cervix uteri | 7.1 |
| Myeloproliferative disorders | 7.0 |
| All sites | 305.4 |

USA, Florida (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 297 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 82 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 4653 | 1.4 | 9.4 | 5.3 | 0.38 | 0.67 | 1528 | 0.5 | 3.0 | 1.5 | 0.10 | 0.18 | C01–02 |
| Mouth | 1777 | 0.5 | 3.6 | 2.0 | 0.14 | 0.24 | 1196 | 0.4 | 2.3 | 1.1 | 0.07 | 0.12 | C03–06 |
| Salivary glands | 1021 | 0.3 | 2.1 | 1.0 | 0.06 | 0.11 | 644 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 3095 | 0.9 | 6.3 | 3.8 | 0.32 | 0.47 | 669 | 0.2 | 1.3 | 0.7 | 0.05 | 0.09 | C09 |
| Other oropharynx | 1056 | 0.3 | 2.1 | 1.2 | 0.10 | 0.16 | 258 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 477 | 0.1 | 1.0 | 0.6 | 0.05 | 0.07 | 203 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 852 | 0.3 | 1.7 | 0.9 | 0.06 | 0.11 | 198 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 964 | 0.3 | 1.9 | 1.0 | 0.07 | 0.13 | 235 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C14 |
| Oesophagus | 5138 | 1.6 | 10.4 | 5.1 | 0.28 | 0.65 | 1385 | 0.5 | 2.7 | 1.1 | 0.07 | 0.14 | C15 |
| Stomach | 5029 | 1.5 | 10.2 | 5.1 | 0.29 | 0.60 | 3026 | 1.0 | 5.9 | 2.6 | 0.15 | 0.30 | C16 |
| Small intestine | 1520 | 0.5 | 3.1 | 1.6 | 0.09 | 0.19 | 1303 | 0.4 | 2.5 | 1.3 | 0.08 | 0.14 | C17 |
| Colon | 18973 | 5.7 | 38.3 | 19.2 | 1.10 | 2.22 | 18323 | 6.0 | 35.4 | 15.3 | 0.87 | 1.68 | C18 |
| Rectum | 7949 | 2.4 | 16.1 | 8.9 | 0.63 | 1.05 | 5441 | 1.8 | 10.5 | 5.5 | 0.39 | 0.62 | C19–20 |
| Anus | 1194 | 0.4 | 2.4 | 1.4 | 0.10 | 0.16 | 2122 | 0.7 | 4.1 | 2.1 | 0.16 | 0.26 | C21 |
| Liver | 8190 | 2.5 | 16.6 | 9.0 | 0.65 | 1.14 | 3196 | 1.0 | 6.2 | 2.9 | 0.18 | 0.35 | C22 |
| Gallbladder etc. | 1818 | 0.6 | 3.7 | 1.7 | 0.08 | 0.21 | 1923 | 0.6 | 3.7 | 1.5 | 0.08 | 0.18 | C23–24 |
| Pancreas | 9613 | 2.9 | 19.4 | 9.1 | 0.48 | 1.11 | 8617 | 2.8 | 16.7 | 6.7 | 0.33 | 0.78 | C25 |
| Nose, sinuses etc. | 597 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | 337 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 4325 | 1.3 | 8.7 | 4.6 | 0.30 | 0.58 | 934 | 0.3 | 1.8 | 0.9 | 0.07 | 0.11 | C32 |
| Trachea, bronchus, and lung | 45233 | 13.7 | 91.4 | 42.0 | 2.06 | 5.29 | 40516 | 13.2 | 78.4 | 32.5 | 1.64 | 4.11 | C33–34 |
| Other thoracic organs | 316 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 239 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 813 | 0.2 | 1.6 | 1.4 | 0.09 | 0.12 | 581 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 21930 | 6.6 | 44.3 | 21.6 | 1.14 | 2.46 | 12599 | 4.1 | 24.4 | 13.1 | 0.86 | 1.42 | C43 |
| Other skin | 1732 | 0.5 | 3.5 | 1.6 | 0.06 | 0.17 | 925 | 0.3 | 1.8 | 0.8 | 0.05 | 0.09 | C44 |
| Mesothelioma | 875 | 0.3 | 1.8 | 0.7 | 0.02 | 0.08 | 297 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 457 | 0.1 | 0.9 | 0.7 | 0.05 | 0.06 | 76 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2621 | 0.8 | 5.3 | 3.1 | 0.18 | 0.31 | 1961 | 0.6 | 3.8 | 2.4 | 0.16 | 0.23 | C47+C49 |
| Breast | 804 | 0.2 | 1.6 | 0.8 | 0.04 | 0.09 | 82597 | 26.9 | 159.8 | 86.5 | 5.99 | 10.13 | C50 |
| Vulva | | | | | | | 1681 | 0.5 | 3.3 | 1.6 | 0.11 | 0.18 | C51 |
| Vagina | | | | | | | 467 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 5033 | 1.6 | 9.7 | 7.1 | 0.58 | 0.70 | C53 |
| Corpus uteri | | | | | | | 17439 | 5.7 | 33.7 | 17.9 | 1.27 | 2.24 | C54 |
| Uterus unspecified | | | | | | | 703 | 0.2 | 1.4 | 0.7 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 7926 | 2.6 | 15.3 | 8.2 | 0.55 | 0.92 | C56 |
| Other female genital organs | | | | | | | 874 | 0.3 | 1.7 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 38 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 511 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 67365 | 20.4 | 136.2 | 68.4 | 3.65 | 9.46 | | | | | | | C61 |
| Testis | 2234 | 0.7 | 4.5 | 4.5 | 0.34 | 0.34 | | | | | | | C62 |
| Other male genital organs | 130 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 11868 | 3.6 | 24.0 | 13.3 | 0.85 | 1.60 | 6570 | 2.1 | 12.7 | 6.7 | 0.43 | 0.76 | C64 |
| Renal pelvis | 808 | 0.2 | 1.6 | 0.7 | 0.03 | 0.08 | 580 | 0.2 | 1.1 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 526 | 0.2 | 1.1 | 0.4 | 0.02 | 0.05 | 289 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 22350 | 6.8 | 45.2 | 18.8 | 0.72 | 2.20 | 6774 | 2.2 | 13.1 | 5.0 | 0.22 | 0.59 | C67 |
| Other urinary organs | 249 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 123 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 557 | 0.2 | 1.1 | 0.8 | 0.04 | 0.07 | 468 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 4384 | 1.3 | 8.9 | 6.4 | 0.40 | 0.60 | 3440 | 1.1 | 6.7 | 4.6 | 0.29 | 0.42 | C70–72 |
| Thyroid | 3547 | 1.1 | 7.2 | 4.9 | 0.36 | 0.52 | 10251 | 3.3 | 19.8 | 15.1 | 1.18 | 1.46 | C73 |
| Adrenal gland | 182 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 171 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 83 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 69 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1890 | 0.6 | 3.8 | 3.1 | 0.22 | 0.28 | 1554 | 0.5 | 3.0 | 2.6 | 0.18 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 16599 | 5.0 | 33.6 | 17.7 | 0.99 | 1.96 | 13653 | 4.4 | 26.4 | 12.8 | 0.75 | 1.41 | C82–86,C96 |
| Immunoproliferative diseases | 1237 | 0.4 | 2.5 | 1.2 | 0.05 | 0.14 | 1181 | 0.4 | 2.3 | 1.0 | 0.05 | 0.12 | C88 |
| Multiple myeloma | 6646 | 2.0 | 13.4 | 6.4 | 0.33 | 0.76 | 5215 | 1.7 | 10.1 | 4.4 | 0.24 | 0.53 | C90 |
| Lymphoid leukaemia | 8520 | 2.6 | 17.2 | 9.7 | 0.50 | 0.99 | 5892 | 1.9 | 11.4 | 6.0 | 0.31 | 0.59 | C91 |
| Myeloid leukaemia | 6142 | 1.9 | 12.4 | 6.5 | 0.35 | 0.70 | 4638 | 1.5 | 9.0 | 4.8 | 0.29 | 0.48 | C92–94 |
| Leukaemia unspecified | 765 | 0.2 | 1.5 | 0.7 | 0.03 | 0.07 | 795 | 0.3 | 1.5 | 0.7 | 0.04 | 0.07 | C95 |
| Myeloproliferative disorders | 6949 | 2.1 | 14.0 | 7.5 | 0.45 | 0.85 | 7745 | 2.5 | 15.0 | 7.6 | 0.47 | 0.82 | MPD |
| Myelodysplastic syndromes | 7877 | 2.4 | 15.9 | 5.8 | 0.14 | 0.57 | 6405 | 2.1 | 12.4 | 4.2 | 0.15 | 0.44 | MPS |
| Other and unspecified | 7347 | 2.2 | 14.9 | 7.0 | 0.37 | 0.80 | 7115 | 2.3 | 13.8 | 5.6 | 0.30 | 0.61 | O&U |
| All sites | 332085 | | 671.2 | 340.4 | 18.83 | 40.79 | 308500 | | 596.7 | 302.0 | 19.18 | 34.27 | C00–96 |
| All sites except C44 | 330353 | 100.0 | 667.7 | 338.9 | 18.77 | 40.62 | 307575 | 100.0 | 594.9 | 301.1 | 19.14 | 34.19 | C00–96 exc. C44 |

USA, Florida: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 40 | 1.3 | 2.7 | 2.0 | 0.14 | 0.23 | 18 | 0.4 | 1.0 | 0.7 | 0.04 | 0.10 | C01–02 |
| Mouth | 29 | 0.9 | 1.9 | 1.5 | 0.13 | 0.19 | 20 | 0.4 | 1.2 | 0.7 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 9 | 0.3 | 0.6 | 0.5 | 0.04 | 0.04 | 16 | 0.4 | 0.9 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 24 | 0.8 | 1.6 | 1.2 | 0.10 | 0.13 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 6 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 41 | 1.3 | 2.7 | 2.1 | 0.17 | 0.22 | 11 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | C11 |
| Hypopharynx | 9 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 35 | 1.1 | 2.3 | 1.6 | 0.06 | 0.22 | 17 | 0.4 | 1.0 | 0.6 | 0.02 | 0.07 | C15 |
| Stomach | 99 | 3.1 | 6.6 | 4.8 | 0.31 | 0.59 | 82 | 1.8 | 4.8 | 3.0 | 0.18 | 0.33 | C16 |
| Small intestine | 14 | 0.4 | 0.9 | 0.7 | 0.05 | 0.09 | 13 | 0.3 | 0.8 | 0.4 | 0.02 | 0.05 | C17 |
| Colon | 234 | 7.4 | 15.7 | 11.2 | 0.67 | 1.28 | 230 | 5.2 | 13.4 | 8.5 | 0.45 | 0.97 | C18 |
| Rectum | 154 | 4.8 | 10.3 | 7.5 | 0.46 | 0.90 | 102 | 2.3 | 5.9 | 3.9 | 0.26 | 0.42 | C19–20 |
| Anus | 7 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 165 | 5.2 | 11.0 | 7.9 | 0.49 | 0.94 | 88 | 2.0 | 5.1 | 3.2 | 0.17 | 0.33 | C22 |
| Gallbladder etc. | 33 | 1.0 | 2.2 | 1.6 | 0.09 | 0.22 | 36 | 0.8 | 2.1 | 1.3 | 0.08 | 0.18 | C23–24 |
| Pancreas | 87 | 2.7 | 5.8 | 4.2 | 0.20 | 0.53 | 107 | 2.4 | 6.2 | 3.8 | 0.18 | 0.46 | C25 |
| Nose, sinuses etc. | 8 | 0.3 | 0.5 | 0.4 | 0.03 | 0.04 | 9 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | C30–31 |
| Larynx | 30 | 0.9 | 2.0 | 1.5 | 0.10 | 0.18 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 408 | 12.8 | 27.3 | 19.2 | 0.89 | 2.44 | 391 | 8.8 | 22.8 | 13.8 | 0.61 | 1.62 | C33–34 |
| Other thoracic organs | 10 | 0.3 | 0.7 | 0.6 | 0.03 | 0.06 | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.05 | C37–38 |
| Bone | 14 | 0.4 | 0.9 | 0.8 | 0.05 | 0.06 | 10 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 24 | 0.8 | 1.6 | 1.2 | 0.06 | 0.13 | 18 | 0.4 | 1.0 | 0.7 | 0.04 | 0.08 | C43 |
| Other skin | 7 | 0.2 | 0.5 | 0.4 | 0.01 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C44 |
| Mesothelioma | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 6 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 25 | 0.8 | 1.7 | 1.2 | 0.06 | 0.12 | 46 | 1.0 | 2.7 | 2.1 | 0.12 | 0.22 | C47+C49 |
| Breast | 8 | 0.3 | 0.5 | 0.4 | 0.02 | 0.06 | 1510 | 33.9 | 87.9 | 59.8 | 4.42 | 6.91 | C50 |
| Vulva | | | | | | | 16 | 0.4 | 0.9 | 0.5 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 100 | 2.2 | 5.8 | 4.1 | 0.33 | 0.42 | C53 |
| Corpus uteri | | | | | | | 284 | 6.4 | 16.5 | 11.2 | 0.82 | 1.38 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.3 | 0.8 | 0.5 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 152 | 3.4 | 8.9 | 6.1 | 0.47 | 0.66 | C56 |
| Other female genital organs | | | | | | | 13 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 590 | 18.6 | 39.5 | 28.1 | 1.20 | 4.00 | | | | | | | C61 |
| Testis | 25 | 0.8 | 1.7 | 1.5 | 0.11 | 0.11 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 121 | 3.8 | 8.1 | 6.0 | 0.37 | 0.72 | 62 | 1.4 | 3.6 | 2.4 | 0.13 | 0.26 | C64 |
| Renal pelvis | 8 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | 10 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 5 | 0.2 | 0.3 | 0.2 | 0.01 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 131 | 4.1 | 8.8 | 5.9 | 0.24 | 0.63 | 38 | 0.9 | 2.2 | 1.2 | 0.05 | 0.10 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 40 | 1.3 | 2.7 | 2.3 | 0.17 | 0.19 | 46 | 1.0 | 2.7 | 2.4 | 0.15 | 0.23 | C70–72 |
| Thyroid | 64 | 2.0 | 4.3 | 3.4 | 0.28 | 0.37 | 289 | 6.5 | 16.8 | 12.5 | 1.00 | 1.22 | C73 |
| Adrenal gland | 2 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 24 | 0.8 | 1.6 | 1.3 | 0.09 | 0.11 | 16 | 0.4 | 0.9 | 0.9 | 0.06 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 178 | 5.6 | 11.9 | 9.1 | 0.54 | 0.95 | 203 | 4.6 | 11.8 | 7.8 | 0.45 | 0.86 | C82–86,C96 |
| Immunoproliferative diseases | 17 | 0.5 | 1.1 | 0.7 | 0.04 | 0.06 | 11 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | C88 |
| Multiple myeloma | 75 | 2.4 | 5.0 | 3.5 | 0.19 | 0.36 | 66 | 1.5 | 3.8 | 2.4 | 0.15 | 0.31 | C90 |
| Lymphoid leukaemia | 76 | 2.4 | 5.1 | 4.7 | 0.25 | 0.34 | 46 | 1.0 | 2.7 | 2.0 | 0.11 | 0.20 | C91 |
| Myeloid leukaemia | 70 | 2.2 | 4.7 | 3.5 | 0.21 | 0.37 | 82 | 1.8 | 4.8 | 3.5 | 0.21 | 0.38 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 71 | 2.2 | 4.8 | 3.5 | 0.22 | 0.34 | 89 | 2.0 | 5.2 | 3.5 | 0.23 | 0.33 | MPD |
| Myelodysplastic syndromes | 65 | 2.0 | 4.4 | 2.9 | 0.10 | 0.31 | 67 | 1.5 | 3.9 | 2.3 | 0.07 | 0.24 | MPS |
| Other and unspecified | 77 | 2.4 | 5.2 | 3.7 | 0.16 | 0.36 | 68 | 1.5 | 4.0 | 2.8 | 0.15 | 0.28 | O&U |
| All sites | 3187 | | 213.4 | 156.1 | 8.53 | 18.27 | 4454 | | 259.3 | 174.5 | 11.42 | 19.45 | C00–96 |
| All sites except C44 | 3180 | 100.0 | 212.9 | 155.8 | 8.52 | 18.24 | 4449 | 100.0 | 259.1 | 174.3 | 11.41 | 19.43 | C00–96 exc. C44 |

USA, Florida: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 228 | 0.7 | 2.7 | 2.2 | 0.15 | 0.27 | 91 | 0.3 | 1.0 | 0.7 | 0.06 | 0.09 | C01–02 |
| Mouth | 141 | 0.4 | 1.7 | 1.4 | 0.09 | 0.17 | 94 | 0.3 | 1.0 | 0.8 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 79 | 0.2 | 0.9 | 0.8 | 0.05 | 0.09 | 97 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | C07–08 |
| Tonsil | 185 | 0.6 | 2.2 | 1.9 | 0.14 | 0.25 | 38 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 98 | 0.3 | 1.2 | 1.0 | 0.07 | 0.13 | 28 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 89 | 0.3 | 1.0 | 0.9 | 0.06 | 0.10 | 41 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 109 | 0.3 | 1.3 | 1.1 | 0.06 | 0.13 | 22 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 84 | 0.3 | 1.0 | 0.8 | 0.06 | 0.10 | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 335 | 1.0 | 3.9 | 3.3 | 0.18 | 0.42 | 171 | 0.5 | 1.9 | 1.3 | 0.09 | 0.15 | C15 |
| Stomach | 841 | 2.6 | 9.9 | 8.1 | 0.42 | 0.94 | 595 | 1.8 | 6.5 | 4.4 | 0.23 | 0.50 | C16 |
| Small intestine | 224 | 0.7 | 2.6 | 2.2 | 0.12 | 0.29 | 214 | 0.7 | 2.3 | 1.7 | 0.11 | 0.19 | C17 |
| Colon | 2401 | 7.3 | 28.2 | 23.4 | 1.38 | 2.75 | 2402 | 7.3 | 26.3 | 18.3 | 1.11 | 2.09 | C18 |
| Rectum | 841 | 2.6 | 9.9 | 8.3 | 0.55 | 0.99 | 623 | 1.9 | 6.8 | 4.9 | 0.34 | 0.54 | C19–20 |
| Anus | 136 | 0.4 | 1.6 | 1.4 | 0.11 | 0.15 | 143 | 0.4 | 1.6 | 1.2 | 0.08 | 0.14 | C21 |
| Liver | 987 | 3.0 | 11.6 | 9.9 | 0.71 | 1.28 | 461 | 1.4 | 5.1 | 3.6 | 0.23 | 0.45 | C22 |
| Gallbladder etc. | 193 | 0.6 | 2.3 | 1.9 | 0.09 | 0.23 | 306 | 0.9 | 3.4 | 2.3 | 0.13 | 0.26 | C23–24 |
| Pancreas | 937 | 2.8 | 11.0 | 9.1 | 0.49 | 1.12 | 1115 | 3.4 | 12.2 | 8.1 | 0.41 | 0.93 | C25 |
| Nose, sinuses etc. | 48 | 0.1 | 0.6 | 0.5 | 0.03 | 0.06 | 48 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 453 | 1.4 | 5.3 | 4.4 | 0.27 | 0.54 | 80 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 3892 | 11.8 | 45.8 | 37.6 | 1.94 | 4.79 | 2915 | 8.9 | 31.9 | 21.7 | 1.16 | 2.66 | C33–34 |
| Other thoracic organs | 41 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 46 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 102 | 0.3 | 1.2 | 1.2 | 0.07 | 0.10 | 91 | 0.3 | 1.0 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 109 | 0.3 | 1.3 | 1.0 | 0.05 | 0.11 | 79 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | C43 |
| Other skin | 77 | 0.2 | 0.9 | 0.8 | 0.06 | 0.08 | 85 | 0.3 | 0.9 | 0.8 | 0.06 | 0.08 | C44 |
| Mesothelioma | 35 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 109 | 0.3 | 1.3 | 1.1 | 0.08 | 0.10 | 15 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 250 | 0.8 | 2.9 | 2.6 | 0.16 | 0.25 | 270 | 0.8 | 3.0 | 2.5 | 0.16 | 0.23 | C47+C49 |
| Breast | 103 | 0.3 | 1.2 | 1.0 | 0.06 | 0.11 | 9667 | 29.4 | 105.9 | 80.4 | 5.80 | 9.21 | C50 |
| Vulva | | | | | | | 166 | 0.5 | 1.8 | 1.4 | 0.10 | 0.15 | C51 |
| Vagina | | | | | | | 63 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 933 | 2.8 | 10.2 | 8.1 | 0.60 | 0.85 | C53 |
| Corpus uteri | | | | | | | 2498 | 7.6 | 27.4 | 20.3 | 1.33 | 2.63 | C54 |
| Uterus unspecified | | | | | | | 165 | 0.5 | 1.8 | 1.3 | 0.08 | 0.16 | C55 |
| Ovary | | | | | | | 793 | 2.4 | 8.7 | 6.5 | 0.41 | 0.73 | C56 |
| Other female genital organs | | | | | | | 92 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 61 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 11193 | 34.0 | 131.6 | 110.9 | 6.36 | 15.21 | | | | | | | C61 |
| Testis | 105 | 0.3 | 1.2 | 1.1 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 17 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1324 | 4.0 | 15.6 | 13.4 | 0.80 | 1.65 | 871 | 2.6 | 9.5 | 7.2 | 0.44 | 0.82 | C64 |
| Renal pelvis | 41 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 37 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 894 | 2.7 | 10.5 | 8.4 | 0.33 | 0.94 | 402 | 1.2 | 4.4 | 2.8 | 0.12 | 0.31 | C67 |
| Other urinary organs | 20 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 31 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 30 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 364 | 1.1 | 4.3 | 4.0 | 0.23 | 0.36 | 317 | 1.0 | 3.5 | 3.1 | 0.20 | 0.27 | C70–72 |
| Thyroid | 239 | 0.7 | 2.8 | 2.4 | 0.19 | 0.26 | 1079 | 3.3 | 11.8 | 9.7 | 0.76 | 1.00 | C73 |
| Adrenal gland | 40 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 29 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 12 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 16 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 243 | 0.7 | 2.9 | 2.6 | 0.19 | 0.24 | 218 | 0.7 | 2.4 | 2.1 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 1244 | 3.8 | 14.6 | 12.7 | 0.83 | 1.35 | 1147 | 3.5 | 12.6 | 9.5 | 0.62 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 76 | 0.2 | 0.9 | 0.7 | 0.05 | 0.08 | 78 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 1176 | 3.6 | 13.8 | 11.3 | 0.61 | 1.32 | 1169 | 3.6 | 12.8 | 8.9 | 0.50 | 1.09 | C90 |
| Lymphoid leukaemia | 613 | 1.9 | 7.2 | 6.4 | 0.33 | 0.65 | 488 | 1.5 | 5.3 | 4.2 | 0.22 | 0.43 | C91 |
| Myeloid leukaemia | 530 | 1.6 | 6.2 | 5.4 | 0.33 | 0.55 | 490 | 1.5 | 5.4 | 4.2 | 0.27 | 0.42 | C92–94 |
| Leukaemia unspecified | 55 | 0.2 | 0.6 | 0.5 | 0.02 | 0.05 | 74 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | C95 |
| Myeloproliferative disorders | 431 | 1.3 | 5.1 | 4.3 | 0.26 | 0.52 | 610 | 1.9 | 6.7 | 5.1 | 0.34 | 0.55 | MPD |
| Myelodysplastic syndromes | 412 | 1.3 | 4.8 | 3.8 | 0.10 | 0.42 | 535 | 1.6 | 5.9 | 3.8 | 0.15 | 0.41 | MPS |
| Other and unspecified | 763 | 2.3 | 9.0 | 7.4 | 0.38 | 0.86 | 907 | 2.8 | 9.9 | 6.6 | 0.35 | 0.71 | O&U |
| All sites | 33030 | | 388.5 | 326.5 | 18.75 | 40.42 | 33006 | | 361.7 | 266.3 | 17.25 | 30.33 | C00–96 |
| All sites except C44 | 32953 | 100.0 | 387.6 | 325.8 | 18.70 | 40.34 | 32921 | 100.0 | 360.8 | 265.6 | 17.18 | 30.25 | C00–96 exc. C44 |


USA, Florida: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 288 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 75 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 4314 | 1.5 | 11.0 | 5.8 | 0.42 | 0.73 | 1404 | 0.5 | 3.5 | 1.7 | 0.12 | 0.20 | C01–02 |
| Mouth | 1587 | 0.6 | 4.0 | 2.0 | 0.14 | 0.25 | 1063 | 0.4 | 2.6 | 1.1 | 0.07 | 0.12 | C03–06 |
| Salivary glands | 909 | 0.3 | 2.3 | 1.0 | 0.06 | 0.11 | 518 | 0.2 | 1.3 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 2818 | 1.0 | 7.2 | 4.2 | 0.35 | 0.51 | 618 | 0.2 | 1.5 | 0.8 | 0.06 | 0.10 | C09 |
| Other oropharynx | 928 | 0.3 | 2.4 | 1.3 | 0.10 | 0.16 | 225 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 338 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | 142 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 718 | 0.3 | 1.8 | 0.9 | 0.06 | 0.11 | 170 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 859 | 0.3 | 2.2 | 1.1 | 0.07 | 0.14 | 217 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C14 |
| Oesophagus | 4681 | 1.6 | 11.9 | 5.4 | 0.30 | 0.68 | 1176 | 0.4 | 2.9 | 1.1 | 0.06 | 0.13 | C15 |
| Stomach | 3999 | 1.4 | 10.2 | 4.6 | 0.26 | 0.55 | 2296 | 0.9 | 5.7 | 2.3 | 0.14 | 0.26 | C16 |
| Small intestine | 1267 | 0.4 | 3.2 | 1.5 | 0.09 | 0.18 | 1056 | 0.4 | 2.6 | 1.2 | 0.08 | 0.14 | C17 |
| Colon | 15995 | 5.6 | 40.8 | 18.5 | 1.06 | 2.13 | 15378 | 5.9 | 37.9 | 14.8 | 0.83 | 1.61 | C18 |
| Rectum | 6814 | 2.4 | 17.4 | 9.0 | 0.64 | 1.05 | 4617 | 1.8 | 11.4 | 5.6 | 0.40 | 0.63 | C19–20 |
| Anus | 1021 | 0.4 | 2.6 | 1.4 | 0.10 | 0.16 | 1930 | 0.7 | 4.8 | 2.3 | 0.18 | 0.28 | C21 |
| Liver | 6951 | 2.4 | 17.7 | 8.8 | 0.64 | 1.11 | 2606 | 1.0 | 6.4 | 2.8 | 0.17 | 0.33 | C22 |
| Gallbladder etc. | 1551 | 0.5 | 4.0 | 1.6 | 0.08 | 0.20 | 1549 | 0.6 | 3.8 | 1.4 | 0.07 | 0.17 | C23–24 |
| Pancreas | 8445 | 3.0 | 21.5 | 9.1 | 0.47 | 1.11 | 7286 | 2.8 | 17.9 | 6.5 | 0.32 | 0.75 | C25 |
| Nose, sinuses etc. | 527 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | 275 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 3778 | 1.3 | 9.6 | 4.7 | 0.31 | 0.59 | 837 | 0.3 | 2.1 | 1.0 | 0.07 | 0.12 | C32 |
| Trachea, bronchus, and lung | 40316 | 14.2 | 102.9 | 42.6 | 2.09 | 5.35 | 36824 | 14.0 | 90.7 | 34.4 | 1.75 | 4.36 | C33–34 |
| Other thoracic organs | 257 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 180 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 682 | 0.2 | 1.7 | 1.5 | 0.10 | 0.12 | 474 | 0.2 | 1.2 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 20939 | 7.4 | 53.4 | 24.1 | 1.32 | 2.74 | 11901 | 4.5 | 29.3 | 15.1 | 1.03 | 1.63 | C43 |
| Other skin | 1598 | 0.6 | 4.1 | 1.6 | 0.06 | 0.17 | 797 | 0.3 | 2.0 | 0.8 | 0.04 | 0.08 | C44 |
| Mesothelioma | 832 | 0.3 | 2.1 | 0.8 | 0.02 | 0.09 | 278 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 320 | 0.1 | 0.8 | 0.5 | 0.04 | 0.05 | 53 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2302 | 0.8 | 5.9 | 3.3 | 0.19 | 0.32 | 1618 | 0.6 | 4.0 | 2.4 | 0.16 | 0.23 | C47+C49 |
| Breast | 668 | 0.2 | 1.7 | 0.7 | 0.04 | 0.09 | 69866 | 26.6 | 172.1 | 86.7 | 5.98 | 10.17 | C50 |
| Vulva | | | | | | | 1479 | 0.6 | 3.6 | 1.6 | 0.11 | 0.18 | C51 |
| Vagina | | | | | | | 397 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 3917 | 1.5 | 9.6 | 7.1 | 0.58 | 0.69 | C53 |
| Corpus uteri | | | | | | | 14450 | 5.5 | 35.6 | 17.7 | 1.27 | 2.20 | C54 |
| Uterus unspecified | | | | | | | 520 | 0.2 | 1.3 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 6848 | 2.6 | 16.9 | 8.4 | 0.58 | 0.95 | C56 |
| Other female genital organs | | | | | | | 759 | 0.3 | 1.9 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 26 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 438 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 52632 | 18.5 | 134.3 | 60.9 | 3.18 | 8.48 | | | | | | | C61 |
| Testis | 2022 | 0.7 | 5.2 | 5.3 | 0.39 | 0.40 | | | | | | | C62 |
| Other male genital organs | 105 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 10281 | 3.6 | 26.2 | 13.4 | 0.86 | 1.61 | 5559 | 2.1 | 13.7 | 6.7 | 0.44 | 0.76 | C64 |
| Renal pelvis | 749 | 0.3 | 1.9 | 0.7 | 0.03 | 0.08 | 529 | 0.2 | 1.3 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 502 | 0.2 | 1.3 | 0.5 | 0.02 | 0.06 | 271 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 20319 | 7.1 | 51.8 | 19.5 | 0.77 | 2.28 | 5982 | 2.3 | 14.7 | 5.1 | 0.23 | 0.60 | C67 |
| Other urinary organs | 221 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | 108 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 506 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | 423 | 0.2 | 1.0 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 3926 | 1.4 | 10.0 | 6.9 | 0.44 | 0.65 | 3040 | 1.2 | 7.5 | 5.0 | 0.31 | 0.45 | C70–72 |
| Thyroid | 3196 | 1.1 | 8.2 | 5.4 | 0.40 | 0.56 | 8760 | 3.3 | 21.6 | 16.4 | 1.29 | 1.56 | C73 |
| Adrenal gland | 137 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 137 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 68 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 51 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1554 | 0.5 | 4.0 | 3.2 | 0.22 | 0.28 | 1225 | 0.5 | 3.0 | 2.6 | 0.18 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 14635 | 5.1 | 37.3 | 18.0 | 1.00 | 2.00 | 11652 | 4.4 | 28.7 | 12.7 | 0.74 | 1.40 | C82–86,C96 |
| Immunoproliferative diseases | 1090 | 0.4 | 2.8 | 1.2 | 0.05 | 0.14 | 1041 | 0.4 | 2.6 | 1.0 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 5202 | 1.8 | 13.3 | 5.6 | 0.28 | 0.67 | 3788 | 1.4 | 9.3 | 3.6 | 0.19 | 0.44 | C90 |
| Lymphoid leukaemia | 7527 | 2.6 | 19.2 | 10.1 | 0.52 | 1.02 | 5078 | 1.9 | 12.5 | 6.3 | 0.33 | 0.61 | C91 |
| Myeloid leukaemia | 5440 | 1.9 | 13.9 | 6.6 | 0.35 | 0.71 | 3948 | 1.5 | 9.7 | 4.7 | 0.29 | 0.48 | C92–94 |
| Leukaemia unspecified | 657 | 0.2 | 1.7 | 0.7 | 0.03 | 0.07 | 648 | 0.2 | 1.6 | 0.7 | 0.04 | 0.07 | C95 |
| Myeloproliferative disorders | 5814 | 2.0 | 14.8 | 7.2 | 0.43 | 0.82 | 6165 | 2.3 | 15.2 | 7.0 | 0.42 | 0.76 | MPD |
| Myelodysplastic syndromes | 7031 | 2.5 | 17.9 | 5.7 | 0.13 | 0.56 | 5345 | 2.0 | 13.2 | 3.9 | 0.13 | 0.41 | MPS |
| Other and unspecified | 6405 | 2.3 | 16.3 | 6.9 | 0.37 | 0.80 | 6026 | 2.3 | 14.8 | 5.4 | 0.29 | 0.60 | O&U |
| All sites | 286159 | | 730.2 | 338.2 | 18.76 | 40.34 | 263601 | | 649.3 | 305.4 | 19.45 | 34.60 | C00–96 |
| All sites except C44 | 284561 | 100.0 | 726.1 | 336.6 | 18.70 | 40.17 | 262804 | 100.0 | 647.4 | 304.6 | 19.41 | 34.52 | C00–96 exc. C44 |

USA, Georgia


CONTRIBUTORS

A. Rana Bayakly
 Chrissy McNamara
 Debbie Chambers
 Carol Crosby
 LeRue Perry
 Sheree Holloway
 Kevin Ward
 Lyn Almon
 Judy Andrews
 Robin Billet



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 87.9 | Breast | 91.8 |
| Trachea, bronchus, and lung | 48.8 | Trachea, bronchus, and lung | 32.0 |
| Melanoma of skin | 23.0 | Corpus uteri | 17.6 |
| Colon | 21.4 | Colon | 16.6 |
| Bladder | 18.1 | Melanoma of skin | 15.2 |
| Kidney | 15.8 | Thyroid | 14.8 |
| Non-Hodgkin lymphoma | 13.7 | Non-Hodgkin lymphoma | 9.0 |
| Rectum | 11.0 | Kidney | 8.2 |
| Pancreas | 9.4 | Ovary | 7.8 |
| Liver | 9.3 | Pancreas | 7.1 |
| Lymphoid leukaemia | 8.0 | Rectum | 7.0 |
| Multiple myeloma | 6.5 | Cervix uteri | 6.2 |
| Brain and nervous system | 5.7 | Multiple myeloma | 4.8 |
| Stomach | 5.6 | Lymphoid leukaemia | 4.8 |
| Myeloid leukaemia | 5.5 | Bladder | 4.5 |
| Other and unspecified | 5.1 | Brain and nervous system | 4.5 |
| Oesophagus | 5.1 | Other and unspecified | 4.1 |
| Thyroid | 4.8 | Myeloid leukaemia | 4.0 |
| Larynx | 4.5 | Myeloproliferative disorders | 3.2 |
| Tongue | 4.3 | Liver | 3.0 |
| All sites | 356.2 | All sites | 296.7 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 35.4 |
| Trachea, bronchus, and lung | 17.1 |
| Colon | 15.2 |
| Liver | 13.7 |
| Rectum | 11.5 |
| Non-Hodgkin lymphoma | 9.0 |
| Stomach | 8.8 |
| Bladder | 8.3 |
| Thyroid | 6.4 |
| Pancreas | 6.2 |
| All sites | 191.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 64.6 |
| Thyroid | 16.0 |
| Trachea, bronchus, and lung | 14.5 |
| Colon | 11.0 |
| Corpus uteri | 10.9 |
| Ovary | 8.0 |
| Non-Hodgkin lymphoma | 6.3 |
| Rectum | 6.0 |
| Liver | 5.7 |
| Cervix uteri | 5.2 |
| All sites | 193.8 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 139.8 |
| Trachea, bronchus, and lung | 51.1 |
| Colon | 26.1 |
| Kidney | 18.3 |
| Non-Hodgkin lymphoma | 12.0 |
| Multiple myeloma | 11.6 |
| Rectum | 11.4 |
| Liver | 11.1 |
| Pancreas | 10.8 |
| Bladder | 10.7 |
| All sites | 387.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 94.9 |
| Trachea, bronchus, and lung | 25.7 |
| Colon | 19.8 |
| Corpus uteri | 18.8 |
| Thyroid | 10.1 |
| Kidney | 9.2 |
| Multiple myeloma | 9.1 |
| Pancreas | 8.9 |
| Non-Hodgkin lymphoma | 7.5 |
| Rectum | 7.4 |
| All sites | 281.2 |

**10 major cancers, ASR (World) per 100 000**

| Male | |
|-----------------------------|-------|
| Prostate | 71.7 |
| Trachea, bronchus, and lung | 49.4 |
| Melanoma of skin | 31.9 |
| Bladder | 20.8 |
| Colon | 20.1 |
| Kidney | 15.3 |
| Non-Hodgkin lymphoma | 14.3 |
| Rectum | 10.9 |
| Pancreas | 9.0 |
| Lymphoid leukaemia | 8.8 |
| All sites | 352.4 |

| Female | |
|-----------------------------|-------|
| Breast | 91.7 |
| Trachea, bronchus, and lung | 35.3 |
| Melanoma of skin | 23.4 |
| Corpus uteri | 17.7 |
| Thyroid | 17.5 |
| Colon | 15.5 |
| Non-Hodgkin lymphoma | 9.6 |
| Ovary | 8.2 |
| Kidney | 8.1 |
| Rectum | 6.9 |
| All sites | 310.8 |

USA, Georgia (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 148 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 48 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1543 | 1.2 | 6.2 | 4.3 | 0.30 | 0.55 | 568 | 0.5 | 2.2 | 1.3 | 0.09 | 0.16 | C01–02 |
| Mouth | 743 | 0.6 | 3.0 | 2.1 | 0.13 | 0.25 | 547 | 0.4 | 2.1 | 1.2 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 453 | 0.3 | 1.8 | 1.2 | 0.06 | 0.13 | 288 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 1118 | 0.9 | 4.5 | 3.2 | 0.25 | 0.39 | 249 | 0.2 | 1.0 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 280 | 0.2 | 1.1 | 0.8 | 0.06 | 0.10 | 72 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 208 | 0.2 | 0.8 | 0.6 | 0.05 | 0.07 | 97 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 339 | 0.3 | 1.4 | 0.9 | 0.06 | 0.12 | 88 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 203 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 54 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1899 | 1.5 | 7.7 | 5.1 | 0.30 | 0.64 | 515 | 0.4 | 2.0 | 1.1 | 0.07 | 0.13 | C15 |
| Stomach | 2093 | 1.6 | 8.4 | 5.6 | 0.31 | 0.67 | 1349 | 1.1 | 5.2 | 3.0 | 0.17 | 0.33 | C16 |
| Small intestine | 794 | 0.6 | 3.2 | 2.2 | 0.13 | 0.25 | 729 | 0.6 | 2.8 | 1.7 | 0.11 | 0.20 | C17 |
| Colon | 7881 | 6.1 | 31.8 | 21.4 | 1.22 | 2.48 | 7454 | 6.1 | 28.5 | 16.6 | 0.93 | 1.89 | C18 |
| Rectum | 3946 | 3.0 | 15.9 | 11.0 | 0.75 | 1.30 | 2863 | 2.3 | 11.0 | 7.0 | 0.50 | 0.78 | C19–20 |
| Anus | 496 | 0.4 | 2.0 | 1.5 | 0.11 | 0.16 | 701 | 0.6 | 2.7 | 1.7 | 0.13 | 0.20 | C21 |
| Liver | 3368 | 2.6 | 13.6 | 9.3 | 0.64 | 1.16 | 1346 | 1.1 | 5.2 | 3.0 | 0.18 | 0.36 | C22 |
| Gallbladder etc. | 654 | 0.5 | 2.6 | 1.7 | 0.08 | 0.20 | 766 | 0.6 | 2.9 | 1.6 | 0.08 | 0.18 | C23–24 |
| Pancreas | 3559 | 2.7 | 14.3 | 9.4 | 0.45 | 1.16 | 3395 | 2.8 | 13.0 | 7.1 | 0.34 | 0.83 | C25 |
| Nose, sinuses etc. | 248 | 0.2 | 1.0 | 0.7 | 0.04 | 0.08 | 173 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 1682 | 1.3 | 6.8 | 4.5 | 0.27 | 0.58 | 404 | 0.3 | 1.5 | 0.9 | 0.06 | 0.12 | C32 |
| Trachea, bronchus, and lung | 18841 | 14.5 | 75.9 | 48.8 | 2.19 | 6.13 | 15085 | 12.3 | 57.8 | 32.0 | 1.52 | 4.05 | C33–34 |
| Other thoracic organs | 128 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 104 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 321 | 0.2 | 1.3 | 1.2 | 0.07 | 0.10 | 250 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 8470 | 6.5 | 34.1 | 23.0 | 1.24 | 2.66 | 5749 | 4.7 | 22.0 | 15.2 | 1.07 | 1.61 | C43 |
| Other skin | 557 | 0.4 | 2.2 | 1.5 | 0.08 | 0.15 | 401 | 0.3 | 1.5 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 240 | 0.2 | 1.0 | 0.6 | 0.02 | 0.07 | 72 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 349 | 0.3 | 1.4 | 1.3 | 0.10 | 0.10 | 16 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 948 | 0.7 | 3.8 | 2.9 | 0.16 | 0.29 | 792 | 0.6 | 3.0 | 2.3 | 0.14 | 0.21 | C47+C49 |
| Breast | 342 | 0.3 | 1.4 | 0.9 | 0.05 | 0.11 | 37071 | 30.3 | 141.9 | 91.8 | 6.31 | 10.74 | C50 |
| Vulva | | | | | | | 829 | 0.7 | 3.2 | 1.9 | 0.13 | 0.21 | C51 |
| Vagina | | | | | | | 248 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 2106 | 1.7 | 8.1 | 6.2 | 0.50 | 0.60 | C53 |
| Corpus uteri | | | | | | | 7118 | 5.8 | 27.3 | 17.6 | 1.27 | 2.19 | C54 |
| Uterus unspecified | | | | | | | 182 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 3193 | 2.6 | 12.2 | 7.8 | 0.49 | 0.88 | C56 |
| Other female genital organs | | | | | | | 303 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 208 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 32629 | 25.1 | 131.5 | 87.9 | 4.82 | 12.05 | | | | | | | C61 |
| Testis | 1048 | 0.8 | 4.2 | 4.0 | 0.30 | 0.31 | | | | | | | C62 |
| Other male genital organs | 67 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 5605 | 4.3 | 22.6 | 15.8 | 0.99 | 1.88 | 3322 | 2.7 | 12.7 | 8.2 | 0.51 | 0.94 | C64 |
| Renal pelvis | 244 | 0.2 | 1.0 | 0.6 | 0.02 | 0.07 | 163 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 149 | 0.1 | 0.6 | 0.4 | 0.01 | 0.04 | 107 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 7177 | 5.5 | 28.9 | 18.1 | 0.65 | 2.09 | 2232 | 1.8 | 8.5 | 4.5 | 0.20 | 0.53 | C67 |
| Other urinary organs | 180 | 0.1 | 0.7 | 0.4 | 0.01 | 0.05 | 77 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 220 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | 205 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1732 | 1.3 | 7.0 | 5.7 | 0.34 | 0.55 | 1455 | 1.2 | 5.6 | 4.5 | 0.26 | 0.41 | C70–72 |
| Thyroid | 1554 | 1.2 | 6.3 | 4.8 | 0.34 | 0.51 | 4914 | 4.0 | 18.8 | 14.8 | 1.15 | 1.45 | C73 |
| Adrenal gland | 87 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 100 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 56 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 37 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 677 | 0.5 | 2.7 | 2.4 | 0.16 | 0.21 | 567 | 0.5 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 4795 | 3.7 | 19.3 | 13.7 | 0.78 | 1.50 | 3840 | 3.1 | 14.7 | 9.0 | 0.51 | 1.00 | C82–86,C96 |
| Immunoproliferative diseases | 268 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 338 | 0.3 | 1.3 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 2466 | 1.9 | 9.9 | 6.5 | 0.32 | 0.78 | 2187 | 1.8 | 8.4 | 4.8 | 0.26 | 0.58 | C90 |
| Lymphoid leukaemia | 2658 | 2.0 | 10.7 | 8.0 | 0.40 | 0.80 | 1853 | 1.5 | 7.1 | 4.8 | 0.24 | 0.47 | C91 |
| Myeloid leukaemia | 1947 | 1.5 | 7.8 | 5.5 | 0.28 | 0.58 | 1570 | 1.3 | 6.0 | 4.0 | 0.23 | 0.40 | C92–94 |
| Leukaemia unspecified | 151 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | 136 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 1250 | 1.0 | 5.0 | 3.5 | 0.19 | 0.38 | 1358 | 1.1 | 5.2 | 3.2 | 0.19 | 0.36 | MPD |
| Myelodysplastic syndromes | 1442 | 1.1 | 5.8 | 3.5 | 0.09 | 0.35 | 1103 | 0.9 | 4.2 | 2.1 | 0.07 | 0.22 | MPS |
| Other and unspecified | 1970 | 1.5 | 7.9 | 5.1 | 0.24 | 0.54 | 2029 | 1.7 | 7.8 | 4.1 | 0.21 | 0.44 | O&U |
| All sites | 130431 | | 525.7 | 356.2 | 19.32 | 43.07 | 122836 | | 470.3 | 296.7 | 18.68 | 33.79 | C00–96 |
| All sites except C44 | 129874 | 100.0 | 523.5 | 354.7 | 19.25 | 42.92 | 122435 | 100.0 | 468.7 | 295.7 | 18.62 | 33.70 | C00–96 exc. C44 |

USA, Georgia: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 25 | 1.1 | 2.4 | 2.2 | 0.13 | 0.26 | 21 | 0.8 | 1.9 | 1.6 | 0.10 | 0.19 | C01–02 |
| Mouth | 37 | 1.7 | 3.5 | 3.2 | 0.19 | 0.41 | 14 | 0.5 | 1.2 | 1.0 | 0.03 | 0.13 | C03–06 |
| Salivary glands | 12 | 0.5 | 1.1 | 1.0 | 0.05 | 0.07 | 11 | 0.4 | 1.0 | 0.8 | 0.06 | 0.07 | C07–08 |
| Tonsil | 12 | 0.5 | 1.1 | 1.1 | 0.08 | 0.13 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 28 | 1.3 | 2.6 | 2.3 | 0.21 | 0.24 | 10 | 0.4 | 0.9 | 0.7 | 0.06 | 0.06 | C11 |
| Hypopharynx | 8 | 0.4 | 0.8 | 0.8 | 0.06 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 28 | 1.3 | 2.6 | 2.4 | 0.11 | 0.26 | 12 | 0.5 | 1.1 | 0.9 | 0.08 | 0.12 | C15 |
| Stomach | 104 | 4.8 | 9.8 | 8.8 | 0.47 | 0.97 | 64 | 2.4 | 5.7 | 4.6 | 0.23 | 0.50 | C16 |
| Small intestine | 14 | 0.6 | 1.3 | 1.1 | 0.09 | 0.09 | 7 | 0.3 | 0.6 | 0.5 | 0.02 | 0.04 | C17 |
| Colon | 176 | 8.1 | 16.6 | 15.2 | 0.77 | 1.92 | 150 | 5.7 | 13.4 | 11.0 | 0.56 | 1.27 | C18 |
| Rectum | 134 | 6.1 | 12.7 | 11.5 | 0.78 | 1.34 | 84 | 3.2 | 7.5 | 6.0 | 0.45 | 0.66 | C19–20 |
| Anus | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 155 | 7.1 | 14.6 | 13.7 | 0.79 | 1.67 | 72 | 2.7 | 6.4 | 5.7 | 0.26 | 0.73 | C22 |
| Gallbladder etc. | 21 | 1.0 | 2.0 | 1.8 | 0.12 | 0.18 | 20 | 0.8 | 1.8 | 1.4 | 0.06 | 0.15 | C23–24 |
| Pancreas | 73 | 3.3 | 6.9 | 6.2 | 0.32 | 0.61 | 55 | 2.1 | 4.9 | 4.1 | 0.14 | 0.46 | C25 |
| Nose, sinuses etc. | 7 | 0.3 | 0.7 | 0.6 | 0.02 | 0.06 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 15 | 0.7 | 1.4 | 1.2 | 0.07 | 0.14 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 192 | 8.8 | 18.1 | 17.1 | 0.74 | 2.05 | 197 | 7.5 | 17.6 | 14.5 | 0.66 | 1.69 | C33–34 |
| Other thoracic organs | 6 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | 7 | 0.3 | 0.6 | 0.5 | 0.05 | 0.05 | C37–38 |
| Bone | 15 | 0.7 | 1.4 | 1.3 | 0.09 | 0.15 | 14 | 0.5 | 1.2 | 1.1 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 12 | 0.5 | 1.1 | 1.0 | 0.06 | 0.16 | 8 | 0.3 | 0.7 | 0.5 | 0.05 | 0.05 | C43 |
| Other skin | 10 | 0.5 | 0.9 | 0.8 | 0.06 | 0.10 | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C44 |
| Mesothelioma | 5 | 0.2 | 0.5 | 0.5 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 26 | 1.2 | 2.5 | 2.3 | 0.16 | 0.24 | 16 | 0.6 | 1.4 | 1.4 | 0.08 | 0.13 | C47+C49 |
| Breast | 7 | 0.3 | 0.7 | 0.6 | 0.04 | 0.06 | 905 | 34.4 | 80.7 | 64.6 | 4.55 | 7.25 | C50 |
| Vulva | | | | | | | 12 | 0.5 | 1.1 | 0.9 | 0.06 | 0.10 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 74 | 2.8 | 6.6 | 5.2 | 0.43 | 0.52 | C53 |
| Corpus uteri | | | | | | | 149 | 5.7 | 13.3 | 10.9 | 0.76 | 1.35 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 108 | 4.1 | 9.6 | 8.0 | 0.58 | 0.85 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.4 | 0.4 | 0.02 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 391 | 17.9 | 36.9 | 35.4 | 1.37 | 4.76 | | | | | | | C61 |
| Testis | 17 | 0.8 | 1.6 | 1.4 | 0.10 | 0.10 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 72 | 3.3 | 6.8 | 6.2 | 0.39 | 0.80 | 39 | 1.5 | 3.5 | 3.0 | 0.19 | 0.34 | C64 |
| Renal pelvis | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.02 | C65 |
| Ureter | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.01 | 6 | 0.2 | 0.5 | 0.4 | 0.00 | 0.03 | C66 |
| Bladder | 94 | 4.3 | 8.9 | 8.3 | 0.35 | 0.89 | 25 | 0.9 | 2.2 | 1.8 | 0.06 | 0.17 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 5 | 0.2 | 0.5 | 0.6 | 0.03 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 40 | 1.8 | 3.8 | 3.7 | 0.23 | 0.34 | 32 | 1.2 | 2.9 | 2.9 | 0.16 | 0.24 | C70–72 |
| Thyroid | 79 | 3.6 | 7.5 | 6.4 | 0.44 | 0.68 | 220 | 8.4 | 19.6 | 16.0 | 1.23 | 1.56 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.4 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 12 | 0.5 | 1.1 | 1.1 | 0.07 | 0.07 | 12 | 0.5 | 1.1 | 1.0 | 0.07 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 102 | 4.7 | 9.6 | 9.0 | 0.61 | 0.92 | 86 | 3.3 | 7.7 | 6.3 | 0.34 | 0.62 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.3 | 0.7 | 0.7 | 0.04 | 0.10 | 7 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C88 |
| Multiple myeloma | 40 | 1.8 | 3.8 | 3.4 | 0.16 | 0.36 | 24 | 0.9 | 2.1 | 1.8 | 0.11 | 0.25 | C90 |
| Lymphoid leukaemia | 45 | 2.1 | 4.2 | 4.3 | 0.20 | 0.40 | 42 | 1.6 | 3.7 | 4.2 | 0.21 | 0.30 | C91 |
| Myeloid leukaemia | 53 | 2.4 | 5.0 | 4.6 | 0.24 | 0.53 | 36 | 1.4 | 3.2 | 2.8 | 0.19 | 0.23 | C92–94 |
| Leukaemia unspecified | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 32 | 1.5 | 3.0 | 2.7 | 0.17 | 0.29 | 22 | 0.8 | 2.0 | 1.5 | 0.08 | 0.17 | MPD |
| Myelodysplastic syndromes | 27 | 1.2 | 2.5 | 2.3 | 0.08 | 0.19 | 10 | 0.4 | 0.9 | 0.7 | 0.02 | 0.06 | MPS |
| Other and unspecified | 28 | 1.3 | 2.6 | 2.5 | 0.14 | 0.24 | 32 | 1.2 | 2.9 | 2.4 | 0.13 | 0.24 | O&U |
| All sites | 2193 | | 207.1 | 191.9 | 10.21 | 22.20 | 2637 | | 235.0 | 193.8 | 12.30 | 21.04 | C00–96 |
| All sites except C44 | 2183 | 100.0 | 206.2 | 191.1 | 10.15 | 22.09 | 2633 | 100.0 | 234.7 | 193.5 | 12.28 | 21.00 | C00–96 exc. C44 |

USA, Georgia: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 207 | 0.6 | 2.7 | 2.3 | 0.16 | 0.29 | 91 | 0.3 | 1.0 | 0.7 | 0.06 | 0.08 | C01–02 |
| Mouth | 162 | 0.5 | 2.1 | 1.8 | 0.13 | 0.23 | 114 | 0.3 | 1.3 | 0.9 | 0.07 | 0.10 | C03–06 |
| Salivary glands | 74 | 0.2 | 0.9 | 0.9 | 0.06 | 0.09 | 108 | 0.3 | 1.2 | 1.0 | 0.06 | 0.11 | C07–08 |
| Tonsil | 191 | 0.6 | 2.5 | 2.1 | 0.15 | 0.24 | 56 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | C09 |
| Other oropharynx | 60 | 0.2 | 0.8 | 0.7 | 0.05 | 0.10 | 21 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 82 | 0.2 | 1.1 | 0.9 | 0.07 | 0.11 | 34 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 102 | 0.3 | 1.3 | 1.1 | 0.08 | 0.16 | 32 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 32 | 0.1 | 0.4 | 0.4 | 0.03 | 0.05 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 460 | 1.3 | 5.9 | 5.2 | 0.31 | 0.65 | 159 | 0.5 | 1.8 | 1.3 | 0.09 | 0.16 | C15 |
| Stomach | 746 | 2.2 | 9.6 | 8.5 | 0.47 | 1.01 | 520 | 1.6 | 5.9 | 4.2 | 0.23 | 0.44 | C16 |
| Small intestine | 253 | 0.7 | 3.2 | 2.8 | 0.16 | 0.33 | 309 | 0.9 | 3.5 | 2.6 | 0.16 | 0.29 | C17 |
| Colon | 2321 | 6.8 | 29.8 | 26.1 | 1.50 | 3.08 | 2427 | 7.3 | 27.5 | 19.8 | 1.18 | 2.30 | C18 |
| Rectum | 1033 | 3.0 | 13.3 | 11.4 | 0.78 | 1.36 | 886 | 2.7 | 10.0 | 7.4 | 0.51 | 0.84 | C19–20 |
| Anus | 176 | 0.5 | 2.3 | 2.0 | 0.16 | 0.19 | 139 | 0.4 | 1.6 | 1.2 | 0.08 | 0.14 | C21 |
| Liver | 990 | 2.9 | 12.7 | 11.1 | 0.76 | 1.49 | 388 | 1.2 | 4.4 | 3.2 | 0.19 | 0.39 | C22 |
| Gallbladder etc. | 190 | 0.6 | 2.4 | 2.2 | 0.10 | 0.28 | 239 | 0.7 | 2.7 | 1.9 | 0.10 | 0.22 | C23–24 |
| Pancreas | 953 | 2.8 | 12.2 | 10.8 | 0.56 | 1.35 | 1123 | 3.4 | 12.7 | 8.9 | 0.42 | 1.05 | C25 |
| Nose, sinuses etc. | 51 | 0.1 | 0.7 | 0.6 | 0.04 | 0.06 | 51 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 556 | 1.6 | 7.1 | 6.3 | 0.36 | 0.84 | 106 | 0.3 | 1.2 | 0.9 | 0.06 | 0.12 | C32 |
| Trachea, bronchus, and lung | 4497 | 13.2 | 57.7 | 51.1 | 2.41 | 6.50 | 3188 | 9.6 | 36.1 | 25.7 | 1.25 | 3.28 | C33–34 |
| Other thoracic organs | 44 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 42 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 78 | 0.2 | 1.0 | 0.9 | 0.06 | 0.08 | 66 | 0.2 | 0.7 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 61 | 0.2 | 0.8 | 0.7 | 0.04 | 0.07 | 75 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | C43 |
| Other skin | 93 | 0.3 | 1.2 | 1.1 | 0.08 | 0.10 | 104 | 0.3 | 1.2 | 1.0 | 0.07 | 0.09 | C44 |
| Mesothelioma | 22 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 248 | 0.7 | 3.2 | 2.9 | 0.22 | 0.24 | 12 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 197 | 0.6 | 2.5 | 2.4 | 0.13 | 0.25 | 259 | 0.8 | 2.9 | 2.4 | 0.15 | 0.22 | C47+C49 |
| Breast | 104 | 0.3 | 1.3 | 1.2 | 0.06 | 0.14 | 11111 | 33.5 | 125.9 | 94.9 | 6.65 | 10.99 | C50 |
| Vulva | | | | | | | 153 | 0.5 | 1.7 | 1.3 | 0.09 | 0.14 | C51 |
| Vagina | | | | | | | 100 | 0.3 | 1.1 | 0.8 | 0.04 | 0.10 | C52 |
| Cervix uteri | | | | | | | 681 | 2.1 | 7.7 | 6.1 | 0.46 | 0.62 | C53 |
| Corpus uteri | | | | | | | 2219 | 6.7 | 25.1 | 18.8 | 1.22 | 2.42 | C54 |
| Uterus unspecified | | | | | | | 84 | 0.3 | 1.0 | 0.7 | 0.04 | 0.09 | C55 |
| Ovary | | | | | | | 818 | 2.5 | 9.3 | 7.0 | 0.43 | 0.81 | C56 |
| Other female genital organs | | | | | | | 83 | 0.3 | 0.9 | 0.7 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 57 | 0.2 | 0.7 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 12422 | 36.4 | 159.5 | 139.8 | 8.07 | 19.08 | | | | | | | C61 |
| Testis | 117 | 0.3 | 1.5 | 1.4 | 0.11 | 0.11 | | | | | | | C62 |
| Other male genital organs | 24 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | | | | | | | C63 |
| Kidney | 1618 | 4.7 | 20.8 | 18.3 | 1.18 | 2.21 | 1060 | 3.2 | 12.0 | 9.2 | 0.56 | 1.07 | C64 |
| Renal pelvis | 24 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 14 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 930 | 2.7 | 11.9 | 10.7 | 0.40 | 1.23 | 496 | 1.5 | 5.6 | 3.7 | 0.14 | 0.41 | C67 |
| Other urinary organs | 35 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 28 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 22 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 22 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 307 | 0.9 | 3.9 | 3.8 | 0.23 | 0.36 | 300 | 0.9 | 3.4 | 3.2 | 0.18 | 0.28 | C70–72 |
| Thyroid | 222 | 0.7 | 2.8 | 2.5 | 0.17 | 0.28 | 1108 | 3.3 | 12.6 | 10.1 | 0.77 | 1.03 | C73 |
| Adrenal gland | 23 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 27 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 14 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 16 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 231 | 0.7 | 3.0 | 2.7 | 0.19 | 0.24 | 193 | 0.6 | 2.2 | 1.9 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 1047 | 3.1 | 13.4 | 12.0 | 0.81 | 1.28 | 859 | 2.6 | 9.7 | 7.5 | 0.49 | 0.81 | C82–86,C96 |
| Immunoproliferative diseases | 45 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 79 | 0.2 | 0.9 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 1024 | 3.0 | 13.1 | 11.6 | 0.57 | 1.40 | 1119 | 3.4 | 12.7 | 9.1 | 0.48 | 1.09 | C90 |
| Lymphoid leukaemia | 547 | 1.6 | 7.0 | 6.5 | 0.35 | 0.69 | 384 | 1.2 | 4.4 | 3.5 | 0.18 | 0.35 | C91 |
| Myeloid leukaemia | 424 | 1.2 | 5.4 | 5.0 | 0.26 | 0.52 | 444 | 1.3 | 5.0 | 4.0 | 0.25 | 0.41 | C92–94 |
| Leukaemia unspecified | 29 | 0.1 | 0.4 | 0.4 | 0.01 | 0.02 | 32 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 293 | 0.9 | 3.8 | 3.4 | 0.17 | 0.38 | 389 | 1.2 | 4.4 | 3.4 | 0.21 | 0.39 | MPD |
| Myelodysplastic syndromes | 239 | 0.7 | 3.1 | 2.8 | 0.08 | 0.29 | 237 | 0.7 | 2.7 | 1.8 | 0.06 | 0.19 | MPS |
| Other and unspecified | 503 | 1.5 | 6.5 | 5.7 | 0.27 | 0.60 | 565 | 1.7 | 6.4 | 4.4 | 0.23 | 0.47 | O&U |
| All sites | 34204 | | 439.1 | 387.8 | 22.03 | 48.40 | 33226 | | 376.4 | 281.2 | 17.70 | 32.39 | C00–96 |
| All sites except C44 | 34111 | 100.0 | 437.9 | 386.7 | 21.95 | 48.30 | 33122 | 100.0 | 375.2 | 280.2 | 17.63 | 32.30 | C00–96 exc. C44 |


USA, Georgia: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 134 | 0.1 | 0.8 | 0.5 | 0.02 | 0.05 | 45 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 1309 | 1.4 | 8.3 | 5.2 | 0.37 | 0.65 | 454 | 0.5 | 2.8 | 1.6 | 0.10 | 0.19 | C01–02 |
| Mouth | 541 | 0.6 | 3.4 | 2.1 | 0.13 | 0.25 | 419 | 0.5 | 2.6 | 1.3 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 366 | 0.4 | 2.3 | 1.3 | 0.06 | 0.14 | 168 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 914 | 1.0 | 5.8 | 3.8 | 0.31 | 0.46 | 192 | 0.2 | 1.2 | 0.7 | 0.06 | 0.09 | C09 |
| Other oropharynx | 218 | 0.2 | 1.4 | 0.8 | 0.06 | 0.10 | 51 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 97 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 53 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 229 | 0.2 | 1.4 | 0.9 | 0.06 | 0.12 | 56 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 170 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 44 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 1406 | 1.5 | 8.9 | 5.2 | 0.31 | 0.66 | 343 | 0.4 | 2.1 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 1240 | 1.3 | 7.8 | 4.5 | 0.24 | 0.54 | 763 | 0.9 | 4.8 | 2.5 | 0.14 | 0.28 | C16 |
| Small intestine | 526 | 0.6 | 3.3 | 2.0 | 0.12 | 0.23 | 413 | 0.5 | 2.6 | 1.4 | 0.08 | 0.17 | C17 |
| Colon | 5357 | 5.8 | 33.9 | 20.1 | 1.13 | 2.30 | 4867 | 5.6 | 30.4 | 15.5 | 0.84 | 1.75 | C18 |
| Rectum | 2762 | 3.0 | 17.5 | 10.9 | 0.74 | 1.28 | 1880 | 2.2 | 11.7 | 6.9 | 0.50 | 0.76 | C19–20 |
| Anus | 315 | 0.3 | 2.0 | 1.2 | 0.09 | 0.15 | 558 | 0.6 | 3.5 | 2.0 | 0.16 | 0.24 | C21 |
| Liver | 2217 | 2.4 | 14.0 | 8.5 | 0.59 | 1.03 | 885 | 1.0 | 5.5 | 2.8 | 0.17 | 0.33 | C22 |
| Gallbladder etc. | 442 | 0.5 | 2.8 | 1.5 | 0.06 | 0.18 | 506 | 0.6 | 3.2 | 1.5 | 0.08 | 0.17 | C23–24 |
| Pancreas | 2530 | 2.7 | 16.0 | 9.0 | 0.42 | 1.11 | 2216 | 2.6 | 13.8 | 6.5 | 0.31 | 0.76 | C25 |
| Nose, sinuses etc. | 190 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 119 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 1110 | 1.2 | 7.0 | 4.1 | 0.25 | 0.52 | 296 | 0.3 | 1.8 | 1.0 | 0.07 | 0.13 | C32 |
| Trachea, bronchus, and lung | 14129 | 15.2 | 89.4 | 49.4 | 2.18 | 6.19 | 11675 | 13.5 | 72.8 | 35.3 | 1.71 | 4.47 | C33–34 |
| Other thoracic organs | 78 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 55 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 227 | 0.2 | 1.4 | 1.3 | 0.08 | 0.11 | 168 | 0.2 | 1.0 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 8336 | 9.0 | 52.7 | 31.9 | 1.80 | 3.67 | 5609 | 6.5 | 35.0 | 23.4 | 1.70 | 2.43 | C43 |
| Other skin | 451 | 0.5 | 2.9 | 1.7 | 0.08 | 0.16 | 286 | 0.3 | 1.8 | 1.0 | 0.05 | 0.10 | C44 |
| Mesothelioma | 212 | 0.2 | 1.3 | 0.7 | 0.02 | 0.08 | 60 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 99 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 720 | 0.8 | 4.6 | 3.2 | 0.17 | 0.31 | 507 | 0.6 | 3.2 | 2.2 | 0.14 | 0.21 | C47+C49 |
| Breast | 231 | 0.2 | 1.5 | 0.9 | 0.04 | 0.11 | 24981 | 28.9 | 155.8 | 91.7 | 6.25 | 10.79 | C50 |
| Vulva | | | | | | | 661 | 0.8 | 4.1 | 2.3 | 0.15 | 0.25 | C51 |
| Vagina | | | | | | | 144 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1335 | 1.5 | 8.3 | 6.5 | 0.53 | 0.62 | C53 |
| Corpus uteri | | | | | | | 4728 | 5.5 | 29.5 | 17.7 | 1.33 | 2.17 | C54 |
| Uterus unspecified | | | | | | | 98 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 2263 | 2.6 | 14.1 | 8.2 | 0.52 | 0.92 | C56 |
| Other female genital organs | | | | | | | 212 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 8 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 150 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 19609 | 21.1 | 124.0 | 71.7 | 3.65 | 9.90 | | | | | | | C61 |
| Testis | 905 | 1.0 | 5.7 | 5.6 | 0.42 | 0.43 | | | | | | | C62 |
| Other male genital organs | 40 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 3897 | 4.2 | 24.6 | 15.3 | 0.95 | 1.81 | 2215 | 2.6 | 13.8 | 8.1 | 0.51 | 0.93 | C64 |
| Renal pelvis | 217 | 0.2 | 1.4 | 0.7 | 0.03 | 0.09 | 130 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 130 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 91 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 6128 | 6.6 | 38.8 | 20.8 | 0.77 | 2.41 | 1702 | 2.0 | 10.6 | 5.0 | 0.23 | 0.60 | C67 |
| Other urinary organs | 145 | 0.2 | 0.9 | 0.5 | 0.01 | 0.05 | 48 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 192 | 0.2 | 1.2 | 0.9 | 0.06 | 0.09 | 180 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 1380 | 1.5 | 8.7 | 6.7 | 0.40 | 0.64 | 1122 | 1.3 | 7.0 | 5.3 | 0.32 | 0.49 | C70–72 |
| Thyroid | 1247 | 1.3 | 7.9 | 5.6 | 0.40 | 0.60 | 3563 | 4.1 | 22.2 | 17.5 | 1.36 | 1.68 | C73 |
| Adrenal gland | 61 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 69 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 40 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 21 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 433 | 0.5 | 2.7 | 2.4 | 0.16 | 0.20 | 359 | 0.4 | 2.2 | 2.1 | 0.13 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 3630 | 3.9 | 23.0 | 14.3 | 0.77 | 1.58 | 2880 | 3.3 | 18.0 | 9.6 | 0.53 | 1.08 | C82–86,C96 |
| Immunoproliferative diseases | 216 | 0.2 | 1.4 | 0.8 | 0.04 | 0.10 | 249 | 0.3 | 1.6 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 1396 | 1.5 | 8.8 | 5.0 | 0.23 | 0.60 | 1040 | 1.2 | 6.5 | 3.2 | 0.15 | 0.38 | C90 |
| Lymphoid leukaemia | 2060 | 2.2 | 13.0 | 8.8 | 0.44 | 0.86 | 1415 | 1.6 | 8.8 | 5.4 | 0.27 | 0.53 | C91 |
| Myeloid leukaemia | 1462 | 1.6 | 9.2 | 5.7 | 0.29 | 0.60 | 1084 | 1.3 | 6.8 | 4.0 | 0.22 | 0.40 | C92–94 |
| Leukaemia unspecified | 118 | 0.1 | 0.7 | 0.5 | 0.02 | 0.04 | 104 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 920 | 1.0 | 5.8 | 3.6 | 0.21 | 0.39 | 937 | 1.1 | 5.8 | 3.2 | 0.19 | 0.35 | MPD |
| Myelodysplastic syndromes | 1174 | 1.3 | 7.4 | 3.8 | 0.09 | 0.37 | 855 | 1.0 | 5.3 | 2.3 | 0.08 | 0.25 | MPS |
| Other and unspecified | 1429 | 1.5 | 9.0 | 5.0 | 0.24 | 0.53 | 1428 | 1.7 | 8.9 | 4.1 | 0.20 | 0.43 | O&U |
| All sites | 93535 | | 591.6 | 352.4 | 18.76 | 42.15 | 86614 | | 540.2 | 310.8 | 19.66 | 35.19 | C00–96 |
| All sites except C44 | 93084 | 100.0 | 588.7 | 350.7 | 18.69 | 41.99 | 86328 | 100.0 | 538.4 | 309.8 | 19.61 | 35.09 | C00–96 exc. C44 |

USA, Georgia, Atlanta

CONTRIBUTORS

Kevin C. Ward
 Phyllis Wilson
 John L. Young, Jr.
 Mary Lyn Almon




NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 98.6 | Breast | 89.6 |
| Trachea, bronchus, and lung | 34.5 | Trachea, bronchus, and lung | 25.4 |
| Melanoma of skin | 21.4 | Corpus uteri | 17.7 |
| Colon | 19.4 | Colon | 15.2 |
| Bladder | 15.3 | Melanoma of skin | 14.5 |
| Kidney | 14.2 | Thyroid | 14.1 |
| Non-Hodgkin lymphoma | 14.0 | Non-Hodgkin lymphoma | 9.0 |
| Rectum | 10.6 | Ovary | 8.1 |
| Liver | 9.8 | Pancreas | 7.1 |
| Pancreas | 9.2 | Kidney | 6.7 |
| Lymphoid leukaemia | 8.0 | Rectum | 6.5 |
| Multiple myeloma | 6.8 | Cervix uteri | 5.4 |
| Stomach | 6.0 | Multiple myeloma | 5.0 |
| Brain and nervous system | 5.7 | Lymphoid leukaemia | 4.5 |
| Myeloid leukaemia | 4.9 | Bladder | 4.1 |
| Thyroid | 4.5 | Brain and nervous system | 4.1 |
| Other and unspecified | 4.3 | Other and unspecified | 3.8 |
| Oesophagus | 4.2 | Myeloid leukaemia | 3.6 |
| Tongue | 4.0 | Myeloproliferative disorders | 3.3 |
| Testis | 3.7 | Liver | 3.3 |
| All sites | 340.6 | All sites | 279.3 |



NOTES ON THE DATA

*No official mortality data.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 143.6 |
| Trachea, bronchus, and lung | 41.9 |
| Colon | 23.9 |
| Kidney | 18.1 |
| Non-Hodgkin lymphoma | 13.3 |
| Liver | 13.3 |
| Bladder | 11.4 |
| Rectum | 10.7 |
| Pancreas | 10.6 |
| Multiple myeloma | 10.5 |
| All sites | 381.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 89.6 |
| Trachea, bronchus, and lung | 24.9 |
| Corpus uteri | 18.6 |
| Colon | 17.9 |
| Thyroid | 10.0 |
| Pancreas | 8.6 |
| Multiple myeloma | 8.3 |
| Kidney | 7.9 |
| Non-Hodgkin lymphoma | 7.5 |
| Ovary | 7.2 |
| All sites | 268.7 |



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 79.8 |
| Melanoma of skin | 35.5 |
| Trachea, bronchus, and lung | 32.2 |
| Bladder | 17.7 |
| Colon | 17.3 |
| Non-Hodgkin lymphoma | 14.7 |
| Kidney | 12.7 |
| Rectum | 10.4 |
| Lymphoid leukaemia | 9.5 |
| Pancreas | 8.5 |
| All sites | 333.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 93.1 |
| Melanoma of skin | 27.9 |
| Trachea, bronchus, and lung | 26.9 |
| Corpus uteri | 18.1 |
| Thyroid | 17.6 |
| Colon | 13.7 |
| Non-Hodgkin lymphoma | 10.1 |
| Ovary | 8.8 |
| Pancreas | 6.5 |
| Kidney | 6.3 |
| All sites | 300.0 |

***USA, Georgia, Atlanta (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 19 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 455 | 1.2 | 5.2 | 4.0 | 0.27 | 0.50 | 170 | 0.4 | 1.8 | 1.2 | 0.07 | 0.14 | C01–02 |
| Mouth | 174 | 0.5 | 2.0 | 1.5 | 0.10 | 0.18 | 127 | 0.3 | 1.3 | 0.9 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 116 | 0.3 | 1.3 | 1.0 | 0.05 | 0.10 | 84 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 295 | 0.8 | 3.4 | 2.6 | 0.20 | 0.32 | 57 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | C09 |
| Other oropharynx | 59 | 0.2 | 0.7 | 0.5 | 0.04 | 0.07 | 21 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 71 | 0.2 | 0.8 | 0.7 | 0.04 | 0.08 | 23 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 89 | 0.2 | 1.0 | 0.8 | 0.05 | 0.12 | 30 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 50 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 481 | 1.3 | 5.5 | 4.2 | 0.21 | 0.51 | 154 | 0.4 | 1.6 | 1.0 | 0.05 | 0.13 | C15 |
| Stomach | 696 | 1.8 | 7.9 | 6.0 | 0.32 | 0.68 | 447 | 1.2 | 4.7 | 3.0 | 0.16 | 0.33 | C16 |
| Small intestine | 281 | 0.7 | 3.2 | 2.5 | 0.14 | 0.27 | 243 | 0.6 | 2.6 | 1.8 | 0.11 | 0.20 | C17 |
| Colon | 2229 | 5.8 | 25.4 | 19.4 | 1.04 | 2.24 | 2194 | 5.8 | 23.3 | 15.2 | 0.82 | 1.71 | C18 |
| Rectum | 1222 | 3.2 | 13.9 | 10.6 | 0.74 | 1.24 | 889 | 2.4 | 9.4 | 6.5 | 0.45 | 0.71 | C19–20 |
| Anus | 223 | 0.6 | 2.5 | 2.0 | 0.15 | 0.21 | 196 | 0.5 | 2.1 | 1.4 | 0.10 | 0.17 | C21 |
| Liver | 1108 | 2.9 | 12.6 | 9.8 | 0.63 | 1.25 | 462 | 1.2 | 4.9 | 3.3 | 0.18 | 0.40 | C22 |
| Gallbladder etc. | 188 | 0.5 | 2.1 | 1.6 | 0.07 | 0.20 | 268 | 0.7 | 2.8 | 1.8 | 0.08 | 0.20 | C23–24 |
| Pancreas | 1053 | 2.8 | 12.0 | 9.2 | 0.40 | 1.12 | 1060 | 2.8 | 11.3 | 7.1 | 0.33 | 0.83 | C25 |
| Nose, sinuses etc. | 59 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 57 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 415 | 1.1 | 4.7 | 3.6 | 0.21 | 0.44 | 90 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 3976 | 10.4 | 45.3 | 34.5 | 1.41 | 4.19 | 3798 | 10.0 | 40.3 | 25.4 | 1.07 | 3.14 | C33–34 |
| Other thoracic organs | 45 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 35 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 108 | 0.3 | 1.2 | 1.1 | 0.08 | 0.09 | 94 | 0.2 | 1.0 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 2424 | 6.3 | 27.6 | 21.4 | 1.15 | 2.51 | 1854 | 4.9 | 19.7 | 14.5 | 1.02 | 1.53 | C43 |
| Other skin | 169 | 0.4 | 1.9 | 1.5 | 0.08 | 0.15 | 132 | 0.3 | 1.4 | 1.0 | 0.06 | 0.09 | C44 |
| Mesothelioma | 62 | 0.2 | 0.7 | 0.5 | 0.01 | 0.04 | 20 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 262 | 0.7 | 3.0 | 2.6 | 0.20 | 0.22 | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 320 | 0.8 | 3.6 | 3.1 | 0.17 | 0.29 | 274 | 0.7 | 2.9 | 2.3 | 0.14 | 0.21 | C47+C49 |
| Breast | 113 | 0.3 | 1.3 | 1.0 | 0.05 | 0.12 | 11989 | 31.7 | 127.2 | 89.6 | 6.14 | 10.48 | C50 |
| Vulva | | | | | | | 211 | 0.6 | 2.2 | 1.5 | 0.09 | 0.17 | C51 |
| Vagina | | | | | | | 74 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 673 | 1.8 | 7.1 | 5.4 | 0.43 | 0.53 | C53 |
| Corpus uteri | | | | | | | 2398 | 6.3 | 25.5 | 17.7 | 1.23 | 2.23 | C54 |
| Uterus unspecified | | | | | | | 64 | 0.2 | 0.7 | 0.5 | 0.02 | 0.07 | C55 |
| Ovary | | | | | | | 1089 | 2.9 | 11.6 | 8.1 | 0.51 | 0.92 | C56 |
| Other female genital organs | | | | | | | 101 | 0.3 | 1.1 | 0.7 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 64 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 11158 | 29.2 | 127.1 | 98.6 | 5.34 | 13.52 | | | | | | | C61 |
| Testis | 358 | 0.9 | 4.1 | 3.7 | 0.27 | 0.29 | | | | | | | C62 |
| Other male genital organs | 26 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1600 | 4.2 | 18.2 | 14.2 | 0.85 | 1.68 | 903 | 2.4 | 9.6 | 6.7 | 0.39 | 0.77 | C64 |
| Renal pelvis | 60 | 0.2 | 0.7 | 0.5 | 0.02 | 0.06 | 45 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | C65 |
| Ureter | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 30 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 1780 | 4.7 | 20.3 | 15.3 | 0.51 | 1.71 | 639 | 1.7 | 6.8 | 4.1 | 0.15 | 0.47 | C67 |
| Other urinary organs | 52 | 0.1 | 0.6 | 0.4 | 0.01 | 0.04 | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 66 | 0.2 | 0.8 | 0.7 | 0.05 | 0.06 | 52 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 567 | 1.5 | 6.5 | 5.7 | 0.33 | 0.56 | 445 | 1.2 | 4.7 | 4.1 | 0.24 | 0.38 | C70–72 |
| Thyroid | 486 | 1.3 | 5.5 | 4.5 | 0.31 | 0.46 | 1688 | 4.5 | 17.9 | 14.1 | 1.10 | 1.39 | C73 |
| Adrenal gland | 31 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 24 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 13 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 252 | 0.7 | 2.9 | 2.6 | 0.17 | 0.21 | 219 | 0.6 | 2.3 | 2.1 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 1542 | 4.0 | 17.6 | 14.0 | 0.81 | 1.51 | 1239 | 3.3 | 13.2 | 9.0 | 0.51 | 0.96 | C82–86,C96 |
| Immunoproliferative diseases | 91 | 0.2 | 1.0 | 0.8 | 0.04 | 0.10 | 95 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 775 | 2.0 | 8.8 | 6.8 | 0.32 | 0.84 | 725 | 1.9 | 7.7 | 5.0 | 0.26 | 0.59 | C90 |
| Lymphoid leukaemia | 838 | 2.2 | 9.5 | 8.0 | 0.38 | 0.82 | 547 | 1.4 | 5.8 | 4.5 | 0.23 | 0.43 | C91 |
| Myeloid leukaemia | 534 | 1.4 | 6.1 | 4.9 | 0.26 | 0.51 | 467 | 1.2 | 5.0 | 3.6 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 35 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | 34 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 385 | 1.0 | 4.4 | 3.5 | 0.18 | 0.38 | 453 | 1.2 | 4.8 | 3.3 | 0.18 | 0.38 | MPD |
| Myelodysplastic syndromes | 354 | 0.9 | 4.0 | 3.0 | 0.08 | 0.26 | 284 | 0.8 | 3.0 | 1.6 | 0.04 | 0.14 | MPS |
| Other and unspecified | 506 | 1.3 | 5.8 | 4.3 | 0.18 | 0.43 | 587 | 1.6 | 6.2 | 3.8 | 0.18 | 0.39 | O&U |
| All sites | 38364 | | 437.0 | 340.6 | 18.12 | 40.90 | 37935 | | 402.6 | 279.3 | 17.21 | 31.58 | C00–96 |
| All sites except C44 | 38195 | 100.0 | 435.0 | 339.1 | 18.04 | 40.74 | 37803 | 100.0 | 401.2 | 278.3 | 17.15 | 31.49 | C00–96 exc. C44 |

*See note following population pyramid

***USA, Georgia, Atlanta: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | <i>C00</i> |
| Tongue | 77 | 0.5 | 2.2 | 2.0 | 0.16 | 0.23 | 36 | 0.3 | 0.9 | 0.6 | 0.05 | 0.07 | <i>C01–02</i> |
| Mouth | 61 | 0.4 | 1.7 | 1.6 | 0.11 | 0.21 | 33 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | <i>C03–06</i> |
| Salivary glands | 38 | 0.3 | 1.1 | 1.0 | 0.08 | 0.10 | 46 | 0.3 | 1.1 | 0.9 | 0.06 | 0.09 | <i>C07–08</i> |
| Tonsil | 77 | 0.5 | 2.2 | 1.9 | 0.13 | 0.23 | 16 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | <i>C09</i> |
| Other oropharynx | 16 | 0.1 | 0.5 | 0.4 | 0.03 | 0.06 | 10 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | <i>C10</i> |
| Nasopharynx | 36 | 0.3 | 1.0 | 1.0 | 0.05 | 0.12 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | <i>C11</i> |
| Hypopharynx | 32 | 0.2 | 0.9 | 0.9 | 0.06 | 0.12 | 17 | 0.1 | 0.4 | 0.3 | 0.03 | 0.04 | <i>C12–13</i> |
| Pharynx unspecified | 12 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C14</i> |
| Oesophagus | 143 | 1.0 | 4.1 | 3.8 | 0.21 | 0.46 | 63 | 0.4 | 1.5 | 1.2 | 0.06 | 0.14 | <i>C15</i> |
| Stomach | 287 | 2.0 | 8.2 | 7.8 | 0.39 | 0.89 | 223 | 1.6 | 5.4 | 4.1 | 0.22 | 0.43 | <i>C16</i> |
| Small intestine | 115 | 0.8 | 3.3 | 3.0 | 0.17 | 0.35 | 142 | 1.0 | 3.4 | 2.6 | 0.16 | 0.30 | <i>C17</i> |
| Colon | 898 | 6.4 | 25.5 | 23.9 | 1.31 | 2.76 | 968 | 6.9 | 23.4 | 17.9 | 1.02 | 2.05 | <i>C18</i> |
| Rectum | 416 | 2.9 | 11.8 | 10.7 | 0.74 | 1.27 | 380 | 2.7 | 9.2 | 7.1 | 0.47 | 0.80 | <i>C19–20</i> |
| Anus | 114 | 0.8 | 3.2 | 2.8 | 0.23 | 0.26 | 60 | 0.4 | 1.5 | 1.1 | 0.08 | 0.12 | <i>C21</i> |
| Liver | 497 | 3.5 | 14.1 | 13.3 | 0.87 | 1.80 | 205 | 1.5 | 5.0 | 3.9 | 0.23 | 0.46 | <i>C22</i> |
| Gallbladder etc. | 75 | 0.5 | 2.1 | 2.1 | 0.10 | 0.28 | 107 | 0.8 | 2.6 | 1.9 | 0.10 | 0.22 | <i>C23–24</i> |
| Pancreas | 387 | 2.7 | 11.0 | 10.6 | 0.55 | 1.29 | 470 | 3.3 | 11.4 | 8.6 | 0.39 | 0.94 | <i>C25</i> |
| Nose, sinuses etc. | 21 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 20 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | <i>C30–31</i> |
| Larynx | 203 | 1.4 | 5.8 | 5.5 | 0.32 | 0.71 | 43 | 0.3 | 1.0 | 0.8 | 0.05 | 0.12 | <i>C32</i> |
| Trachea, bronchus, and lung | 1510 | 10.7 | 42.9 | 41.9 | 1.82 | 5.27 | 1330 | 9.4 | 32.2 | 24.9 | 1.14 | 3.14 | <i>C33–34</i> |
| Other thoracic organs | 18 | 0.1 | 0.5 | 0.5 | 0.04 | 0.04 | 18 | 0.1 | 0.4 | 0.4 | 0.02 | 0.06 | <i>C37–38</i> |
| Bone | 31 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | 36 | 0.3 | 0.9 | 0.8 | 0.05 | 0.08 | <i>C40–41</i> |
| Melanoma of skin | 25 | 0.2 | 0.7 | 0.6 | 0.04 | 0.08 | 25 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | <i>C43</i> |
| Other skin | 38 | 0.3 | 1.1 | 1.0 | 0.07 | 0.09 | 51 | 0.4 | 1.2 | 1.0 | 0.07 | 0.09 | <i>C44</i> |
| Mesothelioma | 6 | 0.0 | 0.2 | 0.2 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | <i>C45</i> |
| Kaposi sarcoma | 193 | 1.4 | 5.5 | 4.8 | 0.37 | 0.40 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | <i>C46</i> |
| Connective and soft tissue | 86 | 0.6 | 2.4 | 2.4 | 0.13 | 0.24 | 115 | 0.8 | 2.8 | 2.3 | 0.14 | 0.20 | <i>C47+C49</i> |
| Breast | 48 | 0.3 | 1.4 | 1.3 | 0.07 | 0.14 | 4751 | 33.6 | 115.0 | 89.6 | 6.23 | 10.42 | <i>C50</i> |
| Vulva | | | | | | | 71 | 0.5 | 1.7 | 1.3 | 0.09 | 0.16 | <i>C51</i> |
| Vagina | | | | | | | 42 | 0.3 | 1.0 | 0.8 | 0.05 | 0.10 | <i>C52</i> |
| Cervix uteri | | | | | | | 302 | 2.1 | 7.3 | 5.7 | 0.44 | 0.58 | <i>C53</i> |
| Corpus uteri | | | | | | | 985 | 7.0 | 23.9 | 18.6 | 1.19 | 2.41 | <i>C54</i> |
| Uterus unspecified | | | | | | | 46 | 0.3 | 1.1 | 0.9 | 0.04 | 0.13 | <i>C55</i> |
| Ovary | | | | | | | 377 | 2.7 | 9.1 | 7.2 | 0.44 | 0.84 | <i>C56</i> |
| Other female genital organs | | | | | | | 37 | 0.3 | 0.9 | 0.7 | 0.04 | 0.09 | <i>C57</i> |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C58</i> |
| Penis | 32 | 0.2 | 0.9 | 0.9 | 0.05 | 0.09 | | | | | | | <i>C60</i> |
| Prostate | 5328 | 37.7 | 151.3 | 143.6 | 8.18 | 19.45 | | | | | | | <i>C61</i> |
| Testis | 57 | 0.4 | 1.6 | 1.5 | 0.12 | 0.12 | | | | | | | <i>C62</i> |
| Other male genital organs | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | | | | | | | <i>C63</i> |
| Kidney | 685 | 4.8 | 19.5 | 18.1 | 1.16 | 2.14 | 411 | 2.9 | 10.0 | 7.9 | 0.47 | 0.91 | <i>C64</i> |
| Renal pelvis | 11 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 15 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | <i>C65</i> |
| Ureter | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C66</i> |
| Bladder | 403 | 2.9 | 11.4 | 11.4 | 0.43 | 1.32 | 206 | 1.5 | 5.0 | 3.7 | 0.13 | 0.38 | <i>C67</i> |
| Other urinary organs | 17 | 0.1 | 0.5 | 0.5 | 0.02 | 0.06 | 13 | 0.1 | 0.3 | 0.2 | 0.02 | 0.04 | <i>C68</i> |
| Eye | 14 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 9 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | <i>C69</i> |
| Brain and nervous system | 150 | 1.1 | 4.3 | 4.3 | 0.24 | 0.41 | 110 | 0.8 | 2.7 | 2.7 | 0.15 | 0.22 | <i>C70–72</i> |
| Thyroid | 101 | 0.7 | 2.9 | 2.6 | 0.19 | 0.28 | 514 | 3.6 | 12.4 | 10.0 | 0.76 | 1.04 | <i>C73</i> |
| Adrenal gland | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | <i>C74</i> |
| Other endocrine | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | <i>C75</i> |
| Hodgkin lymphoma | 121 | 0.9 | 3.4 | 3.2 | 0.22 | 0.28 | 112 | 0.8 | 2.7 | 2.4 | 0.17 | 0.19 | <i>C81</i> |
| Non-Hodgkin lymphoma | 509 | 3.6 | 14.5 | 13.3 | 0.89 | 1.45 | 390 | 2.8 | 9.4 | 7.5 | 0.47 | 0.81 | <i>C82–86, C96</i> |
| Immunoproliferative diseases | 23 | 0.2 | 0.7 | 0.6 | 0.03 | 0.07 | 28 | 0.2 | 0.7 | 0.6 | 0.03 | 0.08 | <i>C88</i> |
| Multiple myeloma | 387 | 2.7 | 11.0 | 10.5 | 0.51 | 1.33 | 447 | 3.2 | 10.8 | 8.3 | 0.42 | 0.97 | <i>C90</i> |
| Lymphoid leukaemia | 239 | 1.7 | 6.8 | 6.7 | 0.34 | 0.71 | 157 | 1.1 | 3.8 | 3.2 | 0.17 | 0.31 | <i>C91</i> |
| Myeloid leukaemia | 179 | 1.3 | 5.1 | 4.9 | 0.26 | 0.54 | 183 | 1.3 | 4.4 | 3.7 | 0.22 | 0.38 | <i>C92–94</i> |
| Leukaemia unspecified | 12 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | <i>C95</i> |
| Myeloproliferative disorders | 133 | 0.9 | 3.8 | 3.7 | 0.18 | 0.43 | 199 | 1.4 | 4.8 | 3.8 | 0.22 | 0.43 | <i>MPD</i> |
| Myelodysplastic syndromes | 82 | 0.6 | 2.3 | 2.4 | 0.07 | 0.23 | 81 | 0.6 | 2.0 | 1.4 | 0.04 | 0.12 | <i>MPS</i> |
| Other and unspecified | 192 | 1.4 | 5.5 | 5.3 | 0.24 | 0.53 | 218 | 1.5 | 5.3 | 4.0 | 0.20 | 0.43 | <i>O&U</i> |
| All sites | 14168 | | 402.3 | 381.9 | 21.41 | 47.16 | 14178 | | 343.3 | 268.7 | 16.56 | 30.74 | <i>C00–96</i> |
| All sites except C44 | 14130 | 100.0 | 401.3 | 380.9 | 21.33 | 47.07 | 14127 | 100.0 | 342.1 | 267.7 | 16.49 | 30.65 | <i>C00–96 exc. C44</i> |

*See note following population pyramid

***USA, Georgia, Atlanta: White (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 16 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C00</i> |
| Tongue | 365 | 1.6 | 8.1 | 5.4 | 0.37 | 0.69 | 121 | 0.6 | 2.7 | 1.6 | 0.10 | 0.19 | <i>C01–02</i> |
| Mouth | 93 | 0.4 | 2.1 | 1.3 | 0.09 | 0.15 | 85 | 0.4 | 1.9 | 1.0 | 0.05 | 0.11 | <i>C03–06</i> |
| Salivary glands | 68 | 0.3 | 1.5 | 0.9 | 0.04 | 0.09 | 32 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | <i>C07–08</i> |
| Tonsil | 211 | 0.9 | 4.7 | 3.2 | 0.26 | 0.40 | 40 | 0.2 | 0.9 | 0.5 | 0.03 | 0.08 | <i>C09</i> |
| Other oropharynx | 42 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | <i>C10</i> |
| Nasopharynx | 14 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 10 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | <i>C11</i> |
| Hypopharynx | 52 | 0.2 | 1.2 | 0.8 | 0.04 | 0.11 | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C12–13</i> |
| Pharynx unspecified | 38 | 0.2 | 0.8 | 0.5 | 0.04 | 0.07 | 10 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | <i>C14</i> |
| Oesophagus | 314 | 1.4 | 7.0 | 4.5 | 0.22 | 0.56 | 86 | 0.4 | 1.9 | 1.0 | 0.04 | 0.12 | <i>C15</i> |
| Stomach | 333 | 1.5 | 7.4 | 4.7 | 0.24 | 0.53 | 178 | 0.8 | 3.9 | 2.2 | 0.11 | 0.23 | <i>C16</i> |
| Small intestine | 155 | 0.7 | 3.4 | 2.3 | 0.12 | 0.24 | 96 | 0.4 | 2.1 | 1.3 | 0.07 | 0.15 | <i>C17</i> |
| Colon | 1202 | 5.4 | 26.7 | 17.3 | 0.89 | 1.97 | 1116 | 5.1 | 24.7 | 13.7 | 0.69 | 1.51 | <i>C18</i> |
| Rectum | 697 | 3.1 | 15.5 | 10.4 | 0.71 | 1.20 | 450 | 2.1 | 10.0 | 6.1 | 0.44 | 0.65 | <i>C19–20</i> |
| Anus | 105 | 0.5 | 2.3 | 1.6 | 0.12 | 0.19 | 134 | 0.6 | 3.0 | 1.8 | 0.14 | 0.23 | <i>C21</i> |
| Liver | 496 | 2.2 | 11.0 | 7.3 | 0.45 | 0.89 | 207 | 0.9 | 4.6 | 2.5 | 0.13 | 0.31 | <i>C22</i> |
| Gallbladder etc. | 98 | 0.4 | 2.2 | 1.3 | 0.05 | 0.15 | 145 | 0.7 | 3.2 | 1.6 | 0.07 | 0.18 | <i>C23–24</i> |
| Pancreas | 608 | 2.7 | 13.5 | 8.5 | 0.32 | 1.07 | 551 | 2.5 | 12.2 | 6.5 | 0.30 | 0.79 | <i>C25</i> |
| Nose, sinuses etc. | 34 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 36 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | <i>C30–31</i> |
| Larynx | 202 | 0.9 | 4.5 | 2.9 | 0.16 | 0.34 | 46 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | <i>C32</i> |
| Trachea, bronchus, and lung | 2321 | 10.4 | 51.6 | 32.2 | 1.24 | 3.84 | 2345 | 10.7 | 52.0 | 26.9 | 1.07 | 3.30 | <i>C33–34</i> |
| Other thoracic organs | 23 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C37–38</i> |
| Bone | 63 | 0.3 | 1.4 | 1.3 | 0.09 | 0.10 | 46 | 0.2 | 1.0 | 1.0 | 0.06 | 0.07 | <i>C40–41</i> |
| Melanoma of skin | 2378 | 10.6 | 52.8 | 35.5 | 2.02 | 4.16 | 1798 | 8.2 | 39.8 | 27.9 | 2.04 | 2.90 | <i>C43</i> |
| Other skin | 124 | 0.6 | 2.8 | 1.8 | 0.09 | 0.19 | 77 | 0.4 | 1.7 | 1.0 | 0.06 | 0.10 | <i>C44</i> |
| Mesothelioma | 50 | 0.2 | 1.1 | 0.7 | 0.02 | 0.05 | 15 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C45</i> |
| Kaposi sarcoma | 68 | 0.3 | 1.5 | 1.1 | 0.09 | 0.11 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 215 | 1.0 | 4.8 | 3.6 | 0.19 | 0.33 | 144 | 0.7 | 3.2 | 2.3 | 0.14 | 0.22 | <i>C47+C49</i> |
| Breast | 60 | 0.3 | 1.3 | 0.9 | 0.04 | 0.11 | 6642 | 30.4 | 147.2 | 93.1 | 6.34 | 10.96 | <i>C50</i> |
| Vulva | | | | | | | 134 | 0.6 | 3.0 | 1.7 | 0.10 | 0.20 | <i>C51</i> |
| Vagina | | | | | | | 31 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | <i>C52</i> |
| Cervix uteri | | | | | | | 317 | 1.5 | 7.0 | 5.4 | 0.43 | 0.51 | <i>C53</i> |
| Corpus uteri | | | | | | | 1309 | 6.0 | 29.0 | 18.1 | 1.32 | 2.23 | <i>C54</i> |
| Uterus unspecified | | | | | | | 18 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | <i>C55</i> |
| Ovary | | | | | | | 634 | 2.9 | 14.0 | 8.8 | 0.56 | 0.98 | <i>C56</i> |
| Other female genital organs | | | | | | | 61 | 0.3 | 1.4 | 0.8 | 0.05 | 0.09 | <i>C57</i> |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C58</i> |
| Penis | | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | | | | | | | <i>C60</i> |
| Prostate | 5485 | 24.5 | 121.9 | 79.8 | 3.98 | 11.06 | | | | | | | <i>C61</i> |
| Testis | 288 | 1.3 | 6.4 | 5.9 | 0.44 | 0.46 | | | | | | | <i>C62</i> |
| Other male genital organs | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | <i>C63</i> |
| Kidney | 860 | 3.8 | 19.1 | 12.7 | 0.70 | 1.50 | 465 | 2.1 | 10.3 | 6.3 | 0.36 | 0.72 | <i>C64</i> |
| Renal pelvis | 48 | 0.2 | 1.1 | 0.7 | 0.03 | 0.08 | 29 | 0.1 | 0.6 | 0.3 | 0.00 | 0.03 | <i>C65</i> |
| Ureter | 22 | 0.1 | 0.5 | 0.3 | 0.00 | 0.03 | 21 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | <i>C66</i> |
| Bladder | 1299 | 5.8 | 28.9 | 17.7 | 0.57 | 1.99 | 410 | 1.9 | 9.1 | 4.6 | 0.18 | 0.55 | <i>C67</i> |
| Other urinary organs | 35 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | <i>C68</i> |
| Eye | 48 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 42 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | <i>C69</i> |
| Brain and nervous system | 389 | 1.7 | 8.6 | 6.8 | 0.40 | 0.67 | 316 | 1.4 | 7.0 | 5.5 | 0.34 | 0.52 | <i>C70–72</i> |
| Thyroid | 327 | 1.5 | 7.3 | 5.4 | 0.38 | 0.54 | 1006 | 4.6 | 22.3 | 17.6 | 1.38 | 1.67 | <i>C73</i> |
| Adrenal gland | 18 | 0.1 | 0.4 | 0.5 | 0.03 | 0.04 | 14 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | <i>C74</i> |
| Other endocrine | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C75</i> |
| Hodgkin lymphoma | 125 | 0.6 | 2.8 | 2.4 | 0.16 | 0.20 | 97 | 0.4 | 2.1 | 2.1 | 0.14 | 0.16 | <i>C81</i> |
| Non-Hodgkin lymphoma | 955 | 4.3 | 21.2 | 14.7 | 0.78 | 1.60 | 787 | 3.6 | 17.4 | 10.1 | 0.55 | 1.10 | <i>C82–86, C96</i> |
| Immunoproliferative diseases | 62 | 0.3 | 1.4 | 0.9 | 0.04 | 0.11 | 62 | 0.3 | 1.4 | 0.8 | 0.05 | 0.08 | <i>C88</i> |
| Multiple myeloma | 359 | 1.6 | 8.0 | 5.1 | 0.22 | 0.62 | 259 | 1.2 | 5.7 | 3.1 | 0.14 | 0.35 | <i>C90</i> |
| Lymphoid leukaemia | 574 | 2.6 | 12.8 | 9.5 | 0.44 | 0.95 | 366 | 1.7 | 8.1 | 5.6 | 0.28 | 0.55 | <i>C91</i> |
| Myeloid leukaemia | 316 | 1.4 | 7.0 | 5.0 | 0.26 | 0.50 | 262 | 1.2 | 5.8 | 3.6 | 0.19 | 0.35 | <i>C92–94</i> |
| Leukaemia unspecified | 21 | 0.1 | 0.5 | 0.4 | 0.01 | 0.02 | 26 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | <i>C95</i> |
| Myeloproliferative disorders | 236 | 1.1 | 5.2 | 3.6 | 0.19 | 0.39 | 238 | 1.1 | 5.3 | 3.0 | 0.15 | 0.35 | <i>MPD</i> |
| Myelodysplastic syndromes | 255 | 1.1 | 5.7 | 3.3 | 0.09 | 0.30 | 198 | 0.9 | 4.4 | 1.9 | 0.04 | 0.17 | <i>MPS</i> |
| Other and unspecified | 291 | 1.3 | 6.5 | 3.9 | 0.15 | 0.39 | 344 | 1.6 | 7.6 | 3.6 | 0.16 | 0.37 | <i>O&U</i> |
| All sites | 22510 | | 500.1 | 333.1 | 17.04 | 39.43 | 21921 | | 485.7 | 300.0 | 18.60 | 33.67 | <i>C00–96</i> |
| All sites except C44 | 22386 | 100.0 | 497.4 | 331.3 | 16.95 | 39.24 | 21844 | 100.0 | 484.0 | 299.0 | 18.54 | 33.57 | <i>C00–96 exc. C44</i> |

*See note following population pyramid

USA, Idaho

CONTRIBUTORS

Randi Rycroft
 Bozena Morawski
 Christopher Johnson
 Denise Jozwik
 Teresa Chapple
 Shannon Makinen
 Tessa Morrison
 Patti Rose
 Regina Eck



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 71.4 | Breast | 90.0 |
| Trachea, bronchus, and lung | 31.5 | Trachea, bronchus, and lung | 27.6 |
| Melanoma of skin | 22.2 | Corpus uteri | 18.4 |
| Bladder | 20.5 | Thyroid | 18.3 |
| Colon | 16.3 | Melanoma of skin | 17.7 |
| Kidney | 14.3 | Colon | 14.3 |
| Non-Hodgkin lymphoma | 13.2 | Non-Hodgkin lymphoma | 9.6 |
| Pancreas | 9.6 | Ovary | 7.8 |
| Rectum | 9.2 | Kidney | 7.6 |
| Lymphoid leukaemia | 8.9 | Pancreas | 7.2 |
| Liver | 7.9 | Rectum | 6.0 |
| Brain and nervous system | 7.0 | Lymphoid leukaemia | 5.5 |
| Testis | 6.4 | Bladder | 5.3 |
| Thyroid | 6.1 | Cervix uteri | 5.2 |
| Myeloid leukaemia | 5.7 | Brain and nervous system | 4.9 |
| Oesophagus | 5.6 | Other and unspecified | 4.2 |
| Multiple myeloma | 4.9 | Myeloid leukaemia | 3.7 |
| Stomach | 4.5 | Multiple myeloma | 3.0 |
| Other and unspecified | 4.3 | Liver | 2.6 |
| Tongue | 4.0 | Connective and soft tissue | 2.6 |
| All sites | 308.1 | All sites | 289.5 |


USA, Idaho (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 116 | 0.5 | 2.8 | 1.6 | 0.08 | 0.20 | 35 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C00 |
| Tongue | 251 | 1.2 | 6.0 | 4.0 | 0.27 | 0.49 | 98 | 0.5 | 2.4 | 1.5 | 0.10 | 0.17 | C01–02 |
| Mouth | 104 | 0.5 | 2.5 | 1.5 | 0.10 | 0.18 | 76 | 0.4 | 1.8 | 1.0 | 0.04 | 0.11 | C03–06 |
| Salivary glands | 80 | 0.4 | 1.9 | 1.1 | 0.05 | 0.12 | 53 | 0.3 | 1.3 | 0.9 | 0.06 | 0.10 | C07–08 |
| Tonsil | 152 | 0.7 | 3.7 | 2.5 | 0.20 | 0.31 | 37 | 0.2 | 0.9 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 32 | 0.2 | 0.8 | 0.5 | 0.04 | 0.07 | 10 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 18 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 28 | 0.1 | 0.7 | 0.4 | 0.02 | 0.06 | 12 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 39 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 390 | 1.8 | 9.4 | 5.6 | 0.30 | 0.69 | 82 | 0.4 | 2.0 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 321 | 1.5 | 7.7 | 4.5 | 0.23 | 0.52 | 167 | 0.8 | 4.0 | 2.1 | 0.12 | 0.22 | C16 |
| Small intestine | 114 | 0.5 | 2.7 | 1.7 | 0.10 | 0.21 | 104 | 0.5 | 2.5 | 1.5 | 0.09 | 0.20 | C17 |
| Colon | 1147 | 5.4 | 27.6 | 16.3 | 0.88 | 1.81 | 1103 | 5.6 | 26.6 | 14.3 | 0.75 | 1.53 | C18 |
| Rectum | 598 | 2.8 | 14.4 | 9.2 | 0.63 | 1.09 | 393 | 2.0 | 9.5 | 6.0 | 0.43 | 0.67 | C19–20 |
| Anus | 34 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 145 | 0.7 | 3.5 | 2.1 | 0.16 | 0.25 | C21 |
| Liver | 538 | 2.5 | 13.0 | 7.9 | 0.52 | 1.01 | 200 | 1.0 | 4.8 | 2.6 | 0.15 | 0.31 | C22 |
| Gallbladder etc. | 117 | 0.5 | 2.8 | 1.5 | 0.06 | 0.17 | 119 | 0.6 | 2.9 | 1.5 | 0.07 | 0.18 | C23–24 |
| Pancreas | 709 | 3.3 | 17.1 | 9.6 | 0.47 | 1.14 | 599 | 3.0 | 14.5 | 7.2 | 0.35 | 0.83 | C25 |
| Nose, sinuses etc. | 41 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | 19 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 169 | 0.8 | 4.1 | 2.3 | 0.13 | 0.29 | 41 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 2431 | 11.4 | 58.5 | 31.5 | 1.16 | 3.81 | 2274 | 11.5 | 54.9 | 27.6 | 1.19 | 3.37 | C33–34 |
| Other thoracic organs | 18 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 15 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C37–38 |
| Bone | 54 | 0.3 | 1.3 | 1.2 | 0.08 | 0.10 | 41 | 0.2 | 1.0 | 0.8 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 1481 | 6.9 | 35.6 | 22.2 | 1.29 | 2.42 | 1060 | 5.4 | 25.6 | 17.7 | 1.23 | 1.88 | C43 |
| Other skin | 85 | 0.4 | 2.0 | 1.1 | 0.05 | 0.10 | 63 | 0.3 | 1.5 | 1.0 | 0.06 | 0.11 | C44 |
| Mesothelioma | 87 | 0.4 | 2.1 | 1.0 | 0.04 | 0.11 | 27 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 157 | 0.7 | 3.8 | 2.5 | 0.14 | 0.24 | 143 | 0.7 | 3.5 | 2.6 | 0.15 | 0.23 | C47+C49 |
| Breast | 48 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 5950 | 30.1 | 143.8 | 90.0 | 6.03 | 10.62 | C50 |
| Vulva | | | | | | | 110 | 0.6 | 2.7 | 1.4 | 0.08 | 0.16 | C51 |
| Vagina | | | | | | | 32 | 0.2 | 0.8 | 0.4 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 256 | 1.3 | 6.2 | 5.2 | 0.42 | 0.50 | C53 |
| Corpus uteri | | | | | | | 1204 | 6.1 | 29.1 | 18.4 | 1.34 | 2.26 | C54 |
| Uterus unspecified | | | | | | | 37 | 0.2 | 0.9 | 0.5 | 0.02 | 0.07 | C55 |
| Ovary | | | | | | | 523 | 2.6 | 12.6 | 7.8 | 0.51 | 0.88 | C56 |
| Other female genital organs | | | | | | | 47 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 34 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | | | | | | | C60 |
| Prostate | 5100 | 23.9 | 122.8 | 71.4 | 3.46 | 9.68 | | | | | | | C61 |
| Testis | 265 | 1.2 | 6.4 | 6.4 | 0.48 | 0.48 | | | | | | | C62 |
| Other male genital organs | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 950 | 4.5 | 22.9 | 14.3 | 0.81 | 1.72 | 526 | 2.7 | 12.7 | 7.6 | 0.46 | 0.86 | C64 |
| Renal pelvis | 50 | 0.2 | 1.2 | 0.7 | 0.03 | 0.07 | 35 | 0.2 | 0.8 | 0.3 | 0.00 | 0.03 | C65 |
| Ureter | 42 | 0.2 | 1.0 | 0.5 | 0.01 | 0.04 | 19 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 1595 | 7.5 | 38.4 | 20.5 | 0.71 | 2.35 | 447 | 2.3 | 10.8 | 5.3 | 0.24 | 0.63 | C67 |
| Other urinary organs | 38 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 12 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 54 | 0.3 | 1.3 | 0.9 | 0.04 | 0.11 | 29 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 392 | 1.8 | 9.4 | 7.0 | 0.43 | 0.68 | 257 | 1.3 | 6.2 | 4.9 | 0.32 | 0.43 | C70–72 |
| Thyroid | 333 | 1.6 | 8.0 | 6.1 | 0.44 | 0.66 | 912 | 4.6 | 22.0 | 18.3 | 1.42 | 1.77 | C73 |
| Adrenal gland | 14 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 108 | 0.5 | 2.6 | 2.4 | 0.16 | 0.19 | 90 | 0.5 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 908 | 4.3 | 21.9 | 13.2 | 0.66 | 1.46 | 710 | 3.6 | 17.2 | 9.6 | 0.52 | 1.05 | C82–86, C96 |
| Immunoproliferative diseases | 70 | 0.3 | 1.7 | 1.0 | 0.05 | 0.12 | 51 | 0.3 | 1.2 | 0.7 | 0.03 | 0.09 | C88 |
| Multiple myeloma | 366 | 1.7 | 8.8 | 4.9 | 0.18 | 0.61 | 253 | 1.3 | 6.1 | 3.0 | 0.13 | 0.34 | C90 |
| Lymphoid leukaemia | 550 | 2.6 | 13.2 | 8.9 | 0.44 | 0.89 | 360 | 1.8 | 8.7 | 5.5 | 0.26 | 0.52 | C91 |
| Myeloid leukaemia | 389 | 1.8 | 9.4 | 5.7 | 0.27 | 0.61 | 257 | 1.3 | 6.2 | 3.7 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 21 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 29 | 0.1 | 0.7 | 0.3 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 197 | 0.9 | 4.7 | 2.8 | 0.16 | 0.33 | 191 | 1.0 | 4.6 | 2.5 | 0.14 | 0.26 | MPD |
| Myelodysplastic syndromes | 210 | 1.0 | 5.1 | 2.4 | 0.05 | 0.23 | 146 | 0.7 | 3.5 | 1.6 | 0.04 | 0.16 | MPS |
| Other and unspecified | 344 | 1.6 | 8.3 | 4.3 | 0.16 | 0.44 | 367 | 1.9 | 8.9 | 4.2 | 0.18 | 0.41 | O&U |
| All sites | 21411 | | 515.4 | 308.1 | 15.62 | 36.34 | 19804 | | 478.5 | 289.5 | 17.86 | 32.56 | C00–96 |
| All sites except C44 | 21326 | 100.0 | 513.3 | 307.0 | 15.57 | 36.24 | 19741 | 100.0 | 476.9 | 288.5 | 17.80 | 32.45 | C00–96 exc. C44 |

USA, Indiana


CONTRIBUTORS

Laura P. Ruppert



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 66.5 | Breast | 89.1 |
| Trachea, bronchus, and lung | 53.7 | Trachea, bronchus, and lung | 39.9 |
| Bladder | 21.8 | Corpus uteri | 21.3 |
| Colon | 21.0 | Colon | 17.0 |
| Melanoma of skin | 17.4 | Thyroid | 15.3 |
| Kidney | 17.2 | Melanoma of skin | 13.9 |
| Non-Hodgkin lymphoma | 13.6 | Kidney | 9.3 |
| Rectum | 10.7 | Non-Hodgkin lymphoma | 9.3 |
| Pancreas | 9.8 | Ovary | 7.5 |
| Liver | 8.1 | Pancreas | 7.3 |
| Lymphoid leukaemia | 7.5 | Rectum | 6.9 |
| Oesophagus | 6.6 | Cervix uteri | 6.5 |
| Brain and nervous system | 6.4 | Bladder | 5.5 |
| Other and unspecified | 5.9 | Other and unspecified | 5.0 |
| Testis | 5.6 | Brain and nervous system | 4.6 |
| Myeloid leukaemia | 5.5 | Lymphoid leukaemia | 4.2 |
| Stomach | 5.4 | Myeloid leukaemia | 4.0 |
| Multiple myeloma | 5.2 | Multiple myeloma | 3.5 |
| Thyroid | 5.0 | Liver | 2.7 |
| Larynx | 4.6 | Stomach | 2.4 |
| All sites | 335.8 | All sites | 303.8 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 117.9 |
| Trachea, bronchus, and lung | 54.3 |
| Colon | 25.3 |
| Kidney | 21.8 |
| Liver | 15.9 |
| Bladder | 13.3 |
| Pancreas | 11.5 |
| Multiple myeloma | 10.6 |
| Non-Hodgkin lymphoma | 10.3 |
| Rectum | 9.7 |
| All sites | 371.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 91.0 |
| Trachea, bronchus, and lung | 38.4 |
| Colon | 19.7 |
| Corpus uteri | 18.8 |
| Pancreas | 9.8 |
| Kidney | 9.5 |
| Thyroid | 8.6 |
| Multiple myeloma | 8.0 |
| Cervix uteri | 6.7 |
| Non-Hodgkin lymphoma | 6.4 |
| All sites | 283.7 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 62.5 |
| Trachea, bronchus, and lung | 54.2 |
| Bladder | 22.4 |
| Colon | 20.8 |
| Melanoma of skin | 18.4 |
| Kidney | 17.0 |
| Non-Hodgkin lymphoma | 13.9 |
| Rectum | 10.8 |
| Pancreas | 9.8 |
| Lymphoid leukaemia | 7.6 |
| All sites | 334.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 89.6 |
| Trachea, bronchus, and lung | 40.5 |
| Corpus uteri | 21.7 |
| Colon | 16.9 |
| Thyroid | 16.1 |
| Melanoma of skin | 14.8 |
| Non-Hodgkin lymphoma | 9.6 |
| Kidney | 9.5 |
| Ovary | 7.7 |
| Pancreas | 7.1 |
| All sites | 308.0 |

USA, Indiana (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 141 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 44 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 1141 | 1.3 | 7.0 | 4.5 | 0.31 | 0.56 | 426 | 0.5 | 2.5 | 1.5 | 0.10 | 0.18 | C01–02 |
| Mouth | 529 | 0.6 | 3.2 | 2.1 | 0.13 | 0.25 | 350 | 0.4 | 2.1 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 278 | 0.3 | 1.7 | 1.0 | 0.05 | 0.10 | 185 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | C07–08 |
| Tonsil | 956 | 1.1 | 5.9 | 4.0 | 0.33 | 0.48 | 170 | 0.2 | 1.0 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 173 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 56 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 109 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 46 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 176 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 46 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 89 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 31 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1766 | 2.0 | 10.8 | 6.6 | 0.38 | 0.81 | 402 | 0.5 | 2.4 | 1.2 | 0.07 | 0.15 | C15 |
| Stomach | 1478 | 1.7 | 9.1 | 5.4 | 0.28 | 0.66 | 783 | 0.9 | 4.7 | 2.4 | 0.14 | 0.28 | C16 |
| Small intestine | 515 | 0.6 | 3.2 | 1.9 | 0.10 | 0.23 | 446 | 0.5 | 2.7 | 1.5 | 0.09 | 0.17 | C17 |
| Colon | 5701 | 6.4 | 35.0 | 21.0 | 1.10 | 2.40 | 5754 | 6.6 | 34.3 | 17.0 | 0.88 | 1.87 | C18 |
| Rectum | 2759 | 3.1 | 16.9 | 10.7 | 0.71 | 1.26 | 1982 | 2.3 | 11.8 | 6.9 | 0.47 | 0.76 | C19–20 |
| Anus | 260 | 0.3 | 1.6 | 1.1 | 0.07 | 0.12 | 555 | 0.6 | 3.3 | 2.0 | 0.15 | 0.23 | C21 |
| Liver | 2138 | 2.4 | 13.1 | 8.1 | 0.54 | 1.01 | 858 | 1.0 | 5.1 | 2.7 | 0.16 | 0.33 | C22 |
| Gallbladder etc. | 510 | 0.6 | 3.1 | 1.8 | 0.08 | 0.20 | 567 | 0.6 | 3.4 | 1.6 | 0.08 | 0.18 | C23–24 |
| Pancreas | 2722 | 3.1 | 16.7 | 9.8 | 0.48 | 1.20 | 2466 | 2.8 | 14.7 | 7.3 | 0.37 | 0.87 | C25 |
| Nose, sinuses etc. | 153 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 94 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 1201 | 1.3 | 7.4 | 4.6 | 0.31 | 0.57 | 355 | 0.4 | 2.1 | 1.3 | 0.09 | 0.17 | C32 |
| Trachea, bronchus, and lung | 15231 | 17.1 | 93.5 | 53.7 | 2.43 | 6.76 | 13119 | 15.0 | 78.2 | 39.9 | 1.98 | 5.14 | C33–34 |
| Other thoracic organs | 104 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 72 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 185 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | 149 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 4583 | 5.1 | 28.1 | 17.4 | 0.98 | 1.95 | 3439 | 3.9 | 20.5 | 13.9 | 1.01 | 1.45 | C43 |
| Other skin | 271 | 0.3 | 1.7 | 1.0 | 0.05 | 0.09 | 209 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 265 | 0.3 | 1.6 | 0.8 | 0.03 | 0.08 | 84 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 38 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 642 | 0.7 | 3.9 | 2.8 | 0.15 | 0.27 | 507 | 0.6 | 3.0 | 2.2 | 0.14 | 0.21 | C47+C49 |
| Breast | 200 | 0.2 | 1.2 | 0.7 | 0.03 | 0.09 | 24747 | 28.3 | 147.6 | 89.1 | 6.05 | 10.53 | C50 |
| Vulva | | | | | | | 653 | 0.7 | 3.9 | 2.2 | 0.14 | 0.25 | C51 |
| Vagina | | | | | | | 164 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1382 | 1.6 | 8.2 | 6.5 | 0.53 | 0.63 | C53 |
| Corpus uteri | | | | | | | 5844 | 6.7 | 34.8 | 21.3 | 1.52 | 2.64 | C54 |
| Uterus unspecified | | | | | | | 57 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 2126 | 2.4 | 12.7 | 7.5 | 0.49 | 0.84 | C56 |
| Other female genital organs | | | | | | | 296 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 155 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 18121 | 20.3 | 111.2 | 66.5 | 3.50 | 9.04 | | | | | | | C61 |
| Testis | 936 | 1.0 | 5.7 | 5.6 | 0.43 | 0.44 | | | | | | | C62 |
| Other male genital organs | 36 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 4329 | 4.9 | 26.6 | 17.2 | 1.09 | 2.04 | 2553 | 2.9 | 15.2 | 9.3 | 0.58 | 1.07 | C64 |
| Renal pelvis | 247 | 0.3 | 1.5 | 0.8 | 0.03 | 0.09 | 155 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 173 | 0.2 | 1.1 | 0.6 | 0.02 | 0.06 | 91 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 6443 | 7.2 | 39.5 | 21.8 | 0.87 | 2.50 | 1947 | 2.2 | 11.6 | 5.5 | 0.26 | 0.64 | C67 |
| Other urinary organs | 93 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 45 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 179 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | 148 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1339 | 1.5 | 8.2 | 6.4 | 0.39 | 0.62 | 1034 | 1.2 | 6.2 | 4.6 | 0.28 | 0.43 | C70–72 |
| Thyroid | 1091 | 1.2 | 6.7 | 5.0 | 0.36 | 0.51 | 3149 | 3.6 | 18.8 | 15.3 | 1.20 | 1.46 | C73 |
| Adrenal gland | 56 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 70 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 28 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 526 | 0.6 | 3.2 | 2.9 | 0.20 | 0.25 | 368 | 0.4 | 2.2 | 2.0 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 3504 | 3.9 | 21.5 | 13.6 | 0.74 | 1.52 | 2887 | 3.3 | 17.2 | 9.3 | 0.50 | 1.05 | C82–86,C96 |
| Immunoproliferative diseases | 212 | 0.2 | 1.3 | 0.8 | 0.04 | 0.09 | 263 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 1449 | 1.6 | 8.9 | 5.2 | 0.25 | 0.61 | 1163 | 1.3 | 6.9 | 3.5 | 0.18 | 0.42 | C90 |
| Lymphoid leukaemia | 1761 | 2.0 | 10.8 | 7.5 | 0.39 | 0.72 | 1124 | 1.3 | 6.7 | 4.2 | 0.21 | 0.40 | C91 |
| Myeloid leukaemia | 1431 | 1.6 | 8.8 | 5.5 | 0.27 | 0.57 | 1129 | 1.3 | 6.7 | 4.0 | 0.22 | 0.41 | C92–94 |
| Leukaemia unspecified | 61 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 47 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 476 | 0.5 | 2.9 | 1.8 | 0.09 | 0.20 | 501 | 0.6 | 3.0 | 1.6 | 0.08 | 0.17 | MPD |
| Myelodysplastic syndromes | 799 | 0.9 | 4.9 | 2.5 | 0.08 | 0.25 | 555 | 0.6 | 3.3 | 1.4 | 0.05 | 0.16 | MPS |
| Other and unspecified | 1696 | 1.9 | 10.4 | 5.9 | 0.29 | 0.64 | 1818 | 2.1 | 10.8 | 5.0 | 0.24 | 0.54 | O&U |
| All sites | 89455 | | 549.1 | 335.8 | 18.01 | 39.98 | 87548 | | 522.0 | 303.8 | 18.98 | 34.86 | C00–96 |
| All sites except C44 | 89184 | 100.0 | 547.4 | 334.8 | 17.97 | 39.88 | 87339 | 100.0 | 520.8 | 303.1 | 18.93 | 34.78 | C00–96 exc. C44 |

USA, Indiana: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 41 | 0.6 | 2.5 | 2.3 | 0.15 | 0.31 | 22 | 0.3 | 1.2 | 1.0 | 0.08 | 0.10 | C01–02 |
| Mouth | 40 | 0.6 | 2.4 | 2.2 | 0.14 | 0.27 | 17 | 0.3 | 1.0 | 0.8 | 0.06 | 0.08 | C03–06 |
| Salivary glands | 11 | 0.2 | 0.7 | 0.6 | 0.03 | 0.07 | 18 | 0.3 | 1.0 | 0.8 | 0.06 | 0.08 | C07–08 |
| Tonsil | 48 | 0.7 | 2.9 | 2.7 | 0.22 | 0.37 | 8 | 0.1 | 0.5 | 0.4 | 0.03 | 0.06 | C09 |
| Other oropharynx | 12 | 0.2 | 0.7 | 0.7 | 0.06 | 0.09 | 9 | 0.1 | 0.5 | 0.4 | 0.02 | 0.06 | C10 |
| Nasopharynx | 16 | 0.2 | 1.0 | 0.9 | 0.06 | 0.10 | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 19 | 0.3 | 1.1 | 1.1 | 0.08 | 0.13 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | C14 |
| Oesophagus | 83 | 1.3 | 5.0 | 4.7 | 0.31 | 0.60 | 43 | 0.7 | 2.4 | 1.8 | 0.12 | 0.21 | C15 |
| Stomach | 145 | 2.2 | 8.8 | 8.2 | 0.35 | 1.06 | 94 | 1.5 | 5.3 | 3.9 | 0.22 | 0.44 | C16 |
| Small intestine | 44 | 0.7 | 2.7 | 2.5 | 0.12 | 0.33 | 55 | 0.9 | 3.1 | 2.3 | 0.11 | 0.26 | C17 |
| Colon | 449 | 6.9 | 27.1 | 25.3 | 1.39 | 3.07 | 473 | 7.4 | 26.7 | 19.7 | 1.10 | 2.30 | C18 |
| Rectum | 173 | 2.7 | 10.4 | 9.7 | 0.64 | 1.13 | 145 | 2.3 | 8.2 | 6.3 | 0.43 | 0.69 | C19–20 |
| Anus | 29 | 0.4 | 1.8 | 1.7 | 0.13 | 0.19 | 31 | 0.5 | 1.7 | 1.3 | 0.09 | 0.15 | C21 |
| Liver | 281 | 4.3 | 17.0 | 15.9 | 1.14 | 2.07 | 97 | 1.5 | 5.5 | 4.3 | 0.28 | 0.53 | C22 |
| Gallbladder etc. | 41 | 0.6 | 2.5 | 2.4 | 0.08 | 0.33 | 52 | 0.8 | 2.9 | 2.1 | 0.14 | 0.23 | C23–24 |
| Pancreas | 204 | 3.1 | 12.3 | 11.5 | 0.56 | 1.36 | 234 | 3.6 | 13.2 | 9.8 | 0.56 | 1.15 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.5 | 0.5 | 0.03 | 0.06 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 107 | 1.6 | 6.5 | 6.1 | 0.40 | 0.75 | 31 | 0.5 | 1.7 | 1.4 | 0.12 | 0.16 | C32 |
| Trachea, bronchus, and lung | 962 | 14.8 | 58.1 | 54.3 | 2.54 | 7.06 | 926 | 14.4 | 52.3 | 38.4 | 2.08 | 4.77 | C33–34 |
| Other thoracic organs | 9 | 0.1 | 0.5 | 0.5 | 0.02 | 0.06 | 10 | 0.2 | 0.6 | 0.5 | 0.04 | 0.07 | C37–38 |
| Bone | 18 | 0.3 | 1.1 | 1.0 | 0.05 | 0.08 | 9 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 11 | 0.2 | 0.7 | 0.6 | 0.02 | 0.10 | 13 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 17 | 0.3 | 1.0 | 1.0 | 0.06 | 0.09 | 16 | 0.2 | 0.9 | 0.8 | 0.05 | 0.09 | C44 |
| Mesothelioma | 9 | 0.1 | 0.5 | 0.5 | 0.03 | 0.07 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 17 | 0.3 | 1.0 | 1.0 | 0.06 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 38 | 0.6 | 2.3 | 2.3 | 0.13 | 0.22 | 54 | 0.8 | 3.0 | 2.7 | 0.19 | 0.28 | C47+C49 |
| Breast | 26 | 0.4 | 1.6 | 1.5 | 0.07 | 0.16 | 2003 | 31.2 | 113.0 | 91.0 | 6.26 | 10.80 | C50 |
| Vulva | | | | | | | 22 | 0.3 | 1.2 | 1.0 | 0.09 | 0.12 | C51 |
| Vagina | | | | | | | 19 | 0.3 | 1.1 | 0.8 | 0.04 | 0.12 | C52 |
| Cervix uteri | | | | | | | 136 | 2.1 | 7.7 | 6.7 | 0.54 | 0.69 | C53 |
| Corpus uteri | | | | | | | 411 | 6.4 | 23.2 | 18.8 | 1.26 | 2.44 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 127 | 2.0 | 7.2 | 5.6 | 0.37 | 0.58 | C56 |
| Other female genital organs | | | | | | | 24 | 0.4 | 1.4 | 0.9 | 0.01 | 0.12 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 10 | 0.2 | 0.6 | 0.6 | 0.02 | 0.10 | | | | | | | C60 |
| Prostate | 2070 | 31.7 | 125.0 | 117.9 | 6.80 | 15.93 | | | | | | | C61 |
| Testis | 20 | 0.3 | 1.2 | 1.2 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 384 | 5.9 | 23.2 | 21.8 | 1.46 | 2.55 | 206 | 3.2 | 11.6 | 9.5 | 0.57 | 1.13 | C64 |
| Renal pelvis | 10 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 238 | 3.6 | 14.4 | 13.3 | 0.57 | 1.51 | 106 | 1.6 | 6.0 | 3.9 | 0.16 | 0.41 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C68 |
| Eye | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 68 | 1.0 | 4.1 | 4.1 | 0.25 | 0.42 | 67 | 1.0 | 3.8 | 3.4 | 0.22 | 0.29 | C70–72 |
| Thyroid | 49 | 0.8 | 3.0 | 2.8 | 0.19 | 0.28 | 172 | 2.7 | 9.7 | 8.6 | 0.70 | 0.88 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 41 | 0.6 | 2.5 | 2.5 | 0.15 | 0.22 | 27 | 0.4 | 1.5 | 1.5 | 0.10 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 182 | 2.8 | 11.0 | 10.3 | 0.60 | 1.13 | 150 | 2.3 | 8.5 | 6.4 | 0.32 | 0.71 | C82–86,C96 |
| Immunoproliferative diseases | 13 | 0.2 | 0.8 | 0.8 | 0.03 | 0.12 | 20 | 0.3 | 1.1 | 0.9 | 0.06 | 0.10 | C88 |
| Multiple myeloma | 186 | 2.9 | 11.2 | 10.6 | 0.56 | 1.34 | 189 | 2.9 | 10.7 | 8.0 | 0.40 | 1.01 | C90 |
| Lymphoid leukaemia | 104 | 1.6 | 6.3 | 6.0 | 0.33 | 0.66 | 58 | 0.9 | 3.3 | 2.6 | 0.15 | 0.28 | C91 |
| Myeloid leukaemia | 94 | 1.4 | 5.7 | 5.3 | 0.30 | 0.57 | 83 | 1.3 | 4.7 | 3.6 | 0.23 | 0.37 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 42 | 0.6 | 2.5 | 2.3 | 0.11 | 0.24 | 43 | 0.7 | 2.4 | 1.9 | 0.14 | 0.20 | MPD |
| Myelodysplastic syndromes | 38 | 0.6 | 2.3 | 2.2 | 0.08 | 0.29 | 33 | 0.5 | 1.9 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 102 | 1.6 | 6.2 | 5.7 | 0.27 | 0.62 | 136 | 2.1 | 7.7 | 5.1 | 0.24 | 0.47 | O&U |
| All sites | 6538 | | 394.8 | 371.4 | 20.82 | 46.47 | 6445 | | 363.7 | 283.7 | 17.84 | 33.03 | C00–96 |
| All sites except C44 | 6521 | 100.0 | 393.8 | 370.4 | 20.76 | 46.38 | 6429 | 100.0 | 362.8 | 283.0 | 17.79 | 32.95 | C00–96 exc. C44 |


USA, Indiana: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 123 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | 38 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 1077 | 1.3 | 7.6 | 4.7 | 0.33 | 0.58 | 390 | 0.5 | 2.7 | 1.5 | 0.10 | 0.18 | C01–02 |
| Mouth | 475 | 0.6 | 3.4 | 2.0 | 0.13 | 0.24 | 320 | 0.4 | 2.2 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 262 | 0.3 | 1.8 | 1.0 | 0.06 | 0.10 | 165 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 903 | 1.1 | 6.4 | 4.1 | 0.35 | 0.49 | 160 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | C09 |
| Other oropharynx | 159 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 47 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 90 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 37 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 156 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 42 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 85 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1676 | 2.1 | 11.8 | 6.8 | 0.39 | 0.84 | 354 | 0.4 | 2.4 | 1.2 | 0.06 | 0.15 | C15 |
| Stomach | 1310 | 1.6 | 9.2 | 5.3 | 0.28 | 0.63 | 663 | 0.8 | 4.6 | 2.3 | 0.12 | 0.26 | C16 |
| Small intestine | 467 | 0.6 | 3.3 | 1.9 | 0.10 | 0.23 | 389 | 0.5 | 2.7 | 1.4 | 0.09 | 0.16 | C17 |
| Colon | 5190 | 6.4 | 36.6 | 20.8 | 1.08 | 2.36 | 5235 | 6.6 | 36.0 | 16.9 | 0.87 | 1.85 | C18 |
| Rectum | 2539 | 3.1 | 17.9 | 10.8 | 0.71 | 1.27 | 1799 | 2.3 | 12.4 | 6.9 | 0.47 | 0.77 | C19–20 |
| Anus | 229 | 0.3 | 1.6 | 1.0 | 0.07 | 0.12 | 522 | 0.7 | 3.6 | 2.1 | 0.16 | 0.25 | C21 |
| Liver | 1817 | 2.2 | 12.8 | 7.5 | 0.49 | 0.93 | 749 | 0.9 | 5.2 | 2.6 | 0.15 | 0.31 | C22 |
| Gallbladder etc. | 460 | 0.6 | 3.2 | 1.7 | 0.08 | 0.20 | 506 | 0.6 | 3.5 | 1.5 | 0.07 | 0.18 | C23–24 |
| Pancreas | 2500 | 3.1 | 17.6 | 9.8 | 0.48 | 1.20 | 2217 | 2.8 | 15.3 | 7.1 | 0.36 | 0.85 | C25 |
| Nose, sinuses etc. | 143 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 89 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 1083 | 1.3 | 7.6 | 4.5 | 0.30 | 0.56 | 321 | 0.4 | 2.2 | 1.3 | 0.09 | 0.17 | C32 |
| Trachea, bronchus, and lung | 14194 | 17.4 | 100.2 | 54.2 | 2.45 | 6.81 | 12116 | 15.2 | 83.4 | 40.5 | 2.00 | 5.22 | C33–34 |
| Other thoracic organs | 93 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | 61 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C37–38 |
| Bone | 165 | 0.2 | 1.2 | 1.0 | 0.06 | 0.08 | 136 | 0.2 | 0.9 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 4413 | 5.4 | 31.1 | 18.4 | 1.05 | 2.05 | 3244 | 4.1 | 22.3 | 14.8 | 1.08 | 1.53 | C43 |
| Other skin | 249 | 0.3 | 1.8 | 1.0 | 0.04 | 0.09 | 183 | 0.2 | 1.3 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 255 | 0.3 | 1.8 | 0.9 | 0.03 | 0.08 | 80 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 19 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 597 | 0.7 | 4.2 | 2.8 | 0.16 | 0.28 | 447 | 0.6 | 3.1 | 2.2 | 0.14 | 0.20 | C47+C49 |
| Breast | 172 | 0.2 | 1.2 | 0.7 | 0.03 | 0.08 | 22442 | 28.1 | 154.5 | 89.6 | 6.08 | 10.58 | C50 |
| Vulva | | | | | | | 627 | 0.8 | 4.3 | 2.3 | 0.14 | 0.26 | C51 |
| Vagina | | | | | | | 143 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1221 | 1.5 | 8.4 | 6.6 | 0.54 | 0.63 | C53 |
| Corpus uteri | | | | | | | 5375 | 6.7 | 37.0 | 21.7 | 1.57 | 2.69 | C54 |
| Uterus unspecified | | | | | | | 51 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 1970 | 2.5 | 13.6 | 7.7 | 0.51 | 0.87 | C56 |
| Other female genital organs | | | | | | | 269 | 0.3 | 1.9 | 0.9 | 0.06 | 0.12 | C57 |
| Placenta | | | | | | | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 144 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 15756 | 19.3 | 111.2 | 62.5 | 3.23 | 8.51 | | | | | | | C61 |
| Testis | 891 | 1.1 | 6.3 | 6.2 | 0.47 | 0.48 | | | | | | | C62 |
| Other male genital organs | 32 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 3918 | 4.8 | 27.7 | 17.0 | 1.07 | 2.02 | 2334 | 2.9 | 16.1 | 9.5 | 0.59 | 1.09 | C64 |
| Renal pelvis | 236 | 0.3 | 1.7 | 0.8 | 0.03 | 0.10 | 147 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 171 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 89 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 6110 | 7.5 | 43.1 | 22.4 | 0.89 | 2.56 | 1814 | 2.3 | 12.5 | 5.6 | 0.27 | 0.66 | C67 |
| Other urinary organs | 91 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 39 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 171 | 0.2 | 1.2 | 0.9 | 0.05 | 0.08 | 145 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 1254 | 1.5 | 8.9 | 6.6 | 0.41 | 0.64 | 952 | 1.2 | 6.6 | 4.7 | 0.29 | 0.44 | C70–72 |
| Thyroid | 1005 | 1.2 | 7.1 | 5.1 | 0.38 | 0.53 | 2899 | 3.6 | 20.0 | 16.1 | 1.27 | 1.52 | C73 |
| Adrenal gland | 50 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 63 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 25 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 17 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 477 | 0.6 | 3.4 | 2.9 | 0.21 | 0.25 | 332 | 0.4 | 2.3 | 2.1 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 3285 | 4.0 | 23.2 | 13.9 | 0.75 | 1.55 | 2699 | 3.4 | 18.6 | 9.6 | 0.51 | 1.09 | C82–86, C96 |
| Immunoproliferative diseases | 194 | 0.2 | 1.4 | 0.8 | 0.04 | 0.09 | 240 | 0.3 | 1.7 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 1252 | 1.5 | 8.8 | 4.8 | 0.23 | 0.56 | 964 | 1.2 | 6.6 | 3.1 | 0.16 | 0.38 | C90 |
| Lymphoid leukaemia | 1629 | 2.0 | 11.5 | 7.6 | 0.40 | 0.73 | 1050 | 1.3 | 7.2 | 4.4 | 0.22 | 0.42 | C91 |
| Myeloid leukaemia | 1316 | 1.6 | 9.3 | 5.5 | 0.27 | 0.57 | 1032 | 1.3 | 7.1 | 4.1 | 0.23 | 0.42 | C92–94 |
| Leukaemia unspecified | 56 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 45 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 420 | 0.5 | 3.0 | 1.7 | 0.08 | 0.19 | 455 | 0.6 | 3.1 | 1.5 | 0.08 | 0.17 | MPD |
| Myelodysplastic syndromes | 750 | 0.9 | 5.3 | 2.6 | 0.07 | 0.25 | 521 | 0.7 | 3.6 | 1.4 | 0.05 | 0.16 | MPS |
| Other and unspecified | 1576 | 1.9 | 11.1 | 6.0 | 0.29 | 0.65 | 1670 | 2.1 | 11.5 | 5.0 | 0.24 | 0.55 | O&U |
| All sites | 81710 | | 576.7 | 334.3 | 17.88 | 39.61 | 79961 | | 550.4 | 308.0 | 19.25 | 35.24 | C00–96 |
| All sites except C44 | 81461 | 100.0 | 574.9 | 333.4 | 17.83 | 39.52 | 79778 | 100.0 | 549.2 | 307.3 | 19.21 | 35.18 | C00–96 exc. C44 |

USA, Iowa

CONTRIBUTORS

Mary Charlton
Suzanne Bentler
Bobbi Matt



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 75.8 | Breast | 88.0 |
| Trachea, bronchus, and lung | 44.4 | Trachea, bronchus, and lung | 33.9 |
| Bladder | 20.2 | Corpus uteri | 22.0 |
| Colon | 19.9 | Melanoma of skin | 18.4 |
| Melanoma of skin | 19.3 | Thyroid | 17.9 |
| Kidney | 16.9 | Colon | 16.8 |
| Non-Hodgkin lymphoma | 14.2 | Non-Hodgkin lymphoma | 9.9 |
| Rectum | 10.6 | Kidney | 8.7 |
| Pancreas | 9.7 | Ovary | 7.7 |
| Lymphoid leukaemia | 9.6 | Pancreas | 7.1 |
| Liver | 7.0 | Rectum | 6.3 |
| Oesophagus | 6.8 | Cervix uteri | 6.1 |
| Testis | 6.7 | Lymphoid leukaemia | 5.5 |
| Brain and nervous system | 6.7 | Brain and nervous system | 5.2 |
| Thyroid | 6.1 | Bladder | 5.0 |
| Myeloid leukaemia | 5.8 | Other and unspecified | 4.6 |
| Other and unspecified | 5.6 | Myeloid leukaemia | 3.8 |
| Multiple myeloma | 5.3 | Multiple myeloma | 3.4 |
| Tongue | 4.5 | Liver | 2.6 |
| Larynx | 4.2 | Hodgkin lymphoma | 2.4 |
| All sites | 339.6 | All sites | 305.4 |

*USA, Iowa (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 188 | 0.4 | 2.4 | 1.3 | 0.06 | 0.15 | 44 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C00 |
| Tongue | 553 | 1.2 | 7.1 | 4.5 | 0.32 | 0.56 | 220 | 0.5 | 2.8 | 1.6 | 0.12 | 0.19 | C01–02 |
| Mouth | 254 | 0.6 | 3.3 | 2.0 | 0.13 | 0.23 | 182 | 0.4 | 2.3 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 153 | 0.3 | 2.0 | 1.2 | 0.06 | 0.12 | 107 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 353 | 0.8 | 4.6 | 3.0 | 0.25 | 0.37 | 75 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 68 | 0.1 | 0.9 | 0.6 | 0.04 | 0.07 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 49 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 23 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 91 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 20 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 36 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 931 | 2.0 | 12.0 | 6.8 | 0.38 | 0.82 | 207 | 0.5 | 2.6 | 1.2 | 0.05 | 0.15 | C15 |
| Stomach | 560 | 1.2 | 7.2 | 4.0 | 0.20 | 0.47 | 315 | 0.7 | 4.0 | 2.0 | 0.11 | 0.22 | C16 |
| Small intestine | 288 | 0.6 | 3.7 | 2.2 | 0.14 | 0.25 | 242 | 0.6 | 3.1 | 1.6 | 0.10 | 0.19 | C17 |
| Colon | 2801 | 6.2 | 36.1 | 19.9 | 1.02 | 2.21 | 2991 | 7.0 | 38.1 | 16.8 | 0.84 | 1.75 | C18 |
| Rectum | 1340 | 2.9 | 17.3 | 10.6 | 0.70 | 1.27 | 857 | 2.0 | 10.9 | 6.3 | 0.46 | 0.68 | C19–20 |
| Anus | 120 | 0.3 | 1.5 | 1.0 | 0.07 | 0.11 | 261 | 0.6 | 3.3 | 2.0 | 0.15 | 0.24 | C21 |
| Liver | 936 | 2.1 | 12.1 | 7.0 | 0.46 | 0.86 | 426 | 1.0 | 5.4 | 2.6 | 0.14 | 0.29 | C22 |
| Gallbladder etc. | 262 | 0.6 | 3.4 | 1.8 | 0.09 | 0.20 | 268 | 0.6 | 3.4 | 1.5 | 0.06 | 0.18 | C23–24 |
| Pancreas | 1388 | 3.1 | 17.9 | 9.7 | 0.51 | 1.14 | 1289 | 3.0 | 16.4 | 7.1 | 0.33 | 0.85 | C25 |
| Nose, sinuses etc. | 57 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 45 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 563 | 1.2 | 7.3 | 4.2 | 0.26 | 0.53 | 139 | 0.3 | 1.8 | 1.0 | 0.06 | 0.13 | C32 |
| Trachea, bronchus, and lung | 6555 | 14.4 | 84.6 | 44.4 | 1.97 | 5.51 | 5611 | 13.2 | 71.5 | 33.9 | 1.67 | 4.34 | C33–34 |
| Other thoracic organs | 45 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 31 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 97 | 0.2 | 1.3 | 1.1 | 0.07 | 0.09 | 75 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 2495 | 5.5 | 32.2 | 19.3 | 1.13 | 2.18 | 2075 | 4.9 | 26.4 | 18.4 | 1.35 | 1.83 | C43 |
| Other skin | 200 | 0.4 | 2.6 | 1.3 | 0.06 | 0.12 | 157 | 0.4 | 2.0 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 134 | 0.3 | 1.7 | 0.9 | 0.03 | 0.10 | 46 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 387 | 0.9 | 5.0 | 3.3 | 0.17 | 0.29 | 248 | 0.6 | 3.2 | 2.0 | 0.13 | 0.18 | C47+C49 |
| Breast | 107 | 0.2 | 1.4 | 0.8 | 0.04 | 0.09 | 11567 | 27.2 | 147.4 | 88.0 | 6.04 | 10.34 | C50 |
| Vulva | | | | | | | 359 | 0.8 | 4.6 | 2.3 | 0.15 | 0.25 | C51 |
| Vagina | | | | | | | 68 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 579 | 1.4 | 7.4 | 6.1 | 0.48 | 0.58 | C53 |
| Corpus uteri | | | | | | | 2999 | 7.0 | 38.2 | 22.0 | 1.53 | 2.79 | C54 |
| Uterus unspecified | | | | | | | 75 | 0.2 | 1.0 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 1062 | 2.5 | 13.5 | 7.7 | 0.51 | 0.90 | C56 |
| Other female genital organs | | | | | | | 210 | 0.5 | 2.7 | 1.4 | 0.08 | 0.17 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 83 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 10413 | 22.9 | 134.4 | 75.8 | 4.07 | 10.43 | | | | | | | C61 |
| Testis | 517 | 1.1 | 6.7 | 6.7 | 0.49 | 0.52 | | | | | | | C62 |
| Other male genital organs | 16 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 2092 | 4.6 | 27.0 | 16.9 | 1.09 | 1.95 | 1157 | 2.7 | 14.7 | 8.7 | 0.57 | 1.00 | C64 |
| Renal pelvis | 94 | 0.2 | 1.2 | 0.6 | 0.02 | 0.08 | 80 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 50 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 33 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 3121 | 6.9 | 40.3 | 20.2 | 0.76 | 2.36 | 929 | 2.2 | 11.8 | 5.0 | 0.22 | 0.60 | C67 |
| Other urinary organs | 59 | 0.1 | 0.8 | 0.4 | 0.01 | 0.04 | 25 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 122 | 0.3 | 1.6 | 1.2 | 0.08 | 0.13 | 106 | 0.2 | 1.4 | 0.9 | 0.06 | 0.09 | C69 |
| Brain and nervous system | 690 | 1.5 | 8.9 | 6.7 | 0.42 | 0.66 | 556 | 1.3 | 7.1 | 5.2 | 0.32 | 0.48 | C70–72 |
| Thyroid | 637 | 1.4 | 8.2 | 6.1 | 0.44 | 0.65 | 1688 | 4.0 | 21.5 | 17.9 | 1.41 | 1.67 | C73 |
| Adrenal gland | 26 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 21 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 16 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 268 | 0.6 | 3.5 | 3.0 | 0.21 | 0.26 | 207 | 0.5 | 2.6 | 2.4 | 0.16 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 1873 | 4.1 | 24.2 | 14.2 | 0.75 | 1.56 | 1490 | 3.5 | 19.0 | 9.9 | 0.54 | 1.11 | C82–86,C96 |
| Immunoproliferative diseases | 156 | 0.3 | 2.0 | 1.1 | 0.05 | 0.14 | 138 | 0.3 | 1.8 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 770 | 1.7 | 9.9 | 5.3 | 0.26 | 0.62 | 578 | 1.4 | 7.4 | 3.4 | 0.17 | 0.43 | C90 |
| Lymphoid leukaemia | 1174 | 2.6 | 15.1 | 9.6 | 0.49 | 0.97 | 713 | 1.7 | 9.1 | 5.5 | 0.28 | 0.53 | C91 |
| Myeloid leukaemia | 747 | 1.6 | 9.6 | 5.8 | 0.29 | 0.62 | 535 | 1.3 | 6.8 | 3.8 | 0.22 | 0.37 | C92–94 |
| Leukaemia unspecified | 24 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 31 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 363 | 0.8 | 4.7 | 2.7 | 0.15 | 0.28 | 363 | 0.9 | 4.6 | 2.3 | 0.12 | 0.24 | MPD |
| Myelodysplastic syndromes | 502 | 1.1 | 6.5 | 2.9 | 0.08 | 0.27 | 310 | 0.7 | 4.0 | 1.4 | 0.04 | 0.15 | MPS |
| Other and unspecified | 847 | 1.9 | 10.9 | 5.6 | 0.27 | 0.61 | 873 | 2.0 | 11.1 | 4.6 | 0.19 | 0.49 | O&U |
| All sites | 45682 | | 589.4 | 339.6 | 18.36 | 40.34 | 42751 | | 544.9 | 305.4 | 19.22 | 34.54 | C00–96 |
| All sites except C44 | 45482 | 100.0 | 586.8 | 338.2 | 18.30 | 40.21 | 42594 | 100.0 | 542.9 | 304.4 | 19.16 | 34.44 | C00–96 exc. C44 |

*See note following population pyramid

USA, Kentucky

CONTRIBUTORS

Eric B. Durbin
 Thomas C. Tucker
 Frances E. Ross



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 72.8 | Breast | 91.9 |
| Trachea, bronchus, and lung | 68.5 | Trachea, bronchus, and lung | 51.1 |
| Colon | 24.7 | Corpus uteri | 20.6 |
| Bladder | 22.3 | Colon | 19.9 |
| Melanoma of skin | 21.8 | Thyroid | 19.3 |
| Kidney | 19.0 | Melanoma of skin | 17.4 |
| Non-Hodgkin lymphoma | 14.7 | Kidney | 10.8 |
| Rectum | 12.7 | Non-Hodgkin lymphoma | 10.1 |
| Pancreas | 9.7 | Cervix uteri | 7.7 |
| Liver | 9.4 | Rectum | 7.5 |
| Lymphoid leukaemia | 9.0 | Pancreas | 7.4 |
| Brain and nervous system | 7.4 | Ovary | 7.3 |
| Other and unspecified | 6.6 | Bladder | 6.0 |
| Thyroid | 6.5 | Brain and nervous system | 5.5 |
| Oesophagus | 6.2 | Lymphoid leukaemia | 5.4 |
| Myeloid leukaemia | 6.2 | Other and unspecified | 5.2 |
| Larynx | 6.1 | Myeloid leukaemia | 4.4 |
| Multiple myeloma | 5.8 | Multiple myeloma | 3.4 |
| Stomach | 5.6 | Stomach | 3.2 |
| Testis | 5.3 | Liver | 3.2 |
| All sites | 384.1 | All sites | 342.2 |


USA, Kentucky (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 203 | 0.3 | 1.9 | 1.1 | 0.06 | 0.12 | 61 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 785 | 1.1 | 7.2 | 4.5 | 0.33 | 0.56 | 312 | 0.5 | 2.8 | 1.7 | 0.12 | 0.19 | C01–02 |
| Mouth | 376 | 0.5 | 3.4 | 2.1 | 0.13 | 0.25 | 257 | 0.4 | 2.3 | 1.2 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 179 | 0.3 | 1.6 | 1.0 | 0.05 | 0.10 | 137 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 685 | 1.0 | 6.3 | 4.1 | 0.35 | 0.51 | 159 | 0.2 | 1.4 | 0.9 | 0.07 | 0.10 | C09 |
| Other oropharynx | 127 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 32 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 94 | 0.1 | 0.9 | 0.6 | 0.04 | 0.07 | 33 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 146 | 0.2 | 1.3 | 0.8 | 0.06 | 0.10 | 34 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 142 | 0.2 | 1.3 | 0.8 | 0.06 | 0.10 | 40 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 1143 | 1.6 | 10.5 | 6.2 | 0.38 | 0.79 | 270 | 0.4 | 2.4 | 1.2 | 0.08 | 0.15 | C15 |
| Stomach | 1052 | 1.5 | 9.6 | 5.6 | 0.31 | 0.66 | 709 | 1.1 | 6.3 | 3.2 | 0.18 | 0.40 | C16 |
| Small intestine | 418 | 0.6 | 3.8 | 2.4 | 0.15 | 0.27 | 398 | 0.6 | 3.5 | 2.1 | 0.13 | 0.24 | C17 |
| Colon | 4548 | 6.5 | 41.7 | 24.7 | 1.38 | 2.85 | 4404 | 6.6 | 39.2 | 19.9 | 1.10 | 2.23 | C18 |
| Rectum | 2216 | 3.2 | 20.3 | 12.7 | 0.85 | 1.47 | 1456 | 2.2 | 13.0 | 7.5 | 0.54 | 0.85 | C19–20 |
| Anus | 210 | 0.3 | 1.9 | 1.3 | 0.10 | 0.14 | 429 | 0.6 | 3.8 | 2.3 | 0.17 | 0.27 | C21 |
| Liver | 1700 | 2.4 | 15.6 | 9.4 | 0.66 | 1.16 | 678 | 1.0 | 6.0 | 3.2 | 0.19 | 0.38 | C22 |
| Gallbladder etc. | 343 | 0.5 | 3.1 | 1.8 | 0.08 | 0.21 | 407 | 0.6 | 3.6 | 1.7 | 0.08 | 0.19 | C23–24 |
| Pancreas | 1858 | 2.7 | 17.0 | 9.7 | 0.52 | 1.17 | 1745 | 2.6 | 15.5 | 7.4 | 0.38 | 0.86 | C25 |
| Nose, sinuses etc. | 126 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 77 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 1091 | 1.6 | 10.0 | 6.1 | 0.38 | 0.75 | 377 | 0.6 | 3.4 | 2.0 | 0.14 | 0.25 | C32 |
| Trachea, bronchus, and lung | 13333 | 19.1 | 122.3 | 68.5 | 3.30 | 8.64 | 11460 | 17.1 | 102.0 | 51.1 | 2.68 | 6.59 | C33–34 |
| Other thoracic organs | 52 | 0.1 | 0.5 | 0.4 | 0.02 | 0.03 | 38 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C37–38 |
| Bone | 152 | 0.2 | 1.4 | 1.2 | 0.07 | 0.10 | 123 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 3921 | 5.6 | 36.0 | 21.8 | 1.23 | 2.45 | 2953 | 4.4 | 26.3 | 17.4 | 1.26 | 1.81 | C43 |
| Other skin | 272 | 0.4 | 2.5 | 1.5 | 0.07 | 0.16 | 189 | 0.3 | 1.7 | 1.0 | 0.06 | 0.11 | C44 |
| Mesothelioma | 140 | 0.2 | 1.3 | 0.6 | 0.02 | 0.07 | 38 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 28 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 486 | 0.7 | 4.5 | 3.1 | 0.18 | 0.31 | 308 | 0.5 | 2.7 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 118 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 17488 | 26.1 | 155.7 | 91.9 | 6.30 | 10.85 | C50 |
| Vulva | | | | | | | 593 | 0.9 | 5.3 | 3.0 | 0.20 | 0.33 | C51 |
| Vagina | | | | | | | 145 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | C52 |
| Cervix uteri | | | | | | | 1087 | 1.6 | 9.7 | 7.7 | 0.62 | 0.74 | C53 |
| Corpus uteri | | | | | | | 3785 | 5.7 | 33.7 | 20.6 | 1.56 | 2.48 | C54 |
| Uterus unspecified | | | | | | | 84 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 1380 | 2.1 | 12.3 | 7.3 | 0.47 | 0.79 | C56 |
| Other female genital organs | | | | | | | 264 | 0.4 | 2.4 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 178 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | | | | | | | C60 |
| Prostate | 13664 | 19.6 | 125.3 | 72.8 | 4.04 | 9.84 | | | | | | | C61 |
| Testis | 595 | 0.9 | 5.5 | 5.3 | 0.40 | 0.41 | | | | | | | C62 |
| Other male genital organs | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 3231 | 4.6 | 29.6 | 19.0 | 1.25 | 2.24 | 2000 | 3.0 | 17.8 | 10.8 | 0.73 | 1.23 | C64 |
| Renal pelvis | 147 | 0.2 | 1.3 | 0.7 | 0.03 | 0.09 | 107 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 99 | 0.1 | 0.9 | 0.5 | 0.01 | 0.06 | 71 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 4493 | 6.4 | 41.2 | 22.3 | 0.91 | 2.58 | 1440 | 2.2 | 12.8 | 6.0 | 0.27 | 0.71 | C67 |
| Other urinary organs | 74 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 22 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 179 | 0.3 | 1.6 | 1.1 | 0.07 | 0.12 | 121 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 1021 | 1.5 | 9.4 | 7.4 | 0.46 | 0.69 | 827 | 1.2 | 7.4 | 5.5 | 0.33 | 0.51 | C70–72 |
| Thyroid | 973 | 1.4 | 8.9 | 6.5 | 0.48 | 0.70 | 2743 | 4.1 | 24.4 | 19.3 | 1.50 | 1.88 | C73 |
| Adrenal gland | 45 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | 32 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 331 | 0.5 | 3.0 | 2.6 | 0.19 | 0.22 | 247 | 0.4 | 2.2 | 2.1 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 2586 | 3.7 | 23.7 | 14.7 | 0.78 | 1.61 | 2121 | 3.2 | 18.9 | 10.1 | 0.56 | 1.11 | C82–86,C96 |
| Immunoproliferative diseases | 186 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 193 | 0.3 | 1.7 | 1.0 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 1108 | 1.6 | 10.2 | 5.8 | 0.28 | 0.68 | 779 | 1.2 | 6.9 | 3.4 | 0.17 | 0.40 | C90 |
| Lymphoid leukaemia | 1457 | 2.1 | 13.4 | 9.0 | 0.47 | 0.91 | 1006 | 1.5 | 9.0 | 5.4 | 0.30 | 0.54 | C91 |
| Myeloid leukaemia | 1051 | 1.5 | 9.6 | 6.2 | 0.33 | 0.65 | 840 | 1.3 | 7.5 | 4.4 | 0.26 | 0.44 | C92–94 |
| Leukaemia unspecified | 50 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 56 | 0.1 | 0.5 | 0.2 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 518 | 0.7 | 4.8 | 2.8 | 0.17 | 0.33 | 587 | 0.9 | 5.2 | 2.9 | 0.16 | 0.33 | MPD |
| Myelodysplastic syndromes | 726 | 1.0 | 6.7 | 3.4 | 0.10 | 0.33 | 609 | 0.9 | 5.4 | 2.2 | 0.07 | 0.23 | MPS |
| Other and unspecified | 1297 | 1.9 | 11.9 | 6.6 | 0.32 | 0.73 | 1299 | 1.9 | 11.6 | 5.2 | 0.23 | 0.56 | O&U |
| All sites | 69981 | | 641.8 | 384.1 | 21.37 | 45.85 | 67069 | | 597.2 | 342.2 | 21.79 | 39.16 | C00–96 |
| All sites except C44 | 69709 | 100.0 | 639.3 | 382.6 | 21.30 | 45.70 | 66880 | 100.0 | 595.5 | 341.2 | 21.73 | 39.05 | C00–96 exc. C44 |

USA, Louisiana

CONTRIBUTORS


Mei-Chin Hsieh
 Lauren S. Maniscalco
 Xiao-Cheng Wu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 92.8 | Breast | 91.0 |
| Trachea, bronchus, and lung | 52.0 | Trachea, bronchus, and lung | 34.7 |
| Colon | 23.3 | Colon | 18.5 |
| Kidney | 20.4 | Thyroid | 17.0 |
| Bladder | 18.9 | Corpus uteri | 14.9 |
| Melanoma of skin | 15.5 | Kidney | 10.9 |
| Non-Hodgkin lymphoma | 13.9 | Melanoma of skin | 9.7 |
| Liver | 12.4 | Non-Hodgkin lymphoma | 9.4 |
| Rectum | 12.4 | Rectum | 7.8 |
| Pancreas | 10.2 | Pancreas | 7.7 |
| Lymphoid leukaemia | 7.4 | Cervix uteri | 7.2 |
| Other and unspecified | 7.1 | Ovary | 6.9 |
| Stomach | 6.5 | Other and unspecified | 5.6 |
| Multiple myeloma | 6.2 | Lymphoid leukaemia | 4.5 |
| Larynx | 5.9 | Bladder | 4.5 |
| Brain and nervous system | 5.8 | Multiple myeloma | 4.3 |
| Thyroid | 5.6 | Brain and nervous system | 4.1 |
| Myeloid leukaemia | 5.5 | Myeloid leukaemia | 4.0 |
| Oesophagus | 5.2 | Liver | 3.2 |
| Tongue | 4.5 | Stomach | 3.1 |
| All sites | 374.9 | All sites | 300.3 |


USA, Louisiana: Black (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

United States Census Bureau population estimates for 2013–2017 are a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the National Cancer Institute. The population estimates incorporate bridged single-race estimates derived from the original multiple-race categories in the 2010 census. These bridged estimates are consistent with the four race groups enumerated in the 1990 census and were produced under a collaborative arrangement between the National Center for Health Statistics and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990–2000 intercensal estimates and is described on the Census Bureau website.

USA, Louisiana: White (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

United States Census Bureau population estimates for 2013–2017 are a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the National Cancer Institute. The population estimates incorporate bridged single-race estimates derived from the original multiple-race categories in the 2010 census. These bridged estimates are consistent with the four race groups enumerated in the 1990 census and were produced under a collaborative arrangement between the National Center for Health Statistics and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990–2000 intercensal estimates and is described on the Census Bureau website.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 130.8 |
| Trachea, bronchus, and lung | 64.2 |
| Colon | 28.8 |
| Kidney | 19.8 |
| Liver | 18.1 |
| Rectum | 14.3 |
| Pancreas | 11.8 |
| Bladder | 11.0 |
| Non-Hodgkin lymphoma | 10.8 |
| Multiple myeloma | 10.5 |
| All sites | 413.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 98.4 |
| Trachea, bronchus, and lung | 30.6 |
| Colon | 22.8 |
| Corpus uteri | 16.0 |
| Thyroid | 11.6 |
| Kidney | 10.9 |
| Pancreas | 9.2 |
| Rectum | 8.9 |
| Cervix uteri | 8.4 |
| Non-Hodgkin lymphoma | 7.6 |
| All sites | 298.4 |

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 80.6 |
| Trachea, bronchus, and lung | 48.3 |
| Bladder | 21.8 |
| Colon | 21.6 |
| Melanoma of skin | 21.3 |
| Kidney | 21.1 |
| Non-Hodgkin lymphoma | 15.1 |
| Rectum | 11.7 |
| Liver | 10.1 |
| Pancreas | 9.7 |
| All sites | 366.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 89.0 |
| Trachea, bronchus, and lung | 36.9 |
| Thyroid | 19.9 |
| Colon | 17.1 |
| Corpus uteri | 14.8 |
| Melanoma of skin | 14.5 |
| Kidney | 11.1 |
| Non-Hodgkin lymphoma | 10.1 |
| Rectum | 7.3 |
| Pancreas | 7.2 |
| All sites | 306.6 |

USA, Louisiana (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 155 | 0.2 | 1.4 | 0.8 | 0.04 | 0.10 | 35 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 777 | 1.2 | 6.8 | 4.5 | 0.32 | 0.54 | 294 | 0.5 | 2.5 | 1.5 | 0.11 | 0.18 | C01–02 |
| Mouth | 405 | 0.6 | 3.6 | 2.3 | 0.16 | 0.27 | 259 | 0.4 | 2.2 | 1.2 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 174 | 0.3 | 1.5 | 1.0 | 0.05 | 0.10 | 132 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 564 | 0.8 | 5.0 | 3.4 | 0.28 | 0.41 | 101 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 124 | 0.2 | 1.1 | 0.7 | 0.06 | 0.09 | 55 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C10 |
| Nasopharynx | 113 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | 30 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 157 | 0.2 | 1.4 | 0.9 | 0.06 | 0.12 | 44 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 97 | 0.1 | 0.9 | 0.6 | 0.04 | 0.08 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 955 | 1.4 | 8.4 | 5.2 | 0.31 | 0.67 | 256 | 0.4 | 2.2 | 1.2 | 0.07 | 0.15 | C15 |
| Stomach | 1196 | 1.8 | 10.5 | 6.5 | 0.38 | 0.76 | 670 | 1.1 | 5.6 | 3.1 | 0.17 | 0.36 | C16 |
| Small intestine | 433 | 0.6 | 3.8 | 2.5 | 0.16 | 0.31 | 424 | 0.7 | 3.6 | 2.1 | 0.12 | 0.26 | C17 |
| Colon | 4247 | 6.3 | 37.3 | 23.3 | 1.28 | 2.77 | 3979 | 6.7 | 33.5 | 18.5 | 1.06 | 2.12 | C18 |
| Rectum | 2126 | 3.2 | 18.7 | 12.4 | 0.88 | 1.45 | 1461 | 2.5 | 12.3 | 7.8 | 0.58 | 0.89 | C19–20 |
| Anus | 211 | 0.3 | 1.9 | 1.3 | 0.10 | 0.14 | 294 | 0.5 | 2.5 | 1.5 | 0.11 | 0.18 | C21 |
| Liver | 2198 | 3.3 | 19.3 | 12.4 | 0.95 | 1.58 | 663 | 1.1 | 5.6 | 3.2 | 0.20 | 0.39 | C22 |
| Gallbladder etc. | 331 | 0.5 | 2.9 | 1.7 | 0.09 | 0.20 | 409 | 0.7 | 3.4 | 1.8 | 0.11 | 0.22 | C23–24 |
| Pancreas | 1923 | 2.9 | 16.9 | 10.2 | 0.51 | 1.23 | 1811 | 3.1 | 15.2 | 7.7 | 0.39 | 0.90 | C25 |
| Nose, sinuses etc. | 109 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 77 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 1052 | 1.6 | 9.2 | 5.9 | 0.39 | 0.73 | 303 | 0.5 | 2.5 | 1.5 | 0.12 | 0.19 | C32 |
| Trachea, bronchus, and lung | 9929 | 14.8 | 87.2 | 52.0 | 2.53 | 6.56 | 7848 | 13.3 | 66.0 | 34.7 | 1.80 | 4.40 | C33–34 |
| Other thoracic organs | 54 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 44 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 109 | 0.2 | 1.0 | 0.9 | 0.06 | 0.08 | 104 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 2775 | 4.1 | 24.4 | 15.5 | 0.84 | 1.74 | 1692 | 2.9 | 14.2 | 9.7 | 0.69 | 1.01 | C43 |
| Other skin | 288 | 0.4 | 2.5 | 1.6 | 0.08 | 0.16 | 222 | 0.4 | 1.9 | 1.2 | 0.07 | 0.12 | C44 |
| Mesothelioma | 240 | 0.4 | 2.1 | 1.2 | 0.04 | 0.15 | 93 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 99 | 0.1 | 0.9 | 0.7 | 0.05 | 0.06 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 556 | 0.8 | 4.9 | 3.3 | 0.18 | 0.32 | 370 | 0.6 | 3.1 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 160 | 0.2 | 1.4 | 0.9 | 0.05 | 0.11 | 17390 | 29.4 | 146.2 | 91.0 | 6.29 | 10.67 | C50 |
| Vulva | | | | | | | 409 | 0.7 | 3.4 | 2.0 | 0.13 | 0.22 | C51 |
| Vagina | | | | | | | 124 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 1080 | 1.8 | 9.1 | 7.2 | 0.58 | 0.69 | C53 |
| Corpus uteri | | | | | | | 2855 | 4.8 | 24.0 | 14.9 | 1.07 | 1.87 | C54 |
| Uterus unspecified | | | | | | | 100 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1337 | 2.3 | 11.2 | 6.9 | 0.44 | 0.78 | C56 |
| Other female genital organs | | | | | | | 165 | 0.3 | 1.4 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 16975 | 25.3 | 149.1 | 92.8 | 5.24 | 12.70 | | | | | | | C61 |
| Testis | 510 | 0.8 | 4.5 | 4.2 | 0.32 | 0.33 | | | | | | | C62 |
| Other male genital organs | 34 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 3481 | 5.2 | 30.6 | 20.4 | 1.31 | 2.47 | 2125 | 3.6 | 17.9 | 10.9 | 0.69 | 1.28 | C64 |
| Renal pelvis | 130 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 86 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 100 | 0.1 | 0.9 | 0.5 | 0.02 | 0.05 | 54 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 3699 | 5.5 | 32.5 | 18.9 | 0.77 | 2.28 | 1083 | 1.8 | 9.1 | 4.5 | 0.21 | 0.53 | C67 |
| Other urinary organs | 78 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 55 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 96 | 0.1 | 0.8 | 0.6 | 0.04 | 0.06 | 75 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 835 | 1.2 | 7.3 | 5.8 | 0.35 | 0.55 | 649 | 1.1 | 5.5 | 4.1 | 0.24 | 0.39 | C70–72 |
| Thyroid | 873 | 1.3 | 7.7 | 5.6 | 0.41 | 0.62 | 2598 | 4.4 | 21.8 | 17.0 | 1.33 | 1.69 | C73 |
| Adrenal gland | 38 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 35 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 18 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 355 | 0.5 | 3.1 | 2.8 | 0.20 | 0.24 | 299 | 0.5 | 2.5 | 2.2 | 0.15 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 2438 | 3.6 | 21.4 | 13.9 | 0.77 | 1.53 | 1962 | 3.3 | 16.5 | 9.4 | 0.51 | 1.04 | C82–86,C96 |
| Immunoproliferative diseases | 164 | 0.2 | 1.4 | 0.9 | 0.05 | 0.11 | 170 | 0.3 | 1.4 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 1168 | 1.7 | 10.3 | 6.2 | 0.30 | 0.74 | 962 | 1.6 | 8.1 | 4.3 | 0.23 | 0.52 | C90 |
| Lymphoid leukaemia | 1234 | 1.8 | 10.8 | 7.4 | 0.37 | 0.77 | 859 | 1.5 | 7.2 | 4.5 | 0.22 | 0.46 | C91 |
| Myeloid leukaemia | 924 | 1.4 | 8.1 | 5.5 | 0.29 | 0.56 | 752 | 1.3 | 6.3 | 4.0 | 0.23 | 0.40 | C92–94 |
| Leukaemia unspecified | 50 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 41 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 542 | 0.8 | 4.8 | 3.1 | 0.18 | 0.33 | 535 | 0.9 | 4.5 | 2.5 | 0.14 | 0.28 | MPD |
| Myelodysplastic syndromes | 606 | 0.9 | 5.3 | 2.8 | 0.08 | 0.28 | 465 | 0.8 | 3.9 | 1.7 | 0.06 | 0.17 | MPS |
| Other and unspecified | 1345 | 2.0 | 11.8 | 7.1 | 0.37 | 0.81 | 1299 | 2.2 | 10.9 | 5.6 | 0.30 | 0.63 | O&U |
| All sites | 67400 | | 591.8 | 374.9 | 21.19 | 45.66 | 59294 | | 498.5 | 300.3 | 19.16 | 34.47 | C00–96 |
| All sites except C44 | 67112 | 100.0 | 589.3 | 373.3 | 21.11 | 45.49 | 59072 | 100.0 | 496.7 | 299.1 | 19.09 | 34.35 | C00–96 exc. C44 |

USA, Louisiana: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 137 | 0.7 | 3.7 | 3.0 | 0.24 | 0.35 | 45 | 0.3 | 1.1 | 0.8 | 0.06 | 0.08 | C01–02 |
| Mouth | 123 | 0.7 | 3.3 | 2.7 | 0.21 | 0.35 | 53 | 0.3 | 1.3 | 0.9 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 37 | 0.2 | 1.0 | 0.9 | 0.06 | 0.10 | 44 | 0.3 | 1.1 | 0.8 | 0.06 | 0.09 | C07–08 |
| Tonsil | 105 | 0.6 | 2.9 | 2.4 | 0.18 | 0.28 | 16 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C09 |
| Other oropharynx | 40 | 0.2 | 1.1 | 0.9 | 0.06 | 0.12 | 17 | 0.1 | 0.4 | 0.3 | 0.03 | 0.04 | C10 |
| Nasopharynx | 35 | 0.2 | 1.0 | 0.8 | 0.06 | 0.09 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 61 | 0.3 | 1.7 | 1.3 | 0.10 | 0.18 | 18 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 24 | 0.1 | 0.7 | 0.5 | 0.03 | 0.07 | 9 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 238 | 1.3 | 6.5 | 5.2 | 0.29 | 0.68 | 97 | 0.6 | 2.4 | 1.6 | 0.09 | 0.21 | C15 |
| Stomach | 460 | 2.5 | 12.5 | 10.0 | 0.59 | 1.17 | 305 | 1.8 | 7.5 | 5.0 | 0.28 | 0.58 | C16 |
| Small intestine | 146 | 0.8 | 4.0 | 3.3 | 0.19 | 0.44 | 179 | 1.1 | 4.4 | 3.1 | 0.20 | 0.38 | C17 |
| Colon | 1317 | 7.0 | 35.8 | 28.8 | 1.65 | 3.56 | 1346 | 8.0 | 33.2 | 22.8 | 1.34 | 2.75 | C18 |
| Rectum | 646 | 3.5 | 17.6 | 14.3 | 1.01 | 1.69 | 495 | 2.9 | 12.2 | 8.9 | 0.69 | 1.02 | C19–20 |
| Anus | 60 | 0.3 | 1.6 | 1.4 | 0.11 | 0.14 | 56 | 0.3 | 1.4 | 1.0 | 0.05 | 0.12 | C21 |
| Liver | 838 | 4.5 | 22.8 | 18.1 | 1.41 | 2.38 | 209 | 1.2 | 5.2 | 3.6 | 0.26 | 0.44 | C22 |
| Gallbladder etc. | 100 | 0.5 | 2.7 | 2.2 | 0.11 | 0.29 | 144 | 0.9 | 3.6 | 2.4 | 0.15 | 0.29 | C23–24 |
| Pancreas | 539 | 2.9 | 14.7 | 11.8 | 0.65 | 1.41 | 582 | 3.5 | 14.4 | 9.2 | 0.47 | 1.07 | C25 |
| Nose, sinuses etc. | 26 | 0.1 | 0.7 | 0.6 | 0.04 | 0.07 | 13 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 384 | 2.1 | 10.5 | 8.4 | 0.52 | 1.09 | 87 | 0.5 | 2.1 | 1.5 | 0.12 | 0.17 | C32 |
| Trachea, bronchus, and lung | 2987 | 16.0 | 81.3 | 64.2 | 3.32 | 8.17 | 1893 | 11.2 | 46.7 | 30.6 | 1.65 | 3.85 | C33–34 |
| Other thoracic organs | 24 | 0.1 | 0.7 | 0.5 | 0.04 | 0.06 | 17 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 27 | 0.1 | 0.7 | 0.7 | 0.05 | 0.06 | 28 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 29 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 39 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | C43 |
| Other skin | 57 | 0.3 | 1.6 | 1.4 | 0.09 | 0.14 | 59 | 0.4 | 1.5 | 1.2 | 0.08 | 0.13 | C44 |
| Mesothelioma | 46 | 0.2 | 1.3 | 1.0 | 0.03 | 0.12 | 20 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C45 |
| Kaposi sarcoma | 55 | 0.3 | 1.5 | 1.4 | 0.10 | 0.10 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 93 | 0.5 | 2.5 | 2.3 | 0.13 | 0.22 | 107 | 0.6 | 2.6 | 2.2 | 0.13 | 0.22 | C47+C49 |
| Breast | 59 | 0.3 | 1.6 | 1.3 | 0.07 | 0.16 | 5422 | 32.2 | 133.9 | 98.4 | 6.86 | 11.47 | C50 |
| Vulva | | | | | | | 94 | 0.6 | 2.3 | 1.6 | 0.12 | 0.16 | C51 |
| Vagina | | | | | | | 34 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 418 | 2.5 | 10.3 | 8.4 | 0.64 | 0.85 | C53 |
| Corpus uteri | | | | | | | 912 | 5.4 | 22.5 | 16.0 | 1.11 | 2.05 | C54 |
| Uterus unspecified | | | | | | | 58 | 0.3 | 1.4 | 1.0 | 0.05 | 0.14 | C55 |
| Ovary | | | | | | | 359 | 2.1 | 8.9 | 6.6 | 0.42 | 0.78 | C56 |
| Other female genital organs | | | | | | | 44 | 0.3 | 1.1 | 0.7 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 55 | 0.3 | 1.5 | 1.3 | 0.07 | 0.16 | | | | | | | C60 |
| Prostate | 5996 | 32.1 | 163.2 | 130.8 | 7.66 | 18.03 | | | | | | | C61 |
| Testis | 55 | 0.3 | 1.5 | 1.4 | 0.12 | 0.12 | | | | | | | C62 |
| Other male genital organs | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 875 | 4.7 | 23.8 | 19.8 | 1.31 | 2.38 | 603 | 3.6 | 14.9 | 10.9 | 0.70 | 1.27 | C64 |
| Renal pelvis | 19 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 12 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 508 | 2.7 | 13.8 | 11.0 | 0.49 | 1.41 | 237 | 1.4 | 5.9 | 3.5 | 0.14 | 0.37 | C67 |
| Other urinary organs | 18 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 21 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C68 |
| Eye | 8 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 9 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 145 | 0.8 | 3.9 | 3.7 | 0.23 | 0.33 | 115 | 0.7 | 2.8 | 2.5 | 0.13 | 0.22 | C70–72 |
| Thyroid | 142 | 0.8 | 3.9 | 3.3 | 0.25 | 0.35 | 573 | 3.4 | 14.1 | 11.6 | 0.91 | 1.20 | C73 |
| Adrenal gland | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 13 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 113 | 0.6 | 3.1 | 2.9 | 0.21 | 0.25 | 86 | 0.5 | 2.1 | 1.9 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 477 | 2.6 | 13.0 | 10.8 | 0.73 | 1.18 | 417 | 2.5 | 10.3 | 7.6 | 0.46 | 0.84 | C82–86,C96 |
| Immunoproliferative diseases | 42 | 0.2 | 1.1 | 1.0 | 0.06 | 0.12 | 42 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | C88 |
| Multiple myeloma | 476 | 2.5 | 13.0 | 10.5 | 0.47 | 1.32 | 468 | 2.8 | 11.6 | 7.6 | 0.39 | 0.93 | C90 |
| Lymphoid leukaemia | 254 | 1.4 | 6.9 | 6.0 | 0.31 | 0.63 | 170 | 1.0 | 4.2 | 3.2 | 0.16 | 0.36 | C91 |
| Myeloid leukaemia | 214 | 1.1 | 5.8 | 5.0 | 0.32 | 0.52 | 209 | 1.2 | 5.2 | 3.9 | 0.24 | 0.36 | C92–94 |
| Leukaemia unspecified | 14 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 15 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 118 | 0.6 | 3.2 | 2.6 | 0.14 | 0.30 | 133 | 0.8 | 3.3 | 2.2 | 0.12 | 0.24 | MPD |
| Myelodysplastic syndromes | 100 | 0.5 | 2.7 | 2.1 | 0.06 | 0.22 | 100 | 0.6 | 2.5 | 1.5 | 0.06 | 0.15 | MPS |
| Other and unspecified | 408 | 2.2 | 11.1 | 8.8 | 0.48 | 0.99 | 435 | 2.6 | 10.7 | 6.9 | 0.38 | 0.78 | O&U |
| All sites | 18760 | | 510.5 | 413.2 | 24.39 | 52.09 | 16907 | | 417.4 | 298.4 | 19.21 | 34.62 | C00–96 |
| All sites except C44 | 18703 | 100.0 | 509.0 | 411.8 | 24.29 | 51.95 | 16848 | 100.0 | 416.0 | 297.2 | 19.14 | 34.49 | C00–96 exc. C44 |


USA, Louisiana: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 150 | 0.3 | 2.0 | 1.1 | 0.06 | 0.13 | 35 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 635 | 1.3 | 8.6 | 5.1 | 0.36 | 0.62 | 246 | 0.6 | 3.3 | 1.9 | 0.13 | 0.22 | C01–02 |
| Mouth | 276 | 0.6 | 3.7 | 2.1 | 0.15 | 0.25 | 198 | 0.5 | 2.6 | 1.3 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 135 | 0.3 | 1.8 | 1.0 | 0.05 | 0.11 | 87 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 455 | 1.0 | 6.2 | 3.9 | 0.33 | 0.47 | 83 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 84 | 0.2 | 1.1 | 0.7 | 0.06 | 0.09 | 38 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C10 |
| Nasopharynx | 71 | 0.1 | 1.0 | 0.6 | 0.05 | 0.07 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 96 | 0.2 | 1.3 | 0.7 | 0.04 | 0.10 | 26 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 73 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 708 | 1.5 | 9.6 | 5.3 | 0.32 | 0.68 | 158 | 0.4 | 2.1 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 709 | 1.5 | 9.6 | 5.3 | 0.29 | 0.61 | 354 | 0.9 | 4.7 | 2.3 | 0.12 | 0.27 | C16 |
| Small intestine | 282 | 0.6 | 3.8 | 2.3 | 0.15 | 0.27 | 243 | 0.6 | 3.2 | 1.7 | 0.09 | 0.21 | C17 |
| Colon | 2878 | 6.0 | 38.9 | 21.6 | 1.15 | 2.52 | 2597 | 6.3 | 34.5 | 17.1 | 0.95 | 1.90 | C18 |
| Rectum | 1440 | 3.0 | 19.5 | 11.7 | 0.83 | 1.36 | 941 | 2.3 | 12.5 | 7.3 | 0.53 | 0.84 | C19–20 |
| Anus | 150 | 0.3 | 2.0 | 1.2 | 0.09 | 0.14 | 238 | 0.6 | 3.2 | 1.8 | 0.14 | 0.22 | C21 |
| Liver | 1285 | 2.7 | 17.4 | 10.1 | 0.74 | 1.25 | 432 | 1.0 | 5.7 | 2.9 | 0.18 | 0.35 | C22 |
| Gallbladder etc. | 225 | 0.5 | 3.0 | 1.6 | 0.08 | 0.18 | 252 | 0.6 | 3.4 | 1.5 | 0.09 | 0.19 | C23–24 |
| Pancreas | 1368 | 2.9 | 18.5 | 9.7 | 0.46 | 1.17 | 1209 | 2.9 | 16.1 | 7.2 | 0.36 | 0.84 | C25 |
| Nose, sinuses etc. | 83 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 62 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 664 | 1.4 | 9.0 | 5.2 | 0.36 | 0.63 | 215 | 0.5 | 2.9 | 1.6 | 0.12 | 0.20 | C32 |
| Trachea, bronchus, and lung | 6854 | 14.4 | 92.7 | 48.3 | 2.25 | 6.09 | 5892 | 14.2 | 78.4 | 36.9 | 1.91 | 4.70 | C33–34 |
| Other thoracic organs | 30 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 27 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 78 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | 74 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 2737 | 5.7 | 37.0 | 21.3 | 1.21 | 2.41 | 1647 | 4.0 | 21.9 | 14.5 | 1.06 | 1.49 | C43 |
| Other skin | 226 | 0.5 | 3.1 | 1.6 | 0.07 | 0.17 | 159 | 0.4 | 2.1 | 1.1 | 0.07 | 0.11 | C44 |
| Mesothelioma | 193 | 0.4 | 2.6 | 1.3 | 0.04 | 0.16 | 73 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 44 | 0.1 | 0.6 | 0.4 | 0.04 | 0.04 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 456 | 1.0 | 6.2 | 3.7 | 0.20 | 0.36 | 256 | 0.6 | 3.4 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 98 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | 11778 | 28.4 | 156.6 | 89.0 | 6.10 | 10.48 | C50 |
| Vulva | | | | | | | 308 | 0.7 | 4.1 | 2.2 | 0.14 | 0.24 | C51 |
| Vagina | | | | | | | 87 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 641 | 1.5 | 8.5 | 6.7 | 0.56 | 0.64 | C53 |
| Corpus uteri | | | | | | | 1902 | 4.6 | 25.3 | 14.8 | 1.07 | 1.82 | C54 |
| Uterus unspecified | | | | | | | 41 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 961 | 2.3 | 12.8 | 7.1 | 0.45 | 0.80 | C56 |
| Other female genital organs | | | | | | | 121 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 93 | 0.2 | 1.3 | 0.6 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 10831 | 22.7 | 146.5 | 80.6 | 4.37 | 11.02 | | | | | | | C61 |
| Testis | 449 | 0.9 | 6.1 | 5.7 | 0.44 | 0.44 | | | | | | | C62 |
| Other male genital organs | 26 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2576 | 5.4 | 34.8 | 21.1 | 1.35 | 2.56 | 1505 | 3.6 | 20.0 | 11.1 | 0.71 | 1.31 | C64 |
| Renal pelvis | 111 | 0.2 | 1.5 | 0.7 | 0.03 | 0.08 | 74 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 95 | 0.2 | 1.3 | 0.6 | 0.02 | 0.07 | 47 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 3164 | 6.6 | 42.8 | 21.8 | 0.90 | 2.62 | 837 | 2.0 | 11.1 | 5.0 | 0.24 | 0.60 | C67 |
| Other urinary organs | 60 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 34 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 87 | 0.2 | 1.2 | 0.8 | 0.04 | 0.08 | 65 | 0.2 | 0.9 | 0.7 | 0.05 | 0.06 | C69 |
| Brain and nervous system | 681 | 1.4 | 9.2 | 6.8 | 0.42 | 0.65 | 523 | 1.3 | 7.0 | 5.0 | 0.30 | 0.47 | C70–72 |
| Thyroid | 710 | 1.5 | 9.6 | 6.6 | 0.48 | 0.72 | 1963 | 4.7 | 26.1 | 19.9 | 1.56 | 1.95 | C73 |
| Adrenal gland | 28 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 22 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 11 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 236 | 0.5 | 3.2 | 2.8 | 0.20 | 0.24 | 207 | 0.5 | 2.8 | 2.4 | 0.17 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 1931 | 4.0 | 26.1 | 15.1 | 0.81 | 1.67 | 1514 | 3.6 | 20.1 | 10.1 | 0.54 | 1.12 | C82–86,C96 |
| Immunoproliferative diseases | 121 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | 124 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 683 | 1.4 | 9.2 | 4.8 | 0.23 | 0.56 | 483 | 1.2 | 6.4 | 3.0 | 0.15 | 0.36 | C90 |
| Lymphoid leukaemia | 971 | 2.0 | 13.1 | 8.2 | 0.41 | 0.83 | 682 | 1.6 | 9.1 | 5.3 | 0.26 | 0.52 | C91 |
| Myeloid leukaemia | 699 | 1.5 | 9.5 | 5.6 | 0.28 | 0.58 | 534 | 1.3 | 7.1 | 4.0 | 0.23 | 0.42 | C92–94 |
| Leukaemia unspecified | 34 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 26 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 420 | 0.9 | 5.7 | 3.4 | 0.20 | 0.35 | 397 | 1.0 | 5.3 | 2.7 | 0.16 | 0.30 | MPD |
| Myelodysplastic syndromes | 499 | 1.0 | 6.7 | 3.1 | 0.08 | 0.30 | 361 | 0.9 | 4.8 | 1.9 | 0.06 | 0.18 | MPS |
| Other and unspecified | 918 | 1.9 | 12.4 | 6.5 | 0.32 | 0.75 | 853 | 2.1 | 11.3 | 5.1 | 0.26 | 0.58 | O&U |
| All sites | 47917 | | 648.2 | 366.7 | 20.32 | 44.06 | 41686 | | 554.4 | 306.6 | 19.53 | 34.99 | C00–96 |
| All sites except C44 | 47691 | 100.0 | 645.1 | 365.1 | 20.24 | 43.89 | 41527 | 100.0 | 552.3 | 305.5 | 19.46 | 34.88 | C00–96 exc. C44 |

USA, Louisiana, New Orleans

CONTRIBUTORS

Xiao-Cheng Wu
 Vivien Chen
 Mei-Chin Hsieh
 Patricia Andrews
 Brent Mumphrey
 Lauren Maniscalco
 Lisa Pareti
 Christina Lefante
 Diane B. Ferguson
 Sherry Li




NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 93.2 | Breast | 90.6 |
| Trachea, bronchus, and lung | 46.8 | Trachea, bronchus, and lung | 32.0 |
| Colon | 19.6 | Corpus uteri | 15.8 |
| Kidney | 18.2 | Colon | 15.5 |
| Bladder | 17.1 | Thyroid | 14.1 |
| Liver | 16.6 | Kidney | 10.1 |
| Non-Hodgkin lymphoma | 14.2 | Non-Hodgkin lymphoma | 8.9 |
| Rectum | 12.2 | Melanoma of skin | 8.5 |
| Melanoma of skin | 10.8 | Pancreas | 7.5 |
| Pancreas | 10.0 | Cervix uteri | 7.4 |
| Other and unspecified | 7.5 | Ovary | 7.4 |
| Multiple myeloma | 6.9 | Rectum | 6.8 |
| Stomach | 6.3 | Other and unspecified | 6.5 |
| Lymphoid leukaemia | 6.2 | Multiple myeloma | 4.5 |
| Brain and nervous system | 5.5 | Bladder | 4.5 |
| Larynx | 5.5 | Lymphoid leukaemia | 4.1 |
| Myeloid leukaemia | 4.7 | Liver | 4.0 |
| Thyroid | 4.5 | Brain and nervous system | 4.0 |
| Oesophagus | 4.5 | Myeloid leukaemia | 3.8 |
| Tongue | 4.2 | Stomach | 3.3 |
| All sites | 355.1 | All sites | 289.4 |



NOTES ON THE DATA

*No official mortality data.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 126.8 |
| Trachea, bronchus, and lung | 58.2 |
| Colon | 23.4 |
| Liver | 20.9 |
| Kidney | 18.5 |
| Rectum | 14.1 |
| Non-Hodgkin lymphoma | 12.9 |
| Bladder | 12.2 |
| Pancreas | 11.3 |
| Multiple myeloma | 10.5 |
| All sites | 388.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 89.8 |
| Trachea, bronchus, and lung | 29.7 |
| Colon | 18.3 |
| Corpus uteri | 15.3 |
| Kidney | 11.7 |
| Thyroid | 10.2 |
| Rectum | 8.7 |
| Non-Hodgkin lymphoma | 8.4 |
| Pancreas | 8.3 |
| Cervix uteri | 7.7 |
| All sites | 279.9 |



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 75.0 |
| Trachea, bronchus, and lung | 41.3 |
| Bladder | 19.9 |
| Kidney | 18.5 |
| Colon | 17.6 |
| Melanoma of skin | 17.1 |
| Non-Hodgkin lymphoma | 15.3 |
| Liver | 13.3 |
| Rectum | 10.9 |
| Pancreas | 9.2 |
| All sites | 338.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 92.7 |
| Trachea, bronchus, and lung | 34.5 |
| Corpus uteri | 16.3 |
| Thyroid | 16.2 |
| Melanoma of skin | 15.2 |
| Colon | 14.2 |
| Non-Hodgkin lymphoma | 9.4 |
| Kidney | 9.1 |
| Ovary | 8.1 |
| Pancreas | 7.2 |
| All sites | 299.6 |

***USA, Louisiana, New Orleans (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 13 | 0.1 | 0.6 | 0.4 | 0.01 | 0.05 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 139 | 1.2 | 6.6 | 4.2 | 0.31 | 0.51 | 38 | 0.3 | 1.7 | 1.0 | 0.06 | 0.12 | C01–02 |
| Mouth | 77 | 0.6 | 3.7 | 2.3 | 0.16 | 0.24 | 45 | 0.4 | 2.0 | 1.0 | 0.05 | 0.13 | C03–06 |
| Salivary glands | 32 | 0.3 | 1.5 | 1.0 | 0.05 | 0.12 | 28 | 0.3 | 1.2 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 87 | 0.7 | 4.2 | 2.8 | 0.23 | 0.30 | 21 | 0.2 | 0.9 | 0.6 | 0.05 | 0.07 | C09 |
| Other oropharynx | 24 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | 11 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | C10 |
| Nasopharynx | 21 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 25 | 0.2 | 1.2 | 0.7 | 0.06 | 0.09 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 159 | 1.3 | 7.6 | 4.5 | 0.23 | 0.57 | 41 | 0.4 | 1.8 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 216 | 1.8 | 10.3 | 6.3 | 0.38 | 0.74 | 129 | 1.2 | 5.7 | 3.3 | 0.22 | 0.36 | C16 |
| Small intestine | 79 | 0.7 | 3.8 | 2.5 | 0.18 | 0.26 | 96 | 0.9 | 4.3 | 2.6 | 0.15 | 0.33 | C17 |
| Colon | 684 | 5.7 | 32.7 | 19.6 | 1.10 | 2.30 | 656 | 6.0 | 29.2 | 15.5 | 0.90 | 1.74 | C18 |
| Rectum | 395 | 3.3 | 18.9 | 12.2 | 0.85 | 1.41 | 251 | 2.3 | 11.2 | 6.8 | 0.51 | 0.77 | C19–20 |
| Anus | 58 | 0.5 | 2.8 | 1.9 | 0.15 | 0.21 | 46 | 0.4 | 2.0 | 1.2 | 0.07 | 0.14 | C21 |
| Liver | 563 | 4.7 | 26.9 | 16.6 | 1.26 | 2.16 | 162 | 1.5 | 7.2 | 4.0 | 0.23 | 0.47 | C22 |
| Gallbladder etc. | 53 | 0.4 | 2.5 | 1.5 | 0.07 | 0.19 | 92 | 0.8 | 4.1 | 2.2 | 0.11 | 0.28 | C23–24 |
| Pancreas | 344 | 2.9 | 16.5 | 10.0 | 0.53 | 1.29 | 338 | 3.1 | 15.0 | 7.5 | 0.37 | 0.89 | C25 |
| Nose, sinuses etc. | 14 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 193 | 1.6 | 9.2 | 5.5 | 0.32 | 0.68 | 57 | 0.5 | 2.5 | 1.5 | 0.12 | 0.17 | C32 |
| Trachea, bronchus, and lung | 1664 | 14.0 | 79.6 | 46.8 | 2.23 | 6.02 | 1398 | 12.7 | 62.2 | 32.0 | 1.64 | 3.88 | C33–34 |
| Other thoracic organs | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 14 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 21 | 0.2 | 1.0 | 1.1 | 0.06 | 0.10 | 21 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 361 | 3.0 | 17.3 | 10.8 | 0.58 | 1.25 | 275 | 2.5 | 12.2 | 8.5 | 0.59 | 0.86 | C43 |
| Other skin | 38 | 0.3 | 1.8 | 1.2 | 0.07 | 0.13 | 31 | 0.3 | 1.4 | 0.9 | 0.06 | 0.08 | C44 |
| Mesothelioma | 64 | 0.5 | 3.1 | 1.8 | 0.05 | 0.25 | 27 | 0.2 | 1.2 | 0.6 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 50 | 0.4 | 2.4 | 1.9 | 0.15 | 0.15 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 91 | 0.8 | 4.4 | 3.0 | 0.17 | 0.33 | 77 | 0.7 | 3.4 | 2.6 | 0.13 | 0.26 | C47+C49 |
| Breast | 37 | 0.3 | 1.8 | 1.1 | 0.07 | 0.16 | 3332 | 30.4 | 148.3 | 90.6 | 6.21 | 10.55 | C50 |
| Vulva | | | | | | | 73 | 0.7 | 3.2 | 2.0 | 0.13 | 0.22 | C51 |
| Vagina | | | | | | | 22 | 0.2 | 1.0 | 0.6 | 0.05 | 0.07 | C52 |
| Cervix uteri | | | | | | | 212 | 1.9 | 9.4 | 7.4 | 0.60 | 0.73 | C53 |
| Corpus uteri | | | | | | | 587 | 5.3 | 26.1 | 15.8 | 1.13 | 2.04 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 276 | 2.5 | 12.3 | 7.4 | 0.43 | 0.87 | C56 |
| Other female genital organs | | | | | | | 34 | 0.3 | 1.5 | 0.9 | 0.07 | 0.11 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 18 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 3202 | 26.9 | 153.2 | 93.2 | 5.23 | 12.88 | | | | | | | C61 |
| Testis | 97 | 0.8 | 4.6 | 4.2 | 0.33 | 0.33 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 586 | 4.9 | 28.0 | 18.2 | 1.16 | 2.19 | 384 | 3.5 | 17.1 | 10.1 | 0.60 | 1.21 | C64 |
| Renal pelvis | 23 | 0.2 | 1.1 | 0.6 | 0.01 | 0.07 | 18 | 0.2 | 0.8 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 11 | 0.1 | 0.5 | 0.3 | 0.00 | 0.03 | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C66 |
| Bladder | 625 | 5.3 | 29.9 | 17.1 | 0.68 | 2.02 | 210 | 1.9 | 9.3 | 4.5 | 0.18 | 0.53 | C67 |
| Other urinary organs | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 11 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 11 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 147 | 1.2 | 7.0 | 5.5 | 0.33 | 0.49 | 129 | 1.2 | 5.7 | 4.0 | 0.21 | 0.42 | C70–72 |
| Thyroid | 134 | 1.1 | 6.4 | 4.5 | 0.31 | 0.51 | 427 | 3.9 | 19.0 | 14.1 | 1.06 | 1.48 | C73 |
| Adrenal gland | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 64 | 0.5 | 3.1 | 2.7 | 0.21 | 0.21 | 59 | 0.5 | 2.6 | 2.3 | 0.15 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 454 | 3.8 | 21.7 | 14.2 | 0.87 | 1.47 | 338 | 3.1 | 15.0 | 8.9 | 0.51 | 0.97 | C82–86,C96 |
| Immunoproliferative diseases | 27 | 0.2 | 1.3 | 0.9 | 0.06 | 0.10 | 37 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 240 | 2.0 | 11.5 | 6.9 | 0.32 | 0.86 | 187 | 1.7 | 8.3 | 4.5 | 0.23 | 0.58 | C90 |
| Lymphoid leukaemia | 184 | 1.5 | 8.8 | 6.2 | 0.32 | 0.66 | 154 | 1.4 | 6.9 | 4.1 | 0.19 | 0.43 | C91 |
| Myeloid leukaemia | 142 | 1.2 | 6.8 | 4.7 | 0.25 | 0.49 | 138 | 1.3 | 6.1 | 3.8 | 0.22 | 0.41 | C92–94 |
| Leukaemia unspecified | 11 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 11 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 65 | 0.5 | 3.1 | 2.0 | 0.09 | 0.21 | 66 | 0.6 | 2.9 | 1.6 | 0.08 | 0.16 | MPD |
| Myelodysplastic syndromes | 94 | 0.8 | 4.5 | 2.4 | 0.07 | 0.18 | 72 | 0.7 | 3.2 | 1.3 | 0.04 | 0.13 | MPS |
| Other and unspecified | 266 | 2.2 | 12.7 | 7.5 | 0.40 | 0.83 | 290 | 2.6 | 12.9 | 6.5 | 0.35 | 0.75 | O&U |
| All sites | 11939 | | 571.1 | 355.1 | 20.18 | 43.49 | 11003 | | 489.8 | 289.4 | 18.18 | 33.23 | C00–96 |
| All sites except C44 | 11901 | 100.0 | 569.2 | 353.8 | 20.11 | 43.36 | 10972 | 100.0 | 488.4 | 288.5 | 18.12 | 33.14 | C00–96 exc. C44 |

*See note following population pyramid

***USA, Louisiana, New Orleans: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.2 | 0.2 | 0.00 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 21 | 0.5 | 2.5 | 1.8 | 0.17 | 0.22 | 10 | 0.2 | 1.0 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 21 | 0.5 | 2.5 | 1.8 | 0.16 | 0.19 | 12 | 0.3 | 1.2 | 0.8 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 9 | 0.2 | 1.1 | 0.9 | 0.06 | 0.10 | 10 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | C07–08 |
| Tonsil | 21 | 0.5 | 2.5 | 2.0 | 0.17 | 0.22 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C09 |
| Other oropharynx | 5 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 8 | 0.2 | 0.8 | 0.6 | 0.06 | 0.06 | C10 |
| Nasopharynx | 8 | 0.2 | 0.9 | 0.7 | 0.07 | 0.07 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 11 | 0.2 | 1.3 | 0.9 | 0.07 | 0.11 | 5 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C14 |
| Oesophagus | 49 | 1.1 | 5.8 | 4.1 | 0.21 | 0.57 | 14 | 0.3 | 1.4 | 0.9 | 0.07 | 0.12 | C15 |
| Stomach | 86 | 1.9 | 10.1 | 7.1 | 0.39 | 0.90 | 66 | 1.6 | 6.6 | 4.2 | 0.29 | 0.42 | C16 |
| Small intestine | 32 | 0.7 | 3.8 | 3.0 | 0.19 | 0.32 | 53 | 1.3 | 5.3 | 3.7 | 0.26 | 0.43 | C17 |
| Colon | 277 | 6.2 | 32.6 | 23.4 | 1.37 | 2.84 | 281 | 6.8 | 28.3 | 18.3 | 1.15 | 2.12 | C18 |
| Rectum | 161 | 3.6 | 19.0 | 14.1 | 1.03 | 1.70 | 129 | 3.1 | 13.0 | 8.7 | 0.65 | 0.99 | C19–20 |
| Anus | 21 | 0.5 | 2.5 | 1.9 | 0.15 | 0.20 | 11 | 0.3 | 1.1 | 0.7 | 0.02 | 0.07 | C21 |
| Liver | 249 | 5.6 | 29.3 | 20.9 | 1.53 | 2.78 | 65 | 1.6 | 6.5 | 4.2 | 0.26 | 0.52 | C22 |
| Gallbladder etc. | 21 | 0.5 | 2.5 | 1.7 | 0.10 | 0.23 | 32 | 0.8 | 3.2 | 2.0 | 0.12 | 0.24 | C23–24 |
| Pancreas | 129 | 2.9 | 15.2 | 11.3 | 0.66 | 1.46 | 141 | 3.4 | 14.2 | 8.3 | 0.42 | 0.87 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 88 | 2.0 | 10.4 | 7.5 | 0.40 | 0.95 | 22 | 0.5 | 2.2 | 1.4 | 0.12 | 0.15 | C32 |
| Trachea, bronchus, and lung | 692 | 15.4 | 81.5 | 58.2 | 2.98 | 7.56 | 484 | 11.8 | 48.8 | 29.7 | 1.60 | 3.57 | C33–34 |
| Other thoracic organs | 6 | 0.1 | 0.7 | 0.5 | 0.03 | 0.07 | 7 | 0.2 | 0.7 | 0.5 | 0.05 | 0.05 | C37–38 |
| Bone | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 10 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 8 | 0.2 | 0.9 | 0.6 | 0.02 | 0.06 | 9 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C43 |
| Other skin | 6 | 0.1 | 0.7 | 0.6 | 0.03 | 0.06 | 8 | 0.2 | 0.8 | 0.7 | 0.06 | 0.06 | C44 |
| Mesothelioma | 19 | 0.4 | 2.2 | 1.6 | 0.04 | 0.19 | 9 | 0.2 | 0.9 | 0.6 | 0.03 | 0.08 | C45 |
| Kaposi sarcoma | 25 | 0.6 | 2.9 | 2.8 | 0.21 | 0.21 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 20 | 0.4 | 2.4 | 2.1 | 0.11 | 0.23 | 25 | 0.6 | 2.5 | 2.2 | 0.10 | 0.21 | C47+C49 |
| Breast | 16 | 0.4 | 1.9 | 1.5 | 0.08 | 0.20 | 1285 | 31.2 | 129.5 | 89.8 | 6.15 | 10.43 | C50 |
| Vulva | | | | | | | 31 | 0.8 | 3.1 | 2.1 | 0.17 | 0.20 | C51 |
| Vagina | | | | | | | 10 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | C52 |
| Cervix uteri | | | | | | | 95 | 2.3 | 9.6 | 7.7 | 0.58 | 0.79 | C53 |
| Corpus uteri | | | | | | | 229 | 5.6 | 23.1 | 15.3 | 1.06 | 2.03 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.3 | 1.3 | 1.0 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 92 | 2.2 | 9.3 | 6.5 | 0.38 | 0.75 | C56 |
| Other female genital organs | | | | | | | 12 | 0.3 | 1.2 | 0.8 | 0.06 | 0.11 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 8 | 0.2 | 0.9 | 0.8 | 0.07 | 0.07 | | | | | | | C60 |
| Prostate | 1496 | 33.4 | 176.2 | 126.8 | 7.60 | 17.43 | | | | | | | C61 |
| Testis | 7 | 0.2 | 0.8 | 0.8 | 0.07 | 0.07 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 207 | 4.6 | 24.4 | 18.5 | 1.23 | 2.13 | 169 | 4.1 | 17.0 | 11.7 | 0.72 | 1.36 | C64 |
| Renal pelvis | 2 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.04 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C66 |
| Bladder | 143 | 3.2 | 16.8 | 12.2 | 0.51 | 1.54 | 66 | 1.6 | 6.6 | 3.7 | 0.17 | 0.39 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C68 |
| Eye | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 43 | 1.0 | 5.1 | 4.7 | 0.29 | 0.37 | 27 | 0.7 | 2.7 | 2.2 | 0.09 | 0.20 | C70–72 |
| Thyroid | 31 | 0.7 | 3.7 | 2.9 | 0.23 | 0.29 | 129 | 3.1 | 13.0 | 10.2 | 0.76 | 1.09 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C75 |
| Hodgkin lymphoma | 21 | 0.5 | 2.5 | 2.2 | 0.18 | 0.18 | 24 | 0.6 | 2.4 | 2.0 | 0.14 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 141 | 3.1 | 16.6 | 12.9 | 0.84 | 1.38 | 113 | 2.7 | 11.4 | 8.4 | 0.51 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.2 | 0.9 | 0.8 | 0.06 | 0.09 | 10 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C88 |
| Multiple myeloma | 120 | 2.7 | 14.1 | 10.5 | 0.44 | 1.38 | 107 | 2.6 | 10.8 | 6.8 | 0.34 | 0.87 | C90 |
| Lymphoid leukaemia | 58 | 1.3 | 6.8 | 5.2 | 0.25 | 0.62 | 44 | 1.1 | 4.4 | 3.2 | 0.15 | 0.33 | C91 |
| Myeloid leukaemia | 44 | 1.0 | 5.2 | 4.2 | 0.23 | 0.48 | 56 | 1.4 | 5.6 | 4.2 | 0.24 | 0.46 | C92–94 |
| Leukaemia unspecified | 5 | 0.1 | 0.6 | 0.4 | 0.01 | 0.01 | 6 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C95 |
| Myeloproliferative disorders | 20 | 0.4 | 2.4 | 1.7 | 0.11 | 0.17 | 24 | 0.6 | 2.4 | 1.6 | 0.08 | 0.15 | MPD |
| Myelodysplastic syndromes | 15 | 0.3 | 1.8 | 1.3 | 0.05 | 0.07 | 20 | 0.5 | 2.0 | 1.0 | 0.04 | 0.08 | MPS |
| Other and unspecified | 99 | 2.2 | 11.7 | 8.7 | 0.48 | 0.98 | 120 | 2.9 | 12.1 | 7.2 | 0.34 | 0.89 | O&U |
| All sites | 4488 | | 528.5 | 388.4 | 23.06 | 48.97 | 4124 | | 415.5 | 279.9 | 17.82 | 32.19 | C00–96 |
| All sites except C44 | 4482 | 100.0 | 527.8 | 387.8 | 23.03 | 48.91 | 4116 | 100.0 | 414.7 | 279.2 | 17.76 | 32.12 | C00–96 exc. C44 |

*See note following population pyramid

***USA, Louisiana, New Orleans: White (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 116 | 1.7 | 10.1 | 5.9 | 0.42 | 0.70 | 27 | 0.4 | 2.3 | 1.2 | 0.08 | 0.14 | C01–02 |
| Mouth | 53 | 0.8 | 4.6 | 2.5 | 0.17 | 0.27 | 31 | 0.5 | 2.7 | 1.1 | 0.05 | 0.14 | C03–06 |
| Salivary glands | 22 | 0.3 | 1.9 | 1.0 | 0.04 | 0.12 | 18 | 0.3 | 1.6 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 63 | 0.9 | 5.5 | 3.3 | 0.27 | 0.36 | 15 | 0.2 | 1.3 | 0.7 | 0.06 | 0.09 | C09 |
| Other oropharynx | 19 | 0.3 | 1.7 | 1.0 | 0.08 | 0.12 | 3 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 9 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 3 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 14 | 0.2 | 1.2 | 0.7 | 0.06 | 0.08 | 3 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C14 |
| Oesophagus | 107 | 1.5 | 9.3 | 4.8 | 0.24 | 0.58 | 27 | 0.4 | 2.3 | 1.0 | 0.05 | 0.13 | C15 |
| Stomach | 110 | 1.6 | 9.6 | 5.3 | 0.34 | 0.58 | 58 | 0.9 | 5.0 | 2.7 | 0.17 | 0.31 | C16 |
| Small intestine | 46 | 0.7 | 4.0 | 2.4 | 0.17 | 0.25 | 42 | 0.6 | 3.6 | 1.8 | 0.07 | 0.27 | C17 |
| Colon | 384 | 5.5 | 33.5 | 17.6 | 0.93 | 2.01 | 369 | 5.6 | 31.8 | 14.2 | 0.75 | 1.54 | C18 |
| Rectum | 217 | 3.1 | 18.9 | 10.9 | 0.74 | 1.22 | 108 | 1.6 | 9.3 | 5.3 | 0.39 | 0.60 | C19–20 |
| Anus | 37 | 0.5 | 3.2 | 2.0 | 0.16 | 0.23 | 34 | 0.5 | 2.9 | 1.6 | 0.11 | 0.19 | C21 |
| Liver | 277 | 3.9 | 24.2 | 13.3 | 1.03 | 1.71 | 86 | 1.3 | 7.4 | 3.6 | 0.21 | 0.40 | C22 |
| Gallbladder etc. | 29 | 0.4 | 2.5 | 1.3 | 0.05 | 0.16 | 52 | 0.8 | 4.5 | 2.0 | 0.10 | 0.27 | C23–24 |
| Pancreas | 205 | 2.9 | 17.9 | 9.2 | 0.45 | 1.19 | 188 | 2.9 | 16.2 | 7.2 | 0.34 | 0.90 | C25 |
| Nose, sinuses etc. | 9 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 103 | 1.5 | 9.0 | 4.6 | 0.29 | 0.56 | 34 | 0.5 | 2.9 | 1.5 | 0.12 | 0.19 | C32 |
| Trachea, bronchus, and lung | 937 | 13.3 | 81.7 | 41.3 | 1.81 | 5.27 | 899 | 13.7 | 77.6 | 34.5 | 1.75 | 4.22 | C33–34 |
| Other thoracic organs | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 6 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 16 | 0.2 | 1.4 | 1.6 | 0.10 | 0.14 | 11 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 351 | 5.0 | 30.6 | 17.1 | 0.97 | 1.99 | 263 | 4.0 | 22.7 | 15.2 | 1.08 | 1.51 | C43 |
| Other skin | 29 | 0.4 | 2.5 | 1.6 | 0.09 | 0.16 | 20 | 0.3 | 1.7 | 0.8 | 0.05 | 0.08 | C44 |
| Mesothelioma | 43 | 0.6 | 3.8 | 1.9 | 0.05 | 0.28 | 18 | 0.3 | 1.6 | 0.6 | 0.01 | 0.05 | C45 |
| Kaposi sarcoma | 24 | 0.3 | 2.1 | 1.5 | 0.13 | 0.13 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 65 | 0.9 | 5.7 | 3.2 | 0.20 | 0.37 | 48 | 0.7 | 4.1 | 2.8 | 0.16 | 0.29 | C47+C49 |
| Breast | 18 | 0.3 | 1.6 | 0.9 | 0.06 | 0.12 | 1968 | 30.0 | 169.9 | 92.7 | 6.35 | 10.86 | C50 |
| Vulva | | | | | | | 41 | 0.6 | 3.5 | 1.9 | 0.11 | 0.24 | C51 |
| Vagina | | | | | | | 11 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 99 | 1.5 | 8.5 | 6.8 | 0.58 | 0.65 | C53 |
| Corpus uteri | | | | | | | 336 | 5.1 | 29.0 | 16.3 | 1.16 | 2.05 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 178 | 2.7 | 15.4 | 8.1 | 0.49 | 0.97 | C56 |
| Other female genital organs | | | | | | | 22 | 0.3 | 1.9 | 1.1 | 0.09 | 0.12 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 9 | 0.1 | 0.8 | 0.4 | 0.01 | 0.06 | | | | | | | C60 |
| Prostate | 1616 | 23.0 | 140.9 | 75.0 | 3.84 | 10.47 | | | | | | | C61 |
| Testis | 85 | 1.2 | 7.4 | 6.8 | 0.51 | 0.51 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 363 | 5.2 | 31.7 | 18.5 | 1.14 | 2.26 | 206 | 3.1 | 17.8 | 9.1 | 0.54 | 1.11 | C64 |
| Renal pelvis | 21 | 0.3 | 1.8 | 0.8 | 0.01 | 0.09 | 14 | 0.2 | 1.2 | 0.4 | 0.01 | 0.03 | C65 |
| Ureter | 10 | 0.1 | 0.9 | 0.4 | 0.00 | 0.04 | 7 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 466 | 6.6 | 40.6 | 19.9 | 0.78 | 2.33 | 141 | 2.2 | 12.2 | 5.0 | 0.19 | 0.63 | C67 |
| Other urinary organs | 8 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 7 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 10 | 0.2 | 0.9 | 0.9 | 0.06 | 0.07 | C69 |
| Brain and nervous system | 97 | 1.4 | 8.5 | 5.7 | 0.34 | 0.54 | 98 | 1.5 | 8.5 | 5.5 | 0.30 | 0.59 | C70–72 |
| Thyroid | 89 | 1.3 | 7.8 | 5.1 | 0.33 | 0.59 | 267 | 4.1 | 23.0 | 16.2 | 1.24 | 1.69 | C73 |
| Adrenal gland | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 40 | 0.6 | 3.5 | 3.2 | 0.23 | 0.24 | 31 | 0.5 | 2.7 | 2.3 | 0.15 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 298 | 4.2 | 26.0 | 15.3 | 0.91 | 1.54 | 218 | 3.3 | 18.8 | 9.4 | 0.52 | 1.02 | C82–86,C96 |
| Immunoproliferative diseases | 18 | 0.3 | 1.6 | 1.0 | 0.06 | 0.11 | 25 | 0.4 | 2.2 | 1.1 | 0.06 | 0.14 | C88 |
| Multiple myeloma | 114 | 1.6 | 9.9 | 5.0 | 0.26 | 0.60 | 72 | 1.1 | 6.2 | 2.8 | 0.14 | 0.37 | C90 |
| Lymphoid leukaemia | 122 | 1.7 | 10.6 | 7.5 | 0.39 | 0.73 | 105 | 1.6 | 9.1 | 5.0 | 0.23 | 0.52 | C91 |
| Myeloid leukaemia | 89 | 1.3 | 7.8 | 4.7 | 0.24 | 0.48 | 77 | 1.2 | 6.6 | 3.5 | 0.20 | 0.38 | C92–94 |
| Leukaemia unspecified | 5 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 5 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 42 | 0.6 | 3.7 | 2.1 | 0.09 | 0.23 | 42 | 0.6 | 3.6 | 1.6 | 0.08 | 0.17 | MPD |
| Myelodysplastic syndromes | 74 | 1.1 | 6.5 | 2.7 | 0.06 | 0.22 | 50 | 0.8 | 4.3 | 1.5 | 0.04 | 0.16 | MPS |
| Other and unspecified | 156 | 2.2 | 13.6 | 6.6 | 0.33 | 0.73 | 165 | 2.5 | 14.2 | 6.3 | 0.36 | 0.70 | O&U |
| All sites | 7058 | | 615.6 | 338.7 | 18.55 | 40.76 | 6576 | | 567.6 | 299.6 | 18.71 | 34.38 | C00–96 |
| All sites except C44 | 7029 | 100.0 | 613.1 | 337.1 | 18.46 | 40.59 | 6556 | 100.0 | 565.9 | 298.8 | 18.66 | 34.30 | C00–96 exc. C44 |

*See note following population pyramid

USA, Maine

CONTRIBUTORS

Molly Schwenn



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 61.6 | Breast | 92.3 |
| Trachea, bronchus, and lung | 49.9 | Trachea, bronchus, and lung | 41.6 |
| Bladder | 26.1 | Corpus uteri | 23.2 |
| Melanoma of skin | 19.0 | Thyroid | 18.6 |
| Colon | 16.7 | Melanoma of skin | 18.2 |
| Non-Hodgkin lymphoma | 15.0 | Colon | 15.8 |
| Kidney | 14.4 | Non-Hodgkin lymphoma | 10.0 |
| Rectum | 9.5 | Kidney | 8.6 |
| Pancreas | 9.0 | Pancreas | 7.1 |
| Lymphoid leukaemia | 9.0 | Bladder | 6.9 |
| Oesophagus | 7.5 | Ovary | 6.7 |
| Brain and nervous system | 7.5 | Lymphoid leukaemia | 6.1 |
| Thyroid | 7.2 | Brain and nervous system | 5.7 |
| Testis | 6.5 | Rectum | 5.7 |
| Liver | 6.3 | Other and unspecified | 5.6 |
| Other and unspecified | 6.2 | Cervix uteri | 4.8 |
| Myeloid leukaemia | 4.7 | Myeloid leukaemia | 3.3 |
| Tongue | 4.5 | Multiple myeloma | 3.3 |
| Stomach | 4.5 | Hodgkin lymphoma | 2.7 |
| Multiple myeloma | 4.5 | Vulva | 2.6 |
| All sites | 330.6 | All sites | 321.8 |


USA, Maine (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 74 | 0.3 | 2.3 | 1.0 | 0.04 | 0.09 | 25 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 275 | 1.2 | 8.4 | 4.5 | 0.31 | 0.56 | 88 | 0.4 | 2.6 | 1.3 | 0.10 | 0.15 | C01–02 |
| Mouth | 145 | 0.7 | 4.5 | 2.2 | 0.15 | 0.26 | 97 | 0.4 | 2.9 | 1.2 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 52 | 0.2 | 1.6 | 0.8 | 0.04 | 0.08 | 42 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 217 | 1.0 | 6.7 | 3.6 | 0.32 | 0.44 | 53 | 0.2 | 1.6 | 0.8 | 0.06 | 0.10 | C09 |
| Other oropharynx | 44 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | 17 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 33 | 0.1 | 1.0 | 0.6 | 0.05 | 0.07 | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 52 | 0.2 | 1.6 | 0.8 | 0.05 | 0.10 | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 12 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 528 | 2.4 | 16.2 | 7.5 | 0.43 | 0.92 | 128 | 0.6 | 3.8 | 1.6 | 0.10 | 0.21 | C15 |
| Stomach | 313 | 1.4 | 9.6 | 4.5 | 0.23 | 0.53 | 205 | 0.9 | 6.0 | 2.5 | 0.13 | 0.29 | C16 |
| Small intestine | 143 | 0.6 | 4.4 | 2.2 | 0.13 | 0.25 | 136 | 0.6 | 4.0 | 2.0 | 0.14 | 0.24 | C17 |
| Colon | 1143 | 5.2 | 35.1 | 16.7 | 0.93 | 1.80 | 1263 | 5.7 | 37.2 | 15.8 | 0.82 | 1.67 | C18 |
| Rectum | 594 | 2.7 | 18.2 | 9.5 | 0.67 | 1.08 | 400 | 1.8 | 11.8 | 5.7 | 0.39 | 0.66 | C19–20 |
| Anus | 68 | 0.3 | 2.1 | 1.1 | 0.06 | 0.12 | 135 | 0.6 | 4.0 | 2.0 | 0.15 | 0.26 | C21 |
| Liver | 438 | 2.0 | 13.4 | 6.3 | 0.40 | 0.77 | 122 | 0.6 | 3.6 | 1.5 | 0.08 | 0.18 | C22 |
| Gallbladder etc. | 104 | 0.5 | 3.2 | 1.4 | 0.06 | 0.16 | 135 | 0.6 | 4.0 | 1.6 | 0.07 | 0.20 | C23–24 |
| Pancreas | 634 | 2.9 | 19.5 | 9.0 | 0.45 | 1.09 | 608 | 2.8 | 17.9 | 7.1 | 0.34 | 0.87 | C25 |
| Nose, sinuses etc. | 43 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | 24 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 271 | 1.2 | 8.3 | 3.9 | 0.24 | 0.48 | 94 | 0.4 | 2.8 | 1.4 | 0.10 | 0.18 | C32 |
| Trachea, bronchus, and lung | 3607 | 16.4 | 110.7 | 49.9 | 2.40 | 6.06 | 3420 | 15.5 | 100.8 | 41.6 | 2.02 | 5.21 | C33–34 |
| Other thoracic organs | 23 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 38 | 0.2 | 1.2 | 1.1 | 0.07 | 0.08 | 31 | 0.1 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 1252 | 5.7 | 38.4 | 19.0 | 1.06 | 2.12 | 1068 | 4.8 | 31.5 | 18.2 | 1.29 | 1.85 | C43 |
| Other skin | 88 | 0.4 | 2.7 | 1.2 | 0.05 | 0.13 | 80 | 0.4 | 2.4 | 1.1 | 0.06 | 0.10 | C44 |
| Mesothelioma | 100 | 0.5 | 3.1 | 1.2 | 0.03 | 0.09 | 26 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 169 | 0.8 | 5.2 | 2.9 | 0.14 | 0.26 | 133 | 0.6 | 3.9 | 2.4 | 0.14 | 0.22 | C47+C49 |
| Breast | 66 | 0.3 | 2.0 | 0.9 | 0.04 | 0.13 | 6029 | 27.3 | 177.6 | 92.3 | 6.19 | 10.86 | C50 |
| Vulva | | | | | | | 197 | 0.9 | 5.8 | 2.6 | 0.15 | 0.28 | C51 |
| Vagina | | | | | | | 42 | 0.2 | 1.2 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 221 | 1.0 | 6.5 | 4.8 | 0.38 | 0.46 | C53 |
| Corpus uteri | | | | | | | 1587 | 7.2 | 46.8 | 23.2 | 1.68 | 2.98 | C54 |
| Uterus unspecified | | | | | | | 39 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | C55 |
| Ovary | | | | | | | 448 | 2.0 | 13.2 | 6.7 | 0.44 | 0.74 | C56 |
| Other female genital organs | | | | | | | 154 | 0.7 | 4.5 | 2.1 | 0.14 | 0.27 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 58 | 0.3 | 1.8 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 4334 | 19.7 | 133.0 | 61.6 | 3.19 | 8.45 | | | | | | | C61 |
| Testis | 207 | 0.9 | 6.4 | 6.5 | 0.49 | 0.51 | | | | | | | C62 |
| Other male genital organs | 11 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 907 | 4.1 | 27.8 | 14.4 | 0.88 | 1.77 | 571 | 2.6 | 16.8 | 8.6 | 0.56 | 0.97 | C64 |
| Renal pelvis | 44 | 0.2 | 1.4 | 0.6 | 0.02 | 0.08 | 36 | 0.2 | 1.1 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 33 | 0.1 | 1.0 | 0.4 | 0.01 | 0.05 | 18 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 1986 | 9.0 | 61.0 | 26.1 | 1.03 | 3.09 | 618 | 2.8 | 18.2 | 6.9 | 0.32 | 0.78 | C67 |
| Other urinary organs | 29 | 0.1 | 0.9 | 0.4 | 0.01 | 0.04 | 9 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 61 | 0.3 | 1.9 | 1.1 | 0.06 | 0.11 | 41 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 355 | 1.6 | 10.9 | 7.5 | 0.46 | 0.73 | 275 | 1.2 | 8.1 | 5.7 | 0.34 | 0.49 | C70–72 |
| Thyroid | 349 | 1.6 | 10.7 | 7.2 | 0.56 | 0.75 | 842 | 3.8 | 24.8 | 18.6 | 1.45 | 1.76 | C73 |
| Adrenal gland | 12 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | 18 | 0.1 | 0.5 | 0.7 | 0.03 | 0.04 | C74 |
| Other endocrine | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 115 | 0.5 | 3.5 | 3.2 | 0.21 | 0.26 | 99 | 0.4 | 2.9 | 2.7 | 0.18 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 978 | 4.4 | 30.0 | 15.0 | 0.77 | 1.66 | 753 | 3.4 | 22.2 | 10.0 | 0.54 | 1.13 | C82–86,C96 |
| Immunoproliferative diseases | 88 | 0.4 | 2.7 | 1.2 | 0.06 | 0.13 | 79 | 0.4 | 2.3 | 1.2 | 0.07 | 0.13 | C88 |
| Multiple myeloma | 320 | 1.5 | 9.8 | 4.5 | 0.22 | 0.54 | 277 | 1.3 | 8.2 | 3.3 | 0.15 | 0.40 | C90 |
| Lymphoid leukaemia | 504 | 2.3 | 15.5 | 9.0 | 0.49 | 0.95 | 349 | 1.6 | 10.3 | 6.1 | 0.32 | 0.58 | C91 |
| Myeloid leukaemia | 313 | 1.4 | 9.6 | 4.7 | 0.22 | 0.52 | 227 | 1.0 | 6.7 | 3.3 | 0.16 | 0.34 | C92–94 |
| Leukaemia unspecified | 18 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 12 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 159 | 0.7 | 4.9 | 2.3 | 0.10 | 0.25 | 171 | 0.8 | 5.0 | 2.5 | 0.14 | 0.25 | MPD |
| Myelodysplastic syndromes | 229 | 1.0 | 7.0 | 2.8 | 0.07 | 0.32 | 148 | 0.7 | 4.4 | 1.5 | 0.05 | 0.15 | MPS |
| Other and unspecified | 468 | 2.1 | 14.4 | 6.2 | 0.27 | 0.66 | 537 | 2.4 | 15.8 | 5.6 | 0.24 | 0.60 | O&U |
| All sites | 22118 | | 678.8 | 330.6 | 17.74 | 38.96 | 22172 | | 653.2 | 321.8 | 19.92 | 36.54 | C00–96 |
| All sites except C44 | 22030 | 100.0 | 676.1 | 329.3 | 17.68 | 38.83 | 22092 | 100.0 | 650.8 | 320.7 | 19.86 | 36.44 | C00–96 exc. C44 |

USA, Maryland

CONTRIBUTORS


Kimberly Stern
Jennifer Hayes
Delores Rich
Afaq Ahmad



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 89.8 | Breast | 96.1 |
| Trachea, bronchus, and lung | 37.9 | Trachea, bronchus, and lung | 32.0 |
| Melanoma of skin | 20.0 | Corpus uteri | 19.9 |
| Bladder | 18.9 | Thyroid | 17.0 |
| Colon | 17.5 | Colon | 15.4 |
| Kidney | 13.7 | Melanoma of skin | 13.4 |
| Non-Hodgkin lymphoma | 12.8 | Non-Hodgkin lymphoma | 9.1 |
| Liver | 9.9 | Ovary | 7.8 |
| Pancreas | 9.6 | Kidney | 7.3 |
| Rectum | 8.6 | Pancreas | 7.3 |
| Lymphoid leukaemia | 6.8 | Rectum | 5.6 |
| Other and unspecified | 6.0 | Cervix uteri | 5.0 |
| Brain and nervous system | 5.8 | Bladder | 5.0 |
| Multiple myeloma | 5.7 | Other and unspecified | 4.9 |
| Stomach | 5.6 | Multiple myeloma | 4.4 |
| Thyroid | 5.4 | Brain and nervous system | 4.3 |
| Myeloid leukaemia | 4.8 | Lymphoid leukaemia | 4.0 |
| Oesophagus | 4.5 | Myeloid leukaemia | 3.6 |
| Testis | 4.2 | Stomach | 3.2 |
| Tongue | 4.1 | Liver | 3.2 |
| All sites | 328.0 | All sites | 297.0 |

USA, Maryland: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

SEER*Stat software using a modification of the intercensal and Vintage 2018 annual time series of 1 July county population estimates by age, sex, race, and Hispanic origin.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Prostate | 43.1 |
| Trachea, bronchus, and lung | 19.0 |
| Colon | 12.2 |
| Liver | 10.0 |
| Non-Hodgkin lymphoma | 9.0 |
| Bladder | 8.7 |
| Stomach | 7.7 |
| Rectum | 7.4 |
| Thyroid | 6.4 |
| Pancreas | 6.2 |
| All sites | 181.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 70.5 |
| Thyroid | 22.3 |
| Trachea, bronchus, and lung | 14.0 |
| Corpus uteri | 13.2 |
| Colon | 8.4 |
| Ovary | 7.5 |
| Non-Hodgkin lymphoma | 6.1 |
| Rectum | 5.8 |
| Stomach | 5.0 |
| Pancreas | 4.5 |
| All sites | 201.9 |

USA, Maryland: Black (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 137.5 |
| Trachea, bronchus, and lung | 40.3 |
| Colon | 22.2 |
| Kidney | 16.1 |
| Liver | 15.3 |
| Bladder | 12.1 |
| Pancreas | 11.0 |
| Non-Hodgkin lymphoma | 10.1 |
| Multiple myeloma | 9.9 |
| Rectum | 8.5 |
| All sites | 357.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 97.8 |
| Trachea, bronchus, and lung | 30.7 |
| Corpus uteri | 19.6 |
| Colon | 17.6 |
| Thyroid | 11.5 |
| Pancreas | 8.9 |
| Kidney | 8.4 |
| Multiple myeloma | 8.0 |
| Non-Hodgkin lymphoma | 7.5 |
| Ovary | 6.5 |
| All sites | 284.1 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 75.2 |
| Trachea, bronchus, and lung | 38.6 |
| Melanoma of skin | 28.8 |
| Bladder | 22.0 |
| Colon | 16.2 |
| Non-Hodgkin lymphoma | 13.9 |
| Kidney | 13.4 |
| Pancreas | 9.3 |
| Rectum | 8.8 |
| Liver | 7.8 |
| All sites | 329.0 |

Female

| | |
|-----------------------------|-------|
| Breast | 97.7 |
| Trachea, bronchus, and lung | 34.1 |
| Melanoma of skin | 21.2 |
| Corpus uteri | 20.6 |
| Thyroid | 19.6 |
| Colon | 15.0 |
| Non-Hodgkin lymphoma | 9.9 |
| Ovary | 8.5 |
| Kidney | 7.1 |
| Pancreas | 6.9 |
| All sites | 312.9 |

USA, Maryland (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 58 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 29 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 932 | 1.2 | 6.4 | 4.1 | 0.28 | 0.52 | 406 | 0.5 | 2.6 | 1.5 | 0.10 | 0.17 | C01–02 |
| Mouth | 411 | 0.5 | 2.8 | 1.7 | 0.10 | 0.21 | 278 | 0.4 | 1.8 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 227 | 0.3 | 1.6 | 1.0 | 0.05 | 0.10 | 177 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 614 | 0.8 | 4.2 | 2.8 | 0.24 | 0.34 | 110 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 165 | 0.2 | 1.1 | 0.7 | 0.06 | 0.09 | 53 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 108 | 0.1 | 0.7 | 0.5 | 0.04 | 0.06 | 52 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 172 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 40 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 64 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 16 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1114 | 1.5 | 7.7 | 4.5 | 0.24 | 0.53 | 359 | 0.5 | 2.3 | 1.1 | 0.06 | 0.14 | C15 |
| Stomach | 1349 | 1.8 | 9.3 | 5.6 | 0.29 | 0.66 | 937 | 1.2 | 6.1 | 3.2 | 0.18 | 0.37 | C16 |
| Small intestine | 456 | 0.6 | 3.1 | 2.0 | 0.12 | 0.23 | 431 | 0.5 | 2.8 | 1.6 | 0.09 | 0.19 | C17 |
| Colon | 4218 | 5.5 | 29.1 | 17.5 | 0.95 | 1.95 | 4639 | 5.9 | 30.1 | 15.4 | 0.85 | 1.67 | C18 |
| Rectum | 1932 | 2.5 | 13.3 | 8.6 | 0.58 | 1.01 | 1490 | 1.9 | 9.7 | 5.6 | 0.39 | 0.63 | C19–20 |
| Anus | 228 | 0.3 | 1.6 | 1.0 | 0.07 | 0.12 | 395 | 0.5 | 2.6 | 1.5 | 0.11 | 0.18 | C21 |
| Liver | 2298 | 3.0 | 15.9 | 9.9 | 0.68 | 1.26 | 930 | 1.2 | 6.0 | 3.2 | 0.20 | 0.39 | C22 |
| Gallbladder etc. | 402 | 0.5 | 2.8 | 1.6 | 0.07 | 0.17 | 498 | 0.6 | 3.2 | 1.5 | 0.08 | 0.18 | C23–24 |
| Pancreas | 2370 | 3.1 | 16.4 | 9.6 | 0.46 | 1.15 | 2265 | 2.9 | 14.7 | 7.3 | 0.36 | 0.85 | C25 |
| Nose, sinuses etc. | 152 | 0.2 | 1.0 | 0.7 | 0.04 | 0.08 | 95 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 776 | 1.0 | 5.4 | 3.3 | 0.20 | 0.41 | 202 | 0.3 | 1.3 | 0.8 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 9549 | 12.4 | 65.9 | 37.9 | 1.61 | 4.74 | 9968 | 12.6 | 64.7 | 32.0 | 1.49 | 3.99 | C33–34 |
| Other thoracic organs | 119 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 91 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 201 | 0.3 | 1.4 | 1.3 | 0.08 | 0.11 | 152 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 4759 | 6.2 | 32.9 | 20.0 | 1.04 | 2.33 | 3284 | 4.2 | 21.3 | 13.4 | 0.93 | 1.42 | C43 |
| Other skin | 298 | 0.4 | 2.1 | 1.2 | 0.06 | 0.11 | 238 | 0.3 | 1.5 | 0.9 | 0.05 | 0.10 | C44 |
| Mesothelioma | 172 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 74 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 82 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 17 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 604 | 0.8 | 4.2 | 3.0 | 0.17 | 0.29 | 478 | 0.6 | 3.1 | 2.2 | 0.14 | 0.21 | C47+C49 |
| Breast | 264 | 0.3 | 1.8 | 1.1 | 0.06 | 0.13 | 24425 | 31.0 | 158.5 | 96.1 | 6.68 | 11.24 | C50 |
| Vulva | | | | | | | 500 | 0.6 | 3.2 | 1.8 | 0.11 | 0.20 | C51 |
| Vagina | | | | | | | 157 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1070 | 1.4 | 6.9 | 5.0 | 0.39 | 0.50 | C53 |
| Corpus uteri | | | | | | | 5210 | 6.6 | 33.8 | 19.9 | 1.36 | 2.54 | C54 |
| Uterus unspecified | | | | | | | 199 | 0.3 | 1.3 | 0.7 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 2022 | 2.6 | 13.1 | 7.8 | 0.53 | 0.89 | C56 |
| Other female genital organs | | | | | | | 307 | 0.4 | 2.0 | 1.1 | 0.06 | 0.14 | C57 |
| Placenta | | | | | | | 15 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 81 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 21129 | 27.5 | 145.9 | 89.8 | 5.13 | 12.36 | | | | | | | C61 |
| Testis | 639 | 0.8 | 4.4 | 4.2 | 0.31 | 0.33 | | | | | | | C62 |
| Other male genital organs | 35 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 3089 | 4.0 | 21.3 | 13.7 | 0.82 | 1.66 | 1876 | 2.4 | 12.2 | 7.3 | 0.45 | 0.85 | C64 |
| Renal pelvis | 131 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 108 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 117 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | 68 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 4970 | 6.5 | 34.3 | 18.9 | 0.71 | 2.12 | 1644 | 2.1 | 10.7 | 5.0 | 0.21 | 0.59 | C67 |
| Other urinary organs | 104 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | 38 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 107 | 0.1 | 0.7 | 0.6 | 0.03 | 0.05 | 88 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 1087 | 1.4 | 7.5 | 5.8 | 0.37 | 0.56 | 885 | 1.1 | 5.7 | 4.3 | 0.26 | 0.39 | C70–72 |
| Thyroid | 1073 | 1.4 | 7.4 | 5.4 | 0.39 | 0.58 | 3411 | 4.3 | 22.1 | 17.0 | 1.33 | 1.66 | C73 |
| Adrenal gland | 39 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 56 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 22 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 16 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 431 | 0.6 | 3.0 | 2.6 | 0.18 | 0.21 | 375 | 0.5 | 2.4 | 2.2 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 2930 | 3.8 | 20.2 | 12.8 | 0.72 | 1.40 | 2495 | 3.2 | 16.2 | 9.1 | 0.52 | 1.02 | C82–86,C96 |
| Immunoproliferative diseases | 239 | 0.3 | 1.6 | 1.0 | 0.06 | 0.12 | 283 | 0.4 | 1.8 | 1.0 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 1400 | 1.8 | 9.7 | 5.7 | 0.29 | 0.67 | 1308 | 1.7 | 8.5 | 4.4 | 0.24 | 0.55 | C90 |
| Lymphoid leukaemia | 1390 | 1.8 | 9.6 | 6.8 | 0.35 | 0.64 | 976 | 1.2 | 6.3 | 4.0 | 0.20 | 0.38 | C91 |
| Myeloid leukaemia | 1068 | 1.4 | 7.4 | 4.8 | 0.25 | 0.51 | 908 | 1.2 | 5.9 | 3.6 | 0.21 | 0.38 | C92–94 |
| Leukaemia unspecified | 102 | 0.1 | 0.7 | 0.5 | 0.02 | 0.03 | 87 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C95 |
| Myeloproliferative disorders | 501 | 0.7 | 3.5 | 2.1 | 0.11 | 0.22 | 577 | 0.7 | 3.7 | 1.9 | 0.10 | 0.21 | MPD |
| Myelodysplastic syndromes | 697 | 0.9 | 4.8 | 2.5 | 0.07 | 0.23 | 536 | 0.7 | 3.5 | 1.4 | 0.04 | 0.15 | MPS |
| Other and unspecified | 1529 | 2.0 | 10.6 | 6.0 | 0.26 | 0.66 | 1703 | 2.2 | 11.1 | 4.9 | 0.22 | 0.50 | O&U |
| All sites | 77004 | | 531.6 | 328.0 | 17.82 | 39.50 | 79047 | | 513.1 | 297.0 | 18.68 | 33.88 | C00–96 |
| All sites except C44 | 76706 | 100.0 | 529.5 | 326.7 | 17.77 | 39.39 | 78809 | 100.0 | 511.5 | 296.1 | 18.62 | 33.79 | C00–96 exc. C44 |

§Includes 5 cases of unknown age

§Includes 8 cases of unknown age

USA, Maryland: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 23 | 1.0 | 2.3 | 1.8 | 0.15 | 0.18 | 22 | 0.7 | 2.0 | 1.3 | 0.08 | 0.13 | C01–02 |
| Mouth | 26 | 1.1 | 2.7 | 2.0 | 0.13 | 0.24 | 13 | 0.4 | 1.2 | 0.8 | 0.07 | 0.09 | C03–06 |
| Salivary glands | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 9 | 0.3 | 0.8 | 0.6 | 0.03 | 0.08 | C07–08 |
| Tonsil | 8 | 0.3 | 0.8 | 0.6 | 0.06 | 0.06 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 19 | 0.8 | 1.9 | 1.5 | 0.15 | 0.15 | 7 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | C11 |
| Hypopharynx | 8 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 23 | 1.0 | 2.3 | 1.7 | 0.10 | 0.21 | 7 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | C15 |
| Stomach | 109 | 4.5 | 11.1 | 7.7 | 0.35 | 0.83 | 81 | 2.6 | 7.5 | 5.0 | 0.32 | 0.55 | C16 |
| Small intestine | 17 | 0.7 | 1.7 | 1.3 | 0.07 | 0.18 | 10 | 0.3 | 0.9 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 165 | 6.9 | 16.8 | 12.2 | 0.73 | 1.46 | 142 | 4.5 | 13.2 | 8.4 | 0.51 | 0.88 | C18 |
| Rectum | 96 | 4.0 | 9.8 | 7.4 | 0.53 | 0.86 | 92 | 2.9 | 8.6 | 5.8 | 0.39 | 0.67 | C19–20 |
| Anus | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 5 | 0.2 | 0.5 | 0.3 | 0.03 | 0.05 | C21 |
| Liver | 134 | 5.6 | 13.7 | 10.0 | 0.56 | 1.15 | 64 | 2.0 | 5.9 | 3.6 | 0.14 | 0.42 | C22 |
| Gallbladder etc. | 14 | 0.6 | 1.4 | 1.0 | 0.04 | 0.11 | 28 | 0.9 | 2.6 | 1.6 | 0.08 | 0.18 | C23–24 |
| Pancreas | 86 | 3.6 | 8.8 | 6.2 | 0.29 | 0.71 | 78 | 2.5 | 7.2 | 4.5 | 0.20 | 0.46 | C25 |
| Nose, sinuses etc. | 7 | 0.3 | 0.7 | 0.6 | 0.02 | 0.08 | 7 | 0.2 | 0.7 | 0.5 | 0.04 | 0.07 | C30–31 |
| Larynx | 13 | 0.5 | 1.3 | 1.0 | 0.08 | 0.12 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 272 | 11.3 | 27.7 | 19.0 | 0.79 | 2.21 | 236 | 7.6 | 21.9 | 14.0 | 0.68 | 1.68 | C33–34 |
| Other thoracic organs | 11 | 0.5 | 1.1 | 1.0 | 0.07 | 0.11 | 7 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | C37–38 |
| Bone | 8 | 0.3 | 0.8 | 0.8 | 0.05 | 0.05 | 11 | 0.4 | 1.0 | 1.0 | 0.07 | 0.07 | C40–41 |
| Melanoma of skin | 17 | 0.7 | 1.7 | 1.1 | 0.08 | 0.08 | 10 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 6 | 0.2 | 0.6 | 0.4 | 0.02 | 0.02 | C44 |
| Mesothelioma | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 22 | 0.9 | 2.2 | 2.1 | 0.12 | 0.19 | 22 | 0.7 | 2.0 | 1.7 | 0.10 | 0.16 | C47+C49 |
| Breast | 7 | 0.3 | 0.7 | 0.5 | 0.02 | 0.07 | 1077 | 34.5 | 100.1 | 70.5 | 5.37 | 7.75 | C50 |
| Vulva | | | | | | | 6 | 0.2 | 0.6 | 0.4 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 59 | 1.9 | 5.5 | 3.8 | 0.25 | 0.42 | C53 |
| Corpus uteri | | | | | | | 204 | 6.5 | 19.0 | 13.2 | 0.97 | 1.67 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C55 |
| Ovary | | | | | | | 112 | 3.6 | 10.4 | 7.5 | 0.58 | 0.84 | C56 |
| Other female genital organs | | | | | | | 13 | 0.4 | 1.2 | 0.8 | 0.04 | 0.12 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | | | | | | | C60 |
| Prostate | 572 | 23.8 | 58.3 | 43.1 | 2.08 | 6.00 | | | | | | | C61 |
| Testis | 14 | 0.6 | 1.4 | 1.4 | 0.10 | 0.10 | | | | | | | C62 |
| Other male genital organs | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | | | | | | | C63 |
| Kidney | 81 | 3.4 | 8.3 | 6.2 | 0.43 | 0.71 | 50 | 1.6 | 4.6 | 3.2 | 0.23 | 0.32 | C64 |
| Renal pelvis | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.2 | 0.6 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 7 | 0.3 | 0.7 | 0.5 | 0.01 | 0.06 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 126 | 5.2 | 12.9 | 8.7 | 0.37 | 0.89 | 44 | 1.4 | 4.1 | 2.4 | 0.08 | 0.25 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 6 | 0.2 | 0.6 | 0.6 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 62 | 2.6 | 6.3 | 5.3 | 0.38 | 0.48 | 38 | 1.2 | 3.5 | 3.0 | 0.20 | 0.24 | C70–72 |
| Thyroid | 79 | 3.3 | 8.1 | 6.4 | 0.46 | 0.62 | 319 | 10.2 | 29.6 | 22.3 | 1.67 | 2.24 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 20 | 0.8 | 2.0 | 1.9 | 0.15 | 0.16 | 13 | 0.4 | 1.2 | 1.1 | 0.07 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 118 | 4.9 | 12.0 | 9.0 | 0.42 | 0.99 | 98 | 3.1 | 9.1 | 6.1 | 0.30 | 0.70 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.3 | 0.8 | 0.6 | 0.02 | 0.09 | 10 | 0.3 | 0.9 | 0.7 | 0.05 | 0.07 | C88 |
| Multiple myeloma | 34 | 1.4 | 3.5 | 2.5 | 0.12 | 0.33 | 29 | 0.9 | 2.7 | 1.8 | 0.10 | 0.26 | C90 |
| Lymphoid leukaemia | 29 | 1.2 | 3.0 | 2.7 | 0.12 | 0.24 | 17 | 0.5 | 1.6 | 1.5 | 0.06 | 0.11 | C91 |
| Myeloid leukaemia | 49 | 2.0 | 5.0 | 3.8 | 0.20 | 0.43 | 44 | 1.4 | 4.1 | 3.1 | 0.19 | 0.31 | C92–94 |
| Leukaemia unspecified | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C95 |
| Myeloproliferative disorders | 18 | 0.7 | 1.8 | 1.4 | 0.09 | 0.14 | 16 | 0.5 | 1.5 | 1.0 | 0.05 | 0.12 | MPD |
| Myelodysplastic syndromes | 23 | 1.0 | 2.3 | 1.5 | 0.03 | 0.12 | 18 | 0.6 | 1.7 | 0.9 | 0.02 | 0.05 | MPS |
| Other and unspecified | 43 | 1.8 | 4.4 | 3.2 | 0.13 | 0.33 | 60 | 1.9 | 5.6 | 3.4 | 0.15 | 0.33 | O&U |
| All sites | 2409 | | 245.7 | 181.2 | 9.66 | 21.15 | 3128 | | 290.7 | 201.9 | 13.43 | 22.02 | C00–96 |
| All sites except C44 | 2407 | 100.0 | 245.5 | 181.0 | 9.66 | 21.13 | 3122 | 100.0 | 290.2 | 201.6 | 13.41 | 22.00 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, Maryland: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 120 | 0.6 | 2.7 | 2.1 | 0.14 | 0.25 | 59 | 0.3 | 1.2 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 86 | 0.4 | 2.0 | 1.5 | 0.09 | 0.18 | 54 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 46 | 0.2 | 1.0 | 0.8 | 0.05 | 0.10 | 66 | 0.3 | 1.3 | 0.9 | 0.07 | 0.10 | C07–08 |
| Tonsil | 107 | 0.5 | 2.4 | 1.8 | 0.14 | 0.21 | 23 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C09 |
| Other oropharynx | 38 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | 14 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 38 | 0.2 | 0.9 | 0.7 | 0.06 | 0.07 | 24 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 60 | 0.3 | 1.4 | 1.0 | 0.06 | 0.14 | 8 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 16 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 196 | 1.0 | 4.4 | 3.3 | 0.19 | 0.40 | 101 | 0.5 | 2.0 | 1.2 | 0.08 | 0.16 | C15 |
| Stomach | 397 | 1.9 | 9.0 | 6.9 | 0.33 | 0.82 | 380 | 1.8 | 7.6 | 4.7 | 0.25 | 0.55 | C16 |
| Small intestine | 163 | 0.8 | 3.7 | 2.8 | 0.16 | 0.34 | 177 | 0.8 | 3.5 | 2.2 | 0.12 | 0.26 | C17 |
| Colon | 1293 | 6.3 | 29.3 | 22.2 | 1.25 | 2.54 | 1428 | 6.6 | 28.4 | 17.6 | 1.03 | 1.98 | C18 |
| Rectum | 488 | 2.4 | 11.1 | 8.5 | 0.54 | 1.03 | 439 | 2.0 | 8.7 | 5.7 | 0.37 | 0.66 | C19–20 |
| Anus | 87 | 0.4 | 2.0 | 1.6 | 0.12 | 0.18 | 93 | 0.4 | 1.9 | 1.2 | 0.09 | 0.15 | C21 |
| Liver | 879 | 4.3 | 19.9 | 15.3 | 1.11 | 2.02 | 322 | 1.5 | 6.4 | 4.1 | 0.29 | 0.51 | C22 |
| Gallbladder etc. | 102 | 0.5 | 2.3 | 1.7 | 0.08 | 0.19 | 163 | 0.8 | 3.2 | 2.0 | 0.13 | 0.23 | C23–24 |
| Pancreas | 647 | 3.2 | 14.7 | 11.0 | 0.58 | 1.34 | 745 | 3.4 | 14.8 | 8.9 | 0.45 | 1.05 | C25 |
| Nose, sinuses etc. | 29 | 0.1 | 0.7 | 0.5 | 0.04 | 0.06 | 23 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 234 | 1.1 | 5.3 | 4.0 | 0.23 | 0.52 | 61 | 0.3 | 1.2 | 0.8 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 2360 | 11.5 | 53.5 | 40.3 | 1.81 | 5.16 | 2570 | 11.9 | 51.2 | 30.7 | 1.52 | 3.85 | C33–34 |
| Other thoracic organs | 45 | 0.2 | 1.0 | 0.8 | 0.06 | 0.08 | 36 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | C37–38 |
| Bone | 54 | 0.3 | 1.2 | 1.1 | 0.08 | 0.10 | 36 | 0.2 | 0.7 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 50 | 0.2 | 1.1 | 0.9 | 0.04 | 0.09 | 41 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C43 |
| Other skin | 58 | 0.3 | 1.3 | 1.1 | 0.08 | 0.10 | 63 | 0.3 | 1.3 | 0.9 | 0.06 | 0.09 | C44 |
| Mesothelioma | 16 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 55 | 0.3 | 1.2 | 1.1 | 0.08 | 0.10 | 10 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 138 | 0.7 | 3.1 | 2.7 | 0.16 | 0.25 | 142 | 0.7 | 2.8 | 2.3 | 0.16 | 0.21 | C47+C49 |
| Breast | 96 | 0.5 | 2.2 | 1.7 | 0.07 | 0.21 | 7287 | 33.6 | 145.1 | 97.8 | 6.87 | 11.35 | C50 |
| Vulva | | | | | | | 109 | 0.5 | 2.2 | 1.5 | 0.10 | 0.15 | C51 |
| Vagina | | | | | | | 60 | 0.3 | 1.2 | 0.8 | 0.05 | 0.09 | C52 |
| Cervix uteri | | | | | | | 356 | 1.6 | 7.1 | 5.2 | 0.38 | 0.55 | C53 |
| Corpus uteri | | | | | | | 1506 | 7.0 | 30.0 | 19.6 | 1.31 | 2.53 | C54 |
| Uterus unspecified | | | | | | | 108 | 0.5 | 2.2 | 1.4 | 0.10 | 0.16 | C55 |
| Ovary | | | | | | | 490 | 2.3 | 9.8 | 6.5 | 0.42 | 0.76 | C56 |
| Other female genital organs | | | | | | | 62 | 0.3 | 1.2 | 0.8 | 0.04 | 0.10 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 20 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | | | | | | | C60 |
| Prostate | 7952 | 38.9 | 180.4 | 137.5 | 8.39 | 18.69 | | | | | | | C61 |
| Testis | 62 | 0.3 | 1.4 | 1.3 | 0.10 | 0.11 | | | | | | | C62 |
| Other male genital organs | 10 | 0.0 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 914 | 4.5 | 20.7 | 16.1 | 0.97 | 1.98 | 620 | 2.9 | 12.3 | 8.4 | 0.51 | 0.98 | C64 |
| Renal pelvis | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 18 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 713 | 3.5 | 16.2 | 12.1 | 0.48 | 1.43 | 366 | 1.7 | 7.3 | 4.3 | 0.18 | 0.48 | C67 |
| Other urinary organs | 17 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 13 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 6 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 192 | 0.9 | 4.4 | 3.9 | 0.23 | 0.36 | 161 | 0.7 | 3.2 | 2.8 | 0.17 | 0.23 | C70–72 |
| Thyroid | 198 | 1.0 | 4.5 | 3.6 | 0.23 | 0.41 | 764 | 3.5 | 15.2 | 11.5 | 0.91 | 1.18 | C73 |
| Adrenal gland | 9 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 16 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 134 | 0.7 | 3.0 | 2.8 | 0.20 | 0.23 | 131 | 0.6 | 2.6 | 2.3 | 0.17 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 556 | 2.7 | 12.6 | 10.1 | 0.67 | 1.06 | 562 | 2.6 | 11.2 | 7.5 | 0.50 | 0.83 | C82–86,C96 |
| Immunoproliferative diseases | 50 | 0.2 | 1.1 | 0.9 | 0.06 | 0.10 | 79 | 0.4 | 1.6 | 1.0 | 0.07 | 0.12 | C88 |
| Multiple myeloma | 577 | 2.8 | 13.1 | 9.9 | 0.48 | 1.18 | 648 | 3.0 | 12.9 | 8.0 | 0.44 | 1.00 | C90 |
| Lymphoid leukaemia | 257 | 1.3 | 5.8 | 4.9 | 0.28 | 0.50 | 218 | 1.0 | 4.3 | 3.1 | 0.14 | 0.34 | C91 |
| Myeloid leukaemia | 227 | 1.1 | 5.1 | 4.2 | 0.24 | 0.46 | 243 | 1.1 | 4.8 | 3.5 | 0.23 | 0.36 | C92–94 |
| Leukaemia unspecified | 29 | 0.1 | 0.7 | 0.6 | 0.02 | 0.04 | 25 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 108 | 0.5 | 2.4 | 1.9 | 0.10 | 0.21 | 136 | 0.6 | 2.7 | 1.7 | 0.09 | 0.19 | MPD |
| Myelodysplastic syndromes | 104 | 0.5 | 2.4 | 1.8 | 0.06 | 0.17 | 107 | 0.5 | 2.1 | 1.1 | 0.04 | 0.12 | MPS |
| Other and unspecified | 436 | 2.1 | 9.9 | 7.6 | 0.35 | 0.87 | 512 | 2.4 | 10.2 | 5.9 | 0.27 | 0.59 | O&U |
| All sites | 20513 | | 465.2 | 357.6 | 20.52 | 44.61 | 21721 | | 432.7 | 284.1 | 18.06 | 32.84 | C00–96 |
| All sites except C44 | 20455 | 100.0 | 463.9 | 356.6 | 20.44 | 44.51 | 21658 | 100.0 | 431.4 | 283.2 | 18.00 | 32.76 | C00–96 exc. C44 |

§Includes 2 cases of unknown age

§Includes 2 cases of unknown age

USA, Maryland: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 53 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 25 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 787 | 1.5 | 8.7 | 5.1 | 0.36 | 0.65 | 322 | 0.6 | 3.5 | 1.9 | 0.13 | 0.22 | C01–02 |
| Mouth | 297 | 0.6 | 3.3 | 1.8 | 0.10 | 0.22 | 211 | 0.4 | 2.3 | 1.0 | 0.05 | 0.12 | C03–06 |
| Salivary glands | 176 | 0.3 | 2.0 | 1.0 | 0.05 | 0.11 | 102 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 497 | 0.9 | 5.5 | 3.5 | 0.30 | 0.42 | 83 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 126 | 0.2 | 1.4 | 0.8 | 0.07 | 0.11 | 39 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 51 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 104 | 0.2 | 1.2 | 0.6 | 0.04 | 0.08 | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 47 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 893 | 1.7 | 9.9 | 5.2 | 0.28 | 0.61 | 251 | 0.5 | 2.7 | 1.2 | 0.05 | 0.14 | C15 |
| Stomach | 827 | 1.5 | 9.2 | 4.9 | 0.26 | 0.58 | 470 | 0.9 | 5.1 | 2.4 | 0.13 | 0.28 | C16 |
| Small intestine | 273 | 0.5 | 3.0 | 1.7 | 0.11 | 0.20 | 242 | 0.5 | 2.6 | 1.4 | 0.09 | 0.17 | C17 |
| Colon | 2744 | 5.1 | 30.5 | 16.2 | 0.85 | 1.78 | 3044 | 5.7 | 33.0 | 15.0 | 0.80 | 1.60 | C18 |
| Rectum | 1339 | 2.5 | 14.9 | 8.8 | 0.60 | 1.02 | 949 | 1.8 | 10.3 | 5.6 | 0.40 | 0.62 | C19–20 |
| Anus | 138 | 0.3 | 1.5 | 0.8 | 0.06 | 0.10 | 297 | 0.6 | 3.2 | 1.7 | 0.12 | 0.20 | C21 |
| Liver | 1278 | 2.4 | 14.2 | 7.8 | 0.51 | 0.99 | 538 | 1.0 | 5.8 | 2.8 | 0.16 | 0.33 | C22 |
| Gallbladder etc. | 285 | 0.5 | 3.2 | 1.6 | 0.07 | 0.17 | 304 | 0.6 | 3.3 | 1.3 | 0.06 | 0.15 | C23–24 |
| Pancreas | 1627 | 3.0 | 18.1 | 9.3 | 0.43 | 1.12 | 1436 | 2.7 | 15.6 | 6.9 | 0.34 | 0.80 | C25 |
| Nose, sinuses etc. | 115 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | 64 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 528 | 1.0 | 5.9 | 3.2 | 0.21 | 0.40 | 141 | 0.3 | 1.5 | 0.8 | 0.06 | 0.10 | C32 |
| Trachea, bronchus, and lung | 6894 | 12.9 | 76.6 | 38.6 | 1.61 | 4.80 | 7140 | 13.3 | 77.5 | 34.1 | 1.56 | 4.25 | C33–34 |
| Other thoracic organs | 63 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 48 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 138 | 0.3 | 1.5 | 1.4 | 0.09 | 0.12 | 105 | 0.2 | 1.1 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 4662 | 8.7 | 51.8 | 28.8 | 1.57 | 3.35 | 3192 | 5.9 | 34.6 | 21.2 | 1.51 | 2.22 | C43 |
| Other skin | 236 | 0.4 | 2.6 | 1.3 | 0.05 | 0.12 | 168 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | C44 |
| Mesothelioma | 151 | 0.3 | 1.7 | 0.8 | 0.02 | 0.09 | 61 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 23 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 440 | 0.8 | 4.9 | 3.2 | 0.18 | 0.32 | 312 | 0.6 | 3.4 | 2.2 | 0.14 | 0.21 | C47+C49 |
| Breast | 159 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | 15967 | 29.7 | 173.3 | 97.7 | 6.72 | 11.50 | C50 |
| Vulva | | | | | | | 384 | 0.7 | 4.2 | 2.1 | 0.12 | 0.24 | C51 |
| Vagina | | | | | | | 92 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 646 | 1.2 | 7.0 | 5.1 | 0.41 | 0.50 | C53 |
| Corpus uteri | | | | | | | 3471 | 6.5 | 37.7 | 20.6 | 1.42 | 2.62 | C54 |
| Uterus unspecified | | | | | | | 87 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1411 | 2.6 | 15.3 | 8.5 | 0.58 | 0.96 | C56 |
| Other female genital organs | | | | | | | 232 | 0.4 | 2.5 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 58 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 12446 | 23.3 | 138.4 | 75.2 | 4.04 | 10.47 | | | | | | | C61 |
| Testis | 557 | 1.0 | 6.2 | 6.1 | 0.45 | 0.47 | | | | | | | C62 |
| Other male genital organs | 20 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2086 | 3.9 | 23.2 | 13.4 | 0.80 | 1.62 | 1200 | 2.2 | 13.0 | 7.1 | 0.44 | 0.84 | C64 |
| Renal pelvis | 117 | 0.2 | 1.3 | 0.6 | 0.02 | 0.07 | 84 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 98 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | 54 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 4116 | 7.7 | 45.8 | 22.0 | 0.84 | 2.46 | 1229 | 2.3 | 13.3 | 5.6 | 0.25 | 0.66 | C67 |
| Other urinary organs | 84 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | 25 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 92 | 0.2 | 1.0 | 0.8 | 0.04 | 0.07 | 76 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 831 | 1.6 | 9.2 | 6.8 | 0.43 | 0.65 | 680 | 1.3 | 7.4 | 5.2 | 0.31 | 0.48 | C70–72 |
| Thyroid | 789 | 1.5 | 8.8 | 6.2 | 0.46 | 0.65 | 2317 | 4.3 | 25.1 | 19.6 | 1.54 | 1.87 | C73 |
| Adrenal gland | 28 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 35 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 276 | 0.5 | 3.1 | 2.6 | 0.18 | 0.21 | 230 | 0.4 | 2.5 | 2.4 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 2240 | 4.2 | 24.9 | 13.9 | 0.75 | 1.54 | 1817 | 3.4 | 19.7 | 9.9 | 0.55 | 1.12 | C82–86,C96 |
| Immunoproliferative diseases | 176 | 0.3 | 2.0 | 1.1 | 0.06 | 0.13 | 192 | 0.4 | 2.1 | 1.1 | 0.06 | 0.13 | C88 |
| Multiple myeloma | 784 | 1.5 | 8.7 | 4.5 | 0.23 | 0.51 | 627 | 1.2 | 6.8 | 3.1 | 0.15 | 0.38 | C90 |
| Lymphoid leukaemia | 1082 | 2.0 | 12.0 | 7.8 | 0.40 | 0.73 | 729 | 1.4 | 7.9 | 4.6 | 0.24 | 0.43 | C91 |
| Myeloid leukaemia | 785 | 1.5 | 8.7 | 5.1 | 0.26 | 0.54 | 615 | 1.1 | 6.7 | 3.6 | 0.20 | 0.38 | C92–94 |
| Leukaemia unspecified | 71 | 0.1 | 0.8 | 0.5 | 0.02 | 0.03 | 59 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 371 | 0.7 | 4.1 | 2.3 | 0.12 | 0.23 | 422 | 0.8 | 4.6 | 2.1 | 0.11 | 0.23 | MPD |
| Myelodysplastic syndromes | 569 | 1.1 | 6.3 | 2.8 | 0.07 | 0.26 | 410 | 0.8 | 4.5 | 1.6 | 0.05 | 0.17 | MPS |
| Other and unspecified | 1047 | 2.0 | 11.6 | 5.7 | 0.23 | 0.60 | 1128 | 2.1 | 12.2 | 4.7 | 0.20 | 0.48 | O&U |
| All sites | 53684 | | 596.8 | 329.0 | 17.50 | 39.14 | 53845 | | 584.4 | 312.9 | 19.63 | 35.54 | C00–96 |
| All sites except C44 | 53448 | 100.0 | 594.2 | 327.6 | 17.45 | 39.01 | 53677 | 100.0 | 582.6 | 312.0 | 19.58 | 35.43 | C00–96 exc. C44 |


§Includes 2 cases of unknown age

§Includes 3 cases of unknown age

USA, Massachusetts


CONTRIBUTORS

Susan Gershman



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 74.4 | Breast | 100.2 |
| Trachea, bronchus, and lung | 39.5 | Trachea, bronchus, and lung | 37.2 |
| Bladder | 21.8 | Thyroid | 22.6 |
| Melanoma of skin | 17.6 | Corpus uteri | 21.3 |
| Colon | 16.8 | Colon | 14.0 |
| Kidney | 15.2 | Melanoma of skin | 13.7 |
| Non-Hodgkin lymphoma | 13.8 | Non-Hodgkin lymphoma | 9.1 |
| Liver | 9.4 | Ovary | 7.6 |
| Pancreas | 9.3 | Pancreas | 7.2 |
| Rectum | 8.8 | Kidney | 7.1 |
| Thyroid | 8.1 | Bladder | 6.3 |
| Lymphoid leukaemia | 7.0 | Rectum | 5.9 |
| Brain and nervous system | 6.6 | Brain and nervous system | 5.0 |
| Oesophagus | 5.9 | Lymphoid leukaemia | 4.5 |
| Stomach | 5.9 | Cervix uteri | 4.1 |
| Testis | 5.5 | Other and unspecified | 3.9 |
| Multiple myeloma | 5.3 | Myeloid leukaemia | 3.4 |
| Myeloid leukaemia | 5.1 | Multiple myeloma | 3.4 |
| Other and unspecified | 4.3 | Stomach | 2.8 |
| Tongue | 4.1 | Liver | 2.7 |
| All sites | 323.3 | All sites | 311.5 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 37.0 |
| Trachea, bronchus, and lung | 32.3 |
| Liver | 17.1 |
| Colon | 12.2 |
| Rectum | 8.6 |
| Non-Hodgkin lymphoma | 8.3 |
| Thyroid | 8.3 |
| Bladder | 7.6 |
| Stomach | 7.6 |
| Kidney | 6.6 |
| All sites | 203.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 70.2 |
| Thyroid | 21.1 |
| Trachea, bronchus, and lung | 19.8 |
| Corpus uteri | 12.3 |
| Colon | 10.2 |
| Non-Hodgkin lymphoma | 6.1 |
| Ovary | 5.7 |
| Rectum | 5.4 |
| Liver | 5.3 |
| Pancreas | 5.0 |
| All sites | 211.0 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 118.6 |
| Trachea, bronchus, and lung | 33.4 |
| Colon | 21.5 |
| Liver | 14.1 |
| Kidney | 13.3 |
| Pancreas | 10.1 |
| Multiple myeloma | 10.0 |
| Non-Hodgkin lymphoma | 10.0 |
| Stomach | 9.9 |
| Bladder | 9.9 |
| All sites | 321.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 84.7 |
| Trachea, bronchus, and lung | 25.3 |
| Corpus uteri | 18.8 |
| Thyroid | 15.5 |
| Colon | 15.1 |
| Multiple myeloma | 8.2 |
| Pancreas | 8.0 |
| Kidney | 7.7 |
| Non-Hodgkin lymphoma | 6.6 |
| Rectum | 6.0 |
| All sites | 262.1 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 70.3 |
| Trachea, bronchus, and lung | 40.0 |
| Bladder | 22.9 |
| Melanoma of skin | 18.1 |
| Colon | 16.6 |
| Kidney | 15.7 |
| Non-Hodgkin lymphoma | 14.3 |
| Pancreas | 9.3 |
| Rectum | 8.8 |
| Liver | 8.5 |
| All sites | 322.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 102.5 |
| Trachea, bronchus, and lung | 38.7 |
| Thyroid | 23.0 |
| Corpus uteri | 21.7 |
| Melanoma of skin | 14.3 |
| Colon | 14.1 |
| Non-Hodgkin lymphoma | 9.3 |
| Ovary | 7.7 |
| Kidney | 7.1 |
| Pancreas | 7.1 |
| All sites | 316.8 |

USA, Massachusetts (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 96 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 67 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | <i>C00</i> |
| Tongue | 1087 | 1.2 | 6.6 | 4.1 | 0.28 | 0.51 | 470 | 0.5 | 2.7 | 1.5 | 0.10 | 0.18 | <i>C01–02</i> |
| Mouth | 563 | 0.6 | 3.4 | 2.0 | 0.13 | 0.24 | 418 | 0.4 | 2.4 | 1.2 | 0.07 | 0.14 | <i>C03–06</i> |
| Salivary glands | 256 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | 220 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | <i>C07–08</i> |
| Tonsil | 709 | 0.8 | 4.3 | 2.8 | 0.23 | 0.34 | 194 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | <i>C09</i> |
| Other oropharynx | 169 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 36 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C10</i> |
| Nasopharynx | 156 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | 64 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | <i>C11</i> |
| Hypopharynx | 225 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | 52 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C12–13</i> |
| Pharynx unspecified | 204 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 54 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | <i>C14</i> |
| Oesophagus | 1741 | 1.9 | 10.6 | 5.9 | 0.31 | 0.74 | 527 | 0.5 | 3.0 | 1.4 | 0.07 | 0.18 | <i>C15</i> |
| Stomach | 1714 | 1.9 | 10.4 | 5.9 | 0.30 | 0.69 | 1011 | 1.0 | 5.8 | 2.8 | 0.15 | 0.32 | <i>C16</i> |
| Small intestine | 487 | 0.5 | 3.0 | 1.8 | 0.11 | 0.21 | 419 | 0.4 | 2.4 | 1.3 | 0.08 | 0.15 | <i>C17</i> |
| Colon | 4915 | 5.4 | 29.8 | 16.8 | 0.88 | 1.85 | 5258 | 5.4 | 30.1 | 14.0 | 0.75 | 1.48 | <i>C18</i> |
| Rectum | 2371 | 2.6 | 14.4 | 8.8 | 0.60 | 0.99 | 1857 | 1.9 | 10.6 | 5.9 | 0.41 | 0.65 | <i>C19–20</i> |
| Anus | 312 | 0.3 | 1.9 | 1.1 | 0.08 | 0.13 | 499 | 0.5 | 2.9 | 1.6 | 0.12 | 0.19 | <i>C21</i> |
| Liver | 2635 | 2.9 | 16.0 | 9.4 | 0.59 | 1.16 | 943 | 1.0 | 5.4 | 2.7 | 0.16 | 0.32 | <i>C22</i> |
| Gallbladder etc. | 586 | 0.6 | 3.6 | 1.9 | 0.08 | 0.23 | 724 | 0.7 | 4.1 | 1.8 | 0.08 | 0.20 | <i>C23–24</i> |
| Pancreas | 2796 | 3.1 | 17.0 | 9.3 | 0.45 | 1.11 | 2800 | 2.9 | 16.0 | 7.2 | 0.32 | 0.85 | <i>C25</i> |
| Nose, sinuses etc. | 168 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 112 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | <i>C30–31</i> |
| Larynx | 1022 | 1.1 | 6.2 | 3.6 | 0.22 | 0.45 | 274 | 0.3 | 1.6 | 0.8 | 0.06 | 0.11 | <i>C32</i> |
| Trachea, bronchus, and lung | 12132 | 13.4 | 73.7 | 39.5 | 1.64 | 4.90 | 13840 | 14.2 | 79.1 | 37.2 | 1.69 | 4.76 | <i>C33–34</i> |
| Other thoracic organs | 119 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 91 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | <i>C37–38</i> |
| Bone | 211 | 0.2 | 1.3 | 1.1 | 0.07 | 0.10 | 171 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | <i>C40–41</i> |
| Melanoma of skin | 5007 | 5.5 | 30.4 | 17.6 | 0.96 | 1.97 | 4038 | 4.1 | 23.1 | 13.7 | 0.94 | 1.46 | <i>C43</i> |
| Other skin | 429 | 0.5 | 2.6 | 1.5 | 0.07 | 0.16 | 308 | 0.3 | 1.8 | 0.9 | 0.05 | 0.10 | <i>C44</i> |
| Mesothelioma | 327 | 0.4 | 2.0 | 1.0 | 0.02 | 0.10 | 111 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | <i>C45</i> |
| Kaposi sarcoma | 104 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 17 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 716 | 0.8 | 4.3 | 2.9 | 0.16 | 0.28 | 516 | 0.5 | 3.0 | 2.0 | 0.13 | 0.18 | <i>C47+C49</i> |
| Breast | 265 | 0.3 | 1.6 | 0.9 | 0.05 | 0.12 | 29633 | 30.4 | 169.5 | 100.2 | 6.88 | 11.75 | <i>C50</i> |
| Vulva | | | | | | | 631 | 0.6 | 3.6 | 1.7 | 0.10 | 0.18 | <i>C51</i> |
| Vagina | | | | | | | 123 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | <i>C52</i> |
| Cervix uteri | | | | | | | 989 | 1.0 | 5.7 | 4.1 | 0.32 | 0.40 | <i>C53</i> |
| Corpus uteri | | | | | | | 6526 | 6.7 | 37.3 | 21.3 | 1.45 | 2.75 | <i>C54</i> |
| Uterus unspecified | | | | | | | 160 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | <i>C55</i> |
| Ovary | | | | | | | 2338 | 2.4 | 13.4 | 7.6 | 0.51 | 0.86 | <i>C56</i> |
| Other female genital organs | | | | | | | 457 | 0.5 | 2.6 | 1.3 | 0.07 | 0.18 | <i>C57</i> |
| Placenta | | | | | | | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C58</i> |
| Penis | 176 | 0.2 | 1.1 | 0.6 | 0.03 | 0.05 | | | | | | | <i>C60</i> |
| Prostate | 21036 | 23.2 | 127.8 | 74.4 | 4.26 | 10.25 | | | | | | | <i>C61</i> |
| Testis | 971 | 1.1 | 5.9 | 5.5 | 0.42 | 0.43 | | | | | | | <i>C62</i> |
| Other male genital organs | 37 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | <i>C63</i> |
| Kidney | 4015 | 4.4 | 24.4 | 15.2 | 0.97 | 1.83 | 2131 | 2.2 | 12.2 | 7.1 | 0.47 | 0.82 | <i>C64</i> |
| Renal pelvis | 233 | 0.3 | 1.4 | 0.8 | 0.03 | 0.08 | 163 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | <i>C65</i> |
| Ureter | 153 | 0.2 | 0.9 | 0.5 | 0.01 | 0.05 | 96 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | <i>C66</i> |
| Bladder | 6943 | 7.7 | 42.2 | 21.8 | 0.81 | 2.49 | 2475 | 2.5 | 14.2 | 6.3 | 0.28 | 0.75 | <i>C67</i> |
| Other urinary organs | 110 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 60 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C68</i> |
| Eye | 188 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | 159 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | <i>C69</i> |
| Brain and nervous system | 1445 | 1.6 | 8.8 | 6.6 | 0.39 | 0.64 | 1209 | 1.2 | 6.9 | 5.0 | 0.31 | 0.47 | <i>C70–72</i> |
| Thyroid | 1839 | 2.0 | 11.2 | 8.1 | 0.61 | 0.84 | 5143 | 5.3 | 29.4 | 22.6 | 1.77 | 2.19 | <i>C73</i> |
| Adrenal gland | 58 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | 56 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | <i>C74</i> |
| Other endocrine | 31 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C75</i> |
| Hodgkin lymphoma | 518 | 0.6 | 3.1 | 2.7 | 0.18 | 0.23 | 464 | 0.5 | 2.7 | 2.4 | 0.17 | 0.19 | <i>C81</i> |
| Non-Hodgkin lymphoma | 3774 | 4.2 | 22.9 | 13.8 | 0.75 | 1.51 | 3038 | 3.1 | 17.4 | 9.1 | 0.53 | 1.01 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 399 | 0.4 | 2.4 | 1.4 | 0.07 | 0.16 | 423 | 0.4 | 2.4 | 1.2 | 0.07 | 0.15 | <i>C88</i> |
| Multiple myeloma | 1535 | 1.7 | 9.3 | 5.3 | 0.27 | 0.64 | 1213 | 1.2 | 6.9 | 3.4 | 0.18 | 0.40 | <i>C90</i> |
| Lymphoid leukaemia | 1729 | 1.9 | 10.5 | 7.0 | 0.36 | 0.70 | 1227 | 1.3 | 7.0 | 4.5 | 0.24 | 0.43 | <i>C91</i> |
| Myeloid leukaemia | 1357 | 1.5 | 8.2 | 5.1 | 0.26 | 0.52 | 1070 | 1.1 | 6.1 | 3.4 | 0.19 | 0.35 | <i>C92–94</i> |
| Leukaemia unspecified | 70 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 74 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | <i>C95</i> |
| Myeloproliferative disorders | 610 | 0.7 | 3.7 | 2.2 | 0.12 | 0.23 | 736 | 0.8 | 4.2 | 2.1 | 0.10 | 0.23 | <i>MPD</i> |
| Myelodysplastic syndromes | 895 | 1.0 | 5.4 | 2.6 | 0.06 | 0.25 | 546 | 0.6 | 3.1 | 1.2 | 0.04 | 0.13 | <i>MPS</i> |
| Other and unspecified | 1357 | 1.5 | 8.2 | 4.3 | 0.17 | 0.42 | 1641 | 1.7 | 9.4 | 3.9 | 0.16 | 0.39 | <i>O&U</i> |
| All sites | 91001 | | 552.6 | 323.3 | 17.50 | 38.47 | 97895 | | 559.8 | 311.5 | 19.42 | 35.63 | <i>C00–96</i> |
| All sites except C44 | 90572 | 100.0 | 550.0 | 321.8 | 17.44 | 38.32 | 97587 | 100.0 | 558.1 | 310.6 | 19.37 | 35.53 | <i>C00–96 exc. C44</i> |

USA, Massachusetts: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 21 | 0.8 | 1.9 | 1.5 | 0.13 | 0.13 | 22 | 0.7 | 1.8 | 1.5 | 0.08 | 0.19 | C01–02 |
| Mouth | 12 | 0.5 | 1.1 | 1.0 | 0.07 | 0.11 | 16 | 0.5 | 1.3 | 1.1 | 0.05 | 0.14 | C03–06 |
| Salivary glands | 11 | 0.4 | 1.0 | 1.0 | 0.05 | 0.14 | 10 | 0.3 | 0.8 | 0.7 | 0.06 | 0.08 | C07–08 |
| Tonsil | 10 | 0.4 | 0.9 | 0.8 | 0.07 | 0.07 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 59 | 2.4 | 5.3 | 4.9 | 0.39 | 0.58 | 12 | 0.4 | 1.0 | 0.8 | 0.05 | 0.11 | C11 |
| Hypopharynx | 6 | 0.2 | 0.5 | 0.4 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.2 | 0.4 | 0.3 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 41 | 1.6 | 3.7 | 3.3 | 0.19 | 0.37 | 11 | 0.4 | 0.9 | 0.8 | 0.03 | 0.12 | C15 |
| Stomach | 99 | 4.0 | 8.8 | 7.6 | 0.39 | 0.81 | 67 | 2.2 | 5.5 | 4.5 | 0.21 | 0.53 | C16 |
| Small intestine | 16 | 0.6 | 1.4 | 1.1 | 0.08 | 0.13 | 6 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C17 |
| Colon | 154 | 6.2 | 13.7 | 12.2 | 0.66 | 1.40 | 155 | 5.1 | 12.7 | 10.2 | 0.55 | 1.12 | C18 |
| Rectum | 108 | 4.3 | 9.6 | 8.6 | 0.64 | 0.98 | 78 | 2.6 | 6.4 | 5.4 | 0.34 | 0.63 | C19–20 |
| Anus | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 207 | 8.3 | 18.5 | 17.1 | 1.02 | 2.08 | 77 | 2.5 | 6.3 | 5.3 | 0.21 | 0.69 | C22 |
| Gallbladder etc. | 35 | 1.4 | 3.1 | 2.8 | 0.08 | 0.39 | 27 | 0.9 | 2.2 | 1.7 | 0.12 | 0.17 | C23–24 |
| Pancreas | 71 | 2.9 | 6.3 | 5.8 | 0.33 | 0.68 | 76 | 2.5 | 6.2 | 5.0 | 0.25 | 0.57 | C25 |
| Nose, sinuses etc. | 8 | 0.3 | 0.7 | 0.6 | 0.03 | 0.06 | 5 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 9 | 0.4 | 0.8 | 0.7 | 0.03 | 0.09 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 395 | 15.9 | 35.3 | 32.3 | 1.40 | 4.09 | 297 | 9.8 | 24.4 | 19.8 | 0.95 | 2.27 | C33–34 |
| Other thoracic organs | 11 | 0.4 | 1.0 | 0.9 | 0.04 | 0.09 | 7 | 0.2 | 0.6 | 0.5 | 0.02 | 0.05 | C37–38 |
| Bone | 9 | 0.4 | 0.8 | 0.8 | 0.06 | 0.08 | 12 | 0.4 | 1.0 | 0.9 | 0.07 | 0.07 | C40–41 |
| Melanoma of skin | 10 | 0.4 | 0.9 | 0.8 | 0.04 | 0.08 | 9 | 0.3 | 0.7 | 0.6 | 0.06 | 0.07 | C43 |
| Other skin | 8 | 0.3 | 0.7 | 0.7 | 0.04 | 0.09 | 14 | 0.5 | 1.1 | 0.9 | 0.06 | 0.08 | C44 |
| Mesothelioma | 5 | 0.2 | 0.4 | 0.4 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 27 | 1.1 | 2.4 | 2.4 | 0.12 | 0.26 | 23 | 0.8 | 1.9 | 2.0 | 0.08 | 0.18 | C47+C49 |
| Breast | 10 | 0.4 | 0.9 | 0.8 | 0.04 | 0.11 | 1007 | 33.3 | 82.6 | 70.2 | 5.15 | 8.03 | C50 |
| Vulva | | | | | | | 11 | 0.4 | 0.9 | 0.8 | 0.05 | 0.09 | C51 |
| Vagina | | | | | | | 7 | 0.2 | 0.6 | 0.4 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 71 | 2.3 | 5.8 | 4.8 | 0.44 | 0.51 | C53 |
| Corpus uteri | | | | | | | 171 | 5.6 | 14.0 | 12.3 | 1.00 | 1.49 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.2 | 0.4 | 0.4 | 0.02 | 0.06 | C55 |
| Ovary | | | | | | | 83 | 2.7 | 6.8 | 5.7 | 0.39 | 0.61 | C56 |
| Other female genital organs | | | | | | | 8 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 9 | 0.4 | 0.8 | 0.7 | 0.04 | 0.06 | | | | | | | C60 |
| Prostate | 432 | 17.4 | 38.6 | 37.0 | 1.74 | 5.11 | | | | | | | C61 |
| Testis | 18 | 0.7 | 1.6 | 1.4 | 0.10 | 0.12 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.05 | | | | | | | C63 |
| Kidney | 79 | 3.2 | 7.1 | 6.6 | 0.39 | 0.82 | 40 | 1.3 | 3.3 | 2.6 | 0.16 | 0.30 | C64 |
| Renal pelvis | 7 | 0.3 | 0.6 | 0.5 | 0.01 | 0.05 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C65 |
| Ureter | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 99 | 4.0 | 8.8 | 7.6 | 0.26 | 0.78 | 21 | 0.7 | 1.7 | 1.5 | 0.08 | 0.18 | C67 |
| Other urinary organs | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 45 | 1.8 | 4.0 | 4.3 | 0.29 | 0.38 | 43 | 1.4 | 3.5 | 3.7 | 0.21 | 0.34 | C70–72 |
| Thyroid | 114 | 4.6 | 10.2 | 8.3 | 0.64 | 0.77 | 314 | 10.4 | 25.8 | 21.1 | 1.70 | 2.11 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.6 | 0.03 | 0.03 | C74 |
| Other endocrine | 5 | 0.2 | 0.4 | 0.5 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 15 | 0.6 | 1.3 | 1.1 | 0.07 | 0.09 | 15 | 0.5 | 1.2 | 1.1 | 0.08 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 102 | 4.1 | 9.1 | 8.3 | 0.47 | 0.88 | 88 | 2.9 | 7.2 | 6.1 | 0.42 | 0.65 | C82–86,C96 |
| Immunoproliferative diseases | 14 | 0.6 | 1.2 | 1.1 | 0.04 | 0.11 | 10 | 0.3 | 0.8 | 0.7 | 0.05 | 0.08 | C88 |
| Multiple myeloma | 32 | 1.3 | 2.9 | 2.5 | 0.14 | 0.29 | 30 | 1.0 | 2.5 | 2.0 | 0.06 | 0.27 | C90 |
| Lymphoid leukaemia | 39 | 1.6 | 3.5 | 4.0 | 0.26 | 0.36 | 33 | 1.1 | 2.7 | 3.1 | 0.14 | 0.29 | C91 |
| Myeloid leukaemia | 48 | 1.9 | 4.3 | 3.9 | 0.22 | 0.35 | 43 | 1.4 | 3.5 | 3.2 | 0.19 | 0.34 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 23 | 0.9 | 2.1 | 1.8 | 0.12 | 0.19 | 30 | 1.0 | 2.5 | 2.1 | 0.11 | 0.26 | MPD |
| Myelodysplastic syndromes | 20 | 0.8 | 1.8 | 1.5 | 0.06 | 0.14 | 16 | 0.5 | 1.3 | 1.1 | 0.02 | 0.13 | MPS |
| Other and unspecified | 27 | 1.1 | 2.4 | 2.1 | 0.09 | 0.19 | 38 | 1.3 | 3.1 | 2.5 | 0.12 | 0.24 | O&U |
| All sites | 2494 | | 222.7 | 203.3 | 10.95 | 23.78 | 3041 | | 249.6 | 211.0 | 13.81 | 23.53 | C00–96 |
| All sites except C44 | 2486 | 100.0 | 222.0 | 202.6 | 10.91 | 23.69 | 3027 | 100.0 | 248.4 | 210.1 | 13.74 | 23.45 | C00–96 exc. C44 |

USA, Massachusetts: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 35 | 0.7 | 2.3 | 2.2 | 0.11 | 0.23 | 8 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 26 | 0.5 | 1.7 | 1.6 | 0.10 | 0.22 | 18 | 0.3 | 1.1 | 0.9 | 0.08 | 0.10 | C03–06 |
| Salivary glands | 11 | 0.2 | 0.7 | 0.7 | 0.04 | 0.07 | 14 | 0.3 | 0.9 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 32 | 0.6 | 2.1 | 2.0 | 0.15 | 0.26 | 9 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 9 | 0.2 | 0.6 | 0.6 | 0.04 | 0.09 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 15 | 0.3 | 1.0 | 0.9 | 0.07 | 0.08 | 7 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | C11 |
| Hypopharynx | 11 | 0.2 | 0.7 | 0.6 | 0.05 | 0.06 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.5 | 0.4 | 0.03 | 0.06 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 60 | 1.2 | 4.0 | 3.6 | 0.20 | 0.44 | 27 | 0.5 | 1.7 | 1.2 | 0.04 | 0.16 | C15 |
| Stomach | 167 | 3.2 | 11.0 | 9.9 | 0.52 | 1.07 | 118 | 2.2 | 7.4 | 5.1 | 0.26 | 0.52 | C16 |
| Small intestine | 48 | 0.9 | 3.2 | 3.0 | 0.24 | 0.36 | 41 | 0.8 | 2.6 | 2.0 | 0.15 | 0.24 | C17 |
| Colon | 356 | 6.9 | 23.6 | 21.5 | 1.35 | 2.40 | 320 | 6.0 | 20.0 | 15.1 | 0.91 | 1.76 | C18 |
| Rectum | 140 | 2.7 | 9.3 | 8.4 | 0.57 | 0.94 | 124 | 2.3 | 7.7 | 6.0 | 0.43 | 0.66 | C19–20 |
| Anus | 18 | 0.3 | 1.2 | 1.1 | 0.08 | 0.14 | 23 | 0.4 | 1.4 | 1.1 | 0.07 | 0.12 | C21 |
| Liver | 225 | 4.3 | 14.9 | 14.1 | 0.96 | 1.84 | 82 | 1.5 | 5.1 | 4.0 | 0.26 | 0.48 | C22 |
| Gallbladder etc. | 30 | 0.6 | 2.0 | 1.8 | 0.09 | 0.21 | 74 | 1.4 | 4.6 | 3.4 | 0.17 | 0.40 | C23–24 |
| Pancreas | 166 | 3.2 | 11.0 | 10.1 | 0.54 | 1.16 | 173 | 3.2 | 10.8 | 8.0 | 0.36 | 0.97 | C25 |
| Nose, sinuses etc. | 11 | 0.2 | 0.7 | 0.7 | 0.04 | 0.09 | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 51 | 1.0 | 3.4 | 3.3 | 0.19 | 0.49 | 18 | 0.3 | 1.1 | 0.9 | 0.08 | 0.10 | C32 |
| Trachea, bronchus, and lung | 540 | 10.4 | 35.7 | 33.4 | 1.60 | 4.16 | 540 | 10.1 | 33.7 | 25.3 | 1.32 | 3.31 | C33–34 |
| Other thoracic organs | 8 | 0.2 | 0.5 | 0.5 | 0.04 | 0.06 | 8 | 0.2 | 0.5 | 0.5 | 0.02 | 0.04 | C37–38 |
| Bone | 13 | 0.3 | 0.9 | 0.8 | 0.05 | 0.06 | 15 | 0.3 | 0.9 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 8 | 0.2 | 0.5 | 0.4 | 0.01 | 0.04 | C43 |
| Other skin | 21 | 0.4 | 1.4 | 1.3 | 0.10 | 0.14 | 23 | 0.4 | 1.4 | 1.2 | 0.09 | 0.15 | C44 |
| Mesothelioma | 7 | 0.1 | 0.5 | 0.4 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 27 | 0.5 | 1.8 | 1.6 | 0.12 | 0.12 | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C46 |
| Connective and soft tissue | 37 | 0.7 | 2.4 | 2.3 | 0.16 | 0.20 | 37 | 0.7 | 2.3 | 2.0 | 0.13 | 0.21 | C47+C49 |
| Breast | 19 | 0.4 | 1.3 | 1.2 | 0.04 | 0.19 | 1695 | 31.8 | 105.8 | 84.7 | 5.97 | 9.77 | C50 |
| Vulva | | | | | | | 19 | 0.4 | 1.2 | 1.0 | 0.07 | 0.11 | C51 |
| Vagina | | | | | | | 11 | 0.2 | 0.7 | 0.5 | 0.03 | 0.08 | C52 |
| Cervix uteri | | | | | | | 112 | 2.1 | 7.0 | 5.5 | 0.35 | 0.61 | C53 |
| Corpus uteri | | | | | | | 379 | 7.1 | 23.7 | 18.8 | 1.16 | 2.48 | C54 |
| Uterus unspecified | | | | | | | 15 | 0.3 | 0.9 | 0.7 | 0.05 | 0.07 | C55 |
| Ovary | | | | | | | 119 | 2.2 | 7.4 | 5.9 | 0.42 | 0.68 | C56 |
| Other female genital organs | | | | | | | 24 | 0.5 | 1.5 | 1.1 | 0.05 | 0.14 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 14 | 0.3 | 0.9 | 0.9 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 1908 | 36.8 | 126.2 | 118.6 | 7.33 | 16.17 | | | | | | | C61 |
| Testis | 19 | 0.4 | 1.3 | 1.2 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | | | | | | | C63 |
| Kidney | 216 | 4.2 | 14.3 | 13.3 | 0.78 | 1.62 | 154 | 2.9 | 9.6 | 7.7 | 0.51 | 0.95 | C64 |
| Renal pelvis | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 8 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 157 | 3.0 | 10.4 | 9.9 | 0.39 | 1.30 | 77 | 1.4 | 4.8 | 3.3 | 0.14 | 0.39 | C67 |
| Other urinary organs | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 41 | 0.8 | 2.7 | 2.7 | 0.17 | 0.23 | 58 | 1.1 | 3.6 | 3.4 | 0.21 | 0.31 | C70–72 |
| Thyroid | 56 | 1.1 | 3.7 | 3.5 | 0.22 | 0.39 | 299 | 5.6 | 18.7 | 15.5 | 1.19 | 1.59 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 43 | 0.8 | 2.8 | 2.6 | 0.19 | 0.24 | 27 | 0.5 | 1.7 | 1.4 | 0.11 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 165 | 3.2 | 10.9 | 10.0 | 0.66 | 1.01 | 137 | 2.6 | 8.6 | 6.6 | 0.43 | 0.70 | C82–86,C96 |
| Immunoproliferative diseases | 16 | 0.3 | 1.1 | 1.0 | 0.07 | 0.11 | 24 | 0.5 | 1.5 | 1.2 | 0.07 | 0.15 | C88 |
| Multiple myeloma | 161 | 3.1 | 10.7 | 10.0 | 0.59 | 1.31 | 176 | 3.3 | 11.0 | 8.2 | 0.41 | 0.98 | C90 |
| Lymphoid leukaemia | 75 | 1.4 | 5.0 | 4.9 | 0.29 | 0.52 | 64 | 1.2 | 4.0 | 3.6 | 0.19 | 0.38 | C91 |
| Myeloid leukaemia | 68 | 1.3 | 4.5 | 4.1 | 0.21 | 0.40 | 73 | 1.4 | 4.6 | 3.7 | 0.23 | 0.40 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 36 | 0.7 | 2.4 | 2.2 | 0.09 | 0.28 | 35 | 0.7 | 2.2 | 1.6 | 0.09 | 0.16 | MPD |
| Myelodysplastic syndromes | 25 | 0.5 | 1.7 | 1.5 | 0.04 | 0.15 | 27 | 0.5 | 1.7 | 1.2 | 0.05 | 0.14 | MPS |
| Other and unspecified | 81 | 1.6 | 5.4 | 5.1 | 0.21 | 0.64 | 90 | 1.7 | 5.6 | 4.0 | 0.21 | 0.42 | O&U |
| All sites | 5202 | | 344.2 | 321.2 | 18.98 | 39.90 | 5348 | | 333.9 | 262.1 | 16.67 | 30.47 | C00–96 |
| All sites except C44 | 5181 | 100.0 | 342.8 | 319.9 | 18.89 | 39.76 | 5325 | 100.0 | 332.5 | 260.9 | 16.59 | 30.31 | C00–96 exc. C44 |


USA, Massachusetts: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 90 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | 65 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 1027 | 1.3 | 7.5 | 4.4 | 0.30 | 0.54 | 436 | 0.5 | 3.0 | 1.6 | 0.11 | 0.19 | C01–02 |
| Mouth | 512 | 0.6 | 3.7 | 2.0 | 0.13 | 0.25 | 378 | 0.4 | 2.6 | 1.2 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 229 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | 191 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 663 | 0.8 | 4.8 | 3.0 | 0.25 | 0.36 | 182 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | C09 |
| Other oropharynx | 158 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 31 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 82 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 44 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 206 | 0.3 | 1.5 | 0.8 | 0.06 | 0.10 | 49 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 193 | 0.2 | 1.4 | 0.8 | 0.05 | 0.10 | 50 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 1633 | 2.0 | 11.9 | 6.2 | 0.33 | 0.78 | 486 | 0.6 | 3.3 | 1.4 | 0.07 | 0.18 | C15 |
| Stomach | 1425 | 1.8 | 10.4 | 5.4 | 0.27 | 0.64 | 808 | 0.9 | 5.5 | 2.5 | 0.13 | 0.28 | C16 |
| Small intestine | 415 | 0.5 | 3.0 | 1.7 | 0.10 | 0.20 | 365 | 0.4 | 2.5 | 1.3 | 0.08 | 0.15 | C17 |
| Colon | 4362 | 5.4 | 31.8 | 16.6 | 0.85 | 1.83 | 4743 | 5.4 | 32.5 | 14.1 | 0.75 | 1.47 | C18 |
| Rectum | 2082 | 2.6 | 15.2 | 8.8 | 0.58 | 0.98 | 1626 | 1.9 | 11.2 | 5.9 | 0.40 | 0.65 | C19–20 |
| Anus | 288 | 0.4 | 2.1 | 1.2 | 0.08 | 0.14 | 464 | 0.5 | 3.2 | 1.7 | 0.12 | 0.20 | C21 |
| Liver | 2159 | 2.7 | 15.7 | 8.5 | 0.53 | 1.05 | 774 | 0.9 | 5.3 | 2.5 | 0.15 | 0.28 | C22 |
| Gallbladder etc. | 514 | 0.6 | 3.7 | 1.8 | 0.08 | 0.22 | 613 | 0.7 | 4.2 | 1.6 | 0.07 | 0.18 | C23–24 |
| Pancreas | 2532 | 3.1 | 18.4 | 9.3 | 0.45 | 1.12 | 2523 | 2.9 | 17.3 | 7.1 | 0.32 | 0.85 | C25 |
| Nose, sinuses etc. | 147 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 97 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 951 | 1.2 | 6.9 | 3.7 | 0.23 | 0.46 | 252 | 0.3 | 1.7 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 11133 | 13.8 | 81.0 | 40.0 | 1.65 | 4.96 | 12929 | 14.7 | 88.7 | 38.7 | 1.76 | 4.97 | C33–34 |
| Other thoracic organs | 98 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 75 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 188 | 0.2 | 1.4 | 1.2 | 0.08 | 0.10 | 142 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 4567 | 5.6 | 33.2 | 18.1 | 1.00 | 2.01 | 3612 | 4.1 | 24.8 | 14.3 | 0.99 | 1.50 | C43 |
| Other skin | 376 | 0.5 | 2.7 | 1.4 | 0.06 | 0.15 | 260 | 0.3 | 1.8 | 0.8 | 0.04 | 0.09 | C44 |
| Mesothelioma | 314 | 0.4 | 2.3 | 1.0 | 0.02 | 0.10 | 106 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 64 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 631 | 0.8 | 4.6 | 2.9 | 0.16 | 0.28 | 442 | 0.5 | 3.0 | 1.9 | 0.12 | 0.17 | C47+C49 |
| Breast | 235 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | 26713 | 30.4 | 183.3 | 102.5 | 7.02 | 12.04 | C50 |
| Vulva | | | | | | | 594 | 0.7 | 4.1 | 1.8 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 105 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 789 | 0.9 | 5.4 | 4.0 | 0.32 | 0.38 | C53 |
| Corpus uteri | | | | | | | 5901 | 6.7 | 40.5 | 21.7 | 1.48 | 2.81 | C54 |
| Uterus unspecified | | | | | | | 136 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C55 |
| Ovary | | | | | | | 2102 | 2.4 | 14.4 | 7.7 | 0.52 | 0.88 | C56 |
| Other female genital organs | | | | | | | 420 | 0.5 | 2.9 | 1.4 | 0.08 | 0.18 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 150 | 0.2 | 1.1 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 17914 | 22.1 | 130.4 | 70.3 | 4.00 | 9.69 | | | | | | | C61 |
| Testis | 902 | 1.1 | 6.6 | 6.2 | 0.47 | 0.49 | | | | | | | C62 |
| Other male genital organs | 28 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 3662 | 4.5 | 26.7 | 15.7 | 1.01 | 1.88 | 1898 | 2.2 | 13.0 | 7.1 | 0.47 | 0.83 | C64 |
| Renal pelvis | 217 | 0.3 | 1.6 | 0.8 | 0.03 | 0.09 | 149 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 145 | 0.2 | 1.1 | 0.5 | 0.02 | 0.05 | 91 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 6604 | 8.2 | 48.1 | 22.9 | 0.85 | 2.62 | 2340 | 2.7 | 16.1 | 6.7 | 0.30 | 0.80 | C67 |
| Other urinary organs | 103 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | 50 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 173 | 0.2 | 1.3 | 0.8 | 0.05 | 0.09 | 148 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 1338 | 1.7 | 9.7 | 7.0 | 0.42 | 0.69 | 1091 | 1.2 | 7.5 | 5.2 | 0.32 | 0.48 | C70–72 |
| Thyroid | 1626 | 2.0 | 11.8 | 8.3 | 0.63 | 0.87 | 4366 | 5.0 | 30.0 | 23.0 | 1.80 | 2.21 | C73 |
| Adrenal gland | 49 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | 48 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 23 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 456 | 0.6 | 3.3 | 2.9 | 0.19 | 0.24 | 418 | 0.5 | 2.9 | 2.6 | 0.19 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 3466 | 4.3 | 25.2 | 14.3 | 0.77 | 1.56 | 2770 | 3.2 | 19.0 | 9.3 | 0.54 | 1.04 | C82–86,C96 |
| Immunoproliferative diseases | 362 | 0.4 | 2.6 | 1.4 | 0.07 | 0.16 | 381 | 0.4 | 2.6 | 1.2 | 0.07 | 0.15 | C88 |
| Multiple myeloma | 1313 | 1.6 | 9.6 | 5.0 | 0.24 | 0.61 | 986 | 1.1 | 6.8 | 3.0 | 0.16 | 0.36 | C90 |
| Lymphoid leukaemia | 1578 | 2.0 | 11.5 | 7.1 | 0.37 | 0.72 | 1103 | 1.3 | 7.6 | 4.5 | 0.25 | 0.43 | C91 |
| Myeloid leukaemia | 1226 | 1.5 | 8.9 | 5.1 | 0.26 | 0.54 | 941 | 1.1 | 6.5 | 3.3 | 0.18 | 0.35 | C92–94 |
| Leukaemia unspecified | 65 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 70 | 0.1 | 0.5 | 0.2 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 536 | 0.7 | 3.9 | 2.1 | 0.11 | 0.22 | 655 | 0.7 | 4.5 | 2.1 | 0.10 | 0.23 | MPD |
| Myelodysplastic syndromes | 837 | 1.0 | 6.1 | 2.6 | 0.06 | 0.26 | 498 | 0.6 | 3.4 | 1.2 | 0.04 | 0.13 | MPS |
| Other and unspecified | 1245 | 1.5 | 9.1 | 4.3 | 0.18 | 0.42 | 1498 | 1.7 | 10.3 | 3.9 | 0.16 | 0.39 | O&U |
| All sites | 81292 | | 591.7 | 322.7 | 17.35 | 38.25 | 88031 | | 604.1 | 316.8 | 19.74 | 36.21 | C00–96 |
| All sites except C44 | 80916 | 100.0 | 589.0 | 321.3 | 17.29 | 38.10 | 87771 | 100.0 | 602.3 | 316.0 | 19.69 | 36.13 | C00–96 exc. C44 |

USA, Michigan

CONTRIBUTORS


Glenn Copeland
 Won Silva
 Georgia Spivak



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 75.1 | Breast | 88.2 |
| Trachea, bronchus, and lung | 44.3 | Trachea, bronchus, and lung | 36.6 |
| Bladder | 21.4 | Corpus uteri | 21.1 |
| Colon | 18.2 | Thyroid | 16.0 |
| Melanoma of skin | 15.7 | Colon | 15.3 |
| Kidney | 15.2 | Melanoma of skin | 13.0 |
| Non-Hodgkin lymphoma | 13.7 | Non-Hodgkin lymphoma | 9.7 |
| Pancreas | 9.7 | Ovary | 7.9 |
| Rectum | 9.3 | Kidney | 7.7 |
| Lymphoid leukaemia | 7.7 | Pancreas | 7.3 |
| Liver | 7.7 | Rectum | 6.1 |
| Brain and nervous system | 6.3 | Bladder | 5.6 |
| Oesophagus | 6.0 | Cervix uteri | 5.3 |
| Other and unspecified | 5.6 | Other and unspecified | 4.5 |
| Testis | 5.5 | Brain and nervous system | 4.5 |
| Myeloid leukaemia | 5.4 | Lymphoid leukaemia | 4.4 |
| Multiple myeloma | 5.3 | Myeloid leukaemia | 4.0 |
| Stomach | 5.1 | Multiple myeloma | 3.5 |
| Thyroid | 5.1 | Liver | 2.8 |
| Tongue | 4.3 | Stomach | 2.5 |
| All sites | 324.5 | All sites | 295.3 |

USA, Michigan: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION


Provided through the Centers for Disease Control and Prevention using adjusted United States census estimates.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Prostate | 36.2 |
| Trachea, bronchus, and lung | 16.5 |
| Colon | 11.3 |
| Non-Hodgkin lymphoma | 9.3 |
| Kidney | 7.5 |
| Rectum | 7.5 |
| Stomach | 7.1 |
| Bladder | 6.7 |
| Liver | 6.6 |
| Thyroid | 5.5 |
| All sites | 164.7 |

| Female | |
|-----------------------------|-------|
| Breast | 63.2 |
| Trachea, bronchus, and lung | 15.9 |
| Thyroid | 13.3 |
| Corpus uteri | 11.6 |
| Colon | 8.3 |
| Non-Hodgkin lymphoma | 6.3 |
| Ovary | 5.9 |
| Rectum | 4.6 |
| Stomach | 4.2 |
| Pancreas | 3.6 |
| All sites | 179.6 |

USA, Michigan: Black (2013–2017)
Average annual person-years by sex and age group




SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Prostate | 119.9 |
| Trachea, bronchus, and lung | 55.7 |
| Colon | 26.1 |
| Kidney | 20.4 |
| Liver | 15.4 |
| Pancreas | 13.3 |
| Bladder | 12.8 |
| Non-Hodgkin lymphoma | 11.3 |
| Rectum | 11.0 |
| Multiple myeloma | 10.2 |
| All sites | 379.1 |

| Female | |
|-----------------------------|-------|
| Breast | 89.1 |
| Trachea, bronchus, and lung | 38.0 |
| Colon | 20.8 |
| Corpus uteri | 18.8 |
| Thyroid | 11.0 |
| Pancreas | 10.1 |
| Kidney | 9.3 |
| Multiple myeloma | 7.8 |
| Non-Hodgkin lymphoma | 7.7 |
| Rectum | 6.5 |
| All sites | 291.4 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 67.9 |
| Trachea, bronchus, and lung | 43.3 |
| Bladder | 22.5 |
| Colon | 17.2 |
| Melanoma of skin | 17.1 |
| Kidney | 14.6 |
| Non-Hodgkin lymphoma | 13.9 |
| Pancreas | 9.3 |
| Rectum | 9.0 |
| Lymphoid leukaemia | 8.1 |
| All sites | 316.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 88.7 |
| Trachea, bronchus, and lung | 36.7 |
| Corpus uteri | 21.7 |
| Thyroid | 17.1 |
| Melanoma of skin | 14.7 |
| Colon | 14.6 |
| Non-Hodgkin lymphoma | 10.0 |
| Ovary | 8.1 |
| Kidney | 7.5 |
| Pancreas | 6.9 |
| All sites | 297.7 |

USA, Michigan (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 160 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 61 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1703 | 1.2 | 7.0 | 4.3 | 0.31 | 0.53 | 605 | 0.4 | 2.4 | 1.4 | 0.10 | 0.15 | C01–02 |
| Mouth | 792 | 0.6 | 3.2 | 1.9 | 0.12 | 0.22 | 617 | 0.5 | 2.4 | 1.2 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 391 | 0.3 | 1.6 | 0.9 | 0.05 | 0.09 | 318 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 1175 | 0.8 | 4.8 | 3.0 | 0.25 | 0.37 | 232 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 241 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 77 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 200 | 0.1 | 0.8 | 0.6 | 0.05 | 0.06 | 63 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 326 | 0.2 | 1.3 | 0.8 | 0.06 | 0.10 | 92 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 186 | 0.1 | 0.8 | 0.4 | 0.03 | 0.06 | 53 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 2663 | 1.9 | 10.9 | 6.0 | 0.33 | 0.75 | 715 | 0.5 | 2.8 | 1.3 | 0.07 | 0.16 | C15 |
| Stomach | 2297 | 1.7 | 9.4 | 5.1 | 0.25 | 0.59 | 1307 | 1.0 | 5.2 | 2.5 | 0.14 | 0.28 | C16 |
| Small intestine | 812 | 0.6 | 3.3 | 2.0 | 0.12 | 0.23 | 698 | 0.5 | 2.8 | 1.5 | 0.10 | 0.17 | C17 |
| Colon | 7962 | 5.7 | 32.6 | 18.2 | 1.01 | 2.00 | 8231 | 6.1 | 32.6 | 15.3 | 0.81 | 1.66 | C18 |
| Rectum | 3759 | 2.7 | 15.4 | 9.3 | 0.63 | 1.05 | 2744 | 2.0 | 10.9 | 6.1 | 0.44 | 0.68 | C19–20 |
| Anus | 356 | 0.3 | 1.5 | 0.9 | 0.06 | 0.10 | 736 | 0.5 | 2.9 | 1.7 | 0.12 | 0.20 | C21 |
| Liver | 3271 | 2.4 | 13.4 | 7.7 | 0.51 | 0.97 | 1420 | 1.1 | 5.6 | 2.8 | 0.15 | 0.33 | C22 |
| Gallbladder etc. | 771 | 0.6 | 3.2 | 1.6 | 0.07 | 0.19 | 877 | 0.7 | 3.5 | 1.5 | 0.08 | 0.18 | C23–24 |
| Pancreas | 4373 | 3.2 | 17.9 | 9.7 | 0.49 | 1.17 | 4123 | 3.1 | 16.3 | 7.3 | 0.36 | 0.85 | C25 |
| Nose, sinuses etc. | 230 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | 167 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 1782 | 1.3 | 7.3 | 4.2 | 0.29 | 0.53 | 508 | 0.4 | 2.0 | 1.1 | 0.08 | 0.14 | C32 |
| Trachea, bronchus, and lung | 20637 | 14.9 | 84.4 | 44.3 | 2.02 | 5.51 | 19547 | 14.5 | 77.4 | 36.6 | 1.83 | 4.66 | C33–34 |
| Other thoracic organs | 144 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 92 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 327 | 0.2 | 1.3 | 1.1 | 0.07 | 0.09 | 233 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 6647 | 4.8 | 27.2 | 15.7 | 0.89 | 1.72 | 5019 | 3.7 | 19.9 | 13.0 | 0.93 | 1.32 | C43 |
| Other skin | 627 | 0.5 | 2.6 | 1.4 | 0.07 | 0.15 | 503 | 0.4 | 2.0 | 1.1 | 0.07 | 0.11 | C44 |
| Mesothelioma | 434 | 0.3 | 1.8 | 0.8 | 0.02 | 0.08 | 144 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 93 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 17 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1127 | 0.8 | 4.6 | 3.0 | 0.17 | 0.29 | 822 | 0.6 | 3.3 | 2.1 | 0.12 | 0.21 | C47+C49 |
| Breast | 424 | 0.3 | 1.7 | 1.0 | 0.05 | 0.12 | 38541 | 28.6 | 152.6 | 88.2 | 6.05 | 10.25 | C50 |
| Vulva | | | | | | | 1047 | 0.8 | 4.1 | 2.1 | 0.13 | 0.24 | C51 |
| Vagina | | | | | | | 217 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1734 | 1.3 | 6.9 | 5.3 | 0.43 | 0.51 | C53 |
| Corpus uteri | | | | | | | 9405 | 7.0 | 37.2 | 21.1 | 1.50 | 2.64 | C54 |
| Uterus unspecified | | | | | | | 319 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 3468 | 2.6 | 13.7 | 7.9 | 0.54 | 0.87 | C56 |
| Other female genital organs | | | | | | | 481 | 0.4 | 1.9 | 1.0 | 0.06 | 0.13 | C57 |
| Placenta | | | | | | | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 32896 | 23.7 | 134.6 | 75.1 | 4.18 | 10.29 | | | | | | | C61 |
| Testis | 1360 | 1.0 | 5.6 | 5.5 | 0.41 | 0.43 | | | | | | | C62 |
| Other male genital organs | 65 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 6058 | 4.4 | 24.8 | 15.2 | 0.97 | 1.80 | 3406 | 2.5 | 13.5 | 7.7 | 0.48 | 0.89 | C64 |
| Renal pelvis | 303 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 230 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 225 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | 151 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 10364 | 7.5 | 42.4 | 21.4 | 0.84 | 2.43 | 3287 | 2.4 | 13.0 | 5.6 | 0.25 | 0.66 | C67 |
| Other urinary organs | 208 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 72 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 268 | 0.2 | 1.1 | 0.8 | 0.04 | 0.08 | 204 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 2057 | 1.5 | 8.4 | 6.3 | 0.38 | 0.60 | 1565 | 1.2 | 6.2 | 4.5 | 0.27 | 0.42 | C70–72 |
| Thyroid | 1735 | 1.3 | 7.1 | 5.1 | 0.38 | 0.54 | 5083 | 3.8 | 20.1 | 16.0 | 1.25 | 1.52 | C73 |
| Adrenal gland | 72 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 90 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 46 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 25 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 742 | 0.5 | 3.0 | 2.6 | 0.18 | 0.22 | 586 | 0.4 | 2.3 | 2.1 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 5721 | 4.1 | 23.4 | 13.7 | 0.75 | 1.49 | 4723 | 3.5 | 18.7 | 9.7 | 0.55 | 1.10 | C82–86,C96 |
| Immunoproliferative diseases | 450 | 0.3 | 1.8 | 1.1 | 0.05 | 0.12 | 493 | 0.4 | 2.0 | 1.0 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 2402 | 1.7 | 9.8 | 5.3 | 0.26 | 0.62 | 1869 | 1.4 | 7.4 | 3.5 | 0.18 | 0.42 | C90 |
| Lymphoid leukaemia | 2900 | 2.1 | 11.9 | 7.7 | 0.42 | 0.77 | 1851 | 1.4 | 7.3 | 4.4 | 0.23 | 0.43 | C91 |
| Myeloid leukaemia | 2231 | 1.6 | 9.1 | 5.4 | 0.27 | 0.55 | 1774 | 1.3 | 7.0 | 4.0 | 0.22 | 0.40 | C92–94 |
| Leukaemia unspecified | 111 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 86 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 997 | 0.7 | 4.1 | 2.3 | 0.12 | 0.26 | 979 | 0.7 | 3.9 | 2.0 | 0.11 | 0.21 | MPD |
| Myelodysplastic syndromes | 1399 | 1.0 | 5.7 | 2.7 | 0.07 | 0.27 | 920 | 0.7 | 3.6 | 1.4 | 0.04 | 0.14 | MPS |
| Other and unspecified | 2617 | 1.9 | 10.7 | 5.6 | 0.27 | 0.62 | 2643 | 2.0 | 10.5 | 4.5 | 0.22 | 0.49 | O&U |
| All sites | 139329 | | 570.1 | 324.5 | 17.77 | 38.57 | 135288 | | 535.6 | 295.3 | 18.61 | 33.54 | C00–96 |
| All sites except C44 | 138702 | 100.0 | 567.5 | 323.1 | 17.70 | 38.42 | 134785 | 100.0 | 533.6 | 294.2 | 18.54 | 33.43 | C00–96 exc. C44 |

§Includes 1 case of unknown age

§Includes 2 cases of unknown age

USA, Michigan: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 19 | 1.4 | 2.4 | 2.2 | 0.13 | 0.26 | 5 | 0.3 | 0.6 | 0.5 | 0.03 | 0.07 | C01–02 |
| Mouth | 7 | 0.5 | 0.9 | 0.8 | 0.04 | 0.10 | 14 | 0.8 | 1.7 | 1.5 | 0.10 | 0.22 | C03–06 |
| Salivary glands | 5 | 0.4 | 0.6 | 0.6 | 0.04 | 0.06 | 5 | 0.3 | 0.6 | 0.5 | 0.03 | 0.10 | C07–08 |
| Tonsil | 7 | 0.5 | 0.9 | 0.8 | 0.07 | 0.10 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 19 | 1.4 | 2.4 | 2.1 | 0.16 | 0.21 | 7 | 0.4 | 0.8 | 0.7 | 0.05 | 0.07 | C11 |
| Hypopharynx | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.03 | C12–13 |
| Pharynx unspecified | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 20 | 1.4 | 2.5 | 2.4 | 0.12 | 0.33 | 5 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C15 |
| Stomach | 62 | 4.4 | 7.7 | 7.1 | 0.30 | 0.78 | 45 | 2.5 | 5.4 | 4.2 | 0.21 | 0.40 | C16 |
| Small intestine | 8 | 0.6 | 1.0 | 0.9 | 0.04 | 0.13 | 5 | 0.3 | 0.6 | 0.6 | 0.04 | 0.06 | C17 |
| Colon | 100 | 7.1 | 12.5 | 11.3 | 0.57 | 1.12 | 87 | 4.9 | 10.4 | 8.3 | 0.43 | 0.81 | C18 |
| Rectum | 64 | 4.6 | 8.0 | 7.5 | 0.47 | 0.82 | 46 | 2.6 | 5.5 | 4.6 | 0.33 | 0.50 | C19–20 |
| Anus | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 56 | 4.0 | 7.0 | 6.6 | 0.44 | 0.87 | 32 | 1.8 | 3.8 | 3.0 | 0.10 | 0.33 | C22 |
| Gallbladder etc. | 19 | 1.4 | 2.4 | 2.3 | 0.18 | 0.27 | 19 | 1.1 | 2.3 | 1.9 | 0.10 | 0.29 | C23–24 |
| Pancreas | 37 | 2.6 | 4.6 | 4.2 | 0.19 | 0.44 | 39 | 2.2 | 4.7 | 3.6 | 0.13 | 0.31 | C25 |
| Nose, sinuses etc. | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | 3 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 10 | 0.7 | 1.2 | 1.2 | 0.06 | 0.17 | 5 | 0.3 | 0.6 | 0.5 | 0.01 | 0.08 | C32 |
| Trachea, bronchus, and lung | 144 | 10.3 | 17.9 | 16.5 | 0.64 | 1.82 | 164 | 9.2 | 19.6 | 15.9 | 0.64 | 1.90 | C33–34 |
| Other thoracic organs | 8 | 0.6 | 1.0 | 1.0 | 0.05 | 0.05 | 5 | 0.3 | 0.6 | 0.6 | 0.03 | 0.07 | C37–38 |
| Bone | 10 | 0.7 | 1.2 | 1.2 | 0.05 | 0.13 | 6 | 0.3 | 0.7 | 0.6 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 5 | 0.4 | 0.6 | 0.5 | 0.04 | 0.07 | 14 | 0.8 | 1.7 | 1.3 | 0.10 | 0.12 | C43 |
| Other skin | 9 | 0.6 | 1.1 | 1.1 | 0.04 | 0.14 | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.05 | C44 |
| Mesothelioma | 3 | 0.2 | 0.4 | 0.4 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 5 | 0.4 | 0.6 | 0.6 | 0.03 | 0.10 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 1.3 | 2.2 | 2.0 | 0.15 | 0.15 | 16 | 0.9 | 1.9 | 2.0 | 0.09 | 0.18 | C47+C49 |
| Breast | 4 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | 624 | 35.1 | 74.6 | 63.2 | 4.65 | 7.21 | C50 |
| Vulva | | | | | | | 9 | 0.5 | 1.1 | 0.9 | 0.08 | 0.11 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 32 | 1.8 | 3.8 | 3.1 | 0.26 | 0.31 | C53 |
| Corpus uteri | | | | | | | 113 | 6.3 | 13.5 | 11.6 | 0.84 | 1.48 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.4 | 0.8 | 0.7 | 0.05 | 0.07 | C55 |
| Ovary | | | | | | | 59 | 3.3 | 7.1 | 5.9 | 0.41 | 0.61 | C56 |
| Other female genital organs | | | | | | | 10 | 0.6 | 1.2 | 1.0 | 0.07 | 0.10 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 4 | 0.3 | 0.5 | 0.4 | 0.02 | 0.08 | | | | | | | C60 |
| Prostate | 302 | 21.5 | 37.6 | 36.2 | 1.73 | 4.85 | | | | | | | C61 |
| Testis | 19 | 1.4 | 2.4 | 1.9 | 0.14 | 0.14 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 64 | 4.6 | 8.0 | 7.5 | 0.52 | 0.92 | 18 | 1.0 | 2.2 | 2.0 | 0.10 | 0.22 | C64 |
| Renal pelvis | 5 | 0.4 | 0.6 | 0.6 | 0.00 | 0.08 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.03 | C66 |
| Bladder | 59 | 4.2 | 7.4 | 6.7 | 0.23 | 0.77 | 16 | 0.9 | 1.9 | 1.4 | 0.02 | 0.11 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.2 | 0.4 | 0.6 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 20 | 1.4 | 2.5 | 2.5 | 0.09 | 0.22 | 31 | 1.7 | 3.7 | 3.5 | 0.19 | 0.38 | C70–72 |
| Thyroid | 48 | 3.4 | 6.0 | 5.5 | 0.40 | 0.60 | 131 | 7.4 | 15.7 | 13.3 | 1.06 | 1.33 | C73 |
| Adrenal gland | 5 | 0.4 | 0.6 | 0.7 | 0.03 | 0.08 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 5 | 0.4 | 0.6 | 0.7 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 7 | 0.5 | 0.9 | 0.7 | 0.06 | 0.06 | 10 | 0.6 | 1.2 | 1.1 | 0.08 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 77 | 5.5 | 9.6 | 9.3 | 0.53 | 0.89 | 63 | 3.5 | 7.5 | 6.3 | 0.32 | 0.76 | C82–86,C96 |
| Immunoproliferative diseases | 15 | 1.1 | 1.9 | 1.8 | 0.10 | 0.23 | 6 | 0.3 | 0.7 | 0.6 | 0.03 | 0.05 | C88 |
| Multiple myeloma | 28 | 2.0 | 3.5 | 3.1 | 0.12 | 0.32 | 14 | 0.8 | 1.7 | 1.5 | 0.10 | 0.19 | C90 |
| Lymphoid leukaemia | 28 | 2.0 | 3.5 | 3.6 | 0.22 | 0.30 | 21 | 1.2 | 2.5 | 2.8 | 0.12 | 0.19 | C91 |
| Myeloid leukaemia | 27 | 1.9 | 3.4 | 3.0 | 0.15 | 0.27 | 27 | 1.5 | 3.2 | 2.6 | 0.14 | 0.26 | C92–94 |
| Leukaemia unspecified | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 12 | 0.9 | 1.5 | 1.4 | 0.10 | 0.19 | 16 | 0.9 | 1.9 | 1.5 | 0.11 | 0.13 | MPD |
| Myelodysplastic syndromes | 9 | 0.6 | 1.1 | 1.0 | 0.04 | 0.10 | 9 | 0.5 | 1.1 | 0.8 | 0.02 | 0.09 | MPS |
| Other and unspecified | 25 | 1.8 | 3.1 | 2.9 | 0.17 | 0.26 | 22 | 1.2 | 2.6 | 2.0 | 0.11 | 0.17 | O&U |
| All sites | 1412 | | 176.0 | 164.7 | 8.61 | 18.72 | 1784 | | 213.4 | 179.6 | 11.42 | 19.74 | C00–96 |
| All sites except C44 | 1403 | 100.0 | 174.9 | 163.6 | 8.56 | 18.58 | 1780 | 100.0 | 212.9 | 179.2 | 11.41 | 19.69 | C00–96 exc. C44 |

USA, Michigan: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 116 | 0.7 | 3.3 | 2.7 | 0.20 | 0.35 | 55 | 0.3 | 1.4 | 1.0 | 0.07 | 0.11 | C01–02 |
| Mouth | 75 | 0.4 | 2.1 | 1.7 | 0.14 | 0.20 | 47 | 0.3 | 1.2 | 0.9 | 0.07 | 0.10 | C03–06 |
| Salivary glands | 39 | 0.2 | 1.1 | 0.9 | 0.07 | 0.11 | 46 | 0.3 | 1.2 | 0.9 | 0.06 | 0.10 | C07–08 |
| Tonsil | 115 | 0.7 | 3.2 | 2.6 | 0.20 | 0.33 | 34 | 0.2 | 0.9 | 0.6 | 0.05 | 0.07 | C09 |
| Other oropharynx | 38 | 0.2 | 1.1 | 0.9 | 0.06 | 0.10 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 40 | 0.2 | 1.1 | 1.0 | 0.07 | 0.11 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 61 | 0.4 | 1.7 | 1.4 | 0.09 | 0.16 | 28 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C12–13 |
| Pharynx unspecified | 22 | 0.1 | 0.6 | 0.5 | 0.03 | 0.08 | 8 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 220 | 1.3 | 6.2 | 4.9 | 0.32 | 0.62 | 106 | 0.6 | 2.7 | 1.7 | 0.11 | 0.21 | C15 |
| Stomach | 382 | 2.3 | 10.8 | 8.5 | 0.42 | 0.97 | 295 | 1.8 | 7.6 | 4.6 | 0.26 | 0.53 | C16 |
| Small intestine | 165 | 1.0 | 4.7 | 3.7 | 0.22 | 0.43 | 144 | 0.9 | 3.7 | 2.5 | 0.17 | 0.31 | C17 |
| Colon | 1160 | 7.0 | 32.7 | 26.1 | 1.62 | 2.96 | 1252 | 7.5 | 32.1 | 20.8 | 1.28 | 2.38 | C18 |
| Rectum | 486 | 2.9 | 13.7 | 11.0 | 0.78 | 1.32 | 368 | 2.2 | 9.4 | 6.5 | 0.48 | 0.76 | C19–20 |
| Anus | 71 | 0.4 | 2.0 | 1.7 | 0.15 | 0.17 | 66 | 0.4 | 1.7 | 1.2 | 0.08 | 0.14 | C21 |
| Liver | 670 | 4.0 | 18.9 | 15.4 | 1.10 | 2.10 | 279 | 1.7 | 7.2 | 4.8 | 0.32 | 0.61 | C22 |
| Gallbladder etc. | 94 | 0.6 | 2.7 | 2.0 | 0.08 | 0.24 | 127 | 0.8 | 3.3 | 2.1 | 0.14 | 0.25 | C23–24 |
| Pancreas | 597 | 3.6 | 16.8 | 13.3 | 0.70 | 1.64 | 647 | 3.9 | 16.6 | 10.1 | 0.58 | 1.17 | C25 |
| Nose, sinuses etc. | 25 | 0.1 | 0.7 | 0.6 | 0.04 | 0.07 | 24 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 273 | 1.6 | 7.7 | 6.1 | 0.42 | 0.76 | 99 | 0.6 | 2.5 | 1.7 | 0.11 | 0.22 | C32 |
| Trachea, bronchus, and lung | 2531 | 15.2 | 71.4 | 55.7 | 2.74 | 7.17 | 2364 | 14.2 | 60.6 | 38.0 | 2.07 | 4.86 | C33–34 |
| Other thoracic organs | 26 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 14 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C37–38 |
| Bone | 37 | 0.2 | 1.0 | 1.0 | 0.07 | 0.10 | 23 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 24 | 0.1 | 0.7 | 0.6 | 0.03 | 0.06 | 42 | 0.3 | 1.1 | 0.7 | 0.04 | 0.08 | C43 |
| Other skin | 49 | 0.3 | 1.4 | 1.2 | 0.08 | 0.14 | 61 | 0.4 | 1.6 | 1.3 | 0.10 | 0.13 | C44 |
| Mesothelioma | 12 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 8 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 40 | 0.2 | 1.1 | 1.1 | 0.09 | 0.09 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 114 | 0.7 | 3.2 | 2.8 | 0.19 | 0.27 | 115 | 0.7 | 2.9 | 2.3 | 0.16 | 0.23 | C47+C49 |
| Breast | 67 | 0.4 | 1.9 | 1.5 | 0.08 | 0.17 | 4923 | 29.7 | 126.2 | 89.1 | 6.19 | 10.30 | C50 |
| Vulva | | | | | | | 76 | 0.5 | 1.9 | 1.3 | 0.10 | 0.14 | C51 |
| Vagina | | | | | | | 37 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 283 | 1.7 | 7.3 | 5.8 | 0.46 | 0.58 | C53 |
| Corpus uteri | | | | | | | 1071 | 6.5 | 27.5 | 18.8 | 1.23 | 2.42 | C54 |
| Uterus unspecified | | | | | | | 71 | 0.4 | 1.8 | 1.2 | 0.08 | 0.13 | C55 |
| Ovary | | | | | | | 343 | 2.1 | 8.8 | 6.0 | 0.42 | 0.65 | C56 |
| Other female genital organs | | | | | | | 46 | 0.3 | 1.2 | 0.8 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | 0.1 | 0.6 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 5296 | 31.8 | 149.4 | 119.9 | 7.59 | 16.35 | | | | | | | C61 |
| Testis | 53 | 0.3 | 1.5 | 1.4 | 0.11 | 0.12 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 871 | 5.2 | 24.6 | 20.4 | 1.39 | 2.46 | 521 | 3.1 | 13.4 | 9.3 | 0.55 | 1.13 | C64 |
| Renal pelvis | 18 | 0.1 | 0.5 | 0.4 | 0.00 | 0.04 | 22 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 597 | 3.6 | 16.8 | 12.8 | 0.52 | 1.56 | 304 | 1.8 | 7.8 | 4.4 | 0.18 | 0.47 | C67 |
| Other urinary organs | 19 | 0.1 | 0.5 | 0.4 | 0.02 | 0.06 | 16 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C68 |
| Eye | 11 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 136 | 0.8 | 3.8 | 3.6 | 0.22 | 0.32 | 133 | 0.8 | 3.4 | 3.2 | 0.19 | 0.27 | C70–72 |
| Thyroid | 125 | 0.7 | 3.5 | 2.9 | 0.20 | 0.31 | 526 | 3.2 | 13.5 | 11.0 | 0.86 | 1.13 | C73 |
| Adrenal gland | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 104 | 0.6 | 2.9 | 2.8 | 0.21 | 0.23 | 80 | 0.5 | 2.1 | 1.9 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 483 | 2.9 | 13.6 | 11.3 | 0.72 | 1.18 | 431 | 2.6 | 11.1 | 7.7 | 0.51 | 0.84 | C82–86,C96 |
| Immunoproliferative diseases | 42 | 0.3 | 1.2 | 1.0 | 0.05 | 0.11 | 59 | 0.4 | 1.5 | 1.0 | 0.07 | 0.12 | C88 |
| Multiple myeloma | 456 | 2.7 | 12.9 | 10.2 | 0.52 | 1.26 | 482 | 2.9 | 12.4 | 7.8 | 0.40 | 0.93 | C90 |
| Lymphoid leukaemia | 219 | 1.3 | 6.2 | 5.2 | 0.31 | 0.52 | 178 | 1.1 | 4.6 | 3.5 | 0.18 | 0.33 | C91 |
| Myeloid leukaemia | 189 | 1.1 | 5.3 | 4.4 | 0.21 | 0.45 | 202 | 1.2 | 5.2 | 3.6 | 0.22 | 0.37 | C92–94 |
| Leukaemia unspecified | 9 | 0.1 | 0.3 | 0.2 | 0.00 | 0.01 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 102 | 0.6 | 2.9 | 2.3 | 0.14 | 0.25 | 102 | 0.6 | 2.6 | 1.8 | 0.13 | 0.19 | MPD |
| Myelodysplastic syndromes | 119 | 0.7 | 3.4 | 2.5 | 0.08 | 0.27 | 95 | 0.6 | 2.4 | 1.4 | 0.05 | 0.14 | MPS |
| Other and unspecified | 274 | 1.6 | 7.7 | 5.9 | 0.34 | 0.68 | 333 | 2.0 | 8.5 | 5.4 | 0.28 | 0.62 | O&U |
| All sites | 16721 | | 471.6 | 379.1 | 22.73 | 47.15 | 16661 | | 427.3 | 291.4 | 18.72 | 33.78 | C00–96 |
| All sites except C44 | 16672 | 100.0 | 470.2 | 377.9 | 22.65 | 47.01 | 16600 | 100.0 | 425.7 | 290.1 | 18.62 | 33.65 | C00–96 exc. C44 |

§Includes 2 cases of unknown age

USA, Michigan: White (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 154 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 59 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1548 | 1.3 | 7.8 | 4.5 | 0.33 | 0.56 | 535 | 0.5 | 2.6 | 1.4 | 0.10 | 0.16 | C01–02 |
| Mouth | 693 | 0.6 | 3.5 | 1.9 | 0.12 | 0.22 | 543 | 0.5 | 2.7 | 1.2 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 347 | 0.3 | 1.7 | 0.9 | 0.04 | 0.09 | 263 | 0.2 | 1.3 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 1042 | 0.9 | 5.2 | 3.1 | 0.26 | 0.38 | 195 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 202 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 66 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 137 | 0.1 | 0.7 | 0.4 | 0.04 | 0.05 | 45 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 262 | 0.2 | 1.3 | 0.7 | 0.05 | 0.09 | 61 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 162 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | 44 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 2391 | 2.0 | 12.0 | 6.1 | 0.33 | 0.76 | 600 | 0.5 | 3.0 | 1.3 | 0.07 | 0.16 | C15 |
| Stomach | 1832 | 1.6 | 9.2 | 4.6 | 0.23 | 0.53 | 953 | 0.8 | 4.7 | 2.1 | 0.11 | 0.23 | C16 |
| Small intestine | 633 | 0.5 | 3.2 | 1.8 | 0.11 | 0.21 | 541 | 0.5 | 2.7 | 1.4 | 0.09 | 0.16 | C17 |
| Colon | 6619 | 5.6 | 33.3 | 17.2 | 0.93 | 1.89 | 6817 | 5.9 | 33.6 | 14.6 | 0.75 | 1.56 | C18 |
| Rectum | 3151 | 2.7 | 15.9 | 9.0 | 0.61 | 1.02 | 2295 | 2.0 | 11.3 | 6.1 | 0.43 | 0.67 | C19–20 |
| Anus | 282 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | 663 | 0.6 | 3.3 | 1.8 | 0.13 | 0.21 | C21 |
| Liver | 2499 | 2.1 | 12.6 | 6.7 | 0.43 | 0.83 | 1087 | 0.9 | 5.4 | 2.4 | 0.13 | 0.28 | C22 |
| Gallbladder etc. | 655 | 0.6 | 3.3 | 1.6 | 0.07 | 0.19 | 724 | 0.6 | 3.6 | 1.4 | 0.07 | 0.16 | C23–24 |
| Pancreas | 3709 | 3.1 | 18.7 | 9.3 | 0.47 | 1.13 | 3397 | 3.0 | 16.7 | 6.9 | 0.32 | 0.81 | C25 |
| Nose, sinuses etc. | 200 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | 137 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 1480 | 1.3 | 7.4 | 4.0 | 0.27 | 0.51 | 395 | 0.3 | 1.9 | 1.0 | 0.08 | 0.12 | C32 |
| Trachea, bronchus, and lung | 17758 | 15.1 | 89.4 | 43.3 | 1.95 | 5.36 | 16815 | 14.7 | 82.9 | 36.7 | 1.82 | 4.67 | C33–34 |
| Other thoracic organs | 110 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 72 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 278 | 0.2 | 1.4 | 1.1 | 0.07 | 0.09 | 203 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 6267 | 5.3 | 31.5 | 17.1 | 0.99 | 1.87 | 4662 | 4.1 | 23.0 | 14.7 | 1.07 | 1.49 | C43 |
| Other skin | 536 | 0.5 | 2.7 | 1.3 | 0.06 | 0.14 | 410 | 0.4 | 2.0 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 417 | 0.4 | 2.1 | 0.9 | 0.02 | 0.09 | 135 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 45 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 10 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 957 | 0.8 | 4.8 | 2.9 | 0.16 | 0.28 | 665 | 0.6 | 3.3 | 2.0 | 0.12 | 0.20 | C47+C49 |
| Breast | 349 | 0.3 | 1.8 | 0.9 | 0.04 | 0.11 | 32688 | 28.5 | 161.1 | 88.7 | 6.08 | 10.31 | C50 |
| Vulva | | | | | | | 950 | 0.8 | 4.7 | 2.3 | 0.14 | 0.25 | C51 |
| Vagina | | | | | | | 175 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1387 | 1.2 | 6.8 | 5.3 | 0.43 | 0.51 | C53 |
| Corpus uteri | | | | | | | 8135 | 7.1 | 40.1 | 21.7 | 1.56 | 2.70 | C54 |
| Uterus unspecified | | | | | | | 239 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 3027 | 2.6 | 14.9 | 8.1 | 0.56 | 0.91 | C56 |
| Other female genital organs | | | | | | | 420 | 0.4 | 2.1 | 1.0 | 0.06 | 0.13 | C57 |
| Placenta | | | | | | | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 164 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 26131 | 22.2 | 131.5 | 67.9 | 3.66 | 9.33 | | | | | | | C61 |
| Testis | 1266 | 1.1 | 6.4 | 6.4 | 0.48 | 0.50 | | | | | | | C62 |
| Other male genital organs | 59 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 5063 | 4.3 | 25.5 | 14.6 | 0.92 | 1.73 | 2824 | 2.5 | 13.9 | 7.5 | 0.47 | 0.87 | C64 |
| Renal pelvis | 278 | 0.2 | 1.4 | 0.7 | 0.02 | 0.07 | 204 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 210 | 0.2 | 1.1 | 0.5 | 0.01 | 0.06 | 144 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 9577 | 8.1 | 48.2 | 22.5 | 0.89 | 2.54 | 2932 | 2.6 | 14.4 | 5.9 | 0.27 | 0.69 | C67 |
| Other urinary organs | 179 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | 55 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 253 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | 190 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1884 | 1.6 | 9.5 | 6.8 | 0.42 | 0.65 | 1391 | 1.2 | 6.9 | 4.8 | 0.29 | 0.44 | C70–72 |
| Thyroid | 1551 | 1.3 | 7.8 | 5.5 | 0.41 | 0.57 | 4375 | 3.8 | 21.6 | 17.1 | 1.34 | 1.62 | C73 |
| Adrenal gland | 59 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 79 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 36 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 625 | 0.5 | 3.1 | 2.7 | 0.18 | 0.23 | 489 | 0.4 | 2.4 | 2.2 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 5077 | 4.3 | 25.5 | 13.9 | 0.74 | 1.52 | 4149 | 3.6 | 20.4 | 10.0 | 0.55 | 1.14 | C82–86,C96 |
| Immunoproliferative diseases | 390 | 0.3 | 2.0 | 1.0 | 0.05 | 0.12 | 425 | 0.4 | 2.1 | 1.1 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 1879 | 1.6 | 9.5 | 4.7 | 0.23 | 0.54 | 1346 | 1.2 | 6.6 | 2.9 | 0.15 | 0.35 | C90 |
| Lymphoid leukaemia | 2578 | 2.2 | 13.0 | 8.1 | 0.44 | 0.80 | 1581 | 1.4 | 7.8 | 4.5 | 0.24 | 0.44 | C91 |
| Myeloid leukaemia | 1978 | 1.7 | 10.0 | 5.5 | 0.28 | 0.56 | 1515 | 1.3 | 7.5 | 4.0 | 0.22 | 0.41 | C92–94 |
| Leukaemia unspecified | 100 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 69 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 856 | 0.7 | 4.3 | 2.3 | 0.12 | 0.26 | 833 | 0.7 | 4.1 | 2.0 | 0.10 | 0.21 | MPD |
| Myelodysplastic syndromes | 1247 | 1.1 | 6.3 | 2.7 | 0.07 | 0.27 | 797 | 0.7 | 3.9 | 1.4 | 0.04 | 0.14 | MPS |
| Other and unspecified | 2274 | 1.9 | 11.4 | 5.6 | 0.26 | 0.61 | 2251 | 2.0 | 11.1 | 4.4 | 0.21 | 0.48 | O&U |
| All sites | 118429 | | 596.0 | 316.8 | 17.11 | 37.36 | 115088 | | 567.1 | 297.7 | 18.73 | 33.68 | C00–96 |
| All sites except C44 | 117893 | 100.0 | 593.3 | 315.4 | 17.05 | 37.22 | 114678 | 100.0 | 565.1 | 296.7 | 18.68 | 33.58 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, Michigan, Detroit

CONTRIBUTORS

Ann G. Schwartz
Kendra Schwartz
Jennifer Beebe-Dimmer
Fawn D. Vigneau
Nancy Lozon
Patrick Nicolin




NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 91.3 | Breast | 90.0 |
| Trachea, bronchus, and lung | 45.8 | Trachea, bronchus, and lung | 37.5 |
| Bladder | 21.4 | Corpus uteri | 22.3 |
| Colon | 19.7 | Thyroid | 19.6 |
| Kidney | 16.1 | Colon | 16.4 |
| Non-Hodgkin lymphoma | 14.3 | Melanoma of skin | 10.5 |
| Melanoma of skin | 13.2 | Non-Hodgkin lymphoma | 10.0 |
| Pancreas | 10.9 | Pancreas | 8.4 |
| Rectum | 10.1 | Ovary | 8.4 |
| Liver | 9.4 | Kidney | 7.5 |
| Lymphoid leukaemia | 9.2 | Rectum | 6.9 |
| Thyroid | 6.5 | Bladder | 5.6 |
| Multiple myeloma | 6.2 | Cervix uteri | 5.3 |
| Stomach | 5.9 | Lymphoid leukaemia | 4.8 |
| Oesophagus | 5.9 | Brain and nervous system | 4.4 |
| Brain and nervous system | 5.8 | Multiple myeloma | 4.3 |
| Myeloid leukaemia | 5.4 | Other and unspecified | 4.1 |
| Testis | 5.1 | Myeloid leukaemia | 4.1 |
| Other and unspecified | 5.1 | Liver | 3.0 |
| Larynx | 4.5 | Stomach | 3.0 |
| All sites | 354.1 | All sites | 307.1 |



NOTES ON THE DATA

*No official mortality data.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 132.6 |
| Trachea, bronchus, and lung | 57.0 |
| Colon | 28.3 |
| Kidney | 19.3 |
| Liver | 16.4 |
| Pancreas | 14.1 |
| Bladder | 12.3 |
| Non-Hodgkin lymphoma | 11.8 |
| Rectum | 11.7 |
| Multiple myeloma | 10.7 |
| All sites | 403.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 88.1 |
| Trachea, bronchus, and lung | 38.2 |
| Colon | 21.2 |
| Corpus uteri | 20.0 |
| Thyroid | 12.2 |
| Pancreas | 10.8 |
| Kidney | 8.7 |
| Multiple myeloma | 8.2 |
| Non-Hodgkin lymphoma | 7.8 |
| Rectum | 7.0 |
| All sites | 297.7 |



NOTES ON THE DATA

*No official mortality data.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 81.6 |
| Trachea, bronchus, and lung | 43.9 |
| Bladder | 24.2 |
| Colon | 17.8 |
| Melanoma of skin | 17.1 |
| Kidney | 15.5 |
| Non-Hodgkin lymphoma | 14.9 |
| Lymphoid leukaemia | 10.4 |
| Pancreas | 10.3 |
| Rectum | 9.8 |
| All sites | 347.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 92.2 |
| Trachea, bronchus, and lung | 38.0 |
| Corpus uteri | 23.5 |
| Thyroid | 23.0 |
| Colon | 15.1 |
| Melanoma of skin | 14.6 |
| Non-Hodgkin lymphoma | 10.8 |
| Ovary | 8.9 |
| Pancreas | 7.7 |
| Kidney | 7.4 |
| All sites | 317.0 |

***USA, Michigan, Detroit (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 48 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 22 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 650 | 1.2 | 6.9 | 4.3 | 0.30 | 0.55 | 217 | 0.4 | 2.2 | 1.2 | 0.08 | 0.14 | C01–02 |
| Mouth | 317 | 0.6 | 3.4 | 2.1 | 0.13 | 0.25 | 213 | 0.4 | 2.1 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 165 | 0.3 | 1.8 | 1.0 | 0.05 | 0.10 | 140 | 0.3 | 1.4 | 0.9 | 0.06 | 0.10 | C07–08 |
| Tonsil | 459 | 0.8 | 4.9 | 3.1 | 0.25 | 0.38 | 101 | 0.2 | 1.0 | 0.6 | 0.05 | 0.07 | C09 |
| Other oropharynx | 100 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 31 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 98 | 0.2 | 1.0 | 0.8 | 0.06 | 0.08 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 144 | 0.3 | 1.5 | 0.9 | 0.07 | 0.11 | 41 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 117 | 0.2 | 1.2 | 0.8 | 0.05 | 0.10 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 959 | 1.7 | 10.2 | 5.9 | 0.32 | 0.76 | 291 | 0.5 | 2.9 | 1.4 | 0.08 | 0.17 | C15 |
| Stomach | 979 | 1.8 | 10.4 | 5.9 | 0.29 | 0.66 | 641 | 1.2 | 6.4 | 3.0 | 0.16 | 0.33 | C16 |
| Small intestine | 364 | 0.7 | 3.9 | 2.4 | 0.15 | 0.28 | 319 | 0.6 | 3.2 | 1.7 | 0.11 | 0.21 | C17 |
| Colon | 3186 | 5.7 | 33.9 | 19.7 | 1.09 | 2.18 | 3403 | 6.2 | 34.0 | 16.4 | 0.89 | 1.80 | C18 |
| Rectum | 1535 | 2.8 | 16.3 | 10.1 | 0.68 | 1.16 | 1224 | 2.2 | 12.2 | 6.9 | 0.48 | 0.76 | C19–20 |
| Anus | 166 | 0.3 | 1.8 | 1.1 | 0.08 | 0.12 | 285 | 0.5 | 2.9 | 1.6 | 0.12 | 0.19 | C21 |
| Liver | 1472 | 2.6 | 15.7 | 9.4 | 0.62 | 1.21 | 617 | 1.1 | 6.2 | 3.0 | 0.17 | 0.36 | C22 |
| Gallbladder etc. | 321 | 0.6 | 3.4 | 1.9 | 0.08 | 0.22 | 378 | 0.7 | 3.8 | 1.7 | 0.08 | 0.19 | C23–24 |
| Pancreas | 1814 | 3.3 | 19.3 | 10.9 | 0.54 | 1.33 | 1847 | 3.4 | 18.5 | 8.4 | 0.41 | 0.97 | C25 |
| Nose, sinuses etc. | 92 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 70 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 708 | 1.3 | 7.5 | 4.5 | 0.30 | 0.58 | 216 | 0.4 | 2.2 | 1.2 | 0.08 | 0.14 | C32 |
| Trachea, bronchus, and lung | 7812 | 14.0 | 83.2 | 45.8 | 2.03 | 5.65 | 7899 | 14.4 | 79.0 | 37.5 | 1.77 | 4.78 | C33–34 |
| Other thoracic organs | 53 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 42 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 143 | 0.3 | 1.5 | 1.2 | 0.07 | 0.10 | 88 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 2094 | 3.8 | 22.3 | 13.2 | 0.76 | 1.46 | 1625 | 3.0 | 16.3 | 10.5 | 0.77 | 1.07 | C43 |
| Other skin | 253 | 0.5 | 2.7 | 1.7 | 0.08 | 0.17 | 214 | 0.4 | 2.1 | 1.3 | 0.08 | 0.12 | C44 |
| Mesothelioma | 151 | 0.3 | 1.6 | 0.8 | 0.01 | 0.07 | 51 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 70 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | 15 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 402 | 0.7 | 4.3 | 2.9 | 0.17 | 0.28 | 332 | 0.6 | 3.3 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 159 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 15303 | 27.9 | 153.1 | 90.0 | 6.25 | 10.40 | C50 |
| Vulva | | | | | | | 386 | 0.7 | 3.9 | 2.0 | 0.12 | 0.23 | C51 |
| Vagina | | | | | | | 97 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 708 | 1.3 | 7.1 | 5.3 | 0.43 | 0.51 | C53 |
| Corpus uteri | | | | | | | 3851 | 7.0 | 38.5 | 22.3 | 1.58 | 2.81 | C54 |
| Uterus unspecified | | | | | | | 117 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 1463 | 2.7 | 14.6 | 8.4 | 0.58 | 0.92 | C56 |
| Other female genital organs | | | | | | | 213 | 0.4 | 2.1 | 1.1 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 70 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 14557 | 26.2 | 155.0 | 91.3 | 5.19 | 12.51 | | | | | | | C61 |
| Testis | 494 | 0.9 | 5.3 | 5.1 | 0.39 | 0.40 | | | | | | | C62 |
| Other male genital organs | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2383 | 4.3 | 25.4 | 16.1 | 1.02 | 1.92 | 1299 | 2.4 | 13.0 | 7.5 | 0.48 | 0.86 | C64 |
| Renal pelvis | 110 | 0.2 | 1.2 | 0.6 | 0.02 | 0.08 | 99 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 60 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 41 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 3754 | 6.7 | 40.0 | 21.4 | 0.88 | 2.44 | 1290 | 2.3 | 12.9 | 5.6 | 0.24 | 0.64 | C67 |
| Other urinary organs | 69 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 25 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 98 | 0.2 | 1.0 | 0.7 | 0.04 | 0.08 | 69 | 0.1 | 0.7 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 747 | 1.3 | 8.0 | 5.8 | 0.34 | 0.57 | 596 | 1.1 | 6.0 | 4.4 | 0.25 | 0.39 | C70–72 |
| Thyroid | 830 | 1.5 | 8.8 | 6.5 | 0.47 | 0.67 | 2507 | 4.6 | 25.1 | 19.6 | 1.53 | 1.87 | C73 |
| Adrenal gland | 24 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 37 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 17 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 329 | 0.6 | 3.5 | 3.2 | 0.22 | 0.26 | 244 | 0.4 | 2.4 | 2.3 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 2169 | 3.9 | 23.1 | 14.3 | 0.80 | 1.52 | 1881 | 3.4 | 18.8 | 10.0 | 0.58 | 1.12 | C82–86,C96 |
| Immunoproliferative diseases | 173 | 0.3 | 1.8 | 1.1 | 0.06 | 0.13 | 207 | 0.4 | 2.1 | 1.1 | 0.06 | 0.13 | C88 |
| Multiple myeloma | 1020 | 1.8 | 10.9 | 6.2 | 0.31 | 0.72 | 886 | 1.6 | 8.9 | 4.3 | 0.22 | 0.52 | C90 |
| Lymphoid leukaemia | 1302 | 2.3 | 13.9 | 9.2 | 0.50 | 0.95 | 820 | 1.5 | 8.2 | 4.8 | 0.24 | 0.49 | C91 |
| Myeloid leukaemia | 821 | 1.5 | 8.7 | 5.4 | 0.26 | 0.55 | 704 | 1.3 | 7.0 | 4.1 | 0.24 | 0.40 | C92–94 |
| Leukaemia unspecified | 26 | 0.0 | 0.3 | 0.2 | 0.00 | 0.01 | 26 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 463 | 0.8 | 4.9 | 2.9 | 0.16 | 0.31 | 480 | 0.9 | 4.8 | 2.5 | 0.14 | 0.27 | MPD |
| Myelodysplastic syndromes | 642 | 1.2 | 6.8 | 3.4 | 0.09 | 0.34 | 449 | 0.8 | 4.5 | 1.7 | 0.05 | 0.15 | MPS |
| Other and unspecified | 879 | 1.6 | 9.4 | 5.1 | 0.23 | 0.55 | 935 | 1.7 | 9.4 | 4.1 | 0.19 | 0.44 | O&U |
| All sites | 55900 | | 595.1 | 354.1 | 19.46 | 42.35 | 55131 | | 551.5 | 307.1 | 19.31 | 34.77 | C00–96 |
| All sites except C44 | 55647 | 100.0 | 592.5 | 352.5 | 19.38 | 42.18 | 54917 | 100.0 | 549.3 | 305.9 | 19.23 | 34.65 | C00–96 exc. C44 |

*See note following population pyramid

***USA, Michigan, Detroit: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 92 | 0.7 | 4.0 | 3.1 | 0.22 | 0.41 | 40 | 0.3 | 1.5 | 1.0 | 0.07 | 0.11 | C01–02 |
| Mouth | 58 | 0.5 | 2.5 | 1.9 | 0.14 | 0.23 | 34 | 0.3 | 1.3 | 0.8 | 0.07 | 0.10 | C03–06 |
| Salivary glands | 26 | 0.2 | 1.1 | 0.8 | 0.06 | 0.10 | 36 | 0.3 | 1.3 | 1.0 | 0.07 | 0.11 | C07–08 |
| Tonsil | 87 | 0.7 | 3.8 | 2.9 | 0.21 | 0.36 | 28 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | C09 |
| Other oropharynx | 30 | 0.2 | 1.3 | 0.9 | 0.08 | 0.10 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 30 | 0.2 | 1.3 | 1.1 | 0.06 | 0.11 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 41 | 0.3 | 1.8 | 1.3 | 0.10 | 0.14 | 21 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C12–13 |
| Pharynx unspecified | 20 | 0.2 | 0.9 | 0.7 | 0.04 | 0.10 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C14 |
| Oesophagus | 162 | 1.3 | 7.1 | 5.1 | 0.33 | 0.68 | 85 | 0.7 | 3.2 | 1.9 | 0.13 | 0.24 | C15 |
| Stomach | 265 | 2.1 | 11.6 | 8.5 | 0.41 | 0.97 | 217 | 1.7 | 8.1 | 4.5 | 0.24 | 0.51 | C16 |
| Small intestine | 130 | 1.0 | 5.7 | 4.2 | 0.27 | 0.48 | 111 | 0.9 | 4.1 | 2.6 | 0.16 | 0.34 | C17 |
| Colon | 878 | 7.1 | 38.3 | 28.3 | 1.76 | 3.20 | 943 | 7.6 | 35.0 | 21.2 | 1.29 | 2.42 | C18 |
| Rectum | 357 | 2.9 | 15.6 | 11.7 | 0.82 | 1.40 | 292 | 2.3 | 10.8 | 7.0 | 0.50 | 0.80 | C19–20 |
| Anus | 53 | 0.4 | 2.3 | 1.9 | 0.17 | 0.19 | 59 | 0.5 | 2.2 | 1.4 | 0.10 | 0.16 | C21 |
| Liver | 501 | 4.0 | 21.8 | 16.4 | 1.13 | 2.27 | 215 | 1.7 | 8.0 | 4.9 | 0.32 | 0.61 | C22 |
| Gallbladder etc. | 71 | 0.6 | 3.1 | 2.1 | 0.09 | 0.25 | 93 | 0.7 | 3.5 | 2.0 | 0.13 | 0.25 | C23–24 |
| Pancreas | 443 | 3.6 | 19.3 | 14.1 | 0.77 | 1.78 | 508 | 4.1 | 18.9 | 10.8 | 0.64 | 1.27 | C25 |
| Nose, sinuses etc. | 18 | 0.1 | 0.8 | 0.6 | 0.03 | 0.07 | 19 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | C30–31 |
| Larynx | 198 | 1.6 | 8.6 | 6.4 | 0.44 | 0.81 | 73 | 0.6 | 2.7 | 1.7 | 0.11 | 0.21 | C32 |
| Trachea, bronchus, and lung | 1827 | 14.7 | 79.7 | 57.0 | 2.87 | 7.28 | 1769 | 14.2 | 65.7 | 38.2 | 2.08 | 4.90 | C33–34 |
| Other thoracic organs | 17 | 0.1 | 0.7 | 0.6 | 0.05 | 0.06 | 11 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C37–38 |
| Bone | 29 | 0.2 | 1.3 | 1.1 | 0.07 | 0.11 | 19 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 15 | 0.1 | 0.7 | 0.5 | 0.02 | 0.06 | 29 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C43 |
| Other skin | 34 | 0.3 | 1.5 | 1.3 | 0.08 | 0.14 | 51 | 0.4 | 1.9 | 1.6 | 0.12 | 0.15 | C44 |
| Mesothelioma | 9 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 7 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 36 | 0.3 | 1.6 | 1.6 | 0.12 | 0.12 | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 74 | 0.6 | 3.2 | 2.7 | 0.19 | 0.25 | 85 | 0.7 | 3.2 | 2.3 | 0.16 | 0.24 | C47+C49 |
| Breast | 47 | 0.4 | 2.0 | 1.5 | 0.08 | 0.18 | 3557 | 28.6 | 132.1 | 88.1 | 6.24 | 10.08 | C50 |
| Vulva | | | | | | | 57 | 0.5 | 2.1 | 1.3 | 0.10 | 0.14 | C51 |
| Vagina | | | | | | | 28 | 0.2 | 1.0 | 0.6 | 0.04 | 0.05 | C52 |
| Cervix uteri | | | | | | | 211 | 1.7 | 7.8 | 5.9 | 0.48 | 0.59 | C53 |
| Corpus uteri | | | | | | | 833 | 6.7 | 30.9 | 20.0 | 1.29 | 2.60 | C54 |
| Uterus unspecified | | | | | | | 45 | 0.4 | 1.7 | 1.0 | 0.07 | 0.11 | C55 |
| Ovary | | | | | | | 274 | 2.2 | 10.2 | 6.7 | 0.48 | 0.72 | C56 |
| Other female genital organs | | | | | | | 38 | 0.3 | 1.4 | 0.9 | 0.05 | 0.12 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 18 | 0.1 | 0.8 | 0.5 | 0.02 | 0.07 | | | | | | | C60 |
| Prostate | 4115 | 33.2 | 179.4 | 132.6 | 8.45 | 17.87 | | | | | | | C61 |
| Testis | 39 | 0.3 | 1.7 | 1.7 | 0.12 | 0.14 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 569 | 4.6 | 24.8 | 19.3 | 1.31 | 2.29 | 360 | 2.9 | 13.4 | 8.7 | 0.52 | 1.05 | C64 |
| Renal pelvis | 15 | 0.1 | 0.7 | 0.4 | 0.01 | 0.05 | 19 | 0.2 | 0.7 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 408 | 3.3 | 17.8 | 12.3 | 0.48 | 1.46 | 232 | 1.9 | 8.6 | 4.6 | 0.19 | 0.50 | C67 |
| Other urinary organs | 12 | 0.1 | 0.5 | 0.4 | 0.03 | 0.06 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 11 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 9 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 92 | 0.7 | 4.0 | 3.6 | 0.21 | 0.32 | 109 | 0.9 | 4.0 | 3.7 | 0.22 | 0.30 | C70–72 |
| Thyroid | 111 | 0.9 | 4.8 | 3.7 | 0.26 | 0.39 | 426 | 3.4 | 15.8 | 12.2 | 0.96 | 1.25 | C73 |
| Adrenal gland | 7 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 81 | 0.7 | 3.5 | 3.4 | 0.26 | 0.28 | 53 | 0.4 | 2.0 | 1.8 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 338 | 2.7 | 14.7 | 11.8 | 0.78 | 1.24 | 324 | 2.6 | 12.0 | 7.8 | 0.53 | 0.84 | C82–86,C96 |
| Immunoproliferative diseases | 28 | 0.2 | 1.2 | 0.9 | 0.05 | 0.12 | 43 | 0.3 | 1.6 | 1.0 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 338 | 2.7 | 14.7 | 10.7 | 0.57 | 1.32 | 372 | 3.0 | 13.8 | 8.2 | 0.42 | 1.00 | C90 |
| Lymphoid leukaemia | 176 | 1.4 | 7.7 | 6.0 | 0.35 | 0.62 | 148 | 1.2 | 5.5 | 3.9 | 0.21 | 0.37 | C91 |
| Myeloid leukaemia | 131 | 1.1 | 5.7 | 4.5 | 0.24 | 0.45 | 143 | 1.1 | 5.3 | 3.5 | 0.22 | 0.35 | C92–94 |
| Leukaemia unspecified | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 7 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 81 | 0.7 | 3.5 | 2.6 | 0.15 | 0.27 | 88 | 0.7 | 3.3 | 2.1 | 0.15 | 0.22 | MPD |
| Myelodysplastic syndromes | 94 | 0.8 | 4.1 | 2.8 | 0.09 | 0.30 | 84 | 0.7 | 3.1 | 1.6 | 0.05 | 0.16 | MPS |
| Other and unspecified | 196 | 1.6 | 8.5 | 6.0 | 0.35 | 0.68 | 236 | 1.9 | 8.8 | 5.0 | 0.25 | 0.57 | O&U |
| All sites | 12429 | 100.0 | 541.9 | 403.5 | 24.48 | 49.95 | 12505 | 100.0 | 464.5 | 297.7 | 19.24 | 34.34 | C00–96 |
| All sites except C44 | 12395 | 100.0 | 540.4 | 402.2 | 24.39 | 49.81 | 12454 | 100.0 | 462.6 | 296.2 | 19.12 | 34.20 | C00–96 exc. C44 |

*See note following population pyramid

***USA, Michigan, Detroit: White (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 44 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | 20 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 541 | 1.3 | 8.2 | 4.7 | 0.33 | 0.60 | 172 | 0.4 | 2.5 | 1.3 | 0.08 | 0.15 | C01–02 |
| Mouth | 247 | 0.6 | 3.8 | 2.1 | 0.12 | 0.25 | 169 | 0.4 | 2.5 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 135 | 0.3 | 2.1 | 1.1 | 0.05 | 0.10 | 101 | 0.2 | 1.5 | 0.8 | 0.06 | 0.09 | C07–08 |
| Tonsil | 365 | 0.9 | 5.5 | 3.3 | 0.27 | 0.40 | 72 | 0.2 | 1.1 | 0.6 | 0.05 | 0.07 | C09 |
| Other oropharynx | 69 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 22 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 57 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | 20 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 102 | 0.2 | 1.6 | 0.9 | 0.06 | 0.11 | 20 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 95 | 0.2 | 1.4 | 0.8 | 0.05 | 0.10 | 20 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 780 | 1.9 | 11.9 | 6.2 | 0.33 | 0.80 | 201 | 0.5 | 3.0 | 1.3 | 0.07 | 0.16 | C15 |
| Stomach | 671 | 1.6 | 10.2 | 5.1 | 0.24 | 0.57 | 393 | 1.0 | 5.8 | 2.4 | 0.13 | 0.27 | C16 |
| Small intestine | 227 | 0.5 | 3.5 | 2.0 | 0.12 | 0.23 | 206 | 0.5 | 3.0 | 1.5 | 0.09 | 0.18 | C17 |
| Colon | 2230 | 5.3 | 33.9 | 17.8 | 0.93 | 1.95 | 2394 | 5.8 | 35.4 | 15.1 | 0.77 | 1.63 | C18 |
| Rectum | 1130 | 2.7 | 17.2 | 9.8 | 0.65 | 1.11 | 894 | 2.2 | 13.2 | 7.0 | 0.48 | 0.75 | C19–20 |
| Anus | 112 | 0.3 | 1.7 | 0.9 | 0.06 | 0.11 | 225 | 0.5 | 3.3 | 1.8 | 0.13 | 0.21 | C21 |
| Liver | 935 | 2.2 | 14.2 | 7.6 | 0.48 | 0.95 | 377 | 0.9 | 5.6 | 2.5 | 0.12 | 0.27 | C22 |
| Gallbladder etc. | 234 | 0.6 | 3.6 | 1.8 | 0.07 | 0.21 | 270 | 0.7 | 4.0 | 1.5 | 0.06 | 0.16 | C23–24 |
| Pancreas | 1342 | 3.2 | 20.4 | 10.3 | 0.49 | 1.25 | 1299 | 3.2 | 19.2 | 7.7 | 0.34 | 0.89 | C25 |
| Nose, sinuses etc. | 73 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 48 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 501 | 1.2 | 7.6 | 4.2 | 0.27 | 0.54 | 141 | 0.3 | 2.1 | 1.1 | 0.08 | 0.13 | C32 |
| Trachea, bronchus, and lung | 5843 | 14.0 | 88.8 | 43.9 | 1.85 | 5.36 | 5982 | 14.6 | 88.4 | 38.0 | 1.72 | 4.85 | C33–34 |
| Other thoracic organs | 35 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 25 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 108 | 0.3 | 1.6 | 1.3 | 0.07 | 0.10 | 64 | 0.2 | 0.9 | 0.8 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 2034 | 4.9 | 30.9 | 17.1 | 1.00 | 1.87 | 1560 | 3.8 | 23.0 | 14.6 | 1.08 | 1.48 | C43 |
| Other skin | 203 | 0.5 | 3.1 | 1.6 | 0.08 | 0.17 | 153 | 0.4 | 2.3 | 1.1 | 0.07 | 0.11 | C44 |
| Mesothelioma | 140 | 0.3 | 2.1 | 0.9 | 0.01 | 0.09 | 43 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 30 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 313 | 0.7 | 4.8 | 3.0 | 0.17 | 0.28 | 235 | 0.6 | 3.5 | 2.2 | 0.12 | 0.21 | C47+C49 |
| Breast | 108 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | 11310 | 27.6 | 167.1 | 92.2 | 6.37 | 10.69 | C50 |
| Vulva | | | | | | | 322 | 0.8 | 4.8 | 2.2 | 0.13 | 0.26 | C51 |
| Vagina | | | | | | | 68 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 478 | 1.2 | 7.1 | 5.3 | 0.43 | 0.51 | C53 |
| Corpus uteri | | | | | | | 2920 | 7.1 | 43.1 | 23.5 | 1.70 | 2.94 | C54 |
| Uterus unspecified | | | | | | | 70 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1139 | 2.8 | 16.8 | 8.9 | 0.62 | 0.99 | C56 |
| Other female genital organs | | | | | | | 167 | 0.4 | 2.5 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 48 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 10047 | 24.0 | 152.7 | 81.6 | 4.41 | 11.27 | | | | | | | C61 |
| Testis | 440 | 1.1 | 6.7 | 6.6 | 0.50 | 0.52 | | | | | | | C62 |
| Other male genital organs | 28 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1749 | 4.2 | 26.6 | 15.5 | 0.96 | 1.85 | 919 | 2.2 | 13.6 | 7.4 | 0.48 | 0.83 | C64 |
| Renal pelvis | 95 | 0.2 | 1.4 | 0.7 | 0.03 | 0.08 | 79 | 0.2 | 1.2 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 52 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 37 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 3277 | 7.8 | 49.8 | 24.2 | 1.01 | 2.76 | 1032 | 2.5 | 15.2 | 6.1 | 0.26 | 0.71 | C67 |
| Other urinary organs | 52 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | 15 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 86 | 0.2 | 1.3 | 0.8 | 0.05 | 0.09 | 59 | 0.1 | 0.9 | 0.6 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 627 | 1.5 | 9.5 | 6.5 | 0.39 | 0.65 | 463 | 1.1 | 6.8 | 4.6 | 0.26 | 0.42 | C70–72 |
| Thyroid | 686 | 1.6 | 10.4 | 7.5 | 0.55 | 0.77 | 1968 | 4.8 | 29.1 | 23.0 | 1.78 | 2.14 | C73 |
| Adrenal gland | 13 | 0.0 | 0.2 | 0.3 | 0.01 | 0.01 | 29 | 0.1 | 0.4 | 0.6 | 0.03 | 0.03 | C74 |
| Other endocrine | 12 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 242 | 0.6 | 3.7 | 3.4 | 0.23 | 0.27 | 183 | 0.4 | 2.7 | 2.6 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 1769 | 4.2 | 26.9 | 14.9 | 0.80 | 1.60 | 1497 | 3.6 | 22.1 | 10.8 | 0.61 | 1.22 | C82–86,C96 |
| Immunoproliferative diseases | 138 | 0.3 | 2.1 | 1.1 | 0.06 | 0.13 | 163 | 0.4 | 2.4 | 1.2 | 0.07 | 0.14 | C88 |
| Multiple myeloma | 652 | 1.6 | 9.9 | 5.0 | 0.25 | 0.58 | 501 | 1.2 | 7.4 | 3.2 | 0.16 | 0.37 | C90 |
| Lymphoid leukaemia | 1091 | 2.6 | 16.6 | 10.4 | 0.56 | 1.06 | 649 | 1.6 | 9.6 | 5.2 | 0.26 | 0.53 | C91 |
| Myeloid leukaemia | 669 | 1.6 | 10.2 | 5.8 | 0.28 | 0.59 | 541 | 1.3 | 8.0 | 4.4 | 0.25 | 0.42 | C92–94 |
| Leukaemia unspecified | 19 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 17 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 371 | 0.9 | 5.6 | 3.1 | 0.16 | 0.33 | 379 | 0.9 | 5.6 | 2.7 | 0.14 | 0.29 | MPD |
| Myelodysplastic syndromes | 542 | 1.3 | 8.2 | 3.6 | 0.08 | 0.36 | 350 | 0.9 | 5.2 | 1.7 | 0.05 | 0.14 | MPS |
| Other and unspecified | 661 | 1.6 | 10.0 | 4.9 | 0.20 | 0.52 | 678 | 1.7 | 10.0 | 3.9 | 0.18 | 0.41 | O&U |
| All sites | 42070 | | 639.5 | 347.5 | 18.52 | 41.18 | 41172 | | 608.2 | 317.0 | 19.81 | 35.65 | C00–96 |
| All sites except C44 | 41867 | 100.0 | 636.4 | 345.9 | 18.45 | 41.01 | 41019 | 100.0 | 605.9 | 315.9 | 19.75 | 35.54 | C00–96 exc. C44 |

*See note following population pyramid

USA, Minnesota

CONTRIBUTORS


Judy Punyko
 Amy Casey-Paal
 Paula Lindgren
 Mona Highsmith
 Sally Bushhouse



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 77.0 | Breast | 95.4 |
| Trachea, bronchus, and lung | 37.1 | Trachea, bronchus, and lung | 32.8 |
| Melanoma of skin | 24.7 | Corpus uteri | 22.7 |
| Bladder | 20.7 | Melanoma of skin | 21.3 |
| Colon | 17.9 | Thyroid | 15.9 |
| Kidney | 16.0 | Colon | 15.2 |
| Non-Hodgkin lymphoma | 15.9 | Non-Hodgkin lymphoma | 10.3 |
| Lymphoid leukaemia | 9.5 | Kidney | 7.5 |
| Rectum | 9.4 | Ovary | 7.5 |
| Pancreas | 9.2 | Pancreas | 7.0 |
| Liver | 7.7 | Rectum | 5.7 |
| Brain and nervous system | 6.8 | Bladder | 5.5 |
| Testis | 6.4 | Brain and nervous system | 5.2 |
| Myeloid leukaemia | 6.1 | Lymphoid leukaemia | 5.1 |
| Thyroid | 5.4 | Cervix uteri | 4.4 |
| Multiple myeloma | 5.4 | Myeloid leukaemia | 4.0 |
| Oesophagus | 5.2 | Other and unspecified | 3.9 |
| Stomach | 5.0 | Multiple myeloma | 3.3 |
| Other and unspecified | 4.5 | Liver | 2.9 |
| Tongue | 4.1 | Connective and soft tissue | 2.7 |
| All sites | 333.4 | All sites | 308.9 |

USA, Minnesota: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Provided by the United States Census Bureau, based on decennial censuses and several other surveys, from which annual estimates of the population for each state are derived. Population estimates for the denominators of incidence and mortality rates are race-specific, ethnicity-specific, and sex-specific county population estimates aggregated to the state or metropolitan-area level.

NOTES ON THE DATA

*Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Trachea, bronchus, and lung | 32.1 |
| Prostate | 31.0 |
| Liver | 22.6 |
| Colon | 14.2 |
| Non-Hodgkin lymphoma | 12.4 |
| Rectum | 10.5 |
| Stomach | 9.3 |
| Bladder | 7.2 |
| Pancreas | 6.9 |
| Kidney | 5.1 |
| All sites | 204.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 60.8 |
| Trachea, bronchus, and lung | 19.1 |
| Thyroid | 15.5 |
| Corpus uteri | 13.0 |
| Colon | 11.1 |
| Rectum | 6.9 |
| Cervix uteri | 6.9 |
| Liver | 6.7 |
| Stomach | 6.5 |
| Non-Hodgkin lymphoma | 6.3 |
| All sites | 211.5 |

USA, Minnesota: Black (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Provided by the United States Census Bureau, based on decennial censuses and several other surveys, from which annual estimates of the population for each state are derived. Population estimates for the denominators of incidence and mortality rates are race-specific, ethnicity-specific, and sex-specific county population estimates aggregated to the state or metropolitan-area level.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 118.8 |
| Trachea, bronchus, and lung | 50.0 |
| Liver | 28.4 |
| Colon | 21.2 |
| Kidney | 19.7 |
| Bladder | 13.8 |
| Non-Hodgkin lymphoma | 13.4 |
| Pancreas | 11.5 |
| Rectum | 9.7 |
| Multiple myeloma | 8.9 |
| All sites | 379.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 79.1 |
| Trachea, bronchus, and lung | 36.6 |
| Corpus uteri | 23.9 |
| Colon | 16.9 |
| Thyroid | 12.9 |
| Pancreas | 10.3 |
| Liver | 9.1 |
| Kidney | 9.1 |
| Non-Hodgkin lymphoma | 8.9 |
| Rectum | 6.9 |
| All sites | 288.4 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 75.5 |
| Trachea, bronchus, and lung | 36.4 |
| Melanoma of skin | 26.2 |
| Bladder | 21.1 |
| Colon | 17.8 |
| Non-Hodgkin lymphoma | 16.0 |
| Kidney | 16.0 |
| Lymphoid leukaemia | 9.6 |
| Rectum | 9.3 |
| Pancreas | 9.2 |
| All sites | 332.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 97.0 |
| Trachea, bronchus, and lung | 32.4 |
| Melanoma of skin | 23.2 |
| Corpus uteri | 22.8 |
| Thyroid | 16.2 |
| Colon | 15.0 |
| Non-Hodgkin lymphoma | 10.4 |
| Ovary | 7.6 |
| Kidney | 7.5 |
| Pancreas | 6.9 |
| All sites | 311.3 |

USA, Minnesota (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 230 | 0.3 | 1.7 | 0.9 | 0.04 | 0.10 | 85 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 882 | 1.2 | 6.5 | 4.1 | 0.30 | 0.50 | 367 | 0.5 | 2.7 | 1.6 | 0.10 | 0.18 | C01–02 |
| Mouth | 421 | 0.6 | 3.1 | 1.9 | 0.12 | 0.22 | 360 | 0.5 | 2.6 | 1.3 | 0.07 | 0.15 | C03–06 |
| Salivary glands | 200 | 0.3 | 1.5 | 0.9 | 0.05 | 0.09 | 180 | 0.2 | 1.3 | 0.8 | 0.05 | 0.09 | C07–08 |
| Tonsil | 604 | 0.8 | 4.4 | 2.9 | 0.25 | 0.36 | 124 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 124 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | 30 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 91 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | 29 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 156 | 0.2 | 1.1 | 0.7 | 0.03 | 0.09 | 34 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 29 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 20 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1249 | 1.7 | 9.2 | 5.2 | 0.28 | 0.65 | 332 | 0.5 | 2.4 | 1.2 | 0.07 | 0.14 | C15 |
| Stomach | 1165 | 1.5 | 8.5 | 5.0 | 0.26 | 0.58 | 617 | 0.8 | 4.5 | 2.4 | 0.15 | 0.27 | C16 |
| Small intestine | 457 | 0.6 | 3.3 | 2.0 | 0.11 | 0.23 | 383 | 0.5 | 2.8 | 1.6 | 0.11 | 0.19 | C17 |
| Colon | 4199 | 5.6 | 30.8 | 17.9 | 0.94 | 1.97 | 4419 | 6.1 | 32.0 | 15.2 | 0.74 | 1.56 | C18 |
| Rectum | 2042 | 2.7 | 15.0 | 9.4 | 0.63 | 1.11 | 1324 | 1.8 | 9.6 | 5.7 | 0.40 | 0.63 | C19–20 |
| Anus | 154 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 369 | 0.5 | 2.7 | 1.6 | 0.12 | 0.19 | C21 |
| Liver | 1758 | 2.3 | 12.9 | 7.7 | 0.50 | 0.94 | 718 | 1.0 | 5.2 | 2.9 | 0.16 | 0.34 | C22 |
| Gallbladder etc. | 386 | 0.5 | 2.8 | 1.5 | 0.06 | 0.17 | 467 | 0.6 | 3.4 | 1.6 | 0.07 | 0.19 | C23–24 |
| Pancreas | 2227 | 2.9 | 16.3 | 9.2 | 0.46 | 1.09 | 2055 | 2.8 | 14.9 | 7.0 | 0.32 | 0.83 | C25 |
| Nose, sinuses etc. | 124 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 69 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 749 | 1.0 | 5.5 | 3.2 | 0.18 | 0.40 | 191 | 0.3 | 1.4 | 0.8 | 0.05 | 0.11 | C32 |
| Trachea, bronchus, and lung | 9206 | 12.2 | 67.5 | 37.1 | 1.54 | 4.67 | 9113 | 12.5 | 66.1 | 32.8 | 1.50 | 4.17 | C33–34 |
| Other thoracic organs | 78 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 51 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 180 | 0.2 | 1.3 | 1.1 | 0.07 | 0.10 | 102 | 0.1 | 0.7 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 5516 | 7.3 | 40.4 | 24.7 | 1.40 | 2.85 | 4262 | 5.8 | 30.9 | 21.3 | 1.58 | 2.19 | C43 |
| Other skin | 455 | 0.6 | 3.3 | 1.9 | 0.08 | 0.19 | 303 | 0.4 | 2.2 | 1.2 | 0.06 | 0.12 | C44 |
| Mesothelioma | 276 | 0.4 | 2.0 | 1.0 | 0.03 | 0.09 | 99 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 52 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 674 | 0.9 | 4.9 | 3.5 | 0.18 | 0.31 | 490 | 0.7 | 3.6 | 2.7 | 0.16 | 0.24 | C47+C49 |
| Breast | 157 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 21578 | 29.5 | 156.5 | 95.4 | 6.44 | 11.26 | C50 |
| Vulva | | | | | | | 497 | 0.7 | 3.6 | 1.8 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 82 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 767 | 1.1 | 5.6 | 4.4 | 0.35 | 0.42 | C53 |
| Corpus uteri | | | | | | | 5270 | 7.2 | 38.2 | 22.7 | 1.58 | 2.86 | C54 |
| Uterus unspecified | | | | | | | 82 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 1696 | 2.3 | 12.3 | 7.5 | 0.49 | 0.84 | C56 |
| Other female genital organs | | | | | | | 507 | 0.7 | 3.7 | 2.0 | 0.10 | 0.26 | C57 |
| Placenta | | | | | | | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 140 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 17763 | 23.5 | 130.2 | 77.0 | 4.10 | 10.70 | | | | | | | C61 |
| Testis | 907 | 1.2 | 6.6 | 6.4 | 0.48 | 0.50 | | | | | | | C62 |
| Other male genital organs | 57 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 3439 | 4.5 | 25.2 | 16.0 | 1.00 | 1.89 | 1713 | 2.3 | 12.4 | 7.5 | 0.46 | 0.89 | C64 |
| Renal pelvis | 203 | 0.3 | 1.5 | 0.7 | 0.03 | 0.08 | 148 | 0.2 | 1.1 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 101 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | 70 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 5340 | 7.1 | 39.1 | 20.7 | 0.77 | 2.40 | 1627 | 2.2 | 11.8 | 5.5 | 0.24 | 0.65 | C67 |
| Other urinary organs | 98 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | 38 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 129 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | 127 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 1203 | 1.6 | 8.8 | 6.8 | 0.42 | 0.65 | 924 | 1.3 | 6.7 | 5.2 | 0.34 | 0.47 | C70–72 |
| Thyroid | 1017 | 1.3 | 7.5 | 5.4 | 0.40 | 0.57 | 2686 | 3.7 | 19.5 | 15.9 | 1.24 | 1.49 | C73 |
| Adrenal gland | 42 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 48 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 22 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 468 | 0.6 | 3.4 | 3.0 | 0.20 | 0.26 | 327 | 0.4 | 2.4 | 2.1 | 0.14 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 3539 | 4.7 | 25.9 | 15.9 | 0.83 | 1.75 | 2642 | 3.6 | 19.2 | 10.3 | 0.55 | 1.21 | C82–86,C96 |
| Immunoproliferative diseases | 271 | 0.4 | 2.0 | 1.2 | 0.05 | 0.14 | 289 | 0.4 | 2.1 | 1.1 | 0.07 | 0.13 | C88 |
| Multiple myeloma | 1285 | 1.7 | 9.4 | 5.4 | 0.26 | 0.63 | 909 | 1.2 | 6.6 | 3.3 | 0.16 | 0.40 | C90 |
| Lymphoid leukaemia | 1997 | 2.6 | 14.6 | 9.5 | 0.47 | 1.00 | 1135 | 1.6 | 8.2 | 5.1 | 0.25 | 0.50 | C91 |
| Myeloid leukaemia | 1357 | 1.8 | 9.9 | 6.1 | 0.29 | 0.64 | 963 | 1.3 | 7.0 | 4.0 | 0.22 | 0.42 | C92–94 |
| Leukaemia unspecified | 39 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 48 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 685 | 0.9 | 5.0 | 2.8 | 0.13 | 0.30 | 711 | 1.0 | 5.2 | 2.5 | 0.12 | 0.28 | MPD |
| Myelodysplastic syndromes | 940 | 1.2 | 6.9 | 3.2 | 0.07 | 0.31 | 530 | 0.7 | 3.8 | 1.4 | 0.03 | 0.13 | MPS |
| Other and unspecified | 1172 | 1.6 | 8.6 | 4.5 | 0.19 | 0.47 | 1300 | 1.8 | 9.4 | 3.9 | 0.16 | 0.40 | O&U |
| All sites | 76055 | | 557.3 | 333.4 | 17.64 | 39.73 | 73334 | | 531.9 | 308.9 | 19.09 | 35.12 | C00–96 |
| All sites except C44 | 75600 | 100.0 | 554.0 | 331.5 | 17.56 | 39.55 | 73031 | 100.0 | 529.7 | 307.7 | 19.03 | 35.00 | C00–96 exc. C44 |

***USA, Minnesota: Asian and Pacific Islander (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 11 | 1.0 | 1.6 | 1.9 | 0.09 | 0.25 | 5 | 0.3 | 0.7 | 0.9 | 0.01 | 0.12 | C01–02 |
| Mouth | 6 | 0.5 | 0.9 | 1.0 | 0.11 | 0.11 | 4 | 0.3 | 0.6 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 7 | 0.6 | 1.0 | 1.2 | 0.13 | 0.13 | 10 | 0.7 | 1.4 | 1.5 | 0.12 | 0.20 | C07–08 |
| Tonsil | 4 | 0.4 | 0.6 | 0.6 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 22 | 2.0 | 3.2 | 3.7 | 0.29 | 0.45 | 7 | 0.5 | 1.0 | 1.1 | 0.10 | 0.13 | C11 |
| Hypopharynx | 6 | 0.5 | 0.9 | 1.2 | 0.06 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.2 | 0.3 | 0.5 | 0.00 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 15 | 1.4 | 2.2 | 3.1 | 0.15 | 0.44 | 4 | 0.3 | 0.6 | 0.6 | 0.04 | 0.07 | C15 |
| Stomach | 50 | 4.6 | 7.3 | 9.3 | 0.52 | 0.99 | 49 | 3.4 | 6.8 | 6.5 | 0.33 | 0.62 | C16 |
| Small intestine | 7 | 0.6 | 1.0 | 1.3 | 0.05 | 0.15 | 5 | 0.3 | 0.7 | 0.7 | 0.03 | 0.06 | C17 |
| Colon | 78 | 7.1 | 11.4 | 14.2 | 0.76 | 1.83 | 78 | 5.4 | 10.9 | 11.1 | 0.65 | 1.17 | C18 |
| Rectum | 61 | 5.6 | 8.9 | 10.5 | 0.89 | 1.18 | 47 | 3.3 | 6.6 | 6.9 | 0.46 | 0.76 | C19–20 |
| Anus | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.4 | 0.05 | 0.05 | C21 |
| Liver | 116 | 10.6 | 16.9 | 22.6 | 1.41 | 3.03 | 43 | 3.0 | 6.0 | 6.7 | 0.26 | 0.81 | C22 |
| Gallbladder etc. | 6 | 0.5 | 0.9 | 1.2 | 0.02 | 0.17 | 33 | 2.3 | 4.6 | 5.2 | 0.28 | 0.66 | C23–24 |
| Pancreas | 36 | 3.3 | 5.3 | 6.9 | 0.28 | 0.81 | 31 | 2.1 | 4.3 | 4.7 | 0.15 | 0.52 | C25 |
| Nose, sinuses etc. | 1 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.05 | C30–31 |
| Larynx | 6 | 0.5 | 0.9 | 1.2 | 0.04 | 0.21 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 163 | 14.8 | 23.8 | 32.1 | 1.38 | 4.19 | 122 | 8.5 | 17.0 | 19.1 | 0.98 | 2.31 | C33–34 |
| Other thoracic organs | 7 | 0.6 | 1.0 | 1.4 | 0.13 | 0.18 | 4 | 0.3 | 0.6 | 0.7 | 0.03 | 0.13 | C37–38 |
| Bone | 3 | 0.3 | 0.4 | 0.4 | 0.02 | 0.02 | 3 | 0.2 | 0.4 | 0.5 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 3 | 0.3 | 0.4 | 0.6 | 0.03 | 0.09 | 5 | 0.3 | 0.7 | 0.7 | 0.04 | 0.07 | C43 |
| Other skin | 5 | 0.5 | 0.7 | 0.9 | 0.06 | 0.12 | 7 | 0.5 | 1.0 | 1.0 | 0.04 | 0.10 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 12 | 1.1 | 1.8 | 1.7 | 0.10 | 0.16 | 13 | 0.9 | 1.8 | 2.1 | 0.11 | 0.14 | C47+C49 |
| Breast | 2 | 0.2 | 0.3 | 0.4 | 0.06 | 0.06 | 409 | 28.4 | 57.2 | 60.8 | 4.81 | 7.14 | C50 |
| Vulva | | | | | | | 6 | 0.4 | 0.8 | 0.9 | 0.02 | 0.08 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 52 | 3.6 | 7.3 | 6.9 | 0.51 | 0.69 | C53 |
| Corpus uteri | | | | | | | 95 | 6.6 | 13.3 | 13.0 | 1.11 | 1.36 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.2 | 0.4 | 0.4 | 0.01 | 0.06 | C55 |
| Ovary | | | | | | | 30 | 2.1 | 4.2 | 4.4 | 0.35 | 0.38 | C56 |
| Other female genital organs | | | | | | | 11 | 0.8 | 1.5 | 1.7 | 0.07 | 0.20 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 3 | 0.3 | 0.4 | 0.6 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 150 | 13.7 | 21.9 | 31.0 | 1.38 | 4.23 | | | | | | | C61 |
| Testis | 17 | 1.5 | 2.5 | 2.2 | 0.14 | 0.14 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 29 | 2.6 | 4.2 | 5.1 | 0.37 | 0.49 | 21 | 1.5 | 2.9 | 3.2 | 0.23 | 0.36 | C64 |
| Renal pelvis | 2 | 0.2 | 0.3 | 0.4 | 0.00 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.00 | 3 | 0.2 | 0.4 | 0.4 | 0.00 | 0.05 | C66 |
| Bladder | 37 | 3.4 | 5.4 | 7.2 | 0.23 | 0.81 | 17 | 1.2 | 2.4 | 2.6 | 0.10 | 0.27 | C67 |
| Other urinary organs | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 27 | 2.5 | 3.9 | 4.1 | 0.34 | 0.34 | 21 | 1.5 | 2.9 | 3.0 | 0.18 | 0.26 | C70–72 |
| Thyroid | 21 | 1.9 | 3.1 | 2.9 | 0.19 | 0.33 | 123 | 8.5 | 17.2 | 15.5 | 1.20 | 1.46 | C73 |
| Adrenal gland | 2 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 9 | 0.8 | 1.3 | 1.2 | 0.09 | 0.09 | 7 | 0.5 | 1.0 | 0.8 | 0.04 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 68 | 6.2 | 9.9 | 12.4 | 0.65 | 1.59 | 42 | 2.9 | 5.9 | 6.3 | 0.39 | 0.78 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 8 | 0.6 | 1.1 | 1.2 | 0.10 | 0.15 | C88 |
| Multiple myeloma | 19 | 1.7 | 2.8 | 3.5 | 0.24 | 0.47 | 23 | 1.6 | 3.2 | 3.7 | 0.16 | 0.57 | C90 |
| Lymphoid leukaemia | 27 | 2.5 | 3.9 | 4.8 | 0.24 | 0.38 | 18 | 1.2 | 2.5 | 2.9 | 0.19 | 0.19 | C91 |
| Myeloid leukaemia | 20 | 1.8 | 2.9 | 3.0 | 0.18 | 0.36 | 35 | 2.4 | 4.9 | 5.1 | 0.32 | 0.53 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 6 | 0.5 | 0.9 | 1.1 | 0.11 | 0.11 | 6 | 0.4 | 0.8 | 0.9 | 0.03 | 0.13 | MPD |
| Myelodysplastic syndromes | 11 | 1.0 | 1.6 | 2.1 | 0.04 | 0.23 | 6 | 0.4 | 0.8 | 0.7 | 0.00 | 0.03 | MPS |
| Other and unspecified | 17 | 1.5 | 2.5 | 3.1 | 0.10 | 0.14 | 32 | 2.2 | 4.5 | 4.6 | 0.24 | 0.47 | O&U |
| All sites | 1103 | | 161.1 | 204.4 | 11.07 | 24.86 | 1449 | | 202.5 | 211.5 | 13.85 | 23.34 | C00–96 |
| All sites except C44 | 1098 | 100.0 | 160.4 | 203.5 | 11.01 | 24.75 | 1442 | 100.0 | 201.5 | 210.5 | 13.81 | 23.24 | C00–96 exc. C44 |

*See note following population pyramid

USA, Minnesota: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 22 | 0.9 | 2.3 | 3.0 | 0.17 | 0.30 | 8 | 0.4 | 0.9 | 1.0 | 0.09 | 0.09 | C01–02 |
| Mouth | 13 | 0.5 | 1.4 | 1.8 | 0.10 | 0.19 | 13 | 0.6 | 1.4 | 1.7 | 0.09 | 0.17 | C03–06 |
| Salivary glands | 7 | 0.3 | 0.7 | 1.0 | 0.04 | 0.08 | 5 | 0.2 | 0.5 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 10 | 0.4 | 1.0 | 1.6 | 0.11 | 0.20 | 5 | 0.2 | 0.5 | 0.7 | 0.05 | 0.08 | C09 |
| Other oropharynx | 6 | 0.2 | 0.6 | 0.9 | 0.05 | 0.10 | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.05 | C10 |
| Nasopharynx | 9 | 0.3 | 0.9 | 1.0 | 0.08 | 0.08 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 8 | 0.3 | 0.8 | 1.1 | 0.06 | 0.15 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 24 | 0.9 | 2.5 | 3.5 | 0.16 | 0.28 | 25 | 1.1 | 2.7 | 3.4 | 0.20 | 0.38 | C15 |
| Stomach | 60 | 2.3 | 6.2 | 8.8 | 0.47 | 1.00 | 29 | 1.3 | 3.1 | 4.0 | 0.20 | 0.55 | C16 |
| Small intestine | 18 | 0.7 | 1.9 | 2.5 | 0.17 | 0.33 | 6 | 0.3 | 0.7 | 0.9 | 0.08 | 0.12 | C17 |
| Colon | 150 | 5.8 | 15.6 | 21.2 | 1.26 | 2.47 | 129 | 5.9 | 14.0 | 16.9 | 1.15 | 1.95 | C18 |
| Rectum | 73 | 2.8 | 7.6 | 9.7 | 0.68 | 1.05 | 54 | 2.5 | 5.9 | 6.9 | 0.46 | 0.75 | C19–20 |
| Anus | 8 | 0.3 | 0.8 | 1.0 | 0.09 | 0.14 | 17 | 0.8 | 1.8 | 2.3 | 0.17 | 0.28 | C21 |
| Liver | 188 | 7.3 | 19.6 | 28.4 | 1.71 | 3.55 | 63 | 2.9 | 6.8 | 9.1 | 0.41 | 1.21 | C22 |
| Gallbladder etc. | 15 | 0.6 | 1.6 | 2.4 | 0.11 | 0.31 | 21 | 1.0 | 2.3 | 2.8 | 0.13 | 0.36 | C23–24 |
| Pancreas | 73 | 2.8 | 7.6 | 11.5 | 0.58 | 1.31 | 75 | 3.4 | 8.1 | 10.3 | 0.59 | 1.23 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.6 | 0.6 | 0.06 | 0.06 | 3 | 0.1 | 0.3 | 0.4 | 0.03 | 0.03 | C30–31 |
| Larynx | 35 | 1.4 | 3.6 | 4.9 | 0.39 | 0.63 | 15 | 0.7 | 1.6 | 2.2 | 0.14 | 0.31 | C32 |
| Trachea, bronchus, and lung | 318 | 12.4 | 33.1 | 50.0 | 2.39 | 6.38 | 259 | 11.9 | 28.1 | 36.6 | 2.07 | 4.65 | C33–34 |
| Other thoracic organs | 4 | 0.2 | 0.4 | 0.6 | 0.05 | 0.05 | 3 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 8 | 0.3 | 0.8 | 0.9 | 0.04 | 0.07 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 4 | 0.2 | 0.4 | 0.5 | 0.03 | 0.03 | 10 | 0.5 | 1.1 | 1.3 | 0.09 | 0.18 | C43 |
| Other skin | 15 | 0.6 | 1.6 | 1.9 | 0.14 | 0.20 | 16 | 0.7 | 1.7 | 1.9 | 0.14 | 0.21 | C44 |
| Mesothelioma | 5 | 0.2 | 0.5 | 0.7 | 0.03 | 0.09 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 17 | 0.7 | 1.8 | 2.1 | 0.11 | 0.25 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 22 | 0.9 | 2.3 | 2.5 | 0.16 | 0.24 | 15 | 0.7 | 1.6 | 1.6 | 0.08 | 0.11 | C47+C49 |
| Breast | 7 | 0.3 | 0.7 | 0.9 | 0.05 | 0.12 | 620 | 28.5 | 67.2 | 79.1 | 6.07 | 8.82 | C50 |
| Vulva | | | | | | | 6 | 0.3 | 0.7 | 0.7 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 48 | 2.2 | 5.2 | 6.0 | 0.44 | 0.75 | C53 |
| Corpus uteri | | | | | | | 165 | 7.6 | 17.9 | 23.9 | 1.41 | 3.21 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.2 | 0.4 | 0.6 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 44 | 2.0 | 4.8 | 5.5 | 0.33 | 0.56 | C56 |
| Other female genital organs | | | | | | | 18 | 0.8 | 2.0 | 2.4 | 0.16 | 0.24 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 1 | 0.0 | 0.1 | 0.2 | 0.02 | 0.02 | | | | | | | C60 |
| Prostate | 786 | 30.6 | 81.8 | 118.8 | 7.27 | 16.29 | | | | | | | C61 |
| Testis | 12 | 0.5 | 1.2 | 1.1 | 0.08 | 0.08 | | | | | | | C62 |
| Other male genital organs | 5 | 0.2 | 0.5 | 0.5 | 0.05 | 0.05 | | | | | | | C63 |
| Kidney | 144 | 5.6 | 15.0 | 19.7 | 1.29 | 2.22 | 68 | 3.1 | 7.4 | 9.1 | 0.60 | 1.14 | C64 |
| Renal pelvis | 3 | 0.1 | 0.3 | 0.5 | 0.03 | 0.08 | 5 | 0.2 | 0.5 | 0.8 | 0.03 | 0.11 | C65 |
| Ureter | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.06 | 3 | 0.1 | 0.3 | 0.5 | 0.00 | 0.09 | C66 |
| Bladder | 83 | 3.2 | 8.6 | 13.8 | 0.47 | 1.68 | 27 | 1.2 | 2.9 | 3.9 | 0.20 | 0.52 | C67 |
| Other urinary organs | 6 | 0.2 | 0.6 | 1.0 | 0.02 | 0.17 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.2 | 0.4 | 0.5 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 39 | 1.5 | 4.1 | 4.7 | 0.31 | 0.50 | 31 | 1.4 | 3.4 | 3.5 | 0.21 | 0.30 | C70–72 |
| Thyroid | 35 | 1.4 | 3.6 | 4.5 | 0.37 | 0.49 | 112 | 5.2 | 12.1 | 12.9 | 1.05 | 1.29 | C73 |
| Adrenal gland | 5 | 0.2 | 0.5 | 0.6 | 0.05 | 0.05 | 1 | 0.0 | 0.1 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.3 | 0.00 | 0.03 | C75 |
| Hodgkin lymphoma | 22 | 0.9 | 2.3 | 2.3 | 0.20 | 0.20 | 12 | 0.6 | 1.3 | 1.3 | 0.08 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 97 | 3.8 | 10.1 | 13.4 | 0.69 | 1.59 | 67 | 3.1 | 7.3 | 8.9 | 0.39 | 1.10 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.3 | 0.8 | 1.3 | 0.08 | 0.19 | 8 | 0.4 | 0.9 | 1.1 | 0.12 | 0.12 | C88 |
| Multiple myeloma | 60 | 2.3 | 6.2 | 8.9 | 0.54 | 1.16 | 36 | 1.7 | 3.9 | 4.9 | 0.30 | 0.50 | C90 |
| Lymphoid leukaemia | 38 | 1.5 | 4.0 | 5.5 | 0.27 | 0.60 | 27 | 1.2 | 2.9 | 3.5 | 0.20 | 0.41 | C91 |
| Myeloid leukaemia | 31 | 1.2 | 3.2 | 4.4 | 0.20 | 0.60 | 22 | 1.0 | 2.4 | 2.7 | 0.19 | 0.25 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 26 | 1.0 | 2.7 | 3.5 | 0.21 | 0.33 | 23 | 1.1 | 2.5 | 3.3 | 0.18 | 0.44 | MPD |
| Myelodysplastic syndromes | 11 | 0.4 | 1.1 | 1.7 | 0.06 | 0.19 | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.06 | MPS |
| Other and unspecified | 43 | 1.7 | 4.5 | 6.7 | 0.24 | 0.99 | 41 | 1.9 | 4.4 | 5.4 | 0.27 | 0.54 | O&U |
| All sites | 2587 | | 269.3 | 379.1 | 21.79 | 47.24 | 2190 | | 237.4 | 288.4 | 18.83 | 33.76 | C00–96 |
| All sites except C44 | 2572 | 100.0 | 267.7 | 377.1 | 21.66 | 47.04 | 2174 | 100.0 | 235.7 | 286.5 | 18.69 | 33.55 | C00–96 exc. C44 |


USA, Minnesota: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 226 | 0.3 | 1.9 | 0.9 | 0.04 | 0.10 | 79 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 835 | 1.2 | 7.1 | 4.2 | 0.31 | 0.51 | 350 | 0.5 | 2.9 | 1.6 | 0.11 | 0.19 | C01–02 |
| Mouth | 392 | 0.6 | 3.3 | 1.8 | 0.12 | 0.21 | 338 | 0.5 | 2.8 | 1.3 | 0.07 | 0.15 | C03–06 |
| Salivary glands | 183 | 0.3 | 1.6 | 0.9 | 0.05 | 0.09 | 163 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | C07–08 |
| Tonsil | 575 | 0.8 | 4.9 | 3.0 | 0.26 | 0.37 | 116 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 116 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 59 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 19 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 133 | 0.2 | 1.1 | 0.6 | 0.03 | 0.08 | 30 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 25 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 17 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1197 | 1.7 | 10.2 | 5.3 | 0.29 | 0.67 | 298 | 0.4 | 2.5 | 1.1 | 0.06 | 0.14 | C15 |
| Stomach | 1030 | 1.5 | 8.7 | 4.7 | 0.24 | 0.55 | 525 | 0.8 | 4.4 | 2.2 | 0.13 | 0.24 | C16 |
| Small intestine | 426 | 0.6 | 3.6 | 2.0 | 0.11 | 0.23 | 369 | 0.5 | 3.1 | 1.6 | 0.11 | 0.20 | C17 |
| Colon | 3914 | 5.5 | 33.2 | 17.8 | 0.93 | 1.95 | 4148 | 6.1 | 34.7 | 15.0 | 0.72 | 1.53 | C18 |
| Rectum | 1866 | 2.6 | 15.8 | 9.3 | 0.61 | 1.09 | 1201 | 1.8 | 10.1 | 5.5 | 0.40 | 0.61 | C19–20 |
| Anus | 141 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | 340 | 0.5 | 2.8 | 1.6 | 0.12 | 0.19 | C21 |
| Liver | 1410 | 2.0 | 12.0 | 6.5 | 0.41 | 0.79 | 591 | 0.9 | 5.0 | 2.5 | 0.14 | 0.30 | C22 |
| Gallbladder etc. | 359 | 0.5 | 3.0 | 1.5 | 0.06 | 0.17 | 404 | 0.6 | 3.4 | 1.4 | 0.06 | 0.17 | C23–24 |
| Pancreas | 2099 | 3.0 | 17.8 | 9.2 | 0.46 | 1.09 | 1920 | 2.8 | 16.1 | 6.9 | 0.31 | 0.82 | C25 |
| Nose, sinuses etc. | 116 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 64 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 687 | 1.0 | 5.8 | 3.1 | 0.17 | 0.39 | 167 | 0.2 | 1.4 | 0.8 | 0.05 | 0.10 | C32 |
| Trachea, bronchus, and lung | 8594 | 12.2 | 72.9 | 36.4 | 1.50 | 4.59 | 8536 | 12.5 | 71.5 | 32.4 | 1.46 | 4.12 | C33–34 |
| Other thoracic organs | 65 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 43 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C37–38 |
| Bone | 164 | 0.2 | 1.4 | 1.2 | 0.08 | 0.10 | 94 | 0.1 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 5389 | 7.6 | 45.7 | 26.2 | 1.52 | 3.00 | 4132 | 6.1 | 34.6 | 23.2 | 1.74 | 2.35 | C43 |
| Other skin | 427 | 0.6 | 3.6 | 1.8 | 0.08 | 0.18 | 263 | 0.4 | 2.2 | 1.1 | 0.06 | 0.10 | C44 |
| Mesothelioma | 267 | 0.4 | 2.3 | 1.0 | 0.03 | 0.10 | 95 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 31 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 627 | 0.9 | 5.3 | 3.4 | 0.18 | 0.32 | 453 | 0.7 | 3.8 | 2.8 | 0.16 | 0.24 | C47+C49 |
| Breast | 147 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 20331 | 29.8 | 170.3 | 97.0 | 6.53 | 11.46 | C50 |
| Vulva | | | | | | | 476 | 0.7 | 4.0 | 1.8 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 75 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 643 | 0.9 | 5.4 | 4.2 | 0.33 | 0.40 | C53 |
| Corpus uteri | | | | | | | 4946 | 7.2 | 41.4 | 22.8 | 1.60 | 2.88 | C54 |
| Uterus unspecified | | | | | | | 73 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 1598 | 2.3 | 13.4 | 7.6 | 0.50 | 0.85 | C56 |
| Other female genital organs | | | | | | | 473 | 0.7 | 4.0 | 2.0 | 0.10 | 0.26 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 136 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 16437 | 23.3 | 139.4 | 75.5 | 3.99 | 10.51 | | | | | | | C61 |
| Testis | 852 | 1.2 | 7.2 | 7.1 | 0.53 | 0.55 | | | | | | | C62 |
| Other male genital organs | 48 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 3185 | 4.5 | 27.0 | 16.0 | 0.99 | 1.89 | 1587 | 2.3 | 13.3 | 7.5 | 0.46 | 0.89 | C64 |
| Renal pelvis | 197 | 0.3 | 1.7 | 0.8 | 0.03 | 0.08 | 141 | 0.2 | 1.2 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 96 | 0.1 | 0.8 | 0.4 | 0.01 | 0.04 | 64 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 5161 | 7.3 | 43.8 | 21.1 | 0.80 | 2.45 | 1550 | 2.3 | 13.0 | 5.6 | 0.25 | 0.65 | C67 |
| Other urinary organs | 90 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | 35 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 123 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 120 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 1124 | 1.6 | 9.5 | 7.0 | 0.43 | 0.67 | 860 | 1.3 | 7.2 | 5.4 | 0.35 | 0.48 | C70–72 |
| Thyroid | 950 | 1.3 | 8.1 | 5.6 | 0.41 | 0.59 | 2410 | 3.5 | 20.2 | 16.2 | 1.26 | 1.51 | C73 |
| Adrenal gland | 35 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 47 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 21 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 12 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 427 | 0.6 | 3.6 | 3.1 | 0.21 | 0.27 | 304 | 0.4 | 2.5 | 2.3 | 0.15 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 3331 | 4.7 | 28.3 | 16.0 | 0.84 | 1.75 | 2485 | 3.6 | 20.8 | 10.4 | 0.56 | 1.22 | C82–86,C96 |
| Immunoproliferative diseases | 256 | 0.4 | 2.2 | 1.2 | 0.05 | 0.14 | 265 | 0.4 | 2.2 | 1.1 | 0.07 | 0.13 | C88 |
| Multiple myeloma | 1181 | 1.7 | 10.0 | 5.2 | 0.25 | 0.61 | 835 | 1.2 | 7.0 | 3.2 | 0.15 | 0.38 | C90 |
| Lymphoid leukaemia | 1883 | 2.7 | 16.0 | 9.6 | 0.48 | 1.02 | 1041 | 1.5 | 8.7 | 5.1 | 0.24 | 0.49 | C91 |
| Myeloid leukaemia | 1293 | 1.8 | 11.0 | 6.2 | 0.29 | 0.65 | 893 | 1.3 | 7.5 | 4.0 | 0.21 | 0.42 | C92–94 |
| Leukaemia unspecified | 38 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 46 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 632 | 0.9 | 5.4 | 2.7 | 0.13 | 0.30 | 666 | 1.0 | 5.6 | 2.5 | 0.12 | 0.28 | MPD |
| Myelodysplastic syndromes | 911 | 1.3 | 7.7 | 3.3 | 0.07 | 0.32 | 517 | 0.8 | 4.3 | 1.4 | 0.04 | 0.13 | MPS |
| Other and unspecified | 1093 | 1.5 | 9.3 | 4.5 | 0.19 | 0.46 | 1204 | 1.8 | 10.1 | 3.8 | 0.15 | 0.38 | O&U |
| All sites | 71000 | | 602.2 | 332.3 | 17.55 | 39.47 | 68486 | | 573.7 | 311.3 | 19.25 | 35.29 | C00–96 |
| All sites except C44 | 70573 | 100.0 | 598.6 | 330.5 | 17.47 | 39.29 | 68223 | 100.0 | 571.5 | 310.2 | 19.19 | 35.19 | C00–96 exc. C44 |

USA, Mississippi

CONTRIBUTORS

Deirdre Rogers
 Ramona Sandlin
 Donna Gooch
 Deidra Amos
 Tresheena Boyd
 Kristy Brister
 LaTawnya Roby
 Stacy Major
 Patrina Massey



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 93.0 | Breast | 86.5 |
| Trachea, bronchus, and lung | 61.5 | Trachea, bronchus, and lung | 38.3 |
| Colon | 27.2 | Colon | 20.8 |
| Kidney | 19.8 | Corpus uteri | 16.4 |
| Bladder | 17.8 | Thyroid | 12.9 |
| Melanoma of skin | 15.5 | Kidney | 11.4 |
| Non-Hodgkin lymphoma | 12.0 | Melanoma of skin | 10.4 |
| Rectum | 11.6 | Non-Hodgkin lymphoma | 8.5 |
| Pancreas | 10.9 | Pancreas | 7.5 |
| Liver | 10.2 | Cervix uteri | 7.5 |
| Lymphoid leukaemia | 6.8 | Rectum | 7.0 |
| Other and unspecified | 6.4 | Ovary | 7.0 |
| Larynx | 6.2 | Other and unspecified | 5.0 |
| Multiple myeloma | 6.1 | Brain and nervous system | 4.3 |
| Stomach | 6.1 | Multiple myeloma | 4.3 |
| Oesophagus | 5.5 | Bladder | 4.3 |
| Brain and nervous system | 5.5 | Lymphoid leukaemia | 3.9 |
| Myeloid leukaemia | 5.2 | Myeloid leukaemia | 3.7 |
| Tongue | 4.2 | Stomach | 3.4 |
| Thyroid | 4.0 | Liver | 3.2 |
| All sites | 374.3 | All sites | 295.9 |


USA, Mississippi (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 60 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 462 | 1.1 | 6.4 | 4.2 | 0.31 | 0.51 | 178 | 0.5 | 2.3 | 1.4 | 0.10 | 0.15 | C01–02 |
| Mouth | 283 | 0.7 | 3.9 | 2.5 | 0.18 | 0.31 | 145 | 0.4 | 1.9 | 1.0 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 127 | 0.3 | 1.8 | 1.1 | 0.06 | 0.12 | 102 | 0.3 | 1.3 | 0.9 | 0.06 | 0.09 | C07–08 |
| Tonsil | 332 | 0.8 | 4.6 | 3.1 | 0.26 | 0.39 | 82 | 0.2 | 1.1 | 0.7 | 0.06 | 0.08 | C09 |
| Other oropharynx | 121 | 0.3 | 1.7 | 1.1 | 0.09 | 0.13 | 29 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 76 | 0.2 | 1.0 | 0.7 | 0.06 | 0.09 | 33 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 150 | 0.3 | 2.1 | 1.3 | 0.09 | 0.18 | 37 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 91 | 0.2 | 1.3 | 0.8 | 0.05 | 0.10 | 38 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C14 |
| Oesophagus | 650 | 1.5 | 9.0 | 5.5 | 0.36 | 0.71 | 174 | 0.5 | 2.3 | 1.3 | 0.08 | 0.16 | C15 |
| Stomach | 701 | 1.6 | 9.7 | 6.1 | 0.38 | 0.73 | 476 | 1.2 | 6.2 | 3.4 | 0.21 | 0.38 | C16 |
| Small intestine | 291 | 0.7 | 4.0 | 2.6 | 0.16 | 0.30 | 286 | 0.8 | 3.7 | 2.2 | 0.14 | 0.26 | C17 |
| Colon | 3173 | 7.3 | 43.7 | 27.2 | 1.64 | 3.21 | 2965 | 7.8 | 38.6 | 20.8 | 1.21 | 2.43 | C18 |
| Rectum | 1276 | 2.9 | 17.6 | 11.6 | 0.81 | 1.41 | 903 | 2.4 | 11.7 | 7.0 | 0.52 | 0.79 | C19–20 |
| Anus | 116 | 0.3 | 1.6 | 1.1 | 0.09 | 0.12 | 228 | 0.6 | 3.0 | 1.8 | 0.14 | 0.20 | C21 |
| Liver | 1166 | 2.7 | 16.1 | 10.2 | 0.76 | 1.27 | 435 | 1.1 | 5.7 | 3.2 | 0.21 | 0.37 | C22 |
| Gallbladder etc. | 186 | 0.4 | 2.6 | 1.5 | 0.08 | 0.19 | 233 | 0.6 | 3.0 | 1.5 | 0.07 | 0.18 | C23–24 |
| Pancreas | 1325 | 3.0 | 18.3 | 10.9 | 0.58 | 1.30 | 1185 | 3.1 | 15.4 | 7.5 | 0.38 | 0.87 | C25 |
| Nose, sinuses etc. | 79 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 52 | 0.1 | 0.7 | 0.4 | 0.02 | 0.03 | C30–31 |
| Larynx | 710 | 1.6 | 9.8 | 6.2 | 0.44 | 0.79 | 161 | 0.4 | 2.1 | 1.3 | 0.10 | 0.15 | C32 |
| Trachea, bronchus, and lung | 7675 | 17.6 | 105.8 | 61.5 | 3.03 | 7.73 | 5641 | 14.8 | 73.4 | 38.3 | 2.01 | 4.94 | C33–34 |
| Other thoracic organs | 38 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 43 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 90 | 0.2 | 1.2 | 1.0 | 0.07 | 0.09 | 76 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 1786 | 4.1 | 24.6 | 15.5 | 0.83 | 1.73 | 1188 | 3.1 | 15.4 | 10.4 | 0.73 | 1.10 | C43 |
| Other skin | 140 | 0.3 | 1.9 | 1.1 | 0.05 | 0.12 | 90 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | C44 |
| Mesothelioma | 97 | 0.2 | 1.3 | 0.7 | 0.02 | 0.06 | 36 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 32 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 306 | 0.7 | 4.2 | 3.0 | 0.17 | 0.30 | 230 | 0.6 | 3.0 | 2.1 | 0.14 | 0.19 | C47+C49 |
| Breast | 99 | 0.2 | 1.4 | 0.8 | 0.05 | 0.10 | 10730 | 28.2 | 139.5 | 86.5 | 5.99 | 10.13 | C50 |
| Vulva | | | | | | | 278 | 0.7 | 3.6 | 2.2 | 0.15 | 0.24 | C51 |
| Vagina | | | | | | | 86 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C52 |
| Cervix uteri | | | | | | | 740 | 1.9 | 9.6 | 7.5 | 0.60 | 0.74 | C53 |
| Corpus uteri | | | | | | | 2032 | 5.3 | 26.4 | 16.4 | 1.19 | 2.04 | C54 |
| Uterus unspecified | | | | | | | 92 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 868 | 2.3 | 11.3 | 7.0 | 0.46 | 0.78 | C56 |
| Other female genital organs | | | | | | | 78 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 68 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 11000 | 25.3 | 151.6 | 93.0 | 5.31 | 12.84 | | | | | | | C61 |
| Testis | 271 | 0.6 | 3.7 | 3.6 | 0.28 | 0.28 | | | | | | | C62 |
| Other male genital organs | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2165 | 5.0 | 29.8 | 19.8 | 1.30 | 2.37 | 1410 | 3.7 | 18.3 | 11.4 | 0.73 | 1.31 | C64 |
| Renal pelvis | 82 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 58 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 50 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 27 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 2303 | 5.3 | 31.7 | 17.8 | 0.70 | 2.05 | 678 | 1.8 | 8.8 | 4.3 | 0.19 | 0.52 | C67 |
| Other urinary organs | 21 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 25 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 86 | 0.2 | 1.2 | 0.9 | 0.05 | 0.09 | 78 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 536 | 1.2 | 7.4 | 5.5 | 0.32 | 0.55 | 442 | 1.2 | 5.7 | 4.3 | 0.26 | 0.41 | C70–72 |
| Thyroid | 392 | 0.9 | 5.4 | 4.0 | 0.27 | 0.42 | 1254 | 3.3 | 16.3 | 12.9 | 1.02 | 1.26 | C73 |
| Adrenal gland | 18 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 27 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 201 | 0.5 | 2.8 | 2.4 | 0.16 | 0.21 | 165 | 0.4 | 2.1 | 1.9 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 1370 | 3.1 | 18.9 | 12.0 | 0.66 | 1.35 | 1167 | 3.1 | 15.2 | 8.5 | 0.49 | 0.94 | C82–86,C96 |
| Immunoproliferative diseases | 80 | 0.2 | 1.1 | 0.7 | 0.03 | 0.07 | 87 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 734 | 1.7 | 10.1 | 6.1 | 0.31 | 0.75 | 625 | 1.6 | 8.1 | 4.3 | 0.24 | 0.54 | C90 |
| Lymphoid leukaemia | 691 | 1.6 | 9.5 | 6.8 | 0.36 | 0.71 | 450 | 1.2 | 5.9 | 3.9 | 0.20 | 0.37 | C91 |
| Myeloid leukaemia | 572 | 1.3 | 7.9 | 5.2 | 0.27 | 0.54 | 449 | 1.2 | 5.8 | 3.7 | 0.22 | 0.37 | C92–94 |
| Leukaemia unspecified | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 33 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 205 | 0.5 | 2.8 | 1.8 | 0.11 | 0.20 | 217 | 0.6 | 2.8 | 1.7 | 0.09 | 0.18 | MPD |
| Myelodysplastic syndromes | 336 | 0.8 | 4.6 | 2.4 | 0.07 | 0.24 | 253 | 0.7 | 3.3 | 1.5 | 0.07 | 0.15 | MPS |
| Other and unspecified | 799 | 1.8 | 11.0 | 6.4 | 0.32 | 0.74 | 767 | 2.0 | 10.0 | 5.0 | 0.27 | 0.54 | O&U |
| All sites | 43669 | | 602.0 | 374.3 | 21.36 | 45.84 | 38186 | | 496.5 | 295.9 | 19.06 | 33.99 | C00–96 |
| All sites except C44 | 43529 | 100.0 | 600.1 | 373.1 | 21.31 | 45.73 | 38096 | 100.0 | 495.4 | 295.2 | 19.02 | 33.91 | C00–96 exc. C44 |

USA, Missouri


CONTRIBUTORS

Jeannette Jackson-Thompson
Saba Yemane
Chester Schmaltz



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 65.6 | Breast | 94.6 |
| Trachea, bronchus, and lung | 51.9 | Trachea, bronchus, and lung | 40.9 |
| Colon | 20.3 | Corpus uteri | 19.6 |
| Bladder | 19.8 | Colon | 16.4 |
| Kidney | 17.2 | Thyroid | 14.2 |
| Melanoma of skin | 16.3 | Melanoma of skin | 11.9 |
| Non-Hodgkin lymphoma | 13.8 | Kidney | 9.4 |
| Rectum | 10.1 | Non-Hodgkin lymphoma | 9.2 |
| Pancreas | 9.4 | Ovary | 7.2 |
| Liver | 8.6 | Pancreas | 6.7 |
| Lymphoid leukaemia | 7.2 | Cervix uteri | 6.4 |
| Brain and nervous system | 6.5 | Rectum | 6.0 |
| Other and unspecified | 6.1 | Other and unspecified | 5.1 |
| Oesophagus | 5.8 | Brain and nervous system | 5.0 |
| Myeloid leukaemia | 5.5 | Bladder | 4.9 |
| Multiple myeloma | 5.2 | Lymphoid leukaemia | 4.3 |
| Testis | 5.1 | Myeloid leukaemia | 3.9 |
| Stomach | 4.9 | Multiple myeloma | 3.3 |
| Thyroid | 4.8 | Liver | 2.9 |
| Larynx | 4.7 | Hodgkin lymphoma | 2.2 |
| All sites | 327.8 | All sites | 303.1 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 110.8 |
| Trachea, bronchus, and lung | 63.5 |
| Colon | 24.7 |
| Kidney | 19.9 |
| Liver | 18.2 |
| Pancreas | 15.0 |
| Bladder | 12.7 |
| Non-Hodgkin lymphoma | 11.0 |
| Multiple myeloma | 10.3 |
| Rectum | 10.1 |
| All sites | 379.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 99.7 |
| Trachea, bronchus, and lung | 42.5 |
| Colon | 20.1 |
| Corpus uteri | 18.4 |
| Kidney | 11.7 |
| Pancreas | 10.4 |
| Thyroid | 9.6 |
| Non-Hodgkin lymphoma | 8.1 |
| Multiple myeloma | 7.7 |
| Rectum | 7.6 |
| All sites | 309.3 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 61.8 |
| Trachea, bronchus, and lung | 51.2 |
| Bladder | 20.5 |
| Colon | 20.0 |
| Melanoma of skin | 18.0 |
| Kidney | 17.1 |
| Non-Hodgkin lymphoma | 14.1 |
| Rectum | 10.2 |
| Pancreas | 8.9 |
| Liver | 7.6 |
| All sites | 325.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 94.6 |
| Trachea, bronchus, and lung | 41.2 |
| Corpus uteri | 20.0 |
| Colon | 16.1 |
| Thyroid | 15.1 |
| Melanoma of skin | 13.5 |
| Non-Hodgkin lymphoma | 9.4 |
| Kidney | 9.3 |
| Ovary | 7.5 |
| Cervix uteri | 6.3 |
| All sites | 305.4 |

USA, Missouri (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 116 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | 44 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1077 | 1.3 | 7.2 | 4.5 | 0.33 | 0.55 | 381 | 0.5 | 2.5 | 1.4 | 0.10 | 0.15 | C01–02 |
| Mouth | 502 | 0.6 | 3.4 | 2.0 | 0.12 | 0.25 | 346 | 0.4 | 2.2 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 255 | 0.3 | 1.7 | 1.0 | 0.06 | 0.11 | 164 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 863 | 1.0 | 5.8 | 3.8 | 0.32 | 0.46 | 170 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 209 | 0.3 | 1.4 | 0.8 | 0.06 | 0.11 | 39 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 115 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 62 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 209 | 0.3 | 1.4 | 0.8 | 0.06 | 0.10 | 47 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 106 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 32 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1535 | 1.8 | 10.3 | 5.8 | 0.34 | 0.72 | 408 | 0.5 | 2.6 | 1.3 | 0.07 | 0.15 | C15 |
| Stomach | 1292 | 1.5 | 8.7 | 4.9 | 0.26 | 0.57 | 684 | 0.8 | 4.4 | 2.2 | 0.12 | 0.24 | C16 |
| Small intestine | 485 | 0.6 | 3.3 | 1.9 | 0.11 | 0.24 | 453 | 0.5 | 2.9 | 1.6 | 0.10 | 0.19 | C17 |
| Colon | 5323 | 6.4 | 35.7 | 20.3 | 1.11 | 2.29 | 5333 | 6.4 | 34.5 | 16.4 | 0.85 | 1.82 | C18 |
| Rectum | 2449 | 2.9 | 16.4 | 10.1 | 0.69 | 1.17 | 1630 | 2.0 | 10.5 | 6.0 | 0.42 | 0.67 | C19–20 |
| Anus | 266 | 0.3 | 1.8 | 1.2 | 0.09 | 0.14 | 530 | 0.6 | 3.4 | 2.0 | 0.15 | 0.24 | C21 |
| Liver | 2165 | 2.6 | 14.5 | 8.6 | 0.60 | 1.07 | 864 | 1.0 | 5.6 | 2.9 | 0.17 | 0.34 | C22 |
| Gallbladder etc. | 442 | 0.5 | 3.0 | 1.6 | 0.07 | 0.19 | 495 | 0.6 | 3.2 | 1.4 | 0.07 | 0.17 | C23–24 |
| Pancreas | 2512 | 3.0 | 16.9 | 9.4 | 0.50 | 1.13 | 2238 | 2.7 | 14.5 | 6.7 | 0.34 | 0.79 | C25 |
| Nose, sinuses etc. | 161 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 80 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 1173 | 1.4 | 7.9 | 4.7 | 0.31 | 0.58 | 345 | 0.4 | 2.2 | 1.3 | 0.09 | 0.17 | C32 |
| Trachea, bronchus, and lung | 14369 | 17.2 | 96.4 | 51.9 | 2.37 | 6.55 | 13098 | 15.7 | 84.7 | 40.9 | 2.09 | 5.19 | C33–34 |
| Other thoracic organs | 75 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 64 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 190 | 0.2 | 1.3 | 1.1 | 0.07 | 0.10 | 153 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 4060 | 4.9 | 27.3 | 16.3 | 0.95 | 1.85 | 2769 | 3.3 | 17.9 | 11.9 | 0.86 | 1.22 | C43 |
| Other skin | 258 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 157 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | C44 |
| Mesothelioma | 210 | 0.3 | 1.4 | 0.7 | 0.02 | 0.07 | 71 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 40 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 616 | 0.7 | 4.1 | 2.9 | 0.17 | 0.28 | 460 | 0.6 | 3.0 | 2.0 | 0.11 | 0.19 | C47+C49 |
| Breast | 187 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | 24725 | 29.6 | 159.9 | 94.6 | 6.49 | 11.10 | C50 |
| Vulva | | | | | | | 550 | 0.7 | 3.6 | 1.9 | 0.12 | 0.20 | C51 |
| Vagina | | | | | | | 146 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1257 | 1.5 | 8.1 | 6.4 | 0.52 | 0.61 | C53 |
| Corpus uteri | | | | | | | 5187 | 6.2 | 33.5 | 19.6 | 1.40 | 2.44 | C54 |
| Uterus unspecified | | | | | | | 157 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1872 | 2.2 | 12.1 | 7.2 | 0.49 | 0.80 | C56 |
| Other female genital organs | | | | | | | 311 | 0.4 | 2.0 | 1.0 | 0.06 | 0.13 | C57 |
| Placenta | | | | | | | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 130 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 16972 | 20.3 | 113.9 | 65.6 | 3.65 | 9.06 | | | | | | | C61 |
| Testis | 771 | 0.9 | 5.2 | 5.1 | 0.38 | 0.39 | | | | | | | C62 |
| Other male genital organs | 41 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 4085 | 4.9 | 27.4 | 17.2 | 1.13 | 2.04 | 2521 | 3.0 | 16.3 | 9.4 | 0.60 | 1.10 | C64 |
| Renal pelvis | 214 | 0.3 | 1.4 | 0.7 | 0.02 | 0.08 | 129 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 145 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 115 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 5746 | 6.9 | 38.6 | 19.8 | 0.77 | 2.28 | 1732 | 2.1 | 11.2 | 4.9 | 0.23 | 0.57 | C67 |
| Other urinary organs | 73 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 39 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 183 | 0.2 | 1.2 | 0.9 | 0.05 | 0.09 | 124 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 1263 | 1.5 | 8.5 | 6.5 | 0.41 | 0.61 | 1028 | 1.2 | 6.6 | 5.0 | 0.30 | 0.46 | C70–72 |
| Thyroid | 1007 | 1.2 | 6.8 | 4.8 | 0.34 | 0.51 | 2828 | 3.4 | 18.3 | 14.2 | 1.12 | 1.40 | C73 |
| Adrenal gland | 43 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 38 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 23 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 458 | 0.5 | 3.1 | 2.7 | 0.18 | 0.22 | 380 | 0.5 | 2.5 | 2.2 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 3435 | 4.1 | 23.1 | 13.8 | 0.77 | 1.54 | 2737 | 3.3 | 17.7 | 9.2 | 0.50 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 243 | 0.3 | 1.6 | 0.9 | 0.04 | 0.11 | 270 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 1417 | 1.7 | 9.5 | 5.2 | 0.26 | 0.62 | 1055 | 1.3 | 6.8 | 3.3 | 0.16 | 0.40 | C90 |
| Lymphoid leukaemia | 1656 | 2.0 | 11.1 | 7.2 | 0.39 | 0.76 | 1072 | 1.3 | 6.9 | 4.3 | 0.22 | 0.44 | C91 |
| Myeloid leukaemia | 1342 | 1.6 | 9.0 | 5.5 | 0.28 | 0.56 | 1006 | 1.2 | 6.5 | 3.9 | 0.23 | 0.40 | C92–94 |
| Leukaemia unspecified | 158 | 0.2 | 1.1 | 0.5 | 0.01 | 0.05 | 121 | 0.1 | 0.8 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 546 | 0.7 | 3.7 | 2.1 | 0.12 | 0.24 | 576 | 0.7 | 3.7 | 1.9 | 0.10 | 0.20 | MPD |
| Myelodysplastic syndromes | 811 | 1.0 | 5.4 | 2.6 | 0.07 | 0.26 | 598 | 0.7 | 3.9 | 1.5 | 0.05 | 0.15 | MPS |
| Other and unspecified | 1707 | 2.0 | 11.5 | 6.1 | 0.29 | 0.67 | 1850 | 2.2 | 12.0 | 5.1 | 0.23 | 0.55 | O&U |
| All sites | 83729 | | 562.0 | 327.8 | 18.14 | 39.28 | 83572 | | 540.4 | 303.1 | 19.09 | 34.76 | C00–96 |
| All sites except C44 | 83471 | 100.0 | 560.3 | 326.8 | 18.08 | 39.18 | 83415 | 100.0 | 539.4 | 302.5 | 19.06 | 34.70 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, Missouri: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 50 | 0.6 | 2.8 | 2.4 | 0.17 | 0.32 | 23 | 0.3 | 1.2 | 0.8 | 0.04 | 0.08 | C01–02 |
| Mouth | 35 | 0.4 | 1.9 | 1.7 | 0.12 | 0.22 | 23 | 0.3 | 1.2 | 0.9 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 20 | 0.3 | 1.1 | 0.9 | 0.07 | 0.08 | 19 | 0.2 | 1.0 | 0.8 | 0.07 | 0.08 | C07–08 |
| Tonsil | 59 | 0.7 | 3.3 | 2.8 | 0.22 | 0.34 | 13 | 0.2 | 0.7 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 28 | 0.4 | 1.5 | 1.4 | 0.07 | 0.19 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 20 | 0.3 | 1.1 | 1.0 | 0.08 | 0.10 | 11 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | C11 |
| Hypopharynx | 30 | 0.4 | 1.7 | 1.4 | 0.10 | 0.18 | 7 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 87 | 1.1 | 4.8 | 4.1 | 0.21 | 0.52 | 57 | 0.7 | 2.9 | 2.0 | 0.14 | 0.23 | C15 |
| Stomach | 167 | 2.1 | 9.2 | 7.7 | 0.39 | 0.87 | 123 | 1.5 | 6.2 | 3.9 | 0.21 | 0.45 | C16 |
| Small intestine | 76 | 1.0 | 4.2 | 3.6 | 0.23 | 0.43 | 82 | 1.0 | 4.1 | 3.0 | 0.20 | 0.32 | C17 |
| Colon | 523 | 6.6 | 28.9 | 24.7 | 1.39 | 2.88 | 582 | 6.9 | 29.3 | 20.1 | 1.12 | 2.40 | C18 |
| Rectum | 211 | 2.7 | 11.6 | 10.1 | 0.61 | 1.21 | 204 | 2.4 | 10.3 | 7.6 | 0.52 | 0.91 | C19–20 |
| Anus | 34 | 0.4 | 1.9 | 1.7 | 0.13 | 0.20 | 47 | 0.6 | 2.4 | 1.6 | 0.12 | 0.15 | C21 |
| Liver | 381 | 4.8 | 21.0 | 18.2 | 1.28 | 2.47 | 136 | 1.6 | 6.9 | 4.7 | 0.29 | 0.52 | C22 |
| Gallbladder etc. | 41 | 0.5 | 2.3 | 2.0 | 0.09 | 0.27 | 81 | 1.0 | 4.1 | 2.8 | 0.16 | 0.35 | C23–24 |
| Pancreas | 320 | 4.0 | 17.7 | 15.0 | 0.81 | 1.86 | 311 | 3.7 | 15.7 | 10.4 | 0.61 | 1.23 | C25 |
| Nose, sinuses etc. | 18 | 0.2 | 1.0 | 0.9 | 0.08 | 0.09 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 149 | 1.9 | 8.2 | 7.1 | 0.45 | 0.94 | 46 | 0.5 | 2.3 | 1.8 | 0.13 | 0.24 | C32 |
| Trachea, bronchus, and lung | 1359 | 17.1 | 75.0 | 63.5 | 3.12 | 8.15 | 1257 | 14.9 | 63.3 | 42.5 | 2.30 | 5.44 | C33–34 |
| Other thoracic organs | 16 | 0.2 | 0.9 | 0.8 | 0.06 | 0.11 | 11 | 0.1 | 0.6 | 0.4 | 0.02 | 0.06 | C37–38 |
| Bone | 16 | 0.2 | 0.9 | 0.8 | 0.06 | 0.07 | 19 | 0.2 | 1.0 | 0.9 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 12 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 14 | 0.2 | 0.8 | 0.8 | 0.06 | 0.07 | 18 | 0.2 | 0.9 | 0.8 | 0.06 | 0.08 | C44 |
| Mesothelioma | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 13 | 0.2 | 0.7 | 0.7 | 0.05 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 53 | 0.7 | 2.9 | 2.7 | 0.18 | 0.29 | 56 | 0.7 | 2.8 | 2.3 | 0.17 | 0.23 | C47+C49 |
| Breast | 24 | 0.3 | 1.3 | 1.1 | 0.06 | 0.12 | 2636 | 31.1 | 132.8 | 99.7 | 7.15 | 11.40 | C50 |
| Vulva | | | | | | | 29 | 0.3 | 1.5 | 1.0 | 0.05 | 0.10 | C51 |
| Vagina | | | | | | | 16 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | C52 |
| Cervix uteri | | | | | | | 169 | 2.0 | 8.5 | 7.2 | 0.57 | 0.75 | C53 |
| Corpus uteri | | | | | | | 495 | 5.8 | 24.9 | 18.4 | 1.27 | 2.34 | C54 |
| Uterus unspecified | | | | | | | 31 | 0.4 | 1.6 | 1.0 | 0.07 | 0.13 | C55 |
| Ovary | | | | | | | 149 | 1.8 | 7.5 | 5.6 | 0.35 | 0.62 | C56 |
| Other female genital organs | | | | | | | 20 | 0.2 | 1.0 | 0.7 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 2326 | 29.2 | 128.3 | 110.8 | 7.01 | 15.06 | | | | | | | C61 |
| Testis | 29 | 0.4 | 1.6 | 1.5 | 0.12 | 0.14 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 409 | 5.1 | 22.6 | 19.9 | 1.27 | 2.45 | 315 | 3.7 | 15.9 | 11.7 | 0.74 | 1.40 | C64 |
| Renal pelvis | 11 | 0.1 | 0.6 | 0.5 | 0.02 | 0.05 | 8 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 6 | 0.1 | 0.3 | 0.3 | 0.00 | 0.04 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 274 | 3.4 | 15.1 | 12.7 | 0.57 | 1.44 | 152 | 1.8 | 7.7 | 4.8 | 0.24 | 0.58 | C67 |
| Other urinary organs | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 10 | 0.1 | 0.6 | 0.6 | 0.04 | 0.04 | 6 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 81 | 1.0 | 4.5 | 4.2 | 0.26 | 0.37 | 69 | 0.8 | 3.5 | 3.2 | 0.18 | 0.27 | C70–72 |
| Thyroid | 53 | 0.7 | 2.9 | 2.6 | 0.18 | 0.30 | 230 | 2.7 | 11.6 | 9.6 | 0.78 | 1.00 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 48 | 0.6 | 2.6 | 2.5 | 0.20 | 0.22 | 49 | 0.6 | 2.5 | 2.3 | 0.16 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 225 | 2.8 | 12.4 | 11.0 | 0.73 | 1.16 | 216 | 2.6 | 10.9 | 8.1 | 0.52 | 0.97 | C82–86,C96 |
| Immunoproliferative diseases | 22 | 0.3 | 1.2 | 1.0 | 0.07 | 0.12 | 29 | 0.3 | 1.5 | 1.2 | 0.08 | 0.13 | C88 |
| Multiple myeloma | 217 | 2.7 | 12.0 | 10.3 | 0.55 | 1.22 | 228 | 2.7 | 11.5 | 7.7 | 0.41 | 0.95 | C90 |
| Lymphoid leukaemia | 126 | 1.6 | 7.0 | 6.2 | 0.36 | 0.69 | 93 | 1.1 | 4.7 | 3.6 | 0.19 | 0.42 | C91 |
| Myeloid leukaemia | 99 | 1.2 | 5.5 | 4.9 | 0.25 | 0.53 | 94 | 1.1 | 4.7 | 3.6 | 0.23 | 0.38 | C92–94 |
| Leukaemia unspecified | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 44 | 0.6 | 2.4 | 2.1 | 0.15 | 0.23 | 55 | 0.6 | 2.8 | 1.9 | 0.09 | 0.24 | MPD |
| Myelodysplastic syndromes | 36 | 0.5 | 2.0 | 1.7 | 0.04 | 0.18 | 47 | 0.6 | 2.4 | 1.3 | 0.05 | 0.12 | MPS |
| Other and unspecified | 142 | 1.8 | 7.8 | 6.8 | 0.34 | 0.78 | 166 | 2.0 | 8.4 | 5.2 | 0.26 | 0.52 | O&U |
| All sites | 7967 | | 439.6 | 379.6 | 22.38 | 47.28 | 8481 | | 427.2 | 309.3 | 19.96 | 36.01 | C00–96 |
| All sites except C44 | 7953 | 100.0 | 438.8 | 378.8 | 22.32 | 47.21 | 8463 | 100.0 | 426.3 | 308.5 | 19.90 | 35.93 | C00–96 exc. C44 |


USA, Missouri: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 114 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 43 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1019 | 1.4 | 8.1 | 4.8 | 0.35 | 0.58 | 355 | 0.5 | 2.7 | 1.5 | 0.11 | 0.17 | C01–02 |
| Mouth | 460 | 0.6 | 3.6 | 2.0 | 0.12 | 0.26 | 315 | 0.4 | 2.4 | 1.1 | 0.05 | 0.12 | C03–06 |
| Salivary glands | 232 | 0.3 | 1.8 | 1.0 | 0.06 | 0.11 | 142 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 800 | 1.1 | 6.3 | 4.0 | 0.33 | 0.48 | 155 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | C09 |
| Other oropharynx | 181 | 0.2 | 1.4 | 0.8 | 0.06 | 0.11 | 36 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 91 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 48 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 177 | 0.2 | 1.4 | 0.8 | 0.06 | 0.10 | 40 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 97 | 0.1 | 0.8 | 0.4 | 0.03 | 0.06 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1441 | 1.9 | 11.4 | 6.1 | 0.36 | 0.75 | 348 | 0.5 | 2.7 | 1.2 | 0.06 | 0.14 | C15 |
| Stomach | 1097 | 1.5 | 8.7 | 4.6 | 0.24 | 0.54 | 541 | 0.7 | 4.2 | 2.0 | 0.11 | 0.21 | C16 |
| Small intestine | 402 | 0.5 | 3.2 | 1.8 | 0.10 | 0.22 | 370 | 0.5 | 2.8 | 1.5 | 0.10 | 0.18 | C17 |
| Colon | 4721 | 6.3 | 37.3 | 20.0 | 1.09 | 2.25 | 4692 | 6.4 | 36.1 | 16.1 | 0.83 | 1.77 | C18 |
| Rectum | 2211 | 3.0 | 17.5 | 10.2 | 0.70 | 1.19 | 1392 | 1.9 | 10.7 | 5.8 | 0.41 | 0.65 | C19–20 |
| Anus | 225 | 0.3 | 1.8 | 1.1 | 0.08 | 0.13 | 480 | 0.7 | 3.7 | 2.1 | 0.16 | 0.26 | C21 |
| Liver | 1727 | 2.3 | 13.7 | 7.6 | 0.53 | 0.93 | 699 | 0.9 | 5.4 | 2.6 | 0.15 | 0.31 | C22 |
| Gallbladder etc. | 394 | 0.5 | 3.1 | 1.6 | 0.07 | 0.19 | 406 | 0.5 | 3.1 | 1.3 | 0.06 | 0.15 | C23–24 |
| Pancreas | 2169 | 2.9 | 17.1 | 8.9 | 0.47 | 1.07 | 1907 | 2.6 | 14.7 | 6.3 | 0.31 | 0.74 | C25 |
| Nose, sinuses etc. | 140 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 73 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 1010 | 1.4 | 8.0 | 4.5 | 0.30 | 0.56 | 299 | 0.4 | 2.3 | 1.3 | 0.09 | 0.16 | C32 |
| Trachea, bronchus, and lung | 12893 | 17.3 | 101.9 | 51.2 | 2.32 | 6.46 | 11729 | 15.9 | 90.1 | 41.2 | 2.10 | 5.23 | C33–34 |
| Other thoracic organs | 57 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 53 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C37–38 |
| Bone | 171 | 0.2 | 1.4 | 1.1 | 0.07 | 0.10 | 132 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 3988 | 5.3 | 31.5 | 18.0 | 1.07 | 2.04 | 2698 | 3.7 | 20.7 | 13.5 | 0.99 | 1.38 | C43 |
| Other skin | 240 | 0.3 | 1.9 | 1.0 | 0.05 | 0.11 | 136 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C44 |
| Mesothelioma | 203 | 0.3 | 1.6 | 0.7 | 0.02 | 0.07 | 66 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 26 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 554 | 0.7 | 4.4 | 2.9 | 0.17 | 0.28 | 400 | 0.5 | 3.1 | 2.0 | 0.11 | 0.19 | C47+C49 |
| Breast | 161 | 0.2 | 1.3 | 0.6 | 0.03 | 0.07 | 21724 | 29.4 | 166.9 | 94.6 | 6.46 | 11.13 | C50 |
| Vulva | | | | | | | 517 | 0.7 | 4.0 | 2.0 | 0.13 | 0.22 | C51 |
| Vagina | | | | | | | 128 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1057 | 1.4 | 8.1 | 6.3 | 0.52 | 0.60 | C53 |
| Corpus uteri | | | | | | | 4628 | 6.3 | 35.6 | 20.0 | 1.42 | 2.48 | C54 |
| Uterus unspecified | | | | | | | 123 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 1692 | 2.3 | 13.0 | 7.5 | 0.51 | 0.82 | C56 |
| Other female genital organs | | | | | | | 286 | 0.4 | 2.2 | 1.1 | 0.06 | 0.14 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 116 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 14505 | 19.4 | 114.7 | 61.8 | 3.32 | 8.57 | | | | | | | C61 |
| Testis | 733 | 1.0 | 5.8 | 5.8 | 0.43 | 0.44 | | | | | | | C62 |
| Other male genital organs | 34 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 3638 | 4.9 | 28.8 | 17.1 | 1.12 | 2.03 | 2191 | 3.0 | 16.8 | 9.3 | 0.60 | 1.08 | C64 |
| Renal pelvis | 200 | 0.3 | 1.6 | 0.7 | 0.02 | 0.08 | 118 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 138 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | 108 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 5403 | 7.2 | 42.7 | 20.5 | 0.80 | 2.37 | 1553 | 2.1 | 11.9 | 4.9 | 0.23 | 0.57 | C67 |
| Other urinary organs | 66 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 32 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 171 | 0.2 | 1.4 | 0.9 | 0.05 | 0.09 | 115 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1166 | 1.6 | 9.2 | 6.9 | 0.43 | 0.64 | 945 | 1.3 | 7.3 | 5.3 | 0.33 | 0.49 | C70–72 |
| Thyroid | 935 | 1.3 | 7.4 | 5.1 | 0.37 | 0.53 | 2533 | 3.4 | 19.5 | 15.1 | 1.18 | 1.47 | C73 |
| Adrenal gland | 39 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 35 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 19 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 405 | 0.5 | 3.2 | 2.7 | 0.18 | 0.23 | 329 | 0.4 | 2.5 | 2.3 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 3170 | 4.2 | 25.1 | 14.1 | 0.77 | 1.59 | 2488 | 3.4 | 19.1 | 9.4 | 0.50 | 1.08 | C82–86,C96 |
| Immunoproliferative diseases | 216 | 0.3 | 1.7 | 0.9 | 0.04 | 0.10 | 237 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 1187 | 1.6 | 9.4 | 4.8 | 0.23 | 0.57 | 823 | 1.1 | 6.3 | 2.8 | 0.13 | 0.35 | C90 |
| Lymphoid leukaemia | 1516 | 2.0 | 12.0 | 7.5 | 0.40 | 0.78 | 968 | 1.3 | 7.4 | 4.4 | 0.23 | 0.45 | C91 |
| Myeloid leukaemia | 1235 | 1.7 | 9.8 | 5.6 | 0.29 | 0.57 | 895 | 1.2 | 6.9 | 3.9 | 0.23 | 0.40 | C92–94 |
| Leukaemia unspecified | 149 | 0.2 | 1.2 | 0.5 | 0.01 | 0.05 | 114 | 0.2 | 0.9 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 495 | 0.7 | 3.9 | 2.1 | 0.11 | 0.24 | 509 | 0.7 | 3.9 | 1.9 | 0.10 | 0.20 | MPD |
| Myelodysplastic syndromes | 767 | 1.0 | 6.1 | 2.7 | 0.08 | 0.27 | 545 | 0.7 | 4.2 | 1.5 | 0.05 | 0.15 | MPS |
| Other and unspecified | 1545 | 2.1 | 12.2 | 6.1 | 0.29 | 0.67 | 1658 | 2.2 | 12.7 | 5.1 | 0.23 | 0.55 | O&U |
| All sites | 74849 | | 591.8 | 325.9 | 17.89 | 38.90 | 73955 | | 568.3 | 305.4 | 19.21 | 34.95 | C00–96 |
| All sites except C44 | 74609 | 100.0 | 589.9 | 324.9 | 17.84 | 38.79 | 73819 | 100.0 | 567.3 | 304.9 | 19.18 | 34.90 | C00–96 exc. C44 |

USA, Montana


CONTRIBUTORS

Debbi Lemons



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 82.9 | Breast | 92.4 |
| Trachea, bronchus, and lung | 31.1 | Trachea, bronchus, and lung | 33.5 |
| Melanoma of skin | 21.1 | Corpus uteri | 20.1 |
| Bladder | 21.0 | Melanoma of skin | 18.6 |
| Colon | 19.1 | Thyroid | 17.2 |
| Kidney | 14.9 | Colon | 15.3 |
| Non-Hodgkin lymphoma | 14.0 | Non-Hodgkin lymphoma | 9.2 |
| Rectum | 10.3 | Kidney | 8.3 |
| Lymphoid leukaemia | 9.5 | Ovary | 8.1 |
| Pancreas | 8.3 | Pancreas | 6.7 |
| Liver | 7.3 | Bladder | 6.3 |
| Brain and nervous system | 6.6 | Other and unspecified | 6.2 |
| Testis | 6.5 | Rectum | 5.8 |
| Other and unspecified | 6.1 | Cervix uteri | 5.6 |
| Thyroid | 6.0 | Brain and nervous system | 5.4 |
| Oesophagus | 5.7 | Lymphoid leukaemia | 5.0 |
| Multiple myeloma | 5.4 | Myeloproliferative disorders | 3.8 |
| Myeloid leukaemia | 4.9 | Myeloid leukaemia | 3.4 |
| Stomach | 4.3 | Multiple myeloma | 3.2 |
| Tongue | 3.9 | Connective and soft tissue | 2.4 |
| All sites | 327.0 | All sites | 305.4 |



NOTES ON THE DATA

*Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 60.3 |
| Trachea, bronchus, and lung | 44.0 |
| Colon | 29.5 |
| Kidney | 26.6 |
| Rectum | 17.1 |
| Liver | 15.0 |
| Non-Hodgkin lymphoma | 10.4 |
| Bladder | 9.6 |
| Stomach | 8.8 |
| Pancreas | 8.7 |
| All sites | 300.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 79.2 |
| Trachea, bronchus, and lung | 50.9 |
| Colon | 20.5 |
| Corpus uteri | 19.2 |
| Kidney | 14.9 |
| Rectum | 10.0 |
| Thyroid | 9.0 |
| Ovary | 7.0 |
| Other and unspecified | 6.8 |
| Pancreas | 6.7 |
| All sites | 293.2 |

USA, Montana (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 32 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C00</i> |
| Tongue | 177 | 1.1 | 6.8 | 3.9 | 0.26 | 0.52 | 76 | 0.5 | 3.0 | 1.7 | 0.12 | 0.19 | <i>C01–02</i> |
| Mouth | 97 | 0.6 | 3.7 | 2.0 | 0.13 | 0.24 | 47 | 0.3 | 1.8 | 0.8 | 0.04 | 0.08 | <i>C03–06</i> |
| Salivary glands | 49 | 0.3 | 1.9 | 1.1 | 0.08 | 0.13 | 26 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | <i>C07–08</i> |
| Tonsil | 139 | 0.9 | 5.4 | 3.4 | 0.29 | 0.39 | 27 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | <i>C09</i> |
| Other oropharynx | 27 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | 9 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | <i>C10</i> |
| Nasopharynx | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C11</i> |
| Hypopharynx | 26 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | 7 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C12–13</i> |
| Pharynx unspecified | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C14</i> |
| Oesophagus | 284 | 1.8 | 10.9 | 5.7 | 0.32 | 0.71 | 64 | 0.4 | 2.5 | 1.1 | 0.06 | 0.13 | <i>C15</i> |
| Stomach | 216 | 1.3 | 8.3 | 4.3 | 0.22 | 0.50 | 114 | 0.8 | 4.4 | 2.2 | 0.13 | 0.26 | <i>C16</i> |
| Small intestine | 95 | 0.6 | 3.7 | 1.9 | 0.10 | 0.23 | 77 | 0.5 | 3.0 | 1.5 | 0.09 | 0.19 | <i>C17</i> |
| Colon | 953 | 5.9 | 36.7 | 19.1 | 1.04 | 2.15 | 833 | 5.8 | 32.5 | 15.3 | 0.80 | 1.67 | <i>C18</i> |
| Rectum | 465 | 2.9 | 17.9 | 10.3 | 0.70 | 1.20 | 270 | 1.9 | 10.5 | 5.8 | 0.43 | 0.68 | <i>C19–20</i> |
| Anus | 40 | 0.2 | 1.5 | 0.9 | 0.06 | 0.10 | 90 | 0.6 | 3.5 | 1.9 | 0.14 | 0.23 | <i>C21</i> |
| Liver | 344 | 2.1 | 13.3 | 7.3 | 0.49 | 0.89 | 123 | 0.9 | 4.8 | 2.2 | 0.11 | 0.27 | <i>C22</i> |
| Gallbladder etc. | 72 | 0.4 | 2.8 | 1.3 | 0.06 | 0.14 | 96 | 0.7 | 3.7 | 1.6 | 0.08 | 0.19 | <i>C23–24</i> |
| Pancreas | 437 | 2.7 | 16.8 | 8.3 | 0.39 | 1.00 | 394 | 2.7 | 15.4 | 6.7 | 0.32 | 0.76 | <i>C25</i> |
| Nose, sinuses etc. | 23 | 0.1 | 0.9 | 0.4 | 0.03 | 0.06 | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | <i>C30–31</i> |
| Larynx | 150 | 0.9 | 5.8 | 3.0 | 0.18 | 0.35 | 35 | 0.2 | 1.4 | 0.9 | 0.06 | 0.12 | <i>C32</i> |
| Trachea, bronchus, and lung | 1748 | 10.9 | 67.3 | 31.1 | 1.21 | 3.90 | 1973 | 13.6 | 77.0 | 33.5 | 1.42 | 4.25 | <i>C33–34</i> |
| Other thoracic organs | 21 | 0.1 | 0.8 | 0.6 | 0.03 | 0.06 | 15 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | <i>C37–38</i> |
| Bone | 39 | 0.2 | 1.5 | 1.1 | 0.06 | 0.11 | 43 | 0.3 | 1.7 | 1.4 | 0.09 | 0.11 | <i>C40–41</i> |
| Melanoma of skin | 986 | 6.2 | 38.0 | 21.1 | 1.24 | 2.43 | 746 | 5.2 | 29.1 | 18.6 | 1.36 | 1.97 | <i>C43</i> |
| Other skin | 136 | 0.8 | 5.2 | 2.3 | 0.09 | 0.27 | 75 | 0.5 | 2.9 | 1.4 | 0.07 | 0.13 | <i>C44</i> |
| Mesothelioma | 72 | 0.4 | 2.8 | 1.2 | 0.05 | 0.14 | 22 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | <i>C45</i> |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 95 | 0.6 | 3.7 | 2.3 | 0.15 | 0.23 | 92 | 0.6 | 3.6 | 2.4 | 0.15 | 0.22 | <i>C47+C49</i> |
| Breast | 49 | 0.3 | 1.9 | 0.9 | 0.03 | 0.08 | 4246 | 29.4 | 165.6 | 92.4 | 6.12 | 11.02 | <i>C50</i> |
| Vulva | | | | | | | 72 | 0.5 | 2.8 | 1.5 | 0.09 | 0.18 | <i>C51</i> |
| Vagina | | | | | | | 20 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | <i>C52</i> |
| Cervix uteri | | | | | | | 187 | 1.3 | 7.3 | 5.6 | 0.45 | 0.55 | <i>C53</i> |
| Corpus uteri | | | | | | | 938 | 6.5 | 36.6 | 20.1 | 1.39 | 2.49 | <i>C54</i> |
| Uterus unspecified | | | | | | | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C55</i> |
| Ovary | | | | | | | 372 | 2.6 | 14.5 | 8.1 | 0.53 | 0.93 | <i>C56</i> |
| Other female genital organs | | | | | | | 39 | 0.3 | 1.5 | 0.8 | 0.05 | 0.11 | <i>C57</i> |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C58</i> |
| Penis | 30 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | | | | | | | <i>C60</i> |
| Prostate | 4291 | 26.8 | 165.3 | 82.9 | 4.16 | 11.63 | | | | | | | <i>C61</i> |
| Testis | 170 | 1.1 | 6.5 | 6.5 | 0.50 | 0.50 | | | | | | | <i>C62</i> |
| Other male genital organs | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | <i>C63</i> |
| Kidney | 684 | 4.3 | 26.4 | 14.9 | 0.86 | 1.80 | 368 | 2.5 | 14.4 | 8.3 | 0.51 | 0.96 | <i>C64</i> |
| Renal pelvis | 43 | 0.3 | 1.7 | 0.8 | 0.03 | 0.09 | 25 | 0.2 | 1.0 | 0.4 | 0.02 | 0.06 | <i>C65</i> |
| Ureter | 29 | 0.2 | 1.1 | 0.5 | 0.01 | 0.04 | 7 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | <i>C66</i> |
| Bladder | 1168 | 7.3 | 45.0 | 21.0 | 0.84 | 2.52 | 367 | 2.5 | 14.3 | 6.3 | 0.32 | 0.76 | <i>C67</i> |
| Other urinary organs | 8 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | <i>C68</i> |
| Eye | 33 | 0.2 | 1.3 | 0.9 | 0.05 | 0.08 | 33 | 0.2 | 1.3 | 0.8 | 0.06 | 0.08 | <i>C69</i> |
| Brain and nervous system | 257 | 1.6 | 9.9 | 6.6 | 0.43 | 0.66 | 193 | 1.3 | 7.5 | 5.4 | 0.35 | 0.53 | <i>C70–72</i> |
| Thyroid | 224 | 1.4 | 8.6 | 6.0 | 0.43 | 0.62 | 545 | 3.8 | 21.3 | 17.2 | 1.32 | 1.63 | <i>C73</i> |
| Adrenal gland | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 13 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | <i>C74</i> |
| Other endocrine | 9 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C75</i> |
| Hodgkin lymphoma | 68 | 0.4 | 2.6 | 2.4 | 0.17 | 0.21 | 57 | 0.4 | 2.2 | 1.9 | 0.12 | 0.15 | <i>C81</i> |
| Non-Hodgkin lymphoma | 652 | 4.1 | 25.1 | 14.0 | 0.72 | 1.55 | 465 | 3.2 | 18.1 | 9.2 | 0.48 | 1.06 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 46 | 0.3 | 1.8 | 0.9 | 0.06 | 0.10 | 48 | 0.3 | 1.9 | 1.0 | 0.05 | 0.11 | <i>C88</i> |
| Multiple myeloma | 282 | 1.8 | 10.9 | 5.4 | 0.22 | 0.66 | 188 | 1.3 | 7.3 | 3.2 | 0.15 | 0.38 | <i>C90</i> |
| Lymphoid leukaemia | 438 | 2.7 | 16.9 | 9.5 | 0.53 | 1.00 | 237 | 1.6 | 9.2 | 5.0 | 0.24 | 0.48 | <i>C91</i> |
| Myeloid leukaemia | 223 | 1.4 | 8.6 | 4.9 | 0.23 | 0.52 | 154 | 1.1 | 6.0 | 3.4 | 0.20 | 0.35 | <i>C92–94</i> |
| Leukaemia unspecified | 15 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C95</i> |
| Myeloproliferative disorders | 153 | 1.0 | 5.9 | 3.1 | 0.16 | 0.36 | 194 | 1.3 | 7.6 | 3.8 | 0.18 | 0.44 | <i>MPD</i> |
| Myelodysplastic syndromes | 205 | 1.3 | 7.9 | 3.4 | 0.09 | 0.35 | 112 | 0.8 | 4.4 | 1.7 | 0.04 | 0.19 | <i>MPS</i> |
| Other and unspecified | 333 | 2.1 | 12.8 | 6.1 | 0.30 | 0.69 | 357 | 2.5 | 13.9 | 6.2 | 0.27 | 0.67 | <i>O&U</i> |
| All sites | 16167 | | 622.8 | 327.0 | 17.23 | 39.61 | 14539 | | 567.1 | 305.4 | 18.67 | 35.06 | <i>C00–96</i> |
| All sites except C44 | 16031 | 100.0 | 617.6 | 324.6 | 17.14 | 39.34 | 14464 | 100.0 | 564.2 | 304.1 | 18.60 | 34.93 | <i>C00–96 exc. C44</i> |

*USA, Montana: American Indian (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.4 | 0.00 | 0.00 | C00 |
| Tongue | 1 | 0.2 | 0.5 | 0.5 | 0.05 | 0.05 | 4 | 0.7 | 2.1 | 2.3 | 0.17 | 0.26 | C01–02 |
| Mouth | 6 | 1.1 | 3.2 | 3.6 | 0.20 | 0.52 | 1 | 0.2 | 0.5 | 0.4 | 0.00 | 0.00 | C03–06 |
| Salivary glands | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.5 | 0.05 | 0.05 | C07–08 |
| Tonsil | 5 | 0.9 | 2.7 | 2.6 | 0.26 | 0.26 | 1 | 0.2 | 0.5 | 0.3 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 2 | 0.4 | 1.1 | 1.3 | 0.05 | 0.05 | 1 | 0.2 | 0.5 | 0.5 | 0.05 | 0.05 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.6 | 0.05 | 0.05 | C14 |
| Oesophagus | 14 | 2.6 | 7.5 | 8.2 | 0.48 | 0.90 | 3 | 0.5 | 1.6 | 1.5 | 0.00 | 0.22 | C15 |
| Stomach | 16 | 3.0 | 8.6 | 8.8 | 0.64 | 1.03 | 9 | 1.5 | 4.8 | 4.3 | 0.21 | 0.65 | C16 |
| Small intestine | 4 | 0.7 | 2.1 | 2.0 | 0.10 | 0.20 | 1 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | C17 |
| Colon | 52 | 9.7 | 27.9 | 29.5 | 1.67 | 3.55 | 43 | 7.2 | 22.7 | 20.5 | 1.11 | 2.71 | C18 |
| Rectum | 31 | 5.8 | 16.6 | 17.1 | 0.91 | 1.72 | 21 | 3.5 | 11.1 | 10.0 | 0.85 | 1.26 | C19–20 |
| Anus | 1 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | 1 | 0.2 | 0.5 | 0.6 | 0.05 | 0.05 | C21 |
| Liver | 29 | 5.4 | 15.6 | 15.0 | 0.95 | 1.60 | 9 | 1.5 | 4.8 | 4.2 | 0.23 | 0.54 | C22 |
| Gallbladder etc. | 1 | 0.2 | 0.5 | 0.7 | 0.06 | 0.06 | 5 | 0.8 | 2.6 | 2.1 | 0.16 | 0.16 | C23–24 |
| Pancreas | 16 | 3.0 | 8.6 | 8.7 | 0.42 | 1.07 | 14 | 2.3 | 7.4 | 6.7 | 0.19 | 0.72 | C25 |
| Nose, sinuses etc. | 1 | 0.2 | 0.5 | 0.6 | 0.00 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 8 | 1.5 | 4.3 | 4.1 | 0.39 | 0.49 | 3 | 0.5 | 1.6 | 1.5 | 0.05 | 0.32 | C32 |
| Trachea, bronchus, and lung | 80 | 15.0 | 42.9 | 44.0 | 1.95 | 5.38 | 112 | 18.8 | 59.2 | 50.9 | 1.64 | 5.70 | C33–34 |
| Other thoracic organs | 1 | 0.2 | 0.5 | 0.6 | 0.05 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.7 | 2.1 | 2.3 | 0.14 | 0.14 | C40–41 |
| Melanoma of skin | 4 | 0.7 | 2.1 | 1.9 | 0.14 | 0.14 | 2 | 0.3 | 1.1 | 1.2 | 0.05 | 0.14 | C43 |
| Other skin | 4 | 0.7 | 2.1 | 2.0 | 0.25 | 0.25 | 5 | 0.8 | 2.6 | 2.5 | 0.15 | 0.15 | C44 |
| Mesothelioma | 1 | 0.2 | 0.5 | 0.6 | 0.00 | 0.16 | 2 | 0.3 | 1.1 | 1.1 | 0.05 | 0.14 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.7 | 2.1 | 1.8 | 0.14 | 0.14 | C47+C49 |
| Breast | 1 | 0.2 | 0.5 | 0.6 | 0.07 | 0.07 | 157 | 26.3 | 83.0 | 79.2 | 4.49 | 9.83 | C50 |
| Vulva | | | | | | | 2 | 0.3 | 1.1 | 1.1 | 0.09 | 0.09 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 11 | 1.8 | 5.8 | 5.4 | 0.47 | 0.56 | C53 |
| Corpus uteri | | | | | | | 39 | 6.5 | 20.6 | 19.2 | 1.56 | 2.13 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 14 | 2.3 | 7.4 | 7.0 | 0.46 | 0.77 | C56 |
| Other female genital organs | | | | | | | 3 | 0.5 | 1.6 | 1.4 | 0.05 | 0.18 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 106 | 19.8 | 56.9 | 60.3 | 2.93 | 9.16 | | | | | | | C61 |
| Testis | 7 | 1.3 | 3.8 | 3.9 | 0.30 | 0.30 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 48 | 9.0 | 25.8 | 26.6 | 1.87 | 2.97 | 30 | 5.0 | 15.9 | 14.9 | 0.87 | 1.89 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.5 | 0.00 | 0.00 | C66 |
| Bladder | 16 | 3.0 | 8.6 | 9.6 | 0.36 | 0.82 | 6 | 1.0 | 3.2 | 3.1 | 0.11 | 0.56 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.5 | 0.00 | 0.09 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 9 | 1.7 | 4.8 | 4.9 | 0.25 | 0.45 | 7 | 1.2 | 3.7 | 3.6 | 0.23 | 0.32 | C70–72 |
| Thyroid | 8 | 1.5 | 4.3 | 4.5 | 0.28 | 0.48 | 17 | 2.8 | 9.0 | 9.0 | 0.75 | 0.84 | C73 |
| Adrenal gland | 1 | 0.2 | 0.5 | 0.6 | 0.05 | 0.05 | 1 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.5 | 1.6 | 1.6 | 0.13 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 19 | 3.6 | 10.2 | 10.4 | 0.57 | 0.83 | 13 | 2.2 | 6.9 | 6.4 | 0.29 | 0.69 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | 1 | 0.2 | 0.5 | 0.6 | 0.05 | 0.05 | C88 |
| Multiple myeloma | 9 | 1.7 | 4.8 | 5.2 | 0.17 | 0.78 | 6 | 1.0 | 3.2 | 2.9 | 0.22 | 0.35 | C90 |
| Lymphoid leukaemia | 5 | 0.9 | 2.7 | 2.5 | 0.20 | 0.30 | 5 | 0.8 | 2.6 | 2.4 | 0.23 | 0.23 | C91 |
| Myeloid leukaemia | 6 | 1.1 | 3.2 | 3.6 | 0.13 | 0.45 | 10 | 1.7 | 5.3 | 4.6 | 0.25 | 0.48 | C92–94 |
| Leukaemia unspecified | 1 | 0.2 | 0.5 | 0.6 | 0.07 | 0.07 | 2 | 0.3 | 1.1 | 0.9 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 5 | 0.9 | 2.7 | 2.6 | 0.11 | 0.21 | 5 | 0.8 | 2.6 | 2.8 | 0.22 | 0.22 | MPD |
| Myelodysplastic syndromes | 7 | 1.3 | 3.8 | 4.1 | 0.10 | 0.58 | 5 | 0.8 | 2.6 | 2.4 | 0.00 | 0.36 | MPS |
| Other and unspecified | 12 | 2.2 | 6.4 | 7.2 | 0.25 | 1.16 | 15 | 2.5 | 7.9 | 6.8 | 0.20 | 0.77 | O&U |
| All sites | 539 | | 289.2 | 300.5 | 16.45 | 36.51 | 602 | | 318.4 | 293.2 | 16.11 | 34.10 | C00–96 |
| All sites except C44 | 535 | 100.0 | 287.0 | 298.5 | 16.20 | 36.26 | 597 | 100.0 | 315.8 | 290.7 | 15.96 | 33.95 | C00–96 exc. C44 |

*See note following population pyramid

USA, Nebraska


CONTRIBUTORS

Michelle Hood
 Bryan Rettig
 Ming Qu
 Julie Nielsen
 Mary Lien
 Suzanne McKinney
 Adrienne Bohnenkamp
 Jill Kraus
 Carla Becker
 Janis Singleton



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 81.1 | Breast | 92.4 |
| Trachea, bronchus, and lung | 39.5 | Trachea, bronchus, and lung | 32.6 |
| Colon | 20.4 | Corpus uteri | 20.5 |
| Bladder | 19.6 | Melanoma of skin | 18.9 |
| Melanoma of skin | 19.6 | Thyroid | 18.3 |
| Kidney | 16.3 | Colon | 16.8 |
| Non-Hodgkin lymphoma | 14.1 | Non-Hodgkin lymphoma | 9.7 |
| Rectum | 10.5 | Kidney | 8.5 |
| Pancreas | 9.3 | Ovary | 7.7 |
| Lymphoid leukaemia | 7.8 | Rectum | 6.9 |
| Brain and nervous system | 6.7 | Pancreas | 6.6 |
| Testis | 6.6 | Cervix uteri | 6.1 |
| Liver | 6.2 | Other and unspecified | 5.6 |
| Other and unspecified | 6.2 | Brain and nervous system | 5.2 |
| Myeloid leukaemia | 5.9 | Bladder | 5.1 |
| Thyroid | 5.9 | Lymphoid leukaemia | 4.8 |
| Oesophagus | 5.2 | Myeloid leukaemia | 4.1 |
| Multiple myeloma | 5.1 | Multiple myeloma | 3.0 |
| Stomach | 4.7 | Hodgkin lymphoma | 2.4 |
| Tongue | 4.0 | Vulva | 2.1 |
| All sites | 333.7 | All sites | 305.9 |



NOTES ON THE DATA

*Rates based on low numbers due to small population.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 149.2 |
| Trachea, bronchus, and lung | 46.6 |
| Kidney | 29.5 |
| Colon | 29.0 |
| Liver | 17.9 |
| Pancreas | 15.9 |
| Bladder | 11.6 |
| Non-Hodgkin lymphoma | 11.1 |
| Rectum | 10.3 |
| Multiple myeloma | 9.4 |
| All sites | 408.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 80.4 |
| Trachea, bronchus, and lung | 48.0 |
| Colon | 17.1 |
| Corpus uteri | 17.0 |
| Thyroid | 11.2 |
| Kidney | 10.8 |
| Multiple myeloma | 10.4 |
| Pancreas | 9.5 |
| Rectum | 9.2 |
| Cervix uteri | 7.8 |
| All sites | 302.1 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 78.4 |
| Trachea, bronchus, and lung | 39.5 |
| Melanoma of skin | 20.2 |
| Bladder | 20.1 |
| Colon | 20.1 |
| Kidney | 16.0 |
| Non-Hodgkin lymphoma | 14.3 |
| Rectum | 10.6 |
| Pancreas | 9.3 |
| Lymphoid leukaemia | 7.9 |
| All sites | 331.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 93.9 |
| Trachea, bronchus, and lung | 32.3 |
| Corpus uteri | 20.9 |
| Melanoma of skin | 19.7 |
| Thyroid | 18.7 |
| Colon | 16.8 |
| Non-Hodgkin lymphoma | 10.0 |
| Kidney | 8.4 |
| Ovary | 8.0 |
| Rectum | 6.8 |
| All sites | 308.3 |

USA, Nebraska (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 86 | 0.3 | 1.8 | 1.0 | 0.04 | 0.10 | 34 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C00 |
| Tongue | 279 | 1.1 | 5.9 | 4.0 | 0.28 | 0.49 | 110 | 0.5 | 2.3 | 1.5 | 0.09 | 0.19 | C01–02 |
| Mouth | 150 | 0.6 | 3.2 | 1.9 | 0.13 | 0.22 | 109 | 0.4 | 2.3 | 1.2 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 90 | 0.4 | 1.9 | 1.1 | 0.06 | 0.10 | 59 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | C07–08 |
| Tonsil | 210 | 0.8 | 4.5 | 3.2 | 0.27 | 0.39 | 22 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C09 |
| Other oropharynx | 54 | 0.2 | 1.1 | 0.7 | 0.05 | 0.10 | 12 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 33 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | 16 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C11 |
| Hypopharynx | 54 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | 15 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 419 | 1.6 | 8.9 | 5.2 | 0.30 | 0.63 | 102 | 0.4 | 2.2 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 372 | 1.5 | 7.9 | 4.7 | 0.25 | 0.56 | 185 | 0.8 | 3.9 | 2.1 | 0.12 | 0.23 | C16 |
| Small intestine | 146 | 0.6 | 3.1 | 2.0 | 0.11 | 0.22 | 122 | 0.5 | 2.6 | 1.5 | 0.10 | 0.17 | C17 |
| Colon | 1625 | 6.4 | 34.5 | 20.4 | 1.06 | 2.36 | 1656 | 6.8 | 34.9 | 16.8 | 0.82 | 1.76 | C18 |
| Rectum | 767 | 3.0 | 16.3 | 10.5 | 0.72 | 1.24 | 549 | 2.3 | 11.6 | 6.9 | 0.49 | 0.78 | C19–20 |
| Anus | 64 | 0.3 | 1.4 | 0.9 | 0.06 | 0.10 | 137 | 0.6 | 2.9 | 1.8 | 0.14 | 0.20 | C21 |
| Liver | 465 | 1.8 | 9.9 | 6.2 | 0.41 | 0.76 | 180 | 0.7 | 3.8 | 2.1 | 0.14 | 0.26 | C22 |
| Gallbladder etc. | 135 | 0.5 | 2.9 | 1.5 | 0.07 | 0.17 | 160 | 0.7 | 3.4 | 1.5 | 0.06 | 0.19 | C23–24 |
| Pancreas | 745 | 2.9 | 15.8 | 9.3 | 0.46 | 1.12 | 670 | 2.8 | 14.1 | 6.6 | 0.32 | 0.72 | C25 |
| Nose, sinuses etc. | 25 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 36 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 254 | 1.0 | 5.4 | 3.3 | 0.19 | 0.45 | 74 | 0.3 | 1.6 | 0.9 | 0.04 | 0.11 | C32 |
| Trachea, bronchus, and lung | 3322 | 13.0 | 70.5 | 39.5 | 1.64 | 4.99 | 3033 | 12.5 | 63.9 | 32.6 | 1.58 | 4.11 | C33–34 |
| Other thoracic organs | 33 | 0.1 | 0.7 | 0.6 | 0.03 | 0.05 | 17 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 51 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 47 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 1444 | 5.7 | 30.6 | 19.6 | 1.15 | 2.23 | 1264 | 5.2 | 26.6 | 18.9 | 1.43 | 1.87 | C43 |
| Other skin | 125 | 0.5 | 2.7 | 1.6 | 0.07 | 0.15 | 80 | 0.3 | 1.7 | 1.1 | 0.07 | 0.11 | C44 |
| Mesothelioma | 62 | 0.2 | 1.3 | 0.6 | 0.02 | 0.06 | 21 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 231 | 0.9 | 4.9 | 3.3 | 0.18 | 0.32 | 129 | 0.5 | 2.7 | 1.9 | 0.13 | 0.16 | C47+C49 |
| Breast | 81 | 0.3 | 1.7 | 1.1 | 0.06 | 0.15 | 7035 | 29.0 | 148.3 | 92.4 | 6.28 | 10.98 | C50 |
| Vulva | | | | | | | 184 | 0.8 | 3.9 | 2.1 | 0.13 | 0.23 | C51 |
| Vagina | | | | | | | 30 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 357 | 1.5 | 7.5 | 6.1 | 0.50 | 0.58 | C53 |
| Corpus uteri | | | | | | | 1544 | 6.4 | 32.5 | 20.5 | 1.46 | 2.58 | C54 |
| Uterus unspecified | | | | | | | 26 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 583 | 2.4 | 12.3 | 7.7 | 0.53 | 0.84 | C56 |
| Other female genital organs | | | | | | | 83 | 0.3 | 1.7 | 0.9 | 0.05 | 0.12 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 55 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 6330 | 24.9 | 134.3 | 81.1 | 4.32 | 11.14 | | | | | | | C61 |
| Testis | 320 | 1.3 | 6.8 | 6.6 | 0.49 | 0.51 | | | | | | | C62 |
| Other male genital organs | 14 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1172 | 4.6 | 24.9 | 16.3 | 1.02 | 2.03 | 640 | 2.6 | 13.5 | 8.5 | 0.57 | 0.94 | C64 |
| Renal pelvis | 62 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 35 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 40 | 0.2 | 0.8 | 0.4 | 0.01 | 0.03 | 21 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 1721 | 6.8 | 36.5 | 19.6 | 0.70 | 2.32 | 548 | 2.3 | 11.6 | 5.1 | 0.20 | 0.58 | C67 |
| Other urinary organs | 32 | 0.1 | 0.7 | 0.4 | 0.01 | 0.03 | 11 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 61 | 0.2 | 1.3 | 1.0 | 0.07 | 0.10 | 47 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 411 | 1.6 | 8.7 | 6.7 | 0.40 | 0.67 | 313 | 1.3 | 6.6 | 5.2 | 0.33 | 0.46 | C70–72 |
| Thyroid | 358 | 1.4 | 7.6 | 5.9 | 0.44 | 0.62 | 1045 | 4.3 | 22.0 | 18.3 | 1.43 | 1.76 | C73 |
| Adrenal gland | 22 | 0.1 | 0.5 | 0.6 | 0.03 | 0.03 | 23 | 0.1 | 0.5 | 0.5 | 0.02 | 0.04 | C74 |
| Other endocrine | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 166 | 0.7 | 3.5 | 3.1 | 0.21 | 0.26 | 121 | 0.5 | 2.6 | 2.4 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 1080 | 4.2 | 22.9 | 14.1 | 0.74 | 1.58 | 850 | 3.5 | 17.9 | 9.7 | 0.53 | 1.11 | C82–86, C96 |
| Immunoproliferative diseases | 90 | 0.4 | 1.9 | 1.2 | 0.06 | 0.14 | 109 | 0.4 | 2.3 | 1.3 | 0.07 | 0.16 | C88 |
| Multiple myeloma | 407 | 1.6 | 8.6 | 5.1 | 0.26 | 0.62 | 280 | 1.2 | 5.9 | 3.0 | 0.18 | 0.38 | C90 |
| Lymphoid leukaemia | 549 | 2.2 | 11.6 | 7.8 | 0.39 | 0.82 | 348 | 1.4 | 7.3 | 4.8 | 0.26 | 0.45 | C91 |
| Myeloid leukaemia | 431 | 1.7 | 9.1 | 5.9 | 0.30 | 0.64 | 316 | 1.3 | 6.7 | 4.1 | 0.23 | 0.43 | C92–94 |
| Leukaemia unspecified | 22 | 0.1 | 0.5 | 0.3 | 0.00 | 0.03 | 22 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 138 | 0.5 | 2.9 | 1.8 | 0.09 | 0.19 | 125 | 0.5 | 2.6 | 1.5 | 0.07 | 0.17 | MPD |
| Myelodysplastic syndromes | 241 | 0.9 | 5.1 | 2.9 | 0.12 | 0.32 | 151 | 0.6 | 3.2 | 1.3 | 0.05 | 0.14 | MPS |
| Other and unspecified | 525 | 2.1 | 11.1 | 6.2 | 0.30 | 0.70 | 607 | 2.5 | 12.8 | 5.6 | 0.26 | 0.59 | O&U |
| All sites | 25597 | | 543.1 | 333.7 | 17.83 | 40.24 | 24307 | | 512.4 | 305.9 | 19.33 | 34.52 | C00–96 |
| All sites except C44 | 25472 | 100.0 | 540.4 | 332.1 | 17.76 | 40.09 | 24227 | 100.0 | 510.7 | 304.9 | 19.26 | 34.41 | C00–96 exc. C44 |

***USA, Nebraska: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 7 | 0.7 | 2.6 | 3.1 | 0.27 | 0.35 | 1 | 0.1 | 0.4 | 0.5 | 0.04 | 0.04 | C01–02 |
| Mouth | 4 | 0.4 | 1.5 | 1.6 | 0.15 | 0.15 | 5 | 0.6 | 1.9 | 2.0 | 0.13 | 0.28 | C03–06 |
| Salivary glands | 1 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C07–08 |
| Tonsil | 9 | 0.9 | 3.3 | 3.5 | 0.34 | 0.43 | 1 | 0.1 | 0.4 | 0.4 | 0.06 | 0.06 | C09 |
| Other oropharynx | 2 | 0.2 | 0.7 | 0.8 | 0.04 | 0.13 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 6 | 0.6 | 2.2 | 2.2 | 0.13 | 0.21 | 2 | 0.2 | 0.8 | 0.9 | 0.04 | 0.11 | C11 |
| Hypopharynx | 1 | 0.1 | 0.4 | 0.5 | 0.00 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 4 | 0.4 | 1.5 | 1.6 | 0.11 | 0.11 | 3 | 0.4 | 1.1 | 1.0 | 0.04 | 0.11 | C15 |
| Stomach | 22 | 2.3 | 8.0 | 8.7 | 0.63 | 0.90 | 11 | 1.4 | 4.2 | 3.9 | 0.27 | 0.52 | C16 |
| Small intestine | 12 | 1.2 | 4.4 | 5.0 | 0.14 | 0.57 | 9 | 1.1 | 3.4 | 3.1 | 0.25 | 0.33 | C17 |
| Colon | 67 | 7.0 | 24.4 | 29.0 | 1.43 | 3.71 | 47 | 5.8 | 18.0 | 17.1 | 0.92 | 1.99 | C18 |
| Rectum | 26 | 2.7 | 9.5 | 10.3 | 0.69 | 1.21 | 24 | 3.0 | 9.2 | 9.2 | 0.62 | 1.18 | C19–20 |
| Anus | 4 | 0.4 | 1.5 | 1.3 | 0.13 | 0.13 | 5 | 0.6 | 1.9 | 2.1 | 0.26 | 0.26 | C21 |
| Liver | 43 | 4.5 | 15.7 | 17.9 | 1.24 | 2.24 | 11 | 1.4 | 4.2 | 4.1 | 0.31 | 0.61 | C22 |
| Gallbladder etc. | 5 | 0.5 | 1.8 | 2.2 | 0.13 | 0.35 | 10 | 1.2 | 3.8 | 3.8 | 0.13 | 0.53 | C23–24 |
| Pancreas | 35 | 3.6 | 12.8 | 15.9 | 0.54 | 2.44 | 27 | 3.4 | 10.3 | 9.5 | 0.55 | 1.01 | C25 |
| Nose, sinuses etc. | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.4 | 0.4 | 0.00 | 0.07 | C30–31 |
| Larynx | 16 | 1.7 | 5.8 | 7.2 | 0.44 | 1.15 | 3 | 0.4 | 1.1 | 1.1 | 0.06 | 0.14 | C32 |
| Trachea, bronchus, and lung | 110 | 11.4 | 40.1 | 46.6 | 2.06 | 5.57 | 131 | 16.3 | 50.2 | 48.0 | 2.68 | 5.65 | C33–34 |
| Other thoracic organs | 1 | 0.1 | 0.4 | 0.4 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 2 | 0.2 | 0.7 | 0.7 | 0.04 | 0.04 | 3 | 0.4 | 1.1 | 1.2 | 0.09 | 0.09 | C40–41 |
| Melanoma of skin | 1 | 0.1 | 0.4 | 0.5 | 0.00 | 0.09 | 1 | 0.1 | 0.4 | 0.5 | 0.04 | 0.04 | C43 |
| Other skin | 6 | 0.6 | 2.2 | 2.0 | 0.11 | 0.11 | 6 | 0.7 | 2.3 | 2.4 | 0.15 | 0.22 | C44 |
| Mesothelioma | 3 | 0.3 | 1.1 | 1.2 | 0.00 | 0.13 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 7 | 0.7 | 2.6 | 2.9 | 0.17 | 0.34 | 4 | 0.5 | 1.5 | 1.5 | 0.10 | 0.10 | C47+C49 |
| Breast | 3 | 0.3 | 1.1 | 1.1 | 0.04 | 0.04 | 212 | 26.4 | 81.2 | 80.4 | 5.90 | 9.10 | C50 |
| Vulva | | | | | | | 5 | 0.6 | 1.9 | 1.8 | 0.18 | 0.18 | C51 |
| Vagina | | | | | | | 2 | 0.2 | 0.8 | 0.6 | 0.00 | 0.10 | C52 |
| Cervix uteri | | | | | | | 20 | 2.5 | 7.7 | 7.8 | 0.56 | 0.73 | C53 |
| Corpus uteri | | | | | | | 44 | 5.5 | 16.9 | 17.0 | 1.25 | 2.03 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.1 | 0.4 | 0.4 | 0.06 | 0.06 | C55 |
| Ovary | | | | | | | 11 | 1.4 | 4.2 | 3.7 | 0.14 | 0.42 | C56 |
| Other female genital organs | | | | | | | 3 | 0.4 | 1.1 | 1.3 | 0.11 | 0.21 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 344 | 35.8 | 125.5 | 149.2 | 8.22 | 20.91 | | | | | | | C61 |
| Testis | 1 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | | | | | | | C63 |
| Kidney | 72 | 7.5 | 26.3 | 29.5 | 2.16 | 3.92 | 30 | 3.7 | 11.5 | 10.8 | 0.74 | 1.06 | C64 |
| Renal pelvis | 4 | 0.4 | 1.5 | 1.3 | 0.16 | 0.16 | 3 | 0.4 | 1.1 | 0.8 | 0.04 | 0.04 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.4 | 0.5 | 0.04 | 0.04 | C66 |
| Bladder | 28 | 2.9 | 10.2 | 11.6 | 0.44 | 1.24 | 18 | 2.2 | 6.9 | 6.6 | 0.27 | 0.82 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.3 | 1.1 | 1.2 | 0.07 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 7 | 0.7 | 2.6 | 2.6 | 0.19 | 0.19 | 10 | 1.2 | 3.8 | 3.8 | 0.25 | 0.39 | C70–72 |
| Thyroid | 10 | 1.0 | 3.6 | 4.4 | 0.10 | 0.67 | 30 | 3.7 | 11.5 | 11.2 | 0.79 | 1.25 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.2 | 0.8 | 0.8 | 0.04 | 0.14 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.3 | 1.1 | 1.2 | 0.12 | 0.12 | 15 | 1.9 | 5.7 | 5.8 | 0.42 | 0.42 | C81 |
| Non-Hodgkin lymphoma | 28 | 2.9 | 10.2 | 11.1 | 0.71 | 1.19 | 20 | 2.5 | 7.7 | 7.0 | 0.46 | 0.71 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 5 | 0.6 | 1.9 | 1.8 | 0.10 | 0.27 | C88 |
| Multiple myeloma | 22 | 2.3 | 8.0 | 9.4 | 0.37 | 1.34 | 29 | 3.6 | 11.1 | 10.4 | 0.66 | 1.12 | C90 |
| Lymphoid leukaemia | 15 | 1.6 | 5.5 | 5.9 | 0.42 | 0.73 | 8 | 1.0 | 3.1 | 2.9 | 0.18 | 0.18 | C91 |
| Myeloid leukaemia | 11 | 1.1 | 4.0 | 4.2 | 0.21 | 0.47 | 11 | 1.4 | 4.2 | 4.7 | 0.35 | 0.43 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | C95 |
| Myeloproliferative disorders | 4 | 0.4 | 1.5 | 1.7 | 0.07 | 0.29 | 6 | 0.7 | 2.3 | 2.3 | 0.13 | 0.20 | MPD |
| Myelodysplastic syndromes | 4 | 0.4 | 1.5 | 1.6 | 0.06 | 0.06 | 1 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | MPS |
| Other and unspecified | 12 | 1.2 | 4.4 | 5.0 | 0.17 | 0.44 | 17 | 2.1 | 6.5 | 5.9 | 0.33 | 0.50 | O&U |
| All sites | 968 | | 353.0 | 408.1 | 22.50 | 52.48 | 810 | | 310.4 | 302.1 | 19.79 | 33.81 | C00–96 |
| All sites except C44 | 962 | 100.0 | 350.9 | 406.1 | 22.38 | 52.37 | 804 | 100.0 | 308.1 | 299.7 | 19.64 | 33.59 | C00–96 exc. C44 |

*See note following population pyramid


USA, Nebraska: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 80 | 0.3 | 1.9 | 0.9 | 0.04 | 0.09 | 34 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | C00 |
| Tongue | 267 | 1.1 | 6.3 | 4.0 | 0.28 | 0.50 | 107 | 0.5 | 2.5 | 1.6 | 0.10 | 0.20 | C01–02 |
| Mouth | 143 | 0.6 | 3.4 | 1.9 | 0.12 | 0.22 | 101 | 0.4 | 2.4 | 1.2 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 85 | 0.4 | 2.0 | 1.0 | 0.05 | 0.10 | 59 | 0.3 | 1.4 | 0.8 | 0.05 | 0.09 | C07–08 |
| Tonsil | 199 | 0.8 | 4.7 | 3.3 | 0.27 | 0.39 | 20 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C09 |
| Other oropharynx | 51 | 0.2 | 1.2 | 0.7 | 0.05 | 0.10 | 12 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 25 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C11 |
| Hypopharynx | 53 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 15 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 407 | 1.7 | 9.6 | 5.3 | 0.31 | 0.64 | 98 | 0.4 | 2.3 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 340 | 1.4 | 8.0 | 4.5 | 0.22 | 0.54 | 166 | 0.7 | 3.9 | 1.9 | 0.11 | 0.21 | C16 |
| Small intestine | 133 | 0.6 | 3.1 | 1.9 | 0.12 | 0.21 | 111 | 0.5 | 2.6 | 1.4 | 0.10 | 0.16 | C17 |
| Colon | 1526 | 6.4 | 36.0 | 20.1 | 1.04 | 2.31 | 1578 | 6.9 | 36.9 | 16.8 | 0.82 | 1.76 | C18 |
| Rectum | 729 | 3.0 | 17.2 | 10.6 | 0.72 | 1.25 | 513 | 2.2 | 12.0 | 6.8 | 0.48 | 0.76 | C19–20 |
| Anus | 58 | 0.2 | 1.4 | 0.8 | 0.06 | 0.09 | 130 | 0.6 | 3.0 | 1.8 | 0.14 | 0.21 | C21 |
| Liver | 376 | 1.6 | 8.9 | 5.3 | 0.34 | 0.64 | 157 | 0.7 | 3.7 | 1.9 | 0.13 | 0.24 | C22 |
| Gallbladder etc. | 125 | 0.5 | 2.9 | 1.5 | 0.06 | 0.15 | 146 | 0.6 | 3.4 | 1.4 | 0.05 | 0.17 | C23–24 |
| Pancreas | 705 | 2.9 | 16.6 | 9.3 | 0.46 | 1.10 | 633 | 2.8 | 14.8 | 6.6 | 0.31 | 0.71 | C25 |
| Nose, sinuses etc. | 25 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 34 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 228 | 1.0 | 5.4 | 3.1 | 0.18 | 0.42 | 69 | 0.3 | 1.6 | 0.9 | 0.04 | 0.11 | C32 |
| Trachea, bronchus, and lung | 3167 | 13.2 | 74.7 | 39.5 | 1.64 | 5.00 | 2860 | 12.5 | 66.8 | 32.3 | 1.54 | 4.08 | C33–34 |
| Other thoracic organs | 31 | 0.1 | 0.7 | 0.6 | 0.03 | 0.05 | 16 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 48 | 0.2 | 1.1 | 1.0 | 0.07 | 0.08 | 41 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 1400 | 5.8 | 33.0 | 20.2 | 1.19 | 2.28 | 1212 | 5.3 | 28.3 | 19.7 | 1.49 | 1.94 | C43 |
| Other skin | 117 | 0.5 | 2.8 | 1.6 | 0.07 | 0.15 | 72 | 0.3 | 1.7 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 58 | 0.2 | 1.4 | 0.6 | 0.02 | 0.06 | 20 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 216 | 0.9 | 5.1 | 3.2 | 0.17 | 0.32 | 118 | 0.5 | 2.8 | 1.9 | 0.13 | 0.16 | C47+C49 |
| Breast | 78 | 0.3 | 1.8 | 1.1 | 0.06 | 0.15 | 6708 | 29.2 | 156.7 | 93.9 | 6.37 | 11.15 | C50 |
| Vulva | | | | | | | 177 | 0.8 | 4.1 | 2.2 | 0.13 | 0.24 | C51 |
| Vagina | | | | | | | 28 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 330 | 1.4 | 7.7 | 6.2 | 0.51 | 0.59 | C53 |
| Corpus uteri | | | | | | | 1477 | 6.4 | 34.5 | 20.9 | 1.49 | 2.63 | C54 |
| Uterus unspecified | | | | | | | 25 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 561 | 2.4 | 13.1 | 8.0 | 0.55 | 0.87 | C56 |
| Other female genital organs | | | | | | | 79 | 0.3 | 1.8 | 0.9 | 0.05 | 0.12 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 53 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 5831 | 24.3 | 137.4 | 78.4 | 4.15 | 10.77 | | | | | | | C61 |
| Testis | 315 | 1.3 | 7.4 | 7.3 | 0.54 | 0.56 | | | | | | | C62 |
| Other male genital organs | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1084 | 4.5 | 25.6 | 16.0 | 0.99 | 1.98 | 590 | 2.6 | 13.8 | 8.4 | 0.56 | 0.93 | C64 |
| Renal pelvis | 58 | 0.2 | 1.4 | 0.7 | 0.03 | 0.08 | 31 | 0.1 | 0.7 | 0.3 | 0.01 | 0.02 | C65 |
| Ureter | 40 | 0.2 | 0.9 | 0.4 | 0.01 | 0.03 | 20 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 1679 | 7.0 | 39.6 | 20.1 | 0.72 | 2.39 | 526 | 2.3 | 12.3 | 5.1 | 0.20 | 0.58 | C67 |
| Other urinary organs | 32 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 11 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 57 | 0.2 | 1.3 | 1.0 | 0.07 | 0.10 | 46 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 394 | 1.6 | 9.3 | 7.0 | 0.42 | 0.69 | 298 | 1.3 | 7.0 | 5.4 | 0.34 | 0.48 | C70–72 |
| Thyroid | 338 | 1.4 | 8.0 | 6.0 | 0.46 | 0.63 | 974 | 4.2 | 22.8 | 18.7 | 1.47 | 1.79 | C73 |
| Adrenal gland | 22 | 0.1 | 0.5 | 0.7 | 0.03 | 0.04 | 20 | 0.1 | 0.5 | 0.5 | 0.02 | 0.04 | C74 |
| Other endocrine | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 9 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 156 | 0.7 | 3.7 | 3.1 | 0.21 | 0.27 | 103 | 0.4 | 2.4 | 2.2 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 1036 | 4.3 | 24.4 | 14.3 | 0.76 | 1.60 | 820 | 3.6 | 19.2 | 10.0 | 0.55 | 1.15 | C82–86,C96 |
| Immunoproliferative diseases | 87 | 0.4 | 2.1 | 1.2 | 0.06 | 0.14 | 101 | 0.4 | 2.4 | 1.3 | 0.07 | 0.16 | C88 |
| Multiple myeloma | 379 | 1.6 | 8.9 | 5.0 | 0.26 | 0.61 | 249 | 1.1 | 5.8 | 2.8 | 0.17 | 0.36 | C90 |
| Lymphoid leukaemia | 519 | 2.2 | 12.2 | 7.9 | 0.39 | 0.82 | 332 | 1.4 | 7.8 | 4.9 | 0.26 | 0.46 | C91 |
| Myeloid leukaemia | 404 | 1.7 | 9.5 | 5.8 | 0.29 | 0.64 | 299 | 1.3 | 7.0 | 4.0 | 0.22 | 0.43 | C92–94 |
| Leukaemia unspecified | 22 | 0.1 | 0.5 | 0.3 | 0.00 | 0.03 | 20 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 131 | 0.5 | 3.1 | 1.7 | 0.08 | 0.19 | 116 | 0.5 | 2.7 | 1.4 | 0.07 | 0.16 | MPD |
| Myelodysplastic syndromes | 232 | 1.0 | 5.5 | 2.9 | 0.12 | 0.33 | 147 | 0.6 | 3.4 | 1.4 | 0.05 | 0.14 | MPS |
| Other and unspecified | 508 | 2.1 | 12.0 | 6.4 | 0.31 | 0.72 | 573 | 2.5 | 13.4 | 5.5 | 0.25 | 0.59 | O&U |
| All sites | 24087 | | 567.8 | 331.6 | 17.69 | 39.85 | 23010 | | 537.5 | 308.3 | 19.47 | 34.76 | C00–96 |
| All sites except C44 | 23970 | 100.0 | 565.0 | 330.1 | 17.62 | 39.70 | 22938 | 100.0 | 535.8 | 307.3 | 19.41 | 34.66 | C00–96 exc. C44 |

USA, Nevada


CONTRIBUTORS

Ihsan Azzam
Kyra Morgan
Carmen Ponce
Catherina Short
Christine Pool



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 59.0 | Breast | 81.5 |
| Trachea, bronchus, and lung | 31.8 | Trachea, bronchus, and lung | 31.2 |
| Bladder | 17.9 | Thyroid | 18.9 |
| Colon | 17.3 | Corpus uteri | 15.3 |
| Melanoma of skin | 13.9 | Colon | 14.3 |
| Kidney | 12.4 | Melanoma of skin | 9.2 |
| Non-Hodgkin lymphoma | 11.0 | Non-Hodgkin lymphoma | 8.0 |
| Rectum | 9.2 | Ovary | 7.5 |
| Other and unspecified | 8.3 | Kidney | 7.1 |
| Pancreas | 8.0 | Cervix uteri | 7.0 |
| Liver | 7.3 | Pancreas | 6.9 |
| Lymphoid leukaemia | 6.8 | Other and unspecified | 6.8 |
| Brain and nervous system | 6.1 | Rectum | 5.9 |
| Thyroid | 5.4 | Bladder | 5.3 |
| Testis | 5.1 | Brain and nervous system | 4.6 |
| Oesophagus | 4.9 | Lymphoid leukaemia | 4.2 |
| Myeloid leukaemia | 4.6 | Myeloid leukaemia | 3.2 |
| Stomach | 4.1 | Stomach | 2.7 |
| Tongue | 3.8 | Liver | 2.7 |
| Multiple myeloma | 3.7 | Multiple myeloma | 2.6 |
| All sites | 271.0 | All sites | 268.2 |



NOTES ON THE DATA

*Rates based on low numbers due to small population.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 31.1 |
| Trachea, bronchus, and lung | 23.6 |
| Colon | 13.7 |
| Rectum | 11.7 |
| Kidney | 8.3 |
| Non-Hodgkin lymphoma | 7.7 |
| Liver | 7.3 |
| Stomach | 5.8 |
| Thyroid | 5.2 |
| Bladder | 5.2 |
| All sites | 159.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 68.8 |
| Thyroid | 21.8 |
| Trachea, bronchus, and lung | 18.1 |
| Corpus uteri | 12.4 |
| Colon | 11.6 |
| Ovary | 8.3 |
| Non-Hodgkin lymphoma | 6.0 |
| Cervix uteri | 5.8 |
| Other and unspecified | 4.4 |
| Kidney | 4.2 |
| All sites | 202.6 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 82.3 |
| Trachea, bronchus, and lung | 32.8 |
| Colon | 21.7 |
| Kidney | 15.3 |
| Bladder | 11.1 |
| Pancreas | 9.2 |
| Liver | 9.1 |
| Other and unspecified | 9.0 |
| Non-Hodgkin lymphoma | 8.3 |
| Rectum | 6.6 |
| All sites | 266.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 79.7 |
| Trachea, bronchus, and lung | 29.1 |
| Colon | 16.8 |
| Corpus uteri | 12.4 |
| Kidney | 8.3 |
| Pancreas | 8.3 |
| Other and unspecified | 8.2 |
| Thyroid | 7.4 |
| Ovary | 6.4 |
| Cervix uteri | 6.2 |
| All sites | 240.2 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 59.1 |
| Trachea, bronchus, and lung | 32.5 |
| Bladder | 19.7 |
| Colon | 17.3 |
| Melanoma of skin | 16.6 |
| Kidney | 12.5 |
| Non-Hodgkin lymphoma | 11.5 |
| Rectum | 9.1 |
| Other and unspecified | 8.6 |
| Pancreas | 8.1 |
| All sites | 282.0 |

Female

| | |
|-----------------------------|-------|
| Breast | 83.3 |
| Trachea, bronchus, and lung | 33.2 |
| Thyroid | 20.1 |
| Corpus uteri | 16.0 |
| Colon | 14.5 |
| Melanoma of skin | 11.4 |
| Non-Hodgkin lymphoma | 8.4 |
| Ovary | 7.6 |
| Kidney | 7.4 |
| Cervix uteri | 7.2 |
| All sites | 280.4 |

USA, Nevada (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 74 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 450 | 1.4 | 6.2 | 3.8 | 0.24 | 0.48 | 183 | 0.6 | 2.6 | 1.5 | 0.10 | 0.18 | C01–02 |
| Mouth | 131 | 0.4 | 1.8 | 1.1 | 0.08 | 0.14 | 97 | 0.3 | 1.4 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 120 | 0.4 | 1.7 | 0.9 | 0.04 | 0.10 | 65 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 261 | 0.8 | 3.6 | 2.3 | 0.17 | 0.29 | 57 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C09 |
| Other oropharynx | 91 | 0.3 | 1.3 | 0.8 | 0.04 | 0.11 | 27 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 58 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 31 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 63 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | 19 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 37 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 609 | 1.9 | 8.4 | 4.9 | 0.25 | 0.64 | 142 | 0.4 | 2.0 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 512 | 1.6 | 7.1 | 4.1 | 0.22 | 0.49 | 339 | 1.1 | 4.7 | 2.7 | 0.15 | 0.29 | C16 |
| Small intestine | 150 | 0.5 | 2.1 | 1.3 | 0.07 | 0.14 | 124 | 0.4 | 1.7 | 1.0 | 0.06 | 0.11 | C17 |
| Colon | 2122 | 6.5 | 29.4 | 17.3 | 0.95 | 1.95 | 1897 | 5.9 | 26.6 | 14.3 | 0.76 | 1.58 | C18 |
| Rectum | 1058 | 3.3 | 14.7 | 9.2 | 0.60 | 1.08 | 694 | 2.2 | 9.7 | 5.9 | 0.39 | 0.68 | C19–20 |
| Anus | 111 | 0.3 | 1.5 | 0.9 | 0.06 | 0.11 | 181 | 0.6 | 2.5 | 1.5 | 0.12 | 0.19 | C21 |
| Liver | 860 | 2.6 | 11.9 | 7.3 | 0.50 | 0.90 | 340 | 1.1 | 4.8 | 2.7 | 0.15 | 0.31 | C22 |
| Gallbladder etc. | 175 | 0.5 | 2.4 | 1.4 | 0.06 | 0.16 | 184 | 0.6 | 2.6 | 1.4 | 0.08 | 0.15 | C23–24 |
| Pancreas | 988 | 3.0 | 13.7 | 8.0 | 0.41 | 0.97 | 963 | 3.0 | 13.5 | 6.9 | 0.34 | 0.80 | C25 |
| Nose, sinuses etc. | 50 | 0.2 | 0.7 | 0.4 | 0.02 | 0.06 | 40 | 0.1 | 0.6 | 0.3 | 0.02 | 0.05 | C30–31 |
| Larynx | 309 | 1.0 | 4.3 | 2.4 | 0.11 | 0.34 | 78 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 4240 | 13.1 | 58.8 | 31.8 | 1.20 | 3.97 | 4477 | 14.0 | 62.7 | 31.2 | 1.27 | 3.85 | C33–34 |
| Other thoracic organs | 39 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 104 | 0.3 | 1.4 | 1.3 | 0.08 | 0.10 | 67 | 0.2 | 0.9 | 0.8 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 1690 | 5.2 | 23.4 | 13.9 | 0.76 | 1.60 | 1036 | 3.2 | 14.5 | 9.2 | 0.64 | 1.00 | C43 |
| Other skin | 111 | 0.3 | 1.5 | 1.0 | 0.05 | 0.11 | 75 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 83 | 0.3 | 1.2 | 0.6 | 0.02 | 0.07 | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 58 | 0.2 | 0.8 | 0.7 | 0.05 | 0.06 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 306 | 0.9 | 4.2 | 2.9 | 0.18 | 0.30 | 232 | 0.7 | 3.3 | 2.1 | 0.13 | 0.23 | C47+C49 |
| Breast | 106 | 0.3 | 1.5 | 0.9 | 0.05 | 0.10 | 9458 | 29.6 | 132.5 | 81.5 | 5.48 | 9.59 | C50 |
| Vulva | | | | | | | 164 | 0.5 | 2.3 | 1.3 | 0.09 | 0.14 | C51 |
| Vagina | | | | | | | 51 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 647 | 2.0 | 9.1 | 7.0 | 0.57 | 0.68 | C53 |
| Corpus uteri | | | | | | | 1748 | 5.5 | 24.5 | 15.3 | 1.11 | 1.87 | C54 |
| Uterus unspecified | | | | | | | 78 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 863 | 2.7 | 12.1 | 7.5 | 0.51 | 0.82 | C56 |
| Other female genital organs | | | | | | | 71 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 61 | 0.2 | 0.8 | 0.5 | 0.01 | 0.05 | | | | | | | C60 |
| Prostate | 7331 | 22.6 | 101.7 | 59.0 | 2.93 | 8.12 | | | | | | | C61 |
| Testis | 385 | 1.2 | 5.3 | 5.1 | 0.38 | 0.39 | | | | | | | C62 |
| Other male genital organs | 13 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1399 | 4.3 | 19.4 | 12.4 | 0.76 | 1.48 | 829 | 2.6 | 11.6 | 7.1 | 0.46 | 0.83 | C64 |
| Renal pelvis | 77 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | 58 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 36 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 38 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 2416 | 7.4 | 33.5 | 17.9 | 0.65 | 2.05 | 767 | 2.4 | 10.7 | 5.3 | 0.22 | 0.63 | C67 |
| Other urinary organs | 35 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 13 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 77 | 0.2 | 1.1 | 0.8 | 0.04 | 0.07 | 47 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 571 | 1.8 | 7.9 | 6.1 | 0.36 | 0.60 | 433 | 1.4 | 6.1 | 4.6 | 0.28 | 0.44 | C70–72 |
| Thyroid | 552 | 1.7 | 7.7 | 5.4 | 0.38 | 0.58 | 1730 | 5.4 | 24.2 | 18.9 | 1.49 | 1.85 | C73 |
| Adrenal gland | 24 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 30 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 138 | 0.4 | 1.9 | 1.7 | 0.12 | 0.14 | 128 | 0.4 | 1.8 | 1.7 | 0.11 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 1274 | 3.9 | 17.7 | 11.0 | 0.62 | 1.19 | 1010 | 3.2 | 14.1 | 8.0 | 0.43 | 0.89 | C82–86, C96 |
| Immunoproliferative diseases | 81 | 0.2 | 1.1 | 0.6 | 0.03 | 0.08 | 45 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C88 |
| Multiple myeloma | 462 | 1.4 | 6.4 | 3.7 | 0.18 | 0.45 | 345 | 1.1 | 4.8 | 2.6 | 0.14 | 0.30 | C90 |
| Lymphoid leukaemia | 662 | 2.0 | 9.2 | 6.8 | 0.36 | 0.64 | 418 | 1.3 | 5.9 | 4.2 | 0.20 | 0.35 | C91 |
| Myeloid leukaemia | 513 | 1.6 | 7.1 | 4.6 | 0.25 | 0.46 | 365 | 1.1 | 5.1 | 3.2 | 0.18 | 0.32 | C92–94 |
| Leukaemia unspecified | 80 | 0.2 | 1.1 | 0.7 | 0.03 | 0.06 | 50 | 0.2 | 0.7 | 0.5 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 155 | 0.5 | 2.1 | 1.3 | 0.07 | 0.14 | 121 | 0.4 | 1.7 | 1.0 | 0.05 | 0.11 | MPD |
| Myelodysplastic syndromes | 229 | 0.7 | 3.2 | 1.6 | 0.05 | 0.16 | 150 | 0.5 | 2.1 | 1.0 | 0.04 | 0.10 | MPS |
| Other and unspecified | 1049 | 3.2 | 14.5 | 8.3 | 0.39 | 0.95 | 968 | 3.0 | 13.6 | 6.8 | 0.32 | 0.75 | O&U |
| All sites | 32592 | | 452.1 | 271.0 | 14.09 | 32.33 | 32067 | | 449.2 | 268.2 | 16.47 | 30.40 | C00–96 |
| All sites except C44 | 32481 | 100.0 | 450.5 | 270.0 | 14.03 | 32.22 | 31992 | 100.0 | 448.2 | 267.4 | 16.43 | 30.33 | C00–96 exc. C44 |

§Includes 1 case of unknown age

***USA, Nevada: Asian and Pacific Islander (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 11 | 0.7 | 1.7 | 1.2 | 0.07 | 0.12 | 13 | 0.5 | 1.7 | 1.0 | 0.07 | 0.13 | C01–02 |
| Mouth | 6 | 0.4 | 0.9 | 0.6 | 0.05 | 0.07 | 7 | 0.3 | 0.9 | 0.5 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 3 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 4 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | C07–08 |
| Tonsil | 8 | 0.5 | 1.2 | 0.9 | 0.05 | 0.14 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 3 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 11 | 0.7 | 1.7 | 1.2 | 0.09 | 0.16 | 6 | 0.2 | 0.8 | 0.5 | 0.05 | 0.05 | C11 |
| Hypopharynx | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 4 | 0.3 | 0.6 | 0.4 | 0.02 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 24 | 1.5 | 3.7 | 2.3 | 0.12 | 0.31 | 4 | 0.2 | 0.5 | 0.2 | 0.00 | 0.01 | C15 |
| Stomach | 59 | 3.7 | 9.1 | 5.8 | 0.29 | 0.65 | 51 | 2.0 | 6.7 | 3.7 | 0.18 | 0.42 | C16 |
| Small intestine | 4 | 0.3 | 0.6 | 0.4 | 0.03 | 0.04 | 5 | 0.2 | 0.7 | 0.3 | 0.01 | 0.05 | C17 |
| Colon | 137 | 8.7 | 21.1 | 13.7 | 0.72 | 1.48 | 164 | 6.4 | 21.4 | 11.6 | 0.61 | 1.31 | C18 |
| Rectum | 111 | 7.0 | 17.1 | 11.7 | 0.74 | 1.42 | 50 | 1.9 | 6.5 | 3.8 | 0.26 | 0.45 | C19–20 |
| Anus | 3 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | 7 | 0.3 | 0.9 | 0.6 | 0.05 | 0.06 | C21 |
| Liver | 75 | 4.7 | 11.6 | 7.3 | 0.43 | 0.76 | 45 | 1.7 | 5.9 | 3.4 | 0.15 | 0.41 | C22 |
| Gallbladder etc. | 23 | 1.5 | 3.6 | 2.3 | 0.11 | 0.28 | 21 | 0.8 | 2.7 | 1.5 | 0.08 | 0.14 | C23–24 |
| Pancreas | 48 | 3.0 | 7.4 | 4.8 | 0.28 | 0.54 | 64 | 2.5 | 8.4 | 4.1 | 0.16 | 0.43 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 8 | 0.5 | 1.2 | 0.8 | 0.05 | 0.10 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 249 | 15.8 | 38.4 | 23.6 | 1.07 | 2.68 | 265 | 10.3 | 34.6 | 18.1 | 0.79 | 2.20 | C33–34 |
| Other thoracic organs | 7 | 0.4 | 1.1 | 0.8 | 0.06 | 0.09 | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C37–38 |
| Bone | 9 | 0.6 | 1.4 | 1.5 | 0.09 | 0.09 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | C40–41 |
| Melanoma of skin | 9 | 0.6 | 1.4 | 0.8 | 0.03 | 0.10 | 13 | 0.5 | 1.7 | 1.1 | 0.07 | 0.14 | C43 |
| Other skin | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 6 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C44 |
| Mesothelioma | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 19 | 1.2 | 2.9 | 2.1 | 0.15 | 0.20 | 27 | 1.0 | 3.5 | 2.2 | 0.17 | 0.24 | C47+C49 |
| Breast | 3 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | 875 | 33.9 | 114.2 | 68.8 | 5.00 | 7.90 | C50 |
| Vulva | | | | | | | 6 | 0.2 | 0.8 | 0.4 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 4 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 64 | 2.5 | 8.4 | 5.8 | 0.48 | 0.57 | C53 |
| Corpus uteri | | | | | | | 153 | 5.9 | 20.0 | 12.4 | 0.97 | 1.52 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.4 | 1.4 | 0.9 | 0.07 | 0.10 | C55 |
| Ovary | | | | | | | 97 | 3.8 | 12.7 | 8.3 | 0.62 | 0.87 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.7 | 0.4 | 0.01 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | | | | | | | C60 |
| Prostate | 323 | 20.4 | 49.9 | 31.1 | 1.23 | 4.39 | | | | | | | C61 |
| Testis | 12 | 0.8 | 1.9 | 1.5 | 0.12 | 0.12 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 80 | 5.1 | 12.3 | 8.3 | 0.49 | 1.00 | 56 | 2.2 | 7.3 | 4.2 | 0.25 | 0.51 | C64 |
| Renal pelvis | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 55 | 3.5 | 8.5 | 5.2 | 0.22 | 0.62 | 29 | 1.1 | 3.8 | 1.8 | 0.04 | 0.22 | C67 |
| Other urinary organs | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 21 | 1.3 | 3.2 | 2.5 | 0.23 | 0.27 | 19 | 0.7 | 2.5 | 2.3 | 0.16 | 0.18 | C70–72 |
| Thyroid | 48 | 3.0 | 7.4 | 5.2 | 0.33 | 0.53 | 240 | 9.3 | 31.3 | 21.8 | 1.76 | 2.11 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3 | 0.2 | 0.5 | 0.4 | 0.02 | 0.02 | 7 | 0.3 | 0.9 | 1.0 | 0.06 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 71 | 4.5 | 11.0 | 7.7 | 0.46 | 0.79 | 80 | 3.1 | 10.4 | 6.0 | 0.37 | 0.70 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.4 | 1.1 | 0.6 | 0.02 | 0.06 | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C88 |
| Multiple myeloma | 13 | 0.8 | 2.0 | 1.2 | 0.06 | 0.16 | 32 | 1.2 | 4.2 | 2.2 | 0.11 | 0.31 | C90 |
| Lymphoid leukaemia | 14 | 0.9 | 2.2 | 2.2 | 0.11 | 0.19 | 18 | 0.7 | 2.3 | 2.2 | 0.10 | 0.18 | C91 |
| Myeloid leukaemia | 29 | 1.8 | 4.5 | 3.2 | 0.12 | 0.25 | 36 | 1.4 | 4.7 | 2.9 | 0.16 | 0.34 | C92–94 |
| Leukaemia unspecified | 3 | 0.2 | 0.5 | 0.3 | 0.00 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 6 | 0.4 | 0.9 | 0.6 | 0.04 | 0.05 | 8 | 0.3 | 1.0 | 0.6 | 0.05 | 0.08 | MPD |
| Myelodysplastic syndromes | 14 | 0.9 | 2.2 | 1.3 | 0.04 | 0.18 | 5 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | MPS |
| Other and unspecified | 36 | 2.3 | 5.6 | 3.5 | 0.11 | 0.36 | 64 | 2.5 | 8.4 | 4.4 | 0.23 | 0.52 | O&U |
| All sites | 1582 | | 244.2 | 159.8 | 8.22 | 18.67 | 2587 | | 337.5 | 202.6 | 13.35 | 22.77 | C00–96 |
| All sites except C44 | 1580 | 100.0 | 243.9 | 159.6 | 8.21 | 18.64 | 2581 | 100.0 | 336.7 | 202.1 | 13.32 | 22.71 | C00–96 exc. C44 |

*See note following population pyramid

USA, Nevada: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.3 | 0.3 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 22 | 1.0 | 2.9 | 2.5 | 0.14 | 0.29 | 8 | 0.4 | 1.1 | 0.8 | 0.04 | 0.12 | C01–02 |
| Mouth | 6 | 0.3 | 0.8 | 0.7 | 0.05 | 0.08 | 8 | 0.4 | 1.1 | 0.8 | 0.04 | 0.11 | C03–06 |
| Salivary glands | 9 | 0.4 | 1.2 | 1.0 | 0.03 | 0.12 | 6 | 0.3 | 0.8 | 0.6 | 0.05 | 0.07 | C07–08 |
| Tonsil | 12 | 0.5 | 1.6 | 1.5 | 0.13 | 0.19 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C09 |
| Other oropharynx | 10 | 0.4 | 1.3 | 1.2 | 0.07 | 0.14 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 9 | 0.4 | 1.2 | 1.1 | 0.07 | 0.14 | 6 | 0.3 | 0.8 | 0.7 | 0.04 | 0.08 | C11 |
| Hypopharynx | 4 | 0.2 | 0.5 | 0.5 | 0.03 | 0.08 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.4 | 0.4 | 0.01 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 28 | 1.2 | 3.7 | 3.3 | 0.19 | 0.47 | 6 | 0.3 | 0.8 | 0.6 | 0.06 | 0.06 | C15 |
| Stomach | 43 | 1.9 | 5.7 | 4.7 | 0.27 | 0.56 | 35 | 1.5 | 4.7 | 3.3 | 0.15 | 0.31 | C16 |
| Small intestine | 19 | 0.8 | 2.5 | 2.2 | 0.14 | 0.27 | 12 | 0.5 | 1.6 | 1.3 | 0.06 | 0.14 | C17 |
| Colon | 190 | 8.4 | 25.3 | 21.7 | 1.23 | 2.35 | 164 | 7.2 | 21.8 | 16.8 | 0.97 | 1.99 | C18 |
| Rectum | 57 | 2.5 | 7.6 | 6.6 | 0.47 | 0.77 | 41 | 1.8 | 5.5 | 4.2 | 0.28 | 0.43 | C19–20 |
| Anus | 6 | 0.3 | 0.8 | 0.7 | 0.03 | 0.12 | 15 | 0.7 | 2.0 | 1.5 | 0.10 | 0.18 | C21 |
| Liver | 74 | 3.3 | 9.9 | 9.1 | 0.63 | 1.23 | 31 | 1.4 | 4.1 | 3.3 | 0.23 | 0.39 | C22 |
| Gallbladder etc. | 13 | 0.6 | 1.7 | 1.5 | 0.06 | 0.15 | 14 | 0.6 | 1.9 | 1.3 | 0.07 | 0.16 | C23–24 |
| Pancreas | 78 | 3.4 | 10.4 | 9.2 | 0.51 | 1.23 | 83 | 3.7 | 11.0 | 8.3 | 0.43 | 1.03 | C25 |
| Nose, sinuses etc. | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 6 | 0.3 | 0.8 | 0.6 | 0.03 | 0.08 | C30–31 |
| Larynx | 23 | 1.0 | 3.1 | 2.6 | 0.08 | 0.41 | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 285 | 12.5 | 37.9 | 32.8 | 1.33 | 4.46 | 299 | 13.2 | 39.8 | 29.1 | 1.50 | 3.45 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.05 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C37–38 |
| Bone | 8 | 0.4 | 1.1 | 0.9 | 0.07 | 0.13 | 3 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 6 | 0.3 | 0.8 | 0.7 | 0.04 | 0.09 | 10 | 0.4 | 1.3 | 0.9 | 0.04 | 0.06 | C43 |
| Other skin | 8 | 0.4 | 1.1 | 0.9 | 0.08 | 0.08 | 8 | 0.4 | 1.1 | 1.1 | 0.08 | 0.08 | C44 |
| Mesothelioma | 8 | 0.4 | 1.1 | 0.9 | 0.06 | 0.08 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 12 | 0.5 | 1.6 | 1.4 | 0.11 | 0.11 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C46 |
| Connective and soft tissue | 18 | 0.8 | 2.4 | 2.2 | 0.16 | 0.25 | 23 | 1.0 | 3.1 | 2.6 | 0.19 | 0.28 | C47+C49 |
| Breast | 12 | 0.5 | 1.6 | 1.5 | 0.07 | 0.22 | 737 | 32.4 | 98.0 | 79.7 | 5.49 | 9.16 | C50 |
| Vulva | | | | | | | 10 | 0.4 | 1.3 | 1.1 | 0.11 | 0.11 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 53 | 2.3 | 7.0 | 6.2 | 0.51 | 0.62 | C53 |
| Corpus uteri | | | | | | | 115 | 5.1 | 15.3 | 12.4 | 0.89 | 1.45 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.4 | 1.2 | 1.0 | 0.07 | 0.13 | C55 |
| Ovary | | | | | | | 61 | 2.7 | 8.1 | 6.4 | 0.43 | 0.72 | C56 |
| Other female genital organs | | | | | | | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.08 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.1 | 0.4 | 0.3 | 0.04 | 0.04 | | | | | | | C60 |
| Prostate | 698 | 30.7 | 92.9 | 82.3 | 4.78 | 11.14 | | | | | | | C61 |
| Testis | 7 | 0.3 | 0.9 | 0.9 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | | | | | | | C63 |
| Kidney | 127 | 5.6 | 16.9 | 15.3 | 0.91 | 1.95 | 78 | 3.4 | 10.4 | 8.3 | 0.54 | 0.98 | C64 |
| Renal pelvis | 5 | 0.2 | 0.7 | 0.6 | 0.01 | 0.10 | 4 | 0.2 | 0.5 | 0.4 | 0.00 | 0.09 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 101 | 4.4 | 13.4 | 11.1 | 0.32 | 1.14 | 34 | 1.5 | 4.5 | 3.2 | 0.14 | 0.39 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 37 | 1.6 | 4.9 | 4.7 | 0.31 | 0.37 | 30 | 1.3 | 4.0 | 3.6 | 0.19 | 0.35 | C70–72 |
| Thyroid | 12 | 0.5 | 1.6 | 1.4 | 0.10 | 0.13 | 66 | 2.9 | 8.8 | 7.4 | 0.61 | 0.84 | C73 |
| Adrenal gland | 3 | 0.1 | 0.4 | 0.5 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 13 | 0.6 | 1.7 | 1.6 | 0.12 | 0.15 | 16 | 0.7 | 2.1 | 1.9 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 72 | 3.2 | 9.6 | 8.3 | 0.46 | 0.77 | 59 | 2.6 | 7.8 | 6.1 | 0.39 | 0.62 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.2 | 0.5 | 0.5 | 0.02 | 0.08 | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 57 | 2.5 | 7.6 | 6.5 | 0.31 | 0.73 | 44 | 1.9 | 5.8 | 4.5 | 0.22 | 0.56 | C90 |
| Lymphoid leukaemia | 39 | 1.7 | 5.2 | 4.6 | 0.26 | 0.41 | 20 | 0.9 | 2.7 | 2.2 | 0.15 | 0.15 | C91 |
| Myeloid leukaemia | 32 | 1.4 | 4.3 | 3.6 | 0.22 | 0.44 | 28 | 1.2 | 3.7 | 3.1 | 0.18 | 0.35 | C92–94 |
| Leukaemia unspecified | 7 | 0.3 | 0.9 | 0.8 | 0.05 | 0.08 | 4 | 0.2 | 0.5 | 0.5 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 9 | 0.4 | 1.2 | 1.0 | 0.03 | 0.08 | 10 | 0.4 | 1.3 | 1.1 | 0.06 | 0.15 | MPD |
| Myelodysplastic syndromes | 5 | 0.2 | 0.7 | 0.6 | 0.03 | 0.03 | 10 | 0.4 | 1.3 | 1.0 | 0.05 | 0.09 | MPS |
| Other and unspecified | 78 | 3.4 | 10.4 | 9.0 | 0.48 | 0.97 | 83 | 3.7 | 11.0 | 8.2 | 0.42 | 0.90 | O&U |
| All sites | 2280 | | 303.6 | 266.6 | 14.63 | 32.95 | 2280 | | 303.1 | 240.2 | 15.22 | 27.26 | C00–96 |
| All sites except C44 | 2272 | 100.0 | 302.5 | 265.7 | 14.55 | 32.87 | 2272 | 100.0 | 302.1 | 239.1 | 15.14 | 27.18 | C00–96 exc. C44 |

USA, Nevada: White (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 72 | 0.3 | 1.3 | 0.8 | 0.05 | 0.08 | 24 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 415 | 1.5 | 7.3 | 4.3 | 0.28 | 0.54 | 159 | 0.6 | 2.9 | 1.6 | 0.11 | 0.20 | C01–02 |
| Mouth | 116 | 0.4 | 2.0 | 1.2 | 0.08 | 0.15 | 82 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 106 | 0.4 | 1.9 | 0.9 | 0.04 | 0.10 | 55 | 0.2 | 1.0 | 0.7 | 0.04 | 0.06 | C07–08 |
| Tonsil | 237 | 0.8 | 4.2 | 2.6 | 0.19 | 0.32 | 51 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | C09 |
| Other oropharynx | 77 | 0.3 | 1.4 | 0.8 | 0.04 | 0.11 | 23 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 36 | 0.1 | 0.6 | 0.4 | 0.04 | 0.04 | 18 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 57 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 16 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 30 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 547 | 1.9 | 9.6 | 5.2 | 0.27 | 0.68 | 129 | 0.5 | 2.4 | 1.1 | 0.06 | 0.14 | C15 |
| Stomach | 398 | 1.4 | 7.0 | 3.8 | 0.20 | 0.46 | 249 | 0.9 | 4.5 | 2.6 | 0.15 | 0.27 | C16 |
| Small intestine | 126 | 0.4 | 2.2 | 1.3 | 0.07 | 0.14 | 104 | 0.4 | 1.9 | 1.0 | 0.07 | 0.12 | C17 |
| Colon | 1765 | 6.3 | 31.1 | 17.3 | 0.94 | 1.96 | 1544 | 5.8 | 28.2 | 14.5 | 0.76 | 1.57 | C18 |
| Rectum | 872 | 3.1 | 15.4 | 9.1 | 0.60 | 1.07 | 591 | 2.2 | 10.8 | 6.3 | 0.42 | 0.73 | C19–20 |
| Anus | 101 | 0.4 | 1.8 | 1.0 | 0.07 | 0.12 | 158 | 0.6 | 2.9 | 1.7 | 0.13 | 0.21 | C21 |
| Liver | 691 | 2.5 | 12.2 | 7.1 | 0.48 | 0.87 | 256 | 1.0 | 4.7 | 2.5 | 0.14 | 0.28 | C22 |
| Gallbladder etc. | 137 | 0.5 | 2.4 | 1.3 | 0.06 | 0.15 | 144 | 0.5 | 2.6 | 1.3 | 0.07 | 0.15 | C23–24 |
| Pancreas | 850 | 3.0 | 15.0 | 8.1 | 0.41 | 0.99 | 804 | 3.0 | 14.7 | 7.1 | 0.35 | 0.83 | C25 |
| Nose, sinuses etc. | 45 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | 33 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 271 | 1.0 | 4.8 | 2.6 | 0.12 | 0.35 | 70 | 0.3 | 1.3 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 3665 | 13.0 | 64.6 | 32.5 | 1.21 | 4.06 | 3868 | 14.5 | 70.6 | 33.2 | 1.33 | 4.12 | C33–34 |
| Other thoracic organs | 29 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 16 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 84 | 0.3 | 1.5 | 1.3 | 0.08 | 0.11 | 60 | 0.2 | 1.1 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 1658 | 5.9 | 29.2 | 16.6 | 0.92 | 1.89 | 1004 | 3.8 | 18.3 | 11.4 | 0.80 | 1.24 | C43 |
| Other skin | 99 | 0.4 | 1.7 | 1.1 | 0.06 | 0.12 | 59 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 73 | 0.3 | 1.3 | 0.6 | 0.02 | 0.07 | 25 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 41 | 0.1 | 0.7 | 0.6 | 0.05 | 0.06 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 266 | 0.9 | 4.7 | 3.1 | 0.19 | 0.31 | 176 | 0.7 | 3.2 | 2.0 | 0.12 | 0.22 | C47+C49 |
| Breast | 90 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | 7709 | 28.9 | 140.6 | 83.3 | 5.56 | 9.85 | C50 |
| Vulva | | | | | | | 145 | 0.5 | 2.6 | 1.5 | 0.09 | 0.15 | C51 |
| Vagina | | | | | | | 42 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 516 | 1.9 | 9.4 | 7.2 | 0.58 | 0.70 | C53 |
| Corpus uteri | | | | | | | 1458 | 5.5 | 26.6 | 16.0 | 1.15 | 1.97 | C54 |
| Uterus unspecified | | | | | | | 57 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 700 | 2.6 | 12.8 | 7.6 | 0.52 | 0.84 | C56 |
| Other female genital organs | | | | | | | 59 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 57 | 0.2 | 1.0 | 0.5 | 0.01 | 0.06 | | | | | | | C60 |
| Prostate | 6167 | 21.9 | 108.7 | 59.1 | 2.91 | 8.15 | | | | | | | C61 |
| Testis | 353 | 1.3 | 6.2 | 6.1 | 0.45 | 0.46 | | | | | | | C62 |
| Other male genital organs | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1169 | 4.2 | 20.6 | 12.5 | 0.78 | 1.49 | 680 | 2.5 | 12.4 | 7.4 | 0.48 | 0.86 | C64 |
| Renal pelvis | 70 | 0.2 | 1.2 | 0.6 | 0.02 | 0.06 | 49 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 36 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 36 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 2234 | 7.9 | 39.4 | 19.7 | 0.73 | 2.26 | 693 | 2.6 | 12.6 | 5.9 | 0.26 | 0.71 | C67 |
| Other urinary organs | 34 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 13 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 72 | 0.3 | 1.3 | 1.0 | 0.05 | 0.08 | 43 | 0.2 | 0.8 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 504 | 1.8 | 8.9 | 6.6 | 0.39 | 0.65 | 380 | 1.4 | 6.9 | 5.1 | 0.32 | 0.49 | C70–72 |
| Thyroid | 482 | 1.7 | 8.5 | 5.9 | 0.41 | 0.63 | 1397 | 5.2 | 25.5 | 20.1 | 1.57 | 1.95 | C73 |
| Adrenal gland | 21 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 29 | 0.1 | 0.5 | 0.6 | 0.04 | 0.04 | C74 |
| Other endocrine | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 119 | 0.4 | 2.1 | 1.8 | 0.12 | 0.15 | 100 | 0.4 | 1.8 | 1.7 | 0.11 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 1110 | 3.9 | 19.6 | 11.5 | 0.66 | 1.26 | 856 | 3.2 | 15.6 | 8.4 | 0.44 | 0.94 | C82–86,C96 |
| Immunoproliferative diseases | 69 | 0.2 | 1.2 | 0.7 | 0.03 | 0.08 | 39 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | C88 |
| Multiple myeloma | 386 | 1.4 | 6.8 | 3.7 | 0.18 | 0.46 | 261 | 1.0 | 4.8 | 2.4 | 0.13 | 0.28 | C90 |
| Lymphoid leukaemia | 594 | 2.1 | 10.5 | 7.5 | 0.41 | 0.71 | 369 | 1.4 | 6.7 | 4.7 | 0.22 | 0.39 | C91 |
| Myeloid leukaemia | 443 | 1.6 | 7.8 | 4.9 | 0.27 | 0.49 | 298 | 1.1 | 5.4 | 3.3 | 0.18 | 0.32 | C92–94 |
| Leukaemia unspecified | 70 | 0.2 | 1.2 | 0.8 | 0.03 | 0.06 | 44 | 0.2 | 0.8 | 0.5 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 134 | 0.5 | 2.4 | 1.4 | 0.08 | 0.15 | 102 | 0.4 | 1.9 | 1.0 | 0.05 | 0.12 | MPD |
| Myelodysplastic syndromes | 207 | 0.7 | 3.6 | 1.7 | 0.05 | 0.17 | 134 | 0.5 | 2.4 | 1.1 | 0.04 | 0.12 | MPS |
| Other and unspecified | 919 | 3.3 | 16.2 | 8.6 | 0.41 | 1.00 | 799 | 3.0 | 14.6 | 6.9 | 0.31 | 0.76 | O&U |
| All sites | 28222 | | 497.4 | 282.0 | 14.67 | 33.56 | 26741 | | 487.9 | 280.4 | 17.12 | 31.79 | C00–96 |
| All sites except C44 | 28123 | 100.0 | 495.6 | 280.9 | 14.61 | 33.44 | 26682 | 100.0 | 486.8 | 279.7 | 17.08 | 31.72 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, New Jersey


CONTRIBUTORS

Antoinette M. Stroup
 Lisa E. Paddock
 Heather Stabinsky
 Karen S. Pawlish
 Henry Lewis



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 91.8 | Breast | 98.3 |
| Trachea, bronchus, and lung | 35.6 | Trachea, bronchus, and lung | 31.8 |
| Bladder | 22.3 | Thyroid | 23.1 |
| Colon | 19.7 | Corpus uteri | 22.7 |
| Melanoma of skin | 18.2 | Colon | 15.9 |
| Non-Hodgkin lymphoma | 15.5 | Melanoma of skin | 12.7 |
| Kidney | 15.1 | Non-Hodgkin lymphoma | 10.7 |
| Rectum | 10.2 | Ovary | 8.6 |
| Pancreas | 9.9 | Pancreas | 7.7 |
| Lymphoid leukaemia | 8.7 | Kidney | 7.3 |
| Liver | 8.7 | Rectum | 6.6 |
| Thyroid | 7.8 | Bladder | 6.1 |
| Brain and nervous system | 6.5 | Cervix uteri | 6.0 |
| Stomach | 6.5 | Lymphoid leukaemia | 5.6 |
| Multiple myeloma | 5.7 | Brain and nervous system | 4.9 |
| Testis | 5.6 | Other and unspecified | 4.4 |
| Myeloid leukaemia | 5.5 | Multiple myeloma | 3.9 |
| Other and unspecified | 5.2 | Stomach | 3.8 |
| Oesophagus | 4.8 | Myeloid leukaemia | 3.8 |
| Myelodysplastic syndromes | 3.7 | Myeloproliferative disorders | 2.8 |
| All sites | 348.2 | All sites | 318.9 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 136.9 |
| Trachea, bronchus, and lung | 38.3 |
| Colon | 23.6 |
| Kidney | 16.4 |
| Bladder | 12.2 |
| Liver | 12.0 |
| Pancreas | 10.7 |
| Non-Hodgkin lymphoma | 10.6 |
| Multiple myeloma | 9.8 |
| Rectum | 9.5 |
| All sites | 357.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 93.3 |
| Trachea, bronchus, and lung | 29.1 |
| Corpus uteri | 20.4 |
| Colon | 19.2 |
| Thyroid | 12.6 |
| Pancreas | 8.9 |
| Multiple myeloma | 7.8 |
| Kidney | 7.6 |
| Non-Hodgkin lymphoma | 7.5 |
| Cervix uteri | 7.4 |
| All sites | 290.1 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 85.6 |
| Trachea, bronchus, and lung | 36.8 |
| Bladder | 24.2 |
| Melanoma of skin | 21.7 |
| Colon | 19.8 |
| Non-Hodgkin lymphoma | 16.7 |
| Kidney | 15.7 |
| Rectum | 10.2 |
| Pancreas | 10.2 |
| Lymphoid leukaemia | 9.2 |
| All sites | 355.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 101.2 |
| Trachea, bronchus, and lung | 34.1 |
| Thyroid | 25.8 |
| Corpus uteri | 23.9 |
| Colon | 15.9 |
| Melanoma of skin | 15.9 |
| Non-Hodgkin lymphoma | 11.4 |
| Ovary | 8.9 |
| Pancreas | 7.8 |
| Kidney | 7.7 |
| All sites | 333.8 |

USA, New Jersey (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 117 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 61 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1269 | 1.0 | 5.9 | 3.6 | 0.25 | 0.46 | 557 | 0.4 | 2.5 | 1.3 | 0.08 | 0.16 | C01–02 |
| Mouth | 672 | 0.5 | 3.1 | 1.8 | 0.11 | 0.21 | 461 | 0.4 | 2.0 | 1.0 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 449 | 0.4 | 2.1 | 1.2 | 0.06 | 0.13 | 301 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 951 | 0.7 | 4.4 | 2.8 | 0.23 | 0.34 | 181 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | C09 |
| Other oropharynx | 215 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 72 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 193 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 84 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 229 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 60 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 107 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 31 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1802 | 1.4 | 8.3 | 4.8 | 0.24 | 0.61 | 550 | 0.4 | 2.4 | 1.1 | 0.05 | 0.12 | C15 |
| Stomach | 2506 | 2.0 | 11.6 | 6.5 | 0.33 | 0.76 | 1709 | 1.3 | 7.5 | 3.8 | 0.22 | 0.42 | C16 |
| Small intestine | 734 | 0.6 | 3.4 | 2.0 | 0.12 | 0.24 | 643 | 0.5 | 2.8 | 1.5 | 0.09 | 0.17 | C17 |
| Colon | 7459 | 5.9 | 34.5 | 19.7 | 1.04 | 2.22 | 7770 | 5.9 | 34.2 | 15.9 | 0.82 | 1.67 | C18 |
| Rectum | 3655 | 2.9 | 16.9 | 10.2 | 0.66 | 1.19 | 2820 | 2.2 | 12.4 | 6.6 | 0.44 | 0.75 | C19–20 |
| Anus | 324 | 0.3 | 1.5 | 0.9 | 0.06 | 0.10 | 651 | 0.5 | 2.9 | 1.6 | 0.12 | 0.20 | C21 |
| Liver | 3138 | 2.5 | 14.5 | 8.7 | 0.53 | 1.08 | 1245 | 1.0 | 5.5 | 2.7 | 0.14 | 0.32 | C22 |
| Gallbladder etc. | 796 | 0.6 | 3.7 | 2.0 | 0.08 | 0.23 | 950 | 0.7 | 4.2 | 1.9 | 0.08 | 0.22 | C23–24 |
| Pancreas | 3851 | 3.0 | 17.8 | 9.9 | 0.47 | 1.18 | 3951 | 3.0 | 17.4 | 7.7 | 0.35 | 0.88 | C25 |
| Nose, sinuses etc. | 200 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 150 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 1315 | 1.0 | 6.1 | 3.5 | 0.20 | 0.43 | 298 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | C32 |
| Trachea, bronchus, and lung | 14243 | 11.2 | 65.8 | 35.6 | 1.40 | 4.35 | 15657 | 12.0 | 68.9 | 31.8 | 1.42 | 4.04 | C33–34 |
| Other thoracic organs | 166 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 149 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 294 | 0.2 | 1.4 | 1.2 | 0.07 | 0.10 | 251 | 0.2 | 1.1 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 6825 | 5.4 | 31.5 | 18.2 | 0.97 | 2.08 | 4882 | 3.7 | 21.5 | 12.7 | 0.87 | 1.35 | C43 |
| Other skin | 584 | 0.5 | 2.7 | 1.6 | 0.08 | 0.16 | 438 | 0.3 | 1.9 | 1.1 | 0.06 | 0.11 | C44 |
| Mesothelioma | 416 | 0.3 | 1.9 | 0.9 | 0.02 | 0.10 | 164 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 158 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 29 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 1033 | 0.8 | 4.8 | 3.2 | 0.17 | 0.30 | 800 | 0.6 | 3.5 | 2.3 | 0.14 | 0.23 | C47+C49 |
| Breast | 365 | 0.3 | 1.7 | 1.0 | 0.05 | 0.12 | 38222 | 29.2 | 168.3 | 98.3 | 6.77 | 11.45 | C50 |
| Vulva | | | | | | | 821 | 0.6 | 3.6 | 1.7 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 184 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1908 | 1.5 | 8.4 | 6.0 | 0.46 | 0.59 | C53 |
| Corpus uteri | | | | | | | 9117 | 7.0 | 40.1 | 22.7 | 1.58 | 2.90 | C54 |
| Uterus unspecified | | | | | | | 393 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | C55 |
| Ovary | | | | | | | 3406 | 2.6 | 15.0 | 8.6 | 0.57 | 0.98 | C56 |
| Other female genital organs | | | | | | | 516 | 0.4 | 2.3 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 28 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 197 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 33576 | 26.4 | 155.2 | 91.8 | 4.97 | 12.63 | | | | | | | C61 |
| Testis | 1253 | 1.0 | 5.8 | 5.6 | 0.42 | 0.43 | | | | | | | C62 |
| Other male genital organs | 69 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 5202 | 4.1 | 24.0 | 15.1 | 0.94 | 1.83 | 2908 | 2.2 | 12.8 | 7.3 | 0.45 | 0.85 | C64 |
| Renal pelvis | 288 | 0.2 | 1.3 | 0.7 | 0.03 | 0.09 | 259 | 0.2 | 1.1 | 0.5 | 0.01 | 0.05 | C65 |
| Ureter | 194 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | 144 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 9234 | 7.3 | 42.7 | 22.3 | 0.80 | 2.58 | 3224 | 2.5 | 14.2 | 6.1 | 0.27 | 0.70 | C67 |
| Other urinary organs | 166 | 0.1 | 0.8 | 0.4 | 0.01 | 0.04 | 88 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 172 | 0.1 | 0.8 | 0.6 | 0.03 | 0.05 | 173 | 0.1 | 0.8 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 1845 | 1.5 | 8.5 | 6.5 | 0.39 | 0.61 | 1519 | 1.2 | 6.7 | 4.9 | 0.31 | 0.45 | C70–72 |
| Thyroid | 2313 | 1.8 | 10.7 | 7.8 | 0.59 | 0.82 | 6761 | 5.2 | 29.8 | 23.1 | 1.82 | 2.22 | C73 |
| Adrenal gland | 70 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 90 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 40 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 30 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 780 | 0.6 | 3.6 | 3.2 | 0.21 | 0.27 | 654 | 0.5 | 2.9 | 2.7 | 0.18 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 5457 | 4.3 | 25.2 | 15.5 | 0.84 | 1.66 | 4600 | 3.5 | 20.3 | 10.7 | 0.59 | 1.19 | C82–86, C96 |
| Immunoproliferative diseases | 446 | 0.4 | 2.1 | 1.2 | 0.06 | 0.14 | 517 | 0.4 | 2.3 | 1.2 | 0.07 | 0.14 | C88 |
| Multiple myeloma | 2208 | 1.7 | 10.2 | 5.7 | 0.28 | 0.68 | 1824 | 1.4 | 8.0 | 3.9 | 0.20 | 0.49 | C90 |
| Lymphoid leukaemia | 2892 | 2.3 | 13.4 | 8.7 | 0.43 | 0.90 | 2088 | 1.6 | 9.2 | 5.6 | 0.29 | 0.54 | C91 |
| Myeloid leukaemia | 1971 | 1.6 | 9.1 | 5.5 | 0.28 | 0.56 | 1561 | 1.2 | 6.9 | 3.8 | 0.20 | 0.38 | C92–94 |
| Leukaemia unspecified | 113 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 137 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 1226 | 1.0 | 5.7 | 3.3 | 0.18 | 0.37 | 1272 | 1.0 | 5.6 | 2.8 | 0.15 | 0.31 | MPD |
| Myelodysplastic syndromes | 1668 | 1.3 | 7.7 | 3.7 | 0.09 | 0.34 | 1298 | 1.0 | 5.7 | 2.2 | 0.07 | 0.21 | MPS |
| Other and unspecified | 2109 | 1.7 | 9.7 | 5.2 | 0.23 | 0.55 | 2455 | 1.9 | 10.8 | 4.4 | 0.20 | 0.46 | O&U |
| All sites | 127555 | | 589.5 | 348.2 | 18.32 | 41.60 | 131112 | | 577.4 | 318.9 | 19.81 | 36.07 | C00–96 |
| All sites except C44 | 126971 | 100.0 | 586.8 | 346.6 | 18.25 | 41.44 | 130674 | 100.0 | 575.5 | 317.8 | 19.75 | 35.97 | C00–96 exc. C44 |

§Includes 8 cases of unknown age

§Includes 8 cases of unknown age

USA, New Jersey: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 80 | 0.6 | 2.4 | 2.0 | 0.13 | 0.26 | 40 | 0.3 | 1.1 | 0.7 | 0.05 | 0.09 | C01–02 |
| Mouth | 58 | 0.4 | 1.8 | 1.4 | 0.10 | 0.17 | 47 | 0.3 | 1.3 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 35 | 0.2 | 1.1 | 0.9 | 0.06 | 0.10 | 37 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 95 | 0.7 | 2.9 | 2.3 | 0.15 | 0.31 | 17 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | C09 |
| Other oropharynx | 36 | 0.2 | 1.1 | 0.9 | 0.06 | 0.10 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 31 | 0.2 | 0.9 | 0.8 | 0.06 | 0.10 | 18 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 37 | 0.3 | 1.1 | 0.9 | 0.06 | 0.11 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 154 | 1.1 | 4.7 | 3.7 | 0.20 | 0.46 | 84 | 0.5 | 2.3 | 1.4 | 0.10 | 0.17 | C15 |
| Stomach | 336 | 2.3 | 10.3 | 8.1 | 0.37 | 0.92 | 311 | 2.0 | 8.6 | 5.3 | 0.32 | 0.56 | C16 |
| Small intestine | 121 | 0.8 | 3.7 | 3.0 | 0.18 | 0.41 | 141 | 0.9 | 3.9 | 2.6 | 0.15 | 0.30 | C17 |
| Colon | 970 | 6.7 | 29.7 | 23.6 | 1.32 | 2.86 | 1115 | 7.1 | 30.8 | 19.2 | 1.07 | 2.17 | C18 |
| Rectum | 389 | 2.7 | 11.9 | 9.5 | 0.62 | 1.13 | 350 | 2.2 | 9.7 | 6.3 | 0.42 | 0.74 | C19–20 |
| Anus | 50 | 0.3 | 1.5 | 1.2 | 0.10 | 0.11 | 82 | 0.5 | 2.3 | 1.6 | 0.10 | 0.18 | C21 |
| Liver | 472 | 3.3 | 14.4 | 12.0 | 0.83 | 1.62 | 183 | 1.2 | 5.0 | 3.4 | 0.23 | 0.43 | C22 |
| Gallbladder etc. | 83 | 0.6 | 2.5 | 2.0 | 0.09 | 0.23 | 155 | 1.0 | 4.3 | 2.6 | 0.12 | 0.29 | C23–24 |
| Pancreas | 442 | 3.1 | 13.5 | 10.7 | 0.61 | 1.33 | 544 | 3.5 | 15.0 | 8.9 | 0.44 | 1.02 | C25 |
| Nose, sinuses etc. | 30 | 0.2 | 0.9 | 0.7 | 0.05 | 0.10 | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 174 | 1.2 | 5.3 | 4.3 | 0.24 | 0.58 | 65 | 0.4 | 1.8 | 1.2 | 0.09 | 0.15 | C32 |
| Trachea, bronchus, and lung | 1588 | 11.0 | 48.6 | 38.3 | 1.72 | 4.85 | 1727 | 11.1 | 47.6 | 29.1 | 1.59 | 3.56 | C33–34 |
| Other thoracic organs | 16 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 26 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C37–38 |
| Bone | 33 | 0.2 | 1.0 | 1.0 | 0.06 | 0.08 | 30 | 0.2 | 0.8 | 0.7 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 34 | 0.2 | 1.0 | 0.8 | 0.05 | 0.09 | 34 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 48 | 0.3 | 1.5 | 1.3 | 0.09 | 0.12 | 50 | 0.3 | 1.4 | 1.1 | 0.08 | 0.10 | C44 |
| Mesothelioma | 16 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 16 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 38 | 0.3 | 1.2 | 1.0 | 0.08 | 0.09 | 13 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C46 |
| Connective and soft tissue | 86 | 0.6 | 2.6 | 2.3 | 0.14 | 0.23 | 105 | 0.7 | 2.9 | 2.2 | 0.13 | 0.23 | C47+C49 |
| Breast | 52 | 0.4 | 1.6 | 1.3 | 0.06 | 0.15 | 4911 | 31.5 | 135.5 | 93.3 | 6.52 | 10.86 | C50 |
| Vulva | | | | | | | 67 | 0.4 | 1.8 | 1.2 | 0.09 | 0.13 | C51 |
| Vagina | | | | | | | 29 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 374 | 2.4 | 10.3 | 7.4 | 0.56 | 0.77 | C53 |
| Corpus uteri | | | | | | | 1099 | 7.0 | 30.3 | 20.4 | 1.34 | 2.69 | C54 |
| Uterus unspecified | | | | | | | 94 | 0.6 | 2.6 | 1.7 | 0.09 | 0.20 | C55 |
| Ovary | | | | | | | 363 | 2.3 | 10.0 | 6.9 | 0.48 | 0.77 | C56 |
| Other female genital organs | | | | | | | 63 | 0.4 | 1.7 | 1.1 | 0.07 | 0.14 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 5515 | 38.3 | 168.6 | 136.9 | 7.93 | 18.65 | | | | | | | C61 |
| Testis | 53 | 0.4 | 1.6 | 1.5 | 0.11 | 0.12 | | | | | | | C62 |
| Other male genital organs | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 652 | 4.5 | 19.9 | 16.4 | 1.10 | 2.00 | 402 | 2.6 | 11.1 | 7.6 | 0.47 | 0.91 | C64 |
| Renal pelvis | 14 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 18 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | C65 |
| Ureter | 6 | 0.0 | 0.2 | 0.2 | 0.00 | 0.02 | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 510 | 3.5 | 15.6 | 12.2 | 0.50 | 1.43 | 241 | 1.5 | 6.6 | 3.7 | 0.17 | 0.38 | C67 |
| Other urinary organs | 14 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 11 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 155 | 1.1 | 4.7 | 4.3 | 0.27 | 0.39 | 143 | 0.9 | 3.9 | 3.4 | 0.23 | 0.30 | C70–72 |
| Thyroid | 127 | 0.9 | 3.9 | 3.2 | 0.23 | 0.34 | 592 | 3.8 | 16.3 | 12.6 | 0.98 | 1.29 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 22 | 0.1 | 0.6 | 0.6 | 0.03 | 0.05 | C74 |
| Other endocrine | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 102 | 0.7 | 3.1 | 2.8 | 0.21 | 0.24 | 108 | 0.7 | 3.0 | 2.7 | 0.19 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 420 | 2.9 | 12.8 | 10.6 | 0.66 | 1.18 | 389 | 2.5 | 10.7 | 7.5 | 0.47 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 28 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | 50 | 0.3 | 1.4 | 1.0 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 404 | 2.8 | 12.4 | 9.8 | 0.50 | 1.20 | 446 | 2.9 | 12.3 | 7.8 | 0.41 | 0.97 | C90 |
| Lymphoid leukaemia | 196 | 1.4 | 6.0 | 5.1 | 0.25 | 0.58 | 192 | 1.2 | 5.3 | 4.2 | 0.22 | 0.39 | C91 |
| Myeloid leukaemia | 198 | 1.4 | 6.1 | 5.0 | 0.30 | 0.50 | 173 | 1.1 | 4.8 | 3.4 | 0.18 | 0.34 | C92–94 |
| Leukaemia unspecified | 13 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 18 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 101 | 0.7 | 3.1 | 2.5 | 0.15 | 0.27 | 120 | 0.8 | 3.3 | 2.3 | 0.14 | 0.24 | MPD |
| Myelodysplastic syndromes | 124 | 0.9 | 3.8 | 2.9 | 0.09 | 0.26 | 136 | 0.9 | 3.8 | 2.2 | 0.08 | 0.24 | MPS |
| Other and unspecified | 257 | 1.8 | 7.9 | 6.2 | 0.32 | 0.68 | 341 | 2.2 | 9.4 | 5.6 | 0.27 | 0.60 | O&U |
| All sites | 14449 | | 441.8 | 357.6 | 20.26 | 44.83 | 15660 | | 432.0 | 290.1 | 18.49 | 33.22 | C00–96 |
| All sites except C44 | 14401 | 100.0 | 440.3 | 356.3 | 20.17 | 44.70 | 15610 | 100.0 | 430.6 | 289.0 | 18.42 | 33.12 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, New Jersey: White (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 109 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | 52 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1117 | 1.1 | 6.9 | 4.0 | 0.28 | 0.50 | 480 | 0.4 | 2.9 | 1.5 | 0.09 | 0.18 | C01–02 |
| Mouth | 519 | 0.5 | 3.2 | 1.7 | 0.10 | 0.20 | 372 | 0.3 | 2.2 | 1.0 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 383 | 0.4 | 2.4 | 1.3 | 0.06 | 0.14 | 243 | 0.2 | 1.5 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 826 | 0.8 | 5.1 | 3.1 | 0.26 | 0.37 | 159 | 0.1 | 1.0 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 172 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 61 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 125 | 0.1 | 0.8 | 0.5 | 0.04 | 0.05 | 50 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 179 | 0.2 | 1.1 | 0.6 | 0.03 | 0.08 | 48 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 96 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 24 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1581 | 1.5 | 9.8 | 5.2 | 0.26 | 0.66 | 440 | 0.4 | 2.6 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 1921 | 1.8 | 11.9 | 6.2 | 0.32 | 0.72 | 1205 | 1.1 | 7.2 | 3.3 | 0.19 | 0.37 | C16 |
| Small intestine | 572 | 0.5 | 3.6 | 1.9 | 0.11 | 0.23 | 473 | 0.4 | 2.8 | 1.3 | 0.08 | 0.16 | C17 |
| Colon | 6098 | 5.8 | 37.9 | 19.8 | 1.03 | 2.20 | 6286 | 5.9 | 37.6 | 15.9 | 0.80 | 1.65 | C18 |
| Rectum | 2947 | 2.8 | 18.3 | 10.2 | 0.66 | 1.19 | 2249 | 2.1 | 13.5 | 6.7 | 0.44 | 0.75 | C19–20 |
| Anus | 263 | 0.3 | 1.6 | 0.9 | 0.06 | 0.10 | 551 | 0.5 | 3.3 | 1.8 | 0.13 | 0.22 | C21 |
| Liver | 2405 | 2.3 | 14.9 | 8.2 | 0.49 | 1.01 | 972 | 0.9 | 5.8 | 2.6 | 0.13 | 0.31 | C22 |
| Gallbladder etc. | 658 | 0.6 | 4.1 | 2.0 | 0.09 | 0.23 | 731 | 0.7 | 4.4 | 1.7 | 0.07 | 0.20 | C23–24 |
| Pancreas | 3247 | 3.1 | 20.2 | 10.2 | 0.48 | 1.22 | 3255 | 3.0 | 19.5 | 7.8 | 0.35 | 0.90 | C25 |
| Nose, sinuses etc. | 151 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 125 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 1104 | 1.1 | 6.9 | 3.6 | 0.21 | 0.45 | 225 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 12082 | 11.5 | 75.1 | 36.8 | 1.43 | 4.51 | 13472 | 12.5 | 80.6 | 34.1 | 1.48 | 4.36 | C33–34 |
| Other thoracic organs | 130 | 0.1 | 0.8 | 0.6 | 0.04 | 0.06 | 108 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 240 | 0.2 | 1.5 | 1.3 | 0.07 | 0.11 | 196 | 0.2 | 1.2 | 1.1 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 6524 | 6.2 | 40.5 | 21.7 | 1.17 | 2.47 | 4632 | 4.3 | 27.7 | 15.9 | 1.10 | 1.68 | C43 |
| Other skin | 498 | 0.5 | 3.1 | 1.7 | 0.08 | 0.17 | 357 | 0.3 | 2.1 | 1.0 | 0.05 | 0.11 | C44 |
| Mesothelioma | 389 | 0.4 | 2.4 | 1.1 | 0.03 | 0.11 | 144 | 0.1 | 0.9 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 108 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 14 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 890 | 0.8 | 5.5 | 3.4 | 0.18 | 0.32 | 653 | 0.6 | 3.9 | 2.4 | 0.14 | 0.24 | C47+C49 |
| Breast | 300 | 0.3 | 1.9 | 1.0 | 0.05 | 0.12 | 30671 | 28.6 | 183.6 | 101.2 | 6.94 | 11.79 | C50 |
| Vulva | | | | | | | 726 | 0.7 | 4.3 | 1.9 | 0.11 | 0.21 | C51 |
| Vagina | | | | | | | 148 | 0.1 | 0.9 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1410 | 1.3 | 8.4 | 6.1 | 0.48 | 0.60 | C53 |
| Corpus uteri | | | | | | | 7511 | 7.0 | 45.0 | 23.9 | 1.66 | 3.05 | C54 |
| Uterus unspecified | | | | | | | 283 | 0.3 | 1.7 | 0.8 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 2793 | 2.6 | 16.7 | 8.9 | 0.59 | 1.03 | C56 |
| Other female genital organs | | | | | | | 429 | 0.4 | 2.6 | 1.3 | 0.07 | 0.16 | C57 |
| Placenta | | | | | | | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 166 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 25431 | 24.3 | 158.0 | 85.6 | 4.55 | 11.82 | | | | | | | C61 |
| Testis | 1113 | 1.1 | 6.9 | 6.9 | 0.52 | 0.53 | | | | | | | C62 |
| Other male genital organs | 55 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 4334 | 4.1 | 26.9 | 15.7 | 0.97 | 1.91 | 2382 | 2.2 | 14.3 | 7.7 | 0.48 | 0.89 | C64 |
| Renal pelvis | 261 | 0.2 | 1.6 | 0.8 | 0.03 | 0.10 | 232 | 0.2 | 1.4 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 180 | 0.2 | 1.1 | 0.5 | 0.01 | 0.06 | 128 | 0.1 | 0.8 | 0.3 | 0.01 | 0.02 | C66 |
| Bladder | 8261 | 7.9 | 51.3 | 24.2 | 0.86 | 2.81 | 2840 | 2.6 | 17.0 | 6.7 | 0.30 | 0.78 | C67 |
| Other urinary organs | 133 | 0.1 | 0.8 | 0.4 | 0.01 | 0.04 | 68 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C68 |
| Eye | 155 | 0.1 | 1.0 | 0.7 | 0.04 | 0.06 | 150 | 0.1 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1560 | 1.5 | 9.7 | 7.0 | 0.42 | 0.66 | 1283 | 1.2 | 7.7 | 5.4 | 0.34 | 0.50 | C70–72 |
| Thyroid | 1979 | 1.9 | 12.3 | 8.8 | 0.66 | 0.92 | 5527 | 5.1 | 33.1 | 25.8 | 2.03 | 2.46 | C73 |
| Adrenal gland | 56 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 59 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 32 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 17 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 633 | 0.6 | 3.9 | 3.4 | 0.23 | 0.29 | 513 | 0.5 | 3.1 | 2.9 | 0.19 | 0.23 | C81 |
| Non-Hodgkin lymphoma | 4720 | 4.5 | 29.3 | 16.7 | 0.90 | 1.79 | 3944 | 3.7 | 23.6 | 11.4 | 0.63 | 1.28 | C82–86,C96 |
| Immunoproliferative diseases | 389 | 0.4 | 2.4 | 1.3 | 0.07 | 0.15 | 436 | 0.4 | 2.6 | 1.3 | 0.07 | 0.15 | C88 |
| Multiple myeloma | 1681 | 1.6 | 10.4 | 5.3 | 0.26 | 0.63 | 1289 | 1.2 | 7.7 | 3.4 | 0.17 | 0.42 | C90 |
| Lymphoid leukaemia | 2437 | 2.3 | 15.1 | 9.2 | 0.46 | 0.93 | 1721 | 1.6 | 10.3 | 5.8 | 0.30 | 0.56 | C91 |
| Myeloid leukaemia | 1650 | 1.6 | 10.3 | 5.7 | 0.29 | 0.58 | 1294 | 1.2 | 7.7 | 4.0 | 0.21 | 0.40 | C92–94 |
| Leukaemia unspecified | 90 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | 113 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 1032 | 1.0 | 6.4 | 3.4 | 0.18 | 0.38 | 1070 | 1.0 | 6.4 | 2.9 | 0.14 | 0.32 | MPD |
| Myelodysplastic syndromes | 1475 | 1.4 | 9.2 | 3.9 | 0.09 | 0.36 | 1099 | 1.0 | 6.6 | 2.2 | 0.07 | 0.22 | MPS |
| Other and unspecified | 1757 | 1.7 | 10.9 | 5.2 | 0.23 | 0.55 | 2007 | 1.9 | 12.0 | 4.3 | 0.19 | 0.45 | O&U |
| All sites | 105214 | | 653.8 | 355.5 | 18.52 | 42.21 | 107738 | | 644.9 | 333.8 | 20.65 | 37.74 | C00–96 |
| All sites except C44 | 104716 | 100.0 | 650.7 | 353.8 | 18.44 | 42.04 | 107381 | 100.0 | 642.8 | 332.8 | 20.59 | 37.64 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, New Mexico


CONTRIBUTORS

Charles Wiggins
Virginia Wiggins
Angela Meisner
Marc Barry



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 57.4 | Breast | 76.5 |
| Trachea, bronchus, and lung | 25.1 | Trachea, bronchus, and lung | 20.6 |
| Colon | 15.3 | Thyroid | 19.7 |
| Kidney | 13.4 | Corpus uteri | 17.5 |
| Bladder | 13.2 | Colon | 13.8 |
| Liver | 12.1 | Ovary | 8.6 |
| Melanoma of skin | 12.1 | Melanoma of skin | 8.5 |
| Non-Hodgkin lymphoma | 10.2 | Non-Hodgkin lymphoma | 7.7 |
| Rectum | 9.2 | Kidney | 7.7 |
| Pancreas | 8.1 | Cervix uteri | 6.7 |
| Lymphoid leukaemia | 7.3 | Pancreas | 6.1 |
| Testis | 6.3 | Rectum | 5.8 |
| Thyroid | 6.1 | Lymphoid leukaemia | 4.9 |
| Other and unspecified | 5.7 | Other and unspecified | 4.4 |
| Stomach | 5.1 | Brain and nervous system | 3.8 |
| Brain and nervous system | 4.7 | Bladder | 3.8 |
| Myeloid leukaemia | 4.7 | Myeloid leukaemia | 3.8 |
| Oesophagus | 4.4 | Liver | 3.7 |
| Multiple myeloma | 4.4 | Stomach | 3.1 |
| Tongue | 2.9 | Multiple myeloma | 2.8 |
| All sites | 258.1 | All sites | 252.8 |



NOTES ON THE DATA

*Rates based on low numbers due to small population.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 30.9 |
| Kidney | 23.5 |
| Colon | 17.1 |
| Liver | 16.6 |
| Rectum | 12.1 |
| Trachea, bronchus, and lung | 9.3 |
| Stomach | 8.5 |
| Pancreas | 6.8 |
| Testis | 6.6 |
| Non-Hodgkin lymphoma | 6.0 |
| All sites | 197.1 |

Female

| | |
|----------------------|-------|
| Breast | 46.8 |
| Corpus uteri | 20.0 |
| Colon | 15.3 |
| Thyroid | 12.6 |
| Ovary | 9.8 |
| Kidney | 9.7 |
| Non-Hodgkin lymphoma | 7.2 |
| Liver | 6.6 |
| Cervix uteri | 6.6 |
| Rectum | 6.6 |
| All sites | 197.9 |



10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Prostate | 56.5 |
| Trachea, bronchus, and lung | 26.1 |
| Colon | 15.0 |
| Bladder | 13.8 |
| Melanoma of skin | 12.8 |
| Kidney | 12.6 |
| Liver | 11.7 |
| Non-Hodgkin lymphoma | 10.4 |
| Rectum | 9.0 |
| Pancreas | 8.3 |
| All sites | 259.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 79.3 |
| Trachea, bronchus, and lung | 21.8 |
| Thyroid | 20.8 |
| Corpus uteri | 17.0 |
| Colon | 13.6 |
| Melanoma of skin | 9.0 |
| Ovary | 8.5 |
| Non-Hodgkin lymphoma | 7.7 |
| Kidney | 7.3 |
| Cervix uteri | 6.9 |
| All sites | 257.7 |

USA, New Mexico: Hispanic White (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Provided by the United States Census Bureau, based on decennial censuses and several other surveys, from which annual estimates of the population for each state are derived. Population estimates for the denominators of incidence and mortality rates are race-specific, ethnicity-specific, and sex-specific county population estimates aggregated to the state or metropolitan-area level.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Prostate | 48.3 |
| Trachea, bronchus, and lung | 20.2 |
| Liver | 18.5 |
| Colon | 16.5 |
| Kidney | 14.9 |
| Rectum | 10.6 |
| Non-Hodgkin lymphoma | 9.9 |
| Bladder | 9.2 |
| Pancreas | 9.1 |
| Stomach | 6.9 |
| All sites | 237.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 74.9 |
| Thyroid | 21.1 |
| Trachea, bronchus, and lung | 15.9 |
| Corpus uteri | 15.5 |
| Colon | 15.3 |
| Kidney | 9.6 |
| Ovary | 8.1 |
| Cervix uteri | 7.5 |
| Non-Hodgkin lymphoma | 7.5 |
| Pancreas | 6.9 |
| All sites | 247.3 |

USA, New Mexico: Non-Hispanic White (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Provided by the United States Census Bureau, based on decennial censuses and several other surveys, from which annual estimates of the population for each state are derived. Population estimates for the denominators of incidence and mortality rates are race-specific, ethnicity-specific, and sex-specific county population estimates aggregated to the state or metropolitan-area level.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 61.7 |
| Trachea, bronchus, and lung | 29.8 |
| Melanoma of skin | 19.8 |
| Bladder | 16.4 |
| Colon | 14.5 |
| Non-Hodgkin lymphoma | 11.0 |
| Kidney | 10.7 |
| Rectum | 8.0 |
| Lymphoid leukaemia | 7.9 |
| Pancreas | 7.8 |
| All sites | 273.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 81.5 |
| Trachea, bronchus, and lung | 25.5 |
| Thyroid | 20.9 |
| Corpus uteri | 17.8 |
| Melanoma of skin | 14.2 |
| Colon | 12.7 |
| Ovary | 8.8 |
| Non-Hodgkin lymphoma | 7.9 |
| Cervix uteri | 6.2 |
| Pancreas | 5.9 |
| All sites | 265.9 |

USA, New Mexico (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 47 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 12 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C00</i> |
| Tongue | 240 | 1.1 | 4.6 | 2.9 | 0.20 | 0.36 | 101 | 0.4 | 1.9 | 1.1 | 0.08 | 0.13 | <i>C01–02</i> |
| Mouth | 101 | 0.4 | 2.0 | 1.1 | 0.07 | 0.14 | 57 | 0.2 | 1.1 | 0.4 | 0.01 | 0.05 | <i>C03–06</i> |
| Salivary glands | 97 | 0.4 | 1.9 | 0.9 | 0.04 | 0.09 | 44 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | <i>C07–08</i> |
| Tonsil | 163 | 0.7 | 3.1 | 2.1 | 0.18 | 0.25 | 32 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | <i>C09</i> |
| Other oropharynx | 53 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | 14 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | <i>C10</i> |
| Nasopharynx | 36 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | <i>C11</i> |
| Hypopharynx | 46 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 8 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C12–13</i> |
| Pharynx unspecified | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 8 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C14</i> |
| Oesophagus | 419 | 1.8 | 8.1 | 4.4 | 0.21 | 0.56 | 77 | 0.3 | 1.5 | 0.7 | 0.04 | 0.09 | <i>C15</i> |
| Stomach | 471 | 2.1 | 9.1 | 5.1 | 0.26 | 0.59 | 322 | 1.4 | 6.1 | 3.1 | 0.18 | 0.35 | <i>C16</i> |
| Small intestine | 121 | 0.5 | 2.3 | 1.5 | 0.09 | 0.17 | 99 | 0.4 | 1.9 | 1.0 | 0.06 | 0.12 | <i>C17</i> |
| Colon | 1360 | 6.0 | 26.3 | 15.3 | 0.90 | 1.75 | 1375 | 6.0 | 26.0 | 13.8 | 0.83 | 1.57 | <i>C18</i> |
| Rectum | 763 | 3.4 | 14.7 | 9.2 | 0.64 | 1.05 | 527 | 2.3 | 10.0 | 5.8 | 0.42 | 0.67 | <i>C19–20</i> |
| Anus | 69 | 0.3 | 1.3 | 0.9 | 0.06 | 0.10 | 113 | 0.5 | 2.1 | 1.2 | 0.09 | 0.14 | <i>C21</i> |
| Liver | 1010 | 4.4 | 19.5 | 12.1 | 0.87 | 1.52 | 375 | 1.6 | 7.1 | 3.7 | 0.20 | 0.42 | <i>C22</i> |
| Gallbladder etc. | 198 | 0.9 | 3.8 | 2.0 | 0.09 | 0.24 | 205 | 0.9 | 3.9 | 1.9 | 0.10 | 0.23 | <i>C23–24</i> |
| Pancreas | 769 | 3.4 | 14.9 | 8.1 | 0.42 | 0.99 | 690 | 3.0 | 13.1 | 6.1 | 0.31 | 0.70 | <i>C25</i> |
| Nose, sinuses etc. | 48 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | 27 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | <i>C30–31</i> |
| Larynx | 239 | 1.0 | 4.6 | 2.6 | 0.15 | 0.33 | 64 | 0.3 | 1.2 | 0.7 | 0.05 | 0.08 | <i>C32</i> |
| Trachea, bronchus, and lung | 2555 | 11.2 | 49.4 | 25.1 | 0.96 | 2.98 | 2352 | 10.3 | 44.6 | 20.6 | 0.89 | 2.56 | <i>C33–34</i> |
| Other thoracic organs | 32 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | 21 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | <i>C37–38</i> |
| Bone | 66 | 0.3 | 1.3 | 1.1 | 0.07 | 0.09 | 61 | 0.3 | 1.2 | 1.0 | 0.06 | 0.09 | <i>C40–41</i> |
| Melanoma of skin | 1079 | 4.7 | 20.8 | 12.1 | 0.67 | 1.44 | 750 | 3.3 | 14.2 | 8.5 | 0.58 | 0.96 | <i>C43</i> |
| Other skin | 107 | 0.5 | 2.1 | 1.2 | 0.06 | 0.12 | 88 | 0.4 | 1.7 | 1.0 | 0.06 | 0.10 | <i>C44</i> |
| Mesothelioma | 63 | 0.3 | 1.2 | 0.6 | 0.02 | 0.07 | 19 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | <i>C45</i> |
| Kaposi sarcoma | 20 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | <i>C46</i> |
| Connective and soft tissue | 209 | 0.9 | 4.0 | 2.6 | 0.14 | 0.27 | 161 | 0.7 | 3.1 | 2.2 | 0.14 | 0.22 | <i>C47+C49</i> |
| Breast | 57 | 0.3 | 1.1 | 0.6 | 0.03 | 0.07 | 6756 | 29.5 | 128.0 | 76.5 | 5.27 | 9.02 | <i>C50</i> |
| Vulva | | | | | | | 132 | 0.6 | 2.5 | 1.3 | 0.08 | 0.15 | <i>C51</i> |
| Vagina | | | | | | | 40 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | <i>C52</i> |
| Cervix uteri | | | | | | | 421 | 1.8 | 8.0 | 6.7 | 0.55 | 0.62 | <i>C53</i> |
| Corpus uteri | | | | | | | 1522 | 6.7 | 28.8 | 17.5 | 1.30 | 2.12 | <i>C54</i> |
| Uterus unspecified | | | | | | | 66 | 0.3 | 1.3 | 0.7 | 0.04 | 0.07 | <i>C55</i> |
| Ovary | | | | | | | 768 | 3.4 | 14.5 | 8.6 | 0.56 | 0.98 | <i>C56</i> |
| Other female genital organs | | | | | | | 110 | 0.5 | 2.1 | 1.1 | 0.06 | 0.15 | <i>C57</i> |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C58</i> |
| Penis | 55 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | | | | | | | <i>C60</i> |
| Prostate | 5303 | 23.3 | 102.5 | 57.4 | 2.99 | 7.80 | | | | | | | <i>C61</i> |
| Testis | 323 | 1.4 | 6.2 | 6.3 | 0.45 | 0.47 | | | | | | | <i>C62</i> |
| Other male genital organs | 8 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | <i>C63</i> |
| Kidney | 1070 | 4.7 | 20.7 | 13.4 | 0.90 | 1.56 | 664 | 2.9 | 12.6 | 7.7 | 0.51 | 0.84 | <i>C64</i> |
| Renal pelvis | 32 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 32 | 0.1 | 0.6 | 0.3 | 0.00 | 0.04 | <i>C65</i> |
| Ureter | 33 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 21 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | <i>C66</i> |
| Bladder | 1367 | 6.0 | 26.4 | 13.2 | 0.49 | 1.52 | 436 | 1.9 | 8.3 | 3.8 | 0.17 | 0.45 | <i>C67</i> |
| Other urinary organs | 18 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | <i>C68</i> |
| Eye | 42 | 0.2 | 0.8 | 0.7 | 0.03 | 0.06 | 36 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | <i>C69</i> |
| Brain and nervous system | 346 | 1.5 | 6.7 | 4.7 | 0.30 | 0.49 | 282 | 1.2 | 5.3 | 3.8 | 0.24 | 0.37 | <i>C70–72</i> |
| Thyroid | 433 | 1.9 | 8.4 | 6.1 | 0.47 | 0.66 | 1276 | 5.6 | 24.2 | 19.7 | 1.56 | 1.90 | <i>C73</i> |
| Adrenal gland | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 14 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | <i>C74</i> |
| Other endocrine | 10 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 8 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C75</i> |
| Hodgkin lymphoma | 160 | 0.7 | 3.1 | 2.5 | 0.17 | 0.23 | 97 | 0.4 | 1.8 | 1.7 | 0.11 | 0.14 | <i>C81</i> |
| Non-Hodgkin lymphoma | 870 | 3.8 | 16.8 | 10.2 | 0.56 | 1.12 | 761 | 3.3 | 14.4 | 7.7 | 0.42 | 0.90 | <i>C82–86, C96</i> |
| Immunoproliferative diseases | 53 | 0.2 | 1.0 | 0.6 | 0.02 | 0.08 | 77 | 0.3 | 1.5 | 0.9 | 0.06 | 0.10 | <i>C88</i> |
| Multiple myeloma | 414 | 1.8 | 8.0 | 4.4 | 0.21 | 0.53 | 288 | 1.3 | 5.5 | 2.8 | 0.16 | 0.32 | <i>C90</i> |
| Lymphoid leukaemia | 535 | 2.4 | 10.3 | 7.3 | 0.37 | 0.70 | 391 | 1.7 | 7.4 | 4.9 | 0.26 | 0.43 | <i>C91</i> |
| Myeloid leukaemia | 377 | 1.7 | 7.3 | 4.7 | 0.25 | 0.48 | 320 | 1.4 | 6.1 | 3.8 | 0.22 | 0.40 | <i>C92–94</i> |
| Leukaemia unspecified | 26 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 19 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | <i>C95</i> |
| Myeloproliferative disorders | 180 | 0.8 | 3.5 | 2.1 | 0.13 | 0.22 | 169 | 0.7 | 3.2 | 1.8 | 0.10 | 0.20 | <i>MPD</i> |
| Myelodysplastic syndromes | 181 | 0.8 | 3.5 | 1.7 | 0.05 | 0.17 | 117 | 0.5 | 2.2 | 0.9 | 0.03 | 0.09 | <i>MPS</i> |
| Other and unspecified | 562 | 2.5 | 10.9 | 5.7 | 0.25 | 0.63 | 524 | 2.3 | 9.9 | 4.4 | 0.20 | 0.49 | <i>O&U</i> |
| All sites | 22870 | | 441.8 | 258.1 | 14.11 | 30.51 | 22969 | | 435.1 | 252.8 | 16.20 | 28.65 | <i>C00–96</i> |
| All sites except C44 | 22763 | 100.0 | 439.8 | 256.9 | 14.05 | 30.38 | 22881 | 100.0 | 433.5 | 251.8 | 16.14 | 28.55 | <i>C00–96 exc. C44</i> |

***USA, New Mexico: American Indian (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | <i>C00</i> |
| Tongue | 4 | 0.3 | 0.7 | 0.6 | 0.04 | 0.09 | 3 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | <i>C01–02</i> |
| Mouth | 7 | 0.6 | 1.2 | 1.1 | 0.06 | 0.12 | 3 | 0.2 | 0.5 | 0.4 | 0.01 | 0.05 | <i>C03–06</i> |
| Salivary glands | 4 | 0.3 | 0.7 | 0.7 | 0.06 | 0.06 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C07–08</i> |
| Tonsil | 7 | 0.6 | 1.2 | 1.2 | 0.09 | 0.15 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C09</i> |
| Other oropharynx | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C10</i> |
| Nasopharynx | 3 | 0.2 | 0.5 | 0.5 | 0.05 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C11</i> |
| Hypopharynx | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C12–13</i> |
| Pharynx unspecified | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C14</i> |
| Oesophagus | 13 | 1.1 | 2.3 | 2.2 | 0.09 | 0.24 | 4 | 0.3 | 0.7 | 0.5 | 0.04 | 0.07 | <i>C15</i> |
| Stomach | 52 | 4.3 | 9.0 | 8.5 | 0.43 | 1.08 | 43 | 2.9 | 7.1 | 5.3 | 0.29 | 0.55 | <i>C16</i> |
| Small intestine | 7 | 0.6 | 1.2 | 1.1 | 0.06 | 0.11 | 12 | 0.8 | 2.0 | 1.4 | 0.09 | 0.15 | <i>C17</i> |
| Colon | 106 | 8.8 | 18.4 | 17.1 | 0.93 | 1.95 | 123 | 8.3 | 20.3 | 15.3 | 0.98 | 1.68 | <i>C18</i> |
| Rectum | 74 | 6.1 | 12.9 | 12.1 | 0.82 | 1.47 | 49 | 3.3 | 8.1 | 6.6 | 0.44 | 0.78 | <i>C19–20</i> |
| Anus | 2 | 0.2 | 0.3 | 0.4 | 0.03 | 0.03 | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | <i>C21</i> |
| Liver | 102 | 8.4 | 17.7 | 16.6 | 1.03 | 2.24 | 53 | 3.6 | 8.7 | 6.6 | 0.29 | 0.89 | <i>C22</i> |
| Gallbladder etc. | 23 | 1.9 | 4.0 | 3.7 | 0.11 | 0.41 | 34 | 2.3 | 5.6 | 4.0 | 0.23 | 0.34 | <i>C23–24</i> |
| Pancreas | 44 | 3.6 | 7.6 | 6.8 | 0.20 | 0.73 | 35 | 2.4 | 5.8 | 3.9 | 0.17 | 0.39 | <i>C25</i> |
| Nose, sinuses etc. | 6 | 0.5 | 1.0 | 1.0 | 0.09 | 0.09 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | <i>C30–31</i> |
| Larynx | 7 | 0.6 | 1.2 | 1.1 | 0.10 | 0.10 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C32</i> |
| Trachea, bronchus, and lung | 59 | 4.9 | 10.3 | 9.3 | 0.23 | 1.00 | 53 | 3.6 | 8.7 | 6.0 | 0.25 | 0.76 | <i>C33–34</i> |
| Other thoracic organs | 3 | 0.2 | 0.5 | 0.5 | 0.05 | 0.05 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | <i>C37–38</i> |
| Bone | 5 | 0.4 | 0.9 | 0.8 | 0.07 | 0.07 | 5 | 0.3 | 0.8 | 0.8 | 0.05 | 0.09 | <i>C40–41</i> |
| Melanoma of skin | 16 | 1.3 | 2.8 | 2.5 | 0.12 | 0.35 | 21 | 1.4 | 3.5 | 2.8 | 0.16 | 0.33 | <i>C43</i> |
| Other skin | 6 | 0.5 | 1.0 | 1.0 | 0.07 | 0.07 | 10 | 0.7 | 1.6 | 1.5 | 0.14 | 0.17 | <i>C44</i> |
| Mesothelioma | 5 | 0.4 | 0.9 | 0.9 | 0.02 | 0.12 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C45</i> |
| Kaposi sarcoma | 5 | 0.4 | 0.9 | 0.9 | 0.06 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 17 | 1.4 | 3.0 | 2.8 | 0.14 | 0.23 | 17 | 1.1 | 2.8 | 2.4 | 0.19 | 0.23 | <i>C47+C49</i> |
| Breast | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 343 | 23.1 | 56.6 | 46.8 | 3.44 | 5.46 | <i>C50</i> |
| Vulva | | | | | | | 6 | 0.4 | 1.0 | 0.6 | 0.03 | 0.03 | <i>C51</i> |
| Vagina | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | <i>C52</i> |
| Cervix uteri | | | | | | | 46 | 3.1 | 7.6 | 6.6 | 0.53 | 0.68 | <i>C53</i> |
| Corpus uteri | | | | | | | 142 | 9.6 | 23.4 | 20.0 | 1.61 | 2.41 | <i>C54</i> |
| Uterus unspecified | | | | | | | 9 | 0.6 | 1.5 | 1.2 | 0.09 | 0.09 | <i>C55</i> |
| Ovary | | | | | | | 74 | 5.0 | 12.2 | 9.8 | 0.61 | 1.17 | <i>C56</i> |
| Other female genital organs | | | | | | | 8 | 0.5 | 1.3 | 1.2 | 0.10 | 0.16 | <i>C57</i> |
| Placenta | | | | | | | 3 | 0.2 | 0.5 | 0.5 | 0.04 | 0.04 | <i>C58</i> |
| Penis | 4 | 0.3 | 0.7 | 0.7 | 0.08 | 0.08 | | | | | | | <i>C60</i> |
| Prostate | 194 | 16.0 | 33.7 | 30.9 | 1.22 | 3.78 | | | | | | | <i>C61</i> |
| Testis | 41 | 3.4 | 7.1 | 6.6 | 0.48 | 0.48 | | | | | | | <i>C62</i> |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | <i>C63</i> |
| Kidney | 144 | 11.9 | 25.0 | 23.5 | 1.49 | 2.88 | 74 | 5.0 | 12.2 | 9.7 | 0.67 | 0.96 | <i>C64</i> |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C65</i> |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C66</i> |
| Bladder | 31 | 2.6 | 5.4 | 4.8 | 0.15 | 0.45 | 19 | 1.3 | 3.1 | 2.5 | 0.15 | 0.22 | <i>C67</i> |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C68</i> |
| Eye | 5 | 0.4 | 0.9 | 0.9 | 0.03 | 0.12 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | <i>C69</i> |
| Brain and nervous system | 15 | 1.2 | 2.6 | 2.6 | 0.12 | 0.22 | 19 | 1.3 | 3.1 | 2.8 | 0.18 | 0.24 | <i>C70–72</i> |
| Thyroid | 25 | 2.1 | 4.3 | 4.3 | 0.34 | 0.51 | 89 | 6.0 | 14.7 | 12.6 | 0.99 | 1.29 | <i>C73</i> |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | <i>C74</i> |
| Other endocrine | 2 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | <i>C75</i> |
| Hodgkin lymphoma | 7 | 0.6 | 1.2 | 1.2 | 0.06 | 0.12 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | <i>C81</i> |
| Non-Hodgkin lymphoma | 35 | 2.9 | 6.1 | 6.0 | 0.36 | 0.66 | 57 | 3.8 | 9.4 | 7.2 | 0.43 | 0.76 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | <i>C88</i> |
| Multiple myeloma | 33 | 2.7 | 5.7 | 5.2 | 0.20 | 0.55 | 29 | 2.0 | 4.8 | 3.6 | 0.19 | 0.46 | <i>C90</i> |
| Lymphoid leukaemia | 25 | 2.1 | 4.3 | 4.2 | 0.20 | 0.38 | 24 | 1.6 | 4.0 | 3.3 | 0.24 | 0.27 | <i>C91</i> |
| Myeloid leukaemia | 20 | 1.7 | 3.5 | 3.2 | 0.21 | 0.25 | 19 | 1.3 | 3.1 | 2.9 | 0.16 | 0.28 | <i>C92–94</i> |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | <i>C95</i> |
| Myeloproliferative disorders | 10 | 0.8 | 1.7 | 1.6 | 0.11 | 0.11 | 7 | 0.5 | 1.2 | 0.9 | 0.04 | 0.14 | <i>MPD</i> |
| Myelodysplastic syndromes | 10 | 0.8 | 1.7 | 1.7 | 0.05 | 0.24 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>MPS</i> |
| Other and unspecified | 33 | 2.7 | 5.7 | 5.3 | 0.28 | 0.62 | 43 | 2.9 | 7.1 | 5.1 | 0.24 | 0.58 | <i>O&U</i> |
| All sites | 1216 | | 211.3 | 197.1 | 10.38 | 22.46 | 1496 | | 246.8 | 197.9 | 13.32 | 21.98 | <i>C00–96</i> |
| All sites except C44 | 1210 | 100.0 | 210.3 | 196.1 | 10.31 | 22.39 | 1486 | 100.0 | 245.1 | 196.4 | 13.18 | 21.81 | <i>C00–96 exc. C44</i> |

*See note following population pyramid

USA, New Mexico: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 45 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 233 | 1.1 | 5.4 | 3.2 | 0.22 | 0.40 | 97 | 0.5 | 2.2 | 1.2 | 0.09 | 0.14 | C01–02 |
| Mouth | 89 | 0.4 | 2.1 | 1.1 | 0.07 | 0.14 | 53 | 0.3 | 1.2 | 0.5 | 0.01 | 0.05 | C03–06 |
| Salivary glands | 92 | 0.4 | 2.1 | 1.0 | 0.04 | 0.10 | 41 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 148 | 0.7 | 3.4 | 2.1 | 0.18 | 0.25 | 29 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C09 |
| Other oropharynx | 51 | 0.2 | 1.2 | 0.6 | 0.03 | 0.08 | 14 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 30 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 44 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | 8 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 16 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 395 | 1.9 | 9.1 | 4.6 | 0.22 | 0.59 | 71 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | C15 |
| Stomach | 400 | 2.0 | 9.2 | 4.8 | 0.23 | 0.55 | 259 | 1.3 | 5.9 | 2.8 | 0.16 | 0.32 | C16 |
| Small intestine | 108 | 0.5 | 2.5 | 1.5 | 0.09 | 0.18 | 83 | 0.4 | 1.9 | 1.0 | 0.05 | 0.12 | C17 |
| Colon | 1200 | 5.9 | 27.7 | 15.0 | 0.90 | 1.72 | 1198 | 5.9 | 27.1 | 13.6 | 0.81 | 1.55 | C18 |
| Rectum | 669 | 3.3 | 15.4 | 9.0 | 0.62 | 1.03 | 460 | 2.2 | 10.4 | 5.7 | 0.42 | 0.66 | C19–20 |
| Anus | 66 | 0.3 | 1.5 | 0.9 | 0.07 | 0.11 | 108 | 0.5 | 2.4 | 1.3 | 0.10 | 0.15 | C21 |
| Liver | 863 | 4.2 | 19.9 | 11.7 | 0.85 | 1.46 | 307 | 1.5 | 7.0 | 3.4 | 0.19 | 0.38 | C22 |
| Gallbladder etc. | 168 | 0.8 | 3.9 | 1.9 | 0.09 | 0.23 | 166 | 0.8 | 3.8 | 1.8 | 0.09 | 0.22 | C23–24 |
| Pancreas | 695 | 3.4 | 16.0 | 8.3 | 0.45 | 1.01 | 629 | 3.1 | 14.3 | 6.3 | 0.32 | 0.73 | C25 |
| Nose, sinuses etc. | 38 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 26 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 220 | 1.1 | 5.1 | 2.7 | 0.15 | 0.33 | 60 | 0.3 | 1.4 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 2400 | 11.7 | 55.4 | 26.1 | 1.02 | 3.10 | 2215 | 10.8 | 50.2 | 21.8 | 0.96 | 2.72 | C33–34 |
| Other thoracic organs | 28 | 0.1 | 0.6 | 0.6 | 0.04 | 0.04 | 18 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 60 | 0.3 | 1.4 | 1.2 | 0.08 | 0.09 | 55 | 0.3 | 1.2 | 1.1 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 1015 | 5.0 | 23.4 | 12.8 | 0.72 | 1.51 | 693 | 3.4 | 15.7 | 9.0 | 0.61 | 1.01 | C43 |
| Other skin | 94 | 0.5 | 2.2 | 1.2 | 0.06 | 0.12 | 73 | 0.4 | 1.7 | 0.9 | 0.05 | 0.09 | C44 |
| Mesothelioma | 57 | 0.3 | 1.3 | 0.6 | 0.01 | 0.06 | 18 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 12 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 179 | 0.9 | 4.1 | 2.5 | 0.14 | 0.26 | 140 | 0.7 | 3.2 | 2.1 | 0.14 | 0.22 | C47+C49 |
| Breast | 54 | 0.3 | 1.2 | 0.6 | 0.03 | 0.08 | 6148 | 30.0 | 139.3 | 79.3 | 5.47 | 9.32 | C50 |
| Vulva | | | | | | | 124 | 0.6 | 2.8 | 1.4 | 0.09 | 0.17 | C51 |
| Vagina | | | | | | | 37 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 359 | 1.8 | 8.1 | 6.9 | 0.55 | 0.63 | C53 |
| Corpus uteri | | | | | | | 1310 | 6.4 | 29.7 | 17.0 | 1.26 | 2.05 | C54 |
| Uterus unspecified | | | | | | | 54 | 0.3 | 1.2 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 671 | 3.3 | 15.2 | 8.5 | 0.56 | 0.98 | C56 |
| Other female genital organs | | | | | | | 101 | 0.5 | 2.3 | 1.1 | 0.06 | 0.16 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 49 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 4693 | 22.9 | 108.3 | 56.5 | 2.96 | 7.70 | | | | | | | C61 |
| Testis | 269 | 1.3 | 6.2 | 6.4 | 0.46 | 0.47 | | | | | | | C62 |
| Other male genital organs | 8 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 889 | 4.3 | 20.5 | 12.6 | 0.84 | 1.46 | 557 | 2.7 | 12.6 | 7.3 | 0.48 | 0.81 | C64 |
| Renal pelvis | 31 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | 32 | 0.2 | 0.7 | 0.3 | 0.00 | 0.04 | C65 |
| Ureter | 33 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | 20 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 1291 | 6.3 | 29.8 | 13.8 | 0.52 | 1.59 | 401 | 2.0 | 9.1 | 3.9 | 0.17 | 0.47 | C67 |
| Other urinary organs | 17 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 35 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 34 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 323 | 1.6 | 7.5 | 5.0 | 0.32 | 0.52 | 254 | 1.2 | 5.8 | 4.0 | 0.26 | 0.38 | C70–72 |
| Thyroid | 385 | 1.9 | 8.9 | 6.3 | 0.49 | 0.68 | 1129 | 5.5 | 25.6 | 20.8 | 1.66 | 1.99 | C73 |
| Adrenal gland | 16 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 13 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 146 | 0.7 | 3.4 | 2.6 | 0.19 | 0.24 | 88 | 0.4 | 2.0 | 1.8 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 799 | 3.9 | 18.4 | 10.4 | 0.57 | 1.14 | 670 | 3.3 | 15.2 | 7.7 | 0.41 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 49 | 0.2 | 1.1 | 0.6 | 0.02 | 0.08 | 67 | 0.3 | 1.5 | 0.8 | 0.06 | 0.09 | C88 |
| Multiple myeloma | 364 | 1.8 | 8.4 | 4.3 | 0.20 | 0.52 | 237 | 1.2 | 5.4 | 2.5 | 0.13 | 0.29 | C90 |
| Lymphoid leukaemia | 476 | 2.3 | 11.0 | 7.5 | 0.38 | 0.71 | 343 | 1.7 | 7.8 | 5.1 | 0.26 | 0.43 | C91 |
| Myeloid leukaemia | 340 | 1.7 | 7.8 | 4.7 | 0.25 | 0.48 | 286 | 1.4 | 6.5 | 3.8 | 0.22 | 0.40 | C92–94 |
| Leukaemia unspecified | 25 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | 18 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 158 | 0.8 | 3.6 | 2.1 | 0.12 | 0.23 | 155 | 0.8 | 3.5 | 1.9 | 0.11 | 0.21 | MPD |
| Myelodysplastic syndromes | 164 | 0.8 | 3.8 | 1.6 | 0.04 | 0.16 | 109 | 0.5 | 2.5 | 0.9 | 0.03 | 0.09 | MPS |
| Other and unspecified | 509 | 2.5 | 11.7 | 5.6 | 0.24 | 0.62 | 459 | 2.2 | 10.4 | 4.3 | 0.19 | 0.47 | O&U |
| All sites | 20546 | | 474.2 | 259.1 | 14.22 | 30.58 | 20535 | | 465.3 | 257.7 | 16.49 | 29.14 | C00–96 |
| All sites except C44 | 20452 | 100.0 | 472.0 | 257.9 | 14.16 | 30.47 | 20462 | 100.0 | 463.6 | 256.8 | 16.44 | 29.05 | C00–96 exc. C44 |

USA, New Mexico: Hispanic White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 56 | 0.8 | 2.4 | 1.9 | 0.13 | 0.23 | 35 | 0.4 | 1.5 | 1.1 | 0.09 | 0.12 | C01–02 |
| Mouth | 24 | 0.3 | 1.0 | 0.8 | 0.04 | 0.09 | 20 | 0.3 | 0.8 | 0.4 | 0.01 | 0.04 | C03–06 |
| Salivary glands | 21 | 0.3 | 0.9 | 0.6 | 0.03 | 0.05 | 17 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 47 | 0.7 | 2.0 | 1.6 | 0.12 | 0.19 | 8 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C09 |
| Other oropharynx | 13 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 14 | 0.2 | 0.6 | 0.5 | 0.05 | 0.06 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 14 | 0.2 | 0.6 | 0.4 | 0.01 | 0.05 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 124 | 1.7 | 5.4 | 3.9 | 0.18 | 0.49 | 20 | 0.3 | 0.8 | 0.6 | 0.04 | 0.08 | C15 |
| Stomach | 216 | 3.0 | 9.3 | 6.9 | 0.33 | 0.79 | 168 | 2.1 | 7.1 | 4.6 | 0.22 | 0.54 | C16 |
| Small intestine | 50 | 0.7 | 2.2 | 1.7 | 0.12 | 0.19 | 35 | 0.4 | 1.5 | 1.0 | 0.05 | 0.11 | C17 |
| Colon | 507 | 7.1 | 21.9 | 16.5 | 0.97 | 1.89 | 524 | 6.6 | 22.3 | 15.3 | 0.93 | 1.77 | C18 |
| Rectum | 313 | 4.4 | 13.5 | 10.6 | 0.65 | 1.22 | 200 | 2.5 | 8.5 | 6.0 | 0.44 | 0.70 | C19–20 |
| Anus | 21 | 0.3 | 0.9 | 0.7 | 0.06 | 0.09 | 30 | 0.4 | 1.3 | 0.8 | 0.06 | 0.10 | C21 |
| Liver | 531 | 7.5 | 22.9 | 18.5 | 1.33 | 2.33 | 175 | 2.2 | 7.4 | 4.8 | 0.25 | 0.55 | C22 |
| Gallbladder etc. | 86 | 1.2 | 3.7 | 2.6 | 0.11 | 0.29 | 98 | 1.2 | 4.2 | 2.7 | 0.14 | 0.33 | C23–24 |
| Pancreas | 280 | 3.9 | 12.1 | 9.1 | 0.50 | 1.11 | 260 | 3.3 | 11.0 | 6.9 | 0.34 | 0.80 | C25 |
| Nose, sinuses etc. | 12 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | 12 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | C30–31 |
| Larynx | 77 | 1.1 | 3.3 | 2.5 | 0.13 | 0.35 | 16 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 668 | 9.4 | 28.8 | 20.2 | 0.72 | 2.34 | 613 | 7.7 | 26.0 | 15.9 | 0.62 | 1.93 | C33–34 |
| Other thoracic organs | 14 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 31 | 0.4 | 1.3 | 1.3 | 0.09 | 0.09 | 33 | 0.4 | 1.4 | 1.3 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 86 | 1.2 | 3.7 | 3.0 | 0.18 | 0.37 | 105 | 1.3 | 4.5 | 3.2 | 0.22 | 0.40 | C43 |
| Other skin | 21 | 0.3 | 0.9 | 0.7 | 0.04 | 0.06 | 25 | 0.3 | 1.1 | 0.8 | 0.05 | 0.10 | C44 |
| Mesothelioma | 18 | 0.3 | 0.8 | 0.5 | 0.01 | 0.05 | 12 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C46 |
| Connective and soft tissue | 71 | 1.0 | 3.1 | 2.5 | 0.14 | 0.26 | 64 | 0.8 | 2.7 | 2.3 | 0.16 | 0.23 | C47+C49 |
| Breast | 15 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 2325 | 29.2 | 98.7 | 74.9 | 5.38 | 8.80 | C50 |
| Vulva | | | | | | | 48 | 0.6 | 2.0 | 1.3 | 0.07 | 0.15 | C51 |
| Vagina | | | | | | | 16 | 0.2 | 0.7 | 0.4 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 200 | 2.5 | 8.5 | 7.5 | 0.61 | 0.68 | C53 |
| Corpus uteri | | | | | | | 483 | 6.1 | 20.5 | 15.5 | 1.17 | 1.82 | C54 |
| Uterus unspecified | | | | | | | 27 | 0.3 | 1.1 | 0.7 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 258 | 3.2 | 11.0 | 8.1 | 0.51 | 0.92 | C56 |
| Other female genital organs | | | | | | | 39 | 0.5 | 1.7 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | 0.4 | 1.1 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 1472 | 20.7 | 63.6 | 48.3 | 2.49 | 6.47 | | | | | | | C61 |
| Testis | 158 | 2.2 | 6.8 | 6.5 | 0.46 | 0.48 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 422 | 5.9 | 18.2 | 14.9 | 1.01 | 1.74 | 303 | 3.8 | 12.9 | 9.6 | 0.65 | 1.12 | C64 |
| Renal pelvis | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 11 | 0.1 | 0.5 | 0.3 | 0.00 | 0.05 | C65 |
| Ureter | 10 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 7 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 307 | 4.3 | 13.3 | 9.2 | 0.34 | 1.05 | 111 | 1.4 | 4.7 | 2.8 | 0.10 | 0.29 | C67 |
| Other urinary organs | 7 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 9 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 11 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 109 | 1.5 | 4.7 | 4.0 | 0.23 | 0.42 | 90 | 1.1 | 3.8 | 3.3 | 0.21 | 0.31 | C70–72 |
| Thyroid | 166 | 2.3 | 7.2 | 6.1 | 0.47 | 0.66 | 566 | 7.1 | 24.0 | 21.1 | 1.64 | 2.09 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 66 | 0.9 | 2.9 | 2.4 | 0.17 | 0.24 | 44 | 0.6 | 1.9 | 1.7 | 0.11 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 296 | 4.2 | 12.8 | 9.9 | 0.49 | 1.10 | 255 | 3.2 | 10.8 | 7.5 | 0.38 | 0.88 | C82–86,C96 |
| Immunoproliferative diseases | 13 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 31 | 0.4 | 1.3 | 0.9 | 0.06 | 0.10 | C88 |
| Multiple myeloma | 130 | 1.8 | 5.6 | 4.2 | 0.22 | 0.52 | 112 | 1.4 | 4.8 | 3.1 | 0.16 | 0.35 | C90 |
| Lymphoid leukaemia | 154 | 2.2 | 6.7 | 6.2 | 0.35 | 0.54 | 127 | 1.6 | 5.4 | 4.5 | 0.22 | 0.39 | C91 |
| Myeloid leukaemia | 131 | 1.8 | 5.7 | 4.5 | 0.23 | 0.45 | 102 | 1.3 | 4.3 | 3.3 | 0.19 | 0.32 | C92–94 |
| Leukaemia unspecified | 10 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 57 | 0.8 | 2.5 | 1.9 | 0.11 | 0.21 | 51 | 0.6 | 2.2 | 1.6 | 0.09 | 0.18 | MPD |
| Myelodysplastic syndromes | 36 | 0.5 | 1.6 | 1.0 | 0.02 | 0.10 | 39 | 0.5 | 1.7 | 0.9 | 0.02 | 0.09 | MPS |
| Other and unspecified | 180 | 2.5 | 7.8 | 5.5 | 0.23 | 0.61 | 201 | 2.5 | 8.5 | 5.0 | 0.23 | 0.53 | O&U |
| All sites | 7125 | | 307.7 | 237.4 | 13.10 | 27.76 | 7977 | | 338.8 | 247.3 | 15.86 | 27.86 | C00–96 |
| All sites except C44 | 7104 | 100.0 | 306.8 | 236.7 | 13.05 | 27.70 | 7952 | 100.0 | 337.7 | 246.4 | 15.81 | 27.76 | C00–96 exc. C44 |


USA, New Mexico: Non-Hispanic White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 35 | 0.3 | 1.7 | 0.7 | 0.03 | 0.07 | 7 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 177 | 1.3 | 8.8 | 4.1 | 0.30 | 0.51 | 62 | 0.5 | 3.0 | 1.2 | 0.08 | 0.15 | C01–02 |
| Mouth | 65 | 0.5 | 3.2 | 1.3 | 0.09 | 0.17 | 33 | 0.3 | 1.6 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 71 | 0.5 | 3.5 | 1.1 | 0.04 | 0.11 | 24 | 0.2 | 1.2 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 101 | 0.8 | 5.0 | 2.4 | 0.22 | 0.29 | 21 | 0.2 | 1.0 | 0.4 | 0.03 | 0.06 | C09 |
| Other oropharynx | 38 | 0.3 | 1.9 | 0.8 | 0.04 | 0.10 | 7 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 16 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 30 | 0.2 | 1.5 | 0.6 | 0.04 | 0.06 | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 271 | 2.0 | 13.4 | 5.0 | 0.25 | 0.64 | 51 | 0.4 | 2.5 | 0.9 | 0.05 | 0.11 | C15 |
| Stomach | 184 | 1.4 | 9.1 | 3.4 | 0.15 | 0.39 | 91 | 0.7 | 4.4 | 1.7 | 0.11 | 0.18 | C16 |
| Small intestine | 58 | 0.4 | 2.9 | 1.3 | 0.08 | 0.17 | 48 | 0.4 | 2.3 | 1.0 | 0.06 | 0.13 | C17 |
| Colon | 693 | 5.2 | 34.4 | 14.5 | 0.86 | 1.63 | 674 | 5.4 | 32.7 | 12.7 | 0.73 | 1.42 | C18 |
| Rectum | 356 | 2.7 | 17.6 | 8.0 | 0.59 | 0.92 | 260 | 2.1 | 12.6 | 5.6 | 0.41 | 0.65 | C19–20 |
| Anus | 45 | 0.3 | 2.2 | 1.1 | 0.08 | 0.12 | 78 | 0.6 | 3.8 | 1.6 | 0.13 | 0.20 | C21 |
| Liver | 332 | 2.5 | 16.5 | 6.9 | 0.48 | 0.88 | 132 | 1.1 | 6.4 | 2.5 | 0.13 | 0.28 | C22 |
| Gallbladder etc. | 82 | 0.6 | 4.1 | 1.6 | 0.08 | 0.20 | 68 | 0.5 | 3.3 | 1.2 | 0.05 | 0.14 | C23–24 |
| Pancreas | 415 | 3.1 | 20.6 | 7.8 | 0.41 | 0.96 | 369 | 2.9 | 17.9 | 5.9 | 0.29 | 0.67 | C25 |
| Nose, sinuses etc. | 26 | 0.2 | 1.3 | 0.5 | 0.02 | 0.05 | 14 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 143 | 1.1 | 7.1 | 2.8 | 0.17 | 0.33 | 44 | 0.4 | 2.1 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 1732 | 13.0 | 85.9 | 29.8 | 1.25 | 3.55 | 1602 | 12.8 | 77.8 | 25.5 | 1.20 | 3.20 | C33–34 |
| Other thoracic organs | 14 | 0.1 | 0.7 | 0.7 | 0.04 | 0.05 | 11 | 0.1 | 0.5 | 0.4 | 0.01 | 0.03 | C37–38 |
| Bone | 29 | 0.2 | 1.4 | 1.0 | 0.06 | 0.09 | 22 | 0.2 | 1.1 | 0.9 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 929 | 7.0 | 46.1 | 19.8 | 1.18 | 2.27 | 588 | 4.7 | 28.6 | 14.2 | 1.00 | 1.51 | C43 |
| Other skin | 73 | 0.5 | 3.6 | 1.4 | 0.07 | 0.15 | 48 | 0.4 | 2.3 | 1.0 | 0.05 | 0.09 | C44 |
| Mesothelioma | 39 | 0.3 | 1.9 | 0.6 | 0.01 | 0.07 | 6 | 0.0 | 0.3 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 5 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 108 | 0.8 | 5.4 | 2.4 | 0.13 | 0.25 | 76 | 0.6 | 3.7 | 2.0 | 0.12 | 0.20 | C47+C49 |
| Breast | 39 | 0.3 | 1.9 | 0.7 | 0.04 | 0.09 | 3823 | 30.6 | 185.7 | 81.5 | 5.51 | 9.58 | C50 |
| Vulva | | | | | | | 76 | 0.6 | 3.7 | 1.6 | 0.11 | 0.19 | C51 |
| Vagina | | | | | | | 21 | 0.2 | 1.0 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 159 | 1.3 | 7.7 | 6.2 | 0.50 | 0.57 | C53 |
| Corpus uteri | | | | | | | 827 | 6.6 | 40.2 | 17.8 | 1.31 | 2.18 | C54 |
| Uterus unspecified | | | | | | | 27 | 0.2 | 1.3 | 0.5 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 413 | 3.3 | 20.1 | 8.8 | 0.59 | 1.02 | C56 |
| Other female genital organs | | | | | | | 62 | 0.5 | 3.0 | 1.1 | 0.05 | 0.15 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 24 | 0.2 | 1.2 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 3221 | 24.1 | 159.7 | 61.7 | 3.31 | 8.44 | | | | | | | C61 |
| Testis | 111 | 0.8 | 5.5 | 6.1 | 0.45 | 0.46 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 467 | 3.5 | 23.1 | 10.7 | 0.70 | 1.26 | 254 | 2.0 | 12.3 | 5.8 | 0.35 | 0.61 | C64 |
| Renal pelvis | 23 | 0.2 | 1.1 | 0.4 | 0.03 | 0.04 | 21 | 0.2 | 1.0 | 0.3 | 0.00 | 0.04 | C65 |
| Ureter | 23 | 0.2 | 1.1 | 0.4 | 0.01 | 0.06 | 13 | 0.1 | 0.6 | 0.2 | 0.00 | 0.01 | C66 |
| Bladder | 984 | 7.4 | 48.8 | 16.4 | 0.64 | 1.90 | 290 | 2.3 | 14.1 | 4.5 | 0.21 | 0.57 | C67 |
| Other urinary organs | 10 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 26 | 0.2 | 1.3 | 0.9 | 0.05 | 0.08 | 23 | 0.2 | 1.1 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 214 | 1.6 | 10.6 | 5.9 | 0.40 | 0.60 | 164 | 1.3 | 8.0 | 4.9 | 0.31 | 0.45 | C70–72 |
| Thyroid | 219 | 1.6 | 10.9 | 6.6 | 0.52 | 0.70 | 563 | 4.5 | 27.3 | 20.9 | 1.68 | 1.96 | C73 |
| Adrenal gland | 14 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 6 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 6 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 80 | 0.6 | 4.0 | 3.2 | 0.23 | 0.27 | 44 | 0.4 | 2.1 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 503 | 3.8 | 24.9 | 11.0 | 0.63 | 1.18 | 415 | 3.3 | 20.2 | 7.9 | 0.45 | 0.93 | C82–86, C96 |
| Immunoproliferative diseases | 36 | 0.3 | 1.8 | 0.6 | 0.02 | 0.09 | 36 | 0.3 | 1.7 | 0.8 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 234 | 1.8 | 11.6 | 4.2 | 0.19 | 0.52 | 125 | 1.0 | 6.1 | 2.2 | 0.12 | 0.25 | C90 |
| Lymphoid leukaemia | 322 | 2.4 | 16.0 | 7.9 | 0.38 | 0.78 | 216 | 1.7 | 10.5 | 5.7 | 0.30 | 0.47 | C91 |
| Myeloid leukaemia | 209 | 1.6 | 10.4 | 4.7 | 0.25 | 0.50 | 184 | 1.5 | 8.9 | 4.2 | 0.25 | 0.46 | C92–94 |
| Leukaemia unspecified | 15 | 0.1 | 0.7 | 0.2 | 0.01 | 0.01 | 11 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 101 | 0.8 | 5.0 | 2.3 | 0.13 | 0.24 | 104 | 0.8 | 5.1 | 2.0 | 0.12 | 0.22 | MPD |
| Myelodysplastic syndromes | 128 | 1.0 | 6.3 | 2.1 | 0.06 | 0.20 | 70 | 0.6 | 3.4 | 1.0 | 0.03 | 0.09 | MPS |
| Other and unspecified | 329 | 2.5 | 16.3 | 5.7 | 0.25 | 0.63 | 258 | 2.1 | 12.5 | 3.8 | 0.16 | 0.43 | O&U |
| All sites | 13421 | | 665.3 | 273.2 | 15.10 | 32.31 | 12558 | | 609.9 | 265.9 | 17.01 | 30.00 | C00–96 |
| All sites except C44 | 13348 | 100.0 | 661.7 | 271.7 | 15.03 | 32.17 | 12510 | 100.0 | 607.6 | 264.9 | 16.96 | 29.91 | C00–96 exc. C44 |

USA, New York State


CONTRIBUTORS

Maria J. Schymura
Amy R. Kahn
Colleen G. Sherman



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 87.6 | Breast | 96.1 |
| Trachea, bronchus, and lung | 39.8 | Trachea, bronchus, and lung | 33.6 |
| Bladder | 22.2 | Thyroid | 23.9 |
| Colon | 18.7 | Corpus uteri | 23.1 |
| Non-Hodgkin lymphoma | 15.9 | Colon | 15.4 |
| Kidney | 15.8 | Non-Hodgkin lymphoma | 11.0 |
| Melanoma of skin | 14.9 | Melanoma of skin | 10.6 |
| Liver | 10.2 | Ovary | 8.8 |
| Pancreas | 10.0 | Pancreas | 7.5 |
| Rectum | 9.8 | Kidney | 7.4 |
| Lymphoid leukaemia | 9.6 | Rectum | 6.3 |
| Thyroid | 8.2 | Cervix uteri | 6.0 |
| Stomach | 7.4 | Bladder | 6.0 |
| Brain and nervous system | 6.6 | Lymphoid leukaemia | 5.5 |
| Multiple myeloma | 6.5 | Brain and nervous system | 4.8 |
| Myeloid leukaemia | 5.9 | Other and unspecified | 4.4 |
| Testis | 5.5 | Multiple myeloma | 4.4 |
| Other and unspecified | 5.1 | Myeloid leukaemia | 4.2 |
| Oesophagus | 4.9 | Stomach | 4.1 |
| Myeloproliferative disorders | 4.4 | Myeloproliferative disorders | 3.7 |
| All sites | 351.9 | All sites | 319.6 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 43.6 |
| Trachea, bronchus, and lung | 32.9 |
| Liver | 16.4 |
| Colon | 16.0 |
| Stomach | 14.0 |
| Non-Hodgkin lymphoma | 11.2 |
| Rectum | 10.8 |
| Bladder | 10.6 |
| Thyroid | 10.4 |
| Kidney | 8.8 |
| All sites | 243.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 76.0 |
| Thyroid | 30.3 |
| Trachea, bronchus, and lung | 21.4 |
| Corpus uteri | 16.2 |
| Colon | 12.1 |
| Ovary | 8.2 |
| Non-Hodgkin lymphoma | 7.2 |
| Stomach | 6.9 |
| Cervix uteri | 6.5 |
| Rectum | 6.2 |
| All sites | 246.0 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 143.3 |
| Trachea, bronchus, and lung | 38.4 |
| Colon | 22.0 |
| Kidney | 16.5 |
| Liver | 14.6 |
| Non-Hodgkin lymphoma | 11.9 |
| Bladder | 11.3 |
| Multiple myeloma | 11.2 |
| Pancreas | 10.8 |
| Rectum | 9.8 |
| All sites | 372.0 |

Female

| | |
|-----------------------------|-------|
| Breast | 88.3 |
| Trachea, bronchus, and lung | 25.0 |
| Corpus uteri | 22.6 |
| Colon | 16.9 |
| Thyroid | 13.4 |
| Non-Hodgkin lymphoma | 8.7 |
| Pancreas | 8.5 |
| Multiple myeloma | 8.1 |
| Cervix uteri | 7.6 |
| Kidney | 7.2 |
| All sites | 281.5 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 81.0 |
| Trachea, bronchus, and lung | 40.7 |
| Bladder | 25.2 |
| Melanoma of skin | 19.0 |
| Colon | 18.3 |
| Non-Hodgkin lymphoma | 17.0 |
| Kidney | 16.4 |
| Lymphoid leukaemia | 10.8 |
| Pancreas | 10.2 |
| Rectum | 9.7 |
| All sites | 358.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 100.3 |
| Trachea, bronchus, and lung | 36.7 |
| Thyroid | 25.8 |
| Corpus uteri | 24.0 |
| Colon | 15.4 |
| Melanoma of skin | 14.2 |
| Non-Hodgkin lymphoma | 11.9 |
| Ovary | 9.3 |
| Kidney | 7.8 |
| Pancreas | 7.6 |
| All sites | 336.6 |

USA, New York State (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|------------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 317 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 163 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 2778 | 1.0 | 5.8 | 3.7 | 0.25 | 0.46 | 1206 | 0.4 | 2.4 | 1.3 | 0.09 | 0.15 | C01–02 |
| Mouth | 1420 | 0.5 | 3.0 | 1.8 | 0.11 | 0.22 | 1050 | 0.4 | 2.1 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 845 | 0.3 | 1.8 | 1.0 | 0.06 | 0.10 | 665 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 1808 | 0.6 | 3.8 | 2.5 | 0.20 | 0.31 | 422 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 471 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 142 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 607 | 0.2 | 1.3 | 0.9 | 0.07 | 0.10 | 239 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 583 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 160 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 139 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 52 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 4079 | 1.5 | 8.6 | 4.9 | 0.27 | 0.62 | 1342 | 0.5 | 2.7 | 1.3 | 0.06 | 0.15 | C15 |
| Stomach | 6106 | 2.2 | 12.8 | 7.4 | 0.39 | 0.86 | 4079 | 1.4 | 8.1 | 4.1 | 0.23 | 0.46 | C16 |
| Small intestine | 1672 | 0.6 | 3.5 | 2.1 | 0.11 | 0.25 | 1457 | 0.5 | 2.9 | 1.6 | 0.10 | 0.18 | C17 |
| Colon | 15490 | 5.6 | 32.5 | 18.7 | 0.98 | 2.09 | 16312 | 5.7 | 32.3 | 15.4 | 0.83 | 1.67 | C18 |
| Rectum | 7520 | 2.7 | 15.8 | 9.8 | 0.65 | 1.13 | 5668 | 2.0 | 11.2 | 6.3 | 0.43 | 0.70 | C19–20 |
| Anus | 1007 | 0.4 | 2.1 | 1.4 | 0.10 | 0.16 | 1532 | 0.5 | 3.0 | 1.7 | 0.12 | 0.21 | C21 |
| Liver | 7919 | 2.8 | 16.6 | 10.2 | 0.65 | 1.29 | 3226 | 1.1 | 6.4 | 3.2 | 0.18 | 0.38 | C22 |
| Gallbladder etc. | 1754 | 0.6 | 3.7 | 2.0 | 0.09 | 0.23 | 2195 | 0.8 | 4.3 | 2.0 | 0.10 | 0.24 | C23–24 |
| Pancreas | 8465 | 3.0 | 17.8 | 10.0 | 0.49 | 1.20 | 8480 | 3.0 | 16.8 | 7.5 | 0.35 | 0.88 | C25 |
| Nose, sinuses etc. | 451 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 358 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 3045 | 1.1 | 6.4 | 3.7 | 0.22 | 0.47 | 804 | 0.3 | 1.6 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 34402 | 12.3 | 72.2 | 39.8 | 1.72 | 4.89 | 35604 | 12.5 | 70.5 | 33.6 | 1.61 | 4.23 | C33–34 |
| Other thoracic organs | 472 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | 367 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 704 | 0.3 | 1.5 | 1.3 | 0.08 | 0.11 | 576 | 0.2 | 1.1 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 12123 | 4.4 | 25.5 | 14.9 | 0.81 | 1.67 | 8834 | 3.1 | 17.5 | 10.6 | 0.72 | 1.12 | C43 |
| Other skin | 1181 | 0.4 | 2.5 | 1.5 | 0.07 | 0.15 | 954 | 0.3 | 1.9 | 1.1 | 0.06 | 0.11 | C44 |
| Mesothelioma | 726 | 0.3 | 1.5 | 0.8 | 0.02 | 0.08 | 259 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 622 | 0.2 | 1.3 | 0.9 | 0.06 | 0.08 | 102 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 2303 | 0.8 | 4.8 | 3.3 | 0.18 | 0.32 | 1678 | 0.6 | 3.3 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 793 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | 80970 | 28.4 | 160.2 | 96.1 | 6.72 | 11.13 | C50 |
| Vulva | | | | | | | 1674 | 0.6 | 3.3 | 1.7 | 0.10 | 0.18 | C51 |
| Vagina | | | | | | | 385 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 4264 | 1.5 | 8.4 | 6.0 | 0.48 | 0.60 | C53 |
| Corpus uteri | | | | | | | 20078 | 7.1 | 39.7 | 23.1 | 1.59 | 2.94 | C54 |
| Uterus unspecified | | | | | | | 613 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 7484 | 2.6 | 14.8 | 8.8 | 0.60 | 0.97 | C56 |
| Other female genital organs | | | | | | | 1158 | 0.4 | 2.3 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 38 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 460 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 69908 | 25.1 | 146.8 | 87.6 | 4.85 | 12.05 | | | | | | | C61 |
| Testis | 2794 | 1.0 | 5.9 | 5.5 | 0.41 | 0.42 | | | | | | | C62 |
| Other male genital organs | 124 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 11721 | 4.2 | 24.6 | 15.8 | 1.03 | 1.88 | 6397 | 2.2 | 12.7 | 7.4 | 0.47 | 0.86 | C64 |
| Renal pelvis | 748 | 0.3 | 1.6 | 0.8 | 0.03 | 0.09 | 519 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 428 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | 271 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 20150 | 7.2 | 42.3 | 22.2 | 0.84 | 2.53 | 6909 | 2.4 | 13.7 | 6.0 | 0.27 | 0.70 | C67 |
| Other urinary organs | 305 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 161 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 483 | 0.2 | 1.0 | 0.8 | 0.05 | 0.08 | 474 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 3985 | 1.4 | 8.4 | 6.6 | 0.41 | 0.62 | 3211 | 1.1 | 6.4 | 4.8 | 0.29 | 0.43 | C70–72 |
| Thyroid | 5222 | 1.9 | 11.0 | 8.2 | 0.62 | 0.85 | 15299 | 5.4 | 30.3 | 23.9 | 1.88 | 2.28 | C73 |
| Adrenal gland | 160 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 177 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 109 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 65 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1713 | 0.6 | 3.6 | 3.1 | 0.22 | 0.27 | 1546 | 0.5 | 3.1 | 2.8 | 0.19 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 12100 | 4.3 | 25.4 | 15.9 | 0.89 | 1.72 | 10163 | 3.6 | 20.1 | 11.0 | 0.64 | 1.22 | C82–86,C96 |
| Immunoproliferative diseases | 1167 | 0.4 | 2.5 | 1.4 | 0.08 | 0.17 | 1239 | 0.4 | 2.5 | 1.3 | 0.08 | 0.16 | C88 |
| Multiple myeloma | 5375 | 1.9 | 11.3 | 6.5 | 0.33 | 0.78 | 4488 | 1.6 | 8.9 | 4.4 | 0.24 | 0.53 | C90 |
| Lymphoid leukaemia | 6982 | 2.5 | 14.7 | 9.6 | 0.49 | 0.99 | 4791 | 1.7 | 9.5 | 5.5 | 0.29 | 0.56 | C91 |
| Myeloid leukaemia | 4545 | 1.6 | 9.5 | 5.9 | 0.30 | 0.61 | 3607 | 1.3 | 7.1 | 4.2 | 0.24 | 0.42 | C92–94 |
| Leukaemia unspecified | 197 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 212 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 3377 | 1.2 | 7.1 | 4.4 | 0.26 | 0.47 | 3585 | 1.3 | 7.1 | 3.7 | 0.20 | 0.40 | MPD |
| Myelodysplastic syndromes | 3378 | 1.2 | 7.1 | 3.4 | 0.08 | 0.30 | 2582 | 0.9 | 5.1 | 1.9 | 0.06 | 0.18 | MPS |
| Other and unspecified | 4583 | 1.6 | 9.6 | 5.1 | 0.22 | 0.54 | 5398 | 1.9 | 10.7 | 4.4 | 0.19 | 0.46 | O&U |
| All sites | 279816 | | 587.6 | 351.9 | 19.04 | 41.88 | 285684 | | 565.3 | 319.6 | 20.20 | 36.08 | C00–96 |
| All sites except C44 | 278635 | 100.0 | 585.1 | 350.4 | 18.97 | 41.73 | 284730 | 100.0 | 563.5 | 318.5 | 20.13 | 35.98 | C00–96 exc. C44 |

§Includes 5 cases of unknown age

§Includes 4 cases of unknown age

USA, New York State: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 128 | 0.9 | 3.0 | 2.2 | 0.16 | 0.25 | 103 | 0.6 | 2.2 | 1.5 | 0.09 | 0.16 | C01–02 |
| Mouth | 116 | 0.8 | 2.8 | 1.9 | 0.13 | 0.24 | 60 | 0.4 | 1.3 | 0.8 | 0.04 | 0.10 | C03–06 |
| Salivary glands | 63 | 0.4 | 1.5 | 1.1 | 0.07 | 0.12 | 56 | 0.3 | 1.2 | 0.9 | 0.07 | 0.09 | C07–08 |
| Tonsil | 31 | 0.2 | 0.7 | 0.6 | 0.05 | 0.07 | 10 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 15 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 260 | 1.8 | 6.2 | 4.7 | 0.38 | 0.49 | 88 | 0.5 | 1.9 | 1.4 | 0.11 | 0.15 | C11 |
| Hypopharynx | 30 | 0.2 | 0.7 | 0.5 | 0.02 | 0.07 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 187 | 1.3 | 4.4 | 3.1 | 0.18 | 0.37 | 52 | 0.3 | 1.1 | 0.7 | 0.03 | 0.09 | C15 |
| Stomach | 847 | 5.9 | 20.1 | 14.0 | 0.74 | 1.71 | 492 | 3.1 | 10.7 | 6.9 | 0.40 | 0.78 | C16 |
| Small intestine | 71 | 0.5 | 1.7 | 1.2 | 0.07 | 0.12 | 69 | 0.4 | 1.5 | 1.0 | 0.07 | 0.13 | C17 |
| Colon | 970 | 6.8 | 23.1 | 16.0 | 0.95 | 1.87 | 858 | 5.4 | 18.7 | 12.1 | 0.72 | 1.32 | C18 |
| Rectum | 636 | 4.4 | 15.1 | 10.8 | 0.74 | 1.26 | 418 | 2.6 | 9.1 | 6.2 | 0.42 | 0.71 | C19–20 |
| Anus | 20 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 17 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C21 |
| Liver | 956 | 6.7 | 22.7 | 16.4 | 1.06 | 2.00 | 385 | 2.4 | 8.4 | 5.3 | 0.27 | 0.64 | C22 |
| Gallbladder etc. | 177 | 1.2 | 4.2 | 2.8 | 0.13 | 0.32 | 180 | 1.1 | 3.9 | 2.5 | 0.14 | 0.30 | C23–24 |
| Pancreas | 406 | 2.8 | 9.6 | 6.5 | 0.33 | 0.76 | 413 | 2.6 | 9.0 | 5.5 | 0.25 | 0.62 | C25 |
| Nose, sinuses etc. | 16 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 18 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 126 | 0.9 | 3.0 | 2.1 | 0.12 | 0.27 | 17 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 2059 | 14.4 | 48.9 | 32.9 | 1.42 | 3.94 | 1534 | 9.6 | 33.5 | 21.4 | 1.13 | 2.53 | C33–34 |
| Other thoracic organs | 55 | 0.4 | 1.3 | 1.1 | 0.07 | 0.10 | 56 | 0.3 | 1.2 | 0.9 | 0.06 | 0.09 | C37–38 |
| Bone | 39 | 0.3 | 0.9 | 0.9 | 0.06 | 0.07 | 38 | 0.2 | 0.8 | 0.8 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 61 | 0.4 | 1.4 | 1.0 | 0.05 | 0.10 | 49 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | C43 |
| Other skin | 43 | 0.3 | 1.0 | 0.8 | 0.05 | 0.08 | 47 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | C44 |
| Mesothelioma | 25 | 0.2 | 0.6 | 0.4 | 0.02 | 0.07 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 23 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 127 | 0.9 | 3.0 | 2.4 | 0.15 | 0.24 | 90 | 0.6 | 2.0 | 1.5 | 0.10 | 0.13 | C47+C49 |
| Breast | 27 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 4859 | 30.4 | 106.1 | 76.0 | 5.74 | 8.65 | C50 |
| Vulva | | | | | | | 34 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C51 |
| Vagina | | | | | | | 18 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 411 | 2.6 | 9.0 | 6.5 | 0.51 | 0.66 | C53 |
| Corpus uteri | | | | | | | 1056 | 6.6 | 23.1 | 16.2 | 1.25 | 1.93 | C54 |
| Uterus unspecified | | | | | | | 23 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 513 | 3.2 | 11.2 | 8.2 | 0.64 | 0.88 | C56 |
| Other female genital organs | | | | | | | 54 | 0.3 | 1.2 | 0.8 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 26 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 2622 | 18.3 | 62.3 | 43.6 | 1.95 | 6.22 | | | | | | | C61 |
| Testis | 102 | 0.7 | 2.4 | 2.2 | 0.16 | 0.16 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 504 | 3.5 | 12.0 | 8.8 | 0.59 | 1.03 | 258 | 1.6 | 5.6 | 4.0 | 0.27 | 0.43 | C64 |
| Renal pelvis | 32 | 0.2 | 0.8 | 0.5 | 0.02 | 0.04 | 29 | 0.2 | 0.6 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 16 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | 16 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 672 | 4.7 | 16.0 | 10.6 | 0.44 | 1.14 | 187 | 1.2 | 4.1 | 2.5 | 0.12 | 0.28 | C67 |
| Other urinary organs | 15 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 21 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 17 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 207 | 1.4 | 4.9 | 4.5 | 0.29 | 0.40 | 181 | 1.1 | 4.0 | 3.4 | 0.21 | 0.29 | C70–72 |
| Thyroid | 567 | 4.0 | 13.5 | 10.4 | 0.82 | 1.08 | 1814 | 11.3 | 39.6 | 30.3 | 2.45 | 2.94 | C73 |
| Adrenal gland | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 9 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | C74 |
| Other endocrine | 10 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 82 | 0.6 | 1.9 | 1.7 | 0.11 | 0.14 | 63 | 0.4 | 1.4 | 1.2 | 0.08 | 0.09 | C81 |
| Non-Hodgkin lymphoma | 637 | 4.4 | 15.1 | 11.2 | 0.60 | 1.18 | 467 | 2.9 | 10.2 | 7.2 | 0.44 | 0.76 | C82–86,C96 |
| Immunoproliferative diseases | 66 | 0.5 | 1.6 | 1.1 | 0.06 | 0.12 | 46 | 0.3 | 1.0 | 0.7 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 232 | 1.6 | 5.5 | 3.8 | 0.20 | 0.50 | 149 | 0.9 | 3.3 | 2.1 | 0.12 | 0.26 | C90 |
| Lymphoid leukaemia | 215 | 1.5 | 5.1 | 4.6 | 0.24 | 0.43 | 126 | 0.8 | 2.8 | 2.5 | 0.15 | 0.23 | C91 |
| Myeloid leukaemia | 274 | 1.9 | 6.5 | 4.9 | 0.28 | 0.48 | 202 | 1.3 | 4.4 | 3.2 | 0.20 | 0.31 | C92–94 |
| Leukaemia unspecified | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 155 | 1.1 | 3.7 | 2.7 | 0.17 | 0.30 | 108 | 0.7 | 2.4 | 1.7 | 0.09 | 0.18 | MPD |
| Myelodysplastic syndromes | 149 | 1.0 | 3.5 | 2.2 | 0.06 | 0.21 | 97 | 0.6 | 2.1 | 1.3 | 0.05 | 0.10 | MPS |
| Other and unspecified | 230 | 1.6 | 5.5 | 3.6 | 0.14 | 0.34 | 216 | 1.3 | 4.7 | 2.9 | 0.11 | 0.31 | O&U |
| All sites | 14380 | | 341.8 | 243.3 | 13.30 | 28.69 | 16049 | | 350.3 | 246.0 | 16.75 | 26.92 | C00–96 |
| All sites except C44 | 14337 | 100.0 | 340.8 | 242.5 | 13.25 | 28.61 | 16002 | 100.0 | 349.3 | 245.2 | 16.71 | 26.84 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, New York State: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 220 | 0.5 | 2.6 | 2.1 | 0.14 | 0.26 | 104 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 141 | 0.4 | 1.7 | 1.3 | 0.08 | 0.16 | 128 | 0.3 | 1.3 | 0.8 | 0.06 | 0.09 | C03–06 |
| Salivary glands | 80 | 0.2 | 0.9 | 0.8 | 0.06 | 0.09 | 115 | 0.3 | 1.2 | 0.8 | 0.06 | 0.08 | C07–08 |
| Tonsil | 195 | 0.5 | 2.3 | 1.8 | 0.14 | 0.22 | 58 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 68 | 0.2 | 0.8 | 0.6 | 0.04 | 0.08 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 91 | 0.2 | 1.1 | 0.9 | 0.07 | 0.10 | 38 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 111 | 0.3 | 1.3 | 1.0 | 0.06 | 0.12 | 28 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 18 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 438 | 1.1 | 5.2 | 3.9 | 0.17 | 0.50 | 217 | 0.5 | 2.2 | 1.3 | 0.07 | 0.16 | C15 |
| Stomach | 1051 | 2.6 | 12.4 | 9.3 | 0.48 | 1.07 | 904 | 2.2 | 9.4 | 5.4 | 0.28 | 0.62 | C16 |
| Small intestine | 338 | 0.8 | 4.0 | 3.1 | 0.16 | 0.39 | 312 | 0.8 | 3.2 | 2.1 | 0.13 | 0.25 | C17 |
| Colon | 2442 | 6.1 | 28.9 | 22.0 | 1.23 | 2.56 | 2746 | 6.6 | 28.4 | 16.9 | 0.99 | 1.93 | C18 |
| Rectum | 1081 | 2.7 | 12.8 | 9.8 | 0.66 | 1.12 | 937 | 2.3 | 9.7 | 6.3 | 0.45 | 0.72 | C19–20 |
| Anus | 220 | 0.5 | 2.6 | 2.1 | 0.16 | 0.23 | 250 | 0.6 | 2.6 | 1.7 | 0.13 | 0.19 | C21 |
| Liver | 1544 | 3.8 | 18.3 | 14.6 | 0.97 | 1.93 | 641 | 1.5 | 6.6 | 4.2 | 0.27 | 0.52 | C22 |
| Gallbladder etc. | 280 | 0.7 | 3.3 | 2.5 | 0.12 | 0.28 | 473 | 1.1 | 4.9 | 2.9 | 0.15 | 0.35 | C23–24 |
| Pancreas | 1192 | 3.0 | 14.1 | 10.8 | 0.59 | 1.31 | 1457 | 3.5 | 15.1 | 8.5 | 0.42 | 0.99 | C25 |
| Nose, sinuses etc. | 65 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 48 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | C30–31 |
| Larynx | 474 | 1.2 | 5.6 | 4.3 | 0.23 | 0.53 | 148 | 0.4 | 1.5 | 1.0 | 0.07 | 0.13 | C32 |
| Trachea, bronchus, and lung | 4285 | 10.7 | 50.7 | 38.4 | 1.92 | 4.93 | 4132 | 9.9 | 42.8 | 25.0 | 1.40 | 3.11 | C33–34 |
| Other thoracic organs | 75 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | 67 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 101 | 0.3 | 1.2 | 1.2 | 0.08 | 0.09 | 100 | 0.2 | 1.0 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 76 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | 97 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 126 | 0.3 | 1.5 | 1.3 | 0.08 | 0.13 | 132 | 0.3 | 1.4 | 1.1 | 0.08 | 0.10 | C44 |
| Mesothelioma | 48 | 0.1 | 0.6 | 0.4 | 0.01 | 0.04 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 167 | 0.4 | 2.0 | 1.7 | 0.13 | 0.16 | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 266 | 0.7 | 3.1 | 2.7 | 0.16 | 0.26 | 281 | 0.7 | 2.9 | 2.2 | 0.14 | 0.21 | C47+C49 |
| Breast | 134 | 0.3 | 1.6 | 1.2 | 0.07 | 0.15 | 12626 | 30.4 | 130.7 | 88.3 | 6.30 | 10.17 | C50 |
| Vulva | | | | | | | 201 | 0.5 | 2.1 | 1.4 | 0.10 | 0.16 | C51 |
| Vagina | | | | | | | 86 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1023 | 2.5 | 10.6 | 7.6 | 0.58 | 0.80 | C53 |
| Corpus uteri | | | | | | | 3346 | 8.0 | 34.6 | 22.6 | 1.44 | 2.99 | C54 |
| Uterus unspecified | | | | | | | 233 | 0.6 | 2.4 | 1.5 | 0.09 | 0.17 | C55 |
| Ovary | | | | | | | 996 | 2.4 | 10.3 | 7.0 | 0.48 | 0.76 | C56 |
| Other female genital organs | | | | | | | 148 | 0.4 | 1.5 | 0.9 | 0.06 | 0.11 | C57 |
| Placenta | | | | | | | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 74 | 0.2 | 0.9 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 15554 | 38.7 | 184.0 | 143.3 | 8.46 | 19.63 | | | | | | | C61 |
| Testis | 172 | 0.4 | 2.0 | 1.8 | 0.14 | 0.14 | | | | | | | C62 |
| Other male genital organs | 19 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 1767 | 4.4 | 20.9 | 16.5 | 1.14 | 2.00 | 1037 | 2.5 | 10.7 | 7.2 | 0.46 | 0.86 | C64 |
| Renal pelvis | 44 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 44 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 17 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 19 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 1294 | 3.2 | 15.3 | 11.3 | 0.49 | 1.30 | 653 | 1.6 | 6.8 | 3.5 | 0.14 | 0.40 | C67 |
| Other urinary organs | 34 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 40 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 27 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 26 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 378 | 0.9 | 4.5 | 4.1 | 0.27 | 0.36 | 322 | 0.8 | 3.3 | 2.9 | 0.17 | 0.25 | C70–72 |
| Thyroid | 345 | 0.9 | 4.1 | 3.4 | 0.24 | 0.36 | 1687 | 4.1 | 17.5 | 13.4 | 1.04 | 1.38 | C73 |
| Adrenal gland | 21 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 35 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 23 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 279 | 0.7 | 3.3 | 2.9 | 0.22 | 0.26 | 281 | 0.7 | 2.9 | 2.6 | 0.19 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 1241 | 3.1 | 14.7 | 11.9 | 0.78 | 1.32 | 1213 | 2.9 | 12.6 | 8.7 | 0.58 | 0.94 | C82–86,C96 |
| Immunoproliferative diseases | 114 | 0.3 | 1.3 | 1.0 | 0.06 | 0.13 | 148 | 0.4 | 1.5 | 1.0 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 1237 | 3.1 | 14.6 | 11.2 | 0.61 | 1.34 | 1309 | 3.1 | 13.6 | 8.1 | 0.45 | 0.98 | C90 |
| Lymphoid leukaemia | 580 | 1.4 | 6.9 | 5.8 | 0.32 | 0.61 | 539 | 1.3 | 5.6 | 3.9 | 0.21 | 0.41 | C91 |
| Myeloid leukaemia | 510 | 1.3 | 6.0 | 4.8 | 0.27 | 0.51 | 528 | 1.3 | 5.5 | 3.9 | 0.25 | 0.39 | C92–94 |
| Leukaemia unspecified | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 27 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 385 | 1.0 | 4.6 | 3.7 | 0.22 | 0.41 | 470 | 1.1 | 4.9 | 3.3 | 0.20 | 0.36 | MPD |
| Myelodysplastic syndromes | 257 | 0.6 | 3.0 | 2.2 | 0.07 | 0.22 | 272 | 0.7 | 2.8 | 1.5 | 0.06 | 0.15 | MPS |
| Other and unspecified | 629 | 1.6 | 7.4 | 5.6 | 0.30 | 0.64 | 899 | 2.2 | 9.3 | 5.2 | 0.25 | 0.57 | O&U |
| All sites | 40357 | | 477.4 | 372.0 | 21.69 | 46.47 | 41731 | | 432.1 | 281.5 | 18.31 | 32.34 | C00–96 |
| All sites except C44 | 40231 | 100.0 | 476.0 | 370.8 | 21.61 | 46.34 | 41599 | 100.0 | 430.7 | 280.4 | 18.23 | 32.23 | C00–96 exc. C44 |

USA, New York State: White (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 304 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 155 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 2413 | 1.1 | 7.0 | 4.1 | 0.28 | 0.52 | 993 | 0.4 | 2.8 | 1.5 | 0.10 | 0.17 | C01–02 |
| Mouth | 1157 | 0.5 | 3.4 | 1.9 | 0.11 | 0.23 | 856 | 0.4 | 2.4 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 697 | 0.3 | 2.0 | 1.1 | 0.06 | 0.10 | 490 | 0.2 | 1.4 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 1575 | 0.7 | 4.6 | 2.9 | 0.23 | 0.35 | 353 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 386 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 107 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 252 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 110 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 439 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | 128 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 117 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 44 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 3440 | 1.6 | 10.0 | 5.4 | 0.30 | 0.67 | 1068 | 0.5 | 3.0 | 1.3 | 0.07 | 0.16 | C15 |
| Stomach | 4183 | 1.9 | 12.2 | 6.5 | 0.34 | 0.75 | 2661 | 1.2 | 7.4 | 3.5 | 0.20 | 0.39 | C16 |
| Small intestine | 1254 | 0.6 | 3.6 | 2.0 | 0.11 | 0.24 | 1066 | 0.5 | 3.0 | 1.5 | 0.10 | 0.18 | C17 |
| Colon | 11987 | 5.4 | 34.8 | 18.3 | 0.94 | 2.02 | 12614 | 5.6 | 35.3 | 15.4 | 0.80 | 1.64 | C18 |
| Rectum | 5762 | 2.6 | 16.7 | 9.7 | 0.64 | 1.12 | 4265 | 1.9 | 11.9 | 6.2 | 0.43 | 0.69 | C19–20 |
| Anus | 765 | 0.3 | 2.2 | 1.3 | 0.09 | 0.15 | 1259 | 0.6 | 3.5 | 1.9 | 0.14 | 0.23 | C21 |
| Liver | 5361 | 2.4 | 15.6 | 8.7 | 0.54 | 1.10 | 2182 | 1.0 | 6.1 | 2.8 | 0.15 | 0.33 | C22 |
| Gallbladder etc. | 1290 | 0.6 | 3.7 | 1.8 | 0.08 | 0.21 | 1531 | 0.7 | 4.3 | 1.8 | 0.08 | 0.21 | C23–24 |
| Pancreas | 6839 | 3.1 | 19.9 | 10.2 | 0.49 | 1.22 | 6588 | 2.9 | 18.4 | 7.6 | 0.35 | 0.89 | C25 |
| Nose, sinuses etc. | 369 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 291 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 2427 | 1.1 | 7.1 | 3.8 | 0.23 | 0.47 | 633 | 0.3 | 1.8 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 27954 | 12.6 | 81.2 | 40.7 | 1.73 | 4.99 | 29851 | 13.3 | 83.5 | 36.7 | 1.72 | 4.67 | C33–34 |
| Other thoracic organs | 337 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 243 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 558 | 0.3 | 1.6 | 1.4 | 0.09 | 0.12 | 431 | 0.2 | 1.2 | 1.1 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 11869 | 5.4 | 34.5 | 19.0 | 1.06 | 2.13 | 8538 | 3.8 | 23.9 | 14.2 | 0.98 | 1.48 | C43 |
| Other skin | 1002 | 0.5 | 2.9 | 1.5 | 0.07 | 0.16 | 754 | 0.3 | 2.1 | 1.1 | 0.06 | 0.11 | C44 |
| Mesothelioma | 650 | 0.3 | 1.9 | 0.8 | 0.02 | 0.08 | 233 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 399 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | 75 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1885 | 0.8 | 5.5 | 3.4 | 0.18 | 0.33 | 1293 | 0.6 | 3.6 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 628 | 0.3 | 1.8 | 1.0 | 0.05 | 0.11 | 63026 | 28.0 | 176.4 | 100.3 | 6.97 | 11.64 | C50 |
| Vulva | | | | | | | 1433 | 0.6 | 4.0 | 1.8 | 0.10 | 0.20 | C51 |
| Vagina | | | | | | | 278 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 2766 | 1.2 | 7.7 | 5.6 | 0.44 | 0.55 | C53 |
| Corpus uteri | | | | | | | 15553 | 6.9 | 43.5 | 24.0 | 1.67 | 3.05 | C54 |
| Uterus unspecified | | | | | | | 355 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 5923 | 2.6 | 16.6 | 9.3 | 0.63 | 1.02 | C56 |
| Other female genital organs | | | | | | | 952 | 0.4 | 2.7 | 1.3 | 0.08 | 0.16 | C57 |
| Placenta | | | | | | | 20 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 358 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 50817 | 22.9 | 147.7 | 81.0 | 4.39 | 11.16 | | | | | | | C61 |
| Testis | 2488 | 1.1 | 7.2 | 6.9 | 0.51 | 0.53 | | | | | | | C62 |
| Other male genital organs | 97 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 9361 | 4.2 | 27.2 | 16.4 | 1.06 | 1.95 | 5065 | 2.2 | 14.2 | 7.8 | 0.50 | 0.90 | C64 |
| Renal pelvis | 672 | 0.3 | 2.0 | 0.9 | 0.03 | 0.10 | 445 | 0.2 | 1.2 | 0.5 | 0.02 | 0.05 | C65 |
| Ureter | 395 | 0.2 | 1.1 | 0.5 | 0.02 | 0.05 | 236 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 18100 | 8.2 | 52.6 | 25.2 | 0.95 | 2.89 | 6039 | 2.7 | 16.9 | 6.9 | 0.32 | 0.81 | C67 |
| Other urinary organs | 250 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 113 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 427 | 0.2 | 1.2 | 0.9 | 0.05 | 0.09 | 427 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 3380 | 1.5 | 9.8 | 7.4 | 0.46 | 0.70 | 2692 | 1.2 | 7.5 | 5.5 | 0.34 | 0.50 | C70–72 |
| Thyroid | 4263 | 1.9 | 12.4 | 9.0 | 0.68 | 0.93 | 11591 | 5.1 | 32.4 | 25.8 | 2.03 | 2.44 | C73 |
| Adrenal gland | 128 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 133 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 75 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 44 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1337 | 0.6 | 3.9 | 3.4 | 0.23 | 0.28 | 1191 | 0.5 | 3.3 | 3.1 | 0.20 | 0.24 | C81 |
| Non-Hodgkin lymphoma | 10116 | 4.6 | 29.4 | 17.0 | 0.94 | 1.85 | 8409 | 3.7 | 23.5 | 11.9 | 0.67 | 1.32 | C82–86,C96 |
| Immunoproliferative diseases | 976 | 0.4 | 2.8 | 1.5 | 0.08 | 0.18 | 1038 | 0.5 | 2.9 | 1.5 | 0.09 | 0.17 | C88 |
| Multiple myeloma | 3870 | 1.7 | 11.2 | 5.8 | 0.29 | 0.70 | 2996 | 1.3 | 8.4 | 3.8 | 0.20 | 0.45 | C90 |
| Lymphoid leukaemia | 6092 | 2.7 | 17.7 | 10.8 | 0.56 | 1.11 | 4071 | 1.8 | 11.4 | 6.2 | 0.33 | 0.63 | C91 |
| Myeloid leukaemia | 3733 | 1.7 | 10.8 | 6.2 | 0.31 | 0.65 | 2848 | 1.3 | 8.0 | 4.3 | 0.24 | 0.44 | C92–94 |
| Leukaemia unspecified | 160 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 173 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 2786 | 1.3 | 8.1 | 4.7 | 0.27 | 0.50 | 2944 | 1.3 | 8.2 | 3.9 | 0.21 | 0.42 | MPD |
| Myelodysplastic syndromes | 2963 | 1.3 | 8.6 | 3.7 | 0.09 | 0.33 | 2187 | 1.0 | 6.1 | 2.0 | 0.06 | 0.20 | MPS |
| Other and unspecified | 3695 | 1.7 | 10.7 | 5.2 | 0.22 | 0.54 | 4252 | 1.9 | 11.9 | 4.4 | 0.18 | 0.46 | O&U |
| All sites | 222838 | | 647.7 | 358.6 | 19.15 | 42.33 | 226012 | | 632.4 | 336.6 | 21.14 | 37.96 | C00–96 |
| All sites except C44 | 221836 | 100.0 | 644.8 | 357.0 | 19.08 | 42.17 | 225258 | 100.0 | 630.3 | 335.6 | 21.08 | 37.85 | C00–96 exc. C44 |

§Includes 2 cases of unknown age

USA, North Carolina

CONTRIBUTORS


Chandrika Rao
 Gary Leung
 Soundarya Radhakrishnan



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 83.4 | Breast | 96.6 |
| Trachea, bronchus, and lung | 51.2 | Trachea, bronchus, and lung | 36.4 |
| Melanoma of skin | 22.1 | Corpus uteri | 18.2 |
| Bladder | 19.6 | Colon | 15.4 |
| Colon | 18.8 | Melanoma of skin | 14.7 |
| Kidney | 16.1 | Thyroid | 14.5 |
| Non-Hodgkin lymphoma | 12.9 | Non-Hodgkin lymphoma | 8.7 |
| Liver | 9.7 | Kidney | 8.3 |
| Rectum | 9.5 | Ovary | 7.5 |
| Pancreas | 9.4 | Pancreas | 7.1 |
| Lymphoid leukaemia | 8.2 | Rectum | 6.0 |
| Multiple myeloma | 5.9 | Cervix uteri | 5.4 |
| Brain and nervous system | 5.9 | Bladder | 5.3 |
| Myeloid leukaemia | 5.6 | Other and unspecified | 4.7 |
| Other and unspecified | 5.6 | Lymphoid leukaemia | 4.5 |
| Stomach | 5.5 | Brain and nervous system | 4.5 |
| Oesophagus | 5.0 | Multiple myeloma | 4.2 |
| Thyroid | 4.8 | Myeloid leukaemia | 3.8 |
| Testis | 4.7 | Liver | 3.1 |
| Larynx | 4.7 | Stomach | 2.9 |
| All sites | 348.8 | All sites | 302.0 |

USA, North Carolina: American Indian (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION
Bridged-race postcensal population estimates were obtained from the National Center for Health Statistics.


NOTES ON THE DATA

*Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Prostate | 70.4 |
| Trachea, bronchus, and lung | 51.0 |
| Colon | 15.7 |
| Kidney | 12.7 |
| Liver | 12.5 |
| Bladder | 10.7 |
| Rectum | 9.1 |
| Pancreas | 7.4 |
| Stomach | 5.8 |
| Non-Hodgkin lymphoma | 4.8 |
| All sites | 252.5 |
| Female | |
| Breast | 61.3 |
| Trachea, bronchus, and lung | 28.6 |
| Corpus uteri | 12.4 |
| Colon | 10.5 |
| Thyroid | 9.4 |
| Kidney | 7.8 |
| Non-Hodgkin lymphoma | 6.0 |
| Ovary | 5.0 |
| Rectum | 4.8 |
| Pancreas | 3.9 |
| All sites | 195.6 |


USA, North Carolina: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION
Bridged-race postcensal population estimates were obtained from the National Center for Health Statistics.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Prostate | 31.2 |
| Trachea, bronchus, and lung | 20.8 |
| Liver | 11.3 |
| Rectum | 8.5 |
| Stomach | 7.9 |
| Non-Hodgkin lymphoma | 7.3 |
| Colon | 7.2 |
| Bladder | 6.3 |
| Brain and nervous system | 4.8 |
| Pancreas | 4.7 |
| All sites | 156.7 |
| Female | |
| Breast | 61.2 |
| Trachea, bronchus, and lung | 18.4 |
| Thyroid | 14.6 |
| Corpus uteri | 10.7 |
| Colon | 9.9 |
| Non-Hodgkin lymphoma | 6.8 |
| Ovary | 6.6 |
| Rectum | 5.4 |
| Pancreas | 4.7 |
| Liver | 4.6 |
| All sites | 186.1 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 129.9 |
| Trachea, bronchus, and lung | 57.6 |
| Colon | 24.1 |
| Kidney | 18.9 |
| Liver | 12.2 |
| Multiple myeloma | 12.0 |
| Bladder | 11.7 |
| Pancreas | 11.7 |
| Non-Hodgkin lymphoma | 10.6 |
| Rectum | 9.8 |
| All sites | 383.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 97.6 |
| Trachea, bronchus, and lung | 30.5 |
| Colon | 18.4 |
| Corpus uteri | 18.1 |
| Thyroid | 10.9 |
| Kidney | 10.3 |
| Pancreas | 9.2 |
| Multiple myeloma | 8.3 |
| Non-Hodgkin lymphoma | 7.4 |
| Cervix uteri | 5.9 |
| All sites | 286.6 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 71.6 |
| Trachea, bronchus, and lung | 50.1 |
| Melanoma of skin | 27.1 |
| Bladder | 21.4 |
| Colon | 17.7 |
| Kidney | 15.7 |
| Non-Hodgkin lymphoma | 13.4 |
| Rectum | 9.3 |
| Pancreas | 9.0 |
| Liver | 8.9 |
| All sites | 341.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 97.3 |
| Trachea, bronchus, and lung | 38.3 |
| Melanoma of skin | 19.1 |
| Corpus uteri | 18.4 |
| Thyroid | 15.8 |
| Colon | 14.7 |
| Non-Hodgkin lymphoma | 9.0 |
| Ovary | 8.1 |
| Kidney | 7.9 |
| Pancreas | 6.7 |
| All sites | 309.3 |

USA, North Carolina (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 167 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 83 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 1756 | 1.3 | 7.2 | 4.6 | 0.33 | 0.57 | 605 | 0.4 | 2.3 | 1.3 | 0.08 | 0.15 | C01–02 |
| Mouth | 795 | 0.6 | 3.3 | 2.0 | 0.13 | 0.25 | 601 | 0.4 | 2.3 | 1.2 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 412 | 0.3 | 1.7 | 1.0 | 0.05 | 0.10 | 278 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 1268 | 0.9 | 5.2 | 3.5 | 0.28 | 0.42 | 272 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | C09 |
| Other oropharynx | 330 | 0.2 | 1.3 | 0.9 | 0.07 | 0.11 | 94 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 163 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 78 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 345 | 0.2 | 1.4 | 0.9 | 0.06 | 0.11 | 72 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 157 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 53 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 2065 | 1.5 | 8.4 | 5.0 | 0.29 | 0.65 | 509 | 0.4 | 2.0 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 2258 | 1.6 | 9.2 | 5.5 | 0.30 | 0.66 | 1467 | 1.1 | 5.7 | 2.9 | 0.17 | 0.33 | C16 |
| Small intestine | 902 | 0.6 | 3.7 | 2.3 | 0.13 | 0.27 | 856 | 0.6 | 3.3 | 1.9 | 0.12 | 0.23 | C17 |
| Colon | 7643 | 5.5 | 31.3 | 18.8 | 1.06 | 2.15 | 7692 | 5.7 | 29.8 | 15.4 | 0.87 | 1.73 | C18 |
| Rectum | 3581 | 2.6 | 14.6 | 9.5 | 0.67 | 1.10 | 2600 | 1.9 | 10.1 | 6.0 | 0.42 | 0.66 | C19–20 |
| Anus | 400 | 0.3 | 1.6 | 1.1 | 0.08 | 0.12 | 813 | 0.6 | 3.2 | 1.9 | 0.14 | 0.21 | C21 |
| Liver | 3842 | 2.7 | 15.7 | 9.7 | 0.69 | 1.20 | 1491 | 1.1 | 5.8 | 3.1 | 0.19 | 0.36 | C22 |
| Gallbladder etc. | 657 | 0.5 | 2.7 | 1.5 | 0.07 | 0.17 | 753 | 0.6 | 2.9 | 1.4 | 0.07 | 0.16 | C23–24 |
| Pancreas | 3971 | 2.8 | 16.2 | 9.4 | 0.48 | 1.12 | 3796 | 2.8 | 14.7 | 7.1 | 0.36 | 0.84 | C25 |
| Nose, sinuses etc. | 233 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 151 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 1884 | 1.3 | 7.7 | 4.7 | 0.29 | 0.60 | 540 | 0.4 | 2.1 | 1.2 | 0.09 | 0.16 | C32 |
| Trachea, bronchus, and lung | 22213 | 15.9 | 90.8 | 51.2 | 2.34 | 6.42 | 18871 | 13.9 | 73.2 | 36.4 | 1.81 | 4.66 | C33–34 |
| Other thoracic organs | 143 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 110 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 281 | 0.2 | 1.1 | 1.0 | 0.07 | 0.08 | 248 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 8915 | 6.4 | 36.5 | 22.1 | 1.21 | 2.52 | 5981 | 4.4 | 23.2 | 14.7 | 1.02 | 1.56 | C43 |
| Other skin | 611 | 0.4 | 2.5 | 1.5 | 0.07 | 0.15 | 366 | 0.3 | 1.4 | 0.8 | 0.05 | 0.07 | C44 |
| Mesothelioma | 293 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 92 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 121 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1007 | 0.7 | 4.1 | 2.8 | 0.15 | 0.28 | 819 | 0.6 | 3.2 | 2.0 | 0.13 | 0.20 | C47+C49 |
| Breast | 324 | 0.2 | 1.3 | 0.8 | 0.04 | 0.09 | 41790 | 30.8 | 162.1 | 96.6 | 6.58 | 11.38 | C50 |
| Vulva | | | | | | | 916 | 0.7 | 3.6 | 2.0 | 0.12 | 0.21 | C51 |
| Vagina | | | | | | | 242 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1867 | 1.4 | 7.2 | 5.4 | 0.44 | 0.53 | C53 |
| Corpus uteri | | | | | | | 7970 | 5.9 | 30.9 | 18.2 | 1.29 | 2.26 | C54 |
| Uterus unspecified | | | | | | | 283 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 3287 | 2.4 | 12.8 | 7.5 | 0.50 | 0.83 | C56 |
| Other female genital organs | | | | | | | 543 | 0.4 | 2.1 | 1.1 | 0.07 | 0.14 | C57 |
| Placenta | | | | | | | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 228 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 34192 | 24.4 | 139.8 | 83.4 | 4.70 | 11.39 | | | | | | | C61 |
| Testis | 1192 | 0.9 | 4.9 | 4.7 | 0.35 | 0.36 | | | | | | | C62 |
| Other male genital organs | 63 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 6098 | 4.4 | 24.9 | 16.1 | 1.02 | 1.93 | 3595 | 2.7 | 13.9 | 8.3 | 0.54 | 0.97 | C64 |
| Renal pelvis | 312 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | 219 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 236 | 0.2 | 1.0 | 0.5 | 0.01 | 0.05 | 132 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 8849 | 6.3 | 36.2 | 19.6 | 0.73 | 2.25 | 2909 | 2.1 | 11.3 | 5.3 | 0.24 | 0.64 | C67 |
| Other urinary organs | 131 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 66 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 240 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 254 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 1884 | 1.3 | 7.7 | 5.9 | 0.36 | 0.56 | 1590 | 1.2 | 6.2 | 4.5 | 0.27 | 0.41 | C70–72 |
| Thyroid | 1616 | 1.2 | 6.6 | 4.8 | 0.34 | 0.51 | 4828 | 3.6 | 18.7 | 14.5 | 1.12 | 1.41 | C73 |
| Adrenal gland | 57 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 82 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 47 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 32 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 733 | 0.5 | 3.0 | 2.6 | 0.18 | 0.23 | 564 | 0.4 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 5049 | 3.6 | 20.6 | 12.9 | 0.71 | 1.44 | 4142 | 3.1 | 16.1 | 8.7 | 0.48 | 0.99 | C82–86,C96 |
| Immunoproliferative diseases | 363 | 0.3 | 1.5 | 0.9 | 0.05 | 0.10 | 389 | 0.3 | 1.5 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 2495 | 1.8 | 10.2 | 5.9 | 0.30 | 0.73 | 2180 | 1.6 | 8.5 | 4.2 | 0.22 | 0.51 | C90 |
| Lymphoid leukaemia | 2931 | 2.1 | 12.0 | 8.2 | 0.41 | 0.83 | 1951 | 1.4 | 7.6 | 4.5 | 0.22 | 0.46 | C91 |
| Myeloid leukaemia | 2114 | 1.5 | 8.6 | 5.6 | 0.29 | 0.57 | 1616 | 1.2 | 6.3 | 3.8 | 0.22 | 0.39 | C92–94 |
| Leukaemia unspecified | 102 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 91 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 1218 | 0.9 | 5.0 | 3.1 | 0.18 | 0.34 | 1418 | 1.0 | 5.5 | 2.9 | 0.16 | 0.32 | MPD |
| Myelodysplastic syndromes | 1406 | 1.0 | 5.7 | 2.9 | 0.07 | 0.29 | 960 | 0.7 | 3.7 | 1.5 | 0.05 | 0.16 | MPS |
| Other and unspecified | 2417 | 1.7 | 9.9 | 5.6 | 0.26 | 0.60 | 2643 | 2.0 | 10.3 | 4.7 | 0.22 | 0.50 | O&U |
| All sites | 140710 | | 575.4 | 348.8 | 19.17 | 42.02 | 135869 | | 527.1 | 302.0 | 18.96 | 34.69 | C00–96 |
| All sites except C44 | 140099 | 100.0 | 572.9 | 347.3 | 19.10 | 41.87 | 135503 | 100.0 | 525.7 | 301.2 | 18.92 | 34.62 | C00–96 exc. C44 |

§Includes 5 cases of unknown age

§Includes 4 cases of unknown age

***USA, North Carolina: American Indian (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 6 | 0.5 | 1.4 | 1.2 | 0.11 | 0.17 | 7 | 0.7 | 1.6 | 1.3 | 0.04 | 0.20 | C01–02 |
| Mouth | 9 | 0.8 | 2.2 | 1.9 | 0.12 | 0.26 | 6 | 0.6 | 1.4 | 1.1 | 0.04 | 0.17 | C03–06 |
| Salivary glands | 2 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.05 | C07–08 |
| Tonsil | 6 | 0.5 | 1.4 | 1.2 | 0.10 | 0.19 | 2 | 0.2 | 0.5 | 0.4 | 0.00 | 0.08 | C09 |
| Other oropharynx | 3 | 0.3 | 0.7 | 0.6 | 0.02 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C11 |
| Hypopharynx | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.3 | 0.7 | 0.7 | 0.08 | 0.08 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.05 | C14 |
| Oesophagus | 11 | 0.9 | 2.6 | 2.4 | 0.07 | 0.37 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C15 |
| Stomach | 27 | 2.3 | 6.5 | 5.8 | 0.21 | 0.82 | 17 | 1.6 | 4.0 | 3.0 | 0.21 | 0.39 | C16 |
| Small intestine | 11 | 0.9 | 2.6 | 2.3 | 0.16 | 0.25 | 7 | 0.7 | 1.6 | 1.4 | 0.12 | 0.17 | C17 |
| Colon | 74 | 6.3 | 17.8 | 15.7 | 0.91 | 1.74 | 58 | 5.5 | 13.7 | 10.5 | 0.60 | 1.17 | C18 |
| Rectum | 43 | 3.6 | 10.3 | 9.1 | 0.55 | 1.23 | 26 | 2.5 | 6.1 | 4.8 | 0.28 | 0.56 | C19–20 |
| Anus | 1 | 0.1 | 0.2 | 0.2 | 0.03 | 0.03 | 5 | 0.5 | 1.2 | 1.0 | 0.07 | 0.17 | C21 |
| Liver | 60 | 5.1 | 14.4 | 12.5 | 0.95 | 1.55 | 17 | 1.6 | 4.0 | 3.0 | 0.19 | 0.31 | C22 |
| Gallbladder etc. | 8 | 0.7 | 1.9 | 1.6 | 0.10 | 0.13 | 10 | 1.0 | 2.4 | 1.7 | 0.09 | 0.21 | C23–24 |
| Pancreas | 35 | 3.0 | 8.4 | 7.4 | 0.45 | 0.66 | 22 | 2.1 | 5.2 | 3.9 | 0.19 | 0.48 | C25 |
| Nose, sinuses etc. | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.05 | C30–31 |
| Larynx | 21 | 1.8 | 5.0 | 4.4 | 0.23 | 0.64 | 6 | 0.6 | 1.4 | 1.2 | 0.10 | 0.15 | C32 |
| Trachea, bronchus, and lung | 238 | 20.2 | 57.2 | 51.0 | 1.94 | 6.81 | 158 | 15.1 | 37.2 | 28.6 | 1.64 | 3.60 | C33–34 |
| Other thoracic organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 4 | 0.3 | 1.0 | 0.8 | 0.09 | 0.09 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 13 | 1.1 | 3.1 | 2.9 | 0.12 | 0.18 | 9 | 0.9 | 2.1 | 1.6 | 0.08 | 0.14 | C43 |
| Other skin | 1 | 0.1 | 0.2 | 0.2 | 0.03 | 0.03 | 4 | 0.4 | 0.9 | 0.7 | 0.07 | 0.07 | C44 |
| Mesothelioma | 3 | 0.3 | 0.7 | 0.6 | 0.02 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.8 | 2.4 | 2.3 | 0.09 | 0.24 | 7 | 0.7 | 1.6 | 1.3 | 0.08 | 0.13 | C47+C49 |
| Breast | 2 | 0.2 | 0.5 | 0.4 | 0.02 | 0.02 | 326 | 31.1 | 76.8 | 61.3 | 4.28 | 7.33 | C50 |
| Vulva | | | | | | | 5 | 0.5 | 1.2 | 0.9 | 0.09 | 0.09 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 19 | 1.8 | 4.5 | 3.9 | 0.33 | 0.38 | C53 |
| Corpus uteri | | | | | | | 66 | 6.3 | 15.6 | 12.4 | 0.76 | 1.55 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.3 | 0.7 | 0.5 | 0.00 | 0.08 | C55 |
| Ovary | | | | | | | 26 | 2.5 | 6.1 | 5.0 | 0.41 | 0.59 | C56 |
| Other female genital organs | | | | | | | 2 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.1 | 0.2 | 0.2 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 332 | 28.1 | 79.8 | 70.4 | 3.76 | 10.01 | | | | | | | C61 |
| Testis | 10 | 0.8 | 2.4 | 2.2 | 0.19 | 0.19 | | | | | | | C62 |
| Other male genital organs | 2 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | | | | | | | C63 |
| Kidney | 59 | 5.0 | 14.2 | 12.7 | 1.00 | 1.54 | 42 | 4.0 | 9.9 | 7.8 | 0.45 | 0.90 | C64 |
| Renal pelvis | 3 | 0.3 | 0.7 | 0.8 | 0.05 | 0.05 | 2 | 0.2 | 0.5 | 0.3 | 0.00 | 0.03 | C65 |
| Ureter | 2 | 0.2 | 0.5 | 0.4 | 0.00 | 0.06 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 50 | 4.2 | 12.0 | 10.7 | 0.46 | 1.52 | 12 | 1.1 | 2.8 | 2.0 | 0.12 | 0.22 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 9 | 0.8 | 2.2 | 2.1 | 0.06 | 0.28 | 9 | 0.9 | 2.1 | 2.2 | 0.13 | 0.16 | C70–72 |
| Thyroid | 8 | 0.7 | 1.9 | 1.8 | 0.11 | 0.24 | 47 | 4.5 | 11.1 | 9.4 | 0.70 | 1.02 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.3 | 0.7 | 0.6 | 0.01 | 0.04 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 7 | 0.6 | 1.7 | 1.5 | 0.11 | 0.15 | 2 | 0.2 | 0.5 | 0.5 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 23 | 1.9 | 5.5 | 4.8 | 0.29 | 0.60 | 31 | 3.0 | 7.3 | 6.0 | 0.37 | 0.74 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.3 | 1.0 | 0.9 | 0.02 | 0.16 | 3 | 0.3 | 0.7 | 0.5 | 0.02 | 0.02 | C88 |
| Multiple myeloma | 12 | 1.0 | 2.9 | 2.5 | 0.12 | 0.21 | 20 | 1.9 | 4.7 | 3.6 | 0.14 | 0.49 | C90 |
| Lymphoid leukaemia | 16 | 1.4 | 3.8 | 3.6 | 0.11 | 0.38 | 10 | 1.0 | 2.4 | 1.7 | 0.06 | 0.14 | C91 |
| Myeloid leukaemia | 16 | 1.4 | 3.8 | 3.4 | 0.20 | 0.36 | 12 | 1.1 | 2.8 | 2.1 | 0.10 | 0.23 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 8 | 0.7 | 1.9 | 1.8 | 0.10 | 0.10 | 13 | 1.2 | 3.1 | 2.3 | 0.11 | 0.21 | MPD |
| Myelodysplastic syndromes | 5 | 0.4 | 1.2 | 1.0 | 0.00 | 0.06 | 2 | 0.2 | 0.5 | 0.4 | 0.02 | 0.07 | MPS |
| Other and unspecified | 20 | 1.7 | 4.8 | 4.3 | 0.22 | 0.69 | 21 | 2.0 | 4.9 | 3.7 | 0.26 | 0.44 | O&U |
| All sites | 1182 | | 284.0 | 252.5 | 13.34 | 32.46 | 1051 | | 247.7 | 195.6 | 12.36 | 23.18 | C00–96 |
| All sites except C44 | 1181 | 100.0 | 283.8 | 252.3 | 13.32 | 32.43 | 1047 | 100.0 | 246.8 | 194.9 | 12.29 | 23.11 | C00–96 exc. C44 |

*See note following population pyramid

USA, North Carolina: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 21 | 1.9 | 2.8 | 2.7 | 0.17 | 0.31 | 12 | 0.7 | 1.5 | 1.2 | 0.04 | 0.13 | C01–02 |
| Mouth | 10 | 0.9 | 1.3 | 1.5 | 0.11 | 0.20 | 6 | 0.4 | 0.7 | 0.7 | 0.05 | 0.05 | C03–06 |
| Salivary glands | 4 | 0.4 | 0.5 | 0.5 | 0.04 | 0.04 | 5 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 11 | 1.0 | 1.4 | 1.5 | 0.10 | 0.20 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.2 | 0.3 | 0.3 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 9 | 0.8 | 1.2 | 1.2 | 0.12 | 0.12 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 3 | 0.3 | 0.4 | 0.4 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 12 | 1.1 | 1.6 | 1.7 | 0.09 | 0.21 | 5 | 0.3 | 0.6 | 0.6 | 0.00 | 0.10 | C15 |
| Stomach | 53 | 4.8 | 7.0 | 7.9 | 0.32 | 0.99 | 39 | 2.3 | 4.8 | 4.3 | 0.21 | 0.49 | C16 |
| Small intestine | 10 | 0.9 | 1.3 | 1.4 | 0.08 | 0.20 | 9 | 0.5 | 1.1 | 1.0 | 0.05 | 0.09 | C17 |
| Colon | 51 | 4.7 | 6.7 | 7.2 | 0.36 | 0.81 | 88 | 5.3 | 10.9 | 9.9 | 0.57 | 1.01 | C18 |
| Rectum | 62 | 5.7 | 8.2 | 8.5 | 0.59 | 1.04 | 48 | 2.9 | 5.9 | 5.4 | 0.35 | 0.59 | C19–20 |
| Anus | 3 | 0.3 | 0.4 | 0.5 | 0.01 | 0.05 | 2 | 0.1 | 0.2 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 79 | 7.2 | 10.4 | 11.3 | 0.65 | 1.46 | 39 | 2.3 | 4.8 | 4.6 | 0.20 | 0.52 | C22 |
| Gallbladder etc. | 13 | 1.2 | 1.7 | 1.8 | 0.08 | 0.20 | 17 | 1.0 | 2.1 | 2.0 | 0.04 | 0.24 | C23–24 |
| Pancreas | 34 | 3.1 | 4.5 | 4.7 | 0.19 | 0.58 | 42 | 2.5 | 5.2 | 4.7 | 0.16 | 0.41 | C25 |
| Nose, sinuses etc. | 2 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C30–31 |
| Larynx | 11 | 1.0 | 1.4 | 1.5 | 0.12 | 0.20 | 3 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | C32 |
| Trachea, bronchus, and lung | 142 | 13.0 | 18.7 | 20.8 | 0.99 | 2.63 | 162 | 9.7 | 20.0 | 18.4 | 0.84 | 2.08 | C33–34 |
| Other thoracic organs | 5 | 0.5 | 0.7 | 0.7 | 0.05 | 0.05 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 5 | 0.5 | 0.7 | 0.8 | 0.05 | 0.09 | 3 | 0.2 | 0.4 | 0.4 | 0.01 | 0.05 | C40–41 |
| Melanoma of skin | 6 | 0.5 | 0.8 | 0.9 | 0.06 | 0.13 | 5 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 6 | 0.5 | 0.8 | 0.7 | 0.06 | 0.06 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C44 |
| Mesothelioma | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 9 | 0.8 | 1.2 | 1.2 | 0.06 | 0.15 | 15 | 0.9 | 1.9 | 1.7 | 0.13 | 0.16 | C47+C49 |
| Breast | 3 | 0.3 | 0.4 | 0.4 | 0.02 | 0.06 | 558 | 33.5 | 69.0 | 61.2 | 4.41 | 7.10 | C50 |
| Vulva | | | | | | | 5 | 0.3 | 0.6 | 0.6 | 0.01 | 0.05 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 40 | 2.4 | 4.9 | 4.0 | 0.31 | 0.37 | C53 |
| Corpus uteri | | | | | | | 96 | 5.8 | 11.9 | 10.7 | 0.85 | 1.25 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.2 | 0.5 | 0.5 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 57 | 3.4 | 7.0 | 6.6 | 0.48 | 0.77 | C56 |
| Other female genital organs | | | | | | | 6 | 0.4 | 0.7 | 0.6 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 205 | 18.7 | 26.9 | 31.2 | 1.37 | 4.49 | | | | | | | C61 |
| Testis | 12 | 1.1 | 1.6 | 1.3 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 24 | 2.2 | 3.2 | 3.4 | 0.19 | 0.35 | 22 | 1.3 | 2.7 | 2.5 | 0.13 | 0.34 | C64 |
| Renal pelvis | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 5 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C65 |
| Ureter | 3 | 0.3 | 0.4 | 0.4 | 0.01 | 0.01 | 4 | 0.2 | 0.5 | 0.5 | 0.00 | 0.09 | C66 |
| Bladder | 44 | 4.0 | 5.8 | 6.3 | 0.12 | 0.68 | 15 | 0.9 | 1.9 | 1.6 | 0.09 | 0.13 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 2 | 0.2 | 0.3 | 0.3 | 0.01 | 0.01 | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 35 | 3.2 | 4.6 | 4.8 | 0.26 | 0.41 | 16 | 1.0 | 2.0 | 2.0 | 0.12 | 0.18 | C70–72 |
| Thyroid | 24 | 2.2 | 3.2 | 2.6 | 0.17 | 0.20 | 140 | 8.4 | 17.3 | 14.6 | 1.13 | 1.52 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 12 | 1.1 | 1.6 | 1.3 | 0.09 | 0.12 | 6 | 0.4 | 0.7 | 0.8 | 0.05 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 51 | 4.7 | 6.7 | 7.3 | 0.31 | 0.87 | 60 | 3.6 | 7.4 | 6.8 | 0.33 | 0.87 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.4 | 0.5 | 0.4 | 0.01 | 0.01 | 7 | 0.4 | 0.9 | 0.8 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 15 | 1.4 | 2.0 | 2.2 | 0.10 | 0.31 | 24 | 1.4 | 3.0 | 2.8 | 0.09 | 0.37 | C90 |
| Lymphoid leukaemia | 25 | 2.3 | 3.3 | 3.9 | 0.20 | 0.35 | 18 | 1.1 | 2.2 | 2.4 | 0.10 | 0.17 | C91 |
| Myeloid leukaemia | 26 | 2.4 | 3.4 | 3.5 | 0.17 | 0.35 | 11 | 0.7 | 1.4 | 1.3 | 0.08 | 0.13 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 20 | 1.8 | 2.6 | 2.7 | 0.18 | 0.28 | 21 | 1.3 | 2.6 | 2.5 | 0.15 | 0.33 | MPD |
| Myelodysplastic syndromes | 13 | 1.2 | 1.7 | 1.9 | 0.03 | 0.15 | 9 | 0.5 | 1.1 | 1.0 | 0.05 | 0.11 | MPS |
| Other and unspecified | 15 | 1.4 | 2.0 | 2.2 | 0.13 | 0.23 | 26 | 1.6 | 3.2 | 3.0 | 0.17 | 0.28 | O&U |
| All sites | 1101 | | 144.7 | 156.7 | 7.82 | 18.78 | 1669 | | 206.3 | 186.1 | 11.60 | 20.77 | C00–96 |
| All sites except C44 | 1095 | 100.0 | 143.9 | 156.1 | 7.76 | 18.73 | 1668 | 100.0 | 206.2 | 186.0 | 11.59 | 20.76 | C00–96 exc. C44 |

USA, North Carolina: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 186 | 0.7 | 3.4 | 2.6 | 0.18 | 0.35 | 59 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C01–02 |
| Mouth | 142 | 0.5 | 2.6 | 2.0 | 0.15 | 0.25 | 94 | 0.4 | 1.5 | 1.0 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 67 | 0.3 | 1.2 | 1.0 | 0.07 | 0.10 | 67 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 152 | 0.6 | 2.8 | 2.2 | 0.17 | 0.27 | 50 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 76 | 0.3 | 1.4 | 1.1 | 0.07 | 0.15 | 15 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 50 | 0.2 | 0.9 | 0.8 | 0.04 | 0.10 | 19 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 93 | 0.3 | 1.7 | 1.3 | 0.10 | 0.18 | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 30 | 0.1 | 0.6 | 0.4 | 0.02 | 0.06 | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 323 | 1.2 | 6.0 | 4.5 | 0.26 | 0.59 | 142 | 0.5 | 2.3 | 1.4 | 0.10 | 0.16 | C15 |
| Stomach | 600 | 2.2 | 11.1 | 8.5 | 0.45 | 1.03 | 468 | 1.8 | 7.7 | 4.7 | 0.26 | 0.50 | C16 |
| Small intestine | 229 | 0.9 | 4.2 | 3.3 | 0.20 | 0.38 | 263 | 1.0 | 4.3 | 2.9 | 0.19 | 0.35 | C17 |
| Colon | 1679 | 6.3 | 31.0 | 24.1 | 1.42 | 2.80 | 1776 | 6.8 | 29.0 | 18.4 | 1.11 | 2.14 | C18 |
| Rectum | 680 | 2.5 | 12.6 | 9.8 | 0.71 | 1.16 | 540 | 2.1 | 8.8 | 5.9 | 0.43 | 0.65 | C19–20 |
| Anus | 90 | 0.3 | 1.7 | 1.4 | 0.11 | 0.15 | 120 | 0.5 | 2.0 | 1.4 | 0.09 | 0.15 | C21 |
| Liver | 871 | 3.3 | 16.1 | 12.2 | 0.93 | 1.57 | 341 | 1.3 | 5.6 | 3.6 | 0.26 | 0.44 | C22 |
| Gallbladder etc. | 150 | 0.6 | 2.8 | 2.1 | 0.10 | 0.24 | 203 | 0.8 | 3.3 | 2.0 | 0.10 | 0.23 | C23–24 |
| Pancreas | 833 | 3.1 | 15.4 | 11.7 | 0.64 | 1.38 | 946 | 3.6 | 15.5 | 9.2 | 0.47 | 1.07 | C25 |
| Nose, sinuses etc. | 38 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | 31 | 0.1 | 0.5 | 0.3 | 0.02 | 0.05 | C30–31 |
| Larynx | 466 | 1.7 | 8.6 | 6.6 | 0.39 | 0.87 | 123 | 0.5 | 2.0 | 1.3 | 0.09 | 0.17 | C32 |
| Trachea, bronchus, and lung | 4125 | 15.4 | 76.2 | 57.6 | 2.79 | 7.49 | 3011 | 11.5 | 49.2 | 30.5 | 1.64 | 3.92 | C33–34 |
| Other thoracic organs | 34 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 28 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 51 | 0.2 | 0.9 | 0.9 | 0.06 | 0.07 | 39 | 0.1 | 0.6 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 51 | 0.2 | 0.9 | 0.7 | 0.04 | 0.08 | 49 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 76 | 0.3 | 1.4 | 1.2 | 0.09 | 0.11 | 68 | 0.3 | 1.1 | 0.8 | 0.07 | 0.08 | C44 |
| Mesothelioma | 17 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 58 | 0.2 | 1.1 | 1.0 | 0.08 | 0.08 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 149 | 0.6 | 2.8 | 2.4 | 0.15 | 0.24 | 165 | 0.6 | 2.7 | 2.0 | 0.14 | 0.20 | C47+C49 |
| Breast | 77 | 0.3 | 1.4 | 1.1 | 0.07 | 0.12 | 8660 | 33.2 | 141.6 | 97.6 | 6.76 | 11.47 | C50 |
| Vulva | | | | | | | 116 | 0.4 | 1.9 | 1.3 | 0.10 | 0.13 | C51 |
| Vagina | | | | | | | 65 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | C52 |
| Cervix uteri | | | | | | | 482 | 1.8 | 7.9 | 5.9 | 0.47 | 0.60 | C53 |
| Corpus uteri | | | | | | | 1652 | 6.3 | 27.0 | 18.1 | 1.15 | 2.36 | C54 |
| Uterus unspecified | | | | | | | 111 | 0.4 | 1.8 | 1.2 | 0.08 | 0.14 | C55 |
| Ovary | | | | | | | 495 | 1.9 | 8.1 | 5.5 | 0.35 | 0.60 | C56 |
| Other female genital organs | | | | | | | 86 | 0.3 | 1.4 | 0.9 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 38 | 0.1 | 0.7 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 9231 | 34.5 | 170.6 | 129.9 | 7.82 | 17.51 | | | | | | | C61 |
| Testis | 92 | 0.3 | 1.7 | 1.6 | 0.12 | 0.13 | | | | | | | C62 |
| Other male genital organs | 14 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 1293 | 4.8 | 23.9 | 18.9 | 1.20 | 2.33 | 904 | 3.5 | 14.8 | 10.3 | 0.61 | 1.23 | C64 |
| Renal pelvis | 35 | 0.1 | 0.6 | 0.5 | 0.02 | 0.05 | 28 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 14 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 13 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 844 | 3.2 | 15.6 | 11.7 | 0.49 | 1.38 | 452 | 1.7 | 7.4 | 4.3 | 0.18 | 0.53 | C67 |
| Other urinary organs | 19 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 19 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 17 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 246 | 0.9 | 4.5 | 4.1 | 0.27 | 0.38 | 237 | 0.9 | 3.9 | 3.3 | 0.19 | 0.27 | C70–72 |
| Thyroid | 181 | 0.7 | 3.3 | 2.8 | 0.19 | 0.31 | 856 | 3.3 | 14.0 | 10.9 | 0.85 | 1.15 | C73 |
| Adrenal gland | 15 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 22 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 13 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 10 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 169 | 0.6 | 3.1 | 2.9 | 0.20 | 0.25 | 141 | 0.5 | 2.3 | 2.1 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 709 | 2.7 | 13.1 | 10.6 | 0.71 | 1.11 | 661 | 2.5 | 10.8 | 7.4 | 0.49 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 59 | 0.2 | 1.1 | 0.9 | 0.05 | 0.11 | 83 | 0.3 | 1.4 | 0.9 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 846 | 3.2 | 15.6 | 12.0 | 0.60 | 1.51 | 827 | 3.2 | 13.5 | 8.3 | 0.44 | 0.99 | C90 |
| Lymphoid leukaemia | 388 | 1.5 | 7.2 | 6.0 | 0.34 | 0.60 | 301 | 1.2 | 4.9 | 3.5 | 0.18 | 0.38 | C91 |
| Myeloid leukaemia | 366 | 1.4 | 6.8 | 5.6 | 0.33 | 0.57 | 315 | 1.2 | 5.1 | 3.7 | 0.22 | 0.37 | C92–94 |
| Leukaemia unspecified | 13 | 0.0 | 0.2 | 0.2 | 0.00 | 0.01 | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 183 | 0.7 | 3.4 | 2.6 | 0.16 | 0.27 | 243 | 0.9 | 4.0 | 2.6 | 0.14 | 0.30 | MPD |
| Myelodysplastic syndromes | 151 | 0.6 | 2.8 | 2.1 | 0.06 | 0.21 | 159 | 0.6 | 2.6 | 1.5 | 0.07 | 0.17 | MPS |
| Other and unspecified | 477 | 1.8 | 8.8 | 6.8 | 0.32 | 0.80 | 526 | 2.0 | 8.6 | 5.0 | 0.25 | 0.56 | O&U |
| All sites | 26814 | | 495.4 | 383.4 | 22.39 | 47.72 | 26173 | | 427.8 | 286.6 | 18.22 | 33.42 | C00–96 |
| All sites except C44 | 26738 | 100.0 | 494.0 | 382.2 | 22.30 | 47.60 | 26105 | 100.0 | 426.7 | 285.8 | 18.15 | 33.34 | C00–96 exc. C44 |

USA, North Carolina: White (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|-------|-----------|-----------|--------------------------|--------------|---------------------|-------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 | |
| Lip | 155 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 70 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 1533 | 1.4 | 8.6 | 5.1 | 0.37 | 0.64 | 526 | 0.5 | 2.9 | 1.5 | 0.10 | 0.18 | C01–02 |
| Mouth | 625 | 0.6 | 3.5 | 2.0 | 0.12 | 0.24 | 489 | 0.5 | 2.7 | 1.2 | 0.06 | 0.14 | C03–06 |
| Salivary glands | 337 | 0.3 | 1.9 | 1.0 | 0.05 | 0.10 | 205 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 1095 | 1.0 | 6.1 | 3.8 | 0.31 | 0.47 | 219 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | C09 |
| Other oropharynx | 244 | 0.2 | 1.4 | 0.9 | 0.07 | 0.10 | 79 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 102 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 56 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 247 | 0.2 | 1.4 | 0.8 | 0.05 | 0.10 | 48 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 122 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 42 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1714 | 1.6 | 9.6 | 5.2 | 0.30 | 0.68 | 360 | 0.3 | 2.0 | 0.9 | 0.05 | 0.10 | C15 |
| Stomach | 1564 | 1.4 | 8.8 | 4.7 | 0.26 | 0.57 | 939 | 0.9 | 5.1 | 2.4 | 0.14 | 0.27 | C16 |
| Small intestine | 651 | 0.6 | 3.6 | 2.0 | 0.12 | 0.24 | 573 | 0.5 | 3.1 | 1.7 | 0.10 | 0.20 | C17 |
| Colon | 5779 | 5.3 | 32.3 | 17.7 | 0.98 | 2.01 | 5724 | 5.4 | 31.1 | 14.7 | 0.81 | 1.64 | C18 |
| Rectum | 2762 | 2.5 | 15.5 | 9.3 | 0.65 | 1.07 | 1956 | 1.8 | 10.6 | 6.0 | 0.42 | 0.66 | C19–20 |
| Anus | 303 | 0.3 | 1.7 | 1.0 | 0.07 | 0.12 | 683 | 0.6 | 3.7 | 2.1 | 0.16 | 0.24 | C21 |
| Liver | 2819 | 2.6 | 15.8 | 8.9 | 0.62 | 1.09 | 1090 | 1.0 | 5.9 | 2.8 | 0.17 | 0.34 | C22 |
| Gallbladder etc. | 485 | 0.4 | 2.7 | 1.4 | 0.06 | 0.16 | 521 | 0.5 | 2.8 | 1.2 | 0.06 | 0.13 | C23–24 |
| Pancreas | 3062 | 2.8 | 17.1 | 9.0 | 0.44 | 1.08 | 2776 | 2.6 | 15.1 | 6.7 | 0.33 | 0.80 | C25 |
| Nose, sinuses etc. | 191 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 116 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 1381 | 1.3 | 7.7 | 4.3 | 0.27 | 0.55 | 408 | 0.4 | 2.2 | 1.2 | 0.09 | 0.16 | C32 |
| Trachea, bronchus, and lung | 17664 | 16.1 | 98.9 | 50.1 | 2.25 | 6.24 | 15513 | 14.7 | 84.2 | 38.3 | 1.89 | 4.91 | C33–34 |
| Other thoracic organs | 103 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 78 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 216 | 0.2 | 1.2 | 1.1 | 0.07 | 0.09 | 203 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 8586 | 7.8 | 48.1 | 27.1 | 1.53 | 3.09 | 5711 | 5.4 | 31.0 | 19.1 | 1.35 | 2.01 | C43 |
| Other skin | 522 | 0.5 | 2.9 | 1.5 | 0.07 | 0.16 | 282 | 0.3 | 1.5 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 269 | 0.2 | 1.5 | 0.7 | 0.02 | 0.08 | 79 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 57 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 823 | 0.8 | 4.6 | 2.9 | 0.15 | 0.29 | 624 | 0.6 | 3.4 | 2.0 | 0.13 | 0.21 | C47+C49 |
| Breast | 240 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 32079 | 30.3 | 174.1 | 97.3 | 6.60 | 11.47 | C50 |
| Vulva | | | | | | | 781 | 0.7 | 4.2 | 2.1 | 0.13 | 0.23 | C51 |
| Vagina | | | | | | | 175 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1310 | 1.2 | 7.1 | 5.4 | 0.44 | 0.52 | C53 |
| Corpus uteri | | | | | | | 6107 | 5.8 | 33.1 | 18.4 | 1.34 | 2.27 | C54 |
| Uterus unspecified | | | | | | | 165 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 2697 | 2.5 | 14.6 | 8.1 | 0.55 | 0.90 | C56 |
| Other female genital organs | | | | | | | 448 | 0.4 | 2.4 | 1.2 | 0.07 | 0.15 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 188 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 23706 | 21.6 | 132.7 | 71.6 | 3.86 | 9.83 | | | | | | | C61 |
| Testis | 1072 | 1.0 | 6.0 | 5.9 | 0.44 | 0.46 | | | | | | | C62 |
| Other male genital organs | 44 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 4694 | 4.3 | 26.3 | 15.7 | 1.00 | 1.88 | 2616 | 2.5 | 14.2 | 7.9 | 0.52 | 0.92 | C64 |
| Renal pelvis | 272 | 0.2 | 1.5 | 0.8 | 0.03 | 0.09 | 184 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 217 | 0.2 | 1.2 | 0.6 | 0.02 | 0.06 | 114 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 7858 | 7.2 | 44.0 | 21.4 | 0.81 | 2.45 | 2415 | 2.3 | 13.1 | 5.7 | 0.26 | 0.68 | C67 |
| Other urinary organs | 112 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 43 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 214 | 0.2 | 1.2 | 0.8 | 0.04 | 0.08 | 230 | 0.2 | 1.2 | 0.9 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 1584 | 1.4 | 8.9 | 6.5 | 0.39 | 0.61 | 1322 | 1.2 | 7.2 | 5.0 | 0.31 | 0.46 | C70–72 |
| Thyroid | 1398 | 1.3 | 7.8 | 5.5 | 0.39 | 0.58 | 3745 | 3.5 | 20.3 | 15.8 | 1.22 | 1.49 | C73 |
| Adrenal gland | 41 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 55 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 34 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 21 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 540 | 0.5 | 3.0 | 2.6 | 0.17 | 0.22 | 410 | 0.4 | 2.2 | 2.1 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 4221 | 3.9 | 23.6 | 13.4 | 0.71 | 1.51 | 3364 | 3.2 | 18.3 | 9.0 | 0.48 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 293 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | 296 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | C88 |
| Multiple myeloma | 1613 | 1.5 | 9.0 | 4.7 | 0.23 | 0.57 | 1297 | 1.2 | 7.0 | 3.2 | 0.15 | 0.38 | C90 |
| Lymphoid leukaemia | 2448 | 2.2 | 13.7 | 8.7 | 0.43 | 0.88 | 1579 | 1.5 | 8.6 | 4.9 | 0.24 | 0.48 | C91 |
| Myeloid leukaemia | 1684 | 1.5 | 9.4 | 5.6 | 0.28 | 0.57 | 1252 | 1.2 | 6.8 | 3.8 | 0.22 | 0.39 | C92–94 |
| Leukaemia unspecified | 89 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 78 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 972 | 0.9 | 5.4 | 3.1 | 0.17 | 0.35 | 1100 | 1.0 | 6.0 | 2.9 | 0.15 | 0.32 | MPD |
| Myelodysplastic syndromes | 1231 | 1.1 | 6.9 | 3.1 | 0.08 | 0.31 | 780 | 0.7 | 4.2 | 1.5 | 0.04 | 0.15 | MPS |
| Other and unspecified | 1892 | 1.7 | 10.6 | 5.3 | 0.24 | 0.56 | 2055 | 1.9 | 11.2 | 4.6 | 0.21 | 0.48 | O&U |
| All sites | 110068 | | 616.1 | 341.5 | 18.48 | 40.78 | 106095 | | 575.8 | 309.3 | 19.41 | 35.37 | C00–96 |
| All sites except C44 | 109546 | 100.0 | 613.1 | 340.0 | 18.41 | 40.63 | 105813 | 100.0 | 574.3 | 308.6 | 19.38 | 35.30 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, North Dakota

CONTRIBUTORS

Mary Ann Sens
 Yun Zheng
 Xudong Zhou
 Cristina Oancea



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 80.3 | Breast | 93.0 |
| Trachea, bronchus, and lung | 38.9 | Trachea, bronchus, and lung | 33.2 |
| Colon | 20.0 | Thyroid | 22.4 |
| Bladder | 19.1 | Corpus uteri | 19.8 |
| Melanoma of skin | 17.9 | Melanoma of skin | 18.1 |
| Kidney | 16.3 | Colon | 16.6 |
| Non-Hodgkin lymphoma | 13.3 | Non-Hodgkin lymphoma | 9.5 |
| Rectum | 11.3 | Rectum | 7.4 |
| Lymphoid leukaemia | 9.8 | Kidney | 7.1 |
| Pancreas | 8.6 | Ovary | 7.0 |
| Testis | 6.9 | Pancreas | 6.5 |
| Thyroid | 6.8 | Lymphoid leukaemia | 4.8 |
| Brain and nervous system | 6.6 | Bladder | 4.7 |
| Oesophagus | 5.7 | Cervix uteri | 4.5 |
| Myeloid leukaemia | 5.2 | Brain and nervous system | 4.4 |
| Stomach | 4.9 | Other and unspecified | 4.2 |
| Liver | 4.8 | Myeloid leukaemia | 3.5 |
| Multiple myeloma | 4.7 | Multiple myeloma | 2.9 |
| Other and unspecified | 4.5 | Myeloproliferative disorders | 2.8 |
| Larynx | 3.9 | Stomach | 2.2 |
| All sites | 326.3 | All sites | 300.6 |


USA, North Dakota (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 79 | 0.8 | 4.1 | 2.3 | 0.09 | 0.26 | 17 | 0.2 | 0.9 | 0.5 | 0.01 | 0.05 | C00 |
| Tongue | 88 | 0.9 | 4.6 | 3.3 | 0.22 | 0.41 | 43 | 0.5 | 2.4 | 1.4 | 0.10 | 0.15 | C01–02 |
| Mouth | 48 | 0.5 | 2.5 | 1.5 | 0.08 | 0.18 | 41 | 0.5 | 2.3 | 1.1 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 26 | 0.3 | 1.4 | 0.9 | 0.05 | 0.11 | 25 | 0.3 | 1.4 | 0.9 | 0.06 | 0.08 | C07–08 |
| Tonsil | 86 | 0.9 | 4.5 | 3.1 | 0.27 | 0.40 | 16 | 0.2 | 0.9 | 0.6 | 0.05 | 0.07 | C09 |
| Other oropharynx | 16 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 8 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 20 | 0.2 | 1.0 | 0.7 | 0.05 | 0.09 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 9 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 170 | 1.7 | 8.9 | 5.7 | 0.32 | 0.75 | 42 | 0.5 | 2.3 | 1.3 | 0.07 | 0.13 | C15 |
| Stomach | 155 | 1.6 | 8.1 | 4.9 | 0.24 | 0.57 | 78 | 0.9 | 4.3 | 2.2 | 0.13 | 0.23 | C16 |
| Small intestine | 42 | 0.4 | 2.2 | 1.4 | 0.09 | 0.14 | 34 | 0.4 | 1.9 | 1.1 | 0.08 | 0.14 | C17 |
| Colon | 633 | 6.4 | 33.2 | 20.0 | 1.11 | 2.26 | 624 | 6.9 | 34.4 | 16.6 | 0.86 | 1.80 | C18 |
| Rectum | 319 | 3.2 | 16.7 | 11.3 | 0.81 | 1.30 | 221 | 2.4 | 12.2 | 7.4 | 0.52 | 0.84 | C19–20 |
| Anus | 22 | 0.2 | 1.2 | 0.7 | 0.06 | 0.08 | 45 | 0.5 | 2.5 | 1.6 | 0.13 | 0.19 | C21 |
| Liver | 141 | 1.4 | 7.4 | 4.8 | 0.34 | 0.54 | 59 | 0.7 | 3.2 | 1.7 | 0.08 | 0.23 | C22 |
| Gallbladder etc. | 42 | 0.4 | 2.2 | 1.2 | 0.02 | 0.14 | 61 | 0.7 | 3.4 | 1.6 | 0.08 | 0.19 | C23–24 |
| Pancreas | 275 | 2.8 | 14.4 | 8.6 | 0.39 | 1.08 | 240 | 2.7 | 13.2 | 6.5 | 0.32 | 0.79 | C25 |
| Nose, sinuses etc. | 11 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 9 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 117 | 1.2 | 6.1 | 3.9 | 0.22 | 0.49 | 18 | 0.2 | 1.0 | 0.6 | 0.02 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1304 | 13.2 | 68.4 | 38.9 | 1.54 | 4.87 | 1158 | 12.8 | 63.8 | 33.2 | 1.44 | 4.26 | C33–34 |
| Other thoracic organs | 7 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 16 | 0.2 | 0.8 | 0.7 | 0.04 | 0.07 | 11 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | C40–41 |
| Melanoma of skin | 507 | 5.2 | 26.6 | 17.9 | 1.11 | 1.98 | 441 | 4.9 | 24.3 | 18.1 | 1.36 | 1.78 | C43 |
| Other skin | 39 | 0.4 | 2.0 | 1.1 | 0.04 | 0.10 | 25 | 0.3 | 1.4 | 0.8 | 0.04 | 0.07 | C44 |
| Mesothelioma | 23 | 0.2 | 1.2 | 0.7 | 0.01 | 0.08 | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.05 | C45 |
| Kaposi sarcoma | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 65 | 0.7 | 3.4 | 2.4 | 0.14 | 0.26 | 42 | 0.5 | 2.3 | 1.5 | 0.08 | 0.14 | C47+C49 |
| Breast | 27 | 0.3 | 1.4 | 1.0 | 0.07 | 0.09 | 2634 | 29.1 | 145.1 | 93.0 | 6.19 | 11.13 | C50 |
| Vulva | | | | | | | 69 | 0.8 | 3.8 | 2.0 | 0.12 | 0.19 | C51 |
| Vagina | | | | | | | 13 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 98 | 1.1 | 5.4 | 4.5 | 0.37 | 0.44 | C53 |
| Corpus uteri | | | | | | | 562 | 6.2 | 31.0 | 19.8 | 1.49 | 2.40 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 209 | 2.3 | 11.5 | 7.0 | 0.47 | 0.78 | C56 |
| Other female genital organs | | | | | | | 29 | 0.3 | 1.6 | 0.9 | 0.04 | 0.12 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 24 | 0.2 | 1.3 | 0.6 | 0.01 | 0.07 | | | | | | | C60 |
| Prostate | 2448 | 24.9 | 128.4 | 80.3 | 4.32 | 11.24 | | | | | | | C61 |
| Testis | 143 | 1.5 | 7.5 | 6.9 | 0.51 | 0.52 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 458 | 4.7 | 24.0 | 16.3 | 0.98 | 1.96 | 219 | 2.4 | 12.1 | 7.1 | 0.42 | 0.87 | C64 |
| Renal pelvis | 27 | 0.3 | 1.4 | 0.8 | 0.03 | 0.07 | 17 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 18 | 0.2 | 0.9 | 0.5 | 0.01 | 0.04 | 14 | 0.2 | 0.8 | 0.3 | 0.02 | 0.03 | C66 |
| Bladder | 667 | 6.8 | 35.0 | 19.1 | 0.76 | 2.10 | 184 | 2.0 | 10.1 | 4.7 | 0.18 | 0.54 | C67 |
| Other urinary organs | 14 | 0.1 | 0.7 | 0.4 | 0.00 | 0.02 | 8 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 14 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | 10 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 157 | 1.6 | 8.2 | 6.6 | 0.40 | 0.67 | 101 | 1.1 | 5.6 | 4.4 | 0.26 | 0.40 | C70–72 |
| Thyroid | 166 | 1.7 | 8.7 | 6.8 | 0.48 | 0.76 | 481 | 5.3 | 26.5 | 22.4 | 1.68 | 2.22 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 9 | 0.1 | 0.5 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 73 | 0.7 | 3.8 | 3.1 | 0.21 | 0.29 | 36 | 0.4 | 2.0 | 1.9 | 0.12 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 406 | 4.1 | 21.3 | 13.3 | 0.74 | 1.47 | 325 | 3.6 | 17.9 | 9.5 | 0.50 | 1.06 | C82–86, C96 |
| Immunoproliferative diseases | 36 | 0.4 | 1.9 | 1.1 | 0.07 | 0.12 | 29 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 152 | 1.5 | 8.0 | 4.7 | 0.22 | 0.56 | 111 | 1.2 | 6.1 | 2.9 | 0.14 | 0.34 | C90 |
| Lymphoid leukaemia | 249 | 2.5 | 13.1 | 9.8 | 0.57 | 1.00 | 154 | 1.7 | 8.5 | 4.8 | 0.21 | 0.50 | C91 |
| Myeloid leukaemia | 158 | 1.6 | 8.3 | 5.2 | 0.23 | 0.58 | 122 | 1.3 | 6.7 | 3.5 | 0.17 | 0.35 | C92–94 |
| Leukaemia unspecified | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 97 | 1.0 | 5.1 | 3.3 | 0.17 | 0.36 | 91 | 1.0 | 5.0 | 2.8 | 0.13 | 0.31 | MPD |
| Myelodysplastic syndromes | 102 | 1.0 | 5.3 | 2.5 | 0.05 | 0.23 | 62 | 0.7 | 3.4 | 1.5 | 0.04 | 0.18 | MPS |
| Other and unspecified | 159 | 1.6 | 8.3 | 4.5 | 0.21 | 0.48 | 183 | 2.0 | 10.1 | 4.2 | 0.14 | 0.49 | O&U |
| All sites | 9883 | | 518.2 | 326.3 | 17.49 | 39.10 | 9064 | | 499.2 | 300.6 | 18.44 | 34.38 | C00–96 |
| All sites except C44 | 9844 | 100.0 | 516.1 | 325.2 | 17.44 | 39.00 | 9039 | 100.0 | 497.8 | 299.9 | 18.39 | 34.31 | C00–96 exc. C44 |

USA, Ohio

CONTRIBUTORS


Lynn Giljahn
Barbara Warther



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 73.8 | Breast | 92.3 |
| Trachea, bronchus, and lung | 49.9 | Trachea, bronchus, and lung | 38.2 |
| Bladder | 21.6 | Corpus uteri | 22.1 |
| Colon | 20.4 | Thyroid | 18.8 |
| Melanoma of skin | 19.0 | Colon | 17.0 |
| Kidney | 15.7 | Melanoma of skin | 15.1 |
| Non-Hodgkin lymphoma | 14.0 | Non-Hodgkin lymphoma | 9.3 |
| Rectum | 10.1 | Kidney | 8.7 |
| Pancreas | 9.2 | Ovary | 7.6 |
| Liver | 7.7 | Pancreas | 7.2 |
| Brain and nervous system | 7.0 | Rectum | 6.4 |
| Lymphoid leukaemia | 6.7 | Cervix uteri | 6.3 |
| Oesophagus | 6.2 | Bladder | 5.6 |
| Other and unspecified | 6.1 | Other and unspecified | 5.3 |
| Thyroid | 5.8 | Brain and nervous system | 5.1 |
| Stomach | 5.5 | Lymphoid leukaemia | 4.0 |
| Testis | 5.2 | Myeloid leukaemia | 3.6 |
| Myeloid leukaemia | 5.0 | Multiple myeloma | 3.1 |
| Multiple myeloma | 4.8 | Liver | 2.8 |
| Larynx | 4.8 | Stomach | 2.7 |
| All sites | 336.0 | All sites | 310.2 |

USA, Ohio: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.

NOTES ON THE DATA

*Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Prostate | 31.1 |
| Trachea, bronchus, and lung | 19.3 |
| Colon | 10.3 |
| Liver | 10.1 |
| Rectum | 7.7 |
| Non-Hodgkin lymphoma | 6.7 |
| Stomach | 6.3 |
| Bladder | 6.2 |
| Pancreas | 5.1 |
| Kidney | 4.8 |
| All sites | 154.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 58.1 |
| Trachea, bronchus, and lung | 16.4 |
| Thyroid | 14.2 |
| Corpus uteri | 11.9 |
| Colon | 8.4 |
| Ovary | 6.5 |
| Non-Hodgkin lymphoma | 5.4 |
| Stomach | 3.8 |
| Pancreas | 3.7 |
| Rectum | 3.2 |
| All sites | 167.8 |

USA, Ohio: Black (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 117.3 |
| Trachea, bronchus, and lung | 57.8 |
| Colon | 21.8 |
| Kidney | 19.0 |
| Liver | 14.9 |
| Bladder | 12.2 |
| Pancreas | 11.1 |
| Non-Hodgkin lymphoma | 10.5 |
| Multiple myeloma | 9.9 |
| Rectum | 9.3 |
| All sites | 362.0 |

Female

| | |
|-----------------------------|-------|
| Breast | 92.3 |
| Trachea, bronchus, and lung | 39.8 |
| Colon | 18.7 |
| Corpus uteri | 17.9 |
| Thyroid | 13.1 |
| Kidney | 9.3 |
| Pancreas | 9.1 |
| Multiple myeloma | 6.9 |
| Non-Hodgkin lymphoma | 6.5 |
| Rectum | 6.4 |
| All sites | 289.8 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 67.4 |
| Trachea, bronchus, and lung | 49.6 |
| Bladder | 22.6 |
| Colon | 19.9 |
| Melanoma of skin | 19.8 |
| Kidney | 15.6 |
| Non-Hodgkin lymphoma | 14.4 |
| Rectum | 10.1 |
| Pancreas | 9.1 |
| Brain and nervous system | 7.3 |
| All sites | 331.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 93.1 |
| Trachea, bronchus, and lung | 38.4 |
| Corpus uteri | 22.9 |
| Thyroid | 20.0 |
| Colon | 16.7 |
| Melanoma of skin | 15.8 |
| Non-Hodgkin lymphoma | 9.7 |
| Kidney | 8.8 |
| Ovary | 7.9 |
| Pancreas | 7.1 |
| All sites | 314.1 |

USA, Ohio (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 133 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 58 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 2155 | 1.3 | 7.6 | 4.7 | 0.34 | 0.58 | 793 | 0.5 | 2.7 | 1.5 | 0.11 | 0.18 | C01–02 |
| Mouth | 957 | 0.6 | 3.4 | 2.0 | 0.13 | 0.24 | 647 | 0.4 | 2.2 | 1.1 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 483 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 356 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 1459 | 0.9 | 5.1 | 3.3 | 0.27 | 0.40 | 355 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | C09 |
| Other oropharynx | 337 | 0.2 | 1.2 | 0.7 | 0.06 | 0.09 | 101 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 204 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 85 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 341 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 107 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 112 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 36 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 3131 | 1.9 | 11.0 | 6.2 | 0.35 | 0.77 | 784 | 0.5 | 2.6 | 1.2 | 0.07 | 0.14 | C15 |
| Stomach | 2858 | 1.7 | 10.0 | 5.5 | 0.28 | 0.66 | 1626 | 1.0 | 5.5 | 2.7 | 0.15 | 0.30 | C16 |
| Small intestine | 1024 | 0.6 | 3.6 | 2.1 | 0.13 | 0.26 | 902 | 0.5 | 3.0 | 1.7 | 0.10 | 0.19 | C17 |
| Colon | 10351 | 6.3 | 36.4 | 20.4 | 1.09 | 2.30 | 10787 | 6.5 | 36.4 | 17.0 | 0.89 | 1.88 | C18 |
| Rectum | 4798 | 2.9 | 16.9 | 10.1 | 0.66 | 1.17 | 3389 | 2.1 | 11.4 | 6.4 | 0.44 | 0.72 | C19–20 |
| Anus | 450 | 0.3 | 1.6 | 1.0 | 0.07 | 0.12 | 919 | 0.6 | 3.1 | 1.8 | 0.14 | 0.21 | C21 |
| Liver | 3773 | 2.3 | 13.3 | 7.7 | 0.50 | 0.97 | 1654 | 1.0 | 5.6 | 2.8 | 0.16 | 0.32 | C22 |
| Gallbladder etc. | 846 | 0.5 | 3.0 | 1.6 | 0.07 | 0.19 | 1080 | 0.7 | 3.6 | 1.6 | 0.07 | 0.18 | C23–24 |
| Pancreas | 4799 | 2.9 | 16.9 | 9.2 | 0.47 | 1.12 | 4745 | 2.9 | 16.0 | 7.2 | 0.35 | 0.86 | C25 |
| Nose, sinuses etc. | 299 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 175 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 2337 | 1.4 | 8.2 | 4.8 | 0.32 | 0.60 | 703 | 0.4 | 2.4 | 1.4 | 0.10 | 0.17 | C32 |
| Trachea, bronchus, and lung | 26473 | 16.0 | 93.1 | 49.9 | 2.40 | 6.24 | 23597 | 14.3 | 79.6 | 38.2 | 1.99 | 4.86 | C33–34 |
| Other thoracic organs | 188 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 103 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 352 | 0.2 | 1.2 | 1.1 | 0.07 | 0.09 | 282 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 9279 | 5.6 | 32.6 | 19.0 | 1.07 | 2.13 | 6925 | 4.2 | 23.4 | 15.1 | 1.09 | 1.56 | C43 |
| Other skin | 530 | 0.3 | 1.9 | 1.0 | 0.05 | 0.11 | 443 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | C44 |
| Mesothelioma | 564 | 0.3 | 2.0 | 0.9 | 0.02 | 0.10 | 168 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 98 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 13 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1251 | 0.8 | 4.4 | 2.9 | 0.17 | 0.28 | 980 | 0.6 | 3.3 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 376 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 47691 | 28.9 | 160.9 | 92.3 | 6.25 | 10.88 | C50 |
| Vulva | | | | | | | 1162 | 0.7 | 3.9 | 2.1 | 0.14 | 0.22 | C51 |
| Vagina | | | | | | | 225 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 2395 | 1.4 | 8.1 | 6.3 | 0.51 | 0.61 | C53 |
| Corpus uteri | | | | | | | 11404 | 6.9 | 38.5 | 22.1 | 1.60 | 2.76 | C54 |
| Uterus unspecified | | | | | | | 521 | 0.3 | 1.8 | 0.9 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 4003 | 2.4 | 13.5 | 7.6 | 0.51 | 0.87 | C56 |
| Other female genital organs | | | | | | | 450 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 18 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 287 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 37192 | 22.5 | 130.8 | 73.8 | 4.07 | 10.17 | | | | | | | C61 |
| Testis | 1522 | 0.9 | 5.4 | 5.2 | 0.40 | 0.41 | | | | | | | C62 |
| Other male genital organs | 62 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 7223 | 4.4 | 25.4 | 15.7 | 1.03 | 1.87 | 4458 | 2.7 | 15.0 | 8.7 | 0.55 | 1.00 | C64 |
| Renal pelvis | 361 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | 253 | 0.2 | 0.9 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 276 | 0.2 | 1.0 | 0.5 | 0.01 | 0.06 | 164 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 12072 | 7.3 | 42.4 | 21.6 | 0.85 | 2.52 | 3836 | 2.3 | 12.9 | 5.6 | 0.25 | 0.65 | C67 |
| Other urinary organs | 156 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 66 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 372 | 0.2 | 1.3 | 0.9 | 0.05 | 0.09 | 321 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 2583 | 1.6 | 9.1 | 7.0 | 0.44 | 0.66 | 2048 | 1.2 | 6.9 | 5.1 | 0.31 | 0.47 | C70–72 |
| Thyroid | 2266 | 1.4 | 8.0 | 5.8 | 0.42 | 0.62 | 7026 | 4.3 | 23.7 | 18.8 | 1.47 | 1.81 | C73 |
| Adrenal gland | 95 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 118 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 48 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 28 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 903 | 0.5 | 3.2 | 2.8 | 0.19 | 0.24 | 718 | 0.4 | 2.4 | 2.2 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 6722 | 4.1 | 23.6 | 14.0 | 0.76 | 1.54 | 5368 | 3.2 | 18.1 | 9.3 | 0.52 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 471 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 468 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 2526 | 1.5 | 8.9 | 4.8 | 0.25 | 0.57 | 1955 | 1.2 | 6.6 | 3.1 | 0.16 | 0.38 | C90 |
| Lymphoid leukaemia | 2845 | 1.7 | 10.0 | 6.7 | 0.35 | 0.65 | 1864 | 1.1 | 6.3 | 4.0 | 0.21 | 0.37 | C91 |
| Myeloid leukaemia | 2366 | 1.4 | 8.3 | 5.0 | 0.27 | 0.53 | 1851 | 1.1 | 6.2 | 3.6 | 0.20 | 0.37 | C92–94 |
| Leukaemia unspecified | 185 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 175 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 773 | 0.5 | 2.7 | 1.6 | 0.08 | 0.17 | 787 | 0.5 | 2.7 | 1.3 | 0.06 | 0.14 | MPD |
| Myelodysplastic syndromes | 1229 | 0.7 | 4.3 | 2.1 | 0.05 | 0.20 | 921 | 0.6 | 3.1 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 3256 | 2.0 | 11.4 | 6.1 | 0.28 | 0.66 | 3631 | 2.2 | 12.2 | 5.3 | 0.24 | 0.58 | O&U |
| All sites | 165749 | | 582.7 | 336.0 | 18.52 | 40.24 | 165738 | | 559.0 | 310.2 | 19.66 | 35.43 | C00–96 |
| All sites except C44 | 165219 | 100.0 | 580.8 | 335.0 | 18.48 | 40.13 | 165295 | 100.0 | 557.6 | 309.3 | 19.61 | 35.34 | C00–96 exc. C44 |

***USA, Ohio: Asian and Pacific Islander (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 13 | 1.2 | 2.0 | 1.9 | 0.08 | 0.29 | 11 | 0.8 | 1.5 | 1.4 | 0.06 | 0.15 | C01–02 |
| Mouth | 13 | 1.2 | 2.0 | 2.0 | 0.10 | 0.25 | 5 | 0.4 | 0.7 | 0.6 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 7 | 0.7 | 1.1 | 1.0 | 0.04 | 0.15 | 7 | 0.5 | 1.0 | 0.8 | 0.05 | 0.05 | C07–08 |
| Tonsil | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 10 | 0.9 | 1.5 | 1.3 | 0.12 | 0.12 | 6 | 0.4 | 0.8 | 0.8 | 0.07 | 0.07 | C11 |
| Hypopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 14 | 1.3 | 2.1 | 2.1 | 0.06 | 0.22 | 6 | 0.4 | 0.8 | 0.7 | 0.03 | 0.09 | C15 |
| Stomach | 45 | 4.3 | 6.8 | 6.3 | 0.38 | 0.72 | 32 | 2.3 | 4.5 | 3.8 | 0.27 | 0.39 | C16 |
| Small intestine | 5 | 0.5 | 0.8 | 0.8 | 0.06 | 0.09 | 3 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C17 |
| Colon | 70 | 6.6 | 10.5 | 10.3 | 0.52 | 1.23 | 72 | 5.2 | 10.1 | 8.4 | 0.47 | 0.98 | C18 |
| Rectum | 54 | 5.1 | 8.1 | 7.7 | 0.43 | 0.96 | 27 | 1.9 | 3.8 | 3.2 | 0.25 | 0.37 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.4 | 0.7 | 0.6 | 0.04 | 0.04 | C21 |
| Liver | 68 | 6.4 | 10.2 | 10.1 | 0.73 | 1.17 | 24 | 1.7 | 3.4 | 2.9 | 0.21 | 0.31 | C22 |
| Gallbladder etc. | 9 | 0.9 | 1.4 | 1.3 | 0.10 | 0.15 | 19 | 1.4 | 2.7 | 2.1 | 0.11 | 0.22 | C23–24 |
| Pancreas | 35 | 3.3 | 5.3 | 5.1 | 0.29 | 0.56 | 33 | 2.4 | 4.6 | 3.7 | 0.12 | 0.38 | C25 |
| Nose, sinuses etc. | 6 | 0.6 | 0.9 | 0.8 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 10 | 0.9 | 1.5 | 1.4 | 0.08 | 0.15 | 4 | 0.3 | 0.6 | 0.5 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 134 | 12.7 | 20.1 | 19.3 | 0.71 | 2.19 | 145 | 10.4 | 20.3 | 16.4 | 0.80 | 1.53 | C33–34 |
| Other thoracic organs | 4 | 0.4 | 0.6 | 0.5 | 0.04 | 0.06 | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 6 | 0.6 | 0.9 | 1.1 | 0.07 | 0.07 | 4 | 0.3 | 0.6 | 0.5 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 5 | 0.5 | 0.8 | 0.8 | 0.07 | 0.07 | 7 | 0.5 | 1.0 | 0.9 | 0.08 | 0.08 | C43 |
| Other skin | 6 | 0.6 | 0.9 | 0.9 | 0.06 | 0.14 | 4 | 0.3 | 0.6 | 0.6 | 0.02 | 0.05 | C44 |
| Mesothelioma | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 2 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.9 | 1.5 | 1.7 | 0.14 | 0.21 | 13 | 0.9 | 1.8 | 1.7 | 0.12 | 0.12 | C47+C49 |
| Breast | 3 | 0.3 | 0.5 | 0.4 | 0.03 | 0.07 | 484 | 34.6 | 67.7 | 58.1 | 4.33 | 6.39 | C50 |
| Vulva | | | | | | | 5 | 0.4 | 0.7 | 0.5 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C52 |
| Cervix uteri | | | | | | | 21 | 1.5 | 2.9 | 2.5 | 0.21 | 0.29 | C53 |
| Corpus uteri | | | | | | | 97 | 6.9 | 13.6 | 11.9 | 0.93 | 1.46 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.5 | 1.0 | 0.8 | 0.05 | 0.10 | C55 |
| Ovary | | | | | | | 52 | 3.7 | 7.3 | 6.5 | 0.47 | 0.71 | C56 |
| Other female genital organs | | | | | | | 4 | 0.3 | 0.6 | 0.5 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | | | | | | | C60 |
| Prostate | 207 | 19.6 | 31.1 | 31.1 | 1.26 | 4.48 | | | | | | | C61 |
| Testis | 14 | 1.3 | 2.1 | 1.7 | 0.13 | 0.13 | | | | | | | C62 |
| Other male genital organs | 3 | 0.3 | 0.5 | 0.4 | 0.00 | 0.03 | | | | | | | C63 |
| Kidney | 33 | 3.1 | 5.0 | 4.8 | 0.26 | 0.55 | 14 | 1.0 | 2.0 | 1.8 | 0.11 | 0.22 | C64 |
| Renal pelvis | 3 | 0.3 | 0.5 | 0.4 | 0.03 | 0.06 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 2 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 46 | 4.4 | 6.9 | 6.2 | 0.15 | 0.60 | 16 | 1.1 | 2.2 | 1.8 | 0.06 | 0.20 | C67 |
| Other urinary organs | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 1 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C69 |
| Brain and nervous system | 20 | 1.9 | 3.0 | 2.9 | 0.18 | 0.21 | 12 | 0.9 | 1.7 | 1.9 | 0.08 | 0.14 | C70–72 |
| Thyroid | 34 | 3.2 | 5.1 | 4.6 | 0.37 | 0.50 | 123 | 8.8 | 17.2 | 14.2 | 1.05 | 1.42 | C73 |
| Adrenal gland | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 7 | 0.7 | 1.1 | 1.0 | 0.07 | 0.07 | 6 | 0.4 | 0.8 | 0.8 | 0.05 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 47 | 4.5 | 7.1 | 6.7 | 0.30 | 0.72 | 47 | 3.4 | 6.6 | 5.4 | 0.34 | 0.53 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.4 | 0.6 | 0.5 | 0.03 | 0.06 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C88 |
| Multiple myeloma | 20 | 1.9 | 3.0 | 2.6 | 0.14 | 0.21 | 8 | 0.6 | 1.1 | 0.9 | 0.03 | 0.06 | C90 |
| Lymphoid leukaemia | 23 | 2.2 | 3.5 | 3.9 | 0.23 | 0.29 | 14 | 1.0 | 2.0 | 2.4 | 0.11 | 0.18 | C91 |
| Myeloid leukaemia | 32 | 3.0 | 4.8 | 4.4 | 0.31 | 0.48 | 21 | 1.5 | 2.9 | 2.9 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 8 | 0.8 | 1.2 | 1.1 | 0.05 | 0.15 | 8 | 0.6 | 1.1 | 0.9 | 0.01 | 0.12 | MPD |
| Myelodysplastic syndromes | 7 | 0.7 | 1.1 | 1.0 | 0.03 | 0.07 | 8 | 0.6 | 1.1 | 0.9 | 0.02 | 0.07 | MPS |
| Other and unspecified | 16 | 1.5 | 2.4 | 2.5 | 0.12 | 0.23 | 13 | 0.9 | 1.8 | 1.5 | 0.08 | 0.19 | O&U |
| All sites | 1061 | | 159.3 | 154.1 | 7.81 | 17.89 | 1402 | | 196.1 | 167.8 | 11.11 | 17.67 | C00–96 |
| All sites except C44 | 1055 | 100.0 | 158.4 | 153.2 | 7.75 | 17.76 | 1398 | 100.0 | 195.5 | 167.2 | 11.09 | 17.62 | C00–96 exc. C44 |

*See note following population pyramid

USA, Ohio: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 115 | 0.7 | 3.0 | 2.6 | 0.18 | 0.34 | 42 | 0.2 | 1.0 | 0.8 | 0.05 | 0.10 | C01–02 |
| Mouth | 73 | 0.4 | 1.9 | 1.6 | 0.11 | 0.21 | 47 | 0.3 | 1.1 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 39 | 0.2 | 1.0 | 0.9 | 0.05 | 0.10 | 48 | 0.3 | 1.2 | 0.9 | 0.05 | 0.09 | C07–08 |
| Tonsil | 97 | 0.6 | 2.6 | 2.1 | 0.18 | 0.26 | 36 | 0.2 | 0.9 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 30 | 0.2 | 0.8 | 0.7 | 0.04 | 0.09 | 14 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C10 |
| Nasopharynx | 28 | 0.2 | 0.7 | 0.7 | 0.05 | 0.06 | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 51 | 0.3 | 1.3 | 1.1 | 0.08 | 0.12 | 18 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 169 | 1.0 | 4.5 | 3.6 | 0.23 | 0.43 | 95 | 0.6 | 2.3 | 1.5 | 0.10 | 0.17 | C15 |
| Stomach | 408 | 2.4 | 10.7 | 8.7 | 0.40 | 1.06 | 303 | 1.8 | 7.4 | 4.8 | 0.25 | 0.56 | C16 |
| Small intestine | 152 | 0.9 | 4.0 | 3.4 | 0.22 | 0.43 | 143 | 0.9 | 3.5 | 2.5 | 0.16 | 0.30 | C17 |
| Colon | 1028 | 6.2 | 27.1 | 21.8 | 1.34 | 2.50 | 1144 | 6.8 | 27.8 | 18.7 | 1.12 | 2.25 | C18 |
| Rectum | 429 | 2.6 | 11.3 | 9.3 | 0.59 | 1.07 | 357 | 2.1 | 8.7 | 6.4 | 0.45 | 0.72 | C19–20 |
| Anus | 69 | 0.4 | 1.8 | 1.6 | 0.13 | 0.19 | 75 | 0.4 | 1.8 | 1.3 | 0.10 | 0.16 | C21 |
| Liver | 685 | 4.1 | 18.0 | 14.9 | 1.07 | 2.02 | 263 | 1.6 | 6.4 | 4.3 | 0.30 | 0.54 | C22 |
| Gallbladder etc. | 95 | 0.6 | 2.5 | 2.0 | 0.09 | 0.25 | 147 | 0.9 | 3.6 | 2.3 | 0.11 | 0.27 | C23–24 |
| Pancreas | 517 | 3.1 | 13.6 | 11.1 | 0.62 | 1.38 | 604 | 3.6 | 14.7 | 9.1 | 0.47 | 1.08 | C25 |
| Nose, sinuses etc. | 29 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 20 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 275 | 1.7 | 7.2 | 5.8 | 0.35 | 0.74 | 88 | 0.5 | 2.1 | 1.6 | 0.11 | 0.20 | C32 |
| Trachea, bronchus, and lung | 2741 | 16.5 | 72.2 | 57.8 | 2.95 | 7.35 | 2523 | 15.0 | 61.3 | 39.8 | 2.28 | 4.96 | C33–34 |
| Other thoracic organs | 32 | 0.2 | 0.8 | 0.8 | 0.04 | 0.09 | 21 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 37 | 0.2 | 1.0 | 0.9 | 0.06 | 0.08 | 26 | 0.2 | 0.6 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 20 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 27 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C43 |
| Other skin | 36 | 0.2 | 0.9 | 0.9 | 0.07 | 0.08 | 46 | 0.3 | 1.1 | 1.0 | 0.07 | 0.10 | C44 |
| Mesothelioma | 27 | 0.2 | 0.7 | 0.5 | 0.01 | 0.05 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 31 | 0.2 | 0.8 | 0.8 | 0.06 | 0.06 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 124 | 0.7 | 3.3 | 3.0 | 0.20 | 0.29 | 123 | 0.7 | 3.0 | 2.4 | 0.15 | 0.23 | C47+C49 |
| Breast | 43 | 0.3 | 1.1 | 1.0 | 0.05 | 0.13 | 5196 | 30.9 | 126.2 | 92.3 | 6.34 | 10.80 | C50 |
| Vulva | | | | | | | 86 | 0.5 | 2.1 | 1.5 | 0.11 | 0.15 | C51 |
| Vagina | | | | | | | 31 | 0.2 | 0.8 | 0.4 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 305 | 1.8 | 7.4 | 6.2 | 0.50 | 0.62 | C53 |
| Corpus uteri | | | | | | | 1027 | 6.1 | 25.0 | 17.9 | 1.18 | 2.28 | C54 |
| Uterus unspecified | | | | | | | 61 | 0.4 | 1.5 | 1.0 | 0.06 | 0.12 | C55 |
| Ovary | | | | | | | 316 | 1.9 | 7.7 | 5.5 | 0.37 | 0.61 | C56 |
| Other female genital organs | | | | | | | 41 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 23 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 5402 | 32.4 | 142.3 | 117.3 | 7.49 | 15.84 | | | | | | | C61 |
| Testis | 49 | 0.3 | 1.3 | 1.3 | 0.10 | 0.11 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 852 | 5.1 | 22.4 | 19.0 | 1.23 | 2.35 | 523 | 3.1 | 12.7 | 9.3 | 0.58 | 1.10 | C64 |
| Renal pelvis | 21 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | 20 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 591 | 3.5 | 15.6 | 12.2 | 0.52 | 1.47 | 286 | 1.7 | 6.9 | 4.3 | 0.21 | 0.50 | C67 |
| Other urinary organs | 15 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 8 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 14 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 198 | 1.2 | 5.2 | 5.0 | 0.32 | 0.47 | 163 | 1.0 | 4.0 | 3.6 | 0.21 | 0.32 | C70–72 |
| Thyroid | 154 | 0.9 | 4.1 | 3.5 | 0.24 | 0.43 | 646 | 3.8 | 15.7 | 13.1 | 1.00 | 1.36 | C73 |
| Adrenal gland | 10 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 23 | 0.1 | 0.6 | 0.6 | 0.04 | 0.04 | C74 |
| Other endocrine | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 106 | 0.6 | 2.8 | 2.7 | 0.20 | 0.23 | 97 | 0.6 | 2.4 | 2.1 | 0.15 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 464 | 2.8 | 12.2 | 10.5 | 0.66 | 1.08 | 378 | 2.2 | 9.2 | 6.5 | 0.40 | 0.71 | C82–86,C96 |
| Immunoproliferative diseases | 43 | 0.3 | 1.1 | 1.0 | 0.06 | 0.11 | 57 | 0.3 | 1.4 | 1.0 | 0.06 | 0.10 | C88 |
| Multiple myeloma | 468 | 2.8 | 12.3 | 9.9 | 0.56 | 1.18 | 422 | 2.5 | 10.3 | 6.9 | 0.39 | 0.83 | C90 |
| Lymphoid leukaemia | 214 | 1.3 | 5.6 | 4.8 | 0.25 | 0.50 | 171 | 1.0 | 4.2 | 3.0 | 0.17 | 0.33 | C91 |
| Myeloid leukaemia | 175 | 1.1 | 4.6 | 3.9 | 0.26 | 0.39 | 191 | 1.1 | 4.6 | 3.4 | 0.20 | 0.33 | C92–94 |
| Leukaemia unspecified | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 74 | 0.4 | 1.9 | 1.7 | 0.10 | 0.18 | 74 | 0.4 | 1.8 | 1.2 | 0.08 | 0.13 | MPD |
| Myelodysplastic syndromes | 73 | 0.4 | 1.9 | 1.4 | 0.04 | 0.12 | 70 | 0.4 | 1.7 | 1.0 | 0.04 | 0.10 | MPS |
| Other and unspecified | 321 | 1.9 | 8.5 | 6.6 | 0.33 | 0.71 | 374 | 2.2 | 9.1 | 5.5 | 0.26 | 0.61 | O&U |
| All sites | 16691 | | 439.7 | 362.0 | 21.76 | 44.92 | 16846 | | 409.3 | 289.8 | 18.52 | 33.69 | C00–96 |
| All sites except C44 | 16655 | 100.0 | 438.8 | 361.1 | 21.70 | 44.84 | 16800 | 100.0 | 408.1 | 288.8 | 18.45 | 33.60 | C00–96 exc. C44 |


USA, Ohio: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 131 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 54 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 2018 | 1.4 | 8.5 | 5.0 | 0.37 | 0.61 | 736 | 0.5 | 3.0 | 1.6 | 0.11 | 0.19 | C01–02 |
| Mouth | 867 | 0.6 | 3.6 | 2.0 | 0.13 | 0.24 | 592 | 0.4 | 2.4 | 1.2 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 433 | 0.3 | 1.8 | 1.0 | 0.05 | 0.10 | 301 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 1354 | 0.9 | 5.7 | 3.5 | 0.29 | 0.42 | 318 | 0.2 | 1.3 | 0.7 | 0.06 | 0.09 | C09 |
| Other oropharynx | 307 | 0.2 | 1.3 | 0.8 | 0.06 | 0.09 | 87 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 166 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 71 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 288 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | 86 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 98 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 33 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 2935 | 2.0 | 12.3 | 6.5 | 0.36 | 0.81 | 682 | 0.5 | 2.8 | 1.2 | 0.06 | 0.14 | C15 |
| Stomach | 2391 | 1.7 | 10.0 | 5.2 | 0.27 | 0.62 | 1271 | 0.9 | 5.1 | 2.3 | 0.13 | 0.26 | C16 |
| Small intestine | 856 | 0.6 | 3.6 | 2.0 | 0.12 | 0.24 | 751 | 0.5 | 3.0 | 1.6 | 0.10 | 0.18 | C17 |
| Colon | 9024 | 6.2 | 37.8 | 19.9 | 1.03 | 2.23 | 9452 | 6.5 | 38.3 | 16.7 | 0.85 | 1.82 | C18 |
| Rectum | 4231 | 2.9 | 17.7 | 10.1 | 0.66 | 1.17 | 2946 | 2.0 | 11.9 | 6.3 | 0.43 | 0.71 | C19–20 |
| Anus | 380 | 0.3 | 1.6 | 0.9 | 0.06 | 0.11 | 838 | 0.6 | 3.4 | 1.9 | 0.14 | 0.22 | C21 |
| Liver | 3007 | 2.1 | 12.6 | 6.8 | 0.43 | 0.86 | 1362 | 0.9 | 5.5 | 2.6 | 0.15 | 0.30 | C22 |
| Gallbladder etc. | 741 | 0.5 | 3.1 | 1.5 | 0.07 | 0.18 | 912 | 0.6 | 3.7 | 1.5 | 0.07 | 0.17 | C23–24 |
| Pancreas | 4243 | 2.9 | 17.8 | 9.1 | 0.46 | 1.10 | 4100 | 2.8 | 16.6 | 7.1 | 0.34 | 0.84 | C25 |
| Nose, sinuses etc. | 263 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 154 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 2043 | 1.4 | 8.6 | 4.7 | 0.32 | 0.59 | 609 | 0.4 | 2.5 | 1.4 | 0.10 | 0.16 | C32 |
| Trachea, bronchus, and lung | 23558 | 16.3 | 98.7 | 49.6 | 2.36 | 6.19 | 20906 | 14.3 | 84.6 | 38.4 | 1.98 | 4.91 | C33–34 |
| Other thoracic organs | 151 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 79 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 307 | 0.2 | 1.3 | 1.1 | 0.07 | 0.09 | 252 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 8550 | 5.9 | 35.8 | 19.8 | 1.11 | 2.20 | 6204 | 4.3 | 25.1 | 15.8 | 1.14 | 1.62 | C43 |
| Other skin | 475 | 0.3 | 2.0 | 1.0 | 0.04 | 0.10 | 373 | 0.3 | 1.5 | 0.8 | 0.04 | 0.08 | C44 |
| Mesothelioma | 536 | 0.4 | 2.2 | 1.0 | 0.02 | 0.11 | 157 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 58 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1102 | 0.8 | 4.6 | 2.9 | 0.16 | 0.27 | 833 | 0.6 | 3.4 | 2.2 | 0.13 | 0.21 | C47+C49 |
| Breast | 330 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 41937 | 28.8 | 169.7 | 93.1 | 6.30 | 10.99 | C50 |
| Vulva | | | | | | | 1068 | 0.7 | 4.3 | 2.2 | 0.14 | 0.24 | C51 |
| Vagina | | | | | | | 190 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 2044 | 1.4 | 8.3 | 6.4 | 0.52 | 0.62 | C53 |
| Corpus uteri | | | | | | | 10246 | 7.0 | 41.5 | 22.9 | 1.67 | 2.85 | C54 |
| Uterus unspecified | | | | | | | 451 | 0.3 | 1.8 | 0.9 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 3628 | 2.5 | 14.7 | 7.9 | 0.53 | 0.91 | C56 |
| Other female genital organs | | | | | | | 405 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 12 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 262 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 30457 | 21.0 | 127.6 | 67.4 | 3.59 | 9.32 | | | | | | | C61 |
| Testis | 1438 | 1.0 | 6.0 | 6.0 | 0.45 | 0.46 | | | | | | | C62 |
| Other male genital organs | 53 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 6326 | 4.4 | 26.5 | 15.6 | 1.02 | 1.84 | 3913 | 2.7 | 15.8 | 8.8 | 0.56 | 1.00 | C64 |
| Renal pelvis | 337 | 0.2 | 1.4 | 0.7 | 0.03 | 0.08 | 232 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 264 | 0.2 | 1.1 | 0.5 | 0.01 | 0.06 | 150 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 11291 | 7.8 | 47.3 | 22.6 | 0.89 | 2.62 | 3486 | 2.4 | 14.1 | 5.7 | 0.26 | 0.67 | C67 |
| Other urinary organs | 134 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 56 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 362 | 0.3 | 1.5 | 1.0 | 0.06 | 0.10 | 303 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 2356 | 1.6 | 9.9 | 7.3 | 0.46 | 0.69 | 1863 | 1.3 | 7.5 | 5.4 | 0.33 | 0.50 | C70–72 |
| Thyroid | 2068 | 1.4 | 8.7 | 6.1 | 0.45 | 0.65 | 6234 | 4.3 | 25.2 | 20.0 | 1.56 | 1.90 | C73 |
| Adrenal gland | 83 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 95 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 37 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 25 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 787 | 0.5 | 3.3 | 2.9 | 0.20 | 0.24 | 610 | 0.4 | 2.5 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 6151 | 4.2 | 25.8 | 14.4 | 0.78 | 1.59 | 4902 | 3.4 | 19.8 | 9.7 | 0.54 | 1.11 | C82–86,C96 |
| Immunoproliferative diseases | 410 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | 401 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 2015 | 1.4 | 8.4 | 4.3 | 0.22 | 0.51 | 1507 | 1.0 | 6.1 | 2.7 | 0.13 | 0.32 | C90 |
| Lymphoid leukaemia | 2522 | 1.7 | 10.6 | 6.8 | 0.36 | 0.66 | 1632 | 1.1 | 6.6 | 4.1 | 0.22 | 0.38 | C91 |
| Myeloid leukaemia | 2146 | 1.5 | 9.0 | 5.1 | 0.27 | 0.54 | 1632 | 1.1 | 6.6 | 3.6 | 0.20 | 0.37 | C92–94 |
| Leukaemia unspecified | 172 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 163 | 0.1 | 0.7 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 675 | 0.5 | 2.8 | 1.5 | 0.08 | 0.16 | 688 | 0.5 | 2.8 | 1.3 | 0.06 | 0.14 | MPD |
| Myelodysplastic syndromes | 1132 | 0.8 | 4.7 | 2.1 | 0.06 | 0.20 | 835 | 0.6 | 3.4 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 2916 | 2.0 | 12.2 | 6.1 | 0.28 | 0.66 | 3237 | 2.2 | 13.1 | 5.3 | 0.24 | 0.58 | O&U |
| All sites | 145237 | | 608.2 | 331.1 | 18.05 | 39.44 | 146113 | | 591.3 | 314.1 | 19.89 | 35.80 | C00–96 |
| All sites except C44 | 144762 | 100.0 | 606.3 | 330.1 | 18.01 | 39.33 | 145740 | 100.0 | 589.8 | 313.3 | 19.85 | 35.72 | C00–96 exc. C44 |

USA, Oklahoma


CONTRIBUTORS

Anne Pate
 Marva Dement
 Leslie Dill
 Judy Hanna
 Delores Greene
 Paula Marshall
 Amanda Moran
 Christina Panicker
 Jessica Taylor



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 65.5 | Breast | 87.9 |
| Trachea, bronchus, and lung | 50.3 | Trachea, bronchus, and lung | 37.2 |
| Colon | 21.3 | Colon | 17.2 |
| Bladder | 19.1 | Corpus uteri | 16.7 |
| Melanoma of skin | 18.7 | Thyroid | 15.7 |
| Kidney | 17.8 | Melanoma of skin | 12.1 |
| Non-Hodgkin lymphoma | 12.7 | Kidney | 10.5 |
| Rectum | 10.6 | Non-Hodgkin lymphoma | 9.3 |
| Liver | 9.4 | Ovary | 8.0 |
| Other and unspecified | 8.8 | Cervix uteri | 7.3 |
| Pancreas | 7.9 | Other and unspecified | 6.7 |
| Lymphoid leukaemia | 7.4 | Rectum | 6.6 |
| Brain and nervous system | 6.3 | Pancreas | 6.5 |
| Myeloid leukaemia | 5.3 | Brain and nervous system | 4.8 |
| Oesophagus | 5.3 | Bladder | 4.7 |
| Thyroid | 5.0 | Lymphoid leukaemia | 4.6 |
| Multiple myeloma | 4.9 | Myeloid leukaemia | 3.6 |
| Testis | 4.9 | Liver | 3.2 |
| Stomach | 4.8 | Multiple myeloma | 3.2 |
| Tongue | 4.3 | Stomach | 2.6 |
| All sites | 326.8 | All sites | 295.6 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Trachea, bronchus, and lung | 56.4 |
| Prostate | 42.3 |
| Colon | 25.0 |
| Kidney | 24.2 |
| Liver | 18.6 |
| Bladder | 13.3 |
| Rectum | 12.4 |
| Non-Hodgkin lymphoma | 11.2 |
| Other and unspecified | 10.1 |
| Pancreas | 9.1 |
| All sites | 305.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 77.7 |
| Trachea, bronchus, and lung | 42.0 |
| Colon | 20.0 |
| Corpus uteri | 14.9 |
| Kidney | 14.1 |
| Thyroid | 10.1 |
| Ovary | 8.9 |
| Non-Hodgkin lymphoma | 8.8 |
| Cervix uteri | 8.7 |
| Other and unspecified | 8.4 |
| All sites | 280.7 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 118.9 |
| Trachea, bronchus, and lung | 54.0 |
| Colon | 24.8 |
| Kidney | 19.1 |
| Bladder | 12.3 |
| Liver | 11.5 |
| Non-Hodgkin lymphoma | 11.0 |
| Rectum | 10.4 |
| Pancreas | 9.9 |
| Multiple myeloma | 9.8 |
| All sites | 359.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 88.5 |
| Trachea, bronchus, and lung | 33.8 |
| Colon | 19.4 |
| Corpus uteri | 17.1 |
| Thyroid | 10.2 |
| Kidney | 9.5 |
| Pancreas | 8.4 |
| Multiple myeloma | 8.1 |
| Other and unspecified | 6.9 |
| Non-Hodgkin lymphoma | 6.9 |
| All sites | 275.4 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 61.9 |
| Trachea, bronchus, and lung | 49.8 |
| Colon | 20.7 |
| Melanoma of skin | 20.4 |
| Bladder | 20.1 |
| Kidney | 17.2 |
| Non-Hodgkin lymphoma | 12.9 |
| Rectum | 10.4 |
| Other and unspecified | 8.8 |
| Liver | 8.2 |
| All sites | 324.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 88.7 |
| Trachea, bronchus, and lung | 37.3 |
| Thyroid | 17.0 |
| Corpus uteri | 16.9 |
| Colon | 16.8 |
| Melanoma of skin | 13.3 |
| Kidney | 10.5 |
| Non-Hodgkin lymphoma | 9.4 |
| Ovary | 8.0 |
| Cervix uteri | 7.3 |
| All sites | 299.1 |

USA, Oklahoma (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 201 | 0.4 | 2.1 | 1.2 | 0.06 | 0.15 | 55 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C00 |
| Tongue | 619 | 1.2 | 6.4 | 4.3 | 0.31 | 0.53 | 221 | 0.5 | 2.2 | 1.3 | 0.09 | 0.16 | C01–02 |
| Mouth | 231 | 0.5 | 2.4 | 1.5 | 0.10 | 0.19 | 170 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 212 | 0.4 | 2.2 | 1.3 | 0.06 | 0.13 | 120 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 435 | 0.9 | 4.5 | 3.2 | 0.25 | 0.39 | 80 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 103 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 77 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 41 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 84 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 74 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 22 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 824 | 1.6 | 8.5 | 5.3 | 0.32 | 0.67 | 195 | 0.4 | 2.0 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 767 | 1.5 | 7.9 | 4.8 | 0.25 | 0.56 | 473 | 1.0 | 4.8 | 2.6 | 0.15 | 0.31 | C16 |
| Small intestine | 279 | 0.5 | 2.9 | 1.8 | 0.10 | 0.23 | 270 | 0.6 | 2.7 | 1.7 | 0.11 | 0.20 | C17 |
| Colon | 3324 | 6.5 | 34.4 | 21.3 | 1.17 | 2.48 | 3196 | 6.6 | 32.5 | 17.2 | 0.93 | 1.97 | C18 |
| Rectum | 1566 | 3.1 | 16.2 | 10.6 | 0.70 | 1.27 | 1078 | 2.2 | 11.0 | 6.6 | 0.47 | 0.78 | C19–20 |
| Anus | 153 | 0.3 | 1.6 | 1.1 | 0.09 | 0.12 | 320 | 0.7 | 3.3 | 2.0 | 0.14 | 0.24 | C21 |
| Liver | 1403 | 2.8 | 14.5 | 9.4 | 0.69 | 1.19 | 558 | 1.1 | 5.7 | 3.2 | 0.20 | 0.38 | C22 |
| Gallbladder etc. | 269 | 0.5 | 2.8 | 1.6 | 0.08 | 0.21 | 275 | 0.6 | 2.8 | 1.4 | 0.07 | 0.17 | C23–24 |
| Pancreas | 1292 | 2.5 | 13.4 | 7.9 | 0.42 | 0.93 | 1299 | 2.7 | 13.2 | 6.5 | 0.32 | 0.76 | C25 |
| Nose, sinuses etc. | 99 | 0.2 | 1.0 | 0.7 | 0.04 | 0.08 | 50 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 643 | 1.3 | 6.7 | 4.1 | 0.25 | 0.54 | 207 | 0.4 | 2.1 | 1.3 | 0.09 | 0.15 | C32 |
| Trachea, bronchus, and lung | 8450 | 16.6 | 87.5 | 50.3 | 2.29 | 6.49 | 7120 | 14.6 | 72.4 | 37.2 | 1.86 | 4.82 | C33–34 |
| Other thoracic organs | 50 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 37 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 118 | 0.2 | 1.2 | 1.0 | 0.06 | 0.10 | 109 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 2983 | 5.9 | 30.9 | 18.7 | 0.99 | 2.09 | 1820 | 3.7 | 18.5 | 12.1 | 0.84 | 1.27 | C43 |
| Other skin | 220 | 0.4 | 2.3 | 1.3 | 0.06 | 0.13 | 163 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | C44 |
| Mesothelioma | 123 | 0.2 | 1.3 | 0.7 | 0.02 | 0.08 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 36 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 348 | 0.7 | 3.6 | 2.6 | 0.15 | 0.25 | 270 | 0.6 | 2.7 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 122 | 0.2 | 1.3 | 0.8 | 0.04 | 0.10 | 14065 | 28.8 | 143.0 | 87.9 | 5.96 | 10.41 | C50 |
| Vulva | | | | | | | 322 | 0.7 | 3.3 | 1.9 | 0.13 | 0.22 | C51 |
| Vagina | | | | | | | 71 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 866 | 1.8 | 8.8 | 7.3 | 0.60 | 0.68 | C53 |
| Corpus uteri | | | | | | | 2611 | 5.4 | 26.5 | 16.7 | 1.24 | 2.05 | C54 |
| Uterus unspecified | | | | | | | 108 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 1310 | 2.7 | 13.3 | 8.0 | 0.54 | 0.91 | C56 |
| Other female genital organs | | | | | | | 94 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 92 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 10435 | 20.5 | 108.0 | 65.5 | 3.52 | 8.93 | | | | | | | C61 |
| Testis | 487 | 1.0 | 5.0 | 4.9 | 0.37 | 0.38 | | | | | | | C62 |
| Other male genital organs | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2572 | 5.1 | 26.6 | 17.8 | 1.14 | 2.14 | 1643 | 3.4 | 16.7 | 10.5 | 0.69 | 1.25 | C64 |
| Renal pelvis | 72 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 59 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 66 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 51 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 3384 | 6.7 | 35.0 | 19.1 | 0.73 | 2.19 | 940 | 1.9 | 9.6 | 4.7 | 0.22 | 0.56 | C67 |
| Other urinary organs | 36 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 17 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 93 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 68 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 762 | 1.5 | 7.9 | 6.3 | 0.40 | 0.60 | 626 | 1.3 | 6.4 | 4.8 | 0.29 | 0.45 | C70–72 |
| Thyroid | 643 | 1.3 | 6.7 | 5.0 | 0.36 | 0.53 | 1936 | 4.0 | 19.7 | 15.7 | 1.20 | 1.54 | C73 |
| Adrenal gland | 27 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 35 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 20 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 243 | 0.5 | 2.5 | 2.2 | 0.15 | 0.19 | 206 | 0.4 | 2.1 | 1.9 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 1938 | 3.8 | 20.1 | 12.7 | 0.68 | 1.42 | 1687 | 3.5 | 17.1 | 9.3 | 0.48 | 1.06 | C82–86, C96 |
| Immunoproliferative diseases | 84 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | 127 | 0.3 | 1.3 | 0.7 | 0.05 | 0.08 | C88 |
| Multiple myeloma | 817 | 1.6 | 8.5 | 4.9 | 0.24 | 0.59 | 606 | 1.2 | 6.2 | 3.2 | 0.15 | 0.38 | C90 |
| Lymphoid leukaemia | 1065 | 2.1 | 11.0 | 7.4 | 0.38 | 0.77 | 703 | 1.4 | 7.1 | 4.6 | 0.25 | 0.44 | C91 |
| Myeloid leukaemia | 807 | 1.6 | 8.4 | 5.3 | 0.26 | 0.55 | 583 | 1.2 | 5.9 | 3.6 | 0.21 | 0.37 | C92–94 |
| Leukaemia unspecified | 64 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | 57 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 376 | 0.7 | 3.9 | 2.5 | 0.15 | 0.26 | 323 | 0.7 | 3.3 | 1.9 | 0.11 | 0.22 | MPD |
| Myelodysplastic syndromes | 374 | 0.7 | 3.9 | 2.0 | 0.05 | 0.21 | 276 | 0.6 | 2.8 | 1.3 | 0.05 | 0.13 | MPS |
| Other and unspecified | 1453 | 2.9 | 15.0 | 8.8 | 0.45 | 1.00 | 1292 | 2.6 | 13.1 | 6.7 | 0.37 | 0.76 | O&U |
| All sites | 51032 | | 528.2 | 326.8 | 17.81 | 39.42 | 48932 | | 497.4 | 295.6 | 18.65 | 34.11 | C00–96 |
| All sites except C44 | 50812 | 100.0 | 525.9 | 325.4 | 17.75 | 39.29 | 48769 | 100.0 | 495.8 | 294.7 | 18.61 | 34.01 | C00–96 exc. C44 |

USA, Oklahoma: American Indian (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 27 | 0.8 | 2.6 | 2.5 | 0.20 | 0.27 | 14 | 0.4 | 1.3 | 1.1 | 0.09 | 0.15 | C01–02 |
| Mouth | 8 | 0.2 | 0.8 | 0.7 | 0.05 | 0.09 | 10 | 0.3 | 1.0 | 0.8 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 10 | 0.3 | 1.0 | 0.9 | 0.04 | 0.11 | 9 | 0.3 | 0.9 | 0.7 | 0.03 | 0.07 | C07–08 |
| Tonsil | 31 | 0.9 | 3.0 | 2.9 | 0.22 | 0.34 | 5 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | C09 |
| Other oropharynx | 12 | 0.4 | 1.2 | 1.1 | 0.08 | 0.11 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 9 | 0.3 | 0.9 | 0.9 | 0.09 | 0.10 | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C11 |
| Hypopharynx | 10 | 0.3 | 1.0 | 0.9 | 0.04 | 0.14 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 7 | 0.2 | 0.7 | 0.6 | 0.05 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 60 | 1.8 | 5.9 | 5.6 | 0.34 | 0.76 | 14 | 0.4 | 1.3 | 1.0 | 0.04 | 0.12 | C15 |
| Stomach | 61 | 1.8 | 6.0 | 5.4 | 0.29 | 0.54 | 54 | 1.5 | 5.2 | 4.2 | 0.22 | 0.53 | C16 |
| Small intestine | 23 | 0.7 | 2.2 | 2.1 | 0.10 | 0.30 | 13 | 0.4 | 1.2 | 1.0 | 0.06 | 0.13 | C17 |
| Colon | 274 | 8.2 | 26.8 | 25.0 | 1.51 | 2.70 | 260 | 7.4 | 24.9 | 20.0 | 1.18 | 2.39 | C18 |
| Rectum | 133 | 4.0 | 13.0 | 12.4 | 0.85 | 1.53 | 86 | 2.4 | 8.2 | 6.7 | 0.50 | 0.80 | C19–20 |
| Anus | 11 | 0.3 | 1.1 | 1.0 | 0.10 | 0.12 | 8 | 0.2 | 0.8 | 0.6 | 0.05 | 0.07 | C21 |
| Liver | 205 | 6.1 | 20.0 | 18.6 | 1.18 | 2.52 | 89 | 2.5 | 8.5 | 6.7 | 0.31 | 0.86 | C22 |
| Gallbladder etc. | 25 | 0.7 | 2.4 | 2.3 | 0.15 | 0.28 | 31 | 0.9 | 3.0 | 2.2 | 0.13 | 0.23 | C23–24 |
| Pancreas | 100 | 3.0 | 9.8 | 9.1 | 0.56 | 1.14 | 97 | 2.8 | 9.3 | 7.2 | 0.38 | 0.80 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.6 | 0.6 | 0.05 | 0.07 | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C30–31 |
| Larynx | 55 | 1.6 | 5.4 | 5.0 | 0.37 | 0.60 | 18 | 0.5 | 1.7 | 1.4 | 0.10 | 0.16 | C32 |
| Trachea, bronchus, and lung | 636 | 19.0 | 62.1 | 56.4 | 2.49 | 7.06 | 558 | 15.9 | 53.3 | 42.0 | 2.06 | 5.41 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 5 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 15 | 0.4 | 1.5 | 1.4 | 0.10 | 0.13 | 10 | 0.3 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 81 | 2.4 | 7.9 | 7.3 | 0.36 | 0.89 | 43 | 1.2 | 4.1 | 3.4 | 0.22 | 0.29 | C43 |
| Other skin | 4 | 0.1 | 0.4 | 0.4 | 0.01 | 0.05 | 11 | 0.3 | 1.1 | 0.8 | 0.04 | 0.06 | C44 |
| Mesothelioma | 6 | 0.2 | 0.6 | 0.6 | 0.02 | 0.09 | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 22 | 0.7 | 2.1 | 2.1 | 0.13 | 0.18 | 19 | 0.5 | 1.8 | 1.4 | 0.07 | 0.08 | C47+C49 |
| Breast | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 950 | 27.0 | 90.8 | 77.7 | 5.48 | 9.16 | C50 |
| Vulva | | | | | | | 21 | 0.6 | 2.0 | 1.7 | 0.14 | 0.21 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 99 | 2.8 | 9.5 | 8.7 | 0.72 | 0.78 | C53 |
| Corpus uteri | | | | | | | 181 | 5.1 | 17.3 | 14.9 | 1.13 | 1.76 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 110 | 3.1 | 10.5 | 8.9 | 0.67 | 1.04 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 7 | 0.2 | 0.7 | 0.6 | 0.03 | 0.10 | | | | | | | C60 |
| Prostate | 469 | 14.0 | 45.8 | 42.3 | 2.16 | 5.37 | | | | | | | C61 |
| Testis | 49 | 1.5 | 4.8 | 4.8 | 0.37 | 0.37 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 262 | 7.8 | 25.6 | 24.2 | 1.64 | 2.91 | 174 | 4.9 | 16.6 | 14.1 | 0.93 | 1.67 | C64 |
| Renal pelvis | 9 | 0.3 | 0.9 | 0.8 | 0.04 | 0.12 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 147 | 4.4 | 14.4 | 13.3 | 0.39 | 1.39 | 39 | 1.1 | 3.7 | 3.0 | 0.19 | 0.38 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.1 | 0.5 | 0.5 | 0.02 | 0.04 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 56 | 1.7 | 5.5 | 5.2 | 0.31 | 0.44 | 36 | 1.0 | 3.4 | 3.1 | 0.22 | 0.30 | C70–72 |
| Thyroid | 29 | 0.9 | 2.8 | 2.6 | 0.16 | 0.28 | 115 | 3.3 | 11.0 | 10.1 | 0.74 | 0.96 | C73 |
| Adrenal gland | 4 | 0.1 | 0.4 | 0.4 | 0.01 | 0.05 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 5 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 15 | 0.4 | 1.5 | 1.3 | 0.10 | 0.10 | 11 | 0.3 | 1.1 | 1.0 | 0.06 | 0.09 | C81 |
| Non-Hodgkin lymphoma | 124 | 3.7 | 12.1 | 11.2 | 0.61 | 1.11 | 113 | 3.2 | 10.8 | 8.8 | 0.39 | 1.11 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 6 | 0.2 | 0.6 | 0.5 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 61 | 1.8 | 6.0 | 5.5 | 0.29 | 0.59 | 47 | 1.3 | 4.5 | 3.5 | 0.15 | 0.43 | C90 |
| Lymphoid leukaemia | 57 | 1.7 | 5.6 | 5.5 | 0.27 | 0.50 | 36 | 1.0 | 3.4 | 3.3 | 0.15 | 0.32 | C91 |
| Myeloid leukaemia | 49 | 1.5 | 4.8 | 4.4 | 0.20 | 0.50 | 44 | 1.3 | 4.2 | 3.7 | 0.21 | 0.39 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 18 | 0.5 | 1.8 | 1.7 | 0.11 | 0.17 | 14 | 0.4 | 1.3 | 1.1 | 0.07 | 0.09 | MPD |
| Myelodysplastic syndromes | 22 | 0.7 | 2.1 | 1.9 | 0.04 | 0.21 | 20 | 0.6 | 1.9 | 1.4 | 0.05 | 0.11 | MPS |
| Other and unspecified | 113 | 3.4 | 11.0 | 10.1 | 0.51 | 1.20 | 111 | 3.2 | 10.6 | 8.4 | 0.43 | 0.88 | O&U |
| All sites | 3360 | | 328.1 | 305.4 | 16.83 | 35.97 | 3528 | | 337.2 | 280.7 | 17.60 | 32.52 | C00–96 |
| All sites except C44 | 3356 | 100.0 | 327.7 | 305.0 | 16.82 | 35.91 | 3517 | 100.0 | 336.2 | 279.9 | 17.56 | 32.46 | C00–96 exc. C44 |

USA, Oklahoma: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 24 | 0.7 | 2.8 | 2.7 | 0.16 | 0.42 | 7 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | C01–02 |
| Mouth | 8 | 0.2 | 0.9 | 0.9 | 0.08 | 0.08 | 6 | 0.2 | 0.7 | 0.6 | 0.05 | 0.05 | C03–06 |
| Salivary glands | 13 | 0.4 | 1.5 | 1.5 | 0.08 | 0.13 | 3 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 15 | 0.5 | 1.7 | 1.6 | 0.13 | 0.15 | 4 | 0.1 | 0.5 | 0.4 | 0.04 | 0.06 | C09 |
| Other oropharynx | 8 | 0.2 | 0.9 | 0.9 | 0.06 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 4 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | 7 | 0.2 | 0.8 | 0.8 | 0.07 | 0.08 | C11 |
| Hypopharynx | 8 | 0.2 | 0.9 | 0.9 | 0.03 | 0.15 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 29 | 0.9 | 3.4 | 3.3 | 0.21 | 0.44 | 16 | 0.6 | 1.9 | 1.4 | 0.13 | 0.16 | C15 |
| Stomach | 75 | 2.3 | 8.7 | 8.2 | 0.47 | 0.90 | 43 | 1.5 | 5.0 | 4.1 | 0.24 | 0.46 | C16 |
| Small intestine | 23 | 0.7 | 2.7 | 2.6 | 0.12 | 0.32 | 26 | 0.9 | 3.0 | 2.5 | 0.19 | 0.29 | C17 |
| Colon | 221 | 6.9 | 25.7 | 24.8 | 1.49 | 2.95 | 212 | 7.4 | 24.7 | 19.4 | 1.04 | 2.32 | C18 |
| Rectum | 95 | 2.9 | 11.1 | 10.4 | 0.70 | 1.24 | 67 | 2.3 | 7.8 | 6.5 | 0.51 | 0.69 | C19–20 |
| Anus | 14 | 0.4 | 1.6 | 1.5 | 0.11 | 0.13 | 16 | 0.6 | 1.9 | 1.6 | 0.08 | 0.22 | C21 |
| Liver | 107 | 3.3 | 12.5 | 11.5 | 0.94 | 1.52 | 40 | 1.4 | 4.7 | 3.6 | 0.32 | 0.41 | C22 |
| Gallbladder etc. | 17 | 0.5 | 2.0 | 1.9 | 0.08 | 0.22 | 21 | 0.7 | 2.5 | 1.9 | 0.10 | 0.25 | C23–24 |
| Pancreas | 90 | 2.8 | 10.5 | 9.9 | 0.57 | 1.13 | 97 | 3.4 | 11.3 | 8.4 | 0.51 | 0.96 | C25 |
| Nose, sinuses etc. | 7 | 0.2 | 0.8 | 0.8 | 0.02 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 44 | 1.4 | 5.1 | 4.9 | 0.27 | 0.63 | 12 | 0.4 | 1.4 | 1.2 | 0.09 | 0.16 | C32 |
| Trachea, bronchus, and lung | 483 | 15.0 | 56.3 | 54.0 | 2.48 | 7.28 | 375 | 13.1 | 43.8 | 33.8 | 1.81 | 4.36 | C33–34 |
| Other thoracic organs | 9 | 0.3 | 1.0 | 0.9 | 0.05 | 0.10 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C37–38 |
| Bone | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 11 | 0.4 | 1.3 | 1.2 | 0.08 | 0.11 | C40–41 |
| Melanoma of skin | 6 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 10 | 0.3 | 1.2 | 1.0 | 0.06 | 0.06 | C43 |
| Other skin | 7 | 0.2 | 0.8 | 0.8 | 0.06 | 0.08 | 6 | 0.2 | 0.7 | 0.7 | 0.05 | 0.08 | C44 |
| Mesothelioma | 5 | 0.2 | 0.6 | 0.6 | 0.01 | 0.08 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | C45 |
| Kaposi sarcoma | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 16 | 0.5 | 1.9 | 1.9 | 0.07 | 0.19 | 27 | 0.9 | 3.2 | 2.7 | 0.19 | 0.28 | C47+C49 |
| Breast | 12 | 0.4 | 1.4 | 1.4 | 0.06 | 0.23 | 900 | 31.3 | 105.0 | 88.5 | 6.09 | 10.03 | C50 |
| Vulva | | | | | | | 8 | 0.3 | 0.9 | 0.8 | 0.03 | 0.12 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.08 | C52 |
| Cervix uteri | | | | | | | 49 | 1.7 | 5.7 | 5.2 | 0.41 | 0.55 | C53 |
| Corpus uteri | | | | | | | 176 | 6.1 | 20.5 | 17.1 | 1.20 | 2.12 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.5 | 1.5 | 1.3 | 0.08 | 0.14 | C55 |
| Ovary | | | | | | | 61 | 2.1 | 7.1 | 5.8 | 0.32 | 0.66 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.04 | C60 |
| Prostate | 1075 | 33.3 | 125.2 | 118.9 | 7.26 | 16.09 | | | | | | | C61 |
| Testis | 13 | 0.4 | 1.5 | 1.4 | 0.11 | 0.11 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 170 | 5.3 | 19.8 | 19.1 | 1.21 | 2.29 | 98 | 3.4 | 11.4 | 9.5 | 0.63 | 1.17 | C64 |
| Renal pelvis | 3 | 0.1 | 0.3 | 0.4 | 0.01 | 0.05 | 5 | 0.2 | 0.6 | 0.5 | 0.02 | 0.05 | C65 |
| Ureter | 3 | 0.1 | 0.3 | 0.4 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 111 | 3.4 | 12.9 | 12.3 | 0.51 | 1.44 | 51 | 1.8 | 6.0 | 4.2 | 0.17 | 0.46 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.3 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 33 | 1.0 | 3.8 | 3.9 | 0.20 | 0.39 | 25 | 0.9 | 2.9 | 2.6 | 0.17 | 0.25 | C70–72 |
| Thyroid | 24 | 0.7 | 2.8 | 2.6 | 0.21 | 0.25 | 97 | 3.4 | 11.3 | 10.2 | 0.70 | 1.19 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 21 | 0.7 | 2.4 | 2.4 | 0.17 | 0.22 | 19 | 0.7 | 2.2 | 2.1 | 0.18 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 98 | 3.0 | 11.4 | 11.0 | 0.65 | 1.23 | 71 | 2.5 | 8.3 | 6.9 | 0.35 | 0.80 | C82–86, C96 |
| Immunoproliferative diseases | 4 | 0.1 | 0.5 | 0.5 | 0.01 | 0.06 | 5 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C88 |
| Multiple myeloma | 90 | 2.8 | 10.5 | 9.8 | 0.55 | 1.11 | 88 | 3.1 | 10.3 | 8.1 | 0.42 | 1.06 | C90 |
| Lymphoid leukaemia | 59 | 1.8 | 6.9 | 6.4 | 0.35 | 0.76 | 38 | 1.3 | 4.4 | 3.7 | 0.21 | 0.39 | C91 |
| Myeloid leukaemia | 55 | 1.7 | 6.4 | 6.3 | 0.25 | 0.80 | 30 | 1.0 | 3.5 | 2.9 | 0.17 | 0.38 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.5 | 0.5 | 0.00 | 0.09 | 4 | 0.1 | 0.5 | 0.3 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 21 | 0.7 | 2.4 | 2.2 | 0.17 | 0.19 | 28 | 1.0 | 3.3 | 2.6 | 0.16 | 0.32 | MPD |
| Myelodysplastic syndromes | 13 | 0.4 | 1.5 | 1.5 | 0.01 | 0.15 | 11 | 0.4 | 1.3 | 1.0 | 0.01 | 0.11 | MPS |
| Other and unspecified | 70 | 2.2 | 8.2 | 8.0 | 0.36 | 1.04 | 76 | 2.6 | 8.9 | 6.9 | 0.39 | 0.82 | O&U |
| All sites | 3231 | | 376.3 | 359.2 | 20.50 | 45.27 | 2879 | | 335.9 | 275.4 | 17.52 | 32.16 | C00–96 |
| All sites except C44 | 3224 | 100.0 | 375.5 | 358.4 | 20.44 | 45.19 | 2873 | 100.0 | 335.2 | 274.7 | 17.47 | 32.09 | C00–96 exc. C44 |


USA, Oklahoma: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 192 | 0.4 | 2.5 | 1.4 | 0.07 | 0.17 | 53 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C00 |
| Tongue | 557 | 1.3 | 7.4 | 4.5 | 0.33 | 0.56 | 198 | 0.5 | 2.6 | 1.4 | 0.10 | 0.17 | C01–02 |
| Mouth | 208 | 0.5 | 2.8 | 1.6 | 0.10 | 0.20 | 147 | 0.4 | 1.9 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 186 | 0.4 | 2.5 | 1.3 | 0.06 | 0.14 | 101 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 383 | 0.9 | 5.1 | 3.4 | 0.27 | 0.41 | 70 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 83 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 30 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 59 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 26 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 66 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | 16 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 64 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 21 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 724 | 1.7 | 9.6 | 5.5 | 0.33 | 0.69 | 163 | 0.4 | 2.1 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 607 | 1.4 | 8.1 | 4.4 | 0.22 | 0.53 | 356 | 0.9 | 4.6 | 2.3 | 0.13 | 0.27 | C16 |
| Small intestine | 228 | 0.5 | 3.0 | 1.8 | 0.10 | 0.22 | 226 | 0.5 | 2.9 | 1.6 | 0.11 | 0.20 | C17 |
| Colon | 2775 | 6.4 | 36.8 | 20.7 | 1.11 | 2.42 | 2661 | 6.4 | 34.7 | 16.8 | 0.90 | 1.91 | C18 |
| Rectum | 1311 | 3.0 | 17.4 | 10.4 | 0.69 | 1.24 | 898 | 2.2 | 11.7 | 6.6 | 0.46 | 0.78 | C19–20 |
| Anus | 127 | 0.3 | 1.7 | 1.1 | 0.09 | 0.13 | 295 | 0.7 | 3.8 | 2.2 | 0.16 | 0.27 | C21 |
| Liver | 1044 | 2.4 | 13.9 | 8.2 | 0.61 | 1.03 | 413 | 1.0 | 5.4 | 2.8 | 0.17 | 0.32 | C22 |
| Gallbladder etc. | 220 | 0.5 | 2.9 | 1.5 | 0.07 | 0.20 | 213 | 0.5 | 2.8 | 1.3 | 0.07 | 0.16 | C23–24 |
| Pancreas | 1089 | 2.5 | 14.4 | 7.6 | 0.39 | 0.90 | 1083 | 2.6 | 14.1 | 6.2 | 0.29 | 0.73 | C25 |
| Nose, sinuses etc. | 85 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 45 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 540 | 1.3 | 7.2 | 4.0 | 0.24 | 0.53 | 177 | 0.4 | 2.3 | 1.3 | 0.09 | 0.15 | C32 |
| Trachea, bronchus, and lung | 7262 | 16.8 | 96.4 | 49.8 | 2.27 | 6.43 | 6110 | 14.8 | 79.6 | 37.3 | 1.86 | 4.83 | C33–34 |
| Other thoracic organs | 35 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 30 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 96 | 0.2 | 1.3 | 1.0 | 0.06 | 0.09 | 83 | 0.2 | 1.1 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 2774 | 6.4 | 36.8 | 20.4 | 1.09 | 2.27 | 1648 | 4.0 | 21.5 | 13.3 | 0.93 | 1.40 | C43 |
| Other skin | 199 | 0.5 | 2.6 | 1.4 | 0.07 | 0.14 | 141 | 0.3 | 1.8 | 0.9 | 0.05 | 0.10 | C44 |
| Mesothelioma | 111 | 0.3 | 1.5 | 0.7 | 0.02 | 0.08 | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 28 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 301 | 0.7 | 4.0 | 2.7 | 0.15 | 0.26 | 213 | 0.5 | 2.8 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 104 | 0.2 | 1.4 | 0.8 | 0.04 | 0.10 | 11973 | 28.9 | 156.1 | 88.7 | 6.00 | 10.55 | C50 |
| Vulva | | | | | | | 289 | 0.7 | 3.8 | 2.1 | 0.15 | 0.23 | C51 |
| Vagina | | | | | | | 63 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 691 | 1.7 | 9.0 | 7.3 | 0.61 | 0.68 | C53 |
| Corpus uteri | | | | | | | 2195 | 5.3 | 28.6 | 16.9 | 1.26 | 2.07 | C54 |
| Uterus unspecified | | | | | | | 84 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1105 | 2.7 | 14.4 | 8.0 | 0.53 | 0.91 | C56 |
| Other female genital organs | | | | | | | 84 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 82 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 8501 | 19.7 | 112.8 | 61.9 | 3.27 | 8.48 | | | | | | | C61 |
| Testis | 418 | 1.0 | 5.5 | 5.4 | 0.41 | 0.42 | | | | | | | C62 |
| Other male genital organs | 12 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 2107 | 4.9 | 28.0 | 17.2 | 1.09 | 2.08 | 1361 | 3.3 | 17.7 | 10.5 | 0.68 | 1.24 | C64 |
| Renal pelvis | 58 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 51 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 61 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | 45 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 3095 | 7.2 | 41.1 | 20.1 | 0.78 | 2.31 | 838 | 2.0 | 10.9 | 4.9 | 0.23 | 0.59 | C67 |
| Other urinary organs | 32 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 16 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 82 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 65 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 661 | 1.5 | 8.8 | 6.7 | 0.43 | 0.64 | 554 | 1.3 | 7.2 | 5.3 | 0.32 | 0.49 | C70–72 |
| Thyroid | 572 | 1.3 | 7.6 | 5.5 | 0.40 | 0.57 | 1667 | 4.0 | 21.7 | 17.0 | 1.31 | 1.65 | C73 |
| Adrenal gland | 23 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 30 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 13 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 204 | 0.5 | 2.7 | 2.4 | 0.16 | 0.20 | 173 | 0.4 | 2.3 | 2.1 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 1684 | 3.9 | 22.3 | 12.9 | 0.69 | 1.45 | 1468 | 3.5 | 19.1 | 9.4 | 0.49 | 1.08 | C82–86,C96 |
| Immunoproliferative diseases | 75 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | 110 | 0.3 | 1.4 | 0.7 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 655 | 1.5 | 8.7 | 4.5 | 0.21 | 0.55 | 465 | 1.1 | 6.1 | 2.8 | 0.13 | 0.34 | C90 |
| Lymphoid leukaemia | 927 | 2.1 | 12.3 | 7.6 | 0.39 | 0.80 | 616 | 1.5 | 8.0 | 4.8 | 0.26 | 0.46 | C91 |
| Myeloid leukaemia | 684 | 1.6 | 9.1 | 5.3 | 0.26 | 0.54 | 493 | 1.2 | 6.4 | 3.6 | 0.21 | 0.37 | C92–94 |
| Leukaemia unspecified | 56 | 0.1 | 0.7 | 0.4 | 0.01 | 0.03 | 50 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 333 | 0.8 | 4.4 | 2.6 | 0.15 | 0.27 | 277 | 0.7 | 3.6 | 1.9 | 0.12 | 0.22 | MPD |
| Myelodysplastic syndromes | 332 | 0.8 | 4.4 | 2.1 | 0.06 | 0.22 | 240 | 0.6 | 3.1 | 1.3 | 0.05 | 0.13 | MPS |
| Other and unspecified | 1251 | 2.9 | 16.6 | 8.8 | 0.46 | 0.99 | 1084 | 2.6 | 14.1 | 6.5 | 0.36 | 0.74 | O&U |
| All sites | 43376 | | 575.5 | 324.5 | 17.61 | 39.05 | 41544 | | 541.5 | 299.1 | 18.88 | 34.43 | C00–96 |
| All sites except C44 | 43177 | 100.0 | 572.9 | 323.1 | 17.54 | 38.91 | 41403 | 100.0 | 539.7 | 298.2 | 18.83 | 34.34 | C00–96 exc. C44 |

USA, Oregon

CONTRIBUTORS


Stacey Schubert
 Meena Patil
 Claudia Cooksie



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 65.6 | Breast | 91.8 |
| Trachea, bronchus, and lung | 35.1 | Trachea, bronchus, and lung | 31.0 |
| Melanoma of skin | 21.6 | Corpus uteri | 20.9 |
| Bladder | 20.7 | Melanoma of skin | 17.7 |
| Colon | 16.1 | Thyroid | 16.9 |
| Kidney | 14.5 | Colon | 13.9 |
| Non-Hodgkin lymphoma | 13.7 | Non-Hodgkin lymphoma | 9.7 |
| Liver | 10.8 | Ovary | 8.5 |
| Rectum | 9.6 | Pancreas | 7.2 |
| Pancreas | 9.5 | Kidney | 7.2 |
| Lymphoid leukaemia | 7.9 | Cervix uteri | 5.6 |
| Brain and nervous system | 7.1 | Rectum | 5.6 |
| Testis | 6.4 | Brain and nervous system | 5.2 |
| Other and unspecified | 5.6 | Bladder | 5.1 |
| Thyroid | 5.6 | Other and unspecified | 4.6 |
| Oesophagus | 5.5 | Lymphoid leukaemia | 4.5 |
| Myeloid leukaemia | 4.9 | Myeloid leukaemia | 3.6 |
| Stomach | 4.8 | Liver | 3.4 |
| Tongue | 4.7 | Multiple myeloma | 2.8 |
| Multiple myeloma | 4.3 | Stomach | 2.4 |
| All sites | 308.5 | All sites | 295.2 |

USA, Oregon: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.

NOTES ON THE DATA

*Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Prostate | 33.7 |
| Trachea, bronchus, and lung | 31.3 |
| Liver | 19.4 |
| Colon | 13.1 |
| Rectum | 11.9 |
| Non-Hodgkin lymphoma | 10.6 |
| Stomach | 8.1 |
| Bladder | 7.6 |
| Pancreas | 7.3 |
| Brain and nervous system | 5.7 |
| All sites | 209.0 |

Female

| | |
|-----------------------------|-------|
| Breast | 66.4 |
| Trachea, bronchus, and lung | 20.9 |
| Thyroid | 19.7 |
| Colon | 13.5 |
| Corpus uteri | 12.1 |
| Pancreas | 7.4 |
| Liver | 6.9 |
| Ovary | 6.7 |
| Non-Hodgkin lymphoma | 6.6 |
| Rectum | 6.3 |
| All sites | 215.6 |

USA, Oregon: Black (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.

NOTES ON THE DATA

*Rates based on low numbers due to small population.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 112.5 |
| Trachea, bronchus, and lung | 48.2 |
| Liver | 25.6 |
| Kidney | 20.9 |
| Colon | 17.5 |
| Pancreas | 13.4 |
| Non-Hodgkin lymphoma | 12.3 |
| Stomach | 9.5 |
| Bladder | 9.0 |
| Multiple myeloma | 8.0 |
| All sites | 355.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 84.3 |
| Trachea, bronchus, and lung | 34.2 |
| Corpus uteri | 18.4 |
| Colon | 15.1 |
| Thyroid | 15.0 |
| Pancreas | 10.5 |
| Bladder | 6.7 |
| Kidney | 6.4 |
| Liver | 6.1 |
| Ovary | 5.8 |
| All sites | 262.5 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 64.0 |
| Trachea, bronchus, and lung | 34.5 |
| Melanoma of skin | 22.7 |
| Bladder | 20.8 |
| Colon | 16.1 |
| Kidney | 14.7 |
| Non-Hodgkin lymphoma | 13.8 |
| Liver | 10.0 |
| Pancreas | 9.5 |
| Rectum | 9.4 |
| All sites | 307.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 92.7 |
| Trachea, bronchus, and lung | 31.0 |
| Corpus uteri | 21.1 |
| Melanoma of skin | 18.9 |
| Thyroid | 16.7 |
| Colon | 13.8 |
| Non-Hodgkin lymphoma | 9.9 |
| Ovary | 8.5 |
| Kidney | 7.4 |
| Pancreas | 7.1 |
| All sites | 298.0 |

USA, Oregon (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 99 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 45 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 802 | 1.5 | 8.0 | 4.7 | 0.32 | 0.58 | 314 | 0.6 | 3.1 | 1.8 | 0.12 | 0.22 | C01–02 |
| Mouth | 306 | 0.6 | 3.1 | 1.7 | 0.10 | 0.22 | 229 | 0.4 | 2.3 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 149 | 0.3 | 1.5 | 0.8 | 0.05 | 0.10 | 118 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 580 | 1.1 | 5.8 | 3.8 | 0.31 | 0.45 | 97 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 98 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 40 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 72 | 0.1 | 0.7 | 0.5 | 0.04 | 0.06 | 26 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 97 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 30 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 31 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1019 | 1.9 | 10.2 | 5.5 | 0.27 | 0.70 | 264 | 0.5 | 2.6 | 1.2 | 0.06 | 0.13 | C15 |
| Stomach | 872 | 1.6 | 8.7 | 4.8 | 0.26 | 0.57 | 463 | 0.9 | 4.6 | 2.4 | 0.14 | 0.26 | C16 |
| Small intestine | 307 | 0.6 | 3.1 | 1.7 | 0.10 | 0.21 | 279 | 0.5 | 2.7 | 1.5 | 0.10 | 0.18 | C17 |
| Colon | 2915 | 5.3 | 29.2 | 16.1 | 0.88 | 1.76 | 3032 | 5.6 | 29.8 | 13.9 | 0.73 | 1.46 | C18 |
| Rectum | 1584 | 2.9 | 15.9 | 9.6 | 0.66 | 1.11 | 1012 | 1.9 | 10.0 | 5.6 | 0.40 | 0.63 | C19–20 |
| Anus | 179 | 0.3 | 1.8 | 1.1 | 0.07 | 0.12 | 376 | 0.7 | 3.7 | 2.1 | 0.15 | 0.25 | C21 |
| Liver | 1866 | 3.4 | 18.7 | 10.8 | 0.77 | 1.41 | 689 | 1.3 | 6.8 | 3.4 | 0.21 | 0.40 | C22 |
| Gallbladder etc. | 298 | 0.5 | 3.0 | 1.5 | 0.06 | 0.16 | 352 | 0.6 | 3.5 | 1.6 | 0.08 | 0.18 | C23–24 |
| Pancreas | 1784 | 3.3 | 17.9 | 9.5 | 0.47 | 1.16 | 1610 | 3.0 | 15.8 | 7.2 | 0.36 | 0.84 | C25 |
| Nose, sinuses etc. | 105 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 57 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 488 | 0.9 | 4.9 | 2.7 | 0.17 | 0.35 | 105 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 6963 | 12.7 | 69.8 | 35.1 | 1.44 | 4.32 | 6990 | 12.9 | 68.8 | 31.0 | 1.34 | 3.85 | C33–34 |
| Other thoracic organs | 72 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 67 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 128 | 0.2 | 1.3 | 1.1 | 0.07 | 0.09 | 85 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 3777 | 6.9 | 37.9 | 21.6 | 1.24 | 2.50 | 2876 | 5.3 | 28.3 | 17.7 | 1.25 | 1.89 | C43 |
| Other skin | 170 | 0.3 | 1.7 | 0.9 | 0.04 | 0.10 | 158 | 0.3 | 1.6 | 0.8 | 0.04 | 0.07 | C44 |
| Mesothelioma | 180 | 0.3 | 1.8 | 0.8 | 0.02 | 0.09 | 46 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 44 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 441 | 0.8 | 4.4 | 2.9 | 0.17 | 0.30 | 343 | 0.6 | 3.4 | 2.3 | 0.14 | 0.22 | C47+C49 |
| Breast | 136 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 16249 | 30.0 | 159.9 | 91.8 | 6.24 | 10.88 | C50 |
| Vulva | | | | | | | 301 | 0.6 | 3.0 | 1.4 | 0.08 | 0.16 | C51 |
| Vagina | | | | | | | 70 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 734 | 1.4 | 7.2 | 5.6 | 0.47 | 0.54 | C53 |
| Corpus uteri | | | | | | | 3679 | 6.8 | 36.2 | 20.9 | 1.54 | 2.58 | C54 |
| Uterus unspecified | | | | | | | 141 | 0.3 | 1.4 | 0.7 | 0.04 | 0.09 | C55 |
| Ovary | | | | | | | 1536 | 2.8 | 15.1 | 8.5 | 0.54 | 0.94 | C56 |
| Other female genital organs | | | | | | | 218 | 0.4 | 2.1 | 1.1 | 0.06 | 0.16 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 90 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 12148 | 22.2 | 121.8 | 65.6 | 3.25 | 9.16 | | | | | | | C61 |
| Testis | 672 | 1.2 | 6.7 | 6.4 | 0.48 | 0.49 | | | | | | | C62 |
| Other male genital organs | 28 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2433 | 4.4 | 24.4 | 14.5 | 0.92 | 1.73 | 1262 | 2.3 | 12.4 | 7.2 | 0.46 | 0.83 | C64 |
| Renal pelvis | 154 | 0.3 | 1.5 | 0.7 | 0.02 | 0.09 | 93 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 99 | 0.2 | 1.0 | 0.5 | 0.01 | 0.05 | 54 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 4221 | 7.7 | 42.3 | 20.7 | 0.78 | 2.36 | 1203 | 2.2 | 11.8 | 5.1 | 0.22 | 0.59 | C67 |
| Other urinary organs | 51 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 23 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 164 | 0.3 | 1.6 | 1.1 | 0.07 | 0.12 | 131 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 969 | 1.8 | 9.7 | 7.1 | 0.44 | 0.69 | 707 | 1.3 | 7.0 | 5.2 | 0.31 | 0.46 | C70–72 |
| Thyroid | 789 | 1.4 | 7.9 | 5.6 | 0.42 | 0.58 | 2182 | 4.0 | 21.5 | 16.9 | 1.31 | 1.60 | C73 |
| Adrenal gland | 32 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 24 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 20 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 258 | 0.5 | 2.6 | 2.2 | 0.16 | 0.20 | 232 | 0.4 | 2.3 | 2.1 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 2373 | 4.3 | 23.8 | 13.7 | 0.75 | 1.51 | 1887 | 3.5 | 18.6 | 9.7 | 0.52 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 171 | 0.3 | 1.7 | 0.9 | 0.04 | 0.11 | 157 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 825 | 1.5 | 8.3 | 4.3 | 0.20 | 0.51 | 606 | 1.1 | 6.0 | 2.8 | 0.14 | 0.33 | C90 |
| Lymphoid leukaemia | 1179 | 2.2 | 11.8 | 7.9 | 0.39 | 0.79 | 745 | 1.4 | 7.3 | 4.5 | 0.22 | 0.43 | C91 |
| Myeloid leukaemia | 827 | 1.5 | 8.3 | 4.9 | 0.27 | 0.51 | 629 | 1.2 | 6.2 | 3.6 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 44 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 25 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 297 | 0.5 | 3.0 | 1.6 | 0.08 | 0.19 | 287 | 0.5 | 2.8 | 1.5 | 0.08 | 0.16 | MPD |
| Myelodysplastic syndromes | 446 | 0.8 | 4.5 | 2.1 | 0.06 | 0.22 | 312 | 0.6 | 3.1 | 1.3 | 0.04 | 0.13 | MPS |
| Other and unspecified | 1106 | 2.0 | 11.1 | 5.6 | 0.27 | 0.61 | 1122 | 2.1 | 11.0 | 4.6 | 0.21 | 0.50 | O&U |
| All sites | 54958 | | 551.1 | 308.5 | 16.44 | 36.90 | 54328 | | 534.6 | 295.2 | 18.42 | 33.43 | C00–96 |
| All sites except C44 | 54788 | 100.0 | 549.4 | 307.6 | 16.40 | 36.80 | 54170 | 100.0 | 533.0 | 294.4 | 18.37 | 33.35 | C00–96 exc. C44 |

***USA, Oregon: Asian and Pacific Islander (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 13 | 1.1 | 2.5 | 2.2 | 0.16 | 0.25 | 5 | 0.3 | 0.9 | 0.6 | 0.02 | 0.05 | C01–02 |
| Mouth | 8 | 0.7 | 1.6 | 1.4 | 0.06 | 0.18 | 4 | 0.2 | 0.7 | 0.6 | 0.03 | 0.10 | C03–06 |
| Salivary glands | 4 | 0.3 | 0.8 | 0.7 | 0.04 | 0.09 | 6 | 0.4 | 1.0 | 0.8 | 0.07 | 0.09 | C07–08 |
| Tonsil | 5 | 0.4 | 1.0 | 0.8 | 0.06 | 0.06 | 3 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 23 | 1.9 | 4.5 | 3.9 | 0.35 | 0.43 | 10 | 0.6 | 1.7 | 1.4 | 0.09 | 0.11 | C11 |
| Hypopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 14 | 1.2 | 2.7 | 2.4 | 0.12 | 0.29 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C15 |
| Stomach | 48 | 4.0 | 9.4 | 8.1 | 0.27 | 1.00 | 48 | 2.9 | 8.3 | 6.1 | 0.27 | 0.78 | C16 |
| Small intestine | 8 | 0.7 | 1.6 | 1.4 | 0.04 | 0.21 | 3 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C17 |
| Colon | 77 | 6.4 | 15.0 | 13.1 | 0.50 | 1.42 | 107 | 6.5 | 18.5 | 13.5 | 0.87 | 1.43 | C18 |
| Rectum | 67 | 5.6 | 13.1 | 11.9 | 0.85 | 1.40 | 48 | 2.9 | 8.3 | 6.3 | 0.47 | 0.68 | C19–20 |
| Anus | 3 | 0.3 | 0.6 | 0.6 | 0.04 | 0.07 | 4 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C21 |
| Liver | 108 | 9.0 | 21.1 | 19.4 | 1.09 | 2.59 | 56 | 3.4 | 9.7 | 6.9 | 0.32 | 0.66 | C22 |
| Gallbladder etc. | 14 | 1.2 | 2.7 | 2.4 | 0.08 | 0.31 | 23 | 1.4 | 4.0 | 2.9 | 0.17 | 0.35 | C23–24 |
| Pancreas | 44 | 3.7 | 8.6 | 7.3 | 0.34 | 0.74 | 62 | 3.8 | 10.7 | 7.4 | 0.35 | 0.79 | C25 |
| Nose, sinuses etc. | 4 | 0.3 | 0.8 | 0.6 | 0.05 | 0.05 | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C30–31 |
| Larynx | 5 | 0.4 | 1.0 | 0.9 | 0.07 | 0.10 | 4 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 182 | 15.2 | 35.6 | 31.3 | 1.21 | 3.79 | 170 | 10.4 | 29.4 | 20.9 | 0.95 | 2.42 | C33–34 |
| Other thoracic organs | 4 | 0.3 | 0.8 | 0.8 | 0.03 | 0.14 | 8 | 0.5 | 1.4 | 1.1 | 0.08 | 0.12 | C37–38 |
| Bone | 3 | 0.3 | 0.6 | 0.5 | 0.06 | 0.06 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C40–41 |
| Melanoma of skin | 2 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | 12 | 0.7 | 2.1 | 1.4 | 0.13 | 0.13 | C43 |
| Other skin | 2 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C44 |
| Mesothelioma | 3 | 0.3 | 0.6 | 0.5 | 0.00 | 0.03 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 3 | 0.3 | 0.6 | 0.5 | 0.05 | 0.05 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 1.3 | 2.9 | 2.5 | 0.12 | 0.34 | 12 | 0.7 | 2.1 | 1.6 | 0.10 | 0.14 | C47+C49 |
| Breast | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 498 | 30.4 | 86.0 | 66.4 | 5.02 | 7.41 | C50 |
| Vulva | | | | | | | 4 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.3 | 0.3 | 0.00 | 0.06 | C52 |
| Cervix uteri | | | | | | | 34 | 2.1 | 5.9 | 4.3 | 0.28 | 0.41 | C53 |
| Corpus uteri | | | | | | | 89 | 5.4 | 15.4 | 12.1 | 1.02 | 1.32 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.4 | 1.2 | 0.9 | 0.09 | 0.09 | C55 |
| Ovary | | | | | | | 50 | 3.0 | 8.6 | 6.7 | 0.47 | 0.69 | C56 |
| Other female genital organs | | | | | | | 6 | 0.4 | 1.0 | 0.8 | 0.04 | 0.12 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 187 | 15.7 | 36.5 | 33.7 | 1.58 | 4.48 | | | | | | | C61 |
| Testis | 11 | 0.9 | 2.1 | 1.6 | 0.13 | 0.13 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 29 | 2.4 | 5.7 | 4.9 | 0.32 | 0.42 | 25 | 1.5 | 4.3 | 3.4 | 0.23 | 0.37 | C64 |
| Renal pelvis | 3 | 0.3 | 0.6 | 0.6 | 0.04 | 0.08 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 5 | 0.4 | 1.0 | 0.9 | 0.04 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 46 | 3.9 | 9.0 | 7.6 | 0.29 | 0.79 | 12 | 0.7 | 2.1 | 1.5 | 0.10 | 0.17 | C67 |
| Other urinary organs | 2 | 0.2 | 0.4 | 0.3 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.3 | 0.6 | 0.7 | 0.02 | 0.07 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 28 | 2.3 | 5.5 | 5.7 | 0.29 | 0.57 | 14 | 0.9 | 2.4 | 2.5 | 0.13 | 0.23 | C70–72 |
| Thyroid | 32 | 2.7 | 6.3 | 5.4 | 0.32 | 0.52 | 142 | 8.7 | 24.5 | 19.7 | 1.51 | 1.85 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 7 | 0.6 | 1.4 | 1.2 | 0.08 | 0.08 | 7 | 0.4 | 1.2 | 1.2 | 0.08 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 63 | 5.3 | 12.3 | 10.6 | 0.47 | 0.93 | 50 | 3.0 | 8.6 | 6.6 | 0.32 | 0.66 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.3 | 0.8 | 0.7 | 0.00 | 0.08 | 7 | 0.4 | 1.2 | 0.9 | 0.05 | 0.07 | C88 |
| Multiple myeloma | 13 | 1.1 | 2.5 | 2.2 | 0.10 | 0.27 | 14 | 0.9 | 2.4 | 1.8 | 0.08 | 0.19 | C90 |
| Lymphoid leukaemia | 22 | 1.8 | 4.3 | 5.4 | 0.26 | 0.29 | 9 | 0.5 | 1.6 | 1.7 | 0.10 | 0.12 | C91 |
| Myeloid leukaemia | 23 | 1.9 | 4.5 | 3.8 | 0.15 | 0.35 | 25 | 1.5 | 4.3 | 3.3 | 0.26 | 0.32 | C92–94 |
| Leukaemia unspecified | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 9 | 0.8 | 1.8 | 1.7 | 0.10 | 0.16 | 14 | 0.9 | 2.4 | 1.9 | 0.09 | 0.23 | MPD |
| Myelodysplastic syndromes | 9 | 0.8 | 1.8 | 1.5 | 0.09 | 0.12 | 10 | 0.6 | 1.7 | 1.2 | 0.04 | 0.10 | MPS |
| Other and unspecified | 32 | 2.7 | 6.3 | 5.4 | 0.19 | 0.62 | 24 | 1.5 | 4.1 | 2.7 | 0.14 | 0.24 | O&U |
| All sites | 1196 | | 233.6 | 209.0 | 10.24 | 23.93 | 1642 | | 283.6 | 215.6 | 14.22 | 23.04 | C00–96 |
| All sites except C44 | 1194 | 100.0 | 233.2 | 208.7 | 10.21 | 23.90 | 1640 | 100.0 | 283.3 | 215.2 | 14.19 | 23.02 | C00–96 exc. C44 |

*See note following population pyramid

***USA, Oregon: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 5 | 0.5 | 1.7 | 1.8 | 0.10 | 0.24 | 1 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C01–02 |
| Mouth | 5 | 0.5 | 1.7 | 1.7 | 0.18 | 0.18 | 2 | 0.3 | 0.8 | 0.9 | 0.07 | 0.07 | C03–06 |
| Salivary glands | 1 | 0.1 | 0.3 | 0.5 | 0.00 | 0.12 | 2 | 0.3 | 0.8 | 0.8 | 0.09 | 0.09 | C07–08 |
| Tonsil | 5 | 0.5 | 1.7 | 1.9 | 0.07 | 0.33 | 1 | 0.1 | 0.4 | 0.4 | 0.00 | 0.07 | C09 |
| Other oropharynx | 1 | 0.1 | 0.3 | 0.4 | 0.00 | 0.00 | 3 | 0.4 | 1.2 | 0.9 | 0.03 | 0.03 | C10 |
| Nasopharynx | 1 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 1 | 0.1 | 0.3 | 0.3 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 8 | 0.8 | 2.8 | 2.9 | 0.14 | 0.28 | 3 | 0.4 | 1.2 | 1.2 | 0.00 | 0.19 | C15 |
| Stomach | 26 | 2.7 | 9.0 | 9.5 | 0.56 | 1.33 | 10 | 1.5 | 3.9 | 3.6 | 0.20 | 0.39 | C16 |
| Small intestine | 5 | 0.5 | 1.7 | 1.9 | 0.09 | 0.28 | 6 | 0.9 | 2.4 | 2.5 | 0.21 | 0.28 | C17 |
| Colon | 47 | 4.9 | 16.2 | 17.5 | 0.82 | 1.93 | 41 | 6.0 | 16.1 | 15.1 | 0.93 | 1.61 | C18 |
| Rectum | 19 | 2.0 | 6.6 | 6.6 | 0.48 | 0.69 | 14 | 2.1 | 5.5 | 5.4 | 0.47 | 0.54 | C19–20 |
| Anus | 3 | 0.3 | 1.0 | 1.0 | 0.08 | 0.15 | 1 | 0.1 | 0.4 | 0.5 | 0.00 | 0.11 | C21 |
| Liver | 68 | 7.0 | 23.5 | 25.6 | 1.33 | 3.94 | 16 | 2.4 | 6.3 | 6.1 | 0.40 | 0.70 | C22 |
| Gallbladder etc. | 2 | 0.2 | 0.7 | 0.7 | 0.04 | 0.04 | 6 | 0.9 | 2.4 | 2.2 | 0.14 | 0.21 | C23–24 |
| Pancreas | 36 | 3.7 | 12.4 | 13.4 | 0.66 | 1.50 | 28 | 4.1 | 11.0 | 10.5 | 0.59 | 1.30 | C25 |
| Nose, sinuses etc. | 3 | 0.3 | 1.0 | 1.1 | 0.08 | 0.14 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 10 | 1.0 | 3.5 | 4.0 | 0.12 | 0.71 | 1 | 0.1 | 0.4 | 0.4 | 0.05 | 0.05 | C32 |
| Trachea, bronchus, and lung | 130 | 13.5 | 44.9 | 48.2 | 2.33 | 6.00 | 94 | 13.9 | 37.0 | 34.2 | 1.57 | 3.92 | C33–34 |
| Other thoracic organs | 2 | 0.2 | 0.7 | 0.7 | 0.04 | 0.10 | 2 | 0.3 | 0.8 | 0.7 | 0.07 | 0.07 | C37–38 |
| Bone | 7 | 0.7 | 2.4 | 2.2 | 0.19 | 0.19 | 1 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 3 | 0.3 | 1.0 | 1.1 | 0.06 | 0.18 | 2 | 0.3 | 0.8 | 0.7 | 0.05 | 0.05 | C43 |
| Other skin | 1 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 2 | 0.3 | 0.8 | 0.6 | 0.03 | 0.03 | C44 |
| Mesothelioma | 3 | 0.3 | 1.0 | 1.2 | 0.03 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 5 | 0.5 | 1.7 | 1.6 | 0.16 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 5 | 0.5 | 1.7 | 1.8 | 0.14 | 0.14 | 2 | 0.3 | 0.8 | 1.0 | 0.04 | 0.04 | C47+C49 |
| Breast | 5 | 0.5 | 1.7 | 2.0 | 0.03 | 0.29 | 214 | 31.6 | 84.2 | 84.3 | 5.86 | 9.81 | C50 |
| Vulva | | | | | | | 4 | 0.6 | 1.6 | 1.6 | 0.07 | 0.15 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 7 | 1.0 | 2.8 | 2.8 | 0.23 | 0.23 | C53 |
| Corpus uteri | | | | | | | 44 | 6.5 | 17.3 | 18.4 | 1.30 | 2.49 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 14 | 2.1 | 5.5 | 5.8 | 0.43 | 0.62 | C56 |
| Other female genital organs | | | | | | | 2 | 0.3 | 0.8 | 0.8 | 0.07 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.1 | 0.3 | 0.4 | 0.04 | 0.04 | | | | | | | C60 |
| Prostate | 309 | 32.0 | 106.6 | 112.5 | 6.69 | 14.20 | | | | | | | C61 |
| Testis | 10 | 1.0 | 3.5 | 3.3 | 0.20 | 0.20 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 57 | 5.9 | 19.7 | 20.9 | 1.16 | 3.08 | 16 | 2.4 | 6.3 | 6.4 | 0.34 | 0.76 | C64 |
| Renal pelvis | 3 | 0.3 | 1.0 | 0.9 | 0.10 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 24 | 2.5 | 8.3 | 9.0 | 0.43 | 1.14 | 18 | 2.7 | 7.1 | 6.7 | 0.23 | 0.71 | C67 |
| Other urinary organs | 2 | 0.2 | 0.7 | 0.7 | 0.04 | 0.04 | 1 | 0.1 | 0.4 | 0.4 | 0.05 | 0.05 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.4 | 0.5 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 16 | 1.7 | 5.5 | 5.3 | 0.44 | 0.51 | 8 | 1.2 | 3.1 | 3.6 | 0.30 | 0.41 | C70–72 |
| Thyroid | 8 | 0.8 | 2.8 | 2.6 | 0.18 | 0.25 | 38 | 5.6 | 14.9 | 15.0 | 1.08 | 1.50 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.2 | 0.7 | 0.8 | 0.03 | 0.15 | 1 | 0.1 | 0.4 | 0.4 | 0.05 | 0.05 | C75 |
| Hodgkin lymphoma | 4 | 0.4 | 1.4 | 1.4 | 0.14 | 0.14 | 4 | 0.6 | 1.6 | 1.5 | 0.11 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 34 | 3.5 | 11.7 | 12.3 | 0.69 | 1.58 | 15 | 2.2 | 5.9 | 5.3 | 0.25 | 0.62 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.6 | 2.1 | 2.3 | 0.17 | 0.36 | 3 | 0.4 | 1.2 | 1.0 | 0.03 | 0.14 | C88 |
| Multiple myeloma | 20 | 2.1 | 6.9 | 8.0 | 0.34 | 1.09 | 11 | 1.6 | 4.3 | 4.3 | 0.24 | 0.54 | C90 |
| Lymphoid leukaemia | 18 | 1.9 | 6.2 | 7.2 | 0.24 | 0.94 | 8 | 1.2 | 3.1 | 3.5 | 0.15 | 0.45 | C91 |
| Myeloid leukaemia | 13 | 1.3 | 4.5 | 4.9 | 0.25 | 0.44 | 10 | 1.5 | 3.9 | 3.6 | 0.24 | 0.38 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.4 | 0.4 | 0.00 | 0.07 | C95 |
| Myeloproliferative disorders | 8 | 0.8 | 2.8 | 3.0 | 0.17 | 0.36 | 4 | 0.6 | 1.6 | 1.6 | 0.18 | 0.18 | MPD |
| Myelodysplastic syndromes | 4 | 0.4 | 1.4 | 1.6 | 0.04 | 0.25 | 2 | 0.3 | 0.8 | 0.6 | 0.00 | 0.00 | MPS |
| Other and unspecified | 20 | 2.1 | 6.9 | 7.6 | 0.26 | 0.65 | 16 | 2.4 | 6.3 | 5.4 | 0.28 | 0.50 | O&U |
| All sites | 966 | | 333.4 | 355.1 | 19.46 | 44.72 | 680 | | 267.5 | 262.5 | 16.53 | 29.72 | C00–96 |
| All sites except C44 | 965 | 100.0 | 333.0 | 354.8 | 19.44 | 44.70 | 678 | 100.0 | 266.7 | 261.9 | 16.50 | 29.69 | C00–96 exc. C44 |

*See note following population pyramid


USA, Oregon: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 93 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 44 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 768 | 1.5 | 8.6 | 4.8 | 0.33 | 0.60 | 302 | 0.6 | 3.3 | 1.9 | 0.13 | 0.23 | C01–02 |
| Mouth | 288 | 0.6 | 3.2 | 1.7 | 0.10 | 0.22 | 221 | 0.4 | 2.4 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 142 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | 110 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 548 | 1.1 | 6.1 | 3.8 | 0.32 | 0.46 | 90 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 97 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | 35 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 47 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 16 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 94 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 31 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 981 | 1.9 | 11.0 | 5.6 | 0.28 | 0.71 | 253 | 0.5 | 2.8 | 1.2 | 0.06 | 0.14 | C15 |
| Stomach | 785 | 1.5 | 8.8 | 4.6 | 0.25 | 0.54 | 396 | 0.8 | 4.3 | 2.2 | 0.12 | 0.24 | C16 |
| Small intestine | 289 | 0.6 | 3.2 | 1.8 | 0.11 | 0.21 | 268 | 0.5 | 2.9 | 1.5 | 0.10 | 0.18 | C17 |
| Colon | 2728 | 5.3 | 30.5 | 16.1 | 0.89 | 1.76 | 2834 | 5.6 | 31.1 | 13.8 | 0.72 | 1.44 | C18 |
| Rectum | 1463 | 2.9 | 16.4 | 9.4 | 0.64 | 1.09 | 924 | 1.8 | 10.1 | 5.5 | 0.39 | 0.62 | C19–20 |
| Anus | 166 | 0.3 | 1.9 | 1.1 | 0.07 | 0.12 | 364 | 0.7 | 4.0 | 2.2 | 0.16 | 0.26 | C21 |
| Liver | 1625 | 3.2 | 18.2 | 10.0 | 0.72 | 1.29 | 598 | 1.2 | 6.6 | 3.2 | 0.20 | 0.38 | C22 |
| Gallbladder etc. | 277 | 0.5 | 3.1 | 1.4 | 0.06 | 0.16 | 308 | 0.6 | 3.4 | 1.5 | 0.08 | 0.17 | C23–24 |
| Pancreas | 1669 | 3.3 | 18.7 | 9.5 | 0.47 | 1.15 | 1494 | 2.9 | 16.4 | 7.1 | 0.35 | 0.83 | C25 |
| Nose, sinuses etc. | 97 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 54 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 468 | 0.9 | 5.2 | 2.8 | 0.18 | 0.36 | 99 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 6489 | 12.7 | 72.5 | 34.5 | 1.41 | 4.25 | 6592 | 13.0 | 72.3 | 31.0 | 1.34 | 3.86 | C33–34 |
| Other thoracic organs | 65 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 56 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 116 | 0.2 | 1.3 | 1.2 | 0.07 | 0.09 | 82 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 3696 | 7.2 | 41.3 | 22.7 | 1.31 | 2.62 | 2802 | 5.5 | 30.8 | 18.9 | 1.34 | 2.01 | C43 |
| Other skin | 162 | 0.3 | 1.8 | 0.9 | 0.04 | 0.10 | 150 | 0.3 | 1.6 | 0.8 | 0.04 | 0.08 | C44 |
| Mesothelioma | 169 | 0.3 | 1.9 | 0.8 | 0.02 | 0.09 | 44 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 33 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 412 | 0.8 | 4.6 | 2.9 | 0.18 | 0.30 | 321 | 0.6 | 3.5 | 2.3 | 0.14 | 0.22 | C47+C49 |
| Breast | 128 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 15257 | 30.0 | 167.4 | 92.7 | 6.29 | 10.99 | C50 |
| Vulva | | | | | | | 289 | 0.6 | 3.2 | 1.5 | 0.09 | 0.16 | C51 |
| Vagina | | | | | | | 68 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 668 | 1.3 | 7.3 | 5.7 | 0.47 | 0.54 | C53 |
| Corpus uteri | | | | | | | 3471 | 6.8 | 38.1 | 21.1 | 1.56 | 2.61 | C54 |
| Uterus unspecified | | | | | | | 130 | 0.3 | 1.4 | 0.7 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 1431 | 2.8 | 15.7 | 8.5 | 0.54 | 0.94 | C56 |
| Other female genital organs | | | | | | | 205 | 0.4 | 2.2 | 1.1 | 0.06 | 0.15 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 82 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 11181 | 21.8 | 125.0 | 64.0 | 3.17 | 8.96 | | | | | | | C61 |
| Testis | 632 | 1.2 | 7.1 | 6.9 | 0.51 | 0.52 | | | | | | | C62 |
| Other male genital organs | 26 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2300 | 4.5 | 25.7 | 14.7 | 0.94 | 1.74 | 1191 | 2.3 | 13.1 | 7.4 | 0.47 | 0.85 | C64 |
| Renal pelvis | 147 | 0.3 | 1.6 | 0.7 | 0.02 | 0.08 | 91 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 93 | 0.2 | 1.0 | 0.5 | 0.01 | 0.05 | 52 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 4016 | 7.8 | 44.9 | 20.8 | 0.78 | 2.38 | 1130 | 2.2 | 12.4 | 5.0 | 0.22 | 0.58 | C67 |
| Other urinary organs | 47 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 22 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 156 | 0.3 | 1.7 | 1.2 | 0.07 | 0.13 | 128 | 0.3 | 1.4 | 0.8 | 0.05 | 0.09 | C69 |
| Brain and nervous system | 908 | 1.8 | 10.1 | 7.2 | 0.45 | 0.70 | 677 | 1.3 | 7.4 | 5.4 | 0.33 | 0.48 | C70–72 |
| Thyroid | 737 | 1.4 | 8.2 | 5.8 | 0.43 | 0.59 | 1953 | 3.8 | 21.4 | 16.7 | 1.30 | 1.59 | C73 |
| Adrenal gland | 31 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 24 | 0.0 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 17 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 238 | 0.5 | 2.7 | 2.3 | 0.16 | 0.20 | 215 | 0.4 | 2.4 | 2.1 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 2230 | 4.4 | 24.9 | 13.8 | 0.75 | 1.52 | 1784 | 3.5 | 19.6 | 9.9 | 0.54 | 1.08 | C82–86, C96 |
| Immunoproliferative diseases | 159 | 0.3 | 1.8 | 0.9 | 0.04 | 0.11 | 143 | 0.3 | 1.6 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 782 | 1.5 | 8.7 | 4.3 | 0.20 | 0.51 | 573 | 1.1 | 6.3 | 2.8 | 0.14 | 0.33 | C90 |
| Lymphoid leukaemia | 1111 | 2.2 | 12.4 | 7.9 | 0.40 | 0.80 | 717 | 1.4 | 7.9 | 4.7 | 0.23 | 0.44 | C91 |
| Myeloid leukaemia | 777 | 1.5 | 8.7 | 5.0 | 0.27 | 0.51 | 589 | 1.2 | 6.5 | 3.6 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 43 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 24 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 277 | 0.5 | 3.1 | 1.6 | 0.08 | 0.18 | 263 | 0.5 | 2.9 | 1.4 | 0.07 | 0.16 | MPD |
| Myelodysplastic syndromes | 430 | 0.8 | 4.8 | 2.2 | 0.07 | 0.23 | 294 | 0.6 | 3.2 | 1.3 | 0.05 | 0.13 | MPS |
| Other and unspecified | 1028 | 2.0 | 11.5 | 5.5 | 0.27 | 0.60 | 1066 | 2.1 | 11.7 | 4.7 | 0.21 | 0.50 | O&U |
| All sites | 51374 | | 574.2 | 307.7 | 16.46 | 36.70 | 50954 | | 559.2 | 298.0 | 18.58 | 33.74 | C00–96 |
| All sites except C44 | 51212 | 100.0 | 572.4 | 306.7 | 16.41 | 36.60 | 50804 | 100.0 | 557.6 | 297.2 | 18.54 | 33.67 | C00–96 exc. C44 |

USA, Rhode Island


CONTRIBUTORS

Junhie Oh
David Rousseau
Lisa Garcia
Nancy Lebrun
Nicole Witherell



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 70.6 | Breast | 98.9 |
| Trachea, bronchus, and lung | 47.0 | Trachea, bronchus, and lung | 41.7 |
| Bladder | 25.6 | Corpus uteri | 22.0 |
| Melanoma of skin | 19.5 | Thyroid | 21.8 |
| Colon | 15.6 | Melanoma of skin | 14.4 |
| Non-Hodgkin lymphoma | 14.6 | Colon | 12.8 |
| Kidney | 14.3 | Non-Hodgkin lymphoma | 9.9 |
| Liver | 9.9 | Kidney | 7.9 |
| Pancreas | 9.7 | Ovary | 7.7 |
| Rectum | 8.4 | Bladder | 7.4 |
| Thyroid | 7.4 | Pancreas | 6.5 |
| Lymphoid leukaemia | 7.2 | Rectum | 6.3 |
| Stomach | 6.9 | Cervix uteri | 5.7 |
| Brain and nervous system | 5.7 | Brain and nervous system | 5.0 |
| Myeloid leukaemia | 5.5 | Lymphoid leukaemia | 4.7 |
| Testis | 5.4 | Other and unspecified | 4.4 |
| Oesophagus | 5.3 | Myeloid leukaemia | 4.0 |
| Other and unspecified | 5.2 | Hodgkin lymphoma | 3.1 |
| Multiple myeloma | 4.8 | Liver | 3.1 |
| Tongue | 4.2 | Stomach | 3.1 |
| All sites | 331.9 | All sites | 322.2 |



NOTES ON THE DATA

*Rates based on low numbers due to small population.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 84.9 |
| Trachea, bronchus, and lung | 46.4 |
| Colon | 14.4 |
| Pancreas | 12.7 |
| Kidney | 12.6 |
| Multiple myeloma | 11.6 |
| Non-Hodgkin lymphoma | 9.7 |
| Bladder | 9.1 |
| Liver | 8.8 |
| Stomach | 7.5 |
| All sites | 281.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 75.6 |
| Trachea, bronchus, and lung | 27.3 |
| Corpus uteri | 13.1 |
| Thyroid | 12.4 |
| Colon | 9.0 |
| Pancreas | 6.9 |
| Kidney | 5.9 |
| Rectum | 5.6 |
| Multiple myeloma | 5.4 |
| Non-Hodgkin lymphoma | 4.8 |
| All sites | 226.3 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 69.4 |
| Trachea, bronchus, and lung | 47.6 |
| Bladder | 27.0 |
| Melanoma of skin | 20.0 |
| Colon | 15.5 |
| Non-Hodgkin lymphoma | 14.9 |
| Kidney | 14.6 |
| Pancreas | 9.7 |
| Liver | 9.6 |
| Rectum | 8.7 |
| All sites | 336.2 |

Female

| | |
|-----------------------------|-------|
| Breast | 101.5 |
| Trachea, bronchus, and lung | 43.1 |
| Thyroid | 23.1 |
| Corpus uteri | 22.5 |
| Melanoma of skin | 14.7 |
| Colon | 13.1 |
| Non-Hodgkin lymphoma | 10.3 |
| Kidney | 8.2 |
| Bladder | 7.7 |
| Ovary | 7.7 |
| All sites | 330.9 |

USA, Rhode Island (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 20 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | 8 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 176 | 1.2 | 6.9 | 4.2 | 0.29 | 0.54 | 78 | 0.5 | 2.9 | 1.4 | 0.08 | 0.18 | C01–02 |
| Mouth | 81 | 0.5 | 3.2 | 1.8 | 0.11 | 0.23 | 72 | 0.4 | 2.7 | 1.3 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 46 | 0.3 | 1.8 | 1.0 | 0.05 | 0.11 | 42 | 0.3 | 1.5 | 0.8 | 0.06 | 0.10 | C07–08 |
| Tonsil | 96 | 0.6 | 3.7 | 2.4 | 0.22 | 0.29 | 29 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 22 | 0.1 | 0.9 | 0.5 | 0.05 | 0.06 | 20 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C10 |
| Nasopharynx | 21 | 0.1 | 0.8 | 0.6 | 0.04 | 0.06 | 11 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 31 | 0.2 | 1.2 | 0.7 | 0.03 | 0.09 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 7 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 239 | 1.6 | 9.3 | 5.3 | 0.30 | 0.63 | 75 | 0.5 | 2.8 | 1.2 | 0.06 | 0.15 | C15 |
| Stomach | 328 | 2.2 | 12.8 | 6.9 | 0.34 | 0.76 | 179 | 1.1 | 6.6 | 3.1 | 0.17 | 0.34 | C16 |
| Small intestine | 100 | 0.7 | 3.9 | 2.2 | 0.12 | 0.27 | 75 | 0.5 | 2.8 | 1.4 | 0.08 | 0.17 | C17 |
| Colon | 738 | 4.9 | 28.8 | 15.6 | 0.81 | 1.71 | 794 | 4.9 | 29.2 | 12.8 | 0.67 | 1.41 | C18 |
| Rectum | 369 | 2.5 | 14.4 | 8.4 | 0.53 | 0.94 | 310 | 1.9 | 11.4 | 6.3 | 0.46 | 0.69 | C19–20 |
| Anus | 42 | 0.3 | 1.6 | 1.0 | 0.06 | 0.12 | 84 | 0.5 | 3.1 | 1.8 | 0.14 | 0.22 | C21 |
| Liver | 429 | 2.9 | 16.7 | 9.9 | 0.67 | 1.26 | 167 | 1.0 | 6.1 | 3.1 | 0.18 | 0.36 | C22 |
| Gallbladder etc. | 105 | 0.7 | 4.1 | 2.1 | 0.09 | 0.25 | 123 | 0.8 | 4.5 | 2.1 | 0.10 | 0.23 | C23–24 |
| Pancreas | 465 | 3.1 | 18.1 | 9.7 | 0.50 | 1.14 | 410 | 2.6 | 15.1 | 6.5 | 0.32 | 0.75 | C25 |
| Nose, sinuses etc. | 17 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 13 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 179 | 1.2 | 7.0 | 4.1 | 0.26 | 0.50 | 53 | 0.3 | 2.0 | 1.1 | 0.09 | 0.13 | C32 |
| Trachea, bronchus, and lung | 2295 | 15.3 | 89.5 | 47.0 | 2.00 | 5.89 | 2453 | 15.3 | 90.3 | 41.7 | 1.97 | 5.38 | C33–34 |
| Other thoracic organs | 14 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 15 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 45 | 0.3 | 1.8 | 1.8 | 0.11 | 0.12 | 30 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 891 | 6.0 | 34.8 | 19.5 | 1.05 | 2.21 | 668 | 4.2 | 24.6 | 14.4 | 0.98 | 1.57 | C43 |
| Other skin | 66 | 0.4 | 2.6 | 1.5 | 0.07 | 0.14 | 50 | 0.3 | 1.8 | 0.9 | 0.04 | 0.10 | C44 |
| Mesothelioma | 56 | 0.4 | 2.2 | 1.0 | 0.02 | 0.11 | 13 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 17 | 0.1 | 0.7 | 0.4 | 0.03 | 0.03 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 118 | 0.8 | 4.6 | 2.8 | 0.15 | 0.29 | 95 | 0.6 | 3.5 | 2.3 | 0.12 | 0.21 | C47+C49 |
| Breast | 51 | 0.3 | 2.0 | 1.1 | 0.05 | 0.15 | 4662 | 29.0 | 171.6 | 98.9 | 6.74 | 11.66 | C50 |
| Vulva | | | | | | | 127 | 0.8 | 4.7 | 2.1 | 0.12 | 0.22 | C51 |
| Vagina | | | | | | | 18 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 198 | 1.2 | 7.3 | 5.7 | 0.47 | 0.54 | C53 |
| Corpus uteri | | | | | | | 1055 | 6.6 | 38.8 | 22.0 | 1.53 | 2.82 | C54 |
| Uterus unspecified | | | | | | | 43 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | C55 |
| Ovary | | | | | | | 359 | 2.2 | 13.2 | 7.7 | 0.53 | 0.81 | C56 |
| Other female genital organs | | | | | | | 98 | 0.6 | 3.6 | 2.0 | 0.14 | 0.24 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 28 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 3201 | 21.4 | 124.9 | 70.6 | 3.92 | 9.77 | | | | | | | C61 |
| Testis | 148 | 1.0 | 5.8 | 5.4 | 0.42 | 0.43 | | | | | | | C62 |
| Other male genital organs | 7 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 605 | 4.0 | 23.6 | 14.3 | 0.92 | 1.70 | 380 | 2.4 | 14.0 | 7.9 | 0.48 | 0.93 | C64 |
| Renal pelvis | 41 | 0.3 | 1.6 | 0.8 | 0.03 | 0.08 | 32 | 0.2 | 1.2 | 0.6 | 0.03 | 0.08 | C65 |
| Ureter | 33 | 0.2 | 1.3 | 0.6 | 0.02 | 0.08 | 20 | 0.1 | 0.7 | 0.3 | 0.01 | 0.02 | C66 |
| Bladder | 1311 | 8.8 | 51.1 | 25.6 | 1.00 | 2.99 | 475 | 3.0 | 17.5 | 7.4 | 0.30 | 0.88 | C67 |
| Other urinary organs | 13 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C68 |
| Eye | 23 | 0.2 | 0.9 | 0.8 | 0.04 | 0.08 | 18 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 201 | 1.3 | 7.8 | 5.7 | 0.35 | 0.55 | 205 | 1.3 | 7.5 | 5.0 | 0.30 | 0.50 | C70–72 |
| Thyroid | 269 | 1.8 | 10.5 | 7.4 | 0.57 | 0.80 | 745 | 4.6 | 27.4 | 21.8 | 1.72 | 2.08 | C73 |
| Adrenal gland | 13 | 0.1 | 0.5 | 0.7 | 0.04 | 0.04 | 6 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 94 | 0.6 | 3.7 | 3.1 | 0.21 | 0.26 | 94 | 0.6 | 3.5 | 3.1 | 0.21 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 664 | 4.4 | 25.9 | 14.6 | 0.77 | 1.61 | 526 | 3.3 | 19.4 | 9.9 | 0.58 | 1.11 | C82–86,C96 |
| Immunoproliferative diseases | 54 | 0.4 | 2.1 | 1.3 | 0.07 | 0.15 | 63 | 0.4 | 2.3 | 1.1 | 0.05 | 0.13 | C88 |
| Multiple myeloma | 216 | 1.4 | 8.4 | 4.8 | 0.26 | 0.58 | 159 | 1.0 | 5.9 | 2.7 | 0.13 | 0.35 | C90 |
| Lymphoid leukaemia | 301 | 2.0 | 11.7 | 7.2 | 0.34 | 0.82 | 204 | 1.3 | 7.5 | 4.7 | 0.25 | 0.44 | C91 |
| Myeloid leukaemia | 237 | 1.6 | 9.2 | 5.5 | 0.30 | 0.54 | 189 | 1.2 | 7.0 | 4.0 | 0.22 | 0.37 | C92–94 |
| Leukaemia unspecified | 16 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | 16 | 0.1 | 0.6 | 0.5 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 75 | 0.5 | 2.9 | 1.5 | 0.07 | 0.16 | 97 | 0.6 | 3.6 | 1.9 | 0.11 | 0.21 | MPD |
| Myelodysplastic syndromes | 144 | 1.0 | 5.6 | 2.6 | 0.09 | 0.27 | 105 | 0.7 | 3.9 | 1.4 | 0.03 | 0.15 | MPS |
| Other and unspecified | 269 | 1.8 | 10.5 | 5.2 | 0.24 | 0.55 | 307 | 1.9 | 11.3 | 4.4 | 0.18 | 0.45 | O&U |
| All sites | 15029 | | 586.3 | 331.9 | 17.76 | 39.66 | 16099 | | 592.7 | 322.2 | 20.11 | 36.96 | C00–96 |
| All sites except C44 | 14963 | 100.0 | 583.8 | 330.5 | 17.69 | 39.53 | 16049 | 100.0 | 590.8 | 321.3 | 20.07 | 36.86 | C00–96 exc. C44 |

§Includes 1 case of unknown age

***USA, Rhode Island: Black (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 3 | 0.5 | 1.3 | 1.6 | 0.00 | 0.31 | 5 | 0.8 | 2.1 | 2.1 | 0.12 | 0.36 | C01–02 |
| Mouth | 5 | 0.8 | 2.1 | 2.2 | 0.08 | 0.39 | 3 | 0.5 | 1.3 | 1.1 | 0.13 | 0.13 | C03–06 |
| Salivary glands | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.3 | 0.8 | 0.7 | 0.08 | 0.08 | C07–08 |
| Tonsil | 4 | 0.6 | 1.7 | 1.7 | 0.19 | 0.19 | 2 | 0.3 | 0.8 | 0.7 | 0.08 | 0.08 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 2 | 0.3 | 0.9 | 0.9 | 0.09 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 2 | 0.3 | 0.9 | 0.8 | 0.00 | 0.00 | 1 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 11 | 1.7 | 4.7 | 4.6 | 0.23 | 0.32 | 4 | 0.7 | 1.7 | 1.4 | 0.07 | 0.16 | C15 |
| Stomach | 17 | 2.6 | 7.3 | 7.5 | 0.37 | 0.93 | 12 | 2.0 | 5.1 | 4.1 | 0.37 | 0.37 | C16 |
| Small intestine | 3 | 0.5 | 1.3 | 1.2 | 0.07 | 0.07 | 3 | 0.5 | 1.3 | 1.2 | 0.07 | 0.19 | C17 |
| Colon | 34 | 5.3 | 14.6 | 14.4 | 0.84 | 1.74 | 28 | 4.7 | 11.8 | 9.0 | 0.30 | 1.04 | C18 |
| Rectum | 13 | 2.0 | 5.6 | 5.2 | 0.44 | 0.53 | 16 | 2.7 | 6.7 | 5.6 | 0.44 | 0.55 | C19–20 |
| Anus | 3 | 0.5 | 1.3 | 1.3 | 0.07 | 0.16 | 6 | 1.0 | 2.5 | 2.6 | 0.16 | 0.36 | C21 |
| Liver | 20 | 3.1 | 8.6 | 8.8 | 0.61 | 1.31 | 10 | 1.7 | 4.2 | 3.5 | 0.27 | 0.39 | C22 |
| Gallbladder etc. | 4 | 0.6 | 1.7 | 1.6 | 0.20 | 0.20 | 12 | 2.0 | 5.1 | 4.7 | 0.16 | 0.53 | C23–24 |
| Pancreas | 29 | 4.5 | 12.4 | 12.7 | 0.56 | 1.72 | 19 | 3.2 | 8.0 | 6.9 | 0.44 | 0.77 | C25 |
| Nose, sinuses etc. | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.3 | 0.8 | 0.5 | 0.03 | 0.03 | C30–31 |
| Larynx | 8 | 1.2 | 3.4 | 3.4 | 0.23 | 0.46 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 103 | 16.0 | 44.2 | 46.4 | 2.21 | 6.41 | 71 | 11.8 | 29.9 | 27.3 | 1.27 | 4.20 | C33–34 |
| Other thoracic organs | 1 | 0.2 | 0.4 | 0.4 | 0.00 | 0.00 | 2 | 0.3 | 0.8 | 0.7 | 0.07 | 0.07 | C37–38 |
| Bone | 3 | 0.5 | 1.3 | 1.4 | 0.07 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C40–41 |
| Melanoma of skin | 2 | 0.3 | 0.9 | 1.1 | 0.00 | 0.22 | 2 | 0.3 | 0.8 | 0.6 | 0.08 | 0.08 | C43 |
| Other skin | 2 | 0.3 | 0.9 | 0.7 | 0.02 | 0.02 | 2 | 0.3 | 0.8 | 0.7 | 0.08 | 0.08 | C44 |
| Mesothelioma | 3 | 0.5 | 1.3 | 1.3 | 0.00 | 0.14 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.2 | 0.4 | 0.4 | 0.00 | 0.00 | 1 | 0.2 | 0.4 | 0.2 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 7 | 1.1 | 3.0 | 3.0 | 0.17 | 0.26 | 2 | 0.3 | 0.8 | 0.9 | 0.05 | 0.17 | C47+C49 |
| Breast | 2 | 0.3 | 0.9 | 1.1 | 0.00 | 0.22 | 201 | 33.5 | 84.7 | 75.6 | 5.53 | 8.74 | C50 |
| Vulva | | | | | | | 2 | 0.3 | 0.8 | 0.7 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 11 | 1.8 | 4.6 | 4.0 | 0.27 | 0.44 | C53 |
| Corpus uteri | | | | | | | 33 | 5.5 | 13.9 | 13.1 | 0.97 | 1.73 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.7 | 1.7 | 1.7 | 0.12 | 0.20 | C55 |
| Ovary | | | | | | | 7 | 1.2 | 2.9 | 2.8 | 0.13 | 0.30 | C56 |
| Other female genital organs | | | | | | | 6 | 1.0 | 2.5 | 2.4 | 0.16 | 0.39 | C57 |
| Placenta | | | | | | | 1 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | C58 |
| Penis | 1 | 0.2 | 0.4 | 0.5 | 0.06 | 0.06 | | | | | | | C60 |
| Prostate | 194 | 30.1 | 83.2 | 84.9 | 5.41 | 11.75 | | | | | | | C61 |
| Testis | 3 | 0.5 | 1.3 | 1.1 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 30 | 4.7 | 12.9 | 12.6 | 0.91 | 1.50 | 16 | 2.7 | 6.7 | 5.9 | 0.29 | 0.60 | C64 |
| Renal pelvis | 1 | 0.2 | 0.4 | 0.5 | 0.06 | 0.06 | 2 | 0.3 | 0.8 | 0.7 | 0.00 | 0.12 | C65 |
| Ureter | 1 | 0.2 | 0.4 | 0.5 | 0.00 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 20 | 3.1 | 8.6 | 9.1 | 0.28 | 1.18 | 10 | 1.7 | 4.2 | 3.5 | 0.14 | 0.39 | C67 |
| Other urinary organs | 2 | 0.3 | 0.9 | 0.7 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 9 | 1.4 | 3.9 | 4.6 | 0.19 | 0.41 | 8 | 1.3 | 3.4 | 3.3 | 0.32 | 0.32 | C70–72 |
| Thyroid | 11 | 1.7 | 4.7 | 4.5 | 0.36 | 0.63 | 31 | 5.2 | 13.1 | 12.4 | 1.02 | 1.22 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.2 | 0.4 | 0.6 | 0.00 | 0.14 | 1 | 0.2 | 0.4 | 0.5 | 0.03 | 0.03 | C75 |
| Hodgkin lymphoma | 6 | 0.9 | 2.6 | 2.6 | 0.19 | 0.19 | 6 | 1.0 | 2.5 | 2.3 | 0.18 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 24 | 3.7 | 10.3 | 9.7 | 0.69 | 1.00 | 13 | 2.2 | 5.5 | 4.8 | 0.32 | 0.55 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.3 | 0.9 | 0.9 | 0.04 | 0.12 | 1 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | C88 |
| Multiple myeloma | 28 | 4.3 | 12.0 | 11.6 | 0.93 | 1.32 | 16 | 2.7 | 6.7 | 5.4 | 0.22 | 0.65 | C90 |
| Lymphoid leukaemia | 6 | 0.9 | 2.6 | 2.6 | 0.14 | 0.42 | 5 | 0.8 | 2.1 | 2.6 | 0.14 | 0.26 | C91 |
| Myeloid leukaemia | 15 | 2.3 | 6.4 | 6.6 | 0.45 | 0.76 | 9 | 1.5 | 3.8 | 3.2 | 0.23 | 0.32 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.4 | 0.6 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 1 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | 3 | 0.5 | 1.3 | 1.1 | 0.05 | 0.17 | MPD |
| Myelodysplastic syndromes | 1 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | 1 | 0.2 | 0.4 | 0.2 | 0.00 | 0.00 | MPS |
| Other and unspecified | 9 | 1.4 | 3.9 | 4.0 | 0.28 | 0.56 | 9 | 1.5 | 3.8 | 3.9 | 0.04 | 0.75 | O&U |
| All sites | 647 | | 277.4 | 281.8 | 16.67 | 36.17 | 602 | | 253.5 | 226.3 | 14.60 | 27.13 | C00–96 |
| All sites except C44 | 645 | 100.0 | 276.5 | 281.1 | 16.64 | 36.14 | 600 | 100.0 | 252.7 | 225.6 | 14.52 | 27.06 | C00–96 exc. C44 |

*See note following population pyramid

USA, Rhode Island: White (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 20 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 7 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 170 | 1.2 | 7.7 | 4.5 | 0.32 | 0.57 | 73 | 0.5 | 3.1 | 1.4 | 0.08 | 0.18 | C01–02 |
| Mouth | 73 | 0.5 | 3.3 | 1.7 | 0.11 | 0.21 | 68 | 0.5 | 2.9 | 1.3 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 44 | 0.3 | 2.0 | 1.0 | 0.05 | 0.11 | 39 | 0.3 | 1.7 | 0.8 | 0.06 | 0.10 | C07–08 |
| Tonsil | 92 | 0.7 | 4.2 | 2.5 | 0.23 | 0.30 | 27 | 0.2 | 1.2 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 20 | 0.1 | 0.9 | 0.5 | 0.05 | 0.07 | 19 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C10 |
| Nasopharynx | 16 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 9 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 29 | 0.2 | 1.3 | 0.7 | 0.04 | 0.10 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 223 | 1.6 | 10.1 | 5.3 | 0.30 | 0.65 | 70 | 0.5 | 3.0 | 1.3 | 0.06 | 0.16 | C15 |
| Stomach | 298 | 2.1 | 13.5 | 6.8 | 0.34 | 0.76 | 158 | 1.1 | 6.7 | 2.8 | 0.14 | 0.33 | C16 |
| Small intestine | 95 | 0.7 | 4.3 | 2.3 | 0.13 | 0.28 | 70 | 0.5 | 3.0 | 1.4 | 0.08 | 0.17 | C17 |
| Colon | 684 | 4.9 | 31.1 | 15.5 | 0.80 | 1.70 | 747 | 5.0 | 31.9 | 13.1 | 0.70 | 1.45 | C18 |
| Rectum | 348 | 2.5 | 15.8 | 8.7 | 0.55 | 0.97 | 280 | 1.9 | 12.0 | 6.3 | 0.46 | 0.69 | C19–20 |
| Anus | 39 | 0.3 | 1.8 | 1.0 | 0.06 | 0.12 | 77 | 0.5 | 3.3 | 1.8 | 0.15 | 0.22 | C21 |
| Liver | 381 | 2.7 | 17.3 | 9.6 | 0.63 | 1.21 | 148 | 1.0 | 6.3 | 3.0 | 0.17 | 0.34 | C22 |
| Gallbladder etc. | 98 | 0.7 | 4.4 | 2.1 | 0.09 | 0.25 | 107 | 0.7 | 4.6 | 1.9 | 0.09 | 0.21 | C23–24 |
| Pancreas | 429 | 3.1 | 19.5 | 9.7 | 0.50 | 1.13 | 385 | 2.6 | 16.4 | 6.6 | 0.32 | 0.77 | C25 |
| Nose, sinuses etc. | 16 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 166 | 1.2 | 7.5 | 4.1 | 0.26 | 0.51 | 51 | 0.3 | 2.2 | 1.2 | 0.09 | 0.13 | C32 |
| Trachea, bronchus, and lung | 2165 | 15.5 | 98.3 | 47.6 | 2.01 | 5.93 | 2353 | 15.6 | 100.5 | 43.1 | 2.05 | 5.53 | C33–34 |
| Other thoracic organs | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 13 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 42 | 0.3 | 1.9 | 1.9 | 0.11 | 0.13 | 28 | 0.2 | 1.2 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 840 | 6.0 | 38.1 | 20.0 | 1.09 | 2.26 | 616 | 4.1 | 26.3 | 14.7 | 1.01 | 1.60 | C43 |
| Other skin | 61 | 0.4 | 2.8 | 1.5 | 0.07 | 0.14 | 48 | 0.3 | 2.0 | 0.9 | 0.04 | 0.10 | C44 |
| Mesothelioma | 53 | 0.4 | 2.4 | 1.0 | 0.02 | 0.12 | 13 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 15 | 0.1 | 0.7 | 0.4 | 0.03 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 110 | 0.8 | 5.0 | 2.8 | 0.15 | 0.30 | 91 | 0.6 | 3.9 | 2.6 | 0.13 | 0.22 | C47+C49 |
| Breast | 48 | 0.3 | 2.2 | 1.2 | 0.06 | 0.14 | 4363 | 29.0 | 186.3 | 101.5 | 6.92 | 11.95 | C50 |
| Vulva | | | | | | | 123 | 0.8 | 5.3 | 2.3 | 0.13 | 0.23 | C51 |
| Vagina | | | | | | | 18 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 169 | 1.1 | 7.2 | 5.6 | 0.47 | 0.52 | C53 |
| Corpus uteri | | | | | | | 991 | 6.6 | 42.3 | 22.5 | 1.57 | 2.88 | C54 |
| Uterus unspecified | | | | | | | 39 | 0.3 | 1.7 | 0.7 | 0.04 | 0.10 | C55 |
| Ovary | | | | | | | 333 | 2.2 | 14.2 | 7.7 | 0.54 | 0.83 | C56 |
| Other female genital organs | | | | | | | 91 | 0.6 | 3.9 | 2.0 | 0.15 | 0.24 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 27 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 2918 | 20.9 | 132.5 | 69.4 | 3.77 | 9.63 | | | | | | | C61 |
| Testis | 143 | 1.0 | 6.5 | 6.2 | 0.48 | 0.49 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 566 | 4.1 | 25.7 | 14.6 | 0.94 | 1.73 | 356 | 2.4 | 15.2 | 8.2 | 0.50 | 0.96 | C64 |
| Renal pelvis | 40 | 0.3 | 1.8 | 0.8 | 0.03 | 0.08 | 30 | 0.2 | 1.3 | 0.6 | 0.03 | 0.08 | C65 |
| Ureter | 32 | 0.2 | 1.5 | 0.7 | 0.02 | 0.08 | 18 | 0.1 | 0.8 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 1279 | 9.2 | 58.1 | 27.0 | 1.07 | 3.13 | 460 | 3.1 | 19.6 | 7.7 | 0.33 | 0.93 | C67 |
| Other urinary organs | 11 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C68 |
| Eye | 23 | 0.2 | 1.0 | 1.0 | 0.05 | 0.09 | 18 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 189 | 1.4 | 8.6 | 5.8 | 0.37 | 0.57 | 195 | 1.3 | 8.3 | 5.3 | 0.32 | 0.53 | C70–72 |
| Thyroid | 250 | 1.8 | 11.4 | 7.7 | 0.60 | 0.82 | 687 | 4.6 | 29.3 | 23.1 | 1.81 | 2.19 | C73 |
| Adrenal gland | 12 | 0.1 | 0.5 | 0.8 | 0.05 | 0.05 | 6 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 87 | 0.6 | 4.0 | 3.3 | 0.23 | 0.28 | 85 | 0.6 | 3.6 | 3.3 | 0.22 | 0.28 | C81 |
| Non-Hodgkin lymphoma | 624 | 4.5 | 28.3 | 14.9 | 0.78 | 1.65 | 503 | 3.3 | 21.5 | 10.3 | 0.61 | 1.16 | C82–86,C96 |
| Immunoproliferative diseases | 47 | 0.3 | 2.1 | 1.2 | 0.07 | 0.14 | 57 | 0.4 | 2.4 | 1.0 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 185 | 1.3 | 8.4 | 4.4 | 0.21 | 0.54 | 140 | 0.9 | 6.0 | 2.6 | 0.13 | 0.34 | C90 |
| Lymphoid leukaemia | 291 | 2.1 | 13.2 | 7.8 | 0.37 | 0.86 | 198 | 1.3 | 8.5 | 5.1 | 0.28 | 0.47 | C91 |
| Myeloid leukaemia | 217 | 1.6 | 9.9 | 5.5 | 0.30 | 0.53 | 173 | 1.2 | 7.4 | 4.1 | 0.23 | 0.37 | C92–94 |
| Leukaemia unspecified | 14 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | 14 | 0.1 | 0.6 | 0.5 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 71 | 0.5 | 3.2 | 1.5 | 0.08 | 0.16 | 92 | 0.6 | 3.9 | 2.0 | 0.11 | 0.21 | MPD |
| Myelodysplastic syndromes | 141 | 1.0 | 6.4 | 2.8 | 0.10 | 0.29 | 104 | 0.7 | 4.4 | 1.5 | 0.03 | 0.16 | MPS |
| Other and unspecified | 256 | 1.8 | 11.6 | 5.4 | 0.25 | 0.56 | 290 | 1.9 | 12.4 | 4.5 | 0.19 | 0.44 | O&U |
| All sites | 14024 | | 636.8 | 336.2 | 17.92 | 40.03 | 15087 | | 644.3 | 330.9 | 20.68 | 37.85 | C00–96 |
| All sites except C44 | 13963 | 100.0 | 634.0 | 334.8 | 17.85 | 39.89 | 15039 | 100.0 | 642.3 | 330.1 | 20.64 | 37.75 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, South Carolina


CONTRIBUTORS

Susan Bolick
Deborah Hurley
Stephanie Clugstone



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 81.7 | Breast | 93.7 |
| Trachea, bronchus, and lung | 50.2 | Trachea, bronchus, and lung | 34.0 |
| Colon | 20.1 | Corpus uteri | 16.7 |
| Melanoma of skin | 20.0 | Colon | 16.3 |
| Bladder | 18.0 | Melanoma of skin | 13.4 |
| Kidney | 16.4 | Thyroid | 13.1 |
| Non-Hodgkin lymphoma | 12.5 | Kidney | 8.3 |
| Pancreas | 9.8 | Non-Hodgkin lymphoma | 8.3 |
| Liver | 9.5 | Pancreas | 7.3 |
| Rectum | 9.5 | Ovary | 6.6 |
| Lymphoid leukaemia | 6.6 | Cervix uteri | 6.2 |
| Other and unspecified | 6.6 | Rectum | 5.6 |
| Multiple myeloma | 6.1 | Other and unspecified | 5.3 |
| Stomach | 6.0 | Bladder | 4.9 |
| Brain and nervous system | 6.0 | Multiple myeloma | 4.4 |
| Oesophagus | 5.5 | Brain and nervous system | 4.4 |
| Myeloid leukaemia | 5.4 | Lymphoid leukaemia | 4.2 |
| Larynx | 5.4 | Myeloid leukaemia | 3.7 |
| Thyroid | 4.7 | Stomach | 3.0 |
| Tongue | 4.4 | Liver | 2.7 |
| All sites | 343.4 | All sites | 290.2 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 125.4 |
| Trachea, bronchus, and lung | 55.7 |
| Colon | 24.9 |
| Kidney | 18.5 |
| Pancreas | 11.7 |
| Multiple myeloma | 11.6 |
| Rectum | 11.0 |
| Liver | 10.8 |
| Non-Hodgkin lymphoma | 10.0 |
| Stomach | 9.7 |
| All sites | 372.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 93.9 |
| Trachea, bronchus, and lung | 26.5 |
| Colon | 19.4 |
| Corpus uteri | 18.7 |
| Thyroid | 9.8 |
| Pancreas | 9.5 |
| Kidney | 9.0 |
| Multiple myeloma | 8.6 |
| Cervix uteri | 6.8 |
| Other and unspecified | 6.0 |
| All sites | 274.6 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 68.7 |
| Trachea, bronchus, and lung | 49.2 |
| Melanoma of skin | 25.9 |
| Bladder | 20.5 |
| Colon | 18.8 |
| Kidney | 16.1 |
| Non-Hodgkin lymphoma | 13.1 |
| Pancreas | 9.3 |
| Liver | 9.2 |
| Rectum | 9.1 |
| All sites | 336.6 |

Female

| | |
|-----------------------------|-------|
| Breast | 94.2 |
| Trachea, bronchus, and lung | 36.9 |
| Melanoma of skin | 18.6 |
| Corpus uteri | 16.1 |
| Colon | 15.3 |
| Thyroid | 14.6 |
| Non-Hodgkin lymphoma | 9.0 |
| Kidney | 8.2 |
| Ovary | 6.8 |
| Pancreas | 6.6 |
| All sites | 298.2 |

USA, South Carolina (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 69 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 26 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 863 | 1.2 | 7.3 | 4.4 | 0.32 | 0.54 | 295 | 0.5 | 2.3 | 1.3 | 0.09 | 0.16 | C01–02 |
| Mouth | 439 | 0.6 | 3.7 | 2.2 | 0.15 | 0.27 | 285 | 0.4 | 2.3 | 1.1 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 238 | 0.3 | 2.0 | 1.1 | 0.06 | 0.13 | 126 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 688 | 1.0 | 5.8 | 3.7 | 0.32 | 0.45 | 132 | 0.2 | 1.0 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 179 | 0.3 | 1.5 | 0.9 | 0.07 | 0.11 | 50 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 92 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 41 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 234 | 0.3 | 2.0 | 1.2 | 0.08 | 0.15 | 44 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 71 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 23 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1145 | 1.6 | 9.6 | 5.5 | 0.33 | 0.70 | 306 | 0.5 | 2.4 | 1.1 | 0.06 | 0.14 | C15 |
| Stomach | 1268 | 1.8 | 10.7 | 6.0 | 0.33 | 0.71 | 739 | 1.1 | 5.9 | 3.0 | 0.18 | 0.34 | C16 |
| Small intestine | 425 | 0.6 | 3.6 | 2.1 | 0.13 | 0.24 | 426 | 0.7 | 3.4 | 1.9 | 0.13 | 0.22 | C17 |
| Colon | 4097 | 5.8 | 34.5 | 20.1 | 1.24 | 2.29 | 4046 | 6.2 | 32.2 | 16.3 | 0.96 | 1.82 | C18 |
| Rectum | 1830 | 2.6 | 15.4 | 9.5 | 0.65 | 1.09 | 1218 | 1.9 | 9.7 | 5.6 | 0.39 | 0.63 | C19–20 |
| Anus | 185 | 0.3 | 1.6 | 1.0 | 0.08 | 0.11 | 354 | 0.5 | 2.8 | 1.6 | 0.13 | 0.20 | C21 |
| Liver | 1898 | 2.7 | 16.0 | 9.5 | 0.71 | 1.18 | 686 | 1.0 | 5.5 | 2.7 | 0.16 | 0.33 | C22 |
| Gallbladder etc. | 350 | 0.5 | 2.9 | 1.5 | 0.07 | 0.17 | 364 | 0.6 | 2.9 | 1.4 | 0.08 | 0.17 | C23–24 |
| Pancreas | 2143 | 3.0 | 18.0 | 9.8 | 0.51 | 1.18 | 1972 | 3.0 | 15.7 | 7.3 | 0.39 | 0.82 | C25 |
| Nose, sinuses etc. | 116 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 68 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 1103 | 1.6 | 9.3 | 5.4 | 0.36 | 0.66 | 247 | 0.4 | 2.0 | 1.1 | 0.08 | 0.13 | C32 |
| Trachea, bronchus, and lung | 11247 | 15.8 | 94.7 | 50.2 | 2.44 | 6.34 | 8922 | 13.6 | 70.9 | 34.0 | 1.75 | 4.34 | C33–34 |
| Other thoracic organs | 72 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 74 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 157 | 0.2 | 1.3 | 1.1 | 0.07 | 0.09 | 114 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 4155 | 5.8 | 35.0 | 20.0 | 1.09 | 2.30 | 2726 | 4.2 | 21.7 | 13.4 | 0.94 | 1.43 | C43 |
| Other skin | 263 | 0.4 | 2.2 | 1.2 | 0.05 | 0.11 | 169 | 0.3 | 1.3 | 0.8 | 0.04 | 0.08 | C44 |
| Mesothelioma | 181 | 0.3 | 1.5 | 0.7 | 0.02 | 0.08 | 68 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 48 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 534 | 0.8 | 4.5 | 3.1 | 0.19 | 0.30 | 368 | 0.6 | 2.9 | 1.9 | 0.12 | 0.19 | C47+C49 |
| Breast | 192 | 0.3 | 1.6 | 0.9 | 0.05 | 0.12 | 20433 | 31.2 | 162.4 | 93.7 | 6.36 | 10.94 | C50 |
| Vulva | | | | | | | 459 | 0.7 | 3.6 | 2.1 | 0.15 | 0.22 | C51 |
| Vagina | | | | | | | 98 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1022 | 1.6 | 8.1 | 6.2 | 0.50 | 0.59 | C53 |
| Corpus uteri | | | | | | | 3717 | 5.7 | 29.5 | 16.7 | 1.19 | 2.08 | C54 |
| Uterus unspecified | | | | | | | 145 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 1487 | 2.3 | 11.8 | 6.6 | 0.41 | 0.75 | C56 |
| Other female genital organs | | | | | | | 187 | 0.3 | 1.5 | 0.8 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 111 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 17488 | 24.6 | 147.3 | 81.7 | 4.54 | 11.27 | | | | | | | C61 |
| Testis | 478 | 0.7 | 4.0 | 3.9 | 0.29 | 0.31 | | | | | | | C62 |
| Other male genital organs | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 3195 | 4.5 | 26.9 | 16.4 | 1.06 | 1.98 | 1823 | 2.8 | 14.5 | 8.3 | 0.52 | 0.96 | C64 |
| Renal pelvis | 166 | 0.2 | 1.4 | 0.7 | 0.02 | 0.08 | 114 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 94 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 74 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 4253 | 6.0 | 35.8 | 18.0 | 0.70 | 1.99 | 1392 | 2.1 | 11.1 | 4.9 | 0.22 | 0.56 | C67 |
| Other urinary organs | 51 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 30 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 103 | 0.1 | 0.9 | 0.7 | 0.04 | 0.06 | 100 | 0.2 | 0.8 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 983 | 1.4 | 8.3 | 6.0 | 0.36 | 0.59 | 797 | 1.2 | 6.3 | 4.4 | 0.26 | 0.41 | C70–72 |
| Thyroid | 803 | 1.1 | 6.8 | 4.7 | 0.34 | 0.51 | 2187 | 3.3 | 17.4 | 13.1 | 1.00 | 1.30 | C73 |
| Adrenal gland | 35 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 47 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 342 | 0.5 | 2.9 | 2.5 | 0.18 | 0.21 | 280 | 0.4 | 2.2 | 1.9 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 2476 | 3.5 | 20.8 | 12.5 | 0.70 | 1.38 | 2015 | 3.1 | 16.0 | 8.3 | 0.44 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 141 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | 157 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 1343 | 1.9 | 11.3 | 6.1 | 0.30 | 0.70 | 1136 | 1.7 | 9.0 | 4.4 | 0.24 | 0.53 | C90 |
| Lymphoid leukaemia | 1234 | 1.7 | 10.4 | 6.6 | 0.33 | 0.69 | 850 | 1.3 | 6.8 | 4.2 | 0.21 | 0.40 | C91 |
| Myeloid leukaemia | 1078 | 1.5 | 9.1 | 5.4 | 0.28 | 0.58 | 798 | 1.2 | 6.3 | 3.7 | 0.22 | 0.38 | C92–94 |
| Leukaemia unspecified | 92 | 0.1 | 0.8 | 0.4 | 0.01 | 0.03 | 59 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 458 | 0.6 | 3.9 | 2.3 | 0.13 | 0.26 | 474 | 0.7 | 3.8 | 2.0 | 0.11 | 0.22 | MPD |
| Myelodysplastic syndromes | 671 | 0.9 | 5.7 | 2.7 | 0.07 | 0.26 | 453 | 0.7 | 3.6 | 1.5 | 0.05 | 0.15 | MPS |
| Other and unspecified | 1450 | 2.0 | 12.2 | 6.6 | 0.34 | 0.74 | 1442 | 2.2 | 11.5 | 5.3 | 0.25 | 0.60 | O&U |
| All sites | 71359 | | 600.9 | 343.4 | 19.31 | 41.55 | 65688 | | 522.0 | 290.2 | 18.36 | 33.13 | C00–96 |
| All sites except C44 | 71096 | 100.0 | 598.6 | 342.2 | 19.26 | 41.43 | 65519 | 100.0 | 520.7 | 289.5 | 18.32 | 33.05 | C00–96 exc. C44 |

USA, South Carolina: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 111 | 0.7 | 3.4 | 2.6 | 0.21 | 0.31 | 25 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 122 | 0.7 | 3.8 | 2.8 | 0.19 | 0.36 | 49 | 0.3 | 1.3 | 0.9 | 0.07 | 0.10 | C03–06 |
| Salivary glands | 27 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 37 | 0.2 | 1.0 | 0.7 | 0.04 | 0.08 | C07–08 |
| Tonsil | 106 | 0.6 | 3.3 | 2.5 | 0.21 | 0.30 | 24 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 34 | 0.2 | 1.0 | 0.8 | 0.05 | 0.10 | 17 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 33 | 0.2 | 1.0 | 0.8 | 0.07 | 0.09 | 16 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 65 | 0.4 | 2.0 | 1.4 | 0.10 | 0.19 | 14 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 22 | 0.1 | 0.7 | 0.5 | 0.04 | 0.06 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 274 | 1.7 | 8.4 | 6.2 | 0.38 | 0.82 | 89 | 0.6 | 2.4 | 1.5 | 0.10 | 0.19 | C15 |
| Stomach | 435 | 2.7 | 13.4 | 9.7 | 0.53 | 1.17 | 304 | 2.0 | 8.3 | 5.1 | 0.29 | 0.55 | C16 |
| Small intestine | 119 | 0.7 | 3.7 | 2.7 | 0.16 | 0.31 | 157 | 1.0 | 4.3 | 2.7 | 0.18 | 0.29 | C17 |
| Colon | 1097 | 6.7 | 33.8 | 24.9 | 1.54 | 2.87 | 1150 | 7.5 | 31.3 | 19.4 | 1.17 | 2.23 | C18 |
| Rectum | 477 | 2.9 | 14.7 | 11.0 | 0.71 | 1.28 | 316 | 2.1 | 8.6 | 5.7 | 0.40 | 0.65 | C19–20 |
| Anus | 51 | 0.3 | 1.6 | 1.2 | 0.10 | 0.14 | 53 | 0.3 | 1.4 | 1.0 | 0.08 | 0.11 | C21 |
| Liver | 477 | 2.9 | 14.7 | 10.8 | 0.84 | 1.39 | 162 | 1.1 | 4.4 | 2.7 | 0.17 | 0.32 | C22 |
| Gallbladder etc. | 94 | 0.6 | 2.9 | 2.0 | 0.06 | 0.23 | 123 | 0.8 | 3.3 | 2.0 | 0.11 | 0.26 | C23–24 |
| Pancreas | 529 | 3.2 | 16.3 | 11.7 | 0.66 | 1.39 | 601 | 3.9 | 16.4 | 9.5 | 0.52 | 1.03 | C25 |
| Nose, sinuses etc. | 34 | 0.2 | 1.0 | 0.8 | 0.05 | 0.10 | 20 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 365 | 2.2 | 11.2 | 8.0 | 0.53 | 1.03 | 65 | 0.4 | 1.8 | 1.1 | 0.09 | 0.14 | C32 |
| Trachea, bronchus, and lung | 2540 | 15.5 | 78.1 | 55.7 | 2.80 | 7.29 | 1634 | 10.6 | 44.5 | 26.5 | 1.39 | 3.41 | C33–34 |
| Other thoracic organs | 20 | 0.1 | 0.6 | 0.6 | 0.04 | 0.06 | 28 | 0.2 | 0.8 | 0.6 | 0.03 | 0.07 | C37–38 |
| Bone | 29 | 0.2 | 0.9 | 0.9 | 0.06 | 0.07 | 24 | 0.2 | 0.7 | 0.6 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 15 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 29 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | C43 |
| Other skin | 36 | 0.2 | 1.1 | 1.0 | 0.07 | 0.09 | 44 | 0.3 | 1.2 | 0.9 | 0.06 | 0.09 | C44 |
| Mesothelioma | 20 | 0.1 | 0.6 | 0.4 | 0.01 | 0.05 | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 19 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 95 | 0.6 | 2.9 | 2.5 | 0.15 | 0.26 | 94 | 0.6 | 2.6 | 1.9 | 0.12 | 0.20 | C47+C49 |
| Breast | 54 | 0.3 | 1.7 | 1.3 | 0.08 | 0.15 | 5038 | 32.8 | 137.1 | 93.9 | 6.62 | 10.88 | C50 |
| Vulva | | | | | | | 70 | 0.5 | 1.9 | 1.4 | 0.10 | 0.14 | C51 |
| Vagina | | | | | | | 29 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 333 | 2.2 | 9.1 | 6.8 | 0.54 | 0.69 | C53 |
| Corpus uteri | | | | | | | 1074 | 7.0 | 29.2 | 18.7 | 1.23 | 2.40 | C54 |
| Uterus unspecified | | | | | | | 59 | 0.4 | 1.6 | 1.0 | 0.06 | 0.12 | C55 |
| Ovary | | | | | | | 329 | 2.1 | 9.0 | 5.9 | 0.35 | 0.67 | C56 |
| Other female genital organs | | | | | | | 29 | 0.2 | 0.8 | 0.5 | 0.02 | 0.07 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 35 | 0.2 | 1.1 | 0.8 | 0.06 | 0.11 | | | | | | | C60 |
| Prostate | 5637 | 34.4 | 173.4 | 125.4 | 7.45 | 17.15 | | | | | | | C61 |
| Testis | 35 | 0.2 | 1.1 | 1.1 | 0.08 | 0.08 | | | | | | | C62 |
| Other male genital organs | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 786 | 4.8 | 24.2 | 18.5 | 1.21 | 2.34 | 494 | 3.2 | 13.4 | 9.0 | 0.57 | 1.06 | C64 |
| Renal pelvis | 8 | 0.0 | 0.2 | 0.2 | 0.00 | 0.02 | 16 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 423 | 2.6 | 13.0 | 9.2 | 0.35 | 1.00 | 264 | 1.7 | 7.2 | 3.8 | 0.16 | 0.40 | C67 |
| Other urinary organs | 11 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 11 | 0.1 | 0.3 | 0.4 | 0.01 | 0.03 | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 136 | 0.8 | 4.2 | 3.7 | 0.21 | 0.35 | 137 | 0.9 | 3.7 | 3.0 | 0.18 | 0.28 | C70–72 |
| Thyroid | 115 | 0.7 | 3.5 | 2.8 | 0.19 | 0.33 | 474 | 3.1 | 12.9 | 9.8 | 0.73 | 1.03 | C73 |
| Adrenal gland | 10 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 18 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C74 |
| Other endocrine | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 98 | 0.6 | 3.0 | 2.8 | 0.20 | 0.24 | 82 | 0.5 | 2.2 | 2.0 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 405 | 2.5 | 12.5 | 10.0 | 0.69 | 1.03 | 324 | 2.1 | 8.8 | 5.8 | 0.35 | 0.60 | C82–86,C96 |
| Immunoproliferative diseases | 17 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 34 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | C88 |
| Multiple myeloma | 525 | 3.2 | 16.2 | 11.6 | 0.56 | 1.38 | 520 | 3.4 | 14.2 | 8.6 | 0.46 | 1.05 | C90 |
| Lymphoid leukaemia | 182 | 1.1 | 5.6 | 4.6 | 0.25 | 0.48 | 154 | 1.0 | 4.2 | 3.0 | 0.16 | 0.29 | C91 |
| Myeloid leukaemia | 176 | 1.1 | 5.4 | 4.3 | 0.24 | 0.43 | 185 | 1.2 | 5.0 | 3.6 | 0.22 | 0.36 | C92–94 |
| Leukaemia unspecified | 18 | 0.1 | 0.6 | 0.4 | 0.02 | 0.02 | 19 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 74 | 0.5 | 2.3 | 1.7 | 0.09 | 0.20 | 102 | 0.7 | 2.8 | 1.8 | 0.10 | 0.20 | MPD |
| Myelodysplastic syndromes | 98 | 0.6 | 3.0 | 2.2 | 0.09 | 0.23 | 98 | 0.6 | 2.7 | 1.4 | 0.05 | 0.15 | MPS |
| Other and unspecified | 323 | 2.0 | 9.9 | 7.2 | 0.38 | 0.81 | 375 | 2.4 | 10.2 | 6.0 | 0.29 | 0.68 | O&U |
| All sites | 16438 | | 505.8 | 372.8 | 21.90 | 46.65 | 15389 | | 418.8 | 274.6 | 17.56 | 31.60 | C00–96 |
| All sites except C44 | 16402 | 100.0 | 504.7 | 371.9 | 21.83 | 46.56 | 15345 | 100.0 | 417.6 | 273.6 | 17.50 | 31.51 | C00–96 exc. C44 |


USA, South Carolina: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 65 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 21 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 747 | 1.4 | 9.0 | 5.1 | 0.36 | 0.62 | 268 | 0.5 | 3.1 | 1.7 | 0.12 | 0.20 | C01–02 |
| Mouth | 307 | 0.6 | 3.7 | 2.0 | 0.14 | 0.24 | 235 | 0.5 | 2.7 | 1.2 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 209 | 0.4 | 2.5 | 1.2 | 0.06 | 0.14 | 87 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 576 | 1.1 | 6.9 | 4.2 | 0.36 | 0.50 | 105 | 0.2 | 1.2 | 0.7 | 0.06 | 0.08 | C09 |
| Other oropharynx | 143 | 0.3 | 1.7 | 1.0 | 0.08 | 0.12 | 33 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 57 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 24 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 167 | 0.3 | 2.0 | 1.1 | 0.08 | 0.14 | 30 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 49 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 861 | 1.6 | 10.3 | 5.3 | 0.31 | 0.67 | 216 | 0.4 | 2.5 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 815 | 1.5 | 9.8 | 5.0 | 0.27 | 0.58 | 415 | 0.8 | 4.8 | 2.2 | 0.12 | 0.26 | C16 |
| Small intestine | 301 | 0.6 | 3.6 | 2.0 | 0.13 | 0.23 | 264 | 0.5 | 3.1 | 1.7 | 0.11 | 0.19 | C17 |
| Colon | 2957 | 5.5 | 35.5 | 18.8 | 1.15 | 2.14 | 2839 | 5.8 | 33.0 | 15.3 | 0.89 | 1.69 | C18 |
| Rectum | 1325 | 2.5 | 15.9 | 9.1 | 0.63 | 1.04 | 880 | 1.8 | 10.2 | 5.5 | 0.39 | 0.62 | C19–20 |
| Anus | 132 | 0.2 | 1.6 | 0.9 | 0.07 | 0.11 | 299 | 0.6 | 3.5 | 1.9 | 0.15 | 0.23 | C21 |
| Liver | 1400 | 2.6 | 16.8 | 9.2 | 0.67 | 1.12 | 508 | 1.0 | 5.9 | 2.7 | 0.16 | 0.32 | C22 |
| Gallbladder etc. | 250 | 0.5 | 3.0 | 1.4 | 0.07 | 0.16 | 234 | 0.5 | 2.7 | 1.2 | 0.06 | 0.14 | C23–24 |
| Pancreas | 1596 | 3.0 | 19.1 | 9.3 | 0.47 | 1.13 | 1358 | 2.8 | 15.8 | 6.6 | 0.34 | 0.76 | C25 |
| Nose, sinuses etc. | 81 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 46 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 734 | 1.4 | 8.8 | 4.7 | 0.32 | 0.57 | 181 | 0.4 | 2.1 | 1.1 | 0.08 | 0.13 | C32 |
| Trachea, bronchus, and lung | 8644 | 16.0 | 103.6 | 49.2 | 2.35 | 6.16 | 7222 | 14.6 | 83.9 | 36.9 | 1.92 | 4.70 | C33–34 |
| Other thoracic organs | 50 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 42 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C37–38 |
| Bone | 124 | 0.2 | 1.5 | 1.1 | 0.07 | 0.10 | 87 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 4102 | 7.6 | 49.2 | 25.9 | 1.48 | 2.97 | 2662 | 5.4 | 30.9 | 18.6 | 1.33 | 1.97 | C43 |
| Other skin | 223 | 0.4 | 2.7 | 1.2 | 0.04 | 0.12 | 119 | 0.2 | 1.4 | 0.6 | 0.03 | 0.07 | C44 |
| Mesothelioma | 159 | 0.3 | 1.9 | 0.8 | 0.02 | 0.09 | 62 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 26 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 432 | 0.8 | 5.2 | 3.3 | 0.20 | 0.32 | 267 | 0.5 | 3.1 | 1.9 | 0.11 | 0.19 | C47+C49 |
| Breast | 136 | 0.3 | 1.6 | 0.8 | 0.04 | 0.11 | 15180 | 30.8 | 176.4 | 94.2 | 6.32 | 11.04 | C50 |
| Vulva | | | | | | | 384 | 0.8 | 4.5 | 2.4 | 0.17 | 0.25 | C51 |
| Vagina | | | | | | | 66 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 667 | 1.4 | 7.8 | 6.0 | 0.49 | 0.57 | C53 |
| Corpus uteri | | | | | | | 2574 | 5.2 | 29.9 | 16.1 | 1.19 | 1.98 | C54 |
| Uterus unspecified | | | | | | | 83 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1136 | 2.3 | 13.2 | 6.8 | 0.43 | 0.78 | C56 |
| Other female genital organs | | | | | | | 155 | 0.3 | 1.8 | 0.9 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 75 | 0.1 | 0.9 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 11577 | 21.5 | 138.8 | 68.7 | 3.58 | 9.55 | | | | | | | C61 |
| Testis | 435 | 0.8 | 5.2 | 5.2 | 0.39 | 0.40 | | | | | | | C62 |
| Other male genital organs | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2393 | 4.4 | 28.7 | 16.1 | 1.03 | 1.91 | 1312 | 2.7 | 15.2 | 8.2 | 0.52 | 0.94 | C64 |
| Renal pelvis | 155 | 0.3 | 1.9 | 0.8 | 0.03 | 0.09 | 97 | 0.2 | 1.1 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 92 | 0.2 | 1.1 | 0.5 | 0.01 | 0.06 | 61 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 3796 | 7.0 | 45.5 | 20.5 | 0.82 | 2.28 | 1116 | 2.3 | 13.0 | 5.3 | 0.24 | 0.61 | C67 |
| Other urinary organs | 40 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 18 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 90 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 91 | 0.2 | 1.1 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 838 | 1.6 | 10.0 | 6.8 | 0.42 | 0.67 | 652 | 1.3 | 7.6 | 5.0 | 0.30 | 0.46 | C70–72 |
| Thyroid | 675 | 1.3 | 8.1 | 5.4 | 0.40 | 0.58 | 1660 | 3.4 | 19.3 | 14.6 | 1.12 | 1.42 | C73 |
| Adrenal gland | 24 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 29 | 0.1 | 0.3 | 0.5 | 0.02 | 0.03 | C74 |
| Other endocrine | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 238 | 0.4 | 2.9 | 2.4 | 0.17 | 0.20 | 195 | 0.4 | 2.3 | 1.9 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 2025 | 3.8 | 24.3 | 13.1 | 0.70 | 1.46 | 1656 | 3.4 | 19.2 | 9.0 | 0.47 | 0.99 | C82–86,C96 |
| Immunoproliferative diseases | 122 | 0.2 | 1.5 | 0.7 | 0.03 | 0.08 | 121 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 800 | 1.5 | 9.6 | 4.6 | 0.21 | 0.52 | 604 | 1.2 | 7.0 | 3.1 | 0.16 | 0.37 | C90 |
| Lymphoid leukaemia | 1022 | 1.9 | 12.3 | 7.2 | 0.36 | 0.75 | 682 | 1.4 | 7.9 | 4.7 | 0.23 | 0.44 | C91 |
| Myeloid leukaemia | 889 | 1.7 | 10.7 | 5.8 | 0.29 | 0.62 | 597 | 1.2 | 6.9 | 3.7 | 0.22 | 0.38 | C92–94 |
| Leukaemia unspecified | 71 | 0.1 | 0.9 | 0.4 | 0.01 | 0.03 | 39 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 362 | 0.7 | 4.3 | 2.4 | 0.14 | 0.26 | 345 | 0.7 | 4.0 | 2.0 | 0.11 | 0.21 | MPD |
| Myelodysplastic syndromes | 565 | 1.0 | 6.8 | 2.8 | 0.07 | 0.27 | 345 | 0.7 | 4.0 | 1.5 | 0.05 | 0.15 | MPS |
| Other and unspecified | 1114 | 2.1 | 13.4 | 6.5 | 0.33 | 0.73 | 1052 | 2.1 | 12.2 | 5.1 | 0.24 | 0.57 | O&U |
| All sites | 54087 | | 648.5 | 336.6 | 18.63 | 40.30 | 49451 | | 574.7 | 298.2 | 18.85 | 33.92 | C00–96 |
| All sites except C44 | 53864 | 100.0 | 645.8 | 335.4 | 18.58 | 40.18 | 49332 | 100.0 | 573.3 | 297.6 | 18.82 | 33.84 | C00–96 exc. C44 |

USA, South Dakota

CONTRIBUTORS

Kay Dosch



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 80.3 | Breast | 92.1 |
| Trachea, bronchus, and lung | 38.4 | Trachea, bronchus, and lung | 34.4 |
| Colon | 20.0 | Corpus uteri | 21.2 |
| Melanoma of skin | 19.0 | Melanoma of skin | 17.5 |
| Bladder | 18.8 | Thyroid | 16.2 |
| Kidney | 15.8 | Colon | 15.9 |
| Non-Hodgkin lymphoma | 13.8 | Non-Hodgkin lymphoma | 9.4 |
| Rectum | 10.0 | Kidney | 8.3 |
| Pancreas | 9.0 | Ovary | 8.2 |
| Lymphoid leukaemia | 8.0 | Pancreas | 6.6 |
| Liver | 7.6 | Rectum | 6.5 |
| Brain and nervous system | 6.6 | Lymphoid leukaemia | 5.9 |
| Thyroid | 5.9 | Cervix uteri | 5.8 |
| Myeloid leukaemia | 5.9 | Bladder | 5.2 |
| Other and unspecified | 5.7 | Myeloid leukaemia | 4.9 |
| Testis | 5.6 | Other and unspecified | 4.9 |
| Multiple myeloma | 5.2 | Brain and nervous system | 4.2 |
| Oesophagus | 5.1 | Multiple myeloma | 2.9 |
| Stomach | 4.3 | Vulva | 2.6 |
| Tongue | 3.8 | Myeloproliferative disorders | 2.6 |
| All sites | 325.6 | All sites | 301.9 |


USA, South Dakota (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 63 | 0.5 | 2.9 | 1.6 | 0.06 | 0.19 | 23 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | C00 |
| Tongue | 126 | 1.0 | 5.8 | 3.8 | 0.26 | 0.46 | 49 | 0.4 | 2.3 | 1.2 | 0.08 | 0.13 | C01–02 |
| Mouth | 58 | 0.5 | 2.7 | 1.6 | 0.10 | 0.21 | 41 | 0.4 | 1.9 | 1.0 | 0.07 | 0.12 | C03–06 |
| Salivary glands | 45 | 0.4 | 2.1 | 1.1 | 0.05 | 0.11 | 23 | 0.2 | 1.1 | 0.6 | 0.05 | 0.05 | C07–08 |
| Tonsil | 105 | 0.9 | 4.9 | 3.3 | 0.25 | 0.41 | 14 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | C09 |
| Other oropharynx | 16 | 0.1 | 0.7 | 0.5 | 0.03 | 0.07 | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C10 |
| Nasopharynx | 13 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 20 | 0.2 | 0.9 | 0.6 | 0.03 | 0.08 | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 20 | 0.2 | 0.9 | 0.6 | 0.05 | 0.07 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 196 | 1.6 | 9.1 | 5.1 | 0.24 | 0.72 | 45 | 0.4 | 2.1 | 1.1 | 0.06 | 0.14 | C15 |
| Stomach | 163 | 1.3 | 7.6 | 4.3 | 0.23 | 0.54 | 83 | 0.7 | 3.9 | 1.9 | 0.11 | 0.19 | C16 |
| Small intestine | 75 | 0.6 | 3.5 | 2.2 | 0.14 | 0.26 | 48 | 0.4 | 2.3 | 1.2 | 0.06 | 0.13 | C17 |
| Colon | 781 | 6.5 | 36.2 | 20.0 | 1.00 | 2.29 | 752 | 6.7 | 35.4 | 15.9 | 0.75 | 1.64 | C18 |
| Rectum | 349 | 2.9 | 16.2 | 10.0 | 0.67 | 1.15 | 239 | 2.1 | 11.3 | 6.5 | 0.43 | 0.74 | C19–20 |
| Anus | 21 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 48 | 0.4 | 2.3 | 1.4 | 0.13 | 0.14 | C21 |
| Liver | 265 | 2.2 | 12.3 | 7.6 | 0.48 | 0.93 | 94 | 0.8 | 4.4 | 2.3 | 0.11 | 0.25 | C22 |
| Gallbladder etc. | 62 | 0.5 | 2.9 | 1.5 | 0.08 | 0.16 | 68 | 0.6 | 3.2 | 1.3 | 0.06 | 0.14 | C23–24 |
| Pancreas | 349 | 2.9 | 16.2 | 9.0 | 0.41 | 1.19 | 311 | 2.8 | 14.6 | 6.6 | 0.32 | 0.76 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 115 | 1.0 | 5.3 | 3.2 | 0.20 | 0.40 | 36 | 0.3 | 1.7 | 1.0 | 0.06 | 0.14 | C32 |
| Trachea, bronchus, and lung | 1613 | 13.3 | 74.8 | 38.4 | 1.44 | 4.62 | 1487 | 13.3 | 70.0 | 34.4 | 1.66 | 4.39 | C33–34 |
| Other thoracic organs | 10 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C37–38 |
| Bone | 17 | 0.1 | 0.8 | 0.7 | 0.04 | 0.05 | 14 | 0.1 | 0.7 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 685 | 5.7 | 31.8 | 19.0 | 1.11 | 2.10 | 528 | 4.7 | 24.9 | 17.5 | 1.32 | 1.77 | C43 |
| Other skin | 45 | 0.4 | 2.1 | 1.0 | 0.05 | 0.06 | 18 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | C44 |
| Mesothelioma | 28 | 0.2 | 1.3 | 0.7 | 0.04 | 0.10 | 8 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 76 | 0.6 | 3.5 | 2.4 | 0.13 | 0.20 | 63 | 0.6 | 3.0 | 1.7 | 0.09 | 0.16 | C47+C49 |
| Breast | 25 | 0.2 | 1.2 | 0.6 | 0.02 | 0.08 | 3240 | 29.0 | 152.5 | 92.1 | 6.09 | 10.81 | C50 |
| Vulva | | | | | | | 108 | 1.0 | 5.1 | 2.6 | 0.13 | 0.30 | C51 |
| Vagina | | | | | | | 15 | 0.1 | 0.7 | 0.3 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 153 | 1.4 | 7.2 | 5.8 | 0.47 | 0.55 | C53 |
| Corpus uteri | | | | | | | 744 | 6.7 | 35.0 | 21.2 | 1.53 | 2.59 | C54 |
| Uterus unspecified | | | | | | | 10 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 299 | 2.7 | 14.1 | 8.2 | 0.56 | 0.88 | C56 |
| Other female genital organs | | | | | | | 27 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 33 | 0.3 | 1.5 | 0.8 | 0.03 | 0.09 | | | | | | | C60 |
| Prostate | 3027 | 25.0 | 140.3 | 80.3 | 4.27 | 11.12 | | | | | | | C61 |
| Testis | 120 | 1.0 | 5.6 | 5.6 | 0.42 | 0.43 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 548 | 4.5 | 25.4 | 15.8 | 1.01 | 1.88 | 289 | 2.6 | 13.6 | 8.3 | 0.57 | 0.98 | C64 |
| Renal pelvis | 30 | 0.2 | 1.4 | 0.6 | 0.03 | 0.06 | 14 | 0.1 | 0.7 | 0.2 | 0.00 | 0.01 | C65 |
| Ureter | 17 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 13 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | C66 |
| Bladder | 804 | 6.6 | 37.3 | 18.8 | 0.67 | 2.19 | 234 | 2.1 | 11.0 | 5.2 | 0.25 | 0.64 | C67 |
| Other urinary organs | 13 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 27 | 0.2 | 1.3 | 1.0 | 0.07 | 0.11 | 19 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 189 | 1.6 | 8.8 | 6.6 | 0.40 | 0.62 | 129 | 1.2 | 6.1 | 4.2 | 0.24 | 0.43 | C70–72 |
| Thyroid | 170 | 1.4 | 7.9 | 5.9 | 0.46 | 0.60 | 411 | 3.7 | 19.4 | 16.2 | 1.28 | 1.54 | C73 |
| Adrenal gland | 11 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 10 | 0.1 | 0.5 | 0.5 | 0.02 | 0.03 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 59 | 0.5 | 2.7 | 2.3 | 0.17 | 0.22 | 43 | 0.4 | 2.0 | 2.1 | 0.14 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 491 | 4.1 | 22.8 | 13.8 | 0.75 | 1.52 | 381 | 3.4 | 17.9 | 9.4 | 0.50 | 1.02 | C82–86, C96 |
| Immunoproliferative diseases | 31 | 0.3 | 1.4 | 0.8 | 0.02 | 0.10 | 46 | 0.4 | 2.2 | 1.1 | 0.05 | 0.13 | C88 |
| Multiple myeloma | 213 | 1.8 | 9.9 | 5.2 | 0.26 | 0.59 | 124 | 1.1 | 5.8 | 2.9 | 0.15 | 0.35 | C90 |
| Lymphoid leukaemia | 279 | 2.3 | 12.9 | 8.0 | 0.43 | 0.79 | 191 | 1.7 | 9.0 | 5.9 | 0.32 | 0.53 | C91 |
| Myeloid leukaemia | 217 | 1.8 | 10.1 | 5.9 | 0.27 | 0.59 | 164 | 1.5 | 7.7 | 4.9 | 0.27 | 0.49 | C92–94 |
| Leukaemia unspecified | 12 | 0.1 | 0.6 | 0.3 | 0.00 | 0.03 | 14 | 0.1 | 0.7 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 103 | 0.9 | 4.8 | 2.7 | 0.13 | 0.32 | 121 | 1.1 | 5.7 | 2.6 | 0.11 | 0.29 | MPD |
| Myelodysplastic syndromes | 151 | 1.2 | 7.0 | 3.2 | 0.09 | 0.31 | 113 | 1.0 | 5.3 | 2.1 | 0.08 | 0.24 | MPS |
| Other and unspecified | 227 | 1.9 | 10.5 | 5.7 | 0.27 | 0.63 | 250 | 2.2 | 11.8 | 4.9 | 0.22 | 0.49 | O&U |
| All sites | 12145 | | 563.0 | 325.6 | 17.08 | 38.99 | 11196 | | 527.1 | 301.9 | 18.69 | 33.95 | C00–96 |
| All sites except C44 | 12100 | 100.0 | 560.9 | 324.6 | 17.03 | 38.93 | 11178 | 100.0 | 526.3 | 301.3 | 18.65 | 33.90 | C00–96 exc. C44 |

USA, Tennessee


CONTRIBUTORS

Martin Whiteside
Anne Llewellyn



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 79.1 | Breast | 89.3 |
| Trachea, bronchus, and lung | 58.0 | Trachea, bronchus, and lung | 40.7 |
| Colon | 20.7 | Corpus uteri | 17.9 |
| Bladder | 19.8 | Colon | 17.2 |
| Kidney | 17.6 | Thyroid | 15.0 |
| Melanoma of skin | 17.1 | Melanoma of skin | 12.1 |
| Non-Hodgkin lymphoma | 13.3 | Kidney | 9.2 |
| Rectum | 9.9 | Non-Hodgkin lymphoma | 8.6 |
| Liver | 9.8 | Ovary | 7.6 |
| Pancreas | 9.3 | Pancreas | 6.9 |
| Other and unspecified | 7.9 | Cervix uteri | 6.7 |
| Lymphoid leukaemia | 7.6 | Rectum | 6.2 |
| Brain and nervous system | 6.2 | Other and unspecified | 6.2 |
| Oesophagus | 5.7 | Bladder | 5.2 |
| Myeloid leukaemia | 5.5 | Brain and nervous system | 4.6 |
| Multiple myeloma | 5.3 | Lymphoid leukaemia | 4.5 |
| Stomach | 5.1 | Myeloid leukaemia | 4.0 |
| Larynx | 5.1 | Multiple myeloma | 3.5 |
| Thyroid | 5.1 | Liver | 3.1 |
| Testis | 5.0 | Stomach | 2.7 |
| All sites | 353.2 | All sites | 300.6 |




10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 128.3 |
| Trachea, bronchus, and lung | 60.6 |
| Colon | 26.3 |
| Kidney | 20.0 |
| Liver | 14.3 |
| Pancreas | 11.5 |
| Bladder | 10.7 |
| Non-Hodgkin lymphoma | 10.3 |
| Rectum | 10.3 |
| Multiple myeloma | 10.0 |
| All sites | 383.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 90.9 |
| Trachea, bronchus, and lung | 33.5 |
| Colon | 20.5 |
| Corpus uteri | 16.4 |
| Kidney | 11.8 |
| Pancreas | 9.0 |
| Thyroid | 8.9 |
| Cervix uteri | 7.8 |
| Multiple myeloma | 7.7 |
| Rectum | 6.9 |
| All sites | 283.9 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 72.5 |
| Trachea, bronchus, and lung | 58.2 |
| Bladder | 21.1 |
| Colon | 20.1 |
| Melanoma of skin | 19.7 |
| Kidney | 17.5 |
| Non-Hodgkin lymphoma | 13.7 |
| Rectum | 10.0 |
| Pancreas | 9.0 |
| Liver | 9.0 |
| All sites | 351.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 89.6 |
| Trachea, bronchus, and lung | 42.3 |
| Corpus uteri | 18.4 |
| Colon | 16.7 |
| Thyroid | 16.6 |
| Melanoma of skin | 14.5 |
| Kidney | 8.9 |
| Non-Hodgkin lymphoma | 8.9 |
| Ovary | 7.9 |
| Cervix uteri | 6.7 |
| All sites | 306.8 |

USA, Tennessee (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 137 | 0.1 | 0.9 | 0.4 | 0.02 | 0.04 | 42 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 1251 | 1.3 | 7.8 | 4.9 | 0.34 | 0.61 | 429 | 0.5 | 2.5 | 1.5 | 0.10 | 0.18 | C01–02 |
| Mouth | 584 | 0.6 | 3.6 | 2.2 | 0.14 | 0.27 | 375 | 0.4 | 2.2 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 280 | 0.3 | 1.7 | 1.0 | 0.05 | 0.11 | 181 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 913 | 1.0 | 5.7 | 3.7 | 0.31 | 0.45 | 179 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | C09 |
| Other oropharynx | 221 | 0.2 | 1.4 | 0.9 | 0.07 | 0.11 | 51 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 142 | 0.1 | 0.9 | 0.6 | 0.05 | 0.07 | 64 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 212 | 0.2 | 1.3 | 0.8 | 0.05 | 0.11 | 45 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 81 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 25 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1555 | 1.6 | 9.7 | 5.7 | 0.35 | 0.72 | 345 | 0.4 | 2.0 | 1.0 | 0.06 | 0.13 | C15 |
| Stomach | 1404 | 1.5 | 8.7 | 5.1 | 0.29 | 0.61 | 849 | 1.0 | 5.0 | 2.7 | 0.16 | 0.31 | C16 |
| Small intestine | 577 | 0.6 | 3.6 | 2.2 | 0.13 | 0.26 | 509 | 0.6 | 3.0 | 1.7 | 0.11 | 0.21 | C17 |
| Colon | 5624 | 5.9 | 35.0 | 20.7 | 1.20 | 2.40 | 5652 | 6.4 | 33.5 | 17.2 | 0.98 | 1.93 | C18 |
| Rectum | 2560 | 2.7 | 15.9 | 9.9 | 0.68 | 1.16 | 1803 | 2.0 | 10.7 | 6.2 | 0.43 | 0.69 | C19–20 |
| Anus | 307 | 0.3 | 1.9 | 1.2 | 0.09 | 0.14 | 590 | 0.7 | 3.5 | 2.1 | 0.16 | 0.25 | C21 |
| Liver | 2581 | 2.7 | 16.0 | 9.8 | 0.72 | 1.21 | 975 | 1.1 | 5.8 | 3.1 | 0.20 | 0.37 | C22 |
| Gallbladder etc. | 448 | 0.5 | 2.8 | 1.5 | 0.06 | 0.17 | 483 | 0.5 | 2.9 | 1.4 | 0.07 | 0.17 | C23–24 |
| Pancreas | 2610 | 2.7 | 16.2 | 9.3 | 0.49 | 1.13 | 2409 | 2.7 | 14.3 | 6.9 | 0.36 | 0.81 | C25 |
| Nose, sinuses etc. | 163 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 118 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 1355 | 1.4 | 8.4 | 5.1 | 0.35 | 0.64 | 421 | 0.5 | 2.5 | 1.5 | 0.11 | 0.18 | C32 |
| Trachea, bronchus, and lung | 16821 | 17.7 | 104.6 | 58.0 | 2.76 | 7.35 | 13659 | 15.5 | 80.9 | 40.7 | 2.14 | 5.26 | C33–34 |
| Other thoracic organs | 92 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 65 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 196 | 0.2 | 1.2 | 1.1 | 0.07 | 0.09 | 150 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 4584 | 4.8 | 28.5 | 17.1 | 0.96 | 1.97 | 3198 | 3.6 | 18.9 | 12.1 | 0.86 | 1.28 | C43 |
| Other skin | 323 | 0.3 | 2.0 | 1.1 | 0.05 | 0.11 | 201 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 211 | 0.2 | 1.3 | 0.7 | 0.01 | 0.08 | 62 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 69 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 712 | 0.7 | 4.4 | 3.1 | 0.18 | 0.30 | 529 | 0.6 | 3.1 | 2.2 | 0.14 | 0.20 | C47+C49 |
| Breast | 232 | 0.2 | 1.4 | 0.9 | 0.04 | 0.10 | 25481 | 28.9 | 150.8 | 89.3 | 6.14 | 10.55 | C50 |
| Vulva | | | | | | | 658 | 0.7 | 3.9 | 2.3 | 0.15 | 0.25 | C51 |
| Vagina | | | | | | | 152 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1491 | 1.7 | 8.8 | 6.7 | 0.53 | 0.66 | C53 |
| Corpus uteri | | | | | | | 5052 | 5.7 | 29.9 | 17.9 | 1.31 | 2.20 | C54 |
| Uterus unspecified | | | | | | | 203 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 2228 | 2.5 | 13.2 | 7.6 | 0.49 | 0.85 | C56 |
| Other female genital organs | | | | | | | 260 | 0.3 | 1.5 | 0.9 | 0.06 | 0.10 | C57 |
| Placenta | | | | | | | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 193 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 21932 | 23.1 | 136.3 | 79.1 | 4.34 | 10.90 | | | | | | | C61 |
| Testis | 827 | 0.9 | 5.1 | 5.0 | 0.37 | 0.39 | | | | | | | C62 |
| Other male genital organs | 33 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 4446 | 4.7 | 27.6 | 17.6 | 1.14 | 2.10 | 2623 | 3.0 | 15.5 | 9.2 | 0.62 | 1.05 | C64 |
| Renal pelvis | 192 | 0.2 | 1.2 | 0.7 | 0.03 | 0.08 | 121 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 155 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | 98 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 5973 | 6.3 | 37.1 | 19.8 | 0.76 | 2.33 | 1879 | 2.1 | 11.1 | 5.2 | 0.25 | 0.64 | C67 |
| Other urinary organs | 97 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 32 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 205 | 0.2 | 1.3 | 1.0 | 0.05 | 0.10 | 190 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | C69 |
| Brain and nervous system | 1314 | 1.4 | 8.2 | 6.2 | 0.39 | 0.59 | 1048 | 1.2 | 6.2 | 4.6 | 0.28 | 0.42 | C70–72 |
| Thyroid | 1155 | 1.2 | 7.2 | 5.1 | 0.37 | 0.54 | 3206 | 3.6 | 19.0 | 15.0 | 1.17 | 1.44 | C73 |
| Adrenal gland | 54 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 46 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 30 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 22 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 475 | 0.5 | 3.0 | 2.7 | 0.18 | 0.22 | 380 | 0.4 | 2.2 | 2.1 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 3499 | 3.7 | 21.7 | 13.3 | 0.71 | 1.48 | 2718 | 3.1 | 16.1 | 8.6 | 0.47 | 0.96 | C82–86,C96 |
| Immunoproliferative diseases | 189 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 235 | 0.3 | 1.4 | 0.7 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 1498 | 1.6 | 9.3 | 5.3 | 0.27 | 0.65 | 1187 | 1.3 | 7.0 | 3.5 | 0.18 | 0.42 | C90 |
| Lymphoid leukaemia | 1819 | 1.9 | 11.3 | 7.6 | 0.39 | 0.78 | 1145 | 1.3 | 6.8 | 4.5 | 0.23 | 0.42 | C91 |
| Myeloid leukaemia | 1374 | 1.4 | 8.5 | 5.5 | 0.30 | 0.57 | 1093 | 1.2 | 6.5 | 4.0 | 0.25 | 0.40 | C92–94 |
| Leukaemia unspecified | 88 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 79 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 586 | 0.6 | 3.6 | 2.2 | 0.13 | 0.25 | 638 | 0.7 | 3.8 | 2.1 | 0.13 | 0.22 | MPD |
| Myelodysplastic syndromes | 775 | 0.8 | 4.8 | 2.5 | 0.07 | 0.26 | 530 | 0.6 | 3.1 | 1.3 | 0.05 | 0.13 | MPS |
| Other and unspecified | 2244 | 2.4 | 13.9 | 7.9 | 0.41 | 0.88 | 2183 | 2.5 | 12.9 | 6.2 | 0.30 | 0.67 | O&U |
| All sites | 95398 | | 593.0 | 353.2 | 19.66 | 42.84 | 88405 | | 523.3 | 300.6 | 19.20 | 34.53 | C00–96 |
| All sites except C44 | 95075 | 100.0 | 591.0 | 352.1 | 19.61 | 42.73 | 88204 | 100.0 | 522.1 | 299.8 | 19.16 | 34.46 | C00–96 exc. C44 |

§Includes 2 cases of unknown age

USA, Tennessee: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 90 | 0.7 | 3.3 | 2.8 | 0.23 | 0.30 | 30 | 0.3 | 1.0 | 0.7 | 0.05 | 0.09 | C01–02 |
| Mouth | 50 | 0.4 | 1.8 | 1.5 | 0.12 | 0.18 | 35 | 0.3 | 1.1 | 0.7 | 0.06 | 0.07 | C03–06 |
| Salivary glands | 16 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 24 | 0.2 | 0.8 | 0.6 | 0.05 | 0.06 | C07–08 |
| Tonsil | 59 | 0.5 | 2.1 | 1.8 | 0.14 | 0.21 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 36 | 0.3 | 1.3 | 1.1 | 0.07 | 0.15 | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.04 | C10 |
| Nasopharynx | 24 | 0.2 | 0.9 | 0.8 | 0.07 | 0.08 | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 43 | 0.4 | 1.6 | 1.3 | 0.10 | 0.19 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 159 | 1.3 | 5.8 | 4.9 | 0.30 | 0.63 | 61 | 0.5 | 2.0 | 1.4 | 0.09 | 0.20 | C15 |
| Stomach | 251 | 2.0 | 9.1 | 7.8 | 0.43 | 0.92 | 182 | 1.5 | 5.9 | 4.2 | 0.23 | 0.48 | C16 |
| Small intestine | 101 | 0.8 | 3.7 | 3.2 | 0.19 | 0.40 | 117 | 1.0 | 3.8 | 2.8 | 0.19 | 0.35 | C17 |
| Colon | 849 | 6.9 | 30.8 | 26.3 | 1.58 | 3.14 | 894 | 7.5 | 29.2 | 20.5 | 1.25 | 2.45 | C18 |
| Rectum | 333 | 2.7 | 12.1 | 10.3 | 0.71 | 1.15 | 292 | 2.5 | 9.5 | 6.9 | 0.47 | 0.77 | C19–20 |
| Anus | 46 | 0.4 | 1.7 | 1.4 | 0.13 | 0.16 | 57 | 0.5 | 1.9 | 1.4 | 0.09 | 0.15 | C21 |
| Liver | 472 | 3.9 | 17.1 | 14.3 | 1.09 | 1.88 | 186 | 1.6 | 6.1 | 4.3 | 0.30 | 0.49 | C22 |
| Gallbladder etc. | 48 | 0.4 | 1.7 | 1.5 | 0.05 | 0.16 | 84 | 0.7 | 2.7 | 1.8 | 0.10 | 0.22 | C23–24 |
| Pancreas | 375 | 3.1 | 13.6 | 11.5 | 0.68 | 1.35 | 413 | 3.5 | 13.5 | 9.0 | 0.40 | 1.06 | C25 |
| Nose, sinuses etc. | 18 | 0.1 | 0.7 | 0.5 | 0.04 | 0.07 | 11 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 197 | 1.6 | 7.1 | 6.0 | 0.40 | 0.80 | 62 | 0.5 | 2.0 | 1.5 | 0.10 | 0.20 | C32 |
| Trachea, bronchus, and lung | 1954 | 15.9 | 70.8 | 60.6 | 3.02 | 7.61 | 1499 | 12.6 | 48.9 | 33.5 | 1.76 | 4.24 | C33–34 |
| Other thoracic organs | 22 | 0.2 | 0.8 | 0.7 | 0.05 | 0.07 | 16 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 22 | 0.2 | 0.8 | 0.8 | 0.03 | 0.06 | 17 | 0.1 | 0.6 | 0.6 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 12 | 0.1 | 0.4 | 0.4 | 0.02 | 0.06 | 21 | 0.2 | 0.7 | 0.5 | 0.02 | 0.05 | C43 |
| Other skin | 28 | 0.2 | 1.0 | 1.0 | 0.07 | 0.09 | 36 | 0.3 | 1.2 | 1.0 | 0.07 | 0.09 | C44 |
| Mesothelioma | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 37 | 0.3 | 1.3 | 1.3 | 0.09 | 0.11 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 94 | 0.8 | 3.4 | 3.2 | 0.20 | 0.31 | 85 | 0.7 | 2.8 | 2.2 | 0.15 | 0.21 | C47+C49 |
| Breast | 39 | 0.3 | 1.4 | 1.3 | 0.05 | 0.16 | 3721 | 31.4 | 121.4 | 90.9 | 6.43 | 10.57 | C50 |
| Vulva | | | | | | | 72 | 0.6 | 2.3 | 1.8 | 0.12 | 0.18 | C51 |
| Vagina | | | | | | | 17 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 300 | 2.5 | 9.8 | 7.8 | 0.57 | 0.85 | C53 |
| Corpus uteri | | | | | | | 676 | 5.7 | 22.1 | 16.4 | 1.08 | 2.10 | C54 |
| Uterus unspecified | | | | | | | 65 | 0.5 | 2.1 | 1.5 | 0.11 | 0.16 | C55 |
| Ovary | | | | | | | 267 | 2.3 | 8.7 | 6.3 | 0.40 | 0.68 | C56 |
| Other female genital organs | | | | | | | 35 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 24 | 0.2 | 0.9 | 0.7 | 0.06 | 0.09 | | | | | | | C60 |
| Prostate | 4149 | 33.8 | 150.4 | 128.3 | 7.46 | 17.35 | | | | | | | C61 |
| Testis | 44 | 0.4 | 1.6 | 1.5 | 0.11 | 0.11 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 635 | 5.2 | 23.0 | 20.0 | 1.27 | 2.36 | 488 | 4.1 | 15.9 | 11.8 | 0.76 | 1.38 | C64 |
| Renal pelvis | 12 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 8 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 343 | 2.8 | 12.4 | 10.7 | 0.42 | 1.29 | 160 | 1.4 | 5.2 | 3.3 | 0.15 | 0.38 | C67 |
| Other urinary organs | 16 | 0.1 | 0.6 | 0.5 | 0.02 | 0.06 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 9 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 7 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 121 | 1.0 | 4.4 | 4.2 | 0.27 | 0.41 | 93 | 0.8 | 3.0 | 2.7 | 0.15 | 0.25 | C70–72 |
| Thyroid | 58 | 0.5 | 2.1 | 1.9 | 0.12 | 0.22 | 326 | 2.8 | 10.6 | 8.9 | 0.68 | 0.92 | C73 |
| Adrenal gland | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 81 | 0.7 | 2.9 | 2.8 | 0.21 | 0.23 | 59 | 0.5 | 1.9 | 1.8 | 0.13 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 324 | 2.6 | 11.7 | 10.3 | 0.66 | 1.11 | 279 | 2.4 | 9.1 | 6.7 | 0.38 | 0.73 | C82–86,C96 |
| Immunoproliferative diseases | 21 | 0.2 | 0.8 | 0.7 | 0.03 | 0.07 | 24 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 320 | 2.6 | 11.6 | 10.0 | 0.55 | 1.26 | 341 | 2.9 | 11.1 | 7.7 | 0.36 | 0.96 | C90 |
| Lymphoid leukaemia | 147 | 1.2 | 5.3 | 4.8 | 0.26 | 0.54 | 120 | 1.0 | 3.9 | 3.2 | 0.18 | 0.34 | C91 |
| Myeloid leukaemia | 139 | 1.1 | 5.0 | 4.5 | 0.22 | 0.48 | 148 | 1.2 | 4.8 | 3.9 | 0.22 | 0.41 | C92–94 |
| Leukaemia unspecified | 8 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 60 | 0.5 | 2.2 | 1.9 | 0.10 | 0.19 | 82 | 0.7 | 2.7 | 1.9 | 0.14 | 0.20 | MPD |
| Myelodysplastic syndromes | 64 | 0.5 | 2.3 | 2.1 | 0.06 | 0.24 | 67 | 0.6 | 2.2 | 1.4 | 0.05 | 0.16 | MPS |
| Other and unspecified | 298 | 2.4 | 10.8 | 9.3 | 0.47 | 1.05 | 318 | 2.7 | 10.4 | 6.8 | 0.35 | 0.70 | O&U |
| All sites | 12286 | | 445.4 | 383.1 | 22.30 | 47.56 | 11886 | | 387.9 | 283.9 | 18.02 | 32.90 | C00–96 |
| All sites except C44 | 12258 | 100.0 | 444.4 | 382.1 | 22.24 | 47.47 | 11850 | 100.0 | 386.7 | 283.0 | 17.95 | 32.81 | C00–96 exc. C44 |

§Includes 1 case of unknown age


USA, Tennessee: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 134 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | 41 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | <i>C00</i> |
| Tongue | 1147 | 1.4 | 8.9 | 5.2 | 0.37 | 0.65 | 393 | 0.5 | 2.9 | 1.6 | 0.11 | 0.19 | <i>C01–02</i> |
| Mouth | 521 | 0.6 | 4.0 | 2.3 | 0.14 | 0.28 | 332 | 0.4 | 2.5 | 1.1 | 0.06 | 0.13 | <i>C03–06</i> |
| Salivary glands | 262 | 0.3 | 2.0 | 1.0 | 0.05 | 0.12 | 155 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | <i>C07–08</i> |
| Tonsil | 849 | 1.0 | 6.6 | 4.1 | 0.35 | 0.49 | 169 | 0.2 | 1.3 | 0.7 | 0.06 | 0.09 | <i>C09</i> |
| Other oropharynx | 183 | 0.2 | 1.4 | 0.9 | 0.06 | 0.11 | 41 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C10</i> |
| Nasopharynx | 110 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | 50 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | <i>C11</i> |
| Hypopharynx | 166 | 0.2 | 1.3 | 0.7 | 0.04 | 0.10 | 36 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | <i>C12–13</i> |
| Pharynx unspecified | 71 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 19 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | <i>C14</i> |
| Oesophagus | 1383 | 1.7 | 10.7 | 5.9 | 0.36 | 0.74 | 281 | 0.4 | 2.1 | 0.9 | 0.05 | 0.12 | <i>C15</i> |
| Stomach | 1135 | 1.4 | 8.8 | 4.8 | 0.26 | 0.57 | 650 | 0.9 | 4.8 | 2.4 | 0.14 | 0.28 | <i>C16</i> |
| Small intestine | 468 | 0.6 | 3.6 | 2.0 | 0.12 | 0.24 | 389 | 0.5 | 2.9 | 1.5 | 0.10 | 0.18 | <i>C17</i> |
| Colon | 4725 | 5.8 | 36.5 | 20.1 | 1.15 | 2.31 | 4707 | 6.2 | 35.1 | 16.7 | 0.93 | 1.86 | <i>C18</i> |
| Rectum | 2198 | 2.7 | 17.0 | 10.0 | 0.68 | 1.17 | 1483 | 2.0 | 11.1 | 6.1 | 0.42 | 0.68 | <i>C19–20</i> |
| Anus | 261 | 0.3 | 2.0 | 1.2 | 0.09 | 0.14 | 532 | 0.7 | 4.0 | 2.3 | 0.18 | 0.27 | <i>C21</i> |
| Liver | 2056 | 2.5 | 15.9 | 9.0 | 0.65 | 1.10 | 770 | 1.0 | 5.7 | 2.9 | 0.19 | 0.35 | <i>C22</i> |
| Gallbladder etc. | 390 | 0.5 | 3.0 | 1.5 | 0.06 | 0.17 | 391 | 0.5 | 2.9 | 1.3 | 0.06 | 0.16 | <i>C23–24</i> |
| Pancreas | 2212 | 2.7 | 17.1 | 9.0 | 0.46 | 1.10 | 1977 | 2.6 | 14.7 | 6.6 | 0.35 | 0.78 | <i>C25</i> |
| Nose, sinuses etc. | 142 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 106 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | <i>C30–31</i> |
| Larynx | 1148 | 1.4 | 8.9 | 5.0 | 0.34 | 0.63 | 357 | 0.5 | 2.7 | 1.5 | 0.11 | 0.18 | <i>C32</i> |
| Trachea, bronchus, and lung | 14766 | 18.0 | 114.2 | 58.2 | 2.76 | 7.39 | 12066 | 16.0 | 90.0 | 42.3 | 2.24 | 5.48 | <i>C33–34</i> |
| Other thoracic organs | 67 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 48 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | <i>C37–38</i> |
| Bone | 168 | 0.2 | 1.3 | 1.2 | 0.07 | 0.10 | 131 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | <i>C40–41</i> |
| Melanoma of skin | 4534 | 5.5 | 35.1 | 19.7 | 1.15 | 2.27 | 3132 | 4.2 | 23.4 | 14.5 | 1.05 | 1.53 | <i>C43</i> |
| Other skin | 291 | 0.4 | 2.2 | 1.1 | 0.04 | 0.10 | 160 | 0.2 | 1.2 | 0.6 | 0.03 | 0.06 | <i>C44</i> |
| Mesothelioma | 205 | 0.3 | 1.6 | 0.7 | 0.02 | 0.09 | 56 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | <i>C45</i> |
| Kaposi sarcoma | 30 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 610 | 0.7 | 4.7 | 3.0 | 0.17 | 0.30 | 435 | 0.6 | 3.2 | 2.2 | 0.14 | 0.20 | <i>C47+C49</i> |
| Breast | 191 | 0.2 | 1.5 | 0.8 | 0.04 | 0.09 | 21477 | 28.5 | 160.1 | 89.6 | 6.14 | 10.61 | <i>C50</i> |
| Vulva | | | | | | | 584 | 0.8 | 4.4 | 2.4 | 0.16 | 0.26 | <i>C51</i> |
| Vagina | | | | | | | 133 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | <i>C52</i> |
| Cervix uteri | | | | | | | 1176 | 1.6 | 8.8 | 6.7 | 0.54 | 0.64 | <i>C53</i> |
| Corpus uteri | | | | | | | 4309 | 5.7 | 32.1 | 18.4 | 1.37 | 2.25 | <i>C54</i> |
| Uterus unspecified | | | | | | | 138 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | <i>C55</i> |
| Ovary | | | | | | | 1932 | 2.6 | 14.4 | 7.9 | 0.52 | 0.89 | <i>C56</i> |
| Other female genital organs | | | | | | | 221 | 0.3 | 1.6 | 0.8 | 0.06 | 0.10 | <i>C57</i> |
| Placenta | | | | | | | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C58</i> |
| Penis | 168 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | | | | | | | <i>C60</i> |
| Prostate | 17591 | 21.5 | 136.0 | 72.5 | 3.86 | 10.06 | | | | | | | <i>C61</i> |
| Testis | 768 | 0.9 | 5.9 | 5.9 | 0.44 | 0.45 | | | | | | | <i>C62</i> |
| Other male genital organs | 31 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | <i>C63</i> |
| Kidney | 3792 | 4.6 | 29.3 | 17.5 | 1.14 | 2.09 | 2112 | 2.8 | 15.7 | 8.9 | 0.60 | 1.01 | <i>C64</i> |
| Renal pelvis | 180 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 111 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | <i>C65</i> |
| Ureter | 148 | 0.2 | 1.1 | 0.5 | 0.02 | 0.07 | 94 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | <i>C66</i> |
| Bladder | 5591 | 6.8 | 43.2 | 21.1 | 0.83 | 2.48 | 1707 | 2.3 | 12.7 | 5.6 | 0.27 | 0.68 | <i>C67</i> |
| Other urinary organs | 80 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 24 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C68</i> |
| Eye | 192 | 0.2 | 1.5 | 1.1 | 0.06 | 0.11 | 183 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | <i>C69</i> |
| Brain and nervous system | 1182 | 1.4 | 9.1 | 6.7 | 0.41 | 0.63 | 939 | 1.2 | 7.0 | 5.0 | 0.31 | 0.46 | <i>C70–72</i> |
| Thyroid | 1075 | 1.3 | 8.3 | 5.7 | 0.41 | 0.60 | 2819 | 3.7 | 21.0 | 16.6 | 1.30 | 1.57 | <i>C73</i> |
| Adrenal gland | 46 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 40 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | <i>C74</i> |
| Other endocrine | 23 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C75</i> |
| Hodgkin lymphoma | 384 | 0.5 | 3.0 | 2.6 | 0.18 | 0.22 | 315 | 0.4 | 2.3 | 2.2 | 0.15 | 0.18 | <i>C81</i> |
| Non-Hodgkin lymphoma | 3131 | 3.8 | 24.2 | 13.7 | 0.73 | 1.53 | 2399 | 3.2 | 17.9 | 8.9 | 0.50 | 1.00 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 164 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 209 | 0.3 | 1.6 | 0.8 | 0.04 | 0.09 | <i>C88</i> |
| Multiple myeloma | 1164 | 1.4 | 9.0 | 4.6 | 0.22 | 0.57 | 833 | 1.1 | 6.2 | 2.8 | 0.15 | 0.34 | <i>C90</i> |
| Lymphoid leukaemia | 1640 | 2.0 | 12.7 | 8.0 | 0.42 | 0.82 | 1007 | 1.3 | 7.5 | 4.7 | 0.24 | 0.43 | <i>C91</i> |
| Myeloid leukaemia | 1218 | 1.5 | 9.4 | 5.7 | 0.32 | 0.59 | 922 | 1.2 | 6.9 | 3.9 | 0.25 | 0.39 | <i>C92–94</i> |
| Leukaemia unspecified | 79 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 67 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | <i>C95</i> |
| Myeloproliferative disorders | 517 | 0.6 | 4.0 | 2.3 | 0.14 | 0.26 | 550 | 0.7 | 4.1 | 2.2 | 0.13 | 0.23 | <i>MPD</i> |
| Myelodysplastic syndromes | 705 | 0.9 | 5.5 | 2.5 | 0.07 | 0.26 | 460 | 0.6 | 3.4 | 1.3 | 0.05 | 0.13 | <i>MPS</i> |
| Other and unspecified | 1930 | 2.4 | 14.9 | 7.7 | 0.40 | 0.87 | 1841 | 2.4 | 13.7 | 6.1 | 0.29 | 0.66 | <i>O&U</i> |
| All sites | 82222 | | 635.7 | 351.9 | 19.44 | 42.52 | 75534 | | 563.2 | 306.8 | 19.67 | 35.16 | <i>C00–96</i> |
| All sites except C44 | 81931 | 100.0 | 633.4 | 350.8 | 19.40 | 42.41 | 75374 | 100.0 | 562.0 | 306.1 | 19.64 | 35.10 | <i>C00–96 exc. C44</i> |

USA, Texas

CONTRIBUTORS


Melanie Williams



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 65.4 | Breast | 82.3 |
| Trachea, bronchus, and lung | 36.7 | Trachea, bronchus, and lung | 26.2 |
| Colon | 19.6 | Corpus uteri | 16.4 |
| Kidney | 17.2 | Colon | 15.1 |
| Bladder | 14.9 | Thyroid | 14.6 |
| Liver | 13.2 | Kidney | 9.6 |
| Non-Hodgkin lymphoma | 13.0 | Non-Hodgkin lymphoma | 8.9 |
| Melanoma of skin | 11.4 | Ovary | 7.9 |
| Rectum | 10.2 | Cervix uteri | 7.4 |
| Pancreas | 8.8 | Melanoma of skin | 7.0 |
| Lymphoid leukaemia | 7.7 | Pancreas | 6.7 |
| Brain and nervous system | 5.9 | Rectum | 5.8 |
| Other and unspecified | 5.6 | Brain and nervous system | 4.7 |
| Stomach | 5.5 | Lymphoid leukaemia | 4.7 |
| Multiple myeloma | 5.5 | Other and unspecified | 4.5 |
| Myeloid leukaemia | 5.0 | Liver | 4.4 |
| Testis | 5.0 | Multiple myeloma | 3.8 |
| Thyroid | 4.9 | Bladder | 3.6 |
| Oesophagus | 4.5 | Myeloid leukaemia | 3.4 |
| Tongue | 3.9 | Stomach | 3.3 |
| All sites | 301.5 | All sites | 267.4 |

USA, Texas: Asian and Pacific Islander (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

From the 2010 census (United States Census Bureau: State and County Quick Facts, 2017), making allowance for births and deaths, but it was not possible to estimate migration into and out of the registration area.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Prostate | 33.2 |
| Trachea, bronchus, and lung | 22.3 |
| Liver | 13.7 |
| Colon | 11.7 |
| Non-Hodgkin lymphoma | 9.4 |
| Rectum | 7.4 |
| Bladder | 7.1 |
| Stomach | 6.4 |
| Kidney | 6.1 |
| Pancreas | 5.8 |
| All sites | 174.1 |

Female

| | |
|-----------------------------|-------|
| Breast | 58.3 |
| Trachea, bronchus, and lung | 14.8 |
| Thyroid | 14.7 |
| Corpus uteri | 10.2 |
| Colon | 9.7 |
| Ovary | 6.7 |
| Non-Hodgkin lymphoma | 6.3 |
| Rectum | 4.9 |
| Pancreas | 4.7 |
| Liver | 4.6 |
| All sites | 177.4 |

USA, Texas: Black (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Postcensal county estimates by age, sex, race, and ethnicity at the 1 July mid-year point. Based on the 2000 national census carried out by the United States Census Bureau, including the bridged single-race estimates derived from the original multiple-race categories.


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 110.8 |
| Trachea, bronchus, and lung | 50.8 |
| Colon | 26.2 |
| Kidney | 18.4 |
| Liver | 18.3 |
| Rectum | 11.1 |
| Pancreas | 10.6 |
| Non-Hodgkin lymphoma | 10.6 |
| Multiple myeloma | 10.4 |
| Bladder | 9.7 |
| All sites | 355.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 86.7 |
| Trachea, bronchus, and lung | 28.9 |
| Colon | 20.5 |
| Corpus uteri | 15.8 |
| Kidney | 10.0 |
| Thyroid | 9.3 |
| Pancreas | 9.1 |
| Multiple myeloma | 8.2 |
| Non-Hodgkin lymphoma | 7.6 |
| Cervix uteri | 7.0 |
| All sites | 274.2 |



10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 61.1 |
| Trachea, bronchus, and lung | 35.9 |
| Colon | 19.3 |
| Kidney | 17.7 |
| Bladder | 15.8 |
| Non-Hodgkin lymphoma | 13.4 |
| Melanoma of skin | 13.1 |
| Liver | 12.6 |
| Rectum | 10.3 |
| Pancreas | 8.7 |
| All sites | 301.9 |

Female

| | |
|-----------------------------|-------|
| Breast | 83.1 |
| Trachea, bronchus, and lung | 26.4 |
| Corpus uteri | 16.9 |
| Thyroid | 15.5 |
| Colon | 14.7 |
| Kidney | 10.0 |
| Non-Hodgkin lymphoma | 9.2 |
| Melanoma of skin | 8.3 |
| Ovary | 8.1 |
| Cervix uteri | 7.7 |
| All sites | 272.4 |

USA, Texas (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 381 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 78 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 3567 | 1.3 | 5.2 | 3.9 | 0.27 | 0.50 | 1303 | 0.5 | 1.9 | 1.3 | 0.09 | 0.15 | C01–02 |
| Mouth | 1597 | 0.6 | 2.3 | 1.7 | 0.10 | 0.21 | 992 | 0.4 | 1.4 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 997 | 0.4 | 1.5 | 1.0 | 0.05 | 0.12 | 671 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 2386 | 0.8 | 3.5 | 2.7 | 0.21 | 0.33 | 435 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 703 | 0.2 | 1.0 | 0.8 | 0.05 | 0.10 | 193 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 483 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 191 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 611 | 0.2 | 0.9 | 0.7 | 0.04 | 0.08 | 139 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 556 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 159 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 4336 | 1.5 | 6.4 | 4.5 | 0.24 | 0.58 | 1084 | 0.4 | 1.6 | 0.9 | 0.05 | 0.11 | C15 |
| Stomach | 5306 | 1.9 | 7.8 | 5.5 | 0.29 | 0.65 | 3549 | 1.3 | 5.1 | 3.3 | 0.19 | 0.37 | C16 |
| Small intestine | 1684 | 0.6 | 2.5 | 1.8 | 0.11 | 0.22 | 1428 | 0.5 | 2.1 | 1.4 | 0.09 | 0.16 | C17 |
| Colon | 18645 | 6.6 | 27.4 | 19.6 | 1.09 | 2.28 | 16798 | 6.2 | 24.3 | 15.1 | 0.86 | 1.70 | C18 |
| Rectum | 9346 | 3.3 | 13.7 | 10.2 | 0.67 | 1.21 | 5902 | 2.2 | 8.5 | 5.8 | 0.40 | 0.66 | C19–20 |
| Anus | 880 | 0.3 | 1.3 | 1.0 | 0.07 | 0.11 | 1389 | 0.5 | 2.0 | 1.3 | 0.09 | 0.16 | C21 |
| Liver | 12158 | 4.3 | 17.9 | 13.2 | 0.95 | 1.65 | 4825 | 1.8 | 7.0 | 4.4 | 0.26 | 0.53 | C22 |
| Gallbladder etc. | 1711 | 0.6 | 2.5 | 1.7 | 0.08 | 0.20 | 2113 | 0.8 | 3.1 | 1.8 | 0.09 | 0.22 | C23–24 |
| Pancreas | 8536 | 3.0 | 12.5 | 8.8 | 0.43 | 1.05 | 7950 | 2.9 | 11.5 | 6.7 | 0.33 | 0.78 | C25 |
| Nose, sinuses etc. | 505 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | 298 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 3460 | 1.2 | 5.1 | 3.7 | 0.22 | 0.47 | 704 | 0.3 | 1.0 | 0.7 | 0.04 | 0.09 | C32 |
| Trachea, bronchus, and lung | 36483 | 13.0 | 53.6 | 36.7 | 1.48 | 4.59 | 30576 | 11.2 | 44.3 | 26.2 | 1.18 | 3.30 | C33–34 |
| Other thoracic organs | 364 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 271 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 852 | 0.3 | 1.3 | 1.2 | 0.07 | 0.10 | 671 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 10869 | 3.9 | 16.0 | 11.4 | 0.60 | 1.31 | 6760 | 2.5 | 9.8 | 7.0 | 0.49 | 0.74 | C43 |
| Other skin | 894 | 0.3 | 1.3 | 0.9 | 0.05 | 0.10 | 634 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C44 |
| Mesothelioma | 725 | 0.3 | 1.1 | 0.7 | 0.02 | 0.08 | 208 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 583 | 0.2 | 0.9 | 0.7 | 0.05 | 0.06 | 62 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2268 | 0.8 | 3.3 | 2.7 | 0.15 | 0.27 | 1724 | 0.6 | 2.5 | 1.9 | 0.12 | 0.18 | C47+C49 |
| Breast | 858 | 0.3 | 1.3 | 0.9 | 0.05 | 0.11 | 81382 | 29.9 | 117.9 | 82.3 | 5.63 | 9.66 | C50 |
| Vulva | | | | | | | 1427 | 0.5 | 2.1 | 1.3 | 0.08 | 0.15 | C51 |
| Vagina | | | | | | | 481 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 6283 | 2.3 | 9.1 | 7.4 | 0.59 | 0.71 | C53 |
| Corpus uteri | | | | | | | 15883 | 5.8 | 23.0 | 16.4 | 1.19 | 2.01 | C54 |
| Uterus unspecified | | | | | | | 1016 | 0.4 | 1.5 | 1.0 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 7797 | 2.9 | 11.3 | 7.9 | 0.52 | 0.87 | C56 |
| Other female genital organs | | | | | | | 666 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 63 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 582 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 61946 | 22.0 | 91.0 | 65.4 | 3.38 | 8.90 | | | | | | | C61 |
| Testis | 3574 | 1.3 | 5.2 | 5.0 | 0.36 | 0.37 | | | | | | | C62 |
| Other male genital organs | 129 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 15620 | 5.5 | 22.9 | 17.2 | 1.06 | 2.07 | 9639 | 3.5 | 14.0 | 9.6 | 0.60 | 1.12 | C64 |
| Renal pelvis | 483 | 0.2 | 0.7 | 0.5 | 0.01 | 0.05 | 316 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 337 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 226 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 15177 | 5.4 | 22.3 | 14.9 | 0.55 | 1.69 | 4438 | 1.6 | 6.4 | 3.6 | 0.15 | 0.42 | C67 |
| Other urinary organs | 208 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 113 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 550 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | 487 | 0.2 | 0.7 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 4660 | 1.7 | 6.8 | 5.9 | 0.36 | 0.56 | 3928 | 1.4 | 5.7 | 4.7 | 0.28 | 0.44 | C70–72 |
| Thyroid | 4165 | 1.5 | 6.1 | 4.9 | 0.35 | 0.53 | 12224 | 4.5 | 17.7 | 14.6 | 1.12 | 1.43 | C73 |
| Adrenal gland | 209 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 249 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 119 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 95 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1744 | 0.6 | 2.6 | 2.3 | 0.15 | 0.20 | 1433 | 0.5 | 2.1 | 1.9 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 11912 | 4.2 | 17.5 | 13.0 | 0.70 | 1.43 | 9468 | 3.5 | 13.7 | 8.9 | 0.49 | 0.99 | C82–86,C96 |
| Immunoproliferative diseases | 680 | 0.2 | 1.0 | 0.7 | 0.04 | 0.08 | 713 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 5340 | 1.9 | 7.8 | 5.5 | 0.27 | 0.65 | 4357 | 1.6 | 6.3 | 3.8 | 0.19 | 0.45 | C90 |
| Lymphoid leukaemia | 6469 | 2.3 | 9.5 | 7.7 | 0.38 | 0.75 | 4330 | 1.6 | 6.3 | 4.7 | 0.23 | 0.42 | C91 |
| Myeloid leukaemia | 4544 | 1.6 | 6.7 | 5.0 | 0.25 | 0.51 | 3419 | 1.3 | 5.0 | 3.4 | 0.19 | 0.35 | C92–94 |
| Leukaemia unspecified | 606 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 527 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 3234 | 1.1 | 4.7 | 3.6 | 0.21 | 0.40 | 3009 | 1.1 | 4.4 | 2.9 | 0.17 | 0.31 | MPD |
| Myelodysplastic syndromes | 3019 | 1.1 | 4.4 | 2.8 | 0.07 | 0.27 | 2290 | 0.8 | 3.3 | 1.7 | 0.05 | 0.17 | MPS |
| Other and unspecified | 5484 | 1.9 | 8.1 | 5.6 | 0.27 | 0.62 | 5447 | 2.0 | 7.9 | 4.5 | 0.21 | 0.47 | O&U |
| All sites | 282535 | | 414.9 | 301.5 | 16.09 | 36.07 | 272813 | | 395.2 | 267.4 | 16.71 | 30.33 | C00–96 |
| All sites except C44 | 281641 | 100.0 | 413.6 | 300.6 | 16.05 | 35.97 | 272179 | 100.0 | 394.3 | 266.8 | 16.67 | 30.26 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, Texas: Asian and Pacific Islander (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 66 | 1.0 | 1.9 | 1.7 | 0.11 | 0.21 | 43 | 0.5 | 1.2 | 0.9 | 0.07 | 0.10 | C01–02 |
| Mouth | 75 | 1.1 | 2.2 | 1.9 | 0.14 | 0.21 | 37 | 0.5 | 1.0 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 23 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | 23 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | C07–08 |
| Tonsil | 22 | 0.3 | 0.6 | 0.6 | 0.04 | 0.08 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 10 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 59 | 0.9 | 1.7 | 1.5 | 0.12 | 0.16 | 26 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | C11 |
| Hypopharynx | 14 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 85 | 1.3 | 2.5 | 2.3 | 0.12 | 0.31 | 24 | 0.3 | 0.7 | 0.5 | 0.02 | 0.07 | C15 |
| Stomach | 249 | 3.8 | 7.3 | 6.4 | 0.29 | 0.71 | 188 | 2.4 | 5.2 | 4.0 | 0.22 | 0.42 | C16 |
| Small intestine | 35 | 0.5 | 1.0 | 0.9 | 0.05 | 0.11 | 24 | 0.3 | 0.7 | 0.5 | 0.03 | 0.04 | C17 |
| Colon | 452 | 6.9 | 13.2 | 11.7 | 0.66 | 1.36 | 446 | 5.6 | 12.4 | 9.7 | 0.56 | 1.11 | C18 |
| Rectum | 291 | 4.4 | 8.5 | 7.4 | 0.51 | 0.89 | 226 | 2.8 | 6.3 | 4.9 | 0.32 | 0.54 | C19–20 |
| Anus | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 9 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C21 |
| Liver | 528 | 8.0 | 15.4 | 13.7 | 0.83 | 1.64 | 212 | 2.7 | 5.9 | 4.6 | 0.18 | 0.52 | C22 |
| Gallbladder etc. | 76 | 1.2 | 2.2 | 2.0 | 0.07 | 0.20 | 78 | 1.0 | 2.2 | 1.7 | 0.05 | 0.20 | C23–24 |
| Pancreas | 222 | 3.4 | 6.5 | 5.8 | 0.27 | 0.69 | 217 | 2.7 | 6.0 | 4.7 | 0.21 | 0.55 | C25 |
| Nose, sinuses etc. | 16 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 16 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 37 | 0.6 | 1.1 | 1.0 | 0.06 | 0.13 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 852 | 12.9 | 24.8 | 22.3 | 0.98 | 2.64 | 686 | 8.6 | 19.1 | 14.8 | 0.68 | 1.73 | C33–34 |
| Other thoracic organs | 29 | 0.4 | 0.8 | 0.8 | 0.05 | 0.08 | 24 | 0.3 | 0.7 | 0.6 | 0.05 | 0.05 | C37–38 |
| Bone | 38 | 0.6 | 1.1 | 1.1 | 0.08 | 0.08 | 22 | 0.3 | 0.6 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 35 | 0.5 | 1.0 | 0.9 | 0.03 | 0.09 | 22 | 0.3 | 0.6 | 0.5 | 0.02 | 0.05 | C43 |
| Other skin | 26 | 0.4 | 0.8 | 0.6 | 0.05 | 0.06 | 18 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C44 |
| Mesothelioma | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 57 | 0.9 | 1.7 | 1.6 | 0.10 | 0.13 | 44 | 0.6 | 1.2 | 1.1 | 0.07 | 0.11 | C47+C49 |
| Breast | 21 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | 2650 | 33.3 | 73.6 | 58.3 | 4.37 | 6.70 | C50 |
| Vulva | | | | | | | 19 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 191 | 2.4 | 5.3 | 4.1 | 0.31 | 0.45 | C53 |
| Corpus uteri | | | | | | | 455 | 5.7 | 12.6 | 10.2 | 0.80 | 1.23 | C54 |
| Uterus unspecified | | | | | | | 35 | 0.4 | 1.0 | 0.7 | 0.05 | 0.07 | C55 |
| Ovary | | | | | | | 299 | 3.8 | 8.3 | 6.7 | 0.47 | 0.71 | C56 |
| Other female genital organs | | | | | | | 24 | 0.3 | 0.7 | 0.5 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 10 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 1235 | 18.8 | 36.0 | 33.2 | 1.44 | 4.54 | | | | | | | C61 |
| Testis | 49 | 0.7 | 1.4 | 1.4 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 234 | 3.6 | 6.8 | 6.1 | 0.36 | 0.74 | 117 | 1.5 | 3.2 | 2.7 | 0.14 | 0.31 | C64 |
| Renal pelvis | 8 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C66 |
| Bladder | 274 | 4.2 | 8.0 | 7.1 | 0.28 | 0.75 | 72 | 0.9 | 2.0 | 1.5 | 0.06 | 0.16 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 10 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 129 | 2.0 | 3.8 | 3.7 | 0.22 | 0.29 | 116 | 1.5 | 3.2 | 3.1 | 0.17 | 0.26 | C70–72 |
| Thyroid | 183 | 2.8 | 5.3 | 4.6 | 0.32 | 0.47 | 662 | 8.3 | 18.4 | 14.7 | 1.14 | 1.38 | C73 |
| Adrenal gland | 8 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 11 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 47 | 0.7 | 1.4 | 1.3 | 0.09 | 0.10 | 39 | 0.5 | 1.1 | 1.0 | 0.07 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 360 | 5.5 | 10.5 | 9.4 | 0.49 | 1.01 | 279 | 3.5 | 7.7 | 6.3 | 0.38 | 0.67 | C82–86,C96 |
| Immunoproliferative diseases | 31 | 0.5 | 0.9 | 0.8 | 0.05 | 0.09 | 15 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 144 | 2.2 | 4.2 | 3.7 | 0.17 | 0.43 | 89 | 1.1 | 2.5 | 2.0 | 0.09 | 0.26 | C90 |
| Lymphoid leukaemia | 131 | 2.0 | 3.8 | 4.1 | 0.21 | 0.36 | 78 | 1.0 | 2.2 | 2.3 | 0.12 | 0.17 | C91 |
| Myeloid leukaemia | 146 | 2.2 | 4.3 | 4.0 | 0.20 | 0.40 | 95 | 1.2 | 2.6 | 2.3 | 0.15 | 0.21 | C92–94 |
| Leukaemia unspecified | 17 | 0.3 | 0.5 | 0.5 | 0.03 | 0.04 | 15 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 75 | 1.1 | 2.2 | 1.9 | 0.12 | 0.23 | 83 | 1.0 | 2.3 | 1.8 | 0.10 | 0.18 | MPD |
| Myelodysplastic syndromes | 53 | 0.8 | 1.5 | 1.4 | 0.05 | 0.14 | 51 | 0.6 | 1.4 | 1.0 | 0.02 | 0.07 | MPS |
| Other and unspecified | 108 | 1.6 | 3.1 | 2.8 | 0.12 | 0.35 | 135 | 1.7 | 3.7 | 2.9 | 0.14 | 0.28 | O&U |
| All sites | 6606 | | 192.6 | 174.1 | 9.02 | 20.30 | 7987 | | 221.8 | 177.4 | 11.52 | 19.40 | C00–96 |
| All sites except C44 | 6580 | 100.0 | 191.9 | 173.5 | 8.97 | 20.24 | 7969 | 100.0 | 221.3 | 177.0 | 11.49 | 19.37 | C00–96 exc. C44 |

USA, Texas: Black (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 187 | 0.6 | 2.2 | 1.9 | 0.14 | 0.23 | 77 | 0.2 | 0.8 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 142 | 0.4 | 1.7 | 1.5 | 0.10 | 0.18 | 105 | 0.3 | 1.1 | 0.9 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 74 | 0.2 | 0.9 | 0.8 | 0.05 | 0.09 | 100 | 0.3 | 1.1 | 0.9 | 0.07 | 0.09 | C07–08 |
| Tonsil | 177 | 0.5 | 2.1 | 1.8 | 0.14 | 0.22 | 30 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 58 | 0.2 | 0.7 | 0.6 | 0.04 | 0.08 | 24 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 76 | 0.2 | 0.9 | 0.8 | 0.06 | 0.08 | 26 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 71 | 0.2 | 0.8 | 0.7 | 0.05 | 0.09 | 15 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 59 | 0.2 | 0.7 | 0.6 | 0.04 | 0.08 | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 332 | 1.0 | 3.9 | 3.5 | 0.19 | 0.44 | 143 | 0.4 | 1.6 | 1.2 | 0.06 | 0.15 | C15 |
| Stomach | 805 | 2.4 | 9.4 | 8.6 | 0.44 | 1.03 | 552 | 1.7 | 6.0 | 4.4 | 0.25 | 0.49 | C16 |
| Small intestine | 309 | 0.9 | 3.6 | 3.3 | 0.18 | 0.40 | 281 | 0.9 | 3.1 | 2.4 | 0.15 | 0.28 | C17 |
| Colon | 2488 | 7.5 | 28.9 | 26.2 | 1.54 | 3.07 | 2492 | 7.8 | 27.2 | 20.5 | 1.24 | 2.41 | C18 |
| Rectum | 1052 | 3.2 | 12.2 | 11.1 | 0.70 | 1.38 | 754 | 2.3 | 8.2 | 6.4 | 0.45 | 0.75 | C19–20 |
| Anus | 144 | 0.4 | 1.7 | 1.5 | 0.11 | 0.16 | 123 | 0.4 | 1.3 | 1.0 | 0.06 | 0.13 | C21 |
| Liver | 1742 | 5.3 | 20.3 | 18.3 | 1.38 | 2.44 | 598 | 1.9 | 6.5 | 5.0 | 0.35 | 0.63 | C22 |
| Gallbladder etc. | 206 | 0.6 | 2.4 | 2.2 | 0.11 | 0.26 | 283 | 0.9 | 3.1 | 2.2 | 0.10 | 0.26 | C23–24 |
| Pancreas | 1000 | 3.0 | 11.6 | 10.6 | 0.57 | 1.27 | 1133 | 3.5 | 12.4 | 9.1 | 0.46 | 1.10 | C25 |
| Nose, sinuses etc. | 40 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 492 | 1.5 | 5.7 | 5.2 | 0.31 | 0.71 | 109 | 0.3 | 1.2 | 0.9 | 0.06 | 0.12 | C32 |
| Trachea, bronchus, and lung | 4667 | 14.1 | 54.3 | 50.8 | 2.19 | 6.58 | 3555 | 11.1 | 38.9 | 28.9 | 1.41 | 3.72 | C33–34 |
| Other thoracic organs | 64 | 0.2 | 0.7 | 0.7 | 0.05 | 0.08 | 48 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 76 | 0.2 | 0.9 | 0.8 | 0.06 | 0.07 | 75 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 68 | 0.2 | 0.8 | 0.7 | 0.04 | 0.07 | 79 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C43 |
| Other skin | 83 | 0.3 | 1.0 | 0.9 | 0.07 | 0.09 | 77 | 0.2 | 0.8 | 0.7 | 0.05 | 0.08 | C44 |
| Mesothelioma | 49 | 0.1 | 0.6 | 0.5 | 0.02 | 0.07 | 14 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 159 | 0.5 | 1.8 | 1.6 | 0.13 | 0.13 | 22 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 220 | 0.7 | 2.6 | 2.5 | 0.15 | 0.24 | 240 | 0.7 | 2.6 | 2.2 | 0.14 | 0.23 | C47+C49 |
| Breast | 122 | 0.4 | 1.4 | 1.3 | 0.08 | 0.15 | 10049 | 31.3 | 109.9 | 86.7 | 6.04 | 10.07 | C50 |
| Vulva | | | | | | | 123 | 0.4 | 1.3 | 1.1 | 0.08 | 0.11 | C51 |
| Vagina | | | | | | | 68 | 0.2 | 0.7 | 0.6 | 0.03 | 0.07 | C52 |
| Cervix uteri | | | | | | | 788 | 2.5 | 8.6 | 7.0 | 0.54 | 0.73 | C53 |
| Corpus uteri | | | | | | | 1839 | 5.7 | 20.1 | 15.8 | 1.01 | 2.08 | C54 |
| Uterus unspecified | | | | | | | 211 | 0.7 | 2.3 | 1.7 | 0.10 | 0.21 | C55 |
| Ovary | | | | | | | 791 | 2.5 | 8.6 | 6.8 | 0.45 | 0.75 | C56 |
| Other female genital organs | | | | | | | 76 | 0.2 | 0.8 | 0.6 | 0.03 | 0.08 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 53 | 0.2 | 0.6 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 10344 | 31.3 | 120.3 | 110.8 | 6.39 | 15.03 | | | | | | | C61 |
| Testis | 108 | 0.3 | 1.3 | 1.1 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1727 | 5.2 | 20.1 | 18.4 | 1.10 | 2.23 | 1155 | 3.6 | 12.6 | 10.0 | 0.60 | 1.16 | C64 |
| Renal pelvis | 22 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 17 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 897 | 2.7 | 10.4 | 9.7 | 0.41 | 1.14 | 399 | 1.2 | 4.4 | 3.2 | 0.13 | 0.40 | C67 |
| Other urinary organs | 19 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 15 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 19 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 347 | 1.0 | 4.0 | 4.0 | 0.24 | 0.39 | 333 | 1.0 | 3.6 | 3.4 | 0.20 | 0.30 | C70–72 |
| Thyroid | 270 | 0.8 | 3.1 | 2.8 | 0.20 | 0.33 | 1040 | 3.2 | 11.4 | 9.3 | 0.71 | 0.98 | C73 |
| Adrenal gland | 25 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 31 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 15 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 23 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 254 | 0.8 | 3.0 | 2.7 | 0.20 | 0.23 | 205 | 0.6 | 2.2 | 2.0 | 0.14 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 1005 | 3.0 | 11.7 | 10.6 | 0.69 | 1.12 | 880 | 2.7 | 9.6 | 7.6 | 0.48 | 0.84 | C82–86,C96 |
| Immunoproliferative diseases | 48 | 0.1 | 0.6 | 0.5 | 0.03 | 0.07 | 73 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C88 |
| Multiple myeloma | 968 | 2.9 | 11.3 | 10.4 | 0.50 | 1.25 | 995 | 3.1 | 10.9 | 8.2 | 0.43 | 0.99 | C90 |
| Lymphoid leukaemia | 533 | 1.6 | 6.2 | 6.0 | 0.29 | 0.67 | 374 | 1.2 | 4.1 | 3.5 | 0.18 | 0.35 | C91 |
| Myeloid leukaemia | 397 | 1.2 | 4.6 | 4.3 | 0.24 | 0.46 | 376 | 1.2 | 4.1 | 3.3 | 0.20 | 0.32 | C92–94 |
| Leukaemia unspecified | 45 | 0.1 | 0.5 | 0.5 | 0.03 | 0.05 | 58 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 286 | 0.9 | 3.3 | 3.1 | 0.18 | 0.35 | 364 | 1.1 | 4.0 | 3.3 | 0.19 | 0.35 | MPD |
| Myelodysplastic syndromes | 205 | 0.6 | 2.4 | 2.2 | 0.07 | 0.21 | 206 | 0.6 | 2.3 | 1.6 | 0.06 | 0.17 | MPS |
| Other and unspecified | 604 | 1.8 | 7.0 | 6.5 | 0.32 | 0.74 | 670 | 2.1 | 7.3 | 5.2 | 0.26 | 0.57 | O&U |
| All sites | 33178 | | 385.7 | 355.4 | 20.07 | 44.34 | 32199 | | 352.1 | 274.2 | 17.18 | 31.84 | C00–96 |
| All sites except C44 | 33095 | 100.0 | 384.8 | 354.5 | 20.00 | 44.24 | 32122 | 100.0 | 351.2 | 273.4 | 17.13 | 31.77 | C00–96 exc. C44 |

USA, Texas: White (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 373 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | 75 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 3293 | 1.4 | 6.0 | 4.3 | 0.29 | 0.55 | 1170 | 0.5 | 2.1 | 1.4 | 0.10 | 0.16 | C01–02 |
| Mouth | 1371 | 0.6 | 2.5 | 1.7 | 0.10 | 0.22 | 844 | 0.4 | 1.5 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 894 | 0.4 | 1.6 | 1.1 | 0.05 | 0.12 | 546 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 2177 | 0.9 | 3.9 | 2.9 | 0.23 | 0.36 | 398 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 634 | 0.3 | 1.1 | 0.8 | 0.06 | 0.10 | 165 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 345 | 0.1 | 0.6 | 0.5 | 0.04 | 0.06 | 138 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 523 | 0.2 | 0.9 | 0.7 | 0.04 | 0.09 | 121 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 489 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | 132 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 3900 | 1.6 | 7.1 | 4.8 | 0.26 | 0.61 | 911 | 0.4 | 1.6 | 0.9 | 0.05 | 0.11 | C15 |
| Stomach | 4234 | 1.8 | 7.7 | 5.2 | 0.27 | 0.61 | 2784 | 1.2 | 5.0 | 3.1 | 0.18 | 0.35 | C16 |
| Small intestine | 1332 | 0.6 | 2.4 | 1.7 | 0.10 | 0.20 | 1118 | 0.5 | 2.0 | 1.3 | 0.08 | 0.15 | C17 |
| Colon | 15628 | 6.5 | 28.3 | 19.3 | 1.06 | 2.24 | 13782 | 6.0 | 24.8 | 14.7 | 0.82 | 1.65 | C18 |
| Rectum | 7952 | 3.3 | 14.4 | 10.3 | 0.68 | 1.21 | 4885 | 2.1 | 8.8 | 5.8 | 0.40 | 0.66 | C19–20 |
| Anus | 729 | 0.3 | 1.3 | 1.0 | 0.07 | 0.11 | 1250 | 0.5 | 2.3 | 1.5 | 0.10 | 0.18 | C21 |
| Liver | 9832 | 4.1 | 17.8 | 12.6 | 0.91 | 1.56 | 3981 | 1.7 | 7.2 | 4.3 | 0.25 | 0.51 | C22 |
| Gallbladder etc. | 1424 | 0.6 | 2.6 | 1.7 | 0.08 | 0.20 | 1740 | 0.8 | 3.1 | 1.8 | 0.09 | 0.21 | C23–24 |
| Pancreas | 7278 | 3.0 | 13.2 | 8.7 | 0.43 | 1.05 | 6567 | 2.8 | 11.8 | 6.6 | 0.32 | 0.76 | C25 |
| Nose, sinuses etc. | 445 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 258 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 2915 | 1.2 | 5.3 | 3.6 | 0.21 | 0.47 | 588 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 30834 | 12.8 | 55.8 | 35.9 | 1.42 | 4.48 | 26193 | 11.4 | 47.2 | 26.4 | 1.17 | 3.33 | C33–34 |
| Other thoracic organs | 270 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 197 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 733 | 0.3 | 1.3 | 1.2 | 0.08 | 0.10 | 570 | 0.2 | 1.0 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 10536 | 4.4 | 19.1 | 13.1 | 0.69 | 1.50 | 6516 | 2.8 | 11.7 | 8.3 | 0.58 | 0.87 | C43 |
| Other skin | 777 | 0.3 | 1.4 | 0.9 | 0.04 | 0.10 | 530 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C44 |
| Mesothelioma | 666 | 0.3 | 1.2 | 0.7 | 0.02 | 0.09 | 190 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 405 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | 39 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1975 | 0.8 | 3.6 | 2.7 | 0.16 | 0.28 | 1434 | 0.6 | 2.6 | 1.9 | 0.12 | 0.18 | C47+C49 |
| Breast | 712 | 0.3 | 1.3 | 0.9 | 0.05 | 0.11 | 68206 | 29.6 | 122.8 | 83.1 | 5.66 | 9.78 | C50 |
| Vulva | | | | | | | 1283 | 0.6 | 2.3 | 1.4 | 0.09 | 0.16 | C51 |
| Vagina | | | | | | | 404 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 5255 | 2.3 | 9.5 | 7.7 | 0.63 | 0.74 | C53 |
| Corpus uteri | | | | | | | 13478 | 5.8 | 24.3 | 16.9 | 1.25 | 2.06 | C54 |
| Uterus unspecified | | | | | | | 764 | 0.3 | 1.4 | 0.9 | 0.06 | 0.10 | C55 |
| Ovary | | | | | | | 6661 | 2.9 | 12.0 | 8.1 | 0.54 | 0.90 | C56 |
| Other female genital organs | | | | | | | 560 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 50 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 516 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 49607 | 20.7 | 89.7 | 61.1 | 3.05 | 8.32 | | | | | | | C61 |
| Testis | 3383 | 1.4 | 6.1 | 5.9 | 0.43 | 0.44 | | | | | | | C62 |
| Other male genital organs | 111 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 13594 | 5.7 | 24.6 | 17.7 | 1.10 | 2.14 | 8330 | 3.6 | 15.0 | 10.0 | 0.64 | 1.17 | C64 |
| Renal pelvis | 450 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | 288 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 321 | 0.1 | 0.6 | 0.4 | 0.01 | 0.04 | 211 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 13946 | 5.8 | 25.2 | 15.8 | 0.58 | 1.81 | 3947 | 1.7 | 7.1 | 3.8 | 0.16 | 0.43 | C67 |
| Other urinary organs | 186 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 87 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 522 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | 454 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 4163 | 1.7 | 7.5 | 6.3 | 0.38 | 0.60 | 3457 | 1.5 | 6.2 | 5.1 | 0.31 | 0.47 | C70–72 |
| Thyroid | 3675 | 1.5 | 6.6 | 5.2 | 0.37 | 0.56 | 10418 | 4.5 | 18.8 | 15.5 | 1.20 | 1.51 | C73 |
| Adrenal gland | 175 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 204 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 98 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 63 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1436 | 0.6 | 2.6 | 2.3 | 0.15 | 0.20 | 1186 | 0.5 | 2.1 | 1.9 | 0.12 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 10478 | 4.4 | 19.0 | 13.4 | 0.72 | 1.48 | 8247 | 3.6 | 14.8 | 9.2 | 0.50 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 595 | 0.2 | 1.1 | 0.7 | 0.03 | 0.08 | 616 | 0.3 | 1.1 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 4198 | 1.7 | 7.6 | 5.0 | 0.24 | 0.59 | 3258 | 1.4 | 5.9 | 3.3 | 0.16 | 0.39 | C90 |
| Lymphoid leukaemia | 5764 | 2.4 | 10.4 | 8.2 | 0.41 | 0.78 | 3850 | 1.7 | 6.9 | 5.0 | 0.24 | 0.45 | C91 |
| Myeloid leukaemia | 3980 | 1.7 | 7.2 | 5.1 | 0.25 | 0.53 | 2924 | 1.3 | 5.3 | 3.6 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 541 | 0.2 | 1.0 | 0.7 | 0.03 | 0.06 | 451 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 2840 | 1.2 | 5.1 | 3.7 | 0.22 | 0.41 | 2547 | 1.1 | 4.6 | 3.0 | 0.17 | 0.32 | MPD |
| Myelodysplastic syndromes | 2748 | 1.1 | 5.0 | 2.9 | 0.07 | 0.28 | 2022 | 0.9 | 3.6 | 1.7 | 0.05 | 0.18 | MPS |
| Other and unspecified | 4744 | 2.0 | 8.6 | 5.6 | 0.28 | 0.63 | 4615 | 2.0 | 8.3 | 4.4 | 0.21 | 0.47 | O&U |
| All sites | 240747 | | 435.5 | 301.9 | 15.98 | 35.93 | 230958 | | 415.8 | 272.4 | 17.02 | 30.82 | C00–96 |
| All sites except C44 | 239970 | 100.0 | 434.1 | 300.9 | 15.93 | 35.83 | 230428 | 100.0 | 414.9 | 271.8 | 16.99 | 30.76 | C00–96 exc. C44 |

§Includes 1 case of unknown age

USA, Utah

CONTRIBUTORS

Jennifer A. Doherty



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 78.5 | Breast | 77.5 |
| Melanoma of skin | 30.1 | Melanoma of skin | 22.8 |
| Trachea, bronchus, and lung | 17.4 | Thyroid | 22.8 |
| Bladder | 15.9 | Corpus uteri | 19.9 |
| Colon | 13.7 | Trachea, bronchus, and lung | 13.9 |
| Non-Hodgkin lymphoma | 13.2 | Colon | 12.6 |
| Kidney | 12.4 | Non-Hodgkin lymphoma | 8.6 |
| Lymphoid leukaemia | 8.3 | Ovary | 8.0 |
| Pancreas | 7.7 | Kidney | 6.4 |
| Rectum | 7.6 | Pancreas | 5.5 |
| Thyroid | 6.7 | Rectum | 5.2 |
| Testis | 6.6 | Lymphoid leukaemia | 5.1 |
| Brain and nervous system | 6.6 | Brain and nervous system | 4.7 |
| Liver | 6.3 | Cervix uteri | 4.2 |
| Myeloid leukaemia | 4.9 | Other and unspecified | 3.8 |
| Multiple myeloma | 4.6 | Myeloid leukaemia | 3.5 |
| Other and unspecified | 4.1 | Bladder | 3.3 |
| Stomach | 3.9 | Multiple myeloma | 3.0 |
| Oesophagus | 3.5 | Liver | 2.6 |
| Connective and soft tissue | 3.1 | Connective and soft tissue | 2.5 |
| All sites | 286.1 | All sites | 260.2 |


USA, Utah (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 104 | 0.4 | 1.4 | 1.1 | 0.05 | 0.12 | 40 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C00 |
| Tongue | 270 | 1.0 | 3.6 | 3.1 | 0.21 | 0.42 | 114 | 0.5 | 1.5 | 1.2 | 0.09 | 0.14 | C01–02 |
| Mouth | 96 | 0.4 | 1.3 | 1.0 | 0.05 | 0.12 | 87 | 0.4 | 1.2 | 0.9 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 82 | 0.3 | 1.1 | 0.9 | 0.04 | 0.10 | 67 | 0.3 | 0.9 | 0.7 | 0.04 | 0.08 | C07–08 |
| Tonsil | 159 | 0.6 | 2.1 | 1.9 | 0.18 | 0.23 | 22 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 39 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 42 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 23 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C12–13 |
| Pharynx unspecified | 31 | 0.1 | 0.4 | 0.4 | 0.03 | 0.05 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 334 | 1.3 | 4.4 | 3.5 | 0.19 | 0.42 | 69 | 0.3 | 0.9 | 0.7 | 0.04 | 0.09 | C15 |
| Stomach | 360 | 1.4 | 4.8 | 3.9 | 0.21 | 0.46 | 231 | 0.9 | 3.1 | 2.3 | 0.13 | 0.25 | C16 |
| Small intestine | 187 | 0.7 | 2.5 | 2.0 | 0.11 | 0.25 | 163 | 0.7 | 2.2 | 1.7 | 0.11 | 0.19 | C17 |
| Colon | 1285 | 4.9 | 17.1 | 13.7 | 0.77 | 1.52 | 1283 | 5.3 | 17.3 | 12.6 | 0.71 | 1.38 | C18 |
| Rectum | 660 | 2.5 | 8.8 | 7.6 | 0.54 | 0.86 | 468 | 1.9 | 6.3 | 5.2 | 0.38 | 0.59 | C19–20 |
| Anus | 53 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | 131 | 0.5 | 1.8 | 1.4 | 0.10 | 0.16 | C21 |
| Liver | 568 | 2.2 | 7.5 | 6.3 | 0.39 | 0.79 | 261 | 1.1 | 3.5 | 2.6 | 0.14 | 0.28 | C22 |
| Gallbladder etc. | 109 | 0.4 | 1.4 | 1.1 | 0.05 | 0.12 | 143 | 0.6 | 1.9 | 1.3 | 0.05 | 0.14 | C23–24 |
| Pancreas | 738 | 2.8 | 9.8 | 7.7 | 0.36 | 0.94 | 616 | 2.5 | 8.3 | 5.5 | 0.23 | 0.62 | C25 |
| Nose, sinuses etc. | 45 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 37 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 168 | 0.6 | 2.2 | 1.8 | 0.10 | 0.23 | 35 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1726 | 6.6 | 22.9 | 17.4 | 0.71 | 2.11 | 1489 | 6.1 | 20.0 | 13.9 | 0.65 | 1.73 | C33–34 |
| Other thoracic organs | 25 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 23 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 112 | 0.4 | 1.5 | 1.4 | 0.08 | 0.11 | 80 | 0.3 | 1.1 | 1.1 | 0.08 | 0.09 | C40–41 |
| Melanoma of skin | 2764 | 10.5 | 36.7 | 30.1 | 1.77 | 3.47 | 2044 | 8.4 | 27.5 | 22.8 | 1.66 | 2.37 | C43 |
| Other skin | 178 | 0.7 | 2.4 | 1.8 | 0.08 | 0.18 | 112 | 0.5 | 1.5 | 1.1 | 0.06 | 0.12 | C44 |
| Mesothelioma | 74 | 0.3 | 1.0 | 0.7 | 0.02 | 0.09 | 26 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 21 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 279 | 1.1 | 3.7 | 3.1 | 0.17 | 0.32 | 214 | 0.9 | 2.9 | 2.5 | 0.14 | 0.24 | C47+C49 |
| Breast | 55 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | 7156 | 29.4 | 96.3 | 77.5 | 5.27 | 9.03 | C50 |
| Vulva | | | | | | | 122 | 0.5 | 1.6 | 1.2 | 0.07 | 0.14 | C51 |
| Vagina | | | | | | | 32 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 349 | 1.4 | 4.7 | 4.2 | 0.33 | 0.43 | C53 |
| Corpus uteri | | | | | | | 1827 | 7.5 | 24.6 | 19.9 | 1.47 | 2.41 | C54 |
| Uterus unspecified | | | | | | | 34 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 746 | 3.1 | 10.0 | 8.0 | 0.54 | 0.90 | C56 |
| Other female genital organs | | | | | | | 92 | 0.4 | 1.2 | 0.9 | 0.06 | 0.11 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 41 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 7175 | 27.4 | 95.3 | 78.5 | 3.91 | 11.00 | | | | | | | C61 |
| Testis | 535 | 2.0 | 7.1 | 6.6 | 0.50 | 0.51 | | | | | | | C62 |
| Other male genital organs | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1104 | 4.2 | 14.7 | 12.4 | 0.73 | 1.51 | 590 | 2.4 | 7.9 | 6.4 | 0.40 | 0.72 | C64 |
| Renal pelvis | 52 | 0.2 | 0.7 | 0.5 | 0.02 | 0.07 | 29 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 16 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 1606 | 6.1 | 21.3 | 15.9 | 0.60 | 1.85 | 359 | 1.5 | 4.8 | 3.3 | 0.16 | 0.37 | C67 |
| Other urinary organs | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 72 | 0.3 | 1.0 | 0.8 | 0.05 | 0.08 | 64 | 0.3 | 0.9 | 0.8 | 0.04 | 0.08 | C69 |
| Brain and nervous system | 541 | 2.1 | 7.2 | 6.6 | 0.42 | 0.65 | 391 | 1.6 | 5.3 | 4.7 | 0.30 | 0.43 | C70–72 |
| Thyroid | 566 | 2.2 | 7.5 | 6.7 | 0.51 | 0.69 | 1859 | 7.6 | 25.0 | 22.8 | 1.80 | 2.14 | C73 |
| Adrenal gland | 21 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 13 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 14 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 11 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 181 | 0.7 | 2.4 | 2.3 | 0.15 | 0.19 | 167 | 0.7 | 2.2 | 2.1 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 1228 | 4.7 | 16.3 | 13.2 | 0.69 | 1.43 | 866 | 3.6 | 11.7 | 8.6 | 0.46 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 64 | 0.2 | 0.9 | 0.7 | 0.03 | 0.08 | 50 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 450 | 1.7 | 6.0 | 4.6 | 0.22 | 0.56 | 313 | 1.3 | 4.2 | 3.0 | 0.16 | 0.34 | C90 |
| Lymphoid leukaemia | 731 | 2.8 | 9.7 | 8.3 | 0.40 | 0.83 | 449 | 1.8 | 6.0 | 5.1 | 0.26 | 0.49 | C91 |
| Myeloid leukaemia | 447 | 1.7 | 5.9 | 4.9 | 0.24 | 0.52 | 334 | 1.4 | 4.5 | 3.5 | 0.20 | 0.35 | C92–94 |
| Leukaemia unspecified | 27 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 18 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 190 | 0.7 | 2.5 | 2.0 | 0.10 | 0.23 | 165 | 0.7 | 2.2 | 1.6 | 0.06 | 0.18 | MPD |
| Myelodysplastic syndromes | 273 | 1.0 | 3.6 | 2.5 | 0.05 | 0.25 | 141 | 0.6 | 1.9 | 1.1 | 0.03 | 0.13 | MPS |
| Other and unspecified | 411 | 1.6 | 5.5 | 4.1 | 0.18 | 0.48 | 444 | 1.8 | 6.0 | 3.8 | 0.18 | 0.38 | O&U |
| All sites | 26381 | | 350.5 | 286.1 | 15.22 | 34.37 | 24449 | | 329.0 | 260.2 | 16.85 | 28.78 | C00–96 |
| All sites except C44 | 26203 | 100.0 | 348.1 | 284.3 | 15.14 | 34.20 | 24337 | 100.0 | 327.5 | 259.0 | 16.79 | 28.66 | C00–96 exc. C44 |

USA, Vermont

CONTRIBUTORS

Alison T. Johnson



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 60.5 | Breast | 94.6 |
| Trachea, bronchus, and lung | 41.9 | Trachea, bronchus, and lung | 34.7 |
| Melanoma of skin | 29.6 | Corpus uteri | 24.9 |
| Bladder | 22.3 | Melanoma of skin | 23.0 |
| Non-Hodgkin lymphoma | 14.9 | Thyroid | 17.3 |
| Colon | 14.5 | Colon | 14.4 |
| Kidney | 12.9 | Non-Hodgkin lymphoma | 9.8 |
| Rectum | 9.3 | Ovary | 7.3 |
| Pancreas | 8.8 | Kidney | 6.6 |
| Lymphoid leukaemia | 7.5 | Bladder | 6.5 |
| Testis | 7.1 | Rectum | 6.2 |
| Brain and nervous system | 6.6 | Pancreas | 6.0 |
| Oesophagus | 6.4 | Brain and nervous system | 5.6 |
| Other and unspecified | 6.3 | Other and unspecified | 4.8 |
| Thyroid | 6.2 | Lymphoid leukaemia | 4.4 |
| Liver | 6.0 | Cervix uteri | 3.5 |
| Multiple myeloma | 5.0 | Myeloid leukaemia | 3.4 |
| Stomach | 4.8 | Connective and soft tissue | 2.7 |
| Myeloid leukaemia | 4.5 | Multiple myeloma | 2.6 |
| Tongue | 4.0 | Stomach | 2.6 |
| All sites | 317.0 | All sites | 310.5 |


USA, Vermont (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 115 | 1.2 | 7.5 | 4.0 | 0.28 | 0.51 | 31 | 0.3 | 2.0 | 1.1 | 0.07 | 0.12 | C01–02 |
| Mouth | 52 | 0.6 | 3.4 | 1.7 | 0.10 | 0.22 | 31 | 0.3 | 2.0 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 30 | 0.3 | 1.9 | 1.1 | 0.07 | 0.11 | 18 | 0.2 | 1.1 | 0.8 | 0.06 | 0.06 | C07–08 |
| Tonsil | 96 | 1.0 | 6.2 | 3.5 | 0.32 | 0.43 | 24 | 0.3 | 1.5 | 0.8 | 0.06 | 0.11 | C09 |
| Other oropharynx | 31 | 0.3 | 2.0 | 1.2 | 0.07 | 0.16 | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 14 | 0.1 | 0.9 | 0.6 | 0.04 | 0.06 | 9 | 0.1 | 0.6 | 0.4 | 0.03 | 0.03 | C11 |
| Hypopharynx | 23 | 0.2 | 1.5 | 0.8 | 0.05 | 0.10 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 205 | 2.2 | 13.3 | 6.4 | 0.32 | 0.81 | 50 | 0.5 | 3.2 | 1.4 | 0.08 | 0.16 | C15 |
| Stomach | 144 | 1.5 | 9.3 | 4.8 | 0.29 | 0.54 | 87 | 0.9 | 5.5 | 2.6 | 0.14 | 0.29 | C16 |
| Small intestine | 43 | 0.5 | 2.8 | 1.5 | 0.06 | 0.20 | 38 | 0.4 | 2.4 | 1.2 | 0.06 | 0.16 | C17 |
| Colon | 445 | 4.7 | 28.8 | 14.5 | 0.78 | 1.61 | 540 | 5.7 | 34.1 | 14.4 | 0.72 | 1.52 | C18 |
| Rectum | 260 | 2.8 | 16.9 | 9.3 | 0.65 | 1.06 | 174 | 1.8 | 11.0 | 6.2 | 0.47 | 0.71 | C19–20 |
| Anus | 42 | 0.4 | 2.7 | 1.7 | 0.13 | 0.18 | 66 | 0.7 | 4.2 | 2.1 | 0.15 | 0.28 | C21 |
| Liver | 182 | 1.9 | 11.8 | 6.0 | 0.40 | 0.73 | 61 | 0.6 | 3.9 | 1.8 | 0.10 | 0.21 | C22 |
| Gallbladder etc. | 43 | 0.5 | 2.8 | 1.3 | 0.06 | 0.19 | 67 | 0.7 | 4.2 | 1.7 | 0.08 | 0.19 | C23–24 |
| Pancreas | 285 | 3.0 | 18.5 | 8.8 | 0.39 | 1.05 | 227 | 2.4 | 14.3 | 6.0 | 0.28 | 0.72 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.4 | 0.7 | 0.03 | 0.09 | 10 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 110 | 1.2 | 7.1 | 3.7 | 0.22 | 0.48 | 30 | 0.3 | 1.9 | 1.1 | 0.08 | 0.10 | C32 |
| Trachea, bronchus, and lung | 1353 | 14.3 | 87.7 | 41.9 | 1.98 | 5.08 | 1288 | 13.6 | 81.4 | 34.7 | 1.68 | 4.24 | C33–34 |
| Other thoracic organs | 8 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | 13 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 24 | 0.3 | 1.6 | 1.0 | 0.06 | 0.10 | 16 | 0.2 | 1.0 | 1.0 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 876 | 9.3 | 56.8 | 29.6 | 1.62 | 3.29 | 636 | 6.7 | 40.2 | 23.0 | 1.63 | 2.52 | C43 |
| Other skin | 40 | 0.4 | 2.6 | 1.4 | 0.07 | 0.13 | 26 | 0.3 | 1.6 | 0.7 | 0.02 | 0.07 | C44 |
| Mesothelioma | 34 | 0.4 | 2.2 | 0.9 | 0.03 | 0.09 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 86 | 0.9 | 5.6 | 3.1 | 0.18 | 0.31 | 53 | 0.6 | 3.4 | 2.7 | 0.18 | 0.22 | C47+C49 |
| Breast | 25 | 0.3 | 1.6 | 0.8 | 0.03 | 0.07 | 2772 | 29.3 | 175.2 | 94.6 | 6.29 | 11.15 | C50 |
| Vulva | | | | | | | 61 | 0.6 | 3.9 | 1.8 | 0.10 | 0.21 | C51 |
| Vagina | | | | | | | 9 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 72 | 0.8 | 4.6 | 3.5 | 0.30 | 0.33 | C53 |
| Corpus uteri | | | | | | | 765 | 8.1 | 48.4 | 24.9 | 1.73 | 3.19 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.1 | 0.9 | 0.5 | 0.04 | 0.05 | C55 |
| Ovary | | | | | | | 216 | 2.3 | 13.7 | 7.3 | 0.48 | 0.84 | C56 |
| Other female genital organs | | | | | | | 57 | 0.6 | 3.6 | 1.6 | 0.10 | 0.21 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | 10 | 0.1 | 0.6 | 0.3 | 0.00 | 0.04 | C60 |
| Prostate | 1926 | 20.4 | 124.9 | 60.5 | 3.00 | 8.39 | | | | | | | C61 |
| Testis | 109 | 1.2 | 7.1 | 7.1 | 0.51 | 0.54 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 356 | 3.8 | 23.1 | 12.9 | 0.81 | 1.52 | 194 | 2.1 | 12.3 | 6.6 | 0.39 | 0.76 | C64 |
| Renal pelvis | 27 | 0.3 | 1.8 | 0.7 | 0.01 | 0.10 | 16 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 15 | 0.2 | 1.0 | 0.5 | 0.04 | 0.04 | 15 | 0.2 | 0.9 | 0.3 | 0.00 | 0.02 | C66 |
| Bladder | 745 | 7.9 | 48.3 | 22.3 | 0.89 | 2.58 | 255 | 2.7 | 16.1 | 6.5 | 0.30 | 0.79 | C67 |
| Other urinary organs | 14 | 0.1 | 0.9 | 0.4 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 17 | 0.2 | 1.1 | 0.7 | 0.03 | 0.08 | 15 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 144 | 1.5 | 9.3 | 6.6 | 0.44 | 0.59 | 119 | 1.3 | 7.5 | 5.6 | 0.35 | 0.54 | C70–72 |
| Thyroid | 142 | 1.5 | 9.2 | 6.2 | 0.44 | 0.67 | 345 | 3.7 | 21.8 | 17.3 | 1.40 | 1.63 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.4 | 0.01 | 0.02 | 5 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 49 | 0.5 | 3.2 | 2.9 | 0.20 | 0.22 | 42 | 0.4 | 2.7 | 2.3 | 0.16 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 439 | 4.7 | 28.5 | 14.9 | 0.79 | 1.60 | 313 | 3.3 | 19.8 | 9.8 | 0.61 | 1.08 | C82–86, C96 |
| Immunoproliferative diseases | 42 | 0.4 | 2.7 | 1.4 | 0.08 | 0.16 | 48 | 0.5 | 3.0 | 1.4 | 0.06 | 0.16 | C88 |
| Multiple myeloma | 154 | 1.6 | 10.0 | 5.0 | 0.25 | 0.58 | 96 | 1.0 | 6.1 | 2.6 | 0.12 | 0.35 | C90 |
| Lymphoid leukaemia | 183 | 1.9 | 11.9 | 7.5 | 0.37 | 0.72 | 118 | 1.2 | 7.5 | 4.4 | 0.22 | 0.40 | C91 |
| Myeloid leukaemia | 135 | 1.4 | 8.8 | 4.5 | 0.22 | 0.43 | 90 | 1.0 | 5.7 | 3.4 | 0.21 | 0.36 | C92–94 |
| Leukaemia unspecified | 6 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 59 | 0.6 | 3.8 | 2.0 | 0.13 | 0.25 | 70 | 0.7 | 4.4 | 2.2 | 0.10 | 0.25 | MPD |
| Myelodysplastic syndromes | 81 | 0.9 | 5.3 | 2.4 | 0.08 | 0.25 | 41 | 0.4 | 2.6 | 1.0 | 0.04 | 0.13 | MPS |
| Other and unspecified | 210 | 2.2 | 13.6 | 6.3 | 0.24 | 0.65 | 199 | 2.1 | 12.6 | 4.8 | 0.20 | 0.51 | O&U |
| All sites | 9474 | | 614.2 | 317.0 | 16.87 | 37.23 | 9477 | | 599.0 | 310.5 | 19.41 | 35.36 | C00–96 |
| All sites except C44 | 9434 | 100.0 | 611.6 | 315.6 | 16.80 | 37.10 | 9451 | 100.0 | 597.4 | 309.8 | 19.39 | 35.29 | C00–96 exc. C44 |

USA, Washington State

CONTRIBUTORS

Mahesh B. Keitheri Cheteri
Johna Peterson
Patti Migliore Santiago



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 67.8 | Breast | 96.7 |
| Trachea, bronchus, and lung | 34.6 | Trachea, bronchus, and lung | 30.4 |
| Melanoma of skin | 20.4 | Corpus uteri | 19.2 |
| Bladder | 20.3 | Melanoma of skin | 16.6 |
| Colon | 16.2 | Thyroid | 16.5 |
| Non-Hodgkin lymphoma | 14.3 | Colon | 14.3 |
| Kidney | 13.4 | Non-Hodgkin lymphoma | 9.6 |
| Liver | 10.0 | Ovary | 7.7 |
| Rectum | 9.6 | Kidney | 7.3 |
| Pancreas | 8.7 | Pancreas | 6.8 |
| Lymphoid leukaemia | 8.5 | Rectum | 6.3 |
| Brain and nervous system | 7.1 | Cervix uteri | 5.3 |
| Testis | 6.0 | Bladder | 5.2 |
| Thyroid | 5.5 | Brain and nervous system | 5.1 |
| Myeloid leukaemia | 5.3 | Lymphoid leukaemia | 5.1 |
| Oesophagus | 5.2 | Other and unspecified | 4.2 |
| Other and unspecified | 5.0 | Myeloid leukaemia | 3.6 |
| Multiple myeloma | 4.8 | Liver | 3.5 |
| Stomach | 4.8 | Multiple myeloma | 3.1 |
| Tongue | 4.6 | Myeloproliferative disorders | 2.7 |
| All sites | 310.2 | All sites | 299.0 |


USA, Washington State (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 259 | 0.3 | 1.4 | 0.8 | 0.04 | 0.08 | 136 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C00 |
| Tongue | 1286 | 1.4 | 7.2 | 4.6 | 0.31 | 0.58 | 459 | 0.5 | 2.6 | 1.5 | 0.09 | 0.17 | C01–02 |
| Mouth | 549 | 0.6 | 3.1 | 1.9 | 0.12 | 0.22 | 392 | 0.4 | 2.2 | 1.1 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 244 | 0.3 | 1.4 | 0.8 | 0.04 | 0.09 | 190 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 772 | 0.9 | 4.3 | 2.9 | 0.23 | 0.35 | 156 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 167 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | 38 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 136 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 53 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 174 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | 42 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 64 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 29 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1605 | 1.8 | 8.9 | 5.2 | 0.27 | 0.64 | 418 | 0.5 | 2.3 | 1.2 | 0.06 | 0.14 | C15 |
| Stomach | 1465 | 1.6 | 8.2 | 4.8 | 0.24 | 0.57 | 818 | 0.9 | 4.6 | 2.5 | 0.15 | 0.27 | C16 |
| Small intestine | 498 | 0.5 | 2.8 | 1.7 | 0.09 | 0.21 | 440 | 0.5 | 2.4 | 1.4 | 0.08 | 0.17 | C17 |
| Colon | 4795 | 5.3 | 26.7 | 16.2 | 0.90 | 1.80 | 4923 | 5.4 | 27.4 | 14.3 | 0.76 | 1.53 | C18 |
| Rectum | 2661 | 2.9 | 14.8 | 9.6 | 0.68 | 1.11 | 1884 | 2.1 | 10.5 | 6.3 | 0.45 | 0.70 | C19–20 |
| Anus | 294 | 0.3 | 1.6 | 1.1 | 0.07 | 0.13 | 562 | 0.6 | 3.1 | 1.8 | 0.13 | 0.22 | C21 |
| Liver | 2877 | 3.2 | 16.0 | 10.0 | 0.69 | 1.25 | 1149 | 1.3 | 6.4 | 3.5 | 0.20 | 0.43 | C22 |
| Gallbladder etc. | 589 | 0.6 | 3.3 | 1.9 | 0.09 | 0.20 | 597 | 0.7 | 3.3 | 1.6 | 0.08 | 0.18 | C23–24 |
| Pancreas | 2697 | 3.0 | 15.0 | 8.7 | 0.41 | 1.04 | 2500 | 2.7 | 13.9 | 6.8 | 0.32 | 0.79 | C25 |
| Nose, sinuses etc. | 154 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 94 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 777 | 0.9 | 4.3 | 2.6 | 0.14 | 0.32 | 200 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 11086 | 12.2 | 61.8 | 34.6 | 1.41 | 4.18 | 11040 | 12.1 | 61.5 | 30.4 | 1.33 | 3.76 | C33–34 |
| Other thoracic organs | 115 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 75 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 250 | 0.3 | 1.4 | 1.2 | 0.08 | 0.10 | 165 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 5919 | 6.5 | 33.0 | 20.4 | 1.14 | 2.34 | 4589 | 5.0 | 25.5 | 16.6 | 1.16 | 1.79 | C43 |
| Other skin | 475 | 0.5 | 2.6 | 1.6 | 0.07 | 0.15 | 364 | 0.4 | 2.0 | 1.2 | 0.07 | 0.12 | C44 |
| Mesothelioma | 355 | 0.4 | 2.0 | 1.0 | 0.03 | 0.10 | 108 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 88 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 16 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 987 | 1.1 | 5.5 | 3.6 | 0.18 | 0.33 | 584 | 0.6 | 3.3 | 2.3 | 0.14 | 0.22 | C47+C49 |
| Breast | 199 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 28473 | 31.3 | 158.5 | 96.7 | 6.48 | 11.50 | C50 |
| Vulva | | | | | | | 593 | 0.7 | 3.3 | 1.7 | 0.10 | 0.19 | C51 |
| Vagina | | | | | | | 165 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1237 | 1.4 | 6.9 | 5.3 | 0.43 | 0.51 | C53 |
| Corpus uteri | | | | | | | 5740 | 6.3 | 32.0 | 19.2 | 1.38 | 2.41 | C54 |
| Uterus unspecified | | | | | | | 98 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 2315 | 2.5 | 12.9 | 7.7 | 0.50 | 0.85 | C56 |
| Other female genital organs | | | | | | | 520 | 0.6 | 2.9 | 1.6 | 0.10 | 0.21 | C57 |
| Placenta | | | | | | | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 129 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 20512 | 22.6 | 114.4 | 67.8 | 3.40 | 9.40 | | | | | | | C61 |
| Testis | 1173 | 1.3 | 6.5 | 6.0 | 0.45 | 0.47 | | | | | | | C62 |
| Other male genital organs | 61 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 3778 | 4.2 | 21.1 | 13.4 | 0.82 | 1.60 | 2167 | 2.4 | 12.1 | 7.3 | 0.45 | 0.85 | C64 |
| Renal pelvis | 226 | 0.2 | 1.3 | 0.7 | 0.02 | 0.07 | 171 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 128 | 0.1 | 0.7 | 0.4 | 0.01 | 0.05 | 91 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 6714 | 7.4 | 37.4 | 20.3 | 0.75 | 2.23 | 1946 | 2.1 | 10.8 | 5.2 | 0.21 | 0.60 | C67 |
| Other urinary organs | 155 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | 59 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 231 | 0.3 | 1.3 | 0.9 | 0.05 | 0.10 | 173 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 1621 | 1.8 | 9.0 | 7.1 | 0.45 | 0.67 | 1175 | 1.3 | 6.5 | 5.1 | 0.30 | 0.46 | C70–72 |
| Thyroid | 1341 | 1.5 | 7.5 | 5.5 | 0.40 | 0.58 | 3734 | 4.1 | 20.8 | 16.5 | 1.28 | 1.58 | C73 |
| Adrenal gland | 51 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 67 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 33 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 17 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 517 | 0.6 | 2.9 | 2.5 | 0.17 | 0.21 | 386 | 0.4 | 2.1 | 2.0 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 4109 | 4.5 | 22.9 | 14.3 | 0.76 | 1.57 | 3112 | 3.4 | 17.3 | 9.6 | 0.53 | 1.09 | C82–86, C96 |
| Immunoproliferative diseases | 322 | 0.4 | 1.8 | 1.0 | 0.05 | 0.12 | 315 | 0.3 | 1.8 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 1507 | 1.7 | 8.4 | 4.8 | 0.22 | 0.58 | 1056 | 1.2 | 5.9 | 3.1 | 0.16 | 0.36 | C90 |
| Lymphoid leukaemia | 2219 | 2.4 | 12.4 | 8.5 | 0.45 | 0.89 | 1379 | 1.5 | 7.7 | 5.1 | 0.26 | 0.49 | C91 |
| Myeloid leukaemia | 1464 | 1.6 | 8.2 | 5.3 | 0.26 | 0.54 | 1062 | 1.2 | 5.9 | 3.6 | 0.20 | 0.38 | C92–94 |
| Leukaemia unspecified | 69 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 51 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 803 | 0.9 | 4.5 | 2.7 | 0.14 | 0.29 | 902 | 1.0 | 5.0 | 2.7 | 0.14 | 0.28 | MPD |
| Myelodysplastic syndromes | 1009 | 1.1 | 5.6 | 2.9 | 0.06 | 0.27 | 640 | 0.7 | 3.6 | 1.5 | 0.05 | 0.15 | MPS |
| Other and unspecified | 1586 | 1.7 | 8.8 | 5.0 | 0.22 | 0.53 | 1635 | 1.8 | 9.1 | 4.2 | 0.18 | 0.44 | O&U |
| All sites | 91295 | | 509.0 | 310.2 | 16.27 | 36.58 | 91314 | | 508.3 | 299.0 | 18.43 | 34.00 | C00–96 |
| All sites except C44 | 90820 | 100.0 | 506.3 | 308.6 | 16.20 | 36.43 | 90950 | 100.0 | 506.3 | 297.8 | 18.37 | 33.88 | C00–96 exc. C44 |

USA, Washington, Seattle

CONTRIBUTORS

Stephen M. Schwartz
 Christopher I. Li
 Mary S. Potts
 Jennifer L. Hafterson



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 74.5 | Breast | 94.2 |
| Trachea, bronchus, and lung | 33.9 | Trachea, bronchus, and lung | 29.5 |
| Melanoma of skin | 21.1 | Corpus uteri | 20.0 |
| Bladder | 20.1 | Melanoma of skin | 17.4 |
| Colon | 16.7 | Thyroid | 16.9 |
| Non-Hodgkin lymphoma | 14.6 | Colon | 14.4 |
| Kidney | 13.2 | Non-Hodgkin lymphoma | 9.6 |
| Liver | 10.7 | Ovary | 7.8 |
| Rectum | 10.0 | Kidney | 7.0 |
| Lymphoid leukaemia | 9.4 | Pancreas | 6.9 |
| Pancreas | 8.5 | Rectum | 6.4 |
| Brain and nervous system | 7.3 | Cervix uteri | 5.5 |
| Testis | 6.1 | Brain and nervous system | 5.4 |
| Thyroid | 5.8 | Lymphoid leukaemia | 5.2 |
| Stomach | 5.1 | Bladder | 5.0 |
| Multiple myeloma | 5.0 | Other and unspecified | 3.8 |
| Myeloid leukaemia | 5.0 | Liver | 3.6 |
| Oesophagus | 4.8 | Myeloid leukaemia | 3.4 |
| Tongue | 4.7 | Myeloproliferative disorders | 3.4 |
| Other and unspecified | 4.6 | Multiple myeloma | 3.1 |
| All sites | 321.1 | All sites | 298.6 |

***USA, Washington, Seattle (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 188 | 0.3 | 1.5 | 0.9 | 0.04 | 0.08 | 102 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C00 |
| Tongue | 919 | 1.4 | 7.4 | 4.7 | 0.32 | 0.62 | 323 | 0.5 | 2.6 | 1.5 | 0.10 | 0.17 | C01–02 |
| Mouth | 365 | 0.6 | 3.0 | 1.8 | 0.11 | 0.21 | 252 | 0.4 | 2.0 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 175 | 0.3 | 1.4 | 0.9 | 0.04 | 0.09 | 134 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | C07–08 |
| Tonsil | 564 | 0.9 | 4.6 | 3.0 | 0.25 | 0.37 | 112 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 109 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 26 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 105 | 0.2 | 0.9 | 0.6 | 0.05 | 0.07 | 40 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 116 | 0.2 | 0.9 | 0.6 | 0.03 | 0.08 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 52 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1005 | 1.6 | 8.1 | 4.8 | 0.25 | 0.59 | 280 | 0.5 | 2.3 | 1.1 | 0.06 | 0.13 | C15 |
| Stomach | 1045 | 1.6 | 8.5 | 5.1 | 0.25 | 0.59 | 604 | 1.0 | 4.9 | 2.6 | 0.16 | 0.27 | C16 |
| Small intestine | 351 | 0.6 | 2.8 | 1.8 | 0.10 | 0.22 | 315 | 0.5 | 2.5 | 1.4 | 0.09 | 0.17 | C17 |
| Colon | 3331 | 5.2 | 27.0 | 16.7 | 0.93 | 1.84 | 3348 | 5.4 | 27.1 | 14.4 | 0.78 | 1.54 | C18 |
| Rectum | 1884 | 3.0 | 15.3 | 10.0 | 0.72 | 1.16 | 1301 | 2.1 | 10.5 | 6.4 | 0.45 | 0.71 | C19–20 |
| Anus | 212 | 0.3 | 1.7 | 1.1 | 0.07 | 0.13 | 390 | 0.6 | 3.2 | 1.8 | 0.13 | 0.21 | C21 |
| Liver | 2097 | 3.3 | 17.0 | 10.7 | 0.73 | 1.35 | 813 | 1.3 | 6.6 | 3.6 | 0.20 | 0.44 | C22 |
| Gallbladder etc. | 398 | 0.6 | 3.2 | 1.9 | 0.08 | 0.20 | 407 | 0.7 | 3.3 | 1.6 | 0.07 | 0.17 | C23–24 |
| Pancreas | 1789 | 2.8 | 14.5 | 8.5 | 0.38 | 1.01 | 1742 | 2.8 | 14.1 | 6.9 | 0.31 | 0.78 | C25 |
| Nose, sinuses etc. | 115 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | 71 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 517 | 0.8 | 4.2 | 2.5 | 0.14 | 0.31 | 130 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | C32 |
| Trachea, bronchus, and lung | 7331 | 11.5 | 59.4 | 33.9 | 1.34 | 4.04 | 7338 | 11.8 | 59.4 | 29.5 | 1.28 | 3.62 | C33–34 |
| Other thoracic organs | 75 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 55 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 166 | 0.3 | 1.3 | 1.2 | 0.08 | 0.10 | 106 | 0.2 | 0.9 | 0.8 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 4130 | 6.5 | 33.4 | 21.1 | 1.19 | 2.40 | 3311 | 5.3 | 26.8 | 17.4 | 1.22 | 1.88 | C43 |
| Other skin | 367 | 0.6 | 3.0 | 1.8 | 0.08 | 0.18 | 299 | 0.5 | 2.4 | 1.4 | 0.07 | 0.14 | C44 |
| Mesothelioma | 248 | 0.4 | 2.0 | 1.1 | 0.03 | 0.10 | 74 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 81 | 0.1 | 0.7 | 0.5 | 0.04 | 0.04 | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 708 | 1.1 | 5.7 | 3.7 | 0.17 | 0.34 | 397 | 0.6 | 3.2 | 2.2 | 0.14 | 0.21 | C47+C49 |
| Breast | 126 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | 18918 | 30.4 | 153.0 | 94.2 | 6.41 | 11.11 | C50 |
| Vulva | | | | | | | 375 | 0.6 | 3.0 | 1.6 | 0.09 | 0.17 | C51 |
| Vagina | | | | | | | 120 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 905 | 1.5 | 7.3 | 5.5 | 0.44 | 0.53 | C53 |
| Corpus uteri | | | | | | | 4104 | 6.6 | 33.2 | 20.0 | 1.44 | 2.50 | C54 |
| Uterus unspecified | | | | | | | 35 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 1618 | 2.6 | 13.1 | 7.8 | 0.50 | 0.86 | C56 |
| Other female genital organs | | | | | | | 377 | 0.6 | 3.0 | 1.7 | 0.10 | 0.22 | C57 |
| Placenta | | | | | | | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 84 | 0.1 | 0.7 | 0.4 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 15167 | 23.8 | 122.8 | 74.5 | 3.72 | 10.31 | | | | | | | C61 |
| Testis | 843 | 1.3 | 6.8 | 6.1 | 0.46 | 0.48 | | | | | | | C62 |
| Other male genital organs | 54 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | | | | | | | C63 |
| Kidney | 2555 | 4.0 | 20.7 | 13.2 | 0.80 | 1.56 | 1439 | 2.3 | 11.6 | 7.0 | 0.43 | 0.79 | C64 |
| Renal pelvis | 141 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 112 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 68 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 60 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 4451 | 7.0 | 36.0 | 20.1 | 0.76 | 2.20 | 1301 | 2.1 | 10.5 | 5.0 | 0.20 | 0.59 | C67 |
| Other urinary organs | 97 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 42 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C68 |
| Eye | 156 | 0.2 | 1.3 | 0.9 | 0.05 | 0.09 | 116 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 1140 | 1.8 | 9.2 | 7.3 | 0.46 | 0.68 | 837 | 1.3 | 6.8 | 5.4 | 0.32 | 0.48 | C70–72 |
| Thyroid | 985 | 1.5 | 8.0 | 5.8 | 0.42 | 0.62 | 2684 | 4.3 | 21.7 | 16.9 | 1.30 | 1.62 | C73 |
| Adrenal gland | 30 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 40 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 26 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 13 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 369 | 0.6 | 3.0 | 2.6 | 0.18 | 0.22 | 268 | 0.4 | 2.2 | 2.0 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 2823 | 4.4 | 22.9 | 14.6 | 0.79 | 1.58 | 2108 | 3.4 | 17.1 | 9.6 | 0.53 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 263 | 0.4 | 2.1 | 1.2 | 0.06 | 0.13 | 223 | 0.4 | 1.8 | 0.9 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 1067 | 1.7 | 8.6 | 5.0 | 0.22 | 0.60 | 742 | 1.2 | 6.0 | 3.1 | 0.16 | 0.37 | C90 |
| Lymphoid leukaemia | 1678 | 2.6 | 13.6 | 9.4 | 0.49 | 1.00 | 1010 | 1.6 | 8.2 | 5.2 | 0.26 | 0.53 | C91 |
| Myeloid leukaemia | 928 | 1.5 | 7.5 | 5.0 | 0.25 | 0.50 | 693 | 1.1 | 5.6 | 3.4 | 0.19 | 0.36 | C92–94 |
| Leukaemia unspecified | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 667 | 1.0 | 5.4 | 3.3 | 0.18 | 0.36 | 771 | 1.2 | 6.2 | 3.4 | 0.18 | 0.34 | MPD |
| Myelodysplastic syndromes | 769 | 1.2 | 6.2 | 3.2 | 0.06 | 0.29 | 499 | 0.8 | 4.0 | 1.7 | 0.05 | 0.17 | MPS |
| Other and unspecified | 1004 | 1.6 | 8.1 | 4.6 | 0.20 | 0.47 | 1025 | 1.6 | 8.3 | 3.8 | 0.16 | 0.39 | O&U |
| All sites | 63966 | | 517.9 | 321.1 | 16.80 | 37.77 | 62503 | | 505.6 | 298.6 | 18.49 | 33.70 | C00–96 |
| All sites except C44 | 63599 | 100.0 | 515.0 | 319.3 | 16.72 | 37.59 | 62204 | 100.0 | 503.1 | 297.2 | 18.42 | 33.56 | C00–96 exc. C44 |

*See note following population pyramid

USA, West Virginia

CONTRIBUTORS

Shawn Farley
Myra Fernatt
Leslie Boner
Neal Kerley
Jena Webb Chapman
Brenda Shehab



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 64.1 | Breast | 85.4 |
| Trachea, bronchus, and lung | 59.9 | Trachea, bronchus, and lung | 46.1 |
| Colon | 23.0 | Corpus uteri | 23.3 |
| Bladder | 22.2 | Thyroid | 22.0 |
| Kidney | 17.9 | Colon | 19.0 |
| Melanoma of skin | 17.7 | Melanoma of skin | 13.0 |
| Non-Hodgkin lymphoma | 13.8 | Kidney | 11.0 |
| Rectum | 11.7 | Non-Hodgkin lymphoma | 9.9 |
| Pancreas | 8.6 | Ovary | 8.9 |
| Liver | 8.2 | Rectum | 7.4 |
| Lymphoid leukaemia | 8.1 | Cervix uteri | 7.3 |
| Brain and nervous system | 6.9 | Pancreas | 6.9 |
| Other and unspecified | 6.7 | Bladder | 6.4 |
| Oesophagus | 6.5 | Brain and nervous system | 5.2 |
| Myeloid leukaemia | 6.0 | Other and unspecified | 5.0 |
| Larynx | 5.9 | Myeloid leukaemia | 4.8 |
| Thyroid | 5.8 | Lymphoid leukaemia | 4.4 |
| Testis | 4.9 | Multiple myeloma | 2.9 |
| Multiple myeloma | 4.8 | Liver | 2.7 |
| Stomach | 4.8 | Stomach | 2.6 |
| All sites | 346.6 | All sites | 326.7 |


USA, West Virginia (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 45 | 0.1 | 1.0 | 0.5 | 0.02 | 0.06 | 17 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 368 | 1.2 | 8.1 | 4.7 | 0.36 | 0.57 | 142 | 0.5 | 3.1 | 1.6 | 0.10 | 0.18 | C01–02 |
| Mouth | 218 | 0.7 | 4.8 | 2.7 | 0.19 | 0.32 | 120 | 0.4 | 2.6 | 1.3 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 89 | 0.3 | 2.0 | 0.9 | 0.04 | 0.09 | 67 | 0.2 | 1.4 | 0.8 | 0.06 | 0.07 | C07–08 |
| Tonsil | 281 | 0.9 | 6.2 | 3.8 | 0.33 | 0.43 | 54 | 0.2 | 1.2 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 85 | 0.3 | 1.9 | 1.1 | 0.08 | 0.12 | 23 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C10 |
| Nasopharynx | 33 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 22 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 73 | 0.2 | 1.6 | 0.9 | 0.07 | 0.10 | 17 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 19 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 577 | 1.9 | 12.7 | 6.5 | 0.41 | 0.85 | 132 | 0.5 | 2.8 | 1.3 | 0.08 | 0.14 | C15 |
| Stomach | 448 | 1.5 | 9.9 | 4.8 | 0.25 | 0.57 | 275 | 0.9 | 5.9 | 2.6 | 0.14 | 0.30 | C16 |
| Small intestine | 142 | 0.5 | 3.1 | 1.7 | 0.10 | 0.20 | 135 | 0.5 | 2.9 | 1.6 | 0.12 | 0.17 | C17 |
| Colon | 2052 | 6.8 | 45.1 | 23.0 | 1.32 | 2.66 | 2031 | 7.0 | 43.7 | 19.0 | 1.03 | 2.11 | C18 |
| Rectum | 964 | 3.2 | 21.2 | 11.7 | 0.81 | 1.33 | 676 | 2.3 | 14.5 | 7.4 | 0.51 | 0.81 | C19–20 |
| Anus | 93 | 0.3 | 2.0 | 1.1 | 0.08 | 0.13 | 200 | 0.7 | 4.3 | 2.3 | 0.19 | 0.27 | C21 |
| Liver | 715 | 2.4 | 15.7 | 8.2 | 0.61 | 1.00 | 286 | 1.0 | 6.2 | 2.7 | 0.14 | 0.32 | C22 |
| Gallbladder etc. | 141 | 0.5 | 3.1 | 1.4 | 0.07 | 0.16 | 171 | 0.6 | 3.7 | 1.5 | 0.08 | 0.17 | C23–24 |
| Pancreas | 776 | 2.6 | 17.1 | 8.6 | 0.47 | 1.04 | 766 | 2.6 | 16.5 | 6.9 | 0.36 | 0.80 | C25 |
| Nose, sinuses etc. | 59 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 33 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 492 | 1.6 | 10.8 | 5.9 | 0.42 | 0.74 | 174 | 0.6 | 3.7 | 2.0 | 0.15 | 0.25 | C32 |
| Trachea, bronchus, and lung | 5728 | 18.9 | 126.0 | 59.9 | 3.04 | 7.55 | 4796 | 16.5 | 103.2 | 46.1 | 2.58 | 5.89 | C33–34 |
| Other thoracic organs | 31 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 16 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C37–38 |
| Bone | 49 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 60 | 0.2 | 1.3 | 1.2 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 1485 | 4.9 | 32.7 | 17.7 | 1.05 | 1.97 | 993 | 3.4 | 21.4 | 13.0 | 0.95 | 1.34 | C43 |
| Other skin | 97 | 0.3 | 2.1 | 1.1 | 0.06 | 0.11 | 68 | 0.2 | 1.5 | 0.8 | 0.05 | 0.08 | C44 |
| Mesothelioma | 110 | 0.4 | 2.4 | 1.1 | 0.04 | 0.12 | 27 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 14 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 192 | 0.6 | 4.2 | 2.5 | 0.15 | 0.25 | 145 | 0.5 | 3.1 | 2.0 | 0.14 | 0.18 | C47+C49 |
| Breast | 60 | 0.2 | 1.3 | 0.6 | 0.03 | 0.08 | 7436 | 25.5 | 160.0 | 85.4 | 5.89 | 9.94 | C50 |
| Vulva | | | | | | | 232 | 0.8 | 5.0 | 2.5 | 0.17 | 0.28 | C51 |
| Vagina | | | | | | | 51 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 440 | 1.5 | 9.5 | 7.3 | 0.59 | 0.69 | C53 |
| Corpus uteri | | | | | | | 1953 | 6.7 | 42.0 | 23.3 | 1.78 | 2.85 | C54 |
| Uterus unspecified | | | | | | | 71 | 0.2 | 1.5 | 0.8 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 772 | 2.7 | 16.6 | 8.9 | 0.61 | 0.99 | C56 |
| Other female genital organs | | | | | | | 65 | 0.2 | 1.4 | 0.7 | 0.04 | 0.10 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 75 | 0.2 | 1.6 | 0.8 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 5946 | 19.6 | 130.8 | 64.1 | 3.38 | 8.80 | | | | | | | C61 |
| Testis | 226 | 0.7 | 5.0 | 4.9 | 0.37 | 0.39 | | | | | | | C62 |
| Other male genital organs | 12 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1405 | 4.6 | 30.9 | 17.9 | 1.18 | 2.09 | 947 | 3.3 | 20.4 | 11.0 | 0.74 | 1.28 | C64 |
| Renal pelvis | 69 | 0.2 | 1.5 | 0.7 | 0.03 | 0.08 | 44 | 0.2 | 0.9 | 0.3 | 0.01 | 0.02 | C65 |
| Ureter | 57 | 0.2 | 1.3 | 0.5 | 0.01 | 0.06 | 22 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 2201 | 7.3 | 48.4 | 22.2 | 0.91 | 2.63 | 697 | 2.4 | 15.0 | 6.4 | 0.32 | 0.79 | C67 |
| Other urinary organs | 24 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 77 | 0.3 | 1.7 | 1.1 | 0.07 | 0.10 | 55 | 0.2 | 1.2 | 0.9 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 432 | 1.4 | 9.5 | 6.9 | 0.42 | 0.64 | 334 | 1.1 | 7.2 | 5.2 | 0.34 | 0.47 | C70–72 |
| Thyroid | 398 | 1.3 | 8.8 | 5.8 | 0.42 | 0.61 | 1292 | 4.4 | 27.8 | 22.0 | 1.73 | 2.06 | C73 |
| Adrenal gland | 18 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 11 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 137 | 0.5 | 3.0 | 2.6 | 0.18 | 0.22 | 105 | 0.4 | 2.3 | 2.2 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 1160 | 3.8 | 25.5 | 13.8 | 0.77 | 1.56 | 966 | 3.3 | 20.8 | 9.9 | 0.59 | 1.14 | C82–86,C96 |
| Immunoproliferative diseases | 43 | 0.1 | 0.9 | 0.4 | 0.02 | 0.04 | 85 | 0.3 | 1.8 | 0.9 | 0.05 | 0.12 | C88 |
| Multiple myeloma | 444 | 1.5 | 9.8 | 4.8 | 0.24 | 0.63 | 320 | 1.1 | 6.9 | 2.9 | 0.14 | 0.38 | C90 |
| Lymphoid leukaemia | 647 | 2.1 | 14.2 | 8.1 | 0.42 | 0.88 | 384 | 1.3 | 8.3 | 4.4 | 0.23 | 0.45 | C91 |
| Myeloid leukaemia | 472 | 1.6 | 10.4 | 6.0 | 0.35 | 0.62 | 412 | 1.4 | 8.9 | 4.8 | 0.30 | 0.50 | C92–94 |
| Leukaemia unspecified | 27 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 23 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 169 | 0.6 | 3.7 | 1.9 | 0.12 | 0.21 | 191 | 0.7 | 4.1 | 2.0 | 0.12 | 0.22 | MPD |
| Myelodysplastic syndromes | 269 | 0.9 | 5.9 | 2.6 | 0.09 | 0.27 | 230 | 0.8 | 4.9 | 2.0 | 0.08 | 0.22 | MPS |
| Other and unspecified | 618 | 2.0 | 13.6 | 6.7 | 0.36 | 0.71 | 588 | 2.0 | 12.7 | 5.0 | 0.22 | 0.55 | O&U |
| All sites | 30366 | | 668.0 | 346.6 | 19.65 | 41.50 | 29194 | | 628.1 | 326.7 | 21.29 | 37.11 | C00–96 |
| All sites except C44 | 30269 | 100.0 | 665.9 | 345.4 | 19.59 | 41.39 | 29126 | 100.0 | 626.7 | 325.9 | 21.23 | 37.03 | C00–96 exc. C44 |

USA, Wyoming

CONTRIBUTORS

Julia Espinoza
Joe Grandpre



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 74.7 | Breast | 80.7 |
| Trachea, bronchus, and lung | 27.0 | Trachea, bronchus, and lung | 25.0 |
| Bladder | 19.1 | Thyroid | 19.6 |
| Melanoma of skin | 17.6 | Corpus uteri | 17.1 |
| Colon | 14.7 | Melanoma of skin | 15.0 |
| Kidney | 12.8 | Colon | 13.4 |
| Non-Hodgkin lymphoma | 11.8 | Non-Hodgkin lymphoma | 8.4 |
| Rectum | 8.9 | Ovary | 8.3 |
| Pancreas | 8.2 | Kidney | 6.8 |
| Testis | 7.6 | Other and unspecified | 6.1 |
| Lymphoid leukaemia | 7.2 | Pancreas | 5.3 |
| Other and unspecified | 7.2 | Bladder | 5.2 |
| Liver | 6.7 | Cervix uteri | 5.2 |
| Thyroid | 5.9 | Rectum | 5.0 |
| Brain and nervous system | 5.7 | Lymphoid leukaemia | 4.8 |
| Myeloid leukaemia | 4.6 | Brain and nervous system | 4.7 |
| Oesophagus | 4.3 | Myeloid leukaemia | 3.0 |
| Stomach | 4.1 | Multiple myeloma | 2.9 |
| Multiple myeloma | 3.9 | Connective and soft tissue | 2.6 |
| Tongue | 3.6 | Liver | 2.2 |
| All sites | 287.9 | All sites | 265.6 |


USA, Wyoming (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 14 | 0.2 | 0.9 | 0.5 | 0.02 | 0.07 | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 83 | 1.2 | 5.6 | 3.6 | 0.30 | 0.39 | 28 | 0.4 | 2.0 | 1.1 | 0.07 | 0.14 | C01–02 |
| Mouth | 33 | 0.5 | 2.2 | 1.3 | 0.08 | 0.17 | 31 | 0.5 | 2.2 | 1.3 | 0.08 | 0.16 | C03–06 |
| Salivary glands | 25 | 0.3 | 1.7 | 1.0 | 0.04 | 0.09 | 13 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | C07–08 |
| Tonsil | 61 | 0.9 | 4.1 | 2.6 | 0.23 | 0.33 | 11 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 16 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 6 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 11 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 114 | 1.6 | 7.7 | 4.3 | 0.19 | 0.55 | 25 | 0.4 | 1.8 | 0.9 | 0.07 | 0.12 | C15 |
| Stomach | 105 | 1.5 | 7.1 | 4.1 | 0.20 | 0.50 | 43 | 0.7 | 3.0 | 1.7 | 0.10 | 0.18 | C16 |
| Small intestine | 48 | 0.7 | 3.2 | 2.0 | 0.12 | 0.23 | 38 | 0.6 | 2.7 | 1.5 | 0.09 | 0.21 | C17 |
| Colon | 366 | 5.1 | 24.6 | 14.7 | 0.78 | 1.68 | 363 | 5.8 | 25.5 | 13.4 | 0.68 | 1.53 | C18 |
| Rectum | 216 | 3.0 | 14.5 | 8.9 | 0.55 | 1.02 | 124 | 2.0 | 8.7 | 5.0 | 0.32 | 0.53 | C19–20 |
| Anus | 22 | 0.3 | 1.5 | 0.9 | 0.05 | 0.14 | 30 | 0.5 | 2.1 | 1.3 | 0.10 | 0.18 | C21 |
| Liver | 172 | 2.4 | 11.6 | 6.7 | 0.45 | 0.90 | 62 | 1.0 | 4.3 | 2.2 | 0.12 | 0.27 | C22 |
| Gallbladder etc. | 44 | 0.6 | 3.0 | 1.6 | 0.06 | 0.20 | 51 | 0.8 | 3.6 | 1.8 | 0.09 | 0.24 | C23–24 |
| Pancreas | 213 | 3.0 | 14.3 | 8.2 | 0.39 | 1.00 | 160 | 2.5 | 11.2 | 5.3 | 0.26 | 0.63 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 9 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 68 | 0.9 | 4.6 | 2.7 | 0.20 | 0.36 | 27 | 0.4 | 1.9 | 1.1 | 0.08 | 0.16 | C32 |
| Trachea, bronchus, and lung | 746 | 10.4 | 50.2 | 27.0 | 1.11 | 3.38 | 709 | 11.3 | 49.7 | 25.0 | 1.19 | 3.09 | C33–34 |
| Other thoracic organs | 11 | 0.2 | 0.7 | 0.7 | 0.03 | 0.06 | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C37–38 |
| Bone | 20 | 0.3 | 1.3 | 1.2 | 0.08 | 0.10 | 12 | 0.2 | 0.8 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 440 | 6.1 | 29.6 | 17.6 | 0.96 | 2.07 | 317 | 5.0 | 22.2 | 15.0 | 1.04 | 1.67 | C43 |
| Other skin | 53 | 0.7 | 3.6 | 2.0 | 0.10 | 0.16 | 24 | 0.4 | 1.7 | 1.0 | 0.05 | 0.10 | C44 |
| Mesothelioma | 26 | 0.4 | 1.7 | 0.9 | 0.03 | 0.09 | 14 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 60 | 0.8 | 4.0 | 2.8 | 0.19 | 0.27 | 49 | 0.8 | 3.4 | 2.6 | 0.17 | 0.26 | C47+C49 |
| Breast | 27 | 0.4 | 1.8 | 0.9 | 0.04 | 0.08 | 1879 | 29.9 | 131.8 | 80.7 | 5.39 | 9.52 | C50 |
| Vulva | | | | | | | 38 | 0.6 | 2.7 | 1.3 | 0.08 | 0.14 | C51 |
| Vagina | | | | | | | 10 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 94 | 1.5 | 6.6 | 5.2 | 0.42 | 0.50 | C53 |
| Corpus uteri | | | | | | | 392 | 6.2 | 27.5 | 17.1 | 1.31 | 2.09 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 182 | 2.9 | 12.8 | 8.3 | 0.57 | 0.95 | C56 |
| Other female genital organs | | | | | | | 16 | 0.3 | 1.1 | 0.6 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 12 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 1962 | 27.4 | 131.9 | 74.7 | 3.93 | 10.50 | | | | | | | C61 |
| Testis | 115 | 1.6 | 7.7 | 7.6 | 0.56 | 0.57 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 292 | 4.1 | 19.6 | 12.8 | 0.84 | 1.47 | 158 | 2.5 | 11.1 | 6.8 | 0.39 | 0.77 | C64 |
| Renal pelvis | 15 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | 8 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 14 | 0.2 | 0.9 | 0.5 | 0.01 | 0.06 | 5 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 540 | 7.5 | 36.3 | 19.1 | 0.64 | 2.21 | 143 | 2.3 | 10.0 | 5.2 | 0.27 | 0.64 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 21 | 0.3 | 1.4 | 1.0 | 0.05 | 0.11 | 11 | 0.2 | 0.8 | 0.7 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 111 | 1.5 | 7.5 | 5.7 | 0.40 | 0.53 | 97 | 1.5 | 6.8 | 4.7 | 0.32 | 0.45 | C70–72 |
| Thyroid | 122 | 1.7 | 8.2 | 5.9 | 0.42 | 0.64 | 330 | 5.2 | 23.1 | 19.6 | 1.51 | 1.81 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 40 | 0.6 | 2.7 | 2.2 | 0.13 | 0.18 | 24 | 0.4 | 1.7 | 1.4 | 0.09 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 291 | 4.1 | 19.6 | 11.8 | 0.62 | 1.30 | 212 | 3.4 | 14.9 | 8.4 | 0.51 | 0.89 | C82–86, C96 |
| Immunoproliferative diseases | 18 | 0.3 | 1.2 | 0.6 | 0.03 | 0.07 | 11 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | C88 |
| Multiple myeloma | 104 | 1.5 | 7.0 | 3.9 | 0.18 | 0.53 | 83 | 1.3 | 5.8 | 2.9 | 0.12 | 0.39 | C90 |
| Lymphoid leukaemia | 159 | 2.2 | 10.7 | 7.2 | 0.41 | 0.76 | 97 | 1.5 | 6.8 | 4.8 | 0.24 | 0.44 | C91 |
| Myeloid leukaemia | 111 | 1.5 | 7.5 | 4.6 | 0.25 | 0.42 | 77 | 1.2 | 5.4 | 3.0 | 0.17 | 0.35 | C92–94 |
| Leukaemia unspecified | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 7 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 44 | 0.6 | 3.0 | 1.8 | 0.11 | 0.20 | 51 | 0.8 | 3.6 | 1.9 | 0.08 | 0.22 | MPD |
| Myelodysplastic syndromes | 35 | 0.5 | 2.4 | 1.3 | 0.04 | 0.16 | 31 | 0.5 | 2.2 | 0.9 | 0.03 | 0.09 | MPS |
| Other and unspecified | 181 | 2.5 | 12.2 | 7.2 | 0.35 | 0.76 | 173 | 2.8 | 12.1 | 6.1 | 0.27 | 0.68 | O&U |
| All sites | 7217 | | 485.2 | 287.9 | 15.38 | 34.75 | 6310 | | 442.5 | 265.6 | 16.69 | 30.30 | C00–96 |
| All sites except C44 | 7164 | 100.0 | 481.6 | 285.9 | 15.28 | 34.59 | 6286 | 100.0 | 440.8 | 264.6 | 16.64 | 30.20 | C00–96 exc. C44 |

Bahrain: Bahrainis

CONTRIBUTORS

Najat Abulfateh
Dalal Als Salman



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 16.2 | Breast | 67.7 |
| Trachea, bronchus, and lung | 16.0 | Corpus uteri | 10.6 |
| Bladder | 13.5 | Thyroid | 9.7 |
| Colon | 10.6 | Colon | 9.3 |
| Rectum | 7.6 | Ovary | 7.7 |
| Non-Hodgkin lymphoma | 7.2 | Non-Hodgkin lymphoma | 6.1 |
| Liver | 6.0 | Trachea, bronchus, and lung | 5.6 |
| Kidney | 4.4 | Rectum | 5.4 |
| Stomach | 4.2 | Other and unspecified | 4.8 |
| Pancreas | 4.1 | Liver | 3.3 |
| Other and unspecified | 3.5 | Pancreas | 2.9 |
| Brain and nervous system | 3.4 | Cervix uteri | 2.8 |
| Hodgkin lymphoma | 3.1 | Kidney | 2.7 |
| Lymphoid leukaemia | 2.8 | Stomach | 2.7 |
| Thyroid | 2.6 | Bladder | 2.6 |
| Larynx | 2.5 | Hodgkin lymphoma | 2.3 |
| Non-melanoma skin cancer | 2.2 | Non-melanoma skin cancer | 2.2 |
| Myeloid leukaemia | 2.1 | Brain and nervous system | 2.1 |
| Gallbladder etc. | 1.7 | Uterus unspecified | 1.9 |
| Multiple myeloma | 1.7 | Myeloid leukaemia | 1.8 |
| All sites | 134.6 | All sites | 169.7 |


Bahrain: Bahrainis (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.1 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 20 | 1.2 | 1.2 | 1.5 | 0.11 | 0.14 | 7 | 0.3 | 0.4 | 0.5 | 0.05 | 0.07 | C01–02 |
| Mouth | 16 | 1.0 | 1.0 | 1.3 | 0.06 | 0.18 | 7 | 0.3 | 0.4 | 0.5 | 0.04 | 0.04 | C03–06 |
| Salivary glands | 5 | 0.3 | 0.3 | 0.3 | 0.03 | 0.03 | 9 | 0.4 | 0.6 | 0.8 | 0.03 | 0.11 | C07–08 |
| Tonsil | 3 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.2 | 0.2 | 0.3 | 0.01 | 0.06 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 15 | 0.9 | 0.9 | 1.0 | 0.09 | 0.09 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 19 | 1.1 | 1.2 | 1.6 | 0.05 | 0.13 | 9 | 0.4 | 0.6 | 0.8 | 0.03 | 0.08 | C15 |
| Stomach | 52 | 3.1 | 3.2 | 4.2 | 0.18 | 0.42 | 33 | 1.4 | 2.1 | 2.7 | 0.13 | 0.31 | C16 |
| Small intestine | 10 | 0.6 | 0.6 | 0.8 | 0.04 | 0.09 | 6 | 0.3 | 0.4 | 0.4 | 0.04 | 0.06 | C17 |
| Colon | 132 | 7.9 | 8.0 | 10.6 | 0.55 | 1.42 | 126 | 5.5 | 7.9 | 9.3 | 0.66 | 1.02 | C18 |
| Rectum | 93 | 5.5 | 5.7 | 7.6 | 0.35 | 0.92 | 67 | 2.9 | 4.2 | 5.4 | 0.37 | 0.71 | C19–20 |
| Anus | 10 | 0.6 | 0.6 | 0.8 | 0.03 | 0.09 | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C21 |
| Liver | 73 | 4.4 | 4.4 | 6.0 | 0.26 | 0.72 | 40 | 1.8 | 2.5 | 3.3 | 0.16 | 0.41 | C22 |
| Gallbladder etc. | 22 | 1.3 | 1.3 | 1.7 | 0.09 | 0.19 | 19 | 0.8 | 1.2 | 1.6 | 0.07 | 0.19 | C23–24 |
| Pancreas | 48 | 2.9 | 2.9 | 4.1 | 0.16 | 0.49 | 37 | 1.6 | 2.3 | 2.9 | 0.13 | 0.33 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 0.2 | 0.3 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 33 | 2.0 | 2.0 | 2.5 | 0.18 | 0.29 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 188 | 11.2 | 11.4 | 16.0 | 0.63 | 1.74 | 69 | 3.0 | 4.3 | 5.6 | 0.23 | 0.51 | C33–34 |
| Other thoracic organs | 12 | 0.7 | 0.7 | 0.9 | 0.05 | 0.12 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 18 | 1.1 | 1.1 | 1.2 | 0.07 | 0.12 | 16 | 0.7 | 1.0 | 1.0 | 0.08 | 0.08 | C40–41 |
| Melanoma of skin | 6 | 0.4 | 0.4 | 0.5 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 29 | 1.7 | 1.8 | 2.2 | 0.12 | 0.20 | 28 | 1.2 | 1.8 | 2.2 | 0.09 | 0.24 | C44 |
| Mesothelioma | 7 | 0.4 | 0.4 | 0.6 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | C45 |
| Kaposi sarcoma | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.9 | 0.9 | 1.1 | 0.06 | 0.14 | 19 | 0.8 | 1.2 | 1.3 | 0.08 | 0.13 | C47+C49 |
| Breast | 13 | 0.8 | 0.8 | 0.9 | 0.07 | 0.10 | 944 | 41.3 | 59.3 | 67.7 | 5.34 | 7.38 | C50 |
| Vulva | | | | | | | 4 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 42 | 1.8 | 2.6 | 2.8 | 0.23 | 0.30 | C53 |
| Corpus uteri | | | | | | | 134 | 5.9 | 8.4 | 10.6 | 0.69 | 1.40 | C54 |
| Uterus unspecified | | | | | | | 25 | 1.1 | 1.6 | 1.9 | 0.15 | 0.19 | C55 |
| Ovary | | | | | | | 107 | 4.7 | 6.7 | 7.7 | 0.55 | 0.90 | C56 |
| Other female genital organs | | | | | | | 8 | 0.4 | 0.5 | 0.6 | 0.06 | 0.06 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 182 | 10.9 | 11.1 | 16.2 | 0.53 | 2.02 | | | | | | | C61 |
| Testis | 28 | 1.7 | 1.7 | 1.7 | 0.11 | 0.13 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 59 | 3.5 | 3.6 | 4.4 | 0.32 | 0.57 | 36 | 1.6 | 2.3 | 2.7 | 0.16 | 0.30 | C64 |
| Renal pelvis | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 160 | 9.5 | 9.7 | 13.5 | 0.51 | 1.30 | 34 | 1.5 | 2.1 | 2.6 | 0.12 | 0.24 | C67 |
| Other urinary organs | 2 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 50 | 3.0 | 3.0 | 3.4 | 0.20 | 0.34 | 30 | 1.3 | 1.9 | 2.1 | 0.14 | 0.18 | C70–72 |
| Thyroid | 39 | 2.3 | 2.4 | 2.6 | 0.17 | 0.24 | 148 | 6.5 | 9.3 | 9.7 | 0.79 | 0.91 | C73 |
| Adrenal gland | 4 | 0.2 | 0.2 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 51 | 3.0 | 3.1 | 3.1 | 0.22 | 0.25 | 36 | 1.6 | 2.3 | 2.3 | 0.18 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 99 | 5.9 | 6.0 | 7.2 | 0.45 | 0.80 | 87 | 3.8 | 5.5 | 6.1 | 0.37 | 0.55 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 24 | 1.4 | 1.5 | 1.7 | 0.16 | 0.18 | 19 | 0.8 | 1.2 | 1.5 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 43 | 2.6 | 2.6 | 2.8 | 0.14 | 0.23 | 15 | 0.7 | 0.9 | 1.2 | 0.04 | 0.14 | C91 |
| Myeloid leukaemia | 32 | 1.9 | 1.9 | 2.1 | 0.12 | 0.19 | 27 | 1.2 | 1.7 | 1.8 | 0.12 | 0.19 | C92–94 |
| Leukaemia unspecified | 14 | 0.8 | 0.9 | 1.1 | 0.04 | 0.13 | 18 | 0.8 | 1.1 | 1.3 | 0.06 | 0.11 | C95 |
| Myeloproliferative disorders | 7 | 0.4 | 0.4 | 0.5 | 0.03 | 0.03 | 5 | 0.2 | 0.3 | 0.5 | 0.02 | 0.05 | MPD |
| Myelodysplastic syndromes | 9 | 0.5 | 0.5 | 0.7 | 0.04 | 0.05 | 9 | 0.4 | 0.6 | 0.8 | 0.03 | 0.10 | MPS |
| Other and unspecified | 43 | 2.6 | 2.6 | 3.5 | 0.16 | 0.37 | 57 | 2.5 | 3.6 | 4.8 | 0.19 | 0.53 | O&U |
| All sites | 1706 | | 103.8 | 134.6 | 6.54 | 14.81 | 2311 | | 145.1 | 169.7 | 11.67 | 18.41 | C00–96 |
| All sites except C44 | 1677 | 100.0 | 102.1 | 132.3 | 6.42 | 14.61 | 2283 | 100.0 | 143.3 | 167.5 | 11.59 | 18.18 | C00–96 exc. C44 |

Brunei Darussalam

CONTRIBUTORS

Ong Sok King
 Khairulhazman Othman
 Siti Zuhri Kahan
 Khairil Si-Ramlee



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 24.0 | Breast | 47.5 |
| Prostate | 18.3 | Trachea, bronchus, and lung | 19.4 |
| Colon | 18.1 | Cervix uteri | 15.6 |
| Rectum | 13.7 | Colon | 14.7 |
| Liver | 12.1 | Corpus uteri | 12.4 |
| Non-Hodgkin lymphoma | 10.7 | Ovary | 12.2 |
| Non-melanoma skin cancer | 7.3 | Rectum | 9.1 |
| Stomach | 7.3 | Non-Hodgkin lymphoma | 9.0 |
| Nasopharynx | 7.1 | Thyroid | 7.4 |
| Kidney | 5.1 | Stomach | 5.6 |
| Bladder | 4.8 | Non-melanoma skin cancer | 5.4 |
| Myeloid leukaemia | 4.0 | Liver | 5.3 |
| Other and unspecified | 2.6 | Pancreas | 3.9 |
| Pancreas | 2.6 | Nasopharynx | 3.6 |
| Lymphoid leukaemia | 2.6 | Other and unspecified | 3.6 |
| Thyroid | 2.4 | Myeloid leukaemia | 3.0 |
| Brain and nervous system | 2.2 | Gallbladder etc. | 2.1 |
| Testis | 2.0 | Connective and soft tissue | 2.0 |
| Multiple myeloma | 2.0 | Kidney | 1.8 |
| Connective and soft tissue | 1.9 | Uterus unspecified | 1.8 |
| All sites | 169.3 | All sites | 202.9 |

Brunei Darussalam (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C00 |
| Tongue | 8 | 0.6 | 0.7 | 0.8 | 0.05 | 0.08 | 9 | 0.5 | 0.9 | 0.8 | 0.07 | 0.10 | C01–02 |
| Mouth | 7 | 0.5 | 0.7 | 0.6 | 0.05 | 0.05 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C03–06 |
| Salivary glands | 16 | 1.1 | 1.5 | 1.7 | 0.08 | 0.15 | 12 | 0.6 | 1.2 | 1.2 | 0.06 | 0.17 | C07–08 |
| Tonsil | 5 | 0.4 | 0.5 | 0.5 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.4 | 0.5 | 0.4 | 0.04 | 0.04 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C10 |
| Nasopharynx | 68 | 4.8 | 6.4 | 7.1 | 0.41 | 0.87 | 35 | 1.8 | 3.5 | 3.6 | 0.27 | 0.40 | C11 |
| Hypopharynx | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 12 | 0.9 | 1.1 | 1.4 | 0.07 | 0.18 | 3 | 0.2 | 0.3 | 0.4 | 0.01 | 0.03 | C15 |
| Stomach | 60 | 4.3 | 5.6 | 7.3 | 0.26 | 0.87 | 48 | 2.5 | 4.8 | 5.6 | 0.24 | 0.76 | C16 |
| Small intestine | 5 | 0.4 | 0.5 | 0.6 | 0.02 | 0.11 | 3 | 0.2 | 0.3 | 0.3 | 0.01 | 0.05 | C17 |
| Colon | 158 | 11.2 | 14.8 | 18.1 | 0.89 | 2.15 | 140 | 7.3 | 14.0 | 14.7 | 0.83 | 1.67 | C18 |
| Rectum | 125 | 8.9 | 11.7 | 13.7 | 0.90 | 1.52 | 87 | 4.6 | 8.7 | 9.1 | 0.65 | 1.06 | C19–20 |
| Anus | 3 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C21 |
| Liver | 102 | 7.2 | 9.6 | 12.1 | 0.59 | 1.56 | 46 | 2.4 | 4.6 | 5.3 | 0.22 | 0.51 | C22 |
| Gallbladder etc. | 15 | 1.1 | 1.4 | 1.7 | 0.10 | 0.21 | 18 | 0.9 | 1.8 | 2.1 | 0.12 | 0.25 | C23–24 |
| Pancreas | 21 | 1.5 | 2.0 | 2.6 | 0.06 | 0.27 | 34 | 1.8 | 3.4 | 3.9 | 0.18 | 0.50 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | C30–31 |
| Larynx | 9 | 0.6 | 0.8 | 1.0 | 0.03 | 0.06 | 4 | 0.2 | 0.4 | 0.5 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 200 | 14.2 | 18.7 | 24.0 | 0.99 | 2.72 | 168 | 8.8 | 16.7 | 19.4 | 0.84 | 2.23 | C33–34 |
| Other thoracic organs | 12 | 0.9 | 1.1 | 1.1 | 0.04 | 0.06 | 7 | 0.4 | 0.7 | 0.9 | 0.03 | 0.14 | C37–38 |
| Bone | 9 | 0.6 | 0.8 | 0.8 | 0.06 | 0.06 | 3 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.3 | 0.5 | 0.5 | 0.02 | 0.06 | C43 |
| Other skin | 65 | 4.6 | 6.1 | 7.3 | 0.36 | 0.70 | 53 | 2.8 | 5.3 | 5.4 | 0.38 | 0.54 | C44 |
| Mesothelioma | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 1.3 | 1.7 | 1.9 | 0.10 | 0.21 | 19 | 1.0 | 1.9 | 2.0 | 0.10 | 0.27 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 481 | 25.2 | 48.0 | 47.5 | 3.58 | 5.50 | C50 |
| Vulva | | | | | | | 7 | 0.4 | 0.7 | 0.8 | 0.04 | 0.09 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.3 | 0.5 | 0.00 | 0.07 | C52 |
| Cervix uteri | | | | | | | 179 | 9.4 | 17.8 | 15.6 | 1.27 | 1.50 | C53 |
| Corpus uteri | | | | | | | 126 | 6.6 | 12.6 | 12.4 | 0.93 | 1.43 | C54 |
| Uterus unspecified | | | | | | | 19 | 1.0 | 1.9 | 1.8 | 0.17 | 0.19 | C55 |
| Ovary | | | | | | | 128 | 6.7 | 12.8 | 12.2 | 0.88 | 1.28 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 6 | 0.4 | 0.6 | 0.6 | 0.05 | 0.05 | | | | | | | C60 |
| Prostate | 134 | 9.5 | 12.6 | 18.3 | 0.29 | 2.17 | | | | | | | C61 |
| Testis | 25 | 1.8 | 2.3 | 2.0 | 0.13 | 0.13 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 44 | 3.1 | 4.1 | 5.1 | 0.23 | 0.74 | 16 | 0.8 | 1.6 | 1.8 | 0.10 | 0.25 | C64 |
| Renal pelvis | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.04 | C66 |
| †Bladder | 38 | 2.7 | 3.6 | 4.8 | 0.15 | 0.56 | 14 | 0.7 | 1.4 | 1.5 | 0.10 | 0.15 | C67 |
| Other urinary organs | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 6 | 0.3 | 0.6 | 0.9 | 0.04 | 0.08 | C69 |
| Brain and nervous system | 21 | 1.5 | 2.0 | 2.2 | 0.13 | 0.20 | 14 | 0.7 | 1.4 | 1.6 | 0.09 | 0.13 | C70–72 |
| Thyroid | 24 | 1.7 | 2.2 | 2.4 | 0.13 | 0.31 | 77 | 4.0 | 7.7 | 7.4 | 0.51 | 0.80 | C73 |
| Adrenal gland | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 21 | 1.5 | 2.0 | 1.8 | 0.12 | 0.18 | 5 | 0.3 | 0.5 | 0.5 | 0.04 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 98 | 7.0 | 9.2 | 10.7 | 0.55 | 1.14 | 78 | 4.1 | 7.8 | 9.0 | 0.47 | 1.12 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.4 | 0.5 | 0.5 | 0.03 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 16 | 1.1 | 1.5 | 2.0 | 0.11 | 0.29 | 12 | 0.6 | 1.2 | 1.4 | 0.08 | 0.20 | C90 |
| Lymphoid leukaemia | 22 | 1.6 | 2.1 | 2.6 | 0.14 | 0.23 | 11 | 0.6 | 1.1 | 1.3 | 0.06 | 0.09 | C91 |
| Myeloid leukaemia | 37 | 2.6 | 3.5 | 4.0 | 0.21 | 0.40 | 29 | 1.5 | 2.9 | 3.0 | 0.16 | 0.27 | C92–94 |
| Leukaemia unspecified | 10 | 0.7 | 0.9 | 1.3 | 0.05 | 0.12 | 3 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 3 | 0.2 | 0.3 | 0.4 | 0.02 | 0.06 | 8 | 0.4 | 0.8 | 1.0 | 0.01 | 0.11 | MPD |
| Myelodysplastic syndromes | 9 | 0.6 | 0.8 | 1.0 | 0.04 | 0.13 | 8 | 0.4 | 0.8 | 1.1 | 0.02 | 0.11 | MPS |
| Other and unspecified | 19 | 1.3 | 1.8 | 2.6 | 0.05 | 0.32 | 32 | 1.7 | 3.2 | 3.6 | 0.17 | 0.30 | O&U |
| All sites | 1473 | | 138.1 | 169.3 | 7.73 | 19.25 | 1965 | | 195.9 | 202.9 | 12.95 | 22.75 | C00–96 |
| All sites except C44 | 1408 | 100.0 | 132.0 | 162.0 | 7.37 | 18.55 | 1912 | 100.0 | 190.6 | 197.5 | 12.56 | 22.21 | C00–96 exc. C44 |

†See note following population pyramid

China, Anfu County

CONTRIBUTORS

Jian Wang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 46.5 | Trachea, bronchus, and lung | 19.0 |
| Liver | 22.9 | Breast | 17.7 |
| Stomach | 21.1 | Cervix uteri | 14.2 |
| Rectum | 10.8 | Stomach | 10.4 |
| Colon | 7.8 | Liver | 7.7 |
| Nasopharynx | 6.3 | Rectum | 7.1 |
| Oesophagus | 5.9 | Colon | 5.8 |
| Non-Hodgkin lymphoma | 5.5 | Ovary | 4.6 |
| Brain and nervous system | 5.0 | Non-Hodgkin lymphoma | 4.0 |
| Bladder | 4.9 | Brain and nervous system | 3.8 |
| Prostate | 4.2 | Corpus uteri | 3.4 |
| Pancreas | 3.0 | Pancreas | 2.8 |
| Gallbladder etc. | 2.7 | Gallbladder etc. | 2.7 |
| Larynx | 2.6 | Nasopharynx | 2.6 |
| Leukaemia unspecified | 2.6 | Leukaemia unspecified | 2.1 |
| Myeloid leukaemia | 1.7 | Thyroid | 1.9 |
| Kidney | 1.7 | Non-melanoma skin cancer | 1.8 |
| Non-melanoma skin cancer | 1.7 | Myeloid leukaemia | 1.2 |
| Bone | 1.6 | Kidney | 1.1 |
| Lymphoid leukaemia | 1.4 | Bladder | 1.1 |
| All sites | 173.2 | All sites | 124.7 |

*China, Anfu County (2014–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 7 | 0.4 | 0.9 | 0.6 | 0.05 | 0.07 | 2 | 0.2 | 0.3 | 0.2 | 0.00 | 0.04 | C01–02 |
| Mouth | 6 | 0.3 | 0.7 | 0.6 | 0.04 | 0.09 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 5 | 0.3 | 0.6 | 0.7 | 0.05 | 0.05 | 3 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 68 | 3.8 | 8.4 | 6.3 | 0.58 | 0.66 | 24 | 1.9 | 3.1 | 2.6 | 0.18 | 0.25 | C11 |
| Hypopharynx | 6 | 0.3 | 0.7 | 0.6 | 0.06 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.4 | 0.9 | 0.8 | 0.05 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 58 | 3.3 | 7.2 | 5.9 | 0.40 | 0.81 | 11 | 0.9 | 1.4 | 1.1 | 0.05 | 0.15 | C15 |
| Stomach | 221 | 12.5 | 27.4 | 21.1 | 1.16 | 2.61 | 110 | 8.6 | 14.3 | 10.4 | 0.78 | 1.12 | C16 |
| Small intestine | 8 | 0.5 | 1.0 | 0.8 | 0.01 | 0.12 | 10 | 0.8 | 1.3 | 1.1 | 0.09 | 0.14 | C17 |
| Colon | 82 | 4.6 | 10.2 | 7.8 | 0.41 | 0.95 | 64 | 5.0 | 8.3 | 5.8 | 0.29 | 0.66 | C18 |
| Rectum | 114 | 6.4 | 14.1 | 10.8 | 0.66 | 1.19 | 77 | 6.0 | 10.0 | 7.1 | 0.44 | 0.89 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 241 | 13.6 | 29.8 | 22.9 | 1.45 | 2.56 | 83 | 6.5 | 10.8 | 7.7 | 0.35 | 0.95 | C22 |
| Gallbladder etc. | 26 | 1.5 | 3.2 | 2.7 | 0.16 | 0.32 | 28 | 2.2 | 3.6 | 2.7 | 0.16 | 0.33 | C23–24 |
| Pancreas | 32 | 1.8 | 4.0 | 3.0 | 0.15 | 0.33 | 32 | 2.5 | 4.2 | 2.8 | 0.16 | 0.26 | C25 |
| Nose, sinuses etc. | 7 | 0.4 | 0.9 | 0.6 | 0.02 | 0.04 | 4 | 0.3 | 0.5 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 27 | 1.5 | 3.3 | 2.6 | 0.15 | 0.27 | 2 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 480 | 27.1 | 59.4 | 46.5 | 2.48 | 5.95 | 205 | 16.1 | 26.7 | 19.0 | 0.92 | 2.35 | C33–34 |
| Other thoracic organs | 10 | 0.6 | 1.2 | 0.9 | 0.07 | 0.09 | 4 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | C37–38 |
| Bone | 12 | 0.7 | 1.5 | 1.6 | 0.08 | 0.17 | 6 | 0.5 | 0.8 | 0.6 | 0.02 | 0.07 | C40–41 |
| Melanoma of skin | 7 | 0.4 | 0.9 | 0.7 | 0.06 | 0.08 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.05 | C43 |
| Other skin | 19 | 1.1 | 2.4 | 1.7 | 0.10 | 0.15 | 19 | 1.5 | 2.5 | 1.8 | 0.06 | 0.21 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.6 | 1.2 | 1.1 | 0.05 | 0.16 | 3 | 0.2 | 0.4 | 0.2 | 0.01 | 0.03 | C47+C49 |
| Breast | 3 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | 184 | 14.5 | 23.9 | 17.7 | 1.58 | 1.73 | C50 |
| Vulva | | | | | | | 2 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 2 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 148 | 11.6 | 19.3 | 14.2 | 1.18 | 1.44 | C53 |
| Corpus uteri | | | | | | | 33 | 2.6 | 4.3 | 3.4 | 0.29 | 0.38 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.2 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 43 | 3.4 | 5.6 | 4.6 | 0.39 | 0.45 | C56 |
| Other female genital organs | | | | | | | 2 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 9 | 0.7 | 1.2 | 0.9 | 0.07 | 0.07 | C58 |
| Penis | 5 | 0.3 | 0.6 | 0.5 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 46 | 2.6 | 5.7 | 4.2 | 0.06 | 0.44 | | | | | | | C61 |
| Testis | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 16 | 0.9 | 2.0 | 1.7 | 0.11 | 0.21 | 12 | 0.9 | 1.6 | 1.1 | 0.09 | 0.11 | C64 |
| Renal pelvis | 4 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 53 | 3.0 | 6.6 | 4.9 | 0.28 | 0.55 | 13 | 1.0 | 1.7 | 1.1 | 0.06 | 0.11 | C67 |
| Other urinary organs | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 51 | 2.9 | 6.3 | 5.0 | 0.31 | 0.62 | 36 | 2.8 | 4.7 | 3.8 | 0.29 | 0.42 | C70–72 |
| Thyroid | 7 | 0.4 | 0.9 | 0.6 | 0.03 | 0.08 | 19 | 1.5 | 2.5 | 1.9 | 0.17 | 0.19 | C73 |
| Adrenal gland | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C74 |
| Other endocrine | 7 | 0.4 | 0.9 | 0.6 | 0.03 | 0.08 | 5 | 0.4 | 0.7 | 0.5 | 0.03 | 0.05 | C75 |
| Hodgkin lymphoma | 5 | 0.3 | 0.6 | 0.4 | 0.03 | 0.06 | 3 | 0.2 | 0.4 | 0.5 | 0.04 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 54 | 3.0 | 6.7 | 5.5 | 0.37 | 0.57 | 39 | 3.1 | 5.1 | 4.0 | 0.26 | 0.41 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 7 | 0.4 | 0.9 | 0.7 | 0.04 | 0.09 | 6 | 0.5 | 0.8 | 0.6 | 0.03 | 0.07 | C90 |
| Lymphoid leukaemia | 9 | 0.5 | 1.1 | 1.4 | 0.08 | 0.13 | 2 | 0.2 | 0.3 | 0.3 | 0.01 | 0.01 | C91 |
| Myeloid leukaemia | 17 | 1.0 | 2.1 | 1.7 | 0.11 | 0.20 | 10 | 0.8 | 1.3 | 1.2 | 0.08 | 0.12 | C92–94 |
| Leukaemia unspecified | 26 | 1.5 | 3.2 | 2.6 | 0.15 | 0.31 | 17 | 1.3 | 2.2 | 2.1 | 0.15 | 0.19 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | MPS |
| Other and unspecified | 14 | 0.8 | 1.7 | 1.3 | 0.07 | 0.23 | 7 | 0.5 | 0.9 | 0.7 | 0.05 | 0.07 | O&U |
| All sites | 1792 | | 221.9 | 173.2 | 10.12 | 20.74 | 1292 | | 168.2 | 124.7 | 8.50 | 13.66 | C00–96 |
| All sites except C44 | 1773 | 100.0 | 219.5 | 171.5 | 10.01 | 20.59 | 1273 | 100.0 | 165.7 | 123.0 | 8.43 | 13.44 | C00–96 exc. C44 |


*See note following population pyramid

China, Anguo City

CONTRIBUTORS

Li Hui

Wei Zeyong



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 69.4 | Breast | 44.2 |
| Stomach | 40.9 | Trachea, bronchus, and lung | 37.9 |
| Liver | 24.3 | Stomach | 12.6 |
| Oesophagus | 22.3 | Cervix uteri | 9.3 |
| Rectum | 11.1 | Rectum | 7.8 |
| Colon | 5.8 | Liver | 7.5 |
| Brain and nervous system | 5.5 | Oesophagus | 7.4 |
| Bladder | 5.0 | Corpus uteri | 6.6 |
| Leukaemia unspecified | 3.7 | Colon | 5.4 |
| Other and unspecified | 2.5 | Brain and nervous system | 4.5 |
| Kidney | 2.1 | Uterus unspecified | 3.2 |
| Non-Hodgkin lymphoma | 1.9 | Leukaemia unspecified | 3.2 |
| Pancreas | 1.9 | Ovary | 2.7 |
| Gallbladder etc. | 1.8 | Thyroid | 2.5 |
| Small intestine | 1.6 | Bone | 1.8 |
| Thyroid | 1.4 | Pancreas | 1.5 |
| Bone | 1.3 | Bladder | 1.3 |
| Prostate | 1.3 | Non-Hodgkin lymphoma | 1.3 |
| Myeloid leukaemia | 1.1 | Other and unspecified | 1.2 |
| Nasopharynx | 1.1 | Small intestine | 1.1 |
| All sites | 212.2 | All sites | 170.3 |

*China, Anguo City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 6 | 0.3 | 0.6 | 0.4 | 0.02 | 0.02 | C03–06 |
| Salivary glands | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 15 | 0.6 | 1.6 | 1.1 | 0.08 | 0.13 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 280 | 10.4 | 29.0 | 22.3 | 0.74 | 2.94 | 104 | 4.6 | 11.1 | 7.4 | 0.21 | 0.95 | C15 |
| Stomach | 518 | 19.2 | 53.7 | 40.9 | 1.61 | 5.84 | 171 | 7.5 | 18.3 | 12.6 | 0.48 | 1.55 | C16 |
| Small intestine | 21 | 0.8 | 2.2 | 1.6 | 0.07 | 0.20 | 15 | 0.7 | 1.6 | 1.1 | 0.06 | 0.14 | C17 |
| Colon | 75 | 2.8 | 7.8 | 5.8 | 0.34 | 0.65 | 73 | 3.2 | 7.8 | 5.4 | 0.34 | 0.64 | C18 |
| Rectum | 144 | 5.3 | 14.9 | 11.1 | 0.65 | 1.26 | 107 | 4.7 | 11.4 | 7.8 | 0.41 | 0.94 | C19–20 |
| Anus | 7 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | 7 | 0.3 | 0.7 | 0.5 | 0.02 | 0.07 | C21 |
| Liver | 324 | 12.0 | 33.6 | 24.3 | 1.56 | 2.89 | 106 | 4.7 | 11.3 | 7.5 | 0.32 | 0.93 | C22 |
| Gallbladder etc. | 22 | 0.8 | 2.3 | 1.8 | 0.05 | 0.23 | 16 | 0.7 | 1.7 | 1.1 | 0.05 | 0.08 | C23–24 |
| Pancreas | 26 | 1.0 | 2.7 | 1.9 | 0.10 | 0.21 | 20 | 0.9 | 2.1 | 1.5 | 0.05 | 0.23 | C25 |
| Nose, sinuses etc. | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 12 | 0.4 | 1.2 | 1.0 | 0.03 | 0.14 | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 899 | 33.3 | 93.2 | 69.4 | 3.17 | 9.00 | 519 | 22.9 | 55.5 | 37.9 | 2.00 | 4.66 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 9 | 0.4 | 1.0 | 0.8 | 0.04 | 0.07 | C37–38 |
| Bone | 14 | 0.5 | 1.5 | 1.3 | 0.03 | 0.16 | 22 | 1.0 | 2.4 | 1.8 | 0.11 | 0.20 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 4 | 0.1 | 0.4 | 0.4 | 0.00 | 0.04 | 6 | 0.3 | 0.6 | 0.4 | 0.00 | 0.06 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C47+C49 |
| Breast | 10 | 0.4 | 1.0 | 0.7 | 0.04 | 0.07 | 583 | 25.7 | 62.4 | 44.2 | 3.36 | 5.08 | C50 |
| Vulva | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 125 | 5.5 | 13.4 | 9.3 | 0.74 | 1.05 | C53 |
| Corpus uteri | | | | | | | 87 | 3.8 | 9.3 | 6.6 | 0.54 | 0.78 | C54 |
| Uterus unspecified | | | | | | | 43 | 1.9 | 4.6 | 3.2 | 0.22 | 0.40 | C55 |
| Ovary | | | | | | | 38 | 1.7 | 4.1 | 2.7 | 0.17 | 0.34 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 9 | 0.3 | 0.9 | 0.7 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 16 | 0.6 | 1.7 | 1.3 | 0.05 | 0.12 | | | | | | | C61 |
| Testis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 24 | 0.9 | 2.5 | 2.1 | 0.10 | 0.31 | 12 | 0.5 | 1.3 | 0.9 | 0.04 | 0.11 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 67 | 2.5 | 6.9 | 5.0 | 0.29 | 0.54 | 18 | 0.8 | 1.9 | 1.3 | 0.07 | 0.17 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 66 | 2.4 | 6.8 | 5.5 | 0.32 | 0.65 | 58 | 2.6 | 6.2 | 4.5 | 0.26 | 0.47 | C70–72 |
| Thyroid | 18 | 0.7 | 1.9 | 1.4 | 0.08 | 0.16 | 31 | 1.4 | 3.3 | 2.5 | 0.17 | 0.26 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 6 | 0.2 | 0.6 | 0.5 | 0.01 | 0.06 | 4 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 24 | 0.9 | 2.5 | 1.9 | 0.12 | 0.20 | 17 | 0.7 | 1.8 | 1.3 | 0.09 | 0.16 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C90 |
| Lymphoid leukaemia | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.2 | 0.4 | 0.01 | 0.03 | C91 |
| Myeloid leukaemia | 9 | 0.3 | 0.9 | 1.1 | 0.06 | 0.10 | 5 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | C92–94 |
| Leukaemia unspecified | 40 | 1.5 | 4.1 | 3.7 | 0.20 | 0.35 | 37 | 1.6 | 4.0 | 3.2 | 0.17 | 0.35 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 24 | 0.9 | 2.5 | 2.5 | 0.12 | 0.22 | 15 | 0.7 | 1.6 | 1.2 | 0.07 | 0.14 | O&U |
| All sites | 2706 | | 280.6 | 212.2 | 10.02 | 26.86 | 2276 | | 243.5 | 170.3 | 10.17 | 20.14 | C00–96 |
| All sites except C44 | 2702 | 100.0 | 280.2 | 211.8 | 10.02 | 26.82 | 2270 | 100.0 | 242.9 | 169.8 | 10.17 | 20.08 | C00–96 exc. C44 |

*See note following population pyramid

China, Anshan City

CONTRIBUTORS

Huang Jihong
 Xu Shaohu
 Wang Lijuan
 Yin Ye
 Zhang Weiwei
 Wang Xiaolin
 Lin Liqiang
 Li Feixuan
 Liu Meiling
 Chen Kangjing
 Zhang Ying



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.2 | Breast | 43.2 |
| Liver | 22.8 | Trachea, bronchus, and lung | 30.5 |
| Rectum | 18.2 | Cervix uteri | 16.0 |
| Stomach | 16.7 | Colon | 10.0 |
| Colon | 14.8 | Rectum | 9.7 |
| Bladder | 9.7 | Thyroid | 8.6 |
| Oesophagus | 8.5 | Ovary | 7.1 |
| Pancreas | 6.3 | Corpus uteri | 7.1 |
| Kidney | 6.0 | Liver | 6.9 |
| Brain and nervous system | 5.9 | Stomach | 6.8 |
| Prostate | 4.7 | Brain and nervous system | 5.3 |
| Non-Hodgkin lymphoma | 4.3 | Pancreas | 4.2 |
| Larynx | 3.7 | Non-Hodgkin lymphoma | 2.7 |
| Gallbladder etc. | 3.7 | Gallbladder etc. | 2.7 |
| Leukaemia unspecified | 3.7 | Kidney | 2.6 |
| Other and unspecified | 2.8 | Other and unspecified | 2.4 |
| Thyroid | 2.5 | Leukaemia unspecified | 2.1 |
| Nasopharynx | 2.0 | Bladder | 2.1 |
| Bone | 1.9 | Bone | 1.6 |
| Non-melanoma skin cancer | 1.8 | Non-melanoma skin cancer | 1.2 |
| All sites | 217.7 | All sites | 186.2 |

*China, Anshan City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 58 | 0.4 | 1.6 | 0.8 | 0.06 | 0.09 | 24 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C01–02 |
| Mouth | 71 | 0.4 | 1.9 | 1.0 | 0.08 | 0.11 | 33 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | C03–06 |
| Salivary glands | 29 | 0.2 | 0.8 | 0.3 | 0.03 | 0.03 | 17 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 27 | 0.2 | 0.7 | 0.3 | 0.03 | 0.03 | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C09 |
| Other oropharynx | 31 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 136 | 0.8 | 3.7 | 2.0 | 0.15 | 0.22 | 33 | 0.2 | 0.9 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 106 | 0.6 | 2.9 | 1.4 | 0.10 | 0.17 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 680 | 4.2 | 18.3 | 8.5 | 0.57 | 1.03 | 109 | 0.7 | 2.9 | 1.0 | 0.03 | 0.10 | C15 |
| Stomach | 1309 | 8.0 | 35.3 | 16.7 | 0.85 | 2.05 | 597 | 4.0 | 15.7 | 6.8 | 0.36 | 0.77 | C16 |
| Small intestine | 95 | 0.6 | 2.6 | 1.2 | 0.07 | 0.13 | 62 | 0.4 | 1.6 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 1153 | 7.1 | 31.1 | 14.8 | 0.75 | 1.76 | 897 | 6.1 | 23.6 | 10.0 | 0.50 | 1.21 | C18 |
| Rectum | 1399 | 8.6 | 37.7 | 18.2 | 1.03 | 2.22 | 844 | 5.7 | 22.2 | 9.7 | 0.54 | 1.16 | C19–20 |
| Anus | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 10 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 1731 | 10.6 | 46.7 | 22.8 | 1.56 | 2.63 | 616 | 4.2 | 16.2 | 6.9 | 0.34 | 0.81 | C22 |
| Gallbladder etc. | 304 | 1.9 | 8.2 | 3.7 | 0.16 | 0.42 | 262 | 1.8 | 6.9 | 2.7 | 0.12 | 0.29 | C23–24 |
| Pancreas | 491 | 3.0 | 13.2 | 6.3 | 0.33 | 0.77 | 386 | 2.6 | 10.1 | 4.2 | 0.16 | 0.53 | C25 |
| Nose, sinuses etc. | 49 | 0.3 | 1.3 | 0.8 | 0.05 | 0.07 | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 286 | 1.8 | 7.7 | 3.7 | 0.21 | 0.48 | 49 | 0.3 | 1.3 | 0.5 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 4660 | 28.5 | 125.6 | 59.2 | 2.90 | 7.27 | 2850 | 19.2 | 74.9 | 30.5 | 1.26 | 3.60 | C33–34 |
| Other thoracic organs | 95 | 0.6 | 2.6 | 1.5 | 0.10 | 0.16 | 56 | 0.4 | 1.5 | 0.8 | 0.05 | 0.08 | C37–38 |
| Bone | 124 | 0.8 | 3.3 | 1.9 | 0.11 | 0.18 | 105 | 0.7 | 2.8 | 1.6 | 0.09 | 0.17 | C40–41 |
| Melanoma of skin | 24 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 23 | 0.2 | 0.6 | 0.3 | 0.01 | 0.05 | C43 |
| Other skin | 141 | 0.9 | 3.8 | 1.8 | 0.11 | 0.19 | 113 | 0.8 | 3.0 | 1.2 | 0.06 | 0.14 | C44 |
| Mesothelioma | 21 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 46 | 0.3 | 1.2 | 1.0 | 0.06 | 0.09 | 45 | 0.3 | 1.2 | 0.7 | 0.05 | 0.07 | C47+C49 |
| Breast | 40 | 0.2 | 1.1 | 0.6 | 0.03 | 0.05 | 3176 | 21.4 | 83.5 | 43.2 | 3.55 | 4.69 | C50 |
| Vulva | | | | | | | 37 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 22 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1146 | 7.7 | 30.1 | 16.0 | 1.36 | 1.64 | C53 |
| Corpus uteri | | | | | | | 548 | 3.7 | 14.4 | 7.1 | 0.58 | 0.83 | C54 |
| Uterus unspecified | | | | | | | 78 | 0.5 | 2.1 | 1.1 | 0.08 | 0.12 | C55 |
| Ovary | | | | | | | 530 | 3.6 | 13.9 | 7.1 | 0.53 | 0.81 | C56 |
| Other female genital organs | | | | | | | 30 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 54 | 0.3 | 1.5 | 0.7 | 0.04 | 0.06 | | | | | | | C60 |
| Prostate | 411 | 2.5 | 11.1 | 4.7 | 0.08 | 0.47 | | | | | | | C61 |
| Testis | 26 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 12 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 435 | 2.7 | 11.7 | 6.0 | 0.40 | 0.69 | 208 | 1.4 | 5.5 | 2.6 | 0.15 | 0.28 | C64 |
| Renal pelvis | 43 | 0.3 | 1.2 | 0.6 | 0.02 | 0.06 | 42 | 0.3 | 1.1 | 0.4 | 0.01 | 0.06 | C65 |
| Ureter | 60 | 0.4 | 1.6 | 0.7 | 0.04 | 0.09 | 47 | 0.3 | 1.2 | 0.5 | 0.01 | 0.06 | C66 |
| Bladder | 776 | 4.8 | 20.9 | 9.7 | 0.47 | 1.14 | 195 | 1.3 | 5.1 | 2.1 | 0.08 | 0.23 | C67 |
| Other urinary organs | 9 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 5 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 344 | 2.1 | 9.3 | 5.9 | 0.36 | 0.56 | 359 | 2.4 | 9.4 | 5.3 | 0.34 | 0.54 | C70–72 |
| Thyroid | 148 | 0.9 | 4.0 | 2.5 | 0.21 | 0.23 | 524 | 3.5 | 13.8 | 8.6 | 0.68 | 0.83 | C73 |
| Adrenal gland | 20 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 34 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | 41 | 0.3 | 1.1 | 0.6 | 0.05 | 0.06 | C75 |
| Hodgkin lymphoma | 22 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 10 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 284 | 1.7 | 7.7 | 4.3 | 0.25 | 0.49 | 204 | 1.4 | 5.4 | 2.7 | 0.18 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 84 | 0.5 | 2.3 | 1.1 | 0.05 | 0.14 | 66 | 0.4 | 1.7 | 0.8 | 0.05 | 0.09 | C90 |
| Lymphoid leukaemia | 41 | 0.3 | 1.1 | 0.9 | 0.06 | 0.08 | 34 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C91 |
| Myeloid leukaemia | 82 | 0.5 | 2.2 | 1.4 | 0.09 | 0.15 | 58 | 0.4 | 1.5 | 0.9 | 0.06 | 0.10 | C92–94 |
| Leukaemia unspecified | 184 | 1.1 | 5.0 | 3.7 | 0.21 | 0.32 | 131 | 0.9 | 3.4 | 2.1 | 0.10 | 0.21 | C95 |
| Myeloproliferative disorders | 19 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 18 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 25 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | 22 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | MPS |
| Other and unspecified | 213 | 1.3 | 5.7 | 2.8 | 0.16 | 0.30 | 202 | 1.4 | 5.3 | 2.4 | 0.14 | 0.26 | O&U |
| All sites | 16472 | | 444.0 | 217.7 | 12.02 | 25.38 | 14933 | | 392.6 | 186.2 | 11.93 | 20.78 | C00–96 |
| All sites except C44 | 16331 | 100.0 | 440.2 | 215.9 | 11.90 | 25.19 | 14820 | 100.0 | 389.6 | 184.9 | 11.87 | 20.64 | C00–96 exc. C44 |

*See note following population pyramid

China, Aohan Banner, Chifeng City

CONTRIBUTORS

Jinyu Liang
Junchang Xue
Haihua Cui
Lei Xie
Lei Yu



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 61.1 | Trachea, bronchus, and lung | 25.7 |
| Trachea, bronchus, and lung | 43.5 | Liver | 21.3 |
| Oesophagus | 28.1 | Breast | 12.6 |
| Stomach | 27.2 | Stomach | 8.0 |
| Rectum | 8.1 | Brain and nervous system | 5.2 |
| Pancreas | 5.6 | Rectum | 4.5 |
| Colon | 5.3 | Cervix uteri | 4.3 |
| Non-Hodgkin lymphoma | 5.1 | Corpus uteri | 3.4 |
| Bladder | 4.5 | Ovary | 3.2 |
| Brain and nervous system | 3.6 | Colon | 3.0 |
| Leukaemia unspecified | 3.3 | Thyroid | 2.9 |
| Prostate | 2.8 | Leukaemia unspecified | 2.9 |
| Bone | 2.6 | Pancreas | 2.6 |
| Gallbladder etc. | 2.0 | Non-Hodgkin lymphoma | 2.6 |
| Other and unspecified | 1.5 | Bone | 2.2 |
| Kidney | 1.4 | Oesophagus | 2.0 |
| Larynx | 1.2 | Bladder | 1.9 |
| Thyroid | 1.1 | Other and unspecified | 1.4 |
| Nasopharynx | 0.8 | Kidney | 0.8 |
| Hodgkin lymphoma | 0.6 | Gallbladder etc. | 0.7 |
| All sites | 213.7 | All sites | 116.1 |

*China, Aohan Banner, Chifeng City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 6 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C01–02 |
| Mouth | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 4 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C03–06 |
| Salivary glands | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 16 | 0.4 | 1.2 | 0.8 | 0.07 | 0.10 | 12 | 0.5 | 0.9 | 0.6 | 0.04 | 0.08 | C11 |
| Hypopharynx | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 498 | 13.1 | 36.0 | 28.1 | 1.67 | 3.83 | 38 | 1.7 | 2.8 | 2.0 | 0.07 | 0.25 | C15 |
| Stomach | 497 | 13.1 | 35.9 | 27.2 | 1.53 | 3.38 | 163 | 7.4 | 12.2 | 8.0 | 0.44 | 0.92 | C16 |
| Small intestine | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C17 |
| Colon | 95 | 2.5 | 6.9 | 5.3 | 0.28 | 0.65 | 56 | 2.6 | 4.2 | 3.0 | 0.13 | 0.36 | C18 |
| Rectum | 145 | 3.8 | 10.5 | 8.1 | 0.40 | 0.95 | 82 | 3.7 | 6.1 | 4.5 | 0.25 | 0.58 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 1098 | 28.8 | 79.3 | 61.1 | 3.50 | 7.39 | 404 | 18.5 | 30.2 | 21.3 | 1.04 | 2.43 | C22 |
| Gallbladder etc. | 35 | 0.9 | 2.5 | 2.0 | 0.06 | 0.20 | 14 | 0.6 | 1.0 | 0.7 | 0.03 | 0.11 | C23–24 |
| Pancreas | 106 | 2.8 | 7.7 | 5.6 | 0.31 | 0.64 | 52 | 2.4 | 3.9 | 2.6 | 0.12 | 0.31 | C25 |
| Nose, sinuses etc. | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 22 | 0.6 | 1.6 | 1.2 | 0.07 | 0.16 | 4 | 0.2 | 0.3 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 778 | 20.4 | 56.2 | 43.5 | 2.06 | 5.47 | 487 | 22.2 | 36.3 | 25.7 | 1.24 | 3.04 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C37–38 |
| Bone | 48 | 1.3 | 3.5 | 2.6 | 0.16 | 0.27 | 34 | 1.6 | 2.5 | 2.2 | 0.11 | 0.21 | C40–41 |
| Melanoma of skin | 6 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C43 |
| Other skin | 7 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 7 | 0.3 | 0.5 | 0.3 | 0.01 | 0.05 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C47+C49 |
| Breast | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 254 | 11.6 | 19.0 | 12.6 | 1.03 | 1.44 | C50 |
| Vulva | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 85 | 3.9 | 6.3 | 4.3 | 0.36 | 0.45 | C53 |
| Corpus uteri | | | | | | | 68 | 3.1 | 5.1 | 3.4 | 0.28 | 0.39 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.5 | 0.8 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 63 | 2.9 | 4.7 | 3.2 | 0.29 | 0.37 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 42 | 1.1 | 3.0 | 2.8 | 0.07 | 0.30 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 27 | 0.7 | 2.0 | 1.4 | 0.10 | 0.20 | 15 | 0.7 | 1.1 | 0.8 | 0.05 | 0.10 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 82 | 2.2 | 5.9 | 4.5 | 0.16 | 0.51 | 41 | 1.9 | 3.1 | 1.9 | 0.08 | 0.19 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 65 | 1.7 | 4.7 | 3.6 | 0.23 | 0.35 | 88 | 4.0 | 6.6 | 5.2 | 0.33 | 0.58 | C70–72 |
| Thyroid | 22 | 0.6 | 1.6 | 1.1 | 0.09 | 0.12 | 54 | 2.5 | 4.0 | 2.9 | 0.23 | 0.30 | C73 |
| Adrenal gland | 2 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 7 | 0.2 | 0.5 | 0.6 | 0.04 | 0.05 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 79 | 2.1 | 5.7 | 5.1 | 0.26 | 0.64 | 44 | 2.0 | 3.3 | 2.6 | 0.16 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C90 |
| Lymphoid leukaemia | 3 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 4 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 11 | 0.5 | 0.8 | 0.7 | 0.06 | 0.07 | C92–94 |
| Leukaemia unspecified | 53 | 1.4 | 3.8 | 3.3 | 0.24 | 0.31 | 48 | 2.2 | 3.6 | 2.9 | 0.20 | 0.27 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 26 | 0.7 | 1.9 | 1.5 | 0.09 | 0.18 | 20 | 0.9 | 1.5 | 1.4 | 0.08 | 0.12 | O&U |
| All sites | 3815 | | 275.6 | 213.7 | 11.67 | 26.14 | 2196 | | 163.9 | 116.1 | 6.84 | 13.32 | C00–96 |
| All sites except C44 | 3808 | 100.0 | 275.1 | 213.3 | 11.65 | 26.10 | 2189 | 100.0 | 163.4 | 115.8 | 6.83 | 13.27 | C00–96 exc.C44 |

*See note following population pyramid

China, Arongqi

CONTRIBUTORS

Tianhua Guo
Zhi Gao
Hongming Lin



NOTES ON THE DATA

*Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 67.1 | Trachea, bronchus, and lung | 44.9 |
| Trachea, bronchus, and lung | 59.4 | Breast | 30.2 |
| Stomach | 30.4 | Liver | 24.5 |
| Oesophagus | 20.3 | Thyroid | 12.9 |
| Rectum | 13.0 | Stomach | 10.9 |
| Colon | 10.9 | Rectum | 9.6 |
| Bladder | 10.1 | Cervix uteri | 8.5 |
| Pancreas | 8.5 | Pancreas | 8.0 |
| Kidney | 4.9 | Colon | 7.8 |
| Other and unspecified | 3.8 | Ovary | 6.1 |
| Prostate | 3.4 | Corpus uteri | 5.3 |
| Larynx | 3.4 | Brain and nervous system | 5.0 |
| Brain and nervous system | 3.2 | Kidney | 3.5 |
| Leukaemia unspecified | 2.9 | Bladder | 3.3 |
| Bone | 2.7 | Oesophagus | 2.6 |
| Thyroid | 2.6 | Other and unspecified | 2.5 |
| Non-Hodgkin lymphoma | 1.7 | Leukaemia unspecified | 2.2 |
| Tongue | 1.6 | Bone | 2.1 |
| Non-melanoma skin cancer | 1.4 | Uterus unspecified | 1.4 |
| Hypopharynx | 1.4 | Gallbladder etc. | 1.1 |
| All sites | 263.0 | All sites | 201.3 |

*China, Arongqi (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.4 | 0.6 | 0.03 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 16 | 0.7 | 2.2 | 1.6 | 0.15 | 0.18 | 2 | 0.1 | 0.3 | 0.3 | 0.00 | 0.06 | C01–02 |
| Mouth | 9 | 0.4 | 1.3 | 1.0 | 0.07 | 0.12 | 5 | 0.3 | 0.7 | 0.6 | 0.02 | 0.09 | C03–06 |
| Salivary glands | 6 | 0.3 | 0.8 | 0.6 | 0.05 | 0.07 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 4 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | 2 | 0.1 | 0.3 | 0.6 | 0.04 | 0.04 | C09 |
| Other oropharynx | 7 | 0.3 | 1.0 | 0.8 | 0.05 | 0.08 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 11 | 0.5 | 1.5 | 1.2 | 0.10 | 0.13 | 7 | 0.4 | 1.0 | 0.8 | 0.06 | 0.09 | C11 |
| Hypopharynx | 11 | 0.5 | 1.5 | 1.4 | 0.07 | 0.16 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | C14 |
| Oesophagus | 185 | 8.0 | 26.0 | 20.3 | 1.33 | 2.55 | 19 | 1.1 | 2.8 | 2.6 | 0.10 | 0.31 | C15 |
| Stomach | 266 | 11.5 | 37.3 | 30.4 | 1.58 | 3.92 | 88 | 5.1 | 12.8 | 10.9 | 0.64 | 1.36 | C16 |
| Small intestine | 7 | 0.3 | 1.0 | 0.8 | 0.04 | 0.10 | 3 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 105 | 4.5 | 14.7 | 10.9 | 0.81 | 1.31 | 65 | 3.8 | 9.5 | 7.8 | 0.43 | 0.95 | C18 |
| Rectum | 120 | 5.2 | 16.8 | 13.0 | 0.84 | 1.59 | 82 | 4.8 | 12.0 | 9.6 | 0.56 | 1.31 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 607 | 26.2 | 85.2 | 67.1 | 4.15 | 8.18 | 200 | 11.7 | 29.2 | 24.5 | 1.20 | 3.04 | C22 |
| Gallbladder etc. | 9 | 0.4 | 1.3 | 1.1 | 0.06 | 0.18 | 9 | 0.5 | 1.3 | 1.1 | 0.07 | 0.13 | C23–24 |
| Pancreas | 75 | 3.2 | 10.5 | 8.5 | 0.45 | 1.03 | 64 | 3.7 | 9.3 | 8.0 | 0.36 | 1.10 | C25 |
| Nose, sinuses etc. | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 3 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | C30–31 |
| Larynx | 31 | 1.3 | 4.4 | 3.4 | 0.19 | 0.45 | 7 | 0.4 | 1.0 | 0.8 | 0.06 | 0.10 | C32 |
| Trachea, bronchus, and lung | 520 | 22.4 | 73.0 | 59.4 | 3.24 | 7.14 | 361 | 21.1 | 52.7 | 44.9 | 2.19 | 5.44 | C33–34 |
| Other thoracic organs | 7 | 0.3 | 1.0 | 0.7 | 0.04 | 0.10 | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C37–38 |
| Bone | 23 | 1.0 | 3.2 | 2.7 | 0.13 | 0.34 | 15 | 0.9 | 2.2 | 2.1 | 0.12 | 0.22 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 11 | 0.5 | 1.5 | 1.4 | 0.06 | 0.10 | 7 | 0.4 | 1.0 | 0.7 | 0.05 | 0.08 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.1 | 0.4 | 0.6 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 289 | 16.9 | 42.2 | 30.2 | 2.47 | 3.22 | C50 |
| Vulva | | | | | | | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 81 | 4.7 | 11.8 | 8.5 | 0.69 | 0.88 | C53 |
| Corpus uteri | | | | | | | 53 | 3.1 | 7.7 | 5.3 | 0.48 | 0.57 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.8 | 1.9 | 1.4 | 0.09 | 0.16 | C55 |
| Ovary | | | | | | | 51 | 3.0 | 7.4 | 6.1 | 0.43 | 0.61 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.2 | 0.7 | 0.7 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 27 | 1.2 | 3.8 | 3.4 | 0.05 | 0.52 | | | | | | | C61 |
| Testis | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 43 | 1.9 | 6.0 | 4.9 | 0.31 | 0.63 | 29 | 1.7 | 4.2 | 3.5 | 0.20 | 0.36 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 4 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 3 | 0.2 | 0.4 | 0.4 | 0.00 | 0.06 | C66 |
| Bladder | 87 | 3.8 | 12.2 | 10.1 | 0.50 | 1.38 | 27 | 1.6 | 3.9 | 3.3 | 0.18 | 0.32 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 27 | 1.2 | 3.8 | 3.2 | 0.21 | 0.40 | 41 | 2.4 | 6.0 | 5.0 | 0.31 | 0.57 | C70–72 |
| Thyroid | 22 | 0.9 | 3.1 | 2.6 | 0.20 | 0.22 | 122 | 7.1 | 17.8 | 12.8 | 1.08 | 1.18 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.3 | 0.7 | 0.5 | 0.06 | 0.06 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 14 | 0.6 | 2.0 | 1.7 | 0.11 | 0.17 | 7 | 0.4 | 1.0 | 1.0 | 0.08 | 0.12 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 2 | 0.1 | 0.3 | 0.3 | 0.00 | 0.05 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C90 |
| Lymphoid leukaemia | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C92–94 |
| Leukaemia unspecified | 23 | 1.0 | 3.2 | 2.9 | 0.18 | 0.26 | 17 | 1.0 | 2.5 | 2.2 | 0.17 | 0.19 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 30 | 1.3 | 4.2 | 3.8 | 0.24 | 0.38 | 22 | 1.3 | 3.2 | 2.5 | 0.18 | 0.30 | O&U |
| All sites | 2329 | | 326.9 | 263.0 | 15.42 | 32.13 | 1720 | | 251.0 | 201.3 | 12.53 | 23.28 | C00–96 |
| All sites except C44 | 2318 | 100.0 | 325.4 | 261.6 | 15.36 | 32.02 | 1713 | 100.0 | 250.0 | 200.6 | 12.48 | 23.19 | C00–96 exc. C44 |

*See note following population pyramid

China, Baoding City

CONTRIBUTORS

Zhang Yan
 Zhao Fengqin
 Ma Jifei
 Jiao Keran
 Zhang Weijun
 Cao Shuai
 He Lina



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 62.7 | Breast | 44.7 |
| Liver | 17.6 | Trachea, bronchus, and lung | 27.9 |
| Stomach | 17.4 | Cervix uteri | 9.8 |
| Rectum | 11.3 | Thyroid | 9.3 |
| Oesophagus | 10.1 | Liver | 7.6 |
| Colon | 9.8 | Stomach | 6.8 |
| Prostate | 9.3 | Corpus uteri | 6.6 |
| Bladder | 7.6 | Colon | 6.6 |
| Kidney | 5.5 | Ovary | 6.3 |
| Brain and nervous system | 4.9 | Rectum | 5.8 |
| Pancreas | 4.3 | Brain and nervous system | 4.5 |
| Other and unspecified | 4.2 | Leukaemia unspecified | 3.2 |
| Thyroid | 3.8 | Pancreas | 3.2 |
| Leukaemia unspecified | 3.7 | Other and unspecified | 3.1 |
| Non-Hodgkin lymphoma | 3.6 | Non-Hodgkin lymphoma | 3.0 |
| Gallbladder etc. | 2.4 | Oesophagus | 2.9 |
| Myeloid leukaemia | 2.3 | Uterus unspecified | 2.9 |
| Bone | 1.9 | Kidney | 2.2 |
| Larynx | 1.6 | Bladder | 1.5 |
| Multiple myeloma | 1.4 | Myeloid leukaemia | 1.4 |
| All sites | 199.4 | All sites | 170.1 |

*China, Baoding City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 17 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | 10 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | C01–02 |
| Mouth | 26 | 0.4 | 0.9 | 0.7 | 0.05 | 0.08 | 15 | 0.2 | 0.5 | 0.3 | 0.00 | 0.03 | C03–06 |
| Salivary glands | 16 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 18 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 27 | 0.4 | 0.9 | 0.8 | 0.04 | 0.10 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 31 | 0.4 | 1.1 | 0.9 | 0.06 | 0.10 | 16 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 18 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 355 | 5.1 | 12.1 | 10.1 | 0.41 | 1.06 | 113 | 1.7 | 3.9 | 2.9 | 0.09 | 0.25 | C15 |
| Stomach | 617 | 8.8 | 21.1 | 17.4 | 0.75 | 1.94 | 266 | 4.1 | 9.2 | 6.8 | 0.29 | 0.71 | C16 |
| Small intestine | 43 | 0.6 | 1.5 | 1.2 | 0.08 | 0.15 | 32 | 0.5 | 1.1 | 0.9 | 0.05 | 0.10 | C17 |
| Colon | 352 | 5.0 | 12.0 | 9.8 | 0.44 | 1.04 | 252 | 3.9 | 8.7 | 6.6 | 0.29 | 0.75 | C18 |
| Rectum | 406 | 5.8 | 13.9 | 11.3 | 0.55 | 1.35 | 229 | 3.5 | 7.9 | 5.8 | 0.30 | 0.64 | C19–20 |
| Anus | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 637 | 9.1 | 21.8 | 17.6 | 1.02 | 2.03 | 294 | 4.5 | 10.2 | 7.6 | 0.28 | 0.84 | C22 |
| Gallbladder etc. | 80 | 1.1 | 2.7 | 2.4 | 0.08 | 0.30 | 54 | 0.8 | 1.9 | 1.3 | 0.06 | 0.14 | C23–24 |
| Pancreas | 158 | 2.2 | 5.4 | 4.3 | 0.21 | 0.49 | 128 | 2.0 | 4.4 | 3.2 | 0.12 | 0.34 | C25 |
| Nose, sinuses etc. | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C30–31 |
| Larynx | 57 | 0.8 | 1.9 | 1.6 | 0.11 | 0.18 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2233 | 31.8 | 76.3 | 62.7 | 2.57 | 7.17 | 1110 | 17.1 | 38.3 | 27.9 | 1.09 | 2.91 | C33–34 |
| Other thoracic organs | 43 | 0.6 | 1.5 | 1.2 | 0.08 | 0.14 | 26 | 0.4 | 0.9 | 0.7 | 0.05 | 0.08 | C37–38 |
| Bone | 63 | 0.9 | 2.2 | 1.9 | 0.07 | 0.18 | 43 | 0.7 | 1.5 | 1.2 | 0.06 | 0.14 | C40–41 |
| Melanoma of skin | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 10 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | C43 |
| Other skin | 34 | 0.5 | 1.2 | 0.9 | 0.05 | 0.10 | 29 | 0.4 | 1.0 | 0.7 | 0.02 | 0.06 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 16 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 14 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C47+C49 |
| Breast | 15 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 1701 | 26.3 | 58.7 | 44.7 | 3.43 | 4.93 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 367 | 5.7 | 12.7 | 9.8 | 0.79 | 0.99 | C53 |
| Corpus uteri | | | | | | | 252 | 3.9 | 8.7 | 6.6 | 0.56 | 0.77 | C54 |
| Uterus unspecified | | | | | | | 104 | 1.6 | 3.6 | 2.9 | 0.20 | 0.35 | C55 |
| Ovary | | | | | | | 241 | 3.7 | 8.3 | 6.3 | 0.47 | 0.74 | C56 |
| Other female genital organs | | | | | | | 21 | 0.3 | 0.7 | 0.6 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 20 | 0.3 | 0.7 | 0.6 | 0.02 | 0.09 | | | | | | | C60 |
| Prostate | 322 | 4.6 | 11.0 | 9.3 | 0.13 | 0.79 | | | | | | | C61 |
| Testis | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 192 | 2.7 | 6.6 | 5.5 | 0.34 | 0.59 | 78 | 1.2 | 2.7 | 2.2 | 0.12 | 0.27 | C64 |
| Renal pelvis | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 28 | 0.4 | 1.0 | 0.8 | 0.03 | 0.12 | 19 | 0.3 | 0.7 | 0.5 | 0.02 | 0.06 | C66 |
| Bladder | 274 | 3.9 | 9.4 | 7.6 | 0.32 | 0.78 | 58 | 0.9 | 2.0 | 1.5 | 0.07 | 0.14 | C67 |
| Other urinary organs | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 164 | 2.3 | 5.6 | 4.9 | 0.26 | 0.51 | 165 | 2.5 | 5.7 | 4.5 | 0.24 | 0.48 | C70–72 |
| Thyroid | 141 | 2.0 | 4.8 | 3.8 | 0.29 | 0.38 | 345 | 5.3 | 11.9 | 9.3 | 0.76 | 0.89 | C73 |
| Adrenal gland | 10 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 18 | 0.3 | 0.6 | 0.5 | 0.02 | 0.04 | 10 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 133 | 1.9 | 4.5 | 3.6 | 0.20 | 0.45 | 114 | 1.8 | 3.9 | 3.0 | 0.16 | 0.36 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 50 | 0.7 | 1.7 | 1.4 | 0.07 | 0.14 | 16 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C90 |
| Lymphoid leukaemia | 27 | 0.4 | 0.9 | 1.0 | 0.04 | 0.08 | 14 | 0.2 | 0.5 | 0.6 | 0.03 | 0.04 | C91 |
| Myeloid leukaemia | 79 | 1.1 | 2.7 | 2.3 | 0.13 | 0.24 | 51 | 0.8 | 1.8 | 1.4 | 0.07 | 0.16 | C92–94 |
| Leukaemia unspecified | 116 | 1.7 | 4.0 | 3.7 | 0.21 | 0.31 | 110 | 1.7 | 3.8 | 3.2 | 0.17 | 0.31 | C95 |
| Myeloproliferative disorders | 11 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 151 | 2.1 | 5.2 | 4.2 | 0.18 | 0.43 | 119 | 1.8 | 4.1 | 3.1 | 0.14 | 0.33 | O&U |
| All sites | 7061 | | 241.3 | 199.4 | 9.17 | 21.94 | 6504 | | 224.6 | 170.1 | 10.20 | 18.29 | C00–96 |
| All sites except C44 | 7027 | 100.0 | 240.1 | 198.5 | 9.13 | 21.84 | 6475 | 100.0 | 223.6 | 169.4 | 10.18 | 18.23 | C00–96 exc. C44 |

*See note following population pyramid

China, Beijing City

CONTRIBUTORS

Jiafu Ji
 Ning Wang
 Shuo Liu
 Huichao Li
 Lei Yang
 Yangyang Cheng
 Xi Zhang
 Qingyu Li



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 38.9 | Breast | 45.2 |
| Liver | 13.8 | Thyroid | 34.3 |
| Colon | 13.8 | Trachea, bronchus, and lung | 25.6 |
| Thyroid | 12.9 | Colon | 10.9 |
| Stomach | 12.4 | Corpus uteri | 9.9 |
| Prostate | 11.8 | Ovary | 7.5 |
| Rectum | 11.4 | Rectum | 6.8 |
| Kidney | 8.7 | Cervix uteri | 6.1 |
| Bladder | 8.5 | Stomach | 6.0 |
| Oesophagus | 5.6 | Liver | 4.5 |
| Pancreas | 5.4 | Pancreas | 4.1 |
| Non-Hodgkin lymphoma | 4.9 | Kidney | 4.1 |
| Brain and nervous system | 3.5 | Non-Hodgkin lymphoma | 3.8 |
| Gallbladder etc. | 3.2 | Other and unspecified | 2.9 |
| Other and unspecified | 2.9 | Brain and nervous system | 2.9 |
| Myeloid leukaemia | 2.7 | Bladder | 2.8 |
| Lymphoid leukaemia | 2.1 | Gallbladder etc. | 2.8 |
| Larynx | 1.9 | Myeloid leukaemia | 2.2 |
| Non-melanoma skin cancer | 1.8 | Non-melanoma skin cancer | 1.8 |
| Multiple myeloma | 1.5 | Lymphoid leukaemia | 1.4 |
| All sites | 184.6 | All sites | 201.6 |

*China, Beijing City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 35 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 37 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 250 | 0.3 | 1.2 | 0.7 | 0.05 | 0.08 | 216 | 0.3 | 1.0 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 391 | 0.5 | 1.9 | 0.9 | 0.06 | 0.11 | 346 | 0.4 | 1.7 | 0.7 | 0.03 | 0.09 | C03–06 |
| Salivary glands | 170 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 114 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C07–08 |
| Tonsil | 26 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 19 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 66 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 14 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 265 | 0.3 | 1.3 | 0.8 | 0.06 | 0.08 | 91 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 250 | 0.3 | 1.2 | 0.6 | 0.05 | 0.07 | 11 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 47 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 29 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 2595 | 3.3 | 12.4 | 5.6 | 0.35 | 0.67 | 723 | 0.9 | 3.5 | 1.1 | 0.03 | 0.11 | C15 |
| Stomach | 5798 | 7.5 | 27.7 | 12.4 | 0.63 | 1.49 | 2799 | 3.5 | 13.4 | 6.0 | 0.34 | 0.68 | C16 |
| Small intestine | 439 | 0.6 | 2.1 | 1.0 | 0.06 | 0.12 | 318 | 0.4 | 1.5 | 0.7 | 0.03 | 0.08 | C17 |
| Colon | 6284 | 8.1 | 30.1 | 13.8 | 0.68 | 1.67 | 5505 | 7.0 | 26.4 | 10.9 | 0.51 | 1.30 | C18 |
| Rectum | 4965 | 6.4 | 23.8 | 11.4 | 0.68 | 1.41 | 3192 | 4.0 | 15.3 | 6.8 | 0.39 | 0.80 | C19–20 |
| Anus | 34 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 43 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 5732 | 7.4 | 27.4 | 13.8 | 0.95 | 1.58 | 2273 | 2.9 | 10.9 | 4.5 | 0.20 | 0.50 | C22 |
| Gallbladder etc. | 1559 | 2.0 | 7.5 | 3.2 | 0.14 | 0.38 | 1540 | 1.9 | 7.4 | 2.8 | 0.10 | 0.31 | C23–24 |
| Pancreas | 2522 | 3.2 | 12.1 | 5.4 | 0.28 | 0.65 | 2174 | 2.7 | 10.4 | 4.1 | 0.16 | 0.49 | C25 |
| Nose, sinuses etc. | 111 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 75 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 788 | 1.0 | 3.8 | 1.9 | 0.13 | 0.24 | 82 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 18083 | 23.2 | 86.5 | 38.9 | 1.87 | 4.83 | 12595 | 15.9 | 60.5 | 25.6 | 1.31 | 3.01 | C33–34 |
| Other thoracic organs | 298 | 0.4 | 1.4 | 0.8 | 0.06 | 0.09 | 207 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 305 | 0.4 | 1.5 | 1.2 | 0.07 | 0.10 | 232 | 0.3 | 1.1 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 156 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 183 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 836 | 1.1 | 4.0 | 1.8 | 0.10 | 0.20 | 844 | 1.1 | 4.1 | 1.8 | 0.09 | 0.21 | C44 |
| Mesothelioma | 140 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | 110 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 476 | 0.6 | 2.3 | 1.4 | 0.09 | 0.14 | 319 | 0.4 | 1.5 | 1.0 | 0.06 | 0.10 | C47+C49 |
| Breast | 103 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 16341 | 20.7 | 78.5 | 45.2 | 3.53 | 5.02 | C50 |
| Vulva | | | | | | | 216 | 0.3 | 1.0 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 57 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 1976 | 2.5 | 9.5 | 6.1 | 0.52 | 0.61 | C53 |
| Corpus uteri | | | | | | | 3626 | 4.6 | 17.4 | 9.9 | 0.83 | 1.15 | C54 |
| Uterus unspecified | | | | | | | 395 | 0.5 | 1.9 | 1.1 | 0.08 | 0.12 | C55 |
| Ovary | | | | | | | 2720 | 3.4 | 13.1 | 7.5 | 0.56 | 0.84 | C56 |
| Other female genital organs | | | | | | | 240 | 0.3 | 1.2 | 0.6 | 0.05 | 0.07 | C57 |
| Placenta | | | | | | | 16 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 194 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 5894 | 7.6 | 28.2 | 11.8 | 0.32 | 1.55 | | | | | | | C61 |
| Testis | 140 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 103 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 3274 | 4.2 | 15.7 | 8.7 | 0.61 | 1.03 | 1639 | 2.1 | 7.9 | 4.1 | 0.27 | 0.47 | C64 |
| Renal pelvis | 357 | 0.5 | 1.7 | 0.7 | 0.04 | 0.08 | 507 | 0.6 | 2.4 | 0.9 | 0.03 | 0.12 | C65 |
| Ureter | 386 | 0.5 | 1.8 | 0.8 | 0.03 | 0.11 | 515 | 0.7 | 2.5 | 0.9 | 0.03 | 0.10 | C66 |
| Bladder | 4147 | 5.3 | 19.8 | 8.5 | 0.37 | 1.00 | 1445 | 1.8 | 6.9 | 2.8 | 0.12 | 0.33 | C67 |
| Other urinary organs | 92 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 83 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 40 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 45 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 1075 | 1.4 | 5.1 | 3.5 | 0.22 | 0.33 | 924 | 1.2 | 4.4 | 2.9 | 0.18 | 0.27 | C70–72 |
| Thyroid | 3625 | 4.7 | 17.3 | 12.9 | 1.05 | 1.14 | 9696 | 12.3 | 46.6 | 34.3 | 2.84 | 3.13 | C73 |
| Adrenal gland | 60 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 65 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 33 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 18 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 149 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 95 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 1959 | 2.5 | 9.4 | 4.9 | 0.28 | 0.54 | 1590 | 2.0 | 7.6 | 3.8 | 0.23 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 31 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 20 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 682 | 0.9 | 3.3 | 1.5 | 0.07 | 0.20 | 524 | 0.7 | 2.5 | 1.1 | 0.06 | 0.14 | C90 |
| Lymphoid leukaemia | 422 | 0.5 | 2.0 | 2.1 | 0.11 | 0.15 | 283 | 0.4 | 1.4 | 1.4 | 0.07 | 0.10 | C91 |
| Myeloid leukaemia | 899 | 1.2 | 4.3 | 2.7 | 0.17 | 0.27 | 682 | 0.9 | 3.3 | 2.2 | 0.13 | 0.20 | C92–94 |
| Leukaemia unspecified | 238 | 0.3 | 1.1 | 0.6 | 0.03 | 0.05 | 154 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C95 |
| Myeloproliferative disorders | 271 | 0.3 | 1.3 | 0.6 | 0.04 | 0.07 | 210 | 0.3 | 1.0 | 0.5 | 0.02 | 0.06 | MPD |
| Myelodysplastic syndromes | 653 | 0.8 | 3.1 | 1.4 | 0.06 | 0.15 | 427 | 0.5 | 2.1 | 1.0 | 0.04 | 0.11 | MPS |
| Other and unspecified | 1190 | 1.5 | 5.7 | 2.9 | 0.14 | 0.27 | 1312 | 1.7 | 6.3 | 2.9 | 0.15 | 0.26 | O&U |
| All sites | 78640 | | 376.2 | 184.6 | 10.15 | 21.34 | 79914 | | 383.7 | 201.6 | 13.40 | 21.82 | C00–96 |
| All sites except C44 | 77804 | 100.0 | 372.2 | 182.8 | 10.05 | 21.15 | 79070 | 100.0 | 379.7 | 199.7 | 13.31 | 21.61 | C00–96 exc. C44 |

*See note following population pyramid

China, Binhai County

CONTRIBUTORS

Rui Wang
Wei Cai



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 41.2 | Trachea, bronchus, and lung | 19.5 |
| Oesophagus | 36.9 | Oesophagus | 17.9 |
| Stomach | 33.2 | Cervix uteri | 15.7 |
| Liver | 22.4 | Breast | 15.4 |
| Rectum | 6.3 | Stomach | 14.6 |
| Pancreas | 4.6 | Liver | 11.4 |
| Colon | 4.5 | Rectum | 4.6 |
| Brain and nervous system | 4.0 | Thyroid | 4.2 |
| Bladder | 3.3 | Uterus unspecified | 3.7 |
| Leukaemia unspecified | 2.8 | Ovary | 3.7 |
| Non-Hodgkin lymphoma | 2.5 | Brain and nervous system | 3.4 |
| Prostate | 2.5 | Pancreas | 3.4 |
| Bone | 2.0 | Colon | 3.2 |
| Nasopharynx | 2.0 | Leukaemia unspecified | 2.3 |
| Kidney | 1.8 | Corpus uteri | 2.2 |
| Gallbladder etc. | 1.7 | Gallbladder etc. | 2.0 |
| Lymphoid leukaemia | 1.0 | Non-Hodgkin lymphoma | 1.7 |
| Other and unspecified | 1.0 | Bladder | 1.3 |
| Larynx | 0.9 | Bone | 1.1 |
| Small intestine | 0.7 | Other and unspecified | 1.1 |
| All sites | 182.4 | All sites | 140.7 |

*China, Binhai County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 14 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C01–02 |
| Mouth | 30 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | 34 | 0.5 | 1.2 | 0.7 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 88 | 1.0 | 2.8 | 2.0 | 0.15 | 0.20 | 37 | 0.6 | 1.3 | 0.9 | 0.06 | 0.11 | C11 |
| Hypopharynx | 13 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1791 | 20.8 | 56.1 | 36.9 | 1.77 | 4.84 | 883 | 13.9 | 30.7 | 17.9 | 0.75 | 2.36 | C15 |
| Stomach | 1609 | 18.7 | 50.4 | 33.2 | 1.61 | 4.20 | 723 | 11.4 | 25.1 | 14.6 | 0.77 | 1.72 | C16 |
| Small intestine | 33 | 0.4 | 1.0 | 0.7 | 0.04 | 0.09 | 25 | 0.4 | 0.9 | 0.6 | 0.03 | 0.08 | C17 |
| Colon | 210 | 2.4 | 6.6 | 4.5 | 0.29 | 0.59 | 148 | 2.3 | 5.1 | 3.2 | 0.19 | 0.38 | C18 |
| Rectum | 296 | 3.4 | 9.3 | 6.3 | 0.37 | 0.74 | 225 | 3.6 | 7.8 | 4.6 | 0.26 | 0.52 | C19–20 |
| Anus | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C21 |
| Liver | 1042 | 12.1 | 32.6 | 22.4 | 1.66 | 2.58 | 532 | 8.4 | 18.5 | 11.4 | 0.69 | 1.47 | C22 |
| Gallbladder etc. | 80 | 0.9 | 2.5 | 1.7 | 0.09 | 0.22 | 99 | 1.6 | 3.4 | 2.0 | 0.13 | 0.22 | C23–24 |
| Pancreas | 220 | 2.6 | 6.9 | 4.6 | 0.22 | 0.63 | 169 | 2.7 | 5.9 | 3.4 | 0.13 | 0.41 | C25 |
| Nose, sinuses etc. | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 43 | 0.5 | 1.3 | 0.9 | 0.05 | 0.12 | 8 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1993 | 23.1 | 62.4 | 41.2 | 2.05 | 5.26 | 944 | 14.9 | 32.8 | 19.5 | 1.04 | 2.44 | C33–34 |
| Other thoracic organs | 16 | 0.2 | 0.5 | 0.3 | 0.03 | 0.05 | 16 | 0.3 | 0.6 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 89 | 1.0 | 2.8 | 2.0 | 0.10 | 0.24 | 43 | 0.7 | 1.5 | 1.1 | 0.06 | 0.12 | C40–41 |
| Melanoma of skin | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 29 | 0.3 | 0.9 | 0.7 | 0.03 | 0.07 | 28 | 0.4 | 1.0 | 0.6 | 0.03 | 0.06 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 13 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 16 | 0.3 | 0.6 | 0.4 | 0.03 | 0.04 | C47+C49 |
| Breast | 20 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | 631 | 10.0 | 21.9 | 15.4 | 1.39 | 1.52 | C50 |
| Vulva | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C51 |
| Vagina | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 648 | 10.2 | 22.5 | 15.7 | 1.32 | 1.65 | C53 |
| Corpus uteri | | | | | | | 94 | 1.5 | 3.3 | 2.2 | 0.19 | 0.24 | C54 |
| Uterus unspecified | | | | | | | 154 | 2.4 | 5.4 | 3.7 | 0.34 | 0.38 | C55 |
| Ovary | | | | | | | 145 | 2.3 | 5.0 | 3.7 | 0.29 | 0.39 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 18 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 126 | 1.5 | 3.9 | 2.5 | 0.05 | 0.26 | | | | | | | C61 |
| Testis | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 78 | 0.9 | 2.4 | 1.8 | 0.12 | 0.22 | 42 | 0.7 | 1.5 | 1.0 | 0.06 | 0.12 | C64 |
| Renal pelvis | 13 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C66 |
| Bladder | 160 | 1.9 | 5.0 | 3.3 | 0.16 | 0.39 | 61 | 1.0 | 2.1 | 1.3 | 0.07 | 0.13 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 170 | 2.0 | 5.3 | 4.0 | 0.27 | 0.43 | 134 | 2.1 | 4.7 | 3.4 | 0.26 | 0.35 | C70–72 |
| Thyroid | 31 | 0.4 | 1.0 | 0.7 | 0.06 | 0.07 | 166 | 2.6 | 5.8 | 4.2 | 0.35 | 0.41 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 116 | 1.3 | 3.6 | 2.5 | 0.17 | 0.27 | 73 | 1.2 | 2.5 | 1.7 | 0.13 | 0.21 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 24 | 0.3 | 0.8 | 0.5 | 0.03 | 0.09 | 22 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | C90 |
| Lymphoid leukaemia | 37 | 0.4 | 1.2 | 1.0 | 0.06 | 0.09 | 31 | 0.5 | 1.1 | 1.0 | 0.05 | 0.11 | C91 |
| Myeloid leukaemia | 18 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C92–94 |
| Leukaemia unspecified | 105 | 1.2 | 3.3 | 2.8 | 0.17 | 0.26 | 81 | 1.3 | 2.8 | 2.3 | 0.15 | 0.21 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 46 | 0.5 | 1.4 | 1.0 | 0.06 | 0.12 | 48 | 0.8 | 1.7 | 1.1 | 0.10 | 0.10 | O&U |
| All sites | 8656 | | 271.0 | 182.4 | 9.93 | 22.54 | 6359 | | 221.1 | 140.7 | 9.14 | 16.23 | C00–96 |
| All sites except C44 | 8627 | 100.0 | 270.1 | 181.8 | 9.91 | 22.47 | 6331 | 100.0 | 220.1 | 140.1 | 9.10 | 16.16 | C00–96 exc. C44 |

*See note following population pyramid

China, Cangzhou City

CONTRIBUTORS

Huang Jie
Guo Yanru
Yang Xichen
Lu Wenhui
An Lianqin
Gao Zhemin
Liwenjuan



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.5 | Breast | 38.8 |
| Liver | 20.1 | Trachea, bronchus, and lung | 31.6 |
| Stomach | 16.6 | Thyroid | 26.3 |
| Thyroid | 10.1 | Cervix uteri | 8.0 |
| Rectum | 9.1 | Stomach | 7.9 |
| Bladder | 7.5 | Liver | 6.5 |
| Colon | 7.3 | Ovary | 6.4 |
| Oesophagus | 7.1 | Rectum | 5.1 |
| Kidney | 6.3 | Corpus uteri | 5.1 |
| Prostate | 6.0 | Colon | 4.7 |
| Pancreas | 5.1 | Pancreas | 3.4 |
| Non-Hodgkin lymphoma | 3.5 | Oesophagus | 3.4 |
| Brain and nervous system | 2.9 | Kidney | 2.9 |
| Leukaemia unspecified | 2.7 | Leukaemia unspecified | 2.9 |
| Other and unspecified | 2.2 | Other and unspecified | 2.4 |
| Myeloid leukaemia | 1.7 | Brain and nervous system | 2.2 |
| Gallbladder etc. | 1.7 | Non-Hodgkin lymphoma | 2.1 |
| Lymphoid leukaemia | 1.4 | Bladder | 1.7 |
| Bone | 1.3 | Uterus unspecified | 1.7 |
| Nasopharynx | 1.3 | Gallbladder etc. | 1.6 |
| All sites | 173.8 | All sites | 176.6 |

*China, Cangzhou City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 16 | 0.6 | 1.2 | 1.0 | 0.07 | 0.10 | 5 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C01–02 |
| Mouth | 9 | 0.3 | 0.7 | 0.5 | 0.03 | 0.04 | 8 | 0.3 | 0.6 | 0.5 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 21 | 0.8 | 1.6 | 1.3 | 0.10 | 0.12 | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 6 | 0.2 | 0.5 | 0.5 | 0.01 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 116 | 4.2 | 9.0 | 7.1 | 0.34 | 0.97 | 54 | 1.8 | 4.2 | 3.4 | 0.05 | 0.44 | C15 |
| Stomach | 260 | 9.5 | 20.3 | 16.6 | 0.66 | 2.13 | 135 | 4.5 | 10.6 | 7.9 | 0.39 | 0.89 | C16 |
| Small intestine | 8 | 0.3 | 0.6 | 0.6 | 0.04 | 0.06 | 20 | 0.7 | 1.6 | 1.3 | 0.05 | 0.14 | C17 |
| Colon | 115 | 4.2 | 9.0 | 7.3 | 0.39 | 0.86 | 81 | 2.7 | 6.3 | 4.7 | 0.28 | 0.53 | C18 |
| Rectum | 148 | 5.4 | 11.5 | 9.1 | 0.51 | 1.03 | 88 | 2.9 | 6.9 | 5.1 | 0.30 | 0.59 | C19–20 |
| Anus | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 328 | 11.9 | 25.6 | 20.1 | 1.18 | 2.26 | 110 | 3.7 | 8.6 | 6.5 | 0.32 | 0.71 | C22 |
| Gallbladder etc. | 27 | 1.0 | 2.1 | 1.7 | 0.05 | 0.18 | 28 | 0.9 | 2.2 | 1.6 | 0.05 | 0.18 | C23–24 |
| Pancreas | 84 | 3.1 | 6.5 | 5.1 | 0.28 | 0.48 | 58 | 1.9 | 4.5 | 3.4 | 0.14 | 0.45 | C25 |
| Nose, sinuses etc. | 4 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 15 | 0.5 | 1.2 | 0.9 | 0.05 | 0.15 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 759 | 27.7 | 59.2 | 48.5 | 2.06 | 5.68 | 532 | 17.8 | 41.6 | 31.6 | 1.44 | 3.62 | C33–34 |
| Other thoracic organs | 15 | 0.5 | 1.2 | 1.0 | 0.07 | 0.13 | 11 | 0.4 | 0.9 | 0.6 | 0.03 | 0.06 | C37–38 |
| Bone | 18 | 0.7 | 1.4 | 1.3 | 0.06 | 0.12 | 20 | 0.7 | 1.6 | 1.3 | 0.05 | 0.12 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 13 | 0.5 | 1.0 | 0.8 | 0.03 | 0.09 | 11 | 0.4 | 0.9 | 0.7 | 0.02 | 0.07 | C44 |
| Mesothelioma | 5 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | 6 | 0.2 | 0.5 | 0.4 | 0.01 | 0.07 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 6 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C47+C49 |
| Breast | 18 | 0.7 | 1.4 | 1.0 | 0.10 | 0.10 | 685 | 22.9 | 53.6 | 38.8 | 3.16 | 4.27 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 141 | 4.7 | 11.0 | 8.0 | 0.65 | 0.81 | C53 |
| Corpus uteri | | | | | | | 88 | 2.9 | 6.9 | 5.1 | 0.43 | 0.64 | C54 |
| Uterus unspecified | | | | | | | 29 | 1.0 | 2.3 | 1.7 | 0.12 | 0.19 | C55 |
| Ovary | | | | | | | 113 | 3.8 | 8.8 | 6.4 | 0.42 | 0.74 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 6 | 0.2 | 0.5 | 0.5 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 94 | 3.4 | 7.3 | 6.0 | 0.10 | 0.67 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 104 | 3.8 | 8.1 | 6.3 | 0.40 | 0.72 | 48 | 1.6 | 3.8 | 2.9 | 0.20 | 0.36 | C64 |
| Renal pelvis | 10 | 0.4 | 0.8 | 0.6 | 0.03 | 0.06 | 5 | 0.2 | 0.4 | 0.3 | 0.00 | 0.03 | C65 |
| Ureter | 8 | 0.3 | 0.6 | 0.6 | 0.02 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 120 | 4.4 | 9.4 | 7.5 | 0.29 | 0.89 | 29 | 1.0 | 2.3 | 1.7 | 0.07 | 0.18 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 45 | 1.6 | 3.5 | 2.9 | 0.14 | 0.28 | 36 | 1.2 | 2.8 | 2.2 | 0.14 | 0.25 | C70–72 |
| Thyroid | 174 | 6.3 | 13.6 | 10.1 | 0.90 | 1.00 | 461 | 15.4 | 36.1 | 26.3 | 2.30 | 2.75 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 12 | 0.4 | 0.9 | 0.6 | 0.06 | 0.07 | C75 |
| Hodgkin lymphoma | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 53 | 1.9 | 4.1 | 3.5 | 0.22 | 0.32 | 31 | 1.0 | 2.4 | 2.1 | 0.14 | 0.23 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 5 | 0.2 | 0.4 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C90 |
| Lymphoid leukaemia | 13 | 0.5 | 1.0 | 1.4 | 0.07 | 0.08 | 11 | 0.4 | 0.9 | 1.3 | 0.07 | 0.10 | C91 |
| Myeloid leukaemia | 23 | 0.8 | 1.8 | 1.7 | 0.10 | 0.13 | 23 | 0.8 | 1.8 | 1.4 | 0.09 | 0.15 | C92–94 |
| Leukaemia unspecified | 40 | 1.5 | 3.1 | 2.7 | 0.17 | 0.26 | 39 | 1.3 | 3.1 | 2.9 | 0.16 | 0.26 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | MPS |
| Other and unspecified | 33 | 1.2 | 2.6 | 2.2 | 0.13 | 0.26 | 36 | 1.2 | 2.8 | 2.4 | 0.12 | 0.22 | O&U |
| All sites | 2758 | | 215.0 | 173.8 | 8.87 | 19.70 | 3007 | | 235.4 | 176.6 | 11.54 | 19.52 | C00–96 |
| All sites except C44 | 2745 | 100.0 | 214.0 | 173.0 | 8.84 | 19.61 | 2996 | 100.0 | 234.5 | 175.9 | 11.52 | 19.45 | C00–96 exc. C44 |

*See note following population pyramid

China, Changfeng County

CONTRIBUTORS

Wu Haiyan
Chen Chun
Zhou Yanhui



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 49.6 | Trachea, bronchus, and lung | 20.5 |
| Stomach | 32.1 | Breast | 20.0 |
| Oesophagus | 31.2 | Thyroid | 11.9 |
| Liver | 19.7 | Stomach | 11.8 |
| Rectum | 10.0 | Cervix uteri | 10.8 |
| Colon | 6.6 | Oesophagus | 9.0 |
| Other and unspecified | 5.7 | Rectum | 7.0 |
| Non-Hodgkin lymphoma | 4.4 | Liver | 6.3 |
| Prostate | 4.2 | Other and unspecified | 5.2 |
| Brain and nervous system | 4.0 | Brain and nervous system | 5.0 |
| Pancreas | 4.0 | Ovary | 5.0 |
| Bladder | 3.7 | Corpus uteri | 4.0 |
| Kidney | 2.9 | Colon | 3.6 |
| Myeloid leukaemia | 2.5 | Pancreas | 3.0 |
| Larynx | 2.1 | Gallbladder etc. | 2.7 |
| Thyroid | 2.0 | Non-Hodgkin lymphoma | 2.4 |
| Non-melanoma skin cancer | 1.8 | Leukaemia unspecified | 2.0 |
| Lymphoid leukaemia | 1.8 | Myeloid leukaemia | 2.0 |
| Gallbladder etc. | 1.8 | Lymphoid leukaemia | 1.5 |
| Leukaemia unspecified | 1.6 | Non-melanoma skin cancer | 1.5 |
| All sites | 203.5 | All sites | 147.7 |


China, Changfeng County (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 4 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 13 | 0.4 | 1.1 | 0.7 | 0.04 | 0.09 | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 7 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 8 | 0.3 | 0.7 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 24 | 0.7 | 2.0 | 1.6 | 0.15 | 0.17 | 8 | 0.3 | 0.7 | 0.6 | 0.05 | 0.06 | C11 |
| Hypopharynx | 9 | 0.3 | 0.8 | 0.6 | 0.04 | 0.09 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 562 | 15.7 | 47.0 | 31.2 | 1.49 | 4.14 | 179 | 7.5 | 16.3 | 9.0 | 0.23 | 1.07 | C15 |
| Stomach | 598 | 16.7 | 50.1 | 32.1 | 1.32 | 4.16 | 220 | 9.2 | 20.0 | 11.8 | 0.55 | 1.46 | C16 |
| Small intestine | 10 | 0.3 | 0.8 | 0.6 | 0.03 | 0.07 | 19 | 0.8 | 1.7 | 1.2 | 0.06 | 0.18 | C17 |
| Colon | 112 | 3.1 | 9.4 | 6.6 | 0.41 | 0.76 | 61 | 2.6 | 5.6 | 3.6 | 0.20 | 0.41 | C18 |
| Rectum | 176 | 4.9 | 14.7 | 10.0 | 0.54 | 1.16 | 120 | 5.0 | 10.9 | 7.0 | 0.37 | 0.93 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 337 | 9.4 | 28.2 | 19.7 | 1.29 | 2.28 | 111 | 4.7 | 10.1 | 6.3 | 0.32 | 0.78 | C22 |
| Gallbladder etc. | 32 | 0.9 | 2.7 | 1.8 | 0.10 | 0.19 | 51 | 2.1 | 4.6 | 2.7 | 0.11 | 0.34 | C23–24 |
| Pancreas | 74 | 2.1 | 6.2 | 4.0 | 0.20 | 0.47 | 56 | 2.3 | 5.1 | 3.0 | 0.11 | 0.37 | C25 |
| Nose, sinuses etc. | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 37 | 1.0 | 3.1 | 2.1 | 0.14 | 0.25 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 929 | 26.0 | 77.8 | 49.6 | 2.21 | 6.17 | 376 | 15.8 | 34.3 | 20.5 | 1.09 | 2.38 | C33–34 |
| Other thoracic organs | 8 | 0.2 | 0.7 | 0.5 | 0.06 | 0.06 | 5 | 0.2 | 0.5 | 0.3 | 0.03 | 0.05 | C37–38 |
| Bone | 17 | 0.5 | 1.4 | 1.1 | 0.07 | 0.10 | 14 | 0.6 | 1.3 | 1.0 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 9 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | 8 | 0.3 | 0.7 | 0.5 | 0.04 | 0.07 | C43 |
| Other skin | 34 | 1.0 | 2.8 | 1.8 | 0.10 | 0.20 | 31 | 1.3 | 2.8 | 1.5 | 0.06 | 0.15 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.3 | 0.8 | 0.6 | 0.03 | 0.07 | 9 | 0.4 | 0.8 | 0.7 | 0.04 | 0.07 | C47+C49 |
| Breast | 10 | 0.3 | 0.8 | 0.6 | 0.03 | 0.08 | 300 | 12.6 | 27.3 | 20.0 | 1.72 | 2.05 | C50 |
| Vulva | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 4 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C52 |
| Cervix uteri | | | | | | | 163 | 6.8 | 14.8 | 10.8 | 0.91 | 1.10 | C53 |
| Corpus uteri | | | | | | | 60 | 2.5 | 5.5 | 4.0 | 0.40 | 0.40 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.5 | 1.0 | 0.6 | 0.05 | 0.07 | C55 |
| Ovary | | | | | | | 74 | 3.1 | 6.7 | 5.0 | 0.42 | 0.55 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 8 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | | | | | | | C60 |
| Prostate | 86 | 2.4 | 7.2 | 4.2 | 0.10 | 0.41 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 44 | 1.2 | 3.7 | 2.9 | 0.19 | 0.32 | 19 | 0.8 | 1.7 | 1.3 | 0.10 | 0.16 | C64 |
| Renal pelvis | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 70 | 2.0 | 5.9 | 3.7 | 0.16 | 0.45 | 23 | 1.0 | 2.1 | 1.3 | 0.06 | 0.16 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.3 | 0.4 | 0.03 | 0.03 | 4 | 0.2 | 0.4 | 0.6 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 57 | 1.6 | 4.8 | 4.0 | 0.28 | 0.42 | 68 | 2.9 | 6.2 | 5.0 | 0.33 | 0.52 | C70–72 |
| Thyroid | 31 | 0.9 | 2.6 | 2.0 | 0.17 | 0.18 | 170 | 7.1 | 15.5 | 11.9 | 1.00 | 1.15 | C73 |
| Adrenal gland | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 65 | 1.8 | 5.4 | 4.4 | 0.25 | 0.48 | 39 | 1.6 | 3.6 | 2.4 | 0.14 | 0.26 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 15 | 0.4 | 1.3 | 1.0 | 0.09 | 0.12 | 17 | 0.7 | 1.5 | 1.1 | 0.08 | 0.17 | C90 |
| Lymphoid leukaemia | 19 | 0.5 | 1.6 | 1.8 | 0.09 | 0.12 | 16 | 0.7 | 1.5 | 1.5 | 0.09 | 0.13 | C91 |
| Myeloid leukaemia | 39 | 1.1 | 3.3 | 2.5 | 0.13 | 0.23 | 25 | 1.0 | 2.3 | 2.0 | 0.12 | 0.19 | C92–94 |
| Leukaemia unspecified | 24 | 0.7 | 2.0 | 1.6 | 0.08 | 0.18 | 22 | 0.9 | 2.0 | 2.0 | 0.13 | 0.13 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 10 | 0.3 | 0.8 | 0.5 | 0.03 | 0.06 | 7 | 0.3 | 0.6 | 0.4 | 0.01 | 0.07 | MPS |
| Other and unspecified | 98 | 2.7 | 8.2 | 5.7 | 0.36 | 0.66 | 84 | 3.5 | 7.7 | 5.2 | 0.33 | 0.57 | O&U |
| All sites | 3612 | | 302.4 | 203.5 | 10.46 | 24.56 | 2416 | | 220.1 | 147.7 | 9.38 | 16.39 | C00–96 |
| All sites except C44 | 3578 | 100.0 | 299.5 | 201.6 | 10.36 | 24.36 | 2385 | 100.0 | 217.3 | 146.2 | 9.32 | 16.23 | C00–96 exc. C44 |

China, Changzhou City

CONTRIBUTORS

Wenshu Luo
Wenchao Xu
Deren Qiang
Hongfei Shi
Shuzhen Zheng
Yanli Cui
Hongxia Xie
Jing Zong
Yi He
Zhenxia Wu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 56.2 | Breast | 36.9 |
| Trachea, bronchus, and lung | 48.6 | Trachea, bronchus, and lung | 21.7 |
| Liver | 25.4 | Thyroid | 21.7 |
| Oesophagus | 23.1 | Stomach | 20.6 |
| Colon | 16.1 | Colon | 11.4 |
| Prostate | 13.1 | Cervix uteri | 10.2 |
| Rectum | 13.0 | Liver | 7.8 |
| Pancreas | 7.9 | Rectum | 7.4 |
| Bladder | 6.6 | Oesophagus | 7.3 |
| Thyroid | 6.5 | Pancreas | 5.5 |
| Non-Hodgkin lymphoma | 5.7 | Corpus uteri | 5.4 |
| Kidney | 4.9 | Ovary | 4.8 |
| Brain and nervous system | 4.1 | Non-Hodgkin lymphoma | 3.7 |
| Myeloid leukaemia | 3.5 | Gallbladder etc. | 3.0 |
| Other and unspecified | 3.0 | Brain and nervous system | 2.9 |
| Nasopharynx | 2.6 | Kidney | 2.6 |
| Larynx | 2.2 | Myeloid leukaemia | 2.5 |
| Gallbladder etc. | 2.1 | Other and unspecified | 2.2 |
| Non-melanoma skin cancer | 1.9 | Non-melanoma skin cancer | 1.5 |
| Lymphoid leukaemia | 1.8 | Bladder | 1.3 |
| All sites | 263.9 | All sites | 193.0 |


China, Changzhou City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 14 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 19 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 53 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | 37 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C01–02 |
| Mouth | 122 | 0.5 | 2.1 | 1.2 | 0.07 | 0.15 | 76 | 0.4 | 1.3 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 56 | 0.2 | 1.0 | 0.7 | 0.04 | 0.06 | 35 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 243 | 0.9 | 4.2 | 2.6 | 0.18 | 0.32 | 83 | 0.4 | 1.4 | 0.9 | 0.05 | 0.09 | C11 |
| Hypopharynx | 54 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 2325 | 9.0 | 40.4 | 23.1 | 1.09 | 3.01 | 876 | 4.4 | 14.7 | 7.3 | 0.20 | 0.92 | C15 |
| Stomach | 5654 | 21.8 | 98.3 | 56.2 | 2.49 | 7.33 | 2324 | 11.7 | 39.0 | 20.6 | 0.87 | 2.52 | C16 |
| Small intestine | 123 | 0.5 | 2.1 | 1.2 | 0.05 | 0.13 | 112 | 0.6 | 1.9 | 1.0 | 0.04 | 0.11 | C17 |
| Colon | 1617 | 6.2 | 28.1 | 16.1 | 0.73 | 1.97 | 1280 | 6.4 | 21.5 | 11.4 | 0.55 | 1.37 | C18 |
| Rectum | 1292 | 5.0 | 22.5 | 13.0 | 0.66 | 1.59 | 841 | 4.2 | 14.1 | 7.4 | 0.39 | 0.84 | C19–20 |
| Anus | 18 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 18 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 2493 | 9.6 | 43.3 | 25.4 | 1.52 | 3.06 | 922 | 4.6 | 15.5 | 7.8 | 0.34 | 0.89 | C22 |
| Gallbladder etc. | 212 | 0.8 | 3.7 | 2.1 | 0.08 | 0.25 | 360 | 1.8 | 6.0 | 3.0 | 0.12 | 0.35 | C23–24 |
| Pancreas | 811 | 3.1 | 14.1 | 7.9 | 0.31 | 0.96 | 672 | 3.4 | 11.3 | 5.5 | 0.19 | 0.62 | C25 |
| Nose, sinuses etc. | 36 | 0.1 | 0.6 | 0.4 | 0.03 | 0.06 | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 214 | 0.8 | 3.7 | 2.2 | 0.12 | 0.28 | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 4927 | 19.0 | 85.6 | 48.6 | 2.09 | 6.12 | 2425 | 12.2 | 40.7 | 21.7 | 1.18 | 2.58 | C33–34 |
| Other thoracic organs | 68 | 0.3 | 1.2 | 0.7 | 0.05 | 0.08 | 57 | 0.3 | 1.0 | 0.5 | 0.04 | 0.06 | C37–38 |
| Bone | 112 | 0.4 | 1.9 | 1.3 | 0.07 | 0.13 | 86 | 0.4 | 1.4 | 0.8 | 0.03 | 0.09 | C40–41 |
| Melanoma of skin | 49 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 54 | 0.3 | 0.9 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 195 | 0.8 | 3.4 | 1.9 | 0.09 | 0.19 | 167 | 0.8 | 2.8 | 1.5 | 0.05 | 0.16 | C44 |
| Mesothelioma | 9 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 88 | 0.3 | 1.5 | 1.0 | 0.06 | 0.10 | 69 | 0.3 | 1.2 | 0.8 | 0.05 | 0.08 | C47+C49 |
| Breast | 33 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 3588 | 18.1 | 60.2 | 36.9 | 2.86 | 4.11 | C50 |
| Vulva | | | | | | | 31 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 19 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 963 | 4.8 | 16.1 | 10.2 | 0.85 | 1.06 | C53 |
| Corpus uteri | | | | | | | 528 | 2.7 | 8.9 | 5.4 | 0.44 | 0.62 | C54 |
| Uterus unspecified | | | | | | | 37 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 449 | 2.3 | 7.5 | 4.8 | 0.36 | 0.52 | C56 |
| Other female genital organs | | | | | | | 55 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 81 | 0.3 | 1.4 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 1383 | 5.3 | 24.0 | 13.1 | 0.21 | 1.51 | | | | | | | C61 |
| Testis | 34 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | | | | | | | C62 |
| Other male genital organs | 25 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 465 | 1.8 | 8.1 | 4.9 | 0.31 | 0.58 | 252 | 1.3 | 4.2 | 2.6 | 0.16 | 0.30 | C64 |
| Renal pelvis | 46 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | 30 | 0.2 | 0.5 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 50 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | 40 | 0.2 | 0.7 | 0.4 | 0.01 | 0.05 | C66 |
| Bladder | 671 | 2.6 | 11.7 | 6.6 | 0.27 | 0.74 | 160 | 0.8 | 2.7 | 1.3 | 0.05 | 0.14 | C67 |
| Other urinary organs | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 338 | 1.3 | 5.9 | 4.1 | 0.24 | 0.40 | 266 | 1.3 | 4.5 | 2.9 | 0.18 | 0.32 | C70–72 |
| Thyroid | 526 | 2.0 | 9.1 | 6.5 | 0.53 | 0.61 | 1857 | 9.3 | 31.1 | 21.7 | 1.82 | 2.06 | C73 |
| Adrenal gland | 16 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 9 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 10 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 38 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 13 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 529 | 2.0 | 9.2 | 5.7 | 0.30 | 0.67 | 379 | 1.9 | 6.4 | 3.7 | 0.20 | 0.45 | C82–86,C96 |
| Immunoproliferative diseases | 16 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 140 | 0.5 | 2.4 | 1.4 | 0.06 | 0.17 | 126 | 0.6 | 2.1 | 1.1 | 0.06 | 0.15 | C90 |
| Lymphoid leukaemia | 127 | 0.5 | 2.2 | 1.8 | 0.07 | 0.17 | 86 | 0.4 | 1.4 | 1.2 | 0.05 | 0.11 | C91 |
| Myeloid leukaemia | 300 | 1.2 | 5.2 | 3.5 | 0.21 | 0.35 | 227 | 1.1 | 3.8 | 2.5 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 88 | 0.3 | 1.5 | 1.1 | 0.05 | 0.10 | 77 | 0.4 | 1.3 | 0.7 | 0.03 | 0.09 | C95 |
| Myeloproliferative disorders | 24 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 12 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 18 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 18 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 291 | 1.1 | 5.1 | 3.0 | 0.13 | 0.33 | 227 | 1.1 | 3.8 | 2.2 | 0.10 | 0.22 | O&U |
| All sites | 26078 | | 453.3 | 263.9 | 12.47 | 32.19 | 20032 | | 335.8 | 193.0 | 11.71 | 21.74 | C00–96 |
| All sites except C44 | 25883 | 100.0 | 449.9 | 262.0 | 12.39 | 32.00 | 19865 | 100.0 | 333.0 | 191.5 | 11.66 | 21.57 | C00–96 exc. C44 |

China, Chengdu City

CONTRIBUTORS

Wei Yonglan
Qian Wen
He Yan
Cai Peng
Ruan Honghai
Xu Xian



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 67.3 | Trachea, bronchus, and lung | 31.5 |
| Liver | 32.6 | Breast | 29.4 |
| Oesophagus | 32.3 | Cervix uteri | 12.4 |
| Stomach | 22.2 | Liver | 11.3 |
| Rectum | 17.3 | Rectum | 10.3 |
| Colon | 13.8 | Thyroid | 9.8 |
| Prostate | 10.5 | Colon | 9.8 |
| Pancreas | 7.8 | Stomach | 9.5 |
| Bladder | 7.6 | Ovary | 7.7 |
| Other and unspecified | 5.5 | Corpus uteri | 6.4 |
| Nasopharynx | 4.6 | Oesophagus | 4.9 |
| Non-Hodgkin lymphoma | 4.6 | Pancreas | 4.4 |
| Brain and nervous system | 4.5 | Brain and nervous system | 4.3 |
| Thyroid | 4.2 | Other and unspecified | 4.3 |
| Larynx | 3.7 | Non-Hodgkin lymphoma | 3.7 |
| Gallbladder etc. | 3.3 | Gallbladder etc. | 3.6 |
| Leukaemia unspecified | 2.6 | Bladder | 3.0 |
| Myeloid leukaemia | 2.5 | Non-melanoma skin cancer | 2.2 |
| Kidney | 2.4 | Kidney | 2.2 |
| Multiple myeloma | 2.2 | Nasopharynx | 1.9 |
| All sites | 271.9 | All sites | 190.5 |


China, Chengdu City (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 51 | 0.5 | 2.0 | 1.4 | 0.07 | 0.19 | 21 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | C01–02 |
| Mouth | 65 | 0.6 | 2.5 | 1.8 | 0.10 | 0.20 | 28 | 0.4 | 1.1 | 0.7 | 0.03 | 0.09 | C03–06 |
| Salivary glands | 18 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 14 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 13 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 15 | 0.1 | 0.6 | 0.4 | 0.04 | 0.05 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 171 | 1.7 | 6.6 | 4.6 | 0.35 | 0.51 | 72 | 1.0 | 2.7 | 1.9 | 0.14 | 0.21 | C11 |
| Hypopharynx | 31 | 0.3 | 1.2 | 0.9 | 0.07 | 0.10 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 16 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C14 |
| Oesophagus | 1190 | 11.7 | 46.1 | 32.3 | 1.94 | 3.94 | 201 | 2.8 | 7.6 | 4.9 | 0.16 | 0.58 | C15 |
| Stomach | 850 | 8.3 | 32.9 | 22.2 | 1.10 | 2.66 | 384 | 5.3 | 14.5 | 9.5 | 0.45 | 1.10 | C16 |
| Small intestine | 43 | 0.4 | 1.7 | 1.2 | 0.08 | 0.13 | 30 | 0.4 | 1.1 | 0.7 | 0.03 | 0.07 | C17 |
| Colon | 530 | 5.2 | 20.5 | 13.8 | 0.69 | 1.56 | 408 | 5.6 | 15.4 | 9.8 | 0.41 | 0.98 | C18 |
| Rectum | 670 | 6.6 | 25.9 | 17.3 | 0.82 | 1.92 | 425 | 5.9 | 16.1 | 10.3 | 0.44 | 1.12 | C19–20 |
| Anus | 29 | 0.3 | 1.1 | 0.8 | 0.04 | 0.11 | 27 | 0.4 | 1.0 | 0.6 | 0.03 | 0.07 | C21 |
| Liver | 1217 | 11.9 | 47.1 | 32.6 | 2.08 | 3.67 | 448 | 6.2 | 16.9 | 11.3 | 0.54 | 1.19 | C22 |
| Gallbladder etc. | 131 | 1.3 | 5.1 | 3.3 | 0.12 | 0.39 | 143 | 2.0 | 5.4 | 3.6 | 0.14 | 0.43 | C23–24 |
| Pancreas | 300 | 2.9 | 11.6 | 7.8 | 0.40 | 0.93 | 192 | 2.7 | 7.3 | 4.4 | 0.15 | 0.45 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 141 | 1.4 | 5.5 | 3.7 | 0.21 | 0.45 | 15 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 2590 | 25.4 | 100.3 | 67.3 | 3.31 | 8.00 | 1290 | 17.8 | 48.8 | 31.5 | 1.45 | 3.38 | C33–34 |
| Other thoracic organs | 26 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 60 | 0.6 | 2.3 | 1.8 | 0.09 | 0.19 | 35 | 0.5 | 1.3 | 1.1 | 0.06 | 0.10 | C40–41 |
| Melanoma of skin | 20 | 0.2 | 0.8 | 0.5 | 0.02 | 0.04 | 17 | 0.2 | 0.6 | 0.4 | 0.01 | 0.04 | C43 |
| Other skin | 76 | 0.7 | 2.9 | 2.0 | 0.10 | 0.18 | 84 | 1.2 | 3.2 | 2.2 | 0.10 | 0.19 | C44 |
| Mesothelioma | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 28 | 0.3 | 1.1 | 0.8 | 0.05 | 0.06 | 28 | 0.4 | 1.1 | 0.8 | 0.05 | 0.08 | C47+C49 |
| Breast | 20 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 1079 | 14.9 | 40.8 | 29.4 | 2.30 | 3.04 | C50 |
| Vulva | | | | | | | 29 | 0.4 | 1.1 | 0.7 | 0.05 | 0.08 | C51 |
| Vagina | | | | | | | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 453 | 6.3 | 17.1 | 12.4 | 1.00 | 1.27 | C53 |
| Corpus uteri | | | | | | | 232 | 3.2 | 8.8 | 6.4 | 0.51 | 0.75 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.3 | 0.8 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 283 | 3.9 | 10.7 | 7.7 | 0.54 | 0.85 | C56 |
| Other female genital organs | | | | | | | 25 | 0.3 | 0.9 | 0.7 | 0.05 | 0.08 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.2 | 0.9 | 0.6 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 445 | 4.4 | 17.2 | 10.5 | 0.19 | 1.01 | | | | | | | C61 |
| Testis | 15 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 91 | 0.9 | 3.5 | 2.4 | 0.16 | 0.26 | 81 | 1.1 | 3.1 | 2.2 | 0.11 | 0.24 | C64 |
| Renal pelvis | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 12 | 0.2 | 0.5 | 0.3 | 0.00 | 0.01 | C65 |
| Ureter | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 304 | 3.0 | 11.8 | 7.6 | 0.29 | 0.83 | 126 | 1.7 | 4.8 | 3.0 | 0.11 | 0.33 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C68 |
| Eye | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 148 | 1.4 | 5.7 | 4.5 | 0.25 | 0.45 | 146 | 2.0 | 5.5 | 4.3 | 0.26 | 0.41 | C70–72 |
| Thyroid | 149 | 1.5 | 5.8 | 4.2 | 0.30 | 0.40 | 349 | 4.8 | 13.2 | 9.8 | 0.78 | 0.94 | C73 |
| Adrenal gland | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.05 | C74 |
| Other endocrine | 6 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 22 | 0.2 | 0.9 | 0.6 | 0.02 | 0.06 | 14 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 169 | 1.7 | 6.5 | 4.6 | 0.29 | 0.48 | 140 | 1.9 | 5.3 | 3.7 | 0.19 | 0.40 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 91 | 0.9 | 3.5 | 2.2 | 0.10 | 0.24 | 66 | 0.9 | 2.5 | 1.6 | 0.07 | 0.22 | C90 |
| Lymphoid leukaemia | 61 | 0.6 | 2.4 | 2.1 | 0.09 | 0.17 | 42 | 0.6 | 1.6 | 1.6 | 0.08 | 0.13 | C91 |
| Myeloid leukaemia | 84 | 0.8 | 3.3 | 2.5 | 0.12 | 0.27 | 61 | 0.8 | 2.3 | 1.8 | 0.09 | 0.17 | C92–94 |
| Leukaemia unspecified | 76 | 0.7 | 2.9 | 2.6 | 0.13 | 0.21 | 45 | 0.6 | 1.7 | 1.8 | 0.08 | 0.14 | C95 |
| Myeloproliferative disorders | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 11 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | MPS |
| Other and unspecified | 207 | 2.0 | 8.0 | 5.5 | 0.28 | 0.60 | 163 | 2.3 | 6.2 | 4.3 | 0.22 | 0.43 | O&U |
| All sites | 10287 | | 398.3 | 271.9 | 14.22 | 30.92 | 7325 | | 277.0 | 190.5 | 10.91 | 20.14 | C00–96 |
| All sites except C44 | 10211 | 100.0 | 395.4 | 269.9 | 14.13 | 30.74 | 7241 | 100.0 | 273.8 | 188.3 | 10.81 | 19.95 | C00–96 exc. C44 |

China, Cixian County

CONTRIBUTORS

Guo-Hui Song
 Chao Chen
 Yu-Tong He
 Yan-Wei Gong
 Hogn-Xin Ji
 Jin Zhang
 Xiao-Xue Lu
 Zhi-Guang Gao
 Fan-Shu Meng
 Bao-En Shan
 Wen-Qiang Wei



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 95.1 | Oesophagus | 55.9 |
| Stomach | 74.3 | Stomach | 29.8 |
| Trachea, bronchus, and lung | 59.8 | Trachea, bronchus, and lung | 28.6 |
| Liver | 26.2 | Breast | 21.2 |
| Rectum | 6.8 | Cervix uteri | 10.2 |
| Colon | 6.6 | Liver | 10.1 |
| Brain and nervous system | 3.4 | Colon | 6.4 |
| Myeloid leukaemia | 3.2 | Corpus uteri | 5.7 |
| Bladder | 2.8 | Rectum | 4.9 |
| Pancreas | 2.8 | Ovary | 4.6 |
| Non-Hodgkin lymphoma | 2.7 | Brain and nervous system | 4.6 |
| Lymphoid leukaemia | 2.6 | Thyroid | 2.8 |
| Gallbladder etc. | 2.4 | Gallbladder etc. | 2.3 |
| Larynx | 2.1 | Pancreas | 1.7 |
| Kidney | 2.0 | Myeloid leukaemia | 1.6 |
| Bone | 1.8 | Bone | 1.3 |
| Prostate | 1.5 | Non-Hodgkin lymphoma | 1.2 |
| Leukaemia unspecified | 1.4 | Kidney | 1.1 |
| Small intestine | 0.8 | Bladder | 1.1 |
| Thyroid | 0.8 | Lymphoid leukaemia | 1.0 |
| All sites | 308.5 | All sites | 206.8 |


China, Cixian County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 7 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 15 | 0.4 | 0.9 | 0.8 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 7 | 0.1 | 0.4 | 0.4 | 0.02 | 0.06 | 6 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.06 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 12 | 0.2 | 0.7 | 0.6 | 0.05 | 0.06 | 9 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | C11 |
| Hypopharynx | 3 | 0.1 | 0.2 | 0.3 | 0.00 | 0.02 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1555 | 30.7 | 96.4 | 95.1 | 4.50 | 12.15 | 1021 | 26.9 | 64.4 | 55.9 | 2.42 | 6.78 | C15 |
| Stomach | 1218 | 24.0 | 75.5 | 74.3 | 3.67 | 10.01 | 544 | 14.3 | 34.3 | 29.8 | 1.21 | 3.77 | C16 |
| Small intestine | 15 | 0.3 | 0.9 | 0.8 | 0.05 | 0.12 | 13 | 0.3 | 0.8 | 0.7 | 0.05 | 0.08 | C17 |
| Colon | 115 | 2.3 | 7.1 | 6.6 | 0.40 | 0.77 | 117 | 3.1 | 7.4 | 6.4 | 0.34 | 0.75 | C18 |
| Rectum | 112 | 2.2 | 6.9 | 6.8 | 0.31 | 0.88 | 93 | 2.4 | 5.9 | 4.9 | 0.26 | 0.56 | C19–20 |
| Anus | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 10 | 0.3 | 0.6 | 0.6 | 0.02 | 0.09 | C21 |
| Liver | 453 | 8.9 | 28.1 | 26.2 | 1.49 | 3.15 | 188 | 5.0 | 11.9 | 10.1 | 0.54 | 1.13 | C22 |
| Gallbladder etc. | 39 | 0.8 | 2.4 | 2.4 | 0.10 | 0.28 | 41 | 1.1 | 2.6 | 2.3 | 0.11 | 0.31 | C23–24 |
| Pancreas | 44 | 0.9 | 2.7 | 2.8 | 0.14 | 0.30 | 31 | 0.8 | 2.0 | 1.7 | 0.09 | 0.19 | C25 |
| Nose, sinuses etc. | 12 | 0.2 | 0.7 | 0.7 | 0.03 | 0.06 | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 36 | 0.7 | 2.2 | 2.1 | 0.12 | 0.25 | 9 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 983 | 19.4 | 61.0 | 59.8 | 2.88 | 7.52 | 526 | 13.9 | 33.2 | 28.6 | 1.24 | 3.28 | C33–34 |
| Other thoracic organs | 8 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | C37–38 |
| Bone | 30 | 0.6 | 1.9 | 1.8 | 0.09 | 0.19 | 23 | 0.6 | 1.4 | 1.3 | 0.08 | 0.16 | C40–41 |
| Melanoma of skin | 9 | 0.2 | 0.6 | 0.6 | 0.02 | 0.05 | 7 | 0.2 | 0.4 | 0.4 | 0.01 | 0.06 | C43 |
| Other skin | 10 | 0.2 | 0.6 | 0.6 | 0.03 | 0.08 | 9 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C47+C49 |
| Breast | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 408 | 10.7 | 25.7 | 21.2 | 1.74 | 2.26 | C50 |
| Vulva | | | | | | | 10 | 0.3 | 0.6 | 0.5 | 0.02 | 0.07 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | C52 |
| Cervix uteri | | | | | | | 193 | 5.1 | 12.2 | 10.2 | 0.75 | 1.21 | C53 |
| Corpus uteri | | | | | | | 110 | 2.9 | 6.9 | 5.7 | 0.44 | 0.64 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 83 | 2.2 | 5.2 | 4.6 | 0.34 | 0.52 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 7 | 0.1 | 0.4 | 0.4 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 25 | 0.5 | 1.6 | 1.5 | 0.06 | 0.13 | | | | | | | C61 |
| Testis | 11 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 33 | 0.7 | 2.0 | 2.0 | 0.14 | 0.22 | 21 | 0.6 | 1.3 | 1.1 | 0.08 | 0.13 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 9 | 0.2 | 0.6 | 0.5 | 0.04 | 0.07 | 12 | 0.3 | 0.8 | 0.6 | 0.05 | 0.08 | C66 |
| Bladder | 42 | 0.8 | 2.6 | 2.8 | 0.12 | 0.27 | 20 | 0.5 | 1.3 | 1.1 | 0.04 | 0.15 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 59 | 1.2 | 3.7 | 3.4 | 0.22 | 0.42 | 83 | 2.2 | 5.2 | 4.6 | 0.29 | 0.55 | C70–72 |
| Thyroid | 14 | 0.3 | 0.9 | 0.8 | 0.04 | 0.08 | 54 | 1.4 | 3.4 | 2.8 | 0.23 | 0.29 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 8 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | 9 | 0.2 | 0.6 | 0.5 | 0.01 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 43 | 0.8 | 2.7 | 2.7 | 0.15 | 0.34 | 23 | 0.6 | 1.4 | 1.2 | 0.07 | 0.12 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 14 | 0.3 | 0.9 | 0.7 | 0.06 | 0.08 | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C90 |
| Lymphoid leukaemia | 31 | 0.6 | 1.9 | 2.6 | 0.12 | 0.12 | 12 | 0.3 | 0.8 | 1.0 | 0.05 | 0.07 | C91 |
| Myeloid leukaemia | 56 | 1.1 | 3.5 | 3.2 | 0.25 | 0.29 | 26 | 0.7 | 1.6 | 1.6 | 0.12 | 0.13 | C92–94 |
| Leukaemia unspecified | 24 | 0.5 | 1.5 | 1.4 | 0.05 | 0.17 | 13 | 0.3 | 0.8 | 0.7 | 0.05 | 0.08 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 6 | 0.1 | 0.4 | 0.4 | 0.01 | 0.04 | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | O&U |
| All sites | 5082 | | 315.1 | 308.5 | 15.40 | 38.77 | 3805 | | 239.9 | 206.8 | 10.96 | 24.26 | C00–96 |
| All sites except C44 | 5072 | 100.0 | 314.5 | 307.9 | 15.37 | 38.69 | 3796 | 100.0 | 239.3 | 206.3 | 10.94 | 24.21 | C00–96 exc. C44 |

China, Cixi City

CONTRIBUTORS

Wu Yiping
Ma Xu
Luo Dan
Luo Yangnu
Liu Qiong
Huang Zhenyu
Xu Zhou
Wang Lijun
Hu Ji
Cen Xin



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 61.1 | Trachea, bronchus, and lung | 32.6 |
| Liver | 27.7 | Breast | 29.8 |
| Stomach | 19.6 | Thyroid | 29.0 |
| Oesophagus | 11.8 | Cervix uteri | 9.5 |
| Rectum | 10.5 | Stomach | 8.8 |
| Prostate | 9.9 | Liver | 8.4 |
| Colon | 8.3 | Rectum | 7.1 |
| Thyroid | 7.9 | Colon | 6.8 |
| Pancreas | 6.5 | Ovary | 4.6 |
| Bladder | 6.2 | Pancreas | 4.1 |
| Non-Hodgkin lymphoma | 4.7 | Corpus uteri | 3.7 |
| Nasopharynx | 3.9 | Brain and nervous system | 3.4 |
| Brain and nervous system | 3.6 | Gallbladder etc. | 3.3 |
| Kidney | 3.1 | Non-Hodgkin lymphoma | 3.0 |
| Myeloid leukaemia | 2.3 | Myeloid leukaemia | 2.0 |
| Larynx | 2.3 | Nasopharynx | 1.7 |
| Gallbladder etc. | 2.2 | Non-melanoma skin cancer | 1.5 |
| Non-melanoma skin cancer | 2.0 | Kidney | 1.4 |
| Lymphoid leukaemia | 2.0 | Other and unspecified | 1.4 |
| Multiple myeloma | 1.6 | Bladder | 1.4 |
| All sites | 214.8 | All sites | 177.2 |


China, Cixi City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 15 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 27 | 0.3 | 1.0 | 0.5 | 0.04 | 0.07 | 12 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C01–02 |
| Mouth | 48 | 0.4 | 1.9 | 0.9 | 0.04 | 0.11 | 25 | 0.3 | 0.9 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 17 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | 22 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | C07–08 |
| Tonsil | 14 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 20 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 171 | 1.6 | 6.6 | 3.9 | 0.30 | 0.41 | 72 | 0.8 | 2.7 | 1.7 | 0.12 | 0.17 | C11 |
| Hypopharynx | 62 | 0.6 | 2.4 | 1.2 | 0.09 | 0.16 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 19 | 0.2 | 0.7 | 0.4 | 0.02 | 0.06 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 622 | 5.8 | 24.2 | 11.8 | 0.74 | 1.49 | 67 | 0.8 | 2.5 | 1.1 | 0.03 | 0.11 | C15 |
| Stomach | 1037 | 9.7 | 40.3 | 19.6 | 0.99 | 2.44 | 492 | 5.7 | 18.5 | 8.8 | 0.48 | 1.00 | C16 |
| Small intestine | 40 | 0.4 | 1.6 | 0.8 | 0.04 | 0.08 | 41 | 0.5 | 1.5 | 0.7 | 0.04 | 0.09 | C17 |
| Colon | 430 | 4.0 | 16.7 | 8.3 | 0.46 | 0.96 | 378 | 4.4 | 14.2 | 6.8 | 0.40 | 0.82 | C18 |
| Rectum | 546 | 5.1 | 21.2 | 10.5 | 0.54 | 1.24 | 391 | 4.6 | 14.7 | 7.1 | 0.41 | 0.85 | C19–20 |
| Anus | 65 | 0.6 | 2.5 | 1.2 | 0.07 | 0.16 | 38 | 0.4 | 1.4 | 0.6 | 0.02 | 0.07 | C21 |
| Liver | 1342 | 12.6 | 52.1 | 27.7 | 2.07 | 3.08 | 458 | 5.3 | 17.2 | 8.4 | 0.48 | 0.96 | C22 |
| Gallbladder etc. | 123 | 1.2 | 4.8 | 2.2 | 0.08 | 0.26 | 205 | 2.4 | 7.7 | 3.3 | 0.13 | 0.36 | C23–24 |
| Pancreas | 340 | 3.2 | 13.2 | 6.5 | 0.34 | 0.80 | 236 | 2.8 | 8.9 | 4.1 | 0.17 | 0.52 | C25 |
| Nose, sinuses etc. | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 116 | 1.1 | 4.5 | 2.3 | 0.15 | 0.30 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 3244 | 30.4 | 126.0 | 61.1 | 2.96 | 7.71 | 1754 | 20.5 | 65.9 | 32.6 | 1.93 | 4.03 | C33–34 |
| Other thoracic organs | 52 | 0.5 | 2.0 | 1.1 | 0.09 | 0.12 | 28 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 35 | 0.3 | 1.4 | 1.0 | 0.07 | 0.09 | 27 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 16 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C43 |
| Other skin | 112 | 1.0 | 4.4 | 2.0 | 0.06 | 0.23 | 100 | 1.2 | 3.8 | 1.5 | 0.06 | 0.11 | C44 |
| Mesothelioma | 16 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 34 | 0.4 | 1.3 | 0.7 | 0.06 | 0.08 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 39 | 0.4 | 1.5 | 1.0 | 0.05 | 0.10 | 32 | 0.4 | 1.2 | 0.8 | 0.05 | 0.08 | C47+C49 |
| Breast | 16 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 1379 | 16.1 | 51.8 | 29.8 | 2.52 | 3.15 | C50 |
| Vulva | | | | | | | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 420 | 4.9 | 15.8 | 9.5 | 0.81 | 0.97 | C53 |
| Corpus uteri | | | | | | | 177 | 2.1 | 6.7 | 3.7 | 0.31 | 0.45 | C54 |
| Uterus unspecified | | | | | | | 51 | 0.6 | 1.9 | 1.0 | 0.09 | 0.12 | C55 |
| Ovary | | | | | | | 209 | 2.4 | 7.9 | 4.6 | 0.35 | 0.51 | C56 |
| Other female genital organs | | | | | | | 22 | 0.3 | 0.8 | 0.4 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 42 | 0.4 | 1.6 | 0.7 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 567 | 5.3 | 22.0 | 9.9 | 0.22 | 1.19 | | | | | | | C61 |
| Testis | 17 | 0.2 | 0.7 | 0.7 | 0.05 | 0.05 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 141 | 1.3 | 5.5 | 3.1 | 0.21 | 0.35 | 66 | 0.8 | 2.5 | 1.4 | 0.09 | 0.16 | C64 |
| Renal pelvis | 21 | 0.2 | 0.8 | 0.4 | 0.02 | 0.06 | 11 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 22 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 329 | 3.1 | 12.8 | 6.2 | 0.28 | 0.75 | 78 | 0.9 | 2.9 | 1.4 | 0.07 | 0.14 | C67 |
| Other urinary organs | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 143 | 1.3 | 5.6 | 3.6 | 0.23 | 0.39 | 137 | 1.6 | 5.2 | 3.4 | 0.22 | 0.36 | C70–72 |
| Thyroid | 295 | 2.8 | 11.5 | 7.9 | 0.65 | 0.76 | 1158 | 13.5 | 43.5 | 29.0 | 2.48 | 2.77 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 12 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 217 | 2.0 | 8.4 | 4.7 | 0.28 | 0.55 | 142 | 1.7 | 5.3 | 3.0 | 0.17 | 0.35 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 82 | 0.8 | 3.2 | 1.6 | 0.09 | 0.21 | 69 | 0.8 | 2.6 | 1.3 | 0.08 | 0.18 | C90 |
| Lymphoid leukaemia | 43 | 0.4 | 1.7 | 2.0 | 0.10 | 0.12 | 39 | 0.5 | 1.5 | 1.2 | 0.07 | 0.12 | C91 |
| Myeloid leukaemia | 89 | 0.8 | 3.5 | 2.3 | 0.16 | 0.23 | 70 | 0.8 | 2.6 | 2.0 | 0.12 | 0.17 | C92–94 |
| Leukaemia unspecified | 49 | 0.5 | 1.9 | 1.3 | 0.07 | 0.12 | 34 | 0.4 | 1.3 | 1.1 | 0.06 | 0.10 | C95 |
| Myeloproliferative disorders | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 25 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | MPS |
| Other and unspecified | 74 | 0.7 | 2.9 | 1.5 | 0.08 | 0.16 | 76 | 0.9 | 2.9 | 1.4 | 0.07 | 0.15 | O&U |
| All sites | 10799 | | 419.6 | 214.8 | 11.93 | 25.42 | 8663 | | 325.7 | 177.2 | 12.23 | 19.52 | C00–96 |
| All sites except C44 | 10687 | 100.0 | 415.2 | 212.9 | 11.87 | 25.19 | 8563 | 100.0 | 322.0 | 175.7 | 12.17 | 19.40 | C00–96 exc. C44 |

China, Dafeng District, Yancheng City

CONTRIBUTORS

Xiaoping Gu
Feng Sheng
Xin Gu
Hengkui Zhi



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 46.7 | Breast | 29.6 |
| Stomach | 33.6 | Trachea, bronchus, and lung | 25.1 |
| Oesophagus | 30.5 | Cervix uteri | 17.6 |
| Liver | 30.0 | Stomach | 13.0 |
| Rectum | 10.5 | Oesophagus | 12.0 |
| Colon | 10.4 | Liver | 11.1 |
| Pancreas | 6.6 | Colon | 6.6 |
| Prostate | 5.7 | Rectum | 6.3 |
| Bladder | 5.6 | Thyroid | 6.2 |
| Brain and nervous system | 5.6 | Corpus uteri | 5.3 |
| Non-Hodgkin lymphoma | 4.2 | Brain and nervous system | 5.2 |
| Leukaemia unspecified | 4.0 | Pancreas | 5.1 |
| Nasopharynx | 3.1 | Ovary | 5.1 |
| Kidney | 2.7 | Leukaemia unspecified | 3.4 |
| Non-melanoma skin cancer | 2.3 | Non-Hodgkin lymphoma | 3.4 |
| Bone | 2.2 | Gallbladder etc. | 2.3 |
| Gallbladder etc. | 2.2 | Kidney | 2.2 |
| Thyroid | 1.8 | Bone | 1.9 |
| Larynx | 1.4 | Bladder | 1.7 |
| Mouth | 1.1 | Non-melanoma skin cancer | 1.6 |
| All sites | 221.7 | All sites | 176.9 |

*China, Dafeng District, Yancheng City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 14 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | 18 | 0.3 | 1.0 | 0.5 | 0.03 | 0.05 | C01–02 |
| Mouth | 38 | 0.5 | 2.1 | 1.1 | 0.06 | 0.14 | 25 | 0.4 | 1.4 | 0.7 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 12 | 0.2 | 0.7 | 0.3 | 0.02 | 0.05 | 16 | 0.3 | 0.9 | 0.5 | 0.02 | 0.05 | C07–08 |
| Tonsil | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 94 | 1.2 | 5.2 | 3.1 | 0.24 | 0.34 | 33 | 0.5 | 1.8 | 0.9 | 0.06 | 0.11 | C11 |
| Hypopharynx | 11 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1173 | 14.8 | 65.3 | 30.5 | 1.27 | 3.55 | 552 | 8.7 | 30.6 | 12.0 | 0.33 | 1.32 | C15 |
| Stomach | 1257 | 15.9 | 69.9 | 33.6 | 1.65 | 3.98 | 527 | 8.3 | 29.3 | 13.0 | 0.67 | 1.49 | C16 |
| Small intestine | 30 | 0.4 | 1.7 | 0.8 | 0.04 | 0.10 | 22 | 0.3 | 1.2 | 0.7 | 0.05 | 0.07 | C17 |
| Colon | 371 | 4.7 | 20.6 | 10.4 | 0.62 | 1.23 | 265 | 4.2 | 14.7 | 6.6 | 0.40 | 0.76 | C18 |
| Rectum | 380 | 4.8 | 21.1 | 10.5 | 0.62 | 1.25 | 237 | 3.8 | 13.2 | 6.3 | 0.39 | 0.70 | C19–20 |
| Anus | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 1032 | 13.0 | 57.4 | 30.0 | 2.19 | 3.39 | 438 | 6.9 | 24.3 | 11.1 | 0.68 | 1.23 | C22 |
| Gallbladder etc. | 80 | 1.0 | 4.5 | 2.2 | 0.12 | 0.24 | 102 | 1.6 | 5.7 | 2.3 | 0.10 | 0.24 | C23–24 |
| Pancreas | 241 | 3.0 | 13.4 | 6.6 | 0.34 | 0.77 | 219 | 3.5 | 12.2 | 5.1 | 0.24 | 0.57 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 10 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | C30–31 |
| Larynx | 49 | 0.6 | 2.7 | 1.4 | 0.12 | 0.17 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 1767 | 22.3 | 98.3 | 46.7 | 2.15 | 5.67 | 1027 | 16.3 | 57.0 | 25.1 | 1.32 | 2.91 | C33–34 |
| Other thoracic organs | 23 | 0.3 | 1.3 | 0.7 | 0.06 | 0.07 | 15 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | C37–38 |
| Bone | 68 | 0.9 | 3.8 | 2.2 | 0.13 | 0.21 | 58 | 0.9 | 3.2 | 1.9 | 0.12 | 0.19 | C40–41 |
| Melanoma of skin | 23 | 0.3 | 1.3 | 0.7 | 0.04 | 0.06 | 25 | 0.4 | 1.4 | 0.6 | 0.04 | 0.08 | C43 |
| Other skin | 89 | 1.1 | 5.0 | 2.3 | 0.12 | 0.22 | 68 | 1.1 | 3.8 | 1.6 | 0.08 | 0.16 | C44 |
| Mesothelioma | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 21 | 0.3 | 1.2 | 0.8 | 0.05 | 0.08 | 11 | 0.2 | 0.6 | 0.6 | 0.03 | 0.04 | C47+C49 |
| Breast | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 922 | 14.6 | 51.2 | 29.6 | 2.56 | 3.12 | C50 |
| Vulva | | | | | | | 10 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 13 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 586 | 9.3 | 32.5 | 17.6 | 1.40 | 1.93 | C53 |
| Corpus uteri | | | | | | | 176 | 2.8 | 9.8 | 5.3 | 0.45 | 0.58 | C54 |
| Uterus unspecified | | | | | | | 24 | 0.4 | 1.3 | 0.7 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 162 | 2.6 | 9.0 | 5.1 | 0.45 | 0.54 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 20 | 0.3 | 1.1 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 239 | 3.0 | 13.3 | 5.7 | 0.08 | 0.54 | | | | | | | C61 |
| Testis | 9 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 88 | 1.1 | 4.9 | 2.7 | 0.17 | 0.30 | 70 | 1.1 | 3.9 | 2.2 | 0.15 | 0.24 | C64 |
| Renal pelvis | 8 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 213 | 2.7 | 11.8 | 5.6 | 0.27 | 0.61 | 72 | 1.1 | 4.0 | 1.7 | 0.08 | 0.17 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.0 | 0.2 | 0.4 | 0.02 | 0.02 | 6 | 0.1 | 0.3 | 0.8 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 162 | 2.0 | 9.0 | 5.6 | 0.36 | 0.52 | 151 | 2.4 | 8.4 | 5.2 | 0.37 | 0.51 | C70–72 |
| Thyroid | 53 | 0.7 | 2.9 | 1.8 | 0.14 | 0.18 | 176 | 2.8 | 9.8 | 6.2 | 0.48 | 0.63 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 141 | 1.8 | 7.8 | 4.2 | 0.29 | 0.47 | 110 | 1.7 | 6.1 | 3.4 | 0.23 | 0.38 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 26 | 0.3 | 1.4 | 0.7 | 0.04 | 0.11 | 24 | 0.4 | 1.3 | 0.7 | 0.04 | 0.09 | C90 |
| Lymphoid leukaemia | 23 | 0.3 | 1.3 | 0.7 | 0.03 | 0.08 | 13 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | C91 |
| Myeloid leukaemia | 25 | 0.3 | 1.4 | 1.0 | 0.07 | 0.09 | 23 | 0.4 | 1.3 | 0.8 | 0.06 | 0.07 | C92–94 |
| Leukaemia unspecified | 106 | 1.3 | 5.9 | 4.0 | 0.22 | 0.36 | 92 | 1.5 | 5.1 | 3.4 | 0.20 | 0.32 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | MPS |
| Other and unspecified | 25 | 0.3 | 1.4 | 0.7 | 0.05 | 0.07 | 18 | 0.3 | 1.0 | 0.5 | 0.03 | 0.06 | O&U |
| All sites | 8008 | | 445.5 | 221.7 | 11.88 | 25.38 | 6385 | | 354.4 | 176.9 | 11.47 | 19.23 | C00–96 |
| All sites except C44 | 7919 | 100.0 | 440.6 | 219.4 | 11.76 | 25.15 | 6317 | 100.0 | 350.7 | 175.2 | 11.39 | 19.07 | C00–96 exc. C44 |

*See note following population pyramid

China, Dalian City

CONTRIBUTORS

Yiheng Zhou
Xiaofeng Wang
Xinhui Zang
Jingshu Wang
Hong Lin



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 64.0 | Breast | 50.3 |
| Stomach | 27.6 | Thyroid | 48.0 |
| Liver | 25.3 | Trachea, bronchus, and lung | 44.9 |
| Colon | 16.9 | Cervix uteri | 12.4 |
| Thyroid | 16.8 | Colon | 11.8 |
| Rectum | 15.2 | Stomach | 11.3 |
| Bladder | 11.5 | Rectum | 8.5 |
| Kidney | 10.5 | Corpus uteri | 7.7 |
| Pancreas | 8.8 | Liver | 7.4 |
| Prostate | 8.4 | Ovary | 6.4 |
| Oesophagus | 7.8 | Pancreas | 5.2 |
| Non-Hodgkin lymphoma | 4.3 | Kidney | 4.1 |
| Brain and nervous system | 4.0 | Non-Hodgkin lymphoma | 3.4 |
| Gallbladder etc. | 3.6 | Brain and nervous system | 3.3 |
| Larynx | 3.4 | Other and unspecified | 2.5 |
| Other and unspecified | 3.1 | Bladder | 2.5 |
| Non-melanoma skin cancer | 2.7 | Non-melanoma skin cancer | 2.4 |
| Myeloid leukaemia | 2.7 | Gallbladder etc. | 2.3 |
| Lymphoid leukaemia | 2.3 | Myeloid leukaemia | 2.2 |
| Leukaemia unspecified | 1.7 | Connective and soft tissue | 1.5 |
| All sites | 259.7 | All sites | 251.8 |


China, Dalian City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 24 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 9 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 119 | 0.4 | 2.0 | 1.1 | 0.08 | 0.13 | 48 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 118 | 0.4 | 2.0 | 1.0 | 0.07 | 0.11 | 61 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 58 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | 35 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 35 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 19 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 115 | 0.4 | 2.0 | 1.3 | 0.09 | 0.15 | 47 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C11 |
| Hypopharynx | 110 | 0.4 | 1.9 | 1.0 | 0.08 | 0.12 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 26 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 909 | 3.2 | 15.6 | 7.8 | 0.54 | 0.91 | 80 | 0.3 | 1.3 | 0.5 | 0.01 | 0.03 | C15 |
| Stomach | 3261 | 11.3 | 55.9 | 27.6 | 1.40 | 3.33 | 1485 | 5.3 | 24.8 | 11.3 | 0.55 | 1.25 | C16 |
| Small intestine | 127 | 0.4 | 2.2 | 1.1 | 0.06 | 0.13 | 122 | 0.4 | 2.0 | 0.9 | 0.05 | 0.11 | C17 |
| Colon | 1998 | 6.9 | 34.2 | 16.9 | 0.74 | 1.96 | 1581 | 5.7 | 26.5 | 11.8 | 0.52 | 1.34 | C18 |
| Rectum | 1719 | 6.0 | 29.5 | 15.2 | 0.84 | 1.84 | 1074 | 3.8 | 18.0 | 8.5 | 0.48 | 0.97 | C19–20 |
| Anus | 19 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 16 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 2821 | 9.8 | 48.4 | 25.3 | 1.77 | 2.95 | 989 | 3.5 | 16.5 | 7.4 | 0.36 | 0.83 | C22 |
| Gallbladder etc. | 437 | 1.5 | 7.5 | 3.6 | 0.15 | 0.42 | 325 | 1.2 | 5.4 | 2.3 | 0.08 | 0.25 | C23–24 |
| Pancreas | 1026 | 3.6 | 17.6 | 8.8 | 0.42 | 1.09 | 743 | 2.7 | 12.4 | 5.2 | 0.19 | 0.58 | C25 |
| Nose, sinuses etc. | 55 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 22 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 391 | 1.4 | 6.7 | 3.4 | 0.23 | 0.44 | 22 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 7504 | 26.0 | 128.6 | 64.0 | 3.00 | 7.79 | 5580 | 20.0 | 93.4 | 44.9 | 2.64 | 5.34 | C33–34 |
| Other thoracic organs | 77 | 0.3 | 1.3 | 0.8 | 0.05 | 0.08 | 59 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 68 | 0.2 | 1.2 | 0.8 | 0.05 | 0.07 | 62 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | C40–41 |
| Melanoma of skin | 52 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 57 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C43 |
| Other skin | 326 | 1.1 | 5.6 | 2.7 | 0.13 | 0.31 | 319 | 1.1 | 5.3 | 2.4 | 0.11 | 0.24 | C44 |
| Mesothelioma | 40 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 16 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 147 | 0.5 | 2.5 | 1.5 | 0.09 | 0.17 | 136 | 0.5 | 2.3 | 1.5 | 0.09 | 0.15 | C47+C49 |
| Breast | 40 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 5272 | 18.9 | 88.2 | 50.3 | 3.98 | 5.55 | C50 |
| Vulva | | | | | | | 56 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 21 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 1241 | 4.4 | 20.8 | 12.4 | 1.07 | 1.27 | C53 |
| Corpus uteri | | | | | | | 829 | 3.0 | 13.9 | 7.7 | 0.63 | 0.87 | C54 |
| Uterus unspecified | | | | | | | 64 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 670 | 2.4 | 11.2 | 6.4 | 0.47 | 0.71 | C56 |
| Other female genital organs | | | | | | | 68 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 63 | 0.2 | 1.1 | 0.5 | 0.02 | 0.07 | | | | | | | C60 |
| Prostate | 1098 | 3.8 | 18.8 | 8.4 | 0.15 | 0.87 | | | | | | | C61 |
| Testis | 21 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 31 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | | | | | | | C63 |
| Kidney | 1135 | 3.9 | 19.5 | 10.5 | 0.72 | 1.24 | 471 | 1.7 | 7.9 | 4.1 | 0.26 | 0.49 | C64 |
| Renal pelvis | 109 | 0.4 | 1.9 | 0.9 | 0.04 | 0.11 | 90 | 0.3 | 1.5 | 0.6 | 0.02 | 0.06 | C65 |
| Ureter | 134 | 0.5 | 2.3 | 1.0 | 0.04 | 0.10 | 100 | 0.4 | 1.7 | 0.7 | 0.02 | 0.08 | C66 |
| Bladder | 1380 | 4.8 | 23.7 | 11.5 | 0.53 | 1.30 | 341 | 1.2 | 5.7 | 2.5 | 0.10 | 0.28 | C67 |
| Other urinary organs | 28 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 16 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 9 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 371 | 1.3 | 6.4 | 4.0 | 0.23 | 0.38 | 322 | 1.2 | 5.4 | 3.3 | 0.22 | 0.33 | C70–72 |
| Thyroid | 1421 | 4.9 | 24.4 | 16.8 | 1.38 | 1.53 | 4372 | 15.6 | 73.2 | 48.0 | 4.05 | 4.68 | C73 |
| Adrenal gland | 18 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 36 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 43 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | C75 |
| Hodgkin lymphoma | 37 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 16 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 447 | 1.5 | 7.7 | 4.3 | 0.25 | 0.47 | 394 | 1.4 | 6.6 | 3.4 | 0.20 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 116 | 0.4 | 2.0 | 1.0 | 0.05 | 0.12 | 89 | 0.3 | 1.5 | 0.7 | 0.04 | 0.10 | C90 |
| Lymphoid leukaemia | 133 | 0.5 | 2.3 | 2.3 | 0.12 | 0.17 | 87 | 0.3 | 1.5 | 1.4 | 0.07 | 0.11 | C91 |
| Myeloid leukaemia | 250 | 0.9 | 4.3 | 2.7 | 0.16 | 0.28 | 213 | 0.8 | 3.6 | 2.2 | 0.13 | 0.22 | C92–94 |
| Leukaemia unspecified | 170 | 0.6 | 2.9 | 1.7 | 0.08 | 0.15 | 121 | 0.4 | 2.0 | 1.3 | 0.06 | 0.11 | C95 |
| Myeloproliferative disorders | 44 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 44 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 103 | 0.4 | 1.8 | 0.9 | 0.05 | 0.10 | 62 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | MPS |
| Other and unspecified | 364 | 1.3 | 6.2 | 3.1 | 0.15 | 0.31 | 342 | 1.2 | 5.7 | 2.5 | 0.11 | 0.22 | O&U |
| All sites | 29167 | | 500.0 | 259.7 | 14.09 | 29.85 | 28268 | | 473.0 | 251.8 | 16.99 | 27.46 | C00–96 |
| All sites except C44 | 28841 | 100.0 | 494.4 | 256.9 | 13.96 | 29.54 | 27949 | 100.0 | 467.7 | 249.4 | 16.88 | 27.22 | C00–96 exc. C44 |

China, Dancheng County

CONTRIBUTORS

Sun Zhong
Guo Deyin
Ma Hui
Li Huizhen



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 86.3 | Breast | 49.4 |
| Oesophagus | 45.9 | Oesophagus | 34.7 |
| Stomach | 43.4 | Trachea, bronchus, and lung | 31.8 |
| Liver | 41.7 | Stomach | 31.4 |
| Rectum | 7.6 | Liver | 26.8 |
| Colon | 6.5 | Cervix uteri | 10.4 |
| Anus | 6.2 | Rectum | 7.7 |
| Leukaemia unspecified | 6.0 | Ovary | 6.6 |
| Brain and nervous system | 5.3 | Colon | 6.3 |
| Larynx | 3.4 | Brain and nervous system | 5.0 |
| Myeloid leukaemia | 2.9 | Anus | 4.1 |
| Pancreas | 2.8 | Leukaemia unspecified | 4.0 |
| Non-melanoma skin cancer | 2.7 | Uterus unspecified | 3.8 |
| Prostate | 2.3 | Pancreas | 2.3 |
| Other and unspecified | 2.2 | Corpus uteri | 2.2 |
| Bladder | 2.0 | Gallbladder etc. | 2.2 |
| Non-Hodgkin lymphoma | 1.9 | Thyroid | 2.2 |
| Lymphoid leukaemia | 1.8 | Non-melanoma skin cancer | 2.1 |
| Gallbladder etc. | 1.8 | Larynx | 2.0 |
| Small intestine | 1.8 | Other and unspecified | 1.9 |
| All sites | 293.2 | All sites | 258.7 |

*China, Dancheng County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 14 | 0.2 | 0.4 | 0.4 | 0.02 | 0.07 | 16 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | C00 |
| Tongue | 35 | 0.4 | 1.0 | 1.2 | 0.04 | 0.19 | 43 | 0.5 | 1.3 | 1.4 | 0.05 | 0.21 | C01–02 |
| Mouth | 28 | 0.3 | 0.8 | 0.9 | 0.02 | 0.11 | 36 | 0.4 | 1.1 | 1.2 | 0.05 | 0.19 | C03–06 |
| Salivary glands | 23 | 0.3 | 0.7 | 0.7 | 0.05 | 0.06 | 24 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 10 | 0.1 | 0.3 | 0.4 | 0.01 | 0.04 | 12 | 0.1 | 0.4 | 0.4 | 0.02 | 0.08 | C09 |
| Other oropharynx | 26 | 0.3 | 0.7 | 0.8 | 0.04 | 0.10 | 16 | 0.2 | 0.5 | 0.4 | 0.02 | 0.07 | C10 |
| Nasopharynx | 56 | 0.6 | 1.6 | 1.4 | 0.09 | 0.15 | 43 | 0.5 | 1.3 | 1.4 | 0.07 | 0.20 | C11 |
| Hypopharynx | 13 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 25 | 0.3 | 0.7 | 0.8 | 0.04 | 0.11 | 11 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C14 |
| Oesophagus | 1352 | 14.8 | 38.3 | 45.9 | 1.22 | 5.37 | 1067 | 12.1 | 31.2 | 34.7 | 0.89 | 3.95 | C15 |
| Stomach | 1329 | 14.5 | 37.6 | 43.4 | 1.25 | 4.86 | 1000 | 11.4 | 29.3 | 31.4 | 1.04 | 3.49 | C16 |
| Small intestine | 58 | 0.6 | 1.6 | 1.8 | 0.06 | 0.21 | 54 | 0.6 | 1.6 | 1.6 | 0.05 | 0.16 | C17 |
| Colon | 216 | 2.4 | 6.1 | 6.5 | 0.29 | 0.73 | 217 | 2.5 | 6.3 | 6.3 | 0.35 | 0.75 | C18 |
| Rectum | 253 | 2.8 | 7.2 | 7.6 | 0.36 | 0.98 | 262 | 3.0 | 7.7 | 7.7 | 0.38 | 0.94 | C19–20 |
| Anus | 203 | 2.2 | 5.7 | 6.2 | 0.28 | 0.64 | 154 | 1.8 | 4.5 | 4.1 | 0.27 | 0.48 | C21 |
| Liver | 1347 | 14.7 | 38.1 | 41.7 | 1.94 | 4.55 | 909 | 10.4 | 26.6 | 26.8 | 1.27 | 2.93 | C22 |
| Gallbladder etc. | 55 | 0.6 | 1.6 | 1.8 | 0.08 | 0.25 | 72 | 0.8 | 2.1 | 2.2 | 0.10 | 0.26 | C23–24 |
| Pancreas | 88 | 1.0 | 2.5 | 2.8 | 0.13 | 0.39 | 79 | 0.9 | 2.3 | 2.3 | 0.12 | 0.28 | C25 |
| Nose, sinuses etc. | 37 | 0.4 | 1.0 | 1.1 | 0.04 | 0.14 | 46 | 0.5 | 1.3 | 1.3 | 0.06 | 0.15 | C30–31 |
| Larynx | 103 | 1.1 | 2.9 | 3.4 | 0.16 | 0.37 | 66 | 0.8 | 1.9 | 2.0 | 0.10 | 0.22 | C32 |
| Trachea, bronchus, and lung | 2753 | 30.1 | 77.9 | 86.3 | 4.17 | 10.52 | 1053 | 12.0 | 30.8 | 31.8 | 1.66 | 3.63 | C33–34 |
| Other thoracic organs | 24 | 0.3 | 0.7 | 0.7 | 0.05 | 0.07 | 29 | 0.3 | 0.8 | 0.8 | 0.05 | 0.10 | C37–38 |
| Bone | 39 | 0.4 | 1.1 | 1.2 | 0.06 | 0.11 | 25 | 0.3 | 0.7 | 0.7 | 0.04 | 0.09 | C40–41 |
| Melanoma of skin | 13 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C43 |
| Other skin | 83 | 0.9 | 2.3 | 2.7 | 0.09 | 0.29 | 69 | 0.8 | 2.0 | 2.1 | 0.09 | 0.18 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 33 | 0.4 | 0.9 | 0.9 | 0.06 | 0.11 | 18 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | C47+C49 |
| Breast | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | 1857 | 21.1 | 54.3 | 49.4 | 3.30 | 5.92 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 425 | 4.8 | 12.4 | 10.4 | 0.80 | 1.16 | C53 |
| Corpus uteri | | | | | | | 88 | 1.0 | 2.6 | 2.2 | 0.18 | 0.27 | C54 |
| Uterus unspecified | | | | | | | 140 | 1.6 | 4.1 | 3.8 | 0.25 | 0.41 | C55 |
| Ovary | | | | | | | 241 | 2.7 | 7.1 | 6.6 | 0.45 | 0.78 | C56 |
| Other female genital organs | | | | | | | 43 | 0.5 | 1.3 | 1.2 | 0.06 | 0.11 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 19 | 0.2 | 0.5 | 0.5 | 0.02 | 0.08 | | | | | | | C60 |
| Prostate | 66 | 0.7 | 1.9 | 2.3 | 0.05 | 0.25 | | | | | | | C61 |
| Testis | 12 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 19 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | | | | | | | C63 |
| Kidney | 52 | 0.6 | 1.5 | 1.6 | 0.10 | 0.16 | 34 | 0.4 | 1.0 | 0.9 | 0.04 | 0.08 | C64 |
| Renal pelvis | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 25 | 0.3 | 0.7 | 0.8 | 0.04 | 0.08 | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | C66 |
| Bladder | 59 | 0.6 | 1.7 | 2.0 | 0.08 | 0.25 | 40 | 0.5 | 1.2 | 1.2 | 0.05 | 0.13 | C67 |
| Other urinary organs | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C68 |
| Eye | 5 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 192 | 2.1 | 5.4 | 5.3 | 0.33 | 0.49 | 169 | 1.9 | 4.9 | 5.0 | 0.28 | 0.53 | C70–72 |
| Thyroid | 50 | 0.5 | 1.4 | 1.3 | 0.09 | 0.17 | 85 | 1.0 | 2.5 | 2.2 | 0.14 | 0.22 | C73 |
| Adrenal gland | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 7 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 61 | 0.7 | 1.7 | 1.9 | 0.08 | 0.24 | 33 | 0.4 | 1.0 | 0.9 | 0.05 | 0.10 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 42 | 0.5 | 1.2 | 1.2 | 0.07 | 0.14 | 35 | 0.4 | 1.0 | 1.0 | 0.04 | 0.12 | C90 |
| Lymphoid leukaemia | 58 | 0.6 | 1.6 | 1.8 | 0.13 | 0.18 | 49 | 0.6 | 1.4 | 1.6 | 0.07 | 0.18 | C91 |
| Myeloid leukaemia | 98 | 1.1 | 2.8 | 2.9 | 0.12 | 0.24 | 61 | 0.7 | 1.8 | 1.8 | 0.09 | 0.15 | C92–94 |
| Leukaemia unspecified | 146 | 1.6 | 4.1 | 6.0 | 0.23 | 0.33 | 105 | 1.2 | 3.1 | 4.0 | 0.17 | 0.37 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 82 | 0.9 | 2.3 | 2.2 | 0.12 | 0.26 | 62 | 0.7 | 1.8 | 1.9 | 0.07 | 0.22 | O&U |
| All sites | 9239 | | 261.5 | 293.2 | 12.16 | 33.58 | 8851 | | 259.0 | 258.7 | 12.96 | 29.51 | C00–96 |
| All sites except C44 | 9156 | 100.0 | 259.1 | 290.5 | 12.07 | 33.28 | 8782 | 100.0 | 257.0 | 256.6 | 12.87 | 29.32 | C00–96 exc. C44 |

*See note following population pyramid

China, Dangtu County

CONTRIBUTORS

Wei Xu
Weixia Bo
Daiping Li
Daoming Qi



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 50.9 | Breast | 24.4 |
| Stomach | 47.2 | Stomach | 18.7 |
| Liver | 20.0 | Trachea, bronchus, and lung | 16.3 |
| Oesophagus | 15.4 | Cervix uteri | 11.8 |
| Colon | 12.3 | Colon | 10.7 |
| Rectum | 11.8 | Thyroid | 10.1 |
| Prostate | 6.1 | Liver | 9.3 |
| Pancreas | 5.9 | Ovary | 5.9 |
| Bladder | 5.0 | Rectum | 5.7 |
| Non-Hodgkin lymphoma | 4.4 | Brain and nervous system | 4.7 |
| Nasopharynx | 3.5 | Corpus uteri | 4.1 |
| Brain and nervous system | 3.4 | Oesophagus | 4.1 |
| Gallbladder etc. | 3.1 | Pancreas | 3.8 |
| Lymphoid leukaemia | 2.4 | Gallbladder etc. | 2.6 |
| Kidney | 2.4 | Non-Hodgkin lymphoma | 2.5 |
| Myeloid leukaemia | 2.3 | Kidney | 2.1 |
| Non-melanoma skin cancer | 2.0 | Myeloid leukaemia | 1.6 |
| Thyroid | 1.7 | Multiple myeloma | 1.6 |
| Bone | 1.6 | Other and unspecified | 1.5 |
| Larynx | 1.5 | Melanoma of skin | 1.5 |
| All sites | 215.4 | All sites | 155.2 |


China, Dangtu County (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 4 | 0.2 | 0.6 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 6 | 0.2 | 0.8 | 0.5 | 0.04 | 0.04 | 6 | 0.3 | 0.9 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 8 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 6 | 0.2 | 0.8 | 0.6 | 0.04 | 0.04 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.05 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 39 | 1.4 | 5.3 | 3.5 | 0.30 | 0.43 | 16 | 0.9 | 2.3 | 1.3 | 0.08 | 0.14 | C11 |
| Hypopharynx | 6 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 205 | 7.6 | 28.0 | 15.4 | 0.75 | 2.08 | 60 | 3.4 | 8.6 | 4.1 | 0.11 | 0.50 | C15 |
| Stomach | 615 | 22.7 | 84.0 | 47.2 | 2.56 | 5.69 | 239 | 13.4 | 34.4 | 18.7 | 1.10 | 2.15 | C16 |
| Small intestine | 13 | 0.5 | 1.8 | 1.1 | 0.08 | 0.16 | 7 | 0.4 | 1.0 | 0.7 | 0.06 | 0.08 | C17 |
| Colon | 145 | 5.4 | 19.8 | 12.3 | 0.85 | 1.52 | 134 | 7.5 | 19.3 | 10.7 | 0.65 | 1.30 | C18 |
| Rectum | 144 | 5.3 | 19.7 | 11.8 | 0.77 | 1.38 | 66 | 3.7 | 9.5 | 5.7 | 0.38 | 0.69 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 250 | 9.2 | 34.2 | 20.0 | 1.31 | 2.41 | 121 | 6.8 | 17.4 | 9.3 | 0.53 | 0.98 | C22 |
| Gallbladder etc. | 43 | 1.6 | 5.9 | 3.1 | 0.10 | 0.44 | 32 | 1.8 | 4.6 | 2.6 | 0.16 | 0.33 | C23–24 |
| Pancreas | 79 | 2.9 | 10.8 | 5.9 | 0.28 | 0.80 | 54 | 3.0 | 7.8 | 3.8 | 0.15 | 0.40 | C25 |
| Nose, sinuses etc. | 4 | 0.1 | 0.5 | 0.3 | 0.03 | 0.05 | 3 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 21 | 0.8 | 2.9 | 1.5 | 0.07 | 0.17 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 682 | 25.2 | 93.2 | 50.9 | 2.28 | 6.44 | 218 | 12.2 | 31.4 | 16.3 | 0.85 | 1.80 | C33–34 |
| Other thoracic organs | 8 | 0.3 | 1.1 | 0.6 | 0.03 | 0.03 | 3 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C37–38 |
| Bone | 14 | 0.5 | 1.9 | 1.6 | 0.11 | 0.19 | 9 | 0.5 | 1.3 | 1.1 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 12 | 0.4 | 1.6 | 0.9 | 0.06 | 0.12 | 11 | 0.6 | 1.6 | 1.5 | 0.07 | 0.14 | C43 |
| Other skin | 26 | 1.0 | 3.6 | 2.0 | 0.11 | 0.22 | 17 | 1.0 | 2.4 | 1.2 | 0.06 | 0.14 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 8 | 0.3 | 1.1 | 1.2 | 0.06 | 0.06 | 6 | 0.3 | 0.9 | 0.5 | 0.03 | 0.08 | C47+C49 |
| Breast | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 258 | 14.5 | 37.1 | 24.4 | 2.12 | 2.46 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 128 | 7.2 | 18.4 | 11.8 | 0.98 | 1.19 | C53 |
| Corpus uteri | | | | | | | 46 | 2.6 | 6.6 | 4.1 | 0.39 | 0.44 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.3 | 0.9 | 0.6 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 61 | 3.4 | 8.8 | 5.9 | 0.46 | 0.62 | C56 |
| Other female genital organs | | | | | | | 4 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 10 | 0.4 | 1.4 | 0.8 | 0.06 | 0.11 | | | | | | | C60 |
| Prostate | 85 | 3.1 | 11.6 | 6.1 | 0.17 | 0.71 | | | | | | | C61 |
| Testis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 27 | 1.0 | 3.7 | 2.4 | 0.16 | 0.26 | 25 | 1.4 | 3.6 | 2.1 | 0.13 | 0.25 | C64 |
| Renal pelvis | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C65 |
| Ureter | 5 | 0.2 | 0.7 | 0.4 | 0.01 | 0.06 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 63 | 2.3 | 8.6 | 5.0 | 0.27 | 0.62 | 6 | 0.3 | 0.9 | 0.4 | 0.00 | 0.04 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 37 | 1.4 | 5.1 | 3.4 | 0.23 | 0.36 | 46 | 2.6 | 6.6 | 4.7 | 0.32 | 0.51 | C70–72 |
| Thyroid | 17 | 0.6 | 2.3 | 1.7 | 0.15 | 0.17 | 92 | 5.2 | 13.2 | 10.1 | 0.81 | 0.91 | C73 |
| Adrenal gland | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 51 | 1.9 | 7.0 | 4.4 | 0.32 | 0.47 | 26 | 1.5 | 3.7 | 2.5 | 0.17 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 14 | 0.5 | 1.9 | 1.1 | 0.08 | 0.12 | 17 | 1.0 | 2.4 | 1.6 | 0.13 | 0.21 | C90 |
| Lymphoid leukaemia | 22 | 0.8 | 3.0 | 2.4 | 0.16 | 0.24 | 7 | 0.4 | 1.0 | 0.6 | 0.03 | 0.07 | C91 |
| Myeloid leukaemia | 24 | 0.9 | 3.3 | 2.3 | 0.17 | 0.22 | 15 | 0.8 | 2.2 | 1.6 | 0.14 | 0.16 | C92–94 |
| Leukaemia unspecified | 9 | 0.3 | 1.2 | 0.7 | 0.04 | 0.05 | 14 | 0.8 | 2.0 | 1.4 | 0.08 | 0.13 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | MPS |
| Other and unspecified | 14 | 0.5 | 1.9 | 0.9 | 0.03 | 0.11 | 20 | 1.1 | 2.9 | 1.5 | 0.07 | 0.15 | O&U |
| All sites | 2735 | | 373.6 | 215.4 | 11.89 | 26.14 | 1802 | | 259.3 | 155.2 | 10.46 | 16.78 | C00–96 |
| All sites except C44 | 2709 | 100.0 | 370.1 | 213.4 | 11.78 | 25.91 | 1785 | 100.0 | 256.9 | 154.0 | 10.40 | 16.64 | C00–96 exc. C44 |

China, Danyang City

CONTRIBUTORS

Lili Chen
Jiahui Hu
Jiaye Wang
Junxia Chen



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 81.4 | Stomach | 33.4 |
| Trachea, bronchus, and lung | 48.1 | Breast | 23.3 |
| Oesophagus | 46.4 | Oesophagus | 20.0 |
| Liver | 27.1 | Trachea, bronchus, and lung | 19.1 |
| Rectum | 11.0 | Liver | 10.3 |
| Colon | 10.4 | Cervix uteri | 9.8 |
| Pancreas | 7.7 | Colon | 7.9 |
| Prostate | 6.3 | Rectum | 6.7 |
| Bladder | 5.5 | Pancreas | 5.4 |
| Brain and nervous system | 4.5 | Thyroid | 5.2 |
| Non-Hodgkin lymphoma | 3.2 | Ovary | 4.5 |
| Other and unspecified | 3.1 | Corpus uteri | 3.6 |
| Nasopharynx | 2.6 | Brain and nervous system | 3.4 |
| Leukaemia unspecified | 2.4 | Gallbladder etc. | 3.3 |
| Bone | 2.2 | Non-Hodgkin lymphoma | 1.9 |
| Gallbladder etc. | 2.1 | Other and unspecified | 1.8 |
| Lymphoid leukaemia | 1.9 | Bone | 1.6 |
| Myeloid leukaemia | 1.6 | Leukaemia unspecified | 1.4 |
| Larynx | 1.6 | Lymphoid leukaemia | 1.2 |
| Kidney | 1.4 | Myeloid leukaemia | 1.1 |
| All sites | 282.0 | All sites | 174.9 |

*China, Danyang City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 16 | 0.2 | 0.8 | 0.4 | 0.02 | 0.07 | 13 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C01–02 |
| Mouth | 21 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 12 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C03–06 |
| Salivary glands | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 89 | 0.9 | 4.4 | 2.6 | 0.16 | 0.29 | 42 | 0.6 | 2.0 | 1.1 | 0.07 | 0.11 | C11 |
| Hypopharynx | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 15 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 1733 | 16.8 | 85.2 | 46.4 | 2.17 | 5.63 | 890 | 12.8 | 43.0 | 20.0 | 0.65 | 2.24 | C15 |
| Stomach | 3063 | 29.7 | 150.5 | 81.4 | 3.92 | 10.14 | 1415 | 20.4 | 68.4 | 33.4 | 1.38 | 3.72 | C16 |
| Small intestine | 51 | 0.5 | 2.5 | 1.4 | 0.07 | 0.13 | 27 | 0.4 | 1.3 | 0.7 | 0.04 | 0.07 | C17 |
| Colon | 375 | 3.6 | 18.4 | 10.4 | 0.43 | 1.07 | 327 | 4.7 | 15.8 | 7.9 | 0.39 | 0.83 | C18 |
| Rectum | 396 | 3.8 | 19.5 | 11.0 | 0.53 | 1.26 | 269 | 3.9 | 13.0 | 6.7 | 0.31 | 0.77 | C19–20 |
| Anus | 20 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | 16 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | C21 |
| Liver | 975 | 9.4 | 47.9 | 27.1 | 1.60 | 3.04 | 433 | 6.2 | 20.9 | 10.3 | 0.47 | 1.15 | C22 |
| Gallbladder etc. | 80 | 0.8 | 3.9 | 2.1 | 0.06 | 0.20 | 141 | 2.0 | 6.8 | 3.3 | 0.16 | 0.35 | C23–24 |
| Pancreas | 282 | 2.7 | 13.9 | 7.7 | 0.36 | 0.78 | 240 | 3.5 | 11.6 | 5.4 | 0.23 | 0.60 | C25 |
| Nose, sinuses etc. | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 59 | 0.6 | 2.9 | 1.6 | 0.09 | 0.17 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 1805 | 17.5 | 88.7 | 48.1 | 1.97 | 5.41 | 801 | 11.6 | 38.7 | 19.1 | 0.99 | 2.10 | C33–34 |
| Other thoracic organs | 20 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | 19 | 0.3 | 0.9 | 0.4 | 0.02 | 0.06 | C37–38 |
| Bone | 73 | 0.7 | 3.6 | 2.2 | 0.11 | 0.23 | 55 | 0.8 | 2.7 | 1.6 | 0.08 | 0.13 | C40–41 |
| Melanoma of skin | 10 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 46 | 0.4 | 2.3 | 1.3 | 0.05 | 0.10 | 43 | 0.6 | 2.1 | 1.0 | 0.04 | 0.07 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 12 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C47+C49 |
| Breast | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 826 | 11.9 | 39.9 | 23.3 | 2.02 | 2.42 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 343 | 4.9 | 16.6 | 9.8 | 0.80 | 1.00 | C53 |
| Corpus uteri | | | | | | | 134 | 1.9 | 6.5 | 3.6 | 0.27 | 0.43 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 157 | 2.3 | 7.6 | 4.5 | 0.31 | 0.49 | C56 |
| Other female genital organs | | | | | | | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 18 | 0.2 | 0.9 | 0.5 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 239 | 2.3 | 11.7 | 6.3 | 0.10 | 0.56 | | | | | | | C61 |
| Testis | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 51 | 0.5 | 2.5 | 1.4 | 0.07 | 0.16 | 35 | 0.5 | 1.7 | 1.0 | 0.05 | 0.12 | C64 |
| Renal pelvis | 10 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 10 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 205 | 2.0 | 10.1 | 5.5 | 0.24 | 0.54 | 46 | 0.7 | 2.2 | 1.1 | 0.03 | 0.11 | C67 |
| Other urinary organs | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 157 | 1.5 | 7.7 | 4.5 | 0.25 | 0.46 | 120 | 1.7 | 5.8 | 3.4 | 0.21 | 0.39 | C70–72 |
| Thyroid | 29 | 0.3 | 1.4 | 1.0 | 0.08 | 0.10 | 162 | 2.3 | 7.8 | 5.2 | 0.42 | 0.50 | C73 |
| Adrenal gland | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 11 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 112 | 1.1 | 5.5 | 3.2 | 0.18 | 0.37 | 76 | 1.1 | 3.7 | 1.9 | 0.12 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 39 | 0.4 | 1.9 | 1.1 | 0.04 | 0.13 | 32 | 0.5 | 1.5 | 0.8 | 0.06 | 0.09 | C90 |
| Lymphoid leukaemia | 48 | 0.5 | 2.4 | 1.9 | 0.11 | 0.16 | 43 | 0.6 | 2.1 | 1.2 | 0.07 | 0.11 | C91 |
| Myeloid leukaemia | 55 | 0.5 | 2.7 | 1.6 | 0.10 | 0.18 | 34 | 0.5 | 1.6 | 1.1 | 0.08 | 0.12 | C92–94 |
| Leukaemia unspecified | 66 | 0.6 | 3.2 | 2.4 | 0.14 | 0.22 | 44 | 0.6 | 2.1 | 1.4 | 0.08 | 0.12 | C95 |
| Myeloproliferative disorders | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 108 | 1.0 | 5.3 | 3.1 | 0.16 | 0.33 | 68 | 1.0 | 3.3 | 1.8 | 0.09 | 0.20 | O&U |
| All sites | 10372 | | 509.7 | 282.0 | 13.31 | 32.41 | 6978 | | 337.2 | 174.9 | 9.61 | 18.91 | C00–96 |
| All sites except C44 | 10326 | 100.0 | 507.4 | 280.7 | 13.26 | 32.31 | 6935 | 100.0 | 335.1 | 173.9 | 9.57 | 18.84 | C00–96 exc.C44 |

*See note following population pyramid

China, Dawukou District, Shizuishan City

CONTRIBUTORS

Yongjun Wu
Yue Zhang
Jie Ma
Pingwen Zhang
Ying Liu
Zuxun Qiu



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 41.5 | Breast | 26.0 |
| Stomach | 29.7 | Trachea, bronchus, and lung | 21.0 |
| Liver | 24.7 | Thyroid | 11.0 |
| Oesophagus | 9.9 | Liver | 10.7 |
| Colon | 9.0 | Cervix uteri | 9.9 |
| Rectum | 8.7 | Stomach | 9.0 |
| Prostate | 6.0 | Colon | 6.7 |
| Pancreas | 5.6 | Rectum | 5.9 |
| Bladder | 5.3 | Ovary | 4.6 |
| Non-Hodgkin lymphoma | 4.5 | Corpus uteri | 4.2 |
| Thyroid | 3.7 | Oesophagus | 3.8 |
| Kidney | 3.6 | Pancreas | 3.4 |
| Brain and nervous system | 3.5 | Kidney | 3.0 |
| Other and unspecified | 3.5 | Brain and nervous system | 2.7 |
| Leukaemia unspecified | 2.8 | Non-Hodgkin lymphoma | 2.6 |
| Non-melanoma skin cancer | 2.2 | Gallbladder etc. | 2.2 |
| Gallbladder etc. | 1.6 | Leukaemia unspecified | 2.1 |
| Larynx | 1.5 | Other and unspecified | 2.1 |
| Myeloid leukaemia | 1.2 | Bladder | 2.1 |
| Bone | 1.0 | Non-melanoma skin cancer | 1.9 |
| All sites | 178.3 | All sites | 144.0 |

*China, Dawukou District, Shizuishan City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.04 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 2 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 6 | 0.3 | 0.9 | 0.7 | 0.03 | 0.07 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.2 | 0.6 | 0.4 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 103 | 5.6 | 15.5 | 9.9 | 0.39 | 1.26 | 42 | 2.8 | 6.4 | 3.8 | 0.14 | 0.45 | C15 |
| Stomach | 309 | 16.9 | 46.5 | 29.7 | 1.56 | 3.77 | 99 | 6.7 | 15.0 | 9.0 | 0.43 | 1.04 | C16 |
| Small intestine | 10 | 0.5 | 1.5 | 1.0 | 0.03 | 0.10 | 9 | 0.6 | 1.4 | 0.8 | 0.02 | 0.10 | C17 |
| Colon | 93 | 5.1 | 14.0 | 9.0 | 0.45 | 1.16 | 70 | 4.7 | 10.6 | 6.7 | 0.34 | 0.81 | C18 |
| Rectum | 93 | 5.1 | 14.0 | 8.7 | 0.40 | 1.11 | 62 | 4.2 | 9.4 | 5.9 | 0.35 | 0.70 | C19–20 |
| Anus | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 247 | 13.5 | 37.2 | 24.7 | 1.83 | 2.70 | 116 | 7.8 | 17.5 | 10.7 | 0.55 | 1.38 | C22 |
| Gallbladder etc. | 22 | 1.2 | 3.3 | 1.6 | 0.04 | 0.16 | 24 | 1.6 | 3.6 | 2.2 | 0.10 | 0.24 | C23–24 |
| Pancreas | 59 | 3.2 | 8.9 | 5.6 | 0.25 | 0.83 | 39 | 2.6 | 5.9 | 3.4 | 0.17 | 0.41 | C25 |
| Nose, sinuses etc. | 6 | 0.3 | 0.9 | 0.8 | 0.02 | 0.09 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 17 | 0.9 | 2.6 | 1.5 | 0.05 | 0.17 | 3 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 449 | 24.6 | 67.6 | 41.5 | 1.62 | 5.14 | 235 | 15.8 | 35.5 | 21.0 | 0.80 | 2.42 | C33–34 |
| Other thoracic organs | 5 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 8 | 0.4 | 1.2 | 1.0 | 0.08 | 0.08 | 9 | 0.6 | 1.4 | 1.4 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 3 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | 4 | 0.3 | 0.6 | 0.4 | 0.02 | 0.06 | C43 |
| Other skin | 24 | 1.3 | 3.6 | 2.2 | 0.11 | 0.25 | 19 | 1.3 | 2.9 | 1.9 | 0.03 | 0.23 | C44 |
| Mesothelioma | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.3 | 0.3 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 5 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | 6 | 0.4 | 0.9 | 0.6 | 0.05 | 0.05 | C47+C49 |
| Breast | 4 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 270 | 18.2 | 40.8 | 26.0 | 2.09 | 2.80 | C50 |
| Vulva | | | | | | | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 99 | 6.7 | 15.0 | 9.9 | 0.77 | 1.04 | C53 |
| Corpus uteri | | | | | | | 42 | 2.8 | 6.4 | 4.2 | 0.36 | 0.48 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.7 | 1.7 | 0.9 | 0.06 | 0.08 | C55 |
| Ovary | | | | | | | 46 | 3.1 | 7.0 | 4.6 | 0.38 | 0.50 | C56 |
| Other female genital organs | | | | | | | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.3 | 0.8 | 0.4 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 69 | 3.8 | 10.4 | 6.0 | 0.10 | 0.71 | | | | | | | C61 |
| Testis | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 36 | 2.0 | 5.4 | 3.6 | 0.24 | 0.47 | 31 | 2.1 | 4.7 | 3.0 | 0.20 | 0.34 | C64 |
| Renal pelvis | 4 | 0.2 | 0.6 | 0.3 | 0.02 | 0.02 | 4 | 0.3 | 0.6 | 0.3 | 0.02 | 0.02 | C65 |
| Ureter | 9 | 0.5 | 1.4 | 0.8 | 0.02 | 0.11 | 5 | 0.3 | 0.8 | 0.4 | 0.00 | 0.08 | C66 |
| Bladder | 59 | 3.2 | 8.9 | 5.3 | 0.17 | 0.67 | 21 | 1.4 | 3.2 | 2.1 | 0.11 | 0.25 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 29 | 1.6 | 4.4 | 3.5 | 0.21 | 0.30 | 24 | 1.6 | 3.6 | 2.7 | 0.15 | 0.29 | C70–72 |
| Thyroid | 37 | 2.0 | 5.6 | 3.7 | 0.31 | 0.41 | 110 | 7.4 | 16.6 | 11.0 | 0.90 | 1.20 | C73 |
| Adrenal gland | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 3 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C75 |
| Hodgkin lymphoma | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 38 | 2.1 | 5.7 | 4.5 | 0.25 | 0.43 | 26 | 1.8 | 3.9 | 2.6 | 0.14 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 12 | 0.7 | 1.8 | 1.0 | 0.06 | 0.11 | 6 | 0.4 | 0.9 | 0.6 | 0.04 | 0.06 | C90 |
| Lymphoid leukaemia | 3 | 0.2 | 0.5 | 0.2 | 0.00 | 0.05 | 5 | 0.3 | 0.8 | 1.1 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 10 | 0.5 | 1.5 | 1.2 | 0.09 | 0.09 | 4 | 0.3 | 0.6 | 0.4 | 0.04 | 0.06 | C92–94 |
| Leukaemia unspecified | 20 | 1.1 | 3.0 | 2.8 | 0.17 | 0.26 | 14 | 0.9 | 2.1 | 2.1 | 0.11 | 0.14 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 37 | 2.0 | 5.6 | 3.5 | 0.16 | 0.43 | 26 | 1.8 | 3.9 | 2.1 | 0.05 | 0.30 | O&U |
| All sites | 1851 | | 278.8 | 178.3 | 8.94 | 21.36 | 1503 | | 227.3 | 144.0 | 8.73 | 16.27 | C00–96 |
| All sites except C44 | 1827 | 100.0 | 275.2 | 176.1 | 8.83 | 21.11 | 1484 | 100.0 | 224.4 | 142.1 | 8.69 | 16.04 | C00–96 exc. C44 |

*See note following population pyramid

China, Dehui City

CONTRIBUTORS

Zhifang Cheng
Wei Jiang
Mingxin Ling



NOTES ON THE DATA

*Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 52.6 | Trachea, bronchus, and lung | 38.3 |
| Liver | 30.7 | Thyroid | 25.6 |
| Stomach | 23.5 | Breast | 25.3 |
| Rectum | 7.1 | Liver | 12.0 |
| Bladder | 6.3 | Stomach | 10.7 |
| Colon | 5.5 | Cervix uteri | 7.9 |
| Brain and nervous system | 5.0 | Brain and nervous system | 6.8 |
| Pancreas | 4.9 | Corpus uteri | 4.9 |
| Oesophagus | 4.3 | Ovary | 4.9 |
| Thyroid | 4.3 | Colon | 4.5 |
| Larynx | 3.6 | Rectum | 4.4 |
| Leukaemia unspecified | 3.0 | Pancreas | 3.6 |
| Non-Hodgkin lymphoma | 2.2 | Leukaemia unspecified | 2.7 |
| Prostate | 1.9 | Bladder | 2.5 |
| Kidney | 1.9 | Larynx | 1.9 |
| Nasopharynx | 1.8 | Kidney | 1.7 |
| Bone | 1.7 | Myeloid leukaemia | 1.6 |
| Other and unspecified | 1.4 | Bone | 1.5 |
| Lymphoid leukaemia | 1.2 | Other and unspecified | 1.3 |
| Myeloid leukaemia | 1.0 | Non-Hodgkin lymphoma | 1.2 |
| All sites | 169.9 | All sites | 172.4 |

*China, Dehui City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 15 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C01–02 |
| Mouth | 13 | 0.3 | 0.6 | 0.4 | 0.02 | 0.05 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 9 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 10 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 55 | 1.1 | 2.3 | 1.8 | 0.14 | 0.19 | 35 | 0.7 | 1.5 | 1.1 | 0.07 | 0.14 | C11 |
| Hypopharynx | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 132 | 2.6 | 5.6 | 4.3 | 0.30 | 0.53 | 15 | 0.3 | 0.7 | 0.5 | 0.02 | 0.04 | C15 |
| Stomach | 702 | 13.8 | 29.8 | 23.5 | 1.24 | 3.04 | 316 | 6.0 | 13.8 | 10.7 | 0.58 | 1.40 | C16 |
| Small intestine | 10 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C17 |
| Colon | 167 | 3.3 | 7.1 | 5.5 | 0.31 | 0.64 | 133 | 2.5 | 5.8 | 4.5 | 0.25 | 0.57 | C18 |
| Rectum | 214 | 4.2 | 9.1 | 7.1 | 0.42 | 0.88 | 132 | 2.5 | 5.8 | 4.4 | 0.21 | 0.56 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 958 | 18.9 | 40.6 | 30.7 | 2.10 | 3.62 | 355 | 6.8 | 15.5 | 12.0 | 0.58 | 1.51 | C22 |
| Gallbladder etc. | 8 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | 8 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | C23–24 |
| Pancreas | 145 | 2.9 | 6.1 | 4.9 | 0.25 | 0.56 | 105 | 2.0 | 4.6 | 3.6 | 0.16 | 0.43 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 111 | 2.2 | 4.7 | 3.6 | 0.20 | 0.48 | 54 | 1.0 | 2.4 | 1.9 | 0.08 | 0.26 | C32 |
| Trachea, bronchus, and lung | 1564 | 30.8 | 66.3 | 52.6 | 2.79 | 6.60 | 1142 | 21.8 | 49.9 | 38.3 | 1.83 | 4.81 | C33–34 |
| Other thoracic organs | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 10 | 0.2 | 0.4 | 0.3 | 0.03 | 0.04 | C37–38 |
| Bone | 46 | 0.9 | 2.0 | 1.7 | 0.10 | 0.16 | 40 | 0.8 | 1.7 | 1.5 | 0.07 | 0.21 | C40–41 |
| Melanoma of skin | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C43 |
| Other skin | 13 | 0.3 | 0.6 | 0.4 | 0.03 | 0.04 | 22 | 0.4 | 1.0 | 0.7 | 0.05 | 0.06 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C47+C49 |
| Breast | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 820 | 15.6 | 35.8 | 25.3 | 2.11 | 2.66 | C50 |
| Vulva | | | | | | | 9 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 257 | 4.9 | 11.2 | 7.9 | 0.64 | 0.87 | C53 |
| Corpus uteri | | | | | | | 159 | 3.0 | 6.9 | 4.9 | 0.43 | 0.56 | C54 |
| Uterus unspecified | | | | | | | 15 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | C55 |
| Ovary | | | | | | | 151 | 2.9 | 6.6 | 4.9 | 0.35 | 0.54 | C56 |
| Other female genital organs | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 9 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 54 | 1.1 | 2.3 | 1.9 | 0.04 | 0.23 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 55 | 1.1 | 2.3 | 1.9 | 0.12 | 0.23 | 51 | 1.0 | 2.2 | 1.7 | 0.11 | 0.23 | C64 |
| Renal pelvis | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 187 | 3.7 | 7.9 | 6.3 | 0.31 | 0.75 | 72 | 1.4 | 3.1 | 2.5 | 0.11 | 0.31 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 148 | 2.9 | 6.3 | 5.0 | 0.37 | 0.49 | 204 | 3.9 | 8.9 | 6.8 | 0.48 | 0.78 | C70–72 |
| Thyroid | 138 | 2.7 | 5.9 | 4.3 | 0.35 | 0.42 | 823 | 15.7 | 36.0 | 25.6 | 2.19 | 2.36 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 14 | 0.3 | 0.6 | 0.4 | 0.04 | 0.04 | 24 | 0.5 | 1.0 | 0.9 | 0.07 | 0.09 | C75 |
| Hodgkin lymphoma | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 62 | 1.2 | 2.6 | 2.2 | 0.15 | 0.25 | 33 | 0.6 | 1.4 | 1.2 | 0.07 | 0.16 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 16 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | 21 | 0.4 | 0.9 | 0.7 | 0.05 | 0.08 | C90 |
| Lymphoid leukaemia | 20 | 0.4 | 0.8 | 1.2 | 0.05 | 0.09 | 21 | 0.4 | 0.9 | 1.2 | 0.07 | 0.09 | C91 |
| Myeloid leukaemia | 29 | 0.6 | 1.2 | 1.0 | 0.07 | 0.09 | 35 | 0.7 | 1.5 | 1.6 | 0.11 | 0.12 | C92–94 |
| Leukaemia unspecified | 78 | 1.5 | 3.3 | 3.0 | 0.20 | 0.28 | 79 | 1.5 | 3.5 | 2.7 | 0.19 | 0.29 | C95 |
| Myeloproliferative disorders | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 9 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | MPS |
| Other and unspecified | 37 | 0.7 | 1.6 | 1.4 | 0.06 | 0.16 | 43 | 0.8 | 1.9 | 1.3 | 0.10 | 0.16 | O&U |
| All sites | 5084 | | 215.6 | 169.9 | 10.01 | 20.36 | 5264 | | 230.0 | 172.4 | 11.26 | 19.75 | C00–96 |
| All sites except C44 | 5071 | 100.0 | 215.1 | 169.5 | 9.98 | 20.33 | 5242 | 100.0 | 229.1 | 171.7 | 11.21 | 19.70 | C00–96 exc. C44 |

*See note following population pyramid

China, Donggang County

CONTRIBUTORS

Zhang Wuwu
Cheng Dijia
Lu Hui



NOTES ON THE DATA

*No official mortality data. Low MV%. Low levels of specificity of leukaemias.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 50.7 | Trachea, bronchus, and lung | 33.2 |
| Liver | 38.8 | Breast | 25.6 |
| Stomach | 30.7 | Liver | 15.7 |
| Rectum | 10.5 | Stomach | 12.4 |
| Colon | 9.6 | Cervix uteri | 9.8 |
| Bladder | 7.1 | Colon | 8.0 |
| Pancreas | 6.7 | Rectum | 7.6 |
| Brain and nervous system | 5.7 | Thyroid | 6.1 |
| Leukaemia unspecified | 5.4 | Brain and nervous system | 5.3 |
| Oesophagus | 5.0 | Pancreas | 4.8 |
| Other and unspecified | 3.3 | Ovary | 4.8 |
| Kidney | 3.0 | Leukaemia unspecified | 4.4 |
| Thyroid | 2.7 | Corpus uteri | 3.3 |
| Prostate | 2.7 | Kidney | 2.8 |
| Bone | 2.0 | Other and unspecified | 2.7 |
| Nasopharynx | 1.7 | Bladder | 2.1 |
| Gallbladder etc. | 1.2 | Bone | 1.5 |
| Non-melanoma skin cancer | 1.2 | Uterus unspecified | 1.5 |
| Non-Hodgkin lymphoma | 1.0 | Non-melanoma skin cancer | 1.1 |
| Other thoracic organs | 0.7 | Gallbladder etc. | 1.1 |
| All sites | 197.1 | All sites | 162.5 |

*China, Donggang County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 7 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 13 | 0.2 | 0.9 | 0.5 | 0.03 | 0.04 | 7 | 0.2 | 0.5 | 0.2 | 0.00 | 0.02 | C03–06 |
| Salivary glands | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 46 | 0.8 | 3.0 | 1.7 | 0.14 | 0.21 | 21 | 0.5 | 1.4 | 0.8 | 0.06 | 0.09 | C11 |
| Hypopharynx | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 149 | 2.6 | 9.8 | 5.0 | 0.26 | 0.60 | 29 | 0.6 | 1.9 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 911 | 16.1 | 60.0 | 30.7 | 1.61 | 3.69 | 369 | 8.1 | 24.5 | 12.4 | 0.67 | 1.50 | C16 |
| Small intestine | 20 | 0.4 | 1.3 | 0.7 | 0.07 | 0.08 | 14 | 0.3 | 0.9 | 0.5 | 0.02 | 0.07 | C17 |
| Colon | 284 | 5.0 | 18.7 | 9.6 | 0.45 | 1.18 | 237 | 5.2 | 15.7 | 8.0 | 0.35 | 0.94 | C18 |
| Rectum | 305 | 5.4 | 20.1 | 10.5 | 0.54 | 1.31 | 223 | 4.9 | 14.8 | 7.6 | 0.36 | 0.93 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 1108 | 19.6 | 73.0 | 38.8 | 2.62 | 4.50 | 475 | 10.5 | 31.6 | 15.7 | 0.72 | 1.86 | C22 |
| Gallbladder etc. | 37 | 0.7 | 2.4 | 1.2 | 0.04 | 0.13 | 32 | 0.7 | 2.1 | 1.1 | 0.06 | 0.14 | C23–24 |
| Pancreas | 204 | 3.6 | 13.4 | 6.7 | 0.36 | 0.79 | 149 | 3.3 | 9.9 | 4.8 | 0.23 | 0.59 | C25 |
| Nose, sinuses etc. | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 18 | 0.3 | 1.2 | 0.6 | 0.04 | 0.08 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1498 | 26.6 | 98.7 | 50.7 | 2.70 | 6.10 | 1011 | 22.3 | 67.2 | 33.2 | 1.60 | 3.98 | C33–34 |
| Other thoracic organs | 18 | 0.3 | 1.2 | 0.7 | 0.03 | 0.10 | 20 | 0.4 | 1.3 | 0.7 | 0.06 | 0.08 | C37–38 |
| Bone | 48 | 0.9 | 3.2 | 2.0 | 0.10 | 0.20 | 40 | 0.9 | 2.7 | 1.5 | 0.10 | 0.19 | C40–41 |
| Melanoma of skin | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C43 |
| Other skin | 35 | 0.6 | 2.3 | 1.2 | 0.06 | 0.14 | 32 | 0.7 | 2.1 | 1.1 | 0.04 | 0.13 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 14 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 16 | 0.4 | 1.1 | 0.8 | 0.05 | 0.07 | C47+C49 |
| Breast | 15 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | 684 | 15.1 | 45.4 | 25.6 | 2.06 | 2.72 | C50 |
| Vulva | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 264 | 5.8 | 17.5 | 9.8 | 0.79 | 1.04 | C53 |
| Corpus uteri | | | | | | | 93 | 2.1 | 6.2 | 3.3 | 0.29 | 0.40 | C54 |
| Uterus unspecified | | | | | | | 42 | 0.9 | 2.8 | 1.5 | 0.09 | 0.19 | C55 |
| Ovary | | | | | | | 128 | 2.8 | 8.5 | 4.8 | 0.34 | 0.52 | C56 |
| Other female genital organs | | | | | | | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 14 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 86 | 1.5 | 5.7 | 2.7 | 0.07 | 0.30 | | | | | | | C61 |
| Testis | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 88 | 1.6 | 5.8 | 3.0 | 0.19 | 0.35 | 60 | 1.3 | 4.0 | 2.8 | 0.15 | 0.30 | C64 |
| Renal pelvis | 14 | 0.2 | 0.9 | 0.5 | 0.02 | 0.07 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 20 | 0.4 | 1.3 | 0.6 | 0.03 | 0.07 | 18 | 0.4 | 1.2 | 0.6 | 0.03 | 0.09 | C66 |
| †Bladder | 214 | 3.8 | 14.1 | 7.1 | 0.35 | 0.74 | 64 | 1.4 | 4.3 | 2.1 | 0.09 | 0.25 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 147 | 2.6 | 9.7 | 5.7 | 0.35 | 0.57 | 139 | 3.1 | 9.2 | 5.3 | 0.34 | 0.60 | C70–72 |
| Thyroid | 66 | 1.2 | 4.3 | 2.7 | 0.20 | 0.26 | 143 | 3.2 | 9.5 | 6.1 | 0.49 | 0.60 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | C74 |
| Other endocrine | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 16 | 0.3 | 1.1 | 0.7 | 0.04 | 0.07 | 18 | 0.4 | 1.2 | 0.7 | 0.05 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 21 | 0.4 | 1.4 | 1.0 | 0.08 | 0.09 | 20 | 0.4 | 1.3 | 0.8 | 0.06 | 0.08 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C90 |
| Lymphoid leukaemia | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C91 |
| Myeloid leukaemia | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C92–94 |
| Leukaemia unspecified | 119 | 2.1 | 7.8 | 5.4 | 0.27 | 0.57 | 89 | 2.0 | 5.9 | 4.4 | 0.24 | 0.44 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 93 | 1.6 | 6.1 | 3.3 | 0.17 | 0.38 | 70 | 1.5 | 4.7 | 2.7 | 0.16 | 0.27 | O&U |
| All sites | 5677 | | 374.0 | 197.1 | 11.05 | 23.01 | 4561 | | 303.0 | 162.5 | 9.70 | 18.50 | C00–96 |
| All sites except C44 | 5642 | 100.0 | 371.7 | 195.9 | 10.99 | 22.87 | 4529 | 100.0 | 300.9 | 161.3 | 9.65 | 18.36 | C00–96 exc. C44 |

*†See note following population pyramid

China, Dongguan City

CONTRIBUTORS

Jieying Zhong
Miaochang Chen
Yaqing Huang
Xufang Yao
Jiankun Wei
Yinlei Yin
Yifei Zhong



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 44.0 | Breast | 34.3 |
| Liver | 34.7 | Trachea, bronchus, and lung | 21.9 |
| Colon | 18.4 | Thyroid | 19.8 |
| Nasopharynx | 15.5 | Colon | 15.5 |
| Rectum | 11.6 | Cervix uteri | 11.3 |
| Prostate | 9.8 | Corpus uteri | 9.0 |
| Stomach | 9.6 | Liver | 7.3 |
| Thyroid | 7.0 | Rectum | 7.3 |
| Non-Hodgkin lymphoma | 6.2 | Nasopharynx | 5.8 |
| Bladder | 5.8 | Stomach | 5.8 |
| Kidney | 4.5 | Ovary | 5.5 |
| Oesophagus | 3.9 | Non-Hodgkin lymphoma | 4.4 |
| Non-melanoma skin cancer | 3.9 | Non-melanoma skin cancer | 3.3 |
| Pancreas | 3.8 | Other and unspecified | 3.3 |
| Brain and nervous system | 3.5 | Pancreas | 2.8 |
| Other and unspecified | 3.1 | Brain and nervous system | 2.5 |
| Larynx | 3.0 | Lymphoid leukaemia | 2.5 |
| Myeloid leukaemia | 2.9 | Myeloid leukaemia | 2.3 |
| Lymphoid leukaemia | 2.5 | Kidney | 2.1 |
| Gallbladder etc. | 1.9 | Gallbladder etc. | 1.8 |
| All sites | 214.4 | All sites | 181.7 |

*China, Dongguan City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 50 | 0.6 | 1.6 | 1.2 | 0.08 | 0.14 | 36 | 0.5 | 1.2 | 0.8 | 0.05 | 0.08 | C01–02 |
| Mouth | 45 | 0.5 | 1.5 | 1.2 | 0.09 | 0.15 | 25 | 0.3 | 0.8 | 0.6 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 30 | 0.4 | 1.0 | 0.8 | 0.06 | 0.07 | 17 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | C07–08 |
| Tonsil | 10 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 610 | 7.3 | 19.9 | 15.5 | 1.21 | 1.73 | 245 | 3.1 | 8.1 | 5.8 | 0.46 | 0.61 | C11 |
| Hypopharynx | 24 | 0.3 | 0.8 | 0.6 | 0.05 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 162 | 1.9 | 5.3 | 3.9 | 0.24 | 0.46 | 44 | 0.6 | 1.5 | 0.7 | 0.02 | 0.06 | C15 |
| Stomach | 394 | 4.7 | 12.9 | 9.6 | 0.51 | 1.12 | 272 | 3.4 | 9.0 | 5.8 | 0.33 | 0.68 | C16 |
| Small intestine | 42 | 0.5 | 1.4 | 1.0 | 0.06 | 0.11 | 39 | 0.5 | 1.3 | 0.8 | 0.06 | 0.08 | C17 |
| Colon | 759 | 9.0 | 24.8 | 18.4 | 1.02 | 2.20 | 731 | 9.3 | 24.3 | 15.5 | 0.90 | 1.87 | C18 |
| Rectum | 467 | 5.6 | 15.2 | 11.6 | 0.69 | 1.40 | 355 | 4.5 | 11.8 | 7.3 | 0.41 | 0.80 | C19–20 |
| Anus | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 1375 | 16.3 | 44.9 | 34.7 | 2.55 | 4.03 | 358 | 4.5 | 11.9 | 7.3 | 0.38 | 0.81 | C22 |
| Gallbladder etc. | 78 | 0.9 | 2.5 | 1.9 | 0.11 | 0.21 | 98 | 1.2 | 3.3 | 1.8 | 0.09 | 0.20 | C23–24 |
| Pancreas | 157 | 1.9 | 5.1 | 3.8 | 0.16 | 0.49 | 143 | 1.8 | 4.8 | 2.8 | 0.11 | 0.36 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 119 | 1.4 | 3.9 | 3.0 | 0.16 | 0.40 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1808 | 21.5 | 59.0 | 44.0 | 2.24 | 5.38 | 1073 | 13.6 | 35.7 | 21.9 | 1.17 | 2.60 | C33–34 |
| Other thoracic organs | 35 | 0.4 | 1.1 | 1.0 | 0.08 | 0.10 | 19 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 34 | 0.4 | 1.1 | 1.0 | 0.05 | 0.08 | 25 | 0.3 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 26 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | 17 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 172 | 2.0 | 5.6 | 3.9 | 0.16 | 0.39 | 184 | 2.3 | 6.1 | 3.3 | 0.12 | 0.34 | C44 |
| Mesothelioma | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 61 | 0.7 | 2.0 | 1.5 | 0.10 | 0.15 | 57 | 0.7 | 1.9 | 1.5 | 0.10 | 0.13 | C47+C49 |
| Breast | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1450 | 18.4 | 48.2 | 34.3 | 2.94 | 3.61 | C50 |
| Vulva | | | | | | | 25 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 484 | 6.1 | 16.1 | 11.3 | 0.93 | 1.27 | C53 |
| Corpus uteri | | | | | | | 380 | 4.8 | 12.6 | 9.0 | 0.82 | 0.95 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 226 | 2.9 | 7.5 | 5.5 | 0.40 | 0.61 | C56 |
| Other female genital organs | | | | | | | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 31 | 0.4 | 1.0 | 0.7 | 0.05 | 0.07 | | | | | | | C60 |
| Prostate | 431 | 5.1 | 14.1 | 9.8 | 0.23 | 1.11 | | | | | | | C61 |
| Testis | 34 | 0.4 | 1.1 | 1.1 | 0.07 | 0.07 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 173 | 2.1 | 5.6 | 4.5 | 0.28 | 0.48 | 89 | 1.1 | 3.0 | 2.1 | 0.14 | 0.24 | C64 |
| Renal pelvis | 22 | 0.3 | 0.7 | 0.5 | 0.01 | 0.06 | 13 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 13 | 0.2 | 0.4 | 0.3 | 0.02 | 0.05 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 245 | 2.9 | 8.0 | 5.8 | 0.24 | 0.62 | 64 | 0.8 | 2.1 | 1.3 | 0.06 | 0.15 | C67 |
| Other urinary organs | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 116 | 1.4 | 3.8 | 3.5 | 0.19 | 0.33 | 98 | 1.2 | 3.3 | 2.5 | 0.16 | 0.21 | C70–72 |
| Thyroid | 271 | 3.2 | 8.8 | 7.0 | 0.58 | 0.70 | 797 | 10.1 | 26.5 | 19.8 | 1.59 | 1.90 | C73 |
| Adrenal gland | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 10 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 12 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 13 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 238 | 2.8 | 7.8 | 6.2 | 0.37 | 0.71 | 184 | 2.3 | 6.1 | 4.4 | 0.30 | 0.47 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 70 | 0.8 | 2.3 | 1.8 | 0.08 | 0.24 | 55 | 0.7 | 1.8 | 1.2 | 0.06 | 0.15 | C90 |
| Lymphoid leukaemia | 62 | 0.7 | 2.0 | 2.5 | 0.12 | 0.17 | 55 | 0.7 | 1.8 | 2.5 | 0.12 | 0.16 | C91 |
| Myeloid leukaemia | 106 | 1.3 | 3.5 | 2.9 | 0.20 | 0.31 | 90 | 1.1 | 3.0 | 2.3 | 0.17 | 0.22 | C92–94 |
| Leukaemia unspecified | 38 | 0.5 | 1.2 | 1.0 | 0.06 | 0.09 | 30 | 0.4 | 1.0 | 0.7 | 0.03 | 0.06 | C95 |
| Myeloproliferative disorders | 32 | 0.4 | 1.0 | 0.9 | 0.07 | 0.08 | 25 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | MPD |
| Myelodysplastic syndromes | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPS |
| Other and unspecified | 132 | 1.6 | 4.3 | 3.1 | 0.15 | 0.29 | 157 | 2.0 | 5.2 | 3.3 | 0.18 | 0.33 | O&U |
| All sites | 8584 | | 280.1 | 214.4 | 12.57 | 24.47 | 8072 | | 268.4 | 181.7 | 12.48 | 19.60 | C00–96 |
| All sites except C44 | 8412 | 100.0 | 274.5 | 210.5 | 12.40 | 24.08 | 7888 | 100.0 | 262.3 | 178.4 | 12.37 | 19.26 | C00–96 exc. C44 |

*See note following population pyramid

China, Donghai County

CONTRIBUTORS

Jin Zhong
Yong Wang
Tonghao Wu
Jin Ma
Xiao Chen
Shijie Chen
Qiqi Peng
Lei Chen
Yuanyuan Ji



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 47.6 | Trachea, bronchus, and lung | 26.9 |
| Liver | 24.4 | Breast | 23.6 |
| Stomach | 18.5 | Liver | 10.5 |
| Oesophagus | 17.1 | Cervix uteri | 9.8 |
| Rectum | 7.1 | Stomach | 8.2 |
| Bladder | 4.7 | Oesophagus | 5.2 |
| Colon | 4.4 | Rectum | 4.5 |
| Pancreas | 3.9 | Corpus uteri | 4.2 |
| Non-Hodgkin lymphoma | 3.7 | Thyroid | 3.7 |
| Brain and nervous system | 3.1 | Ovary | 3.4 |
| Gallbladder etc. | 2.9 | Brain and nervous system | 3.2 |
| Prostate | 2.4 | Colon | 3.1 |
| Myeloid leukaemia | 2.3 | Pancreas | 2.8 |
| Nasopharynx | 2.3 | Non-Hodgkin lymphoma | 2.5 |
| Leukaemia unspecified | 2.0 | Gallbladder etc. | 2.1 |
| Bone | 1.9 | Myeloid leukaemia | 1.9 |
| Kidney | 1.8 | Uterus unspecified | 1.8 |
| Non-melanoma skin cancer | 1.6 | Other and unspecified | 1.7 |
| Larynx | 1.6 | Leukaemia unspecified | 1.4 |
| Lymphoid leukaemia | 1.4 | Bone | 1.4 |
| All sites | 163.2 | All sites | 132.3 |


China, Donghai County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 15 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | 8 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | C01–02 |
| Mouth | 15 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 11 | 0.2 | 0.4 | 0.2 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 12 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 87 | 1.2 | 2.7 | 2.3 | 0.15 | 0.29 | 42 | 0.8 | 1.4 | 1.1 | 0.08 | 0.13 | C11 |
| Hypopharynx | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 766 | 11.0 | 24.0 | 17.1 | 0.63 | 2.15 | 235 | 4.6 | 8.0 | 5.2 | 0.15 | 0.58 | C15 |
| Stomach | 819 | 11.7 | 25.7 | 18.5 | 0.88 | 2.24 | 363 | 7.0 | 12.4 | 8.2 | 0.39 | 0.83 | C16 |
| Small intestine | 24 | 0.3 | 0.8 | 0.6 | 0.02 | 0.07 | 15 | 0.3 | 0.5 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 191 | 2.7 | 6.0 | 4.4 | 0.22 | 0.55 | 127 | 2.5 | 4.3 | 3.1 | 0.16 | 0.38 | C18 |
| Rectum | 302 | 4.3 | 9.5 | 7.1 | 0.37 | 0.91 | 183 | 3.5 | 6.2 | 4.5 | 0.20 | 0.57 | C19–20 |
| Anus | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 1037 | 14.8 | 32.5 | 24.4 | 1.56 | 2.86 | 428 | 8.3 | 14.6 | 10.5 | 0.58 | 1.24 | C22 |
| Gallbladder etc. | 129 | 1.8 | 4.0 | 2.9 | 0.12 | 0.36 | 93 | 1.8 | 3.2 | 2.1 | 0.08 | 0.23 | C23–24 |
| Pancreas | 162 | 2.3 | 5.1 | 3.9 | 0.20 | 0.51 | 116 | 2.2 | 4.0 | 2.8 | 0.10 | 0.34 | C25 |
| Nose, sinuses etc. | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 67 | 1.0 | 2.1 | 1.6 | 0.10 | 0.20 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 2125 | 30.4 | 66.6 | 47.6 | 2.18 | 5.80 | 1139 | 22.1 | 38.8 | 26.9 | 1.33 | 3.10 | C33–34 |
| Other thoracic organs | 14 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 79 | 1.1 | 2.5 | 1.9 | 0.10 | 0.20 | 53 | 1.0 | 1.8 | 1.4 | 0.06 | 0.18 | C40–41 |
| Melanoma of skin | 13 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 12 | 0.2 | 0.4 | 0.3 | 0.03 | 0.04 | C43 |
| Other skin | 72 | 1.0 | 2.3 | 1.6 | 0.07 | 0.17 | 61 | 1.2 | 2.1 | 1.4 | 0.05 | 0.13 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 13 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 12 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C47+C49 |
| Breast | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 868 | 16.8 | 29.6 | 23.6 | 1.97 | 2.46 | C50 |
| Vulva | | | | | | | 16 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 362 | 7.0 | 12.3 | 9.8 | 0.77 | 1.07 | C53 |
| Corpus uteri | | | | | | | 159 | 3.1 | 5.4 | 4.2 | 0.39 | 0.47 | C54 |
| Uterus unspecified | | | | | | | 71 | 1.4 | 2.4 | 1.8 | 0.13 | 0.20 | C55 |
| Ovary | | | | | | | 124 | 2.4 | 4.2 | 3.4 | 0.25 | 0.39 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | | 0.3 | 0.7 | 0.5 | 0.02 | 0.07 | | | | | | | C60 |
| Prostate | 119 | 1.7 | 3.7 | 2.4 | 0.04 | 0.22 | | | | | | | C61 |
| Testis | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 70 | 1.0 | 2.2 | 1.8 | 0.12 | 0.20 | 31 | 0.6 | 1.1 | 0.9 | 0.06 | 0.08 | C64 |
| Renal pelvis | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 215 | 3.1 | 6.7 | 4.7 | 0.19 | 0.54 | 35 | 0.7 | 1.2 | 0.9 | 0.07 | 0.10 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 114 | 1.6 | 3.6 | 3.1 | 0.23 | 0.32 | 115 | 2.2 | 3.9 | 3.2 | 0.19 | 0.36 | C70–72 |
| Thyroid | 43 | 0.6 | 1.3 | 1.1 | 0.08 | 0.12 | 130 | 2.5 | 4.4 | 3.7 | 0.30 | 0.38 | C73 |
| Adrenal gland | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 151 | 2.2 | 4.7 | 3.7 | 0.21 | 0.41 | 95 | 1.8 | 3.2 | 2.5 | 0.14 | 0.27 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 30 | 0.4 | 0.9 | 0.7 | 0.05 | 0.09 | 30 | 0.6 | 1.0 | 0.9 | 0.06 | 0.12 | C90 |
| Lymphoid leukaemia | 47 | 0.7 | 1.5 | 1.4 | 0.08 | 0.12 | 28 | 0.5 | 1.0 | 0.9 | 0.05 | 0.06 | C91 |
| Myeloid leukaemia | 87 | 1.2 | 2.7 | 2.3 | 0.14 | 0.25 | 69 | 1.3 | 2.4 | 1.9 | 0.13 | 0.18 | C92–94 |
| Leukaemia unspecified | 70 | 1.0 | 2.2 | 2.0 | 0.11 | 0.19 | 43 | 0.8 | 1.5 | 1.4 | 0.07 | 0.13 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 15 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | 22 | 0.4 | 0.7 | 0.6 | 0.04 | 0.04 | MPS |
| Other and unspecified | 50 | 0.7 | 1.6 | 1.3 | 0.08 | 0.14 | 63 | 1.2 | 2.1 | 1.7 | 0.12 | 0.18 | O&U |
| All sites | 7056 | | 221.2 | 163.2 | 8.23 | 19.47 | 5222 | | 178.0 | 132.3 | 8.14 | 14.61 | C00–96 |
| All sites except C44 | 6984 | 100.0 | 219.0 | 161.5 | 8.16 | 19.29 | 5161 | 100.0 | 175.9 | 130.9 | 8.09 | 14.48 | C00–96 exc. C44 |

China, Dongtai City

CONTRIBUTORS

Chunlan Shi
Jianhua Zhao
Haijian Ding



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 35.7 | Breast | 23.4 |
| Oesophagus | 32.7 | Trachea, bronchus, and lung | 19.7 |
| Stomach | 28.6 | Oesophagus | 14.2 |
| Liver | 25.5 | Stomach | 11.7 |
| Pancreas | 6.5 | Liver | 9.9 |
| Rectum | 5.6 | Cervix uteri | 9.2 |
| Colon | 4.5 | Pancreas | 5.1 |
| Brain and nervous system | 4.3 | Uterus unspecified | 4.6 |
| Other and unspecified | 3.8 | Rectum | 4.5 |
| Prostate | 3.4 | Ovary | 3.8 |
| Bladder | 3.0 | Other and unspecified | 3.3 |
| Gallbladder etc. | 2.5 | Brain and nervous system | 3.0 |
| Leukaemia unspecified | 2.3 | Colon | 2.9 |
| Bone | 2.2 | Thyroid | 2.2 |
| Non-Hodgkin lymphoma | 2.1 | Leukaemia unspecified | 1.9 |
| Nasopharynx | 1.8 | Gallbladder etc. | 1.8 |
| Kidney | 1.3 | Bone | 1.5 |
| Myeloid leukaemia | 1.1 | Non-Hodgkin lymphoma | 1.3 |
| Larynx | 1.0 | Corpus uteri | 1.3 |
| Lymphoid leukaemia | 0.9 | Bladder | 1.0 |
| All sites | 176.6 | All sites | 135.5 |

*China, Dongtai City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 18 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | 17 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | C01–02 |
| Mouth | 40 | 0.4 | 1.8 | 0.7 | 0.04 | 0.09 | 31 | 0.5 | 1.4 | 0.6 | 0.06 | 0.07 | C03–06 |
| Salivary glands | 14 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 80 | 0.9 | 3.5 | 1.8 | 0.12 | 0.22 | 24 | 0.4 | 1.1 | 0.5 | 0.04 | 0.07 | C11 |
| Hypopharynx | 12 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 16 | 0.2 | 0.7 | 0.3 | 0.02 | 0.05 | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 1835 | 20.0 | 81.0 | 32.7 | 1.36 | 4.16 | 938 | 13.8 | 42.1 | 14.2 | 0.41 | 1.79 | C15 |
| Stomach | 1565 | 17.1 | 69.1 | 28.6 | 1.25 | 3.70 | 663 | 9.7 | 29.8 | 11.7 | 0.58 | 1.47 | C16 |
| Small intestine | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 16 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C17 |
| Colon | 217 | 2.4 | 9.6 | 4.5 | 0.27 | 0.55 | 148 | 2.2 | 6.6 | 2.9 | 0.15 | 0.38 | C18 |
| Rectum | 293 | 3.2 | 12.9 | 5.6 | 0.32 | 0.63 | 239 | 3.5 | 10.7 | 4.5 | 0.29 | 0.50 | C19–20 |
| Anus | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C21 |
| Liver | 1213 | 13.2 | 53.5 | 25.5 | 1.77 | 2.91 | 527 | 7.7 | 23.7 | 9.9 | 0.56 | 1.11 | C22 |
| Gallbladder etc. | 133 | 1.5 | 5.9 | 2.5 | 0.09 | 0.31 | 112 | 1.6 | 5.0 | 1.8 | 0.09 | 0.18 | C23–24 |
| Pancreas | 352 | 3.8 | 15.5 | 6.5 | 0.30 | 0.84 | 296 | 4.3 | 13.3 | 5.1 | 0.24 | 0.63 | C25 |
| Nose, sinuses etc. | 16 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 51 | 0.6 | 2.3 | 1.0 | 0.04 | 0.12 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1913 | 20.9 | 84.4 | 35.7 | 1.61 | 4.62 | 1111 | 16.3 | 49.9 | 19.7 | 0.98 | 2.47 | C33–34 |
| Other thoracic organs | 16 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 11 | 0.2 | 0.5 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 114 | 1.2 | 5.0 | 2.2 | 0.11 | 0.27 | 78 | 1.1 | 3.5 | 1.5 | 0.10 | 0.17 | C40–41 |
| Melanoma of skin | 13 | 0.1 | 0.6 | 0.3 | 0.03 | 0.03 | 11 | 0.2 | 0.5 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 41 | 0.4 | 1.8 | 0.7 | 0.04 | 0.08 | 43 | 0.6 | 1.9 | 0.6 | 0.02 | 0.07 | C44 |
| Mesothelioma | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | 12 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | C47+C49 |
| Breast | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 935 | 13.7 | 42.0 | 23.4 | 1.97 | 2.48 | C50 |
| Vulva | | | | | | | 13 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 11 | 0.2 | 0.5 | 0.6 | 0.04 | 0.04 | C52 |
| Cervix uteri | | | | | | | 416 | 6.1 | 18.7 | 9.2 | 0.73 | 1.00 | C53 |
| Corpus uteri | | | | | | | 57 | 0.8 | 2.6 | 1.3 | 0.11 | 0.16 | C54 |
| Uterus unspecified | | | | | | | 210 | 3.1 | 9.4 | 4.6 | 0.34 | 0.51 | C55 |
| Ovary | | | | | | | 153 | 2.2 | 6.9 | 3.8 | 0.29 | 0.43 | C56 |
| Other female genital organs | | | | | | | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 22 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 211 | 2.3 | 9.3 | 3.4 | 0.06 | 0.38 | | | | | | | C61 |
| Testis | 10 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 66 | 0.7 | 2.9 | 1.3 | 0.09 | 0.17 | 44 | 0.6 | 2.0 | 0.9 | 0.06 | 0.09 | C64 |
| Renal pelvis | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 169 | 1.8 | 7.5 | 3.0 | 0.12 | 0.36 | 66 | 1.0 | 3.0 | 1.0 | 0.04 | 0.13 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 167 | 1.8 | 7.4 | 4.3 | 0.27 | 0.46 | 138 | 2.0 | 6.2 | 3.0 | 0.21 | 0.35 | C70–72 |
| Thyroid | 19 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | 86 | 1.3 | 3.9 | 2.2 | 0.17 | 0.23 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 12 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 103 | 1.1 | 4.5 | 2.1 | 0.11 | 0.28 | 70 | 1.0 | 3.1 | 1.3 | 0.07 | 0.15 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 37 | 0.4 | 1.6 | 0.8 | 0.04 | 0.10 | 34 | 0.5 | 1.5 | 0.7 | 0.04 | 0.10 | C90 |
| Lymphoid leukaemia | 28 | 0.3 | 1.2 | 0.9 | 0.05 | 0.08 | 20 | 0.3 | 0.9 | 1.0 | 0.06 | 0.07 | C91 |
| Myeloid leukaemia | 42 | 0.5 | 1.9 | 1.1 | 0.07 | 0.11 | 28 | 0.4 | 1.3 | 1.0 | 0.06 | 0.09 | C92–94 |
| Leukaemia unspecified | 86 | 0.9 | 3.8 | 2.3 | 0.12 | 0.23 | 58 | 0.9 | 2.6 | 1.9 | 0.11 | 0.16 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | MPS |
| Other and unspecified | 198 | 2.2 | 8.7 | 3.8 | 0.20 | 0.41 | 180 | 2.6 | 8.1 | 3.3 | 0.20 | 0.37 | O&U |
| All sites | 9211 | | 406.5 | 176.6 | 8.84 | 21.74 | 6861 | | 308.1 | 135.5 | 8.25 | 15.63 | C00–96 |
| All sites except C44 | 9170 | 100.0 | 404.7 | 175.9 | 8.80 | 21.66 | 6818 | 100.0 | 306.1 | 134.8 | 8.22 | 15.57 | C00–96 exc. C44 |

*See note following population pyramid

China, Duanzhou District, Zhaoqing City

CONTRIBUTORS

Suying Lu
Yijuan Fang
Guojia Xian
Guohua Huang
Guodong Liang
Dayan Liang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 50.4 | Breast | 42.5 |
| Liver | 36.8 | Trachea, bronchus, and lung | 24.7 |
| Colon | 16.8 | Colon | 14.3 |
| Nasopharynx | 16.3 | Liver | 10.9 |
| Rectum | 12.8 | Thyroid | 9.8 |
| Prostate | 8.2 | Cervix uteri | 8.5 |
| Stomach | 7.8 | Rectum | 7.7 |
| Oesophagus | 7.0 | Corpus uteri | 6.8 |
| Other and unspecified | 5.6 | Ovary | 6.4 |
| Thyroid | 4.5 | Stomach | 5.1 |
| Bladder | 4.4 | Nasopharynx | 4.6 |
| Brain and nervous system | 4.4 | Pancreas | 4.4 |
| Pancreas | 3.7 | Other and unspecified | 4.4 |
| Leukaemia unspecified | 3.7 | Non-Hodgkin lymphoma | 3.6 |
| Non-Hodgkin lymphoma | 3.0 | Non-melanoma skin cancer | 3.4 |
| Kidney | 2.6 | Brain and nervous system | 3.2 |
| Myeloid leukaemia | 2.5 | Myeloid leukaemia | 2.3 |
| Larynx | 2.4 | Leukaemia unspecified | 2.1 |
| Gallbladder etc. | 2.0 | Gallbladder etc. | 1.9 |
| Non-melanoma skin cancer | 1.9 | Tongue | 1.6 |
| All sites | 218.8 | All sites | 182.7 |


China, Duanzhou District, Zhaoqing City (2014–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 20 | 0.8 | 2.6 | 1.6 | 0.11 | 0.17 | 19 | 0.9 | 2.5 | 1.6 | 0.13 | 0.16 | C01–02 |
| Mouth | 17 | 0.6 | 2.2 | 1.5 | 0.09 | 0.18 | 10 | 0.5 | 1.3 | 0.8 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 5 | 0.2 | 0.7 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 7 | 0.3 | 0.9 | 0.6 | 0.03 | 0.09 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 10 | 0.4 | 1.3 | 0.8 | 0.06 | 0.09 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 182 | 6.9 | 23.4 | 16.3 | 1.36 | 1.69 | 55 | 2.5 | 7.2 | 4.6 | 0.40 | 0.47 | C11 |
| Hypopharynx | 7 | 0.3 | 0.9 | 0.6 | 0.06 | 0.10 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 83 | 3.1 | 10.7 | 7.0 | 0.52 | 0.87 | 12 | 0.6 | 1.6 | 1.0 | 0.06 | 0.14 | C15 |
| Stomach | 100 | 3.8 | 12.9 | 7.8 | 0.46 | 0.90 | 63 | 2.9 | 8.3 | 5.1 | 0.32 | 0.63 | C16 |
| Small intestine | 17 | 0.6 | 2.2 | 1.3 | 0.08 | 0.14 | 9 | 0.4 | 1.2 | 0.8 | 0.05 | 0.10 | C17 |
| Colon | 222 | 8.4 | 28.6 | 16.8 | 0.90 | 1.99 | 185 | 8.6 | 24.3 | 14.3 | 0.79 | 1.72 | C18 |
| Rectum | 157 | 5.9 | 20.2 | 12.8 | 0.74 | 1.73 | 98 | 4.5 | 12.9 | 7.7 | 0.38 | 0.93 | C19–20 |
| Anus | 5 | 0.2 | 0.6 | 0.3 | 0.01 | 0.01 | 4 | 0.2 | 0.5 | 0.4 | 0.00 | 0.06 | C21 |
| Liver | 434 | 16.4 | 55.8 | 36.8 | 2.76 | 4.41 | 134 | 6.2 | 17.6 | 10.9 | 0.48 | 1.27 | C22 |
| Gallbladder etc. | 29 | 1.1 | 3.7 | 2.0 | 0.06 | 0.20 | 23 | 1.1 | 3.0 | 1.9 | 0.10 | 0.25 | C23–24 |
| Pancreas | 48 | 1.8 | 6.2 | 3.7 | 0.18 | 0.48 | 57 | 2.6 | 7.5 | 4.4 | 0.17 | 0.54 | C25 |
| Nose, sinuses etc. | 8 | 0.3 | 1.0 | 0.7 | 0.06 | 0.08 | 5 | 0.2 | 0.7 | 1.1 | 0.05 | 0.05 | C30–31 |
| Larynx | 29 | 1.1 | 3.7 | 2.4 | 0.13 | 0.28 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 655 | 24.7 | 84.3 | 50.4 | 2.64 | 6.05 | 329 | 15.2 | 43.2 | 24.7 | 1.32 | 2.71 | C33–34 |
| Other thoracic organs | 8 | 0.3 | 1.0 | 0.7 | 0.03 | 0.06 | 5 | 0.2 | 0.7 | 0.5 | 0.02 | 0.04 | C37–38 |
| Bone | 16 | 0.6 | 2.1 | 1.7 | 0.11 | 0.20 | 11 | 0.5 | 1.4 | 0.9 | 0.05 | 0.10 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C43 |
| Other skin | 27 | 1.0 | 3.5 | 1.9 | 0.10 | 0.20 | 41 | 1.9 | 5.4 | 3.4 | 0.12 | 0.45 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 0.7 | 2.3 | 1.6 | 0.12 | 0.13 | 9 | 0.4 | 1.2 | 0.9 | 0.07 | 0.11 | C47+C49 |
| Breast | 6 | 0.2 | 0.8 | 0.4 | 0.01 | 0.07 | 508 | 23.5 | 66.7 | 42.5 | 3.58 | 4.59 | C50 |
| Vulva | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | 1 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | C52 |
| Cervix uteri | 101 | 4.7 | 13.3 | 8.5 | 0.76 | 0.94 | 80 | 3.7 | 10.5 | 6.8 | 0.63 | 0.77 | C53 |
| Corpus uteri | 80 | 3.7 | 10.5 | 6.8 | 0.63 | 0.77 | 11 | 0.5 | 1.4 | 0.9 | 0.06 | 0.10 | C54 |
| Uterus unspecified | 11 | 0.5 | 1.4 | 0.9 | 0.06 | 0.10 | 74 | 3.4 | 9.7 | 6.4 | 0.52 | 0.71 | C55 |
| Ovary | 8 | 0.4 | 1.1 | 0.7 | 0.06 | 0.09 | 8 | 0.4 | 1.1 | 0.7 | 0.06 | 0.09 | C56 |
| Other female genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C60 |
| Prostate | 127 | 4.8 | 16.3 | 8.2 | 0.14 | 0.86 | | | | | | | C61 |
| Testis | 5 | 0.2 | 0.6 | 0.7 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 32 | 1.2 | 4.1 | 2.6 | 0.16 | 0.28 | 14 | 0.6 | 1.8 | 1.1 | 0.09 | 0.13 | C64 |
| Renal pelvis | 6 | 0.2 | 0.8 | 0.5 | 0.01 | 0.05 | 5 | 0.2 | 0.7 | 0.4 | 0.00 | 0.06 | C65 |
| Ureter | 6 | 0.2 | 0.8 | 0.4 | 0.03 | 0.03 | 4 | 0.2 | 0.5 | 0.3 | 0.01 | 0.05 | C66 |
| Bladder | 60 | 2.3 | 7.7 | 4.4 | 0.17 | 0.44 | 15 | 0.7 | 2.0 | 1.2 | 0.07 | 0.14 | C67 |
| Other urinary organs | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.2 | 0.6 | 1.4 | 0.06 | 0.06 | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C69 |
| Brain and nervous system | 43 | 1.6 | 5.5 | 4.4 | 0.26 | 0.47 | 37 | 1.7 | 4.9 | 3.2 | 0.26 | 0.32 | C70–72 |
| Thyroid | 43 | 1.6 | 5.5 | 4.5 | 0.35 | 0.44 | 100 | 4.6 | 13.1 | 9.8 | 0.78 | 0.83 | C73 |
| Adrenal gland | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 39 | 1.5 | 5.0 | 3.0 | 0.20 | 0.32 | 37 | 1.7 | 4.9 | 3.6 | 0.18 | 0.38 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 15 | 0.6 | 1.9 | 1.1 | 0.07 | 0.12 | 8 | 0.4 | 1.1 | 0.6 | 0.04 | 0.08 | C90 |
| Lymphoid leukaemia | 11 | 0.4 | 1.4 | 1.6 | 0.10 | 0.10 | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 23 | 0.9 | 3.0 | 2.5 | 0.17 | 0.22 | 22 | 1.0 | 2.9 | 2.3 | 0.14 | 0.21 | C92–94 |
| Leukaemia unspecified | 34 | 1.3 | 4.4 | 3.7 | 0.20 | 0.29 | 19 | 0.9 | 2.5 | 2.1 | 0.07 | 0.22 | C95 |
| Myeloproliferative disorders | 6 | 0.2 | 0.8 | 0.5 | 0.05 | 0.05 | 7 | 0.3 | 0.9 | 0.5 | 0.01 | 0.04 | MPD |
| Myelodysplastic syndromes | 20 | 0.8 | 2.6 | 1.7 | 0.07 | 0.22 | 3 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | MPS |
| Other and unspecified | 72 | 2.7 | 9.3 | 5.6 | 0.26 | 0.66 | 51 | 2.4 | 6.7 | 4.4 | 0.21 | 0.57 | O&U |
| All sites | 2675 | | 344.2 | 218.8 | 13.12 | 24.98 | 2200 | | 288.8 | 182.7 | 12.22 | 20.25 | C00–96 |
| All sites except C44 | 2648 | 100.0 | 340.7 | 216.9 | 13.02 | 24.78 | 2159 | 100.0 | 283.5 | 179.4 | 12.10 | 19.81 | C00–96 exc. C44 |

China, Evenki Autonomous Banner

CONTRIBUTORS

Zhangyijie



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 63.7 | Breast | 34.9 |
| Liver | 29.8 | Trachea, bronchus, and lung | 33.1 |
| Oesophagus | 21.2 | Thyroid | 21.1 |
| Stomach | 20.6 | Cervix uteri | 15.8 |
| Colon | 18.0 | Liver | 12.2 |
| Rectum | 16.3 | Ovary | 9.3 |
| Pancreas | 8.5 | Brain and nervous system | 8.6 |
| Larynx | 7.2 | Stomach | 8.5 |
| Bladder | 5.1 | Rectum | 7.4 |
| Kidney | 5.0 | Pancreas | 7.0 |
| Brain and nervous system | 4.4 | Colon | 6.9 |
| Thyroid | 4.2 | Kidney | 4.3 |
| Prostate | 3.8 | Oesophagus | 3.3 |
| Bone | 3.5 | Bladder | 3.2 |
| Non-Hodgkin lymphoma | 2.9 | Other and unspecified | 2.7 |
| Hypopharynx | 2.2 | Non-Hodgkin lymphoma | 1.9 |
| Lymphoid leukaemia | 2.0 | Corpus uteri | 1.6 |
| Other thoracic organs | 1.9 | Bone | 1.4 |
| Testis | 1.9 | Myeloid leukaemia | 1.3 |
| Leukaemia unspecified | 1.8 | Anus | 1.2 |
| All sites | 237.9 | All sites | 195.5 |

*China, Evenki Autonomous Banner (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 4 | 0.6 | 1.9 | 1.4 | 0.07 | 0.18 | 1 | 0.2 | 0.5 | 0.2 | 0.03 | 0.03 | C01–02 |
| Mouth | 2 | 0.3 | 1.0 | 0.6 | 0.08 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C03–06 |
| Salivary glands | 2 | 0.3 | 1.0 | 0.5 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.3 | 1.0 | 0.4 | 0.05 | 0.05 | 1 | 0.2 | 0.5 | 0.3 | 0.00 | 0.08 | C10 |
| Nasopharynx | 3 | 0.5 | 1.4 | 0.9 | 0.05 | 0.15 | 2 | 0.3 | 1.0 | 0.6 | 0.00 | 0.08 | C11 |
| Hypopharynx | 7 | 1.1 | 3.4 | 2.2 | 0.14 | 0.25 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.4 | 0.00 | 0.07 | C14 |
| Oesophagus | 65 | 10.0 | 31.4 | 21.2 | 1.78 | 2.41 | 9 | 1.4 | 4.6 | 3.3 | 0.05 | 0.44 | C15 |
| Stomach | 57 | 8.8 | 27.5 | 20.6 | 1.16 | 2.07 | 28 | 4.5 | 14.2 | 8.5 | 0.50 | 1.06 | C16 |
| Small intestine | 1 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C17 |
| Colon | 43 | 6.6 | 20.7 | 18.0 | 0.78 | 2.39 | 23 | 3.7 | 11.7 | 6.9 | 0.35 | 0.83 | C18 |
| Rectum | 39 | 6.0 | 18.8 | 16.3 | 0.68 | 2.15 | 24 | 3.9 | 12.2 | 7.4 | 0.72 | 0.88 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.5 | 1.5 | 1.2 | 0.05 | 0.05 | C21 |
| Liver | 88 | 13.6 | 42.4 | 29.8 | 1.91 | 3.58 | 37 | 5.9 | 18.8 | 12.2 | 0.53 | 1.23 | C22 |
| Gallbladder etc. | 4 | 0.6 | 1.9 | 1.1 | 0.12 | 0.12 | 3 | 0.5 | 1.5 | 1.0 | 0.05 | 0.13 | C23–24 |
| Pancreas | 22 | 3.4 | 10.6 | 8.5 | 0.34 | 1.35 | 21 | 3.4 | 10.7 | 7.0 | 0.28 | 0.92 | C25 |
| Nose, sinuses etc. | 2 | 0.3 | 1.0 | 0.6 | 0.07 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 19 | 2.9 | 9.2 | 7.2 | 0.32 | 0.87 | 2 | 0.3 | 1.0 | 0.7 | 0.00 | 0.16 | C32 |
| Trachea, bronchus, and lung | 167 | 25.8 | 80.5 | 63.7 | 3.05 | 6.93 | 101 | 16.2 | 51.3 | 33.1 | 1.46 | 4.16 | C33–34 |
| Other thoracic organs | 7 | 1.1 | 3.4 | 1.9 | 0.21 | 0.21 | 1 | 0.2 | 0.5 | 0.2 | 0.03 | 0.03 | C37–38 |
| Bone | 8 | 1.2 | 3.9 | 3.5 | 0.18 | 0.29 | 4 | 0.6 | 2.0 | 1.4 | 0.03 | 0.18 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C43 |
| Other skin | 3 | 0.5 | 1.4 | 0.9 | 0.03 | 0.12 | 1 | 0.2 | 0.5 | 0.2 | 0.03 | 0.03 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.5 | 1.4 | 0.9 | 0.04 | 0.14 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 119 | 19.1 | 60.5 | 34.9 | 3.05 | 3.90 | C50 |
| Vulva | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 2 | 0.3 | 1.0 | 0.8 | 0.00 | 0.16 | C52 |
| Cervix uteri | | | | | | | 53 | 8.5 | 26.9 | 15.8 | 1.21 | 1.77 | C53 |
| Corpus uteri | | | | | | | 5 | 0.8 | 2.5 | 1.6 | 0.11 | 0.11 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 27 | 4.3 | 13.7 | 9.3 | 0.63 | 1.01 | C56 |
| Other female genital organs | | | | | | | 2 | 0.3 | 1.0 | 0.5 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.5 | 1.4 | 0.8 | 0.04 | 0.04 | | | | | | | C60 |
| Prostate | 10 | 1.5 | 4.8 | 3.8 | 0.05 | 0.16 | | | | | | | C61 |
| Testis | 5 | 0.8 | 2.4 | 1.9 | 0.08 | 0.20 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 15 | 2.3 | 7.2 | 5.0 | 0.33 | 0.44 | 14 | 2.2 | 7.1 | 4.3 | 0.30 | 0.37 | C64 |
| Renal pelvis | 4 | 0.6 | 1.9 | 1.3 | 0.12 | 0.12 | 1 | 0.2 | 0.5 | 0.2 | 0.03 | 0.03 | C65 |
| Ureter | 2 | 0.3 | 1.0 | 0.5 | 0.02 | 0.02 | 1 | 0.2 | 0.5 | 0.2 | 0.02 | 0.02 | C66 |
| Bladder | 16 | 2.5 | 7.7 | 5.1 | 0.34 | 0.55 | 9 | 1.4 | 4.6 | 3.2 | 0.10 | 0.33 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 8 | 1.2 | 3.9 | 4.4 | 0.17 | 0.39 | 29 | 4.7 | 14.7 | 8.6 | 0.68 | 0.91 | C70–72 |
| Thyroid | 14 | 2.2 | 6.8 | 4.2 | 0.35 | 0.35 | 73 | 11.7 | 37.1 | 21.1 | 1.80 | 2.11 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C74 |
| Other endocrine | 3 | 0.5 | 1.4 | 1.1 | 0.10 | 0.10 | 1 | 0.2 | 0.5 | 0.6 | 0.04 | 0.04 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 6 | 0.9 | 2.9 | 2.9 | 0.16 | 0.16 | 6 | 1.0 | 3.0 | 1.9 | 0.07 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.3 | 0.00 | 0.08 | C90 |
| Lymphoid leukaemia | 4 | 0.6 | 1.9 | 2.0 | 0.02 | 0.13 | 2 | 0.3 | 1.0 | 0.7 | 0.07 | 0.07 | C91 |
| Myeloid leukaemia | 4 | 0.6 | 1.9 | 1.6 | 0.14 | 0.14 | 4 | 0.6 | 2.0 | 1.3 | 0.08 | 0.24 | C92–94 |
| Leukaemia unspecified | 4 | 0.6 | 1.9 | 1.8 | 0.11 | 0.22 | 3 | 0.5 | 1.5 | 1.0 | 0.13 | 0.13 | C95 |
| Myeloproliferative disorders | 1 | 0.2 | 0.5 | 0.4 | 0.05 | 0.05 | 2 | 0.3 | 1.0 | 0.5 | 0.04 | 0.04 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.5 | 0.3 | 0.00 | 0.08 | MPS |
| Other and unspecified | 3 | 0.5 | 1.4 | 0.8 | 0.08 | 0.08 | 4 | 0.6 | 2.0 | 2.7 | 0.13 | 0.27 | O&U |
| All sites | 650 | | 313.5 | 237.9 | 13.22 | 26.55 | 624 | | 317.1 | 195.5 | 12.69 | 22.46 | C00–96 |
| All sites except C44 | 647 | 100.0 | 312.1 | 237.0 | 13.19 | 26.43 | 623 | 100.0 | 316.6 | 195.3 | 12.67 | 22.43 | C00–96 exc. C44 |

*See note following population pyramid

China, Faku County

CONTRIBUTORS

Yingjuan Xing
Haiyang Cao
Henan Bai
Yunli Ma
Mingyuan Wu



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 56.0 | Trachea, bronchus, and lung | 40.1 |
| Oesophagus | 25.6 | Breast | 25.6 |
| Liver | 23.2 | Cervix uteri | 9.4 |
| Stomach | 16.3 | Liver | 6.9 |
| Rectum | 10.0 | Stomach | 6.0 |
| Brain and nervous system | 8.3 | Rectum | 5.9 |
| Bladder | 5.6 | Brain and nervous system | 5.1 |
| Pancreas | 5.0 | Ovary | 4.7 |
| Colon | 4.9 | Corpus uteri | 4.5 |
| Larynx | 4.0 | Thyroid | 3.9 |
| Leukaemia unspecified | 3.4 | Colon | 3.9 |
| Other and unspecified | 3.1 | Pancreas | 3.6 |
| Kidney | 2.8 | Other and unspecified | 2.5 |
| Gallbladder etc. | 2.6 | Bone | 2.2 |
| Bone | 2.5 | Oesophagus | 2.1 |
| Prostate | 2.3 | Bladder | 2.0 |
| Non-Hodgkin lymphoma | 2.1 | Leukaemia unspecified | 2.0 |
| Thyroid | 1.7 | Non-Hodgkin lymphoma | 1.9 |
| Myeloid leukaemia | 1.4 | Uterus unspecified | 1.5 |
| Hypopharynx | 1.3 | Gallbladder etc. | 1.4 |
| All sites | 193.4 | All sites | 145.4 |

*China, Faku County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C00 |
| Tongue | 12 | 0.3 | 1.1 | 0.7 | 0.04 | 0.09 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C01–02 |
| Mouth | 14 | 0.4 | 1.2 | 0.7 | 0.06 | 0.10 | 14 | 0.5 | 1.3 | 0.8 | 0.06 | 0.09 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 9 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 16 | 0.4 | 1.4 | 1.2 | 0.09 | 0.10 | 7 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 26 | 0.7 | 2.3 | 1.3 | 0.09 | 0.17 | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 8 | 0.2 | 0.7 | 0.4 | 0.02 | 0.07 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C14 |
| Oesophagus | 533 | 13.9 | 46.7 | 25.6 | 1.68 | 3.19 | 49 | 1.7 | 4.5 | 2.1 | 0.10 | 0.25 | C15 |
| Stomach | 335 | 8.7 | 29.4 | 16.3 | 0.84 | 2.06 | 133 | 4.6 | 12.2 | 6.0 | 0.28 | 0.71 | C16 |
| Small intestine | 7 | 0.2 | 0.6 | 0.4 | 0.01 | 0.06 | 6 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | C17 |
| Colon | 102 | 2.7 | 8.9 | 4.9 | 0.27 | 0.64 | 81 | 2.8 | 7.4 | 3.9 | 0.22 | 0.45 | C18 |
| Rectum | 206 | 5.4 | 18.1 | 10.0 | 0.51 | 1.35 | 125 | 4.3 | 11.4 | 5.9 | 0.30 | 0.75 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C21 |
| Liver | 475 | 12.4 | 41.6 | 23.2 | 1.49 | 2.67 | 150 | 5.2 | 13.7 | 6.9 | 0.38 | 0.73 | C22 |
| Gallbladder etc. | 54 | 1.4 | 4.7 | 2.6 | 0.19 | 0.35 | 28 | 1.0 | 2.6 | 1.4 | 0.06 | 0.23 | C23–24 |
| Pancreas | 103 | 2.7 | 9.0 | 5.0 | 0.29 | 0.67 | 75 | 2.6 | 6.9 | 3.6 | 0.15 | 0.49 | C25 |
| Nose, sinuses etc. | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 81 | 2.1 | 7.1 | 4.0 | 0.25 | 0.53 | 22 | 0.8 | 2.0 | 1.1 | 0.04 | 0.15 | C32 |
| Trachea, bronchus, and lung | 1175 | 30.6 | 103.0 | 56.0 | 3.04 | 6.92 | 864 | 30.0 | 79.1 | 40.1 | 1.97 | 4.96 | C33–34 |
| Other thoracic organs | 12 | 0.3 | 1.1 | 0.7 | 0.05 | 0.09 | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C37–38 |
| Bone | 46 | 1.2 | 4.0 | 2.5 | 0.18 | 0.30 | 34 | 1.2 | 3.1 | 2.2 | 0.14 | 0.22 | C40–41 |
| Melanoma of skin | 5 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 5 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C43 |
| Other skin | 18 | 0.5 | 1.6 | 1.0 | 0.04 | 0.12 | 11 | 0.4 | 1.0 | 0.6 | 0.03 | 0.07 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 8 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 14 | 0.5 | 1.3 | 0.7 | 0.07 | 0.09 | C47+C49 |
| Breast | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 477 | 16.6 | 43.7 | 25.6 | 2.23 | 2.69 | C50 |
| Vulva | | | | | | | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 166 | 5.8 | 15.2 | 9.4 | 0.77 | 0.95 | C53 |
| Corpus uteri | | | | | | | 88 | 3.1 | 8.1 | 4.5 | 0.42 | 0.52 | C54 |
| Uterus unspecified | | | | | | | 29 | 1.0 | 2.7 | 1.5 | 0.14 | 0.14 | C55 |
| Ovary | | | | | | | 88 | 3.1 | 8.1 | 4.7 | 0.37 | 0.50 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 7 | 0.2 | 0.6 | 0.3 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 52 | 1.4 | 4.6 | 2.3 | 0.06 | 0.25 | | | | | | | C61 |
| Testis | 7 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 55 | 1.4 | 4.8 | 2.8 | 0.19 | 0.32 | 27 | 0.9 | 2.5 | 1.3 | 0.08 | 0.15 | C64 |
| Renal pelvis | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 5 | 0.1 | 0.4 | 0.3 | 0.01 | 0.05 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 116 | 3.0 | 10.2 | 5.6 | 0.29 | 0.67 | 42 | 1.5 | 3.8 | 2.0 | 0.09 | 0.31 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.3 | 0.7 | 0.03 | 0.03 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 145 | 3.8 | 12.7 | 8.3 | 0.49 | 0.85 | 103 | 3.6 | 9.4 | 5.1 | 0.30 | 0.61 | C70–72 |
| Thyroid | 26 | 0.7 | 2.3 | 1.7 | 0.13 | 0.17 | 66 | 2.3 | 6.0 | 3.9 | 0.33 | 0.37 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 40 | 1.0 | 3.5 | 2.1 | 0.14 | 0.24 | 27 | 0.9 | 2.5 | 1.9 | 0.11 | 0.17 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C90 |
| Lymphoid leukaemia | 7 | 0.2 | 0.6 | 0.9 | 0.04 | 0.05 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C91 |
| Myeloid leukaemia | 12 | 0.3 | 1.1 | 1.4 | 0.07 | 0.11 | 13 | 0.5 | 1.2 | 0.9 | 0.06 | 0.10 | C92–94 |
| Leukaemia unspecified | 47 | 1.2 | 4.1 | 3.4 | 0.22 | 0.30 | 36 | 1.2 | 3.3 | 2.0 | 0.14 | 0.18 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 56 | 1.5 | 4.9 | 3.1 | 0.19 | 0.38 | 45 | 1.6 | 4.1 | 2.5 | 0.18 | 0.28 | O&U |
| All sites | 3861 | | 338.4 | 193.4 | 11.30 | 23.36 | 2893 | | 264.8 | 145.4 | 9.33 | 16.73 | C00–96 |
| All sites except C44 | 3843 | 100.0 | 336.8 | 192.5 | 11.26 | 23.25 | 2882 | 100.0 | 263.8 | 144.8 | 9.30 | 16.66 | C00–96 exc. C44 |

*See note following population pyramid

China, Fangcheng County

CONTRIBUTORS

Jianmin Ma
Jingying Ma
Cehngjie Tong
Xiangyang Tian
Linjing Ni
Juan Zhang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 41.5 | Breast | 33.9 |
| Trachea, bronchus, and lung | 40.4 | Trachea, bronchus, and lung | 21.2 |
| Liver | 23.3 | Cervix uteri | 17.3 |
| Oesophagus | 21.3 | Stomach | 16.0 |
| Other and unspecified | 10.9 | Other and unspecified | 10.9 |
| Rectum | 6.7 | Corpus uteri | 10.3 |
| Brain and nervous system | 5.6 | Liver | 10.2 |
| Pancreas | 3.8 | Oesophagus | 9.3 |
| Bladder | 3.4 | Ovary | 8.5 |
| Colon | 3.2 | Brain and nervous system | 6.4 |
| Anus | 3.0 | Rectum | 6.3 |
| Bone | 3.0 | Thyroid | 4.5 |
| Leukaemia unspecified | 3.0 | Pancreas | 3.1 |
| Prostate | 2.1 | Bone | 2.6 |
| Larynx | 2.0 | Colon | 2.5 |
| Thyroid | 1.5 | Leukaemia unspecified | 2.5 |
| Gallbladder etc. | 1.3 | Gallbladder etc. | 2.0 |
| Kidney | 1.2 | Uterus unspecified | 2.0 |
| Multiple myeloma | 1.2 | Bladder | 1.4 |
| Lymphoid leukaemia | 1.2 | Connective and soft tissue | 1.3 |
| All sites | 192.9 | All sites | 186.8 |

*China, Fangcheng County (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C01–02 |
| Mouth | 8 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 7 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | C03–06 |
| Salivary glands | 11 | 0.2 | 0.6 | 0.5 | 0.04 | 0.07 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 13 | 0.3 | 0.7 | 0.6 | 0.01 | 0.08 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 24 | 0.5 | 1.3 | 1.0 | 0.09 | 0.10 | 7 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 10 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 6 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 520 | 11.6 | 28.6 | 21.3 | 1.00 | 2.61 | 203 | 5.3 | 12.4 | 9.3 | 0.42 | 1.09 | C15 |
| Stomach | 975 | 21.7 | 53.6 | 41.5 | 2.27 | 5.35 | 343 | 8.9 | 21.0 | 16.0 | 0.78 | 1.98 | C16 |
| Small intestine | 25 | 0.6 | 1.4 | 1.1 | 0.05 | 0.17 | 20 | 0.5 | 1.2 | 1.0 | 0.05 | 0.11 | C17 |
| Colon | 75 | 1.7 | 4.1 | 3.2 | 0.19 | 0.41 | 54 | 1.4 | 3.3 | 2.5 | 0.13 | 0.29 | C18 |
| Rectum | 156 | 3.5 | 8.6 | 6.7 | 0.39 | 0.88 | 132 | 3.4 | 8.1 | 6.3 | 0.43 | 0.74 | C19–20 |
| Anus | 77 | 1.7 | 4.2 | 3.0 | 0.14 | 0.32 | 26 | 0.7 | 1.6 | 1.2 | 0.05 | 0.14 | C21 |
| Liver | 548 | 12.2 | 30.2 | 23.3 | 1.47 | 2.53 | 221 | 5.8 | 13.5 | 10.2 | 0.51 | 1.07 | C22 |
| Gallbladder etc. | 33 | 0.7 | 1.8 | 1.3 | 0.06 | 0.14 | 44 | 1.1 | 2.7 | 2.0 | 0.07 | 0.24 | C23–24 |
| Pancreas | 91 | 2.0 | 5.0 | 3.8 | 0.25 | 0.45 | 64 | 1.7 | 3.9 | 3.1 | 0.15 | 0.38 | C25 |
| Nose, sinuses etc. | 11 | 0.2 | 0.6 | 0.6 | 0.05 | 0.06 | 6 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C30–31 |
| Larynx | 49 | 1.1 | 2.7 | 2.0 | 0.10 | 0.18 | 14 | 0.4 | 0.9 | 0.7 | 0.03 | 0.09 | C32 |
| Trachea, bronchus, and lung | 970 | 21.6 | 53.4 | 40.4 | 2.05 | 4.91 | 461 | 12.0 | 28.2 | 21.2 | 1.06 | 2.51 | C33–34 |
| Other thoracic organs | 16 | 0.4 | 0.9 | 0.8 | 0.05 | 0.08 | 14 | 0.4 | 0.9 | 0.8 | 0.05 | 0.08 | C37–38 |
| Bone | 63 | 1.4 | 3.5 | 3.0 | 0.20 | 0.32 | 46 | 1.2 | 2.8 | 2.6 | 0.15 | 0.24 | C40–41 |
| Melanoma of skin | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 11 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 25 | 0.7 | 1.5 | 1.2 | 0.05 | 0.09 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.3 | 0.8 | 0.9 | 0.06 | 0.09 | 23 | 0.6 | 1.4 | 1.3 | 0.08 | 0.12 | C47+C49 |
| Breast | 12 | 0.3 | 0.7 | 0.5 | 0.05 | 0.06 | 692 | 18.0 | 42.3 | 33.9 | 2.64 | 3.60 | C50 |
| Vulva | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 6 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C52 |
| Cervix uteri | | | | | | | 364 | 9.5 | 22.3 | 17.3 | 1.40 | 1.74 | C53 |
| Corpus uteri | | | | | | | 209 | 5.5 | 12.8 | 10.3 | 0.85 | 1.14 | C54 |
| Uterus unspecified | | | | | | | 41 | 1.1 | 2.5 | 2.0 | 0.16 | 0.21 | C55 |
| Ovary | | | | | | | 164 | 4.3 | 10.0 | 8.5 | 0.61 | 0.83 | C56 |
| Other female genital organs | | | | | | | 8 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.4 | 0.9 | 0.8 | 0.05 | 0.07 | | | | | | | C60 |
| Prostate | 54 | 1.2 | 3.0 | 2.1 | 0.06 | 0.30 | | | | | | | C61 |
| Testis | 10 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 28 | 0.6 | 1.5 | 1.2 | 0.07 | 0.13 | 23 | 0.6 | 1.4 | 1.2 | 0.06 | 0.14 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 80 | 1.8 | 4.4 | 3.4 | 0.20 | 0.38 | 29 | 0.8 | 1.8 | 1.4 | 0.05 | 0.18 | C67 |
| Other urinary organs | 3 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 121 | 2.7 | 6.7 | 5.6 | 0.33 | 0.58 | 122 | 3.2 | 7.5 | 6.4 | 0.41 | 0.66 | C70–72 |
| Thyroid | 35 | 0.8 | 1.9 | 1.5 | 0.10 | 0.19 | 90 | 2.3 | 5.5 | 4.5 | 0.33 | 0.46 | C73 |
| Adrenal gland | 12 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | 9 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C74 |
| Other endocrine | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 10 | 0.3 | 0.6 | 0.6 | 0.05 | 0.05 | C75 |
| Hodgkin lymphoma | 10 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 16 | 0.4 | 1.0 | 0.8 | 0.04 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 21 | 0.5 | 1.2 | 0.9 | 0.06 | 0.09 | 18 | 0.5 | 1.1 | 0.8 | 0.04 | 0.10 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 23 | 0.5 | 1.3 | 1.2 | 0.08 | 0.10 | 16 | 0.4 | 1.0 | 0.9 | 0.05 | 0.09 | C90 |
| Lymphoid leukaemia | 25 | 0.6 | 1.4 | 1.2 | 0.07 | 0.10 | 13 | 0.3 | 0.8 | 0.6 | 0.05 | 0.05 | C91 |
| Myeloid leukaemia | 22 | 0.5 | 1.2 | 1.0 | 0.07 | 0.09 | 10 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C92–94 |
| Leukaemia unspecified | 58 | 1.3 | 3.2 | 3.0 | 0.20 | 0.25 | 44 | 1.1 | 2.7 | 2.5 | 0.14 | 0.23 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 238 | 5.3 | 13.1 | 10.9 | 0.59 | 1.15 | 219 | 5.7 | 13.4 | 10.9 | 0.70 | 1.11 | O&U |
| All sites | 4504 | | 247.8 | 192.9 | 10.69 | 22.73 | 3859 | | 236.2 | 186.8 | 11.97 | 20.31 | C00–96 |
| All sites except C44 | 4493 | 100.0 | 247.2 | 192.4 | 10.65 | 22.67 | 3834 | 100.0 | 234.6 | 185.5 | 11.92 | 20.22 | C00–96 exc. C44 |

*See note following population pyramid

China, Feicheng City

CONTRIBUTORS

Li Yanyan
Wu Liangliang
Yin Xiaoyan
Jiang Min
Zheng Chunjuan
Zhang Tingting
Wang Qing



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 66.8 | Breast | 29.1 |
| Trachea, bronchus, and lung | 57.8 | Oesophagus | 26.3 |
| Stomach | 54.1 | Trachea, bronchus, and lung | 23.7 |
| Liver | 24.1 | Stomach | 16.1 |
| Rectum | 10.4 | Thyroid | 9.0 |
| Colon | 7.4 | Liver | 7.0 |
| Bladder | 6.1 | Ovary | 6.5 |
| Brain and nervous system | 4.4 | Rectum | 6.3 |
| Prostate | 4.2 | Cervix uteri | 5.2 |
| Kidney | 4.1 | Colon | 5.2 |
| Other and unspecified | 3.6 | Corpus uteri | 4.0 |
| Pancreas | 3.6 | Brain and nervous system | 3.8 |
| Leukaemia unspecified | 3.4 | Other and unspecified | 3.6 |
| Larynx | 2.5 | Leukaemia unspecified | 2.7 |
| Non-Hodgkin lymphoma | 2.3 | Kidney | 2.3 |
| Gallbladder etc. | 2.2 | Pancreas | 2.2 |
| Thyroid | 1.9 | Bladder | 1.4 |
| Hypopharynx | 1.8 | Uterus unspecified | 1.3 |
| Bone | 1.6 | Bone | 1.3 |
| Non-melanoma skin cancer | 1.6 | Lymphoid leukaemia | 1.2 |
| All sites | 277.6 | All sites | 169.0 |

*China, Feicheng City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 23 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C01–02 |
| Mouth | 46 | 0.4 | 1.8 | 1.2 | 0.08 | 0.15 | 19 | 0.3 | 0.8 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 28 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | 15 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 14 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 34 | 0.3 | 1.4 | 0.9 | 0.07 | 0.10 | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 76 | 0.7 | 3.1 | 1.8 | 0.13 | 0.24 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 2705 | 24.7 | 108.6 | 66.8 | 3.82 | 8.25 | 1259 | 17.6 | 51.2 | 26.3 | 1.10 | 3.17 | C15 |
| Stomach | 2177 | 19.9 | 87.4 | 54.1 | 2.87 | 6.83 | 750 | 10.5 | 30.5 | 16.1 | 0.83 | 1.88 | C16 |
| Small intestine | 33 | 0.3 | 1.3 | 0.8 | 0.05 | 0.08 | 20 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | C17 |
| Colon | 291 | 2.7 | 11.7 | 7.4 | 0.40 | 0.85 | 231 | 3.2 | 9.4 | 5.2 | 0.26 | 0.58 | C18 |
| Rectum | 418 | 3.8 | 16.8 | 10.4 | 0.55 | 1.28 | 276 | 3.9 | 11.2 | 6.3 | 0.35 | 0.70 | C19–20 |
| Anus | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 969 | 8.8 | 38.9 | 24.1 | 1.63 | 2.74 | 319 | 4.5 | 13.0 | 7.0 | 0.38 | 0.78 | C22 |
| Gallbladder etc. | 88 | 0.8 | 3.5 | 2.2 | 0.08 | 0.26 | 58 | 0.8 | 2.4 | 1.2 | 0.04 | 0.17 | C23–24 |
| Pancreas | 146 | 1.3 | 5.9 | 3.6 | 0.20 | 0.44 | 101 | 1.4 | 4.1 | 2.2 | 0.12 | 0.24 | C25 |
| Nose, sinuses etc. | 19 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 99 | 0.9 | 4.0 | 2.5 | 0.13 | 0.28 | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 2323 | 21.2 | 93.2 | 57.8 | 2.86 | 7.20 | 1091 | 15.3 | 44.4 | 23.7 | 1.21 | 2.75 | C33–34 |
| Other thoracic organs | 20 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 57 | 0.5 | 2.3 | 1.6 | 0.08 | 0.17 | 52 | 0.7 | 2.1 | 1.3 | 0.07 | 0.14 | C40–41 |
| Melanoma of skin | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 9 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C43 |
| Other skin | 55 | 0.5 | 2.2 | 1.6 | 0.07 | 0.15 | 47 | 0.7 | 1.9 | 1.0 | 0.04 | 0.11 | C44 |
| Mesothelioma | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 26 | 0.2 | 1.0 | 0.8 | 0.05 | 0.09 | 25 | 0.3 | 1.0 | 0.8 | 0.05 | 0.08 | C47+C49 |
| Breast | 15 | 0.1 | 0.6 | 0.4 | 0.03 | 0.06 | 1133 | 15.9 | 46.1 | 29.1 | 2.38 | 3.06 | C50 |
| Vulva | | | | | | | 15 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 192 | 2.7 | 7.8 | 5.2 | 0.41 | 0.53 | C53 |
| Corpus uteri | | | | | | | 159 | 2.2 | 6.5 | 4.0 | 0.33 | 0.46 | C54 |
| Uterus unspecified | | | | | | | 55 | 0.8 | 2.2 | 1.3 | 0.11 | 0.16 | C55 |
| Ovary | | | | | | | 255 | 3.6 | 10.4 | 6.5 | 0.48 | 0.70 | C56 |
| Other female genital organs | | | | | | | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 15 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 165 | 1.5 | 6.6 | 4.2 | 0.10 | 0.39 | | | | | | | C61 |
| Testis | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 162 | 1.5 | 6.5 | 4.1 | 0.27 | 0.47 | 92 | 1.3 | 3.7 | 2.3 | 0.15 | 0.28 | C64 |
| Renal pelvis | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 14 | 0.1 | 0.6 | 0.4 | 0.01 | 0.06 | 12 | 0.2 | 0.5 | 0.3 | 0.01 | 0.05 | C66 |
| Bladder | 231 | 2.1 | 9.3 | 6.1 | 0.24 | 0.66 | 63 | 0.9 | 2.6 | 1.4 | 0.06 | 0.16 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 151 | 1.4 | 6.1 | 4.4 | 0.29 | 0.41 | 152 | 2.1 | 6.2 | 3.8 | 0.25 | 0.40 | C70–72 |
| Thyroid | 74 | 0.7 | 3.0 | 1.9 | 0.15 | 0.20 | 313 | 4.4 | 12.7 | 9.0 | 0.75 | 0.86 | C73 |
| Adrenal gland | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C74 |
| Other endocrine | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 82 | 0.7 | 3.3 | 2.3 | 0.16 | 0.24 | 44 | 0.6 | 1.8 | 1.1 | 0.07 | 0.12 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 35 | 0.3 | 1.4 | 0.9 | 0.05 | 0.14 | 35 | 0.5 | 1.4 | 0.9 | 0.05 | 0.11 | C90 |
| Lymphoid leukaemia | 27 | 0.2 | 1.1 | 1.2 | 0.06 | 0.09 | 27 | 0.4 | 1.1 | 1.2 | 0.07 | 0.08 | C91 |
| Myeloid leukaemia | 47 | 0.4 | 1.9 | 1.5 | 0.11 | 0.15 | 30 | 0.4 | 1.2 | 0.9 | 0.06 | 0.08 | C92–94 |
| Leukaemia unspecified | 112 | 1.0 | 4.5 | 3.4 | 0.20 | 0.35 | 79 | 1.1 | 3.2 | 2.7 | 0.14 | 0.24 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 141 | 1.3 | 5.7 | 3.6 | 0.20 | 0.46 | 157 | 2.2 | 6.4 | 3.6 | 0.24 | 0.39 | O&U |
| All sites | 11013 | | 442.0 | 277.6 | 15.33 | 33.44 | 7193 | | 292.7 | 169.0 | 10.31 | 18.78 | C00–96 |
| All sites except C44 | 10958 | 100.0 | 439.8 | 276.0 | 15.26 | 33.28 | 7146 | 100.0 | 290.8 | 168.0 | 10.27 | 18.68 | C00–96 exc.C44 |

*See note following population pyramid

China, Feixi County

CONTRIBUTORS

Jinhua Wang
Jiudan Wei



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 53.6 | Trachea, bronchus, and lung | 21.9 |
| Trachea, bronchus, and lung | 52.3 | Breast | 21.4 |
| Oesophagus | 36.9 | Stomach | 20.7 |
| Liver | 22.8 | Cervix uteri | 17.4 |
| Rectum | 11.0 | Oesophagus | 11.1 |
| Colon | 8.2 | Thyroid | 10.2 |
| Pancreas | 6.6 | Liver | 7.4 |
| Prostate | 6.2 | Other and unspecified | 7.0 |
| Other and unspecified | 5.7 | Rectum | 6.6 |
| Brain and nervous system | 4.9 | Ovary | 6.1 |
| Bladder | 4.7 | Colon | 6.1 |
| Non-Hodgkin lymphoma | 4.7 | Corpus uteri | 5.4 |
| Kidney | 3.9 | Brain and nervous system | 4.5 |
| Myeloid leukaemia | 2.7 | Pancreas | 3.8 |
| Thyroid | 2.6 | Non-Hodgkin lymphoma | 3.4 |
| Bone | 2.6 | Gallbladder etc. | 2.9 |
| Nasopharynx | 2.6 | Kidney | 2.9 |
| Non-melanoma skin cancer | 2.5 | Non-melanoma skin cancer | 2.6 |
| Gallbladder etc. | 2.5 | Myeloid leukaemia | 2.0 |
| Leukaemia unspecified | 2.5 | Leukaemia unspecified | 1.8 |
| All sites | 255.2 | All sites | 180.7 |


China, Feixi County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 17 | 0.2 | 0.6 | 0.4 | 0.02 | 0.07 | 16 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | C01–02 |
| Mouth | 14 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 18 | 0.2 | 0.7 | 0.4 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 21 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | 22 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 9 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | C10 |
| Nasopharynx | 98 | 0.9 | 3.5 | 2.6 | 0.21 | 0.26 | 51 | 0.7 | 2.0 | 1.5 | 0.09 | 0.18 | C11 |
| Hypopharynx | 11 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 1603 | 14.9 | 57.3 | 36.9 | 1.61 | 4.65 | 553 | 7.7 | 22.0 | 11.1 | 0.42 | 1.31 | C15 |
| Stomach | 2346 | 21.9 | 83.8 | 53.6 | 2.49 | 6.57 | 952 | 13.2 | 37.8 | 20.7 | 0.93 | 2.48 | C16 |
| Small intestine | 55 | 0.5 | 2.0 | 1.3 | 0.07 | 0.16 | 43 | 0.6 | 1.7 | 1.0 | 0.04 | 0.13 | C17 |
| Colon | 348 | 3.2 | 12.4 | 8.2 | 0.43 | 0.97 | 258 | 3.6 | 10.2 | 6.1 | 0.36 | 0.71 | C18 |
| Rectum | 475 | 4.4 | 17.0 | 11.0 | 0.58 | 1.32 | 288 | 4.0 | 11.4 | 6.6 | 0.36 | 0.76 | C19–20 |
| Anus | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 932 | 8.7 | 33.3 | 22.8 | 1.45 | 2.62 | 329 | 4.6 | 13.1 | 7.4 | 0.37 | 0.83 | C22 |
| Gallbladder etc. | 111 | 1.0 | 4.0 | 2.5 | 0.09 | 0.30 | 147 | 2.0 | 5.8 | 2.9 | 0.12 | 0.32 | C23–24 |
| Pancreas | 283 | 2.6 | 10.1 | 6.6 | 0.33 | 0.79 | 171 | 2.4 | 6.8 | 3.8 | 0.16 | 0.47 | C25 |
| Nose, sinuses etc. | 15 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 81 | 0.8 | 2.9 | 2.0 | 0.13 | 0.23 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2344 | 21.9 | 83.8 | 52.3 | 2.17 | 6.28 | 978 | 13.6 | 38.8 | 21.9 | 1.19 | 2.63 | C33–34 |
| Other thoracic organs | 28 | 0.3 | 1.0 | 0.8 | 0.05 | 0.08 | 20 | 0.3 | 0.8 | 0.6 | 0.05 | 0.07 | C37–38 |
| Bone | 90 | 0.8 | 3.2 | 2.6 | 0.15 | 0.25 | 63 | 0.9 | 2.5 | 1.7 | 0.10 | 0.16 | C40–41 |
| Melanoma of skin | 23 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 20 | 0.3 | 0.8 | 0.5 | 0.03 | 0.07 | C43 |
| Other skin | 112 | 1.0 | 4.0 | 2.5 | 0.10 | 0.28 | 117 | 1.6 | 4.6 | 2.6 | 0.13 | 0.28 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 37 | 0.3 | 1.3 | 1.0 | 0.08 | 0.10 | 36 | 0.5 | 1.4 | 1.2 | 0.08 | 0.10 | C47+C49 |
| Breast | 22 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 774 | 10.7 | 30.7 | 21.4 | 1.80 | 2.22 | C50 |
| Vulva | | | | | | | 20 | 0.3 | 0.8 | 0.6 | 0.03 | 0.08 | C51 |
| Vagina | | | | | | | 11 | 0.2 | 0.4 | 0.3 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 630 | 8.7 | 25.0 | 17.4 | 1.45 | 1.69 | C53 |
| Corpus uteri | | | | | | | 200 | 2.8 | 7.9 | 5.4 | 0.47 | 0.57 | C54 |
| Uterus unspecified | | | | | | | 24 | 0.3 | 1.0 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 209 | 2.9 | 8.3 | 6.1 | 0.49 | 0.65 | C56 |
| Other female genital organs | | | | | | | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 296 | 2.8 | 10.6 | 6.2 | 0.16 | 0.65 | | | | | | | C61 |
| Testis | 12 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 151 | 1.4 | 5.4 | 3.9 | 0.25 | 0.42 | 107 | 1.5 | 4.2 | 2.9 | 0.18 | 0.31 | C64 |
| Renal pelvis | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 216 | 2.0 | 7.7 | 4.7 | 0.19 | 0.52 | 41 | 0.6 | 1.6 | 0.9 | 0.06 | 0.08 | C67 |
| Other urinary organs | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 4 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 171 | 1.6 | 6.1 | 4.9 | 0.28 | 0.48 | 163 | 2.3 | 6.5 | 4.5 | 0.28 | 0.45 | C70–72 |
| Thyroid | 95 | 0.9 | 3.4 | 2.6 | 0.21 | 0.24 | 345 | 4.8 | 13.7 | 10.2 | 0.84 | 0.99 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 17 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | C75 |
| Hodgkin lymphoma | 15 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 187 | 1.7 | 6.7 | 4.7 | 0.23 | 0.55 | 134 | 1.9 | 5.3 | 3.4 | 0.19 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 49 | 0.5 | 1.8 | 1.2 | 0.08 | 0.16 | 29 | 0.4 | 1.2 | 0.7 | 0.04 | 0.09 | C90 |
| Lymphoid leukaemia | 56 | 0.5 | 2.0 | 2.3 | 0.12 | 0.16 | 30 | 0.4 | 1.2 | 1.1 | 0.06 | 0.09 | C91 |
| Myeloid leukaemia | 83 | 0.8 | 3.0 | 2.7 | 0.18 | 0.22 | 69 | 1.0 | 2.7 | 2.0 | 0.15 | 0.19 | C92–94 |
| Leukaemia unspecified | 80 | 0.7 | 2.9 | 2.5 | 0.12 | 0.23 | 65 | 0.9 | 2.6 | 1.8 | 0.12 | 0.17 | C95 |
| Myeloproliferative disorders | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 25 | 0.2 | 0.9 | 0.6 | 0.03 | 0.09 | 16 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | MPS |
| Other and unspecified | 235 | 2.2 | 8.4 | 5.7 | 0.28 | 0.58 | 257 | 3.6 | 10.2 | 7.0 | 0.46 | 0.67 | O&U |
| All sites | 10837 | | 387.3 | 255.2 | 12.48 | 29.84 | 7324 | | 290.9 | 180.7 | 11.41 | 19.77 | C00–96 |
| All sites except C44 | 10725 | 100.0 | 383.3 | 252.7 | 12.38 | 29.57 | 7207 | 100.0 | 286.2 | 178.1 | 11.28 | 19.49 | C00–96 exc. C44 |

China, Fuqing City

CONTRIBUTORS

He Daofeng
 Zhong Nvjuan
 Wang Xiaoyang
 Huang Qiaofeng
 Weng Yuyao



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 49.5 | Thyroid | 40.4 |
| Trachea, bronchus, and lung | 45.3 | Trachea, bronchus, and lung | 25.6 |
| Stomach | 32.4 | Breast | 22.1 |
| Oesophagus | 16.1 | Cervix uteri | 16.5 |
| Thyroid | 12.6 | Liver | 13.5 |
| Rectum | 9.4 | Stomach | 13.0 |
| Nasopharynx | 6.9 | Oesophagus | 10.2 |
| Brain and nervous system | 6.5 | Brain and nervous system | 7.1 |
| Colon | 5.7 | Rectum | 6.3 |
| Prostate | 4.8 | Corpus uteri | 5.3 |
| Other and unspecified | 4.5 | Colon | 5.2 |
| Non-Hodgkin lymphoma | 3.8 | Other and unspecified | 4.3 |
| Leukaemia unspecified | 3.4 | Ovary | 3.4 |
| Bladder | 3.4 | Nasopharynx | 3.1 |
| Kidney | 2.6 | Non-Hodgkin lymphoma | 2.3 |
| Pancreas | 2.6 | Bone | 2.2 |
| Lymphoid leukaemia | 2.1 | Pancreas | 2.0 |
| Bone | 1.8 | Leukaemia unspecified | 1.9 |
| Non-melanoma skin cancer | 1.7 | Kidney | 1.6 |
| Myeloid leukaemia | 1.6 | Lymphoid leukaemia | 1.3 |
| All sites | 229.2 | All sites | 200.6 |


China, Fuqing City (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 31 | 0.5 | 1.5 | 1.1 | 0.06 | 0.13 | 21 | 0.4 | 1.1 | 0.6 | 0.03 | 0.04 | C01–02 |
| Mouth | 34 | 0.5 | 1.6 | 1.3 | 0.07 | 0.14 | 23 | 0.4 | 1.2 | 0.7 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 26 | 0.4 | 1.2 | 1.0 | 0.07 | 0.11 | 25 | 0.5 | 1.3 | 1.0 | 0.08 | 0.11 | C07–08 |
| Tonsil | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 187 | 3.0 | 8.9 | 6.9 | 0.56 | 0.76 | 82 | 1.5 | 4.2 | 3.1 | 0.22 | 0.35 | C11 |
| Hypopharynx | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 475 | 7.5 | 22.7 | 16.1 | 0.66 | 2.06 | 304 | 5.7 | 15.5 | 10.2 | 0.39 | 1.29 | C15 |
| Stomach | 939 | 14.9 | 44.9 | 32.4 | 1.42 | 4.01 | 377 | 7.1 | 19.2 | 13.0 | 0.69 | 1.45 | C16 |
| Small intestine | 20 | 0.3 | 1.0 | 0.7 | 0.03 | 0.09 | 10 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C17 |
| Colon | 162 | 2.6 | 7.7 | 5.7 | 0.31 | 0.64 | 149 | 2.8 | 7.6 | 5.2 | 0.36 | 0.58 | C18 |
| Rectum | 264 | 4.2 | 12.6 | 9.4 | 0.55 | 1.18 | 178 | 3.3 | 9.1 | 6.3 | 0.35 | 0.78 | C19–20 |
| Anus | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 1348 | 21.4 | 64.4 | 49.3 | 3.35 | 5.90 | 370 | 6.9 | 18.9 | 13.5 | 0.80 | 1.64 | C22 |
| Gallbladder etc. | 39 | 0.6 | 1.9 | 1.4 | 0.05 | 0.18 | 30 | 0.6 | 1.5 | 1.0 | 0.07 | 0.10 | C23–24 |
| Pancreas | 74 | 1.2 | 3.5 | 2.6 | 0.16 | 0.32 | 58 | 1.1 | 3.0 | 2.0 | 0.07 | 0.25 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 35 | 0.6 | 1.7 | 1.3 | 0.06 | 0.20 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1279 | 20.3 | 61.1 | 45.3 | 2.38 | 5.69 | 715 | 13.4 | 36.4 | 25.6 | 1.54 | 3.08 | C33–34 |
| Other thoracic organs | 18 | 0.3 | 0.9 | 0.7 | 0.05 | 0.09 | 7 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 45 | 0.7 | 2.2 | 1.8 | 0.10 | 0.19 | 53 | 1.0 | 2.7 | 2.2 | 0.16 | 0.24 | C40–41 |
| Melanoma of skin | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 48 | 0.8 | 2.3 | 1.7 | 0.08 | 0.15 | 36 | 0.7 | 1.8 | 1.2 | 0.06 | 0.14 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 32 | 0.5 | 1.5 | 1.3 | 0.09 | 0.13 | 25 | 0.5 | 1.3 | 1.0 | 0.08 | 0.09 | C47+C49 |
| Breast | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 578 | 10.8 | 29.5 | 22.1 | 1.90 | 2.31 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 431 | 8.1 | 22.0 | 16.5 | 1.40 | 1.77 | C53 |
| Corpus uteri | | | | | | | 140 | 2.6 | 7.1 | 5.3 | 0.47 | 0.55 | C54 |
| Uterus unspecified | | | | | | | 27 | 0.5 | 1.4 | 1.0 | 0.06 | 0.14 | C55 |
| Ovary | | | | | | | 90 | 1.7 | 4.6 | 3.4 | 0.28 | 0.34 | C56 |
| Other female genital organs | | | | | | | 8 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 12 | 0.2 | 0.6 | 0.6 | 0.04 | 0.04 | C58 |
| Penis | 11 | 0.2 | 0.5 | 0.3 | 0.00 | 0.04 | | | | | | | C60 |
| Prostate | 147 | 2.3 | 7.0 | 4.8 | 0.13 | 0.56 | | | | | | | C61 |
| Testis | 8 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 70 | 1.1 | 3.3 | 2.6 | 0.15 | 0.31 | 39 | 0.7 | 2.0 | 1.6 | 0.11 | 0.16 | C64 |
| Renal pelvis | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 104 | 1.7 | 5.0 | 3.4 | 0.16 | 0.36 | 23 | 0.4 | 1.2 | 0.7 | 0.04 | 0.06 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 164 | 2.6 | 7.8 | 6.5 | 0.42 | 0.68 | 175 | 3.3 | 8.9 | 7.1 | 0.47 | 0.71 | C70–72 |
| Thyroid | 327 | 5.2 | 15.6 | 12.6 | 1.04 | 1.25 | 1039 | 19.5 | 52.9 | 40.4 | 3.46 | 4.06 | C73 |
| Adrenal gland | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C74 |
| Other endocrine | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 8 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C75 |
| Hodgkin lymphoma | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 101 | 1.6 | 4.8 | 3.8 | 0.23 | 0.40 | 61 | 1.1 | 3.1 | 2.3 | 0.19 | 0.26 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 19 | 0.3 | 0.9 | 0.7 | 0.03 | 0.10 | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C90 |
| Lymphoid leukaemia | 35 | 0.6 | 1.7 | 2.1 | 0.09 | 0.14 | 18 | 0.3 | 0.9 | 1.3 | 0.07 | 0.08 | C91 |
| Myeloid leukaemia | 38 | 0.6 | 1.8 | 1.6 | 0.10 | 0.14 | 30 | 0.6 | 1.5 | 1.2 | 0.08 | 0.14 | C92–94 |
| Leukaemia unspecified | 77 | 1.2 | 3.7 | 3.4 | 0.18 | 0.34 | 37 | 0.7 | 1.9 | 1.9 | 0.09 | 0.20 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 121 | 1.9 | 5.8 | 4.5 | 0.28 | 0.50 | 118 | 2.2 | 6.0 | 4.3 | 0.28 | 0.46 | O&U |
| All sites | 6345 | | 303.3 | 229.2 | 13.03 | 27.04 | 5371 | | 273.7 | 200.6 | 14.16 | 21.98 | C00–96 |
| All sites except C44 | 6297 | 100.0 | 301.0 | 227.6 | 12.95 | 26.90 | 5335 | 100.0 | 271.9 | 199.4 | 14.10 | 21.84 | C00–96 exc. C44 |

China, Ganyu District, Lianyungang City

CONTRIBUTORS

Jinbo Xu
Xiaofeng Zhang
Feng Jin
Jiaxue Li
Xin Wang
Shaosheng Gu
Guiyun Li
Haibo Zhu
Zhenqing Pan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 46.0 | Breast | 27.8 |
| Oesophagus | 36.8 | Trachea, bronchus, and lung | 25.3 |
| Liver | 22.8 | Cervix uteri | 9.4 |
| Stomach | 21.4 | Stomach | 7.9 |
| Rectum | 8.5 | Liver | 6.9 |
| Bladder | 5.3 | Oesophagus | 6.5 |
| Colon | 4.4 | Rectum | 5.8 |
| Pancreas | 4.3 | Thyroid | 5.4 |
| Brain and nervous system | 3.6 | Ovary | 3.9 |
| Non-Hodgkin lymphoma | 3.5 | Corpus uteri | 3.0 |
| Leukaemia unspecified | 2.7 | Brain and nervous system | 2.8 |
| Kidney | 2.3 | Colon | 2.8 |
| Gallbladder etc. | 2.2 | Uterus unspecified | 2.4 |
| Prostate | 2.0 | Pancreas | 2.4 |
| Larynx | 1.8 | Non-Hodgkin lymphoma | 1.9 |
| Bone | 1.6 | Leukaemia unspecified | 1.8 |
| Myeloid leukaemia | 1.5 | Bone | 1.3 |
| Nasopharynx | 1.4 | Kidney | 1.3 |
| Other and unspecified | 1.3 | Gallbladder etc. | 1.1 |
| Thyroid | 1.1 | Lymphoid leukaemia | 1.0 |
| All sites | 183.6 | All sites | 128.3 |

*China, Ganyu District, Lianyungang City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 22 | 0.3 | 0.7 | 0.5 | 0.04 | 0.06 | 7 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C01–02 |
| Mouth | 21 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | 12 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C03–06 |
| Salivary glands | 19 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 14 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | C07–08 |
| Tonsil | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 53 | 0.7 | 1.7 | 1.4 | 0.11 | 0.16 | 22 | 0.4 | 0.8 | 0.6 | 0.04 | 0.07 | C11 |
| Hypopharynx | 17 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 12 | 0.1 | 0.4 | 0.3 | 0.03 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1719 | 21.2 | 54.4 | 36.8 | 1.84 | 4.60 | 326 | 6.1 | 11.5 | 6.5 | 0.26 | 0.80 | C15 |
| Stomach | 969 | 11.9 | 30.7 | 21.4 | 1.20 | 2.69 | 380 | 7.1 | 13.4 | 7.9 | 0.40 | 0.96 | C16 |
| Small intestine | 15 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 10 | 0.2 | 0.4 | 0.2 | 0.01 | 0.03 | C17 |
| Colon | 192 | 2.4 | 6.1 | 4.4 | 0.26 | 0.51 | 127 | 2.4 | 4.5 | 2.8 | 0.18 | 0.34 | C18 |
| Rectum | 396 | 4.9 | 12.5 | 8.5 | 0.45 | 1.05 | 267 | 5.0 | 9.4 | 5.8 | 0.36 | 0.67 | C19–20 |
| Anus | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 967 | 11.9 | 30.6 | 22.8 | 1.60 | 2.81 | 313 | 5.9 | 11.0 | 6.9 | 0.43 | 0.81 | C22 |
| Gallbladder etc. | 93 | 1.1 | 2.9 | 2.2 | 0.15 | 0.28 | 56 | 1.0 | 2.0 | 1.1 | 0.05 | 0.14 | C23–24 |
| Pancreas | 198 | 2.4 | 6.3 | 4.3 | 0.25 | 0.55 | 109 | 2.0 | 3.8 | 2.4 | 0.12 | 0.29 | C25 |
| Nose, sinuses etc. | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 76 | 0.9 | 2.4 | 1.8 | 0.12 | 0.25 | 9 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 2076 | 25.6 | 65.7 | 46.0 | 2.54 | 5.85 | 1182 | 22.1 | 41.6 | 25.3 | 1.43 | 3.02 | C33–34 |
| Other thoracic organs | 14 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 62 | 0.8 | 2.0 | 1.6 | 0.10 | 0.18 | 56 | 1.0 | 2.0 | 1.3 | 0.09 | 0.15 | C40–41 |
| Melanoma of skin | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 43 | 0.5 | 1.4 | 0.9 | 0.05 | 0.10 | 31 | 0.6 | 1.1 | 0.6 | 0.02 | 0.06 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 10 | 0.2 | 0.4 | 0.2 | 0.01 | 0.03 | C47+C49 |
| Breast | 17 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 1017 | 19.0 | 35.8 | 27.8 | 2.32 | 2.95 | C50 |
| Vulva | | | | | | | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 348 | 6.5 | 12.3 | 9.4 | 0.81 | 0.96 | C53 |
| Corpus uteri | | | | | | | 118 | 2.2 | 4.2 | 3.0 | 0.27 | 0.32 | C54 |
| Uterus unspecified | | | | | | | 93 | 1.7 | 3.3 | 2.4 | 0.21 | 0.25 | C55 |
| Ovary | | | | | | | 152 | 2.8 | 5.4 | 3.9 | 0.29 | 0.43 | C56 |
| Other female genital organs | | | | | | | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 6 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 29 | 0.4 | 0.9 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 107 | 1.3 | 3.4 | 2.0 | 0.05 | 0.22 | | | | | | | C61 |
| Testis | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 96 | 1.2 | 3.0 | 2.3 | 0.17 | 0.27 | 47 | 0.9 | 1.7 | 1.3 | 0.09 | 0.13 | C64 |
| Renal pelvis | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 250 | 3.1 | 7.9 | 5.3 | 0.27 | 0.60 | 45 | 0.8 | 1.6 | 0.9 | 0.05 | 0.10 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 141 | 1.7 | 4.5 | 3.6 | 0.25 | 0.38 | 113 | 2.1 | 4.0 | 2.8 | 0.19 | 0.34 | C70–72 |
| Thyroid | 45 | 0.6 | 1.4 | 1.1 | 0.09 | 0.11 | 190 | 3.6 | 6.7 | 5.4 | 0.46 | 0.50 | C73 |
| Adrenal gland | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 143 | 1.8 | 4.5 | 3.5 | 0.21 | 0.38 | 77 | 1.4 | 2.7 | 1.9 | 0.13 | 0.23 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 20 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 16 | 0.3 | 0.6 | 0.4 | 0.03 | 0.05 | C90 |
| Lymphoid leukaemia | 33 | 0.4 | 1.0 | 1.1 | 0.07 | 0.08 | 29 | 0.5 | 1.0 | 1.0 | 0.06 | 0.07 | C91 |
| Myeloid leukaemia | 58 | 0.7 | 1.8 | 1.5 | 0.10 | 0.16 | 28 | 0.5 | 1.0 | 0.9 | 0.06 | 0.07 | C92–94 |
| Leukaemia unspecified | 96 | 1.2 | 3.0 | 2.7 | 0.17 | 0.28 | 60 | 1.1 | 2.1 | 1.8 | 0.11 | 0.17 | C95 |
| Myeloproliferative disorders | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 11 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 51 | 0.6 | 1.6 | 1.3 | 0.08 | 0.13 | 42 | 0.8 | 1.5 | 1.0 | 0.06 | 0.12 | O&U |
| All sites | 8161 | | 258.4 | 183.6 | 10.60 | 22.47 | 5372 | | 189.2 | 128.3 | 8.71 | 14.34 | C00–96 |
| All sites except C44 | 8118 | 100.0 | 257.0 | 182.7 | 10.55 | 22.37 | 5341 | 100.0 | 188.1 | 127.7 | 8.69 | 14.28 | C00–96 exc.C44 |

*See note following population pyramid

China, Ganzhou District, Zhangye City

CONTRIBUTORS

Qing Wang
Senqiao Zhang
Jing Xie
Kebo Zhang



NOTES ON THE DATA

*Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 109.3 | Stomach | 31.6 |
| Oesophagus | 43.5 | Breast | 26.0 |
| Trachea, bronchus, and lung | 39.3 | Oesophagus | 20.6 |
| Liver | 35.4 | Trachea, bronchus, and lung | 16.4 |
| Rectum | 11.4 | Liver | 15.0 |
| Brain and nervous system | 9.0 | Cervix uteri | 12.6 |
| Colon | 7.0 | Rectum | 10.5 |
| Bladder | 6.0 | Brain and nervous system | 6.8 |
| Pancreas | 5.7 | Corpus uteri | 6.7 |
| Prostate | 5.0 | Ovary | 5.7 |
| Bone | 4.3 | Colon | 5.5 |
| Other and unspecified | 3.7 | Thyroid | 4.5 |
| Non-melanoma skin cancer | 3.3 | Other and unspecified | 4.0 |
| Gallbladder etc. | 2.5 | Pancreas | 3.4 |
| Leukaemia unspecified | 2.2 | Gallbladder etc. | 3.1 |
| Kidney | 2.0 | Bone | 2.3 |
| Non-Hodgkin lymphoma | 1.6 | Non-melanoma skin cancer | 2.1 |
| Salivary glands | 1.1 | Leukaemia unspecified | 2.0 |
| Small intestine | 1.0 | Kidney | 1.8 |
| Other thoracic organs | 0.9 | Nasopharynx | 1.7 |
| All sites | 304.6 | All sites | 196.3 |

*China, Ganzhou District, Zhangye City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 4 | 0.1 | 0.5 | 0.4 | 0.04 | 0.05 | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 10 | 0.4 | 1.3 | 1.1 | 0.06 | 0.11 | 5 | 0.3 | 0.7 | 1.0 | 0.08 | 0.08 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 4 | 0.1 | 0.5 | 0.4 | 0.01 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 16 | 0.9 | 2.1 | 1.7 | 0.12 | 0.20 | C11 |
| Hypopharynx | 5 | 0.2 | 0.6 | 0.5 | 0.01 | 0.09 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 407 | 14.7 | 51.3 | 43.5 | 1.79 | 6.18 | 169 | 9.9 | 22.2 | 20.6 | 0.73 | 2.69 | C15 |
| Stomach | 1016 | 36.8 | 128.1 | 109.3 | 6.28 | 14.31 | 282 | 16.5 | 37.1 | 31.6 | 1.78 | 4.26 | C16 |
| Small intestine | 6 | 0.2 | 0.8 | 1.0 | 0.03 | 0.07 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.05 | C17 |
| Colon | 66 | 2.4 | 8.3 | 7.0 | 0.37 | 0.80 | 54 | 3.2 | 7.1 | 5.5 | 0.28 | 0.69 | C18 |
| Rectum | 107 | 3.9 | 13.5 | 11.4 | 0.64 | 1.52 | 83 | 4.9 | 10.9 | 10.5 | 0.58 | 1.37 | C19–20 |
| Anus | 6 | 0.2 | 0.8 | 0.6 | 0.01 | 0.13 | 6 | 0.4 | 0.8 | 0.8 | 0.07 | 0.10 | C21 |
| Liver | 335 | 12.1 | 42.2 | 35.4 | 2.27 | 4.46 | 135 | 7.9 | 17.7 | 15.0 | 0.77 | 1.88 | C22 |
| Gallbladder etc. | 25 | 0.9 | 3.2 | 2.5 | 0.15 | 0.34 | 28 | 1.6 | 3.7 | 3.1 | 0.15 | 0.37 | C23–24 |
| Pancreas | 50 | 1.8 | 6.3 | 5.7 | 0.32 | 0.57 | 29 | 1.7 | 3.8 | 3.4 | 0.20 | 0.40 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.8 | 0.6 | 0.04 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 6 | 0.2 | 0.8 | 0.6 | 0.04 | 0.10 | 4 | 0.2 | 0.5 | 0.7 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 344 | 12.5 | 43.4 | 39.3 | 1.71 | 4.89 | 150 | 8.8 | 19.7 | 16.4 | 0.92 | 2.08 | C33–34 |
| Other thoracic organs | 8 | 0.3 | 1.0 | 0.9 | 0.06 | 0.12 | 6 | 0.4 | 0.8 | 1.1 | 0.05 | 0.08 | C37–38 |
| Bone | 37 | 1.3 | 4.7 | 4.3 | 0.28 | 0.49 | 21 | 1.2 | 2.8 | 2.3 | 0.15 | 0.24 | C40–41 |
| Melanoma of skin | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.05 | C43 |
| Other skin | 27 | 1.0 | 3.4 | 3.3 | 0.20 | 0.39 | 16 | 0.9 | 2.1 | 2.1 | 0.14 | 0.30 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 8 | 0.3 | 1.0 | 0.6 | 0.05 | 0.06 | 11 | 0.6 | 1.4 | 1.2 | 0.06 | 0.18 | C47+C49 |
| Breast | 8 | 0.3 | 1.0 | 0.8 | 0.05 | 0.09 | 251 | 14.7 | 33.0 | 26.0 | 2.20 | 2.64 | C50 |
| Vulva | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 113 | 6.6 | 14.9 | 12.6 | 1.05 | 1.45 | C53 |
| Corpus uteri | | | | | | | 60 | 3.5 | 7.9 | 6.7 | 0.48 | 0.76 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.6 | 1.4 | 1.3 | 0.13 | 0.13 | C55 |
| Ovary | | | | | | | 50 | 2.9 | 6.6 | 5.7 | 0.38 | 0.64 | C56 |
| Other female genital organs | | | | | | | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 6 | 0.2 | 0.8 | 0.6 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 40 | 1.4 | 5.0 | 5.0 | 0.08 | 0.51 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.06 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 18 | 0.7 | 2.3 | 2.0 | 0.16 | 0.26 | 13 | 0.8 | 1.7 | 1.8 | 0.09 | 0.15 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.05 | C65 |
| Ureter | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.2 | 0.5 | 0.5 | 0.01 | 0.05 | C66 |
| Bladder | 47 | 1.7 | 5.9 | 6.0 | 0.24 | 0.57 | 11 | 0.6 | 1.4 | 1.5 | 0.06 | 0.14 | C67 |
| Other urinary organs | 3 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.03 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 75 | 2.7 | 9.5 | 9.0 | 0.71 | 0.98 | 54 | 3.2 | 7.1 | 6.8 | 0.51 | 0.75 | C70–72 |
| Thyroid | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 42 | 2.5 | 5.5 | 4.5 | 0.38 | 0.43 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 15 | 0.5 | 1.9 | 1.6 | 0.12 | 0.16 | 8 | 0.5 | 1.1 | 0.7 | 0.05 | 0.09 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C90 |
| Lymphoid leukaemia | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | C91 |
| Myeloid leukaemia | 8 | 0.3 | 1.0 | 0.7 | 0.06 | 0.06 | 5 | 0.3 | 0.7 | 0.9 | 0.05 | 0.07 | C92–94 |
| Leukaemia unspecified | 18 | 0.7 | 2.3 | 2.2 | 0.14 | 0.24 | 11 | 0.6 | 1.4 | 2.0 | 0.09 | 0.16 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 34 | 1.2 | 4.3 | 3.7 | 0.22 | 0.43 | 37 | 2.2 | 4.9 | 4.0 | 0.23 | 0.51 | O&U |
| All sites | 2787 | | 351.5 | 304.6 | 16.49 | 38.78 | 1721 | | 226.2 | 196.3 | 12.05 | 23.44 | C00–96 |
| All sites except C44 | 2760 | 100.0 | 348.1 | 301.3 | 16.29 | 38.40 | 1705 | 100.0 | 224.1 | 194.2 | 11.91 | 23.14 | C00–96 exc.C44 |

*See note following population pyramid

China, Gaocheng City

CONTRIBUTORS

Wang Liming
Han Yunfeng
Tian Mige
Gan Lichong



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 41.1 | Breast | 22.5 |
| Stomach | 39.8 | Trachea, bronchus, and lung | 15.7 |
| Liver | 24.2 | Stomach | 12.2 |
| Oesophagus | 13.8 | Oesophagus | 6.6 |
| Other and unspecified | 13.0 | Thyroid | 6.4 |
| Rectum | 5.5 | Cervix uteri | 6.4 |
| Colon | 4.7 | Liver | 6.1 |
| Non-Hodgkin lymphoma | 3.4 | Other and unspecified | 5.8 |
| Bladder | 3.1 | Corpus uteri | 5.3 |
| Pancreas | 2.8 | Ovary | 3.7 |
| Kidney | 2.7 | Rectum | 3.4 |
| Brain and nervous system | 2.3 | Colon | 2.9 |
| Thyroid | 1.9 | Lymphoid leukaemia | 2.8 |
| Leukaemia unspecified | 1.8 | Non-Hodgkin lymphoma | 2.4 |
| Prostate | 1.8 | Brain and nervous system | 2.0 |
| Lymphoid leukaemia | 1.7 | Pancreas | 1.7 |
| Gallbladder etc. | 1.5 | Kidney | 1.5 |
| Larynx | 1.4 | Myeloid leukaemia | 1.3 |
| Multiple myeloma | 1.0 | Leukaemia unspecified | 1.2 |
| Non-melanoma skin cancer | 1.0 | Gallbladder etc. | 1.0 |
| All sites | 176.9 | All sites | 118.2 |

*China, Gaocheng City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 9 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 16 | 0.4 | 1.0 | 0.7 | 0.04 | 0.11 | 12 | 0.4 | 0.7 | 0.6 | 0.04 | 0.04 | C03–06 |
| Salivary glands | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 9 | 0.2 | 0.5 | 0.4 | 0.01 | 0.06 | 5 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 321 | 8.0 | 19.1 | 13.8 | 0.59 | 1.78 | 185 | 6.5 | 11.0 | 6.6 | 0.32 | 0.77 | C15 |
| Stomach | 922 | 22.9 | 54.8 | 39.8 | 1.97 | 5.14 | 328 | 11.5 | 19.5 | 12.2 | 0.50 | 1.49 | C16 |
| Small intestine | 12 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | 6 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C17 |
| Colon | 108 | 2.7 | 6.4 | 4.7 | 0.28 | 0.54 | 74 | 2.6 | 4.4 | 2.9 | 0.17 | 0.37 | C18 |
| Rectum | 126 | 3.1 | 7.5 | 5.5 | 0.32 | 0.72 | 84 | 2.9 | 5.0 | 3.4 | 0.22 | 0.43 | C19–20 |
| Anus | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C21 |
| Liver | 555 | 13.8 | 33.0 | 24.2 | 1.64 | 2.82 | 160 | 5.6 | 9.5 | 6.1 | 0.39 | 0.69 | C22 |
| Gallbladder etc. | 34 | 0.8 | 2.0 | 1.5 | 0.09 | 0.20 | 28 | 1.0 | 1.7 | 1.0 | 0.04 | 0.11 | C23–24 |
| Pancreas | 65 | 1.6 | 3.9 | 2.8 | 0.12 | 0.35 | 49 | 1.7 | 2.9 | 1.7 | 0.09 | 0.21 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 33 | 0.8 | 2.0 | 1.4 | 0.07 | 0.13 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 961 | 23.9 | 57.1 | 41.1 | 2.26 | 5.46 | 413 | 14.5 | 24.5 | 15.7 | 0.85 | 1.90 | C33–34 |
| Other thoracic organs | 13 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | 5 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 18 | 0.4 | 1.1 | 0.9 | 0.05 | 0.11 | 16 | 0.6 | 0.9 | 0.8 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 24 | 0.6 | 1.4 | 1.0 | 0.04 | 0.10 | 16 | 0.6 | 0.9 | 0.6 | 0.03 | 0.05 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 14 | 0.3 | 0.8 | 0.6 | 0.04 | 0.07 | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C47+C49 |
| Breast | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 517 | 18.1 | 30.7 | 22.5 | 1.91 | 2.46 | C50 |
| Vulva | | | | | | | 9 | 0.3 | 0.5 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 150 | 5.3 | 8.9 | 6.4 | 0.54 | 0.66 | C53 |
| Corpus uteri | | | | | | | 126 | 4.4 | 7.5 | 5.3 | 0.50 | 0.58 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.4 | 0.7 | 0.4 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 87 | 3.1 | 5.2 | 3.7 | 0.32 | 0.40 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | | | | | | | C60 |
| Prostate | 41 | 1.0 | 2.4 | 1.8 | 0.03 | 0.18 | | | | | | | C61 |
| Testis | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 60 | 1.5 | 3.6 | 2.7 | 0.20 | 0.32 | 29 | 1.0 | 1.7 | 1.5 | 0.09 | 0.12 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 71 | 1.8 | 4.2 | 3.1 | 0.13 | 0.36 | 25 | 0.9 | 1.5 | 0.9 | 0.05 | 0.09 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 51 | 1.3 | 3.0 | 2.3 | 0.17 | 0.23 | 45 | 1.6 | 2.7 | 2.0 | 0.17 | 0.20 | C70–72 |
| Thyroid | 40 | 1.0 | 2.4 | 1.9 | 0.15 | 0.19 | 136 | 4.8 | 8.1 | 6.4 | 0.52 | 0.62 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 72 | 1.8 | 4.3 | 3.4 | 0.22 | 0.36 | 49 | 1.7 | 2.9 | 2.4 | 0.16 | 0.25 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 23 | 0.6 | 1.4 | 1.0 | 0.05 | 0.14 | 13 | 0.5 | 0.8 | 0.5 | 0.05 | 0.06 | C90 |
| Lymphoid leukaemia | 25 | 0.6 | 1.5 | 1.7 | 0.08 | 0.09 | 35 | 1.2 | 2.1 | 2.8 | 0.14 | 0.15 | C91 |
| Myeloid leukaemia | 17 | 0.4 | 1.0 | 0.9 | 0.07 | 0.07 | 19 | 0.7 | 1.1 | 1.3 | 0.08 | 0.10 | C92–94 |
| Leukaemia unspecified | 38 | 0.9 | 2.3 | 1.8 | 0.13 | 0.20 | 25 | 0.9 | 1.5 | 1.2 | 0.08 | 0.09 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 300 | 7.5 | 17.8 | 13.0 | 0.73 | 1.44 | 146 | 5.1 | 8.7 | 5.8 | 0.32 | 0.67 | O&U |
| All sites | 4050 | | 240.8 | 176.9 | 9.80 | 21.67 | 2868 | | 170.1 | 118.2 | 7.91 | 13.04 | C00–96 |
| All sites except C44 | 4026 | 100.0 | 239.4 | 175.9 | 9.77 | 21.57 | 2852 | 100.0 | 169.2 | 117.6 | 7.89 | 12.99 | C00–96 exc.C44 |

*†See note following population pyramid

China, Gaomi City

CONTRIBUTORS

Huang Yifeng
Leng Guanqun



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 62.3 | Breast | 29.5 |
| Stomach | 33.4 | Trachea, bronchus, and lung | 27.4 |
| Liver | 29.9 | Stomach | 11.9 |
| Oesophagus | 14.0 | Cervix uteri | 10.9 |
| Rectum | 11.6 | Liver | 9.0 |
| Bladder | 6.4 | Rectum | 6.2 |
| Colon | 5.7 | Corpus uteri | 5.6 |
| Gallbladder etc. | 5.4 | Ovary | 4.7 |
| Prostate | 4.1 | Thyroid | 4.4 |
| Non-Hodgkin lymphoma | 3.7 | Colon | 4.1 |
| Pancreas | 3.3 | Pancreas | 3.3 |
| Brain and nervous system | 2.7 | Gallbladder etc. | 2.8 |
| Leukaemia unspecified | 2.5 | Brain and nervous system | 2.4 |
| Nasopharynx | 2.3 | Non-Hodgkin lymphoma | 1.8 |
| Myeloid leukaemia | 2.0 | Myeloid leukaemia | 1.7 |
| Larynx | 1.9 | Lymphoid leukaemia | 1.5 |
| Kidney | 1.6 | Kidney | 1.4 |
| Lymphoid leukaemia | 1.3 | Leukaemia unspecified | 1.3 |
| Bone | 1.3 | Oesophagus | 1.3 |
| Thyroid | 1.2 | Bladder | 1.2 |
| All sites | 205.7 | All sites | 142.0 |


China, Gaomi City (2014–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C01–02 |
| Mouth | 19 | 0.3 | 1.1 | 0.6 | 0.05 | 0.07 | 9 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 10 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 13 | 0.3 | 0.7 | 0.4 | 0.04 | 0.06 | C07–08 |
| Tonsil | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 63 | 1.0 | 3.5 | 2.3 | 0.17 | 0.25 | 18 | 0.4 | 1.0 | 0.6 | 0.04 | 0.07 | C11 |
| Hypopharynx | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 437 | 6.9 | 24.4 | 14.0 | 0.81 | 1.61 | 53 | 1.2 | 3.0 | 1.3 | 0.05 | 0.14 | C15 |
| Stomach | 1033 | 16.3 | 57.8 | 33.4 | 1.79 | 4.10 | 419 | 9.4 | 23.5 | 11.9 | 0.62 | 1.28 | C16 |
| Small intestine | 18 | 0.3 | 1.0 | 0.5 | 0.05 | 0.05 | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C17 |
| Colon | 177 | 2.8 | 9.9 | 5.7 | 0.31 | 0.66 | 148 | 3.3 | 8.3 | 4.1 | 0.20 | 0.49 | C18 |
| Rectum | 363 | 5.7 | 20.3 | 11.6 | 0.61 | 1.40 | 206 | 4.6 | 11.5 | 6.2 | 0.37 | 0.72 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 904 | 14.3 | 50.6 | 29.9 | 2.07 | 3.51 | 316 | 7.1 | 17.7 | 9.0 | 0.43 | 1.06 | C22 |
| Gallbladder etc. | 175 | 2.8 | 9.8 | 5.4 | 0.23 | 0.66 | 103 | 2.3 | 5.8 | 2.8 | 0.09 | 0.34 | C23–24 |
| Pancreas | 103 | 1.6 | 5.8 | 3.3 | 0.18 | 0.38 | 110 | 2.5 | 6.2 | 3.3 | 0.17 | 0.44 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.4 | 0.4 | 0.01 | 0.04 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 58 | 0.9 | 3.2 | 1.9 | 0.13 | 0.22 | 7 | 0.2 | 0.4 | 0.2 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1973 | 31.2 | 110.3 | 62.3 | 3.28 | 7.64 | 977 | 22.0 | 54.8 | 27.4 | 1.43 | 3.13 | C33–34 |
| Other thoracic organs | 17 | 0.3 | 1.0 | 0.6 | 0.03 | 0.07 | 10 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 38 | 0.6 | 2.1 | 1.3 | 0.07 | 0.16 | 32 | 0.7 | 1.8 | 1.0 | 0.04 | 0.09 | C40–41 |
| Melanoma of skin | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 10 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | C43 |
| Other skin | 27 | 0.4 | 1.5 | 0.8 | 0.05 | 0.10 | 38 | 0.9 | 2.1 | 1.0 | 0.04 | 0.07 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 18 | 0.4 | 1.0 | 0.7 | 0.05 | 0.06 | C47+C49 |
| Breast | 10 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | 823 | 18.5 | 46.1 | 29.5 | 2.49 | 3.04 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 301 | 6.8 | 16.9 | 10.9 | 0.94 | 1.07 | C53 |
| Corpus uteri | | | | | | | 164 | 3.7 | 9.2 | 5.6 | 0.47 | 0.65 | C54 |
| Uterus unspecified | | | | | | | 30 | 0.7 | 1.7 | 0.8 | 0.04 | 0.09 | C55 |
| Ovary | | | | | | | 137 | 3.1 | 7.7 | 4.7 | 0.38 | 0.52 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 145 | 2.3 | 8.1 | 4.1 | 0.09 | 0.42 | | | | | | | C61 |
| Testis | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 48 | 0.8 | 2.7 | 1.6 | 0.08 | 0.21 | 43 | 1.0 | 2.4 | 1.4 | 0.10 | 0.16 | C64 |
| Renal pelvis | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 7 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C66 |
| Bladder | 213 | 3.4 | 11.9 | 6.4 | 0.28 | 0.67 | 48 | 1.1 | 2.7 | 1.2 | 0.03 | 0.11 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 70 | 1.1 | 3.9 | 2.7 | 0.18 | 0.29 | 66 | 1.5 | 3.7 | 2.4 | 0.16 | 0.25 | C70–72 |
| Thyroid | 34 | 0.5 | 1.9 | 1.2 | 0.11 | 0.12 | 111 | 2.5 | 6.2 | 4.4 | 0.34 | 0.41 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 14 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 8 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 100 | 1.6 | 5.6 | 3.7 | 0.22 | 0.41 | 52 | 1.2 | 2.9 | 1.8 | 0.11 | 0.18 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 29 | 0.5 | 1.6 | 0.9 | 0.06 | 0.10 | 21 | 0.5 | 1.2 | 0.7 | 0.04 | 0.08 | C90 |
| Lymphoid leukaemia | 28 | 0.4 | 1.6 | 1.3 | 0.08 | 0.13 | 25 | 0.6 | 1.4 | 1.5 | 0.08 | 0.12 | C91 |
| Myeloid leukaemia | 49 | 0.8 | 2.7 | 2.0 | 0.11 | 0.23 | 49 | 1.1 | 2.7 | 1.7 | 0.14 | 0.17 | C92–94 |
| Leukaemia unspecified | 53 | 0.8 | 3.0 | 2.5 | 0.15 | 0.22 | 24 | 0.5 | 1.3 | 1.3 | 0.06 | 0.09 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 30 | 0.5 | 1.7 | 1.0 | 0.05 | 0.12 | 27 | 0.6 | 1.5 | 0.9 | 0.05 | 0.08 | MPS |
| Other and unspecified | 17 | 0.3 | 1.0 | 0.5 | 0.02 | 0.06 | 20 | 0.4 | 1.1 | 0.5 | 0.01 | 0.05 | O&U |
| All sites | 6349 | | 355.0 | 205.7 | 11.54 | 24.32 | 4484 | | 251.3 | 142.0 | 9.20 | 15.30 | C00–96 |
| All sites except C44 | 6322 | 100.0 | 353.5 | 204.9 | 11.49 | 24.22 | 4446 | 100.0 | 249.2 | 141.1 | 9.16 | 15.23 | C00–96 exc. C44 |

China, Gong'an County

CONTRIBUTORS

Wenliangjun
Hong Jie
Shenli Qiong
Zhangdan
Xiaoyao
Huchanggui



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 74.0 | Trachea, bronchus, and lung | 25.6 |
| Liver | 32.0 | Breast | 24.0 |
| Oesophagus | 14.3 | Cervix uteri | 23.4 |
| Stomach | 12.5 | Thyroid | 11.0 |
| Rectum | 8.6 | Liver | 10.6 |
| Colon | 8.4 | Ovary | 7.2 |
| Bladder | 7.4 | Brain and nervous system | 6.8 |
| Non-Hodgkin lymphoma | 6.2 | Rectum | 6.2 |
| Brain and nervous system | 6.1 | Colon | 6.1 |
| Nasopharynx | 5.3 | Stomach | 5.5 |
| Prostate | 5.1 | Corpus uteri | 4.7 |
| Pancreas | 4.8 | Non-Hodgkin lymphoma | 3.7 |
| Myeloid leukaemia | 3.1 | Pancreas | 3.1 |
| Larynx | 2.8 | Myeloid leukaemia | 2.6 |
| Thyroid | 2.6 | Nasopharynx | 2.1 |
| Non-melanoma skin cancer | 2.4 | Gallbladder etc. | 1.9 |
| Kidney | 2.2 | Kidney | 1.9 |
| Multiple myeloma | 1.9 | Bladder | 1.9 |
| Leukaemia unspecified | 1.9 | Non-melanoma skin cancer | 1.6 |
| Gallbladder etc. | 1.3 | Bone | 1.4 |
| All sites | 217.9 | All sites | 164.6 |


China, Gong'an County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 28 | 0.4 | 1.3 | 0.8 | 0.06 | 0.11 | 13 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C01–02 |
| Mouth | 30 | 0.4 | 1.4 | 0.9 | 0.06 | 0.13 | 12 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 20 | 0.3 | 0.9 | 0.8 | 0.04 | 0.10 | 17 | 0.3 | 0.8 | 0.5 | 0.04 | 0.04 | C07–08 |
| Tonsil | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 16 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 175 | 2.4 | 8.0 | 5.3 | 0.41 | 0.60 | 72 | 1.3 | 3.3 | 2.1 | 0.18 | 0.22 | C11 |
| Hypopharynx | 18 | 0.3 | 0.8 | 0.5 | 0.04 | 0.07 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 490 | 6.8 | 22.3 | 14.3 | 0.82 | 1.87 | 50 | 0.9 | 2.3 | 1.2 | 0.05 | 0.13 | C15 |
| Stomach | 430 | 6.0 | 19.6 | 12.5 | 0.74 | 1.64 | 197 | 3.5 | 8.9 | 5.5 | 0.29 | 0.68 | C16 |
| Small intestine | 29 | 0.4 | 1.3 | 0.9 | 0.05 | 0.10 | 22 | 0.4 | 1.0 | 0.6 | 0.03 | 0.06 | C17 |
| Colon | 289 | 4.0 | 13.2 | 8.4 | 0.54 | 1.01 | 212 | 3.8 | 9.6 | 6.1 | 0.36 | 0.74 | C18 |
| Rectum | 294 | 4.1 | 13.4 | 8.6 | 0.53 | 1.11 | 223 | 4.0 | 10.1 | 6.2 | 0.36 | 0.71 | C19–20 |
| Anus | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 1086 | 15.1 | 49.5 | 32.0 | 2.04 | 3.93 | 380 | 6.8 | 17.2 | 10.6 | 0.59 | 1.35 | C22 |
| Gallbladder etc. | 43 | 0.6 | 2.0 | 1.3 | 0.08 | 0.17 | 68 | 1.2 | 3.1 | 1.9 | 0.10 | 0.25 | C23–24 |
| Pancreas | 157 | 2.2 | 7.2 | 4.8 | 0.21 | 0.68 | 110 | 2.0 | 5.0 | 3.1 | 0.17 | 0.37 | C25 |
| Nose, sinuses etc. | 19 | 0.3 | 0.9 | 0.6 | 0.05 | 0.07 | 13 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 95 | 1.3 | 4.3 | 2.8 | 0.19 | 0.36 | 9 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2500 | 34.7 | 114.0 | 74.0 | 3.44 | 10.06 | 941 | 16.8 | 42.5 | 25.6 | 1.32 | 3.21 | C33–34 |
| Other thoracic organs | 30 | 0.4 | 1.4 | 0.9 | 0.07 | 0.09 | 20 | 0.4 | 0.9 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 37 | 0.5 | 1.7 | 1.2 | 0.06 | 0.14 | 40 | 0.7 | 1.8 | 1.4 | 0.09 | 0.15 | C40–41 |
| Melanoma of skin | 16 | 0.2 | 0.7 | 0.5 | 0.02 | 0.07 | 9 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 84 | 1.2 | 3.8 | 2.4 | 0.14 | 0.29 | 64 | 1.1 | 2.9 | 1.6 | 0.10 | 0.18 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 26 | 0.4 | 1.2 | 1.0 | 0.07 | 0.10 | 19 | 0.3 | 0.9 | 0.7 | 0.05 | 0.05 | C47+C49 |
| Breast | 20 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | 832 | 14.9 | 37.6 | 24.0 | 2.07 | 2.51 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 15 | 0.3 | 0.7 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 808 | 14.4 | 36.5 | 23.4 | 1.87 | 2.53 | C53 |
| Corpus uteri | | | | | | | 164 | 2.9 | 7.4 | 4.7 | 0.41 | 0.55 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 233 | 4.2 | 10.5 | 7.2 | 0.54 | 0.78 | C56 |
| Other female genital organs | | | | | | | 18 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | | 0.4 | 1.3 | 0.9 | 0.05 | 0.15 | | | | | | | C60 |
| Prostate | 177 | 2.5 | 8.1 | 5.1 | 0.11 | 0.65 | | | | | | | C61 |
| Testis | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 76 | 1.1 | 3.5 | 2.2 | 0.15 | 0.27 | 61 | 1.1 | 2.8 | 1.9 | 0.13 | 0.23 | C64 |
| Renal pelvis | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C66 |
| Bladder | 253 | 3.5 | 11.5 | 7.4 | 0.29 | 0.91 | 73 | 1.3 | 3.3 | 1.9 | 0.10 | 0.21 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 190 | 2.6 | 8.7 | 6.1 | 0.43 | 0.67 | 211 | 3.8 | 9.5 | 6.8 | 0.49 | 0.75 | C70–72 |
| Thyroid | 79 | 1.1 | 3.6 | 2.6 | 0.20 | 0.27 | 358 | 6.4 | 16.2 | 11.0 | 0.92 | 1.10 | C73 |
| Adrenal gland | 9 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 23 | 0.3 | 1.0 | 0.8 | 0.06 | 0.07 | 21 | 0.4 | 0.9 | 0.6 | 0.05 | 0.07 | C75 |
| Hodgkin lymphoma | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 193 | 2.7 | 8.8 | 6.2 | 0.38 | 0.68 | 118 | 2.1 | 5.3 | 3.7 | 0.22 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 60 | 0.8 | 2.7 | 1.9 | 0.11 | 0.25 | 43 | 0.8 | 1.9 | 1.3 | 0.07 | 0.18 | C90 |
| Lymphoid leukaemia | 25 | 0.3 | 1.1 | 1.2 | 0.07 | 0.08 | 18 | 0.3 | 0.8 | 0.8 | 0.05 | 0.06 | C91 |
| Myeloid leukaemia | 87 | 1.2 | 4.0 | 3.1 | 0.23 | 0.31 | 71 | 1.3 | 3.2 | 2.6 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 57 | 0.8 | 2.6 | 1.9 | 0.11 | 0.21 | 33 | 0.6 | 1.5 | 1.3 | 0.07 | 0.14 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 36 | 0.5 | 1.6 | 1.1 | 0.04 | 0.14 | 31 | 0.6 | 1.4 | 1.1 | 0.06 | 0.11 | O&U |
| All sites | 7283 | | 332.0 | 217.9 | 12.07 | 27.71 | 5660 | | 255.9 | 164.6 | 11.26 | 18.63 | C00–96 |
| All sites except C44 | 7199 | 100.0 | 328.2 | 215.5 | 11.93 | 27.42 | 5596 | 100.0 | 253.0 | 162.9 | 11.16 | 18.45 | C00–96 exc. C44 |

China, Guang'an District, Guang'an City

CONTRIBUTORS

Liguohui
Su Zhongting
Lirongchuan
Duchengbing



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 81.4 | Trachea, bronchus, and lung | 29.3 |
| Liver | 47.5 | Breast | 14.7 |
| Stomach | 34.6 | Stomach | 14.4 |
| Oesophagus | 32.9 | Liver | 11.9 |
| Rectum | 13.0 | Oesophagus | 10.9 |
| Nasopharynx | 6.2 | Cervix uteri | 8.0 |
| Pancreas | 5.1 | Rectum | 7.8 |
| Colon | 5.1 | Ovary | 3.3 |
| Brain and nervous system | 5.0 | Colon | 3.2 |
| Prostate | 3.4 | Nasopharynx | 3.1 |
| Leukaemia unspecified | 3.4 | Pancreas | 3.0 |
| Non-Hodgkin lymphoma | 3.2 | Leukaemia unspecified | 2.8 |
| Bladder | 2.5 | Non-Hodgkin lymphoma | 2.6 |
| Other and unspecified | 2.3 | Corpus uteri | 2.3 |
| Bone | 1.9 | Brain and nervous system | 2.2 |
| Larynx | 1.7 | Uterus unspecified | 1.7 |
| Breast | 1.3 | Bone | 1.7 |
| Non-melanoma skin cancer | 1.2 | Thyroid | 1.4 |
| Gallbladder etc. | 1.0 | Other and unspecified | 1.3 |
| Kidney | 0.9 | Bladder | 0.9 |
| All sites | 263.6 | All sites | 135.3 |

*China, Guang'an District, Guang'an City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 14 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 11 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 9 | 0.3 | 0.7 | 0.5 | 0.02 | 0.09 | C03–06 |
| Salivary glands | 10 | 0.2 | 0.7 | 0.5 | 0.04 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C07–08 |
| Tonsil | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 9 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 115 | 2.3 | 8.2 | 6.2 | 0.45 | 0.72 | 56 | 2.2 | 4.3 | 3.1 | 0.24 | 0.29 | C11 |
| Hypopharynx | 8 | 0.2 | 0.6 | 0.4 | 0.02 | 0.07 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 14 | 0.3 | 1.0 | 0.7 | 0.02 | 0.05 | 5 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C14 |
| Oesophagus | 647 | 12.7 | 46.4 | 32.9 | 1.69 | 4.28 | 219 | 8.4 | 16.8 | 10.9 | 0.58 | 1.33 | C15 |
| Stomach | 685 | 13.4 | 49.1 | 34.6 | 1.78 | 4.38 | 302 | 11.6 | 23.2 | 14.4 | 0.60 | 1.72 | C16 |
| Small intestine | 10 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 17 | 0.7 | 1.3 | 0.9 | 0.06 | 0.10 | C17 |
| Colon | 98 | 1.9 | 7.0 | 5.1 | 0.29 | 0.62 | 60 | 2.3 | 4.6 | 3.2 | 0.23 | 0.38 | C18 |
| Rectum | 254 | 5.0 | 18.2 | 13.0 | 0.59 | 1.51 | 158 | 6.1 | 12.1 | 7.8 | 0.43 | 0.85 | C19–20 |
| Anus | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 9 | 0.3 | 0.7 | 0.4 | 0.02 | 0.04 | C21 |
| Liver | 913 | 17.9 | 65.5 | 47.5 | 3.41 | 5.38 | 234 | 9.0 | 18.0 | 11.9 | 0.67 | 1.34 | C22 |
| Gallbladder etc. | 21 | 0.4 | 1.5 | 1.0 | 0.06 | 0.09 | 18 | 0.7 | 1.4 | 0.9 | 0.06 | 0.11 | C23–24 |
| Pancreas | 103 | 2.0 | 7.4 | 5.1 | 0.26 | 0.65 | 60 | 2.3 | 4.6 | 3.0 | 0.16 | 0.34 | C25 |
| Nose, sinuses etc. | 9 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | 7 | 0.3 | 0.5 | 0.3 | 0.01 | 0.01 | C30–31 |
| Larynx | 33 | 0.6 | 2.4 | 1.7 | 0.11 | 0.22 | 5 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1599 | 31.3 | 114.6 | 81.4 | 4.53 | 10.11 | 586 | 22.5 | 45.0 | 29.3 | 1.58 | 3.36 | C33–34 |
| Other thoracic organs | 8 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 37 | 0.7 | 2.7 | 1.9 | 0.10 | 0.25 | 35 | 1.3 | 2.7 | 1.7 | 0.09 | 0.21 | C40–41 |
| Melanoma of skin | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C43 |
| Other skin | 23 | 0.5 | 1.6 | 1.2 | 0.06 | 0.18 | 18 | 0.7 | 1.4 | 0.8 | 0.02 | 0.09 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 4 | 0.2 | 0.3 | 0.2 | 0.02 | 0.03 | C47+C49 |
| Breast | 24 | 0.5 | 1.7 | 1.3 | 0.05 | 0.13 | 262 | 10.1 | 20.1 | 14.7 | 1.22 | 1.53 | C50 |
| Vulva | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 148 | 5.7 | 11.4 | 8.0 | 0.60 | 0.90 | C53 |
| Corpus uteri | | | | | | | 42 | 1.6 | 3.2 | 2.3 | 0.20 | 0.24 | C54 |
| Uterus unspecified | | | | | | | 29 | 1.1 | 2.2 | 1.7 | 0.15 | 0.19 | C55 |
| Ovary | | | | | | | 60 | 2.3 | 4.6 | 3.3 | 0.24 | 0.39 | C56 |
| Other female genital organs | | | | | | | 4 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 73 | 1.4 | 5.2 | 3.4 | 0.10 | 0.40 | | | | | | | C61 |
| Testis | 6 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 15 | 0.3 | 1.1 | 0.9 | 0.06 | 0.11 | 12 | 0.5 | 0.9 | 0.7 | 0.04 | 0.07 | C64 |
| Renal pelvis | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 50 | 1.0 | 3.6 | 2.5 | 0.09 | 0.29 | 22 | 0.8 | 1.7 | 0.9 | 0.03 | 0.08 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 6 | 0.2 | 0.5 | 0.5 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 94 | 1.8 | 6.7 | 5.0 | 0.32 | 0.55 | 42 | 1.6 | 3.2 | 2.2 | 0.13 | 0.26 | C70–72 |
| Thyroid | 10 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 24 | 0.9 | 1.8 | 1.4 | 0.12 | 0.12 | C73 |
| Adrenal gland | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 60 | 1.2 | 4.3 | 3.2 | 0.23 | 0.39 | 50 | 1.9 | 3.8 | 2.6 | 0.16 | 0.29 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 11 | 0.2 | 0.8 | 0.8 | 0.05 | 0.07 | 5 | 0.2 | 0.4 | 0.2 | 0.00 | 0.02 | C90 |
| Lymphoid leukaemia | 9 | 0.2 | 0.6 | 0.5 | 0.02 | 0.07 | 11 | 0.4 | 0.8 | 0.6 | 0.03 | 0.07 | C91 |
| Myeloid leukaemia | 12 | 0.2 | 0.9 | 0.6 | 0.02 | 0.05 | 7 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C92–94 |
| Leukaemia unspecified | 58 | 1.1 | 4.2 | 3.4 | 0.20 | 0.34 | 45 | 1.7 | 3.5 | 2.8 | 0.18 | 0.32 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 39 | 0.8 | 2.8 | 2.3 | 0.13 | 0.26 | 22 | 0.8 | 1.7 | 1.3 | 0.08 | 0.12 | O&U |
| All sites | 5130 | | 367.8 | 263.6 | 15.12 | 31.92 | 2621 | | 201.4 | 135.3 | 8.17 | 15.25 | C00–96 |
| All sites except C44 | 5107 | 100.0 | 366.1 | 262.4 | 15.05 | 31.73 | 2603 | 100.0 | 200.0 | 134.4 | 8.14 | 15.17 | C00–96 exc. C44 |

*See note following population pyramid

China, Guanghan City

CONTRIBUTORS

Liu Dandan
Xiao Changhua
Wang Ling
Lung Siu-Kong



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 45.9 | Trachea, bronchus, and lung | 22.1 |
| Oesophagus | 45.2 | Breast | 17.5 |
| Liver | 31.2 | Liver | 8.3 |
| Stomach | 25.7 | Stomach | 7.8 |
| Rectum | 12.5 | Cervix uteri | 7.5 |
| Colon | 7.7 | Rectum | 6.9 |
| Brain and nervous system | 5.9 | Colon | 5.4 |
| Pancreas | 5.6 | Corpus uteri | 5.3 |
| Bladder | 5.4 | Ovary | 5.1 |
| Prostate | 4.7 | Oesophagus | 3.3 |
| Other and unspecified | 3.8 | Brain and nervous system | 3.1 |
| Nasopharynx | 3.8 | Thyroid | 2.9 |
| Larynx | 3.2 | Other and unspecified | 2.6 |
| Non-Hodgkin lymphoma | 2.8 | Pancreas | 2.4 |
| Mouth | 2.5 | Gallbladder etc. | 1.8 |
| Gallbladder etc. | 2.1 | Leukaemia unspecified | 1.8 |
| Myeloid leukaemia | 2.1 | Bone | 1.7 |
| Bone | 2.0 | Nasopharynx | 1.6 |
| Kidney | 1.7 | Bladder | 1.4 |
| Leukaemia unspecified | 1.5 | Lymphoid leukaemia | 1.2 |
| All sites | 227.3 | All sites | 117.3 |


China, Guanghan City (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 18 | 0.5 | 2.0 | 1.0 | 0.07 | 0.14 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 46 | 1.2 | 5.2 | 2.5 | 0.12 | 0.30 | 9 | 0.4 | 1.0 | 0.5 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C07–08 |
| Tonsil | 6 | 0.2 | 0.7 | 0.4 | 0.01 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 10 | 0.3 | 1.1 | 0.7 | 0.05 | 0.11 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 65 | 1.7 | 7.4 | 3.8 | 0.24 | 0.46 | 25 | 1.2 | 2.8 | 1.6 | 0.12 | 0.20 | C11 |
| Hypopharynx | 7 | 0.2 | 0.8 | 0.5 | 0.03 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.2 | 0.7 | 0.3 | 0.00 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 769 | 20.3 | 87.1 | 45.2 | 2.93 | 5.58 | 67 | 3.3 | 7.4 | 3.3 | 0.14 | 0.37 | C15 |
| Stomach | 438 | 11.5 | 49.6 | 25.7 | 1.58 | 3.25 | 149 | 7.3 | 16.4 | 7.8 | 0.44 | 0.87 | C16 |
| Small intestine | 6 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | 5 | 0.2 | 0.6 | 0.2 | 0.01 | 0.05 | C17 |
| Colon | 134 | 3.5 | 15.2 | 7.7 | 0.37 | 0.98 | 100 | 4.9 | 11.0 | 5.4 | 0.30 | 0.70 | C18 |
| Rectum | 218 | 5.7 | 24.7 | 12.5 | 0.67 | 1.50 | 127 | 6.2 | 14.0 | 6.9 | 0.39 | 0.80 | C19–20 |
| Anus | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 517 | 13.6 | 58.5 | 31.2 | 1.96 | 3.69 | 163 | 7.9 | 18.0 | 8.3 | 0.42 | 0.98 | C22 |
| Gallbladder etc. | 38 | 1.0 | 4.3 | 2.1 | 0.07 | 0.29 | 37 | 1.8 | 4.1 | 1.8 | 0.07 | 0.24 | C23–24 |
| Pancreas | 97 | 2.6 | 11.0 | 5.6 | 0.41 | 0.65 | 49 | 2.4 | 5.4 | 2.4 | 0.10 | 0.30 | C25 |
| Nose, sinuses etc. | 8 | 0.2 | 0.9 | 0.5 | 0.04 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 57 | 1.5 | 6.5 | 3.2 | 0.22 | 0.37 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 776 | 20.4 | 87.8 | 45.9 | 2.90 | 5.65 | 425 | 20.7 | 46.9 | 22.1 | 1.28 | 2.52 | C33–34 |
| Other thoracic organs | 8 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | 7 | 0.3 | 0.8 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 24 | 0.6 | 2.7 | 2.0 | 0.12 | 0.21 | 30 | 1.5 | 3.3 | 1.7 | 0.13 | 0.18 | C40–41 |
| Melanoma of skin | 4 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | 4 | 0.2 | 0.4 | 0.2 | 0.00 | 0.06 | C43 |
| Other skin | 11 | 0.3 | 1.2 | 0.6 | 0.03 | 0.04 | 12 | 0.6 | 1.3 | 0.6 | 0.02 | 0.05 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 4 | 0.2 | 0.4 | 0.2 | 0.00 | 0.04 | C47+C49 |
| Breast | 7 | 0.2 | 0.8 | 0.4 | 0.02 | 0.06 | 285 | 13.9 | 31.4 | 17.5 | 1.51 | 1.88 | C50 |
| Vulva | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 113 | 5.5 | 12.5 | 7.5 | 0.58 | 0.72 | C53 |
| Corpus uteri | | | | | | | 83 | 4.0 | 9.2 | 5.3 | 0.47 | 0.64 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.4 | 1.0 | 0.5 | 0.02 | 0.08 | C55 |
| Ovary | | | | | | | 78 | 3.8 | 8.6 | 5.1 | 0.42 | 0.58 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 8 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 93 | 2.5 | 10.5 | 4.7 | 0.11 | 0.52 | | | | | | | C61 |
| Testis | 5 | 0.1 | 0.6 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 30 | 0.8 | 3.4 | 1.7 | 0.08 | 0.24 | 9 | 0.4 | 1.0 | 0.6 | 0.04 | 0.04 | C64 |
| Renal pelvis | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | 4 | 0.2 | 0.4 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 97 | 2.6 | 11.0 | 5.4 | 0.28 | 0.59 | 30 | 1.5 | 3.3 | 1.4 | 0.05 | 0.17 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.7 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 74 | 1.9 | 8.4 | 5.9 | 0.39 | 0.54 | 52 | 2.5 | 5.7 | 3.1 | 0.20 | 0.34 | C70–72 |
| Thyroid | 8 | 0.2 | 0.9 | 0.6 | 0.05 | 0.05 | 35 | 1.7 | 3.9 | 2.9 | 0.20 | 0.29 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 45 | 1.2 | 5.1 | 2.8 | 0.17 | 0.33 | 20 | 1.0 | 2.2 | 1.1 | 0.05 | 0.15 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 16 | 0.4 | 1.8 | 0.9 | 0.06 | 0.13 | 9 | 0.4 | 1.0 | 0.5 | 0.02 | 0.10 | C90 |
| Lymphoid leukaemia | 10 | 0.3 | 1.1 | 1.4 | 0.07 | 0.11 | 10 | 0.5 | 1.1 | 1.2 | 0.08 | 0.09 | C91 |
| Myeloid leukaemia | 24 | 0.6 | 2.7 | 2.1 | 0.13 | 0.22 | 21 | 1.0 | 2.3 | 1.2 | 0.07 | 0.15 | C92–94 |
| Leukaemia unspecified | 23 | 0.6 | 2.6 | 1.5 | 0.11 | 0.21 | 30 | 1.5 | 3.3 | 1.8 | 0.11 | 0.23 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 64 | 1.7 | 7.2 | 3.8 | 0.23 | 0.42 | 44 | 2.1 | 4.9 | 2.6 | 0.18 | 0.28 | O&U |
| All sites | 3806 | | 430.9 | 227.3 | 13.78 | 27.32 | 2066 | | 227.9 | 117.3 | 7.55 | 13.30 | C00–96 |
| All sites except C44 | 3795 | 100.0 | 429.6 | 226.7 | 13.75 | 27.28 | 2054 | 100.0 | 226.6 | 116.7 | 7.54 | 13.25 | C00–96 exc. C44 |

China, Guangzhou City

CONTRIBUTORS

Suixiang Wang
Pengzhe Qin
Boheng Liang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.8 | Breast | 39.1 |
| Liver | 32.1 | Trachea, bronchus, and lung | 22.4 |
| Colon | 19.0 | Thyroid | 20.8 |
| Nasopharynx | 12.9 | Colon | 14.3 |
| Rectum | 11.9 | Cervix uteri | 10.1 |
| Prostate | 10.7 | Corpus uteri | 9.7 |
| Stomach | 9.7 | Liver | 7.1 |
| Thyroid | 7.6 | Rectum | 6.6 |
| Oesophagus | 6.5 | Ovary | 5.5 |
| Non-Hodgkin lymphoma | 5.9 | Stomach | 5.3 |
| Bladder | 5.5 | Nasopharynx | 4.5 |
| Other and unspecified | 4.5 | Non-Hodgkin lymphoma | 4.1 |
| Pancreas | 3.7 | Other and unspecified | 3.2 |
| Kidney | 3.5 | Pancreas | 2.9 |
| Myeloid leukaemia | 3.3 | Brain and nervous system | 2.5 |
| Larynx | 3.3 | Myeloid leukaemia | 2.5 |
| Brain and nervous system | 3.1 | Non-melanoma skin cancer | 2.3 |
| Non-melanoma skin cancer | 2.6 | Lymphoid leukaemia | 1.8 |
| Lymphoid leukaemia | 2.3 | Gallbladder etc. | 1.8 |
| Gallbladder etc. | 2.1 | Kidney | 1.8 |
| All sites | 217.5 | All sites | 182.6 |


China, Guangzhou City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 14 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 16 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 474 | 0.7 | 2.2 | 1.5 | 0.10 | 0.19 | 288 | 0.5 | 1.3 | 0.8 | 0.06 | 0.10 | C01–02 |
| Mouth | 415 | 0.6 | 1.9 | 1.3 | 0.09 | 0.15 | 220 | 0.4 | 1.0 | 0.7 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 191 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | 151 | 0.3 | 0.7 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 92 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 25 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 114 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 20 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 3859 | 5.7 | 17.9 | 12.9 | 1.05 | 1.39 | 1361 | 2.3 | 6.4 | 4.5 | 0.35 | 0.48 | C11 |
| Hypopharynx | 323 | 0.5 | 1.5 | 1.0 | 0.08 | 0.13 | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 76 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2072 | 3.1 | 9.6 | 6.5 | 0.44 | 0.80 | 352 | 0.6 | 1.6 | 0.9 | 0.04 | 0.10 | C15 |
| Stomach | 3162 | 4.7 | 14.7 | 9.7 | 0.54 | 1.14 | 1867 | 3.2 | 8.7 | 5.3 | 0.31 | 0.60 | C16 |
| Small intestine | 319 | 0.5 | 1.5 | 1.0 | 0.06 | 0.12 | 235 | 0.4 | 1.1 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 6239 | 9.2 | 28.9 | 19.0 | 0.93 | 2.23 | 5269 | 8.9 | 24.7 | 14.3 | 0.72 | 1.63 | C18 |
| Rectum | 3862 | 5.7 | 17.9 | 11.9 | 0.65 | 1.44 | 2375 | 4.0 | 11.1 | 6.6 | 0.36 | 0.78 | C19–20 |
| Anus | 81 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 59 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 10023 | 14.8 | 46.5 | 32.1 | 2.26 | 3.68 | 2603 | 4.4 | 12.2 | 7.1 | 0.35 | 0.80 | C22 |
| Gallbladder etc. | 717 | 1.1 | 3.3 | 2.1 | 0.09 | 0.23 | 710 | 1.2 | 3.3 | 1.8 | 0.08 | 0.20 | C23–24 |
| Pancreas | 1192 | 1.8 | 5.5 | 3.7 | 0.20 | 0.42 | 1081 | 1.8 | 5.1 | 2.9 | 0.14 | 0.33 | C25 |
| Nose, sinuses etc. | 175 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | 84 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 1040 | 1.5 | 4.8 | 3.3 | 0.20 | 0.41 | 68 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 16012 | 23.6 | 74.2 | 48.8 | 2.44 | 5.93 | 8218 | 13.9 | 38.5 | 22.4 | 1.21 | 2.59 | C33–34 |
| Other thoracic organs | 276 | 0.4 | 1.3 | 1.0 | 0.07 | 0.10 | 157 | 0.3 | 0.7 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 277 | 0.4 | 1.3 | 1.1 | 0.07 | 0.09 | 219 | 0.4 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 128 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 114 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 851 | 1.3 | 3.9 | 2.6 | 0.11 | 0.28 | 855 | 1.5 | 4.0 | 2.3 | 0.11 | 0.23 | C44 |
| Mesothelioma | 72 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 49 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 421 | 0.6 | 2.0 | 1.5 | 0.09 | 0.15 | 376 | 0.6 | 1.8 | 1.4 | 0.09 | 0.12 | C47+C49 |
| Breast | 90 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 12292 | 20.8 | 57.6 | 39.1 | 3.20 | 4.23 | C50 |
| Vulva | | | | | | | 114 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 55 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 3110 | 5.3 | 14.6 | 10.1 | 0.84 | 1.08 | C53 |
| Corpus uteri | | | | | | | 3014 | 5.1 | 14.1 | 9.7 | 0.86 | 1.07 | C54 |
| Uterus unspecified | | | | | | | 238 | 0.4 | 1.1 | 0.7 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 1679 | 2.8 | 7.9 | 5.5 | 0.42 | 0.58 | C56 |
| Other female genital organs | | | | | | | 131 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C57 |
| Placenta | | | | | | | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 122 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 3861 | 5.7 | 17.9 | 10.7 | 0.20 | 1.14 | | | | | | | C61 |
| Testis | 207 | 0.3 | 1.0 | 0.9 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 58 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1043 | 1.5 | 4.8 | 3.5 | 0.22 | 0.38 | 544 | 0.9 | 2.5 | 1.8 | 0.11 | 0.18 | C64 |
| Renal pelvis | 156 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 81 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 119 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 87 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 1872 | 2.8 | 8.7 | 5.5 | 0.22 | 0.60 | 503 | 0.9 | 2.4 | 1.3 | 0.05 | 0.14 | C67 |
| Other urinary organs | 66 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 24 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 61 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 50 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 781 | 1.1 | 3.6 | 3.1 | 0.19 | 0.29 | 655 | 1.1 | 3.1 | 2.5 | 0.16 | 0.23 | C70–72 |
| Thyroid | 2145 | 3.2 | 9.9 | 7.6 | 0.61 | 0.69 | 5965 | 10.1 | 27.9 | 20.8 | 1.69 | 1.93 | C73 |
| Adrenal gland | 57 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 59 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 46 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 25 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 95 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 78 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 1747 | 2.6 | 8.1 | 5.9 | 0.35 | 0.64 | 1317 | 2.2 | 6.2 | 4.1 | 0.26 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 25 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 9 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 470 | 0.7 | 2.2 | 1.5 | 0.08 | 0.18 | 410 | 0.7 | 1.9 | 1.2 | 0.06 | 0.16 | C90 |
| Lymphoid leukaemia | 442 | 0.7 | 2.0 | 2.3 | 0.12 | 0.17 | 338 | 0.6 | 1.6 | 1.8 | 0.10 | 0.13 | C91 |
| Myeloid leukaemia | 938 | 1.4 | 4.3 | 3.3 | 0.19 | 0.33 | 712 | 1.2 | 3.3 | 2.5 | 0.16 | 0.24 | C92–94 |
| Leukaemia unspecified | 247 | 0.4 | 1.1 | 0.9 | 0.04 | 0.08 | 172 | 0.3 | 0.8 | 0.6 | 0.03 | 0.05 | C95 |
| Myeloproliferative disorders | 83 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 81 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 141 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 94 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | MPS |
| Other and unspecified | 1423 | 2.1 | 6.6 | 4.5 | 0.22 | 0.47 | 1166 | 2.0 | 5.5 | 3.2 | 0.16 | 0.33 | O&U |
| All sites | 68776 | | 318.8 | 217.5 | 12.39 | 24.67 | 59812 | | 280.1 | 182.6 | 12.39 | 19.63 | C00–96 |
| All sites except C44 | 67925 | 100.0 | 314.8 | 214.9 | 12.28 | 24.39 | 58957 | 100.0 | 276.1 | 180.3 | 12.28 | 19.39 | C00–96 exc. C44 |

China, Guanyun County

CONTRIBUTORS

Zhu Fengdong
Yan Chunhua
Shen Yanqing



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 35.5 | Breast | 22.4 |
| Liver | 34.5 | Trachea, bronchus, and lung | 22.1 |
| Oesophagus | 21.7 | Liver | 12.1 |
| Stomach | 19.4 | Cervix uteri | 9.7 |
| Rectum | 5.4 | Oesophagus | 9.1 |
| Pancreas | 5.0 | Stomach | 8.9 |
| Colon | 4.8 | Thyroid | 6.5 |
| Bladder | 4.6 | Rectum | 4.7 |
| Brain and nervous system | 4.3 | Brain and nervous system | 4.5 |
| Non-Hodgkin lymphoma | 3.8 | Colon | 4.0 |
| Prostate | 3.0 | Pancreas | 3.9 |
| Myeloid leukaemia | 2.3 | Corpus uteri | 3.9 |
| Kidney | 2.3 | Ovary | 3.7 |
| Gallbladder etc. | 2.3 | Non-Hodgkin lymphoma | 2.3 |
| Nasopharynx | 1.9 | Gallbladder etc. | 2.2 |
| Leukaemia unspecified | 1.7 | Myeloid leukaemia | 2.0 |
| Lymphoid leukaemia | 1.2 | Kidney | 1.7 |
| Larynx | 1.2 | Leukaemia unspecified | 1.3 |
| Bone | 1.2 | Uterus unspecified | 1.2 |
| Other and unspecified | 1.2 | Bladder | 1.1 |
| All sites | 167.5 | All sites | 137.3 |

*China, Guanyun County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 10 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 16 | 0.3 | 0.6 | 0.4 | 0.02 | 0.05 | 9 | 0.2 | 0.4 | 0.2 | 0.01 | 0.04 | C03–06 |
| Salivary glands | 15 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 10 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 10 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 64 | 1.1 | 2.3 | 1.9 | 0.14 | 0.21 | 25 | 0.5 | 1.0 | 0.8 | 0.06 | 0.09 | C11 |
| Hypopharynx | 9 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 832 | 13.7 | 30.4 | 21.7 | 0.95 | 2.80 | 358 | 7.7 | 14.5 | 9.1 | 0.31 | 1.04 | C15 |
| Stomach | 725 | 11.9 | 26.4 | 19.4 | 1.04 | 2.41 | 327 | 7.1 | 13.2 | 8.9 | 0.41 | 1.03 | C16 |
| Small intestine | 36 | 0.6 | 1.3 | 1.0 | 0.07 | 0.12 | 22 | 0.5 | 0.9 | 0.6 | 0.03 | 0.09 | C17 |
| Colon | 171 | 2.8 | 6.2 | 4.8 | 0.30 | 0.59 | 139 | 3.0 | 5.6 | 4.0 | 0.25 | 0.47 | C18 |
| Rectum | 201 | 3.3 | 7.3 | 5.4 | 0.30 | 0.60 | 167 | 3.6 | 6.7 | 4.7 | 0.27 | 0.55 | C19–20 |
| Anus | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 1222 | 20.1 | 44.6 | 34.5 | 2.67 | 3.94 | 425 | 9.2 | 17.2 | 12.1 | 0.73 | 1.32 | C22 |
| Gallbladder etc. | 85 | 1.4 | 3.1 | 2.3 | 0.13 | 0.29 | 82 | 1.8 | 3.3 | 2.2 | 0.12 | 0.23 | C23–24 |
| Pancreas | 184 | 3.0 | 6.7 | 5.0 | 0.28 | 0.59 | 140 | 3.0 | 5.7 | 3.9 | 0.19 | 0.49 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C30–31 |
| Larynx | 43 | 0.7 | 1.6 | 1.2 | 0.06 | 0.17 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1330 | 21.9 | 48.5 | 35.5 | 1.79 | 4.39 | 791 | 17.1 | 31.9 | 22.1 | 1.14 | 2.58 | C33–34 |
| Other thoracic organs | 20 | 0.3 | 0.7 | 0.5 | 0.05 | 0.06 | 7 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 39 | 0.6 | 1.4 | 1.2 | 0.06 | 0.15 | 34 | 0.7 | 1.4 | 1.0 | 0.06 | 0.10 | C40–41 |
| Melanoma of skin | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 8 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C43 |
| Other skin | 33 | 0.5 | 1.2 | 0.9 | 0.03 | 0.07 | 37 | 0.8 | 1.5 | 1.0 | 0.04 | 0.09 | C44 |
| Mesothelioma | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 13 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 11 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C47+C49 |
| Breast | 13 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 711 | 15.4 | 28.7 | 22.4 | 1.86 | 2.30 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 302 | 6.5 | 12.2 | 9.7 | 0.80 | 0.98 | C53 |
| Corpus uteri | | | | | | | 125 | 2.7 | 5.0 | 3.9 | 0.35 | 0.42 | C54 |
| Uterus unspecified | | | | | | | 41 | 0.9 | 1.7 | 1.2 | 0.07 | 0.12 | C55 |
| Ovary | | | | | | | 119 | 2.6 | 4.8 | 3.7 | 0.27 | 0.38 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 19 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 120 | 2.0 | 4.4 | 3.0 | 0.03 | 0.36 | | | | | | | C61 |
| Testis | 12 | 0.2 | 0.4 | 0.4 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 77 | 1.3 | 2.8 | 2.3 | 0.12 | 0.25 | 50 | 1.1 | 2.0 | 1.7 | 0.10 | 0.17 | C64 |
| Renal pelvis | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 7 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 9 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 172 | 2.8 | 6.3 | 4.6 | 0.22 | 0.51 | 39 | 0.8 | 1.6 | 1.1 | 0.06 | 0.13 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 145 | 2.4 | 5.3 | 4.3 | 0.29 | 0.45 | 141 | 3.0 | 5.7 | 4.5 | 0.25 | 0.42 | C70–72 |
| Thyroid | 30 | 0.5 | 1.1 | 0.9 | 0.07 | 0.09 | 204 | 4.4 | 8.2 | 6.5 | 0.55 | 0.66 | C73 |
| Adrenal gland | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 16 | 0.3 | 0.6 | 0.4 | 0.02 | 0.05 | 14 | 0.3 | 0.6 | 0.5 | 0.04 | 0.04 | C75 |
| Hodgkin lymphoma | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 130 | 2.1 | 4.7 | 3.8 | 0.25 | 0.40 | 74 | 1.6 | 3.0 | 2.3 | 0.14 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 32 | 0.5 | 1.2 | 0.9 | 0.05 | 0.13 | 19 | 0.4 | 0.8 | 0.5 | 0.02 | 0.07 | C90 |
| Lymphoid leukaemia | 33 | 0.5 | 1.2 | 1.2 | 0.09 | 0.10 | 27 | 0.6 | 1.1 | 0.9 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 75 | 1.2 | 2.7 | 2.3 | 0.15 | 0.20 | 61 | 1.3 | 2.5 | 2.0 | 0.14 | 0.20 | C92–94 |
| Leukaemia unspecified | 51 | 0.8 | 1.9 | 1.7 | 0.09 | 0.15 | 41 | 0.9 | 1.7 | 1.3 | 0.07 | 0.10 | C95 |
| Myeloproliferative disorders | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 9 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 9 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | MPS |
| Other and unspecified | 42 | 0.7 | 1.5 | 1.2 | 0.06 | 0.10 | 24 | 0.5 | 1.0 | 0.7 | 0.03 | 0.05 | O&U |
| All sites | 6111 | | 222.9 | 167.5 | 9.66 | 19.84 | 4662 | | 188.3 | 137.3 | 8.66 | 14.86 | C00–96 |
| All sites except C44 | 6078 | 100.0 | 221.7 | 166.7 | 9.63 | 19.76 | 4625 | 100.0 | 186.8 | 136.3 | 8.63 | 14.77 | C00–96 exc.C44 |

*See note following population pyramid

China, Guilin City

CONTRIBUTORS

Zhao Hui Shi
Fu Sheng Jiang
Jie Tang
Ling Huang
Yu Shi



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 69.7 | Breast | 49.6 |
| Liver | 36.8 | Trachea, bronchus, and lung | 24.9 |
| Stomach | 21.5 | Cervix uteri | 15.8 |
| Colon | 20.3 | Colon | 15.3 |
| Rectum | 18.6 | Thyroid | 10.2 |
| Prostate | 11.2 | Liver | 10.0 |
| Nasopharynx | 10.3 | Rectum | 10.0 |
| Oesophagus | 8.7 | Corpus uteri | 9.6 |
| Bladder | 7.5 | Stomach | 9.3 |
| Non-Hodgkin lymphoma | 7.4 | Ovary | 8.1 |
| Pancreas | 5.8 | Brain and nervous system | 5.2 |
| Brain and nervous system | 5.1 | Non-Hodgkin lymphoma | 4.3 |
| Larynx | 4.4 | Nasopharynx | 4.2 |
| Kidney | 4.3 | Pancreas | 3.4 |
| Leukaemia unspecified | 4.0 | Other and unspecified | 3.3 |
| Other and unspecified | 3.6 | Leukaemia unspecified | 2.6 |
| Myeloid leukaemia | 2.8 | Non-melanoma skin cancer | 2.5 |
| Gallbladder etc. | 2.6 | Gallbladder etc. | 2.3 |
| Bone | 2.2 | Connective and soft tissue | 2.0 |
| Thyroid | 2.1 | Myeloid leukaemia | 2.0 |
| All sites | 268.5 | All sites | 210.9 |


China, Guilin City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 25 | 0.4 | 1.3 | 1.1 | 0.07 | 0.12 | 12 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | C01–02 |
| Mouth | 22 | 0.4 | 1.1 | 1.0 | 0.06 | 0.11 | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 20 | 0.3 | 1.0 | 0.9 | 0.07 | 0.07 | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | C07–08 |
| Tonsil | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 240 | 4.1 | 12.4 | 10.3 | 0.76 | 1.24 | 103 | 2.1 | 5.3 | 4.2 | 0.34 | 0.46 | C11 |
| Hypopharynx | 32 | 0.5 | 1.7 | 1.5 | 0.10 | 0.18 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 9 | 0.2 | 0.5 | 0.4 | 0.01 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 193 | 3.3 | 10.0 | 8.7 | 0.56 | 0.93 | 21 | 0.4 | 1.1 | 0.9 | 0.03 | 0.13 | C15 |
| Stomach | 475 | 8.1 | 24.5 | 21.5 | 1.04 | 2.59 | 235 | 4.7 | 12.1 | 9.3 | 0.44 | 1.04 | C16 |
| Small intestine | 22 | 0.4 | 1.1 | 1.0 | 0.06 | 0.13 | 21 | 0.4 | 1.1 | 0.9 | 0.06 | 0.10 | C17 |
| Colon | 448 | 7.6 | 23.1 | 20.3 | 0.95 | 2.37 | 370 | 7.4 | 19.0 | 15.3 | 0.72 | 1.77 | C18 |
| Rectum | 415 | 7.0 | 21.4 | 18.6 | 0.95 | 2.18 | 246 | 4.9 | 12.6 | 10.0 | 0.57 | 1.10 | C19–20 |
| Anus | 11 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 841 | 14.3 | 43.4 | 36.8 | 2.26 | 4.52 | 244 | 4.9 | 12.5 | 10.0 | 0.46 | 1.15 | C22 |
| Gallbladder etc. | 56 | 0.9 | 2.9 | 2.6 | 0.10 | 0.29 | 55 | 1.1 | 2.8 | 2.3 | 0.10 | 0.27 | C23–24 |
| Pancreas | 130 | 2.2 | 6.7 | 5.8 | 0.28 | 0.65 | 84 | 1.7 | 4.3 | 3.4 | 0.19 | 0.38 | C25 |
| Nose, sinuses etc. | 11 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | C30–31 |
| Larynx | 99 | 1.7 | 5.1 | 4.4 | 0.23 | 0.54 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1518 | 25.7 | 78.3 | 69.7 | 3.24 | 8.16 | 608 | 12.1 | 31.2 | 24.9 | 1.25 | 2.79 | C33–34 |
| Other thoracic organs | 21 | 0.4 | 1.1 | 1.0 | 0.06 | 0.11 | 12 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | C37–38 |
| Bone | 45 | 0.8 | 2.3 | 2.2 | 0.09 | 0.21 | 29 | 0.6 | 1.5 | 1.4 | 0.05 | 0.17 | C40–41 |
| Melanoma of skin | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 14 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | C43 |
| Other skin | 47 | 0.8 | 2.4 | 2.1 | 0.11 | 0.22 | 61 | 1.2 | 3.1 | 2.5 | 0.10 | 0.25 | C44 |
| Mesothelioma | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 29 | 0.5 | 1.5 | 1.4 | 0.08 | 0.14 | 41 | 0.8 | 2.1 | 2.0 | 0.14 | 0.22 | C47+C49 |
| Breast | 8 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | 1197 | 23.8 | 61.5 | 49.6 | 3.81 | 5.61 | C50 |
| Vulva | | | | | | | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 380 | 7.6 | 19.5 | 15.8 | 1.23 | 1.72 | C53 |
| Corpus uteri | | | | | | | 229 | 4.6 | 11.8 | 9.6 | 0.84 | 1.05 | C54 |
| Uterus unspecified | | | | | | | 30 | 0.6 | 1.5 | 1.2 | 0.08 | 0.14 | C55 |
| Ovary | | | | | | | 182 | 3.6 | 9.4 | 8.1 | 0.57 | 0.90 | C56 |
| Other female genital organs | | | | | | | 7 | 0.1 | 0.4 | 0.3 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 9 | 0.2 | 0.5 | 0.4 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 252 | 4.3 | 13.0 | 11.2 | 0.16 | 1.10 | | | | | | | C61 |
| Testis | 13 | 0.2 | 0.7 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 96 | 1.6 | 5.0 | 4.3 | 0.24 | 0.50 | 35 | 0.7 | 1.8 | 1.5 | 0.09 | 0.15 | C64 |
| Renal pelvis | 10 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 10 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | 11 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C66 |
| Bladder | 166 | 2.8 | 8.6 | 7.5 | 0.31 | 0.83 | 40 | 0.8 | 2.1 | 1.7 | 0.10 | 0.18 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 105 | 1.8 | 5.4 | 5.1 | 0.30 | 0.53 | 116 | 2.3 | 6.0 | 5.2 | 0.30 | 0.59 | C70–72 |
| Thyroid | 55 | 0.9 | 2.8 | 2.1 | 0.18 | 0.22 | 255 | 5.1 | 13.1 | 10.2 | 0.85 | 1.02 | C73 |
| Adrenal gland | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | 12 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C75 |
| Hodgkin lymphoma | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 160 | 2.7 | 8.3 | 7.4 | 0.41 | 0.80 | 104 | 2.1 | 5.3 | 4.3 | 0.25 | 0.49 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 34 | 0.6 | 1.8 | 1.6 | 0.06 | 0.24 | 33 | 0.7 | 1.7 | 1.5 | 0.07 | 0.18 | C90 |
| Lymphoid leukaemia | 23 | 0.4 | 1.2 | 1.1 | 0.06 | 0.12 | 21 | 0.4 | 1.1 | 1.0 | 0.04 | 0.11 | C91 |
| Myeloid leukaemia | 57 | 1.0 | 2.9 | 2.8 | 0.16 | 0.36 | 46 | 0.9 | 2.4 | 2.0 | 0.14 | 0.21 | C92–94 |
| Leukaemia unspecified | 80 | 1.4 | 4.1 | 4.0 | 0.18 | 0.38 | 57 | 1.1 | 2.9 | 2.6 | 0.12 | 0.35 | C95 |
| Myeloproliferative disorders | 9 | 0.2 | 0.5 | 0.4 | 0.03 | 0.06 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 79 | 1.3 | 4.1 | 3.6 | 0.17 | 0.34 | 81 | 1.6 | 4.2 | 3.3 | 0.16 | 0.30 | O&U |
| All sites | 5944 | | 306.7 | 268.5 | 13.72 | 30.97 | 5083 | | 261.3 | 210.9 | 13.50 | 23.49 | C00–96 |
| All sites except C44 | 5897 | 100.0 | 304.2 | 266.4 | 13.60 | 30.74 | 5022 | 100.0 | 258.1 | 208.3 | 13.40 | 23.25 | C00–96 exc. C44 |

China, Hai'an City

CONTRIBUTORS

Yun Qian
Guang Ji
Xiaoling Ji
Jinxin Yu
Xiaojian Wang
Jing Sun



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 38.1 | Breast | 25.8 |
| Trachea, bronchus, and lung | 35.6 | Trachea, bronchus, and lung | 19.8 |
| Liver | 25.3 | Oesophagus | 19.2 |
| Stomach | 24.4 | Cervix uteri | 13.5 |
| Rectum | 9.9 | Stomach | 10.5 |
| Pancreas | 6.1 | Liver | 8.1 |
| Colon | 6.0 | Rectum | 6.5 |
| Prostate | 5.1 | Colon | 4.8 |
| Bladder | 4.8 | Ovary | 4.5 |
| Non-Hodgkin lymphoma | 3.7 | Pancreas | 4.4 |
| Brain and nervous system | 3.5 | Corpus uteri | 4.4 |
| Gallbladder etc. | 2.7 | Brain and nervous system | 3.7 |
| Myeloid leukaemia | 2.3 | Non-Hodgkin lymphoma | 3.0 |
| Non-melanoma skin cancer | 1.7 | Thyroid | 2.8 |
| Kidney | 1.7 | Gallbladder etc. | 2.7 |
| Nasopharynx | 1.6 | Myeloid leukaemia | 1.9 |
| Leukaemia unspecified | 1.2 | Non-melanoma skin cancer | 1.3 |
| Bone | 1.1 | Uterus unspecified | 1.3 |
| Thyroid | 1.0 | Bone | 1.2 |
| Larynx | 1.0 | Bladder | 1.2 |
| All sites | 187.4 | All sites | 151.5 |

*China, Hai'an City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 19 | 0.2 | 0.8 | 0.3 | 0.03 | 0.04 | 17 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C01–02 |
| Mouth | 33 | 0.3 | 1.4 | 0.6 | 0.03 | 0.08 | 49 | 0.6 | 2.1 | 0.7 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 18 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C07–08 |
| Tonsil | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 71 | 0.7 | 3.0 | 1.6 | 0.13 | 0.16 | 24 | 0.3 | 1.0 | 0.7 | 0.05 | 0.06 | C11 |
| Hypopharynx | 17 | 0.2 | 0.7 | 0.3 | 0.01 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2325 | 22.1 | 99.8 | 38.1 | 1.57 | 4.80 | 1305 | 16.1 | 55.1 | 19.2 | 0.60 | 2.41 | C15 |
| Stomach | 1491 | 14.2 | 64.0 | 24.4 | 1.02 | 2.98 | 654 | 8.1 | 27.6 | 10.5 | 0.47 | 1.20 | C16 |
| Small intestine | 52 | 0.5 | 2.2 | 1.0 | 0.05 | 0.12 | 31 | 0.4 | 1.3 | 0.5 | 0.03 | 0.07 | C17 |
| Colon | 324 | 3.1 | 13.9 | 6.0 | 0.32 | 0.69 | 292 | 3.6 | 12.3 | 4.8 | 0.27 | 0.53 | C18 |
| Rectum | 557 | 5.3 | 23.9 | 9.9 | 0.52 | 1.18 | 373 | 4.6 | 15.7 | 6.5 | 0.34 | 0.76 | C19–20 |
| Anus | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 1237 | 11.8 | 53.1 | 25.3 | 1.80 | 2.85 | 459 | 5.7 | 19.4 | 8.1 | 0.49 | 0.95 | C22 |
| Gallbladder etc. | 165 | 1.6 | 7.1 | 2.7 | 0.13 | 0.29 | 173 | 2.1 | 7.3 | 2.7 | 0.12 | 0.31 | C23–24 |
| Pancreas | 369 | 3.5 | 15.8 | 6.1 | 0.24 | 0.73 | 284 | 3.5 | 12.0 | 4.4 | 0.21 | 0.47 | C25 |
| Nose, sinuses etc. | 29 | 0.3 | 1.2 | 0.6 | 0.03 | 0.07 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 57 | 0.5 | 2.4 | 1.0 | 0.05 | 0.13 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2092 | 19.9 | 89.8 | 35.6 | 1.63 | 4.53 | 1195 | 14.8 | 50.4 | 19.8 | 1.03 | 2.34 | C33–34 |
| Other thoracic organs | 24 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 50 | 0.5 | 2.1 | 1.1 | 0.06 | 0.10 | 52 | 0.6 | 2.2 | 1.2 | 0.06 | 0.12 | C40–41 |
| Melanoma of skin | 18 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 18 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 89 | 0.8 | 3.8 | 1.7 | 0.07 | 0.18 | 93 | 1.1 | 3.9 | 1.3 | 0.05 | 0.14 | C44 |
| Mesothelioma | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 19 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | 13 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | C47+C49 |
| Breast | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 1133 | 14.0 | 47.8 | 25.8 | 2.13 | 2.73 | C50 |
| Vulva | | | | | | | 14 | 0.2 | 0.6 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 619 | 7.6 | 26.1 | 13.5 | 1.03 | 1.45 | C53 |
| Corpus uteri | | | | | | | 205 | 2.5 | 8.6 | 4.4 | 0.35 | 0.49 | C54 |
| Uterus unspecified | | | | | | | 60 | 0.7 | 2.5 | 1.3 | 0.09 | 0.13 | C55 |
| Ovary | | | | | | | 209 | 2.6 | 8.8 | 4.5 | 0.36 | 0.51 | C56 |
| Other female genital organs | | | | | | | 18 | 0.2 | 0.8 | 0.5 | 0.04 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 49 | 0.5 | 2.1 | 0.9 | 0.05 | 0.11 | | | | | | | C60 |
| Prostate | 359 | 3.4 | 15.4 | 5.1 | 0.08 | 0.52 | | | | | | | C61 |
| Testis | 7 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 78 | 0.7 | 3.3 | 1.7 | 0.11 | 0.17 | 44 | 0.5 | 1.9 | 0.9 | 0.06 | 0.11 | C64 |
| Renal pelvis | 11 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 12 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 13 | 0.2 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 288 | 2.7 | 12.4 | 4.8 | 0.23 | 0.54 | 75 | 0.9 | 3.2 | 1.2 | 0.07 | 0.14 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 141 | 1.3 | 6.1 | 3.5 | 0.19 | 0.35 | 143 | 1.8 | 6.0 | 3.7 | 0.23 | 0.33 | C70–72 |
| Thyroid | 36 | 0.3 | 1.5 | 1.0 | 0.09 | 0.10 | 102 | 1.3 | 4.3 | 2.8 | 0.22 | 0.27 | C73 |
| Adrenal gland | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 13 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 193 | 1.8 | 8.3 | 3.7 | 0.19 | 0.42 | 159 | 2.0 | 6.7 | 3.0 | 0.19 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 45 | 0.4 | 1.9 | 0.8 | 0.05 | 0.10 | 44 | 0.5 | 1.9 | 0.8 | 0.05 | 0.09 | C90 |
| Lymphoid leukaemia | 40 | 0.4 | 1.7 | 0.9 | 0.04 | 0.09 | 40 | 0.5 | 1.7 | 0.7 | 0.04 | 0.09 | C91 |
| Myeloid leukaemia | 87 | 0.8 | 3.7 | 2.3 | 0.14 | 0.19 | 80 | 1.0 | 3.4 | 1.9 | 0.12 | 0.20 | C92–94 |
| Leukaemia unspecified | 40 | 0.4 | 1.7 | 1.2 | 0.07 | 0.12 | 38 | 0.5 | 1.6 | 1.1 | 0.06 | 0.08 | C95 |
| Myeloproliferative disorders | 7 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 32 | 0.3 | 1.4 | 0.6 | 0.03 | 0.09 | 16 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | MPS |
| Other and unspecified | 46 | 0.4 | 2.0 | 0.8 | 0.04 | 0.10 | 39 | 0.5 | 1.6 | 0.7 | 0.05 | 0.08 | O&U |
| All sites | 10606 | | 455.3 | 187.4 | 9.21 | 22.32 | 8194 | | 345.7 | 151.5 | 9.11 | 16.99 | C00–96 |
| All sites except C44 | 10517 | 100.0 | 451.5 | 185.7 | 9.14 | 22.13 | 8101 | 100.0 | 341.7 | 150.2 | 9.06 | 16.84 | C00–96 exc. C44 |

*See note following population pyramid

China, Hailar District, Hulun Buir City

CONTRIBUTORS

Zhou Tong
Kong Chengcheng
Liu Baoxia
Sun Suyuan



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 63.6 | Breast | 33.0 |
| Stomach | 28.5 | Trachea, bronchus, and lung | 31.1 |
| Liver | 26.3 | Thyroid | 15.8 |
| Oesophagus | 22.2 | Colon | 12.8 |
| Colon | 17.3 | Liver | 8.8 |
| Rectum | 13.6 | Cervix uteri | 8.4 |
| Pancreas | 9.5 | Stomach | 8.4 |
| Bladder | 9.4 | Rectum | 8.0 |
| Prostate | 9.0 | Ovary | 6.7 |
| Kidney | 7.8 | Pancreas | 6.2 |
| Thyroid | 4.7 | Corpus uteri | 5.2 |
| Non-Hodgkin lymphoma | 4.1 | Kidney | 4.6 |
| Gallbladder etc. | 3.7 | Non-Hodgkin lymphoma | 2.9 |
| Brain and nervous system | 3.7 | Brain and nervous system | 2.9 |
| Larynx | 2.8 | Gallbladder etc. | 2.2 |
| Hypopharynx | 2.1 | Bladder | 2.0 |
| Myeloid leukaemia | 1.9 | Oesophagus | 2.0 |
| Leukaemia unspecified | 1.7 | Leukaemia unspecified | 1.4 |
| Other and unspecified | 1.4 | Lymphoid leukaemia | 1.2 |
| Connective and soft tissue | 1.4 | Myeloid leukaemia | 1.0 |
| All sites | 249.5 | All sites | 176.3 |


China, Hailar District, Hulun Buir City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 10 | 0.4 | 1.1 | 0.9 | 0.06 | 0.11 | 5 | 0.2 | 0.6 | 0.5 | 0.01 | 0.07 | C01–02 |
| Mouth | 14 | 0.5 | 1.6 | 1.1 | 0.09 | 0.12 | 6 | 0.3 | 0.7 | 0.5 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 7 | 0.3 | 0.8 | 0.6 | 0.06 | 0.06 | 3 | 0.1 | 0.3 | 0.3 | 0.00 | 0.04 | C07–08 |
| Tonsil | 5 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C09 |
| Other oropharynx | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 14 | 0.5 | 1.6 | 1.2 | 0.11 | 0.13 | 5 | 0.2 | 0.6 | 0.5 | 0.01 | 0.04 | C11 |
| Hypopharynx | 27 | 1.0 | 3.1 | 2.1 | 0.17 | 0.22 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 246 | 9.1 | 28.1 | 22.2 | 1.44 | 2.84 | 24 | 1.1 | 2.8 | 2.0 | 0.08 | 0.19 | C15 |
| Stomach | 303 | 11.1 | 34.6 | 28.5 | 1.35 | 3.61 | 112 | 5.0 | 12.9 | 8.4 | 0.48 | 0.86 | C16 |
| Small intestine | 7 | 0.3 | 0.8 | 0.7 | 0.04 | 0.08 | 13 | 0.6 | 1.5 | 0.9 | 0.06 | 0.07 | C17 |
| Colon | 179 | 6.6 | 20.4 | 17.3 | 0.79 | 2.03 | 151 | 6.8 | 17.4 | 12.8 | 0.54 | 1.62 | C18 |
| Rectum | 152 | 5.6 | 17.4 | 13.6 | 0.84 | 1.68 | 104 | 4.6 | 12.0 | 8.0 | 0.39 | 0.90 | C19–20 |
| Anus | 6 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C21 |
| Liver | 299 | 11.0 | 34.1 | 26.3 | 1.64 | 3.12 | 111 | 5.0 | 12.8 | 8.8 | 0.36 | 0.97 | C22 |
| Gallbladder etc. | 37 | 1.4 | 4.2 | 3.7 | 0.12 | 0.50 | 30 | 1.3 | 3.5 | 2.2 | 0.11 | 0.23 | C23–24 |
| Pancreas | 106 | 3.9 | 12.1 | 9.5 | 0.46 | 1.21 | 76 | 3.4 | 8.8 | 6.2 | 0.29 | 0.76 | C25 |
| Nose, sinuses etc. | 5 | 0.2 | 0.6 | 0.3 | 0.02 | 0.05 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 33 | 1.2 | 3.8 | 2.8 | 0.16 | 0.31 | 8 | 0.4 | 0.9 | 0.5 | 0.00 | 0.04 | C32 |
| Trachea, bronchus, and lung | 686 | 25.2 | 78.3 | 63.6 | 2.70 | 7.74 | 399 | 17.8 | 46.0 | 31.1 | 1.25 | 3.38 | C33–34 |
| Other thoracic organs | 8 | 0.3 | 0.9 | 0.7 | 0.07 | 0.07 | 7 | 0.3 | 0.8 | 0.6 | 0.04 | 0.10 | C37–38 |
| Bone | 11 | 0.4 | 1.3 | 1.3 | 0.08 | 0.16 | 11 | 0.5 | 1.3 | 0.9 | 0.05 | 0.09 | C40–41 |
| Melanoma of skin | 4 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | C43 |
| Other skin | 12 | 0.4 | 1.4 | 1.3 | 0.07 | 0.12 | 12 | 0.5 | 1.4 | 1.0 | 0.06 | 0.12 | C44 |
| Mesothelioma | 4 | 0.1 | 0.5 | 0.4 | 0.01 | 0.03 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 10 | 0.4 | 1.1 | 1.4 | 0.07 | 0.12 | 7 | 0.3 | 0.8 | 0.6 | 0.02 | 0.04 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 441 | 19.7 | 50.8 | 33.0 | 2.66 | 3.62 | C50 |
| Vulva | | | | | | | 6 | 0.3 | 0.7 | 0.5 | 0.01 | 0.07 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 109 | 4.9 | 12.6 | 8.4 | 0.70 | 0.90 | C53 |
| Corpus uteri | | | | | | | 67 | 3.0 | 7.7 | 5.2 | 0.40 | 0.65 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 87 | 3.9 | 10.0 | 6.7 | 0.50 | 0.82 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 4 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | | | | | | | C60 |
| Prostate | 88 | 3.2 | 10.0 | 9.0 | 0.14 | 0.89 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 95 | 3.5 | 10.8 | 7.8 | 0.50 | 1.01 | 53 | 2.4 | 6.1 | 4.6 | 0.21 | 0.50 | C64 |
| Renal pelvis | 2 | 0.1 | 0.2 | 0.3 | 0.00 | 0.03 | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 7 | 0.3 | 0.8 | 0.7 | 0.02 | 0.05 | 11 | 0.5 | 1.3 | 0.7 | 0.02 | 0.05 | C66 |
| Bladder | 99 | 3.6 | 11.3 | 9.4 | 0.41 | 1.01 | 25 | 1.1 | 2.9 | 2.0 | 0.08 | 0.20 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 39 | 1.4 | 4.5 | 3.7 | 0.23 | 0.38 | 35 | 1.6 | 4.0 | 2.9 | 0.19 | 0.32 | C70–72 |
| Thyroid | 63 | 2.3 | 7.2 | 4.7 | 0.38 | 0.48 | 202 | 9.0 | 23.3 | 15.8 | 1.37 | 1.61 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 4 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C75 |
| Hodgkin lymphoma | 4 | 0.1 | 0.5 | 0.4 | 0.03 | 0.06 | 3 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 44 | 1.6 | 5.0 | 4.1 | 0.18 | 0.51 | 37 | 1.7 | 4.3 | 2.9 | 0.14 | 0.34 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 11 | 0.4 | 1.3 | 1.1 | 0.06 | 0.14 | 7 | 0.3 | 0.8 | 0.5 | 0.01 | 0.07 | C90 |
| Lymphoid leukaemia | 9 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | 8 | 0.4 | 0.9 | 1.2 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 22 | 0.8 | 2.5 | 1.9 | 0.13 | 0.23 | 13 | 0.6 | 1.5 | 1.0 | 0.08 | 0.12 | C92–94 |
| Leukaemia unspecified | 19 | 0.7 | 2.2 | 1.8 | 0.12 | 0.17 | 14 | 0.6 | 1.6 | 1.4 | 0.09 | 0.11 | C95 |
| Myeloproliferative disorders | 4 | 0.1 | 0.5 | 0.4 | 0.01 | 0.06 | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 18 | 0.7 | 2.1 | 1.4 | 0.06 | 0.11 | 13 | 0.6 | 1.5 | 1.0 | 0.03 | 0.07 | O&U |
| All sites | 2730 | | 311.7 | 249.5 | 12.86 | 29.82 | 2249 | | 259.2 | 176.3 | 10.56 | 19.43 | C00–96 |
| All sites except C44 | 2718 | 100.0 | 310.3 | 248.2 | 12.79 | 29.70 | 2237 | 100.0 | 257.8 | 175.4 | 10.50 | 19.30 | C00–96 exc. C44 |

China, Haimen District, Nantong City

CONTRIBUTORS

Xin Feng
Pei-Xin Huang
Min Qiu
Zhuo-Jian Ni
Yan-Lei Yang
Jin-Gao Tang



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 58.2 | Trachea, bronchus, and lung | 28.8 |
| Liver | 35.9 | Breast | 25.8 |
| Stomach | 25.4 | Cervix uteri | 14.5 |
| Colon | 10.9 | Stomach | 13.9 |
| Rectum | 10.8 | Thyroid | 13.4 |
| Oesophagus | 10.6 | Liver | 12.4 |
| Prostate | 8.9 | Colon | 7.9 |
| Pancreas | 7.3 | Rectum | 7.1 |
| Bladder | 7.1 | Pancreas | 6.2 |
| Non-Hodgkin lymphoma | 5.4 | Corpus uteri | 5.7 |
| Brain and nervous system | 4.6 | Ovary | 5.4 |
| Thyroid | 4.4 | Non-Hodgkin lymphoma | 4.3 |
| Kidney | 3.2 | Oesophagus | 4.1 |
| Gallbladder etc. | 3.0 | Brain and nervous system | 4.1 |
| Non-melanoma skin cancer | 2.9 | Gallbladder etc. | 3.6 |
| Nasopharynx | 2.7 | Non-melanoma skin cancer | 3.4 |
| Myeloid leukaemia | 2.0 | Kidney | 2.4 |
| Leukaemia unspecified | 1.8 | Myeloid leukaemia | 2.3 |
| Larynx | 1.7 | Bladder | 1.8 |
| Multiple myeloma | 1.5 | Other and unspecified | 1.4 |
| All sites | 222.1 | All sites | 183.6 |


China, Haimen District, Nantong City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 7 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 25 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 20 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 29 | 0.3 | 1.2 | 0.6 | 0.03 | 0.06 | 27 | 0.3 | 1.1 | 0.5 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 28 | 0.2 | 1.1 | 0.6 | 0.05 | 0.07 | 28 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 112 | 1.0 | 4.5 | 2.7 | 0.22 | 0.28 | 48 | 0.5 | 1.9 | 1.0 | 0.07 | 0.12 | C11 |
| Hypopharynx | 11 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 591 | 5.2 | 24.0 | 10.6 | 0.48 | 1.29 | 273 | 3.0 | 10.7 | 4.1 | 0.11 | 0.46 | C15 |
| Stomach | 1370 | 12.0 | 55.6 | 25.4 | 1.29 | 3.00 | 762 | 8.5 | 30.0 | 13.9 | 0.73 | 1.62 | C16 |
| Small intestine | 36 | 0.3 | 1.5 | 0.7 | 0.03 | 0.08 | 30 | 0.3 | 1.2 | 0.6 | 0.03 | 0.08 | C17 |
| Colon | 570 | 5.0 | 23.1 | 10.9 | 0.59 | 1.34 | 461 | 5.1 | 18.1 | 7.9 | 0.40 | 0.95 | C18 |
| Rectum | 568 | 5.0 | 23.1 | 10.8 | 0.54 | 1.30 | 397 | 4.4 | 15.6 | 7.1 | 0.37 | 0.86 | C19–20 |
| Anus | 13 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 1633 | 14.3 | 66.3 | 35.9 | 2.73 | 4.06 | 675 | 7.5 | 26.5 | 12.4 | 0.79 | 1.42 | C22 |
| Gallbladder etc. | 167 | 1.5 | 6.8 | 3.0 | 0.16 | 0.38 | 213 | 2.4 | 8.4 | 3.6 | 0.17 | 0.42 | C23–24 |
| Pancreas | 405 | 3.6 | 16.4 | 7.3 | 0.36 | 0.82 | 381 | 4.2 | 15.0 | 6.2 | 0.21 | 0.72 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | 15 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 80 | 0.7 | 3.2 | 1.7 | 0.09 | 0.21 | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 3289 | 28.9 | 133.5 | 58.2 | 2.41 | 7.03 | 1652 | 18.3 | 65.0 | 28.8 | 1.54 | 3.38 | C33–34 |
| Other thoracic organs | 45 | 0.4 | 1.8 | 1.0 | 0.08 | 0.12 | 36 | 0.4 | 1.4 | 0.8 | 0.05 | 0.08 | C37–38 |
| Bone | 56 | 0.5 | 2.3 | 1.3 | 0.08 | 0.13 | 44 | 0.5 | 1.7 | 1.3 | 0.07 | 0.11 | C40–41 |
| Melanoma of skin | 35 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | 25 | 0.3 | 1.0 | 0.4 | 0.02 | 0.05 | C43 |
| Other skin | 170 | 1.5 | 6.9 | 2.9 | 0.09 | 0.29 | 230 | 2.6 | 9.0 | 3.4 | 0.13 | 0.32 | C44 |
| Mesothelioma | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 37 | 0.3 | 1.5 | 1.0 | 0.06 | 0.09 | 36 | 0.4 | 1.4 | 0.9 | 0.05 | 0.10 | C47+C49 |
| Breast | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 1176 | 13.0 | 46.2 | 25.8 | 2.06 | 2.91 | C50 |
| Vulva | | | | | | | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C51 |
| Vagina | | | | | | | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 610 | 6.8 | 24.0 | 14.5 | 1.22 | 1.48 | C53 |
| Corpus uteri | | | | | | | 257 | 2.9 | 10.1 | 5.7 | 0.48 | 0.68 | C54 |
| Uterus unspecified | | | | | | | 27 | 0.3 | 1.1 | 0.5 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 232 | 2.6 | 9.1 | 5.4 | 0.42 | 0.62 | C56 |
| Other female genital organs | | | | | | | 29 | 0.3 | 1.1 | 0.6 | 0.05 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 567 | 5.0 | 23.0 | 8.9 | 0.16 | 0.92 | | | | | | | C61 |
| Testis | 15 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 158 | 1.4 | 6.4 | 3.2 | 0.19 | 0.40 | 115 | 1.3 | 4.5 | 2.4 | 0.16 | 0.27 | C64 |
| Renal pelvis | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C65 |
| Ureter | 16 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 10 | 0.1 | 0.4 | 0.1 | 0.01 | 0.02 | C66 |
| Bladder | 411 | 3.6 | 16.7 | 7.1 | 0.28 | 0.83 | 107 | 1.2 | 4.2 | 1.8 | 0.05 | 0.26 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 185 | 1.6 | 7.5 | 4.6 | 0.29 | 0.48 | 175 | 1.9 | 6.9 | 4.1 | 0.28 | 0.43 | C70–72 |
| Thyroid | 146 | 1.3 | 5.9 | 4.4 | 0.35 | 0.41 | 514 | 5.7 | 20.2 | 13.4 | 1.10 | 1.33 | C73 |
| Adrenal gland | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 253 | 2.2 | 10.3 | 5.4 | 0.28 | 0.63 | 209 | 2.3 | 8.2 | 4.3 | 0.26 | 0.51 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 84 | 0.7 | 3.4 | 1.5 | 0.06 | 0.18 | 64 | 0.7 | 2.5 | 1.3 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 38 | 0.3 | 1.5 | 1.2 | 0.06 | 0.10 | 30 | 0.3 | 1.2 | 1.0 | 0.05 | 0.09 | C91 |
| Myeloid leukaemia | 84 | 0.7 | 3.4 | 2.0 | 0.11 | 0.20 | 85 | 0.9 | 3.3 | 2.3 | 0.15 | 0.25 | C92–94 |
| Leukaemia unspecified | 74 | 0.6 | 3.0 | 1.8 | 0.09 | 0.15 | 42 | 0.5 | 1.7 | 1.3 | 0.06 | 0.11 | C95 |
| Myeloproliferative disorders | 18 | 0.2 | 0.7 | 0.4 | 0.02 | 0.03 | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 54 | 0.5 | 2.2 | 0.9 | 0.04 | 0.09 | 47 | 0.5 | 1.8 | 1.0 | 0.04 | 0.10 | MPS |
| Other and unspecified | 60 | 0.5 | 2.4 | 1.2 | 0.06 | 0.14 | 69 | 0.8 | 2.7 | 1.4 | 0.07 | 0.16 | O&U |
| All sites | 11565 | | 469.6 | 222.1 | 11.62 | 25.66 | 9246 | | 363.6 | 183.6 | 11.55 | 20.65 | C00–96 |
| All sites except C44 | 11395 | 100.0 | 462.7 | 219.2 | 11.53 | 25.38 | 9016 | 100.0 | 354.5 | 180.2 | 11.43 | 20.33 | C00–96 exc. C44 |

China, Haining City

CONTRIBUTORS

Yun-Feng Zhu
Yue-Gang Tie
Wei-Hua Ma
Xin-Min Chen
Li-Juan Zhu
Jing Yang
Lin Feng
Ping-Jing Shen
Yun-Feng Xu
Xiao-Hua Wang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 51.4 | Thyroid | 34.6 |
| Liver | 16.8 | Breast | 30.6 |
| Stomach | 16.1 | Trachea, bronchus, and lung | 27.1 |
| Prostate | 11.6 | Cervix uteri | 8.9 |
| Colon | 10.7 | Stomach | 8.3 |
| Thyroid | 9.3 | Colon | 8.1 |
| Rectum | 8.7 | Liver | 6.6 |
| Pancreas | 8.1 | Pancreas | 5.6 |
| Oesophagus | 7.4 | Rectum | 5.4 |
| Non-Hodgkin lymphoma | 5.0 | Ovary | 5.1 |
| Bladder | 5.0 | Corpus uteri | 4.7 |
| Kidney | 3.9 | Gallbladder etc. | 3.5 |
| Brain and nervous system | 3.9 | Non-Hodgkin lymphoma | 3.4 |
| Nasopharynx | 3.6 | Brain and nervous system | 3.1 |
| Gallbladder etc. | 2.7 | Non-melanoma skin cancer | 2.4 |
| Lymphoid leukaemia | 2.6 | Kidney | 2.1 |
| Leukaemia unspecified | 2.3 | Myeloid leukaemia | 1.9 |
| Non-melanoma skin cancer | 2.2 | Oesophagus | 1.9 |
| Multiple myeloma | 1.9 | Leukaemia unspecified | 1.7 |
| Myeloid leukaemia | 1.8 | Lymphoid leukaemia | 1.5 |
| All sites | 187.6 | All sites | 179.2 |


China, Haining City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 13 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | 9 | 0.2 | 0.5 | 0.2 | 0.01 | 0.03 | C01–02 |
| Mouth | 20 | 0.3 | 1.2 | 0.6 | 0.03 | 0.07 | 17 | 0.3 | 1.0 | 0.4 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 10 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 18 | 0.3 | 1.0 | 0.6 | 0.04 | 0.08 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 105 | 1.7 | 6.3 | 3.6 | 0.28 | 0.40 | 40 | 0.7 | 2.3 | 1.3 | 0.10 | 0.13 | C11 |
| Hypopharynx | 23 | 0.4 | 1.4 | 0.7 | 0.05 | 0.08 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 275 | 4.5 | 16.6 | 7.4 | 0.27 | 0.86 | 83 | 1.5 | 4.8 | 1.9 | 0.04 | 0.21 | C15 |
| Stomach | 555 | 9.1 | 33.4 | 16.1 | 0.80 | 1.95 | 294 | 5.3 | 17.1 | 8.3 | 0.43 | 0.94 | C16 |
| Small intestine | 31 | 0.5 | 1.9 | 0.9 | 0.04 | 0.11 | 32 | 0.6 | 1.9 | 0.9 | 0.07 | 0.09 | C17 |
| Colon | 358 | 5.9 | 21.6 | 10.7 | 0.57 | 1.27 | 290 | 5.2 | 16.8 | 8.1 | 0.43 | 1.00 | C18 |
| Rectum | 300 | 4.9 | 18.1 | 8.7 | 0.51 | 1.02 | 205 | 3.7 | 11.9 | 5.4 | 0.29 | 0.61 | C19–20 |
| Anus | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 8 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 546 | 8.9 | 32.9 | 16.8 | 1.01 | 1.85 | 244 | 4.4 | 14.2 | 6.6 | 0.35 | 0.78 | C22 |
| Gallbladder etc. | 101 | 1.7 | 6.1 | 2.7 | 0.11 | 0.27 | 140 | 2.5 | 8.1 | 3.5 | 0.15 | 0.37 | C23–24 |
| Pancreas | 288 | 4.7 | 17.4 | 8.1 | 0.36 | 1.02 | 240 | 4.3 | 13.9 | 5.6 | 0.20 | 0.61 | C25 |
| Nose, sinuses etc. | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C30–31 |
| Larynx | 49 | 0.8 | 3.0 | 1.4 | 0.07 | 0.18 | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1813 | 29.7 | 109.3 | 51.4 | 2.19 | 6.41 | 983 | 17.6 | 57.1 | 27.1 | 1.64 | 3.12 | C33–34 |
| Other thoracic organs | 20 | 0.3 | 1.2 | 0.8 | 0.04 | 0.09 | 11 | 0.2 | 0.6 | 0.3 | 0.02 | 0.05 | C37–38 |
| Bone | 14 | 0.2 | 0.8 | 0.7 | 0.05 | 0.05 | 19 | 0.3 | 1.1 | 0.5 | 0.02 | 0.06 | C40–41 |
| Melanoma of skin | 11 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | 21 | 0.4 | 1.2 | 0.5 | 0.03 | 0.06 | C43 |
| Other skin | 84 | 1.4 | 5.1 | 2.2 | 0.06 | 0.22 | 104 | 1.9 | 6.0 | 2.4 | 0.08 | 0.23 | C44 |
| Mesothelioma | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.2 | 0.9 | 0.6 | 0.04 | 0.05 | 15 | 0.3 | 0.9 | 0.7 | 0.05 | 0.06 | C47+C49 |
| Breast | 10 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | 901 | 16.2 | 52.3 | 30.6 | 2.62 | 3.18 | C50 |
| Vulva | | | | | | | 11 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 244 | 4.4 | 14.2 | 8.9 | 0.74 | 0.88 | C53 |
| Corpus uteri | | | | | | | 145 | 2.6 | 8.4 | 4.7 | 0.42 | 0.52 | C54 |
| Uterus unspecified | | | | | | | 28 | 0.5 | 1.6 | 0.9 | 0.07 | 0.08 | C55 |
| Ovary | | | | | | | 156 | 2.8 | 9.1 | 5.1 | 0.41 | 0.53 | C56 |
| Other female genital organs | | | | | | | 15 | 0.3 | 0.9 | 0.6 | 0.05 | 0.06 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 19 | 0.3 | 1.1 | 0.6 | 0.03 | 0.09 | | | | | | | C60 |
| Prostate | 433 | 7.1 | 26.1 | 11.6 | 0.21 | 1.41 | | | | | | | C61 |
| Testis | 10 | 0.2 | 0.6 | 0.6 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 9 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 120 | 2.0 | 7.2 | 3.9 | 0.29 | 0.45 | 63 | 1.1 | 3.7 | 2.1 | 0.14 | 0.23 | C64 |
| Renal pelvis | 12 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 11 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 176 | 2.9 | 10.6 | 5.0 | 0.22 | 0.58 | 45 | 0.8 | 2.6 | 1.2 | 0.06 | 0.14 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 94 | 1.5 | 5.7 | 3.9 | 0.21 | 0.34 | 83 | 1.5 | 4.8 | 3.1 | 0.16 | 0.29 | C70–72 |
| Thyroid | 224 | 3.7 | 13.5 | 9.3 | 0.76 | 0.89 | 861 | 15.4 | 50.0 | 34.6 | 2.94 | 3.30 | C73 |
| Adrenal gland | 6 | 0.1 | 0.4 | 0.6 | 0.03 | 0.03 | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 151 | 2.5 | 9.1 | 5.0 | 0.26 | 0.56 | 98 | 1.8 | 5.7 | 3.4 | 0.23 | 0.35 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 68 | 1.1 | 4.1 | 1.9 | 0.10 | 0.24 | 45 | 0.8 | 2.6 | 1.3 | 0.07 | 0.19 | C90 |
| Lymphoid leukaemia | 35 | 0.6 | 2.1 | 2.6 | 0.14 | 0.17 | 22 | 0.4 | 1.3 | 1.5 | 0.09 | 0.10 | C91 |
| Myeloid leukaemia | 44 | 0.7 | 2.7 | 1.8 | 0.11 | 0.21 | 50 | 0.9 | 2.9 | 1.9 | 0.14 | 0.21 | C92–94 |
| Leukaemia unspecified | 60 | 1.0 | 3.6 | 2.3 | 0.09 | 0.22 | 59 | 1.1 | 3.4 | 1.7 | 0.09 | 0.20 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 10 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | 8 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | MPS |
| Other and unspecified | 29 | 0.5 | 1.7 | 0.9 | 0.04 | 0.10 | 21 | 0.4 | 1.2 | 0.6 | 0.02 | 0.05 | O&U |
| All sites | 6195 | | 373.4 | 187.6 | 9.27 | 21.74 | 5680 | | 330.0 | 179.2 | 12.32 | 19.03 | C00–96 |
| All sites except C44 | 6111 | 100.0 | 368.3 | 185.3 | 9.20 | 21.52 | 5576 | 100.0 | 323.9 | 176.8 | 12.25 | 18.80 | C00–96 exc. C44 |

China, Hangzhou City

CONTRIBUTORS

Gang Zhao
Caixia Jiang
Jue Xu
Kang Qin
Yan Zhang
Lingbin Du
Huizhang Li
YanJun Ren
Kai Song



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.8 | Thyroid | 57.0 |
| Stomach | 21.5 | Breast | 34.2 |
| Liver | 19.2 | Trachea, bronchus, and lung | 26.5 |
| Thyroid | 18.1 | Cervix uteri | 12.9 |
| Prostate | 13.3 | Stomach | 9.9 |
| Rectum | 12.6 | Colon | 9.0 |
| Colon | 12.0 | Rectum | 7.4 |
| Oesophagus | 10.0 | Liver | 5.9 |
| Pancreas | 6.8 | Corpus uteri | 5.3 |
| Bladder | 5.3 | Ovary | 5.1 |
| Non-Hodgkin lymphoma | 5.2 | Pancreas | 4.7 |
| Brain and nervous system | 4.2 | Brain and nervous system | 4.1 |
| Kidney | 3.9 | Non-Hodgkin lymphoma | 3.5 |
| Nasopharynx | 3.4 | Gallbladder etc. | 3.1 |
| Myeloid leukaemia | 2.8 | Non-melanoma skin cancer | 2.5 |
| Non-melanoma skin cancer | 2.6 | Kidney | 2.2 |
| Gallbladder etc. | 2.4 | Myeloid leukaemia | 2.0 |
| Lymphoid leukaemia | 2.1 | Other and unspecified | 1.9 |
| Larynx | 2.0 | Lymphoid leukaemia | 1.5 |
| Other and unspecified | 1.9 | Bladder | 1.4 |
| All sites | 213.3 | All sites | 214.2 |

China, Hangzhou City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 30 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 22 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 160 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | 94 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C01–02 |
| Mouth | 204 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | 130 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 172 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | 114 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 43 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 8 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 80 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 22 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 976 | 1.5 | 5.4 | 3.4 | 0.27 | 0.37 | 378 | 0.6 | 2.1 | 1.3 | 0.11 | 0.14 | C11 |
| Hypopharynx | 234 | 0.3 | 1.3 | 0.7 | 0.04 | 0.10 | 12 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 69 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 8 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 3376 | 5.0 | 18.8 | 10.0 | 0.55 | 1.28 | 477 | 0.8 | 2.6 | 1.2 | 0.03 | 0.13 | C15 |
| Stomach | 7235 | 10.8 | 40.4 | 21.5 | 1.09 | 2.66 | 3357 | 5.3 | 18.6 | 9.9 | 0.56 | 1.13 | C16 |
| Small intestine | 378 | 0.6 | 2.1 | 1.1 | 0.07 | 0.14 | 258 | 0.4 | 1.4 | 0.8 | 0.04 | 0.10 | C17 |
| Colon | 4012 | 6.0 | 22.4 | 12.0 | 0.63 | 1.39 | 3164 | 5.0 | 17.6 | 9.0 | 0.46 | 1.03 | C18 |
| Rectum | 4177 | 6.2 | 23.3 | 12.6 | 0.70 | 1.55 | 2499 | 4.0 | 13.9 | 7.4 | 0.42 | 0.86 | C19–20 |
| Anus | 85 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 90 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 6094 | 9.1 | 34.0 | 19.2 | 1.23 | 2.20 | 2095 | 3.3 | 11.6 | 5.9 | 0.29 | 0.67 | C22 |
| Gallbladder etc. | 846 | 1.3 | 4.7 | 2.4 | 0.10 | 0.27 | 1180 | 1.9 | 6.5 | 3.1 | 0.13 | 0.35 | C23–24 |
| Pancreas | 2343 | 3.5 | 13.1 | 6.8 | 0.29 | 0.81 | 1790 | 2.8 | 9.9 | 4.7 | 0.17 | 0.53 | C25 |
| Nose, sinuses etc. | 119 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | 75 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 670 | 1.0 | 3.7 | 2.0 | 0.14 | 0.27 | 35 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 16426 | 24.5 | 91.6 | 48.8 | 2.38 | 6.14 | 8938 | 14.1 | 49.6 | 26.5 | 1.56 | 3.14 | C33–34 |
| Other thoracic organs | 266 | 0.4 | 1.5 | 1.0 | 0.06 | 0.10 | 170 | 0.3 | 0.9 | 0.7 | 0.04 | 0.07 | C37–38 |
| Bone | 262 | 0.4 | 1.5 | 1.0 | 0.06 | 0.10 | 201 | 0.3 | 1.1 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 182 | 0.3 | 1.0 | 0.5 | 0.03 | 0.07 | 138 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C43 |
| Other skin | 876 | 1.3 | 4.9 | 2.6 | 0.11 | 0.27 | 948 | 1.5 | 5.3 | 2.5 | 0.10 | 0.26 | C44 |
| Mesothelioma | 35 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 25 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 236 | 0.4 | 1.3 | 0.9 | 0.05 | 0.09 | 218 | 0.3 | 1.2 | 0.9 | 0.05 | 0.08 | C47+C49 |
| Breast | 74 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 9907 | 15.7 | 55.0 | 34.2 | 2.78 | 3.68 | C50 |
| Vulva | | | | | | | 100 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 60 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 3592 | 5.7 | 19.9 | 12.9 | 1.07 | 1.32 | C53 |
| Corpus uteri | | | | | | | 1569 | 2.5 | 8.7 | 5.3 | 0.44 | 0.61 | C54 |
| Uterus unspecified | | | | | | | 299 | 0.5 | 1.7 | 1.0 | 0.07 | 0.12 | C55 |
| Ovary | | | | | | | 1429 | 2.3 | 7.9 | 5.1 | 0.39 | 0.54 | C56 |
| Other female genital organs | | | | | | | 132 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 56 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 142 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | | | | | | | C60 |
| Prostate | 4703 | 7.0 | 26.2 | 13.3 | 0.32 | 1.71 | | | | | | | C61 |
| Testis | 106 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 65 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1163 | 1.7 | 6.5 | 3.9 | 0.27 | 0.45 | 654 | 1.0 | 3.6 | 2.2 | 0.15 | 0.24 | C64 |
| Renal pelvis | 150 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | 101 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 114 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | 103 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C66 |
| †Bladder | 1889 | 2.8 | 10.5 | 5.3 | 0.22 | 0.59 | 546 | 0.9 | 3.0 | 1.4 | 0.05 | 0.15 | C67 |
| Other urinary organs | 52 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 19 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 22 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 1039 | 1.6 | 5.8 | 4.2 | 0.26 | 0.40 | 1132 | 1.8 | 6.3 | 4.1 | 0.27 | 0.42 | C70–72 |
| Thyroid | 4383 | 6.5 | 24.5 | 18.1 | 1.47 | 1.66 | 14682 | 23.2 | 81.5 | 57.0 | 4.88 | 5.43 | C73 |
| Adrenal gland | 48 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 34 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 34 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 53 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 84 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 53 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 1496 | 2.2 | 8.3 | 5.2 | 0.30 | 0.56 | 1060 | 1.7 | 5.9 | 3.5 | 0.21 | 0.38 | C82–86,C96 |
| Immunoproliferative diseases | 35 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 22 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 516 | 0.8 | 2.9 | 1.5 | 0.08 | 0.19 | 393 | 0.6 | 2.2 | 1.2 | 0.06 | 0.15 | C90 |
| Lymphoid leukaemia | 351 | 0.5 | 2.0 | 2.1 | 0.12 | 0.15 | 235 | 0.4 | 1.3 | 1.5 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 698 | 1.0 | 3.9 | 2.8 | 0.17 | 0.26 | 476 | 0.8 | 2.6 | 2.0 | 0.12 | 0.18 | C92–94 |
| Leukaemia unspecified | 190 | 0.3 | 1.1 | 0.7 | 0.04 | 0.07 | 139 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C95 |
| Myeloproliferative disorders | 76 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 57 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 238 | 0.4 | 1.3 | 0.7 | 0.03 | 0.09 | 167 | 0.3 | 0.9 | 0.5 | 0.03 | 0.06 | MPS |
| Other and unspecified | 628 | 0.9 | 3.5 | 1.9 | 0.09 | 0.20 | 614 | 1.0 | 3.4 | 1.9 | 0.09 | 0.20 | O&U |
| All sites | 67886 | | 378.7 | 213.3 | 11.57 | 24.85 | 64147 | | 356.0 | 214.2 | 15.04 | 22.75 | C00–96 |
| All sites except C44 | 67010 | 100.0 | 373.8 | 210.7 | 11.46 | 24.57 | 63199 | 100.0 | 350.7 | 211.7 | 14.94 | 22.49 | C00–96 exc. C44 |

†See note following population pyramid

China, Hebi City

CONTRIBUTORS

Lina Chao
 Bingbing Wang
 Mengyuan Wang
 Hongqin Ren
 Xueqin Guo
 Fengqin Hu
 Shuying Pei



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 49.2 | Breast | 25.4 |
| Stomach | 38.5 | Trachea, bronchus, and lung | 21.8 |
| Oesophagus | 36.8 | Oesophagus | 19.8 |
| Liver | 25.6 | Stomach | 15.5 |
| Colon | 8.5 | Cervix uteri | 12.4 |
| Rectum | 6.4 | Liver | 11.5 |
| Brain and nervous system | 5.5 | Thyroid | 6.4 |
| Pancreas | 4.5 | Colon | 5.8 |
| Prostate | 3.8 | Brain and nervous system | 5.4 |
| Thyroid | 3.6 | Rectum | 5.0 |
| Gallbladder etc. | 3.5 | Ovary | 4.3 |
| Bladder | 3.1 | Pancreas | 4.1 |
| Leukaemia unspecified | 2.9 | Gallbladder etc. | 4.0 |
| Hodgkin lymphoma | 2.8 | Corpus uteri | 3.5 |
| Kidney | 2.7 | Leukaemia unspecified | 2.3 |
| Bone | 2.1 | Kidney | 2.1 |
| Non-Hodgkin lymphoma | 2.0 | Lymphoid leukaemia | 1.9 |
| Other thoracic organs | 1.9 | Hodgkin lymphoma | 1.5 |
| Lymphoid leukaemia | 1.9 | Bone | 1.5 |
| Small intestine | 1.8 | Other and unspecified | 1.5 |
| All sites | 227.1 | All sites | 174.0 |


China, Hebi City (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C00 |
| Tongue | 20 | 0.7 | 2.0 | 1.7 | 0.06 | 0.14 | 18 | 0.8 | 1.9 | 1.2 | 0.07 | 0.10 | C01–02 |
| Mouth | 19 | 0.7 | 1.9 | 1.5 | 0.06 | 0.21 | 11 | 0.5 | 1.2 | 0.8 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 16 | 0.6 | 1.6 | 1.4 | 0.08 | 0.16 | 10 | 0.4 | 1.1 | 0.8 | 0.06 | 0.09 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 14 | 0.5 | 1.4 | 1.0 | 0.08 | 0.08 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | C10 |
| Nasopharynx | 22 | 0.8 | 2.2 | 1.8 | 0.10 | 0.23 | 10 | 0.4 | 1.1 | 0.8 | 0.03 | 0.09 | C11 |
| Hypopharynx | 14 | 0.5 | 1.4 | 1.2 | 0.06 | 0.12 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 458 | 16.2 | 46.2 | 36.8 | 1.80 | 4.85 | 268 | 11.8 | 28.3 | 19.8 | 0.89 | 2.52 | C15 |
| Stomach | 488 | 17.2 | 49.3 | 38.5 | 1.85 | 4.66 | 212 | 9.4 | 22.4 | 15.5 | 0.79 | 1.85 | C16 |
| Small intestine | 23 | 0.8 | 2.3 | 1.8 | 0.11 | 0.20 | 15 | 0.7 | 1.6 | 1.1 | 0.07 | 0.10 | C17 |
| Colon | 107 | 3.8 | 10.8 | 8.5 | 0.44 | 1.00 | 80 | 3.5 | 8.4 | 5.8 | 0.27 | 0.73 | C18 |
| Rectum | 83 | 2.9 | 8.4 | 6.4 | 0.33 | 0.77 | 65 | 2.9 | 6.9 | 5.0 | 0.28 | 0.64 | C19–20 |
| Anus | 8 | 0.3 | 0.8 | 0.7 | 0.03 | 0.13 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C21 |
| Liver | 326 | 11.5 | 32.9 | 25.6 | 1.51 | 2.73 | 160 | 7.1 | 16.9 | 11.5 | 0.58 | 1.23 | C22 |
| Gallbladder etc. | 45 | 1.6 | 4.5 | 3.5 | 0.15 | 0.37 | 56 | 2.5 | 5.9 | 4.0 | 0.19 | 0.55 | C23–24 |
| Pancreas | 58 | 2.0 | 5.9 | 4.5 | 0.16 | 0.53 | 56 | 2.5 | 5.9 | 4.1 | 0.18 | 0.53 | C25 |
| Nose, sinuses etc. | 4 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 14 | 0.5 | 1.4 | 1.1 | 0.06 | 0.14 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 619 | 21.9 | 62.5 | 49.2 | 2.10 | 5.94 | 301 | 13.3 | 31.7 | 21.8 | 1.13 | 2.54 | C33–34 |
| Other thoracic organs | 23 | 0.8 | 2.3 | 1.9 | 0.09 | 0.30 | 17 | 0.8 | 1.8 | 1.4 | 0.12 | 0.15 | C37–38 |
| Bone | 24 | 0.8 | 2.4 | 2.1 | 0.15 | 0.21 | 18 | 0.8 | 1.9 | 1.5 | 0.12 | 0.17 | C40–41 |
| Melanoma of skin | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 7 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | 14 | 0.6 | 1.5 | 1.0 | 0.06 | 0.13 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 8 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | 11 | 0.5 | 1.2 | 0.8 | 0.05 | 0.07 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 328 | 14.5 | 34.6 | 25.4 | 2.20 | 2.81 | C50 |
| Vulva | | | | | | | 8 | 0.4 | 0.8 | 0.6 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 6 | 0.3 | 0.6 | 0.5 | 0.05 | 0.07 | C52 |
| Cervix uteri | | | | | | | 161 | 7.1 | 17.0 | 12.4 | 0.96 | 1.47 | C53 |
| Corpus uteri | | | | | | | 45 | 2.0 | 4.7 | 3.5 | 0.30 | 0.40 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 54 | 2.4 | 5.7 | 4.3 | 0.31 | 0.49 | C56 |
| Other female genital organs | | | | | | | 9 | 0.4 | 0.9 | 0.6 | 0.05 | 0.05 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 47 | 1.7 | 4.7 | 3.8 | 0.12 | 0.42 | | | | | | | C61 |
| Testis | 11 | 0.4 | 1.1 | 0.9 | 0.06 | 0.07 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 33 | 1.2 | 3.3 | 2.7 | 0.16 | 0.34 | 28 | 1.2 | 3.0 | 2.1 | 0.14 | 0.26 | C64 |
| Renal pelvis | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 10 | 0.4 | 1.1 | 0.7 | 0.05 | 0.09 | C65 |
| Ureter | 6 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 8 | 0.4 | 0.8 | 0.7 | 0.05 | 0.09 | C66 |
| Bladder | 40 | 1.4 | 4.0 | 3.1 | 0.15 | 0.34 | 14 | 0.6 | 1.5 | 1.1 | 0.07 | 0.14 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 9 | 0.3 | 0.9 | 0.8 | 0.06 | 0.07 | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 64 | 2.3 | 6.5 | 5.5 | 0.33 | 0.62 | 62 | 2.7 | 6.5 | 5.4 | 0.30 | 0.64 | C70–72 |
| Thyroid | 45 | 1.6 | 4.5 | 3.6 | 0.20 | 0.46 | 79 | 3.5 | 8.3 | 6.4 | 0.49 | 0.59 | C73 |
| Adrenal gland | 16 | 0.6 | 1.6 | 1.3 | 0.06 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 9 | 0.4 | 0.9 | 0.6 | 0.07 | 0.07 | C75 |
| Hodgkin lymphoma | 35 | 1.2 | 3.5 | 2.8 | 0.14 | 0.30 | 18 | 0.8 | 1.9 | 1.5 | 0.10 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 22 | 0.8 | 2.2 | 2.0 | 0.16 | 0.20 | 17 | 0.8 | 1.8 | 1.3 | 0.09 | 0.13 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 11 | 0.4 | 1.1 | 0.8 | 0.06 | 0.08 | 7 | 0.3 | 0.7 | 0.5 | 0.02 | 0.09 | C90 |
| Lymphoid leukaemia | 19 | 0.7 | 1.9 | 1.9 | 0.11 | 0.15 | 14 | 0.6 | 1.5 | 1.9 | 0.09 | 0.13 | C91 |
| Myeloid leukaemia | 17 | 0.6 | 1.7 | 1.3 | 0.11 | 0.12 | 12 | 0.5 | 1.3 | 1.4 | 0.09 | 0.12 | C92–94 |
| Leukaemia unspecified | 27 | 1.0 | 2.7 | 2.9 | 0.14 | 0.19 | 21 | 0.9 | 2.2 | 2.3 | 0.12 | 0.21 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 4 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | MPS |
| Other and unspecified | 5 | 0.2 | 0.5 | 0.5 | 0.04 | 0.04 | 18 | 0.8 | 1.9 | 1.5 | 0.12 | 0.18 | O&U |
| All sites | 2837 | | 286.4 | 227.1 | 11.35 | 26.78 | 2276 | | 239.9 | 174.0 | 10.78 | 20.07 | C00–96 |
| All sites except C44 | 2830 | 100.0 | 285.7 | 226.5 | 11.31 | 26.73 | 2262 | 100.0 | 238.5 | 173.0 | 10.71 | 19.94 | C00–96 exc. C44 |

China, Hefei City

CONTRIBUTORS

Xiaoqin Ding
Feng Sun
Xiaopeng Zhang
Jiajia Li
Lun Tang
Xiaoyuan Chen
Shengxiang Yuan
Yan He
Xiaopei Zhu
Xiaodong Yin
Zhiyuan Wang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 58.3 | Breast | 30.6 |
| Stomach | 40.6 | Trachea, bronchus, and lung | 26.7 |
| Oesophagus | 28.1 | Stomach | 16.7 |
| Liver | 19.9 | Thyroid | 14.8 |
| Colon | 14.3 | Cervix uteri | 13.0 |
| Rectum | 12.5 | Colon | 10.2 |
| Prostate | 11.0 | Oesophagus | 8.2 |
| Pancreas | 7.2 | Rectum | 7.6 |
| Thyroid | 5.9 | Liver | 7.2 |
| Bladder | 5.9 | Ovary | 6.7 |
| Brain and nervous system | 5.4 | Corpus uteri | 5.8 |
| Other and unspecified | 5.3 | Brain and nervous system | 5.6 |
| Kidney | 5.0 | Other and unspecified | 4.8 |
| Non-Hodgkin lymphoma | 4.6 | Pancreas | 4.6 |
| Gallbladder etc. | 2.7 | Non-Hodgkin lymphoma | 3.5 |
| Myeloid leukaemia | 2.7 | Gallbladder etc. | 3.1 |
| Nasopharynx | 2.6 | Kidney | 2.4 |
| Leukaemia unspecified | 2.3 | Myeloid leukaemia | 2.0 |
| Larynx | 2.2 | Leukaemia unspecified | 1.7 |
| Lymphoid leukaemia | 2.0 | Non-melanoma skin cancer | 1.5 |
| All sites | 256.4 | All sites | 193.1 |


China, Hefei City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 12 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 54 | 0.3 | 0.8 | 0.7 | 0.06 | 0.08 | 43 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | C01–02 |
| Mouth | 85 | 0.4 | 1.3 | 1.0 | 0.04 | 0.10 | 75 | 0.5 | 1.2 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 43 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 41 | 0.3 | 0.7 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 12 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 13 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 215 | 1.0 | 3.4 | 2.6 | 0.20 | 0.29 | 112 | 0.7 | 1.8 | 1.3 | 0.09 | 0.14 | C11 |
| Hypopharynx | 48 | 0.2 | 0.8 | 0.6 | 0.04 | 0.08 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 10 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2338 | 10.9 | 36.8 | 28.1 | 1.34 | 3.65 | 765 | 4.7 | 12.6 | 8.2 | 0.27 | 0.95 | C15 |
| Stomach | 3446 | 16.0 | 54.2 | 40.6 | 1.82 | 5.11 | 1491 | 9.2 | 24.6 | 16.7 | 0.80 | 1.93 | C16 |
| Small intestine | 118 | 0.5 | 1.9 | 1.4 | 0.08 | 0.15 | 85 | 0.5 | 1.4 | 1.0 | 0.06 | 0.12 | C17 |
| Colon | 1215 | 5.7 | 19.1 | 14.3 | 0.74 | 1.67 | 888 | 5.5 | 14.6 | 10.2 | 0.56 | 1.19 | C18 |
| Rectum | 1048 | 4.9 | 16.5 | 12.5 | 0.73 | 1.54 | 662 | 4.1 | 10.9 | 7.6 | 0.43 | 0.89 | C19–20 |
| Anus | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 10 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 1691 | 7.9 | 26.6 | 19.9 | 1.21 | 2.22 | 640 | 4.0 | 10.6 | 7.2 | 0.34 | 0.83 | C22 |
| Gallbladder etc. | 240 | 1.1 | 3.8 | 2.7 | 0.12 | 0.32 | 286 | 1.8 | 4.7 | 3.1 | 0.12 | 0.37 | C23–24 |
| Pancreas | 627 | 2.9 | 9.9 | 7.2 | 0.35 | 0.83 | 427 | 2.6 | 7.0 | 4.6 | 0.21 | 0.51 | C25 |
| Nose, sinuses etc. | 34 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 18 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 183 | 0.9 | 2.9 | 2.2 | 0.13 | 0.28 | 11 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 5045 | 23.5 | 79.3 | 58.3 | 2.55 | 7.07 | 2341 | 14.5 | 38.6 | 26.7 | 1.42 | 3.13 | C33–34 |
| Other thoracic organs | 69 | 0.3 | 1.1 | 0.9 | 0.06 | 0.09 | 42 | 0.3 | 0.7 | 0.5 | 0.04 | 0.07 | C37–38 |
| Bone | 135 | 0.6 | 2.1 | 1.8 | 0.09 | 0.18 | 98 | 0.6 | 1.6 | 1.4 | 0.08 | 0.14 | C40–41 |
| Melanoma of skin | 49 | 0.2 | 0.8 | 0.6 | 0.03 | 0.07 | 41 | 0.3 | 0.7 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 149 | 0.7 | 2.3 | 1.8 | 0.08 | 0.19 | 139 | 0.9 | 2.3 | 1.5 | 0.05 | 0.13 | C44 |
| Mesothelioma | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 60 | 0.3 | 0.9 | 0.7 | 0.04 | 0.06 | 67 | 0.4 | 1.1 | 0.8 | 0.06 | 0.09 | C47+C49 |
| Breast | 45 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | 2505 | 15.5 | 41.3 | 30.6 | 2.52 | 3.32 | C50 |
| Vulva | | | | | | | 20 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 26 | 0.2 | 0.4 | 0.3 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1075 | 6.6 | 17.7 | 13.0 | 1.11 | 1.33 | C53 |
| Corpus uteri | | | | | | | 465 | 2.9 | 7.7 | 5.8 | 0.50 | 0.65 | C54 |
| Uterus unspecified | | | | | | | 66 | 0.4 | 1.1 | 0.8 | 0.06 | 0.08 | C55 |
| Ovary | | | | | | | 525 | 3.2 | 8.7 | 6.7 | 0.54 | 0.69 | C56 |
| Other female genital organs | | | | | | | 35 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 9 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 43 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 1011 | 4.7 | 15.9 | 11.0 | 0.26 | 1.23 | | | | | | | C61 |
| Testis | 37 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | | | | | | | C62 |
| Other male genital organs | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 407 | 1.9 | 6.4 | 5.0 | 0.33 | 0.56 | 200 | 1.2 | 3.3 | 2.4 | 0.15 | 0.27 | C64 |
| Renal pelvis | 29 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 21 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 46 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | 29 | 0.2 | 0.5 | 0.3 | 0.02 | 0.05 | C66 |
| Bladder | 521 | 2.4 | 8.2 | 5.9 | 0.25 | 0.62 | 126 | 0.8 | 2.1 | 1.3 | 0.07 | 0.13 | C67 |
| Other urinary organs | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 9 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 422 | 2.0 | 6.6 | 5.4 | 0.33 | 0.55 | 441 | 2.7 | 7.3 | 5.6 | 0.37 | 0.63 | C70–72 |
| Thyroid | 505 | 2.3 | 7.9 | 5.9 | 0.45 | 0.56 | 1196 | 7.4 | 19.7 | 14.8 | 1.22 | 1.42 | C73 |
| Adrenal gland | 23 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 39 | 0.2 | 0.6 | 0.6 | 0.04 | 0.05 | 22 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 29 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | 15 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 386 | 1.8 | 6.1 | 4.6 | 0.24 | 0.50 | 298 | 1.8 | 4.9 | 3.5 | 0.20 | 0.41 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 121 | 0.6 | 1.9 | 1.5 | 0.07 | 0.19 | 77 | 0.5 | 1.3 | 0.9 | 0.04 | 0.12 | C90 |
| Lymphoid leukaemia | 113 | 0.5 | 1.8 | 2.0 | 0.11 | 0.14 | 79 | 0.5 | 1.3 | 1.4 | 0.08 | 0.12 | C91 |
| Myeloid leukaemia | 202 | 0.9 | 3.2 | 2.7 | 0.17 | 0.28 | 156 | 1.0 | 2.6 | 2.0 | 0.12 | 0.22 | C92–94 |
| Leukaemia unspecified | 173 | 0.8 | 2.7 | 2.3 | 0.12 | 0.22 | 125 | 0.8 | 2.1 | 1.7 | 0.09 | 0.17 | C95 |
| Myeloproliferative disorders | 27 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 23 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 59 | 0.3 | 0.9 | 0.7 | 0.03 | 0.06 | 45 | 0.3 | 0.7 | 0.6 | 0.03 | 0.06 | MPS |
| Other and unspecified | 437 | 2.0 | 6.9 | 5.3 | 0.29 | 0.60 | 393 | 2.4 | 6.5 | 4.8 | 0.32 | 0.51 | O&U |
| All sites | 21649 | | 340.4 | 256.4 | 12.73 | 30.12 | 16329 | | 269.2 | 193.1 | 12.31 | 21.29 | C00–96 |
| All sites except C44 | 21500 | 100.0 | 338.1 | 254.6 | 12.66 | 29.92 | 16190 | 100.0 | 266.9 | 191.6 | 12.26 | 21.16 | C00–96 exc. C44 |

China, Hengdong County

CONTRIBUTORS

Wei Yin
 Jiansheng Shan
 Zaohong Liu
 Jingxian Xiao
 Junhua Li



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.8 | Breast | 18.1 |
| Liver | 27.7 | Trachea, bronchus, and lung | 15.9 |
| Stomach | 16.5 | Cervix uteri | 15.5 |
| Rectum | 8.5 | Stomach | 6.8 |
| Colon | 7.7 | Colon | 6.0 |
| Other and unspecified | 5.8 | Liver | 5.8 |
| Nasopharynx | 4.7 | Thyroid | 4.7 |
| Oesophagus | 3.7 | Corpus uteri | 4.6 |
| Brain and nervous system | 3.3 | Rectum | 4.2 |
| Non-Hodgkin lymphoma | 3.1 | Ovary | 4.2 |
| Lymphoid leukaemia | 2.7 | Other and unspecified | 3.5 |
| Bladder | 2.5 | Non-Hodgkin lymphoma | 3.0 |
| Prostate | 2.1 | Brain and nervous system | 2.8 |
| Larynx | 2.1 | Nasopharynx | 2.4 |
| Leukaemia unspecified | 2.1 | Leukaemia unspecified | 2.0 |
| Pancreas | 2.0 | Gallbladder etc. | 1.9 |
| Tongue | 1.6 | Pancreas | 1.6 |
| Bone | 1.6 | Kidney | 1.4 |
| Kidney | 1.6 | Bone | 1.3 |
| Myeloid leukaemia | 1.5 | Lymphoid leukaemia | 1.3 |
| All sites | 161.7 | All sites | 119.1 |


China, Hengdong County (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 25 | 1.0 | 2.1 | 1.6 | 0.14 | 0.15 | 5 | 0.3 | 0.5 | 0.3 | 0.02 | 0.05 | C01–02 |
| Mouth | 13 | 0.5 | 1.1 | 0.8 | 0.07 | 0.09 | 5 | 0.3 | 0.5 | 0.3 | 0.02 | 0.02 | C03–06 |
| Salivary glands | 8 | 0.3 | 0.7 | 0.5 | 0.05 | 0.05 | 9 | 0.5 | 0.8 | 0.6 | 0.05 | 0.07 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 74 | 2.9 | 6.3 | 4.7 | 0.39 | 0.50 | 36 | 2.0 | 3.3 | 2.4 | 0.17 | 0.25 | C11 |
| Hypopharynx | 7 | 0.3 | 0.6 | 0.4 | 0.05 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 61 | 2.4 | 5.2 | 3.7 | 0.26 | 0.53 | 13 | 0.7 | 1.2 | 0.8 | 0.03 | 0.10 | C15 |
| Stomach | 269 | 10.4 | 22.8 | 16.5 | 0.84 | 2.32 | 115 | 6.4 | 10.5 | 6.8 | 0.40 | 0.71 | C16 |
| Small intestine | 16 | 0.6 | 1.4 | 1.1 | 0.04 | 0.14 | 13 | 0.7 | 1.2 | 0.9 | 0.06 | 0.10 | C17 |
| Colon | 126 | 4.9 | 10.7 | 7.7 | 0.46 | 0.93 | 94 | 5.2 | 8.6 | 6.0 | 0.42 | 0.73 | C18 |
| Rectum | 137 | 5.3 | 11.6 | 8.5 | 0.52 | 1.00 | 68 | 3.8 | 6.2 | 4.2 | 0.21 | 0.54 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.04 | C21 |
| Liver | 444 | 17.2 | 37.7 | 27.7 | 2.07 | 3.22 | 89 | 4.9 | 8.1 | 5.8 | 0.31 | 0.77 | C22 |
| Gallbladder etc. | 24 | 0.9 | 2.0 | 1.4 | 0.08 | 0.15 | 32 | 1.8 | 2.9 | 1.9 | 0.09 | 0.25 | C23–24 |
| Pancreas | 32 | 1.2 | 2.7 | 2.0 | 0.09 | 0.24 | 26 | 1.4 | 2.4 | 1.6 | 0.09 | 0.21 | C25 |
| Nose, sinuses etc. | 8 | 0.3 | 0.7 | 0.5 | 0.04 | 0.06 | 3 | 0.2 | 0.3 | 0.2 | 0.02 | 0.03 | C30–31 |
| Larynx | 35 | 1.4 | 3.0 | 2.1 | 0.13 | 0.27 | 10 | 0.6 | 0.9 | 0.6 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 812 | 31.5 | 68.9 | 48.8 | 2.88 | 6.20 | 253 | 14.0 | 23.1 | 15.9 | 0.84 | 2.00 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.4 | 0.6 | 0.5 | 0.04 | 0.04 | C37–38 |
| Bone | 22 | 0.9 | 1.9 | 1.6 | 0.10 | 0.16 | 21 | 1.2 | 1.9 | 1.3 | 0.08 | 0.11 | C40–41 |
| Melanoma of skin | 5 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C43 |
| Other skin | 23 | 0.9 | 2.0 | 1.5 | 0.08 | 0.17 | 10 | 0.6 | 0.9 | 0.5 | 0.03 | 0.04 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.6 | 1.3 | 1.1 | 0.08 | 0.10 | 16 | 0.9 | 1.5 | 1.2 | 0.09 | 0.11 | C47+C49 |
| Breast | 4 | 0.2 | 0.3 | 0.2 | 0.02 | 0.03 | 272 | 15.1 | 24.9 | 18.1 | 1.56 | 1.90 | C50 |
| Vulva | | | | | | | 4 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 236 | 13.1 | 21.6 | 15.5 | 1.25 | 1.74 | C53 |
| Corpus uteri | | | | | | | 71 | 3.9 | 6.5 | 4.6 | 0.41 | 0.53 | C54 |
| Uterus unspecified | | | | | | | 19 | 1.1 | 1.7 | 1.2 | 0.08 | 0.15 | C55 |
| Ovary | | | | | | | 62 | 3.4 | 5.7 | 4.2 | 0.32 | 0.48 | C56 |
| Other female genital organs | | | | | | | 7 | 0.4 | 0.6 | 0.5 | 0.05 | 0.05 | C57 |
| Placenta | | | | | | | 5 | 0.3 | 0.5 | 0.5 | 0.03 | 0.03 | C58 |
| Penis | 7 | 0.3 | 0.6 | 0.4 | 0.03 | 0.04 | | | | | | | C60 |
| Prostate | 36 | 1.4 | 3.1 | 2.1 | 0.06 | 0.27 | | | | | | | C61 |
| Testis | 4 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 26 | 1.0 | 2.2 | 1.6 | 0.11 | 0.20 | 17 | 0.9 | 1.6 | 1.4 | 0.09 | 0.15 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 4 | 0.2 | 0.3 | 0.2 | 0.02 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 43 | 1.7 | 3.6 | 2.5 | 0.13 | 0.30 | 13 | 0.7 | 1.2 | 0.6 | 0.02 | 0.04 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 46 | 1.8 | 3.9 | 3.3 | 0.25 | 0.35 | 41 | 2.3 | 3.7 | 2.8 | 0.23 | 0.28 | C70–72 |
| Thyroid | 16 | 0.6 | 1.4 | 1.0 | 0.08 | 0.11 | 62 | 3.4 | 5.7 | 4.7 | 0.37 | 0.42 | C73 |
| Adrenal gland | 6 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 45 | 1.7 | 3.8 | 3.1 | 0.18 | 0.36 | 44 | 2.4 | 4.0 | 3.0 | 0.21 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 18 | 0.7 | 1.5 | 1.1 | 0.05 | 0.15 | 6 | 0.3 | 0.5 | 0.5 | 0.01 | 0.05 | C90 |
| Lymphoid leukaemia | 32 | 1.2 | 2.7 | 2.7 | 0.14 | 0.21 | 11 | 0.6 | 1.0 | 1.3 | 0.05 | 0.10 | C91 |
| Myeloid leukaemia | 19 | 0.7 | 1.6 | 1.5 | 0.10 | 0.12 | 8 | 0.4 | 0.7 | 0.7 | 0.05 | 0.05 | C92–94 |
| Leukaemia unspecified | 27 | 1.0 | 2.3 | 2.1 | 0.14 | 0.17 | 26 | 1.4 | 2.4 | 2.0 | 0.13 | 0.19 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | MPS |
| Other and unspecified | 96 | 3.7 | 8.1 | 5.8 | 0.34 | 0.66 | 56 | 3.1 | 5.1 | 3.5 | 0.20 | 0.40 | O&U |
| All sites | 2598 | | 220.5 | 161.7 | 10.16 | 19.49 | 1811 | | 165.5 | 119.1 | 8.26 | 13.38 | C00–96 |
| All sites except C44 | 2575 | 100.0 | 218.5 | 160.3 | 10.08 | 19.32 | 1801 | 100.0 | 164.6 | 118.6 | 8.23 | 13.34 | C00–96 exc. C44 |

China, Hengfeng County

CONTRIBUTORS

Cheng Li Ping
Mao Shu Xia



NOTES ON THE DATA

*Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 44.5 | Cervix uteri | 21.6 |
| Liver | 34.4 | Breast | 18.8 |
| Stomach | 26.7 | Trachea, bronchus, and lung | 15.4 |
| Rectum | 11.0 | Liver | 14.7 |
| Oesophagus | 8.8 | Stomach | 12.9 |
| Nasopharynx | 6.6 | Rectum | 10.5 |
| Colon | 6.1 | Colon | 6.5 |
| Brain and nervous system | 5.4 | Corpus uteri | 6.2 |
| Bladder | 4.8 | Brain and nervous system | 5.3 |
| Leukaemia unspecified | 4.2 | Ovary | 4.1 |
| Prostate | 3.8 | Non-Hodgkin lymphoma | 3.1 |
| Non-Hodgkin lymphoma | 3.8 | Thyroid | 2.6 |
| Myeloid leukaemia | 2.7 | Nasopharynx | 2.5 |
| Pancreas | 2.5 | Leukaemia unspecified | 2.3 |
| Bone | 2.4 | Oesophagus | 2.3 |
| Connective and soft tissue | 1.6 | Pancreas | 2.3 |
| Other and unspecified | 1.6 | Bone | 1.8 |
| Non-melanoma skin cancer | 1.5 | Other and unspecified | 1.5 |
| Hodgkin lymphoma | 1.4 | Small intestine | 1.2 |
| Small intestine | 1.1 | Kidney | 1.1 |
| All sites | 183.0 | All sites | 146.3 |

*China, Hengfeng County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C00 |
| Tongue | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C01–02 |
| Mouth | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C03–06 |
| Salivary glands | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C07–08 |
| Tonsil | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.3 | 0.6 | 0.5 | 0.02 | 0.02 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C10 |
| Nasopharynx | 41 | 3.7 | 8.4 | 6.6 | 0.50 | 0.68 | 15 | 1.7 | 3.3 | 2.5 | 0.18 | 0.24 | C11 |
| Hypopharynx | 4 | 0.4 | 0.8 | 0.6 | 0.04 | 0.07 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 2 | 0.2 | 0.4 | 0.4 | 0.00 | 0.00 | C14 |
| Oesophagus | 56 | 5.1 | 11.5 | 8.8 | 0.34 | 0.96 | 13 | 1.5 | 2.9 | 2.3 | 0.06 | 0.29 | C15 |
| Stomach | 166 | 15.0 | 34.2 | 26.7 | 1.38 | 3.23 | 79 | 9.2 | 17.4 | 12.9 | 0.69 | 1.38 | C16 |
| Small intestine | 7 | 0.6 | 1.4 | 1.1 | 0.04 | 0.14 | 7 | 0.8 | 1.5 | 1.2 | 0.08 | 0.11 | C17 |
| Colon | 37 | 3.3 | 7.6 | 6.1 | 0.38 | 0.59 | 37 | 4.3 | 8.1 | 6.5 | 0.34 | 0.83 | C18 |
| Rectum | 69 | 6.2 | 14.2 | 11.0 | 0.72 | 1.31 | 60 | 7.0 | 13.2 | 10.5 | 0.55 | 1.13 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 217 | 19.6 | 44.7 | 34.4 | 2.37 | 3.89 | 90 | 10.5 | 19.8 | 14.7 | 0.69 | 1.46 | C22 |
| Gallbladder etc. | 2 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 4 | 0.5 | 0.9 | 0.6 | 0.05 | 0.05 | C23–24 |
| Pancreas | 15 | 1.4 | 3.1 | 2.5 | 0.12 | 0.22 | 14 | 1.6 | 3.1 | 2.3 | 0.16 | 0.25 | C25 |
| Nose, sinuses etc. | 6 | 0.5 | 1.2 | 1.1 | 0.08 | 0.11 | 3 | 0.3 | 0.7 | 0.5 | 0.05 | 0.05 | C30–31 |
| Larynx | 2 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 277 | 25.0 | 57.0 | 44.5 | 2.35 | 5.06 | 94 | 11.0 | 20.7 | 15.4 | 0.72 | 1.77 | C33–34 |
| Other thoracic organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 12 | 1.1 | 2.5 | 2.4 | 0.16 | 0.20 | 10 | 1.2 | 2.2 | 1.8 | 0.12 | 0.21 | C40–41 |
| Melanoma of skin | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | 2 | 0.2 | 0.4 | 0.4 | 0.00 | 0.03 | C43 |
| Other skin | 9 | 0.8 | 1.9 | 1.5 | 0.06 | 0.12 | 5 | 0.6 | 1.1 | 0.8 | 0.05 | 0.12 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 9 | 0.8 | 1.9 | 1.6 | 0.14 | 0.14 | 5 | 0.6 | 1.1 | 0.9 | 0.09 | 0.09 | C47+C49 |
| Breast | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | 114 | 13.3 | 25.1 | 18.8 | 1.59 | 1.85 | C50 |
| Vulva | | | | | | | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 2 | 0.2 | 0.4 | 0.3 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 130 | 15.2 | 28.6 | 21.6 | 1.61 | 2.26 | C53 |
| Corpus uteri | | | | | | | 38 | 4.4 | 8.4 | 6.2 | 0.51 | 0.70 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.6 | 1.1 | 0.8 | 0.04 | 0.13 | C55 |
| Ovary | | | | | | | 19 | 2.2 | 4.2 | 4.1 | 0.27 | 0.37 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 2 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 23 | 2.1 | 4.7 | 3.8 | 0.00 | 0.31 | | | | | | | C61 |
| Testis | 2 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 4 | 0.4 | 0.8 | 0.6 | 0.03 | 0.10 | 6 | 0.7 | 1.3 | 1.1 | 0.06 | 0.12 | C64 |
| Renal pelvis | 4 | 0.4 | 0.8 | 0.7 | 0.04 | 0.04 | 3 | 0.3 | 0.7 | 0.5 | 0.06 | 0.06 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 30 | 2.7 | 6.2 | 4.8 | 0.18 | 0.43 | 2 | 0.2 | 0.4 | 0.3 | 0.02 | 0.05 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 29 | 2.6 | 6.0 | 5.4 | 0.39 | 0.42 | 29 | 3.4 | 6.4 | 5.3 | 0.39 | 0.55 | C70–72 |
| Thyroid | 4 | 0.4 | 0.8 | 0.7 | 0.07 | 0.07 | 14 | 1.6 | 3.1 | 2.6 | 0.16 | 0.26 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 7 | 0.6 | 1.4 | 1.4 | 0.03 | 0.06 | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 21 | 1.9 | 4.3 | 3.8 | 0.24 | 0.36 | 17 | 2.0 | 3.7 | 3.1 | 0.28 | 0.31 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C90 |
| Lymphoid leukaemia | 3 | 0.3 | 0.6 | 0.6 | 0.03 | 0.03 | 3 | 0.3 | 0.7 | 0.9 | 0.05 | 0.08 | C91 |
| Myeloid leukaemia | 12 | 1.1 | 2.5 | 2.7 | 0.16 | 0.16 | 6 | 0.7 | 1.3 | 1.1 | 0.06 | 0.13 | C92–94 |
| Leukaemia unspecified | 21 | 1.9 | 4.3 | 4.2 | 0.22 | 0.31 | 12 | 1.4 | 2.6 | 2.3 | 0.12 | 0.19 | C95 |
| Myeloproliferative disorders | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | MPD |
| Myelodysplastic syndromes | 4 | 0.4 | 0.8 | 0.6 | 0.04 | 0.07 | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.01 | MPS |
| Other and unspecified | 10 | 0.9 | 2.1 | 1.6 | 0.06 | 0.15 | 8 | 0.9 | 1.8 | 1.5 | 0.09 | 0.19 | O&U |
| All sites | 1116 | | 229.8 | 183.0 | 10.39 | 19.52 | 863 | | 190.0 | 146.3 | 9.36 | 15.53 | C00–96 |
| All sites except C44 | 1107 | 100.0 | 228.0 | 181.5 | 10.33 | 19.40 | 858 | 100.0 | 188.9 | 145.5 | 9.30 | 15.42 | C00–96 exc. C44 |

*See note following population pyramid

China, Hepu County

CONTRIBUTORS

Qiang Zhang
Lihua Deng
Fukang Su
Song Cao
Xinzu Chen



NOTES ON THE DATA

*Low MV%. Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 63.9 | Trachea, bronchus, and lung | 25.4 |
| Liver | 59.1 | Cervix uteri | 22.1 |
| Nasopharynx | 15.9 | Breast | 21.9 |
| Stomach | 14.8 | Liver | 11.5 |
| Rectum | 11.4 | Stomach | 8.0 |
| Colon | 11.3 | Colon | 7.4 |
| Oesophagus | 9.8 | Rectum | 6.2 |
| Leukaemia unspecified | 4.9 | Nasopharynx | 5.9 |
| Prostate | 4.5 | Thyroid | 4.5 |
| Other and unspecified | 4.4 | Corpus uteri | 3.4 |
| Bladder | 4.3 | Ovary | 2.8 |
| Myeloid leukaemia | 3.8 | Other and unspecified | 2.8 |
| Larynx | 3.6 | Leukaemia unspecified | 2.6 |
| Brain and nervous system | 3.4 | Myeloid leukaemia | 2.4 |
| Non-melanoma skin cancer | 3.2 | Brain and nervous system | 2.1 |
| Pancreas | 3.0 | Non-melanoma skin cancer | 1.8 |
| Bone | 2.3 | Bone | 1.7 |
| Non-Hodgkin lymphoma | 2.3 | Pancreas | 1.5 |
| Hypopharynx | 2.3 | Kidney | 1.4 |
| Thyroid | 1.8 | Non-Hodgkin lymphoma | 1.3 |
| All sites | 241.3 | All sites | 145.3 |

*China, Hepu County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 17 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | 7 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C01–02 |
| Mouth | 17 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 7 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C07–08 |
| Tonsil | 15 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 437 | 6.1 | 18.4 | 15.9 | 1.24 | 1.76 | 153 | 3.7 | 7.1 | 5.9 | 0.46 | 0.65 | C11 |
| Hypopharynx | 61 | 0.8 | 2.6 | 2.3 | 0.17 | 0.26 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 284 | 3.9 | 12.0 | 9.8 | 0.71 | 1.11 | 32 | 0.8 | 1.5 | 0.8 | 0.03 | 0.07 | C15 |
| Stomach | 466 | 6.5 | 19.7 | 14.8 | 0.81 | 1.66 | 242 | 5.9 | 11.2 | 8.0 | 0.38 | 0.93 | C16 |
| Small intestine | 19 | 0.3 | 0.8 | 0.6 | 0.03 | 0.07 | 16 | 0.4 | 0.7 | 0.5 | 0.03 | 0.05 | C17 |
| Colon | 356 | 4.9 | 15.0 | 11.3 | 0.64 | 1.28 | 229 | 5.6 | 10.6 | 7.4 | 0.40 | 0.89 | C18 |
| Rectum | 356 | 4.9 | 15.0 | 11.4 | 0.59 | 1.37 | 187 | 4.6 | 8.6 | 6.2 | 0.30 | 0.76 | C19–20 |
| Anus | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 8 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | C21 |
| Liver | 1701 | 23.6 | 71.7 | 59.1 | 4.16 | 6.61 | 338 | 8.3 | 15.6 | 11.5 | 0.68 | 1.42 | C22 |
| Gallbladder etc. | 39 | 0.5 | 1.6 | 1.2 | 0.06 | 0.16 | 38 | 0.9 | 1.8 | 1.2 | 0.06 | 0.14 | C23–24 |
| Pancreas | 88 | 1.2 | 3.7 | 3.0 | 0.14 | 0.39 | 47 | 1.1 | 2.2 | 1.5 | 0.07 | 0.18 | C25 |
| Nose, sinuses etc. | 10 | 0.1 | 0.4 | 0.3 | 0.01 | 0.05 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 105 | 1.5 | 4.4 | 3.6 | 0.25 | 0.44 | 17 | 0.4 | 0.8 | 0.6 | 0.04 | 0.05 | C32 |
| Trachea, bronchus, and lung | 2049 | 28.5 | 86.4 | 63.9 | 2.91 | 7.77 | 787 | 19.2 | 36.4 | 25.4 | 1.32 | 3.05 | C33–34 |
| Other thoracic organs | 31 | 0.4 | 1.3 | 1.1 | 0.07 | 0.11 | 16 | 0.4 | 0.7 | 0.6 | 0.04 | 0.05 | C37–38 |
| Bone | 74 | 1.0 | 3.1 | 2.3 | 0.10 | 0.24 | 47 | 1.1 | 2.2 | 1.7 | 0.09 | 0.16 | C40–41 |
| Melanoma of skin | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C43 |
| Other skin | 100 | 1.4 | 4.2 | 3.2 | 0.14 | 0.33 | 64 | 1.6 | 3.0 | 1.8 | 0.07 | 0.18 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 586 | 14.3 | 27.1 | 21.9 | 1.86 | 2.30 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 596 | 14.6 | 27.6 | 22.1 | 1.75 | 2.54 | C53 |
| Corpus uteri | | | | | | | 94 | 2.3 | 4.3 | 3.4 | 0.30 | 0.37 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.5 | 1.0 | 0.7 | 0.04 | 0.10 | C55 |
| Ovary | | | | | | | 73 | 1.8 | 3.4 | 2.8 | 0.23 | 0.28 | C56 |
| Other female genital organs | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 23 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | | | | | | | C60 |
| Prostate | 168 | 2.3 | 7.1 | 4.5 | 0.12 | 0.45 | | | | | | | C61 |
| Testis | 19 | 0.3 | 0.8 | 0.7 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 55 | 0.8 | 2.3 | 1.8 | 0.12 | 0.20 | 38 | 0.9 | 1.8 | 1.4 | 0.09 | 0.16 | C64 |
| Renal pelvis | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 8 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 139 | 1.9 | 5.9 | 4.3 | 0.23 | 0.48 | 39 | 1.0 | 1.8 | 1.3 | 0.07 | 0.14 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 94 | 1.3 | 4.0 | 3.4 | 0.22 | 0.34 | 59 | 1.4 | 2.7 | 2.1 | 0.12 | 0.22 | C70–72 |
| Thyroid | 52 | 0.7 | 2.2 | 1.8 | 0.13 | 0.19 | 113 | 2.8 | 5.2 | 4.5 | 0.35 | 0.43 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 64 | 0.9 | 2.7 | 2.3 | 0.14 | 0.28 | 36 | 0.9 | 1.7 | 1.3 | 0.08 | 0.15 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 19 | 0.3 | 0.8 | 0.7 | 0.04 | 0.10 | 9 | 0.2 | 0.4 | 0.3 | 0.03 | 0.04 | C90 |
| Lymphoid leukaemia | 8 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C91 |
| Myeloid leukaemia | 103 | 1.4 | 4.3 | 3.8 | 0.27 | 0.38 | 58 | 1.4 | 2.7 | 2.4 | 0.17 | 0.25 | C92–94 |
| Leukaemia unspecified | 126 | 1.8 | 5.3 | 4.9 | 0.29 | 0.44 | 63 | 1.5 | 2.9 | 2.6 | 0.15 | 0.21 | C95 |
| Myeloproliferative disorders | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 136 | 1.9 | 5.7 | 4.4 | 0.21 | 0.50 | 84 | 2.1 | 3.9 | 2.8 | 0.15 | 0.32 | O&U |
| All sites | 7298 | | 307.8 | 241.3 | 14.15 | 27.61 | 4158 | | 192.2 | 145.3 | 9.50 | 16.37 | C00–96 |
| All sites except C44 | 7198 | 100.0 | 303.6 | 238.1 | 14.01 | 27.27 | 4094 | 100.0 | 189.2 | 143.5 | 9.43 | 16.19 | C00–96 exc. C44 |

*See note following population pyramid

China, Honghu City

CONTRIBUTORS

Liao Tao
Xiang Dai Cheng
Xu Hai Tao
Dai Yu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.3 | Breast | 23.2 |
| Liver | 34.5 | Trachea, bronchus, and lung | 20.0 |
| Stomach | 15.8 | Thyroid | 13.0 |
| Rectum | 8.3 | Cervix uteri | 12.8 |
| Colon | 7.5 | Liver | 11.7 |
| Non-Hodgkin lymphoma | 6.2 | Stomach | 9.3 |
| Bladder | 5.7 | Ovary | 6.0 |
| Nasopharynx | 5.2 | Rectum | 5.8 |
| Brain and nervous system | 5.0 | Colon | 5.2 |
| Pancreas | 4.8 | Brain and nervous system | 4.3 |
| Myeloid leukaemia | 4.5 | Non-Hodgkin lymphoma | 3.6 |
| Oesophagus | 4.4 | Myeloid leukaemia | 3.4 |
| Prostate | 4.2 | Pancreas | 3.2 |
| Kidney | 3.0 | Gallbladder etc. | 2.1 |
| Larynx | 2.7 | Nasopharynx | 1.6 |
| Thyroid | 2.5 | Bone | 1.4 |
| Bone | 1.6 | Uterus unspecified | 1.4 |
| Multiple myeloma | 1.4 | Kidney | 1.3 |
| Gallbladder etc. | 1.3 | Corpus uteri | 1.3 |
| Other thoracic organs | 1.3 | Multiple myeloma | 1.2 |
| All sites | 190.0 | All sites | 143.4 |


China, Honghu City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 24 | 0.4 | 1.1 | 0.8 | 0.06 | 0.08 | 11 | 0.3 | 0.6 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 24 | 0.4 | 1.1 | 0.8 | 0.06 | 0.09 | 8 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 8 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 11 | 0.3 | 0.6 | 0.5 | 0.03 | 0.04 | C07–08 |
| Tonsil | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C09 |
| Other oropharynx | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 152 | 2.8 | 7.0 | 5.2 | 0.43 | 0.57 | 47 | 1.1 | 2.4 | 1.6 | 0.15 | 0.18 | C11 |
| Hypopharynx | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 129 | 2.3 | 5.9 | 4.4 | 0.24 | 0.59 | 24 | 0.6 | 1.2 | 0.7 | 0.03 | 0.06 | C15 |
| Stomach | 467 | 8.5 | 21.5 | 15.8 | 0.94 | 2.02 | 296 | 7.0 | 14.8 | 9.3 | 0.55 | 1.12 | C16 |
| Small intestine | 22 | 0.4 | 1.0 | 0.8 | 0.06 | 0.11 | 24 | 0.6 | 1.2 | 0.8 | 0.06 | 0.11 | C17 |
| Colon | 219 | 4.0 | 10.1 | 7.5 | 0.54 | 0.89 | 162 | 3.8 | 8.1 | 5.2 | 0.37 | 0.60 | C18 |
| Rectum | 248 | 4.5 | 11.4 | 8.3 | 0.49 | 0.98 | 182 | 4.3 | 9.1 | 5.8 | 0.35 | 0.72 | C19–20 |
| Anus | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 1024 | 18.5 | 47.1 | 34.5 | 2.26 | 4.05 | 386 | 9.1 | 19.4 | 11.7 | 0.67 | 1.38 | C22 |
| Gallbladder etc. | 42 | 0.8 | 1.9 | 1.3 | 0.04 | 0.18 | 66 | 1.6 | 3.3 | 2.1 | 0.12 | 0.29 | C23–24 |
| Pancreas | 143 | 2.6 | 6.6 | 4.8 | 0.28 | 0.66 | 102 | 2.4 | 5.1 | 3.2 | 0.19 | 0.39 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 78 | 1.4 | 3.6 | 2.7 | 0.11 | 0.37 | 13 | 0.3 | 0.7 | 0.4 | 0.01 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1766 | 32.0 | 81.3 | 59.3 | 2.92 | 7.86 | 640 | 15.1 | 32.1 | 20.0 | 1.18 | 2.44 | C33–34 |
| Other thoracic organs | 37 | 0.7 | 1.7 | 1.3 | 0.08 | 0.15 | 15 | 0.4 | 0.8 | 0.6 | 0.05 | 0.06 | C37–38 |
| Bone | 42 | 0.8 | 1.9 | 1.6 | 0.11 | 0.17 | 37 | 0.9 | 1.9 | 1.4 | 0.08 | 0.15 | C40–41 |
| Melanoma of skin | 16 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | 14 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | C43 |
| Other skin | 28 | 0.5 | 1.3 | 1.0 | 0.04 | 0.12 | 27 | 0.6 | 1.4 | 0.9 | 0.04 | 0.08 | C44 |
| Mesothelioma | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 13 | 0.2 | 0.6 | 0.6 | 0.03 | 0.04 | 10 | 0.2 | 0.5 | 0.4 | 0.04 | 0.05 | C47+C49 |
| Breast | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 678 | 16.0 | 34.0 | 23.2 | 2.06 | 2.42 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 382 | 9.0 | 19.2 | 12.8 | 1.13 | 1.41 | C53 |
| Corpus uteri | | | | | | | 37 | 0.9 | 1.9 | 1.3 | 0.12 | 0.14 | C54 |
| Uterus unspecified | | | | | | | 42 | 1.0 | 2.1 | 1.4 | 0.11 | 0.16 | C55 |
| Ovary | | | | | | | 161 | 3.8 | 8.1 | 6.0 | 0.51 | 0.64 | C56 |
| Other female genital organs | | | | | | | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 20 | 0.5 | 1.0 | 0.9 | 0.07 | 0.07 | C58 |
| Penis | 17 | 0.3 | 0.8 | 0.6 | 0.05 | 0.06 | | | | | | | C60 |
| Prostate | 128 | 2.3 | 5.9 | 4.2 | 0.11 | 0.48 | | | | | | | C61 |
| Testis | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 82 | 1.5 | 3.8 | 3.0 | 0.20 | 0.36 | 38 | 0.9 | 1.9 | 1.3 | 0.09 | 0.18 | C64 |
| Renal pelvis | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 6 | 0.1 | 0.3 | 0.3 | 0.00 | 0.03 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 177 | 3.2 | 8.1 | 5.7 | 0.26 | 0.67 | 34 | 0.8 | 1.7 | 1.1 | 0.07 | 0.13 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.2 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 137 | 2.5 | 6.3 | 5.0 | 0.35 | 0.49 | 117 | 2.8 | 5.9 | 4.3 | 0.33 | 0.45 | C70–72 |
| Thyroid | 71 | 1.3 | 3.3 | 2.5 | 0.23 | 0.23 | 354 | 8.4 | 17.7 | 13.0 | 1.08 | 1.23 | C73 |
| Adrenal gland | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 6 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 182 | 3.3 | 8.4 | 6.2 | 0.34 | 0.74 | 106 | 2.5 | 5.3 | 3.6 | 0.20 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 38 | 0.7 | 1.7 | 1.4 | 0.08 | 0.19 | 38 | 0.9 | 1.9 | 1.2 | 0.08 | 0.17 | C90 |
| Lymphoid leukaemia | 15 | 0.3 | 0.7 | 0.8 | 0.04 | 0.06 | 10 | 0.2 | 0.5 | 0.6 | 0.04 | 0.05 | C91 |
| Myeloid leukaemia | 105 | 1.9 | 4.8 | 4.5 | 0.32 | 0.38 | 70 | 1.7 | 3.5 | 3.4 | 0.22 | 0.29 | C92–94 |
| Leukaemia unspecified | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.05 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 13 | 0.2 | 0.6 | 0.6 | 0.02 | 0.06 | 10 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | MPS |
| Other and unspecified | 19 | 0.3 | 0.9 | 0.6 | 0.05 | 0.07 | 24 | 0.6 | 1.2 | 0.8 | 0.04 | 0.10 | O&U |
| All sites | 5553 | | 255.5 | 190.0 | 11.03 | 23.24 | 4264 | | 213.8 | 143.4 | 10.36 | 16.04 | C00–96 |
| All sites except C44 | 5525 | 100.0 | 254.2 | 188.9 | 10.99 | 23.11 | 4237 | 100.0 | 212.4 | 142.5 | 10.32 | 15.96 | C00–96 exc. C44 |

China, Hongshan District, Chifeng City

CONTRIBUTORS

He Li
Liu Jianfei
An Jianguo
Liu Yan
Yan Kehui
Zhu Wenhui
Zhaoguoyan
Zhao Xuefei
Lv Wenli
Liu Xue Yan
Xin Jiaxuan



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 43.1 | Breast | 25.7 |
| Liver | 25.0 | Trachea, bronchus, and lung | 24.4 |
| Stomach | 23.4 | Thyroid | 15.9 |
| Rectum | 15.4 | Liver | 9.5 |
| Colon | 14.0 | Colon | 9.4 |
| Oesophagus | 11.2 | Rectum | 9.0 |
| Pancreas | 8.0 | Cervix uteri | 6.8 |
| Bladder | 7.1 | Stomach | 6.4 |
| Prostate | 5.9 | Ovary | 5.7 |
| Kidney | 5.0 | Pancreas | 4.4 |
| Thyroid | 4.2 | Corpus uteri | 4.2 |
| Non-Hodgkin lymphoma | 3.7 | Non-Hodgkin lymphoma | 3.4 |
| Brain and nervous system | 3.3 | Brain and nervous system | 3.1 |
| Gallbladder etc. | 3.3 | Bladder | 2.7 |
| Other and unspecified | 3.0 | Gallbladder etc. | 2.1 |
| Lymphoid leukaemia | 2.3 | Kidney | 2.1 |
| Myeloid leukaemia | 2.1 | Myeloid leukaemia | 1.7 |
| Larynx | 1.6 | Other and unspecified | 1.5 |
| Multiple myeloma | 1.6 | Oesophagus | 1.5 |
| Leukaemia unspecified | 1.4 | Lymphoid leukaemia | 1.4 |
| All sites | 197.9 | All sites | 154.7 |


China, Hongshan District, Chifeng City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 6 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 6 | 0.3 | 0.6 | 0.6 | 0.06 | 0.07 | C01–02 |
| Mouth | 13 | 0.5 | 1.2 | 1.1 | 0.08 | 0.14 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 6 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C07–08 |
| Tonsil | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 16 | 0.6 | 1.5 | 1.0 | 0.06 | 0.10 | 9 | 0.4 | 0.8 | 0.5 | 0.03 | 0.05 | C11 |
| Hypopharynx | 7 | 0.3 | 0.6 | 0.6 | 0.03 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.2 | 0.4 | 0.4 | 0.01 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 141 | 5.6 | 13.1 | 11.2 | 0.73 | 1.39 | 21 | 0.9 | 1.9 | 1.5 | 0.03 | 0.12 | C15 |
| Stomach | 297 | 11.7 | 27.6 | 23.4 | 1.15 | 2.90 | 94 | 4.1 | 8.7 | 6.4 | 0.30 | 0.71 | C16 |
| Small intestine | 13 | 0.5 | 1.2 | 1.0 | 0.06 | 0.13 | 9 | 0.4 | 0.8 | 0.6 | 0.04 | 0.06 | C17 |
| Colon | 181 | 7.2 | 16.8 | 14.0 | 0.81 | 1.75 | 142 | 6.3 | 13.1 | 9.4 | 0.45 | 1.05 | C18 |
| Rectum | 194 | 7.7 | 18.0 | 15.4 | 1.04 | 1.93 | 133 | 5.9 | 12.3 | 9.0 | 0.63 | 0.99 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 330 | 13.1 | 30.6 | 25.0 | 1.71 | 2.86 | 139 | 6.1 | 12.8 | 9.5 | 0.50 | 1.07 | C22 |
| Gallbladder etc. | 42 | 1.7 | 3.9 | 3.3 | 0.12 | 0.28 | 29 | 1.3 | 2.7 | 2.1 | 0.09 | 0.27 | C23–24 |
| Pancreas | 101 | 4.0 | 9.4 | 8.0 | 0.50 | 0.93 | 67 | 3.0 | 6.2 | 4.4 | 0.19 | 0.53 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 21 | 0.8 | 1.9 | 1.6 | 0.11 | 0.22 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 556 | 22.0 | 51.6 | 43.1 | 1.99 | 5.02 | 367 | 16.2 | 33.9 | 24.4 | 1.28 | 2.68 | C33–34 |
| Other thoracic organs | 8 | 0.3 | 0.7 | 0.9 | 0.03 | 0.09 | 6 | 0.3 | 0.6 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 7 | 0.3 | 0.6 | 0.8 | 0.04 | 0.08 | 9 | 0.4 | 0.8 | 0.7 | 0.04 | 0.07 | C40–41 |
| Melanoma of skin | 4 | 0.2 | 0.4 | 0.3 | 0.03 | 0.04 | 4 | 0.2 | 0.4 | 0.5 | 0.02 | 0.05 | C43 |
| Other skin | 15 | 0.6 | 1.4 | 1.4 | 0.11 | 0.15 | 16 | 0.7 | 1.5 | 1.1 | 0.05 | 0.14 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.4 | 0.9 | 0.8 | 0.05 | 0.10 | 15 | 0.7 | 1.4 | 0.9 | 0.06 | 0.08 | C47+C49 |
| Breast | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 398 | 17.5 | 36.7 | 25.7 | 2.12 | 2.88 | C50 |
| Vulva | | | | | | | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 101 | 4.5 | 9.3 | 6.8 | 0.61 | 0.76 | C53 |
| Corpus uteri | | | | | | | 61 | 2.7 | 5.6 | 4.2 | 0.30 | 0.51 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.4 | 0.7 | 0.6 | 0.06 | 0.06 | C55 |
| Ovary | | | | | | | 83 | 3.7 | 7.7 | 5.7 | 0.45 | 0.64 | C56 |
| Other female genital organs | | | | | | | 6 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 3 | 0.1 | 0.3 | 0.3 | 0.00 | 0.04 | | | | | | | C60 |
| Prostate | 76 | 3.0 | 7.1 | 5.9 | 0.12 | 0.54 | | | | | | | C61 |
| Testis | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 66 | 2.6 | 6.1 | 5.0 | 0.30 | 0.58 | 30 | 1.3 | 2.8 | 2.1 | 0.10 | 0.27 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 11 | 0.5 | 1.0 | 0.8 | 0.04 | 0.11 | C65 |
| Ureter | 11 | 0.4 | 1.0 | 1.0 | 0.05 | 0.13 | 15 | 0.7 | 1.4 | 1.1 | 0.07 | 0.14 | C66 |
| Bladder | 91 | 3.6 | 8.4 | 7.1 | 0.33 | 0.71 | 44 | 1.9 | 4.1 | 2.7 | 0.17 | 0.24 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 5 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 46 | 1.8 | 4.3 | 3.3 | 0.21 | 0.31 | 41 | 1.8 | 3.8 | 3.1 | 0.18 | 0.28 | C70–72 |
| Thyroid | 64 | 2.5 | 5.9 | 4.2 | 0.35 | 0.39 | 250 | 11.0 | 23.1 | 15.9 | 1.36 | 1.54 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 6 | 0.3 | 0.6 | 0.4 | 0.03 | 0.03 | C75 |
| Hodgkin lymphoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 55 | 2.2 | 5.1 | 3.7 | 0.24 | 0.39 | 46 | 2.0 | 4.2 | 3.4 | 0.20 | 0.39 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 20 | 0.8 | 1.9 | 1.6 | 0.13 | 0.17 | 12 | 0.5 | 1.1 | 0.9 | 0.08 | 0.11 | C90 |
| Lymphoid leukaemia | 17 | 0.7 | 1.6 | 2.3 | 0.10 | 0.19 | 14 | 0.6 | 1.3 | 1.4 | 0.08 | 0.09 | C91 |
| Myeloid leukaemia | 28 | 1.1 | 2.6 | 2.1 | 0.14 | 0.22 | 20 | 0.9 | 1.8 | 1.7 | 0.10 | 0.17 | C92–94 |
| Leukaemia unspecified | 12 | 0.5 | 1.1 | 1.4 | 0.07 | 0.11 | 13 | 0.6 | 1.2 | 1.3 | 0.04 | 0.13 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 15 | 0.6 | 1.4 | 1.0 | 0.05 | 0.14 | 12 | 0.5 | 1.1 | 1.1 | 0.05 | 0.11 | MPS |
| Other and unspecified | 39 | 1.5 | 3.6 | 3.0 | 0.16 | 0.28 | 22 | 1.0 | 2.0 | 1.5 | 0.08 | 0.17 | O&U |
| All sites | 2543 | | 236.0 | 197.9 | 11.07 | 22.82 | 2284 | | 210.8 | 154.7 | 10.06 | 16.89 | C00–96 |
| All sites except C44 | 2528 | 100.0 | 234.6 | 196.5 | 10.95 | 22.67 | 2268 | 100.0 | 209.3 | 153.6 | 10.00 | 16.75 | C00–96 exc. C44 |

China, Hongta District, Yuxi City

CONTRIBUTORS

Yuan Qu
Chunhua Du
Rui Liu
Lei Lin
Ying Guan



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 42.8 | Breast | 19.3 |
| Liver | 13.9 | Cervix uteri | 18.2 |
| Rectum | 13.2 | Trachea, bronchus, and lung | 16.9 |
| Stomach | 9.1 | Thyroid | 9.9 |
| Colon | 7.8 | Rectum | 9.6 |
| Prostate | 6.8 | Liver | 7.6 |
| Bladder | 6.0 | Non-melanoma skin cancer | 6.7 |
| Brain and nervous system | 5.3 | Colon | 6.4 |
| Non-melanoma skin cancer | 5.2 | Brain and nervous system | 5.9 |
| Pancreas | 4.7 | Corpus uteri | 5.5 |
| Non-Hodgkin lymphoma | 4.3 | Ovary | 5.3 |
| Oesophagus | 3.3 | Stomach | 4.6 |
| Thyroid | 3.1 | Gallbladder etc. | 4.6 |
| Nasopharynx | 2.9 | Non-Hodgkin lymphoma | 3.6 |
| Gallbladder etc. | 2.6 | Leukaemia unspecified | 3.5 |
| Leukaemia unspecified | 2.5 | Pancreas | 2.9 |
| Lymphoid leukaemia | 2.5 | Bone | 2.2 |
| Other and unspecified | 2.2 | Myeloid leukaemia | 1.7 |
| Bone | 1.5 | Bladder | 1.5 |
| Myeloid leukaemia | 1.5 | Lymphoid leukaemia | 1.5 |
| All sites | 155.3 | All sites | 148.8 |

*China, Hongta District, Yuxi City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 6 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 7 | 0.3 | 0.6 | 0.4 | 0.02 | 0.07 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 8 | 0.3 | 0.7 | 0.5 | 0.04 | 0.08 | 7 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 46 | 1.8 | 4.2 | 2.9 | 0.22 | 0.28 | 11 | 0.5 | 1.0 | 0.6 | 0.05 | 0.06 | C11 |
| Hypopharynx | 12 | 0.5 | 1.1 | 0.9 | 0.07 | 0.12 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 53 | 2.1 | 4.9 | 3.3 | 0.24 | 0.41 | 9 | 0.4 | 0.8 | 0.5 | 0.02 | 0.05 | C15 |
| Stomach | 150 | 6.0 | 13.8 | 9.1 | 0.52 | 1.13 | 79 | 3.4 | 7.1 | 4.6 | 0.26 | 0.51 | C16 |
| Small intestine | 12 | 0.5 | 1.1 | 0.8 | 0.05 | 0.09 | 7 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C17 |
| Colon | 133 | 5.3 | 12.3 | 7.8 | 0.43 | 0.88 | 113 | 4.9 | 10.1 | 6.4 | 0.33 | 0.78 | C18 |
| Rectum | 226 | 9.1 | 20.8 | 13.2 | 0.73 | 1.54 | 162 | 7.1 | 14.5 | 9.6 | 0.59 | 1.16 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 229 | 9.2 | 21.1 | 13.9 | 0.89 | 1.58 | 135 | 5.9 | 12.1 | 7.6 | 0.36 | 0.94 | C22 |
| Gallbladder etc. | 46 | 1.8 | 4.2 | 2.6 | 0.11 | 0.30 | 85 | 3.7 | 7.6 | 4.6 | 0.20 | 0.59 | C23–24 |
| Pancreas | 81 | 3.3 | 7.5 | 4.7 | 0.24 | 0.56 | 52 | 2.3 | 4.6 | 2.9 | 0.14 | 0.35 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 8 | 0.3 | 0.7 | 0.4 | 0.01 | 0.03 | C30–31 |
| Larynx | 20 | 0.8 | 1.8 | 1.1 | 0.07 | 0.11 | 3 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C32 |
| Trachea, bronchus, and lung | 744 | 29.9 | 68.6 | 42.8 | 2.12 | 5.10 | 300 | 13.1 | 26.8 | 16.9 | 0.98 | 1.98 | C33–34 |
| Other thoracic organs | 12 | 0.5 | 1.1 | 0.9 | 0.06 | 0.10 | 11 | 0.5 | 1.0 | 0.8 | 0.06 | 0.09 | C37–38 |
| Bone | 22 | 0.9 | 2.0 | 1.5 | 0.09 | 0.15 | 26 | 1.1 | 2.3 | 2.2 | 0.13 | 0.20 | C40–41 |
| Melanoma of skin | 11 | 0.4 | 1.0 | 0.6 | 0.04 | 0.06 | 7 | 0.3 | 0.6 | 0.4 | 0.04 | 0.05 | C43 |
| Other skin | 85 | 3.4 | 7.8 | 5.2 | 0.32 | 0.59 | 118 | 5.2 | 10.5 | 6.7 | 0.36 | 0.73 | C44 |
| Mesothelioma | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 6 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 10 | 0.4 | 0.9 | 0.9 | 0.06 | 0.06 | C47+C49 |
| Breast | 9 | 0.4 | 0.8 | 0.6 | 0.04 | 0.07 | 316 | 13.8 | 28.2 | 19.3 | 1.60 | 1.97 | C50 |
| Vulva | | | | | | | 6 | 0.3 | 0.5 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 280 | 12.2 | 25.0 | 18.2 | 1.50 | 1.75 | C53 |
| Corpus uteri | | | | | | | 87 | 3.8 | 7.8 | 5.5 | 0.54 | 0.61 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.9 | 1.8 | 1.2 | 0.08 | 0.14 | C55 |
| Ovary | | | | | | | 75 | 3.3 | 6.7 | 5.3 | 0.38 | 0.57 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 5 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C58 |
| Penis | 6 | 0.2 | 0.6 | 0.3 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 138 | 5.5 | 12.7 | 6.8 | 0.14 | 0.59 | | | | | | | C61 |
| Testis | 17 | 0.7 | 1.6 | 1.2 | 0.10 | 0.10 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 15 | 0.6 | 1.4 | 0.9 | 0.06 | 0.11 | 11 | 0.5 | 1.0 | 0.6 | 0.04 | 0.06 | C64 |
| Renal pelvis | 4 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 108 | 4.3 | 10.0 | 6.0 | 0.23 | 0.50 | 29 | 1.3 | 2.6 | 1.5 | 0.06 | 0.15 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 70 | 2.8 | 6.5 | 5.3 | 0.30 | 0.48 | 82 | 3.6 | 7.3 | 5.9 | 0.44 | 0.59 | C70–72 |
| Thyroid | 47 | 1.9 | 4.3 | 3.1 | 0.25 | 0.29 | 151 | 6.6 | 13.5 | 9.9 | 0.81 | 0.92 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 6 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | 9 | 0.4 | 0.8 | 0.7 | 0.05 | 0.05 | C75 |
| Hodgkin lymphoma | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 64 | 2.6 | 5.9 | 4.3 | 0.26 | 0.44 | 56 | 2.4 | 5.0 | 3.6 | 0.24 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 18 | 0.7 | 1.7 | 1.0 | 0.08 | 0.11 | 11 | 0.5 | 1.0 | 0.6 | 0.03 | 0.08 | C90 |
| Lymphoid leukaemia | 22 | 0.9 | 2.0 | 2.5 | 0.14 | 0.18 | 16 | 0.7 | 1.4 | 1.5 | 0.09 | 0.12 | C91 |
| Myeloid leukaemia | 22 | 0.9 | 2.0 | 1.5 | 0.10 | 0.20 | 21 | 0.9 | 1.9 | 1.7 | 0.11 | 0.12 | C92–94 |
| Leukaemia unspecified | 33 | 1.3 | 3.0 | 2.5 | 0.12 | 0.28 | 38 | 1.7 | 3.4 | 3.5 | 0.20 | 0.26 | C95 |
| Myeloproliferative disorders | 8 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | 8 | 0.3 | 0.7 | 0.5 | 0.05 | 0.05 | MPD |
| Myelodysplastic syndromes | 14 | 0.6 | 1.3 | 0.7 | 0.03 | 0.06 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | MPS |
| Other and unspecified | 34 | 1.4 | 3.1 | 2.2 | 0.09 | 0.23 | 19 | 0.8 | 1.7 | 1.1 | 0.04 | 0.07 | O&U |
| All sites | 2572 | | 237.1 | 155.3 | 8.49 | 17.23 | 2408 | | 215.1 | 148.8 | 10.06 | 15.79 | C00–96 |
| All sites except C44 | 2487 | 100.0 | 229.3 | 150.1 | 8.17 | 16.64 | 2290 | 100.0 | 204.6 | 142.1 | 9.70 | 15.06 | C00–96 exc. C44 |

*See note following population pyramid

China, Huaiyin District, Huai'an City

CONTRIBUTORS

Dandan Zhu
Shiyang Tang
Guoliang Luo
Dan Liu
Ying Yuan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 44.8 | Oesophagus | 22.9 |
| Oesophagus | 44.4 | Breast | 20.6 |
| Liver | 29.0 | Trachea, bronchus, and lung | 17.1 |
| Stomach | 27.5 | Stomach | 11.2 |
| Rectum | 6.7 | Liver | 9.6 |
| Colon | 4.4 | Cervix uteri | 8.7 |
| Pancreas | 3.6 | Thyroid | 7.0 |
| Bladder | 3.6 | Rectum | 4.9 |
| Leukaemia unspecified | 3.5 | Ovary | 4.5 |
| Brain and nervous system | 3.3 | Corpus uteri | 4.1 |
| Prostate | 3.1 | Colon | 3.2 |
| Gallbladder etc. | 2.3 | Brain and nervous system | 3.1 |
| Thyroid | 1.8 | Pancreas | 2.9 |
| Other and unspecified | 1.7 | Leukaemia unspecified | 2.4 |
| Larynx | 1.6 | Gallbladder etc. | 1.7 |
| Kidney | 1.5 | Uterus unspecified | 1.5 |
| Non-Hodgkin lymphoma | 1.5 | Non-Hodgkin lymphoma | 1.4 |
| Nasopharynx | 1.5 | Other and unspecified | 1.2 |
| Lymphoid leukaemia | 1.3 | Lymphoid leukaemia | 1.1 |
| Bone | 1.0 | Bone | 1.0 |
| All sites | 196.9 | All sites | 137.3 |

*China, Huaiyin District, Huai'an City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 16 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C01–02 |
| Mouth | 22 | 0.3 | 0.9 | 0.6 | 0.03 | 0.09 | 14 | 0.3 | 0.6 | 0.4 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 11 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 12 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 10 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 53 | 0.7 | 2.2 | 1.5 | 0.10 | 0.20 | 25 | 0.5 | 1.1 | 0.7 | 0.05 | 0.09 | C11 |
| Hypopharynx | 18 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1725 | 23.5 | 71.6 | 44.4 | 2.22 | 5.77 | 960 | 19.7 | 43.0 | 22.9 | 0.96 | 2.92 | C15 |
| Stomach | 1067 | 14.5 | 44.3 | 27.5 | 1.33 | 3.47 | 457 | 9.4 | 20.5 | 11.2 | 0.50 | 1.38 | C16 |
| Small intestine | 31 | 0.4 | 1.3 | 0.8 | 0.05 | 0.09 | 16 | 0.3 | 0.7 | 0.5 | 0.02 | 0.06 | C17 |
| Colon | 163 | 2.2 | 6.8 | 4.4 | 0.27 | 0.54 | 113 | 2.3 | 5.1 | 3.2 | 0.23 | 0.35 | C18 |
| Rectum | 253 | 3.4 | 10.5 | 6.7 | 0.38 | 0.82 | 178 | 3.7 | 8.0 | 4.9 | 0.29 | 0.60 | C19–20 |
| Anus | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 1020 | 13.9 | 42.3 | 29.0 | 2.18 | 3.33 | 348 | 7.1 | 15.6 | 9.6 | 0.61 | 1.15 | C22 |
| Gallbladder etc. | 90 | 1.2 | 3.7 | 2.3 | 0.09 | 0.30 | 73 | 1.5 | 3.3 | 1.7 | 0.08 | 0.23 | C23–24 |
| Pancreas | 139 | 1.9 | 5.8 | 3.6 | 0.21 | 0.47 | 115 | 2.4 | 5.1 | 2.9 | 0.13 | 0.33 | C25 |
| Nose, sinuses etc. | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 57 | 0.8 | 2.4 | 1.6 | 0.09 | 0.21 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1717 | 23.4 | 71.3 | 44.8 | 2.23 | 5.92 | 667 | 13.7 | 29.9 | 17.1 | 0.97 | 2.12 | C33–34 |
| Other thoracic organs | 28 | 0.4 | 1.2 | 0.7 | 0.04 | 0.08 | 13 | 0.3 | 0.6 | 0.3 | 0.01 | 0.02 | C37–38 |
| Bone | 36 | 0.5 | 1.5 | 1.0 | 0.05 | 0.14 | 35 | 0.7 | 1.6 | 1.0 | 0.06 | 0.12 | C40–41 |
| Melanoma of skin | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 10 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 32 | 0.4 | 1.3 | 0.8 | 0.02 | 0.10 | 45 | 0.9 | 2.0 | 0.9 | 0.04 | 0.08 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C47+C49 |
| Breast | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 648 | 13.3 | 29.0 | 20.6 | 1.76 | 2.18 | C50 |
| Vulva | | | | | | | 8 | 0.2 | 0.4 | 0.3 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 270 | 5.5 | 12.1 | 8.7 | 0.73 | 0.89 | C53 |
| Corpus uteri | | | | | | | 130 | 2.7 | 5.8 | 4.1 | 0.38 | 0.45 | C54 |
| Uterus unspecified | | | | | | | 51 | 1.0 | 2.3 | 1.5 | 0.12 | 0.17 | C55 |
| Ovary | | | | | | | 140 | 2.9 | 6.3 | 4.5 | 0.35 | 0.49 | C56 |
| Other female genital organs | | | | | | | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 138 | 1.9 | 5.7 | 3.1 | 0.07 | 0.33 | | | | | | | C61 |
| Testis | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 55 | 0.7 | 2.3 | 1.5 | 0.11 | 0.17 | 23 | 0.5 | 1.0 | 0.6 | 0.04 | 0.07 | C64 |
| Renal pelvis | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 140 | 1.9 | 5.8 | 3.6 | 0.15 | 0.46 | 24 | 0.5 | 1.1 | 0.6 | 0.02 | 0.06 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 105 | 1.4 | 4.4 | 3.3 | 0.20 | 0.31 | 100 | 2.1 | 4.5 | 3.1 | 0.18 | 0.35 | C70–72 |
| Thyroid | 59 | 0.8 | 2.4 | 1.8 | 0.15 | 0.18 | 203 | 4.2 | 9.1 | 7.0 | 0.57 | 0.64 | C73 |
| Adrenal gland | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 49 | 0.7 | 2.0 | 1.5 | 0.10 | 0.17 | 44 | 0.9 | 2.0 | 1.4 | 0.08 | 0.14 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 23 | 0.3 | 1.0 | 0.7 | 0.04 | 0.09 | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C90 |
| Lymphoid leukaemia | 39 | 0.5 | 1.6 | 1.3 | 0.07 | 0.13 | 26 | 0.5 | 1.2 | 1.1 | 0.07 | 0.09 | C91 |
| Myeloid leukaemia | 25 | 0.3 | 1.0 | 1.0 | 0.06 | 0.09 | 12 | 0.2 | 0.5 | 0.5 | 0.03 | 0.05 | C92–94 |
| Leukaemia unspecified | 104 | 1.4 | 4.3 | 3.5 | 0.23 | 0.35 | 60 | 1.2 | 2.7 | 2.4 | 0.14 | 0.19 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 63 | 0.9 | 2.6 | 1.7 | 0.10 | 0.22 | 44 | 0.9 | 2.0 | 1.2 | 0.08 | 0.13 | O&U |
| All sites | 7382 | | 306.4 | 196.9 | 10.82 | 24.52 | 4920 | | 220.3 | 137.3 | 8.73 | 15.70 | C00–96 |
| All sites except C44 | 7350 | 100.0 | 305.1 | 196.1 | 10.80 | 24.42 | 4875 | 100.0 | 218.3 | 136.4 | 8.69 | 15.62 | C00–96 exc. C44 |

*See note following population pyramid

China, Jiange County

CONTRIBUTORS

Hui Tian
Shili Sun



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 57.6 | Oesophagus | 27.7 |
| Oesophagus | 55.4 | Trachea, bronchus, and lung | 22.1 |
| Trachea, bronchus, and lung | 54.5 | Cervix uteri | 20.3 |
| Liver | 32.5 | Stomach | 20.1 |
| Rectum | 8.9 | Liver | 12.1 |
| Pancreas | 4.6 | Breast | 6.9 |
| Leukaemia unspecified | 4.1 | Corpus uteri | 6.0 |
| Nasopharynx | 4.0 | Rectum | 5.7 |
| Brain and nervous system | 3.5 | Uterus unspecified | 5.1 |
| Prostate | 3.5 | Brain and nervous system | 4.2 |
| Non-Hodgkin lymphoma | 3.1 | Pancreas | 2.8 |
| Bladder | 2.9 | Ovary | 2.5 |
| Bone | 2.3 | Non-Hodgkin lymphoma | 2.4 |
| Colon | 1.8 | Leukaemia unspecified | 2.3 |
| Other and unspecified | 1.8 | Colon | 2.2 |
| Kidney | 1.4 | Nasopharynx | 1.8 |
| Mouth | 1.2 | Thyroid | 1.4 |
| Gallbladder etc. | 1.0 | Other and unspecified | 1.3 |
| Non-melanoma skin cancer | 0.9 | Non-melanoma skin cancer | 1.2 |
| Larynx | 0.8 | Gallbladder etc. | 1.1 |
| All sites | 252.3 | All sites | 157.7 |

*China, Jiange County (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 19 | 0.5 | 1.4 | 1.2 | 0.06 | 0.13 | 9 | 0.3 | 0.7 | 0.5 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 5 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C10 |
| Nasopharynx | 66 | 1.6 | 4.8 | 4.0 | 0.31 | 0.47 | 31 | 1.1 | 2.4 | 1.8 | 0.15 | 0.22 | C11 |
| Hypopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C14 |
| Oesophagus | 934 | 22.3 | 68.5 | 55.4 | 2.58 | 7.10 | 484 | 17.9 | 37.2 | 27.7 | 1.06 | 3.64 | C15 |
| Stomach | 970 | 23.1 | 71.2 | 57.6 | 2.51 | 7.45 | 364 | 13.5 | 28.0 | 20.1 | 0.77 | 2.35 | C16 |
| Small intestine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C17 |
| Colon | 31 | 0.7 | 2.3 | 1.8 | 0.08 | 0.20 | 38 | 1.4 | 2.9 | 2.2 | 0.15 | 0.28 | C18 |
| Rectum | 153 | 3.6 | 11.2 | 8.9 | 0.42 | 1.06 | 101 | 3.7 | 7.8 | 5.7 | 0.28 | 0.68 | C19–20 |
| Anus | 7 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 8 | 0.3 | 0.6 | 0.5 | 0.02 | 0.06 | C21 |
| Liver | 548 | 13.1 | 40.2 | 32.5 | 2.16 | 3.87 | 214 | 7.9 | 16.5 | 12.1 | 0.63 | 1.41 | C22 |
| Gallbladder etc. | 16 | 0.4 | 1.2 | 1.0 | 0.06 | 0.13 | 20 | 0.7 | 1.5 | 1.1 | 0.06 | 0.11 | C23–24 |
| Pancreas | 77 | 1.8 | 5.6 | 4.6 | 0.22 | 0.56 | 49 | 1.8 | 3.8 | 2.8 | 0.13 | 0.32 | C25 |
| Nose, sinuses etc. | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 7 | 0.3 | 0.5 | 0.4 | 0.04 | 0.05 | C30–31 |
| Larynx | 13 | 0.3 | 1.0 | 0.8 | 0.05 | 0.12 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 899 | 21.4 | 66.0 | 54.5 | 2.83 | 6.94 | 394 | 14.6 | 30.3 | 22.1 | 1.03 | 2.51 | C33–34 |
| Other thoracic organs | 7 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 10 | 0.4 | 0.8 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 39 | 0.9 | 2.9 | 2.3 | 0.10 | 0.29 | 18 | 0.7 | 1.4 | 1.1 | 0.07 | 0.10 | C40–41 |
| Melanoma of skin | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 15 | 0.4 | 1.1 | 0.9 | 0.06 | 0.10 | 20 | 0.7 | 1.5 | 1.2 | 0.08 | 0.12 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2 | 0.0 | 0.1 | 0.2 | 0.00 | 0.02 | 5 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | C47+C49 |
| Breast | 6 | 0.1 | 0.4 | 0.3 | 0.04 | 0.04 | 122 | 4.5 | 9.4 | 6.9 | 0.56 | 0.70 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 8 | 0.3 | 0.6 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 339 | 12.5 | 26.1 | 20.3 | 1.44 | 2.47 | C53 |
| Corpus uteri | | | | | | | 102 | 3.8 | 7.9 | 6.0 | 0.46 | 0.69 | C54 |
| Uterus unspecified | | | | | | | 87 | 3.2 | 6.7 | 5.1 | 0.29 | 0.68 | C55 |
| Ovary | | | | | | | 42 | 1.6 | 3.2 | 2.5 | 0.20 | 0.28 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 60 | 1.4 | 4.4 | 3.5 | 0.07 | 0.32 | | | | | | | C61 |
| Testis | 6 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 24 | 0.6 | 1.8 | 1.4 | 0.10 | 0.17 | 11 | 0.4 | 0.8 | 0.8 | 0.04 | 0.09 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C66 |
| Bladder | 49 | 1.2 | 3.6 | 2.9 | 0.10 | 0.35 | 12 | 0.4 | 0.9 | 0.7 | 0.02 | 0.11 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 57 | 1.4 | 4.2 | 3.5 | 0.21 | 0.42 | 70 | 2.6 | 5.4 | 4.2 | 0.28 | 0.45 | C70–72 |
| Thyroid | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 21 | 0.8 | 1.6 | 1.4 | 0.10 | 0.12 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 48 | 1.1 | 3.5 | 3.1 | 0.21 | 0.39 | 39 | 1.4 | 3.0 | 2.4 | 0.16 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 9 | 0.2 | 0.7 | 0.5 | 0.02 | 0.09 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C90 |
| Lymphoid leukaemia | 9 | 0.2 | 0.7 | 0.8 | 0.04 | 0.05 | 3 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 8 | 0.2 | 0.6 | 0.6 | 0.02 | 0.06 | 9 | 0.3 | 0.7 | 0.6 | 0.04 | 0.06 | C92–94 |
| Leukaemia unspecified | 58 | 1.4 | 4.3 | 4.1 | 0.26 | 0.35 | 29 | 1.1 | 2.2 | 2.3 | 0.13 | 0.22 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 28 | 0.7 | 2.1 | 1.8 | 0.10 | 0.20 | 21 | 0.8 | 1.6 | 1.3 | 0.09 | 0.10 | O&U |
| All sites | 4207 | | 308.7 | 252.3 | 12.85 | 31.41 | 2724 | | 209.6 | 157.7 | 8.54 | 18.63 | C00–96 |
| All sites except C44 | 4192 | 100.0 | 307.6 | 251.5 | 12.79 | 31.31 | 2704 | 100.0 | 208.1 | 156.5 | 8.46 | 18.51 | C00–96 exc. C44 |

*See note following population pyramid

China, Jiangmen City

CONTRIBUTORS

Zhaobo Mo
Xuefang Yu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.8 | Breast | 40.7 |
| Liver | 38.7 | Trachea, bronchus, and lung | 28.2 |
| Colon | 18.5 | Thyroid | 17.7 |
| Nasopharynx | 13.8 | Colon | 14.8 |
| Rectum | 13.1 | Cervix uteri | 10.8 |
| Oesophagus | 9.4 | Corpus uteri | 8.6 |
| Stomach | 8.9 | Rectum | 7.5 |
| Bladder | 7.7 | Liver | 7.0 |
| Prostate | 7.6 | Nasopharynx | 6.3 |
| Non-Hodgkin lymphoma | 5.7 | Stomach | 5.6 |
| Thyroid | 5.1 | Ovary | 5.2 |
| Gallbladder etc. | 4.2 | Non-Hodgkin lymphoma | 3.9 |
| Kidney | 3.7 | Other and unspecified | 3.1 |
| Larynx | 3.6 | Myeloid leukaemia | 2.9 |
| Pancreas | 3.6 | Brain and nervous system | 2.8 |
| Non-melanoma skin cancer | 3.4 | Non-melanoma skin cancer | 2.6 |
| Myeloid leukaemia | 3.3 | Gallbladder etc. | 2.5 |
| Other and unspecified | 3.1 | Pancreas | 2.3 |
| Lymphoid leukaemia | 3.1 | Uterus unspecified | 1.9 |
| Brain and nervous system | 2.9 | Kidney | 1.9 |
| All sites | 229.1 | All sites | 191.6 |


China, Jiangmen City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 46 | 0.9 | 2.8 | 1.8 | 0.15 | 0.19 | 23 | 0.5 | 1.4 | 0.9 | 0.05 | 0.11 | C01–02 |
| Mouth | 36 | 0.7 | 2.2 | 1.5 | 0.10 | 0.21 | 12 | 0.3 | 0.7 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 20 | 0.4 | 1.2 | 0.9 | 0.04 | 0.11 | 18 | 0.4 | 1.1 | 0.9 | 0.06 | 0.08 | C07–08 |
| Tonsil | 9 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 13 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 322 | 6.0 | 19.8 | 13.8 | 1.10 | 1.49 | 152 | 3.2 | 9.2 | 6.3 | 0.50 | 0.68 | C11 |
| Hypopharynx | 36 | 0.7 | 2.2 | 1.5 | 0.11 | 0.18 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 230 | 4.3 | 14.2 | 9.4 | 0.59 | 1.18 | 16 | 0.3 | 1.0 | 0.5 | 0.03 | 0.05 | C15 |
| Stomach | 215 | 4.0 | 13.2 | 8.9 | 0.50 | 1.10 | 153 | 3.2 | 9.2 | 5.6 | 0.28 | 0.68 | C16 |
| Small intestine | 34 | 0.6 | 2.1 | 1.4 | 0.09 | 0.15 | 25 | 0.5 | 1.5 | 1.0 | 0.06 | 0.13 | C17 |
| Colon | 451 | 8.4 | 27.8 | 18.5 | 0.83 | 2.21 | 410 | 8.6 | 24.8 | 14.8 | 0.78 | 1.75 | C18 |
| Rectum | 320 | 6.0 | 19.7 | 13.1 | 0.63 | 1.59 | 206 | 4.3 | 12.5 | 7.5 | 0.48 | 0.85 | C19–20 |
| Anus | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 12 | 0.3 | 0.7 | 0.5 | 0.02 | 0.06 | C21 |
| Liver | 920 | 17.1 | 56.7 | 38.7 | 2.92 | 4.44 | 194 | 4.1 | 11.7 | 7.0 | 0.39 | 0.78 | C22 |
| Gallbladder etc. | 108 | 2.0 | 6.7 | 4.2 | 0.15 | 0.43 | 73 | 1.5 | 4.4 | 2.5 | 0.11 | 0.25 | C23–24 |
| Pancreas | 90 | 1.7 | 5.5 | 3.6 | 0.15 | 0.40 | 67 | 1.4 | 4.0 | 2.3 | 0.09 | 0.24 | C25 |
| Nose, sinuses etc. | 19 | 0.4 | 1.2 | 0.8 | 0.06 | 0.11 | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 88 | 1.6 | 5.4 | 3.6 | 0.24 | 0.46 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1202 | 22.4 | 74.0 | 48.8 | 2.35 | 5.91 | 767 | 16.0 | 46.4 | 28.2 | 1.58 | 3.43 | C33–34 |
| Other thoracic organs | 28 | 0.5 | 1.7 | 1.2 | 0.09 | 0.13 | 13 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 15 | 0.3 | 0.9 | 0.7 | 0.04 | 0.04 | 20 | 0.4 | 1.2 | 0.9 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 20 | 0.4 | 1.2 | 0.8 | 0.05 | 0.07 | 13 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | C43 |
| Other skin | 81 | 1.5 | 5.0 | 3.4 | 0.14 | 0.42 | 71 | 1.5 | 4.3 | 2.6 | 0.12 | 0.30 | C44 |
| Mesothelioma | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 27 | 0.5 | 1.7 | 1.4 | 0.08 | 0.16 | 21 | 0.4 | 1.3 | 1.1 | 0.06 | 0.08 | C47+C49 |
| Breast | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1023 | 21.4 | 61.8 | 40.7 | 3.31 | 4.46 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.01 | C51 |
| Vagina | | | | | | | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 268 | 5.6 | 16.2 | 10.8 | 0.91 | 1.11 | C53 |
| Corpus uteri | | | | | | | 215 | 4.5 | 13.0 | 8.6 | 0.76 | 0.94 | C54 |
| Uterus unspecified | | | | | | | 45 | 0.9 | 2.7 | 1.9 | 0.14 | 0.21 | C55 |
| Ovary | | | | | | | 124 | 2.6 | 7.5 | 5.2 | 0.37 | 0.54 | C56 |
| Other female genital organs | | | | | | | 9 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 195 | 3.6 | 12.0 | 7.6 | 0.11 | 0.80 | | | | | | | C61 |
| Testis | 15 | 0.3 | 0.9 | 0.9 | 0.06 | 0.07 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.04 | | | | | | | C63 |
| Kidney | 86 | 1.6 | 5.3 | 3.8 | 0.23 | 0.39 | 45 | 0.9 | 2.7 | 1.9 | 0.15 | 0.21 | C64 |
| Renal pelvis | 12 | 0.2 | 0.7 | 0.5 | 0.05 | 0.05 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 15 | 0.3 | 0.9 | 0.7 | 0.02 | 0.11 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | C66 |
| Bladder | 189 | 3.5 | 11.6 | 7.7 | 0.29 | 0.84 | 38 | 0.8 | 2.3 | 1.2 | 0.03 | 0.13 | C67 |
| Other urinary organs | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 59 | 1.1 | 3.6 | 2.9 | 0.17 | 0.29 | 63 | 1.3 | 3.8 | 2.8 | 0.16 | 0.26 | C70–72 |
| Thyroid | 111 | 2.1 | 6.8 | 5.1 | 0.40 | 0.47 | 390 | 8.2 | 23.6 | 17.7 | 1.44 | 1.64 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 7 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 8 | 0.2 | 0.5 | 0.6 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 122 | 2.3 | 7.5 | 5.7 | 0.31 | 0.62 | 97 | 2.0 | 5.9 | 3.9 | 0.27 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 38 | 0.7 | 2.3 | 1.6 | 0.05 | 0.22 | 30 | 0.6 | 1.8 | 1.2 | 0.07 | 0.18 | C90 |
| Lymphoid leukaemia | 41 | 0.8 | 2.5 | 3.1 | 0.15 | 0.23 | 22 | 0.5 | 1.3 | 1.9 | 0.09 | 0.12 | C91 |
| Myeloid leukaemia | 71 | 1.3 | 4.4 | 3.3 | 0.20 | 0.35 | 59 | 1.2 | 3.6 | 2.9 | 0.17 | 0.26 | C92–94 |
| Leukaemia unspecified | 16 | 0.3 | 1.0 | 0.9 | 0.05 | 0.07 | 12 | 0.3 | 0.7 | 0.5 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 8 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | MPD |
| Myelodysplastic syndromes | 17 | 0.3 | 1.0 | 0.7 | 0.02 | 0.06 | 12 | 0.3 | 0.7 | 0.4 | 0.02 | 0.06 | MPS |
| Other and unspecified | 74 | 1.4 | 4.6 | 3.1 | 0.18 | 0.37 | 73 | 1.5 | 4.4 | 3.1 | 0.14 | 0.32 | O&U |
| All sites | 5448 | | 335.6 | 229.1 | 12.91 | 26.31 | 4855 | | 293.4 | 191.6 | 13.02 | 20.91 | C00–96 |
| All sites except C44 | 5367 | 100.0 | 330.6 | 225.6 | 12.77 | 25.90 | 4784 | 100.0 | 289.2 | 189.1 | 12.90 | 20.60 | C00–96 exc. C44 |

China, Jiangyin City

CONTRIBUTORS

Jian Zhang
Juan Liu
Ying Li
Yanru Zhang
Ye Ji



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 50.9 | Breast | 25.6 |
| Trachea, bronchus, and lung | 48.1 | Trachea, bronchus, and lung | 19.2 |
| Liver | 21.7 | Stomach | 17.7 |
| Oesophagus | 18.9 | Thyroid | 9.9 |
| Rectum | 13.2 | Cervix uteri | 9.9 |
| Colon | 12.3 | Colon | 8.5 |
| Prostate | 7.6 | Rectum | 7.4 |
| Pancreas | 7.1 | Liver | 6.8 |
| Bladder | 6.4 | Oesophagus | 5.3 |
| Non-Hodgkin lymphoma | 4.3 | Pancreas | 5.2 |
| Nasopharynx | 3.4 | Ovary | 4.9 |
| Thyroid | 3.2 | Corpus uteri | 3.7 |
| Myeloid leukaemia | 3.2 | Gallbladder etc. | 3.7 |
| Kidney | 3.0 | Brain and nervous system | 2.6 |
| Brain and nervous system | 3.0 | Non-Hodgkin lymphoma | 2.4 |
| Gallbladder etc. | 2.7 | Myeloid leukaemia | 2.3 |
| Larynx | 2.2 | Kidney | 1.6 |
| Lymphoid leukaemia | 1.6 | Bladder | 1.3 |
| Multiple myeloma | 1.5 | Multiple myeloma | 1.2 |
| Non-melanoma skin cancer | 1.4 | Lymphoid leukaemia | 1.1 |
| All sites | 229.3 | All sites | 150.1 |

*China, Jiangyin City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 25 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | 25 | 0.3 | 0.8 | 0.4 | 0.03 | 0.06 | C01–02 |
| Mouth | 42 | 0.3 | 1.4 | 0.7 | 0.03 | 0.10 | 22 | 0.3 | 0.7 | 0.3 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 25 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 14 | 0.2 | 0.5 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 170 | 1.3 | 5.5 | 3.4 | 0.25 | 0.39 | 52 | 0.6 | 1.7 | 1.0 | 0.08 | 0.11 | C11 |
| Hypopharynx | 39 | 0.3 | 1.3 | 0.7 | 0.06 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1135 | 8.5 | 36.9 | 18.9 | 0.94 | 2.34 | 393 | 4.5 | 12.7 | 5.3 | 0.13 | 0.65 | C15 |
| Stomach | 3070 | 23.1 | 99.9 | 50.9 | 2.46 | 6.42 | 1148 | 13.1 | 37.1 | 17.7 | 0.82 | 2.17 | C16 |
| Small intestine | 77 | 0.6 | 2.5 | 1.3 | 0.06 | 0.16 | 56 | 0.6 | 1.8 | 0.8 | 0.05 | 0.08 | C17 |
| Colon | 719 | 5.4 | 23.4 | 12.3 | 0.68 | 1.44 | 532 | 6.1 | 17.2 | 8.5 | 0.48 | 1.01 | C18 |
| Rectum | 766 | 5.8 | 24.9 | 13.2 | 0.76 | 1.57 | 455 | 5.2 | 14.7 | 7.4 | 0.46 | 0.86 | C19–20 |
| Anus | 20 | 0.2 | 0.7 | 0.3 | 0.01 | 0.05 | 9 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 1212 | 9.1 | 39.4 | 21.7 | 1.48 | 2.45 | 449 | 5.1 | 14.5 | 6.8 | 0.31 | 0.79 | C22 |
| Gallbladder etc. | 170 | 1.3 | 5.5 | 2.7 | 0.11 | 0.31 | 256 | 2.9 | 8.3 | 3.7 | 0.15 | 0.41 | C23–24 |
| Pancreas | 431 | 3.2 | 14.0 | 7.1 | 0.33 | 0.83 | 378 | 4.3 | 12.2 | 5.2 | 0.17 | 0.61 | C25 |
| Nose, sinuses etc. | 23 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 18 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 131 | 1.0 | 4.3 | 2.2 | 0.10 | 0.27 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2912 | 21.9 | 94.7 | 48.1 | 2.16 | 6.31 | 1211 | 13.8 | 39.1 | 19.2 | 1.12 | 2.26 | C33–34 |
| Other thoracic organs | 40 | 0.3 | 1.3 | 0.7 | 0.05 | 0.09 | 35 | 0.4 | 1.1 | 0.6 | 0.03 | 0.08 | C37–38 |
| Bone | 53 | 0.4 | 1.7 | 0.9 | 0.04 | 0.09 | 42 | 0.5 | 1.4 | 0.7 | 0.03 | 0.08 | C40–41 |
| Melanoma of skin | 23 | 0.2 | 0.7 | 0.5 | 0.02 | 0.04 | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 84 | 0.6 | 2.7 | 1.4 | 0.05 | 0.14 | 59 | 0.7 | 1.9 | 0.8 | 0.03 | 0.09 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 41 | 0.3 | 1.3 | 1.0 | 0.06 | 0.09 | 30 | 0.3 | 1.0 | 0.6 | 0.05 | 0.07 | C47+C49 |
| Breast | 20 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | 1333 | 15.2 | 43.0 | 25.6 | 2.14 | 2.73 | C50 |
| Vulva | | | | | | | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 511 | 5.8 | 16.5 | 9.9 | 0.85 | 1.02 | C53 |
| Corpus uteri | | | | | | | 206 | 2.3 | 6.6 | 3.7 | 0.29 | 0.45 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 255 | 2.9 | 8.2 | 4.9 | 0.39 | 0.52 | C56 |
| Other female genital organs | | | | | | | 17 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 22 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 499 | 3.7 | 16.2 | 7.6 | 0.15 | 0.82 | | | | | | | C61 |
| Testis | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 159 | 1.2 | 5.2 | 3.0 | 0.20 | 0.34 | 85 | 1.0 | 2.7 | 1.6 | 0.10 | 0.17 | C64 |
| Renal pelvis | 27 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 26 | 0.2 | 0.8 | 0.4 | 0.03 | 0.06 | 16 | 0.2 | 0.5 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 379 | 2.8 | 12.3 | 6.4 | 0.29 | 0.67 | 89 | 1.0 | 2.9 | 1.3 | 0.06 | 0.15 | C67 |
| Other urinary organs | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 147 | 1.1 | 4.8 | 3.0 | 0.17 | 0.30 | 133 | 1.5 | 4.3 | 2.6 | 0.13 | 0.24 | C70–72 |
| Thyroid | 144 | 1.1 | 4.7 | 3.2 | 0.25 | 0.32 | 448 | 5.1 | 14.5 | 9.9 | 0.83 | 0.92 | C73 |
| Adrenal gland | 7 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 232 | 1.7 | 7.5 | 4.3 | 0.26 | 0.50 | 140 | 1.6 | 4.5 | 2.4 | 0.15 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 14 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C88 |
| Multiple myeloma | 81 | 0.6 | 2.6 | 1.5 | 0.08 | 0.17 | 65 | 0.7 | 2.1 | 1.2 | 0.06 | 0.14 | C90 |
| Lymphoid leukaemia | 60 | 0.5 | 2.0 | 1.6 | 0.09 | 0.13 | 38 | 0.4 | 1.2 | 1.1 | 0.06 | 0.09 | C91 |
| Myeloid leukaemia | 140 | 1.1 | 4.6 | 3.2 | 0.20 | 0.31 | 108 | 1.2 | 3.5 | 2.3 | 0.16 | 0.23 | C92–94 |
| Leukaemia unspecified | 23 | 0.2 | 0.7 | 0.5 | 0.02 | 0.04 | 24 | 0.3 | 0.8 | 0.3 | 0.01 | 0.04 | C95 |
| Myeloproliferative disorders | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 51 | 0.4 | 1.7 | 0.9 | 0.04 | 0.10 | 21 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | MPS |
| Other and unspecified | 76 | 0.6 | 2.5 | 1.3 | 0.07 | 0.14 | 65 | 0.7 | 2.1 | 1.0 | 0.05 | 0.09 | O&U |
| All sites | 13399 | | 436.0 | 229.3 | 11.79 | 27.61 | 8833 | | 285.1 | 150.1 | 9.43 | 16.79 | C00–96 |
| All sites except C44 | 13315 | 100.0 | 433.2 | 228.0 | 11.74 | 27.46 | 8774 | 100.0 | 283.2 | 149.2 | 9.41 | 16.70 | C00–96 exc. C44 |

*See note following population pyramid

China, Jiashan County

CONTRIBUTORS

Xinglin Fei
Feiqiong Shen
Jinhua Yang
Qilong Li
Feng Xue
Lingling Yu
Wanli Ma
Jing Sun



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 60.2 | Thyroid | 53.5 |
| Liver | 22.7 | Trachea, bronchus, and lung | 37.9 |
| Stomach | 22.1 | Breast | 36.8 |
| Thyroid | 17.5 | Colon | 13.3 |
| Colon | 15.5 | Cervix uteri | 9.9 |
| Rectum | 13.3 | Liver | 9.3 |
| Prostate | 12.7 | Rectum | 9.2 |
| Pancreas | 10.6 | Stomach | 8.7 |
| Oesophagus | 9.1 | Brain and nervous system | 7.1 |
| Bladder | 7.8 | Gallbladder etc. | 6.1 |
| Kidney | 5.7 | Pancreas | 6.1 |
| Non-Hodgkin lymphoma | 5.3 | Ovary | 5.4 |
| Brain and nervous system | 5.2 | Corpus uteri | 4.6 |
| Nasopharynx | 5.2 | Non-Hodgkin lymphoma | 3.6 |
| Myeloid leukaemia | 3.7 | Non-melanoma skin cancer | 3.0 |
| Gallbladder etc. | 3.6 | Myeloid leukaemia | 2.6 |
| Non-melanoma skin cancer | 3.6 | Oesophagus | 2.5 |
| Lymphoid leukaemia | 2.3 | Kidney | 2.4 |
| Other thoracic organs | 2.0 | Nasopharynx | 2.1 |
| Small intestine | 1.7 | Other and unspecified | 1.3 |
| All sites | 246.4 | All sites | 239.1 |

*China, Jiashan County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 12 | 0.2 | 1.3 | 0.5 | 0.02 | 0.07 | 7 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 18 | 0.4 | 1.9 | 0.8 | 0.03 | 0.10 | 9 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 20 | 0.4 | 2.1 | 1.1 | 0.07 | 0.13 | 14 | 0.3 | 1.4 | 0.8 | 0.07 | 0.07 | C07–08 |
| Tonsil | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 94 | 1.9 | 9.8 | 5.2 | 0.34 | 0.65 | 33 | 0.7 | 3.4 | 2.1 | 0.18 | 0.21 | C11 |
| Hypopharynx | 30 | 0.6 | 3.1 | 1.4 | 0.08 | 0.16 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 204 | 4.1 | 21.4 | 9.1 | 0.36 | 1.18 | 68 | 1.5 | 6.9 | 2.5 | 0.07 | 0.29 | C15 |
| Stomach | 481 | 9.6 | 50.3 | 22.1 | 1.12 | 2.71 | 198 | 4.4 | 20.1 | 8.7 | 0.48 | 1.02 | C16 |
| Small intestine | 34 | 0.7 | 3.6 | 1.7 | 0.11 | 0.18 | 29 | 0.6 | 2.9 | 1.2 | 0.06 | 0.13 | C17 |
| Colon | 323 | 6.5 | 33.8 | 15.5 | 0.85 | 1.91 | 306 | 6.8 | 31.1 | 13.3 | 0.68 | 1.51 | C18 |
| Rectum | 275 | 5.5 | 28.8 | 13.3 | 0.73 | 1.64 | 202 | 4.5 | 20.5 | 9.2 | 0.52 | 1.08 | C19–20 |
| Anus | 12 | 0.2 | 1.3 | 0.5 | 0.03 | 0.06 | 7 | 0.2 | 0.7 | 0.3 | 0.00 | 0.03 | C21 |
| Liver | 494 | 9.9 | 51.7 | 22.7 | 1.00 | 2.34 | 235 | 5.3 | 23.9 | 9.3 | 0.30 | 1.08 | C22 |
| Gallbladder etc. | 80 | 1.6 | 8.4 | 3.6 | 0.16 | 0.43 | 149 | 3.3 | 15.1 | 6.1 | 0.26 | 0.68 | C23–24 |
| Pancreas | 235 | 4.7 | 24.6 | 10.6 | 0.49 | 1.20 | 150 | 3.4 | 15.2 | 6.1 | 0.31 | 0.66 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.6 | 0.2 | 0.02 | 0.03 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 27 | 0.5 | 2.8 | 1.3 | 0.06 | 0.20 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 1340 | 26.9 | 140.2 | 60.2 | 2.56 | 7.60 | 788 | 17.6 | 80.0 | 37.9 | 2.45 | 4.60 | C33–34 |
| Other thoracic organs | 28 | 0.6 | 2.9 | 2.0 | 0.12 | 0.19 | 10 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | C37–38 |
| Bone | 19 | 0.4 | 2.0 | 1.1 | 0.04 | 0.10 | 14 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 16 | 0.3 | 1.7 | 0.7 | 0.04 | 0.06 | 12 | 0.3 | 1.2 | 0.6 | 0.03 | 0.09 | C43 |
| Other skin | 78 | 1.6 | 8.2 | 3.6 | 0.18 | 0.36 | 80 | 1.8 | 8.1 | 3.0 | 0.09 | 0.31 | C44 |
| Mesothelioma | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.2 | 1.2 | 0.8 | 0.04 | 0.09 | 8 | 0.2 | 0.8 | 0.4 | 0.04 | 0.05 | C47+C49 |
| Breast | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 632 | 14.1 | 64.2 | 36.8 | 3.12 | 3.91 | C50 |
| Vulva | | | | | | | 8 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 160 | 3.6 | 16.2 | 9.9 | 0.88 | 0.95 | C53 |
| Corpus uteri | | | | | | | 85 | 1.9 | 8.6 | 4.6 | 0.39 | 0.53 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 89 | 2.0 | 9.0 | 5.4 | 0.41 | 0.55 | C56 |
| Other female genital organs | | | | | | | 16 | 0.4 | 1.6 | 0.8 | 0.05 | 0.07 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C58 |
| Penis | 16 | 0.3 | 1.7 | 0.8 | 0.05 | 0.08 | | | | | | | C60 |
| Prostate | 299 | 6.0 | 31.3 | 12.7 | 0.30 | 1.47 | | | | | | | C61 |
| Testis | 7 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.7 | 0.4 | 0.02 | 0.06 | | | | | | | C63 |
| Kidney | 92 | 1.8 | 9.6 | 5.7 | 0.38 | 0.63 | 46 | 1.0 | 4.7 | 2.4 | 0.13 | 0.30 | C64 |
| Renal pelvis | 11 | 0.2 | 1.2 | 0.5 | 0.03 | 0.08 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 7 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 169 | 3.4 | 17.7 | 7.8 | 0.41 | 0.82 | 27 | 0.6 | 2.7 | 1.2 | 0.05 | 0.14 | C67 |
| Other urinary organs | 5 | 0.1 | 0.5 | 0.2 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 89 | 1.8 | 9.3 | 5.2 | 0.34 | 0.53 | 129 | 2.9 | 13.1 | 7.1 | 0.45 | 0.72 | C70–72 |
| Thyroid | 235 | 4.7 | 24.6 | 17.5 | 1.43 | 1.65 | 789 | 17.7 | 80.1 | 53.5 | 4.57 | 5.16 | C73 |
| Adrenal gland | 7 | 0.1 | 0.7 | 0.3 | 0.03 | 0.04 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 99 | 2.0 | 10.4 | 5.3 | 0.34 | 0.71 | 73 | 1.6 | 7.4 | 3.6 | 0.21 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 5 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 22 | 0.4 | 2.3 | 1.1 | 0.09 | 0.13 | 23 | 0.5 | 2.3 | 1.1 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 25 | 0.5 | 2.6 | 2.3 | 0.12 | 0.19 | 15 | 0.3 | 1.5 | 1.1 | 0.07 | 0.08 | C91 |
| Myeloid leukaemia | 53 | 1.1 | 5.5 | 3.7 | 0.24 | 0.37 | 41 | 0.9 | 4.2 | 2.6 | 0.20 | 0.25 | C92–94 |
| Leukaemia unspecified | 7 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 5 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 5 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 4 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | MPD |
| Myelodysplastic syndromes | 8 | 0.2 | 0.8 | 0.4 | 0.02 | 0.03 | 6 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | MPS |
| Other and unspecified | 33 | 0.7 | 3.5 | 1.4 | 0.05 | 0.12 | 31 | 0.7 | 3.1 | 1.3 | 0.05 | 0.15 | O&U |
| All sites | 5068 | | 530.4 | 246.4 | 12.52 | 28.65 | 4548 | | 461.9 | 239.1 | 16.55 | 25.88 | C00–96 |
| All sites except C44 | 4990 | 100.0 | 522.2 | 242.9 | 12.34 | 28.29 | 4468 | 100.0 | 453.8 | 236.1 | 16.46 | 25.57 | C00–96 exc. C44 |

*See note following population pyramid

China, Jiayu County

CONTRIBUTORS

Tong De Min
Liu Xiao Ling
Liu Qing



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.0 | Breast | 20.7 |
| Liver | 30.2 | Trachea, bronchus, and lung | 18.4 |
| Stomach | 15.1 | Cervix uteri | 13.6 |
| Oesophagus | 9.5 | Thyroid | 12.6 |
| Rectum | 8.1 | Stomach | 10.2 |
| Colon | 7.7 | Liver | 10.0 |
| Nasopharynx | 5.1 | Rectum | 7.2 |
| Bladder | 4.6 | Ovary | 5.5 |
| Brain and nervous system | 4.5 | Colon | 4.9 |
| Non-Hodgkin lymphoma | 4.2 | Corpus uteri | 3.8 |
| Prostate | 3.8 | Non-Hodgkin lymphoma | 3.3 |
| Pancreas | 3.2 | Brain and nervous system | 3.0 |
| Bone | 2.9 | Myeloid leukaemia | 2.8 |
| Thyroid | 2.8 | Other and unspecified | 2.2 |
| Leukaemia unspecified | 2.7 | Leukaemia unspecified | 1.9 |
| Larynx | 2.7 | Nasopharynx | 1.8 |
| Other and unspecified | 2.1 | Pancreas | 1.6 |
| Kidney | 2.0 | Oesophagus | 1.4 |
| Myeloid leukaemia | 1.7 | Connective and soft tissue | 1.3 |
| Non-melanoma skin cancer | 1.2 | Uterus unspecified | 1.3 |
| All sites | 184.1 | All sites | 136.4 |


China, Jiayu County (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C00 |
| Tongue | 6 | 0.4 | 1.0 | 0.8 | 0.07 | 0.07 | 2 | 0.2 | 0.4 | 0.3 | 0.00 | 0.07 | C01–02 |
| Mouth | 5 | 0.4 | 0.9 | 0.7 | 0.03 | 0.09 | 3 | 0.3 | 0.6 | 0.4 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 6 | 0.4 | 1.0 | 0.8 | 0.03 | 0.11 | 3 | 0.3 | 0.6 | 0.4 | 0.04 | 0.04 | C07–08 |
| Tonsil | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 2 | 0.1 | 0.3 | 0.4 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 40 | 2.9 | 6.9 | 5.1 | 0.39 | 0.55 | 12 | 1.2 | 2.3 | 1.8 | 0.16 | 0.18 | C11 |
| Hypopharynx | 3 | 0.2 | 0.5 | 0.4 | 0.03 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.2 | 0.5 | 0.4 | 0.00 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 72 | 5.2 | 12.4 | 9.5 | 0.44 | 1.17 | 12 | 1.2 | 2.3 | 1.4 | 0.08 | 0.14 | C15 |
| Stomach | 115 | 8.4 | 19.8 | 15.1 | 0.80 | 1.93 | 80 | 7.7 | 15.0 | 10.2 | 0.61 | 1.17 | C16 |
| Small intestine | 6 | 0.4 | 1.0 | 0.8 | 0.08 | 0.08 | 6 | 0.6 | 1.1 | 0.8 | 0.08 | 0.08 | C17 |
| Colon | 58 | 4.2 | 10.0 | 7.7 | 0.39 | 0.95 | 38 | 3.7 | 7.1 | 4.9 | 0.29 | 0.53 | C18 |
| Rectum | 63 | 4.6 | 10.8 | 8.1 | 0.46 | 1.00 | 56 | 5.4 | 10.5 | 7.2 | 0.40 | 0.93 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 233 | 17.0 | 40.1 | 30.2 | 1.89 | 3.54 | 77 | 7.4 | 14.4 | 10.0 | 0.69 | 1.12 | C22 |
| Gallbladder etc. | 5 | 0.4 | 0.9 | 0.6 | 0.04 | 0.06 | 5 | 0.5 | 0.9 | 0.6 | 0.00 | 0.07 | C23–24 |
| Pancreas | 25 | 1.8 | 4.3 | 3.2 | 0.13 | 0.47 | 14 | 1.4 | 2.6 | 1.6 | 0.06 | 0.20 | C25 |
| Nose, sinuses etc. | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.3 | 0.6 | 0.4 | 0.01 | 0.04 | C30–31 |
| Larynx | 19 | 1.4 | 3.3 | 2.7 | 0.12 | 0.35 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 447 | 32.5 | 76.8 | 59.0 | 2.75 | 7.81 | 149 | 14.4 | 27.9 | 18.4 | 0.90 | 2.26 | C33–34 |
| Other thoracic organs | 6 | 0.4 | 1.0 | 0.9 | 0.06 | 0.12 | 4 | 0.4 | 0.8 | 0.5 | 0.04 | 0.07 | C37–38 |
| Bone | 20 | 1.5 | 3.4 | 2.9 | 0.16 | 0.32 | 6 | 0.6 | 1.1 | 0.8 | 0.06 | 0.10 | C40–41 |
| Melanoma of skin | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | 2 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 10 | 0.7 | 1.7 | 1.2 | 0.07 | 0.14 | 3 | 0.3 | 0.6 | 0.4 | 0.02 | 0.09 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 5 | 0.4 | 0.9 | 0.6 | 0.03 | 0.09 | 7 | 0.7 | 1.3 | 1.3 | 0.09 | 0.12 | C47+C49 |
| Breast | 3 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 160 | 15.4 | 30.0 | 20.7 | 1.80 | 2.12 | C50 |
| Vulva | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | 4 | 0.4 | 0.8 | 0.5 | 0.04 | 0.06 | 4 | 0.4 | 0.8 | 0.5 | 0.04 | 0.06 | C52 |
| Cervix uteri | 108 | 10.4 | 20.3 | 13.6 | 1.20 | 1.36 | 108 | 10.4 | 20.3 | 13.6 | 1.20 | 1.36 | C53 |
| Corpus uteri | 29 | 2.8 | 5.4 | 3.8 | 0.35 | 0.46 | 29 | 2.8 | 5.4 | 3.8 | 0.35 | 0.46 | C54 |
| Uterus unspecified | 11 | 1.1 | 2.1 | 1.3 | 0.06 | 0.16 | 11 | 1.1 | 2.1 | 1.3 | 0.06 | 0.16 | C55 |
| Ovary | 41 | 4.0 | 7.7 | 5.5 | 0.47 | 0.64 | 41 | 4.0 | 7.7 | 5.5 | 0.47 | 0.64 | C56 |
| Other female genital organs | 2 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | 2 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C57 |
| Placenta | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 4 | 0.3 | 0.7 | 0.5 | 0.01 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C60 |
| Prostate | 28 | 2.0 | 4.8 | 3.8 | 0.15 | 0.45 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C61 |
| Testis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C63 |
| Kidney | 13 | 0.9 | 2.2 | 2.0 | 0.08 | 0.28 | 7 | 0.7 | 1.3 | 0.9 | 0.04 | 0.10 | C64 |
| Renal pelvis | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 2 | 0.2 | 0.4 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 35 | 2.5 | 6.0 | 4.6 | 0.20 | 0.61 | 6 | 0.6 | 1.1 | 0.9 | 0.04 | 0.10 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 30 | 2.2 | 5.2 | 4.5 | 0.31 | 0.47 | 23 | 2.2 | 4.3 | 3.0 | 0.24 | 0.34 | C70–72 |
| Thyroid | 21 | 1.5 | 3.6 | 2.8 | 0.26 | 0.26 | 93 | 9.0 | 17.4 | 12.6 | 1.10 | 1.16 | C73 |
| Adrenal gland | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 2 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 33 | 2.4 | 5.7 | 4.2 | 0.30 | 0.43 | 22 | 2.1 | 4.1 | 3.3 | 0.17 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 5 | 0.4 | 0.9 | 0.7 | 0.05 | 0.08 | 3 | 0.3 | 0.6 | 0.4 | 0.04 | 0.04 | C90 |
| Lymphoid leukaemia | 3 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C91 |
| Myeloid leukaemia | 12 | 0.9 | 2.1 | 1.7 | 0.15 | 0.15 | 19 | 1.8 | 3.6 | 2.8 | 0.20 | 0.24 | C92–94 |
| Leukaemia unspecified | 17 | 1.2 | 2.9 | 2.7 | 0.14 | 0.31 | 11 | 1.1 | 2.1 | 1.9 | 0.08 | 0.20 | C95 |
| Myeloproliferative disorders | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 14 | 1.0 | 2.4 | 2.1 | 0.07 | 0.29 | 11 | 1.1 | 2.1 | 2.2 | 0.16 | 0.18 | O&U |
| All sites | 1384 | 100.0 | 237.9 | 184.1 | 9.89 | 22.66 | 1040 | 100.0 | 195.1 | 136.4 | 9.61 | 15.03 | C00–96 |
| All sites except C44 | 1374 | 100.0 | 236.2 | 182.8 | 9.82 | 22.52 | 1037 | 100.0 | 194.5 | 136.0 | 9.59 | 14.95 | C00–96 exc. C44 |

China, Jinan City

CONTRIBUTORS

Ailing Qi
 Qingchang Wang
 Xia Ma
 Bing Liu
 Jing Li
 Yuheng Wang
 Zongyan Li
 Huijuan Zhang
 Yanfei Diao



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 51.7 | Breast | 35.8 |
| Stomach | 34.0 | Thyroid | 27.3 |
| Liver | 24.8 | Trachea, bronchus, and lung | 23.9 |
| Oesophagus | 20.1 | Stomach | 10.6 |
| Rectum | 13.0 | Cervix uteri | 7.7 |
| Colon | 12.2 | Liver | 7.2 |
| Thyroid | 9.2 | Colon | 6.9 |
| Prostate | 7.3 | Ovary | 6.7 |
| Bladder | 6.1 | Rectum | 6.5 |
| Kidney | 5.2 | Corpus uteri | 6.3 |
| Pancreas | 4.7 | Oesophagus | 4.7 |
| Brain and nervous system | 4.4 | Brain and nervous system | 4.2 |
| Non-Hodgkin lymphoma | 2.6 | Pancreas | 3.0 |
| Gallbladder etc. | 2.3 | Kidney | 2.5 |
| Other and unspecified | 2.2 | Bladder | 1.6 |
| Myeloid leukaemia | 2.1 | Other and unspecified | 1.5 |
| Larynx | 2.0 | Non-Hodgkin lymphoma | 1.5 |
| Leukaemia unspecified | 2.0 | Myeloid leukaemia | 1.5 |
| Lymphoid leukaemia | 1.6 | Lymphoid leukaemia | 1.4 |
| Hypopharynx | 1.5 | Leukaemia unspecified | 1.4 |
| All sites | 223.7 | All sites | 172.8 |

*China, Jinan City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 13 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 89 | 0.4 | 1.6 | 1.0 | 0.07 | 0.11 | 37 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C01–02 |
| Mouth | 87 | 0.4 | 1.6 | 0.9 | 0.06 | 0.10 | 43 | 0.3 | 0.8 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 48 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | 33 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 9 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 30 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 87 | 0.4 | 1.6 | 1.0 | 0.08 | 0.11 | 41 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C11 |
| Hypopharynx | 148 | 0.7 | 2.7 | 1.5 | 0.12 | 0.18 | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1932 | 9.4 | 35.3 | 20.1 | 1.12 | 2.47 | 577 | 3.5 | 10.1 | 4.7 | 0.17 | 0.54 | C15 |
| Stomach | 3220 | 15.7 | 58.9 | 34.0 | 1.73 | 4.28 | 1163 | 7.0 | 20.4 | 10.6 | 0.54 | 1.22 | C16 |
| Small intestine | 98 | 0.5 | 1.8 | 1.1 | 0.05 | 0.13 | 54 | 0.3 | 0.9 | 0.5 | 0.04 | 0.06 | C17 |
| Colon | 1165 | 5.7 | 21.3 | 12.2 | 0.62 | 1.37 | 774 | 4.6 | 13.6 | 6.9 | 0.37 | 0.82 | C18 |
| Rectum | 1227 | 6.0 | 22.4 | 13.0 | 0.71 | 1.58 | 707 | 4.2 | 12.4 | 6.5 | 0.36 | 0.78 | C19–20 |
| Anus | 19 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 14 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 2283 | 11.1 | 41.7 | 24.8 | 1.67 | 2.88 | 789 | 4.7 | 13.9 | 7.2 | 0.39 | 0.85 | C22 |
| Gallbladder etc. | 224 | 1.1 | 4.1 | 2.3 | 0.09 | 0.25 | 158 | 0.9 | 2.8 | 1.4 | 0.06 | 0.17 | C23–24 |
| Pancreas | 446 | 2.2 | 8.2 | 4.7 | 0.24 | 0.53 | 349 | 2.1 | 6.1 | 3.0 | 0.13 | 0.36 | C25 |
| Nose, sinuses etc. | 29 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 18 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 195 | 0.9 | 3.6 | 2.0 | 0.12 | 0.24 | 14 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 4973 | 24.2 | 90.9 | 51.7 | 2.49 | 6.25 | 2730 | 16.4 | 48.0 | 23.9 | 1.23 | 2.75 | C33–34 |
| Other thoracic organs | 72 | 0.4 | 1.3 | 0.9 | 0.05 | 0.10 | 45 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 82 | 0.4 | 1.5 | 1.0 | 0.05 | 0.11 | 51 | 0.3 | 0.9 | 0.5 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 23 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 23 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 109 | 0.5 | 2.0 | 1.2 | 0.06 | 0.13 | 93 | 0.6 | 1.6 | 0.8 | 0.04 | 0.08 | C44 |
| Mesothelioma | 16 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 67 | 0.3 | 1.2 | 0.8 | 0.05 | 0.08 | 59 | 0.4 | 1.0 | 0.8 | 0.05 | 0.06 | C47+C49 |
| Breast | 30 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 3266 | 19.6 | 57.4 | 35.8 | 2.87 | 3.94 | C50 |
| Vulva | | | | | | | 23 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 9 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 673 | 4.0 | 11.8 | 7.7 | 0.64 | 0.78 | C53 |
| Corpus uteri | | | | | | | 602 | 3.6 | 10.6 | 6.3 | 0.55 | 0.74 | C54 |
| Uterus unspecified | | | | | | | 61 | 0.4 | 1.1 | 0.6 | 0.05 | 0.07 | C55 |
| Ovary | | | | | | | 585 | 3.5 | 10.3 | 6.7 | 0.48 | 0.74 | C56 |
| Other female genital organs | | | | | | | 37 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 28 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 731 | 3.6 | 13.4 | 7.3 | 0.13 | 0.83 | | | | | | | C61 |
| Testis | 20 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 9 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 449 | 2.2 | 8.2 | 5.2 | 0.34 | 0.58 | 237 | 1.4 | 4.2 | 2.5 | 0.17 | 0.27 | C64 |
| Renal pelvis | 44 | 0.2 | 0.8 | 0.5 | 0.02 | 0.05 | 39 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C65 |
| Ureter | 58 | 0.3 | 1.1 | 0.6 | 0.03 | 0.08 | 50 | 0.3 | 0.9 | 0.4 | 0.01 | 0.05 | C66 |
| †Bladder | 591 | 2.9 | 10.8 | 6.1 | 0.25 | 0.68 | 190 | 1.1 | 3.3 | 1.6 | 0.06 | 0.18 | C67 |
| Other urinary organs | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 14 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 340 | 1.7 | 6.2 | 4.4 | 0.28 | 0.44 | 351 | 2.1 | 6.2 | 4.2 | 0.28 | 0.42 | C70–72 |
| Thyroid | 674 | 3.3 | 12.3 | 9.2 | 0.75 | 0.83 | 2079 | 12.5 | 36.6 | 27.3 | 2.27 | 2.47 | C73 |
| Adrenal gland | 13 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 12 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 15 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 23 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 18 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 228 | 1.1 | 4.2 | 2.6 | 0.13 | 0.29 | 149 | 0.9 | 2.6 | 1.5 | 0.09 | 0.16 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 96 | 0.5 | 1.8 | 1.0 | 0.05 | 0.12 | 80 | 0.5 | 1.4 | 0.8 | 0.05 | 0.11 | C90 |
| Lymphoid leukaemia | 83 | 0.4 | 1.5 | 1.6 | 0.08 | 0.11 | 68 | 0.4 | 1.2 | 1.4 | 0.08 | 0.09 | C91 |
| Myeloid leukaemia | 153 | 0.7 | 2.8 | 2.1 | 0.14 | 0.19 | 111 | 0.7 | 2.0 | 1.5 | 0.10 | 0.14 | C92–94 |
| Leukaemia unspecified | 155 | 0.8 | 2.8 | 2.0 | 0.10 | 0.18 | 131 | 0.8 | 2.3 | 1.4 | 0.09 | 0.14 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 201 | 1.0 | 3.7 | 2.2 | 0.12 | 0.22 | 160 | 1.0 | 2.8 | 1.5 | 0.09 | 0.17 | O&U |
| All sites | 20675 | | 378.0 | 223.7 | 12.09 | 26.01 | 16780 | | 295.0 | 172.8 | 11.60 | 18.70 | C00–96 |
| All sites except C44 | 20566 | 100.0 | 376.0 | 222.5 | 12.02 | 25.88 | 16687 | 100.0 | 293.4 | 172.0 | 11.56 | 18.62 | C00–96 exc. C44 |

*†See note following population pyramid

China, Jingtai County

CONTRIBUTORS

Xiaolin Zhang
Fuxin Zhou
Shengyun Wang



NOTES ON THE DATA

*Low levels of specificity of leukaemias. Rates based on low numbers due to small population. No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 54.1 | Breast | 27.8 |
| Trachea, bronchus, and lung | 42.2 | Trachea, bronchus, and lung | 21.8 |
| Liver | 40.2 | Stomach | 16.2 |
| Rectum | 13.9 | Liver | 15.5 |
| Oesophagus | 12.9 | Cervix uteri | 12.9 |
| Brain and nervous system | 10.9 | Rectum | 10.2 |
| Pancreas | 9.0 | Ovary | 8.3 |
| Bladder | 5.8 | Thyroid | 7.5 |
| Prostate | 5.5 | Brain and nervous system | 7.0 |
| Colon | 5.4 | Corpus uteri | 6.7 |
| Other and unspecified | 3.7 | Pancreas | 5.9 |
| Bone | 3.7 | Oesophagus | 5.2 |
| Leukaemia unspecified | 3.4 | Colon | 4.3 |
| Gallbladder etc. | 3.1 | Leukaemia unspecified | 4.1 |
| Kidney | 3.1 | Kidney | 3.1 |
| Non-Hodgkin lymphoma | 2.4 | Gallbladder etc. | 2.8 |
| Thyroid | 1.9 | Bladder | 2.7 |
| Nasopharynx | 1.9 | Non-Hodgkin lymphoma | 2.2 |
| Non-melanoma skin cancer | 1.7 | Bone | 2.0 |
| Other thoracic organs | 1.6 | Other and unspecified | 1.9 |
| All sites | 240.0 | All sites | 182.9 |

*China, Jingtai County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.2 | 0.7 | 0.6 | 0.02 | 0.09 | 4 | 0.3 | 0.7 | 0.6 | 0.00 | 0.14 | C00 |
| Tongue | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C01–02 |
| Mouth | 3 | 0.2 | 0.5 | 0.6 | 0.03 | 0.03 | 6 | 0.5 | 1.0 | 0.9 | 0.06 | 0.14 | C03–06 |
| Salivary glands | 6 | 0.4 | 1.0 | 1.0 | 0.05 | 0.09 | 6 | 0.5 | 1.0 | 0.9 | 0.09 | 0.11 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 15 | 0.9 | 2.4 | 1.9 | 0.10 | 0.24 | 4 | 0.3 | 0.7 | 0.4 | 0.02 | 0.02 | C11 |
| Hypopharynx | 3 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 87 | 5.3 | 14.1 | 12.9 | 0.16 | 1.55 | 33 | 2.6 | 5.7 | 5.2 | 0.15 | 0.48 | C15 |
| Stomach | 374 | 22.7 | 60.8 | 54.1 | 2.74 | 6.38 | 114 | 8.9 | 19.8 | 16.2 | 0.89 | 1.96 | C16 |
| Small intestine | 9 | 0.5 | 1.5 | 1.0 | 0.12 | 0.12 | 4 | 0.3 | 0.7 | 0.6 | 0.02 | 0.12 | C17 |
| Colon | 36 | 2.2 | 5.9 | 5.4 | 0.35 | 0.52 | 29 | 2.3 | 5.0 | 4.3 | 0.19 | 0.46 | C18 |
| Rectum | 97 | 5.9 | 15.8 | 13.9 | 0.66 | 1.52 | 73 | 5.7 | 12.7 | 10.2 | 0.50 | 1.25 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 291 | 17.7 | 47.3 | 40.2 | 2.69 | 4.60 | 106 | 8.3 | 18.4 | 15.5 | 0.67 | 1.80 | C22 |
| Gallbladder etc. | 22 | 1.3 | 3.6 | 3.1 | 0.17 | 0.33 | 19 | 1.5 | 3.3 | 2.8 | 0.19 | 0.27 | C23–24 |
| Pancreas | 61 | 3.7 | 9.9 | 9.0 | 0.55 | 1.09 | 42 | 3.3 | 7.3 | 5.9 | 0.33 | 0.64 | C25 |
| Nose, sinuses etc. | 3 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C30–31 |
| Larynx | 7 | 0.4 | 1.1 | 1.0 | 0.06 | 0.12 | 4 | 0.3 | 0.7 | 1.0 | 0.04 | 0.04 | C32 |
| Trachea, bronchus, and lung | 287 | 17.4 | 46.6 | 42.2 | 2.03 | 5.05 | 151 | 11.8 | 26.3 | 21.8 | 1.01 | 2.31 | C33–34 |
| Other thoracic organs | 12 | 0.7 | 2.0 | 1.6 | 0.13 | 0.19 | 4 | 0.3 | 0.7 | 1.0 | 0.05 | 0.07 | C37–38 |
| Bone | 26 | 1.6 | 4.2 | 3.7 | 0.24 | 0.38 | 15 | 1.2 | 2.6 | 2.0 | 0.11 | 0.20 | C40–41 |
| Melanoma of skin | 3 | 0.2 | 0.5 | 0.5 | 0.04 | 0.04 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 11 | 0.7 | 1.8 | 1.7 | 0.06 | 0.10 | 12 | 0.9 | 2.1 | 1.7 | 0.13 | 0.17 | C44 |
| Mesothelioma | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 8 | 0.5 | 1.3 | 1.0 | 0.06 | 0.09 | 7 | 0.5 | 1.2 | 1.3 | 0.04 | 0.15 | C47+C49 |
| Breast | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 215 | 16.8 | 37.4 | 27.8 | 2.37 | 2.75 | C50 |
| Vulva | | | | | | | 2 | 0.2 | 0.3 | 0.2 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 99 | 7.7 | 17.2 | 12.9 | 1.04 | 1.50 | C53 |
| Corpus uteri | | | | | | | 50 | 3.9 | 8.7 | 6.7 | 0.69 | 0.74 | C54 |
| Uterus unspecified | | | | | | | 10 | 0.8 | 1.7 | 1.3 | 0.12 | 0.14 | C55 |
| Ovary | | | | | | | 59 | 4.6 | 10.3 | 8.3 | 0.64 | 0.86 | C56 |
| Other female genital organs | | | | | | | 4 | 0.3 | 0.7 | 0.6 | 0.06 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 6 | 0.4 | 1.0 | 0.8 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 36 | 2.2 | 5.9 | 5.5 | 0.19 | 0.58 | | | | | | | C61 |
| Testis | 4 | 0.2 | 0.7 | 0.6 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 22 | 1.3 | 3.6 | 3.1 | 0.17 | 0.32 | 20 | 1.6 | 3.5 | 3.1 | 0.16 | 0.36 | C64 |
| Renal pelvis | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C66 |
| Bladder | 38 | 2.3 | 6.2 | 5.8 | 0.29 | 0.56 | 17 | 1.3 | 3.0 | 2.7 | 0.15 | 0.31 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 74 | 4.5 | 12.0 | 10.9 | 0.72 | 1.03 | 51 | 4.0 | 8.9 | 7.0 | 0.50 | 0.87 | C70–72 |
| Thyroid | 14 | 0.9 | 2.3 | 1.9 | 0.10 | 0.21 | 55 | 4.3 | 9.6 | 7.5 | 0.62 | 0.73 | C73 |
| Adrenal gland | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | 1 | 0.1 | 0.2 | 0.5 | 0.02 | 0.02 | C74 |
| Other endocrine | 4 | 0.2 | 0.7 | 0.6 | 0.03 | 0.08 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 3 | 0.2 | 0.5 | 0.6 | 0.05 | 0.05 | 2 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 15 | 0.9 | 2.4 | 2.4 | 0.16 | 0.27 | 15 | 1.2 | 2.6 | 2.2 | 0.12 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 3 | 0.2 | 0.5 | 0.4 | 0.01 | 0.06 | 6 | 0.5 | 1.0 | 0.8 | 0.05 | 0.11 | C90 |
| Lymphoid leukaemia | 7 | 0.4 | 1.1 | 1.3 | 0.06 | 0.13 | 6 | 0.5 | 1.0 | 1.2 | 0.05 | 0.05 | C91 |
| Myeloid leukaemia | 10 | 0.6 | 1.6 | 1.6 | 0.10 | 0.21 | 3 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C92–94 |
| Leukaemia unspecified | 22 | 1.3 | 3.6 | 3.4 | 0.17 | 0.40 | 23 | 1.8 | 4.0 | 4.1 | 0.25 | 0.35 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 26 | 1.6 | 4.2 | 3.7 | 0.23 | 0.39 | 12 | 0.9 | 2.1 | 1.9 | 0.05 | 0.27 | O&U |
| All sites | 1658 | | 269.5 | 240.0 | 12.78 | 27.12 | 1292 | | 224.7 | 182.9 | 11.51 | 20.05 | C00–96 |
| All sites except C44 | 1647 | 100.0 | 267.7 | 238.3 | 12.71 | 27.02 | 1280 | 100.0 | 222.6 | 181.1 | 11.37 | 19.88 | C00–96 exc. C44 |

*See note following population pyramid

China, Jingxian County

CONTRIBUTORS

Anfu Liu
Peng Wu
Xiongmei Ma



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 42.5 | Trachea, bronchus, and lung | 20.0 |
| Stomach | 33.5 | Stomach | 16.0 |
| Liver | 17.8 | Cervix uteri | 11.7 |
| Oesophagus | 13.5 | Breast | 11.7 |
| Rectum | 10.5 | Liver | 8.6 |
| Brain and nervous system | 7.7 | Brain and nervous system | 7.3 |
| Colon | 7.0 | Rectum | 7.1 |
| Pancreas | 5.3 | Colon | 5.7 |
| Leukaemia unspecified | 4.2 | Ovary | 4.5 |
| Prostate | 3.7 | Pancreas | 4.2 |
| Non-Hodgkin lymphoma | 3.2 | Thyroid | 3.5 |
| Bladder | 2.7 | Corpus uteri | 3.3 |
| Other and unspecified | 2.4 | Gallbladder etc. | 3.2 |
| Bone | 2.1 | Leukaemia unspecified | 2.4 |
| Non-melanoma skin cancer | 2.0 | Nasopharynx | 2.2 |
| Kidney | 2.0 | Oesophagus | 2.1 |
| Nasopharynx | 1.7 | Bone | 2.0 |
| Gallbladder etc. | 1.5 | Other and unspecified | 2.0 |
| Hodgkin lymphoma | 1.2 | Non-Hodgkin lymphoma | 1.7 |
| Larynx | 1.2 | Non-melanoma skin cancer | 1.6 |
| All sites | 174.1 | All sites | 131.1 |

*China, Jingxian County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 3 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C01–02 |
| Mouth | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | 4 | 0.3 | 0.5 | 0.3 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 3 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 7 | 0.3 | 0.9 | 0.5 | 0.01 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 24 | 1.0 | 3.1 | 1.7 | 0.11 | 0.20 | 17 | 1.1 | 2.3 | 2.2 | 0.13 | 0.20 | C11 |
| Hypopharynx | 3 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.3 | 0.9 | 0.5 | 0.03 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 202 | 8.6 | 26.0 | 13.5 | 0.55 | 1.56 | 32 | 2.1 | 4.3 | 2.1 | 0.05 | 0.20 | C15 |
| Stomach | 467 | 19.8 | 60.1 | 33.5 | 1.91 | 4.25 | 195 | 13.1 | 26.5 | 16.0 | 0.94 | 1.89 | C16 |
| Small intestine | 6 | 0.3 | 0.8 | 0.5 | 0.02 | 0.05 | 8 | 0.5 | 1.1 | 0.5 | 0.01 | 0.07 | C17 |
| Colon | 92 | 3.9 | 11.8 | 7.0 | 0.46 | 0.80 | 69 | 4.6 | 9.4 | 5.7 | 0.42 | 0.66 | C18 |
| Rectum | 140 | 5.9 | 18.0 | 10.5 | 0.66 | 1.24 | 84 | 5.6 | 11.4 | 7.1 | 0.45 | 0.81 | C19–20 |
| Anus | 3 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 255 | 10.8 | 32.8 | 17.8 | 0.99 | 2.05 | 108 | 7.2 | 14.7 | 8.6 | 0.40 | 1.04 | C22 |
| Gallbladder etc. | 22 | 0.9 | 2.8 | 1.5 | 0.05 | 0.14 | 44 | 3.0 | 6.0 | 3.2 | 0.10 | 0.39 | C23–24 |
| Pancreas | 75 | 3.2 | 9.7 | 5.3 | 0.24 | 0.71 | 52 | 3.5 | 7.1 | 4.2 | 0.24 | 0.49 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 0.5 | 0.2 | 0.02 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 16 | 0.7 | 2.1 | 1.2 | 0.05 | 0.17 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 619 | 26.3 | 79.7 | 42.5 | 1.94 | 5.33 | 255 | 17.1 | 34.7 | 20.0 | 1.12 | 2.36 | C33–34 |
| Other thoracic organs | 6 | 0.3 | 0.8 | 0.6 | 0.04 | 0.05 | 7 | 0.5 | 1.0 | 1.0 | 0.04 | 0.04 | C37–38 |
| Bone | 25 | 1.1 | 3.2 | 2.1 | 0.12 | 0.22 | 24 | 1.6 | 3.3 | 2.0 | 0.14 | 0.21 | C40–41 |
| Melanoma of skin | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | 6 | 0.4 | 0.8 | 0.6 | 0.05 | 0.07 | C43 |
| Other skin | 27 | 1.1 | 3.5 | 2.0 | 0.10 | 0.21 | 18 | 1.2 | 2.4 | 1.6 | 0.10 | 0.17 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 4 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 131 | 8.8 | 17.8 | 11.7 | 1.00 | 1.17 | C50 |
| Vulva | | | | | | | 4 | 0.3 | 0.5 | 0.4 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 126 | 8.5 | 17.1 | 11.7 | 0.96 | 1.18 | C53 |
| Corpus uteri | | | | | | | 35 | 2.3 | 4.8 | 3.3 | 0.29 | 0.36 | C54 |
| Uterus unspecified | | | | | | | 17 | 1.1 | 2.3 | 1.3 | 0.11 | 0.15 | C55 |
| Ovary | | | | | | | 39 | 2.6 | 5.3 | 4.5 | 0.35 | 0.42 | C56 |
| Other female genital organs | | | | | | | 4 | 0.3 | 0.5 | 0.5 | 0.03 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | | | | | | | C60 |
| Prostate | 54 | 2.3 | 7.0 | 3.7 | 0.12 | 0.46 | | | | | | | C61 |
| Testis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 20 | 0.8 | 2.6 | 2.0 | 0.11 | 0.19 | 15 | 1.0 | 2.0 | 1.1 | 0.06 | 0.15 | C64 |
| Renal pelvis | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C66 |
| Bladder | 40 | 1.7 | 5.2 | 2.7 | 0.12 | 0.31 | 10 | 0.7 | 1.4 | 0.8 | 0.03 | 0.10 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 79 | 3.4 | 10.2 | 7.7 | 0.49 | 0.75 | 70 | 4.7 | 9.5 | 7.3 | 0.52 | 0.77 | C70–72 |
| Thyroid | 13 | 0.6 | 1.7 | 1.1 | 0.10 | 0.10 | 33 | 2.2 | 4.5 | 3.5 | 0.26 | 0.33 | C73 |
| Adrenal gland | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 9 | 0.4 | 1.2 | 0.7 | 0.05 | 0.08 | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 10 | 0.4 | 1.3 | 1.2 | 0.08 | 0.10 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 40 | 1.7 | 5.2 | 3.2 | 0.20 | 0.37 | 21 | 1.4 | 2.9 | 1.7 | 0.11 | 0.20 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 4 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 4 | 0.3 | 0.5 | 0.3 | 0.03 | 0.05 | C90 |
| Lymphoid leukaemia | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 6 | 0.3 | 0.8 | 0.5 | 0.03 | 0.03 | 9 | 0.6 | 1.2 | 0.8 | 0.06 | 0.09 | C92–94 |
| Leukaemia unspecified | 46 | 2.0 | 5.9 | 4.2 | 0.25 | 0.44 | 20 | 1.3 | 2.7 | 2.4 | 0.15 | 0.21 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 30 | 1.3 | 3.9 | 2.4 | 0.15 | 0.28 | 19 | 1.3 | 2.6 | 2.0 | 0.11 | 0.22 | O&U |
| All sites | 2385 | | 307.1 | 174.1 | 9.28 | 20.63 | 1508 | | 204.9 | 131.1 | 8.54 | 14.47 | C00–96 |
| All sites except C44 | 2358 | 100.0 | 303.6 | 172.1 | 9.18 | 20.42 | 1490 | 100.0 | 202.5 | 129.5 | 8.44 | 14.30 | C00–96 exc. C44 |

*See note following population pyramid

China, Jintan District, Changzhou City

CONTRIBUTORS

Zhou Xin
Fang Huiling



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 67.3 | Stomach | 26.8 |
| Trachea, bronchus, and lung | 44.3 | Breast | 26.4 |
| Oesophagus | 43.4 | Trachea, bronchus, and lung | 19.5 |
| Liver | 21.3 | Cervix uteri | 17.0 |
| Colon | 12.3 | Oesophagus | 16.0 |
| Rectum | 11.6 | Thyroid | 12.5 |
| Prostate | 8.9 | Liver | 10.1 |
| Pancreas | 7.8 | Colon | 9.7 |
| Other and unspecified | 5.1 | Rectum | 6.9 |
| Bladder | 4.8 | Pancreas | 5.4 |
| Non-Hodgkin lymphoma | 3.6 | Ovary | 4.6 |
| Brain and nervous system | 2.9 | Corpus uteri | 4.4 |
| Gallbladder etc. | 2.6 | Gallbladder etc. | 3.9 |
| Nasopharynx | 2.5 | Other and unspecified | 3.9 |
| Thyroid | 2.4 | Brain and nervous system | 3.5 |
| Lymphoid leukaemia | 2.3 | Non-Hodgkin lymphoma | 2.5 |
| Myeloid leukaemia | 2.3 | Myeloid leukaemia | 2.1 |
| Non-melanoma skin cancer | 2.1 | Lymphoid leukaemia | 2.0 |
| Kidney | 2.1 | Non-melanoma skin cancer | 1.9 |
| Bone | 2.0 | Bladder | 1.8 |
| All sites | 267.2 | All sites | 196.3 |

*China, Jintan District, Changzhou City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C00 |
| Tongue | 10 | 0.2 | 0.7 | 0.4 | 0.02 | 0.06 | 20 | 0.4 | 1.4 | 0.8 | 0.04 | 0.12 | C01–02 |
| Mouth | 24 | 0.4 | 1.8 | 1.0 | 0.05 | 0.12 | 14 | 0.3 | 1.0 | 0.6 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 16 | 0.2 | 1.2 | 0.6 | 0.04 | 0.08 | 11 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.6 | 0.3 | 0.01 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 57 | 0.9 | 4.2 | 2.5 | 0.17 | 0.32 | 32 | 0.7 | 2.3 | 1.5 | 0.11 | 0.18 | C11 |
| Hypopharynx | 14 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 1064 | 16.5 | 78.0 | 43.4 | 2.00 | 5.37 | 420 | 9.2 | 30.4 | 16.0 | 0.46 | 2.04 | C15 |
| Stomach | 1653 | 25.7 | 121.2 | 67.3 | 3.09 | 8.59 | 665 | 14.5 | 48.1 | 26.8 | 1.14 | 3.28 | C16 |
| Small intestine | 38 | 0.6 | 2.8 | 1.4 | 0.09 | 0.15 | 39 | 0.9 | 2.8 | 1.6 | 0.05 | 0.24 | C17 |
| Colon | 297 | 4.6 | 21.8 | 12.3 | 0.67 | 1.50 | 240 | 5.2 | 17.3 | 9.7 | 0.51 | 1.21 | C18 |
| Rectum | 281 | 4.4 | 20.6 | 11.6 | 0.63 | 1.40 | 171 | 3.7 | 12.4 | 6.9 | 0.34 | 0.85 | C19–20 |
| Anus | 11 | 0.2 | 0.8 | 0.4 | 0.03 | 0.03 | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C21 |
| Liver | 509 | 7.9 | 37.3 | 21.3 | 1.22 | 2.60 | 260 | 5.7 | 18.8 | 10.1 | 0.45 | 1.21 | C22 |
| Gallbladder etc. | 65 | 1.0 | 4.8 | 2.6 | 0.07 | 0.34 | 103 | 2.2 | 7.4 | 3.9 | 0.17 | 0.44 | C23–24 |
| Pancreas | 190 | 3.0 | 13.9 | 7.8 | 0.30 | 0.89 | 144 | 3.1 | 10.4 | 5.4 | 0.19 | 0.60 | C25 |
| Nose, sinuses etc. | 15 | 0.2 | 1.1 | 0.7 | 0.03 | 0.08 | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 43 | 0.7 | 3.2 | 1.8 | 0.07 | 0.22 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1105 | 17.2 | 81.0 | 44.3 | 1.69 | 5.36 | 489 | 10.7 | 35.3 | 19.5 | 0.98 | 2.16 | C33–34 |
| Other thoracic organs | 27 | 0.4 | 2.0 | 1.4 | 0.10 | 0.15 | 8 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 46 | 0.7 | 3.4 | 2.0 | 0.08 | 0.22 | 32 | 0.7 | 2.3 | 1.3 | 0.07 | 0.13 | C40–41 |
| Melanoma of skin | 19 | 0.3 | 1.4 | 0.7 | 0.04 | 0.06 | 12 | 0.3 | 0.9 | 0.5 | 0.02 | 0.06 | C43 |
| Other skin | 50 | 0.8 | 3.7 | 2.1 | 0.11 | 0.18 | 50 | 1.1 | 3.6 | 1.9 | 0.07 | 0.21 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C46 |
| Connective and soft tissue | 15 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 12 | 0.3 | 0.9 | 0.5 | 0.03 | 0.06 | C47+C49 |
| Breast | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 587 | 12.8 | 42.4 | 26.4 | 2.10 | 2.87 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 10 | 0.2 | 0.7 | 0.4 | 0.01 | 0.06 | C52 |
| Cervix uteri | | | | | | | 387 | 8.4 | 28.0 | 17.0 | 1.35 | 1.78 | C53 |
| Corpus uteri | | | | | | | 98 | 2.1 | 7.1 | 4.4 | 0.32 | 0.51 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 101 | 2.2 | 7.3 | 4.6 | 0.36 | 0.53 | C56 |
| Other female genital organs | | | | | | | 16 | 0.3 | 1.2 | 0.7 | 0.05 | 0.08 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 8 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 232 | 3.6 | 17.0 | 8.9 | 0.20 | 0.88 | | | | | | | C61 |
| Testis | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 48 | 0.7 | 3.5 | 2.1 | 0.12 | 0.28 | 31 | 0.7 | 2.2 | 1.4 | 0.08 | 0.17 | C64 |
| Renal pelvis | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 122 | 1.9 | 8.9 | 4.8 | 0.21 | 0.50 | 47 | 1.0 | 3.4 | 1.8 | 0.08 | 0.23 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 71 | 1.1 | 5.2 | 2.9 | 0.17 | 0.30 | 72 | 1.6 | 5.2 | 3.5 | 0.22 | 0.38 | C70–72 |
| Thyroid | 47 | 0.7 | 3.4 | 2.4 | 0.18 | 0.24 | 241 | 5.3 | 17.4 | 12.5 | 1.04 | 1.17 | C73 |
| Adrenal gland | 7 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 7 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | C75 |
| Hodgkin lymphoma | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 84 | 1.3 | 6.2 | 3.6 | 0.22 | 0.38 | 51 | 1.1 | 3.7 | 2.5 | 0.17 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 29 | 0.5 | 2.1 | 1.3 | 0.06 | 0.18 | 22 | 0.5 | 1.6 | 0.9 | 0.05 | 0.14 | C90 |
| Lymphoid leukaemia | 44 | 0.7 | 3.2 | 2.3 | 0.15 | 0.21 | 39 | 0.9 | 2.8 | 2.0 | 0.13 | 0.19 | C91 |
| Myeloid leukaemia | 40 | 0.6 | 2.9 | 2.3 | 0.12 | 0.22 | 36 | 0.8 | 2.6 | 2.1 | 0.13 | 0.24 | C92–94 |
| Leukaemia unspecified | 27 | 0.4 | 2.0 | 1.6 | 0.08 | 0.14 | 15 | 0.3 | 1.1 | 1.1 | 0.06 | 0.11 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 116 | 1.8 | 8.5 | 5.1 | 0.21 | 0.61 | 88 | 1.9 | 6.4 | 3.9 | 0.23 | 0.44 | O&U |
| All sites | 6481 | | 475.3 | 267.2 | 12.46 | 32.14 | 4633 | | 334.8 | 196.3 | 11.29 | 22.51 | C00–96 |
| All sites except C44 | 6431 | 100.0 | 471.6 | 265.1 | 12.36 | 31.96 | 4583 | 100.0 | 331.2 | 194.4 | 11.22 | 22.30 | C00–96 exc. C44 |

*See note following population pyramid

China, Jiulongpo District, Chongqing City

CONTRIBUTORS

Tang Cheng
He Ming
Tao Ran



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 83.9 | Breast | 27.8 |
| Liver | 33.1 | Trachea, bronchus, and lung | 27.6 |
| Rectum | 15.0 | Cervix uteri | 14.1 |
| Oesophagus | 14.9 | Thyroid | 9.9 |
| Stomach | 13.7 | Liver | 9.3 |
| Colon | 12.4 | Colon | 8.2 |
| Prostate | 8.4 | Rectum | 8.2 |
| Pancreas | 6.9 | Ovary | 7.5 |
| Bladder | 6.4 | Stomach | 5.7 |
| Non-Hodgkin lymphoma | 6.0 | Corpus uteri | 5.1 |
| Brain and nervous system | 5.0 | Non-Hodgkin lymphoma | 4.1 |
| Kidney | 4.8 | Brain and nervous system | 4.1 |
| Other and unspecified | 4.2 | Pancreas | 3.6 |
| Nasopharynx | 4.2 | Gallbladder etc. | 2.7 |
| Larynx | 3.2 | Kidney | 2.7 |
| Thyroid | 3.1 | Other and unspecified | 2.6 |
| Myeloid leukaemia | 2.7 | Oesophagus | 2.5 |
| Gallbladder etc. | 2.4 | Nasopharynx | 2.2 |
| Lymphoid leukaemia | 2.0 | Myeloid leukaemia | 2.1 |
| Non-melanoma skin cancer | 1.6 | Non-melanoma skin cancer | 1.8 |
| All sites | 250.2 | All sites | 167.5 |

*China, Jiulongpo District, Chongqing City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 26 | 0.3 | 1.4 | 0.8 | 0.04 | 0.12 | 15 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | C01–02 |
| Mouth | 50 | 0.6 | 2.8 | 1.5 | 0.08 | 0.16 | 21 | 0.4 | 1.1 | 0.5 | 0.04 | 0.05 | C03–06 |
| Salivary glands | 11 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 10 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | C07–08 |
| Tonsil | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 124 | 1.5 | 6.9 | 4.2 | 0.32 | 0.44 | 68 | 1.3 | 3.7 | 2.2 | 0.18 | 0.25 | C11 |
| Hypopharynx | 40 | 0.5 | 2.2 | 1.2 | 0.08 | 0.14 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 26 | 0.3 | 1.4 | 0.7 | 0.03 | 0.08 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 504 | 6.1 | 28.0 | 14.9 | 0.80 | 1.97 | 97 | 1.8 | 5.3 | 2.5 | 0.08 | 0.30 | C15 |
| Stomach | 455 | 5.5 | 25.2 | 13.7 | 0.89 | 1.68 | 187 | 3.5 | 10.2 | 5.6 | 0.35 | 0.68 | C16 |
| Small intestine | 31 | 0.4 | 1.7 | 0.9 | 0.06 | 0.09 | 33 | 0.6 | 1.8 | 1.0 | 0.07 | 0.10 | C17 |
| Colon | 418 | 5.1 | 23.2 | 12.4 | 0.69 | 1.51 | 299 | 5.6 | 16.3 | 8.2 | 0.42 | 0.99 | C18 |
| Rectum | 509 | 6.2 | 28.2 | 15.0 | 0.85 | 1.79 | 293 | 5.5 | 16.0 | 8.2 | 0.45 | 1.01 | C19–20 |
| Anus | 11 | 0.1 | 0.6 | 0.3 | 0.03 | 0.03 | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C21 |
| Liver | 1041 | 12.7 | 57.8 | 33.1 | 2.28 | 3.77 | 327 | 6.1 | 17.8 | 9.3 | 0.50 | 1.07 | C22 |
| Gallbladder etc. | 83 | 1.0 | 4.6 | 2.4 | 0.14 | 0.29 | 104 | 1.9 | 5.7 | 2.7 | 0.11 | 0.33 | C23–24 |
| Pancreas | 239 | 2.9 | 13.3 | 6.9 | 0.38 | 0.84 | 142 | 2.6 | 7.7 | 3.6 | 0.15 | 0.40 | C25 |
| Nose, sinuses etc. | 13 | 0.2 | 0.7 | 0.4 | 0.03 | 0.03 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 107 | 1.3 | 5.9 | 3.2 | 0.21 | 0.40 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2858 | 34.8 | 158.6 | 83.9 | 4.72 | 10.58 | 1036 | 19.3 | 56.5 | 27.6 | 1.30 | 3.17 | C33–34 |
| Other thoracic organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C40–41 |
| Melanoma of skin | 14 | 0.2 | 0.8 | 0.4 | 0.02 | 0.03 | 25 | 0.5 | 1.4 | 0.8 | 0.04 | 0.12 | C43 |
| Other skin | 55 | 0.7 | 3.1 | 1.6 | 0.07 | 0.16 | 63 | 1.2 | 3.4 | 1.8 | 0.08 | 0.22 | C44 |
| Mesothelioma | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 8 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 37 | 0.5 | 2.1 | 1.4 | 0.09 | 0.15 | 41 | 0.8 | 2.2 | 1.5 | 0.09 | 0.16 | C47+C49 |
| Breast | 9 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 826 | 15.4 | 45.0 | 27.8 | 2.32 | 2.87 | C50 |
| Vulva | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 0.5 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 412 | 7.7 | 22.5 | 14.1 | 1.21 | 1.47 | C53 |
| Corpus uteri | | | | | | | 155 | 2.9 | 8.4 | 5.1 | 0.40 | 0.60 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 216 | 4.0 | 11.8 | 7.5 | 0.55 | 0.82 | C56 |
| Other female genital organs | | | | | | | 11 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 27 | 0.3 | 1.5 | 0.8 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 334 | 4.1 | 18.5 | 8.4 | 0.18 | 0.87 | | | | | | | C61 |
| Testis | 15 | 0.2 | 0.8 | 0.6 | 0.05 | 0.06 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 155 | 1.9 | 8.6 | 4.8 | 0.30 | 0.57 | 91 | 1.7 | 5.0 | 2.7 | 0.17 | 0.35 | C64 |
| Renal pelvis | 10 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 11 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 10 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 229 | 2.8 | 12.7 | 6.4 | 0.25 | 0.77 | 62 | 1.2 | 3.4 | 1.5 | 0.04 | 0.16 | C67 |
| Other urinary organs | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 144 | 1.8 | 8.0 | 5.0 | 0.36 | 0.52 | 127 | 2.4 | 6.9 | 4.1 | 0.28 | 0.41 | C70–72 |
| Thyroid | 83 | 1.0 | 4.6 | 3.1 | 0.26 | 0.29 | 246 | 4.6 | 13.4 | 9.9 | 0.79 | 0.88 | C73 |
| Adrenal gland | 12 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | C74 |
| Other endocrine | 12 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 12 | 0.2 | 0.7 | 0.7 | 0.04 | 0.05 | C75 |
| Hodgkin lymphoma | 7 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 178 | 2.2 | 9.9 | 6.0 | 0.39 | 0.68 | 128 | 2.4 | 7.0 | 4.1 | 0.26 | 0.49 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 52 | 0.6 | 2.9 | 1.6 | 0.07 | 0.22 | 49 | 0.9 | 2.7 | 1.6 | 0.10 | 0.19 | C90 |
| Lymphoid leukaemia | 44 | 0.5 | 2.4 | 2.0 | 0.14 | 0.17 | 33 | 0.6 | 1.8 | 1.5 | 0.08 | 0.15 | C91 |
| Myeloid leukaemia | 75 | 0.9 | 4.2 | 2.7 | 0.16 | 0.29 | 52 | 1.0 | 2.8 | 2.1 | 0.15 | 0.22 | C92–94 |
| Leukaemia unspecified | 44 | 0.5 | 2.4 | 1.5 | 0.06 | 0.13 | 39 | 0.7 | 2.1 | 1.8 | 0.08 | 0.14 | C95 |
| Myeloproliferative disorders | 4 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 17 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | MPS |
| Other and unspecified | 119 | 1.4 | 6.6 | 4.2 | 0.25 | 0.48 | 91 | 1.7 | 5.0 | 2.6 | 0.15 | 0.26 | O&U |
| All sites | 8271 | | 459.0 | 250.2 | 14.53 | 29.93 | 5423 | | 295.6 | 167.5 | 10.81 | 18.39 | C00–96 |
| All sites except C44 | 8216 | 100.0 | 455.9 | 248.6 | 14.46 | 29.76 | 5360 | 100.0 | 292.2 | 165.7 | 10.73 | 18.17 | C00–96 exc. C44 |

*See note following population pyramid

China, Jiyuan City

CONTRIBUTORS

Wang Jiming
Liu Lei
Huang Yanfang
Ma Luyao



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 97.1 | Stomach | 34.8 |
| Trachea, bronchus, and lung | 42.3 | Cervix uteri | 31.2 |
| Oesophagus | 35.6 | Breast | 27.5 |
| Liver | 29.6 | Trachea, bronchus, and lung | 22.3 |
| Rectum | 9.5 | Oesophagus | 20.8 |
| Colon | 7.2 | Liver | 14.4 |
| Pancreas | 6.1 | Thyroid | 12.0 |
| Brain and nervous system | 6.1 | Rectum | 7.7 |
| Other and unspecified | 5.8 | Corpus uteri | 7.1 |
| Bladder | 5.6 | Colon | 7.0 |
| Leukaemia unspecified | 4.5 | Ovary | 6.7 |
| Kidney | 4.3 | Brain and nervous system | 6.0 |
| Gallbladder etc. | 3.7 | Other and unspecified | 5.6 |
| Thyroid | 3.5 | Pancreas | 4.1 |
| Prostate | 3.3 | Gallbladder etc. | 4.1 |
| Non-Hodgkin lymphoma | 2.7 | Leukaemia unspecified | 3.0 |
| Bone | 2.5 | Kidney | 2.6 |
| Larynx | 1.3 | Uterus unspecified | 2.2 |
| Small intestine | 1.2 | Bone | 2.1 |
| Non-melanoma skin cancer | 1.1 | Non-Hodgkin lymphoma | 2.0 |
| All sites | 282.8 | All sites | 235.6 |

*China, Jiyuan City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | C01–02 |
| Mouth | 10 | 0.2 | 0.5 | 0.6 | 0.04 | 0.06 | 10 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | C03–06 |
| Salivary glands | 12 | 0.3 | 0.7 | 0.7 | 0.04 | 0.07 | 14 | 0.3 | 0.8 | 0.8 | 0.06 | 0.11 | C07–08 |
| Tonsil | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.0 | 0.1 | 0.2 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 18 | 0.4 | 1.0 | 0.9 | 0.07 | 0.09 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.3 | 0.4 | 0.04 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C14 |
| Oesophagus | 572 | 12.2 | 31.4 | 35.6 | 1.72 | 4.07 | 380 | 9.0 | 22.1 | 20.8 | 1.06 | 2.14 | C15 |
| Stomach | 1620 | 34.5 | 88.8 | 97.1 | 5.28 | 11.34 | 635 | 15.0 | 36.9 | 34.8 | 1.65 | 3.95 | C16 |
| Small intestine | 21 | 0.4 | 1.2 | 1.2 | 0.08 | 0.10 | 16 | 0.4 | 0.9 | 0.9 | 0.06 | 0.11 | C17 |
| Colon | 122 | 2.6 | 6.7 | 7.2 | 0.41 | 0.80 | 127 | 3.0 | 7.4 | 7.0 | 0.35 | 0.73 | C18 |
| Rectum | 159 | 3.4 | 8.7 | 9.5 | 0.54 | 0.99 | 138 | 3.3 | 8.0 | 7.7 | 0.47 | 0.90 | C19–20 |
| Anus | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 498 | 10.6 | 27.3 | 29.6 | 1.73 | 3.15 | 263 | 6.2 | 15.3 | 14.4 | 0.81 | 1.49 | C22 |
| Gallbladder etc. | 56 | 1.2 | 3.1 | 3.7 | 0.16 | 0.40 | 76 | 1.8 | 4.4 | 4.1 | 0.18 | 0.41 | C23–24 |
| Pancreas | 103 | 2.2 | 5.6 | 6.1 | 0.36 | 0.65 | 74 | 1.8 | 4.3 | 4.1 | 0.18 | 0.49 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.05 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 22 | 0.5 | 1.2 | 1.3 | 0.10 | 0.14 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 705 | 15.0 | 38.7 | 42.3 | 2.06 | 4.62 | 396 | 9.4 | 23.0 | 22.3 | 1.25 | 2.41 | C33–34 |
| Other thoracic organs | 9 | 0.2 | 0.5 | 0.6 | 0.04 | 0.04 | 7 | 0.2 | 0.4 | 0.4 | 0.04 | 0.05 | C37–38 |
| Bone | 40 | 0.9 | 2.2 | 2.5 | 0.17 | 0.23 | 36 | 0.9 | 2.1 | 2.1 | 0.16 | 0.25 | C40–41 |
| Melanoma of skin | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C43 |
| Other skin | 20 | 0.4 | 1.1 | 1.1 | 0.03 | 0.13 | 19 | 0.4 | 1.1 | 1.1 | 0.06 | 0.10 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C47+C49 |
| Breast | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 493 | 11.7 | 28.6 | 27.5 | 2.35 | 3.01 | C50 |
| Vulva | | | | | | | 8 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 560 | 13.3 | 32.5 | 31.2 | 2.78 | 3.33 | C53 |
| Corpus uteri | | | | | | | 123 | 2.9 | 7.1 | 7.1 | 0.60 | 0.84 | C54 |
| Uterus unspecified | | | | | | | 41 | 1.0 | 2.4 | 2.2 | 0.15 | 0.22 | C55 |
| Ovary | | | | | | | 123 | 2.9 | 7.1 | 6.7 | 0.55 | 0.75 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 0.6 | 0.6 | 0.05 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 7 | 0.1 | 0.4 | 0.4 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 57 | 1.2 | 3.1 | 3.3 | 0.08 | 0.31 | | | | | | | C61 |
| Testis | 7 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 72 | 1.5 | 3.9 | 4.3 | 0.30 | 0.46 | 45 | 1.1 | 2.6 | 2.6 | 0.17 | 0.31 | C64 |
| Renal pelvis | 5 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C66 |
| Bladder | 92 | 2.0 | 5.0 | 5.6 | 0.29 | 0.57 | 36 | 0.9 | 2.1 | 2.0 | 0.08 | 0.23 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 108 | 2.3 | 5.9 | 6.1 | 0.42 | 0.64 | 106 | 2.5 | 6.2 | 6.0 | 0.44 | 0.62 | C70–72 |
| Thyroid | 62 | 1.3 | 3.4 | 3.5 | 0.28 | 0.34 | 220 | 5.2 | 12.8 | 12.0 | 1.03 | 1.25 | C73 |
| Adrenal gland | 6 | 0.1 | 0.3 | 0.4 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 45 | 1.0 | 2.5 | 2.7 | 0.17 | 0.27 | 35 | 0.8 | 2.0 | 2.0 | 0.12 | 0.21 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 8 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | 11 | 0.3 | 0.6 | 0.6 | 0.04 | 0.07 | C90 |
| Lymphoid leukaemia | 14 | 0.3 | 0.8 | 0.7 | 0.04 | 0.09 | 13 | 0.3 | 0.8 | 0.8 | 0.04 | 0.06 | C91 |
| Myeloid leukaemia | 6 | 0.1 | 0.3 | 0.4 | 0.03 | 0.03 | 6 | 0.1 | 0.3 | 0.4 | 0.02 | 0.05 | C92–94 |
| Leukaemia unspecified | 73 | 1.6 | 4.0 | 4.5 | 0.31 | 0.41 | 50 | 1.2 | 2.9 | 3.0 | 0.23 | 0.30 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 6 | 0.1 | 0.3 | 0.4 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPS |
| Other and unspecified | 97 | 2.1 | 5.3 | 5.8 | 0.34 | 0.64 | 101 | 2.4 | 5.9 | 5.6 | 0.40 | 0.62 | O&U |
| All sites | 4717 | | 258.6 | 282.8 | 15.47 | 31.27 | 4245 | | 246.7 | 235.6 | 15.68 | 25.57 | C00–96 |
| All sites except C44 | 4697 | 100.0 | 257.5 | 281.7 | 15.43 | 31.14 | 4226 | 100.0 | 245.5 | 234.6 | 15.63 | 25.47 | C00–96 exc. C44 |

*See note following population pyramid

China, Kaihua County

CONTRIBUTORS

Chuanfu Yan
Debing Wang
Caiying Xiang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 69.1 | Trachea, bronchus, and lung | 26.2 |
| Liver | 26.6 | Breast | 23.7 |
| Stomach | 26.0 | Cervix uteri | 19.0 |
| Oesophagus | 18.3 | Thyroid | 13.9 |
| Rectum | 11.5 | Stomach | 10.5 |
| Prostate | 9.0 | Liver | 8.1 |
| Pancreas | 7.5 | Ovary | 6.5 |
| Colon | 7.4 | Corpus uteri | 6.2 |
| Bladder | 6.6 | Brain and nervous system | 6.0 |
| Thyroid | 5.2 | Colon | 5.8 |
| Brain and nervous system | 5.0 | Rectum | 5.7 |
| Non-Hodgkin lymphoma | 4.2 | Gallbladder etc. | 4.9 |
| Gallbladder etc. | 4.1 | Oesophagus | 4.7 |
| Kidney | 3.2 | Pancreas | 4.3 |
| Nasopharynx | 3.1 | Non-Hodgkin lymphoma | 4.0 |
| Lymphoid leukaemia | 3.1 | Myeloid leukaemia | 2.5 |
| Non-melanoma skin cancer | 3.0 | Non-melanoma skin cancer | 2.3 |
| Larynx | 2.5 | Kidney | 1.9 |
| Myeloid leukaemia | 2.4 | Lymphoid leukaemia | 1.9 |
| Other and unspecified | 2.2 | Bladder | 1.8 |
| All sites | 237.9 | All sites | 176.3 |


China, Kaihua County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C01–02 |
| Mouth | 6 | 0.2 | 0.6 | 0.5 | 0.05 | 0.07 | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 8 | 0.4 | 0.9 | 0.8 | 0.04 | 0.04 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 39 | 1.3 | 4.2 | 3.1 | 0.25 | 0.33 | 21 | 1.0 | 2.4 | 1.7 | 0.13 | 0.18 | C11 |
| Hypopharynx | 9 | 0.3 | 1.0 | 0.8 | 0.05 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 5 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 213 | 7.4 | 23.0 | 18.3 | 0.86 | 2.27 | 67 | 3.1 | 7.7 | 4.7 | 0.16 | 0.49 | C15 |
| Stomach | 325 | 11.2 | 35.1 | 26.0 | 1.17 | 3.09 | 134 | 6.2 | 15.4 | 10.5 | 0.50 | 1.20 | C16 |
| Small intestine | 17 | 0.6 | 1.8 | 1.2 | 0.10 | 0.14 | 14 | 0.7 | 1.6 | 1.2 | 0.07 | 0.14 | C17 |
| Colon | 91 | 3.1 | 9.8 | 7.4 | 0.45 | 0.81 | 73 | 3.4 | 8.4 | 5.8 | 0.25 | 0.60 | C18 |
| Rectum | 148 | 5.1 | 16.0 | 11.5 | 0.75 | 1.37 | 74 | 3.5 | 8.5 | 5.7 | 0.33 | 0.64 | C19–20 |
| Anus | 7 | 0.2 | 0.8 | 0.6 | 0.03 | 0.07 | 4 | 0.2 | 0.5 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 344 | 11.9 | 37.2 | 26.6 | 1.66 | 2.98 | 105 | 4.9 | 12.1 | 8.1 | 0.37 | 0.88 | C22 |
| Gallbladder etc. | 50 | 1.7 | 5.4 | 4.1 | 0.16 | 0.44 | 59 | 2.8 | 6.8 | 4.9 | 0.24 | 0.55 | C23–24 |
| Pancreas | 91 | 3.1 | 9.8 | 7.5 | 0.32 | 0.86 | 55 | 2.6 | 6.3 | 4.3 | 0.22 | 0.57 | C25 |
| Nose, sinuses etc. | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.06 | 6 | 0.3 | 0.7 | 0.5 | 0.03 | 0.03 | C30–31 |
| Larynx | 31 | 1.1 | 3.4 | 2.5 | 0.12 | 0.26 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 855 | 29.6 | 92.4 | 69.1 | 3.18 | 8.35 | 322 | 15.0 | 37.1 | 26.2 | 1.45 | 3.08 | C33–34 |
| Other thoracic organs | 9 | 0.3 | 1.0 | 0.8 | 0.06 | 0.10 | 9 | 0.4 | 1.0 | 0.6 | 0.06 | 0.06 | C37–38 |
| Bone | 9 | 0.3 | 1.0 | 0.8 | 0.04 | 0.12 | 12 | 0.6 | 1.4 | 1.1 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 8 | 0.3 | 0.9 | 0.6 | 0.02 | 0.04 | 8 | 0.4 | 0.9 | 0.5 | 0.03 | 0.03 | C43 |
| Other skin | 42 | 1.5 | 4.5 | 3.0 | 0.12 | 0.24 | 37 | 1.7 | 4.3 | 2.3 | 0.08 | 0.15 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 15 | 0.5 | 1.6 | 1.5 | 0.09 | 0.13 | 7 | 0.3 | 0.8 | 0.5 | 0.05 | 0.07 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 297 | 13.9 | 34.2 | 23.7 | 1.92 | 2.61 | C50 |
| Vulva | | | | | | | 5 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 241 | 11.2 | 27.8 | 19.0 | 1.53 | 1.95 | C53 |
| Corpus uteri | | | | | | | 82 | 3.8 | 9.5 | 6.2 | 0.58 | 0.70 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.2 | 0.5 | 0.3 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 80 | 3.7 | 9.2 | 6.5 | 0.49 | 0.70 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 14 | 0.5 | 1.5 | 1.1 | 0.06 | 0.16 | | | | | | | C60 |
| Prostate | 112 | 3.9 | 12.1 | 9.0 | 0.15 | 0.83 | | | | | | | C61 |
| Testis | 7 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 37 | 1.3 | 4.0 | 3.2 | 0.19 | 0.41 | 24 | 1.1 | 2.8 | 1.9 | 0.12 | 0.28 | C64 |
| Renal pelvis | 8 | 0.3 | 0.9 | 0.6 | 0.01 | 0.05 | 6 | 0.3 | 0.7 | 0.4 | 0.00 | 0.02 | C65 |
| Ureter | 6 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 6 | 0.3 | 0.7 | 0.5 | 0.00 | 0.05 | C66 |
| Bladder | 84 | 2.9 | 9.1 | 6.6 | 0.35 | 0.77 | 24 | 1.1 | 2.8 | 1.8 | 0.09 | 0.18 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 56 | 1.9 | 6.1 | 5.0 | 0.27 | 0.46 | 62 | 2.9 | 7.1 | 6.0 | 0.38 | 0.66 | C70–72 |
| Thyroid | 67 | 2.3 | 7.2 | 5.2 | 0.44 | 0.48 | 165 | 7.7 | 19.0 | 13.9 | 1.15 | 1.24 | C73 |
| Adrenal gland | 4 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 2 | 0.1 | 0.2 | 0.4 | 0.01 | 0.04 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 5 | 0.2 | 0.5 | 0.6 | 0.05 | 0.05 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 50 | 1.7 | 5.4 | 4.2 | 0.26 | 0.50 | 43 | 2.0 | 5.0 | 4.0 | 0.21 | 0.47 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 24 | 0.8 | 2.6 | 1.9 | 0.10 | 0.26 | 19 | 0.9 | 2.2 | 1.5 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 29 | 1.0 | 3.1 | 3.1 | 0.18 | 0.24 | 15 | 0.7 | 1.7 | 1.9 | 0.12 | 0.17 | C91 |
| Myeloid leukaemia | 27 | 0.9 | 2.9 | 2.4 | 0.15 | 0.23 | 25 | 1.2 | 2.9 | 2.5 | 0.17 | 0.29 | C92–94 |
| Leukaemia unspecified | 21 | 0.7 | 2.3 | 1.6 | 0.06 | 0.19 | 6 | 0.3 | 0.7 | 0.7 | 0.04 | 0.04 | C95 |
| Myeloproliferative disorders | 4 | 0.1 | 0.4 | 0.3 | 0.04 | 0.04 | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 11 | 0.4 | 1.2 | 1.0 | 0.03 | 0.11 | 16 | 0.7 | 1.8 | 1.4 | 0.11 | 0.18 | MPS |
| Other and unspecified | 27 | 0.9 | 2.9 | 2.2 | 0.14 | 0.26 | 18 | 0.8 | 2.1 | 1.5 | 0.08 | 0.20 | O&U |
| All sites | 2932 | | 316.9 | 237.9 | 12.18 | 27.24 | 2181 | | 251.4 | 176.3 | 11.36 | 19.07 | C00–96 |
| All sites except C44 | 2890 | 100.0 | 312.3 | 234.9 | 12.06 | 27.00 | 2144 | 100.0 | 247.2 | 174.1 | 11.28 | 18.92 | C00–96 exc. C44 |

China, Kunshan City

CONTRIBUTORS

Ting Zhang
Yixu Jin
Wenbin Hu
Wei Qin
LvLin Lu
Lan Tong
Jie Zhou



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 57.1 | Thyroid | 38.5 |
| Stomach | 38.8 | Breast | 35.8 |
| Liver | 21.6 | Trachea, bronchus, and lung | 29.3 |
| Colon | 14.8 | Stomach | 15.6 |
| Prostate | 14.7 | Colon | 12.8 |
| Thyroid | 11.4 | Cervix uteri | 11.2 |
| Oesophagus | 10.7 | Liver | 9.0 |
| Rectum | 10.2 | Rectum | 7.6 |
| Pancreas | 9.4 | Ovary | 6.2 |
| Bladder | 7.5 | Pancreas | 6.1 |
| Kidney | 5.6 | Gallbladder etc. | 5.2 |
| Non-Hodgkin lymphoma | 5.5 | Corpus uteri | 4.7 |
| Nasopharynx | 5.2 | Non-Hodgkin lymphoma | 4.1 |
| Gallbladder etc. | 4.3 | Oesophagus | 3.5 |
| Myeloid leukaemia | 3.5 | Brain and nervous system | 2.8 |
| Lymphoid leukaemia | 3.4 | Kidney | 2.6 |
| Brain and nervous system | 3.2 | Nasopharynx | 2.5 |
| Other and unspecified | 2.3 | Myeloid leukaemia | 2.4 |
| Larynx | 2.2 | Other and unspecified | 2.2 |
| Non-melanoma skin cancer | 2.1 | Non-melanoma skin cancer | 2.0 |
| All sites | 250.1 | All sites | 218.1 |


China, Kunshan City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 17 | 0.2 | 0.9 | 0.5 | 0.03 | 0.08 | 14 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | C01–02 |
| Mouth | 25 | 0.3 | 1.3 | 0.8 | 0.04 | 0.11 | 14 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | C03–06 |
| Salivary glands | 20 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 13 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C07–08 |
| Tonsil | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 151 | 1.8 | 7.7 | 5.2 | 0.39 | 0.59 | 72 | 1.0 | 3.6 | 2.5 | 0.18 | 0.25 | C11 |
| Hypopharynx | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 384 | 4.5 | 19.7 | 10.7 | 0.48 | 1.27 | 162 | 2.2 | 8.2 | 3.5 | 0.10 | 0.40 | C15 |
| Stomach | 1376 | 16.2 | 70.6 | 38.8 | 1.89 | 4.81 | 610 | 8.3 | 30.8 | 15.6 | 0.82 | 1.68 | C16 |
| Small intestine | 55 | 0.6 | 2.8 | 1.6 | 0.08 | 0.16 | 33 | 0.4 | 1.7 | 0.9 | 0.05 | 0.10 | C17 |
| Colon | 507 | 6.0 | 26.0 | 14.8 | 0.78 | 1.74 | 484 | 6.6 | 24.4 | 12.8 | 0.70 | 1.47 | C18 |
| Rectum | 346 | 4.1 | 17.7 | 10.2 | 0.65 | 1.19 | 282 | 3.8 | 14.2 | 7.6 | 0.45 | 0.87 | C19–20 |
| Anus | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 755 | 8.9 | 38.7 | 21.6 | 1.11 | 2.34 | 401 | 5.4 | 20.2 | 9.1 | 0.31 | 0.93 | C22 |
| Gallbladder etc. | 159 | 1.9 | 8.2 | 4.3 | 0.16 | 0.48 | 215 | 2.9 | 10.8 | 5.2 | 0.22 | 0.65 | C23–24 |
| Pancreas | 331 | 3.9 | 17.0 | 9.4 | 0.46 | 1.12 | 263 | 3.6 | 13.3 | 6.1 | 0.23 | 0.66 | C25 |
| Nose, sinuses etc. | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 75 | 0.9 | 3.8 | 2.2 | 0.16 | 0.30 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2062 | 24.3 | 105.7 | 57.1 | 2.53 | 6.86 | 1060 | 14.4 | 53.5 | 29.3 | 1.89 | 3.54 | C33–34 |
| Other thoracic organs | 35 | 0.4 | 1.8 | 1.1 | 0.07 | 0.12 | 28 | 0.4 | 1.4 | 0.9 | 0.06 | 0.10 | C37–38 |
| Bone | 38 | 0.4 | 1.9 | 1.3 | 0.07 | 0.12 | 27 | 0.4 | 1.4 | 0.8 | 0.04 | 0.07 | C40–41 |
| Melanoma of skin | 22 | 0.3 | 1.1 | 0.6 | 0.04 | 0.05 | 24 | 0.3 | 1.2 | 0.7 | 0.04 | 0.07 | C43 |
| Other skin | 75 | 0.9 | 3.8 | 2.1 | 0.11 | 0.22 | 83 | 1.1 | 4.2 | 2.0 | 0.08 | 0.22 | C44 |
| Mesothelioma | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 19 | 0.2 | 1.0 | 0.7 | 0.04 | 0.05 | 16 | 0.2 | 0.8 | 0.6 | 0.05 | 0.06 | C47+C49 |
| Breast | 13 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 1114 | 15.1 | 56.2 | 35.8 | 3.03 | 3.76 | C50 |
| Vulva | | | | | | | 8 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C51 |
| Vagina | | | | | | | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 341 | 4.6 | 17.2 | 11.2 | 0.97 | 1.17 | C53 |
| Corpus uteri | | | | | | | 149 | 2.0 | 7.5 | 4.7 | 0.39 | 0.55 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 197 | 2.7 | 9.9 | 6.2 | 0.45 | 0.70 | C56 |
| Other female genital organs | | | | | | | 15 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 23 | 0.3 | 1.2 | 0.6 | 0.02 | 0.07 | | | | | | | C60 |
| Prostate | 551 | 6.5 | 28.3 | 14.7 | 0.32 | 1.87 | | | | | | | C61 |
| Testis | 10 | 0.1 | 0.5 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 10 | 0.1 | 0.5 | 0.3 | 0.01 | 0.05 | | | | | | | C63 |
| Kidney | 181 | 2.1 | 9.3 | 5.6 | 0.40 | 0.64 | 91 | 1.2 | 4.6 | 2.6 | 0.18 | 0.32 | C64 |
| Renal pelvis | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 16 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | 16 | 0.2 | 0.8 | 0.4 | 0.02 | 0.07 | C66 |
| Bladder | 269 | 3.2 | 13.8 | 7.5 | 0.38 | 0.81 | 52 | 0.7 | 2.6 | 1.4 | 0.09 | 0.16 | C67 |
| Other urinary organs | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 91 | 1.1 | 4.7 | 3.2 | 0.21 | 0.31 | 88 | 1.2 | 4.4 | 2.8 | 0.18 | 0.27 | C70–72 |
| Thyroid | 307 | 3.6 | 15.7 | 11.4 | 0.93 | 1.06 | 1078 | 14.6 | 54.4 | 38.5 | 3.32 | 3.66 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 9 | 0.1 | 0.5 | 0.6 | 0.04 | 0.04 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 177 | 2.1 | 9.1 | 5.5 | 0.30 | 0.56 | 138 | 1.9 | 7.0 | 4.1 | 0.26 | 0.45 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 45 | 0.5 | 2.3 | 1.2 | 0.05 | 0.14 | 46 | 0.6 | 2.3 | 1.2 | 0.06 | 0.15 | C90 |
| Lymphoid leukaemia | 68 | 0.8 | 3.5 | 3.4 | 0.18 | 0.28 | 30 | 0.4 | 1.5 | 1.1 | 0.06 | 0.11 | C91 |
| Myeloid leukaemia | 96 | 1.1 | 4.9 | 3.5 | 0.22 | 0.33 | 73 | 1.0 | 3.7 | 2.4 | 0.17 | 0.26 | C92–94 |
| Leukaemia unspecified | 37 | 0.4 | 1.9 | 1.4 | 0.07 | 0.12 | 21 | 0.3 | 1.1 | 0.8 | 0.05 | 0.07 | C95 |
| Myeloproliferative disorders | 11 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 47 | 0.6 | 2.4 | 1.6 | 0.09 | 0.17 | 34 | 0.5 | 1.7 | 1.0 | 0.08 | 0.10 | MPS |
| Other and unspecified | 78 | 0.9 | 4.0 | 2.3 | 0.11 | 0.20 | 82 | 1.1 | 4.1 | 2.2 | 0.11 | 0.20 | O&U |
| All sites | 8556 | | 438.7 | 250.1 | 12.67 | 28.74 | 7442 | | 375.5 | 218.1 | 14.90 | 23.55 | C00–96 |
| All sites except C44 | 8481 | 100.0 | 434.9 | 248.0 | 12.56 | 28.52 | 7359 | 100.0 | 371.3 | 216.1 | 14.82 | 23.33 | C00–96 exc. C44 |

China, Langzhong City

CONTRIBUTORS

Ningjing You



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 85.9 | Oesophagus | 47.0 |
| Trachea, bronchus, and lung | 46.3 | Trachea, bronchus, and lung | 20.5 |
| Stomach | 42.5 | Stomach | 15.1 |
| Liver | 22.4 | Breast | 13.1 |
| Rectum | 13.1 | Cervix uteri | 12.2 |
| Bladder | 4.8 | Rectum | 8.9 |
| Pancreas | 4.5 | Liver | 8.7 |
| Prostate | 4.4 | Colon | 4.1 |
| Brain and nervous system | 3.9 | Brain and nervous system | 3.6 |
| Non-Hodgkin lymphoma | 3.5 | Ovary | 3.3 |
| Colon | 3.4 | Corpus uteri | 3.0 |
| Other and unspecified | 2.9 | Pancreas | 2.7 |
| Nasopharynx | 2.3 | Non-Hodgkin lymphoma | 2.4 |
| Gallbladder etc. | 2.2 | Other and unspecified | 2.3 |
| Leukaemia unspecified | 1.6 | Leukaemia unspecified | 2.0 |
| Bone | 1.4 | Gallbladder etc. | 1.9 |
| Larynx | 1.4 | Thyroid | 1.7 |
| Mouth | 1.2 | Bone | 1.4 |
| Kidney | 1.2 | Bladder | 1.4 |
| Myeloid leukaemia | 1.2 | Uterus unspecified | 1.3 |
| All sites | 259.9 | All sites | 169.3 |


China, Langzhong City (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 12 | 0.2 | 0.9 | 0.6 | 0.04 | 0.05 | 5 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C01–02 |
| Mouth | 24 | 0.5 | 1.8 | 1.2 | 0.07 | 0.15 | 14 | 0.4 | 1.1 | 0.8 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 6 | 0.1 | 0.5 | 0.3 | 0.01 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 44 | 0.9 | 3.4 | 2.3 | 0.15 | 0.29 | 22 | 0.7 | 1.8 | 1.2 | 0.10 | 0.12 | C11 |
| Hypopharynx | 8 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 1684 | 33.1 | 128.4 | 85.9 | 3.87 | 11.47 | 890 | 28.2 | 71.0 | 47.0 | 1.85 | 5.73 | C15 |
| Stomach | 841 | 16.5 | 64.1 | 42.5 | 1.82 | 5.26 | 284 | 9.0 | 22.6 | 15.1 | 0.50 | 1.78 | C16 |
| Small intestine | 14 | 0.3 | 1.1 | 0.7 | 0.03 | 0.08 | 5 | 0.2 | 0.4 | 0.2 | 0.01 | 0.04 | C17 |
| Colon | 69 | 1.4 | 5.3 | 3.4 | 0.17 | 0.37 | 79 | 2.5 | 6.3 | 4.1 | 0.26 | 0.45 | C18 |
| Rectum | 254 | 5.0 | 19.4 | 13.1 | 0.55 | 1.60 | 168 | 5.3 | 13.4 | 8.9 | 0.39 | 1.03 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C21 |
| Liver | 447 | 8.8 | 34.1 | 22.4 | 1.25 | 2.71 | 167 | 5.3 | 13.3 | 8.7 | 0.36 | 1.03 | C22 |
| Gallbladder etc. | 45 | 0.9 | 3.4 | 2.2 | 0.10 | 0.25 | 36 | 1.1 | 2.9 | 1.9 | 0.08 | 0.19 | C23–24 |
| Pancreas | 86 | 1.7 | 6.6 | 4.5 | 0.17 | 0.49 | 50 | 1.6 | 4.0 | 2.7 | 0.13 | 0.28 | C25 |
| Nose, sinuses etc. | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 11 | 0.3 | 0.9 | 0.6 | 0.01 | 0.05 | C30–31 |
| Larynx | 28 | 0.6 | 2.1 | 1.4 | 0.09 | 0.20 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 904 | 17.8 | 68.9 | 46.3 | 2.19 | 5.78 | 383 | 12.1 | 30.5 | 20.5 | 0.90 | 2.42 | C33–34 |
| Other thoracic organs | 14 | 0.3 | 1.1 | 0.8 | 0.05 | 0.07 | 8 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 27 | 0.5 | 2.1 | 1.4 | 0.06 | 0.15 | 25 | 0.8 | 2.0 | 1.4 | 0.05 | 0.16 | C40–41 |
| Melanoma of skin | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 13 | 0.3 | 1.0 | 0.6 | 0.02 | 0.07 | 13 | 0.4 | 1.0 | 0.8 | 0.03 | 0.05 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 7 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 12 | 0.4 | 1.0 | 0.6 | 0.02 | 0.06 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 254 | 8.1 | 20.3 | 13.1 | 1.03 | 1.35 | C50 |
| Vulva | | | | | | | 9 | 0.3 | 0.7 | 0.4 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 9 | 0.3 | 0.7 | 0.5 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 232 | 7.4 | 18.5 | 12.2 | 0.88 | 1.42 | C53 |
| Corpus uteri | | | | | | | 56 | 1.8 | 4.5 | 3.0 | 0.23 | 0.35 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.7 | 1.8 | 1.3 | 0.08 | 0.15 | C55 |
| Ovary | | | | | | | 58 | 1.8 | 4.6 | 3.3 | 0.25 | 0.38 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 17 | 0.3 | 1.3 | 0.9 | 0.06 | 0.08 | | | | | | | C60 |
| Prostate | 87 | 1.7 | 6.6 | 4.4 | 0.03 | 0.39 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 25 | 0.5 | 1.9 | 1.2 | 0.04 | 0.17 | 16 | 0.5 | 1.3 | 0.9 | 0.06 | 0.09 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 10 | 0.3 | 0.8 | 0.5 | 0.00 | 0.06 | C66 |
| Bladder | 95 | 1.9 | 7.2 | 4.8 | 0.17 | 0.47 | 25 | 0.8 | 2.0 | 1.4 | 0.04 | 0.18 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 74 | 1.5 | 5.6 | 3.9 | 0.22 | 0.44 | 63 | 2.0 | 5.0 | 3.6 | 0.20 | 0.41 | C70–72 |
| Thyroid | 11 | 0.2 | 0.8 | 0.6 | 0.03 | 0.04 | 33 | 1.0 | 2.6 | 1.7 | 0.12 | 0.19 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 7 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C74 |
| Other endocrine | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 65 | 1.3 | 5.0 | 3.5 | 0.18 | 0.42 | 40 | 1.3 | 3.2 | 2.4 | 0.12 | 0.27 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 23 | 0.5 | 1.8 | 1.2 | 0.06 | 0.15 | 12 | 0.4 | 1.0 | 0.6 | 0.03 | 0.10 | C90 |
| Lymphoid leukaemia | 13 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | 13 | 0.4 | 1.0 | 0.8 | 0.03 | 0.09 | C91 |
| Myeloid leukaemia | 23 | 0.5 | 1.8 | 1.2 | 0.06 | 0.15 | 17 | 0.5 | 1.4 | 0.9 | 0.05 | 0.10 | C92–94 |
| Leukaemia unspecified | 31 | 0.6 | 2.4 | 1.6 | 0.10 | 0.19 | 28 | 0.9 | 2.2 | 2.0 | 0.10 | 0.18 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 5 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | MPS |
| Other and unspecified | 56 | 1.1 | 4.3 | 2.9 | 0.14 | 0.35 | 43 | 1.4 | 3.4 | 2.3 | 0.09 | 0.24 | O&U |
| All sites | 5097 | | 388.7 | 259.9 | 11.96 | 32.37 | 3167 | | 252.6 | 169.3 | 8.32 | 19.44 | C00–96 |
| All sites except C44 | 5084 | 100.0 | 387.7 | 259.3 | 11.94 | 32.31 | 3154 | 100.0 | 251.5 | 168.6 | 8.29 | 19.39 | C00–96 exc. C44 |

China, Liangshan County

CONTRIBUTORS

Shudan Xie
Changhong Feng
Suya Liu
Chunxiu Wang
Yuting Jiang



NOTES ON THE DATA

*No questionnaire.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 64.7 | Breast | 40.3 |
| Liver | 28.9 | Trachea, bronchus, and lung | 28.8 |
| Oesophagus | 26.7 | Thyroid | 16.7 |
| Stomach | 20.5 | Cervix uteri | 10.0 |
| Rectum | 9.8 | Oesophagus | 9.4 |
| Brain and nervous system | 5.5 | Liver | 8.9 |
| Colon | 4.7 | Stomach | 8.3 |
| Bladder | 4.4 | Ovary | 7.4 |
| Leukaemia unspecified | 4.0 | Rectum | 6.6 |
| Thyroid | 4.0 | Brain and nervous system | 5.8 |
| Pancreas | 3.9 | Corpus uteri | 5.5 |
| Prostate | 2.8 | Colon | 3.4 |
| Non-Hodgkin lymphoma | 2.7 | Leukaemia unspecified | 3.0 |
| Kidney | 2.5 | Myeloid leukaemia | 2.6 |
| Myeloid leukaemia | 2.3 | Non-Hodgkin lymphoma | 2.4 |
| Gallbladder etc. | 1.8 | Pancreas | 2.1 |
| Bone | 1.7 | Kidney | 1.4 |
| Lymphoid leukaemia | 1.5 | Gallbladder etc. | 1.2 |
| Larynx | 1.5 | Other and unspecified | 1.1 |
| Hypopharynx | 1.3 | Bladder | 0.9 |
| All sites | 205.4 | All sites | 175.0 |

*China, Liangshan County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 24 | 0.4 | 1.1 | 0.8 | 0.04 | 0.10 | 16 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | C01–02 |
| Mouth | 15 | 0.2 | 0.7 | 0.5 | 0.03 | 0.07 | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 16 | 0.3 | 0.7 | 0.6 | 0.05 | 0.05 | 11 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C11 |
| Hypopharynx | 37 | 0.6 | 1.7 | 1.3 | 0.06 | 0.17 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 859 | 13.8 | 40.1 | 26.7 | 1.06 | 3.28 | 322 | 6.3 | 16.4 | 9.4 | 0.37 | 1.16 | C15 |
| Stomach | 647 | 10.4 | 30.2 | 20.5 | 0.89 | 2.62 | 271 | 5.3 | 13.8 | 8.3 | 0.43 | 0.91 | C16 |
| Small intestine | 16 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | 15 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | C17 |
| Colon | 140 | 2.3 | 6.5 | 4.7 | 0.29 | 0.57 | 99 | 1.9 | 5.0 | 3.4 | 0.21 | 0.41 | C18 |
| Rectum | 309 | 5.0 | 14.4 | 9.8 | 0.51 | 1.16 | 214 | 4.2 | 10.9 | 6.6 | 0.38 | 0.80 | C19–20 |
| Anus | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C21 |
| Liver | 847 | 13.6 | 39.5 | 28.9 | 1.99 | 3.38 | 288 | 5.6 | 14.7 | 8.9 | 0.48 | 1.07 | C22 |
| Gallbladder etc. | 56 | 0.9 | 2.6 | 1.8 | 0.11 | 0.25 | 43 | 0.8 | 2.2 | 1.2 | 0.06 | 0.13 | C23–24 |
| Pancreas | 118 | 1.9 | 5.5 | 3.9 | 0.22 | 0.49 | 69 | 1.3 | 3.5 | 2.1 | 0.08 | 0.28 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 44 | 0.7 | 2.1 | 1.5 | 0.07 | 0.20 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2003 | 32.3 | 93.5 | 64.7 | 3.55 | 7.98 | 947 | 18.4 | 48.3 | 28.8 | 1.61 | 3.40 | C33–34 |
| Other thoracic organs | 13 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 11 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C37–38 |
| Bone | 44 | 0.7 | 2.1 | 1.7 | 0.10 | 0.16 | 18 | 0.4 | 0.9 | 0.7 | 0.04 | 0.08 | C40–41 |
| Melanoma of skin | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 23 | 0.4 | 1.1 | 0.8 | 0.05 | 0.08 | 25 | 0.5 | 1.3 | 0.7 | 0.03 | 0.07 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 10 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C47+C49 |
| Breast | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1127 | 21.9 | 57.5 | 40.3 | 3.31 | 4.18 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C51 |
| Vagina | | | | | | | 2 | 0.0 | 0.1 | 0.2 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 275 | 5.4 | 14.0 | 10.0 | 0.88 | 1.10 | C53 |
| Corpus uteri | | | | | | | 162 | 3.2 | 8.3 | 5.5 | 0.46 | 0.62 | C54 |
| Uterus unspecified | | | | | | | 10 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 194 | 3.8 | 9.9 | 7.4 | 0.59 | 0.76 | C56 |
| Other female genital organs | | | | | | | 16 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 13 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 95 | 1.5 | 4.4 | 2.8 | 0.06 | 0.29 | | | | | | | C61 |
| Testis | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 75 | 1.2 | 3.5 | 2.5 | 0.15 | 0.32 | 42 | 0.8 | 2.1 | 1.4 | 0.09 | 0.17 | C64 |
| Renal pelvis | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.05 | C66 |
| †Bladder | 141 | 2.3 | 6.6 | 4.4 | 0.21 | 0.51 | 31 | 0.6 | 1.6 | 0.9 | 0.03 | 0.11 | C67 |
| Other urinary organs | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 151 | 2.4 | 7.0 | 5.5 | 0.37 | 0.55 | 159 | 3.1 | 8.1 | 5.8 | 0.39 | 0.60 | C70–72 |
| Thyroid | 106 | 1.7 | 4.9 | 4.0 | 0.30 | 0.43 | 434 | 8.4 | 22.1 | 16.7 | 1.40 | 1.62 | C73 |
| Adrenal gland | 9 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 75 | 1.2 | 3.5 | 2.7 | 0.17 | 0.30 | 67 | 1.3 | 3.4 | 2.4 | 0.16 | 0.31 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 32 | 0.5 | 1.5 | 1.2 | 0.07 | 0.14 | 26 | 0.5 | 1.3 | 0.9 | 0.05 | 0.11 | C90 |
| Lymphoid leukaemia | 33 | 0.5 | 1.5 | 1.5 | 0.07 | 0.11 | 20 | 0.4 | 1.0 | 0.8 | 0.05 | 0.07 | C91 |
| Myeloid leukaemia | 59 | 1.0 | 2.8 | 2.3 | 0.16 | 0.26 | 65 | 1.3 | 3.3 | 2.6 | 0.18 | 0.25 | C92–94 |
| Leukaemia unspecified | 93 | 1.5 | 4.3 | 4.0 | 0.24 | 0.31 | 70 | 1.4 | 3.6 | 3.0 | 0.18 | 0.31 | C95 |
| Myeloproliferative disorders | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 34 | 0.5 | 1.6 | 1.1 | 0.05 | 0.13 | 32 | 0.6 | 1.6 | 1.1 | 0.06 | 0.10 | O&U |
| All sites | 6230 | | 290.7 | 205.4 | 11.18 | 24.49 | 5165 | | 263.4 | 175.0 | 11.88 | 19.33 | C00–96 |
| All sites except C44 | 6207 | 100.0 | 289.6 | 204.6 | 11.13 | 24.40 | 5140 | 100.0 | 262.1 | 174.3 | 11.85 | 19.26 | C00–96 exc. C44 |

*†See note following population pyramid

China, Lianshui County

CONTRIBUTORS

Zhizhou Song
YunHua Fei
Yuqing Bao
Jiyin Pu



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 55.7 | Oesophagus | 31.9 |
| Trachea, bronchus, and lung | 39.6 | Breast | 16.1 |
| Stomach | 26.0 | Trachea, bronchus, and lung | 15.2 |
| Liver | 20.8 | Stomach | 10.6 |
| Rectum | 6.6 | Cervix uteri | 8.9 |
| Brain and nervous system | 4.2 | Liver | 8.6 |
| Bladder | 3.8 | Rectum | 3.9 |
| Colon | 3.1 | Brain and nervous system | 3.7 |
| Pancreas | 3.1 | Thyroid | 3.1 |
| Leukaemia unspecified | 2.6 | Ovary | 3.1 |
| Prostate | 2.2 | Pancreas | 2.6 |
| Non-Hodgkin lymphoma | 1.8 | Colon | 2.5 |
| Gallbladder etc. | 1.8 | Corpus uteri | 2.4 |
| Bone | 1.6 | Gallbladder etc. | 1.6 |
| Nasopharynx | 1.4 | Other and unspecified | 1.6 |
| Other and unspecified | 1.2 | Leukaemia unspecified | 1.4 |
| Kidney | 1.2 | Non-Hodgkin lymphoma | 1.4 |
| Larynx | 1.2 | Bladder | 1.3 |
| Lymphoid leukaemia | 1.0 | Bone | 1.2 |
| Non-melanoma skin cancer | 0.8 | Uterus unspecified | 1.0 |
| All sites | 188.6 | All sites | 130.7 |

*China, Lianshui County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 20 | 0.4 | 0.7 | 0.5 | 0.04 | 0.07 | C01–02 |
| Mouth | 34 | 0.4 | 1.1 | 0.8 | 0.04 | 0.11 | 31 | 0.6 | 1.1 | 0.7 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 13 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 7 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C07–08 |
| Tonsil | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 54 | 0.7 | 1.8 | 1.4 | 0.11 | 0.16 | 24 | 0.4 | 0.9 | 0.6 | 0.04 | 0.07 | C11 |
| Hypopharynx | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 21 | 0.3 | 0.7 | 0.5 | 0.02 | 0.07 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 2474 | 30.3 | 82.9 | 55.7 | 2.77 | 7.55 | 1519 | 27.2 | 55.4 | 31.9 | 1.32 | 4.20 | C15 |
| Stomach | 1164 | 14.2 | 39.0 | 26.0 | 1.14 | 3.40 | 489 | 8.8 | 17.8 | 10.6 | 0.47 | 1.33 | C16 |
| Small intestine | 17 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 24 | 0.4 | 0.9 | 0.5 | 0.04 | 0.07 | C17 |
| Colon | 135 | 1.7 | 4.5 | 3.1 | 0.20 | 0.37 | 111 | 2.0 | 4.0 | 2.5 | 0.12 | 0.32 | C18 |
| Rectum | 297 | 3.6 | 10.0 | 6.6 | 0.39 | 0.82 | 177 | 3.2 | 6.5 | 3.9 | 0.27 | 0.42 | C19–20 |
| Anus | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C21 |
| Liver | 876 | 10.7 | 29.4 | 20.8 | 1.53 | 2.38 | 375 | 6.7 | 13.7 | 8.6 | 0.54 | 0.99 | C22 |
| Gallbladder etc. | 82 | 1.0 | 2.7 | 1.8 | 0.11 | 0.21 | 79 | 1.4 | 2.9 | 1.6 | 0.08 | 0.18 | C23–24 |
| Pancreas | 135 | 1.7 | 4.5 | 3.1 | 0.13 | 0.43 | 116 | 2.1 | 4.2 | 2.6 | 0.12 | 0.32 | C25 |
| Nose, sinuses etc. | 16 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 52 | 0.6 | 1.7 | 1.2 | 0.08 | 0.15 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 1746 | 21.4 | 58.5 | 39.6 | 2.02 | 5.26 | 689 | 12.3 | 25.1 | 15.2 | 0.84 | 1.91 | C33–34 |
| Other thoracic organs | 31 | 0.4 | 1.0 | 0.8 | 0.07 | 0.09 | 12 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 64 | 0.8 | 2.1 | 1.6 | 0.09 | 0.17 | 47 | 0.8 | 1.7 | 1.2 | 0.06 | 0.15 | C40–41 |
| Melanoma of skin | 11 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 37 | 0.5 | 1.2 | 0.8 | 0.03 | 0.10 | 41 | 0.7 | 1.5 | 0.9 | 0.05 | 0.10 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C47+C49 |
| Breast | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 610 | 10.9 | 22.2 | 16.1 | 1.38 | 1.70 | C50 |
| Vulva | | | | | | | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 345 | 6.2 | 12.6 | 8.9 | 0.74 | 0.93 | C53 |
| Corpus uteri | | | | | | | 92 | 1.6 | 3.4 | 2.4 | 0.21 | 0.26 | C54 |
| Uterus unspecified | | | | | | | 39 | 0.7 | 1.4 | 1.0 | 0.09 | 0.11 | C55 |
| Ovary | | | | | | | 120 | 2.1 | 4.4 | 3.1 | 0.22 | 0.32 | C56 |
| Other female genital organs | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 15 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 108 | 1.3 | 3.6 | 2.2 | 0.04 | 0.24 | | | | | | | C61 |
| Testis | 11 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 48 | 0.6 | 1.6 | 1.2 | 0.09 | 0.11 | 27 | 0.5 | 1.0 | 0.7 | 0.05 | 0.09 | C64 |
| Renal pelvis | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C65 |
| Ureter | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 175 | 2.1 | 5.9 | 3.8 | 0.18 | 0.44 | 57 | 1.0 | 2.1 | 1.3 | 0.04 | 0.16 | C67 |
| Other urinary organs | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 165 | 2.0 | 5.5 | 4.2 | 0.30 | 0.45 | 145 | 2.6 | 5.3 | 3.7 | 0.27 | 0.42 | C70–72 |
| Thyroid | 21 | 0.3 | 0.7 | 0.5 | 0.04 | 0.06 | 106 | 1.9 | 3.9 | 3.1 | 0.26 | 0.29 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 8 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 73 | 0.9 | 2.4 | 1.8 | 0.09 | 0.22 | 55 | 1.0 | 2.0 | 1.4 | 0.09 | 0.13 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 28 | 0.3 | 0.9 | 0.6 | 0.02 | 0.06 | 16 | 0.3 | 0.6 | 0.4 | 0.03 | 0.05 | C90 |
| Lymphoid leukaemia | 33 | 0.4 | 1.1 | 1.0 | 0.06 | 0.09 | 24 | 0.4 | 0.9 | 0.8 | 0.04 | 0.06 | C91 |
| Myeloid leukaemia | 25 | 0.3 | 0.8 | 0.6 | 0.05 | 0.07 | 21 | 0.4 | 0.8 | 0.8 | 0.05 | 0.06 | C92–94 |
| Leukaemia unspecified | 88 | 1.1 | 2.9 | 2.6 | 0.15 | 0.25 | 48 | 0.9 | 1.8 | 1.4 | 0.09 | 0.14 | C95 |
| Myeloproliferative disorders | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 10 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 52 | 0.6 | 1.7 | 1.2 | 0.08 | 0.14 | 69 | 1.2 | 2.5 | 1.6 | 0.09 | 0.20 | O&U |
| All sites | 8212 | | 275.2 | 188.6 | 10.15 | 23.97 | 5624 | | 205.1 | 130.7 | 7.86 | 15.43 | C00–96 |
| All sites except C44 | 8175 | 100.0 | 273.9 | 187.7 | 10.12 | 23.87 | 5583 | 100.0 | 203.6 | 129.8 | 7.81 | 15.33 | C00–96 exc. C44 |

*See note following population pyramid

China, Lianyungang City

CONTRIBUTORS

Jianmei Dong
 Chundao Zhang
 Weiwei Li
 Zhaojun Ma
 Xucheng Qin
 LiLi Chai
 Xinxin Deng
 Yanyan Li
 Anbo Wu
 Min Liu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 43.1 | Breast | 32.5 |
| Liver | 22.9 | Trachea, bronchus, and lung | 21.1 |
| Stomach | 19.3 | Thyroid | 11.4 |
| Oesophagus | 14.2 | Cervix uteri | 10.4 |
| Colon | 9.1 | Stomach | 8.0 |
| Rectum | 9.0 | Colon | 6.5 |
| Bladder | 6.5 | Liver | 6.5 |
| Pancreas | 6.3 | Corpus uteri | 4.9 |
| Prostate | 5.9 | Rectum | 4.7 |
| Thyroid | 4.5 | Oesophagus | 4.6 |
| Non-Hodgkin lymphoma | 3.9 | Ovary | 4.3 |
| Brain and nervous system | 3.3 | Pancreas | 2.9 |
| Kidney | 3.1 | Brain and nervous system | 2.7 |
| Myeloid leukaemia | 2.6 | Myeloid leukaemia | 2.5 |
| Gallbladder etc. | 2.1 | Kidney | 1.9 |
| Larynx | 1.8 | Non-Hodgkin lymphoma | 1.7 |
| Other and unspecified | 1.8 | Gallbladder etc. | 1.7 |
| Non-melanoma skin cancer | 1.6 | Other and unspecified | 1.6 |
| Nasopharynx | 1.5 | Lymphoid leukaemia | 1.4 |
| Lymphoid leukaemia | 1.5 | Bladder | 1.3 |
| All sites | 177.8 | All sites | 142.2 |


China, Lianyungang City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 17 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C01–02 |
| Mouth | 31 | 0.4 | 1.2 | 0.8 | 0.05 | 0.10 | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 16 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 16 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 58 | 0.8 | 2.3 | 1.5 | 0.13 | 0.18 | 23 | 0.4 | 0.9 | 0.7 | 0.04 | 0.07 | C11 |
| Hypopharynx | 16 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 584 | 8.5 | 22.7 | 14.2 | 0.64 | 1.76 | 222 | 4.0 | 8.9 | 4.6 | 0.14 | 0.52 | C15 |
| Stomach | 772 | 11.2 | 30.0 | 19.3 | 1.07 | 2.33 | 343 | 6.2 | 13.7 | 8.0 | 0.43 | 0.91 | C16 |
| Small intestine | 41 | 0.6 | 1.6 | 1.0 | 0.07 | 0.11 | 18 | 0.3 | 0.7 | 0.5 | 0.02 | 0.07 | C17 |
| Colon | 359 | 5.2 | 13.9 | 9.1 | 0.49 | 1.11 | 269 | 4.9 | 10.8 | 6.5 | 0.38 | 0.79 | C18 |
| Rectum | 353 | 5.1 | 13.7 | 9.0 | 0.52 | 1.10 | 197 | 3.6 | 7.9 | 4.7 | 0.30 | 0.54 | C19–20 |
| Anus | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 875 | 12.7 | 34.0 | 22.9 | 1.69 | 2.64 | 272 | 4.9 | 10.9 | 6.5 | 0.35 | 0.72 | C22 |
| Gallbladder etc. | 88 | 1.3 | 3.4 | 2.1 | 0.09 | 0.22 | 78 | 1.4 | 3.1 | 1.7 | 0.07 | 0.19 | C23–24 |
| Pancreas | 254 | 3.7 | 9.9 | 6.3 | 0.33 | 0.76 | 130 | 2.4 | 5.2 | 2.9 | 0.14 | 0.34 | C25 |
| Nose, sinuses etc. | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C30–31 |
| Larynx | 72 | 1.0 | 2.8 | 1.8 | 0.11 | 0.22 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1733 | 25.1 | 67.3 | 43.1 | 2.10 | 5.23 | 921 | 16.7 | 36.8 | 21.1 | 1.05 | 2.51 | C33–34 |
| Other thoracic organs | 23 | 0.3 | 0.9 | 0.8 | 0.05 | 0.08 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C37–38 |
| Bone | 41 | 0.6 | 1.6 | 1.2 | 0.07 | 0.12 | 21 | 0.4 | 0.8 | 0.6 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 15 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 66 | 1.0 | 2.6 | 1.6 | 0.07 | 0.17 | 34 | 0.6 | 1.4 | 0.7 | 0.02 | 0.07 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 31 | 0.4 | 1.2 | 1.0 | 0.06 | 0.10 | 25 | 0.5 | 1.0 | 0.8 | 0.06 | 0.07 | C47+C49 |
| Breast | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 1184 | 21.4 | 47.4 | 32.5 | 2.79 | 3.44 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 377 | 6.8 | 15.1 | 10.4 | 0.88 | 1.10 | C53 |
| Corpus uteri | | | | | | | 181 | 3.3 | 7.2 | 4.9 | 0.43 | 0.57 | C54 |
| Uterus unspecified | | | | | | | 26 | 0.5 | 1.0 | 0.6 | 0.04 | 0.05 | C55 |
| Ovary | | | | | | | 155 | 2.8 | 6.2 | 4.3 | 0.34 | 0.45 | C56 |
| Other female genital organs | | | | | | | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 263 | 3.8 | 10.2 | 5.9 | 0.12 | 0.59 | | | | | | | C61 |
| Testis | 14 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 117 | 1.7 | 4.5 | 3.1 | 0.18 | 0.43 | 68 | 1.2 | 2.7 | 1.9 | 0.11 | 0.23 | C64 |
| Renal pelvis | 14 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 12 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 264 | 3.8 | 10.3 | 6.5 | 0.29 | 0.82 | 59 | 1.1 | 2.4 | 1.3 | 0.07 | 0.13 | C67 |
| Other urinary organs | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 112 | 1.6 | 4.3 | 3.3 | 0.19 | 0.34 | 96 | 1.7 | 3.8 | 2.7 | 0.18 | 0.27 | C70–72 |
| Thyroid | 148 | 2.1 | 5.7 | 4.5 | 0.35 | 0.44 | 389 | 7.0 | 15.6 | 11.4 | 0.98 | 1.07 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 10 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 143 | 2.1 | 5.6 | 3.9 | 0.25 | 0.38 | 70 | 1.3 | 2.8 | 1.7 | 0.10 | 0.17 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 58 | 0.8 | 2.3 | 1.5 | 0.08 | 0.21 | 24 | 0.4 | 1.0 | 0.6 | 0.04 | 0.08 | C90 |
| Lymphoid leukaemia | 41 | 0.6 | 1.6 | 1.5 | 0.08 | 0.12 | 38 | 0.7 | 1.5 | 1.4 | 0.08 | 0.13 | C91 |
| Myeloid leukaemia | 90 | 1.3 | 3.5 | 2.6 | 0.15 | 0.25 | 76 | 1.4 | 3.0 | 2.5 | 0.17 | 0.23 | C92–94 |
| Leukaemia unspecified | 27 | 0.4 | 1.0 | 0.7 | 0.04 | 0.06 | 36 | 0.7 | 1.4 | 0.9 | 0.06 | 0.08 | C95 |
| Myeloproliferative disorders | 15 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 13 | 0.2 | 0.5 | 0.3 | 0.01 | 0.06 | MPD |
| Myelodysplastic syndromes | 36 | 0.5 | 1.4 | 0.9 | 0.03 | 0.10 | 12 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | MPS |
| Other and unspecified | 71 | 1.0 | 2.8 | 1.8 | 0.09 | 0.18 | 68 | 1.2 | 2.7 | 1.6 | 0.09 | 0.17 | O&U |
| All sites | 6971 | | 270.7 | 177.8 | 9.70 | 20.75 | 5561 | | 222.5 | 142.2 | 9.67 | 15.50 | C00–96 |
| All sites except C44 | 6905 | 100.0 | 268.2 | 176.2 | 9.63 | 20.58 | 5527 | 100.0 | 221.1 | 141.5 | 9.65 | 15.43 | C00–96 exc. C44 |

China, Linhe District, Bayannur City

CONTRIBUTORS

Caixia Zhang
Shuya Zeng
Fang Wang
Feixue Gao
Liang Sun



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 50.5 | Breast | 28.4 |
| Stomach | 36.9 | Thyroid | 26.7 |
| Liver | 23.0 | Trachea, bronchus, and lung | 18.2 |
| Rectum | 18.2 | Rectum | 11.9 |
| Oesophagus | 13.1 | Stomach | 11.2 |
| Colon | 12.3 | Colon | 9.2 |
| Pancreas | 7.2 | Liver | 7.6 |
| Bladder | 6.6 | Ovary | 6.8 |
| Thyroid | 6.3 | Cervix uteri | 6.7 |
| Lymphoid leukaemia | 4.5 | Corpus uteri | 5.0 |
| Brain and nervous system | 4.2 | Pancreas | 3.3 |
| Prostate | 3.9 | Oesophagus | 2.8 |
| Non-Hodgkin lymphoma | 3.6 | Brain and nervous system | 2.2 |
| Kidney | 3.4 | Kidney | 2.1 |
| Bone | 2.6 | Uterus unspecified | 2.1 |
| Larynx | 2.2 | Non-Hodgkin lymphoma | 2.0 |
| Non-melanoma skin cancer | 2.0 | Bladder | 1.8 |
| Small intestine | 1.8 | Gallbladder etc. | 1.3 |
| Other and unspecified | 1.7 | Non-melanoma skin cancer | 1.0 |
| Nose, sinuses etc. | 1.1 | Bone | 1.0 |
| All sites | 215.1 | All sites | 161.7 |


China, Linhe District, Bayannur City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 4 | 0.2 | 0.4 | 0.3 | 0.00 | 0.02 | C00 |
| Tongue | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C01–02 |
| Mouth | 6 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | 6 | 0.3 | 0.5 | 0.6 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 4 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C09 |
| Other oropharynx | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 12 | 0.4 | 1.1 | 1.1 | 0.05 | 0.14 | 7 | 0.3 | 0.6 | 0.5 | 0.05 | 0.07 | C11 |
| Hypopharynx | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 172 | 6.2 | 15.7 | 13.1 | 0.68 | 1.82 | 38 | 1.7 | 3.5 | 2.8 | 0.06 | 0.36 | C15 |
| Stomach | 482 | 17.3 | 44.1 | 36.9 | 1.98 | 4.89 | 153 | 6.7 | 14.0 | 11.2 | 0.65 | 1.42 | C16 |
| Small intestine | 21 | 0.8 | 1.9 | 1.8 | 0.10 | 0.25 | 12 | 0.5 | 1.1 | 0.9 | 0.03 | 0.14 | C17 |
| Colon | 160 | 5.7 | 14.6 | 12.3 | 0.70 | 1.59 | 122 | 5.4 | 11.2 | 9.2 | 0.49 | 1.23 | C18 |
| Rectum | 233 | 8.4 | 21.3 | 18.2 | 1.04 | 2.47 | 157 | 6.9 | 14.4 | 11.9 | 0.74 | 1.61 | C19–20 |
| Anus | 8 | 0.3 | 0.7 | 0.7 | 0.02 | 0.12 | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 307 | 11.0 | 28.1 | 23.0 | 1.50 | 2.90 | 107 | 4.7 | 9.8 | 7.6 | 0.34 | 0.91 | C22 |
| Gallbladder etc. | 10 | 0.4 | 0.9 | 0.8 | 0.08 | 0.08 | 17 | 0.7 | 1.6 | 1.3 | 0.08 | 0.16 | C23–24 |
| Pancreas | 97 | 3.5 | 8.9 | 7.2 | 0.40 | 0.96 | 46 | 2.0 | 4.2 | 3.3 | 0.18 | 0.43 | C25 |
| Nose, sinuses etc. | 15 | 0.5 | 1.4 | 1.1 | 0.07 | 0.17 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C30–31 |
| Larynx | 26 | 0.9 | 2.4 | 2.2 | 0.12 | 0.28 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 658 | 23.6 | 60.2 | 50.5 | 2.61 | 6.42 | 244 | 10.8 | 22.3 | 18.2 | 0.86 | 2.33 | C33–34 |
| Other thoracic organs | 7 | 0.3 | 0.6 | 0.5 | 0.00 | 0.04 | 8 | 0.4 | 0.7 | 0.7 | 0.03 | 0.09 | C37–38 |
| Bone | 34 | 1.2 | 3.1 | 2.6 | 0.17 | 0.30 | 13 | 0.6 | 1.2 | 1.0 | 0.08 | 0.11 | C40–41 |
| Melanoma of skin | 5 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | 4 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C43 |
| Other skin | 28 | 1.0 | 2.6 | 2.0 | 0.13 | 0.24 | 15 | 0.7 | 1.4 | 1.0 | 0.06 | 0.10 | C44 |
| Mesothelioma | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.4 | 0.9 | 0.6 | 0.04 | 0.04 | 8 | 0.4 | 0.7 | 0.6 | 0.03 | 0.06 | C47+C49 |
| Breast | 9 | 0.3 | 0.8 | 0.6 | 0.05 | 0.05 | 427 | 18.8 | 39.1 | 28.4 | 2.45 | 3.13 | C50 |
| Vulva | | | | | | | 6 | 0.3 | 0.5 | 0.5 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 94 | 4.1 | 8.6 | 6.7 | 0.58 | 0.77 | C53 |
| Corpus uteri | | | | | | | 70 | 3.1 | 6.4 | 5.0 | 0.39 | 0.61 | C54 |
| Uterus unspecified | | | | | | | 29 | 1.3 | 2.7 | 2.1 | 0.12 | 0.26 | C55 |
| Ovary | | | | | | | 99 | 4.4 | 9.1 | 6.8 | 0.57 | 0.77 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 8 | 0.3 | 0.7 | 0.7 | 0.06 | 0.08 | | | | | | | C60 |
| Prostate | 53 | 1.9 | 4.9 | 3.9 | 0.01 | 0.38 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 42 | 1.5 | 3.8 | 3.4 | 0.18 | 0.41 | 29 | 1.3 | 2.7 | 2.1 | 0.15 | 0.20 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 10 | 0.4 | 0.9 | 0.7 | 0.03 | 0.05 | 7 | 0.3 | 0.6 | 0.6 | 0.04 | 0.07 | C66 |
| Bladder | 83 | 3.0 | 7.6 | 6.6 | 0.33 | 0.89 | 23 | 1.0 | 2.1 | 1.8 | 0.07 | 0.23 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 53 | 1.9 | 4.9 | 4.2 | 0.29 | 0.50 | 29 | 1.3 | 2.7 | 2.2 | 0.14 | 0.23 | C70–72 |
| Thyroid | 92 | 3.3 | 8.4 | 6.3 | 0.54 | 0.73 | 412 | 18.2 | 37.7 | 26.7 | 2.39 | 2.74 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 46 | 1.7 | 4.2 | 3.6 | 0.21 | 0.39 | 27 | 1.2 | 2.5 | 2.0 | 0.12 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C90 |
| Lymphoid leukaemia | 57 | 2.0 | 5.2 | 4.5 | 0.27 | 0.42 | 13 | 0.6 | 1.2 | 0.9 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 9 | 0.3 | 0.8 | 0.7 | 0.05 | 0.05 | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C92–94 |
| Leukaemia unspecified | 8 | 0.3 | 0.7 | 0.7 | 0.03 | 0.08 | 8 | 0.4 | 0.7 | 1.0 | 0.05 | 0.06 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 24 | 0.9 | 2.2 | 1.7 | 0.13 | 0.16 | 10 | 0.4 | 0.9 | 0.7 | 0.05 | 0.09 | O&U |
| All sites | 2813 | | 257.4 | 215.1 | 12.08 | 27.21 | 2283 | | 208.8 | 161.7 | 11.13 | 19.01 | C00–96 |
| All sites except C44 | 2785 | 100.0 | 254.9 | 213.0 | 11.95 | 26.97 | 2268 | 100.0 | 207.5 | 160.7 | 11.07 | 18.91 | C00–96 exc. C44 |

China, Linqu County

CONTRIBUTORS

Weidong Liu
Guo Chao
Jing Bin
Lanfu Zhang
Hao Xian



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 69.8 | Trachea, bronchus, and lung | 36.6 |
| Stomach | 52.4 | Breast | 22.2 |
| Liver | 24.3 | Stomach | 18.0 |
| Oesophagus | 14.0 | Liver | 9.9 |
| Rectum | 9.3 | Thyroid | 8.2 |
| Colon | 6.6 | Cervix uteri | 7.4 |
| Pancreas | 5.2 | Rectum | 5.9 |
| Bladder | 5.0 | Ovary | 5.7 |
| Prostate | 3.9 | Corpus uteri | 5.5 |
| Kidney | 3.6 | Colon | 5.1 |
| Brain and nervous system | 3.5 | Pancreas | 3.6 |
| Gallbladder etc. | 3.3 | Brain and nervous system | 2.9 |
| Non-Hodgkin lymphoma | 3.0 | Oesophagus | 2.6 |
| Myeloid leukaemia | 2.6 | Myeloid leukaemia | 2.2 |
| Thyroid | 2.0 | Kidney | 2.2 |
| Lymphoid leukaemia | 1.6 | Gallbladder etc. | 2.1 |
| Larynx | 1.4 | Non-Hodgkin lymphoma | 1.7 |
| Non-melanoma skin cancer | 1.3 | Lymphoid leukaemia | 1.4 |
| Bone | 1.0 | Bladder | 1.3 |
| Nasopharynx | 1.0 | Non-melanoma skin cancer | 1.1 |
| All sites | 225.4 | All sites | 154.8 |


China, Linqu County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 8 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 11 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C07–08 |
| Tonsil | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 29 | 0.4 | 1.3 | 1.0 | 0.08 | 0.10 | 13 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | C11 |
| Hypopharynx | 35 | 0.4 | 1.5 | 1.0 | 0.06 | 0.10 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 521 | 6.4 | 22.5 | 14.0 | 0.61 | 1.61 | 114 | 2.0 | 5.2 | 2.6 | 0.06 | 0.23 | C15 |
| Stomach | 1903 | 23.5 | 82.3 | 52.4 | 2.92 | 6.26 | 700 | 12.5 | 32.0 | 18.0 | 0.86 | 1.98 | C16 |
| Small intestine | 29 | 0.4 | 1.3 | 0.8 | 0.03 | 0.10 | 17 | 0.3 | 0.8 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 237 | 2.9 | 10.2 | 6.6 | 0.30 | 0.79 | 198 | 3.5 | 9.0 | 5.1 | 0.25 | 0.53 | C18 |
| Rectum | 339 | 4.2 | 14.7 | 9.3 | 0.47 | 1.07 | 229 | 4.1 | 10.5 | 5.9 | 0.29 | 0.62 | C19–20 |
| Anus | 11 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 11 | 0.2 | 0.5 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 863 | 10.7 | 37.3 | 24.3 | 1.60 | 2.85 | 384 | 6.9 | 17.5 | 9.9 | 0.52 | 1.09 | C22 |
| Gallbladder etc. | 119 | 1.5 | 5.1 | 3.3 | 0.15 | 0.42 | 85 | 1.5 | 3.9 | 2.1 | 0.08 | 0.21 | C23–24 |
| Pancreas | 191 | 2.4 | 8.3 | 5.2 | 0.25 | 0.60 | 147 | 2.6 | 6.7 | 3.6 | 0.16 | 0.39 | C25 |
| Nose, sinuses etc. | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 52 | 0.6 | 2.2 | 1.4 | 0.08 | 0.18 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2584 | 31.9 | 111.7 | 69.8 | 3.25 | 8.05 | 1449 | 25.9 | 66.2 | 36.6 | 1.74 | 4.08 | C33–34 |
| Other thoracic organs | 12 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 11 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | C37–38 |
| Bone | 31 | 0.4 | 1.3 | 1.0 | 0.04 | 0.09 | 23 | 0.4 | 1.1 | 0.7 | 0.03 | 0.06 | C40–41 |
| Melanoma of skin | 11 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 46 | 0.6 | 2.0 | 1.3 | 0.08 | 0.14 | 45 | 0.8 | 2.1 | 1.1 | 0.06 | 0.10 | C44 |
| Mesothelioma | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 19 | 0.2 | 0.8 | 0.7 | 0.03 | 0.07 | 16 | 0.3 | 0.7 | 0.5 | 0.03 | 0.04 | C47+C49 |
| Breast | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 730 | 13.0 | 33.4 | 22.2 | 1.80 | 2.31 | C50 |
| Vulva | | | | | | | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 232 | 4.1 | 10.6 | 7.4 | 0.61 | 0.74 | C53 |
| Corpus uteri | | | | | | | 193 | 3.4 | 8.8 | 5.5 | 0.46 | 0.66 | C54 |
| Uterus unspecified | | | | | | | 31 | 0.6 | 1.4 | 0.9 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 193 | 3.4 | 8.8 | 5.7 | 0.42 | 0.63 | C56 |
| Other female genital organs | | | | | | | 12 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 16 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 153 | 1.9 | 6.6 | 3.9 | 0.09 | 0.36 | | | | | | | C61 |
| Testis | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 119 | 1.5 | 5.1 | 3.6 | 0.23 | 0.39 | 76 | 1.4 | 3.5 | 2.2 | 0.13 | 0.28 | C64 |
| Renal pelvis | 16 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 15 | 0.3 | 0.7 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 16 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 14 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 189 | 2.3 | 8.2 | 5.0 | 0.20 | 0.49 | 54 | 1.0 | 2.5 | 1.3 | 0.04 | 0.14 | C67 |
| Other urinary organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 116 | 1.4 | 5.0 | 3.5 | 0.22 | 0.36 | 99 | 1.8 | 4.5 | 2.9 | 0.18 | 0.35 | C70–72 |
| Thyroid | 65 | 0.8 | 2.8 | 2.0 | 0.16 | 0.21 | 254 | 4.5 | 11.6 | 8.2 | 0.69 | 0.79 | C73 |
| Adrenal gland | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 14 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 10 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | C75 |
| Hodgkin lymphoma | 14 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 93 | 1.1 | 4.0 | 3.0 | 0.15 | 0.35 | 61 | 1.1 | 2.8 | 1.7 | 0.11 | 0.20 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 34 | 0.4 | 1.5 | 0.9 | 0.06 | 0.12 | 26 | 0.5 | 1.2 | 0.7 | 0.04 | 0.10 | C90 |
| Lymphoid leukaemia | 32 | 0.4 | 1.4 | 1.6 | 0.08 | 0.11 | 27 | 0.5 | 1.2 | 1.4 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 81 | 1.0 | 3.5 | 2.6 | 0.15 | 0.27 | 57 | 1.0 | 2.6 | 2.2 | 0.14 | 0.19 | C92–94 |
| Leukaemia unspecified | 27 | 0.3 | 1.2 | 0.9 | 0.05 | 0.08 | 27 | 0.5 | 1.2 | 1.0 | 0.06 | 0.08 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 34 | 0.4 | 1.5 | 1.0 | 0.05 | 0.11 | 28 | 0.5 | 1.3 | 0.8 | 0.04 | 0.07 | O&U |
| All sites | 8141 | | 352.1 | 225.4 | 11.73 | 25.88 | 5645 | | 258.0 | 154.8 | 9.22 | 16.58 | C00–96 |
| All sites except C44 | 8095 | 100.0 | 350.1 | 224.1 | 11.65 | 25.74 | 5600 | 100.0 | 255.9 | 153.7 | 9.16 | 16.48 | C00–96 exc. C44 |

China, Linzhou City

CONTRIBUTORS

Guizhou Guo
Fangxian Fu
Zhenhai Wang
Zhicai Liu
Bianyun Li
Xiaodong Yu
Kai Hou
Li Wang
Chang Liu



NOTES ON THE DATA

*Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 82.8 | Oesophagus | 43.4 |
| Oesophagus | 65.8 | Stomach | 35.2 |
| Trachea, bronchus, and lung | 25.4 | Breast | 22.2 |
| Liver | 17.8 | Trachea, bronchus, and lung | 16.1 |
| Rectum | 7.8 | Cervix uteri | 15.1 |
| Brain and nervous system | 6.6 | Liver | 8.6 |
| Colon | 6.4 | Colon | 6.8 |
| Leukaemia unspecified | 3.4 | Brain and nervous system | 6.7 |
| Other and unspecified | 3.0 | Rectum | 6.4 |
| Non-Hodgkin lymphoma | 2.7 | Corpus uteri | 5.5 |
| Bladder | 2.4 | Ovary | 4.9 |
| Gallbladder etc. | 2.4 | Thyroid | 4.8 |
| Pancreas | 2.1 | Other and unspecified | 3.5 |
| Prostate | 2.0 | Leukaemia unspecified | 3.0 |
| Bone | 1.9 | Gallbladder etc. | 3.0 |
| Larynx | 1.6 | Bone | 1.8 |
| Non-melanoma skin cancer | 1.5 | Non-Hodgkin lymphoma | 1.8 |
| Thyroid | 1.5 | Pancreas | 1.8 |
| Kidney | 1.3 | Myeloid leukaemia | 1.5 |
| Myeloid leukaemia | 1.2 | Non-melanoma skin cancer | 1.4 |
| All sites | 251.1 | All sites | 205.4 |

*China, Linzhou City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 17 | 0.2 | 0.6 | 0.4 | 0.03 | 0.06 | 19 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | C01–02 |
| Mouth | 20 | 0.2 | 0.7 | 0.6 | 0.03 | 0.07 | 23 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 13 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 17 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 16 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 14 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 15 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 18 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 2317 | 26.4 | 81.3 | 65.8 | 3.27 | 7.97 | 1772 | 22.5 | 65.8 | 43.4 | 2.15 | 5.25 | C15 |
| Stomach | 2993 | 34.0 | 105.0 | 82.8 | 4.76 | 10.60 | 1428 | 18.1 | 53.0 | 35.2 | 1.88 | 4.42 | C16 |
| Small intestine | 18 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 25 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 225 | 2.6 | 7.9 | 6.4 | 0.37 | 0.70 | 267 | 3.4 | 9.9 | 6.8 | 0.41 | 0.83 | C18 |
| Rectum | 280 | 3.2 | 9.8 | 7.8 | 0.43 | 1.00 | 253 | 3.2 | 9.4 | 6.4 | 0.39 | 0.74 | C19–20 |
| Anus | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 630 | 7.2 | 22.1 | 17.8 | 1.05 | 1.99 | 341 | 4.3 | 12.7 | 8.6 | 0.43 | 1.06 | C22 |
| Gallbladder etc. | 83 | 0.9 | 2.9 | 2.4 | 0.10 | 0.29 | 119 | 1.5 | 4.4 | 3.0 | 0.16 | 0.37 | C23–24 |
| Pancreas | 75 | 0.9 | 2.6 | 2.1 | 0.11 | 0.27 | 72 | 0.9 | 2.7 | 1.8 | 0.09 | 0.19 | C25 |
| Nose, sinuses etc. | 16 | 0.2 | 0.6 | 0.6 | 0.03 | 0.05 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 60 | 0.7 | 2.1 | 1.6 | 0.09 | 0.20 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 895 | 10.2 | 31.4 | 25.4 | 1.29 | 3.07 | 639 | 8.1 | 23.7 | 16.1 | 0.89 | 1.90 | C33–34 |
| Other thoracic organs | 35 | 0.4 | 1.2 | 1.0 | 0.06 | 0.12 | 23 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 61 | 0.7 | 2.1 | 1.9 | 0.13 | 0.17 | 66 | 0.8 | 2.5 | 1.8 | 0.12 | 0.19 | C40–41 |
| Melanoma of skin | 17 | 0.2 | 0.6 | 0.6 | 0.04 | 0.05 | 19 | 0.2 | 0.7 | 0.7 | 0.05 | 0.05 | C43 |
| Other skin | 47 | 0.5 | 1.6 | 1.5 | 0.07 | 0.14 | 54 | 0.7 | 2.0 | 1.4 | 0.05 | 0.14 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 27 | 0.3 | 0.9 | 0.8 | 0.05 | 0.08 | 25 | 0.3 | 0.9 | 0.8 | 0.04 | 0.07 | C47+C49 |
| Breast | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 814 | 10.3 | 30.2 | 22.2 | 1.84 | 2.25 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 548 | 7.0 | 20.4 | 15.1 | 1.27 | 1.54 | C53 |
| Corpus uteri | | | | | | | 208 | 2.6 | 7.7 | 5.5 | 0.48 | 0.62 | C54 |
| Uterus unspecified | | | | | | | 29 | 0.4 | 1.1 | 0.8 | 0.07 | 0.08 | C55 |
| Ovary | | | | | | | 181 | 2.3 | 6.7 | 4.9 | 0.40 | 0.52 | C56 |
| Other female genital organs | | | | | | | 18 | 0.2 | 0.7 | 0.5 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 15 | 0.2 | 0.5 | 0.5 | 0.01 | 0.06 | | | | | | | C60 |
| Prostate | 64 | 0.7 | 2.2 | 2.0 | 0.05 | 0.16 | | | | | | | C61 |
| Testis | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 47 | 0.5 | 1.6 | 1.3 | 0.07 | 0.18 | 26 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | C64 |
| Renal pelvis | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 79 | 0.9 | 2.8 | 2.4 | 0.12 | 0.27 | 45 | 0.6 | 1.7 | 1.1 | 0.06 | 0.12 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 9 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 8 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 218 | 2.5 | 7.6 | 6.6 | 0.45 | 0.64 | 237 | 3.0 | 8.8 | 6.7 | 0.47 | 0.66 | C70–72 |
| Thyroid | 47 | 0.5 | 1.6 | 1.5 | 0.11 | 0.15 | 173 | 2.2 | 6.4 | 4.8 | 0.39 | 0.49 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 16 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 11 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 91 | 1.0 | 3.2 | 2.7 | 0.17 | 0.30 | 65 | 0.8 | 2.4 | 1.8 | 0.13 | 0.17 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 38 | 0.4 | 1.3 | 1.0 | 0.08 | 0.12 | 28 | 0.4 | 1.0 | 0.7 | 0.06 | 0.09 | C90 |
| Lymphoid leukaemia | 15 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | 10 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C91 |
| Myeloid leukaemia | 41 | 0.5 | 1.4 | 1.2 | 0.07 | 0.14 | 45 | 0.6 | 1.7 | 1.5 | 0.11 | 0.15 | C92–94 |
| Leukaemia unspecified | 101 | 1.1 | 3.5 | 3.4 | 0.19 | 0.29 | 97 | 1.2 | 3.6 | 3.0 | 0.20 | 0.27 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 6 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | MPD |
| Myelodysplastic syndromes | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 102 | 1.2 | 3.6 | 3.0 | 0.19 | 0.33 | 126 | 1.6 | 4.7 | 3.5 | 0.20 | 0.34 | O&U |
| All sites | 8839 | | 310.1 | 251.1 | 13.77 | 30.12 | 7926 | | 294.4 | 205.4 | 12.86 | 23.31 | C00–96 |
| All sites except C44 | 8792 | 100.0 | 308.5 | 249.6 | 13.70 | 29.97 | 7872 | 100.0 | 292.4 | 204.0 | 12.81 | 23.17 | C00–96 exc. C44 |

*See note following population pyramid

China, Liuzhou City

CONTRIBUTORS

Liang Jiajia
 Zhou Lifang
 Qin Zhongshu
 Pan Rong
 Lu Bangjun
 Xie Changping
 Lan Jian
 Chen Ningyu
 Liu Yun
 Zhu Tingping



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 51.8 | Breast | 40.1 |
| Liver | 38.0 | Trachea, bronchus, and lung | 21.8 |
| Colon | 18.8 | Colon | 13.8 |
| Stomach | 15.2 | Cervix uteri | 13.2 |
| Rectum | 13.3 | Thyroid | 10.8 |
| Nasopharynx | 9.3 | Liver | 9.7 |
| Prostate | 9.2 | Corpus uteri | 9.4 |
| Bladder | 6.4 | Stomach | 7.8 |
| Oesophagus | 6.4 | Rectum | 7.8 |
| Other and unspecified | 4.5 | Ovary | 6.9 |
| Pancreas | 4.0 | Non-Hodgkin lymphoma | 3.7 |
| Non-Hodgkin lymphoma | 3.8 | Nasopharynx | 3.7 |
| Myeloid leukaemia | 3.5 | Other and unspecified | 3.0 |
| Larynx | 3.2 | Pancreas | 2.6 |
| Kidney | 2.8 | Myeloid leukaemia | 2.5 |
| Thyroid | 2.7 | Brain and nervous system | 2.4 |
| Multiple myeloma | 2.6 | Gallbladder etc. | 1.8 |
| Brain and nervous system | 2.3 | Non-melanoma skin cancer | 1.8 |
| Lymphoid leukaemia | 2.3 | Leukaemia unspecified | 1.7 |
| Non-melanoma skin cancer | 1.9 | Multiple myeloma | 1.6 |
| All sites | 219.4 | All sites | 182.9 |


China, Liuzhou City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 52 | 0.6 | 1.7 | 1.4 | 0.09 | 0.17 | 29 | 0.4 | 1.0 | 0.8 | 0.06 | 0.10 | C01–02 |
| Mouth | 46 | 0.6 | 1.5 | 1.2 | 0.07 | 0.15 | 30 | 0.4 | 1.0 | 0.7 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 23 | 0.3 | 0.8 | 0.6 | 0.05 | 0.07 | 21 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | C07–08 |
| Tonsil | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 13 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 363 | 4.4 | 11.9 | 9.3 | 0.77 | 0.97 | 140 | 2.0 | 4.8 | 3.7 | 0.28 | 0.41 | C11 |
| Hypopharynx | 26 | 0.3 | 0.9 | 0.7 | 0.04 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 241 | 2.9 | 7.9 | 6.4 | 0.41 | 0.73 | 61 | 0.9 | 2.1 | 1.4 | 0.03 | 0.18 | C15 |
| Stomach | 590 | 7.2 | 19.3 | 15.2 | 0.83 | 1.74 | 311 | 4.5 | 10.7 | 7.8 | 0.43 | 0.88 | C16 |
| Small intestine | 58 | 0.7 | 1.9 | 1.6 | 0.10 | 0.18 | 40 | 0.6 | 1.4 | 1.1 | 0.06 | 0.12 | C17 |
| Colon | 709 | 8.6 | 23.2 | 18.8 | 0.98 | 2.14 | 548 | 7.9 | 18.8 | 13.8 | 0.78 | 1.61 | C18 |
| Rectum | 511 | 6.2 | 16.7 | 13.3 | 0.72 | 1.52 | 308 | 4.4 | 10.6 | 7.8 | 0.42 | 0.92 | C19–20 |
| Anus | 11 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C21 |
| Liver | 1446 | 17.6 | 47.3 | 38.0 | 2.54 | 4.40 | 382 | 5.5 | 13.1 | 9.7 | 0.51 | 1.09 | C22 |
| Gallbladder etc. | 69 | 0.8 | 2.3 | 1.9 | 0.08 | 0.20 | 74 | 1.1 | 2.5 | 1.8 | 0.12 | 0.20 | C23–24 |
| Pancreas | 151 | 1.8 | 4.9 | 4.0 | 0.20 | 0.42 | 104 | 1.5 | 3.6 | 2.6 | 0.10 | 0.29 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.06 | 13 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 120 | 1.5 | 3.9 | 3.2 | 0.23 | 0.40 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1961 | 23.8 | 64.2 | 51.8 | 2.68 | 6.14 | 865 | 12.4 | 29.7 | 21.8 | 1.16 | 2.56 | C33–34 |
| Other thoracic organs | 31 | 0.4 | 1.0 | 0.8 | 0.05 | 0.08 | 22 | 0.3 | 0.8 | 0.6 | 0.06 | 0.07 | C37–38 |
| Bone | 44 | 0.5 | 1.4 | 1.3 | 0.08 | 0.12 | 38 | 0.5 | 1.3 | 1.0 | 0.05 | 0.10 | C40–41 |
| Melanoma of skin | 22 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | 17 | 0.2 | 0.6 | 0.4 | 0.02 | 0.03 | C43 |
| Other skin | 73 | 0.9 | 2.4 | 1.9 | 0.09 | 0.21 | 78 | 1.1 | 2.7 | 1.8 | 0.08 | 0.17 | C44 |
| Mesothelioma | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 23 | 0.3 | 0.8 | 0.6 | 0.02 | 0.05 | 28 | 0.4 | 1.0 | 0.7 | 0.04 | 0.08 | C47+C49 |
| Breast | 12 | 0.1 | 0.4 | 0.3 | 0.03 | 0.04 | 1543 | 22.1 | 53.0 | 40.1 | 3.33 | 4.34 | C50 |
| Vulva | | | | | | | 21 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 16 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 502 | 7.2 | 17.2 | 13.2 | 1.07 | 1.43 | C53 |
| Corpus uteri | | | | | | | 354 | 5.1 | 12.2 | 9.4 | 0.80 | 1.07 | C54 |
| Uterus unspecified | | | | | | | 41 | 0.6 | 1.4 | 1.1 | 0.08 | 0.11 | C55 |
| Ovary | | | | | | | 263 | 3.8 | 9.0 | 6.9 | 0.52 | 0.69 | C56 |
| Other female genital organs | | | | | | | 17 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 363 | 4.4 | 11.9 | 9.2 | 0.14 | 0.83 | | | | | | | C61 |
| Testis | 16 | 0.2 | 0.5 | 0.5 | 0.02 | 0.04 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 106 | 1.3 | 3.5 | 2.8 | 0.20 | 0.32 | 53 | 0.8 | 1.8 | 1.6 | 0.09 | 0.16 | C64 |
| Renal pelvis | 14 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 20 | 0.2 | 0.7 | 0.5 | 0.02 | 0.06 | 7 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 244 | 3.0 | 8.0 | 6.4 | 0.27 | 0.70 | 53 | 0.8 | 1.8 | 1.4 | 0.06 | 0.16 | C67 |
| Other urinary organs | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 82 | 1.0 | 2.7 | 2.3 | 0.15 | 0.24 | 83 | 1.2 | 2.8 | 2.4 | 0.14 | 0.26 | C70–72 |
| Thyroid | 103 | 1.3 | 3.4 | 2.7 | 0.21 | 0.25 | 397 | 5.7 | 13.6 | 10.8 | 0.87 | 1.04 | C73 |
| Adrenal gland | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 7 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 18 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 142 | 1.7 | 4.6 | 3.8 | 0.20 | 0.39 | 141 | 2.0 | 4.8 | 3.7 | 0.22 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 95 | 1.2 | 3.1 | 2.6 | 0.15 | 0.31 | 60 | 0.9 | 2.1 | 1.6 | 0.08 | 0.22 | C90 |
| Lymphoid leukaemia | 64 | 0.8 | 2.1 | 2.3 | 0.11 | 0.17 | 36 | 0.5 | 1.2 | 1.4 | 0.08 | 0.12 | C91 |
| Myeloid leukaemia | 120 | 1.5 | 3.9 | 3.5 | 0.20 | 0.37 | 86 | 1.2 | 3.0 | 2.5 | 0.17 | 0.27 | C92–94 |
| Leukaemia unspecified | 50 | 0.6 | 1.6 | 1.5 | 0.04 | 0.14 | 60 | 0.9 | 2.1 | 1.7 | 0.08 | 0.18 | C95 |
| Myeloproliferative disorders | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 22 | 0.3 | 0.7 | 0.6 | 0.01 | 0.06 | 22 | 0.3 | 0.8 | 0.5 | 0.02 | 0.05 | MPS |
| Other and unspecified | 171 | 2.1 | 5.6 | 4.5 | 0.22 | 0.48 | 122 | 1.8 | 4.2 | 3.0 | 0.13 | 0.29 | O&U |
| All sites | 8298 | | 271.5 | 219.4 | 12.27 | 24.63 | 7048 | | 242.0 | 182.9 | 12.18 | 20.15 | C00–96 |
| All sites except C44 | 8225 | 100.0 | 269.2 | 217.5 | 12.18 | 24.42 | 6970 | 100.0 | 239.3 | 181.1 | 12.11 | 19.98 | C00–96 exc. C44 |

China, Liyang City

CONTRIBUTORS

Zhou Liang
Liu Jianping
Di Jing
Zhu Axian
Cao Lei



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 36.1 | Breast | 22.0 |
| Trachea, bronchus, and lung | 36.0 | Trachea, bronchus, and lung | 16.4 |
| Oesophagus | 18.3 | Stomach | 13.2 |
| Liver | 16.3 | Thyroid | 10.1 |
| Colon | 10.5 | Cervix uteri | 7.1 |
| Rectum | 10.5 | Colon | 6.8 |
| Pancreas | 6.2 | Rectum | 6.4 |
| Prostate | 6.0 | Liver | 5.4 |
| Brain and nervous system | 3.8 | Ovary | 3.7 |
| Bladder | 3.6 | Pancreas | 3.7 |
| Non-Hodgkin lymphoma | 3.5 | Oesophagus | 3.7 |
| Nasopharynx | 2.2 | Brain and nervous system | 3.1 |
| Thyroid | 1.9 | Non-Hodgkin lymphoma | 2.9 |
| Gallbladder etc. | 1.9 | Gallbladder etc. | 2.8 |
| Other and unspecified | 1.7 | Corpus uteri | 2.7 |
| Kidney | 1.5 | Lymphoid leukaemia | 1.5 |
| Lymphoid leukaemia | 1.5 | Other and unspecified | 1.5 |
| Bone | 1.2 | Myeloid leukaemia | 1.3 |
| Myeloid leukaemia | 1.1 | Kidney | 1.0 |
| Non-melanoma skin cancer | 1.1 | Bladder | 0.9 |
| All sites | 174.2 | All sites | 124.4 |


China, Liyang City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 18 | 0.3 | 0.9 | 0.5 | 0.03 | 0.06 | 10 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 12 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | 15 | 0.3 | 0.8 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 82 | 1.1 | 4.1 | 2.2 | 0.16 | 0.27 | 28 | 0.6 | 1.4 | 0.8 | 0.06 | 0.08 | C11 |
| Hypopharynx | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 794 | 11.0 | 39.7 | 18.3 | 0.86 | 2.33 | 173 | 3.6 | 8.8 | 3.7 | 0.11 | 0.49 | C15 |
| Stomach | 1541 | 21.4 | 77.0 | 36.1 | 1.73 | 4.39 | 556 | 11.7 | 28.3 | 13.2 | 0.67 | 1.50 | C16 |
| Small intestine | 39 | 0.5 | 1.9 | 0.9 | 0.03 | 0.10 | 32 | 0.7 | 1.6 | 0.8 | 0.05 | 0.08 | C17 |
| Colon | 434 | 6.0 | 21.7 | 10.5 | 0.58 | 1.22 | 281 | 5.9 | 14.3 | 6.8 | 0.39 | 0.84 | C18 |
| Rectum | 419 | 5.8 | 20.9 | 10.5 | 0.61 | 1.29 | 273 | 5.7 | 13.9 | 6.4 | 0.35 | 0.71 | C19–20 |
| Anus | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 636 | 8.8 | 31.8 | 16.3 | 1.00 | 1.85 | 240 | 5.0 | 12.2 | 5.4 | 0.26 | 0.60 | C22 |
| Gallbladder etc. | 77 | 1.1 | 3.8 | 1.9 | 0.07 | 0.24 | 130 | 2.7 | 6.6 | 2.8 | 0.14 | 0.30 | C23–24 |
| Pancreas | 265 | 3.7 | 13.2 | 6.2 | 0.32 | 0.76 | 175 | 3.7 | 8.9 | 3.7 | 0.13 | 0.46 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 23 | 0.3 | 1.1 | 0.6 | 0.05 | 0.08 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 1567 | 21.8 | 78.3 | 36.0 | 1.65 | 4.28 | 695 | 14.6 | 35.3 | 16.4 | 0.96 | 1.96 | C33–34 |
| Other thoracic organs | 19 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | 18 | 0.4 | 0.9 | 0.5 | 0.02 | 0.07 | C37–38 |
| Bone | 43 | 0.6 | 2.1 | 1.2 | 0.05 | 0.10 | 27 | 0.6 | 1.4 | 0.8 | 0.03 | 0.08 | C40–41 |
| Melanoma of skin | 29 | 0.4 | 1.4 | 0.7 | 0.04 | 0.10 | 15 | 0.3 | 0.8 | 0.4 | 0.03 | 0.04 | C43 |
| Other skin | 51 | 0.7 | 2.5 | 1.1 | 0.06 | 0.11 | 47 | 1.0 | 2.4 | 0.8 | 0.02 | 0.07 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 17 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | 11 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | C47+C49 |
| Breast | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 765 | 16.1 | 38.9 | 22.0 | 1.80 | 2.33 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 234 | 4.9 | 11.9 | 7.1 | 0.58 | 0.74 | C53 |
| Corpus uteri | | | | | | | 94 | 2.0 | 4.8 | 2.7 | 0.20 | 0.28 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.3 | 0.7 | 0.3 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 131 | 2.8 | 6.7 | 3.7 | 0.30 | 0.42 | C56 |
| Other female genital organs | | | | | | | 13 | 0.3 | 0.7 | 0.3 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 23 | 0.3 | 1.1 | 0.6 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 290 | 4.0 | 14.5 | 6.0 | 0.10 | 0.63 | | | | | | | C61 |
| Testis | 9 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 60 | 0.8 | 3.0 | 1.5 | 0.09 | 0.18 | 39 | 0.8 | 2.0 | 1.0 | 0.06 | 0.11 | C64 |
| Renal pelvis | 11 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 10 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 8 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 151 | 2.1 | 7.5 | 3.6 | 0.14 | 0.43 | 38 | 0.8 | 1.9 | 0.9 | 0.06 | 0.09 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 124 | 1.7 | 6.2 | 3.8 | 0.25 | 0.38 | 95 | 2.0 | 4.8 | 3.1 | 0.18 | 0.30 | C70–72 |
| Thyroid | 55 | 0.8 | 2.7 | 1.9 | 0.16 | 0.17 | 286 | 6.0 | 14.5 | 10.1 | 0.87 | 0.94 | C73 |
| Adrenal gland | 10 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 8 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 9 | 0.2 | 0.5 | 0.2 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 134 | 1.9 | 6.7 | 3.5 | 0.21 | 0.42 | 105 | 2.2 | 5.3 | 2.9 | 0.18 | 0.33 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 40 | 0.6 | 2.0 | 1.0 | 0.06 | 0.12 | 19 | 0.4 | 1.0 | 0.5 | 0.05 | 0.07 | C90 |
| Lymphoid leukaemia | 46 | 0.6 | 2.3 | 1.5 | 0.09 | 0.14 | 48 | 1.0 | 2.4 | 1.5 | 0.11 | 0.14 | C91 |
| Myeloid leukaemia | 41 | 0.6 | 2.0 | 1.1 | 0.07 | 0.12 | 43 | 0.9 | 2.2 | 1.3 | 0.09 | 0.14 | C92–94 |
| Leukaemia unspecified | 16 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 22 | 0.5 | 1.1 | 0.6 | 0.04 | 0.06 | C95 |
| Myeloproliferative disorders | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 10 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 69 | 1.0 | 3.4 | 1.7 | 0.10 | 0.20 | 68 | 1.4 | 3.5 | 1.5 | 0.06 | 0.12 | O&U |
| All sites | 7243 | | 361.7 | 174.2 | 8.86 | 20.53 | 4804 | | 244.2 | 124.4 | 8.01 | 13.65 | C00–96 |
| All sites except C44 | 7192 | 100.0 | 359.2 | 173.1 | 8.80 | 20.42 | 4757 | 100.0 | 241.8 | 123.6 | 7.99 | 13.58 | C00–96 exc. C44 |

China, Longquan City

CONTRIBUTORS

Weiwen Zhong
An Dai
Chunsong Wan
Weihong Liu
Weiwen Pan
Xinxing Ge
Zhen Wei
Shuiju Ye
Guoqing Wu



NOTES ON THE DATA

*No official mortality data. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 55.4 | Thyroid | 41.2 |
| Liver | 33.5 | Trachea, bronchus, and lung | 28.4 |
| Stomach | 24.0 | Breast | 25.8 |
| Rectum | 16.4 | Cervix uteri | 19.0 |
| Colon | 11.5 | Liver | 11.0 |
| Oesophagus | 10.1 | Rectum | 10.6 |
| Thyroid | 10.1 | Colon | 10.1 |
| Non-Hodgkin lymphoma | 7.6 | Stomach | 8.8 |
| Bladder | 7.5 | Corpus uteri | 5.2 |
| Prostate | 6.6 | Non-Hodgkin lymphoma | 4.6 |
| Pancreas | 4.1 | Ovary | 4.5 |
| Nasopharynx | 3.6 | Brain and nervous system | 3.8 |
| Myeloid leukaemia | 3.4 | Nasopharynx | 3.3 |
| Brain and nervous system | 3.3 | Lymphoid leukaemia | 2.6 |
| Kidney | 2.7 | Bladder | 2.4 |
| Larynx | 2.5 | Pancreas | 2.2 |
| Non-melanoma skin cancer | 1.8 | Myeloid leukaemia | 2.1 |
| Myelodysplastic syndromes | 1.7 | Multiple myeloma | 2.0 |
| Other and unspecified | 1.6 | Kidney | 1.9 |
| Gallbladder etc. | 1.4 | Gallbladder etc. | 1.8 |
| All sites | 223.9 | All sites | 207.3 |

*China, Longquan City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 10 | 0.4 | 1.7 | 1.2 | 0.09 | 0.14 | 3 | 0.2 | 0.5 | 0.3 | 0.01 | 0.01 | C01–02 |
| Mouth | 11 | 0.5 | 1.9 | 1.0 | 0.06 | 0.12 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C03–06 |
| Salivary glands | 4 | 0.2 | 0.7 | 0.5 | 0.05 | 0.05 | 4 | 0.2 | 0.7 | 0.6 | 0.05 | 0.05 | C07–08 |
| Tonsil | 3 | 0.1 | 0.5 | 0.3 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 7 | 0.3 | 1.2 | 0.7 | 0.07 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 34 | 1.5 | 5.7 | 3.6 | 0.32 | 0.38 | 26 | 1.4 | 4.6 | 3.3 | 0.22 | 0.38 | C11 |
| Hypopharynx | 4 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 5 | 0.2 | 0.8 | 0.5 | 0.04 | 0.04 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 109 | 4.8 | 18.3 | 10.1 | 0.58 | 1.18 | 16 | 0.9 | 2.8 | 1.5 | 0.00 | 0.19 | C15 |
| Stomach | 255 | 11.2 | 42.9 | 24.0 | 1.14 | 3.01 | 84 | 4.6 | 14.8 | 8.8 | 0.56 | 0.95 | C16 |
| Small intestine | 10 | 0.4 | 1.7 | 0.8 | 0.02 | 0.04 | 7 | 0.4 | 1.2 | 0.8 | 0.04 | 0.10 | C17 |
| Colon | 120 | 5.3 | 20.2 | 11.5 | 0.64 | 1.35 | 98 | 5.4 | 17.3 | 10.1 | 0.51 | 1.11 | C18 |
| Rectum | 167 | 7.4 | 28.1 | 16.4 | 0.97 | 2.00 | 107 | 5.9 | 18.9 | 10.6 | 0.52 | 1.08 | C19–20 |
| Anus | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 336 | 14.8 | 56.5 | 33.5 | 2.39 | 3.74 | 108 | 6.0 | 19.0 | 11.0 | 0.58 | 1.17 | C22 |
| Gallbladder etc. | 17 | 0.7 | 2.9 | 1.4 | 0.03 | 0.18 | 20 | 1.1 | 3.5 | 1.8 | 0.06 | 0.17 | C23–24 |
| Pancreas | 47 | 2.1 | 7.9 | 4.1 | 0.19 | 0.48 | 22 | 1.2 | 3.9 | 2.2 | 0.10 | 0.27 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | 2 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C30–31 |
| Larynx | 23 | 1.0 | 3.9 | 2.5 | 0.22 | 0.31 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 594 | 26.1 | 99.9 | 55.4 | 2.97 | 6.73 | 265 | 14.6 | 46.7 | 28.4 | 1.75 | 3.25 | C33–34 |
| Other thoracic organs | 5 | 0.2 | 0.8 | 0.5 | 0.02 | 0.04 | 6 | 0.3 | 1.1 | 0.7 | 0.05 | 0.07 | C37–38 |
| Bone | 5 | 0.2 | 0.8 | 0.9 | 0.03 | 0.08 | 2 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 6 | 0.3 | 1.0 | 0.5 | 0.04 | 0.04 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C43 |
| Other skin | 17 | 0.7 | 2.9 | 1.8 | 0.09 | 0.26 | 18 | 1.0 | 3.2 | 1.4 | 0.09 | 0.09 | C44 |
| Mesothelioma | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.4 | 0.2 | 0.03 | 0.03 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 6 | 0.3 | 1.0 | 0.6 | 0.05 | 0.05 | 3 | 0.2 | 0.5 | 0.4 | 0.01 | 0.07 | C47+C49 |
| Breast | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | 235 | 12.9 | 41.4 | 25.8 | 2.25 | 2.57 | C50 |
| Vulva | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 171 | 9.4 | 30.1 | 19.0 | 1.49 | 1.98 | C53 |
| Corpus uteri | | | | | | | 48 | 2.6 | 8.5 | 5.2 | 0.43 | 0.60 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.3 | 1.1 | 0.7 | 0.02 | 0.10 | C55 |
| Ovary | | | | | | | 35 | 1.9 | 6.2 | 4.5 | 0.38 | 0.46 | C56 |
| Other female genital organs | | | | | | | 11 | 0.6 | 1.9 | 1.2 | 0.10 | 0.12 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 5 | 0.2 | 0.8 | 0.3 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 86 | 3.8 | 14.5 | 6.6 | 0.18 | 0.64 | | | | | | | C61 |
| Testis | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 27 | 1.2 | 4.5 | 2.7 | 0.24 | 0.28 | 16 | 0.9 | 2.8 | 1.9 | 0.15 | 0.25 | C64 |
| Renal pelvis | 15 | 0.7 | 2.5 | 1.4 | 0.13 | 0.16 | 10 | 0.6 | 1.8 | 1.0 | 0.09 | 0.09 | C65 |
| Ureter | 8 | 0.4 | 1.3 | 0.8 | 0.01 | 0.13 | 4 | 0.2 | 0.7 | 0.6 | 0.03 | 0.11 | C66 |
| Bladder | 83 | 3.7 | 14.0 | 7.5 | 0.41 | 0.78 | 20 | 1.1 | 3.5 | 2.4 | 0.16 | 0.30 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 33 | 1.5 | 5.6 | 3.3 | 0.25 | 0.32 | 30 | 1.7 | 5.3 | 3.8 | 0.28 | 0.39 | C70–72 |
| Thyroid | 82 | 3.6 | 13.8 | 10.1 | 0.85 | 0.95 | 323 | 17.8 | 56.9 | 41.2 | 3.49 | 3.84 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.4 | 0.6 | 0.03 | 0.03 | C74 |
| Other endocrine | 5 | 0.2 | 0.8 | 0.6 | 0.05 | 0.08 | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 58 | 2.6 | 9.8 | 7.6 | 0.48 | 0.65 | 36 | 2.0 | 6.3 | 4.6 | 0.23 | 0.56 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C88 |
| Multiple myeloma | 9 | 0.4 | 1.5 | 1.0 | 0.04 | 0.16 | 16 | 0.9 | 2.8 | 2.0 | 0.12 | 0.34 | C90 |
| Lymphoid leukaemia | 5 | 0.2 | 0.8 | 0.7 | 0.06 | 0.06 | 10 | 0.6 | 1.8 | 2.6 | 0.12 | 0.16 | C91 |
| Myeloid leukaemia | 26 | 1.1 | 4.4 | 3.4 | 0.19 | 0.35 | 19 | 1.0 | 3.3 | 2.1 | 0.16 | 0.18 | C92–94 |
| Leukaemia unspecified | 8 | 0.4 | 1.3 | 1.3 | 0.06 | 0.11 | 6 | 0.3 | 1.1 | 0.7 | 0.02 | 0.10 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | 2 | 0.1 | 0.4 | 0.2 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 16 | 0.7 | 2.7 | 1.7 | 0.09 | 0.16 | 9 | 0.5 | 1.6 | 0.9 | 0.06 | 0.10 | MPS |
| Other and unspecified | 14 | 0.6 | 2.4 | 1.6 | 0.10 | 0.15 | 11 | 0.6 | 1.9 | 1.1 | 0.05 | 0.15 | O&U |
| All sites | 2289 | | 385.1 | 223.9 | 13.31 | 25.51 | 1833 | | 323.1 | 207.3 | 14.40 | 21.71 | C00–96 |
| All sites except C44 | 2272 | 100.0 | 382.3 | 222.2 | 13.22 | 25.26 | 1815 | 100.0 | 319.9 | 205.9 | 14.32 | 21.63 | C00–96 exc. C44 |

*See note following population pyramid

China, Lucheng District, Wenzhou City

CONTRIBUTORS

Weng Qiongli
Xie Haibin
Chen Jie
Sun Lihan
Zhang Peiqi
Luo Yaying



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 45.2 | Thyroid | 50.0 |
| Liver | 33.3 | Breast | 48.5 |
| Stomach | 23.4 | Trachea, bronchus, and lung | 31.2 |
| Thyroid | 21.0 | Cervix uteri | 13.1 |
| Colon | 18.3 | Colon | 12.1 |
| Rectum | 16.5 | Stomach | 10.9 |
| Prostate | 13.0 | Rectum | 8.2 |
| Oesophagus | 9.6 | Liver | 7.9 |
| Bladder | 8.7 | Ovary | 7.4 |
| Non-Hodgkin lymphoma | 5.7 | Corpus uteri | 4.9 |
| Pancreas | 5.1 | Kidney | 3.4 |
| Nasopharynx | 4.6 | Non-Hodgkin lymphoma | 3.2 |
| Kidney | 4.4 | Pancreas | 3.2 |
| Brain and nervous system | 2.9 | Lymphoid leukaemia | 2.5 |
| Myeloid leukaemia | 2.9 | Gallbladder etc. | 2.5 |
| Gallbladder etc. | 2.4 | Brain and nervous system | 2.4 |
| Multiple myeloma | 2.2 | Non-melanoma skin cancer | 2.2 |
| Larynx | 2.2 | Bladder | 1.9 |
| Lymphoid leukaemia | 2.1 | Nasopharynx | 1.4 |
| Non-melanoma skin cancer | 1.7 | Myeloid leukaemia | 1.4 |
| All sites | 243.0 | All sites | 230.8 |


China, Lucheng District, Wenzhou City (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 15 | 0.3 | 1.3 | 0.8 | 0.05 | 0.11 | 7 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | C01–02 |
| Mouth | 20 | 0.4 | 1.8 | 1.0 | 0.07 | 0.15 | 11 | 0.2 | 1.0 | 0.5 | 0.01 | 0.06 | C03–06 |
| Salivary glands | 12 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | 8 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 7 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 11 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 83 | 1.8 | 7.4 | 4.6 | 0.37 | 0.50 | 28 | 0.6 | 2.4 | 1.4 | 0.07 | 0.20 | C11 |
| Hypopharynx | 21 | 0.4 | 1.9 | 1.1 | 0.07 | 0.17 | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.6 | 0.3 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 189 | 4.0 | 16.9 | 9.6 | 0.66 | 1.28 | 21 | 0.5 | 1.8 | 0.7 | 0.02 | 0.04 | C15 |
| Stomach | 485 | 10.3 | 43.3 | 23.4 | 1.14 | 2.87 | 244 | 5.5 | 21.3 | 10.9 | 0.48 | 1.31 | C16 |
| Small intestine | 18 | 0.4 | 1.6 | 0.9 | 0.07 | 0.12 | 12 | 0.3 | 1.0 | 0.4 | 0.01 | 0.04 | C17 |
| Colon | 373 | 7.9 | 33.3 | 18.3 | 0.90 | 2.20 | 266 | 6.0 | 23.2 | 12.1 | 0.60 | 1.45 | C18 |
| Rectum | 335 | 7.1 | 29.9 | 16.5 | 0.93 | 2.07 | 179 | 4.1 | 15.6 | 8.2 | 0.47 | 1.00 | C19–20 |
| Anus | 13 | 0.3 | 1.2 | 0.6 | 0.03 | 0.09 | 7 | 0.2 | 0.6 | 0.3 | 0.02 | 0.02 | C21 |
| Liver | 637 | 13.5 | 56.8 | 33.3 | 2.39 | 3.88 | 174 | 3.9 | 15.2 | 7.9 | 0.39 | 0.93 | C22 |
| Gallbladder etc. | 46 | 1.0 | 4.1 | 2.4 | 0.10 | 0.34 | 58 | 1.3 | 5.1 | 2.5 | 0.10 | 0.29 | C23–24 |
| Pancreas | 104 | 2.2 | 9.3 | 5.1 | 0.25 | 0.65 | 79 | 1.8 | 6.9 | 3.2 | 0.13 | 0.34 | C25 |
| Nose, sinuses etc. | 9 | 0.2 | 0.8 | 0.5 | 0.03 | 0.08 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 43 | 0.9 | 3.8 | 2.2 | 0.13 | 0.26 | 5 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C32 |
| Trachea, bronchus, and lung | 920 | 19.5 | 82.1 | 45.2 | 2.43 | 5.54 | 663 | 15.0 | 57.9 | 31.2 | 1.96 | 3.62 | C33–34 |
| Other thoracic organs | 19 | 0.4 | 1.7 | 1.0 | 0.06 | 0.13 | 10 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 14 | 0.3 | 1.2 | 0.8 | 0.04 | 0.09 | 8 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 10 | 0.2 | 0.9 | 0.6 | 0.02 | 0.07 | 12 | 0.3 | 1.0 | 0.6 | 0.04 | 0.08 | C43 |
| Other skin | 38 | 0.8 | 3.4 | 1.7 | 0.08 | 0.16 | 50 | 1.1 | 4.4 | 2.2 | 0.11 | 0.21 | C44 |
| Mesothelioma | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | 7 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | C47+C49 |
| Breast | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 908 | 20.6 | 79.3 | 48.5 | 4.06 | 5.25 | C50 |
| Vulva | | | | | | | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 245 | 5.6 | 21.4 | 13.1 | 1.06 | 1.46 | C53 |
| Corpus uteri | | | | | | | 93 | 2.1 | 8.1 | 4.9 | 0.44 | 0.55 | C54 |
| Uterus unspecified | | | | | | | 18 | 0.4 | 1.6 | 1.0 | 0.08 | 0.12 | C55 |
| Ovary | | | | | | | 122 | 2.8 | 10.7 | 7.4 | 0.52 | 0.76 | C56 |
| Other female genital organs | | | | | | | 7 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 7 | 0.1 | 0.6 | 0.4 | 0.04 | 0.04 | | | | | | | C60 |
| Prostate | 297 | 6.3 | 26.5 | 13.0 | 0.32 | 1.46 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.4 | 0.2 | 0.00 | 0.05 | | | | | | | C63 |
| Kidney | 85 | 1.8 | 7.6 | 4.4 | 0.30 | 0.55 | 70 | 1.6 | 6.1 | 3.4 | 0.19 | 0.38 | C64 |
| Renal pelvis | 27 | 0.6 | 2.4 | 1.4 | 0.08 | 0.17 | 17 | 0.4 | 1.5 | 0.6 | 0.01 | 0.07 | C65 |
| Ureter | 18 | 0.4 | 1.6 | 0.7 | 0.03 | 0.07 | 14 | 0.3 | 1.2 | 0.5 | 0.01 | 0.06 | C66 |
| Bladder | 188 | 4.0 | 16.8 | 8.7 | 0.37 | 0.96 | 43 | 1.0 | 3.8 | 1.9 | 0.09 | 0.23 | C67 |
| Other urinary organs | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 47 | 1.0 | 4.2 | 2.9 | 0.17 | 0.30 | 43 | 1.0 | 3.8 | 2.4 | 0.15 | 0.21 | C70–72 |
| Thyroid | 339 | 7.2 | 30.2 | 21.0 | 1.76 | 2.02 | 822 | 18.7 | 71.8 | 50.0 | 4.26 | 4.73 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C75 |
| Hodgkin lymphoma | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 102 | 2.2 | 9.1 | 5.7 | 0.36 | 0.62 | 68 | 1.5 | 5.9 | 3.2 | 0.23 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 47 | 1.0 | 4.2 | 2.2 | 0.12 | 0.25 | 26 | 0.6 | 2.3 | 1.2 | 0.07 | 0.17 | C90 |
| Lymphoid leukaemia | 22 | 0.5 | 2.0 | 2.1 | 0.09 | 0.14 | 21 | 0.5 | 1.8 | 2.5 | 0.13 | 0.18 | C91 |
| Myeloid leukaemia | 44 | 0.9 | 3.9 | 2.9 | 0.18 | 0.26 | 23 | 0.5 | 2.0 | 1.4 | 0.08 | 0.13 | C92–94 |
| Leukaemia unspecified | 23 | 0.5 | 2.1 | 1.2 | 0.04 | 0.10 | 14 | 0.3 | 1.2 | 1.1 | 0.06 | 0.09 | C95 |
| Myeloproliferative disorders | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 9 | 0.2 | 0.8 | 0.4 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 32 | 0.7 | 2.9 | 1.5 | 0.07 | 0.19 | 23 | 0.5 | 2.0 | 1.0 | 0.06 | 0.09 | O&U |
| All sites | 4762 | | 424.9 | 243.0 | 14.03 | 28.47 | 4456 | | 389.2 | 230.8 | 16.19 | 24.88 | C00–96 |
| All sites except C44 | 4724 | 100.0 | 421.5 | 241.3 | 13.95 | 28.31 | 4406 | 100.0 | 384.9 | 228.7 | 16.08 | 24.67 | C00–96 exc. C44 |

China, Luoding City

CONTRIBUTORS

Hongyan Chen
 Qiaozhen Zhang
 Huiling Liang
 Dajie Cai
 Jianguo Zheng
 Bing Zhang
 Huiyu Li



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 37.6 | Breast | 18.0 |
| Trachea, bronchus, and lung | 36.4 | Trachea, bronchus, and lung | 16.6 |
| Nasopharynx | 20.0 | Cervix uteri | 12.1 |
| Stomach | 12.8 | Liver | 8.9 |
| Oesophagus | 11.5 | Colon | 7.3 |
| Colon | 8.8 | Nasopharynx | 7.3 |
| Rectum | 8.5 | Stomach | 5.7 |
| Other and unspecified | 5.5 | Rectum | 5.5 |
| Prostate | 4.4 | Thyroid | 5.5 |
| Non-Hodgkin lymphoma | 3.6 | Corpus uteri | 5.0 |
| Bladder | 3.1 | Oesophagus | 4.5 |
| Lymphoid leukaemia | 2.2 | Ovary | 4.0 |
| Myeloid leukaemia | 2.2 | Other and unspecified | 3.8 |
| Brain and nervous system | 1.9 | Non-Hodgkin lymphoma | 2.6 |
| Non-melanoma skin cancer | 1.8 | Non-melanoma skin cancer | 2.1 |
| Leukaemia unspecified | 1.6 | Myeloid leukaemia | 1.9 |
| Larynx | 1.5 | Brain and nervous system | 1.6 |
| Pancreas | 1.3 | Lymphoid leukaemia | 1.2 |
| Multiple myeloma | 1.3 | Tongue | 1.1 |
| Thyroid | 1.1 | Gallbladder etc. | 1.1 |
| All sites | 178.8 | All sites | 127.3 |


China, Luoding City (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 19 | 0.5 | 0.9 | 0.8 | 0.07 | 0.07 | 25 | 0.9 | 1.4 | 1.1 | 0.09 | 0.14 | C01–02 |
| Mouth | 23 | 0.6 | 1.1 | 1.0 | 0.08 | 0.12 | 5 | 0.2 | 0.3 | 0.2 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 10 | 0.4 | 0.6 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 452 | 11.0 | 22.0 | 20.0 | 1.70 | 2.07 | 155 | 5.6 | 8.5 | 7.3 | 0.63 | 0.74 | C11 |
| Hypopharynx | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 273 | 6.7 | 13.3 | 11.5 | 0.64 | 1.46 | 118 | 4.3 | 6.5 | 4.5 | 0.17 | 0.54 | C15 |
| Stomach | 302 | 7.4 | 14.7 | 12.8 | 0.70 | 1.64 | 137 | 5.0 | 7.5 | 5.7 | 0.28 | 0.67 | C16 |
| Small intestine | 9 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | 7 | 0.3 | 0.4 | 0.4 | 0.01 | 0.05 | C17 |
| Colon | 206 | 5.0 | 10.0 | 8.8 | 0.42 | 1.17 | 164 | 5.9 | 9.0 | 7.3 | 0.43 | 0.92 | C18 |
| Rectum | 199 | 4.8 | 9.7 | 8.5 | 0.47 | 1.08 | 124 | 4.5 | 6.8 | 5.5 | 0.36 | 0.66 | C19–20 |
| Anus | 7 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C21 |
| Liver | 853 | 20.8 | 41.4 | 37.6 | 2.78 | 4.34 | 200 | 7.2 | 11.0 | 8.9 | 0.58 | 1.06 | C22 |
| Gallbladder etc. | 28 | 0.7 | 1.4 | 1.1 | 0.04 | 0.13 | 27 | 1.0 | 1.5 | 1.1 | 0.03 | 0.16 | C23–24 |
| Pancreas | 32 | 0.8 | 1.6 | 1.3 | 0.09 | 0.14 | 23 | 0.8 | 1.3 | 1.0 | 0.04 | 0.12 | C25 |
| Nose, sinuses etc. | 9 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | 6 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 35 | 0.9 | 1.7 | 1.5 | 0.09 | 0.21 | 7 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 859 | 20.9 | 41.7 | 36.4 | 2.02 | 4.65 | 386 | 14.0 | 21.2 | 16.6 | 0.97 | 2.03 | C33–34 |
| Other thoracic organs | 18 | 0.4 | 0.9 | 0.9 | 0.06 | 0.08 | 3 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C37–38 |
| Bone | 20 | 0.5 | 1.0 | 0.9 | 0.05 | 0.09 | 17 | 0.6 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 10 | 0.4 | 0.6 | 0.4 | 0.02 | 0.05 | C43 |
| Other skin | 44 | 1.1 | 2.1 | 1.8 | 0.13 | 0.19 | 52 | 1.9 | 2.9 | 2.1 | 0.11 | 0.26 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.3 | 0.5 | 0.5 | 0.02 | 0.05 | 15 | 0.5 | 0.8 | 0.9 | 0.05 | 0.09 | C47+C49 |
| Breast | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 384 | 13.9 | 21.1 | 18.0 | 1.51 | 1.87 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 268 | 9.7 | 14.7 | 12.1 | 1.00 | 1.32 | C53 |
| Corpus uteri | | | | | | | 109 | 4.0 | 6.0 | 5.0 | 0.43 | 0.56 | C54 |
| Uterus unspecified | | | | | | | 21 | 0.8 | 1.2 | 1.0 | 0.08 | 0.10 | C55 |
| Ovary | | | | | | | 87 | 3.2 | 4.8 | 4.0 | 0.34 | 0.43 | C56 |
| Other female genital organs | | | | | | | 7 | 0.3 | 0.4 | 0.3 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 14 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 116 | 2.8 | 5.6 | 4.4 | 0.09 | 0.49 | | | | | | | C61 |
| Testis | 11 | 0.3 | 0.5 | 0.6 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 25 | 0.6 | 1.2 | 1.1 | 0.09 | 0.12 | 16 | 0.6 | 0.9 | 0.8 | 0.04 | 0.11 | C64 |
| Renal pelvis | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 75 | 1.8 | 3.6 | 3.1 | 0.14 | 0.36 | 8 | 0.3 | 0.4 | 0.4 | 0.02 | 0.04 | C67 |
| Other urinary organs | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 42 | 1.0 | 2.0 | 1.9 | 0.15 | 0.20 | 31 | 1.1 | 1.7 | 1.6 | 0.10 | 0.15 | C70–72 |
| Thyroid | 26 | 0.6 | 1.3 | 1.1 | 0.11 | 0.11 | 110 | 4.0 | 6.1 | 5.5 | 0.41 | 0.49 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 80 | 1.9 | 3.9 | 3.6 | 0.23 | 0.39 | 53 | 1.9 | 2.9 | 2.6 | 0.22 | 0.27 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 29 | 0.7 | 1.4 | 1.3 | 0.07 | 0.18 | 19 | 0.7 | 1.0 | 1.0 | 0.05 | 0.14 | C90 |
| Lymphoid leukaemia | 41 | 1.0 | 2.0 | 2.2 | 0.13 | 0.16 | 18 | 0.7 | 1.0 | 1.2 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 47 | 1.1 | 2.3 | 2.2 | 0.14 | 0.23 | 36 | 1.3 | 2.0 | 1.9 | 0.13 | 0.18 | C92–94 |
| Leukaemia unspecified | 36 | 0.9 | 1.7 | 1.6 | 0.06 | 0.18 | 13 | 0.5 | 0.7 | 0.7 | 0.04 | 0.06 | C95 |
| Myeloproliferative disorders | 7 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 11 | 0.4 | 0.6 | 0.5 | 0.04 | 0.05 | MPD |
| Myelodysplastic syndromes | 19 | 0.5 | 0.9 | 0.8 | 0.05 | 0.09 | 8 | 0.3 | 0.4 | 0.4 | 0.01 | 0.04 | MPS |
| Other and unspecified | 135 | 3.3 | 6.6 | 5.5 | 0.28 | 0.57 | 90 | 3.3 | 5.0 | 3.8 | 0.23 | 0.40 | O&U |
| All sites | 4148 | | 201.5 | 178.8 | 11.22 | 21.09 | 2811 | | 154.7 | 127.3 | 8.79 | 14.25 | C00–96 |
| All sites except C44 | 4104 | 100.0 | 199.3 | 177.0 | 11.09 | 20.90 | 2759 | 100.0 | 151.8 | 125.2 | 8.68 | 13.99 | C00–96 exc. C44 |

China, Luohe City

CONTRIBUTORS

Dai Jun Jun
Li Ai Hui
Yuan Bing Xiang
Pang Jing
Chang Shuai Qi
He Yi Cong
Deng Jie
Zhang Nan
Wang Hong Bo
Zhang Xiang



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 64.0 | Breast | 35.0 |
| Liver | 35.2 | Trachea, bronchus, and lung | 24.9 |
| Stomach | 29.2 | Cervix uteri | 13.7 |
| Oesophagus | 22.3 | Liver | 13.6 |
| Rectum | 8.8 | Stomach | 12.5 |
| Colon | 6.3 | Oesophagus | 11.6 |
| Brain and nervous system | 5.1 | Corpus uteri | 5.9 |
| Bladder | 4.0 | Rectum | 5.7 |
| Pancreas | 3.8 | Thyroid | 5.6 |
| Prostate | 3.8 | Ovary | 5.1 |
| Gallbladder etc. | 3.1 | Colon | 5.1 |
| Other and unspecified | 2.9 | Brain and nervous system | 3.3 |
| Kidney | 2.1 | Gallbladder etc. | 3.0 |
| Leukaemia unspecified | 2.1 | Other and unspecified | 2.6 |
| Lymphoid leukaemia | 2.0 | Pancreas | 2.4 |
| Non-Hodgkin lymphoma | 1.9 | Leukaemia unspecified | 2.2 |
| Myeloid leukaemia | 1.9 | Lymphoid leukaemia | 1.8 |
| Bone | 1.8 | Myeloid leukaemia | 1.4 |
| Thyroid | 1.8 | Bladder | 1.1 |
| Larynx | 1.5 | Kidney | 1.0 |
| All sites | 215.5 | All sites | 168.3 |

*China, Luohe City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 22 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | C01–02 |
| Mouth | 20 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 15 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 11 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 17 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | C07–08 |
| Tonsil | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 42 | 0.5 | 1.3 | 1.1 | 0.07 | 0.13 | 22 | 0.3 | 0.7 | 0.5 | 0.04 | 0.06 | C11 |
| Hypopharynx | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 852 | 10.4 | 25.7 | 22.3 | 0.91 | 2.84 | 542 | 7.5 | 17.2 | 11.6 | 0.48 | 1.34 | C15 |
| Stomach | 1113 | 13.6 | 33.5 | 29.2 | 1.25 | 3.58 | 571 | 7.9 | 18.1 | 12.5 | 0.60 | 1.38 | C16 |
| Small intestine | 25 | 0.3 | 0.8 | 0.6 | 0.03 | 0.06 | 35 | 0.5 | 1.1 | 0.8 | 0.04 | 0.08 | C17 |
| Colon | 247 | 3.0 | 7.4 | 6.3 | 0.35 | 0.69 | 219 | 3.0 | 6.9 | 5.1 | 0.28 | 0.63 | C18 |
| Rectum | 340 | 4.1 | 10.2 | 8.8 | 0.44 | 1.07 | 246 | 3.4 | 7.8 | 5.7 | 0.32 | 0.72 | C19–20 |
| Anus | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C21 |
| Liver | 1380 | 16.8 | 41.6 | 35.2 | 2.30 | 4.08 | 618 | 8.6 | 19.6 | 13.6 | 0.71 | 1.63 | C22 |
| Gallbladder etc. | 122 | 1.5 | 3.7 | 3.1 | 0.12 | 0.36 | 138 | 1.9 | 4.4 | 3.0 | 0.15 | 0.37 | C23–24 |
| Pancreas | 140 | 1.7 | 4.2 | 3.8 | 0.20 | 0.44 | 104 | 1.4 | 3.3 | 2.4 | 0.12 | 0.26 | C25 |
| Nose, sinuses etc. | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 60 | 0.7 | 1.8 | 1.5 | 0.09 | 0.18 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2438 | 29.7 | 73.4 | 64.0 | 2.74 | 7.91 | 1146 | 15.9 | 36.3 | 24.9 | 1.36 | 2.76 | C33–34 |
| Other thoracic organs | 39 | 0.5 | 1.2 | 1.1 | 0.04 | 0.12 | 24 | 0.3 | 0.8 | 0.6 | 0.02 | 0.07 | C37–38 |
| Bone | 69 | 0.8 | 2.1 | 1.8 | 0.11 | 0.18 | 42 | 0.6 | 1.3 | 1.0 | 0.06 | 0.10 | C40–41 |
| Melanoma of skin | 18 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C43 |
| Other skin | 39 | 0.5 | 1.2 | 1.0 | 0.07 | 0.10 | 39 | 0.5 | 1.2 | 0.9 | 0.04 | 0.11 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 8 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C47+C49 |
| Breast | 21 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | 1439 | 20.0 | 45.6 | 35.0 | 2.73 | 3.85 | C50 |
| Vulva | | | | | | | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 566 | 7.9 | 17.9 | 13.7 | 1.11 | 1.42 | C53 |
| Corpus uteri | | | | | | | 244 | 3.4 | 7.7 | 5.9 | 0.45 | 0.68 | C54 |
| Uterus unspecified | | | | | | | 29 | 0.4 | 0.9 | 0.7 | 0.06 | 0.08 | C55 |
| Ovary | | | | | | | 215 | 3.0 | 6.8 | 5.1 | 0.38 | 0.55 | C56 |
| Other female genital organs | | | | | | | 12 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 31 | 0.4 | 0.9 | 0.9 | 0.04 | 0.12 | | | | | | | C60 |
| Prostate | 146 | 1.8 | 4.4 | 3.8 | 0.06 | 0.35 | | | | | | | C61 |
| Testis | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 81 | 1.0 | 2.4 | 2.1 | 0.13 | 0.25 | 40 | 0.6 | 1.3 | 1.0 | 0.07 | 0.11 | C64 |
| Renal pelvis | 13 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 17 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 157 | 1.9 | 4.7 | 4.0 | 0.17 | 0.47 | 49 | 0.7 | 1.6 | 1.1 | 0.06 | 0.14 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 6 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 190 | 2.3 | 5.7 | 5.1 | 0.32 | 0.55 | 131 | 1.8 | 4.1 | 3.3 | 0.19 | 0.36 | C70–72 |
| Thyroid | 69 | 0.8 | 2.1 | 1.8 | 0.12 | 0.19 | 222 | 3.1 | 7.0 | 5.6 | 0.46 | 0.56 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 14 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C74 |
| Other endocrine | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 19 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | 14 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 70 | 0.9 | 2.1 | 1.9 | 0.12 | 0.23 | 38 | 0.5 | 1.2 | 1.0 | 0.08 | 0.11 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 47 | 0.6 | 1.4 | 1.3 | 0.08 | 0.16 | 36 | 0.5 | 1.1 | 1.0 | 0.04 | 0.15 | C90 |
| Lymphoid leukaemia | 73 | 0.9 | 2.2 | 2.0 | 0.12 | 0.19 | 67 | 0.9 | 2.1 | 1.8 | 0.11 | 0.16 | C91 |
| Myeloid leukaemia | 71 | 0.9 | 2.1 | 1.9 | 0.11 | 0.22 | 51 | 0.7 | 1.6 | 1.4 | 0.09 | 0.14 | C92–94 |
| Leukaemia unspecified | 67 | 0.8 | 2.0 | 2.1 | 0.10 | 0.20 | 76 | 1.1 | 2.4 | 2.2 | 0.14 | 0.19 | C95 |
| Myeloproliferative disorders | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 107 | 1.3 | 3.2 | 2.9 | 0.16 | 0.33 | 101 | 1.4 | 3.2 | 2.6 | 0.17 | 0.24 | O&U |
| All sites | 8238 | | 248.2 | 215.5 | 10.63 | 25.62 | 7227 | | 228.9 | 168.3 | 10.66 | 18.70 | C00–96 |
| All sites except C44 | 8199 | 100.0 | 247.0 | 214.6 | 10.56 | 25.51 | 7188 | 100.0 | 227.6 | 167.4 | 10.62 | 18.59 | C00–96 exc.C44 |

*See note following population pyramid

China, Luoyang City

CONTRIBUTORS

Yan Yunyan
Li Aihong
Chang Ying
Cheng Xianjing
Wen Dan
Han Yingxia
He Guiting
Chen Jun
Xing Jianle
Chen Yanan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.4 | Breast | 33.6 |
| Stomach | 22.9 | Trachea, bronchus, and lung | 19.9 |
| Liver | 21.3 | Thyroid | 11.5 |
| Oesophagus | 15.2 | Cervix uteri | 10.3 |
| Colon | 9.4 | Liver | 8.9 |
| Rectum | 9.4 | Stomach | 8.6 |
| Bladder | 7.3 | Oesophagus | 7.7 |
| Prostate | 7.1 | Colon | 7.4 |
| Pancreas | 5.2 | Corpus uteri | 6.4 |
| Kidney | 5.2 | Rectum | 6.4 |
| Leukaemia unspecified | 4.7 | Ovary | 5.5 |
| Thyroid | 4.6 | Brain and nervous system | 4.4 |
| Brain and nervous system | 4.3 | Gallbladder etc. | 3.7 |
| Non-Hodgkin lymphoma | 3.1 | Pancreas | 3.6 |
| Gallbladder etc. | 2.8 | Other and unspecified | 2.9 |
| Other and unspecified | 2.7 | Kidney | 2.7 |
| Larynx | 1.6 | Leukaemia unspecified | 2.6 |
| Small intestine | 1.4 | Bladder | 2.2 |
| Multiple myeloma | 1.3 | Non-Hodgkin lymphoma | 2.1 |
| Myeloid leukaemia | 1.3 | Non-melanoma skin cancer | 1.2 |
| All sites | 192.6 | All sites | 164.5 |

*China, Luoyang City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 15 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C01–02 |
| Mouth | 33 | 0.4 | 1.2 | 0.7 | 0.04 | 0.09 | 15 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 26 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | 18 | 0.3 | 0.6 | 0.5 | 0.04 | 0.04 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 52 | 0.6 | 1.8 | 1.2 | 0.08 | 0.16 | 20 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | C11 |
| Hypopharynx | 18 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 650 | 7.9 | 22.9 | 15.2 | 0.73 | 1.83 | 355 | 5.0 | 12.8 | 7.7 | 0.21 | 0.86 | C15 |
| Stomach | 1008 | 12.2 | 35.5 | 22.9 | 0.92 | 2.58 | 400 | 5.6 | 14.4 | 8.6 | 0.43 | 0.91 | C16 |
| Small intestine | 56 | 0.7 | 2.0 | 1.4 | 0.05 | 0.15 | 31 | 0.4 | 1.1 | 0.7 | 0.02 | 0.07 | C17 |
| Colon | 421 | 5.1 | 14.8 | 9.4 | 0.37 | 0.97 | 345 | 4.8 | 12.4 | 7.4 | 0.36 | 0.76 | C18 |
| Rectum | 412 | 5.0 | 14.5 | 9.4 | 0.49 | 1.01 | 293 | 4.1 | 10.5 | 6.4 | 0.30 | 0.72 | C19–20 |
| Anus | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 907 | 11.0 | 32.0 | 21.3 | 1.34 | 2.34 | 404 | 5.7 | 14.5 | 8.9 | 0.42 | 0.92 | C22 |
| Gallbladder etc. | 122 | 1.5 | 4.3 | 2.8 | 0.12 | 0.29 | 179 | 2.5 | 6.4 | 3.7 | 0.12 | 0.36 | C23–24 |
| Pancreas | 222 | 2.7 | 7.8 | 5.2 | 0.22 | 0.57 | 173 | 2.4 | 6.2 | 3.6 | 0.10 | 0.43 | C25 |
| Nose, sinuses etc. | 19 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 73 | 0.9 | 2.6 | 1.6 | 0.08 | 0.19 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2131 | 25.8 | 75.1 | 48.4 | 2.22 | 5.43 | 928 | 13.0 | 33.3 | 19.9 | 0.84 | 2.06 | C33–34 |
| Other thoracic organs | 38 | 0.5 | 1.3 | 0.9 | 0.04 | 0.09 | 24 | 0.3 | 0.9 | 0.6 | 0.04 | 0.05 | C37–38 |
| Bone | 35 | 0.4 | 1.2 | 1.0 | 0.06 | 0.09 | 47 | 0.7 | 1.7 | 1.2 | 0.07 | 0.12 | C40–41 |
| Melanoma of skin | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 45 | 0.5 | 1.6 | 1.1 | 0.05 | 0.12 | 58 | 0.8 | 2.1 | 1.2 | 0.05 | 0.09 | C44 |
| Mesothelioma | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 31 | 0.4 | 1.1 | 0.9 | 0.05 | 0.07 | 21 | 0.3 | 0.8 | 0.6 | 0.04 | 0.05 | C47+C49 |
| Breast | 25 | 0.3 | 0.9 | 0.5 | 0.03 | 0.07 | 1450 | 20.3 | 52.1 | 33.6 | 2.64 | 3.72 | C50 |
| Vulva | | | | | | | 15 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 441 | 6.2 | 15.8 | 10.3 | 0.82 | 1.08 | C53 |
| Corpus uteri | | | | | | | 269 | 3.8 | 9.7 | 6.4 | 0.50 | 0.72 | C54 |
| Uterus unspecified | | | | | | | 41 | 0.6 | 1.5 | 0.9 | 0.08 | 0.10 | C55 |
| Ovary | | | | | | | 240 | 3.4 | 8.6 | 5.5 | 0.36 | 0.62 | C56 |
| Other female genital organs | | | | | | | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 336 | 4.1 | 11.8 | 7.1 | 0.10 | 0.58 | | | | | | | C61 |
| Testis | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 213 | 2.6 | 7.5 | 5.2 | 0.34 | 0.58 | 107 | 1.5 | 3.8 | 2.7 | 0.14 | 0.28 | C64 |
| Renal pelvis | 21 | 0.3 | 0.7 | 0.5 | 0.02 | 0.05 | 15 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 21 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | 24 | 0.3 | 0.9 | 0.5 | 0.01 | 0.05 | C66 |
| Bladder | 330 | 4.0 | 11.6 | 7.3 | 0.31 | 0.74 | 101 | 1.4 | 3.6 | 2.2 | 0.10 | 0.21 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 7 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 170 | 2.1 | 6.0 | 4.3 | 0.28 | 0.42 | 184 | 2.6 | 6.6 | 4.4 | 0.28 | 0.48 | C70–72 |
| Thyroid | 189 | 2.3 | 6.7 | 4.6 | 0.37 | 0.45 | 462 | 6.5 | 16.6 | 11.5 | 0.95 | 1.15 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 15 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 128 | 1.5 | 4.5 | 3.1 | 0.16 | 0.31 | 88 | 1.2 | 3.2 | 2.1 | 0.11 | 0.24 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 57 | 0.7 | 2.0 | 1.3 | 0.05 | 0.15 | 32 | 0.4 | 1.1 | 0.7 | 0.03 | 0.08 | C90 |
| Lymphoid leukaemia | 30 | 0.4 | 1.1 | 0.7 | 0.03 | 0.07 | 24 | 0.3 | 0.9 | 0.8 | 0.04 | 0.06 | C91 |
| Myeloid leukaemia | 45 | 0.5 | 1.6 | 1.3 | 0.06 | 0.12 | 36 | 0.5 | 1.3 | 1.0 | 0.06 | 0.10 | C92–94 |
| Leukaemia unspecified | 167 | 2.0 | 5.9 | 4.7 | 0.23 | 0.44 | 94 | 1.3 | 3.4 | 2.6 | 0.15 | 0.26 | C95 |
| Myeloproliferative disorders | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 38 | 0.5 | 1.3 | 1.0 | 0.03 | 0.09 | 33 | 0.5 | 1.2 | 0.7 | 0.04 | 0.06 | MPS |
| Other and unspecified | 113 | 1.4 | 4.0 | 2.7 | 0.13 | 0.25 | 118 | 1.7 | 4.2 | 2.9 | 0.12 | 0.26 | O&U |
| All sites | 8319 | | 293.4 | 192.6 | 9.31 | 20.78 | 7208 | | 258.9 | 164.5 | 9.71 | 17.39 | C00–96 |
| All sites except C44 | 8274 | 100.0 | 291.8 | 191.5 | 9.26 | 20.67 | 7150 | 100.0 | 256.8 | 163.3 | 9.65 | 17.30 | C00–96 exc. C44 |

*See note following population pyramid

China, Luquan City

CONTRIBUTORS

Feng Zhenhong
Zhang Yaosen
Ren Junhui
Liang Jiekun



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 41.6 | Breast | 22.4 |
| Stomach | 27.0 | Trachea, bronchus, and lung | 21.3 |
| Liver | 18.7 | Corpus uteri | 8.7 |
| Oesophagus | 15.9 | Stomach | 7.8 |
| Colon | 5.8 | Oesophagus | 7.5 |
| Bladder | 4.1 | Liver | 7.2 |
| Rectum | 4.0 | Cervix uteri | 7.1 |
| Pancreas | 4.0 | Thyroid | 6.1 |
| Non-Hodgkin lymphoma | 3.1 | Ovary | 4.7 |
| Brain and nervous system | 2.9 | Rectum | 3.9 |
| Prostate | 2.9 | Colon | 3.7 |
| Kidney | 2.0 | Brain and nervous system | 2.8 |
| Myeloid leukaemia | 1.9 | Lymphoid leukaemia | 2.8 |
| Thyroid | 1.9 | Non-Hodgkin lymphoma | 2.3 |
| Gallbladder etc. | 1.8 | Gallbladder etc. | 1.6 |
| Larynx | 1.8 | Myeloid leukaemia | 1.6 |
| Other and unspecified | 1.6 | Pancreas | 1.6 |
| Multiple myeloma | 1.6 | Other and unspecified | 1.5 |
| Bone | 1.2 | Kidney | 1.4 |
| Lymphoid leukaemia | 1.1 | Bladder | 1.3 |
| All sites | 154.3 | All sites | 125.6 |

*China, Luquan City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 6 | 0.4 | 0.7 | 0.4 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 9 | 0.5 | 1.1 | 0.8 | 0.06 | 0.08 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.07 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 6 | 0.3 | 0.7 | 0.5 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C14 |
| Oesophagus | 190 | 10.5 | 23.5 | 15.9 | 0.68 | 2.15 | 103 | 6.7 | 12.3 | 7.5 | 0.27 | 1.00 | C15 |
| Stomach | 317 | 17.6 | 39.1 | 27.0 | 1.07 | 3.61 | 107 | 7.0 | 12.8 | 7.8 | 0.29 | 0.91 | C16 |
| Small intestine | 11 | 0.6 | 1.4 | 0.8 | 0.04 | 0.06 | 5 | 0.3 | 0.6 | 0.4 | 0.04 | 0.05 | C17 |
| Colon | 64 | 3.6 | 7.9 | 5.8 | 0.29 | 0.77 | 50 | 3.3 | 6.0 | 3.7 | 0.22 | 0.44 | C18 |
| Rectum | 48 | 2.7 | 5.9 | 4.0 | 0.22 | 0.58 | 51 | 3.3 | 6.1 | 3.9 | 0.12 | 0.62 | C19–20 |
| Anus | 8 | 0.4 | 1.0 | 0.6 | 0.04 | 0.08 | 3 | 0.2 | 0.4 | 0.2 | 0.00 | 0.04 | C21 |
| Liver | 218 | 12.1 | 26.9 | 18.7 | 1.23 | 2.28 | 96 | 6.3 | 11.5 | 7.2 | 0.36 | 0.87 | C22 |
| Gallbladder etc. | 21 | 1.2 | 2.6 | 1.8 | 0.08 | 0.25 | 21 | 1.4 | 2.5 | 1.6 | 0.05 | 0.19 | C23–24 |
| Pancreas | 47 | 2.6 | 5.8 | 4.0 | 0.18 | 0.44 | 22 | 1.4 | 2.6 | 1.6 | 0.09 | 0.20 | C25 |
| Nose, sinuses etc. | 3 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 22 | 1.2 | 2.7 | 1.8 | 0.15 | 0.22 | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 501 | 27.8 | 61.8 | 41.6 | 2.04 | 5.54 | 282 | 18.4 | 33.8 | 21.3 | 1.20 | 2.68 | C33–34 |
| Other thoracic organs | 6 | 0.3 | 0.7 | 0.5 | 0.04 | 0.07 | 3 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 12 | 0.7 | 1.5 | 1.1 | 0.08 | 0.11 | 8 | 0.5 | 1.0 | 0.6 | 0.03 | 0.08 | C40–41 |
| Melanoma of skin | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C43 |
| Other skin | 10 | 0.6 | 1.2 | 0.9 | 0.05 | 0.11 | 8 | 0.5 | 1.0 | 0.5 | 0.04 | 0.06 | C44 |
| Mesothelioma | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 5 | 0.3 | 0.6 | 0.4 | 0.03 | 0.05 | C47+C49 |
| Breast | 8 | 0.4 | 1.0 | 0.7 | 0.03 | 0.08 | 258 | 16.8 | 30.9 | 22.4 | 1.76 | 2.55 | C50 |
| Vulva | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 86 | 5.6 | 10.3 | 7.1 | 0.58 | 0.78 | C53 |
| Corpus uteri | | | | | | | 102 | 6.7 | 12.2 | 8.7 | 0.67 | 1.05 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.8 | 1.4 | 1.1 | 0.07 | 0.14 | C55 |
| Ovary | | | | | | | 53 | 3.5 | 6.3 | 4.7 | 0.35 | 0.51 | C56 |
| Other female genital organs | | | | | | | 3 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C60 |
| Prostate | 36 | 2.0 | 4.4 | 2.9 | 0.06 | 0.34 | | | | | | | C61 |
| Testis | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 23 | 1.3 | 2.8 | 2.0 | 0.14 | 0.26 | 17 | 1.1 | 2.0 | 1.4 | 0.11 | 0.16 | C64 |
| Renal pelvis | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 50 | 2.8 | 6.2 | 4.1 | 0.15 | 0.54 | 20 | 1.3 | 2.4 | 1.3 | 0.02 | 0.12 | C67 |
| Other urinary organs | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.2 | 0.4 | 0.4 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 32 | 1.8 | 3.9 | 2.9 | 0.21 | 0.29 | 29 | 1.9 | 3.5 | 2.8 | 0.20 | 0.26 | C70–72 |
| Thyroid | 20 | 1.1 | 2.5 | 1.9 | 0.14 | 0.17 | 66 | 4.3 | 7.9 | 6.1 | 0.52 | 0.58 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 4 | 0.3 | 0.5 | 0.3 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 36 | 2.0 | 4.4 | 3.1 | 0.17 | 0.42 | 26 | 1.7 | 3.1 | 2.3 | 0.14 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 17 | 0.9 | 2.1 | 1.6 | 0.06 | 0.26 | 13 | 0.8 | 1.6 | 1.0 | 0.07 | 0.15 | C90 |
| Lymphoid leukaemia | 11 | 0.6 | 1.4 | 1.1 | 0.07 | 0.09 | 19 | 1.2 | 2.3 | 2.8 | 0.12 | 0.17 | C91 |
| Myeloid leukaemia | 19 | 1.1 | 2.3 | 1.9 | 0.16 | 0.20 | 16 | 1.0 | 1.9 | 1.6 | 0.10 | 0.13 | C92–94 |
| Leukaemia unspecified | 8 | 0.4 | 1.0 | 0.7 | 0.06 | 0.08 | 7 | 0.5 | 0.8 | 0.6 | 0.05 | 0.08 | C95 |
| Myeloproliferative disorders | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | MPD |
| Myelodysplastic syndromes | 3 | 0.2 | 0.4 | 0.3 | 0.01 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 19 | 1.1 | 2.3 | 1.6 | 0.12 | 0.18 | 16 | 1.0 | 1.9 | 1.5 | 0.10 | 0.15 | O&U |
| All sites | 1812 | | 223.7 | 154.3 | 7.87 | 19.80 | 1541 | | 184.6 | 125.6 | 7.80 | 14.71 | C00–96 |
| All sites except C44 | 1802 | 100.0 | 222.4 | 153.4 | 7.81 | 19.69 | 1533 | 100.0 | 183.6 | 125.1 | 7.77 | 14.65 | C00–96 exc. C44 |

*See note following population pyramid

China, Ma'anshan City

CONTRIBUTORS

Qing Feng
 Minshi Ye
 Zhengping Bian
 Huaying Cai
 Lihua Wang
 Haihong Meng
 Chun Wang
 Dandan Wu
 Qirong Qin
 Jian Chen
 Shengwei Zhan



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 65.1 | Breast | 31.5 |
| Stomach | 52.9 | Trachea, bronchus, and lung | 23.1 |
| Liver | 23.6 | Stomach | 19.1 |
| Oesophagus | 23.5 | Cervix uteri | 15.3 |
| Colon | 20.7 | Colon | 14.2 |
| Rectum | 14.4 | Thyroid | 11.9 |
| Prostate | 12.0 | Rectum | 8.5 |
| Pancreas | 10.5 | Liver | 7.7 |
| Bladder | 8.6 | Ovary | 6.6 |
| Non-Hodgkin lymphoma | 6.0 | Oesophagus | 5.6 |
| Larynx | 4.5 | Corpus uteri | 5.6 |
| Kidney | 4.5 | Pancreas | 5.4 |
| Myeloid leukaemia | 4.1 | Non-Hodgkin lymphoma | 4.6 |
| Brain and nervous system | 3.9 | Brain and nervous system | 3.7 |
| Thyroid | 3.4 | Gallbladder etc. | 3.4 |
| Nasopharynx | 3.0 | Kidney | 2.6 |
| Gallbladder etc. | 2.8 | Non-melanoma skin cancer | 2.2 |
| Non-melanoma skin cancer | 2.7 | Other and unspecified | 2.1 |
| Multiple myeloma | 1.8 | Myeloid leukaemia | 1.9 |
| Other and unspecified | 1.6 | Bladder | 1.9 |
| All sites | 285.3 | All sites | 189.6 |


China, Ma'anshan City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 12 | 0.2 | 0.7 | 0.7 | 0.05 | 0.06 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C01–02 |
| Mouth | 27 | 0.4 | 1.7 | 1.2 | 0.07 | 0.10 | 13 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 13 | 0.2 | 0.8 | 0.6 | 0.03 | 0.05 | 8 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 9 | 0.1 | 0.6 | 0.4 | 0.01 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 61 | 1.0 | 3.8 | 3.0 | 0.23 | 0.30 | 28 | 0.6 | 1.8 | 1.2 | 0.09 | 0.14 | C11 |
| Hypopharynx | 24 | 0.4 | 1.5 | 1.1 | 0.06 | 0.12 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 516 | 8.4 | 32.2 | 23.5 | 0.99 | 2.86 | 152 | 3.5 | 9.6 | 5.6 | 0.11 | 0.55 | C15 |
| Stomach | 1177 | 19.1 | 73.5 | 52.9 | 2.37 | 6.08 | 460 | 10.6 | 28.9 | 19.1 | 0.82 | 2.08 | C16 |
| Small intestine | 23 | 0.4 | 1.4 | 1.0 | 0.05 | 0.14 | 22 | 0.5 | 1.4 | 1.0 | 0.06 | 0.13 | C17 |
| Colon | 455 | 7.4 | 28.4 | 20.7 | 0.92 | 2.26 | 340 | 7.8 | 21.4 | 14.2 | 0.73 | 1.61 | C18 |
| Rectum | 312 | 5.1 | 19.5 | 14.4 | 0.76 | 1.62 | 202 | 4.7 | 12.7 | 8.5 | 0.43 | 0.92 | C19–20 |
| Anus | 8 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 509 | 8.3 | 31.8 | 23.6 | 1.14 | 2.42 | 193 | 4.4 | 12.1 | 7.7 | 0.28 | 0.79 | C22 |
| Gallbladder etc. | 60 | 1.0 | 3.7 | 2.8 | 0.12 | 0.34 | 88 | 2.0 | 5.5 | 3.4 | 0.10 | 0.36 | C23–24 |
| Pancreas | 225 | 3.6 | 14.1 | 10.5 | 0.49 | 1.11 | 134 | 3.1 | 8.4 | 5.4 | 0.16 | 0.58 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.5 | 0.5 | 0.02 | 0.04 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 98 | 1.6 | 6.1 | 4.5 | 0.24 | 0.51 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 1432 | 23.2 | 89.5 | 65.1 | 2.23 | 6.55 | 559 | 12.9 | 35.2 | 23.1 | 1.11 | 2.57 | C33–34 |
| Other thoracic organs | 11 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | 14 | 0.3 | 0.9 | 0.7 | 0.05 | 0.09 | C37–38 |
| Bone | 18 | 0.3 | 1.1 | 0.9 | 0.02 | 0.10 | 14 | 0.3 | 0.9 | 0.7 | 0.03 | 0.06 | C40–41 |
| Melanoma of skin | 11 | 0.2 | 0.7 | 0.5 | 0.02 | 0.04 | 20 | 0.5 | 1.3 | 0.8 | 0.04 | 0.10 | C43 |
| Other skin | 59 | 1.0 | 3.7 | 2.7 | 0.10 | 0.30 | 56 | 1.3 | 3.5 | 2.2 | 0.06 | 0.21 | C44 |
| Mesothelioma | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 21 | 0.3 | 1.3 | 1.1 | 0.07 | 0.11 | 27 | 0.6 | 1.7 | 1.2 | 0.06 | 0.12 | C47+C49 |
| Breast | 8 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | 702 | 16.2 | 44.2 | 31.5 | 2.52 | 3.43 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C52 |
| Cervix uteri | | | | | | | 336 | 7.7 | 21.1 | 15.3 | 1.26 | 1.62 | C53 |
| Corpus uteri | | | | | | | 120 | 2.8 | 7.5 | 5.6 | 0.45 | 0.63 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 147 | 3.4 | 9.2 | 6.6 | 0.43 | 0.77 | C56 |
| Other female genital organs | | | | | | | 14 | 0.3 | 0.9 | 0.6 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 13 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | | | | | | | C60 |
| Prostate | 271 | 4.4 | 16.9 | 12.0 | 0.19 | 1.09 | | | | | | | C61 |
| Testis | 10 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 97 | 1.6 | 6.1 | 4.5 | 0.27 | 0.55 | 60 | 1.4 | 3.8 | 2.6 | 0.18 | 0.29 | C64 |
| Renal pelvis | 13 | 0.2 | 0.8 | 0.6 | 0.02 | 0.08 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 17 | 0.3 | 1.1 | 0.8 | 0.03 | 0.08 | 7 | 0.2 | 0.4 | 0.3 | 0.00 | 0.03 | C66 |
| Bladder | 188 | 3.0 | 11.7 | 8.6 | 0.40 | 0.97 | 43 | 1.0 | 2.7 | 1.9 | 0.07 | 0.25 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 80 | 1.3 | 5.0 | 3.9 | 0.23 | 0.39 | 79 | 1.8 | 5.0 | 3.7 | 0.22 | 0.38 | C70–72 |
| Thyroid | 71 | 1.2 | 4.4 | 3.4 | 0.27 | 0.31 | 244 | 5.6 | 15.3 | 11.9 | 0.96 | 1.13 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 127 | 2.1 | 7.9 | 6.0 | 0.33 | 0.69 | 103 | 2.4 | 6.5 | 4.6 | 0.26 | 0.52 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 42 | 0.7 | 2.6 | 1.8 | 0.07 | 0.16 | 30 | 0.7 | 1.9 | 1.3 | 0.07 | 0.14 | C90 |
| Lymphoid leukaemia | 26 | 0.4 | 1.6 | 1.3 | 0.04 | 0.15 | 15 | 0.3 | 0.9 | 1.0 | 0.05 | 0.09 | C91 |
| Myeloid leukaemia | 83 | 1.3 | 5.2 | 4.1 | 0.23 | 0.41 | 42 | 1.0 | 2.6 | 1.9 | 0.12 | 0.17 | C92–94 |
| Leukaemia unspecified | 18 | 0.3 | 1.1 | 1.0 | 0.06 | 0.06 | 12 | 0.3 | 0.8 | 0.6 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 9 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | MPS |
| Other and unspecified | 32 | 0.5 | 2.0 | 1.6 | 0.07 | 0.12 | 52 | 1.2 | 3.3 | 2.1 | 0.10 | 0.18 | O&U |
| All sites | 6225 | | 388.9 | 285.3 | 12.44 | 30.60 | 4394 | | 276.4 | 189.6 | 11.06 | 20.41 | C00–96 |
| All sites except C44 | 6166 | 100.0 | 385.2 | 282.6 | 12.34 | 30.30 | 4338 | 100.0 | 272.9 | 187.3 | 11.00 | 20.21 | C00–96 exc. C44 |

China, Macheng City

CONTRIBUTORS

Sheng Ping Xu
Song Su Fang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 61.9 | Trachea, bronchus, and lung | 22.3 |
| Stomach | 44.5 | Breast | 19.5 |
| Liver | 29.9 | Stomach | 17.2 |
| Oesophagus | 19.3 | Liver | 9.8 |
| Rectum | 9.0 | Cervix uteri | 9.5 |
| Colon | 6.4 | Oesophagus | 9.4 |
| Brain and nervous system | 5.5 | Thyroid | 6.2 |
| Non-Hodgkin lymphoma | 5.3 | Rectum | 6.1 |
| Bladder | 4.9 | Colon | 5.5 |
| Nasopharynx | 4.4 | Brain and nervous system | 5.0 |
| Pancreas | 3.9 | Ovary | 4.4 |
| Leukaemia unspecified | 3.4 | Corpus uteri | 4.4 |
| Prostate | 3.3 | Non-Hodgkin lymphoma | 3.1 |
| Kidney | 2.9 | Leukaemia unspecified | 3.0 |
| Larynx | 2.7 | Pancreas | 2.2 |
| Non-melanoma skin cancer | 1.8 | Nasopharynx | 2.1 |
| Myeloid leukaemia | 1.6 | Gallbladder etc. | 1.6 |
| Bone | 1.5 | Kidney | 1.3 |
| Other and unspecified | 1.4 | Non-melanoma skin cancer | 1.2 |
| Thyroid | 1.3 | Myeloid leukaemia | 1.2 |
| All sites | 226.2 | All sites | 147.1 |

*China, Macheng City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 8 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 11 | 0.3 | 0.7 | 0.5 | 0.04 | 0.06 | C01–02 |
| Mouth | 25 | 0.5 | 1.3 | 1.0 | 0.06 | 0.13 | 8 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 15 | 0.3 | 0.8 | 0.6 | 0.04 | 0.09 | 15 | 0.4 | 0.9 | 0.7 | 0.04 | 0.08 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C09 |
| Other oropharynx | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 113 | 2.1 | 6.1 | 4.4 | 0.37 | 0.49 | 50 | 1.4 | 3.1 | 2.1 | 0.17 | 0.24 | C11 |
| Hypopharynx | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 9 | 0.3 | 0.6 | 0.4 | 0.02 | 0.06 | C14 |
| Oesophagus | 465 | 8.7 | 25.1 | 19.3 | 0.89 | 2.49 | 233 | 6.8 | 14.2 | 9.4 | 0.42 | 1.31 | C15 |
| Stomach | 1069 | 19.9 | 57.6 | 44.5 | 2.38 | 6.00 | 420 | 12.2 | 25.7 | 17.2 | 0.94 | 2.21 | C16 |
| Small intestine | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 6 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C17 |
| Colon | 153 | 2.9 | 8.2 | 6.4 | 0.36 | 0.85 | 127 | 3.7 | 7.8 | 5.5 | 0.33 | 0.68 | C18 |
| Rectum | 214 | 4.0 | 11.5 | 9.0 | 0.48 | 1.09 | 147 | 4.3 | 9.0 | 6.1 | 0.38 | 0.75 | C19–20 |
| Anus | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 749 | 14.0 | 40.4 | 29.9 | 2.05 | 3.52 | 234 | 6.8 | 14.3 | 9.8 | 0.58 | 1.22 | C22 |
| Gallbladder etc. | 20 | 0.4 | 1.1 | 0.8 | 0.05 | 0.13 | 37 | 1.1 | 2.3 | 1.6 | 0.09 | 0.21 | C23–24 |
| Pancreas | 96 | 1.8 | 5.2 | 3.9 | 0.21 | 0.51 | 52 | 1.5 | 3.2 | 2.2 | 0.12 | 0.28 | C25 |
| Nose, sinuses etc. | 9 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 11 | 0.3 | 0.7 | 0.4 | 0.04 | 0.04 | C30–31 |
| Larynx | 67 | 1.2 | 3.6 | 2.7 | 0.15 | 0.38 | 8 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1494 | 27.8 | 80.5 | 61.9 | 3.31 | 8.46 | 547 | 15.9 | 33.5 | 22.3 | 1.21 | 2.86 | C33–34 |
| Other thoracic organs | 20 | 0.4 | 1.1 | 0.9 | 0.07 | 0.09 | 9 | 0.3 | 0.6 | 0.3 | 0.03 | 0.04 | C37–38 |
| Bone | 34 | 0.6 | 1.8 | 1.5 | 0.08 | 0.17 | 16 | 0.5 | 1.0 | 0.7 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 8 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 44 | 0.8 | 2.4 | 1.8 | 0.09 | 0.22 | 30 | 0.9 | 1.8 | 1.2 | 0.07 | 0.12 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | 28 | 0.8 | 1.7 | 1.1 | 0.10 | 0.12 | C47+C49 |
| Breast | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 469 | 13.6 | 28.7 | 19.5 | 1.68 | 2.11 | C50 |
| Vulva | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 233 | 6.8 | 14.2 | 9.5 | 0.80 | 1.03 | C53 |
| Corpus uteri | | | | | | | 106 | 3.1 | 6.5 | 4.4 | 0.38 | 0.52 | C54 |
| Uterus unspecified | | | | | | | 24 | 0.7 | 1.5 | 0.9 | 0.04 | 0.12 | C55 |
| Ovary | | | | | | | 96 | 2.8 | 5.9 | 4.4 | 0.38 | 0.49 | C56 |
| Other female genital organs | | | | | | | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.3 | 0.9 | 0.7 | 0.06 | 0.08 | | | | | | | C60 |
| Prostate | 78 | 1.5 | 4.2 | 3.3 | 0.11 | 0.43 | | | | | | | C61 |
| Testis | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 63 | 1.2 | 3.4 | 2.9 | 0.20 | 0.31 | 31 | 0.9 | 1.9 | 1.3 | 0.10 | 0.17 | C64 |
| Renal pelvis | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 12 | 0.2 | 0.6 | 0.5 | 0.01 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 117 | 2.2 | 6.3 | 4.9 | 0.28 | 0.63 | 29 | 0.8 | 1.8 | 1.2 | 0.06 | 0.14 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.4 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 119 | 2.2 | 6.4 | 5.5 | 0.33 | 0.62 | 103 | 3.0 | 6.3 | 5.0 | 0.32 | 0.57 | C70–72 |
| Thyroid | 35 | 0.7 | 1.9 | 1.3 | 0.10 | 0.14 | 145 | 4.2 | 8.9 | 6.2 | 0.48 | 0.63 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 118 | 2.2 | 6.4 | 5.3 | 0.31 | 0.60 | 69 | 2.0 | 4.2 | 3.1 | 0.21 | 0.33 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 22 | 0.4 | 1.2 | 0.9 | 0.06 | 0.11 | 24 | 0.7 | 1.5 | 1.1 | 0.06 | 0.16 | C90 |
| Lymphoid leukaemia | 8 | 0.1 | 0.4 | 0.5 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 32 | 0.6 | 1.7 | 1.6 | 0.11 | 0.15 | 20 | 0.6 | 1.2 | 1.2 | 0.08 | 0.11 | C92–94 |
| Leukaemia unspecified | 60 | 1.1 | 3.2 | 3.4 | 0.18 | 0.28 | 51 | 1.5 | 3.1 | 3.0 | 0.18 | 0.30 | C95 |
| Myeloproliferative disorders | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | MPS |
| Other and unspecified | 31 | 0.6 | 1.7 | 1.4 | 0.05 | 0.14 | 26 | 0.8 | 1.6 | 1.0 | 0.03 | 0.08 | O&U |
| All sites | 5412 | | 291.6 | 226.2 | 12.77 | 28.79 | 3480 | | 212.8 | 147.1 | 9.70 | 17.54 | C00–96 |
| All sites except C44 | 5368 | 100.0 | 289.2 | 224.3 | 12.68 | 28.56 | 3450 | 100.0 | 211.0 | 145.9 | 9.63 | 17.42 | C00–96 exc.C44 |

*See note following population pyramid

China, Meihekou City

CONTRIBUTORS

Wang Bin



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 52.3 | Trachea, bronchus, and lung | 34.6 |
| Liver | 25.8 | Breast | 17.4 |
| Stomach | 17.9 | Liver | 12.3 |
| Rectum | 9.0 | Cervix uteri | 10.0 |
| Colon | 7.0 | Thyroid | 9.8 |
| Bladder | 6.0 | Rectum | 7.3 |
| Pancreas | 5.5 | Stomach | 6.8 |
| Oesophagus | 5.4 | Colon | 5.4 |
| Brain and nervous system | 3.2 | Ovary | 5.2 |
| Other and unspecified | 3.1 | Corpus uteri | 3.9 |
| Prostate | 2.8 | Pancreas | 3.8 |
| Gallbladder etc. | 2.4 | Brain and nervous system | 2.8 |
| Lymphoid leukaemia | 2.4 | Gallbladder etc. | 2.3 |
| Larynx | 2.0 | Bladder | 2.2 |
| Thyroid | 1.7 | Lymphoid leukaemia | 2.0 |
| Kidney | 1.6 | Bone | 1.9 |
| Bone | 1.5 | Other and unspecified | 1.5 |
| Non-melanoma skin cancer | 1.1 | Kidney | 1.2 |
| Multiple myeloma | 1.0 | Myeloid leukaemia | 0.9 |
| Other thoracic organs | 1.0 | Oesophagus | 0.7 |
| All sites | 160.0 | All sites | 139.3 |


China, Meihokou City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 13 | 0.3 | 0.8 | 0.5 | 0.04 | 0.04 | 5 | 0.2 | 0.3 | 0.2 | 0.02 | 0.03 | C01–02 |
| Mouth | 14 | 0.4 | 0.9 | 0.6 | 0.03 | 0.08 | 9 | 0.3 | 0.6 | 0.4 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 4 | 0.1 | 0.3 | 0.1 | 0.02 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 16 | 0.4 | 1.0 | 0.7 | 0.04 | 0.09 | 8 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C11 |
| Hypopharynx | 11 | 0.3 | 0.7 | 0.4 | 0.03 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 129 | 3.5 | 8.2 | 5.4 | 0.30 | 0.73 | 17 | 0.5 | 1.1 | 0.7 | 0.02 | 0.06 | C15 |
| Stomach | 428 | 11.5 | 27.1 | 17.9 | 0.89 | 2.24 | 156 | 4.9 | 10.3 | 6.8 | 0.30 | 0.83 | C16 |
| Small intestine | 11 | 0.3 | 0.7 | 0.4 | 0.03 | 0.05 | 7 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C17 |
| Colon | 168 | 4.5 | 10.6 | 7.0 | 0.35 | 0.82 | 128 | 4.0 | 8.5 | 5.4 | 0.30 | 0.63 | C18 |
| Rectum | 213 | 5.7 | 13.5 | 9.0 | 0.47 | 1.09 | 163 | 5.1 | 10.8 | 7.3 | 0.36 | 1.02 | C19–20 |
| Anus | 13 | 0.3 | 0.8 | 0.5 | 0.01 | 0.04 | 13 | 0.4 | 0.9 | 0.5 | 0.03 | 0.05 | C21 |
| Liver | 624 | 16.8 | 39.5 | 25.8 | 1.54 | 2.94 | 270 | 8.5 | 17.9 | 12.3 | 0.48 | 1.51 | C22 |
| Gallbladder etc. | 54 | 1.5 | 3.4 | 2.4 | 0.09 | 0.29 | 50 | 1.6 | 3.3 | 2.3 | 0.09 | 0.33 | C23–24 |
| Pancreas | 129 | 3.5 | 8.2 | 5.5 | 0.26 | 0.68 | 87 | 2.7 | 5.8 | 3.8 | 0.14 | 0.46 | C25 |
| Nose, sinuses etc. | 12 | 0.3 | 0.8 | 0.5 | 0.03 | 0.08 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 47 | 1.3 | 3.0 | 2.0 | 0.11 | 0.22 | 8 | 0.3 | 0.5 | 0.4 | 0.01 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1229 | 33.0 | 77.7 | 52.3 | 2.61 | 6.54 | 792 | 24.9 | 52.5 | 34.6 | 1.50 | 4.13 | C33–34 |
| Other thoracic organs | 22 | 0.6 | 1.4 | 1.0 | 0.06 | 0.11 | 9 | 0.3 | 0.6 | 0.4 | 0.02 | 0.06 | C37–38 |
| Bone | 31 | 0.8 | 2.0 | 1.5 | 0.06 | 0.18 | 37 | 1.2 | 2.5 | 1.9 | 0.11 | 0.22 | C40–41 |
| Melanoma of skin | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 6 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 24 | 0.6 | 1.5 | 1.1 | 0.05 | 0.16 | 7 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C47+C49 |
| Breast | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 423 | 13.3 | 28.1 | 17.4 | 1.36 | 1.85 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 247 | 7.8 | 16.4 | 10.0 | 0.82 | 1.10 | C53 |
| Corpus uteri | | | | | | | 98 | 3.1 | 6.5 | 3.9 | 0.32 | 0.46 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 122 | 3.8 | 8.1 | 5.2 | 0.36 | 0.60 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.4 | 0.3 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 60 | 1.6 | 3.8 | 2.8 | 0.05 | 0.27 | | | | | | | C61 |
| Testis | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 37 | 1.0 | 2.3 | 1.6 | 0.09 | 0.20 | 31 | 1.0 | 2.1 | 1.2 | 0.08 | 0.14 | C64 |
| Renal pelvis | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 16 | 0.5 | 1.1 | 0.7 | 0.04 | 0.10 | C65 |
| Ureter | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 13 | 0.4 | 0.9 | 0.5 | 0.03 | 0.06 | C66 |
| Bladder | 136 | 3.7 | 8.6 | 6.0 | 0.23 | 0.71 | 50 | 1.6 | 3.3 | 2.2 | 0.10 | 0.26 | C67 |
| Other urinary organs | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 68 | 1.8 | 4.3 | 3.2 | 0.19 | 0.37 | 52 | 1.6 | 3.4 | 2.8 | 0.16 | 0.27 | C70–72 |
| Thyroid | 42 | 1.1 | 2.7 | 1.7 | 0.16 | 0.16 | 224 | 7.0 | 14.9 | 9.8 | 0.85 | 0.94 | C73 |
| Adrenal gland | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 7 | 0.2 | 0.5 | 0.5 | 0.01 | 0.06 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 23 | 0.6 | 1.5 | 1.0 | 0.06 | 0.10 | 10 | 0.3 | 0.7 | 0.4 | 0.01 | 0.04 | C90 |
| Lymphoid leukaemia | 40 | 1.1 | 2.5 | 2.4 | 0.14 | 0.23 | 35 | 1.1 | 2.3 | 2.0 | 0.12 | 0.20 | C91 |
| Myeloid leukaemia | 18 | 0.5 | 1.1 | 0.9 | 0.06 | 0.08 | 16 | 0.5 | 1.1 | 0.9 | 0.05 | 0.09 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 67 | 1.8 | 4.2 | 3.1 | 0.22 | 0.32 | 36 | 1.1 | 2.4 | 1.5 | 0.10 | 0.18 | O&U |
| All sites | 3747 | | 236.9 | 160.0 | 8.34 | 19.17 | 3193 | | 211.8 | 139.3 | 8.00 | 16.08 | C00–96 |
| All sites except C44 | 3723 | 100.0 | 235.4 | 158.9 | 8.29 | 19.01 | 3186 | 100.0 | 211.3 | 138.9 | 7.98 | 16.07 | C00–96 exc. C44 |

China, Mengjin County

CONTRIBUTORS

Ruirui Xu
Yanyan Zhang
Hongjiang He
Feifei Zhang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 45.3 | Breast | 29.9 |
| Stomach | 43.9 | Oesophagus | 22.2 |
| Oesophagus | 29.2 | Trachea, bronchus, and lung | 19.4 |
| Liver | 20.9 | Stomach | 14.5 |
| Rectum | 8.5 | Cervix uteri | 13.6 |
| Brain and nervous system | 6.7 | Thyroid | 11.6 |
| Colon | 5.5 | Liver | 7.6 |
| Prostate | 4.7 | Corpus uteri | 7.2 |
| Bladder | 4.6 | Ovary | 7.1 |
| Pancreas | 4.1 | Colon | 6.5 |
| Non-Hodgkin lymphoma | 4.1 | Rectum | 6.4 |
| Gallbladder etc. | 3.9 | Gallbladder etc. | 6.4 |
| Leukaemia unspecified | 3.4 | Brain and nervous system | 5.8 |
| Thyroid | 3.3 | Leukaemia unspecified | 4.1 |
| Bone | 3.1 | Non-Hodgkin lymphoma | 3.0 |
| Kidney | 2.9 | Pancreas | 2.8 |
| Other and unspecified | 2.2 | Other and unspecified | 2.3 |
| Larynx | 1.9 | Kidney | 2.1 |
| Myeloid leukaemia | 1.5 | Bladder | 1.9 |
| Non-melanoma skin cancer | 1.4 | Lymphoid leukaemia | 1.5 |
| All sites | 217.7 | All sites | 190.7 |

*China, Mengjin County (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 4 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 4 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C01–02 |
| Mouth | 12 | 0.5 | 1.5 | 1.1 | 0.05 | 0.14 | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.05 | C03–06 |
| Salivary glands | 13 | 0.5 | 1.6 | 1.1 | 0.09 | 0.13 | 9 | 0.4 | 1.1 | 0.8 | 0.06 | 0.08 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 5 | 0.2 | 0.6 | 0.5 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 6 | 0.3 | 0.8 | 0.6 | 0.05 | 0.06 | C11 |
| Hypopharynx | 3 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 331 | 13.8 | 41.4 | 29.2 | 1.22 | 3.42 | 289 | 12.8 | 36.3 | 22.2 | 0.78 | 3.05 | C15 |
| Stomach | 492 | 20.5 | 61.6 | 43.9 | 1.87 | 6.00 | 187 | 8.3 | 23.5 | 14.5 | 0.63 | 1.79 | C16 |
| Small intestine | 13 | 0.5 | 1.6 | 1.2 | 0.07 | 0.14 | 11 | 0.5 | 1.4 | 0.9 | 0.07 | 0.12 | C17 |
| Colon | 60 | 2.5 | 7.5 | 5.5 | 0.26 | 0.80 | 78 | 3.4 | 9.8 | 6.5 | 0.33 | 0.88 | C18 |
| Rectum | 94 | 3.9 | 11.8 | 8.5 | 0.49 | 0.94 | 80 | 3.5 | 10.1 | 6.4 | 0.26 | 0.89 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 233 | 9.7 | 29.2 | 20.9 | 1.23 | 2.55 | 106 | 4.7 | 13.3 | 7.6 | 0.32 | 0.80 | C22 |
| Gallbladder etc. | 46 | 1.9 | 5.8 | 3.9 | 0.17 | 0.43 | 86 | 3.8 | 10.8 | 6.4 | 0.25 | 0.71 | C23–24 |
| Pancreas | 46 | 1.9 | 5.8 | 4.1 | 0.16 | 0.50 | 33 | 1.5 | 4.1 | 2.8 | 0.11 | 0.29 | C25 |
| Nose, sinuses etc. | 8 | 0.3 | 1.0 | 0.7 | 0.08 | 0.08 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 22 | 0.9 | 2.8 | 1.9 | 0.11 | 0.24 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 511 | 21.3 | 64.0 | 45.3 | 2.17 | 5.18 | 247 | 10.9 | 31.1 | 19.4 | 1.08 | 2.33 | C33–34 |
| Other thoracic organs | 14 | 0.6 | 1.8 | 1.3 | 0.06 | 0.13 | 6 | 0.3 | 0.8 | 0.5 | 0.03 | 0.08 | C37–38 |
| Bone | 30 | 1.3 | 3.8 | 3.1 | 0.19 | 0.31 | 14 | 0.6 | 1.8 | 1.3 | 0.11 | 0.14 | C40–41 |
| Melanoma of skin | 12 | 0.5 | 1.5 | 1.1 | 0.08 | 0.14 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C43 |
| Other skin | 13 | 0.5 | 1.6 | 1.4 | 0.05 | 0.13 | 17 | 0.8 | 2.1 | 1.2 | 0.05 | 0.09 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.5 | 1.4 | 1.2 | 0.07 | 0.13 | 7 | 0.3 | 0.9 | 0.8 | 0.06 | 0.07 | C47+C49 |
| Breast | 5 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | 337 | 14.9 | 42.4 | 29.9 | 2.39 | 3.13 | C50 |
| Vulva | | | | | | | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 158 | 7.0 | 19.9 | 13.6 | 1.09 | 1.51 | C53 |
| Corpus uteri | | | | | | | 82 | 3.6 | 10.3 | 7.2 | 0.59 | 0.81 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.3 | 0.8 | 0.5 | 0.05 | 0.05 | C55 |
| Ovary | | | | | | | 76 | 3.4 | 9.6 | 7.1 | 0.54 | 0.74 | C56 |
| Other female genital organs | | | | | | | 7 | 0.3 | 0.9 | 0.6 | 0.06 | 0.06 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C58 |
| Penis | 7 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | | | | | | | C60 |
| Prostate | 54 | 2.3 | 6.8 | 4.7 | 0.10 | 0.54 | | | | | | | C61 |
| Testis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.07 | | | | | | | C63 |
| Kidney | 32 | 1.3 | 4.0 | 2.9 | 0.21 | 0.32 | 25 | 1.1 | 3.1 | 2.1 | 0.13 | 0.29 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 5 | 0.2 | 0.6 | 0.4 | 0.02 | 0.07 | C66 |
| Bladder | 53 | 2.2 | 6.6 | 4.6 | 0.12 | 0.51 | 24 | 1.1 | 3.0 | 1.9 | 0.10 | 0.19 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C68 |
| Eye | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 66 | 2.8 | 8.3 | 6.7 | 0.42 | 0.81 | 66 | 2.9 | 8.3 | 5.8 | 0.43 | 0.63 | C70–72 |
| Thyroid | 36 | 1.5 | 4.5 | 3.3 | 0.30 | 0.31 | 125 | 5.5 | 15.7 | 11.6 | 0.97 | 1.23 | C73 |
| Adrenal gland | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 7 | 0.3 | 0.9 | 0.7 | 0.06 | 0.06 | 8 | 0.4 | 1.0 | 0.8 | 0.06 | 0.08 | C75 |
| Hodgkin lymphoma | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 41 | 1.7 | 5.1 | 4.1 | 0.23 | 0.45 | 34 | 1.5 | 4.3 | 3.0 | 0.17 | 0.34 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 13 | 0.5 | 1.6 | 1.2 | 0.05 | 0.16 | 8 | 0.4 | 1.0 | 0.6 | 0.04 | 0.08 | C90 |
| Lymphoid leukaemia | 8 | 0.3 | 1.0 | 0.9 | 0.04 | 0.06 | 14 | 0.6 | 1.8 | 1.5 | 0.10 | 0.11 | C91 |
| Myeloid leukaemia | 15 | 0.6 | 1.9 | 1.5 | 0.12 | 0.13 | 11 | 0.5 | 1.4 | 1.1 | 0.06 | 0.13 | C92–94 |
| Leukaemia unspecified | 35 | 1.5 | 4.4 | 3.4 | 0.22 | 0.33 | 39 | 1.7 | 4.9 | 4.1 | 0.27 | 0.40 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | MPD |
| Myelodysplastic syndromes | 7 | 0.3 | 0.9 | 0.7 | 0.05 | 0.05 | 14 | 0.6 | 1.8 | 1.1 | 0.03 | 0.13 | MPS |
| Other and unspecified | 21 | 0.9 | 2.6 | 2.2 | 0.12 | 0.22 | 24 | 1.1 | 3.0 | 2.3 | 0.12 | 0.25 | O&U |
| All sites | 2409 | | 301.5 | 217.7 | 10.78 | 25.92 | 2279 | | 286.6 | 190.7 | 11.60 | 21.94 | C00–96 |
| All sites except C44 | 2396 | 100.0 | 299.9 | 216.4 | 10.73 | 25.78 | 2262 | 100.0 | 284.4 | 189.5 | 11.55 | 21.85 | C00–96 exc. C44 |

*See note following population pyramid

China, Nangang District, Harbin City

CONTRIBUTORS

Wang Wei Na
Wang Chi
Yu Bo



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 41.7 | Breast | 46.3 |
| Liver | 20.6 | Thyroid | 33.5 |
| Stomach | 18.1 | Trachea, bronchus, and lung | 23.1 |
| Colon | 14.6 | Cervix uteri | 11.2 |
| Rectum | 12.7 | Colon | 10.0 |
| Thyroid | 11.6 | Rectum | 6.5 |
| Bladder | 6.9 | Ovary | 6.3 |
| Kidney | 5.8 | Liver | 6.2 |
| Prostate | 5.5 | Stomach | 5.8 |
| Oesophagus | 5.2 | Corpus uteri | 5.8 |
| Pancreas | 5.2 | Pancreas | 3.4 |
| Larynx | 3.0 | Kidney | 2.9 |
| Non-Hodgkin lymphoma | 2.8 | Non-Hodgkin lymphoma | 2.1 |
| Brain and nervous system | 2.7 | Other and unspecified | 1.9 |
| Myeloid leukaemia | 2.0 | Bladder | 1.8 |
| Gallbladder etc. | 1.8 | Brain and nervous system | 1.8 |
| Lymphoid leukaemia | 1.5 | Myeloid leukaemia | 1.3 |
| Other and unspecified | 1.5 | Gallbladder etc. | 1.3 |
| Nasopharynx | 1.3 | Leukaemia unspecified | 1.0 |
| Other thoracic organs | 1.3 | Connective and soft tissue | 0.9 |
| All sites | 179.7 | All sites | 182.9 |


China, Nangang District, Harbin City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 19 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C01–02 |
| Mouth | 37 | 0.5 | 1.5 | 0.9 | 0.06 | 0.12 | 15 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 15 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 48 | 0.7 | 1.9 | 1.3 | 0.09 | 0.15 | 11 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 32 | 0.4 | 1.3 | 0.8 | 0.06 | 0.10 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 224 | 3.1 | 9.1 | 5.2 | 0.39 | 0.60 | 19 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C15 |
| Stomach | 743 | 10.2 | 30.2 | 18.1 | 1.03 | 2.31 | 286 | 3.5 | 11.0 | 5.8 | 0.32 | 0.69 | C16 |
| Small intestine | 36 | 0.5 | 1.5 | 0.9 | 0.05 | 0.10 | 32 | 0.4 | 1.2 | 0.7 | 0.05 | 0.09 | C17 |
| Colon | 603 | 8.3 | 24.5 | 14.6 | 0.76 | 1.80 | 484 | 6.0 | 18.7 | 10.0 | 0.53 | 1.24 | C18 |
| Rectum | 529 | 7.3 | 21.5 | 12.7 | 0.80 | 1.50 | 306 | 3.8 | 11.8 | 6.5 | 0.38 | 0.84 | C19–20 |
| Anus | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 840 | 11.6 | 34.1 | 20.6 | 1.45 | 2.39 | 311 | 3.8 | 12.0 | 6.2 | 0.31 | 0.73 | C22 |
| Gallbladder etc. | 77 | 1.1 | 3.1 | 1.8 | 0.11 | 0.18 | 60 | 0.7 | 2.3 | 1.3 | 0.05 | 0.18 | C23–24 |
| Pancreas | 220 | 3.0 | 8.9 | 5.2 | 0.26 | 0.65 | 165 | 2.0 | 6.4 | 3.4 | 0.11 | 0.46 | C25 |
| Nose, sinuses etc. | 9 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 125 | 1.7 | 5.1 | 3.0 | 0.22 | 0.37 | 22 | 0.3 | 0.8 | 0.4 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1715 | 23.6 | 69.6 | 41.7 | 2.23 | 5.36 | 1142 | 14.1 | 44.1 | 23.1 | 1.14 | 2.74 | C33–34 |
| Other thoracic organs | 47 | 0.6 | 1.9 | 1.3 | 0.09 | 0.15 | 29 | 0.4 | 1.1 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 42 | 0.6 | 1.7 | 1.2 | 0.06 | 0.12 | 35 | 0.4 | 1.4 | 0.8 | 0.04 | 0.07 | C40–41 |
| Melanoma of skin | 14 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 30 | 0.4 | 1.2 | 0.9 | 0.04 | 0.09 | 26 | 0.3 | 1.0 | 0.6 | 0.03 | 0.06 | C44 |
| Mesothelioma | 35 | 0.5 | 1.4 | 0.8 | 0.05 | 0.10 | 21 | 0.3 | 0.8 | 0.5 | 0.04 | 0.07 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 48 | 0.7 | 1.9 | 1.2 | 0.06 | 0.15 | 30 | 0.4 | 1.2 | 0.9 | 0.06 | 0.08 | C47+C49 |
| Breast | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 2010 | 24.8 | 77.6 | 46.3 | 3.77 | 5.16 | C50 |
| Vulva | | | | | | | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 481 | 5.9 | 18.6 | 11.2 | 0.97 | 1.21 | C53 |
| Corpus uteri | | | | | | | 252 | 3.1 | 9.7 | 5.8 | 0.48 | 0.67 | C54 |
| Uterus unspecified | | | | | | | 19 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 262 | 3.2 | 10.1 | 6.3 | 0.45 | 0.72 | C56 |
| Other female genital organs | | | | | | | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 246 | 3.4 | 10.0 | 5.5 | 0.11 | 0.60 | | | | | | | C61 |
| Testis | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 240 | 3.3 | 9.7 | 5.8 | 0.39 | 0.70 | 126 | 1.6 | 4.9 | 2.9 | 0.20 | 0.32 | C64 |
| Renal pelvis | 22 | 0.3 | 0.9 | 0.5 | 0.04 | 0.07 | 36 | 0.4 | 1.4 | 0.7 | 0.02 | 0.09 | C65 |
| Ureter | 26 | 0.4 | 1.1 | 0.6 | 0.02 | 0.07 | 33 | 0.4 | 1.3 | 0.6 | 0.02 | 0.06 | C66 |
| Bladder | 292 | 4.0 | 11.9 | 6.9 | 0.32 | 0.80 | 91 | 1.1 | 3.5 | 1.8 | 0.07 | 0.24 | C67 |
| Other urinary organs | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 102 | 1.4 | 4.1 | 2.7 | 0.19 | 0.31 | 72 | 0.9 | 2.8 | 1.8 | 0.13 | 0.20 | C70–72 |
| Thyroid | 426 | 5.9 | 17.3 | 11.6 | 0.96 | 1.07 | 1333 | 16.5 | 51.4 | 33.5 | 2.93 | 3.15 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 109 | 1.5 | 4.4 | 2.8 | 0.17 | 0.31 | 89 | 1.1 | 3.4 | 2.1 | 0.15 | 0.23 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 39 | 0.5 | 1.6 | 0.9 | 0.04 | 0.11 | 35 | 0.4 | 1.4 | 0.8 | 0.05 | 0.08 | C90 |
| Lymphoid leukaemia | 40 | 0.6 | 1.6 | 1.5 | 0.09 | 0.14 | 17 | 0.2 | 0.7 | 0.6 | 0.03 | 0.05 | C91 |
| Myeloid leukaemia | 66 | 0.9 | 2.7 | 2.0 | 0.13 | 0.19 | 42 | 0.5 | 1.6 | 1.3 | 0.07 | 0.14 | C92–94 |
| Leukaemia unspecified | 32 | 0.4 | 1.3 | 1.0 | 0.05 | 0.08 | 34 | 0.4 | 1.3 | 1.0 | 0.07 | 0.09 | C95 |
| Myeloproliferative disorders | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 60 | 0.8 | 2.4 | 1.5 | 0.08 | 0.15 | 81 | 1.0 | 3.1 | 1.9 | 0.11 | 0.21 | O&U |
| All sites | 7292 | | 296.1 | 179.7 | 10.68 | 21.26 | 8118 | | 313.3 | 182.9 | 12.87 | 20.35 | C00–96 |
| All sites except C44 | 7262 | 100.0 | 294.9 | 178.8 | 10.64 | 21.17 | 8092 | 100.0 | 312.3 | 182.3 | 12.85 | 20.29 | C00–96 exc. C44 |

China, Nanhai District, Foshan City

CONTRIBUTORS

Weiju Chen
Jiezhou Huang
Dongyi Xie
Weilong Xie



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 65.5 | Breast | 40.9 |
| Liver | 47.7 | Trachea, bronchus, and lung | 31.5 |
| Nasopharynx | 24.0 | Thyroid | 20.7 |
| Colon | 19.3 | Colon | 13.1 |
| Rectum | 13.7 | Corpus uteri | 10.7 |
| Stomach | 9.9 | Liver | 10.6 |
| Prostate | 9.7 | Cervix uteri | 10.4 |
| Oesophagus | 9.3 | Nasopharynx | 8.3 |
| Thyroid | 6.8 | Ovary | 7.4 |
| Bladder | 6.4 | Rectum | 6.8 |
| Non-Hodgkin lymphoma | 5.3 | Stomach | 6.3 |
| Larynx | 4.8 | Non-Hodgkin lymphoma | 4.2 |
| Pancreas | 4.6 | Brain and nervous system | 3.3 |
| Brain and nervous system | 3.7 | Pancreas | 3.2 |
| Gallbladder etc. | 3.6 | Non-melanoma skin cancer | 2.5 |
| Myeloid leukaemia | 3.6 | Myeloid leukaemia | 2.3 |
| Other and unspecified | 3.4 | Lymphoid leukaemia | 2.0 |
| Non-melanoma skin cancer | 3.0 | Gallbladder etc. | 2.0 |
| Kidney | 2.7 | Other and unspecified | 1.8 |
| Lymphoid leukaemia | 2.6 | Kidney | 1.7 |
| All sites | 276.1 | All sites | 208.1 |

*China, Nanhai District, Foshan City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 60 | 0.8 | 3.0 | 2.2 | 0.13 | 0.26 | 33 | 0.5 | 1.6 | 1.0 | 0.07 | 0.10 | C01–02 |
| Mouth | 33 | 0.4 | 1.7 | 1.1 | 0.05 | 0.13 | 21 | 0.3 | 1.0 | 0.6 | 0.03 | 0.09 | C03–06 |
| Salivary glands | 21 | 0.3 | 1.1 | 0.8 | 0.06 | 0.09 | 15 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C09 |
| Other oropharynx | 15 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 632 | 8.4 | 32.0 | 24.0 | 1.88 | 2.59 | 248 | 3.9 | 12.1 | 8.3 | 0.63 | 0.85 | C11 |
| Hypopharynx | 28 | 0.4 | 1.4 | 1.0 | 0.08 | 0.13 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 11 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 261 | 3.5 | 13.2 | 9.3 | 0.58 | 1.10 | 53 | 0.8 | 2.6 | 1.5 | 0.04 | 0.17 | C15 |
| Stomach | 278 | 3.7 | 14.1 | 9.9 | 0.51 | 1.24 | 202 | 3.2 | 9.8 | 6.3 | 0.41 | 0.69 | C16 |
| Small intestine | 30 | 0.4 | 1.5 | 1.1 | 0.05 | 0.12 | 26 | 0.4 | 1.3 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 552 | 7.3 | 27.9 | 19.3 | 0.92 | 2.29 | 438 | 7.0 | 21.3 | 13.1 | 0.66 | 1.54 | C18 |
| Rectum | 388 | 5.1 | 19.6 | 13.7 | 0.73 | 1.66 | 232 | 3.7 | 11.3 | 6.8 | 0.36 | 0.79 | C19–20 |
| Anus | 9 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 1301 | 17.2 | 65.8 | 47.7 | 3.22 | 5.64 | 350 | 5.6 | 17.0 | 10.6 | 0.56 | 1.19 | C22 |
| Gallbladder etc. | 108 | 1.4 | 5.5 | 3.6 | 0.09 | 0.42 | 72 | 1.1 | 3.5 | 2.0 | 0.09 | 0.22 | C23–24 |
| Pancreas | 133 | 1.8 | 6.7 | 4.6 | 0.24 | 0.53 | 116 | 1.8 | 5.6 | 3.2 | 0.15 | 0.35 | C25 |
| Nose, sinuses etc. | 13 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 132 | 1.7 | 6.7 | 4.8 | 0.28 | 0.62 | 10 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1871 | 24.8 | 94.6 | 65.5 | 3.18 | 8.09 | 1062 | 16.9 | 51.7 | 31.5 | 1.73 | 3.67 | C33–34 |
| Other thoracic organs | 28 | 0.4 | 1.4 | 1.2 | 0.09 | 0.11 | 22 | 0.3 | 1.1 | 0.7 | 0.05 | 0.07 | C37–38 |
| Bone | 42 | 0.6 | 2.1 | 1.9 | 0.10 | 0.17 | 29 | 0.5 | 1.4 | 1.0 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 9 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 20 | 0.3 | 1.0 | 0.6 | 0.03 | 0.07 | C43 |
| Other skin | 85 | 1.1 | 4.3 | 3.0 | 0.12 | 0.33 | 90 | 1.4 | 4.4 | 2.5 | 0.12 | 0.24 | C44 |
| Mesothelioma | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 36 | 0.5 | 1.8 | 1.5 | 0.09 | 0.14 | 32 | 0.5 | 1.6 | 1.3 | 0.07 | 0.13 | C47+C49 |
| Breast | 19 | 0.3 | 1.0 | 0.7 | 0.04 | 0.07 | 1193 | 18.9 | 58.1 | 40.9 | 3.35 | 4.34 | C50 |
| Vulva | | | | | | | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 301 | 4.8 | 14.7 | 10.4 | 0.87 | 1.12 | C53 |
| Corpus uteri | | | | | | | 308 | 4.9 | 15.0 | 10.7 | 0.97 | 1.18 | C54 |
| Uterus unspecified | | | | | | | 31 | 0.5 | 1.5 | 1.0 | 0.06 | 0.10 | C55 |
| Ovary | | | | | | | 201 | 3.2 | 9.8 | 7.4 | 0.56 | 0.74 | C56 |
| Other female genital organs | | | | | | | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 10 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 303 | 4.0 | 15.3 | 9.7 | 0.19 | 0.98 | | | | | | | C61 |
| Testis | 25 | 0.3 | 1.3 | 1.0 | 0.06 | 0.08 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 70 | 0.9 | 3.5 | 2.7 | 0.20 | 0.33 | 56 | 0.9 | 2.7 | 1.7 | 0.10 | 0.21 | C64 |
| Renal pelvis | 16 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C65 |
| Ureter | 16 | 0.2 | 0.8 | 0.5 | 0.02 | 0.08 | 11 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C66 |
| Bladder | 188 | 2.5 | 9.5 | 6.4 | 0.25 | 0.66 | 53 | 0.8 | 2.6 | 1.5 | 0.07 | 0.15 | C67 |
| Other urinary organs | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 92 | 1.2 | 4.7 | 3.7 | 0.19 | 0.38 | 93 | 1.5 | 4.5 | 3.3 | 0.19 | 0.33 | C70–72 |
| Thyroid | 173 | 2.3 | 8.8 | 6.8 | 0.53 | 0.65 | 553 | 8.8 | 26.9 | 20.7 | 1.61 | 1.88 | C73 |
| Adrenal gland | 14 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 10 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 142 | 1.9 | 7.2 | 5.3 | 0.33 | 0.59 | 123 | 2.0 | 6.0 | 4.2 | 0.29 | 0.45 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 66 | 0.9 | 3.3 | 2.4 | 0.14 | 0.32 | 43 | 0.7 | 2.1 | 1.3 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 57 | 0.8 | 2.9 | 2.6 | 0.15 | 0.21 | 41 | 0.7 | 2.0 | 2.0 | 0.12 | 0.14 | C91 |
| Myeloid leukaemia | 87 | 1.2 | 4.4 | 3.6 | 0.24 | 0.33 | 63 | 1.0 | 3.1 | 2.3 | 0.14 | 0.24 | C92–94 |
| Leukaemia unspecified | 61 | 0.8 | 3.1 | 2.5 | 0.10 | 0.24 | 38 | 0.6 | 1.8 | 1.2 | 0.06 | 0.12 | C95 |
| Myeloproliferative disorders | 39 | 0.5 | 2.0 | 1.6 | 0.09 | 0.19 | 32 | 0.5 | 1.6 | 1.1 | 0.08 | 0.11 | MPD |
| Myelodysplastic syndromes | 42 | 0.6 | 2.1 | 1.5 | 0.10 | 0.15 | 33 | 0.5 | 1.6 | 0.9 | 0.03 | 0.09 | MPS |
| Other and unspecified | 91 | 1.2 | 4.6 | 3.4 | 0.17 | 0.35 | 68 | 1.1 | 3.3 | 1.8 | 0.07 | 0.16 | O&U |
| All sites | 7637 | | 386.3 | 276.1 | 15.53 | 31.80 | 6387 | | 310.9 | 208.1 | 14.00 | 22.28 | C00–96 |
| All sites except C44 | 7552 | 100.0 | 382.0 | 273.1 | 15.41 | 31.47 | 6297 | 100.0 | 306.5 | 205.5 | 13.88 | 22.05 | C00–96 exc. C44 |

*See note following population pyramid

China, Nanhu District, Jiaxing City

CONTRIBUTORS

Zhongwen Chen
 Jianyong Luo
 Xueqin Li
 Liu Jin
 Wenyan Chen
 Weilin Gu
 Zebin Jin
 Xiafang Zhou
 Min Tian
 Lingbin Du
 Huizhang Li



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 52.4 | Thyroid | 50.2 |
| Liver | 22.8 | Trachea, bronchus, and lung | 37.4 |
| Prostate | 17.1 | Breast | 34.7 |
| Colon | 17.0 | Colon | 13.1 |
| Stomach | 16.7 | Liver | 9.0 |
| Thyroid | 14.4 | Stomach | 8.2 |
| Rectum | 12.5 | Rectum | 7.6 |
| Pancreas | 9.4 | Brain and nervous system | 7.5 |
| Oesophagus | 9.2 | Pancreas | 7.3 |
| Bladder | 6.6 | Cervix uteri | 7.0 |
| Brain and nervous system | 6.5 | Corpus uteri | 5.9 |
| Kidney | 5.8 | Ovary | 5.1 |
| Non-Hodgkin lymphoma | 5.3 | Gallbladder etc. | 4.6 |
| Gallbladder etc. | 3.6 | Non-Hodgkin lymphoma | 3.9 |
| Myeloid leukaemia | 3.4 | Myeloid leukaemia | 3.4 |
| Nasopharynx | 3.4 | Kidney | 3.1 |
| Non-melanoma skin cancer | 2.6 | Non-melanoma skin cancer | 2.5 |
| Other and unspecified | 2.5 | Oesophagus | 1.7 |
| Multiple myeloma | 2.3 | Other endocrine | 1.6 |
| Lymphoid leukaemia | 1.6 | Bladder | 1.4 |
| All sites | 232.9 | All sites | 231.2 |


China, Nanhu District, Jiaxing City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 21 | 0.3 | 1.6 | 0.9 | 0.05 | 0.13 | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C01–02 |
| Mouth | 15 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C03–06 |
| Salivary glands | 11 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | 12 | 0.2 | 0.9 | 0.5 | 0.05 | 0.05 | C07–08 |
| Tonsil | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 76 | 1.3 | 5.7 | 3.4 | 0.24 | 0.38 | 31 | 0.6 | 2.3 | 1.4 | 0.10 | 0.15 | C11 |
| Hypopharynx | 24 | 0.4 | 1.8 | 1.0 | 0.07 | 0.13 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 9 | 0.1 | 0.7 | 0.4 | 0.01 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 254 | 4.2 | 19.2 | 9.2 | 0.46 | 1.13 | 57 | 1.0 | 4.2 | 1.7 | 0.04 | 0.15 | C15 |
| Stomach | 461 | 7.6 | 34.8 | 16.7 | 0.92 | 1.92 | 224 | 4.0 | 16.6 | 8.2 | 0.48 | 0.84 | C16 |
| Small intestine | 40 | 0.7 | 3.0 | 1.5 | 0.09 | 0.14 | 33 | 0.6 | 2.4 | 1.2 | 0.06 | 0.13 | C17 |
| Colon | 460 | 7.6 | 34.8 | 17.0 | 0.87 | 2.07 | 372 | 6.7 | 27.5 | 13.1 | 0.70 | 1.46 | C18 |
| Rectum | 323 | 5.4 | 24.4 | 12.5 | 0.82 | 1.50 | 202 | 3.6 | 15.0 | 7.6 | 0.44 | 0.92 | C19–20 |
| Anus | 24 | 0.4 | 1.8 | 1.0 | 0.04 | 0.11 | 19 | 0.3 | 1.4 | 0.7 | 0.04 | 0.07 | C21 |
| Liver | 631 | 10.5 | 47.7 | 22.8 | 1.07 | 2.40 | 287 | 5.1 | 21.2 | 9.0 | 0.32 | 0.87 | C22 |
| Gallbladder etc. | 103 | 1.7 | 7.8 | 3.6 | 0.13 | 0.39 | 140 | 2.5 | 10.4 | 4.6 | 0.18 | 0.51 | C23–24 |
| Pancreas | 261 | 4.3 | 19.7 | 9.4 | 0.46 | 1.10 | 227 | 4.1 | 16.8 | 7.3 | 0.29 | 0.84 | C25 |
| Nose, sinuses etc. | 10 | 0.2 | 0.8 | 0.3 | 0.01 | 0.05 | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C30–31 |
| Larynx | 35 | 0.6 | 2.6 | 1.3 | 0.09 | 0.17 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1440 | 23.9 | 108.8 | 52.4 | 2.56 | 6.28 | 995 | 17.8 | 73.6 | 37.4 | 2.42 | 4.32 | C33–34 |
| Other thoracic organs | 35 | 0.6 | 2.6 | 1.4 | 0.08 | 0.14 | 27 | 0.5 | 2.0 | 1.1 | 0.06 | 0.12 | C37–38 |
| Bone | 11 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 13 | 0.2 | 1.0 | 0.8 | 0.04 | 0.09 | C40–41 |
| Melanoma of skin | 14 | 0.2 | 1.1 | 0.4 | 0.01 | 0.04 | 10 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C43 |
| Other skin | 74 | 1.2 | 5.6 | 2.6 | 0.09 | 0.33 | 74 | 1.3 | 5.5 | 2.5 | 0.12 | 0.25 | C44 |
| Mesothelioma | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 20 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | 21 | 0.4 | 1.6 | 0.9 | 0.05 | 0.08 | C47+C49 |
| Breast | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 802 | 14.4 | 59.4 | 34.7 | 2.78 | 3.80 | C50 |
| Vulva | | | | | | | 17 | 0.3 | 1.3 | 0.5 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 153 | 2.7 | 11.3 | 7.0 | 0.61 | 0.70 | C53 |
| Corpus uteri | | | | | | | 141 | 2.5 | 10.4 | 5.9 | 0.49 | 0.68 | C54 |
| Uterus unspecified | | | | | | | 10 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 111 | 2.0 | 8.2 | 5.1 | 0.37 | 0.55 | C56 |
| Other female genital organs | | | | | | | 15 | 0.3 | 1.1 | 0.7 | 0.06 | 0.08 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | 20 | 0.3 | 1.5 | 0.8 | 0.04 | 0.10 | C60 |
| Prostate | 513 | 8.5 | 38.8 | 17.1 | 0.32 | 2.05 | | | | | | | C61 |
| Testis | 12 | 0.2 | 0.9 | 0.7 | 0.05 | 0.05 | | | | | | | C62 |
| Other male genital organs | 8 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 136 | 2.3 | 10.3 | 5.8 | 0.40 | 0.68 | 83 | 1.5 | 6.1 | 3.1 | 0.22 | 0.33 | C64 |
| Renal pelvis | 16 | 0.3 | 1.2 | 0.6 | 0.04 | 0.08 | 13 | 0.2 | 1.0 | 0.5 | 0.01 | 0.07 | C65 |
| Ureter | 14 | 0.2 | 1.1 | 0.5 | 0.04 | 0.05 | 10 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 189 | 3.1 | 14.3 | 6.6 | 0.27 | 0.69 | 44 | 0.8 | 3.3 | 1.4 | 0.04 | 0.15 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 6 | 0.1 | 0.4 | 0.4 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 152 | 2.5 | 11.5 | 6.5 | 0.40 | 0.69 | 178 | 3.2 | 13.2 | 7.5 | 0.47 | 0.82 | C70–72 |
| Thyroid | 255 | 4.2 | 19.3 | 14.4 | 1.17 | 1.30 | 986 | 17.7 | 73.0 | 50.2 | 4.22 | 4.86 | C73 |
| Adrenal gland | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 26 | 0.4 | 2.0 | 1.2 | 0.08 | 0.14 | 28 | 0.5 | 2.1 | 1.6 | 0.13 | 0.13 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 6 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 121 | 2.0 | 9.1 | 5.3 | 0.32 | 0.56 | 100 | 1.8 | 7.4 | 3.9 | 0.23 | 0.46 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 62 | 1.0 | 4.7 | 2.3 | 0.10 | 0.28 | 31 | 0.6 | 2.3 | 1.1 | 0.06 | 0.14 | C90 |
| Lymphoid leukaemia | 28 | 0.5 | 2.1 | 1.6 | 0.09 | 0.12 | 12 | 0.2 | 0.9 | 1.0 | 0.06 | 0.07 | C91 |
| Myeloid leukaemia | 66 | 1.1 | 5.0 | 3.4 | 0.19 | 0.28 | 64 | 1.1 | 4.7 | 3.4 | 0.20 | 0.31 | C92–94 |
| Leukaemia unspecified | 18 | 0.3 | 1.4 | 1.1 | 0.06 | 0.07 | 19 | 0.3 | 1.4 | 0.8 | 0.03 | 0.08 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 17 | 0.3 | 1.3 | 0.6 | 0.02 | 0.06 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | MPS |
| Other and unspecified | 61 | 1.0 | 4.6 | 2.5 | 0.12 | 0.24 | 41 | 0.7 | 3.0 | 1.3 | 0.05 | 0.15 | O&U |
| All sites | 6104 | | 461.4 | 232.9 | 12.03 | 26.36 | 5659 | | 418.9 | 231.2 | 15.60 | 24.62 | C00–96 |
| All sites except C44 | 6030 | 100.0 | 455.8 | 230.3 | 11.94 | 26.03 | 5585 | 100.0 | 413.4 | 228.7 | 15.49 | 24.36 | C00–96 exc. C44 |

China, Nantong City

CONTRIBUTORS

Bo Cai
 Hong Xu
 YingYing Han
 Haifeng Liu
 Shaocong Pan
 Yun Liu
 Qin Wang



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 47.0 | Breast | 27.9 |
| Liver | 30.4 | Trachea, bronchus, and lung | 25.6 |
| Stomach | 25.3 | Thyroid | 13.8 |
| Oesophagus | 15.4 | Stomach | 11.5 |
| Colon | 10.8 | Cervix uteri | 10.6 |
| Rectum | 10.1 | Liver | 9.3 |
| Prostate | 9.0 | Colon | 7.1 |
| Pancreas | 7.2 | Rectum | 6.0 |
| Bladder | 6.4 | Pancreas | 5.6 |
| Thyroid | 4.6 | Ovary | 5.2 |
| Non-Hodgkin lymphoma | 4.6 | Corpus uteri | 5.2 |
| Brain and nervous system | 4.4 | Oesophagus | 4.2 |
| Other and unspecified | 3.6 | Brain and nervous system | 3.5 |
| Kidney | 2.7 | Other and unspecified | 3.3 |
| Gallbladder etc. | 2.3 | Non-Hodgkin lymphoma | 2.7 |
| Nasopharynx | 2.0 | Gallbladder etc. | 2.2 |
| Leukaemia unspecified | 1.8 | Kidney | 1.8 |
| Non-melanoma skin cancer | 1.7 | Bladder | 1.6 |
| Myeloid leukaemia | 1.6 | Myeloid leukaemia | 1.6 |
| Lymphoid leukaemia | 1.4 | Non-melanoma skin cancer | 1.5 |
| All sites | 206.9 | All sites | 161.1 |

*China, Nantong City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 23 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 29 | 0.3 | 1.0 | 0.5 | 0.03 | 0.07 | C01–02 |
| Mouth | 62 | 0.5 | 2.3 | 1.1 | 0.06 | 0.14 | 37 | 0.4 | 1.3 | 0.6 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 36 | 0.3 | 1.4 | 0.8 | 0.06 | 0.09 | 20 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 101 | 0.9 | 3.8 | 2.0 | 0.14 | 0.23 | 51 | 0.6 | 1.8 | 0.9 | 0.07 | 0.11 | C11 |
| Hypopharynx | 37 | 0.3 | 1.4 | 0.7 | 0.05 | 0.09 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 915 | 7.8 | 34.6 | 15.4 | 0.72 | 1.98 | 338 | 3.7 | 12.0 | 4.2 | 0.13 | 0.44 | C15 |
| Stomach | 1515 | 13.0 | 57.4 | 25.3 | 1.10 | 3.18 | 762 | 8.3 | 27.0 | 11.5 | 0.58 | 1.29 | C16 |
| Small intestine | 61 | 0.5 | 2.3 | 1.0 | 0.05 | 0.10 | 48 | 0.5 | 1.7 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 632 | 5.4 | 23.9 | 10.8 | 0.54 | 1.30 | 480 | 5.3 | 17.0 | 7.1 | 0.34 | 0.80 | C18 |
| Rectum | 596 | 5.1 | 22.6 | 10.1 | 0.52 | 1.18 | 411 | 4.5 | 14.5 | 6.0 | 0.29 | 0.69 | C19–20 |
| Anus | 12 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 1555 | 13.3 | 58.9 | 30.4 | 2.14 | 3.50 | 609 | 6.7 | 21.6 | 9.3 | 0.48 | 1.11 | C22 |
| Gallbladder etc. | 142 | 1.2 | 5.4 | 2.3 | 0.10 | 0.25 | 159 | 1.7 | 5.6 | 2.2 | 0.10 | 0.26 | C23–24 |
| Pancreas | 439 | 3.8 | 16.6 | 7.2 | 0.31 | 0.86 | 396 | 4.3 | 14.0 | 5.6 | 0.22 | 0.64 | C25 |
| Nose, sinuses etc. | 12 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 68 | 0.6 | 2.6 | 1.2 | 0.07 | 0.15 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 2833 | 24.3 | 107.3 | 47.0 | 2.10 | 5.76 | 1604 | 17.6 | 56.8 | 25.6 | 1.43 | 3.01 | C33–34 |
| Other thoracic organs | 30 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | 33 | 0.4 | 1.2 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 67 | 0.6 | 2.5 | 1.3 | 0.06 | 0.15 | 57 | 0.6 | 2.0 | 0.9 | 0.05 | 0.11 | C40–41 |
| Melanoma of skin | 23 | 0.2 | 0.9 | 0.4 | 0.01 | 0.06 | 24 | 0.3 | 0.8 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 103 | 0.9 | 3.9 | 1.7 | 0.07 | 0.17 | 124 | 1.4 | 4.4 | 1.5 | 0.05 | 0.13 | C44 |
| Mesothelioma | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 17 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 18 | 0.2 | 0.6 | 0.4 | 0.02 | 0.03 | C47+C49 |
| Breast | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 1390 | 15.2 | 49.2 | 27.9 | 2.17 | 3.00 | C50 |
| Vulva | | | | | | | 13 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 12 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 520 | 5.7 | 18.4 | 10.6 | 0.84 | 1.07 | C53 |
| Corpus uteri | | | | | | | 257 | 2.8 | 9.1 | 5.2 | 0.43 | 0.56 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 259 | 2.8 | 9.2 | 5.2 | 0.37 | 0.57 | C56 |
| Other female genital organs | | | | | | | 20 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 26 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 647 | 5.5 | 24.5 | 9.0 | 0.11 | 0.89 | | | | | | | C61 |
| Testis | 16 | 0.1 | 0.6 | 0.6 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 143 | 1.2 | 5.4 | 2.7 | 0.17 | 0.32 | 99 | 1.1 | 3.5 | 1.8 | 0.10 | 0.22 | C64 |
| Renal pelvis | 30 | 0.3 | 1.1 | 0.5 | 0.03 | 0.07 | 11 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 18 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 398 | 3.4 | 15.1 | 6.4 | 0.27 | 0.74 | 120 | 1.3 | 4.2 | 1.6 | 0.06 | 0.17 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 206 | 1.8 | 7.8 | 4.4 | 0.28 | 0.48 | 171 | 1.9 | 6.1 | 3.5 | 0.23 | 0.38 | C70–72 |
| Thyroid | 172 | 1.5 | 6.5 | 4.6 | 0.36 | 0.44 | 527 | 5.8 | 18.6 | 13.8 | 1.11 | 1.25 | C73 |
| Adrenal gland | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 11 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 20 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | 13 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 224 | 1.9 | 8.5 | 4.6 | 0.28 | 0.51 | 154 | 1.7 | 5.4 | 2.7 | 0.15 | 0.29 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 56 | 0.5 | 2.1 | 1.0 | 0.06 | 0.13 | 51 | 0.6 | 1.8 | 0.8 | 0.03 | 0.11 | C90 |
| Lymphoid leukaemia | 49 | 0.4 | 1.9 | 1.4 | 0.07 | 0.12 | 38 | 0.4 | 1.3 | 1.2 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 74 | 0.6 | 2.8 | 1.6 | 0.12 | 0.17 | 66 | 0.7 | 2.3 | 1.6 | 0.10 | 0.16 | C92–94 |
| Leukaemia unspecified | 78 | 0.7 | 3.0 | 1.8 | 0.09 | 0.18 | 59 | 0.6 | 2.1 | 0.9 | 0.04 | 0.08 | C95 |
| Myeloproliferative disorders | 12 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 59 | 0.5 | 2.2 | 1.1 | 0.07 | 0.12 | 31 | 0.3 | 1.1 | 0.5 | 0.04 | 0.06 | MPS |
| Other and unspecified | 190 | 1.6 | 7.2 | 3.6 | 0.17 | 0.40 | 193 | 2.1 | 6.8 | 3.3 | 0.21 | 0.39 | O&U |
| All sites | 11764 | | 445.5 | 206.9 | 10.50 | 24.37 | 9263 | | 327.8 | 161.1 | 10.04 | 17.61 | C00–96 |
| All sites except C44 | 11661 | 100.0 | 441.6 | 205.2 | 10.43 | 24.19 | 9139 | 100.0 | 323.4 | 159.6 | 9.99 | 17.48 | C00–96 exc. C44 |

*See note following population pyramid

China, Nanxiong City

CONTRIBUTORS

Xianghua Wu
Yanyan Zhang



NOTES ON THE DATA

*Low MV%.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 62.5 | Breast | 21.1 |
| Trachea, bronchus, and lung | 49.2 | Trachea, bronchus, and lung | 20.7 |
| Stomach | 22.5 | Liver | 11.3 |
| Nasopharynx | 14.5 | Cervix uteri | 9.1 |
| Colon | 10.2 | Stomach | 8.4 |
| Rectum | 9.9 | Corpus uteri | 6.9 |
| Oesophagus | 7.8 | Ovary | 6.4 |
| Prostate | 6.1 | Colon | 6.3 |
| Non-Hodgkin lymphoma | 4.6 | Rectum | 6.2 |
| Bladder | 4.5 | Nasopharynx | 6.1 |
| Other and unspecified | 4.1 | Thyroid | 4.5 |
| Brain and nervous system | 3.9 | Other and unspecified | 3.5 |
| Larynx | 3.5 | Non-Hodgkin lymphoma | 2.9 |
| Pancreas | 3.1 | Brain and nervous system | 2.9 |
| Gallbladder etc. | 2.9 | Myeloid leukaemia | 2.1 |
| Kidney | 2.4 | Non-melanoma skin cancer | 2.1 |
| Myeloid leukaemia | 2.2 | Pancreas | 1.9 |
| Lymphoid leukaemia | 2.1 | Kidney | 1.2 |
| Leukaemia unspecified | 1.9 | Connective and soft tissue | 1.1 |
| Non-melanoma skin cancer | 1.8 | Multiple myeloma | 1.1 |
| All sites | 235.5 | All sites | 137.2 |

*China, Nanxiong City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 13 | 0.4 | 1.0 | 0.9 | 0.04 | 0.12 | 4 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C01–02 |
| Mouth | 21 | 0.6 | 1.7 | 1.5 | 0.11 | 0.17 | 6 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 6 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | 4 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 5 | 0.2 | 0.4 | 0.4 | 0.03 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 223 | 6.8 | 17.9 | 14.5 | 1.18 | 1.58 | 95 | 4.3 | 8.1 | 6.1 | 0.52 | 0.64 | C11 |
| Hypopharynx | 14 | 0.4 | 1.1 | 1.1 | 0.10 | 0.14 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 6 | 0.2 | 0.5 | 0.4 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 105 | 3.2 | 8.4 | 7.8 | 0.49 | 0.99 | 13 | 0.6 | 1.1 | 0.5 | 0.01 | 0.02 | C15 |
| Stomach | 309 | 9.4 | 24.8 | 22.5 | 1.34 | 2.61 | 152 | 6.9 | 13.0 | 8.4 | 0.44 | 1.02 | C16 |
| Small intestine | 8 | 0.2 | 0.6 | 0.6 | 0.03 | 0.09 | 7 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | C17 |
| Colon | 144 | 4.4 | 11.6 | 10.2 | 0.56 | 1.25 | 107 | 4.9 | 9.1 | 6.3 | 0.45 | 0.73 | C18 |
| Rectum | 139 | 4.2 | 11.2 | 9.9 | 0.55 | 1.13 | 103 | 4.7 | 8.8 | 6.2 | 0.43 | 0.68 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 918 | 28.0 | 73.8 | 62.5 | 4.57 | 7.02 | 191 | 8.7 | 16.3 | 11.3 | 0.75 | 1.26 | C22 |
| Gallbladder etc. | 41 | 1.3 | 3.3 | 2.9 | 0.18 | 0.33 | 19 | 0.9 | 1.6 | 1.0 | 0.03 | 0.11 | C23–24 |
| Pancreas | 45 | 1.4 | 3.6 | 3.1 | 0.20 | 0.33 | 33 | 1.5 | 2.8 | 1.9 | 0.08 | 0.25 | C25 |
| Nose, sinuses etc. | 7 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 48 | 1.5 | 3.9 | 3.5 | 0.20 | 0.45 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 669 | 20.4 | 53.8 | 49.2 | 2.46 | 5.98 | 364 | 16.5 | 31.1 | 20.7 | 1.18 | 2.35 | C33–34 |
| Other thoracic organs | 8 | 0.2 | 0.6 | 0.6 | 0.04 | 0.07 | 7 | 0.3 | 0.6 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 18 | 0.5 | 1.4 | 1.4 | 0.11 | 0.11 | 15 | 0.7 | 1.3 | 1.0 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 7 | 0.2 | 0.6 | 0.5 | 0.01 | 0.05 | 7 | 0.3 | 0.6 | 0.5 | 0.01 | 0.04 | C43 |
| Other skin | 25 | 0.8 | 2.0 | 1.8 | 0.09 | 0.23 | 36 | 1.6 | 3.1 | 2.1 | 0.11 | 0.21 | C44 |
| Mesothelioma | 3 | 0.1 | 0.2 | 0.2 | 0.03 | 0.03 | 4 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.3 | 0.8 | 0.7 | 0.06 | 0.06 | 15 | 0.7 | 1.3 | 1.1 | 0.08 | 0.12 | C47+C49 |
| Breast | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 332 | 15.1 | 28.4 | 21.1 | 1.82 | 2.13 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 144 | 6.5 | 12.3 | 9.1 | 0.77 | 0.93 | C53 |
| Corpus uteri | | | | | | | 107 | 4.9 | 9.1 | 6.9 | 0.62 | 0.75 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.2 | 0.3 | 0.2 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 103 | 4.7 | 8.8 | 6.4 | 0.53 | 0.69 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 82 | 2.5 | 6.6 | 6.1 | 0.11 | 0.61 | | | | | | | C61 |
| Testis | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 34 | 1.0 | 2.7 | 2.4 | 0.18 | 0.27 | 17 | 0.8 | 1.5 | 1.2 | 0.06 | 0.15 | C64 |
| Renal pelvis | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.05 | 4 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 62 | 1.9 | 5.0 | 4.5 | 0.17 | 0.53 | 16 | 0.7 | 1.4 | 1.0 | 0.07 | 0.13 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 50 | 1.5 | 4.0 | 3.9 | 0.28 | 0.37 | 41 | 1.9 | 3.5 | 2.9 | 0.19 | 0.21 | C70–72 |
| Thyroid | 15 | 0.5 | 1.2 | 1.1 | 0.09 | 0.09 | 68 | 3.1 | 5.8 | 4.5 | 0.35 | 0.41 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | 6 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 61 | 1.9 | 4.9 | 4.6 | 0.29 | 0.48 | 45 | 2.0 | 3.8 | 2.9 | 0.23 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 19 | 0.6 | 1.5 | 1.3 | 0.04 | 0.13 | 18 | 0.8 | 1.5 | 1.1 | 0.09 | 0.13 | C90 |
| Lymphoid leukaemia | 23 | 0.7 | 1.8 | 2.1 | 0.11 | 0.13 | 10 | 0.5 | 0.9 | 0.8 | 0.05 | 0.07 | C91 |
| Myeloid leukaemia | 32 | 1.0 | 2.6 | 2.2 | 0.16 | 0.23 | 28 | 1.3 | 2.4 | 2.1 | 0.16 | 0.20 | C92–94 |
| Leukaemia unspecified | 20 | 0.6 | 1.6 | 1.9 | 0.10 | 0.13 | 12 | 0.5 | 1.0 | 0.9 | 0.06 | 0.10 | C95 |
| Myeloproliferative disorders | 8 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 12 | 0.4 | 1.0 | 0.9 | 0.04 | 0.13 | 15 | 0.7 | 1.3 | 0.9 | 0.06 | 0.12 | MPS |
| Other and unspecified | 56 | 1.7 | 4.5 | 4.1 | 0.20 | 0.41 | 57 | 2.6 | 4.9 | 3.5 | 0.17 | 0.34 | O&U |
| All sites | 3300 | | 265.4 | 235.5 | 14.41 | 26.80 | 2239 | | 191.2 | 137.2 | 9.71 | 14.66 | C00–96 |
| All sites except C44 | 3275 | 100.0 | 263.4 | 233.6 | 14.32 | 26.57 | 2203 | 100.0 | 188.1 | 135.1 | 9.60 | 14.46 | C00–96 exc. C44 |

*See note following population pyramid

China, Neixiang County

CONTRIBUTORS

Li Yabo
Wang Songhe
Dai yang
Jin Hua



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 61.7 | Breast | 28.6 |
| Oesophagus | 56.8 | Oesophagus | 27.3 |
| Trachea, bronchus, and lung | 40.9 | Stomach | 19.3 |
| Liver | 19.0 | Trachea, bronchus, and lung | 14.8 |
| Rectum | 7.3 | Cervix uteri | 7.8 |
| Colon | 4.0 | Liver | 7.7 |
| Brain and nervous system | 3.4 | Corpus uteri | 7.1 |
| Non-Hodgkin lymphoma | 3.2 | Rectum | 6.2 |
| Pancreas | 2.5 | Thyroid | 5.2 |
| Bone | 2.5 | Ovary | 4.9 |
| Bladder | 2.3 | Brain and nervous system | 3.0 |
| Prostate | 1.8 | Colon | 2.8 |
| Myeloid leukaemia | 1.8 | Non-Hodgkin lymphoma | 2.5 |
| Leukaemia unspecified | 1.7 | Pancreas | 1.7 |
| Other and unspecified | 1.5 | Bone | 1.5 |
| Gallbladder etc. | 1.3 | Leukaemia unspecified | 1.4 |
| Kidney | 1.3 | Myeloid leukaemia | 1.2 |
| Thyroid | 1.2 | Kidney | 1.1 |
| Lymphoid leukaemia | 1.1 | Gallbladder etc. | 1.1 |
| Larynx | 1.1 | Other and unspecified | 0.9 |
| All sites | 229.3 | All sites | 158.1 |


China, Neixiang County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C01–02 |
| Mouth | 20 | 0.4 | 1.1 | 0.8 | 0.06 | 0.09 | 8 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 7 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 20 | 0.4 | 1.1 | 0.9 | 0.09 | 0.09 | 11 | 0.3 | 0.6 | 0.5 | 0.05 | 0.06 | C11 |
| Hypopharynx | 8 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 1401 | 25.4 | 77.8 | 56.8 | 3.46 | 7.10 | 728 | 19.5 | 42.6 | 27.3 | 1.48 | 3.35 | C15 |
| Stomach | 1533 | 27.8 | 85.1 | 61.7 | 3.82 | 7.70 | 498 | 13.4 | 29.2 | 19.3 | 1.08 | 2.43 | C16 |
| Small intestine | 10 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | 14 | 0.4 | 0.8 | 0.6 | 0.04 | 0.06 | C17 |
| Colon | 90 | 1.6 | 5.0 | 4.0 | 0.32 | 0.46 | 69 | 1.9 | 4.0 | 2.8 | 0.21 | 0.28 | C18 |
| Rectum | 173 | 3.1 | 9.6 | 7.3 | 0.45 | 0.80 | 153 | 4.1 | 9.0 | 6.2 | 0.45 | 0.74 | C19–20 |
| Anus | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 10 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | C21 |
| Liver | 452 | 8.2 | 25.1 | 19.0 | 1.38 | 2.19 | 191 | 5.1 | 11.2 | 7.7 | 0.52 | 0.84 | C22 |
| Gallbladder etc. | 31 | 0.6 | 1.7 | 1.3 | 0.07 | 0.14 | 27 | 0.7 | 1.6 | 1.1 | 0.06 | 0.15 | C23–24 |
| Pancreas | 61 | 1.1 | 3.4 | 2.5 | 0.14 | 0.31 | 41 | 1.1 | 2.4 | 1.7 | 0.09 | 0.20 | C25 |
| Nose, sinuses etc. | 13 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 12 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | C30–31 |
| Larynx | 28 | 0.5 | 1.6 | 1.1 | 0.09 | 0.13 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1004 | 18.2 | 55.8 | 40.9 | 2.55 | 5.06 | 368 | 9.9 | 21.6 | 14.8 | 1.08 | 1.72 | C33–34 |
| Other thoracic organs | 24 | 0.4 | 1.3 | 1.0 | 0.05 | 0.10 | 12 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | C37–38 |
| Bone | 50 | 0.9 | 2.8 | 2.5 | 0.15 | 0.20 | 34 | 0.9 | 2.0 | 1.5 | 0.10 | 0.17 | C40–41 |
| Melanoma of skin | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C43 |
| Other skin | 21 | 0.4 | 1.2 | 0.9 | 0.07 | 0.12 | 21 | 0.6 | 1.2 | 0.8 | 0.03 | 0.09 | C44 |
| Mesothelioma | 16 | 0.3 | 0.9 | 0.7 | 0.06 | 0.07 | 17 | 0.5 | 1.0 | 0.8 | 0.07 | 0.07 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 16 | 0.3 | 0.9 | 0.7 | 0.03 | 0.09 | 16 | 0.4 | 0.9 | 0.6 | 0.05 | 0.06 | C47+C49 |
| Breast | 6 | 0.1 | 0.3 | 0.3 | 0.03 | 0.04 | 604 | 16.2 | 35.4 | 28.6 | 2.50 | 2.87 | C50 |
| Vulva | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 12 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | C52 |
| Cervix uteri | | | | | | | 172 | 4.6 | 10.1 | 7.8 | 0.62 | 0.82 | C53 |
| Corpus uteri | | | | | | | 154 | 4.1 | 9.0 | 7.1 | 0.62 | 0.76 | C54 |
| Uterus unspecified | | | | | | | 16 | 0.4 | 0.9 | 0.6 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 103 | 2.8 | 6.0 | 4.9 | 0.40 | 0.50 | C56 |
| Other female genital organs | | | | | | | 9 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 45 | 0.8 | 2.5 | 1.8 | 0.04 | 0.21 | | | | | | | C61 |
| Testis | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 30 | 0.5 | 1.7 | 1.3 | 0.09 | 0.14 | 21 | 0.6 | 1.2 | 1.1 | 0.07 | 0.10 | C64 |
| Renal pelvis | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 9 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C65 |
| Ureter | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 56 | 1.0 | 3.1 | 2.3 | 0.13 | 0.26 | 12 | 0.3 | 0.7 | 0.4 | 0.02 | 0.03 | C67 |
| Other urinary organs | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 74 | 1.3 | 4.1 | 3.4 | 0.26 | 0.34 | 67 | 1.8 | 3.9 | 3.0 | 0.22 | 0.32 | C70–72 |
| Thyroid | 26 | 0.5 | 1.4 | 1.2 | 0.10 | 0.11 | 108 | 2.9 | 6.3 | 5.2 | 0.41 | 0.52 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 14 | 0.3 | 0.8 | 0.7 | 0.05 | 0.06 | 10 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 74 | 1.3 | 4.1 | 3.2 | 0.23 | 0.36 | 59 | 1.6 | 3.5 | 2.5 | 0.21 | 0.27 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 15 | 0.3 | 0.8 | 0.6 | 0.04 | 0.07 | 11 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | C90 |
| Lymphoid leukaemia | 20 | 0.4 | 1.1 | 1.1 | 0.06 | 0.09 | 14 | 0.4 | 0.8 | 0.8 | 0.05 | 0.07 | C91 |
| Myeloid leukaemia | 34 | 0.6 | 1.9 | 1.8 | 0.11 | 0.14 | 21 | 0.6 | 1.2 | 1.2 | 0.09 | 0.10 | C92–94 |
| Leukaemia unspecified | 33 | 0.6 | 1.8 | 1.7 | 0.10 | 0.14 | 25 | 0.7 | 1.5 | 1.4 | 0.10 | 0.13 | C95 |
| Myeloproliferative disorders | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 18 | 0.3 | 1.0 | 0.8 | 0.06 | 0.07 | 13 | 0.3 | 0.8 | 0.6 | 0.04 | 0.05 | MPS |
| Other and unspecified | 35 | 0.6 | 1.9 | 1.5 | 0.07 | 0.16 | 22 | 0.6 | 1.3 | 0.9 | 0.05 | 0.09 | O&U |
| All sites | 5542 | | 307.8 | 229.3 | 14.49 | 27.38 | 3747 | | 219.5 | 158.1 | 11.23 | 17.61 | C00–96 |
| All sites except C44 | 5521 | 100.0 | 306.6 | 228.4 | 14.42 | 27.25 | 3726 | 100.0 | 218.2 | 157.3 | 11.20 | 17.52 | C00–96 exc. C44 |

China, Qianxi County

CONTRIBUTORS

Li Yinguo
Sheng Zhenhai
Zhao Jinge
Chen Xiaodong
Zhao Shan
Wang Weiguang
Zhao Dan
Wang Jingping



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 39.1 | Trachea, bronchus, and lung | 26.0 |
| Trachea, bronchus, and lung | 37.9 | Breast | 19.8 |
| Liver | 34.8 | Stomach | 15.6 |
| Oesophagus | 24.1 | Liver | 15.3 |
| Rectum | 9.3 | Cervix uteri | 7.4 |
| Brain and nervous system | 6.0 | Corpus uteri | 6.9 |
| Bladder | 5.5 | Rectum | 5.8 |
| Lymphoid leukaemia | 5.2 | Brain and nervous system | 5.7 |
| Pancreas | 4.8 | Oesophagus | 5.0 |
| Colon | 4.3 | Lymphoid leukaemia | 4.9 |
| Non-Hodgkin lymphoma | 3.4 | Ovary | 3.2 |
| Prostate | 2.5 | Colon | 3.1 |
| Bone | 1.7 | Thyroid | 2.8 |
| Gallbladder etc. | 1.6 | Non-Hodgkin lymphoma | 2.0 |
| Kidney | 1.5 | Pancreas | 1.7 |
| Hypopharynx | 1.3 | Bone | 1.4 |
| Nasopharynx | 1.2 | Kidney | 1.3 |
| Thyroid | 0.9 | Gallbladder etc. | 1.1 |
| Other and unspecified | 0.8 | Other and unspecified | 0.9 |
| Mouth | 0.6 | Multiple myeloma | 0.9 |
| All sites | 190.2 | All sites | 134.5 |

*China, Qianxi County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 9 | 0.3 | 0.9 | 0.6 | 0.04 | 0.10 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.06 | C03–06 |
| Salivary glands | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 12 | 0.5 | 1.1 | 1.2 | 0.08 | 0.10 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.04 | C11 |
| Hypopharynx | 21 | 0.8 | 2.0 | 1.3 | 0.08 | 0.17 | 4 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 337 | 12.9 | 32.0 | 24.1 | 0.98 | 2.87 | 68 | 3.8 | 7.1 | 5.0 | 0.24 | 0.67 | C15 |
| Stomach | 537 | 20.5 | 51.0 | 39.1 | 1.92 | 4.78 | 212 | 11.9 | 22.1 | 15.6 | 0.53 | 1.76 | C16 |
| Small intestine | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C17 |
| Colon | 55 | 2.1 | 5.2 | 4.3 | 0.14 | 0.55 | 45 | 2.5 | 4.7 | 3.1 | 0.17 | 0.35 | C18 |
| Rectum | 127 | 4.8 | 12.1 | 9.3 | 0.43 | 1.08 | 75 | 4.2 | 7.8 | 5.8 | 0.29 | 0.76 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C21 |
| Liver | 503 | 19.2 | 47.8 | 34.8 | 2.22 | 4.06 | 210 | 11.8 | 21.9 | 15.3 | 0.69 | 1.67 | C22 |
| Gallbladder etc. | 23 | 0.9 | 2.2 | 1.6 | 0.05 | 0.13 | 14 | 0.8 | 1.5 | 1.1 | 0.02 | 0.15 | C23–24 |
| Pancreas | 66 | 2.5 | 6.3 | 4.8 | 0.25 | 0.63 | 24 | 1.3 | 2.5 | 1.7 | 0.07 | 0.15 | C25 |
| Nose, sinuses etc. | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C30–31 |
| Larynx | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 533 | 20.4 | 50.6 | 37.9 | 1.91 | 4.68 | 348 | 19.5 | 36.2 | 26.0 | 1.20 | 3.06 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 24 | 0.9 | 2.3 | 1.7 | 0.09 | 0.13 | 21 | 1.2 | 2.2 | 1.4 | 0.06 | 0.14 | C40–41 |
| Melanoma of skin | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 6 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 4 | 0.2 | 0.4 | 0.3 | 0.03 | 0.05 | C47+C49 |
| Breast | 5 | 0.2 | 0.5 | 0.3 | 0.03 | 0.05 | 264 | 14.8 | 27.5 | 19.8 | 1.67 | 2.28 | C50 |
| Vulva | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 96 | 5.4 | 10.0 | 7.4 | 0.56 | 0.74 | C53 |
| Corpus uteri | | | | | | | 98 | 5.5 | 10.2 | 6.9 | 0.62 | 0.80 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 41 | 2.3 | 4.3 | 3.2 | 0.22 | 0.41 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 35 | 1.3 | 3.3 | 2.5 | 0.03 | 0.24 | | | | | | | C61 |
| Testis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 19 | 0.7 | 1.8 | 1.5 | 0.11 | 0.16 | 17 | 1.0 | 1.8 | 1.3 | 0.04 | 0.14 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 73 | 2.8 | 6.9 | 5.5 | 0.23 | 0.46 | 10 | 0.6 | 1.0 | 0.6 | 0.02 | 0.05 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 74 | 2.8 | 7.0 | 6.0 | 0.38 | 0.62 | 73 | 4.1 | 7.6 | 5.7 | 0.34 | 0.58 | C70–72 |
| Thyroid | 14 | 0.5 | 1.3 | 0.9 | 0.04 | 0.11 | 36 | 2.0 | 3.7 | 2.8 | 0.26 | 0.26 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 46 | 1.8 | 4.4 | 3.4 | 0.24 | 0.35 | 26 | 1.5 | 2.7 | 2.0 | 0.08 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 5 | 0.2 | 0.5 | 0.5 | 0.03 | 0.05 | 9 | 0.5 | 0.9 | 0.9 | 0.05 | 0.08 | C90 |
| Lymphoid leukaemia | 59 | 2.3 | 5.6 | 5.2 | 0.34 | 0.48 | 50 | 2.8 | 5.2 | 4.9 | 0.27 | 0.36 | C91 |
| Myeloid leukaemia | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 3 | 0.2 | 0.3 | 0.5 | 0.03 | 0.03 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | MPS |
| Other and unspecified | 13 | 0.5 | 1.2 | 0.8 | 0.03 | 0.09 | 14 | 0.8 | 1.5 | 0.9 | 0.06 | 0.10 | O&U |
| All sites | 2625 | | 249.3 | 190.2 | 9.79 | 22.21 | 1785 | | 185.9 | 134.5 | 7.64 | 15.13 | C00–96 |
| All sites except C44 | 2619 | 100.0 | 248.8 | 189.8 | 9.77 | 22.16 | 1784 | 100.0 | 185.8 | 134.4 | 7.64 | 15.12 | C00–96 exc.C44 |

*See note following population pyramid

China, Qidong City

CONTRIBUTORS

Jian-Guo Chen
 Jian Zhu
 Yong-Sheng Chen
 Jun Wang
 Yong-Hui Zhang
 Lu-Lu Ding



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 49.6 | Breast | 26.1 |
| Liver | 47.5 | Trachea, bronchus, and lung | 22.8 |
| Stomach | 24.7 | Liver | 16.7 |
| Rectum | 13.0 | Cervix uteri | 13.8 |
| Pancreas | 8.4 | Stomach | 12.9 |
| Colon | 8.3 | Thyroid | 12.2 |
| Prostate | 8.1 | Rectum | 8.7 |
| Bladder | 7.3 | Colon | 6.5 |
| Oesophagus | 6.9 | Pancreas | 5.8 |
| Non-Hodgkin lymphoma | 5.4 | Brain and nervous system | 4.6 |
| Brain and nervous system | 5.2 | Ovary | 4.4 |
| Leukaemia unspecified | 2.8 | Corpus uteri | 4.4 |
| Thyroid | 2.8 | Non-Hodgkin lymphoma | 3.5 |
| Nasopharynx | 2.7 | Gallbladder etc. | 2.7 |
| Kidney | 2.5 | Leukaemia unspecified | 2.4 |
| Gallbladder etc. | 2.5 | Uterus unspecified | 1.9 |
| Non-melanoma skin cancer | 2.1 | Bladder | 1.8 |
| Larynx | 1.8 | Oesophagus | 1.7 |
| Multiple myeloma | 1.8 | Kidney | 1.7 |
| Lymphoid leukaemia | 1.6 | Lymphoid leukaemia | 1.6 |
| All sites | 215.7 | All sites | 168.9 |


China, Qidong City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | 11 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 34 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | 22 | 0.2 | 0.8 | 0.3 | 0.02 | 0.03 | C01–02 |
| Mouth | 23 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 19 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 31 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | 24 | 0.2 | 0.8 | 0.4 | 0.04 | 0.04 | C07–08 |
| Tonsil | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 144 | 1.1 | 5.2 | 2.7 | 0.22 | 0.29 | 75 | 0.7 | 2.6 | 1.5 | 0.12 | 0.14 | C11 |
| Hypopharynx | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 494 | 3.6 | 18.0 | 6.9 | 0.33 | 0.75 | 181 | 1.7 | 6.3 | 1.7 | 0.05 | 0.14 | C15 |
| Stomach | 1661 | 12.1 | 60.5 | 24.7 | 1.35 | 2.82 | 959 | 8.8 | 33.5 | 12.9 | 0.71 | 1.36 | C16 |
| Small intestine | 25 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | 20 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C17 |
| Colon | 543 | 4.0 | 19.8 | 8.3 | 0.43 | 1.01 | 522 | 4.8 | 18.3 | 6.5 | 0.34 | 0.75 | C18 |
| Rectum | 862 | 6.3 | 31.4 | 13.0 | 0.72 | 1.46 | 693 | 6.4 | 24.2 | 8.7 | 0.45 | 1.01 | C19–20 |
| Anus | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 2734 | 20.0 | 99.5 | 47.5 | 3.50 | 5.16 | 1202 | 11.1 | 42.0 | 16.7 | 1.09 | 1.82 | C22 |
| Gallbladder etc. | 170 | 1.2 | 6.2 | 2.5 | 0.11 | 0.26 | 224 | 2.1 | 7.8 | 2.7 | 0.13 | 0.29 | C23–24 |
| Pancreas | 593 | 4.3 | 21.6 | 8.4 | 0.37 | 0.92 | 498 | 4.6 | 17.4 | 5.8 | 0.24 | 0.64 | C25 |
| Nose, sinuses etc. | 19 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 15 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 114 | 0.8 | 4.1 | 1.8 | 0.10 | 0.22 | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 3485 | 25.5 | 126.9 | 49.6 | 2.16 | 5.78 | 1757 | 16.2 | 61.4 | 22.8 | 1.33 | 2.54 | C33–34 |
| Other thoracic organs | 30 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | 17 | 0.2 | 0.6 | 0.5 | 0.03 | 0.03 | C37–38 |
| Bone | 51 | 0.4 | 1.9 | 1.2 | 0.07 | 0.11 | 37 | 0.3 | 1.3 | 0.7 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 36 | 0.3 | 1.3 | 0.5 | 0.03 | 0.05 | 39 | 0.4 | 1.4 | 0.6 | 0.03 | 0.06 | C43 |
| Other skin | 150 | 1.1 | 5.5 | 2.1 | 0.08 | 0.20 | 162 | 1.5 | 5.7 | 1.6 | 0.05 | 0.15 | C44 |
| Mesothelioma | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 21 | 0.2 | 0.8 | 0.6 | 0.03 | 0.05 | 17 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C47+C49 |
| Breast | 15 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 1433 | 13.2 | 50.1 | 26.1 | 2.18 | 2.82 | C50 |
| Vulva | | | | | | | 17 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 686 | 6.3 | 24.0 | 13.8 | 1.20 | 1.37 | C53 |
| Corpus uteri | | | | | | | 252 | 2.3 | 8.8 | 4.4 | 0.38 | 0.49 | C54 |
| Uterus unspecified | | | | | | | 110 | 1.0 | 3.8 | 1.9 | 0.16 | 0.21 | C55 |
| Ovary | | | | | | | 245 | 2.3 | 8.6 | 4.4 | 0.35 | 0.48 | C56 |
| Other female genital organs | | | | | | | 15 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 21 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 639 | 4.7 | 23.3 | 8.1 | 0.17 | 0.82 | | | | | | | C61 |
| Testis | 17 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 154 | 1.1 | 5.6 | 2.5 | 0.15 | 0.29 | 102 | 0.9 | 3.6 | 1.7 | 0.10 | 0.18 | C64 |
| Renal pelvis | 18 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | 10 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 12 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 12 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 517 | 3.8 | 18.8 | 7.3 | 0.30 | 0.81 | 148 | 1.4 | 5.2 | 1.8 | 0.08 | 0.20 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 268 | 2.0 | 9.8 | 5.2 | 0.35 | 0.50 | 263 | 2.4 | 9.2 | 4.6 | 0.32 | 0.48 | C70–72 |
| Thyroid | 125 | 0.9 | 4.5 | 2.8 | 0.23 | 0.28 | 515 | 4.7 | 18.0 | 12.2 | 1.03 | 1.13 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 320 | 2.3 | 11.6 | 5.4 | 0.35 | 0.58 | 224 | 2.1 | 7.8 | 3.5 | 0.20 | 0.39 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 117 | 0.9 | 4.3 | 1.8 | 0.11 | 0.19 | 112 | 1.0 | 3.9 | 1.5 | 0.08 | 0.21 | C90 |
| Lymphoid leukaemia | 61 | 0.4 | 2.2 | 1.6 | 0.09 | 0.13 | 67 | 0.6 | 2.3 | 1.6 | 0.09 | 0.15 | C91 |
| Myeloid leukaemia | 74 | 0.5 | 2.7 | 1.6 | 0.10 | 0.15 | 67 | 0.6 | 2.3 | 1.3 | 0.09 | 0.12 | C92–94 |
| Leukaemia unspecified | 106 | 0.8 | 3.9 | 2.8 | 0.15 | 0.26 | 112 | 1.0 | 3.9 | 2.4 | 0.15 | 0.21 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 37 | 0.3 | 1.3 | 0.5 | 0.02 | 0.07 | 28 | 0.3 | 1.0 | 0.4 | 0.02 | 0.05 | MPS |
| Other and unspecified | 35 | 0.3 | 1.3 | 0.5 | 0.03 | 0.06 | 34 | 0.3 | 1.2 | 0.5 | 0.03 | 0.06 | O&U |
| All sites | 13826 | | 503.3 | 215.7 | 11.92 | 23.82 | 11005 | | 384.9 | 168.9 | 11.35 | 17.98 | C00–96 |
| All sites except C44 | 13676 | 100.0 | 497.8 | 213.7 | 11.84 | 23.62 | 10843 | 100.0 | 379.2 | 167.3 | 11.30 | 17.83 | C00–96 exc. C44 |

China, Qingzhou City

CONTRIBUTORS

Zhang Shuping
Zhong Ming



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 61.0 | Breast | 31.1 |
| Stomach | 36.2 | Trachea, bronchus, and lung | 29.6 |
| Liver | 19.8 | Thyroid | 10.6 |
| Oesophagus | 12.1 | Stomach | 10.6 |
| Rectum | 11.7 | Cervix uteri | 8.8 |
| Colon | 8.4 | Corpus uteri | 7.9 |
| Bladder | 7.9 | Rectum | 7.2 |
| Prostate | 6.0 | Ovary | 6.8 |
| Kidney | 4.5 | Colon | 6.4 |
| Gallbladder etc. | 4.2 | Liver | 6.1 |
| Pancreas | 4.2 | Brain and nervous system | 3.2 |
| Myeloid leukaemia | 4.1 | Gallbladder etc. | 3.0 |
| Brain and nervous system | 3.9 | Oesophagus | 2.9 |
| Thyroid | 3.3 | Pancreas | 2.8 |
| Non-Hodgkin lymphoma | 3.2 | Non-Hodgkin lymphoma | 2.6 |
| Other and unspecified | 2.2 | Lymphoid leukaemia | 2.1 |
| Larynx | 2.0 | Kidney | 2.1 |
| Non-melanoma skin cancer | 1.8 | Myeloid leukaemia | 2.1 |
| Connective and soft tissue | 1.5 | Non-melanoma skin cancer | 1.8 |
| Multiple myeloma | 1.5 | Bladder | 1.6 |
| All sites | 212.2 | All sites | 160.5 |


China, Qingzhou City (2014–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C01–02 |
| Mouth | 17 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | 13 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 13 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 34 | 0.5 | 1.8 | 1.2 | 0.09 | 0.13 | 14 | 0.3 | 0.7 | 0.5 | 0.04 | 0.04 | C11 |
| Hypopharynx | 40 | 0.6 | 2.1 | 1.2 | 0.07 | 0.15 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 416 | 6.0 | 21.9 | 12.1 | 0.56 | 1.50 | 121 | 2.3 | 6.5 | 2.9 | 0.06 | 0.36 | C15 |
| Stomach | 1237 | 17.7 | 65.0 | 36.2 | 1.84 | 4.57 | 387 | 7.4 | 20.6 | 10.6 | 0.55 | 1.22 | C16 |
| Small intestine | 36 | 0.5 | 1.9 | 1.1 | 0.07 | 0.12 | 22 | 0.4 | 1.2 | 0.6 | 0.03 | 0.07 | C17 |
| Colon | 275 | 3.9 | 14.4 | 8.4 | 0.49 | 0.97 | 228 | 4.3 | 12.2 | 6.4 | 0.34 | 0.75 | C18 |
| Rectum | 399 | 5.7 | 21.0 | 11.7 | 0.65 | 1.44 | 256 | 4.9 | 13.7 | 7.2 | 0.42 | 0.87 | C19–20 |
| Anus | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 643 | 9.2 | 33.8 | 19.8 | 1.33 | 2.44 | 229 | 4.4 | 12.2 | 6.1 | 0.32 | 0.71 | C22 |
| Gallbladder etc. | 144 | 2.1 | 7.6 | 4.2 | 0.19 | 0.55 | 116 | 2.2 | 6.2 | 3.0 | 0.10 | 0.38 | C23–24 |
| Pancreas | 142 | 2.0 | 7.5 | 4.2 | 0.18 | 0.49 | 113 | 2.1 | 6.0 | 2.8 | 0.10 | 0.32 | C25 |
| Nose, sinuses etc. | 13 | 0.2 | 0.7 | 0.4 | 0.01 | 0.05 | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 67 | 1.0 | 3.5 | 2.0 | 0.11 | 0.27 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 2089 | 29.9 | 109.7 | 61.0 | 2.95 | 7.75 | 1120 | 21.3 | 59.7 | 29.6 | 1.54 | 3.58 | C33–34 |
| Other thoracic organs | 16 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 15 | 0.3 | 0.8 | 0.5 | 0.03 | 0.06 | C37–38 |
| Bone | 20 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | 17 | 0.3 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 14 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | 15 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | C43 |
| Other skin | 61 | 0.9 | 3.2 | 1.8 | 0.07 | 0.19 | 70 | 1.3 | 3.7 | 1.8 | 0.10 | 0.18 | C44 |
| Mesothelioma | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 37 | 0.5 | 1.9 | 1.5 | 0.09 | 0.14 | 30 | 0.6 | 1.6 | 1.1 | 0.07 | 0.10 | C47+C49 |
| Breast | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 924 | 17.6 | 49.3 | 31.1 | 2.61 | 3.27 | C50 |
| Vulva | | | | | | | 10 | 0.2 | 0.5 | 0.2 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 262 | 5.0 | 14.0 | 8.8 | 0.74 | 0.94 | C53 |
| Corpus uteri | | | | | | | 250 | 4.7 | 13.3 | 7.9 | 0.65 | 0.97 | C54 |
| Uterus unspecified | | | | | | | 25 | 0.5 | 1.3 | 0.8 | 0.07 | 0.10 | C55 |
| Ovary | | | | | | | 218 | 4.1 | 11.6 | 6.8 | 0.51 | 0.78 | C56 |
| Other female genital organs | | | | | | | 9 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 18 | 0.3 | 0.9 | 0.6 | 0.02 | 0.08 | | | | | | | C60 |
| Prostate | 222 | 3.2 | 11.7 | 6.0 | 0.12 | 0.62 | | | | | | | C61 |
| Testis | 12 | 0.2 | 0.6 | 0.6 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 140 | 2.0 | 7.4 | 4.5 | 0.33 | 0.51 | 70 | 1.3 | 3.7 | 2.1 | 0.15 | 0.27 | C64 |
| Renal pelvis | 13 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | 15 | 0.3 | 0.8 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 17 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | 20 | 0.4 | 1.1 | 0.5 | 0.01 | 0.08 | C66 |
| Bladder | 272 | 3.9 | 14.3 | 7.9 | 0.31 | 0.93 | 64 | 1.2 | 3.4 | 1.6 | 0.07 | 0.19 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.0 | 0.2 | 0.3 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 99 | 1.4 | 5.2 | 3.9 | 0.23 | 0.37 | 78 | 1.5 | 4.2 | 3.2 | 0.20 | 0.28 | C70–72 |
| Thyroid | 97 | 1.4 | 5.1 | 3.3 | 0.29 | 0.32 | 298 | 5.7 | 15.9 | 10.6 | 0.93 | 1.06 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 9 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 96 | 1.4 | 5.0 | 3.2 | 0.19 | 0.35 | 78 | 1.5 | 4.2 | 2.6 | 0.16 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C88 |
| Multiple myeloma | 48 | 0.7 | 2.5 | 1.5 | 0.09 | 0.18 | 39 | 0.7 | 2.1 | 1.1 | 0.06 | 0.15 | C90 |
| Lymphoid leukaemia | 27 | 0.4 | 1.4 | 1.4 | 0.08 | 0.12 | 33 | 0.6 | 1.8 | 2.1 | 0.11 | 0.15 | C91 |
| Myeloid leukaemia | 109 | 1.6 | 5.7 | 4.1 | 0.25 | 0.39 | 62 | 1.2 | 3.3 | 2.1 | 0.12 | 0.23 | C92–94 |
| Leukaemia unspecified | 21 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | 14 | 0.3 | 0.7 | 0.5 | 0.02 | 0.05 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 72 | 1.0 | 3.8 | 2.2 | 0.11 | 0.24 | 47 | 0.9 | 2.5 | 1.3 | 0.07 | 0.15 | O&U |
| All sites | 7037 | | 369.7 | 212.2 | 11.17 | 25.61 | 5334 | | 284.4 | 160.5 | 10.44 | 18.06 | C00–96 |
| All sites except C44 | 6976 | 100.0 | 366.5 | 210.4 | 11.10 | 25.41 | 5264 | 100.0 | 280.7 | 158.7 | 10.34 | 17.87 | C00–96 exc. C44 |

China, Rudong County

CONTRIBUTORS

Ai-Hong Zhang
Gui-Qing Ji
Jia-Hui Ji



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 43.5 | Trachea, bronchus, and lung | 23.3 |
| Liver | 26.5 | Breast | 22.5 |
| Stomach | 23.9 | Cervix uteri | 11.9 |
| Oesophagus | 17.1 | Stomach | 10.6 |
| Rectum | 9.2 | Liver | 9.7 |
| Pancreas | 6.9 | Thyroid | 8.4 |
| Prostate | 6.1 | Oesophagus | 7.2 |
| Brain and nervous system | 5.5 | Rectum | 6.3 |
| Bladder | 5.3 | Pancreas | 5.6 |
| Colon | 5.1 | Ovary | 4.7 |
| Non-Hodgkin lymphoma | 4.4 | Colon | 4.0 |
| Leukaemia unspecified | 4.2 | Brain and nervous system | 3.8 |
| Nasopharynx | 2.6 | Corpus uteri | 3.6 |
| Thyroid | 2.3 | Non-Hodgkin lymphoma | 3.4 |
| Bone | 2.1 | Leukaemia unspecified | 3.3 |
| Gallbladder etc. | 2.1 | Uterus unspecified | 3.2 |
| Other and unspecified | 2.0 | Gallbladder etc. | 2.1 |
| Kidney | 1.8 | Bladder | 1.7 |
| Non-melanoma skin cancer | 1.8 | Bone | 1.7 |
| Myeloid leukaemia | 1.2 | Other and unspecified | 1.6 |
| All sites | 183.7 | All sites | 151.3 |

*China, Rudong County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 14 | 0.2 | 0.5 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 17 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 28 | 0.3 | 1.1 | 0.4 | 0.04 | 0.04 | C01–02 |
| Mouth | 36 | 0.3 | 1.4 | 0.6 | 0.03 | 0.06 | 26 | 0.3 | 1.0 | 0.3 | 0.01 | 0.04 | C03–06 |
| Salivary glands | 18 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | 25 | 0.3 | 0.9 | 0.7 | 0.05 | 0.06 | C07–08 |
| Tonsil | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 127 | 1.1 | 5.0 | 2.6 | 0.19 | 0.28 | 49 | 0.5 | 1.9 | 1.0 | 0.07 | 0.10 | C11 |
| Hypopharynx | 21 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1213 | 10.3 | 47.5 | 17.1 | 0.66 | 2.16 | 592 | 6.4 | 22.5 | 7.2 | 0.21 | 0.87 | C15 |
| Stomach | 1654 | 14.1 | 64.7 | 23.9 | 1.09 | 2.84 | 766 | 8.3 | 29.1 | 10.6 | 0.52 | 1.18 | C16 |
| Small intestine | 37 | 0.3 | 1.4 | 0.6 | 0.02 | 0.06 | 31 | 0.3 | 1.2 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 319 | 2.7 | 12.5 | 5.1 | 0.29 | 0.59 | 275 | 3.0 | 10.4 | 4.0 | 0.22 | 0.46 | C18 |
| Rectum | 595 | 5.1 | 23.3 | 9.2 | 0.51 | 1.11 | 442 | 4.8 | 16.8 | 6.3 | 0.34 | 0.71 | C19–20 |
| Anus | 9 | 0.1 | 0.4 | 0.1 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 1537 | 13.1 | 60.2 | 26.5 | 1.87 | 3.02 | 637 | 6.9 | 24.2 | 9.7 | 0.58 | 1.07 | C22 |
| Gallbladder etc. | 140 | 1.2 | 5.5 | 2.1 | 0.11 | 0.24 | 155 | 1.7 | 5.9 | 2.1 | 0.10 | 0.23 | C23–24 |
| Pancreas | 488 | 4.2 | 19.1 | 6.9 | 0.31 | 0.82 | 408 | 4.4 | 15.5 | 5.6 | 0.28 | 0.66 | C25 |
| Nose, sinuses etc. | 14 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C30–31 |
| Larynx | 63 | 0.5 | 2.5 | 0.9 | 0.04 | 0.11 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 3043 | 25.9 | 119.1 | 43.5 | 1.80 | 5.46 | 1687 | 18.3 | 64.1 | 23.3 | 1.08 | 2.74 | C33–34 |
| Other thoracic organs | 23 | 0.2 | 0.9 | 0.6 | 0.04 | 0.05 | 28 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 111 | 0.9 | 4.3 | 2.1 | 0.11 | 0.21 | 90 | 1.0 | 3.4 | 1.7 | 0.08 | 0.15 | C40–41 |
| Melanoma of skin | 27 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | 20 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 128 | 1.1 | 5.0 | 1.8 | 0.06 | 0.17 | 121 | 1.3 | 4.6 | 1.4 | 0.04 | 0.13 | C44 |
| Mesothelioma | 21 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | 25 | 0.3 | 0.9 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 11 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C47+C49 |
| Breast | 18 | 0.2 | 0.7 | 0.3 | 0.01 | 0.02 | 1170 | 12.7 | 44.4 | 22.5 | 1.79 | 2.44 | C50 |
| Vulva | | | | | | | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 9 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 646 | 7.0 | 24.5 | 11.9 | 0.87 | 1.30 | C53 |
| Corpus uteri | | | | | | | 196 | 2.1 | 7.4 | 3.6 | 0.28 | 0.41 | C54 |
| Uterus unspecified | | | | | | | 179 | 1.9 | 6.8 | 3.2 | 0.23 | 0.34 | C55 |
| Ovary | | | | | | | 240 | 2.6 | 9.1 | 4.7 | 0.37 | 0.52 | C56 |
| Other female genital organs | | | | | | | 42 | 0.5 | 1.6 | 1.3 | 0.10 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 45 | 0.4 | 1.8 | 0.7 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 501 | 4.3 | 19.6 | 6.1 | 0.12 | 0.58 | | | | | | | C61 |
| Testis | 13 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 115 | 1.0 | 4.5 | 1.8 | 0.12 | 0.23 | 82 | 0.9 | 3.1 | 1.4 | 0.09 | 0.16 | C64 |
| Renal pelvis | 12 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 9 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 369 | 3.1 | 14.4 | 5.3 | 0.22 | 0.59 | 125 | 1.4 | 4.7 | 1.7 | 0.06 | 0.18 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 263 | 2.2 | 10.3 | 5.5 | 0.33 | 0.56 | 192 | 2.1 | 7.3 | 3.8 | 0.24 | 0.40 | C70–72 |
| Thyroid | 94 | 0.8 | 3.7 | 2.3 | 0.18 | 0.23 | 343 | 3.7 | 13.0 | 8.4 | 0.69 | 0.80 | C73 |
| Adrenal gland | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 38 | 0.3 | 1.5 | 0.6 | 0.02 | 0.06 | 17 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 257 | 2.2 | 10.1 | 4.4 | 0.25 | 0.49 | 218 | 2.4 | 8.3 | 3.4 | 0.18 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 51 | 0.4 | 2.0 | 0.8 | 0.04 | 0.13 | 51 | 0.6 | 1.9 | 0.8 | 0.05 | 0.09 | C90 |
| Lymphoid leukaemia | 27 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | 23 | 0.2 | 0.9 | 0.6 | 0.03 | 0.05 | C91 |
| Myeloid leukaemia | 47 | 0.4 | 1.8 | 1.2 | 0.08 | 0.11 | 28 | 0.3 | 1.1 | 0.7 | 0.04 | 0.07 | C92–94 |
| Leukaemia unspecified | 160 | 1.4 | 6.3 | 4.2 | 0.21 | 0.35 | 130 | 1.4 | 4.9 | 3.3 | 0.19 | 0.29 | C95 |
| Myeloproliferative disorders | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 31 | 0.3 | 1.2 | 0.5 | 0.02 | 0.06 | 25 | 0.3 | 0.9 | 0.3 | 0.02 | 0.05 | MPS |
| Other and unspecified | 135 | 1.1 | 5.3 | 2.0 | 0.09 | 0.19 | 105 | 1.1 | 4.0 | 1.6 | 0.08 | 0.18 | O&U |
| All sites | 11880 | | 464.9 | 183.7 | 9.10 | 21.36 | 9325 | | 354.0 | 151.3 | 9.16 | 16.68 | C00–96 |
| All sites except C44 | 11752 | 100.0 | 459.9 | 181.9 | 9.04 | 21.19 | 9204 | 100.0 | 349.4 | 149.8 | 9.11 | 16.54 | C00–96 exc.C44 |

*See note following population pyramid

China, Rugao City

CONTRIBUTORS

Liuqiang Sha
Lei Wang
Jian Wu
Shulan Wang
Jia'ai Lv
Peipei Xu
Zhouzhou Xu



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 47.5 | Oesophagus | 24.3 |
| Trachea, bronchus, and lung | 39.2 | Breast | 24.3 |
| Liver | 36.5 | Trachea, bronchus, and lung | 18.4 |
| Stomach | 21.1 | Cervix uteri | 13.4 |
| Rectum | 8.5 | Liver | 11.6 |
| Pancreas | 6.4 | Stomach | 9.3 |
| Colon | 6.4 | Rectum | 5.8 |
| Prostate | 5.3 | Ovary | 5.4 |
| Bladder | 4.8 | Colon | 4.9 |
| Non-Hodgkin lymphoma | 3.9 | Pancreas | 4.7 |
| Brain and nervous system | 3.7 | Thyroid | 4.3 |
| Gallbladder etc. | 2.6 | Corpus uteri | 4.0 |
| Nasopharynx | 2.4 | Brain and nervous system | 3.0 |
| Kidney | 2.1 | Non-Hodgkin lymphoma | 2.6 |
| Myeloid leukaemia | 1.7 | Gallbladder etc. | 2.3 |
| Leukaemia unspecified | 1.6 | Myeloid leukaemia | 1.7 |
| Non-melanoma skin cancer | 1.5 | Kidney | 1.5 |
| Other and unspecified | 1.4 | Non-melanoma skin cancer | 1.4 |
| Lymphoid leukaemia | 1.2 | Other and unspecified | 1.3 |
| Thyroid | 1.2 | Bone | 1.2 |
| All sites | 211.3 | All sites | 156.8 |

*China, Rugao City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 31 | 0.2 | 0.9 | 0.4 | 0.03 | 0.06 | 20 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C01–02 |
| Mouth | 67 | 0.4 | 1.9 | 0.9 | 0.05 | 0.11 | 48 | 0.4 | 1.3 | 0.5 | 0.02 | 0.07 | C03–06 |
| Salivary glands | 27 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 25 | 0.2 | 0.7 | 0.4 | 0.02 | 0.03 | C07–08 |
| Tonsil | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 147 | 0.9 | 4.1 | 2.4 | 0.17 | 0.27 | 40 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C11 |
| Hypopharynx | 31 | 0.2 | 0.9 | 0.4 | 0.03 | 0.06 | 3 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 3787 | 24.1 | 106.1 | 47.5 | 2.12 | 6.17 | 2262 | 19.2 | 63.0 | 24.3 | 0.88 | 3.06 | C15 |
| Stomach | 1693 | 10.8 | 47.4 | 21.1 | 0.87 | 2.58 | 814 | 6.9 | 22.7 | 9.3 | 0.41 | 1.06 | C16 |
| Small intestine | 69 | 0.4 | 1.9 | 1.0 | 0.06 | 0.12 | 42 | 0.4 | 1.2 | 0.5 | 0.04 | 0.06 | C17 |
| Colon | 466 | 3.0 | 13.1 | 6.4 | 0.37 | 0.79 | 385 | 3.3 | 10.7 | 4.9 | 0.29 | 0.56 | C18 |
| Rectum | 640 | 4.1 | 17.9 | 8.5 | 0.48 | 1.01 | 474 | 4.0 | 13.2 | 5.8 | 0.33 | 0.67 | C19–20 |
| Anus | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 8 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 2438 | 15.5 | 68.3 | 36.5 | 2.78 | 3.96 | 873 | 7.4 | 24.3 | 11.6 | 0.81 | 1.34 | C22 |
| Gallbladder etc. | 210 | 1.3 | 5.9 | 2.6 | 0.13 | 0.29 | 217 | 1.8 | 6.0 | 2.3 | 0.10 | 0.27 | C23–24 |
| Pancreas | 510 | 3.3 | 14.3 | 6.4 | 0.30 | 0.77 | 429 | 3.6 | 12.0 | 4.7 | 0.20 | 0.52 | C25 |
| Nose, sinuses etc. | 21 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 79 | 0.5 | 2.2 | 1.1 | 0.07 | 0.14 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 3090 | 19.7 | 86.6 | 39.2 | 1.79 | 4.96 | 1533 | 13.0 | 42.7 | 18.4 | 1.02 | 2.17 | C33–34 |
| Other thoracic organs | 37 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | 26 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 63 | 0.4 | 1.8 | 1.2 | 0.07 | 0.11 | 65 | 0.6 | 1.8 | 1.2 | 0.06 | 0.12 | C40–41 |
| Melanoma of skin | 21 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 38 | 0.3 | 1.1 | 0.5 | 0.03 | 0.06 | C43 |
| Other skin | 120 | 0.8 | 3.4 | 1.5 | 0.06 | 0.16 | 144 | 1.2 | 4.0 | 1.4 | 0.07 | 0.13 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 29 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | 22 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C47+C49 |
| Breast | 16 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 1506 | 12.8 | 42.0 | 24.3 | 2.00 | 2.57 | C50 |
| Vulva | | | | | | | 22 | 0.2 | 0.6 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 932 | 7.9 | 26.0 | 13.4 | 0.99 | 1.43 | C53 |
| Corpus uteri | | | | | | | 259 | 2.2 | 7.2 | 4.0 | 0.35 | 0.45 | C54 |
| Uterus unspecified | | | | | | | 81 | 0.7 | 2.3 | 1.0 | 0.07 | 0.11 | C55 |
| Ovary | | | | | | | 334 | 2.8 | 9.3 | 5.4 | 0.40 | 0.56 | C56 |
| Other female genital organs | | | | | | | 30 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 58 | 0.4 | 1.6 | 0.7 | 0.03 | 0.09 | | | | | | | C60 |
| Prostate | 488 | 3.1 | 13.7 | 5.3 | 0.09 | 0.52 | | | | | | | C61 |
| Testis | 20 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | | | | | | | C62 |
| Other male genital organs | 9 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 144 | 0.9 | 4.0 | 2.1 | 0.14 | 0.22 | 90 | 0.8 | 2.5 | 1.5 | 0.11 | 0.15 | C64 |
| Renal pelvis | 18 | 0.1 | 0.5 | 0.2 | 0.01 | 0.04 | 8 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 21 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | 14 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C66 |
| Bladder | 378 | 2.4 | 10.6 | 4.8 | 0.22 | 0.55 | 111 | 0.9 | 3.1 | 1.1 | 0.04 | 0.12 | C67 |
| Other urinary organs | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 8 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 208 | 1.3 | 5.8 | 3.7 | 0.24 | 0.36 | 183 | 1.5 | 5.1 | 3.0 | 0.20 | 0.30 | C70–72 |
| Thyroid | 60 | 0.4 | 1.7 | 1.2 | 0.09 | 0.12 | 235 | 2.0 | 6.5 | 4.3 | 0.35 | 0.41 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 30 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 20 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 266 | 1.7 | 7.5 | 3.9 | 0.23 | 0.42 | 196 | 1.7 | 5.5 | 2.6 | 0.14 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 83 | 0.5 | 2.3 | 1.2 | 0.06 | 0.15 | 63 | 0.5 | 1.8 | 0.8 | 0.05 | 0.09 | C90 |
| Lymphoid leukaemia | 52 | 0.3 | 1.5 | 1.2 | 0.06 | 0.10 | 41 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | C91 |
| Myeloid leukaemia | 109 | 0.7 | 3.1 | 1.7 | 0.09 | 0.17 | 93 | 0.8 | 2.6 | 1.7 | 0.11 | 0.18 | C92–94 |
| Leukaemia unspecified | 81 | 0.5 | 2.3 | 1.6 | 0.09 | 0.15 | 64 | 0.5 | 1.8 | 1.0 | 0.06 | 0.10 | C95 |
| Myeloproliferative disorders | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 29 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | 24 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | MPS |
| Other and unspecified | 95 | 0.6 | 2.7 | 1.4 | 0.07 | 0.15 | 98 | 0.8 | 2.7 | 1.3 | 0.08 | 0.14 | O&U |
| All sites | 15812 | | 443.1 | 211.3 | 11.12 | 25.12 | 11955 | | 333.1 | 156.8 | 9.54 | 17.59 | C00–96 |
| All sites except C44 | 15692 | 100.0 | 439.8 | 209.8 | 11.07 | 24.97 | 11811 | 100.0 | 329.1 | 155.3 | 9.47 | 17.46 | C00–96 exc. C44 |

*See note following population pyramid

China, Rural areas of Shanghai City

CONTRIBUTORS

Kai Gu
 Chunxiao Wu
 Pingping Bao
 Chunfang Wang
 Yi Pang
 Liang Shi
 Yongmei Xiang
 Yangming Gong
 Yan Shi
 Chen Fu



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 52.5 | Thyroid | 58.3 |
| Stomach | 22.7 | Breast | 34.9 |
| Thyroid | 21.1 | Trachea, bronchus, and lung | 31.6 |
| Liver | 18.0 | Colon | 12.0 |
| Colon | 16.7 | Stomach | 11.1 |
| Prostate | 14.6 | Cervix uteri | 9.4 |
| Rectum | 12.8 | Rectum | 7.3 |
| Pancreas | 8.4 | Liver | 6.2 |
| Bladder | 7.4 | Pancreas | 5.7 |
| Oesophagus | 7.0 | Ovary | 5.0 |
| Kidney | 6.9 | Corpus uteri | 4.7 |
| Non-Hodgkin lymphoma | 5.5 | Brain and nervous system | 4.5 |
| Brain and nervous system | 4.7 | Gallbladder etc. | 4.2 |
| Nasopharynx | 3.6 | Non-Hodgkin lymphoma | 4.1 |
| Other and unspecified | 3.3 | Kidney | 3.2 |
| Gallbladder etc. | 3.2 | Non-melanoma skin cancer | 3.0 |
| Non-melanoma skin cancer | 3.0 | Other and unspecified | 2.7 |
| Myeloid leukaemia | 2.6 | Myeloid leukaemia | 1.8 |
| Larynx | 2.6 | Uterus unspecified | 1.7 |
| Lymphoid leukaemia | 2.0 | Bladder | 1.5 |
| All sites | 236.1 | All sites | 228.9 |

*China, Rural areas of Shanghai City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 42 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 45 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 327 | 0.3 | 1.6 | 0.8 | 0.05 | 0.09 | 210 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C01–02 |
| Mouth | 389 | 0.4 | 1.9 | 0.9 | 0.06 | 0.10 | 224 | 0.2 | 1.1 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 236 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | 213 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | C07–08 |
| Tonsil | 60 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 20 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 62 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 16 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 1380 | 1.3 | 6.6 | 3.6 | 0.28 | 0.39 | 470 | 0.5 | 2.3 | 1.3 | 0.10 | 0.13 | C11 |
| Hypopharynx | 236 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 51 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 12 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 3567 | 3.4 | 17.2 | 7.0 | 0.36 | 0.82 | 941 | 1.0 | 4.5 | 1.4 | 0.03 | 0.13 | C15 |
| Stomach | 11153 | 10.5 | 53.7 | 22.7 | 1.13 | 2.70 | 5778 | 6.2 | 27.7 | 11.1 | 0.61 | 1.23 | C16 |
| Small intestine | 526 | 0.5 | 2.5 | 1.1 | 0.06 | 0.13 | 415 | 0.4 | 2.0 | 0.8 | 0.05 | 0.10 | C17 |
| Colon | 8110 | 7.7 | 39.1 | 16.7 | 0.85 | 1.96 | 6455 | 6.9 | 31.0 | 12.0 | 0.62 | 1.39 | C18 |
| Rectum | 6068 | 5.7 | 29.2 | 12.8 | 0.75 | 1.54 | 3745 | 4.0 | 18.0 | 7.3 | 0.43 | 0.84 | C19–20 |
| Anus | 90 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 64 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 8138 | 7.7 | 39.2 | 18.0 | 1.16 | 1.96 | 3457 | 3.7 | 16.6 | 6.2 | 0.28 | 0.68 | C22 |
| Gallbladder etc. | 1658 | 1.6 | 8.0 | 3.2 | 0.14 | 0.36 | 2519 | 2.7 | 12.1 | 4.2 | 0.18 | 0.47 | C23–24 |
| Pancreas | 4257 | 4.0 | 20.5 | 8.4 | 0.40 | 0.97 | 3492 | 3.7 | 16.7 | 5.7 | 0.23 | 0.61 | C25 |
| Nose, sinuses etc. | 186 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | 91 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 1229 | 1.2 | 5.9 | 2.6 | 0.16 | 0.32 | 48 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 26172 | 24.7 | 126.1 | 52.5 | 2.55 | 6.32 | 15016 | 16.1 | 72.0 | 31.6 | 2.05 | 3.64 | C33–34 |
| Other thoracic organs | 432 | 0.4 | 2.1 | 1.1 | 0.08 | 0.12 | 283 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | C37–38 |
| Bone | 364 | 0.3 | 1.8 | 1.1 | 0.06 | 0.10 | 290 | 0.3 | 1.4 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 229 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 221 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 1518 | 1.4 | 7.3 | 3.0 | 0.14 | 0.33 | 1859 | 2.0 | 8.9 | 3.0 | 0.13 | 0.29 | C44 |
| Mesothelioma | 62 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 34 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 8 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 413 | 0.4 | 2.0 | 1.3 | 0.08 | 0.12 | 353 | 0.4 | 1.7 | 1.1 | 0.07 | 0.10 | C47+C49 |
| Breast | 119 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 13478 | 14.4 | 64.6 | 34.9 | 2.81 | 3.79 | C50 |
| Vulva | | | | | | | 158 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 86 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 3137 | 3.4 | 15.0 | 9.4 | 0.80 | 0.92 | C53 |
| Corpus uteri | | | | | | | 1877 | 2.0 | 9.0 | 4.7 | 0.38 | 0.52 | C54 |
| Uterus unspecified | | | | | | | 684 | 0.7 | 3.3 | 1.7 | 0.13 | 0.19 | C55 |
| Ovary | | | | | | | 1891 | 2.0 | 9.1 | 5.0 | 0.38 | 0.53 | C56 |
| Other female genital organs | | | | | | | 201 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 250 | 0.2 | 1.2 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 7967 | 7.5 | 38.4 | 14.6 | 0.34 | 1.74 | | | | | | | C61 |
| Testis | 189 | 0.2 | 0.9 | 0.8 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 157 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | | | | | | | C63 |
| Kidney | 2828 | 2.7 | 13.6 | 6.9 | 0.48 | 0.79 | 1375 | 1.5 | 6.6 | 3.2 | 0.22 | 0.36 | C64 |
| Renal pelvis | 183 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | 137 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 230 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | 191 | 0.2 | 0.9 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 3671 | 3.5 | 17.7 | 7.4 | 0.35 | 0.83 | 861 | 0.9 | 4.1 | 1.5 | 0.07 | 0.16 | C67 |
| Other urinary organs | 50 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 21 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 48 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 45 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 1589 | 1.5 | 7.7 | 4.7 | 0.29 | 0.44 | 1734 | 1.9 | 8.3 | 4.5 | 0.29 | 0.44 | C70–72 |
| Thyroid | 5968 | 5.6 | 28.7 | 21.1 | 1.70 | 1.88 | 17242 | 18.5 | 82.7 | 58.3 | 4.85 | 5.42 | C73 |
| Adrenal gland | 69 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 64 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 150 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | 157 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C75 |
| Hodgkin lymphoma | 127 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 56 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 2241 | 2.1 | 10.8 | 5.5 | 0.32 | 0.61 | 1728 | 1.9 | 8.3 | 4.1 | 0.25 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 89 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 62 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 695 | 0.7 | 3.3 | 1.4 | 0.07 | 0.18 | 528 | 0.6 | 2.5 | 1.1 | 0.06 | 0.13 | C90 |
| Lymphoid leukaemia | 400 | 0.4 | 1.9 | 2.0 | 0.10 | 0.14 | 278 | 0.3 | 1.3 | 1.3 | 0.07 | 0.09 | C91 |
| Myeloid leukaemia | 848 | 0.8 | 4.1 | 2.6 | 0.16 | 0.24 | 605 | 0.6 | 2.9 | 1.8 | 0.12 | 0.17 | C92–94 |
| Leukaemia unspecified | 342 | 0.3 | 1.6 | 0.8 | 0.04 | 0.08 | 306 | 0.3 | 1.5 | 0.7 | 0.04 | 0.06 | C95 |
| Myeloproliferative disorders | 169 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 131 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | MPD |
| Myelodysplastic syndromes | 505 | 0.5 | 2.4 | 1.1 | 0.05 | 0.11 | 378 | 0.4 | 1.8 | 0.8 | 0.04 | 0.08 | MPS |
| Other and unspecified | 1575 | 1.5 | 7.6 | 3.3 | 0.16 | 0.32 | 1549 | 1.7 | 7.4 | 2.7 | 0.13 | 0.25 | O&U |
| All sites | 107422 | | 517.4 | 236.1 | 12.84 | 26.52 | 95239 | | 456.8 | 228.9 | 15.87 | 23.96 | C00–96 |
| All sites except C44 | 105904 | 100.0 | 510.1 | 233.1 | 12.71 | 26.18 | 93380 | 100.0 | 447.9 | 225.8 | 15.74 | 23.66 | C00–96 exc. C44 |

*See note following population pyramid

China, Ruyang County

CONTRIBUTORS

Zhenqiang Geng
Bainiao Li
Xiaoya Guo
Xiaotao Li



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 51.3 | Breast | 23.9 |
| Stomach | 50.7 | Oesophagus | 23.7 |
| Oesophagus | 41.8 | Cervix uteri | 20.9 |
| Liver | 14.2 | Trachea, bronchus, and lung | 20.3 |
| Rectum | 7.0 | Stomach | 15.2 |
| Brain and nervous system | 6.0 | Thyroid | 11.4 |
| Bladder | 4.9 | Brain and nervous system | 7.1 |
| Colon | 4.2 | Liver | 6.8 |
| Prostate | 3.5 | Rectum | 5.4 |
| Myeloid leukaemia | 3.1 | Ovary | 5.2 |
| Other and unspecified | 3.0 | Colon | 4.5 |
| Thyroid | 2.9 | Corpus uteri | 4.4 |
| Leukaemia unspecified | 2.7 | Gallbladder etc. | 3.8 |
| Non-Hodgkin lymphoma | 2.3 | Leukaemia unspecified | 3.3 |
| Gallbladder etc. | 2.3 | Other and unspecified | 2.9 |
| Pancreas | 2.2 | Pancreas | 2.5 |
| Bone | 1.8 | Bone | 2.1 |
| Non-melanoma skin cancer | 1.7 | Myeloid leukaemia | 2.0 |
| Larynx | 1.6 | Non-Hodgkin lymphoma | 1.5 |
| Lymphoid leukaemia | 1.5 | Bladder | 1.5 |
| All sites | 221.1 | All sites | 183.4 |


China, Ruyang County (2014–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C01–02 |
| Mouth | 5 | 0.2 | 0.5 | 0.5 | 0.01 | 0.06 | 9 | 0.4 | 0.9 | 0.8 | 0.07 | 0.09 | C03–06 |
| Salivary glands | 13 | 0.5 | 1.2 | 1.1 | 0.07 | 0.17 | 8 | 0.4 | 0.8 | 0.7 | 0.06 | 0.06 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 7 | 0.3 | 0.7 | 0.6 | 0.05 | 0.05 | 7 | 0.3 | 0.7 | 0.6 | 0.04 | 0.06 | C11 |
| Hypopharynx | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 505 | 18.9 | 47.0 | 41.8 | 1.50 | 5.62 | 319 | 14.4 | 31.9 | 23.7 | 0.77 | 2.69 | C15 |
| Stomach | 633 | 23.7 | 59.0 | 50.7 | 2.38 | 5.92 | 203 | 9.2 | 20.3 | 15.2 | 0.53 | 1.72 | C16 |
| Small intestine | 8 | 0.3 | 0.7 | 0.7 | 0.05 | 0.09 | 9 | 0.4 | 0.9 | 0.7 | 0.04 | 0.09 | C17 |
| Colon | 51 | 1.9 | 4.8 | 4.2 | 0.22 | 0.53 | 54 | 2.4 | 5.4 | 4.5 | 0.20 | 0.62 | C18 |
| Rectum | 87 | 3.3 | 8.1 | 7.0 | 0.43 | 0.80 | 68 | 3.1 | 6.8 | 5.4 | 0.28 | 0.64 | C19–20 |
| Anus | 6 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 171 | 6.4 | 15.9 | 14.2 | 0.83 | 1.82 | 86 | 3.9 | 8.6 | 6.8 | 0.30 | 0.87 | C22 |
| Gallbladder etc. | 28 | 1.0 | 2.6 | 2.3 | 0.11 | 0.27 | 49 | 2.2 | 4.9 | 3.8 | 0.13 | 0.49 | C23–24 |
| Pancreas | 28 | 1.0 | 2.6 | 2.2 | 0.08 | 0.21 | 31 | 1.4 | 3.1 | 2.5 | 0.11 | 0.32 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 19 | 0.7 | 1.8 | 1.6 | 0.08 | 0.25 | 4 | 0.2 | 0.4 | 0.4 | 0.01 | 0.06 | C32 |
| Trachea, bronchus, and lung | 630 | 23.6 | 58.7 | 51.3 | 2.46 | 6.24 | 255 | 11.5 | 25.5 | 20.3 | 1.01 | 2.44 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 0.6 | 0.5 | 0.02 | 0.09 | 8 | 0.4 | 0.8 | 0.8 | 0.04 | 0.09 | C37–38 |
| Bone | 20 | 0.7 | 1.9 | 1.8 | 0.10 | 0.21 | 21 | 0.9 | 2.1 | 2.1 | 0.13 | 0.19 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C43 |
| Other skin | 20 | 0.7 | 1.9 | 1.7 | 0.07 | 0.22 | 22 | 1.0 | 2.2 | 1.5 | 0.05 | 0.14 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 8 | 0.3 | 0.7 | 0.7 | 0.04 | 0.08 | 14 | 0.6 | 1.4 | 1.3 | 0.10 | 0.13 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 285 | 12.9 | 28.5 | 23.9 | 1.95 | 2.43 | C50 |
| Vulva | | | | | | | 5 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 246 | 11.1 | 24.6 | 20.9 | 1.61 | 2.26 | C53 |
| Corpus uteri | | | | | | | 51 | 2.3 | 5.1 | 4.4 | 0.37 | 0.54 | C54 |
| Uterus unspecified | | | | | | | 10 | 0.5 | 1.0 | 0.9 | 0.07 | 0.09 | C55 |
| Ovary | | | | | | | 55 | 2.5 | 5.5 | 5.2 | 0.32 | 0.58 | C56 |
| Other female genital organs | | | | | | | 10 | 0.5 | 1.0 | 0.9 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 5 | 0.2 | 0.5 | 0.5 | 0.04 | 0.04 | C58 |
| Penis | 7 | 0.3 | 0.7 | 0.6 | 0.04 | 0.06 | | | | | | | C60 |
| Prostate | 45 | 1.7 | 4.2 | 3.5 | 0.07 | 0.42 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 15 | 0.6 | 1.4 | 1.2 | 0.08 | 0.14 | 17 | 0.8 | 1.7 | 1.4 | 0.12 | 0.17 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.4 | 0.3 | 0.03 | 0.05 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 60 | 2.2 | 5.6 | 4.9 | 0.24 | 0.64 | 19 | 0.9 | 1.9 | 1.5 | 0.09 | 0.15 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 71 | 2.7 | 6.6 | 6.0 | 0.38 | 0.65 | 80 | 3.6 | 8.0 | 7.1 | 0.56 | 0.78 | C70–72 |
| Thyroid | 34 | 1.3 | 3.2 | 2.9 | 0.23 | 0.30 | 130 | 5.9 | 13.0 | 11.4 | 0.96 | 1.21 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C74 |
| Other endocrine | 8 | 0.3 | 0.7 | 0.6 | 0.05 | 0.07 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 26 | 1.0 | 2.4 | 2.3 | 0.12 | 0.28 | 19 | 0.9 | 1.9 | 1.5 | 0.09 | 0.19 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 14 | 0.5 | 1.3 | 1.2 | 0.06 | 0.16 | 8 | 0.4 | 0.8 | 0.7 | 0.04 | 0.11 | C90 |
| Lymphoid leukaemia | 16 | 0.6 | 1.5 | 1.5 | 0.07 | 0.12 | 8 | 0.4 | 0.8 | 0.8 | 0.05 | 0.10 | C91 |
| Myeloid leukaemia | 35 | 1.3 | 3.3 | 3.1 | 0.21 | 0.22 | 21 | 0.9 | 2.1 | 2.0 | 0.13 | 0.19 | C92–94 |
| Leukaemia unspecified | 31 | 1.2 | 2.9 | 2.7 | 0.16 | 0.29 | 35 | 1.6 | 3.5 | 3.3 | 0.19 | 0.29 | C95 |
| Myeloproliferative disorders | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | MPD |
| Myelodysplastic syndromes | 9 | 0.3 | 0.8 | 0.8 | 0.03 | 0.13 | 3 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | MPS |
| Other and unspecified | 40 | 1.5 | 3.7 | 3.0 | 0.16 | 0.30 | 36 | 1.6 | 3.6 | 2.9 | 0.18 | 0.23 | O&U |
| All sites | 2695 | | 251.1 | 221.1 | 10.62 | 26.79 | 2239 | | 223.9 | 183.4 | 10.88 | 20.42 | C00–96 |
| All sites except C44 | 2675 | 100.0 | 249.2 | 219.3 | 10.55 | 26.57 | 2217 | 100.0 | 221.7 | 181.9 | 10.84 | 20.29 | C00–96 exc. C44 |

China, Shan County

CONTRIBUTORS

Zhao Hai Zhou



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 78.0 | Trachea, bronchus, and lung | 26.8 |
| Liver | 42.1 | Breast | 23.7 |
| Stomach | 25.5 | Stomach | 12.8 |
| Oesophagus | 19.9 | Liver | 12.8 |
| Rectum | 10.3 | Cervix uteri | 11.7 |
| Colon | 5.8 | Thyroid | 9.7 |
| Pancreas | 5.3 | Oesophagus | 9.1 |
| Bladder | 4.5 | Rectum | 5.4 |
| Brain and nervous system | 4.5 | Ovary | 4.7 |
| Prostate | 4.0 | Brain and nervous system | 4.0 |
| Non-Hodgkin lymphoma | 3.2 | Corpus uteri | 4.0 |
| Larynx | 3.0 | Colon | 2.9 |
| Thyroid | 2.8 | Pancreas | 2.9 |
| Tongue | 2.7 | Leukaemia unspecified | 2.2 |
| Kidney | 2.3 | Non-Hodgkin lymphoma | 1.8 |
| Leukaemia unspecified | 2.0 | Gallbladder etc. | 1.3 |
| Gallbladder etc. | 1.7 | Myeloid leukaemia | 1.1 |
| Bone | 1.7 | Kidney | 1.1 |
| Other and unspecified | 1.3 | Bone | 1.1 |
| Adrenal gland | 1.2 | Uterus unspecified | 1.0 |
| All sites | 233.5 | All sites | 150.9 |

*China, Shan County (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 65 | 1.1 | 3.4 | 2.7 | 0.17 | 0.35 | 21 | 0.5 | 1.1 | 0.7 | 0.04 | 0.08 | C01–02 |
| Mouth | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | 15 | 0.4 | 0.8 | 0.5 | 0.04 | 0.04 | C03–06 |
| Salivary glands | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 27 | 0.5 | 1.4 | 1.2 | 0.08 | 0.14 | 17 | 0.4 | 0.9 | 0.6 | 0.02 | 0.08 | C11 |
| Hypopharynx | 13 | 0.2 | 0.7 | 0.6 | 0.03 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 504 | 8.8 | 26.4 | 19.9 | 0.70 | 2.41 | 309 | 7.3 | 16.4 | 9.1 | 0.28 | 1.01 | C15 |
| Stomach | 641 | 11.2 | 33.6 | 25.5 | 0.98 | 3.00 | 422 | 10.0 | 22.5 | 12.8 | 0.47 | 1.38 | C16 |
| Small intestine | 20 | 0.3 | 1.0 | 0.8 | 0.04 | 0.09 | 12 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | C17 |
| Colon | 142 | 2.5 | 7.4 | 5.8 | 0.22 | 0.70 | 87 | 2.1 | 4.6 | 2.9 | 0.15 | 0.33 | C18 |
| Rectum | 252 | 4.4 | 13.2 | 10.3 | 0.50 | 1.17 | 159 | 3.8 | 8.5 | 5.4 | 0.28 | 0.63 | C19–20 |
| Anus | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 8 | 0.2 | 0.4 | 0.3 | 0.00 | 0.04 | C21 |
| Liver | 1023 | 17.9 | 53.6 | 42.1 | 2.34 | 4.92 | 399 | 9.5 | 21.2 | 12.8 | 0.55 | 1.39 | C22 |
| Gallbladder etc. | 41 | 0.7 | 2.1 | 1.7 | 0.05 | 0.21 | 41 | 1.0 | 2.2 | 1.3 | 0.05 | 0.15 | C23–24 |
| Pancreas | 131 | 2.3 | 6.9 | 5.3 | 0.24 | 0.66 | 95 | 2.3 | 5.1 | 2.9 | 0.10 | 0.32 | C25 |
| Nose, sinuses etc. | 9 | 0.2 | 0.5 | 0.4 | 0.01 | 0.06 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C30–31 |
| Larynx | 71 | 1.2 | 3.7 | 3.0 | 0.19 | 0.37 | 7 | 0.2 | 0.4 | 0.2 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1943 | 33.9 | 101.7 | 78.0 | 3.17 | 9.60 | 807 | 19.1 | 42.9 | 26.8 | 1.18 | 3.18 | C33–34 |
| Other thoracic organs | 10 | 0.2 | 0.5 | 0.4 | 0.04 | 0.05 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 39 | 0.7 | 2.0 | 1.7 | 0.09 | 0.17 | 30 | 0.7 | 1.6 | 1.1 | 0.07 | 0.11 | C40–41 |
| Melanoma of skin | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C43 |
| Other skin | 22 | 0.4 | 1.2 | 0.9 | 0.03 | 0.09 | 26 | 0.6 | 1.4 | 0.8 | 0.04 | 0.09 | C44 |
| Mesothelioma | 9 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | 25 | 0.6 | 1.3 | 1.0 | 0.08 | 0.12 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 7 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C47+C49 |
| Breast | 14 | 0.2 | 0.7 | 0.6 | 0.03 | 0.08 | 589 | 14.0 | 31.3 | 23.7 | 1.82 | 2.65 | C50 |
| Vulva | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 290 | 6.9 | 15.4 | 11.7 | 0.87 | 1.32 | C53 |
| Corpus uteri | | | | | | | 93 | 2.2 | 4.9 | 4.0 | 0.34 | 0.41 | C54 |
| Uterus unspecified | | | | | | | 28 | 0.7 | 1.5 | 1.0 | 0.06 | 0.12 | C55 |
| Ovary | | | | | | | 116 | 2.8 | 6.2 | 4.7 | 0.37 | 0.55 | C56 |
| Other female genital organs | | | | | | | 16 | 0.4 | 0.9 | 0.6 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 107 | 1.9 | 5.6 | 4.0 | 0.08 | 0.40 | | | | | | | C61 |
| Testis | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 54 | 0.9 | 2.8 | 2.3 | 0.15 | 0.25 | 27 | 0.6 | 1.4 | 1.1 | 0.10 | 0.12 | C64 |
| Renal pelvis | 8 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 114 | 2.0 | 6.0 | 4.5 | 0.16 | 0.55 | 23 | 0.5 | 1.2 | 0.7 | 0.04 | 0.07 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 100 | 1.7 | 5.2 | 4.5 | 0.24 | 0.51 | 98 | 2.3 | 5.2 | 4.0 | 0.29 | 0.43 | C70–72 |
| Thyroid | 65 | 1.1 | 3.4 | 2.8 | 0.19 | 0.29 | 235 | 5.6 | 12.5 | 9.7 | 0.82 | 0.96 | C73 |
| Adrenal gland | 32 | 0.6 | 1.7 | 1.2 | 0.07 | 0.14 | 20 | 0.5 | 1.1 | 0.7 | 0.05 | 0.06 | C74 |
| Other endocrine | 21 | 0.4 | 1.1 | 0.8 | 0.05 | 0.09 | 21 | 0.5 | 1.1 | 0.7 | 0.04 | 0.07 | C75 |
| Hodgkin lymphoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 75 | 1.3 | 3.9 | 3.2 | 0.17 | 0.40 | 44 | 1.0 | 2.3 | 1.8 | 0.11 | 0.17 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 24 | 0.4 | 1.3 | 1.0 | 0.06 | 0.09 | 15 | 0.4 | 0.8 | 0.6 | 0.03 | 0.09 | C90 |
| Lymphoid leukaemia | 13 | 0.2 | 0.7 | 0.8 | 0.05 | 0.05 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 27 | 0.5 | 1.4 | 1.2 | 0.08 | 0.11 | 24 | 0.6 | 1.3 | 1.1 | 0.09 | 0.11 | C92–94 |
| Leukaemia unspecified | 45 | 0.8 | 2.4 | 2.0 | 0.12 | 0.20 | 44 | 1.0 | 2.3 | 2.2 | 0.13 | 0.21 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 30 | 0.5 | 1.6 | 1.3 | 0.05 | 0.16 | 28 | 0.7 | 1.5 | 1.0 | 0.06 | 0.12 | O&U |
| All sites | 5748 | | 301.0 | 233.5 | 10.58 | 27.67 | 4242 | | 225.7 | 150.9 | 8.77 | 16.76 | C00–96 |
| All sites except C44 | 5726 | 100.0 | 299.8 | 232.6 | 10.55 | 27.59 | 4216 | 100.0 | 224.3 | 150.0 | 8.73 | 16.66 | C00–96 exc. C44 |

*†See note following population pyramid

China, Shanghai City

CONTRIBUTORS

Kai Gu
 Chunxiao Wu
 Pingping Bao
 Chunfang Wang
 Yi Pang
 Liang Shi
 Yongmei Xiang
 Yangming Gong
 Yan Shi
 Chen Fu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 44.7 | Breast | 46.5 |
| Stomach | 20.8 | Thyroid | 44.1 |
| Colon | 18.6 | Trachea, bronchus, and lung | 32.0 |
| Thyroid | 17.5 | Colon | 14.6 |
| Prostate | 16.8 | Stomach | 10.9 |
| Liver | 15.5 | Cervix uteri | 7.8 |
| Rectum | 13.1 | Rectum | 7.7 |
| Pancreas | 8.2 | Ovary | 6.3 |
| Kidney | 8.2 | Pancreas | 6.0 |
| Bladder | 7.7 | Corpus uteri | 5.8 |
| Non-Hodgkin lymphoma | 6.0 | Liver | 5.3 |
| Oesophagus | 4.9 | Brain and nervous system | 4.5 |
| Brain and nervous system | 4.7 | Non-Hodgkin lymphoma | 4.0 |
| Other and unspecified | 3.7 | Kidney | 3.8 |
| Nasopharynx | 3.6 | Gallbladder etc. | 3.4 |
| Gallbladder etc. | 3.0 | Other and unspecified | 3.3 |
| Non-melanoma skin cancer | 2.5 | Uterus unspecified | 2.5 |
| Larynx | 2.3 | Non-melanoma skin cancer | 2.1 |
| Myeloid leukaemia | 2.2 | Bladder | 2.1 |
| Lymphoid leukaemia | 2.1 | Myeloid leukaemia | 1.9 |
| All sites | 223.3 | All sites | 230.4 |


China, Shanghai City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 19 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 30 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 273 | 0.3 | 1.8 | 0.8 | 0.06 | 0.09 | 201 | 0.3 | 1.3 | 0.5 | 0.03 | 0.05 | C01–02 |
| Mouth | 340 | 0.4 | 2.3 | 0.9 | 0.06 | 0.11 | 234 | 0.3 | 1.5 | 0.5 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 182 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | 146 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 48 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 17 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 63 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 1012 | 1.2 | 6.7 | 3.6 | 0.29 | 0.39 | 326 | 0.4 | 2.1 | 1.2 | 0.09 | 0.12 | C11 |
| Hypopharynx | 128 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 42 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 9 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2023 | 2.5 | 13.5 | 4.9 | 0.31 | 0.56 | 642 | 0.8 | 4.2 | 1.1 | 0.03 | 0.10 | C15 |
| Stomach | 8468 | 10.4 | 56.3 | 20.8 | 1.08 | 2.41 | 4555 | 5.9 | 29.5 | 10.9 | 0.61 | 1.17 | C16 |
| Small intestine | 405 | 0.5 | 2.7 | 1.1 | 0.06 | 0.13 | 334 | 0.4 | 2.2 | 0.8 | 0.04 | 0.08 | C17 |
| Colon | 7601 | 9.3 | 50.6 | 18.6 | 0.88 | 2.19 | 6494 | 8.5 | 42.0 | 14.6 | 0.70 | 1.70 | C18 |
| Rectum | 5099 | 6.2 | 33.9 | 13.1 | 0.75 | 1.55 | 3250 | 4.2 | 21.0 | 7.7 | 0.43 | 0.89 | C19–20 |
| Anus | 65 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 62 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 5731 | 7.0 | 38.1 | 15.5 | 1.04 | 1.73 | 2536 | 3.3 | 16.4 | 5.3 | 0.24 | 0.55 | C22 |
| Gallbladder etc. | 1267 | 1.6 | 8.4 | 3.0 | 0.13 | 0.33 | 1697 | 2.2 | 11.0 | 3.4 | 0.13 | 0.36 | C23–24 |
| Pancreas | 3338 | 4.1 | 22.2 | 8.2 | 0.43 | 0.93 | 2965 | 3.9 | 19.2 | 6.0 | 0.25 | 0.67 | C25 |
| Nose, sinuses etc. | 131 | 0.2 | 0.9 | 0.3 | 0.02 | 0.04 | 62 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 908 | 1.1 | 6.0 | 2.3 | 0.15 | 0.29 | 52 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 18019 | 22.0 | 119.9 | 44.7 | 2.46 | 5.20 | 12204 | 15.9 | 78.9 | 32.0 | 2.00 | 3.69 | C33–34 |
| Other thoracic organs | 388 | 0.5 | 2.6 | 1.3 | 0.09 | 0.14 | 260 | 0.3 | 1.7 | 0.8 | 0.06 | 0.09 | C37–38 |
| Bone | 290 | 0.4 | 1.9 | 1.1 | 0.07 | 0.10 | 261 | 0.3 | 1.7 | 1.0 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 140 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | 168 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 979 | 1.2 | 6.5 | 2.5 | 0.13 | 0.27 | 917 | 1.2 | 5.9 | 2.1 | 0.11 | 0.22 | C44 |
| Mesothelioma | 47 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 346 | 0.4 | 2.3 | 1.2 | 0.07 | 0.11 | 296 | 0.4 | 1.9 | 1.2 | 0.08 | 0.10 | C47+C49 |
| Breast | 95 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | 14273 | 18.6 | 92.3 | 46.5 | 3.58 | 5.18 | C50 |
| Vulva | | | | | | | 157 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 69 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 1861 | 2.4 | 12.0 | 7.8 | 0.66 | 0.76 | C53 |
| Corpus uteri | | | | | | | 1816 | 2.4 | 11.7 | 5.8 | 0.46 | 0.66 | C54 |
| Uterus unspecified | | | | | | | 781 | 1.0 | 5.1 | 2.5 | 0.20 | 0.27 | C55 |
| Ovary | | | | | | | 1811 | 2.4 | 11.7 | 6.3 | 0.49 | 0.66 | C56 |
| Other female genital organs | | | | | | | 193 | 0.3 | 1.2 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 117 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 7556 | 9.2 | 50.3 | 16.8 | 0.36 | 2.01 | | | | | | | C61 |
| Testis | 150 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | | | | | | | C62 |
| Other male genital organs | 131 | 0.2 | 0.9 | 0.3 | 0.01 | 0.04 | | | | | | | C63 |
| Kidney | 2693 | 3.3 | 17.9 | 8.2 | 0.57 | 0.95 | 1300 | 1.7 | 8.4 | 3.8 | 0.25 | 0.42 | C64 |
| Renal pelvis | 174 | 0.2 | 1.2 | 0.4 | 0.02 | 0.05 | 124 | 0.2 | 0.8 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 233 | 0.3 | 1.6 | 0.6 | 0.02 | 0.06 | 201 | 0.3 | 1.3 | 0.4 | 0.01 | 0.05 | C66 |
| Bladder | 3233 | 4.0 | 21.5 | 7.7 | 0.36 | 0.83 | 984 | 1.3 | 6.4 | 2.1 | 0.09 | 0.23 | C67 |
| Other urinary organs | 46 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | 30 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 29 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 25 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 1269 | 1.6 | 8.4 | 4.7 | 0.28 | 0.45 | 1394 | 1.8 | 9.0 | 4.5 | 0.29 | 0.43 | C70–72 |
| Thyroid | 3567 | 4.4 | 23.7 | 17.5 | 1.42 | 1.58 | 9797 | 12.8 | 63.4 | 44.1 | 3.63 | 4.15 | C73 |
| Adrenal gland | 74 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 54 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 160 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | 136 | 0.2 | 0.9 | 0.6 | 0.04 | 0.05 | C75 |
| Hodgkin lymphoma | 94 | 0.1 | 0.6 | 0.6 | 0.04 | 0.04 | 57 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 1835 | 2.2 | 12.2 | 6.0 | 0.35 | 0.62 | 1370 | 1.8 | 8.9 | 4.0 | 0.24 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 41 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 34 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 593 | 0.7 | 3.9 | 1.4 | 0.07 | 0.17 | 395 | 0.5 | 2.6 | 0.9 | 0.05 | 0.11 | C90 |
| Lymphoid leukaemia | 357 | 0.4 | 2.4 | 2.1 | 0.11 | 0.15 | 256 | 0.3 | 1.7 | 1.7 | 0.09 | 0.12 | C91 |
| Myeloid leukaemia | 612 | 0.7 | 4.1 | 2.2 | 0.14 | 0.22 | 465 | 0.6 | 3.0 | 1.9 | 0.12 | 0.17 | C92–94 |
| Leukaemia unspecified | 281 | 0.3 | 1.9 | 0.9 | 0.04 | 0.08 | 211 | 0.3 | 1.4 | 0.6 | 0.03 | 0.05 | C95 |
| Myeloproliferative disorders | 123 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 94 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 415 | 0.5 | 2.8 | 1.0 | 0.05 | 0.10 | 286 | 0.4 | 1.9 | 0.7 | 0.03 | 0.07 | MPS |
| Other and unspecified | 1479 | 1.8 | 9.8 | 3.7 | 0.17 | 0.36 | 1603 | 2.1 | 10.4 | 3.3 | 0.16 | 0.30 | O&U |
| All sites | 82714 | | 550.3 | 223.3 | 12.44 | 24.81 | 77545 | | 501.6 | 230.4 | 15.56 | 24.48 | C00–96 |
| All sites except C44 | 81735 | 100.0 | 543.8 | 220.9 | 12.31 | 24.54 | 76628 | 100.0 | 495.7 | 228.3 | 15.45 | 24.26 | C00–96 exc. C44 |

China, Shangyu District, Shaoxing City

CONTRIBUTORS

Haiping Fang
Xiaojing Yang
Jianqiang Fan
Pingfei Ding
Lingbin Du
Huizhang Li
Yaoyao Chen
Baiquan Zheng
Liqun He
Fangfen Yu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 65.4 | Thyroid | 49.2 |
| Stomach | 41.7 | Breast | 33.4 |
| Liver | 28.1 | Trachea, bronchus, and lung | 32.6 |
| Oesophagus | 17.6 | Stomach | 17.0 |
| Rectum | 13.6 | Cervix uteri | 16.4 |
| Thyroid | 13.0 | Liver | 9.6 |
| Colon | 11.4 | Colon | 9.1 |
| Prostate | 9.1 | Rectum | 8.3 |
| Pancreas | 9.0 | Ovary | 5.4 |
| Bladder | 5.6 | Pancreas | 5.2 |
| Nasopharynx | 5.2 | Corpus uteri | 4.6 |
| Non-Hodgkin lymphoma | 4.5 | Brain and nervous system | 4.5 |
| Brain and nervous system | 4.4 | Gallbladder etc. | 4.4 |
| Kidney | 4.0 | Non-Hodgkin lymphoma | 3.3 |
| Gallbladder etc. | 3.9 | Nasopharynx | 2.5 |
| Myeloid leukaemia | 2.9 | Myeloid leukaemia | 2.1 |
| Larynx | 2.7 | Kidney | 2.0 |
| Non-melanoma skin cancer | 2.6 | Uterus unspecified | 1.8 |
| Lymphoid leukaemia | 2.5 | Oesophagus | 1.7 |
| Multiple myeloma | 2.0 | Bladder | 1.7 |
| All sites | 268.5 | All sites | 230.4 |


China, Shangyu District, Shaoxing City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 12 | 0.1 | 0.7 | 0.3 | 0.01 | 0.05 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 19 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 9 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C01–02 |
| Mouth | 32 | 0.3 | 1.8 | 0.9 | 0.06 | 0.10 | 15 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 15 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | 13 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C09 |
| Other oropharynx | 14 | 0.2 | 0.8 | 0.4 | 0.04 | 0.05 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 165 | 1.8 | 9.3 | 5.2 | 0.36 | 0.64 | 81 | 1.1 | 4.4 | 2.5 | 0.19 | 0.26 | C11 |
| Hypopharynx | 45 | 0.5 | 2.5 | 1.3 | 0.10 | 0.16 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 12 | 0.1 | 0.7 | 0.3 | 0.02 | 0.05 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 637 | 6.9 | 35.7 | 17.6 | 0.96 | 2.26 | 72 | 1.0 | 4.0 | 1.7 | 0.05 | 0.21 | C15 |
| Stomach | 1517 | 16.5 | 85.1 | 41.7 | 2.13 | 5.15 | 620 | 8.3 | 34.0 | 17.0 | 0.97 | 1.97 | C16 |
| Small intestine | 51 | 0.6 | 2.9 | 1.5 | 0.10 | 0.17 | 34 | 0.5 | 1.9 | 0.9 | 0.04 | 0.14 | C17 |
| Colon | 401 | 4.4 | 22.5 | 11.4 | 0.59 | 1.39 | 336 | 4.5 | 18.4 | 9.1 | 0.49 | 1.08 | C18 |
| Rectum | 484 | 5.3 | 27.1 | 13.6 | 0.74 | 1.63 | 303 | 4.1 | 16.6 | 8.3 | 0.50 | 0.94 | C19–20 |
| Anus | 33 | 0.4 | 1.9 | 0.9 | 0.07 | 0.12 | 18 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C21 |
| Liver | 972 | 10.6 | 54.5 | 28.1 | 1.90 | 3.27 | 352 | 4.7 | 19.3 | 9.6 | 0.48 | 1.18 | C22 |
| Gallbladder etc. | 143 | 1.6 | 8.0 | 3.9 | 0.18 | 0.49 | 178 | 2.4 | 9.8 | 4.4 | 0.19 | 0.48 | C23–24 |
| Pancreas | 332 | 3.6 | 18.6 | 9.0 | 0.45 | 1.06 | 209 | 2.8 | 11.5 | 5.2 | 0.22 | 0.62 | C25 |
| Nose, sinuses etc. | 23 | 0.2 | 1.3 | 0.7 | 0.06 | 0.08 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 97 | 1.1 | 5.4 | 2.7 | 0.17 | 0.33 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2389 | 26.0 | 134.0 | 65.4 | 3.06 | 8.18 | 1187 | 15.9 | 65.2 | 32.6 | 1.89 | 3.84 | C33–34 |
| Other thoracic organs | 31 | 0.3 | 1.7 | 1.0 | 0.06 | 0.12 | 22 | 0.3 | 1.2 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 36 | 0.4 | 2.0 | 1.1 | 0.05 | 0.14 | 26 | 0.3 | 1.4 | 0.7 | 0.04 | 0.07 | C40–41 |
| Melanoma of skin | 24 | 0.3 | 1.3 | 0.7 | 0.03 | 0.10 | 23 | 0.3 | 1.3 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 81 | 0.9 | 4.5 | 2.6 | 0.13 | 0.27 | 53 | 0.7 | 2.9 | 1.3 | 0.06 | 0.12 | C44 |
| Mesothelioma | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 38 | 0.4 | 2.1 | 1.8 | 0.10 | 0.15 | 21 | 0.3 | 1.2 | 1.0 | 0.07 | 0.07 | C47+C49 |
| Breast | 11 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 1061 | 14.2 | 58.2 | 33.4 | 2.75 | 3.59 | C50 |
| Vulva | | | | | | | 15 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 478 | 6.4 | 26.2 | 16.4 | 1.41 | 1.59 | C53 |
| Corpus uteri | | | | | | | 155 | 2.1 | 8.5 | 4.6 | 0.38 | 0.53 | C54 |
| Uterus unspecified | | | | | | | 57 | 0.8 | 3.1 | 1.8 | 0.14 | 0.16 | C55 |
| Ovary | | | | | | | 174 | 2.3 | 9.6 | 5.4 | 0.44 | 0.61 | C56 |
| Other female genital organs | | | | | | | 20 | 0.3 | 1.1 | 0.6 | 0.05 | 0.07 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 18 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 351 | 3.8 | 19.7 | 9.1 | 0.20 | 1.00 | | | | | | | C61 |
| Testis | 14 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 132 | 1.4 | 7.4 | 4.0 | 0.25 | 0.45 | 71 | 0.9 | 3.9 | 2.0 | 0.13 | 0.23 | C64 |
| Renal pelvis | 8 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 12 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 200 | 2.2 | 11.2 | 5.6 | 0.21 | 0.62 | 57 | 0.8 | 3.1 | 1.7 | 0.08 | 0.17 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.1 | 0.3 | 0.5 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 123 | 1.3 | 6.9 | 4.4 | 0.29 | 0.43 | 122 | 1.6 | 6.7 | 4.5 | 0.26 | 0.43 | C70–72 |
| Thyroid | 330 | 3.6 | 18.5 | 13.0 | 1.03 | 1.23 | 1331 | 17.8 | 73.1 | 49.2 | 4.20 | 4.67 | C73 |
| Adrenal gland | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 149 | 1.6 | 8.4 | 4.5 | 0.28 | 0.54 | 113 | 1.5 | 6.2 | 3.3 | 0.22 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 69 | 0.7 | 3.9 | 2.0 | 0.09 | 0.26 | 56 | 0.7 | 3.1 | 1.6 | 0.09 | 0.21 | C90 |
| Lymphoid leukaemia | 42 | 0.5 | 2.4 | 2.5 | 0.13 | 0.18 | 22 | 0.3 | 1.2 | 0.8 | 0.05 | 0.08 | C91 |
| Myeloid leukaemia | 81 | 0.9 | 4.5 | 2.9 | 0.18 | 0.30 | 59 | 0.8 | 3.2 | 2.1 | 0.15 | 0.20 | C92–94 |
| Leukaemia unspecified | 45 | 0.5 | 2.5 | 1.6 | 0.09 | 0.15 | 29 | 0.4 | 1.6 | 1.0 | 0.05 | 0.10 | C95 |
| Myeloproliferative disorders | 18 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | 14 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | MPD |
| Myelodysplastic syndromes | 15 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | 12 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | MPS |
| Other and unspecified | 24 | 0.3 | 1.3 | 0.9 | 0.06 | 0.08 | 36 | 0.5 | 2.0 | 1.3 | 0.06 | 0.10 | O&U |
| All sites | 9287 | | 520.8 | 268.5 | 14.52 | 31.78 | 7531 | | 413.4 | 230.4 | 16.01 | 24.79 | C00–96 |
| All sites except C44 | 9206 | 100.0 | 516.3 | 265.9 | 14.39 | 31.51 | 7478 | 100.0 | 410.5 | 229.0 | 15.95 | 24.68 | C00–96 exc. C44 |

China, Shapingba District, Chongqing City

CONTRIBUTORS

Qian Zhi
Yi Meng
Lijun Deng
Tao Li
Guohao Li
Yuhua Qin
Ni Jiang



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 78.8 | Breast | 29.4 |
| Liver | 25.5 | Trachea, bronchus, and lung | 29.1 |
| Oesophagus | 15.9 | Thyroid | 12.0 |
| Stomach | 14.8 | Cervix uteri | 11.9 |
| Rectum | 14.8 | Colon | 9.6 |
| Colon | 11.6 | Rectum | 8.6 |
| Prostate | 10.3 | Liver | 8.4 |
| Bladder | 6.5 | Ovary | 8.0 |
| Non-Hodgkin lymphoma | 5.2 | Stomach | 7.6 |
| Kidney | 5.1 | Corpus uteri | 5.4 |
| Thyroid | 4.7 | Non-Hodgkin lymphoma | 5.2 |
| Pancreas | 4.7 | Oesophagus | 3.5 |
| Larynx | 4.3 | Kidney | 3.5 |
| Nasopharynx | 3.9 | Pancreas | 3.4 |
| Brain and nervous system | 3.0 | Brain and nervous system | 3.3 |
| Multiple myeloma | 2.4 | Gallbladder etc. | 2.6 |
| Gallbladder etc. | 2.3 | Other and unspecified | 2.1 |
| Other and unspecified | 2.1 | Nasopharynx | 2.1 |
| Myeloid leukaemia | 2.1 | Non-melanoma skin cancer | 1.7 |
| Non-melanoma skin cancer | 2.0 | Multiple myeloma | 1.5 |
| All sites | 235.5 | All sites | 174.6 |

*China, Shapingba District, Chongqing City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 36 | 0.5 | 1.4 | 1.0 | 0.06 | 0.11 | 21 | 0.4 | 0.8 | 0.6 | 0.04 | 0.07 | C01–02 |
| Mouth | 42 | 0.5 | 1.6 | 1.2 | 0.07 | 0.13 | 25 | 0.4 | 1.0 | 0.7 | 0.03 | 0.10 | C03–06 |
| Salivary glands | 15 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 22 | 0.4 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 129 | 1.7 | 4.9 | 3.9 | 0.32 | 0.47 | 70 | 1.2 | 2.7 | 2.1 | 0.15 | 0.24 | C11 |
| Hypopharynx | 31 | 0.4 | 1.2 | 1.0 | 0.05 | 0.15 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 530 | 6.8 | 19.9 | 15.9 | 0.76 | 2.00 | 128 | 2.2 | 5.0 | 3.5 | 0.15 | 0.40 | C15 |
| Stomach | 507 | 6.5 | 19.1 | 14.8 | 0.85 | 1.87 | 267 | 4.5 | 10.4 | 7.6 | 0.48 | 0.87 | C16 |
| Small intestine | 26 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | 23 | 0.4 | 0.9 | 0.7 | 0.05 | 0.10 | C17 |
| Colon | 397 | 5.1 | 14.9 | 11.6 | 0.58 | 1.39 | 345 | 5.8 | 13.4 | 9.6 | 0.52 | 1.05 | C18 |
| Rectum | 498 | 6.4 | 18.7 | 14.8 | 0.84 | 1.86 | 305 | 5.2 | 11.8 | 8.6 | 0.48 | 1.01 | C19–20 |
| Anus | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C21 |
| Liver | 872 | 11.2 | 32.8 | 25.5 | 1.54 | 2.93 | 314 | 5.3 | 12.2 | 8.4 | 0.40 | 0.84 | C22 |
| Gallbladder etc. | 76 | 1.0 | 2.9 | 2.3 | 0.11 | 0.27 | 96 | 1.6 | 3.7 | 2.6 | 0.15 | 0.30 | C23–24 |
| Pancreas | 164 | 2.1 | 6.2 | 4.7 | 0.28 | 0.55 | 127 | 2.1 | 4.9 | 3.4 | 0.14 | 0.42 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 16 | 0.3 | 0.6 | 0.5 | 0.03 | 0.07 | C30–31 |
| Larynx | 140 | 1.8 | 5.3 | 4.3 | 0.23 | 0.59 | 10 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C32 |
| Trachea, bronchus, and lung | 2682 | 34.4 | 100.9 | 78.8 | 4.31 | 9.61 | 1034 | 17.5 | 40.1 | 29.1 | 1.56 | 3.49 | C33–34 |
| Other thoracic organs | 23 | 0.3 | 0.9 | 0.7 | 0.05 | 0.08 | 9 | 0.2 | 0.3 | 0.2 | 0.02 | 0.03 | C37–38 |
| Bone | 37 | 0.5 | 1.4 | 1.3 | 0.08 | 0.12 | 33 | 0.6 | 1.3 | 1.1 | 0.06 | 0.10 | C40–41 |
| Melanoma of skin | 28 | 0.4 | 1.1 | 0.9 | 0.04 | 0.09 | 16 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | C43 |
| Other skin | 64 | 0.8 | 2.4 | 2.0 | 0.11 | 0.24 | 64 | 1.1 | 2.5 | 1.7 | 0.06 | 0.16 | C44 |
| Mesothelioma | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 23 | 0.3 | 0.9 | 0.9 | 0.06 | 0.08 | 27 | 0.5 | 1.0 | 1.0 | 0.06 | 0.11 | C47+C49 |
| Breast | 16 | 0.2 | 0.6 | 0.7 | 0.04 | 0.05 | 1009 | 17.1 | 39.1 | 29.4 | 2.46 | 3.16 | C50 |
| Vulva | | | | | | | 21 | 0.4 | 0.8 | 0.7 | 0.02 | 0.10 | C51 |
| Vagina | | | | | | | 19 | 0.3 | 0.7 | 0.6 | 0.03 | 0.08 | C52 |
| Cervix uteri | | | | | | | 409 | 6.9 | 15.9 | 11.9 | 1.01 | 1.28 | C53 |
| Corpus uteri | | | | | | | 182 | 3.1 | 7.1 | 5.4 | 0.46 | 0.64 | C54 |
| Uterus unspecified | | | | | | | 26 | 0.4 | 1.0 | 0.8 | 0.06 | 0.09 | C55 |
| Ovary | | | | | | | 259 | 4.4 | 10.0 | 8.0 | 0.59 | 0.79 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 9 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 28 | 0.4 | 1.1 | 0.8 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 362 | 4.6 | 13.6 | 10.3 | 0.22 | 1.08 | | | | | | | C61 |
| Testis | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 160 | 2.1 | 6.0 | 5.1 | 0.35 | 0.60 | 111 | 1.9 | 4.3 | 3.5 | 0.24 | 0.41 | C64 |
| Renal pelvis | 9 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 17 | 0.3 | 0.7 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 10 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 16 | 0.3 | 0.6 | 0.4 | 0.01 | 0.06 | C66 |
| Bladder | 221 | 2.8 | 8.3 | 6.5 | 0.26 | 0.79 | 53 | 0.9 | 2.1 | 1.4 | 0.06 | 0.16 | C67 |
| Other urinary organs | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 82 | 1.1 | 3.1 | 3.0 | 0.19 | 0.27 | 89 | 1.5 | 3.5 | 3.3 | 0.23 | 0.29 | C70–72 |
| Thyroid | 154 | 2.0 | 5.8 | 4.7 | 0.37 | 0.45 | 378 | 6.4 | 14.7 | 12.0 | 0.96 | 1.14 | C73 |
| Adrenal gland | 11 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 9 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 13 | 0.2 | 0.5 | 0.5 | 0.03 | 0.05 | 6 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 165 | 2.1 | 6.2 | 5.2 | 0.33 | 0.57 | 168 | 2.8 | 6.5 | 5.2 | 0.30 | 0.57 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 76 | 1.0 | 2.9 | 2.4 | 0.10 | 0.36 | 49 | 0.8 | 1.9 | 1.5 | 0.07 | 0.21 | C90 |
| Lymphoid leukaemia | 26 | 0.3 | 1.0 | 1.5 | 0.07 | 0.09 | 16 | 0.3 | 0.6 | 0.7 | 0.04 | 0.07 | C91 |
| Myeloid leukaemia | 56 | 0.7 | 2.1 | 2.1 | 0.12 | 0.18 | 49 | 0.8 | 1.9 | 1.5 | 0.09 | 0.16 | C92–94 |
| Leukaemia unspecified | 18 | 0.2 | 0.7 | 0.5 | 0.01 | 0.05 | 14 | 0.2 | 0.5 | 0.6 | 0.04 | 0.06 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 67 | 0.9 | 2.5 | 2.1 | 0.11 | 0.22 | 71 | 1.2 | 2.8 | 2.1 | 0.13 | 0.20 | O&U |
| All sites | 7860 | | 295.7 | 235.5 | 12.87 | 27.91 | 5976 | | 231.8 | 174.6 | 11.46 | 19.22 | C00–96 |
| All sites except C44 | 7796 | 100.0 | 293.3 | 233.5 | 12.76 | 27.67 | 5912 | 100.0 | 229.4 | 172.9 | 11.40 | 19.06 | C00–96 exc. C44 |

*See note following population pyramid

China, Shexian County

CONTRIBUTORS

Li Yongwei
Li Fengjun
Wen Denggui
Jia Leiqiang
Haowei
Yang Yune
Zhang Yu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 120.3 | Stomach | 44.7 |
| Oesophagus | 55.0 | Oesophagus | 29.8 |
| Trachea, bronchus, and lung | 30.3 | Cervix uteri | 24.4 |
| Liver | 21.0 | Breast | 17.2 |
| Rectum | 12.2 | Trachea, bronchus, and lung | 16.9 |
| Brain and nervous system | 6.4 | Rectum | 10.2 |
| Colon | 5.3 | Liver | 9.1 |
| Non-Hodgkin lymphoma | 4.6 | Thyroid | 5.6 |
| Pancreas | 3.2 | Ovary | 4.6 |
| Kidney | 2.8 | Brain and nervous system | 3.8 |
| Bone | 2.4 | Corpus uteri | 3.3 |
| Lymphoid leukaemia | 2.2 | Colon | 3.3 |
| Myeloid leukaemia | 1.9 | Non-Hodgkin lymphoma | 1.9 |
| Larynx | 1.8 | Other and unspecified | 1.9 |
| Gallbladder etc. | 1.5 | Leukaemia unspecified | 1.8 |
| Thyroid | 1.5 | Bone | 1.8 |
| Prostate | 1.2 | Pancreas | 1.5 |
| Leukaemia unspecified | 1.1 | Myeloid leukaemia | 1.4 |
| Tongue | 1.0 | Tongue | 1.4 |
| Other thoracic organs | 0.8 | Kidney | 1.3 |
| All sites | 283.7 | All sites | 193.8 |


China, Shexian County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 14 | 0.4 | 1.3 | 1.0 | 0.07 | 0.14 | 20 | 0.8 | 2.0 | 1.4 | 0.10 | 0.20 | C01–02 |
| Mouth | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C03–06 |
| Salivary glands | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 9 | 0.2 | 0.8 | 0.7 | 0.05 | 0.07 | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.02 | C11 |
| Hypopharynx | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 743 | 19.5 | 67.3 | 55.0 | 3.12 | 7.12 | 413 | 15.6 | 40.5 | 29.8 | 1.50 | 3.60 | C15 |
| Stomach | 1633 | 42.8 | 147.9 | 120.3 | 7.25 | 15.44 | 619 | 23.3 | 60.7 | 44.7 | 2.14 | 5.16 | C16 |
| Small intestine | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 6 | 0.2 | 0.6 | 0.4 | 0.04 | 0.06 | C17 |
| Colon | 73 | 1.9 | 6.6 | 5.3 | 0.41 | 0.65 | 45 | 1.7 | 4.4 | 3.3 | 0.20 | 0.38 | C18 |
| Rectum | 165 | 4.3 | 14.9 | 12.2 | 0.69 | 1.53 | 140 | 5.3 | 13.7 | 10.2 | 0.61 | 1.19 | C19–20 |
| Anus | 5 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 282 | 7.4 | 25.5 | 21.0 | 1.37 | 2.48 | 124 | 4.7 | 12.2 | 9.1 | 0.48 | 0.97 | C22 |
| Gallbladder etc. | 21 | 0.6 | 1.9 | 1.5 | 0.10 | 0.20 | 16 | 0.6 | 1.6 | 1.1 | 0.05 | 0.13 | C23–24 |
| Pancreas | 43 | 1.1 | 3.9 | 3.2 | 0.15 | 0.40 | 21 | 0.8 | 2.1 | 1.5 | 0.08 | 0.16 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C30–31 |
| Larynx | 24 | 0.6 | 2.2 | 1.8 | 0.11 | 0.25 | 8 | 0.3 | 0.8 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 410 | 10.7 | 37.1 | 30.3 | 1.72 | 3.84 | 237 | 8.9 | 23.2 | 16.9 | 0.96 | 1.92 | C33–34 |
| Other thoracic organs | 10 | 0.3 | 0.9 | 0.8 | 0.04 | 0.08 | 7 | 0.3 | 0.7 | 0.6 | 0.03 | 0.06 | C37–38 |
| Bone | 31 | 0.8 | 2.8 | 2.4 | 0.17 | 0.27 | 22 | 0.8 | 2.2 | 1.8 | 0.13 | 0.17 | C40–41 |
| Melanoma of skin | 5 | 0.1 | 0.5 | 0.4 | 0.02 | 0.06 | 4 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C43 |
| Other skin | 5 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C47+C49 |
| Breast | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 236 | 8.9 | 23.1 | 17.2 | 1.43 | 1.81 | C50 |
| Vulva | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 340 | 12.8 | 33.4 | 24.4 | 1.99 | 2.73 | C53 |
| Corpus uteri | | | | | | | 47 | 1.8 | 4.6 | 3.3 | 0.30 | 0.34 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.5 | 1.3 | 1.0 | 0.07 | 0.11 | C55 |
| Ovary | | | | | | | 61 | 2.3 | 6.0 | 4.6 | 0.37 | 0.51 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 9 | 0.2 | 0.8 | 0.7 | 0.05 | 0.08 | | | | | | | C60 |
| Prostate | 15 | 0.4 | 1.4 | 1.2 | 0.04 | 0.12 | | | | | | | C61 |
| Testis | 7 | 0.2 | 0.6 | 0.5 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 38 | 1.0 | 3.4 | 2.8 | 0.21 | 0.37 | 18 | 0.7 | 1.8 | 1.3 | 0.09 | 0.15 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 83 | 2.2 | 7.5 | 6.4 | 0.46 | 0.68 | 48 | 1.8 | 4.7 | 3.8 | 0.26 | 0.37 | C70–72 |
| Thyroid | 20 | 0.5 | 1.8 | 1.5 | 0.12 | 0.15 | 72 | 2.7 | 7.1 | 5.6 | 0.45 | 0.56 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.5 | 0.4 | 0.01 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 60 | 1.6 | 5.4 | 4.6 | 0.29 | 0.47 | 24 | 0.9 | 2.4 | 1.9 | 0.12 | 0.23 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.03 | C90 |
| Lymphoid leukaemia | 27 | 0.7 | 2.4 | 2.2 | 0.16 | 0.22 | 14 | 0.5 | 1.4 | 1.2 | 0.08 | 0.13 | C91 |
| Myeloid leukaemia | 22 | 0.6 | 2.0 | 1.9 | 0.11 | 0.18 | 17 | 0.6 | 1.7 | 1.4 | 0.10 | 0.15 | C92–94 |
| Leukaemia unspecified | 11 | 0.3 | 1.0 | 1.1 | 0.07 | 0.07 | 22 | 0.8 | 2.2 | 1.8 | 0.14 | 0.15 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 9 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 25 | 0.9 | 2.5 | 1.9 | 0.11 | 0.19 | O&U |
| All sites | 3819 | | 345.8 | 283.7 | 17.11 | 35.48 | 2653 | | 260.2 | 193.8 | 12.09 | 21.79 | C00–96 |
| All sites except C44 | 3814 | 100.0 | 345.4 | 283.3 | 17.09 | 35.44 | 2653 | 100.0 | 260.2 | 193.8 | 12.09 | 21.79 | C00–96 exc. C44 |

China, Sheyang County

CONTRIBUTORS

Shuguang Dai
Chunyun Dai
Yingying Wang
Li Dai



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.8 | Trachea, bronchus, and lung | 28.3 |
| Stomach | 38.0 | Breast | 22.1 |
| Liver | 32.6 | Stomach | 18.0 |
| Oesophagus | 27.2 | Oesophagus | 16.6 |
| Rectum | 8.6 | Cervix uteri | 15.6 |
| Pancreas | 6.6 | Liver | 13.1 |
| Colon | 5.3 | Thyroid | 11.3 |
| Bladder | 4.4 | Rectum | 7.8 |
| Brain and nervous system | 4.4 | Pancreas | 5.1 |
| Non-Hodgkin lymphoma | 4.1 | Colon | 5.0 |
| Prostate | 3.9 | Brain and nervous system | 4.9 |
| Kidney | 2.7 | Ovary | 4.4 |
| Leukaemia unspecified | 2.2 | Non-Hodgkin lymphoma | 3.4 |
| Nasopharynx | 2.1 | Corpus uteri | 3.0 |
| Bone | 1.9 | Uterus unspecified | 2.0 |
| Lymphoid leukaemia | 1.5 | Kidney | 1.8 |
| Myeloid leukaemia | 1.4 | Bone | 1.8 |
| Thyroid | 1.4 | Leukaemia unspecified | 1.7 |
| Larynx | 1.0 | Myeloid leukaemia | 1.6 |
| Non-melanoma skin cancer | 1.0 | Bladder | 1.5 |
| All sites | 207.1 | All sites | 180.4 |


China, Sheyang County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 12 | 0.2 | 0.5 | 0.3 | 0.00 | 0.04 | C00 |
| Tongue | 14 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | 16 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C01–02 |
| Mouth | 40 | 0.4 | 1.6 | 1.0 | 0.04 | 0.13 | 34 | 0.5 | 1.4 | 0.7 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 15 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C07–08 |
| Tonsil | 9 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 85 | 1.0 | 3.4 | 2.1 | 0.17 | 0.25 | 45 | 0.6 | 1.9 | 1.1 | 0.06 | 0.13 | C11 |
| Hypopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 1228 | 13.8 | 49.7 | 27.2 | 1.18 | 3.57 | 792 | 10.5 | 33.7 | 16.6 | 0.52 | 2.02 | C15 |
| Stomach | 1702 | 19.1 | 68.8 | 38.0 | 1.93 | 4.72 | 818 | 10.9 | 34.8 | 18.0 | 0.81 | 2.18 | C16 |
| Small intestine | 18 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 22 | 0.3 | 0.9 | 0.5 | 0.02 | 0.08 | C17 |
| Colon | 226 | 2.5 | 9.1 | 5.3 | 0.33 | 0.62 | 211 | 2.8 | 9.0 | 5.0 | 0.29 | 0.61 | C18 |
| Rectum | 383 | 4.3 | 15.5 | 8.6 | 0.45 | 0.99 | 352 | 4.7 | 15.0 | 7.8 | 0.42 | 0.85 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 1357 | 15.3 | 54.9 | 32.6 | 2.42 | 3.77 | 564 | 7.5 | 24.0 | 13.1 | 0.81 | 1.53 | C22 |
| Gallbladder etc. | 26 | 0.3 | 1.1 | 0.6 | 0.03 | 0.08 | 43 | 0.6 | 1.8 | 0.9 | 0.05 | 0.11 | C23–24 |
| Pancreas | 294 | 3.3 | 11.9 | 6.6 | 0.33 | 0.88 | 232 | 3.1 | 9.9 | 5.1 | 0.20 | 0.61 | C25 |
| Nose, sinuses etc. | 12 | 0.1 | 0.5 | 0.4 | 0.01 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C30–31 |
| Larynx | 45 | 0.5 | 1.8 | 1.0 | 0.06 | 0.13 | 23 | 0.3 | 1.0 | 0.5 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 2182 | 24.5 | 88.2 | 48.8 | 2.35 | 6.19 | 1283 | 17.1 | 54.6 | 28.3 | 1.45 | 3.39 | C33–34 |
| Other thoracic organs | 21 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 17 | 0.2 | 0.7 | 0.4 | 0.04 | 0.05 | C37–38 |
| Bone | 76 | 0.9 | 3.1 | 1.9 | 0.11 | 0.21 | 61 | 0.8 | 2.6 | 1.8 | 0.10 | 0.20 | C40–41 |
| Melanoma of skin | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 12 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 44 | 0.5 | 1.8 | 1.0 | 0.06 | 0.11 | 44 | 0.6 | 1.9 | 0.9 | 0.04 | 0.09 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 13 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | 12 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | C47+C49 |
| Breast | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 851 | 11.3 | 36.2 | 22.1 | 1.88 | 2.35 | C50 |
| Vulva | | | | | | | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 612 | 8.1 | 26.1 | 15.6 | 1.26 | 1.68 | C53 |
| Corpus uteri | | | | | | | 118 | 1.6 | 5.0 | 3.0 | 0.26 | 0.35 | C54 |
| Uterus unspecified | | | | | | | 81 | 1.1 | 3.4 | 2.0 | 0.14 | 0.22 | C55 |
| Ovary | | | | | | | 171 | 2.3 | 7.3 | 4.4 | 0.33 | 0.50 | C56 |
| Other female genital organs | | | | | | | 16 | 0.2 | 0.7 | 0.4 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 186 | 2.1 | 7.5 | 3.9 | 0.08 | 0.48 | | | | | | | C61 |
| Testis | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 103 | 1.2 | 4.2 | 2.7 | 0.19 | 0.27 | 71 | 0.9 | 3.0 | 1.8 | 0.11 | 0.20 | C64 |
| Renal pelvis | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 8 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 200 | 2.2 | 8.1 | 4.4 | 0.20 | 0.47 | 66 | 0.9 | 2.8 | 1.5 | 0.08 | 0.18 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 160 | 1.8 | 6.5 | 4.4 | 0.29 | 0.46 | 186 | 2.5 | 7.9 | 4.9 | 0.31 | 0.50 | C70–72 |
| Thyroid | 51 | 0.6 | 2.1 | 1.4 | 0.10 | 0.13 | 403 | 5.4 | 17.2 | 11.3 | 0.94 | 1.14 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 12 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 157 | 1.8 | 6.3 | 4.1 | 0.27 | 0.46 | 135 | 1.8 | 5.7 | 3.4 | 0.19 | 0.38 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 34 | 0.4 | 1.4 | 0.7 | 0.04 | 0.09 | 34 | 0.5 | 1.4 | 0.8 | 0.04 | 0.11 | C90 |
| Lymphoid leukaemia | 36 | 0.4 | 1.5 | 1.5 | 0.07 | 0.12 | 28 | 0.4 | 1.2 | 1.0 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 46 | 0.5 | 1.9 | 1.4 | 0.09 | 0.14 | 49 | 0.7 | 2.1 | 1.6 | 0.11 | 0.14 | C92–94 |
| Leukaemia unspecified | 66 | 0.7 | 2.7 | 2.2 | 0.13 | 0.20 | 55 | 0.7 | 2.3 | 1.7 | 0.11 | 0.16 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 18 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 22 | 0.3 | 0.9 | 0.5 | 0.03 | 0.05 | O&U |
| All sites | 8941 | | 361.6 | 207.1 | 11.30 | 25.03 | 7560 | | 322.0 | 180.4 | 10.93 | 20.44 | C00–96 |
| All sites except C44 | 8897 | 100.0 | 359.8 | 206.1 | 11.24 | 24.93 | 7516 | 100.0 | 320.1 | 179.5 | 10.89 | 20.35 | C00–96 exc. C44 |

China, Shijiazhuang City

CONTRIBUTORS

Liang Zhenyu
Ma Xinyan
Gao Cong
Dong Huimin
Zhao Fengqin
Fan Zhilei
Zhao Dong
Lu Xiaoping



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 42.9 | Breast | 36.0 |
| Stomach | 25.4 | Trachea, bronchus, and lung | 21.9 |
| Liver | 19.2 | Thyroid | 20.4 |
| Oesophagus | 10.0 | Cervix uteri | 8.3 |
| Rectum | 9.1 | Corpus uteri | 8.2 |
| Colon | 8.7 | Stomach | 8.0 |
| Thyroid | 7.6 | Colon | 7.2 |
| Kidney | 6.7 | Liver | 6.4 |
| Other and unspecified | 6.2 | Other and unspecified | 6.3 |
| Bladder | 5.8 | Ovary | 5.9 |
| Non-Hodgkin lymphoma | 5.1 | Rectum | 5.6 |
| Prostate | 5.0 | Oesophagus | 4.2 |
| Brain and nervous system | 4.8 | Brain and nervous system | 4.1 |
| Pancreas | 3.8 | Non-Hodgkin lymphoma | 3.8 |
| Myeloid leukaemia | 3.1 | Kidney | 3.2 |
| Larynx | 2.6 | Pancreas | 3.1 |
| Lymphoid leukaemia | 2.4 | Myeloid leukaemia | 2.5 |
| Gallbladder etc. | 2.4 | Lymphoid leukaemia | 2.2 |
| Multiple myeloma | 2.1 | Gallbladder etc. | 1.8 |
| Leukaemia unspecified | 1.5 | Multiple myeloma | 1.5 |
| All sites | 188.7 | All sites | 174.4 |

*China, Shijiazhuang City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 26 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | 21 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C01–02 |
| Mouth | 46 | 0.5 | 1.4 | 0.9 | 0.06 | 0.11 | 25 | 0.3 | 0.7 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 19 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 25 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 12 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 23 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 34 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 540 | 5.5 | 16.2 | 10.0 | 0.51 | 1.36 | 268 | 3.0 | 7.8 | 4.2 | 0.15 | 0.48 | C15 |
| Stomach | 1378 | 14.0 | 41.3 | 25.4 | 1.26 | 3.24 | 466 | 5.2 | 13.5 | 8.0 | 0.45 | 0.95 | C16 |
| Small intestine | 39 | 0.4 | 1.2 | 0.7 | 0.04 | 0.08 | 29 | 0.3 | 0.8 | 0.6 | 0.05 | 0.06 | C17 |
| Colon | 468 | 4.8 | 14.0 | 8.7 | 0.48 | 1.05 | 420 | 4.7 | 12.2 | 7.2 | 0.37 | 0.86 | C18 |
| Rectum | 490 | 5.0 | 14.7 | 9.1 | 0.57 | 1.07 | 316 | 3.5 | 9.2 | 5.6 | 0.34 | 0.68 | C19–20 |
| Anus | 10 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 990 | 10.1 | 29.6 | 19.2 | 1.35 | 2.27 | 361 | 4.0 | 10.5 | 6.4 | 0.31 | 0.80 | C22 |
| Gallbladder etc. | 133 | 1.4 | 4.0 | 2.4 | 0.13 | 0.29 | 110 | 1.2 | 3.2 | 1.8 | 0.08 | 0.22 | C23–24 |
| Pancreas | 210 | 2.1 | 6.3 | 3.8 | 0.21 | 0.42 | 189 | 2.1 | 5.5 | 3.1 | 0.16 | 0.38 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 13 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 135 | 1.4 | 4.0 | 2.6 | 0.17 | 0.34 | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2373 | 24.2 | 71.0 | 42.9 | 2.23 | 5.36 | 1264 | 14.1 | 36.7 | 21.9 | 1.25 | 2.57 | C33–34 |
| Other thoracic organs | 48 | 0.5 | 1.4 | 1.0 | 0.06 | 0.12 | 24 | 0.3 | 0.7 | 0.5 | 0.03 | 0.04 | C37–38 |
| Bone | 51 | 0.5 | 1.5 | 1.1 | 0.06 | 0.10 | 44 | 0.5 | 1.3 | 1.0 | 0.06 | 0.10 | C40–41 |
| Melanoma of skin | 16 | 0.2 | 0.5 | 0.3 | 0.00 | 0.03 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 68 | 0.7 | 2.0 | 1.3 | 0.06 | 0.15 | 80 | 0.9 | 2.3 | 1.4 | 0.07 | 0.16 | C44 |
| Mesothelioma | 14 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 11 | 0.1 | 0.3 | 0.2 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 67 | 0.7 | 2.0 | 1.5 | 0.08 | 0.14 | 58 | 0.6 | 1.7 | 1.2 | 0.08 | 0.11 | C47+C49 |
| Breast | 29 | 0.3 | 0.9 | 0.5 | 0.02 | 0.06 | 1813 | 20.2 | 52.6 | 36.0 | 2.84 | 3.98 | C50 |
| Vulva | | | | | | | 20 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 405 | 4.5 | 11.8 | 8.3 | 0.71 | 0.88 | C53 |
| Corpus uteri | | | | | | | 405 | 4.5 | 11.8 | 8.2 | 0.68 | 0.96 | C54 |
| Uterus unspecified | | | | | | | 41 | 0.5 | 1.2 | 0.8 | 0.06 | 0.09 | C55 |
| Ovary | | | | | | | 285 | 3.2 | 8.3 | 5.9 | 0.43 | 0.70 | C56 |
| Other female genital organs | | | | | | | 18 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 302 | 3.1 | 9.0 | 5.0 | 0.11 | 0.62 | | | | | | | C61 |
| Testis | 16 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 331 | 3.4 | 9.9 | 6.7 | 0.48 | 0.76 | 154 | 1.7 | 4.5 | 3.2 | 0.22 | 0.37 | C64 |
| Renal pelvis | 22 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 13 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 32 | 0.3 | 1.0 | 0.6 | 0.03 | 0.07 | 21 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C66 |
| Bladder | 329 | 3.4 | 9.8 | 5.8 | 0.29 | 0.70 | 82 | 0.9 | 2.4 | 1.5 | 0.07 | 0.19 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 9 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 208 | 2.1 | 6.2 | 4.8 | 0.33 | 0.48 | 182 | 2.0 | 5.3 | 4.1 | 0.30 | 0.42 | C70–72 |
| Thyroid | 347 | 3.5 | 10.4 | 7.6 | 0.64 | 0.73 | 943 | 10.5 | 27.4 | 20.4 | 1.68 | 1.94 | C73 |
| Adrenal gland | 28 | 0.3 | 0.8 | 0.7 | 0.04 | 0.06 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 22 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | 14 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 247 | 2.5 | 7.4 | 5.1 | 0.28 | 0.56 | 194 | 2.2 | 5.6 | 3.8 | 0.24 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 107 | 1.1 | 3.2 | 2.1 | 0.14 | 0.27 | 75 | 0.8 | 2.2 | 1.5 | 0.10 | 0.19 | C90 |
| Lymphoid leukaemia | 72 | 0.7 | 2.2 | 2.4 | 0.13 | 0.17 | 65 | 0.7 | 1.9 | 2.2 | 0.13 | 0.16 | C91 |
| Myeloid leukaemia | 124 | 1.3 | 3.7 | 3.1 | 0.20 | 0.27 | 112 | 1.2 | 3.3 | 2.5 | 0.17 | 0.24 | C92–94 |
| Leukaemia unspecified | 76 | 0.8 | 2.3 | 1.5 | 0.08 | 0.16 | 52 | 0.6 | 1.5 | 1.3 | 0.07 | 0.10 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 318 | 3.2 | 9.5 | 6.2 | 0.32 | 0.72 | 329 | 3.7 | 9.6 | 6.3 | 0.41 | 0.69 | O&U |
| All sites | 9882 | | 295.8 | 188.7 | 10.74 | 22.43 | 9051 | | 262.7 | 174.4 | 11.82 | 19.35 | C00–96 |
| All sites except C44 | 9814 | 100.0 | 293.8 | 187.4 | 10.68 | 22.28 | 8971 | 100.0 | 260.4 | 173.1 | 11.75 | 19.19 | C00–96 exc. C44 |

*See note following population pyramid

China, Shunde District, Foshan City

CONTRIBUTORS

Junjie Yang
Qiangke Wan
Jieying Luo
Rong Chen
Kun Wu
Jue Zhan



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 68.0 | Breast | 37.9 |
| Trachea, bronchus, and lung | 66.9 | Trachea, bronchus, and lung | 28.3 |
| Oesophagus | 18.9 | Colon | 13.7 |
| Nasopharynx | 18.8 | Thyroid | 13.6 |
| Colon | 18.6 | Corpus uteri | 12.2 |
| Rectum | 13.2 | Liver | 10.4 |
| Stomach | 12.2 | Cervix uteri | 9.9 |
| Other and unspecified | 10.4 | Rectum | 7.9 |
| Prostate | 10.1 | Other and unspecified | 6.8 |
| Bladder | 6.5 | Nasopharynx | 6.7 |
| Gallbladder etc. | 5.7 | Ovary | 6.5 |
| Non-Hodgkin lymphoma | 5.6 | Stomach | 5.0 |
| Larynx | 5.0 | Non-Hodgkin lymphoma | 4.4 |
| Thyroid | 4.4 | Brain and nervous system | 3.0 |
| Pancreas | 4.2 | Myeloid leukaemia | 2.9 |
| Brain and nervous system | 3.6 | Pancreas | 2.7 |
| Myeloid leukaemia | 3.2 | Gallbladder etc. | 2.3 |
| Kidney | 2.7 | Non-melanoma skin cancer | 2.3 |
| Non-melanoma skin cancer | 2.7 | Lymphoid leukaemia | 1.9 |
| Lymphoid leukaemia | 2.7 | Uterus unspecified | 1.6 |
| All sites | 306.5 | All sites | 196.0 |


China, Shunde District, Foshan City (2014–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 93 | 0.9 | 3.6 | 2.6 | 0.22 | 0.28 | 44 | 0.6 | 1.6 | 1.0 | 0.07 | 0.10 | C01–02 |
| Mouth | 61 | 0.6 | 2.3 | 1.8 | 0.10 | 0.24 | 28 | 0.4 | 1.0 | 0.6 | 0.03 | 0.09 | C03–06 |
| Salivary glands | 19 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 14 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 21 | 0.2 | 0.8 | 0.6 | 0.04 | 0.08 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 654 | 6.2 | 25.0 | 18.8 | 1.54 | 2.07 | 258 | 3.2 | 9.7 | 6.7 | 0.53 | 0.71 | C11 |
| Hypopharynx | 75 | 0.7 | 2.9 | 2.2 | 0.15 | 0.27 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 32 | 0.3 | 1.2 | 0.9 | 0.06 | 0.11 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 659 | 6.3 | 25.2 | 18.9 | 1.26 | 2.42 | 56 | 0.7 | 2.1 | 1.1 | 0.04 | 0.11 | C15 |
| Stomach | 423 | 4.0 | 16.2 | 12.2 | 0.62 | 1.49 | 217 | 2.7 | 8.1 | 5.0 | 0.30 | 0.51 | C16 |
| Small intestine | 67 | 0.6 | 2.6 | 1.9 | 0.11 | 0.21 | 41 | 0.5 | 1.5 | 0.9 | 0.05 | 0.10 | C17 |
| Colon | 639 | 6.1 | 24.5 | 18.6 | 0.90 | 2.23 | 614 | 7.7 | 23.0 | 13.7 | 0.70 | 1.60 | C18 |
| Rectum | 461 | 4.4 | 17.7 | 13.2 | 0.76 | 1.57 | 352 | 4.4 | 13.2 | 7.9 | 0.43 | 0.90 | C19–20 |
| Anus | 14 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 12 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 2380 | 22.7 | 91.1 | 68.0 | 4.76 | 8.03 | 478 | 6.0 | 17.9 | 10.4 | 0.49 | 1.15 | C22 |
| Gallbladder etc. | 199 | 1.9 | 7.6 | 5.7 | 0.23 | 0.69 | 108 | 1.4 | 4.0 | 2.3 | 0.11 | 0.27 | C23–24 |
| Pancreas | 149 | 1.4 | 5.7 | 4.2 | 0.25 | 0.52 | 123 | 1.5 | 4.6 | 2.7 | 0.13 | 0.33 | C25 |
| Nose, sinuses etc. | 22 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 13 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 174 | 1.7 | 6.7 | 5.0 | 0.31 | 0.62 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 2322 | 22.1 | 88.9 | 66.9 | 3.15 | 8.13 | 1297 | 16.3 | 48.6 | 28.3 | 1.41 | 3.25 | C33–34 |
| Other thoracic organs | 41 | 0.4 | 1.6 | 1.2 | 0.09 | 0.16 | 29 | 0.4 | 1.1 | 0.8 | 0.05 | 0.07 | C37–38 |
| Bone | 45 | 0.4 | 1.7 | 1.5 | 0.09 | 0.15 | 34 | 0.4 | 1.3 | 1.0 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 19 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C43 |
| Other skin | 91 | 0.9 | 3.5 | 2.7 | 0.11 | 0.25 | 102 | 1.3 | 3.8 | 2.3 | 0.10 | 0.26 | C44 |
| Mesothelioma | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 50 | 0.5 | 1.9 | 1.6 | 0.10 | 0.15 | 29 | 0.4 | 1.1 | 0.8 | 0.06 | 0.07 | C47+C49 |
| Breast | 15 | 0.1 | 0.6 | 0.5 | 0.02 | 0.07 | 1481 | 18.6 | 55.5 | 37.9 | 3.09 | 4.08 | C50 |
| Vulva | | | | | | | 14 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 383 | 4.8 | 14.4 | 9.9 | 0.82 | 1.08 | C53 |
| Corpus uteri | | | | | | | 474 | 6.0 | 17.8 | 12.2 | 1.09 | 1.32 | C54 |
| Uterus unspecified | | | | | | | 63 | 0.8 | 2.4 | 1.6 | 0.14 | 0.17 | C55 |
| Ovary | | | | | | | 246 | 3.1 | 9.2 | 6.5 | 0.47 | 0.65 | C56 |
| Other female genital organs | | | | | | | 15 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 348 | 3.3 | 13.3 | 10.1 | 0.12 | 1.14 | | | | | | | C61 |
| Testis | 24 | 0.2 | 0.9 | 0.9 | 0.06 | 0.07 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 94 | 0.9 | 3.6 | 2.7 | 0.20 | 0.29 | 67 | 0.8 | 2.5 | 1.6 | 0.11 | 0.17 | C64 |
| Renal pelvis | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 17 | 0.2 | 0.7 | 0.5 | 0.02 | 0.05 | 14 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 231 | 2.2 | 8.8 | 6.5 | 0.23 | 0.71 | 67 | 0.8 | 2.5 | 1.4 | 0.04 | 0.15 | C67 |
| Other urinary organs | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 114 | 1.1 | 4.4 | 3.6 | 0.23 | 0.34 | 104 | 1.3 | 3.9 | 3.0 | 0.17 | 0.26 | C70–72 |
| Thyroid | 150 | 1.4 | 5.7 | 4.4 | 0.36 | 0.44 | 485 | 6.1 | 18.2 | 13.6 | 1.11 | 1.24 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 11 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 191 | 1.8 | 7.3 | 5.6 | 0.33 | 0.66 | 170 | 2.1 | 6.4 | 4.4 | 0.30 | 0.49 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 43 | 0.4 | 1.6 | 1.2 | 0.07 | 0.17 | 50 | 0.6 | 1.9 | 1.2 | 0.08 | 0.17 | C90 |
| Lymphoid leukaemia | 70 | 0.7 | 2.7 | 2.7 | 0.15 | 0.23 | 48 | 0.6 | 1.8 | 1.9 | 0.11 | 0.13 | C91 |
| Myeloid leukaemia | 97 | 0.9 | 3.7 | 3.2 | 0.16 | 0.32 | 95 | 1.2 | 3.6 | 2.9 | 0.18 | 0.27 | C92–94 |
| Leukaemia unspecified | 43 | 0.4 | 1.6 | 1.2 | 0.07 | 0.13 | 30 | 0.4 | 1.1 | 1.0 | 0.04 | 0.07 | C95 |
| Myeloproliferative disorders | 7 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 359 | 3.4 | 13.7 | 10.4 | 0.52 | 1.22 | 292 | 3.7 | 10.9 | 6.8 | 0.40 | 0.72 | O&U |
| All sites | 10585 | | 405.4 | 306.5 | 17.66 | 35.98 | 8049 | | 301.8 | 196.0 | 12.98 | 21.05 | C00–96 |
| All sites except C44 | 10494 | 100.0 | 401.9 | 303.8 | 17.55 | 35.73 | 7947 | 100.0 | 298.0 | 193.7 | 12.88 | 20.78 | C00–96 exc. C44 |

China, Song County

CONTRIBUTORS

Zhenwei Ma
Xinxin Yang
Xing Qiao
Mengyao Shi



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 67.4 | Oesophagus | 37.5 |
| Stomach | 60.2 | Stomach | 23.3 |
| Trachea, bronchus, and lung | 25.2 | Breast | 17.2 |
| Liver | 19.1 | Cervix uteri | 16.4 |
| Rectum | 6.2 | Trachea, bronchus, and lung | 13.1 |
| Colon | 4.6 | Liver | 9.6 |
| Brain and nervous system | 4.0 | Rectum | 6.2 |
| Bladder | 3.0 | Ovary | 4.6 |
| Leukaemia unspecified | 2.7 | Corpus uteri | 4.2 |
| Prostate | 2.4 | Colon | 4.0 |
| Pancreas | 2.3 | Thyroid | 4.0 |
| Kidney | 1.5 | Brain and nervous system | 3.4 |
| Bone | 1.4 | Gallbladder etc. | 2.3 |
| Gallbladder etc. | 1.4 | Leukaemia unspecified | 1.7 |
| Other and unspecified | 1.3 | Bone | 1.4 |
| Non-Hodgkin lymphoma | 1.0 | Pancreas | 1.3 |
| Nasopharynx | 1.0 | Uterus unspecified | 1.2 |
| Thyroid | 0.8 | Non-Hodgkin lymphoma | 1.2 |
| Larynx | 0.8 | Other and unspecified | 1.1 |
| Non-melanoma skin cancer | 0.6 | Kidney | 0.6 |
| All sites | 212.8 | All sites | 160.2 |

*China, Song County (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 8 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | 7 | 0.3 | 0.6 | 0.4 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 8 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 15 | 0.4 | 1.2 | 1.0 | 0.08 | 0.09 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.3 | 0.01 | 0.06 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 1100 | 32.0 | 87.6 | 67.4 | 3.76 | 8.54 | 606 | 24.4 | 52.5 | 37.5 | 1.90 | 4.72 | C15 |
| Stomach | 979 | 28.4 | 78.0 | 60.2 | 3.36 | 7.77 | 381 | 15.4 | 33.0 | 23.3 | 1.08 | 2.78 | C16 |
| Small intestine | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 5 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C17 |
| Colon | 74 | 2.1 | 5.9 | 4.6 | 0.29 | 0.55 | 63 | 2.5 | 5.5 | 4.0 | 0.25 | 0.49 | C18 |
| Rectum | 101 | 2.9 | 8.0 | 6.2 | 0.38 | 0.74 | 97 | 3.9 | 8.4 | 6.2 | 0.39 | 0.78 | C19–20 |
| Anus | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 315 | 9.2 | 25.1 | 19.1 | 1.26 | 2.17 | 161 | 6.5 | 13.9 | 9.6 | 0.48 | 1.06 | C22 |
| Gallbladder etc. | 22 | 0.6 | 1.8 | 1.4 | 0.04 | 0.22 | 35 | 1.4 | 3.0 | 2.3 | 0.10 | 0.30 | C23–24 |
| Pancreas | 36 | 1.0 | 2.9 | 2.3 | 0.13 | 0.30 | 22 | 0.9 | 1.9 | 1.3 | 0.07 | 0.16 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 13 | 0.4 | 1.0 | 0.8 | 0.06 | 0.08 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 415 | 12.1 | 33.1 | 25.2 | 1.48 | 3.02 | 209 | 8.4 | 18.1 | 13.1 | 0.73 | 1.51 | C33–34 |
| Other thoracic organs | 9 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | 7 | 0.3 | 0.6 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 20 | 0.6 | 1.6 | 1.4 | 0.09 | 0.11 | 20 | 0.8 | 1.7 | 1.4 | 0.05 | 0.16 | C40–41 |
| Melanoma of skin | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C43 |
| Other skin | 11 | 0.3 | 0.9 | 0.6 | 0.04 | 0.08 | 11 | 0.4 | 1.0 | 0.6 | 0.02 | 0.07 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 4 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 248 | 10.0 | 21.5 | 17.2 | 1.52 | 1.82 | C50 |
| Vulva | | | | | | | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C52 |
| Cervix uteri | | | | | | | 240 | 9.7 | 20.8 | 16.4 | 1.25 | 1.93 | C53 |
| Corpus uteri | | | | | | | 66 | 2.7 | 5.7 | 4.2 | 0.38 | 0.47 | C54 |
| Uterus unspecified | | | | | | | 18 | 0.7 | 1.6 | 1.2 | 0.10 | 0.12 | C55 |
| Ovary | | | | | | | 68 | 2.7 | 5.9 | 4.6 | 0.39 | 0.54 | C56 |
| Other female genital organs | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C60 |
| Prostate | 41 | 1.2 | 3.3 | 2.4 | 0.06 | 0.22 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 22 | 0.6 | 1.8 | 1.5 | 0.07 | 0.18 | 9 | 0.4 | 0.8 | 0.6 | 0.05 | 0.08 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 49 | 1.4 | 3.9 | 3.0 | 0.15 | 0.38 | 10 | 0.4 | 0.9 | 0.5 | 0.02 | 0.04 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 61 | 1.8 | 4.9 | 4.0 | 0.30 | 0.40 | 48 | 1.9 | 4.2 | 3.4 | 0.25 | 0.34 | C70–72 |
| Thyroid | 11 | 0.3 | 0.9 | 0.8 | 0.05 | 0.09 | 57 | 2.3 | 4.9 | 4.0 | 0.33 | 0.36 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.05 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 17 | 0.5 | 1.4 | 1.0 | 0.10 | 0.13 | 17 | 0.7 | 1.5 | 1.2 | 0.08 | 0.14 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 4 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C90 |
| Lymphoid leukaemia | 6 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C91 |
| Myeloid leukaemia | 6 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C92–94 |
| Leukaemia unspecified | 39 | 1.1 | 3.1 | 2.7 | 0.18 | 0.22 | 21 | 0.8 | 1.8 | 1.7 | 0.09 | 0.17 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 19 | 0.6 | 1.5 | 1.3 | 0.08 | 0.13 | 13 | 0.5 | 1.1 | 1.1 | 0.06 | 0.12 | O&U |
| All sites | 3453 | | 275.0 | 212.8 | 12.38 | 26.05 | 2492 | | 215.0 | 160.2 | 9.92 | 18.73 | C00–96 |
| All sites except C44 | 3442 | 100.0 | 274.1 | 212.2 | 12.34 | 25.98 | 2481 | 100.0 | 215.0 | 159.6 | 9.90 | 18.66 | C00–96 exc. C44 |

*See note following population pyramid

China, Suzhou City

CONTRIBUTORS

Yan Lu
Linchi Wang
Congju Wang
Jianfen Gu
Xiaojiang Ren
Xinfan Wu
Rongyan Zhang
Liangyue Zhou



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.7 | Breast | 33.1 |
| Stomach | 35.5 | Trachea, bronchus, and lung | 24.2 |
| Liver | 16.9 | Thyroid | 16.8 |
| Colon | 14.4 | Stomach | 14.6 |
| Oesophagus | 11.7 | Colon | 11.0 |
| Prostate | 11.2 | Cervix uteri | 8.9 |
| Rectum | 10.7 | Rectum | 6.9 |
| Pancreas | 8.2 | Liver | 6.8 |
| Bladder | 5.9 | Pancreas | 5.6 |
| Thyroid | 4.9 | Ovary | 4.9 |
| Non-Hodgkin lymphoma | 4.2 | Corpus uteri | 4.1 |
| Kidney | 4.1 | Gallbladder etc. | 4.0 |
| Other and unspecified | 3.9 | Oesophagus | 3.1 |
| Brain and nervous system | 3.5 | Other and unspecified | 3.1 |
| Nasopharynx | 3.2 | Non-Hodgkin lymphoma | 3.0 |
| Gallbladder etc. | 3.0 | Brain and nervous system | 2.8 |
| Lymphoid leukaemia | 2.7 | Kidney | 2.1 |
| Myeloid leukaemia | 2.3 | Lymphoid leukaemia | 1.9 |
| Leukaemia unspecified | 1.8 | Myeloid leukaemia | 1.8 |
| Multiple myeloma | 1.6 | Nasopharynx | 1.3 |
| All sites | 213.2 | All sites | 173.4 |


China, Suzhou City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 14 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 56 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | 58 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C01–02 |
| Mouth | 73 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 48 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 86 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 47 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 16 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 468 | 1.4 | 5.6 | 3.2 | 0.25 | 0.37 | 190 | 0.7 | 2.2 | 1.3 | 0.10 | 0.14 | C11 |
| Hypopharynx | 50 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 30 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 8 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2032 | 5.9 | 24.2 | 11.7 | 0.54 | 1.43 | 676 | 2.5 | 7.8 | 3.1 | 0.08 | 0.33 | C15 |
| Stomach | 6054 | 17.5 | 72.2 | 35.5 | 1.66 | 4.34 | 2666 | 9.8 | 30.9 | 14.6 | 0.72 | 1.68 | C16 |
| Small intestine | 186 | 0.5 | 2.2 | 1.2 | 0.07 | 0.12 | 131 | 0.5 | 1.5 | 0.7 | 0.04 | 0.09 | C17 |
| Colon | 2374 | 6.9 | 28.3 | 14.4 | 0.75 | 1.72 | 1973 | 7.2 | 22.8 | 11.0 | 0.58 | 1.25 | C18 |
| Rectum | 1731 | 5.0 | 20.6 | 10.7 | 0.60 | 1.30 | 1172 | 4.3 | 13.6 | 6.9 | 0.40 | 0.81 | C19–20 |
| Anus | 44 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 41 | 0.2 | 0.5 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 2718 | 7.8 | 32.4 | 16.9 | 0.97 | 1.84 | 1326 | 4.9 | 15.4 | 6.8 | 0.29 | 0.73 | C22 |
| Gallbladder etc. | 518 | 1.5 | 6.2 | 3.0 | 0.13 | 0.34 | 794 | 2.9 | 9.2 | 4.0 | 0.17 | 0.45 | C23–24 |
| Pancreas | 1421 | 4.1 | 16.9 | 8.2 | 0.38 | 0.97 | 1121 | 4.1 | 13.0 | 5.6 | 0.24 | 0.63 | C25 |
| Nose, sinuses etc. | 38 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | 21 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 258 | 0.7 | 3.1 | 1.6 | 0.09 | 0.20 | 22 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 8343 | 24.1 | 99.5 | 48.7 | 2.24 | 6.03 | 4170 | 15.3 | 48.3 | 24.2 | 1.46 | 2.82 | C33–34 |
| Other thoracic organs | 140 | 0.4 | 1.7 | 1.1 | 0.07 | 0.11 | 92 | 0.3 | 1.1 | 0.6 | 0.05 | 0.06 | C37–38 |
| Bone | 206 | 0.6 | 2.5 | 1.5 | 0.09 | 0.14 | 148 | 0.5 | 1.7 | 0.9 | 0.05 | 0.10 | C40–41 |
| Melanoma of skin | 73 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | 90 | 0.3 | 1.0 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 229 | 0.7 | 2.7 | 1.4 | 0.07 | 0.15 | 234 | 0.9 | 2.7 | 1.2 | 0.05 | 0.12 | C44 |
| Mesothelioma | 16 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 20 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 61 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | 52 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C47+C49 |
| Breast | 62 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 4696 | 17.2 | 54.4 | 33.1 | 2.73 | 3.55 | C50 |
| Vulva | | | | | | | 54 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 13 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 1193 | 4.4 | 13.8 | 8.9 | 0.76 | 0.89 | C53 |
| Corpus uteri | | | | | | | 610 | 2.2 | 7.1 | 4.1 | 0.32 | 0.47 | C54 |
| Uterus unspecified | | | | | | | 105 | 0.4 | 1.2 | 0.7 | 0.06 | 0.08 | C55 |
| Ovary | | | | | | | 692 | 2.5 | 8.0 | 4.9 | 0.37 | 0.54 | C56 |
| Other female genital organs | | | | | | | 73 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C58 |
| Penis | 58 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 2106 | 6.1 | 25.1 | 11.2 | 0.22 | 1.22 | | | | | | | C61 |
| Testis | 38 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 46 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 615 | 1.8 | 7.3 | 4.1 | 0.29 | 0.47 | 336 | 1.2 | 3.9 | 2.1 | 0.15 | 0.24 | C64 |
| Renal pelvis | 65 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 41 | 0.2 | 0.5 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 66 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | 57 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 1010 | 2.9 | 12.0 | 5.9 | 0.28 | 0.65 | 235 | 0.9 | 2.7 | 1.2 | 0.06 | 0.14 | C67 |
| Other urinary organs | 61 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 13 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 452 | 1.3 | 5.4 | 3.5 | 0.22 | 0.35 | 385 | 1.4 | 4.5 | 2.8 | 0.17 | 0.27 | C70–72 |
| Thyroid | 559 | 1.6 | 6.7 | 4.9 | 0.38 | 0.44 | 2016 | 7.4 | 23.3 | 16.8 | 1.38 | 1.54 | C73 |
| Adrenal gland | 39 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 37 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 20 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 43 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 32 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 619 | 1.8 | 7.4 | 4.2 | 0.26 | 0.46 | 440 | 1.6 | 5.1 | 3.0 | 0.18 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 26 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 269 | 0.8 | 3.2 | 1.6 | 0.08 | 0.19 | 155 | 0.6 | 1.8 | 0.9 | 0.06 | 0.12 | C90 |
| Lymphoid leukaemia | 226 | 0.7 | 2.7 | 2.7 | 0.14 | 0.19 | 168 | 0.6 | 1.9 | 1.9 | 0.10 | 0.14 | C91 |
| Myeloid leukaemia | 264 | 0.8 | 3.1 | 2.3 | 0.14 | 0.20 | 183 | 0.7 | 2.1 | 1.8 | 0.11 | 0.15 | C92–94 |
| Leukaemia unspecified | 232 | 0.7 | 2.8 | 1.8 | 0.10 | 0.17 | 167 | 0.6 | 1.9 | 1.2 | 0.08 | 0.12 | C95 |
| Myeloproliferative disorders | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 23 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 85 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 91 | 0.3 | 1.1 | 0.5 | 0.03 | 0.06 | MPS |
| Other and unspecified | 625 | 1.8 | 7.5 | 3.9 | 0.18 | 0.43 | 531 | 1.9 | 6.1 | 3.1 | 0.18 | 0.32 | O&U |
| All sites | 34876 | | 415.8 | 213.2 | 10.67 | 24.76 | 27529 | | 318.8 | 173.4 | 11.29 | 18.73 | C00–96 |
| All sites except C44 | 34647 | 100.0 | 413.1 | 211.8 | 10.60 | 24.61 | 27295 | 100.0 | 316.1 | 172.2 | 11.23 | 18.60 | C00–96 exc. C44 |

China, Tengzhou City

CONTRIBUTORS

Xuyuluan
Wupengli



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 74.3 | Trachea, bronchus, and lung | 31.8 |
| Oesophagus | 39.6 | Breast | 31.6 |
| Liver | 24.5 | Oesophagus | 17.4 |
| Stomach | 24.4 | Cervix uteri | 10.4 |
| Rectum | 10.0 | Stomach | 9.4 |
| Bladder | 6.7 | Thyroid | 7.4 |
| Colon | 6.0 | Liver | 7.0 |
| Prostate | 5.3 | Rectum | 6.3 |
| Brain and nervous system | 4.3 | Corpus uteri | 5.5 |
| Kidney | 3.7 | Ovary | 4.8 |
| Pancreas | 3.2 | Colon | 4.1 |
| Non-Hodgkin lymphoma | 3.2 | Brain and nervous system | 3.0 |
| Gallbladder etc. | 3.1 | Pancreas | 2.4 |
| Larynx | 2.6 | Myeloid leukaemia | 2.1 |
| Myeloid leukaemia | 2.5 | Gallbladder etc. | 2.0 |
| Lymphoid leukaemia | 2.1 | Non-Hodgkin lymphoma | 2.0 |
| Thyroid | 1.9 | Kidney | 1.7 |
| Bone | 1.9 | Bladder | 1.4 |
| Leukaemia unspecified | 1.7 | Lymphoid leukaemia | 1.2 |
| Non-melanoma skin cancer | 1.6 | Non-melanoma skin cancer | 1.1 |
| All sites | 233.8 | All sites | 161.6 |

*China, Tengzhou City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 28 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C01–02 |
| Mouth | 39 | 0.3 | 0.9 | 0.7 | 0.04 | 0.08 | 24 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 17 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 16 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 52 | 0.4 | 1.2 | 0.9 | 0.07 | 0.10 | 31 | 0.3 | 0.8 | 0.6 | 0.05 | 0.07 | C11 |
| Hypopharynx | 59 | 0.5 | 1.3 | 1.1 | 0.08 | 0.12 | 7 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 2217 | 17.2 | 49.6 | 39.6 | 1.95 | 5.02 | 1153 | 12.0 | 28.9 | 17.4 | 0.63 | 2.16 | C15 |
| Stomach | 1378 | 10.7 | 30.9 | 24.4 | 1.09 | 3.05 | 612 | 6.4 | 15.3 | 9.4 | 0.40 | 1.08 | C16 |
| Small intestine | 44 | 0.3 | 1.0 | 0.8 | 0.04 | 0.12 | 31 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | C17 |
| Colon | 335 | 2.6 | 7.5 | 6.0 | 0.34 | 0.73 | 250 | 2.6 | 6.3 | 4.1 | 0.23 | 0.48 | C18 |
| Rectum | 556 | 4.3 | 12.5 | 10.0 | 0.58 | 1.25 | 385 | 4.0 | 9.6 | 6.3 | 0.34 | 0.75 | C19–20 |
| Anus | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 1374 | 10.7 | 30.8 | 24.5 | 1.67 | 2.97 | 438 | 4.6 | 11.0 | 7.0 | 0.36 | 0.84 | C22 |
| Gallbladder etc. | 175 | 1.4 | 3.9 | 3.1 | 0.18 | 0.40 | 129 | 1.3 | 3.2 | 2.0 | 0.12 | 0.23 | C23–24 |
| Pancreas | 179 | 1.4 | 4.0 | 3.2 | 0.17 | 0.40 | 151 | 1.6 | 3.8 | 2.4 | 0.12 | 0.33 | C25 |
| Nose, sinuses etc. | 9 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 139 | 1.1 | 3.1 | 2.6 | 0.16 | 0.36 | 19 | 0.2 | 0.5 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 4193 | 32.5 | 93.9 | 74.3 | 3.30 | 9.43 | 2068 | 21.5 | 51.8 | 31.8 | 1.40 | 3.78 | C33–34 |
| Other thoracic organs | 32 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | 20 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 98 | 0.8 | 2.2 | 1.9 | 0.12 | 0.21 | 59 | 0.6 | 1.5 | 0.9 | 0.05 | 0.10 | C40–41 |
| Melanoma of skin | 20 | 0.2 | 0.4 | 0.5 | 0.03 | 0.03 | 20 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C43 |
| Other skin | 92 | 0.7 | 2.1 | 1.6 | 0.07 | 0.16 | 82 | 0.9 | 2.1 | 1.1 | 0.05 | 0.08 | C44 |
| Mesothelioma | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C47+C49 |
| Breast | 12 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1780 | 18.5 | 44.6 | 31.6 | 2.70 | 3.42 | C50 |
| Vulva | | | | | | | 18 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 590 | 6.1 | 14.8 | 10.4 | 0.85 | 1.09 | C53 |
| Corpus uteri | | | | | | | 309 | 3.2 | 7.7 | 5.5 | 0.50 | 0.61 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 261 | 2.7 | 6.5 | 4.8 | 0.38 | 0.56 | C56 |
| Other female genital organs | | | | | | | 16 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 32 | 0.2 | 0.7 | 0.6 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 304 | 2.4 | 6.8 | 5.3 | 0.13 | 0.58 | | | | | | | C61 |
| Testis | 14 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 197 | 1.5 | 4.4 | 3.7 | 0.23 | 0.44 | 97 | 1.0 | 2.4 | 1.7 | 0.12 | 0.21 | C64 |
| Renal pelvis | 23 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 25 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 13 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C66 |
| Bladder | 378 | 2.9 | 8.5 | 6.7 | 0.28 | 0.74 | 86 | 0.9 | 2.2 | 1.4 | 0.06 | 0.17 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 214 | 1.7 | 4.8 | 4.3 | 0.29 | 0.43 | 166 | 1.7 | 4.2 | 3.0 | 0.22 | 0.31 | C70–72 |
| Thyroid | 100 | 0.8 | 2.2 | 1.9 | 0.14 | 0.20 | 393 | 4.1 | 9.8 | 7.4 | 0.63 | 0.71 | C73 |
| Adrenal gland | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 11 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 168 | 1.3 | 3.8 | 3.2 | 0.20 | 0.37 | 108 | 1.1 | 2.7 | 2.0 | 0.11 | 0.21 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 82 | 0.6 | 1.8 | 1.5 | 0.10 | 0.16 | 46 | 0.5 | 1.2 | 0.8 | 0.06 | 0.11 | C90 |
| Lymphoid leukaemia | 81 | 0.6 | 1.8 | 2.1 | 0.11 | 0.17 | 43 | 0.4 | 1.1 | 1.2 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 126 | 1.0 | 2.8 | 2.5 | 0.16 | 0.26 | 108 | 1.1 | 2.7 | 2.1 | 0.14 | 0.21 | C92–94 |
| Leukaemia unspecified | 77 | 0.6 | 1.7 | 1.7 | 0.08 | 0.14 | 45 | 0.5 | 1.1 | 0.8 | 0.04 | 0.09 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 32 | 0.2 | 0.7 | 0.6 | 0.03 | 0.05 | 30 | 0.3 | 0.8 | 0.5 | 0.01 | 0.06 | O&U |
| All sites | 12983 | | 290.8 | 233.8 | 11.96 | 28.59 | 9707 | | 243.1 | 161.6 | 9.97 | 18.35 | C00–96 |
| All sites except C44 | 12891 | 100.0 | 288.7 | 232.2 | 11.89 | 28.43 | 9625 | 100.0 | 241.0 | 160.5 | 9.92 | 18.27 | C00–96 exc. C44 |

*See note following population pyramid

China, Wangdu County

CONTRIBUTORS

Gu Zhaohua
Li Man



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 51.4 | Breast | 31.4 |
| Stomach | 30.2 | Trachea, bronchus, and lung | 21.6 |
| Liver | 19.6 | Stomach | 10.8 |
| Oesophagus | 12.7 | Corpus uteri | 10.7 |
| Rectum | 7.5 | Cervix uteri | 8.0 |
| Colon | 6.6 | Liver | 6.8 |
| Brain and nervous system | 6.2 | Brain and nervous system | 5.2 |
| Other and unspecified | 5.2 | Oesophagus | 4.9 |
| Bladder | 3.3 | Other and unspecified | 4.1 |
| Kidney | 3.0 | Rectum | 3.9 |
| Non-Hodgkin lymphoma | 2.8 | Ovary | 2.8 |
| Bone | 2.7 | Colon | 2.7 |
| Leukaemia unspecified | 2.6 | Thyroid | 2.7 |
| Gallbladder etc. | 2.2 | Non-Hodgkin lymphoma | 2.0 |
| Pancreas | 2.1 | Pancreas | 1.6 |
| Prostate | 2.0 | Kidney | 1.5 |
| Hodgkin lymphoma | 1.7 | Bladder | 1.3 |
| Other thoracic organs | 1.6 | Bone | 1.3 |
| Nasopharynx | 1.3 | Hodgkin lymphoma | 1.3 |
| Hypopharynx | 1.1 | Gallbladder etc. | 1.2 |
| All sites | 177.1 | All sites | 135.4 |

*China, Wangdu County (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | C00 |
| Tongue | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.04 | C01–02 |
| Mouth | 5 | 0.4 | 0.9 | 0.7 | 0.04 | 0.07 | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | C03–06 |
| Salivary glands | 7 | 0.6 | 1.3 | 1.1 | 0.08 | 0.14 | 4 | 0.4 | 0.8 | 0.6 | 0.04 | 0.04 | C07–08 |
| Tonsil | 2 | 0.2 | 0.4 | 0.2 | 0.03 | 0.03 | 5 | 0.5 | 1.0 | 0.6 | 0.04 | 0.08 | C09 |
| Other oropharynx | 4 | 0.3 | 0.7 | 0.6 | 0.02 | 0.08 | 6 | 0.6 | 1.2 | 0.8 | 0.04 | 0.08 | C10 |
| Nasopharynx | 9 | 0.8 | 1.7 | 1.3 | 0.09 | 0.15 | 3 | 0.3 | 0.6 | 0.4 | 0.03 | 0.06 | C11 |
| Hypopharynx | 8 | 0.7 | 1.5 | 1.1 | 0.05 | 0.11 | 4 | 0.4 | 0.8 | 0.6 | 0.05 | 0.05 | C12–13 |
| Pharynx unspecified | 5 | 0.4 | 0.9 | 0.7 | 0.02 | 0.09 | 2 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | C14 |
| Oesophagus | 84 | 7.1 | 15.7 | 12.7 | 0.35 | 1.46 | 34 | 3.7 | 6.9 | 4.9 | 0.21 | 0.72 | C15 |
| Stomach | 207 | 17.4 | 38.6 | 30.2 | 1.50 | 4.07 | 75 | 8.1 | 15.3 | 10.8 | 0.59 | 1.34 | C16 |
| Small intestine | 2 | 0.2 | 0.4 | 0.2 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C17 |
| Colon | 45 | 3.8 | 8.4 | 6.6 | 0.35 | 0.61 | 19 | 2.0 | 3.9 | 2.7 | 0.18 | 0.29 | C18 |
| Rectum | 54 | 4.5 | 10.1 | 7.5 | 0.50 | 0.92 | 28 | 3.0 | 5.7 | 3.9 | 0.18 | 0.33 | C19–20 |
| Anus | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 133 | 11.2 | 24.8 | 19.6 | 1.28 | 2.37 | 47 | 5.1 | 9.6 | 6.8 | 0.39 | 0.77 | C22 |
| Gallbladder etc. | 15 | 1.3 | 2.8 | 2.2 | 0.08 | 0.34 | 9 | 1.0 | 1.8 | 1.2 | 0.03 | 0.14 | C23–24 |
| Pancreas | 15 | 1.3 | 2.8 | 2.1 | 0.10 | 0.26 | 10 | 1.1 | 2.0 | 1.6 | 0.09 | 0.23 | C25 |
| Nose, sinuses etc. | 4 | 0.3 | 0.7 | 0.5 | 0.01 | 0.04 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C30–31 |
| Larynx | 4 | 0.3 | 0.7 | 0.6 | 0.04 | 0.11 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 351 | 29.5 | 65.4 | 51.4 | 2.51 | 6.75 | 151 | 16.3 | 30.7 | 21.6 | 1.16 | 2.83 | C33–34 |
| Other thoracic organs | 10 | 0.8 | 1.9 | 1.6 | 0.07 | 0.07 | 7 | 0.8 | 1.4 | 1.0 | 0.07 | 0.10 | C37–38 |
| Bone | 19 | 1.6 | 3.5 | 2.7 | 0.21 | 0.35 | 9 | 1.0 | 1.8 | 1.3 | 0.09 | 0.15 | C40–41 |
| Melanoma of skin | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 1 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C43 |
| Other skin | 8 | 0.7 | 1.5 | 1.1 | 0.04 | 0.14 | 3 | 0.3 | 0.6 | 0.5 | 0.00 | 0.07 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 5 | 0.4 | 0.9 | 0.7 | 0.04 | 0.07 | 3 | 0.3 | 0.6 | 0.4 | 0.01 | 0.05 | C47+C49 |
| Breast | 7 | 0.6 | 1.3 | 1.0 | 0.06 | 0.09 | 220 | 23.7 | 44.8 | 31.4 | 2.77 | 3.38 | C50 |
| Vulva | | | | | | | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 55 | 5.9 | 11.2 | 8.0 | 0.69 | 0.92 | C53 |
| Corpus uteri | | | | | | | 75 | 8.1 | 15.3 | 10.7 | 0.99 | 1.18 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.3 | 0.6 | 0.4 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 21 | 2.3 | 4.3 | 2.8 | 0.27 | 0.34 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C58 |
| Penis | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 12 | 1.0 | 2.2 | 2.0 | 0.02 | 0.29 | | | | | | | C61 |
| Testis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 2 | 0.2 | 0.4 | 0.3 | 0.00 | 0.07 | | | | | | | C63 |
| Kidney | 20 | 1.7 | 3.7 | 3.0 | 0.20 | 0.27 | 10 | 1.1 | 2.0 | 1.5 | 0.05 | 0.28 | C64 |
| Renal pelvis | 2 | 0.2 | 0.4 | 0.3 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.04 | C65 |
| Ureter | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.3 | 0.6 | 0.4 | 0.03 | 0.03 | C66 |
| Bladder | 22 | 1.9 | 4.1 | 3.3 | 0.17 | 0.29 | 9 | 1.0 | 1.8 | 1.3 | 0.09 | 0.15 | C67 |
| Other urinary organs | 2 | 0.2 | 0.4 | 0.3 | 0.02 | 0.05 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | 3 | 0.3 | 0.6 | 0.7 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 39 | 3.3 | 7.3 | 6.2 | 0.31 | 0.74 | 30 | 3.2 | 6.1 | 5.2 | 0.36 | 0.48 | C70–72 |
| Thyroid | 4 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | 18 | 1.9 | 3.7 | 2.7 | 0.20 | 0.33 | C73 |
| Adrenal gland | 3 | 0.3 | 0.6 | 0.4 | 0.04 | 0.04 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 10 | 0.8 | 1.9 | 1.7 | 0.10 | 0.19 | 9 | 1.0 | 1.8 | 1.3 | 0.09 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 17 | 1.4 | 3.2 | 2.8 | 0.13 | 0.33 | 14 | 1.5 | 2.9 | 2.0 | 0.18 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 2 | 0.2 | 0.4 | 0.5 | 0.03 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C90 |
| Lymphoid leukaemia | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C91 |
| Myeloid leukaemia | 3 | 0.3 | 0.6 | 0.4 | 0.03 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C92–94 |
| Leukaemia unspecified | 16 | 1.3 | 3.0 | 2.6 | 0.16 | 0.26 | 5 | 0.5 | 1.0 | 0.6 | 0.04 | 0.04 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 33 | 2.8 | 6.2 | 5.2 | 0.28 | 0.65 | 23 | 2.5 | 4.7 | 4.1 | 0.20 | 0.45 | O&U |
| All sites | 1197 | | 223.2 | 177.1 | 9.11 | 21.83 | 932 | | 189.8 | 135.4 | 9.41 | 15.66 | C00–96 |
| All sites except C44 | 1189 | 100.0 | 221.7 | 176.0 | 9.07 | 21.69 | 929 | 100.0 | 189.1 | 134.9 | 9.41 | 15.59 | C00–96 exc. C44 |

*See note following population pyramid

China, Wanzai County

CONTRIBUTORS

Lizhen Tang
Qiaohong Guo
Ping Lu



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.3 | Trachea, bronchus, and lung | 22.3 |
| Liver | 52.3 | Breast | 20.4 |
| Stomach | 16.1 | Liver | 17.6 |
| Rectum | 13.5 | Cervix uteri | 16.3 |
| Nasopharynx | 7.7 | Rectum | 9.4 |
| Colon | 4.7 | Stomach | 8.7 |
| Oesophagus | 4.6 | Corpus uteri | 5.3 |
| Brain and nervous system | 4.6 | Colon | 5.1 |
| Bladder | 4.1 | Nasopharynx | 3.4 |
| Pancreas | 3.9 | Brain and nervous system | 3.2 |
| Multiple myeloma | 3.6 | Pancreas | 3.0 |
| Other and unspecified | 3.2 | Uterus unspecified | 3.0 |
| Leukaemia unspecified | 3.1 | Ovary | 2.7 |
| Prostate | 2.5 | Multiple myeloma | 2.5 |
| Larynx | 1.8 | Bone | 2.0 |
| Bone | 1.8 | Gallbladder etc. | 1.9 |
| Non-Hodgkin lymphoma | 1.2 | Thyroid | 1.9 |
| Other oropharynx | 1.0 | Other and unspecified | 1.7 |
| Thyroid | 1.0 | Leukaemia unspecified | 1.6 |
| Kidney | 1.0 | Kidney | 1.0 |
| All sites | 197.5 | All sites | 139.8 |

*China, Wanzai County (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 7 | 0.3 | 0.7 | 0.7 | 0.03 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C03–06 |
| Salivary glands | 4 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 12 | 0.5 | 1.2 | 1.0 | 0.04 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 89 | 3.9 | 9.0 | 7.8 | 0.57 | 0.84 | 40 | 2.5 | 4.2 | 3.4 | 0.26 | 0.36 | C11 |
| Hypopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 55 | 2.4 | 5.5 | 4.6 | 0.36 | 0.55 | 8 | 0.5 | 0.8 | 0.6 | 0.04 | 0.04 | C15 |
| Stomach | 192 | 8.4 | 19.3 | 16.1 | 1.03 | 1.82 | 104 | 6.4 | 10.9 | 8.7 | 0.51 | 0.96 | C16 |
| Small intestine | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | 3 | 0.2 | 0.3 | 0.4 | 0.00 | 0.06 | C17 |
| Colon | 53 | 2.3 | 5.3 | 4.7 | 0.26 | 0.56 | 60 | 3.7 | 6.3 | 5.1 | 0.30 | 0.54 | C18 |
| Rectum | 160 | 7.0 | 16.1 | 13.5 | 0.73 | 1.60 | 111 | 6.8 | 11.7 | 9.4 | 0.50 | 1.15 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 611 | 26.8 | 61.5 | 52.3 | 3.51 | 5.57 | 211 | 12.9 | 22.2 | 17.6 | 0.99 | 1.91 | C22 |
| Gallbladder etc. | 10 | 0.4 | 1.0 | 0.8 | 0.06 | 0.12 | 25 | 1.5 | 2.6 | 1.9 | 0.07 | 0.25 | C23–24 |
| Pancreas | 44 | 1.9 | 4.4 | 3.9 | 0.22 | 0.40 | 39 | 2.4 | 4.1 | 3.0 | 0.12 | 0.31 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 23 | 1.0 | 2.3 | 1.8 | 0.17 | 0.19 | 9 | 0.6 | 0.9 | 0.7 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 697 | 30.6 | 70.2 | 59.3 | 3.51 | 6.65 | 271 | 16.6 | 28.5 | 22.3 | 1.07 | 2.44 | C33–34 |
| Other thoracic organs | 5 | 0.2 | 0.5 | 0.5 | 0.04 | 0.04 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 22 | 1.0 | 2.2 | 1.8 | 0.08 | 0.20 | 22 | 1.3 | 2.3 | 2.0 | 0.13 | 0.21 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 9 | 0.4 | 0.9 | 0.9 | 0.04 | 0.10 | 12 | 0.7 | 1.3 | 1.0 | 0.07 | 0.09 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 4 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | 241 | 14.8 | 25.3 | 20.4 | 1.71 | 2.01 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.3 | 0.2 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 191 | 11.7 | 20.1 | 16.3 | 1.31 | 1.65 | C53 |
| Corpus uteri | | | | | | | 61 | 3.7 | 6.4 | 5.3 | 0.40 | 0.58 | C54 |
| Uterus unspecified | | | | | | | 35 | 2.1 | 3.7 | 3.0 | 0.20 | 0.36 | C55 |
| Ovary | | | | | | | 31 | 1.9 | 3.3 | 2.7 | 0.26 | 0.30 | C56 |
| Other female genital organs | | | | | | | 5 | 0.3 | 0.5 | 0.4 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.1 | 0.3 | 0.3 | 0.00 | 0.04 | | | | | | | C60 |
| Prostate | 28 | 1.2 | 2.8 | 2.5 | 0.04 | 0.32 | | | | | | | C61 |
| Testis | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 12 | 0.5 | 1.2 | 1.0 | 0.08 | 0.12 | 11 | 0.7 | 1.2 | 1.0 | 0.05 | 0.12 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 48 | 2.1 | 4.8 | 4.1 | 0.22 | 0.52 | 11 | 0.7 | 1.2 | 0.9 | 0.05 | 0.09 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 51 | 2.2 | 5.1 | 4.6 | 0.33 | 0.43 | 38 | 2.3 | 4.0 | 3.2 | 0.22 | 0.33 | C70–72 |
| Thyroid | 10 | 0.4 | 1.0 | 1.0 | 0.06 | 0.06 | 19 | 1.2 | 2.0 | 1.9 | 0.15 | 0.15 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 14 | 0.6 | 1.4 | 1.2 | 0.09 | 0.13 | 8 | 0.5 | 0.8 | 0.8 | 0.05 | 0.09 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 34 | 1.5 | 3.4 | 3.6 | 0.21 | 0.25 | 24 | 1.5 | 2.5 | 2.5 | 0.13 | 0.19 | C90 |
| Lymphoid leukaemia | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C91 |
| Myeloid leukaemia | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C92–94 |
| Leukaemia unspecified | 29 | 1.3 | 2.9 | 3.1 | 0.18 | 0.26 | 14 | 0.9 | 1.5 | 1.6 | 0.13 | 0.13 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 36 | 1.6 | 3.6 | 3.2 | 0.21 | 0.35 | 18 | 1.1 | 1.9 | 1.7 | 0.09 | 0.21 | O&U |
| All sites | 2289 | | 230.5 | 197.5 | 12.24 | 21.69 | 1643 | | 172.6 | 139.8 | 8.99 | 14.86 | C00–96 |
| All sites except C44 | 2280 | 100.0 | 229.6 | 196.6 | 12.20 | 21.59 | 1631 | 100.0 | 171.3 | 138.8 | 8.91 | 14.77 | C00–96 exc. C44 |

*See note following population pyramid

China, Wu'an City

CONTRIBUTORS

Wei Yanqi
Yang Hui



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 82.9 | Stomach | 33.1 |
| Oesophagus | 48.4 | Oesophagus | 21.0 |
| Trachea, bronchus, and lung | 37.2 | Trachea, bronchus, and lung | 14.2 |
| Liver | 17.3 | Breast | 14.2 |
| Colon | 5.6 | Cervix uteri | 12.2 |
| Rectum | 5.2 | Liver | 8.4 |
| Other and unspecified | 3.6 | Corpus uteri | 6.9 |
| Brain and nervous system | 3.1 | Rectum | 5.7 |
| Bladder | 2.7 | Colon | 4.1 |
| Leukaemia unspecified | 2.6 | Ovary | 3.6 |
| Pancreas | 2.2 | Other and unspecified | 2.9 |
| Non-Hodgkin lymphoma | 1.9 | Thyroid | 2.7 |
| Prostate | 1.8 | Leukaemia unspecified | 2.3 |
| Kidney | 1.5 | Brain and nervous system | 2.2 |
| Larynx | 1.4 | Pancreas | 1.9 |
| Gallbladder etc. | 1.3 | Bone | 1.4 |
| Bone | 1.2 | Other female genital organs | 1.2 |
| Lymphoid leukaemia | 1.1 | Non-melanoma skin cancer | 1.1 |
| Non-melanoma skin cancer | 1.0 | Non-Hodgkin lymphoma | 1.1 |
| Thyroid | 1.0 | Gallbladder etc. | 1.0 |
| All sites | 229.4 | All sites | 148.5 |

*China, Wu'an City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 7 | 0.2 | 0.3 | 0.4 | 0.00 | 0.05 | C01–02 |
| Mouth | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 12 | 0.3 | 0.6 | 0.4 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 11 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 5 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | C11 |
| Hypopharynx | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1086 | 20.9 | 49.2 | 48.4 | 2.16 | 6.90 | 503 | 14.1 | 25.1 | 21.0 | 0.89 | 2.77 | C15 |
| Stomach | 1882 | 36.3 | 85.3 | 82.9 | 3.83 | 10.78 | 777 | 21.8 | 38.7 | 33.1 | 1.37 | 4.12 | C16 |
| Small intestine | 12 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 7 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C17 |
| Colon | 135 | 2.6 | 6.1 | 5.6 | 0.32 | 0.64 | 104 | 2.9 | 5.2 | 4.1 | 0.27 | 0.50 | C18 |
| Rectum | 129 | 2.5 | 5.8 | 5.2 | 0.34 | 0.56 | 138 | 3.9 | 6.9 | 5.7 | 0.31 | 0.69 | C19–20 |
| Anus | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 407 | 7.8 | 18.4 | 17.3 | 0.91 | 2.13 | 195 | 5.5 | 9.7 | 8.4 | 0.37 | 1.10 | C22 |
| Gallbladder etc. | 29 | 0.6 | 1.3 | 1.3 | 0.07 | 0.18 | 23 | 0.6 | 1.1 | 1.0 | 0.02 | 0.16 | C23–24 |
| Pancreas | 49 | 0.9 | 2.2 | 2.2 | 0.10 | 0.29 | 47 | 1.3 | 2.3 | 1.9 | 0.11 | 0.26 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 32 | 0.6 | 1.5 | 1.4 | 0.06 | 0.23 | 8 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 839 | 16.2 | 38.0 | 37.2 | 1.60 | 4.88 | 349 | 9.8 | 17.4 | 14.2 | 0.72 | 1.81 | C33–34 |
| Other thoracic organs | 18 | 0.3 | 0.8 | 0.9 | 0.03 | 0.12 | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 27 | 0.5 | 1.2 | 1.2 | 0.06 | 0.17 | 31 | 0.9 | 1.5 | 1.4 | 0.07 | 0.18 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C43 |
| Other skin | 24 | 0.5 | 1.1 | 1.0 | 0.05 | 0.15 | 25 | 0.7 | 1.2 | 1.1 | 0.05 | 0.12 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.3 | 0.7 | 0.7 | 0.04 | 0.06 | 9 | 0.3 | 0.4 | 0.5 | 0.03 | 0.03 | C47+C49 |
| Breast | 11 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 363 | 10.2 | 18.1 | 14.2 | 1.14 | 1.60 | C50 |
| Vulva | | | | | | | 8 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 310 | 8.7 | 15.4 | 12.2 | 1.01 | 1.37 | C53 |
| Corpus uteri | | | | | | | 178 | 5.0 | 8.9 | 6.9 | 0.55 | 0.76 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.4 | 0.7 | 0.5 | 0.05 | 0.05 | C55 |
| Ovary | | | | | | | 91 | 2.6 | 4.5 | 3.6 | 0.28 | 0.39 | C56 |
| Other female genital organs | | | | | | | 27 | 0.8 | 1.3 | 1.2 | 0.09 | 0.11 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 7 | 0.1 | 0.3 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 37 | 0.7 | 1.7 | 1.8 | 0.04 | 0.20 | | | | | | | C61 |
| Testis | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 36 | 0.7 | 1.6 | 1.5 | 0.09 | 0.17 | 23 | 0.6 | 1.1 | 1.0 | 0.06 | 0.09 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 63 | 1.2 | 2.9 | 2.7 | 0.13 | 0.36 | 13 | 0.4 | 0.6 | 0.6 | 0.03 | 0.09 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 71 | 1.4 | 3.2 | 3.1 | 0.17 | 0.34 | 50 | 1.4 | 2.5 | 2.2 | 0.13 | 0.23 | C70–72 |
| Thyroid | 23 | 0.4 | 1.0 | 1.0 | 0.06 | 0.09 | 67 | 1.9 | 3.3 | 2.7 | 0.24 | 0.26 | C73 |
| Adrenal gland | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 44 | 0.8 | 2.0 | 1.9 | 0.11 | 0.23 | 28 | 0.8 | 1.4 | 1.1 | 0.08 | 0.13 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C90 |
| Lymphoid leukaemia | 19 | 0.4 | 0.9 | 1.1 | 0.06 | 0.06 | 10 | 0.3 | 0.5 | 0.7 | 0.04 | 0.04 | C91 |
| Myeloid leukaemia | 13 | 0.3 | 0.6 | 0.7 | 0.04 | 0.04 | 14 | 0.4 | 0.7 | 0.7 | 0.04 | 0.08 | C92–94 |
| Leukaemia unspecified | 54 | 1.0 | 2.4 | 2.6 | 0.15 | 0.28 | 48 | 1.3 | 2.4 | 2.3 | 0.17 | 0.20 | C95 |
| Myeloproliferative disorders | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 85 | 1.6 | 3.9 | 3.6 | 0.24 | 0.44 | 64 | 1.8 | 3.2 | 2.9 | 0.15 | 0.35 | O&U |
| All sites | 5213 | | 236.3 | 229.4 | 10.90 | 29.78 | 3582 | | 178.5 | 148.5 | 8.44 | 17.92 | C00–96 |
| All sites except C44 | 5189 | 100.0 | 235.2 | 228.3 | 10.85 | 29.62 | 3557 | 100.0 | 177.3 | 147.4 | 8.39 | 17.81 | C00–96 exc. C44 |

*See note following population pyramid

China, Wuhan City

CONTRIBUTORS

Niannian Yang
 Yaqiong Yan
 Qiman Jin
 Yuanyuan Zhao
 Xiaoxia Zhang
 Juan Dai



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 52.7 | Thyroid | 41.2 |
| Liver | 22.1 | Breast | 35.9 |
| Stomach | 18.2 | Trachea, bronchus, and lung | 19.8 |
| Thyroid | 12.7 | Cervix uteri | 11.0 |
| Colon | 12.0 | Colon | 9.2 |
| Rectum | 11.1 | Stomach | 9.0 |
| Prostate | 8.6 | Rectum | 7.0 |
| Oesophagus | 7.8 | Liver | 6.8 |
| Bladder | 7.3 | Ovary | 6.5 |
| Non-Hodgkin lymphoma | 5.4 | Corpus uteri | 5.9 |
| Brain and nervous system | 5.1 | Brain and nervous system | 5.6 |
| Pancreas | 5.1 | Non-Hodgkin lymphoma | 4.0 |
| Kidney | 4.4 | Pancreas | 3.8 |
| Nasopharynx | 3.4 | Gallbladder etc. | 2.9 |
| Larynx | 3.2 | Other and unspecified | 2.8 |
| Other and unspecified | 3.0 | Kidney | 2.5 |
| Myeloid leukaemia | 2.7 | Myeloid leukaemia | 2.4 |
| Lymphoid leukaemia | 2.6 | Lymphoid leukaemia | 2.3 |
| Gallbladder etc. | 2.5 | Oesophagus | 1.9 |
| Connective and soft tissue | 1.7 | Bladder | 1.7 |
| All sites | 206.5 | All sites | 196.8 |


China, Wuhan City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 12 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 143 | 0.3 | 1.1 | 0.6 | 0.04 | 0.08 | 86 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C01–02 |
| Mouth | 190 | 0.4 | 1.5 | 0.8 | 0.06 | 0.10 | 128 | 0.3 | 1.0 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 114 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | 93 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 42 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 16 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 47 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 8 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 670 | 1.5 | 5.3 | 3.4 | 0.26 | 0.38 | 297 | 0.7 | 2.4 | 1.5 | 0.12 | 0.16 | C11 |
| Hypopharynx | 122 | 0.3 | 1.0 | 0.6 | 0.04 | 0.07 | 11 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 32 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1768 | 4.0 | 14.1 | 7.8 | 0.50 | 0.92 | 530 | 1.3 | 4.3 | 1.9 | 0.06 | 0.22 | C15 |
| Stomach | 4078 | 9.2 | 32.4 | 18.2 | 0.99 | 2.21 | 2130 | 5.2 | 17.4 | 9.0 | 0.52 | 0.97 | C16 |
| Small intestine | 240 | 0.5 | 1.9 | 1.1 | 0.06 | 0.14 | 145 | 0.4 | 1.2 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 2691 | 6.1 | 21.4 | 12.0 | 0.61 | 1.43 | 2267 | 5.5 | 18.5 | 9.2 | 0.49 | 1.08 | C18 |
| Rectum | 2491 | 5.6 | 19.8 | 11.1 | 0.62 | 1.35 | 1651 | 4.0 | 13.5 | 7.0 | 0.38 | 0.84 | C19–20 |
| Anus | 69 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 42 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 4752 | 10.7 | 37.8 | 22.1 | 1.43 | 2.49 | 1680 | 4.1 | 13.7 | 6.8 | 0.30 | 0.71 | C22 |
| Gallbladder etc. | 573 | 1.3 | 4.6 | 2.5 | 0.11 | 0.26 | 753 | 1.8 | 6.1 | 2.9 | 0.12 | 0.35 | C23–24 |
| Pancreas | 1154 | 2.6 | 9.2 | 5.1 | 0.25 | 0.60 | 979 | 2.4 | 8.0 | 3.8 | 0.16 | 0.42 | C25 |
| Nose, sinuses etc. | 77 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 57 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 708 | 1.6 | 5.6 | 3.2 | 0.21 | 0.41 | 52 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 12023 | 27.1 | 95.6 | 52.7 | 2.58 | 6.50 | 4950 | 12.0 | 40.4 | 19.8 | 1.01 | 2.30 | C33–34 |
| Other thoracic organs | 202 | 0.5 | 1.6 | 0.9 | 0.06 | 0.10 | 154 | 0.4 | 1.3 | 0.7 | 0.04 | 0.09 | C37–38 |
| Bone | 165 | 0.4 | 1.3 | 0.9 | 0.05 | 0.09 | 181 | 0.4 | 1.5 | 1.0 | 0.05 | 0.09 | C40–41 |
| Melanoma of skin | 97 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | 99 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 306 | 0.7 | 2.4 | 1.4 | 0.07 | 0.15 | 269 | 0.7 | 2.2 | 1.1 | 0.06 | 0.12 | C44 |
| Mesothelioma | 30 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 17 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 300 | 0.7 | 2.4 | 1.7 | 0.10 | 0.16 | 250 | 0.6 | 2.0 | 1.5 | 0.10 | 0.13 | C47+C49 |
| Breast | 48 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 7296 | 17.7 | 59.6 | 35.9 | 2.90 | 3.89 | C50 |
| Vulva | | | | | | | 56 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 37 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 2155 | 5.2 | 17.6 | 11.0 | 0.93 | 1.13 | C53 |
| Corpus uteri | | | | | | | 1223 | 3.0 | 10.0 | 5.9 | 0.48 | 0.68 | C54 |
| Uterus unspecified | | | | | | | 58 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 1288 | 3.1 | 10.5 | 6.5 | 0.50 | 0.69 | C56 |
| Other female genital organs | | | | | | | 101 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 16 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 53 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 2112 | 4.8 | 16.8 | 8.6 | 0.16 | 0.91 | | | | | | | C61 |
| Testis | 55 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 26 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 921 | 2.1 | 7.3 | 4.4 | 0.29 | 0.52 | 520 | 1.3 | 4.2 | 2.5 | 0.15 | 0.28 | C64 |
| Renal pelvis | 124 | 0.3 | 1.0 | 0.5 | 0.02 | 0.07 | 78 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 107 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 106 | 0.3 | 0.9 | 0.4 | 0.01 | 0.05 | C66 |
| Bladder | 1705 | 3.8 | 13.6 | 7.3 | 0.34 | 0.83 | 453 | 1.1 | 3.7 | 1.7 | 0.06 | 0.18 | C67 |
| Other urinary organs | 21 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 11 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 908 | 2.0 | 7.2 | 5.1 | 0.31 | 0.52 | 1130 | 2.7 | 9.2 | 5.6 | 0.36 | 0.58 | C70–72 |
| Thyroid | 2245 | 5.1 | 17.8 | 12.7 | 1.05 | 1.15 | 7321 | 17.7 | 59.8 | 41.2 | 3.50 | 3.89 | C73 |
| Adrenal gland | 46 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 38 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 135 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | 169 | 0.4 | 1.4 | 0.9 | 0.07 | 0.09 | C75 |
| Hodgkin lymphoma | 72 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | 61 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 1080 | 2.4 | 8.6 | 5.4 | 0.32 | 0.60 | 872 | 2.1 | 7.1 | 4.0 | 0.26 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 341 | 0.8 | 2.7 | 1.5 | 0.07 | 0.18 | 271 | 0.7 | 2.2 | 1.1 | 0.06 | 0.13 | C90 |
| Lymphoid leukaemia | 306 | 0.7 | 2.4 | 2.6 | 0.14 | 0.19 | 242 | 0.6 | 2.0 | 2.3 | 0.12 | 0.17 | C91 |
| Myeloid leukaemia | 458 | 1.0 | 3.6 | 2.7 | 0.16 | 0.27 | 392 | 0.9 | 3.2 | 2.4 | 0.15 | 0.22 | C92–94 |
| Leukaemia unspecified | 138 | 0.3 | 1.1 | 0.7 | 0.03 | 0.07 | 107 | 0.3 | 0.9 | 0.6 | 0.03 | 0.05 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 690 | 1.6 | 5.5 | 3.0 | 0.14 | 0.31 | 697 | 1.7 | 5.7 | 2.8 | 0.13 | 0.29 | O&U |
| All sites | 44710 | | 355.4 | 206.6 | 11.43 | 23.65 | 41576 | | 339.4 | 196.8 | 13.46 | 20.85 | C00–96 |
| All sites except C44 | 44404 | 100.0 | 353.0 | 205.1 | 11.35 | 23.51 | 41307 | 100.0 | 337.2 | 195.7 | 13.40 | 20.73 | C00–96 exc. C44 |

China, Wuhu City

CONTRIBUTORS

Junjun Zhu
 Jiayao Chen
 Xiaojuan Cui
 Liwei Wang
 Huifen Bao



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 43.3 | Breast | 22.7 |
| Stomach | 40.7 | Trachea, bronchus, and lung | 15.9 |
| Oesophagus | 14.7 | Stomach | 15.3 |
| Liver | 14.4 | Cervix uteri | 14.0 |
| Colon | 11.4 | Thyroid | 13.9 |
| Rectum | 9.7 | Colon | 8.0 |
| Prostate | 7.1 | Ovary | 6.0 |
| Pancreas | 5.4 | Rectum | 6.0 |
| Thyroid | 5.0 | Liver | 5.4 |
| Bladder | 4.5 | Brain and nervous system | 3.8 |
| Non-Hodgkin lymphoma | 4.0 | Corpus uteri | 3.7 |
| Brain and nervous system | 3.8 | Gallbladder etc. | 3.3 |
| Other and unspecified | 3.6 | Oesophagus | 3.3 |
| Kidney | 3.3 | Pancreas | 3.1 |
| Gallbladder etc. | 2.3 | Non-Hodgkin lymphoma | 2.9 |
| Myeloid leukaemia | 2.3 | Other and unspecified | 2.6 |
| Larynx | 2.1 | Myeloid leukaemia | 2.0 |
| Nasopharynx | 2.0 | Kidney | 1.8 |
| Non-melanoma skin cancer | 1.6 | Bladder | 1.2 |
| Lymphoid leukaemia | 1.4 | Lymphoid leukaemia | 1.1 |
| All sites | 194.9 | All sites | 147.0 |

*China, Wuhu City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 21 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 22 | 0.3 | 0.8 | 0.4 | 0.03 | 0.06 | C01–02 |
| Mouth | 42 | 0.4 | 1.4 | 0.8 | 0.05 | 0.08 | 16 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 24 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | 25 | 0.3 | 0.9 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 100 | 1.0 | 3.4 | 2.0 | 0.13 | 0.23 | 31 | 0.4 | 1.1 | 0.7 | 0.06 | 0.08 | C11 |
| Hypopharynx | 33 | 0.3 | 1.1 | 0.6 | 0.05 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 15 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 831 | 7.9 | 27.9 | 14.7 | 0.75 | 1.93 | 210 | 2.9 | 7.3 | 3.3 | 0.11 | 0.40 | C15 |
| Stomach | 2253 | 21.4 | 75.6 | 40.7 | 2.15 | 5.32 | 823 | 11.3 | 28.5 | 15.3 | 0.91 | 1.88 | C16 |
| Small intestine | 72 | 0.7 | 2.4 | 1.3 | 0.07 | 0.18 | 56 | 0.8 | 1.9 | 1.0 | 0.06 | 0.14 | C17 |
| Colon | 613 | 5.8 | 20.6 | 11.4 | 0.65 | 1.41 | 433 | 6.0 | 15.0 | 8.0 | 0.49 | 1.03 | C18 |
| Rectum | 518 | 4.9 | 17.4 | 9.7 | 0.58 | 1.17 | 318 | 4.4 | 11.0 | 6.0 | 0.35 | 0.74 | C19–20 |
| Anus | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 760 | 7.2 | 25.5 | 14.4 | 0.86 | 1.79 | 317 | 4.4 | 11.0 | 5.4 | 0.26 | 0.67 | C22 |
| Gallbladder etc. | 133 | 1.3 | 4.5 | 2.3 | 0.12 | 0.28 | 192 | 2.6 | 6.6 | 3.3 | 0.17 | 0.41 | C23–24 |
| Pancreas | 296 | 2.8 | 9.9 | 5.4 | 0.30 | 0.65 | 187 | 2.6 | 6.5 | 3.1 | 0.15 | 0.36 | C25 |
| Nose, sinuses etc. | 13 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 113 | 1.1 | 3.8 | 2.1 | 0.14 | 0.26 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2495 | 23.7 | 83.7 | 43.3 | 1.96 | 5.60 | 888 | 12.2 | 30.7 | 15.9 | 0.86 | 1.98 | C33–34 |
| Other thoracic organs | 26 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | 23 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 50 | 0.5 | 1.7 | 1.1 | 0.08 | 0.10 | 32 | 0.4 | 1.1 | 0.5 | 0.03 | 0.06 | C40–41 |
| Melanoma of skin | 27 | 0.3 | 0.9 | 0.5 | 0.03 | 0.06 | 20 | 0.3 | 0.7 | 0.4 | 0.03 | 0.05 | C43 |
| Other skin | 90 | 0.9 | 3.0 | 1.6 | 0.08 | 0.20 | 66 | 0.9 | 2.3 | 1.1 | 0.05 | 0.12 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 39 | 0.4 | 1.3 | 0.9 | 0.05 | 0.08 | 32 | 0.4 | 1.1 | 0.7 | 0.05 | 0.08 | C47+C49 |
| Breast | 15 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 1059 | 14.6 | 36.6 | 22.7 | 1.91 | 2.41 | C50 |
| Vulva | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 646 | 8.9 | 22.4 | 14.0 | 1.21 | 1.43 | C53 |
| Corpus uteri | | | | | | | 180 | 2.5 | 6.2 | 3.7 | 0.31 | 0.41 | C54 |
| Uterus unspecified | | | | | | | 24 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | C55 |
| Ovary | | | | | | | 267 | 3.7 | 9.2 | 6.0 | 0.48 | 0.64 | C56 |
| Other female genital organs | | | | | | | 11 | 0.2 | 0.4 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 21 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 457 | 4.3 | 15.3 | 7.1 | 0.17 | 0.79 | | | | | | | C61 |
| Testis | 13 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 170 | 1.6 | 5.7 | 3.3 | 0.21 | 0.41 | 93 | 1.3 | 3.2 | 1.8 | 0.10 | 0.22 | C64 |
| Renal pelvis | 21 | 0.2 | 0.7 | 0.4 | 0.01 | 0.05 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 11 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 22 | 0.3 | 0.8 | 0.4 | 0.01 | 0.05 | C66 |
| Bladder | 252 | 2.4 | 8.5 | 4.5 | 0.23 | 0.54 | 69 | 1.0 | 2.4 | 1.2 | 0.06 | 0.12 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 175 | 1.7 | 5.9 | 3.8 | 0.26 | 0.39 | 172 | 2.4 | 6.0 | 3.8 | 0.30 | 0.39 | C70–72 |
| Thyroid | 195 | 1.9 | 6.5 | 5.0 | 0.40 | 0.45 | 541 | 7.5 | 18.7 | 13.9 | 1.14 | 1.24 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 21 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 24 | 0.3 | 0.8 | 0.8 | 0.06 | 0.06 | C75 |
| Hodgkin lymphoma | 8 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 200 | 1.9 | 6.7 | 4.0 | 0.25 | 0.45 | 141 | 1.9 | 4.9 | 2.9 | 0.20 | 0.34 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 56 | 0.5 | 1.9 | 1.1 | 0.07 | 0.13 | 32 | 0.4 | 1.1 | 0.6 | 0.03 | 0.07 | C90 |
| Lymphoid leukaemia | 41 | 0.4 | 1.4 | 1.4 | 0.07 | 0.10 | 28 | 0.4 | 1.0 | 1.1 | 0.06 | 0.09 | C91 |
| Myeloid leukaemia | 96 | 0.9 | 3.2 | 2.3 | 0.13 | 0.23 | 83 | 1.1 | 2.9 | 2.0 | 0.12 | 0.20 | C92–94 |
| Leukaemia unspecified | 44 | 0.4 | 1.5 | 1.0 | 0.06 | 0.10 | 39 | 0.5 | 1.3 | 1.0 | 0.06 | 0.09 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 194 | 1.8 | 6.5 | 3.6 | 0.20 | 0.42 | 145 | 2.0 | 5.0 | 2.6 | 0.15 | 0.33 | O&U |
| All sites | 10600 | | 355.7 | 194.9 | 10.39 | 23.94 | 7324 | | 253.4 | 147.0 | 10.01 | 16.49 | C00–96 |
| All sites except C44 | 10510 | 100.0 | 352.6 | 193.3 | 10.32 | 23.74 | 7258 | 100.0 | 251.1 | 145.9 | 9.96 | 16.37 | C00–96 exc. C44 |

*See note following population pyramid

China, Wuxi City

CONTRIBUTORS

Lu Wang
Yun Qian
Zhijie Yang
Yunqiu Dong
Hai Chen
Yaqi Liu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 41.5 | Breast | 25.6 |
| Trachea, bronchus, and lung | 38.5 | Trachea, bronchus, and lung | 19.3 |
| Liver | 18.7 | Stomach | 15.8 |
| Colon | 16.0 | Colon | 12.5 |
| Oesophagus | 14.3 | Cervix uteri | 12.1 |
| Rectum | 11.1 | Thyroid | 7.0 |
| Prostate | 10.7 | Rectum | 6.9 |
| Pancreas | 7.1 | Liver | 6.7 |
| Bladder | 6.8 | Corpus uteri | 6.5 |
| Kidney | 4.9 | Ovary | 4.9 |
| Brain and nervous system | 3.8 | Pancreas | 4.6 |
| Non-Hodgkin lymphoma | 3.5 | Oesophagus | 4.1 |
| Thyroid | 3.0 | Brain and nervous system | 3.5 |
| Nasopharynx | 2.9 | Gallbladder etc. | 2.8 |
| Gallbladder etc. | 2.2 | Kidney | 2.7 |
| Myeloid leukaemia | 2.2 | Non-Hodgkin lymphoma | 2.7 |
| Non-melanoma skin cancer | 2.0 | Other and unspecified | 2.1 |
| Lymphoid leukaemia | 1.8 | Myeloid leukaemia | 2.0 |
| Other and unspecified | 1.8 | Non-melanoma skin cancer | 1.6 |
| Larynx | 1.6 | Bladder | 1.6 |
| All sites | 207.9 | All sites | 157.3 |


China, Wuxi City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 17 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 15 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 53 | 0.2 | 0.9 | 0.4 | 0.03 | 0.06 | 50 | 0.3 | 0.8 | 0.4 | 0.02 | 0.04 | C01–02 |
| Mouth | 102 | 0.4 | 1.7 | 0.8 | 0.05 | 0.10 | 65 | 0.3 | 1.0 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 47 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 42 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 15 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 17 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 27 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 296 | 1.2 | 4.8 | 2.9 | 0.23 | 0.33 | 112 | 0.6 | 1.8 | 1.1 | 0.08 | 0.12 | C11 |
| Hypopharynx | 41 | 0.2 | 0.7 | 0.3 | 0.03 | 0.04 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 11 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1838 | 7.2 | 30.1 | 14.3 | 0.76 | 1.87 | 607 | 3.2 | 9.7 | 4.1 | 0.14 | 0.50 | C15 |
| Stomach | 5300 | 20.8 | 86.7 | 41.5 | 2.09 | 5.22 | 2119 | 11.3 | 33.7 | 15.8 | 0.81 | 1.84 | C16 |
| Small intestine | 149 | 0.6 | 2.4 | 1.2 | 0.07 | 0.14 | 122 | 0.7 | 1.9 | 1.0 | 0.05 | 0.12 | C17 |
| Colon | 2012 | 7.9 | 32.9 | 16.0 | 0.81 | 1.95 | 1672 | 8.9 | 26.6 | 12.5 | 0.67 | 1.48 | C18 |
| Rectum | 1358 | 5.3 | 22.2 | 11.1 | 0.66 | 1.36 | 905 | 4.8 | 14.4 | 6.9 | 0.40 | 0.84 | C19–20 |
| Anus | 39 | 0.2 | 0.6 | 0.3 | 0.01 | 0.05 | 38 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 2189 | 8.6 | 35.8 | 18.7 | 1.22 | 2.17 | 931 | 5.0 | 14.8 | 6.7 | 0.32 | 0.74 | C22 |
| Gallbladder etc. | 296 | 1.2 | 4.8 | 2.2 | 0.09 | 0.25 | 432 | 2.3 | 6.9 | 2.8 | 0.11 | 0.29 | C23–24 |
| Pancreas | 922 | 3.6 | 15.1 | 7.1 | 0.35 | 0.81 | 677 | 3.6 | 10.8 | 4.6 | 0.17 | 0.51 | C25 |
| Nose, sinuses etc. | 43 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | 23 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 189 | 0.7 | 3.1 | 1.6 | 0.09 | 0.21 | 13 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 4973 | 19.5 | 81.4 | 38.5 | 1.89 | 4.80 | 2484 | 13.3 | 39.6 | 19.3 | 1.18 | 2.28 | C33–34 |
| Other thoracic organs | 108 | 0.4 | 1.8 | 1.0 | 0.06 | 0.11 | 64 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 88 | 0.3 | 1.4 | 0.8 | 0.04 | 0.08 | 76 | 0.4 | 1.2 | 0.6 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 40 | 0.2 | 0.7 | 0.3 | 0.02 | 0.02 | 28 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 250 | 1.0 | 4.1 | 2.0 | 0.08 | 0.22 | 225 | 1.2 | 3.6 | 1.6 | 0.08 | 0.19 | C44 |
| Mesothelioma | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 12 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 68 | 0.3 | 1.1 | 0.7 | 0.05 | 0.07 | 64 | 0.3 | 1.0 | 0.9 | 0.04 | 0.07 | C47+C49 |
| Breast | 29 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 2760 | 14.8 | 44.0 | 25.6 | 2.06 | 2.77 | C50 |
| Vulva | | | | | | | 28 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 40 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1207 | 6.5 | 19.2 | 12.1 | 1.07 | 1.23 | C53 |
| Corpus uteri | | | | | | | 708 | 3.8 | 11.3 | 6.5 | 0.53 | 0.77 | C54 |
| Uterus unspecified | | | | | | | 26 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 514 | 2.7 | 8.2 | 4.9 | 0.38 | 0.54 | C56 |
| Other female genital organs | | | | | | | 56 | 0.3 | 0.9 | 0.5 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 65 | 0.3 | 1.1 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 1540 | 6.1 | 25.2 | 10.7 | 0.20 | 1.20 | | | | | | | C61 |
| Testis | 29 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 15 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 558 | 2.2 | 9.1 | 4.9 | 0.33 | 0.57 | 316 | 1.7 | 5.0 | 2.7 | 0.18 | 0.32 | C64 |
| Renal pelvis | 78 | 0.3 | 1.3 | 0.6 | 0.03 | 0.06 | 36 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 51 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | 38 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C66 |
| Bladder | 882 | 3.5 | 14.4 | 6.8 | 0.32 | 0.79 | 226 | 1.2 | 3.6 | 1.6 | 0.08 | 0.17 | C67 |
| Other urinary organs | 12 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 13 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 361 | 1.4 | 5.9 | 3.8 | 0.24 | 0.38 | 374 | 2.0 | 6.0 | 3.5 | 0.22 | 0.37 | C70–72 |
| Thyroid | 248 | 1.0 | 4.1 | 3.0 | 0.24 | 0.27 | 641 | 3.4 | 10.2 | 7.0 | 0.58 | 0.66 | C73 |
| Adrenal gland | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 13 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 27 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 24 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 22 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 402 | 1.6 | 6.6 | 3.5 | 0.21 | 0.41 | 332 | 1.8 | 5.3 | 2.7 | 0.15 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 159 | 0.6 | 2.6 | 1.2 | 0.06 | 0.15 | 97 | 0.5 | 1.5 | 0.7 | 0.04 | 0.09 | C90 |
| Lymphoid leukaemia | 116 | 0.5 | 1.9 | 1.8 | 0.09 | 0.14 | 83 | 0.4 | 1.3 | 1.1 | 0.06 | 0.09 | C91 |
| Myeloid leukaemia | 197 | 0.8 | 3.2 | 2.2 | 0.13 | 0.21 | 179 | 1.0 | 2.9 | 2.0 | 0.13 | 0.19 | C92–94 |
| Leukaemia unspecified | 109 | 0.4 | 1.8 | 1.0 | 0.05 | 0.10 | 86 | 0.5 | 1.4 | 0.7 | 0.04 | 0.07 | C95 |
| Myeloproliferative disorders | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 41 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | 42 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | MPS |
| Other and unspecified | 220 | 0.9 | 3.6 | 1.8 | 0.08 | 0.18 | 253 | 1.4 | 4.0 | 2.1 | 0.10 | 0.20 | O&U |
| All sites | 25698 | | 420.4 | 207.9 | 10.87 | 24.83 | 18924 | | 301.4 | 157.3 | 10.07 | 17.50 | C00–96 |
| All sites except C44 | 25448 | 100.0 | 416.4 | 205.9 | 10.79 | 24.61 | 18699 | 100.0 | 297.8 | 155.7 | 10.00 | 17.31 | C00–96 exc. C44 |

China, Wuzhou City

CONTRIBUTORS

Yuming Zheng
Minzhong Tang
Weiwen Tang
Shaohua Su
Yanghong Su
Jinju Huang
Qiwei Chen



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 50.3 | Breast | 33.7 |
| Liver | 48.2 | Trachea, bronchus, and lung | 22.4 |
| Nasopharynx | 23.0 | Colon | 12.6 |
| Colon | 16.4 | Liver | 11.1 |
| Rectum | 12.9 | Cervix uteri | 10.4 |
| Stomach | 11.3 | Nasopharynx | 8.7 |
| Oesophagus | 10.9 | Corpus uteri | 8.5 |
| Prostate | 8.0 | Rectum | 7.0 |
| Bladder | 7.4 | Ovary | 6.4 |
| Brain and nervous system | 4.1 | Thyroid | 4.7 |
| Larynx | 3.6 | Stomach | 4.4 |
| Non-Hodgkin lymphoma | 3.2 | Non-Hodgkin lymphoma | 2.7 |
| Myeloid leukaemia | 2.8 | Brain and nervous system | 2.5 |
| Non-melanoma skin cancer | 2.5 | Myeloid leukaemia | 2.5 |
| Kidney | 2.2 | Gallbladder etc. | 2.3 |
| Pancreas | 2.1 | Bladder | 2.0 |
| Gallbladder etc. | 1.9 | Pancreas | 1.9 |
| Lymphoid leukaemia | 1.9 | Oesophagus | 1.9 |
| Other and unspecified | 1.7 | Multiple myeloma | 1.7 |
| Multiple myeloma | 1.7 | Other and unspecified | 1.6 |
| All sites | 230.9 | All sites | 162.3 |


China, Wuzhou City (2014–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C00 |
| Tongue | 17 | 0.4 | 1.0 | 0.9 | 0.07 | 0.11 | 18 | 0.6 | 1.2 | 0.9 | 0.08 | 0.09 | C01–02 |
| Mouth | 14 | 0.3 | 0.9 | 0.7 | 0.04 | 0.07 | 8 | 0.3 | 0.5 | 0.4 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 16 | 0.4 | 1.0 | 0.9 | 0.08 | 0.11 | 6 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 7 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 9 | 0.2 | 0.6 | 0.5 | 0.04 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 444 | 10.1 | 27.4 | 23.0 | 1.90 | 2.51 | 162 | 5.2 | 10.6 | 8.7 | 0.70 | 0.94 | C11 |
| Hypopharynx | 21 | 0.5 | 1.3 | 1.1 | 0.09 | 0.10 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 204 | 4.6 | 12.6 | 10.9 | 0.69 | 1.36 | 47 | 1.5 | 3.1 | 1.9 | 0.03 | 0.16 | C15 |
| Stomach | 216 | 4.9 | 13.3 | 11.3 | 0.63 | 1.44 | 90 | 2.9 | 5.9 | 4.4 | 0.26 | 0.53 | C16 |
| Small intestine | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 9 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | C17 |
| Colon | 314 | 7.1 | 19.4 | 16.4 | 0.79 | 1.99 | 259 | 8.4 | 16.9 | 12.6 | 0.72 | 1.43 | C18 |
| Rectum | 250 | 5.7 | 15.4 | 12.9 | 0.68 | 1.58 | 148 | 4.8 | 9.7 | 7.0 | 0.42 | 0.78 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 938 | 21.3 | 57.9 | 48.2 | 3.43 | 5.47 | 220 | 7.1 | 14.4 | 11.1 | 0.60 | 1.25 | C22 |
| Gallbladder etc. | 42 | 1.0 | 2.6 | 1.9 | 0.09 | 0.20 | 43 | 1.4 | 2.8 | 2.3 | 0.15 | 0.31 | C23–24 |
| Pancreas | 40 | 0.9 | 2.5 | 2.1 | 0.12 | 0.29 | 43 | 1.4 | 2.8 | 1.9 | 0.08 | 0.19 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 5 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 68 | 1.5 | 4.2 | 3.6 | 0.23 | 0.48 | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 983 | 22.3 | 60.7 | 50.3 | 2.58 | 6.24 | 468 | 15.1 | 30.5 | 22.4 | 1.24 | 2.54 | C33–34 |
| Other thoracic organs | 9 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | C37–38 |
| Bone | 19 | 0.4 | 1.2 | 1.1 | 0.06 | 0.10 | 14 | 0.5 | 0.9 | 0.6 | 0.02 | 0.04 | C40–41 |
| Melanoma of skin | 11 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C43 |
| Other skin | 48 | 1.1 | 3.0 | 2.5 | 0.12 | 0.28 | 39 | 1.3 | 2.5 | 1.5 | 0.06 | 0.11 | C44 |
| Mesothelioma | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 20 | 0.5 | 1.2 | 1.0 | 0.07 | 0.13 | 12 | 0.4 | 0.8 | 0.6 | 0.05 | 0.06 | C47+C49 |
| Breast | 8 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 622 | 20.1 | 40.6 | 33.7 | 2.82 | 3.71 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 193 | 6.2 | 12.6 | 10.4 | 0.87 | 1.10 | C53 |
| Corpus uteri | | | | | | | 146 | 4.7 | 9.5 | 8.5 | 0.76 | 0.95 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.2 | 0.4 | 0.3 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 114 | 3.7 | 7.4 | 6.4 | 0.53 | 0.68 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 161 | 3.7 | 9.9 | 8.0 | 0.12 | 0.75 | | | | | | | C61 |
| Testis | 11 | 0.2 | 0.7 | 0.7 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 42 | 1.0 | 2.6 | 2.2 | 0.12 | 0.27 | 25 | 0.8 | 1.6 | 1.5 | 0.11 | 0.18 | C64 |
| Renal pelvis | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 11 | 0.4 | 0.7 | 0.5 | 0.04 | 0.05 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 149 | 3.4 | 9.2 | 7.4 | 0.25 | 0.87 | 40 | 1.3 | 2.6 | 2.0 | 0.10 | 0.24 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 71 | 1.6 | 4.4 | 4.1 | 0.26 | 0.42 | 45 | 1.5 | 2.9 | 2.5 | 0.19 | 0.26 | C70–72 |
| Thyroid | 22 | 0.5 | 1.4 | 1.2 | 0.08 | 0.12 | 85 | 2.7 | 5.5 | 4.7 | 0.36 | 0.44 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 57 | 1.3 | 3.5 | 3.2 | 0.20 | 0.34 | 50 | 1.6 | 3.3 | 2.7 | 0.21 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 35 | 0.8 | 2.2 | 1.7 | 0.07 | 0.19 | 36 | 1.2 | 2.3 | 1.7 | 0.11 | 0.17 | C90 |
| Lymphoid leukaemia | 29 | 0.7 | 1.8 | 1.9 | 0.10 | 0.14 | 20 | 0.6 | 1.3 | 1.4 | 0.10 | 0.13 | C91 |
| Myeloid leukaemia | 52 | 1.2 | 3.2 | 2.8 | 0.17 | 0.33 | 46 | 1.5 | 3.0 | 2.5 | 0.17 | 0.25 | C92–94 |
| Leukaemia unspecified | 20 | 0.5 | 1.2 | 1.1 | 0.07 | 0.09 | 20 | 0.6 | 1.3 | 1.2 | 0.05 | 0.10 | C95 |
| Myeloproliferative disorders | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 18 | 0.4 | 1.1 | 0.8 | 0.01 | 0.09 | 11 | 0.4 | 0.7 | 0.5 | 0.02 | 0.07 | MPS |
| Other and unspecified | 34 | 0.8 | 2.1 | 1.7 | 0.08 | 0.18 | 31 | 1.0 | 2.0 | 1.6 | 0.09 | 0.14 | O&U |
| All sites | 4450 | | 274.6 | 230.9 | 13.55 | 26.86 | 3139 | | 204.9 | 162.3 | 11.24 | 17.71 | C00–96 |
| All sites except C44 | 4402 | 100.0 | 271.6 | 228.4 | 13.43 | 26.58 | 3100 | 100.0 | 202.3 | 160.8 | 11.17 | 17.61 | C00–96 exc. C44 |

China, Xiangfu District, Kaifeng City

CONTRIBUTORS

Shi Ma
Yanling Tian
Shenbang Li
Minfang Zhu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 53.9 | Breast | 33.6 |
| Liver | 32.0 | Trachea, bronchus, and lung | 24.2 |
| Stomach | 19.0 | Thyroid | 14.8 |
| Oesophagus | 16.9 | Liver | 10.8 |
| Small intestine | 10.5 | Cervix uteri | 9.8 |
| Colon | 8.8 | Ovary | 8.8 |
| Rectum | 8.2 | Stomach | 7.6 |
| Bone | 5.9 | Oesophagus | 6.7 |
| Bladder | 4.8 | Corpus uteri | 6.6 |
| Gallbladder etc. | 4.7 | Rectum | 6.0 |
| Pancreas | 4.4 | Colon | 5.4 |
| Thyroid | 4.2 | Small intestine | 5.1 |
| Non-Hodgkin lymphoma | 3.9 | Gallbladder etc. | 3.7 |
| Kidney | 3.7 | Uterus unspecified | 3.6 |
| Brain and nervous system | 3.5 | Lymphoid leukaemia | 3.5 |
| Larynx | 3.1 | Pancreas | 3.5 |
| Non-melanoma skin cancer | 3.0 | Brain and nervous system | 3.3 |
| Lymphoid leukaemia | 3.0 | Bone | 3.0 |
| Prostate | 2.7 | Non-Hodgkin lymphoma | 3.0 |
| Multiple myeloma | 2.4 | Non-melanoma skin cancer | 2.3 |
| All sites | 222.2 | All sites | 186.5 |


China, Xiangfu District, Kaifeng City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | 6 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 9 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C01–02 |
| Mouth | 22 | 0.5 | 1.3 | 1.1 | 0.09 | 0.13 | 18 | 0.5 | 1.1 | 0.9 | 0.06 | 0.06 | C03–06 |
| Salivary glands | 18 | 0.4 | 1.0 | 0.9 | 0.05 | 0.09 | 16 | 0.4 | 0.9 | 0.8 | 0.06 | 0.08 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 10 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 33 | 0.8 | 1.9 | 1.7 | 0.13 | 0.18 | 15 | 0.4 | 0.9 | 0.8 | 0.05 | 0.10 | C11 |
| Hypopharynx | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 331 | 7.8 | 18.8 | 16.9 | 0.64 | 2.18 | 157 | 4.1 | 9.2 | 6.7 | 0.24 | 0.90 | C15 |
| Stomach | 369 | 8.7 | 21.0 | 19.0 | 1.00 | 2.42 | 168 | 4.4 | 9.8 | 7.6 | 0.42 | 0.94 | C16 |
| Small intestine | 212 | 5.0 | 12.1 | 10.5 | 0.54 | 1.18 | 108 | 2.8 | 6.3 | 5.1 | 0.37 | 0.62 | C17 |
| Colon | 167 | 4.0 | 9.5 | 8.8 | 0.49 | 1.09 | 117 | 3.1 | 6.9 | 5.4 | 0.29 | 0.66 | C18 |
| Rectum | 159 | 3.8 | 9.0 | 8.2 | 0.42 | 0.98 | 135 | 3.5 | 7.9 | 6.0 | 0.31 | 0.76 | C19–20 |
| Anus | 31 | 0.7 | 1.8 | 1.7 | 0.11 | 0.20 | 19 | 0.5 | 1.1 | 0.9 | 0.06 | 0.12 | C21 |
| Liver | 617 | 14.6 | 35.1 | 32.0 | 2.22 | 3.97 | 222 | 5.8 | 13.0 | 10.8 | 0.65 | 1.34 | C22 |
| Gallbladder etc. | 91 | 2.2 | 5.2 | 4.7 | 0.22 | 0.62 | 84 | 2.2 | 4.9 | 3.7 | 0.19 | 0.43 | C23–24 |
| Pancreas | 87 | 2.1 | 4.9 | 4.4 | 0.21 | 0.53 | 74 | 1.9 | 4.3 | 3.5 | 0.20 | 0.45 | C25 |
| Nose, sinuses etc. | 24 | 0.6 | 1.4 | 1.4 | 0.10 | 0.12 | 20 | 0.5 | 1.2 | 0.9 | 0.05 | 0.08 | C30–31 |
| Larynx | 59 | 1.4 | 3.4 | 3.1 | 0.20 | 0.41 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1049 | 24.9 | 59.6 | 53.9 | 2.28 | 7.02 | 541 | 14.1 | 31.7 | 24.2 | 1.31 | 2.99 | C33–34 |
| Other thoracic organs | 20 | 0.5 | 1.1 | 1.1 | 0.09 | 0.11 | 11 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 103 | 2.4 | 5.9 | 5.9 | 0.31 | 0.59 | 55 | 1.4 | 3.2 | 3.0 | 0.17 | 0.34 | C40–41 |
| Melanoma of skin | 21 | 0.5 | 1.2 | 1.2 | 0.06 | 0.12 | 22 | 0.6 | 1.3 | 1.1 | 0.07 | 0.08 | C43 |
| Other skin | 56 | 1.3 | 3.2 | 3.0 | 0.13 | 0.36 | 54 | 1.4 | 3.2 | 2.3 | 0.11 | 0.19 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 27 | 0.6 | 1.5 | 1.5 | 0.09 | 0.14 | 27 | 0.7 | 1.6 | 1.6 | 0.11 | 0.13 | C47+C49 |
| Breast | 18 | 0.4 | 1.0 | 1.0 | 0.04 | 0.13 | 692 | 18.0 | 40.6 | 33.6 | 2.77 | 3.35 | C50 |
| Vulva | | | | | | | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 201 | 5.2 | 11.8 | 9.8 | 0.78 | 1.01 | C53 |
| Corpus uteri | | | | | | | 134 | 3.5 | 7.9 | 6.6 | 0.53 | 0.77 | C54 |
| Uterus unspecified | | | | | | | 70 | 1.8 | 4.1 | 3.6 | 0.27 | 0.37 | C55 |
| Ovary | | | | | | | 170 | 4.4 | 10.0 | 8.8 | 0.60 | 0.87 | C56 |
| Other female genital organs | | | | | | | 14 | 0.4 | 0.8 | 0.7 | 0.06 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 9 | 0.2 | 0.5 | 0.5 | 0.03 | 0.09 | | | | | | | C60 |
| Prostate | 56 | 1.3 | 3.2 | 2.7 | 0.04 | 0.29 | | | | | | | C61 |
| Testis | 11 | 0.3 | 0.6 | 0.6 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.3 | 0.3 | 0.03 | 0.04 | | | | | | | C63 |
| Kidney | 70 | 1.7 | 4.0 | 3.7 | 0.20 | 0.43 | 29 | 0.8 | 1.7 | 1.5 | 0.10 | 0.13 | C64 |
| Renal pelvis | 8 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 7 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C65 |
| Ureter | 21 | 0.5 | 1.2 | 1.1 | 0.04 | 0.13 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 98 | 2.3 | 5.6 | 4.8 | 0.20 | 0.49 | 21 | 0.5 | 1.2 | 1.0 | 0.03 | 0.15 | C67 |
| Other urinary organs | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.05 | 10 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C68 |
| Eye | 7 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 6 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 65 | 1.5 | 3.7 | 3.5 | 0.19 | 0.38 | 64 | 1.7 | 3.8 | 3.3 | 0.24 | 0.32 | C70–72 |
| Thyroid | 79 | 1.9 | 4.5 | 4.2 | 0.31 | 0.47 | 299 | 7.8 | 17.5 | 14.8 | 1.18 | 1.53 | C73 |
| Adrenal gland | 7 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | C74 |
| Other endocrine | 8 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 7 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | C75 |
| Hodgkin lymphoma | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 72 | 1.7 | 4.1 | 3.9 | 0.23 | 0.42 | 60 | 1.6 | 3.5 | 3.0 | 0.20 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 46 | 1.1 | 2.6 | 2.4 | 0.16 | 0.30 | 33 | 0.9 | 1.9 | 1.5 | 0.10 | 0.19 | C90 |
| Lymphoid leukaemia | 50 | 1.2 | 2.8 | 3.0 | 0.17 | 0.27 | 65 | 1.7 | 3.8 | 3.5 | 0.21 | 0.33 | C91 |
| Myeloid leukaemia | 30 | 0.7 | 1.7 | 1.7 | 0.10 | 0.18 | 35 | 0.9 | 2.1 | 1.7 | 0.10 | 0.20 | C92–94 |
| Leukaemia unspecified | 40 | 0.9 | 2.3 | 2.1 | 0.11 | 0.24 | 22 | 0.6 | 1.3 | 1.1 | 0.05 | 0.13 | C95 |
| Myeloproliferative disorders | 8 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | MPD |
| Myelodysplastic syndromes | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 11 | 0.3 | 0.6 | 0.6 | 0.03 | 0.06 | MPS |
| Other and unspecified | 19 | 0.5 | 1.1 | 0.9 | 0.06 | 0.11 | 19 | 0.5 | 1.1 | 1.0 | 0.06 | 0.14 | O&U |
| All sites | 4277 | | 243.2 | 222.2 | 11.59 | 27.00 | 3890 | | 228.1 | 186.5 | 12.34 | 20.75 | C00–96 |
| All sites except C44 | 4221 | 100.0 | 240.0 | 219.2 | 11.46 | 26.64 | 3836 | 100.0 | 224.9 | 184.2 | 12.23 | 20.57 | C00–96 exc. C44 |

China, Xianju County

CONTRIBUTORS

Hongwei Cai
 Jiangwei Ying
 Yuduo Wang
 Lixin Zhou
 Lijun Wang
 Hong Zheng
 Minghua Wang
 Haixian Chen



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 67.3 | Stomach | 30.5 |
| Trachea, bronchus, and lung | 51.3 | Breast | 29.7 |
| Liver | 41.5 | Trachea, bronchus, and lung | 23.8 |
| Oesophagus | 25.9 | Thyroid | 23.6 |
| Rectum | 9.9 | Cervix uteri | 17.3 |
| Prostate | 8.7 | Oesophagus | 16.0 |
| Colon | 7.5 | Liver | 11.8 |
| Thyroid | 6.1 | Colon | 8.2 |
| Bladder | 4.2 | Rectum | 6.8 |
| Pancreas | 4.2 | Ovary | 4.9 |
| Non-Hodgkin lymphoma | 3.7 | Corpus uteri | 4.1 |
| Nasopharynx | 3.7 | Uterus unspecified | 3.4 |
| Myeloid leukaemia | 3.6 | Pancreas | 3.1 |
| Brain and nervous system | 3.2 | Myeloid leukaemia | 3.0 |
| Non-melanoma skin cancer | 2.6 | Non-Hodgkin lymphoma | 2.7 |
| Other and unspecified | 2.5 | Non-melanoma skin cancer | 2.4 |
| Leukaemia unspecified | 2.5 | Gallbladder etc. | 2.4 |
| Mouth | 1.7 | Brain and nervous system | 2.4 |
| Gallbladder etc. | 1.7 | Leukaemia unspecified | 2.1 |
| Kidney | 1.6 | Kidney | 1.6 |
| All sites | 267.6 | All sites | 214.7 |


China, Xianju County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.2 | 0.7 | 0.4 | 0.03 | 0.03 | 6 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | C00 |
| Tongue | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C01–02 |
| Mouth | 29 | 0.5 | 2.2 | 1.7 | 0.07 | 0.19 | 16 | 0.4 | 1.3 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 9 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 7 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 72 | 1.3 | 5.4 | 3.7 | 0.29 | 0.41 | 26 | 0.6 | 2.1 | 1.4 | 0.12 | 0.15 | C11 |
| Hypopharynx | 6 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 555 | 10.3 | 42.0 | 25.9 | 1.04 | 3.25 | 336 | 8.2 | 27.5 | 16.0 | 0.54 | 1.99 | C15 |
| Stomach | 1408 | 26.0 | 106.5 | 67.3 | 3.06 | 8.61 | 621 | 15.2 | 50.8 | 30.5 | 1.53 | 3.60 | C16 |
| Small intestine | 30 | 0.6 | 2.3 | 1.5 | 0.06 | 0.21 | 18 | 0.4 | 1.5 | 0.9 | 0.05 | 0.08 | C17 |
| Colon | 159 | 2.9 | 12.0 | 7.5 | 0.38 | 0.84 | 170 | 4.2 | 13.9 | 8.2 | 0.47 | 0.91 | C18 |
| Rectum | 203 | 3.8 | 15.4 | 9.9 | 0.58 | 1.25 | 135 | 3.3 | 11.0 | 6.8 | 0.43 | 0.78 | C19–20 |
| Anus | 17 | 0.3 | 1.3 | 0.8 | 0.03 | 0.09 | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C21 |
| Liver | 834 | 15.4 | 63.1 | 41.5 | 3.07 | 4.90 | 235 | 5.8 | 19.2 | 11.8 | 0.70 | 1.39 | C22 |
| Gallbladder etc. | 34 | 0.6 | 2.6 | 1.7 | 0.07 | 0.22 | 53 | 1.3 | 4.3 | 2.4 | 0.15 | 0.21 | C23–24 |
| Pancreas | 88 | 1.6 | 6.7 | 4.2 | 0.20 | 0.49 | 67 | 1.6 | 5.5 | 3.1 | 0.14 | 0.34 | C25 |
| Nose, sinuses etc. | 7 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | 9 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | C30–31 |
| Larynx | 20 | 0.4 | 1.5 | 0.9 | 0.05 | 0.08 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1059 | 19.6 | 80.1 | 51.3 | 2.85 | 6.37 | 477 | 11.7 | 39.0 | 23.8 | 1.39 | 3.03 | C33–34 |
| Other thoracic organs | 14 | 0.3 | 1.1 | 0.8 | 0.03 | 0.08 | 7 | 0.2 | 0.6 | 0.3 | 0.02 | 0.02 | C37–38 |
| Bone | 17 | 0.3 | 1.3 | 1.1 | 0.04 | 0.10 | 18 | 0.4 | 1.5 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 10 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | 6 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | C43 |
| Other skin | 55 | 1.0 | 4.2 | 2.6 | 0.12 | 0.32 | 53 | 1.3 | 4.3 | 2.4 | 0.10 | 0.26 | C44 |
| Mesothelioma | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.3 | 1.1 | 0.8 | 0.04 | 0.10 | 12 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | C47+C49 |
| Breast | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 558 | 13.7 | 45.7 | 29.7 | 2.58 | 2.99 | C50 |
| Vulva | | | | | | | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 325 | 8.0 | 26.6 | 17.3 | 1.36 | 1.82 | C53 |
| Corpus uteri | | | | | | | 80 | 2.0 | 6.5 | 4.1 | 0.33 | 0.47 | C54 |
| Uterus unspecified | | | | | | | 67 | 1.6 | 5.5 | 3.4 | 0.24 | 0.36 | C55 |
| Ovary | | | | | | | 91 | 2.2 | 7.4 | 4.9 | 0.37 | 0.54 | C56 |
| Other female genital organs | | | | | | | 12 | 0.3 | 1.0 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 9 | 0.2 | 0.7 | 0.7 | 0.05 | 0.05 | C58 |
| Penis | | 0.2 | 0.9 | 0.6 | 0.01 | 0.05 | | | | | | | C60 |
| Prostate | 198 | 3.7 | 15.0 | 8.7 | 0.14 | 0.92 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 31 | 0.6 | 2.3 | 1.6 | 0.14 | 0.16 | 26 | 0.6 | 2.1 | 1.6 | 0.12 | 0.15 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 6 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C66 |
| Bladder | 89 | 1.6 | 6.7 | 4.2 | 0.21 | 0.45 | 24 | 0.6 | 2.0 | 1.0 | 0.03 | 0.12 | C67 |
| Other urinary organs | 5 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 62 | 1.1 | 4.7 | 3.2 | 0.23 | 0.32 | 44 | 1.1 | 3.6 | 2.4 | 0.17 | 0.24 | C70–72 |
| Thyroid | 102 | 1.9 | 7.7 | 6.1 | 0.51 | 0.55 | 401 | 9.8 | 32.8 | 23.6 | 1.97 | 2.23 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 7 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | 6 | 0.1 | 0.5 | 0.6 | 0.04 | 0.04 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 69 | 1.3 | 5.2 | 3.7 | 0.23 | 0.38 | 51 | 1.2 | 4.2 | 2.7 | 0.16 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 29 | 0.5 | 2.2 | 1.4 | 0.07 | 0.20 | 17 | 0.4 | 1.4 | 0.9 | 0.07 | 0.11 | C90 |
| Lymphoid leukaemia | 18 | 0.3 | 1.4 | 1.1 | 0.08 | 0.11 | 13 | 0.3 | 1.1 | 0.8 | 0.05 | 0.06 | C91 |
| Myeloid leukaemia | 50 | 0.9 | 3.8 | 3.6 | 0.19 | 0.31 | 31 | 0.8 | 2.5 | 3.0 | 0.14 | 0.23 | C92–94 |
| Leukaemia unspecified | 35 | 0.6 | 2.6 | 2.5 | 0.15 | 0.20 | 21 | 0.5 | 1.7 | 2.1 | 0.10 | 0.16 | C95 |
| Myeloproliferative disorders | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | MPD |
| Myelodysplastic syndromes | 13 | 0.2 | 1.0 | 0.6 | 0.02 | 0.06 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | MPS |
| Other and unspecified | 50 | 0.9 | 3.8 | 2.5 | 0.10 | 0.32 | 30 | 0.7 | 2.5 | 1.4 | 0.09 | 0.14 | O&U |
| All sites | 5464 | | 413.4 | 267.6 | 14.43 | 31.98 | 4133 | | 338.1 | 214.7 | 13.93 | 23.54 | C00–96 |
| All sites except C44 | 5409 | 100.0 | 409.3 | 265.0 | 14.32 | 31.66 | 4080 | 100.0 | 333.8 | 212.3 | 13.83 | 23.29 | C00–96 exc. C44 |

China, Xin'an County

CONTRIBUTORS

Zhenfei Zhang
Yanan Zhai
Wenli Fu
Yueling Wang
Hui Li



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 52.5 | Trachea, bronchus, and lung | 23.2 |
| Stomach | 43.2 | Breast | 22.2 |
| Liver | 25.3 | Stomach | 16.1 |
| Oesophagus | 24.6 | Cervix uteri | 14.4 |
| Rectum | 7.8 | Oesophagus | 13.9 |
| Brain and nervous system | 5.6 | Liver | 11.1 |
| Colon | 5.1 | Corpus uteri | 6.2 |
| Bladder | 4.6 | Rectum | 5.8 |
| Prostate | 4.6 | Thyroid | 5.6 |
| Pancreas | 4.2 | Gallbladder etc. | 5.0 |
| Leukaemia unspecified | 4.0 | Brain and nervous system | 4.8 |
| Other and unspecified | 3.8 | Ovary | 4.3 |
| Gallbladder etc. | 3.1 | Colon | 3.7 |
| Kidney | 2.6 | Uterus unspecified | 3.0 |
| Bone | 2.5 | Leukaemia unspecified | 3.0 |
| Non-Hodgkin lymphoma | 1.7 | Pancreas | 2.4 |
| Thyroid | 1.5 | Other and unspecified | 2.0 |
| Larynx | 1.3 | Kidney | 1.8 |
| Non-melanoma skin cancer | 1.2 | Bone | 1.7 |
| Myeloid leukaemia | 1.1 | Non-melanoma skin cancer | 1.3 |
| All sites | 208.2 | All sites | 160.7 |

*China, Xin'an County (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 7 | 0.3 | 0.8 | 0.7 | 0.03 | 0.09 | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 10 | 0.4 | 1.2 | 0.9 | 0.04 | 0.11 | 9 | 0.5 | 1.1 | 0.8 | 0.05 | 0.11 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 3 | 0.1 | 0.4 | 0.3 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 8 | 0.3 | 1.0 | 0.7 | 0.05 | 0.08 | 6 | 0.3 | 0.8 | 0.4 | 0.01 | 0.03 | C11 |
| Hypopharynx | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 286 | 12.1 | 34.3 | 24.6 | 0.85 | 3.26 | 174 | 9.6 | 22.2 | 13.9 | 0.42 | 1.78 | C15 |
| Stomach | 506 | 21.4 | 60.6 | 43.2 | 2.07 | 5.28 | 199 | 11.0 | 25.4 | 16.1 | 0.58 | 1.97 | C16 |
| Small intestine | 5 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C17 |
| Colon | 59 | 2.5 | 7.1 | 5.1 | 0.27 | 0.62 | 42 | 2.3 | 5.4 | 3.7 | 0.18 | 0.52 | C18 |
| Rectum | 90 | 3.8 | 10.8 | 7.8 | 0.43 | 0.93 | 68 | 3.8 | 8.7 | 5.8 | 0.30 | 0.75 | C19–20 |
| Anus | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C21 |
| Liver | 294 | 12.4 | 35.2 | 25.3 | 1.51 | 2.95 | 138 | 7.6 | 17.6 | 11.1 | 0.55 | 1.20 | C22 |
| Gallbladder etc. | 36 | 1.5 | 4.3 | 3.1 | 0.10 | 0.49 | 66 | 3.7 | 8.4 | 5.0 | 0.21 | 0.58 | C23–24 |
| Pancreas | 47 | 2.0 | 5.6 | 4.2 | 0.21 | 0.46 | 25 | 1.4 | 3.2 | 2.4 | 0.13 | 0.27 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 3 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 15 | 0.6 | 1.8 | 1.3 | 0.07 | 0.16 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C32 |
| Trachea, bronchus, and lung | 611 | 25.8 | 73.2 | 52.5 | 2.56 | 6.40 | 277 | 15.3 | 35.3 | 23.2 | 1.00 | 2.92 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 24 | 1.0 | 2.9 | 2.5 | 0.15 | 0.29 | 16 | 0.9 | 2.0 | 1.7 | 0.10 | 0.21 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 13 | 0.5 | 1.6 | 1.2 | 0.06 | 0.15 | 15 | 0.8 | 1.9 | 1.3 | 0.07 | 0.11 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C47+C49 |
| Breast | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 230 | 12.7 | 29.3 | 22.2 | 1.89 | 2.23 | C50 |
| Vulva | | | | | | | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 154 | 8.5 | 19.6 | 14.4 | 1.10 | 1.61 | C53 |
| Corpus uteri | | | | | | | 65 | 3.6 | 8.3 | 6.2 | 0.57 | 0.66 | C54 |
| Uterus unspecified | | | | | | | 33 | 1.8 | 4.2 | 3.0 | 0.19 | 0.31 | C55 |
| Ovary | | | | | | | 44 | 2.4 | 5.6 | 4.3 | 0.33 | 0.46 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 7 | 0.3 | 0.8 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 55 | 2.3 | 6.6 | 4.6 | 0.06 | 0.47 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 29 | 1.2 | 3.5 | 2.6 | 0.18 | 0.29 | 20 | 1.1 | 2.5 | 1.8 | 0.09 | 0.22 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 53 | 2.2 | 6.3 | 4.6 | 0.16 | 0.54 | 9 | 0.5 | 1.1 | 0.8 | 0.04 | 0.10 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 58 | 2.4 | 6.9 | 5.6 | 0.34 | 0.60 | 50 | 2.8 | 6.4 | 4.8 | 0.33 | 0.57 | C70–72 |
| Thyroid | 17 | 0.7 | 2.0 | 1.5 | 0.12 | 0.16 | 58 | 3.2 | 7.4 | 5.6 | 0.49 | 0.58 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 18 | 0.8 | 2.2 | 1.7 | 0.08 | 0.22 | 11 | 0.6 | 1.4 | 1.3 | 0.07 | 0.11 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 4 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C90 |
| Lymphoid leukaemia | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 5 | 0.3 | 0.6 | 0.6 | 0.04 | 0.04 | C91 |
| Myeloid leukaemia | 9 | 0.4 | 1.1 | 1.1 | 0.06 | 0.10 | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C92–94 |
| Leukaemia unspecified | 36 | 1.5 | 4.3 | 4.0 | 0.26 | 0.33 | 27 | 1.5 | 3.4 | 3.0 | 0.18 | 0.28 | C95 |
| Myeloproliferative disorders | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 7 | 0.3 | 0.8 | 0.8 | 0.04 | 0.06 | 10 | 0.6 | 1.3 | 1.1 | 0.05 | 0.14 | MPS |
| Other and unspecified | 40 | 1.7 | 4.8 | 3.8 | 0.18 | 0.43 | 26 | 1.4 | 3.3 | 2.0 | 0.13 | 0.17 | O&U |
| All sites | 2383 | | 285.5 | 208.2 | 10.16 | 25.01 | 1821 | | 232.2 | 160.7 | 9.45 | 18.39 | C00–96 |
| All sites except C44 | 2370 | 100.0 | 283.9 | 207.0 | 10.11 | 24.86 | 1806 | 100.0 | 230.3 | 159.5 | 9.37 | 18.28 | C00–96 exc. C44 |

*See note following population pyramid

China, Xining City

CONTRIBUTORS

Zihua Xu
 Minru Zhou
 Suxia Zhou
 Yanming Li
 Peng Guo
 Haixia Tang
 Xiaoliang Nian
 Ping Ma
 Dingxinle Zhang
 Shan Li



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 57.5 | Trachea, bronchus, and lung | 26.4 |
| Stomach | 53.5 | Breast | 25.6 |
| Liver | 36.4 | Stomach | 17.8 |
| Oesophagus | 16.2 | Liver | 13.5 |
| Rectum | 15.2 | Cervix uteri | 13.4 |
| Colon | 13.5 | Rectum | 9.8 |
| Prostate | 11.2 | Colon | 8.3 |
| Pancreas | 8.8 | Thyroid | 7.7 |
| Bladder | 7.9 | Ovary | 7.3 |
| Brain and nervous system | 7.2 | Gallbladder etc. | 6.1 |
| Kidney | 6.9 | Pancreas | 5.7 |
| Other and unspecified | 6.0 | Brain and nervous system | 5.7 |
| Gallbladder etc. | 5.7 | Corpus uteri | 4.6 |
| Non-Hodgkin lymphoma | 3.0 | Oesophagus | 4.5 |
| Bone | 2.8 | Other and unspecified | 4.0 |
| Non-melanoma skin cancer | 2.5 | Kidney | 2.8 |
| Thyroid | 2.4 | Bone | 2.3 |
| Myeloid leukaemia | 2.2 | Non-melanoma skin cancer | 2.0 |
| Leukaemia unspecified | 2.1 | Bladder | 1.9 |
| Multiple myeloma | 1.7 | Non-Hodgkin lymphoma | 1.8 |
| All sites | 276.6 | All sites | 186.5 |

*China, Xining City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C01–02 |
| Mouth | 10 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 13 | 0.3 | 0.7 | 0.6 | 0.03 | 0.04 | C03–06 |
| Salivary glands | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | C07–08 |
| Tonsil | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 11 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 29 | 0.5 | 1.6 | 1.2 | 0.05 | 0.14 | 15 | 0.3 | 0.8 | 0.6 | 0.05 | 0.08 | C11 |
| Hypopharynx | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 326 | 5.6 | 17.4 | 16.2 | 0.73 | 1.77 | 115 | 2.5 | 5.9 | 4.5 | 0.12 | 0.44 | C15 |
| Stomach | 1115 | 19.2 | 59.7 | 53.5 | 2.71 | 5.97 | 422 | 9.3 | 21.7 | 17.8 | 0.92 | 1.82 | C16 |
| Small intestine | 36 | 0.6 | 1.9 | 1.6 | 0.06 | 0.17 | 29 | 0.6 | 1.5 | 1.2 | 0.07 | 0.12 | C17 |
| Colon | 289 | 5.0 | 15.5 | 13.5 | 0.65 | 1.39 | 203 | 4.5 | 10.4 | 8.3 | 0.39 | 0.88 | C18 |
| Rectum | 317 | 5.4 | 17.0 | 15.2 | 0.80 | 1.43 | 233 | 5.2 | 12.0 | 9.8 | 0.52 | 0.99 | C19–20 |
| Anus | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 793 | 13.6 | 42.4 | 36.4 | 2.17 | 3.61 | 331 | 7.3 | 17.0 | 13.5 | 0.59 | 1.30 | C22 |
| Gallbladder etc. | 115 | 2.0 | 6.2 | 5.7 | 0.26 | 0.57 | 149 | 3.3 | 7.6 | 6.1 | 0.18 | 0.56 | C23–24 |
| Pancreas | 186 | 3.2 | 10.0 | 8.8 | 0.45 | 0.88 | 136 | 3.0 | 7.0 | 5.7 | 0.23 | 0.51 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 37 | 0.6 | 2.0 | 1.7 | 0.09 | 0.18 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1253 | 21.5 | 67.1 | 57.5 | 2.60 | 5.42 | 623 | 13.8 | 32.0 | 26.4 | 1.08 | 2.37 | C33–34 |
| Other thoracic organs | 22 | 0.4 | 1.2 | 1.1 | 0.08 | 0.13 | 32 | 0.7 | 1.6 | 1.3 | 0.09 | 0.14 | C37–38 |
| Bone | 61 | 1.0 | 3.3 | 2.8 | 0.16 | 0.25 | 49 | 1.1 | 2.5 | 2.3 | 0.10 | 0.19 | C40–41 |
| Melanoma of skin | 12 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | 10 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C43 |
| Other skin | 55 | 0.9 | 2.9 | 2.5 | 0.10 | 0.19 | 46 | 1.0 | 2.4 | 2.0 | 0.11 | 0.16 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.3 | 0.8 | 0.6 | 0.05 | 0.06 | 21 | 0.5 | 1.1 | 0.9 | 0.06 | 0.10 | C47+C49 |
| Breast | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 652 | 14.4 | 33.5 | 25.6 | 1.98 | 2.56 | C50 |
| Vulva | | | | | | | 12 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 0.5 | 0.3 | 0.01 | 0.05 | C52 |
| Cervix uteri | | | | | | | 349 | 7.7 | 17.9 | 13.4 | 1.08 | 1.44 | C53 |
| Corpus uteri | | | | | | | 112 | 2.5 | 5.7 | 4.6 | 0.40 | 0.48 | C54 |
| Uterus unspecified | | | | | | | 18 | 0.4 | 0.9 | 0.7 | 0.06 | 0.07 | C55 |
| Ovary | | | | | | | 179 | 4.0 | 9.2 | 7.3 | 0.56 | 0.75 | C56 |
| Other female genital organs | | | | | | | 12 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 234 | 4.0 | 12.5 | 11.2 | 0.14 | 0.72 | | | | | | | C61 |
| Testis | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 146 | 2.5 | 7.8 | 6.9 | 0.45 | 0.76 | 72 | 1.6 | 3.7 | 2.8 | 0.13 | 0.27 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 10 | 0.2 | 0.5 | 0.6 | 0.01 | 0.03 | C65 |
| Ureter | 9 | 0.2 | 0.5 | 0.5 | 0.02 | 0.02 | 11 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C66 |
| Bladder | 165 | 2.8 | 8.8 | 7.9 | 0.35 | 0.68 | 45 | 1.0 | 2.3 | 1.9 | 0.06 | 0.12 | C67 |
| Other urinary organs | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 151 | 2.6 | 8.1 | 7.2 | 0.42 | 0.69 | 142 | 3.1 | 7.3 | 5.7 | 0.39 | 0.60 | C70–72 |
| Thyroid | 56 | 1.0 | 3.0 | 2.4 | 0.18 | 0.21 | 201 | 4.4 | 10.3 | 7.7 | 0.66 | 0.79 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.2 | 0.4 | 0.4 | 0.01 | 0.04 | C74 |
| Other endocrine | 18 | 0.3 | 1.0 | 0.7 | 0.06 | 0.07 | 20 | 0.4 | 1.0 | 0.9 | 0.07 | 0.09 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 65 | 1.1 | 3.5 | 3.0 | 0.19 | 0.28 | 47 | 1.0 | 2.4 | 1.8 | 0.10 | 0.24 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 32 | 0.5 | 1.7 | 1.7 | 0.08 | 0.20 | 20 | 0.4 | 1.0 | 0.8 | 0.05 | 0.09 | C90 |
| Lymphoid leukaemia | 12 | 0.2 | 0.6 | 0.8 | 0.04 | 0.07 | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 48 | 0.8 | 2.6 | 2.2 | 0.16 | 0.22 | 31 | 0.7 | 1.6 | 1.2 | 0.07 | 0.11 | C92–94 |
| Leukaemia unspecified | 42 | 0.7 | 2.2 | 2.1 | 0.11 | 0.20 | 31 | 0.7 | 1.6 | 1.6 | 0.08 | 0.13 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 12 | 0.2 | 0.6 | 0.5 | 0.04 | 0.07 | 8 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | MPS |
| Other and unspecified | 124 | 2.1 | 6.6 | 6.0 | 0.37 | 0.56 | 102 | 2.3 | 5.2 | 4.0 | 0.22 | 0.37 | O&U |
| All sites | 5875 | | 314.4 | 276.6 | 13.81 | 27.41 | 4568 | | 234.4 | 186.5 | 10.77 | 18.38 | C00–96 |
| All sites except C44 | 5820 | 100.0 | 311.5 | 274.2 | 13.71 | 27.22 | 4522 | 100.0 | 232.1 | 184.5 | 10.66 | 18.21 | C00–96 exc. C44 |

*See note following population pyramid

China, Xinji City

CONTRIBUTORS

Hao Shiqing
Wan Zhenzhen
Geng Bing



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 38.6 | Breast | 34.5 |
| Stomach | 17.1 | Trachea, bronchus, and lung | 19.4 |
| Liver | 12.9 | Stomach | 7.5 |
| Oesophagus | 12.8 | Ovary | 7.0 |
| Rectum | 5.7 | Corpus uteri | 7.0 |
| Colon | 4.3 | Cervix uteri | 6.6 |
| Kidney | 3.6 | Oesophagus | 6.4 |
| Bladder | 3.5 | Liver | 5.2 |
| Brain and nervous system | 3.4 | Thyroid | 4.7 |
| Non-Hodgkin lymphoma | 3.3 | Rectum | 3.8 |
| Other and unspecified | 3.1 | Colon | 3.6 |
| Pancreas | 2.4 | Other and unspecified | 3.4 |
| Leukaemia unspecified | 2.1 | Brain and nervous system | 2.7 |
| Prostate | 2.0 | Lymphoid leukaemia | 2.1 |
| Thyroid | 1.7 | Non-Hodgkin lymphoma | 2.1 |
| Larynx | 1.4 | Kidney | 2.0 |
| Lymphoid leukaemia | 1.3 | Pancreas | 2.0 |
| Multiple myeloma | 1.1 | Leukaemia unspecified | 1.4 |
| Gallbladder etc. | 1.0 | Myeloid leukaemia | 1.1 |
| Myeloid leukaemia | 1.0 | Bladder | 1.0 |
| All sites | 132.3 | All sites | 133.2 |

*China, Xinji City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 13 | 0.4 | 0.8 | 0.5 | 0.03 | 0.08 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C01–02 |
| Mouth | 10 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | 12 | 0.3 | 0.8 | 0.4 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 10 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | 11 | 0.3 | 0.7 | 0.5 | 0.04 | 0.04 | C07–08 |
| Tonsil | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 7 | 0.2 | 0.4 | 0.4 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 12 | 0.3 | 0.8 | 0.5 | 0.03 | 0.04 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 10 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.2 | 0.4 | 0.2 | 0.00 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 364 | 10.4 | 22.9 | 12.8 | 0.56 | 1.58 | 198 | 5.7 | 12.4 | 6.4 | 0.33 | 0.81 | C15 |
| Stomach | 475 | 13.5 | 29.9 | 17.1 | 0.88 | 2.15 | 219 | 6.4 | 13.8 | 7.5 | 0.42 | 0.94 | C16 |
| Small intestine | 14 | 0.4 | 0.9 | 0.5 | 0.03 | 0.06 | 14 | 0.4 | 0.9 | 0.5 | 0.03 | 0.06 | C17 |
| Colon | 112 | 3.2 | 7.0 | 4.2 | 0.28 | 0.54 | 101 | 2.9 | 6.3 | 3.6 | 0.25 | 0.44 | C18 |
| Rectum | 152 | 4.3 | 9.6 | 5.7 | 0.34 | 0.70 | 109 | 3.2 | 6.8 | 3.8 | 0.27 | 0.47 | C19–20 |
| Anus | 19 | 0.5 | 1.2 | 0.7 | 0.03 | 0.11 | 9 | 0.3 | 0.6 | 0.3 | 0.02 | 0.05 | C21 |
| Liver | 342 | 9.7 | 21.5 | 12.9 | 0.74 | 1.59 | 160 | 4.6 | 10.1 | 5.2 | 0.30 | 0.64 | C22 |
| Gallbladder etc. | 30 | 0.9 | 1.9 | 1.0 | 0.04 | 0.15 | 21 | 0.6 | 1.3 | 0.7 | 0.05 | 0.10 | C23–24 |
| Pancreas | 66 | 1.9 | 4.2 | 2.4 | 0.12 | 0.31 | 60 | 1.7 | 3.8 | 2.0 | 0.11 | 0.25 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 40 | 1.1 | 2.5 | 1.4 | 0.08 | 0.19 | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1078 | 30.7 | 67.8 | 38.6 | 2.11 | 4.89 | 577 | 16.7 | 36.3 | 19.4 | 1.22 | 2.30 | C33–34 |
| Other thoracic organs | 18 | 0.5 | 1.1 | 0.7 | 0.04 | 0.09 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 13 | 0.4 | 0.8 | 0.7 | 0.03 | 0.06 | 13 | 0.4 | 0.8 | 0.5 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 21 | 0.6 | 1.3 | 0.7 | 0.03 | 0.08 | 21 | 0.6 | 1.3 | 0.8 | 0.03 | 0.07 | C44 |
| Mesothelioma | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.3 | 0.6 | 0.6 | 0.04 | 0.04 | 11 | 0.3 | 0.7 | 0.5 | 0.04 | 0.05 | C47+C49 |
| Breast | 10 | 0.3 | 0.6 | 0.3 | 0.02 | 0.04 | 830 | 24.1 | 52.2 | 34.5 | 2.90 | 3.65 | C50 |
| Vulva | | | | | | | 21 | 0.6 | 1.3 | 0.9 | 0.05 | 0.09 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 155 | 4.5 | 9.7 | 6.6 | 0.56 | 0.69 | C53 |
| Corpus uteri | | | | | | | 178 | 5.2 | 11.2 | 7.0 | 0.56 | 0.84 | C54 |
| Uterus unspecified | | | | | | | 19 | 0.6 | 1.2 | 0.8 | 0.07 | 0.07 | C55 |
| Ovary | | | | | | | 184 | 5.3 | 11.6 | 7.0 | 0.55 | 0.75 | C56 |
| Other female genital organs | | | | | | | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 11 | 0.3 | 0.7 | 0.4 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 55 | 1.6 | 3.5 | 2.0 | 0.04 | 0.32 | | | | | | | C61 |
| Testis | 7 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 92 | 2.6 | 5.8 | 3.6 | 0.29 | 0.41 | 48 | 1.4 | 3.0 | 2.0 | 0.15 | 0.20 | C64 |
| Renal pelvis | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 97 | 2.8 | 6.1 | 3.5 | 0.16 | 0.40 | 30 | 0.9 | 1.9 | 1.0 | 0.05 | 0.12 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 77 | 2.2 | 4.8 | 3.4 | 0.22 | 0.35 | 56 | 1.6 | 3.5 | 2.7 | 0.19 | 0.25 | C70–72 |
| Thyroid | 36 | 1.0 | 2.3 | 1.7 | 0.15 | 0.17 | 113 | 3.3 | 7.1 | 4.7 | 0.42 | 0.50 | C73 |
| Adrenal gland | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 78 | 2.2 | 4.9 | 3.3 | 0.21 | 0.39 | 52 | 1.5 | 3.3 | 2.1 | 0.13 | 0.26 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 28 | 0.8 | 1.8 | 1.1 | 0.08 | 0.13 | 20 | 0.6 | 1.3 | 0.7 | 0.05 | 0.11 | C90 |
| Lymphoid leukaemia | 18 | 0.5 | 1.1 | 1.3 | 0.06 | 0.08 | 23 | 0.7 | 1.4 | 2.1 | 0.11 | 0.11 | C91 |
| Myeloid leukaemia | 19 | 0.5 | 1.2 | 1.0 | 0.06 | 0.09 | 19 | 0.6 | 1.2 | 1.1 | 0.07 | 0.11 | C92–94 |
| Leukaemia unspecified | 41 | 1.2 | 2.6 | 2.1 | 0.12 | 0.20 | 33 | 1.0 | 2.1 | 1.4 | 0.09 | 0.14 | C95 |
| Myeloproliferative disorders | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 7 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | MPS |
| Other and unspecified | 86 | 2.5 | 5.4 | 3.1 | 0.14 | 0.39 | 82 | 2.4 | 5.2 | 3.4 | 0.23 | 0.34 | O&U |
| All sites | 3530 | | 222.1 | 132.3 | 7.28 | 16.22 | 3468 | | 217.9 | 133.2 | 9.56 | 14.84 | C00–96 |
| All sites except C44 | 3509 | 100.0 | 220.8 | 131.6 | 7.24 | 16.14 | 3447 | 100.0 | 216.6 | 132.4 | 9.54 | 14.77 | C00–96 exc. C44 |

*See note following population pyramid

China, Xinluo District, Longyan City

CONTRIBUTORS

Kun Xie
Xiang Zhang
Qingbin Lai
Lingling Liao



NOTES ON THE DATA

*No DCO registrations. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 52.0 | Breast | 29.1 |
| Liver | 23.4 | Thyroid | 27.6 |
| Stomach | 22.3 | Trachea, bronchus, and lung | 19.7 |
| Rectum | 15.7 | Cervix uteri | 12.8 |
| Colon | 13.3 | Stomach | 11.5 |
| Prostate | 9.2 | Colon | 11.5 |
| Thyroid | 7.7 | Rectum | 9.2 |
| Nasopharynx | 6.2 | Corpus uteri | 6.1 |
| Other and unspecified | 6.1 | Liver | 6.0 |
| Oesophagus | 5.9 | Other and unspecified | 5.6 |
| Brain and nervous system | 3.9 | Ovary | 4.3 |
| Bladder | 3.5 | Brain and nervous system | 3.3 |
| Pancreas | 3.5 | Non-Hodgkin lymphoma | 2.8 |
| Leukaemia unspecified | 2.9 | Non-melanoma skin cancer | 2.6 |
| Non-Hodgkin lymphoma | 2.9 | Nasopharynx | 2.3 |
| Kidney | 2.9 | Myeloid leukaemia | 2.2 |
| Larynx | 2.7 | Leukaemia unspecified | 2.0 |
| Myeloid leukaemia | 2.0 | Oesophagus | 2.0 |
| Connective and soft tissue | 1.7 | Pancreas | 1.8 |
| Non-melanoma skin cancer | 1.7 | Bladder | 1.7 |
| All sites | 202.5 | All sites | 176.5 |

*China, Xinluo District, Longyan City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.05 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | C01–02 |
| Mouth | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 6 | 0.3 | 0.8 | 0.3 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | 5 | 0.2 | 0.6 | 0.5 | 0.05 | 0.05 | C07–08 |
| Tonsil | 5 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 69 | 2.8 | 8.8 | 6.2 | 0.52 | 0.60 | 26 | 1.3 | 3.4 | 2.3 | 0.14 | 0.25 | C11 |
| Hypopharynx | 6 | 0.2 | 0.8 | 0.5 | 0.03 | 0.09 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 73 | 3.0 | 9.3 | 5.9 | 0.38 | 0.72 | 27 | 1.3 | 3.5 | 2.0 | 0.09 | 0.24 | C15 |
| Stomach | 285 | 11.6 | 36.4 | 22.3 | 1.15 | 2.71 | 145 | 7.2 | 18.7 | 11.5 | 0.60 | 1.38 | C16 |
| Small intestine | 13 | 0.5 | 1.7 | 1.2 | 0.10 | 0.15 | 7 | 0.3 | 0.9 | 0.5 | 0.04 | 0.04 | C17 |
| Colon | 171 | 6.9 | 21.9 | 13.3 | 0.72 | 1.53 | 139 | 6.9 | 18.0 | 11.5 | 0.65 | 1.46 | C18 |
| Rectum | 196 | 8.0 | 25.1 | 15.7 | 0.95 | 1.81 | 113 | 5.6 | 14.6 | 9.2 | 0.62 | 1.08 | C19–20 |
| Anus | 4 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C21 |
| Liver | 282 | 11.4 | 36.1 | 23.4 | 1.44 | 2.88 | 79 | 3.9 | 10.2 | 6.0 | 0.30 | 0.68 | C22 |
| Gallbladder etc. | 20 | 0.8 | 2.6 | 1.6 | 0.05 | 0.24 | 15 | 0.7 | 1.9 | 1.0 | 0.04 | 0.08 | C23–24 |
| Pancreas | 45 | 1.8 | 5.8 | 3.5 | 0.19 | 0.41 | 23 | 1.1 | 3.0 | 1.8 | 0.08 | 0.25 | C25 |
| Nose, sinuses etc. | 5 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 3 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C30–31 |
| Larynx | 33 | 1.3 | 4.2 | 2.7 | 0.16 | 0.35 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 648 | 26.3 | 82.8 | 52.0 | 2.59 | 6.72 | 244 | 12.1 | 31.5 | 19.7 | 1.13 | 2.38 | C33–34 |
| Other thoracic organs | 9 | 0.4 | 1.2 | 0.7 | 0.04 | 0.07 | 8 | 0.4 | 1.0 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 14 | 0.6 | 1.8 | 1.3 | 0.08 | 0.13 | 7 | 0.3 | 0.9 | 1.0 | 0.07 | 0.07 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.2 | 0.5 | 0.3 | 0.01 | 0.01 | C43 |
| Other skin | 21 | 0.9 | 2.7 | 1.7 | 0.03 | 0.21 | 31 | 1.5 | 4.0 | 2.6 | 0.13 | 0.31 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 14 | 0.6 | 1.8 | 1.7 | 0.12 | 0.12 | 7 | 0.3 | 0.9 | 0.8 | 0.03 | 0.12 | C47+C49 |
| Breast | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 336 | 16.7 | 43.4 | 29.1 | 2.40 | 3.10 | C50 |
| Vulva | | | | | | | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C52 |
| Cervix uteri | | | | | | | 154 | 7.6 | 19.9 | 12.8 | 1.04 | 1.31 | C53 |
| Corpus uteri | | | | | | | 69 | 3.4 | 8.9 | 6.1 | 0.51 | 0.68 | C54 |
| Uterus unspecified | | | | | | | 15 | 0.7 | 1.9 | 1.2 | 0.09 | 0.13 | C55 |
| Ovary | | | | | | | 45 | 2.2 | 5.8 | 4.3 | 0.30 | 0.49 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.6 | 0.4 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 4 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 130 | 5.3 | 16.6 | 9.2 | 0.24 | 0.87 | | | | | | | C61 |
| Testis | 7 | 0.3 | 0.9 | 0.9 | 0.05 | 0.05 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 33 | 1.3 | 4.2 | 2.9 | 0.17 | 0.34 | 14 | 0.7 | 1.8 | 1.1 | 0.09 | 0.13 | C64 |
| Renal pelvis | 6 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | 3 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 7 | 0.3 | 0.9 | 0.4 | 0.01 | 0.03 | 3 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 48 | 1.9 | 6.1 | 3.5 | 0.12 | 0.38 | 22 | 1.1 | 2.8 | 1.7 | 0.05 | 0.24 | C67 |
| Other urinary organs | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.4 | 0.3 | 0.01 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 40 | 1.6 | 5.1 | 3.9 | 0.23 | 0.40 | 30 | 1.5 | 3.9 | 3.3 | 0.24 | 0.26 | C70–72 |
| Thyroid | 86 | 3.5 | 11.0 | 7.7 | 0.67 | 0.77 | 297 | 14.7 | 38.4 | 27.6 | 2.35 | 2.59 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 36 | 1.5 | 4.6 | 2.9 | 0.19 | 0.31 | 26 | 1.3 | 3.4 | 2.8 | 0.18 | 0.29 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 10 | 0.4 | 1.3 | 0.8 | 0.05 | 0.11 | 8 | 0.4 | 1.0 | 0.6 | 0.06 | 0.06 | C90 |
| Lymphoid leukaemia | 5 | 0.2 | 0.6 | 0.7 | 0.04 | 0.04 | 7 | 0.3 | 0.9 | 1.1 | 0.04 | 0.10 | C91 |
| Myeloid leukaemia | 21 | 0.9 | 2.7 | 2.0 | 0.14 | 0.20 | 14 | 0.7 | 1.8 | 2.2 | 0.12 | 0.18 | C92–94 |
| Leukaemia unspecified | 35 | 1.4 | 4.5 | 2.9 | 0.16 | 0.28 | 21 | 1.0 | 2.7 | 2.0 | 0.12 | 0.16 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 69 | 2.8 | 8.8 | 6.1 | 0.32 | 0.64 | 64 | 3.2 | 8.3 | 5.6 | 0.35 | 0.50 | O&U |
| All sites | 2485 | | 317.7 | 202.5 | 11.26 | 23.75 | 2047 | | 264.4 | 176.5 | 12.18 | 19.03 | C00–96 |
| All sites except C44 | 2464 | 100.0 | 315.0 | 200.9 | 11.23 | 23.54 | 2016 | 100.0 | 260.4 | 173.9 | 12.05 | 18.72 | C00–96 exc. C44 |

*See note following population pyramid

China, Xinzhou District, Shangrao City

CONTRIBUTORS

Hu Yan
Li Shiyu



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 50.4 | Breast | 26.1 |
| Stomach | 29.9 | Trachea, bronchus, and lung | 18.3 |
| Liver | 23.9 | Stomach | 13.3 |
| Oesophagus | 13.4 | Cervix uteri | 13.3 |
| Colon | 11.3 | Liver | 9.1 |
| Rectum | 10.0 | Colon | 8.9 |
| Prostate | 6.5 | Rectum | 6.2 |
| Bladder | 5.1 | Thyroid | 6.0 |
| Nasopharynx | 4.3 | Corpus uteri | 4.9 |
| Brain and nervous system | 4.2 | Brain and nervous system | 4.7 |
| Non-Hodgkin lymphoma | 3.7 | Oesophagus | 4.3 |
| Leukaemia unspecified | 3.7 | Gallbladder etc. | 3.9 |
| Pancreas | 3.6 | Ovary | 3.4 |
| Other and unspecified | 2.9 | Pancreas | 3.3 |
| Gallbladder etc. | 2.8 | Non-Hodgkin lymphoma | 2.8 |
| Kidney | 2.4 | Myeloid leukaemia | 2.6 |
| Myeloid leukaemia | 2.1 | Leukaemia unspecified | 2.5 |
| Non-melanoma skin cancer | 1.9 | Other and unspecified | 2.4 |
| Bone | 1.5 | Kidney | 2.1 |
| Thyroid | 1.3 | Nasopharynx | 2.0 |
| All sites | 197.9 | All sites | 151.8 |

*China, Xinzhou District, Shangrao City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 7 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | 6 | 0.3 | 0.6 | 0.4 | 0.03 | 0.03 | C01–02 |
| Mouth | 6 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C03–06 |
| Salivary glands | 4 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | 4 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 60 | 2.3 | 5.8 | 4.3 | 0.31 | 0.48 | 25 | 1.2 | 2.3 | 2.0 | 0.13 | 0.23 | C11 |
| Hypopharynx | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 178 | 6.7 | 17.2 | 13.4 | 0.60 | 1.76 | 59 | 2.8 | 5.5 | 4.3 | 0.14 | 0.50 | C15 |
| Stomach | 406 | 15.3 | 39.2 | 29.9 | 1.38 | 3.73 | 184 | 8.8 | 17.3 | 13.3 | 0.62 | 1.56 | C16 |
| Small intestine | 18 | 0.7 | 1.7 | 1.2 | 0.05 | 0.12 | 11 | 0.5 | 1.0 | 0.9 | 0.05 | 0.12 | C17 |
| Colon | 158 | 6.0 | 15.3 | 11.3 | 0.60 | 1.22 | 127 | 6.1 | 11.9 | 8.9 | 0.34 | 0.95 | C18 |
| Rectum | 137 | 5.2 | 13.2 | 10.0 | 0.51 | 1.17 | 83 | 4.0 | 7.8 | 6.2 | 0.34 | 0.74 | C19–20 |
| Anus | 6 | 0.2 | 0.6 | 0.5 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 319 | 12.0 | 30.8 | 23.9 | 1.50 | 2.72 | 125 | 6.0 | 11.7 | 9.1 | 0.44 | 0.98 | C22 |
| Gallbladder etc. | 35 | 1.3 | 3.4 | 2.8 | 0.16 | 0.33 | 58 | 2.8 | 5.4 | 3.9 | 0.17 | 0.41 | C23–24 |
| Pancreas | 53 | 2.0 | 5.1 | 3.6 | 0.15 | 0.39 | 45 | 2.2 | 4.2 | 3.3 | 0.13 | 0.46 | C25 |
| Nose, sinuses etc. | 10 | 0.4 | 1.0 | 0.8 | 0.05 | 0.10 | 7 | 0.3 | 0.7 | 0.5 | 0.04 | 0.08 | C30–31 |
| Larynx | 16 | 0.6 | 1.5 | 1.2 | 0.05 | 0.16 | 4 | 0.2 | 0.4 | 0.3 | 0.00 | 0.03 | C32 |
| Trachea, bronchus, and lung | 700 | 26.4 | 67.6 | 50.4 | 2.13 | 5.95 | 263 | 12.6 | 24.7 | 18.3 | 0.90 | 1.85 | C33–34 |
| Other thoracic organs | 11 | 0.4 | 1.1 | 0.9 | 0.06 | 0.09 | 6 | 0.3 | 0.6 | 0.4 | 0.03 | 0.06 | C37–38 |
| Bone | 20 | 0.8 | 1.9 | 1.5 | 0.08 | 0.19 | 24 | 1.1 | 2.3 | 1.8 | 0.10 | 0.15 | C40–41 |
| Melanoma of skin | 10 | 0.4 | 1.0 | 0.6 | 0.04 | 0.06 | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C43 |
| Other skin | 27 | 1.0 | 2.6 | 1.9 | 0.09 | 0.22 | 11 | 0.5 | 1.0 | 0.7 | 0.01 | 0.05 | C44 |
| Mesothelioma | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.4 | 1.0 | 0.8 | 0.06 | 0.09 | 9 | 0.4 | 0.8 | 0.6 | 0.03 | 0.04 | C47+C49 |
| Breast | 4 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 362 | 17.3 | 34.0 | 26.1 | 2.08 | 2.83 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 185 | 8.9 | 17.4 | 13.3 | 1.07 | 1.40 | C53 |
| Corpus uteri | | | | | | | 68 | 3.3 | 6.4 | 4.9 | 0.43 | 0.54 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.3 | 0.7 | 0.5 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 44 | 2.1 | 4.1 | 3.4 | 0.25 | 0.34 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 89 | 3.4 | 8.6 | 6.5 | 0.07 | 0.65 | | | | | | | C61 |
| Testis | 9 | 0.3 | 0.9 | 0.7 | 0.05 | 0.08 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 32 | 1.2 | 3.1 | 2.4 | 0.09 | 0.23 | 28 | 1.3 | 2.6 | 2.1 | 0.16 | 0.26 | C64 |
| Renal pelvis | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 5 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | C66 |
| Bladder | 70 | 2.6 | 6.8 | 5.1 | 0.28 | 0.49 | 20 | 1.0 | 1.9 | 1.4 | 0.04 | 0.13 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 54 | 2.0 | 5.2 | 4.2 | 0.23 | 0.52 | 62 | 3.0 | 5.8 | 4.7 | 0.32 | 0.44 | C70–72 |
| Thyroid | 18 | 0.7 | 1.7 | 1.3 | 0.11 | 0.11 | 82 | 3.9 | 7.7 | 6.0 | 0.48 | 0.61 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 4 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 6 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 48 | 1.8 | 4.6 | 3.7 | 0.21 | 0.38 | 38 | 1.8 | 3.6 | 2.8 | 0.16 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 10 | 0.4 | 1.0 | 0.8 | 0.03 | 0.10 | 14 | 0.7 | 1.3 | 0.9 | 0.06 | 0.09 | C90 |
| Lymphoid leukaemia | 7 | 0.3 | 0.7 | 0.5 | 0.05 | 0.05 | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | C91 |
| Myeloid leukaemia | 24 | 0.9 | 2.3 | 2.1 | 0.14 | 0.20 | 34 | 1.6 | 3.2 | 2.6 | 0.20 | 0.22 | C92–94 |
| Leukaemia unspecified | 42 | 1.6 | 4.1 | 3.7 | 0.21 | 0.38 | 32 | 1.5 | 3.0 | 2.5 | 0.15 | 0.24 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | MPS |
| Other and unspecified | 37 | 1.4 | 3.6 | 2.9 | 0.12 | 0.26 | 33 | 1.6 | 3.1 | 2.4 | 0.12 | 0.22 | O&U |
| All sites | 2681 | | 258.9 | 197.9 | 9.77 | 22.79 | 2100 | | 197.2 | 151.8 | 9.27 | 16.24 | C00–96 |
| All sites except C44 | 2654 | 100.0 | 256.3 | 196.0 | 9.68 | 22.57 | 2089 | 100.0 | 196.2 | 151.1 | 9.26 | 16.19 | C00–96 exc. C44 |

*See note following population pyramid

China, Xiping County

CONTRIBUTORS

Zhao Chunling
Wang Zhongmei
Shao Tiantang
Mao Xiaohui
Kang Wenhao
Xia Yaohua



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.4 | Breast | 29.2 |
| Liver | 33.8 | Trachea, bronchus, and lung | 23.5 |
| Oesophagus | 28.0 | Cervix uteri | 14.9 |
| Stomach | 25.6 | Oesophagus | 13.5 |
| Rectum | 7.7 | Liver | 13.3 |
| Colon | 6.3 | Stomach | 9.6 |
| Non-Hodgkin lymphoma | 6.0 | Rectum | 6.2 |
| Pancreas | 4.8 | Thyroid | 5.9 |
| Brain and nervous system | 4.6 | Ovary | 5.6 |
| Bladder | 4.5 | Colon | 4.7 |
| Prostate | 3.7 | Gallbladder etc. | 4.4 |
| Gallbladder etc. | 3.0 | Corpus uteri | 4.0 |
| Kidney | 2.1 | Brain and nervous system | 3.9 |
| Non-melanoma skin cancer | 2.1 | Non-Hodgkin lymphoma | 3.4 |
| Bone | 2.0 | Pancreas | 3.2 |
| Myeloid leukaemia | 2.0 | Bone | 1.9 |
| Other and unspecified | 2.0 | Other and unspecified | 1.6 |
| Larynx | 1.9 | Myeloid leukaemia | 1.5 |
| Leukaemia unspecified | 1.7 | Lymphoid leukaemia | 1.5 |
| Lymphoid leukaemia | 1.6 | Leukaemia unspecified | 1.5 |
| All sites | 216.2 | All sites | 170.1 |


China, Xiping County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C00 |
| Tongue | 11 | 0.2 | 0.5 | 0.5 | 0.01 | 0.05 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C01–02 |
| Mouth | 16 | 0.3 | 0.7 | 0.7 | 0.02 | 0.08 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 16 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | 17 | 0.3 | 0.8 | 0.6 | 0.05 | 0.07 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 27 | 0.5 | 1.2 | 0.9 | 0.06 | 0.09 | 16 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | C11 |
| Hypopharynx | 11 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 710 | 12.7 | 31.5 | 28.0 | 1.04 | 3.03 | 421 | 8.7 | 19.6 | 13.5 | 0.40 | 1.63 | C15 |
| Stomach | 665 | 11.9 | 29.5 | 25.6 | 1.05 | 3.03 | 293 | 6.0 | 13.7 | 9.6 | 0.50 | 1.06 | C16 |
| Small intestine | 18 | 0.3 | 0.8 | 0.7 | 0.04 | 0.08 | 32 | 0.7 | 1.5 | 1.1 | 0.07 | 0.12 | C17 |
| Colon | 166 | 3.0 | 7.4 | 6.3 | 0.34 | 0.75 | 136 | 2.8 | 6.3 | 4.7 | 0.30 | 0.55 | C18 |
| Rectum | 207 | 3.7 | 9.2 | 7.7 | 0.41 | 0.94 | 187 | 3.8 | 8.7 | 6.2 | 0.38 | 0.74 | C19–20 |
| Anus | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C21 |
| Liver | 918 | 16.5 | 40.8 | 33.8 | 2.10 | 3.64 | 405 | 8.3 | 18.9 | 13.3 | 0.73 | 1.44 | C22 |
| Gallbladder etc. | 82 | 1.5 | 3.6 | 3.0 | 0.11 | 0.38 | 137 | 2.8 | 6.4 | 4.4 | 0.21 | 0.48 | C23–24 |
| Pancreas | 116 | 2.1 | 5.2 | 4.8 | 0.19 | 0.57 | 92 | 1.9 | 4.3 | 3.2 | 0.18 | 0.35 | C25 |
| Nose, sinuses etc. | 17 | 0.3 | 0.8 | 0.7 | 0.04 | 0.07 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 52 | 0.9 | 2.3 | 1.9 | 0.13 | 0.20 | 6 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1567 | 28.1 | 69.6 | 59.4 | 2.26 | 6.62 | 720 | 14.8 | 33.6 | 23.5 | 1.16 | 2.56 | C33–34 |
| Other thoracic organs | 19 | 0.3 | 0.8 | 0.8 | 0.04 | 0.08 | 14 | 0.3 | 0.7 | 0.6 | 0.03 | 0.06 | C37–38 |
| Bone | 52 | 0.9 | 2.3 | 2.0 | 0.09 | 0.21 | 49 | 1.0 | 2.3 | 1.9 | 0.12 | 0.22 | C40–41 |
| Melanoma of skin | 10 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | 13 | 0.3 | 0.6 | 0.5 | 0.03 | 0.07 | C43 |
| Other skin | 45 | 0.8 | 2.0 | 2.1 | 0.05 | 0.19 | 47 | 1.0 | 2.2 | 1.4 | 0.06 | 0.11 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 0.3 | 0.8 | 0.8 | 0.04 | 0.08 | 22 | 0.5 | 1.0 | 0.9 | 0.06 | 0.09 | C47+C49 |
| Breast | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 819 | 16.8 | 38.2 | 29.2 | 2.56 | 3.05 | C50 |
| Vulva | | | | | | | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 416 | 8.5 | 19.4 | 14.9 | 1.26 | 1.57 | C53 |
| Corpus uteri | | | | | | | 111 | 2.3 | 5.2 | 4.0 | 0.35 | 0.48 | C54 |
| Uterus unspecified | | | | | | | 36 | 0.7 | 1.7 | 1.3 | 0.11 | 0.13 | C55 |
| Ovary | | | | | | | 149 | 3.1 | 7.0 | 5.6 | 0.43 | 0.57 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 17 | 0.3 | 0.8 | 0.7 | 0.05 | 0.05 | C58 |
| Penis | 13 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 87 | 1.6 | 3.9 | 3.7 | 0.06 | 0.29 | | | | | | | C61 |
| Testis | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 53 | 1.0 | 2.4 | 2.1 | 0.12 | 0.23 | 36 | 0.7 | 1.7 | 1.3 | 0.08 | 0.13 | C64 |
| Renal pelvis | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 116 | 2.1 | 5.2 | 4.5 | 0.16 | 0.46 | 41 | 0.8 | 1.9 | 1.3 | 0.09 | 0.14 | C67 |
| Other urinary organs | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 107 | 1.9 | 4.8 | 4.6 | 0.24 | 0.46 | 102 | 2.1 | 4.8 | 3.9 | 0.26 | 0.40 | C70–72 |
| Thyroid | 34 | 0.6 | 1.5 | 1.2 | 0.08 | 0.12 | 161 | 3.3 | 7.5 | 5.9 | 0.45 | 0.60 | C73 |
| Adrenal gland | 7 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | 7 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C74 |
| Other endocrine | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 9 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 154 | 2.8 | 6.8 | 6.0 | 0.32 | 0.60 | 99 | 2.0 | 4.6 | 3.4 | 0.20 | 0.36 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 38 | 0.7 | 1.7 | 1.3 | 0.12 | 0.16 | 32 | 0.7 | 1.5 | 1.2 | 0.09 | 0.15 | C90 |
| Lymphoid leukaemia | 35 | 0.6 | 1.6 | 1.6 | 0.11 | 0.12 | 27 | 0.6 | 1.3 | 1.5 | 0.10 | 0.11 | C91 |
| Myeloid leukaemia | 51 | 0.9 | 2.3 | 2.0 | 0.14 | 0.20 | 42 | 0.9 | 2.0 | 1.5 | 0.11 | 0.17 | C92–94 |
| Leukaemia unspecified | 39 | 0.7 | 1.7 | 1.7 | 0.08 | 0.16 | 40 | 0.8 | 1.9 | 1.5 | 0.10 | 0.16 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 36 | 0.6 | 1.6 | 1.4 | 0.06 | 0.15 | 40 | 0.8 | 1.9 | 1.5 | 0.09 | 0.16 | MPS |
| Other and unspecified | 46 | 0.8 | 2.0 | 2.0 | 0.07 | 0.18 | 44 | 0.9 | 2.1 | 1.6 | 0.10 | 0.15 | O&U |
| All sites | 5620 | | 249.6 | 216.2 | 9.88 | 23.65 | 4913 | | 229.3 | 170.1 | 10.97 | 18.40 | C00–96 |
| All sites except C44 | 5575 | 100.0 | 247.6 | 214.1 | 9.83 | 23.46 | 4866 | 100.0 | 227.1 | 168.7 | 10.91 | 18.29 | C00–96 exc. C44 |

China, Xishan District, Kunming City

CONTRIBUTORS

Weilin Zhang
Congling Yuan
Jie Li
Shaoye Li
Xinxia Zhou



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 32.6 | Breast | 20.7 |
| Liver | 15.9 | Thyroid | 19.7 |
| Rectum | 10.6 | Trachea, bronchus, and lung | 13.9 |
| Colon | 9.9 | Colon | 8.8 |
| Stomach | 9.1 | Rectum | 6.1 |
| Thyroid | 6.9 | Cervix uteri | 6.1 |
| Prostate | 6.0 | Liver | 6.1 |
| Non-Hodgkin lymphoma | 5.6 | Stomach | 5.7 |
| Lymphoid leukaemia | 4.6 | Ovary | 5.6 |
| Brain and nervous system | 4.2 | Brain and nervous system | 5.6 |
| Myeloid leukaemia | 4.1 | Myeloid leukaemia | 4.0 |
| Pancreas | 4.1 | Non-Hodgkin lymphoma | 3.6 |
| Bladder | 4.0 | Leukaemia unspecified | 3.2 |
| Leukaemia unspecified | 3.9 | Corpus uteri | 3.0 |
| Oesophagus | 3.8 | Pancreas | 3.0 |
| Nasopharynx | 2.8 | Gallbladder etc. | 2.5 |
| Larynx | 1.8 | Bone | 1.5 |
| Bone | 1.8 | Other and unspecified | 1.3 |
| Kidney | 1.6 | Lymphoid leukaemia | 1.2 |
| Other thoracic organs | 1.5 | Connective and soft tissue | 1.0 |
| All sites | 146.0 | All sites | 131.3 |

*China, Xishan District, Kunming City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 4 | 0.2 | 0.5 | 0.2 | 0.01 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 9 | 0.4 | 1.1 | 0.5 | 0.03 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C03–06 |
| Salivary glands | 5 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | 6 | 0.3 | 0.7 | 0.8 | 0.06 | 0.06 | C07–08 |
| Tonsil | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 7 | 0.3 | 0.9 | 0.4 | 0.03 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 42 | 1.8 | 5.2 | 2.8 | 0.18 | 0.31 | 7 | 0.4 | 0.9 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 7 | 0.3 | 0.9 | 0.4 | 0.02 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 65 | 2.8 | 8.1 | 3.8 | 0.26 | 0.45 | 16 | 0.8 | 2.0 | 0.8 | 0.04 | 0.08 | C15 |
| Stomach | 163 | 6.9 | 20.3 | 9.1 | 0.52 | 1.12 | 103 | 5.3 | 12.6 | 5.7 | 0.32 | 0.60 | C16 |
| Small intestine | 13 | 0.6 | 1.6 | 0.8 | 0.07 | 0.07 | 6 | 0.3 | 0.7 | 0.3 | 0.01 | 0.03 | C17 |
| Colon | 180 | 7.6 | 22.4 | 9.9 | 0.55 | 1.09 | 152 | 7.8 | 18.6 | 8.8 | 0.53 | 1.06 | C18 |
| Rectum | 174 | 7.4 | 21.6 | 10.6 | 0.63 | 1.37 | 107 | 5.5 | 13.1 | 6.1 | 0.38 | 0.77 | C19–20 |
| Anus | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C21 |
| Liver | 262 | 11.1 | 32.6 | 15.9 | 1.01 | 1.94 | 109 | 5.6 | 13.3 | 6.1 | 0.29 | 0.64 | C22 |
| Gallbladder etc. | 28 | 1.2 | 3.5 | 1.4 | 0.06 | 0.16 | 47 | 2.4 | 5.8 | 2.5 | 0.18 | 0.26 | C23–24 |
| Pancreas | 72 | 3.1 | 8.9 | 4.1 | 0.22 | 0.50 | 56 | 2.9 | 6.9 | 3.0 | 0.17 | 0.34 | C25 |
| Nose, sinuses etc. | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 3 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 29 | 1.2 | 3.6 | 1.8 | 0.11 | 0.18 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 612 | 26.0 | 76.0 | 32.6 | 1.63 | 3.90 | 252 | 12.9 | 30.9 | 13.9 | 0.79 | 1.59 | C33–34 |
| Other thoracic organs | 14 | 0.6 | 1.7 | 1.5 | 0.07 | 0.10 | 6 | 0.3 | 0.7 | 0.4 | 0.04 | 0.04 | C37–38 |
| Bone | 27 | 1.1 | 3.4 | 1.8 | 0.09 | 0.15 | 19 | 1.0 | 2.3 | 1.5 | 0.10 | 0.14 | C40–41 |
| Melanoma of skin | 7 | 0.3 | 0.9 | 0.5 | 0.02 | 0.07 | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 9 | 0.4 | 1.1 | 0.8 | 0.06 | 0.06 | 8 | 0.4 | 1.0 | 0.4 | 0.02 | 0.03 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 6 | 0.3 | 0.7 | 0.8 | 0.04 | 0.07 | 7 | 0.4 | 0.9 | 1.0 | 0.06 | 0.06 | C47+C49 |
| Breast | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 296 | 15.2 | 36.2 | 20.7 | 1.69 | 2.20 | C50 |
| Vulva | | | | | | | 5 | 0.3 | 0.6 | 0.3 | 0.03 | 0.04 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 85 | 4.4 | 10.4 | 6.1 | 0.51 | 0.60 | C53 |
| Corpus uteri | | | | | | | 46 | 2.4 | 5.6 | 3.0 | 0.23 | 0.36 | C54 |
| Uterus unspecified | | | | | | | 10 | 0.5 | 1.2 | 0.7 | 0.05 | 0.06 | C55 |
| Ovary | | | | | | | 86 | 4.4 | 10.5 | 5.6 | 0.42 | 0.65 | C56 |
| Other female genital organs | | | | | | | 6 | 0.3 | 0.7 | 0.4 | 0.04 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 143 | 6.1 | 17.8 | 6.0 | 0.05 | 0.57 | | | | | | | C61 |
| Testis | 5 | 0.2 | 0.6 | 0.7 | 0.05 | 0.05 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 27 | 1.1 | 3.4 | 1.6 | 0.11 | 0.19 | 10 | 0.5 | 1.2 | 0.5 | 0.02 | 0.05 | C64 |
| Renal pelvis | 3 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | 4 | 0.2 | 0.5 | 0.2 | 0.01 | 0.04 | C65 |
| Ureter | 3 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.4 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 71 | 3.0 | 8.8 | 4.0 | 0.24 | 0.48 | 17 | 0.9 | 2.1 | 0.8 | 0.02 | 0.10 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 45 | 1.9 | 5.6 | 4.2 | 0.27 | 0.38 | 71 | 3.6 | 8.7 | 5.6 | 0.36 | 0.58 | C70–72 |
| Thyroid | 76 | 3.2 | 9.4 | 6.9 | 0.52 | 0.62 | 227 | 11.6 | 27.8 | 19.7 | 1.64 | 1.77 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 6 | 0.3 | 0.7 | 0.7 | 0.04 | 0.04 | 4 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 77 | 3.3 | 9.6 | 5.6 | 0.35 | 0.62 | 54 | 2.8 | 6.6 | 3.6 | 0.22 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 17 | 0.7 | 2.1 | 0.9 | 0.03 | 0.10 | 9 | 0.5 | 1.1 | 0.6 | 0.03 | 0.07 | C90 |
| Lymphoid leukaemia | 38 | 1.6 | 4.7 | 4.6 | 0.26 | 0.40 | 17 | 0.9 | 2.1 | 1.2 | 0.07 | 0.11 | C91 |
| Myeloid leukaemia | 48 | 2.0 | 6.0 | 4.1 | 0.25 | 0.38 | 35 | 1.8 | 4.3 | 4.0 | 0.25 | 0.29 | C92–94 |
| Leukaemia unspecified | 29 | 1.2 | 3.6 | 3.9 | 0.24 | 0.27 | 31 | 1.6 | 3.8 | 3.2 | 0.19 | 0.27 | C95 |
| Myeloproliferative disorders | 3 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 9 | 0.4 | 1.1 | 0.5 | 0.04 | 0.05 | 18 | 0.9 | 2.2 | 1.3 | 0.08 | 0.15 | O&U |
| All sites | 2362 | | 293.5 | 146.0 | 8.22 | 16.18 | 1959 | | 239.9 | 131.3 | 9.01 | 13.78 | C00–96 |
| All sites except C44 | 2353 | 100.0 | 292.3 | 145.2 | 8.16 | 16.12 | 1951 | 100.0 | 238.9 | 130.9 | 8.99 | 13.74 | C00–96 exc. C44 |

*See note following population pyramid

China, Xuyi County

CONTRIBUTORS

Yu Wang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Trachea, bronchus, and lung | 42.4 | Breast | 17.3 |
| Oesophagus | 34.8 | Trachea, bronchus, and lung | 14.7 |
| Stomach | 28.3 | Oesophagus | 14.2 |
| Liver | 25.0 | Cervix uteri | 9.7 |
| Rectum | 7.9 | Stomach | 9.1 |
| Colon | 7.5 | Liver | 7.7 |
| Pancreas | 5.2 | Rectum | 5.0 |
| Bladder | 4.4 | Colon | 4.9 |
| Prostate | 4.0 | Ovary | 4.9 |
| Brain and nervous system | 3.6 | Brain and nervous system | 4.5 |
| Nasopharynx | 2.5 | Thyroid | 4.0 |
| Leukaemia unspecified | 2.5 | Pancreas | 3.5 |
| Thyroid | 2.2 | Corpus uteri | 3.0 |
| Non-melanoma skin cancer | 1.7 | Gallbladder etc. | 2.1 |
| Myeloproliferative disorders | 1.7 | Leukaemia unspecified | 1.5 |
| Non-Hodgkin lymphoma | 1.7 | Non-melanoma skin cancer | 1.3 |
| Kidney | 1.6 | Kidney | 1.2 |
| Bone | 1.5 | Uterus unspecified | 1.2 |
| Connective and soft tissue | 1.4 | Myeloproliferative disorders | 1.0 |
| Gallbladder etc. | 1.4 | Connective and soft tissue | 0.9 |
| All sites | 192.0 | All sites | 121.0 |

*China, Xuyi County (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 7 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C01–02 |
| Mouth | 17 | 0.3 | 1.0 | 0.7 | 0.04 | 0.10 | 21 | 0.7 | 1.3 | 0.7 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 10 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | 9 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 65 | 1.3 | 4.0 | 2.5 | 0.18 | 0.31 | 20 | 0.6 | 1.3 | 0.9 | 0.07 | 0.08 | C11 |
| Hypopharynx | 10 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 914 | 18.8 | 56.3 | 34.8 | 1.34 | 4.55 | 420 | 13.6 | 26.8 | 14.2 | 0.33 | 1.85 | C15 |
| Stomach | 745 | 15.3 | 45.9 | 28.3 | 1.14 | 3.54 | 250 | 8.1 | 16.0 | 9.1 | 0.44 | 1.12 | C16 |
| Small intestine | 22 | 0.5 | 1.4 | 0.8 | 0.06 | 0.10 | 15 | 0.5 | 1.0 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 187 | 3.8 | 11.5 | 7.5 | 0.43 | 0.89 | 123 | 4.0 | 7.9 | 4.9 | 0.28 | 0.61 | C18 |
| Rectum | 204 | 4.2 | 12.6 | 7.9 | 0.43 | 0.95 | 136 | 4.4 | 8.7 | 5.0 | 0.27 | 0.59 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C21 |
| Liver | 622 | 12.8 | 38.3 | 25.0 | 1.63 | 2.91 | 215 | 6.9 | 13.7 | 7.7 | 0.40 | 0.96 | C22 |
| Gallbladder etc. | 39 | 0.8 | 2.4 | 1.4 | 0.06 | 0.20 | 62 | 2.0 | 4.0 | 2.1 | 0.08 | 0.21 | C23–24 |
| Pancreas | 135 | 2.8 | 8.3 | 5.2 | 0.25 | 0.60 | 96 | 3.1 | 6.1 | 3.5 | 0.17 | 0.42 | C25 |
| Nose, sinuses etc. | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C30–31 |
| Larynx | 33 | 0.7 | 2.0 | 1.3 | 0.06 | 0.18 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1092 | 22.4 | 67.3 | 42.4 | 1.54 | 5.63 | 412 | 13.3 | 26.3 | 14.7 | 0.67 | 1.85 | C33–34 |
| Other thoracic organs | 12 | 0.2 | 0.7 | 0.5 | 0.02 | 0.07 | 9 | 0.3 | 0.6 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 36 | 0.7 | 2.2 | 1.5 | 0.06 | 0.16 | 21 | 0.7 | 1.3 | 0.9 | 0.05 | 0.10 | C40–41 |
| Melanoma of skin | 6 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.05 | C43 |
| Other skin | 42 | 0.9 | 2.6 | 1.7 | 0.05 | 0.22 | 35 | 1.1 | 2.2 | 1.3 | 0.06 | 0.14 | C44 |
| Mesothelioma | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 31 | 0.6 | 1.9 | 1.4 | 0.07 | 0.17 | 23 | 0.7 | 1.5 | 0.9 | 0.06 | 0.08 | C47+C49 |
| Breast | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 405 | 13.1 | 25.9 | 17.3 | 1.44 | 1.85 | C50 |
| Vulva | | | | | | | 6 | 0.2 | 0.4 | 0.2 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 6 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 227 | 7.3 | 14.5 | 9.7 | 0.80 | 0.99 | C53 |
| Corpus uteri | | | | | | | 69 | 2.2 | 4.4 | 3.0 | 0.24 | 0.36 | C54 |
| Uterus unspecified | | | | | | | 29 | 0.9 | 1.9 | 1.2 | 0.09 | 0.14 | C55 |
| Ovary | | | | | | | 113 | 3.7 | 7.2 | 4.9 | 0.38 | 0.52 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.4 | 0.2 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 12 | 0.2 | 0.7 | 0.5 | 0.02 | 0.07 | | | | | | | C60 |
| Prostate | 109 | 2.2 | 6.7 | 4.0 | 0.10 | 0.49 | | | | | | | C61 |
| Testis | 8 | 0.2 | 0.5 | 0.4 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 37 | 0.8 | 2.3 | 1.6 | 0.08 | 0.18 | 31 | 1.0 | 2.0 | 1.2 | 0.07 | 0.15 | C64 |
| Renal pelvis | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C66 |
| Bladder | 120 | 2.5 | 7.4 | 4.4 | 0.18 | 0.47 | 23 | 0.7 | 1.5 | 0.8 | 0.04 | 0.10 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 82 | 1.7 | 5.1 | 3.6 | 0.23 | 0.36 | 104 | 3.4 | 6.6 | 4.5 | 0.29 | 0.47 | C70–72 |
| Thyroid | 48 | 1.0 | 3.0 | 2.2 | 0.17 | 0.23 | 89 | 2.9 | 5.7 | 4.0 | 0.33 | 0.40 | C73 |
| Adrenal gland | 9 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 11 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 8 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C75 |
| Hodgkin lymphoma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 39 | 0.8 | 2.4 | 1.7 | 0.08 | 0.21 | 10 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 27 | 0.6 | 1.7 | 1.0 | 0.09 | 0.12 | 10 | 0.3 | 0.6 | 0.4 | 0.03 | 0.04 | C90 |
| Lymphoid leukaemia | 8 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 11 | 0.2 | 0.7 | 0.5 | 0.02 | 0.06 | 8 | 0.3 | 0.5 | 0.4 | 0.03 | 0.05 | C92–94 |
| Leukaemia unspecified | 52 | 1.1 | 3.2 | 2.5 | 0.15 | 0.22 | 35 | 1.1 | 2.2 | 1.5 | 0.10 | 0.18 | C95 |
| Myeloproliferative disorders | 41 | 0.8 | 2.5 | 1.7 | 0.09 | 0.21 | 24 | 0.8 | 1.5 | 1.0 | 0.06 | 0.12 | MPD |
| Myelodysplastic syndromes | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | MPS |
| Other and unspecified | 29 | 0.6 | 1.8 | 1.2 | 0.07 | 0.15 | 19 | 0.6 | 1.2 | 0.7 | 0.04 | 0.08 | O&U |
| All sites | 4907 | | 302.4 | 192.0 | 8.88 | 23.78 | 3129 | | 199.8 | 121.0 | 7.12 | 14.08 | C00–96 |
| All sites except C44 | 4865 | 100.0 | 299.9 | 190.3 | 8.83 | 23.56 | 3094 | 100.0 | 197.6 | 119.7 | 7.06 | 13.94 | C00–96 exc. C44 |

*See note following population pyramid

China, Ya'an City

CONTRIBUTORS

Liu Qingxia
Wang Dengqi
Wang Xiuhua
Wu Yufu
Liao Zhuohang
Li Guifen
Gao Hongmin
Xiong Xin
Xu Xinhong



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 37.7 | Trachea, bronchus, and lung | 20.6 |
| Liver | 30.1 | Breast | 18.3 |
| Stomach | 16.7 | Rectum | 11.6 |
| Rectum | 16.0 | Cervix uteri | 10.7 |
| Oesophagus | 14.2 | Liver | 10.5 |
| Colon | 9.9 | Stomach | 8.2 |
| Bladder | 9.1 | Colon | 7.6 |
| Prostate | 6.2 | Brain and nervous system | 7.0 |
| Brain and nervous system | 6.2 | Ovary | 6.3 |
| Pancreas | 5.3 | Thyroid | 5.8 |
| Non-Hodgkin lymphoma | 3.9 | Corpus uteri | 5.4 |
| Nasopharynx | 3.5 | Pancreas | 4.4 |
| Leukaemia unspecified | 3.2 | Other and unspecified | 2.6 |
| Other and unspecified | 2.9 | Non-Hodgkin lymphoma | 2.4 |
| Non-melanoma skin cancer | 2.2 | Oesophagus | 2.3 |
| Kidney | 2.1 | Non-melanoma skin cancer | 2.1 |
| Bone | 2.0 | Leukaemia unspecified | 2.0 |
| Thyroid | 1.7 | Bladder | 2.0 |
| Myeloid leukaemia | 1.6 | Nasopharynx | 2.0 |
| Multiple myeloma | 1.6 | Gallbladder etc. | 2.0 |
| All sites | 191.9 | All sites | 148.0 |

*China, Ya'an City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 41 | 0.4 | 1.0 | 0.8 | 0.04 | 0.09 | 19 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 56 | 0.6 | 1.4 | 1.0 | 0.04 | 0.12 | 32 | 0.4 | 0.8 | 0.6 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 45 | 0.4 | 1.1 | 0.9 | 0.05 | 0.09 | 21 | 0.3 | 0.6 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 22 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 184 | 1.8 | 4.6 | 3.5 | 0.27 | 0.38 | 101 | 1.3 | 2.6 | 2.0 | 0.15 | 0.20 | C11 |
| Hypopharynx | 20 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 756 | 7.5 | 18.9 | 14.2 | 0.65 | 1.79 | 132 | 1.7 | 3.5 | 2.3 | 0.06 | 0.29 | C15 |
| Stomach | 885 | 8.8 | 22.2 | 16.7 | 0.91 | 1.98 | 457 | 6.0 | 12.0 | 8.2 | 0.40 | 0.92 | C16 |
| Small intestine | 50 | 0.5 | 1.3 | 0.9 | 0.05 | 0.10 | 45 | 0.6 | 1.2 | 0.8 | 0.05 | 0.11 | C17 |
| Colon | 530 | 5.3 | 13.3 | 9.9 | 0.49 | 1.18 | 406 | 5.3 | 10.7 | 7.6 | 0.40 | 0.94 | C18 |
| Rectum | 860 | 8.5 | 21.5 | 16.0 | 0.77 | 1.94 | 633 | 8.3 | 16.6 | 11.6 | 0.56 | 1.44 | C19–20 |
| Anus | 30 | 0.3 | 0.8 | 0.6 | 0.03 | 0.07 | 16 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C21 |
| Liver | 1610 | 16.0 | 40.3 | 30.1 | 1.93 | 3.48 | 565 | 7.4 | 14.8 | 10.5 | 0.52 | 1.29 | C22 |
| Gallbladder etc. | 79 | 0.8 | 2.0 | 1.5 | 0.07 | 0.17 | 107 | 1.4 | 2.8 | 2.0 | 0.12 | 0.24 | C23–24 |
| Pancreas | 287 | 2.9 | 7.2 | 5.3 | 0.27 | 0.61 | 236 | 3.1 | 6.2 | 4.4 | 0.20 | 0.54 | C25 |
| Nose, sinuses etc. | 11 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 82 | 0.8 | 2.1 | 1.5 | 0.10 | 0.18 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2042 | 20.3 | 51.1 | 37.7 | 1.84 | 4.46 | 1140 | 14.9 | 29.9 | 20.6 | 1.05 | 2.46 | C33–34 |
| Other thoracic organs | 57 | 0.6 | 1.4 | 1.1 | 0.07 | 0.14 | 28 | 0.4 | 0.7 | 0.6 | 0.04 | 0.05 | C37–38 |
| Bone | 98 | 1.0 | 2.5 | 2.0 | 0.12 | 0.20 | 72 | 0.9 | 1.9 | 1.5 | 0.08 | 0.16 | C40–41 |
| Melanoma of skin | 22 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | 35 | 0.5 | 0.9 | 0.7 | 0.04 | 0.07 | C43 |
| Other skin | 118 | 1.2 | 3.0 | 2.2 | 0.11 | 0.24 | 120 | 1.6 | 3.1 | 2.1 | 0.09 | 0.23 | C44 |
| Mesothelioma | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 47 | 0.5 | 1.2 | 1.0 | 0.06 | 0.10 | 40 | 0.5 | 1.0 | 0.9 | 0.06 | 0.08 | C47+C49 |
| Breast | 14 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 951 | 12.4 | 24.9 | 18.3 | 1.53 | 1.93 | C50 |
| Vulva | | | | | | | 18 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 554 | 7.2 | 14.5 | 10.7 | 0.84 | 1.13 | C53 |
| Corpus uteri | | | | | | | 276 | 3.6 | 7.2 | 5.4 | 0.46 | 0.61 | C54 |
| Uterus unspecified | | | | | | | 36 | 0.5 | 0.9 | 0.7 | 0.05 | 0.07 | C55 |
| Ovary | | | | | | | 307 | 4.0 | 8.1 | 6.3 | 0.49 | 0.66 | C56 |
| Other female genital organs | | | | | | | 15 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 30 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 350 | 3.5 | 8.8 | 6.2 | 0.10 | 0.59 | | | | | | | C61 |
| Testis | 24 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 111 | 1.1 | 2.8 | 2.1 | 0.10 | 0.26 | 62 | 0.8 | 1.6 | 1.2 | 0.07 | 0.12 | C64 |
| Renal pelvis | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 17 | 0.2 | 0.4 | 0.3 | 0.00 | 0.03 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 498 | 4.9 | 12.5 | 9.1 | 0.34 | 1.01 | 113 | 1.5 | 3.0 | 2.0 | 0.07 | 0.24 | C67 |
| Other urinary organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 11 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 305 | 3.0 | 7.6 | 6.2 | 0.38 | 0.65 | 346 | 4.5 | 9.1 | 7.0 | 0.46 | 0.77 | C70–72 |
| Thyroid | 86 | 0.9 | 2.2 | 1.7 | 0.12 | 0.16 | 285 | 3.7 | 7.5 | 5.8 | 0.42 | 0.59 | C73 |
| Adrenal gland | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 19 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 22 | 0.3 | 0.6 | 0.4 | 0.03 | 0.05 | C75 |
| Hodgkin lymphoma | 21 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 197 | 2.0 | 4.9 | 3.9 | 0.26 | 0.45 | 123 | 1.6 | 3.2 | 2.4 | 0.16 | 0.29 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 83 | 0.8 | 2.1 | 1.6 | 0.07 | 0.21 | 52 | 0.7 | 1.4 | 1.0 | 0.07 | 0.12 | C90 |
| Lymphoid leukaemia | 39 | 0.4 | 1.0 | 1.0 | 0.06 | 0.07 | 28 | 0.4 | 0.7 | 0.8 | 0.05 | 0.06 | C91 |
| Myeloid leukaemia | 79 | 0.8 | 2.0 | 1.6 | 0.10 | 0.17 | 69 | 0.9 | 1.8 | 1.5 | 0.09 | 0.14 | C92–94 |
| Leukaemia unspecified | 148 | 1.5 | 3.7 | 3.2 | 0.16 | 0.29 | 89 | 1.2 | 2.3 | 2.0 | 0.12 | 0.22 | C95 |
| Myeloproliferative disorders | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 144 | 1.4 | 3.6 | 2.9 | 0.14 | 0.31 | 135 | 1.8 | 3.5 | 2.6 | 0.12 | 0.28 | O&U |
| All sites | 10185 | | 255.0 | 191.9 | 10.04 | 22.04 | 7777 | | 204.0 | 148.0 | 9.09 | 16.81 | C00–96 |
| All sites except C44 | 10067 | 100.0 | 252.1 | 189.7 | 9.93 | 21.80 | 7657 | 100.0 | 200.9 | 145.9 | 9.00 | 16.58 | C00–96 exc. C44 |

*See note following population pyramid

China, Yakeshi City

CONTRIBUTORS

Su Yan
Xia Yu
Li Funan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 56.6 | Trachea, bronchus, and lung | 32.6 |
| Liver | 29.1 | Thyroid | 32.5 |
| Stomach | 23.8 | Breast | 27.5 |
| Oesophagus | 19.9 | Liver | 8.9 |
| Rectum | 13.6 | Rectum | 8.5 |
| Colon | 12.5 | Cervix uteri | 8.3 |
| Pancreas | 8.3 | Brain and nervous system | 7.8 |
| Thyroid | 7.8 | Corpus uteri | 7.6 |
| Bladder | 6.8 | Stomach | 7.2 |
| Brain and nervous system | 6.6 | Colon | 6.8 |
| Kidney | 6.4 | Ovary | 5.2 |
| Prostate | 4.8 | Pancreas | 4.8 |
| Larynx | 4.1 | Kidney | 3.2 |
| Gallbladder etc. | 3.9 | Non-Hodgkin lymphoma | 2.3 |
| Leukaemia unspecified | 3.2 | Oesophagus | 2.2 |
| Non-Hodgkin lymphoma | 3.1 | Other and unspecified | 1.9 |
| Bone | 2.7 | Leukaemia unspecified | 1.8 |
| Other and unspecified | 1.7 | Gallbladder etc. | 1.5 |
| Other thoracic organs | 1.7 | Bladder | 1.5 |
| Connective and soft tissue | 1.5 | Bone | 1.3 |
| All sites | 234.5 | All sites | 182.6 |

*China, Yakeshi City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 11 | 0.3 | 1.2 | 0.8 | 0.06 | 0.08 | 5 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | C01–02 |
| Mouth | 21 | 0.6 | 2.3 | 1.4 | 0.10 | 0.18 | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 13 | 0.4 | 1.4 | 0.9 | 0.08 | 0.10 | 6 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 6 | 0.2 | 0.7 | 0.4 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 21 | 0.6 | 2.3 | 1.5 | 0.09 | 0.15 | 11 | 0.4 | 1.3 | 0.6 | 0.04 | 0.06 | C11 |
| Hypopharynx | 22 | 0.6 | 2.4 | 1.3 | 0.12 | 0.14 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.2 | 0.7 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 312 | 8.8 | 34.3 | 19.9 | 1.40 | 2.40 | 44 | 1.5 | 5.1 | 2.2 | 0.06 | 0.20 | C15 |
| Stomach | 371 | 10.4 | 40.8 | 23.8 | 1.37 | 2.78 | 121 | 4.1 | 14.1 | 7.2 | 0.45 | 0.81 | C16 |
| Small intestine | 14 | 0.4 | 1.5 | 0.9 | 0.05 | 0.12 | 4 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C17 |
| Colon | 191 | 5.4 | 21.0 | 12.5 | 0.78 | 1.47 | 119 | 4.0 | 13.9 | 6.8 | 0.37 | 0.83 | C18 |
| Rectum | 205 | 5.8 | 22.5 | 13.6 | 0.87 | 1.63 | 146 | 4.9 | 17.0 | 8.5 | 0.59 | 0.95 | C19–20 |
| Anus | 5 | 0.1 | 0.5 | 0.2 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 454 | 12.8 | 49.9 | 29.1 | 2.07 | 3.32 | 145 | 4.9 | 16.9 | 8.9 | 0.43 | 1.04 | C22 |
| Gallbladder etc. | 61 | 1.7 | 6.7 | 3.9 | 0.16 | 0.46 | 33 | 1.1 | 3.9 | 1.5 | 0.02 | 0.15 | C23–24 |
| Pancreas | 125 | 3.5 | 13.7 | 8.3 | 0.48 | 1.03 | 85 | 2.9 | 9.9 | 4.8 | 0.26 | 0.60 | C25 |
| Nose, sinuses etc. | 7 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 63 | 1.8 | 6.9 | 4.1 | 0.32 | 0.48 | 9 | 0.3 | 1.1 | 0.6 | 0.04 | 0.09 | C32 |
| Trachea, bronchus, and lung | 881 | 24.8 | 96.9 | 56.6 | 3.13 | 6.54 | 599 | 20.2 | 69.9 | 32.6 | 1.47 | 3.57 | C33–34 |
| Other thoracic organs | 24 | 0.7 | 2.6 | 1.7 | 0.09 | 0.16 | 13 | 0.4 | 1.5 | 0.8 | 0.04 | 0.10 | C37–38 |
| Bone | 34 | 1.0 | 3.7 | 2.7 | 0.15 | 0.20 | 19 | 0.6 | 2.2 | 1.3 | 0.08 | 0.14 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C43 |
| Other skin | 16 | 0.4 | 1.8 | 1.2 | 0.07 | 0.16 | 6 | 0.2 | 0.7 | 0.4 | 0.04 | 0.04 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.4 | 1.6 | 1.5 | 0.08 | 0.12 | 10 | 0.3 | 1.2 | 0.8 | 0.06 | 0.09 | C47+C49 |
| Breast | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 426 | 14.4 | 49.7 | 27.5 | 2.38 | 2.98 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 127 | 4.3 | 14.8 | 8.3 | 0.69 | 0.83 | C53 |
| Corpus uteri | | | | | | | 119 | 4.0 | 13.9 | 7.6 | 0.66 | 0.80 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 75 | 2.5 | 8.8 | 5.2 | 0.36 | 0.55 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 77 | 2.2 | 8.5 | 4.8 | 0.13 | 0.58 | | | | | | | C61 |
| Testis | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 98 | 2.8 | 10.8 | 6.4 | 0.43 | 0.81 | 54 | 1.8 | 6.3 | 3.2 | 0.23 | 0.35 | C64 |
| Renal pelvis | 7 | 0.2 | 0.8 | 0.5 | 0.01 | 0.06 | 6 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 5 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 8 | 0.3 | 0.9 | 0.4 | 0.01 | 0.02 | C66 |
| Bladder | 112 | 3.1 | 12.3 | 6.8 | 0.36 | 0.72 | 25 | 0.8 | 2.9 | 1.5 | 0.07 | 0.16 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 91 | 2.6 | 10.0 | 6.6 | 0.44 | 0.64 | 111 | 3.8 | 13.0 | 7.8 | 0.63 | 0.83 | C70–72 |
| Thyroid | 119 | 3.3 | 13.1 | 7.8 | 0.69 | 0.75 | 473 | 16.0 | 55.2 | 32.5 | 2.93 | 3.12 | C73 |
| Adrenal gland | 7 | 0.2 | 0.8 | 0.3 | 0.03 | 0.03 | 6 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 15 | 0.4 | 1.6 | 1.3 | 0.08 | 0.15 | 6 | 0.2 | 0.7 | 0.4 | 0.04 | 0.05 | C75 |
| Hodgkin lymphoma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 43 | 1.2 | 4.7 | 3.1 | 0.19 | 0.39 | 37 | 1.2 | 4.3 | 2.3 | 0.18 | 0.23 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 6 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C90 |
| Lymphoid leukaemia | 9 | 0.3 | 1.0 | 1.1 | 0.06 | 0.08 | 10 | 0.3 | 1.2 | 0.7 | 0.03 | 0.07 | C91 |
| Myeloid leukaemia | 14 | 0.4 | 1.5 | 1.4 | 0.10 | 0.14 | 10 | 0.3 | 1.2 | 0.6 | 0.03 | 0.08 | C92–94 |
| Leukaemia unspecified | 44 | 1.2 | 4.8 | 3.2 | 0.18 | 0.33 | 27 | 0.9 | 3.2 | 1.8 | 0.13 | 0.20 | C95 |
| Myeloproliferative disorders | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 26 | 0.7 | 2.9 | 1.7 | 0.09 | 0.18 | 30 | 1.0 | 3.5 | 1.9 | 0.13 | 0.20 | O&U |
| All sites | 3572 | | 392.9 | 234.5 | 14.55 | 26.73 | 2966 | | 346.2 | 182.6 | 12.68 | 19.59 | C00–96 |
| All sites except C44 | 3556 | 100.0 | 391.1 | 233.3 | 14.47 | 26.58 | 2960 | 100.0 | 345.5 | 182.2 | 12.65 | 19.55 | C00–96 exc. C44 |

*See note following population pyramid

China, Yancheng City

CONTRIBUTORS

Fudong Liu
Lingling Wu
Fei He
Jia Geng
Lili Yan
Xinyuan Yang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 49.0 | Breast | 25.7 |
| Stomach | 48.5 | Trachea, bronchus, and lung | 23.2 |
| Oesophagus | 38.0 | Stomach | 20.7 |
| Liver | 26.6 | Oesophagus | 18.5 |
| Rectum | 10.9 | Cervix uteri | 17.9 |
| Colon | 7.1 | Liver | 10.1 |
| Pancreas | 6.8 | Rectum | 7.3 |
| Brain and nervous system | 5.4 | Pancreas | 5.1 |
| Prostate | 4.8 | Thyroid | 4.7 |
| Bladder | 4.2 | Brain and nervous system | 4.7 |
| Bone | 3.3 | Colon | 4.5 |
| Nasopharynx | 3.1 | Ovary | 4.4 |
| Kidney | 2.9 | Uterus unspecified | 3.4 |
| Non-Hodgkin lymphoma | 2.8 | Gallbladder etc. | 2.5 |
| Other and unspecified | 2.5 | Corpus uteri | 2.1 |
| Leukaemia unspecified | 2.4 | Leukaemia unspecified | 2.1 |
| Gallbladder etc. | 2.1 | Other and unspecified | 2.0 |
| Myeloid leukaemia | 1.8 | Bone | 2.0 |
| Thyroid | 1.6 | Non-Hodgkin lymphoma | 1.8 |
| Lymphoid leukaemia | 1.6 | Kidney | 1.5 |
| All sites | 234.9 | All sites | 174.6 |


China, Yancheng City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 19 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 16 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C01–02 |
| Mouth | 42 | 0.3 | 1.1 | 0.7 | 0.04 | 0.08 | 27 | 0.3 | 0.8 | 0.5 | 0.02 | 0.07 | C03–06 |
| Salivary glands | 14 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 12 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 167 | 1.2 | 4.6 | 3.1 | 0.24 | 0.34 | 70 | 0.7 | 2.0 | 1.3 | 0.09 | 0.15 | C11 |
| Hypopharynx | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 2330 | 16.9 | 63.5 | 38.0 | 1.51 | 4.70 | 1226 | 12.0 | 35.7 | 18.5 | 0.60 | 2.23 | C15 |
| Stomach | 2965 | 21.5 | 80.8 | 48.5 | 2.00 | 5.99 | 1312 | 12.8 | 38.2 | 20.7 | 0.92 | 2.40 | C16 |
| Small intestine | 37 | 0.3 | 1.0 | 0.7 | 0.04 | 0.10 | 37 | 0.4 | 1.1 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 412 | 3.0 | 11.2 | 7.1 | 0.45 | 0.83 | 270 | 2.6 | 7.9 | 4.5 | 0.25 | 0.53 | C18 |
| Rectum | 648 | 4.7 | 17.7 | 10.9 | 0.61 | 1.24 | 442 | 4.3 | 12.9 | 7.3 | 0.41 | 0.81 | C19–20 |
| Anus | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 1529 | 11.1 | 41.7 | 26.6 | 1.77 | 3.01 | 614 | 6.0 | 17.9 | 10.1 | 0.55 | 1.17 | C22 |
| Gallbladder etc. | 121 | 0.9 | 3.3 | 2.1 | 0.10 | 0.23 | 159 | 1.6 | 4.6 | 2.5 | 0.12 | 0.29 | C23–24 |
| Pancreas | 406 | 2.9 | 11.1 | 6.8 | 0.33 | 0.80 | 324 | 3.2 | 9.4 | 5.1 | 0.21 | 0.61 | C25 |
| Nose, sinuses etc. | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 77 | 0.6 | 2.1 | 1.3 | 0.07 | 0.17 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2958 | 21.4 | 80.6 | 49.0 | 2.17 | 6.18 | 1453 | 14.2 | 42.3 | 23.2 | 1.15 | 2.72 | C33–34 |
| Other thoracic organs | 25 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 32 | 0.3 | 0.9 | 0.6 | 0.05 | 0.06 | C37–38 |
| Bone | 173 | 1.3 | 4.7 | 3.3 | 0.17 | 0.35 | 109 | 1.1 | 3.2 | 2.0 | 0.10 | 0.21 | C40–41 |
| Melanoma of skin | 32 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 22 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C43 |
| Other skin | 45 | 0.3 | 1.2 | 0.8 | 0.04 | 0.07 | 29 | 0.3 | 0.8 | 0.5 | 0.03 | 0.06 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 15 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 9 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C47+C49 |
| Breast | 16 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 1368 | 13.4 | 39.8 | 25.7 | 2.18 | 2.68 | C50 |
| Vulva | | | | | | | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 979 | 9.6 | 28.5 | 17.9 | 1.46 | 1.90 | C53 |
| Corpus uteri | | | | | | | 118 | 1.2 | 3.4 | 2.1 | 0.18 | 0.23 | C54 |
| Uterus unspecified | | | | | | | 193 | 1.9 | 5.6 | 3.4 | 0.26 | 0.36 | C55 |
| Ovary | | | | | | | 238 | 2.3 | 6.9 | 4.4 | 0.33 | 0.46 | C56 |
| Other female genital organs | | | | | | | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | | | | | | | C60 |
| Prostate | 308 | 2.2 | 8.4 | 4.8 | 0.08 | 0.47 | | | | | | | C61 |
| Testis | 18 | 0.1 | 0.5 | 0.4 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 161 | 1.2 | 4.4 | 2.9 | 0.18 | 0.32 | 84 | 0.8 | 2.4 | 1.5 | 0.10 | 0.19 | C64 |
| Renal pelvis | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 251 | 1.8 | 6.8 | 4.2 | 0.19 | 0.42 | 69 | 0.7 | 2.0 | 1.1 | 0.05 | 0.11 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 269 | 1.9 | 7.3 | 5.4 | 0.34 | 0.55 | 242 | 2.4 | 7.0 | 4.7 | 0.31 | 0.50 | C70–72 |
| Thyroid | 81 | 0.6 | 2.2 | 1.6 | 0.12 | 0.16 | 243 | 2.4 | 7.1 | 4.7 | 0.40 | 0.47 | C73 |
| Adrenal gland | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 10 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 158 | 1.1 | 4.3 | 2.8 | 0.16 | 0.29 | 105 | 1.0 | 3.1 | 1.8 | 0.12 | 0.19 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 62 | 0.4 | 1.7 | 1.1 | 0.05 | 0.11 | 32 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | C90 |
| Lymphoid leukaemia | 61 | 0.4 | 1.7 | 1.6 | 0.08 | 0.13 | 42 | 0.4 | 1.2 | 1.0 | 0.05 | 0.09 | C91 |
| Myeloid leukaemia | 74 | 0.5 | 2.0 | 1.8 | 0.10 | 0.15 | 50 | 0.5 | 1.5 | 1.0 | 0.06 | 0.11 | C92–94 |
| Leukaemia unspecified | 110 | 0.8 | 3.0 | 2.4 | 0.14 | 0.21 | 96 | 0.9 | 2.8 | 2.1 | 0.13 | 0.21 | C95 |
| Myeloproliferative disorders | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 145 | 1.0 | 4.0 | 2.5 | 0.15 | 0.26 | 119 | 1.2 | 3.5 | 2.0 | 0.10 | 0.23 | O&U |
| All sites | 13866 | | 378.0 | 234.9 | 11.40 | 27.71 | 10256 | | 298.3 | 174.6 | 10.50 | 19.56 | C00–96 |
| All sites except C44 | 13821 | 100.0 | 376.8 | 234.1 | 11.37 | 27.64 | 10227 | 100.0 | 297.5 | 174.1 | 10.46 | 19.51 | C00–96 exc. C44 |

China, Yangquan City

CONTRIBUTORS

Junqing Feng
Shuqiong Jiang
Yongzhen Zhang
Licheng Lv
Suhua Hao



NOTES ON THE DATA

*Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 56.3 | Trachea, bronchus, and lung | 23.9 |
| Stomach | 41.5 | Breast | 21.9 |
| Oesophagus | 28.4 | Oesophagus | 14.9 |
| Liver | 16.6 | Cervix uteri | 14.9 |
| Rectum | 10.5 | Stomach | 12.0 |
| Colon | 9.9 | Liver | 7.2 |
| Bladder | 9.3 | Ovary | 7.1 |
| Prostate | 6.5 | Rectum | 6.9 |
| Kidney | 4.8 | Colon | 6.7 |
| Pancreas | 4.6 | Corpus uteri | 5.8 |
| Brain and nervous system | 4.6 | Gallbladder etc. | 4.5 |
| Non-Hodgkin lymphoma | 4.4 | Non-Hodgkin lymphoma | 3.1 |
| Leukaemia unspecified | 3.8 | Leukaemia unspecified | 3.1 |
| Gallbladder etc. | 3.5 | Brain and nervous system | 3.0 |
| Bone | 3.3 | Kidney | 3.0 |
| Other and unspecified | 2.8 | Pancreas | 3.0 |
| Larynx | 2.7 | Bladder | 2.8 |
| Multiple myeloma | 1.7 | Thyroid | 2.8 |
| Non-melanoma skin cancer | 1.2 | Bone | 1.9 |
| Other thoracic organs | 1.2 | Other and unspecified | 1.5 |
| All sites | 228.5 | All sites | 161.7 |

*China, Yangquan City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.04 | C00 |
| Tongue | 10 | 0.2 | 0.5 | 0.5 | 0.02 | 0.05 | 7 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C01–02 |
| Mouth | 14 | 0.3 | 0.8 | 0.7 | 0.03 | 0.10 | 10 | 0.3 | 0.6 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 9 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 11 | 0.3 | 0.7 | 0.6 | 0.01 | 0.05 | C07–08 |
| Tonsil | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 6 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 17 | 0.4 | 0.9 | 0.7 | 0.04 | 0.09 | 14 | 0.4 | 0.8 | 0.6 | 0.04 | 0.07 | C11 |
| Hypopharynx | 10 | 0.2 | 0.5 | 0.5 | 0.01 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 586 | 12.2 | 32.2 | 28.4 | 1.08 | 3.23 | 306 | 8.7 | 18.2 | 14.9 | 0.56 | 1.80 | C15 |
| Stomach | 878 | 18.3 | 48.2 | 41.5 | 1.92 | 5.21 | 253 | 7.2 | 15.1 | 12.0 | 0.53 | 1.49 | C16 |
| Small intestine | 24 | 0.5 | 1.3 | 1.1 | 0.07 | 0.13 | 16 | 0.5 | 1.0 | 0.8 | 0.03 | 0.12 | C17 |
| Colon | 209 | 4.4 | 11.5 | 9.9 | 0.45 | 1.02 | 148 | 4.2 | 8.8 | 6.7 | 0.27 | 0.76 | C18 |
| Rectum | 222 | 4.6 | 12.2 | 10.5 | 0.46 | 1.22 | 152 | 4.3 | 9.1 | 6.9 | 0.40 | 0.76 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.01 | C21 |
| Liver | 363 | 7.6 | 19.9 | 16.6 | 0.85 | 1.92 | 151 | 4.3 | 9.0 | 7.2 | 0.29 | 0.83 | C22 |
| Gallbladder etc. | 76 | 1.6 | 4.2 | 3.5 | 0.15 | 0.44 | 93 | 2.6 | 5.5 | 4.5 | 0.20 | 0.48 | C23–24 |
| Pancreas | 105 | 2.2 | 5.8 | 4.6 | 0.24 | 0.52 | 67 | 1.9 | 4.0 | 3.0 | 0.16 | 0.33 | C25 |
| Nose, sinuses etc. | 13 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 54 | 1.1 | 3.0 | 2.7 | 0.11 | 0.32 | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1204 | 25.1 | 66.1 | 56.3 | 2.30 | 6.75 | 515 | 14.6 | 30.7 | 23.9 | 1.08 | 2.55 | C33–34 |
| Other thoracic organs | 25 | 0.5 | 1.4 | 1.2 | 0.06 | 0.16 | 15 | 0.4 | 0.9 | 0.7 | 0.03 | 0.09 | C37–38 |
| Bone | 68 | 1.4 | 3.7 | 3.3 | 0.15 | 0.38 | 44 | 1.3 | 2.6 | 1.9 | 0.11 | 0.23 | C40–41 |
| Melanoma of skin | 11 | 0.2 | 0.6 | 0.6 | 0.02 | 0.06 | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | C43 |
| Other skin | 25 | 0.5 | 1.4 | 1.2 | 0.06 | 0.09 | 21 | 0.6 | 1.3 | 0.9 | 0.03 | 0.11 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C47+C49 |
| Breast | 6 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | 524 | 14.9 | 31.2 | 21.9 | 1.73 | 2.45 | C50 |
| Vulva | | | | | | | 11 | 0.3 | 0.7 | 0.5 | 0.04 | 0.07 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 351 | 10.0 | 20.9 | 14.9 | 1.15 | 1.73 | C53 |
| Corpus uteri | | | | | | | 132 | 3.8 | 7.9 | 5.8 | 0.45 | 0.70 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.4 | 0.8 | 0.7 | 0.04 | 0.09 | C55 |
| Ovary | | | | | | | 155 | 4.4 | 9.2 | 7.1 | 0.49 | 0.82 | C56 |
| Other female genital organs | | | | | | | 8 | 0.2 | 0.5 | 0.3 | 0.04 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 20 | 0.4 | 1.1 | 0.9 | 0.05 | 0.08 | | | | | | | C60 |
| Prostate | 119 | 2.5 | 6.5 | 6.5 | 0.10 | 0.45 | | | | | | | C61 |
| Testis | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 113 | 2.4 | 6.2 | 4.8 | 0.29 | 0.63 | 63 | 1.8 | 3.8 | 3.0 | 0.15 | 0.42 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 9 | 0.3 | 0.5 | 0.4 | 0.02 | 0.06 | C65 |
| Ureter | 11 | 0.2 | 0.6 | 0.6 | 0.01 | 0.06 | 16 | 0.5 | 1.0 | 0.8 | 0.03 | 0.10 | C66 |
| Bladder | 186 | 3.9 | 10.2 | 9.3 | 0.34 | 1.12 | 57 | 1.6 | 3.4 | 2.8 | 0.05 | 0.31 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C69 |
| Brain and nervous system | 95 | 2.0 | 5.2 | 4.6 | 0.22 | 0.53 | 65 | 1.8 | 3.9 | 3.0 | 0.17 | 0.30 | C70–72 |
| Thyroid | 20 | 0.4 | 1.1 | 0.9 | 0.05 | 0.09 | 64 | 1.8 | 3.8 | 2.8 | 0.19 | 0.25 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 89 | 1.9 | 4.9 | 4.4 | 0.20 | 0.46 | 71 | 2.0 | 4.2 | 3.1 | 0.19 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 39 | 0.8 | 2.1 | 1.7 | 0.07 | 0.22 | 27 | 0.8 | 1.6 | 1.4 | 0.07 | 0.18 | C90 |
| Lymphoid leukaemia | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 18 | 0.4 | 1.0 | 0.8 | 0.06 | 0.09 | 12 | 0.3 | 0.7 | 0.7 | 0.03 | 0.07 | C92–94 |
| Leukaemia unspecified | 70 | 1.5 | 3.8 | 3.8 | 0.17 | 0.39 | 56 | 1.6 | 3.3 | 3.1 | 0.17 | 0.33 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 65 | 1.4 | 3.6 | 2.8 | 0.16 | 0.32 | 34 | 1.0 | 2.0 | 1.5 | 0.08 | 0.14 | O&U |
| All sites | 4825 | | 264.9 | 228.5 | 9.94 | 26.55 | 3540 | | 211.0 | 161.7 | 9.03 | 18.42 | C00–96 |
| All sites except C44 | 4800 | 100.0 | 263.5 | 227.3 | 9.88 | 26.46 | 3519 | 100.0 | 209.7 | 160.8 | 8.99 | 18.32 | C00–96 exc. C44 |

*See note following population pyramid

China, Yangzhong City

CONTRIBUTORS

Zhalai Hua
Tongqiu Song
Qin Zhou
Xiang Feng



NOTES ON THE DATA

*Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 69.8 | Stomach | 29.8 |
| Oesophagus | 45.0 | Breast | 24.1 |
| Trachea, bronchus, and lung | 33.7 | Oesophagus | 23.8 |
| Liver | 15.2 | Trachea, bronchus, and lung | 12.0 |
| Rectum | 12.9 | Cervix uteri | 10.2 |
| Colon | 10.5 | Rectum | 8.9 |
| Bladder | 4.5 | Colon | 7.6 |
| Pancreas | 3.7 | Liver | 7.5 |
| Prostate | 3.6 | Corpus uteri | 3.2 |
| Nasopharynx | 2.7 | Ovary | 3.2 |
| Brain and nervous system | 1.9 | Pancreas | 3.1 |
| Kidney | 1.7 | Thyroid | 3.0 |
| Gallbladder etc. | 1.5 | Gallbladder etc. | 2.3 |
| Bone | 1.4 | Kidney | 2.2 |
| Non-Hodgkin lymphoma | 1.4 | Leukaemia unspecified | 1.2 |
| Myeloid leukaemia | 1.2 | Brain and nervous system | 1.2 |
| Mouth | 1.2 | Non-Hodgkin lymphoma | 1.0 |
| Leukaemia unspecified | 1.2 | Non-melanoma skin cancer | 0.9 |
| Thyroid | 0.8 | Mouth | 0.9 |
| Penis | 0.8 | Nasopharynx | 0.8 |
| All sites | 221.0 | All sites | 154.3 |

*China, Yangzhong City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 5 | 0.2 | 0.7 | 0.4 | 0.04 | 0.05 | 4 | 0.2 | 0.6 | 0.2 | 0.01 | 0.03 | C01–02 |
| Mouth | 18 | 0.6 | 2.6 | 1.2 | 0.07 | 0.14 | 16 | 0.7 | 2.2 | 0.9 | 0.03 | 0.09 | C03–06 |
| Salivary glands | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 2 | 0.1 | 0.3 | 0.1 | 0.02 | 0.02 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 34 | 1.1 | 4.9 | 2.7 | 0.22 | 0.28 | 11 | 0.5 | 1.5 | 0.8 | 0.05 | 0.10 | C11 |
| Hypopharynx | 6 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 665 | 20.8 | 96.6 | 45.0 | 2.38 | 5.79 | 440 | 18.6 | 61.5 | 23.8 | 0.72 | 2.78 | C15 |
| Stomach | 1022 | 32.0 | 148.5 | 69.8 | 3.79 | 8.62 | 500 | 21.1 | 69.9 | 29.8 | 1.39 | 3.43 | C16 |
| Small intestine | 7 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | 9 | 0.4 | 1.3 | 0.6 | 0.04 | 0.08 | C17 |
| Colon | 147 | 4.6 | 21.4 | 10.5 | 0.58 | 1.33 | 117 | 4.9 | 16.3 | 7.6 | 0.41 | 0.83 | C18 |
| Rectum | 178 | 5.6 | 25.9 | 12.9 | 0.80 | 1.37 | 133 | 5.6 | 18.6 | 8.9 | 0.56 | 1.02 | C19–20 |
| Anus | 10 | 0.3 | 1.5 | 0.8 | 0.04 | 0.05 | 6 | 0.3 | 0.8 | 0.2 | 0.00 | 0.01 | C21 |
| Liver | 216 | 6.8 | 31.4 | 15.2 | 0.93 | 1.81 | 123 | 5.2 | 17.2 | 7.5 | 0.37 | 0.82 | C22 |
| Gallbladder etc. | 21 | 0.7 | 3.1 | 1.5 | 0.06 | 0.13 | 37 | 1.6 | 5.2 | 2.3 | 0.14 | 0.24 | C23–24 |
| Pancreas | 54 | 1.7 | 7.8 | 3.7 | 0.17 | 0.42 | 58 | 2.4 | 8.1 | 3.1 | 0.10 | 0.28 | C25 |
| Nose, sinuses etc. | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 6 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 515 | 16.1 | 74.8 | 33.7 | 1.31 | 4.01 | 206 | 8.7 | 28.8 | 12.0 | 0.59 | 1.42 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.1 | 0.3 | 0.6 | 0.03 | 0.03 | C37–38 |
| Bone | 18 | 0.6 | 2.6 | 1.4 | 0.05 | 0.15 | 6 | 0.3 | 0.8 | 0.3 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C43 |
| Other skin | 11 | 0.3 | 1.6 | 0.8 | 0.03 | 0.06 | 16 | 0.7 | 2.2 | 0.9 | 0.03 | 0.10 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 4 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | C47+C49 |
| Breast | 6 | 0.2 | 0.9 | 0.4 | 0.03 | 0.04 | 313 | 13.2 | 43.7 | 24.1 | 1.97 | 2.55 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C51 |
| Vagina | | | | | | | 7 | 0.3 | 1.0 | 0.5 | 0.04 | 0.05 | C52 |
| Cervix uteri | | | | | | | 128 | 5.4 | 17.9 | 10.2 | 0.81 | 1.03 | C53 |
| Corpus uteri | | | | | | | 42 | 1.8 | 5.9 | 3.2 | 0.27 | 0.37 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.3 | 1.1 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 44 | 1.9 | 6.1 | 3.2 | 0.23 | 0.37 | C56 |
| Other female genital organs | | | | | | | 7 | 0.3 | 1.0 | 0.4 | 0.01 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 12 | 0.4 | 1.7 | 0.8 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 56 | 1.8 | 8.1 | 3.6 | 0.10 | 0.36 | | | | | | | C61 |
| Testis | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 24 | 0.8 | 3.5 | 1.7 | 0.08 | 0.21 | 25 | 1.1 | 3.5 | 2.2 | 0.13 | 0.20 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 66 | 2.1 | 9.6 | 4.5 | 0.19 | 0.49 | 13 | 0.5 | 1.8 | 0.6 | 0.00 | 0.04 | C67 |
| Other urinary organs | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 25 | 0.8 | 3.6 | 1.9 | 0.10 | 0.23 | 20 | 0.8 | 2.8 | 1.2 | 0.06 | 0.11 | C70–72 |
| Thyroid | 9 | 0.3 | 1.3 | 0.8 | 0.08 | 0.08 | 35 | 1.5 | 4.9 | 3.0 | 0.26 | 0.30 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 18 | 0.6 | 2.6 | 1.4 | 0.11 | 0.12 | 11 | 0.5 | 1.5 | 1.0 | 0.04 | 0.08 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C90 |
| Lymphoid leukaemia | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 3 | 0.1 | 0.4 | 0.7 | 0.03 | 0.04 | C91 |
| Myeloid leukaemia | 6 | 0.2 | 0.9 | 1.2 | 0.07 | 0.08 | 3 | 0.1 | 0.4 | 0.5 | 0.04 | 0.04 | C92–94 |
| Leukaemia unspecified | 16 | 0.5 | 2.3 | 1.2 | 0.09 | 0.12 | 13 | 0.5 | 1.8 | 1.2 | 0.07 | 0.11 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 5 | 0.2 | 0.7 | 0.5 | 0.01 | 0.05 | 4 | 0.2 | 0.6 | 0.3 | 0.03 | 0.03 | O&U |
| All sites | 3204 | | 465.5 | 221.0 | 11.55 | 26.43 | 2387 | | 333.5 | 154.3 | 8.63 | 16.91 | C00–96 |
| All sites except C44 | 3193 | 100.0 | 463.9 | 220.3 | 11.52 | 26.37 | 2371 | 100.0 | 331.3 | 153.4 | 8.60 | 16.81 | C00–96 exc. C44 |

*See note following population pyramid

China, Yanji City

CONTRIBUTORS

Chunji Zheng
Yang Ren



NOTES ON THE DATA

*Low MV%. No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 47.7 | Breast | 22.2 |
| Trachea, bronchus, and lung | 35.7 | Trachea, bronchus, and lung | 16.5 |
| Stomach | 17.1 | Liver | 15.7 |
| Colon | 12.7 | Thyroid | 10.6 |
| Rectum | 9.5 | Cervix uteri | 7.6 |
| Oesophagus | 7.3 | Colon | 6.8 |
| Bladder | 7.1 | Rectum | 6.1 |
| Pancreas | 6.9 | Stomach | 5.8 |
| Prostate | 4.7 | Ovary | 5.0 |
| Kidney | 4.4 | Pancreas | 4.9 |
| Thyroid | 3.8 | Corpus uteri | 2.9 |
| Gallbladder etc. | 3.5 | Brain and nervous system | 2.4 |
| Larynx | 3.1 | Kidney | 2.0 |
| Non-Hodgkin lymphoma | 2.5 | Bladder | 2.0 |
| Brain and nervous system | 2.1 | Gallbladder etc. | 1.9 |
| Lymphoid leukaemia | 2.0 | Non-Hodgkin lymphoma | 1.6 |
| Other and unspecified | 1.8 | Lymphoid leukaemia | 1.6 |
| Myeloid leukaemia | 1.8 | Myeloid leukaemia | 1.6 |
| Leukaemia unspecified | 1.4 | Other and unspecified | 1.5 |
| Non-melanoma skin cancer | 1.3 | Bone | 1.1 |
| All sites | 190.6 | All sites | 128.5 |

*China, Yanji City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 15 | 0.4 | 1.2 | 0.7 | 0.04 | 0.11 | 5 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C01–02 |
| Mouth | 22 | 0.6 | 1.7 | 1.1 | 0.06 | 0.14 | 8 | 0.3 | 0.6 | 0.3 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 7 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 8 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 9 | 0.2 | 0.7 | 0.4 | 0.04 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 16 | 0.4 | 1.2 | 0.7 | 0.07 | 0.09 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 24 | 0.6 | 1.8 | 1.1 | 0.07 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 153 | 4.0 | 11.8 | 7.3 | 0.41 | 0.84 | 12 | 0.4 | 0.9 | 0.5 | 0.02 | 0.06 | C15 |
| Stomach | 345 | 9.1 | 26.5 | 17.1 | 0.81 | 2.22 | 141 | 4.7 | 10.1 | 5.8 | 0.26 | 0.67 | C16 |
| Small intestine | 21 | 0.6 | 1.6 | 1.0 | 0.06 | 0.14 | 13 | 0.4 | 0.9 | 0.5 | 0.02 | 0.07 | C17 |
| Colon | 263 | 6.9 | 20.2 | 12.7 | 0.57 | 1.57 | 173 | 5.8 | 12.4 | 6.8 | 0.31 | 0.74 | C18 |
| Rectum | 195 | 5.1 | 15.0 | 9.5 | 0.51 | 1.22 | 152 | 5.1 | 10.9 | 6.1 | 0.31 | 0.74 | C19–20 |
| Anus | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 991 | 26.1 | 76.2 | 47.7 | 2.88 | 5.73 | 392 | 13.2 | 28.2 | 15.7 | 0.75 | 1.91 | C22 |
| Gallbladder etc. | 71 | 1.9 | 5.5 | 3.5 | 0.18 | 0.46 | 50 | 1.7 | 3.6 | 1.9 | 0.07 | 0.23 | C23–24 |
| Pancreas | 145 | 3.8 | 11.2 | 6.9 | 0.37 | 0.79 | 125 | 4.2 | 9.0 | 5.0 | 0.24 | 0.57 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C30–31 |
| Larynx | 65 | 1.7 | 5.0 | 3.1 | 0.15 | 0.36 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 713 | 18.8 | 54.8 | 35.7 | 1.44 | 4.28 | 413 | 13.9 | 29.7 | 16.5 | 0.66 | 1.91 | C33–34 |
| Other thoracic organs | 11 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | 5 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C37–38 |
| Bone | 18 | 0.5 | 1.4 | 1.2 | 0.07 | 0.09 | 14 | 0.5 | 1.0 | 1.1 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 27 | 0.7 | 2.1 | 1.3 | 0.06 | 0.16 | 23 | 0.8 | 1.7 | 0.9 | 0.04 | 0.06 | C44 |
| Mesothelioma | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 15 | 0.4 | 1.2 | 1.1 | 0.08 | 0.09 | 10 | 0.3 | 0.7 | 0.8 | 0.04 | 0.06 | C47+C49 |
| Breast | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 520 | 17.5 | 37.4 | 22.2 | 1.76 | 2.39 | C50 |
| Vulva | | | | | | | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C52 |
| Cervix uteri | | | | | | | 177 | 5.9 | 12.7 | 7.6 | 0.59 | 0.84 | C53 |
| Corpus uteri | | | | | | | 69 | 2.3 | 5.0 | 2.9 | 0.23 | 0.35 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.5 | 1.0 | 0.6 | 0.03 | 0.07 | C55 |
| Ovary | | | | | | | 112 | 3.8 | 8.1 | 5.0 | 0.36 | 0.56 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C60 |
| Prostate | 85 | 2.2 | 6.5 | 4.7 | 0.06 | 0.48 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 88 | 2.3 | 6.8 | 4.4 | 0.24 | 0.53 | 44 | 1.5 | 3.2 | 2.0 | 0.12 | 0.21 | C64 |
| Renal pelvis | 16 | 0.4 | 1.2 | 0.8 | 0.05 | 0.11 | 6 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 9 | 0.2 | 0.7 | 0.5 | 0.02 | 0.08 | 14 | 0.5 | 1.0 | 0.6 | 0.01 | 0.09 | C66 |
| Bladder | 143 | 3.8 | 11.0 | 7.1 | 0.29 | 0.76 | 49 | 1.6 | 3.5 | 2.0 | 0.08 | 0.19 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 44 | 1.2 | 3.4 | 2.1 | 0.14 | 0.23 | 39 | 1.3 | 2.8 | 2.4 | 0.13 | 0.20 | C70–72 |
| Thyroid | 78 | 2.1 | 6.0 | 3.8 | 0.33 | 0.36 | 237 | 8.0 | 17.0 | 10.6 | 0.86 | 1.07 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 40 | 1.1 | 3.1 | 2.5 | 0.12 | 0.27 | 39 | 1.3 | 2.8 | 1.6 | 0.09 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 21 | 0.6 | 1.6 | 1.1 | 0.05 | 0.15 | 13 | 0.4 | 0.9 | 0.5 | 0.03 | 0.06 | C90 |
| Lymphoid leukaemia | 16 | 0.4 | 1.2 | 2.0 | 0.11 | 0.12 | 11 | 0.4 | 0.8 | 1.6 | 0.08 | 0.08 | C91 |
| Myeloid leukaemia | 30 | 0.8 | 2.3 | 1.8 | 0.12 | 0.17 | 24 | 0.8 | 1.7 | 1.6 | 0.10 | 0.12 | C92–94 |
| Leukaemia unspecified | 15 | 0.4 | 1.2 | 1.4 | 0.07 | 0.10 | 16 | 0.5 | 1.2 | 0.8 | 0.04 | 0.05 | C95 |
| Myeloproliferative disorders | 8 | 0.2 | 0.6 | 0.6 | 0.04 | 0.05 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | MPD |
| Myelodysplastic syndromes | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 39 | 1.0 | 3.0 | 1.8 | 0.09 | 0.20 | 30 | 1.0 | 2.2 | 1.5 | 0.08 | 0.16 | O&U |
| All sites | 3817 | | 293.5 | 190.6 | 9.86 | 22.48 | 3002 | | 215.9 | 128.5 | 7.55 | 14.11 | C00–96 |
| All sites except C44 | 3790 | 100.0 | 291.5 | 189.3 | 9.80 | 22.32 | 2979 | 100.0 | 214.3 | 127.6 | 7.51 | 14.04 | C00–96 exc. C44 |

*See note following population pyramid

China, Yanshi City

CONTRIBUTORS

Qin Yanjin
Duan Fengling
Wang Juntao
Shen Siming



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 29.0 | Breast | 28.9 |
| Trachea, bronchus, and lung | 27.8 | Trachea, bronchus, and lung | 15.0 |
| Oesophagus | 25.0 | Oesophagus | 14.7 |
| Liver | 20.4 | Cervix uteri | 10.7 |
| Rectum | 6.1 | Stomach | 10.2 |
| Brain and nervous system | 6.1 | Liver | 8.4 |
| Colon | 5.7 | Thyroid | 8.2 |
| Bladder | 4.1 | Ovary | 7.3 |
| Non-Hodgkin lymphoma | 4.0 | Corpus uteri | 7.2 |
| Prostate | 3.9 | Brain and nervous system | 6.8 |
| Gallbladder etc. | 3.4 | Rectum | 5.2 |
| Leukaemia unspecified | 3.3 | Colon | 4.7 |
| Thyroid | 2.9 | Gallbladder etc. | 3.8 |
| Pancreas | 2.8 | Non-Hodgkin lymphoma | 3.3 |
| Kidney | 2.7 | Leukaemia unspecified | 2.0 |
| Bone | 2.1 | Pancreas | 1.9 |
| Myeloid leukaemia | 1.4 | Kidney | 1.8 |
| Non-melanoma skin cancer | 1.4 | Other and unspecified | 1.8 |
| Multiple myeloma | 1.3 | Uterus unspecified | 1.6 |
| Other and unspecified | 1.2 | Myeloid leukaemia | 1.4 |
| All sites | 166.2 | All sites | 159.8 |

*China, Yanshi City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C01–02 |
| Mouth | 16 | 0.4 | 1.0 | 0.7 | 0.03 | 0.05 | 15 | 0.4 | 1.0 | 0.6 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 21 | 0.5 | 1.3 | 0.9 | 0.07 | 0.10 | 16 | 0.4 | 1.0 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C10 |
| Nasopharynx | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 13 | 0.3 | 0.9 | 0.5 | 0.03 | 0.03 | C11 |
| Hypopharynx | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 619 | 16.1 | 38.7 | 25.0 | 0.95 | 3.02 | 431 | 11.2 | 28.2 | 14.7 | 0.47 | 1.70 | C15 |
| Stomach | 703 | 18.3 | 43.9 | 29.0 | 1.22 | 3.72 | 280 | 7.3 | 18.3 | 10.2 | 0.53 | 1.14 | C16 |
| Small intestine | 18 | 0.5 | 1.1 | 0.8 | 0.04 | 0.08 | 16 | 0.4 | 1.0 | 0.7 | 0.04 | 0.09 | C17 |
| Colon | 132 | 3.4 | 8.3 | 5.7 | 0.35 | 0.65 | 129 | 3.3 | 8.5 | 4.7 | 0.21 | 0.54 | C18 |
| Rectum | 144 | 3.7 | 9.0 | 6.1 | 0.37 | 0.74 | 136 | 3.5 | 8.9 | 5.2 | 0.26 | 0.68 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 467 | 12.1 | 29.2 | 20.4 | 1.41 | 2.35 | 221 | 5.7 | 14.5 | 8.4 | 0.45 | 0.97 | C22 |
| Gallbladder etc. | 84 | 2.2 | 5.3 | 3.4 | 0.14 | 0.36 | 112 | 2.9 | 7.3 | 3.8 | 0.17 | 0.41 | C23–24 |
| Pancreas | 67 | 1.7 | 4.2 | 2.8 | 0.13 | 0.32 | 53 | 1.4 | 3.5 | 1.9 | 0.10 | 0.22 | C25 |
| Nose, sinuses etc. | 8 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 20 | 0.5 | 1.3 | 0.9 | 0.06 | 0.10 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C32 |
| Trachea, bronchus, and lung | 672 | 17.4 | 42.0 | 27.8 | 1.37 | 3.27 | 413 | 10.7 | 27.1 | 15.0 | 0.75 | 1.70 | C33–34 |
| Other thoracic organs | 25 | 0.6 | 1.6 | 1.2 | 0.07 | 0.12 | 9 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 40 | 1.0 | 2.5 | 2.1 | 0.11 | 0.22 | 34 | 0.9 | 2.2 | 1.4 | 0.08 | 0.16 | C40–41 |
| Melanoma of skin | 8 | 0.2 | 0.5 | 0.3 | 0.02 | 0.05 | 14 | 0.4 | 0.9 | 0.5 | 0.03 | 0.08 | C43 |
| Other skin | 36 | 0.9 | 2.3 | 1.4 | 0.05 | 0.11 | 38 | 1.0 | 2.5 | 1.4 | 0.08 | 0.12 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 0.5 | 1.1 | 0.8 | 0.05 | 0.09 | 20 | 0.5 | 1.3 | 0.9 | 0.05 | 0.10 | C47+C49 |
| Breast | 8 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 633 | 16.4 | 41.5 | 28.9 | 2.42 | 3.07 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 234 | 6.1 | 15.3 | 10.7 | 0.85 | 1.12 | C53 |
| Corpus uteri | | | | | | | 168 | 4.4 | 11.0 | 7.2 | 0.61 | 0.81 | C54 |
| Uterus unspecified | | | | | | | 33 | 0.9 | 2.2 | 1.6 | 0.12 | 0.14 | C55 |
| Ovary | | | | | | | 153 | 4.0 | 10.0 | 7.3 | 0.52 | 0.77 | C56 |
| Other female genital organs | | | | | | | 13 | 0.3 | 0.9 | 0.5 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 10 | 0.3 | 0.6 | 0.4 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 102 | 2.6 | 6.4 | 3.9 | 0.05 | 0.43 | | | | | | | C61 |
| Testis | 8 | 0.2 | 0.5 | 0.5 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 59 | 1.5 | 3.7 | 2.7 | 0.15 | 0.31 | 40 | 1.0 | 2.6 | 1.8 | 0.12 | 0.20 | C64 |
| Renal pelvis | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 7 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | C66 |
| Bladder | 96 | 2.5 | 6.0 | 4.1 | 0.15 | 0.51 | 33 | 0.9 | 2.2 | 1.2 | 0.05 | 0.13 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 127 | 3.3 | 7.9 | 6.1 | 0.36 | 0.66 | 152 | 3.9 | 10.0 | 6.8 | 0.45 | 0.78 | C70–72 |
| Thyroid | 63 | 1.6 | 3.9 | 2.9 | 0.23 | 0.31 | 176 | 4.6 | 11.5 | 8.2 | 0.65 | 0.90 | C73 |
| Adrenal gland | 10 | 0.3 | 0.6 | 0.6 | 0.03 | 0.04 | 6 | 0.2 | 0.4 | 0.2 | 0.02 | 0.03 | C74 |
| Other endocrine | 24 | 0.6 | 1.5 | 1.1 | 0.09 | 0.12 | 31 | 0.8 | 2.0 | 1.4 | 0.10 | 0.14 | C75 |
| Hodgkin lymphoma | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 81 | 2.1 | 5.1 | 4.0 | 0.23 | 0.45 | 73 | 1.9 | 4.8 | 3.3 | 0.20 | 0.38 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 29 | 0.8 | 1.8 | 1.3 | 0.09 | 0.12 | 18 | 0.5 | 1.2 | 0.7 | 0.06 | 0.08 | C90 |
| Lymphoid leukaemia | 11 | 0.3 | 0.7 | 0.8 | 0.05 | 0.05 | 16 | 0.4 | 1.0 | 1.2 | 0.07 | 0.09 | C91 |
| Myeloid leukaemia | 27 | 0.7 | 1.7 | 1.4 | 0.10 | 0.14 | 28 | 0.7 | 1.8 | 1.4 | 0.10 | 0.14 | C92–94 |
| Leukaemia unspecified | 63 | 1.6 | 3.9 | 3.3 | 0.17 | 0.29 | 41 | 1.1 | 2.7 | 2.0 | 0.15 | 0.18 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | MPS |
| Other and unspecified | 28 | 0.7 | 1.8 | 1.2 | 0.06 | 0.13 | 40 | 1.0 | 2.6 | 1.8 | 0.11 | 0.19 | O&U |
| All sites | 3888 | | 243.0 | 166.2 | 8.44 | 19.32 | 3896 | | 255.2 | 159.8 | 10.11 | 17.61 | C00–96 |
| All sites except C44 | 3852 | 100.0 | 240.8 | 164.8 | 8.39 | 19.21 | 3858 | 100.0 | 252.7 | 158.4 | 10.04 | 17.48 | C00–96 exc. C44 |

*See note following population pyramid

China, Yanting County

CONTRIBUTORS

Jun Li
Lin Li
Huang Zheng



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 126.7 | Stomach | 59.6 |
| Oesophagus | 91.7 | Oesophagus | 58.2 |
| Liver | 54.9 | Liver | 27.0 |
| Trachea, bronchus, and lung | 47.9 | Trachea, bronchus, and lung | 16.3 |
| Rectum | 9.0 | Breast | 12.5 |
| Brain and nervous system | 5.5 | Cervix uteri | 8.0 |
| Non-Hodgkin lymphoma | 4.9 | Rectum | 5.3 |
| Leukaemia unspecified | 3.7 | Corpus uteri | 4.1 |
| Other and unspecified | 3.3 | Uterus unspecified | 3.4 |
| Mouth | 3.2 | Non-Hodgkin lymphoma | 3.1 |
| Bone | 2.8 | Ovary | 2.9 |
| Nasopharynx | 2.8 | Leukaemia unspecified | 2.7 |
| Lymphoid leukaemia | 2.7 | Brain and nervous system | 2.5 |
| Bladder | 2.2 | Lymphoid leukaemia | 2.4 |
| Myeloid leukaemia | 2.0 | Other and unspecified | 2.2 |
| Colon | 1.9 | Myeloid leukaemia | 2.0 |
| Pancreas | 1.9 | Colon | 1.7 |
| Non-melanoma skin cancer | 1.8 | Non-melanoma skin cancer | 1.5 |
| Hodgkin lymphoma | 1.7 | Bone | 1.5 |
| Connective and soft tissue | 1.7 | Pancreas | 1.4 |
| All sites | 381.1 | All sites | 228.5 |

China, Yanting County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C00 |
| Tongue | 9 | 0.1 | 0.6 | 0.5 | 0.02 | 0.08 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C01–02 |
| Mouth | 59 | 0.8 | 3.8 | 3.2 | 0.14 | 0.28 | 22 | 0.5 | 1.5 | 1.2 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 6 | 0.1 | 0.4 | 0.3 | 0.03 | 0.04 | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C10 |
| Nasopharynx | 56 | 0.8 | 3.6 | 2.8 | 0.23 | 0.32 | 22 | 0.5 | 1.5 | 1.1 | 0.07 | 0.11 | C11 |
| Hypopharynx | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 1736 | 24.3 | 111.7 | 91.7 | 4.83 | 11.16 | 1128 | 26.1 | 77.8 | 58.2 | 3.51 | 7.24 | C15 |
| Stomach | 2388 | 33.5 | 153.7 | 126.7 | 6.66 | 14.70 | 1174 | 27.1 | 81.0 | 59.6 | 3.32 | 6.97 | C16 |
| Small intestine | 7 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C17 |
| Colon | 38 | 0.5 | 2.4 | 1.9 | 0.14 | 0.22 | 33 | 0.8 | 2.3 | 1.7 | 0.12 | 0.21 | C18 |
| Rectum | 176 | 2.5 | 11.3 | 9.0 | 0.56 | 0.96 | 110 | 2.5 | 7.6 | 5.3 | 0.22 | 0.59 | C19–20 |
| Anus | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.03 | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C21 |
| Liver | 1052 | 14.7 | 67.7 | 54.9 | 3.65 | 5.76 | 512 | 11.8 | 35.3 | 27.0 | 1.75 | 3.14 | C22 |
| Gallbladder etc. | 7 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C23–24 |
| Pancreas | 34 | 0.5 | 2.2 | 1.9 | 0.13 | 0.17 | 29 | 0.7 | 2.0 | 1.4 | 0.08 | 0.18 | C25 |
| Nose, sinuses etc. | 3 | 0.0 | 0.2 | 0.2 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C30–31 |
| Larynx | 14 | 0.2 | 0.9 | 0.7 | 0.04 | 0.09 | 8 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C32 |
| Trachea, bronchus, and lung | 915 | 12.8 | 58.9 | 47.9 | 2.74 | 5.66 | 313 | 7.2 | 21.6 | 16.3 | 1.01 | 1.90 | C33–34 |
| Other thoracic organs | 15 | 0.2 | 1.0 | 0.8 | 0.04 | 0.11 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 52 | 0.7 | 3.3 | 2.8 | 0.16 | 0.26 | 29 | 0.7 | 2.0 | 1.5 | 0.08 | 0.15 | C40–41 |
| Melanoma of skin | 6 | 0.1 | 0.4 | 0.4 | 0.01 | 0.05 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 32 | 0.4 | 2.1 | 1.8 | 0.08 | 0.17 | 27 | 0.6 | 1.9 | 1.5 | 0.10 | 0.16 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 33 | 0.5 | 2.1 | 1.7 | 0.14 | 0.18 | 24 | 0.6 | 1.7 | 1.4 | 0.09 | 0.14 | C47+C49 |
| Breast | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 230 | 5.3 | 15.9 | 12.5 | 1.09 | 1.20 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C51 |
| Vagina | | | | | | | 10 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 149 | 3.4 | 10.3 | 8.0 | 0.66 | 0.82 | C53 |
| Corpus uteri | | | | | | | 77 | 1.8 | 5.3 | 4.1 | 0.31 | 0.44 | C54 |
| Uterus unspecified | | | | | | | 66 | 1.5 | 4.6 | 3.4 | 0.22 | 0.41 | C55 |
| Ovary | | | | | | | 54 | 1.2 | 3.7 | 2.9 | 0.23 | 0.28 | C56 |
| Other female genital organs | | | | | | | 9 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 8 | 0.1 | 0.5 | 0.4 | 0.01 | 0.06 | | | | | | | C60 |
| Prostate | 14 | 0.2 | 0.9 | 0.9 | 0.02 | 0.03 | | | | | | | C61 |
| Testis | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 14 | 0.2 | 0.9 | 0.8 | 0.04 | 0.07 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 41 | 0.6 | 2.6 | 2.2 | 0.09 | 0.25 | 13 | 0.3 | 0.9 | 0.6 | 0.03 | 0.08 | C67 |
| Other urinary organs | 3 | 0.0 | 0.2 | 0.2 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 102 | 1.4 | 6.6 | 5.5 | 0.33 | 0.56 | 40 | 0.9 | 2.8 | 2.5 | 0.19 | 0.23 | C70–72 |
| Thyroid | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 7 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 19 | 0.3 | 1.2 | 1.7 | 0.10 | 0.11 | 11 | 0.3 | 0.8 | 0.7 | 0.05 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 75 | 1.1 | 4.8 | 4.9 | 0.31 | 0.40 | 47 | 1.1 | 3.2 | 3.1 | 0.18 | 0.30 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 11 | 0.2 | 0.7 | 0.7 | 0.04 | 0.05 | 6 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | C90 |
| Lymphoid leukaemia | 42 | 0.6 | 2.7 | 2.7 | 0.16 | 0.29 | 36 | 0.8 | 2.5 | 2.4 | 0.15 | 0.19 | C91 |
| Myeloid leukaemia | 30 | 0.4 | 1.9 | 2.0 | 0.12 | 0.17 | 26 | 0.6 | 1.8 | 2.0 | 0.14 | 0.16 | C92–94 |
| Leukaemia unspecified | 59 | 0.8 | 3.8 | 3.7 | 0.22 | 0.34 | 44 | 1.0 | 3.0 | 2.7 | 0.16 | 0.28 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 63 | 0.9 | 4.1 | 3.3 | 0.27 | 0.37 | 39 | 0.9 | 2.7 | 2.2 | 0.15 | 0.20 | O&U |
| All sites | 7165 | | 461.1 | 381.1 | 21.50 | 43.32 | 4353 | | 300.3 | 228.5 | 14.34 | 26.15 | C00–96 |
| All sites except C44 | 7133 | 100.0 | 459.1 | 379.3 | 21.42 | 43.16 | 4326 | 100.0 | 298.4 | 227.0 | 14.24 | 25.99 | C00–96 exc. C44 |

†See note following population pyramid

China, Yi'an District, Tongling City

CONTRIBUTORS

Biao Zhang
Yuan Ding
Weiwu Yang



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 57.1 | Stomach | 19.0 |
| Trachea, bronchus, and lung | 46.7 | Trachea, bronchus, and lung | 17.8 |
| Oesophagus | 32.8 | Breast | 13.9 |
| Liver | 22.8 | Liver | 7.9 |
| Rectum | 9.3 | Rectum | 7.9 |
| Colon | 8.8 | Cervix uteri | 7.7 |
| Pancreas | 5.6 | Colon | 7.4 |
| Other and unspecified | 5.4 | Oesophagus | 6.3 |
| Non-Hodgkin lymphoma | 4.4 | Gallbladder etc. | 5.7 |
| Bladder | 4.4 | Other and unspecified | 5.7 |
| Prostate | 3.9 | Thyroid | 4.9 |
| Brain and nervous system | 3.9 | Corpus uteri | 4.8 |
| Bone | 2.8 | Pancreas | 4.1 |
| Non-melanoma skin cancer | 2.8 | Non-Hodgkin lymphoma | 3.9 |
| Gallbladder etc. | 2.6 | Ovary | 3.8 |
| Larynx | 2.5 | Brain and nervous system | 1.7 |
| Nasopharynx | 2.5 | Non-melanoma skin cancer | 1.6 |
| Leukaemia unspecified | 2.3 | Nasopharynx | 1.5 |
| Kidney | 1.9 | Bladder | 1.4 |
| Lymphoid leukaemia | 1.2 | Other thoracic organs | 0.9 |
| All sites | 233.1 | All sites | 135.7 |

*China, Yi'an District, Tongling City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 5 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 7 | 0.3 | 1.2 | 0.7 | 0.04 | 0.09 | 2 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.4 | 0.9 | 0.7 | 0.06 | 0.06 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 24 | 1.0 | 4.1 | 2.5 | 0.19 | 0.32 | 13 | 1.0 | 2.3 | 1.5 | 0.08 | 0.19 | C11 |
| Hypopharynx | 10 | 0.4 | 1.7 | 1.0 | 0.08 | 0.14 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.5 | 0.2 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 333 | 14.4 | 56.3 | 32.8 | 1.28 | 4.09 | 68 | 5.2 | 11.9 | 6.3 | 0.18 | 0.76 | C15 |
| Stomach | 574 | 24.8 | 97.0 | 57.1 | 2.31 | 7.24 | 195 | 15.0 | 34.2 | 19.0 | 0.95 | 2.31 | C16 |
| Small intestine | 8 | 0.3 | 1.4 | 0.8 | 0.06 | 0.10 | 5 | 0.4 | 0.9 | 0.6 | 0.04 | 0.06 | C17 |
| Colon | 93 | 4.0 | 15.7 | 8.8 | 0.50 | 0.98 | 73 | 5.6 | 12.8 | 7.4 | 0.42 | 0.80 | C18 |
| Rectum | 93 | 4.0 | 15.7 | 9.3 | 0.44 | 1.22 | 77 | 5.9 | 13.5 | 7.9 | 0.49 | 1.00 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 233 | 10.0 | 39.4 | 22.8 | 1.20 | 2.75 | 84 | 6.4 | 14.7 | 7.9 | 0.30 | 1.02 | C22 |
| Gallbladder etc. | 28 | 1.2 | 4.7 | 2.6 | 0.11 | 0.28 | 61 | 4.7 | 10.7 | 5.7 | 0.21 | 0.73 | C23–24 |
| Pancreas | 56 | 2.4 | 9.5 | 5.6 | 0.18 | 0.66 | 41 | 3.1 | 7.2 | 4.1 | 0.20 | 0.55 | C25 |
| Nose, sinuses etc. | 6 | 0.3 | 1.0 | 0.7 | 0.02 | 0.09 | 3 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | C30–31 |
| Larynx | 27 | 1.2 | 4.6 | 2.5 | 0.10 | 0.26 | 2 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 483 | 20.8 | 81.6 | 46.7 | 1.72 | 5.62 | 182 | 14.0 | 31.9 | 17.8 | 0.67 | 2.26 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.5 | 0.6 | 0.04 | 0.04 | 7 | 0.5 | 1.2 | 0.9 | 0.05 | 0.10 | C37–38 |
| Bone | 24 | 1.0 | 4.1 | 2.8 | 0.13 | 0.31 | 9 | 0.7 | 1.6 | 0.8 | 0.00 | 0.10 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | 2 | 0.2 | 0.4 | 0.2 | 0.00 | 0.02 | C43 |
| Other skin | 27 | 1.2 | 4.6 | 2.8 | 0.07 | 0.29 | 19 | 1.5 | 3.3 | 1.6 | 0.04 | 0.13 | C44 |
| Mesothelioma | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C47+C49 |
| Breast | 6 | 0.3 | 1.0 | 0.7 | 0.04 | 0.06 | 125 | 9.6 | 21.9 | 13.9 | 1.06 | 1.37 | C50 |
| Vulva | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.5 | 0.3 | 0.01 | 0.06 | C52 |
| Cervix uteri | | | | | | | 69 | 5.3 | 12.1 | 7.7 | 0.61 | 0.77 | C53 |
| Corpus uteri | | | | | | | 45 | 3.5 | 7.9 | 4.8 | 0.47 | 0.51 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 37 | 2.8 | 6.5 | 3.8 | 0.26 | 0.43 | C56 |
| Other female genital organs | | | | | | | 2 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.2 | 0.8 | 0.5 | 0.01 | 0.05 | | | | | | | C60 |
| Prostate | 40 | 1.7 | 6.8 | 3.9 | 0.05 | 0.51 | | | | | | | C61 |
| Testis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 19 | 0.8 | 3.2 | 1.9 | 0.09 | 0.24 | 5 | 0.4 | 0.9 | 0.6 | 0.05 | 0.07 | C64 |
| Renal pelvis | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 46 | 2.0 | 7.8 | 4.4 | 0.15 | 0.43 | 13 | 1.0 | 2.3 | 1.4 | 0.06 | 0.15 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 33 | 1.4 | 5.6 | 3.9 | 0.20 | 0.46 | 17 | 1.3 | 3.0 | 1.7 | 0.07 | 0.21 | C70–72 |
| Thyroid | 3 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 41 | 3.1 | 7.2 | 4.9 | 0.44 | 0.48 | C73 |
| Adrenal gland | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 41 | 1.8 | 6.9 | 4.4 | 0.26 | 0.52 | 34 | 2.6 | 6.0 | 3.9 | 0.24 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 11 | 0.5 | 1.9 | 1.1 | 0.09 | 0.13 | 4 | 0.3 | 0.7 | 0.4 | 0.02 | 0.05 | C90 |
| Lymphoid leukaemia | 9 | 0.4 | 1.5 | 1.2 | 0.08 | 0.14 | 3 | 0.2 | 0.5 | 0.6 | 0.03 | 0.03 | C91 |
| Myeloid leukaemia | 10 | 0.4 | 1.7 | 1.0 | 0.09 | 0.09 | 7 | 0.5 | 1.2 | 0.7 | 0.03 | 0.05 | C92–94 |
| Leukaemia unspecified | 20 | 0.9 | 3.4 | 2.3 | 0.13 | 0.29 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.05 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 3 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | MPS |
| Other and unspecified | 51 | 2.2 | 8.6 | 5.4 | 0.31 | 0.66 | 51 | 3.9 | 8.9 | 5.7 | 0.40 | 0.68 | O&U |
| All sites | 2346 | | 396.3 | 233.1 | 10.11 | 28.26 | 1322 | | 231.9 | 135.7 | 7.67 | 15.60 | C00–96 |
| All sites except C44 | 2319 | 100.0 | 391.7 | 230.4 | 10.04 | 27.98 | 1303 | 100.0 | 228.6 | 134.1 | 7.62 | 15.47 | C00–96 exc. C44 |

*See note following population pyramid

China, Yingdong District, Fuyang City

CONTRIBUTORS

Haihao Guo
Ya Wu
Wenming Zhang
Xiaozhen Li



NOTES ON THE DATA

*No official mortality data. Low MV%. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 49.6 | Trachea, bronchus, and lung | 23.7 |
| Liver | 36.2 | Breast | 21.2 |
| Oesophagus | 21.9 | Cervix uteri | 11.1 |
| Stomach | 19.2 | Liver | 10.7 |
| Rectum | 8.6 | Oesophagus | 10.3 |
| Brain and nervous system | 5.8 | Stomach | 6.8 |
| Colon | 4.2 | Brain and nervous system | 6.7 |
| Bladder | 3.9 | Rectum | 5.7 |
| Leukaemia unspecified | 3.6 | Thyroid | 4.3 |
| Non-Hodgkin lymphoma | 3.4 | Ovary | 4.1 |
| Gallbladder etc. | 3.2 | Corpus uteri | 3.8 |
| Prostate | 3.1 | Colon | 3.7 |
| Pancreas | 3.0 | Gallbladder etc. | 3.2 |
| Bone | 3.0 | Leukaemia unspecified | 2.3 |
| Kidney | 2.0 | Bone | 2.3 |
| Non-melanoma skin cancer | 1.9 | Pancreas | 2.2 |
| Other and unspecified | 1.4 | Non-melanoma skin cancer | 2.1 |
| Thyroid | 1.4 | Non-Hodgkin lymphoma | 2.1 |
| Nasopharynx | 1.4 | Uterus unspecified | 2.0 |
| Larynx | 1.3 | Other and unspecified | 2.0 |
| All sites | 190.6 | All sites | 143.2 |

*China, Yingdong District, Fuyang City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C01–02 |
| Mouth | 13 | 0.3 | 0.8 | 0.6 | 0.04 | 0.08 | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C03–06 |
| Salivary glands | 13 | 0.3 | 0.8 | 0.7 | 0.04 | 0.07 | 9 | 0.3 | 0.6 | 0.5 | 0.04 | 0.04 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 9 | 0.2 | 0.5 | 0.4 | 0.01 | 0.04 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 28 | 0.7 | 1.7 | 1.4 | 0.10 | 0.18 | 27 | 0.9 | 1.7 | 1.2 | 0.09 | 0.11 | C11 |
| Hypopharynx | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 523 | 12.4 | 31.1 | 21.9 | 0.87 | 2.75 | 256 | 8.3 | 16.4 | 10.3 | 0.37 | 1.29 | C15 |
| Stomach | 441 | 10.4 | 26.2 | 19.2 | 0.84 | 2.50 | 169 | 5.5 | 10.8 | 6.8 | 0.30 | 0.73 | C16 |
| Small intestine | 15 | 0.4 | 0.9 | 0.7 | 0.03 | 0.09 | 13 | 0.4 | 0.8 | 0.6 | 0.04 | 0.08 | C17 |
| Colon | 93 | 2.2 | 5.5 | 4.2 | 0.21 | 0.57 | 86 | 2.8 | 5.5 | 3.7 | 0.18 | 0.45 | C18 |
| Rectum | 192 | 4.5 | 11.4 | 8.6 | 0.49 | 1.11 | 130 | 4.2 | 8.3 | 5.7 | 0.31 | 0.67 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 800 | 18.9 | 47.6 | 36.2 | 2.45 | 4.18 | 246 | 8.0 | 15.8 | 10.7 | 0.62 | 1.32 | C22 |
| Gallbladder etc. | 75 | 1.8 | 4.5 | 3.2 | 0.09 | 0.42 | 76 | 2.5 | 4.9 | 3.2 | 0.20 | 0.41 | C23–24 |
| Pancreas | 69 | 1.6 | 4.1 | 3.0 | 0.17 | 0.32 | 51 | 1.7 | 3.3 | 2.2 | 0.11 | 0.27 | C25 |
| Nose, sinuses etc. | 12 | 0.3 | 0.7 | 0.6 | 0.06 | 0.07 | 5 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 29 | 0.7 | 1.7 | 1.3 | 0.07 | 0.18 | 8 | 0.3 | 0.5 | 0.4 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1147 | 27.1 | 68.2 | 49.6 | 2.56 | 6.13 | 560 | 18.2 | 35.9 | 23.7 | 1.25 | 2.86 | C33–34 |
| Other thoracic organs | 10 | 0.2 | 0.6 | 0.6 | 0.04 | 0.05 | 9 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | C37–38 |
| Bone | 63 | 1.5 | 3.7 | 3.0 | 0.18 | 0.33 | 42 | 1.4 | 2.7 | 2.3 | 0.13 | 0.24 | C40–41 |
| Melanoma of skin | 11 | 0.3 | 0.7 | 0.5 | 0.02 | 0.05 | 9 | 0.3 | 0.6 | 0.5 | 0.02 | 0.06 | C43 |
| Other skin | 50 | 1.2 | 3.0 | 1.9 | 0.08 | 0.18 | 53 | 1.7 | 3.4 | 2.1 | 0.08 | 0.23 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 24 | 0.6 | 1.4 | 1.3 | 0.08 | 0.09 | 15 | 0.5 | 1.0 | 0.9 | 0.06 | 0.07 | C47+C49 |
| Breast | 11 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | 444 | 14.5 | 28.5 | 21.2 | 1.73 | 2.31 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 230 | 7.5 | 14.7 | 11.1 | 0.94 | 1.17 | C53 |
| Corpus uteri | | | | | | | 78 | 2.5 | 5.0 | 3.8 | 0.36 | 0.41 | C54 |
| Uterus unspecified | | | | | | | 42 | 1.4 | 2.7 | 2.0 | 0.12 | 0.27 | C55 |
| Ovary | | | | | | | 78 | 2.5 | 5.0 | 4.1 | 0.28 | 0.43 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 11 | 0.4 | 0.7 | 0.6 | 0.04 | 0.05 | C58 |
| Penis | 10 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | | | | | | | C60 |
| Prostate | 81 | 1.9 | 4.8 | 3.1 | 0.06 | 0.37 | | | | | | | C61 |
| Testis | 12 | 0.3 | 0.7 | 0.7 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 42 | 1.0 | 2.5 | 2.0 | 0.14 | 0.23 | 19 | 0.6 | 1.2 | 1.0 | 0.08 | 0.10 | C64 |
| Renal pelvis | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.01 | C66 |
| Bladder | 89 | 2.1 | 5.3 | 3.9 | 0.21 | 0.42 | 24 | 0.8 | 1.5 | 1.1 | 0.05 | 0.13 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.04 | 5 | 0.2 | 0.3 | 0.4 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 116 | 2.7 | 6.9 | 5.8 | 0.42 | 0.56 | 131 | 4.3 | 8.4 | 6.7 | 0.48 | 0.68 | C70–72 |
| Thyroid | 31 | 0.7 | 1.8 | 1.4 | 0.10 | 0.15 | 80 | 2.6 | 5.1 | 4.3 | 0.32 | 0.41 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 11 | 0.3 | 0.7 | 0.6 | 0.04 | 0.06 | 13 | 0.4 | 0.8 | 0.7 | 0.06 | 0.06 | C75 |
| Hodgkin lymphoma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 68 | 1.6 | 4.0 | 3.4 | 0.24 | 0.38 | 42 | 1.4 | 2.7 | 2.1 | 0.15 | 0.24 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 21 | 0.5 | 1.2 | 0.9 | 0.05 | 0.13 | 13 | 0.4 | 0.8 | 0.7 | 0.03 | 0.09 | C90 |
| Lymphoid leukaemia | 13 | 0.3 | 0.8 | 0.9 | 0.07 | 0.07 | 9 | 0.3 | 0.6 | 0.8 | 0.05 | 0.05 | C91 |
| Myeloid leukaemia | 11 | 0.3 | 0.7 | 0.7 | 0.04 | 0.05 | 16 | 0.5 | 1.0 | 0.9 | 0.06 | 0.09 | C92–94 |
| Leukaemia unspecified | 68 | 1.6 | 4.0 | 3.6 | 0.22 | 0.39 | 38 | 1.2 | 2.4 | 2.3 | 0.11 | 0.24 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 12 | 0.3 | 0.7 | 0.6 | 0.03 | 0.05 | 10 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | MPS |
| Other and unspecified | 30 | 0.7 | 1.8 | 1.4 | 0.10 | 0.14 | 39 | 1.3 | 2.5 | 2.0 | 0.15 | 0.20 | O&U |
| All sites | 4280 | | 254.6 | 190.6 | 10.39 | 22.75 | 3125 | | 200.3 | 143.2 | 9.03 | 16.15 | C00–96 |
| All sites except C44 | 4230 | 100.0 | 251.6 | 188.7 | 10.30 | 22.57 | 3072 | 100.0 | 196.9 | 141.0 | 8.95 | 15.92 | C00–96 exc. C44 |

*See note following population pyramid

China, Yinzhou District, Ningbo City

CONTRIBUTORS

Zhiqin Jiang
Lin Hongbo
Shen Peng
Chen Qi
Li Xiaoyong
Sun Hanying
Zhao Lei
Sun Qiang



NOTES ON THE DATA

*Rates based on low numbers due to small population. No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 56.3 | Thyroid | 57.9 |
| Stomach | 30.9 | Trachea, bronchus, and lung | 44.3 |
| Liver | 20.3 | Breast | 37.5 |
| Thyroid | 18.9 | Stomach | 11.7 |
| Prostate | 16.4 | Colon | 11.0 |
| Rectum | 16.1 | Rectum | 7.0 |
| Colon | 15.5 | Pancreas | 6.6 |
| Oesophagus | 11.6 | Liver | 6.1 |
| Pancreas | 7.8 | Brain and nervous system | 5.6 |
| Non-Hodgkin lymphoma | 7.2 | Cervix uteri | 5.3 |
| Bladder | 6.8 | Ovary | 5.1 |
| Kidney | 5.7 | Non-Hodgkin lymphoma | 4.0 |
| Brain and nervous system | 5.2 | Corpus uteri | 3.8 |
| Nasopharynx | 4.0 | Kidney | 3.1 |
| Larynx | 2.9 | Gallbladder etc. | 2.9 |
| Lymphoid leukaemia | 2.5 | Myeloid leukaemia | 2.5 |
| Gallbladder etc. | 2.4 | Oesophagus | 1.7 |
| Myeloid leukaemia | 2.2 | Bladder | 1.5 |
| Multiple myeloma | 2.1 | Non-melanoma skin cancer | 1.2 |
| Non-melanoma skin cancer | 1.9 | Nasopharynx | 1.1 |
| All sites | 250.4 | All sites | 231.1 |

*China, Yinzhou District, Ningbo City (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.4 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 8 | 0.3 | 1.5 | 0.8 | 0.07 | 0.09 | 3 | 0.1 | 0.6 | 0.3 | 0.01 | 0.07 | C01–02 |
| Mouth | 5 | 0.2 | 1.0 | 0.5 | 0.01 | 0.09 | 6 | 0.3 | 1.1 | 0.6 | 0.01 | 0.09 | C03–06 |
| Salivary glands | 4 | 0.2 | 0.8 | 0.4 | 0.03 | 0.06 | 5 | 0.2 | 0.9 | 0.6 | 0.05 | 0.05 | C07–08 |
| Tonsil | 5 | 0.2 | 1.0 | 0.5 | 0.05 | 0.05 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C09 |
| Other oropharynx | 8 | 0.3 | 1.5 | 0.9 | 0.09 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 34 | 1.4 | 6.5 | 4.0 | 0.29 | 0.48 | 11 | 0.5 | 2.0 | 1.1 | 0.08 | 0.11 | C11 |
| Hypopharynx | 15 | 0.6 | 2.9 | 1.6 | 0.13 | 0.20 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 113 | 4.8 | 21.8 | 11.6 | 0.79 | 1.40 | 18 | 0.8 | 3.3 | 1.7 | 0.09 | 0.24 | C15 |
| Stomach | 308 | 13.1 | 59.3 | 30.9 | 1.37 | 3.78 | 122 | 5.7 | 22.5 | 11.7 | 0.57 | 1.33 | C16 |
| Small intestine | 5 | 0.2 | 1.0 | 0.5 | 0.00 | 0.08 | 9 | 0.4 | 1.7 | 0.8 | 0.03 | 0.09 | C17 |
| Colon | 158 | 6.7 | 30.4 | 15.5 | 0.70 | 1.87 | 120 | 5.6 | 22.1 | 11.0 | 0.58 | 1.14 | C18 |
| Rectum | 158 | 6.7 | 30.4 | 16.1 | 0.91 | 2.09 | 79 | 3.7 | 14.6 | 7.0 | 0.39 | 0.70 | C19–20 |
| Anus | 3 | 0.1 | 0.6 | 0.4 | 0.03 | 0.03 | 4 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C21 |
| Liver | 194 | 8.2 | 37.3 | 20.3 | 1.30 | 2.34 | 67 | 3.1 | 12.3 | 6.1 | 0.33 | 0.68 | C22 |
| Gallbladder etc. | 24 | 1.0 | 4.6 | 2.4 | 0.16 | 0.29 | 32 | 1.5 | 5.9 | 2.9 | 0.09 | 0.32 | C23–24 |
| Pancreas | 79 | 3.4 | 15.2 | 7.8 | 0.40 | 0.79 | 72 | 3.4 | 13.3 | 6.6 | 0.20 | 0.81 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 28 | 1.2 | 5.4 | 2.9 | 0.19 | 0.38 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 555 | 23.5 | 106.8 | 56.3 | 3.30 | 7.00 | 439 | 20.5 | 80.9 | 44.3 | 2.74 | 5.39 | C33–34 |
| Other thoracic organs | 8 | 0.3 | 1.5 | 0.9 | 0.08 | 0.11 | 8 | 0.4 | 1.5 | 0.9 | 0.03 | 0.08 | C37–38 |
| Bone | 6 | 0.3 | 1.2 | 0.6 | 0.03 | 0.10 | 6 | 0.3 | 1.1 | 0.5 | 0.01 | 0.04 | C40–41 |
| Melanoma of skin | 3 | 0.1 | 0.6 | 0.3 | 0.03 | 0.03 | 4 | 0.2 | 0.7 | 0.5 | 0.03 | 0.03 | C43 |
| Other skin | 20 | 0.8 | 3.8 | 1.9 | 0.07 | 0.21 | 13 | 0.6 | 2.4 | 1.2 | 0.05 | 0.14 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | C46 |
| Connective and soft tissue | 6 | 0.3 | 1.2 | 1.0 | 0.04 | 0.12 | 4 | 0.2 | 0.7 | 0.4 | 0.01 | 0.06 | C47+C49 |
| Breast | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 337 | 15.7 | 62.1 | 37.5 | 3.11 | 4.07 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 49 | 2.3 | 9.0 | 5.3 | 0.44 | 0.59 | C53 |
| Corpus uteri | | | | | | | 36 | 1.7 | 6.6 | 3.8 | 0.35 | 0.46 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.3 | 1.1 | 0.6 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 46 | 2.1 | 8.5 | 5.1 | 0.42 | 0.57 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.6 | 0.3 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.1 | 0.6 | 0.2 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 166 | 7.0 | 32.0 | 16.4 | 0.35 | 2.38 | | | | | | | C61 |
| Testis | 6 | 0.3 | 1.2 | 1.2 | 0.07 | 0.09 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 54 | 2.3 | 10.4 | 5.7 | 0.35 | 0.69 | 32 | 1.5 | 5.9 | 3.1 | 0.20 | 0.36 | C64 |
| Renal pelvis | 3 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | 4 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 6 | 0.3 | 1.2 | 0.6 | 0.05 | 0.07 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 72 | 3.1 | 13.9 | 6.8 | 0.26 | 0.71 | 16 | 0.7 | 2.9 | 1.5 | 0.06 | 0.20 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 39 | 1.7 | 7.5 | 5.2 | 0.31 | 0.57 | 51 | 2.4 | 9.4 | 5.6 | 0.33 | 0.66 | C70–72 |
| Thyroid | 140 | 5.9 | 26.9 | 18.9 | 1.53 | 1.82 | 442 | 20.7 | 81.4 | 57.9 | 4.76 | 5.33 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.2 | 0.7 | 0.4 | 0.04 | 0.04 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.6 | 0.3 | 0.01 | 0.05 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 60 | 2.5 | 11.5 | 7.2 | 0.41 | 0.83 | 38 | 1.8 | 7.0 | 4.0 | 0.28 | 0.40 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 21 | 0.9 | 4.0 | 2.1 | 0.07 | 0.32 | 11 | 0.5 | 2.0 | 1.0 | 0.04 | 0.14 | C90 |
| Lymphoid leukaemia | 15 | 0.6 | 2.9 | 2.5 | 0.10 | 0.18 | 6 | 0.3 | 1.1 | 0.9 | 0.03 | 0.06 | C91 |
| Myeloid leukaemia | 19 | 0.8 | 3.7 | 2.2 | 0.12 | 0.19 | 22 | 1.0 | 4.1 | 2.5 | 0.14 | 0.26 | C92–94 |
| Leukaemia unspecified | 2 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 5 | 0.2 | 0.9 | 0.5 | 0.05 | 0.05 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 6 | 0.3 | 1.2 | 0.5 | 0.02 | 0.02 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | MPS |
| Other and unspecified | 6 | 0.3 | 1.2 | 0.6 | 0.05 | 0.06 | 10 | 0.5 | 1.8 | 1.0 | 0.04 | 0.13 | O&U |
| All sites | 2378 | | 457.7 | 250.4 | 13.85 | 29.87 | 2153 | | 396.6 | 231.1 | 15.76 | 25.04 | C00–96 |
| All sites except C44 | 2358 | 100.0 | 453.9 | 248.5 | 13.77 | 29.66 | 2140 | 100.0 | 394.2 | 229.9 | 15.70 | 24.91 | C00–96 exc. C44 |

*See note following population pyramid

China, Yiyuan County

CONTRIBUTORS

Pu Sun
Shoufeng Zhang
Yiyv Chen
Qi Zhang



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 66.2 | Trachea, bronchus, and lung | 32.3 |
| Stomach | 46.7 | Breast | 25.0 |
| Liver | 22.3 | Stomach | 13.7 |
| Oesophagus | 19.0 | Thyroid | 8.7 |
| Rectum | 9.9 | Liver | 8.2 |
| Colon | 7.9 | Ovary | 5.9 |
| Bladder | 5.4 | Cervix uteri | 5.5 |
| Pancreas | 5.2 | Corpus uteri | 5.0 |
| Prostate | 4.2 | Rectum | 5.0 |
| Kidney | 3.3 | Colon | 4.4 |
| Brain and nervous system | 2.8 | Brain and nervous system | 3.4 |
| Thyroid | 2.7 | Non-Hodgkin lymphoma | 2.4 |
| Non-Hodgkin lymphoma | 2.7 | Pancreas | 2.4 |
| Anus | 1.5 | Oesophagus | 2.2 |
| Gallbladder etc. | 1.4 | Kidney | 1.7 |
| Larynx | 1.3 | Bladder | 1.2 |
| Hypopharynx | 1.2 | Other and unspecified | 1.2 |
| Lymphoid leukaemia | 1.2 | Myeloid leukaemia | 1.1 |
| Nasopharynx | 1.1 | Nasopharynx | 1.1 |
| Bone | 1.1 | Bone | 1.0 |
| All sites | 215.9 | All sites | 138.4 |

*China, Yiyuan County (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 8 | 0.2 | 0.7 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C01–02 |
| Mouth | 8 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | 5 | 0.2 | 0.4 | 0.2 | 0.01 | 0.02 | C03–06 |
| Salivary glands | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 21 | 0.5 | 1.8 | 1.1 | 0.08 | 0.11 | 16 | 0.6 | 1.4 | 1.1 | 0.08 | 0.09 | C11 |
| Hypopharynx | 25 | 0.6 | 2.2 | 1.2 | 0.09 | 0.15 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C14 |
| Oesophagus | 395 | 9.1 | 34.1 | 19.0 | 1.03 | 2.16 | 52 | 1.9 | 4.6 | 2.2 | 0.05 | 0.23 | C15 |
| Stomach | 952 | 22.1 | 82.3 | 46.7 | 2.55 | 5.71 | 294 | 10.7 | 26.2 | 13.7 | 0.76 | 1.57 | C16 |
| Small intestine | 9 | 0.2 | 0.8 | 0.5 | 0.05 | 0.06 | 5 | 0.2 | 0.4 | 0.2 | 0.00 | 0.02 | C17 |
| Colon | 156 | 3.6 | 13.5 | 7.9 | 0.38 | 0.87 | 102 | 3.7 | 9.1 | 4.4 | 0.20 | 0.47 | C18 |
| Rectum | 194 | 4.5 | 16.8 | 9.9 | 0.47 | 1.22 | 110 | 4.0 | 9.8 | 5.0 | 0.26 | 0.55 | C19–20 |
| Anus | 29 | 0.7 | 2.5 | 1.5 | 0.10 | 0.18 | 16 | 0.6 | 1.4 | 0.6 | 0.03 | 0.07 | C21 |
| Liver | 442 | 10.2 | 38.2 | 22.3 | 1.50 | 2.71 | 176 | 6.4 | 15.7 | 8.2 | 0.39 | 1.01 | C22 |
| Gallbladder etc. | 32 | 0.7 | 2.8 | 1.4 | 0.06 | 0.14 | 21 | 0.8 | 1.9 | 1.0 | 0.04 | 0.12 | C23–24 |
| Pancreas | 103 | 2.4 | 8.9 | 5.2 | 0.28 | 0.62 | 52 | 1.9 | 4.6 | 2.4 | 0.12 | 0.24 | C25 |
| Nose, sinuses etc. | 7 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 25 | 0.6 | 2.2 | 1.3 | 0.08 | 0.16 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 1346 | 31.2 | 116.3 | 66.2 | 3.29 | 8.10 | 699 | 25.4 | 62.2 | 32.3 | 1.64 | 3.65 | C33–34 |
| Other thoracic organs | 10 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 22 | 0.5 | 1.9 | 1.1 | 0.07 | 0.12 | 18 | 0.7 | 1.6 | 1.0 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 6 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C43 |
| Other skin | 8 | 0.2 | 0.7 | 0.4 | 0.02 | 0.06 | 8 | 0.3 | 0.7 | 0.3 | 0.01 | 0.01 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.3 | 1.0 | 0.5 | 0.05 | 0.07 | 7 | 0.3 | 0.6 | 0.4 | 0.04 | 0.04 | C47+C49 |
| Breast | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 455 | 16.5 | 40.5 | 25.0 | 2.03 | 2.70 | C50 |
| Vulva | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 103 | 3.7 | 9.2 | 5.5 | 0.44 | 0.59 | C53 |
| Corpus uteri | | | | | | | 101 | 3.7 | 9.0 | 5.0 | 0.44 | 0.57 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 111 | 4.0 | 9.9 | 5.9 | 0.40 | 0.67 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 9 | 0.2 | 0.8 | 0.5 | 0.02 | 0.10 | | | | | | | C60 |
| Prostate | 92 | 2.1 | 8.0 | 4.2 | 0.10 | 0.42 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 56 | 1.3 | 4.8 | 3.3 | 0.15 | 0.46 | 34 | 1.2 | 3.0 | 1.7 | 0.12 | 0.20 | C64 |
| Renal pelvis | 7 | 0.2 | 0.6 | 0.4 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 7 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 108 | 2.5 | 9.3 | 5.4 | 0.17 | 0.52 | 27 | 1.0 | 2.4 | 1.2 | 0.08 | 0.12 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 54 | 1.3 | 4.7 | 2.8 | 0.18 | 0.30 | 54 | 2.0 | 4.8 | 3.4 | 0.19 | 0.32 | C70–72 |
| Thyroid | 48 | 1.1 | 4.1 | 2.7 | 0.22 | 0.26 | 135 | 4.9 | 12.0 | 8.7 | 0.69 | 0.80 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 48 | 1.1 | 4.1 | 2.7 | 0.20 | 0.30 | 44 | 1.6 | 3.9 | 2.4 | 0.12 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 6 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 11 | 0.4 | 1.0 | 0.5 | 0.05 | 0.06 | C90 |
| Lymphoid leukaemia | 13 | 0.3 | 1.1 | 1.2 | 0.06 | 0.10 | 12 | 0.4 | 1.1 | 0.8 | 0.06 | 0.07 | C91 |
| Myeloid leukaemia | 18 | 0.4 | 1.6 | 1.0 | 0.07 | 0.11 | 16 | 0.6 | 1.4 | 1.1 | 0.08 | 0.10 | C92–94 |
| Leukaemia unspecified | 17 | 0.4 | 1.5 | 1.0 | 0.06 | 0.09 | 12 | 0.4 | 1.1 | 0.8 | 0.06 | 0.08 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 15 | 0.3 | 1.3 | 0.8 | 0.03 | 0.10 | 24 | 0.9 | 2.1 | 1.2 | 0.08 | 0.12 | O&U |
| All sites | 4325 | | 373.8 | 215.9 | 11.61 | 25.63 | 2758 | | 245.4 | 138.4 | 8.61 | 15.03 | C00–96 |
| All sites except C44 | 4317 | 100.0 | 373.1 | 215.4 | 11.59 | 25.57 | 2750 | 100.0 | 244.6 | 138.1 | 8.60 | 15.02 | C00–96 exc.C44 |

*See note following population pyramid

China, Yong'an City

CONTRIBUTORS

Fan Guang
Li Hangsheng
Li Lili



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 42.9 | Breast | 21.7 |
| Liver | 24.8 | Trachea, bronchus, and lung | 18.0 |
| Stomach | 22.9 | Cervix uteri | 16.4 |
| Rectum | 13.4 | Stomach | 10.8 |
| Colon | 12.9 | Colon | 8.3 |
| Oesophagus | 12.0 | Rectum | 7.8 |
| Nasopharynx | 6.2 | Liver | 6.9 |
| Prostate | 6.0 | Thyroid | 5.3 |
| Other and unspecified | 5.0 | Corpus uteri | 5.2 |
| Brain and nervous system | 4.3 | Ovary | 4.0 |
| Kidney | 3.6 | Other and unspecified | 3.7 |
| Pancreas | 3.5 | Oesophagus | 3.4 |
| Bladder | 3.5 | Non-Hodgkin lymphoma | 3.1 |
| Non-Hodgkin lymphoma | 3.2 | Brain and nervous system | 2.7 |
| Lymphoid leukaemia | 2.4 | Gallbladder etc. | 2.4 |
| Gallbladder etc. | 2.3 | Myeloid leukaemia | 2.1 |
| Myeloid leukaemia | 1.9 | Nasopharynx | 1.9 |
| Larynx | 1.9 | Lymphoid leukaemia | 1.9 |
| Thyroid | 1.8 | Leukaemia unspecified | 1.8 |
| Bone | 1.6 | Non-melanoma skin cancer | 1.7 |
| All sites | 189.4 | All sites | 140.5 |


China, Yong'an City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 14 | 0.6 | 1.6 | 1.0 | 0.08 | 0.10 | 5 | 0.3 | 0.6 | 0.4 | 0.00 | 0.06 | C01–02 |
| Mouth | 12 | 0.5 | 1.4 | 0.8 | 0.04 | 0.09 | 7 | 0.4 | 0.9 | 0.7 | 0.05 | 0.07 | C03–06 |
| Salivary glands | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 4 | 0.2 | 0.5 | 0.5 | 0.04 | 0.04 | C07–08 |
| Tonsil | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 72 | 2.9 | 8.4 | 6.2 | 0.50 | 0.68 | 21 | 1.2 | 2.6 | 1.9 | 0.14 | 0.21 | C11 |
| Hypopharynx | 7 | 0.3 | 0.8 | 0.6 | 0.04 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 161 | 6.4 | 18.9 | 12.0 | 0.82 | 1.43 | 44 | 2.5 | 5.5 | 3.4 | 0.10 | 0.46 | C15 |
| Stomach | 319 | 12.7 | 37.4 | 22.9 | 1.29 | 2.81 | 147 | 8.5 | 18.4 | 10.8 | 0.58 | 1.26 | C16 |
| Small intestine | 5 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | 10 | 0.6 | 1.2 | 0.6 | 0.01 | 0.06 | C17 |
| Colon | 177 | 7.1 | 20.8 | 12.9 | 0.74 | 1.49 | 110 | 6.4 | 13.7 | 8.3 | 0.40 | 1.01 | C18 |
| Rectum | 185 | 7.4 | 21.7 | 13.4 | 0.68 | 1.62 | 101 | 5.8 | 12.6 | 7.8 | 0.38 | 0.94 | C19–20 |
| Anus | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 326 | 13.0 | 38.2 | 24.8 | 1.61 | 3.01 | 91 | 5.3 | 11.4 | 6.9 | 0.35 | 0.80 | C22 |
| Gallbladder etc. | 35 | 1.4 | 4.1 | 2.3 | 0.10 | 0.24 | 32 | 1.9 | 4.0 | 2.4 | 0.12 | 0.30 | C23–24 |
| Pancreas | 47 | 1.9 | 5.5 | 3.5 | 0.19 | 0.43 | 20 | 1.2 | 2.5 | 1.6 | 0.03 | 0.23 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C30–31 |
| Larynx | 23 | 0.9 | 2.7 | 1.9 | 0.17 | 0.23 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 585 | 23.3 | 68.6 | 42.9 | 2.26 | 5.51 | 234 | 13.5 | 29.2 | 18.0 | 0.98 | 2.20 | C33–34 |
| Other thoracic organs | 13 | 0.5 | 1.5 | 1.1 | 0.10 | 0.13 | 7 | 0.4 | 0.9 | 0.7 | 0.03 | 0.07 | C37–38 |
| Bone | 14 | 0.6 | 1.6 | 1.6 | 0.09 | 0.12 | 10 | 0.6 | 1.2 | 0.8 | 0.06 | 0.10 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 13 | 0.5 | 1.5 | 0.9 | 0.06 | 0.08 | 24 | 1.4 | 3.0 | 1.7 | 0.09 | 0.19 | C44 |
| Mesothelioma | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.4 | 1.2 | 0.8 | 0.07 | 0.09 | 7 | 0.4 | 0.9 | 0.6 | 0.05 | 0.07 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 268 | 15.5 | 33.5 | 21.7 | 1.81 | 2.22 | C50 |
| Vulva | | | | | | | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 201 | 11.6 | 25.1 | 16.4 | 1.25 | 1.80 | C53 |
| Corpus uteri | | | | | | | 62 | 3.6 | 7.7 | 5.2 | 0.40 | 0.63 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.05 | C55 |
| Ovary | | | | | | | 46 | 2.7 | 5.7 | 4.0 | 0.30 | 0.41 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | | | | | | | | | | | | | C60 |
| Prostate | 94 | 3.7 | 11.0 | 6.0 | 0.09 | 0.68 | | | | | | | C61 |
| Testis | 13 | 0.5 | 1.5 | 1.5 | 0.10 | 0.10 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 43 | 1.7 | 5.0 | 3.6 | 0.22 | 0.46 | 19 | 1.1 | 2.4 | 1.6 | 0.11 | 0.20 | C64 |
| Renal pelvis | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 5 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 55 | 2.2 | 6.5 | 3.5 | 0.10 | 0.35 | 13 | 0.8 | 1.6 | 1.1 | 0.04 | 0.14 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 50 | 2.0 | 5.9 | 4.3 | 0.27 | 0.43 | 38 | 2.2 | 4.7 | 2.7 | 0.16 | 0.25 | C70–72 |
| Thyroid | 18 | 0.7 | 2.1 | 1.8 | 0.12 | 0.15 | 58 | 3.4 | 7.2 | 5.3 | 0.44 | 0.48 | C73 |
| Adrenal gland | 5 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | 1 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 39 | 1.6 | 4.6 | 3.2 | 0.20 | 0.37 | 38 | 2.2 | 4.7 | 3.1 | 0.19 | 0.40 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 17 | 0.7 | 2.0 | 1.2 | 0.04 | 0.16 | 7 | 0.4 | 0.9 | 0.6 | 0.05 | 0.08 | C90 |
| Lymphoid leukaemia | 19 | 0.8 | 2.2 | 2.4 | 0.13 | 0.22 | 15 | 0.9 | 1.9 | 1.9 | 0.13 | 0.15 | C91 |
| Myeloid leukaemia | 25 | 1.0 | 2.9 | 1.9 | 0.10 | 0.23 | 26 | 1.5 | 3.2 | 2.1 | 0.15 | 0.21 | C92–94 |
| Leukaemia unspecified | 11 | 0.4 | 1.3 | 1.3 | 0.07 | 0.11 | 15 | 0.9 | 1.9 | 1.8 | 0.12 | 0.16 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 72 | 2.9 | 8.4 | 5.0 | 0.24 | 0.57 | 45 | 2.6 | 5.6 | 3.7 | 0.23 | 0.41 | O&U |
| All sites | 2523 | | 295.9 | 189.4 | 10.78 | 22.43 | 1752 | | 218.8 | 140.5 | 8.96 | 15.86 | C00–96 |
| All sites except C44 | 2510 | 100.0 | 294.4 | 188.5 | 10.72 | 22.35 | 1728 | 100.0 | 215.8 | 138.8 | 8.87 | 15.67 | C00–96 exc. C44 |

China, Yongding District, Longyan City

CONTRIBUTORS

Huang Yuantian
Haili Zhang
Qiuyu Lu
Wenle Huang
Yuyu Zhang



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 61.7 | Trachea, bronchus, and lung | 17.4 |
| Liver | 36.8 | Breast | 14.9 |
| Stomach | 18.9 | Cervix uteri | 11.3 |
| Rectum | 18.0 | Thyroid | 10.8 |
| Oesophagus | 15.3 | Liver | 9.6 |
| Colon | 13.9 | Colon | 8.7 |
| Nasopharynx | 6.9 | Stomach | 7.9 |
| Prostate | 6.2 | Rectum | 7.4 |
| Non-Hodgkin lymphoma | 4.0 | Brain and nervous system | 4.2 |
| Brain and nervous system | 3.8 | Uterus unspecified | 3.4 |
| Leukaemia unspecified | 3.3 | Corpus uteri | 3.4 |
| Other and unspecified | 3.2 | Nasopharynx | 3.2 |
| Larynx | 3.2 | Ovary | 3.0 |
| Bladder | 3.2 | Non-melanoma skin cancer | 2.6 |
| Pancreas | 2.7 | Non-Hodgkin lymphoma | 2.4 |
| Gallbladder etc. | 2.5 | Myeloid leukaemia | 2.2 |
| Thyroid | 2.5 | Gallbladder etc. | 2.1 |
| Myeloid leukaemia | 2.4 | Other and unspecified | 2.1 |
| Kidney | 2.0 | Leukaemia unspecified | 1.9 |
| Non-melanoma skin cancer | 1.8 | Pancreas | 1.7 |
| All sites | 226.4 | All sites | 134.3 |

*China, Yongding District, Longyan City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 16 | 0.4 | 1.2 | 1.0 | 0.09 | 0.12 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C01–02 |
| Mouth | 14 | 0.4 | 1.1 | 0.9 | 0.06 | 0.10 | 8 | 0.4 | 0.7 | 0.5 | 0.04 | 0.04 | C03–06 |
| Salivary glands | 6 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 7 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.04 | C10 |
| Nasopharynx | 112 | 3.1 | 8.6 | 6.9 | 0.55 | 0.78 | 49 | 2.2 | 4.1 | 3.2 | 0.24 | 0.37 | C11 |
| Hypopharynx | 16 | 0.4 | 1.2 | 1.0 | 0.08 | 0.12 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C14 |
| Oesophagus | 247 | 6.8 | 18.9 | 15.3 | 1.13 | 1.87 | 31 | 1.4 | 2.6 | 1.4 | 0.04 | 0.13 | C15 |
| Stomach | 308 | 8.4 | 23.6 | 18.9 | 1.01 | 2.44 | 141 | 6.4 | 11.8 | 7.9 | 0.37 | 0.98 | C16 |
| Small intestine | 18 | 0.5 | 1.4 | 1.1 | 0.07 | 0.16 | 18 | 0.8 | 1.5 | 1.0 | 0.05 | 0.10 | C17 |
| Colon | 231 | 6.3 | 17.7 | 13.9 | 0.87 | 1.58 | 153 | 6.9 | 12.8 | 8.7 | 0.47 | 1.04 | C18 |
| Rectum | 301 | 8.2 | 23.1 | 18.0 | 0.90 | 2.18 | 140 | 6.3 | 11.7 | 7.4 | 0.38 | 0.83 | C19–20 |
| Anus | 8 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | 4 | 0.2 | 0.3 | 0.2 | 0.00 | 0.02 | C21 |
| Liver | 608 | 16.6 | 46.6 | 36.8 | 2.39 | 4.41 | 163 | 7.4 | 13.6 | 9.6 | 0.46 | 1.19 | C22 |
| Gallbladder etc. | 43 | 1.2 | 3.3 | 2.5 | 0.10 | 0.24 | 40 | 1.8 | 3.3 | 2.1 | 0.09 | 0.23 | C23–24 |
| Pancreas | 42 | 1.1 | 3.2 | 2.7 | 0.10 | 0.39 | 31 | 1.4 | 2.6 | 1.7 | 0.07 | 0.21 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | 6 | 0.3 | 0.5 | 0.3 | 0.03 | 0.03 | C30–31 |
| Larynx | 50 | 1.4 | 3.8 | 3.2 | 0.19 | 0.40 | 4 | 0.2 | 0.3 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 994 | 27.2 | 76.2 | 61.7 | 3.14 | 8.05 | 322 | 14.6 | 26.8 | 17.4 | 0.85 | 1.99 | C33–34 |
| Other thoracic organs | 10 | 0.3 | 0.8 | 0.6 | 0.05 | 0.06 | 9 | 0.4 | 0.8 | 0.5 | 0.04 | 0.05 | C37–38 |
| Bone | 13 | 0.4 | 1.0 | 1.0 | 0.06 | 0.10 | 18 | 0.8 | 1.5 | 1.3 | 0.07 | 0.10 | C40–41 |
| Melanoma of skin | 7 | 0.2 | 0.5 | 0.5 | 0.04 | 0.05 | 7 | 0.3 | 0.6 | 0.5 | 0.02 | 0.06 | C43 |
| Other skin | 32 | 0.9 | 2.5 | 1.8 | 0.11 | 0.17 | 50 | 2.3 | 4.2 | 2.6 | 0.14 | 0.29 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 13 | 0.4 | 1.0 | 0.8 | 0.06 | 0.08 | 14 | 0.6 | 1.2 | 1.2 | 0.06 | 0.11 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 246 | 11.1 | 20.5 | 14.9 | 1.30 | 1.44 | C50 |
| Vulva | | | | | | | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 184 | 8.3 | 15.3 | 11.3 | 1.03 | 1.18 | C53 |
| Corpus uteri | | | | | | | 54 | 2.4 | 4.5 | 3.4 | 0.35 | 0.37 | C54 |
| Uterus unspecified | | | | | | | 56 | 2.5 | 4.7 | 3.4 | 0.22 | 0.41 | C55 |
| Ovary | | | | | | | 44 | 2.0 | 3.7 | 3.0 | 0.19 | 0.34 | C56 |
| Other female genital organs | | | | | | | 4 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | 12 | 0.3 | 0.9 | 0.7 | 0.04 | 0.09 | C60 |
| Prostate | 108 | 3.0 | 8.3 | 6.2 | 0.13 | 0.60 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 35 | 1.0 | 2.7 | 2.0 | 0.15 | 0.20 | 15 | 0.7 | 1.3 | 1.0 | 0.06 | 0.09 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C65 |
| Ureter | 7 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 5 | 0.2 | 0.4 | 0.4 | 0.03 | 0.06 | C66 |
| Bladder | 57 | 1.6 | 4.4 | 3.2 | 0.13 | 0.33 | 19 | 0.9 | 1.6 | 0.9 | 0.03 | 0.09 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C69 |
| Brain and nervous system | 58 | 1.6 | 4.4 | 3.8 | 0.21 | 0.40 | 63 | 2.8 | 5.3 | 4.2 | 0.26 | 0.48 | C70–72 |
| Thyroid | 43 | 1.2 | 3.3 | 2.5 | 0.21 | 0.23 | 171 | 7.7 | 14.3 | 10.8 | 0.91 | 1.01 | C73 |
| Adrenal gland | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 8 | 0.2 | 0.6 | 0.6 | 0.04 | 0.07 | 6 | 0.3 | 0.5 | 0.6 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 60 | 1.6 | 4.6 | 4.0 | 0.24 | 0.43 | 38 | 1.7 | 3.2 | 2.4 | 0.15 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 24 | 0.7 | 1.8 | 1.5 | 0.08 | 0.18 | 16 | 0.7 | 1.3 | 0.9 | 0.06 | 0.09 | C90 |
| Lymphoid leukaemia | 12 | 0.3 | 0.9 | 1.1 | 0.05 | 0.06 | 14 | 0.6 | 1.2 | 1.4 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 37 | 1.0 | 2.8 | 2.4 | 0.12 | 0.30 | 27 | 1.2 | 2.3 | 2.2 | 0.15 | 0.18 | C92–94 |
| Leukaemia unspecified | 48 | 1.3 | 3.7 | 3.3 | 0.20 | 0.29 | 28 | 1.3 | 2.3 | 1.9 | 0.10 | 0.18 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 53 | 1.4 | 4.1 | 3.2 | 0.20 | 0.35 | 36 | 1.6 | 3.0 | 2.1 | 0.11 | 0.22 | O&U |
| All sites | 3688 | | 282.8 | 226.4 | 12.98 | 27.24 | 2262 | | 188.6 | 134.3 | 8.58 | 14.57 | C00–96 |
| All sites except C44 | 3656 | 100.0 | 280.3 | 224.6 | 12.86 | 27.07 | 2212 | 100.0 | 184.4 | 131.6 | 8.44 | 14.28 | C00–96 exc. C44 |

*See note following population pyramid

China, Yongkang City

CONTRIBUTORS

Zhongwei Pan
Yunqing Hu
Zhongding Wu
Hao Hu
Hongting Zhu
Chunsheng Hu
Lingqiao Xu
Lu Chen
Feng Zhang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 68.4 | Thyroid | 30.3 |
| Liver | 34.8 | Breast | 29.6 |
| Stomach | 26.4 | Trachea, bronchus, and lung | 29.0 |
| Rectum | 14.6 | Cervix uteri | 13.5 |
| Colon | 11.9 | Stomach | 11.4 |
| Prostate | 10.8 | Liver | 9.5 |
| Thyroid | 9.8 | Rectum | 9.4 |
| Oesophagus | 7.4 | Colon | 9.1 |
| Bladder | 5.4 | Corpus uteri | 6.2 |
| Non-Hodgkin lymphoma | 5.2 | Ovary | 4.1 |
| Pancreas | 4.5 | Non-Hodgkin lymphoma | 3.6 |
| Brain and nervous system | 3.4 | Pancreas | 3.6 |
| Kidney | 3.3 | Brain and nervous system | 3.6 |
| Nasopharynx | 3.2 | Oesophagus | 2.7 |
| Myeloid leukaemia | 3.0 | Myeloid leukaemia | 2.7 |
| Other and unspecified | 2.9 | Gallbladder etc. | 2.5 |
| Lymphoid leukaemia | 2.9 | Other and unspecified | 2.0 |
| Gallbladder etc. | 2.8 | Kidney | 1.9 |
| Larynx | 2.4 | Nasopharynx | 1.7 |
| Multiple myeloma | 1.8 | Non-melanoma skin cancer | 1.6 |
| All sites | 243.0 | All sites | 194.0 |


China, Yongkang City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 8 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C01–02 |
| Mouth | 19 | 0.3 | 1.2 | 0.7 | 0.04 | 0.08 | 11 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 13 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | 7 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 9 | 0.2 | 0.6 | 0.5 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 72 | 1.2 | 4.7 | 3.2 | 0.23 | 0.35 | 38 | 0.8 | 2.6 | 1.7 | 0.12 | 0.20 | C11 |
| Hypopharynx | 13 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 183 | 3.1 | 12.0 | 7.4 | 0.28 | 0.97 | 80 | 1.8 | 5.5 | 2.7 | 0.08 | 0.27 | C15 |
| Stomach | 679 | 11.6 | 44.6 | 26.4 | 1.11 | 3.14 | 297 | 6.6 | 20.3 | 11.4 | 0.54 | 1.25 | C16 |
| Small intestine | 36 | 0.6 | 2.4 | 1.5 | 0.10 | 0.18 | 16 | 0.4 | 1.1 | 0.6 | 0.02 | 0.07 | C17 |
| Colon | 292 | 5.0 | 19.2 | 11.9 | 0.61 | 1.44 | 230 | 5.1 | 15.7 | 9.1 | 0.50 | 1.00 | C18 |
| Rectum | 359 | 6.2 | 23.6 | 14.6 | 0.70 | 1.83 | 235 | 5.2 | 16.1 | 9.4 | 0.54 | 1.10 | C19–20 |
| Anus | 33 | 0.6 | 2.2 | 1.3 | 0.07 | 0.16 | 22 | 0.5 | 1.5 | 0.9 | 0.06 | 0.08 | C21 |
| Liver | 817 | 14.0 | 53.7 | 34.8 | 2.35 | 4.07 | 246 | 5.5 | 16.8 | 9.5 | 0.56 | 1.05 | C22 |
| Gallbladder etc. | 70 | 1.2 | 4.6 | 2.8 | 0.11 | 0.35 | 68 | 1.5 | 4.7 | 2.5 | 0.13 | 0.25 | C23–24 |
| Pancreas | 114 | 2.0 | 7.5 | 4.5 | 0.21 | 0.51 | 101 | 2.2 | 6.9 | 3.6 | 0.16 | 0.43 | C25 |
| Nose, sinuses etc. | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 9 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 59 | 1.0 | 3.9 | 2.4 | 0.12 | 0.30 | 7 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1722 | 29.5 | 113.1 | 68.4 | 3.02 | 8.51 | 739 | 16.4 | 50.6 | 29.0 | 1.65 | 3.36 | C33–34 |
| Other thoracic organs | 24 | 0.4 | 1.6 | 1.2 | 0.09 | 0.12 | 14 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 21 | 0.4 | 1.4 | 0.9 | 0.05 | 0.11 | 13 | 0.3 | 0.9 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 14 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 17 | 0.4 | 1.2 | 0.6 | 0.03 | 0.06 | C43 |
| Other skin | 43 | 0.7 | 2.8 | 1.7 | 0.09 | 0.17 | 44 | 1.0 | 3.0 | 1.6 | 0.06 | 0.16 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 20 | 0.3 | 1.3 | 0.9 | 0.05 | 0.08 | 9 | 0.2 | 0.6 | 0.6 | 0.04 | 0.06 | C47+C49 |
| Breast | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 656 | 14.6 | 44.9 | 29.6 | 2.53 | 3.01 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 7 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 301 | 6.7 | 20.6 | 13.5 | 1.12 | 1.46 | C53 |
| Corpus uteri | | | | | | | 141 | 3.1 | 9.6 | 6.2 | 0.55 | 0.69 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.3 | 1.0 | 0.6 | 0.05 | 0.07 | C55 |
| Ovary | | | | | | | 89 | 2.0 | 6.1 | 4.1 | 0.33 | 0.43 | C56 |
| Other female genital organs | | | | | | | 9 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 296 | 5.1 | 19.4 | 10.8 | 0.23 | 1.25 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 73 | 1.3 | 4.8 | 3.3 | 0.25 | 0.37 | 39 | 0.9 | 2.7 | 1.9 | 0.14 | 0.20 | C64 |
| Renal pelvis | 15 | 0.3 | 1.0 | 0.6 | 0.02 | 0.06 | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C65 |
| Ureter | 9 | 0.2 | 0.6 | 0.3 | 0.00 | 0.03 | 9 | 0.2 | 0.6 | 0.3 | 0.00 | 0.01 | C66 |
| Bladder | 141 | 2.4 | 9.3 | 5.4 | 0.22 | 0.53 | 41 | 0.9 | 2.8 | 1.4 | 0.07 | 0.10 | C67 |
| Other urinary organs | 8 | 0.1 | 0.5 | 0.3 | 0.01 | 0.05 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 66 | 1.1 | 4.3 | 3.4 | 0.21 | 0.37 | 67 | 1.5 | 4.6 | 3.6 | 0.21 | 0.34 | C70–72 |
| Thyroid | 196 | 3.4 | 12.9 | 9.8 | 0.81 | 0.90 | 626 | 13.9 | 42.8 | 30.3 | 2.59 | 2.83 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 8 | 0.2 | 0.5 | 0.5 | 0.03 | 0.05 | C74 |
| Other endocrine | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 7 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | C75 |
| Hodgkin lymphoma | 7 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 115 | 2.0 | 7.6 | 5.2 | 0.31 | 0.58 | 75 | 1.7 | 5.1 | 3.6 | 0.23 | 0.41 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 43 | 0.7 | 2.8 | 1.8 | 0.08 | 0.23 | 28 | 0.6 | 1.9 | 1.2 | 0.07 | 0.15 | C90 |
| Lymphoid leukaemia | 40 | 0.7 | 2.6 | 2.9 | 0.14 | 0.19 | 19 | 0.4 | 1.3 | 1.0 | 0.06 | 0.09 | C91 |
| Myeloid leukaemia | 61 | 1.0 | 4.0 | 3.0 | 0.19 | 0.35 | 52 | 1.2 | 3.6 | 2.7 | 0.17 | 0.28 | C92–94 |
| Leukaemia unspecified | 30 | 0.5 | 2.0 | 1.8 | 0.09 | 0.14 | 24 | 0.5 | 1.6 | 1.1 | 0.05 | 0.14 | C95 |
| Myeloproliferative disorders | 8 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | MPD |
| Myelodysplastic syndromes | 24 | 0.4 | 1.6 | 1.0 | 0.04 | 0.09 | 21 | 0.5 | 1.4 | 1.0 | 0.08 | 0.09 | MPS |
| Other and unspecified | 67 | 1.1 | 4.4 | 2.9 | 0.17 | 0.30 | 56 | 1.2 | 3.8 | 2.0 | 0.09 | 0.18 | O&U |
| All sites | 5878 | | 386.0 | 243.0 | 12.36 | 28.45 | 4537 | | 310.4 | 194.0 | 13.27 | 20.48 | C00–96 |
| All sites except C44 | 5835 | 100.0 | 383.2 | 241.3 | 12.27 | 28.28 | 4493 | 100.0 | 307.4 | 192.4 | 13.21 | 20.32 | C00–96 exc. C44 |

China, Yucheng County

CONTRIBUTORS

Yawei Zhang
Jinghong Feng
Ning Ma
Wei Liu
Xinghua Bi
Pei Jiang



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 42.0 | Breast | 33.1 |
| Liver | 29.5 | Corpus uteri | 25.2 |
| Stomach | 23.7 | Trachea, bronchus, and lung | 23.4 |
| Oesophagus | 21.5 | Oesophagus | 16.3 |
| Colon | 8.5 | Stomach | 16.3 |
| Brain and nervous system | 5.2 | Liver | 15.9 |
| Rectum | 4.8 | Cervix uteri | 13.3 |
| Other and unspecified | 4.6 | Thyroid | 7.8 |
| Leukaemia unspecified | 4.0 | Uterus unspecified | 7.1 |
| Bladder | 3.5 | Colon | 7.0 |
| Gallbladder etc. | 3.4 | Other and unspecified | 5.2 |
| Pancreas | 2.9 | Ovary | 5.2 |
| Bone | 2.9 | Brain and nervous system | 4.6 |
| Thyroid | 2.7 | Leukaemia unspecified | 4.2 |
| Prostate | 2.6 | Rectum | 3.8 |
| Small intestine | 2.4 | Gallbladder etc. | 2.9 |
| Kidney | 1.8 | Pancreas | 2.2 |
| Larynx | 1.6 | Small intestine | 1.7 |
| Non-Hodgkin lymphoma | 1.3 | Other thoracic organs | 1.6 |
| Nasopharynx | 1.0 | Bone | 1.5 |
| All sites | 180.2 | All sites | 209.8 |

*China, Yucheng County (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 6 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C01–02 |
| Mouth | 9 | 0.3 | 0.5 | 0.5 | 0.03 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 16 | 0.5 | 0.9 | 0.8 | 0.03 | 0.08 | 18 | 0.4 | 1.1 | 1.0 | 0.07 | 0.10 | C07–08 |
| Tonsil | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 7 | 0.2 | 0.4 | 0.5 | 0.03 | 0.04 | C09 |
| Other oropharynx | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 20 | 0.6 | 1.1 | 1.0 | 0.06 | 0.11 | 15 | 0.4 | 0.9 | 0.8 | 0.06 | 0.08 | C11 |
| Hypopharynx | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 11 | 0.3 | 0.6 | 0.6 | 0.03 | 0.06 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C14 |
| Oesophagus | 425 | 12.1 | 24.4 | 21.5 | 0.82 | 2.66 | 355 | 8.4 | 21.9 | 16.3 | 0.78 | 2.02 | C15 |
| Stomach | 464 | 13.3 | 26.6 | 23.7 | 1.12 | 2.94 | 353 | 8.3 | 21.8 | 16.3 | 0.98 | 1.79 | C16 |
| Small intestine | 47 | 1.3 | 2.7 | 2.4 | 0.11 | 0.30 | 37 | 0.9 | 2.3 | 1.7 | 0.10 | 0.21 | C17 |
| Colon | 168 | 4.8 | 9.6 | 8.5 | 0.46 | 0.88 | 150 | 3.5 | 9.3 | 7.0 | 0.43 | 0.79 | C18 |
| Rectum | 95 | 2.7 | 5.5 | 4.8 | 0.21 | 0.57 | 78 | 1.8 | 4.8 | 3.8 | 0.24 | 0.43 | C19–20 |
| Anus | 8 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 5 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C21 |
| Liver | 576 | 16.5 | 33.1 | 29.5 | 1.80 | 3.48 | 336 | 7.9 | 20.7 | 15.9 | 0.84 | 1.91 | C22 |
| Gallbladder etc. | 69 | 2.0 | 4.0 | 3.4 | 0.17 | 0.42 | 64 | 1.5 | 4.0 | 2.9 | 0.14 | 0.31 | C23–24 |
| Pancreas | 58 | 1.7 | 3.3 | 2.9 | 0.14 | 0.42 | 49 | 1.2 | 3.0 | 2.2 | 0.12 | 0.24 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 31 | 0.9 | 1.8 | 1.6 | 0.09 | 0.21 | 16 | 0.4 | 1.0 | 0.7 | 0.05 | 0.06 | C32 |
| Trachea, bronchus, and lung | 830 | 23.7 | 47.7 | 42.0 | 1.76 | 5.03 | 502 | 11.8 | 31.0 | 23.4 | 1.33 | 2.77 | C33–34 |
| Other thoracic organs | 9 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | 30 | 0.7 | 1.9 | 1.6 | 0.11 | 0.15 | C37–38 |
| Bone | 51 | 1.5 | 2.9 | 2.9 | 0.17 | 0.26 | 28 | 0.7 | 1.7 | 1.5 | 0.12 | 0.13 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 17 | 0.5 | 1.0 | 0.8 | 0.03 | 0.07 | 16 | 0.4 | 1.0 | 0.6 | 0.02 | 0.04 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C47+C49 |
| Breast | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 645 | 15.2 | 39.8 | 33.1 | 2.62 | 3.45 | C50 |
| Vulva | | | | | | | 7 | 0.2 | 0.4 | 0.4 | 0.04 | 0.04 | C51 |
| Vagina | | | | | | | 8 | 0.2 | 0.5 | 0.4 | 0.02 | 0.07 | C52 |
| Cervix uteri | | | | | | | 268 | 6.3 | 16.5 | 13.3 | 0.97 | 1.42 | C53 |
| Corpus uteri | | | | | | | 491 | 11.6 | 30.3 | 25.2 | 2.11 | 2.40 | C54 |
| Uterus unspecified | | | | | | | 136 | 3.2 | 8.4 | 7.1 | 0.64 | 0.65 | C55 |
| Ovary | | | | | | | 104 | 2.4 | 6.4 | 5.2 | 0.33 | 0.52 | C56 |
| Other female genital organs | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.5 | 0.9 | 0.8 | 0.05 | 0.10 | | | | | | | C60 |
| Prostate | 55 | 1.6 | 3.2 | 2.6 | 0.07 | 0.32 | | | | | | | C61 |
| Testis | 13 | 0.4 | 0.7 | 0.7 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 36 | 1.0 | 2.1 | 1.8 | 0.09 | 0.23 | 21 | 0.5 | 1.3 | 1.1 | 0.07 | 0.12 | C64 |
| Renal pelvis | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.03 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 69 | 2.0 | 4.0 | 3.5 | 0.14 | 0.41 | 23 | 0.5 | 1.4 | 1.0 | 0.04 | 0.12 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.2 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 100 | 2.9 | 5.7 | 5.2 | 0.33 | 0.57 | 88 | 2.1 | 5.4 | 4.6 | 0.28 | 0.51 | C70–72 |
| Thyroid | 53 | 1.5 | 3.0 | 2.7 | 0.18 | 0.32 | 147 | 3.5 | 9.1 | 7.8 | 0.63 | 0.77 | C73 |
| Adrenal gland | 11 | 0.3 | 0.6 | 0.6 | 0.04 | 0.07 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 8 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 24 | 0.7 | 1.4 | 1.3 | 0.06 | 0.12 | 16 | 0.4 | 1.0 | 0.9 | 0.04 | 0.09 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.2 | 0.4 | 0.4 | 0.00 | 0.07 | C90 |
| Lymphoid leukaemia | 11 | 0.3 | 0.6 | 0.6 | 0.04 | 0.05 | 7 | 0.2 | 0.4 | 0.6 | 0.03 | 0.03 | C91 |
| Myeloid leukaemia | 20 | 0.6 | 1.1 | 1.0 | 0.07 | 0.09 | 13 | 0.3 | 0.8 | 0.6 | 0.04 | 0.04 | C92–94 |
| Leukaemia unspecified | 64 | 1.8 | 3.7 | 4.0 | 0.27 | 0.32 | 74 | 1.7 | 4.6 | 4.2 | 0.29 | 0.38 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 83 | 2.4 | 4.8 | 4.6 | 0.26 | 0.50 | 100 | 2.4 | 6.2 | 5.2 | 0.33 | 0.55 | O&U |
| All sites | 3515 | | 201.8 | 180.2 | 8.94 | 21.06 | 4262 | | 263.1 | 209.8 | 14.11 | 22.57 | C00–96 |
| All sites except C44 | 3498 | 100.0 | 200.8 | 179.4 | 8.90 | 21.00 | 4246 | 100.0 | 262.1 | 209.2 | 14.09 | 22.53 | C00–96 exc. C44 |

*See note following population pyramid

China, Yueyanglou District, Yueyang City

CONTRIBUTORS

Jianxiang Yin
Yanfang Chen
Jianghong Luo
Ting Song
Sha Luo
Xiaoxia Lu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 56.3 | Breast | 26.6 |
| Liver | 25.0 | Cervix uteri | 20.1 |
| Colon | 13.8 | Trachea, bronchus, and lung | 19.1 |
| Stomach | 13.3 | Thyroid | 9.5 |
| Rectum | 8.9 | Liver | 8.0 |
| Oesophagus | 7.7 | Stomach | 7.0 |
| Bladder | 7.0 | Colon | 6.8 |
| Prostate | 5.5 | Ovary | 6.5 |
| Non-Hodgkin lymphoma | 5.2 | Rectum | 4.9 |
| Pancreas | 5.0 | Non-Hodgkin lymphoma | 4.1 |
| Nasopharynx | 4.9 | Kidney | 3.4 |
| Larynx | 4.3 | Brain and nervous system | 3.3 |
| Thyroid | 4.0 | Pancreas | 3.3 |
| Tongue | 3.9 | Lymphoid leukaemia | 3.2 |
| Gallbladder etc. | 3.7 | Gallbladder etc. | 3.1 |
| Kidney | 3.4 | Corpus uteri | 2.9 |
| Non-melanoma skin cancer | 2.9 | Nasopharynx | 1.9 |
| Lymphoid leukaemia | 2.9 | Non-melanoma skin cancer | 1.8 |
| Leukaemia unspecified | 2.6 | Multiple myeloma | 1.8 |
| Brain and nervous system | 2.1 | Uterus unspecified | 1.2 |
| All sites | 194.9 | All sites | 149.0 |


China, Yueyanglou District, Yueyang City (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 45 | 2.2 | 5.7 | 3.9 | 0.34 | 0.42 | 3 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C01–02 |
| Mouth | 17 | 0.8 | 2.1 | 1.5 | 0.13 | 0.17 | 3 | 0.2 | 0.4 | 0.2 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C07–08 |
| Tonsil | 7 | 0.3 | 0.9 | 0.6 | 0.06 | 0.06 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 54 | 2.6 | 6.8 | 4.9 | 0.36 | 0.58 | 21 | 1.3 | 2.8 | 1.9 | 0.10 | 0.23 | C11 |
| Hypopharynx | 6 | 0.3 | 0.8 | 0.6 | 0.06 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 82 | 3.9 | 10.3 | 7.7 | 0.51 | 0.97 | 8 | 0.5 | 1.1 | 0.7 | 0.04 | 0.08 | C15 |
| Stomach | 146 | 7.0 | 18.4 | 13.3 | 0.68 | 1.63 | 73 | 4.7 | 9.6 | 7.0 | 0.42 | 0.88 | C16 |
| Small intestine | 4 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 4 | 0.3 | 0.5 | 0.4 | 0.02 | 0.08 | C17 |
| Colon | 151 | 7.2 | 19.0 | 13.8 | 0.60 | 1.81 | 75 | 4.8 | 9.9 | 6.8 | 0.32 | 0.81 | C18 |
| Rectum | 99 | 4.7 | 12.5 | 8.9 | 0.50 | 1.01 | 54 | 3.5 | 7.1 | 4.9 | 0.23 | 0.58 | C19–20 |
| Anus | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 3 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | C21 |
| Liver | 281 | 13.4 | 35.4 | 25.0 | 1.44 | 2.92 | 86 | 5.5 | 11.3 | 8.0 | 0.35 | 0.97 | C22 |
| Gallbladder etc. | 40 | 1.9 | 5.0 | 3.7 | 0.15 | 0.42 | 36 | 2.3 | 4.8 | 3.1 | 0.16 | 0.31 | C23–24 |
| Pancreas | 54 | 2.6 | 6.8 | 5.0 | 0.32 | 0.63 | 35 | 2.2 | 4.6 | 3.3 | 0.18 | 0.43 | C25 |
| Nose, sinuses etc. | 5 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 46 | 2.2 | 5.8 | 4.3 | 0.31 | 0.54 | 3 | 0.2 | 0.4 | 0.2 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 615 | 29.4 | 77.4 | 56.3 | 2.73 | 7.04 | 208 | 13.3 | 27.4 | 19.1 | 0.92 | 2.31 | C33–34 |
| Other thoracic organs | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 11 | 0.7 | 1.5 | 1.0 | 0.06 | 0.10 | C40–41 |
| Melanoma of skin | 6 | 0.3 | 0.8 | 0.5 | 0.04 | 0.06 | 5 | 0.3 | 0.7 | 0.4 | 0.04 | 0.04 | C43 |
| Other skin | 31 | 1.5 | 3.9 | 2.9 | 0.19 | 0.34 | 19 | 1.2 | 2.5 | 1.8 | 0.10 | 0.25 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C47+C49 |
| Breast | 6 | 0.3 | 0.8 | 0.5 | 0.05 | 0.05 | 303 | 19.4 | 40.0 | 26.6 | 2.10 | 2.93 | C50 |
| Vulva | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 222 | 14.2 | 29.3 | 20.1 | 1.69 | 2.24 | C53 |
| Corpus uteri | | | | | | | 32 | 2.0 | 4.2 | 2.9 | 0.22 | 0.36 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.8 | 1.6 | 1.2 | 0.04 | 0.18 | C55 |
| Ovary | | | | | | | 66 | 4.2 | 8.7 | 6.5 | 0.39 | 0.84 | C56 |
| Other female genital organs | | | | | | | 5 | 0.3 | 0.7 | 0.5 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C60 |
| Prostate | 60 | 2.9 | 7.5 | 5.5 | 0.16 | 0.76 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 39 | 1.9 | 4.9 | 3.4 | 0.18 | 0.37 | 34 | 2.2 | 4.5 | 3.4 | 0.15 | 0.45 | C64 |
| Renal pelvis | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.06 | C65 |
| Ureter | 4 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 4 | 0.3 | 0.5 | 0.3 | 0.02 | 0.02 | C66 |
| Bladder | 80 | 3.8 | 10.1 | 7.0 | 0.32 | 0.87 | 9 | 0.6 | 1.2 | 0.8 | 0.03 | 0.11 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.3 | 0.4 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 22 | 1.1 | 2.8 | 2.1 | 0.17 | 0.21 | 29 | 1.9 | 3.8 | 3.3 | 0.22 | 0.37 | C70–72 |
| Thyroid | 43 | 2.1 | 5.4 | 4.0 | 0.34 | 0.40 | 95 | 6.1 | 12.5 | 9.5 | 0.74 | 0.87 | C73 |
| Adrenal gland | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 3 | 0.2 | 0.4 | 0.6 | 0.04 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 58 | 2.8 | 7.3 | 5.2 | 0.34 | 0.58 | 40 | 2.6 | 5.3 | 4.1 | 0.26 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 18 | 0.9 | 2.3 | 1.6 | 0.13 | 0.19 | 20 | 1.3 | 2.6 | 1.8 | 0.12 | 0.23 | C90 |
| Lymphoid leukaemia | 21 | 1.0 | 2.6 | 2.9 | 0.14 | 0.20 | 22 | 1.4 | 2.9 | 3.2 | 0.18 | 0.27 | C91 |
| Myeloid leukaemia | 12 | 0.6 | 1.5 | 1.3 | 0.07 | 0.17 | 10 | 0.6 | 1.3 | 1.1 | 0.06 | 0.14 | C92–94 |
| Leukaemia unspecified | 24 | 1.1 | 3.0 | 2.6 | 0.13 | 0.21 | 8 | 0.5 | 1.1 | 1.1 | 0.04 | 0.08 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | MPS |
| Other and unspecified | 8 | 0.4 | 1.0 | 0.7 | 0.05 | 0.07 | 7 | 0.4 | 0.9 | 0.9 | 0.06 | 0.06 | O&U |
| All sites | 2124 | | 267.2 | 194.9 | 10.80 | 23.37 | 1583 | | 208.9 | 149.0 | 9.48 | 17.04 | C00–96 |
| All sites except C44 | 2093 | 100.0 | 263.3 | 192.1 | 10.61 | 23.03 | 1564 | 100.0 | 206.4 | 147.2 | 9.38 | 16.79 | C00–96 exc. C44 |

China, Yunmeng County

CONTRIBUTORS

Yan Liu
Hao Zhou
Guangshun Liu



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 73.9 | Liver | 34.4 |
| Liver | 62.7 | Trachea, bronchus, and lung | 28.1 |
| Stomach | 31.8 | Breast | 26.9 |
| Oesophagus | 14.0 | Stomach | 18.1 |
| Rectum | 13.4 | Cervix uteri | 15.6 |
| Colon | 7.8 | Rectum | 10.6 |
| Bladder | 5.5 | Thyroid | 9.7 |
| Pancreas | 5.4 | Corpus uteri | 9.2 |
| Prostate | 5.1 | Ovary | 7.0 |
| Brain and nervous system | 4.7 | Colon | 6.5 |
| Nasopharynx | 4.5 | Oesophagus | 3.8 |
| Hodgkin lymphoma | 3.1 | Bone | 3.8 |
| Non-Hodgkin lymphoma | 2.6 | Pancreas | 3.7 |
| Bone | 2.5 | Brain and nervous system | 3.2 |
| Leukaemia unspecified | 2.3 | Nasopharynx | 2.6 |
| Other and unspecified | 2.1 | Uterus unspecified | 2.3 |
| Kidney | 1.8 | Other and unspecified | 2.2 |
| Thyroid | 1.8 | Non-Hodgkin lymphoma | 2.0 |
| Larynx | 1.7 | Gallbladder etc. | 1.5 |
| Pharynx unspecified | 1.7 | Hodgkin lymphoma | 1.4 |
| All sites | 259.3 | All sites | 205.2 |


China, Yunmeng County (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C01–02 |
| Mouth | 8 | 0.2 | 0.6 | 0.5 | 0.04 | 0.07 | 8 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 9 | 0.2 | 0.7 | 0.6 | 0.05 | 0.05 | 7 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | C07–08 |
| Tonsil | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 6 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 65 | 1.6 | 4.9 | 4.5 | 0.31 | 0.43 | 44 | 1.2 | 3.3 | 2.6 | 0.19 | 0.27 | C11 |
| Hypopharynx | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 27 | 0.7 | 2.0 | 1.7 | 0.11 | 0.26 | 9 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | C14 |
| Oesophagus | 225 | 5.6 | 16.9 | 14.0 | 0.79 | 1.77 | 70 | 2.0 | 5.2 | 3.8 | 0.12 | 0.48 | C15 |
| Stomach | 502 | 12.4 | 37.7 | 31.8 | 1.83 | 3.77 | 326 | 9.2 | 24.3 | 18.1 | 0.91 | 1.89 | C16 |
| Small intestine | 12 | 0.3 | 0.9 | 0.7 | 0.04 | 0.09 | 12 | 0.3 | 0.9 | 0.7 | 0.06 | 0.09 | C17 |
| Colon | 124 | 3.1 | 9.3 | 7.8 | 0.53 | 0.94 | 113 | 3.2 | 8.4 | 6.5 | 0.44 | 0.80 | C18 |
| Rectum | 213 | 5.3 | 16.0 | 13.4 | 0.79 | 1.62 | 187 | 5.3 | 13.9 | 10.6 | 0.67 | 1.27 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | C21 |
| Liver | 1015 | 25.1 | 76.1 | 62.7 | 4.31 | 7.55 | 603 | 17.0 | 45.0 | 34.4 | 1.99 | 4.37 | C22 |
| Gallbladder etc. | 19 | 0.5 | 1.4 | 1.2 | 0.07 | 0.16 | 24 | 0.7 | 1.8 | 1.5 | 0.11 | 0.16 | C23–24 |
| Pancreas | 87 | 2.2 | 6.5 | 5.4 | 0.29 | 0.74 | 61 | 1.7 | 4.5 | 3.7 | 0.28 | 0.41 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.01 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 28 | 0.7 | 2.1 | 1.7 | 0.09 | 0.23 | 11 | 0.3 | 0.8 | 0.7 | 0.04 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1118 | 27.6 | 83.9 | 73.9 | 3.30 | 8.51 | 468 | 13.2 | 34.9 | 28.1 | 1.30 | 2.74 | C33–34 |
| Other thoracic organs | 9 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 7 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 39 | 1.0 | 2.9 | 2.5 | 0.20 | 0.27 | 60 | 1.7 | 4.5 | 3.8 | 0.29 | 0.39 | C40–41 |
| Melanoma of skin | 13 | 0.3 | 1.0 | 0.8 | 0.06 | 0.10 | 17 | 0.5 | 1.3 | 1.2 | 0.07 | 0.13 | C43 |
| Other skin | 8 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | 9 | 0.3 | 0.7 | 0.7 | 0.03 | 0.03 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 6 | 0.1 | 0.5 | 0.5 | 0.04 | 0.04 | 12 | 0.3 | 0.9 | 0.7 | 0.05 | 0.06 | C47+C49 |
| Breast | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 470 | 13.3 | 35.0 | 26.9 | 2.43 | 2.76 | C50 |
| Vulva | | | | | | | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 278 | 7.9 | 20.7 | 15.6 | 1.35 | 1.63 | C53 |
| Corpus uteri | | | | | | | 160 | 4.5 | 11.9 | 9.2 | 0.83 | 1.00 | C54 |
| Uterus unspecified | | | | | | | 40 | 1.1 | 3.0 | 2.3 | 0.20 | 0.25 | C55 |
| Ovary | | | | | | | 118 | 3.3 | 8.8 | 7.0 | 0.60 | 0.68 | C56 |
| Other female genital organs | | | | | | | 9 | 0.3 | 0.7 | 0.5 | 0.05 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 10 | 0.2 | 0.8 | 0.6 | 0.05 | 0.08 | | | | | | | C60 |
| Prostate | 66 | 1.6 | 5.0 | 5.1 | 0.06 | 0.40 | | | | | | | C61 |
| Testis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 25 | 0.6 | 1.9 | 1.8 | 0.07 | 0.17 | 13 | 0.4 | 1.0 | 0.7 | 0.04 | 0.09 | C64 |
| Renal pelvis | 7 | 0.2 | 0.5 | 0.4 | 0.01 | 0.05 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 91 | 2.2 | 6.8 | 5.5 | 0.25 | 0.59 | 17 | 0.5 | 1.3 | 1.0 | 0.04 | 0.10 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 74 | 1.8 | 5.6 | 4.7 | 0.34 | 0.52 | 57 | 1.6 | 4.3 | 3.2 | 0.27 | 0.35 | C70–72 |
| Thyroid | 30 | 0.7 | 2.3 | 1.8 | 0.14 | 0.20 | 168 | 4.7 | 12.5 | 9.7 | 0.88 | 0.97 | C73 |
| Adrenal gland | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 49 | 1.2 | 3.7 | 3.1 | 0.22 | 0.40 | 24 | 0.7 | 1.8 | 1.4 | 0.11 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 43 | 1.1 | 3.2 | 2.6 | 0.20 | 0.33 | 34 | 1.0 | 2.5 | 2.0 | 0.14 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 10 | 0.2 | 0.8 | 0.6 | 0.02 | 0.08 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C90 |
| Lymphoid leukaemia | 17 | 0.4 | 1.3 | 1.2 | 0.08 | 0.10 | 14 | 0.4 | 1.0 | 1.1 | 0.08 | 0.08 | C91 |
| Myeloid leukaemia | 12 | 0.3 | 0.9 | 0.7 | 0.05 | 0.10 | 8 | 0.2 | 0.6 | 0.4 | 0.03 | 0.06 | C92–94 |
| Leukaemia unspecified | 31 | 0.8 | 2.3 | 2.3 | 0.17 | 0.18 | 17 | 0.5 | 1.3 | 1.1 | 0.07 | 0.10 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 31 | 0.8 | 2.3 | 2.1 | 0.11 | 0.17 | 34 | 1.0 | 2.5 | 2.2 | 0.14 | 0.22 | O&U |
| All sites | 4053 | | 304.1 | 259.3 | 14.78 | 30.26 | 3547 | | 264.5 | 205.2 | 14.15 | 22.30 | C00–96 |
| All sites except C44 | 4045 | 100.0 | 303.5 | 258.8 | 14.74 | 30.21 | 3538 | 100.0 | 263.8 | 204.5 | 14.11 | 22.27 | C00–96 exc. C44 |

China, Yunyang District, Shiyan City

CONTRIBUTORS

Zuo Shun Yan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 47.8 | Oesophagus | 23.2 |
| Stomach | 46.2 | Breast | 19.0 |
| Trachea, bronchus, and lung | 42.3 | Stomach | 19.0 |
| Liver | 32.0 | Trachea, bronchus, and lung | 18.5 |
| Rectum | 9.9 | Liver | 11.0 |
| Colon | 5.8 | Cervix uteri | 10.5 |
| Brain and nervous system | 3.5 | Rectum | 4.8 |
| Leukaemia unspecified | 2.3 | Colon | 4.1 |
| Bone | 2.2 | Corpus uteri | 3.2 |
| Gallbladder etc. | 2.2 | Brain and nervous system | 2.9 |
| Non-Hodgkin lymphoma | 2.2 | Ovary | 2.8 |
| Nasopharynx | 2.2 | Thyroid | 2.3 |
| Myeloid leukaemia | 2.0 | Leukaemia unspecified | 2.2 |
| Other and unspecified | 2.0 | Other and unspecified | 2.0 |
| Prostate | 1.5 | Bladder | 1.6 |
| Pancreas | 1.3 | Myeloid leukaemia | 1.2 |
| Non-melanoma skin cancer | 1.2 | Gallbladder etc. | 1.2 |
| Bladder | 1.1 | Nasopharynx | 1.1 |
| Anus | 1.1 | Pancreas | 1.0 |
| Larynx | 1.0 | Kidney | 1.0 |
| All sites | 216.8 | All sites | 141.4 |

*China, Yunyang District, Shiyang City (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 4 | 0.3 | 0.5 | 0.4 | 0.02 | 0.07 | C01–02 |
| Mouth | 5 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.03 | C03–06 |
| Salivary glands | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.2 | 0.4 | 0.2 | 0.00 | 0.03 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 22 | 0.9 | 2.5 | 2.2 | 0.14 | 0.26 | 11 | 0.7 | 1.4 | 1.1 | 0.09 | 0.12 | C11 |
| Hypopharynx | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 529 | 22.2 | 60.0 | 47.8 | 2.30 | 6.65 | 246 | 16.5 | 30.4 | 23.2 | 1.05 | 3.02 | C15 |
| Stomach | 514 | 21.6 | 58.3 | 46.2 | 2.25 | 6.26 | 210 | 14.1 | 25.9 | 19.0 | 0.89 | 2.16 | C16 |
| Small intestine | 5 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 3 | 0.2 | 0.4 | 0.2 | 0.00 | 0.02 | C17 |
| Colon | 64 | 2.7 | 7.3 | 5.8 | 0.24 | 0.68 | 41 | 2.7 | 5.1 | 4.1 | 0.22 | 0.53 | C18 |
| Rectum | 114 | 4.8 | 12.9 | 9.9 | 0.59 | 1.30 | 53 | 3.5 | 6.5 | 4.8 | 0.31 | 0.60 | C19–20 |
| Anus | 11 | 0.5 | 1.2 | 1.1 | 0.01 | 0.18 | 8 | 0.5 | 1.0 | 0.7 | 0.01 | 0.10 | C21 |
| Liver | 364 | 15.3 | 41.3 | 32.0 | 1.92 | 3.95 | 119 | 8.0 | 14.7 | 11.0 | 0.47 | 1.26 | C22 |
| Gallbladder etc. | 24 | 1.0 | 2.7 | 2.2 | 0.11 | 0.33 | 12 | 0.8 | 1.5 | 1.2 | 0.06 | 0.18 | C23–24 |
| Pancreas | 14 | 0.6 | 1.6 | 1.3 | 0.06 | 0.18 | 9 | 0.6 | 1.1 | 1.0 | 0.06 | 0.17 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 10 | 0.4 | 1.1 | 1.0 | 0.06 | 0.14 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 471 | 19.7 | 53.4 | 42.3 | 1.92 | 5.72 | 209 | 14.0 | 25.8 | 18.5 | 0.79 | 2.14 | C33–34 |
| Other thoracic organs | 6 | 0.3 | 0.7 | 0.5 | 0.04 | 0.07 | 8 | 0.5 | 1.0 | 0.7 | 0.04 | 0.06 | C37–38 |
| Bone | 24 | 1.0 | 2.7 | 2.2 | 0.10 | 0.25 | 9 | 0.6 | 1.1 | 0.9 | 0.04 | 0.11 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 12 | 0.5 | 1.4 | 1.2 | 0.03 | 0.14 | 5 | 0.3 | 0.6 | 0.4 | 0.03 | 0.04 | C44 |
| Mesothelioma | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 8 | 0.5 | 1.0 | 0.8 | 0.03 | 0.12 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 197 | 13.2 | 24.3 | 19.0 | 1.56 | 2.01 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 108 | 7.2 | 13.3 | 10.5 | 0.85 | 1.14 | C53 |
| Corpus uteri | | | | | | | 32 | 2.1 | 4.0 | 3.2 | 0.26 | 0.38 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.3 | 0.5 | 0.3 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 29 | 1.9 | 3.6 | 2.8 | 0.24 | 0.30 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 17 | 0.7 | 1.9 | 1.5 | 0.02 | 0.18 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 7 | 0.3 | 0.8 | 0.6 | 0.05 | 0.06 | 9 | 0.6 | 1.1 | 1.0 | 0.07 | 0.12 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 13 | 0.5 | 1.5 | 1.1 | 0.05 | 0.15 | 16 | 1.1 | 2.0 | 1.6 | 0.09 | 0.22 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C68 |
| Eye | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 36 | 1.5 | 4.1 | 3.5 | 0.17 | 0.48 | 30 | 2.0 | 3.7 | 2.9 | 0.22 | 0.32 | C70–72 |
| Thyroid | 9 | 0.4 | 1.0 | 0.9 | 0.08 | 0.08 | 22 | 1.5 | 2.7 | 2.3 | 0.19 | 0.22 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | 4 | 0.3 | 0.5 | 0.4 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 20 | 0.8 | 2.3 | 2.2 | 0.12 | 0.19 | 6 | 0.4 | 0.7 | 0.5 | 0.04 | 0.05 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 4 | 0.3 | 0.5 | 0.5 | 0.02 | 0.06 | C90 |
| Lymphoid leukaemia | 4 | 0.2 | 0.5 | 0.6 | 0.04 | 0.04 | 8 | 0.5 | 1.0 | 0.9 | 0.06 | 0.07 | C91 |
| Myeloid leukaemia | 18 | 0.8 | 2.0 | 2.0 | 0.14 | 0.18 | 13 | 0.9 | 1.6 | 1.2 | 0.07 | 0.10 | C92–94 |
| Leukaemia unspecified | 22 | 0.9 | 2.5 | 2.3 | 0.16 | 0.24 | 22 | 1.5 | 2.7 | 2.2 | 0.16 | 0.21 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 20 | 0.8 | 2.3 | 2.0 | 0.09 | 0.31 | 21 | 1.4 | 2.6 | 2.0 | 0.15 | 0.24 | O&U |
| All sites | 2397 | | 271.8 | 216.8 | 10.98 | 28.63 | 1499 | | 185.2 | 141.4 | 8.21 | 16.38 | C00–96 |
| All sites except C44 | 2385 | 100.0 | 270.4 | 215.6 | 10.95 | 28.49 | 1494 | 100.0 | 184.6 | 140.9 | 8.18 | 16.34 | C00–96 exc. C44 |

*See note following population pyramid

China, Yuzhong District, Chongqing City

CONTRIBUTORS

Yushuang Ling
Yong Zhang
Yan Peng
Yi Zeng
Jia Wang
Hongxiu Tang
Ying Chen



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 78.9 | Breast | 37.8 |
| Liver | 27.4 | Trachea, bronchus, and lung | 28.6 |
| Colon | 19.1 | Thyroid | 15.6 |
| Rectum | 18.0 | Colon | 11.8 |
| Stomach | 15.1 | Cervix uteri | 11.1 |
| Prostate | 13.6 | Rectum | 9.6 |
| Oesophagus | 10.3 | Stomach | 8.7 |
| Bladder | 9.1 | Liver | 7.1 |
| Non-Hodgkin lymphoma | 8.4 | Ovary | 6.3 |
| Pancreas | 6.7 | Corpus uteri | 5.5 |
| Thyroid | 6.6 | Kidney | 5.2 |
| Kidney | 6.2 | Non-Hodgkin lymphoma | 4.5 |
| Larynx | 4.9 | Myeloid leukaemia | 3.7 |
| Nasopharynx | 4.1 | Pancreas | 3.5 |
| Myeloid leukaemia | 3.6 | Other and unspecified | 3.2 |
| Lymphoid leukaemia | 3.3 | Brain and nervous system | 2.8 |
| Gallbladder etc. | 3.3 | Gallbladder etc. | 2.6 |
| Brain and nervous system | 3.1 | Multiple myeloma | 2.4 |
| Other and unspecified | 2.7 | Lymphoid leukaemia | 2.1 |
| Multiple myeloma | 2.6 | Bladder | 1.9 |
| All sites | 265.2 | All sites | 189.7 |


China, Yuzhong District, Chongqing City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 19 | 0.3 | 1.2 | 1.0 | 0.05 | 0.13 | 17 | 0.4 | 1.0 | 0.7 | 0.04 | 0.09 | C01–02 |
| Mouth | 36 | 0.6 | 2.2 | 1.4 | 0.11 | 0.17 | 13 | 0.3 | 0.8 | 0.5 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 10 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | 9 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | C07–08 |
| Tonsil | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 10 | 0.2 | 0.6 | 0.4 | 0.04 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 92 | 1.6 | 5.7 | 4.1 | 0.33 | 0.50 | 37 | 0.8 | 2.3 | 1.7 | 0.12 | 0.20 | C11 |
| Hypopharynx | 26 | 0.4 | 1.6 | 1.1 | 0.09 | 0.13 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 232 | 3.9 | 14.4 | 10.3 | 0.56 | 1.34 | 44 | 1.0 | 2.7 | 1.5 | 0.05 | 0.16 | C15 |
| Stomach | 344 | 5.9 | 21.3 | 15.1 | 0.79 | 1.92 | 205 | 4.5 | 12.6 | 8.7 | 0.59 | 1.10 | C16 |
| Small intestine | 30 | 0.5 | 1.9 | 1.2 | 0.09 | 0.15 | 27 | 0.6 | 1.7 | 1.0 | 0.04 | 0.14 | C17 |
| Colon | 428 | 7.3 | 26.5 | 19.1 | 0.80 | 2.55 | 312 | 6.9 | 19.1 | 11.8 | 0.55 | 1.45 | C18 |
| Rectum | 406 | 6.9 | 25.2 | 18.0 | 1.12 | 2.32 | 251 | 5.5 | 15.4 | 9.6 | 0.57 | 1.14 | C19–20 |
| Anus | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 633 | 10.8 | 39.3 | 27.4 | 1.83 | 3.25 | 183 | 4.0 | 11.2 | 7.1 | 0.33 | 0.84 | C22 |
| Gallbladder etc. | 69 | 1.2 | 4.3 | 3.3 | 0.18 | 0.47 | 76 | 1.7 | 4.7 | 2.6 | 0.12 | 0.28 | C23–24 |
| Pancreas | 150 | 2.6 | 9.3 | 6.7 | 0.30 | 0.82 | 105 | 2.3 | 6.4 | 3.5 | 0.17 | 0.36 | C25 |
| Nose, sinuses etc. | 12 | 0.2 | 0.7 | 0.6 | 0.02 | 0.06 | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 109 | 1.9 | 6.8 | 4.9 | 0.26 | 0.65 | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1726 | 29.4 | 107.0 | 78.9 | 4.14 | 10.63 | 756 | 16.7 | 46.4 | 28.6 | 1.34 | 3.52 | C33–34 |
| Other thoracic organs | 21 | 0.4 | 1.3 | 1.2 | 0.05 | 0.11 | 15 | 0.3 | 0.9 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 25 | 0.4 | 1.6 | 1.2 | 0.04 | 0.15 | 11 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C40–41 |
| Melanoma of skin | 14 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 13 | 0.3 | 0.8 | 0.6 | 0.03 | 0.09 | C43 |
| Other skin | 34 | 0.6 | 2.1 | 1.5 | 0.07 | 0.16 | 34 | 0.7 | 2.1 | 1.3 | 0.04 | 0.16 | C44 |
| Mesothelioma | 16 | 0.3 | 1.0 | 0.7 | 0.06 | 0.07 | 10 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 17 | 0.3 | 1.1 | 1.0 | 0.06 | 0.10 | 14 | 0.3 | 0.9 | 0.8 | 0.06 | 0.07 | C47+C49 |
| Breast | 11 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 861 | 19.0 | 52.8 | 37.8 | 3.09 | 4.35 | C50 |
| Vulva | | | | | | | 11 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 262 | 5.8 | 16.1 | 11.1 | 0.88 | 1.21 | C53 |
| Corpus uteri | | | | | | | 123 | 2.7 | 7.5 | 5.5 | 0.47 | 0.69 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 136 | 3.0 | 8.3 | 6.3 | 0.49 | 0.76 | C56 |
| Other female genital organs | | | | | | | 12 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 9 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | | | | | | | C60 |
| Prostate | 337 | 5.7 | 20.9 | 13.6 | 0.26 | 1.51 | | | | | | | C61 |
| Testis | 8 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 149 | 2.5 | 9.2 | 6.2 | 0.39 | 0.74 | 110 | 2.4 | 6.7 | 5.2 | 0.32 | 0.65 | C64 |
| Renal pelvis | 14 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 14 | 0.3 | 0.9 | 0.3 | 0.02 | 0.02 | C65 |
| Ureter | 10 | 0.2 | 0.6 | 0.4 | 0.02 | 0.02 | 13 | 0.3 | 0.8 | 0.5 | 0.02 | 0.07 | C66 |
| Bladder | 209 | 3.6 | 13.0 | 9.1 | 0.37 | 1.15 | 52 | 1.1 | 3.2 | 1.9 | 0.11 | 0.21 | C67 |
| Other urinary organs | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 58 | 1.0 | 3.6 | 3.1 | 0.18 | 0.33 | 59 | 1.3 | 3.6 | 2.8 | 0.18 | 0.25 | C70–72 |
| Thyroid | 141 | 2.4 | 8.7 | 6.6 | 0.48 | 0.65 | 335 | 7.4 | 20.6 | 15.6 | 1.24 | 1.60 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 3 | 0.1 | 0.2 | 0.5 | 0.02 | 0.02 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 14 | 0.2 | 0.9 | 0.7 | 0.04 | 0.09 | 9 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 185 | 3.1 | 11.5 | 8.4 | 0.48 | 0.97 | 105 | 2.3 | 6.4 | 4.5 | 0.26 | 0.51 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 55 | 0.9 | 3.4 | 2.6 | 0.12 | 0.39 | 60 | 1.3 | 3.7 | 2.4 | 0.09 | 0.34 | C90 |
| Lymphoid leukaemia | 55 | 0.9 | 3.4 | 3.3 | 0.19 | 0.31 | 34 | 0.7 | 2.1 | 2.1 | 0.08 | 0.22 | C91 |
| Myeloid leukaemia | 79 | 1.3 | 4.9 | 3.6 | 0.21 | 0.34 | 83 | 1.8 | 5.1 | 3.7 | 0.23 | 0.46 | C92–94 |
| Leukaemia unspecified | 19 | 0.3 | 1.2 | 0.9 | 0.03 | 0.13 | 16 | 0.4 | 1.0 | 0.9 | 0.05 | 0.07 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 63 | 1.1 | 3.9 | 2.7 | 0.14 | 0.29 | 83 | 1.8 | 5.1 | 3.2 | 0.14 | 0.34 | O&U |
| All sites | 5914 | | 366.7 | 265.2 | 14.18 | 33.17 | 4570 | | 280.4 | 189.7 | 12.13 | 22.11 | C00–96 |
| All sites except C44 | 5880 | 100.0 | 364.6 | 263.7 | 14.11 | 33.01 | 4536 | 100.0 | 278.3 | 188.4 | 12.08 | 21.95 | C00–96 exc. C44 |

China, Zhanhuang County

CONTRIBUTORS

Jiao Wenbin
Wang Shuge
Hao Yuehong
Li Li
Lv Xiaohong



NOTES ON THE DATA

*No official mortality data. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 90.5 | Stomach | 30.0 |
| Trachea, bronchus, and lung | 34.1 | Breast | 18.8 |
| Oesophagus | 22.2 | Trachea, bronchus, and lung | 15.3 |
| Liver | 18.9 | Oesophagus | 14.1 |
| Rectum | 6.9 | Cervix uteri | 12.3 |
| Colon | 6.1 | Liver | 8.8 |
| Kidney | 4.5 | Corpus uteri | 6.7 |
| Brain and nervous system | 4.0 | Ovary | 6.4 |
| Bladder | 3.1 | Colon | 5.5 |
| Non-Hodgkin lymphoma | 2.5 | Brain and nervous system | 5.1 |
| Pancreas | 2.5 | Rectum | 4.8 |
| Gallbladder etc. | 2.4 | Thyroid | 4.5 |
| Lymphoid leukaemia | 2.1 | Lymphoid leukaemia | 3.1 |
| Leukaemia unspecified | 1.9 | Kidney | 2.8 |
| Larynx | 1.9 | Non-Hodgkin lymphoma | 2.4 |
| Prostate | 1.5 | Pancreas | 2.1 |
| Myeloid leukaemia | 1.5 | Myeloid leukaemia | 1.7 |
| Other and unspecified | 1.4 | Other and unspecified | 1.7 |
| Testis | 1.0 | Gallbladder etc. | 1.7 |
| Thyroid | 1.0 | Vulva | 1.3 |
| All sites | 220.3 | All sites | 160.0 |

*China, Zhanhuang County (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 3 | 0.2 | 0.4 | 0.4 | 0.01 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C01–02 |
| Mouth | 3 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 4 | 0.3 | 0.6 | 0.5 | 0.02 | 0.07 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 5 | 0.3 | 0.7 | 0.8 | 0.04 | 0.10 | 6 | 0.4 | 0.9 | 0.8 | 0.06 | 0.06 | C11 |
| Hypopharynx | 4 | 0.2 | 0.6 | 0.5 | 0.01 | 0.08 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 194 | 10.3 | 27.8 | 22.2 | 1.29 | 2.81 | 128 | 9.6 | 19.9 | 14.1 | 0.67 | 1.89 | C15 |
| Stomach | 779 | 41.5 | 111.5 | 90.5 | 5.27 | 11.76 | 270 | 20.2 | 42.1 | 30.0 | 1.55 | 3.69 | C16 |
| Small intestine | 7 | 0.4 | 1.0 | 0.9 | 0.06 | 0.11 | 5 | 0.4 | 0.8 | 0.5 | 0.00 | 0.05 | C17 |
| Colon | 51 | 2.7 | 7.3 | 6.1 | 0.37 | 0.62 | 48 | 3.6 | 7.5 | 5.5 | 0.28 | 0.73 | C18 |
| Rectum | 59 | 3.1 | 8.4 | 6.9 | 0.41 | 0.89 | 41 | 3.1 | 6.4 | 4.8 | 0.29 | 0.62 | C19–20 |
| Anus | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C21 |
| Liver | 159 | 8.5 | 22.8 | 18.9 | 1.12 | 2.43 | 72 | 5.4 | 11.2 | 8.8 | 0.54 | 1.01 | C22 |
| Gallbladder etc. | 21 | 1.1 | 3.0 | 2.4 | 0.08 | 0.26 | 16 | 1.2 | 2.5 | 1.7 | 0.05 | 0.19 | C23–24 |
| Pancreas | 22 | 1.2 | 3.2 | 2.5 | 0.14 | 0.32 | 18 | 1.3 | 2.8 | 2.1 | 0.09 | 0.24 | C25 |
| Nose, sinuses etc. | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 16 | 0.9 | 2.3 | 1.9 | 0.11 | 0.26 | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 295 | 15.7 | 42.2 | 34.1 | 1.99 | 4.26 | 136 | 10.2 | 21.2 | 15.3 | 1.03 | 1.97 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 4 | 0.3 | 0.6 | 0.5 | 0.03 | 0.09 | C37–38 |
| Bone | 7 | 0.4 | 1.0 | 0.9 | 0.07 | 0.07 | 9 | 0.7 | 1.4 | 1.0 | 0.07 | 0.12 | C40–41 |
| Melanoma of skin | 5 | 0.3 | 0.7 | 0.6 | 0.05 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 6 | 0.3 | 0.9 | 0.7 | 0.03 | 0.09 | 11 | 0.8 | 1.7 | 1.2 | 0.05 | 0.14 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 4 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 4 | 0.3 | 0.6 | 0.5 | 0.05 | 0.05 | C47+C49 |
| Breast | 5 | 0.3 | 0.7 | 0.5 | 0.06 | 0.06 | 152 | 11.4 | 23.7 | 18.8 | 1.48 | 2.06 | C50 |
| Vulva | | | | | | | 11 | 0.8 | 1.7 | 1.3 | 0.10 | 0.10 | C51 |
| Vagina | | | | | | | 3 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 99 | 7.4 | 15.4 | 12.3 | 1.03 | 1.39 | C53 |
| Corpus uteri | | | | | | | 54 | 4.0 | 8.4 | 6.7 | 0.57 | 0.73 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.5 | 1.1 | 0.9 | 0.08 | 0.08 | C55 |
| Ovary | | | | | | | 52 | 3.9 | 8.1 | 6.4 | 0.45 | 0.71 | C56 |
| Other female genital organs | | | | | | | 3 | 0.2 | 0.5 | 0.5 | 0.04 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 4 | 0.2 | 0.6 | 0.6 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 13 | 0.7 | 1.9 | 1.5 | 0.01 | 0.22 | | | | | | | C61 |
| Testis | 7 | 0.4 | 1.0 | 1.0 | 0.07 | 0.09 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 39 | 2.1 | 5.6 | 4.5 | 0.31 | 0.48 | 22 | 1.6 | 3.4 | 2.8 | 0.18 | 0.29 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C65 |
| Ureter | 2 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C66 |
| Bladder | 26 | 1.4 | 3.7 | 3.1 | 0.14 | 0.35 | 10 | 0.7 | 1.6 | 1.1 | 0.03 | 0.16 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 35 | 1.9 | 5.0 | 4.0 | 0.27 | 0.43 | 41 | 3.1 | 6.4 | 5.1 | 0.34 | 0.54 | C70–72 |
| Thyroid | 9 | 0.5 | 1.3 | 1.0 | 0.09 | 0.11 | 36 | 2.7 | 5.6 | 4.5 | 0.39 | 0.42 | C73 |
| Adrenal gland | 4 | 0.2 | 0.6 | 0.5 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 5 | 0.3 | 0.7 | 0.6 | 0.05 | 0.07 | 5 | 0.4 | 0.8 | 0.6 | 0.03 | 0.07 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 21 | 1.1 | 3.0 | 2.5 | 0.23 | 0.32 | 20 | 1.5 | 3.1 | 2.4 | 0.17 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 3 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | 4 | 0.3 | 0.6 | 0.5 | 0.06 | 0.06 | C90 |
| Lymphoid leukaemia | 13 | 0.7 | 1.9 | 2.1 | 0.11 | 0.11 | 17 | 1.3 | 2.6 | 3.1 | 0.20 | 0.20 | C91 |
| Myeloid leukaemia | 12 | 0.6 | 1.7 | 1.5 | 0.12 | 0.12 | 10 | 0.7 | 1.6 | 1.7 | 0.09 | 0.12 | C92–94 |
| Leukaemia unspecified | 14 | 0.7 | 2.0 | 1.9 | 0.10 | 0.16 | 5 | 0.4 | 0.8 | 0.7 | 0.06 | 0.06 | C95 |
| Myeloproliferative disorders | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 10 | 0.5 | 1.4 | 1.4 | 0.07 | 0.12 | 14 | 1.0 | 2.2 | 1.7 | 0.11 | 0.23 | O&U |
| All sites | 1881 | | 269.3 | 220.3 | 12.98 | 27.23 | 1348 | | 210.1 | 160.0 | 10.25 | 18.66 | C00–96 |
| All sites except C44 | 1875 | 100.0 | 268.5 | 219.6 | 12.95 | 27.14 | 1337 | 100.0 | 208.4 | 158.8 | 10.20 | 18.53 | C00–96 exc.C44 |

*See note following population pyramid

China, Zhangjiagang City

CONTRIBUTORS

Minye Qin
Xiaofei Wang
Jing Qiu
Lixia Zhao



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.4 | Breast | 29.9 |
| Stomach | 38.3 | Trachea, bronchus, and lung | 29.2 |
| Liver | 24.0 | Thyroid | 19.3 |
| Oesophagus | 16.7 | Cervix uteri | 14.7 |
| Colon | 13.9 | Stomach | 14.1 |
| Rectum | 10.7 | Colon | 9.5 |
| Prostate | 9.4 | Liver | 8.6 |
| Pancreas | 8.0 | Rectum | 6.1 |
| Bladder | 7.2 | Corpus uteri | 5.9 |
| Non-Hodgkin lymphoma | 6.2 | Ovary | 5.6 |
| Thyroid | 6.0 | Pancreas | 5.5 |
| Kidney | 5.4 | Gallbladder etc. | 5.3 |
| Brain and nervous system | 4.2 | Oesophagus | 4.4 |
| Myeloid leukaemia | 3.8 | Non-Hodgkin lymphoma | 4.0 |
| Nasopharynx | 3.8 | Brain and nervous system | 3.8 |
| Gallbladder etc. | 3.6 | Kidney | 2.1 |
| Larynx | 2.0 | Myeloid leukaemia | 1.6 |
| Non-melanoma skin cancer | 1.9 | Bladder | 1.5 |
| Multiple myeloma | 1.8 | Multiple myeloma | 1.5 |
| Lymphoid leukaemia | 1.6 | Non-melanoma skin cancer | 1.2 |
| All sites | 244.3 | All sites | 186.9 |

*China, Zhangjiagang City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 22 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | 14 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C01–02 |
| Mouth | 34 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | 16 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 17 | 0.2 | 0.8 | 0.5 | 0.04 | 0.04 | 14 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 8 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 11 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 155 | 1.4 | 6.9 | 3.8 | 0.27 | 0.42 | 49 | 0.6 | 2.1 | 1.1 | 0.08 | 0.12 | C11 |
| Hypopharynx | 24 | 0.2 | 1.1 | 0.5 | 0.03 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 796 | 7.2 | 35.2 | 16.7 | 0.82 | 2.14 | 265 | 3.1 | 11.3 | 4.4 | 0.14 | 0.54 | C15 |
| Stomach | 1832 | 16.5 | 81.1 | 38.3 | 1.86 | 4.69 | 768 | 9.0 | 32.8 | 14.1 | 0.68 | 1.50 | C16 |
| Small intestine | 56 | 0.5 | 2.5 | 1.2 | 0.04 | 0.14 | 45 | 0.5 | 1.9 | 0.8 | 0.03 | 0.08 | C17 |
| Colon | 645 | 5.8 | 28.6 | 13.9 | 0.69 | 1.68 | 502 | 5.9 | 21.4 | 9.5 | 0.49 | 1.12 | C18 |
| Rectum | 498 | 4.5 | 22.0 | 10.7 | 0.61 | 1.28 | 313 | 3.7 | 13.4 | 6.1 | 0.35 | 0.72 | C19–20 |
| Anus | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C21 |
| Liver | 1040 | 9.4 | 46.0 | 24.0 | 1.71 | 2.71 | 441 | 5.2 | 18.8 | 8.6 | 0.47 | 0.97 | C22 |
| Gallbladder etc. | 173 | 1.6 | 7.7 | 3.6 | 0.15 | 0.43 | 293 | 3.4 | 12.5 | 5.3 | 0.25 | 0.66 | C23–24 |
| Pancreas | 392 | 3.5 | 17.4 | 8.0 | 0.34 | 0.90 | 325 | 3.8 | 13.9 | 5.5 | 0.23 | 0.62 | C25 |
| Nose, sinuses etc. | 16 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 98 | 0.9 | 4.3 | 2.0 | 0.10 | 0.26 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2880 | 26.0 | 127.5 | 59.4 | 2.56 | 7.38 | 1480 | 17.3 | 63.1 | 29.2 | 1.72 | 3.40 | C33–34 |
| Other thoracic organs | 51 | 0.5 | 2.3 | 1.2 | 0.08 | 0.13 | 36 | 0.4 | 1.5 | 0.9 | 0.07 | 0.10 | C37–38 |
| Bone | 50 | 0.5 | 2.2 | 1.6 | 0.08 | 0.12 | 32 | 0.4 | 1.4 | 0.7 | 0.03 | 0.07 | C40–41 |
| Melanoma of skin | 25 | 0.2 | 1.1 | 0.5 | 0.02 | 0.04 | 33 | 0.4 | 1.4 | 0.6 | 0.03 | 0.07 | C43 |
| Other skin | 94 | 0.8 | 4.2 | 1.9 | 0.07 | 0.20 | 76 | 0.9 | 3.2 | 1.2 | 0.04 | 0.11 | C44 |
| Mesothelioma | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 41 | 0.4 | 1.8 | 1.0 | 0.05 | 0.11 | 31 | 0.4 | 1.3 | 0.9 | 0.05 | 0.10 | C47+C49 |
| Breast | 13 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 1217 | 14.3 | 51.9 | 29.9 | 2.42 | 3.23 | C50 |
| Vulva | | | | | | | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 579 | 6.8 | 24.7 | 14.7 | 1.26 | 1.52 | C53 |
| Corpus uteri | | | | | | | 250 | 2.9 | 10.7 | 5.9 | 0.45 | 0.65 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 227 | 2.7 | 9.7 | 5.6 | 0.43 | 0.60 | C56 |
| Other female genital organs | | | | | | | 23 | 0.3 | 1.0 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 33 | 0.3 | 1.5 | 0.7 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 504 | 4.5 | 22.3 | 9.4 | 0.17 | 0.99 | | | | | | | C61 |
| Testis | 10 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 225 | 2.0 | 10.0 | 5.4 | 0.38 | 0.66 | 98 | 1.1 | 4.2 | 2.1 | 0.15 | 0.26 | C64 |
| Renal pelvis | 23 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | 14 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C65 |
| Ureter | 23 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 12 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 346 | 3.1 | 15.3 | 7.2 | 0.30 | 0.88 | 76 | 0.9 | 3.2 | 1.5 | 0.07 | 0.17 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 140 | 1.3 | 6.2 | 4.2 | 0.25 | 0.41 | 146 | 1.7 | 6.2 | 3.8 | 0.23 | 0.36 | C70–72 |
| Thyroid | 186 | 1.7 | 8.2 | 6.0 | 0.49 | 0.54 | 637 | 7.5 | 27.2 | 19.3 | 1.60 | 1.78 | C73 |
| Adrenal gland | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 253 | 2.3 | 11.2 | 6.2 | 0.40 | 0.72 | 180 | 2.1 | 7.7 | 4.0 | 0.23 | 0.45 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 84 | 0.8 | 3.7 | 1.8 | 0.10 | 0.22 | 69 | 0.8 | 2.9 | 1.5 | 0.08 | 0.20 | C90 |
| Lymphoid leukaemia | 51 | 0.5 | 2.3 | 1.6 | 0.10 | 0.17 | 33 | 0.4 | 1.4 | 0.9 | 0.04 | 0.09 | C91 |
| Myeloid leukaemia | 123 | 1.1 | 5.4 | 3.8 | 0.25 | 0.38 | 68 | 0.8 | 2.9 | 1.6 | 0.10 | 0.16 | C92–94 |
| Leukaemia unspecified | 50 | 0.5 | 2.2 | 1.4 | 0.05 | 0.12 | 39 | 0.5 | 1.7 | 0.8 | 0.04 | 0.08 | C95 |
| Myeloproliferative disorders | 16 | 0.1 | 0.7 | 0.6 | 0.03 | 0.06 | 32 | 0.4 | 1.4 | 0.8 | 0.04 | 0.07 | MPD |
| Myelodysplastic syndromes | 40 | 0.4 | 1.8 | 0.9 | 0.04 | 0.11 | 40 | 0.5 | 1.7 | 1.0 | 0.06 | 0.09 | MPS |
| Other and unspecified | 58 | 0.5 | 2.6 | 1.3 | 0.08 | 0.12 | 51 | 0.6 | 2.2 | 0.8 | 0.03 | 0.09 | O&U |
| All sites | 11182 | | 495.0 | 244.3 | 12.52 | 28.80 | 8607 | | 367.1 | 186.9 | 12.12 | 20.39 | C00–96 |
| All sites except C44 | 11088 | 100.0 | 490.8 | 242.4 | 12.45 | 28.60 | 8531 | 100.0 | 363.9 | 185.7 | 12.08 | 20.28 | C00–96 exc. C44 |

*See note following population pyramid

China, Zhaoyuan City

CONTRIBUTORS

Yuting Zhai
Weiwei Ning



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 61.8 | Breast | 32.9 |
| Stomach | 47.9 | Trachea, bronchus, and lung | 27.5 |
| Liver | 41.4 | Stomach | 18.0 |
| Rectum | 15.0 | Liver | 12.2 |
| Colon | 11.0 | Cervix uteri | 10.4 |
| Oesophagus | 8.1 | Rectum | 8.6 |
| Bladder | 8.1 | Colon | 8.3 |
| Prostate | 6.6 | Thyroid | 7.9 |
| Brain and nervous system | 6.5 | Corpus uteri | 7.6 |
| Pancreas | 6.4 | Ovary | 6.9 |
| Kidney | 4.7 | Brain and nervous system | 6.5 |
| Non-Hodgkin lymphoma | 4.1 | Pancreas | 3.8 |
| Gallbladder etc. | 3.4 | Non-Hodgkin lymphoma | 2.6 |
| Leukaemia unspecified | 2.7 | Uterus unspecified | 2.6 |
| Thyroid | 2.6 | Leukaemia unspecified | 2.5 |
| Nasopharynx | 2.1 | Gallbladder etc. | 2.2 |
| Larynx | 2.0 | Kidney | 2.1 |
| Myeloid leukaemia | 1.8 | Bladder | 1.6 |
| Bone | 1.5 | Bone | 1.6 |
| Other and unspecified | 1.4 | Multiple myeloma | 1.3 |
| All sites | 252.6 | All sites | 177.9 |

*China, Zhaoyuan City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 12 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C01–02 |
| Mouth | 16 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 5 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 8 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 50 | 0.7 | 3.6 | 2.1 | 0.15 | 0.24 | 14 | 0.3 | 1.0 | 0.5 | 0.04 | 0.06 | C11 |
| Hypopharynx | 14 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 234 | 3.4 | 16.6 | 8.1 | 0.44 | 0.96 | 27 | 0.6 | 1.9 | 0.7 | 0.03 | 0.05 | C15 |
| Stomach | 1375 | 19.8 | 97.8 | 47.9 | 2.65 | 5.67 | 572 | 11.7 | 40.1 | 18.0 | 0.97 | 1.90 | C16 |
| Small intestine | 21 | 0.3 | 1.5 | 0.7 | 0.06 | 0.09 | 14 | 0.3 | 1.0 | 0.5 | 0.03 | 0.07 | C17 |
| Colon | 315 | 4.5 | 22.4 | 11.0 | 0.52 | 1.23 | 254 | 5.2 | 17.8 | 8.3 | 0.49 | 0.91 | C18 |
| Rectum | 430 | 6.2 | 30.6 | 15.0 | 0.76 | 1.83 | 253 | 5.2 | 17.7 | 8.6 | 0.50 | 1.04 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 1078 | 15.5 | 76.7 | 41.4 | 3.06 | 4.57 | 365 | 7.4 | 25.6 | 12.2 | 0.74 | 1.45 | C22 |
| Gallbladder etc. | 100 | 1.4 | 7.1 | 3.4 | 0.12 | 0.43 | 72 | 1.5 | 5.0 | 2.2 | 0.10 | 0.26 | C23–24 |
| Pancreas | 190 | 2.7 | 13.5 | 6.4 | 0.32 | 0.70 | 132 | 2.7 | 9.2 | 3.8 | 0.13 | 0.43 | C25 |
| Nose, sinuses etc. | 12 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 9 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 55 | 0.8 | 3.9 | 2.0 | 0.14 | 0.27 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1801 | 25.9 | 128.1 | 61.8 | 3.29 | 7.30 | 881 | 18.0 | 61.7 | 27.5 | 1.45 | 3.30 | C33–34 |
| Other thoracic organs | 18 | 0.3 | 1.3 | 0.7 | 0.05 | 0.08 | 7 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 31 | 0.4 | 2.2 | 1.5 | 0.08 | 0.14 | 38 | 0.8 | 2.7 | 1.6 | 0.10 | 0.16 | C40–41 |
| Melanoma of skin | 13 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | 9 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C43 |
| Other skin | 39 | 0.6 | 2.8 | 1.3 | 0.06 | 0.11 | 38 | 0.8 | 2.7 | 1.0 | 0.05 | 0.09 | C44 |
| Mesothelioma | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.2 | 0.8 | 0.5 | 0.04 | 0.04 | 12 | 0.2 | 0.8 | 0.4 | 0.04 | 0.05 | C47+C49 |
| Breast | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 799 | 16.3 | 56.0 | 32.9 | 2.76 | 3.40 | C50 |
| Vulva | | | | | | | 11 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 242 | 4.9 | 17.0 | 10.4 | 0.91 | 1.05 | C53 |
| Corpus uteri | | | | | | | 198 | 4.0 | 13.9 | 7.6 | 0.64 | 0.88 | C54 |
| Uterus unspecified | | | | | | | 74 | 1.5 | 5.2 | 2.6 | 0.20 | 0.28 | C55 |
| Ovary | | | | | | | 164 | 3.3 | 11.5 | 6.9 | 0.54 | 0.75 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 15 | 0.2 | 1.1 | 0.6 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 205 | 2.9 | 14.6 | 6.6 | 0.07 | 0.53 | | | | | | | C61 |
| Testis | 13 | 0.2 | 0.9 | 0.7 | 0.05 | 0.06 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 131 | 1.9 | 9.3 | 4.7 | 0.33 | 0.55 | 65 | 1.3 | 4.6 | 2.1 | 0.13 | 0.23 | C64 |
| Renal pelvis | 12 | 0.2 | 0.9 | 0.4 | 0.01 | 0.06 | 5 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 14 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | 8 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 235 | 3.4 | 16.7 | 8.1 | 0.35 | 0.89 | 55 | 1.1 | 3.9 | 1.6 | 0.07 | 0.17 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 131 | 1.9 | 9.3 | 6.5 | 0.43 | 0.56 | 165 | 3.4 | 11.6 | 6.5 | 0.39 | 0.66 | C70–72 |
| Thyroid | 53 | 0.8 | 3.8 | 2.6 | 0.21 | 0.25 | 164 | 3.3 | 11.5 | 7.9 | 0.65 | 0.75 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 22 | 0.3 | 1.6 | 0.9 | 0.07 | 0.11 | 21 | 0.4 | 1.5 | 0.9 | 0.07 | 0.09 | C75 |
| Hodgkin lymphoma | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 97 | 1.4 | 6.9 | 4.1 | 0.22 | 0.44 | 68 | 1.4 | 4.8 | 2.6 | 0.14 | 0.29 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 22 | 0.3 | 1.6 | 0.8 | 0.04 | 0.09 | 35 | 0.7 | 2.5 | 1.3 | 0.09 | 0.16 | C90 |
| Lymphoid leukaemia | 18 | 0.3 | 1.3 | 1.0 | 0.05 | 0.09 | 13 | 0.3 | 0.9 | 1.0 | 0.05 | 0.07 | C91 |
| Myeloid leukaemia | 35 | 0.5 | 2.5 | 1.8 | 0.11 | 0.15 | 24 | 0.5 | 1.7 | 0.9 | 0.04 | 0.10 | C92–94 |
| Leukaemia unspecified | 62 | 0.9 | 4.4 | 2.7 | 0.18 | 0.25 | 47 | 1.0 | 3.3 | 2.5 | 0.14 | 0.21 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 35 | 0.5 | 2.5 | 1.3 | 0.07 | 0.12 | 14 | 0.3 | 1.0 | 0.4 | 0.03 | 0.04 | MPS |
| Other and unspecified | 37 | 0.5 | 2.6 | 1.4 | 0.06 | 0.14 | 36 | 0.7 | 2.5 | 1.1 | 0.06 | 0.10 | O&U |
| All sites | 6993 | | 497.4 | 252.6 | 14.31 | 28.62 | 4946 | | 346.6 | 177.9 | 11.80 | 19.36 | C00–96 |
| All sites except C44 | 6954 | 100.0 | 494.7 | 251.3 | 14.25 | 28.51 | 4908 | 100.0 | 343.9 | 176.9 | 11.75 | 19.27 | C00–96 exc. C44 |

*See note following population pyramid

China, Zhengding County

CONTRIBUTORS

Zhang Yuwei
Guo Hai
Kang Yanling
Shi Yanxia
Wang Xiaoyue



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.8 | Breast | 22.7 |
| Stomach | 39.8 | Trachea, bronchus, and lung | 20.8 |
| Liver | 29.9 | Stomach | 9.0 |
| Oesophagus | 14.4 | Corpus uteri | 7.3 |
| Rectum | 5.6 | Thyroid | 7.0 |
| Colon | 5.3 | Cervix uteri | 6.2 |
| Bladder | 4.2 | Liver | 6.1 |
| Other and unspecified | 3.9 | Oesophagus | 6.1 |
| Prostate | 3.2 | Ovary | 5.7 |
| Kidney | 3.1 | Non-Hodgkin lymphoma | 4.4 |
| Non-Hodgkin lymphoma | 3.1 | Rectum | 4.3 |
| Thyroid | 2.5 | Colon | 3.3 |
| Pancreas | 2.4 | Brain and nervous system | 2.5 |
| Gallbladder etc. | 2.1 | Other and unspecified | 2.5 |
| Brain and nervous system | 2.0 | Lymphoid leukaemia | 2.3 |
| Non-melanoma skin cancer | 1.8 | Pancreas | 2.1 |
| Myeloid leukaemia | 1.6 | Non-melanoma skin cancer | 1.6 |
| Leukaemia unspecified | 1.3 | Kidney | 1.6 |
| Lymphoid leukaemia | 1.2 | Gallbladder etc. | 1.5 |
| Multiple myeloma | 1.2 | Myeloid leukaemia | 1.3 |
| All sites | 186.6 | All sites | 128.9 |

*China, Zhengding County (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C01–02 |
| Mouth | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | 7 | 0.4 | 0.7 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 5 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 5 | 0.3 | 0.5 | 0.3 | 0.04 | 0.04 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 6 | 0.2 | 0.6 | 0.7 | 0.06 | 0.06 | 5 | 0.3 | 0.5 | 0.3 | 0.01 | 0.03 | C11 |
| Hypopharynx | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 191 | 7.8 | 19.5 | 14.4 | 0.63 | 1.93 | 100 | 5.4 | 9.9 | 6.1 | 0.18 | 0.76 | C15 |
| Stomach | 532 | 21.8 | 54.3 | 39.8 | 2.06 | 5.17 | 140 | 7.6 | 13.9 | 9.0 | 0.35 | 1.02 | C16 |
| Small intestine | 5 | 0.2 | 0.5 | 0.3 | 0.01 | 0.02 | 4 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C17 |
| Colon | 73 | 3.0 | 7.5 | 5.3 | 0.31 | 0.66 | 52 | 2.8 | 5.2 | 3.3 | 0.18 | 0.38 | C18 |
| Rectum | 76 | 3.1 | 7.8 | 5.6 | 0.37 | 0.67 | 66 | 3.6 | 6.5 | 4.3 | 0.21 | 0.54 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C21 |
| Liver | 398 | 16.3 | 40.7 | 29.9 | 2.11 | 3.54 | 97 | 5.3 | 9.6 | 6.1 | 0.32 | 0.77 | C22 |
| Gallbladder etc. | 29 | 1.2 | 3.0 | 2.1 | 0.14 | 0.24 | 24 | 1.3 | 2.4 | 1.5 | 0.02 | 0.22 | C23–24 |
| Pancreas | 32 | 1.3 | 3.3 | 2.4 | 0.10 | 0.29 | 33 | 1.8 | 3.3 | 2.1 | 0.11 | 0.20 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.3 | 0.2 | 0.00 | 0.02 | C30–31 |
| Larynx | 15 | 0.6 | 1.5 | 1.1 | 0.06 | 0.17 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 651 | 26.7 | 66.5 | 48.8 | 2.22 | 6.34 | 327 | 17.8 | 32.4 | 20.8 | 0.86 | 2.51 | C33–34 |
| Other thoracic organs | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 9 | 0.5 | 0.9 | 0.6 | 0.06 | 0.07 | C37–38 |
| Bone | 8 | 0.3 | 0.8 | 0.8 | 0.05 | 0.06 | 7 | 0.4 | 0.7 | 0.7 | 0.04 | 0.07 | C40–41 |
| Melanoma of skin | 4 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 8 | 0.4 | 0.8 | 0.5 | 0.05 | 0.05 | C43 |
| Other skin | 23 | 0.9 | 2.3 | 1.8 | 0.06 | 0.08 | 27 | 1.5 | 2.7 | 1.6 | 0.05 | 0.15 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.4 | 1.0 | 0.9 | 0.06 | 0.07 | 10 | 0.5 | 1.0 | 0.9 | 0.07 | 0.07 | C47+C49 |
| Breast | 3 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | 314 | 17.0 | 31.2 | 22.7 | 1.89 | 2.39 | C50 |
| Vulva | | | | | | | 9 | 0.5 | 0.9 | 0.6 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 84 | 4.6 | 8.3 | 6.2 | 0.49 | 0.65 | C53 |
| Corpus uteri | | | | | | | 100 | 5.4 | 9.9 | 7.3 | 0.66 | 0.78 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.4 | 0.7 | 0.5 | 0.05 | 0.05 | C55 |
| Ovary | | | | | | | 79 | 4.3 | 7.8 | 5.7 | 0.42 | 0.65 | C56 |
| Other female genital organs | | | | | | | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 10 | 0.4 | 1.0 | 0.7 | 0.04 | 0.11 | | | | | | | C60 |
| Prostate | 43 | 1.8 | 4.4 | 3.2 | 0.08 | 0.31 | | | | | | | C61 |
| Testis | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 41 | 1.7 | 4.2 | 3.1 | 0.24 | 0.35 | 23 | 1.2 | 2.3 | 1.6 | 0.10 | 0.19 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 6 | 0.3 | 0.6 | 0.4 | 0.04 | 0.06 | C66 |
| Bladder | 56 | 2.3 | 5.7 | 4.2 | 0.23 | 0.47 | 16 | 0.9 | 1.6 | 1.1 | 0.05 | 0.13 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 27 | 1.1 | 2.8 | 2.0 | 0.16 | 0.22 | 35 | 1.9 | 3.5 | 2.5 | 0.17 | 0.27 | C70–72 |
| Thyroid | 32 | 1.3 | 3.3 | 2.5 | 0.19 | 0.24 | 91 | 4.9 | 9.0 | 7.0 | 0.51 | 0.74 | C73 |
| Adrenal gland | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 5 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 6 | 0.3 | 0.6 | 0.4 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 38 | 1.6 | 3.9 | 3.1 | 0.19 | 0.34 | 60 | 3.3 | 6.0 | 4.4 | 0.34 | 0.46 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C88 |
| Multiple myeloma | 16 | 0.7 | 1.6 | 1.2 | 0.07 | 0.20 | 15 | 0.8 | 1.5 | 1.0 | 0.06 | 0.14 | C90 |
| Lymphoid leukaemia | 12 | 0.5 | 1.2 | 1.2 | 0.05 | 0.13 | 17 | 0.9 | 1.7 | 2.3 | 0.12 | 0.12 | C91 |
| Myeloid leukaemia | 18 | 0.7 | 1.8 | 1.6 | 0.10 | 0.18 | 16 | 0.9 | 1.6 | 1.3 | 0.11 | 0.13 | C92–94 |
| Leukaemia unspecified | 13 | 0.5 | 1.3 | 1.3 | 0.06 | 0.13 | 8 | 0.4 | 0.8 | 0.9 | 0.07 | 0.07 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.2 | 0.5 | 0.4 | 0.04 | 0.04 | 4 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | MPS |
| Other and unspecified | 52 | 2.1 | 5.3 | 3.9 | 0.19 | 0.52 | 39 | 2.1 | 3.9 | 2.5 | 0.15 | 0.23 | O&U |
| All sites | 2464 | | 251.7 | 186.6 | 10.09 | 22.99 | 1869 | | 185.4 | 128.9 | 7.93 | 14.32 | C00–96 |
| All sites except C44 | 2441 | 100.0 | 249.3 | 184.8 | 10.03 | 22.91 | 1842 | 100.0 | 182.7 | 127.3 | 7.87 | 14.17 | C00–96 exc. C44 |

*See note following population pyramid

China, Zhongshan City

CONTRIBUTORS

Binfei Li
Kuangrong Wei
Zhiheng Liang
Zhuming Li
Ning Liu



NOTES ON THE DATA

*No DCO registrations.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.6 | Trachea, bronchus, and lung | 31.7 |
| Liver | 43.4 | Breast | 30.8 |
| Nasopharynx | 19.4 | Corpus uteri | 17.0 |
| Colon | 16.6 | Thyroid | 15.6 |
| Oesophagus | 15.5 | Colon | 12.4 |
| Rectum | 12.9 | Cervix uteri | 10.0 |
| Prostate | 10.2 | Liver | 7.4 |
| Stomach | 9.4 | Nasopharynx | 6.7 |
| Bladder | 7.7 | Rectum | 6.6 |
| Thyroid | 5.2 | Ovary | 5.5 |
| Non-Hodgkin lymphoma | 5.1 | Stomach | 4.3 |
| Larynx | 4.6 | Non-Hodgkin lymphoma | 3.1 |
| Pancreas | 4.3 | Non-melanoma skin cancer | 3.0 |
| Gallbladder etc. | 4.0 | Pancreas | 2.5 |
| Other and unspecified | 3.8 | Gallbladder etc. | 2.3 |
| Non-melanoma skin cancer | 3.4 | Myeloid leukaemia | 2.2 |
| Kidney | 3.2 | Other and unspecified | 2.1 |
| Hypopharynx | 3.0 | Kidney | 1.8 |
| Myeloid leukaemia | 2.7 | Lymphoid leukaemia | 1.8 |
| Tongue | 2.6 | Brain and nervous system | 1.7 |
| All sites | 258.5 | All sites | 181.6 |

*China, Zhongshan City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 140 | 1.1 | 3.6 | 2.6 | 0.22 | 0.28 | 61 | 0.6 | 1.5 | 1.1 | 0.07 | 0.12 | C01–02 |
| Mouth | 109 | 0.8 | 2.8 | 2.1 | 0.14 | 0.25 | 25 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 25 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | 20 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | C07–08 |
| Tonsil | 18 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 41 | 0.3 | 1.0 | 0.8 | 0.06 | 0.10 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 1017 | 7.6 | 25.8 | 19.4 | 1.64 | 2.03 | 369 | 3.6 | 9.2 | 6.7 | 0.52 | 0.70 | C11 |
| Hypopharynx | 159 | 1.2 | 4.0 | 3.0 | 0.27 | 0.34 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 12 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 817 | 6.1 | 20.7 | 15.5 | 1.19 | 1.94 | 49 | 0.5 | 1.2 | 0.8 | 0.03 | 0.09 | C15 |
| Stomach | 495 | 3.7 | 12.6 | 9.4 | 0.54 | 1.21 | 255 | 2.5 | 6.4 | 4.3 | 0.25 | 0.49 | C16 |
| Small intestine | 62 | 0.5 | 1.6 | 1.2 | 0.07 | 0.16 | 45 | 0.4 | 1.1 | 0.8 | 0.04 | 0.11 | C17 |
| Colon | 880 | 6.6 | 22.3 | 16.6 | 0.86 | 2.05 | 742 | 7.3 | 18.5 | 12.4 | 0.69 | 1.45 | C18 |
| Rectum | 681 | 5.1 | 17.3 | 12.9 | 0.75 | 1.60 | 397 | 3.9 | 9.9 | 6.6 | 0.36 | 0.77 | C19–20 |
| Anus | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 2289 | 17.2 | 58.1 | 43.4 | 3.24 | 5.12 | 440 | 4.3 | 11.0 | 7.4 | 0.39 | 0.92 | C22 |
| Gallbladder etc. | 214 | 1.6 | 5.4 | 4.0 | 0.15 | 0.42 | 148 | 1.5 | 3.7 | 2.3 | 0.08 | 0.24 | C23–24 |
| Pancreas | 230 | 1.7 | 5.8 | 4.3 | 0.23 | 0.48 | 160 | 1.6 | 4.0 | 2.5 | 0.08 | 0.30 | C25 |
| Nose, sinuses etc. | 33 | 0.2 | 0.8 | 0.6 | 0.04 | 0.09 | 19 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 240 | 1.8 | 6.1 | 4.6 | 0.32 | 0.60 | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 3146 | 23.6 | 79.8 | 59.6 | 3.10 | 7.39 | 1911 | 18.8 | 47.7 | 31.7 | 1.60 | 3.80 | C33–34 |
| Other thoracic organs | 56 | 0.4 | 1.4 | 1.1 | 0.08 | 0.11 | 30 | 0.3 | 0.7 | 0.6 | 0.05 | 0.06 | C37–38 |
| Bone | 31 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | 22 | 0.2 | 0.5 | 0.6 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 20 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 31 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 179 | 1.3 | 4.5 | 3.4 | 0.14 | 0.36 | 184 | 1.8 | 4.6 | 3.0 | 0.14 | 0.32 | C44 |
| Mesothelioma | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 50 | 0.4 | 1.3 | 1.0 | 0.07 | 0.11 | 40 | 0.4 | 1.0 | 0.7 | 0.05 | 0.08 | C47+C49 |
| Breast | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1737 | 17.1 | 43.4 | 30.8 | 2.60 | 3.24 | C50 |
| Vulva | | | | | | | 21 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 559 | 5.5 | 14.0 | 10.0 | 0.83 | 1.13 | C53 |
| Corpus uteri | | | | | | | 951 | 9.4 | 23.7 | 17.0 | 1.58 | 1.84 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 298 | 2.9 | 7.4 | 5.5 | 0.41 | 0.57 | C56 |
| Other female genital organs | | | | | | | 15 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 18 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 560 | 4.2 | 14.2 | 10.2 | 0.21 | 1.10 | | | | | | | C61 |
| Testis | 31 | 0.2 | 0.8 | 0.7 | 0.05 | 0.05 | | | | | | | C62 |
| Other male genital organs | 12 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 165 | 1.2 | 4.2 | 3.2 | 0.21 | 0.35 | 100 | 1.0 | 2.5 | 1.8 | 0.11 | 0.20 | C64 |
| Renal pelvis | 28 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 15 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | C65 |
| Ureter | 36 | 0.3 | 0.9 | 0.7 | 0.03 | 0.06 | 12 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C66 |
| †Bladder | 402 | 3.0 | 10.2 | 7.7 | 0.34 | 0.95 | 96 | 0.9 | 2.4 | 1.5 | 0.06 | 0.18 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 5 | 0.0 | 0.1 | 0.2 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 109 | 0.8 | 2.8 | 2.4 | 0.17 | 0.22 | 78 | 0.8 | 1.9 | 1.7 | 0.12 | 0.16 | C70–72 |
| Thyroid | 268 | 2.0 | 6.8 | 5.2 | 0.44 | 0.50 | 826 | 8.1 | 20.6 | 15.6 | 1.27 | 1.45 | C73 |
| Adrenal gland | 11 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 19 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 13 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 243 | 1.8 | 6.2 | 5.1 | 0.33 | 0.56 | 170 | 1.7 | 4.2 | 3.1 | 0.20 | 0.34 | C82–86,C96 |
| Immunoproliferative diseases | 15 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 10 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C88 |
| Multiple myeloma | 82 | 0.6 | 2.1 | 1.5 | 0.07 | 0.19 | 59 | 0.6 | 1.5 | 1.0 | 0.06 | 0.12 | C90 |
| Lymphoid leukaemia | 79 | 0.6 | 2.0 | 2.4 | 0.11 | 0.17 | 61 | 0.6 | 1.5 | 1.8 | 0.10 | 0.11 | C91 |
| Myeloid leukaemia | 132 | 1.0 | 3.4 | 2.7 | 0.17 | 0.28 | 105 | 1.0 | 2.6 | 2.2 | 0.13 | 0.22 | C92–94 |
| Leukaemia unspecified | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 11 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 33 | 0.2 | 0.8 | 0.6 | 0.04 | 0.08 | 30 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | MPD |
| Myelodysplastic syndromes | 61 | 0.5 | 1.5 | 1.1 | 0.06 | 0.13 | 32 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | MPS |
| Other and unspecified | 193 | 1.4 | 4.9 | 3.8 | 0.19 | 0.49 | 126 | 1.2 | 3.1 | 2.1 | 0.12 | 0.23 | O&U |
| All sites | 13492 | | 342.4 | 258.5 | 15.89 | 30.27 | 10347 | | 258.2 | 181.6 | 12.29 | 19.93 | C00–96 |
| All sites except C44 | 13313 | 100.0 | 337.9 | 255.1 | 15.75 | 29.91 | 10163 | 100.0 | 253.6 | 178.6 | 12.15 | 19.61 | C00–96 exc. C44 |

*†See note following population pyramid

China, Zhongxiang City

CONTRIBUTORS

Huo Jun Rong
Zhao Li



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 49.8 | Breast | 24.6 |
| Liver | 29.9 | Trachea, bronchus, and lung | 20.4 |
| Oesophagus | 12.9 | Cervix uteri | 15.3 |
| Stomach | 10.3 | Liver | 9.8 |
| Rectum | 9.7 | Thyroid | 9.0 |
| Colon | 6.5 | Brain and nervous system | 7.1 |
| Brain and nervous system | 5.8 | Rectum | 6.6 |
| Bladder | 5.1 | Ovary | 5.5 |
| Non-Hodgkin lymphoma | 4.6 | Stomach | 4.7 |
| Prostate | 4.3 | Colon | 4.4 |
| Pancreas | 4.3 | Oesophagus | 3.9 |
| Myeloid leukaemia | 2.8 | Non-Hodgkin lymphoma | 3.6 |
| Nasopharynx | 2.7 | Pancreas | 3.3 |
| Bone | 2.6 | Corpus uteri | 2.0 |
| Thyroid | 2.3 | Bone | 2.0 |
| Non-melanoma skin cancer | 2.1 | Myeloid leukaemia | 1.8 |
| Leukaemia unspecified | 2.1 | Non-melanoma skin cancer | 1.8 |
| Lymphoid leukaemia | 2.0 | Other and unspecified | 1.4 |
| Other and unspecified | 1.8 | Lymphoid leukaemia | 1.4 |
| Kidney | 1.8 | Bladder | 1.3 |
| All sites | 177.9 | All sites | 144.2 |


China, Zhongxiang City (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 9 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C01–02 |
| Mouth | 29 | 0.5 | 1.1 | 0.9 | 0.05 | 0.11 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C03–06 |
| Salivary glands | 45 | 0.8 | 1.8 | 1.3 | 0.11 | 0.14 | 40 | 0.8 | 1.6 | 1.2 | 0.10 | 0.13 | C07–08 |
| Tonsil | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 12 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 93 | 1.6 | 3.6 | 2.7 | 0.20 | 0.31 | 45 | 0.9 | 1.8 | 1.3 | 0.09 | 0.15 | C11 |
| Hypopharynx | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 431 | 7.4 | 16.8 | 12.9 | 0.55 | 1.65 | 142 | 2.9 | 5.6 | 3.9 | 0.14 | 0.47 | C15 |
| Stomach | 345 | 5.9 | 13.4 | 10.3 | 0.51 | 1.39 | 163 | 3.3 | 6.4 | 4.7 | 0.26 | 0.59 | C16 |
| Small intestine | 22 | 0.4 | 0.9 | 0.6 | 0.04 | 0.08 | 18 | 0.4 | 0.7 | 0.5 | 0.03 | 0.07 | C17 |
| Colon | 216 | 3.7 | 8.4 | 6.5 | 0.37 | 0.84 | 147 | 3.0 | 5.8 | 4.4 | 0.23 | 0.60 | C18 |
| Rectum | 332 | 5.7 | 12.9 | 9.7 | 0.53 | 1.22 | 226 | 4.6 | 8.9 | 6.6 | 0.40 | 0.82 | C19–20 |
| Anus | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 1054 | 18.0 | 41.1 | 29.9 | 1.87 | 3.53 | 354 | 7.2 | 14.0 | 9.8 | 0.52 | 1.21 | C22 |
| Gallbladder etc. | 26 | 0.4 | 1.0 | 0.8 | 0.02 | 0.10 | 27 | 0.5 | 1.1 | 0.7 | 0.03 | 0.08 | C23–24 |
| Pancreas | 141 | 2.4 | 5.5 | 4.3 | 0.23 | 0.58 | 115 | 2.3 | 4.5 | 3.3 | 0.17 | 0.41 | C25 |
| Nose, sinuses etc. | 10 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 11 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 43 | 0.7 | 1.7 | 1.3 | 0.08 | 0.15 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1669 | 28.5 | 65.0 | 49.8 | 2.14 | 6.26 | 722 | 14.6 | 28.5 | 20.4 | 1.09 | 2.57 | C33–34 |
| Other thoracic organs | 33 | 0.6 | 1.3 | 1.1 | 0.05 | 0.13 | 32 | 0.6 | 1.3 | 1.0 | 0.06 | 0.11 | C37–38 |
| Bone | 83 | 1.4 | 3.2 | 2.6 | 0.15 | 0.30 | 60 | 1.2 | 2.4 | 2.0 | 0.13 | 0.20 | C40–41 |
| Melanoma of skin | 23 | 0.4 | 0.9 | 0.8 | 0.05 | 0.07 | 21 | 0.4 | 0.8 | 0.8 | 0.04 | 0.07 | C43 |
| Other skin | 68 | 1.2 | 2.6 | 2.1 | 0.10 | 0.21 | 62 | 1.3 | 2.4 | 1.8 | 0.09 | 0.19 | C44 |
| Mesothelioma | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 27 | 0.5 | 1.1 | 1.0 | 0.06 | 0.08 | 20 | 0.4 | 0.8 | 0.8 | 0.05 | 0.06 | C47+C49 |
| Breast | 6 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 902 | 18.3 | 35.6 | 24.6 | 2.04 | 2.67 | C50 |
| Vulva | | | | | | | 10 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 555 | 11.2 | 21.9 | 15.3 | 1.22 | 1.66 | C53 |
| Corpus uteri | | | | | | | 76 | 1.5 | 3.0 | 2.0 | 0.16 | 0.22 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 190 | 3.8 | 7.5 | 5.5 | 0.45 | 0.56 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 141 | 2.4 | 5.5 | 4.3 | 0.10 | 0.42 | | | | | | | C61 |
| Testis | 9 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 58 | 1.0 | 2.3 | 1.8 | 0.12 | 0.21 | 33 | 0.7 | 1.3 | 1.1 | 0.06 | 0.13 | C64 |
| Renal pelvis | 8 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 13 | 0.2 | 0.5 | 0.4 | 0.01 | 0.06 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 174 | 3.0 | 6.8 | 5.1 | 0.22 | 0.57 | 48 | 1.0 | 1.9 | 1.3 | 0.07 | 0.15 | C67 |
| Other urinary organs | 7 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 15 | 0.3 | 0.6 | 0.6 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 180 | 3.1 | 7.0 | 5.8 | 0.38 | 0.62 | 222 | 4.5 | 8.8 | 7.1 | 0.55 | 0.75 | C70–72 |
| Thyroid | 76 | 1.3 | 3.0 | 2.3 | 0.17 | 0.25 | 321 | 6.5 | 12.7 | 9.0 | 0.77 | 0.89 | C73 |
| Adrenal gland | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 11 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | 12 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | C75 |
| Hodgkin lymphoma | 16 | 0.3 | 0.6 | 0.6 | 0.04 | 0.06 | 11 | 0.2 | 0.4 | 0.5 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 147 | 2.5 | 5.7 | 4.6 | 0.31 | 0.51 | 114 | 2.3 | 4.5 | 3.6 | 0.25 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 51 | 0.9 | 2.0 | 1.6 | 0.09 | 0.18 | 37 | 0.7 | 1.5 | 1.2 | 0.09 | 0.16 | C90 |
| Lymphoid leukaemia | 53 | 0.9 | 2.1 | 2.0 | 0.14 | 0.18 | 36 | 0.7 | 1.4 | 1.4 | 0.09 | 0.11 | C91 |
| Myeloid leukaemia | 75 | 1.3 | 2.9 | 2.8 | 0.18 | 0.26 | 48 | 1.0 | 1.9 | 1.8 | 0.12 | 0.16 | C92–94 |
| Leukaemia unspecified | 60 | 1.0 | 2.3 | 2.1 | 0.13 | 0.24 | 38 | 0.8 | 1.5 | 1.3 | 0.08 | 0.17 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 19 | 0.3 | 0.7 | 0.7 | 0.05 | 0.06 | 8 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | MPS |
| Other and unspecified | 62 | 1.1 | 2.4 | 1.8 | 0.08 | 0.19 | 47 | 1.0 | 1.9 | 1.4 | 0.09 | 0.16 | O&U |
| All sites | 5927 | | 230.9 | 177.9 | 9.37 | 21.35 | 5001 | | 197.5 | 144.2 | 9.77 | 16.44 | C00–96 |
| All sites except C44 | 5859 | 100.0 | 228.2 | 175.8 | 9.27 | 21.14 | 4939 | 100.0 | 195.0 | 142.4 | 9.68 | 16.25 | C00–96 exc. C44 |

China, Zhuanghe City

CONTRIBUTORS

Lina Wang
Jinhong Jiang
Xinyan Yang



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 45.3 | Trachea, bronchus, and lung | 34.6 |
| Stomach | 35.0 | Thyroid | 32.5 |
| Liver | 29.9 | Breast | 29.2 |
| Rectum | 12.8 | Cervix uteri | 12.5 |
| Colon | 8.6 | Stomach | 12.4 |
| Bladder | 8.6 | Liver | 9.4 |
| Thyroid | 6.6 | Rectum | 8.2 |
| Oesophagus | 6.1 | Colon | 6.2 |
| Pancreas | 5.7 | Corpus uteri | 5.8 |
| Brain and nervous system | 4.3 | Ovary | 4.4 |
| Kidney | 4.1 | Pancreas | 3.8 |
| Prostate | 3.8 | Brain and nervous system | 3.2 |
| Other and unspecified | 2.9 | Other and unspecified | 2.3 |
| Myeloid leukaemia | 2.8 | Kidney | 2.2 |
| Leukaemia unspecified | 2.7 | Non-melanoma skin cancer | 2.1 |
| Non-Hodgkin lymphoma | 2.5 | Bladder | 1.9 |
| Gallbladder etc. | 2.2 | Gallbladder etc. | 1.8 |
| Larynx | 1.9 | Myeloid leukaemia | 1.7 |
| Non-melanoma skin cancer | 1.8 | Lymphoid leukaemia | 1.6 |
| Bone | 1.3 | Non-Hodgkin lymphoma | 1.5 |
| All sites | 200.4 | All sites | 188.4 |

*China, Zhuanghe City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 14 | 0.2 | 0.6 | 0.3 | 0.01 | 0.04 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 12 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C01–02 |
| Mouth | 25 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | 12 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 11 | 0.1 | 0.5 | 0.4 | 0.02 | 0.03 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 45 | 0.5 | 2.0 | 1.1 | 0.09 | 0.11 | 25 | 0.3 | 1.1 | 0.7 | 0.06 | 0.07 | C11 |
| Hypopharynx | 16 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 284 | 3.2 | 12.6 | 6.1 | 0.30 | 0.80 | 44 | 0.6 | 2.0 | 0.8 | 0.03 | 0.08 | C15 |
| Stomach | 1616 | 18.4 | 71.5 | 35.0 | 1.82 | 4.38 | 578 | 7.6 | 25.7 | 12.4 | 0.63 | 1.50 | C16 |
| Small intestine | 17 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | 17 | 0.2 | 0.8 | 0.4 | 0.02 | 0.07 | C17 |
| Colon | 397 | 4.5 | 17.6 | 8.6 | 0.48 | 1.07 | 293 | 3.8 | 13.0 | 6.2 | 0.35 | 0.72 | C18 |
| Rectum | 586 | 6.7 | 25.9 | 12.8 | 0.64 | 1.62 | 366 | 4.8 | 16.3 | 8.2 | 0.49 | 0.99 | C19–20 |
| Anus | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 1307 | 14.9 | 57.9 | 29.9 | 2.07 | 3.49 | 439 | 5.7 | 19.5 | 9.4 | 0.45 | 1.15 | C22 |
| Gallbladder etc. | 109 | 1.2 | 4.8 | 2.2 | 0.09 | 0.27 | 91 | 1.2 | 4.0 | 1.8 | 0.10 | 0.22 | C23–24 |
| Pancreas | 269 | 3.1 | 11.9 | 5.7 | 0.28 | 0.66 | 172 | 2.2 | 7.6 | 3.8 | 0.17 | 0.48 | C25 |
| Nose, sinuses etc. | 12 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 13 | 0.2 | 0.6 | 0.3 | 0.01 | 0.02 | C30–31 |
| Larynx | 85 | 1.0 | 3.8 | 1.9 | 0.12 | 0.25 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2128 | 24.2 | 94.2 | 45.3 | 2.43 | 5.51 | 1610 | 21.1 | 71.5 | 34.6 | 1.87 | 4.17 | C33–34 |
| Other thoracic organs | 15 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | 11 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C37–38 |
| Bone | 37 | 0.4 | 1.6 | 1.3 | 0.07 | 0.12 | 18 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C40–41 |
| Melanoma of skin | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 19 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 84 | 1.0 | 3.7 | 1.8 | 0.09 | 0.20 | 97 | 1.3 | 4.3 | 2.1 | 0.11 | 0.19 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 32 | 0.4 | 1.4 | 1.2 | 0.07 | 0.10 | 20 | 0.3 | 0.9 | 0.5 | 0.05 | 0.05 | C47+C49 |
| Breast | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 1129 | 14.8 | 50.2 | 29.2 | 2.43 | 3.13 | C50 |
| Vulva | | | | | | | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 480 | 6.3 | 21.3 | 12.5 | 1.02 | 1.32 | C53 |
| Corpus uteri | | | | | | | 236 | 3.1 | 10.5 | 5.8 | 0.50 | 0.65 | C54 |
| Uterus unspecified | | | | | | | 39 | 0.5 | 1.7 | 0.9 | 0.06 | 0.08 | C55 |
| Ovary | | | | | | | 171 | 2.2 | 7.6 | 4.4 | 0.36 | 0.47 | C56 |
| Other female genital organs | | | | | | | 23 | 0.3 | 1.0 | 0.5 | 0.05 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 22 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 208 | 2.4 | 9.2 | 3.8 | 0.07 | 0.35 | | | | | | | C61 |
| Testis | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 170 | 1.9 | 7.5 | 4.1 | 0.28 | 0.47 | 72 | 0.9 | 3.2 | 2.2 | 0.14 | 0.24 | C64 |
| Renal pelvis | 25 | 0.3 | 1.1 | 0.5 | 0.03 | 0.07 | 19 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 25 | 0.3 | 1.1 | 0.5 | 0.03 | 0.05 | 28 | 0.4 | 1.2 | 0.6 | 0.03 | 0.08 | C66 |
| Bladder | 410 | 4.7 | 18.2 | 8.6 | 0.40 | 1.01 | 91 | 1.2 | 4.0 | 1.9 | 0.10 | 0.21 | C67 |
| Other urinary organs | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 138 | 1.6 | 6.1 | 4.3 | 0.26 | 0.41 | 120 | 1.6 | 5.3 | 3.2 | 0.20 | 0.35 | C70–72 |
| Thyroid | 220 | 2.5 | 9.7 | 6.6 | 0.55 | 0.63 | 1099 | 14.4 | 48.8 | 32.5 | 2.77 | 3.03 | C73 |
| Adrenal gland | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 5 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 93 | 1.1 | 4.1 | 2.5 | 0.14 | 0.28 | 60 | 0.8 | 2.7 | 1.5 | 0.12 | 0.18 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 23 | 0.3 | 1.0 | 0.5 | 0.04 | 0.07 | 18 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C90 |
| Lymphoid leukaemia | 33 | 0.4 | 1.5 | 1.2 | 0.07 | 0.12 | 21 | 0.3 | 0.9 | 1.6 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 70 | 0.8 | 3.1 | 2.8 | 0.17 | 0.23 | 59 | 0.8 | 2.6 | 1.7 | 0.13 | 0.17 | C92–94 |
| Leukaemia unspecified | 97 | 1.1 | 4.3 | 2.7 | 0.14 | 0.23 | 54 | 0.7 | 2.4 | 1.3 | 0.08 | 0.16 | C95 |
| Myeloproliferative disorders | 11 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 30 | 0.3 | 1.3 | 0.7 | 0.04 | 0.09 | 18 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | MPS |
| Other and unspecified | 131 | 1.5 | 5.8 | 2.9 | 0.15 | 0.32 | 102 | 1.3 | 4.5 | 2.3 | 0.14 | 0.25 | O&U |
| All sites | 8885 | | 393.4 | 200.4 | 11.34 | 23.55 | 7745 | | 344.2 | 188.4 | 12.85 | 20.74 | C00–96 |
| All sites except C44 | 8801 | 100.0 | 389.6 | 198.6 | 11.26 | 23.36 | 7648 | 100.0 | 339.9 | 186.3 | 12.74 | 20.55 | C00–96 exc. C44 |

*See note following population pyramid

China, Zhuhai City

CONTRIBUTORS

Wenhua Mei
 Zhongwen Ye
 Shaoying Deng
 Guorong Chen
 Xiaouu Tang
 Yongyu Zhao
 Yang Pan



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 48.8 | Breast | 35.7 |
| Liver | 35.9 | Trachea, bronchus, and lung | 28.0 |
| Nasopharynx | 17.2 | Thyroid | 17.5 |
| Colon | 17.0 | Cervix uteri | 12.0 |
| Rectum | 12.7 | Colon | 12.0 |
| Stomach | 10.8 | Corpus uteri | 8.6 |
| Prostate | 10.0 | Liver | 8.2 |
| Oesophagus | 6.7 | Rectum | 7.6 |
| Bladder | 6.2 | Nasopharynx | 7.3 |
| Thyroid | 5.9 | Ovary | 6.4 |
| Non-Hodgkin lymphoma | 5.5 | Stomach | 5.6 |
| Brain and nervous system | 4.6 | Brain and nervous system | 4.5 |
| Kidney | 4.3 | Non-Hodgkin lymphoma | 4.2 |
| Pancreas | 3.9 | Pancreas | 2.8 |
| Lymphoid leukaemia | 3.1 | Myeloid leukaemia | 2.6 |
| Other and unspecified | 2.9 | Lymphoid leukaemia | 2.5 |
| Larynx | 2.6 | Other and unspecified | 2.5 |
| Non-melanoma skin cancer | 2.5 | Non-melanoma skin cancer | 2.4 |
| Myeloid leukaemia | 2.4 | Kidney | 2.1 |
| Gallbladder etc. | 1.8 | Oesophagus | 1.8 |
| All sites | 222.3 | All sites | 191.2 |

*China, Zhuhai City (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 56 | 0.7 | 2.0 | 1.5 | 0.11 | 0.19 | 25 | 0.4 | 0.9 | 0.7 | 0.06 | 0.08 | C01–02 |
| Mouth | 34 | 0.4 | 1.2 | 1.0 | 0.07 | 0.13 | 15 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 28 | 0.4 | 1.0 | 0.7 | 0.05 | 0.08 | 18 | 0.3 | 0.7 | 0.6 | 0.04 | 0.05 | C07–08 |
| Tonsil | 6 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 666 | 8.6 | 23.3 | 17.2 | 1.41 | 1.85 | 275 | 4.0 | 10.0 | 7.3 | 0.58 | 0.79 | C11 |
| Hypopharynx | 29 | 0.4 | 1.0 | 0.9 | 0.06 | 0.13 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 234 | 3.0 | 8.2 | 6.7 | 0.40 | 0.86 | 62 | 0.9 | 2.3 | 1.8 | 0.09 | 0.23 | C15 |
| Stomach | 387 | 5.0 | 13.6 | 10.8 | 0.62 | 1.24 | 207 | 3.0 | 7.5 | 5.6 | 0.31 | 0.65 | C16 |
| Small intestine | 45 | 0.6 | 1.6 | 1.2 | 0.09 | 0.14 | 39 | 0.6 | 1.4 | 1.1 | 0.07 | 0.13 | C17 |
| Colon | 612 | 7.9 | 21.5 | 17.0 | 0.91 | 2.04 | 433 | 6.3 | 15.7 | 12.0 | 0.67 | 1.42 | C18 |
| Rectum | 449 | 5.8 | 15.7 | 12.7 | 0.72 | 1.57 | 281 | 4.1 | 10.2 | 7.6 | 0.44 | 0.82 | C19–20 |
| Anus | 9 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 1317 | 16.9 | 46.2 | 35.9 | 2.51 | 4.25 | 288 | 4.2 | 10.5 | 8.2 | 0.39 | 0.98 | C22 |
| Gallbladder etc. | 64 | 0.8 | 2.2 | 1.8 | 0.06 | 0.22 | 59 | 0.9 | 2.1 | 1.5 | 0.08 | 0.17 | C23–24 |
| Pancreas | 135 | 1.7 | 4.7 | 3.9 | 0.20 | 0.49 | 99 | 1.4 | 3.6 | 2.8 | 0.17 | 0.30 | C25 |
| Nose, sinuses etc. | 19 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 91 | 1.2 | 3.2 | 2.6 | 0.15 | 0.33 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1708 | 21.9 | 59.9 | 48.8 | 2.35 | 6.12 | 1004 | 14.5 | 36.5 | 28.0 | 1.49 | 3.48 | C33–34 |
| Other thoracic organs | 28 | 0.4 | 1.0 | 0.8 | 0.05 | 0.10 | 23 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 47 | 0.6 | 1.6 | 1.4 | 0.07 | 0.11 | 45 | 0.7 | 1.6 | 1.4 | 0.06 | 0.13 | C40–41 |
| Melanoma of skin | 15 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 18 | 0.3 | 0.7 | 0.6 | 0.03 | 0.06 | C43 |
| Other skin | 90 | 1.2 | 3.2 | 2.5 | 0.10 | 0.28 | 91 | 1.3 | 3.3 | 2.4 | 0.11 | 0.28 | C44 |
| Mesothelioma | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 8 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 34 | 0.4 | 1.2 | 1.1 | 0.07 | 0.09 | 33 | 0.5 | 1.2 | 1.2 | 0.07 | 0.10 | C47+C49 |
| Breast | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1420 | 20.6 | 51.6 | 35.7 | 2.98 | 3.73 | C50 |
| Vulva | | | | | | | 17 | 0.2 | 0.6 | 0.5 | 0.02 | 0.07 | C51 |
| Vagina | | | | | | | 11 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 452 | 6.5 | 16.4 | 12.0 | 0.97 | 1.37 | C53 |
| Corpus uteri | | | | | | | 331 | 4.8 | 12.0 | 8.6 | 0.77 | 0.95 | C54 |
| Uterus unspecified | | | | | | | 45 | 0.7 | 1.6 | 1.2 | 0.11 | 0.13 | C55 |
| Ovary | | | | | | | 231 | 3.3 | 8.4 | 6.4 | 0.48 | 0.66 | C56 |
| Other female genital organs | | | | | | | 14 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 14 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 351 | 4.5 | 12.3 | 10.0 | 0.24 | 1.20 | | | | | | | C61 |
| Testis | 25 | 0.3 | 0.9 | 0.8 | 0.05 | 0.06 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 146 | 1.9 | 5.1 | 4.3 | 0.27 | 0.47 | 69 | 1.0 | 2.5 | 2.1 | 0.14 | 0.25 | C64 |
| Renal pelvis | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 14 | 0.2 | 0.5 | 0.4 | 0.01 | 0.06 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 220 | 2.8 | 7.7 | 6.2 | 0.24 | 0.72 | 57 | 0.8 | 2.1 | 1.5 | 0.06 | 0.16 | C67 |
| Other urinary organs | 12 | 0.2 | 0.4 | 0.4 | 0.01 | 0.05 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 5 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 12 | 0.2 | 0.4 | 0.7 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 140 | 1.8 | 4.9 | 4.6 | 0.26 | 0.46 | 143 | 2.1 | 5.2 | 4.5 | 0.30 | 0.45 | C70–72 |
| Thyroid | 223 | 2.9 | 7.8 | 5.9 | 0.44 | 0.53 | 665 | 9.6 | 24.2 | 17.5 | 1.45 | 1.62 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 10 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 12 | 0.2 | 0.4 | 0.4 | 0.02 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 189 | 2.4 | 6.6 | 5.5 | 0.35 | 0.61 | 144 | 2.1 | 5.2 | 4.2 | 0.28 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 66 | 0.8 | 2.3 | 1.8 | 0.11 | 0.21 | 31 | 0.4 | 1.1 | 0.9 | 0.07 | 0.12 | C90 |
| Lymphoid leukaemia | 80 | 1.0 | 2.8 | 3.1 | 0.17 | 0.23 | 56 | 0.8 | 2.0 | 2.5 | 0.15 | 0.16 | C91 |
| Myeloid leukaemia | 78 | 1.0 | 2.7 | 2.4 | 0.17 | 0.20 | 77 | 1.1 | 2.8 | 2.6 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 30 | 0.4 | 1.1 | 0.9 | 0.05 | 0.07 | 29 | 0.4 | 1.1 | 1.0 | 0.04 | 0.08 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 101 | 1.3 | 3.5 | 2.9 | 0.11 | 0.35 | 89 | 1.3 | 3.2 | 2.5 | 0.12 | 0.22 | O&U |
| All sites | 7875 | | 276.0 | 222.3 | 12.79 | 25.94 | 6998 | | 254.3 | 191.2 | 13.06 | 20.83 | C00–96 |
| All sites except C44 | 7785 | 100.0 | 272.9 | 219.8 | 12.69 | 25.65 | 6907 | 100.0 | 251.0 | 188.8 | 12.95 | 20.55 | C00–96 exc. C44 |

*See note following population pyramid

India, Ahmedabad, Urban

CONTRIBUTORS

Shashank Pandya
Anand Shah



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|------|
| Mouth | 20.7 | Breast | 24.9 |
| Tongue | 11.0 | Cervix uteri | 6.8 |
| Trachea, bronchus, and lung | 9.0 | Ovary | 4.3 |
| Other and unspecified | 6.2 | Mouth | 4.0 |
| Oesophagus | 5.4 | Tongue | 3.5 |
| Prostate | 4.2 | Other and unspecified | 3.3 |
| Non-Hodgkin lymphoma | 3.5 | Oesophagus | 3.1 |
| Hypopharynx | 3.0 | Trachea, bronchus, and lung | 2.3 |
| Larynx | 2.9 | Corpus uteri | 2.3 |
| Myeloid leukaemia | 2.6 | Gallbladder etc. | 2.1 |
| Lymphoid leukaemia | 2.5 | Non-Hodgkin lymphoma | 2.0 |
| Colon | 2.5 | Myeloid leukaemia | 1.7 |
| Rectum | 2.3 | Thyroid | 1.3 |
| Brain and nervous system | 1.8 | Lymphoid leukaemia | 1.3 |
| Bladder | 1.8 | Rectum | 1.2 |
| Stomach | 1.8 | Colon | 1.2 |
| Liver | 1.8 | Brain and nervous system | 1.2 |
| Gallbladder etc. | 1.5 | Stomach | 1.1 |
| Kidney | 1.5 | Uterus unspecified | 0.8 |
| Tonsil | 1.4 | Kidney | 0.8 |
| All sites | 101.3 | All sites | 79.2 |

India, Ahmedabad, Urban (2013–2016)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|------------|-----------|--------------------------|-------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 103 | 0.8 | 0.8 | 0.9 | 0.06 | 0.10 | 13 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1425 | 11.7 | 10.7 | 11.0 | 0.85 | 1.23 | 414 | 4.5 | 3.5 | 3.5 | 0.27 | 0.39 | C01–02 |
| Mouth | 2708 | 22.3 | 20.4 | 20.7 | 1.65 | 2.27 | 477 | 5.2 | 4.0 | 4.0 | 0.29 | 0.46 | C03–06 |
| Salivary glands | 44 | 0.4 | 0.3 | 0.3 | 0.03 | 0.04 | 36 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 163 | 1.3 | 1.2 | 1.4 | 0.10 | 0.17 | 22 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 64 | 0.5 | 0.5 | 0.5 | 0.04 | 0.07 | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 34 | 0.3 | 0.3 | 0.3 | 0.02 | 0.02 | 14 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 342 | 2.8 | 2.6 | 3.0 | 0.18 | 0.37 | 82 | 0.9 | 0.7 | 0.7 | 0.06 | 0.07 | C12–13 |
| Pharynx unspecified | 103 | 0.8 | 0.8 | 0.9 | 0.06 | 0.10 | 13 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 617 | 5.1 | 4.7 | 5.4 | 0.34 | 0.69 | 350 | 3.8 | 2.9 | 3.1 | 0.20 | 0.38 | C15 |
| Stomach | 209 | 1.7 | 1.6 | 1.8 | 0.12 | 0.22 | 128 | 1.4 | 1.1 | 1.1 | 0.08 | 0.13 | C16 |
| Small intestine | 44 | 0.4 | 0.3 | 0.4 | 0.02 | 0.04 | 15 | 0.2 | 0.1 | 0.1 | 0.01 | 0.02 | C17 |
| Colon | 295 | 2.4 | 2.2 | 2.5 | 0.15 | 0.29 | 137 | 1.5 | 1.1 | 1.2 | 0.08 | 0.14 | C18 |
| Rectum | 273 | 2.2 | 2.1 | 2.3 | 0.14 | 0.28 | 148 | 1.6 | 1.2 | 1.2 | 0.08 | 0.14 | C19–20 |
| Anus | 54 | 0.4 | 0.4 | 0.4 | 0.03 | 0.05 | 25 | 0.3 | 0.2 | 0.2 | 0.01 | 0.03 | C21 |
| Liver | 198 | 1.6 | 1.5 | 1.8 | 0.10 | 0.23 | 57 | 0.6 | 0.5 | 0.5 | 0.03 | 0.06 | C22 |
| Gallbladder etc. | 178 | 1.5 | 1.3 | 1.5 | 0.10 | 0.18 | 247 | 2.7 | 2.1 | 2.1 | 0.16 | 0.23 | C23–24 |
| Pancreas | 121 | 1.0 | 0.9 | 1.1 | 0.07 | 0.14 | 62 | 0.7 | 0.5 | 0.6 | 0.03 | 0.07 | C25 |
| Nose, sinuses etc. | 70 | 0.6 | 0.5 | 0.6 | 0.04 | 0.06 | 33 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 337 | 2.8 | 2.5 | 2.9 | 0.20 | 0.37 | 46 | 0.5 | 0.4 | 0.4 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 988 | 8.1 | 7.4 | 9.0 | 0.51 | 1.17 | 251 | 2.7 | 2.1 | 2.3 | 0.15 | 0.29 | C33–34 |
| Other thoracic organs | 23 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 14 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 153 | 1.3 | 1.2 | 1.1 | 0.07 | 0.09 | 85 | 0.9 | 0.7 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 23 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | 21 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 116 | 1.0 | 0.9 | 1.0 | 0.05 | 0.12 | 81 | 0.9 | 0.7 | 0.7 | 0.04 | 0.08 | C44 |
| Mesothelioma | 15 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 5 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 82 | 0.7 | 0.6 | 0.7 | 0.04 | 0.08 | 81 | 0.9 | 0.7 | 0.7 | 0.05 | 0.07 | C47+C49 |
| Breast | 94 | 0.8 | 0.7 | 0.8 | 0.05 | 0.09 | 2966 | 32.1 | 24.8 | 24.9 | 1.92 | 2.84 | C50 |
| Vulva | | | | | | | 42 | 0.5 | 0.4 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 86 | 0.9 | 0.7 | 0.7 | 0.06 | 0.09 | C52 |
| Cervix uteri | | | | | | | 820 | 8.9 | 6.8 | 6.8 | 0.54 | 0.78 | C53 |
| Corpus uteri | | | | | | | 253 | 2.7 | 2.1 | 2.3 | 0.17 | 0.30 | C54 |
| Uterus unspecified | | | | | | | 109 | 1.2 | 0.9 | 0.8 | 0.07 | 0.08 | C55 |
| Ovary | | | | | | | 512 | 5.5 | 4.3 | 4.3 | 0.33 | 0.48 | C56 |
| Other female genital organs | | | | | | | 14 | 0.2 | 0.1 | 0.1 | 0.00 | 0.02 | C57 |
| Placenta | | | | | | | 7 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 91 | 0.7 | 0.7 | 0.8 | 0.05 | 0.09 | | | | | | | C60 |
| Prostate | 429 | 3.5 | 3.2 | 4.2 | 0.14 | 0.55 | | | | | | | C61 |
| Testis | 74 | 0.6 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 165 | 1.4 | 1.2 | 1.5 | 0.09 | 0.18 | 89 | 1.0 | 0.7 | 0.8 | 0.06 | 0.08 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 199 | 1.6 | 1.5 | 1.8 | 0.09 | 0.22 | 63 | 0.7 | 0.5 | 0.6 | 0.03 | 0.06 | C67 |
| Other urinary organs | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 7 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 13 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 11 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 237 | 2.0 | 1.8 | 1.8 | 0.13 | 0.18 | 141 | 1.5 | 1.2 | 1.2 | 0.09 | 0.11 | C70–72 |
| Thyroid | 73 | 0.6 | 0.6 | 0.5 | 0.04 | 0.05 | 172 | 1.9 | 1.4 | 1.3 | 0.10 | 0.13 | C73 |
| Adrenal gland | 12 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 117 | 1.0 | 0.9 | 0.9 | 0.06 | 0.07 | 67 | 0.7 | 0.6 | 0.5 | 0.04 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 413 | 3.4 | 3.1 | 3.5 | 0.20 | 0.39 | 232 | 2.5 | 1.9 | 2.0 | 0.14 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 122 | 1.0 | 0.9 | 1.1 | 0.07 | 0.13 | 89 | 1.0 | 0.7 | 0.8 | 0.06 | 0.09 | C90 |
| Lymphoid leukaemia | 289 | 2.4 | 2.2 | 2.5 | 0.13 | 0.24 | 129 | 1.4 | 1.1 | 1.3 | 0.06 | 0.11 | C91 |
| Myeloid leukaemia | 341 | 2.8 | 2.6 | 2.6 | 0.19 | 0.27 | 209 | 2.3 | 1.7 | 1.7 | 0.12 | 0.17 | C92–94 |
| Leukaemia unspecified | 66 | 0.5 | 0.5 | 0.6 | 0.03 | 0.05 | 30 | 0.3 | 0.3 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 7 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | MPS |
| Other and unspecified | 716 | 5.9 | 5.4 | 6.2 | 0.40 | 0.75 | 376 | 4.1 | 3.1 | 3.3 | 0.23 | 0.38 | O&U |
| All sites | 12263 | | 92.4 | 101.3 | 6.76 | 11.80 | 9309 | | 77.7 | 79.2 | 5.77 | 8.96 | C00–96 |
| All sites except C44 | 12147 | 100.0 | 91.6 | 100.3 | 6.71 | 11.68 | 9228 | 100.0 | 77.0 | 78.5 | 5.73 | 8.88 | C00–96 exc. C44 |


§Includes 6 cases of unknown age

§Includes 6 cases of unknown age

India, Aurangabad

CONTRIBUTORS

Vinay Deshmane
Shravani Koyande
B.K. Shewalkar



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|------|
| Mouth | 12.6 | Breast | 25.2 |
| Trachea, bronchus, and lung | 9.1 | Cervix uteri | 14.6 |
| Tongue | 6.4 | Ovary | 4.1 |
| Oesophagus | 5.6 | Trachea, bronchus, and lung | 3.5 |
| Larynx | 4.2 | Mouth | 3.1 |
| Prostate | 3.0 | Oesophagus | 3.1 |
| Hypopharynx | 2.8 | Corpus uteri | 2.4 |
| Stomach | 2.6 | Tongue | 2.1 |
| Rectum | 2.4 | Rectum | 1.6 |
| Lymphoid leukaemia | 2.3 | Non-Hodgkin lymphoma | 1.4 |
| Non-Hodgkin lymphoma | 2.2 | Stomach | 1.3 |
| Other and unspecified | 2.2 | Other and unspecified | 1.2 |
| Brain and nervous system | 1.7 | Lymphoid leukaemia | 1.1 |
| Bladder | 1.7 | Colon | 1.1 |
| Colon | 1.7 | Brain and nervous system | 1.0 |
| Liver | 1.2 | Bladder | 0.9 |
| Myeloid leukaemia | 1.2 | Myeloid leukaemia | 0.8 |
| Non-melanoma skin cancer | 1.0 | Non-melanoma skin cancer | 0.7 |
| Connective and soft tissue | 0.8 | Liver | 0.6 |
| Multiple myeloma | 0.8 | Hypopharynx | 0.5 |
| All sites | 72.8 | All sites | 76.4 |


India, Aurangabad (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 199 | 9.8 | 5.7 | 6.4 | 0.49 | 0.67 | 54 | 2.6 | 1.6 | 2.1 | 0.15 | 0.26 | C01–02 |
| Mouth | 383 | 18.9 | 11.0 | 12.6 | 0.91 | 1.40 | 87 | 4.1 | 2.7 | 3.1 | 0.23 | 0.36 | C03–06 |
| Salivary glands | 6 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 13 | 0.6 | 0.4 | 0.5 | 0.04 | 0.05 | 11 | 0.5 | 0.3 | 0.4 | 0.01 | 0.06 | C09 |
| Other oropharynx | 7 | 0.3 | 0.2 | 0.3 | 0.02 | 0.05 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 5 | 0.2 | 0.1 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 70 | 3.5 | 2.0 | 2.8 | 0.13 | 0.39 | 16 | 0.8 | 0.5 | 0.5 | 0.05 | 0.06 | C12–13 |
| Pharynx unspecified | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.02 | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 144 | 7.1 | 4.1 | 5.6 | 0.32 | 0.70 | 79 | 3.8 | 2.4 | 3.1 | 0.18 | 0.43 | C15 |
| Stomach | 70 | 3.5 | 2.0 | 2.6 | 0.13 | 0.34 | 35 | 1.7 | 1.1 | 1.3 | 0.10 | 0.15 | C16 |
| Small intestine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C17 |
| Colon | 45 | 2.2 | 1.3 | 1.7 | 0.12 | 0.21 | 32 | 1.5 | 1.0 | 1.1 | 0.08 | 0.11 | C18 |
| Rectum | 70 | 3.5 | 2.0 | 2.4 | 0.16 | 0.29 | 45 | 2.1 | 1.4 | 1.6 | 0.10 | 0.20 | C19–20 |
| Anus | 11 | 0.5 | 0.3 | 0.4 | 0.02 | 0.05 | 8 | 0.4 | 0.2 | 0.2 | 0.02 | 0.02 | C21 |
| Liver | 30 | 1.5 | 0.9 | 1.2 | 0.08 | 0.17 | 15 | 0.7 | 0.5 | 0.6 | 0.04 | 0.08 | C22 |
| Gallbladder etc. | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.3 | 0.2 | 0.2 | 0.01 | 0.03 | C23–24 |
| Pancreas | 14 | 0.7 | 0.4 | 0.5 | 0.04 | 0.05 | 11 | 0.5 | 0.3 | 0.4 | 0.04 | 0.04 | C25 |
| Nose, sinuses etc. | 13 | 0.6 | 0.4 | 0.4 | 0.03 | 0.05 | 11 | 0.5 | 0.3 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 109 | 5.4 | 3.1 | 4.2 | 0.31 | 0.51 | 13 | 0.6 | 0.4 | 0.5 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 235 | 11.6 | 6.7 | 9.1 | 0.53 | 1.27 | 93 | 4.4 | 2.8 | 3.5 | 0.20 | 0.47 | C33–34 |
| Other thoracic organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 22 | 1.1 | 0.6 | 0.6 | 0.03 | 0.06 | 9 | 0.4 | 0.3 | 0.3 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 29 | 1.4 | 0.8 | 1.0 | 0.06 | 0.09 | 22 | 1.0 | 0.7 | 0.7 | 0.04 | 0.07 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 27 | 1.3 | 0.8 | 0.8 | 0.06 | 0.09 | 17 | 0.8 | 0.5 | 0.5 | 0.03 | 0.05 | C47+C49 |
| Breast | 18 | 0.9 | 0.5 | 0.6 | 0.04 | 0.06 | 700 | 33.3 | 21.3 | 25.2 | 2.08 | 2.82 | C50 |
| Vulva | | | | | | | 10 | 0.5 | 0.3 | 0.4 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 11 | 0.5 | 0.3 | 0.5 | 0.02 | 0.07 | C52 |
| Cervix uteri | | | | | | | 399 | 19.0 | 12.2 | 14.6 | 1.10 | 1.73 | C53 |
| Corpus uteri | | | | | | | 61 | 2.9 | 1.9 | 2.4 | 0.17 | 0.33 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 114 | 5.4 | 3.5 | 4.1 | 0.31 | 0.49 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 11 | 0.5 | 0.3 | 0.4 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 71 | 3.5 | 2.0 | 3.0 | 0.09 | 0.40 | | | | | | | C61 |
| Testis | 19 | 0.9 | 0.5 | 0.5 | 0.03 | 0.04 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 17 | 0.8 | 0.5 | 0.7 | 0.02 | 0.10 | 7 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 42 | 2.1 | 1.2 | 1.7 | 0.11 | 0.22 | 24 | 1.1 | 0.7 | 0.9 | 0.06 | 0.12 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 56 | 2.8 | 1.6 | 1.7 | 0.12 | 0.15 | 34 | 1.6 | 1.0 | 1.0 | 0.07 | 0.10 | C70–72 |
| Thyroid | 9 | 0.4 | 0.3 | 0.4 | 0.02 | 0.05 | 11 | 0.5 | 0.3 | 0.3 | 0.02 | 0.04 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 21 | 1.0 | 0.6 | 0.6 | 0.04 | 0.07 | 14 | 0.7 | 0.4 | 0.4 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 68 | 3.4 | 1.9 | 2.2 | 0.15 | 0.25 | 41 | 2.0 | 1.2 | 1.4 | 0.09 | 0.15 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 22 | 1.1 | 0.6 | 0.8 | 0.05 | 0.12 | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C90 |
| Lymphoid leukaemia | 71 | 3.5 | 2.0 | 2.3 | 0.12 | 0.17 | 35 | 1.7 | 1.1 | 1.1 | 0.07 | 0.08 | C91 |
| Myeloid leukaemia | 38 | 1.9 | 1.1 | 1.2 | 0.07 | 0.12 | 26 | 1.2 | 0.8 | 0.8 | 0.06 | 0.06 | C92–94 |
| Leukaemia unspecified | 17 | 0.8 | 0.5 | 0.5 | 0.03 | 0.04 | 10 | 0.5 | 0.3 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 58 | 2.9 | 1.7 | 2.2 | 0.15 | 0.26 | 33 | 1.6 | 1.0 | 1.2 | 0.07 | 0.13 | O&U |
| All sites | 2057 | | 58.9 | 72.8 | 4.61 | 8.64 | 2123 | | 64.7 | 76.4 | 5.67 | 8.87 | C00–96 |
| All sites except C44 | 2028 | 100.0 | 58.1 | 71.8 | 4.55 | 8.55 | 2101 | 100.0 | 64.0 | 75.7 | 5.63 | 8.79 | C00–96 exc. C44 |

India, Bangalore

CONTRIBUTORS

C. Ramachandra
C. Ramesh
C.R. Vijay
B.R. Gopalakrishnappa



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 13.5 | Breast | 45.1 |
| Other and unspecified | 10.1 | Cervix uteri | 18.4 |
| Prostate | 9.3 | Ovary | 10.7 |
| Stomach | 8.8 | Other and unspecified | 8.0 |
| Oesophagus | 7.2 | Mouth | 6.9 |
| Liver | 6.1 | Corpus uteri | 6.5 |
| Non-Hodgkin lymphoma | 6.0 | Trachea, bronchus, and lung | 6.1 |
| Mouth | 5.5 | Oesophagus | 5.5 |
| Tongue | 5.4 | Stomach | 5.3 |
| Colon | 4.7 | Thyroid | 5.3 |
| Larynx | 4.4 | Non-Hodgkin lymphoma | 4.0 |
| Rectum | 4.3 | Colon | 3.8 |
| Brain and nervous system | 4.0 | Rectum | 3.2 |
| Hypopharynx | 4.0 | Brain and nervous system | 3.0 |
| Bladder | 3.4 | Myeloid leukaemia | 2.3 |
| Lymphoid leukaemia | 3.0 | Gallbladder etc. | 2.3 |
| Myeloid leukaemia | 2.9 | Liver | 2.3 |
| Kidney | 2.5 | Tongue | 1.8 |
| Pancreas | 2.4 | Lymphoid leukaemia | 1.7 |
| Thyroid | 2.3 | Multiple myeloma | 1.6 |
| All sites | 129.8 | All sites | 159.5 |

India, Bangalore (2013–2015)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 21 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | 17 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 652 | 4.5 | 4.6 | 5.4 | 0.37 | 0.66 | 199 | 1.1 | 1.5 | 1.8 | 0.11 | 0.21 | C01–02 |
| Mouth | 679 | 4.7 | 4.8 | 5.5 | 0.39 | 0.66 | 742 | 4.1 | 5.7 | 6.9 | 0.41 | 0.86 | C03–06 |
| Salivary glands | 63 | 0.4 | 0.4 | 0.5 | 0.03 | 0.05 | 48 | 0.3 | 0.4 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 150 | 1.0 | 1.1 | 1.4 | 0.10 | 0.17 | 27 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 159 | 1.1 | 1.1 | 1.4 | 0.10 | 0.18 | 26 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 70 | 0.5 | 0.5 | 0.6 | 0.04 | 0.06 | 33 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 432 | 3.0 | 3.1 | 4.0 | 0.23 | 0.53 | 121 | 0.7 | 0.9 | 1.1 | 0.08 | 0.12 | C12–13 |
| Pharynx unspecified | 41 | 0.3 | 0.3 | 0.4 | 0.02 | 0.04 | 15 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 758 | 5.2 | 5.4 | 7.2 | 0.38 | 0.95 | 577 | 3.2 | 4.4 | 5.5 | 0.30 | 0.71 | C15 |
| Stomach | 977 | 6.7 | 6.9 | 8.8 | 0.47 | 1.12 | 589 | 3.3 | 4.5 | 5.3 | 0.32 | 0.64 | C16 |
| Small intestine | 46 | 0.3 | 0.3 | 0.4 | 0.02 | 0.05 | 27 | 0.2 | 0.2 | 0.2 | 0.02 | 0.03 | C17 |
| Colon | 525 | 3.6 | 3.7 | 4.7 | 0.22 | 0.59 | 409 | 2.3 | 3.1 | 3.8 | 0.22 | 0.46 | C18 |
| Rectum | 502 | 3.4 | 3.6 | 4.3 | 0.24 | 0.52 | 367 | 2.0 | 2.8 | 3.2 | 0.20 | 0.41 | C19–20 |
| Anus | 42 | 0.3 | 0.3 | 0.4 | 0.02 | 0.04 | 47 | 0.3 | 0.4 | 0.4 | 0.02 | 0.05 | C21 |
| Liver | 651 | 4.5 | 4.6 | 6.1 | 0.27 | 0.80 | 244 | 1.4 | 1.9 | 2.3 | 0.14 | 0.27 | C22 |
| Gallbladder etc. | 223 | 1.5 | 1.6 | 2.0 | 0.12 | 0.26 | 251 | 1.4 | 1.9 | 2.3 | 0.15 | 0.28 | C23–24 |
| Pancreas | 256 | 1.8 | 1.8 | 2.4 | 0.12 | 0.30 | 173 | 1.0 | 1.3 | 1.6 | 0.10 | 0.19 | C25 |
| Nose, sinuses etc. | 52 | 0.4 | 0.4 | 0.4 | 0.02 | 0.05 | 50 | 0.3 | 0.4 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 470 | 3.2 | 3.3 | 4.4 | 0.25 | 0.57 | 75 | 0.4 | 0.6 | 0.7 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 1444 | 9.9 | 10.2 | 13.5 | 0.68 | 1.76 | 655 | 3.7 | 5.0 | 6.1 | 0.39 | 0.77 | C33–34 |
| Other thoracic organs | 34 | 0.2 | 0.2 | 0.3 | 0.02 | 0.03 | 27 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 216 | 1.5 | 1.5 | 1.7 | 0.11 | 0.16 | 156 | 0.9 | 1.2 | 1.3 | 0.08 | 0.11 | C40–41 |
| Melanoma of skin | 42 | 0.3 | 0.3 | 0.4 | 0.03 | 0.05 | 35 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 104 | 0.7 | 0.7 | 0.9 | 0.05 | 0.10 | 97 | 0.5 | 0.7 | 0.8 | 0.05 | 0.09 | C44 |
| Mesothelioma | 8 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 203 | 1.4 | 1.4 | 1.6 | 0.10 | 0.16 | 149 | 0.8 | 1.1 | 1.2 | 0.08 | 0.14 | C47+C49 |
| Breast | 126 | 0.9 | 0.9 | 1.1 | 0.07 | 0.12 | 5186 | 29.0 | 39.6 | 45.1 | 3.35 | 5.26 | C50 |
| Vulva | | | | | | | 52 | 0.3 | 0.4 | 0.5 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 77 | 0.4 | 0.6 | 0.7 | 0.05 | 0.09 | C52 |
| Cervix uteri | | | | | | | 2047 | 11.4 | 15.6 | 18.4 | 1.32 | 2.21 | C53 |
| Corpus uteri | | | | | | | 691 | 3.9 | 5.3 | 6.5 | 0.47 | 0.83 | C54 |
| Uterus unspecified | | | | | | | 74 | 0.4 | 0.6 | 0.7 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 1206 | 6.7 | 9.2 | 10.7 | 0.76 | 1.31 | C56 |
| Other female genital organs | | | | | | | 9 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 10 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 109 | 0.7 | 0.8 | 0.9 | 0.06 | 0.11 | | | | | | | C60 |
| Prostate | 946 | 6.5 | 6.7 | 9.3 | 0.24 | 1.09 | | | | | | | C61 |
| Testis | 57 | 0.4 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 276 | 1.9 | 2.0 | 2.5 | 0.15 | 0.28 | 127 | 0.7 | 1.0 | 1.2 | 0.07 | 0.14 | C64 |
| Renal pelvis | 6 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 369 | 2.5 | 2.6 | 3.4 | 0.14 | 0.38 | 96 | 0.5 | 0.7 | 0.9 | 0.05 | 0.11 | C67 |
| Other urinary organs | 7 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 14 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 494 | 3.4 | 3.5 | 4.0 | 0.26 | 0.44 | 348 | 1.9 | 2.7 | 3.0 | 0.21 | 0.31 | C70–72 |
| Thyroid | 305 | 2.1 | 2.2 | 2.4 | 0.15 | 0.27 | 711 | 4.0 | 5.4 | 5.3 | 0.38 | 0.54 | C73 |
| Adrenal gland | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 13 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 35 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | 21 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 205 | 1.4 | 1.5 | 1.6 | 0.11 | 0.15 | 113 | 0.6 | 0.9 | 0.9 | 0.05 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 707 | 4.8 | 5.0 | 6.0 | 0.36 | 0.69 | 447 | 2.5 | 3.4 | 4.0 | 0.24 | 0.46 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 241 | 1.7 | 1.7 | 2.3 | 0.11 | 0.29 | 171 | 1.0 | 1.3 | 1.6 | 0.10 | 0.20 | C90 |
| Lymphoid leukaemia | 329 | 2.3 | 2.3 | 3.0 | 0.14 | 0.29 | 189 | 1.1 | 1.4 | 1.7 | 0.09 | 0.14 | C91 |
| Myeloid leukaemia | 376 | 2.6 | 2.7 | 2.9 | 0.19 | 0.29 | 289 | 1.6 | 2.2 | 2.3 | 0.14 | 0.23 | C92–94 |
| Leukaemia unspecified | 78 | 0.5 | 0.6 | 0.6 | 0.04 | 0.06 | 38 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 6 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 1163 | 8.0 | 8.2 | 10.1 | 0.55 | 1.17 | 896 | 5.0 | 6.8 | 8.0 | 0.45 | 0.89 | O&U |
| All sites | 14689 | | 103.9 | 129.8 | 7.05 | 15.63 | 18003 | | 137.3 | 159.5 | 10.76 | 18.76 | C00–96 |
| All sites except C44 | 14585 | 100.0 | 103.2 | 128.9 | 7.00 | 15.52 | 17906 | 100.0 | 136.6 | 158.7 | 10.71 | 18.67 | C00–96 exc. C44 |


§Includes 2 cases of unknown age

§Includes 3 cases of unknown age

India, Barshi, Paranda, and Bhum

CONTRIBUTORS

R.A. Badwe
Rajesh Dikshit
N.S. Panse
B.M. Nene



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|------|-----------------------------|------|
| Mouth | 4.9 | Cervix uteri | 14.9 |
| Other and unspecified | 3.9 | Breast | 12.9 |
| Liver | 3.6 | Ovary | 4.1 |
| Oesophagus | 3.5 | Other and unspecified | 2.8 |
| Brain and nervous system | 2.9 | Oesophagus | 2.6 |
| Prostate | 2.9 | Thyroid | 2.1 |
| Rectum | 2.4 | Trachea, bronchus, and lung | 1.9 |
| Stomach | 2.3 | Rectum | 1.7 |
| Trachea, bronchus, and lung | 2.2 | Stomach | 1.5 |
| Tongue | 1.9 | Non-melanoma skin cancer | 1.4 |
| Non-Hodgkin lymphoma | 1.9 | Mouth | 1.4 |
| Larynx | 1.8 | Brain and nervous system | 1.2 |
| Non-melanoma skin cancer | 1.7 | Tongue | 1.0 |
| Hypopharynx | 1.5 | Non-Hodgkin lymphoma | 0.9 |
| Bladder | 1.4 | Colon | 0.9 |
| Myeloid leukaemia | 1.4 | Myeloid leukaemia | 0.8 |
| Penis | 1.3 | Bone | 0.8 |
| Colon | 1.0 | Corpus uteri | 0.8 |
| Pancreas | 1.0 | Vagina | 0.7 |
| Bone | 0.9 | Liver | 0.7 |
| All sites | 50.9 | All sites | 61.6 |


India, Barshi, Paranda, and Bhum (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.6 | 0.3 | 0.2 | 0.00 | 0.02 | 3 | 0.4 | 0.2 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 27 | 3.8 | 2.0 | 1.9 | 0.14 | 0.22 | 14 | 1.7 | 1.1 | 1.0 | 0.08 | 0.12 | C01–02 |
| Mouth | 65 | 9.0 | 4.8 | 4.9 | 0.41 | 0.58 | 19 | 2.3 | 1.6 | 1.4 | 0.09 | 0.15 | C03–06 |
| Salivary glands | 4 | 0.6 | 0.3 | 0.3 | 0.03 | 0.03 | 2 | 0.2 | 0.2 | 0.1 | 0.00 | 0.02 | C07–08 |
| Tonsil | 2 | 0.3 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 1 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 24 | 3.3 | 1.8 | 1.5 | 0.06 | 0.20 | 5 | 0.6 | 0.4 | 0.4 | 0.04 | 0.05 | C12–13 |
| Pharynx unspecified | 5 | 0.7 | 0.4 | 0.3 | 0.01 | 0.04 | 2 | 0.2 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 53 | 7.4 | 3.9 | 3.5 | 0.17 | 0.41 | 40 | 4.9 | 3.3 | 2.6 | 0.14 | 0.34 | C15 |
| Stomach | 31 | 4.3 | 2.3 | 2.3 | 0.18 | 0.26 | 22 | 2.7 | 1.8 | 1.5 | 0.10 | 0.15 | C16 |
| Small intestine | 2 | 0.3 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C17 |
| Colon | 14 | 1.9 | 1.0 | 1.0 | 0.06 | 0.11 | 13 | 1.6 | 1.1 | 0.9 | 0.07 | 0.10 | C18 |
| Rectum | 32 | 4.5 | 2.3 | 2.4 | 0.18 | 0.28 | 24 | 3.0 | 2.0 | 1.7 | 0.13 | 0.18 | C19–20 |
| Anus | 3 | 0.4 | 0.2 | 0.2 | 0.01 | 0.03 | 5 | 0.6 | 0.4 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 52 | 7.2 | 3.8 | 3.6 | 0.22 | 0.46 | 8 | 1.0 | 0.7 | 0.7 | 0.04 | 0.06 | C22 |
| Gallbladder etc. | 11 | 1.5 | 0.8 | 0.8 | 0.07 | 0.11 | 9 | 1.1 | 0.7 | 0.6 | 0.02 | 0.07 | C23–24 |
| Pancreas | 15 | 2.1 | 1.1 | 1.0 | 0.04 | 0.14 | 5 | 0.6 | 0.4 | 0.3 | 0.02 | 0.04 | C25 |
| Nose, sinuses etc. | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 27 | 3.8 | 2.0 | 1.8 | 0.10 | 0.22 | 2 | 0.2 | 0.2 | 0.1 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 32 | 4.5 | 2.3 | 2.2 | 0.13 | 0.28 | 27 | 3.3 | 2.2 | 1.9 | 0.13 | 0.20 | C33–34 |
| Other thoracic organs | 5 | 0.7 | 0.4 | 0.3 | 0.01 | 0.03 | 4 | 0.5 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 13 | 1.8 | 1.0 | 0.9 | 0.08 | 0.10 | 10 | 1.2 | 0.8 | 0.8 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.2 | 0.2 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 23 | 3.2 | 1.7 | 1.7 | 0.13 | 0.19 | 20 | 2.5 | 1.6 | 1.4 | 0.11 | 0.17 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3 | 0.4 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.6 | 0.4 | 0.4 | 0.03 | 0.03 | C47+C49 |
| Breast | 4 | 0.6 | 0.3 | 0.2 | 0.01 | 0.05 | 170 | 20.9 | 13.9 | 12.9 | 1.02 | 1.48 | C50 |
| Vulva | | | | | | | 4 | 0.5 | 0.3 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 9 | 1.1 | 0.7 | 0.7 | 0.08 | 0.08 | C52 |
| Cervix uteri | | | | | | | 203 | 25.0 | 16.6 | 14.9 | 1.13 | 1.74 | C53 |
| Corpus uteri | | | | | | | 11 | 1.4 | 0.9 | 0.8 | 0.04 | 0.11 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 56 | 6.9 | 4.6 | 4.1 | 0.31 | 0.46 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 18 | 2.5 | 1.3 | 1.3 | 0.10 | 0.14 | | | | | | | C60 |
| Prostate | 49 | 6.8 | 3.6 | 2.9 | 0.09 | 0.40 | | | | | | | C61 |
| Testis | 9 | 1.3 | 0.7 | 0.6 | 0.05 | 0.06 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 3 | 0.4 | 0.2 | 0.2 | 0.01 | 0.03 | 7 | 0.9 | 0.6 | 0.6 | 0.04 | 0.04 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 23 | 3.2 | 1.7 | 1.4 | 0.05 | 0.18 | 4 | 0.5 | 0.3 | 0.3 | 0.02 | 0.03 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.2 | 0.2 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 39 | 5.4 | 2.9 | 2.9 | 0.22 | 0.29 | 15 | 1.8 | 1.2 | 1.2 | 0.09 | 0.11 | C70–72 |
| Thyroid | 5 | 0.7 | 0.4 | 0.4 | 0.04 | 0.04 | 28 | 3.4 | 2.3 | 2.1 | 0.15 | 0.23 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 4 | 0.6 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 29 | 4.0 | 2.1 | 1.9 | 0.10 | 0.23 | 13 | 1.6 | 1.1 | 0.9 | 0.05 | 0.13 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 10 | 1.4 | 0.7 | 0.7 | 0.04 | 0.09 | 4 | 0.5 | 0.3 | 0.3 | 0.02 | 0.03 | C90 |
| Lymphoid leukaemia | 10 | 1.4 | 0.7 | 0.7 | 0.04 | 0.09 | 5 | 0.6 | 0.4 | 0.5 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 18 | 2.5 | 1.3 | 1.4 | 0.10 | 0.13 | 11 | 1.4 | 0.9 | 0.8 | 0.07 | 0.07 | C92–94 |
| Leukaemia unspecified | 9 | 1.3 | 0.7 | 0.7 | 0.04 | 0.05 | 6 | 0.7 | 0.5 | 0.6 | 0.04 | 0.04 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 59 | 8.2 | 4.3 | 3.9 | 0.18 | 0.45 | 38 | 4.7 | 3.1 | 2.8 | 0.18 | 0.33 | O&U |
| All sites | 742 | | 54.4 | 50.9 | 3.14 | 6.06 | 832 | | 68.1 | 61.6 | 4.45 | 6.89 | C00–96 |
| All sites except C44 | 719 | 100.0 | 52.7 | 49.3 | 3.01 | 5.86 | 812 | 100.0 | 66.5 | 60.1 | 4.34 | 6.72 | C00–96 exc. C44 |

India, Bhopal

CONTRIBUTORS

Reeni Malik
 Atul Shrivastava
 Arvind Rai
 O.P. Singh
 Aruna Kumar
 Shyam Agarwal
 Ravi Gupta
 Ajay Goyanka
 Divya Parashar
 Atul Sumaya



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Mouth | 17.4 | Breast | 34.6 |
| Trachea, bronchus, and lung | 12.2 | Cervix uteri | 12.9 |
| Tongue | 9.1 | Ovary | 8.3 |
| Larynx | 6.4 | Gallbladder etc. | 6.2 |
| Prostate | 5.1 | Mouth | 5.8 |
| Oesophagus | 4.8 | Tongue | 4.5 |
| Other and unspecified | 4.6 | Oesophagus | 3.8 |
| Hypopharynx | 3.9 | Trachea, bronchus, and lung | 3.5 |
| Non-Hodgkin lymphoma | 3.6 | Corpus uteri | 3.3 |
| Colon | 2.7 | Other and unspecified | 2.6 |
| Gallbladder etc. | 2.6 | Colon | 2.4 |
| Brain and nervous system | 2.3 | Non-Hodgkin lymphoma | 1.9 |
| Bladder | 2.3 | Rectum | 1.5 |
| Liver | 2.1 | Myeloid leukaemia | 1.5 |
| Lymphoid leukaemia | 2.1 | Non-melanoma skin cancer | 1.4 |
| Myeloid leukaemia | 2.1 | Liver | 1.3 |
| Stomach | 2.1 | Multiple myeloma | 1.3 |
| Rectum | 1.8 | Thyroid | 1.3 |
| Non-melanoma skin cancer | 1.6 | Connective and soft tissue | 1.1 |
| Multiple myeloma | 1.6 | Brain and nervous system | 1.1 |
| All sites | 105.1 | All sites | 110.3 |

*India, Bhopal (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 12 | 0.4 | 0.4 | 0.4 | 0.04 | 0.05 | 7 | 0.2 | 0.2 | 0.3 | 0.02 | 0.03 | C00 |
| Tongue | 271 | 9.7 | 8.3 | 9.1 | 0.74 | 1.01 | 117 | 4.2 | 3.9 | 4.5 | 0.32 | 0.56 | C01–02 |
| Mouth | 509 | 18.2 | 15.7 | 17.4 | 1.33 | 1.95 | 145 | 5.2 | 4.8 | 5.8 | 0.40 | 0.72 | C03–06 |
| Salivary glands | 15 | 0.5 | 0.5 | 0.6 | 0.03 | 0.08 | 8 | 0.3 | 0.3 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 42 | 1.5 | 1.3 | 1.6 | 0.12 | 0.18 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 23 | 0.8 | 0.7 | 0.9 | 0.06 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 16 | 0.6 | 0.5 | 0.6 | 0.05 | 0.06 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 101 | 3.6 | 3.1 | 3.9 | 0.27 | 0.54 | 13 | 0.5 | 0.4 | 0.4 | 0.03 | 0.03 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 122 | 4.4 | 3.8 | 4.8 | 0.32 | 0.62 | 95 | 3.4 | 3.1 | 3.8 | 0.28 | 0.48 | C15 |
| Stomach | 55 | 2.0 | 1.7 | 2.1 | 0.15 | 0.28 | 24 | 0.9 | 0.8 | 1.0 | 0.05 | 0.15 | C16 |
| Small intestine | 7 | 0.3 | 0.2 | 0.3 | 0.02 | 0.03 | 5 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C17 |
| Colon | 74 | 2.6 | 2.3 | 2.7 | 0.19 | 0.29 | 59 | 2.1 | 2.0 | 2.4 | 0.17 | 0.29 | C18 |
| Rectum | 50 | 1.8 | 1.5 | 1.8 | 0.10 | 0.21 | 40 | 1.4 | 1.3 | 1.5 | 0.10 | 0.19 | C19–20 |
| Anus | 14 | 0.5 | 0.4 | 0.6 | 0.03 | 0.08 | 10 | 0.4 | 0.3 | 0.4 | 0.03 | 0.05 | C21 |
| Liver | 54 | 1.9 | 1.7 | 2.1 | 0.13 | 0.28 | 31 | 1.1 | 1.0 | 1.3 | 0.07 | 0.19 | C22 |
| Gallbladder etc. | 66 | 2.4 | 2.0 | 2.6 | 0.15 | 0.31 | 151 | 5.4 | 5.0 | 6.2 | 0.42 | 0.78 | C23–24 |
| Pancreas | 30 | 1.1 | 0.9 | 1.1 | 0.08 | 0.15 | 26 | 0.9 | 0.9 | 1.1 | 0.08 | 0.15 | C25 |
| Nose, sinuses etc. | 5 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 158 | 5.7 | 4.9 | 6.4 | 0.43 | 0.79 | 21 | 0.8 | 0.7 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 303 | 10.8 | 9.3 | 12.2 | 0.72 | 1.59 | 85 | 3.0 | 2.8 | 3.5 | 0.24 | 0.43 | C33–34 |
| Other thoracic organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 30 | 1.1 | 0.9 | 0.9 | 0.06 | 0.06 | 27 | 1.0 | 0.9 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 42 | 1.5 | 1.3 | 1.6 | 0.08 | 0.19 | 37 | 1.3 | 1.2 | 1.4 | 0.09 | 0.15 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 36 | 1.3 | 1.1 | 1.2 | 0.08 | 0.09 | 31 | 1.1 | 1.0 | 1.1 | 0.08 | 0.09 | C47+C49 |
| Breast | 36 | 1.3 | 1.1 | 1.3 | 0.08 | 0.15 | 900 | 32.1 | 29.8 | 34.6 | 2.78 | 4.00 | C50 |
| Vulva | | | | | | | 9 | 0.3 | 0.3 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 12 | 0.4 | 0.4 | 0.5 | 0.03 | 0.07 | C52 |
| Cervix uteri | | | | | | | 327 | 11.7 | 10.8 | 12.9 | 0.99 | 1.55 | C53 |
| Corpus uteri | | | | | | | 78 | 2.8 | 2.6 | 3.3 | 0.24 | 0.41 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.3 | 0.3 | 0.3 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 216 | 7.7 | 7.2 | 8.3 | 0.61 | 0.95 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 11 | 0.4 | 0.4 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 18 | 0.6 | 0.6 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 121 | 4.3 | 3.7 | 5.1 | 0.15 | 0.64 | | | | | | | C61 |
| Testis | 25 | 0.9 | 0.8 | 0.8 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 36 | 1.3 | 1.1 | 1.4 | 0.08 | 0.13 | 20 | 0.7 | 0.7 | 0.8 | 0.07 | 0.07 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 57 | 2.0 | 1.8 | 2.3 | 0.13 | 0.26 | 19 | 0.7 | 0.6 | 0.8 | 0.04 | 0.08 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 6 | 0.2 | 0.2 | 0.3 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 67 | 2.4 | 2.1 | 2.3 | 0.13 | 0.26 | 31 | 1.1 | 1.0 | 1.1 | 0.09 | 0.11 | C70–72 |
| Thyroid | 14 | 0.5 | 0.4 | 0.5 | 0.03 | 0.05 | 38 | 1.4 | 1.3 | 1.3 | 0.11 | 0.14 | C73 |
| Adrenal gland | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 24 | 0.9 | 0.7 | 0.7 | 0.05 | 0.05 | 11 | 0.4 | 0.4 | 0.3 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 94 | 3.4 | 2.9 | 3.6 | 0.18 | 0.46 | 49 | 1.8 | 1.6 | 1.9 | 0.13 | 0.22 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 40 | 1.4 | 1.2 | 1.6 | 0.09 | 0.23 | 31 | 1.1 | 1.0 | 1.3 | 0.09 | 0.18 | C90 |
| Lymphoid leukaemia | 58 | 2.1 | 1.8 | 2.1 | 0.13 | 0.19 | 20 | 0.7 | 0.7 | 0.7 | 0.03 | 0.05 | C91 |
| Myeloid leukaemia | 66 | 2.4 | 2.0 | 2.1 | 0.13 | 0.20 | 45 | 1.6 | 1.5 | 1.5 | 0.10 | 0.15 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 122 | 4.4 | 3.8 | 4.6 | 0.35 | 0.53 | 64 | 2.3 | 2.1 | 2.6 | 0.18 | 0.29 | O&U |
| All sites | 2836 | | 87.3 | 105.1 | 6.93 | 12.35 | 2837 | | 94.0 | 110.3 | 8.16 | 12.96 | C00–96 |
| All sites except C44 | 2794 | 100.0 | 86.0 | 103.5 | 6.85 | 12.15 | 2800 | 100.0 | 92.8 | 108.9 | 8.07 | 12.81 | C00–96 exc. C44 |

*See note following population pyramid

India, Chandigarh

CONTRIBUTORS

Yogesh Chawla
 Jagat Ram
 J.S. Thakur
 Rakesh Kapoor
 Pankaj Malhotra
 S.P.S. Bhatia
 Kathirvel S.
 Pankaj Arora
 R.A. Badwe
 Rajesh Dikshit
 Atul Budukh
 T. Anbumani
 Pankaj Chaturvedi
 Prathamesh Pai
 G. Dewan



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|-------|
| Trachea, bronchus, and lung | 12.6 | Breast | 32.2 |
| Prostate | 10.3 | Cervix uteri | 8.1 |
| Oesophagus | 5.9 | Corpus uteri | 6.7 |
| Bladder | 5.6 | Ovary | 6.5 |
| Mouth | 4.9 | Gallbladder etc. | 5.6 |
| Larynx | 4.7 | Trachea, bronchus, and lung | 4.3 |
| Non-Hodgkin lymphoma | 4.4 | Non-Hodgkin lymphoma | 4.0 |
| Tongue | 4.3 | Other and unspecified | 2.4 |
| Other and unspecified | 3.9 | Oesophagus | 2.3 |
| Colon | 3.1 | Multiple myeloma | 2.0 |
| Liver | 2.7 | Colon | 2.0 |
| Gallbladder etc. | 2.6 | Thyroid | 1.9 |
| Myeloid leukaemia | 2.3 | Brain and nervous system | 1.9 |
| Brain and nervous system | 2.3 | Myeloid leukaemia | 1.8 |
| Multiple myeloma | 2.1 | Kidney | 1.7 |
| Stomach | 2.1 | Mouth | 1.4 |
| Lymphoid leukaemia | 2.0 | Pancreas | 1.4 |
| Kidney | 1.8 | Lymphoid leukaemia | 1.3 |
| Rectum | 1.8 | Tongue | 1.3 |
| Hypopharynx | 1.5 | Rectum | 1.2 |
| All sites | 94.4 | All sites | 100.9 |


India, Chandigarh (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 112 | 5.1 | 3.5 | 4.3 | 0.32 | 0.50 | 28 | 1.3 | 1.1 | 1.3 | 0.09 | 0.15 | C01–02 |
| Mouth | 120 | 5.5 | 3.8 | 4.9 | 0.32 | 0.53 | 31 | 1.4 | 1.2 | 1.4 | 0.10 | 0.16 | C03–06 |
| Salivary glands | 11 | 0.5 | 0.3 | 0.4 | 0.03 | 0.04 | 6 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 20 | 0.9 | 0.6 | 0.8 | 0.05 | 0.10 | 4 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 19 | 0.9 | 0.6 | 0.9 | 0.04 | 0.12 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 7 | 0.3 | 0.2 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 33 | 1.5 | 1.0 | 1.5 | 0.10 | 0.20 | 7 | 0.3 | 0.3 | 0.3 | 0.01 | 0.04 | C12–13 |
| Pharynx unspecified | 9 | 0.4 | 0.3 | 0.4 | 0.02 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 135 | 6.2 | 4.3 | 5.9 | 0.38 | 0.70 | 46 | 2.1 | 1.8 | 2.3 | 0.14 | 0.25 | C15 |
| Stomach | 52 | 2.4 | 1.6 | 2.1 | 0.13 | 0.25 | 18 | 0.8 | 0.7 | 0.7 | 0.04 | 0.06 | C16 |
| Small intestine | 22 | 1.0 | 0.7 | 0.8 | 0.05 | 0.09 | 10 | 0.5 | 0.4 | 0.5 | 0.02 | 0.06 | C17 |
| Colon | 74 | 3.4 | 2.3 | 3.1 | 0.16 | 0.39 | 44 | 2.0 | 1.7 | 2.0 | 0.13 | 0.23 | C18 |
| Rectum | 42 | 1.9 | 1.3 | 1.8 | 0.08 | 0.19 | 24 | 1.1 | 0.9 | 1.2 | 0.07 | 0.15 | C19–20 |
| Anus | 16 | 0.7 | 0.5 | 0.7 | 0.03 | 0.08 | 12 | 0.5 | 0.5 | 0.5 | 0.02 | 0.05 | C21 |
| Liver | 62 | 2.9 | 2.0 | 2.7 | 0.13 | 0.32 | 21 | 1.0 | 0.8 | 1.1 | 0.04 | 0.16 | C22 |
| Gallbladder etc. | 59 | 2.7 | 1.9 | 2.6 | 0.13 | 0.33 | 126 | 5.8 | 4.8 | 5.6 | 0.39 | 0.62 | C23–24 |
| Pancreas | 34 | 1.6 | 1.1 | 1.5 | 0.05 | 0.20 | 28 | 1.3 | 1.1 | 1.4 | 0.07 | 0.21 | C25 |
| Nose, sinuses etc. | 8 | 0.4 | 0.3 | 0.3 | 0.03 | 0.04 | 3 | 0.1 | 0.1 | 0.2 | 0.00 | 0.02 | C30–31 |
| Larynx | 105 | 4.8 | 3.3 | 4.7 | 0.29 | 0.56 | 12 | 0.5 | 0.5 | 0.5 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 280 | 12.9 | 8.9 | 12.6 | 0.66 | 1.70 | 84 | 3.8 | 3.2 | 4.3 | 0.19 | 0.61 | C33–34 |
| Other thoracic organs | 4 | 0.2 | 0.1 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 20 | 0.9 | 0.6 | 0.6 | 0.04 | 0.04 | 21 | 1.0 | 0.8 | 0.8 | 0.04 | 0.07 | C40–41 |
| Melanoma of skin | 5 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 29 | 1.3 | 0.9 | 1.3 | 0.05 | 0.14 | 21 | 1.0 | 0.8 | 1.0 | 0.04 | 0.10 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 20 | 0.9 | 0.6 | 0.8 | 0.03 | 0.08 | 15 | 0.7 | 0.6 | 0.6 | 0.04 | 0.05 | C47+C49 |
| Breast | 11 | 0.5 | 0.3 | 0.5 | 0.02 | 0.08 | 713 | 32.6 | 27.2 | 32.2 | 2.13 | 3.90 | C50 |
| Vulva | | | | | | | 8 | 0.4 | 0.3 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 7 | 0.3 | 0.3 | 0.3 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 180 | 8.2 | 6.9 | 8.1 | 0.56 | 1.01 | C53 |
| Corpus uteri | | | | | | | 136 | 6.2 | 5.2 | 6.7 | 0.44 | 0.85 | C54 |
| Uterus unspecified | | | | | | | 16 | 0.7 | 0.6 | 0.7 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 145 | 6.6 | 5.5 | 6.5 | 0.45 | 0.82 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.7 | 0.5 | 0.7 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 204 | 9.4 | 6.5 | 10.3 | 0.21 | 1.11 | | | | | | | C61 |
| Testis | 21 | 1.0 | 0.7 | 0.6 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 43 | 2.0 | 1.4 | 1.8 | 0.12 | 0.21 | 34 | 1.6 | 1.3 | 1.7 | 0.09 | 0.20 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 127 | 5.8 | 4.0 | 5.6 | 0.30 | 0.78 | 24 | 1.1 | 0.9 | 1.1 | 0.06 | 0.15 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.2 | 0.1 | 0.2 | 0.01 | 0.02 | 4 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 64 | 2.9 | 2.0 | 2.3 | 0.15 | 0.26 | 44 | 2.0 | 1.7 | 1.9 | 0.14 | 0.22 | C70–72 |
| Thyroid | 16 | 0.7 | 0.5 | 0.6 | 0.04 | 0.06 | 51 | 2.3 | 1.9 | 1.9 | 0.14 | 0.21 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 25 | 1.1 | 0.8 | 0.8 | 0.05 | 0.08 | 10 | 0.5 | 0.4 | 0.4 | 0.02 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 106 | 4.9 | 3.4 | 4.4 | 0.23 | 0.48 | 83 | 3.8 | 3.2 | 4.0 | 0.23 | 0.47 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 45 | 2.1 | 1.4 | 2.1 | 0.08 | 0.26 | 39 | 1.8 | 1.5 | 2.0 | 0.12 | 0.28 | C90 |
| Lymphoid leukaemia | 54 | 2.5 | 1.7 | 2.0 | 0.11 | 0.17 | 29 | 1.3 | 1.1 | 1.3 | 0.09 | 0.11 | C91 |
| Myeloid leukaemia | 62 | 2.9 | 2.0 | 2.3 | 0.14 | 0.24 | 47 | 2.2 | 1.8 | 1.8 | 0.14 | 0.19 | C92–94 |
| Leukaemia unspecified | 9 | 0.4 | 0.3 | 0.3 | 0.02 | 0.05 | 4 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 90 | 4.1 | 2.8 | 3.9 | 0.22 | 0.54 | 51 | 2.3 | 1.9 | 2.4 | 0.11 | 0.26 | O&U |
| All sites | 2204 | | 69.8 | 94.4 | 4.97 | 11.22 | 2206 | | 84.0 | 100.9 | 6.40 | 12.09 | C00–96 |
| All sites except C44 | 2175 | 100.0 | 68.9 | 93.1 | 4.92 | 11.09 | 2185 | 100.0 | 83.2 | 99.9 | 6.36 | 11.99 | C00–96 exc. C44 |

India, Chennai

CONTRIBUTORS

R. Swaminathan
V. Shanta
S. Balasubramanian
P. Sampath
R. Selvakumaran
J. Murugaiyan
T.S. Sambandam
T. Chandrakala
A. Parimala
N. Sridhar
D. Gandeepan



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 12.1 | Breast | 44.1 |
| Stomach | 10.3 | Cervix uteri | 14.1 |
| Mouth | 10.2 | Ovary | 8.1 |
| Prostate | 8.5 | Corpus uteri | 6.7 |
| Tongue | 7.7 | Other and unspecified | 5.3 |
| Other and unspecified | 6.3 | Stomach | 5.2 |
| Liver | 4.8 | Trachea, bronchus, and lung | 4.5 |
| Non-Hodgkin lymphoma | 4.6 | Mouth | 3.9 |
| Larynx | 4.6 | Colon | 3.8 |
| Colon | 4.6 | Oesophagus | 3.2 |
| Rectum | 4.5 | Rectum | 3.1 |
| Oesophagus | 4.3 | Non-Hodgkin lymphoma | 3.1 |
| Bladder | 3.6 | Thyroid | 2.7 |
| Hypopharynx | 3.2 | Tongue | 2.5 |
| Brain and nervous system | 3.0 | Brain and nervous system | 2.2 |
| Myeloid leukaemia | 2.5 | Myeloid leukaemia | 2.1 |
| Lymphoid leukaemia | 2.4 | Gallbladder etc. | 1.7 |
| Pancreas | 2.2 | Liver | 1.7 |
| Kidney | 1.9 | Lymphoid leukaemia | 1.6 |
| Gallbladder etc. | 1.8 | Pancreas | 1.5 |
| All sites | 122.7 | All sites | 137.0 |

*India, Chennai (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 57 | 0.4 | 0.5 | 0.4 | 0.04 | 0.04 | 28 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 1034 | 6.9 | 8.7 | 7.7 | 0.56 | 0.86 | 319 | 1.8 | 2.7 | 2.5 | 0.18 | 0.29 | C01–02 |
| Mouth | 1358 | 9.1 | 11.4 | 10.2 | 0.74 | 1.13 | 506 | 2.9 | 4.2 | 3.9 | 0.25 | 0.46 | C03–06 |
| Salivary glands | 84 | 0.6 | 0.7 | 0.7 | 0.04 | 0.08 | 55 | 0.3 | 0.5 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 117 | 0.8 | 1.0 | 1.0 | 0.06 | 0.12 | 26 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 211 | 1.4 | 1.8 | 1.7 | 0.12 | 0.21 | 38 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | C10 |
| Nasopharynx | 81 | 0.5 | 0.7 | 0.6 | 0.04 | 0.06 | 41 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 394 | 2.6 | 3.3 | 3.2 | 0.19 | 0.39 | 189 | 1.1 | 1.6 | 1.4 | 0.11 | 0.14 | C12–13 |
| Pharynx unspecified | 87 | 0.6 | 0.7 | 0.7 | 0.03 | 0.08 | 51 | 0.3 | 0.4 | 0.4 | 0.02 | 0.04 | C14 |
| Oesophagus | 534 | 3.6 | 4.5 | 4.3 | 0.25 | 0.50 | 424 | 2.4 | 3.5 | 3.2 | 0.18 | 0.38 | C15 |
| Stomach | 1267 | 8.5 | 10.6 | 10.3 | 0.60 | 1.22 | 676 | 3.9 | 5.6 | 5.2 | 0.32 | 0.63 | C16 |
| Small intestine | 54 | 0.4 | 0.5 | 0.4 | 0.03 | 0.05 | 26 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C17 |
| Colon | 558 | 3.7 | 4.7 | 4.6 | 0.23 | 0.55 | 490 | 2.8 | 4.1 | 3.8 | 0.23 | 0.44 | C18 |
| Rectum | 557 | 3.7 | 4.7 | 4.5 | 0.25 | 0.52 | 412 | 2.4 | 3.4 | 3.1 | 0.19 | 0.36 | C19–20 |
| Anus | 66 | 0.4 | 0.6 | 0.5 | 0.03 | 0.06 | 82 | 0.5 | 0.7 | 0.7 | 0.03 | 0.08 | C21 |
| Liver | 577 | 3.9 | 4.8 | 4.8 | 0.23 | 0.60 | 209 | 1.2 | 1.7 | 1.7 | 0.09 | 0.19 | C22 |
| Gallbladder etc. | 222 | 1.5 | 1.9 | 1.8 | 0.11 | 0.22 | 212 | 1.2 | 1.8 | 1.7 | 0.10 | 0.21 | C23–24 |
| Pancreas | 275 | 1.8 | 2.3 | 2.2 | 0.13 | 0.26 | 186 | 1.1 | 1.6 | 1.5 | 0.09 | 0.19 | C25 |
| Nose, sinuses etc. | 72 | 0.5 | 0.6 | 0.6 | 0.04 | 0.05 | 44 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 563 | 3.8 | 4.7 | 4.6 | 0.29 | 0.55 | 88 | 0.5 | 0.7 | 0.7 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1453 | 9.8 | 12.2 | 12.1 | 0.65 | 1.57 | 582 | 3.3 | 4.9 | 4.5 | 0.28 | 0.56 | C33–34 |
| Other thoracic organs | 43 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 144 | 1.0 | 1.2 | 1.2 | 0.08 | 0.10 | 105 | 0.6 | 0.9 | 0.9 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 50 | 0.3 | 0.4 | 0.4 | 0.02 | 0.04 | 50 | 0.3 | 0.4 | 0.4 | 0.03 | 0.04 | C43 |
| Other skin | 168 | 1.1 | 1.4 | 1.4 | 0.08 | 0.17 | 128 | 0.7 | 1.1 | 1.0 | 0.05 | 0.11 | C44 |
| Mesothelioma | 15 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 163 | 1.1 | 1.4 | 1.3 | 0.08 | 0.13 | 149 | 0.9 | 1.2 | 1.2 | 0.07 | 0.11 | C47+C49 |
| Breast | 76 | 0.5 | 0.6 | 0.6 | 0.04 | 0.08 | 5819 | 33.2 | 48.6 | 44.1 | 3.29 | 5.06 | C50 |
| Vulva | | | | | | | 56 | 0.3 | 0.5 | 0.5 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 68 | 0.4 | 0.6 | 0.6 | 0.04 | 0.08 | C52 |
| Cervix uteri | | | | | | | 1804 | 10.3 | 15.1 | 14.1 | 1.02 | 1.70 | C53 |
| Corpus uteri | | | | | | | 843 | 4.8 | 7.0 | 6.7 | 0.49 | 0.87 | C54 |
| Uterus unspecified | | | | | | | 80 | 0.5 | 0.7 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 1054 | 6.0 | 8.8 | 8.1 | 0.59 | 0.93 | C56 |
| Other female genital organs | | | | | | | 10 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 133 | 0.9 | 1.1 | 1.1 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 981 | 6.6 | 8.2 | 8.5 | 0.18 | 0.92 | | | | | | | C61 |
| Testis | 69 | 0.5 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 229 | 1.5 | 1.9 | 1.9 | 0.12 | 0.23 | 137 | 0.8 | 1.1 | 1.1 | 0.07 | 0.14 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 423 | 2.8 | 3.5 | 3.6 | 0.14 | 0.42 | 131 | 0.7 | 1.1 | 1.0 | 0.04 | 0.11 | C67 |
| Other urinary organs | 13 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 36 | 0.2 | 0.3 | 0.5 | 0.02 | 0.03 | 19 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 370 | 2.5 | 3.1 | 3.0 | 0.20 | 0.30 | 267 | 1.5 | 2.2 | 2.2 | 0.14 | 0.20 | C70–72 |
| Thyroid | 165 | 1.1 | 1.4 | 1.3 | 0.08 | 0.14 | 378 | 2.2 | 3.2 | 2.7 | 0.20 | 0.28 | C73 |
| Adrenal gland | 21 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 25 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 10 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 146 | 1.0 | 1.2 | 1.2 | 0.08 | 0.10 | 107 | 0.6 | 0.9 | 0.9 | 0.06 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 553 | 3.7 | 4.6 | 4.6 | 0.25 | 0.48 | 381 | 2.2 | 3.2 | 3.1 | 0.19 | 0.34 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 216 | 1.5 | 1.8 | 1.8 | 0.09 | 0.20 | 149 | 0.9 | 1.2 | 1.2 | 0.08 | 0.14 | C90 |
| Lymphoid leukaemia | 236 | 1.6 | 2.0 | 2.4 | 0.12 | 0.17 | 154 | 0.9 | 1.3 | 1.6 | 0.08 | 0.11 | C91 |
| Myeloid leukaemia | 321 | 2.2 | 2.7 | 2.5 | 0.15 | 0.23 | 255 | 1.5 | 2.1 | 2.1 | 0.14 | 0.21 | C92–94 |
| Leukaemia unspecified | 59 | 0.4 | 0.5 | 0.5 | 0.03 | 0.05 | 63 | 0.4 | 0.5 | 0.5 | 0.03 | 0.05 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | MPS |
| Other and unspecified | 774 | 5.2 | 6.5 | 6.3 | 0.32 | 0.70 | 679 | 3.9 | 5.7 | 5.3 | 0.31 | 0.62 | O&U |
| All sites | 15061 | | 126.1 | 122.7 | 6.90 | 13.91 | 17647 | | 147.2 | 137.0 | 9.35 | 15.73 | C00–96 |
| All sites except C44 | 14893 | 100.0 | 124.7 | 121.3 | 6.83 | 13.74 | 17519 | 100.0 | 146.2 | 136.0 | 9.30 | 15.62 | C00–96 exc. C44 |

*See note following population pyramid

India, Dibrugarh

CONTRIBUTORS

Adity Sharma
 Projnan Saikia
 M.S. Ali
 Zarika Ahmed
 Saurav Kumar Bhuyan
 Chakrapani Hazarika
 Saronga Boruah
 Rashmi Mahanta
 Rima Devi Singh



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|------|
| Oesophagus | 14.4 | Breast | 15.3 |
| Hypopharynx | 10.5 | Oesophagus | 7.9 |
| Stomach | 6.3 | Gallbladder etc. | 7.8 |
| Mouth | 6.2 | Ovary | 6.9 |
| Trachea, bronchus, and lung | 5.0 | Cervix uteri | 4.6 |
| Other and unspecified | 4.5 | Stomach | 4.2 |
| Gallbladder etc. | 4.5 | Mouth | 2.7 |
| Tongue | 4.1 | Other and unspecified | 2.6 |
| Liver | 3.5 | Hypopharynx | 2.5 |
| Colon | 3.3 | Trachea, bronchus, and lung | 2.1 |
| Rectum | 3.0 | Rectum | 1.9 |
| Larynx | 2.3 | Liver | 1.9 |
| Prostate | 2.2 | Colon | 1.8 |
| Pharynx unspecified | 2.0 | Tongue | 1.4 |
| Non-Hodgkin lymphoma | 1.6 | Corpus uteri | 1.3 |
| Tonsil | 1.3 | Non-Hodgkin lymphoma | 1.2 |
| Brain and nervous system | 1.2 | Thyroid | 1.0 |
| Penis | 1.1 | Multiple myeloma | 0.9 |
| Bladder | 1.0 | Non-melanoma skin cancer | 0.9 |
| Other oropharynx | 0.9 | Brain and nervous system | 0.6 |
| All sites | 89.3 | All sites | 78.0 |


India, Dibrugarh (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|----------|-----------|-----------|--------------------------|-------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 25 | 1.0 | 0.7 | 0.9 | 0.05 | 0.12 | 7 | 0.3 | 0.2 | 0.2 | 0.02 | 0.03 | C00 |
| Tongue | 114 | 4.6 | 3.2 | 4.1 | 0.24 | 0.50 | 37 | 1.6 | 1.1 | 1.4 | 0.09 | 0.18 | C01–02 |
| Mouth | 174 | 7.0 | 4.9 | 6.2 | 0.37 | 0.78 | 80 | 3.5 | 2.3 | 2.7 | 0.22 | 0.32 | C03–06 |
| Salivary glands | 8 | 0.3 | 0.2 | 0.3 | 0.01 | 0.03 | 5 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 36 | 1.4 | 1.0 | 1.3 | 0.08 | 0.14 | 14 | 0.6 | 0.4 | 0.5 | 0.03 | 0.06 | C09 |
| Other oropharynx | 25 | 1.0 | 0.7 | 0.9 | 0.06 | 0.12 | 9 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | C10 |
| Nasopharynx | 13 | 0.5 | 0.4 | 0.4 | 0.03 | 0.04 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 291 | 11.6 | 8.2 | 10.5 | 0.68 | 1.29 | 66 | 2.9 | 1.9 | 2.5 | 0.18 | 0.35 | C12–13 |
| Pharynx unspecified | 55 | 2.2 | 1.6 | 2.0 | 0.12 | 0.26 | 15 | 0.7 | 0.4 | 0.6 | 0.05 | 0.06 | C14 |
| Oesophagus | 393 | 15.7 | 11.1 | 14.4 | 0.91 | 1.77 | 214 | 9.3 | 6.2 | 7.9 | 0.58 | 1.03 | C15 |
| Stomach | 170 | 6.8 | 4.8 | 6.3 | 0.36 | 0.82 | 122 | 5.3 | 3.6 | 4.2 | 0.31 | 0.54 | C16 |
| Small intestine | 6 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 9 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | C17 |
| Colon | 99 | 4.0 | 2.8 | 3.3 | 0.24 | 0.39 | 58 | 2.5 | 1.7 | 1.8 | 0.15 | 0.20 | C18 |
| Rectum | 89 | 3.6 | 2.5 | 3.0 | 0.20 | 0.37 | 61 | 2.6 | 1.8 | 1.9 | 0.15 | 0.21 | C19–20 |
| Anus | 12 | 0.5 | 0.3 | 0.4 | 0.02 | 0.05 | 4 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 103 | 4.1 | 2.9 | 3.5 | 0.24 | 0.42 | 55 | 2.4 | 1.6 | 1.9 | 0.14 | 0.22 | C22 |
| Gallbladder etc. | 123 | 4.9 | 3.5 | 4.5 | 0.28 | 0.57 | 229 | 9.9 | 6.7 | 7.8 | 0.61 | 0.94 | C23–24 |
| Pancreas | 23 | 0.9 | 0.7 | 0.8 | 0.06 | 0.10 | 15 | 0.7 | 0.4 | 0.5 | 0.03 | 0.06 | C25 |
| Nose, sinuses etc. | 8 | 0.3 | 0.2 | 0.3 | 0.01 | 0.03 | 9 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 62 | 2.5 | 1.8 | 2.3 | 0.14 | 0.28 | 18 | 0.8 | 0.5 | 0.6 | 0.05 | 0.06 | C32 |
| Trachea, bronchus, and lung | 133 | 5.3 | 3.8 | 5.0 | 0.26 | 0.61 | 55 | 2.4 | 1.6 | 2.1 | 0.13 | 0.27 | C33–34 |
| Other thoracic organs | 5 | 0.2 | 0.1 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 29 | 1.2 | 0.8 | 0.9 | 0.07 | 0.11 | 16 | 0.7 | 0.5 | 0.5 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C43 |
| Other skin | 20 | 0.8 | 0.6 | 0.7 | 0.04 | 0.08 | 24 | 1.0 | 0.7 | 0.9 | 0.05 | 0.10 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 21 | 0.8 | 0.6 | 0.7 | 0.04 | 0.07 | 16 | 0.7 | 0.5 | 0.5 | 0.03 | 0.05 | C47+C49 |
| Breast | 8 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | 484 | 21.0 | 14.1 | 15.3 | 1.23 | 1.71 | C50 |
| Vulva | | | | | | | 14 | 0.6 | 0.4 | 0.5 | 0.02 | 0.08 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.1 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 137 | 5.9 | 4.0 | 4.6 | 0.41 | 0.51 | C53 |
| Corpus uteri | | | | | | | 40 | 1.7 | 1.2 | 1.3 | 0.10 | 0.17 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.6 | 0.4 | 0.4 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 229 | 9.9 | 6.7 | 6.9 | 0.59 | 0.68 | C56 |
| Other female genital organs | | | | | | | 8 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 31 | 1.2 | 0.9 | 1.1 | 0.07 | 0.12 | | | | | | | C60 |
| Prostate | 53 | 2.1 | 1.5 | 2.2 | 0.08 | 0.25 | | | | | | | C61 |
| Testis | 31 | 1.2 | 0.9 | 0.8 | 0.04 | 0.08 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 22 | 0.9 | 0.6 | 0.7 | 0.05 | 0.09 | 14 | 0.6 | 0.4 | 0.5 | 0.04 | 0.07 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 28 | 1.1 | 0.8 | 1.0 | 0.05 | 0.10 | 9 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 36 | 1.4 | 1.0 | 1.2 | 0.07 | 0.13 | 21 | 0.9 | 0.6 | 0.6 | 0.05 | 0.06 | C70–72 |
| Thyroid | 10 | 0.4 | 0.3 | 0.3 | 0.03 | 0.03 | 32 | 1.4 | 0.9 | 1.0 | 0.09 | 0.12 | C73 |
| Adrenal gland | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 11 | 0.4 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 47 | 1.9 | 1.3 | 1.6 | 0.11 | 0.17 | 34 | 1.5 | 1.0 | 1.2 | 0.06 | 0.17 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 18 | 0.7 | 0.5 | 0.7 | 0.04 | 0.10 | 23 | 1.0 | 0.7 | 0.9 | 0.06 | 0.10 | C90 |
| Lymphoid leukaemia | 20 | 0.8 | 0.6 | 0.6 | 0.04 | 0.04 | 14 | 0.6 | 0.4 | 0.5 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 27 | 1.1 | 0.8 | 0.8 | 0.06 | 0.07 | 15 | 0.7 | 0.4 | 0.4 | 0.03 | 0.03 | C92–94 |
| Leukaemia unspecified | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 129 | 5.2 | 3.7 | 4.5 | 0.26 | 0.51 | 76 | 3.3 | 2.2 | 2.6 | 0.20 | 0.28 | O&U |
| All sites | 2523 | | 71.5 | 89.3 | 5.52 | 10.77 | 2327 | | 67.7 | 78.0 | 5.98 | 9.02 | C00–96 |
| All sites except C44 | 2503 | 100.0 | 70.9 | 88.6 | 5.48 | 10.69 | 2303 | 100.0 | 67.0 | 77.1 | 5.93 | 8.92 | C00–96 exc. C44 |

India, Dindigul, Ambilikkai

CONTRIBUTORS

R. Swaminathan
V. Shanta
R. Selvakumaran
P.O. Esmey
A. Elumalai
K. Ravichandran
G. Mahendran
C. Jerome Prabhu



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|------|
| Other and unspecified | 6.8 | Cervix uteri | 18.5 |
| Trachea, bronchus, and lung | 5.6 | Breast | 17.2 |
| Stomach | 5.3 | Other and unspecified | 6.3 |
| Mouth | 4.3 | Ovary | 4.4 |
| Oesophagus | 3.1 | Stomach | 3.0 |
| Tongue | 2.8 | Corpus uteri | 2.4 |
| Larynx | 2.6 | Mouth | 2.2 |
| Rectum | 2.4 | Trachea, bronchus, and lung | 1.8 |
| Hypopharynx | 1.9 | Oesophagus | 1.8 |
| Brain and nervous system | 1.9 | Thyroid | 1.6 |
| Liver | 1.8 | Rectum | 1.2 |
| Prostate | 1.7 | Brain and nervous system | 1.2 |
| Non-Hodgkin lymphoma | 1.6 | Non-Hodgkin lymphoma | 1.1 |
| Bladder | 1.5 | Myeloid leukaemia | 1.1 |
| Colon | 1.5 | Tongue | 0.9 |
| Myeloid leukaemia | 1.5 | Hypopharynx | 0.8 |
| Lymphoid leukaemia | 1.5 | Colon | 0.8 |
| Penis | 1.2 | Lymphoid leukaemia | 0.8 |
| Other oropharynx | 1.1 | Non-melanoma skin cancer | 0.7 |
| Kidney | 0.9 | Connective and soft tissue | 0.7 |
| All sites | 61.5 | All sites | 76.8 |

*India, Dindigul, Ambalikkai (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|---------------------|-----------|-----------|--------------------------|-------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.4 | 0.3 | 0.3 | 0.03 | 0.03 | 7 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 173 | 4.6 | 3.1 | 2.8 | 0.19 | 0.33 | 57 | 1.2 | 1.0 | 0.9 | 0.07 | 0.10 | C01–02 |
| Mouth | 270 | 7.2 | 4.8 | 4.3 | 0.28 | 0.48 | 137 | 2.8 | 2.4 | 2.2 | 0.15 | 0.27 | C03–06 |
| Salivary glands | 22 | 0.6 | 0.4 | 0.3 | 0.02 | 0.04 | 23 | 0.5 | 0.4 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 49 | 1.3 | 0.9 | 0.8 | 0.06 | 0.10 | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 69 | 1.9 | 1.2 | 1.1 | 0.06 | 0.13 | 10 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C10 |
| Nasopharynx | 21 | 0.6 | 0.4 | 0.3 | 0.03 | 0.03 | 13 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 120 | 3.2 | 2.1 | 1.9 | 0.12 | 0.24 | 55 | 1.1 | 1.0 | 0.8 | 0.07 | 0.10 | C12–13 |
| Pharynx unspecified | 24 | 0.6 | 0.4 | 0.4 | 0.03 | 0.04 | 19 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | C14 |
| Oesophagus | 192 | 5.2 | 3.4 | 3.1 | 0.17 | 0.39 | 114 | 2.3 | 2.0 | 1.8 | 0.13 | 0.22 | C15 |
| Stomach | 335 | 9.0 | 5.9 | 5.3 | 0.38 | 0.63 | 195 | 4.0 | 3.4 | 3.0 | 0.22 | 0.35 | C16 |
| Small intestine | 11 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | 11 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C17 |
| Colon | 96 | 2.6 | 1.7 | 1.5 | 0.10 | 0.18 | 53 | 1.1 | 0.9 | 0.8 | 0.07 | 0.09 | C18 |
| Rectum | 149 | 4.0 | 2.6 | 2.4 | 0.17 | 0.27 | 78 | 1.6 | 1.4 | 1.2 | 0.08 | 0.14 | C19–20 |
| Anus | 20 | 0.5 | 0.4 | 0.3 | 0.02 | 0.04 | 10 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 107 | 2.9 | 1.9 | 1.8 | 0.09 | 0.24 | 41 | 0.8 | 0.7 | 0.7 | 0.04 | 0.08 | C22 |
| Gallbladder etc. | 54 | 1.4 | 1.0 | 0.9 | 0.06 | 0.10 | 31 | 0.6 | 0.5 | 0.5 | 0.03 | 0.05 | C23–24 |
| Pancreas | 48 | 1.3 | 0.8 | 0.8 | 0.07 | 0.08 | 36 | 0.7 | 0.6 | 0.6 | 0.04 | 0.07 | C25 |
| Nose, sinuses etc. | 27 | 0.7 | 0.5 | 0.4 | 0.03 | 0.04 | 20 | 0.4 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 160 | 4.3 | 2.8 | 2.6 | 0.18 | 0.32 | 20 | 0.4 | 0.4 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 347 | 9.3 | 6.1 | 5.6 | 0.35 | 0.69 | 118 | 2.4 | 2.1 | 1.8 | 0.14 | 0.21 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 8 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 43 | 1.2 | 0.8 | 0.7 | 0.05 | 0.06 | 32 | 0.7 | 0.6 | 0.6 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 16 | 0.4 | 0.3 | 0.3 | 0.01 | 0.03 | 13 | 0.3 | 0.2 | 0.2 | 0.01 | 0.04 | C43 |
| Other skin | 54 | 1.4 | 1.0 | 0.9 | 0.05 | 0.08 | 45 | 0.9 | 0.8 | 0.7 | 0.04 | 0.08 | C44 |
| Mesothelioma | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 32 | 0.9 | 0.6 | 0.5 | 0.04 | 0.06 | 41 | 0.8 | 0.7 | 0.7 | 0.05 | 0.06 | C47+C49 |
| Breast | 16 | 0.4 | 0.3 | 0.3 | 0.01 | 0.03 | 1135 | 23.2 | 20.0 | 17.2 | 1.40 | 1.85 | C50 |
| Vulva | | | | | | | 27 | 0.6 | 0.5 | 0.4 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 39 | 0.8 | 0.7 | 0.6 | 0.05 | 0.07 | C52 |
| Cervix uteri | | | | | | | 1204 | 24.6 | 21.2 | 18.5 | 1.49 | 2.15 | C53 |
| Corpus uteri | | | | | | | 157 | 3.2 | 2.8 | 2.4 | 0.20 | 0.30 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 286 | 5.8 | 5.0 | 4.4 | 0.36 | 0.48 | C56 |
| Other female genital organs | | | | | | | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 76 | 2.0 | 1.3 | 1.2 | 0.07 | 0.16 | | | | | | | C60 |
| Prostate | 104 | 2.8 | 1.8 | 1.7 | 0.05 | 0.21 | | | | | | | C61 |
| Testis | 21 | 0.6 | 0.4 | 0.3 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 54 | 1.4 | 1.0 | 0.9 | 0.06 | 0.10 | 19 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C65 |
| Ureter | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 95 | 2.5 | 1.7 | 1.5 | 0.09 | 0.19 | 42 | 0.9 | 0.7 | 0.7 | 0.03 | 0.09 | C67 |
| Other urinary organs | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 113 | 3.0 | 2.0 | 1.9 | 0.13 | 0.17 | 71 | 1.5 | 1.2 | 1.2 | 0.08 | 0.11 | C70–72 |
| Thyroid | 48 | 1.3 | 0.8 | 0.7 | 0.05 | 0.09 | 111 | 2.3 | 2.0 | 1.6 | 0.13 | 0.16 | C73 |
| Adrenal gland | 8 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 8 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 32 | 0.9 | 0.6 | 0.6 | 0.03 | 0.05 | 20 | 0.4 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 95 | 2.5 | 1.7 | 1.6 | 0.12 | 0.17 | 64 | 1.3 | 1.1 | 1.1 | 0.08 | 0.11 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 43 | 1.2 | 0.8 | 0.7 | 0.04 | 0.09 | 21 | 0.4 | 0.4 | 0.3 | 0.03 | 0.04 | C90 |
| Lymphoid leukaemia | 75 | 2.0 | 1.3 | 1.5 | 0.08 | 0.11 | 38 | 0.8 | 0.7 | 0.8 | 0.04 | 0.05 | C91 |
| Myeloid leukaemia | 90 | 2.4 | 1.6 | 1.5 | 0.12 | 0.13 | 66 | 1.3 | 1.2 | 1.1 | 0.08 | 0.10 | C92–94 |
| Leukaemia unspecified | 12 | 0.3 | 0.2 | 0.2 | 0.01 | 0.01 | 9 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 419 | 11.2 | 7.4 | 6.8 | 0.42 | 0.74 | 401 | 8.2 | 7.0 | 6.3 | 0.45 | 0.66 | O&U |
| All sites | 3780 | | 66.7 | 61.5 | 3.96 | 6.98 | 4938 | | 86.8 | 76.8 | 5.88 | 8.48 | C00–96 |
| All sites except C44 | 3726 | 100.0 | 65.7 | 60.6 | 3.91 | 6.90 | 4893 | 100.0 | 86.0 | 76.0 | 5.84 | 8.40 | C00–96 exc. C44 |

*See note following population pyramid

India, Kamrup Urban District

CONTRIBUTORS

A.C. Katakai
 Debabrata Barmon
 Jagannath Dev Sharma
 Debanjana Barman
 Arpita Sharma
 Manoj Kalita
 Ranjan Lahon
 Barsha Roy Deka
 Chinmoy Misra
 Kamal Kr. Deka



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Oesophagus | 30.8 | Breast | 27.9 |
| Hypopharynx | 21.1 | Oesophagus | 17.6 |
| Trachea, bronchus, and lung | 18.4 | Gallbladder etc. | 16.9 |
| Stomach | 13.8 | Cervix uteri | 14.9 |
| Mouth | 13.4 | Ovary | 9.6 |
| Other and unspecified | 12.5 | Stomach | 8.0 |
| Prostate | 11.0 | Other and unspecified | 7.6 |
| Tongue | 9.8 | Mouth | 6.9 |
| Gallbladder etc. | 8.4 | Trachea, bronchus, and lung | 6.7 |
| Larynx | 8.2 | Thyroid | 4.4 |
| Liver | 6.8 | Rectum | 4.3 |
| Rectum | 5.8 | Colon | 4.3 |
| Non-Hodgkin lymphoma | 5.6 | Corpus uteri | 4.2 |
| Colon | 5.5 | Hypopharynx | 3.7 |
| Other oropharynx | 4.6 | Tongue | 3.5 |
| Tonsil | 4.4 | Liver | 3.5 |
| Non-melanoma skin cancer | 3.8 | Non-Hodgkin lymphoma | 3.1 |
| Bladder | 3.6 | Brain and nervous system | 2.8 |
| Pharynx unspecified | 3.5 | Pancreas | 2.3 |
| Pancreas | 3.4 | Non-melanoma skin cancer | 2.1 |
| All sites | 218.8 | All sites | 173.7 |

India, Kamrup Urban District (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 31 | 0.6 | 1.2 | 1.3 | 0.07 | 0.16 | 13 | 0.3 | 0.5 | 0.6 | 0.06 | 0.07 | C00 |
| Tongue | 237 | 4.6 | 9.0 | 9.8 | 0.61 | 1.14 | 75 | 1.9 | 2.9 | 3.5 | 0.20 | 0.46 | C01–02 |
| Mouth | 335 | 6.5 | 12.7 | 13.4 | 0.88 | 1.63 | 150 | 3.8 | 5.8 | 6.9 | 0.42 | 0.79 | C03–06 |
| Salivary glands | 16 | 0.3 | 0.6 | 0.6 | 0.05 | 0.06 | 19 | 0.5 | 0.7 | 0.8 | 0.04 | 0.11 | C07–08 |
| Tonsil | 108 | 2.1 | 4.1 | 4.4 | 0.28 | 0.48 | 37 | 0.9 | 1.4 | 1.7 | 0.12 | 0.19 | C09 |
| Other oropharynx | 112 | 2.2 | 4.2 | 4.6 | 0.29 | 0.57 | 38 | 1.0 | 1.5 | 1.8 | 0.07 | 0.25 | C10 |
| Nasopharynx | 20 | 0.4 | 0.8 | 0.8 | 0.04 | 0.10 | 13 | 0.3 | 0.5 | 0.6 | 0.05 | 0.07 | C11 |
| Hypopharynx | 512 | 10.0 | 19.4 | 21.1 | 1.30 | 2.53 | 77 | 1.9 | 3.0 | 3.7 | 0.20 | 0.54 | C12–13 |
| Pharynx unspecified | 79 | 1.5 | 3.0 | 3.5 | 0.16 | 0.44 | 21 | 0.5 | 0.8 | 1.0 | 0.06 | 0.11 | C14 |
| Oesophagus | 733 | 14.3 | 27.8 | 30.8 | 1.79 | 3.76 | 371 | 9.4 | 14.4 | 17.6 | 1.15 | 2.32 | C15 |
| Stomach | 325 | 6.4 | 12.3 | 13.8 | 0.76 | 1.71 | 183 | 4.6 | 7.1 | 8.0 | 0.48 | 0.89 | C16 |
| Small intestine | 10 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 9 | 0.2 | 0.3 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 134 | 2.6 | 5.1 | 5.5 | 0.30 | 0.65 | 91 | 2.3 | 3.5 | 4.3 | 0.19 | 0.54 | C18 |
| Rectum | 147 | 2.9 | 5.6 | 5.8 | 0.35 | 0.67 | 102 | 2.6 | 4.0 | 4.3 | 0.30 | 0.47 | C19–20 |
| Anus | 17 | 0.3 | 0.6 | 0.6 | 0.04 | 0.08 | 13 | 0.3 | 0.5 | 0.5 | 0.03 | 0.07 | C21 |
| Liver | 155 | 3.0 | 5.9 | 6.8 | 0.32 | 0.89 | 82 | 2.1 | 3.2 | 3.5 | 0.22 | 0.34 | C22 |
| Gallbladder etc. | 203 | 4.0 | 7.7 | 8.4 | 0.52 | 1.04 | 374 | 9.4 | 14.5 | 16.9 | 1.08 | 2.04 | C23–24 |
| Pancreas | 80 | 1.6 | 3.0 | 3.4 | 0.20 | 0.43 | 47 | 1.2 | 1.8 | 2.3 | 0.11 | 0.29 | C25 |
| Nose, sinuses etc. | 11 | 0.2 | 0.4 | 0.5 | 0.02 | 0.05 | 9 | 0.2 | 0.3 | 0.3 | 0.02 | 0.05 | C30–31 |
| Larynx | 195 | 3.8 | 7.4 | 8.2 | 0.46 | 1.06 | 20 | 0.5 | 0.8 | 1.0 | 0.06 | 0.13 | C32 |
| Trachea, bronchus, and lung | 409 | 8.0 | 15.5 | 18.4 | 0.86 | 2.33 | 148 | 3.7 | 5.7 | 6.7 | 0.47 | 0.77 | C33–34 |
| Other thoracic organs | 18 | 0.4 | 0.7 | 0.7 | 0.06 | 0.11 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 42 | 0.8 | 1.6 | 1.5 | 0.11 | 0.16 | 21 | 0.5 | 0.8 | 0.8 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 6 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 6 | 0.2 | 0.2 | 0.3 | 0.01 | 0.05 | C43 |
| Other skin | 100 | 2.0 | 3.8 | 3.8 | 0.27 | 0.40 | 48 | 1.2 | 1.9 | 2.1 | 0.13 | 0.22 | C44 |
| Mesothelioma | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 19 | 0.4 | 0.7 | 0.7 | 0.03 | 0.09 | 20 | 0.5 | 0.8 | 0.8 | 0.05 | 0.06 | C47+C49 |
| Breast | 18 | 0.4 | 0.7 | 0.7 | 0.05 | 0.08 | 705 | 17.8 | 27.3 | 27.9 | 2.09 | 3.22 | C50 |
| Vulva | | | | | | | 10 | 0.3 | 0.4 | 0.4 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 15 | 0.4 | 0.6 | 0.7 | 0.05 | 0.09 | C52 |
| Cervix uteri | | | | | | | 353 | 8.9 | 13.7 | 14.9 | 1.14 | 1.75 | C53 |
| Corpus uteri | | | | | | | 96 | 2.4 | 3.7 | 4.2 | 0.29 | 0.49 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 238 | 6.0 | 9.2 | 9.6 | 0.71 | 1.07 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 28 | 0.5 | 1.1 | 1.2 | 0.07 | 0.16 | | | | | | | C60 |
| Prostate | 222 | 4.3 | 8.4 | 11.0 | 0.31 | 1.26 | | | | | | | C61 |
| Testis | 12 | 0.2 | 0.5 | 0.4 | 0.03 | 0.05 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 61 | 1.2 | 2.3 | 2.6 | 0.16 | 0.30 | 27 | 0.7 | 1.0 | 1.3 | 0.08 | 0.18 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 79 | 1.5 | 3.0 | 3.6 | 0.18 | 0.43 | 24 | 0.6 | 0.9 | 1.1 | 0.05 | 0.13 | C67 |
| Other urinary organs | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 86 | 1.7 | 3.3 | 3.3 | 0.20 | 0.35 | 66 | 1.7 | 2.6 | 2.8 | 0.20 | 0.28 | C70–72 |
| Thyroid | 41 | 0.8 | 1.6 | 1.5 | 0.10 | 0.16 | 123 | 3.1 | 4.8 | 4.4 | 0.33 | 0.41 | C73 |
| Adrenal gland | 8 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 21 | 0.4 | 0.8 | 0.8 | 0.04 | 0.08 | 19 | 0.5 | 0.7 | 0.7 | 0.05 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 135 | 2.6 | 5.1 | 5.6 | 0.28 | 0.65 | 72 | 1.8 | 2.8 | 3.1 | 0.22 | 0.35 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 49 | 1.0 | 1.9 | 2.2 | 0.11 | 0.31 | 32 | 0.8 | 1.2 | 1.4 | 0.11 | 0.18 | C90 |
| Lymphoid leukaemia | 25 | 0.5 | 0.9 | 1.1 | 0.07 | 0.08 | 16 | 0.4 | 0.6 | 0.7 | 0.05 | 0.05 | C91 |
| Myeloid leukaemia | 28 | 0.5 | 1.1 | 1.0 | 0.06 | 0.07 | 23 | 0.6 | 0.9 | 0.9 | 0.07 | 0.11 | C92–94 |
| Leukaemia unspecified | 31 | 0.6 | 1.2 | 1.2 | 0.07 | 0.14 | 14 | 0.4 | 0.5 | 0.6 | 0.03 | 0.06 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 307 | 6.0 | 11.6 | 12.5 | 0.75 | 1.44 | 167 | 4.2 | 6.5 | 7.6 | 0.43 | 1.00 | O&U |
| All sites | 5218 | | 197.6 | 218.8 | 12.33 | 26.25 | 4010 | | 155.4 | 173.7 | 11.63 | 20.50 | C00–96 |
| All sites except C44 | 5118 | 100.0 | 193.8 | 215.0 | 12.06 | 25.85 | 3962 | 100.0 | 153.5 | 171.7 | 11.50 | 20.28 | C00–96 exc. C44 |

§Includes 1 case of unknown age

India, Kollam

CONTRIBUTORS

Rekha Appukkuttan Nair
Paul Sebastian
Mathew Aleyamma
P. Jayalakshmi
Sara George Preethi



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 23.4 | Breast | 31.3 |
| Other and unspecified | 8.9 | Thyroid | 13.2 |
| Prostate | 7.5 | Cervix uteri | 6.7 |
| Mouth | 6.5 | Ovary | 5.8 |
| Liver | 6.4 | Other and unspecified | 5.7 |
| Stomach | 6.1 | Rectum | 4.3 |
| Rectum | 6.1 | Trachea, bronchus, and lung | 3.9 |
| Tongue | 5.5 | Mouth | 3.6 |
| Larynx | 5.4 | Corpus uteri | 3.5 |
| Non-Hodgkin lymphoma | 4.7 | Non-Hodgkin lymphoma | 2.8 |
| Oesophagus | 4.4 | Multiple myeloma | 2.7 |
| Colon | 4.2 | Colon | 2.5 |
| Bladder | 3.9 | Tongue | 2.4 |
| Multiple myeloma | 3.7 | Stomach | 2.0 |
| Thyroid | 3.6 | Brain and nervous system | 1.9 |
| Brain and nervous system | 3.2 | Myeloid leukaemia | 1.9 |
| Myeloid leukaemia | 2.7 | Oesophagus | 1.5 |
| Pancreas | 2.6 | Liver | 1.4 |
| Kidney | 2.5 | Non-melanoma skin cancer | 1.4 |
| Other oropharynx | 2.4 | Connective and soft tissue | 1.3 |
| All sites | 131.5 | All sites | 109.6 |

India, Kollam (2013–2016)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 16 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 353 | 4.4 | 7.1 | 5.5 | 0.38 | 0.68 | 188 | 2.4 | 3.3 | 2.4 | 0.14 | 0.29 | C01–02 |
| Mouth | 422 | 5.2 | 8.5 | 6.5 | 0.43 | 0.79 | 292 | 3.7 | 5.2 | 3.6 | 0.18 | 0.40 | C03–06 |
| Salivary glands | 47 | 0.6 | 0.9 | 0.8 | 0.06 | 0.08 | 51 | 0.6 | 0.9 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 22 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 151 | 1.9 | 3.0 | 2.4 | 0.16 | 0.30 | 9 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 37 | 0.5 | 0.7 | 0.6 | 0.04 | 0.07 | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 141 | 1.7 | 2.8 | 2.2 | 0.12 | 0.27 | 12 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 13 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 284 | 3.5 | 5.7 | 4.4 | 0.24 | 0.55 | 119 | 1.5 | 2.1 | 1.5 | 0.07 | 0.18 | C15 |
| Stomach | 392 | 4.8 | 7.9 | 6.1 | 0.31 | 0.77 | 156 | 2.0 | 2.8 | 2.0 | 0.13 | 0.25 | C16 |
| Small intestine | 32 | 0.4 | 0.6 | 0.5 | 0.04 | 0.05 | 23 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | C17 |
| Colon | 267 | 3.3 | 5.4 | 4.2 | 0.24 | 0.54 | 190 | 2.4 | 3.4 | 2.5 | 0.16 | 0.30 | C18 |
| Rectum | 384 | 4.7 | 7.7 | 6.1 | 0.35 | 0.81 | 323 | 4.0 | 5.7 | 4.3 | 0.28 | 0.56 | C19–20 |
| Anus | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 9 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 409 | 5.0 | 8.2 | 6.4 | 0.38 | 0.87 | 105 | 1.3 | 1.9 | 1.4 | 0.07 | 0.18 | C22 |
| Gallbladder etc. | 93 | 1.1 | 1.9 | 1.4 | 0.08 | 0.18 | 76 | 1.0 | 1.3 | 1.0 | 0.06 | 0.12 | C23–24 |
| Pancreas | 166 | 2.0 | 3.3 | 2.6 | 0.17 | 0.33 | 87 | 1.1 | 1.5 | 1.2 | 0.08 | 0.15 | C25 |
| Nose, sinuses etc. | 36 | 0.4 | 0.7 | 0.6 | 0.04 | 0.07 | 13 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 349 | 4.3 | 7.0 | 5.4 | 0.31 | 0.67 | 18 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1492 | 18.4 | 29.9 | 23.4 | 1.23 | 3.16 | 294 | 3.7 | 5.2 | 3.9 | 0.23 | 0.48 | C33–34 |
| Other thoracic organs | 18 | 0.2 | 0.4 | 0.4 | 0.02 | 0.03 | 9 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 38 | 0.5 | 0.8 | 0.8 | 0.04 | 0.06 | 27 | 0.3 | 0.5 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 26 | 0.3 | 0.5 | 0.4 | 0.02 | 0.05 | 26 | 0.3 | 0.5 | 0.3 | 0.02 | 0.05 | C43 |
| Other skin | 116 | 1.4 | 2.3 | 1.8 | 0.10 | 0.20 | 109 | 1.4 | 1.9 | 1.4 | 0.07 | 0.14 | C44 |
| Mesothelioma | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 97 | 1.2 | 1.9 | 1.7 | 0.12 | 0.16 | 83 | 1.0 | 1.5 | 1.3 | 0.09 | 0.12 | C47+C49 |
| Breast | 16 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | 2359 | 29.6 | 41.8 | 31.3 | 2.52 | 3.44 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 509 | 6.4 | 9.0 | 6.7 | 0.46 | 0.79 | C53 |
| Corpus uteri | | | | | | | 263 | 3.3 | 4.7 | 3.5 | 0.28 | 0.43 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.3 | 0.4 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 417 | 5.2 | 7.4 | 5.8 | 0.39 | 0.67 | C56 |
| Other female genital organs | | | | | | | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 43 | 0.5 | 0.9 | 0.6 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 477 | 5.9 | 9.6 | 7.5 | 0.18 | 1.00 | | | | | | | C61 |
| Testis | 33 | 0.4 | 0.7 | 0.6 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 152 | 1.9 | 3.0 | 2.5 | 0.15 | 0.30 | 48 | 0.6 | 0.9 | 0.8 | 0.05 | 0.08 | C64 |
| Renal pelvis | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 251 | 3.1 | 5.0 | 3.9 | 0.20 | 0.50 | 42 | 0.5 | 0.7 | 0.5 | 0.03 | 0.08 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 6 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 7 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 183 | 2.3 | 3.7 | 3.2 | 0.22 | 0.32 | 123 | 1.5 | 2.2 | 1.9 | 0.13 | 0.19 | C70–72 |
| Thyroid | 205 | 2.5 | 4.1 | 3.6 | 0.26 | 0.34 | 904 | 11.3 | 16.0 | 13.2 | 1.03 | 1.15 | C73 |
| Adrenal gland | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 64 | 0.8 | 1.3 | 1.3 | 0.08 | 0.10 | 34 | 0.4 | 0.6 | 0.6 | 0.04 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 288 | 3.6 | 5.8 | 4.7 | 0.31 | 0.49 | 200 | 2.5 | 3.5 | 2.8 | 0.19 | 0.32 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 237 | 2.9 | 4.8 | 3.7 | 0.20 | 0.49 | 203 | 2.5 | 3.6 | 2.7 | 0.18 | 0.34 | C90 |
| Lymphoid leukaemia | 85 | 1.0 | 1.7 | 1.9 | 0.10 | 0.13 | 62 | 0.8 | 1.1 | 1.3 | 0.07 | 0.09 | C91 |
| Myeloid leukaemia | 153 | 1.9 | 3.1 | 2.7 | 0.18 | 0.28 | 131 | 1.6 | 2.3 | 1.9 | 0.12 | 0.22 | C92–94 |
| Leukaemia unspecified | 27 | 0.3 | 0.5 | 0.5 | 0.03 | 0.05 | 22 | 0.3 | 0.4 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 15 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 10 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 569 | 7.0 | 11.4 | 8.9 | 0.43 | 1.08 | 445 | 5.6 | 7.9 | 5.7 | 0.28 | 0.70 | O&U |
| All sites | 8221 | | 165.0 | 131.5 | 7.40 | 16.08 | 8087 | | 143.5 | 109.6 | 7.62 | 12.19 | C00–96 |
| All sites except C44 | 8105 | 100.0 | 162.6 | 129.7 | 7.29 | 15.88 | 7978 | 100.0 | 141.5 | 108.3 | 7.54 | 12.05 | C00–96 exc. C44 |


§Includes 7 cases of unknown age

§Includes 3 cases of unknown age

India, Manipur

CONTRIBUTORS

Sushma Khuraijam
 Madhubala Devi
 Kaushik Debnath
 Punyabati Devi
 Rajesh Singh Laishram
 H. Satyajyoti Singh
 O. Bijaya Devi



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|------|-----------------------------|------|
| Trachea, bronchus, and lung | 13.0 | Trachea, bronchus, and lung | 11.9 |
| Stomach | 4.0 | Breast | 10.1 |
| Nasopharynx | 3.9 | Cervix uteri | 6.5 |
| Oesophagus | 3.7 | Thyroid | 4.7 |
| Other and unspecified | 3.4 | Gallbladder etc. | 4.0 |
| Non-Hodgkin lymphoma | 3.3 | Ovary | 3.2 |
| Non-melanoma skin cancer | 2.4 | Non-Hodgkin lymphoma | 3.0 |
| Liver | 2.3 | Stomach | 2.8 |
| Larynx | 2.1 | Non-melanoma skin cancer | 2.4 |
| Rectum | 2.0 | Other and unspecified | 2.3 |
| Colon | 1.9 | Rectum | 2.2 |
| Gallbladder etc. | 1.8 | Nasopharynx | 1.7 |
| Tongue | 1.5 | Myeloid leukaemia | 1.5 |
| Bladder | 1.5 | Colon | 1.4 |
| Myeloid leukaemia | 1.5 | Oesophagus | 1.2 |
| Mouth | 1.5 | Liver | 1.1 |
| Prostate | 1.2 | Mouth | 0.9 |
| Hypopharynx | 1.2 | Bone | 0.8 |
| Thyroid | 1.2 | Larynx | 0.7 |
| Bone | 1.0 | Lymphoid leukaemia | 0.7 |
| All sites | 63.4 | All sites | 71.1 |

*India, Manipur (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.2 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 73 | 2.5 | 1.1 | 1.5 | 0.10 | 0.19 | 23 | 0.6 | 0.4 | 0.5 | 0.04 | 0.05 | C01–02 |
| Mouth | 71 | 2.4 | 1.1 | 1.5 | 0.10 | 0.18 | 47 | 1.3 | 0.7 | 0.9 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 29 | 1.0 | 0.5 | 0.5 | 0.04 | 0.06 | 19 | 0.5 | 0.3 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 33 | 1.1 | 0.5 | 0.7 | 0.04 | 0.10 | 11 | 0.3 | 0.2 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 10 | 0.3 | 0.2 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 193 | 6.6 | 3.0 | 3.9 | 0.27 | 0.47 | 94 | 2.7 | 1.5 | 1.7 | 0.13 | 0.19 | C11 |
| Hypopharynx | 57 | 2.0 | 0.9 | 1.2 | 0.08 | 0.16 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 168 | 5.8 | 2.6 | 3.7 | 0.21 | 0.48 | 53 | 1.5 | 0.8 | 1.2 | 0.05 | 0.17 | C15 |
| Stomach | 192 | 6.6 | 3.0 | 4.0 | 0.24 | 0.50 | 133 | 3.8 | 2.1 | 2.8 | 0.16 | 0.35 | C16 |
| Small intestine | 5 | 0.2 | 0.1 | 0.1 | 0.00 | 0.01 | 12 | 0.3 | 0.2 | 0.3 | 0.02 | 0.03 | C17 |
| Colon | 94 | 3.2 | 1.5 | 1.9 | 0.11 | 0.22 | 67 | 1.9 | 1.1 | 1.4 | 0.06 | 0.17 | C18 |
| Rectum | 99 | 3.4 | 1.5 | 2.0 | 0.12 | 0.23 | 106 | 3.0 | 1.7 | 2.2 | 0.14 | 0.27 | C19–20 |
| Anus | 15 | 0.5 | 0.2 | 0.3 | 0.02 | 0.03 | 12 | 0.3 | 0.2 | 0.2 | 0.02 | 0.03 | C21 |
| Liver | 110 | 3.8 | 1.7 | 2.3 | 0.14 | 0.30 | 54 | 1.5 | 0.9 | 1.1 | 0.07 | 0.15 | C22 |
| Gallbladder etc. | 86 | 3.0 | 1.3 | 1.8 | 0.08 | 0.20 | 192 | 5.4 | 3.0 | 4.0 | 0.30 | 0.51 | C23–24 |
| Pancreas | 29 | 1.0 | 0.5 | 0.6 | 0.04 | 0.08 | 22 | 0.6 | 0.3 | 0.5 | 0.03 | 0.06 | C25 |
| Nose, sinuses etc. | 32 | 1.1 | 0.5 | 0.7 | 0.03 | 0.09 | 21 | 0.6 | 0.3 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 94 | 3.2 | 1.5 | 2.1 | 0.10 | 0.26 | 31 | 0.9 | 0.5 | 0.7 | 0.04 | 0.09 | C32 |
| Trachea, bronchus, and lung | 568 | 19.5 | 8.9 | 13.0 | 0.44 | 1.76 | 532 | 15.0 | 8.4 | 11.9 | 0.52 | 1.60 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 54 | 1.9 | 0.8 | 1.0 | 0.06 | 0.10 | 46 | 1.3 | 0.7 | 0.8 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 3 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 13 | 0.4 | 0.2 | 0.2 | 0.02 | 0.02 | C43 |
| Other skin | 117 | 4.0 | 1.8 | 2.4 | 0.11 | 0.27 | 119 | 3.4 | 1.9 | 2.4 | 0.13 | 0.26 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 45 | 1.5 | 0.7 | 0.8 | 0.05 | 0.09 | 39 | 1.1 | 0.6 | 0.6 | 0.05 | 0.05 | C47+C49 |
| Breast | 9 | 0.3 | 0.1 | 0.2 | 0.01 | 0.03 | 572 | 16.1 | 9.1 | 10.1 | 0.82 | 1.07 | C50 |
| Vulva | | | | | | | 24 | 0.7 | 0.4 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 334 | 9.4 | 5.3 | 6.5 | 0.47 | 0.78 | C53 |
| Corpus uteri | | | | | | | 29 | 0.8 | 0.5 | 0.6 | 0.04 | 0.07 | C54 |
| Uterus unspecified | | | | | | | 28 | 0.8 | 0.4 | 0.5 | 0.04 | 0.05 | C55 |
| Ovary | | | | | | | 187 | 5.3 | 3.0 | 3.2 | 0.27 | 0.34 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 18 | 0.5 | 0.3 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 35 | 1.2 | 0.5 | 0.7 | 0.05 | 0.10 | | | | | | | C60 |
| Prostate | 52 | 1.8 | 0.8 | 1.2 | 0.03 | 0.17 | | | | | | | C61 |
| Testis | 10 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 31 | 1.1 | 0.5 | 0.7 | 0.04 | 0.08 | 21 | 0.6 | 0.3 | 0.4 | 0.02 | 0.05 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 68 | 2.3 | 1.1 | 1.5 | 0.06 | 0.20 | 17 | 0.5 | 0.3 | 0.4 | 0.02 | 0.05 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 12 | 0.4 | 0.2 | 0.2 | 0.01 | 0.01 | 7 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 43 | 1.5 | 0.7 | 0.8 | 0.06 | 0.09 | 34 | 1.0 | 0.5 | 0.6 | 0.05 | 0.07 | C70–72 |
| Thyroid | 68 | 2.3 | 1.1 | 1.2 | 0.08 | 0.12 | 282 | 8.0 | 4.5 | 4.7 | 0.36 | 0.49 | C73 |
| Adrenal gland | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.3 | 0.1 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 15 | 0.5 | 0.2 | 0.3 | 0.02 | 0.04 | 11 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 167 | 5.7 | 2.6 | 3.3 | 0.21 | 0.37 | 152 | 4.3 | 2.4 | 3.0 | 0.21 | 0.34 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 31 | 1.1 | 0.5 | 0.7 | 0.05 | 0.10 | 30 | 0.8 | 0.5 | 0.6 | 0.04 | 0.07 | C90 |
| Lymphoid leukaemia | 42 | 1.4 | 0.7 | 0.7 | 0.04 | 0.07 | 37 | 1.0 | 0.6 | 0.7 | 0.03 | 0.05 | C91 |
| Myeloid leukaemia | 79 | 2.7 | 1.2 | 1.5 | 0.08 | 0.15 | 85 | 2.4 | 1.3 | 1.5 | 0.10 | 0.15 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 158 | 5.4 | 2.5 | 3.4 | 0.16 | 0.44 | 117 | 3.3 | 1.9 | 2.3 | 0.14 | 0.29 | O&U |
| All sites | 3024 | | 47.3 | 63.4 | 3.35 | 7.84 | 3664 | | 58.0 | 71.1 | 4.69 | 8.37 | C00–96 |
| All sites except C44 | 2907 | 100.0 | 45.5 | 61.1 | 3.24 | 7.57 | 3545 | 100.0 | 56.1 | 68.7 | 4.56 | 8.10 | C00–96 exc. C44 |

*See note following population pyramid

India, Meghalaya

CONTRIBUTORS

W.B. Langstieh
 H. Dkhar
 Badarisha R. Sohliya
 Laishram Purnima Devi
 R.S. Dympep
 Bantehsong Lang Langstieh
 Meghdalina Agnes Shabong
 Metalyne Nongrum
 Dienroimiar Arta Mylliempdah
 Lucina Wanniang
 Mardonald John Marbaniang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|------|
| Oesophagus | 55.6 | Oesophagus | 24.1 |
| Hypopharynx | 16.1 | Mouth | 9.7 |
| Trachea, bronchus, and lung | 13.7 | Cervix uteri | 7.8 |
| Other and unspecified | 13.1 | Breast | 7.2 |
| Stomach | 12.1 | Stomach | 6.7 |
| Tongue | 10.5 | Other and unspecified | 5.9 |
| Larynx | 10.3 | Gallbladder etc. | 4.6 |
| Mouth | 9.5 | Trachea, bronchus, and lung | 4.2 |
| Tonsil | 5.8 | Ovary | 2.2 |
| Pharynx unspecified | 5.2 | Hypopharynx | 2.2 |
| Liver | 3.5 | Tongue | 2.1 |
| Other oropharynx | 2.2 | Larynx | 1.6 |
| Gallbladder etc. | 2.0 | Lip | 1.4 |
| Nasopharynx | 1.9 | Non-melanoma skin cancer | 1.4 |
| Non-melanoma skin cancer | 1.7 | Liver | 1.4 |
| Rectum | 1.5 | Colon | 1.4 |
| Prostate | 1.5 | Thyroid | 1.4 |
| Colon | 1.5 | Rectum | 1.2 |
| Bladder | 1.4 | Non-Hodgkin lymphoma | 1.0 |
| Non-Hodgkin lymphoma | 1.2 | Corpus uteri | 0.8 |
| All sites | 180.1 | All sites | 98.1 |

India, Meghalaya (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|--------------------------|-------|------------|-----------|--------------------------|-----------|--------------------------|-------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 18 | 0.4 | 0.3 | 0.8 | 0.06 | 0.09 | 40 | 1.4 | 0.8 | 1.4 | 0.05 | 0.19 | C00 |
| Tongue | 308 | 6.4 | 5.9 | 10.5 | 0.89 | 1.17 | 61 | 2.1 | 1.2 | 2.1 | 0.15 | 0.25 | C01–02 |
| Mouth | 247 | 5.1 | 4.8 | 9.5 | 0.71 | 1.17 | 268 | 9.2 | 5.1 | 9.7 | 0.54 | 1.21 | C03–06 |
| Salivary glands | 7 | 0.1 | 0.1 | 0.3 | 0.02 | 0.02 | 9 | 0.3 | 0.2 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 164 | 3.4 | 3.2 | 5.8 | 0.46 | 0.70 | 23 | 0.8 | 0.4 | 0.8 | 0.05 | 0.11 | C09 |
| Other oropharynx | 60 | 1.2 | 1.2 | 2.2 | 0.18 | 0.27 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 62 | 1.3 | 1.2 | 1.9 | 0.14 | 0.20 | 19 | 0.7 | 0.4 | 0.5 | 0.03 | 0.05 | C11 |
| Hypopharynx | 438 | 9.1 | 8.4 | 16.1 | 1.22 | 1.90 | 64 | 2.2 | 1.2 | 2.2 | 0.18 | 0.26 | C12–13 |
| Pharynx unspecified | 138 | 2.9 | 2.7 | 5.2 | 0.42 | 0.58 | 22 | 0.8 | 0.4 | 0.7 | 0.06 | 0.08 | C14 |
| Oesophagus | 1518 | 31.4 | 29.3 | 55.6 | 4.41 | 6.32 | 680 | 23.3 | 13.0 | 24.1 | 1.90 | 2.94 | C15 |
| Stomach | 295 | 6.1 | 5.7 | 12.1 | 0.66 | 1.59 | 206 | 7.1 | 3.9 | 6.7 | 0.43 | 0.75 | C16 |
| Small intestine | 5 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 11 | 0.4 | 0.2 | 0.4 | 0.03 | 0.04 | C17 |
| Colon | 39 | 0.8 | 0.8 | 1.5 | 0.09 | 0.19 | 44 | 1.5 | 0.8 | 1.4 | 0.09 | 0.15 | C18 |
| Rectum | 42 | 0.9 | 0.8 | 1.5 | 0.09 | 0.19 | 38 | 1.3 | 0.7 | 1.2 | 0.08 | 0.14 | C19–20 |
| Anus | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C21 |
| Liver | 84 | 1.7 | 1.6 | 3.5 | 0.23 | 0.44 | 42 | 1.4 | 0.8 | 1.4 | 0.09 | 0.17 | C22 |
| Gallbladder etc. | 55 | 1.1 | 1.1 | 2.0 | 0.16 | 0.23 | 132 | 4.5 | 2.5 | 4.6 | 0.29 | 0.56 | C23–24 |
| Pancreas | 22 | 0.5 | 0.4 | 0.9 | 0.07 | 0.08 | 22 | 0.8 | 0.4 | 0.8 | 0.03 | 0.11 | C25 |
| Nose, sinuses etc. | 13 | 0.3 | 0.3 | 0.5 | 0.03 | 0.06 | 8 | 0.3 | 0.2 | 0.2 | 0.01 | 0.04 | C30–31 |
| Larynx | 273 | 5.6 | 5.3 | 10.3 | 0.78 | 1.19 | 48 | 1.6 | 0.9 | 1.6 | 0.13 | 0.21 | C32 |
| Trachea, bronchus, and lung | 323 | 6.7 | 6.2 | 13.7 | 0.85 | 1.84 | 113 | 3.9 | 2.2 | 4.2 | 0.26 | 0.52 | C33–34 |
| Other thoracic organs | 12 | 0.2 | 0.2 | 0.5 | 0.04 | 0.04 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C37–38 |
| Bone | 17 | 0.4 | 0.3 | 0.4 | 0.03 | 0.04 | 14 | 0.5 | 0.3 | 0.3 | 0.02 | 0.03 | C40–41 |
| Melanoma of skin | 8 | 0.2 | 0.2 | 0.3 | 0.01 | 0.04 | 4 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | C43 |
| Other skin | 48 | 1.0 | 0.9 | 1.7 | 0.11 | 0.18 | 43 | 1.5 | 0.8 | 1.4 | 0.06 | 0.18 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 25 | 0.5 | 0.5 | 0.6 | 0.03 | 0.05 | 17 | 0.6 | 0.3 | 0.4 | 0.03 | 0.04 | C47+C49 |
| Breast | 10 | 0.2 | 0.2 | 0.4 | 0.03 | 0.04 | 239 | 8.2 | 4.6 | 7.2 | 0.56 | 0.72 | C50 |
| Vulva | | | | | | | 16 | 0.5 | 0.3 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 5 | 0.2 | 0.1 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 258 | 8.8 | 4.9 | 7.8 | 0.62 | 0.83 | C53 |
| Corpus uteri | | | | | | | 24 | 0.8 | 0.5 | 0.8 | 0.07 | 0.10 | C54 |
| Uterus unspecified | | | | | | | 21 | 0.7 | 0.4 | 0.7 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 75 | 2.6 | 1.4 | 2.2 | 0.17 | 0.25 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 22 | 0.5 | 0.4 | 0.8 | 0.06 | 0.08 | | | | | | | C60 |
| Prostate | 33 | 0.7 | 0.6 | 1.5 | 0.04 | 0.13 | | | | | | | C61 |
| Testis | 9 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 6 | 0.1 | 0.1 | 0.2 | 0.00 | 0.02 | 13 | 0.4 | 0.2 | 0.4 | 0.03 | 0.05 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 6 | 0.2 | 0.1 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 34 | 0.7 | 0.7 | 1.4 | 0.07 | 0.19 | 21 | 0.7 | 0.4 | 0.8 | 0.04 | 0.10 | C67 |
| Other urinary organs | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 10 | 0.2 | 0.2 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 26 | 0.5 | 0.5 | 0.6 | 0.04 | 0.04 | 24 | 0.8 | 0.5 | 0.6 | 0.05 | 0.05 | C70–72 |
| Thyroid | 27 | 0.6 | 0.5 | 0.8 | 0.06 | 0.09 | 55 | 1.9 | 1.1 | 1.4 | 0.11 | 0.14 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 9 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 40 | 0.8 | 0.8 | 1.2 | 0.09 | 0.13 | 29 | 1.0 | 0.6 | 1.0 | 0.06 | 0.11 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 10 | 0.2 | 0.2 | 0.4 | 0.03 | 0.07 | 7 | 0.2 | 0.1 | 0.2 | 0.02 | 0.04 | C90 |
| Lymphoid leukaemia | 21 | 0.4 | 0.4 | 0.4 | 0.02 | 0.02 | 7 | 0.2 | 0.1 | 0.2 | 0.02 | 0.02 | C91 |
| Myeloid leukaemia | 32 | 0.7 | 0.6 | 0.8 | 0.05 | 0.07 | 21 | 0.7 | 0.4 | 0.6 | 0.06 | 0.06 | C92–94 |
| Leukaemia unspecified | 6 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 6 | 0.2 | 0.1 | 0.2 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 362 | 7.5 | 7.0 | 13.1 | 0.96 | 1.51 | 184 | 6.3 | 3.5 | 5.9 | 0.37 | 0.70 | O&U |
| All sites | 4887 | | 94.2 | 180.1 | 13.23 | 21.13 | 2961 | | 56.8 | 98.1 | 6.86 | 11.56 | C00–96 |
| All sites except C44 | 4839 | 100.0 | 93.3 | 178.4 | 13.12 | 20.95 | 2918 | 100.0 | 55.9 | 96.7 | 6.79 | 11.38 | C00–96 exc. C44 |


§Includes 2 cases of unknown age

§Includes 1 case of unknown age

India, Mizoram

CONTRIBUTORS

Eric Zomawia
 John Zohmingthanga
 C. Saia
 Jeremy L. Pautu
 B. Zothankima
 Lal Chhanhimi
 C. Lalchhandama
 T. Lalmangaihi
 Lalmuchhuaka
 Lalawmpuii Pachuau
 Evelyn V.L. Hmangaihzuai



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 38.8 | Trachea, bronchus, and lung | 27.6 |
| Trachea, bronchus, and lung | 32.5 | Cervix uteri | 23.0 |
| Oesophagus | 30.7 | Breast | 22.8 |
| Other and unspecified | 20.0 | Stomach | 18.1 |
| Hypopharynx | 10.9 | Other and unspecified | 16.4 |
| Liver | 10.2 | Oesophagus | 6.9 |
| Rectum | 6.2 | Liver | 5.7 |
| Colon | 5.7 | Ovary | 5.6 |
| Nasopharynx | 5.5 | Rectum | 4.7 |
| Larynx | 4.4 | Gallbladder etc. | 4.6 |
| Prostate | 4.0 | Colon | 4.3 |
| Mouth | 4.0 | Thyroid | 3.5 |
| Non-Hodgkin lymphoma | 3.4 | Nasopharynx | 3.1 |
| Bladder | 3.1 | Corpus uteri | 2.6 |
| Tongue | 3.0 | Pancreas | 2.6 |
| Pancreas | 2.9 | Mouth | 2.4 |
| Gallbladder etc. | 2.9 | Brain and nervous system | 2.4 |
| Myeloid leukaemia | 2.2 | Non-Hodgkin lymphoma | 2.1 |
| Tonsil | 2.1 | Non-melanoma skin cancer | 1.7 |
| Brain and nervous system | 1.9 | Larynx | 1.5 |
| All sites | 209.6 | All sites | 174.3 |


India, Mizoram (2013–2016)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.2 | 0.3 | 0.5 | 0.03 | 0.06 | C00 |
| Tongue | 55 | 1.6 | 2.3 | 3.0 | 0.24 | 0.34 | 17 | 0.6 | 0.7 | 1.1 | 0.07 | 0.13 | C01–02 |
| Mouth | 72 | 2.0 | 3.0 | 4.0 | 0.33 | 0.42 | 42 | 1.4 | 1.8 | 2.4 | 0.14 | 0.25 | C03–06 |
| Salivary glands | 9 | 0.3 | 0.4 | 0.5 | 0.04 | 0.07 | 9 | 0.3 | 0.4 | 0.5 | 0.05 | 0.05 | C07–08 |
| Tonsil | 37 | 1.1 | 1.5 | 2.1 | 0.18 | 0.25 | 5 | 0.2 | 0.2 | 0.3 | 0.02 | 0.02 | C09 |
| Other oropharynx | 13 | 0.4 | 0.5 | 0.7 | 0.06 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 97 | 2.8 | 4.1 | 5.5 | 0.42 | 0.59 | 54 | 1.8 | 2.3 | 3.1 | 0.21 | 0.35 | C11 |
| Hypopharynx | 190 | 5.4 | 7.9 | 10.9 | 0.93 | 1.26 | 24 | 0.8 | 1.0 | 1.4 | 0.12 | 0.17 | C12–13 |
| Pharynx unspecified | 26 | 0.7 | 1.1 | 1.4 | 0.13 | 0.18 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 548 | 15.6 | 22.9 | 30.7 | 2.54 | 3.60 | 109 | 3.6 | 4.6 | 6.9 | 0.51 | 0.90 | C15 |
| Stomach | 624 | 17.8 | 26.1 | 38.8 | 2.07 | 4.89 | 294 | 9.7 | 12.4 | 18.1 | 1.06 | 2.31 | C16 |
| Small intestine | 10 | 0.3 | 0.4 | 0.6 | 0.05 | 0.08 | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.05 | C17 |
| Colon | 91 | 2.6 | 3.8 | 5.7 | 0.27 | 0.73 | 72 | 2.4 | 3.0 | 4.3 | 0.20 | 0.51 | C18 |
| Rectum | 107 | 3.0 | 4.5 | 6.2 | 0.33 | 0.77 | 79 | 2.6 | 3.3 | 4.7 | 0.27 | 0.59 | C19–20 |
| Anus | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.03 | 5 | 0.2 | 0.2 | 0.3 | 0.01 | 0.01 | C21 |
| Liver | 174 | 5.0 | 7.3 | 10.2 | 0.71 | 1.23 | 96 | 3.2 | 4.1 | 5.7 | 0.41 | 0.67 | C22 |
| Gallbladder etc. | 47 | 1.3 | 2.0 | 2.9 | 0.16 | 0.36 | 76 | 2.5 | 3.2 | 4.6 | 0.22 | 0.58 | C23–24 |
| Pancreas | 46 | 1.3 | 1.9 | 2.9 | 0.12 | 0.41 | 40 | 1.3 | 1.7 | 2.6 | 0.08 | 0.34 | C25 |
| Nose, sinuses etc. | 8 | 0.2 | 0.3 | 0.5 | 0.02 | 0.07 | 5 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 75 | 2.1 | 3.1 | 4.4 | 0.31 | 0.57 | 24 | 0.8 | 1.0 | 1.5 | 0.06 | 0.20 | C32 |
| Trachea, bronchus, and lung | 510 | 14.5 | 21.3 | 32.5 | 1.47 | 4.00 | 427 | 14.1 | 18.0 | 27.6 | 1.11 | 3.53 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 12 | 0.3 | 0.5 | 0.6 | 0.04 | 0.04 | 16 | 0.5 | 0.7 | 0.9 | 0.05 | 0.10 | C40–41 |
| Melanoma of skin | 4 | 0.1 | 0.2 | 0.3 | 0.01 | 0.04 | 3 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | C43 |
| Other skin | 31 | 0.9 | 1.3 | 1.9 | 0.06 | 0.21 | 29 | 1.0 | 1.2 | 1.7 | 0.07 | 0.20 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.4 | 0.6 | 0.7 | 0.05 | 0.05 | 12 | 0.4 | 0.5 | 0.7 | 0.03 | 0.10 | C47+C49 |
| Breast | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 434 | 14.3 | 18.3 | 22.8 | 1.78 | 2.49 | C50 |
| Vulva | | | | | | | 7 | 0.2 | 0.3 | 0.4 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 463 | 15.3 | 19.5 | 23.0 | 1.98 | 2.35 | C53 |
| Corpus uteri | | | | | | | 50 | 1.7 | 2.1 | 2.6 | 0.25 | 0.30 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.4 | 0.5 | 0.5 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 114 | 3.8 | 4.8 | 5.6 | 0.39 | 0.63 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 22 | 0.6 | 0.9 | 1.2 | 0.06 | 0.15 | | | | | | | C60 |
| Prostate | 63 | 1.8 | 2.6 | 4.0 | 0.05 | 0.41 | | | | | | | C61 |
| Testis | 6 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.04 | | | | | | | C63 |
| Kidney | 19 | 0.5 | 0.8 | 1.1 | 0.04 | 0.11 | 7 | 0.2 | 0.3 | 0.4 | 0.02 | 0.03 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 50 | 1.4 | 2.1 | 3.1 | 0.11 | 0.32 | 20 | 0.7 | 0.8 | 1.2 | 0.03 | 0.16 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.2 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 38 | 1.1 | 1.6 | 1.9 | 0.12 | 0.19 | 40 | 1.3 | 1.7 | 2.4 | 0.10 | 0.33 | C70–72 |
| Thyroid | 25 | 0.7 | 1.0 | 1.5 | 0.05 | 0.19 | 70 | 2.3 | 3.0 | 3.5 | 0.23 | 0.37 | C73 |
| Adrenal gland | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 62 | 1.8 | 2.6 | 3.4 | 0.18 | 0.38 | 39 | 1.3 | 1.6 | 2.1 | 0.15 | 0.27 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | C88 |
| Multiple myeloma | 4 | 0.1 | 0.2 | 0.3 | 0.02 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C90 |
| Lymphoid leukaemia | 25 | 0.7 | 1.0 | 1.2 | 0.06 | 0.10 | 19 | 0.6 | 0.8 | 0.9 | 0.03 | 0.07 | C91 |
| Myeloid leukaemia | 45 | 1.3 | 1.9 | 2.2 | 0.16 | 0.23 | 28 | 0.9 | 1.2 | 1.4 | 0.09 | 0.14 | C92–94 |
| Leukaemia unspecified | 23 | 0.7 | 1.0 | 1.2 | 0.06 | 0.14 | 17 | 0.6 | 0.7 | 0.8 | 0.04 | 0.06 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 336 | 9.6 | 14.1 | 20.0 | 1.00 | 2.22 | 273 | 9.0 | 11.5 | 16.4 | 0.91 | 1.90 | O&U |
| All sites | 3545 | | 148.3 | 209.6 | 12.54 | 24.90 | 3058 | | 129.0 | 174.3 | 10.91 | 20.52 | C00–96 |
| All sites except C44 | 3514 | 100.0 | 147.0 | 207.8 | 12.48 | 24.69 | 3029 | 100.0 | 127.8 | 172.6 | 10.84 | 20.32 | C00–96 exc. C44 |

India, Mumbai

CONTRIBUTORS

Vinay Deshmane
Shravani Koyande



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 10.5 | Breast | 34.2 |
| Mouth | 10.3 | Cervix uteri | 7.9 |
| Prostate | 10.2 | Ovary | 7.1 |
| Liver | 6.8 | Trachea, bronchus, and lung | 5.8 |
| Other and unspecified | 5.4 | Other and unspecified | 4.9 |
| Tongue | 5.3 | Corpus uteri | 4.8 |
| Non-Hodgkin lymphoma | 4.7 | Mouth | 4.0 |
| Stomach | 4.6 | Gallbladder etc. | 3.5 |
| Bladder | 4.0 | Colon | 3.4 |
| Colon | 4.0 | Non-Hodgkin lymphoma | 3.4 |
| Oesophagus | 3.9 | Liver | 3.3 |
| Larynx | 3.7 | Oesophagus | 3.1 |
| Brain and nervous system | 3.6 | Stomach | 2.8 |
| Rectum | 3.2 | Brain and nervous system | 2.6 |
| Pancreas | 3.2 | Rectum | 2.3 |
| Kidney | 2.7 | Pancreas | 2.2 |
| Gallbladder etc. | 2.2 | Thyroid | 2.2 |
| Myeloid leukaemia | 2.2 | Tongue | 2.1 |
| Lymphoid leukaemia | 2.0 | Myeloid leukaemia | 1.7 |
| Hypopharynx | 1.8 | Multiple myeloma | 1.3 |
| All sites | 110.4 | All sites | 116.6 |

India, Mumbai (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 153 | 0.5 | 0.5 | 0.5 | 0.03 | 0.05 | 75 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 1780 | 5.2 | 5.3 | 5.3 | 0.37 | 0.60 | 643 | 1.8 | 2.2 | 2.1 | 0.13 | 0.24 | C01–02 |
| Mouth | 3478 | 10.2 | 10.3 | 10.3 | 0.77 | 1.19 | 1199 | 3.4 | 4.1 | 4.0 | 0.26 | 0.48 | C03–06 |
| Salivary glands | 149 | 0.4 | 0.4 | 0.5 | 0.03 | 0.06 | 93 | 0.3 | 0.3 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 201 | 0.6 | 0.6 | 0.6 | 0.04 | 0.07 | 47 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 202 | 0.6 | 0.6 | 0.7 | 0.04 | 0.08 | 63 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 129 | 0.4 | 0.4 | 0.4 | 0.03 | 0.04 | 45 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 557 | 1.6 | 1.6 | 1.8 | 0.10 | 0.23 | 191 | 0.5 | 0.6 | 0.6 | 0.04 | 0.07 | C12–13 |
| Pharynx unspecified | 173 | 0.5 | 0.5 | 0.6 | 0.03 | 0.06 | 69 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C14 |
| Oesophagus | 1179 | 3.5 | 3.5 | 3.9 | 0.20 | 0.46 | 949 | 2.7 | 3.2 | 3.1 | 0.17 | 0.34 | C15 |
| Stomach | 1413 | 4.2 | 4.2 | 4.6 | 0.23 | 0.54 | 842 | 2.4 | 2.9 | 2.8 | 0.15 | 0.32 | C16 |
| Small intestine | 132 | 0.4 | 0.4 | 0.4 | 0.02 | 0.05 | 94 | 0.3 | 0.3 | 0.3 | 0.02 | 0.04 | C17 |
| Colon | 1253 | 3.7 | 3.7 | 4.0 | 0.19 | 0.47 | 1049 | 3.0 | 3.6 | 3.4 | 0.18 | 0.39 | C18 |
| Rectum | 1012 | 3.0 | 3.0 | 3.2 | 0.18 | 0.37 | 708 | 2.0 | 2.4 | 2.3 | 0.13 | 0.26 | C19–20 |
| Anus | 136 | 0.4 | 0.4 | 0.4 | 0.03 | 0.05 | 82 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 2060 | 6.1 | 6.1 | 6.8 | 0.32 | 0.83 | 999 | 2.8 | 3.4 | 3.3 | 0.17 | 0.40 | C22 |
| Gallbladder etc. | 691 | 2.0 | 2.0 | 2.2 | 0.13 | 0.25 | 1078 | 3.1 | 3.7 | 3.5 | 0.22 | 0.41 | C23–24 |
| Pancreas | 954 | 2.8 | 2.8 | 3.2 | 0.15 | 0.38 | 669 | 1.9 | 2.3 | 2.2 | 0.11 | 0.26 | C25 |
| Nose, sinuses etc. | 173 | 0.5 | 0.5 | 0.5 | 0.04 | 0.06 | 77 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | C30–31 |
| Larynx | 1126 | 3.3 | 3.3 | 3.7 | 0.19 | 0.45 | 183 | 0.5 | 0.6 | 0.6 | 0.03 | 0.07 | C32 |
| Trachea, bronchus, and lung | 3153 | 9.3 | 9.3 | 10.5 | 0.50 | 1.30 | 1734 | 4.9 | 5.9 | 5.8 | 0.28 | 0.70 | C33–34 |
| Other thoracic organs | 42 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 25 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C37–38 |
| Bone | 383 | 1.1 | 1.1 | 1.1 | 0.07 | 0.10 | 287 | 0.8 | 1.0 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 86 | 0.3 | 0.3 | 0.3 | 0.02 | 0.03 | 69 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 419 | 1.2 | 1.2 | 1.3 | 0.08 | 0.15 | 312 | 0.9 | 1.1 | 1.0 | 0.05 | 0.12 | C44 |
| Mesothelioma | 13 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 410 | 1.2 | 1.2 | 1.3 | 0.07 | 0.14 | 338 | 1.0 | 1.1 | 1.1 | 0.07 | 0.12 | C47+C49 |
| Breast | 265 | 0.8 | 0.8 | 0.8 | 0.05 | 0.10 | 10588 | 30.1 | 35.9 | 34.2 | 2.34 | 3.92 | C50 |
| Vulva | | | | | | | 101 | 0.3 | 0.3 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 157 | 0.4 | 0.5 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 2426 | 6.9 | 8.2 | 7.9 | 0.58 | 0.93 | C53 |
| Corpus uteri | | | | | | | 1419 | 4.0 | 4.8 | 4.8 | 0.32 | 0.62 | C54 |
| Uterus unspecified | | | | | | | 196 | 0.6 | 0.7 | 0.6 | 0.03 | 0.07 | C55 |
| Ovary | | | | | | | 2177 | 6.2 | 7.4 | 7.1 | 0.48 | 0.82 | C56 |
| Other female genital organs | | | | | | | 32 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 18 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.7 | 0.7 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 2958 | 8.7 | 8.8 | 10.2 | 0.22 | 1.13 | | | | | | | C61 |
| Testis | 249 | 0.7 | 0.7 | 0.6 | 0.04 | 0.05 | | | | | | | C62 |
| Other male genital organs | 14 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 845 | 2.5 | 2.5 | 2.7 | 0.16 | 0.32 | 377 | 1.1 | 1.3 | 1.3 | 0.08 | 0.14 | C64 |
| Renal pelvis | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 11 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 12 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 1209 | 3.6 | 3.6 | 4.0 | 0.16 | 0.46 | 360 | 1.0 | 1.2 | 1.2 | 0.05 | 0.13 | C67 |
| Other urinary organs | 9 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 28 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 27 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 1136 | 3.3 | 3.4 | 3.6 | 0.22 | 0.36 | 768 | 2.2 | 2.6 | 2.6 | 0.16 | 0.28 | C70–72 |
| Thyroid | 317 | 0.9 | 0.9 | 0.9 | 0.06 | 0.10 | 728 | 2.1 | 2.5 | 2.2 | 0.16 | 0.22 | C73 |
| Adrenal gland | 34 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 26 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 19 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 20 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 320 | 0.9 | 0.9 | 1.0 | 0.06 | 0.08 | 196 | 0.6 | 0.7 | 0.6 | 0.04 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 1498 | 4.4 | 4.4 | 4.7 | 0.25 | 0.52 | 1031 | 2.9 | 3.5 | 3.4 | 0.20 | 0.39 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 512 | 1.5 | 1.5 | 1.7 | 0.07 | 0.21 | 398 | 1.1 | 1.4 | 1.3 | 0.07 | 0.17 | C90 |
| Lymphoid leukaemia | 569 | 1.7 | 1.7 | 2.0 | 0.10 | 0.14 | 297 | 0.8 | 1.0 | 1.1 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 717 | 2.1 | 2.1 | 2.2 | 0.12 | 0.21 | 528 | 1.5 | 1.8 | 1.7 | 0.11 | 0.17 | C92–94 |
| Leukaemia unspecified | 283 | 0.8 | 0.8 | 0.9 | 0.05 | 0.08 | 223 | 0.6 | 0.8 | 0.8 | 0.04 | 0.07 | C95 |
| Myeloproliferative disorders | 9 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 1684 | 5.0 | 5.0 | 5.4 | 0.30 | 0.64 | 1475 | 4.2 | 5.0 | 4.9 | 0.28 | 0.57 | O&U |
| All sites | 34379 | | 101.7 | 110.4 | 5.75 | 12.57 | 35519 | | 120.5 | 116.6 | 7.24 | 13.33 | C00–96 |
| All sites except C44 | 33960 | 100.0 | 100.5 | 109.1 | 5.68 | 12.42 | 35207 | 100.0 | 119.5 | 115.5 | 7.19 | 13.20 | C00–96 exc. C44 |


§Includes 31 cases of unknown age

§Includes 25 cases of unknown age

India, New Delhi

CONTRIBUTORS

S.V. Suryanarayana Deo
 N. Manoharan
 G.K. Rath
 Rajeev Kumar Malhotra
 Ashok Kumar Singh
 Shambu Prasad Bhadola
 Indu Gaur
 S.K. Rai
 Sudha Saxena
 C.P. Singh Yadav
 Anand Sharma



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 17.0 | Breast | 37.1 |
| Prostate | 12.2 | Cervix uteri | 13.0 |
| Mouth | 10.5 | Gallbladder etc. | 11.5 |
| Tongue | 8.9 | Ovary | 9.1 |
| Other and unspecified | 7.5 | Corpus uteri | 6.1 |
| Larynx | 6.9 | Other and unspecified | 5.2 |
| Bladder | 6.9 | Trachea, bronchus, and lung | 5.0 |
| Oesophagus | 6.3 | Oesophagus | 3.8 |
| Non-Hodgkin lymphoma | 5.8 | Non-Hodgkin lymphoma | 3.6 |
| Gallbladder etc. | 5.8 | Tongue | 3.1 |
| Liver | 4.7 | Brain and nervous system | 2.8 |
| Brain and nervous system | 4.3 | Mouth | 2.8 |
| Colon | 4.0 | Colon | 2.7 |
| Lymphoid leukaemia | 3.8 | Stomach | 2.5 |
| Stomach | 3.8 | Liver | 2.3 |
| Myeloid leukaemia | 2.9 | Thyroid | 2.1 |
| Multiple myeloma | 2.9 | Rectum | 2.1 |
| Rectum | 2.9 | Myeloid leukaemia | 2.0 |
| Kidney | 2.6 | Lymphoid leukaemia | 2.0 |
| Pancreas | 2.5 | Pancreas | 1.9 |
| All sites | 149.2 | All sites | 139.3 |

*India, New Delhi (2013–2015)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 129 | 0.4 | 0.5 | 0.6 | 0.04 | 0.07 | 32 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 2062 | 6.5 | 7.3 | 8.9 | 0.64 | 1.05 | 630 | 2.1 | 2.5 | 3.1 | 0.21 | 0.34 | C01–02 |
| Mouth | 2506 | 7.8 | 8.9 | 10.5 | 0.77 | 1.21 | 571 | 1.9 | 2.3 | 2.8 | 0.18 | 0.31 | C03–06 |
| Salivary glands | 200 | 0.6 | 0.7 | 0.8 | 0.06 | 0.09 | 111 | 0.4 | 0.4 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 444 | 1.4 | 1.6 | 2.1 | 0.15 | 0.27 | 77 | 0.3 | 0.3 | 0.4 | 0.02 | 0.04 | C09 |
| Other oropharynx | 422 | 1.3 | 1.5 | 2.0 | 0.14 | 0.27 | 66 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C10 |
| Nasopharynx | 123 | 0.4 | 0.4 | 0.5 | 0.03 | 0.06 | 66 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 458 | 1.4 | 1.6 | 2.3 | 0.14 | 0.30 | 87 | 0.3 | 0.3 | 0.4 | 0.03 | 0.05 | C12–13 |
| Pharynx unspecified | 112 | 0.4 | 0.4 | 0.5 | 0.04 | 0.06 | 33 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 1301 | 4.1 | 4.6 | 6.3 | 0.40 | 0.80 | 746 | 2.5 | 3.0 | 3.8 | 0.24 | 0.46 | C15 |
| Stomach | 822 | 2.6 | 2.9 | 3.8 | 0.23 | 0.45 | 522 | 1.8 | 2.1 | 2.5 | 0.16 | 0.30 | C16 |
| Small intestine | 344 | 1.1 | 1.2 | 1.6 | 0.09 | 0.17 | 207 | 0.7 | 0.8 | 1.0 | 0.05 | 0.10 | C17 |
| Colon | 872 | 2.7 | 3.1 | 4.0 | 0.25 | 0.49 | 566 | 1.9 | 2.3 | 2.7 | 0.17 | 0.32 | C18 |
| Rectum | 658 | 2.1 | 2.3 | 2.9 | 0.17 | 0.33 | 454 | 1.5 | 1.8 | 2.1 | 0.14 | 0.23 | C19–20 |
| Anus | 153 | 0.5 | 0.5 | 0.7 | 0.04 | 0.09 | 73 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 988 | 3.1 | 3.5 | 4.7 | 0.28 | 0.59 | 480 | 1.6 | 1.9 | 2.3 | 0.15 | 0.27 | C22 |
| Gallbladder etc. | 1228 | 3.8 | 4.4 | 5.8 | 0.35 | 0.72 | 2394 | 8.2 | 9.6 | 11.5 | 0.82 | 1.36 | C23–24 |
| Pancreas | 523 | 1.6 | 1.9 | 2.5 | 0.16 | 0.31 | 379 | 1.3 | 1.5 | 1.9 | 0.12 | 0.23 | C25 |
| Nose, sinuses etc. | 121 | 0.4 | 0.4 | 0.5 | 0.03 | 0.06 | 59 | 0.2 | 0.2 | 0.2 | 0.02 | 0.03 | C30–31 |
| Larynx | 1423 | 4.5 | 5.0 | 6.9 | 0.42 | 0.90 | 164 | 0.6 | 0.7 | 0.8 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 3412 | 10.7 | 12.1 | 17.0 | 1.00 | 2.24 | 1008 | 3.4 | 4.0 | 5.0 | 0.32 | 0.61 | C33–34 |
| Other thoracic organs | 77 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 57 | 0.2 | 0.2 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 544 | 1.7 | 1.9 | 1.9 | 0.12 | 0.16 | 312 | 1.1 | 1.2 | 1.3 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 67 | 0.2 | 0.2 | 0.3 | 0.02 | 0.03 | 61 | 0.2 | 0.2 | 0.3 | 0.01 | 0.03 | C43 |
| Other skin | 448 | 1.4 | 1.6 | 2.1 | 0.11 | 0.24 | 330 | 1.1 | 1.3 | 1.6 | 0.10 | 0.19 | C44 |
| Mesothelioma | 11 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 430 | 1.3 | 1.5 | 1.8 | 0.11 | 0.18 | 333 | 1.1 | 1.3 | 1.5 | 0.11 | 0.14 | C47+C49 |
| Breast | 305 | 1.0 | 1.1 | 1.4 | 0.09 | 0.17 | 8048 | 27.5 | 32.2 | 37.1 | 2.78 | 4.28 | C50 |
| Vulva | | | | | | | 129 | 0.4 | 0.5 | 0.6 | 0.04 | 0.07 | C51 |
| Vagina | | | | | | | 95 | 0.3 | 0.4 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 2799 | 9.5 | 11.2 | 13.0 | 1.01 | 1.53 | C53 |
| Corpus uteri | | | | | | | 1203 | 4.1 | 4.8 | 6.1 | 0.43 | 0.79 | C54 |
| Uterus unspecified | | | | | | | 92 | 0.3 | 0.4 | 0.4 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 2012 | 6.9 | 8.1 | 9.1 | 0.66 | 1.04 | C56 |
| Other female genital organs | | | | | | | 20 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 38 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 179 | 0.6 | 0.6 | 0.8 | 0.05 | 0.09 | | | | | | | C60 |
| Prostate | 2155 | 6.7 | 7.6 | 12.2 | 0.33 | 1.49 | | | | | | | C61 |
| Testis | 232 | 0.7 | 0.8 | 0.7 | 0.05 | 0.06 | | | | | | | C62 |
| Other male genital organs | 42 | 0.1 | 0.1 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 551 | 1.7 | 2.0 | 2.6 | 0.16 | 0.31 | 256 | 0.9 | 1.0 | 1.2 | 0.08 | 0.13 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 8 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 1355 | 4.2 | 4.8 | 6.9 | 0.33 | 0.84 | 290 | 1.0 | 1.2 | 1.5 | 0.07 | 0.18 | C67 |
| Other urinary organs | 49 | 0.2 | 0.2 | 0.3 | 0.01 | 0.03 | 10 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 113 | 0.4 | 0.4 | 0.5 | 0.03 | 0.03 | 68 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 1095 | 3.4 | 3.9 | 4.3 | 0.29 | 0.42 | 641 | 2.2 | 2.6 | 2.8 | 0.19 | 0.26 | C70–72 |
| Thyroid | 259 | 0.8 | 0.9 | 1.0 | 0.07 | 0.10 | 509 | 1.7 | 2.0 | 2.1 | 0.15 | 0.22 | C73 |
| Adrenal gland | 52 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 38 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 23 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 16 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 467 | 1.5 | 1.7 | 1.7 | 0.11 | 0.14 | 227 | 0.8 | 0.9 | 1.0 | 0.06 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 1326 | 4.2 | 4.7 | 5.8 | 0.33 | 0.64 | 732 | 2.5 | 2.9 | 3.6 | 0.21 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 585 | 1.8 | 2.1 | 2.9 | 0.15 | 0.34 | 356 | 1.2 | 1.4 | 1.8 | 0.11 | 0.23 | C90 |
| Lymphoid leukaemia | 899 | 2.8 | 3.2 | 3.8 | 0.20 | 0.30 | 418 | 1.4 | 1.7 | 2.0 | 0.11 | 0.15 | C91 |
| Myeloid leukaemia | 733 | 2.3 | 2.6 | 2.9 | 0.18 | 0.28 | 468 | 1.6 | 1.9 | 2.0 | 0.13 | 0.21 | C92–94 |
| Leukaemia unspecified | 454 | 1.4 | 1.6 | 1.8 | 0.11 | 0.16 | 262 | 0.9 | 1.0 | 1.1 | 0.07 | 0.10 | C95 |
| Myeloproliferative disorders | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 1598 | 5.0 | 5.7 | 7.5 | 0.45 | 0.92 | 1077 | 3.7 | 4.3 | 5.2 | 0.34 | 0.61 | O&U |
| All sites | 32378 | | 114.8 | 149.2 | 8.79 | 17.57 | 29645 | | 118.8 | 139.3 | 9.69 | 15.97 | C00–96 |
| All sites except C44 | 31930 | 100.0 | 113.2 | 147.2 | 8.68 | 17.33 | 29315 | 100.0 | 117.4 | 137.8 | 9.59 | 15.78 | C00–96 exc. C44 |

§Includes 208 cases of unknown age


§Includes 143 cases of unknown age

*See note following population pyramid

India, Poona

CONTRIBUTORS

Vinay Deshmane
Shravani Koyande
Kalpana Kulkarni



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|------|
| Prostate | 8.6 | Breast | 31.7 |
| Mouth | 8.4 | Cervix uteri | 10.1 |
| Trachea, bronchus, and lung | 7.0 | Ovary | 6.6 |
| Tongue | 4.3 | Corpus uteri | 4.4 |
| Non-Hodgkin lymphoma | 4.0 | Trachea, bronchus, and lung | 4.1 |
| Liver | 3.8 | Other and unspecified | 3.6 |
| Other and unspecified | 3.7 | Mouth | 3.4 |
| Colon | 3.7 | Colon | 2.9 |
| Rectum | 3.6 | Oesophagus | 2.8 |
| Oesophagus | 3.6 | Non-Hodgkin lymphoma | 2.8 |
| Brain and nervous system | 3.5 | Rectum | 2.4 |
| Larynx | 3.5 | Brain and nervous system | 2.1 |
| Stomach | 3.4 | Tongue | 1.9 |
| Bladder | 3.3 | Stomach | 1.7 |
| Kidney | 2.4 | Gallbladder etc. | 1.6 |
| Pancreas | 2.0 | Liver | 1.6 |
| Hypopharynx | 1.3 | Thyroid | 1.5 |
| Myeloid leukaemia | 1.2 | Pancreas | 1.4 |
| Multiple myeloma | 1.2 | Connective and soft tissue | 1.0 |
| Lymphoid leukaemia | 1.1 | Bladder | 1.0 |
| All sites | 85.5 | All sites | 98.3 |

India, Poona (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|----------|------------|-----------|--------------------------|-------------|---------------------|----------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 49 | 0.5 | 0.3 | 0.4 | 0.03 | 0.05 | 18 | 0.2 | 0.1 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 578 | 5.6 | 3.9 | 4.3 | 0.32 | 0.47 | 228 | 1.9 | 1.7 | 1.9 | 0.13 | 0.22 | C01–02 |
| Mouth | 1095 | 10.6 | 7.4 | 8.4 | 0.59 | 0.99 | 396 | 3.4 | 3.0 | 3.4 | 0.21 | 0.42 | C03–06 |
| Salivary glands | 53 | 0.5 | 0.4 | 0.4 | 0.03 | 0.04 | 36 | 0.3 | 0.3 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 34 | 0.3 | 0.2 | 0.3 | 0.02 | 0.04 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 80 | 0.8 | 0.5 | 0.7 | 0.05 | 0.09 | 32 | 0.3 | 0.2 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 37 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | 24 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C11 |
| Hypopharynx | 152 | 1.5 | 1.0 | 1.3 | 0.06 | 0.16 | 64 | 0.5 | 0.5 | 0.5 | 0.04 | 0.06 | C12–13 |
| Pharynx unspecified | 39 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | 12 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 409 | 4.0 | 2.8 | 3.6 | 0.18 | 0.46 | 333 | 2.8 | 2.5 | 2.8 | 0.16 | 0.31 | C15 |
| Stomach | 408 | 4.0 | 2.8 | 3.4 | 0.18 | 0.41 | 202 | 1.7 | 1.5 | 1.7 | 0.10 | 0.19 | C16 |
| Small intestine | 26 | 0.3 | 0.2 | 0.2 | 0.02 | 0.03 | 12 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C17 |
| Colon | 447 | 4.3 | 3.0 | 3.7 | 0.18 | 0.42 | 332 | 2.8 | 2.5 | 2.9 | 0.14 | 0.34 | C18 |
| Rectum | 449 | 4.3 | 3.0 | 3.6 | 0.21 | 0.43 | 282 | 2.4 | 2.1 | 2.4 | 0.13 | 0.30 | C19–20 |
| Anus | 23 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | 24 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 433 | 4.2 | 2.9 | 3.8 | 0.15 | 0.48 | 184 | 1.6 | 1.4 | 1.6 | 0.09 | 0.20 | C22 |
| Gallbladder etc. | 134 | 1.3 | 0.9 | 1.1 | 0.07 | 0.13 | 186 | 1.6 | 1.4 | 1.6 | 0.08 | 0.21 | C23–24 |
| Pancreas | 240 | 2.3 | 1.6 | 2.0 | 0.11 | 0.23 | 164 | 1.4 | 1.2 | 1.4 | 0.08 | 0.17 | C25 |
| Nose, sinuses etc. | 49 | 0.5 | 0.3 | 0.4 | 0.03 | 0.04 | 43 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 404 | 3.9 | 2.7 | 3.5 | 0.18 | 0.44 | 55 | 0.5 | 0.4 | 0.5 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 812 | 7.9 | 5.5 | 7.0 | 0.36 | 0.92 | 476 | 4.1 | 3.6 | 4.1 | 0.23 | 0.51 | C33–34 |
| Other thoracic organs | 8 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 116 | 1.1 | 0.8 | 0.8 | 0.05 | 0.06 | 99 | 0.8 | 0.7 | 0.8 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 43 | 0.4 | 0.3 | 0.4 | 0.02 | 0.04 | 15 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 73 | 0.7 | 0.5 | 0.6 | 0.03 | 0.06 | 71 | 0.6 | 0.5 | 0.6 | 0.03 | 0.07 | C44 |
| Mesothelioma | 6 | 0.1 | 0.0 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 135 | 1.3 | 0.9 | 1.1 | 0.05 | 0.12 | 131 | 1.1 | 1.0 | 1.0 | 0.07 | 0.11 | C47+C49 |
| Breast | 137 | 1.3 | 0.9 | 1.1 | 0.08 | 0.13 | 3874 | 33.1 | 28.9 | 31.7 | 2.20 | 3.67 | C50 |
| Vulva | | | | | | | 36 | 0.3 | 0.3 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 53 | 0.5 | 0.4 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1198 | 10.2 | 8.9 | 10.1 | 0.74 | 1.19 | C53 |
| Corpus uteri | | | | | | | 499 | 4.3 | 3.7 | 4.4 | 0.29 | 0.57 | C54 |
| Uterus unspecified | | | | | | | 38 | 0.3 | 0.3 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 788 | 6.7 | 5.9 | 6.6 | 0.44 | 0.81 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 105 | 1.0 | 0.7 | 0.9 | 0.04 | 0.11 | | | | | | | C60 |
| Prostate | 952 | 9.2 | 6.4 | 8.6 | 0.17 | 1.02 | | | | | | | C61 |
| Testis | 52 | 0.5 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 286 | 2.8 | 1.9 | 2.4 | 0.15 | 0.29 | 118 | 1.0 | 0.9 | 1.0 | 0.07 | 0.13 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 383 | 3.7 | 2.6 | 3.3 | 0.13 | 0.41 | 117 | 1.0 | 0.9 | 1.0 | 0.06 | 0.11 | C67 |
| Other urinary organs | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 472 | 4.6 | 3.2 | 3.5 | 0.23 | 0.36 | 258 | 2.2 | 1.9 | 2.1 | 0.14 | 0.21 | C70–72 |
| Thyroid | 107 | 1.0 | 0.7 | 0.8 | 0.05 | 0.09 | 205 | 1.8 | 1.5 | 1.5 | 0.11 | 0.16 | C73 |
| Adrenal gland | 6 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 103 | 1.0 | 0.7 | 0.7 | 0.05 | 0.07 | 59 | 0.5 | 0.4 | 0.4 | 0.02 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 500 | 4.8 | 3.4 | 4.0 | 0.21 | 0.45 | 330 | 2.8 | 2.5 | 2.8 | 0.14 | 0.34 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 140 | 1.4 | 0.9 | 1.2 | 0.06 | 0.15 | 80 | 0.7 | 0.6 | 0.7 | 0.03 | 0.10 | C90 |
| Lymphoid leukaemia | 140 | 1.4 | 0.9 | 1.1 | 0.06 | 0.09 | 88 | 0.8 | 0.7 | 0.8 | 0.04 | 0.06 | C91 |
| Myeloid leukaemia | 159 | 1.5 | 1.1 | 1.2 | 0.06 | 0.11 | 129 | 1.1 | 1.0 | 1.0 | 0.06 | 0.09 | C92–94 |
| Leukaemia unspecified | 49 | 0.5 | 0.3 | 0.4 | 0.02 | 0.03 | 33 | 0.3 | 0.2 | 0.3 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 454 | 4.4 | 3.1 | 3.7 | 0.20 | 0.42 | 424 | 3.6 | 3.2 | 3.6 | 0.22 | 0.41 | O&U |
| All sites | 10395 | | 70.3 | 85.5 | 4.51 | 10.01 | 11770 | | 87.8 | 98.3 | 6.35 | 11.50 | C00–96 |
| All sites except C44 | 10322 | 100.0 | 69.8 | 84.9 | 4.48 | 9.94 | 11699 | 100.0 | 87.3 | 97.7 | 6.32 | 11.43 | C00–96 exc. C44 |

§Includes 2 cases of unknown age

India, Sangrur District

CONTRIBUTORS

Rajendra Badwe
Atul Budukh
J.S. Thakur
Prithviraj Kadam
Jagat Ram
Rajesh Dikshit



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|------|
| Other and unspecified | 7.6 | Breast | 19.1 |
| Oesophagus | 6.1 | Cervix uteri | 9.4 |
| Liver | 5.4 | Oesophagus | 5.3 |
| Prostate | 5.1 | Ovary | 5.2 |
| Tongue | 3.6 | Other and unspecified | 4.5 |
| Trachea, bronchus, and lung | 3.6 | Gallbladder etc. | 4.3 |
| Larynx | 3.1 | Corpus uteri | 2.1 |
| Mouth | 2.7 | Trachea, bronchus, and lung | 1.9 |
| Bladder | 2.5 | Thyroid | 1.9 |
| Non-Hodgkin lymphoma | 2.0 | Brain and nervous system | 1.7 |
| Lymphoid leukaemia | 1.7 | Pancreas | 1.3 |
| Gallbladder etc. | 1.7 | Myeloid leukaemia | 1.3 |
| Pancreas | 1.6 | Liver | 1.2 |
| Myeloid leukaemia | 1.6 | Non-Hodgkin lymphoma | 1.2 |
| Hypopharynx | 1.6 | Kidney | 1.1 |
| Non-melanoma skin cancer | 1.4 | Colon | 1.1 |
| Kidney | 1.4 | Stomach | 0.9 |
| Brain and nervous system | 1.3 | Bone | 0.9 |
| Rectum | 1.3 | Non-melanoma skin cancer | 0.8 |
| Leukaemia unspecified | 1.2 | Tongue | 0.7 |
| All sites | 67.3 | All sites | 74.1 |

*India, Sangrur District (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.3 | 0.2 | 0.2 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 94 | 5.4 | 3.3 | 3.6 | 0.31 | 0.42 | 19 | 1.0 | 0.8 | 0.7 | 0.05 | 0.09 | C01–02 |
| Mouth | 71 | 4.1 | 2.5 | 2.7 | 0.22 | 0.33 | 18 | 1.0 | 0.7 | 0.7 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 12 | 0.7 | 0.4 | 0.4 | 0.03 | 0.04 | 5 | 0.3 | 0.2 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 17 | 1.0 | 0.6 | 0.6 | 0.05 | 0.07 | 4 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 23 | 1.3 | 0.8 | 0.9 | 0.06 | 0.12 | 3 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 10 | 0.6 | 0.4 | 0.4 | 0.03 | 0.05 | 7 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 42 | 2.4 | 1.5 | 1.6 | 0.11 | 0.21 | 16 | 0.9 | 0.6 | 0.6 | 0.06 | 0.07 | C12–13 |
| Pharynx unspecified | 5 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 162 | 9.3 | 5.8 | 6.1 | 0.40 | 0.72 | 132 | 7.2 | 5.3 | 5.3 | 0.38 | 0.65 | C15 |
| Stomach | 31 | 1.8 | 1.1 | 1.2 | 0.11 | 0.13 | 24 | 1.3 | 1.0 | 0.9 | 0.06 | 0.09 | C16 |
| Small intestine | 7 | 0.4 | 0.2 | 0.3 | 0.01 | 0.02 | 4 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | C17 |
| Colon | 28 | 1.6 | 1.0 | 1.0 | 0.08 | 0.09 | 27 | 1.5 | 1.1 | 1.1 | 0.09 | 0.11 | C18 |
| Rectum | 35 | 2.0 | 1.2 | 1.3 | 0.11 | 0.14 | 11 | 0.6 | 0.4 | 0.5 | 0.04 | 0.05 | C19–20 |
| Anus | 5 | 0.3 | 0.2 | 0.2 | 0.00 | 0.02 | 3 | 0.2 | 0.1 | 0.1 | 0.01 | 0.02 | C21 |
| Liver | 139 | 7.9 | 5.0 | 5.4 | 0.39 | 0.68 | 30 | 1.6 | 1.2 | 1.2 | 0.10 | 0.14 | C22 |
| Gallbladder etc. | 44 | 2.5 | 1.6 | 1.7 | 0.12 | 0.19 | 108 | 5.9 | 4.4 | 4.3 | 0.32 | 0.50 | C23–24 |
| Pancreas | 42 | 2.4 | 1.5 | 1.6 | 0.12 | 0.21 | 32 | 1.7 | 1.3 | 1.3 | 0.11 | 0.15 | C25 |
| Nose, sinuses etc. | 5 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 81 | 4.6 | 2.9 | 3.1 | 0.23 | 0.40 | 11 | 0.6 | 0.4 | 0.4 | 0.04 | 0.04 | C32 |
| Trachea, bronchus, and lung | 92 | 5.3 | 3.3 | 3.6 | 0.27 | 0.47 | 47 | 2.6 | 1.9 | 1.9 | 0.15 | 0.21 | C33–34 |
| Other thoracic organs | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 23 | 1.3 | 0.8 | 0.8 | 0.07 | 0.07 | 24 | 1.3 | 1.0 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 38 | 2.2 | 1.4 | 1.4 | 0.08 | 0.17 | 21 | 1.1 | 0.8 | 0.8 | 0.04 | 0.11 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 21 | 1.2 | 0.7 | 0.7 | 0.05 | 0.08 | 12 | 0.7 | 0.5 | 0.5 | 0.04 | 0.06 | C47+C49 |
| Breast | 9 | 0.5 | 0.3 | 0.3 | 0.02 | 0.04 | 476 | 26.0 | 19.2 | 19.1 | 1.47 | 2.19 | C50 |
| Vulva | | | | | | | 12 | 0.7 | 0.5 | 0.5 | 0.01 | 0.07 | C51 |
| Vagina | | | | | | | 12 | 0.7 | 0.5 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 235 | 12.8 | 9.5 | 9.4 | 0.78 | 1.01 | C53 |
| Corpus uteri | | | | | | | 50 | 2.7 | 2.0 | 2.1 | 0.14 | 0.27 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.5 | 0.4 | 0.4 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 130 | 7.1 | 5.2 | 5.2 | 0.42 | 0.61 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 1.3 | 0.8 | 0.9 | 0.07 | 0.10 | | | | | | | C60 |
| Prostate | 143 | 8.2 | 5.1 | 5.1 | 0.17 | 0.62 | | | | | | | C61 |
| Testis | 14 | 0.8 | 0.5 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 36 | 2.1 | 1.3 | 1.4 | 0.11 | 0.15 | 28 | 1.5 | 1.1 | 1.1 | 0.09 | 0.11 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 65 | 3.7 | 2.3 | 2.5 | 0.18 | 0.31 | 16 | 0.9 | 0.6 | 0.6 | 0.04 | 0.07 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.2 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 35 | 2.0 | 1.2 | 1.3 | 0.10 | 0.14 | 42 | 2.3 | 1.7 | 1.8 | 0.14 | 0.15 | C70–72 |
| Thyroid | 13 | 0.7 | 0.5 | 0.5 | 0.03 | 0.07 | 49 | 2.7 | 2.0 | 1.9 | 0.15 | 0.18 | C73 |
| Adrenal gland | 1 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 9 | 0.5 | 0.3 | 0.3 | 0.02 | 0.02 | 12 | 0.7 | 0.5 | 0.5 | 0.04 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 52 | 3.0 | 1.9 | 2.0 | 0.16 | 0.21 | 31 | 1.7 | 1.2 | 1.2 | 0.09 | 0.13 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 22 | 1.3 | 0.8 | 0.9 | 0.08 | 0.10 | 7 | 0.4 | 0.3 | 0.3 | 0.03 | 0.03 | C90 |
| Lymphoid leukaemia | 45 | 2.6 | 1.6 | 1.7 | 0.10 | 0.14 | 12 | 0.7 | 0.5 | 0.5 | 0.03 | 0.05 | C91 |
| Myeloid leukaemia | 45 | 2.6 | 1.6 | 1.6 | 0.10 | 0.16 | 32 | 1.7 | 1.3 | 1.3 | 0.10 | 0.13 | C92–94 |
| Leukaemia unspecified | 35 | 2.0 | 1.2 | 1.2 | 0.09 | 0.12 | 12 | 0.7 | 0.5 | 0.4 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 201 | 11.5 | 7.2 | 7.6 | 0.48 | 0.93 | 113 | 6.2 | 4.6 | 4.5 | 0.29 | 0.52 | O&U |
| All sites | 1788 | | 63.7 | 67.3 | 4.67 | 7.90 | 1851 | | 74.6 | 74.1 | 5.64 | 8.29 | C00–96 |
| All sites except C44 | 1750 | 100.0 | 62.4 | 65.9 | 4.58 | 7.72 | 1830 | 100.0 | 73.7 | 73.3 | 5.60 | 8.18 | C00–96 exc. C44 |

*See note following population pyramid

India, SAS Nagar

CONTRIBUTORS

Yogesh Chawla
 Jagat Ram
 J.S. Thakur
 Rakesh Kapoor
 Pankaj Malhotra
 S.P.S. Bhatia
 Kathirvel S.
 Pankaj Arora
 R.A. Badwe
 Rajesh Dikshit
 Atul Budukh
 T. Anbumani
 Pankaj Chaturvedi
 Prathamesh Pai
 H.S. Bali
 Jaspal Kaur
 Neelam Bhardwaj
 Manjit Singh



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|------|
| Prostate | 8.1 | Breast | 30.5 |
| Trachea, bronchus, and lung | 7.9 | Cervix uteri | 10.2 |
| Oesophagus | 6.1 | Ovary | 7.2 |
| Bladder | 5.1 | Corpus uteri | 4.6 |
| Other and unspecified | 4.9 | Gallbladder etc. | 4.6 |
| Mouth | 4.4 | Oesophagus | 4.1 |
| Tongue | 3.9 | Other and unspecified | 3.8 |
| Liver | 3.8 | Non-Hodgkin lymphoma | 3.3 |
| Larynx | 3.7 | Trachea, bronchus, and lung | 2.3 |
| Brain and nervous system | 3.2 | Myeloid leukaemia | 2.0 |
| Non-Hodgkin lymphoma | 3.0 | Colon | 1.8 |
| Myeloid leukaemia | 2.4 | Liver | 1.8 |
| Kidney | 2.1 | Thyroid | 1.5 |
| Lymphoid leukaemia | 2.1 | Tongue | 1.4 |
| Multiple myeloma | 2.0 | Multiple myeloma | 1.4 |
| Colon | 1.9 | Brain and nervous system | 1.3 |
| Gallbladder etc. | 1.8 | Lymphoid leukaemia | 1.3 |
| Pancreas | 1.7 | Kidney | 1.2 |
| Stomach | 1.7 | Pancreas | 1.1 |
| Rectum | 1.4 | Rectum | 1.0 |
| All sites | 82.6 | All sites | 97.0 |


India, SAS Nagar (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|---------------------|-----------|-----------|--------------------------|-------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.4 | 0.2 | 0.3 | 0.01 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 95 | 4.8 | 3.1 | 3.9 | 0.31 | 0.45 | 34 | 1.5 | 1.2 | 1.4 | 0.10 | 0.17 | C01–02 |
| Mouth | 105 | 5.3 | 3.4 | 4.4 | 0.38 | 0.53 | 22 | 1.0 | 0.8 | 1.0 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 14 | 0.7 | 0.5 | 0.6 | 0.05 | 0.06 | 7 | 0.3 | 0.3 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 23 | 1.2 | 0.8 | 1.0 | 0.09 | 0.13 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 13 | 0.7 | 0.4 | 0.6 | 0.06 | 0.06 | 6 | 0.3 | 0.2 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 27 | 1.4 | 0.9 | 1.2 | 0.09 | 0.16 | 5 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 6 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.3 | 0.2 | 0.3 | 0.02 | 0.04 | C14 |
| Oesophagus | 138 | 6.9 | 4.5 | 6.1 | 0.49 | 0.77 | 95 | 4.3 | 3.5 | 4.1 | 0.24 | 0.54 | C15 |
| Stomach | 40 | 2.0 | 1.3 | 1.7 | 0.12 | 0.23 | 12 | 0.5 | 0.4 | 0.5 | 0.04 | 0.06 | C16 |
| Small intestine | 18 | 0.9 | 0.6 | 0.7 | 0.04 | 0.07 | 8 | 0.4 | 0.3 | 0.4 | 0.02 | 0.06 | C17 |
| Colon | 48 | 2.4 | 1.6 | 1.9 | 0.11 | 0.24 | 44 | 2.0 | 1.6 | 1.8 | 0.13 | 0.19 | C18 |
| Rectum | 35 | 1.8 | 1.1 | 1.4 | 0.10 | 0.18 | 23 | 1.0 | 0.8 | 1.0 | 0.07 | 0.12 | C19–20 |
| Anus | 14 | 0.7 | 0.5 | 0.6 | 0.05 | 0.09 | 9 | 0.4 | 0.3 | 0.4 | 0.02 | 0.05 | C21 |
| Liver | 89 | 4.5 | 2.9 | 3.8 | 0.28 | 0.47 | 39 | 1.8 | 1.4 | 1.8 | 0.14 | 0.24 | C22 |
| Gallbladder etc. | 44 | 2.2 | 1.4 | 1.8 | 0.13 | 0.23 | 104 | 4.7 | 3.8 | 4.6 | 0.36 | 0.53 | C23–24 |
| Pancreas | 40 | 2.0 | 1.3 | 1.7 | 0.11 | 0.22 | 26 | 1.2 | 0.9 | 1.1 | 0.06 | 0.14 | C25 |
| Nose, sinuses etc. | 8 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C30–31 |
| Larynx | 82 | 4.1 | 2.7 | 3.7 | 0.35 | 0.45 | 17 | 0.8 | 0.6 | 0.7 | 0.06 | 0.08 | C32 |
| Trachea, bronchus, and lung | 185 | 9.3 | 6.0 | 7.9 | 0.54 | 0.99 | 51 | 2.3 | 1.9 | 2.3 | 0.17 | 0.26 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.2 | 0.1 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 28 | 1.4 | 0.9 | 0.9 | 0.06 | 0.06 | 10 | 0.5 | 0.4 | 0.4 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C43 |
| Other skin | 23 | 1.2 | 0.8 | 0.8 | 0.02 | 0.08 | 19 | 0.9 | 0.7 | 0.8 | 0.04 | 0.07 | C44 |
| Mesothelioma | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 17 | 0.9 | 0.6 | 0.7 | 0.06 | 0.07 | 20 | 0.9 | 0.7 | 0.7 | 0.03 | 0.07 | C47+C49 |
| Breast | 8 | 0.4 | 0.3 | 0.3 | 0.01 | 0.02 | 695 | 31.4 | 25.4 | 30.5 | 2.53 | 3.52 | C50 |
| Vulva | | | | | | | 9 | 0.4 | 0.3 | 0.4 | 0.03 | 0.05 | C51 |
| Vagina | | | | | | | 7 | 0.3 | 0.3 | 0.3 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 231 | 10.4 | 8.4 | 10.2 | 0.83 | 1.12 | C53 |
| Corpus uteri | | | | | | | 101 | 4.6 | 3.7 | 4.6 | 0.39 | 0.56 | C54 |
| Uterus unspecified | | | | | | | 19 | 0.9 | 0.7 | 0.9 | 0.09 | 0.10 | C55 |
| Ovary | | | | | | | 164 | 7.4 | 6.0 | 7.2 | 0.59 | 0.82 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.5 | 0.3 | 0.4 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 203 | 10.2 | 6.6 | 8.1 | 0.31 | 1.02 | | | | | | | C61 |
| Testis | 15 | 0.8 | 0.5 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 50 | 2.5 | 1.6 | 2.1 | 0.15 | 0.25 | 28 | 1.3 | 1.0 | 1.2 | 0.08 | 0.13 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 122 | 6.1 | 4.0 | 5.1 | 0.33 | 0.65 | 22 | 1.0 | 0.8 | 1.0 | 0.05 | 0.17 | C67 |
| Other urinary organs | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 7 | 0.4 | 0.2 | 0.3 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 85 | 4.3 | 2.8 | 3.2 | 0.24 | 0.30 | 34 | 1.5 | 1.2 | 1.3 | 0.11 | 0.13 | C70–72 |
| Thyroid | 12 | 0.6 | 0.4 | 0.4 | 0.03 | 0.04 | 37 | 1.7 | 1.4 | 1.5 | 0.12 | 0.15 | C73 |
| Adrenal gland | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 25 | 1.3 | 0.8 | 0.9 | 0.06 | 0.06 | 13 | 0.6 | 0.5 | 0.5 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 74 | 3.7 | 2.4 | 3.0 | 0.20 | 0.37 | 75 | 3.4 | 2.7 | 3.3 | 0.21 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 48 | 2.4 | 1.6 | 2.0 | 0.13 | 0.26 | 32 | 1.4 | 1.2 | 1.4 | 0.09 | 0.18 | C90 |
| Lymphoid leukaemia | 54 | 2.7 | 1.8 | 2.1 | 0.12 | 0.19 | 31 | 1.4 | 1.1 | 1.3 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 64 | 3.2 | 2.1 | 2.4 | 0.17 | 0.25 | 51 | 2.3 | 1.9 | 2.0 | 0.15 | 0.18 | C92–94 |
| Leukaemia unspecified | 12 | 0.6 | 0.4 | 0.5 | 0.03 | 0.04 | 13 | 0.6 | 0.5 | 0.6 | 0.03 | 0.05 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 119 | 6.0 | 3.9 | 4.9 | 0.32 | 0.60 | 88 | 4.0 | 3.2 | 3.8 | 0.25 | 0.43 | O&U |
| All sites | 2020 | | 66.0 | 82.6 | 5.68 | 9.83 | 2230 | | 81.4 | 97.0 | 7.44 | 11.16 | C00–96 |
| All sites except C44 | 1997 | 100.0 | 65.3 | 81.8 | 5.66 | 9.75 | 2211 | 100.0 | 80.7 | 96.3 | 7.40 | 11.09 | C00–96 exc. C44 |

India, Tamil Nadu

CONTRIBUTORS

R. Swaminathan
 V. Shanta
 P. Sampath
 R. Selvakumaran
 J. Murugaiyan
 T.S. Sambandam
 T. Chandrakala
 R. Mahalakshmi
 A. Elumalai
 A. Parimala
 N. Sridhar
 K. Ravichandran
 D. Gandeepan
 K. Veeramani
 V. Dharumadurai
 G. Mahendran
 C. Jerome



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|------|
| Stomach | 6.3 | Breast | 21.5 |
| Other and unspecified | 5.8 | Cervix uteri | 18.1 |
| Trachea, bronchus, and lung | 5.7 | Ovary | 4.4 |
| Mouth | 5.6 | Other and unspecified | 4.3 |
| Tongue | 3.9 | Mouth | 3.2 |
| Oesophagus | 3.5 | Stomach | 2.9 |
| Larynx | 3.2 | Corpus uteri | 2.7 |
| Prostate | 2.8 | Thyroid | 2.2 |
| Rectum | 2.6 | Trachea, bronchus, and lung | 2.1 |
| Hypopharynx | 2.3 | Oesophagus | 2.0 |
| Non-Hodgkin lymphoma | 2.1 | Rectum | 1.7 |
| Liver | 2.0 | Colon | 1.3 |
| Colon | 1.9 | Tongue | 1.3 |
| Brain and nervous system | 1.7 | Non-Hodgkin lymphoma | 1.2 |
| Bladder | 1.7 | Brain and nervous system | 1.2 |
| Other oropharynx | 1.6 | Myeloid leukaemia | 1.1 |
| Lymphoid leukaemia | 1.6 | Hypopharynx | 1.1 |
| Myeloid leukaemia | 1.6 | Lymphoid leukaemia | 1.0 |
| Penis | 1.3 | Non-melanoma skin cancer | 0.8 |
| Non-melanoma skin cancer | 1.1 | Gallbladder etc. | 0.7 |
| All sites | 70.3 | All sites | 83.7 |

*India, Tamil Nadu (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 497 | 0.4 | 0.3 | 0.2 | 0.02 | 0.03 | 390 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 8024 | 5.8 | 4.2 | 3.9 | 0.28 | 0.46 | 2745 | 1.6 | 1.4 | 1.3 | 0.10 | 0.15 | C01–02 |
| Mouth | 11462 | 8.3 | 6.0 | 5.6 | 0.39 | 0.66 | 6638 | 3.8 | 3.5 | 3.2 | 0.21 | 0.39 | C03–06 |
| Salivary glands | 892 | 0.6 | 0.5 | 0.4 | 0.03 | 0.05 | 699 | 0.4 | 0.4 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 1125 | 0.8 | 0.6 | 0.6 | 0.04 | 0.07 | 223 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 3229 | 2.3 | 1.7 | 1.6 | 0.11 | 0.20 | 462 | 0.3 | 0.2 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 814 | 0.6 | 0.4 | 0.4 | 0.03 | 0.04 | 397 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 4607 | 3.3 | 2.4 | 2.3 | 0.15 | 0.28 | 2404 | 1.4 | 1.3 | 1.1 | 0.09 | 0.12 | C12–13 |
| Pharynx unspecified | 512 | 0.4 | 0.3 | 0.3 | 0.01 | 0.03 | 247 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 6941 | 5.0 | 3.6 | 3.5 | 0.22 | 0.43 | 4291 | 2.4 | 2.2 | 2.0 | 0.14 | 0.24 | C15 |
| Stomach | 12821 | 9.3 | 6.7 | 6.3 | 0.43 | 0.78 | 6134 | 3.5 | 3.2 | 2.9 | 0.21 | 0.33 | C16 |
| Small intestine | 448 | 0.3 | 0.2 | 0.2 | 0.01 | 0.03 | 286 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C17 |
| Colon | 3873 | 2.8 | 2.0 | 1.9 | 0.12 | 0.22 | 2796 | 1.6 | 1.5 | 1.3 | 0.09 | 0.15 | C18 |
| Rectum | 5275 | 3.8 | 2.7 | 2.6 | 0.16 | 0.30 | 3566 | 2.0 | 1.9 | 1.7 | 0.12 | 0.20 | C19–20 |
| Anus | 766 | 0.6 | 0.4 | 0.4 | 0.03 | 0.04 | 630 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 3907 | 2.8 | 2.0 | 2.0 | 0.11 | 0.24 | 1328 | 0.8 | 0.7 | 0.6 | 0.04 | 0.07 | C22 |
| Gallbladder etc. | 1761 | 1.3 | 0.9 | 0.9 | 0.06 | 0.11 | 1543 | 0.9 | 0.8 | 0.7 | 0.05 | 0.09 | C23–24 |
| Pancreas | 1908 | 1.4 | 1.0 | 0.9 | 0.07 | 0.11 | 1183 | 0.7 | 0.6 | 0.6 | 0.04 | 0.07 | C25 |
| Nose, sinuses etc. | 915 | 0.7 | 0.5 | 0.4 | 0.03 | 0.05 | 555 | 0.3 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 6376 | 4.6 | 3.3 | 3.2 | 0.21 | 0.40 | 787 | 0.4 | 0.4 | 0.4 | 0.03 | 0.04 | C32 |
| Trachea, bronchus, and lung | 11396 | 8.2 | 5.9 | 5.7 | 0.37 | 0.73 | 4408 | 2.5 | 2.3 | 2.1 | 0.15 | 0.25 | C33–34 |
| Other thoracic organs | 407 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | 268 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 1577 | 1.1 | 0.8 | 0.8 | 0.05 | 0.07 | 1050 | 0.6 | 0.5 | 0.5 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 610 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | 427 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C43 |
| Other skin | 2209 | 1.6 | 1.2 | 1.1 | 0.07 | 0.13 | 1738 | 1.0 | 0.9 | 0.8 | 0.05 | 0.09 | C44 |
| Mesothelioma | 65 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 38 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1804 | 1.3 | 0.9 | 0.9 | 0.06 | 0.09 | 1399 | 0.8 | 0.7 | 0.7 | 0.05 | 0.06 | C47+C49 |
| Breast | 730 | 0.5 | 0.4 | 0.4 | 0.02 | 0.04 | 46578 | 26.6 | 24.2 | 21.5 | 1.75 | 2.36 | C50 |
| Vulva | | | | | | | 796 | 0.5 | 0.4 | 0.4 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 1230 | 0.7 | 0.6 | 0.6 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 38579 | 22.0 | 20.1 | 18.1 | 1.46 | 2.07 | C53 |
| Corpus uteri | | | | | | | 5744 | 3.3 | 3.0 | 2.7 | 0.22 | 0.34 | C54 |
| Uterus unspecified | | | | | | | 544 | 0.3 | 0.3 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 9467 | 5.4 | 4.9 | 4.4 | 0.35 | 0.49 | C56 |
| Other female genital organs | | | | | | | 135 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C57 |
| Placenta | | | | | | | 95 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 2650 | 1.9 | 1.4 | 1.3 | 0.09 | 0.15 | | | | | | | C60 |
| Prostate | 5331 | 3.9 | 2.8 | 2.8 | 0.09 | 0.34 | | | | | | | C61 |
| Testis | 934 | 0.7 | 0.5 | 0.4 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 45 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 1994 | 1.4 | 1.0 | 1.0 | 0.07 | 0.12 | 912 | 0.5 | 0.5 | 0.5 | 0.03 | 0.05 | C64 |
| Renal pelvis | 14 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 15 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 58 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 27 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 3288 | 2.4 | 1.7 | 1.7 | 0.08 | 0.20 | 1063 | 0.6 | 0.6 | 0.5 | 0.03 | 0.06 | C67 |
| Other urinary organs | 56 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 41 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 205 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 174 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 3502 | 2.5 | 1.8 | 1.7 | 0.13 | 0.16 | 2390 | 1.4 | 1.2 | 1.2 | 0.09 | 0.10 | C70–72 |
| Thyroid | 1893 | 1.4 | 1.0 | 0.9 | 0.06 | 0.10 | 4899 | 2.8 | 2.5 | 2.2 | 0.17 | 0.22 | C73 |
| Adrenal gland | 206 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 186 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 102 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | 83 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 1333 | 1.0 | 0.7 | 0.7 | 0.04 | 0.06 | 672 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 4233 | 3.1 | 2.2 | 2.1 | 0.14 | 0.22 | 2526 | 1.4 | 1.3 | 1.2 | 0.09 | 0.13 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 1708 | 1.2 | 0.9 | 0.8 | 0.06 | 0.10 | 1155 | 0.7 | 0.6 | 0.6 | 0.04 | 0.07 | C90 |
| Lymphoid leukaemia | 2630 | 1.9 | 1.4 | 1.6 | 0.09 | 0.11 | 1517 | 0.9 | 0.8 | 1.0 | 0.05 | 0.06 | C91 |
| Myeloid leukaemia | 3199 | 2.3 | 1.7 | 1.6 | 0.11 | 0.14 | 2321 | 1.3 | 1.2 | 1.1 | 0.08 | 0.10 | C92–94 |
| Leukaemia unspecified | 451 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | 340 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 16 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 48 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 29 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 11511 | 8.3 | 6.0 | 5.8 | 0.34 | 0.66 | 9002 | 5.1 | 4.7 | 4.3 | 0.29 | 0.48 | O&U |
| All sites | 140367 | | 73.1 | 70.3 | 4.50 | 8.13 | 177160 | | 92.2 | 83.7 | 6.36 | 9.33 | C00–96 |
| All sites except C44 | 138158 | 100.0 | 71.9 | 69.2 | 4.44 | 8.01 | 175422 | 100.0 | 91.3 | 82.8 | 6.31 | 9.23 | C00–96 exc. C44 |

*See note following population pyramid

India, Tripura

CONTRIBUTORS

Gautam Majumdar
Shanti Ranjan Paul
Tamal Paul
Priyotosh Dhar
Dipankar Sen
Abhijit Deb
Abhishek Singha
Rupan Nama
Bikash Debnath
Bikash Gon Choudhury
Anath Bhushan Debnath



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|------|-----------------------------|------|
| Trachea, bronchus, and lung | 14.1 | Cervix uteri | 9.3 |
| Oesophagus | 6.2 | Breast | 8.2 |
| Other and unspecified | 6.1 | Gallbladder etc. | 5.9 |
| Larynx | 5.6 | Mouth | 3.5 |
| Stomach | 5.0 | Trachea, bronchus, and lung | 3.5 |
| Mouth | 4.7 | Oesophagus | 3.2 |
| Tongue | 4.4 | Ovary | 3.1 |
| Hypopharynx | 4.2 | Other and unspecified | 2.8 |
| Gallbladder etc. | 3.2 | Stomach | 2.1 |
| Non-Hodgkin lymphoma | 2.7 | Liver | 1.3 |
| Tonsil | 2.5 | Tongue | 1.2 |
| Liver | 1.9 | Brain and nervous system | 1.1 |
| Bladder | 1.6 | Non-Hodgkin lymphoma | 1.1 |
| Colon | 1.6 | Colon | 1.1 |
| Rectum | 1.5 | Thyroid | 1.0 |
| Myeloid leukaemia | 1.4 | Myeloid leukaemia | 1.0 |
| Brain and nervous system | 1.4 | Larynx | 0.9 |
| Prostate | 1.2 | Rectum | 0.9 |
| Other oropharynx | 1.2 | Non-melanoma skin cancer | 0.7 |
| Non-melanoma skin cancer | 1.0 | Tonsil | 0.6 |
| All sites | 82.2 | All sites | 59.1 |

*India, Tripura (2013–2016)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 13 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | 12 | 0.3 | 0.2 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 291 | 5.5 | 3.7 | 4.4 | 0.32 | 0.52 | 79 | 2.0 | 1.0 | 1.2 | 0.08 | 0.16 | C01–02 |
| Mouth | 317 | 6.0 | 4.0 | 4.7 | 0.33 | 0.58 | 230 | 5.8 | 3.0 | 3.5 | 0.27 | 0.41 | C03–06 |
| Salivary glands | 38 | 0.7 | 0.5 | 0.5 | 0.03 | 0.06 | 16 | 0.4 | 0.2 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 161 | 3.0 | 2.0 | 2.5 | 0.16 | 0.29 | 38 | 1.0 | 0.5 | 0.6 | 0.05 | 0.07 | C09 |
| Other oropharynx | 78 | 1.5 | 1.0 | 1.2 | 0.07 | 0.15 | 9 | 0.2 | 0.1 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 36 | 0.7 | 0.5 | 0.5 | 0.03 | 0.06 | 21 | 0.5 | 0.3 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 270 | 5.1 | 3.4 | 4.2 | 0.28 | 0.53 | 26 | 0.7 | 0.3 | 0.4 | 0.03 | 0.04 | C12–13 |
| Pharynx unspecified | 46 | 0.9 | 0.6 | 0.7 | 0.04 | 0.09 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 405 | 7.6 | 5.1 | 6.2 | 0.46 | 0.79 | 197 | 4.9 | 2.6 | 3.2 | 0.24 | 0.41 | C15 |
| Stomach | 323 | 6.1 | 4.1 | 5.0 | 0.34 | 0.64 | 147 | 3.7 | 1.9 | 2.1 | 0.16 | 0.24 | C16 |
| Small intestine | 11 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C17 |
| Colon | 106 | 2.0 | 1.3 | 1.6 | 0.12 | 0.17 | 73 | 1.8 | 1.0 | 1.1 | 0.08 | 0.13 | C18 |
| Rectum | 101 | 1.9 | 1.3 | 1.5 | 0.10 | 0.18 | 64 | 1.6 | 0.8 | 0.9 | 0.06 | 0.09 | C19–20 |
| Anus | 20 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | 13 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 127 | 2.4 | 1.6 | 1.9 | 0.13 | 0.25 | 84 | 2.1 | 1.1 | 1.3 | 0.09 | 0.16 | C22 |
| Gallbladder etc. | 204 | 3.8 | 2.6 | 3.2 | 0.21 | 0.40 | 395 | 9.9 | 5.2 | 5.9 | 0.43 | 0.72 | C23–24 |
| Pancreas | 57 | 1.1 | 0.7 | 0.9 | 0.06 | 0.11 | 40 | 1.0 | 0.5 | 0.6 | 0.04 | 0.06 | C25 |
| Nose, sinuses etc. | 16 | 0.3 | 0.2 | 0.2 | 0.02 | 0.03 | 9 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 364 | 6.8 | 4.6 | 5.6 | 0.38 | 0.69 | 56 | 1.4 | 0.7 | 0.9 | 0.08 | 0.11 | C32 |
| Trachea, bronchus, and lung | 873 | 16.4 | 11.1 | 14.1 | 0.82 | 1.81 | 220 | 5.5 | 2.9 | 3.5 | 0.20 | 0.46 | C33–34 |
| Other thoracic organs | 15 | 0.3 | 0.2 | 0.2 | 0.01 | 0.04 | 9 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 63 | 1.2 | 0.8 | 0.9 | 0.05 | 0.10 | 36 | 0.9 | 0.5 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 8 | 0.2 | 0.1 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C43 |
| Other skin | 65 | 1.2 | 0.8 | 1.0 | 0.06 | 0.10 | 50 | 1.3 | 0.7 | 0.7 | 0.05 | 0.08 | C44 |
| Mesothelioma | 13 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 43 | 0.8 | 0.5 | 0.6 | 0.05 | 0.07 | 28 | 0.7 | 0.4 | 0.4 | 0.03 | 0.05 | C47+C49 |
| Breast | 21 | 0.4 | 0.3 | 0.3 | 0.02 | 0.04 | 596 | 14.9 | 7.8 | 8.2 | 0.71 | 0.85 | C50 |
| Vulva | | | | | | | 20 | 0.5 | 0.3 | 0.3 | 0.02 | 0.02 | C51 |
| Vagina | | | | | | | 12 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 644 | 16.1 | 8.5 | 9.3 | 0.77 | 1.05 | C53 |
| Corpus uteri | | | | | | | 38 | 1.0 | 0.5 | 0.6 | 0.05 | 0.06 | C54 |
| Uterus unspecified | | | | | | | 31 | 0.8 | 0.4 | 0.4 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 219 | 5.5 | 2.9 | 3.1 | 0.26 | 0.33 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 6 | 0.2 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 49 | 0.9 | 0.6 | 0.7 | 0.05 | 0.07 | | | | | | | C60 |
| Prostate | 76 | 1.4 | 1.0 | 1.2 | 0.06 | 0.15 | | | | | | | C61 |
| Testis | 30 | 0.6 | 0.4 | 0.3 | 0.02 | 0.03 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 58 | 1.1 | 0.7 | 0.9 | 0.05 | 0.10 | 16 | 0.4 | 0.2 | 0.2 | 0.02 | 0.02 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 102 | 1.9 | 1.3 | 1.6 | 0.10 | 0.19 | 13 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 99 | 1.9 | 1.3 | 1.4 | 0.09 | 0.15 | 79 | 2.0 | 1.0 | 1.1 | 0.09 | 0.12 | C70–72 |
| Thyroid | 42 | 0.8 | 0.5 | 0.6 | 0.03 | 0.07 | 72 | 1.8 | 0.9 | 1.0 | 0.07 | 0.11 | C73 |
| Adrenal gland | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 3 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 30 | 0.6 | 0.4 | 0.4 | 0.02 | 0.03 | 17 | 0.4 | 0.2 | 0.2 | 0.02 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 189 | 3.6 | 2.4 | 2.7 | 0.19 | 0.31 | 76 | 1.9 | 1.0 | 1.1 | 0.08 | 0.12 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 44 | 0.8 | 0.6 | 0.7 | 0.04 | 0.10 | 23 | 0.6 | 0.3 | 0.4 | 0.03 | 0.04 | C90 |
| Lymphoid leukaemia | 53 | 1.0 | 0.7 | 0.8 | 0.05 | 0.07 | 29 | 0.7 | 0.4 | 0.4 | 0.03 | 0.03 | C91 |
| Myeloid leukaemia | 109 | 2.1 | 1.4 | 1.4 | 0.10 | 0.12 | 74 | 1.9 | 1.0 | 1.0 | 0.07 | 0.09 | C92–94 |
| Leukaemia unspecified | 6 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 6 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 3 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 392 | 7.4 | 5.0 | 6.1 | 0.36 | 0.79 | 189 | 4.7 | 2.5 | 2.8 | 0.21 | 0.33 | O&U |
| All sites | 5382 | | 68.2 | 82.2 | 5.37 | 10.02 | 4046 | | 53.2 | 59.1 | 4.55 | 6.72 | C00–96 |
| All sites except C44 | 5317 | 100.0 | 67.4 | 81.2 | 5.31 | 9.92 | 3996 | 100.0 | 52.5 | 58.4 | 4.50 | 6.64 | C00–96 exc. C44 |


§Includes 1 case of unknown age

*See note following population pyramid

India, Trivandrum

CONTRIBUTORS

Aleyamma Mathew
Preethi Sara George
M.C. Kalavathy



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 17.8 | Breast | 36.8 |
| Other and unspecified | 13.9 | Thyroid | 15.1 |
| Prostate | 9.8 | Other and unspecified | 10.1 |
| Mouth | 7.1 | Ovary | 7.3 |
| Tongue | 6.7 | Cervix uteri | 6.7 |
| Liver | 6.6 | Corpus uteri | 6.1 |
| Rectum | 6.0 | Trachea, bronchus, and lung | 4.9 |
| Larynx | 5.8 | Rectum | 3.9 |
| Non-Hodgkin lymphoma | 5.1 | Colon | 3.4 |
| Stomach | 5.1 | Non-Hodgkin lymphoma | 3.1 |
| Bladder | 4.9 | Mouth | 2.8 |
| Colon | 4.9 | Tongue | 2.3 |
| Thyroid | 4.1 | Multiple myeloma | 2.3 |
| Oesophagus | 4.0 | Myeloid leukaemia | 2.3 |
| Multiple myeloma | 3.5 | Brain and nervous system | 2.2 |
| Kidney | 3.1 | Liver | 1.7 |
| Brain and nervous system | 2.8 | Stomach | 1.7 |
| Pancreas | 2.8 | Non-melanoma skin cancer | 1.7 |
| Non-melanoma skin cancer | 2.4 | Pancreas | 1.6 |
| Lymphoid leukaemia | 2.4 | Connective and soft tissue | 1.4 |
| All sites | 140.1 | All sites | 130.3 |

India, Trivandrum (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|--------------|---------------------|----------|-----------|-----------|--------------------------|--------------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 25 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | 23 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 545 | 5.0 | 8.6 | 6.7 | 0.46 | 0.77 | 217 | 1.9 | 3.1 | 2.3 | 0.13 | 0.29 | C01–02 |
| Mouth | 583 | 5.4 | 9.2 | 7.1 | 0.42 | 0.86 | 259 | 2.2 | 3.7 | 2.8 | 0.13 | 0.37 | C03–06 |
| Salivary glands | 72 | 0.7 | 1.1 | 0.9 | 0.06 | 0.12 | 65 | 0.6 | 0.9 | 0.8 | 0.06 | 0.08 | C07–08 |
| Tonsil | 47 | 0.4 | 0.7 | 0.6 | 0.05 | 0.07 | 13 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 184 | 1.7 | 2.9 | 2.3 | 0.14 | 0.30 | 20 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 52 | 0.5 | 0.8 | 0.7 | 0.05 | 0.07 | 27 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 143 | 1.3 | 2.3 | 1.8 | 0.10 | 0.23 | 28 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C12–13 |
| Pharynx unspecified | 10 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 328 | 3.0 | 5.2 | 4.0 | 0.22 | 0.51 | 85 | 0.7 | 1.2 | 0.9 | 0.05 | 0.11 | C15 |
| Stomach | 407 | 3.7 | 6.4 | 5.1 | 0.27 | 0.61 | 156 | 1.3 | 2.2 | 1.7 | 0.11 | 0.20 | C16 |
| Small intestine | 26 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | 20 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C17 |
| Colon | 390 | 3.6 | 6.1 | 4.9 | 0.30 | 0.59 | 310 | 2.7 | 4.5 | 3.4 | 0.20 | 0.44 | C18 |
| Rectum | 485 | 4.5 | 7.6 | 6.0 | 0.34 | 0.76 | 364 | 3.1 | 5.2 | 3.9 | 0.24 | 0.49 | C19–20 |
| Anus | 24 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 18 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 535 | 4.9 | 8.4 | 6.6 | 0.40 | 0.82 | 151 | 1.3 | 2.2 | 1.7 | 0.10 | 0.20 | C22 |
| Gallbladder etc. | 120 | 1.1 | 1.9 | 1.5 | 0.08 | 0.19 | 112 | 1.0 | 1.6 | 1.2 | 0.06 | 0.15 | C23–24 |
| Pancreas | 228 | 2.1 | 3.6 | 2.8 | 0.18 | 0.35 | 154 | 1.3 | 2.2 | 1.6 | 0.11 | 0.21 | C25 |
| Nose, sinuses etc. | 39 | 0.4 | 0.6 | 0.5 | 0.03 | 0.05 | 33 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 466 | 4.3 | 7.3 | 5.8 | 0.33 | 0.75 | 32 | 0.3 | 0.5 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1440 | 13.2 | 22.7 | 17.8 | 1.02 | 2.27 | 464 | 4.0 | 6.7 | 4.9 | 0.29 | 0.62 | C33–34 |
| Other thoracic organs | 19 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | 16 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 63 | 0.6 | 1.0 | 1.0 | 0.06 | 0.07 | 46 | 0.4 | 0.7 | 0.7 | 0.05 | 0.05 | C40–41 |
| Melanoma of skin | 41 | 0.4 | 0.6 | 0.5 | 0.03 | 0.05 | 41 | 0.4 | 0.6 | 0.5 | 0.02 | 0.06 | C43 |
| Other skin | 199 | 1.8 | 3.1 | 2.4 | 0.14 | 0.28 | 161 | 1.4 | 2.3 | 1.7 | 0.10 | 0.17 | C44 |
| Mesothelioma | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 144 | 1.3 | 2.3 | 2.0 | 0.12 | 0.19 | 119 | 1.0 | 1.7 | 1.4 | 0.10 | 0.13 | C47+C49 |
| Breast | 84 | 0.8 | 1.3 | 1.1 | 0.07 | 0.11 | 3412 | 29.2 | 49.0 | 36.8 | 2.94 | 4.18 | C50 |
| Vulva | | | | | | | 19 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 36 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 630 | 5.4 | 9.0 | 6.7 | 0.46 | 0.78 | C53 |
| Corpus uteri | | | | | | | 565 | 4.8 | 8.1 | 6.1 | 0.46 | 0.76 | C54 |
| Uterus unspecified | | | | | | | 64 | 0.5 | 0.9 | 0.7 | 0.06 | 0.08 | C55 |
| Ovary | | | | | | | 667 | 5.7 | 9.6 | 7.3 | 0.52 | 0.80 | C56 |
| Other female genital organs | | | | | | | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 40 | 0.4 | 0.6 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 790 | 7.3 | 12.5 | 9.8 | 0.27 | 1.21 | | | | | | | C61 |
| Testis | 56 | 0.5 | 0.9 | 0.8 | 0.06 | 0.07 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 245 | 2.3 | 3.9 | 3.1 | 0.21 | 0.38 | 84 | 0.7 | 1.2 | 1.0 | 0.07 | 0.09 | C64 |
| Renal pelvis | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 398 | 3.7 | 6.3 | 4.9 | 0.22 | 0.64 | 89 | 0.8 | 1.3 | 0.9 | 0.06 | 0.11 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C69 |
| Brain and nervous system | 204 | 1.9 | 3.2 | 2.8 | 0.19 | 0.29 | 173 | 1.5 | 2.5 | 2.2 | 0.16 | 0.20 | C70–72 |
| Thyroid | 305 | 2.8 | 4.8 | 4.1 | 0.29 | 0.38 | 1289 | 11.0 | 18.5 | 15.1 | 1.18 | 1.34 | C73 |
| Adrenal gland | 7 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 114 | 1.0 | 1.8 | 1.7 | 0.12 | 0.14 | 68 | 0.6 | 1.0 | 0.9 | 0.06 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 405 | 3.7 | 6.4 | 5.1 | 0.34 | 0.58 | 283 | 2.4 | 4.1 | 3.1 | 0.20 | 0.36 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 282 | 2.6 | 4.4 | 3.5 | 0.20 | 0.47 | 212 | 1.8 | 3.0 | 2.3 | 0.14 | 0.32 | C90 |
| Lymphoid leukaemia | 139 | 1.3 | 2.2 | 2.4 | 0.12 | 0.18 | 70 | 0.6 | 1.0 | 1.2 | 0.06 | 0.09 | C91 |
| Myeloid leukaemia | 166 | 1.5 | 2.6 | 2.4 | 0.15 | 0.23 | 194 | 1.7 | 2.8 | 2.3 | 0.16 | 0.22 | C92–94 |
| Leukaemia unspecified | 45 | 0.4 | 0.7 | 0.7 | 0.03 | 0.05 | 41 | 0.4 | 0.6 | 0.5 | 0.03 | 0.05 | C95 |
| Myeloproliferative disorders | 26 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 7 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPD |
| Myelodysplastic syndromes | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | MPS |
| Other and unspecified | 1115 | 10.3 | 17.6 | 13.9 | 0.67 | 1.60 | 967 | 8.3 | 13.9 | 10.1 | 0.49 | 1.17 | O&U |
| All sites | 11075 | | 174.6 | 140.1 | 7.90 | 16.53 | 11841 | | 170.0 | 130.3 | 8.99 | 14.59 | C00–96 |
| All sites except C44 | 10876 | 100.0 | 171.4 | 137.7 | 7.76 | 16.25 | 11680 | 100.0 | 167.7 | 128.7 | 8.89 | 14.42 | C00–96 exc. C44 |

§Includes 2 cases of unknown age

India, Wardha

CONTRIBUTORS

Nitin Gangane
 Sandip Shrivastav
 Manoj Chandak
 Kartar Singh
 Sudhir Gupta
 Kajal Mitra
 Sunita Vagha
 Virendra Vyas
 Sushil Mandhaniya
 Swapna Maliye



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|------|-----------------------------|------|
| Mouth | 10.2 | Breast | 21.2 |
| Trachea, bronchus, and lung | 4.7 | Cervix uteri | 8.5 |
| Liver | 4.4 | Ovary | 5.3 |
| Oesophagus | 4.2 | Mouth | 3.9 |
| Tongue | 3.8 | Oesophagus | 3.1 |
| Brain and nervous system | 3.2 | Trachea, bronchus, and lung | 2.9 |
| Prostate | 2.7 | Thyroid | 2.4 |
| Non-melanoma skin cancer | 2.3 | Non-melanoma skin cancer | 2.1 |
| Non-Hodgkin lymphoma | 2.2 | Liver | 1.9 |
| Rectum | 2.1 | Brain and nervous system | 1.7 |
| Myeloid leukaemia | 1.9 | Corpus uteri | 1.6 |
| Larynx | 1.9 | Tongue | 1.5 |
| Bladder | 1.7 | Stomach | 1.3 |
| Lymphoid leukaemia | 1.5 | Myeloid leukaemia | 1.3 |
| Stomach | 1.5 | Colon | 1.2 |
| Other and unspecified | 1.5 | Non-Hodgkin lymphoma | 1.2 |
| Colon | 1.5 | Rectum | 1.1 |
| Penis | 1.4 | Lymphoid leukaemia | 1.0 |
| Kidney | 1.2 | Gallbladder etc. | 0.9 |
| Gallbladder etc. | 1.1 | Other and unspecified | 0.8 |
| All sites | 67.3 | All sites | 72.7 |


India, Wardha (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|---------------------|-----------|-----------|--------------------------|-------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 32 | 1.3 | 0.9 | 0.8 | 0.05 | 0.10 | 12 | 0.5 | 0.4 | 0.3 | 0.01 | 0.05 | C00 |
| Tongue | 151 | 6.2 | 4.4 | 3.8 | 0.29 | 0.43 | 56 | 2.1 | 1.7 | 1.5 | 0.13 | 0.18 | C01–02 |
| Mouth | 392 | 16.0 | 11.5 | 10.2 | 0.79 | 1.14 | 151 | 5.8 | 4.7 | 3.9 | 0.25 | 0.48 | C03–06 |
| Salivary glands | 26 | 1.1 | 0.8 | 0.7 | 0.02 | 0.08 | 20 | 0.8 | 0.6 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 21 | 0.9 | 0.6 | 0.6 | 0.04 | 0.08 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 9 | 0.4 | 0.3 | 0.2 | 0.01 | 0.04 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 11 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 27 | 1.1 | 0.8 | 0.7 | 0.02 | 0.09 | 17 | 0.7 | 0.5 | 0.4 | 0.02 | 0.05 | C12–13 |
| Pharynx unspecified | 7 | 0.3 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | C14 |
| Oesophagus | 160 | 6.5 | 4.7 | 4.2 | 0.25 | 0.55 | 117 | 4.5 | 3.6 | 3.1 | 0.21 | 0.40 | C15 |
| Stomach | 57 | 2.3 | 1.7 | 1.5 | 0.09 | 0.18 | 50 | 1.9 | 1.5 | 1.3 | 0.09 | 0.17 | C16 |
| Small intestine | 15 | 0.6 | 0.4 | 0.4 | 0.02 | 0.05 | 8 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C17 |
| Colon | 57 | 2.3 | 1.7 | 1.5 | 0.10 | 0.18 | 47 | 1.8 | 1.5 | 1.2 | 0.08 | 0.14 | C18 |
| Rectum | 83 | 3.4 | 2.4 | 2.1 | 0.14 | 0.24 | 41 | 1.6 | 1.3 | 1.1 | 0.07 | 0.13 | C19–20 |
| Anus | 13 | 0.5 | 0.4 | 0.3 | 0.02 | 0.03 | 6 | 0.2 | 0.2 | 0.1 | 0.01 | 0.02 | C21 |
| Liver | 168 | 6.9 | 4.9 | 4.4 | 0.26 | 0.50 | 67 | 2.6 | 2.1 | 1.9 | 0.13 | 0.20 | C22 |
| Gallbladder etc. | 41 | 1.7 | 1.2 | 1.1 | 0.07 | 0.14 | 34 | 1.3 | 1.0 | 0.9 | 0.05 | 0.11 | C23–24 |
| Pancreas | 25 | 1.0 | 0.7 | 0.6 | 0.04 | 0.07 | 16 | 0.6 | 0.5 | 0.4 | 0.03 | 0.05 | C25 |
| Nose, sinuses etc. | 15 | 0.6 | 0.4 | 0.4 | 0.02 | 0.07 | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 70 | 2.9 | 2.1 | 1.9 | 0.09 | 0.28 | 11 | 0.4 | 0.3 | 0.3 | 0.01 | 0.04 | C32 |
| Trachea, bronchus, and lung | 181 | 7.4 | 5.3 | 4.7 | 0.28 | 0.58 | 108 | 4.1 | 3.3 | 2.9 | 0.19 | 0.36 | C33–34 |
| Other thoracic organs | 12 | 0.5 | 0.4 | 0.3 | 0.02 | 0.03 | 7 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 28 | 1.1 | 0.8 | 0.8 | 0.04 | 0.08 | 26 | 1.0 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 10 | 0.4 | 0.3 | 0.3 | 0.01 | 0.02 | 11 | 0.4 | 0.3 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 88 | 3.6 | 2.6 | 2.3 | 0.12 | 0.28 | 78 | 3.0 | 2.4 | 2.1 | 0.14 | 0.24 | C44 |
| Mesothelioma | 4 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 34 | 1.4 | 1.0 | 1.0 | 0.08 | 0.10 | 26 | 1.0 | 0.8 | 0.7 | 0.05 | 0.07 | C47+C49 |
| Breast | 15 | 0.6 | 0.4 | 0.4 | 0.03 | 0.05 | 785 | 30.1 | 24.2 | 21.2 | 1.77 | 2.25 | C50 |
| Vulva | | | | | | | 5 | 0.2 | 0.2 | 0.1 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 11 | 0.4 | 0.3 | 0.3 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 316 | 12.1 | 9.8 | 8.5 | 0.62 | 0.98 | C53 |
| Corpus uteri | | | | | | | 60 | 2.3 | 1.9 | 1.6 | 0.13 | 0.20 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 196 | 7.5 | 6.0 | 5.3 | 0.40 | 0.57 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 56 | 2.3 | 1.6 | 1.4 | 0.09 | 0.17 | | | | | | | C60 |
| Prostate | 110 | 4.5 | 3.2 | 2.7 | 0.09 | 0.34 | | | | | | | C61 |
| Testis | 30 | 1.2 | 0.9 | 0.8 | 0.06 | 0.07 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 45 | 1.8 | 1.3 | 1.2 | 0.08 | 0.15 | 16 | 0.6 | 0.5 | 0.4 | 0.03 | 0.05 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 64 | 2.6 | 1.9 | 1.7 | 0.10 | 0.22 | 18 | 0.7 | 0.6 | 0.5 | 0.02 | 0.05 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 121 | 4.9 | 3.6 | 3.2 | 0.21 | 0.33 | 57 | 2.2 | 1.8 | 1.7 | 0.12 | 0.15 | C70–72 |
| Thyroid | 30 | 1.2 | 0.9 | 0.8 | 0.05 | 0.10 | 91 | 3.5 | 2.8 | 2.4 | 0.17 | 0.23 | C73 |
| Adrenal gland | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C74 |
| Other endocrine | 2 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 24 | 1.0 | 0.7 | 0.7 | 0.05 | 0.06 | 13 | 0.5 | 0.4 | 0.3 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 82 | 3.3 | 2.4 | 2.2 | 0.16 | 0.25 | 47 | 1.8 | 1.5 | 1.2 | 0.07 | 0.15 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 19 | 0.8 | 0.6 | 0.5 | 0.04 | 0.06 | 14 | 0.5 | 0.4 | 0.4 | 0.02 | 0.05 | C90 |
| Lymphoid leukaemia | 41 | 1.7 | 1.2 | 1.5 | 0.08 | 0.10 | 26 | 1.0 | 0.8 | 1.0 | 0.06 | 0.07 | C91 |
| Myeloid leukaemia | 73 | 3.0 | 2.1 | 1.9 | 0.14 | 0.19 | 49 | 1.9 | 1.5 | 1.3 | 0.09 | 0.13 | C92–94 |
| Leukaemia unspecified | 24 | 1.0 | 0.7 | 0.7 | 0.05 | 0.07 | 16 | 0.6 | 0.5 | 0.6 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 56 | 2.3 | 1.6 | 1.5 | 0.09 | 0.18 | 30 | 1.1 | 0.9 | 0.8 | 0.05 | 0.11 | O&U |
| All sites | 2539 | | 74.5 | 67.3 | 4.28 | 7.75 | 2689 | | 83.0 | 72.7 | 5.33 | 8.04 | C00–96 |
| All sites except C44 | 2451 | 100.0 | 71.9 | 65.0 | 4.16 | 7.47 | 2611 | 100.0 | 80.6 | 70.7 | 5.19 | 7.80 | C00–96 exc. C44 |

India, West Arunachal

CONTRIBUTORS

Sopai Tawsik
Shyam Tsering
Adishi Kri
Gamba Padu
Ngilyang Otung
Bablin Awillang
Hage Ampa
Habung Pampi
Munin Borgohain



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|------|
| Stomach | 24.7 | Stomach | 15.9 |
| Liver | 22.0 | Breast | 9.1 |
| Oesophagus | 9.5 | Cervix uteri | 8.1 |
| Trachea, bronchus, and lung | 6.8 | Liver | 8.0 |
| Nasopharynx | 4.2 | Thyroid | 6.3 |
| Larynx | 3.5 | Ovary | 5.4 |
| Non-Hodgkin lymphoma | 2.9 | Trachea, bronchus, and lung | 5.2 |
| Hypopharynx | 2.5 | Oesophagus | 4.2 |
| Mouth | 2.2 | Gallbladder etc. | 3.7 |
| Non-melanoma skin cancer | 2.1 | Colon | 2.3 |
| Gallbladder etc. | 2.0 | Non-melanoma skin cancer | 2.0 |
| Pancreas | 1.5 | Nasopharynx | 2.0 |
| Prostate | 1.4 | Melanoma of skin | 1.9 |
| Melanoma of skin | 1.4 | Rectum | 1.5 |
| Tongue | 1.3 | Non-Hodgkin lymphoma | 1.3 |
| Rectum | 1.2 | Connective and soft tissue | 1.2 |
| Colon | 1.2 | Mouth | 1.1 |
| Thyroid | 1.0 | Pancreas | 1.0 |
| Tonsil | 0.9 | Myeloid leukaemia | 1.0 |
| Myeloid leukaemia | 0.9 | Tongue | 1.0 |
| All sites | 101.1 | All sites | 92.9 |


India, West Arunachal (2013–2016)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.3 | 0.2 | 0.4 | 0.00 | 0.05 | C00 |
| Tongue | 13 | 1.4 | 0.7 | 1.3 | 0.12 | 0.17 | 9 | 1.0 | 0.5 | 1.0 | 0.10 | 0.10 | C01–02 |
| Mouth | 27 | 2.8 | 1.5 | 2.2 | 0.19 | 0.23 | 11 | 1.2 | 0.7 | 1.1 | 0.09 | 0.13 | C03–06 |
| Salivary glands | 4 | 0.4 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 9 | 0.9 | 0.5 | 0.9 | 0.12 | 0.12 | 1 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 3 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | 4 | 0.4 | 0.2 | 0.7 | 0.04 | 0.07 | C10 |
| Nasopharynx | 42 | 4.4 | 2.4 | 4.2 | 0.27 | 0.50 | 21 | 2.4 | 1.2 | 2.0 | 0.16 | 0.21 | C11 |
| Hypopharynx | 19 | 2.0 | 1.1 | 2.5 | 0.11 | 0.36 | 4 | 0.4 | 0.2 | 0.5 | 0.01 | 0.06 | C12–13 |
| Pharynx unspecified | 3 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 83 | 8.7 | 4.7 | 9.5 | 0.71 | 1.23 | 30 | 3.4 | 1.8 | 4.2 | 0.23 | 0.57 | C15 |
| Stomach | 229 | 23.9 | 13.1 | 24.7 | 1.72 | 3.15 | 142 | 15.9 | 8.4 | 15.9 | 1.39 | 1.63 | C16 |
| Small intestine | 2 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C17 |
| Colon | 12 | 1.3 | 0.7 | 1.2 | 0.06 | 0.14 | 18 | 2.0 | 1.1 | 2.3 | 0.17 | 0.31 | C18 |
| Rectum | 17 | 1.8 | 1.0 | 1.2 | 0.09 | 0.14 | 14 | 1.6 | 0.8 | 1.5 | 0.12 | 0.17 | C19–20 |
| Anus | 4 | 0.4 | 0.2 | 0.4 | 0.02 | 0.06 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 201 | 21.0 | 11.5 | 22.0 | 1.46 | 2.93 | 71 | 8.0 | 4.2 | 8.0 | 0.62 | 0.94 | C22 |
| Gallbladder etc. | 22 | 2.3 | 1.3 | 2.0 | 0.19 | 0.24 | 38 | 4.3 | 2.2 | 3.7 | 0.30 | 0.41 | C23–24 |
| Pancreas | 16 | 1.7 | 0.9 | 1.5 | 0.12 | 0.12 | 8 | 0.9 | 0.5 | 1.0 | 0.10 | 0.15 | C25 |
| Nose, sinuses etc. | 3 | 0.3 | 0.2 | 0.3 | 0.02 | 0.02 | 3 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | C30–31 |
| Larynx | 32 | 3.3 | 1.8 | 3.5 | 0.30 | 0.46 | 8 | 0.9 | 0.5 | 0.9 | 0.10 | 0.10 | C32 |
| Trachea, bronchus, and lung | 60 | 6.3 | 3.4 | 6.8 | 0.49 | 0.87 | 38 | 4.3 | 2.2 | 5.2 | 0.36 | 0.75 | C33–34 |
| Other thoracic organs | 5 | 0.5 | 0.3 | 0.5 | 0.03 | 0.07 | 2 | 0.2 | 0.1 | 0.3 | 0.00 | 0.06 | C37–38 |
| Bone | 9 | 0.9 | 0.5 | 0.5 | 0.04 | 0.04 | 11 | 1.2 | 0.7 | 0.5 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 10 | 1.0 | 0.6 | 1.4 | 0.07 | 0.15 | 17 | 1.9 | 1.0 | 1.9 | 0.17 | 0.22 | C43 |
| Other skin | 24 | 2.5 | 1.4 | 2.1 | 0.10 | 0.23 | 19 | 2.1 | 1.1 | 2.0 | 0.17 | 0.23 | C44 |
| Mesothelioma | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 5 | 0.5 | 0.3 | 0.7 | 0.03 | 0.10 | 10 | 1.1 | 0.6 | 1.2 | 0.09 | 0.17 | C47+C49 |
| Breast | 3 | 0.3 | 0.2 | 0.3 | 0.03 | 0.03 | 106 | 11.9 | 6.3 | 9.1 | 0.71 | 0.95 | C50 |
| Vulva | | | | | | | 7 | 0.8 | 0.4 | 0.9 | 0.05 | 0.10 | C51 |
| Vagina | | | | | | | 2 | 0.2 | 0.1 | 0.3 | 0.00 | 0.04 | C52 |
| Cervix uteri | | | | | | | 88 | 9.9 | 5.2 | 8.1 | 0.72 | 0.94 | C53 |
| Corpus uteri | | | | | | | 3 | 0.3 | 0.2 | 0.5 | 0.03 | 0.08 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.9 | 0.5 | 0.5 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 62 | 6.9 | 3.7 | 5.4 | 0.34 | 0.50 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 4 | 0.4 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 5 | 0.5 | 0.3 | 0.4 | 0.03 | 0.03 | | | | | | | C60 |
| Prostate | 10 | 1.0 | 0.6 | 1.4 | 0.08 | 0.22 | | | | | | | C61 |
| Testis | 3 | 0.3 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 4 | 0.4 | 0.2 | 0.4 | 0.05 | 0.05 | 6 | 0.7 | 0.4 | 0.7 | 0.05 | 0.09 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 8 | 0.8 | 0.5 | 0.8 | 0.07 | 0.07 | 1 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.4 | 0.2 | 0.3 | 0.01 | 0.01 | 6 | 0.7 | 0.4 | 0.5 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 8 | 0.8 | 0.5 | 0.4 | 0.03 | 0.03 | 9 | 1.0 | 0.5 | 0.8 | 0.05 | 0.08 | C70–72 |
| Thyroid | 13 | 1.4 | 0.7 | 1.0 | 0.07 | 0.10 | 72 | 8.1 | 4.3 | 6.3 | 0.52 | 0.63 | C73 |
| Adrenal gland | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 1 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.2 | 0.1 | 0.1 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 29 | 3.0 | 1.7 | 2.9 | 0.24 | 0.37 | 16 | 1.8 | 0.9 | 1.3 | 0.13 | 0.13 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 2 | 0.2 | 0.1 | 0.3 | 0.01 | 0.01 | 2 | 0.2 | 0.1 | 0.4 | 0.02 | 0.07 | C90 |
| Lymphoid leukaemia | 6 | 0.6 | 0.3 | 0.3 | 0.02 | 0.02 | 11 | 1.2 | 0.7 | 0.9 | 0.07 | 0.07 | C91 |
| Myeloid leukaemia | 15 | 1.6 | 0.9 | 0.9 | 0.08 | 0.08 | 10 | 1.1 | 0.6 | 1.0 | 0.11 | 0.11 | C92–94 |
| Leukaemia unspecified | 3 | 0.3 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.6 | 0.3 | 0.3 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 10 | 1.0 | 0.6 | 0.9 | 0.04 | 0.12 | 3 | 0.3 | 0.2 | 0.3 | 0.01 | 0.04 | O&U |
| All sites | 983 | | 56.1 | 101.1 | 7.14 | 12.59 | 912 | | 53.9 | 92.9 | 7.32 | 10.43 | C00–96 |
| All sites except C44 | 959 | 100.0 | 54.7 | 99.0 | 7.04 | 12.35 | 893 | 100.0 | 52.8 | 90.8 | 7.14 | 10.20 | C00–96 exc. C44 |

Iran (Islamic Republic of), Ardabil Province

CONTRIBUTORS

Farhad Pourfarzi
 Mohammadsadegh Soltan Mohammadzadeh
 Naghmeh Khaligh
 Hajar Gholami
 Ali Zohoori



NOTES ON THE DATA

*No official mortality data. High DCO%.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 36.4 | Breast | 21.2 |
| Trachea, bronchus, and lung | 17.1 | Stomach | 20.0 |
| Non-melanoma skin cancer | 15.0 | Colon | 10.2 |
| Colon | 14.0 | Non-melanoma skin cancer | 9.9 |
| Prostate | 12.9 | Oesophagus | 9.9 |
| Oesophagus | 10.9 | Thyroid | 6.6 |
| Bladder | 10.2 | Trachea, bronchus, and lung | 6.2 |
| Brain and nervous system | 7.0 | Brain and nervous system | 4.2 |
| Non-Hodgkin lymphoma | 4.9 | Other and unspecified | 4.2 |
| Rectum | 4.9 | Ovary | 4.1 |
| Liver | 4.8 | Rectum | 3.8 |
| Kidney | 4.2 | Liver | 3.0 |
| Other and unspecified | 4.2 | Bladder | 2.8 |
| Lymphoid leukaemia | 3.8 | Pancreas | 2.7 |
| Pancreas | 3.8 | Non-Hodgkin lymphoma | 2.5 |
| Leukaemia unspecified | 2.9 | Corpus uteri | 2.5 |
| Larynx | 2.9 | Lymphoid leukaemia | 2.4 |
| Multiple myeloma | 2.7 | Kidney | 2.3 |
| Myeloid leukaemia | 2.0 | Cervix uteri | 2.1 |
| Thyroid | 1.8 | Gallbladder etc. | 2.0 |
| All sites | 180.5 | All sites | 137.2 |

*Iran (Islamic Republic of), Ardabil Province (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.4 | 0.6 | 0.6 | 0.05 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 8 | 0.3 | 0.4 | 0.5 | 0.03 | 0.06 | 12 | 0.5 | 0.6 | 0.5 | 0.02 | 0.03 | C01–02 |
| Mouth | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 5 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 6 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | 4 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | C07–08 |
| Tonsil | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 11 | 0.4 | 0.6 | 0.6 | 0.05 | 0.07 | 9 | 0.4 | 0.5 | 0.5 | 0.03 | 0.07 | C11 |
| Hypopharynx | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.03 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 200 | 6.5 | 10.2 | 10.9 | 0.49 | 1.34 | 181 | 7.5 | 9.7 | 9.9 | 0.46 | 1.16 | C15 |
| Stomach | 680 | 22.1 | 34.8 | 36.4 | 1.38 | 4.36 | 371 | 15.3 | 19.9 | 20.0 | 0.82 | 2.48 | C16 |
| Small intestine | 21 | 0.7 | 1.1 | 1.1 | 0.08 | 0.14 | 14 | 0.6 | 0.8 | 0.8 | 0.05 | 0.11 | C17 |
| Colon | 252 | 8.2 | 12.9 | 14.0 | 0.88 | 1.70 | 190 | 7.8 | 10.2 | 10.2 | 0.58 | 1.22 | C18 |
| Rectum | 88 | 2.9 | 4.5 | 4.9 | 0.30 | 0.57 | 71 | 2.9 | 3.8 | 3.8 | 0.27 | 0.43 | C19–20 |
| Anus | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 94 | 3.0 | 4.8 | 4.8 | 0.21 | 0.51 | 57 | 2.3 | 3.1 | 3.0 | 0.18 | 0.31 | C22 |
| Gallbladder etc. | 27 | 0.9 | 1.4 | 1.3 | 0.08 | 0.11 | 37 | 1.5 | 2.0 | 2.0 | 0.10 | 0.26 | C23–24 |
| Pancreas | 67 | 2.2 | 3.4 | 3.8 | 0.19 | 0.49 | 51 | 2.1 | 2.7 | 2.7 | 0.15 | 0.28 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C30–31 |
| Larynx | 49 | 1.6 | 2.5 | 2.9 | 0.20 | 0.36 | 7 | 0.3 | 0.4 | 0.3 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 304 | 9.9 | 15.5 | 17.1 | 0.94 | 2.18 | 121 | 5.0 | 6.5 | 6.2 | 0.32 | 0.63 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 6 | 0.2 | 0.3 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 18 | 0.6 | 0.9 | 0.9 | 0.06 | 0.07 | 14 | 0.6 | 0.8 | 0.8 | 0.04 | 0.08 | C40–41 |
| Melanoma of skin | 16 | 0.5 | 0.8 | 0.9 | 0.04 | 0.08 | 12 | 0.5 | 0.6 | 0.6 | 0.03 | 0.07 | C43 |
| Other skin | 288 | 9.3 | 14.7 | 15.0 | 0.79 | 1.60 | 188 | 7.7 | 10.1 | 9.9 | 0.44 | 1.15 | C44 |
| Mesothelioma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 11 | 0.4 | 0.6 | 0.5 | 0.01 | 0.05 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 35 | 1.1 | 1.8 | 1.6 | 0.12 | 0.13 | 25 | 1.0 | 1.3 | 1.2 | 0.07 | 0.12 | C47+C49 |
| Breast | 5 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | 425 | 17.5 | 22.8 | 21.2 | 1.72 | 2.25 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 41 | 1.7 | 2.2 | 2.1 | 0.15 | 0.21 | C53 |
| Corpus uteri | | | | | | | 44 | 1.8 | 2.4 | 2.5 | 0.18 | 0.31 | C54 |
| Uterus unspecified | | | | | | | 18 | 0.7 | 1.0 | 0.8 | 0.07 | 0.07 | C55 |
| Ovary | | | | | | | 77 | 3.2 | 4.1 | 4.1 | 0.29 | 0.47 | C56 |
| Other female genital organs | | | | | | | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 250 | 8.1 | 12.8 | 12.9 | 0.38 | 1.47 | | | | | | | C61 |
| Testis | 27 | 0.9 | 1.4 | 1.2 | 0.08 | 0.10 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 76 | 2.5 | 3.9 | 4.2 | 0.26 | 0.56 | 43 | 1.8 | 2.3 | 2.3 | 0.12 | 0.26 | C64 |
| Renal pelvis | 6 | 0.2 | 0.3 | 0.3 | 0.01 | 0.04 | 5 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 190 | 6.2 | 9.7 | 10.2 | 0.54 | 1.16 | 53 | 2.2 | 2.8 | 2.8 | 0.11 | 0.29 | C67 |
| Other urinary organs | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 132 | 4.3 | 6.7 | 7.0 | 0.46 | 0.74 | 80 | 3.3 | 4.3 | 4.2 | 0.23 | 0.40 | C70–72 |
| Thyroid | 38 | 1.2 | 1.9 | 1.8 | 0.14 | 0.17 | 133 | 5.5 | 7.1 | 6.6 | 0.47 | 0.72 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 36 | 1.2 | 1.8 | 1.7 | 0.12 | 0.15 | 24 | 1.0 | 1.3 | 1.2 | 0.08 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 94 | 3.0 | 4.8 | 4.9 | 0.28 | 0.56 | 49 | 2.0 | 2.6 | 2.5 | 0.11 | 0.28 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | 4 | 0.2 | 0.2 | 0.3 | 0.00 | 0.06 | C88 |
| Multiple myeloma | 48 | 1.6 | 2.5 | 2.7 | 0.19 | 0.32 | 35 | 1.4 | 1.9 | 1.9 | 0.10 | 0.26 | C90 |
| Lymphoid leukaemia | 65 | 2.1 | 3.3 | 3.8 | 0.18 | 0.50 | 42 | 1.7 | 2.3 | 2.4 | 0.14 | 0.28 | C91 |
| Myeloid leukaemia | 38 | 1.2 | 1.9 | 2.0 | 0.14 | 0.19 | 23 | 0.9 | 1.2 | 1.2 | 0.10 | 0.13 | C92–94 |
| Leukaemia unspecified | 56 | 1.8 | 2.9 | 2.9 | 0.15 | 0.28 | 30 | 1.2 | 1.6 | 1.6 | 0.08 | 0.13 | C95 |
| Myeloproliferative disorders | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | MPS |
| Other and unspecified | 77 | 2.5 | 3.9 | 4.2 | 0.27 | 0.44 | 79 | 3.3 | 4.2 | 4.2 | 0.20 | 0.46 | O&U |
| All sites | 3371 | | 172.4 | 180.5 | 9.31 | 20.83 | 2614 | | 140.3 | 137.2 | 7.87 | 15.46 | C00–96 |
| All sites except C44 | 3083 | 100.0 | 157.6 | 165.5 | 8.52 | 19.24 | 2426 | 100.0 | 130.2 | 127.3 | 7.42 | 14.30 | C00–96 exc. C44 |

*†See note following population pyramid

Iran (Islamic Republic of), Golestan Province

CONTRIBUTORS

Gholamreza Roshandel
 Shahryar Semnani
 Abdolreza Fazel
 Seyed Mehdi Sedaghat
 Mohammad Naeimi Tabiei
 Susan Hasanpour-Heidari
 Faezeh Salamat
 Fatemeh Ghasemi-Kebria
 Hamideh Sadeghzadeh
 Mahnaz Akbari
 Reza Malekzadeh



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 24.4 | Breast | 38.0 |
| Trachea, bronchus, and lung | 18.7 | Stomach | 11.7 |
| Prostate | 16.0 | Oesophagus | 10.6 |
| Oesophagus | 13.0 | Colon | 9.5 |
| Colon | 11.5 | Trachea, bronchus, and lung | 8.8 |
| Non-melanoma skin cancer | 10.2 | Thyroid | 6.6 |
| Bladder | 9.1 | Non-melanoma skin cancer | 6.1 |
| Non-Hodgkin lymphoma | 7.3 | Ovary | 5.8 |
| Brain and nervous system | 6.8 | Brain and nervous system | 5.5 |
| Rectum | 6.0 | Rectum | 4.4 |
| Lymphoid leukaemia | 5.6 | Non-Hodgkin lymphoma | 3.9 |
| Other and unspecified | 5.1 | Other and unspecified | 3.8 |
| Liver | 4.3 | Corpus uteri | 3.7 |
| Pancreas | 4.1 | Cervix uteri | 3.5 |
| Larynx | 3.9 | Lymphoid leukaemia | 3.4 |
| Myeloid leukaemia | 3.2 | Leukaemia unspecified | 3.0 |
| Leukaemia unspecified | 3.2 | Liver | 3.0 |
| Multiple myeloma | 2.7 | Bladder | 2.8 |
| Kidney | 2.6 | Pancreas | 2.6 |
| Gallbladder etc. | 2.4 | Myeloid leukaemia | 2.4 |
| All sites | 178.2 | All sites | 158.9 |

*Iran (Islamic Republic of), Golestan Province (2015–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.2 | 0.2 | 0.3 | 0.02 | 0.05 | 7 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C00 |
| Tongue | 13 | 0.3 | 0.5 | 0.6 | 0.03 | 0.07 | 15 | 0.4 | 0.5 | 0.7 | 0.03 | 0.07 | C01–02 |
| Mouth | 14 | 0.4 | 0.5 | 0.5 | 0.03 | 0.04 | 11 | 0.3 | 0.4 | 0.4 | 0.02 | 0.05 | C03–06 |
| Salivary glands | 11 | 0.3 | 0.4 | 0.4 | 0.03 | 0.03 | 10 | 0.3 | 0.4 | 0.4 | 0.03 | 0.03 | C07–08 |
| Tonsil | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C09 |
| Other oropharynx | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 19 | 0.5 | 0.7 | 0.7 | 0.05 | 0.09 | 9 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 6 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 291 | 7.5 | 10.3 | 13.0 | 0.51 | 1.46 | 244 | 6.1 | 8.7 | 10.6 | 0.49 | 1.25 | C15 |
| Stomach | 530 | 13.7 | 18.8 | 24.4 | 1.08 | 2.94 | 282 | 7.1 | 10.1 | 11.7 | 0.57 | 1.33 | C16 |
| Small intestine | 22 | 0.6 | 0.8 | 1.0 | 0.05 | 0.12 | 24 | 0.6 | 0.9 | 1.0 | 0.05 | 0.13 | C17 |
| Colon | 264 | 6.8 | 9.4 | 11.5 | 0.67 | 1.42 | 229 | 5.8 | 8.2 | 9.5 | 0.60 | 1.17 | C18 |
| Rectum | 138 | 3.6 | 4.9 | 6.0 | 0.38 | 0.76 | 112 | 2.8 | 4.0 | 4.4 | 0.30 | 0.51 | C19–20 |
| Anus | 4 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 99 | 2.6 | 3.5 | 4.3 | 0.26 | 0.51 | 68 | 1.7 | 2.4 | 3.0 | 0.11 | 0.38 | C22 |
| Gallbladder etc. | 51 | 1.3 | 1.8 | 2.4 | 0.10 | 0.36 | 33 | 0.8 | 1.2 | 1.4 | 0.06 | 0.10 | C23–24 |
| Pancreas | 90 | 2.3 | 3.2 | 4.1 | 0.19 | 0.50 | 61 | 1.5 | 2.2 | 2.6 | 0.11 | 0.28 | C25 |
| Nose, sinuses etc. | 11 | 0.3 | 0.4 | 0.5 | 0.02 | 0.06 | 6 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 90 | 2.3 | 3.2 | 3.9 | 0.22 | 0.49 | 32 | 0.8 | 1.1 | 1.3 | 0.08 | 0.14 | C32 |
| Trachea, bronchus, and lung | 418 | 10.8 | 14.8 | 18.7 | 1.07 | 2.32 | 212 | 5.3 | 7.6 | 8.8 | 0.47 | 1.00 | C33–34 |
| Other thoracic organs | 11 | 0.3 | 0.4 | 0.5 | 0.03 | 0.06 | 9 | 0.2 | 0.3 | 0.4 | 0.01 | 0.05 | C37–38 |
| Bone | 54 | 1.4 | 1.9 | 2.1 | 0.13 | 0.17 | 27 | 0.7 | 1.0 | 1.0 | 0.05 | 0.09 | C40–41 |
| Melanoma of skin | 14 | 0.4 | 0.5 | 0.6 | 0.03 | 0.05 | 8 | 0.2 | 0.3 | 0.4 | 0.01 | 0.04 | C43 |
| Other skin | 229 | 5.9 | 8.1 | 10.2 | 0.43 | 1.16 | 146 | 3.7 | 5.2 | 6.1 | 0.32 | 0.71 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.2 | 0.3 | 0.02 | 0.04 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 39 | 1.0 | 1.4 | 1.4 | 0.09 | 0.12 | 44 | 1.1 | 1.6 | 1.5 | 0.11 | 0.13 | C47+C49 |
| Breast | 34 | 0.9 | 1.2 | 1.3 | 0.08 | 0.13 | 1082 | 27.2 | 38.8 | 38.0 | 3.19 | 3.93 | C50 |
| Vulva | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C51 |
| Vagina | | | | | | | 6 | 0.2 | 0.2 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 97 | 2.4 | 3.5 | 3.5 | 0.27 | 0.38 | C53 |
| Corpus uteri | | | | | | | 88 | 2.2 | 3.2 | 3.7 | 0.28 | 0.48 | C54 |
| Uterus unspecified | | | | | | | 65 | 1.6 | 2.3 | 2.4 | 0.18 | 0.28 | C55 |
| Ovary | | | | | | | 154 | 3.9 | 5.5 | 5.8 | 0.42 | 0.66 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 17 | 0.4 | 0.6 | 0.5 | 0.04 | 0.04 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 337 | 8.7 | 12.0 | 16.0 | 0.42 | 1.87 | | | | | | | C61 |
| Testis | 63 | 1.6 | 2.2 | 1.9 | 0.13 | 0.14 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 59 | 1.5 | 2.1 | 2.6 | 0.13 | 0.34 | 54 | 1.4 | 1.9 | 2.1 | 0.15 | 0.25 | C64 |
| Renal pelvis | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 201 | 5.2 | 7.1 | 9.1 | 0.46 | 1.13 | 66 | 1.7 | 2.4 | 2.8 | 0.15 | 0.34 | C67 |
| Other urinary organs | 4 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 9 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | 11 | 0.3 | 0.4 | 0.4 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 179 | 4.6 | 6.4 | 6.8 | 0.42 | 0.64 | 142 | 3.6 | 5.1 | 5.5 | 0.34 | 0.53 | C70–72 |
| Thyroid | 51 | 1.3 | 1.8 | 2.0 | 0.14 | 0.21 | 200 | 5.0 | 7.2 | 6.6 | 0.52 | 0.60 | C73 |
| Adrenal gland | 11 | 0.3 | 0.4 | 0.4 | 0.03 | 0.03 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 10 | 0.3 | 0.4 | 0.3 | 0.03 | 0.03 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 47 | 1.2 | 1.7 | 1.8 | 0.14 | 0.15 | 46 | 1.2 | 1.6 | 1.6 | 0.10 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 179 | 4.6 | 6.4 | 7.3 | 0.51 | 0.85 | 103 | 2.6 | 3.7 | 3.9 | 0.25 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 61 | 1.6 | 2.2 | 2.7 | 0.13 | 0.37 | 45 | 1.1 | 1.6 | 1.8 | 0.14 | 0.18 | C90 |
| Lymphoid leukaemia | 132 | 3.4 | 4.7 | 5.6 | 0.28 | 0.46 | 82 | 2.1 | 2.9 | 3.4 | 0.17 | 0.31 | C91 |
| Myeloid leukaemia | 86 | 2.2 | 3.1 | 3.2 | 0.22 | 0.32 | 62 | 1.6 | 2.2 | 2.4 | 0.15 | 0.27 | C92–94 |
| Leukaemia unspecified | 78 | 2.0 | 2.8 | 3.2 | 0.18 | 0.30 | 85 | 2.1 | 3.0 | 3.0 | 0.21 | 0.28 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 120 | 3.1 | 4.3 | 5.1 | 0.28 | 0.52 | 95 | 2.4 | 3.4 | 3.8 | 0.26 | 0.42 | O&U |
| All sites | 4108 | | 145.9 | 178.2 | 9.12 | 20.52 | 4123 | | 147.7 | 158.9 | 10.46 | 17.19 | C00–96 |
| All sites except C44 | 3879 | 100.0 | 137.8 | 168.0 | 8.68 | 19.36 | 3977 | 100.0 | 142.5 | 152.7 | 10.14 | 16.48 | C00–96 exc.C44 |

§Includes 8 cases of unknown age


§Includes 9 cases of unknown age

*See note following population pyramid

Israel

CONTRIBUTORS

Barbara G. Silverman
Lital Keinan-Boker




NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 41.7 | Breast | 88.9 |
| Trachea, bronchus, and lung | 31.4 | Colon | 17.9 |
| Bladder | 24.7 | Thyroid | 16.7 |
| Colon | 20.8 | Trachea, bronchus, and lung | 15.3 |
| Non-Hodgkin lymphoma | 17.6 | Corpus uteri | 13.9 |
| Melanoma of skin | 12.2 | Non-Hodgkin lymphoma | 13.1 |
| Kidney | 10.5 | Melanoma of skin | 9.4 |
| Rectum | 9.5 | Ovary | 7.5 |
| Pancreas | 8.8 | Pancreas | 6.6 |
| Stomach | 8.5 | Rectum | 6.5 |
| Other and unspecified | 7.7 | Other and unspecified | 6.1 |
| Brain and nervous system | 6.3 | Cervix uteri | 5.4 |
| Thyroid | 5.9 | Stomach | 4.9 |
| Multiple myeloma | 5.2 | Kidney | 4.8 |
| Lymphoid leukaemia | 4.8 | Brain and nervous system | 4.6 |
| Testis | 4.6 | Bladder | 4.5 |
| Larynx | 3.7 | Multiple myeloma | 3.6 |
| Hodgkin lymphoma | 3.6 | Hodgkin lymphoma | 3.2 |
| Myeloid leukaemia | 3.6 | Lymphoid leukaemia | 2.9 |
| Liver | 3.6 | Myeloid leukaemia | 2.7 |
| All sites | 262.0 | All sites | 259.9 |

**NOTES ON THE DATA**


*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Trachea, bronchus, and lung | 47.9 |
| Prostate | 24.4 |
| Bladder | 23.6 |
| Colon | 19.9 |
| Non-Hodgkin lymphoma | 11.0 |
| Rectum | 8.9 |
| Other and unspecified | 8.6 |
| Stomach | 7.4 |
| Pancreas | 6.5 |
| Larynx | 6.0 |
| All sites | 227.7 |

| Female | |
|-----------------------------|-------|
| Breast | 62.8 |
| Colon | 16.9 |
| Corpus uteri | 13.3 |
| Thyroid | 12.6 |
| Non-Hodgkin lymphoma | 10.2 |
| Trachea, bronchus, and lung | 7.8 |
| Other and unspecified | 5.6 |
| Stomach | 5.2 |
| Rectum | 5.2 |
| Ovary | 5.1 |
| All sites | 193.9 |

**NOTES ON THE DATA**

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Prostate | 42.9 |
| Trachea, bronchus, and lung | 28.1 |
| Bladder | 24.7 |
| Colon | 20.4 |
| Non-Hodgkin lymphoma | 18.8 |
| Melanoma of skin | 13.8 |
| Kidney | 10.9 |
| Rectum | 9.3 |
| Pancreas | 9.1 |
| Stomach | 8.1 |
| All sites | 262.6 |

| Female | |
|-----------------------------|-------|
| Breast | 93.6 |
| Colon | 17.8 |
| Thyroid | 17.7 |
| Trachea, bronchus, and lung | 16.3 |
| Non-Hodgkin lymphoma | 13.8 |
| Corpus uteri | 13.6 |
| Melanoma of skin | 10.8 |
| Ovary | 7.6 |
| Pancreas | 7.0 |
| Rectum | 6.5 |
| All sites | 269.3 |

Israel (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 128 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 56 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 272 | 0.4 | 1.3 | 1.1 | 0.07 | 0.12 | 257 | 0.4 | 1.2 | 0.9 | 0.05 | 0.09 | C01–02 |
| Mouth | 227 | 0.3 | 1.1 | 0.9 | 0.05 | 0.10 | 221 | 0.3 | 1.0 | 0.7 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 253 | 0.4 | 1.2 | 1.0 | 0.05 | 0.11 | 171 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | C07–08 |
| Tonsil | 96 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 23 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 48 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 196 | 0.3 | 0.9 | 0.9 | 0.07 | 0.09 | 63 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 33 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 22 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 10 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 416 | 0.6 | 2.0 | 1.6 | 0.08 | 0.19 | 295 | 0.4 | 1.4 | 0.8 | 0.04 | 0.09 | C15 |
| Stomach | 2312 | 3.4 | 11.1 | 8.5 | 0.39 | 0.99 | 1563 | 2.1 | 7.4 | 4.9 | 0.26 | 0.55 | C16 |
| Small intestine | 258 | 0.4 | 1.2 | 1.0 | 0.06 | 0.12 | 203 | 0.3 | 1.0 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 5631 | 8.4 | 27.1 | 20.8 | 0.96 | 2.38 | 5810 | 8.0 | 27.5 | 17.9 | 0.92 | 1.99 | C18 |
| Rectum | 2400 | 3.6 | 11.6 | 9.5 | 0.56 | 1.13 | 1900 | 2.6 | 9.0 | 6.5 | 0.40 | 0.75 | C19–20 |
| Anus | 109 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 147 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | C21 |
| Liver | 917 | 1.4 | 4.4 | 3.6 | 0.20 | 0.42 | 559 | 0.8 | 2.6 | 1.6 | 0.07 | 0.17 | C22 |
| Gallbladder etc. | 524 | 0.8 | 2.5 | 1.9 | 0.08 | 0.21 | 524 | 0.7 | 2.5 | 1.6 | 0.08 | 0.19 | C23–24 |
| Pancreas | 2384 | 3.5 | 11.5 | 8.8 | 0.41 | 1.06 | 2314 | 3.2 | 10.9 | 6.6 | 0.27 | 0.75 | C25 |
| Nose, sinuses etc. | 105 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 71 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 904 | 1.3 | 4.4 | 3.7 | 0.24 | 0.46 | 139 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 8255 | 12.2 | 39.7 | 31.4 | 1.56 | 3.96 | 4817 | 6.6 | 22.8 | 15.3 | 0.77 | 1.92 | C33–34 |
| Other thoracic organs | 132 | 0.2 | 0.6 | 0.6 | 0.04 | 0.06 | 94 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 305 | 0.5 | 1.5 | 1.4 | 0.09 | 0.11 | 255 | 0.3 | 1.2 | 1.2 | 0.07 | 0.10 | C40–41 |
| Melanoma of skin | 3100 | 4.6 | 14.9 | 12.2 | 0.69 | 1.37 | 2591 | 3.5 | 12.3 | 9.4 | 0.61 | 1.03 | C43 |
| Other skin | 327 | 0.5 | 1.6 | 1.2 | 0.06 | 0.12 | 240 | 0.3 | 1.1 | 0.8 | 0.04 | 0.09 | C44 |
| Mesothelioma | 176 | 0.3 | 0.8 | 0.6 | 0.02 | 0.08 | 55 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 381 | 0.6 | 1.8 | 1.3 | 0.04 | 0.15 | 155 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | C46 |
| Connective and soft tissue | 713 | 1.1 | 3.4 | 2.9 | 0.17 | 0.30 | 582 | 0.8 | 2.8 | 2.3 | 0.14 | 0.22 | C47+C49 |
| Breast | 321 | 0.5 | 1.5 | 1.2 | 0.07 | 0.15 | 23152 | 31.7 | 109.5 | 88.9 | 6.33 | 10.39 | C50 |
| Vulva | | | | | | | 345 | 0.5 | 1.6 | 1.0 | 0.05 | 0.10 | C51 |
| Vagina | | | | | | | 86 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1302 | 1.8 | 6.2 | 5.4 | 0.43 | 0.55 | C53 |
| Corpus uteri | | | | | | | 3912 | 5.4 | 18.5 | 13.9 | 0.88 | 1.82 | C54 |
| Uterus unspecified | | | | | | | 167 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 2038 | 2.8 | 9.6 | 7.5 | 0.49 | 0.84 | C56 |
| Other female genital organs | | | | | | | 243 | 0.3 | 1.1 | 0.8 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 17 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 47 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 10956 | 16.3 | 52.7 | 41.7 | 1.68 | 5.86 | | | | | | | C61 |
| Testis | 958 | 1.4 | 4.6 | 4.6 | 0.34 | 0.35 | | | | | | | C62 |
| Other male genital organs | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 2521 | 3.7 | 12.1 | 10.5 | 0.68 | 1.27 | 1323 | 1.8 | 6.3 | 4.8 | 0.30 | 0.55 | C64 |
| Renal pelvis | 175 | 0.3 | 0.8 | 0.6 | 0.03 | 0.08 | 108 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 106 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 46 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 6704 | 9.9 | 32.3 | 24.7 | 1.10 | 2.97 | 1498 | 2.1 | 7.1 | 4.5 | 0.22 | 0.52 | C67 |
| Other urinary organs | 139 | 0.2 | 0.7 | 0.5 | 0.01 | 0.05 | 34 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 96 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 82 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 1448 | 2.1 | 7.0 | 6.3 | 0.39 | 0.65 | 1182 | 1.6 | 5.6 | 4.6 | 0.29 | 0.45 | C70–72 |
| Thyroid | 1326 | 2.0 | 6.4 | 5.9 | 0.43 | 0.63 | 3859 | 5.3 | 18.3 | 16.7 | 1.32 | 1.66 | C73 |
| Adrenal gland | 87 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 85 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 21 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 776 | 1.2 | 3.7 | 3.6 | 0.24 | 0.30 | 691 | 0.9 | 3.3 | 3.2 | 0.22 | 0.25 | C81 |
| Non-Hodgkin lymphoma | 4337 | 6.4 | 20.9 | 17.6 | 1.02 | 1.93 | 3754 | 5.1 | 17.8 | 13.1 | 0.77 | 1.48 | C82–86,C96 |
| Immunoproliferative diseases | 291 | 0.4 | 1.4 | 1.2 | 0.07 | 0.12 | 329 | 0.5 | 1.6 | 1.2 | 0.07 | 0.15 | C88 |
| Multiple myeloma | 1385 | 2.1 | 6.7 | 5.2 | 0.26 | 0.63 | 1103 | 1.5 | 5.2 | 3.6 | 0.19 | 0.44 | C90 |
| Lymphoid leukaemia | 1180 | 1.8 | 5.7 | 4.8 | 0.25 | 0.47 | 840 | 1.1 | 4.0 | 2.9 | 0.14 | 0.27 | C91 |
| Myeloid leukaemia | 906 | 1.3 | 4.4 | 3.6 | 0.20 | 0.37 | 757 | 1.0 | 3.6 | 2.7 | 0.16 | 0.28 | C92–94 |
| Leukaemia unspecified | 134 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 135 | 0.2 | 0.6 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 409 | 0.6 | 2.0 | 1.6 | 0.08 | 0.19 | 341 | 0.5 | 1.6 | 1.1 | 0.05 | 0.12 | MPD |
| Myelodysplastic syndromes | 549 | 0.8 | 2.6 | 1.7 | 0.04 | 0.14 | 442 | 0.6 | 2.1 | 1.1 | 0.03 | 0.09 | MPS |
| Other and unspecified | 2242 | 3.3 | 10.8 | 7.7 | 0.30 | 0.77 | 2270 | 3.1 | 10.7 | 6.1 | 0.25 | 0.58 | O&U |
| All sites | 67747 | | 326.1 | 262.0 | 13.35 | 30.93 | 73292 | | 346.7 | 259.9 | 16.35 | 29.35 | C00–96 |
| All sites except C44 | 67420 | 100.0 | 324.5 | 260.8 | 13.29 | 30.81 | 73052 | 100.0 | 345.6 | 259.1 | 16.31 | 29.27 | C00–96 exc. C44 |

†See note following population pyramid

*Israel: Arabs (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.3 | 0.4 | 0.6 | 0.02 | 0.05 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 20 | 0.3 | 0.5 | 0.7 | 0.04 | 0.10 | 13 | 0.2 | 0.3 | 0.4 | 0.02 | 0.05 | C01–02 |
| Mouth | 22 | 0.3 | 0.5 | 0.8 | 0.05 | 0.09 | 13 | 0.2 | 0.3 | 0.4 | 0.03 | 0.04 | C03–06 |
| Salivary glands | 20 | 0.3 | 0.5 | 0.6 | 0.04 | 0.07 | 26 | 0.4 | 0.6 | 0.7 | 0.03 | 0.09 | C07–08 |
| Tonsil | 7 | 0.1 | 0.2 | 0.2 | 0.02 | 0.04 | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 5 | 0.1 | 0.1 | 0.2 | 0.00 | 0.04 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 32 | 0.5 | 0.7 | 1.0 | 0.06 | 0.12 | 6 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 24 | 0.4 | 0.5 | 0.9 | 0.04 | 0.14 | 17 | 0.3 | 0.4 | 0.5 | 0.02 | 0.04 | C15 |
| Stomach | 222 | 3.3 | 5.0 | 7.4 | 0.37 | 0.88 | 176 | 2.6 | 4.1 | 5.2 | 0.30 | 0.57 | C16 |
| Small intestine | 22 | 0.3 | 0.5 | 0.8 | 0.05 | 0.10 | 28 | 0.4 | 0.7 | 0.8 | 0.05 | 0.07 | C17 |
| Colon | 571 | 8.4 | 13.0 | 19.9 | 0.97 | 2.47 | 561 | 8.4 | 13.0 | 16.9 | 0.91 | 1.94 | C18 |
| Rectum | 271 | 4.0 | 6.2 | 8.9 | 0.52 | 1.01 | 176 | 2.6 | 4.1 | 5.2 | 0.29 | 0.57 | C19–20 |
| Anus | 16 | 0.2 | 0.4 | 0.6 | 0.02 | 0.08 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 116 | 1.7 | 2.6 | 4.1 | 0.24 | 0.53 | 49 | 0.7 | 1.1 | 1.5 | 0.08 | 0.16 | C22 |
| Gallbladder etc. | 90 | 1.3 | 2.0 | 3.1 | 0.12 | 0.35 | 70 | 1.1 | 1.6 | 2.2 | 0.12 | 0.25 | C23–24 |
| Pancreas | 182 | 2.7 | 4.1 | 6.5 | 0.29 | 0.87 | 134 | 2.0 | 3.1 | 4.2 | 0.20 | 0.50 | C25 |
| Nose, sinuses etc. | 15 | 0.2 | 0.3 | 0.5 | 0.02 | 0.06 | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 168 | 2.5 | 3.8 | 6.0 | 0.39 | 0.76 | 9 | 0.1 | 0.2 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1333 | 19.7 | 30.3 | 47.9 | 2.30 | 6.09 | 249 | 3.7 | 5.8 | 7.8 | 0.38 | 1.00 | C33–34 |
| Other thoracic organs | 21 | 0.3 | 0.5 | 0.6 | 0.04 | 0.08 | 12 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 44 | 0.6 | 1.0 | 0.9 | 0.06 | 0.06 | 50 | 0.8 | 1.2 | 1.1 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 51 | 0.8 | 1.2 | 1.6 | 0.10 | 0.16 | 29 | 0.4 | 0.7 | 0.8 | 0.06 | 0.07 | C43 |
| Other skin | 20 | 0.3 | 0.5 | 0.6 | 0.04 | 0.07 | 18 | 0.3 | 0.4 | 0.5 | 0.03 | 0.04 | C44 |
| Mesothelioma | 23 | 0.3 | 0.5 | 0.8 | 0.03 | 0.11 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 12 | 0.2 | 0.3 | 0.4 | 0.01 | 0.03 | 13 | 0.2 | 0.3 | 0.4 | 0.02 | 0.04 | C46 |
| Connective and soft tissue | 89 | 1.3 | 2.0 | 2.4 | 0.16 | 0.23 | 77 | 1.2 | 1.8 | 2.0 | 0.12 | 0.17 | C47+C49 |
| Breast | 21 | 0.3 | 0.5 | 0.7 | 0.04 | 0.09 | 2143 | 32.2 | 49.8 | 62.8 | 4.76 | 7.30 | C50 |
| Vulva | | | | | | | 27 | 0.4 | 0.6 | 0.8 | 0.06 | 0.10 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.1 | 0.2 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 121 | 1.8 | 2.8 | 3.3 | 0.26 | 0.35 | C53 |
| Corpus uteri | | | | | | | 411 | 6.2 | 9.6 | 13.3 | 0.92 | 1.74 | C54 |
| Uterus unspecified | | | | | | | 23 | 0.3 | 0.5 | 0.7 | 0.05 | 0.08 | C55 |
| Ovary | | | | | | | 178 | 2.7 | 4.1 | 5.1 | 0.35 | 0.55 | C56 |
| Other female genital organs | | | | | | | 18 | 0.3 | 0.4 | 0.6 | 0.02 | 0.08 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 8 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | | | | | | | C60 |
| Prostate | 638 | 9.4 | 14.5 | 24.4 | 0.81 | 3.35 | | | | | | | C61 |
| Testis | 134 | 2.0 | 3.0 | 3.0 | 0.23 | 0.23 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 182 | 2.7 | 4.1 | 5.6 | 0.41 | 0.67 | 103 | 1.5 | 2.4 | 2.9 | 0.19 | 0.31 | C64 |
| Renal pelvis | 22 | 0.3 | 0.5 | 0.8 | 0.04 | 0.12 | 14 | 0.2 | 0.3 | 0.4 | 0.01 | 0.06 | C65 |
| Ureter | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 661 | 9.8 | 15.0 | 23.6 | 1.14 | 2.98 | 86 | 1.3 | 2.0 | 2.7 | 0.12 | 0.29 | C67 |
| Other urinary organs | 17 | 0.3 | 0.4 | 0.6 | 0.00 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 13 | 0.2 | 0.3 | 0.4 | 0.01 | 0.03 | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 164 | 2.4 | 3.7 | 4.5 | 0.30 | 0.45 | 151 | 2.3 | 3.5 | 4.1 | 0.26 | 0.39 | C70–72 |
| Thyroid | 144 | 2.1 | 3.3 | 4.0 | 0.29 | 0.42 | 503 | 7.6 | 11.7 | 12.6 | 0.99 | 1.16 | C73 |
| Adrenal gland | 14 | 0.2 | 0.3 | 0.4 | 0.02 | 0.03 | 16 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 144 | 2.1 | 3.3 | 3.3 | 0.22 | 0.27 | 150 | 2.3 | 3.5 | 3.5 | 0.24 | 0.28 | C81 |
| Non-Hodgkin lymphoma | 368 | 5.4 | 8.4 | 11.0 | 0.69 | 1.17 | 344 | 5.2 | 8.0 | 10.2 | 0.61 | 1.20 | C82–86,C96 |
| Immunoproliferative diseases | 31 | 0.5 | 0.7 | 0.9 | 0.05 | 0.08 | 24 | 0.4 | 0.6 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 152 | 2.2 | 3.5 | 5.3 | 0.30 | 0.63 | 118 | 1.8 | 2.7 | 3.7 | 0.21 | 0.47 | C90 |
| Lymphoid leukaemia | 145 | 2.1 | 3.3 | 3.9 | 0.22 | 0.37 | 101 | 1.5 | 2.3 | 2.7 | 0.12 | 0.26 | C91 |
| Myeloid leukaemia | 152 | 2.2 | 3.5 | 4.5 | 0.27 | 0.47 | 106 | 1.6 | 2.5 | 3.1 | 0.20 | 0.34 | C92–94 |
| Leukaemia unspecified | 18 | 0.3 | 0.4 | 0.5 | 0.03 | 0.04 | 17 | 0.3 | 0.4 | 0.4 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 45 | 0.7 | 1.0 | 1.6 | 0.07 | 0.21 | 30 | 0.5 | 0.7 | 0.9 | 0.05 | 0.10 | MPD |
| Myelodysplastic syndromes | 38 | 0.6 | 0.9 | 1.3 | 0.04 | 0.10 | 29 | 0.4 | 0.7 | 0.8 | 0.02 | 0.05 | MPS |
| Other and unspecified | 250 | 3.7 | 5.7 | 8.6 | 0.34 | 0.95 | 189 | 2.8 | 4.4 | 5.6 | 0.23 | 0.58 | O&U |
| All sites | 6793 | | 154.4 | 227.7 | 11.55 | 27.38 | 6666 | | 155.0 | 193.9 | 12.58 | 21.68 | C00–96 |
| All sites except C44 | 6773 | 100.0 | 154.0 | 227.1 | 11.50 | 27.31 | 6648 | 100.0 | 154.5 | 193.5 | 12.55 | 21.64 | C00–96 exc. C44 |

*†See note following population pyramid

*Israel: Jews (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 106 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 47 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 223 | 0.4 | 1.4 | 1.1 | 0.07 | 0.12 | 230 | 0.4 | 1.5 | 0.9 | 0.06 | 0.10 | C01–02 |
| Mouth | 184 | 0.3 | 1.2 | 0.8 | 0.05 | 0.10 | 194 | 0.3 | 1.2 | 0.7 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 225 | 0.4 | 1.4 | 1.0 | 0.05 | 0.11 | 137 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | C07–08 |
| Tonsil | 76 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 19 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 39 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 160 | 0.3 | 1.0 | 0.9 | 0.07 | 0.09 | 51 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 24 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 18 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 356 | 0.6 | 2.3 | 1.6 | 0.08 | 0.19 | 262 | 0.4 | 1.7 | 0.9 | 0.04 | 0.10 | C15 |
| Stomach | 1903 | 3.3 | 12.2 | 8.1 | 0.37 | 0.94 | 1248 | 2.0 | 7.9 | 4.6 | 0.24 | 0.51 | C16 |
| Small intestine | 220 | 0.4 | 1.4 | 1.1 | 0.07 | 0.12 | 163 | 0.3 | 1.0 | 0.7 | 0.04 | 0.07 | C17 |
| Colon | 4760 | 8.3 | 30.6 | 20.4 | 0.94 | 2.31 | 4929 | 7.9 | 31.1 | 17.8 | 0.90 | 1.97 | C18 |
| Rectum | 1985 | 3.5 | 12.8 | 9.3 | 0.56 | 1.11 | 1589 | 2.5 | 10.0 | 6.5 | 0.41 | 0.76 | C19–20 |
| Anus | 87 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 129 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | C21 |
| Liver | 726 | 1.3 | 4.7 | 3.3 | 0.18 | 0.38 | 468 | 0.8 | 3.0 | 1.6 | 0.06 | 0.16 | C22 |
| Gallbladder etc. | 414 | 0.7 | 2.7 | 1.7 | 0.07 | 0.19 | 425 | 0.7 | 2.7 | 1.5 | 0.07 | 0.18 | C23–24 |
| Pancreas | 2094 | 3.7 | 13.5 | 9.1 | 0.43 | 1.08 | 2083 | 3.3 | 13.1 | 7.0 | 0.28 | 0.80 | C25 |
| Nose, sinuses etc. | 85 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 62 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 684 | 1.2 | 4.4 | 3.2 | 0.21 | 0.40 | 125 | 0.2 | 0.8 | 0.5 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 6398 | 11.2 | 41.2 | 28.1 | 1.36 | 3.51 | 4344 | 7.0 | 27.4 | 16.3 | 0.84 | 2.05 | C33–34 |
| Other thoracic organs | 101 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 75 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 242 | 0.4 | 1.6 | 1.5 | 0.09 | 0.12 | 199 | 0.3 | 1.3 | 1.2 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 2921 | 5.1 | 18.8 | 13.8 | 0.80 | 1.56 | 2393 | 3.8 | 15.1 | 10.8 | 0.71 | 1.17 | C43 |
| Other skin | 299 | 0.5 | 1.9 | 1.3 | 0.06 | 0.12 | 207 | 0.3 | 1.3 | 0.8 | 0.04 | 0.09 | C44 |
| Mesothelioma | 152 | 0.3 | 1.0 | 0.6 | 0.03 | 0.08 | 51 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 364 | 0.6 | 2.3 | 1.5 | 0.05 | 0.17 | 142 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C46 |
| Connective and soft tissue | 598 | 1.0 | 3.8 | 3.0 | 0.18 | 0.31 | 470 | 0.8 | 3.0 | 2.3 | 0.14 | 0.22 | C47+C49 |
| Breast | 286 | 0.5 | 1.8 | 1.3 | 0.07 | 0.15 | 19802 | 31.7 | 125.0 | 93.6 | 6.66 | 10.95 | C50 |
| Vulva | | | | | | | 296 | 0.5 | 1.9 | 1.1 | 0.05 | 0.10 | C51 |
| Vagina | | | | | | | 75 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1027 | 1.6 | 6.5 | 5.4 | 0.44 | 0.55 | C53 |
| Corpus uteri | | | | | | | 3229 | 5.2 | 20.4 | 13.6 | 0.85 | 1.79 | C54 |
| Uterus unspecified | | | | | | | 125 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1710 | 2.7 | 10.8 | 7.6 | 0.50 | 0.86 | C56 |
| Other female genital organs | | | | | | | 209 | 0.3 | 1.3 | 0.8 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 15 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 30 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 9711 | 17.0 | 62.5 | 42.9 | 1.77 | 6.04 | | | | | | | C61 |
| Testis | 775 | 1.4 | 5.0 | 5.1 | 0.38 | 0.39 | | | | | | | C62 |
| Other male genital organs | 9 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 2174 | 3.8 | 14.0 | 10.9 | 0.71 | 1.32 | 1104 | 1.8 | 7.0 | 4.9 | 0.31 | 0.56 | C64 |
| Renal pelvis | 145 | 0.3 | 0.9 | 0.6 | 0.02 | 0.07 | 94 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 96 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | 43 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C66 |
| †Bladder | 5797 | 10.1 | 37.3 | 24.7 | 1.09 | 2.97 | 1354 | 2.2 | 8.5 | 4.8 | 0.24 | 0.56 | C67 |
| Other urinary organs | 117 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | 32 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 79 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 69 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 1203 | 2.1 | 7.7 | 6.5 | 0.40 | 0.67 | 954 | 1.5 | 6.0 | 4.6 | 0.29 | 0.46 | C70–72 |
| Thyroid | 1151 | 2.0 | 7.4 | 6.4 | 0.47 | 0.69 | 3178 | 5.1 | 20.1 | 17.7 | 1.40 | 1.77 | C73 |
| Adrenal gland | 66 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 64 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 15 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 17 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 602 | 1.1 | 3.9 | 3.7 | 0.25 | 0.31 | 509 | 0.8 | 3.2 | 3.1 | 0.21 | 0.25 | C81 |
| Non-Hodgkin lymphoma | 3814 | 6.7 | 24.6 | 18.8 | 1.09 | 2.06 | 3272 | 5.2 | 20.6 | 13.8 | 0.82 | 1.56 | C82–86,C96 |
| Immunoproliferative diseases | 255 | 0.4 | 1.6 | 1.2 | 0.08 | 0.13 | 293 | 0.5 | 1.8 | 1.3 | 0.08 | 0.17 | C88 |
| Multiple myeloma | 1188 | 2.1 | 7.6 | 5.2 | 0.26 | 0.64 | 946 | 1.5 | 6.0 | 3.6 | 0.19 | 0.44 | C90 |
| Lymphoid leukaemia | 993 | 1.7 | 6.4 | 4.8 | 0.26 | 0.48 | 709 | 1.1 | 4.5 | 3.0 | 0.15 | 0.28 | C91 |
| Myeloid leukaemia | 725 | 1.3 | 4.7 | 3.4 | 0.19 | 0.35 | 605 | 1.0 | 3.8 | 2.6 | 0.15 | 0.26 | C92–94 |
| Leukaemia unspecified | 111 | 0.2 | 0.7 | 0.6 | 0.03 | 0.05 | 114 | 0.2 | 0.7 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 343 | 0.6 | 2.2 | 1.6 | 0.08 | 0.19 | 297 | 0.5 | 1.9 | 1.1 | 0.05 | 0.12 | MPD |
| Myelodysplastic syndromes | 493 | 0.9 | 3.2 | 1.8 | 0.04 | 0.15 | 396 | 0.6 | 2.5 | 1.1 | 0.03 | 0.10 | MPS |
| Other and unspecified | 1877 | 3.3 | 12.1 | 7.3 | 0.28 | 0.73 | 1983 | 3.2 | 12.5 | 6.2 | 0.26 | 0.57 | O&U |
| All sites | 57499 | | 370.1 | 262.6 | 13.42 | 30.87 | 62584 | | 394.9 | 269.3 | 16.99 | 30.43 | C00–96 |
| All sites except C44 | 57200 | 100.0 | 368.2 | 261.3 | 13.36 | 30.75 | 62377 | 100.0 | 393.6 | 268.4 | 16.94 | 30.34 | C00–96 exc. C44 |

*†See note following population pyramid

Japan

CONTRIBUTORS

Hadrien Charvat



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 50.2 | Breast | 66.8 |
| Trachea, bronchus, and lung | 43.3 | Colon | 20.0 |
| Prostate | 40.8 | Stomach | 18.6 |
| Colon | 28.8 | Trachea, bronchus, and lung | 17.3 |
| Rectum | 20.6 | Corpus uteri | 12.3 |
| Liver | 16.3 | Cervix uteri | 10.8 |
| Oesophagus | 12.0 | Rectum | 9.9 |
| Pancreas | 11.4 | Thyroid | 9.9 |
| Non-Hodgkin lymphoma | 9.4 | Ovary | 9.2 |
| Kidney | 8.6 | Pancreas | 7.4 |
| Bladder | 8.4 | Non-Hodgkin lymphoma | 6.8 |
| Gallbladder etc. | 6.1 | Liver | 5.3 |
| Non-melanoma skin cancer | 5.0 | Gallbladder etc. | 3.8 |
| Myeloid leukaemia | 4.2 | Non-melanoma skin cancer | 3.6 |
| Thyroid | 3.5 | Kidney | 3.2 |
| Brain and nervous system | 3.1 | Myeloid leukaemia | 2.6 |
| Testis | 2.9 | Other and unspecified | 2.4 |
| Larynx | 2.9 | Brain and nervous system | 2.4 |
| Myelodysplastic syndromes | 2.8 | Oesophagus | 2.0 |
| Lymphoid leukaemia | 2.7 | Lymphoid leukaemia | 2.0 |
| All sites | 311.5 | All sites | 234.3 |

Japan (2013–2015)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 248 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 220 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 9347 | 0.6 | 5.0 | 2.4 | 0.16 | 0.28 | 5247 | 0.5 | 2.7 | 1.2 | 0.08 | 0.12 | C01–02 |
| Mouth | 8080 | 0.5 | 4.4 | 1.7 | 0.09 | 0.21 | 6401 | 0.6 | 3.3 | 0.9 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 2884 | 0.2 | 1.6 | 0.7 | 0.05 | 0.08 | 1893 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 1663 | 0.1 | 0.9 | 0.4 | 0.03 | 0.05 | 504 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 4472 | 0.3 | 2.4 | 1.0 | 0.06 | 0.14 | 910 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 1634 | 0.1 | 0.9 | 0.5 | 0.04 | 0.05 | 619 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 11186 | 0.7 | 6.0 | 2.4 | 0.13 | 0.33 | 1019 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 563 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 151 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 57783 | 3.8 | 31.1 | 12.0 | 0.59 | 1.59 | 11254 | 1.0 | 5.7 | 2.0 | 0.12 | 0.25 | C15 |
| Stomach | 263846 | 17.3 | 142.2 | 50.2 | 2.16 | 6.07 | 120749 | 10.8 | 61.6 | 18.6 | 0.91 | 2.11 | C16 |
| Small intestine | 6050 | 0.4 | 3.3 | 1.3 | 0.08 | 0.16 | 3686 | 0.3 | 1.9 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 145517 | 9.5 | 78.4 | 28.8 | 1.35 | 3.43 | 128868 | 11.5 | 65.8 | 20.0 | 1.03 | 2.29 | C18 |
| Rectum | 90239 | 5.9 | 48.6 | 20.6 | 1.23 | 2.56 | 50964 | 4.6 | 26.0 | 9.9 | 0.63 | 1.18 | C19–20 |
| Anus | 1428 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | 1476 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 84102 | 5.5 | 45.3 | 16.3 | 0.75 | 1.91 | 42096 | 3.8 | 21.5 | 5.3 | 0.18 | 0.57 | C22 |
| Gallbladder etc. | 35944 | 2.4 | 19.4 | 6.1 | 0.20 | 0.64 | 33940 | 3.0 | 17.3 | 3.8 | 0.13 | 0.37 | C23–24 |
| Pancreas | 58129 | 3.8 | 31.3 | 11.4 | 0.53 | 1.36 | 54046 | 4.8 | 27.6 | 7.4 | 0.32 | 0.85 | C25 |
| Nose, sinuses etc. | 3515 | 0.2 | 1.9 | 0.9 | 0.05 | 0.10 | 1993 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 14483 | 0.9 | 7.8 | 2.9 | 0.14 | 0.38 | 1147 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 235889 | 15.5 | 127.1 | 43.3 | 1.70 | 5.14 | 111358 | 10.0 | 56.8 | 17.3 | 0.83 | 2.10 | C33–34 |
| Other thoracic organs | 3404 | 0.2 | 1.8 | 1.0 | 0.07 | 0.11 | 2322 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 1687 | 0.1 | 0.9 | 0.7 | 0.04 | 0.06 | 1395 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 2491 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 2724 | 0.2 | 1.4 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 27514 | 1.8 | 14.8 | 5.0 | 0.21 | 0.49 | 26992 | 2.4 | 13.8 | 3.6 | 0.17 | 0.35 | C44 |
| Mesothelioma | 4091 | 0.3 | 2.2 | 0.8 | 0.03 | 0.10 | 941 | 0.1 | 0.5 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 133 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 13 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 5097 | 0.3 | 2.7 | 1.5 | 0.09 | 0.15 | 4019 | 0.4 | 2.1 | 1.1 | 0.07 | 0.11 | C47+C49 |
| Breast | 1583 | 0.1 | 0.9 | 0.3 | 0.02 | 0.04 | 237540 | 21.3 | 121.2 | 66.8 | 5.25 | 7.33 | C50 |
| Vulva | | | | | | | 2600 | 0.2 | 1.3 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 945 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 31924 | 2.9 | 16.3 | 10.8 | 0.86 | 1.05 | C53 |
| Corpus uteri | | | | | | | 42110 | 3.8 | 21.5 | 12.3 | 1.04 | 1.38 | C54 |
| Uterus unspecified | | | | | | | 1992 | 0.2 | 1.0 | 0.3 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 30949 | 2.8 | 15.8 | 9.2 | 0.73 | 0.97 | C56 |
| Other female genital organs | | | | | | | 1311 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 142 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 1368 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 227949 | 14.9 | 122.9 | 40.8 | 1.28 | 5.37 | | | | | | | C61 |
| Testis | 5802 | 0.4 | 3.1 | 2.9 | 0.23 | 0.23 | | | | | | | C62 |
| Other male genital organs | 1155 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 35520 | 2.3 | 19.1 | 8.6 | 0.54 | 1.01 | 15966 | 1.4 | 8.1 | 3.2 | 0.20 | 0.36 | C64 |
| Renal pelvis | 7737 | 0.5 | 4.2 | 1.4 | 0.05 | 0.16 | 3895 | 0.3 | 2.0 | 0.5 | 0.02 | 0.05 | C65 |
| Ureter | 6992 | 0.5 | 3.8 | 1.2 | 0.04 | 0.13 | 4109 | 0.4 | 2.1 | 0.5 | 0.01 | 0.05 | C66 |
| †Bladder | 46885 | 3.1 | 25.3 | 8.4 | 0.32 | 0.93 | 15561 | 1.4 | 7.9 | 1.9 | 0.07 | 0.20 | C67 |
| Other urinary organs | 511 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 415 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 434 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 396 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 9037 | 0.6 | 4.9 | 3.1 | 0.19 | 0.28 | 7880 | 0.7 | 4.0 | 2.4 | 0.15 | 0.21 | C70–72 |
| Thyroid | 11460 | 0.8 | 6.2 | 3.5 | 0.25 | 0.37 | 32153 | 2.9 | 16.4 | 9.9 | 0.74 | 1.02 | C73 |
| Adrenal gland | 571 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 523 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 528 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 313 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 2293 | 0.2 | 1.2 | 0.8 | 0.05 | 0.07 | 1512 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 42010 | 2.8 | 22.6 | 9.4 | 0.51 | 1.03 | 35875 | 3.2 | 18.3 | 6.8 | 0.40 | 0.76 | C82–86,C96 |
| Immunoproliferative diseases | 3971 | 0.3 | 2.1 | 0.9 | 0.06 | 0.11 | 4208 | 0.4 | 2.1 | 0.9 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 10283 | 0.7 | 5.5 | 2.0 | 0.09 | 0.22 | 9756 | 0.9 | 5.0 | 1.4 | 0.07 | 0.17 | C90 |
| Lymphoid leukaemia | 6392 | 0.4 | 3.4 | 2.7 | 0.14 | 0.21 | 5268 | 0.5 | 2.7 | 2.0 | 0.11 | 0.16 | C91 |
| Myeloid leukaemia | 14809 | 1.0 | 8.0 | 4.2 | 0.25 | 0.42 | 9484 | 0.8 | 4.8 | 2.6 | 0.16 | 0.24 | C92–94 |
| Leukaemia unspecified | 1255 | 0.1 | 0.7 | 0.3 | 0.01 | 0.02 | 1182 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 4089 | 0.3 | 2.2 | 1.0 | 0.06 | 0.11 | 3412 | 0.3 | 1.7 | 0.7 | 0.04 | 0.08 | MPD |
| Myelodysplastic syndromes | 15879 | 1.0 | 8.6 | 2.8 | 0.10 | 0.28 | 9427 | 0.8 | 4.8 | 1.3 | 0.06 | 0.13 | MPS |
| Other and unspecified | 13393 | 0.9 | 7.2 | 2.6 | 0.11 | 0.26 | 16042 | 1.4 | 8.2 | 2.4 | 0.12 | 0.24 | O&U |
| All sites | 1553325 | | 837.2 | 311.5 | 14.21 | 36.87 | 1143837 | | 583.8 | 234.3 | 15.08 | 25.65 | C00–96 |
| All sites except C44 | 1525811 | 100.0 | 822.3 | 306.5 | 14.00 | 36.38 | 1116845 | 100.0 | 570.0 | 230.7 | 14.91 | 25.29 | C00–96 exc. C44 |

§Includes 44 cases of unknown age


§Includes 18 cases of unknown age

†See note following population pyramid

Japan, Aichi Prefecture

CONTRIBUTORS

Hidemi Ito
 Michiyo Yamaguchi
 Kayoko Koide
 Sayomi Mori
 Yuriko Koyanagi
 Yukari Taniyama
 Keitaro Matsuo
 Kaichiro Sugiura
 Daisuke Furukawa



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 43.9 | Breast | 61.6 |
| Trachea, bronchus, and lung | 42.7 | Colon | 20.9 |
| Prostate | 41.4 | Stomach | 16.7 |
| Colon | 27.3 | Trachea, bronchus, and lung | 16.6 |
| Rectum | 20.2 | Cervix uteri | 11.3 |
| Bladder | 15.8 | Corpus uteri | 11.3 |
| Liver | 13.3 | Rectum | 10.2 |
| Pancreas | 10.9 | Thyroid | 8.9 |
| Non-Hodgkin lymphoma | 9.5 | Ovary | 8.8 |
| Oesophagus | 9.4 | Pancreas | 6.9 |
| Kidney | 8.6 | Non-Hodgkin lymphoma | 6.9 |
| Non-melanoma skin cancer | 5.2 | Liver | 4.8 |
| Gallbladder etc. | 5.0 | Non-melanoma skin cancer | 3.9 |
| Myeloid leukaemia | 4.7 | Gallbladder etc. | 3.4 |
| Thyroid | 3.3 | Bladder | 3.2 |
| Brain and nervous system | 2.9 | Kidney | 2.9 |
| Testis | 2.8 | Myeloid leukaemia | 2.6 |
| Myelodysplastic syndromes | 2.7 | Brain and nervous system | 2.3 |
| Lymphoid leukaemia | 2.7 | Other and unspecified | 2.1 |
| Larynx | 2.5 | Lymphoid leukaemia | 2.0 |
| All sites | 301.2 | All sites | 224.1 |

Japan, Aichi Prefecture (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 8 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 460 | 0.6 | 4.1 | 2.2 | 0.16 | 0.26 | 249 | 0.4 | 2.2 | 1.2 | 0.08 | 0.12 | C01–02 |
| Mouth | 391 | 0.5 | 3.5 | 1.5 | 0.08 | 0.18 | 317 | 0.6 | 2.8 | 0.9 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 145 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | 80 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 33 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 246 | 0.3 | 2.2 | 1.1 | 0.07 | 0.14 | 56 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 86 | 0.1 | 0.8 | 0.5 | 0.04 | 0.05 | 33 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 432 | 0.5 | 3.9 | 1.7 | 0.10 | 0.24 | 50 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 17 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 9 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2462 | 3.1 | 22.0 | 9.4 | 0.47 | 1.27 | 465 | 0.8 | 4.2 | 1.6 | 0.10 | 0.21 | C15 |
| Stomach | 12335 | 15.5 | 110.3 | 43.9 | 1.89 | 5.30 | 5414 | 9.8 | 48.3 | 16.7 | 0.84 | 1.93 | C16 |
| Small intestine | 293 | 0.4 | 2.6 | 1.2 | 0.07 | 0.14 | 189 | 0.3 | 1.7 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 7498 | 9.4 | 67.1 | 27.3 | 1.26 | 3.23 | 6767 | 12.2 | 60.4 | 20.9 | 1.07 | 2.42 | C18 |
| Rectum | 4882 | 6.1 | 43.7 | 20.2 | 1.17 | 2.53 | 2728 | 4.9 | 24.4 | 10.2 | 0.64 | 1.21 | C19–20 |
| Anus | 100 | 0.1 | 0.9 | 0.4 | 0.03 | 0.04 | 74 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 3712 | 4.7 | 33.2 | 13.3 | 0.59 | 1.55 | 1838 | 3.3 | 16.4 | 4.8 | 0.17 | 0.50 | C22 |
| Gallbladder etc. | 1522 | 1.9 | 13.6 | 5.0 | 0.17 | 0.55 | 1480 | 2.7 | 13.2 | 3.4 | 0.11 | 0.33 | C23–24 |
| Pancreas | 3019 | 3.8 | 27.0 | 10.9 | 0.48 | 1.32 | 2488 | 4.5 | 22.2 | 6.9 | 0.30 | 0.81 | C25 |
| Nose, sinuses etc. | 168 | 0.2 | 1.5 | 0.7 | 0.03 | 0.08 | 92 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 708 | 0.9 | 6.3 | 2.5 | 0.11 | 0.33 | 60 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 12403 | 15.6 | 110.9 | 42.7 | 1.66 | 5.12 | 5367 | 9.7 | 47.9 | 16.6 | 0.79 | 2.03 | C33–34 |
| Other thoracic organs | 219 | 0.3 | 2.0 | 1.2 | 0.09 | 0.12 | 124 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 83 | 0.1 | 0.7 | 0.7 | 0.04 | 0.05 | 67 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 122 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | 127 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 1533 | 1.9 | 13.7 | 5.2 | 0.21 | 0.51 | 1463 | 2.6 | 13.1 | 3.9 | 0.18 | 0.38 | C44 |
| Mesothelioma | 237 | 0.3 | 2.1 | 0.8 | 0.03 | 0.10 | 42 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 264 | 0.3 | 2.4 | 1.4 | 0.08 | 0.13 | 179 | 0.3 | 1.6 | 0.9 | 0.06 | 0.09 | C47+C49 |
| Breast | 90 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | 12033 | 21.7 | 107.4 | 61.6 | 4.82 | 6.71 | C50 |
| Vulva | | | | | | | 131 | 0.2 | 1.2 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 40 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 1868 | 3.4 | 16.7 | 11.3 | 0.91 | 1.12 | C53 |
| Corpus uteri | | | | | | | 2104 | 3.8 | 18.8 | 11.3 | 0.96 | 1.29 | C54 |
| Uterus unspecified | | | | | | | 80 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 1581 | 2.9 | 14.1 | 8.8 | 0.70 | 0.93 | C56 |
| Other female genital organs | | | | | | | 46 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 56 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 12364 | 15.6 | 110.6 | 41.4 | 1.32 | 5.53 | | | | | | | C61 |
| Testis | 344 | 0.4 | 3.1 | 2.8 | 0.22 | 0.22 | | | | | | | C62 |
| Other male genital organs | 77 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1867 | 2.4 | 16.7 | 8.6 | 0.57 | 0.99 | 752 | 1.4 | 6.7 | 2.9 | 0.18 | 0.34 | C64 |
| Renal pelvis | 411 | 0.5 | 3.7 | 1.4 | 0.04 | 0.16 | 211 | 0.4 | 1.9 | 0.6 | 0.03 | 0.08 | C65 |
| Ureter | 382 | 0.5 | 3.4 | 1.3 | 0.05 | 0.14 | 190 | 0.3 | 1.7 | 0.4 | 0.01 | 0.05 | C66 |
| †Bladder | 4560 | 5.7 | 40.8 | 15.8 | 0.64 | 1.82 | 1154 | 2.1 | 10.3 | 3.2 | 0.14 | 0.35 | C67 |
| Other urinary organs | 20 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 13 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 23 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 28 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 472 | 0.6 | 4.2 | 2.9 | 0.18 | 0.26 | 359 | 0.6 | 3.2 | 2.3 | 0.14 | 0.19 | C70–72 |
| Thyroid | 617 | 0.8 | 5.5 | 3.3 | 0.25 | 0.36 | 1635 | 3.0 | 14.6 | 8.9 | 0.67 | 0.95 | C73 |
| Adrenal gland | 23 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 26 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 30 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 14 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 135 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | 102 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 2350 | 3.0 | 21.0 | 9.5 | 0.51 | 1.02 | 1907 | 3.4 | 17.0 | 6.9 | 0.41 | 0.77 | C82–86,C96 |
| Immunoproliferative diseases | 190 | 0.2 | 1.7 | 0.8 | 0.04 | 0.09 | 175 | 0.3 | 1.6 | 0.8 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 541 | 0.7 | 4.8 | 1.9 | 0.09 | 0.22 | 508 | 0.9 | 4.5 | 1.4 | 0.06 | 0.17 | C90 |
| Lymphoid leukaemia | 346 | 0.4 | 3.1 | 2.7 | 0.14 | 0.21 | 239 | 0.4 | 2.1 | 2.0 | 0.11 | 0.15 | C91 |
| Myeloid leukaemia | 879 | 1.1 | 7.9 | 4.7 | 0.28 | 0.44 | 513 | 0.9 | 4.6 | 2.6 | 0.17 | 0.24 | C92–94 |
| Leukaemia unspecified | 66 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | 55 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 182 | 0.2 | 1.6 | 0.8 | 0.04 | 0.09 | 144 | 0.3 | 1.3 | 0.6 | 0.03 | 0.06 | MPD |
| Myelodysplastic syndromes | 820 | 1.0 | 7.3 | 2.7 | 0.09 | 0.27 | 425 | 0.8 | 3.8 | 1.2 | 0.05 | 0.12 | MPS |
| Other and unspecified | 687 | 0.9 | 6.1 | 2.5 | 0.10 | 0.24 | 756 | 1.4 | 6.8 | 2.1 | 0.09 | 0.19 | O&U |
| All sites | 80923 | | 723.8 | 301.2 | 13.64 | 35.71 | 56877 | | 507.8 | 224.1 | 14.35 | 24.61 | C00–96 |
| All sites except C44 | 79390 | 100.0 | 710.0 | 296.0 | 13.43 | 35.20 | 55414 | 100.0 | 494.8 | 220.2 | 14.17 | 24.23 | C00–96 exc. C44 |

†See note following population pyramid

Japan, Akita Prefecture

CONTRIBUTORS

Tobori Fumio



NOTES ON THE DATA

*No questionnaire.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 72.2 | Breast | 67.8 |
| Trachea, bronchus, and lung | 41.0 | Stomach | 25.3 |
| Prostate | 39.7 | Colon | 24.6 |
| Colon | 38.1 | Trachea, bronchus, and lung | 16.5 |
| Rectum | 26.1 | Corpus uteri | 13.8 |
| Oesophagus | 16.7 | Thyroid | 13.4 |
| Bladder | 15.1 | Rectum | 11.9 |
| Liver | 11.8 | Ovary | 11.1 |
| Pancreas | 11.8 | Cervix uteri | 9.5 |
| Kidney | 9.1 | Pancreas | 7.6 |
| Gallbladder etc. | 8.8 | Non-Hodgkin lymphoma | 7.2 |
| Non-Hodgkin lymphoma | 8.1 | Gallbladder etc. | 5.1 |
| Non-melanoma skin cancer | 5.2 | Non-melanoma skin cancer | 3.8 |
| Myeloid leukaemia | 4.4 | Liver | 3.7 |
| Testis | 4.0 | Kidney | 3.1 |
| Brain and nervous system | 3.7 | Bladder | 2.7 |
| Hypopharynx | 3.6 | Brain and nervous system | 2.7 |
| Larynx | 3.2 | Other and unspecified | 2.6 |
| Other and unspecified | 3.1 | Myeloid leukaemia | 2.5 |
| Thyroid | 3.0 | Oesophagus | 1.9 |
| All sites | 358.0 | All sites | 255.7 |

*Japan, Akita Prefecture (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 87 | 0.5 | 6.0 | 2.6 | 0.19 | 0.32 | 61 | 0.5 | 3.7 | 1.5 | 0.10 | 0.15 | C01–02 |
| Mouth | 92 | 0.6 | 6.3 | 2.0 | 0.12 | 0.25 | 77 | 0.6 | 4.7 | 1.0 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 27 | 0.2 | 1.9 | 0.7 | 0.05 | 0.08 | 15 | 0.1 | 0.9 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 15 | 0.1 | 1.0 | 0.4 | 0.02 | 0.06 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 53 | 0.3 | 3.6 | 1.4 | 0.09 | 0.18 | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 21 | 0.1 | 1.4 | 0.7 | 0.05 | 0.08 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 150 | 0.9 | 10.3 | 3.6 | 0.19 | 0.49 | 11 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 806 | 4.9 | 55.2 | 16.7 | 0.80 | 2.08 | 115 | 1.0 | 7.0 | 1.9 | 0.11 | 0.25 | C15 |
| Stomach | 3507 | 21.4 | 240.4 | 72.2 | 3.53 | 8.81 | 1696 | 14.3 | 102.9 | 25.3 | 1.26 | 2.90 | C16 |
| Small intestine | 67 | 0.4 | 4.6 | 1.6 | 0.09 | 0.20 | 27 | 0.2 | 1.6 | 0.4 | 0.02 | 0.05 | C17 |
| Colon | 1771 | 10.8 | 121.4 | 38.1 | 2.00 | 4.62 | 1621 | 13.7 | 98.3 | 24.6 | 1.31 | 2.86 | C18 |
| Rectum | 1010 | 6.1 | 69.2 | 26.1 | 1.68 | 3.14 | 592 | 5.0 | 35.9 | 11.9 | 0.82 | 1.41 | C19–20 |
| Anus | 14 | 0.1 | 1.0 | 0.4 | 0.02 | 0.04 | 13 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 583 | 3.5 | 40.0 | 11.8 | 0.56 | 1.53 | 305 | 2.6 | 18.5 | 3.7 | 0.14 | 0.43 | C22 |
| Gallbladder etc. | 520 | 3.2 | 35.6 | 8.8 | 0.31 | 0.93 | 514 | 4.3 | 31.2 | 5.1 | 0.16 | 0.51 | C23–24 |
| Pancreas | 580 | 3.5 | 39.8 | 11.8 | 0.56 | 1.41 | 601 | 5.1 | 36.4 | 7.6 | 0.34 | 0.86 | C25 |
| Nose, sinuses etc. | 37 | 0.2 | 2.5 | 0.9 | 0.05 | 0.11 | 24 | 0.2 | 1.5 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 154 | 0.9 | 10.6 | 3.2 | 0.16 | 0.42 | 9 | 0.1 | 0.5 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2187 | 13.3 | 149.9 | 41.0 | 1.75 | 4.73 | 1052 | 8.9 | 63.8 | 16.5 | 0.89 | 2.02 | C33–34 |
| Other thoracic organs | 21 | 0.1 | 1.4 | 0.6 | 0.03 | 0.06 | 22 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | C37–38 |
| Bone | 6 | 0.0 | 0.4 | 0.2 | 0.01 | 0.02 | 9 | 0.1 | 0.5 | 0.5 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 30 | 0.2 | 2.1 | 0.9 | 0.05 | 0.09 | 30 | 0.3 | 1.8 | 0.4 | 0.02 | 0.04 | C43 |
| Other skin | 274 | 1.7 | 18.8 | 5.2 | 0.23 | 0.49 | 306 | 2.6 | 18.6 | 3.8 | 0.16 | 0.37 | C44 |
| Mesothelioma | 17 | 0.1 | 1.2 | 0.4 | 0.03 | 0.05 | 11 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 49 | 0.3 | 3.4 | 1.5 | 0.09 | 0.17 | 36 | 0.3 | 2.2 | 1.4 | 0.07 | 0.09 | C47+C49 |
| Breast | 26 | 0.2 | 1.8 | 0.6 | 0.03 | 0.08 | 2083 | 17.6 | 126.3 | 67.8 | 5.46 | 7.34 | C50 |
| Vulva | | | | | | | 40 | 0.3 | 2.4 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 16 | 0.1 | 1.0 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 207 | 1.7 | 12.6 | 9.5 | 0.75 | 0.85 | C53 |
| Corpus uteri | | | | | | | 436 | 3.7 | 26.4 | 13.8 | 1.16 | 1.54 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.2 | 1.3 | 0.6 | 0.05 | 0.05 | C55 |
| Ovary | | | | | | | 328 | 2.8 | 19.9 | 11.1 | 0.90 | 1.16 | C56 |
| Other female genital organs | | | | | | | 20 | 0.2 | 1.2 | 0.6 | 0.05 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 11 | 0.1 | 0.8 | 0.2 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 2075 | 12.6 | 142.2 | 39.7 | 1.32 | 5.46 | | | | | | | C61 |
| Testis | 50 | 0.3 | 3.4 | 4.0 | 0.30 | 0.31 | | | | | | | C62 |
| Other male genital organs | 7 | 0.0 | 0.5 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 350 | 2.1 | 24.0 | 9.1 | 0.59 | 1.03 | 158 | 1.3 | 9.6 | 3.1 | 0.20 | 0.34 | C64 |
| Renal pelvis | 63 | 0.4 | 4.3 | 1.3 | 0.07 | 0.16 | 41 | 0.3 | 2.5 | 0.5 | 0.03 | 0.07 | C65 |
| Ureter | 78 | 0.5 | 5.3 | 1.4 | 0.07 | 0.17 | 58 | 0.5 | 3.5 | 0.6 | 0.03 | 0.06 | C66 |
| †Bladder | 788 | 4.8 | 54.0 | 15.1 | 0.65 | 1.74 | 224 | 1.9 | 13.6 | 2.7 | 0.11 | 0.31 | C67 |
| Other urinary organs | 7 | 0.0 | 0.5 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.3 | 0.6 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 93 | 0.6 | 6.4 | 3.7 | 0.22 | 0.30 | 86 | 0.7 | 5.2 | 2.7 | 0.16 | 0.23 | C70–72 |
| Thyroid | 87 | 0.5 | 6.0 | 3.0 | 0.22 | 0.32 | 336 | 2.8 | 20.4 | 13.4 | 1.07 | 1.30 | C73 |
| Adrenal gland | 6 | 0.0 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 6 | 0.0 | 0.4 | 0.4 | 0.03 | 0.03 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 13 | 0.1 | 0.9 | 0.8 | 0.06 | 0.06 | 10 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 329 | 2.0 | 22.5 | 8.1 | 0.48 | 0.89 | 340 | 2.9 | 20.6 | 7.2 | 0.46 | 0.75 | C82–86,C96 |
| Immunoproliferative diseases | 39 | 0.2 | 2.7 | 1.1 | 0.08 | 0.14 | 33 | 0.3 | 2.0 | 1.1 | 0.07 | 0.11 | C88 |
| Multiple myeloma | 95 | 0.6 | 6.5 | 1.9 | 0.10 | 0.23 | 94 | 0.8 | 5.7 | 1.4 | 0.06 | 0.16 | C90 |
| Lymphoid leukaemia | 38 | 0.2 | 2.6 | 2.5 | 0.13 | 0.18 | 33 | 0.3 | 2.0 | 1.6 | 0.08 | 0.11 | C91 |
| Myeloid leukaemia | 113 | 0.7 | 7.7 | 4.4 | 0.29 | 0.41 | 84 | 0.7 | 5.1 | 2.5 | 0.17 | 0.24 | C92–94 |
| Leukaemia unspecified | 26 | 0.2 | 1.8 | 0.9 | 0.04 | 0.04 | 26 | 0.2 | 1.6 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 24 | 0.1 | 1.6 | 0.7 | 0.03 | 0.07 | 25 | 0.2 | 1.5 | 0.4 | 0.03 | 0.05 | MPD |
| Myelodysplastic syndromes | 122 | 0.7 | 8.4 | 2.5 | 0.09 | 0.28 | 97 | 0.8 | 5.9 | 1.2 | 0.05 | 0.12 | MPS |
| Other and unspecified | 164 | 1.0 | 11.2 | 3.1 | 0.14 | 0.30 | 176 | 1.5 | 10.7 | 2.6 | 0.14 | 0.25 | O&U |
| All sites | 16697 | | 1144.4 | 358.0 | 17.62 | 42.60 | 12157 | | 737.2 | 255.7 | 16.88 | 27.78 | C00–96 |
| All sites except C44 | 16423 | 100.0 | 1125.6 | 352.8 | 17.39 | 42.11 | 11851 | 100.0 | 718.7 | 251.9 | 16.72 | 27.41 | C00–96 exc. C44 |

*†See note following population pyramid

Japan, Aomori Prefecture

CONTRIBUTORS

Asami Kawamura
Rina Tanaka
Masashi Matsuzaka



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 59.3 | Breast | 77.9 |
| Trachea, bronchus, and lung | 47.7 | Colon | 24.3 |
| Prostate | 42.9 | Stomach | 20.6 |
| Colon | 38.2 | Trachea, bronchus, and lung | 17.0 |
| Rectum | 28.8 | Corpus uteri | 16.0 |
| Liver | 17.0 | Rectum | 12.0 |
| Bladder | 15.4 | Ovary | 11.7 |
| Pancreas | 13.3 | Thyroid | 11.3 |
| Oesophagus | 12.3 | Cervix uteri | 9.3 |
| Kidney | 9.5 | Pancreas | 8.3 |
| Gallbladder etc. | 9.0 | Non-Hodgkin lymphoma | 6.3 |
| Non-Hodgkin lymphoma | 8.5 | Liver | 5.8 |
| Non-melanoma skin cancer | 5.2 | Gallbladder etc. | 5.1 |
| Myeloid leukaemia | 4.2 | Non-melanoma skin cancer | 3.7 |
| Brain and nervous system | 3.5 | Bladder | 3.7 |
| Larynx | 3.5 | Kidney | 3.4 |
| Thyroid | 3.4 | Brain and nervous system | 2.8 |
| Testis | 3.2 | Myeloid leukaemia | 2.7 |
| Myelodysplastic syndromes | 3.0 | Other and unspecified | 2.6 |
| Other and unspecified | 3.0 | Lymphoid leukaemia | 1.9 |
| All sites | 360.5 | All sites | 264.9 |

Japan, Aomori Prefecture (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 7 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 6 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 189 | 0.6 | 6.2 | 2.6 | 0.17 | 0.31 | 116 | 0.5 | 3.3 | 1.4 | 0.10 | 0.13 | C01–02 |
| Mouth | 155 | 0.5 | 5.1 | 1.8 | 0.09 | 0.26 | 130 | 0.5 | 3.8 | 0.9 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 60 | 0.2 | 2.0 | 0.9 | 0.06 | 0.09 | 34 | 0.1 | 1.0 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 37 | 0.1 | 1.2 | 0.5 | 0.04 | 0.07 | 13 | 0.1 | 0.4 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 71 | 0.2 | 2.3 | 0.8 | 0.04 | 0.11 | 13 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 32 | 0.1 | 1.0 | 0.6 | 0.04 | 0.06 | 14 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 231 | 0.7 | 7.5 | 2.9 | 0.18 | 0.38 | 17 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1097 | 3.4 | 35.8 | 12.3 | 0.60 | 1.61 | 179 | 0.7 | 5.2 | 1.7 | 0.11 | 0.20 | C15 |
| Stomach | 5674 | 17.5 | 184.9 | 59.3 | 2.63 | 7.22 | 2766 | 11.2 | 79.8 | 20.6 | 1.00 | 2.36 | C16 |
| Small intestine | 113 | 0.3 | 3.7 | 1.5 | 0.09 | 0.17 | 64 | 0.3 | 1.8 | 0.7 | 0.05 | 0.07 | C17 |
| Colon | 3559 | 11.0 | 116.0 | 38.2 | 1.78 | 4.63 | 3258 | 13.2 | 94.0 | 24.3 | 1.22 | 2.73 | C18 |
| Rectum | 2326 | 7.2 | 75.8 | 28.8 | 1.77 | 3.57 | 1238 | 5.0 | 35.7 | 12.0 | 0.76 | 1.44 | C19–20 |
| Anus | 16 | 0.0 | 0.5 | 0.2 | 0.01 | 0.02 | 27 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 1525 | 4.7 | 49.7 | 17.0 | 0.90 | 2.04 | 879 | 3.6 | 25.4 | 5.8 | 0.22 | 0.66 | C22 |
| Gallbladder etc. | 981 | 3.0 | 32.0 | 9.0 | 0.32 | 0.98 | 944 | 3.8 | 27.2 | 5.1 | 0.18 | 0.52 | C23–24 |
| Pancreas | 1244 | 3.8 | 40.5 | 13.3 | 0.61 | 1.62 | 1322 | 5.3 | 38.1 | 8.3 | 0.33 | 0.95 | C25 |
| Nose, sinuses etc. | 73 | 0.2 | 2.4 | 1.1 | 0.06 | 0.13 | 36 | 0.1 | 1.0 | 0.6 | 0.03 | 0.04 | C30–31 |
| Larynx | 314 | 1.0 | 10.2 | 3.5 | 0.15 | 0.46 | 18 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 4776 | 14.7 | 155.7 | 47.7 | 1.91 | 5.71 | 2194 | 8.9 | 63.3 | 17.0 | 0.80 | 2.12 | C33–34 |
| Other thoracic organs | 53 | 0.2 | 1.7 | 1.1 | 0.06 | 0.10 | 33 | 0.1 | 1.0 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 30 | 0.1 | 1.0 | 0.7 | 0.05 | 0.06 | 30 | 0.1 | 0.9 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 51 | 0.2 | 1.7 | 0.6 | 0.04 | 0.06 | 64 | 0.3 | 1.8 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 532 | 1.6 | 17.3 | 5.2 | 0.19 | 0.49 | 600 | 2.4 | 17.3 | 3.7 | 0.16 | 0.36 | C44 |
| Mesothelioma | 38 | 0.1 | 1.2 | 0.4 | 0.03 | 0.06 | 10 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 108 | 0.3 | 3.5 | 2.1 | 0.13 | 0.19 | 83 | 0.3 | 2.4 | 1.1 | 0.06 | 0.12 | C47+C49 |
| Breast | 36 | 0.1 | 1.2 | 0.4 | 0.03 | 0.05 | 4995 | 20.2 | 144.1 | 77.9 | 6.22 | 8.41 | C50 |
| Vulva | | | | | | | 66 | 0.3 | 1.9 | 0.4 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 19 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 491 | 2.0 | 14.2 | 9.3 | 0.74 | 0.88 | C53 |
| Corpus uteri | | | | | | | 1013 | 4.1 | 29.2 | 16.0 | 1.35 | 1.74 | C54 |
| Uterus unspecified | | | | | | | 37 | 0.1 | 1.1 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 716 | 2.9 | 20.7 | 11.7 | 0.96 | 1.21 | C56 |
| Other female genital organs | | | | | | | 27 | 0.1 | 0.8 | 0.4 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 28 | 0.1 | 0.9 | 0.2 | 0.00 | 0.03 | | | | | | | C60 |
| Prostate | 4521 | 13.9 | 147.4 | 42.9 | 1.27 | 5.55 | | | | | | | C61 |
| Testis | 86 | 0.3 | 2.8 | 3.2 | 0.23 | 0.24 | | | | | | | C62 |
| Other male genital organs | 18 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 727 | 2.2 | 23.7 | 9.5 | 0.57 | 1.10 | 388 | 1.6 | 11.2 | 3.4 | 0.19 | 0.39 | C64 |
| Renal pelvis | 164 | 0.5 | 5.3 | 1.6 | 0.07 | 0.18 | 78 | 0.3 | 2.3 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 187 | 0.6 | 6.1 | 1.7 | 0.07 | 0.18 | 115 | 0.5 | 3.3 | 0.7 | 0.02 | 0.08 | C66 |
| †Bladder | 1539 | 4.7 | 50.2 | 15.4 | 0.66 | 1.78 | 556 | 2.2 | 16.0 | 3.7 | 0.16 | 0.42 | C67 |
| Other urinary organs | 15 | 0.0 | 0.5 | 0.2 | 0.02 | 0.03 | 11 | 0.0 | 0.3 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 10 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 9 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 179 | 0.6 | 5.8 | 3.5 | 0.22 | 0.32 | 159 | 0.6 | 4.6 | 2.8 | 0.17 | 0.24 | C70–72 |
| Thyroid | 210 | 0.6 | 6.8 | 3.4 | 0.24 | 0.37 | 649 | 2.6 | 18.7 | 11.3 | 0.87 | 1.11 | C73 |
| Adrenal gland | 11 | 0.0 | 0.4 | 0.1 | 0.01 | 0.01 | 19 | 0.1 | 0.5 | 0.6 | 0.03 | 0.03 | C74 |
| Other endocrine | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 53 | 0.2 | 1.7 | 1.3 | 0.09 | 0.11 | 29 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 678 | 2.1 | 22.1 | 8.5 | 0.47 | 0.94 | 673 | 2.7 | 19.4 | 6.3 | 0.38 | 0.73 | C82–86,C96 |
| Immunoproliferative diseases | 53 | 0.2 | 1.7 | 0.6 | 0.04 | 0.08 | 63 | 0.3 | 1.8 | 0.8 | 0.06 | 0.09 | C88 |
| Multiple myeloma | 162 | 0.5 | 5.3 | 1.6 | 0.06 | 0.18 | 192 | 0.8 | 5.5 | 1.3 | 0.06 | 0.14 | C90 |
| Lymphoid leukaemia | 83 | 0.3 | 2.7 | 1.9 | 0.11 | 0.16 | 70 | 0.3 | 2.0 | 1.9 | 0.10 | 0.13 | C91 |
| Myeloid leukaemia | 264 | 0.8 | 8.6 | 4.2 | 0.26 | 0.43 | 182 | 0.7 | 5.3 | 2.7 | 0.17 | 0.24 | C92–94 |
| Leukaemia unspecified | 23 | 0.1 | 0.7 | 0.3 | 0.01 | 0.02 | 35 | 0.1 | 1.0 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 87 | 0.3 | 2.8 | 1.2 | 0.07 | 0.13 | 90 | 0.4 | 2.6 | 1.1 | 0.07 | 0.13 | MPD |
| Myelodysplastic syndromes | 305 | 0.9 | 9.9 | 3.0 | 0.13 | 0.32 | 199 | 0.8 | 5.7 | 1.5 | 0.07 | 0.17 | MPS |
| Other and unspecified | 273 | 0.8 | 8.9 | 3.0 | 0.14 | 0.30 | 356 | 1.4 | 10.3 | 2.6 | 0.14 | 0.29 | O&U |
| All sites | 33014 | | 1076.1 | 360.5 | 16.75 | 42.96 | 25335 | | 731.0 | 264.9 | 17.18 | 28.85 | C00–96 |
| All sites except C44 | 32482 | 100.0 | 1058.7 | 355.3 | 16.56 | 42.47 | 24735 | 100.0 | 713.6 | 261.2 | 17.02 | 28.48 | C00–96 exc. C44 |


§Includes 1 case of unknown age

†See note following population pyramid

Japan, Gunma Prefecture

CONTRIBUTORS

Moki Fumitaka



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 46.6 | Breast | 65.3 |
| Stomach | 46.2 | Colon | 19.5 |
| Trachea, bronchus, and lung | 39.7 | Stomach | 17.3 |
| Colon | 27.7 | Trachea, bronchus, and lung | 15.5 |
| Rectum | 22.1 | Corpus uteri | 12.8 |
| Liver | 14.7 | Cervix uteri | 11.6 |
| Bladder | 13.9 | Rectum | 10.2 |
| Pancreas | 9.4 | Ovary | 9.2 |
| Oesophagus | 9.0 | Thyroid | 8.9 |
| Non-Hodgkin lymphoma | 8.2 | Pancreas | 6.6 |
| Kidney | 7.2 | Non-Hodgkin lymphoma | 5.7 |
| Gallbladder etc. | 6.7 | Liver | 5.5 |
| Non-melanoma skin cancer | 5.0 | Gallbladder etc. | 4.0 |
| Testis | 3.9 | Kidney | 3.5 |
| Myeloid leukaemia | 3.5 | Non-melanoma skin cancer | 3.4 |
| Brain and nervous system | 3.3 | Bladder | 3.1 |
| Myelodysplastic syndromes | 3.1 | Myeloid leukaemia | 2.6 |
| Larynx | 2.9 | Brain and nervous system | 2.6 |
| Thyroid | 2.5 | Other and unspecified | 2.0 |
| Tongue | 2.3 | Oesophagus | 1.8 |
| All sites | 302.8 | All sites | 228.0 |

Japan, Gunma Prefecture (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 141 | 0.6 | 4.8 | 2.3 | 0.15 | 0.28 | 91 | 0.5 | 3.0 | 1.5 | 0.10 | 0.15 | C01–02 |
| Mouth | 124 | 0.5 | 4.2 | 1.6 | 0.08 | 0.20 | 107 | 0.6 | 3.6 | 1.0 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 53 | 0.2 | 1.8 | 0.8 | 0.04 | 0.08 | 28 | 0.2 | 0.9 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 25 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 56 | 0.2 | 1.9 | 0.8 | 0.04 | 0.11 | 15 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 17 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 9 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 124 | 0.5 | 4.2 | 1.6 | 0.07 | 0.21 | 16 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 742 | 3.1 | 25.4 | 8.9 | 0.40 | 1.16 | 172 | 1.0 | 5.7 | 1.8 | 0.09 | 0.22 | C15 |
| Stomach | 4015 | 16.5 | 137.6 | 46.2 | 1.87 | 5.56 | 1748 | 10.3 | 58.1 | 17.3 | 0.86 | 1.95 | C16 |
| Small intestine | 93 | 0.4 | 3.2 | 1.3 | 0.09 | 0.16 | 57 | 0.3 | 1.9 | 0.7 | 0.05 | 0.09 | C17 |
| Colon | 2276 | 9.4 | 78.0 | 27.7 | 1.27 | 3.30 | 2043 | 12.0 | 67.9 | 19.5 | 0.92 | 2.17 | C18 |
| Rectum | 1599 | 6.6 | 54.8 | 22.1 | 1.24 | 2.75 | 827 | 4.9 | 27.5 | 10.2 | 0.66 | 1.20 | C19–20 |
| Anus | 27 | 0.1 | 0.9 | 0.4 | 0.01 | 0.04 | 18 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 1221 | 5.0 | 41.8 | 14.7 | 0.69 | 1.80 | 679 | 4.0 | 22.6 | 5.5 | 0.18 | 0.56 | C22 |
| Gallbladder etc. | 644 | 2.6 | 22.1 | 6.7 | 0.23 | 0.70 | 606 | 3.6 | 20.1 | 4.0 | 0.14 | 0.36 | C23–24 |
| Pancreas | 774 | 3.2 | 26.5 | 9.4 | 0.44 | 1.11 | 793 | 4.7 | 26.4 | 6.6 | 0.27 | 0.74 | C25 |
| Nose, sinuses etc. | 59 | 0.2 | 2.0 | 1.0 | 0.06 | 0.11 | 43 | 0.3 | 1.4 | 0.5 | 0.04 | 0.05 | C30–31 |
| Larynx | 245 | 1.0 | 8.4 | 2.9 | 0.12 | 0.38 | 21 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 3564 | 14.7 | 122.1 | 39.7 | 1.48 | 4.70 | 1607 | 9.4 | 53.4 | 15.5 | 0.70 | 1.91 | C33–34 |
| Other thoracic organs | 45 | 0.2 | 1.5 | 0.9 | 0.07 | 0.10 | 30 | 0.2 | 1.0 | 0.5 | 0.04 | 0.05 | C37–38 |
| Bone | 33 | 0.1 | 1.1 | 0.8 | 0.05 | 0.06 | 28 | 0.2 | 0.9 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 30 | 0.1 | 1.0 | 0.3 | 0.01 | 0.04 | 45 | 0.3 | 1.5 | 0.7 | 0.05 | 0.07 | C43 |
| Other skin | 435 | 1.8 | 14.9 | 5.0 | 0.22 | 0.49 | 427 | 2.5 | 14.2 | 3.4 | 0.15 | 0.31 | C44 |
| Mesothelioma | 34 | 0.1 | 1.2 | 0.4 | 0.02 | 0.06 | 12 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 89 | 0.4 | 3.1 | 1.7 | 0.11 | 0.16 | 56 | 0.3 | 1.9 | 0.8 | 0.05 | 0.09 | C47+C49 |
| Breast | 22 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | 3604 | 21.1 | 119.8 | 65.3 | 5.12 | 7.18 | C50 |
| Vulva | | | | | | | 35 | 0.2 | 1.2 | 0.4 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 18 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 506 | 3.0 | 16.8 | 11.6 | 0.90 | 1.13 | C53 |
| Corpus uteri | | | | | | | 661 | 3.9 | 22.0 | 12.8 | 1.07 | 1.43 | C54 |
| Uterus unspecified | | | | | | | 21 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 472 | 2.8 | 15.7 | 9.2 | 0.75 | 0.98 | C56 |
| Other female genital organs | | | | | | | 12 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 23 | 0.1 | 0.8 | 0.2 | 0.00 | 0.02 | | | | | | | C60 |
| Prostate | 4201 | 17.3 | 144.0 | 46.6 | 1.54 | 6.10 | | | | | | | C61 |
| Testis | 116 | 0.5 | 4.0 | 3.9 | 0.29 | 0.31 | | | | | | | C62 |
| Other male genital organs | 21 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 476 | 2.0 | 16.3 | 7.2 | 0.48 | 0.87 | 265 | 1.6 | 8.8 | 3.5 | 0.22 | 0.40 | C64 |
| Renal pelvis | 87 | 0.4 | 3.0 | 0.9 | 0.02 | 0.12 | 75 | 0.4 | 2.5 | 0.6 | 0.02 | 0.06 | C65 |
| Ureter | 105 | 0.4 | 3.6 | 1.1 | 0.03 | 0.14 | 47 | 0.3 | 1.6 | 0.3 | 0.00 | 0.03 | C66 |
| †Bladder | 1222 | 5.0 | 41.9 | 13.9 | 0.57 | 1.59 | 356 | 2.1 | 11.8 | 3.1 | 0.14 | 0.34 | C67 |
| Other urinary organs | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 149 | 0.6 | 5.1 | 3.3 | 0.21 | 0.29 | 122 | 0.7 | 4.1 | 2.6 | 0.15 | 0.22 | C70–72 |
| Thyroid | 118 | 0.5 | 4.0 | 2.5 | 0.18 | 0.24 | 413 | 2.4 | 13.7 | 8.9 | 0.70 | 0.88 | C73 |
| Adrenal gland | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 11 | 0.0 | 0.4 | 0.5 | 0.03 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 32 | 0.1 | 1.1 | 0.6 | 0.04 | 0.06 | 20 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 598 | 2.5 | 20.5 | 8.2 | 0.42 | 0.90 | 483 | 2.8 | 16.1 | 5.7 | 0.33 | 0.64 | C82–86,C96 |
| Immunoproliferative diseases | 48 | 0.2 | 1.6 | 0.6 | 0.04 | 0.07 | 73 | 0.4 | 2.4 | 1.0 | 0.07 | 0.11 | C88 |
| Multiple myeloma | 180 | 0.7 | 6.2 | 2.3 | 0.12 | 0.26 | 155 | 0.9 | 5.2 | 1.5 | 0.07 | 0.18 | C90 |
| Lymphoid leukaemia | 62 | 0.3 | 2.1 | 1.8 | 0.10 | 0.12 | 48 | 0.3 | 1.6 | 1.3 | 0.07 | 0.10 | C91 |
| Myeloid leukaemia | 219 | 0.9 | 7.5 | 3.5 | 0.21 | 0.35 | 153 | 0.9 | 5.1 | 2.6 | 0.17 | 0.26 | C92–94 |
| Leukaemia unspecified | 17 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 80 | 0.3 | 2.7 | 1.2 | 0.07 | 0.14 | 54 | 0.3 | 1.8 | 0.7 | 0.04 | 0.08 | MPD |
| Myelodysplastic syndromes | 277 | 1.1 | 9.5 | 3.1 | 0.12 | 0.33 | 143 | 0.8 | 4.8 | 1.4 | 0.06 | 0.12 | MPS |
| Other and unspecified | 184 | 0.8 | 6.3 | 2.0 | 0.07 | 0.20 | 215 | 1.3 | 7.1 | 2.0 | 0.10 | 0.20 | O&U |
| All sites | 24742 | | 847.9 | 302.8 | 13.46 | 35.92 | 17471 | | 580.6 | 228.0 | 14.62 | 24.81 | C00–96 |
| All sites except C44 | 24307 | 100.0 | 833.0 | 297.7 | 13.23 | 35.43 | 17044 | 100.0 | 566.4 | 224.6 | 14.47 | 24.50 | C00–96 exc. C44 |

†See note following population pyramid

Japan, Hiroshima Prefecture

CONTRIBUTORS

Kotaro Ozasa
 Hiromi Sugiyama
 Shinichi Kohata
 Hiroshi Sasaki
 Koichi Fujikawa
 Masaharu Tamaki
 Yukio Takeshima
 Hiroki Kajihara
 Makoto Matsumura



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 58.0 | Breast | 72.3 |
| Trachea, bronchus, and lung | 46.6 | Colon | 22.0 |
| Prostate | 45.6 | Stomach | 21.0 |
| Colon | 31.4 | Trachea, bronchus, and lung | 19.6 |
| Rectum | 22.1 | Thyroid | 16.8 |
| Bladder | 22.0 | Corpus uteri | 13.7 |
| Liver | 20.8 | Rectum | 11.5 |
| Oesophagus | 12.4 | Cervix uteri | 9.9 |
| Pancreas | 12.0 | Ovary | 8.8 |
| Non-Hodgkin lymphoma | 11.7 | Non-Hodgkin lymphoma | 8.1 |
| Kidney | 10.3 | Pancreas | 7.9 |
| Thyroid | 5.7 | Liver | 6.1 |
| Non-melanoma skin cancer | 5.6 | Kidney | 4.0 |
| Myeloid leukaemia | 5.3 | Bladder | 4.0 |
| Gallbladder etc. | 5.0 | Non-melanoma skin cancer | 4.0 |
| Myelodysplastic syndromes | 4.1 | Gallbladder etc. | 3.4 |
| Brain and nervous system | 3.7 | Myeloid leukaemia | 3.1 |
| Testis | 2.8 | Brain and nervous system | 2.6 |
| Larynx | 2.8 | Other and unspecified | 2.4 |
| Lymphoid leukaemia | 2.8 | Oesophagus | 2.1 |
| All sites | 364.0 | All sites | 264.9 |

Japan, Hiroshima Prefecture (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 14 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 293 | 0.5 | 5.3 | 2.4 | 0.14 | 0.28 | 186 | 0.5 | 3.2 | 1.4 | 0.10 | 0.14 | C01–02 |
| Mouth | 291 | 0.5 | 5.3 | 2.0 | 0.10 | 0.24 | 211 | 0.5 | 3.6 | 1.0 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 114 | 0.2 | 2.1 | 1.0 | 0.07 | 0.11 | 89 | 0.2 | 1.5 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 57 | 0.1 | 1.0 | 0.5 | 0.04 | 0.07 | 13 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 127 | 0.2 | 2.3 | 1.1 | 0.08 | 0.13 | 24 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 43 | 0.1 | 0.8 | 0.5 | 0.04 | 0.05 | 10 | 0.0 | 0.2 | 0.0 | 0.00 | 0.01 | C11 |
| Hypopharynx | 370 | 0.7 | 6.7 | 2.7 | 0.16 | 0.36 | 38 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 12 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1800 | 3.3 | 32.8 | 12.4 | 0.63 | 1.64 | 355 | 0.9 | 6.1 | 2.1 | 0.13 | 0.26 | C15 |
| Stomach | 9257 | 17.0 | 168.6 | 58.0 | 2.52 | 7.15 | 4345 | 11.2 | 74.3 | 21.0 | 1.00 | 2.45 | C16 |
| Small intestine | 267 | 0.5 | 4.9 | 2.0 | 0.11 | 0.22 | 160 | 0.4 | 2.7 | 1.0 | 0.06 | 0.11 | C17 |
| Colon | 4784 | 8.8 | 87.1 | 31.4 | 1.50 | 3.84 | 4391 | 11.3 | 75.1 | 22.0 | 1.12 | 2.53 | C18 |
| Rectum | 2905 | 5.3 | 52.9 | 22.1 | 1.31 | 2.79 | 1760 | 4.5 | 30.1 | 11.5 | 0.74 | 1.38 | C19–20 |
| Anus | 44 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | 41 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 3356 | 6.2 | 61.1 | 20.8 | 0.94 | 2.46 | 1575 | 4.1 | 26.9 | 6.1 | 0.19 | 0.64 | C22 |
| Gallbladder etc. | 950 | 1.7 | 17.3 | 5.0 | 0.17 | 0.50 | 923 | 2.4 | 15.8 | 3.4 | 0.14 | 0.34 | C23–24 |
| Pancreas | 1873 | 3.4 | 34.1 | 12.0 | 0.55 | 1.45 | 1855 | 4.8 | 31.7 | 7.9 | 0.33 | 0.92 | C25 |
| Nose, sinuses etc. | 111 | 0.2 | 2.0 | 1.1 | 0.07 | 0.12 | 50 | 0.1 | 0.9 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 423 | 0.8 | 7.7 | 2.8 | 0.12 | 0.36 | 29 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 7735 | 14.2 | 140.8 | 46.6 | 1.88 | 5.63 | 3813 | 9.8 | 65.2 | 19.6 | 0.94 | 2.46 | C33–34 |
| Other thoracic organs | 131 | 0.2 | 2.4 | 1.3 | 0.09 | 0.14 | 83 | 0.2 | 1.4 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 58 | 0.1 | 1.1 | 0.8 | 0.05 | 0.07 | 66 | 0.2 | 1.1 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 61 | 0.1 | 1.1 | 0.5 | 0.03 | 0.05 | 82 | 0.2 | 1.4 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 1000 | 1.8 | 18.2 | 5.6 | 0.21 | 0.56 | 995 | 2.6 | 17.0 | 4.0 | 0.18 | 0.38 | C44 |
| Mesothelioma | 179 | 0.3 | 3.3 | 1.0 | 0.02 | 0.11 | 26 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 160 | 0.3 | 2.9 | 1.4 | 0.09 | 0.15 | 143 | 0.4 | 2.4 | 1.4 | 0.08 | 0.11 | C47+C49 |
| Breast | 67 | 0.1 | 1.2 | 0.4 | 0.02 | 0.05 | 7869 | 20.3 | 134.6 | 72.3 | 5.63 | 8.01 | C50 |
| Vulva | | | | | | | 78 | 0.2 | 1.3 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 34 | 0.1 | 0.6 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 865 | 2.2 | 14.8 | 9.9 | 0.81 | 0.96 | C53 |
| Corpus uteri | | | | | | | 1362 | 3.5 | 23.3 | 13.7 | 1.17 | 1.51 | C54 |
| Uterus unspecified | | | | | | | 31 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 892 | 2.3 | 15.3 | 8.8 | 0.69 | 0.93 | C56 |
| Other female genital organs | | | | | | | 42 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C58 |
| Penis | 55 | 0.1 | 1.0 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 7906 | 14.5 | 144.0 | 45.6 | 1.47 | 5.92 | | | | | | | C61 |
| Testis | 158 | 0.3 | 2.9 | 2.8 | 0.22 | 0.22 | | | | | | | C62 |
| Other male genital organs | 41 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1257 | 2.3 | 22.9 | 10.3 | 0.66 | 1.24 | 578 | 1.5 | 9.9 | 4.0 | 0.26 | 0.45 | C64 |
| Renal pelvis | 356 | 0.7 | 6.5 | 2.1 | 0.09 | 0.25 | 133 | 0.3 | 2.3 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 287 | 0.5 | 5.2 | 1.5 | 0.04 | 0.15 | 183 | 0.5 | 3.1 | 0.6 | 0.01 | 0.05 | C66 |
| †Bladder | 3654 | 6.7 | 66.5 | 22.0 | 0.91 | 2.58 | 938 | 2.4 | 16.0 | 4.0 | 0.16 | 0.46 | C67 |
| Other urinary organs | 22 | 0.0 | 0.4 | 0.2 | 0.01 | 0.01 | 13 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 17 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 19 | 0.0 | 0.3 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 285 | 0.5 | 5.2 | 3.7 | 0.22 | 0.31 | 255 | 0.7 | 4.4 | 2.6 | 0.17 | 0.22 | C70–72 |
| Thyroid | 546 | 1.0 | 9.9 | 5.7 | 0.41 | 0.62 | 1607 | 4.1 | 27.5 | 16.8 | 1.27 | 1.78 | C73 |
| Adrenal gland | 17 | 0.0 | 0.3 | 0.3 | 0.01 | 0.02 | 18 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 20 | 0.0 | 0.4 | 0.5 | 0.03 | 0.03 | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 71 | 0.1 | 1.3 | 0.7 | 0.04 | 0.06 | 35 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 1586 | 2.9 | 28.9 | 11.7 | 0.62 | 1.26 | 1374 | 3.5 | 23.5 | 8.1 | 0.46 | 0.89 | C82–86,C96 |
| Immunoproliferative diseases | 220 | 0.4 | 4.0 | 1.8 | 0.11 | 0.20 | 234 | 0.6 | 4.0 | 1.8 | 0.12 | 0.23 | C88 |
| Multiple myeloma | 367 | 0.7 | 6.7 | 2.3 | 0.11 | 0.25 | 389 | 1.0 | 6.7 | 1.8 | 0.08 | 0.20 | C90 |
| Lymphoid leukaemia | 183 | 0.3 | 3.3 | 2.8 | 0.14 | 0.20 | 136 | 0.4 | 2.3 | 1.9 | 0.11 | 0.14 | C91 |
| Myeloid leukaemia | 540 | 1.0 | 9.8 | 5.3 | 0.33 | 0.51 | 362 | 0.9 | 6.2 | 3.1 | 0.19 | 0.29 | C92–94 |
| Leukaemia unspecified | 25 | 0.0 | 0.5 | 0.3 | 0.01 | 0.01 | 24 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 224 | 0.4 | 4.1 | 1.8 | 0.11 | 0.20 | 170 | 0.4 | 2.9 | 1.4 | 0.09 | 0.15 | MPD |
| Myelodysplastic syndromes | 737 | 1.4 | 13.4 | 4.1 | 0.14 | 0.41 | 448 | 1.2 | 7.7 | 1.9 | 0.08 | 0.18 | MPS |
| Other and unspecified | 337 | 0.6 | 6.1 | 2.3 | 0.11 | 0.24 | 466 | 1.2 | 8.0 | 2.4 | 0.13 | 0.26 | O&U |
| All sites | 55392 | | 1008.6 | 364.0 | 16.83 | 43.34 | 39844 | | 681.6 | 264.9 | 16.91 | 29.26 | C00–96 |
| All sites except C44 | 54392 | 100.0 | 990.4 | 358.4 | 16.61 | 42.79 | 38849 | 100.0 | 664.5 | 260.9 | 16.73 | 28.88 | C00–96 exc. C44 |

†See note following population pyramid

Japan, Miyagi Prefecture

CONTRIBUTORS

Seiki Kanemura



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 61.3 | Breast | 74.6 |
| Trachea, bronchus, and lung | 44.4 | Colon | 22.0 |
| Prostate | 39.9 | Stomach | 21.7 |
| Colon | 30.2 | Trachea, bronchus, and lung | 17.7 |
| Rectum | 22.2 | Thyroid | 14.6 |
| Bladder | 15.6 | Corpus uteri | 13.0 |
| Oesophagus | 14.0 | Rectum | 11.0 |
| Liver | 13.4 | Ovary | 10.0 |
| Pancreas | 12.0 | Cervix uteri | 8.7 |
| Kidney | 9.9 | Pancreas | 7.8 |
| Non-Hodgkin lymphoma | 9.7 | Non-Hodgkin lymphoma | 7.3 |
| Gallbladder etc. | 6.4 | Liver | 4.2 |
| Non-melanoma skin cancer | 4.7 | Bladder | 3.7 |
| Thyroid | 4.2 | Gallbladder etc. | 3.6 |
| Myeloid leukaemia | 3.8 | Non-melanoma skin cancer | 3.4 |
| Connective and soft tissue | 3.7 | Kidney | 3.4 |
| Testis | 3.4 | Connective and soft tissue | 3.4 |
| Brain and nervous system | 3.1 | Myeloid leukaemia | 2.8 |
| Lymphoid leukaemia | 2.9 | Brain and nervous system | 2.8 |
| Tongue | 2.9 | Lymphoid leukaemia | 2.4 |
| All sites | 337.9 | All sites | 257.9 |

Japan, Miyagi Prefecture (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 9 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 340 | 0.7 | 6.0 | 2.9 | 0.18 | 0.34 | 219 | 0.6 | 3.7 | 1.6 | 0.11 | 0.16 | C01–02 |
| Mouth | 234 | 0.5 | 4.1 | 1.7 | 0.10 | 0.21 | 205 | 0.6 | 3.4 | 1.0 | 0.05 | 0.12 | C03–06 |
| Salivary glands | 80 | 0.2 | 1.4 | 0.7 | 0.05 | 0.08 | 59 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 41 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 18 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 154 | 0.3 | 2.7 | 1.2 | 0.07 | 0.15 | 34 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 46 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | 19 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 340 | 0.7 | 6.0 | 2.5 | 0.13 | 0.34 | 35 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 9 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2156 | 4.3 | 37.9 | 14.0 | 0.62 | 1.81 | 427 | 1.2 | 7.2 | 2.2 | 0.10 | 0.28 | C15 |
| Stomach | 9649 | 19.4 | 169.7 | 61.3 | 2.63 | 7.60 | 4261 | 11.6 | 71.5 | 21.7 | 1.04 | 2.51 | C16 |
| Small intestine | 194 | 0.4 | 3.4 | 1.4 | 0.09 | 0.18 | 96 | 0.3 | 1.6 | 0.6 | 0.03 | 0.07 | C17 |
| Colon | 4593 | 9.2 | 80.8 | 30.2 | 1.43 | 3.63 | 4426 | 12.1 | 74.2 | 22.0 | 1.14 | 2.45 | C18 |
| Rectum | 2891 | 5.8 | 50.8 | 22.2 | 1.38 | 2.77 | 1696 | 4.6 | 28.4 | 11.0 | 0.73 | 1.27 | C19–20 |
| Anus | 43 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | 40 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 2066 | 4.2 | 36.3 | 13.4 | 0.63 | 1.64 | 1036 | 2.8 | 17.4 | 4.2 | 0.14 | 0.45 | C22 |
| Gallbladder etc. | 1167 | 2.3 | 20.5 | 6.4 | 0.22 | 0.67 | 1007 | 2.7 | 16.9 | 3.6 | 0.12 | 0.36 | C23–24 |
| Pancreas | 1863 | 3.7 | 32.8 | 12.0 | 0.54 | 1.47 | 1736 | 4.7 | 29.1 | 7.8 | 0.34 | 0.88 | C25 |
| Nose, sinuses etc. | 127 | 0.3 | 2.2 | 1.1 | 0.07 | 0.13 | 75 | 0.2 | 1.3 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 398 | 0.8 | 7.0 | 2.6 | 0.13 | 0.34 | 31 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 7351 | 14.8 | 129.3 | 44.4 | 1.73 | 5.35 | 3398 | 9.3 | 57.0 | 17.7 | 0.82 | 2.20 | C33–34 |
| Other thoracic organs | 103 | 0.2 | 1.8 | 1.0 | 0.06 | 0.10 | 85 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | C37–38 |
| Bone | 66 | 0.1 | 1.2 | 0.9 | 0.06 | 0.07 | 56 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 84 | 0.2 | 1.5 | 0.7 | 0.04 | 0.08 | 84 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | C43 |
| Other skin | 832 | 1.7 | 14.6 | 4.7 | 0.18 | 0.45 | 832 | 2.3 | 14.0 | 3.4 | 0.15 | 0.30 | C44 |
| Mesothelioma | 102 | 0.2 | 1.8 | 0.6 | 0.03 | 0.08 | 19 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 357 | 0.7 | 6.3 | 3.7 | 0.26 | 0.39 | 330 | 0.9 | 5.5 | 3.4 | 0.24 | 0.36 | C47+C49 |
| Breast | 55 | 0.1 | 1.0 | 0.3 | 0.01 | 0.03 | 7962 | 21.7 | 133.5 | 74.6 | 5.86 | 8.18 | C50 |
| Vulva | | | | | | | 73 | 0.2 | 1.2 | 0.3 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 17 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 763 | 2.1 | 12.8 | 8.7 | 0.70 | 0.84 | C53 |
| Corpus uteri | | | | | | | 1344 | 3.7 | 22.5 | 13.0 | 1.09 | 1.44 | C54 |
| Uterus unspecified | | | | | | | 63 | 0.2 | 1.1 | 0.3 | 0.01 | 0.04 | C55 |
| Ovary | | | | | | | 1015 | 2.8 | 17.0 | 10.0 | 0.79 | 1.06 | C56 |
| Other female genital organs | | | | | | | 37 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 40 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 6654 | 13.4 | 117.0 | 39.9 | 1.32 | 5.29 | | | | | | | C61 |
| Testis | 199 | 0.4 | 3.5 | 3.4 | 0.26 | 0.26 | | | | | | | C62 |
| Other male genital organs | 35 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1226 | 2.5 | 21.6 | 9.9 | 0.65 | 1.17 | 528 | 1.4 | 8.9 | 3.4 | 0.20 | 0.40 | C64 |
| Renal pelvis | 227 | 0.5 | 4.0 | 1.4 | 0.07 | 0.17 | 110 | 0.3 | 1.8 | 0.5 | 0.02 | 0.05 | C65 |
| Ureter | 193 | 0.4 | 3.4 | 1.1 | 0.05 | 0.12 | 140 | 0.4 | 2.3 | 0.5 | 0.01 | 0.06 | C66 |
| †Bladder | 2518 | 5.1 | 44.3 | 15.6 | 0.71 | 1.80 | 771 | 2.1 | 12.9 | 3.7 | 0.19 | 0.38 | C67 |
| Other urinary organs | 13 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 12 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 11 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 278 | 0.6 | 4.9 | 3.1 | 0.19 | 0.29 | 232 | 0.6 | 3.9 | 2.8 | 0.16 | 0.23 | C70–72 |
| Thyroid | 413 | 0.8 | 7.3 | 4.2 | 0.31 | 0.45 | 1291 | 3.5 | 21.7 | 14.6 | 1.15 | 1.46 | C73 |
| Adrenal gland | 15 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 15 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 22 | 0.0 | 0.4 | 0.5 | 0.03 | 0.03 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 74 | 0.1 | 1.3 | 0.9 | 0.06 | 0.08 | 38 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 1286 | 2.6 | 22.6 | 9.7 | 0.55 | 1.07 | 1077 | 2.9 | 18.1 | 7.3 | 0.45 | 0.83 | C82–86,C96 |
| Immunoproliferative diseases | 98 | 0.2 | 1.7 | 0.7 | 0.04 | 0.08 | 149 | 0.4 | 2.5 | 1.1 | 0.07 | 0.14 | C88 |
| Multiple myeloma | 313 | 0.6 | 5.5 | 2.0 | 0.09 | 0.24 | 287 | 0.8 | 4.8 | 1.4 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 194 | 0.4 | 3.4 | 2.9 | 0.16 | 0.23 | 161 | 0.4 | 2.7 | 2.4 | 0.12 | 0.18 | C91 |
| Myeloid leukaemia | 395 | 0.8 | 6.9 | 3.8 | 0.23 | 0.38 | 274 | 0.7 | 4.6 | 2.8 | 0.18 | 0.23 | C92–94 |
| Leukaemia unspecified | 27 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 29 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 169 | 0.3 | 3.0 | 1.3 | 0.07 | 0.15 | 130 | 0.4 | 2.2 | 0.8 | 0.04 | 0.10 | MPD |
| Myelodysplastic syndromes | 463 | 0.9 | 8.1 | 2.8 | 0.12 | 0.30 | 296 | 0.8 | 5.0 | 1.4 | 0.06 | 0.12 | MPS |
| Other and unspecified | 402 | 0.8 | 7.1 | 2.4 | 0.09 | 0.23 | 419 | 1.1 | 7.0 | 1.8 | 0.08 | 0.19 | O&U |
| All sites | 50615 | | 890.0 | 337.9 | 15.76 | 40.49 | 37486 | | 628.6 | 257.9 | 16.68 | 28.17 | C00–96 |
| All sites except C44 | 49783 | 100.0 | 875.4 | 333.2 | 15.58 | 40.04 | 36654 | 100.0 | 614.7 | 254.5 | 16.53 | 27.87 | C00–96 exc. C44 |

†See note following population pyramid

Japan, Osaka Prefecture

CONTRIBUTORS

Isao Miyashiro
Kayo Nakata
Mari Kajiwara Saito
Mizuki Kato



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 56.2 | Breast | 66.8 |
| Trachea, bronchus, and lung | 47.8 | Colon | 20.9 |
| Prostate | 40.5 | Stomach | 20.7 |
| Colon | 29.6 | Trachea, bronchus, and lung | 19.0 |
| Rectum | 21.6 | Corpus uteri | 12.6 |
| Liver | 20.1 | Cervix uteri | 11.8 |
| Bladder | 17.5 | Rectum | 10.7 |
| Oesophagus | 13.7 | Ovary | 8.6 |
| Pancreas | 11.5 | Thyroid | 8.2 |
| Non-Hodgkin lymphoma | 9.6 | Pancreas | 7.5 |
| Kidney | 9.0 | Non-Hodgkin lymphoma | 7.0 |
| Gallbladder etc. | 5.7 | Liver | 6.7 |
| Non-melanoma skin cancer | 4.9 | Non-melanoma skin cancer | 3.8 |
| Myeloid leukaemia | 4.3 | Gallbladder etc. | 3.6 |
| Thyroid | 3.4 | Bladder | 3.5 |
| Larynx | 3.3 | Kidney | 3.4 |
| Brain and nervous system | 3.0 | Oesophagus | 2.8 |
| Lymphoid leukaemia | 2.8 | Myeloid leukaemia | 2.5 |
| Testis | 2.7 | Lymphoid leukaemia | 2.3 |
| Myelodysplastic syndromes | 2.7 | Other and unspecified | 2.3 |
| All sites | 339.8 | All sites | 242.7 |

Japan, Osaka Prefecture (2013–2015)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 14 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 680 | 0.6 | 5.3 | 2.6 | 0.18 | 0.31 | 370 | 0.5 | 2.7 | 1.2 | 0.09 | 0.14 | C01–02 |
| Mouth | 590 | 0.5 | 4.6 | 1.8 | 0.09 | 0.22 | 466 | 0.6 | 3.4 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 181 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 125 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 170 | 0.2 | 1.3 | 0.7 | 0.06 | 0.08 | 49 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 302 | 0.3 | 2.4 | 1.0 | 0.06 | 0.13 | 55 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 127 | 0.1 | 1.0 | 0.6 | 0.04 | 0.06 | 48 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 804 | 0.7 | 6.3 | 2.6 | 0.15 | 0.35 | 91 | 0.1 | 0.7 | 0.3 | 0.03 | 0.04 | C12–13 |
| Pharynx unspecified | 33 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 11 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 4341 | 3.9 | 34.0 | 13.7 | 0.73 | 1.82 | 963 | 1.2 | 7.0 | 2.8 | 0.18 | 0.33 | C15 |
| Stomach | 19828 | 17.7 | 155.2 | 56.2 | 2.46 | 6.86 | 8808 | 11.1 | 64.1 | 20.7 | 1.01 | 2.40 | C16 |
| Small intestine | 472 | 0.4 | 3.7 | 1.6 | 0.10 | 0.19 | 300 | 0.4 | 2.2 | 0.9 | 0.06 | 0.10 | C17 |
| Colon | 10073 | 9.0 | 78.8 | 29.6 | 1.37 | 3.59 | 8896 | 11.3 | 64.7 | 20.9 | 1.06 | 2.39 | C18 |
| Rectum | 6486 | 5.8 | 50.8 | 21.6 | 1.25 | 2.71 | 3723 | 4.7 | 27.1 | 10.7 | 0.68 | 1.30 | C19–20 |
| Anus | 127 | 0.1 | 1.0 | 0.4 | 0.02 | 0.05 | 133 | 0.2 | 1.0 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 7073 | 6.3 | 55.4 | 20.1 | 0.92 | 2.32 | 3502 | 4.4 | 25.5 | 6.7 | 0.22 | 0.71 | C22 |
| Gallbladder etc. | 2142 | 1.9 | 16.8 | 5.7 | 0.22 | 0.63 | 1984 | 2.5 | 14.4 | 3.6 | 0.13 | 0.37 | C23–24 |
| Pancreas | 3869 | 3.4 | 30.3 | 11.5 | 0.57 | 1.38 | 3556 | 4.5 | 25.9 | 7.5 | 0.31 | 0.87 | C25 |
| Nose, sinuses etc. | 240 | 0.2 | 1.9 | 0.9 | 0.06 | 0.10 | 149 | 0.2 | 1.1 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 1094 | 1.0 | 8.6 | 3.3 | 0.17 | 0.44 | 91 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 17301 | 15.4 | 135.4 | 47.8 | 1.93 | 5.76 | 8382 | 10.6 | 61.0 | 19.0 | 0.87 | 2.28 | C33–34 |
| Other thoracic organs | 215 | 0.2 | 1.7 | 1.0 | 0.06 | 0.10 | 112 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 111 | 0.1 | 0.9 | 0.7 | 0.05 | 0.06 | 77 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 170 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 174 | 0.2 | 1.3 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 1679 | 1.5 | 13.1 | 4.9 | 0.22 | 0.50 | 1696 | 2.1 | 12.3 | 3.8 | 0.18 | 0.39 | C44 |
| Mesothelioma | 425 | 0.4 | 3.3 | 1.2 | 0.05 | 0.15 | 122 | 0.2 | 0.9 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 15 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 346 | 0.3 | 2.7 | 1.4 | 0.08 | 0.14 | 278 | 0.4 | 2.0 | 1.2 | 0.07 | 0.11 | C47+C49 |
| Breast | 123 | 0.1 | 1.0 | 0.4 | 0.02 | 0.05 | 16603 | 21.0 | 120.8 | 66.8 | 5.25 | 7.34 | C50 |
| Vulva | | | | | | | 172 | 0.2 | 1.3 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 61 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 2458 | 3.1 | 17.9 | 11.8 | 0.95 | 1.16 | C53 |
| Corpus uteri | | | | | | | 2940 | 3.7 | 21.4 | 12.6 | 1.06 | 1.41 | C54 |
| Uterus unspecified | | | | | | | 104 | 0.1 | 0.8 | 0.2 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 2015 | 2.5 | 14.7 | 8.6 | 0.68 | 0.91 | C56 |
| Other female genital organs | | | | | | | 94 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 107 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 15607 | 13.9 | 122.1 | 40.5 | 1.24 | 5.30 | | | | | | | C61 |
| Testis | 369 | 0.3 | 2.9 | 2.7 | 0.22 | 0.22 | | | | | | | C62 |
| Other male genital organs | 90 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 2522 | 2.2 | 19.7 | 9.0 | 0.58 | 1.05 | 1131 | 1.4 | 8.2 | 3.4 | 0.20 | 0.38 | C64 |
| Renal pelvis | 527 | 0.5 | 4.1 | 1.5 | 0.07 | 0.18 | 258 | 0.3 | 1.9 | 0.5 | 0.01 | 0.05 | C65 |
| Ureter | 458 | 0.4 | 3.6 | 1.2 | 0.04 | 0.13 | 278 | 0.4 | 2.0 | 0.5 | 0.01 | 0.05 | C66 |
| †Bladder | 6269 | 5.6 | 49.1 | 17.5 | 0.74 | 2.07 | 1605 | 2.0 | 11.7 | 3.5 | 0.17 | 0.39 | C67 |
| Other urinary organs | 32 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 32 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 28 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 19 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 585 | 0.5 | 4.6 | 3.0 | 0.18 | 0.27 | 468 | 0.6 | 3.4 | 2.0 | 0.13 | 0.18 | C70–72 |
| Thyroid | 784 | 0.7 | 6.1 | 3.4 | 0.24 | 0.35 | 2043 | 2.6 | 14.9 | 8.2 | 0.58 | 0.88 | C73 |
| Adrenal gland | 31 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 31 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 45 | 0.0 | 0.4 | 0.5 | 0.03 | 0.03 | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 168 | 0.1 | 1.3 | 0.8 | 0.06 | 0.09 | 127 | 0.2 | 0.9 | 0.6 | 0.04 | 0.05 | C81 |
| Non-Hodgkin lymphoma | 2812 | 2.5 | 22.0 | 9.6 | 0.51 | 1.03 | 2424 | 3.1 | 17.6 | 7.0 | 0.41 | 0.79 | C82–86,C96 |
| Immunoproliferative diseases | 263 | 0.2 | 2.1 | 0.8 | 0.04 | 0.10 | 265 | 0.3 | 1.9 | 0.9 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 602 | 0.5 | 4.7 | 1.8 | 0.09 | 0.20 | 573 | 0.7 | 4.2 | 1.4 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 458 | 0.4 | 3.6 | 2.8 | 0.15 | 0.23 | 412 | 0.5 | 3.0 | 2.3 | 0.13 | 0.18 | C91 |
| Myeloid leukaemia | 1017 | 0.9 | 8.0 | 4.3 | 0.26 | 0.43 | 640 | 0.8 | 4.7 | 2.5 | 0.16 | 0.23 | C92–94 |
| Leukaemia unspecified | 71 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | 57 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 254 | 0.2 | 2.0 | 0.8 | 0.05 | 0.10 | 209 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | MPD |
| Myelodysplastic syndromes | 1004 | 0.9 | 7.9 | 2.7 | 0.10 | 0.26 | 513 | 0.6 | 3.7 | 1.2 | 0.06 | 0.11 | MPS |
| Other and unspecified | 872 | 0.8 | 6.8 | 2.6 | 0.11 | 0.26 | 1032 | 1.3 | 7.5 | 2.3 | 0.11 | 0.23 | O&U |
| All sites | 114002 | | 892.2 | 339.8 | 15.70 | 40.61 | 80771 | | 587.6 | 242.7 | 15.45 | 26.77 | C00–96 |
| All sites except C44 | 112323 | 100.0 | 879.0 | 334.9 | 15.48 | 40.10 | 79075 | 100.0 | 575.2 | 239.0 | 15.27 | 26.38 | C00–96 exc. C44 |


§Includes 5 cases of unknown age

†See note following population pyramid

Republic of Korea

CONTRIBUTORS

Kyu-Won Jung
 Young-Joo Won
 Hyun-Joo Kong
 Seri Hong
 Kang Hyun Lee
 Eun Sook Lee



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 51.1 | Thyroid | 68.5 |
| Trachea, bronchus, and lung | 43.6 | Breast | 51.2 |
| Liver | 29.9 | Stomach | 21.0 |
| Prostate | 27.5 | Trachea, bronchus, and lung | 15.4 |
| Colon | 23.2 | Colon | 14.0 |
| Rectum | 19.0 | Cervix uteri | 9.3 |
| Thyroid | 18.0 | Rectum | 9.1 |
| Kidney | 8.6 | Liver | 8.1 |
| Pancreas | 8.5 | Ovary | 6.6 |
| Bladder | 8.4 | Corpus uteri | 6.5 |
| Gallbladder etc. | 8.2 | Pancreas | 5.7 |
| Non-Hodgkin lymphoma | 7.4 | Gallbladder etc. | 5.5 |
| Oesophagus | 5.6 | Non-melanoma skin cancer | 5.1 |
| Non-melanoma skin cancer | 5.5 | Non-Hodgkin lymphoma | 4.7 |
| Myeloid leukaemia | 3.8 | Kidney | 3.6 |
| Brain and nervous system | 3.2 | Brain and nervous system | 2.7 |
| Larynx | 2.8 | Myeloid leukaemia | 2.5 |
| Other and unspecified | 2.2 | Other and unspecified | 1.8 |
| Lymphoid leukaemia | 2.0 | Lymphoid leukaemia | 1.6 |
| Multiple myeloma | 2.0 | Bladder | 1.5 |
| All sites | 304.6 | All sites | 261.2 |


Republic of Korea (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 126 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 82 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 2408 | 0.4 | 1.9 | 1.3 | 0.09 | 0.14 | 1314 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C01–02 |
| Mouth | 2014 | 0.3 | 1.6 | 1.0 | 0.06 | 0.12 | 1216 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 1468 | 0.3 | 1.2 | 0.8 | 0.05 | 0.09 | 1220 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 1997 | 0.3 | 1.6 | 1.0 | 0.07 | 0.13 | 311 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 459 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 59 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 1599 | 0.3 | 1.3 | 0.9 | 0.06 | 0.09 | 504 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 2001 | 0.3 | 1.6 | 1.0 | 0.05 | 0.13 | 137 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 145 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 27 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 11160 | 1.9 | 8.8 | 5.6 | 0.26 | 0.71 | 1143 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C15 |
| Stomach | 101421 | 17.5 | 79.7 | 51.1 | 2.88 | 6.28 | 49580 | 9.3 | 38.9 | 21.0 | 1.24 | 2.39 | C16 |
| Small intestine | 2526 | 0.4 | 2.0 | 1.3 | 0.08 | 0.15 | 1770 | 0.3 | 1.4 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 46002 | 7.9 | 36.2 | 23.2 | 1.16 | 2.80 | 34846 | 6.6 | 27.4 | 14.0 | 0.74 | 1.60 | C18 |
| Rectum | 37469 | 6.4 | 29.5 | 19.0 | 1.12 | 2.27 | 21705 | 4.1 | 17.0 | 9.1 | 0.55 | 1.02 | C19–20 |
| Anus | 581 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 845 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 59464 | 10.2 | 46.7 | 29.9 | 1.89 | 3.54 | 20175 | 3.8 | 15.8 | 8.1 | 0.41 | 0.96 | C22 |
| Gallbladder etc. | 16557 | 2.8 | 13.0 | 8.2 | 0.29 | 0.94 | 15342 | 2.9 | 12.0 | 5.5 | 0.21 | 0.63 | C23–24 |
| Pancreas | 16847 | 2.9 | 13.2 | 8.5 | 0.40 | 1.01 | 15088 | 2.8 | 11.8 | 5.7 | 0.25 | 0.66 | C25 |
| Nose, sinuses etc. | 1170 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 708 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 5581 | 1.0 | 4.4 | 2.8 | 0.14 | 0.36 | 360 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 87856 | 15.1 | 69.1 | 43.6 | 1.57 | 5.21 | 38711 | 7.3 | 30.4 | 15.4 | 0.79 | 1.79 | C33–34 |
| Other thoracic organs | 2151 | 0.4 | 1.7 | 1.3 | 0.08 | 0.13 | 1481 | 0.3 | 1.2 | 0.8 | 0.06 | 0.08 | C37–38 |
| Bone | 1432 | 0.2 | 1.1 | 1.1 | 0.07 | 0.08 | 1287 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 1384 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 1563 | 0.3 | 1.2 | 0.7 | 0.04 | 0.07 | C43 |
| Other skin | 10938 | 1.9 | 8.6 | 5.5 | 0.24 | 0.59 | 14486 | 2.7 | 11.4 | 5.1 | 0.19 | 0.50 | C44 |
| Mesothelioma | 469 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 224 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 222 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 76 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 3164 | 0.5 | 2.5 | 1.9 | 0.11 | 0.18 | 2357 | 0.4 | 1.9 | 1.4 | 0.09 | 0.13 | C47+C49 |
| Breast | 433 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 99706 | 18.8 | 78.3 | 51.2 | 4.31 | 5.33 | C50 |
| Vulva | | | | | | | 784 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 381 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 18109 | 3.4 | 14.2 | 9.3 | 0.72 | 0.93 | C53 |
| Corpus uteri | | | | | | | 12774 | 2.4 | 10.0 | 6.5 | 0.55 | 0.70 | C54 |
| Uterus unspecified | | | | | | | 807 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 12720 | 2.4 | 10.0 | 6.6 | 0.50 | 0.68 | C56 |
| Other female genital organs | | | | | | | 689 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 179 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 353 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 55137 | 9.5 | 43.3 | 27.5 | 0.83 | 3.57 | | | | | | | C61 |
| Testis | 1360 | 0.2 | 1.1 | 1.0 | 0.07 | 0.07 | | | | | | | C62 |
| Other male genital organs | 448 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 16516 | 2.8 | 13.0 | 8.6 | 0.57 | 0.99 | 7581 | 1.4 | 6.0 | 3.6 | 0.24 | 0.40 | C64 |
| Renal pelvis | 1782 | 0.3 | 1.4 | 0.9 | 0.04 | 0.10 | 770 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 1784 | 0.3 | 1.4 | 0.9 | 0.03 | 0.10 | 1082 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | C66 |
| Bladder | 16890 | 2.9 | 13.3 | 8.4 | 0.32 | 0.95 | 4126 | 0.8 | 3.2 | 1.5 | 0.06 | 0.16 | C67 |
| Other urinary organs | 428 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 276 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 331 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 281 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 5048 | 0.9 | 4.0 | 3.2 | 0.20 | 0.29 | 4450 | 0.8 | 3.5 | 2.7 | 0.16 | 0.24 | C70–72 |
| Thyroid | 32129 | 5.5 | 25.3 | 18.0 | 1.47 | 1.75 | 121217 | 22.8 | 95.1 | 68.5 | 5.71 | 6.61 | C73 |
| Adrenal gland | 421 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 365 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 300 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | 211 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 893 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | 530 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 12818 | 2.2 | 10.1 | 7.4 | 0.42 | 0.76 | 9391 | 1.8 | 7.4 | 4.7 | 0.28 | 0.48 | C82–86,C96 |
| Immunoproliferative diseases | 2477 | 0.4 | 1.9 | 1.3 | 0.09 | 0.15 | 2727 | 0.5 | 2.1 | 1.4 | 0.11 | 0.15 | C88 |
| Multiple myeloma | 3963 | 0.7 | 3.1 | 2.0 | 0.10 | 0.24 | 3495 | 0.7 | 2.7 | 1.4 | 0.07 | 0.18 | C90 |
| Lymphoid leukaemia | 2203 | 0.4 | 1.7 | 2.0 | 0.11 | 0.14 | 1743 | 0.3 | 1.4 | 1.6 | 0.09 | 0.11 | C91 |
| Myeloid leukaemia | 6496 | 1.1 | 5.1 | 3.8 | 0.23 | 0.38 | 4594 | 0.9 | 3.6 | 2.5 | 0.16 | 0.25 | C92–94 |
| Leukaemia unspecified | 635 | 0.1 | 0.5 | 0.4 | 0.02 | 0.03 | 632 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 3111 | 0.5 | 2.4 | 1.7 | 0.09 | 0.19 | 2683 | 0.5 | 2.1 | 1.2 | 0.08 | 0.14 | MPD |
| Myelodysplastic syndromes | 3231 | 0.6 | 2.5 | 1.7 | 0.07 | 0.19 | 2076 | 0.4 | 1.6 | 0.9 | 0.05 | 0.10 | MPS |
| Other and unspecified | 4205 | 0.7 | 3.3 | 2.2 | 0.09 | 0.21 | 4407 | 0.8 | 3.5 | 1.8 | 0.09 | 0.17 | O&U |
| All sites | 592003 | | 465.3 | 304.6 | 15.70 | 35.56 | 545403 | | 428.1 | 261.2 | 18.29 | 27.36 | C00–96 |
| All sites except C44 | 581065 | 100.0 | 456.7 | 299.0 | 15.46 | 34.97 | 530917 | 100.0 | 416.7 | 256.1 | 18.10 | 26.86 | C00–96 exc. C44 |

Republic of Korea, Busan

CONTRIBUTORS

Kim Chang Hoon
Choi Soon Young



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 52.8 | Thyroid | 85.1 |
| Trachea, bronchus, and lung | 41.5 | Breast | 50.5 |
| Liver | 35.7 | Stomach | 22.8 |
| Prostate | 26.1 | Colon | 14.6 |
| Colon | 25.1 | Trachea, bronchus, and lung | 14.4 |
| Rectum | 19.2 | Cervix uteri | 10.7 |
| Thyroid | 17.8 | Liver | 9.5 |
| Bladder | 9.3 | Rectum | 9.1 |
| Gallbladder etc. | 8.9 | Ovary | 7.2 |
| Pancreas | 8.9 | Gallbladder etc. | 6.8 |
| Kidney | 8.8 | Corpus uteri | 6.0 |
| Non-Hodgkin lymphoma | 7.0 | Pancreas | 5.4 |
| Oesophagus | 6.1 | Non-melanoma skin cancer | 4.8 |
| Non-melanoma skin cancer | 5.5 | Non-Hodgkin lymphoma | 4.6 |
| Myeloid leukaemia | 3.7 | Kidney | 3.8 |
| Brain and nervous system | 3.2 | Brain and nervous system | 3.3 |
| Larynx | 3.1 | Myeloid leukaemia | 2.7 |
| Other and unspecified | 2.5 | Other and unspecified | 1.8 |
| Lymphoid leukaemia | 2.2 | Bladder | 1.8 |
| Connective and soft tissue | 1.7 | Lymphoid leukaemia | 1.7 |
| All sites | 313.3 | All sites | 283.1 |

*Republic of Korea, Busan (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 200 | 0.4 | 2.3 | 1.4 | 0.10 | 0.16 | 90 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C01–02 |
| Mouth | 148 | 0.3 | 1.7 | 1.0 | 0.06 | 0.11 | 89 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 109 | 0.2 | 1.3 | 0.8 | 0.06 | 0.09 | 86 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | C07–08 |
| Tonsil | 168 | 0.4 | 2.0 | 1.1 | 0.08 | 0.14 | 35 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 33 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 106 | 0.2 | 1.2 | 0.8 | 0.06 | 0.08 | 45 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 152 | 0.3 | 1.8 | 1.0 | 0.05 | 0.13 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 946 | 2.1 | 11.0 | 6.1 | 0.32 | 0.78 | 100 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C15 |
| Stomach | 7933 | 17.7 | 92.5 | 52.8 | 3.07 | 6.51 | 3921 | 9.3 | 44.6 | 22.8 | 1.41 | 2.59 | C16 |
| Small intestine | 198 | 0.4 | 2.3 | 1.4 | 0.08 | 0.16 | 128 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 3742 | 8.4 | 43.6 | 25.1 | 1.25 | 3.04 | 2687 | 6.4 | 30.6 | 14.6 | 0.79 | 1.72 | C18 |
| Rectum | 2808 | 6.3 | 32.7 | 19.2 | 1.16 | 2.27 | 1565 | 3.7 | 17.8 | 9.1 | 0.57 | 1.04 | C19–20 |
| Anus | 34 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 67 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C21 |
| Liver | 5276 | 11.8 | 61.5 | 35.7 | 2.27 | 4.12 | 1824 | 4.3 | 20.8 | 9.5 | 0.43 | 1.10 | C22 |
| Gallbladder etc. | 1364 | 3.1 | 15.9 | 8.9 | 0.32 | 1.05 | 1391 | 3.3 | 15.8 | 6.8 | 0.26 | 0.78 | C23–24 |
| Pancreas | 1340 | 3.0 | 15.6 | 8.9 | 0.45 | 1.06 | 1063 | 2.5 | 12.1 | 5.4 | 0.22 | 0.63 | C25 |
| Nose, sinuses etc. | 93 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 57 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C30–31 |
| Larynx | 470 | 1.1 | 5.5 | 3.1 | 0.17 | 0.39 | 38 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 6308 | 14.1 | 73.5 | 41.5 | 1.52 | 4.99 | 2741 | 6.5 | 31.2 | 14.4 | 0.70 | 1.65 | C33–34 |
| Other thoracic organs | 148 | 0.3 | 1.7 | 1.2 | 0.07 | 0.12 | 96 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C37–38 |
| Bone | 105 | 0.2 | 1.2 | 1.2 | 0.07 | 0.09 | 88 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 84 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | 89 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C43 |
| Other skin | 811 | 1.8 | 9.5 | 5.5 | 0.26 | 0.58 | 919 | 2.2 | 10.5 | 4.8 | 0.19 | 0.47 | C44 |
| Mesothelioma | 40 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 224 | 0.5 | 2.6 | 1.7 | 0.11 | 0.18 | 177 | 0.4 | 2.0 | 1.4 | 0.09 | 0.14 | C47+C49 |
| Breast | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 7174 | 17.0 | 81.6 | 50.5 | 4.22 | 5.25 | C50 |
| Vulva | | | | | | | 43 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 25 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 1491 | 3.5 | 17.0 | 10.7 | 0.84 | 1.05 | C53 |
| Corpus uteri | | | | | | | 903 | 2.1 | 10.3 | 6.0 | 0.51 | 0.65 | C54 |
| Uterus unspecified | | | | | | | 70 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 987 | 2.3 | 11.2 | 7.2 | 0.56 | 0.73 | C56 |
| Other female genital organs | | | | | | | 44 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 22 | 0.0 | 0.3 | 0.2 | 0.00 | 0.02 | | | | | | | C60 |
| Prostate | 4012 | 9.0 | 46.8 | 26.1 | 0.79 | 3.33 | | | | | | | C61 |
| Testis | 114 | 0.3 | 1.3 | 1.3 | 0.09 | 0.10 | | | | | | | C62 |
| Other male genital organs | 41 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 1262 | 2.8 | 14.7 | 8.8 | 0.55 | 1.02 | 600 | 1.4 | 6.8 | 3.8 | 0.25 | 0.44 | C64 |
| Renal pelvis | 162 | 0.4 | 1.9 | 1.1 | 0.05 | 0.12 | 77 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 144 | 0.3 | 1.7 | 0.9 | 0.03 | 0.12 | 65 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 1391 | 3.1 | 16.2 | 9.3 | 0.34 | 1.04 | 344 | 0.8 | 3.9 | 1.8 | 0.07 | 0.20 | C67 |
| Other urinary organs | 49 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 28 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 26 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 16 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 367 | 0.8 | 4.3 | 3.2 | 0.20 | 0.30 | 404 | 1.0 | 4.6 | 3.3 | 0.19 | 0.30 | C70–72 |
| Thyroid | 2210 | 4.9 | 25.8 | 17.8 | 1.44 | 1.75 | 11004 | 26.1 | 125.2 | 85.1 | 7.19 | 8.29 | C73 |
| Adrenal gland | 21 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 29 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 31 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 19 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 66 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | 36 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 900 | 2.0 | 10.5 | 7.0 | 0.40 | 0.72 | 680 | 1.6 | 7.7 | 4.6 | 0.26 | 0.48 | C82–86,C96 |
| Immunoproliferative diseases | 156 | 0.3 | 1.8 | 1.1 | 0.08 | 0.13 | 197 | 0.5 | 2.2 | 1.4 | 0.11 | 0.14 | C88 |
| Multiple myeloma | 235 | 0.5 | 2.7 | 1.6 | 0.07 | 0.21 | 258 | 0.6 | 2.9 | 1.4 | 0.08 | 0.19 | C90 |
| Lymphoid leukaemia | 158 | 0.4 | 1.8 | 2.2 | 0.12 | 0.15 | 127 | 0.3 | 1.4 | 1.7 | 0.09 | 0.12 | C91 |
| Myeloid leukaemia | 440 | 1.0 | 5.1 | 3.7 | 0.22 | 0.36 | 332 | 0.8 | 3.8 | 2.7 | 0.17 | 0.25 | C92–94 |
| Leukaemia unspecified | 63 | 0.1 | 0.7 | 0.5 | 0.02 | 0.04 | 63 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 194 | 0.4 | 2.3 | 1.4 | 0.08 | 0.16 | 182 | 0.4 | 2.1 | 1.2 | 0.08 | 0.13 | MPD |
| Myelodysplastic syndromes | 201 | 0.4 | 2.3 | 1.4 | 0.06 | 0.16 | 150 | 0.4 | 1.7 | 1.0 | 0.05 | 0.11 | MPS |
| Other and unspecified | 347 | 0.8 | 4.0 | 2.5 | 0.10 | 0.26 | 326 | 0.8 | 3.7 | 1.8 | 0.09 | 0.19 | O&U |
| All sites | 45514 | | 530.4 | 313.3 | 16.43 | 36.53 | 43021 | | 489.4 | 283.1 | 20.01 | 29.69 | C00–96 |
| All sites except C44 | 44703 | 100.0 | 521.0 | 307.8 | 16.17 | 35.95 | 42102 | 100.0 | 479.0 | 278.3 | 19.82 | 29.22 | C00–96 exc. C44 |

*See note following population pyramid

Republic of Korea, Daegu

CONTRIBUTORS

Nam-Soo Hong
Jin-Hee Lee



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 48.6 | Thyroid | 87.3 |
| Trachea, bronchus, and lung | 46.4 | Breast | 50.8 |
| Liver | 28.8 | Stomach | 20.8 |
| Prostate | 27.1 | Trachea, bronchus, and lung | 15.0 |
| Colon | 23.1 | Colon | 13.6 |
| Rectum | 19.6 | Cervix uteri | 10.2 |
| Thyroid | 19.5 | Rectum | 9.8 |
| Gallbladder etc. | 9.4 | Liver | 7.5 |
| Kidney | 9.1 | Ovary | 6.8 |
| Pancreas | 7.9 | Gallbladder etc. | 5.9 |
| Bladder | 7.3 | Corpus uteri | 5.9 |
| Non-Hodgkin lymphoma | 7.1 | Pancreas | 5.3 |
| Non-melanoma skin cancer | 6.3 | Non-melanoma skin cancer | 4.9 |
| Oesophagus | 5.3 | Non-Hodgkin lymphoma | 4.7 |
| Myeloid leukaemia | 4.2 | Kidney | 3.7 |
| Brain and nervous system | 3.4 | Myeloid leukaemia | 2.7 |
| Larynx | 2.7 | Brain and nervous system | 2.5 |
| Other and unspecified | 2.4 | Other and unspecified | 1.7 |
| Connective and soft tissue | 2.0 | Lymphoid leukaemia | 1.6 |
| Lymphoid leukaemia | 1.9 | Bladder | 1.4 |
| All sites | 306.9 | All sites | 278.5 |

*Republic of Korea, Daegu (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 104 | 0.4 | 1.7 | 1.1 | 0.08 | 0.12 | 70 | 0.3 | 1.1 | 0.7 | 0.05 | 0.07 | C01–02 |
| Mouth | 113 | 0.4 | 1.8 | 1.2 | 0.06 | 0.15 | 49 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 82 | 0.3 | 1.3 | 1.0 | 0.06 | 0.10 | 68 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 92 | 0.3 | 1.5 | 0.9 | 0.07 | 0.12 | 16 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 13 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 74 | 0.3 | 1.2 | 0.9 | 0.06 | 0.09 | 22 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C11 |
| Hypopharynx | 93 | 0.3 | 1.5 | 1.0 | 0.05 | 0.14 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 13 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 499 | 1.8 | 8.1 | 5.3 | 0.26 | 0.68 | 52 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C15 |
| Stomach | 4599 | 16.7 | 74.9 | 48.6 | 2.76 | 5.90 | 2398 | 8.7 | 38.6 | 20.8 | 1.22 | 2.34 | C16 |
| Small intestine | 110 | 0.4 | 1.8 | 1.1 | 0.08 | 0.13 | 92 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 2157 | 7.8 | 35.1 | 23.1 | 1.14 | 2.77 | 1673 | 6.0 | 26.9 | 13.6 | 0.69 | 1.54 | C18 |
| Rectum | 1850 | 6.7 | 30.1 | 19.6 | 1.20 | 2.35 | 1127 | 4.1 | 18.1 | 9.8 | 0.59 | 1.07 | C19–20 |
| Anus | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 40 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C21 |
| Liver | 2736 | 9.9 | 44.6 | 28.8 | 1.81 | 3.39 | 901 | 3.3 | 14.5 | 7.5 | 0.37 | 0.86 | C22 |
| Gallbladder etc. | 884 | 3.2 | 14.4 | 9.4 | 0.32 | 1.07 | 791 | 2.9 | 12.7 | 5.9 | 0.20 | 0.67 | C23–24 |
| Pancreas | 753 | 2.7 | 12.3 | 7.9 | 0.38 | 0.96 | 654 | 2.4 | 10.5 | 5.3 | 0.24 | 0.57 | C25 |
| Nose, sinuses etc. | 57 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 33 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 259 | 0.9 | 4.2 | 2.7 | 0.13 | 0.33 | 26 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 4359 | 15.8 | 71.0 | 46.4 | 1.69 | 5.61 | 1862 | 6.7 | 29.9 | 15.0 | 0.75 | 1.72 | C33–34 |
| Other thoracic organs | 104 | 0.4 | 1.7 | 1.3 | 0.08 | 0.13 | 69 | 0.2 | 1.1 | 0.8 | 0.06 | 0.07 | C37–38 |
| Bone | 84 | 0.3 | 1.4 | 1.4 | 0.09 | 0.10 | 74 | 0.3 | 1.2 | 1.0 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 44 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 66 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C43 |
| Other skin | 588 | 2.1 | 9.6 | 6.3 | 0.23 | 0.69 | 642 | 2.3 | 10.3 | 4.9 | 0.18 | 0.47 | C44 |
| Mesothelioma | 15 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 151 | 0.5 | 2.5 | 2.0 | 0.11 | 0.18 | 105 | 0.4 | 1.7 | 1.2 | 0.08 | 0.11 | C47+C49 |
| Breast | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 4989 | 18.0 | 80.2 | 50.8 | 4.26 | 5.30 | C50 |
| Vulva | | | | | | | 41 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 997 | 3.6 | 16.0 | 10.2 | 0.80 | 1.03 | C53 |
| Corpus uteri | | | | | | | 601 | 2.2 | 9.7 | 5.9 | 0.50 | 0.65 | C54 |
| Uterus unspecified | | | | | | | 28 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 661 | 2.4 | 10.6 | 6.8 | 0.53 | 0.69 | C56 |
| Other female genital organs | | | | | | | 40 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 22 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 2542 | 9.2 | 41.4 | 27.1 | 0.83 | 3.56 | | | | | | | C61 |
| Testis | 75 | 0.3 | 1.2 | 1.2 | 0.09 | 0.09 | | | | | | | C62 |
| Other male genital organs | 22 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 840 | 3.0 | 13.7 | 9.1 | 0.59 | 1.04 | 400 | 1.4 | 6.4 | 3.7 | 0.26 | 0.44 | C64 |
| Renal pelvis | 72 | 0.3 | 1.2 | 0.7 | 0.03 | 0.09 | 30 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 110 | 0.4 | 1.8 | 1.2 | 0.04 | 0.14 | 71 | 0.3 | 1.1 | 0.6 | 0.01 | 0.07 | C66 |
| Bladder | 685 | 2.5 | 11.2 | 7.3 | 0.28 | 0.81 | 185 | 0.7 | 3.0 | 1.4 | 0.05 | 0.16 | C67 |
| Other urinary organs | 14 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 17 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 14 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 11 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 253 | 0.9 | 4.1 | 3.4 | 0.21 | 0.31 | 192 | 0.7 | 3.1 | 2.5 | 0.15 | 0.21 | C70–72 |
| Thyroid | 1668 | 6.1 | 27.2 | 19.5 | 1.60 | 1.88 | 7666 | 27.7 | 123.3 | 87.3 | 7.33 | 8.28 | C73 |
| Adrenal gland | 20 | 0.1 | 0.3 | 0.5 | 0.02 | 0.03 | 15 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 17 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 44 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | 26 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 589 | 2.1 | 9.6 | 7.1 | 0.40 | 0.74 | 439 | 1.6 | 7.1 | 4.7 | 0.28 | 0.47 | C82–86,C96 |
| Immunoproliferative diseases | 130 | 0.5 | 2.1 | 1.4 | 0.10 | 0.17 | 130 | 0.5 | 2.1 | 1.3 | 0.10 | 0.15 | C88 |
| Multiple myeloma | 177 | 0.6 | 2.9 | 1.9 | 0.09 | 0.24 | 172 | 0.6 | 2.8 | 1.4 | 0.07 | 0.17 | C90 |
| Lymphoid leukaemia | 102 | 0.4 | 1.7 | 1.9 | 0.10 | 0.13 | 78 | 0.3 | 1.3 | 1.6 | 0.09 | 0.11 | C91 |
| Myeloid leukaemia | 330 | 1.2 | 5.4 | 4.2 | 0.26 | 0.40 | 238 | 0.9 | 3.8 | 2.7 | 0.18 | 0.27 | C92–94 |
| Leukaemia unspecified | 23 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 21 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 139 | 0.5 | 2.3 | 1.6 | 0.09 | 0.18 | 116 | 0.4 | 1.9 | 1.2 | 0.07 | 0.12 | MPD |
| Myelodysplastic syndromes | 159 | 0.6 | 2.6 | 1.8 | 0.08 | 0.19 | 93 | 0.3 | 1.5 | 0.9 | 0.06 | 0.10 | MPS |
| Other and unspecified | 213 | 0.8 | 3.5 | 2.4 | 0.10 | 0.25 | 221 | 0.8 | 3.6 | 1.7 | 0.08 | 0.16 | O&U |
| All sites | 28155 | | 458.4 | 306.9 | 15.81 | 35.67 | 28361 | | 456.1 | 278.5 | 19.77 | 28.72 | C00–96 |
| All sites except C44 | 27567 | 100.0 | 448.9 | 300.6 | 15.58 | 34.98 | 27719 | 100.0 | 445.8 | 273.6 | 19.60 | 28.25 | C00–96 exc. C44 |

*See note following population pyramid

Republic of Korea, Daejeon

CONTRIBUTORS

Yeong Taek Kim
Yu Ri Kim
Hye Jin Yu



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Stomach | 59.1 | Thyroid | 72.0 |
| Trachea, bronchus, and lung | 42.1 | Breast | 51.2 |
| Prostate | 26.8 | Stomach | 24.0 |
| Liver | 25.2 | Trachea, bronchus, and lung | 17.7 |
| Colon | 23.5 | Colon | 14.5 |
| Thyroid | 18.6 | Rectum | 9.2 |
| Rectum | 18.3 | Cervix uteri | 8.9 |
| Kidney | 9.3 | Liver | 7.5 |
| Gallbladder etc. | 8.5 | Ovary | 6.4 |
| Pancreas | 7.6 | Corpus uteri | 6.1 |
| Non-Hodgkin lymphoma | 7.3 | Pancreas | 5.8 |
| Bladder | 6.1 | Gallbladder etc. | 5.5 |
| Non-melanoma skin cancer | 5.4 | Non-Hodgkin lymphoma | 4.9 |
| Oesophagus | 4.8 | Non-melanoma skin cancer | 4.6 |
| Myeloid leukaemia | 4.3 | Kidney | 3.7 |
| Brain and nervous system | 3.3 | Brain and nervous system | 3.5 |
| Larynx | 2.9 | Myeloid leukaemia | 2.7 |
| Multiple myeloma | 2.2 | Immunoproliferative diseases | 1.8 |
| Myelodysplastic syndromes | 2.0 | Other and unspecified | 1.6 |
| Myeloproliferative disorders | 1.9 | Connective and soft tissue | 1.5 |
| All sites | 303.1 | All sites | 269.3 |

*Republic of Korea, Daejeon (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 49 | 0.3 | 1.3 | 0.9 | 0.06 | 0.10 | 32 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | C01–02 |
| Mouth | 49 | 0.3 | 1.3 | 1.0 | 0.05 | 0.13 | 33 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 46 | 0.3 | 1.2 | 1.0 | 0.07 | 0.10 | 33 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 62 | 0.4 | 1.6 | 1.2 | 0.08 | 0.15 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 35 | 0.2 | 0.9 | 0.7 | 0.06 | 0.08 | 13 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 36 | 0.2 | 1.0 | 0.7 | 0.03 | 0.09 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 251 | 1.6 | 6.6 | 4.8 | 0.20 | 0.63 | 26 | 0.2 | 0.7 | 0.4 | 0.01 | 0.04 | C15 |
| Stomach | 3119 | 20.3 | 82.6 | 59.1 | 3.39 | 7.30 | 1483 | 9.8 | 39.2 | 24.0 | 1.46 | 2.73 | C16 |
| Small intestine | 63 | 0.4 | 1.7 | 1.2 | 0.09 | 0.15 | 39 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | C17 |
| Colon | 1225 | 8.0 | 32.4 | 23.5 | 1.18 | 2.89 | 926 | 6.1 | 24.5 | 14.5 | 0.77 | 1.69 | C18 |
| Rectum | 964 | 6.3 | 25.5 | 18.3 | 1.08 | 2.24 | 588 | 3.9 | 15.6 | 9.2 | 0.56 | 0.99 | C19–20 |
| Anus | 15 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 16 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C21 |
| Liver | 1361 | 8.9 | 36.1 | 25.2 | 1.63 | 2.93 | 490 | 3.2 | 13.0 | 7.5 | 0.36 | 0.84 | C22 |
| Gallbladder etc. | 438 | 2.9 | 11.6 | 8.5 | 0.31 | 0.99 | 376 | 2.5 | 9.9 | 5.5 | 0.19 | 0.64 | C23–24 |
| Pancreas | 395 | 2.6 | 10.5 | 7.6 | 0.34 | 0.84 | 393 | 2.6 | 10.4 | 5.8 | 0.25 | 0.65 | C25 |
| Nose, sinuses etc. | 24 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | 19 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 152 | 1.0 | 4.0 | 2.9 | 0.13 | 0.39 | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 2175 | 14.2 | 57.6 | 42.1 | 1.60 | 5.20 | 1127 | 7.4 | 29.8 | 17.7 | 0.92 | 2.06 | C33–34 |
| Other thoracic organs | 60 | 0.4 | 1.6 | 1.4 | 0.08 | 0.12 | 57 | 0.4 | 1.5 | 1.1 | 0.07 | 0.13 | C37–38 |
| Bone | 41 | 0.3 | 1.1 | 1.2 | 0.07 | 0.09 | 27 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 43 | 0.3 | 1.1 | 0.8 | 0.06 | 0.08 | 53 | 0.3 | 1.4 | 0.9 | 0.05 | 0.11 | C43 |
| Other skin | 274 | 1.8 | 7.3 | 5.4 | 0.23 | 0.60 | 324 | 2.1 | 8.6 | 4.6 | 0.16 | 0.42 | C44 |
| Mesothelioma | 19 | 0.1 | 0.5 | 0.3 | 0.02 | 0.05 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 87 | 0.6 | 2.3 | 1.8 | 0.10 | 0.16 | 63 | 0.4 | 1.7 | 1.5 | 0.10 | 0.12 | C47+C49 |
| Breast | 11 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 2901 | 19.1 | 76.7 | 51.2 | 4.25 | 5.36 | C50 |
| Vulva | | | | | | | 23 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 9 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 497 | 3.3 | 13.1 | 8.9 | 0.65 | 0.88 | C53 |
| Corpus uteri | | | | | | | 348 | 2.3 | 9.2 | 6.1 | 0.54 | 0.67 | C54 |
| Uterus unspecified | | | | | | | 25 | 0.2 | 0.7 | 0.4 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 343 | 2.3 | 9.1 | 6.4 | 0.48 | 0.65 | C56 |
| Other female genital organs | | | | | | | 12 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 1360 | 8.9 | 36.0 | 26.8 | 0.84 | 3.56 | | | | | | | C61 |
| Testis | 35 | 0.2 | 0.9 | 1.0 | 0.06 | 0.07 | | | | | | | C62 |
| Other male genital organs | 15 | 0.1 | 0.4 | 0.3 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 488 | 3.2 | 12.9 | 9.3 | 0.61 | 1.12 | 217 | 1.4 | 5.7 | 3.7 | 0.28 | 0.40 | C64 |
| Renal pelvis | 40 | 0.3 | 1.1 | 0.8 | 0.04 | 0.10 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 46 | 0.3 | 1.2 | 0.9 | 0.03 | 0.11 | 31 | 0.2 | 0.8 | 0.5 | 0.01 | 0.06 | C66 |
| Bladder | 320 | 2.1 | 8.5 | 6.1 | 0.26 | 0.63 | 92 | 0.6 | 2.4 | 1.3 | 0.04 | 0.14 | C67 |
| Other urinary organs | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 14 | 0.1 | 0.4 | 0.5 | 0.02 | 0.05 | 12 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 156 | 1.0 | 4.1 | 3.3 | 0.20 | 0.32 | 151 | 1.0 | 4.0 | 3.5 | 0.23 | 0.30 | C70–72 |
| Thyroid | 964 | 6.3 | 25.5 | 18.6 | 1.55 | 1.83 | 3753 | 24.7 | 99.3 | 72.0 | 6.02 | 6.89 | C73 |
| Adrenal gland | 15 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | 15 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | C74 |
| Other endocrine | 14 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 23 | 0.1 | 0.6 | 0.5 | 0.04 | 0.05 | 14 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 346 | 2.3 | 9.2 | 7.3 | 0.40 | 0.78 | 271 | 1.8 | 7.2 | 4.9 | 0.28 | 0.53 | C82–86,C96 |
| Immunoproliferative diseases | 87 | 0.6 | 2.3 | 1.6 | 0.12 | 0.19 | 104 | 0.7 | 2.8 | 1.8 | 0.14 | 0.22 | C88 |
| Multiple myeloma | 114 | 0.7 | 3.0 | 2.2 | 0.10 | 0.26 | 83 | 0.5 | 2.2 | 1.3 | 0.07 | 0.15 | C90 |
| Lymphoid leukaemia | 58 | 0.4 | 1.5 | 1.6 | 0.10 | 0.13 | 54 | 0.4 | 1.4 | 1.4 | 0.08 | 0.12 | C91 |
| Myeloid leukaemia | 198 | 1.3 | 5.2 | 4.3 | 0.25 | 0.41 | 129 | 0.9 | 3.4 | 2.7 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 15 | 0.1 | 0.4 | 0.3 | 0.01 | 0.01 | 8 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 99 | 0.6 | 2.6 | 1.9 | 0.09 | 0.24 | 79 | 0.5 | 2.1 | 1.4 | 0.08 | 0.15 | MPD |
| Myelodysplastic syndromes | 100 | 0.7 | 2.6 | 2.0 | 0.11 | 0.21 | 52 | 0.3 | 1.4 | 0.9 | 0.04 | 0.10 | MPS |
| Other and unspecified | 91 | 0.6 | 2.4 | 1.9 | 0.09 | 0.16 | 102 | 0.7 | 2.7 | 1.6 | 0.08 | 0.17 | O&U |
| All sites | 15629 | | 414.0 | 303.1 | 15.94 | 35.82 | 15489 | | 409.7 | 269.3 | 18.78 | 28.14 | C00–96 |
| All sites except C44 | 15355 | 100.0 | 406.7 | 297.8 | 15.71 | 35.23 | 15165 | 100.0 | 401.1 | 264.6 | 18.62 | 27.72 | C00–96 exc. C44 |

*See note following population pyramid

Republic of Korea, Gwangju

CONTRIBUTORS

Sun-Seog Kweon
Min-Ho Shin



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|-----------------------------|-------|
| Stomach | 48.9 | Thyroid | 74.7 |
| Trachea, bronchus, and lung | 40.3 | Breast | 46.7 |
| Liver | 32.5 | Stomach | 23.0 |
| Prostate | 27.4 | Trachea, bronchus, and lung | 15.2 |
| Colon | 21.6 | Colon | 13.3 |
| Thyroid | 20.5 | Cervix uteri | 10.0 |
| Rectum | 17.4 | Liver | 8.4 |
| Pancreas | 8.2 | Rectum | 8.3 |
| Non-Hodgkin lymphoma | 8.0 | Pancreas | 6.5 |
| Kidney | 7.7 | Corpus uteri | 6.4 |
| Gallbladder etc. | 7.7 | Ovary | 5.8 |
| Bladder | 6.6 | Gallbladder etc. | 5.2 |
| Non-melanoma skin cancer | 4.9 | Non-melanoma skin cancer | 4.8 |
| Oesophagus | 4.5 | Non-Hodgkin lymphoma | 4.6 |
| Myeloid leukaemia | 3.6 | Kidney | 3.1 |
| Brain and nervous system | 3.0 | Myeloid leukaemia | 2.4 |
| Larynx | 2.9 | Brain and nervous system | 2.4 |
| Lymphoid leukaemia | 2.7 | Other and unspecified | 1.9 |
| Other and unspecified | 2.1 | Multiple myeloma | 1.5 |
| Myeloproliferative disorders | 2.1 | Lymphoid leukaemia | 1.5 |
| All sites | 295.6 | All sites | 262.0 |

*Republic of Korea, Gwangju (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 55 | 0.4 | 1.5 | 1.2 | 0.08 | 0.11 | 42 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C01–02 |
| Mouth | 41 | 0.3 | 1.1 | 0.8 | 0.06 | 0.09 | 43 | 0.3 | 1.2 | 0.7 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 40 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | 30 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 46 | 0.3 | 1.3 | 0.9 | 0.08 | 0.11 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 26 | 0.2 | 0.7 | 0.6 | 0.03 | 0.09 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 38 | 0.3 | 1.0 | 0.8 | 0.06 | 0.08 | 13 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 43 | 0.3 | 1.2 | 1.0 | 0.04 | 0.13 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 224 | 1.6 | 6.2 | 4.5 | 0.19 | 0.58 | 19 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C15 |
| Stomach | 2442 | 17.2 | 67.4 | 48.9 | 2.86 | 6.07 | 1397 | 9.8 | 37.9 | 23.0 | 1.41 | 2.54 | C16 |
| Small intestine | 75 | 0.5 | 2.1 | 1.5 | 0.09 | 0.17 | 45 | 0.3 | 1.2 | 0.8 | 0.05 | 0.10 | C17 |
| Colon | 1078 | 7.6 | 29.8 | 21.6 | 1.09 | 2.67 | 855 | 6.0 | 23.2 | 13.3 | 0.69 | 1.52 | C18 |
| Rectum | 856 | 6.0 | 23.6 | 17.4 | 1.09 | 2.11 | 522 | 3.7 | 14.2 | 8.3 | 0.48 | 0.92 | C19–20 |
| Anus | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 17 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C21 |
| Liver | 1624 | 11.5 | 44.8 | 32.5 | 1.97 | 3.81 | 538 | 3.8 | 14.6 | 8.4 | 0.42 | 0.96 | C22 |
| Gallbladder etc. | 377 | 2.7 | 10.4 | 7.7 | 0.28 | 0.88 | 360 | 2.5 | 9.8 | 5.2 | 0.20 | 0.59 | C23–24 |
| Pancreas | 403 | 2.8 | 11.1 | 8.2 | 0.42 | 1.02 | 420 | 2.9 | 11.4 | 6.5 | 0.31 | 0.77 | C25 |
| Nose, sinuses etc. | 33 | 0.2 | 0.9 | 0.7 | 0.04 | 0.08 | 15 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C30–31 |
| Larynx | 140 | 1.0 | 3.9 | 2.9 | 0.17 | 0.38 | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1970 | 13.9 | 54.4 | 40.3 | 1.56 | 4.86 | 965 | 6.8 | 26.2 | 15.2 | 0.78 | 1.75 | C33–34 |
| Other thoracic organs | 65 | 0.5 | 1.8 | 1.4 | 0.09 | 0.14 | 47 | 0.3 | 1.3 | 1.0 | 0.07 | 0.11 | C37–38 |
| Bone | 33 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | 31 | 0.2 | 0.8 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 28 | 0.2 | 0.8 | 0.6 | 0.04 | 0.07 | 39 | 0.3 | 1.1 | 0.6 | 0.03 | 0.08 | C43 |
| Other skin | 246 | 1.7 | 6.8 | 4.9 | 0.22 | 0.52 | 336 | 2.4 | 9.1 | 4.8 | 0.17 | 0.45 | C44 |
| Mesothelioma | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 9 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 69 | 0.5 | 1.9 | 1.5 | 0.11 | 0.15 | 67 | 0.5 | 1.8 | 1.5 | 0.10 | 0.14 | C47+C49 |
| Breast | 13 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 2504 | 17.5 | 67.9 | 46.7 | 3.93 | 4.87 | C50 |
| Vulva | | | | | | | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 525 | 3.7 | 14.2 | 10.0 | 0.81 | 0.97 | C53 |
| Corpus uteri | | | | | | | 345 | 2.4 | 9.4 | 6.4 | 0.53 | 0.69 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 311 | 2.2 | 8.4 | 5.8 | 0.45 | 0.56 | C56 |
| Other female genital organs | | | | | | | 13 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C60 |
| Prostate | 1345 | 9.5 | 37.1 | 27.4 | 0.79 | 3.63 | | | | | | | C61 |
| Testis | 29 | 0.2 | 0.8 | 0.9 | 0.05 | 0.07 | | | | | | | C62 |
| Other male genital organs | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 385 | 2.7 | 10.6 | 7.7 | 0.54 | 0.91 | 182 | 1.3 | 4.9 | 3.1 | 0.21 | 0.36 | C64 |
| Renal pelvis | 45 | 0.3 | 1.2 | 0.9 | 0.04 | 0.09 | 20 | 0.1 | 0.5 | 0.3 | 0.00 | 0.02 | C65 |
| Ureter | 41 | 0.3 | 1.1 | 0.8 | 0.02 | 0.10 | 25 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C66 |
| Bladder | 333 | 2.4 | 9.2 | 6.6 | 0.24 | 0.71 | 72 | 0.5 | 2.0 | 0.9 | 0.02 | 0.07 | C67 |
| Other urinary organs | 7 | 0.0 | 0.2 | 0.2 | 0.00 | 0.02 | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 9 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | 11 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 120 | 0.8 | 3.3 | 3.0 | 0.17 | 0.26 | 111 | 0.8 | 3.0 | 2.4 | 0.12 | 0.24 | C70–72 |
| Thyroid | 1009 | 7.1 | 27.9 | 20.5 | 1.70 | 1.97 | 3715 | 26.0 | 100.7 | 74.7 | 6.22 | 7.17 | C73 |
| Adrenal gland | 9 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | 8 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 5 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 26 | 0.2 | 0.7 | 0.7 | 0.04 | 0.05 | 14 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 345 | 2.4 | 9.5 | 8.0 | 0.46 | 0.82 | 247 | 1.7 | 6.7 | 4.6 | 0.25 | 0.50 | C82–86,C96 |
| Immunoproliferative diseases | 64 | 0.5 | 1.8 | 1.3 | 0.09 | 0.15 | 70 | 0.5 | 1.9 | 1.3 | 0.10 | 0.14 | C88 |
| Multiple myeloma | 97 | 0.7 | 2.7 | 2.0 | 0.10 | 0.27 | 91 | 0.6 | 2.5 | 1.5 | 0.07 | 0.21 | C90 |
| Lymphoid leukaemia | 77 | 0.5 | 2.1 | 2.7 | 0.14 | 0.16 | 44 | 0.3 | 1.2 | 1.5 | 0.09 | 0.10 | C91 |
| Myeloid leukaemia | 166 | 1.2 | 4.6 | 3.6 | 0.23 | 0.36 | 121 | 0.8 | 3.3 | 2.4 | 0.17 | 0.23 | C92–94 |
| Leukaemia unspecified | 9 | 0.1 | 0.2 | 0.2 | 0.00 | 0.01 | 7 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 99 | 0.7 | 2.7 | 2.1 | 0.12 | 0.23 | 87 | 0.6 | 2.4 | 1.5 | 0.09 | 0.16 | MPD |
| Myelodysplastic syndromes | 89 | 0.6 | 2.5 | 1.8 | 0.07 | 0.22 | 75 | 0.5 | 2.0 | 1.3 | 0.08 | 0.15 | MPS |
| Other and unspecified | 100 | 0.7 | 2.8 | 2.1 | 0.09 | 0.22 | 126 | 0.9 | 3.4 | 1.9 | 0.09 | 0.18 | O&U |
| All sites | 14405 | | 397.7 | 295.6 | 15.65 | 34.69 | 14604 | | 395.9 | 262.0 | 18.38 | 27.25 | C00–96 |
| All sites except C44 | 14159 | 100.0 | 390.9 | 290.7 | 15.43 | 34.17 | 14268 | 100.0 | 386.8 | 257.2 | 18.21 | 26.79 | C00–96 exc. C44 |

*See note following population pyramid

Republic of Korea, Incheon

CONTRIBUTORS

Woo-Chul Kim
Moon-Hee Lee
Sung-Taek Jung
Hawn-Cheol Kim
Suck-Jin Choi



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Stomach | 49.2 | Thyroid | 65.1 |
| Trachea, bronchus, and lung | 41.1 | Breast | 52.0 |
| Liver | 26.7 | Stomach | 19.3 |
| Colon | 23.9 | Trachea, bronchus, and lung | 15.1 |
| Prostate | 22.9 | Colon | 14.5 |
| Rectum | 18.3 | Cervix uteri | 9.2 |
| Thyroid | 16.4 | Rectum | 8.8 |
| Bladder | 11.6 | Liver | 8.1 |
| Kidney | 8.3 | Corpus uteri | 6.4 |
| Pancreas | 7.7 | Ovary | 6.4 |
| Non-Hodgkin lymphoma | 7.3 | Pancreas | 5.6 |
| Gallbladder etc. | 7.2 | Gallbladder etc. | 4.7 |
| Oesophagus | 5.0 | Non-Hodgkin lymphoma | 4.4 |
| Non-melanoma skin cancer | 4.6 | Non-melanoma skin cancer | 4.3 |
| Myeloid leukaemia | 3.5 | Kidney | 3.8 |
| Brain and nervous system | 2.9 | Brain and nervous system | 2.7 |
| Larynx | 2.7 | Myeloid leukaemia | 2.5 |
| Other and unspecified | 2.2 | Other and unspecified | 2.0 |
| Lymphoid leukaemia | 2.2 | Bladder | 2.0 |
| Connective and soft tissue | 2.1 | Multiple myeloma | 1.5 |
| All sites | 288.2 | All sites | 254.4 |

Republic of Korea, Incheon (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 123 | 0.4 | 1.7 | 1.2 | 0.08 | 0.14 | 60 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 111 | 0.4 | 1.5 | 1.0 | 0.05 | 0.11 | 67 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 71 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 62 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 89 | 0.3 | 1.2 | 0.8 | 0.07 | 0.10 | 19 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 25 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 77 | 0.3 | 1.0 | 0.7 | 0.06 | 0.08 | 21 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 102 | 0.3 | 1.4 | 1.0 | 0.04 | 0.12 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 520 | 1.8 | 7.1 | 5.0 | 0.24 | 0.64 | 65 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C15 |
| Stomach | 5240 | 17.9 | 71.4 | 49.2 | 2.85 | 6.11 | 2381 | 8.4 | 32.8 | 19.3 | 1.14 | 2.15 | C16 |
| Small intestine | 111 | 0.4 | 1.5 | 1.0 | 0.06 | 0.12 | 86 | 0.3 | 1.2 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 2483 | 8.5 | 33.9 | 23.9 | 1.19 | 2.90 | 1845 | 6.5 | 25.4 | 14.5 | 0.80 | 1.66 | C18 |
| Rectum | 1956 | 6.7 | 26.7 | 18.3 | 1.12 | 2.19 | 1105 | 3.9 | 15.2 | 8.8 | 0.53 | 1.00 | C19–20 |
| Anus | 22 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 46 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C21 |
| Liver | 2907 | 9.9 | 39.6 | 26.7 | 1.77 | 3.17 | 1007 | 3.5 | 13.9 | 8.1 | 0.43 | 0.99 | C22 |
| Gallbladder etc. | 751 | 2.6 | 10.2 | 7.2 | 0.28 | 0.80 | 635 | 2.2 | 8.7 | 4.7 | 0.20 | 0.54 | C23–24 |
| Pancreas | 805 | 2.8 | 11.0 | 7.7 | 0.37 | 0.91 | 743 | 2.6 | 10.2 | 5.6 | 0.27 | 0.63 | C25 |
| Nose, sinuses etc. | 67 | 0.2 | 0.9 | 0.6 | 0.05 | 0.06 | 40 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 281 | 1.0 | 3.8 | 2.7 | 0.10 | 0.38 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 4217 | 14.4 | 57.5 | 41.1 | 1.50 | 4.90 | 1933 | 6.8 | 26.6 | 15.1 | 0.79 | 1.78 | C33–34 |
| Other thoracic organs | 101 | 0.3 | 1.4 | 1.1 | 0.07 | 0.12 | 96 | 0.3 | 1.3 | 0.9 | 0.07 | 0.10 | C37–38 |
| Bone | 90 | 0.3 | 1.2 | 1.2 | 0.08 | 0.09 | 66 | 0.2 | 0.9 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 71 | 0.2 | 1.0 | 0.7 | 0.03 | 0.07 | 79 | 0.3 | 1.1 | 0.7 | 0.04 | 0.07 | C43 |
| Other skin | 479 | 1.6 | 6.5 | 4.6 | 0.21 | 0.49 | 590 | 2.1 | 8.1 | 4.3 | 0.17 | 0.43 | C44 |
| Mesothelioma | 30 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 25 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 184 | 0.6 | 2.5 | 2.1 | 0.12 | 0.20 | 125 | 0.4 | 1.7 | 1.5 | 0.09 | 0.12 | C47+C49 |
| Breast | 29 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 5818 | 20.5 | 80.1 | 52.0 | 4.36 | 5.43 | C50 |
| Vulva | | | | | | | 47 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 1014 | 3.6 | 14.0 | 9.2 | 0.70 | 0.93 | C53 |
| Corpus uteri | | | | | | | 715 | 2.5 | 9.8 | 6.4 | 0.55 | 0.69 | C54 |
| Uterus unspecified | | | | | | | 47 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 693 | 2.4 | 9.5 | 6.4 | 0.48 | 0.65 | C56 |
| Other female genital organs | | | | | | | 36 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 2311 | 7.9 | 31.5 | 22.9 | 0.66 | 2.95 | | | | | | | C61 |
| Testis | 78 | 0.3 | 1.1 | 0.9 | 0.07 | 0.07 | | | | | | | C62 |
| Other male genital organs | 26 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | | | | | | | C63 |
| Kidney | 867 | 3.0 | 11.8 | 8.3 | 0.56 | 0.94 | 424 | 1.5 | 5.8 | 3.8 | 0.26 | 0.41 | C64 |
| Renal pelvis | 86 | 0.3 | 1.2 | 0.8 | 0.04 | 0.09 | 51 | 0.2 | 0.7 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 86 | 0.3 | 1.2 | 0.8 | 0.02 | 0.10 | 53 | 0.2 | 0.7 | 0.4 | 0.01 | 0.06 | C66 |
| †Bladder | 1192 | 4.1 | 16.3 | 11.6 | 0.47 | 1.35 | 263 | 0.9 | 3.6 | 2.0 | 0.08 | 0.23 | C67 |
| Other urinary organs | 17 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 13 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 254 | 0.9 | 3.5 | 2.9 | 0.19 | 0.26 | 245 | 0.9 | 3.4 | 2.7 | 0.16 | 0.25 | C70–72 |
| Thyroid | 1694 | 5.8 | 23.1 | 16.4 | 1.32 | 1.59 | 6747 | 23.7 | 92.9 | 65.1 | 5.41 | 6.44 | C73 |
| Adrenal gland | 24 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 21 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 25 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 43 | 0.1 | 0.6 | 0.6 | 0.04 | 0.05 | 34 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 679 | 2.3 | 9.3 | 7.3 | 0.41 | 0.73 | 483 | 1.7 | 6.6 | 4.4 | 0.26 | 0.45 | C82–86,C96 |
| Immunoproliferative diseases | 103 | 0.4 | 1.4 | 1.0 | 0.07 | 0.11 | 127 | 0.4 | 1.7 | 1.1 | 0.08 | 0.13 | C88 |
| Multiple myeloma | 187 | 0.6 | 2.5 | 1.8 | 0.08 | 0.21 | 184 | 0.6 | 2.5 | 1.5 | 0.08 | 0.18 | C90 |
| Lymphoid leukaemia | 133 | 0.5 | 1.8 | 2.2 | 0.12 | 0.16 | 89 | 0.3 | 1.2 | 1.5 | 0.08 | 0.11 | C91 |
| Myeloid leukaemia | 327 | 1.1 | 4.5 | 3.5 | 0.21 | 0.33 | 253 | 0.9 | 3.5 | 2.5 | 0.15 | 0.24 | C92–94 |
| Leukaemia unspecified | 23 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 20 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 197 | 0.7 | 2.7 | 2.0 | 0.10 | 0.21 | 126 | 0.4 | 1.7 | 1.1 | 0.06 | 0.12 | MPD |
| Myelodysplastic syndromes | 162 | 0.6 | 2.2 | 1.6 | 0.07 | 0.18 | 93 | 0.3 | 1.3 | 0.8 | 0.04 | 0.09 | MPS |
| Other and unspecified | 220 | 0.8 | 3.0 | 2.2 | 0.08 | 0.24 | 262 | 0.9 | 3.6 | 2.0 | 0.10 | 0.22 | O&U |
| All sites | 29737 | | 405.4 | 288.2 | 15.03 | 33.68 | 29029 | | 399.6 | 254.4 | 17.88 | 26.97 | C00–96 |
| All sites except C44 | 29258 | 100.0 | 398.9 | 283.6 | 14.82 | 33.19 | 28439 | 100.0 | 391.5 | 250.1 | 17.71 | 26.54 | C00–96 exc. C44 |

†See note following population pyramid

Republic of Korea, Jeju

CONTRIBUTORS

Chul-Min Park
Yeong-Ja Yang



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Stomach | 42.7 | Thyroid | 51.5 |
| Trachea, bronchus, and lung | 42.5 | Breast | 42.0 |
| Liver | 35.9 | Stomach | 18.7 |
| Prostate | 31.4 | Colon | 15.3 |
| Colon | 27.6 | Trachea, bronchus, and lung | 14.1 |
| Rectum | 16.4 | Cervix uteri | 10.8 |
| Thyroid | 13.7 | Liver | 9.6 |
| Kidney | 9.0 | Rectum | 7.7 |
| Bladder | 7.8 | Gallbladder etc. | 7.4 |
| Gallbladder etc. | 7.7 | Ovary | 6.2 |
| Oesophagus | 7.6 | Pancreas | 5.9 |
| Pancreas | 7.4 | Non-melanoma skin cancer | 5.1 |
| Non-Hodgkin lymphoma | 5.3 | Corpus uteri | 4.8 |
| Non-melanoma skin cancer | 4.7 | Non-Hodgkin lymphoma | 4.3 |
| Brain and nervous system | 4.1 | Kidney | 3.9 |
| Myeloid leukaemia | 3.5 | Brain and nervous system | 2.8 |
| Larynx | 3.0 | Myeloid leukaemia | 2.7 |
| Other and unspecified | 2.5 | Lymphoid leukaemia | 2.2 |
| Lymphoid leukaemia | 2.4 | Myeloproliferative disorders | 1.9 |
| Multiple myeloma | 2.4 | Connective and soft tissue | 1.7 |
| All sites | 301.6 | All sites | 233.7 |


Republic of Korea, Jeju (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 30 | 0.4 | 2.0 | 1.4 | 0.11 | 0.13 | 16 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | C01–02 |
| Mouth | 25 | 0.4 | 1.6 | 1.0 | 0.05 | 0.12 | 9 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 10 | 0.1 | 0.7 | 0.5 | 0.04 | 0.06 | 14 | 0.2 | 0.9 | 0.6 | 0.05 | 0.06 | C07–08 |
| Tonsil | 27 | 0.4 | 1.8 | 1.2 | 0.10 | 0.14 | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 8 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 35 | 0.5 | 2.3 | 1.5 | 0.10 | 0.15 | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 33 | 0.5 | 2.1 | 1.3 | 0.07 | 0.18 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 177 | 2.6 | 11.5 | 7.6 | 0.49 | 0.92 | 9 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | C15 |
| Stomach | 1000 | 14.5 | 65.0 | 42.7 | 2.60 | 5.09 | 561 | 9.7 | 36.8 | 18.7 | 1.09 | 1.98 | C16 |
| Small intestine | 36 | 0.5 | 2.3 | 1.4 | 0.09 | 0.15 | 11 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C17 |
| Colon | 653 | 9.5 | 42.4 | 27.6 | 1.50 | 3.33 | 471 | 8.2 | 30.9 | 15.3 | 0.91 | 1.67 | C18 |
| Rectum | 385 | 5.6 | 25.0 | 16.4 | 1.09 | 1.94 | 219 | 3.8 | 14.4 | 7.7 | 0.53 | 0.83 | C19–20 |
| Anus | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 12 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C21 |
| Liver | 849 | 12.3 | 55.2 | 35.9 | 2.42 | 4.15 | 306 | 5.3 | 20.1 | 9.6 | 0.51 | 1.13 | C22 |
| Gallbladder etc. | 178 | 2.6 | 11.6 | 7.7 | 0.28 | 0.94 | 270 | 4.7 | 17.7 | 7.4 | 0.24 | 0.80 | C23–24 |
| Pancreas | 178 | 2.6 | 11.6 | 7.4 | 0.35 | 0.87 | 182 | 3.2 | 11.9 | 5.9 | 0.31 | 0.66 | C25 |
| Nose, sinuses etc. | 16 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 9 | 0.2 | 0.6 | 0.4 | 0.02 | 0.02 | C30–31 |
| Larynx | 73 | 1.1 | 4.7 | 3.0 | 0.17 | 0.37 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1026 | 14.9 | 66.7 | 42.5 | 1.60 | 5.23 | 444 | 7.7 | 29.1 | 14.1 | 0.77 | 1.65 | C33–34 |
| Other thoracic organs | 37 | 0.5 | 2.4 | 2.0 | 0.11 | 0.17 | 16 | 0.3 | 1.0 | 0.6 | 0.05 | 0.07 | C37–38 |
| Bone | 24 | 0.3 | 1.6 | 1.5 | 0.08 | 0.12 | 21 | 0.4 | 1.4 | 1.3 | 0.09 | 0.11 | C40–41 |
| Melanoma of skin | 14 | 0.2 | 0.9 | 0.6 | 0.04 | 0.05 | 25 | 0.4 | 1.6 | 0.9 | 0.03 | 0.07 | C43 |
| Other skin | 114 | 1.7 | 7.4 | 4.7 | 0.13 | 0.51 | 216 | 3.7 | 14.2 | 5.1 | 0.12 | 0.43 | C44 |
| Mesothelioma | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 37 | 0.5 | 2.4 | 1.8 | 0.10 | 0.22 | 30 | 0.5 | 2.0 | 1.7 | 0.11 | 0.14 | C47+C49 |
| Breast | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 942 | 16.3 | 61.8 | 42.0 | 3.60 | 4.40 | C50 |
| Vulva | | | | | | | 9 | 0.2 | 0.6 | 0.4 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 244 | 4.2 | 16.0 | 10.8 | 0.88 | 1.05 | C53 |
| Corpus uteri | | | | | | | 118 | 2.0 | 7.7 | 4.8 | 0.41 | 0.53 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 142 | 2.5 | 9.3 | 6.2 | 0.48 | 0.65 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | | | | | | | C60 |
| Prostate | 763 | 11.1 | 49.6 | 31.4 | 0.95 | 4.08 | | | | | | | C61 |
| Testis | 11 | 0.2 | 0.7 | 0.8 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 210 | 3.0 | 13.7 | 9.0 | 0.56 | 1.07 | 91 | 1.6 | 6.0 | 3.9 | 0.25 | 0.37 | C64 |
| Renal pelvis | 19 | 0.3 | 1.2 | 0.8 | 0.03 | 0.12 | 19 | 0.3 | 1.2 | 0.5 | 0.03 | 0.04 | C65 |
| Ureter | 14 | 0.2 | 0.9 | 0.5 | 0.01 | 0.05 | 11 | 0.2 | 0.7 | 0.4 | 0.01 | 0.06 | C66 |
| Bladder | 188 | 2.7 | 12.2 | 7.8 | 0.37 | 0.86 | 43 | 0.7 | 2.8 | 1.1 | 0.05 | 0.11 | C67 |
| Other urinary organs | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 73 | 1.1 | 4.7 | 4.1 | 0.26 | 0.35 | 58 | 1.0 | 3.8 | 2.8 | 0.19 | 0.24 | C70–72 |
| Thyroid | 295 | 4.3 | 19.2 | 13.7 | 1.11 | 1.38 | 1042 | 18.0 | 68.3 | 51.5 | 4.26 | 5.02 | C73 |
| Adrenal gland | 8 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 5 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 6 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C81 |
| Non-Hodgkin lymphoma | 114 | 1.7 | 7.4 | 5.3 | 0.31 | 0.63 | 103 | 1.8 | 6.8 | 4.3 | 0.27 | 0.46 | C82–86,C96 |
| Immunoproliferative diseases | 17 | 0.2 | 1.1 | 0.8 | 0.05 | 0.09 | 20 | 0.3 | 1.3 | 0.8 | 0.07 | 0.08 | C88 |
| Multiple myeloma | 61 | 0.9 | 4.0 | 2.4 | 0.12 | 0.25 | 38 | 0.7 | 2.5 | 1.2 | 0.06 | 0.14 | C90 |
| Lymphoid leukaemia | 30 | 0.4 | 2.0 | 2.4 | 0.10 | 0.15 | 26 | 0.5 | 1.7 | 2.2 | 0.11 | 0.15 | C91 |
| Myeloid leukaemia | 74 | 1.1 | 4.8 | 3.5 | 0.23 | 0.34 | 56 | 1.0 | 3.7 | 2.7 | 0.18 | 0.26 | C92–94 |
| Leukaemia unspecified | 6 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 12 | 0.2 | 0.8 | 0.3 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 37 | 0.5 | 2.4 | 1.8 | 0.12 | 0.20 | 47 | 0.8 | 3.1 | 1.9 | 0.12 | 0.17 | MPD |
| Myelodysplastic syndromes | 29 | 0.4 | 1.9 | 1.3 | 0.04 | 0.14 | 28 | 0.5 | 1.8 | 1.1 | 0.07 | 0.14 | MPS |
| Other and unspecified | 57 | 0.8 | 3.7 | 2.5 | 0.10 | 0.23 | 38 | 0.7 | 2.5 | 1.1 | 0.05 | 0.11 | O&U |
| All sites | 7016 | | 456.1 | 301.6 | 16.12 | 35.28 | 5990 | | 392.7 | 233.7 | 16.32 | 24.12 | C00–96 |
| All sites except C44 | 6902 | 100.0 | 448.7 | 296.9 | 15.99 | 34.77 | 5774 | 100.0 | 378.5 | 228.7 | 16.19 | 23.70 | C00–96 exc. C44 |

Republic of Korea, Seoul

CONTRIBUTORS

Kyu-Won Jung
Young-Joo Won
Hyun-Joo Kong



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Stomach | 46.2 | Thyroid | 64.7 |
| Trachea, bronchus, and lung | 39.4 | Breast | 57.5 |
| Prostate | 30.2 | Stomach | 19.3 |
| Liver | 26.8 | Trachea, bronchus, and lung | 16.0 |
| Colon | 24.4 | Colon | 14.5 |
| Thyroid | 20.2 | Rectum | 8.9 |
| Rectum | 18.2 | Cervix uteri | 8.5 |
| Bladder | 9.2 | Corpus uteri | 7.5 |
| Kidney | 8.7 | Liver | 7.4 |
| Pancreas | 8.6 | Ovary | 7.1 |
| Non-Hodgkin lymphoma | 8.0 | Pancreas | 6.0 |
| Gallbladder etc. | 7.5 | Gallbladder etc. | 4.8 |
| Non-melanoma skin cancer | 5.2 | Non-Hodgkin lymphoma | 4.8 |
| Oesophagus | 5.2 | Non-melanoma skin cancer | 4.5 |
| Myeloid leukaemia | 3.9 | Kidney | 3.7 |
| Brain and nervous system | 3.3 | Brain and nervous system | 2.6 |
| Larynx | 2.4 | Myeloid leukaemia | 2.4 |
| Connective and soft tissue | 2.1 | Other and unspecified | 1.8 |
| Multiple myeloma | 2.1 | Immunoproliferative diseases | 1.7 |
| Lymphoid leukaemia | 2.0 | Bladder | 1.7 |
| All sites | 298.8 | All sites | 263.1 |


Republic of Korea, Seoul (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 10 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 554 | 0.5 | 2.3 | 1.5 | 0.11 | 0.17 | 285 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 407 | 0.4 | 1.7 | 1.1 | 0.06 | 0.12 | 231 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 278 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | 252 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 484 | 0.4 | 2.0 | 1.3 | 0.09 | 0.16 | 64 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 70 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 15 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 316 | 0.3 | 1.3 | 0.9 | 0.07 | 0.09 | 83 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 328 | 0.3 | 1.3 | 0.9 | 0.05 | 0.11 | 18 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 20 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1976 | 1.8 | 8.1 | 5.2 | 0.25 | 0.68 | 220 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C15 |
| Stomach | 17407 | 16.1 | 71.6 | 46.2 | 2.55 | 5.71 | 8421 | 8.2 | 33.5 | 19.3 | 1.16 | 2.19 | C16 |
| Small intestine | 469 | 0.4 | 1.9 | 1.3 | 0.07 | 0.14 | 351 | 0.3 | 1.4 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 9180 | 8.5 | 37.8 | 24.4 | 1.22 | 2.93 | 6657 | 6.5 | 26.5 | 14.5 | 0.75 | 1.66 | C18 |
| Rectum | 6790 | 6.3 | 27.9 | 18.2 | 1.10 | 2.19 | 3894 | 3.8 | 15.5 | 8.9 | 0.55 | 0.99 | C19–20 |
| Anus | 150 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 189 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C21 |
| Liver | 10084 | 9.3 | 41.5 | 26.8 | 1.75 | 3.14 | 3376 | 3.3 | 13.4 | 7.4 | 0.36 | 0.84 | C22 |
| Gallbladder etc. | 2823 | 2.6 | 11.6 | 7.5 | 0.27 | 0.89 | 2332 | 2.3 | 9.3 | 4.8 | 0.18 | 0.54 | C23–24 |
| Pancreas | 3242 | 3.0 | 13.3 | 8.6 | 0.39 | 1.04 | 2810 | 2.7 | 11.2 | 6.0 | 0.26 | 0.68 | C25 |
| Nose, sinuses etc. | 191 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 125 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 923 | 0.9 | 3.8 | 2.4 | 0.13 | 0.31 | 61 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 14904 | 13.8 | 61.3 | 39.4 | 1.46 | 4.66 | 7316 | 7.1 | 29.1 | 16.0 | 0.83 | 1.90 | C33–34 |
| Other thoracic organs | 436 | 0.4 | 1.8 | 1.3 | 0.09 | 0.14 | 299 | 0.3 | 1.2 | 0.8 | 0.06 | 0.08 | C37–38 |
| Bone | 265 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | 275 | 0.3 | 1.1 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 262 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 287 | 0.3 | 1.1 | 0.7 | 0.04 | 0.08 | C43 |
| Other skin | 1910 | 1.8 | 7.9 | 5.2 | 0.25 | 0.55 | 2126 | 2.1 | 8.5 | 4.5 | 0.17 | 0.44 | C44 |
| Mesothelioma | 104 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 43 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 65 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 17 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 668 | 0.6 | 2.7 | 2.1 | 0.12 | 0.20 | 489 | 0.5 | 1.9 | 1.5 | 0.10 | 0.14 | C47+C49 |
| Breast | 91 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 22250 | 21.6 | 88.6 | 57.5 | 4.76 | 6.06 | C50 |
| Vulva | | | | | | | 166 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 67 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 3283 | 3.2 | 13.1 | 8.5 | 0.66 | 0.84 | C53 |
| Corpus uteri | | | | | | | 2935 | 2.9 | 11.7 | 7.5 | 0.63 | 0.82 | C54 |
| Uterus unspecified | | | | | | | 154 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 2670 | 2.6 | 10.6 | 7.1 | 0.53 | 0.74 | C56 |
| Other female genital organs | | | | | | | 153 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 47 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 65 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C60 |
| Prostate | 11555 | 10.7 | 47.5 | 30.2 | 0.91 | 3.93 | | | | | | | C61 |
| Testis | 318 | 0.3 | 1.3 | 1.2 | 0.08 | 0.08 | | | | | | | C62 |
| Other male genital organs | 87 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 3196 | 3.0 | 13.1 | 8.7 | 0.57 | 0.97 | 1501 | 1.5 | 6.0 | 3.7 | 0.24 | 0.42 | C64 |
| Renal pelvis | 382 | 0.4 | 1.6 | 1.0 | 0.04 | 0.12 | 159 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 379 | 0.4 | 1.6 | 1.0 | 0.04 | 0.11 | 203 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | C66 |
| Bladder | 3480 | 3.2 | 14.3 | 9.2 | 0.34 | 1.04 | 825 | 0.8 | 3.3 | 1.7 | 0.07 | 0.19 | C67 |
| Other urinary organs | 76 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 52 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 42 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 50 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 956 | 0.9 | 3.9 | 3.3 | 0.20 | 0.29 | 856 | 0.8 | 3.4 | 2.6 | 0.16 | 0.23 | C70–72 |
| Thyroid | 7027 | 6.5 | 28.9 | 20.2 | 1.65 | 1.94 | 23189 | 22.5 | 92.3 | 64.7 | 5.35 | 6.22 | C73 |
| Adrenal gland | 68 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 65 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 45 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 45 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 200 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | 132 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 2604 | 2.4 | 10.7 | 8.0 | 0.45 | 0.81 | 1861 | 1.8 | 7.4 | 4.8 | 0.29 | 0.50 | C82–86,C96 |
| Immunoproliferative diseases | 549 | 0.5 | 2.3 | 1.5 | 0.10 | 0.17 | 675 | 0.7 | 2.7 | 1.7 | 0.13 | 0.20 | C88 |
| Multiple myeloma | 787 | 0.7 | 3.2 | 2.1 | 0.10 | 0.25 | 642 | 0.6 | 2.6 | 1.4 | 0.07 | 0.18 | C90 |
| Lymphoid leukaemia | 414 | 0.4 | 1.7 | 2.0 | 0.11 | 0.14 | 336 | 0.3 | 1.3 | 1.7 | 0.09 | 0.12 | C91 |
| Myeloid leukaemia | 1291 | 1.2 | 5.3 | 3.9 | 0.23 | 0.39 | 851 | 0.8 | 3.4 | 2.4 | 0.14 | 0.23 | C92–94 |
| Leukaemia unspecified | 93 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 108 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 591 | 0.5 | 2.4 | 1.7 | 0.09 | 0.18 | 506 | 0.5 | 2.0 | 1.3 | 0.07 | 0.13 | MPD |
| Myelodysplastic syndromes | 573 | 0.5 | 2.4 | 1.6 | 0.06 | 0.18 | 355 | 0.3 | 1.4 | 0.9 | 0.05 | 0.09 | MPS |
| Other and unspecified | 688 | 0.6 | 2.8 | 2.0 | 0.08 | 0.18 | 723 | 0.7 | 2.9 | 1.8 | 0.09 | 0.17 | O&U |
| All sites | 109881 | | 452.0 | 298.8 | 15.47 | 34.69 | 105107 | | 418.5 | 263.1 | 18.38 | 27.61 | C00–96 |
| All sites except C44 | 107971 | 100.0 | 444.1 | 293.6 | 15.22 | 34.14 | 102981 | 100.0 | 410.0 | 258.6 | 18.21 | 27.17 | C00–96 exc. C44 |

Republic of Korea, Ulsan

CONTRIBUTORS

Cheol-In Yoo
 Yangho Kim
 Chang Sun Sim
 Kyoung Sook Jeong
 A. Ram Kim
 Joo Hyun Sung



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|------------------------------|-------|
| Stomach | 51.9 | Thyroid | 81.6 |
| Trachea, bronchus, and lung | 47.9 | Breast | 50.1 |
| Liver | 31.5 | Stomach | 22.1 |
| Prostate | 23.2 | Trachea, bronchus, and lung | 17.2 |
| Colon | 20.8 | Colon | 14.8 |
| Rectum | 18.4 | Rectum | 9.6 |
| Thyroid | 17.3 | Liver | 8.8 |
| Kidney | 9.5 | Cervix uteri | 7.5 |
| Gallbladder etc. | 9.3 | Gallbladder etc. | 7.2 |
| Pancreas | 9.1 | Ovary | 6.8 |
| Non-Hodgkin lymphoma | 7.7 | Corpus uteri | 6.2 |
| Bladder | 7.4 | Pancreas | 5.8 |
| Oesophagus | 5.5 | Non-melanoma skin cancer | 5.5 |
| Non-melanoma skin cancer | 5.4 | Non-Hodgkin lymphoma | 4.8 |
| Myeloid leukaemia | 3.9 | Kidney | 3.7 |
| Brain and nervous system | 3.2 | Brain and nervous system | 2.9 |
| Larynx | 2.9 | Myeloid leukaemia | 2.9 |
| Myelodysplastic syndromes | 2.4 | Immunoproliferative diseases | 1.8 |
| Connective and soft tissue | 2.0 | Connective and soft tissue | 1.8 |
| Multiple myeloma | 1.9 | Other and unspecified | 1.6 |
| All sites | 305.4 | All sites | 280.5 |


Republic of Korea, Ulsan (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 43 | 0.4 | 1.4 | 1.2 | 0.07 | 0.11 | 28 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C01–02 |
| Mouth | 26 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | 18 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 39 | 0.3 | 1.3 | 0.9 | 0.07 | 0.11 | 36 | 0.3 | 1.3 | 0.9 | 0.06 | 0.10 | C07–08 |
| Tonsil | 36 | 0.3 | 1.2 | 0.8 | 0.07 | 0.10 | 14 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | C09 |
| Other oropharynx | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 53 | 0.5 | 1.8 | 1.2 | 0.10 | 0.13 | 15 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C11 |
| Hypopharynx | 41 | 0.4 | 1.4 | 1.1 | 0.05 | 0.13 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 202 | 1.8 | 6.8 | 5.5 | 0.26 | 0.70 | 23 | 0.2 | 0.8 | 0.5 | 0.02 | 0.05 | C15 |
| Stomach | 2015 | 18.0 | 67.6 | 51.9 | 2.99 | 6.37 | 962 | 8.4 | 34.2 | 22.1 | 1.33 | 2.50 | C16 |
| Small intestine | 63 | 0.6 | 2.1 | 1.5 | 0.11 | 0.16 | 38 | 0.3 | 1.4 | 0.9 | 0.06 | 0.11 | C17 |
| Colon | 780 | 7.0 | 26.2 | 20.8 | 1.05 | 2.49 | 654 | 5.7 | 23.3 | 14.8 | 0.75 | 1.75 | C18 |
| Rectum | 712 | 6.4 | 23.9 | 18.4 | 1.05 | 2.16 | 413 | 3.6 | 14.7 | 9.6 | 0.56 | 1.16 | C19–20 |
| Anus | 12 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 22 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | C21 |
| Liver | 1244 | 11.1 | 41.7 | 31.5 | 1.94 | 3.64 | 383 | 3.3 | 13.6 | 8.8 | 0.40 | 1.06 | C22 |
| Gallbladder etc. | 325 | 2.9 | 10.9 | 9.3 | 0.36 | 1.13 | 311 | 2.7 | 11.1 | 7.2 | 0.32 | 0.87 | C23–24 |
| Pancreas | 320 | 2.9 | 10.7 | 9.1 | 0.40 | 1.06 | 255 | 2.2 | 9.1 | 5.8 | 0.28 | 0.67 | C25 |
| Nose, sinuses etc. | 32 | 0.3 | 1.1 | 0.9 | 0.05 | 0.10 | 13 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 110 | 1.0 | 3.7 | 2.9 | 0.14 | 0.39 | 8 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1653 | 14.8 | 55.5 | 47.9 | 1.60 | 5.77 | 756 | 6.6 | 26.9 | 17.2 | 0.93 | 1.98 | C33–34 |
| Other thoracic organs | 46 | 0.4 | 1.5 | 1.3 | 0.09 | 0.12 | 24 | 0.2 | 0.9 | 0.9 | 0.06 | 0.06 | C37–38 |
| Bone | 24 | 0.2 | 0.8 | 0.9 | 0.05 | 0.06 | 24 | 0.2 | 0.9 | 0.8 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 26 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | 24 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C43 |
| Other skin | 188 | 1.7 | 6.3 | 5.4 | 0.23 | 0.54 | 251 | 2.2 | 8.9 | 5.5 | 0.19 | 0.54 | C44 |
| Mesothelioma | 14 | 0.1 | 0.5 | 0.4 | 0.01 | 0.04 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 71 | 0.6 | 2.4 | 2.0 | 0.13 | 0.22 | 55 | 0.5 | 2.0 | 1.8 | 0.11 | 0.15 | C47+C49 |
| Breast | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 2166 | 18.9 | 77.1 | 50.1 | 4.23 | 5.19 | C50 |
| Vulva | | | | | | | 12 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 11 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 313 | 2.7 | 11.1 | 7.5 | 0.59 | 0.78 | C53 |
| Corpus uteri | | | | | | | 267 | 2.3 | 9.5 | 6.2 | 0.55 | 0.68 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 281 | 2.4 | 10.0 | 6.8 | 0.48 | 0.69 | C56 |
| Other female genital organs | | | | | | | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 797 | 7.1 | 26.7 | 23.2 | 0.78 | 2.86 | | | | | | | C61 |
| Testis | 33 | 0.3 | 1.1 | 1.0 | 0.07 | 0.08 | | | | | | | C62 |
| Other male genital organs | 10 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 377 | 3.4 | 12.6 | 9.5 | 0.60 | 1.12 | 161 | 1.4 | 5.7 | 3.7 | 0.27 | 0.40 | C64 |
| Renal pelvis | 27 | 0.2 | 0.9 | 0.7 | 0.03 | 0.09 | 12 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 36 | 0.3 | 1.2 | 1.1 | 0.03 | 0.13 | 24 | 0.2 | 0.9 | 0.5 | 0.01 | 0.05 | C66 |
| Bladder | 267 | 2.4 | 9.0 | 7.4 | 0.31 | 0.80 | 69 | 0.6 | 2.5 | 1.5 | 0.06 | 0.16 | C67 |
| Other urinary organs | 15 | 0.1 | 0.5 | 0.4 | 0.01 | 0.06 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 9 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 109 | 1.0 | 3.7 | 3.2 | 0.21 | 0.27 | 95 | 0.8 | 3.4 | 2.9 | 0.19 | 0.25 | C70–72 |
| Thyroid | 739 | 6.6 | 24.8 | 17.3 | 1.45 | 1.67 | 3287 | 28.7 | 116.9 | 81.6 | 6.78 | 8.03 | C73 |
| Adrenal gland | 9 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 9 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 7 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 19 | 0.2 | 0.6 | 0.6 | 0.04 | 0.05 | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 272 | 2.4 | 9.1 | 7.7 | 0.44 | 0.73 | 184 | 1.6 | 6.5 | 4.8 | 0.28 | 0.53 | C82–86,C96 |
| Immunoproliferative diseases | 65 | 0.6 | 2.2 | 1.5 | 0.12 | 0.16 | 72 | 0.6 | 2.6 | 1.8 | 0.14 | 0.21 | C88 |
| Multiple myeloma | 74 | 0.7 | 2.5 | 1.9 | 0.09 | 0.20 | 53 | 0.5 | 1.9 | 1.3 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 44 | 0.4 | 1.5 | 1.5 | 0.09 | 0.11 | 28 | 0.2 | 1.0 | 1.1 | 0.06 | 0.07 | C91 |
| Myeloid leukaemia | 136 | 1.2 | 4.6 | 3.9 | 0.21 | 0.36 | 100 | 0.9 | 3.6 | 2.9 | 0.17 | 0.34 | C92–94 |
| Leukaemia unspecified | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 70 | 0.6 | 2.3 | 1.8 | 0.11 | 0.24 | 53 | 0.5 | 1.9 | 1.4 | 0.10 | 0.15 | MPD |
| Myelodysplastic syndromes | 84 | 0.8 | 2.8 | 2.4 | 0.11 | 0.23 | 59 | 0.5 | 2.1 | 1.5 | 0.10 | 0.14 | MPS |
| Other and unspecified | 58 | 0.5 | 1.9 | 1.6 | 0.08 | 0.17 | 70 | 0.6 | 2.5 | 1.6 | 0.07 | 0.14 | O&U |
| All sites | 11369 | | 381.4 | 305.4 | 15.81 | 35.29 | 11723 | | 417.0 | 280.5 | 19.61 | 29.70 | C00–96 |
| All sites except C44 | 11181 | 100.0 | 375.1 | 300.0 | 15.58 | 34.76 | 11472 | 100.0 | 408.1 | 275.0 | 19.42 | 29.15 | C00–96 exc. C44 |

Kuwait

CONTRIBUTORS

Amani Abdulhamid ElBasmii
 Howida A. Habib
 Sherin Ezzat
 Boaz Glory Rajakumari
 Sosa Biby
 Hadeel A.A. Almutawa




NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|------|-----------------------------|-------|
| Prostate | 14.9 | Breast | 53.0 |
| Trachea, bronchus, and lung | 10.6 | Corpus uteri | 10.0 |
| Colon | 8.4 | Thyroid | 9.5 |
| Bladder | 6.9 | Colon | 9.3 |
| Non-Hodgkin lymphoma | 4.6 | Non-Hodgkin lymphoma | 4.9 |
| Liver | 4.3 | Ovary | 4.4 |
| Rectum | 3.9 | Rectum | 4.0 |
| Stomach | 3.3 | Trachea, bronchus, and lung | 4.0 |
| Pancreas | 3.3 | Cervix uteri | 3.5 |
| Lymphoid leukaemia | 3.2 | Other and unspecified | 3.5 |
| Kidney | 2.6 | Pancreas | 3.2 |
| Myeloid leukaemia | 2.5 | Myeloid leukaemia | 2.5 |
| Thyroid | 2.4 | Stomach | 2.4 |
| Multiple myeloma | 2.1 | Liver | 2.3 |
| Other and unspecified | 2.1 | Hodgkin lymphoma | 2.1 |
| Hodgkin lymphoma | 1.9 | Bladder | 2.1 |
| Brain and nervous system | 1.9 | Lymphoid leukaemia | 2.0 |
| Larynx | 1.9 | Multiple myeloma | 2.0 |
| Non-melanoma skin cancer | 1.4 | Kidney | 1.9 |
| Gallbladder etc. | 1.1 | Brain and nervous system | 1.7 |
| All sites | 94.1 | All sites | 139.9 |

**NOTES ON THE DATA**


*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|-------|
| Prostate | 19.5 |
| Trachea, bronchus, and lung | 14.9 |
| Colon | 12.7 |
| Non-Hodgkin lymphoma | 8.7 |
| Bladder | 8.2 |
| Rectum | 6.4 |
| Liver | 5.8 |
| Pancreas | 5.2 |
| Kidney | 5.2 |
| Thyroid | 4.8 |
| All sites | 138.0 |

| Female | |
|-----------------------------|-------|
| Breast | 64.0 |
| Thyroid | 15.2 |
| Corpus uteri | 12.4 |
| Colon | 11.7 |
| Non-Hodgkin lymphoma | 6.1 |
| Rectum | 4.8 |
| Ovary | 4.5 |
| Trachea, bronchus, and lung | 3.8 |
| Other and unspecified | 3.6 |
| Cervix uteri | 3.3 |
| All sites | 166.7 |

**NOTES ON THE DATA**

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

| Male | |
|-----------------------------|------|
| Prostate | 12.8 |
| Trachea, bronchus, and lung | 8.5 |
| Bladder | 7.0 |
| Colon | 6.7 |
| Liver | 3.1 |
| Stomach | 3.0 |
| Lymphoid leukaemia | 2.9 |
| Rectum | 2.9 |
| Non-Hodgkin lymphoma | 2.9 |
| Myeloid leukaemia | 2.6 |
| All sites | 77.8 |

| Female | |
|-----------------------------|-------|
| Breast | 45.3 |
| Colon | 6.9 |
| Corpus uteri | 6.3 |
| Thyroid | 6.3 |
| Ovary | 4.4 |
| Trachea, bronchus, and lung | 4.4 |
| Non-Hodgkin lymphoma | 4.0 |
| Cervix uteri | 3.9 |
| Rectum | 3.6 |
| Other and unspecified | 3.5 |
| All sites | 121.0 |

Kuwait (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 76 | 1.3 | 0.6 | 0.9 | 0.05 | 0.10 | 24 | 0.3 | 0.3 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 67 | 1.1 | 0.5 | 0.7 | 0.05 | 0.10 | 28 | 0.4 | 0.3 | 0.6 | 0.03 | 0.04 | C03–06 |
| Salivary glands | 26 | 0.4 | 0.2 | 0.3 | 0.01 | 0.04 | 8 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 4 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 6 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 68 | 1.1 | 0.5 | 0.8 | 0.05 | 0.09 | 20 | 0.3 | 0.2 | 0.3 | 0.03 | 0.04 | C11 |
| Hypopharynx | 5 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 6 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 53 | 0.9 | 0.4 | 1.1 | 0.03 | 0.13 | 23 | 0.3 | 0.3 | 0.6 | 0.03 | 0.06 | C15 |
| Stomach | 201 | 3.3 | 1.6 | 3.3 | 0.12 | 0.43 | 117 | 1.6 | 1.4 | 2.4 | 0.13 | 0.33 | C16 |
| Small intestine | 39 | 0.6 | 0.3 | 0.6 | 0.03 | 0.08 | 25 | 0.3 | 0.3 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 517 | 8.5 | 4.0 | 8.4 | 0.36 | 1.07 | 410 | 5.5 | 5.1 | 9.3 | 0.50 | 1.13 | C18 |
| Rectum | 270 | 4.4 | 2.1 | 3.9 | 0.17 | 0.50 | 191 | 2.5 | 2.4 | 4.0 | 0.24 | 0.48 | C19–20 |
| Anus | 13 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 12 | 0.2 | 0.1 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 237 | 3.9 | 1.9 | 4.2 | 0.20 | 0.53 | 80 | 1.1 | 1.0 | 2.3 | 0.06 | 0.24 | C22 |
| Gallbladder etc. | 79 | 1.3 | 0.6 | 1.1 | 0.05 | 0.10 | 51 | 0.7 | 0.6 | 1.4 | 0.06 | 0.16 | C23–24 |
| Pancreas | 193 | 3.2 | 1.5 | 3.3 | 0.13 | 0.35 | 124 | 1.7 | 1.5 | 3.2 | 0.14 | 0.40 | C25 |
| Nose, sinuses etc. | 15 | 0.2 | 0.1 | 0.2 | 0.01 | 0.02 | 12 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 106 | 1.7 | 0.8 | 1.9 | 0.08 | 0.19 | 10 | 0.1 | 0.1 | 0.2 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 524 | 8.6 | 4.1 | 10.6 | 0.32 | 1.36 | 165 | 2.2 | 2.0 | 4.0 | 0.15 | 0.48 | C33–34 |
| Other thoracic organs | 24 | 0.4 | 0.2 | 0.3 | 0.01 | 0.03 | 12 | 0.2 | 0.1 | 0.3 | 0.01 | 0.05 | C37–38 |
| Bone | 51 | 0.8 | 0.4 | 0.5 | 0.03 | 0.04 | 36 | 0.5 | 0.4 | 0.6 | 0.03 | 0.06 | C40–41 |
| Melanoma of skin | 23 | 0.4 | 0.2 | 0.2 | 0.02 | 0.03 | 16 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | C43 |
| Other skin | 92 | 1.5 | 0.7 | 1.4 | 0.06 | 0.17 | 62 | 0.8 | 0.8 | 1.1 | 0.06 | 0.13 | C44 |
| Mesothelioma | 38 | 0.6 | 0.3 | 0.6 | 0.03 | 0.09 | 22 | 0.3 | 0.3 | 0.5 | 0.03 | 0.06 | C45 |
| Kaposi sarcoma | 11 | 0.2 | 0.1 | 0.3 | 0.00 | 0.05 | 4 | 0.1 | 0.0 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 85 | 1.4 | 0.7 | 0.9 | 0.06 | 0.08 | 58 | 0.8 | 0.7 | 0.8 | 0.05 | 0.08 | C47+C49 |
| Breast | 30 | 0.5 | 0.2 | 0.4 | 0.01 | 0.06 | 2976 | 39.7 | 36.7 | 53.0 | 3.71 | 6.23 | C50 |
| Vulva | | | | | | | 20 | 0.3 | 0.2 | 0.4 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 257 | 3.4 | 3.2 | 3.5 | 0.26 | 0.34 | C53 |
| Corpus uteri | | | | | | | 426 | 5.7 | 5.3 | 10.0 | 0.57 | 1.37 | C54 |
| Uterus unspecified | | | | | | | 34 | 0.5 | 0.4 | 0.7 | 0.05 | 0.10 | C55 |
| Ovary | | | | | | | 237 | 3.2 | 2.9 | 4.4 | 0.26 | 0.56 | C56 |
| Other female genital organs | | | | | | | 6 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 604 | 10.0 | 4.7 | 14.9 | 0.36 | 1.87 | | | | | | | C61 |
| Testis | 144 | 2.4 | 1.1 | 0.8 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.0 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 206 | 3.4 | 1.6 | 2.6 | 0.13 | 0.33 | 95 | 1.3 | 1.2 | 1.9 | 0.10 | 0.23 | C64 |
| Renal pelvis | 3 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 4 | 0.1 | 0.0 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 383 | 6.3 | 3.0 | 6.9 | 0.26 | 0.76 | 74 | 1.0 | 0.9 | 2.1 | 0.05 | 0.25 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.1 | 0.0 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 203 | 3.3 | 1.6 | 1.9 | 0.13 | 0.17 | 96 | 1.3 | 1.2 | 1.7 | 0.09 | 0.18 | C70–72 |
| Thyroid | 271 | 4.5 | 2.1 | 2.4 | 0.16 | 0.25 | 798 | 10.6 | 9.8 | 9.5 | 0.76 | 0.90 | C73 |
| Adrenal gland | 8 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 6 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 217 | 3.6 | 1.7 | 1.9 | 0.12 | 0.15 | 153 | 2.0 | 1.9 | 2.1 | 0.13 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 387 | 6.4 | 3.0 | 4.6 | 0.24 | 0.47 | 266 | 3.5 | 3.3 | 4.9 | 0.33 | 0.59 | C82–86,C96 |
| Immunoproliferative diseases | 12 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 18 | 0.2 | 0.2 | 0.3 | 0.03 | 0.04 | C88 |
| Multiple myeloma | 137 | 2.3 | 1.1 | 2.1 | 0.10 | 0.28 | 86 | 1.1 | 1.1 | 2.0 | 0.10 | 0.28 | C90 |
| Lymphoid leukaemia | 243 | 4.0 | 1.9 | 3.2 | 0.15 | 0.27 | 120 | 1.6 | 1.5 | 2.0 | 0.10 | 0.14 | C91 |
| Myeloid leukaemia | 257 | 4.2 | 2.0 | 2.5 | 0.14 | 0.24 | 159 | 2.1 | 2.0 | 2.5 | 0.15 | 0.23 | C92–94 |
| Leukaemia unspecified | 28 | 0.5 | 0.2 | 0.6 | 0.01 | 0.04 | 18 | 0.2 | 0.2 | 0.4 | 0.01 | 0.03 | C95 |
| Myeloproliferative disorders | 20 | 0.3 | 0.2 | 0.3 | 0.02 | 0.03 | 15 | 0.2 | 0.2 | 0.3 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 13 | 0.2 | 0.1 | 0.4 | 0.00 | 0.05 | 9 | 0.1 | 0.1 | 0.2 | 0.00 | 0.02 | MPS |
| Other and unspecified | 144 | 2.4 | 1.1 | 2.1 | 0.10 | 0.23 | 146 | 1.9 | 1.8 | 3.5 | 0.16 | 0.41 | O&U |
| All sites | 6161 | | 48.2 | 94.1 | 3.90 | 10.94 | 7559 | | 93.2 | 139.9 | 8.63 | 16.19 | C00–96 |
| All sites except C44 | 6069 | 100.0 | 47.5 | 92.7 | 3.84 | 10.76 | 7497 | 100.0 | 92.5 | 138.7 | 8.57 | 16.06 | C00–96 exc. C44 |

†See note following population pyramid

*Kuwait: Kuwaitis (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 16 | 0.6 | 0.5 | 0.9 | 0.05 | 0.10 | 10 | 0.2 | 0.3 | 0.4 | 0.04 | 0.04 | C01–02 |
| Mouth | 15 | 0.6 | 0.5 | 0.7 | 0.04 | 0.08 | 10 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | C03–06 |
| Salivary glands | 7 | 0.3 | 0.2 | 0.3 | 0.02 | 0.04 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 4 | 0.2 | 0.1 | 0.3 | 0.01 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 33 | 1.3 | 1.0 | 1.7 | 0.13 | 0.21 | 16 | 0.4 | 0.5 | 0.6 | 0.05 | 0.07 | C11 |
| Hypopharynx | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 32 | 1.2 | 1.0 | 2.0 | 0.08 | 0.24 | 15 | 0.4 | 0.5 | 0.7 | 0.03 | 0.06 | C15 |
| Stomach | 78 | 3.0 | 2.5 | 4.4 | 0.21 | 0.54 | 63 | 1.5 | 1.9 | 2.7 | 0.17 | 0.35 | C16 |
| Small intestine | 12 | 0.5 | 0.4 | 0.8 | 0.04 | 0.12 | 16 | 0.4 | 0.5 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 223 | 8.6 | 7.0 | 12.7 | 0.72 | 1.57 | 267 | 6.5 | 8.1 | 11.7 | 0.69 | 1.36 | C18 |
| Rectum | 117 | 4.5 | 3.7 | 6.4 | 0.38 | 0.78 | 110 | 2.7 | 3.3 | 4.8 | 0.32 | 0.56 | C19–20 |
| Anus | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 7 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 98 | 3.8 | 3.1 | 5.8 | 0.30 | 0.71 | 50 | 1.2 | 1.5 | 2.3 | 0.07 | 0.26 | C22 |
| Gallbladder etc. | 30 | 1.2 | 0.9 | 1.5 | 0.07 | 0.13 | 30 | 0.7 | 0.9 | 1.4 | 0.07 | 0.15 | C23–24 |
| Pancreas | 94 | 3.6 | 3.0 | 5.2 | 0.27 | 0.56 | 69 | 1.7 | 2.1 | 3.2 | 0.15 | 0.40 | C25 |
| Nose, sinuses etc. | 4 | 0.2 | 0.1 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 42 | 1.6 | 1.3 | 2.6 | 0.14 | 0.28 | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 242 | 9.3 | 7.6 | 14.9 | 0.61 | 1.99 | 83 | 2.0 | 2.5 | 3.8 | 0.12 | 0.41 | C33–34 |
| Other thoracic organs | 9 | 0.3 | 0.3 | 0.3 | 0.02 | 0.02 | 7 | 0.2 | 0.2 | 0.3 | 0.01 | 0.04 | C37–38 |
| Bone | 24 | 0.9 | 0.8 | 0.8 | 0.05 | 0.06 | 16 | 0.4 | 0.5 | 0.5 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 5 | 0.2 | 0.2 | 0.2 | 0.01 | 0.03 | 7 | 0.2 | 0.2 | 0.3 | 0.01 | 0.02 | C43 |
| Other skin | 23 | 0.9 | 0.7 | 1.2 | 0.08 | 0.15 | 30 | 0.7 | 0.9 | 1.2 | 0.06 | 0.14 | C44 |
| Mesothelioma | 15 | 0.6 | 0.5 | 0.9 | 0.06 | 0.11 | 13 | 0.3 | 0.4 | 0.6 | 0.03 | 0.07 | C45 |
| Kaposi sarcoma | 8 | 0.3 | 0.3 | 0.6 | 0.01 | 0.12 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 28 | 1.1 | 0.9 | 1.1 | 0.08 | 0.10 | 27 | 0.7 | 0.8 | 0.9 | 0.06 | 0.09 | C47+C49 |
| Breast | 15 | 0.6 | 0.5 | 0.8 | 0.04 | 0.11 | 1568 | 38.3 | 47.7 | 64.0 | 4.61 | 7.37 | C50 |
| Vulva | | | | | | | 13 | 0.3 | 0.4 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 90 | 2.2 | 2.7 | 3.3 | 0.24 | 0.33 | C53 |
| Corpus uteri | | | | | | | 272 | 6.6 | 8.3 | 12.4 | 0.72 | 1.69 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.5 | 0.7 | 1.0 | 0.09 | 0.12 | C55 |
| Ovary | | | | | | | 108 | 2.6 | 3.3 | 4.5 | 0.26 | 0.59 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 303 | 11.6 | 9.6 | 19.5 | 0.62 | 2.56 | | | | | | | C61 |
| Testis | 76 | 2.9 | 2.4 | 2.4 | 0.18 | 0.18 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 99 | 3.8 | 3.1 | 5.2 | 0.30 | 0.63 | 59 | 1.4 | 1.8 | 2.5 | 0.14 | 0.29 | C64 |
| Renal pelvis | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 148 | 5.7 | 4.7 | 8.2 | 0.42 | 0.89 | 45 | 1.1 | 1.4 | 2.1 | 0.07 | 0.26 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 71 | 2.7 | 2.2 | 3.0 | 0.24 | 0.29 | 53 | 1.3 | 1.6 | 2.0 | 0.12 | 0.21 | C70–72 |
| Thyroid | 110 | 4.2 | 3.5 | 4.8 | 0.36 | 0.49 | 448 | 10.9 | 13.6 | 15.2 | 1.26 | 1.40 | C73 |
| Adrenal gland | 3 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 109 | 4.2 | 3.4 | 3.6 | 0.27 | 0.29 | 91 | 2.2 | 2.8 | 2.8 | 0.18 | 0.23 | C81 |
| Non-Hodgkin lymphoma | 187 | 7.2 | 5.9 | 8.7 | 0.56 | 0.90 | 157 | 3.8 | 4.8 | 6.1 | 0.42 | 0.70 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.2 | 0.2 | 0.3 | 0.03 | 0.03 | 13 | 0.3 | 0.4 | 0.5 | 0.05 | 0.06 | C88 |
| Multiple myeloma | 61 | 2.3 | 1.9 | 3.5 | 0.24 | 0.47 | 47 | 1.1 | 1.4 | 2.0 | 0.11 | 0.26 | C90 |
| Lymphoid leukaemia | 108 | 4.2 | 3.4 | 4.1 | 0.21 | 0.39 | 59 | 1.4 | 1.8 | 1.9 | 0.09 | 0.13 | C91 |
| Myeloid leukaemia | 74 | 2.8 | 2.3 | 3.0 | 0.20 | 0.30 | 82 | 2.0 | 2.5 | 3.0 | 0.18 | 0.28 | C92–94 |
| Leukaemia unspecified | 12 | 0.5 | 0.4 | 0.7 | 0.00 | 0.05 | 10 | 0.2 | 0.3 | 0.5 | 0.00 | 0.04 | C95 |
| Myeloproliferative disorders | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 11 | 0.3 | 0.3 | 0.4 | 0.03 | 0.05 | MPD |
| Myelodysplastic syndromes | 5 | 0.2 | 0.2 | 0.3 | 0.00 | 0.05 | 5 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | MPS |
| Other and unspecified | 61 | 2.3 | 1.9 | 3.1 | 0.17 | 0.36 | 82 | 2.0 | 2.5 | 3.6 | 0.16 | 0.39 | O&U |
| All sites | 2624 | | 82.9 | 138.0 | 7.27 | 16.10 | 4123 | | 125.5 | 166.7 | 10.85 | 18.79 | C00–96 |
| All sites except C44 | 2601 | 100.0 | 82.2 | 136.8 | 7.19 | 15.94 | 4093 | 100.0 | 124.6 | 165.5 | 10.79 | 18.64 | C00–96 exc. C44 |

*†See note following population pyramid

*Kuwait: Non-Kuwaitis (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.1 | 0.0 | 0.2 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 60 | 1.7 | 0.6 | 0.8 | 0.05 | 0.11 | 14 | 0.4 | 0.3 | 0.6 | 0.03 | 0.08 | C01–02 |
| Mouth | 52 | 1.5 | 0.5 | 0.7 | 0.05 | 0.11 | 18 | 0.5 | 0.4 | 0.8 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 19 | 0.5 | 0.2 | 0.2 | 0.01 | 0.04 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C07–08 |
| Tonsil | 3 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 35 | 1.0 | 0.4 | 0.4 | 0.03 | 0.05 | 4 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | C11 |
| Hypopharynx | 4 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 21 | 0.6 | 0.2 | 0.5 | 0.02 | 0.07 | 8 | 0.2 | 0.2 | 0.4 | 0.03 | 0.05 | C15 |
| Stomach | 123 | 3.5 | 1.3 | 3.0 | 0.10 | 0.39 | 54 | 1.6 | 1.1 | 2.4 | 0.11 | 0.34 | C16 |
| Small intestine | 27 | 0.8 | 0.3 | 0.6 | 0.03 | 0.07 | 9 | 0.3 | 0.2 | 0.2 | 0.02 | 0.02 | C17 |
| Colon | 294 | 8.5 | 3.1 | 6.7 | 0.27 | 0.89 | 143 | 4.2 | 3.0 | 6.9 | 0.36 | 0.89 | C18 |
| Rectum | 153 | 4.4 | 1.6 | 2.9 | 0.13 | 0.41 | 81 | 2.4 | 1.7 | 3.6 | 0.19 | 0.42 | C19–20 |
| Anus | 10 | 0.3 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.1 | 0.1 | 0.02 | 0.02 | C21 |
| Liver | 139 | 4.0 | 1.4 | 3.1 | 0.16 | 0.43 | 30 | 0.9 | 0.6 | 2.2 | 0.05 | 0.21 | C22 |
| Gallbladder etc. | 49 | 1.4 | 0.5 | 0.8 | 0.05 | 0.09 | 21 | 0.6 | 0.4 | 1.5 | 0.06 | 0.18 | C23–24 |
| Pancreas | 99 | 2.9 | 1.0 | 2.1 | 0.10 | 0.25 | 55 | 1.6 | 1.1 | 3.5 | 0.15 | 0.40 | C25 |
| Nose, sinuses etc. | 11 | 0.3 | 0.1 | 0.2 | 0.01 | 0.03 | 7 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 64 | 1.8 | 0.7 | 1.6 | 0.06 | 0.17 | 5 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 282 | 8.1 | 2.9 | 8.5 | 0.25 | 1.00 | 82 | 2.4 | 1.7 | 4.4 | 0.21 | 0.63 | C33–34 |
| Other thoracic organs | 15 | 0.4 | 0.2 | 0.3 | 0.01 | 0.04 | 5 | 0.1 | 0.1 | 0.3 | 0.01 | 0.06 | C37–38 |
| Bone | 27 | 0.8 | 0.3 | 0.4 | 0.03 | 0.03 | 20 | 0.6 | 0.4 | 0.9 | 0.02 | 0.12 | C40–41 |
| Melanoma of skin | 18 | 0.5 | 0.2 | 0.2 | 0.02 | 0.02 | 9 | 0.3 | 0.2 | 0.2 | 0.01 | 0.04 | C43 |
| Other skin | 69 | 2.0 | 0.7 | 1.9 | 0.06 | 0.19 | 32 | 0.9 | 0.7 | 1.2 | 0.07 | 0.10 | C44 |
| Mesothelioma | 23 | 0.7 | 0.2 | 0.5 | 0.02 | 0.10 | 9 | 0.3 | 0.2 | 0.5 | 0.04 | 0.04 | C45 |
| Kaposi sarcoma | 3 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.0 | 0.2 | 0.00 | 0.03 | C46 |
| Connective and soft tissue | 57 | 1.6 | 0.6 | 0.9 | 0.06 | 0.09 | 31 | 0.9 | 0.6 | 0.8 | 0.04 | 0.09 | C47+C49 |
| Breast | 15 | 0.4 | 0.2 | 0.4 | 0.01 | 0.05 | 1408 | 41.4 | 29.2 | 45.3 | 3.16 | 5.22 | C50 |
| Vulva | | | | | | | 7 | 0.2 | 0.1 | 0.4 | 0.01 | 0.05 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.1 | 0.2 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 167 | 4.9 | 3.5 | 3.9 | 0.29 | 0.37 | C53 |
| Corpus uteri | | | | | | | 154 | 4.5 | 3.2 | 6.3 | 0.39 | 0.86 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.4 | 0.2 | 0.5 | 0.02 | 0.10 | C55 |
| Ovary | | | | | | | 129 | 3.8 | 2.7 | 4.4 | 0.25 | 0.52 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.0 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 2 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 301 | 8.7 | 3.1 | 12.8 | 0.29 | 1.50 | | | | | | | C61 |
| Testis | 68 | 2.0 | 0.7 | 0.5 | 0.03 | 0.03 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 107 | 3.1 | 1.1 | 1.6 | 0.09 | 0.20 | 36 | 1.1 | 0.7 | 1.5 | 0.07 | 0.18 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 3 | 0.1 | 0.0 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 235 | 6.8 | 2.4 | 7.0 | 0.22 | 0.76 | 29 | 0.9 | 0.6 | 2.3 | 0.03 | 0.24 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 132 | 3.8 | 1.4 | 1.9 | 0.11 | 0.14 | 43 | 1.3 | 0.9 | 1.5 | 0.08 | 0.16 | C70–72 |
| Thyroid | 161 | 4.6 | 1.7 | 1.7 | 0.11 | 0.20 | 350 | 10.3 | 7.3 | 6.3 | 0.48 | 0.61 | C73 |
| Adrenal gland | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 4 | 0.1 | 0.0 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 108 | 3.1 | 1.1 | 1.6 | 0.08 | 0.12 | 62 | 1.8 | 1.3 | 1.6 | 0.11 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 200 | 5.8 | 2.1 | 2.9 | 0.17 | 0.31 | 109 | 3.2 | 2.3 | 4.0 | 0.27 | 0.50 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.2 | 0.1 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.1 | 0.2 | 0.03 | 0.03 | C88 |
| Multiple myeloma | 76 | 2.2 | 0.8 | 1.8 | 0.06 | 0.20 | 39 | 1.1 | 0.8 | 2.2 | 0.10 | 0.35 | C90 |
| Lymphoid leukaemia | 135 | 3.9 | 1.4 | 2.9 | 0.14 | 0.22 | 61 | 1.8 | 1.3 | 2.2 | 0.11 | 0.16 | C91 |
| Myeloid leukaemia | 183 | 5.3 | 1.9 | 2.6 | 0.14 | 0.23 | 77 | 2.3 | 1.6 | 2.2 | 0.13 | 0.19 | C92–94 |
| Leukaemia unspecified | 16 | 0.5 | 0.2 | 0.3 | 0.01 | 0.02 | 8 | 0.2 | 0.2 | 0.3 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 17 | 0.5 | 0.2 | 0.4 | 0.02 | 0.05 | 4 | 0.1 | 0.1 | 0.2 | 0.00 | 0.02 | MPD |
| Myelodysplastic syndromes | 8 | 0.2 | 0.1 | 0.5 | 0.00 | 0.05 | 4 | 0.1 | 0.1 | 0.2 | 0.00 | 0.02 | MPS |
| Other and unspecified | 83 | 2.4 | 0.9 | 1.9 | 0.09 | 0.16 | 64 | 1.9 | 1.3 | 3.5 | 0.17 | 0.47 | O&U |
| All sites | 3537 | | 36.8 | 77.8 | 3.13 | 8.90 | 3436 | | 71.3 | 121.0 | 7.27 | 14.07 | C00–96 |
| All sites except C44 | 3468 | 100.0 | 36.1 | 75.9 | 3.07 | 8.71 | 3404 | 100.0 | 70.6 | 119.8 | 7.20 | 13.97 | C00–96 exc. C44 |

*†See note following population pyramid

Philippines, Manila

CONTRIBUTORS

Rachael B. Rosario
 Adriano V. Laudico
 Maria Rica Mirasol-Lumague
 Edmund Cedric A. Orlina
 Cynthia A. Mapua



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 29.6 | Breast | 56.1 |
| Prostate | 23.6 | Cervix uteri | 14.4 |
| Colon | 16.2 | Thyroid | 12.7 |
| Liver | 16.1 | Trachea, bronchus, and lung | 12.0 |
| Rectum | 10.1 | Ovary | 11.4 |
| Other and unspecified | 8.4 | Colon | 10.8 |
| Non-Hodgkin lymphoma | 4.8 | Corpus uteri | 9.6 |
| Stomach | 4.5 | Other and unspecified | 7.3 |
| Pancreas | 4.3 | Rectum | 5.6 |
| Nasopharynx | 4.3 | Liver | 5.5 |
| Kidney | 4.1 | Pancreas | 3.9 |
| Thyroid | 3.5 | Non-Hodgkin lymphoma | 3.8 |
| Larynx | 3.5 | Stomach | 2.8 |
| Bladder | 3.0 | Uterus unspecified | 2.5 |
| Non-melanoma skin cancer | 2.7 | Myeloid leukaemia | 2.4 |
| Myeloid leukaemia | 2.7 | Non-melanoma skin cancer | 2.0 |
| Lymphoid leukaemia | 2.3 | Kidney | 1.9 |
| Brain and nervous system | 2.3 | Brain and nervous system | 1.7 |
| Oesophagus | 2.2 | Connective and soft tissue | 1.6 |
| Connective and soft tissue | 1.7 | Lymphoid leukaemia | 1.6 |
| All sites | 165.5 | All sites | 184.1 |

*Philippines, Manila (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 148 | 0.9 | 0.9 | 1.4 | 0.08 | 0.16 | 108 | 0.4 | 0.6 | 0.8 | 0.05 | 0.08 | C01–02 |
| Mouth | 79 | 0.5 | 0.5 | 0.7 | 0.05 | 0.08 | 82 | 0.3 | 0.5 | 0.6 | 0.02 | 0.07 | C03–06 |
| Salivary glands | 73 | 0.4 | 0.4 | 0.6 | 0.04 | 0.06 | 93 | 0.4 | 0.6 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 60 | 0.4 | 0.4 | 0.6 | 0.03 | 0.08 | 20 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 23 | 0.1 | 0.1 | 0.2 | 0.01 | 0.03 | 15 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 548 | 3.3 | 3.3 | 4.3 | 0.30 | 0.48 | 211 | 0.8 | 1.3 | 1.4 | 0.10 | 0.15 | C11 |
| Hypopharynx | 28 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 37 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | 16 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 218 | 1.3 | 1.3 | 2.2 | 0.10 | 0.29 | 69 | 0.3 | 0.4 | 0.5 | 0.02 | 0.05 | C15 |
| Stomach | 434 | 2.6 | 2.6 | 4.5 | 0.20 | 0.54 | 368 | 1.4 | 2.2 | 2.8 | 0.13 | 0.32 | C16 |
| Small intestine | 58 | 0.4 | 0.4 | 0.6 | 0.03 | 0.06 | 39 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | C17 |
| Colon | 1590 | 9.6 | 9.7 | 16.2 | 0.74 | 1.89 | 1451 | 5.5 | 8.6 | 10.8 | 0.52 | 1.23 | C18 |
| Rectum | 1063 | 6.4 | 6.5 | 10.1 | 0.57 | 1.27 | 762 | 2.9 | 4.5 | 5.6 | 0.32 | 0.68 | C19–20 |
| Anus | 19 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 24 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C21 |
| Liver | 1672 | 10.1 | 10.2 | 16.1 | 0.88 | 1.93 | 724 | 2.8 | 4.3 | 5.5 | 0.23 | 0.62 | C22 |
| Gallbladder etc. | 149 | 0.9 | 0.9 | 1.6 | 0.07 | 0.17 | 185 | 0.7 | 1.1 | 1.4 | 0.07 | 0.15 | C23–24 |
| Pancreas | 418 | 2.5 | 2.5 | 4.3 | 0.21 | 0.49 | 501 | 1.9 | 3.0 | 3.9 | 0.14 | 0.44 | C25 |
| Nose, sinuses etc. | 78 | 0.5 | 0.5 | 0.6 | 0.04 | 0.07 | 55 | 0.2 | 0.3 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 325 | 2.0 | 2.0 | 3.5 | 0.15 | 0.46 | 58 | 0.2 | 0.3 | 0.4 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 2696 | 16.3 | 16.4 | 29.6 | 1.16 | 3.62 | 1579 | 6.0 | 9.4 | 12.0 | 0.56 | 1.38 | C33–34 |
| Other thoracic organs | 48 | 0.3 | 0.3 | 0.4 | 0.02 | 0.04 | 54 | 0.2 | 0.3 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 193 | 1.2 | 1.2 | 1.4 | 0.09 | 0.12 | 126 | 0.5 | 0.7 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 45 | 0.3 | 0.3 | 0.4 | 0.02 | 0.04 | 47 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C43 |
| Other skin | 273 | 1.7 | 1.7 | 2.7 | 0.13 | 0.34 | 267 | 1.0 | 1.6 | 2.0 | 0.08 | 0.21 | C44 |
| Mesothelioma | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 13 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 211 | 1.3 | 1.3 | 1.7 | 0.10 | 0.17 | 223 | 0.9 | 1.3 | 1.6 | 0.10 | 0.17 | C47+C49 |
| Breast | 97 | 0.6 | 0.6 | 0.9 | 0.05 | 0.11 | 8133 | 31.1 | 48.3 | 56.1 | 4.09 | 6.41 | C50 |
| Vulva | | | | | | | 56 | 0.2 | 0.3 | 0.4 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 27 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 2208 | 8.4 | 13.1 | 14.4 | 1.15 | 1.55 | C53 |
| Corpus uteri | | | | | | | 1390 | 5.3 | 8.3 | 9.6 | 0.77 | 1.16 | C54 |
| Uterus unspecified | | | | | | | 365 | 1.4 | 2.2 | 2.5 | 0.19 | 0.30 | C55 |
| Ovary | | | | | | | 1698 | 6.5 | 10.1 | 11.4 | 0.85 | 1.27 | C56 |
| Other female genital organs | | | | | | | 18 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 17 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 35 | 0.2 | 0.2 | 0.3 | 0.02 | 0.03 | | | | | | | C60 |
| Prostate | 1867 | 11.3 | 11.4 | 23.6 | 0.57 | 2.53 | | | | | | | C61 |
| Testis | 143 | 0.9 | 0.9 | 0.9 | 0.06 | 0.07 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 445 | 2.7 | 2.7 | 4.1 | 0.27 | 0.50 | 254 | 1.0 | 1.5 | 1.9 | 0.10 | 0.22 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 275 | 1.7 | 1.7 | 3.0 | 0.11 | 0.32 | 169 | 0.6 | 1.0 | 1.3 | 0.05 | 0.13 | C67 |
| Other urinary organs | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 39 | 0.2 | 0.2 | 0.3 | 0.01 | 0.02 | 38 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 300 | 1.8 | 1.8 | 2.3 | 0.13 | 0.24 | 262 | 1.0 | 1.6 | 1.7 | 0.10 | 0.16 | C70–72 |
| Thyroid | 464 | 2.8 | 2.8 | 3.5 | 0.25 | 0.39 | 2033 | 7.8 | 12.1 | 12.7 | 0.97 | 1.34 | C73 |
| Adrenal gland | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 15 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 11 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 102 | 0.6 | 0.6 | 0.6 | 0.04 | 0.05 | 96 | 0.4 | 0.6 | 0.5 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 583 | 3.5 | 3.5 | 4.8 | 0.26 | 0.48 | 539 | 2.1 | 3.2 | 3.8 | 0.21 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 92 | 0.6 | 0.6 | 1.0 | 0.04 | 0.12 | 125 | 0.5 | 0.7 | 1.0 | 0.05 | 0.11 | C90 |
| Lymphoid leukaemia | 350 | 2.1 | 2.1 | 2.3 | 0.12 | 0.15 | 227 | 0.9 | 1.3 | 1.6 | 0.08 | 0.10 | C91 |
| Myeloid leukaemia | 349 | 2.1 | 2.1 | 2.7 | 0.15 | 0.24 | 359 | 1.4 | 2.1 | 2.4 | 0.13 | 0.24 | C92–94 |
| Leukaemia unspecified | 211 | 1.3 | 1.3 | 1.6 | 0.09 | 0.13 | 219 | 0.8 | 1.3 | 1.4 | 0.09 | 0.13 | C95 |
| Myeloproliferative disorders | 32 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | 28 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 23 | 0.1 | 0.1 | 0.3 | 0.01 | 0.02 | 21 | 0.1 | 0.1 | 0.2 | 0.00 | 0.01 | MPS |
| Other and unspecified | 864 | 5.2 | 5.3 | 8.4 | 0.40 | 0.99 | 1022 | 3.9 | 6.1 | 7.3 | 0.42 | 0.83 | O&U |
| All sites | 16806 | | 102.2 | 165.5 | 7.66 | 18.94 | 26439 | | 157.1 | 184.1 | 11.91 | 20.53 | C00–96 |
| All sites except C44 | 16533 | 100.0 | 100.6 | 162.8 | 7.54 | 18.60 | 26172 | 100.0 | 155.6 | 182.2 | 11.83 | 20.32 | C00–96 exc.C44 |

§Includes 14 cases of unknown age


§Includes 17 cases of unknown age

*†See note following population pyramid

Qatar: Qatari

CONTRIBUTORS

Amid Abu Hmaidan
Al Hareth M. Al Khater



NOTES ON THE DATA

*Rates based on low numbers due to small population.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 25.5 | Breast | 61.2 |
| Colon | 17.2 | Corpus uteri | 13.7 |
| Trachea, bronchus, and lung | 16.2 | Colon | 12.7 |
| Bladder | 9.6 | Thyroid | 11.8 |
| Liver | 9.3 | Ovary | 7.8 |
| Non-Hodgkin lymphoma | 8.4 | Rectum | 6.6 |
| Brain and nervous system | 6.9 | Liver | 5.2 |
| Rectum | 4.9 | Trachea, bronchus, and lung | 5.1 |
| Lymphoid leukaemia | 4.7 | Cervix uteri | 5.1 |
| Stomach | 4.7 | Uterus unspecified | 3.9 |
| All sites | 159.1 | All sites | 179.8 |

*Qatar: Qatari (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------|-----------|--------------------------|-----------|---------------------|----------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 6 | 0.9 | 0.9 | 1.3 | 0.10 | 0.16 | 2 | 0.2 | 0.3 | 0.5 | 0.01 | 0.07 | C01–02 |
| Mouth | 5 | 0.8 | 0.7 | 1.2 | 0.06 | 0.14 | 4 | 0.5 | 0.6 | 1.0 | 0.02 | 0.16 | C03–06 |
| Salivary glands | 2 | 0.3 | 0.3 | 0.4 | 0.04 | 0.04 | 3 | 0.3 | 0.4 | 0.4 | 0.03 | 0.03 | C07–08 |
| Tonsil | 3 | 0.5 | 0.4 | 0.8 | 0.05 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 4 | 0.6 | 0.6 | 1.0 | 0.11 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 11 | 1.7 | 1.6 | 2.6 | 0.23 | 0.31 | 2 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 3 | 0.5 | 0.4 | 0.7 | 0.08 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2 | 0.3 | 0.3 | 0.5 | 0.03 | 0.03 | 3 | 0.3 | 0.4 | 0.8 | 0.00 | 0.07 | C15 |
| Stomach | 19 | 2.9 | 2.7 | 4.7 | 0.15 | 0.70 | 18 | 2.1 | 2.5 | 3.7 | 0.13 | 0.30 | C16 |
| Small intestine | 4 | 0.6 | 0.6 | 1.0 | 0.07 | 0.13 | 3 | 0.3 | 0.4 | 0.7 | 0.04 | 0.09 | C17 |
| Colon | 67 | 10.1 | 9.5 | 17.2 | 0.88 | 2.08 | 61 | 7.1 | 8.5 | 12.7 | 1.05 | 1.51 | C18 |
| Rectum | 21 | 3.2 | 3.0 | 4.9 | 0.29 | 0.52 | 28 | 3.2 | 3.9 | 6.6 | 0.33 | 0.93 | C19–20 |
| Anus | 3 | 0.5 | 0.4 | 0.8 | 0.02 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 34 | 5.1 | 4.8 | 9.3 | 0.43 | 1.07 | 21 | 2.4 | 2.9 | 5.2 | 0.21 | 0.58 | C22 |
| Gallbladder etc. | 5 | 0.8 | 0.7 | 1.4 | 0.05 | 0.21 | 8 | 0.9 | 1.1 | 2.3 | 0.05 | 0.34 | C23–24 |
| Pancreas | 16 | 2.4 | 2.3 | 4.1 | 0.18 | 0.53 | 13 | 1.5 | 1.8 | 3.1 | 0.10 | 0.47 | C25 |
| Nose, sinuses etc. | 2 | 0.3 | 0.3 | 0.4 | 0.04 | 0.04 | 1 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 9 | 1.4 | 1.3 | 2.0 | 0.11 | 0.11 | 1 | 0.1 | 0.1 | 0.3 | 0.03 | 0.03 | C32 |
| Trachea, bronchus, and lung | 63 | 9.5 | 9.0 | 16.2 | 0.96 | 2.05 | 22 | 2.6 | 3.1 | 5.1 | 0.16 | 0.58 | C33–34 |
| Other thoracic organs | 2 | 0.3 | 0.3 | 0.4 | 0.01 | 0.01 | 2 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 7 | 1.1 | 1.0 | 1.2 | 0.07 | 0.13 | 3 | 0.3 | 0.4 | 0.4 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 2 | 0.3 | 0.3 | 0.4 | 0.01 | 0.01 | 5 | 0.6 | 0.7 | 0.9 | 0.05 | 0.05 | C43 |
| Other skin | 16 | 2.4 | 2.3 | 3.9 | 0.19 | 0.52 | 12 | 1.4 | 1.7 | 2.9 | 0.09 | 0.27 | C44 |
| Mesothelioma | 1 | 0.2 | 0.1 | 0.2 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 3 | 0.5 | 0.4 | 0.6 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 1.7 | 1.6 | 1.5 | 0.10 | 0.10 | 13 | 1.5 | 1.8 | 2.4 | 0.13 | 0.26 | C47+C49 |
| Breast | 4 | 0.6 | 0.6 | 0.8 | 0.05 | 0.05 | 305 | 35.4 | 42.5 | 61.2 | 4.56 | 7.17 | C50 |
| Vulva | | | | | | | 1 | 0.1 | 0.1 | 0.3 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.1 | 0.3 | 0.00 | 0.06 | C52 |
| Cervix uteri | | | | | | | 23 | 2.7 | 3.2 | 5.1 | 0.34 | 0.66 | C53 |
| Corpus uteri | | | | | | | 59 | 6.8 | 8.2 | 13.7 | 0.98 | 1.70 | C54 |
| Uterus unspecified | | | | | | | 17 | 2.0 | 2.4 | 3.9 | 0.28 | 0.59 | C55 |
| Ovary | | | | | | | 37 | 4.3 | 5.2 | 7.8 | 0.44 | 0.94 | C56 |
| Other female genital organs | | | | | | | 1 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.3 | 0.3 | 0.7 | 0.00 | 0.14 | | | | | | | C60 |
| Prostate | 88 | 13.3 | 12.5 | 25.5 | 1.09 | 3.19 | | | | | | | C61 |
| Testis | 18 | 2.7 | 2.6 | 2.5 | 0.19 | 0.19 | | | | | | | C62 |
| Other male genital organs | 2 | 0.3 | 0.3 | 0.6 | 0.04 | 0.04 | | | | | | | C63 |
| Kidney | 15 | 2.3 | 2.1 | 3.3 | 0.25 | 0.32 | 18 | 2.1 | 2.5 | 3.5 | 0.24 | 0.42 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 1 | 0.2 | 0.1 | 0.3 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 35 | 5.3 | 5.0 | 9.6 | 0.28 | 1.14 | 9 | 1.0 | 1.3 | 2.3 | 0.08 | 0.28 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 33 | 5.0 | 4.7 | 6.9 | 0.36 | 0.93 | 19 | 2.2 | 2.6 | 3.2 | 0.23 | 0.29 | C70–72 |
| Thyroid | 13 | 2.0 | 1.9 | 2.7 | 0.12 | 0.26 | 66 | 7.7 | 9.2 | 11.8 | 0.84 | 1.32 | C73 |
| Adrenal gland | 4 | 0.6 | 0.6 | 0.5 | 0.03 | 0.03 | 3 | 0.3 | 0.4 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 30 | 4.5 | 4.3 | 4.6 | 0.32 | 0.32 | 17 | 2.0 | 2.4 | 2.5 | 0.18 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 40 | 6.0 | 5.7 | 8.4 | 0.50 | 0.89 | 20 | 2.3 | 2.8 | 3.7 | 0.30 | 0.35 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.2 | 0.1 | 0.2 | 0.02 | 0.02 | 3 | 0.3 | 0.4 | 0.5 | 0.06 | 0.06 | C88 |
| Multiple myeloma | 7 | 1.1 | 1.0 | 1.5 | 0.07 | 0.07 | 5 | 0.6 | 0.7 | 1.0 | 0.06 | 0.12 | C90 |
| Lymphoid leukaemia | 26 | 3.9 | 3.7 | 4.7 | 0.22 | 0.51 | 13 | 1.5 | 1.8 | 2.1 | 0.11 | 0.17 | C91 |
| Myeloid leukaemia | 17 | 2.6 | 2.4 | 2.9 | 0.19 | 0.19 | 13 | 1.5 | 1.8 | 2.1 | 0.15 | 0.23 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.3 | 0.00 | 0.06 | C95 |
| Myeloproliferative disorders | 15 | 2.3 | 2.1 | 3.0 | 0.22 | 0.39 | 7 | 0.8 | 1.0 | 1.1 | 0.08 | 0.08 | MPD |
| Myelodysplastic syndromes | 2 | 0.3 | 0.3 | 0.6 | 0.07 | 0.07 | 1 | 0.1 | 0.1 | 0.3 | 0.00 | 0.06 | MPS |
| Other and unspecified | 6 | 0.9 | 0.9 | 1.1 | 0.03 | 0.09 | 9 | 1.0 | 1.3 | 2.2 | 0.08 | 0.27 | O&U |
| All sites | 680 | | 96.9 | 159.1 | 8.38 | 18.15 | 874 | | 121.8 | 179.8 | 11.67 | 20.96 | C00–96 |
| All sites except C44 | 664 | 100.0 | 94.6 | 155.2 | 8.19 | 17.63 | 862 | 100.0 | 120.1 | 176.9 | 11.58 | 20.69 | C00–96 exc.C44 |


§Includes 2 cases of unknown age

*†See note following population pyramid

Singapore

CONTRIBUTORS

Ling Li Foo
Bee Guat Lee
Eric Lee
Simin Kuo




NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 32.9 | Breast | 69.3 |
| Prostate | 32.3 | Colon | 18.2 |
| Colon | 22.7 | Corpus uteri | 16.9 |
| Liver | 18.0 | Trachea, bronchus, and lung | 15.6 |
| Rectum | 15.5 | Thyroid | 10.3 |
| Non-melanoma skin cancer | 12.4 | Ovary | 10.1 |
| Non-Hodgkin lymphoma | 10.0 | Rectum | 8.9 |
| Stomach | 9.9 | Non-melanoma skin cancer | 8.1 |
| Kidney | 8.5 | Cervix uteri | 7.1 |
| Bladder | 7.9 | Non-Hodgkin lymphoma | 6.7 |
| Nasopharynx | 7.5 | Stomach | 5.9 |
| Pancreas | 6.9 | Liver | 5.4 |
| Thyroid | 3.7 | Pancreas | 5.3 |
| Myeloid leukaemia | 3.5 | Kidney | 4.0 |
| Lymphoid leukaemia | 3.1 | Myeloid leukaemia | 2.6 |
| Oesophagus | 3.1 | Nasopharynx | 2.6 |
| Brain and nervous system | 3.0 | Other and unspecified | 2.5 |
| Other and unspecified | 2.9 | Brain and nervous system | 2.4 |
| Larynx | 2.6 | Gallbladder etc. | 2.1 |
| Myeloproliferative disorders | 2.6 | Lymphoid leukaemia | 1.9 |
| All sites | 236.7 | All sites | 225.1 |

**NOTES ON THE DATA**


†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000**Male**

| | |
|-----------------------------|-------|
| Prostate | 33.8 |
| Trachea, bronchus, and lung | 33.5 |
| Colon | 24.3 |
| Liver | 18.9 |
| Rectum | 16.3 |
| Non-melanoma skin cancer | 12.2 |
| Stomach | 10.7 |
| Non-Hodgkin lymphoma | 9.3 |
| Kidney | 9.1 |
| Nasopharynx | 8.8 |
| All sites | 243.8 |

Female

| | |
|-----------------------------|-------|
| Breast | 70.3 |
| Colon | 19.1 |
| Corpus uteri | 17.1 |
| Trachea, bronchus, and lung | 16.6 |
| Thyroid | 10.3 |
| Ovary | 9.8 |
| Rectum | 8.9 |
| Non-melanoma skin cancer | 8.5 |
| Cervix uteri | 7.0 |
| Stomach | 6.4 |
| All sites | 228.1 |

**NOTES ON THE DATA**


†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000**Male**

| | |
|-----------------------------|-------|
| Prostate | 20.6 |
| Trachea, bronchus, and lung | 19.1 |
| Colon | 11.8 |
| Liver | 11.7 |
| Rectum | 9.0 |
| Non-Hodgkin lymphoma | 7.3 |
| Stomach | 6.7 |
| Bladder | 6.5 |
| Kidney | 6.2 |
| Pancreas | 4.2 |
| All sites | 154.4 |

Female

| | |
|-----------------------------|-------|
| Breast | 65.6 |
| Corpus uteri | 17.5 |
| Thyroid | 9.9 |
| Colon | 9.1 |
| Ovary | 8.6 |
| Rectum | 6.6 |
| Trachea, bronchus, and lung | 6.4 |
| Non-Hodgkin lymphoma | 5.8 |
| Pancreas | 4.8 |
| Cervix uteri | 4.2 |
| All sites | 185.1 |

**NOTES ON THE DATA**

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000**Male**

| | |
|-----------------------------|-------|
| Trachea, bronchus, and lung | 37.3 |
| Prostate | 22.6 |
| Colon | 18.1 |
| Non-Hodgkin lymphoma | 15.8 |
| Liver | 15.7 |
| Rectum | 13.8 |
| Bladder | 8.7 |
| Kidney | 6.4 |
| Stomach | 5.9 |
| Nasopharynx | 5.4 |
| All sites | 210.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 64.8 |
| Corpus uteri | 17.5 |
| Colon | 16.0 |
| Ovary | 13.9 |
| Trachea, bronchus, and lung | 12.5 |
| Non-Hodgkin lymphoma | 10.4 |
| Thyroid | 9.5 |
| Rectum | 9.0 |
| Cervix uteri | 8.7 |
| Liver | 5.7 |
| All sites | 218.7 |

Singapore (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 258 | 0.8 | 2.7 | 1.8 | 0.12 | 0.21 | 156 | 0.4 | 1.6 | 1.0 | 0.07 | 0.11 | C01–02 |
| Mouth | 164 | 0.5 | 1.7 | 1.1 | 0.05 | 0.13 | 104 | 0.3 | 1.0 | 0.6 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 112 | 0.3 | 1.2 | 0.8 | 0.05 | 0.08 | 91 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 95 | 0.3 | 1.0 | 0.6 | 0.05 | 0.08 | 31 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 57 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 1088 | 3.3 | 11.4 | 7.5 | 0.60 | 0.84 | 381 | 1.1 | 3.8 | 2.6 | 0.20 | 0.28 | C11 |
| Hypopharynx | 114 | 0.3 | 1.2 | 0.7 | 0.03 | 0.08 | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 472 | 1.4 | 4.9 | 3.1 | 0.14 | 0.39 | 96 | 0.3 | 1.0 | 0.5 | 0.02 | 0.04 | C15 |
| Stomach | 1515 | 4.6 | 15.8 | 9.9 | 0.39 | 1.08 | 1102 | 3.2 | 11.1 | 5.9 | 0.26 | 0.60 | C16 |
| Small intestine | 166 | 0.5 | 1.7 | 1.1 | 0.06 | 0.12 | 121 | 0.3 | 1.2 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 3449 | 10.4 | 36.0 | 22.7 | 1.01 | 2.67 | 3271 | 9.4 | 32.9 | 18.2 | 0.86 | 2.01 | C18 |
| Rectum | 2344 | 7.1 | 24.5 | 15.5 | 0.85 | 1.91 | 1538 | 4.4 | 15.5 | 8.9 | 0.50 | 1.01 | C19–20 |
| Anus | 107 | 0.3 | 1.1 | 0.7 | 0.04 | 0.10 | 73 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C21 |
| Liver | 2751 | 8.3 | 28.7 | 18.0 | 0.87 | 2.13 | 1022 | 2.9 | 10.3 | 5.4 | 0.17 | 0.56 | C22 |
| Gallbladder etc. | 362 | 1.1 | 3.8 | 2.4 | 0.10 | 0.29 | 378 | 1.1 | 3.8 | 2.1 | 0.08 | 0.24 | C23–24 |
| Pancreas | 1062 | 3.2 | 11.1 | 6.9 | 0.31 | 0.82 | 942 | 2.7 | 9.5 | 5.3 | 0.25 | 0.61 | C25 |
| Nose, sinuses etc. | 111 | 0.3 | 1.2 | 0.8 | 0.05 | 0.09 | 65 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 407 | 1.2 | 4.2 | 2.6 | 0.13 | 0.33 | 34 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 5055 | 15.3 | 52.7 | 32.9 | 1.20 | 3.78 | 2830 | 8.1 | 28.5 | 15.6 | 0.73 | 1.71 | C33–34 |
| Other thoracic organs | 169 | 0.5 | 1.8 | 1.4 | 0.09 | 0.14 | 103 | 0.3 | 1.0 | 0.6 | 0.04 | 0.08 | C37–38 |
| Bone | 76 | 0.2 | 0.8 | 0.8 | 0.05 | 0.07 | 68 | 0.2 | 0.7 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 107 | 0.3 | 1.1 | 0.7 | 0.04 | 0.07 | 63 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C43 |
| Other skin | 1882 | 5.7 | 19.6 | 12.4 | 0.49 | 1.27 | 1518 | 4.4 | 15.3 | 8.1 | 0.29 | 0.78 | C44 |
| Mesothelioma | 86 | 0.3 | 0.9 | 0.6 | 0.02 | 0.07 | 23 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 25 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 261 | 0.8 | 2.7 | 2.0 | 0.13 | 0.21 | 215 | 0.6 | 2.2 | 1.6 | 0.09 | 0.16 | C47+C49 |
| Breast | 38 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 10741 | 30.9 | 108.1 | 69.3 | 5.27 | 7.74 | C50 |
| Vulva | | | | | | | 118 | 0.3 | 1.2 | 0.7 | 0.03 | 0.08 | C51 |
| Vagina | | | | | | | 61 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1083 | 3.1 | 10.9 | 7.1 | 0.52 | 0.76 | C53 |
| Corpus uteri | | | | | | | 2609 | 7.5 | 26.3 | 16.9 | 1.35 | 1.91 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 1489 | 4.3 | 15.0 | 10.1 | 0.78 | 1.04 | C56 |
| Other female genital organs | | | | | | | 48 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 18 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 67 | 0.2 | 0.7 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 4908 | 14.8 | 51.2 | 32.3 | 0.99 | 4.28 | | | | | | | C61 |
| Testis | 206 | 0.6 | 2.1 | 2.1 | 0.15 | 0.15 | | | | | | | C62 |
| Other male genital organs | 70 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | | | | | | | C63 |
| Kidney | 1250 | 3.8 | 13.0 | 8.5 | 0.51 | 1.01 | 625 | 1.8 | 6.3 | 4.0 | 0.23 | 0.46 | C64 |
| Renal pelvis | 98 | 0.3 | 1.0 | 0.7 | 0.02 | 0.08 | 63 | 0.2 | 0.6 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 82 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 66 | 0.2 | 0.7 | 0.3 | 0.01 | 0.04 | C66 |
| †Bladder | 1214 | 3.7 | 12.7 | 7.9 | 0.30 | 0.87 | 349 | 1.0 | 3.5 | 1.9 | 0.08 | 0.21 | C67 |
| Other urinary organs | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 9 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 27 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 25 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 360 | 1.1 | 3.8 | 3.0 | 0.18 | 0.28 | 284 | 0.8 | 2.9 | 2.4 | 0.14 | 0.20 | C70–72 |
| Thyroid | 505 | 1.5 | 5.3 | 3.7 | 0.28 | 0.39 | 1434 | 4.1 | 14.4 | 10.3 | 0.78 | 1.01 | C73 |
| Adrenal gland | 26 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 23 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 29 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 20 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 99 | 0.3 | 1.0 | 1.0 | 0.06 | 0.08 | 93 | 0.3 | 0.9 | 1.0 | 0.07 | 0.07 | C81 |
| Non-Hodgkin lymphoma | 1351 | 4.1 | 14.1 | 10.0 | 0.55 | 1.08 | 991 | 2.8 | 10.0 | 6.7 | 0.38 | 0.72 | C82–86,C96 |
| Immunoproliferative diseases | 124 | 0.4 | 1.3 | 0.8 | 0.05 | 0.10 | 116 | 0.3 | 1.2 | 0.7 | 0.05 | 0.08 | C88 |
| Multiple myeloma | 301 | 0.9 | 3.1 | 2.0 | 0.10 | 0.25 | 257 | 0.7 | 2.6 | 1.5 | 0.07 | 0.16 | C90 |
| Lymphoid leukaemia | 270 | 0.8 | 2.8 | 3.1 | 0.16 | 0.22 | 176 | 0.5 | 1.8 | 1.9 | 0.10 | 0.14 | C91 |
| Myeloid leukaemia | 454 | 1.4 | 4.7 | 3.5 | 0.19 | 0.34 | 358 | 1.0 | 3.6 | 2.6 | 0.15 | 0.24 | C92–94 |
| Leukaemia unspecified | 26 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 22 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 381 | 1.2 | 4.0 | 2.6 | 0.14 | 0.30 | 270 | 0.8 | 2.7 | 1.7 | 0.10 | 0.19 | MPD |
| Myelodysplastic syndromes | 306 | 0.9 | 3.2 | 2.0 | 0.06 | 0.20 | 231 | 0.7 | 2.3 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 433 | 1.3 | 4.5 | 2.9 | 0.11 | 0.27 | 464 | 1.3 | 4.7 | 2.5 | 0.10 | 0.23 | O&U |
| All sites | 34934 | | 364.5 | 236.7 | 10.86 | 27.22 | 36295 | | 365.4 | 225.1 | 14.21 | 24.26 | C00–96 |
| All sites except C44 | 33052 | 100.0 | 344.9 | 224.3 | 10.37 | 25.95 | 34777 | 100.0 | 350.1 | 217.0 | 13.93 | 23.48 | C00–96 exc. C44 |

†See note following population pyramid

Singapore: Chinese (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 214 | 0.8 | 3.0 | 1.9 | 0.13 | 0.22 | 106 | 0.4 | 1.4 | 0.9 | 0.06 | 0.09 | C01–02 |
| Mouth | 130 | 0.5 | 1.8 | 1.1 | 0.06 | 0.13 | 69 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | C03–06 |
| Salivary glands | 94 | 0.3 | 1.3 | 0.9 | 0.05 | 0.09 | 73 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 74 | 0.3 | 1.0 | 0.6 | 0.05 | 0.08 | 26 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 43 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 975 | 3.5 | 13.8 | 8.8 | 0.70 | 0.97 | 344 | 1.2 | 4.6 | 3.0 | 0.24 | 0.32 | C11 |
| Hypopharynx | 104 | 0.4 | 1.5 | 0.8 | 0.04 | 0.09 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 418 | 1.5 | 5.9 | 3.4 | 0.16 | 0.42 | 85 | 0.3 | 1.1 | 0.5 | 0.02 | 0.05 | C15 |
| Stomach | 1333 | 4.8 | 18.8 | 10.7 | 0.41 | 1.16 | 989 | 3.5 | 13.3 | 6.4 | 0.27 | 0.64 | C16 |
| Small intestine | 133 | 0.5 | 1.9 | 1.1 | 0.06 | 0.12 | 87 | 0.3 | 1.2 | 0.6 | 0.03 | 0.07 | C17 |
| Colon | 2993 | 10.8 | 42.3 | 24.3 | 1.08 | 2.84 | 2838 | 10.0 | 38.2 | 19.1 | 0.90 | 2.10 | C18 |
| Rectum | 1977 | 7.2 | 27.9 | 16.3 | 0.90 | 2.01 | 1263 | 4.4 | 17.0 | 8.9 | 0.51 | 1.01 | C19–20 |
| Anus | 87 | 0.3 | 1.2 | 0.7 | 0.04 | 0.10 | 60 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C21 |
| Liver | 2329 | 8.4 | 32.9 | 18.9 | 0.90 | 2.21 | 873 | 3.1 | 11.8 | 5.5 | 0.17 | 0.57 | C22 |
| Gallbladder etc. | 298 | 1.1 | 4.2 | 2.4 | 0.10 | 0.29 | 312 | 1.1 | 4.2 | 2.0 | 0.08 | 0.23 | C23–24 |
| Pancreas | 915 | 3.3 | 12.9 | 7.3 | 0.33 | 0.86 | 812 | 2.9 | 10.9 | 5.5 | 0.26 | 0.64 | C25 |
| Nose, sinuses etc. | 97 | 0.4 | 1.4 | 0.9 | 0.05 | 0.10 | 59 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C30–31 |
| Larynx | 335 | 1.2 | 4.7 | 2.7 | 0.13 | 0.33 | 29 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 4213 | 15.3 | 59.5 | 33.5 | 1.20 | 3.79 | 2485 | 8.8 | 33.5 | 16.6 | 0.78 | 1.83 | C33–34 |
| Other thoracic organs | 141 | 0.5 | 2.0 | 1.4 | 0.09 | 0.14 | 87 | 0.3 | 1.2 | 0.7 | 0.04 | 0.08 | C37–38 |
| Bone | 59 | 0.2 | 0.8 | 0.8 | 0.05 | 0.07 | 50 | 0.2 | 0.7 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 59 | 0.2 | 0.8 | 0.5 | 0.03 | 0.04 | 51 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C43 |
| Other skin | 1518 | 5.5 | 21.5 | 12.2 | 0.42 | 1.20 | 1338 | 4.7 | 18.0 | 8.5 | 0.28 | 0.82 | C44 |
| Mesothelioma | 81 | 0.3 | 1.1 | 0.6 | 0.02 | 0.08 | 16 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 15 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 197 | 0.7 | 2.8 | 2.0 | 0.12 | 0.20 | 174 | 0.6 | 2.3 | 1.6 | 0.09 | 0.16 | C47+C49 |
| Breast | 29 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 8604 | 30.3 | 115.9 | 70.3 | 5.37 | 7.82 | C50 |
| Vulva | | | | | | | 102 | 0.4 | 1.4 | 0.7 | 0.03 | 0.08 | C51 |
| Vagina | | | | | | | 54 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 850 | 3.0 | 11.4 | 7.0 | 0.52 | 0.76 | C53 |
| Corpus uteri | | | | | | | 2075 | 7.3 | 28.0 | 17.1 | 1.37 | 1.91 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 1130 | 4.0 | 15.2 | 9.8 | 0.77 | 1.00 | C56 |
| Other female genital organs | | | | | | | 27 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 14 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 55 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 4229 | 15.3 | 59.8 | 33.8 | 1.05 | 4.49 | | | | | | | C61 |
| Testis | 129 | 0.5 | 1.8 | 1.8 | 0.13 | 0.13 | | | | | | | C62 |
| Other male genital organs | 62 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | | | | | | | C63 |
| Kidney | 1063 | 3.9 | 15.0 | 9.1 | 0.55 | 1.07 | 518 | 1.8 | 7.0 | 4.2 | 0.25 | 0.47 | C64 |
| Renal pelvis | 87 | 0.3 | 1.2 | 0.7 | 0.02 | 0.09 | 55 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 73 | 0.3 | 1.0 | 0.6 | 0.02 | 0.06 | 57 | 0.2 | 0.8 | 0.4 | 0.01 | 0.04 | C66 |
| †Bladder | 973 | 3.5 | 13.8 | 7.8 | 0.29 | 0.86 | 292 | 1.0 | 3.9 | 1.9 | 0.08 | 0.20 | C67 |
| Other urinary organs | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 21 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 20 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 274 | 1.0 | 3.9 | 3.0 | 0.17 | 0.28 | 219 | 0.8 | 2.9 | 2.3 | 0.14 | 0.20 | C70–72 |
| Thyroid | 394 | 1.4 | 5.6 | 3.7 | 0.28 | 0.40 | 1123 | 4.0 | 15.1 | 10.3 | 0.79 | 1.03 | C73 |
| Adrenal gland | 20 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 19 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 25 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 16 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 61 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | 57 | 0.2 | 0.8 | 0.9 | 0.06 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 997 | 3.6 | 14.1 | 9.3 | 0.50 | 1.01 | 747 | 2.6 | 10.1 | 6.2 | 0.35 | 0.66 | C82–86,C96 |
| Immunoproliferative diseases | 98 | 0.4 | 1.4 | 0.8 | 0.05 | 0.10 | 99 | 0.3 | 1.3 | 0.8 | 0.05 | 0.08 | C88 |
| Multiple myeloma | 211 | 0.8 | 3.0 | 1.7 | 0.07 | 0.22 | 168 | 0.6 | 2.3 | 1.1 | 0.05 | 0.13 | C90 |
| Lymphoid leukaemia | 203 | 0.7 | 2.9 | 3.0 | 0.15 | 0.22 | 131 | 0.5 | 1.8 | 1.7 | 0.09 | 0.14 | C91 |
| Myeloid leukaemia | 351 | 1.3 | 5.0 | 3.5 | 0.19 | 0.33 | 285 | 1.0 | 3.8 | 2.6 | 0.15 | 0.24 | C92–94 |
| Leukaemia unspecified | 22 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 16 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 282 | 1.0 | 4.0 | 2.4 | 0.13 | 0.28 | 202 | 0.7 | 2.7 | 1.5 | 0.08 | 0.17 | MPD |
| Myelodysplastic syndromes | 252 | 0.9 | 3.6 | 2.0 | 0.06 | 0.21 | 198 | 0.7 | 2.7 | 1.3 | 0.04 | 0.13 | MPS |
| Other and unspecified | 360 | 1.3 | 5.1 | 3.0 | 0.12 | 0.29 | 390 | 1.4 | 5.3 | 2.5 | 0.10 | 0.22 | O&U |
| All sites | 29114 | | 411.5 | 243.8 | 11.08 | 27.94 | 29722 | | 400.4 | 228.1 | 14.39 | 24.54 | C00–96 |
| All sites except C44 | 27596 | 100.0 | 390.0 | 231.6 | 10.67 | 26.74 | 28384 | 100.0 | 382.3 | 219.7 | 14.11 | 23.72 | C00–96 exc. C44 |

†See note following population pyramid

Singapore: Indian (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 20 | 1.3 | 2.2 | 1.9 | 0.13 | 0.26 | 24 | 1.2 | 2.8 | 2.1 | 0.16 | 0.26 | C01–02 |
| Mouth | 23 | 1.4 | 2.5 | 2.1 | 0.09 | 0.24 | 27 | 1.4 | 3.1 | 2.3 | 0.13 | 0.23 | C03–06 |
| Salivary glands | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.3 | 0.7 | 0.5 | 0.04 | 0.04 | C07–08 |
| Tonsil | 10 | 0.6 | 1.1 | 0.7 | 0.07 | 0.07 | 3 | 0.2 | 0.3 | 0.3 | 0.03 | 0.03 | C09 |
| Other oropharynx | 10 | 0.6 | 1.1 | 1.0 | 0.04 | 0.13 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 14 | 0.9 | 1.5 | 1.2 | 0.09 | 0.17 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 8 | 0.5 | 0.9 | 0.7 | 0.04 | 0.06 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.03 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 25 | 1.6 | 2.7 | 2.3 | 0.12 | 0.31 | 5 | 0.3 | 0.6 | 0.4 | 0.02 | 0.06 | C15 |
| Stomach | 77 | 4.8 | 8.5 | 6.7 | 0.35 | 0.76 | 43 | 2.2 | 5.0 | 3.9 | 0.30 | 0.45 | C16 |
| Small intestine | 18 | 1.1 | 2.0 | 1.5 | 0.10 | 0.16 | 21 | 1.1 | 2.4 | 2.0 | 0.12 | 0.25 | C17 |
| Colon | 125 | 7.9 | 13.7 | 11.8 | 0.56 | 1.54 | 100 | 5.2 | 11.6 | 9.1 | 0.41 | 1.04 | C18 |
| Rectum | 97 | 6.1 | 10.6 | 9.0 | 0.51 | 1.12 | 72 | 3.7 | 8.3 | 6.6 | 0.36 | 0.72 | C19–20 |
| Anus | 5 | 0.3 | 0.5 | 0.5 | 0.03 | 0.09 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 124 | 7.8 | 13.6 | 11.7 | 0.61 | 1.44 | 36 | 1.9 | 4.2 | 3.2 | 0.09 | 0.27 | C22 |
| Gallbladder etc. | 21 | 1.3 | 2.3 | 2.1 | 0.09 | 0.24 | 31 | 1.6 | 3.6 | 3.0 | 0.13 | 0.38 | C23–24 |
| Pancreas | 47 | 3.0 | 5.2 | 4.2 | 0.22 | 0.45 | 50 | 2.6 | 5.8 | 4.8 | 0.23 | 0.54 | C25 |
| Nose, sinuses etc. | 5 | 0.3 | 0.5 | 0.6 | 0.03 | 0.04 | 4 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 32 | 2.0 | 3.5 | 3.2 | 0.10 | 0.44 | 3 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 197 | 12.4 | 21.6 | 19.1 | 0.80 | 2.51 | 68 | 3.5 | 7.9 | 6.4 | 0.23 | 0.78 | C33–34 |
| Other thoracic organs | 6 | 0.4 | 0.7 | 0.5 | 0.05 | 0.05 | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.02 | C37–38 |
| Bone | 5 | 0.3 | 0.5 | 0.7 | 0.04 | 0.07 | 6 | 0.3 | 0.7 | 0.7 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 4 | 0.3 | 0.4 | 0.4 | 0.01 | 0.08 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C43 |
| Other skin | 28 | 1.8 | 3.1 | 2.6 | 0.09 | 0.29 | 31 | 1.6 | 3.6 | 2.6 | 0.12 | 0.26 | C44 |
| Mesothelioma | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 24 | 1.5 | 2.6 | 2.4 | 0.14 | 0.26 | 12 | 0.6 | 1.4 | 1.3 | 0.08 | 0.13 | C47+C49 |
| Breast | 6 | 0.4 | 0.7 | 0.5 | 0.04 | 0.04 | 716 | 36.9 | 82.9 | 65.6 | 4.75 | 7.59 | C50 |
| Vulva | | | | | | | 4 | 0.2 | 0.5 | 0.3 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 45 | 2.3 | 5.2 | 4.2 | 0.26 | 0.44 | C53 |
| Corpus uteri | | | | | | | 193 | 10.0 | 22.3 | 17.5 | 1.40 | 2.23 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 91 | 4.7 | 10.5 | 8.6 | 0.58 | 0.92 | C56 |
| Other female genital organs | | | | | | | 8 | 0.4 | 0.9 | 0.8 | 0.05 | 0.12 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.3 | 0.5 | 0.5 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 205 | 12.9 | 22.5 | 20.6 | 0.64 | 2.73 | | | | | | | C61 |
| Testis | 25 | 1.6 | 2.7 | 2.9 | 0.20 | 0.20 | | | | | | | C62 |
| Other male genital organs | 1 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 71 | 4.5 | 7.8 | 6.2 | 0.37 | 0.74 | 31 | 1.6 | 3.6 | 2.9 | 0.16 | 0.41 | C64 |
| Renal pelvis | 3 | 0.2 | 0.3 | 0.3 | 0.01 | 0.03 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 3 | 0.2 | 0.3 | 0.2 | 0.00 | 0.00 | 4 | 0.2 | 0.5 | 0.4 | 0.01 | 0.04 | C66 |
| †Bladder | 69 | 4.3 | 7.6 | 6.5 | 0.26 | 0.78 | 27 | 1.4 | 3.1 | 2.5 | 0.11 | 0.36 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.1 | 0.3 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 32 | 2.0 | 3.5 | 3.1 | 0.21 | 0.30 | 23 | 1.2 | 2.7 | 3.0 | 0.15 | 0.19 | C70–72 |
| Thyroid | 28 | 1.8 | 3.1 | 2.5 | 0.16 | 0.29 | 104 | 5.4 | 12.0 | 9.9 | 0.67 | 1.04 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 15 | 0.9 | 1.6 | 1.5 | 0.11 | 0.14 | 7 | 0.4 | 0.8 | 0.9 | 0.06 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 74 | 4.7 | 8.1 | 7.3 | 0.39 | 0.80 | 54 | 2.8 | 6.3 | 5.8 | 0.33 | 0.58 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.4 | 0.8 | 0.5 | 0.05 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 26 | 1.6 | 2.9 | 2.2 | 0.12 | 0.22 | 23 | 1.2 | 2.7 | 2.2 | 0.13 | 0.21 | C90 |
| Lymphoid leukaemia | 27 | 1.7 | 3.0 | 3.7 | 0.19 | 0.25 | 16 | 0.8 | 1.9 | 2.6 | 0.14 | 0.18 | C91 |
| Myeloid leukaemia | 24 | 1.5 | 2.6 | 2.0 | 0.13 | 0.20 | 21 | 1.1 | 2.4 | 2.1 | 0.11 | 0.20 | C92–94 |
| Leukaemia unspecified | 1 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 18 | 1.1 | 2.0 | 1.6 | 0.11 | 0.18 | 13 | 0.7 | 1.5 | 1.2 | 0.07 | 0.17 | MPD |
| Myelodysplastic syndromes | 18 | 1.1 | 2.0 | 1.6 | 0.06 | 0.15 | 10 | 0.5 | 1.2 | 0.9 | 0.05 | 0.08 | MPS |
| Other and unspecified | 30 | 1.9 | 3.3 | 2.6 | 0.13 | 0.23 | 18 | 0.9 | 2.1 | 1.8 | 0.07 | 0.21 | O&U |
| All sites | 1618 | | 177.6 | 154.4 | 7.57 | 18.24 | 1969 | | 227.9 | 185.1 | 11.81 | 20.76 | C00–96 |
| All sites except C44 | 1590 | 100.0 | 174.5 | 151.8 | 7.48 | 17.95 | 1938 | 100.0 | 224.3 | 182.4 | 11.70 | 20.50 | C00–96 exc. C44 |

†See note following population pyramid

Singapore: Malay (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 13 | 0.4 | 1.0 | 0.8 | 0.06 | 0.11 | 21 | 0.6 | 1.6 | 1.1 | 0.10 | 0.12 | C01–02 |
| Mouth | 8 | 0.3 | 0.6 | 0.6 | 0.02 | 0.10 | 6 | 0.2 | 0.5 | 0.3 | 0.04 | 0.04 | C03–06 |
| Salivary glands | 11 | 0.4 | 0.8 | 0.7 | 0.03 | 0.06 | 9 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 6 | 0.2 | 0.5 | 0.4 | 0.02 | 0.08 | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 89 | 2.9 | 6.9 | 5.4 | 0.41 | 0.59 | 31 | 0.8 | 2.4 | 1.9 | 0.16 | 0.19 | C11 |
| Hypopharynx | 2 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 25 | 0.8 | 1.9 | 1.6 | 0.08 | 0.18 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C15 |
| Stomach | 90 | 2.9 | 6.9 | 5.9 | 0.32 | 0.64 | 51 | 1.4 | 3.9 | 2.8 | 0.16 | 0.34 | C16 |
| Small intestine | 15 | 0.5 | 1.2 | 1.0 | 0.04 | 0.13 | 11 | 0.3 | 0.8 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 281 | 9.1 | 21.7 | 18.1 | 0.91 | 2.07 | 284 | 7.8 | 21.7 | 16.0 | 0.87 | 1.85 | C18 |
| Rectum | 219 | 7.1 | 16.9 | 13.8 | 0.79 | 1.55 | 160 | 4.4 | 12.2 | 9.0 | 0.43 | 1.13 | C19–20 |
| Anus | 14 | 0.5 | 1.1 | 0.9 | 0.04 | 0.13 | 11 | 0.3 | 0.8 | 0.6 | 0.04 | 0.07 | C21 |
| Liver | 252 | 8.1 | 19.4 | 15.7 | 0.93 | 1.81 | 96 | 2.6 | 7.3 | 5.7 | 0.21 | 0.64 | C22 |
| Gallbladder etc. | 35 | 1.1 | 2.7 | 2.3 | 0.10 | 0.27 | 31 | 0.8 | 2.4 | 1.8 | 0.07 | 0.22 | C23–24 |
| Pancreas | 70 | 2.3 | 5.4 | 4.6 | 0.21 | 0.58 | 72 | 2.0 | 5.5 | 4.1 | 0.18 | 0.50 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C30–31 |
| Larynx | 35 | 1.1 | 2.7 | 2.3 | 0.11 | 0.28 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C32 |
| Trachea, bronchus, and lung | 557 | 18.0 | 43.0 | 37.3 | 1.48 | 4.55 | 231 | 6.3 | 17.6 | 12.5 | 0.70 | 1.30 | C33–34 |
| Other thoracic organs | 17 | 0.5 | 1.3 | 1.3 | 0.08 | 0.12 | 12 | 0.3 | 0.9 | 0.7 | 0.04 | 0.07 | C37–38 |
| Bone | 5 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | 12 | 0.3 | 0.9 | 0.8 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C43 |
| Other skin | 65 | 2.1 | 5.0 | 4.6 | 0.17 | 0.57 | 69 | 1.9 | 5.3 | 3.9 | 0.14 | 0.40 | C44 |
| Mesothelioma | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 6 | 0.2 | 0.5 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 29 | 0.9 | 2.2 | 1.9 | 0.14 | 0.17 | 22 | 0.6 | 1.7 | 1.5 | 0.07 | 0.19 | C47+C49 |
| Breast | 2 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1125 | 30.7 | 85.9 | 64.8 | 4.98 | 7.23 | C50 |
| Vulva | | | | | | | 10 | 0.3 | 0.8 | 0.6 | 0.04 | 0.07 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 143 | 3.9 | 10.9 | 8.7 | 0.67 | 0.88 | C53 |
| Corpus uteri | | | | | | | 301 | 8.2 | 23.0 | 17.5 | 1.42 | 1.91 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 238 | 6.5 | 18.2 | 13.9 | 1.06 | 1.49 | C56 |
| Other female genital organs | | | | | | | 12 | 0.3 | 0.9 | 0.6 | 0.06 | 0.06 | C57 |
| Placenta | | | | | | | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 323 | 10.4 | 24.9 | 22.6 | 0.51 | 2.68 | | | | | | | C61 |
| Testis | 40 | 1.3 | 3.1 | 2.9 | 0.20 | 0.20 | | | | | | | C62 |
| Other male genital organs | 6 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 98 | 3.2 | 7.6 | 6.4 | 0.37 | 0.85 | 65 | 1.8 | 5.0 | 3.8 | 0.22 | 0.47 | C64 |
| Renal pelvis | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.02 | 6 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 5 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | 5 | 0.1 | 0.4 | 0.3 | 0.00 | 0.02 | C66 |
| †Bladder | 131 | 4.2 | 10.1 | 8.7 | 0.32 | 0.94 | 21 | 0.6 | 1.6 | 1.2 | 0.07 | 0.14 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 40 | 1.3 | 3.1 | 3.0 | 0.16 | 0.28 | 35 | 1.0 | 2.7 | 2.6 | 0.14 | 0.19 | C70–72 |
| Thyroid | 69 | 2.2 | 5.3 | 4.4 | 0.32 | 0.45 | 153 | 4.2 | 11.7 | 9.5 | 0.62 | 0.82 | C73 |
| Adrenal gland | 5 | 0.2 | 0.4 | 0.5 | 0.03 | 0.03 | 2 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 21 | 0.7 | 1.6 | 1.5 | 0.09 | 0.12 | 27 | 0.7 | 2.1 | 1.9 | 0.13 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 234 | 7.6 | 18.0 | 15.8 | 0.88 | 1.77 | 169 | 4.6 | 12.9 | 10.4 | 0.60 | 1.17 | C82–86,C96 |
| Immunoproliferative diseases | 18 | 0.6 | 1.4 | 1.1 | 0.05 | 0.15 | 11 | 0.3 | 0.8 | 0.7 | 0.04 | 0.11 | C88 |
| Multiple myeloma | 55 | 1.8 | 4.2 | 3.6 | 0.22 | 0.47 | 57 | 1.6 | 4.4 | 3.2 | 0.14 | 0.35 | C90 |
| Lymphoid leukaemia | 32 | 1.0 | 2.5 | 3.0 | 0.15 | 0.21 | 23 | 0.6 | 1.8 | 2.3 | 0.13 | 0.13 | C91 |
| Myeloid leukaemia | 64 | 2.1 | 4.9 | 4.6 | 0.24 | 0.46 | 46 | 1.3 | 3.5 | 3.1 | 0.17 | 0.32 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 70 | 2.3 | 5.4 | 4.6 | 0.25 | 0.55 | 45 | 1.2 | 3.4 | 2.7 | 0.16 | 0.29 | MPD |
| Myelodysplastic syndromes | 30 | 1.0 | 2.3 | 2.0 | 0.06 | 0.15 | 18 | 0.5 | 1.4 | 1.0 | 0.04 | 0.10 | MPS |
| Other and unspecified | 38 | 1.2 | 2.9 | 2.7 | 0.10 | 0.21 | 46 | 1.3 | 3.5 | 2.6 | 0.10 | 0.30 | O&U |
| All sites | 3158 | | 243.5 | 210.3 | 10.14 | 23.84 | 3728 | | 284.5 | 218.7 | 14.33 | 23.75 | C00–96 |
| All sites except C44 | 3093 | 100.0 | 238.5 | 205.6 | 9.97 | 23.27 | 3659 | 100.0 | 279.3 | 214.7 | 14.19 | 23.35 | C00–96 exc. C44 |

†See note following population pyramid

Thailand, Bangkok

CONTRIBUTORS

Sakarn Bunnag
Suleeporn Sangrajrang
Krittika Suwanrungruang
Rangsiya Buasom
Supakorn Pitakkarnkul
Patravoot Vatanasapt
Nisit Singhakosit



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 20.1 | Breast | 36.3 |
| Liver | 18.0 | Trachea, bronchus, and lung | 9.8 |
| Prostate | 13.7 | Cervix uteri | 9.6 |
| Colon | 11.3 | Colon | 8.2 |
| Rectum | 8.2 | Corpus uteri | 6.2 |
| Non-Hodgkin lymphoma | 5.1 | Thyroid | 6.1 |
| Bladder | 4.5 | Liver | 6.0 |
| Other and unspecified | 4.3 | Ovary | 6.0 |
| Oesophagus | 3.0 | Rectum | 4.5 |
| Nasopharynx | 2.9 | Non-Hodgkin lymphoma | 4.0 |
| Non-melanoma skin cancer | 2.6 | Other and unspecified | 3.2 |
| Pancreas | 2.6 | Non-melanoma skin cancer | 2.5 |
| Stomach | 2.5 | Stomach | 2.2 |
| Larynx | 2.2 | Pancreas | 1.9 |
| Kidney | 2.2 | Brain and nervous system | 1.4 |
| Brain and nervous system | 1.9 | Bladder | 1.3 |
| Tongue | 1.9 | Gallbladder etc. | 1.3 |
| Myeloid leukaemia | 1.7 | Myeloid leukaemia | 1.2 |
| Thyroid | 1.7 | Lymphoid leukaemia | 1.2 |
| Lymphoid leukaemia | 1.6 | Leukaemia unspecified | 1.0 |
| All sites | 127.7 | All sites | 125.0 |


Thailand, Bangkok (2013–2016)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 38 | 0.1 | 0.2 | 0.2 | 0.00 | 0.01 | C00 |
| Tongue | 345 | 1.6 | 2.2 | 1.9 | 0.14 | 0.23 | 185 | 0.7 | 1.1 | 0.8 | 0.05 | 0.09 | C01–02 |
| Mouth | 248 | 1.2 | 1.6 | 1.4 | 0.08 | 0.18 | 142 | 0.5 | 0.9 | 0.6 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 98 | 0.5 | 0.6 | 0.5 | 0.03 | 0.06 | 91 | 0.3 | 0.5 | 0.4 | 0.02 | 0.05 | C07–08 |
| Tonsil | 136 | 0.6 | 0.9 | 0.7 | 0.05 | 0.08 | 46 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 68 | 0.3 | 0.4 | 0.3 | 0.03 | 0.04 | 12 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 570 | 2.7 | 3.7 | 2.9 | 0.23 | 0.34 | 202 | 0.8 | 1.2 | 0.9 | 0.07 | 0.09 | C11 |
| Hypopharynx | 209 | 1.0 | 1.4 | 1.2 | 0.07 | 0.15 | 15 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 23 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 533 | 2.5 | 3.5 | 3.0 | 0.19 | 0.39 | 96 | 0.4 | 0.6 | 0.4 | 0.02 | 0.05 | C15 |
| Stomach | 433 | 2.0 | 2.8 | 2.5 | 0.13 | 0.28 | 483 | 1.8 | 2.9 | 2.2 | 0.12 | 0.26 | C16 |
| Small intestine | 62 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | 59 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C17 |
| Colon | 1921 | 9.1 | 12.5 | 11.3 | 0.54 | 1.36 | 1817 | 6.8 | 10.9 | 8.2 | 0.42 | 0.92 | C18 |
| Rectum | 1394 | 6.6 | 9.0 | 8.2 | 0.42 | 1.03 | 971 | 3.6 | 5.8 | 4.5 | 0.26 | 0.54 | C19–20 |
| Anus | 50 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 61 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C21 |
| Liver | 3177 | 15.0 | 20.6 | 18.0 | 1.13 | 2.21 | 1319 | 4.9 | 7.9 | 6.0 | 0.28 | 0.70 | C22 |
| Gallbladder etc. | 228 | 1.1 | 1.5 | 1.3 | 0.07 | 0.15 | 288 | 1.1 | 1.7 | 1.3 | 0.06 | 0.15 | C23–24 |
| Pancreas | 439 | 2.1 | 2.8 | 2.6 | 0.12 | 0.33 | 408 | 1.5 | 2.5 | 1.9 | 0.08 | 0.22 | C25 |
| Nose, sinuses etc. | 83 | 0.4 | 0.5 | 0.4 | 0.03 | 0.05 | 58 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 379 | 1.8 | 2.5 | 2.2 | 0.12 | 0.27 | 42 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 3405 | 16.1 | 22.1 | 20.1 | 0.96 | 2.42 | 2158 | 8.0 | 13.0 | 9.8 | 0.50 | 1.14 | C33–34 |
| Other thoracic organs | 95 | 0.4 | 0.6 | 0.5 | 0.03 | 0.05 | 63 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 119 | 0.6 | 0.8 | 0.9 | 0.05 | 0.07 | 87 | 0.3 | 0.5 | 0.5 | 0.03 | 0.05 | C40–41 |
| Melanoma of skin | 37 | 0.2 | 0.2 | 0.2 | 0.01 | 0.02 | 58 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C43 |
| Other skin | 450 | 2.1 | 2.9 | 2.6 | 0.10 | 0.28 | 555 | 2.1 | 3.3 | 2.5 | 0.09 | 0.27 | C44 |
| Mesothelioma | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 18 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 245 | 1.2 | 1.6 | 1.5 | 0.08 | 0.15 | 212 | 0.8 | 1.3 | 1.0 | 0.07 | 0.10 | C47+C49 |
| Breast | 73 | 0.3 | 0.5 | 0.4 | 0.03 | 0.05 | 8219 | 30.6 | 49.4 | 36.3 | 2.78 | 4.13 | C50 |
| Vulva | | | | | | | 48 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 33 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 2184 | 8.1 | 13.1 | 9.6 | 0.69 | 1.08 | C53 |
| Corpus uteri | | | | | | | 1349 | 5.0 | 8.1 | 6.2 | 0.45 | 0.77 | C54 |
| Uterus unspecified | | | | | | | 60 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 1299 | 4.8 | 7.8 | 6.0 | 0.46 | 0.64 | C56 |
| Other female genital organs | | | | | | | 18 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 27 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 73 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | | | | | | | C60 |
| Prostate | 2146 | 10.1 | 13.9 | 13.7 | 0.38 | 1.74 | | | | | | | C61 |
| Testis | 85 | 0.4 | 0.6 | 0.5 | 0.03 | 0.04 | | | | | | | C62 |
| Other male genital organs | 12 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 379 | 1.8 | 2.5 | 2.2 | 0.12 | 0.26 | 199 | 0.7 | 1.2 | 1.0 | 0.05 | 0.10 | C64 |
| Renal pelvis | 25 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 23 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 31 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 43 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 729 | 3.4 | 4.7 | 4.5 | 0.16 | 0.53 | 294 | 1.1 | 1.8 | 1.3 | 0.05 | 0.14 | C67 |
| Other urinary organs | 7 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 15 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 18 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 288 | 1.4 | 1.9 | 1.9 | 0.12 | 0.17 | 241 | 0.9 | 1.4 | 1.4 | 0.08 | 0.13 | C70–72 |
| Thyroid | 311 | 1.5 | 2.0 | 1.7 | 0.11 | 0.17 | 1361 | 5.1 | 8.2 | 6.1 | 0.47 | 0.60 | C73 |
| Adrenal gland | 20 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 18 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 22 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 65 | 0.3 | 0.4 | 0.4 | 0.03 | 0.03 | 61 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 873 | 4.1 | 5.7 | 5.1 | 0.28 | 0.56 | 849 | 3.2 | 5.1 | 4.0 | 0.22 | 0.45 | C82–86,C96 |
| Immunoproliferative diseases | 26 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 15 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 189 | 0.9 | 1.2 | 1.1 | 0.05 | 0.13 | 197 | 0.7 | 1.2 | 0.9 | 0.04 | 0.12 | C90 |
| Lymphoid leukaemia | 208 | 1.0 | 1.4 | 1.6 | 0.08 | 0.13 | 179 | 0.7 | 1.1 | 1.2 | 0.06 | 0.10 | C91 |
| Myeloid leukaemia | 273 | 1.3 | 1.8 | 1.7 | 0.09 | 0.16 | 241 | 0.9 | 1.4 | 1.2 | 0.07 | 0.11 | C92–94 |
| Leukaemia unspecified | 166 | 0.8 | 1.1 | 1.2 | 0.06 | 0.10 | 173 | 0.6 | 1.0 | 1.0 | 0.06 | 0.09 | C95 |
| Myeloproliferative disorders | 60 | 0.3 | 0.4 | 0.3 | 0.02 | 0.04 | 39 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 48 | 0.2 | 0.3 | 0.3 | 0.00 | 0.03 | 47 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | MPS |
| Other and unspecified | 731 | 3.4 | 4.7 | 4.3 | 0.21 | 0.50 | 685 | 2.6 | 4.1 | 3.2 | 0.17 | 0.35 | O&U |
| All sites | 21648 | | 140.5 | 127.7 | 6.56 | 15.04 | 27411 | | 164.9 | 125.0 | 8.06 | 13.97 | C00–96 |
| All sites except C44 | 21198 | 100.0 | 137.6 | 125.1 | 6.46 | 14.75 | 26856 | 100.0 | 161.5 | 122.5 | 7.97 | 13.70 | C00–96 exc. C44 |

Thailand, Chiang Mai

CONTRIBUTORS

Imjai Chitapanarux
 Puttachart Maneesai
 Narate Waisri
 Panrada Tansiri
 Chirapong Hanprakopsuk
 Varunee Khamsan
 Malisa Pongsombat



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|-----------------------------|-------|
| Liver | 35.9 | Breast | 35.6 |
| Trachea, bronchus, and lung | 34.7 | Trachea, bronchus, and lung | 21.4 |
| Colon | 10.8 | Cervix uteri | 14.2 |
| Rectum | 8.5 | Liver | 12.5 |
| Prostate | 8.2 | Colon | 7.4 |
| Non-Hodgkin lymphoma | 7.0 | Thyroid | 5.9 |
| Stomach | 6.1 | Ovary | 5.6 |
| Bladder | 6.0 | Corpus uteri | 5.5 |
| Other and unspecified | 5.4 | Non-Hodgkin lymphoma | 5.4 |
| Non-melanoma skin cancer | 4.5 | Rectum | 5.2 |
| Myeloid leukaemia | 3.6 | Stomach | 4.5 |
| Pancreas | 3.0 | Non-melanoma skin cancer | 4.4 |
| Kidney | 2.6 | Other and unspecified | 3.6 |
| Nasopharynx | 2.6 | Myeloid leukaemia | 2.8 |
| Brain and nervous system | 2.5 | Pancreas | 2.3 |
| Oesophagus | 2.1 | Brain and nervous system | 2.2 |
| Myelodysplastic syndromes | 2.1 | Myelodysplastic syndromes | 2.1 |
| Lymphoid leukaemia | 2.0 | Gallbladder etc. | 2.0 |
| Myeloproliferative disorders | 2.0 | Bladder | 1.9 |
| Gallbladder etc. | 1.9 | Lymphoid leukaemia | 1.6 |
| All sites | 172.1 | All sites | 160.6 |

*Thailand, Chiang Mai (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 11 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 103 | 1.1 | 2.7 | 1.9 | 0.13 | 0.21 | 45 | 0.5 | 1.1 | 0.7 | 0.05 | 0.07 | C01–02 |
| Mouth | 93 | 1.0 | 2.4 | 1.6 | 0.10 | 0.20 | 57 | 0.6 | 1.4 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 32 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | 28 | 0.3 | 0.7 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 51 | 0.5 | 1.3 | 1.0 | 0.06 | 0.12 | 7 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 23 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 6 | 0.1 | 0.1 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 137 | 1.5 | 3.6 | 2.6 | 0.19 | 0.30 | 78 | 0.8 | 1.9 | 1.3 | 0.11 | 0.13 | C11 |
| Hypopharynx | 61 | 0.6 | 1.6 | 1.1 | 0.06 | 0.14 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 120 | 1.3 | 3.1 | 2.1 | 0.14 | 0.26 | 28 | 0.3 | 0.7 | 0.4 | 0.01 | 0.05 | C15 |
| Stomach | 358 | 3.8 | 9.3 | 6.1 | 0.39 | 0.69 | 299 | 3.0 | 7.3 | 4.5 | 0.28 | 0.49 | C16 |
| Small intestine | 18 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | 18 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C17 |
| Colon | 620 | 6.6 | 16.2 | 10.8 | 0.62 | 1.30 | 502 | 5.0 | 12.3 | 7.4 | 0.44 | 0.87 | C18 |
| Rectum | 483 | 5.1 | 12.6 | 8.5 | 0.52 | 1.02 | 353 | 3.5 | 8.6 | 5.2 | 0.34 | 0.60 | C19–20 |
| Anus | 26 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | 21 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 2045 | 21.8 | 53.3 | 35.9 | 2.48 | 4.30 | 867 | 8.7 | 21.2 | 12.5 | 0.73 | 1.50 | C22 |
| Gallbladder etc. | 116 | 1.2 | 3.0 | 1.9 | 0.11 | 0.22 | 146 | 1.5 | 3.6 | 2.0 | 0.09 | 0.22 | C23–24 |
| Pancreas | 178 | 1.9 | 4.6 | 3.0 | 0.18 | 0.33 | 152 | 1.5 | 3.7 | 2.3 | 0.12 | 0.29 | C25 |
| Nose, sinuses etc. | 32 | 0.3 | 0.8 | 0.6 | 0.04 | 0.08 | 25 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 101 | 1.1 | 2.6 | 1.7 | 0.11 | 0.20 | 14 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 2022 | 21.5 | 52.7 | 34.7 | 1.61 | 4.41 | 1489 | 15.0 | 36.4 | 21.4 | 0.95 | 2.62 | C33–34 |
| Other thoracic organs | 16 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 25 | 0.3 | 0.7 | 0.6 | 0.04 | 0.05 | 32 | 0.3 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 28 | 0.3 | 0.7 | 0.5 | 0.03 | 0.07 | 31 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | C43 |
| Other skin | 280 | 3.0 | 7.3 | 4.5 | 0.19 | 0.41 | 324 | 3.3 | 7.9 | 4.4 | 0.18 | 0.42 | C44 |
| Mesothelioma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 15 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 52 | 0.6 | 1.4 | 1.1 | 0.07 | 0.10 | 51 | 0.5 | 1.2 | 1.1 | 0.06 | 0.10 | C47+C49 |
| Breast | 15 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 2237 | 22.5 | 54.7 | 35.6 | 2.87 | 3.90 | C50 |
| Vulva | | | | | | | 51 | 0.5 | 1.2 | 0.7 | 0.04 | 0.08 | C51 |
| Vagina | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 854 | 8.6 | 20.9 | 14.2 | 1.13 | 1.44 | C53 |
| Corpus uteri | | | | | | | 363 | 3.6 | 8.9 | 5.5 | 0.44 | 0.64 | C54 |
| Uterus unspecified | | | | | | | 15 | 0.2 | 0.4 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 333 | 3.3 | 8.1 | 5.6 | 0.44 | 0.57 | C56 |
| Other female genital organs | | | | | | | 14 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 71 | 0.8 | 1.9 | 1.3 | 0.07 | 0.16 | | | | | | | C60 |
| Prostate | 495 | 5.3 | 12.9 | 8.2 | 0.23 | 1.02 | | | | | | | C61 |
| Testis | 22 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 141 | 1.5 | 3.7 | 2.6 | 0.17 | 0.32 | 73 | 0.7 | 1.8 | 1.2 | 0.06 | 0.14 | C64 |
| Renal pelvis | 13 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 11 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 349 | 3.7 | 9.1 | 6.0 | 0.28 | 0.73 | 132 | 1.3 | 3.2 | 1.9 | 0.08 | 0.23 | C67 |
| Other urinary organs | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 20 | 0.2 | 0.5 | 0.7 | 0.03 | 0.05 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 115 | 1.2 | 3.0 | 2.5 | 0.16 | 0.22 | 104 | 1.0 | 2.5 | 2.2 | 0.12 | 0.20 | C70–72 |
| Thyroid | 95 | 1.0 | 2.5 | 1.9 | 0.10 | 0.20 | 316 | 3.2 | 7.7 | 5.9 | 0.43 | 0.57 | C73 |
| Adrenal gland | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 35 | 0.4 | 0.9 | 0.7 | 0.04 | 0.08 | 21 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | C81 |
| Non-Hodgkin lymphoma | 372 | 4.0 | 9.7 | 7.0 | 0.43 | 0.72 | 338 | 3.4 | 8.3 | 5.4 | 0.32 | 0.59 | C82–86,C96 |
| Immunoproliferative diseases | 28 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | 27 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 64 | 0.7 | 1.7 | 1.1 | 0.06 | 0.15 | 64 | 0.6 | 1.6 | 1.0 | 0.05 | 0.13 | C90 |
| Lymphoid leukaemia | 60 | 0.6 | 1.6 | 2.0 | 0.11 | 0.12 | 52 | 0.5 | 1.3 | 1.6 | 0.09 | 0.11 | C91 |
| Myeloid leukaemia | 173 | 1.8 | 4.5 | 3.6 | 0.20 | 0.35 | 145 | 1.5 | 3.5 | 2.8 | 0.18 | 0.25 | C92–94 |
| Leukaemia unspecified | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 17 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 107 | 1.1 | 2.8 | 2.0 | 0.14 | 0.20 | 75 | 0.8 | 1.8 | 1.3 | 0.08 | 0.12 | MPD |
| Myelodysplastic syndromes | 119 | 1.3 | 3.1 | 2.1 | 0.09 | 0.23 | 151 | 1.5 | 3.7 | 2.1 | 0.09 | 0.23 | MPS |
| Other and unspecified | 301 | 3.2 | 7.9 | 5.4 | 0.28 | 0.65 | 243 | 2.4 | 5.9 | 3.6 | 0.17 | 0.43 | O&U |
| All sites | 9682 | | 252.5 | 172.1 | 9.82 | 20.16 | 10272 | | 251.1 | 160.6 | 10.38 | 17.66 | C00–96 |
| All sites except C44 | 9402 | 100.0 | 245.2 | 167.6 | 9.63 | 19.75 | 9948 | 100.0 | 243.1 | 156.2 | 10.20 | 17.24 | C00–96 exc. C44 |

*See note following population pyramid

Thailand, Khon Kaen

CONTRIBUTORS

Patravoot Vatanasapt
Krittika Suwanrungruang
Chalongpon Santhong
Yada Soakosol
Sopita Pituso
Thanawat Tongya



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 39.3 | Breast | 25.8 |
| Trachea, bronchus, and lung | 17.1 | Liver | 12.3 |
| Gallbladder etc. | 8.2 | Cervix uteri | 8.9 |
| Colon | 6.8 | Trachea, bronchus, and lung | 7.5 |
| Rectum | 6.4 | Ovary | 5.8 |
| Non-Hodgkin lymphoma | 6.2 | Thyroid | 5.8 |
| Other and unspecified | 5.5 | Colon | 5.7 |
| Prostate | 5.1 | Rectum | 4.8 |
| Non-melanoma skin cancer | 3.6 | Corpus uteri | 4.5 |
| Nasopharynx | 3.2 | Non-melanoma skin cancer | 4.3 |
| Bladder | 3.2 | Gallbladder etc. | 4.1 |
| Myeloid leukaemia | 3.0 | Non-Hodgkin lymphoma | 3.7 |
| Stomach | 2.7 | Other and unspecified | 3.1 |
| Brain and nervous system | 1.8 | Myeloid leukaemia | 2.3 |
| Oesophagus | 1.6 | Stomach | 2.2 |
| Lymphoid leukaemia | 1.6 | Lymphoid leukaemia | 1.6 |
| Larynx | 1.5 | Myelodysplastic syndromes | 1.5 |
| Myelodysplastic syndromes | 1.5 | Brain and nervous system | 1.5 |
| Tongue | 1.5 | Pancreas | 1.0 |
| Multiple myeloma | 1.4 | Mouth | 0.9 |
| All sites | 136.8 | All sites | 118.5 |

*Thailand, Khon Kaen (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 17 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | 65 | 0.9 | 1.5 | 0.8 | 0.01 | 0.09 | C00 |
| Tongue | 91 | 1.1 | 2.2 | 1.5 | 0.12 | 0.16 | 54 | 0.7 | 1.2 | 0.8 | 0.06 | 0.08 | C01–02 |
| Mouth | 59 | 0.7 | 1.4 | 0.9 | 0.06 | 0.10 | 75 | 1.0 | 1.7 | 0.9 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 24 | 0.3 | 0.6 | 0.4 | 0.03 | 0.04 | 22 | 0.3 | 0.5 | 0.3 | 0.03 | 0.04 | C07–08 |
| Tonsil | 34 | 0.4 | 0.8 | 0.6 | 0.05 | 0.06 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 10 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 185 | 2.3 | 4.4 | 3.2 | 0.26 | 0.36 | 53 | 0.7 | 1.2 | 0.8 | 0.06 | 0.09 | C11 |
| Hypopharynx | 41 | 0.5 | 1.0 | 0.7 | 0.04 | 0.08 | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 6 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 100 | 1.3 | 2.4 | 1.6 | 0.12 | 0.20 | 15 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C15 |
| Stomach | 168 | 2.1 | 4.0 | 2.7 | 0.15 | 0.33 | 140 | 1.8 | 3.1 | 2.2 | 0.16 | 0.25 | C16 |
| Small intestine | 18 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 14 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C17 |
| Colon | 415 | 5.2 | 10.0 | 6.8 | 0.41 | 0.79 | 415 | 5.5 | 9.3 | 5.7 | 0.34 | 0.68 | C18 |
| Rectum | 399 | 5.0 | 9.6 | 6.4 | 0.37 | 0.76 | 343 | 4.5 | 7.7 | 4.8 | 0.29 | 0.60 | C19–20 |
| Anus | 16 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 2437 | 30.5 | 58.6 | 39.3 | 2.63 | 4.57 | 926 | 12.2 | 20.8 | 12.3 | 0.59 | 1.53 | C22 |
| Gallbladder etc. | 522 | 6.5 | 12.5 | 8.2 | 0.35 | 1.02 | 307 | 4.1 | 6.9 | 4.1 | 0.23 | 0.49 | C23–24 |
| Pancreas | 78 | 1.0 | 1.9 | 1.3 | 0.08 | 0.14 | 74 | 1.0 | 1.7 | 1.0 | 0.05 | 0.13 | C25 |
| Nose, sinuses etc. | 19 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 13 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 96 | 1.2 | 2.3 | 1.5 | 0.10 | 0.20 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 1071 | 13.4 | 25.7 | 17.1 | 0.86 | 2.00 | 546 | 7.2 | 12.2 | 7.5 | 0.45 | 0.88 | C33–34 |
| Other thoracic organs | 21 | 0.3 | 0.5 | 0.4 | 0.04 | 0.04 | 12 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 32 | 0.4 | 0.8 | 0.7 | 0.05 | 0.06 | 23 | 0.3 | 0.5 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 26 | 0.3 | 0.6 | 0.4 | 0.01 | 0.05 | 28 | 0.4 | 0.6 | 0.4 | 0.02 | 0.04 | C43 |
| Other skin | 221 | 2.8 | 5.3 | 3.6 | 0.17 | 0.40 | 325 | 4.3 | 7.3 | 4.3 | 0.22 | 0.47 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 37 | 0.5 | 0.9 | 0.7 | 0.05 | 0.07 | 41 | 0.5 | 0.9 | 0.8 | 0.05 | 0.08 | C47+C49 |
| Breast | 19 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 1664 | 22.0 | 37.3 | 25.8 | 2.11 | 2.74 | C50 |
| Vulva | | | | | | | 17 | 0.2 | 0.4 | 0.2 | 0.01 | 0.03 | C51 |
| Vagina | | | | | | | 14 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 552 | 7.3 | 12.4 | 8.9 | 0.67 | 0.92 | C53 |
| Corpus uteri | | | | | | | 306 | 4.0 | 6.9 | 4.5 | 0.37 | 0.53 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.3 | 0.4 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 363 | 4.8 | 8.1 | 5.8 | 0.46 | 0.60 | C56 |
| Other female genital organs | | | | | | | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 10 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C58 |
| Penis | 74 | 0.9 | 1.8 | 1.3 | 0.08 | 0.14 | | | | | | | C60 |
| Prostate | 324 | 4.1 | 7.8 | 5.1 | 0.17 | 0.62 | | | | | | | C61 |
| Testis | 39 | 0.5 | 0.9 | 1.1 | 0.07 | 0.08 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 70 | 0.9 | 1.7 | 1.2 | 0.08 | 0.13 | 40 | 0.5 | 0.9 | 0.6 | 0.04 | 0.06 | C64 |
| Renal pelvis | 5 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 203 | 2.5 | 4.9 | 3.2 | 0.15 | 0.39 | 51 | 0.7 | 1.1 | 0.7 | 0.04 | 0.08 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 15 | 0.2 | 0.3 | 0.5 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 80 | 1.0 | 1.9 | 1.8 | 0.12 | 0.15 | 62 | 0.8 | 1.4 | 1.5 | 0.09 | 0.12 | C70–72 |
| Thyroid | 63 | 0.8 | 1.5 | 1.2 | 0.09 | 0.12 | 322 | 4.3 | 7.2 | 5.8 | 0.43 | 0.54 | C73 |
| Adrenal gland | 6 | 0.1 | 0.1 | 0.3 | 0.01 | 0.01 | 8 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 18 | 0.2 | 0.4 | 0.4 | 0.03 | 0.03 | 15 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 348 | 4.4 | 8.4 | 6.2 | 0.37 | 0.69 | 250 | 3.3 | 5.6 | 3.7 | 0.24 | 0.41 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 89 | 1.1 | 2.1 | 1.4 | 0.09 | 0.18 | 66 | 0.9 | 1.5 | 0.9 | 0.06 | 0.12 | C90 |
| Lymphoid leukaemia | 52 | 0.7 | 1.2 | 1.6 | 0.08 | 0.10 | 52 | 0.7 | 1.2 | 1.6 | 0.09 | 0.10 | C91 |
| Myeloid leukaemia | 152 | 1.9 | 3.7 | 3.0 | 0.18 | 0.28 | 132 | 1.7 | 3.0 | 2.3 | 0.15 | 0.20 | C92–94 |
| Leukaemia unspecified | 30 | 0.4 | 0.7 | 0.8 | 0.04 | 0.06 | 19 | 0.3 | 0.4 | 0.4 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 52 | 0.7 | 1.2 | 0.9 | 0.06 | 0.11 | 49 | 0.6 | 1.1 | 0.7 | 0.04 | 0.08 | MPD |
| Myelodysplastic syndromes | 96 | 1.2 | 2.3 | 1.5 | 0.07 | 0.16 | 116 | 1.5 | 2.6 | 1.5 | 0.04 | 0.20 | MPS |
| Other and unspecified | 329 | 4.1 | 7.9 | 5.5 | 0.31 | 0.63 | 225 | 3.0 | 5.0 | 3.1 | 0.18 | 0.36 | O&U |
| All sites | 8211 | | 197.3 | 136.8 | 8.09 | 15.53 | 7897 | | 177.0 | 118.5 | 7.85 | 13.00 | C00–96 |
| All sites except C44 | 7990 | 100.0 | 192.0 | 133.2 | 7.92 | 15.13 | 7572 | 100.0 | 169.7 | 114.2 | 7.64 | 12.53 | C00–96 exc. C44 |

*See note following population pyramid

Thailand, Lampang

CONTRIBUTORS

Donsuk Pongnikorn
Weerawat Ukranun
Karnchana Daoprasert



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Liver | 40.9 | Breast | 31.6 |
| Trachea, bronchus, and lung | 37.5 | Trachea, bronchus, and lung | 20.3 |
| Colon | 9.5 | Liver | 15.7 |
| Rectum | 9.5 | Cervix uteri | 12.5 |
| Prostate | 8.4 | Colon | 9.0 |
| Non-Hodgkin lymphoma | 8.3 | Thyroid | 6.1 |
| Non-melanoma skin cancer | 5.0 | Non-Hodgkin lymphoma | 5.7 |
| Stomach | 5.0 | Corpus uteri | 5.1 |
| Gallbladder etc. | 4.3 | Rectum | 5.0 |
| Other and unspecified | 4.2 | Non-melanoma skin cancer | 5.0 |
| Bladder | 4.2 | Ovary | 4.8 |
| Myeloid leukaemia | 3.4 | Stomach | 3.8 |
| Nasopharynx | 3.4 | Other and unspecified | 3.2 |
| Pancreas | 3.1 | Myeloid leukaemia | 3.1 |
| Brain and nervous system | 2.5 | Gallbladder etc. | 3.1 |
| Kidney | 2.3 | Pancreas | 2.8 |
| Oesophagus | 2.0 | Brain and nervous system | 2.4 |
| Lymphoid leukaemia | 2.0 | Lymphoid leukaemia | 1.7 |
| Tongue | 1.8 | Bladder | 1.7 |
| Multiple myeloma | 1.7 | Tongue | 1.3 |
| All sites | 174.5 | All sites | 157.5 |


Thailand, Lampang (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C00 |
| Tongue | 53 | 1.0 | 2.9 | 1.8 | 0.14 | 0.21 | 43 | 0.9 | 2.2 | 1.3 | 0.08 | 0.13 | C01–02 |
| Mouth | 45 | 0.9 | 2.4 | 1.5 | 0.09 | 0.20 | 38 | 0.8 | 2.0 | 0.9 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 23 | 0.5 | 1.2 | 0.8 | 0.05 | 0.07 | 15 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 9 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 9 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 94 | 1.8 | 5.1 | 3.4 | 0.25 | 0.37 | 35 | 0.7 | 1.8 | 1.2 | 0.08 | 0.13 | C11 |
| Hypopharynx | 18 | 0.4 | 1.0 | 0.6 | 0.04 | 0.08 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 61 | 1.2 | 3.3 | 2.0 | 0.12 | 0.24 | 11 | 0.2 | 0.6 | 0.3 | 0.02 | 0.02 | C15 |
| Stomach | 158 | 3.1 | 8.6 | 5.0 | 0.26 | 0.57 | 130 | 2.6 | 6.8 | 3.8 | 0.27 | 0.44 | C16 |
| Small intestine | 14 | 0.3 | 0.8 | 0.4 | 0.03 | 0.06 | 16 | 0.3 | 0.8 | 0.5 | 0.03 | 0.06 | C17 |
| Colon | 293 | 5.8 | 15.9 | 9.5 | 0.54 | 1.06 | 301 | 6.1 | 15.7 | 9.0 | 0.58 | 1.04 | C18 |
| Rectum | 284 | 5.6 | 15.4 | 9.5 | 0.53 | 1.22 | 174 | 3.5 | 9.1 | 5.0 | 0.28 | 0.62 | C19–20 |
| Anus | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 11 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 1242 | 24.4 | 67.4 | 40.9 | 2.73 | 4.87 | 549 | 11.1 | 28.7 | 15.7 | 0.88 | 1.90 | C22 |
| Gallbladder etc. | 134 | 2.6 | 7.3 | 4.3 | 0.22 | 0.54 | 120 | 2.4 | 6.3 | 3.1 | 0.16 | 0.33 | C23–24 |
| Pancreas | 98 | 1.9 | 5.3 | 3.1 | 0.16 | 0.37 | 100 | 2.0 | 5.2 | 2.8 | 0.14 | 0.35 | C25 |
| Nose, sinuses etc. | 10 | 0.2 | 0.5 | 0.3 | 0.02 | 0.04 | 13 | 0.3 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 39 | 0.8 | 2.1 | 1.2 | 0.06 | 0.12 | 12 | 0.2 | 0.6 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1177 | 23.1 | 63.9 | 37.5 | 1.51 | 4.82 | 724 | 14.6 | 37.9 | 20.3 | 0.86 | 2.58 | C33–34 |
| Other thoracic organs | 4 | 0.1 | 0.2 | 0.3 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C37–38 |
| Bone | 13 | 0.3 | 0.7 | 0.6 | 0.04 | 0.05 | 20 | 0.4 | 1.0 | 0.9 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 16 | 0.3 | 0.9 | 0.5 | 0.03 | 0.07 | 17 | 0.3 | 0.9 | 0.7 | 0.04 | 0.07 | C43 |
| Other skin | 169 | 3.3 | 9.2 | 5.0 | 0.20 | 0.46 | 179 | 3.6 | 9.4 | 5.0 | 0.22 | 0.48 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 32 | 0.6 | 1.7 | 1.2 | 0.09 | 0.13 | 30 | 0.6 | 1.6 | 1.1 | 0.08 | 0.09 | C47+C49 |
| Breast | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 1004 | 20.3 | 52.5 | 31.6 | 2.52 | 3.53 | C50 |
| Vulva | | | | | | | 18 | 0.4 | 0.9 | 0.5 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 392 | 7.9 | 20.5 | 12.5 | 1.03 | 1.32 | C53 |
| Corpus uteri | | | | | | | 169 | 3.4 | 8.8 | 5.1 | 0.40 | 0.63 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 152 | 3.1 | 7.9 | 4.8 | 0.41 | 0.50 | C56 |
| Other female genital organs | | | | | | | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 8 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C58 |
| Penis | 34 | 0.7 | 1.8 | 1.2 | 0.07 | 0.13 | | | | | | | C60 |
| Prostate | 276 | 5.4 | 15.0 | 8.4 | 0.21 | 1.05 | | | | | | | C61 |
| Testis | 11 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 64 | 1.3 | 3.5 | 2.3 | 0.11 | 0.27 | 23 | 0.5 | 1.2 | 0.7 | 0.03 | 0.10 | C64 |
| Renal pelvis | 19 | 0.4 | 1.0 | 0.6 | 0.05 | 0.07 | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C65 |
| Ureter | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C66 |
| Bladder | 139 | 2.7 | 7.5 | 4.2 | 0.17 | 0.38 | 62 | 1.3 | 3.2 | 1.7 | 0.05 | 0.20 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 7 | 0.1 | 0.4 | 0.7 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 63 | 1.2 | 3.4 | 2.5 | 0.14 | 0.28 | 65 | 1.3 | 3.4 | 2.4 | 0.17 | 0.23 | C70–72 |
| Thyroid | 34 | 0.7 | 1.8 | 1.4 | 0.07 | 0.13 | 164 | 3.3 | 8.6 | 6.1 | 0.46 | 0.56 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 8 | 0.2 | 0.4 | 0.6 | 0.04 | 0.04 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 17 | 0.3 | 0.9 | 1.0 | 0.07 | 0.07 | 8 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C81 |
| Non-Hodgkin lymphoma | 234 | 4.6 | 12.7 | 8.3 | 0.47 | 0.97 | 183 | 3.7 | 9.6 | 5.7 | 0.34 | 0.60 | C82–86,C96 |
| Immunoproliferative diseases | 9 | 0.2 | 0.5 | 0.3 | 0.01 | 0.04 | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C88 |
| Multiple myeloma | 54 | 1.1 | 2.9 | 1.7 | 0.11 | 0.19 | 28 | 0.6 | 1.5 | 0.8 | 0.05 | 0.10 | C90 |
| Lymphoid leukaemia | 29 | 0.6 | 1.6 | 2.0 | 0.10 | 0.15 | 25 | 0.5 | 1.3 | 1.7 | 0.09 | 0.12 | C91 |
| Myeloid leukaemia | 74 | 1.5 | 4.0 | 3.4 | 0.19 | 0.28 | 73 | 1.5 | 3.8 | 3.1 | 0.18 | 0.27 | C92–94 |
| Leukaemia unspecified | 11 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 9 | 0.2 | 0.5 | 0.3 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 15 | 0.3 | 0.8 | 0.5 | 0.02 | 0.06 | 15 | 0.3 | 0.8 | 0.4 | 0.01 | 0.05 | MPS |
| Other and unspecified | 123 | 2.4 | 6.7 | 4.2 | 0.17 | 0.50 | 113 | 2.3 | 5.9 | 3.2 | 0.15 | 0.41 | O&U |
| All sites | 5254 | | 285.0 | 174.5 | 9.32 | 20.44 | 5123 | | 267.9 | 157.5 | 10.04 | 17.59 | C00–96 |
| All sites except C44 | 5085 | 100.0 | 275.9 | 169.5 | 9.11 | 19.98 | 4944 | 100.0 | 258.5 | 152.6 | 9.82 | 17.12 | C00–96 exc. C44 |

Thailand, Lopburi Province

CONTRIBUTORS

Metee Wongsena
Atit Leklob
Ittirit Khumfong
Arunee Kovitpitsakul



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Liver | 43.7 | Breast | 47.0 |
| Trachea, bronchus, and lung | 28.6 | Cervix uteri | 18.4 |
| Colon | 16.1 | Liver | 14.7 |
| Prostate | 14.8 | Trachea, bronchus, and lung | 12.5 |
| Non-Hodgkin lymphoma | 12.5 | Colon | 11.9 |
| Rectum | 11.2 | Non-Hodgkin lymphoma | 9.7 |
| Oesophagus | 7.9 | Ovary | 8.1 |
| Mouth | 6.5 | Corpus uteri | 7.8 |
| Bladder | 6.1 | Rectum | 7.3 |
| Other and unspecified | 5.8 | Thyroid | 6.6 |
| Non-melanoma skin cancer | 5.8 | Non-melanoma skin cancer | 6.0 |
| Stomach | 5.0 | Mouth | 5.7 |
| Tongue | 4.6 | Other and unspecified | 4.2 |
| Larynx | 3.6 | Brain and nervous system | 4.0 |
| Pancreas | 3.4 | Stomach | 3.7 |
| Leukaemia unspecified | 3.4 | Myeloproliferative disorders | 2.9 |
| Brain and nervous system | 3.4 | Bone | 2.8 |
| Myeloproliferative disorders | 3.2 | Leukaemia unspecified | 2.5 |
| Hypopharynx | 2.8 | Gallbladder etc. | 2.5 |
| Myeloid leukaemia | 2.7 | Tongue | 2.4 |
| All sites | 222.0 | All sites | 204.7 |


Thailand, Lopburi Province (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.2 | 0.6 | 0.5 | 0.02 | 0.07 | 31 | 0.6 | 1.6 | 1.2 | 0.04 | 0.08 | C00 |
| Tongue | 108 | 2.2 | 5.7 | 4.6 | 0.35 | 0.53 | 62 | 1.2 | 3.3 | 2.4 | 0.17 | 0.24 | C01–02 |
| Mouth | 146 | 3.0 | 7.7 | 6.5 | 0.46 | 0.69 | 144 | 2.8 | 7.6 | 5.7 | 0.36 | 0.57 | C03–06 |
| Salivary glands | 26 | 0.5 | 1.4 | 1.1 | 0.08 | 0.14 | 37 | 0.7 | 2.0 | 1.6 | 0.12 | 0.14 | C07–08 |
| Tonsil | 25 | 0.5 | 1.3 | 1.1 | 0.08 | 0.11 | 6 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C09 |
| Other oropharynx | 21 | 0.4 | 1.1 | 0.9 | 0.09 | 0.11 | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 53 | 1.1 | 2.8 | 2.3 | 0.19 | 0.25 | 28 | 0.5 | 1.5 | 1.0 | 0.08 | 0.11 | C11 |
| Hypopharynx | 69 | 1.4 | 3.6 | 2.8 | 0.22 | 0.33 | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.03 | C12–13 |
| Pharynx unspecified | 11 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 185 | 3.7 | 9.7 | 7.9 | 0.58 | 0.97 | 30 | 0.6 | 1.6 | 1.1 | 0.08 | 0.12 | C15 |
| Stomach | 117 | 2.4 | 6.2 | 5.0 | 0.29 | 0.58 | 100 | 2.0 | 5.3 | 3.7 | 0.22 | 0.44 | C16 |
| Small intestine | 10 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 375 | 7.6 | 19.7 | 16.1 | 0.91 | 1.94 | 322 | 6.3 | 17.0 | 11.9 | 0.73 | 1.37 | C18 |
| Rectum | 265 | 5.4 | 13.9 | 11.2 | 0.63 | 1.35 | 194 | 3.8 | 10.2 | 7.3 | 0.44 | 0.88 | C19–20 |
| Anus | 13 | 0.3 | 0.7 | 0.5 | 0.03 | 0.06 | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C21 |
| Liver | 1018 | 20.6 | 53.6 | 43.7 | 2.90 | 5.15 | 401 | 7.8 | 21.1 | 14.7 | 0.84 | 1.75 | C22 |
| Gallbladder etc. | 59 | 1.2 | 3.1 | 2.5 | 0.16 | 0.28 | 71 | 1.4 | 3.7 | 2.5 | 0.13 | 0.27 | C23–24 |
| Pancreas | 78 | 1.6 | 4.1 | 3.4 | 0.15 | 0.38 | 51 | 1.0 | 2.7 | 1.9 | 0.12 | 0.20 | C25 |
| Nose, sinuses etc. | 27 | 0.5 | 1.4 | 1.1 | 0.07 | 0.12 | 15 | 0.3 | 0.8 | 0.6 | 0.05 | 0.05 | C30–31 |
| Larynx | 84 | 1.7 | 4.4 | 3.6 | 0.27 | 0.43 | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 678 | 13.7 | 35.7 | 28.6 | 1.37 | 3.24 | 347 | 6.8 | 18.3 | 12.5 | 0.66 | 1.48 | C33–34 |
| Other thoracic organs | 25 | 0.5 | 1.3 | 1.1 | 0.06 | 0.10 | 16 | 0.3 | 0.8 | 0.5 | 0.04 | 0.05 | C37–38 |
| Bone | 47 | 0.9 | 2.5 | 2.1 | 0.16 | 0.22 | 65 | 1.3 | 3.4 | 2.8 | 0.21 | 0.27 | C40–41 |
| Melanoma of skin | 28 | 0.6 | 1.5 | 1.2 | 0.04 | 0.12 | 36 | 0.7 | 1.9 | 1.4 | 0.10 | 0.14 | C43 |
| Other skin | 134 | 2.7 | 7.1 | 5.8 | 0.25 | 0.53 | 165 | 3.2 | 8.7 | 6.0 | 0.27 | 0.57 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 55 | 1.1 | 2.9 | 2.6 | 0.15 | 0.24 | 50 | 1.0 | 2.6 | 2.3 | 0.15 | 0.21 | C47+C49 |
| Breast | 22 | 0.4 | 1.2 | 1.0 | 0.07 | 0.10 | 1214 | 23.7 | 64.0 | 47.0 | 3.88 | 4.98 | C50 |
| Vulva | | | | | | | 20 | 0.4 | 1.1 | 0.7 | 0.06 | 0.06 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 478 | 9.3 | 25.2 | 18.4 | 1.44 | 1.91 | C53 |
| Corpus uteri | | | | | | | 204 | 4.0 | 10.8 | 7.8 | 0.66 | 0.86 | C54 |
| Uterus unspecified | | | | | | | 21 | 0.4 | 1.1 | 0.8 | 0.07 | 0.08 | C55 |
| Ovary | | | | | | | 204 | 4.0 | 10.8 | 8.1 | 0.65 | 0.88 | C56 |
| Other female genital organs | | | | | | | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 32 | 0.6 | 1.7 | 1.3 | 0.09 | 0.15 | | | | | | | C60 |
| Prostate | 342 | 6.9 | 18.0 | 14.8 | 0.45 | 1.44 | | | | | | | C61 |
| Testis | 25 | 0.5 | 1.3 | 1.2 | 0.07 | 0.10 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 39 | 0.8 | 2.1 | 1.8 | 0.13 | 0.20 | 23 | 0.4 | 1.2 | 0.8 | 0.05 | 0.10 | C64 |
| Renal pelvis | 3 | 0.1 | 0.2 | 0.2 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 142 | 2.9 | 7.5 | 6.1 | 0.24 | 0.61 | 42 | 0.8 | 2.2 | 1.4 | 0.07 | 0.14 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 10 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | 11 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 74 | 1.5 | 3.9 | 3.4 | 0.26 | 0.31 | 98 | 1.9 | 5.2 | 4.0 | 0.29 | 0.40 | C70–72 |
| Thyroid | 48 | 1.0 | 2.5 | 2.1 | 0.15 | 0.24 | 157 | 3.1 | 8.3 | 6.6 | 0.50 | 0.64 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 7 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C81 |
| Non-Hodgkin lymphoma | 262 | 5.3 | 13.8 | 12.5 | 0.67 | 1.20 | 226 | 4.4 | 11.9 | 9.7 | 0.59 | 0.94 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 26 | 0.5 | 1.4 | 1.1 | 0.08 | 0.13 | 18 | 0.4 | 0.9 | 0.6 | 0.03 | 0.07 | C90 |
| Lymphoid leukaemia | 18 | 0.4 | 0.9 | 1.1 | 0.06 | 0.06 | 13 | 0.3 | 0.7 | 0.7 | 0.04 | 0.07 | C91 |
| Myeloid leukaemia | 56 | 1.1 | 2.9 | 2.7 | 0.17 | 0.29 | 39 | 0.8 | 2.1 | 1.8 | 0.09 | 0.20 | C92–94 |
| Leukaemia unspecified | 63 | 1.3 | 3.3 | 3.4 | 0.18 | 0.29 | 55 | 1.1 | 2.9 | 2.5 | 0.12 | 0.18 | C95 |
| Myeloproliferative disorders | 66 | 1.3 | 3.5 | 3.2 | 0.17 | 0.33 | 64 | 1.3 | 3.4 | 2.9 | 0.17 | 0.26 | MPD |
| Myelodysplastic syndromes | 26 | 0.5 | 1.4 | 1.2 | 0.03 | 0.12 | 31 | 0.6 | 1.6 | 1.3 | 0.05 | 0.10 | MPS |
| Other and unspecified | 135 | 2.7 | 7.1 | 5.8 | 0.31 | 0.60 | 111 | 2.2 | 5.9 | 4.2 | 0.26 | 0.43 | O&U |
| All sites | 5083 | | 267.4 | 222.0 | 12.81 | 24.35 | 5280 | | 278.4 | 204.7 | 14.11 | 21.63 | C00–96 |
| All sites except C44 | 4949 | 100.0 | 260.4 | 216.2 | 12.56 | 23.82 | 5115 | 100.0 | 269.7 | 198.7 | 13.84 | 21.06 | C00–96 exc. C44 |

Thailand, Songkhla

CONTRIBUTORS

Sarayut Lucien Geater
Paradee Prechawittayakul



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 24.9 | Breast | 31.3 |
| Liver | 15.9 | Cervix uteri | 10.4 |
| Colon | 11.1 | Trachea, bronchus, and lung | 10.2 |
| Prostate | 10.0 | Thyroid | 8.0 |
| Oesophagus | 8.5 | Colon | 7.5 |
| Rectum | 7.2 | Ovary | 5.9 |
| Non-Hodgkin lymphoma | 6.4 | Corpus uteri | 5.5 |
| Other and unspecified | 5.6 | Liver | 5.2 |
| Bladder | 5.2 | Rectum | 4.9 |
| Non-melanoma skin cancer | 4.2 | Non-Hodgkin lymphoma | 4.6 |
| Tongue | 3.9 | Non-melanoma skin cancer | 4.3 |
| Larynx | 3.3 | Other and unspecified | 2.9 |
| Brain and nervous system | 3.1 | Myeloid leukaemia | 2.2 |
| Mouth | 2.9 | Brain and nervous system | 1.6 |
| Myeloid leukaemia | 2.8 | Pancreas | 1.6 |
| Stomach | 2.5 | Stomach | 1.6 |
| Nasopharynx | 2.5 | Lymphoid leukaemia | 1.5 |
| Hypopharynx | 2.5 | Multiple myeloma | 1.3 |
| Lymphoid leukaemia | 2.2 | Connective and soft tissue | 1.2 |
| Pancreas | 2.1 | Gallbladder etc. | 1.2 |
| All sites | 147.3 | All sites | 124.3 |

*Thailand, Songkhla (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 160 | 2.7 | 4.7 | 3.9 | 0.26 | 0.49 | 42 | 0.7 | 1.2 | 0.8 | 0.06 | 0.08 | C01–02 |
| Mouth | 123 | 2.1 | 3.6 | 2.9 | 0.18 | 0.33 | 33 | 0.6 | 0.9 | 0.6 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 22 | 0.4 | 0.6 | 0.6 | 0.05 | 0.06 | 19 | 0.3 | 0.5 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 64 | 1.1 | 1.9 | 1.5 | 0.09 | 0.19 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 50 | 0.8 | 1.5 | 1.2 | 0.08 | 0.14 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 98 | 1.7 | 2.9 | 2.5 | 0.22 | 0.27 | 33 | 0.6 | 0.9 | 0.7 | 0.06 | 0.07 | C11 |
| Hypopharynx | 100 | 1.7 | 2.9 | 2.5 | 0.18 | 0.29 | 10 | 0.2 | 0.3 | 0.2 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 10 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 344 | 5.8 | 10.0 | 8.5 | 0.53 | 1.05 | 36 | 0.6 | 1.0 | 0.7 | 0.04 | 0.09 | C15 |
| Stomach | 104 | 1.8 | 3.0 | 2.5 | 0.15 | 0.29 | 80 | 1.4 | 2.2 | 1.6 | 0.10 | 0.17 | C16 |
| Small intestine | 17 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C17 |
| Colon | 468 | 7.9 | 13.6 | 11.1 | 0.57 | 1.36 | 388 | 6.8 | 10.8 | 7.5 | 0.47 | 0.86 | C18 |
| Rectum | 299 | 5.1 | 8.7 | 7.2 | 0.41 | 0.92 | 242 | 4.2 | 6.7 | 4.9 | 0.28 | 0.59 | C19–20 |
| Anus | 17 | 0.3 | 0.5 | 0.4 | 0.01 | 0.04 | 14 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C21 |
| Liver | 649 | 11.0 | 18.9 | 15.9 | 1.17 | 1.87 | 263 | 4.6 | 7.3 | 5.2 | 0.28 | 0.60 | C22 |
| Gallbladder etc. | 55 | 0.9 | 1.6 | 1.3 | 0.09 | 0.14 | 68 | 1.2 | 1.9 | 1.2 | 0.06 | 0.13 | C23–24 |
| Pancreas | 86 | 1.5 | 2.5 | 2.1 | 0.11 | 0.23 | 87 | 1.5 | 2.4 | 1.6 | 0.10 | 0.17 | C25 |
| Nose, sinuses etc. | 25 | 0.4 | 0.7 | 0.6 | 0.04 | 0.06 | 17 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | C30–31 |
| Larynx | 140 | 2.4 | 4.1 | 3.3 | 0.21 | 0.41 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 1040 | 17.6 | 30.3 | 24.9 | 1.31 | 3.14 | 526 | 9.2 | 14.6 | 10.2 | 0.60 | 1.22 | C33–34 |
| Other thoracic organs | 9 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 31 | 0.5 | 0.9 | 0.9 | 0.05 | 0.08 | 26 | 0.5 | 0.7 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 19 | 0.3 | 0.6 | 0.5 | 0.02 | 0.05 | 27 | 0.5 | 0.7 | 0.6 | 0.04 | 0.07 | C43 |
| Other skin | 190 | 3.2 | 5.5 | 4.2 | 0.21 | 0.42 | 253 | 4.4 | 7.0 | 4.3 | 0.16 | 0.48 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 44 | 0.7 | 1.3 | 1.1 | 0.07 | 0.12 | 56 | 1.0 | 1.6 | 1.2 | 0.09 | 0.12 | C47+C49 |
| Breast | 8 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 1465 | 25.7 | 40.6 | 31.3 | 2.56 | 3.42 | C50 |
| Vulva | | | | | | | 22 | 0.4 | 0.6 | 0.4 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 485 | 8.5 | 13.5 | 10.4 | 0.81 | 1.16 | C53 |
| Corpus uteri | | | | | | | 253 | 4.4 | 7.0 | 5.5 | 0.45 | 0.69 | C54 |
| Uterus unspecified | | | | | | | 30 | 0.5 | 0.8 | 0.7 | 0.06 | 0.08 | C55 |
| Ovary | | | | | | | 264 | 4.6 | 7.3 | 5.9 | 0.46 | 0.60 | C56 |
| Other female genital organs | | | | | | | 9 | 0.2 | 0.2 | 0.2 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 67 | 1.1 | 1.9 | 1.5 | 0.07 | 0.17 | | | | | | | C60 |
| Prostate | 443 | 7.5 | 12.9 | 10.0 | 0.21 | 1.27 | | | | | | | C61 |
| Testis | 28 | 0.5 | 0.8 | 0.7 | 0.06 | 0.06 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 69 | 1.2 | 2.0 | 1.7 | 0.09 | 0.22 | 40 | 0.7 | 1.1 | 0.8 | 0.05 | 0.08 | C64 |
| Renal pelvis | 11 | 0.2 | 0.3 | 0.3 | 0.01 | 0.02 | 8 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 223 | 3.8 | 6.5 | 5.2 | 0.22 | 0.62 | 37 | 0.6 | 1.0 | 0.7 | 0.03 | 0.07 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 9 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | 8 | 0.1 | 0.2 | 0.3 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 113 | 1.9 | 3.3 | 3.1 | 0.21 | 0.29 | 70 | 1.2 | 1.9 | 1.6 | 0.09 | 0.17 | C70–72 |
| Thyroid | 73 | 1.2 | 2.1 | 1.8 | 0.12 | 0.19 | 340 | 6.0 | 9.4 | 8.0 | 0.61 | 0.73 | C73 |
| Adrenal gland | 5 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 27 | 0.5 | 0.8 | 0.7 | 0.05 | 0.05 | 23 | 0.4 | 0.6 | 0.6 | 0.04 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 267 | 4.5 | 7.8 | 6.4 | 0.39 | 0.68 | 217 | 3.8 | 6.0 | 4.6 | 0.27 | 0.50 | C82–86,C96 |
| Immunoproliferative diseases | 9 | 0.2 | 0.3 | 0.2 | 0.02 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 71 | 1.2 | 2.1 | 1.7 | 0.10 | 0.20 | 63 | 1.1 | 1.7 | 1.3 | 0.07 | 0.19 | C90 |
| Lymphoid leukaemia | 72 | 1.2 | 2.1 | 2.2 | 0.11 | 0.19 | 41 | 0.7 | 1.1 | 1.5 | 0.07 | 0.10 | C91 |
| Myeloid leukaemia | 107 | 1.8 | 3.1 | 2.8 | 0.15 | 0.26 | 94 | 1.6 | 2.6 | 2.2 | 0.14 | 0.22 | C92–94 |
| Leukaemia unspecified | 46 | 0.8 | 1.3 | 1.2 | 0.06 | 0.10 | 35 | 0.6 | 1.0 | 0.7 | 0.03 | 0.08 | C95 |
| Myeloproliferative disorders | 18 | 0.3 | 0.5 | 0.4 | 0.01 | 0.05 | 12 | 0.2 | 0.3 | 0.2 | 0.01 | 0.03 | MPD |
| Myelodysplastic syndromes | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 231 | 3.9 | 6.7 | 5.6 | 0.32 | 0.68 | 154 | 2.7 | 4.3 | 2.9 | 0.17 | 0.32 | O&U |
| All sites | 6090 | | 177.2 | 147.3 | 8.34 | 17.25 | 5954 | | 165.1 | 124.3 | 8.60 | 13.66 | C00–96 |
| All sites except C44 | 5900 | 100.0 | 171.6 | 143.1 | 8.13 | 16.83 | 5701 | 100.0 | 158.1 | 120.0 | 8.44 | 13.18 | C00–96 exc. C44 |

*See note following population pyramid

Turkey, Antalya

CONTRIBUTORS

Hülya Karakılıç
 Özlem Gündüz Göktepe
 Derya Akgül Kanalcı
 Gülşen Kurt
 Songül Çatalbaş
 Gülfem Öztekin
 Gülşen Aksoy
 Hamide Tüfekçi Yetkin
 Ayla Karaca
 Nurten Eryiğit
 Mürvet Artuk Uçar



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Trachea, bronchus, and lung | 47.3 | Breast | 42.1 |
| Prostate | 34.4 | Non-melanoma skin cancer | 22.3 |
| Non-melanoma skin cancer | 31.5 | Thyroid | 15.0 |
| Bladder | 19.8 | Corpus uteri | 11.1 |
| Colon | 11.9 | Trachea, bronchus, and lung | 8.6 |
| Stomach | 10.8 | Colon | 7.4 |
| Rectum | 9.5 | Ovary | 6.0 |
| Non-Hodgkin lymphoma | 8.3 | Non-Hodgkin lymphoma | 5.6 |
| Pancreas | 6.7 | Stomach | 5.3 |
| Kidney | 6.6 | Cervix uteri | 5.1 |
| Brain and nervous system | 5.8 | Rectum | 4.9 |
| Larynx | 5.4 | Brain and nervous system | 4.9 |
| Liver | 4.6 | Pancreas | 4.3 |
| Lymphoid leukaemia | 4.5 | Kidney | 3.1 |
| Thyroid | 3.8 | Lymphoid leukaemia | 3.1 |
| Myeloid leukaemia | 3.7 | Myelodysplastic syndromes | 3.1 |
| Other and unspecified | 3.5 | Myeloid leukaemia | 2.9 |
| Myelodysplastic syndromes | 3.3 | Myeloproliferative disorders | 2.6 |
| Multiple myeloma | 3.3 | Other and unspecified | 2.4 |
| Testis | 3.2 | Multiple myeloma | 2.3 |
| All sites | 253.1 | All sites | 181.9 |


Turkey, Antalya (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 96 | 0.7 | 1.7 | 1.5 | 0.09 | 0.17 | 25 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | C00 |
| Tongue | 43 | 0.3 | 0.7 | 0.7 | 0.05 | 0.09 | 34 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 54 | 0.4 | 0.9 | 0.8 | 0.06 | 0.10 | 42 | 0.4 | 0.7 | 0.6 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 42 | 0.3 | 0.7 | 0.7 | 0.05 | 0.08 | 36 | 0.3 | 0.6 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 18 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 92 | 0.7 | 1.6 | 1.4 | 0.11 | 0.15 | 30 | 0.3 | 0.5 | 0.5 | 0.04 | 0.06 | C11 |
| Hypopharynx | 21 | 0.2 | 0.4 | 0.4 | 0.02 | 0.05 | 7 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 80 | 0.6 | 1.4 | 1.3 | 0.07 | 0.15 | 49 | 0.5 | 0.9 | 0.7 | 0.05 | 0.07 | C15 |
| Stomach | 672 | 5.0 | 11.7 | 10.8 | 0.58 | 1.29 | 365 | 3.5 | 6.5 | 5.3 | 0.30 | 0.60 | C16 |
| Small intestine | 54 | 0.4 | 0.9 | 0.9 | 0.04 | 0.10 | 36 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C17 |
| Colon | 732 | 5.4 | 12.8 | 11.9 | 0.62 | 1.45 | 490 | 4.6 | 8.7 | 7.4 | 0.40 | 0.87 | C18 |
| Rectum | 587 | 4.4 | 10.2 | 9.5 | 0.54 | 1.18 | 331 | 3.1 | 5.9 | 4.9 | 0.30 | 0.55 | C19–20 |
| Anus | 30 | 0.2 | 0.5 | 0.5 | 0.03 | 0.07 | 23 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 280 | 2.1 | 4.9 | 4.6 | 0.25 | 0.55 | 110 | 1.0 | 2.0 | 1.7 | 0.09 | 0.19 | C22 |
| Gallbladder etc. | 136 | 1.0 | 2.4 | 2.2 | 0.10 | 0.30 | 132 | 1.3 | 2.3 | 1.9 | 0.09 | 0.20 | C23–24 |
| Pancreas | 411 | 3.1 | 7.2 | 6.7 | 0.36 | 0.80 | 289 | 2.7 | 5.1 | 4.3 | 0.19 | 0.53 | C25 |
| Nose, sinuses etc. | 20 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 12 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 328 | 2.4 | 5.7 | 5.4 | 0.37 | 0.72 | 21 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 2853 | 21.2 | 49.7 | 47.3 | 2.70 | 6.19 | 569 | 5.4 | 10.1 | 8.6 | 0.56 | 1.03 | C33–34 |
| Other thoracic organs | 33 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 22 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 56 | 0.4 | 1.0 | 1.0 | 0.06 | 0.07 | 43 | 0.4 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 114 | 0.8 | 2.0 | 1.8 | 0.11 | 0.21 | 80 | 0.8 | 1.4 | 1.2 | 0.06 | 0.13 | C43 |
| Other skin | 1938 | 14.4 | 33.8 | 31.5 | 1.42 | 3.61 | 1523 | 14.4 | 27.1 | 22.3 | 1.12 | 2.46 | C44 |
| Mesothelioma | 30 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 26 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 54 | 0.4 | 0.9 | 0.8 | 0.03 | 0.09 | 30 | 0.3 | 0.5 | 0.4 | 0.01 | 0.03 | C46 |
| Connective and soft tissue | 117 | 0.9 | 2.0 | 1.9 | 0.11 | 0.21 | 90 | 0.9 | 1.6 | 1.5 | 0.09 | 0.14 | C47+C49 |
| Breast | 24 | 0.2 | 0.4 | 0.4 | 0.02 | 0.04 | 2840 | 26.9 | 50.5 | 42.1 | 3.31 | 4.63 | C50 |
| Vulva | | | | | | | 32 | 0.3 | 0.6 | 0.5 | 0.02 | 0.06 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 348 | 3.3 | 6.2 | 5.1 | 0.41 | 0.56 | C53 |
| Corpus uteri | | | | | | | 723 | 6.9 | 12.9 | 11.1 | 0.86 | 1.35 | C54 |
| Uterus unspecified | | | | | | | 19 | 0.2 | 0.3 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 398 | 3.8 | 7.1 | 6.0 | 0.45 | 0.66 | C56 |
| Other female genital organs | | | | | | | 32 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 7 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 2016 | 15.0 | 35.1 | 34.4 | 1.37 | 4.61 | | | | | | | C61 |
| Testis | 208 | 1.5 | 3.6 | 3.2 | 0.23 | 0.25 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 408 | 3.0 | 7.1 | 6.6 | 0.46 | 0.81 | 200 | 1.9 | 3.6 | 3.1 | 0.19 | 0.35 | C64 |
| Renal pelvis | 28 | 0.2 | 0.5 | 0.5 | 0.02 | 0.06 | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 11 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 1204 | 9.0 | 21.0 | 19.8 | 0.93 | 2.50 | 158 | 1.5 | 2.8 | 2.3 | 0.11 | 0.25 | C67 |
| Other urinary organs | 13 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 28 | 0.2 | 0.5 | 0.5 | 0.03 | 0.04 | 16 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 352 | 2.6 | 6.1 | 5.8 | 0.37 | 0.61 | 299 | 2.8 | 5.3 | 4.9 | 0.30 | 0.50 | C70–72 |
| Thyroid | 252 | 1.9 | 4.4 | 3.8 | 0.29 | 0.42 | 1008 | 9.6 | 17.9 | 15.0 | 1.22 | 1.44 | C73 |
| Adrenal gland | 18 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 19 | 0.2 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 8 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 106 | 0.8 | 1.8 | 1.8 | 0.12 | 0.16 | 81 | 0.8 | 1.4 | 1.4 | 0.09 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 504 | 3.8 | 8.8 | 8.3 | 0.46 | 0.90 | 365 | 3.5 | 6.5 | 5.6 | 0.33 | 0.63 | C82–86,C96 |
| Immunoproliferative diseases | 18 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 22 | 0.2 | 0.4 | 0.4 | 0.03 | 0.04 | C88 |
| Multiple myeloma | 199 | 1.5 | 3.5 | 3.3 | 0.15 | 0.40 | 151 | 1.4 | 2.7 | 2.3 | 0.15 | 0.29 | C90 |
| Lymphoid leukaemia | 238 | 1.8 | 4.1 | 4.5 | 0.23 | 0.38 | 162 | 1.5 | 2.9 | 3.1 | 0.17 | 0.24 | C91 |
| Myeloid leukaemia | 221 | 1.6 | 3.9 | 3.7 | 0.21 | 0.36 | 183 | 1.7 | 3.3 | 2.9 | 0.17 | 0.30 | C92–94 |
| Leukaemia unspecified | 8 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 193 | 1.4 | 3.4 | 3.1 | 0.19 | 0.35 | 174 | 1.7 | 3.1 | 2.6 | 0.17 | 0.30 | MPD |
| Myelodysplastic syndromes | 200 | 1.5 | 3.5 | 3.3 | 0.12 | 0.40 | 204 | 1.9 | 3.6 | 3.1 | 0.16 | 0.36 | MPS |
| Other and unspecified | 213 | 1.6 | 3.7 | 3.5 | 0.19 | 0.40 | 166 | 1.6 | 3.0 | 2.4 | 0.10 | 0.27 | O&U |
| All sites | 15373 | | 267.9 | 253.1 | 13.39 | 30.66 | 12067 | | 214.5 | 181.9 | 11.98 | 19.96 | C00–96 |
| All sites except C44 | 13435 | 100.0 | 234.2 | 221.7 | 11.97 | 27.05 | 10544 | 100.0 | 187.5 | 159.6 | 10.86 | 17.50 | C00–96 exc. C44 |

Turkey, Bursa

CONTRIBUTORS

Fevzi Yavuzylmaz
Yunuz Arslan
Mustafa Çetin
Gayz Cantekin Akpınar
Seda Alasağ
Deniz Ayvaz
Yasemin Durgut
Melin Kırbyık
Ayşe Kahraman
Havva Muti



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 67.4 | Breast | 40.7 |
| Prostate | 28.0 | Corpus uteri | 12.3 |
| Bladder | 21.5 | Thyroid | 11.5 |
| Stomach | 16.8 | Colon | 8.9 |
| Colon | 15.6 | Trachea, bronchus, and lung | 8.1 |
| Rectum | 10.2 | Stomach | 7.5 |
| Pancreas | 7.0 | Ovary | 6.6 |
| Larynx | 6.5 | Rectum | 5.4 |
| Brain and nervous system | 6.2 | Cervix uteri | 4.5 |
| Non-Hodgkin lymphoma | 5.8 | Brain and nervous system | 4.1 |
| Kidney | 5.8 | Non-Hodgkin lymphoma | 4.0 |
| Other and unspecified | 5.6 | Pancreas | 3.8 |
| Testis | 4.3 | Kidney | 3.2 |
| Liver | 4.0 | Other and unspecified | 3.0 |
| Lymphoid leukaemia | 3.6 | Myeloid leukaemia | 2.4 |
| Thyroid | 3.1 | Lymphoid leukaemia | 2.4 |
| Myeloid leukaemia | 2.9 | Bladder | 2.3 |
| Gallbladder etc. | 2.0 | Gallbladder etc. | 1.8 |
| Oesophagus | 2.0 | Multiple myeloma | 1.5 |
| Multiple myeloma | 1.8 | Liver | 1.5 |
| All sites | 239.7 | All sites | 150.7 |

Turkey, Bursa (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 109 | 0.6 | 1.5 | 1.3 | 0.07 | 0.15 | 22 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 50 | 0.3 | 0.7 | 0.6 | 0.04 | 0.08 | 42 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 39 | 0.2 | 0.5 | 0.5 | 0.04 | 0.07 | 36 | 0.3 | 0.5 | 0.4 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 43 | 0.2 | 0.6 | 0.5 | 0.03 | 0.07 | 29 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 18 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 7 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 117 | 0.6 | 1.6 | 1.4 | 0.12 | 0.15 | 56 | 0.4 | 0.8 | 0.7 | 0.05 | 0.06 | C11 |
| Hypopharynx | 20 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 20 | 0.2 | 0.3 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 160 | 0.9 | 2.2 | 2.0 | 0.11 | 0.26 | 117 | 0.9 | 1.6 | 1.3 | 0.08 | 0.14 | C15 |
| Stomach | 1339 | 7.1 | 18.8 | 16.8 | 0.93 | 1.98 | 685 | 5.2 | 9.7 | 7.5 | 0.41 | 0.87 | C16 |
| Small intestine | 48 | 0.3 | 0.7 | 0.6 | 0.04 | 0.07 | 37 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C17 |
| Colon | 1243 | 6.6 | 17.5 | 15.6 | 0.82 | 1.88 | 809 | 6.1 | 11.4 | 8.9 | 0.50 | 1.05 | C18 |
| Rectum | 819 | 4.4 | 11.5 | 10.2 | 0.61 | 1.24 | 498 | 3.8 | 7.0 | 5.4 | 0.33 | 0.61 | C19–20 |
| Anus | 25 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 15 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 310 | 1.7 | 4.4 | 4.0 | 0.20 | 0.48 | 141 | 1.1 | 2.0 | 1.5 | 0.06 | 0.15 | C22 |
| Gallbladder etc. | 164 | 0.9 | 2.3 | 2.0 | 0.13 | 0.24 | 174 | 1.3 | 2.5 | 1.8 | 0.10 | 0.21 | C23–24 |
| Pancreas | 549 | 2.9 | 7.7 | 7.0 | 0.34 | 0.89 | 357 | 2.7 | 5.0 | 3.8 | 0.17 | 0.43 | C25 |
| Nose, sinuses etc. | 27 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 15 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 522 | 2.8 | 7.3 | 6.5 | 0.46 | 0.84 | 46 | 0.3 | 0.6 | 0.5 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 5293 | 28.2 | 74.4 | 67.4 | 3.84 | 8.82 | 735 | 5.6 | 10.4 | 8.1 | 0.49 | 0.98 | C33–34 |
| Other thoracic organs | 16 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 11 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C37–38 |
| Bone | 57 | 0.3 | 0.8 | 0.8 | 0.05 | 0.06 | 46 | 0.3 | 0.6 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 130 | 0.7 | 1.8 | 1.6 | 0.11 | 0.18 | 106 | 0.8 | 1.5 | 1.2 | 0.07 | 0.12 | C43 |
| Other skin | 33 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 38 | 0.3 | 0.5 | 0.5 | 0.03 | 0.04 | C44 |
| Mesothelioma | 71 | 0.4 | 1.0 | 0.9 | 0.04 | 0.11 | 52 | 0.4 | 0.7 | 0.6 | 0.03 | 0.07 | C45 |
| Kaposi sarcoma | 56 | 0.3 | 0.8 | 0.7 | 0.02 | 0.08 | 21 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 120 | 0.6 | 1.7 | 1.6 | 0.09 | 0.15 | 114 | 0.9 | 1.6 | 1.4 | 0.10 | 0.13 | C47+C49 |
| Breast | 49 | 0.3 | 0.7 | 0.6 | 0.03 | 0.08 | 3587 | 27.2 | 50.6 | 40.7 | 3.16 | 4.46 | C50 |
| Vulva | | | | | | | 39 | 0.3 | 0.5 | 0.4 | 0.01 | 0.04 | C51 |
| Vagina | | | | | | | 13 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 394 | 3.0 | 5.6 | 4.5 | 0.37 | 0.49 | C53 |
| Corpus uteri | | | | | | | 1056 | 8.0 | 14.9 | 12.3 | 0.96 | 1.55 | C54 |
| Uterus unspecified | | | | | | | 25 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 576 | 4.4 | 8.1 | 6.6 | 0.49 | 0.73 | C56 |
| Other female genital organs | | | | | | | 37 | 0.3 | 0.5 | 0.4 | 0.03 | 0.05 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 2163 | 11.5 | 30.4 | 28.0 | 0.88 | 3.58 | | | | | | | C61 |
| Testis | 331 | 1.8 | 4.7 | 4.3 | 0.30 | 0.30 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 461 | 2.5 | 6.5 | 5.8 | 0.36 | 0.69 | 268 | 2.0 | 3.8 | 3.2 | 0.21 | 0.36 | C64 |
| Renal pelvis | 21 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C65 |
| Ureter | 14 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 1685 | 9.0 | 23.7 | 21.5 | 1.07 | 2.73 | 211 | 1.6 | 3.0 | 2.3 | 0.10 | 0.27 | C67 |
| Other urinary organs | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 17 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | 15 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 474 | 2.5 | 6.7 | 6.2 | 0.40 | 0.64 | 326 | 2.5 | 4.6 | 4.1 | 0.25 | 0.41 | C70–72 |
| Thyroid | 262 | 1.4 | 3.7 | 3.1 | 0.25 | 0.31 | 970 | 7.4 | 13.7 | 11.5 | 0.95 | 1.06 | C73 |
| Adrenal gland | 22 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 21 | 0.2 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 133 | 0.7 | 1.9 | 1.8 | 0.12 | 0.15 | 101 | 0.8 | 1.4 | 1.4 | 0.09 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 458 | 2.4 | 6.4 | 5.8 | 0.38 | 0.64 | 344 | 2.6 | 4.8 | 4.0 | 0.23 | 0.43 | C82–86,C96 |
| Immunoproliferative diseases | 12 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 145 | 0.8 | 2.0 | 1.8 | 0.10 | 0.24 | 143 | 1.1 | 2.0 | 1.5 | 0.08 | 0.18 | C90 |
| Lymphoid leukaemia | 232 | 1.2 | 3.3 | 3.6 | 0.18 | 0.26 | 149 | 1.1 | 2.1 | 2.4 | 0.12 | 0.18 | C91 |
| Myeloid leukaemia | 219 | 1.2 | 3.1 | 2.9 | 0.17 | 0.28 | 192 | 1.5 | 2.7 | 2.4 | 0.15 | 0.24 | C92–94 |
| Leukaemia unspecified | 25 | 0.1 | 0.4 | 0.4 | 0.01 | 0.03 | 20 | 0.2 | 0.3 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 127 | 0.7 | 1.8 | 1.6 | 0.11 | 0.18 | 85 | 0.6 | 1.2 | 1.0 | 0.08 | 0.11 | MPD |
| Myelodysplastic syndromes | 80 | 0.4 | 1.1 | 1.0 | 0.04 | 0.12 | 72 | 0.5 | 1.0 | 0.7 | 0.03 | 0.08 | MPS |
| Other and unspecified | 447 | 2.4 | 6.3 | 5.6 | 0.27 | 0.68 | 295 | 2.2 | 4.2 | 3.0 | 0.11 | 0.32 | O&U |
| All sites | 18782 | | 264.0 | 239.7 | 12.91 | 29.09 | 13205 | | 186.1 | 150.7 | 10.21 | 16.50 | C00–96 |
| All sites except C44 | 18749 | 100.0 | 263.5 | 239.3 | 12.89 | 29.04 | 13167 | 100.0 | 185.6 | 150.2 | 10.18 | 16.46 | C00–96 exc. C44 |

†See note following population pyramid

Turkey, Edirne

CONTRIBUTORS

Mustafa Ishak Yıldırım
Merve Dogan Canbulat
Ümit Akin
Ayşe Beller
Tijen Oztürk Taşkin
Filiz Güler
Remziye Akin
Zulfiye Yazici
Gülbiye Ozgür
Yelda Karabaş



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 91.6 | Breast | 42.6 |
| Non-melanoma skin cancer | 36.9 | Thyroid | 38.5 |
| Prostate | 29.7 | Non-melanoma skin cancer | 25.7 |
| Bladder | 24.1 | Corpus uteri | 12.9 |
| Stomach | 15.5 | Colon | 9.2 |
| Colon | 14.6 | Trachea, bronchus, and lung | 9.1 |
| Larynx | 9.8 | Ovary | 7.7 |
| Rectum | 9.1 | Stomach | 6.6 |
| Pancreas | 8.9 | Rectum | 6.1 |
| Thyroid | 8.9 | Cervix uteri | 5.4 |
| Other and unspecified | 8.3 | Pancreas | 5.2 |
| Liver | 7.6 | Brain and nervous system | 4.9 |
| Kidney | 6.9 | Other and unspecified | 4.2 |
| Brain and nervous system | 6.2 | Non-Hodgkin lymphoma | 4.2 |
| Non-Hodgkin lymphoma | 6.1 | Kidney | 3.4 |
| Myeloproliferative disorders | 3.7 | Multiple myeloma | 3.0 |
| Testis | 3.4 | Bladder | 2.6 |
| Lymphoid leukaemia | 3.2 | Myeloid leukaemia | 2.5 |
| Connective and soft tissue | 3.0 | Lymphoid leukaemia | 2.1 |
| Multiple myeloma | 2.8 | Connective and soft tissue | 2.0 |
| All sites | 324.4 | All sites | 216.9 |

*Turkey, Edirne (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 13 | 0.3 | 1.3 | 0.8 | 0.06 | 0.09 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 17 | 0.4 | 1.7 | 1.1 | 0.06 | 0.16 | 6 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C01–02 |
| Mouth | 13 | 0.3 | 1.3 | 0.9 | 0.06 | 0.12 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C03–06 |
| Salivary glands | 12 | 0.3 | 1.2 | 0.8 | 0.04 | 0.11 | 9 | 0.3 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 6 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 20 | 0.4 | 2.0 | 1.6 | 0.12 | 0.17 | 5 | 0.2 | 0.5 | 0.3 | 0.04 | 0.04 | C11 |
| Hypopharynx | 7 | 0.2 | 0.7 | 0.5 | 0.04 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 34 | 0.8 | 3.3 | 2.1 | 0.13 | 0.25 | 9 | 0.3 | 0.9 | 0.5 | 0.04 | 0.07 | C15 |
| Stomach | 245 | 5.5 | 24.1 | 15.5 | 0.78 | 1.99 | 116 | 3.9 | 11.7 | 6.6 | 0.28 | 0.86 | C16 |
| Small intestine | 6 | 0.1 | 0.6 | 0.3 | 0.00 | 0.03 | 7 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 237 | 5.3 | 23.3 | 14.6 | 0.77 | 1.67 | 170 | 5.8 | 17.1 | 9.2 | 0.49 | 1.11 | C18 |
| Rectum | 149 | 3.3 | 14.6 | 9.1 | 0.51 | 1.05 | 106 | 3.6 | 10.7 | 6.1 | 0.39 | 0.66 | C19–20 |
| Anus | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 120 | 2.7 | 11.8 | 7.6 | 0.44 | 0.87 | 31 | 1.1 | 3.1 | 1.8 | 0.08 | 0.20 | C22 |
| Gallbladder etc. | 20 | 0.4 | 2.0 | 1.3 | 0.04 | 0.18 | 31 | 1.1 | 3.1 | 1.7 | 0.10 | 0.18 | C23–24 |
| Pancreas | 139 | 3.1 | 13.7 | 8.9 | 0.50 | 1.11 | 98 | 3.3 | 9.9 | 5.2 | 0.28 | 0.64 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.6 | 0.4 | 0.04 | 0.05 | 5 | 0.2 | 0.5 | 0.3 | 0.03 | 0.04 | C30–31 |
| Larynx | 157 | 3.5 | 15.4 | 9.8 | 0.75 | 1.24 | 18 | 0.6 | 1.8 | 1.1 | 0.07 | 0.15 | C32 |
| Trachea, bronchus, and lung | 1457 | 32.6 | 143.1 | 91.6 | 5.79 | 11.79 | 160 | 5.4 | 16.1 | 9.1 | 0.58 | 1.06 | C33–34 |
| Other thoracic organs | 11 | 0.2 | 1.1 | 0.8 | 0.03 | 0.09 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C37–38 |
| Bone | 8 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C40–41 |
| Melanoma of skin | 34 | 0.8 | 3.3 | 2.2 | 0.15 | 0.25 | 28 | 0.9 | 2.8 | 1.7 | 0.13 | 0.18 | C43 |
| Other skin | 597 | 13.3 | 58.6 | 36.9 | 1.77 | 4.34 | 491 | 16.6 | 49.5 | 25.7 | 1.33 | 2.77 | C44 |
| Mesothelioma | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C45 |
| Kaposi sarcoma | 14 | 0.3 | 1.4 | 0.9 | 0.02 | 0.13 | 13 | 0.4 | 1.3 | 0.7 | 0.02 | 0.08 | C46 |
| Connective and soft tissue | 41 | 0.9 | 4.0 | 3.0 | 0.20 | 0.30 | 23 | 0.8 | 2.3 | 2.0 | 0.12 | 0.18 | C47+C49 |
| Breast | 12 | 0.3 | 1.2 | 0.7 | 0.03 | 0.08 | 631 | 21.4 | 63.6 | 42.6 | 3.36 | 4.63 | C50 |
| Vulva | | | | | | | 13 | 0.4 | 1.3 | 0.8 | 0.03 | 0.09 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 80 | 2.7 | 8.1 | 5.4 | 0.45 | 0.59 | C53 |
| Corpus uteri | | | | | | | 200 | 6.8 | 20.2 | 12.9 | 0.92 | 1.70 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.7 | 2.2 | 1.3 | 0.11 | 0.17 | C55 |
| Ovary | | | | | | | 116 | 3.9 | 11.7 | 7.7 | 0.58 | 0.90 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 485 | 10.8 | 47.6 | 29.7 | 1.11 | 3.95 | | | | | | | C61 |
| Testis | 41 | 0.9 | 4.0 | 3.4 | 0.24 | 0.29 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 97 | 2.2 | 9.5 | 6.9 | 0.47 | 0.76 | 51 | 1.7 | 5.1 | 3.4 | 0.24 | 0.38 | C64 |
| Renal pelvis | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 397 | 8.9 | 39.0 | 24.1 | 1.20 | 2.82 | 48 | 1.6 | 4.8 | 2.6 | 0.15 | 0.29 | C67 |
| Other urinary organs | 4 | 0.1 | 0.4 | 0.3 | 0.01 | 0.05 | 2 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | 5 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 85 | 1.9 | 8.3 | 6.2 | 0.40 | 0.58 | 70 | 2.4 | 7.1 | 4.9 | 0.30 | 0.52 | C70–72 |
| Thyroid | 122 | 2.7 | 12.0 | 8.9 | 0.64 | 0.96 | 514 | 17.4 | 51.8 | 38.5 | 3.27 | 3.86 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 3 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 22 | 0.5 | 2.2 | 2.0 | 0.13 | 0.17 | 14 | 0.5 | 1.4 | 1.2 | 0.08 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 86 | 1.9 | 8.4 | 6.1 | 0.34 | 0.72 | 68 | 2.3 | 6.9 | 4.2 | 0.28 | 0.42 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C88 |
| Multiple myeloma | 45 | 1.0 | 4.4 | 2.8 | 0.18 | 0.31 | 54 | 1.8 | 5.4 | 3.0 | 0.18 | 0.36 | C90 |
| Lymphoid leukaemia | 36 | 0.8 | 3.5 | 3.2 | 0.19 | 0.26 | 24 | 0.8 | 2.4 | 2.1 | 0.11 | 0.20 | C91 |
| Myeloid leukaemia | 40 | 0.9 | 3.9 | 2.6 | 0.12 | 0.31 | 40 | 1.4 | 4.0 | 2.5 | 0.15 | 0.31 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | C95 |
| Myeloproliferative disorders | 51 | 1.1 | 5.0 | 3.7 | 0.26 | 0.37 | 31 | 1.1 | 3.1 | 1.9 | 0.11 | 0.22 | MPD |
| Myelodysplastic syndromes | 14 | 0.3 | 1.4 | 0.8 | 0.02 | 0.10 | 21 | 0.7 | 2.1 | 1.3 | 0.09 | 0.17 | MPS |
| Other and unspecified | 132 | 2.9 | 13.0 | 8.3 | 0.40 | 1.01 | 77 | 2.6 | 7.8 | 4.2 | 0.21 | 0.50 | O&U |
| All sites | 5072 | | 498.2 | 324.4 | 18.30 | 39.21 | 3442 | | 347.0 | 216.9 | 14.90 | 24.08 | C00–96 |
| All sites except C44 | 4475 | 100.0 | 439.6 | 287.5 | 16.52 | 34.87 | 2951 | 100.0 | 297.5 | 191.2 | 13.57 | 21.32 | C00–96 exc. C44 |

*†See note following population pyramid

Turkey, Erzurum

CONTRIBUTORS

E. Füsün Karaşahin
Duygu Has
Tayyar Çelik
Murat Akçay
Sibel Yılmaz



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Trachea, bronchus, and lung | 51.4 | Thyroid | 36.9 |
| Stomach | 39.2 | Breast | 30.2 |
| Prostate | 34.6 | Stomach | 17.9 |
| Non-melanoma skin cancer | 24.8 | Non-melanoma skin cancer | 14.3 |
| Bladder | 19.7 | Oesophagus | 10.3 |
| Oesophagus | 9.6 | Trachea, bronchus, and lung | 8.9 |
| Colon | 9.4 | Colon | 8.1 |
| Non-Hodgkin lymphoma | 9.2 | Ovary | 7.2 |
| Thyroid | 7.7 | Non-Hodgkin lymphoma | 6.0 |
| Larynx | 7.4 | Brain and nervous system | 5.6 |
| Kidney | 6.8 | Corpus uteri | 5.1 |
| Brain and nervous system | 6.4 | Pancreas | 4.9 |
| Pancreas | 5.9 | Kidney | 4.3 |
| Liver | 5.0 | Cervix uteri | 3.9 |
| Lymphoid leukaemia | 4.5 | Other and unspecified | 3.5 |
| Rectum | 4.0 | Rectum | 3.4 |
| Other and unspecified | 3.5 | Liver | 3.0 |
| Myeloid leukaemia | 3.3 | Myeloproliferative disorders | 2.7 |
| Myeloproliferative disorders | 3.1 | Lymphoid leukaemia | 2.4 |
| Testis | 3.0 | Bladder | 2.3 |
| All sites | 280.0 | All sites | 197.6 |

*Turkey, Erzurum (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 26 | 0.6 | 1.4 | 1.4 | 0.10 | 0.13 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 9 | 0.2 | 0.5 | 0.5 | 0.03 | 0.06 | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C01–02 |
| Mouth | 8 | 0.2 | 0.4 | 0.5 | 0.02 | 0.07 | 7 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 9 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | 10 | 0.3 | 0.5 | 0.5 | 0.04 | 0.06 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 30 | 0.6 | 1.6 | 1.6 | 0.14 | 0.18 | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C11 |
| Hypopharynx | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 184 | 3.9 | 9.6 | 9.6 | 0.46 | 1.06 | 219 | 5.9 | 11.5 | 10.3 | 0.58 | 1.23 | C15 |
| Stomach | 721 | 15.3 | 37.7 | 39.2 | 1.96 | 4.95 | 393 | 10.6 | 20.6 | 17.9 | 0.91 | 2.19 | C16 |
| Small intestine | 19 | 0.4 | 1.0 | 1.0 | 0.09 | 0.11 | 20 | 0.5 | 1.1 | 0.9 | 0.04 | 0.12 | C17 |
| Colon | 179 | 3.8 | 9.4 | 9.4 | 0.53 | 1.05 | 170 | 4.6 | 8.9 | 8.1 | 0.47 | 0.94 | C18 |
| Rectum | 72 | 1.5 | 3.8 | 4.0 | 0.20 | 0.51 | 73 | 2.0 | 3.8 | 3.4 | 0.22 | 0.38 | C19–20 |
| Anus | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 8 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C21 |
| Liver | 92 | 2.0 | 4.8 | 5.0 | 0.21 | 0.65 | 66 | 1.8 | 3.5 | 3.0 | 0.15 | 0.31 | C22 |
| Gallbladder etc. | 29 | 0.6 | 1.5 | 1.5 | 0.08 | 0.15 | 25 | 0.7 | 1.3 | 1.1 | 0.07 | 0.14 | C23–24 |
| Pancreas | 111 | 2.4 | 5.8 | 5.9 | 0.27 | 0.73 | 111 | 3.0 | 5.8 | 4.9 | 0.24 | 0.55 | C25 |
| Nose, sinuses etc. | 8 | 0.2 | 0.4 | 0.5 | 0.03 | 0.06 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 131 | 2.8 | 6.9 | 7.4 | 0.42 | 0.97 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 922 | 19.6 | 48.2 | 51.4 | 2.81 | 6.73 | 204 | 5.5 | 10.7 | 8.9 | 0.45 | 0.87 | C33–34 |
| Other thoracic organs | 5 | 0.1 | 0.3 | 0.3 | 0.03 | 0.04 | 11 | 0.3 | 0.6 | 0.5 | 0.03 | 0.07 | C37–38 |
| Bone | 26 | 0.6 | 1.4 | 1.3 | 0.08 | 0.11 | 16 | 0.4 | 0.8 | 0.8 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 26 | 0.6 | 1.4 | 1.3 | 0.04 | 0.16 | 29 | 0.8 | 1.5 | 1.4 | 0.08 | 0.13 | C43 |
| Other skin | 464 | 9.9 | 24.3 | 24.8 | 1.27 | 3.02 | 317 | 8.6 | 16.6 | 14.3 | 0.70 | 1.59 | C44 |
| Mesothelioma | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 10 | 0.3 | 0.5 | 0.5 | 0.04 | 0.06 | C45 |
| Kaposi sarcoma | 14 | 0.3 | 0.7 | 0.7 | 0.02 | 0.06 | 8 | 0.2 | 0.4 | 0.4 | 0.01 | 0.05 | C46 |
| Connective and soft tissue | 36 | 0.8 | 1.9 | 1.9 | 0.09 | 0.20 | 16 | 0.4 | 0.8 | 0.9 | 0.07 | 0.08 | C47+C49 |
| Breast | 12 | 0.3 | 0.6 | 0.7 | 0.06 | 0.11 | 575 | 15.5 | 30.2 | 30.2 | 2.36 | 3.29 | C50 |
| Vulva | | | | | | | 11 | 0.3 | 0.6 | 0.5 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 74 | 2.0 | 3.9 | 3.9 | 0.32 | 0.43 | C53 |
| Corpus uteri | | | | | | | 98 | 2.6 | 5.1 | 5.1 | 0.38 | 0.65 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.3 | 0.6 | 0.6 | 0.02 | 0.07 | C55 |
| Ovary | | | | | | | 139 | 3.8 | 7.3 | 7.2 | 0.54 | 0.77 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 645 | 13.7 | 33.8 | 34.6 | 1.28 | 4.54 | | | | | | | C61 |
| Testis | 59 | 1.3 | 3.1 | 3.0 | 0.21 | 0.23 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 122 | 2.6 | 6.4 | 6.8 | 0.47 | 0.81 | 82 | 2.2 | 4.3 | 4.3 | 0.33 | 0.51 | C64 |
| Renal pelvis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 362 | 7.7 | 18.9 | 19.7 | 1.00 | 2.49 | 51 | 1.4 | 2.7 | 2.3 | 0.12 | 0.25 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 122 | 2.6 | 6.4 | 6.4 | 0.43 | 0.60 | 114 | 3.1 | 6.0 | 5.6 | 0.35 | 0.55 | C70–72 |
| Thyroid | 139 | 3.0 | 7.3 | 7.7 | 0.67 | 0.86 | 689 | 18.6 | 36.2 | 36.9 | 3.07 | 3.62 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 10 | 0.3 | 0.5 | 0.5 | 0.04 | 0.05 | C75 |
| Hodgkin lymphoma | 42 | 0.9 | 2.2 | 2.3 | 0.17 | 0.19 | 21 | 0.6 | 1.1 | 1.1 | 0.08 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 174 | 3.7 | 9.1 | 9.2 | 0.59 | 0.92 | 120 | 3.2 | 6.3 | 6.0 | 0.40 | 0.63 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C88 |
| Multiple myeloma | 50 | 1.1 | 2.6 | 2.9 | 0.19 | 0.37 | 37 | 1.0 | 1.9 | 1.9 | 0.12 | 0.27 | C90 |
| Lymphoid leukaemia | 82 | 1.7 | 4.3 | 4.5 | 0.25 | 0.45 | 50 | 1.4 | 2.6 | 2.4 | 0.11 | 0.19 | C91 |
| Myeloid leukaemia | 62 | 1.3 | 3.2 | 3.3 | 0.17 | 0.31 | 41 | 1.1 | 2.2 | 2.1 | 0.11 | 0.20 | C92–94 |
| Leukaemia unspecified | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 57 | 1.2 | 3.0 | 3.1 | 0.20 | 0.36 | 52 | 1.4 | 2.7 | 2.7 | 0.23 | 0.28 | MPD |
| Myelodysplastic syndromes | 13 | 0.3 | 0.7 | 0.6 | 0.01 | 0.04 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | MPS |
| Other and unspecified | 67 | 1.4 | 3.5 | 3.5 | 0.15 | 0.40 | 77 | 2.1 | 4.0 | 3.5 | 0.18 | 0.39 | O&U |
| All sites | 5166 | | 270.3 | 280.0 | 14.88 | 33.91 | 4016 | | 210.9 | 197.6 | 13.14 | 21.50 | C00–96 |
| All sites except C44 | 4702 | 100.0 | 246.1 | 255.2 | 13.60 | 30.89 | 3699 | 100.0 | 194.3 | 183.4 | 12.44 | 19.91 | C00–96 exc. C44 |

*†See note following population pyramid

Turkey, Eskişehir

CONTRIBUTORS

Belgin Kurnalı
 Nilufer Karagöz
 Emel Duran
 Gülay Dokuyucu
 Sibel Başgül
 Hürriyet Uysal



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 62.3 | Breast | 46.3 |
| Prostate | 32.0 | Thyroid | 35.4 |
| Non-melanoma skin cancer | 28.0 | Non-melanoma skin cancer | 17.8 |
| Bladder | 23.4 | Corpus uteri | 15.4 |
| Colon | 14.7 | Colon | 9.2 |
| Stomach | 12.4 | Trachea, bronchus, and lung | 7.9 |
| Rectum | 11.0 | Ovary | 6.4 |
| Thyroid | 8.3 | Non-Hodgkin lymphoma | 5.9 |
| Non-Hodgkin lymphoma | 7.5 | Stomach | 5.8 |
| Larynx | 7.0 | Rectum | 5.4 |
| Kidney | 6.7 | Pancreas | 3.9 |
| Pancreas | 6.2 | Bladder | 3.8 |
| Brain and nervous system | 5.4 | Cervix uteri | 3.8 |
| Other and unspecified | 4.6 | Lymphoid leukaemia | 3.5 |
| Testis | 3.7 | Brain and nervous system | 3.5 |
| Liver | 3.4 | Kidney | 3.3 |
| Myeloid leukaemia | 3.3 | Multiple myeloma | 3.2 |
| Multiple myeloma | 3.0 | Other and unspecified | 2.9 |
| Lymphoid leukaemia | 3.0 | Myeloid leukaemia | 2.8 |
| Mesothelioma | 2.9 | Connective and soft tissue | 1.6 |
| All sites | 273.1 | All sites | 205.8 |

Turkey, Eskişehir (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 17 | 0.3 | 0.8 | 0.7 | 0.04 | 0.07 | 22 | 0.4 | 1.1 | 0.7 | 0.06 | 0.07 | C01–02 |
| Mouth | 18 | 0.3 | 0.9 | 0.7 | 0.07 | 0.07 | 13 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 15 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 12 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 44 | 0.7 | 2.1 | 1.7 | 0.14 | 0.18 | 17 | 0.3 | 0.8 | 0.7 | 0.05 | 0.06 | C11 |
| Hypopharynx | 18 | 0.3 | 0.9 | 0.7 | 0.04 | 0.07 | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 48 | 0.7 | 2.3 | 1.8 | 0.10 | 0.22 | 18 | 0.3 | 0.9 | 0.6 | 0.04 | 0.05 | C15 |
| Stomach | 335 | 5.2 | 16.2 | 12.4 | 0.64 | 1.54 | 178 | 3.3 | 8.6 | 5.8 | 0.32 | 0.66 | C16 |
| Small intestine | 18 | 0.3 | 0.9 | 0.7 | 0.05 | 0.09 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C17 |
| Colon | 392 | 6.0 | 19.0 | 14.7 | 0.70 | 1.92 | 283 | 5.3 | 13.6 | 9.2 | 0.54 | 1.04 | C18 |
| Rectum | 296 | 4.6 | 14.3 | 11.0 | 0.64 | 1.45 | 165 | 3.1 | 7.9 | 5.4 | 0.34 | 0.64 | C19–20 |
| Anus | 20 | 0.3 | 1.0 | 0.7 | 0.03 | 0.10 | 9 | 0.2 | 0.4 | 0.3 | 0.01 | 0.03 | C21 |
| Liver | 90 | 1.4 | 4.4 | 3.4 | 0.21 | 0.38 | 44 | 0.8 | 2.1 | 1.4 | 0.07 | 0.19 | C22 |
| Gallbladder etc. | 35 | 0.5 | 1.7 | 1.3 | 0.05 | 0.16 | 43 | 0.8 | 2.1 | 1.3 | 0.05 | 0.17 | C23–24 |
| Pancreas | 167 | 2.6 | 8.1 | 6.2 | 0.27 | 0.79 | 124 | 2.3 | 6.0 | 3.9 | 0.16 | 0.48 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 187 | 2.9 | 9.0 | 7.0 | 0.48 | 0.91 | 10 | 0.2 | 0.5 | 0.3 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1658 | 25.6 | 80.2 | 62.3 | 3.73 | 8.24 | 245 | 4.6 | 11.8 | 7.9 | 0.48 | 0.95 | C33–34 |
| Other thoracic organs | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.04 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 24 | 0.4 | 1.2 | 1.1 | 0.07 | 0.09 | 13 | 0.2 | 0.6 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 48 | 0.7 | 2.3 | 1.8 | 0.10 | 0.21 | 45 | 0.8 | 2.2 | 1.6 | 0.10 | 0.18 | C43 |
| Other skin | 774 | 11.9 | 37.4 | 28.0 | 1.41 | 3.19 | 588 | 11.0 | 28.3 | 17.8 | 0.83 | 2.02 | C44 |
| Mesothelioma | 78 | 1.2 | 3.8 | 2.9 | 0.14 | 0.40 | 48 | 0.9 | 2.3 | 1.5 | 0.06 | 0.21 | C45 |
| Kaposi sarcoma | 21 | 0.3 | 1.0 | 0.8 | 0.03 | 0.09 | 10 | 0.2 | 0.5 | 0.3 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 54 | 0.8 | 2.6 | 2.1 | 0.14 | 0.24 | 43 | 0.8 | 2.1 | 1.6 | 0.13 | 0.18 | C47+C49 |
| Breast | 14 | 0.2 | 0.7 | 0.5 | 0.03 | 0.07 | 1303 | 24.4 | 62.7 | 46.3 | 3.54 | 5.14 | C50 |
| Vulva | | | | | | | 19 | 0.4 | 0.9 | 0.6 | 0.02 | 0.07 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 102 | 1.9 | 4.9 | 3.8 | 0.30 | 0.39 | C53 |
| Corpus uteri | | | | | | | 447 | 8.4 | 21.5 | 15.4 | 1.13 | 1.91 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 184 | 3.4 | 8.9 | 6.4 | 0.47 | 0.72 | C56 |
| Other female genital organs | | | | | | | 21 | 0.4 | 1.0 | 0.7 | 0.06 | 0.08 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 869 | 13.4 | 42.0 | 32.0 | 1.21 | 4.37 | | | | | | | C61 |
| Testis | 91 | 1.4 | 4.4 | 3.7 | 0.28 | 0.29 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 172 | 2.7 | 8.3 | 6.7 | 0.42 | 0.83 | 90 | 1.7 | 4.3 | 3.3 | 0.22 | 0.38 | C64 |
| Renal pelvis | 11 | 0.2 | 0.5 | 0.4 | 0.02 | 0.06 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 633 | 9.8 | 30.6 | 23.4 | 1.16 | 3.03 | 124 | 2.3 | 6.0 | 3.8 | 0.19 | 0.47 | C67 |
| Other urinary organs | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 10 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 132 | 2.0 | 6.4 | 5.4 | 0.35 | 0.58 | 91 | 1.7 | 4.4 | 3.5 | 0.23 | 0.33 | C70–72 |
| Thyroid | 214 | 3.3 | 10.4 | 8.3 | 0.67 | 0.89 | 941 | 17.6 | 45.3 | 35.4 | 2.97 | 3.52 | C73 |
| Adrenal gland | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 9 | 0.2 | 0.4 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 52 | 0.8 | 2.5 | 2.3 | 0.14 | 0.21 | 31 | 0.6 | 1.5 | 1.3 | 0.08 | 0.10 | C81 |
| Non-Hodgkin lymphoma | 188 | 2.9 | 9.1 | 7.5 | 0.45 | 0.82 | 171 | 3.2 | 8.2 | 5.9 | 0.40 | 0.65 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 84 | 1.3 | 4.1 | 3.0 | 0.14 | 0.36 | 97 | 1.8 | 4.7 | 3.2 | 0.19 | 0.41 | C90 |
| Lymphoid leukaemia | 64 | 1.0 | 3.1 | 3.0 | 0.13 | 0.31 | 73 | 1.4 | 3.5 | 3.5 | 0.19 | 0.30 | C91 |
| Myeloid leukaemia | 87 | 1.3 | 4.2 | 3.3 | 0.19 | 0.35 | 80 | 1.5 | 3.9 | 2.8 | 0.21 | 0.27 | C92–94 |
| Leukaemia unspecified | 14 | 0.2 | 0.7 | 0.6 | 0.02 | 0.07 | 7 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | C95 |
| Myeloproliferative disorders | 61 | 0.9 | 3.0 | 2.5 | 0.17 | 0.25 | 42 | 0.8 | 2.0 | 1.4 | 0.08 | 0.15 | MPD |
| Myelodysplastic syndromes | 31 | 0.5 | 1.5 | 1.1 | 0.04 | 0.14 | 19 | 0.4 | 0.9 | 0.7 | 0.04 | 0.08 | MPS |
| Other and unspecified | 126 | 1.9 | 6.1 | 4.6 | 0.22 | 0.58 | 93 | 1.7 | 4.5 | 2.9 | 0.15 | 0.34 | O&U |
| All sites | 7260 | | 351.2 | 273.1 | 14.88 | 33.97 | 5939 | | 286.0 | 205.8 | 14.04 | 22.76 | C00–96 |
| All sites except C44 | 6486 | 100.0 | 313.7 | 245.0 | 13.47 | 30.78 | 5351 | 100.0 | 257.6 | 188.0 | 13.21 | 20.74 | C00–96 exc. C44 |

†See note following population pyramid

Turkey, Gaziantep

CONTRIBUTORS

Derya Bağcı
Ege Hamavioğlu
Fatma Akgöllü
Ebru Bilgiç
Özgül Kıvanç Çeri
Samet Oğur
Suna Gürsel
Zeynep İlaslan
Hatice Gül İncili
Nesrin Özer
Sondilek Demir



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Trachea, bronchus, and lung | 44.0 | Breast | 33.3 |
| Prostate | 25.2 | Thyroid | 22.7 |
| Non-melanoma skin cancer | 20.8 | Non-melanoma skin cancer | 16.0 |
| Bladder | 19.3 | Corpus uteri | 8.5 |
| Stomach | 10.5 | Trachea, bronchus, and lung | 6.2 |
| Non-Hodgkin lymphoma | 8.4 | Brain and nervous system | 5.9 |
| Colon | 8.2 | Ovary | 5.9 |
| Liver | 8.1 | Colon | 5.8 |
| Thyroid | 7.0 | Non-Hodgkin lymphoma | 5.6 |
| Larynx | 7.0 | Cervix uteri | 5.4 |
| Pancreas | 6.0 | Stomach | 5.2 |
| Brain and nervous system | 6.0 | Pancreas | 3.9 |
| Myeloproliferative disorders | 5.9 | Other and unspecified | 3.7 |
| Rectum | 5.6 | Gallbladder etc. | 3.3 |
| Kidney | 5.6 | Rectum | 3.2 |
| Other and unspecified | 5.0 | Myeloid leukaemia | 3.2 |
| Lymphoid leukaemia | 4.9 | Myeloproliferative disorders | 3.1 |
| Myeloid leukaemia | 3.8 | Kidney | 3.1 |
| Multiple myeloma | 3.4 | Lymphoid leukaemia | 2.7 |
| Gallbladder etc. | 3.4 | Liver | 2.6 |
| All sites | 229.4 | All sites | 165.2 |

Turkey, Gaziantep (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 48 | 0.7 | 1.0 | 1.5 | 0.08 | 0.18 | 25 | 0.4 | 0.5 | 0.7 | 0.02 | 0.09 | C00 |
| Tongue | 10 | 0.1 | 0.2 | 0.3 | 0.02 | 0.03 | 12 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C01–02 |
| Mouth | 15 | 0.2 | 0.3 | 0.5 | 0.02 | 0.06 | 9 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C03–06 |
| Salivary glands | 20 | 0.3 | 0.4 | 0.6 | 0.02 | 0.08 | 16 | 0.3 | 0.3 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 12 | 0.2 | 0.2 | 0.3 | 0.03 | 0.04 | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C09 |
| Other oropharynx | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 47 | 0.6 | 1.0 | 1.2 | 0.09 | 0.13 | 14 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 7 | 0.1 | 0.1 | 0.2 | 0.01 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 36 | 0.5 | 0.7 | 1.1 | 0.06 | 0.13 | 22 | 0.4 | 0.5 | 0.6 | 0.05 | 0.06 | C15 |
| Stomach | 361 | 5.0 | 7.4 | 10.5 | 0.57 | 1.24 | 211 | 3.5 | 4.4 | 5.2 | 0.32 | 0.60 | C16 |
| Small intestine | 17 | 0.2 | 0.3 | 0.5 | 0.03 | 0.05 | 20 | 0.3 | 0.4 | 0.5 | 0.03 | 0.05 | C17 |
| Colon | 291 | 4.0 | 6.0 | 8.2 | 0.49 | 0.90 | 234 | 3.8 | 4.9 | 5.8 | 0.38 | 0.65 | C18 |
| Rectum | 192 | 2.6 | 3.9 | 5.6 | 0.33 | 0.68 | 127 | 2.1 | 2.7 | 3.2 | 0.19 | 0.37 | C19–20 |
| Anus | 15 | 0.2 | 0.3 | 0.4 | 0.03 | 0.06 | 9 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C21 |
| Liver | 268 | 3.7 | 5.5 | 8.1 | 0.44 | 1.00 | 99 | 1.6 | 2.1 | 2.6 | 0.11 | 0.32 | C22 |
| Gallbladder etc. | 114 | 1.6 | 2.3 | 3.4 | 0.17 | 0.40 | 127 | 2.1 | 2.7 | 3.3 | 0.13 | 0.42 | C23–24 |
| Pancreas | 199 | 2.7 | 4.1 | 6.0 | 0.31 | 0.76 | 158 | 2.6 | 3.3 | 3.9 | 0.20 | 0.41 | C25 |
| Nose, sinuses etc. | 20 | 0.3 | 0.4 | 0.5 | 0.04 | 0.05 | 12 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 231 | 3.2 | 4.7 | 7.0 | 0.45 | 0.88 | 14 | 0.2 | 0.3 | 0.4 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1429 | 19.7 | 29.3 | 44.0 | 2.48 | 5.80 | 243 | 4.0 | 5.1 | 6.2 | 0.33 | 0.77 | C33–34 |
| Other thoracic organs | 29 | 0.4 | 0.6 | 0.8 | 0.06 | 0.08 | 11 | 0.2 | 0.2 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 46 | 0.6 | 0.9 | 1.0 | 0.06 | 0.09 | 25 | 0.4 | 0.5 | 0.5 | 0.03 | 0.05 | C40–41 |
| Melanoma of skin | 43 | 0.6 | 0.9 | 1.2 | 0.08 | 0.15 | 40 | 0.7 | 0.8 | 1.0 | 0.05 | 0.12 | C43 |
| Other skin | 677 | 9.3 | 13.9 | 20.8 | 0.83 | 2.37 | 646 | 10.6 | 13.5 | 16.0 | 0.74 | 1.81 | C44 |
| Mesothelioma | 32 | 0.4 | 0.7 | 0.9 | 0.05 | 0.13 | 26 | 0.4 | 0.5 | 0.7 | 0.04 | 0.08 | C45 |
| Kaposi sarcoma | 7 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 69 | 1.0 | 1.4 | 1.8 | 0.12 | 0.18 | 48 | 0.8 | 1.0 | 1.1 | 0.08 | 0.11 | C47+C49 |
| Breast | 12 | 0.2 | 0.2 | 0.3 | 0.01 | 0.04 | 1352 | 22.2 | 28.3 | 33.3 | 2.62 | 3.62 | C50 |
| Vulva | | | | | | | 16 | 0.3 | 0.3 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.1 | 0.2 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 212 | 3.5 | 4.4 | 5.4 | 0.41 | 0.62 | C53 |
| Corpus uteri | | | | | | | 312 | 5.1 | 6.5 | 8.5 | 0.63 | 1.08 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 232 | 3.8 | 4.9 | 5.9 | 0.44 | 0.65 | C56 |
| Other female genital organs | | | | | | | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 767 | 10.6 | 15.7 | 25.2 | 0.76 | 3.20 | | | | | | | C61 |
| Testis | 150 | 2.1 | 3.1 | 2.9 | 0.21 | 0.22 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 204 | 2.8 | 4.2 | 5.6 | 0.36 | 0.63 | 125 | 2.1 | 2.6 | 3.1 | 0.18 | 0.35 | C64 |
| Renal pelvis | 5 | 0.1 | 0.1 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 633 | 8.7 | 13.0 | 19.3 | 0.98 | 2.42 | 84 | 1.4 | 1.8 | 2.1 | 0.11 | 0.26 | C67 |
| Other urinary organs | 5 | 0.1 | 0.1 | 0.2 | 0.00 | 0.03 | 2 | 0.0 | 0.0 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 14 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | 7 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 248 | 3.4 | 5.1 | 6.0 | 0.40 | 0.63 | 252 | 4.1 | 5.3 | 5.9 | 0.40 | 0.61 | C70–72 |
| Thyroid | 287 | 4.0 | 5.9 | 7.0 | 0.58 | 0.76 | 986 | 16.2 | 20.7 | 22.7 | 1.87 | 2.23 | C73 |
| Adrenal gland | 11 | 0.2 | 0.2 | 0.2 | 0.02 | 0.02 | 13 | 0.2 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 12 | 0.2 | 0.2 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 109 | 1.5 | 2.2 | 2.4 | 0.17 | 0.19 | 45 | 0.7 | 0.9 | 1.0 | 0.07 | 0.08 | C81 |
| Non-Hodgkin lymphoma | 310 | 4.3 | 6.4 | 8.4 | 0.43 | 0.94 | 226 | 3.7 | 4.7 | 5.6 | 0.31 | 0.63 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 5 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 110 | 1.5 | 2.3 | 3.4 | 0.16 | 0.44 | 83 | 1.4 | 1.7 | 2.2 | 0.14 | 0.25 | C90 |
| Lymphoid leukaemia | 194 | 2.7 | 4.0 | 4.9 | 0.22 | 0.49 | 115 | 1.9 | 2.4 | 2.7 | 0.12 | 0.26 | C91 |
| Myeloid leukaemia | 151 | 2.1 | 3.1 | 3.8 | 0.20 | 0.39 | 136 | 2.2 | 2.8 | 3.2 | 0.19 | 0.34 | C92–94 |
| Leukaemia unspecified | 10 | 0.1 | 0.2 | 0.3 | 0.01 | 0.03 | 9 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 238 | 3.3 | 4.9 | 5.9 | 0.39 | 0.63 | 131 | 2.2 | 2.7 | 3.1 | 0.19 | 0.33 | MPD |
| Myelodysplastic syndromes | 45 | 0.6 | 0.9 | 1.4 | 0.04 | 0.15 | 46 | 0.8 | 1.0 | 1.1 | 0.05 | 0.12 | MPS |
| Other and unspecified | 171 | 2.4 | 3.5 | 5.0 | 0.24 | 0.56 | 150 | 2.5 | 3.1 | 3.7 | 0.17 | 0.41 | O&U |
| All sites | 7932 | | 162.8 | 229.4 | 12.08 | 27.36 | 6727 | | 140.9 | 165.2 | 10.89 | 18.27 | C00–96 |
| All sites except C44 | 7255 | 100.0 | 148.9 | 208.7 | 11.25 | 24.99 | 6081 | 100.0 | 127.4 | 149.2 | 10.16 | 16.45 | C00–96 exc. C44 |

†See note following population pyramid

Turkey, Izmir

CONTRIBUTORS

Ismail Cankut Yakut
Sultan Eser
Mustafa Savaş



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Trachea, bronchus, and lung | 75.8 | Breast | 53.2 |
| Prostate | 37.9 | Thyroid | 30.1 |
| Non-melanoma skin cancer | 33.5 | Non-melanoma skin cancer | 24.3 |
| Bladder | 25.7 | Trachea, bronchus, and lung | 12.5 |
| Colon | 15.6 | Corpus uteri | 11.5 |
| Stomach | 13.2 | Colon | 10.2 |
| Rectum | 10.3 | Ovary | 7.2 |
| Kidney | 8.1 | Stomach | 6.2 |
| Thyroid | 8.1 | Non-Hodgkin lymphoma | 5.9 |
| Non-Hodgkin lymphoma | 8.0 | Rectum | 5.7 |
| Larynx | 7.7 | Cervix uteri | 5.4 |
| Pancreas | 6.8 | Brain and nervous system | 5.0 |
| Brain and nervous system | 6.6 | Pancreas | 4.6 |
| Myeloproliferative disorders | 6.3 | Other and unspecified | 4.0 |
| Other and unspecified | 5.9 | Kidney | 3.9 |
| Liver | 5.2 | Bladder | 3.8 |
| Lymphoid leukaemia | 4.9 | Myeloproliferative disorders | 3.3 |
| Testis | 4.5 | Lymphoid leukaemia | 3.2 |
| Myeloid leukaemia | 3.8 | Myeloid leukaemia | 3.1 |
| Multiple myeloma | 3.4 | Multiple myeloma | 2.6 |
| All sites | 318.8 | All sites | 228.2 |

*Turkey, Izmir (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|----------|------------|-----------|--------------------------|-----------|---------------------|----------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | 0–74 (%) | |
| Lip | 145 | 0.4 | 1.4 | 1.1 | 0.06 | 0.11 | 38 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 140 | 0.4 | 1.3 | 1.1 | 0.07 | 0.13 | 92 | 0.3 | 0.9 | 0.6 | 0.04 | 0.08 | C01–02 |
| Mouth | 120 | 0.3 | 1.2 | 0.9 | 0.06 | 0.11 | 89 | 0.3 | 0.9 | 0.6 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 89 | 0.2 | 0.9 | 0.7 | 0.04 | 0.07 | 73 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 48 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 26 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 177 | 0.5 | 1.7 | 1.4 | 0.10 | 0.15 | 55 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 53 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 31 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 288 | 0.8 | 2.8 | 2.2 | 0.12 | 0.28 | 179 | 0.6 | 1.7 | 1.2 | 0.07 | 0.14 | C15 |
| Stomach | 1760 | 4.7 | 16.9 | 13.2 | 0.72 | 1.56 | 971 | 3.3 | 9.3 | 6.2 | 0.37 | 0.69 | C16 |
| Small intestine | 96 | 0.3 | 0.9 | 0.7 | 0.05 | 0.08 | 69 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C17 |
| Colon | 2062 | 5.5 | 19.8 | 15.6 | 0.78 | 1.91 | 1586 | 5.4 | 15.2 | 10.2 | 0.57 | 1.13 | C18 |
| Rectum | 1371 | 3.7 | 13.2 | 10.3 | 0.58 | 1.30 | 875 | 3.0 | 8.4 | 5.7 | 0.36 | 0.66 | C19–20 |
| Anus | 31 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 29 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 680 | 1.8 | 6.5 | 5.2 | 0.28 | 0.64 | 328 | 1.1 | 3.1 | 2.0 | 0.08 | 0.23 | C22 |
| Gallbladder etc. | 315 | 0.8 | 3.0 | 2.4 | 0.12 | 0.30 | 319 | 1.1 | 3.1 | 2.0 | 0.09 | 0.24 | C23–24 |
| Pancreas | 900 | 2.4 | 8.7 | 6.8 | 0.33 | 0.84 | 746 | 2.6 | 7.1 | 4.6 | 0.22 | 0.54 | C25 |
| Nose, sinuses etc. | 75 | 0.2 | 0.7 | 0.6 | 0.04 | 0.07 | 46 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 1012 | 2.7 | 9.7 | 7.7 | 0.50 | 0.97 | 83 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 10050 | 27.0 | 96.7 | 75.8 | 4.18 | 9.85 | 1915 | 6.6 | 18.3 | 12.5 | 0.74 | 1.51 | C33–34 |
| Other thoracic organs | 66 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 59 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 121 | 0.3 | 1.2 | 1.1 | 0.07 | 0.09 | 85 | 0.3 | 0.8 | 0.8 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 294 | 0.8 | 2.8 | 2.2 | 0.14 | 0.25 | 271 | 0.9 | 2.6 | 1.9 | 0.12 | 0.20 | C43 |
| Other skin | 4471 | 12.0 | 43.0 | 33.5 | 1.49 | 3.82 | 3903 | 13.4 | 37.3 | 24.3 | 1.21 | 2.71 | C44 |
| Mesothelioma | 94 | 0.3 | 0.9 | 0.7 | 0.04 | 0.09 | 72 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C45 |
| Kaposi sarcoma | 95 | 0.3 | 0.9 | 0.7 | 0.04 | 0.07 | 39 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C46 |
| Connective and soft tissue | 229 | 0.6 | 2.2 | 1.9 | 0.13 | 0.17 | 206 | 0.7 | 2.0 | 1.7 | 0.10 | 0.15 | C47+C49 |
| Breast | 75 | 0.2 | 0.7 | 0.6 | 0.04 | 0.08 | 7582 | 26.0 | 72.5 | 53.2 | 4.06 | 5.80 | C50 |
| Vulva | | | | | | | 104 | 0.4 | 1.0 | 0.7 | 0.03 | 0.09 | C51 |
| Vagina | | | | | | | 25 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 759 | 2.6 | 7.3 | 5.4 | 0.44 | 0.57 | C53 |
| Corpus uteri | | | | | | | 1642 | 5.6 | 15.7 | 11.5 | 0.86 | 1.45 | C54 |
| Uterus unspecified | | | | | | | 53 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 1000 | 3.4 | 9.6 | 7.2 | 0.53 | 0.77 | C56 |
| Other female genital organs | | | | | | | 95 | 0.3 | 0.9 | 0.6 | 0.05 | 0.07 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C60 |
| Prostate | 4991 | 13.4 | 48.0 | 37.9 | 1.58 | 4.91 | | | | | | | C61 |
| Testis | 543 | 1.5 | 5.2 | 4.5 | 0.33 | 0.34 | | | | | | | C62 |
| Other male genital organs | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1066 | 2.9 | 10.3 | 8.1 | 0.52 | 0.95 | 553 | 1.9 | 5.3 | 3.9 | 0.25 | 0.44 | C64 |
| Renal pelvis | 62 | 0.2 | 0.6 | 0.5 | 0.02 | 0.06 | 23 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 15 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 3415 | 9.2 | 32.9 | 25.7 | 1.23 | 3.18 | 605 | 2.1 | 5.8 | 3.8 | 0.18 | 0.45 | C67 |
| Other urinary organs | 38 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 37 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 37 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 810 | 2.2 | 7.8 | 6.6 | 0.42 | 0.67 | 654 | 2.2 | 6.3 | 5.0 | 0.31 | 0.49 | C70–72 |
| Thyroid | 1064 | 2.9 | 10.2 | 8.1 | 0.63 | 0.86 | 3948 | 13.5 | 37.8 | 30.1 | 2.46 | 2.89 | C73 |
| Adrenal gland | 32 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 36 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 15 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 32 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 282 | 0.8 | 2.7 | 2.4 | 0.17 | 0.21 | 182 | 0.6 | 1.7 | 1.6 | 0.11 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 998 | 2.7 | 9.6 | 8.0 | 0.46 | 0.88 | 837 | 2.9 | 8.0 | 5.9 | 0.35 | 0.65 | C82–86,C96 |
| Immunoproliferative diseases | 59 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 67 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 450 | 1.2 | 4.3 | 3.4 | 0.18 | 0.44 | 390 | 1.3 | 3.7 | 2.6 | 0.15 | 0.34 | C90 |
| Lymphoid leukaemia | 526 | 1.4 | 5.1 | 4.9 | 0.26 | 0.43 | 356 | 1.2 | 3.4 | 3.2 | 0.17 | 0.28 | C91 |
| Myeloid leukaemia | 468 | 1.3 | 4.5 | 3.8 | 0.22 | 0.38 | 408 | 1.4 | 3.9 | 3.1 | 0.19 | 0.31 | C92–94 |
| Leukaemia unspecified | 59 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | 60 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 799 | 2.1 | 7.7 | 6.3 | 0.44 | 0.66 | 471 | 1.6 | 4.5 | 3.3 | 0.21 | 0.35 | MPD |
| Myelodysplastic syndromes | 299 | 0.8 | 2.9 | 2.2 | 0.05 | 0.23 | 327 | 1.1 | 3.1 | 2.0 | 0.07 | 0.23 | MPS |
| Other and unspecified | 791 | 2.1 | 7.6 | 5.9 | 0.28 | 0.64 | 665 | 2.3 | 6.4 | 4.0 | 0.19 | 0.46 | O&U |
| All sites | 41745 | | 401.6 | 318.8 | 16.98 | 38.26 | 33110 | | 316.8 | 228.2 | 15.10 | 24.92 | C00–96 |
| All sites except C44 | 37274 | 100.0 | 358.6 | 285.3 | 15.49 | 34.44 | 29207 | 100.0 | 279.4 | 203.9 | 13.89 | 22.21 | C00–96 exc. C44 |

§Includes 6 cases of unknown age


§Includes 9 cases of unknown age

*†See note following population pyramid

Turkey, Malatya

CONTRIBUTORS

Selma Felek
Cafer Topçu Öz
Ahmet Azdemir
Perihan Karaman
Yasemin Uygan
Ferhan Çınar
Mustafa Atılan
Hatice Bulut
Lale Dalkaya
Yüksel Öğüt
Hasan Sığircı



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 36.7 | Breast | 34.8 |
| Non-melanoma skin cancer | 28.1 | Thyroid | 19.9 |
| Prostate | 28.1 | Non-melanoma skin cancer | 16.9 |
| Bladder | 17.6 | Corpus uteri | 8.9 |
| Stomach | 13.2 | Trachea, bronchus, and lung | 7.6 |
| Colon | 8.4 | Colon | 6.5 |
| Non-Hodgkin lymphoma | 7.7 | Ovary | 5.6 |
| Rectum | 6.9 | Stomach | 4.7 |
| Pancreas | 6.1 | Non-Hodgkin lymphoma | 3.9 |
| Kidney | 5.5 | Kidney | 3.5 |
| Liver | 4.7 | Rectum | 3.5 |
| Brain and nervous system | 4.5 | Myeloid leukaemia | 3.0 |
| Thyroid | 4.4 | Brain and nervous system | 2.9 |
| Larynx | 4.3 | Lymphoid leukaemia | 2.8 |
| Lymphoid leukaemia | 4.1 | Other and unspecified | 2.7 |
| Testis | 3.9 | Pancreas | 2.5 |
| Myeloid leukaemia | 3.6 | Cervix uteri | 2.4 |
| Other and unspecified | 3.2 | Gallbladder etc. | 1.9 |
| Multiple myeloma | 3.0 | Bladder | 1.8 |
| Hodgkin lymphoma | 2.6 | Multiple myeloma | 1.6 |
| All sites | 215.1 | All sites | 151.5 |

Turkey, Malatya (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.2 | 0.5 | 0.4 | 0.02 | 0.03 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 14 | 0.3 | 0.7 | 0.6 | 0.03 | 0.07 | 7 | 0.2 | 0.4 | 0.3 | 0.04 | 0.04 | C01–02 |
| Mouth | 11 | 0.3 | 0.6 | 0.5 | 0.04 | 0.05 | 10 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | C03–06 |
| Salivary glands | 12 | 0.3 | 0.6 | 0.6 | 0.04 | 0.08 | 11 | 0.4 | 0.6 | 0.4 | 0.02 | 0.05 | C07–08 |
| Tonsil | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 19 | 0.5 | 1.0 | 0.9 | 0.06 | 0.10 | 8 | 0.3 | 0.4 | 0.4 | 0.02 | 0.03 | C11 |
| Hypopharynx | 6 | 0.1 | 0.3 | 0.3 | 0.01 | 0.05 | 6 | 0.2 | 0.3 | 0.3 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 21 | 0.5 | 1.1 | 1.0 | 0.04 | 0.13 | 10 | 0.3 | 0.5 | 0.4 | 0.05 | 0.05 | C15 |
| Stomach | 295 | 7.2 | 15.3 | 13.2 | 0.61 | 1.60 | 127 | 4.0 | 6.5 | 4.7 | 0.22 | 0.54 | C16 |
| Small intestine | 8 | 0.2 | 0.4 | 0.4 | 0.02 | 0.06 | 10 | 0.3 | 0.5 | 0.4 | 0.02 | 0.04 | C17 |
| Colon | 183 | 4.5 | 9.5 | 8.4 | 0.42 | 1.01 | 169 | 5.4 | 8.7 | 6.5 | 0.36 | 0.73 | C18 |
| Rectum | 147 | 3.6 | 7.6 | 6.9 | 0.44 | 0.87 | 84 | 2.7 | 4.3 | 3.5 | 0.22 | 0.41 | C19–20 |
| Anus | 16 | 0.4 | 0.8 | 0.8 | 0.05 | 0.10 | 5 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 99 | 2.4 | 5.1 | 4.7 | 0.27 | 0.56 | 35 | 1.1 | 1.8 | 1.4 | 0.06 | 0.14 | C22 |
| Gallbladder etc. | 57 | 1.4 | 3.0 | 2.5 | 0.12 | 0.26 | 51 | 1.6 | 2.6 | 1.9 | 0.11 | 0.22 | C23–24 |
| Pancreas | 137 | 3.3 | 7.1 | 6.1 | 0.33 | 0.73 | 64 | 2.0 | 3.3 | 2.5 | 0.12 | 0.32 | C25 |
| Nose, sinuses etc. | 8 | 0.2 | 0.4 | 0.4 | 0.03 | 0.05 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 91 | 2.2 | 4.7 | 4.3 | 0.26 | 0.56 | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 792 | 19.3 | 41.0 | 36.7 | 2.09 | 4.70 | 202 | 6.4 | 10.4 | 7.6 | 0.38 | 0.89 | C33–34 |
| Other thoracic organs | 14 | 0.3 | 0.7 | 0.6 | 0.03 | 0.09 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 26 | 0.6 | 1.3 | 1.3 | 0.08 | 0.10 | 18 | 0.6 | 0.9 | 0.8 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 30 | 0.7 | 1.6 | 1.3 | 0.04 | 0.16 | 25 | 0.8 | 1.3 | 1.0 | 0.07 | 0.09 | C43 |
| Other skin | 630 | 15.4 | 32.6 | 28.1 | 1.25 | 3.33 | 458 | 14.6 | 23.6 | 16.9 | 0.76 | 1.92 | C44 |
| Mesothelioma | 19 | 0.5 | 1.0 | 0.9 | 0.05 | 0.10 | 17 | 0.5 | 0.9 | 0.7 | 0.06 | 0.08 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 3 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 45 | 1.1 | 2.3 | 2.2 | 0.13 | 0.23 | 29 | 0.9 | 1.5 | 1.3 | 0.09 | 0.13 | C47+C49 |
| Breast | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | 776 | 24.7 | 40.0 | 34.8 | 2.77 | 3.62 | C50 |
| Vulva | | | | | | | 8 | 0.3 | 0.4 | 0.4 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 53 | 1.7 | 2.7 | 2.4 | 0.21 | 0.27 | C53 |
| Corpus uteri | | | | | | | 196 | 6.2 | 10.1 | 8.9 | 0.71 | 1.11 | C54 |
| Uterus unspecified | | | | | | | 15 | 0.5 | 0.8 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 127 | 4.0 | 6.5 | 5.6 | 0.41 | 0.63 | C56 |
| Other female genital organs | | | | | | | 9 | 0.3 | 0.5 | 0.4 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 638 | 15.6 | 33.0 | 28.1 | 0.91 | 3.30 | | | | | | | C61 |
| Testis | 83 | 2.0 | 4.3 | 3.9 | 0.27 | 0.28 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 114 | 2.8 | 5.9 | 5.5 | 0.39 | 0.63 | 84 | 2.7 | 4.3 | 3.5 | 0.24 | 0.38 | C64 |
| Renal pelvis | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C66 |
| †Bladder | 398 | 9.7 | 20.6 | 17.6 | 0.89 | 2.08 | 51 | 1.6 | 2.6 | 1.8 | 0.08 | 0.19 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.2 | 0.4 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 99 | 2.4 | 5.1 | 4.5 | 0.31 | 0.45 | 66 | 2.1 | 3.4 | 2.9 | 0.20 | 0.26 | C70–72 |
| Thyroid | 96 | 2.3 | 5.0 | 4.4 | 0.38 | 0.41 | 438 | 13.9 | 22.6 | 19.9 | 1.63 | 2.00 | C73 |
| Adrenal gland | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 7 | 0.2 | 0.4 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | 5 | 0.2 | 0.3 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 53 | 1.3 | 2.7 | 2.6 | 0.18 | 0.22 | 28 | 0.9 | 1.4 | 1.4 | 0.09 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 166 | 4.1 | 8.6 | 7.7 | 0.46 | 0.84 | 96 | 3.1 | 4.9 | 3.9 | 0.22 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 11 | 0.3 | 0.6 | 0.5 | 0.03 | 0.05 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 66 | 1.6 | 3.4 | 3.0 | 0.19 | 0.38 | 40 | 1.3 | 2.1 | 1.6 | 0.11 | 0.19 | C90 |
| Lymphoid leukaemia | 78 | 1.9 | 4.0 | 4.1 | 0.20 | 0.37 | 54 | 1.7 | 2.8 | 2.8 | 0.12 | 0.23 | C91 |
| Myeloid leukaemia | 76 | 1.9 | 3.9 | 3.6 | 0.22 | 0.36 | 66 | 2.1 | 3.4 | 3.0 | 0.18 | 0.29 | C92–94 |
| Leukaemia unspecified | 20 | 0.5 | 1.0 | 0.8 | 0.02 | 0.06 | 9 | 0.3 | 0.5 | 0.3 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 14 | 0.3 | 0.7 | 0.7 | 0.04 | 0.10 | 19 | 0.6 | 1.0 | 0.8 | 0.04 | 0.09 | MPD |
| Myelodysplastic syndromes | 10 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 7 | 0.2 | 0.4 | 0.3 | 0.02 | 0.03 | MPS |
| Other and unspecified | 75 | 1.8 | 3.9 | 3.2 | 0.15 | 0.34 | 72 | 2.3 | 3.7 | 2.7 | 0.14 | 0.30 | O&U |
| All sites | 4725 | | 244.6 | 215.1 | 11.25 | 25.08 | 3599 | | 185.4 | 151.5 | 10.12 | 16.33 | C00–96 |
| All sites except C44 | 4095 | 100.0 | 212.0 | 187.0 | 9.99 | 21.75 | 3141 | 100.0 | 161.8 | 134.6 | 9.36 | 14.41 | C00–96 exc. C44 |

†See note following population pyramid

Turkey, Samsun

CONTRIBUTORS

Merve Altınışık
Yasar Cavusoglu
Azize Sanlı Bayram
Gulnaz Kaplan Bas
Nurten Meydan Yıldırım
Seyhan Guven
Unzile Sonnur Ozturk
Ayla Altun
Sema Elikara
Nevzat Bakan
Belgin Ucar



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.7 | Breast | 40.7 |
| Prostate | 38.5 | Thyroid | 22.2 |
| Non-melanoma skin cancer | 25.2 | Non-melanoma skin cancer | 16.1 |
| Bladder | 19.6 | Corpus uteri | 10.5 |
| Stomach | 17.2 | Colon | 8.5 |
| Colon | 13.0 | Trachea, bronchus, and lung | 7.7 |
| Rectum | 10.4 | Ovary | 7.0 |
| Kidney | 8.9 | Stomach | 6.6 |
| Non-Hodgkin lymphoma | 8.6 | Non-Hodgkin lymphoma | 6.2 |
| Larynx | 8.5 | Rectum | 6.1 |
| Pancreas | 6.9 | Kidney | 4.7 |
| Other and unspecified | 5.8 | Brain and nervous system | 4.2 |
| Brain and nervous system | 5.8 | Pancreas | 3.9 |
| Thyroid | 5.6 | Myeloid leukaemia | 3.4 |
| Testis | 4.7 | Cervix uteri | 3.4 |
| Lymphoid leukaemia | 4.0 | Other and unspecified | 3.2 |
| Liver | 3.6 | Lymphoid leukaemia | 2.7 |
| Myeloid leukaemia | 3.6 | Multiple myeloma | 2.6 |
| Multiple myeloma | 3.5 | Bladder | 2.6 |
| Lip | 2.9 | Connective and soft tissue | 1.7 |
| All sites | 279.0 | All sites | 180.2 |

Turkey, Samsun (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 119 | 1.2 | 3.8 | 2.9 | 0.16 | 0.38 | 25 | 0.4 | 0.8 | 0.4 | 0.01 | 0.05 | C00 |
| Tongue | 31 | 0.3 | 1.0 | 0.8 | 0.05 | 0.10 | 34 | 0.5 | 1.0 | 0.7 | 0.04 | 0.09 | C01–02 |
| Mouth | 24 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | 16 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C03–06 |
| Salivary glands | 21 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 13 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 50 | 0.5 | 1.6 | 1.3 | 0.09 | 0.14 | 14 | 0.2 | 0.4 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 6 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 113 | 1.1 | 3.6 | 2.7 | 0.14 | 0.31 | 53 | 0.7 | 1.6 | 1.1 | 0.08 | 0.12 | C15 |
| Stomach | 709 | 6.9 | 22.3 | 17.2 | 1.02 | 2.12 | 326 | 4.6 | 10.0 | 6.6 | 0.33 | 0.74 | C16 |
| Small intestine | 30 | 0.3 | 0.9 | 0.7 | 0.04 | 0.07 | 25 | 0.4 | 0.8 | 0.5 | 0.03 | 0.05 | C17 |
| Colon | 536 | 5.2 | 16.9 | 13.0 | 0.65 | 1.53 | 399 | 5.6 | 12.3 | 8.5 | 0.50 | 0.99 | C18 |
| Rectum | 430 | 4.2 | 13.6 | 10.4 | 0.57 | 1.25 | 292 | 4.1 | 9.0 | 6.1 | 0.37 | 0.73 | C19–20 |
| Anus | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 13 | 0.2 | 0.4 | 0.3 | 0.01 | 0.04 | C21 |
| Liver | 147 | 1.4 | 4.6 | 3.6 | 0.18 | 0.46 | 72 | 1.0 | 2.2 | 1.5 | 0.07 | 0.17 | C22 |
| Gallbladder etc. | 61 | 0.6 | 1.9 | 1.5 | 0.08 | 0.18 | 69 | 1.0 | 2.1 | 1.4 | 0.08 | 0.17 | C23–24 |
| Pancreas | 283 | 2.7 | 8.9 | 6.9 | 0.37 | 0.85 | 196 | 2.7 | 6.0 | 3.9 | 0.21 | 0.43 | C25 |
| Nose, sinuses etc. | 16 | 0.2 | 0.5 | 0.4 | 0.02 | 0.04 | 11 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 349 | 3.4 | 11.0 | 8.5 | 0.59 | 1.06 | 18 | 0.3 | 0.6 | 0.4 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 2439 | 23.7 | 76.9 | 59.7 | 3.46 | 7.92 | 359 | 5.0 | 11.1 | 7.7 | 0.46 | 0.96 | C33–34 |
| Other thoracic organs | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C37–38 |
| Bone | 30 | 0.3 | 0.9 | 1.0 | 0.06 | 0.07 | 22 | 0.3 | 0.7 | 0.7 | 0.05 | 0.05 | C40–41 |
| Melanoma of skin | 74 | 0.7 | 2.3 | 1.8 | 0.11 | 0.19 | 54 | 0.8 | 1.7 | 1.2 | 0.06 | 0.14 | C43 |
| Other skin | 1061 | 10.3 | 33.4 | 25.2 | 1.21 | 2.89 | 815 | 11.4 | 25.1 | 16.1 | 0.77 | 1.82 | C44 |
| Mesothelioma | 20 | 0.2 | 0.6 | 0.5 | 0.03 | 0.06 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 52 | 0.5 | 1.6 | 1.2 | 0.04 | 0.13 | 27 | 0.4 | 0.8 | 0.5 | 0.02 | 0.05 | C46 |
| Connective and soft tissue | 81 | 0.8 | 2.6 | 2.3 | 0.14 | 0.22 | 64 | 0.9 | 2.0 | 1.7 | 0.12 | 0.16 | C47+C49 |
| Breast | 17 | 0.2 | 0.5 | 0.4 | 0.02 | 0.05 | 1724 | 24.2 | 53.1 | 40.7 | 3.17 | 4.44 | C50 |
| Vulva | | | | | | | 24 | 0.3 | 0.7 | 0.5 | 0.02 | 0.04 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.1 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 140 | 2.0 | 4.3 | 3.4 | 0.28 | 0.37 | C53 |
| Corpus uteri | | | | | | | 459 | 6.4 | 14.1 | 10.5 | 0.83 | 1.30 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 301 | 4.2 | 9.3 | 7.0 | 0.51 | 0.77 | C56 |
| Other female genital organs | | | | | | | 12 | 0.2 | 0.4 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 1611 | 15.7 | 50.8 | 38.5 | 1.38 | 5.14 | | | | | | | C61 |
| Testis | 154 | 1.5 | 4.9 | 4.7 | 0.34 | 0.34 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 360 | 3.5 | 11.3 | 8.9 | 0.62 | 1.04 | 196 | 2.7 | 6.0 | 4.7 | 0.34 | 0.52 | C64 |
| Renal pelvis | 14 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C65 |
| Ureter | 12 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 819 | 8.0 | 25.8 | 19.6 | 0.98 | 2.37 | 125 | 1.8 | 3.8 | 2.6 | 0.14 | 0.29 | C67 |
| Other urinary organs | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 11 | 0.2 | 0.3 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 221 | 2.1 | 7.0 | 5.8 | 0.41 | 0.60 | 173 | 2.4 | 5.3 | 4.2 | 0.28 | 0.44 | C70–72 |
| Thyroid | 215 | 2.1 | 6.8 | 5.6 | 0.47 | 0.59 | 868 | 12.2 | 26.7 | 22.2 | 1.84 | 2.19 | C73 |
| Adrenal gland | 8 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 4 | 0.1 | 0.1 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.1 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 64 | 0.6 | 2.0 | 1.8 | 0.12 | 0.15 | 60 | 0.8 | 1.8 | 1.7 | 0.11 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 340 | 3.3 | 10.7 | 8.6 | 0.53 | 0.95 | 278 | 3.9 | 8.6 | 6.2 | 0.38 | 0.66 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 7 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C88 |
| Multiple myeloma | 146 | 1.4 | 4.6 | 3.5 | 0.22 | 0.46 | 119 | 1.7 | 3.7 | 2.6 | 0.17 | 0.36 | C90 |
| Lymphoid leukaemia | 126 | 1.2 | 4.0 | 4.0 | 0.22 | 0.33 | 90 | 1.3 | 2.8 | 2.7 | 0.15 | 0.21 | C91 |
| Myeloid leukaemia | 138 | 1.3 | 4.3 | 3.6 | 0.21 | 0.38 | 145 | 2.0 | 4.5 | 3.4 | 0.21 | 0.35 | C92–94 |
| Leukaemia unspecified | 15 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 66 | 0.6 | 2.1 | 1.7 | 0.12 | 0.20 | 50 | 0.7 | 1.5 | 1.2 | 0.08 | 0.15 | MPD |
| Myelodysplastic syndromes | 43 | 0.4 | 1.4 | 1.0 | 0.02 | 0.10 | 32 | 0.4 | 1.0 | 0.6 | 0.02 | 0.08 | MPS |
| Other and unspecified | 247 | 2.4 | 7.8 | 5.8 | 0.26 | 0.68 | 164 | 2.3 | 5.0 | 3.2 | 0.14 | 0.33 | O&U |
| All sites | 11354 | | 357.8 | 279.0 | 15.19 | 33.77 | 7950 | | 244.8 | 180.2 | 12.11 | 19.75 | C00–96 |
| All sites except C44 | 10293 | 100.0 | 324.4 | 253.9 | 13.98 | 30.88 | 7135 | 100.0 | 219.7 | 164.1 | 11.34 | 17.93 | C00–96 exc. C44 |

†See note following population pyramid

Turkey, Trabzon

CONTRIBUTORS

Nurşen Üçüncü
Ayşe Türkköylü
Melek Erden
Nazan Kalay
Nejla Kurt
Ayşe Muhcu
Özgül Özbayrak
Hanım Bektaş
Erdal Aydın
Zafer Özkan
Fatma Yanık



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Trachea, bronchus, and lung | 60.4 | Thyroid | 55.2 |
| Prostate | 41.6 | Breast | 38.3 |
| Non-melanoma skin cancer | 31.1 | Non-melanoma skin cancer | 19.6 |
| Bladder | 28.8 | Corpus uteri | 10.1 |
| Stomach | 23.5 | Colon | 9.5 |
| Colon | 14.1 | Stomach | 9.1 |
| Thyroid | 13.2 | Trachea, bronchus, and lung | 6.9 |
| Non-Hodgkin lymphoma | 11.0 | Ovary | 6.8 |
| Kidney | 10.3 | Non-Hodgkin lymphoma | 6.5 |
| Rectum | 9.6 | Rectum | 5.1 |
| Larynx | 6.5 | Brain and nervous system | 4.8 |
| Pancreas | 6.4 | Kidney | 4.7 |
| Testis | 6.3 | Pancreas | 3.9 |
| Brain and nervous system | 6.2 | Lymphoid leukaemia | 3.8 |
| Lymphoid leukaemia | 5.7 | Cervix uteri | 3.7 |
| Liver | 5.5 | Myeloproliferative disorders | 3.3 |
| Myeloproliferative disorders | 5.0 | Bladder | 3.2 |
| Other and unspecified | 4.8 | Myeloid leukaemia | 2.9 |
| Myeloid leukaemia | 4.4 | Other and unspecified | 2.7 |
| Multiple myeloma | 4.2 | Multiple myeloma | 2.5 |
| All sites | 319.3 | All sites | 219.6 |

Turkey, Trabzon (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 16 | 0.2 | 0.8 | 0.6 | 0.05 | 0.07 | 25 | 0.5 | 1.3 | 0.8 | 0.04 | 0.12 | C01–02 |
| Mouth | 12 | 0.2 | 0.6 | 0.5 | 0.04 | 0.06 | 17 | 0.3 | 0.9 | 0.5 | 0.03 | 0.04 | C03–06 |
| Salivary glands | 10 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 11 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | C07–08 |
| Tonsil | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 28 | 0.4 | 1.5 | 1.2 | 0.10 | 0.12 | 11 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 31 | 0.4 | 1.6 | 1.2 | 0.07 | 0.13 | 17 | 0.3 | 0.9 | 0.5 | 0.02 | 0.06 | C15 |
| Stomach | 590 | 8.3 | 30.9 | 23.5 | 1.32 | 2.82 | 301 | 5.6 | 15.4 | 9.1 | 0.49 | 1.05 | C16 |
| Small intestine | 12 | 0.2 | 0.6 | 0.5 | 0.05 | 0.05 | 19 | 0.4 | 1.0 | 0.7 | 0.05 | 0.07 | C17 |
| Colon | 352 | 4.9 | 18.5 | 14.1 | 0.77 | 1.72 | 302 | 5.6 | 15.5 | 9.5 | 0.56 | 1.00 | C18 |
| Rectum | 240 | 3.4 | 12.6 | 9.6 | 0.58 | 1.15 | 160 | 3.0 | 8.2 | 5.1 | 0.31 | 0.57 | C19–20 |
| Anus | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C21 |
| Liver | 137 | 1.9 | 7.2 | 5.5 | 0.30 | 0.71 | 49 | 0.9 | 2.5 | 1.3 | 0.05 | 0.15 | C22 |
| Gallbladder etc. | 25 | 0.4 | 1.3 | 1.0 | 0.04 | 0.12 | 30 | 0.6 | 1.5 | 0.9 | 0.04 | 0.10 | C23–24 |
| Pancreas | 166 | 2.3 | 8.7 | 6.4 | 0.34 | 0.74 | 141 | 2.6 | 7.2 | 3.9 | 0.18 | 0.45 | C25 |
| Nose, sinuses etc. | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 163 | 2.3 | 8.5 | 6.5 | 0.42 | 0.82 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 1514 | 21.3 | 79.4 | 60.4 | 3.07 | 7.86 | 226 | 4.2 | 11.6 | 6.9 | 0.37 | 0.84 | C33–34 |
| Other thoracic organs | 4 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 18 | 0.3 | 0.9 | 0.9 | 0.05 | 0.06 | 12 | 0.2 | 0.6 | 0.6 | 0.03 | 0.05 | C40–41 |
| Melanoma of skin | 57 | 0.8 | 3.0 | 2.3 | 0.13 | 0.29 | 52 | 1.0 | 2.7 | 1.6 | 0.09 | 0.14 | C43 |
| Other skin | 820 | 11.5 | 43.0 | 31.1 | 1.25 | 3.43 | 684 | 12.7 | 35.0 | 19.6 | 0.88 | 2.14 | C44 |
| Mesothelioma | 19 | 0.3 | 1.0 | 0.8 | 0.03 | 0.10 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 30 | 0.4 | 1.6 | 1.2 | 0.04 | 0.14 | 25 | 0.5 | 1.3 | 0.6 | 0.01 | 0.08 | C46 |
| Connective and soft tissue | 55 | 0.8 | 2.9 | 2.4 | 0.14 | 0.26 | 59 | 1.1 | 3.0 | 2.5 | 0.17 | 0.22 | C47+C49 |
| Breast | 15 | 0.2 | 0.8 | 0.6 | 0.01 | 0.09 | 957 | 17.7 | 49.0 | 38.3 | 3.05 | 4.07 | C50 |
| Vulva | | | | | | | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 95 | 1.8 | 4.9 | 3.7 | 0.28 | 0.40 | C53 |
| Corpus uteri | | | | | | | 272 | 5.0 | 13.9 | 10.1 | 0.82 | 1.22 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.4 | 1.0 | 0.7 | 0.07 | 0.10 | C55 |
| Ovary | | | | | | | 205 | 3.8 | 10.5 | 6.8 | 0.47 | 0.73 | C56 |
| Other female genital organs | | | | | | | 9 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 1065 | 15.0 | 55.9 | 41.6 | 1.53 | 5.39 | | | | | | | C61 |
| Testis | 134 | 1.9 | 7.0 | 6.3 | 0.48 | 0.48 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 245 | 3.4 | 12.9 | 10.3 | 0.61 | 1.33 | 125 | 2.3 | 6.4 | 4.7 | 0.32 | 0.54 | C64 |
| Renal pelvis | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 744 | 10.5 | 39.0 | 28.8 | 1.44 | 3.51 | 114 | 2.1 | 5.8 | 3.2 | 0.12 | 0.35 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 142 | 2.0 | 7.4 | 6.2 | 0.37 | 0.62 | 115 | 2.1 | 5.9 | 4.8 | 0.34 | 0.47 | C70–72 |
| Thyroid | 307 | 4.3 | 16.1 | 13.2 | 1.07 | 1.46 | 1297 | 24.0 | 66.4 | 55.2 | 4.77 | 5.46 | C73 |
| Adrenal gland | 11 | 0.2 | 0.6 | 0.7 | 0.04 | 0.04 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 48 | 0.7 | 2.5 | 2.3 | 0.16 | 0.20 | 32 | 0.6 | 1.6 | 1.5 | 0.09 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 252 | 3.5 | 13.2 | 11.0 | 0.65 | 1.15 | 185 | 3.4 | 9.5 | 6.5 | 0.40 | 0.73 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 107 | 1.5 | 5.6 | 4.2 | 0.18 | 0.56 | 77 | 1.4 | 3.9 | 2.5 | 0.13 | 0.36 | C90 |
| Lymphoid leukaemia | 110 | 1.5 | 5.8 | 5.7 | 0.30 | 0.45 | 84 | 1.6 | 4.3 | 3.8 | 0.20 | 0.28 | C91 |
| Myeloid leukaemia | 102 | 1.4 | 5.4 | 4.4 | 0.26 | 0.41 | 74 | 1.4 | 3.8 | 2.9 | 0.20 | 0.27 | C92–94 |
| Leukaemia unspecified | 17 | 0.2 | 0.9 | 0.6 | 0.02 | 0.05 | 14 | 0.3 | 0.7 | 0.5 | 0.02 | 0.05 | C95 |
| Myeloproliferative disorders | 119 | 1.7 | 6.2 | 5.0 | 0.33 | 0.55 | 84 | 1.6 | 4.3 | 3.3 | 0.24 | 0.36 | MPD |
| Myelodysplastic syndromes | 43 | 0.6 | 2.3 | 1.6 | 0.04 | 0.21 | 32 | 0.6 | 1.6 | 0.8 | 0.02 | 0.08 | MPS |
| Other and unspecified | 126 | 1.8 | 6.6 | 4.8 | 0.20 | 0.49 | 99 | 1.8 | 5.1 | 2.7 | 0.09 | 0.29 | O&U |
| All sites | 7933 | | 416.1 | 319.3 | 16.60 | 37.96 | 6088 | | 311.8 | 219.6 | 15.19 | 23.33 | C00–96 |
| All sites except C44 | 7113 | 100.0 | 373.1 | 288.2 | 15.35 | 34.52 | 5404 | 100.0 | 276.8 | 200.0 | 14.31 | 21.19 | C00–96 exc. C44 |

†See note following population pyramid

Austria

CONTRIBUTORS

Monika Hackl
 Petra Ihle
 Thomas Pascher
 Harald Wohlmut
 Ernst Leser



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 61.5 | Breast | 67.7 |
| Trachea, bronchus, and lung | 36.1 | Trachea, bronchus, and lung | 21.7 |
| Colon | 18.9 | Colon | 11.9 |
| Bladder | 13.0 | Melanoma of skin | 11.1 |
| Melanoma of skin | 12.9 | Thyroid | 10.1 |
| Rectum | 11.3 | Corpus uteri | 10.0 |
| Kidney | 11.1 | Pancreas | 7.9 |
| Pancreas | 10.4 | Ovary | 7.9 |
| Non-Hodgkin lymphoma | 9.7 | Non-Hodgkin lymphoma | 6.9 |
| Liver | 8.5 | Cervix uteri | 6.0 |
| Stomach | 8.3 | Rectum | 5.7 |
| Testis | 8.1 | Kidney | 5.2 |
| Brain and nervous system | 6.5 | Other and unspecified | 4.7 |
| Other and unspecified | 6.1 | Brain and nervous system | 4.7 |
| Oesophagus | 4.5 | Stomach | 4.5 |
| Lymphoid leukaemia | 4.4 | Bladder | 3.4 |
| Myeloid leukaemia | 4.2 | Myeloid leukaemia | 3.1 |
| Thyroid | 4.0 | Lymphoid leukaemia | 2.9 |
| Larynx | 3.7 | Liver | 2.7 |
| Multiple myeloma | 2.8 | Connective and soft tissue | 2.1 |
| All sites | 276.0 | All sites | 221.2 |


Austria (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 153 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | 101 | 0.1 | 0.5 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 916 | 0.8 | 4.3 | 2.5 | 0.18 | 0.32 | 392 | 0.4 | 1.8 | 0.9 | 0.06 | 0.11 | C01–02 |
| Mouth | 919 | 0.8 | 4.3 | 2.5 | 0.19 | 0.31 | 417 | 0.4 | 1.9 | 0.9 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 354 | 0.3 | 1.7 | 0.8 | 0.04 | 0.09 | 199 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 616 | 0.6 | 2.9 | 1.7 | 0.13 | 0.22 | 213 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 558 | 0.5 | 2.6 | 1.5 | 0.12 | 0.20 | 149 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C10 |
| Nasopharynx | 153 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 61 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 569 | 0.5 | 2.7 | 1.6 | 0.12 | 0.21 | 69 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 239 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | 80 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 1772 | 1.6 | 8.4 | 4.5 | 0.26 | 0.59 | 480 | 0.5 | 2.2 | 1.0 | 0.05 | 0.13 | C15 |
| Stomach | 3635 | 3.3 | 17.2 | 8.3 | 0.40 | 0.94 | 2576 | 2.7 | 11.7 | 4.5 | 0.23 | 0.49 | C16 |
| Small intestine | 511 | 0.5 | 2.4 | 1.3 | 0.08 | 0.15 | 460 | 0.5 | 2.1 | 1.0 | 0.06 | 0.12 | C17 |
| Colon | 8370 | 7.6 | 39.5 | 18.9 | 0.83 | 2.18 | 6589 | 6.8 | 29.9 | 11.9 | 0.59 | 1.33 | C18 |
| Rectum | 4673 | 4.2 | 22.1 | 11.3 | 0.63 | 1.38 | 2862 | 2.9 | 13.0 | 5.7 | 0.32 | 0.67 | C19–20 |
| Anus | 265 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | 552 | 0.6 | 2.5 | 1.3 | 0.09 | 0.15 | C21 |
| Liver | 3606 | 3.3 | 17.0 | 8.5 | 0.40 | 1.10 | 1475 | 1.5 | 6.7 | 2.7 | 0.13 | 0.31 | C22 |
| Gallbladder etc. | 1007 | 0.9 | 4.8 | 2.2 | 0.09 | 0.28 | 1180 | 1.2 | 5.4 | 2.0 | 0.09 | 0.23 | C23–24 |
| Pancreas | 4573 | 4.2 | 21.6 | 10.4 | 0.49 | 1.27 | 4536 | 4.7 | 20.6 | 7.9 | 0.36 | 0.94 | C25 |
| Nose, sinuses etc. | 325 | 0.3 | 1.5 | 0.9 | 0.06 | 0.10 | 141 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 1404 | 1.3 | 6.6 | 3.7 | 0.25 | 0.48 | 204 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 14802 | 13.5 | 69.9 | 36.1 | 1.91 | 4.75 | 9812 | 10.1 | 44.6 | 21.7 | 1.34 | 2.86 | C33–34 |
| Other thoracic organs | 318 | 0.3 | 1.5 | 0.9 | 0.05 | 0.10 | 239 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C37–38 |
| Bone | 319 | 0.3 | 1.5 | 1.4 | 0.08 | 0.11 | 271 | 0.3 | 1.2 | 1.2 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 4829 | 4.4 | 22.8 | 12.9 | 0.77 | 1.38 | 4212 | 4.3 | 19.1 | 11.1 | 0.77 | 1.11 | C43 |
| Other skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 395 | 0.4 | 1.9 | 0.9 | 0.03 | 0.10 | 137 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 27 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 11 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 838 | 0.8 | 4.0 | 2.4 | 0.13 | 0.23 | 726 | 0.7 | 3.3 | 2.1 | 0.13 | 0.20 | C47+C49 |
| Breast | 356 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | 27606 | 28.5 | 125.4 | 67.7 | 4.75 | 7.71 | C50 |
| Vulva | | | | | | | 802 | 0.8 | 3.6 | 1.4 | 0.07 | 0.16 | C51 |
| Vagina | | | | | | | 204 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1989 | 2.0 | 9.0 | 6.0 | 0.47 | 0.60 | C53 |
| Corpus uteri | | | | | | | 4597 | 4.7 | 20.9 | 10.0 | 0.64 | 1.25 | C54 |
| Uterus unspecified | | | | | | | 205 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 3463 | 3.6 | 15.7 | 7.9 | 0.51 | 0.88 | C56 |
| Other female genital organs | | | | | | | 348 | 0.4 | 1.6 | 0.8 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 355 | 0.3 | 1.7 | 0.8 | 0.05 | 0.10 | | | | | | | C60 |
| Prostate | 25617 | 23.3 | 121.0 | 61.5 | 3.01 | 8.29 | | | | | | | C61 |
| Testis | 1929 | 1.8 | 9.1 | 8.1 | 0.62 | 0.65 | | | | | | | C62 |
| Other male genital organs | 40 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 4246 | 3.9 | 20.1 | 11.1 | 0.66 | 1.34 | 2435 | 2.5 | 11.1 | 5.2 | 0.28 | 0.59 | C64 |
| Renal pelvis | 215 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 156 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 171 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | 97 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 5907 | 5.4 | 27.9 | 13.0 | 0.52 | 1.53 | 1955 | 2.0 | 8.9 | 3.4 | 0.16 | 0.40 | C67 |
| Other urinary organs | 183 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | 103 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 205 | 0.2 | 1.0 | 0.7 | 0.04 | 0.06 | 203 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1996 | 1.8 | 9.4 | 6.5 | 0.40 | 0.66 | 1583 | 1.6 | 7.2 | 4.7 | 0.30 | 0.46 | C70–72 |
| Thyroid | 1219 | 1.1 | 5.8 | 4.0 | 0.32 | 0.42 | 3007 | 3.1 | 13.7 | 10.1 | 0.81 | 0.98 | C73 |
| Adrenal gland | 82 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | 98 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 39 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 42 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 503 | 0.5 | 2.4 | 2.0 | 0.14 | 0.16 | 389 | 0.4 | 1.8 | 1.6 | 0.10 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 3653 | 3.3 | 17.3 | 9.7 | 0.55 | 1.06 | 3123 | 3.2 | 14.2 | 6.9 | 0.39 | 0.76 | C82–86,C96 |
| Immunoproliferative diseases | 274 | 0.2 | 1.3 | 0.6 | 0.03 | 0.08 | 255 | 0.3 | 1.2 | 0.6 | 0.03 | 0.07 | C88 |
| Multiple myeloma | 1233 | 1.1 | 5.8 | 2.8 | 0.13 | 0.34 | 1086 | 1.1 | 4.9 | 1.9 | 0.09 | 0.23 | C90 |
| Lymphoid leukaemia | 1377 | 1.3 | 6.5 | 4.4 | 0.21 | 0.40 | 992 | 1.0 | 4.5 | 2.9 | 0.14 | 0.24 | C91 |
| Myeloid leukaemia | 1592 | 1.4 | 7.5 | 4.2 | 0.21 | 0.44 | 1357 | 1.4 | 6.2 | 3.1 | 0.17 | 0.32 | C92–94 |
| Leukaemia unspecified | 78 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 89 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 2630 | 2.4 | 12.4 | 6.1 | 0.31 | 0.68 | 2692 | 2.8 | 12.2 | 4.8 | 0.24 | 0.49 | O&U |
| All sites | 110046 | | 520.0 | 276.0 | 14.76 | 33.24 | 97026 | | 440.6 | 221.2 | 13.95 | 24.90 | C00–96 |
| All sites except C44 | 110046 | 100.0 | 520.0 | 276.0 | 14.76 | 33.24 | 97026 | 100.0 | 440.6 | 221.2 | 13.95 | 24.90 | C00–96 exc. C44 |

Austria, Carinthia

CONTRIBUTORS

Zorica Jukic
Wolfgang Raunik



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 80.3 | Breast | 79.1 |
| Trachea, bronchus, and lung | 36.7 | Trachea, bronchus, and lung | 21.9 |
| Melanoma of skin | 22.1 | Melanoma of skin | 20.8 |
| Bladder | 20.9 | Thyroid | 17.1 |
| Colon | 17.2 | Corpus uteri | 11.1 |
| Kidney | 12.9 | Colon | 10.6 |
| Pancreas | 11.9 | Ovary | 8.6 |
| Testis | 11.3 | Pancreas | 8.3 |
| Non-Hodgkin lymphoma | 11.0 | Non-Hodgkin lymphoma | 7.5 |
| Rectum | 10.2 | Kidney | 7.3 |
| Stomach | 9.1 | Cervix uteri | 6.9 |
| Liver | 8.6 | Bladder | 6.2 |
| Thyroid | 7.6 | Stomach | 6.1 |
| Brain and nervous system | 6.6 | Rectum | 5.2 |
| Oesophagus | 5.2 | Brain and nervous system | 4.0 |
| Larynx | 4.9 | Multiple myeloma | 3.1 |
| Myeloid leukaemia | 4.8 | Myeloid leukaemia | 3.0 |
| Other and unspecified | 4.0 | Myeloproliferative disorders | 2.5 |
| Multiple myeloma | 3.6 | Liver | 2.4 |
| Lymphoid leukaemia | 3.5 | Lymphoid leukaemia | 2.2 |
| All sites | 329.7 | All sites | 258.3 |

Austria, Carinthia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | 8 | 0.1 | 0.6 | 0.1 | 0.00 | 0.02 | C00 |
| Tongue | 66 | 0.7 | 4.9 | 2.8 | 0.20 | 0.32 | 35 | 0.4 | 2.4 | 1.2 | 0.10 | 0.14 | C01–02 |
| Mouth | 80 | 0.9 | 5.9 | 3.1 | 0.22 | 0.40 | 39 | 0.5 | 2.7 | 1.2 | 0.08 | 0.15 | C03–06 |
| Salivary glands | 24 | 0.3 | 1.8 | 0.9 | 0.06 | 0.10 | 13 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 44 | 0.5 | 3.2 | 1.7 | 0.12 | 0.24 | 17 | 0.2 | 1.2 | 0.7 | 0.06 | 0.08 | C09 |
| Other oropharynx | 53 | 0.6 | 3.9 | 2.0 | 0.16 | 0.26 | 15 | 0.2 | 1.0 | 0.6 | 0.05 | 0.07 | C10 |
| Nasopharynx | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 61 | 0.7 | 4.5 | 2.3 | 0.15 | 0.30 | 6 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 136 | 1.5 | 10.0 | 5.2 | 0.35 | 0.67 | 45 | 0.6 | 3.1 | 1.3 | 0.08 | 0.18 | C15 |
| Stomach | 288 | 3.1 | 21.2 | 9.1 | 0.46 | 0.96 | 249 | 3.1 | 17.4 | 6.1 | 0.31 | 0.66 | C16 |
| Small intestine | 51 | 0.5 | 3.8 | 1.9 | 0.16 | 0.23 | 30 | 0.4 | 2.1 | 0.9 | 0.04 | 0.11 | C17 |
| Colon | 533 | 5.7 | 39.2 | 17.2 | 0.77 | 2.04 | 425 | 5.4 | 29.7 | 10.6 | 0.49 | 1.23 | C18 |
| Rectum | 292 | 3.1 | 21.5 | 10.2 | 0.57 | 1.30 | 189 | 2.4 | 13.2 | 5.2 | 0.31 | 0.63 | C19–20 |
| Anus | 24 | 0.3 | 1.8 | 0.9 | 0.06 | 0.10 | 53 | 0.7 | 3.7 | 1.8 | 0.14 | 0.25 | C21 |
| Liver | 264 | 2.8 | 19.4 | 8.6 | 0.35 | 1.13 | 106 | 1.3 | 7.4 | 2.4 | 0.10 | 0.29 | C22 |
| Gallbladder etc. | 62 | 0.7 | 4.6 | 1.9 | 0.05 | 0.22 | 75 | 0.9 | 5.2 | 1.6 | 0.08 | 0.16 | C23–24 |
| Pancreas | 367 | 3.9 | 27.0 | 11.9 | 0.54 | 1.50 | 364 | 4.6 | 25.4 | 8.3 | 0.37 | 0.93 | C25 |
| Nose, sinuses etc. | 23 | 0.2 | 1.7 | 0.8 | 0.05 | 0.11 | 11 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 129 | 1.4 | 9.5 | 4.9 | 0.33 | 0.61 | 14 | 0.2 | 1.0 | 0.4 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1088 | 11.6 | 80.1 | 36.7 | 1.86 | 4.75 | 716 | 9.0 | 50.0 | 21.9 | 1.37 | 2.76 | C33–34 |
| Other thoracic organs | 15 | 0.2 | 1.1 | 0.5 | 0.02 | 0.04 | 9 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 9 | 0.1 | 0.7 | 0.6 | 0.05 | 0.05 | 11 | 0.1 | 0.8 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 582 | 6.2 | 42.9 | 22.1 | 1.36 | 2.52 | 515 | 6.5 | 35.9 | 20.8 | 1.54 | 2.11 | C43 |
| Other skin | 4 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 39 | 0.4 | 2.9 | 1.2 | 0.05 | 0.16 | 9 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 69 | 0.7 | 5.1 | 2.5 | 0.12 | 0.28 | 39 | 0.5 | 2.7 | 1.6 | 0.09 | 0.14 | C47+C49 |
| Breast | 29 | 0.3 | 2.1 | 1.1 | 0.05 | 0.12 | 2206 | 27.9 | 154.0 | 79.1 | 5.55 | 8.96 | C50 |
| Vulva | | | | | | | 53 | 0.7 | 3.7 | 1.2 | 0.07 | 0.10 | C51 |
| Vagina | | | | | | | 15 | 0.2 | 1.0 | 0.6 | 0.02 | 0.06 | C52 |
| Cervix uteri | | | | | | | 145 | 1.8 | 10.1 | 6.9 | 0.54 | 0.70 | C53 |
| Corpus uteri | | | | | | | 374 | 4.7 | 26.1 | 11.1 | 0.70 | 1.38 | C54 |
| Uterus unspecified | | | | | | | 10 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 264 | 3.3 | 18.4 | 8.6 | 0.56 | 1.00 | C56 |
| Other female genital organs | | | | | | | 33 | 0.4 | 2.3 | 0.9 | 0.04 | 0.11 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 32 | 0.3 | 2.4 | 1.1 | 0.08 | 0.10 | | | | | | | C60 |
| Prostate | 2393 | 25.6 | 176.2 | 80.3 | 3.80 | 10.91 | | | | | | | C61 |
| Testis | 166 | 1.8 | 12.2 | 11.3 | 0.87 | 0.90 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 355 | 3.8 | 26.1 | 12.9 | 0.72 | 1.65 | 225 | 2.8 | 15.7 | 7.3 | 0.47 | 0.81 | C64 |
| Renal pelvis | 22 | 0.2 | 1.6 | 0.7 | 0.03 | 0.08 | 22 | 0.3 | 1.5 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 10 | 0.1 | 0.7 | 0.3 | 0.00 | 0.04 | 17 | 0.2 | 1.2 | 0.3 | 0.01 | 0.05 | C66 |
| †Bladder | 673 | 7.2 | 49.6 | 20.9 | 0.99 | 2.44 | 247 | 3.1 | 17.2 | 6.2 | 0.35 | 0.69 | C67 |
| Other urinary organs | 13 | 0.1 | 1.0 | 0.4 | 0.02 | 0.04 | 9 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C68 |
| Eye | 10 | 0.1 | 0.7 | 0.3 | 0.01 | 0.02 | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 141 | 1.5 | 10.4 | 6.5 | 0.42 | 0.68 | 108 | 1.4 | 7.5 | 4.0 | 0.26 | 0.39 | C70–72 |
| Thyroid | 151 | 1.6 | 11.1 | 7.6 | 0.66 | 0.79 | 334 | 4.2 | 23.3 | 17.1 | 1.39 | 1.64 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 7 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 40 | 0.4 | 2.9 | 2.6 | 0.19 | 0.21 | 26 | 0.3 | 1.8 | 1.7 | 0.11 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 304 | 3.3 | 22.4 | 11.0 | 0.62 | 1.24 | 250 | 3.2 | 17.5 | 7.5 | 0.38 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 32 | 0.3 | 2.4 | 1.1 | 0.05 | 0.14 | 34 | 0.4 | 2.4 | 1.2 | 0.09 | 0.15 | C88 |
| Multiple myeloma | 112 | 1.2 | 8.2 | 3.6 | 0.18 | 0.41 | 109 | 1.4 | 7.6 | 3.1 | 0.15 | 0.37 | C90 |
| Lymphoid leukaemia | 99 | 1.1 | 7.3 | 3.5 | 0.19 | 0.42 | 75 | 0.9 | 5.2 | 2.2 | 0.11 | 0.24 | C91 |
| Myeloid leukaemia | 123 | 1.3 | 9.1 | 4.8 | 0.28 | 0.47 | 109 | 1.4 | 7.6 | 3.0 | 0.18 | 0.30 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 80 | 0.9 | 5.9 | 2.8 | 0.17 | 0.28 | 87 | 1.1 | 6.1 | 2.5 | 0.12 | 0.27 | MPD |
| Myelodysplastic syndromes | 91 | 1.0 | 6.7 | 2.5 | 0.08 | 0.24 | 56 | 0.7 | 3.9 | 1.2 | 0.05 | 0.12 | MPS |
| Other and unspecified | 131 | 1.4 | 9.6 | 4.0 | 0.21 | 0.43 | 91 | 1.1 | 6.4 | 2.1 | 0.11 | 0.21 | O&U |
| All sites | 9346 | | 688.2 | 329.7 | 17.75 | 40.10 | 7919 | | 552.8 | 258.3 | 16.76 | 29.02 | C00–96 |
| All sites except C44 | 9342 | 100.0 | 687.9 | 329.6 | 17.75 | 40.08 | 7917 | 100.0 | 552.6 | 258.3 | 16.76 | 29.02 | C00–96 exc. C44 |

†See note following population pyramid

Austria, Tyrol

CONTRIBUTORS

Irmgard Delmarko
 Helmut Mühlböck
 Patricia Gscheidlinger
 Tamara Leitner
 Lois Harrasser
 Hermann Leitner



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 79.6 | Breast | 76.0 |
| Trachea, bronchus, and lung | 35.3 | Melanoma of skin | 35.0 |
| Melanoma of skin | 34.2 | Trachea, bronchus, and lung | 22.4 |
| Bladder | 25.3 | Thyroid | 22.0 |
| Colon | 17.6 | Colon | 13.0 |
| Rectum | 12.0 | Corpus uteri | 9.5 |
| Kidney | 12.0 | Non-melanoma skin cancer | 8.9 |
| Non-melanoma skin cancer | 11.3 | Ovary | 8.0 |
| Stomach | 10.5 | Non-Hodgkin lymphoma | 7.5 |
| Pancreas | 9.5 | Pancreas | 7.4 |
| Non-Hodgkin lymphoma | 9.1 | Cervix uteri | 6.4 |
| Testis | 8.4 | Bladder | 6.2 |
| Thyroid | 8.0 | Rectum | 6.0 |
| Liver | 7.8 | Kidney | 5.6 |
| Brain and nervous system | 6.0 | Brain and nervous system | 5.3 |
| Multiple myeloma | 4.1 | Stomach | 5.2 |
| Myeloid leukaemia | 4.1 | Myeloid leukaemia | 3.9 |
| Oesophagus | 3.6 | Other and unspecified | 2.9 |
| Lymphoid leukaemia | 3.6 | Connective and soft tissue | 2.7 |
| Larynx | 3.5 | Multiple myeloma | 2.5 |
| All sites | 343.2 | All sites | 282.2 |

Austria, Tyrol (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 53 | 0.5 | 2.9 | 1.4 | 0.07 | 0.17 | 32 | 0.3 | 1.7 | 0.6 | 0.02 | 0.06 | C00 |
| Tongue | 70 | 0.7 | 3.9 | 2.4 | 0.20 | 0.29 | 25 | 0.3 | 1.3 | 0.7 | 0.04 | 0.08 | C01–02 |
| Mouth | 69 | 0.6 | 3.8 | 2.4 | 0.19 | 0.28 | 38 | 0.4 | 2.0 | 1.2 | 0.08 | 0.14 | C03–06 |
| Salivary glands | 26 | 0.2 | 1.4 | 0.7 | 0.03 | 0.07 | 13 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C07–08 |
| Tonsil | 79 | 0.7 | 4.4 | 2.7 | 0.22 | 0.34 | 24 | 0.3 | 1.3 | 0.7 | 0.07 | 0.08 | C09 |
| Other oropharynx | 30 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 21 | 0.2 | 1.2 | 0.8 | 0.06 | 0.07 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 35 | 0.3 | 1.9 | 1.1 | 0.07 | 0.15 | 5 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 115 | 1.1 | 6.4 | 3.6 | 0.20 | 0.47 | 31 | 0.3 | 1.7 | 0.8 | 0.04 | 0.11 | C15 |
| Stomach | 391 | 3.6 | 21.7 | 10.5 | 0.50 | 1.16 | 234 | 2.6 | 12.6 | 5.2 | 0.27 | 0.56 | C16 |
| Small intestine | 41 | 0.4 | 2.3 | 1.3 | 0.08 | 0.17 | 31 | 0.3 | 1.7 | 0.9 | 0.06 | 0.10 | C17 |
| Colon | 632 | 5.9 | 35.1 | 17.6 | 0.85 | 2.00 | 540 | 5.9 | 29.0 | 13.0 | 0.74 | 1.40 | C18 |
| Rectum | 406 | 3.8 | 22.5 | 12.0 | 0.69 | 1.43 | 229 | 2.5 | 12.3 | 6.0 | 0.37 | 0.68 | C19–20 |
| Anus | 18 | 0.2 | 1.0 | 0.6 | 0.03 | 0.07 | 51 | 0.6 | 2.7 | 1.4 | 0.11 | 0.17 | C21 |
| Liver | 251 | 2.3 | 13.9 | 7.8 | 0.42 | 0.99 | 83 | 0.9 | 4.5 | 1.9 | 0.10 | 0.23 | C22 |
| Gallbladder etc. | 56 | 0.5 | 3.1 | 1.5 | 0.04 | 0.21 | 74 | 0.8 | 4.0 | 1.5 | 0.07 | 0.16 | C23–24 |
| Pancreas | 352 | 3.3 | 19.5 | 9.5 | 0.43 | 1.11 | 337 | 3.7 | 18.1 | 7.4 | 0.34 | 0.86 | C25 |
| Nose, sinuses etc. | 40 | 0.4 | 2.2 | 1.4 | 0.10 | 0.16 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 113 | 1.1 | 6.3 | 3.5 | 0.22 | 0.47 | 21 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1227 | 11.4 | 68.1 | 35.3 | 1.62 | 4.46 | 821 | 8.9 | 44.0 | 22.4 | 1.37 | 2.94 | C33–34 |
| Other thoracic organs | 13 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 10 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 27 | 0.3 | 1.5 | 1.5 | 0.09 | 0.12 | 19 | 0.2 | 1.0 | 1.0 | 0.07 | 0.07 | C40–41 |
| Melanoma of skin | 925 | 8.6 | 51.3 | 34.2 | 2.31 | 3.39 | 923 | 10.1 | 49.5 | 35.0 | 2.58 | 3.25 | C43 |
| Other skin | 445 | 4.1 | 24.7 | 11.3 | 0.43 | 1.15 | 423 | 4.6 | 22.7 | 8.9 | 0.46 | 0.88 | C44 |
| Mesothelioma | 22 | 0.2 | 1.2 | 0.6 | 0.02 | 0.06 | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 66 | 0.6 | 3.7 | 2.1 | 0.13 | 0.22 | 65 | 0.7 | 3.5 | 2.7 | 0.16 | 0.23 | C47+C49 |
| Breast | 17 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | 2505 | 27.3 | 134.4 | 76.0 | 5.42 | 8.57 | C50 |
| Vulva | | | | | | | 79 | 0.9 | 4.2 | 2.0 | 0.09 | 0.22 | C51 |
| Vagina | | | | | | | 11 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 177 | 1.9 | 9.5 | 6.4 | 0.50 | 0.60 | C53 |
| Corpus uteri | | | | | | | 367 | 4.0 | 19.7 | 9.5 | 0.56 | 1.18 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 300 | 3.3 | 16.1 | 8.0 | 0.48 | 0.92 | C56 |
| Other female genital organs | | | | | | | 11 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 37 | 0.3 | 2.1 | 1.0 | 0.06 | 0.10 | | | | | | | C60 |
| Prostate | 2650 | 24.6 | 147.0 | 79.6 | 4.04 | 11.03 | | | | | | | C61 |
| Testis | 169 | 1.6 | 9.4 | 8.4 | 0.65 | 0.67 | | | | | | | C62 |
| Other male genital organs | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 369 | 3.4 | 20.5 | 12.0 | 0.78 | 1.34 | 196 | 2.1 | 10.5 | 5.6 | 0.30 | 0.63 | C64 |
| Renal pelvis | 18 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | 15 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 18 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 938 | 8.7 | 52.0 | 25.3 | 1.05 | 2.98 | 263 | 2.9 | 14.1 | 6.2 | 0.34 | 0.76 | C67 |
| Other urinary organs | 5 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 18 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | 17 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 158 | 1.5 | 8.8 | 6.0 | 0.34 | 0.59 | 132 | 1.4 | 7.1 | 5.3 | 0.34 | 0.46 | C70–72 |
| Thyroid | 199 | 1.8 | 11.0 | 8.0 | 0.65 | 0.83 | 541 | 5.9 | 29.0 | 22.0 | 1.76 | 2.14 | C73 |
| Adrenal gland | 6 | 0.1 | 0.3 | 0.5 | 0.02 | 0.02 | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 63 | 0.6 | 3.5 | 2.9 | 0.19 | 0.25 | 49 | 0.5 | 2.6 | 2.4 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 294 | 2.7 | 16.3 | 9.1 | 0.50 | 1.05 | 271 | 3.0 | 14.5 | 7.5 | 0.43 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 28 | 0.3 | 1.6 | 0.8 | 0.04 | 0.09 | 21 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 150 | 1.4 | 8.3 | 4.1 | 0.19 | 0.50 | 112 | 1.2 | 6.0 | 2.5 | 0.12 | 0.28 | C90 |
| Lymphoid leukaemia | 96 | 0.9 | 5.3 | 3.6 | 0.18 | 0.32 | 55 | 0.6 | 3.0 | 2.5 | 0.11 | 0.18 | C91 |
| Myeloid leukaemia | 137 | 1.3 | 7.6 | 4.1 | 0.24 | 0.42 | 124 | 1.4 | 6.7 | 3.9 | 0.22 | 0.41 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 94 | 0.9 | 5.2 | 2.8 | 0.13 | 0.31 | 67 | 0.7 | 3.6 | 1.9 | 0.13 | 0.26 | MPD |
| Myelodysplastic syndromes | 81 | 0.8 | 4.5 | 2.1 | 0.08 | 0.21 | 60 | 0.7 | 3.2 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 119 | 1.1 | 6.6 | 3.3 | 0.14 | 0.35 | 147 | 1.6 | 7.9 | 2.9 | 0.13 | 0.29 | O&U |
| All sites | 11202 | | 621.4 | 343.2 | 18.47 | 40.51 | 9598 | | 514.9 | 282.2 | 18.35 | 30.58 | C00–96 |
| All sites except C44 | 10757 | 100.0 | 596.7 | 331.9 | 18.05 | 39.36 | 9175 | 100.0 | 492.2 | 273.3 | 17.89 | 29.70 | C00–96 exc. C44 |

†See note following population pyramid

Austria, Vorarlberg

CONTRIBUTORS

Emanuel Zitt
 Hans Concini
 Karin Parschalk
 Wolfgang Brozek
 Hildegard Burtscher
 Barbara Baireder
 Petra Rack
 Elmar Stimpfl
 Herwig Bösch



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 63.4 | Breast | 71.8 |
| Trachea, bronchus, and lung | 35.3 | Trachea, bronchus, and lung | 21.0 |
| Non-melanoma skin cancer | 23.3 | Melanoma of skin | 14.5 |
| Bladder | 21.7 | Non-melanoma skin cancer | 13.7 |
| Colon | 17.4 | Colon | 13.2 |
| Melanoma of skin | 15.5 | Corpus uteri | 10.7 |
| Rectum | 11.1 | Non-Hodgkin lymphoma | 8.5 |
| Non-Hodgkin lymphoma | 10.7 | Ovary | 8.3 |
| Kidney | 9.7 | Pancreas | 7.1 |
| Testis | 9.0 | Rectum | 6.7 |
| Stomach | 8.8 | Cervix uteri | 6.1 |
| Pancreas | 8.8 | Thyroid | 5.9 |
| Liver | 6.9 | Bladder | 5.1 |
| Brain and nervous system | 5.2 | Brain and nervous system | 4.8 |
| Lymphoid leukaemia | 4.9 | Stomach | 4.6 |
| Larynx | 3.9 | Lymphoid leukaemia | 4.5 |
| Myeloid leukaemia | 3.8 | Kidney | 4.2 |
| Other and unspecified | 3.7 | Myeloid leukaemia | 3.4 |
| Multiple myeloma | 3.7 | Other and unspecified | 3.3 |
| Oesophagus | 3.6 | Multiple myeloma | 3.0 |
| All sites | 310.0 | All sites | 243.0 |

Austria, Vorarlberg (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.4 | 1.9 | 1.0 | 0.07 | 0.10 | 6 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 46 | 0.9 | 4.9 | 2.9 | 0.19 | 0.38 | 13 | 0.3 | 1.3 | 0.7 | 0.05 | 0.09 | C01–02 |
| Mouth | 41 | 0.8 | 4.3 | 2.6 | 0.18 | 0.30 | 21 | 0.5 | 2.2 | 0.9 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 10 | 0.2 | 1.1 | 0.7 | 0.06 | 0.07 | 6 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | C07–08 |
| Tonsil | 33 | 0.7 | 3.5 | 2.1 | 0.21 | 0.24 | 12 | 0.3 | 1.2 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 27 | 0.6 | 2.9 | 1.8 | 0.16 | 0.21 | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 8 | 0.2 | 0.8 | 0.6 | 0.06 | 0.06 | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 27 | 0.6 | 2.9 | 1.8 | 0.11 | 0.23 | 2 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.5 | 0.3 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 67 | 1.4 | 7.1 | 3.6 | 0.15 | 0.44 | 17 | 0.4 | 1.8 | 0.7 | 0.04 | 0.08 | C15 |
| Stomach | 163 | 3.3 | 17.2 | 8.8 | 0.46 | 0.88 | 106 | 2.6 | 11.0 | 4.6 | 0.25 | 0.49 | C16 |
| Small intestine | 23 | 0.5 | 2.4 | 1.3 | 0.08 | 0.14 | 26 | 0.6 | 2.7 | 1.3 | 0.07 | 0.15 | C17 |
| Colon | 321 | 6.6 | 33.9 | 17.4 | 0.82 | 1.98 | 276 | 6.7 | 28.5 | 13.2 | 0.66 | 1.51 | C18 |
| Rectum | 196 | 4.0 | 20.7 | 11.1 | 0.65 | 1.29 | 134 | 3.2 | 13.9 | 6.7 | 0.36 | 0.73 | C19–20 |
| Anus | 11 | 0.2 | 1.2 | 0.6 | 0.03 | 0.09 | 19 | 0.5 | 2.0 | 0.9 | 0.05 | 0.08 | C21 |
| Liver | 129 | 2.6 | 13.6 | 6.9 | 0.26 | 0.89 | 60 | 1.4 | 6.2 | 2.4 | 0.10 | 0.26 | C22 |
| Gallbladder etc. | 36 | 0.7 | 3.8 | 1.9 | 0.08 | 0.24 | 35 | 0.8 | 3.6 | 1.5 | 0.05 | 0.20 | C23–24 |
| Pancreas | 158 | 3.2 | 16.7 | 8.8 | 0.42 | 1.10 | 154 | 3.7 | 15.9 | 7.1 | 0.35 | 0.83 | C25 |
| Nose, sinuses etc. | 15 | 0.3 | 1.6 | 0.9 | 0.07 | 0.10 | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 64 | 1.3 | 6.8 | 3.9 | 0.27 | 0.52 | 11 | 0.3 | 1.1 | 0.6 | 0.04 | 0.09 | C32 |
| Trachea, bronchus, and lung | 618 | 12.7 | 65.3 | 35.3 | 1.87 | 4.54 | 393 | 9.5 | 40.6 | 21.0 | 1.31 | 2.76 | C33–34 |
| Other thoracic organs | 9 | 0.2 | 1.0 | 0.5 | 0.01 | 0.06 | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 18 | 0.4 | 1.9 | 2.1 | 0.12 | 0.17 | 10 | 0.2 | 1.0 | 1.0 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 256 | 5.3 | 27.1 | 15.5 | 0.88 | 1.61 | 226 | 5.4 | 23.4 | 14.5 | 1.01 | 1.46 | C43 |
| Other skin | 502 | 10.3 | 53.1 | 23.3 | 0.61 | 2.08 | 407 | 9.8 | 42.1 | 13.7 | 0.50 | 1.24 | C44 |
| Mesothelioma | 16 | 0.3 | 1.7 | 0.9 | 0.03 | 0.12 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 50 | 1.0 | 5.3 | 3.1 | 0.16 | 0.27 | 14 | 0.3 | 1.4 | 0.6 | 0.02 | 0.07 | C47+C49 |
| Breast | 11 | 0.2 | 1.2 | 0.6 | 0.02 | 0.06 | 1208 | 29.1 | 124.9 | 71.8 | 5.08 | 8.10 | C50 |
| Vulva | | | | | | | 36 | 0.9 | 3.7 | 1.8 | 0.11 | 0.22 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 78 | 1.9 | 8.1 | 6.1 | 0.48 | 0.56 | C53 |
| Corpus uteri | | | | | | | 197 | 4.8 | 20.4 | 10.7 | 0.62 | 1.40 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 148 | 3.6 | 15.3 | 8.3 | 0.51 | 0.97 | C56 |
| Other female genital organs | | | | | | | 15 | 0.4 | 1.6 | 0.6 | 0.02 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 15 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 1081 | 22.2 | 114.3 | 63.4 | 3.26 | 8.67 | | | | | | | C61 |
| Testis | 93 | 1.9 | 9.8 | 9.0 | 0.70 | 0.70 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 162 | 3.3 | 17.1 | 9.7 | 0.57 | 1.22 | 89 | 2.1 | 9.2 | 4.2 | 0.22 | 0.50 | C64 |
| Renal pelvis | 15 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | 5 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 9 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C66 |
| †Bladder | 419 | 8.6 | 44.3 | 21.7 | 0.83 | 2.47 | 111 | 2.7 | 11.5 | 5.1 | 0.27 | 0.61 | C67 |
| Other urinary organs | 5 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.2 | 0.8 | 0.7 | 0.03 | 0.07 | 5 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 79 | 1.6 | 8.4 | 5.2 | 0.27 | 0.53 | 68 | 1.6 | 7.0 | 4.8 | 0.28 | 0.50 | C70–72 |
| Thyroid | 31 | 0.6 | 3.3 | 2.5 | 0.21 | 0.25 | 74 | 1.8 | 7.7 | 5.9 | 0.48 | 0.56 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | 3 | 0.1 | 0.3 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 35 | 0.7 | 3.7 | 2.8 | 0.16 | 0.24 | 20 | 0.5 | 2.1 | 1.9 | 0.11 | 0.13 | C81 |
| Non-Hodgkin lymphoma | 177 | 3.6 | 18.7 | 10.7 | 0.61 | 1.15 | 160 | 3.9 | 16.5 | 8.5 | 0.54 | 0.92 | C82–86,C96 |
| Immunoproliferative diseases | 19 | 0.4 | 2.0 | 1.0 | 0.04 | 0.11 | 13 | 0.3 | 1.3 | 0.8 | 0.05 | 0.11 | C88 |
| Multiple myeloma | 72 | 1.5 | 7.6 | 3.7 | 0.14 | 0.37 | 69 | 1.7 | 7.1 | 3.0 | 0.15 | 0.36 | C90 |
| Lymphoid leukaemia | 63 | 1.3 | 6.7 | 4.9 | 0.21 | 0.47 | 54 | 1.3 | 5.6 | 4.5 | 0.20 | 0.38 | C91 |
| Myeloid leukaemia | 64 | 1.3 | 6.8 | 3.8 | 0.19 | 0.40 | 60 | 1.4 | 6.2 | 3.4 | 0.18 | 0.36 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 39 | 0.8 | 4.1 | 2.3 | 0.15 | 0.24 | 32 | 0.8 | 3.3 | 1.7 | 0.10 | 0.18 | MPD |
| Myelodysplastic syndromes | 26 | 0.5 | 2.7 | 1.2 | 0.02 | 0.12 | 29 | 0.7 | 3.0 | 1.0 | 0.02 | 0.08 | MPS |
| Other and unspecified | 74 | 1.5 | 7.8 | 3.7 | 0.14 | 0.32 | 95 | 2.3 | 9.8 | 3.3 | 0.14 | 0.25 | O&U |
| All sites | 5370 | | 567.6 | 310.0 | 15.75 | 35.90 | 4554 | | 471.0 | 243.0 | 14.78 | 26.89 | C00–96 |
| All sites except C44 | 4868 | 100.0 | 514.6 | 286.7 | 15.14 | 33.83 | 4147 | 100.0 | 428.9 | 229.3 | 14.28 | 25.64 | C00–96 exc. C44 |

†See note following population pyramid

Belarus

CONTRIBUTORS

Sergey Polyakov
Pavel Moiseev
Aleksy Okeanov
Leonid Levin
Alesia Yaumenenka



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 63.9 | Breast | 49.0 |
| Trachea, bronchus, and lung | 58.3 | Non-melanoma skin cancer | 38.5 |
| Non-melanoma skin cancer | 43.1 | Corpus uteri | 23.1 |
| Stomach | 25.8 | Thyroid | 15.1 |
| Colon | 19.9 | Colon | 14.0 |
| Kidney | 19.8 | Cervix uteri | 12.3 |
| Rectum | 17.4 | Stomach | 10.8 |
| Bladder | 15.6 | Ovary | 10.7 |
| Larynx | 9.6 | Kidney | 9.5 |
| Pancreas | 9.2 | Rectum | 9.1 |
| Oesophagus | 7.9 | Melanoma of skin | 6.0 |
| Other and unspecified | 7.0 | Trachea, bronchus, and lung | 5.9 |
| Lymphoid leukaemia | 6.7 | Pancreas | 4.5 |
| Non-Hodgkin lymphoma | 6.4 | Brain and nervous system | 4.5 |
| Brain and nervous system | 5.6 | Non-Hodgkin lymphoma | 4.4 |
| Melanoma of skin | 5.4 | Other and unspecified | 3.9 |
| Mouth | 5.1 | Lymphoid leukaemia | 3.9 |
| Hypopharynx | 4.7 | Hodgkin lymphoma | 2.7 |
| Liver | 4.6 | Myeloid leukaemia | 2.4 |
| Thyroid | 4.3 | Bladder | 2.3 |
| All sites | 375.0 | All sites | 249.7 |

Belarus (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 549 | 0.5 | 2.5 | 1.7 | 0.06 | 0.20 | 222 | 0.2 | 0.9 | 0.3 | 0.00 | 0.02 | C00 |
| Tongue | 1204 | 1.2 | 5.5 | 3.8 | 0.32 | 0.45 | 230 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C01–02 |
| Mouth | 1599 | 1.5 | 7.3 | 5.1 | 0.41 | 0.62 | 278 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 290 | 0.3 | 1.3 | 1.0 | 0.06 | 0.11 | 226 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 702 | 0.7 | 3.2 | 2.2 | 0.18 | 0.27 | 109 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C09 |
| Other oropharynx | 1001 | 1.0 | 4.6 | 3.1 | 0.26 | 0.40 | 56 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 124 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 53 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 1495 | 1.4 | 6.8 | 4.7 | 0.37 | 0.59 | 50 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 15 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2509 | 2.4 | 11.5 | 7.9 | 0.55 | 1.03 | 302 | 0.3 | 1.2 | 0.6 | 0.03 | 0.07 | C15 |
| Stomach | 8271 | 7.9 | 37.8 | 25.8 | 1.36 | 3.22 | 5900 | 6.2 | 23.2 | 10.8 | 0.56 | 1.29 | C16 |
| Small intestine | 229 | 0.2 | 1.0 | 0.7 | 0.05 | 0.09 | 272 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 6420 | 6.1 | 29.4 | 19.9 | 0.89 | 2.51 | 7726 | 8.2 | 30.4 | 14.0 | 0.74 | 1.74 | C18 |
| Rectum | 5602 | 5.4 | 25.6 | 17.4 | 0.86 | 2.23 | 4813 | 5.1 | 18.9 | 9.1 | 0.51 | 1.15 | C19–20 |
| Anus | 117 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 287 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C21 |
| Liver | 1452 | 1.4 | 6.6 | 4.6 | 0.28 | 0.58 | 781 | 0.8 | 3.1 | 1.5 | 0.08 | 0.18 | C22 |
| Gallbladder etc. | 484 | 0.5 | 2.2 | 1.5 | 0.07 | 0.18 | 867 | 0.9 | 3.4 | 1.5 | 0.07 | 0.18 | C23–24 |
| Pancreas | 2913 | 2.8 | 13.3 | 9.2 | 0.53 | 1.17 | 2479 | 2.6 | 9.8 | 4.5 | 0.22 | 0.56 | C25 |
| Nose, sinuses etc. | 261 | 0.2 | 1.2 | 0.9 | 0.06 | 0.10 | 126 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 3069 | 2.9 | 14.0 | 9.6 | 0.71 | 1.24 | 107 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 18707 | 17.9 | 85.6 | 58.3 | 3.49 | 7.74 | 3091 | 3.3 | 12.2 | 5.9 | 0.34 | 0.73 | C33–34 |
| Other thoracic organs | 147 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | 113 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 233 | 0.2 | 1.1 | 1.1 | 0.07 | 0.08 | 195 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 1653 | 1.6 | 7.6 | 5.4 | 0.33 | 0.61 | 2607 | 2.8 | 10.3 | 6.0 | 0.42 | 0.65 | C43 |
| Other skin | 14018 | 13.4 | 64.1 | 43.1 | 1.70 | 4.85 | 22479 | 23.8 | 88.4 | 38.5 | 1.82 | 4.52 | C44 |
| Mesothelioma | 136 | 0.1 | 0.6 | 0.4 | 0.03 | 0.06 | 119 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 84 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 43 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 562 | 0.5 | 2.6 | 2.0 | 0.12 | 0.20 | 690 | 0.7 | 2.7 | 1.7 | 0.11 | 0.17 | C47+C49 |
| Breast | 147 | 0.1 | 0.7 | 0.5 | 0.02 | 0.06 | 21263 | 22.5 | 83.6 | 49.0 | 3.64 | 5.67 | C50 |
| Vulva | | | | | | | 785 | 0.8 | 3.1 | 1.3 | 0.06 | 0.14 | C51 |
| Vagina | | | | | | | 177 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 4580 | 4.8 | 18.0 | 12.3 | 0.99 | 1.23 | C53 |
| Corpus uteri | | | | | | | 10316 | 10.9 | 40.6 | 23.1 | 1.78 | 2.88 | C54 |
| Uterus unspecified | | | | | | | 27 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 4298 | 4.5 | 16.9 | 10.7 | 0.83 | 1.16 | C56 |
| Other female genital organs | | | | | | | 169 | 0.2 | 0.7 | 0.4 | 0.04 | 0.05 | C57 |
| Placenta | | | | | | | 28 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 328 | 0.3 | 1.5 | 1.0 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 20486 | 19.6 | 93.7 | 63.9 | 2.53 | 8.73 | | | | | | | C61 |
| Testis | 626 | 0.6 | 2.9 | 2.4 | 0.18 | 0.20 | | | | | | | C62 |
| Other male genital organs | 21 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 6202 | 5.9 | 28.4 | 19.8 | 1.38 | 2.40 | 4277 | 4.5 | 16.8 | 9.5 | 0.67 | 1.14 | C64 |
| Renal pelvis | 151 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | 91 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 82 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 46 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 5052 | 4.8 | 23.1 | 15.6 | 0.71 | 1.89 | 1346 | 1.4 | 5.3 | 2.3 | 0.12 | 0.28 | C67 |
| Other urinary organs | 22 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 17 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 283 | 0.3 | 1.3 | 1.0 | 0.06 | 0.11 | 355 | 0.4 | 1.4 | 0.9 | 0.05 | 0.09 | C69 |
| Brain and nervous system | 1484 | 1.4 | 6.8 | 5.6 | 0.39 | 0.56 | 1530 | 1.6 | 6.0 | 4.5 | 0.32 | 0.44 | C70–72 |
| Thyroid | 1162 | 1.1 | 5.3 | 4.3 | 0.32 | 0.40 | 4977 | 5.3 | 19.6 | 15.1 | 1.21 | 1.43 | C73 |
| Adrenal gland | 98 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 108 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 583 | 0.6 | 2.7 | 2.4 | 0.17 | 0.20 | 679 | 0.7 | 2.7 | 2.7 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 1877 | 1.8 | 8.6 | 6.4 | 0.38 | 0.72 | 1979 | 2.1 | 7.8 | 4.4 | 0.28 | 0.50 | C82–86,C96 |
| Immunoproliferative diseases | 30 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 26 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 668 | 0.6 | 3.1 | 2.1 | 0.12 | 0.26 | 928 | 1.0 | 3.7 | 1.8 | 0.11 | 0.23 | C90 |
| Lymphoid leukaemia | 1816 | 1.7 | 8.3 | 6.7 | 0.36 | 0.69 | 1494 | 1.6 | 5.9 | 3.9 | 0.20 | 0.39 | C91 |
| Myeloid leukaemia | 1005 | 1.0 | 4.6 | 3.5 | 0.19 | 0.37 | 1031 | 1.1 | 4.1 | 2.4 | 0.15 | 0.25 | C92–94 |
| Leukaemia unspecified | 68 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 72 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 162 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 182 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 2231 | 2.1 | 10.2 | 7.0 | 0.41 | 0.83 | 2002 | 2.1 | 7.9 | 3.9 | 0.22 | 0.45 | O&U |
| All sites | 118444 | | 541.9 | 375.0 | 20.25 | 46.48 | 117021 | | 460.3 | 249.7 | 16.23 | 28.60 | C00–96 |
| All sites except C44 | 104426 | 100.0 | 477.8 | 332.0 | 18.55 | 41.63 | 94542 | 100.0 | 371.9 | 211.2 | 14.40 | 24.08 | C00–96 exc. C44 |

†See note following population pyramid

Belgium

CONTRIBUTORS

Kris Henau
Elizabeth Van Eycken



NOTES ON THE DATA

*No DCO registrations.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 118.7 | Non-melanoma skin cancer | 120.8 |
| Prostate | 78.3 | Breast | 107.9 |
| Trachea, bronchus, and lung | 51.4 | Trachea, bronchus, and lung | 24.3 |
| Bladder | 29.1 | Colon | 20.1 |
| Colon | 28.5 | Melanoma of skin | 19.5 |
| Rectum | 15.0 | Corpus uteri | 11.6 |
| Melanoma of skin | 13.3 | Thyroid | 10.1 |
| Non-Hodgkin lymphoma | 11.8 | Cervix uteri | 8.0 |
| Kidney | 11.0 | Rectum | 7.9 |
| Stomach | 8.3 | Non-Hodgkin lymphoma | 7.8 |
| Pancreas | 8.2 | Ovary | 7.0 |
| Lymphoid leukaemia | 7.8 | Pancreas | 6.6 |
| Oesophagus | 7.1 | Bladder | 6.1 |
| Brain and nervous system | 6.7 | Kidney | 5.3 |
| Testis | 6.6 | Lymphoid leukaemia | 4.7 |
| Liver | 6.5 | Brain and nervous system | 4.2 |
| Larynx | 5.0 | Stomach | 4.1 |
| Myeloid leukaemia | 4.7 | Myeloid leukaemia | 3.5 |
| Other and unspecified | 4.4 | Other and unspecified | 3.4 |
| Multiple myeloma | 4.3 | Myeloproliferative disorders | 3.1 |
| All sites | 474.8 | All sites | 418.7 |

*Belgium (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 173 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 84 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 1540 | 0.8 | 5.6 | 3.3 | 0.24 | 0.41 | 661 | 0.4 | 2.3 | 1.3 | 0.09 | 0.16 | C01–02 |
| Mouth | 1582 | 0.8 | 5.7 | 3.4 | 0.27 | 0.43 | 805 | 0.5 | 2.8 | 1.4 | 0.10 | 0.18 | C03–06 |
| Salivary glands | 392 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | 311 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 942 | 0.5 | 3.4 | 2.1 | 0.16 | 0.26 | 403 | 0.3 | 1.4 | 0.8 | 0.06 | 0.10 | C09 |
| Other oropharynx | 714 | 0.4 | 2.6 | 1.6 | 0.13 | 0.20 | 230 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | C10 |
| Nasopharynx | 255 | 0.1 | 0.9 | 0.7 | 0.05 | 0.07 | 78 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 1229 | 0.7 | 4.5 | 2.6 | 0.20 | 0.35 | 228 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | C12–13 |
| Pharynx unspecified | 83 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 27 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 3706 | 2.0 | 13.5 | 7.1 | 0.41 | 0.91 | 1366 | 0.9 | 4.8 | 2.1 | 0.12 | 0.27 | C15 |
| Stomach | 4570 | 2.4 | 16.6 | 8.3 | 0.43 | 0.96 | 2742 | 1.7 | 9.6 | 4.1 | 0.23 | 0.46 | C16 |
| Small intestine | 933 | 0.5 | 3.4 | 1.9 | 0.11 | 0.22 | 757 | 0.5 | 2.7 | 1.3 | 0.08 | 0.16 | C17 |
| Colon | 16069 | 8.6 | 58.4 | 28.5 | 1.26 | 3.48 | 13891 | 8.7 | 48.7 | 20.1 | 1.00 | 2.34 | C18 |
| Rectum | 8083 | 4.3 | 29.4 | 15.0 | 0.80 | 1.86 | 4983 | 3.1 | 17.5 | 7.9 | 0.47 | 0.96 | C19–20 |
| Anus | 366 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | 599 | 0.4 | 2.1 | 1.1 | 0.08 | 0.13 | C21 |
| Liver | 3333 | 1.8 | 12.1 | 6.5 | 0.34 | 0.85 | 1345 | 0.8 | 4.7 | 2.2 | 0.11 | 0.27 | C22 |
| Gallbladder etc. | 1061 | 0.6 | 3.9 | 1.9 | 0.08 | 0.22 | 1031 | 0.6 | 3.6 | 1.4 | 0.06 | 0.16 | C23–24 |
| Pancreas | 4504 | 2.4 | 16.4 | 8.2 | 0.41 | 1.02 | 4353 | 2.7 | 15.3 | 6.6 | 0.34 | 0.80 | C25 |
| Nose, sinuses etc. | 464 | 0.2 | 1.7 | 0.9 | 0.06 | 0.11 | 161 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 2545 | 1.4 | 9.2 | 5.0 | 0.32 | 0.65 | 441 | 0.3 | 1.5 | 0.8 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 28310 | 15.2 | 102.8 | 51.4 | 2.50 | 6.61 | 13457 | 8.4 | 47.2 | 24.3 | 1.58 | 3.18 | C33–34 |
| Other thoracic organs | 280 | 0.1 | 1.0 | 0.7 | 0.04 | 0.07 | 201 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 368 | 0.2 | 1.3 | 1.2 | 0.08 | 0.10 | 279 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 6044 | 3.2 | 22.0 | 13.3 | 0.89 | 1.48 | 8436 | 5.3 | 29.6 | 19.5 | 1.47 | 1.98 | C43 |
| Other skin | 68040 | 36.4 | 247.1 | 118.7 | 5.46 | 13.36 | 72053 | 44.9 | 252.7 | 120.8 | 7.48 | 13.66 | C44 |
| Mesothelioma | 1172 | 0.6 | 4.3 | 2.0 | 0.07 | 0.24 | 274 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 194 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 50 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 992 | 0.5 | 3.6 | 2.2 | 0.13 | 0.22 | 794 | 0.5 | 2.8 | 1.7 | 0.10 | 0.17 | C47+C49 |
| Breast | 479 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | 53933 | 33.6 | 189.1 | 107.9 | 7.88 | 12.36 | C50 |
| Vulva | | | | | | | 1228 | 0.8 | 4.3 | 1.9 | 0.12 | 0.21 | C51 |
| Vagina | | | | | | | 229 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 3235 | 2.0 | 11.3 | 8.0 | 0.64 | 0.79 | C53 |
| Corpus uteri | | | | | | | 7153 | 4.5 | 25.1 | 11.6 | 0.64 | 1.51 | C54 |
| Uterus unspecified | | | | | | | 52 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 3913 | 2.4 | 13.7 | 7.0 | 0.44 | 0.83 | C56 |
| Other female genital organs | | | | | | | 499 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | C57 |
| Placenta | | | | | | | 26 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 479 | 0.3 | 1.7 | 0.9 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 43088 | 23.1 | 156.5 | 78.3 | 3.52 | 10.59 | | | | | | | C61 |
| Testis | 1840 | 1.0 | 6.7 | 6.6 | 0.49 | 0.50 | | | | | | | C62 |
| Other male genital organs | 91 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 5458 | 2.9 | 19.8 | 11.0 | 0.65 | 1.34 | 3050 | 1.9 | 10.7 | 5.3 | 0.30 | 0.62 | C64 |
| Renal pelvis | 583 | 0.3 | 2.1 | 1.0 | 0.04 | 0.11 | 365 | 0.2 | 1.3 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 345 | 0.2 | 1.3 | 0.6 | 0.02 | 0.07 | 198 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 17276 | 9.2 | 62.7 | 29.1 | 1.16 | 3.45 | 4376 | 2.7 | 15.3 | 6.1 | 0.29 | 0.73 | C67 |
| Other urinary organs | 107 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 38 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 367 | 0.2 | 1.3 | 0.9 | 0.05 | 0.10 | 313 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 2614 | 1.4 | 9.5 | 6.7 | 0.44 | 0.68 | 1770 | 1.1 | 6.2 | 4.2 | 0.28 | 0.43 | C70–72 |
| Thyroid | 1359 | 0.7 | 4.9 | 3.4 | 0.25 | 0.37 | 3779 | 2.4 | 13.3 | 10.1 | 0.80 | 0.98 | C73 |
| Adrenal gland | 196 | 0.1 | 0.7 | 0.6 | 0.04 | 0.06 | 234 | 0.1 | 0.8 | 0.7 | 0.05 | 0.06 | C74 |
| Other endocrine | 69 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 120 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 1021 | 0.5 | 3.7 | 3.4 | 0.23 | 0.27 | 707 | 0.4 | 2.5 | 2.5 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 5779 | 3.1 | 21.0 | 11.8 | 0.65 | 1.27 | 4552 | 2.8 | 16.0 | 7.8 | 0.43 | 0.87 | C82–86,C96 |
| Immunoproliferative diseases | 842 | 0.5 | 3.1 | 1.7 | 0.09 | 0.19 | 641 | 0.4 | 2.2 | 1.1 | 0.06 | 0.13 | C88 |
| Multiple myeloma | 2391 | 1.3 | 8.7 | 4.3 | 0.21 | 0.52 | 1914 | 1.2 | 6.7 | 2.9 | 0.14 | 0.36 | C90 |
| Lymphoid leukaemia | 3464 | 1.9 | 12.6 | 7.8 | 0.43 | 0.82 | 2348 | 1.5 | 8.2 | 4.7 | 0.25 | 0.48 | C91 |
| Myeloid leukaemia | 2321 | 1.2 | 8.4 | 4.7 | 0.25 | 0.50 | 1860 | 1.2 | 6.5 | 3.5 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 37 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 33 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 1876 | 1.0 | 6.8 | 3.6 | 0.19 | 0.41 | 1925 | 1.2 | 6.8 | 3.1 | 0.17 | 0.36 | MPD |
| Myelodysplastic syndromes | 2390 | 1.3 | 8.7 | 3.8 | 0.11 | 0.40 | 1739 | 1.1 | 6.1 | 2.2 | 0.09 | 0.23 | MPS |
| Other and unspecified | 2465 | 1.3 | 9.0 | 4.4 | 0.21 | 0.51 | 2367 | 1.5 | 8.3 | 3.4 | 0.18 | 0.37 | O&U |
| All sites | 254881 | | 925.7 | 474.8 | 23.74 | 56.81 | 232637 | | 815.8 | 418.7 | 26.99 | 47.74 | C00–96 |
| All sites except C44 | 186841 | 100.0 | 678.6 | 356.1 | 18.28 | 43.45 | 160584 | 100.0 | 563.1 | 297.8 | 19.51 | 34.09 | C00–96 exc. C44 |

*†See note following population pyramid

Croatia

CONTRIBUTORS

Mario Šekerija
Ljubica Bubanović
Jelena Lončar
Petra Čukelj
Petar Novak



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 56.9 | Breast | 67.7 |
| Prostate | 53.7 | Trachea, bronchus, and lung | 18.7 |
| Colon | 29.3 | Thyroid | 18.4 |
| Rectum | 21.2 | Colon | 16.6 |
| Bladder | 20.8 | Corpus uteri | 15.9 |
| Kidney | 14.0 | Rectum | 10.2 |
| Stomach | 13.6 | Ovary | 10.2 |
| Melanoma of skin | 11.2 | Cervix uteri | 10.0 |
| Pancreas | 9.9 | Melanoma of skin | 8.4 |
| Non-Hodgkin lymphoma | 9.4 | Non-Hodgkin lymphoma | 7.2 |
| Testis | 9.3 | Pancreas | 6.7 |
| Liver | 8.3 | Stomach | 6.3 |
| Larynx | 8.1 | Kidney | 6.1 |
| Brain and nervous system | 7.2 | Bladder | 5.5 |
| Other and unspecified | 6.9 | Brain and nervous system | 5.2 |
| Thyroid | 5.2 | Other and unspecified | 4.8 |
| Lymphoid leukaemia | 5.1 | Lymphoid leukaemia | 3.4 |
| Oesophagus | 4.3 | Myeloid leukaemia | 2.9 |
| Myeloid leukaemia | 3.9 | Gallbladder etc. | 2.8 |
| Multiple myeloma | 3.4 | Liver | 2.6 |
| All sites | 338.3 | All sites | 252.1 |

Croatia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 240 | 0.4 | 2.4 | 1.1 | 0.05 | 0.11 | 110 | 0.2 | 1.0 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 555 | 0.8 | 5.5 | 3.2 | 0.23 | 0.40 | 134 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C01–02 |
| Mouth | 455 | 0.7 | 4.5 | 2.5 | 0.20 | 0.31 | 168 | 0.3 | 1.5 | 0.7 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 156 | 0.2 | 1.5 | 0.8 | 0.04 | 0.09 | 128 | 0.2 | 1.2 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 228 | 0.3 | 2.2 | 1.3 | 0.11 | 0.17 | 42 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 275 | 0.4 | 2.7 | 1.5 | 0.12 | 0.20 | 50 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 90 | 0.1 | 0.9 | 0.6 | 0.04 | 0.06 | 47 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 514 | 0.8 | 5.1 | 2.8 | 0.23 | 0.35 | 62 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 43 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 816 | 1.2 | 8.0 | 4.3 | 0.29 | 0.56 | 179 | 0.3 | 1.6 | 0.7 | 0.04 | 0.08 | C15 |
| Stomach | 2840 | 4.3 | 27.9 | 13.6 | 0.63 | 1.57 | 1925 | 3.4 | 17.7 | 6.3 | 0.30 | 0.70 | C16 |
| Small intestine | 164 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | 179 | 0.3 | 1.6 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 6153 | 9.4 | 60.5 | 29.3 | 1.29 | 3.52 | 4647 | 8.2 | 42.6 | 16.6 | 0.87 | 1.95 | C18 |
| Rectum | 4258 | 6.5 | 41.9 | 21.2 | 1.11 | 2.63 | 2721 | 4.8 | 24.9 | 10.2 | 0.58 | 1.20 | C19–20 |
| Anus | 101 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | 104 | 0.2 | 1.0 | 0.4 | 0.03 | 0.04 | C21 |
| Liver | 1704 | 2.6 | 16.7 | 8.3 | 0.38 | 1.05 | 809 | 1.4 | 7.4 | 2.6 | 0.11 | 0.30 | C22 |
| Gallbladder etc. | 653 | 1.0 | 6.4 | 3.0 | 0.10 | 0.35 | 945 | 1.7 | 8.7 | 2.8 | 0.11 | 0.31 | C23–24 |
| Pancreas | 2014 | 3.1 | 19.8 | 9.9 | 0.49 | 1.19 | 2027 | 3.6 | 18.6 | 6.7 | 0.30 | 0.81 | C25 |
| Nose, sinuses etc. | 116 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 88 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 1493 | 2.3 | 14.7 | 8.1 | 0.57 | 1.06 | 134 | 0.2 | 1.2 | 0.6 | 0.05 | 0.07 | C32 |
| Trachea, bronchus, and lung | 11336 | 17.3 | 111.4 | 56.9 | 3.27 | 7.33 | 4564 | 8.1 | 41.8 | 18.7 | 1.24 | 2.39 | C33–34 |
| Other thoracic organs | 58 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 41 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 194 | 0.3 | 1.9 | 1.6 | 0.09 | 0.13 | 167 | 0.3 | 1.5 | 1.1 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 1978 | 3.0 | 19.4 | 11.2 | 0.69 | 1.26 | 1708 | 3.0 | 15.7 | 8.4 | 0.57 | 0.90 | C43 |
| Other skin | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 22 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C44 |
| Mesothelioma | 409 | 0.6 | 4.0 | 1.9 | 0.08 | 0.25 | 62 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 39 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 13 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 378 | 0.6 | 3.7 | 2.6 | 0.14 | 0.24 | 341 | 0.6 | 3.1 | 2.2 | 0.14 | 0.20 | C47+C49 |
| Breast | 166 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | 13913 | 24.6 | 127.6 | 67.7 | 4.88 | 7.76 | C50 |
| Vulva | | | | | | | 456 | 0.8 | 4.2 | 1.5 | 0.08 | 0.16 | C51 |
| Vagina | | | | | | | 93 | 0.2 | 0.9 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1639 | 2.9 | 15.0 | 10.0 | 0.81 | 1.01 | C53 |
| Corpus uteri | | | | | | | 3491 | 6.2 | 32.0 | 15.9 | 1.14 | 1.99 | C54 |
| Uterus unspecified | | | | | | | 123 | 0.2 | 1.1 | 0.3 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 2122 | 3.7 | 19.5 | 10.2 | 0.73 | 1.14 | C56 |
| Other female genital organs | | | | | | | 241 | 0.4 | 2.2 | 1.1 | 0.08 | 0.13 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 166 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | | | | | | | C60 |
| Prostate | 11372 | 17.3 | 111.8 | 53.7 | 2.08 | 7.22 | | | | | | | C61 |
| Testis | 973 | 1.5 | 9.6 | 9.3 | 0.68 | 0.69 | | | | | | | C62 |
| Other male genital organs | 13 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 2544 | 3.9 | 25.0 | 14.0 | 0.88 | 1.66 | 1411 | 2.5 | 12.9 | 6.1 | 0.37 | 0.70 | C64 |
| Renal pelvis | 129 | 0.2 | 1.3 | 0.6 | 0.03 | 0.07 | 115 | 0.2 | 1.1 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 81 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | 61 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 4359 | 6.6 | 42.8 | 20.8 | 0.94 | 2.47 | 1490 | 2.6 | 13.7 | 5.5 | 0.31 | 0.62 | C67 |
| Other urinary organs | 43 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 20 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 106 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | 89 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 1100 | 1.7 | 10.8 | 7.2 | 0.46 | 0.72 | 1020 | 1.8 | 9.4 | 5.2 | 0.32 | 0.52 | C70–72 |
| Thyroid | 739 | 1.1 | 7.3 | 5.2 | 0.40 | 0.53 | 2672 | 4.7 | 24.5 | 18.4 | 1.47 | 1.80 | C73 |
| Adrenal gland | 56 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 83 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | C74 |
| Other endocrine | 22 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 22 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 261 | 0.4 | 2.6 | 2.4 | 0.17 | 0.19 | 273 | 0.5 | 2.5 | 2.5 | 0.17 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 1651 | 2.5 | 16.2 | 9.4 | 0.57 | 1.04 | 1599 | 2.8 | 14.7 | 7.2 | 0.45 | 0.80 | C82–86,C96 |
| Immunoproliferative diseases | 91 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 87 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 698 | 1.1 | 6.9 | 3.4 | 0.17 | 0.42 | 661 | 1.2 | 6.1 | 2.4 | 0.12 | 0.29 | C90 |
| Lymphoid leukaemia | 797 | 1.2 | 7.8 | 5.1 | 0.24 | 0.46 | 656 | 1.2 | 6.0 | 3.4 | 0.16 | 0.28 | C91 |
| Myeloid leukaemia | 707 | 1.1 | 6.9 | 3.9 | 0.20 | 0.41 | 589 | 1.0 | 5.4 | 2.9 | 0.16 | 0.28 | C92–94 |
| Leukaemia unspecified | 46 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 50 | 0.1 | 0.5 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 365 | 0.6 | 3.6 | 1.8 | 0.09 | 0.19 | 344 | 0.6 | 3.2 | 1.2 | 0.06 | 0.12 | MPD |
| Myelodysplastic syndromes | 392 | 0.6 | 3.9 | 1.7 | 0.05 | 0.14 | 329 | 0.6 | 3.0 | 0.9 | 0.03 | 0.09 | MPS |
| Other and unspecified | 1415 | 2.2 | 13.9 | 6.9 | 0.33 | 0.77 | 1553 | 2.7 | 14.2 | 4.8 | 0.21 | 0.50 | O&U |
| All sites | 65567 | | 644.3 | 338.3 | 17.89 | 40.65 | 56627 | | 519.2 | 252.1 | 16.39 | 28.29 | C00–96 |
| All sites except C44 | 65552 | 100.0 | 644.3 | 338.2 | 17.88 | 40.64 | 56605 | 100.0 | 519.0 | 252.0 | 16.38 | 28.28 | C00–96 exc. C44 |

†See note following population pyramid

Cyprus

CONTRIBUTORS

Vasos Scoutellas
Anna Demetriou
Christiana Soteriou
Maria Cleridou



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 63.4 | Breast | 88.2 |
| Trachea, bronchus, and lung | 35.7 | Thyroid | 48.2 |
| Bladder | 24.8 | Corpus uteri | 15.3 |
| Colon | 20.4 | Colon | 14.1 |
| Non-Hodgkin lymphoma | 12.6 | Trachea, bronchus, and lung | 9.8 |
| Thyroid | 11.6 | Non-Hodgkin lymphoma | 9.0 |
| Rectum | 8.7 | Ovary | 8.8 |
| Stomach | 7.1 | Cervix uteri | 6.1 |
| Pancreas | 7.0 | Melanoma of skin | 5.0 |
| Testis | 6.9 | Pancreas | 4.4 |
| Kidney | 6.5 | Rectum | 4.3 |
| Lymphoid leukaemia | 6.2 | Bladder | 4.0 |
| Brain and nervous system | 5.8 | Stomach | 4.0 |
| Melanoma of skin | 5.7 | Brain and nervous system | 3.8 |
| Hodgkin lymphoma | 4.3 | Hodgkin lymphoma | 3.7 |
| Larynx | 4.2 | Kidney | 3.4 |
| Myeloid leukaemia | 4.2 | Other and unspecified | 3.3 |
| Liver | 4.1 | Lymphoid leukaemia | 3.2 |
| Other and unspecified | 3.6 | Multiple myeloma | 3.2 |
| Multiple myeloma | 3.4 | Myeloid leukaemia | 2.6 |
| All sites | 270.5 | All sites | 261.0 |

Cyprus (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 43 | 0.4 | 2.1 | 1.4 | 0.10 | 0.16 | 36 | 0.4 | 1.6 | 1.1 | 0.08 | 0.11 | C01–02 |
| Mouth | 39 | 0.4 | 1.9 | 1.2 | 0.08 | 0.15 | 22 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 22 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | 21 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C09 |
| Other oropharynx | 14 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 18 | 0.2 | 0.9 | 0.7 | 0.06 | 0.07 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C11 |
| Hypopharynx | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 43 | 0.4 | 2.1 | 1.1 | 0.05 | 0.13 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C15 |
| Stomach | 260 | 2.7 | 12.5 | 7.1 | 0.36 | 0.84 | 166 | 1.9 | 7.6 | 4.0 | 0.22 | 0.44 | C16 |
| Small intestine | 24 | 0.3 | 1.2 | 0.8 | 0.06 | 0.09 | 13 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C17 |
| Colon | 787 | 8.2 | 37.8 | 20.4 | 0.90 | 2.32 | 593 | 6.6 | 27.1 | 14.1 | 0.71 | 1.55 | C18 |
| Rectum | 320 | 3.3 | 15.4 | 8.7 | 0.48 | 1.03 | 174 | 1.9 | 7.9 | 4.3 | 0.24 | 0.48 | C19–20 |
| Anus | 18 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | 21 | 0.2 | 1.0 | 0.6 | 0.05 | 0.07 | C21 |
| Liver | 160 | 1.7 | 7.7 | 4.1 | 0.18 | 0.51 | 99 | 1.1 | 4.5 | 2.4 | 0.11 | 0.22 | C22 |
| Gallbladder etc. | 74 | 0.8 | 3.6 | 2.0 | 0.09 | 0.24 | 71 | 0.8 | 3.2 | 1.6 | 0.06 | 0.18 | C23–24 |
| Pancreas | 252 | 2.6 | 12.1 | 7.0 | 0.38 | 0.86 | 191 | 2.1 | 8.7 | 4.4 | 0.21 | 0.48 | C25 |
| Nose, sinuses etc. | 12 | 0.1 | 0.6 | 0.4 | 0.02 | 0.06 | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 147 | 1.5 | 7.1 | 4.2 | 0.26 | 0.58 | 12 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1325 | 13.8 | 63.7 | 35.7 | 1.64 | 4.75 | 381 | 4.3 | 17.4 | 9.8 | 0.56 | 1.25 | C33–34 |
| Other thoracic organs | 20 | 0.2 | 1.0 | 0.8 | 0.05 | 0.08 | 10 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 27 | 0.3 | 1.3 | 1.2 | 0.08 | 0.09 | 15 | 0.2 | 0.7 | 0.8 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 196 | 2.0 | 9.4 | 5.7 | 0.32 | 0.63 | 173 | 1.9 | 7.9 | 5.0 | 0.35 | 0.55 | C43 |
| Other skin | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 38 | 0.4 | 1.8 | 1.0 | 0.04 | 0.13 | 17 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 17 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 60 | 0.6 | 2.9 | 2.1 | 0.11 | 0.20 | 35 | 0.4 | 1.6 | 1.0 | 0.07 | 0.09 | C47+C49 |
| Breast | 23 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 2967 | 33.1 | 135.3 | 88.2 | 6.58 | 9.84 | C50 |
| Vulva | | | | | | | 46 | 0.5 | 2.1 | 1.0 | 0.04 | 0.10 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 188 | 2.1 | 8.6 | 6.1 | 0.47 | 0.62 | C53 |
| Corpus uteri | | | | | | | 554 | 6.2 | 25.3 | 15.3 | 1.06 | 1.91 | C54 |
| Uterus unspecified | | | | | | | 34 | 0.4 | 1.6 | 0.8 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 308 | 3.4 | 14.1 | 8.8 | 0.59 | 0.99 | C56 |
| Other female genital organs | | | | | | | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 38 | 0.4 | 1.8 | 1.1 | 0.07 | 0.11 | | | | | | | C60 |
| Prostate | 2465 | 25.8 | 118.5 | 63.4 | 2.20 | 8.63 | | | | | | | C61 |
| Testis | 162 | 1.7 | 7.8 | 6.9 | 0.51 | 0.53 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 224 | 2.3 | 10.8 | 6.5 | 0.39 | 0.81 | 125 | 1.4 | 5.7 | 3.4 | 0.21 | 0.40 | C64 |
| Renal pelvis | 19 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 19 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 956 | 10.0 | 46.0 | 24.8 | 1.07 | 3.02 | 173 | 1.9 | 7.9 | 4.0 | 0.21 | 0.43 | C67 |
| Other urinary organs | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 14 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 154 | 1.6 | 7.4 | 5.8 | 0.36 | 0.60 | 120 | 1.3 | 5.5 | 3.8 | 0.22 | 0.39 | C70–72 |
| Thyroid | 313 | 3.3 | 15.0 | 11.6 | 0.89 | 1.20 | 1338 | 14.9 | 61.0 | 48.2 | 3.94 | 4.66 | C73 |
| Adrenal gland | 11 | 0.1 | 0.5 | 0.7 | 0.04 | 0.04 | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 100 | 1.0 | 4.8 | 4.3 | 0.29 | 0.35 | 91 | 1.0 | 4.2 | 3.7 | 0.27 | 0.29 | C81 |
| Non-Hodgkin lymphoma | 391 | 4.1 | 18.8 | 12.6 | 0.78 | 1.32 | 327 | 3.7 | 14.9 | 9.0 | 0.55 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 17 | 0.2 | 0.8 | 0.6 | 0.05 | 0.07 | 24 | 0.3 | 1.1 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 125 | 1.3 | 6.0 | 3.4 | 0.17 | 0.37 | 120 | 1.3 | 5.5 | 3.2 | 0.17 | 0.42 | C90 |
| Lymphoid leukaemia | 161 | 1.7 | 7.7 | 6.2 | 0.32 | 0.54 | 84 | 0.9 | 3.8 | 3.2 | 0.16 | 0.25 | C91 |
| Myeloid leukaemia | 136 | 1.4 | 6.5 | 4.2 | 0.22 | 0.44 | 88 | 1.0 | 4.0 | 2.6 | 0.15 | 0.26 | C92–94 |
| Leukaemia unspecified | 23 | 0.2 | 1.1 | 0.5 | 0.01 | 0.04 | 19 | 0.2 | 0.9 | 0.4 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 28 | 0.3 | 1.3 | 0.9 | 0.04 | 0.10 | 27 | 0.3 | 1.2 | 0.8 | 0.04 | 0.08 | MPD |
| Myelodysplastic syndromes | 87 | 0.9 | 4.2 | 2.0 | 0.05 | 0.20 | 45 | 0.5 | 2.1 | 0.9 | 0.03 | 0.08 | MPS |
| Other and unspecified | 145 | 1.5 | 7.0 | 3.6 | 0.12 | 0.38 | 151 | 1.7 | 6.9 | 3.3 | 0.14 | 0.34 | O&U |
| All sites | 9573 | | 460.2 | 270.5 | 13.27 | 32.34 | 8953 | | 408.4 | 261.0 | 17.95 | 28.26 | C00–96 |
| All sites except C44 | 9570 | 100.0 | 460.0 | 270.4 | 13.27 | 32.32 | 8951 | 100.0 | 408.3 | 260.9 | 17.94 | 28.26 | C00–96 exc. C44 |

§Includes 120 cases of unknown age


§Includes 37 cases of unknown age

†See note following population pyramid

Czech Republic

CONTRIBUTORS

Ladislav Dusek
 Jitka Abrahamova
 Jiri Novak
 Jaroslava Barkmanova
 Milena Rousarova
 Jan Stritesky
 Jan Muzik
 Miroslav Zvolsky



NOTES ON THE DATA

*No questionnaire.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 90.2 | Non-melanoma skin cancer | 72.2 |
| Prostate | 71.8 | Breast | 69.4 |
| Trachea, bronchus, and lung | 43.5 | Trachea, bronchus, and lung | 18.3 |
| Colon | 26.1 | Corpus uteri | 17.8 |
| Kidney | 21.0 | Colon | 15.8 |
| Bladder | 20.7 | Melanoma of skin | 12.8 |
| Rectum | 20.6 | Thyroid | 12.0 |
| Melanoma of skin | 14.3 | Cervix uteri | 10.2 |
| Pancreas | 11.5 | Ovary | 10.1 |
| Stomach | 8.6 | Kidney | 9.5 |
| Testis | 8.4 | Rectum | 9.1 |
| Non-Hodgkin lymphoma | 8.3 | Pancreas | 8.2 |
| Other and unspecified | 8.0 | Non-Hodgkin lymphoma | 6.4 |
| Liver | 6.4 | Bladder | 5.8 |
| Brain and nervous system | 6.0 | Other and unspecified | 5.8 |
| Oesophagus | 5.8 | Stomach | 4.6 |
| Larynx | 5.1 | Brain and nervous system | 4.4 |
| Lymphoid leukaemia | 4.8 | Gallbladder etc. | 3.5 |
| Tonsil | 3.4 | Lymphoid leukaemia | 2.6 |
| Thyroid | 3.3 | Liver | 2.5 |
| All sites | 425.1 | All sites | 326.8 |

*Czech Republic (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 278 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | 211 | 0.2 | 0.8 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 1268 | 0.8 | 4.9 | 2.9 | 0.22 | 0.37 | 505 | 0.4 | 1.9 | 1.0 | 0.07 | 0.12 | C01–02 |
| Mouth | 1177 | 0.7 | 4.5 | 2.8 | 0.21 | 0.34 | 548 | 0.4 | 2.0 | 1.0 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 376 | 0.2 | 1.5 | 0.8 | 0.05 | 0.09 | 303 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 1429 | 0.9 | 5.5 | 3.4 | 0.27 | 0.41 | 491 | 0.4 | 1.8 | 1.0 | 0.08 | 0.13 | C09 |
| Other oropharynx | 377 | 0.2 | 1.5 | 0.9 | 0.07 | 0.11 | 105 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 194 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 70 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 678 | 0.4 | 2.6 | 1.5 | 0.12 | 0.20 | 103 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 37 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 10 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 2678 | 1.7 | 10.3 | 5.8 | 0.37 | 0.74 | 591 | 0.4 | 2.2 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 4319 | 2.7 | 16.7 | 8.6 | 0.41 | 1.01 | 2951 | 2.1 | 11.0 | 4.6 | 0.24 | 0.51 | C16 |
| Small intestine | 581 | 0.4 | 2.2 | 1.2 | 0.06 | 0.15 | 436 | 0.3 | 1.6 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 13298 | 8.2 | 51.3 | 26.1 | 1.10 | 3.18 | 10269 | 7.4 | 38.3 | 15.8 | 0.75 | 1.83 | C18 |
| Rectum | 10015 | 6.2 | 38.7 | 20.6 | 1.10 | 2.62 | 5475 | 3.9 | 20.4 | 9.1 | 0.52 | 1.08 | C19–20 |
| Anus | 297 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 575 | 0.4 | 2.1 | 1.0 | 0.07 | 0.13 | C21 |
| Liver | 3264 | 2.0 | 12.6 | 6.4 | 0.27 | 0.83 | 1724 | 1.2 | 6.4 | 2.5 | 0.10 | 0.29 | C22 |
| Gallbladder etc. | 1693 | 1.1 | 6.5 | 3.2 | 0.12 | 0.37 | 2513 | 1.8 | 9.4 | 3.5 | 0.15 | 0.41 | C23–24 |
| Pancreas | 5750 | 3.6 | 22.2 | 11.5 | 0.56 | 1.44 | 5483 | 3.9 | 20.4 | 8.2 | 0.38 | 0.99 | C25 |
| Nose, sinuses etc. | 230 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 173 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 2357 | 1.5 | 9.1 | 5.1 | 0.35 | 0.68 | 294 | 0.2 | 1.1 | 0.5 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 22033 | 13.7 | 85.0 | 43.5 | 1.95 | 5.80 | 11250 | 8.1 | 41.9 | 18.3 | 0.97 | 2.41 | C33–34 |
| Other thoracic organs | 272 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 204 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 312 | 0.2 | 1.2 | 1.0 | 0.06 | 0.09 | 286 | 0.2 | 1.1 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 6426 | 4.0 | 24.8 | 14.3 | 0.82 | 1.57 | 5883 | 4.2 | 21.9 | 12.8 | 0.90 | 1.34 | C43 |
| Other skin | 46848 | 29.1 | 180.8 | 90.2 | 3.45 | 9.83 | 46529 | 33.5 | 173.5 | 72.2 | 3.68 | 8.10 | C44 |
| Mesothelioma | 234 | 0.1 | 0.9 | 0.5 | 0.02 | 0.06 | 106 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 45 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 19 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 962 | 0.6 | 3.7 | 2.3 | 0.13 | 0.23 | 761 | 0.5 | 2.8 | 1.6 | 0.10 | 0.16 | C47+C49 |
| Breast | 343 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 35238 | 25.4 | 131.4 | 69.4 | 4.75 | 8.05 | C50 |
| Vulva | | | | | | | 1225 | 0.9 | 4.6 | 1.8 | 0.09 | 0.20 | C51 |
| Vagina | | | | | | | 288 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 4211 | 3.0 | 15.7 | 10.2 | 0.79 | 1.03 | C53 |
| Corpus uteri | | | | | | | 9716 | 7.0 | 36.2 | 17.8 | 1.19 | 2.25 | C54 |
| Uterus unspecified | | | | | | | 234 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 5174 | 3.7 | 19.3 | 10.1 | 0.71 | 1.18 | C56 |
| Other female genital organs | | | | | | | 530 | 0.4 | 2.0 | 0.9 | 0.06 | 0.11 | C57 |
| Placenta | | | | | | | 16 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 554 | 0.3 | 2.1 | 1.2 | 0.06 | 0.14 | | | | | | | C60 |
| Prostate | 36292 | 22.5 | 140.1 | 71.8 | 3.27 | 9.85 | | | | | | | C61 |
| Testis | 2485 | 1.5 | 9.6 | 8.4 | 0.64 | 0.66 | | | | | | | C62 |
| Other male genital organs | 65 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 9873 | 6.1 | 38.1 | 21.0 | 1.23 | 2.65 | 5683 | 4.1 | 21.2 | 9.5 | 0.51 | 1.18 | C64 |
| Renal pelvis | 453 | 0.3 | 1.7 | 0.9 | 0.04 | 0.11 | 379 | 0.3 | 1.4 | 0.5 | 0.02 | 0.07 | C65 |
| Ureter | 224 | 0.1 | 0.9 | 0.4 | 0.01 | 0.05 | 153 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 10687 | 6.6 | 41.2 | 20.7 | 0.82 | 2.50 | 3864 | 2.8 | 14.4 | 5.8 | 0.28 | 0.72 | C67 |
| Other urinary organs | 54 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 23 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 220 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 221 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 2373 | 1.5 | 9.2 | 6.0 | 0.38 | 0.62 | 2051 | 1.5 | 7.6 | 4.4 | 0.27 | 0.45 | C70–72 |
| Thyroid | 1263 | 0.8 | 4.9 | 3.3 | 0.23 | 0.36 | 4388 | 3.2 | 16.4 | 12.0 | 0.90 | 1.17 | C73 |
| Adrenal gland | 71 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 76 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 28 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 23 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 780 | 0.5 | 3.0 | 2.4 | 0.17 | 0.22 | 606 | 0.4 | 2.3 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 3765 | 2.3 | 14.5 | 8.3 | 0.46 | 0.95 | 3550 | 2.6 | 13.2 | 6.4 | 0.38 | 0.75 | C82–86,C96 |
| Immunoproliferative diseases | 227 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 223 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 1422 | 0.9 | 5.5 | 2.9 | 0.15 | 0.35 | 1285 | 0.9 | 4.8 | 2.1 | 0.11 | 0.26 | C90 |
| Lymphoid leukaemia | 2066 | 1.3 | 8.0 | 4.8 | 0.24 | 0.53 | 1295 | 0.9 | 4.8 | 2.6 | 0.13 | 0.26 | C91 |
| Myeloid leukaemia | 1261 | 0.8 | 4.9 | 2.8 | 0.16 | 0.32 | 1109 | 0.8 | 4.1 | 2.1 | 0.12 | 0.23 | C92–94 |
| Leukaemia unspecified | 960 | 0.6 | 3.7 | 1.9 | 0.07 | 0.18 | 798 | 0.6 | 3.0 | 1.1 | 0.04 | 0.11 | C95 |
| Myeloproliferative disorders | 577 | 0.4 | 2.2 | 1.3 | 0.07 | 0.15 | 666 | 0.5 | 2.5 | 1.2 | 0.07 | 0.14 | MPD |
| Myelodysplastic syndromes | 626 | 0.4 | 2.4 | 1.2 | 0.04 | 0.13 | 606 | 0.4 | 2.3 | 0.9 | 0.03 | 0.10 | MPS |
| Other and unspecified | 3954 | 2.5 | 15.3 | 8.0 | 0.36 | 0.92 | 3926 | 2.8 | 14.6 | 5.8 | 0.27 | 0.63 | O&U |
| All sites | 208051 | | 802.9 | 425.1 | 20.38 | 51.38 | 185425 | | 691.3 | 326.8 | 19.39 | 37.52 | C00–96 |
| All sites except C44 | 161203 | 100.0 | 622.1 | 335.0 | 16.93 | 41.56 | 138896 | 100.0 | 517.9 | 254.6 | 15.71 | 29.42 | C00–96 exc. C44 |

*†See note following population pyramid

Denmark

CONTRIBUTORS

Henrik Mulvad Hansen
Sheila Kristensen
Simon Mathis Kønig
Lina Steinrud Mørch
Charlotte Wessel Skovlund



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 135.6 | Non-melanoma skin cancer | 135.9 |
| Prostate | 76.4 | Breast | 94.3 |
| Trachea, bronchus, and lung | 39.2 | Trachea, bronchus, and lung | 36.7 |
| Colon | 30.6 | Melanoma of skin | 29.0 |
| Bladder | 26.3 | Colon | 25.1 |
| Melanoma of skin | 23.2 | Corpus uteri | 13.5 |
| Rectum | 17.9 | Non-Hodgkin lymphoma | 10.2 |
| Non-Hodgkin lymphoma | 15.1 | Rectum | 10.1 |
| Kidney | 12.2 | Cervix uteri | 10.1 |
| Testis | 10.2 | Ovary | 9.1 |
| Pancreas | 8.7 | Other and unspecified | 8.0 |
| Lymphoid leukaemia | 8.0 | Bladder | 7.9 |
| Other and unspecified | 7.8 | Pancreas | 7.1 |
| Stomach | 7.1 | Thyroid | 6.9 |
| Oesophagus | 6.8 | Kidney | 5.7 |
| Brain and nervous system | 6.5 | Myeloproliferative disorders | 5.3 |
| Myeloproliferative disorders | 5.7 | Brain and nervous system | 4.7 |
| Liver | 5.6 | Lymphoid leukaemia | 4.5 |
| Multiple myeloma | 4.6 | Stomach | 3.3 |
| Myeloid leukaemia | 4.0 | Multiple myeloma | 3.2 |
| All sites | 495.3 | All sites | 465.0 |

Denmark (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 50 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 45 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 548 | 0.5 | 3.9 | 2.2 | 0.16 | 0.29 | 253 | 0.3 | 1.8 | 1.0 | 0.08 | 0.12 | C01–02 |
| Mouth | 789 | 0.8 | 5.6 | 3.1 | 0.22 | 0.39 | 454 | 0.5 | 3.2 | 1.6 | 0.10 | 0.20 | C03–06 |
| Salivary glands | 180 | 0.2 | 1.3 | 0.7 | 0.03 | 0.07 | 155 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 685 | 0.7 | 4.9 | 2.9 | 0.23 | 0.37 | 254 | 0.3 | 1.8 | 1.1 | 0.09 | 0.13 | C09 |
| Other oropharynx | 602 | 0.6 | 4.3 | 2.5 | 0.19 | 0.32 | 215 | 0.2 | 1.5 | 0.9 | 0.07 | 0.11 | C10 |
| Nasopharynx | 60 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 30 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 434 | 0.4 | 3.1 | 1.7 | 0.13 | 0.22 | 90 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1947 | 2.0 | 13.8 | 6.8 | 0.37 | 0.88 | 708 | 0.8 | 5.0 | 2.1 | 0.12 | 0.28 | C15 |
| Stomach | 2019 | 2.0 | 14.3 | 7.1 | 0.37 | 0.84 | 1054 | 1.1 | 7.4 | 3.3 | 0.18 | 0.38 | C16 |
| Small intestine | 494 | 0.5 | 3.5 | 1.8 | 0.09 | 0.23 | 398 | 0.4 | 2.8 | 1.3 | 0.08 | 0.17 | C17 |
| Colon | 9210 | 9.2 | 65.4 | 30.6 | 1.25 | 3.76 | 8718 | 9.5 | 61.1 | 25.1 | 1.11 | 2.97 | C18 |
| Rectum | 5129 | 5.1 | 36.4 | 17.9 | 0.89 | 2.26 | 3181 | 3.5 | 22.3 | 10.1 | 0.58 | 1.23 | C19–20 |
| Anus | 224 | 0.2 | 1.6 | 0.9 | 0.06 | 0.11 | 518 | 0.6 | 3.6 | 2.0 | 0.15 | 0.24 | C21 |
| Liver | 1593 | 1.6 | 11.3 | 5.6 | 0.28 | 0.72 | 637 | 0.7 | 4.5 | 2.0 | 0.10 | 0.23 | C22 |
| Gallbladder etc. | 474 | 0.5 | 3.4 | 1.6 | 0.08 | 0.20 | 563 | 0.6 | 3.9 | 1.6 | 0.07 | 0.20 | C23–24 |
| Pancreas | 2545 | 2.6 | 18.1 | 8.7 | 0.39 | 1.10 | 2424 | 2.6 | 17.0 | 7.1 | 0.32 | 0.87 | C25 |
| Nose, sinuses etc. | 190 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | 135 | 0.1 | 0.9 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 1001 | 1.0 | 7.1 | 3.7 | 0.21 | 0.48 | 236 | 0.3 | 1.7 | 0.8 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 11857 | 11.9 | 84.2 | 39.2 | 1.67 | 4.96 | 11803 | 12.8 | 82.7 | 36.7 | 1.88 | 4.75 | C33–34 |
| Other thoracic organs | 65 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 40 | 0.0 | 0.3 | 0.1 | 0.00 | 0.02 | C37–38 |
| Bone | 195 | 0.2 | 1.4 | 1.1 | 0.07 | 0.10 | 150 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 5611 | 5.6 | 39.9 | 23.2 | 1.45 | 2.59 | 6392 | 7.0 | 44.8 | 29.0 | 2.10 | 2.95 | C43 |
| Other skin | 39055 | 39.2 | 277.4 | 135.6 | 6.42 | 15.29 | 40087 | 43.6 | 281.0 | 135.9 | 8.02 | 15.53 | C44 |
| Mesothelioma | 566 | 0.6 | 4.0 | 1.8 | 0.06 | 0.22 | 140 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 20 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 578 | 0.6 | 4.1 | 2.5 | 0.14 | 0.26 | 484 | 0.5 | 3.4 | 2.1 | 0.14 | 0.22 | C47+C49 |
| Breast | 190 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | 24251 | 26.4 | 170.0 | 94.3 | 6.74 | 10.66 | C50 |
| Vulva | | | | | | | 695 | 0.8 | 4.9 | 2.2 | 0.13 | 0.24 | C51 |
| Vagina | | | | | | | 100 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1873 | 2.0 | 13.1 | 10.1 | 0.78 | 0.93 | C53 |
| Corpus uteri | | | | | | | 4019 | 4.4 | 28.2 | 13.5 | 0.82 | 1.72 | C54 |
| Uterus unspecified | | | | | | | 105 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 2539 | 2.8 | 17.8 | 9.1 | 0.56 | 1.08 | C56 |
| Other female genital organs | | | | | | | 260 | 0.3 | 1.8 | 0.9 | 0.06 | 0.11 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 338 | 0.3 | 2.4 | 1.2 | 0.05 | 0.14 | | | | | | | C60 |
| Prostate | 22740 | 22.8 | 161.5 | 76.4 | 3.24 | 10.34 | | | | | | | C61 |
| Testis | 1499 | 1.5 | 10.6 | 10.2 | 0.78 | 0.82 | | | | | | | C62 |
| Other male genital organs | 30 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 3114 | 3.1 | 22.1 | 12.2 | 0.77 | 1.54 | 1607 | 1.7 | 11.3 | 5.7 | 0.34 | 0.69 | C64 |
| Renal pelvis | 272 | 0.3 | 1.9 | 0.9 | 0.03 | 0.11 | 214 | 0.2 | 1.5 | 0.6 | 0.02 | 0.07 | C65 |
| Ureter | 125 | 0.1 | 0.9 | 0.4 | 0.01 | 0.04 | 60 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 8019 | 8.0 | 57.0 | 26.3 | 1.07 | 3.09 | 2657 | 2.9 | 18.6 | 7.9 | 0.38 | 0.97 | C67 |
| Other urinary organs | 359 | 0.4 | 2.5 | 1.2 | 0.04 | 0.15 | 222 | 0.2 | 1.6 | 0.6 | 0.02 | 0.08 | C68 |
| Eye | 235 | 0.2 | 1.7 | 1.1 | 0.07 | 0.12 | 235 | 0.3 | 1.6 | 1.0 | 0.06 | 0.11 | C69 |
| Brain and nervous system | 1467 | 1.5 | 10.4 | 6.5 | 0.41 | 0.69 | 1079 | 1.2 | 7.6 | 4.7 | 0.30 | 0.49 | C70–72 |
| Thyroid | 550 | 0.6 | 3.9 | 2.6 | 0.19 | 0.27 | 1330 | 1.4 | 9.3 | 6.9 | 0.52 | 0.66 | C73 |
| Adrenal gland | 35 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 40 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 452 | 0.5 | 3.2 | 2.8 | 0.19 | 0.24 | 318 | 0.3 | 2.2 | 2.1 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 3936 | 4.0 | 28.0 | 15.1 | 0.79 | 1.70 | 3078 | 3.3 | 21.6 | 10.2 | 0.55 | 1.18 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 1358 | 1.4 | 9.6 | 4.6 | 0.22 | 0.55 | 1061 | 1.2 | 7.4 | 3.2 | 0.17 | 0.40 | C90 |
| Lymphoid leukaemia | 1940 | 1.9 | 13.8 | 8.0 | 0.41 | 0.84 | 1157 | 1.3 | 8.1 | 4.5 | 0.23 | 0.47 | C91 |
| Myeloid leukaemia | 1043 | 1.0 | 7.4 | 4.0 | 0.19 | 0.41 | 818 | 0.9 | 5.7 | 3.0 | 0.17 | 0.30 | C92–94 |
| Leukaemia unspecified | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 1475 | 1.5 | 10.5 | 5.7 | 0.34 | 0.65 | 1596 | 1.7 | 11.2 | 5.3 | 0.29 | 0.59 | MPD |
| Myelodysplastic syndromes | 910 | 0.9 | 6.5 | 3.0 | 0.09 | 0.30 | 581 | 0.6 | 4.1 | 1.7 | 0.07 | 0.16 | MPS |
| Other and unspecified | 2258 | 2.3 | 16.0 | 7.8 | 0.37 | 0.88 | 2720 | 3.0 | 19.1 | 8.0 | 0.39 | 0.93 | O&U |
| All sites | 138696 | | 985.0 | 495.3 | 24.29 | 58.95 | 131981 | | 925.2 | 465.0 | 28.32 | 53.25 | C00–96 |
| All sites except C44 | 99640 | 100.0 | 707.7 | 359.7 | 17.87 | 43.65 | 91897 | 100.0 | 644.2 | 329.1 | 20.31 | 37.72 | C00–96 exc. C44 |

†See note following population pyramid

Estonia

CONTRIBUTORS

Margit Mägi
 Pille Härmaorg
 Mari-Liis Zimmermann
 Raili Oidsalu
 Kaire Innos



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 104.8 | Breast | 56.9 |
| Trachea, bronchus, and lung | 54.6 | Non-melanoma skin cancer | 48.8 |
| Non-melanoma skin cancer | 45.7 | Colon | 16.6 |
| Colon | 22.2 | Corpus uteri | 16.5 |
| Stomach | 19.4 | Cervix uteri | 15.4 |
| Bladder | 16.9 | Trachea, bronchus, and lung | 13.3 |
| Kidney | 16.9 | Melanoma of skin | 11.9 |
| Rectum | 16.2 | Ovary | 10.6 |
| Pancreas | 11.4 | Stomach | 10.2 |
| Non-Hodgkin lymphoma | 10.1 | Rectum | 8.6 |
| Melanoma of skin | 9.4 | Kidney | 8.2 |
| Lymphoid leukaemia | 7.5 | Pancreas | 7.2 |
| Brain and nervous system | 7.0 | Non-Hodgkin lymphoma | 7.0 |
| Other and unspecified | 6.6 | Thyroid | 5.6 |
| Oesophagus | 6.3 | Brain and nervous system | 5.4 |
| Liver | 6.3 | Lymphoid leukaemia | 4.2 |
| Larynx | 5.9 | Other and unspecified | 3.9 |
| Multiple myeloma | 3.8 | Bladder | 3.5 |
| Testis | 3.8 | Myeloproliferative disorders | 3.4 |
| Myeloid leukaemia | 3.6 | Myeloid leukaemia | 3.1 |
| All sites | 415.2 | All sites | 286.5 |

Estonia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 31 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | 25 | 0.1 | 0.7 | 0.2 | 0.00 | 0.01 | C00 |
| Tongue | 151 | 0.8 | 4.9 | 3.2 | 0.26 | 0.39 | 66 | 0.4 | 1.9 | 1.0 | 0.07 | 0.12 | C01–02 |
| Mouth | 126 | 0.6 | 4.1 | 2.6 | 0.20 | 0.32 | 52 | 0.3 | 1.5 | 0.7 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 34 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | 49 | 0.3 | 1.4 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 89 | 0.5 | 2.9 | 1.9 | 0.14 | 0.22 | 28 | 0.2 | 0.8 | 0.5 | 0.05 | 0.06 | C09 |
| Other oropharynx | 73 | 0.4 | 2.4 | 1.5 | 0.11 | 0.21 | 17 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | C10 |
| Nasopharynx | 17 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 142 | 0.7 | 4.6 | 2.9 | 0.20 | 0.41 | 11 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 326 | 1.7 | 10.6 | 6.3 | 0.39 | 0.81 | 83 | 0.5 | 2.4 | 1.0 | 0.06 | 0.12 | C15 |
| Stomach | 1075 | 5.5 | 34.9 | 19.4 | 0.99 | 2.30 | 928 | 5.1 | 26.5 | 10.2 | 0.53 | 1.19 | C16 |
| Small intestine | 55 | 0.3 | 1.8 | 1.1 | 0.05 | 0.14 | 85 | 0.5 | 2.4 | 1.1 | 0.07 | 0.13 | C17 |
| Colon | 1291 | 6.6 | 41.9 | 22.2 | 0.88 | 2.49 | 1673 | 9.2 | 47.8 | 16.6 | 0.78 | 1.92 | C18 |
| Rectum | 908 | 4.6 | 29.5 | 16.2 | 0.71 | 2.02 | 831 | 4.6 | 23.8 | 8.6 | 0.46 | 1.04 | C19–20 |
| Anus | 24 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 58 | 0.3 | 1.7 | 0.7 | 0.05 | 0.08 | C21 |
| Liver | 335 | 1.7 | 10.9 | 6.3 | 0.32 | 0.79 | 231 | 1.3 | 6.6 | 2.6 | 0.12 | 0.31 | C22 |
| Gallbladder etc. | 123 | 0.6 | 4.0 | 2.1 | 0.08 | 0.26 | 222 | 1.2 | 6.3 | 2.0 | 0.07 | 0.23 | C23–24 |
| Pancreas | 617 | 3.1 | 20.0 | 11.4 | 0.56 | 1.43 | 745 | 4.1 | 21.3 | 7.2 | 0.34 | 0.83 | C25 |
| Nose, sinuses etc. | 39 | 0.2 | 1.3 | 0.7 | 0.04 | 0.10 | 20 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 302 | 1.5 | 9.8 | 5.9 | 0.37 | 0.75 | 25 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 3027 | 15.4 | 98.2 | 54.6 | 2.49 | 7.14 | 1197 | 6.6 | 34.2 | 13.3 | 0.68 | 1.73 | C33–34 |
| Other thoracic organs | 25 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 17 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 36 | 0.2 | 1.2 | 1.0 | 0.06 | 0.09 | 28 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 460 | 2.3 | 14.9 | 9.4 | 0.57 | 1.01 | 729 | 4.0 | 20.8 | 11.9 | 0.86 | 1.20 | C43 |
| Other skin | 2564 | 13.0 | 83.2 | 45.7 | 2.03 | 4.97 | 4321 | 23.8 | 123.5 | 48.8 | 2.70 | 5.45 | C44 |
| Mesothelioma | 21 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 23 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 110 | 0.6 | 3.6 | 2.6 | 0.15 | 0.24 | 105 | 0.6 | 3.0 | 1.8 | 0.10 | 0.15 | C47+C49 |
| Breast | 33 | 0.2 | 1.1 | 0.6 | 0.03 | 0.09 | 3773 | 20.8 | 107.9 | 56.9 | 4.21 | 6.42 | C50 |
| Vulva | | | | | | | 157 | 0.9 | 4.5 | 1.5 | 0.06 | 0.19 | C51 |
| Vagina | | | | | | | 43 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | C52 |
| Cervix uteri | | | | | | | 801 | 4.4 | 22.9 | 15.4 | 1.23 | 1.56 | C53 |
| Corpus uteri | | | | | | | 1184 | 6.5 | 33.8 | 16.5 | 1.16 | 2.01 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 749 | 4.1 | 21.4 | 10.6 | 0.76 | 1.21 | C56 |
| Other female genital organs | | | | | | | 48 | 0.3 | 1.4 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 60 | 0.3 | 1.9 | 1.1 | 0.06 | 0.15 | | | | | | | C60 |
| Prostate | 5684 | 28.8 | 184.4 | 104.8 | 5.04 | 14.15 | | | | | | | C61 |
| Testis | 127 | 0.6 | 4.1 | 3.8 | 0.27 | 0.29 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 878 | 4.5 | 28.5 | 16.9 | 0.96 | 2.06 | 737 | 4.1 | 21.1 | 8.2 | 0.42 | 0.97 | C64 |
| Renal pelvis | 48 | 0.2 | 1.6 | 0.8 | 0.03 | 0.11 | 38 | 0.2 | 1.1 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 16 | 0.1 | 0.5 | 0.3 | 0.00 | 0.02 | 25 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C66 |
| †Bladder | 971 | 4.9 | 31.5 | 16.9 | 0.66 | 1.99 | 355 | 2.0 | 10.1 | 3.5 | 0.16 | 0.42 | C67 |
| Other urinary organs | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 42 | 0.2 | 1.4 | 1.0 | 0.06 | 0.08 | 59 | 0.3 | 1.7 | 0.8 | 0.04 | 0.09 | C69 |
| Brain and nervous system | 286 | 1.5 | 9.3 | 7.0 | 0.45 | 0.66 | 281 | 1.5 | 8.0 | 5.4 | 0.35 | 0.50 | C70–72 |
| Thyroid | 80 | 0.4 | 2.6 | 1.7 | 0.11 | 0.20 | 326 | 1.8 | 9.3 | 5.6 | 0.40 | 0.58 | C73 |
| Adrenal gland | 9 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 89 | 0.5 | 2.9 | 2.5 | 0.17 | 0.19 | 101 | 0.6 | 2.9 | 2.7 | 0.19 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 497 | 2.5 | 16.1 | 10.1 | 0.54 | 1.10 | 551 | 3.0 | 15.8 | 7.0 | 0.40 | 0.74 | C82–86,C96 |
| Immunoproliferative diseases | 20 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 20 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 208 | 1.1 | 6.7 | 3.8 | 0.17 | 0.48 | 283 | 1.6 | 8.1 | 3.0 | 0.15 | 0.35 | C90 |
| Lymphoid leukaemia | 362 | 1.8 | 11.7 | 7.5 | 0.35 | 0.78 | 318 | 1.8 | 9.1 | 4.2 | 0.22 | 0.41 | C91 |
| Myeloid leukaemia | 183 | 0.9 | 5.9 | 3.6 | 0.16 | 0.35 | 211 | 1.2 | 6.0 | 3.1 | 0.17 | 0.29 | C92–94 |
| Leukaemia unspecified | 8 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 6 | 0.0 | 0.2 | 0.0 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 170 | 0.9 | 5.5 | 3.3 | 0.17 | 0.38 | 279 | 1.5 | 8.0 | 3.4 | 0.20 | 0.37 | MPD |
| Myelodysplastic syndromes | 100 | 0.5 | 3.2 | 1.6 | 0.05 | 0.16 | 102 | 0.6 | 2.9 | 0.8 | 0.03 | 0.09 | MPS |
| Other and unspecified | 368 | 1.9 | 11.9 | 6.6 | 0.29 | 0.75 | 430 | 2.4 | 12.3 | 3.9 | 0.15 | 0.41 | O&U |
| All sites | 22270 | | 722.5 | 415.2 | 20.45 | 50.56 | 22491 | | 642.9 | 286.5 | 17.66 | 32.16 | C00–96 |
| All sites except C44 | 19706 | 100.0 | 639.4 | 369.4 | 18.42 | 45.59 | 18170 | 100.0 | 519.4 | 237.8 | 14.96 | 26.71 | C00–96 exc. C44 |

†See note following population pyramid

Finland

CONTRIBUTORS

Janne Pitkäniemi
Joonas Miettinen



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 82.5 | Breast | 91.0 |
| Non-melanoma skin cancer | 75.1 | Non-melanoma skin cancer | 69.7 |
| Trachea, bronchus, and lung | 28.9 | Melanoma of skin | 16.2 |
| Colon | 16.8 | Colon | 14.1 |
| Melanoma of skin | 16.4 | Trachea, bronchus, and lung | 13.8 |
| Bladder | 14.2 | Corpus uteri | 13.2 |
| Non-Hodgkin lymphoma | 12.7 | Thyroid | 10.2 |
| Rectum | 11.9 | Non-Hodgkin lymphoma | 8.9 |
| Kidney | 10.7 | Ovary | 7.9 |
| Pancreas | 10.1 | Pancreas | 7.8 |
| Testis | 6.2 | Rectum | 7.0 |
| Lymphoid leukaemia | 6.1 | Kidney | 6.1 |
| Stomach | 6.0 | Cervix uteri | 4.6 |
| Brain and nervous system | 5.9 | Other and unspecified | 4.3 |
| Liver | 5.8 | Brain and nervous system | 4.1 |
| Other and unspecified | 5.2 | Stomach | 3.6 |
| Oesophagus | 4.1 | Lymphoid leukaemia | 3.6 |
| Multiple myeloma | 3.5 | Bladder | 3.0 |
| Thyroid | 3.2 | Myeloproliferative disorders | 2.8 |
| Hodgkin lymphoma | 3.0 | Multiple myeloma | 2.6 |
| All sites | 359.4 | All sites | 321.5 |


Finland (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 217 | 0.3 | 1.6 | 0.6 | 0.02 | 0.06 | 139 | 0.2 | 1.0 | 0.3 | 0.01 | 0.02 | C00 |
| Tongue | 565 | 0.7 | 4.2 | 2.3 | 0.16 | 0.28 | 370 | 0.5 | 2.7 | 1.3 | 0.09 | 0.14 | C01–02 |
| Mouth | 441 | 0.5 | 3.3 | 1.6 | 0.10 | 0.21 | 408 | 0.5 | 2.9 | 1.1 | 0.06 | 0.14 | C03–06 |
| Salivary glands | 179 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 170 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 338 | 0.4 | 2.5 | 1.4 | 0.11 | 0.18 | 138 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 67 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 17 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 58 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 29 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 160 | 0.2 | 1.2 | 0.6 | 0.03 | 0.08 | 23 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 31 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1179 | 1.5 | 8.7 | 4.1 | 0.21 | 0.55 | 475 | 0.6 | 3.4 | 1.2 | 0.05 | 0.13 | C15 |
| Stomach | 1776 | 2.2 | 13.2 | 6.0 | 0.27 | 0.68 | 1326 | 1.8 | 9.5 | 3.6 | 0.19 | 0.41 | C16 |
| Small intestine | 455 | 0.6 | 3.4 | 1.7 | 0.09 | 0.20 | 366 | 0.5 | 2.6 | 1.2 | 0.07 | 0.14 | C17 |
| Colon | 5028 | 6.2 | 37.3 | 16.8 | 0.70 | 1.86 | 5288 | 7.0 | 38.0 | 14.1 | 0.68 | 1.57 | C18 |
| Rectum | 3501 | 4.3 | 26.0 | 11.9 | 0.55 | 1.44 | 2389 | 3.2 | 17.2 | 7.0 | 0.39 | 0.83 | C19–20 |
| Anus | 95 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 160 | 0.2 | 1.2 | 0.5 | 0.04 | 0.06 | C21 |
| Liver | 1780 | 2.2 | 13.2 | 5.8 | 0.23 | 0.70 | 904 | 1.2 | 6.5 | 2.4 | 0.10 | 0.26 | C22 |
| Gallbladder etc. | 628 | 0.8 | 4.7 | 2.0 | 0.08 | 0.24 | 878 | 1.2 | 6.3 | 2.0 | 0.08 | 0.23 | C23–24 |
| Pancreas | 3060 | 3.8 | 22.7 | 10.1 | 0.42 | 1.22 | 3239 | 4.3 | 23.3 | 7.8 | 0.31 | 0.92 | C25 |
| Nose, sinuses etc. | 133 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 102 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 545 | 0.7 | 4.0 | 2.0 | 0.11 | 0.26 | 72 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 8962 | 11.1 | 66.5 | 28.9 | 1.06 | 3.62 | 5022 | 6.7 | 36.1 | 13.8 | 0.62 | 1.82 | C33–34 |
| Other thoracic organs | 99 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 114 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 156 | 0.2 | 1.2 | 0.9 | 0.06 | 0.07 | 129 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 4160 | 5.1 | 30.9 | 16.4 | 0.97 | 1.83 | 3851 | 5.1 | 27.7 | 16.2 | 1.13 | 1.68 | C43 |
| Other skin | 23522 | 29.0 | 174.5 | 75.1 | 2.82 | 8.03 | 25872 | 34.4 | 186.1 | 69.7 | 3.48 | 7.78 | C44 |
| Mesothelioma | 356 | 0.4 | 2.6 | 1.1 | 0.02 | 0.14 | 118 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 45 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 21 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 553 | 0.7 | 4.1 | 2.4 | 0.13 | 0.23 | 439 | 0.6 | 3.2 | 1.7 | 0.10 | 0.16 | C47+C49 |
| Breast | 154 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | 24286 | 32.3 | 174.7 | 91.0 | 6.78 | 10.56 | C50 |
| Vulva | | | | | | | 579 | 0.8 | 4.2 | 1.6 | 0.07 | 0.17 | C51 |
| Vagina | | | | | | | 99 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 874 | 1.2 | 6.3 | 4.6 | 0.36 | 0.44 | C53 |
| Corpus uteri | | | | | | | 4375 | 5.8 | 31.5 | 13.2 | 0.75 | 1.67 | C54 |
| Uterus unspecified | | | | | | | 25 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 2356 | 3.1 | 16.9 | 7.9 | 0.49 | 0.91 | C56 |
| Other female genital organs | | | | | | | 684 | 0.9 | 4.9 | 1.9 | 0.09 | 0.24 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 191 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 25492 | 31.5 | 189.1 | 82.5 | 3.22 | 10.59 | | | | | | | C61 |
| Testis | 843 | 1.0 | 6.3 | 6.2 | 0.46 | 0.48 | | | | | | | C62 |
| Other male genital organs | 33 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2847 | 3.5 | 21.1 | 10.7 | 0.58 | 1.25 | 2009 | 2.7 | 14.4 | 6.1 | 0.32 | 0.69 | C64 |
| Renal pelvis | 137 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | 90 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 59 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 44 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 4521 | 5.6 | 33.5 | 14.2 | 0.50 | 1.56 | 1220 | 1.6 | 8.8 | 3.0 | 0.13 | 0.34 | C67 |
| Other urinary organs | 132 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | 67 | 0.1 | 0.5 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 174 | 0.2 | 1.3 | 0.9 | 0.05 | 0.08 | 133 | 0.2 | 1.0 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 1165 | 1.4 | 8.6 | 5.9 | 0.37 | 0.56 | 906 | 1.2 | 6.5 | 4.1 | 0.25 | 0.40 | C70–72 |
| Thyroid | 668 | 0.8 | 5.0 | 3.2 | 0.24 | 0.34 | 1991 | 2.6 | 14.3 | 10.2 | 0.80 | 1.00 | C73 |
| Adrenal gland | 73 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 95 | 0.1 | 0.7 | 0.7 | 0.04 | 0.04 | C74 |
| Other endocrine | 25 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 26 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 482 | 0.6 | 3.6 | 3.0 | 0.20 | 0.25 | 351 | 0.5 | 2.5 | 2.4 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 3342 | 4.1 | 24.8 | 12.7 | 0.65 | 1.42 | 2891 | 3.8 | 20.8 | 8.9 | 0.47 | 1.02 | C82–86,C96 |
| Immunoproliferative diseases | 178 | 0.2 | 1.3 | 0.6 | 0.03 | 0.07 | 200 | 0.3 | 1.4 | 0.6 | 0.03 | 0.07 | C88 |
| Multiple myeloma | 1079 | 1.3 | 8.0 | 3.5 | 0.15 | 0.41 | 993 | 1.3 | 7.1 | 2.6 | 0.11 | 0.32 | C90 |
| Lymphoid leukaemia | 1309 | 1.6 | 9.7 | 6.1 | 0.29 | 0.56 | 830 | 1.1 | 6.0 | 3.6 | 0.18 | 0.30 | C91 |
| Myeloid leukaemia | 733 | 0.9 | 5.4 | 2.9 | 0.14 | 0.29 | 641 | 0.9 | 4.6 | 2.2 | 0.12 | 0.21 | C92–94 |
| Leukaemia unspecified | 67 | 0.1 | 0.5 | 0.3 | 0.01 | 0.02 | 55 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 763 | 0.9 | 5.7 | 2.9 | 0.16 | 0.32 | 914 | 1.2 | 6.6 | 2.8 | 0.15 | 0.30 | MPD |
| Myelodysplastic syndromes | 355 | 0.4 | 2.6 | 1.0 | 0.02 | 0.07 | 326 | 0.4 | 2.3 | 0.6 | 0.02 | 0.05 | MPS |
| Other and unspecified | 1642 | 2.0 | 12.2 | 5.2 | 0.19 | 0.55 | 2046 | 2.7 | 14.7 | 4.3 | 0.16 | 0.42 | O&U |
| All sites | 104553 | | 775.7 | 359.4 | 15.71 | 41.33 | 101176 | | 727.6 | 321.5 | 19.19 | 36.18 | C00–96 |
| All sites except C44 | 81031 | 100.0 | 601.2 | 284.3 | 12.89 | 33.30 | 75304 | 100.0 | 541.6 | 251.8 | 15.71 | 28.40 | C00–96 exc. C44 |

France, Bas-Rhin

CONTRIBUTORS

Michel Velten
Florence Binder-Foucard
Jérémy Jégu



NOTES ON THE DATA

*No DCO registrations. No questionnaire.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 83.5 | Breast | 98.8 |
| Trachea, bronchus, and lung | 48.9 | Trachea, bronchus, and lung | 20.7 |
| Colon | 22.2 | Melanoma of skin | 16.6 |
| Kidney | 16.4 | Colon | 15.3 |
| Melanoma of skin | 15.8 | Corpus uteri | 13.9 |
| Bladder | 15.5 | Thyroid | 11.8 |
| Rectum | 13.4 | Non-Hodgkin lymphoma | 8.8 |
| Non-Hodgkin lymphoma | 13.2 | Kidney | 7.7 |
| Liver | 12.8 | Rectum | 7.2 |
| Pancreas | 9.7 | Pancreas | 6.8 |
| Lymphoid leukaemia | 9.1 | Ovary | 6.2 |
| Testis | 8.6 | Lymphoid leukaemia | 5.2 |
| Stomach | 7.7 | Other and unspecified | 4.5 |
| Oesophagus | 6.3 | Cervix uteri | 4.3 |
| Brain and nervous system | 5.7 | Brain and nervous system | 3.8 |
| Other and unspecified | 5.4 | Multiple myeloma | 3.5 |
| Multiple myeloma | 4.7 | Stomach | 3.4 |
| Larynx | 4.6 | Myeloid leukaemia | 3.2 |
| Thyroid | 4.5 | Liver | 3.1 |
| Myeloid leukaemia | 4.4 | Hodgkin lymphoma | 2.6 |
| All sites | 356.6 | All sites | 275.1 |

*France, Bas-Rhin (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 114 | 0.8 | 5.2 | 3.1 | 0.22 | 0.41 | 40 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | C01–02 |
| Mouth | 139 | 1.0 | 6.4 | 3.9 | 0.28 | 0.49 | 58 | 0.5 | 2.5 | 1.4 | 0.10 | 0.17 | C03–06 |
| Salivary glands | 27 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 16 | 0.1 | 0.7 | 0.4 | 0.04 | 0.04 | C07–08 |
| Tonsil | 61 | 0.4 | 2.8 | 1.7 | 0.13 | 0.20 | 39 | 0.3 | 1.7 | 1.0 | 0.09 | 0.13 | C09 |
| Other oropharynx | 70 | 0.5 | 3.2 | 1.9 | 0.13 | 0.26 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 26 | 0.2 | 1.2 | 0.9 | 0.07 | 0.09 | 9 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 133 | 0.9 | 6.1 | 3.5 | 0.23 | 0.47 | 26 | 0.2 | 1.1 | 0.7 | 0.06 | 0.09 | C12–13 |
| Pharynx unspecified | 25 | 0.2 | 1.1 | 0.7 | 0.04 | 0.09 | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 258 | 1.8 | 11.9 | 6.3 | 0.31 | 0.83 | 63 | 0.5 | 2.7 | 1.3 | 0.08 | 0.16 | C15 |
| Stomach | 317 | 2.3 | 14.6 | 7.7 | 0.44 | 0.86 | 180 | 1.5 | 7.9 | 3.4 | 0.19 | 0.36 | C16 |
| Small intestine | 69 | 0.5 | 3.2 | 1.7 | 0.08 | 0.18 | 38 | 0.3 | 1.7 | 0.9 | 0.06 | 0.11 | C17 |
| Colon | 960 | 6.8 | 44.1 | 22.2 | 0.98 | 2.54 | 831 | 7.1 | 36.2 | 15.3 | 0.75 | 1.76 | C18 |
| Rectum | 551 | 3.9 | 25.3 | 13.4 | 0.78 | 1.60 | 347 | 3.0 | 15.1 | 7.2 | 0.39 | 0.89 | C19–20 |
| Anus | 27 | 0.2 | 1.2 | 0.7 | 0.03 | 0.10 | 41 | 0.4 | 1.8 | 0.9 | 0.06 | 0.11 | C21 |
| Liver | 536 | 3.8 | 24.6 | 12.8 | 0.56 | 1.61 | 166 | 1.4 | 7.2 | 3.1 | 0.14 | 0.38 | C22 |
| Gallbladder etc. | 65 | 0.5 | 3.0 | 1.5 | 0.04 | 0.20 | 90 | 0.8 | 3.9 | 1.6 | 0.08 | 0.18 | C23–24 |
| Pancreas | 407 | 2.9 | 18.7 | 9.7 | 0.46 | 1.19 | 399 | 3.4 | 17.4 | 6.8 | 0.32 | 0.76 | C25 |
| Nose, sinuses etc. | 49 | 0.3 | 2.3 | 1.3 | 0.08 | 0.16 | 18 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 176 | 1.3 | 8.1 | 4.6 | 0.29 | 0.58 | 30 | 0.3 | 1.3 | 0.8 | 0.07 | 0.09 | C32 |
| Trachea, bronchus, and lung | 1988 | 14.2 | 91.4 | 48.9 | 2.68 | 6.12 | 905 | 7.8 | 39.5 | 20.7 | 1.42 | 2.60 | C33–34 |
| Other thoracic organs | 27 | 0.2 | 1.2 | 0.8 | 0.04 | 0.09 | 13 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 25 | 0.2 | 1.1 | 1.2 | 0.08 | 0.09 | 14 | 0.1 | 0.6 | 0.6 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 569 | 4.1 | 26.2 | 15.8 | 0.97 | 1.78 | 589 | 5.1 | 25.7 | 16.6 | 1.21 | 1.65 | C43 |
| Other skin | 42 | 0.3 | 1.9 | 1.0 | 0.03 | 0.10 | 53 | 0.5 | 2.3 | 1.0 | 0.06 | 0.08 | C44 |
| Mesothelioma | 36 | 0.3 | 1.7 | 0.9 | 0.05 | 0.09 | 10 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 11 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 71 | 0.5 | 3.3 | 2.1 | 0.11 | 0.22 | 64 | 0.5 | 2.8 | 2.0 | 0.12 | 0.18 | C47+C49 |
| Breast | 25 | 0.2 | 1.1 | 0.7 | 0.03 | 0.08 | 3761 | 32.3 | 164.0 | 98.8 | 7.18 | 11.44 | C50 |
| Vulva | | | | | | | 56 | 0.5 | 2.4 | 1.1 | 0.04 | 0.14 | C51 |
| Vagina | | | | | | | 15 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 153 | 1.3 | 6.7 | 4.3 | 0.35 | 0.43 | C53 |
| Corpus uteri | | | | | | | 628 | 5.4 | 27.4 | 13.9 | 0.80 | 1.83 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.1 | 0.5 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 263 | 2.3 | 11.5 | 6.2 | 0.38 | 0.70 | C56 |
| Other female genital organs | | | | | | | 79 | 0.7 | 3.4 | 1.6 | 0.10 | 0.19 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 44 | 0.3 | 2.0 | 1.1 | 0.04 | 0.11 | | | | | | | C60 |
| Prostate | 3366 | 24.0 | 154.7 | 83.5 | 4.19 | 11.40 | | | | | | | C61 |
| Testis | 199 | 1.4 | 9.1 | 8.6 | 0.68 | 0.68 | | | | | | | C62 |
| Other male genital organs | 6 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 623 | 4.4 | 28.6 | 16.4 | 0.95 | 1.95 | 342 | 2.9 | 14.9 | 7.7 | 0.46 | 0.88 | C64 |
| Renal pelvis | 35 | 0.2 | 1.6 | 0.8 | 0.04 | 0.10 | 23 | 0.2 | 1.0 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 37 | 0.3 | 1.7 | 0.8 | 0.04 | 0.06 | 19 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 683 | 4.9 | 31.4 | 15.5 | 0.59 | 1.86 | 167 | 1.4 | 7.3 | 2.3 | 0.09 | 0.22 | C67 |
| Other urinary organs | 10 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 19 | 0.1 | 0.9 | 0.6 | 0.04 | 0.06 | 24 | 0.2 | 1.0 | 0.8 | 0.04 | 0.08 | C69 |
| Brain and nervous system | 177 | 1.3 | 8.1 | 5.7 | 0.35 | 0.58 | 142 | 1.2 | 6.2 | 3.8 | 0.24 | 0.37 | C70–72 |
| Thyroid | 137 | 1.0 | 6.3 | 4.5 | 0.31 | 0.50 | 363 | 3.1 | 15.8 | 11.8 | 0.94 | 1.16 | C73 |
| Adrenal gland | 7 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 9 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 77 | 0.5 | 3.5 | 3.1 | 0.21 | 0.25 | 63 | 0.5 | 2.7 | 2.6 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 508 | 3.6 | 23.4 | 13.2 | 0.70 | 1.42 | 422 | 3.6 | 18.4 | 8.8 | 0.52 | 0.97 | C82–86,C96 |
| Immunoproliferative diseases | 77 | 0.5 | 3.5 | 1.8 | 0.09 | 0.20 | 47 | 0.4 | 2.0 | 1.0 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 206 | 1.5 | 9.5 | 4.7 | 0.22 | 0.53 | 192 | 1.6 | 8.4 | 3.5 | 0.17 | 0.40 | C90 |
| Lymphoid leukaemia | 312 | 2.2 | 14.3 | 9.1 | 0.48 | 0.92 | 190 | 1.6 | 8.3 | 5.2 | 0.26 | 0.48 | C91 |
| Myeloid leukaemia | 190 | 1.4 | 8.7 | 4.4 | 0.19 | 0.45 | 161 | 1.4 | 7.0 | 3.2 | 0.15 | 0.35 | C92–94 |
| Leukaemia unspecified | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 131 | 0.9 | 6.0 | 3.1 | 0.12 | 0.37 | 108 | 0.9 | 4.7 | 2.3 | 0.12 | 0.23 | MPD |
| Myelodysplastic syndromes | 179 | 1.3 | 8.2 | 3.5 | 0.09 | 0.29 | 136 | 1.2 | 5.9 | 1.8 | 0.05 | 0.18 | MPS |
| Other and unspecified | 237 | 1.7 | 10.9 | 5.4 | 0.25 | 0.56 | 271 | 2.3 | 11.8 | 4.5 | 0.22 | 0.46 | O&U |
| All sites | 14077 | | 647.1 | 356.6 | 18.89 | 42.97 | 11710 | | 510.7 | 275.1 | 17.83 | 31.07 | C00–96 |
| All sites except C44 | 14035 | 100.0 | 645.1 | 355.7 | 18.85 | 42.87 | 11657 | 100.0 | 508.4 | 274.1 | 17.77 | 30.99 | C00–96 exc. C44 |

*See note following population pyramid

France, Calvados

CONTRIBUTORS

Anne-Valérie Guizard
Véronique Bastard-Jaouen
Nicolle Avequin
Christelle Couapel
Cécile Chauveau
Valérie Marie-Couzinet
Marc-André Mahé



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 83.2 | Breast | 101.6 |
| Trachea, bronchus, and lung | 51.7 | Trachea, bronchus, and lung | 20.3 |
| Colon | 20.5 | Colon | 14.5 |
| Kidney | 14.8 | Melanoma of skin | 12.2 |
| Rectum | 14.1 | Corpus uteri | 11.3 |
| Liver | 14.0 | Thyroid | 11.0 |
| Bladder | 13.7 | Non-Hodgkin lymphoma | 8.0 |
| Non-Hodgkin lymphoma | 12.3 | Rectum | 7.2 |
| Melanoma of skin | 11.6 | Non-melanoma skin cancer | 7.1 |
| Pancreas | 9.0 | Ovary | 7.1 |
| Non-melanoma skin cancer | 8.7 | Pancreas | 6.7 |
| Testis | 8.6 | Cervix uteri | 6.2 |
| Lymphoid leukaemia | 8.2 | Kidney | 5.9 |
| Oesophagus | 7.8 | Brain and nervous system | 4.1 |
| Other and unspecified | 5.8 | Other and unspecified | 3.9 |
| Stomach | 5.6 | Lymphoid leukaemia | 3.9 |
| Larynx | 5.4 | Myeloid leukaemia | 3.7 |
| Brain and nervous system | 5.2 | Myeloproliferative disorders | 3.4 |
| Myeloid leukaemia | 4.8 | Bladder | 2.9 |
| Mouth | 4.6 | Liver | 2.8 |
| All sites | 361.3 | All sites | 273.8 |

*France, Calvados (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 31 | 0.3 | 1.9 | 0.8 | 0.04 | 0.08 | 12 | 0.1 | 0.7 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 115 | 1.0 | 6.9 | 4.1 | 0.33 | 0.49 | 35 | 0.4 | 1.9 | 1.0 | 0.08 | 0.12 | C01–02 |
| Mouth | 137 | 1.2 | 8.2 | 4.6 | 0.38 | 0.55 | 61 | 0.6 | 3.4 | 1.5 | 0.10 | 0.18 | C03–06 |
| Salivary glands | 35 | 0.3 | 2.1 | 0.9 | 0.03 | 0.09 | 13 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 73 | 0.6 | 4.4 | 2.6 | 0.24 | 0.30 | 22 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | C09 |
| Other oropharynx | 79 | 0.7 | 4.7 | 2.7 | 0.23 | 0.34 | 25 | 0.3 | 1.4 | 0.9 | 0.07 | 0.11 | C10 |
| Nasopharynx | 14 | 0.1 | 0.8 | 0.6 | 0.04 | 0.06 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 134 | 1.2 | 8.0 | 4.6 | 0.37 | 0.57 | 21 | 0.2 | 1.2 | 0.6 | 0.05 | 0.08 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 256 | 2.2 | 15.4 | 7.8 | 0.50 | 0.90 | 58 | 0.6 | 3.2 | 1.3 | 0.08 | 0.17 | C15 |
| Stomach | 202 | 1.7 | 12.1 | 5.6 | 0.28 | 0.61 | 120 | 1.3 | 6.7 | 2.5 | 0.14 | 0.27 | C16 |
| Small intestine | 41 | 0.4 | 2.5 | 1.1 | 0.04 | 0.13 | 36 | 0.4 | 2.0 | 0.8 | 0.06 | 0.08 | C17 |
| Colon | 746 | 6.4 | 44.7 | 20.5 | 0.95 | 2.43 | 695 | 7.3 | 38.7 | 14.5 | 0.72 | 1.58 | C18 |
| Rectum | 479 | 4.1 | 28.7 | 14.1 | 0.78 | 1.73 | 309 | 3.2 | 17.2 | 7.2 | 0.40 | 0.88 | C19–20 |
| Anus | 24 | 0.2 | 1.4 | 0.8 | 0.07 | 0.09 | 86 | 0.9 | 4.8 | 2.1 | 0.12 | 0.25 | C21 |
| Liver | 492 | 4.3 | 29.5 | 14.0 | 0.65 | 1.83 | 123 | 1.3 | 6.8 | 2.8 | 0.15 | 0.33 | C22 |
| Gallbladder etc. | 113 | 1.0 | 6.8 | 2.8 | 0.12 | 0.30 | 78 | 0.8 | 4.3 | 1.2 | 0.05 | 0.14 | C23–24 |
| Pancreas | 320 | 2.8 | 19.2 | 9.0 | 0.40 | 1.09 | 327 | 3.4 | 18.2 | 6.7 | 0.37 | 0.74 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.3 | 0.7 | 0.05 | 0.09 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 167 | 1.4 | 10.0 | 5.4 | 0.37 | 0.70 | 21 | 0.2 | 1.2 | 0.6 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1705 | 14.7 | 102.3 | 51.7 | 3.14 | 6.46 | 702 | 7.3 | 39.0 | 20.3 | 1.51 | 2.50 | C33–34 |
| Other thoracic organs | 19 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 11 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 22 | 0.2 | 1.3 | 1.2 | 0.08 | 0.10 | 12 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 350 | 3.0 | 21.0 | 11.6 | 0.72 | 1.26 | 372 | 3.9 | 20.7 | 12.2 | 0.87 | 1.33 | C43 |
| Other skin | 330 | 2.9 | 19.8 | 8.7 | 0.38 | 0.92 | 361 | 3.8 | 20.1 | 7.1 | 0.35 | 0.78 | C44 |
| Mesothelioma | 56 | 0.5 | 3.4 | 1.4 | 0.03 | 0.17 | 30 | 0.3 | 1.7 | 0.6 | 0.02 | 0.07 | C45 |
| Kaposi sarcoma | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 73 | 0.6 | 4.4 | 2.8 | 0.15 | 0.30 | 62 | 0.6 | 3.4 | 2.3 | 0.14 | 0.19 | C47+C49 |
| Breast | 31 | 0.3 | 1.9 | 0.8 | 0.02 | 0.11 | 3153 | 33.0 | 175.4 | 101.6 | 7.45 | 11.58 | C50 |
| Vulva | | | | | | | 48 | 0.5 | 2.7 | 1.0 | 0.06 | 0.10 | C51 |
| Vagina | | | | | | | 10 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 176 | 1.8 | 9.8 | 6.2 | 0.49 | 0.59 | C53 |
| Corpus uteri | | | | | | | 460 | 4.8 | 25.6 | 11.3 | 0.65 | 1.52 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 274 | 2.9 | 15.2 | 7.1 | 0.41 | 0.88 | C56 |
| Other female genital organs | | | | | | | 24 | 0.3 | 1.3 | 0.6 | 0.03 | 0.08 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | | 0.2 | 1.7 | 0.8 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 2855 | 24.7 | 171.3 | 83.2 | 4.10 | 11.49 | | | | | | | C61 |
| Testis | 140 | 1.2 | 8.4 | 8.6 | 0.66 | 0.67 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 437 | 3.8 | 26.2 | 14.8 | 0.92 | 1.76 | 224 | 2.3 | 12.5 | 5.9 | 0.36 | 0.72 | C64 |
| Renal pelvis | 28 | 0.2 | 1.7 | 0.7 | 0.03 | 0.07 | 29 | 0.3 | 1.6 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 23 | 0.2 | 1.4 | 0.7 | 0.03 | 0.10 | 10 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 531 | 4.6 | 31.9 | 13.7 | 0.54 | 1.61 | 168 | 1.8 | 9.3 | 2.9 | 0.14 | 0.29 | C67 |
| Other urinary organs | 7 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C68 |
| Eye | 15 | 0.1 | 0.9 | 0.7 | 0.06 | 0.07 | 17 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C69 |
| Brain and nervous system | 142 | 1.2 | 8.5 | 5.2 | 0.34 | 0.56 | 119 | 1.2 | 6.6 | 4.1 | 0.26 | 0.39 | C70–72 |
| Thyroid | 77 | 0.7 | 4.6 | 3.1 | 0.20 | 0.34 | 252 | 2.6 | 14.0 | 11.0 | 0.88 | 1.06 | C73 |
| Adrenal gland | 6 | 0.1 | 0.4 | 0.5 | 0.02 | 0.02 | 5 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 51 | 0.4 | 3.1 | 3.1 | 0.22 | 0.23 | 41 | 0.4 | 2.3 | 2.5 | 0.18 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 405 | 3.5 | 24.3 | 12.3 | 0.62 | 1.32 | 317 | 3.3 | 17.6 | 8.0 | 0.46 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 44 | 0.4 | 2.6 | 1.2 | 0.05 | 0.13 | 41 | 0.4 | 2.3 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 132 | 1.1 | 7.9 | 3.7 | 0.18 | 0.44 | 120 | 1.3 | 6.7 | 2.4 | 0.09 | 0.30 | C90 |
| Lymphoid leukaemia | 224 | 1.9 | 13.4 | 8.2 | 0.44 | 0.80 | 145 | 1.5 | 8.1 | 3.9 | 0.21 | 0.37 | C91 |
| Myeloid leukaemia | 151 | 1.3 | 9.1 | 4.8 | 0.28 | 0.54 | 147 | 1.5 | 8.2 | 3.7 | 0.20 | 0.36 | C92–94 |
| Leukaemia unspecified | 7 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 129 | 1.1 | 7.7 | 3.8 | 0.21 | 0.42 | 151 | 1.6 | 8.4 | 3.4 | 0.18 | 0.36 | MPD |
| Myelodysplastic syndromes | 170 | 1.5 | 10.2 | 3.9 | 0.08 | 0.40 | 139 | 1.5 | 7.7 | 1.8 | 0.04 | 0.15 | MPS |
| Other and unspecified | 217 | 1.9 | 13.0 | 5.8 | 0.29 | 0.65 | 208 | 2.2 | 11.6 | 3.9 | 0.20 | 0.38 | O&U |
| All sites | 11899 | | 713.8 | 361.3 | 19.82 | 43.59 | 9914 | | 551.4 | 273.8 | 18.00 | 30.76 | C00–96 |
| All sites except C44 | 11569 | 100.0 | 694.0 | 352.6 | 19.44 | 42.68 | 9553 | 100.0 | 531.4 | 266.7 | 17.65 | 29.98 | C00–96 exc. C44 |

*See note following population pyramid

France, Doubs

CONTRIBUTORS

Anne-Sophie Woronoff
Lina Vaconnet



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 85.3 | Breast | 92.7 |
| Trachea, bronchus, and lung | 50.9 | Trachea, bronchus, and lung | 19.9 |
| Colon | 19.9 | Colon | 14.5 |
| Bladder | 14.4 | Thyroid | 13.6 |
| Non-Hodgkin lymphoma | 13.2 | Corpus uteri | 11.8 |
| Rectum | 13.0 | Melanoma of skin | 11.2 |
| Kidney | 12.8 | Non-Hodgkin lymphoma | 8.9 |
| Liver | 12.8 | Cervix uteri | 8.2 |
| Melanoma of skin | 12.0 | Pancreas | 7.7 |
| Pancreas | 10.7 | Rectum | 6.9 |
| Testis | 8.6 | Ovary | 6.7 |
| Stomach | 7.6 | Kidney | 5.1 |
| Lymphoid leukaemia | 7.3 | Myeloid leukaemia | 4.6 |
| Brain and nervous system | 7.1 | Lymphoid leukaemia | 3.9 |
| Myeloid leukaemia | 5.8 | Brain and nervous system | 3.8 |
| Larynx | 5.3 | Stomach | 3.2 |
| Oesophagus | 4.5 | Hodgkin lymphoma | 3.1 |
| Other and unspecified | 4.2 | Liver | 3.1 |
| Myeloproliferative disorders | 4.1 | Bladder | 2.7 |
| Multiple myeloma | 4.0 | Myeloproliferative disorders | 2.7 |
| All sites | 347.7 | All sites | 262.5 |

*France, Doubs (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 4 | 0.0 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 64 | 0.7 | 4.9 | 3.0 | 0.26 | 0.37 | 33 | 0.5 | 2.4 | 1.5 | 0.13 | 0.17 | C01–02 |
| Mouth | 73 | 0.9 | 5.5 | 3.3 | 0.28 | 0.42 | 36 | 0.5 | 2.6 | 1.2 | 0.08 | 0.14 | C03–06 |
| Salivary glands | 22 | 0.3 | 1.7 | 0.9 | 0.04 | 0.09 | 19 | 0.3 | 1.4 | 0.8 | 0.06 | 0.09 | C07–08 |
| Tonsil | 39 | 0.5 | 3.0 | 1.9 | 0.17 | 0.23 | 20 | 0.3 | 1.5 | 0.9 | 0.08 | 0.10 | C09 |
| Other oropharynx | 33 | 0.4 | 2.5 | 1.6 | 0.13 | 0.19 | 15 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | C10 |
| Nasopharynx | 10 | 0.1 | 0.8 | 0.6 | 0.05 | 0.06 | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 64 | 0.7 | 4.9 | 2.7 | 0.21 | 0.32 | 14 | 0.2 | 1.0 | 0.5 | 0.04 | 0.05 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C14 |
| Oesophagus | 114 | 1.3 | 8.7 | 4.5 | 0.26 | 0.55 | 39 | 0.6 | 2.8 | 1.2 | 0.07 | 0.16 | C15 |
| Stomach | 200 | 2.3 | 15.2 | 7.6 | 0.39 | 0.88 | 104 | 1.5 | 7.6 | 3.2 | 0.15 | 0.35 | C16 |
| Small intestine | 37 | 0.4 | 2.8 | 1.6 | 0.09 | 0.18 | 36 | 0.5 | 2.6 | 1.0 | 0.06 | 0.11 | C17 |
| Colon | 545 | 6.4 | 41.4 | 19.9 | 0.82 | 2.40 | 499 | 7.4 | 36.4 | 14.5 | 0.74 | 1.67 | C18 |
| Rectum | 337 | 3.9 | 25.6 | 13.0 | 0.70 | 1.57 | 201 | 3.0 | 14.7 | 6.9 | 0.40 | 0.78 | C19–20 |
| Anus | 22 | 0.3 | 1.7 | 1.0 | 0.08 | 0.11 | 59 | 0.9 | 4.3 | 2.2 | 0.16 | 0.25 | C21 |
| Liver | 333 | 3.9 | 25.3 | 12.8 | 0.69 | 1.59 | 102 | 1.5 | 7.4 | 3.1 | 0.13 | 0.38 | C22 |
| Gallbladder etc. | 59 | 0.7 | 4.5 | 1.9 | 0.06 | 0.23 | 53 | 0.8 | 3.9 | 1.3 | 0.06 | 0.14 | C23–24 |
| Pancreas | 275 | 3.2 | 20.9 | 10.7 | 0.49 | 1.37 | 266 | 3.9 | 19.4 | 7.7 | 0.36 | 0.93 | C25 |
| Nose, sinuses etc. | 22 | 0.3 | 1.7 | 1.1 | 0.08 | 0.13 | 13 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | C30–31 |
| Larynx | 124 | 1.5 | 9.4 | 5.3 | 0.34 | 0.66 | 13 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1266 | 14.8 | 96.2 | 50.9 | 2.85 | 6.50 | 530 | 7.8 | 38.7 | 19.9 | 1.40 | 2.45 | C33–34 |
| Other thoracic organs | 20 | 0.2 | 1.5 | 0.9 | 0.03 | 0.11 | 18 | 0.3 | 1.3 | 0.7 | 0.05 | 0.06 | C37–38 |
| Bone | 18 | 0.2 | 1.4 | 1.3 | 0.09 | 0.10 | 10 | 0.1 | 0.7 | 0.7 | 0.05 | 0.05 | C40–41 |
| Melanoma of skin | 271 | 3.2 | 20.6 | 12.0 | 0.74 | 1.34 | 245 | 3.6 | 17.9 | 11.2 | 0.82 | 1.12 | C43 |
| Other skin | 39 | 0.5 | 3.0 | 1.5 | 0.05 | 0.14 | 23 | 0.3 | 1.7 | 0.8 | 0.05 | 0.07 | C44 |
| Mesothelioma | 26 | 0.3 | 2.0 | 0.7 | 0.02 | 0.06 | 12 | 0.2 | 0.9 | 0.4 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 54 | 0.6 | 4.1 | 2.7 | 0.16 | 0.27 | 40 | 0.6 | 2.9 | 1.7 | 0.11 | 0.16 | C47+C49 |
| Breast | 20 | 0.2 | 1.5 | 0.8 | 0.04 | 0.09 | 2142 | 31.6 | 156.3 | 92.7 | 6.76 | 10.59 | C50 |
| Vulva | | | | | | | 37 | 0.5 | 2.7 | 0.8 | 0.04 | 0.08 | C51 |
| Vagina | | | | | | | 9 | 0.1 | 0.7 | 0.3 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 146 | 2.2 | 10.7 | 8.2 | 0.68 | 0.75 | C53 |
| Corpus uteri | | | | | | | 326 | 4.8 | 23.8 | 11.8 | 0.63 | 1.57 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 176 | 2.6 | 12.8 | 6.7 | 0.43 | 0.82 | C56 |
| Other female genital organs | | | | | | | 24 | 0.4 | 1.8 | 0.6 | 0.02 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 13 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 2163 | 25.3 | 164.4 | 85.3 | 4.06 | 11.88 | | | | | | | C61 |
| Testis | 120 | 1.4 | 9.1 | 8.6 | 0.68 | 0.71 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 290 | 3.4 | 22.0 | 12.8 | 0.77 | 1.62 | 147 | 2.2 | 10.7 | 5.1 | 0.30 | 0.60 | C64 |
| Renal pelvis | 26 | 0.3 | 2.0 | 0.9 | 0.04 | 0.12 | 11 | 0.2 | 0.8 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 11 | 0.1 | 0.8 | 0.4 | 0.01 | 0.06 | 10 | 0.1 | 0.7 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 421 | 4.9 | 32.0 | 14.4 | 0.57 | 1.57 | 97 | 1.4 | 7.1 | 2.7 | 0.15 | 0.31 | C67 |
| Other urinary organs | 11 | 0.1 | 0.8 | 0.4 | 0.01 | 0.06 | 4 | 0.1 | 0.3 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 26 | 0.3 | 2.0 | 1.3 | 0.08 | 0.13 | 10 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 136 | 1.6 | 10.3 | 7.1 | 0.43 | 0.75 | 94 | 1.4 | 6.9 | 3.8 | 0.24 | 0.38 | C70–72 |
| Thyroid | 67 | 0.8 | 5.1 | 3.7 | 0.27 | 0.39 | 237 | 3.5 | 17.3 | 13.6 | 1.05 | 1.29 | C73 |
| Adrenal gland | 6 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 6 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 47 | 0.6 | 3.6 | 3.2 | 0.23 | 0.27 | 36 | 0.5 | 2.6 | 3.1 | 0.19 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 325 | 3.8 | 24.7 | 13.2 | 0.68 | 1.56 | 250 | 3.7 | 18.2 | 8.9 | 0.54 | 0.99 | C82–86,C96 |
| Immunoproliferative diseases | 40 | 0.5 | 3.0 | 1.4 | 0.06 | 0.13 | 28 | 0.4 | 2.0 | 0.8 | 0.04 | 0.10 | C88 |
| Multiple myeloma | 106 | 1.2 | 8.1 | 4.0 | 0.18 | 0.48 | 86 | 1.3 | 6.3 | 2.5 | 0.12 | 0.29 | C90 |
| Lymphoid leukaemia | 163 | 1.9 | 12.4 | 7.3 | 0.36 | 0.74 | 113 | 1.7 | 8.2 | 3.9 | 0.19 | 0.38 | C91 |
| Myeloid leukaemia | 149 | 1.7 | 11.3 | 5.8 | 0.26 | 0.60 | 124 | 1.8 | 9.0 | 4.6 | 0.27 | 0.43 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 106 | 1.2 | 8.1 | 4.1 | 0.20 | 0.49 | 94 | 1.4 | 6.9 | 2.7 | 0.15 | 0.25 | MPD |
| Myelodysplastic syndromes | 119 | 1.4 | 9.0 | 3.4 | 0.06 | 0.34 | 82 | 1.2 | 6.0 | 1.6 | 0.05 | 0.15 | MPS |
| Other and unspecified | 120 | 1.4 | 9.1 | 4.2 | 0.18 | 0.46 | 106 | 1.6 | 7.7 | 2.6 | 0.14 | 0.24 | O&U |
| All sites | 8575 | | 651.7 | 347.7 | 18.38 | 42.52 | 6812 | | 496.9 | 262.5 | 17.29 | 29.22 | C00–96 |
| All sites except C44 | 8536 | 100.0 | 648.7 | 346.3 | 18.33 | 42.38 | 6789 | 100.0 | 495.2 | 261.6 | 17.24 | 29.15 | C00–96 exc. C44 |

*See note following population pyramid

France, Gironde

CONTRIBUTORS

Gaëlle Coureau
Brice Amadeo



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 81.3 | Breast | 100.2 |
| Trachea, bronchus, and lung | 54.5 | Trachea, bronchus, and lung | 23.8 |
| Colon | 23.6 | Thyroid | 23.1 |
| Kidney | 16.9 | Colon | 16.1 |
| Bladder | 16.0 | Melanoma of skin | 14.5 |
| Melanoma of skin | 15.7 | Corpus uteri | 10.4 |
| Non-Hodgkin lymphoma | 14.4 | Non-Hodgkin lymphoma | 9.0 |
| Rectum | 14.0 | Pancreas | 7.5 |
| Liver | 10.7 | Cervix uteri | 7.5 |
| Pancreas | 9.8 | Ovary | 7.2 |
| Thyroid | 7.6 | Kidney | 7.1 |
| Lymphoid leukaemia | 7.5 | Rectum | 6.8 |
| Testis | 7.1 | Brain and nervous system | 5.2 |
| Brain and nervous system | 7.0 | Lymphoid leukaemia | 5.0 |
| Stomach | 6.6 | Myeloid leukaemia | 3.7 |
| Oesophagus | 5.7 | Other and unspecified | 2.9 |
| Myeloid leukaemia | 5.6 | Multiple myeloma | 2.8 |
| Larynx | 5.2 | Anus | 2.8 |
| Other and unspecified | 4.9 | Myeloproliferative disorders | 2.6 |
| Multiple myeloma | 4.5 | Bladder | 2.6 |
| All sites | 368.7 | All sites | 290.7 |

*France, Gironde (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 13 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 19 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 165 | 0.7 | 4.4 | 2.7 | 0.20 | 0.33 | 94 | 0.4 | 2.3 | 1.3 | 0.09 | 0.15 | C01–02 |
| Mouth | 229 | 0.9 | 6.1 | 3.8 | 0.29 | 0.45 | 120 | 0.6 | 3.0 | 1.4 | 0.10 | 0.15 | C03–06 |
| Salivary glands | 45 | 0.2 | 1.2 | 0.7 | 0.04 | 0.06 | 36 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 126 | 0.5 | 3.4 | 2.2 | 0.18 | 0.25 | 52 | 0.2 | 1.3 | 0.8 | 0.08 | 0.10 | C09 |
| Other oropharynx | 196 | 0.8 | 5.2 | 3.4 | 0.28 | 0.42 | 60 | 0.3 | 1.5 | 0.9 | 0.08 | 0.11 | C10 |
| Nasopharynx | 33 | 0.1 | 0.9 | 0.6 | 0.05 | 0.07 | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 190 | 0.8 | 5.1 | 3.2 | 0.25 | 0.41 | 31 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | C12–13 |
| Pharynx unspecified | 57 | 0.2 | 1.5 | 0.9 | 0.07 | 0.12 | 14 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C14 |
| Oesophagus | 382 | 1.5 | 10.2 | 5.7 | 0.39 | 0.70 | 138 | 0.6 | 3.4 | 1.5 | 0.10 | 0.19 | C15 |
| Stomach | 468 | 1.9 | 12.5 | 6.6 | 0.38 | 0.78 | 230 | 1.1 | 5.7 | 2.3 | 0.11 | 0.24 | C16 |
| Small intestine | 118 | 0.5 | 3.2 | 1.7 | 0.10 | 0.19 | 76 | 0.4 | 1.9 | 0.9 | 0.06 | 0.10 | C17 |
| Colon | 1765 | 7.1 | 47.2 | 23.6 | 1.10 | 2.81 | 1632 | 7.5 | 40.4 | 16.1 | 0.79 | 1.82 | C18 |
| Rectum | 995 | 4.0 | 26.6 | 14.0 | 0.74 | 1.76 | 636 | 2.9 | 15.7 | 6.8 | 0.41 | 0.77 | C19–20 |
| Anus | 59 | 0.2 | 1.6 | 0.9 | 0.06 | 0.11 | 218 | 1.0 | 5.4 | 2.8 | 0.20 | 0.33 | C21 |
| Liver | 742 | 3.0 | 19.9 | 10.7 | 0.61 | 1.36 | 229 | 1.1 | 5.7 | 2.4 | 0.12 | 0.31 | C22 |
| Gallbladder etc. | 165 | 0.7 | 4.4 | 2.1 | 0.10 | 0.25 | 174 | 0.8 | 4.3 | 1.5 | 0.06 | 0.17 | C23–24 |
| Pancreas | 732 | 2.9 | 19.6 | 9.8 | 0.47 | 1.18 | 726 | 3.3 | 18.0 | 7.5 | 0.36 | 0.92 | C25 |
| Nose, sinuses etc. | 47 | 0.2 | 1.3 | 0.7 | 0.04 | 0.09 | 28 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C30–31 |
| Larynx | 329 | 1.3 | 8.8 | 5.2 | 0.37 | 0.65 | 60 | 0.3 | 1.5 | 0.8 | 0.07 | 0.10 | C32 |
| Trachea, bronchus, and lung | 3712 | 14.8 | 99.3 | 54.5 | 3.29 | 7.02 | 1767 | 8.1 | 43.7 | 23.8 | 1.74 | 2.93 | C33–34 |
| Other thoracic organs | 34 | 0.1 | 0.9 | 0.6 | 0.05 | 0.06 | 23 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 44 | 0.2 | 1.2 | 1.1 | 0.06 | 0.09 | 44 | 0.2 | 1.1 | 1.1 | 0.07 | 0.07 | C40–41 |
| Melanoma of skin | 992 | 4.0 | 26.5 | 15.7 | 0.98 | 1.79 | 972 | 4.5 | 24.1 | 14.5 | 1.04 | 1.51 | C43 |
| Other skin | 192 | 0.8 | 5.1 | 2.2 | 0.07 | 0.22 | 152 | 0.7 | 3.8 | 1.1 | 0.03 | 0.09 | C44 |
| Mesothelioma | 92 | 0.4 | 2.5 | 1.1 | 0.03 | 0.15 | 42 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | C45 |
| Kaposi sarcoma | 31 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 153 | 0.6 | 4.1 | 2.5 | 0.14 | 0.25 | 113 | 0.5 | 2.8 | 1.7 | 0.11 | 0.17 | C47+C49 |
| Breast | 40 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 6788 | 31.3 | 168.0 | 100.2 | 7.39 | 11.40 | C50 |
| Vulva | | | | | | | 95 | 0.4 | 2.4 | 0.9 | 0.05 | 0.09 | C51 |
| Vagina | | | | | | | 17 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 439 | 2.0 | 10.9 | 7.5 | 0.57 | 0.76 | C53 |
| Corpus uteri | | | | | | | 861 | 4.0 | 21.3 | 10.4 | 0.61 | 1.33 | C54 |
| Uterus unspecified | | | | | | | 24 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 559 | 2.6 | 13.8 | 7.2 | 0.42 | 0.86 | C56 |
| Other female genital organs | | | | | | | 48 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 50 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | | | | | | | C60 |
| Prostate | 5907 | 23.6 | 158.1 | 81.3 | 3.70 | 11.05 | | | | | | | C61 |
| Testis | 278 | 1.1 | 7.4 | 7.1 | 0.54 | 0.56 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1084 | 4.3 | 29.0 | 16.9 | 1.05 | 2.02 | 529 | 2.4 | 13.1 | 7.1 | 0.44 | 0.78 | C64 |
| Renal pelvis | 62 | 0.2 | 1.7 | 0.8 | 0.04 | 0.08 | 30 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 53 | 0.2 | 1.4 | 0.6 | 0.02 | 0.07 | 28 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 1307 | 5.2 | 35.0 | 16.0 | 0.62 | 1.85 | 290 | 1.3 | 7.2 | 2.6 | 0.14 | 0.27 | C67 |
| Other urinary organs | 52 | 0.2 | 1.4 | 0.7 | 0.03 | 0.09 | 17 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 49 | 0.2 | 1.3 | 0.9 | 0.05 | 0.09 | 30 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 401 | 1.6 | 10.7 | 7.0 | 0.46 | 0.77 | 326 | 1.5 | 8.1 | 5.2 | 0.33 | 0.53 | C70–72 |
| Thyroid | 396 | 1.6 | 10.6 | 7.6 | 0.59 | 0.83 | 1201 | 5.5 | 29.7 | 23.1 | 1.84 | 2.27 | C73 |
| Adrenal gland | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 16 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 168 | 0.7 | 4.5 | 4.1 | 0.28 | 0.32 | 109 | 0.5 | 2.7 | 2.4 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 930 | 3.7 | 24.9 | 14.4 | 0.82 | 1.60 | 734 | 3.4 | 18.2 | 9.0 | 0.52 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 153 | 0.6 | 4.1 | 2.2 | 0.10 | 0.28 | 111 | 0.5 | 2.7 | 1.5 | 0.09 | 0.18 | C88 |
| Multiple myeloma | 332 | 1.3 | 8.9 | 4.5 | 0.22 | 0.52 | 287 | 1.3 | 7.1 | 2.8 | 0.15 | 0.32 | C90 |
| Lymphoid leukaemia | 469 | 1.9 | 12.6 | 7.5 | 0.37 | 0.85 | 372 | 1.7 | 9.2 | 5.0 | 0.25 | 0.49 | C91 |
| Myeloid leukaemia | 367 | 1.5 | 9.8 | 5.6 | 0.29 | 0.58 | 317 | 1.5 | 7.8 | 3.7 | 0.18 | 0.38 | C92–94 |
| Leukaemia unspecified | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 283 | 1.1 | 7.6 | 4.0 | 0.23 | 0.46 | 263 | 1.2 | 6.5 | 2.6 | 0.12 | 0.29 | MPD |
| Myelodysplastic syndromes | 348 | 1.4 | 9.3 | 3.6 | 0.09 | 0.32 | 317 | 1.5 | 7.8 | 2.4 | 0.08 | 0.23 | MPS |
| Other and unspecified | 367 | 1.5 | 9.8 | 4.9 | 0.26 | 0.53 | 317 | 1.5 | 7.8 | 2.9 | 0.14 | 0.31 | O&U |
| All sites | 25222 | | 674.9 | 368.7 | 20.25 | 44.71 | 21837 | | 540.3 | 290.7 | 19.39 | 32.51 | C00–96 |
| All sites except C44 | 25030 | 100.0 | 669.8 | 366.5 | 20.18 | 44.49 | 21685 | 100.0 | 536.6 | 289.6 | 19.36 | 32.43 | C00–96 exc. C44 |

*See note following population pyramid

France, Haut-Rhin

CONTRIBUTORS

Karima Hammas
Séverine Boyer



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 88.9 | Breast | 93.5 |
| Trachea, bronchus, and lung | 45.9 | Trachea, bronchus, and lung | 19.8 |
| Colon | 21.7 | Melanoma of skin | 15.7 |
| Melanoma of skin | 14.8 | Colon | 15.7 |
| Kidney | 13.4 | Corpus uteri | 12.4 |
| Rectum | 12.6 | Thyroid | 8.0 |
| Bladder | 12.5 | Ovary | 7.8 |
| Liver | 11.3 | Non-Hodgkin lymphoma | 7.8 |
| Non-Hodgkin lymphoma | 11.2 | Rectum | 7.1 |
| Pancreas | 10.5 | Pancreas | 6.7 |
| Testis | 8.7 | Cervix uteri | 6.5 |
| Lymphoid leukaemia | 7.6 | Kidney | 6.4 |
| Stomach | 7.6 | Lymphoid leukaemia | 4.5 |
| Brain and nervous system | 6.9 | Brain and nervous system | 4.3 |
| Oesophagus | 6.1 | Myeloid leukaemia | 4.0 |
| Myeloid leukaemia | 5.2 | Multiple myeloma | 3.5 |
| Multiple myeloma | 4.6 | Stomach | 3.3 |
| Other and unspecified | 4.5 | Myeloproliferative disorders | 3.2 |
| Larynx | 4.2 | Liver | 3.0 |
| Hodgkin lymphoma | 4.1 | Other and unspecified | 3.0 |
| All sites | 345.9 | All sites | 263.2 |

*France, Haut-Rhin (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 13 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 89 | 0.7 | 4.8 | 2.8 | 0.21 | 0.33 | 42 | 0.4 | 2.2 | 1.2 | 0.10 | 0.13 | C01–02 |
| Mouth | 96 | 0.8 | 5.1 | 2.9 | 0.23 | 0.33 | 48 | 0.5 | 2.5 | 1.2 | 0.10 | 0.13 | C03–06 |
| Salivary glands | 30 | 0.2 | 1.6 | 0.8 | 0.04 | 0.08 | 12 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 69 | 0.6 | 3.7 | 2.1 | 0.16 | 0.27 | 22 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | C09 |
| Other oropharynx | 48 | 0.4 | 2.6 | 1.5 | 0.13 | 0.20 | 15 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C10 |
| Nasopharynx | 17 | 0.1 | 0.9 | 0.7 | 0.05 | 0.06 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 112 | 0.9 | 6.0 | 3.3 | 0.20 | 0.46 | 9 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | C12–13 |
| Pharynx unspecified | 14 | 0.1 | 0.8 | 0.4 | 0.04 | 0.06 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 225 | 1.8 | 12.1 | 6.1 | 0.36 | 0.72 | 51 | 0.5 | 2.6 | 1.0 | 0.04 | 0.10 | C15 |
| Stomach | 305 | 2.5 | 16.3 | 7.6 | 0.34 | 0.91 | 167 | 1.7 | 8.6 | 3.3 | 0.15 | 0.38 | C16 |
| Small intestine | 39 | 0.3 | 2.1 | 1.1 | 0.05 | 0.14 | 34 | 0.3 | 1.7 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 878 | 7.1 | 47.1 | 21.7 | 0.91 | 2.55 | 765 | 7.7 | 39.3 | 15.7 | 0.75 | 1.84 | C18 |
| Rectum | 467 | 3.8 | 25.0 | 12.6 | 0.69 | 1.56 | 315 | 3.2 | 16.2 | 7.1 | 0.38 | 0.84 | C19–20 |
| Anus | 25 | 0.2 | 1.3 | 0.8 | 0.05 | 0.11 | 67 | 0.7 | 3.4 | 1.9 | 0.14 | 0.21 | C21 |
| Liver | 449 | 3.6 | 24.1 | 11.3 | 0.52 | 1.37 | 147 | 1.5 | 7.6 | 3.0 | 0.13 | 0.33 | C22 |
| Gallbladder etc. | 88 | 0.7 | 4.7 | 1.9 | 0.05 | 0.18 | 96 | 1.0 | 4.9 | 1.6 | 0.07 | 0.19 | C23–24 |
| Pancreas | 398 | 3.2 | 21.3 | 10.5 | 0.55 | 1.28 | 353 | 3.5 | 18.1 | 6.7 | 0.29 | 0.76 | C25 |
| Nose, sinuses etc. | 35 | 0.3 | 1.9 | 1.0 | 0.07 | 0.12 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 152 | 1.2 | 8.1 | 4.2 | 0.29 | 0.53 | 28 | 0.3 | 1.4 | 0.8 | 0.06 | 0.10 | C32 |
| Trachea, bronchus, and lung | 1707 | 13.8 | 91.5 | 45.9 | 2.48 | 5.75 | 786 | 7.9 | 40.4 | 19.8 | 1.36 | 2.35 | C33–34 |
| Other thoracic organs | 16 | 0.1 | 0.9 | 0.5 | 0.04 | 0.05 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 29 | 0.2 | 1.6 | 1.2 | 0.08 | 0.10 | 11 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 452 | 3.6 | 24.2 | 14.8 | 1.01 | 1.58 | 459 | 4.6 | 23.6 | 15.7 | 1.21 | 1.54 | C43 |
| Other skin | 148 | 1.2 | 7.9 | 3.7 | 0.16 | 0.34 | 104 | 1.0 | 5.3 | 2.0 | 0.12 | 0.19 | C44 |
| Mesothelioma | 36 | 0.3 | 1.9 | 0.8 | 0.03 | 0.10 | 12 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 14 | 0.1 | 0.8 | 0.4 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 57 | 0.5 | 3.1 | 1.7 | 0.10 | 0.13 | 64 | 0.6 | 3.3 | 1.9 | 0.12 | 0.19 | C47+C49 |
| Breast | 35 | 0.3 | 1.9 | 1.0 | 0.05 | 0.13 | 3204 | 32.2 | 164.7 | 93.5 | 6.85 | 10.77 | C50 |
| Vulva | | | | | | | 53 | 0.5 | 2.7 | 1.1 | 0.07 | 0.09 | C51 |
| Vagina | | | | | | | 17 | 0.2 | 0.9 | 0.5 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 188 | 1.9 | 9.7 | 6.5 | 0.51 | 0.65 | C53 |
| Corpus uteri | | | | | | | 515 | 5.2 | 26.5 | 12.4 | 0.72 | 1.61 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 298 | 3.0 | 15.3 | 7.8 | 0.50 | 0.86 | C56 |
| Other female genital organs | | | | | | | 17 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 27 | 0.2 | 1.4 | 0.6 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 3352 | 27.1 | 179.7 | 88.9 | 4.26 | 12.05 | | | | | | | C61 |
| Testis | 171 | 1.4 | 9.2 | 8.7 | 0.69 | 0.70 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 463 | 3.7 | 24.8 | 13.4 | 0.72 | 1.64 | 270 | 2.7 | 13.9 | 6.4 | 0.36 | 0.67 | C64 |
| Renal pelvis | 28 | 0.2 | 1.5 | 0.7 | 0.02 | 0.09 | 9 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 20 | 0.2 | 1.1 | 0.5 | 0.02 | 0.04 | 16 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C66 |
| Bladder | 532 | 4.3 | 28.5 | 12.5 | 0.48 | 1.38 | 142 | 1.4 | 7.3 | 2.3 | 0.11 | 0.23 | C67 |
| Other urinary organs | 5 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 15 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 22 | 0.2 | 1.1 | 0.8 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 180 | 1.5 | 9.6 | 6.9 | 0.40 | 0.65 | 147 | 1.5 | 7.6 | 4.3 | 0.23 | 0.47 | C70–72 |
| Thyroid | 92 | 0.7 | 4.9 | 3.1 | 0.23 | 0.36 | 212 | 2.1 | 10.9 | 8.0 | 0.64 | 0.83 | C73 |
| Adrenal gland | 10 | 0.1 | 0.5 | 0.7 | 0.03 | 0.04 | 8 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 83 | 0.7 | 4.4 | 4.1 | 0.27 | 0.32 | 52 | 0.5 | 2.7 | 2.8 | 0.18 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 386 | 3.1 | 20.7 | 11.2 | 0.62 | 1.22 | 344 | 3.5 | 17.7 | 7.8 | 0.40 | 0.84 | C82–86,C96 |
| Immunoproliferative diseases | 52 | 0.4 | 2.8 | 1.4 | 0.08 | 0.17 | 41 | 0.4 | 2.1 | 0.8 | 0.03 | 0.08 | C88 |
| Multiple myeloma | 182 | 1.5 | 9.8 | 4.6 | 0.22 | 0.49 | 165 | 1.7 | 8.5 | 3.5 | 0.19 | 0.39 | C90 |
| Lymphoid leukaemia | 258 | 2.1 | 13.8 | 7.6 | 0.42 | 0.81 | 159 | 1.6 | 8.2 | 4.5 | 0.26 | 0.43 | C91 |
| Myeloid leukaemia | 172 | 1.4 | 9.2 | 5.2 | 0.28 | 0.53 | 141 | 1.4 | 7.2 | 4.0 | 0.24 | 0.41 | C92–94 |
| Leukaemia unspecified | 5 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | 8 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 145 | 1.2 | 7.8 | 4.0 | 0.22 | 0.46 | 141 | 1.4 | 7.2 | 3.2 | 0.17 | 0.36 | MPD |
| Myelodysplastic syndromes | 122 | 1.0 | 6.5 | 2.9 | 0.07 | 0.33 | 80 | 0.8 | 4.1 | 1.3 | 0.04 | 0.15 | MPS |
| Other and unspecified | 179 | 1.4 | 9.6 | 4.5 | 0.22 | 0.52 | 168 | 1.7 | 8.6 | 3.0 | 0.15 | 0.28 | O&U |
| All sites | 12532 | | 671.7 | 345.9 | 18.28 | 41.50 | 10667 | | 517.4 | 263.2 | 17.13 | 29.30 | C00–96 |
| All sites except C44 | 12384 | 100.0 | 663.8 | 342.2 | 18.12 | 41.15 | 9963 | 100.0 | 512.1 | 261.1 | 17.01 | 29.12 | C00–96 exc. C44 |

*See note following population pyramid

France, Hérault

CONTRIBUTORS

Brigitte Trétarre
Jean-Pierre Daurès
Anne-Sophie Foucan
Claudine Gras-Aygon



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 84.0 | Breast | 100.2 |
| Trachea, bronchus, and lung | 53.8 | Trachea, bronchus, and lung | 24.8 |
| Colon | 21.7 | Colon | 16.1 |
| Kidney | 15.7 | Thyroid | 13.4 |
| Bladder | 14.8 | Melanoma of skin | 9.4 |
| Liver | 13.9 | Corpus uteri | 9.4 |
| Non-Hodgkin lymphoma | 13.4 | Cervix uteri | 8.9 |
| Rectum | 12.5 | Non-Hodgkin lymphoma | 8.4 |
| Pancreas | 11.3 | Pancreas | 8.1 |
| Melanoma of skin | 9.8 | Ovary | 7.5 |
| Lymphoid leukaemia | 7.8 | Rectum | 7.2 |
| Testis | 7.7 | Kidney | 5.3 |
| Stomach | 6.6 | Brain and nervous system | 4.9 |
| Brain and nervous system | 5.9 | Lymphoid leukaemia | 4.2 |
| Larynx | 5.9 | Anus | 3.5 |
| Oesophagus | 5.5 | Stomach | 3.4 |
| Myeloid leukaemia | 5.3 | Myeloproliferative disorders | 3.3 |
| Other and unspecified | 4.4 | Myeloid leukaemia | 3.0 |
| Myeloproliferative disorders | 4.3 | Hodgkin lymphoma | 2.7 |
| Multiple myeloma | 4.1 | Liver | 2.7 |
| All sites | 355.8 | All sites | 275.8 |

*France, Hérault (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 26 | 0.1 | 1.0 | 0.4 | 0.02 | 0.04 | 14 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 188 | 1.0 | 7.0 | 4.0 | 0.31 | 0.50 | 69 | 0.4 | 2.3 | 1.2 | 0.09 | 0.15 | C01–02 |
| Mouth | 181 | 1.0 | 6.7 | 4.0 | 0.31 | 0.49 | 66 | 0.4 | 2.2 | 1.0 | 0.07 | 0.11 | C03–06 |
| Salivary glands | 53 | 0.3 | 2.0 | 1.0 | 0.06 | 0.09 | 28 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 157 | 0.8 | 5.8 | 3.4 | 0.27 | 0.43 | 45 | 0.3 | 1.5 | 0.9 | 0.08 | 0.12 | C09 |
| Other oropharynx | 95 | 0.5 | 3.5 | 2.1 | 0.18 | 0.26 | 33 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | C10 |
| Nasopharynx | 34 | 0.2 | 1.3 | 1.0 | 0.07 | 0.10 | 14 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | C11 |
| Hypopharynx | 96 | 0.5 | 3.6 | 2.1 | 0.19 | 0.28 | 20 | 0.1 | 0.7 | 0.4 | 0.04 | 0.05 | C12–13 |
| Pharynx unspecified | 47 | 0.2 | 1.7 | 0.9 | 0.07 | 0.12 | 14 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C14 |
| Oesophagus | 282 | 1.5 | 10.5 | 5.5 | 0.36 | 0.66 | 95 | 0.6 | 3.2 | 1.4 | 0.10 | 0.17 | C15 |
| Stomach | 371 | 2.0 | 13.8 | 6.6 | 0.36 | 0.77 | 244 | 1.6 | 8.3 | 3.4 | 0.18 | 0.36 | C16 |
| Small intestine | 85 | 0.4 | 3.2 | 1.6 | 0.10 | 0.19 | 78 | 0.5 | 2.7 | 1.2 | 0.07 | 0.15 | C17 |
| Colon | 1301 | 6.9 | 48.3 | 21.7 | 1.01 | 2.60 | 1269 | 8.1 | 43.2 | 16.1 | 0.80 | 1.81 | C18 |
| Rectum | 704 | 3.7 | 26.1 | 12.5 | 0.69 | 1.50 | 497 | 3.2 | 16.9 | 7.2 | 0.44 | 0.85 | C19–20 |
| Anus | 43 | 0.2 | 1.6 | 0.8 | 0.06 | 0.10 | 193 | 1.2 | 6.6 | 3.5 | 0.24 | 0.43 | C21 |
| Liver | 716 | 3.8 | 26.6 | 13.9 | 0.89 | 1.77 | 197 | 1.3 | 6.7 | 2.7 | 0.16 | 0.33 | C22 |
| Gallbladder etc. | 96 | 0.5 | 3.6 | 1.5 | 0.08 | 0.17 | 119 | 0.8 | 4.1 | 1.4 | 0.06 | 0.16 | C23–24 |
| Pancreas | 636 | 3.4 | 23.6 | 11.3 | 0.63 | 1.36 | 602 | 3.8 | 20.5 | 8.1 | 0.44 | 0.98 | C25 |
| Nose, sinuses etc. | 35 | 0.2 | 1.3 | 0.6 | 0.04 | 0.07 | 20 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 285 | 1.5 | 10.6 | 5.9 | 0.41 | 0.73 | 53 | 0.3 | 1.8 | 1.0 | 0.07 | 0.14 | C32 |
| Trachea, bronchus, and lung | 2863 | 15.1 | 106.3 | 53.8 | 3.25 | 6.73 | 1450 | 9.2 | 49.4 | 24.8 | 1.74 | 3.08 | C33–34 |
| Other thoracic organs | 33 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 24 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C37–38 |
| Bone | 37 | 0.2 | 1.4 | 1.2 | 0.07 | 0.10 | 16 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 470 | 2.5 | 17.5 | 9.8 | 0.61 | 1.09 | 437 | 2.8 | 14.9 | 9.4 | 0.69 | 0.98 | C43 |
| Other skin | 54 | 0.3 | 2.0 | 1.1 | 0.05 | 0.10 | 59 | 0.4 | 2.0 | 0.9 | 0.05 | 0.08 | C44 |
| Mesothelioma | 64 | 0.3 | 2.4 | 0.9 | 0.02 | 0.10 | 15 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 20 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 135 | 0.7 | 5.0 | 3.2 | 0.20 | 0.29 | 92 | 0.6 | 3.1 | 2.1 | 0.12 | 0.19 | C47+C49 |
| Breast | 54 | 0.3 | 2.0 | 0.9 | 0.03 | 0.11 | 5115 | 32.6 | 174.1 | 100.2 | 7.29 | 11.40 | C50 |
| Vulva | | | | | | | 75 | 0.5 | 2.6 | 1.0 | 0.06 | 0.09 | C51 |
| Vagina | | | | | | | 23 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 385 | 2.5 | 13.1 | 8.9 | 0.74 | 0.87 | C53 |
| Corpus uteri | | | | | | | 638 | 4.1 | 21.7 | 9.4 | 0.55 | 1.18 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 427 | 2.7 | 14.5 | 7.5 | 0.45 | 0.88 | C56 |
| Other female genital organs | | | | | | | 24 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 31 | 0.2 | 1.2 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 4757 | 25.1 | 176.7 | 84.0 | 3.92 | 11.94 | | | | | | | C61 |
| Testis | 201 | 1.1 | 7.5 | 7.7 | 0.58 | 0.59 | | | | | | | C62 |
| Other male genital organs | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 768 | 4.1 | 28.5 | 15.7 | 1.01 | 1.85 | 329 | 2.1 | 11.2 | 5.3 | 0.33 | 0.57 | C64 |
| Renal pelvis | 50 | 0.3 | 1.9 | 0.8 | 0.03 | 0.09 | 36 | 0.2 | 1.2 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 41 | 0.2 | 1.5 | 0.6 | 0.02 | 0.06 | 20 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 995 | 5.3 | 37.0 | 14.8 | 0.54 | 1.75 | 240 | 1.5 | 8.2 | 2.7 | 0.12 | 0.29 | C67 |
| Other urinary organs | 16 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 14 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 28 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 253 | 1.3 | 9.4 | 5.9 | 0.40 | 0.62 | 221 | 1.4 | 7.5 | 4.9 | 0.31 | 0.46 | C70–72 |
| Thyroid | 157 | 0.8 | 5.8 | 3.9 | 0.29 | 0.42 | 480 | 3.1 | 16.3 | 13.4 | 1.08 | 1.25 | C73 |
| Adrenal gland | 8 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 117 | 0.6 | 4.3 | 4.0 | 0.28 | 0.32 | 79 | 0.5 | 2.7 | 2.7 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 675 | 3.6 | 25.1 | 13.4 | 0.77 | 1.51 | 539 | 3.4 | 18.3 | 8.4 | 0.50 | 0.92 | C82–86,C96 |
| Immunoproliferative diseases | 64 | 0.3 | 2.4 | 1.0 | 0.04 | 0.10 | 61 | 0.4 | 2.1 | 1.0 | 0.07 | 0.12 | C88 |
| Multiple myeloma | 245 | 1.3 | 9.1 | 4.1 | 0.21 | 0.47 | 194 | 1.2 | 6.6 | 2.7 | 0.13 | 0.32 | C90 |
| Lymphoid leukaemia | 353 | 1.9 | 13.1 | 7.8 | 0.42 | 0.80 | 240 | 1.5 | 8.2 | 4.2 | 0.23 | 0.46 | C91 |
| Myeloid leukaemia | 279 | 1.5 | 10.4 | 5.3 | 0.28 | 0.54 | 182 | 1.2 | 6.2 | 3.0 | 0.17 | 0.28 | C92–94 |
| Leukaemia unspecified | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 236 | 1.2 | 8.8 | 4.3 | 0.24 | 0.51 | 203 | 1.3 | 6.9 | 3.3 | 0.20 | 0.37 | MPD |
| Myelodysplastic syndromes | 272 | 1.4 | 10.1 | 3.5 | 0.08 | 0.33 | 196 | 1.2 | 6.7 | 1.9 | 0.05 | 0.19 | MPS |
| Other and unspecified | 261 | 1.4 | 9.7 | 4.4 | 0.20 | 0.47 | 231 | 1.5 | 7.9 | 2.7 | 0.12 | 0.26 | O&U |
| All sites | 18970 | | 704.5 | 355.8 | 19.81 | 43.42 | 15764 | | 536.5 | 275.8 | 18.41 | 30.90 | C00–96 |
| All sites except C44 | 18916 | 100.0 | 702.5 | 354.7 | 19.76 | 43.32 | 15705 | 100.0 | 534.5 | 274.9 | 18.36 | 30.82 | C00–96 exc. C44 |


*See note following population pyramid

France, Isère

CONTRIBUTORS

Marc Colonna

Patricia Delafosse



NOTES ON THE DATA

*No DCO registrations. No questionnaire.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 78.5 | Breast | 96.1 |
| Trachea, bronchus, and lung | 47.2 | Thyroid | 27.5 |
| Colon | 21.3 | Melanoma of skin | 18.5 |
| Melanoma of skin | 16.6 | Trachea, bronchus, and lung | 17.9 |
| Bladder | 15.2 | Colon | 15.1 |
| Non-Hodgkin lymphoma | 13.7 | Corpus uteri | 10.2 |
| Kidney | 12.8 | Non-Hodgkin lymphoma | 8.2 |
| Rectum | 12.5 | Rectum | 7.9 |
| Liver | 11.6 | Pancreas | 7.5 |
| Pancreas | 10.3 | Ovary | 7.1 |
| Thyroid | 8.5 | Cervix uteri | 5.4 |
| Lymphoid leukaemia | 7.5 | Kidney | 5.0 |
| Stomach | 7.3 | Brain and nervous system | 4.3 |
| Testis | 7.0 | Lymphoid leukaemia | 3.7 |
| Brain and nervous system | 6.3 | Myeloid leukaemia | 3.4 |
| Myeloid leukaemia | 5.0 | Stomach | 3.2 |
| Oesophagus | 4.9 | Multiple myeloma | 3.0 |
| Other and unspecified | 4.7 | Hodgkin lymphoma | 2.8 |
| Larynx | 4.5 | Myeloproliferative disorders | 2.8 |
| Multiple myeloma | 4.2 | Other and unspecified | 2.7 |
| All sites | 342.1 | All sites | 280.5 |

*France, Isère (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 41 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | 15 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 132 | 0.7 | 4.3 | 2.7 | 0.21 | 0.33 | 82 | 0.5 | 2.6 | 1.6 | 0.11 | 0.19 | C01–02 |
| Mouth | 134 | 0.7 | 4.4 | 2.7 | 0.22 | 0.32 | 80 | 0.5 | 2.5 | 1.3 | 0.10 | 0.15 | C03–06 |
| Salivary glands | 36 | 0.2 | 1.2 | 0.6 | 0.03 | 0.06 | 25 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 126 | 0.7 | 4.1 | 2.5 | 0.20 | 0.31 | 47 | 0.3 | 1.5 | 0.9 | 0.07 | 0.12 | C09 |
| Other oropharynx | 55 | 0.3 | 1.8 | 1.2 | 0.09 | 0.17 | 14 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C10 |
| Nasopharynx | 33 | 0.2 | 1.1 | 0.8 | 0.06 | 0.08 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 110 | 0.6 | 3.6 | 2.1 | 0.15 | 0.27 | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 31 | 0.2 | 1.0 | 0.6 | 0.04 | 0.09 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 270 | 1.5 | 8.8 | 4.9 | 0.28 | 0.61 | 89 | 0.6 | 2.8 | 1.2 | 0.08 | 0.15 | C15 |
| Stomach | 431 | 2.3 | 14.0 | 7.3 | 0.36 | 0.87 | 230 | 1.4 | 7.2 | 3.2 | 0.20 | 0.35 | C16 |
| Small intestine | 74 | 0.4 | 2.4 | 1.3 | 0.07 | 0.15 | 50 | 0.3 | 1.6 | 0.8 | 0.04 | 0.11 | C17 |
| Colon | 1287 | 6.9 | 41.9 | 21.3 | 0.99 | 2.46 | 1129 | 7.1 | 35.5 | 15.1 | 0.79 | 1.67 | C18 |
| Rectum | 712 | 3.8 | 23.2 | 12.5 | 0.67 | 1.55 | 513 | 3.2 | 16.1 | 7.9 | 0.47 | 0.96 | C19–20 |
| Anus | 42 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 118 | 0.7 | 3.7 | 2.0 | 0.14 | 0.25 | C21 |
| Liver | 663 | 3.6 | 21.6 | 11.6 | 0.56 | 1.51 | 193 | 1.2 | 6.1 | 2.5 | 0.11 | 0.29 | C22 |
| Gallbladder etc. | 149 | 0.8 | 4.8 | 2.2 | 0.08 | 0.24 | 154 | 1.0 | 4.8 | 1.7 | 0.07 | 0.18 | C23–24 |
| Pancreas | 595 | 3.2 | 19.4 | 10.3 | 0.50 | 1.27 | 592 | 3.7 | 18.6 | 7.5 | 0.37 | 0.88 | C25 |
| Nose, sinuses etc. | 47 | 0.3 | 1.5 | 0.9 | 0.06 | 0.11 | 14 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 237 | 1.3 | 7.7 | 4.5 | 0.28 | 0.58 | 27 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C32 |
| Trachea, bronchus, and lung | 2641 | 14.2 | 85.9 | 47.2 | 2.60 | 6.05 | 1084 | 6.8 | 34.1 | 17.9 | 1.22 | 2.19 | C33–34 |
| Other thoracic organs | 33 | 0.2 | 1.1 | 0.7 | 0.05 | 0.07 | 21 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 45 | 0.2 | 1.5 | 1.3 | 0.08 | 0.11 | 35 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 798 | 4.3 | 26.0 | 16.6 | 1.07 | 1.86 | 858 | 5.4 | 27.0 | 18.5 | 1.38 | 1.87 | C43 |
| Other skin | 84 | 0.5 | 2.7 | 1.3 | 0.06 | 0.11 | 83 | 0.5 | 2.6 | 1.1 | 0.05 | 0.12 | C44 |
| Mesothelioma | 108 | 0.6 | 3.5 | 1.7 | 0.05 | 0.19 | 29 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 22 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | 10 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 109 | 0.6 | 3.5 | 2.3 | 0.14 | 0.24 | 83 | 0.5 | 2.6 | 1.7 | 0.10 | 0.17 | C47+C49 |
| Breast | 42 | 0.2 | 1.4 | 0.7 | 0.04 | 0.09 | 5092 | 32.0 | 160.0 | 96.1 | 6.86 | 11.06 | C50 |
| Vulva | | | | | | | 70 | 0.4 | 2.2 | 0.9 | 0.04 | 0.11 | C51 |
| Vagina | | | | | | | 15 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 245 | 1.5 | 7.7 | 5.4 | 0.42 | 0.52 | C53 |
| Corpus uteri | | | | | | | 633 | 4.0 | 19.9 | 10.2 | 0.62 | 1.35 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 448 | 2.8 | 14.1 | 7.1 | 0.42 | 0.84 | C56 |
| Other female genital organs | | | | | | | 39 | 0.2 | 1.2 | 0.6 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 13 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C58 |
| Penis | 53 | 0.3 | 1.7 | 0.9 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 4416 | 23.8 | 143.7 | 78.5 | 3.82 | 11.02 | | | | | | | C61 |
| Testis | 213 | 1.1 | 6.9 | 7.0 | 0.53 | 0.55 | | | | | | | C62 |
| Other male genital organs | 7 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 654 | 3.5 | 21.3 | 12.8 | 0.83 | 1.52 | 271 | 1.7 | 8.5 | 5.0 | 0.31 | 0.55 | C64 |
| Renal pelvis | 52 | 0.3 | 1.7 | 0.8 | 0.03 | 0.07 | 20 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 44 | 0.2 | 1.4 | 0.6 | 0.02 | 0.07 | 19 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 969 | 5.2 | 31.5 | 15.2 | 0.63 | 1.76 | 213 | 1.3 | 6.7 | 2.4 | 0.10 | 0.26 | C67 |
| Other urinary organs | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 32 | 0.2 | 1.0 | 0.7 | 0.04 | 0.08 | 33 | 0.2 | 1.0 | 0.9 | 0.06 | 0.08 | C69 |
| Brain and nervous system | 276 | 1.5 | 9.0 | 6.3 | 0.40 | 0.67 | 215 | 1.4 | 6.8 | 4.3 | 0.26 | 0.44 | C70–72 |
| Thyroid | 358 | 1.9 | 11.7 | 8.5 | 0.63 | 0.93 | 1135 | 7.1 | 35.7 | 27.5 | 2.15 | 2.80 | C73 |
| Adrenal gland | 11 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | 16 | 0.1 | 0.5 | 0.7 | 0.04 | 0.04 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 110 | 0.6 | 3.6 | 3.4 | 0.24 | 0.25 | 91 | 0.6 | 2.9 | 2.8 | 0.19 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 705 | 3.8 | 22.9 | 13.7 | 0.80 | 1.54 | 524 | 3.3 | 16.5 | 8.2 | 0.49 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 86 | 0.5 | 2.8 | 1.5 | 0.06 | 0.17 | 64 | 0.4 | 2.0 | 1.0 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 246 | 1.3 | 8.0 | 4.2 | 0.20 | 0.50 | 225 | 1.4 | 7.1 | 3.0 | 0.15 | 0.37 | C90 |
| Lymphoid leukaemia | 353 | 1.9 | 11.5 | 7.5 | 0.41 | 0.71 | 199 | 1.3 | 6.3 | 3.7 | 0.21 | 0.35 | C91 |
| Myeloid leukaemia | 268 | 1.4 | 8.7 | 5.0 | 0.26 | 0.51 | 208 | 1.3 | 6.5 | 3.4 | 0.21 | 0.35 | C92–94 |
| Leukaemia unspecified | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 183 | 1.0 | 6.0 | 3.4 | 0.17 | 0.37 | 184 | 1.2 | 5.8 | 2.8 | 0.14 | 0.30 | MPD |
| Myelodysplastic syndromes | 205 | 1.1 | 6.7 | 2.8 | 0.06 | 0.30 | 130 | 0.8 | 4.1 | 1.4 | 0.04 | 0.13 | MPS |
| Other and unspecified | 286 | 1.5 | 9.3 | 4.7 | 0.20 | 0.51 | 243 | 1.5 | 7.6 | 2.7 | 0.10 | 0.28 | O&U |
| All sites | 18634 | | 606.4 | 342.1 | 18.47 | 41.57 | 15972 | | 501.8 | 280.5 | 18.58 | 31.36 | C00–96 |
| All sites except C44 | 18550 | 100.0 | 603.7 | 340.8 | 18.41 | 41.46 | 15889 | 100.0 | 499.2 | 279.4 | 18.53 | 31.24 | C00–96 exc. C44 |

*See note following population pyramid

France, Lille-Métropole

CONTRIBUTORS

Sandrine D. Plouvier



NOTES ON THE DATA

*No official mortality data. No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 82.7 | Breast | 111.2 |
| Trachea, bronchus, and lung | 63.2 | Trachea, bronchus, and lung | 19.9 |
| Colon | 26.2 | Colon | 17.8 |
| Bladder | 16.9 | Thyroid | 12.3 |
| Liver | 16.1 | Melanoma of skin | 11.8 |
| Rectum | 15.5 | Corpus uteri | 11.3 |
| Melanoma of skin | 12.3 | Rectum | 8.2 |
| Kidney | 11.8 | Ovary | 8.2 |
| Non-Hodgkin lymphoma | 11.0 | Non-Hodgkin lymphoma | 7.7 |
| Oesophagus | 10.3 | Cervix uteri | 7.6 |
| Pancreas | 9.9 | Pancreas | 6.8 |
| Lymphoid leukaemia | 7.5 | Kidney | 6.1 |
| Stomach | 7.2 | Lymphoid leukaemia | 4.6 |
| Testis | 7.1 | Brain and nervous system | 4.4 |
| Larynx | 6.7 | Myeloid leukaemia | 4.0 |
| Other and unspecified | 6.5 | Multiple myeloma | 3.6 |
| Hypopharynx | 6.3 | Liver | 3.6 |
| Brain and nervous system | 6.1 | Other and unspecified | 3.4 |
| Myeloid leukaemia | 6.1 | Myeloproliferative disorders | 3.3 |
| Mouth | 5.9 | Stomach | 3.0 |
| All sites | 390.8 | All sites | 289.9 |

*France, Lille-Métropole (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C00 |
| Tongue | 118 | 1.1 | 6.0 | 4.7 | 0.38 | 0.56 | 56 | 0.6 | 2.7 | 1.7 | 0.11 | 0.22 | C01–02 |
| Mouth | 155 | 1.4 | 7.9 | 5.9 | 0.45 | 0.74 | 66 | 0.7 | 3.1 | 1.8 | 0.15 | 0.19 | C03–06 |
| Salivary glands | 18 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 18 | 0.2 | 0.9 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 107 | 1.0 | 5.5 | 4.1 | 0.32 | 0.49 | 30 | 0.3 | 1.4 | 1.0 | 0.09 | 0.11 | C09 |
| Other oropharynx | 90 | 0.8 | 4.6 | 3.5 | 0.28 | 0.42 | 15 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C10 |
| Nasopharynx | 22 | 0.2 | 1.1 | 0.9 | 0.08 | 0.10 | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 168 | 1.5 | 8.6 | 6.3 | 0.44 | 0.80 | 20 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | C12–13 |
| Pharynx unspecified | 27 | 0.2 | 1.4 | 1.1 | 0.08 | 0.14 | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 286 | 2.6 | 14.7 | 10.3 | 0.60 | 1.32 | 93 | 1.0 | 4.4 | 2.3 | 0.13 | 0.29 | C15 |
| Stomach | 210 | 1.9 | 10.8 | 7.2 | 0.40 | 0.84 | 119 | 1.2 | 5.7 | 3.0 | 0.17 | 0.33 | C16 |
| Small intestine | 52 | 0.5 | 2.7 | 1.8 | 0.11 | 0.18 | 41 | 0.4 | 1.9 | 1.2 | 0.06 | 0.16 | C17 |
| Colon | 770 | 7.1 | 39.5 | 26.2 | 1.21 | 3.20 | 763 | 7.9 | 36.3 | 17.8 | 0.85 | 2.02 | C18 |
| Rectum | 443 | 4.1 | 22.7 | 15.5 | 0.85 | 1.92 | 323 | 3.3 | 15.4 | 8.2 | 0.45 | 0.99 | C19–20 |
| Anus | 25 | 0.2 | 1.3 | 0.9 | 0.06 | 0.09 | 45 | 0.5 | 2.1 | 1.4 | 0.12 | 0.15 | C21 |
| Liver | 456 | 4.2 | 23.4 | 16.1 | 0.77 | 2.17 | 146 | 1.5 | 6.9 | 3.6 | 0.17 | 0.46 | C22 |
| Gallbladder etc. | 60 | 0.6 | 3.1 | 1.9 | 0.07 | 0.21 | 97 | 1.0 | 4.6 | 1.9 | 0.07 | 0.20 | C23–24 |
| Pancreas | 285 | 2.6 | 14.6 | 9.9 | 0.51 | 1.25 | 295 | 3.0 | 14.0 | 6.8 | 0.35 | 0.75 | C25 |
| Nose, sinuses etc. | 25 | 0.2 | 1.3 | 0.9 | 0.06 | 0.10 | 9 | 0.1 | 0.4 | 0.3 | 0.03 | 0.04 | C30–31 |
| Larynx | 178 | 1.6 | 9.1 | 6.7 | 0.47 | 0.87 | 24 | 0.2 | 1.1 | 0.8 | 0.07 | 0.09 | C32 |
| Trachea, bronchus, and lung | 1763 | 16.2 | 90.4 | 63.2 | 3.74 | 8.00 | 656 | 6.8 | 31.2 | 19.9 | 1.50 | 2.37 | C33–34 |
| Other thoracic organs | 27 | 0.2 | 1.4 | 0.9 | 0.04 | 0.11 | 16 | 0.2 | 0.8 | 0.5 | 0.02 | 0.06 | C37–38 |
| Bone | 19 | 0.2 | 1.0 | 0.9 | 0.07 | 0.08 | 20 | 0.2 | 1.0 | 0.9 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 323 | 3.0 | 16.6 | 12.3 | 0.75 | 1.50 | 350 | 3.6 | 16.6 | 11.8 | 0.84 | 1.32 | C43 |
| Other skin | 27 | 0.2 | 1.4 | 0.9 | 0.04 | 0.10 | 24 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C44 |
| Mesothelioma | 48 | 0.4 | 2.5 | 1.5 | 0.05 | 0.17 | 20 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | C45 |
| Kaposi sarcoma | 11 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 57 | 0.5 | 2.9 | 2.4 | 0.15 | 0.24 | 38 | 0.4 | 1.8 | 1.2 | 0.07 | 0.12 | C47+C49 |
| Breast | 29 | 0.3 | 1.5 | 1.0 | 0.04 | 0.09 | 3374 | 34.8 | 160.4 | 111.2 | 8.34 | 12.73 | C50 |
| Vulva | | | | | | | 43 | 0.4 | 2.0 | 1.0 | 0.05 | 0.10 | C51 |
| Vagina | | | | | | | 15 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 209 | 2.2 | 9.9 | 7.6 | 0.64 | 0.78 | C53 |
| Corpus uteri | | | | | | | 413 | 4.3 | 19.6 | 11.3 | 0.66 | 1.48 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 282 | 2.9 | 13.4 | 8.2 | 0.49 | 0.94 | C56 |
| Other female genital organs | | | | | | | 26 | 0.3 | 1.2 | 0.7 | 0.03 | 0.08 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.2 | 1.1 | 0.7 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 2328 | 21.4 | 119.3 | 82.7 | 4.04 | 11.54 | | | | | | | C61 |
| Testis | 155 | 1.4 | 7.9 | 7.1 | 0.55 | 0.55 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 314 | 2.9 | 16.1 | 11.8 | 0.74 | 1.43 | 203 | 2.1 | 9.6 | 6.1 | 0.37 | 0.68 | C64 |
| Renal pelvis | 33 | 0.3 | 1.7 | 1.1 | 0.04 | 0.14 | 16 | 0.2 | 0.8 | 0.4 | 0.01 | 0.06 | C65 |
| Ureter | 35 | 0.3 | 1.8 | 1.1 | 0.04 | 0.14 | 14 | 0.1 | 0.7 | 0.3 | 0.00 | 0.04 | C66 |
| Bladder | 532 | 4.9 | 27.3 | 16.9 | 0.76 | 1.86 | 122 | 1.3 | 5.8 | 2.5 | 0.10 | 0.30 | C67 |
| Other urinary organs | 18 | 0.2 | 0.9 | 0.6 | 0.02 | 0.08 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 18 | 0.2 | 0.9 | 0.7 | 0.05 | 0.08 | 21 | 0.2 | 1.0 | 0.8 | 0.06 | 0.08 | C69 |
| Brain and nervous system | 150 | 1.4 | 7.7 | 6.1 | 0.42 | 0.58 | 115 | 1.2 | 5.5 | 4.4 | 0.26 | 0.45 | C70–72 |
| Thyroid | 112 | 1.0 | 5.7 | 4.5 | 0.36 | 0.52 | 315 | 3.2 | 15.0 | 12.3 | 0.97 | 1.22 | C73 |
| Adrenal gland | 6 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 11 | 0.1 | 0.5 | 0.7 | 0.04 | 0.04 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 78 | 0.7 | 4.0 | 3.6 | 0.26 | 0.28 | 56 | 0.6 | 2.7 | 2.5 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 297 | 2.7 | 15.2 | 11.0 | 0.62 | 1.17 | 278 | 2.9 | 13.2 | 7.7 | 0.44 | 0.81 | C82–86,C96 |
| Immunoproliferative diseases | 54 | 0.5 | 2.8 | 1.8 | 0.07 | 0.23 | 43 | 0.4 | 2.0 | 1.2 | 0.09 | 0.13 | C88 |
| Multiple myeloma | 133 | 1.2 | 6.8 | 4.5 | 0.20 | 0.52 | 161 | 1.7 | 7.7 | 3.6 | 0.16 | 0.36 | C90 |
| Lymphoid leukaemia | 192 | 1.8 | 9.8 | 7.5 | 0.40 | 0.67 | 145 | 1.5 | 6.9 | 4.6 | 0.24 | 0.43 | C91 |
| Myeloid leukaemia | 175 | 1.6 | 9.0 | 6.1 | 0.30 | 0.56 | 144 | 1.5 | 6.8 | 4.0 | 0.21 | 0.42 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 107 | 1.0 | 5.5 | 3.7 | 0.20 | 0.41 | 147 | 1.5 | 7.0 | 3.3 | 0.14 | 0.33 | MPD |
| Myelodysplastic syndromes | 135 | 1.2 | 6.9 | 3.8 | 0.09 | 0.33 | 113 | 1.2 | 5.4 | 2.0 | 0.06 | 0.18 | MPS |
| Other and unspecified | 195 | 1.8 | 10.0 | 6.5 | 0.41 | 0.66 | 150 | 1.5 | 7.1 | 3.4 | 0.17 | 0.35 | O&U |
| All sites | 10902 | | 558.7 | 390.8 | 21.74 | 47.73 | 9725 | | 462.2 | 289.9 | 19.24 | 32.61 | C00–96 |
| All sites except C44 | 10875 | 100.0 | 557.3 | 389.9 | 21.70 | 47.63 | 9701 | 100.0 | 461.1 | 289.3 | 19.21 | 32.55 | C00–96 exc. C44 |

*See note following population pyramid

France, Limousin

CONTRIBUTORS

Tania d'Almeida
 Elfried Salanon
 Aurélie Herry
 Dominique Bourzeix
 Clément Colin



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 94.0 | Breast | 98.7 |
| Trachea, bronchus, and lung | 41.8 | Trachea, bronchus, and lung | 17.2 |
| Colon | 23.1 | Melanoma of skin | 16.0 |
| Melanoma of skin | 16.5 | Thyroid | 15.3 |
| Kidney | 16.5 | Colon | 13.8 |
| Rectum | 16.5 | Corpus uteri | 9.4 |
| Bladder | 16.1 | Ovary | 7.6 |
| Liver | 12.5 | Rectum | 6.9 |
| Non-Hodgkin lymphoma | 10.9 | Non-Hodgkin lymphoma | 6.7 |
| Pancreas | 8.2 | Pancreas | 5.9 |
| Other and unspecified | 7.3 | Cervix uteri | 5.7 |
| Oesophagus | 7.1 | Kidney | 5.0 |
| Testis | 7.0 | Brain and nervous system | 4.5 |
| Brain and nervous system | 6.4 | Other and unspecified | 3.7 |
| Stomach | 6.3 | Lymphoid leukaemia | 3.3 |
| Lymphoid leukaemia | 6.2 | Myeloid leukaemia | 3.2 |
| Thyroid | 5.6 | Multiple myeloma | 3.0 |
| Multiple myeloma | 5.0 | Liver | 2.8 |
| Myeloid leukaemia | 4.8 | Bladder | 2.8 |
| Tongue | 4.3 | Hodgkin lymphoma | 2.8 |
| All sites | 363.7 | All sites | 259.1 |

*France, Limousin (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.1 | 1.0 | 0.5 | 0.02 | 0.05 | 4 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 68 | 0.9 | 7.6 | 4.3 | 0.36 | 0.55 | 22 | 0.4 | 2.2 | 1.1 | 0.10 | 0.12 | C01–02 |
| Mouth | 65 | 0.9 | 7.3 | 3.7 | 0.27 | 0.43 | 21 | 0.4 | 2.1 | 0.7 | 0.05 | 0.07 | C03–06 |
| Salivary glands | 10 | 0.1 | 1.1 | 0.5 | 0.02 | 0.03 | 5 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 58 | 0.8 | 6.5 | 3.8 | 0.36 | 0.44 | 21 | 0.4 | 2.1 | 1.2 | 0.09 | 0.15 | C09 |
| Other oropharynx | 30 | 0.4 | 3.3 | 1.9 | 0.15 | 0.25 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 4 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 64 | 0.9 | 7.1 | 3.9 | 0.35 | 0.46 | 5 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | C12–13 |
| Pharynx unspecified | 12 | 0.2 | 1.3 | 0.6 | 0.02 | 0.07 | 2 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | C14 |
| Oesophagus | 139 | 1.9 | 15.5 | 7.1 | 0.45 | 0.88 | 35 | 0.7 | 3.6 | 1.5 | 0.10 | 0.21 | C15 |
| Stomach | 154 | 2.1 | 17.2 | 6.3 | 0.28 | 0.69 | 63 | 1.2 | 6.4 | 2.0 | 0.12 | 0.20 | C16 |
| Small intestine | 23 | 0.3 | 2.6 | 1.0 | 0.07 | 0.10 | 18 | 0.3 | 1.8 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 532 | 7.3 | 59.4 | 23.1 | 1.08 | 2.68 | 409 | 7.6 | 41.7 | 13.8 | 0.70 | 1.62 | C18 |
| Rectum | 348 | 4.8 | 38.8 | 16.5 | 0.92 | 1.90 | 198 | 3.7 | 20.2 | 6.9 | 0.33 | 0.76 | C19–20 |
| Anus | 16 | 0.2 | 1.8 | 1.0 | 0.08 | 0.10 | 38 | 0.7 | 3.9 | 2.0 | 0.15 | 0.24 | C21 |
| Liver | 247 | 3.4 | 27.6 | 12.5 | 0.76 | 1.52 | 64 | 1.2 | 6.5 | 2.8 | 0.16 | 0.35 | C22 |
| Gallbladder etc. | 63 | 0.9 | 7.0 | 3.1 | 0.15 | 0.44 | 33 | 0.6 | 3.4 | 1.4 | 0.08 | 0.17 | C23–24 |
| Pancreas | 177 | 2.4 | 19.8 | 8.2 | 0.43 | 1.00 | 167 | 3.1 | 17.0 | 5.9 | 0.27 | 0.71 | C25 |
| Nose, sinuses etc. | 24 | 0.3 | 2.7 | 1.1 | 0.07 | 0.12 | 9 | 0.2 | 0.9 | 0.5 | 0.06 | 0.06 | C30–31 |
| Larynx | 70 | 1.0 | 7.8 | 4.0 | 0.30 | 0.52 | 11 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 800 | 11.0 | 89.3 | 41.8 | 2.63 | 5.47 | 346 | 6.4 | 35.3 | 17.2 | 1.23 | 2.12 | C33–34 |
| Other thoracic organs | 5 | 0.1 | 0.6 | 0.4 | 0.03 | 0.03 | 8 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 11 | 0.2 | 1.2 | 1.0 | 0.07 | 0.08 | 9 | 0.2 | 0.9 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 304 | 4.2 | 33.9 | 16.5 | 1.05 | 1.93 | 288 | 5.4 | 29.4 | 16.0 | 1.13 | 1.69 | C43 |
| Other skin | 24 | 0.3 | 2.7 | 1.1 | 0.05 | 0.10 | 20 | 0.4 | 2.0 | 0.9 | 0.06 | 0.07 | C44 |
| Mesothelioma | 24 | 0.3 | 2.7 | 1.1 | 0.05 | 0.14 | 6 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 31 | 0.4 | 3.5 | 1.9 | 0.10 | 0.19 | 36 | 0.7 | 3.7 | 1.7 | 0.10 | 0.18 | C47+C49 |
| Breast | 14 | 0.2 | 1.6 | 0.6 | 0.03 | 0.09 | 1760 | 32.8 | 179.6 | 98.7 | 7.46 | 11.23 | C50 |
| Vulva | | | | | | | 24 | 0.4 | 2.4 | 0.9 | 0.06 | 0.11 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.8 | 0.6 | 0.05 | 0.07 | C52 |
| Cervix uteri | | | | | | | 85 | 1.6 | 8.7 | 5.7 | 0.47 | 0.54 | C53 |
| Corpus uteri | | | | | | | 225 | 4.2 | 23.0 | 9.4 | 0.52 | 1.26 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 170 | 3.2 | 17.4 | 7.6 | 0.51 | 0.86 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 1.0 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 19 | 0.3 | 2.1 | 1.0 | 0.07 | 0.09 | | | | | | | C60 |
| Prostate | 1986 | 27.4 | 221.6 | 94.0 | 4.70 | 12.82 | | | | | | | C61 |
| Testis | 58 | 0.8 | 6.5 | 7.0 | 0.52 | 0.54 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 314 | 4.3 | 35.0 | 16.5 | 1.07 | 1.95 | 113 | 2.1 | 11.5 | 5.0 | 0.30 | 0.56 | C64 |
| Renal pelvis | 27 | 0.4 | 3.0 | 1.3 | 0.07 | 0.15 | 7 | 0.1 | 0.7 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 13 | 0.2 | 1.5 | 0.4 | 0.00 | 0.06 | 4 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 397 | 5.5 | 44.3 | 16.1 | 0.71 | 1.81 | 86 | 1.6 | 8.8 | 2.8 | 0.11 | 0.37 | C67 |
| Other urinary organs | 5 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | 4 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 99 | 1.4 | 11.0 | 6.4 | 0.42 | 0.63 | 76 | 1.4 | 7.8 | 4.5 | 0.32 | 0.44 | C70–72 |
| Thyroid | 76 | 1.0 | 8.5 | 5.6 | 0.41 | 0.62 | 190 | 3.5 | 19.4 | 15.3 | 1.23 | 1.47 | C73 |
| Adrenal gland | 3 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 36 | 0.5 | 4.0 | 3.5 | 0.24 | 0.32 | 30 | 0.6 | 3.1 | 2.8 | 0.18 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 208 | 2.9 | 23.2 | 10.9 | 0.65 | 1.13 | 166 | 3.1 | 16.9 | 6.7 | 0.40 | 0.72 | C82–86,C96 |
| Immunoproliferative diseases | 32 | 0.4 | 3.6 | 1.3 | 0.05 | 0.15 | 28 | 0.5 | 2.9 | 1.0 | 0.06 | 0.10 | C88 |
| Multiple myeloma | 115 | 1.6 | 12.8 | 5.0 | 0.23 | 0.56 | 99 | 1.8 | 10.1 | 3.0 | 0.11 | 0.35 | C90 |
| Lymphoid leukaemia | 107 | 1.5 | 11.9 | 6.2 | 0.39 | 0.59 | 72 | 1.3 | 7.3 | 3.3 | 0.20 | 0.34 | C91 |
| Myeloid leukaemia | 96 | 1.3 | 10.7 | 4.8 | 0.24 | 0.45 | 81 | 1.5 | 8.3 | 3.2 | 0.15 | 0.34 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 64 | 0.9 | 7.1 | 3.3 | 0.22 | 0.35 | 57 | 1.1 | 5.8 | 2.1 | 0.13 | 0.24 | MPD |
| Myelodysplastic syndromes | 120 | 1.7 | 13.4 | 3.7 | 0.08 | 0.36 | 110 | 2.0 | 11.2 | 2.1 | 0.05 | 0.14 | MPS |
| Other and unspecified | 166 | 2.3 | 18.5 | 7.3 | 0.38 | 0.75 | 131 | 2.4 | 13.4 | 3.7 | 0.18 | 0.40 | O&U |
| All sites | 7282 | | 812.6 | 363.7 | 20.73 | 43.74 | 5389 | | 550.0 | 259.1 | 17.57 | 29.00 | C00–96 |
| All sites except C44 | 7258 | 100.0 | 809.9 | 362.6 | 20.69 | 43.64 | 5369 | 100.0 | 548.0 | 258.1 | 17.51 | 28.93 | C00–96 exc. C44 |

*See note following population pyramid

France, Loire-Atlantique

CONTRIBUTORS

Florence Molinié
Anne Cowppli-Bony
Solenne Delacour-Billon
Stéphanie Ayrault
Anne-Delphine Tagri



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 92.6 | Breast | 101.9 |
| Trachea, bronchus, and lung | 47.5 | Trachea, bronchus, and lung | 18.4 |
| Colon | 22.6 | Melanoma of skin | 15.9 |
| Liver | 18.4 | Colon | 15.6 |
| Melanoma of skin | 15.7 | Thyroid | 12.7 |
| Non-Hodgkin lymphoma | 15.5 | Corpus uteri | 10.1 |
| Rectum | 14.6 | Non-Hodgkin lymphoma | 9.9 |
| Kidney | 13.8 | Rectum | 7.9 |
| Bladder | 12.9 | Ovary | 7.1 |
| Pancreas | 9.9 | Pancreas | 6.9 |
| Oesophagus | 9.0 | Kidney | 5.5 |
| Lymphoid leukaemia | 8.8 | Cervix uteri | 5.1 |
| Testis | 7.6 | Lymphoid leukaemia | 4.8 |
| Stomach | 7.3 | Brain and nervous system | 4.0 |
| Brain and nervous system | 6.9 | Myeloid leukaemia | 3.4 |
| Larynx | 6.1 | Other and unspecified | 3.0 |
| Mouth | 5.1 | Multiple myeloma | 3.0 |
| Other and unspecified | 4.9 | Stomach | 2.8 |
| Hypopharynx | 4.8 | Myeloproliferative disorders | 2.7 |
| Myeloid leukaemia | 4.6 | Hodgkin lymphoma | 2.4 |
| All sites | 383.2 | All sites | 271.8 |

*France, Loire-Atlantique (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 29 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 21 | 0.1 | 0.6 | 0.2 | 0.02 | 0.03 | C00 |
| Tongue | 196 | 0.9 | 5.9 | 3.8 | 0.29 | 0.47 | 82 | 0.5 | 2.3 | 1.3 | 0.10 | 0.15 | C01–02 |
| Mouth | 268 | 1.2 | 8.0 | 5.1 | 0.40 | 0.61 | 98 | 0.6 | 2.8 | 1.3 | 0.09 | 0.13 | C03–06 |
| Salivary glands | 36 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 34 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 207 | 0.9 | 6.2 | 4.0 | 0.31 | 0.50 | 50 | 0.3 | 1.4 | 0.9 | 0.09 | 0.11 | C09 |
| Other oropharynx | 132 | 0.6 | 4.0 | 2.6 | 0.22 | 0.33 | 30 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C10 |
| Nasopharynx | 23 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 261 | 1.2 | 7.8 | 4.8 | 0.37 | 0.61 | 24 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C12–13 |
| Pharynx unspecified | 35 | 0.2 | 1.1 | 0.7 | 0.04 | 0.09 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 519 | 2.4 | 15.6 | 9.0 | 0.56 | 1.10 | 135 | 0.8 | 3.8 | 1.7 | 0.09 | 0.22 | C15 |
| Stomach | 446 | 2.0 | 13.4 | 7.3 | 0.37 | 0.87 | 243 | 1.4 | 6.9 | 2.8 | 0.15 | 0.29 | C16 |
| Small intestine | 93 | 0.4 | 2.8 | 1.7 | 0.11 | 0.20 | 73 | 0.4 | 2.1 | 0.9 | 0.05 | 0.11 | C17 |
| Colon | 1431 | 6.5 | 43.0 | 22.6 | 1.05 | 2.70 | 1316 | 7.5 | 37.3 | 15.6 | 0.76 | 1.74 | C18 |
| Rectum | 877 | 4.0 | 26.3 | 14.6 | 0.78 | 1.78 | 579 | 3.3 | 16.4 | 7.9 | 0.48 | 0.94 | C19–20 |
| Anus | 41 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 140 | 0.8 | 4.0 | 2.2 | 0.16 | 0.26 | C21 |
| Liver | 1119 | 5.1 | 33.6 | 18.4 | 0.91 | 2.39 | 201 | 1.1 | 5.7 | 2.3 | 0.09 | 0.27 | C22 |
| Gallbladder etc. | 127 | 0.6 | 3.8 | 1.9 | 0.08 | 0.22 | 127 | 0.7 | 3.6 | 1.3 | 0.04 | 0.14 | C23–24 |
| Pancreas | 611 | 2.8 | 18.3 | 9.9 | 0.49 | 1.24 | 586 | 3.3 | 16.6 | 6.9 | 0.29 | 0.82 | C25 |
| Nose, sinuses etc. | 70 | 0.3 | 2.1 | 1.2 | 0.07 | 0.15 | 31 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 331 | 1.5 | 9.9 | 6.1 | 0.45 | 0.76 | 54 | 0.3 | 1.5 | 0.9 | 0.08 | 0.10 | C32 |
| Trachea, bronchus, and lung | 2672 | 12.2 | 80.2 | 47.5 | 3.00 | 6.10 | 1190 | 6.8 | 33.7 | 18.4 | 1.30 | 2.24 | C33–34 |
| Other thoracic organs | 56 | 0.3 | 1.7 | 1.1 | 0.06 | 0.11 | 28 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 41 | 0.2 | 1.2 | 1.0 | 0.07 | 0.09 | 29 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 846 | 3.9 | 25.4 | 15.7 | 0.94 | 1.79 | 882 | 5.0 | 25.0 | 15.9 | 1.10 | 1.70 | C43 |
| Other skin | 86 | 0.4 | 2.6 | 1.3 | 0.06 | 0.11 | 62 | 0.4 | 1.8 | 0.6 | 0.03 | 0.06 | C44 |
| Mesothelioma | 120 | 0.5 | 3.6 | 1.7 | 0.05 | 0.19 | 45 | 0.3 | 1.3 | 0.5 | 0.01 | 0.06 | C45 |
| Kaposi sarcoma | 20 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 155 | 0.7 | 4.7 | 3.0 | 0.15 | 0.29 | 105 | 0.6 | 3.0 | 1.9 | 0.12 | 0.17 | C47+C49 |
| Breast | 65 | 0.3 | 2.0 | 1.1 | 0.05 | 0.13 | 5878 | 33.5 | 166.6 | 101.9 | 7.44 | 11.73 | C50 |
| Vulva | | | | | | | 72 | 0.4 | 2.0 | 0.8 | 0.04 | 0.08 | C51 |
| Vagina | | | | | | | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 253 | 1.4 | 7.2 | 5.1 | 0.43 | 0.50 | C53 |
| Corpus uteri | | | | | | | 700 | 4.0 | 19.8 | 10.1 | 0.59 | 1.33 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 481 | 2.7 | 13.6 | 7.1 | 0.44 | 0.85 | C56 |
| Other female genital organs | | | | | | | 37 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 28 | 0.1 | 0.8 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 5450 | 24.9 | 163.6 | 92.6 | 4.55 | 12.99 | | | | | | | C61 |
| Testis | 269 | 1.2 | 8.1 | 7.6 | 0.59 | 0.61 | | | | | | | C62 |
| Other male genital organs | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 765 | 3.5 | 23.0 | 13.8 | 0.88 | 1.64 | 390 | 2.2 | 11.1 | 5.5 | 0.34 | 0.64 | C64 |
| Renal pelvis | 62 | 0.3 | 1.9 | 0.9 | 0.04 | 0.11 | 27 | 0.2 | 0.8 | 0.3 | 0.00 | 0.03 | C65 |
| Ureter | 41 | 0.2 | 1.2 | 0.6 | 0.03 | 0.08 | 28 | 0.2 | 0.8 | 0.3 | 0.02 | 0.03 | C66 |
| Bladder | 865 | 3.9 | 26.0 | 12.9 | 0.53 | 1.51 | 224 | 1.3 | 6.3 | 2.0 | 0.08 | 0.17 | C67 |
| Other urinary organs | 10 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 46 | 0.2 | 1.4 | 0.9 | 0.05 | 0.11 | 38 | 0.2 | 1.1 | 0.8 | 0.04 | 0.08 | C69 |
| Brain and nervous system | 323 | 1.5 | 9.7 | 6.9 | 0.44 | 0.71 | 226 | 1.3 | 6.4 | 4.0 | 0.25 | 0.42 | C70–72 |
| Thyroid | 195 | 0.9 | 5.9 | 4.4 | 0.35 | 0.43 | 561 | 3.2 | 15.9 | 12.7 | 1.01 | 1.26 | C73 |
| Adrenal gland | 12 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | 16 | 0.1 | 0.5 | 0.5 | 0.02 | 0.04 | C74 |
| Other endocrine | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 119 | 0.5 | 3.6 | 3.5 | 0.24 | 0.26 | 84 | 0.5 | 2.4 | 2.4 | 0.16 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 880 | 4.0 | 26.4 | 15.5 | 0.85 | 1.72 | 722 | 4.1 | 20.5 | 9.9 | 0.54 | 1.08 | C82–86,C96 |
| Immunoproliferative diseases | 243 | 1.1 | 7.3 | 3.7 | 0.17 | 0.43 | 155 | 0.9 | 4.4 | 2.0 | 0.11 | 0.23 | C88 |
| Multiple myeloma | 277 | 1.3 | 8.3 | 4.5 | 0.22 | 0.53 | 253 | 1.4 | 7.2 | 3.0 | 0.13 | 0.35 | C90 |
| Lymphoid leukaemia | 440 | 2.0 | 13.2 | 8.8 | 0.46 | 0.87 | 300 | 1.7 | 8.5 | 4.8 | 0.24 | 0.48 | C91 |
| Myeloid leukaemia | 262 | 1.2 | 7.9 | 4.6 | 0.24 | 0.47 | 218 | 1.2 | 6.2 | 3.4 | 0.20 | 0.33 | C92–94 |
| Leukaemia unspecified | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 14 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 236 | 1.1 | 7.1 | 3.9 | 0.20 | 0.41 | 222 | 1.3 | 6.3 | 2.7 | 0.13 | 0.29 | MPD |
| Myelodysplastic syndromes | 215 | 1.0 | 6.5 | 2.8 | 0.05 | 0.25 | 147 | 0.8 | 4.2 | 1.3 | 0.04 | 0.13 | MPS |
| Other and unspecified | 324 | 1.5 | 9.7 | 4.9 | 0.21 | 0.55 | 319 | 1.8 | 9.0 | 3.0 | 0.13 | 0.30 | O&U |
| All sites | 21994 | | 660.4 | 383.2 | 21.23 | 46.94 | 17591 | | 498.7 | 271.8 | 17.74 | 30.54 | C00–96 |
| All sites except C44 | 21908 | 100.0 | 657.8 | 381.9 | 21.17 | 46.83 | 17529 | 100.0 | 496.9 | 271.2 | 17.71 | 30.48 | C00–96 exc. C44 |

*See note following population pyramid

France, Manche

CONTRIBUTORS

Simona Bara
Delphine Degré-Dubois
Sandrine Paris
Bénédicte Beauvois
Delphine Large



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 78.0 | Breast | 97.5 |
| Trachea, bronchus, and lung | 47.2 | Trachea, bronchus, and lung | 16.3 |
| Colon | 21.8 | Colon | 15.1 |
| Rectum | 14.2 | Melanoma of skin | 13.0 |
| Kidney | 13.5 | Corpus uteri | 10.6 |
| Bladder | 12.4 | Ovary | 8.9 |
| Liver | 12.2 | Thyroid | 8.0 |
| Non-Hodgkin lymphoma | 11.5 | Non-Hodgkin lymphoma | 7.5 |
| Melanoma of skin | 8.7 | Rectum | 6.8 |
| Pancreas | 8.6 | Cervix uteri | 6.0 |
| Stomach | 8.5 | Pancreas | 5.9 |
| Oesophagus | 8.4 | Kidney | 5.6 |
| Larynx | 7.3 | Brain and nervous system | 4.8 |
| Testis | 6.5 | Hodgkin lymphoma | 4.2 |
| Lymphoid leukaemia | 6.4 | Lymphoid leukaemia | 4.0 |
| Brain and nervous system | 5.5 | Myeloproliferative disorders | 3.4 |
| Mouth | 5.1 | Myeloid leukaemia | 3.0 |
| Other and unspecified | 4.3 | Stomach | 2.8 |
| Myeloid leukaemia | 4.2 | Multiple myeloma | 2.6 |
| Myelodysplastic syndromes | 3.8 | Connective and soft tissue | 2.6 |
| All sites | 334.3 | All sites | 258.1 |

*France, Manche (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.2 | 1.3 | 0.5 | 0.03 | 0.06 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 73 | 0.8 | 6.0 | 3.2 | 0.25 | 0.38 | 29 | 0.4 | 2.3 | 1.1 | 0.08 | 0.13 | C01–02 |
| Mouth | 114 | 1.3 | 9.4 | 5.1 | 0.41 | 0.59 | 37 | 0.5 | 2.9 | 1.2 | 0.09 | 0.15 | C03–06 |
| Salivary glands | 17 | 0.2 | 1.4 | 0.5 | 0.03 | 0.06 | 11 | 0.2 | 0.9 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 83 | 0.9 | 6.8 | 3.7 | 0.30 | 0.48 | 21 | 0.3 | 1.6 | 1.0 | 0.07 | 0.12 | C09 |
| Other oropharynx | 54 | 0.6 | 4.4 | 2.5 | 0.22 | 0.30 | 22 | 0.3 | 1.7 | 1.0 | 0.10 | 0.12 | C10 |
| Nasopharynx | 10 | 0.1 | 0.8 | 0.7 | 0.05 | 0.06 | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 80 | 0.9 | 6.6 | 3.1 | 0.25 | 0.39 | 10 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C12–13 |
| Pharynx unspecified | 23 | 0.3 | 1.9 | 1.2 | 0.09 | 0.15 | 3 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | C14 |
| Oesophagus | 231 | 2.5 | 19.0 | 8.3 | 0.53 | 1.06 | 54 | 0.7 | 4.2 | 1.6 | 0.08 | 0.22 | C15 |
| Stomach | 264 | 2.9 | 21.7 | 8.5 | 0.35 | 0.94 | 145 | 2.0 | 11.4 | 2.8 | 0.14 | 0.26 | C16 |
| Small intestine | 41 | 0.5 | 3.4 | 1.3 | 0.05 | 0.16 | 46 | 0.6 | 3.6 | 1.7 | 0.12 | 0.17 | C17 |
| Colon | 685 | 7.5 | 56.4 | 21.8 | 0.90 | 2.60 | 586 | 8.1 | 45.9 | 15.1 | 0.80 | 1.73 | C18 |
| Rectum | 395 | 4.3 | 32.5 | 14.2 | 0.78 | 1.81 | 244 | 3.4 | 19.1 | 6.8 | 0.44 | 0.79 | C19–20 |
| Anus | 11 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 43 | 0.6 | 3.4 | 1.9 | 0.15 | 0.22 | C21 |
| Liver | 349 | 3.8 | 28.7 | 12.2 | 0.57 | 1.68 | 85 | 1.2 | 6.7 | 2.1 | 0.09 | 0.27 | C22 |
| Gallbladder etc. | 59 | 0.6 | 4.9 | 1.6 | 0.06 | 0.17 | 53 | 0.7 | 4.2 | 1.2 | 0.04 | 0.14 | C23–24 |
| Pancreas | 251 | 2.8 | 20.7 | 8.6 | 0.52 | 1.06 | 260 | 3.6 | 20.4 | 5.9 | 0.26 | 0.65 | C25 |
| Nose, sinuses etc. | 26 | 0.3 | 2.1 | 1.0 | 0.09 | 0.12 | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 168 | 1.8 | 13.8 | 7.3 | 0.57 | 0.89 | 24 | 0.3 | 1.9 | 1.1 | 0.10 | 0.13 | C32 |
| Trachea, bronchus, and lung | 1281 | 14.1 | 105.4 | 47.2 | 2.89 | 6.18 | 454 | 6.3 | 35.6 | 16.3 | 1.19 | 1.97 | C33–34 |
| Other thoracic organs | 12 | 0.1 | 1.0 | 0.7 | 0.05 | 0.06 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C37–38 |
| Bone | 16 | 0.2 | 1.3 | 1.4 | 0.10 | 0.11 | 12 | 0.2 | 0.9 | 0.8 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 225 | 2.5 | 18.5 | 8.7 | 0.48 | 1.06 | 308 | 4.3 | 24.1 | 13.0 | 0.91 | 1.34 | C43 |
| Other skin | 38 | 0.4 | 3.1 | 1.2 | 0.05 | 0.13 | 61 | 0.8 | 4.8 | 1.4 | 0.06 | 0.13 | C44 |
| Mesothelioma | 73 | 0.8 | 6.0 | 2.4 | 0.10 | 0.33 | 18 | 0.2 | 1.4 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 58 | 0.6 | 4.8 | 2.4 | 0.13 | 0.22 | 67 | 0.9 | 5.2 | 2.6 | 0.16 | 0.26 | C47+C49 |
| Breast | 20 | 0.2 | 1.6 | 0.6 | 0.02 | 0.07 | 2330 | 32.3 | 182.4 | 97.5 | 7.24 | 11.14 | C50 |
| Vulva | | | | | | | 37 | 0.5 | 2.9 | 0.9 | 0.05 | 0.10 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 115 | 1.6 | 9.0 | 6.0 | 0.47 | 0.57 | C53 |
| Corpus uteri | | | | | | | 325 | 4.5 | 25.4 | 10.6 | 0.65 | 1.41 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.2 | 0.9 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 282 | 3.9 | 22.1 | 8.9 | 0.51 | 1.01 | C56 |
| Other female genital organs | | | | | | | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 21 | 0.2 | 1.7 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 2263 | 24.9 | 186.2 | 78.0 | 3.61 | 10.87 | | | | | | | C61 |
| Testis | 72 | 0.8 | 5.9 | 6.5 | 0.49 | 0.49 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 348 | 3.8 | 28.6 | 13.5 | 0.78 | 1.65 | 175 | 2.4 | 13.7 | 5.6 | 0.33 | 0.66 | C64 |
| Renal pelvis | 22 | 0.2 | 1.8 | 0.7 | 0.03 | 0.07 | 18 | 0.2 | 1.4 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 15 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 400 | 4.4 | 32.9 | 12.4 | 0.58 | 1.43 | 100 | 1.4 | 7.8 | 1.9 | 0.09 | 0.18 | C67 |
| Other urinary organs | 4 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 16 | 0.2 | 1.3 | 1.3 | 0.06 | 0.08 | 31 | 0.4 | 2.4 | 1.7 | 0.12 | 0.15 | C69 |
| Brain and nervous system | 112 | 1.2 | 9.2 | 5.5 | 0.36 | 0.59 | 119 | 1.6 | 9.3 | 4.8 | 0.29 | 0.46 | C70–72 |
| Thyroid | 46 | 0.5 | 3.8 | 2.6 | 0.19 | 0.26 | 137 | 1.9 | 10.7 | 8.0 | 0.59 | 0.80 | C73 |
| Adrenal gland | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 37 | 0.4 | 3.0 | 2.9 | 0.21 | 0.23 | 42 | 0.6 | 3.3 | 4.2 | 0.27 | 0.29 | C81 |
| Non-Hodgkin lymphoma | 301 | 3.3 | 24.8 | 11.5 | 0.64 | 1.27 | 236 | 3.3 | 18.5 | 7.5 | 0.41 | 0.79 | C82–86,C96 |
| Immunoproliferative diseases | 49 | 0.5 | 4.0 | 1.4 | 0.05 | 0.16 | 29 | 0.4 | 2.3 | 0.8 | 0.03 | 0.10 | C88 |
| Multiple myeloma | 101 | 1.1 | 8.3 | 3.7 | 0.19 | 0.48 | 99 | 1.4 | 7.8 | 2.6 | 0.12 | 0.34 | C90 |
| Lymphoid leukaemia | 144 | 1.6 | 11.8 | 6.4 | 0.36 | 0.68 | 105 | 1.5 | 8.2 | 4.0 | 0.22 | 0.41 | C91 |
| Myeloid leukaemia | 130 | 1.4 | 10.7 | 4.2 | 0.24 | 0.44 | 96 | 1.3 | 7.5 | 3.0 | 0.16 | 0.30 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 88 | 1.0 | 7.2 | 3.2 | 0.18 | 0.36 | 118 | 1.6 | 9.2 | 3.4 | 0.16 | 0.40 | MPD |
| Myelodysplastic syndromes | 158 | 1.7 | 13.0 | 3.8 | 0.09 | 0.34 | 127 | 1.8 | 9.9 | 2.6 | 0.07 | 0.28 | MPS |
| Other and unspecified | 132 | 1.4 | 10.9 | 4.3 | 0.25 | 0.50 | 112 | 1.6 | 8.8 | 2.5 | 0.14 | 0.25 | O&U |
| All sites | 9142 | | 752.2 | 334.3 | 18.26 | 41.26 | 7278 | | 569.9 | 258.1 | 17.05 | 28.77 | C00–96 |
| All sites except C44 | 9104 | 100.0 | 749.1 | 333.1 | 18.21 | 41.14 | 7217 | 100.0 | 565.1 | 256.7 | 16.99 | 28.64 | C00–96 exc. C44 |

*See note following population pyramid

France, Poitou-Charentes

CONTRIBUTORS

Gautier Defossez
Nicolas Meriau
Soizic Lellouch
Tiffanie Girault
Florian Grignoux
Chaima Chebil
Pierre Ingrand



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 82.5 | Breast | 97.0 |
| Trachea, bronchus, and lung | 50.9 | Trachea, bronchus, and lung | 20.5 |
| Colon | 21.0 | Thyroid | 19.4 |
| Kidney | 15.4 | Colon | 15.2 |
| Non-Hodgkin lymphoma | 15.3 | Melanoma of skin | 13.0 |
| Rectum | 14.8 | Corpus uteri | 10.2 |
| Bladder | 13.9 | Non-Hodgkin lymphoma | 9.3 |
| Melanoma of skin | 12.1 | Rectum | 7.4 |
| Liver | 11.0 | Pancreas | 6.7 |
| Pancreas | 9.6 | Ovary | 6.7 |
| Testis | 8.4 | Cervix uteri | 6.6 |
| Lymphoid leukaemia | 7.2 | Kidney | 6.4 |
| Oesophagus | 6.6 | Brain and nervous system | 4.6 |
| Stomach | 6.3 | Lymphoid leukaemia | 4.5 |
| Thyroid | 6.1 | Hodgkin lymphoma | 3.1 |
| Brain and nervous system | 6.0 | Multiple myeloma | 3.0 |
| Larynx | 5.4 | Myeloid leukaemia | 2.8 |
| Other and unspecified | 4.8 | Other and unspecified | 2.7 |
| Myeloid leukaemia | 4.4 | Liver | 2.5 |
| Multiple myeloma | 4.1 | Stomach | 2.2 |
| All sites | 354.1 | All sites | 270.7 |

*France, Poitou-Charentes (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 88 | 0.3 | 2.0 | 0.8 | 0.05 | 0.09 | 24 | 0.1 | 0.5 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 303 | 0.9 | 7.0 | 3.7 | 0.29 | 0.45 | 121 | 0.5 | 2.6 | 1.3 | 0.09 | 0.15 | C01–02 |
| Mouth | 323 | 0.9 | 7.4 | 3.8 | 0.30 | 0.45 | 158 | 0.6 | 3.4 | 1.4 | 0.11 | 0.16 | C03–06 |
| Salivary glands | 67 | 0.2 | 1.5 | 0.8 | 0.05 | 0.08 | 38 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 235 | 0.7 | 5.4 | 3.0 | 0.26 | 0.37 | 67 | 0.3 | 1.4 | 0.8 | 0.07 | 0.10 | C09 |
| Other oropharynx | 217 | 0.6 | 5.0 | 2.7 | 0.22 | 0.34 | 43 | 0.2 | 0.9 | 0.5 | 0.05 | 0.07 | C10 |
| Nasopharynx | 28 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | 16 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 290 | 0.8 | 6.7 | 3.6 | 0.31 | 0.45 | 34 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C12–13 |
| Pharynx unspecified | 40 | 0.1 | 0.9 | 0.6 | 0.05 | 0.07 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 640 | 1.9 | 14.7 | 6.6 | 0.42 | 0.81 | 173 | 0.7 | 3.7 | 1.4 | 0.11 | 0.17 | C15 |
| Stomach | 667 | 1.9 | 15.3 | 6.3 | 0.32 | 0.72 | 313 | 1.2 | 6.7 | 2.2 | 0.12 | 0.25 | C16 |
| Small intestine | 133 | 0.4 | 3.1 | 1.4 | 0.09 | 0.17 | 115 | 0.4 | 2.5 | 1.0 | 0.06 | 0.12 | C17 |
| Colon | 2416 | 7.0 | 55.4 | 21.0 | 0.88 | 2.48 | 2091 | 7.9 | 44.9 | 15.2 | 0.81 | 1.70 | C18 |
| Rectum | 1523 | 4.4 | 34.9 | 14.8 | 0.81 | 1.81 | 921 | 3.5 | 19.8 | 7.4 | 0.44 | 0.87 | C19–20 |
| Anus | 71 | 0.2 | 1.6 | 0.8 | 0.06 | 0.09 | 194 | 0.7 | 4.2 | 1.9 | 0.14 | 0.23 | C21 |
| Liver | 1112 | 3.2 | 25.5 | 11.0 | 0.60 | 1.41 | 325 | 1.2 | 7.0 | 2.5 | 0.13 | 0.30 | C22 |
| Gallbladder etc. | 188 | 0.5 | 4.3 | 1.6 | 0.08 | 0.18 | 240 | 0.9 | 5.2 | 1.4 | 0.06 | 0.15 | C23–24 |
| Pancreas | 997 | 2.9 | 22.9 | 9.6 | 0.50 | 1.17 | 913 | 3.4 | 19.6 | 6.7 | 0.36 | 0.79 | C25 |
| Nose, sinuses etc. | 94 | 0.3 | 2.2 | 1.0 | 0.06 | 0.12 | 39 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 473 | 1.4 | 10.9 | 5.4 | 0.38 | 0.71 | 72 | 0.3 | 1.5 | 0.8 | 0.07 | 0.09 | C32 |
| Trachea, bronchus, and lung | 4800 | 14.0 | 110.1 | 50.9 | 3.23 | 6.56 | 1974 | 7.5 | 42.4 | 20.5 | 1.56 | 2.47 | C33–34 |
| Other thoracic organs | 60 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 41 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 63 | 0.2 | 1.4 | 1.3 | 0.08 | 0.10 | 41 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 1049 | 3.1 | 24.1 | 12.1 | 0.75 | 1.34 | 1050 | 4.0 | 22.5 | 13.0 | 0.96 | 1.37 | C43 |
| Other skin | 21 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 25 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C44 |
| Mesothelioma | 106 | 0.3 | 2.4 | 0.9 | 0.03 | 0.09 | 25 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 33 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 204 | 0.6 | 4.7 | 2.4 | 0.15 | 0.24 | 148 | 0.6 | 3.2 | 1.9 | 0.13 | 0.17 | C47+C49 |
| Breast | 78 | 0.2 | 1.8 | 0.8 | 0.04 | 0.08 | 8480 | 32.0 | 182.1 | 97.0 | 7.14 | 11.05 | C50 |
| Vulva | | | | | | | 117 | 0.4 | 2.5 | 0.8 | 0.04 | 0.07 | C51 |
| Vagina | | | | | | | 36 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 479 | 1.8 | 10.3 | 6.6 | 0.52 | 0.65 | C53 |
| Corpus uteri | | | | | | | 1170 | 4.4 | 25.1 | 10.2 | 0.56 | 1.37 | C54 |
| Uterus unspecified | | | | | | | 42 | 0.2 | 0.9 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 719 | 2.7 | 15.4 | 6.7 | 0.40 | 0.80 | C56 |
| Other female genital organs | | | | | | | 52 | 0.2 | 1.1 | 0.4 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 78 | 0.2 | 1.8 | 0.7 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 8710 | 25.3 | 199.8 | 82.5 | 3.79 | 11.47 | | | | | | | C61 |
| Testis | 338 | 1.0 | 7.8 | 8.4 | 0.64 | 0.66 | | | | | | | C62 |
| Other male genital organs | 15 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1375 | 4.0 | 31.5 | 15.4 | 0.98 | 1.87 | 653 | 2.5 | 14.0 | 6.4 | 0.38 | 0.69 | C64 |
| Renal pelvis | 85 | 0.2 | 2.0 | 0.7 | 0.03 | 0.09 | 44 | 0.2 | 0.9 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 68 | 0.2 | 1.6 | 0.6 | 0.02 | 0.06 | 53 | 0.2 | 1.1 | 0.3 | 0.00 | 0.04 | C66 |
| Bladder | 1658 | 4.8 | 38.0 | 13.9 | 0.57 | 1.66 | 348 | 1.3 | 7.5 | 2.2 | 0.12 | 0.23 | C67 |
| Other urinary organs | 29 | 0.1 | 0.7 | 0.2 | 0.01 | 0.04 | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 72 | 0.2 | 1.7 | 0.8 | 0.04 | 0.08 | 58 | 0.2 | 1.2 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 428 | 1.2 | 9.8 | 6.0 | 0.35 | 0.61 | 374 | 1.4 | 8.0 | 4.6 | 0.29 | 0.48 | C70–72 |
| Thyroid | 408 | 1.2 | 9.4 | 6.1 | 0.44 | 0.69 | 1206 | 4.6 | 25.9 | 19.4 | 1.52 | 1.96 | C73 |
| Adrenal gland | 15 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 11 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 178 | 0.5 | 4.1 | 3.8 | 0.27 | 0.30 | 137 | 0.5 | 2.9 | 3.1 | 0.21 | 0.24 | C81 |
| Non-Hodgkin lymphoma | 1478 | 4.3 | 33.9 | 15.3 | 0.84 | 1.65 | 1064 | 4.0 | 22.8 | 9.3 | 0.55 | 0.96 | C82–86,C96 |
| Immunoproliferative diseases | 274 | 0.8 | 6.3 | 2.6 | 0.13 | 0.30 | 166 | 0.6 | 3.6 | 1.4 | 0.08 | 0.15 | C88 |
| Multiple myeloma | 449 | 1.3 | 10.3 | 4.1 | 0.20 | 0.48 | 408 | 1.5 | 8.8 | 3.0 | 0.13 | 0.37 | C90 |
| Lymphoid leukaemia | 664 | 1.9 | 15.2 | 7.2 | 0.39 | 0.73 | 410 | 1.5 | 8.8 | 4.5 | 0.23 | 0.40 | C91 |
| Myeloid leukaemia | 434 | 1.3 | 10.0 | 4.4 | 0.23 | 0.46 | 316 | 1.2 | 6.8 | 2.8 | 0.16 | 0.28 | C92–94 |
| Leukaemia unspecified | 14 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | 16 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 276 | 0.8 | 6.3 | 2.9 | 0.16 | 0.32 | 225 | 0.8 | 4.8 | 2.1 | 0.13 | 0.25 | MPD |
| Myelodysplastic syndromes | 526 | 1.5 | 12.1 | 3.9 | 0.10 | 0.41 | 312 | 1.2 | 6.7 | 1.8 | 0.06 | 0.16 | MPS |
| Other and unspecified | 508 | 1.5 | 11.7 | 4.8 | 0.25 | 0.54 | 403 | 1.5 | 8.7 | 2.7 | 0.15 | 0.29 | O&U |
| All sites | 34404 | | 789.4 | 354.1 | 19.70 | 43.14 | 26518 | | 569.5 | 270.7 | 18.29 | 30.21 | C00–96 |
| All sites except C44 | 34383 | 100.0 | 788.9 | 353.7 | 19.68 | 43.10 | 26493 | 100.0 | 568.9 | 270.3 | 18.25 | 30.17 | C00–96 exc. C44 |

*See note following population pyramid

France, Somme

CONTRIBUTORS

Olivier Ganry
Bénédicte Lapotre-Ledoux
Eric Trecherel



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 78.2 | Breast | 104.1 |
| Trachea, bronchus, and lung | 57.1 | Trachea, bronchus, and lung | 18.2 |
| Colon | 22.7 | Colon | 14.7 |
| Bladder | 14.7 | Thyroid | 14.7 |
| Rectum | 14.3 | Corpus uteri | 12.1 |
| Kidney | 13.1 | Melanoma of skin | 11.7 |
| Liver | 11.2 | Non-Hodgkin lymphoma | 8.2 |
| Non-Hodgkin lymphoma | 10.9 | Rectum | 7.9 |
| Melanoma of skin | 9.7 | Cervix uteri | 7.4 |
| Pancreas | 9.6 | Ovary | 7.3 |
| Oesophagus | 9.6 | Kidney | 6.3 |
| Stomach | 7.6 | Pancreas | 5.3 |
| Testis | 7.1 | Other and unspecified | 4.8 |
| Brain and nervous system | 6.2 | Myeloid leukaemia | 3.9 |
| Lymphoid leukaemia | 6.1 | Lymphoid leukaemia | 3.8 |
| Other and unspecified | 6.1 | Brain and nervous system | 3.6 |
| Mouth | 5.2 | Myeloproliferative disorders | 3.3 |
| Larynx | 5.0 | Stomach | 2.8 |
| Myeloid leukaemia | 5.0 | Liver | 2.6 |
| Hypopharynx | 4.7 | Multiple myeloma | 2.6 |
| All sites | 351.4 | All sites | 273.1 |

*France, Somme (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 15 | 0.2 | 1.1 | 0.6 | 0.05 | 0.06 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 101 | 1.1 | 7.3 | 4.3 | 0.34 | 0.50 | 22 | 0.3 | 1.5 | 0.9 | 0.09 | 0.10 | C01–02 |
| Mouth | 113 | 1.3 | 8.1 | 5.2 | 0.46 | 0.67 | 51 | 0.7 | 3.5 | 2.0 | 0.18 | 0.24 | C03–06 |
| Salivary glands | 20 | 0.2 | 1.4 | 0.8 | 0.04 | 0.10 | 14 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C07–08 |
| Tonsil | 83 | 0.9 | 6.0 | 3.9 | 0.36 | 0.45 | 24 | 0.3 | 1.6 | 1.0 | 0.08 | 0.12 | C09 |
| Other oropharynx | 61 | 0.7 | 4.4 | 2.6 | 0.20 | 0.34 | 12 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C10 |
| Nasopharynx | 7 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 113 | 1.3 | 8.1 | 4.7 | 0.34 | 0.61 | 20 | 0.3 | 1.4 | 0.9 | 0.07 | 0.11 | C12–13 |
| Pharynx unspecified | 26 | 0.3 | 1.9 | 1.1 | 0.10 | 0.14 | 3 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | C14 |
| Oesophagus | 249 | 2.8 | 17.9 | 9.6 | 0.59 | 1.22 | 64 | 0.9 | 4.4 | 2.2 | 0.16 | 0.28 | C15 |
| Stomach | 209 | 2.3 | 15.0 | 7.6 | 0.35 | 0.92 | 105 | 1.4 | 7.1 | 2.8 | 0.15 | 0.30 | C16 |
| Small intestine | 43 | 0.5 | 3.1 | 1.8 | 0.11 | 0.22 | 26 | 0.4 | 1.8 | 0.8 | 0.06 | 0.09 | C17 |
| Colon | 629 | 7.0 | 45.3 | 22.7 | 1.12 | 2.61 | 538 | 7.3 | 36.6 | 14.7 | 0.81 | 1.67 | C18 |
| Rectum | 378 | 4.2 | 27.2 | 14.3 | 0.80 | 1.84 | 255 | 3.4 | 17.3 | 7.9 | 0.52 | 0.93 | C19–20 |
| Anus | 17 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 42 | 0.6 | 2.9 | 1.4 | 0.09 | 0.17 | C21 |
| Liver | 312 | 3.5 | 22.5 | 11.2 | 0.51 | 1.48 | 94 | 1.3 | 6.4 | 2.6 | 0.14 | 0.33 | C22 |
| Gallbladder etc. | 58 | 0.6 | 4.2 | 2.0 | 0.09 | 0.26 | 55 | 0.7 | 3.7 | 1.4 | 0.07 | 0.16 | C23–24 |
| Pancreas | 252 | 2.8 | 18.1 | 9.6 | 0.54 | 1.16 | 196 | 2.6 | 13.3 | 5.3 | 0.27 | 0.64 | C25 |
| Nose, sinuses etc. | 25 | 0.3 | 1.8 | 1.0 | 0.06 | 0.11 | 14 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 118 | 1.3 | 8.5 | 5.0 | 0.37 | 0.61 | 10 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1448 | 16.2 | 104.2 | 57.1 | 3.60 | 7.42 | 482 | 6.5 | 32.8 | 18.2 | 1.35 | 2.20 | C33–34 |
| Other thoracic organs | 23 | 0.3 | 1.7 | 1.0 | 0.06 | 0.14 | 12 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C37–38 |
| Bone | 26 | 0.3 | 1.9 | 1.7 | 0.12 | 0.15 | 15 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 223 | 2.5 | 16.0 | 9.7 | 0.59 | 1.10 | 264 | 3.6 | 18.0 | 11.7 | 0.84 | 1.17 | C43 |
| Other skin | 41 | 0.5 | 3.0 | 1.4 | 0.06 | 0.12 | 40 | 0.5 | 2.7 | 1.1 | 0.06 | 0.10 | C44 |
| Mesothelioma | 36 | 0.4 | 2.6 | 1.2 | 0.04 | 0.13 | 19 | 0.3 | 1.3 | 0.4 | 0.01 | 0.05 | C45 |
| Kaposi sarcoma | 4 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 40 | 0.4 | 2.9 | 1.8 | 0.11 | 0.20 | 52 | 0.7 | 3.5 | 1.9 | 0.13 | 0.21 | C47+C49 |
| Breast | 22 | 0.2 | 1.6 | 0.8 | 0.03 | 0.10 | 2625 | 35.4 | 178.5 | 104.1 | 7.51 | 12.04 | C50 |
| Vulva | | | | | | | 29 | 0.4 | 2.0 | 0.8 | 0.04 | 0.09 | C51 |
| Vagina | | | | | | | 18 | 0.2 | 1.2 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 155 | 2.1 | 10.5 | 7.4 | 0.62 | 0.75 | C53 |
| Corpus uteri | | | | | | | 366 | 4.9 | 24.9 | 12.1 | 0.72 | 1.63 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C55 |
| Ovary | | | | | | | 216 | 2.9 | 14.7 | 7.3 | 0.48 | 0.88 | C56 |
| Other female genital organs | | | | | | | 18 | 0.2 | 1.2 | 0.5 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 11 | 0.1 | 0.8 | 0.4 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 2133 | 23.9 | 153.5 | 78.2 | 3.81 | 10.65 | | | | | | | C61 |
| Testis | 106 | 1.2 | 7.6 | 7.1 | 0.56 | 0.60 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 305 | 3.4 | 21.9 | 13.1 | 0.87 | 1.57 | 157 | 2.1 | 10.7 | 6.3 | 0.42 | 0.71 | C64 |
| Renal pelvis | 31 | 0.3 | 2.2 | 1.2 | 0.07 | 0.16 | 10 | 0.1 | 0.7 | 0.3 | 0.02 | 0.02 | C65 |
| Ureter | 16 | 0.2 | 1.2 | 0.6 | 0.05 | 0.09 | 10 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C66 |
| Bladder | 438 | 4.9 | 31.5 | 14.7 | 0.59 | 1.79 | 90 | 1.2 | 6.1 | 1.9 | 0.07 | 0.19 | C67 |
| Other urinary organs | 9 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C68 |
| Eye | 12 | 0.1 | 0.9 | 0.5 | 0.03 | 0.04 | 10 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 113 | 1.3 | 8.1 | 6.2 | 0.40 | 0.55 | 78 | 1.1 | 5.3 | 3.6 | 0.23 | 0.38 | C70–72 |
| Thyroid | 78 | 0.9 | 5.6 | 3.9 | 0.30 | 0.44 | 269 | 3.6 | 18.3 | 14.7 | 1.19 | 1.42 | C73 |
| Adrenal gland | 4 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 4 | 0.1 | 0.3 | 0.5 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 38 | 0.4 | 2.7 | 2.5 | 0.18 | 0.21 | 37 | 0.5 | 2.5 | 2.6 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 256 | 2.9 | 18.4 | 10.9 | 0.61 | 1.13 | 235 | 3.2 | 16.0 | 8.2 | 0.44 | 0.88 | C82–86,C96 |
| Immunoproliferative diseases | 35 | 0.4 | 2.5 | 1.3 | 0.05 | 0.18 | 14 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 88 | 1.0 | 6.3 | 3.1 | 0.15 | 0.35 | 93 | 1.3 | 6.3 | 2.6 | 0.14 | 0.33 | C90 |
| Lymphoid leukaemia | 133 | 1.5 | 9.6 | 6.1 | 0.33 | 0.64 | 96 | 1.3 | 6.5 | 3.8 | 0.25 | 0.37 | C91 |
| Myeloid leukaemia | 128 | 1.4 | 9.2 | 5.0 | 0.26 | 0.48 | 107 | 1.4 | 7.3 | 3.9 | 0.23 | 0.35 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 94 | 1.1 | 6.8 | 3.6 | 0.18 | 0.44 | 104 | 1.4 | 7.1 | 3.3 | 0.21 | 0.35 | MPD |
| Myelodysplastic syndromes | 68 | 0.8 | 4.9 | 2.1 | 0.04 | 0.22 | 66 | 0.9 | 4.5 | 1.2 | 0.03 | 0.12 | MPS |
| Other and unspecified | 172 | 1.9 | 12.4 | 6.1 | 0.32 | 0.69 | 187 | 2.5 | 12.7 | 4.8 | 0.27 | 0.46 | O&U |
| All sites | 8967 | | 645.3 | 351.4 | 20.01 | 43.18 | 7450 | | 506.7 | 273.1 | 18.54 | 30.74 | C00–96 |
| All sites except C44 | 8926 | 100.0 | 642.3 | 350.0 | 19.95 | 43.06 | 7410 | 100.0 | 504.0 | 271.9 | 18.48 | 30.64 | C00–96 exc. C44 |

*See note following population pyramid

France, Tarn

CONTRIBUTORS

Laetitia Daubisse-Marliac
Pascale Grosclaude
Martine Sauvage



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 77.2 | Breast | 92.0 |
| Trachea, bronchus, and lung | 48.5 | Trachea, bronchus, and lung | 19.9 |
| Colon | 25.0 | Thyroid | 18.8 |
| Bladder | 14.0 | Colon | 14.5 |
| Kidney | 13.0 | Corpus uteri | 11.6 |
| Non-Hodgkin lymphoma | 12.7 | Melanoma of skin | 10.6 |
| Rectum | 11.8 | Rectum | 8.2 |
| Melanoma of skin | 10.5 | Non-Hodgkin lymphoma | 7.9 |
| Pancreas | 8.5 | Pancreas | 7.2 |
| Liver | 7.4 | Ovary | 7.1 |
| Testis | 7.3 | Cervix uteri | 5.6 |
| Lymphoid leukaemia | 6.4 | Kidney | 4.8 |
| Other and unspecified | 6.2 | Brain and nervous system | 4.3 |
| Brain and nervous system | 5.9 | Lymphoid leukaemia | 3.9 |
| Thyroid | 5.7 | Hodgkin lymphoma | 3.9 |
| Larynx | 5.3 | Other and unspecified | 3.8 |
| Oesophagus | 5.2 | Myeloid leukaemia | 3.0 |
| Stomach | 4.9 | Multiple myeloma | 2.7 |
| Myeloid leukaemia | 3.6 | Stomach | 2.6 |
| Multiple myeloma | 3.6 | Myelodysplastic syndromes | 2.4 |
| All sites | 322.6 | All sites | 263.6 |

*France, Tarn (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 17 | 0.2 | 1.8 | 0.7 | 0.03 | 0.08 | 8 | 0.1 | 0.8 | 0.3 | 0.01 | 0.02 | C00 |
| Tongue | 51 | 0.7 | 5.5 | 2.4 | 0.14 | 0.32 | 26 | 0.4 | 2.6 | 1.0 | 0.07 | 0.11 | C01–02 |
| Mouth | 57 | 0.8 | 6.1 | 3.1 | 0.27 | 0.35 | 39 | 0.7 | 3.9 | 1.3 | 0.10 | 0.14 | C03–06 |
| Salivary glands | 17 | 0.2 | 1.8 | 0.8 | 0.04 | 0.07 | 13 | 0.2 | 1.3 | 0.8 | 0.06 | 0.06 | C07–08 |
| Tonsil | 41 | 0.6 | 4.4 | 2.3 | 0.18 | 0.31 | 21 | 0.4 | 2.1 | 1.0 | 0.07 | 0.15 | C09 |
| Other oropharynx | 36 | 0.5 | 3.9 | 2.0 | 0.15 | 0.26 | 5 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | C10 |
| Nasopharynx | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 36 | 0.5 | 3.9 | 2.1 | 0.19 | 0.26 | 10 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C12–13 |
| Pharynx unspecified | 9 | 0.1 | 1.0 | 0.4 | 0.02 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 109 | 1.6 | 11.7 | 5.2 | 0.35 | 0.63 | 38 | 0.7 | 3.8 | 1.3 | 0.05 | 0.18 | C15 |
| Stomach | 123 | 1.8 | 13.2 | 4.9 | 0.23 | 0.59 | 77 | 1.3 | 7.7 | 2.6 | 0.18 | 0.26 | C16 |
| Small intestine | 30 | 0.4 | 3.2 | 1.3 | 0.08 | 0.16 | 16 | 0.3 | 1.6 | 0.7 | 0.05 | 0.09 | C17 |
| Colon | 633 | 9.0 | 68.1 | 25.0 | 1.14 | 2.94 | 485 | 8.4 | 48.5 | 14.5 | 0.65 | 1.64 | C18 |
| Rectum | 283 | 4.0 | 30.4 | 11.8 | 0.60 | 1.48 | 229 | 3.9 | 22.9 | 8.2 | 0.47 | 0.95 | C19–20 |
| Anus | 16 | 0.2 | 1.7 | 0.9 | 0.04 | 0.11 | 47 | 0.8 | 4.7 | 2.3 | 0.18 | 0.27 | C21 |
| Liver | 160 | 2.3 | 17.2 | 7.4 | 0.38 | 0.96 | 53 | 0.9 | 5.3 | 1.8 | 0.09 | 0.21 | C22 |
| Gallbladder etc. | 51 | 0.7 | 5.5 | 2.0 | 0.09 | 0.22 | 62 | 1.1 | 6.2 | 1.6 | 0.06 | 0.16 | C23–24 |
| Pancreas | 189 | 2.7 | 20.3 | 8.5 | 0.50 | 1.01 | 229 | 3.9 | 22.9 | 7.2 | 0.39 | 0.82 | C25 |
| Nose, sinuses etc. | 24 | 0.3 | 2.6 | 1.2 | 0.07 | 0.12 | 11 | 0.2 | 1.1 | 0.5 | 0.03 | 0.04 | C30–31 |
| Larynx | 97 | 1.4 | 10.4 | 5.3 | 0.39 | 0.64 | 17 | 0.3 | 1.7 | 0.8 | 0.08 | 0.10 | C32 |
| Trachea, bronchus, and lung | 1033 | 14.8 | 111.1 | 48.5 | 2.85 | 6.19 | 435 | 7.5 | 43.5 | 19.9 | 1.45 | 2.44 | C33–34 |
| Other thoracic organs | 15 | 0.2 | 1.6 | 0.9 | 0.06 | 0.07 | 8 | 0.1 | 0.8 | 0.3 | 0.02 | 0.02 | C37–38 |
| Bone | 6 | 0.1 | 0.6 | 0.6 | 0.04 | 0.05 | 16 | 0.3 | 1.6 | 1.2 | 0.10 | 0.10 | C40–41 |
| Melanoma of skin | 192 | 2.7 | 20.6 | 10.5 | 0.71 | 1.16 | 199 | 3.4 | 19.9 | 10.6 | 0.76 | 1.07 | C43 |
| Other skin | 24 | 0.3 | 2.6 | 0.8 | 0.03 | 0.07 | 22 | 0.4 | 2.2 | 0.8 | 0.04 | 0.05 | C44 |
| Mesothelioma | 18 | 0.3 | 1.9 | 0.7 | 0.02 | 0.08 | 11 | 0.2 | 1.1 | 0.3 | 0.00 | 0.04 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 50 | 0.7 | 5.4 | 2.9 | 0.16 | 0.24 | 42 | 0.7 | 4.2 | 2.3 | 0.15 | 0.20 | C47+C49 |
| Breast | 20 | 0.3 | 2.2 | 0.8 | 0.03 | 0.10 | 1756 | 30.3 | 175.5 | 92.0 | 6.87 | 10.49 | C50 |
| Vulva | | | | | | | 31 | 0.5 | 3.1 | 0.7 | 0.04 | 0.07 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 82 | 1.4 | 8.2 | 5.6 | 0.46 | 0.51 | C53 |
| Corpus uteri | | | | | | | 288 | 5.0 | 28.8 | 11.6 | 0.62 | 1.51 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 167 | 2.9 | 16.7 | 7.1 | 0.39 | 0.81 | C56 |
| Other female genital organs | | | | | | | 13 | 0.2 | 1.3 | 0.7 | 0.06 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.2 | 1.7 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 1757 | 25.1 | 189.0 | 77.2 | 3.61 | 10.71 | | | | | | | C61 |
| Testis | 59 | 0.8 | 6.3 | 7.3 | 0.54 | 0.54 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 283 | 4.0 | 30.4 | 13.0 | 0.76 | 1.60 | 123 | 2.1 | 12.3 | 4.8 | 0.25 | 0.55 | C64 |
| Renal pelvis | 20 | 0.3 | 2.2 | 0.7 | 0.03 | 0.07 | 17 | 0.3 | 1.7 | 0.4 | 0.00 | 0.05 | C65 |
| Ureter | 18 | 0.3 | 1.9 | 0.7 | 0.05 | 0.09 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 388 | 5.5 | 41.7 | 14.0 | 0.54 | 1.62 | 86 | 1.5 | 8.6 | 2.4 | 0.09 | 0.22 | C67 |
| Other urinary organs | 12 | 0.2 | 1.3 | 0.4 | 0.02 | 0.04 | 6 | 0.1 | 0.6 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 6 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | 11 | 0.2 | 1.1 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 89 | 1.3 | 9.6 | 5.9 | 0.34 | 0.60 | 81 | 1.4 | 8.1 | 4.3 | 0.25 | 0.38 | C70–72 |
| Thyroid | 73 | 1.0 | 7.9 | 5.7 | 0.40 | 0.61 | 218 | 3.8 | 21.8 | 18.8 | 1.47 | 1.72 | C73 |
| Adrenal gland | 3 | 0.0 | 0.3 | 0.3 | 0.01 | 0.02 | 3 | 0.1 | 0.3 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 30 | 0.4 | 3.2 | 2.6 | 0.19 | 0.21 | 34 | 0.6 | 3.4 | 3.9 | 0.25 | 0.28 | C81 |
| Non-Hodgkin lymphoma | 260 | 3.7 | 28.0 | 12.7 | 0.67 | 1.37 | 204 | 3.5 | 20.4 | 7.9 | 0.41 | 0.86 | C82–86,C96 |
| Immunoproliferative diseases | 25 | 0.4 | 2.7 | 1.2 | 0.08 | 0.11 | 23 | 0.4 | 2.3 | 1.1 | 0.07 | 0.12 | C88 |
| Multiple myeloma | 88 | 1.3 | 9.5 | 3.6 | 0.16 | 0.41 | 77 | 1.3 | 7.7 | 2.7 | 0.14 | 0.34 | C90 |
| Lymphoid leukaemia | 116 | 1.7 | 12.5 | 6.4 | 0.33 | 0.64 | 87 | 1.5 | 8.7 | 3.9 | 0.22 | 0.41 | C91 |
| Myeloid leukaemia | 78 | 1.1 | 8.4 | 3.6 | 0.18 | 0.34 | 68 | 1.2 | 6.8 | 3.0 | 0.19 | 0.30 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 64 | 0.9 | 6.9 | 2.7 | 0.09 | 0.36 | 60 | 1.0 | 6.0 | 2.2 | 0.11 | 0.25 | MPD |
| Myelodysplastic syndromes | 117 | 1.7 | 12.6 | 3.5 | 0.08 | 0.31 | 91 | 1.6 | 9.1 | 2.4 | 0.08 | 0.25 | MPS |
| Other and unspecified | 169 | 2.4 | 18.2 | 6.2 | 0.23 | 0.71 | 154 | 2.7 | 15.4 | 3.8 | 0.16 | 0.38 | O&U |
| All sites | 7025 | | 755.5 | 322.6 | 17.17 | 39.09 | 5821 | | 581.7 | 263.6 | 17.40 | 28.99 | C00–96 |
| All sites except C44 | 7001 | 100.0 | 752.9 | 321.8 | 17.14 | 39.02 | 5799 | 100.0 | 579.5 | 262.8 | 17.36 | 28.94 | C00–96 exc. C44 |

*See note following population pyramid

France, Territoire de Belfort

CONTRIBUTORS

Anne-Sophie Woronoff
Lina Vaconnet



NOTES ON THE DATA

*No DCO registrations. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 80.6 | Breast | 90.3 |
| Trachea, bronchus, and lung | 52.0 | Trachea, bronchus, and lung | 23.6 |
| Colon | 24.1 | Colon | 13.9 |
| Kidney | 17.2 | Corpus uteri | 12.8 |
| Rectum | 13.8 | Melanoma of skin | 9.8 |
| Bladder | 12.1 | Thyroid | 9.5 |
| Pancreas | 10.9 | Rectum | 8.1 |
| Liver | 10.8 | Ovary | 7.5 |
| Non-Hodgkin lymphoma | 10.7 | Pancreas | 7.3 |
| Melanoma of skin | 10.3 | Non-Hodgkin lymphoma | 6.2 |
| Stomach | 8.0 | Brain and nervous system | 5.1 |
| Brain and nervous system | 7.0 | Kidney | 5.0 |
| Other and unspecified | 6.9 | Other and unspecified | 4.3 |
| Lymphoid leukaemia | 6.3 | Cervix uteri | 4.2 |
| Testis | 6.0 | Myeloid leukaemia | 3.8 |
| Oesophagus | 5.7 | Anus | 2.9 |
| Myelodysplastic syndromes | 4.5 | Myelodysplastic syndromes | 2.9 |
| Larynx | 4.4 | Connective and soft tissue | 2.7 |
| Hypopharynx | 4.2 | Myeloproliferative disorders | 2.7 |
| Myeloproliferative disorders | 4.1 | Stomach | 2.6 |
| All sites | 345.9 | All sites | 253.7 |

*France, Territoire de Belfort (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 16 | 0.9 | 5.6 | 3.6 | 0.34 | 0.50 | 5 | 0.3 | 1.7 | 0.9 | 0.05 | 0.12 | C01–02 |
| Mouth | 12 | 0.7 | 4.2 | 2.3 | 0.20 | 0.23 | 8 | 0.6 | 2.8 | 1.5 | 0.13 | 0.19 | C03–06 |
| Salivary glands | 2 | 0.1 | 0.7 | 0.5 | 0.03 | 0.08 | 2 | 0.1 | 0.7 | 0.5 | 0.05 | 0.05 | C07–08 |
| Tonsil | 15 | 0.8 | 5.2 | 2.8 | 0.23 | 0.33 | 3 | 0.2 | 1.0 | 0.6 | 0.08 | 0.08 | C09 |
| Other oropharynx | 7 | 0.4 | 2.4 | 1.6 | 0.17 | 0.20 | 1 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C10 |
| Nasopharynx | 2 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 19 | 1.1 | 6.6 | 4.2 | 0.33 | 0.56 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.7 | 0.5 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 31 | 1.7 | 10.8 | 5.7 | 0.39 | 0.62 | 4 | 0.3 | 1.4 | 0.6 | 0.03 | 0.09 | C15 |
| Stomach | 42 | 2.3 | 14.7 | 8.0 | 0.47 | 0.92 | 21 | 1.5 | 7.2 | 2.6 | 0.19 | 0.26 | C16 |
| Small intestine | 13 | 0.7 | 4.5 | 2.6 | 0.22 | 0.22 | 6 | 0.4 | 2.1 | 1.0 | 0.03 | 0.12 | C17 |
| Colon | 136 | 7.6 | 47.5 | 24.1 | 1.08 | 2.79 | 105 | 7.3 | 36.2 | 13.9 | 0.73 | 1.50 | C18 |
| Rectum | 71 | 4.0 | 24.8 | 13.8 | 0.65 | 1.91 | 50 | 3.5 | 17.2 | 8.1 | 0.53 | 0.84 | C19–20 |
| Anus | 3 | 0.2 | 1.0 | 0.7 | 0.06 | 0.06 | 15 | 1.0 | 5.2 | 2.9 | 0.21 | 0.38 | C21 |
| Liver | 61 | 3.4 | 21.3 | 10.8 | 0.49 | 1.51 | 18 | 1.3 | 6.2 | 2.4 | 0.03 | 0.36 | C22 |
| Gallbladder etc. | 13 | 0.7 | 4.5 | 2.0 | 0.08 | 0.17 | 14 | 1.0 | 4.8 | 2.3 | 0.13 | 0.34 | C23–24 |
| Pancreas | 62 | 3.5 | 21.6 | 10.9 | 0.56 | 1.27 | 57 | 4.0 | 19.7 | 7.3 | 0.32 | 0.80 | C25 |
| Nose, sinuses etc. | 5 | 0.3 | 1.7 | 1.0 | 0.08 | 0.12 | 4 | 0.3 | 1.4 | 0.5 | 0.03 | 0.03 | C30–31 |
| Larynx | 22 | 1.2 | 7.7 | 4.4 | 0.23 | 0.64 | 7 | 0.5 | 2.4 | 1.1 | 0.08 | 0.14 | C32 |
| Trachea, bronchus, and lung | 276 | 15.4 | 96.3 | 52.0 | 3.09 | 6.44 | 135 | 9.4 | 46.6 | 23.6 | 1.56 | 2.96 | C33–34 |
| Other thoracic organs | 1 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 2 | 0.1 | 0.7 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 3 | 0.2 | 1.0 | 1.0 | 0.08 | 0.08 | 1 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C40–41 |
| Melanoma of skin | 52 | 2.9 | 18.1 | 10.3 | 0.54 | 1.17 | 41 | 2.9 | 14.1 | 9.8 | 0.68 | 1.04 | C43 |
| Other skin | 17 | 1.0 | 5.9 | 3.1 | 0.16 | 0.25 | 15 | 1.0 | 5.2 | 2.3 | 0.11 | 0.29 | C44 |
| Mesothelioma | 2 | 0.1 | 0.7 | 0.3 | 0.00 | 0.03 | 3 | 0.2 | 1.0 | 0.3 | 0.00 | 0.04 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.6 | 3.8 | 2.8 | 0.22 | 0.25 | 10 | 0.7 | 3.4 | 2.7 | 0.25 | 0.25 | C47+C49 |
| Breast | 6 | 0.3 | 2.1 | 1.1 | 0.03 | 0.15 | 460 | 32.1 | 158.7 | 90.3 | 6.59 | 9.92 | C50 |
| Vulva | | | | | | | 7 | 0.5 | 2.4 | 0.9 | 0.05 | 0.10 | C51 |
| Vagina | | | | | | | 4 | 0.3 | 1.4 | 0.5 | 0.03 | 0.03 | C52 |
| Cervix uteri | | | | | | | 15 | 1.0 | 5.2 | 4.2 | 0.32 | 0.41 | C53 |
| Corpus uteri | | | | | | | 75 | 5.2 | 25.9 | 12.8 | 0.82 | 1.54 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 35 | 2.4 | 12.1 | 7.5 | 0.39 | 0.75 | C56 |
| Other female genital organs | | | | | | | 5 | 0.3 | 1.7 | 0.7 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 5 | 0.3 | 1.7 | 0.8 | 0.05 | 0.05 | | | | | | | C60 |
| Prostate | 420 | 23.5 | 146.6 | 80.6 | 4.21 | 11.25 | | | | | | | C61 |
| Testis | 18 | 1.0 | 6.3 | 6.0 | 0.48 | 0.48 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.7 | 0.3 | 0.03 | 0.03 | | | | | | | C63 |
| Kidney | 82 | 4.6 | 28.6 | 17.2 | 1.05 | 2.08 | 33 | 2.3 | 11.4 | 5.0 | 0.37 | 0.59 | C64 |
| Renal pelvis | 7 | 0.4 | 2.4 | 0.9 | 0.03 | 0.06 | 2 | 0.1 | 0.7 | 0.2 | 0.00 | 0.00 | C65 |
| Ureter | 4 | 0.2 | 1.4 | 0.5 | 0.03 | 0.03 | 2 | 0.1 | 0.7 | 0.3 | 0.00 | 0.04 | C66 |
| Bladder | 77 | 4.3 | 26.9 | 12.1 | 0.37 | 1.38 | 21 | 1.5 | 7.2 | 2.3 | 0.16 | 0.21 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.2 | 1.0 | 0.6 | 0.03 | 0.12 | C68 |
| Eye | 4 | 0.2 | 1.4 | 1.7 | 0.08 | 0.08 | 3 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 28 | 1.6 | 9.8 | 7.0 | 0.46 | 0.68 | 22 | 1.5 | 7.6 | 5.1 | 0.35 | 0.54 | C70–72 |
| Thyroid | 13 | 0.7 | 4.5 | 3.4 | 0.31 | 0.38 | 36 | 2.5 | 12.4 | 9.5 | 0.79 | 0.82 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 10 | 0.6 | 3.5 | 2.9 | 0.18 | 0.24 | 9 | 0.6 | 3.1 | 2.4 | 0.14 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 57 | 3.2 | 19.9 | 10.7 | 0.64 | 1.08 | 42 | 2.9 | 14.5 | 6.2 | 0.27 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 7 | 0.4 | 2.4 | 1.2 | 0.06 | 0.11 | 6 | 0.4 | 2.1 | 1.0 | 0.05 | 0.13 | C88 |
| Multiple myeloma | 25 | 1.4 | 8.7 | 4.0 | 0.11 | 0.51 | 16 | 1.1 | 5.5 | 2.0 | 0.05 | 0.29 | C90 |
| Lymphoid leukaemia | 29 | 1.6 | 10.1 | 6.3 | 0.36 | 0.62 | 18 | 1.3 | 6.2 | 2.5 | 0.11 | 0.30 | C91 |
| Myeloid leukaemia | 22 | 1.2 | 7.7 | 3.7 | 0.14 | 0.42 | 27 | 1.9 | 9.3 | 3.8 | 0.19 | 0.34 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 21 | 1.2 | 7.3 | 4.1 | 0.23 | 0.56 | 19 | 1.3 | 6.6 | 2.7 | 0.13 | 0.28 | MPD |
| Myelodysplastic syndromes | 35 | 2.0 | 12.2 | 4.5 | 0.00 | 0.34 | 31 | 2.2 | 10.7 | 2.9 | 0.05 | 0.26 | MPS |
| Other and unspecified | 36 | 2.0 | 12.6 | 6.9 | 0.30 | 0.67 | 32 | 2.2 | 11.0 | 4.3 | 0.21 | 0.44 | O&U |
| All sites | 1805 | | 630.0 | 345.9 | 18.93 | 41.63 | 1450 | | 500.2 | 253.7 | 16.46 | 28.19 | C00–96 |
| All sites except C44 | 1788 | 100.0 | 624.0 | 342.8 | 18.77 | 41.38 | 1435 | 100.0 | 495.1 | 251.5 | 16.36 | 27.90 | C00–96 exc. C44 |

*See note following population pyramid

France, Vendée

CONTRIBUTORS

Florence Molinié
Anne Cowppli-Bony
Solenne Delacour-Billon
Stéphanie Ayrault
Nathalie Auffret
Anne-Delphine Tagri



NOTES ON THE DATA

*No DCO registrations. No questionnaire.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 86.1 | Breast | 97.2 |
| Trachea, bronchus, and lung | 49.0 | Thyroid | 19.4 |
| Colon | 26.2 | Trachea, bronchus, and lung | 18.4 |
| Liver | 17.8 | Colon | 17.1 |
| Rectum | 16.0 | Melanoma of skin | 11.3 |
| Non-Hodgkin lymphoma | 14.8 | Corpus uteri | 10.0 |
| Bladder | 14.1 | Non-Hodgkin lymphoma | 9.0 |
| Kidney | 13.9 | Ovary | 7.8 |
| Melanoma of skin | 12.6 | Pancreas | 7.1 |
| Pancreas | 10.1 | Rectum | 7.0 |
| Lymphoid leukaemia | 8.3 | Kidney | 5.9 |
| Oesophagus | 8.0 | Lymphoid leukaemia | 5.9 |
| Testis | 7.9 | Cervix uteri | 5.7 |
| Brain and nervous system | 7.5 | Hodgkin lymphoma | 4.5 |
| Stomach | 6.9 | Brain and nervous system | 3.5 |
| Thyroid | 5.8 | Other and unspecified | 3.2 |
| Other and unspecified | 5.7 | Multiple myeloma | 3.0 |
| Larynx | 5.6 | Myeloid leukaemia | 2.9 |
| Myeloid leukaemia | 4.6 | Liver | 2.7 |
| Multiple myeloma | 4.5 | Stomach | 2.6 |
| All sites | 373.4 | All sites | 272.0 |

*France, Vendée (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 32 | 0.2 | 2.0 | 0.8 | 0.04 | 0.09 | 13 | 0.1 | 0.8 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 115 | 0.9 | 7.0 | 3.7 | 0.28 | 0.47 | 58 | 0.6 | 3.4 | 1.9 | 0.14 | 0.19 | C01–02 |
| Mouth | 134 | 1.0 | 8.2 | 4.1 | 0.28 | 0.50 | 47 | 0.5 | 2.8 | 1.1 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 28 | 0.2 | 1.7 | 0.6 | 0.02 | 0.07 | 22 | 0.2 | 1.3 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 79 | 0.6 | 4.8 | 2.8 | 0.23 | 0.34 | 23 | 0.2 | 1.3 | 0.7 | 0.05 | 0.10 | C09 |
| Other oropharynx | 89 | 0.7 | 5.4 | 3.0 | 0.23 | 0.41 | 17 | 0.2 | 1.0 | 0.6 | 0.05 | 0.07 | C10 |
| Nasopharynx | 6 | 0.0 | 0.4 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 103 | 0.8 | 6.3 | 3.2 | 0.23 | 0.41 | 14 | 0.1 | 0.8 | 0.4 | 0.03 | 0.06 | C12–13 |
| Pharynx unspecified | 30 | 0.2 | 1.8 | 0.9 | 0.07 | 0.13 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 294 | 2.2 | 18.0 | 8.0 | 0.47 | 0.93 | 61 | 0.6 | 3.6 | 1.6 | 0.09 | 0.19 | C15 |
| Stomach | 294 | 2.2 | 18.0 | 6.9 | 0.30 | 0.78 | 130 | 1.3 | 7.6 | 2.6 | 0.12 | 0.29 | C16 |
| Small intestine | 74 | 0.6 | 4.5 | 2.1 | 0.11 | 0.26 | 51 | 0.5 | 3.0 | 1.2 | 0.07 | 0.16 | C17 |
| Colon | 1032 | 7.9 | 63.1 | 26.2 | 1.31 | 3.12 | 814 | 8.4 | 47.7 | 17.1 | 0.79 | 1.96 | C18 |
| Rectum | 591 | 4.5 | 36.2 | 16.0 | 0.86 | 1.98 | 307 | 3.2 | 18.0 | 7.0 | 0.42 | 0.81 | C19–20 |
| Anus | 26 | 0.2 | 1.6 | 0.8 | 0.06 | 0.11 | 73 | 0.8 | 4.3 | 1.8 | 0.12 | 0.22 | C21 |
| Liver | 678 | 5.2 | 41.5 | 17.8 | 0.86 | 2.36 | 121 | 1.3 | 7.1 | 2.7 | 0.12 | 0.30 | C22 |
| Gallbladder etc. | 62 | 0.5 | 3.8 | 1.4 | 0.04 | 0.19 | 63 | 0.7 | 3.7 | 1.3 | 0.06 | 0.12 | C23–24 |
| Pancreas | 392 | 3.0 | 24.0 | 10.1 | 0.49 | 1.22 | 347 | 3.6 | 20.3 | 7.1 | 0.32 | 0.83 | C25 |
| Nose, sinuses etc. | 40 | 0.3 | 2.4 | 1.2 | 0.07 | 0.14 | 19 | 0.2 | 1.1 | 0.5 | 0.04 | 0.05 | C30–31 |
| Larynx | 191 | 1.5 | 11.7 | 5.6 | 0.35 | 0.73 | 23 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1682 | 12.8 | 102.9 | 49.0 | 3.04 | 6.41 | 663 | 6.9 | 38.8 | 18.4 | 1.34 | 2.21 | C33–34 |
| Other thoracic organs | 36 | 0.3 | 2.2 | 1.3 | 0.07 | 0.12 | 14 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 20 | 0.2 | 1.2 | 1.0 | 0.06 | 0.09 | 19 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 388 | 3.0 | 23.7 | 12.6 | 0.82 | 1.38 | 351 | 3.6 | 20.5 | 11.3 | 0.81 | 1.18 | C43 |
| Other skin | 47 | 0.4 | 2.9 | 1.2 | 0.05 | 0.11 | 58 | 0.6 | 3.4 | 0.9 | 0.04 | 0.07 | C44 |
| Mesothelioma | 33 | 0.3 | 2.0 | 0.7 | 0.01 | 0.08 | 24 | 0.2 | 1.4 | 0.6 | 0.03 | 0.07 | C45 |
| Kaposi sarcoma | 6 | 0.0 | 0.4 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 92 | 0.7 | 5.6 | 2.7 | 0.15 | 0.28 | 69 | 0.7 | 4.0 | 2.3 | 0.14 | 0.19 | C47+C49 |
| Breast | 21 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 3091 | 32.0 | 180.9 | 97.2 | 7.03 | 11.17 | C50 |
| Vulva | | | | | | | 42 | 0.4 | 2.5 | 0.9 | 0.04 | 0.10 | C51 |
| Vagina | | | | | | | 12 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 138 | 1.4 | 8.1 | 5.7 | 0.47 | 0.56 | C53 |
| Corpus uteri | | | | | | | 411 | 4.3 | 24.1 | 10.0 | 0.57 | 1.27 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 288 | 3.0 | 16.9 | 7.8 | 0.49 | 0.88 | C56 |
| Other female genital organs | | | | | | | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 18 | 0.1 | 1.1 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 3219 | 24.5 | 197.0 | 86.1 | 4.36 | 12.03 | | | | | | | C61 |
| Testis | 125 | 1.0 | 7.6 | 7.9 | 0.60 | 0.62 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 457 | 3.5 | 28.0 | 13.9 | 0.86 | 1.73 | 209 | 2.2 | 12.2 | 5.9 | 0.41 | 0.61 | C64 |
| Renal pelvis | 42 | 0.3 | 2.6 | 1.0 | 0.05 | 0.12 | 20 | 0.2 | 1.2 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 24 | 0.2 | 1.5 | 0.5 | 0.02 | 0.05 | 10 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 597 | 4.5 | 36.5 | 14.1 | 0.54 | 1.68 | 119 | 1.2 | 7.0 | 1.9 | 0.07 | 0.18 | C67 |
| Other urinary organs | 5 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | 5 | 0.1 | 0.3 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 26 | 0.2 | 1.6 | 0.8 | 0.05 | 0.09 | 23 | 0.2 | 1.3 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 190 | 1.4 | 11.6 | 7.5 | 0.49 | 0.76 | 126 | 1.3 | 7.4 | 3.5 | 0.20 | 0.37 | C70–72 |
| Thyroid | 143 | 1.1 | 8.8 | 5.8 | 0.43 | 0.63 | 437 | 4.5 | 25.6 | 19.4 | 1.52 | 1.90 | C73 |
| Adrenal gland | 14 | 0.1 | 0.9 | 0.6 | 0.04 | 0.05 | 15 | 0.2 | 0.9 | 0.8 | 0.04 | 0.06 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 50 | 0.4 | 3.1 | 3.1 | 0.20 | 0.23 | 67 | 0.7 | 3.9 | 4.5 | 0.30 | 0.34 | C81 |
| Non-Hodgkin lymphoma | 499 | 3.8 | 30.5 | 14.8 | 0.82 | 1.66 | 378 | 3.9 | 22.1 | 9.0 | 0.49 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 105 | 0.8 | 6.4 | 2.6 | 0.10 | 0.32 | 58 | 0.6 | 3.4 | 1.2 | 0.07 | 0.15 | C88 |
| Multiple myeloma | 166 | 1.3 | 10.2 | 4.5 | 0.22 | 0.59 | 155 | 1.6 | 9.1 | 3.0 | 0.14 | 0.33 | C90 |
| Lymphoid leukaemia | 266 | 2.0 | 16.3 | 8.3 | 0.46 | 0.85 | 192 | 2.0 | 11.2 | 5.9 | 0.31 | 0.57 | C91 |
| Myeloid leukaemia | 160 | 1.2 | 9.8 | 4.6 | 0.23 | 0.48 | 131 | 1.4 | 7.7 | 2.9 | 0.18 | 0.25 | C92–94 |
| Leukaemia unspecified | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 5 | 0.1 | 0.3 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 131 | 1.0 | 8.0 | 3.4 | 0.15 | 0.39 | 96 | 1.0 | 5.6 | 2.1 | 0.12 | 0.25 | MPD |
| Myelodysplastic syndromes | 99 | 0.8 | 6.1 | 2.1 | 0.06 | 0.25 | 82 | 0.8 | 4.8 | 1.4 | 0.04 | 0.15 | MPS |
| Other and unspecified | 219 | 1.7 | 13.4 | 5.7 | 0.31 | 0.62 | 176 | 1.8 | 10.3 | 3.2 | 0.16 | 0.30 | O&U |
| All sites | 13182 | | 806.6 | 373.4 | 20.59 | 46.08 | 9706 | | 568.2 | 271.9 | 17.81 | 30.07 | C00–96 |
| All sites except C44 | 13135 | 100.0 | 803.8 | 372.2 | 20.54 | 45.97 | 9648 | 100.0 | 564.8 | 271.1 | 17.77 | 30.01 | C00–96 exc. C44 |

*See note following population pyramid

Germany, Baden-Württemberg

CONTRIBUTORS

Susanne Bergbold
Ahmad Zia Shams
Lina Jansen
Kathrin Bezold
Jana Brandhorst
Volker Arndt



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 66.7 | Breast | 93.5 |
| Trachea, bronchus, and lung | 31.1 | Trachea, bronchus, and lung | 17.9 |
| Colon | 21.4 | Melanoma of skin | 15.2 |
| Bladder | 20.6 | Colon | 15.2 |
| Melanoma of skin | 16.5 | Corpus uteri | 12.4 |
| Rectum | 13.4 | Ovary | 8.8 |
| Non-Hodgkin lymphoma | 10.5 | Non-Hodgkin lymphoma | 7.6 |
| Kidney | 10.2 | Cervix uteri | 7.3 |
| Stomach | 10.0 | Pancreas | 6.9 |
| Testis | 9.0 | Thyroid | 6.9 |
| Pancreas | 8.9 | Rectum | 6.8 |
| Liver | 6.8 | Bladder | 5.1 |
| Other and unspecified | 5.6 | Stomach | 5.0 |
| Brain and nervous system | 5.4 | Other and unspecified | 4.9 |
| Oesophagus | 5.3 | Kidney | 4.5 |
| Lymphoid leukaemia | 4.6 | Brain and nervous system | 3.9 |
| Multiple myeloma | 3.8 | Myeloid leukaemia | 2.7 |
| Myeloid leukaemia | 3.8 | Myeloproliferative disorders | 2.7 |
| Larynx | 3.2 | Multiple myeloma | 2.5 |
| Myeloproliferative disorders | 2.9 | Vulva | 2.5 |
| All sites | 295.2 | All sites | 258.6 |

Germany, Baden-Württemberg (2015–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 118 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 84 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 586 | 0.6 | 3.6 | 1.9 | 0.13 | 0.25 | 309 | 0.3 | 1.9 | 1.0 | 0.07 | 0.12 | C01–02 |
| Mouth | 734 | 0.7 | 4.5 | 2.4 | 0.17 | 0.31 | 409 | 0.4 | 2.5 | 1.0 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 208 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 160 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 317 | 0.3 | 2.0 | 1.1 | 0.08 | 0.15 | 145 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 470 | 0.5 | 2.9 | 1.6 | 0.12 | 0.21 | 141 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C10 |
| Nasopharynx | 113 | 0.1 | 0.7 | 0.4 | 0.04 | 0.05 | 45 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 460 | 0.5 | 2.8 | 1.5 | 0.10 | 0.20 | 63 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 188 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 49 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 1773 | 1.7 | 10.9 | 5.3 | 0.32 | 0.68 | 526 | 0.6 | 3.2 | 1.3 | 0.06 | 0.16 | C15 |
| Stomach | 3504 | 3.5 | 21.6 | 10.0 | 0.54 | 1.17 | 2116 | 2.3 | 12.8 | 5.0 | 0.28 | 0.55 | C16 |
| Small intestine | 644 | 0.6 | 4.0 | 1.9 | 0.11 | 0.23 | 479 | 0.5 | 2.9 | 1.3 | 0.08 | 0.15 | C17 |
| Colon | 7874 | 7.8 | 48.6 | 21.4 | 1.00 | 2.48 | 7011 | 7.6 | 42.5 | 15.2 | 0.74 | 1.68 | C18 |
| Rectum | 4537 | 4.5 | 28.0 | 13.4 | 0.75 | 1.66 | 2768 | 3.0 | 16.8 | 6.8 | 0.40 | 0.78 | C19–20 |
| Anus | 265 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | 463 | 0.5 | 2.8 | 1.4 | 0.10 | 0.17 | C21 |
| Liver | 2462 | 2.4 | 15.2 | 6.8 | 0.32 | 0.85 | 1028 | 1.1 | 6.2 | 2.3 | 0.12 | 0.28 | C22 |
| Gallbladder etc. | 851 | 0.8 | 5.2 | 2.2 | 0.09 | 0.25 | 872 | 0.9 | 5.3 | 1.7 | 0.07 | 0.19 | C23–24 |
| Pancreas | 3272 | 3.2 | 20.2 | 8.9 | 0.42 | 1.08 | 3256 | 3.5 | 19.7 | 6.9 | 0.32 | 0.81 | C25 |
| Nose, sinuses etc. | 233 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | 176 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C30–31 |
| Larynx | 1032 | 1.0 | 6.4 | 3.2 | 0.18 | 0.42 | 173 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 10706 | 10.6 | 66.0 | 31.1 | 1.61 | 4.10 | 6509 | 7.1 | 39.5 | 17.9 | 1.05 | 2.38 | C33–34 |
| Other thoracic organs | 192 | 0.2 | 1.2 | 0.6 | 0.04 | 0.08 | 174 | 0.2 | 1.1 | 0.5 | 0.03 | 0.07 | C37–38 |
| Bone | 248 | 0.2 | 1.5 | 1.0 | 0.06 | 0.09 | 197 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 5272 | 5.2 | 32.5 | 16.5 | 0.96 | 1.90 | 4486 | 4.9 | 27.2 | 15.2 | 1.08 | 1.61 | C43 |
| Other skin | 25 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 20 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C44 |
| Mesothelioma | 366 | 0.4 | 2.3 | 0.9 | 0.02 | 0.10 | 96 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 61 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 18 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 803 | 0.8 | 5.0 | 2.5 | 0.13 | 0.27 | 611 | 0.7 | 3.7 | 1.9 | 0.11 | 0.20 | C47+C49 |
| Breast | 289 | 0.3 | 1.8 | 0.8 | 0.04 | 0.10 | 30147 | 32.8 | 182.8 | 93.5 | 6.57 | 10.64 | C50 |
| Vulva | | | | | | | 1021 | 1.1 | 6.2 | 2.5 | 0.14 | 0.28 | C51 |
| Vagina | | | | | | | 141 | 0.2 | 0.9 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1755 | 1.9 | 10.6 | 7.3 | 0.58 | 0.72 | C53 |
| Corpus uteri | | | | | | | 4387 | 4.8 | 26.6 | 12.4 | 0.82 | 1.56 | C54 |
| Uterus unspecified | | | | | | | 168 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 3028 | 3.3 | 18.4 | 8.8 | 0.58 | 1.01 | C56 |
| Other female genital organs | | | | | | | 394 | 0.4 | 2.4 | 1.0 | 0.06 | 0.14 | C57 |
| Placenta | | | | | | | 12 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 322 | 0.3 | 2.0 | 0.9 | 0.05 | 0.11 | | | | | | | C60 |
| Prostate | 24542 | 24.2 | 151.4 | 66.7 | 2.71 | 8.92 | | | | | | | C61 |
| Testis | 1613 | 1.6 | 10.0 | 9.0 | 0.70 | 0.73 | | | | | | | C62 |
| Other male genital organs | 110 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | | | | | | | C63 |
| Kidney | 3352 | 3.3 | 20.7 | 10.2 | 0.60 | 1.24 | 1782 | 1.9 | 10.8 | 4.5 | 0.27 | 0.52 | C64 |
| Renal pelvis | 287 | 0.3 | 1.8 | 0.8 | 0.03 | 0.09 | 171 | 0.2 | 1.0 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 136 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 71 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 7912 | 7.8 | 48.8 | 20.6 | 0.87 | 2.40 | 2329 | 2.5 | 14.1 | 5.1 | 0.25 | 0.60 | C67 |
| Other urinary organs | 658 | 0.6 | 4.1 | 1.7 | 0.07 | 0.19 | 217 | 0.2 | 1.3 | 0.4 | 0.02 | 0.05 | C68 |
| Eye | 156 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 148 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 1504 | 1.5 | 9.3 | 5.4 | 0.38 | 0.59 | 1178 | 1.3 | 7.1 | 3.9 | 0.26 | 0.42 | C70–72 |
| Thyroid | 676 | 0.7 | 4.2 | 2.8 | 0.20 | 0.29 | 1573 | 1.7 | 9.5 | 6.9 | 0.54 | 0.66 | C73 |
| Adrenal gland | 39 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 40 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 67 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 81 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 507 | 0.5 | 3.1 | 2.4 | 0.17 | 0.21 | 419 | 0.5 | 2.5 | 2.0 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 3450 | 3.4 | 21.3 | 10.5 | 0.59 | 1.18 | 2934 | 3.2 | 17.8 | 7.6 | 0.43 | 0.86 | C82–86,C96 |
| Immunoproliferative diseases | 280 | 0.3 | 1.7 | 0.9 | 0.05 | 0.11 | 251 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 1394 | 1.4 | 8.6 | 3.8 | 0.18 | 0.47 | 1101 | 1.2 | 6.7 | 2.5 | 0.12 | 0.30 | C90 |
| Lymphoid leukaemia | 1544 | 1.5 | 9.5 | 4.6 | 0.25 | 0.51 | 981 | 1.1 | 5.9 | 2.3 | 0.12 | 0.28 | C91 |
| Myeloid leukaemia | 1317 | 1.3 | 8.1 | 3.8 | 0.18 | 0.43 | 1081 | 1.2 | 6.6 | 2.7 | 0.15 | 0.31 | C92–94 |
| Leukaemia unspecified | 165 | 0.2 | 1.0 | 0.4 | 0.02 | 0.03 | 141 | 0.2 | 0.9 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 952 | 0.9 | 5.9 | 2.9 | 0.16 | 0.33 | 1052 | 1.1 | 6.4 | 2.7 | 0.15 | 0.30 | MPD |
| Myelodysplastic syndromes | 740 | 0.7 | 4.6 | 1.6 | 0.04 | 0.16 | 608 | 0.7 | 3.7 | 1.1 | 0.04 | 0.11 | MPS |
| Other and unspecified | 2124 | 2.1 | 13.1 | 5.6 | 0.25 | 0.63 | 2409 | 2.6 | 14.6 | 4.9 | 0.23 | 0.52 | O&U |
| All sites | 101450 | | 625.9 | 295.2 | 15.03 | 35.83 | 92004 | | 557.9 | 258.6 | 16.46 | 29.49 | C00–96 |
| All sites except C44 | 101425 | 100.0 | 625.7 | 295.1 | 15.02 | 35.82 | 91984 | 100.0 | 557.8 | 258.5 | 16.46 | 29.49 | C00–96 exc. C44 |

†See note following population pyramid

Germany, Bavaria

CONTRIBUTORS

Jacqueline Müller-Nordhorn
Martin Meyer



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 60.0 | Breast | 80.8 |
| Trachea, bronchus, and lung | 30.3 | Trachea, bronchus, and lung | 17.2 |
| Colon | 21.6 | Colon | 14.7 |
| Bladder | 18.7 | Melanoma of skin | 14.5 |
| Melanoma of skin | 15.5 | Corpus uteri | 12.0 |
| Rectum | 14.2 | Thyroid | 9.6 |
| Kidney | 10.7 | Ovary | 8.0 |
| Non-Hodgkin lymphoma | 10.0 | Cervix uteri | 7.3 |
| Stomach | 9.8 | Pancreas | 7.0 |
| Pancreas | 9.3 | Non-Hodgkin lymphoma | 6.8 |
| Testis | 8.6 | Rectum | 6.7 |
| Liver | 7.9 | Stomach | 5.4 |
| Oesophagus | 5.6 | Bladder | 4.9 |
| Brain and nervous system | 5.6 | Kidney | 4.7 |
| Other and unspecified | 5.3 | Other and unspecified | 4.1 |
| Lymphoid leukaemia | 4.8 | Brain and nervous system | 4.1 |
| Thyroid | 4.1 | Myeloid leukaemia | 2.8 |
| Myeloid leukaemia | 3.9 | Lymphoid leukaemia | 2.7 |
| Multiple myeloma | 3.5 | Liver | 2.5 |
| Larynx | 3.0 | Vulva | 2.3 |
| All sites | 287.3 | All sites | 242.8 |

Germany, Bavaria (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 298 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | 184 | 0.1 | 0.6 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 1384 | 0.7 | 4.4 | 2.5 | 0.19 | 0.31 | 587 | 0.3 | 1.8 | 0.9 | 0.06 | 0.11 | C01–02 |
| Mouth | 1546 | 0.8 | 4.9 | 2.7 | 0.21 | 0.34 | 734 | 0.4 | 2.3 | 1.1 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 432 | 0.2 | 1.4 | 0.7 | 0.03 | 0.07 | 307 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 978 | 0.5 | 3.1 | 1.7 | 0.14 | 0.22 | 344 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 843 | 0.4 | 2.7 | 1.5 | 0.12 | 0.19 | 255 | 0.2 | 0.8 | 0.4 | 0.03 | 0.06 | C10 |
| Nasopharynx | 192 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 84 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 1128 | 0.6 | 3.6 | 1.9 | 0.14 | 0.26 | 198 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 90 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | 33 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 3593 | 1.9 | 11.4 | 5.6 | 0.34 | 0.74 | 925 | 0.5 | 2.9 | 1.2 | 0.07 | 0.15 | C15 |
| Stomach | 6920 | 3.7 | 22.0 | 9.8 | 0.50 | 1.13 | 4850 | 2.9 | 15.0 | 5.4 | 0.28 | 0.59 | C16 |
| Small intestine | 1158 | 0.6 | 3.7 | 1.8 | 0.11 | 0.21 | 907 | 0.5 | 2.8 | 1.3 | 0.08 | 0.15 | C17 |
| Colon | 15546 | 8.2 | 49.4 | 21.6 | 0.98 | 2.46 | 13213 | 7.8 | 40.9 | 14.7 | 0.71 | 1.62 | C18 |
| Rectum | 9328 | 4.9 | 29.6 | 14.2 | 0.82 | 1.75 | 5307 | 3.1 | 16.4 | 6.7 | 0.40 | 0.78 | C19–20 |
| Anus | 497 | 0.3 | 1.6 | 0.8 | 0.06 | 0.10 | 894 | 0.5 | 2.8 | 1.4 | 0.10 | 0.16 | C21 |
| Liver | 5421 | 2.9 | 17.2 | 7.9 | 0.39 | 0.99 | 2059 | 1.2 | 6.4 | 2.5 | 0.12 | 0.29 | C22 |
| Gallbladder etc. | 1663 | 0.9 | 5.3 | 2.2 | 0.08 | 0.27 | 1771 | 1.0 | 5.5 | 1.8 | 0.07 | 0.20 | C23–24 |
| Pancreas | 6783 | 3.6 | 21.5 | 9.3 | 0.41 | 1.10 | 6690 | 4.0 | 20.7 | 7.0 | 0.30 | 0.79 | C25 |
| Nose, sinuses etc. | 457 | 0.2 | 1.5 | 0.8 | 0.05 | 0.09 | 266 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 1906 | 1.0 | 6.1 | 3.0 | 0.19 | 0.39 | 316 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 20625 | 10.9 | 65.5 | 30.3 | 1.54 | 3.91 | 12376 | 7.3 | 38.3 | 17.2 | 1.04 | 2.25 | C33–34 |
| Other thoracic organs | 293 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 198 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 341 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 294 | 0.2 | 0.9 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 9340 | 4.9 | 29.7 | 15.5 | 0.93 | 1.75 | 8143 | 4.8 | 25.2 | 14.5 | 1.03 | 1.52 | C43 |
| Other skin | 81 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | 105 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C44 |
| Mesothelioma | 900 | 0.5 | 2.9 | 1.1 | 0.03 | 0.13 | 230 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 58 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 18 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1409 | 0.7 | 4.5 | 2.7 | 0.14 | 0.25 | 1035 | 0.6 | 3.2 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 560 | 0.3 | 1.8 | 0.8 | 0.05 | 0.10 | 51236 | 30.4 | 158.4 | 80.8 | 5.74 | 9.11 | C50 |
| Vulva | | | | | | | 1863 | 1.1 | 5.8 | 2.3 | 0.13 | 0.25 | C51 |
| Vagina | | | | | | | 286 | 0.2 | 0.9 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 3451 | 2.0 | 10.7 | 7.3 | 0.59 | 0.71 | C53 |
| Corpus uteri | | | | | | | 8611 | 5.1 | 26.6 | 12.0 | 0.77 | 1.49 | C54 |
| Uterus unspecified | | | | | | | 209 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 5751 | 3.4 | 17.8 | 8.0 | 0.51 | 0.92 | C56 |
| Other female genital organs | | | | | | | 570 | 0.3 | 1.8 | 0.7 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 21 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 515 | 0.3 | 1.6 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 42343 | 22.4 | 134.5 | 60.0 | 2.58 | 8.02 | | | | | | | C61 |
| Testis | 2963 | 1.6 | 9.4 | 8.6 | 0.67 | 0.68 | | | | | | | C62 |
| Other male genital organs | 55 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 6750 | 3.6 | 21.4 | 10.7 | 0.63 | 1.30 | 3635 | 2.2 | 11.2 | 4.7 | 0.25 | 0.52 | C64 |
| Renal pelvis | 511 | 0.3 | 1.6 | 0.7 | 0.03 | 0.08 | 378 | 0.2 | 1.2 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 281 | 0.1 | 0.9 | 0.4 | 0.01 | 0.04 | 172 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 13839 | 7.3 | 43.9 | 18.7 | 0.80 | 2.17 | 4427 | 2.6 | 13.7 | 4.9 | 0.24 | 0.58 | C67 |
| Other urinary organs | 218 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 93 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 364 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | 299 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 2861 | 1.5 | 9.1 | 5.6 | 0.36 | 0.59 | 2321 | 1.4 | 7.2 | 4.1 | 0.26 | 0.42 | C70–72 |
| Thyroid | 1883 | 1.0 | 6.0 | 4.1 | 0.31 | 0.42 | 4159 | 2.5 | 12.9 | 9.6 | 0.75 | 0.91 | C73 |
| Adrenal gland | 93 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 127 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 49 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 35 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 1017 | 0.5 | 3.2 | 2.7 | 0.18 | 0.22 | 742 | 0.4 | 2.3 | 2.1 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 6238 | 3.3 | 19.8 | 10.0 | 0.55 | 1.10 | 5006 | 3.0 | 15.5 | 6.8 | 0.39 | 0.77 | C82–86,C96 |
| Immunoproliferative diseases | 582 | 0.3 | 1.8 | 0.9 | 0.05 | 0.10 | 482 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 2467 | 1.3 | 7.8 | 3.5 | 0.18 | 0.40 | 1869 | 1.1 | 5.8 | 2.2 | 0.12 | 0.27 | C90 |
| Lymphoid leukaemia | 2794 | 1.5 | 8.9 | 4.8 | 0.25 | 0.50 | 1788 | 1.1 | 5.5 | 2.7 | 0.13 | 0.26 | C91 |
| Myeloid leukaemia | 2469 | 1.3 | 7.8 | 3.9 | 0.20 | 0.41 | 2017 | 1.2 | 6.2 | 2.8 | 0.16 | 0.29 | C92–94 |
| Leukaemia unspecified | 272 | 0.1 | 0.9 | 0.4 | 0.01 | 0.03 | 243 | 0.1 | 0.8 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 1360 | 0.7 | 4.3 | 2.1 | 0.12 | 0.23 | 1368 | 0.8 | 4.2 | 1.8 | 0.10 | 0.21 | MPD |
| Myelodysplastic syndromes | 1492 | 0.8 | 4.7 | 1.8 | 0.05 | 0.17 | 1183 | 0.7 | 3.7 | 1.1 | 0.03 | 0.11 | MPS |
| Other and unspecified | 3858 | 2.0 | 12.3 | 5.3 | 0.24 | 0.58 | 4186 | 2.5 | 12.9 | 4.1 | 0.18 | 0.43 | O&U |
| All sites | 189044 | | 600.3 | 287.3 | 14.93 | 34.31 | 168851 | | 522.2 | 242.8 | 15.43 | 27.23 | C00–96 |
| All sites except C44 | 188963 | 100.0 | 600.0 | 287.1 | 14.93 | 34.29 | 168746 | 100.0 | 521.8 | 242.6 | 15.42 | 27.21 | C00–96 exc. C44 |

†See note following population pyramid

Germany, Bremen

CONTRIBUTORS

Andrea Eberle
Carola Lehmann
Britta Schubert
Sabine Luttman



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 78.4 | Breast | 91.2 |
| Prostate | 63.1 | Non-melanoma skin cancer | 66.3 |
| Trachea, bronchus, and lung | 51.9 | Trachea, bronchus, and lung | 29.3 |
| Bladder | 25.4 | Colon | 15.3 |
| Colon | 21.0 | Melanoma of skin | 12.2 |
| Non-Hodgkin lymphoma | 13.3 | Corpus uteri | 12.0 |
| Rectum | 13.2 | Ovary | 8.5 |
| Melanoma of skin | 12.5 | Non-Hodgkin lymphoma | 7.6 |
| Kidney | 10.6 | Pancreas | 7.0 |
| Testis | 10.3 | Bladder | 7.0 |
| Pancreas | 9.7 | Cervix uteri | 6.9 |
| Stomach | 9.5 | Rectum | 6.7 |
| Oesophagus | 9.1 | Thyroid | 6.0 |
| Liver | 6.0 | Stomach | 5.2 |
| Other and unspecified | 6.0 | Brain and nervous system | 5.0 |
| Multiple myeloma | 4.5 | Kidney | 5.0 |
| Brain and nervous system | 4.5 | Other and unspecified | 4.8 |
| Lymphoid leukaemia | 4.1 | Vulva | 3.0 |
| Larynx | 4.1 | Myeloid leukaemia | 2.9 |
| Myeloid leukaemia | 3.9 | Hodgkin lymphoma | 2.8 |
| All sites | 404.0 | All sites | 335.1 |

Germany, Bremen (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.1 | 1.0 | 0.4 | 0.02 | 0.02 | 20 | 0.2 | 1.2 | 0.3 | 0.01 | 0.02 | C00 |
| Tongue | 76 | 0.7 | 4.6 | 2.3 | 0.14 | 0.29 | 40 | 0.4 | 2.4 | 1.0 | 0.06 | 0.13 | C01–02 |
| Mouth | 107 | 0.9 | 6.5 | 3.6 | 0.29 | 0.43 | 77 | 0.7 | 4.5 | 1.9 | 0.12 | 0.21 | C03–06 |
| Salivary glands | 24 | 0.2 | 1.5 | 0.8 | 0.05 | 0.09 | 15 | 0.1 | 0.9 | 0.7 | 0.04 | 0.06 | C07–08 |
| Tonsil | 79 | 0.7 | 4.8 | 2.7 | 0.20 | 0.33 | 29 | 0.3 | 1.7 | 0.9 | 0.08 | 0.10 | C09 |
| Other oropharynx | 26 | 0.2 | 1.6 | 0.8 | 0.06 | 0.11 | 11 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C10 |
| Nasopharynx | 14 | 0.1 | 0.8 | 0.7 | 0.04 | 0.06 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 58 | 0.5 | 3.5 | 1.9 | 0.12 | 0.26 | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 23 | 0.2 | 1.4 | 0.8 | 0.06 | 0.11 | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 305 | 2.7 | 18.5 | 9.1 | 0.58 | 1.13 | 93 | 0.9 | 5.5 | 2.2 | 0.13 | 0.26 | C15 |
| Stomach | 349 | 3.0 | 21.2 | 9.5 | 0.49 | 1.06 | 251 | 2.4 | 14.7 | 5.2 | 0.28 | 0.54 | C16 |
| Small intestine | 49 | 0.4 | 3.0 | 1.4 | 0.09 | 0.15 | 45 | 0.4 | 2.6 | 1.0 | 0.06 | 0.10 | C17 |
| Colon | 818 | 7.1 | 49.6 | 21.0 | 0.93 | 2.38 | 831 | 8.1 | 48.8 | 15.3 | 0.67 | 1.67 | C18 |
| Rectum | 483 | 4.2 | 29.3 | 13.2 | 0.65 | 1.60 | 316 | 3.1 | 18.6 | 6.7 | 0.41 | 0.74 | C19–20 |
| Anus | 47 | 0.4 | 2.9 | 1.4 | 0.11 | 0.17 | 78 | 0.8 | 4.6 | 2.3 | 0.16 | 0.27 | C21 |
| Liver | 217 | 1.9 | 13.2 | 6.0 | 0.27 | 0.76 | 94 | 0.9 | 5.5 | 2.4 | 0.13 | 0.26 | C22 |
| Gallbladder etc. | 101 | 0.9 | 6.1 | 2.5 | 0.12 | 0.28 | 92 | 0.9 | 5.4 | 1.6 | 0.06 | 0.20 | C23–24 |
| Pancreas | 364 | 3.2 | 22.1 | 9.7 | 0.47 | 1.17 | 370 | 3.6 | 21.7 | 7.0 | 0.32 | 0.80 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.3 | 0.6 | 0.04 | 0.06 | 18 | 0.2 | 1.1 | 0.5 | 0.04 | 0.05 | C30–31 |
| Larynx | 136 | 1.2 | 8.2 | 4.1 | 0.22 | 0.55 | 22 | 0.2 | 1.3 | 0.7 | 0.06 | 0.09 | C32 |
| Trachea, bronchus, and lung | 1819 | 15.9 | 110.3 | 51.9 | 2.68 | 6.85 | 1147 | 11.1 | 67.4 | 29.3 | 1.73 | 3.90 | C33–34 |
| Other thoracic organs | 8 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 22 | 0.2 | 1.3 | 1.3 | 0.08 | 0.09 | 12 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C40–41 |
| Melanoma of skin | 413 | 3.6 | 25.1 | 12.5 | 0.71 | 1.39 | 397 | 3.9 | 23.3 | 12.2 | 0.82 | 1.33 | C43 |
| Other skin | 3250 | 28.3 | 197.1 | 78.4 | 2.87 | 8.85 | 3107 | 30.2 | 182.6 | 66.3 | 3.29 | 7.69 | C44 |
| Mesothelioma | 171 | 1.5 | 10.4 | 3.7 | 0.05 | 0.43 | 32 | 0.3 | 1.9 | 0.6 | 0.02 | 0.08 | C45 |
| Kaposi sarcoma | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 77 | 0.7 | 4.7 | 2.6 | 0.16 | 0.25 | 65 | 0.6 | 3.8 | 2.4 | 0.15 | 0.23 | C47+C49 |
| Breast | 25 | 0.2 | 1.5 | 0.6 | 0.01 | 0.07 | 3079 | 29.9 | 180.9 | 91.2 | 6.63 | 10.23 | C50 |
| Vulva | | | | | | | 128 | 1.2 | 7.5 | 3.0 | 0.18 | 0.34 | C51 |
| Vagina | | | | | | | 28 | 0.3 | 1.6 | 0.7 | 0.04 | 0.08 | C52 |
| Cervix uteri | | | | | | | 185 | 1.8 | 10.9 | 6.9 | 0.55 | 0.69 | C53 |
| Corpus uteri | | | | | | | 442 | 4.3 | 26.0 | 12.0 | 0.80 | 1.53 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.5 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 310 | 3.0 | 18.2 | 8.5 | 0.55 | 1.00 | C56 |
| Other female genital organs | | | | | | | 32 | 0.3 | 1.9 | 0.8 | 0.04 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 32 | 0.3 | 1.9 | 0.8 | 0.02 | 0.09 | | | | | | | C60 |
| Prostate | 2433 | 21.2 | 147.6 | 63.1 | 2.47 | 8.43 | | | | | | | C61 |
| Testis | 187 | 1.6 | 11.3 | 10.3 | 0.80 | 0.80 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 348 | 3.0 | 21.1 | 10.6 | 0.64 | 1.28 | 192 | 1.9 | 11.3 | 5.0 | 0.30 | 0.59 | C64 |
| Renal pelvis | 34 | 0.3 | 2.1 | 0.9 | 0.05 | 0.10 | 27 | 0.3 | 1.6 | 0.6 | 0.04 | 0.06 | C65 |
| Ureter | 21 | 0.2 | 1.3 | 0.6 | 0.04 | 0.07 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C66 |
| †Bladder | 997 | 8.7 | 60.5 | 25.4 | 1.09 | 3.15 | 333 | 3.2 | 19.6 | 7.0 | 0.39 | 0.83 | C67 |
| Other urinary organs | 21 | 0.2 | 1.3 | 0.4 | 0.01 | 0.03 | 11 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C68 |
| Eye | 18 | 0.2 | 1.1 | 0.5 | 0.04 | 0.05 | 12 | 0.1 | 0.7 | 0.3 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 130 | 1.1 | 7.9 | 4.5 | 0.34 | 0.48 | 149 | 1.4 | 8.8 | 5.0 | 0.29 | 0.52 | C70–72 |
| Thyroid | 55 | 0.5 | 3.3 | 2.2 | 0.17 | 0.21 | 144 | 1.4 | 8.5 | 6.0 | 0.46 | 0.59 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.5 | 0.02 | 0.02 | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 64 | 0.6 | 3.9 | 3.3 | 0.24 | 0.28 | 57 | 0.6 | 3.3 | 2.8 | 0.18 | 0.24 | C81 |
| Non-Hodgkin lymphoma | 424 | 3.7 | 25.7 | 13.3 | 0.71 | 1.49 | 328 | 3.2 | 19.3 | 7.6 | 0.39 | 0.88 | C82–86,C96 |
| Immunoproliferative diseases | 40 | 0.3 | 2.4 | 1.1 | 0.05 | 0.13 | 28 | 0.3 | 1.6 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 164 | 1.4 | 9.9 | 4.5 | 0.22 | 0.57 | 123 | 1.2 | 7.2 | 2.6 | 0.13 | 0.32 | C90 |
| Lymphoid leukaemia | 134 | 1.2 | 8.1 | 4.1 | 0.21 | 0.42 | 76 | 0.7 | 4.5 | 1.6 | 0.08 | 0.18 | C91 |
| Myeloid leukaemia | 129 | 1.1 | 7.8 | 3.9 | 0.19 | 0.41 | 125 | 1.2 | 7.3 | 2.9 | 0.16 | 0.32 | C92–94 |
| Leukaemia unspecified | 14 | 0.1 | 0.8 | 0.3 | 0.01 | 0.02 | 13 | 0.1 | 0.8 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 69 | 0.6 | 4.2 | 2.0 | 0.11 | 0.23 | 61 | 0.6 | 3.6 | 1.2 | 0.06 | 0.15 | MPD |
| Myelodysplastic syndromes | 67 | 0.6 | 4.1 | 1.5 | 0.03 | 0.16 | 41 | 0.4 | 2.4 | 0.6 | 0.03 | 0.05 | MPS |
| Other and unspecified | 224 | 2.0 | 13.6 | 6.0 | 0.30 | 0.69 | 253 | 2.5 | 14.9 | 4.8 | 0.24 | 0.54 | O&U |
| All sites | 14719 | | 892.8 | 404.0 | 19.33 | 48.09 | 13394 | | 787.0 | 335.1 | 20.35 | 38.38 | C00–96 |
| All sites except C44 | 11469 | 100.0 | 695.7 | 325.6 | 16.46 | 39.24 | 10287 | 100.0 | 604.4 | 268.7 | 17.06 | 30.70 | C00–96 exc. C44 |

†See note following population pyramid

Germany, Hamburg

CONTRIBUTORS

Alice Nennecke
Annemarie Schultz
Imma Löhden



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 62.9 | Breast | 92.8 |
| Trachea, bronchus, and lung | 41.0 | Trachea, bronchus, and lung | 28.2 |
| Bladder | 23.6 | Colon | 17.2 |
| Colon | 20.5 | Melanoma of skin | 11.4 |
| Rectum | 12.1 | Corpus uteri | 11.4 |
| Melanoma of skin | 11.6 | Ovary | 10.1 |
| Non-Hodgkin lymphoma | 10.9 | Cervix uteri | 8.4 |
| Pancreas | 10.4 | Non-Hodgkin lymphoma | 8.2 |
| Stomach | 10.1 | Pancreas | 7.9 |
| Testis | 9.7 | Thyroid | 7.9 |
| Kidney | 9.5 | Rectum | 7.7 |
| Oesophagus | 7.5 | Bladder | 7.0 |
| Liver | 7.1 | Other and unspecified | 5.4 |
| Lymphoid leukaemia | 7.0 | Stomach | 5.3 |
| Other and unspecified | 6.6 | Brain and nervous system | 5.1 |
| Brain and nervous system | 6.0 | Kidney | 4.7 |
| Multiple myeloma | 5.1 | Vulva | 4.6 |
| Myeloid leukaemia | 4.7 | Lymphoid leukaemia | 4.4 |
| Larynx | 3.9 | Multiple myeloma | 3.4 |
| Hodgkin lymphoma | 3.3 | Myeloid leukaemia | 2.8 |
| All sites | 312.2 | All sites | 285.3 |

Germany, Hamburg (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 26 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 21 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 192 | 0.7 | 4.3 | 2.5 | 0.18 | 0.34 | 113 | 0.4 | 2.4 | 1.3 | 0.09 | 0.16 | C01–02 |
| Mouth | 212 | 0.8 | 4.7 | 2.6 | 0.17 | 0.31 | 139 | 0.5 | 3.0 | 1.5 | 0.10 | 0.20 | C03–06 |
| Salivary glands | 68 | 0.3 | 1.5 | 0.8 | 0.04 | 0.08 | 33 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 108 | 0.4 | 2.4 | 1.5 | 0.11 | 0.18 | 48 | 0.2 | 1.0 | 0.6 | 0.05 | 0.09 | C09 |
| Other oropharynx | 110 | 0.4 | 2.4 | 1.5 | 0.10 | 0.20 | 50 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | C10 |
| Nasopharynx | 39 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | 24 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 91 | 0.3 | 2.0 | 1.2 | 0.07 | 0.17 | 24 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 70 | 0.3 | 1.6 | 1.0 | 0.06 | 0.13 | 22 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C14 |
| Oesophagus | 635 | 2.4 | 14.1 | 7.5 | 0.42 | 0.97 | 228 | 0.9 | 4.9 | 2.2 | 0.12 | 0.27 | C15 |
| Stomach | 921 | 3.4 | 20.5 | 10.1 | 0.50 | 1.19 | 581 | 2.2 | 12.4 | 5.3 | 0.28 | 0.62 | C16 |
| Small intestine | 131 | 0.5 | 2.9 | 1.5 | 0.06 | 0.16 | 151 | 0.6 | 3.2 | 1.5 | 0.08 | 0.18 | C17 |
| Colon | 1929 | 7.2 | 43.0 | 20.5 | 0.87 | 2.36 | 2066 | 7.7 | 44.2 | 17.2 | 0.81 | 1.91 | C18 |
| Rectum | 1035 | 3.8 | 23.0 | 12.1 | 0.65 | 1.50 | 790 | 3.0 | 16.9 | 7.7 | 0.49 | 0.88 | C19–20 |
| Anus | 144 | 0.5 | 3.2 | 1.9 | 0.14 | 0.21 | 226 | 0.8 | 4.8 | 2.6 | 0.18 | 0.30 | C21 |
| Liver | 620 | 2.3 | 13.8 | 7.1 | 0.37 | 0.89 | 312 | 1.2 | 6.7 | 2.7 | 0.14 | 0.30 | C22 |
| Gallbladder etc. | 217 | 0.8 | 4.8 | 2.2 | 0.09 | 0.27 | 253 | 0.9 | 5.4 | 1.9 | 0.08 | 0.21 | C23–24 |
| Pancreas | 964 | 3.6 | 21.5 | 10.4 | 0.47 | 1.30 | 1002 | 3.7 | 21.4 | 7.9 | 0.35 | 0.91 | C25 |
| Nose, sinuses etc. | 63 | 0.2 | 1.4 | 0.8 | 0.06 | 0.09 | 38 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 315 | 1.2 | 7.0 | 3.9 | 0.23 | 0.52 | 69 | 0.3 | 1.5 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 3640 | 13.5 | 81.1 | 41.0 | 1.96 | 5.37 | 2769 | 10.3 | 59.2 | 28.2 | 1.60 | 3.75 | C33–34 |
| Other thoracic organs | 27 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 24 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C37–38 |
| Bone | 67 | 0.2 | 1.5 | 1.3 | 0.08 | 0.12 | 62 | 0.2 | 1.3 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 1017 | 3.8 | 22.6 | 11.6 | 0.62 | 1.32 | 956 | 3.6 | 20.4 | 11.4 | 0.78 | 1.21 | C43 |
| Other skin | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 264 | 1.0 | 5.9 | 2.3 | 0.04 | 0.26 | 51 | 0.2 | 1.1 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 19 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 237 | 0.9 | 5.3 | 3.2 | 0.20 | 0.32 | 186 | 0.7 | 4.0 | 2.4 | 0.16 | 0.23 | C47+C49 |
| Breast | 70 | 0.3 | 1.6 | 0.7 | 0.03 | 0.09 | 7870 | 29.4 | 168.3 | 92.8 | 6.56 | 10.57 | C50 |
| Vulva | | | | | | | 460 | 1.7 | 9.8 | 4.6 | 0.28 | 0.51 | C51 |
| Vagina | | | | | | | 56 | 0.2 | 1.2 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 589 | 2.2 | 12.6 | 8.4 | 0.65 | 0.82 | C53 |
| Corpus uteri | | | | | | | 1036 | 3.9 | 22.2 | 11.4 | 0.78 | 1.40 | C54 |
| Uterus unspecified | | | | | | | 25 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 940 | 3.5 | 20.1 | 10.1 | 0.66 | 1.12 | C56 |
| Other female genital organs | | | | | | | 100 | 0.4 | 2.1 | 1.2 | 0.09 | 0.15 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 86 | 0.3 | 1.9 | 1.0 | 0.06 | 0.13 | | | | | | | C60 |
| Prostate | 5601 | 20.8 | 124.7 | 62.9 | 2.74 | 8.51 | | | | | | | C61 |
| Testis | 538 | 2.0 | 12.0 | 9.7 | 0.75 | 0.79 | | | | | | | C62 |
| Other male genital organs | 11 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 780 | 2.9 | 17.4 | 9.5 | 0.55 | 1.17 | 451 | 1.7 | 9.6 | 4.7 | 0.27 | 0.54 | C64 |
| Renal pelvis | 68 | 0.3 | 1.5 | 0.6 | 0.01 | 0.08 | 51 | 0.2 | 1.1 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 42 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | 18 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 2298 | 8.5 | 51.2 | 23.6 | 0.95 | 2.76 | 838 | 3.1 | 17.9 | 7.0 | 0.34 | 0.83 | C67 |
| Other urinary organs | 110 | 0.4 | 2.4 | 1.1 | 0.03 | 0.12 | 46 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C68 |
| Eye | 47 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 51 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 406 | 1.5 | 9.0 | 6.0 | 0.37 | 0.61 | 358 | 1.3 | 7.7 | 5.1 | 0.32 | 0.50 | C70–72 |
| Thyroid | 198 | 0.7 | 4.4 | 3.0 | 0.23 | 0.31 | 497 | 1.9 | 10.6 | 7.9 | 0.62 | 0.75 | C73 |
| Adrenal gland | 19 | 0.1 | 0.4 | 0.5 | 0.03 | 0.04 | 12 | 0.0 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 20 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 184 | 0.7 | 4.1 | 3.3 | 0.24 | 0.29 | 136 | 0.5 | 2.9 | 2.5 | 0.17 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 894 | 3.3 | 19.9 | 10.9 | 0.59 | 1.24 | 825 | 3.1 | 17.6 | 8.2 | 0.47 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 68 | 0.3 | 1.5 | 0.8 | 0.05 | 0.10 | 64 | 0.2 | 1.4 | 0.6 | 0.03 | 0.09 | C88 |
| Multiple myeloma | 472 | 1.8 | 10.5 | 5.1 | 0.23 | 0.61 | 406 | 1.5 | 8.7 | 3.4 | 0.17 | 0.42 | C90 |
| Lymphoid leukaemia | 533 | 2.0 | 11.9 | 7.0 | 0.39 | 0.77 | 403 | 1.5 | 8.6 | 4.4 | 0.25 | 0.47 | C91 |
| Myeloid leukaemia | 383 | 1.4 | 8.5 | 4.7 | 0.26 | 0.48 | 288 | 1.1 | 6.2 | 2.8 | 0.16 | 0.33 | C92–94 |
| Leukaemia unspecified | 8 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 15 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 160 | 0.6 | 3.6 | 2.0 | 0.10 | 0.25 | 190 | 0.7 | 4.1 | 2.0 | 0.11 | 0.24 | MPD |
| Myelodysplastic syndromes | 170 | 0.6 | 3.8 | 1.5 | 0.04 | 0.14 | 116 | 0.4 | 2.5 | 0.8 | 0.02 | 0.10 | MPS |
| Other and unspecified | 625 | 2.3 | 13.9 | 6.6 | 0.25 | 0.76 | 681 | 2.5 | 14.6 | 5.4 | 0.26 | 0.58 | O&U |
| All sites | 26952 | | 600.2 | 312.2 | 15.56 | 37.79 | 26778 | | 572.8 | 285.3 | 17.97 | 32.64 | C00–96 |
| All sites except C44 | 26952 | 100.0 | 600.2 | 312.2 | 15.56 | 37.79 | 26778 | 100.0 | 572.8 | 285.3 | 17.97 | 32.64 | C00–96 exc. C44 |

†See note following population pyramid

Germany, Lower Saxony

CONTRIBUTORS

Joachim Kieschke
Iris Urbschat
Eunice Sirri
Claudia Vohmann
Claudia Jopp
Elke Bruns-Philipps
Kerstin Maaser
Bernhilde Deitermann
Anja Borrmann



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 110.2 | Non-melanoma skin cancer | 92.7 |
| Prostate | 69.2 | Breast | 89.5 |
| Trachea, bronchus, and lung | 42.4 | Trachea, bronchus, and lung | 23.0 |
| Bladder | 26.3 | Melanoma of skin | 18.0 |
| Colon | 22.1 | Colon | 16.8 |
| Melanoma of skin | 15.7 | Corpus uteri | 11.3 |
| Rectum | 14.0 | Ovary | 9.1 |
| Non-Hodgkin lymphoma | 11.7 | Non-Hodgkin lymphoma | 7.8 |
| Kidney | 11.6 | Rectum | 7.5 |
| Testis | 11.4 | Pancreas | 7.4 |
| Stomach | 11.1 | Cervix uteri | 7.0 |
| Pancreas | 9.6 | Bladder | 6.9 |
| Oesophagus | 6.7 | Thyroid | 6.5 |
| Lymphoid leukaemia | 6.4 | Kidney | 5.5 |
| Brain and nervous system | 6.4 | Stomach | 5.3 |
| Other and unspecified | 6.4 | Other and unspecified | 4.9 |
| Liver | 5.8 | Brain and nervous system | 4.8 |
| Multiple myeloma | 4.6 | Lymphoid leukaemia | 4.0 |
| Myeloid leukaemia | 4.3 | Vulva | 3.3 |
| Larynx | 4.0 | Myeloid leukaemia | 3.2 |
| All sites | 440.0 | All sites | 365.7 |

Germany, Lower Saxony (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 216 | 0.1 | 1.1 | 0.4 | 0.02 | 0.04 | 117 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 918 | 0.6 | 4.7 | 2.4 | 0.17 | 0.29 | 461 | 0.4 | 2.3 | 1.1 | 0.08 | 0.13 | C01–02 |
| Mouth | 1066 | 0.7 | 5.5 | 2.8 | 0.21 | 0.35 | 666 | 0.5 | 3.3 | 1.4 | 0.10 | 0.17 | C03–06 |
| Salivary glands | 339 | 0.2 | 1.7 | 0.8 | 0.04 | 0.08 | 219 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 540 | 0.4 | 2.8 | 1.5 | 0.12 | 0.19 | 215 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 547 | 0.4 | 2.8 | 1.4 | 0.10 | 0.19 | 187 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | C10 |
| Nasopharynx | 122 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 48 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 637 | 0.4 | 3.3 | 1.7 | 0.12 | 0.22 | 137 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C12–13 |
| Pharynx unspecified | 119 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 36 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 2818 | 2.0 | 14.5 | 6.7 | 0.39 | 0.86 | 812 | 0.7 | 4.1 | 1.6 | 0.09 | 0.20 | C15 |
| Stomach | 5004 | 3.5 | 25.8 | 11.1 | 0.57 | 1.28 | 3063 | 2.5 | 15.3 | 5.3 | 0.27 | 0.57 | C16 |
| Small intestine | 602 | 0.4 | 3.1 | 1.4 | 0.08 | 0.17 | 513 | 0.4 | 2.6 | 1.1 | 0.07 | 0.14 | C17 |
| Colon | 10666 | 7.4 | 54.9 | 22.1 | 0.95 | 2.48 | 10419 | 8.4 | 52.1 | 16.8 | 0.76 | 1.82 | C18 |
| Rectum | 6137 | 4.2 | 31.6 | 14.0 | 0.74 | 1.70 | 4086 | 3.3 | 20.4 | 7.5 | 0.43 | 0.86 | C19–20 |
| Anus | 359 | 0.2 | 1.8 | 1.0 | 0.07 | 0.11 | 643 | 0.5 | 3.2 | 1.5 | 0.10 | 0.17 | C21 |
| Liver | 2674 | 1.9 | 13.8 | 5.8 | 0.27 | 0.70 | 1288 | 1.0 | 6.4 | 2.3 | 0.11 | 0.26 | C22 |
| Gallbladder etc. | 1180 | 0.8 | 6.1 | 2.4 | 0.10 | 0.27 | 1352 | 1.1 | 6.8 | 2.0 | 0.09 | 0.22 | C23–24 |
| Pancreas | 4573 | 3.2 | 23.5 | 9.6 | 0.45 | 1.12 | 4612 | 3.7 | 23.1 | 7.4 | 0.33 | 0.86 | C25 |
| Nose, sinuses etc. | 293 | 0.2 | 1.5 | 0.8 | 0.06 | 0.09 | 209 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C30–31 |
| Larynx | 1635 | 1.1 | 8.4 | 4.0 | 0.25 | 0.51 | 297 | 0.2 | 1.5 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 19149 | 13.3 | 98.6 | 42.4 | 2.11 | 5.40 | 10802 | 8.7 | 54.0 | 23.0 | 1.43 | 2.99 | C33–34 |
| Other thoracic organs | 147 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 113 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 281 | 0.2 | 1.4 | 1.3 | 0.08 | 0.10 | 200 | 0.2 | 1.0 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 6148 | 4.3 | 31.7 | 15.7 | 0.93 | 1.73 | 6234 | 5.0 | 31.2 | 18.0 | 1.28 | 1.84 | C43 |
| Other skin | 55702 | 38.5 | 286.8 | 110.2 | 4.28 | 12.14 | 50000 | 40.1 | 249.9 | 92.7 | 4.83 | 10.65 | C44 |
| Mesothelioma | 846 | 0.6 | 4.4 | 1.5 | 0.04 | 0.18 | 174 | 0.1 | 0.9 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 44 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 14 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1118 | 0.8 | 5.8 | 3.1 | 0.16 | 0.28 | 637 | 0.5 | 3.2 | 1.8 | 0.11 | 0.16 | C47+C49 |
| Breast | 342 | 0.2 | 1.8 | 0.7 | 0.03 | 0.08 | 36955 | 29.6 | 184.7 | 89.5 | 6.39 | 10.10 | C50 |
| Vulva | | | | | | | 1605 | 1.3 | 8.0 | 3.3 | 0.21 | 0.35 | C51 |
| Vagina | | | | | | | 231 | 0.2 | 1.2 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 2186 | 1.8 | 10.9 | 7.0 | 0.56 | 0.69 | C53 |
| Corpus uteri | | | | | | | 5206 | 4.2 | 26.0 | 11.3 | 0.75 | 1.40 | C54 |
| Uterus unspecified | | | | | | | 301 | 0.2 | 1.5 | 0.4 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 4131 | 3.3 | 20.6 | 9.1 | 0.60 | 1.02 | C56 |
| Other female genital organs | | | | | | | 321 | 0.3 | 1.6 | 0.6 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 476 | 0.3 | 2.5 | 1.1 | 0.05 | 0.12 | | | | | | | C60 |
| Prostate | 33323 | 23.1 | 171.6 | 69.2 | 2.68 | 9.07 | | | | | | | C61 |
| Testis | 2372 | 1.6 | 12.2 | 11.4 | 0.88 | 0.92 | | | | | | | C62 |
| Other male genital organs | 87 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 4779 | 3.3 | 24.6 | 11.6 | 0.68 | 1.38 | 2731 | 2.2 | 13.7 | 5.5 | 0.30 | 0.62 | C64 |
| Renal pelvis | 465 | 0.3 | 2.4 | 0.9 | 0.03 | 0.11 | 307 | 0.2 | 1.5 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 286 | 0.2 | 1.5 | 0.6 | 0.02 | 0.07 | 142 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 13018 | 9.0 | 67.0 | 26.3 | 1.10 | 2.97 | 4033 | 3.2 | 20.2 | 6.9 | 0.35 | 0.79 | C67 |
| Other urinary organs | 248 | 0.2 | 1.3 | 0.5 | 0.01 | 0.04 | 120 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 212 | 0.1 | 1.1 | 0.7 | 0.04 | 0.06 | 191 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 2035 | 1.4 | 10.5 | 6.4 | 0.40 | 0.64 | 1662 | 1.3 | 8.3 | 4.8 | 0.30 | 0.48 | C70–72 |
| Thyroid | 787 | 0.5 | 4.1 | 2.6 | 0.19 | 0.27 | 1808 | 1.4 | 9.0 | 6.5 | 0.50 | 0.62 | C73 |
| Adrenal gland | 69 | 0.0 | 0.4 | 0.3 | 0.02 | 0.03 | 92 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 24 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 23 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 642 | 0.4 | 3.3 | 2.8 | 0.19 | 0.23 | 498 | 0.4 | 2.5 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 4818 | 3.3 | 24.8 | 11.7 | 0.60 | 1.25 | 3775 | 3.0 | 18.9 | 7.8 | 0.43 | 0.87 | C82–86,C96 |
| Immunoproliferative diseases | 334 | 0.2 | 1.7 | 0.8 | 0.04 | 0.09 | 307 | 0.2 | 1.5 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 2176 | 1.5 | 11.2 | 4.6 | 0.21 | 0.53 | 1747 | 1.4 | 8.7 | 3.0 | 0.14 | 0.36 | C90 |
| Lymphoid leukaemia | 2293 | 1.6 | 11.8 | 6.4 | 0.32 | 0.62 | 1540 | 1.2 | 7.7 | 4.0 | 0.20 | 0.36 | C91 |
| Myeloid leukaemia | 1821 | 1.3 | 9.4 | 4.3 | 0.21 | 0.45 | 1489 | 1.2 | 7.4 | 3.2 | 0.18 | 0.33 | C92–94 |
| Leukaemia unspecified | 320 | 0.2 | 1.6 | 0.6 | 0.02 | 0.05 | 356 | 0.3 | 1.8 | 0.5 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 1084 | 0.8 | 5.6 | 2.5 | 0.12 | 0.28 | 1201 | 1.0 | 6.0 | 2.5 | 0.14 | 0.27 | MPD |
| Myelodysplastic syndromes | 1270 | 0.9 | 6.5 | 2.3 | 0.06 | 0.20 | 992 | 0.8 | 5.0 | 1.3 | 0.04 | 0.11 | MPS |
| Other and unspecified | 3049 | 2.1 | 15.7 | 6.4 | 0.28 | 0.69 | 3208 | 2.6 | 16.0 | 4.9 | 0.22 | 0.50 | O&U |
| All sites | 200210 | | 1030.7 | 440.0 | 20.58 | 50.80 | 174716 | | 873.3 | 365.7 | 22.10 | 41.10 | C00–96 |
| All sites except C44 | 144508 | 100.0 | 744.0 | 329.8 | 16.29 | 38.66 | 124716 | 100.0 | 623.4 | 273.0 | 17.27 | 30.46 | C00–96 exc. C44 |

†See note following population pyramid

Germany, North Rhine-Westphalia

CONTRIBUTORS

Andres Schützendübel
Andreas Stang
Florian Oesterling
Hiltraud Kajüter



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 117.3 | Non-melanoma skin cancer | 99.2 |
| Prostate | 65.0 | Breast | 91.5 |
| Trachea, bronchus, and lung | 47.7 | Trachea, bronchus, and lung | 28.2 |
| Bladder | 26.3 | Melanoma of skin | 18.9 |
| Colon | 21.6 | Colon | 17.2 |
| Melanoma of skin | 15.8 | Corpus uteri | 10.5 |
| Rectum | 14.1 | Thyroid | 9.2 |
| Non-Hodgkin lymphoma | 11.4 | Ovary | 8.6 |
| Kidney | 11.0 | Rectum | 7.8 |
| Stomach | 10.1 | Non-Hodgkin lymphoma | 7.3 |
| Testis | 9.7 | Pancreas | 7.3 |
| Pancreas | 9.7 | Cervix uteri | 7.2 |
| Other and unspecified | 7.5 | Bladder | 7.1 |
| Oesophagus | 6.9 | Other and unspecified | 5.8 |
| Brain and nervous system | 6.7 | Kidney | 5.3 |
| Liver | 6.2 | Stomach | 5.3 |
| Lymphoid leukaemia | 4.9 | Brain and nervous system | 4.8 |
| Myeloid leukaemia | 4.5 | Vulva | 4.1 |
| Larynx | 4.1 | Myeloid leukaemia | 3.3 |
| Multiple myeloma | 4.1 | Lymphoid leukaemia | 2.9 |
| All sites | 441.1 | All sites | 379.7 |


Germany, North Rhine-Westphalia (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 278 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 166 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 2075 | 0.7 | 4.8 | 2.6 | 0.19 | 0.33 | 1104 | 0.4 | 2.4 | 1.2 | 0.08 | 0.14 | C01–02 |
| Mouth | 2268 | 0.8 | 5.2 | 2.7 | 0.20 | 0.34 | 1448 | 0.5 | 3.2 | 1.4 | 0.10 | 0.17 | C03–06 |
| Salivary glands | 576 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 438 | 0.2 | 1.0 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 1185 | 0.4 | 2.7 | 1.5 | 0.11 | 0.19 | 490 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C09 |
| Other oropharynx | 1187 | 0.4 | 2.7 | 1.5 | 0.11 | 0.20 | 449 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | C10 |
| Nasopharynx | 316 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 140 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 1377 | 0.5 | 3.2 | 1.7 | 0.11 | 0.22 | 327 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C12–13 |
| Pharynx unspecified | 206 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | 86 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 6231 | 2.1 | 14.3 | 6.9 | 0.41 | 0.89 | 2134 | 0.8 | 4.7 | 1.8 | 0.10 | 0.23 | C15 |
| Stomach | 9955 | 3.3 | 22.9 | 10.1 | 0.53 | 1.16 | 6585 | 2.4 | 14.5 | 5.3 | 0.28 | 0.57 | C16 |
| Small intestine | 1382 | 0.5 | 3.2 | 1.5 | 0.09 | 0.18 | 1196 | 0.4 | 2.6 | 1.1 | 0.07 | 0.13 | C17 |
| Colon | 22385 | 7.4 | 51.5 | 21.6 | 0.95 | 2.44 | 22997 | 8.3 | 50.7 | 17.2 | 0.79 | 1.87 | C18 |
| Rectum | 13384 | 4.4 | 30.8 | 14.1 | 0.75 | 1.71 | 9197 | 3.3 | 20.3 | 7.8 | 0.45 | 0.90 | C19–20 |
| Anus | 813 | 0.3 | 1.9 | 1.0 | 0.07 | 0.11 | 1422 | 0.5 | 3.1 | 1.5 | 0.11 | 0.18 | C21 |
| Liver | 6127 | 2.0 | 14.1 | 6.2 | 0.29 | 0.76 | 3119 | 1.1 | 6.9 | 2.5 | 0.12 | 0.28 | C22 |
| Gallbladder etc. | 2624 | 0.9 | 6.0 | 2.5 | 0.10 | 0.29 | 2943 | 1.1 | 6.5 | 2.0 | 0.08 | 0.23 | C23–24 |
| Pancreas | 9612 | 3.2 | 22.1 | 9.7 | 0.47 | 1.18 | 9817 | 3.5 | 21.7 | 7.3 | 0.33 | 0.85 | C25 |
| Nose, sinuses etc. | 721 | 0.2 | 1.7 | 0.9 | 0.06 | 0.10 | 472 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C30–31 |
| Larynx | 3643 | 1.2 | 8.4 | 4.1 | 0.25 | 0.53 | 744 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | C32 |
| Trachea, bronchus, and lung | 45909 | 15.2 | 105.7 | 47.7 | 2.48 | 6.13 | 28838 | 10.4 | 63.6 | 28.2 | 1.78 | 3.69 | C33–34 |
| Other thoracic organs | 294 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 222 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C37–38 |
| Bone | 568 | 0.2 | 1.3 | 1.2 | 0.07 | 0.09 | 473 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 13090 | 4.3 | 30.1 | 15.8 | 0.97 | 1.73 | 13863 | 5.0 | 30.6 | 18.9 | 1.37 | 1.88 | C43 |
| Other skin | 125412 | 41.6 | 288.7 | 117.3 | 4.80 | 13.13 | 114005 | 41.2 | 251.5 | 99.2 | 5.45 | 11.42 | C44 |
| Mesothelioma | 1641 | 0.5 | 3.8 | 1.4 | 0.04 | 0.17 | 398 | 0.1 | 0.9 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 174 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 41 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2314 | 0.8 | 5.3 | 3.0 | 0.17 | 0.28 | 1605 | 0.6 | 3.5 | 2.1 | 0.13 | 0.19 | C47+C49 |
| Breast | 731 | 0.2 | 1.7 | 0.7 | 0.04 | 0.08 | 82665 | 29.9 | 182.4 | 91.5 | 6.57 | 10.37 | C50 |
| Vulva | | | | | | | 4321 | 1.6 | 9.5 | 4.1 | 0.26 | 0.45 | C51 |
| Vagina | | | | | | | 512 | 0.2 | 1.1 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 4817 | 1.7 | 10.6 | 7.2 | 0.57 | 0.71 | C53 |
| Corpus uteri | | | | | | | 10486 | 3.8 | 23.1 | 10.5 | 0.72 | 1.29 | C54 |
| Uterus unspecified | | | | | | | 515 | 0.2 | 1.1 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 8473 | 3.1 | 18.7 | 8.6 | 0.57 | 0.98 | C56 |
| Other female genital organs | | | | | | | 842 | 0.3 | 1.9 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 15 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 959 | 0.3 | 2.2 | 1.0 | 0.05 | 0.12 | | | | | | | C60 |
| Prostate | 65630 | 21.8 | 151.1 | 65.0 | 2.67 | 8.70 | | | | | | | C61 |
| Testis | 4527 | 1.5 | 10.4 | 9.7 | 0.75 | 0.77 | | | | | | | C62 |
| Other male genital organs | 163 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 9732 | 3.2 | 22.4 | 11.0 | 0.66 | 1.32 | 5701 | 2.1 | 12.6 | 5.3 | 0.30 | 0.61 | C64 |
| Renal pelvis | 974 | 0.3 | 2.2 | 0.9 | 0.04 | 0.10 | 680 | 0.2 | 1.5 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 606 | 0.2 | 1.4 | 0.5 | 0.02 | 0.07 | 315 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 27556 | 9.1 | 63.4 | 26.3 | 1.12 | 3.07 | 9013 | 3.3 | 19.9 | 7.1 | 0.37 | 0.84 | C67 |
| Other urinary organs | 686 | 0.2 | 1.6 | 0.6 | 0.02 | 0.06 | 362 | 0.1 | 0.8 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 427 | 0.1 | 1.0 | 0.7 | 0.04 | 0.06 | 359 | 0.1 | 0.8 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 4622 | 1.5 | 10.6 | 6.7 | 0.43 | 0.68 | 3747 | 1.4 | 8.3 | 4.8 | 0.30 | 0.47 | C70–72 |
| Thyroid | 2417 | 0.8 | 5.6 | 3.8 | 0.29 | 0.38 | 5493 | 2.0 | 12.1 | 9.2 | 0.72 | 0.86 | C73 |
| Adrenal gland | 145 | 0.0 | 0.3 | 0.3 | 0.02 | 0.03 | 168 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 92 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 93 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 1576 | 0.5 | 3.6 | 3.0 | 0.21 | 0.25 | 1104 | 0.4 | 2.4 | 2.2 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 9863 | 3.3 | 22.7 | 11.4 | 0.63 | 1.23 | 7930 | 2.9 | 17.5 | 7.3 | 0.40 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 850 | 0.3 | 2.0 | 0.9 | 0.05 | 0.10 | 821 | 0.3 | 1.8 | 0.8 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 4099 | 1.4 | 9.4 | 4.1 | 0.20 | 0.49 | 3371 | 1.2 | 7.4 | 2.7 | 0.14 | 0.32 | C90 |
| Lymphoid leukaemia | 3822 | 1.3 | 8.8 | 4.9 | 0.26 | 0.49 | 2649 | 1.0 | 5.8 | 2.9 | 0.15 | 0.27 | C91 |
| Myeloid leukaemia | 3914 | 1.3 | 9.0 | 4.5 | 0.23 | 0.47 | 3248 | 1.2 | 7.2 | 3.3 | 0.18 | 0.33 | C92–94 |
| Leukaemia unspecified | 367 | 0.1 | 0.8 | 0.3 | 0.01 | 0.02 | 433 | 0.2 | 1.0 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 7518 | 2.5 | 17.3 | 7.5 | 0.35 | 0.83 | 7955 | 2.9 | 17.6 | 5.8 | 0.28 | 0.62 | O&U |
| All sites | 427023 | | 982.9 | 441.1 | 21.45 | 51.75 | 390809 | | 862.3 | 379.7 | 23.52 | 42.90 | C00–96 |
| All sites except C44 | 301611 | 100.0 | 694.3 | 323.8 | 16.65 | 38.62 | 276804 | 100.0 | 610.8 | 280.5 | 18.07 | 31.48 | C00–96 exc. C44 |

Germany, Rhineland-Palatinate

CONTRIBUTORS

Fabian Reinwald
Christina Justenhoven
Katharina Emrich
Antje Swietlik



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 95.0 | Breast | 88.4 |
| Prostate | 66.7 | Non-melanoma skin cancer | 77.8 |
| Trachea, bronchus, and lung | 41.4 | Trachea, bronchus, and lung | 23.3 |
| Bladder | 21.0 | Melanoma of skin | 18.0 |
| Colon | 21.0 | Colon | 15.5 |
| Melanoma of skin | 16.7 | Corpus uteri | 11.5 |
| Rectum | 14.7 | Cervix uteri | 8.4 |
| Kidney | 11.8 | Ovary | 8.2 |
| Non-Hodgkin lymphoma | 11.3 | Rectum | 7.6 |
| Stomach | 9.7 | Non-Hodgkin lymphoma | 7.6 |
| Pancreas | 9.6 | Thyroid | 7.4 |
| Testis | 8.9 | Pancreas | 7.3 |
| Other and unspecified | 7.2 | Other and unspecified | 5.9 |
| Liver | 7.1 | Kidney | 5.8 |
| Oesophagus | 6.7 | Bladder | 5.4 |
| Lymphoid leukaemia | 6.3 | Stomach | 4.9 |
| Brain and nervous system | 6.3 | Brain and nervous system | 4.3 |
| Multiple myeloma | 4.4 | Vulva | 3.5 |
| Myeloid leukaemia | 4.1 | Lymphoid leukaemia | 3.5 |
| Larynx | 3.9 | Liver | 3.0 |
| All sites | 415.2 | All sites | 350.1 |

Germany, Rhineland-Palatinate (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 87 | 0.1 | 0.9 | 0.4 | 0.01 | 0.04 | 57 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 510 | 0.7 | 5.2 | 2.6 | 0.19 | 0.33 | 222 | 0.4 | 2.2 | 1.0 | 0.07 | 0.12 | C01–02 |
| Mouth | 529 | 0.8 | 5.3 | 2.8 | 0.19 | 0.35 | 270 | 0.4 | 2.6 | 1.3 | 0.08 | 0.15 | C03–06 |
| Salivary glands | 170 | 0.2 | 1.7 | 0.8 | 0.04 | 0.08 | 109 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | C07–08 |
| Tonsil | 276 | 0.4 | 2.8 | 1.5 | 0.10 | 0.19 | 103 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 356 | 0.5 | 3.6 | 1.8 | 0.13 | 0.24 | 105 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C10 |
| Nasopharynx | 77 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 370 | 0.5 | 3.7 | 1.9 | 0.14 | 0.26 | 66 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 43 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 22 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1432 | 2.0 | 14.5 | 6.7 | 0.42 | 0.83 | 386 | 0.6 | 3.8 | 1.5 | 0.09 | 0.19 | C15 |
| Stomach | 2226 | 3.2 | 22.5 | 9.7 | 0.52 | 1.11 | 1426 | 2.3 | 13.9 | 4.9 | 0.26 | 0.54 | C16 |
| Small intestine | 346 | 0.5 | 3.5 | 1.6 | 0.10 | 0.18 | 277 | 0.4 | 2.7 | 1.2 | 0.07 | 0.14 | C17 |
| Colon | 5071 | 7.2 | 51.3 | 21.0 | 0.96 | 2.39 | 4721 | 7.6 | 46.2 | 15.5 | 0.73 | 1.72 | C18 |
| Rectum | 3246 | 4.6 | 32.8 | 14.7 | 0.83 | 1.77 | 2043 | 3.3 | 20.0 | 7.6 | 0.44 | 0.86 | C19–20 |
| Anus | 176 | 0.3 | 1.8 | 0.9 | 0.06 | 0.11 | 337 | 0.5 | 3.3 | 1.7 | 0.13 | 0.19 | C21 |
| Liver | 1671 | 2.4 | 16.9 | 7.1 | 0.32 | 0.88 | 845 | 1.4 | 8.3 | 3.0 | 0.15 | 0.34 | C22 |
| Gallbladder etc. | 619 | 0.9 | 6.3 | 2.5 | 0.10 | 0.31 | 644 | 1.0 | 6.3 | 1.9 | 0.08 | 0.20 | C23–24 |
| Pancreas | 2323 | 3.3 | 23.5 | 9.6 | 0.43 | 1.18 | 2326 | 3.8 | 22.7 | 7.3 | 0.32 | 0.83 | C25 |
| Nose, sinuses etc. | 186 | 0.3 | 1.9 | 0.9 | 0.07 | 0.11 | 104 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C30–31 |
| Larynx | 811 | 1.2 | 8.2 | 3.9 | 0.23 | 0.51 | 136 | 0.2 | 1.3 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 9436 | 13.4 | 95.4 | 41.4 | 2.09 | 5.32 | 5508 | 8.9 | 53.9 | 23.3 | 1.43 | 3.06 | C33–34 |
| Other thoracic organs | 189 | 0.3 | 1.9 | 0.8 | 0.03 | 0.08 | 105 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C37–38 |
| Bone | 132 | 0.2 | 1.3 | 1.2 | 0.07 | 0.09 | 115 | 0.2 | 1.1 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 3255 | 4.6 | 32.9 | 16.7 | 1.04 | 1.86 | 3073 | 5.0 | 30.1 | 18.0 | 1.33 | 1.86 | C43 |
| Other skin | 23471 | 33.4 | 237.3 | 95.0 | 4.01 | 10.73 | 20214 | 32.7 | 197.7 | 77.8 | 4.34 | 8.90 | C44 |
| Mesothelioma | 249 | 0.4 | 2.5 | 1.0 | 0.03 | 0.13 | 46 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 666 | 0.9 | 6.7 | 3.3 | 0.18 | 0.32 | 458 | 0.7 | 4.5 | 2.4 | 0.15 | 0.24 | C47+C49 |
| Breast | 147 | 0.2 | 1.5 | 0.6 | 0.03 | 0.07 | 18370 | 29.7 | 179.6 | 88.4 | 6.33 | 9.96 | C50 |
| Vulva | | | | | | | 877 | 1.4 | 8.6 | 3.5 | 0.22 | 0.37 | C51 |
| Vagina | | | | | | | 107 | 0.2 | 1.0 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1221 | 2.0 | 11.9 | 8.4 | 0.67 | 0.81 | C53 |
| Corpus uteri | | | | | | | 2658 | 4.3 | 26.0 | 11.5 | 0.77 | 1.42 | C54 |
| Uterus unspecified | | | | | | | 183 | 0.3 | 1.8 | 0.6 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 1861 | 3.0 | 18.2 | 8.2 | 0.53 | 0.93 | C56 |
| Other female genital organs | | | | | | | 195 | 0.3 | 1.9 | 0.8 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 196 | 0.3 | 2.0 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 15778 | 22.5 | 159.5 | 66.7 | 2.80 | 8.84 | | | | | | | C61 |
| Testis | 940 | 1.3 | 9.5 | 8.9 | 0.69 | 0.71 | | | | | | | C62 |
| Other male genital organs | 42 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 2460 | 3.5 | 24.9 | 11.8 | 0.71 | 1.40 | 1388 | 2.2 | 13.6 | 5.8 | 0.32 | 0.65 | C64 |
| Renal pelvis | 219 | 0.3 | 2.2 | 0.9 | 0.04 | 0.11 | 145 | 0.2 | 1.4 | 0.5 | 0.02 | 0.07 | C65 |
| Ureter | 114 | 0.2 | 1.2 | 0.4 | 0.02 | 0.05 | 57 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 5178 | 7.4 | 52.4 | 21.0 | 0.89 | 2.41 | 1578 | 2.6 | 15.4 | 5.4 | 0.27 | 0.64 | C67 |
| Other urinary organs | 167 | 0.2 | 1.7 | 0.6 | 0.01 | 0.06 | 81 | 0.1 | 0.8 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 111 | 0.2 | 1.1 | 0.7 | 0.04 | 0.06 | 103 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1009 | 1.4 | 10.2 | 6.3 | 0.42 | 0.65 | 745 | 1.2 | 7.3 | 4.3 | 0.27 | 0.43 | C70–72 |
| Thyroid | 433 | 0.6 | 4.4 | 2.9 | 0.21 | 0.28 | 1008 | 1.6 | 9.9 | 7.4 | 0.58 | 0.69 | C73 |
| Adrenal gland | 39 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 42 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 42 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 58 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 295 | 0.4 | 3.0 | 2.6 | 0.17 | 0.21 | 257 | 0.4 | 2.5 | 2.3 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 2362 | 3.4 | 23.9 | 11.3 | 0.62 | 1.21 | 1881 | 3.0 | 18.4 | 7.6 | 0.43 | 0.83 | C82–86,C96 |
| Immunoproliferative diseases | 188 | 0.3 | 1.9 | 0.9 | 0.05 | 0.10 | 172 | 0.3 | 1.7 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 1030 | 1.5 | 10.4 | 4.4 | 0.22 | 0.52 | 808 | 1.3 | 7.9 | 2.8 | 0.14 | 0.33 | C90 |
| Lymphoid leukaemia | 1106 | 1.6 | 11.2 | 6.3 | 0.32 | 0.63 | 751 | 1.2 | 7.3 | 3.5 | 0.18 | 0.32 | C91 |
| Myeloid leukaemia | 874 | 1.2 | 8.8 | 4.1 | 0.21 | 0.43 | 678 | 1.1 | 6.6 | 2.8 | 0.15 | 0.30 | C92–94 |
| Leukaemia unspecified | 133 | 0.2 | 1.3 | 0.5 | 0.01 | 0.03 | 154 | 0.2 | 1.5 | 0.4 | 0.01 | 0.03 | C95 |
| Myeloproliferative disorders | 556 | 0.8 | 5.6 | 2.6 | 0.14 | 0.30 | 616 | 1.0 | 6.0 | 2.5 | 0.14 | 0.28 | MPD |
| Myelodysplastic syndromes | 655 | 0.9 | 6.6 | 2.3 | 0.06 | 0.22 | 488 | 0.8 | 4.8 | 1.4 | 0.04 | 0.14 | MPS |
| Other and unspecified | 1702 | 2.4 | 17.2 | 7.2 | 0.34 | 0.82 | 1814 | 2.9 | 17.7 | 5.9 | 0.29 | 0.64 | O&U |
| All sites | 93716 | | 947.6 | 415.2 | 20.45 | 48.80 | 82052 | | 802.4 | 350.1 | 21.78 | 39.38 | C00–96 |
| All sites except C44 | 70245 | 100.0 | 710.3 | 320.2 | 16.45 | 38.07 | 61838 | 100.0 | 604.7 | 272.4 | 17.44 | 30.48 | C00–96 exc. C44 |

†See note following population pyramid

Germany, Saarland

CONTRIBUTORS

Bernd Holleczeck
Monika Krämer



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 98.2 | Non-melanoma skin cancer | 88.4 |
| Prostate | 60.9 | Breast | 85.4 |
| Trachea, bronchus, and lung | 45.2 | Trachea, bronchus, and lung | 26.4 |
| Colon | 23.9 | Colon | 17.0 |
| Rectum | 16.5 | Melanoma of skin | 13.3 |
| Bladder | 14.1 | Corpus uteri | 10.8 |
| Other and unspecified | 13.9 | Other and unspecified | 10.3 |
| Melanoma of skin | 12.9 | Non-Hodgkin lymphoma | 9.0 |
| Non-Hodgkin lymphoma | 12.4 | Rectum | 8.6 |
| Kidney | 11.9 | Ovary | 8.6 |
| Testis | 9.8 | Cervix uteri | 8.5 |
| Stomach | 9.3 | Thyroid | 7.6 |
| Liver | 8.6 | Pancreas | 6.7 |
| Pancreas | 8.2 | Kidney | 6.2 |
| Brain and nervous system | 6.8 | Vulva | 5.5 |
| Oesophagus | 6.1 | Stomach | 4.8 |
| Myeloid leukaemia | 5.3 | Brain and nervous system | 4.6 |
| Lymphoid leukaemia | 5.0 | Myeloid leukaemia | 3.8 |
| Larynx | 4.7 | Bladder | 3.4 |
| Multiple myeloma | 4.4 | Multiple myeloma | 3.3 |
| All sites | 421.2 | All sites | 364.1 |


Germany, Saarland (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 27 | 0.1 | 1.1 | 0.4 | 0.03 | 0.05 | 14 | 0.1 | 0.6 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 153 | 0.8 | 6.3 | 3.0 | 0.20 | 0.37 | 79 | 0.5 | 3.1 | 1.4 | 0.10 | 0.16 | C01–02 |
| Mouth | 201 | 1.1 | 8.3 | 4.0 | 0.32 | 0.49 | 111 | 0.7 | 4.4 | 1.8 | 0.10 | 0.23 | C03–06 |
| Salivary glands | 39 | 0.2 | 1.6 | 0.7 | 0.03 | 0.08 | 26 | 0.2 | 1.0 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 85 | 0.5 | 3.5 | 1.7 | 0.12 | 0.23 | 42 | 0.3 | 1.7 | 0.8 | 0.06 | 0.11 | C09 |
| Other oropharynx | 123 | 0.7 | 5.1 | 2.4 | 0.16 | 0.32 | 50 | 0.3 | 2.0 | 1.0 | 0.07 | 0.14 | C10 |
| Nasopharynx | 20 | 0.1 | 0.8 | 0.4 | 0.04 | 0.05 | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 144 | 0.8 | 5.9 | 2.6 | 0.18 | 0.35 | 27 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C12–13 |
| Pharynx unspecified | 57 | 0.3 | 2.3 | 1.1 | 0.07 | 0.16 | 21 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C14 |
| Oesophagus | 346 | 1.9 | 14.2 | 6.1 | 0.35 | 0.81 | 105 | 0.6 | 4.1 | 1.6 | 0.10 | 0.22 | C15 |
| Stomach | 575 | 3.1 | 23.7 | 9.3 | 0.46 | 1.06 | 376 | 2.3 | 14.8 | 4.8 | 0.27 | 0.48 | C16 |
| Small intestine | 86 | 0.5 | 3.5 | 1.5 | 0.08 | 0.16 | 69 | 0.4 | 2.7 | 1.2 | 0.07 | 0.14 | C17 |
| Colon | 1513 | 8.2 | 62.3 | 23.9 | 1.06 | 2.82 | 1364 | 8.3 | 53.8 | 17.0 | 0.76 | 1.92 | C18 |
| Rectum | 948 | 5.2 | 39.0 | 16.5 | 0.89 | 2.02 | 612 | 3.7 | 24.1 | 8.6 | 0.50 | 1.03 | C19–20 |
| Anus | 76 | 0.4 | 3.1 | 1.5 | 0.12 | 0.16 | 94 | 0.6 | 3.7 | 1.7 | 0.12 | 0.20 | C21 |
| Liver | 502 | 2.7 | 20.7 | 8.6 | 0.44 | 1.12 | 242 | 1.5 | 9.5 | 3.3 | 0.16 | 0.38 | C22 |
| Gallbladder etc. | 171 | 0.9 | 7.0 | 2.6 | 0.10 | 0.33 | 169 | 1.0 | 6.7 | 1.8 | 0.08 | 0.20 | C23–24 |
| Pancreas | 495 | 2.7 | 20.4 | 8.2 | 0.38 | 0.99 | 549 | 3.3 | 21.6 | 6.7 | 0.33 | 0.77 | C25 |
| Nose, sinuses etc. | 56 | 0.3 | 2.3 | 1.1 | 0.08 | 0.12 | 31 | 0.2 | 1.2 | 0.7 | 0.05 | 0.06 | C30–31 |
| Larynx | 249 | 1.4 | 10.3 | 4.7 | 0.31 | 0.64 | 46 | 0.3 | 1.8 | 0.9 | 0.07 | 0.11 | C32 |
| Trachea, bronchus, and lung | 2676 | 14.5 | 110.2 | 45.2 | 2.45 | 5.83 | 1657 | 10.1 | 65.3 | 26.4 | 1.74 | 3.39 | C33–34 |
| Other thoracic organs | 37 | 0.2 | 1.5 | 0.8 | 0.05 | 0.08 | 21 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | C37–38 |
| Bone | 40 | 0.2 | 1.6 | 1.4 | 0.09 | 0.11 | 32 | 0.2 | 1.3 | 1.0 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 669 | 3.6 | 27.5 | 12.9 | 0.77 | 1.42 | 605 | 3.7 | 23.8 | 13.3 | 0.97 | 1.36 | C43 |
| Other skin | 6170 | 33.5 | 254.0 | 98.2 | 4.45 | 11.34 | 5828 | 35.4 | 229.7 | 88.4 | 5.27 | 10.14 | C44 |
| Mesothelioma | 117 | 0.6 | 4.8 | 1.9 | 0.09 | 0.23 | 17 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 142 | 0.8 | 5.8 | 3.0 | 0.16 | 0.31 | 108 | 0.7 | 4.3 | 2.2 | 0.13 | 0.23 | C47+C49 |
| Breast | 54 | 0.3 | 2.2 | 0.9 | 0.05 | 0.09 | 4638 | 28.1 | 182.8 | 85.4 | 6.08 | 9.68 | C50 |
| Vulva | | | | | | | 343 | 2.1 | 13.5 | 5.5 | 0.36 | 0.61 | C51 |
| Vagina | | | | | | | 18 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 327 | 2.0 | 12.9 | 8.5 | 0.69 | 0.83 | C53 |
| Corpus uteri | | | | | | | 689 | 4.2 | 27.2 | 10.8 | 0.68 | 1.34 | C54 |
| Uterus unspecified | | | | | | | 79 | 0.5 | 3.1 | 1.1 | 0.06 | 0.13 | C55 |
| Ovary | | | | | | | 511 | 3.1 | 20.1 | 8.6 | 0.56 | 0.99 | C56 |
| Other female genital organs | | | | | | | 66 | 0.4 | 2.6 | 1.0 | 0.06 | 0.13 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 70 | 0.4 | 2.9 | 1.2 | 0.07 | 0.15 | | | | | | | C60 |
| Prostate | 3882 | 21.1 | 159.8 | 60.9 | 2.46 | 8.08 | | | | | | | C61 |
| Testis | 249 | 1.4 | 10.3 | 9.8 | 0.77 | 0.79 | | | | | | | C62 |
| Other male genital organs | 17 | 0.1 | 0.7 | 0.4 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 614 | 3.3 | 25.3 | 11.9 | 0.76 | 1.43 | 374 | 2.3 | 14.7 | 6.2 | 0.37 | 0.69 | C64 |
| Renal pelvis | 53 | 0.3 | 2.2 | 0.8 | 0.02 | 0.08 | 47 | 0.3 | 1.9 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 40 | 0.2 | 1.6 | 0.6 | 0.02 | 0.08 | 15 | 0.1 | 0.6 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 971 | 5.3 | 40.0 | 14.1 | 0.52 | 1.61 | 319 | 1.9 | 12.6 | 3.4 | 0.13 | 0.36 | C67 |
| Other urinary organs | 55 | 0.3 | 2.3 | 0.8 | 0.03 | 0.11 | 21 | 0.1 | 0.8 | 0.2 | 0.00 | 0.02 | C68 |
| Eye | 22 | 0.1 | 0.9 | 0.5 | 0.04 | 0.04 | 27 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 291 | 1.6 | 12.0 | 6.8 | 0.45 | 0.71 | 216 | 1.3 | 8.5 | 4.6 | 0.28 | 0.48 | C70–72 |
| Thyroid | 122 | 0.7 | 5.0 | 3.6 | 0.25 | 0.33 | 261 | 1.6 | 10.3 | 7.6 | 0.60 | 0.71 | C73 |
| Adrenal gland | 15 | 0.1 | 0.6 | 0.7 | 0.04 | 0.05 | 9 | 0.1 | 0.4 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 68 | 0.4 | 2.8 | 2.5 | 0.16 | 0.20 | 69 | 0.4 | 2.7 | 2.6 | 0.16 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 660 | 3.6 | 27.2 | 12.4 | 0.67 | 1.34 | 601 | 3.6 | 23.7 | 9.0 | 0.51 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 262 | 1.4 | 10.8 | 4.4 | 0.23 | 0.51 | 226 | 1.4 | 8.9 | 3.3 | 0.18 | 0.42 | C90 |
| Lymphoid leukaemia | 233 | 1.3 | 9.6 | 5.0 | 0.27 | 0.54 | 158 | 1.0 | 6.2 | 3.0 | 0.16 | 0.30 | C91 |
| Myeloid leukaemia | 289 | 1.6 | 11.9 | 5.3 | 0.30 | 0.55 | 209 | 1.3 | 8.2 | 3.8 | 0.21 | 0.39 | C92–94 |
| Leukaemia unspecified | 28 | 0.2 | 1.2 | 0.5 | 0.02 | 0.03 | 25 | 0.2 | 1.0 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 847 | 4.6 | 34.9 | 13.9 | 0.66 | 1.68 | 748 | 4.5 | 29.5 | 10.3 | 0.56 | 1.20 | O&U |
| All sites | 24576 | | 1011.8 | 421.2 | 21.33 | 50.13 | 22306 | | 879.1 | 364.1 | 22.96 | 41.32 | C00–96 |
| All sites except C44 | 18406 | 100.0 | 757.8 | 323.0 | 16.88 | 38.79 | 16478 | 100.0 | 649.4 | 275.6 | 17.68 | 31.19 | C00–96 exc.C44 |

Germany, Schleswig-Holstein

CONTRIBUTORS

Alexander Katalinic
Ron Pritzkeleit
Miriam Holzmann
Anke Richter



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 114.6 | Non-melanoma skin cancer | 95.7 |
| Prostate | 67.9 | Breast | 94.9 |
| Trachea, bronchus, and lung | 43.9 | Trachea, bronchus, and lung | 26.8 |
| Bladder | 25.4 | Colon | 16.6 |
| Colon | 21.2 | Melanoma of skin | 16.3 |
| Melanoma of skin | 15.8 | Corpus uteri | 10.8 |
| Rectum | 14.1 | Ovary | 8.7 |
| Non-Hodgkin lymphoma | 12.3 | Cervix uteri | 8.1 |
| Testis | 10.6 | Non-Hodgkin lymphoma | 8.0 |
| Stomach | 10.5 | Rectum | 7.9 |
| Kidney | 10.5 | Pancreas | 7.7 |
| Pancreas | 9.8 | Bladder | 6.9 |
| Oesophagus | 7.9 | Thyroid | 5.7 |
| Lymphoid leukaemia | 6.5 | Stomach | 5.3 |
| Brain and nervous system | 6.4 | Brain and nervous system | 5.2 |
| Other and unspecified | 6.0 | Kidney | 5.0 |
| Multiple myeloma | 5.2 | Other and unspecified | 4.8 |
| Liver | 5.0 | Vulva | 4.5 |
| Myeloid leukaemia | 4.8 | Lymphoid leukaemia | 3.7 |
| Larynx | 3.9 | Myeloid leukaemia | 3.4 |
| All sites | 444.7 | All sites | 379.5 |

Germany, Schleswig-Holstein (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 96 | 0.2 | 1.4 | 0.5 | 0.02 | 0.06 | 46 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 365 | 0.7 | 5.2 | 2.8 | 0.21 | 0.34 | 196 | 0.4 | 2.7 | 1.2 | 0.08 | 0.15 | C01–02 |
| Mouth | 424 | 0.8 | 6.1 | 3.1 | 0.23 | 0.37 | 236 | 0.5 | 3.2 | 1.4 | 0.10 | 0.17 | C03–06 |
| Salivary glands | 114 | 0.2 | 1.6 | 0.7 | 0.04 | 0.08 | 80 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 328 | 0.6 | 4.7 | 2.4 | 0.19 | 0.32 | 136 | 0.3 | 1.9 | 1.0 | 0.08 | 0.12 | C09 |
| Other oropharynx | 172 | 0.3 | 2.5 | 1.3 | 0.10 | 0.17 | 55 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C10 |
| Nasopharynx | 51 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 280 | 0.5 | 4.0 | 2.0 | 0.15 | 0.27 | 57 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C12–13 |
| Pharynx unspecified | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1226 | 2.3 | 17.6 | 7.9 | 0.47 | 1.00 | 373 | 0.8 | 5.1 | 2.0 | 0.11 | 0.26 | C15 |
| Stomach | 1813 | 3.4 | 26.0 | 10.5 | 0.54 | 1.20 | 1114 | 2.3 | 15.2 | 5.3 | 0.27 | 0.59 | C16 |
| Small intestine | 276 | 0.5 | 4.0 | 1.8 | 0.12 | 0.22 | 197 | 0.4 | 2.7 | 1.1 | 0.06 | 0.12 | C17 |
| Colon | 3795 | 7.1 | 54.3 | 21.2 | 0.97 | 2.37 | 3735 | 7.8 | 51.1 | 16.6 | 0.76 | 1.83 | C18 |
| Rectum | 2279 | 4.3 | 32.6 | 14.1 | 0.80 | 1.77 | 1538 | 3.2 | 21.0 | 7.9 | 0.45 | 0.90 | C19–20 |
| Anus | 162 | 0.3 | 2.3 | 1.2 | 0.08 | 0.14 | 333 | 0.7 | 4.6 | 2.1 | 0.16 | 0.24 | C21 |
| Liver | 854 | 1.6 | 12.2 | 5.0 | 0.25 | 0.62 | 436 | 0.9 | 6.0 | 2.3 | 0.12 | 0.27 | C22 |
| Gallbladder etc. | 403 | 0.8 | 5.8 | 2.1 | 0.08 | 0.26 | 478 | 1.0 | 6.5 | 2.0 | 0.09 | 0.21 | C23–24 |
| Pancreas | 1721 | 3.2 | 24.6 | 9.8 | 0.43 | 1.21 | 1708 | 3.6 | 23.4 | 7.7 | 0.36 | 0.91 | C25 |
| Nose, sinuses etc. | 129 | 0.2 | 1.8 | 0.9 | 0.06 | 0.11 | 75 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C30–31 |
| Larynx | 595 | 1.1 | 8.5 | 3.9 | 0.25 | 0.50 | 104 | 0.2 | 1.4 | 0.6 | 0.04 | 0.09 | C32 |
| Trachea, bronchus, and lung | 7381 | 13.8 | 105.7 | 43.9 | 2.21 | 5.66 | 4680 | 9.8 | 64.0 | 26.8 | 1.63 | 3.54 | C33–34 |
| Other thoracic organs | 49 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 33 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 69 | 0.1 | 1.0 | 0.8 | 0.05 | 0.06 | 60 | 0.1 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 2366 | 4.4 | 33.9 | 15.8 | 0.92 | 1.77 | 2242 | 4.7 | 30.7 | 16.3 | 1.13 | 1.71 | C43 |
| Other skin | 21171 | 39.5 | 303.1 | 114.6 | 4.63 | 13.25 | 18928 | 39.6 | 259.0 | 95.7 | 5.00 | 11.21 | C44 |
| Mesothelioma | 394 | 0.7 | 5.6 | 1.9 | 0.05 | 0.23 | 73 | 0.2 | 1.0 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 16 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 330 | 0.6 | 4.7 | 2.3 | 0.11 | 0.22 | 258 | 0.5 | 3.5 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 113 | 0.2 | 1.6 | 0.6 | 0.03 | 0.07 | 14383 | 30.1 | 196.8 | 94.9 | 6.75 | 10.73 | C50 |
| Vulva | | | | | | | 770 | 1.6 | 10.5 | 4.5 | 0.29 | 0.49 | C51 |
| Vagina | | | | | | | 72 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 903 | 1.9 | 12.4 | 8.1 | 0.63 | 0.78 | C53 |
| Corpus uteri | | | | | | | 1883 | 3.9 | 25.8 | 10.8 | 0.74 | 1.31 | C54 |
| Uterus unspecified | | | | | | | 105 | 0.2 | 1.4 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 1496 | 3.1 | 20.5 | 8.7 | 0.57 | 1.01 | C56 |
| Other female genital organs | | | | | | | 162 | 0.3 | 2.2 | 0.9 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 166 | 0.3 | 2.4 | 1.1 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 12094 | 22.6 | 173.2 | 67.9 | 2.76 | 9.02 | | | | | | | C61 |
| Testis | 774 | 1.4 | 11.1 | 10.6 | 0.81 | 0.85 | | | | | | | C62 |
| Other male genital organs | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1609 | 3.0 | 23.0 | 10.5 | 0.60 | 1.25 | 860 | 1.8 | 11.8 | 5.0 | 0.28 | 0.55 | C64 |
| Renal pelvis | 125 | 0.2 | 1.8 | 0.6 | 0.03 | 0.06 | 83 | 0.2 | 1.1 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 98 | 0.2 | 1.4 | 0.5 | 0.02 | 0.05 | 54 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 4655 | 8.7 | 66.7 | 25.4 | 1.07 | 3.00 | 1494 | 3.1 | 20.4 | 6.9 | 0.34 | 0.81 | C67 |
| Other urinary organs | 143 | 0.3 | 2.0 | 0.7 | 0.02 | 0.07 | 64 | 0.1 | 0.9 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 134 | 0.3 | 1.9 | 1.1 | 0.07 | 0.12 | 132 | 0.3 | 1.8 | 0.8 | 0.05 | 0.10 | C69 |
| Brain and nervous system | 768 | 1.4 | 11.0 | 6.4 | 0.42 | 0.68 | 653 | 1.4 | 8.9 | 5.2 | 0.33 | 0.52 | C70–72 |
| Thyroid | 245 | 0.5 | 3.5 | 2.2 | 0.17 | 0.23 | 583 | 1.2 | 8.0 | 5.7 | 0.45 | 0.55 | C73 |
| Adrenal gland | 25 | 0.0 | 0.4 | 0.3 | 0.02 | 0.02 | 31 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 9 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 17 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 316 | 0.6 | 4.5 | 3.8 | 0.25 | 0.31 | 197 | 0.4 | 2.7 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 1869 | 3.5 | 26.8 | 12.3 | 0.66 | 1.38 | 1504 | 3.1 | 20.6 | 8.0 | 0.44 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 142 | 0.3 | 2.0 | 0.8 | 0.05 | 0.09 | 143 | 0.3 | 2.0 | 0.8 | 0.04 | 0.10 | C88 |
| Multiple myeloma | 898 | 1.7 | 12.9 | 5.2 | 0.26 | 0.60 | 700 | 1.5 | 9.6 | 3.3 | 0.17 | 0.38 | C90 |
| Lymphoid leukaemia | 892 | 1.7 | 12.8 | 6.5 | 0.33 | 0.64 | 591 | 1.2 | 8.1 | 3.7 | 0.21 | 0.36 | C91 |
| Myeloid leukaemia | 677 | 1.3 | 9.7 | 4.8 | 0.25 | 0.47 | 553 | 1.2 | 7.6 | 3.4 | 0.18 | 0.33 | C92–94 |
| Leukaemia unspecified | 72 | 0.1 | 1.0 | 0.4 | 0.01 | 0.04 | 86 | 0.2 | 1.2 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 427 | 0.8 | 6.1 | 2.8 | 0.17 | 0.31 | 450 | 0.9 | 6.2 | 2.5 | 0.14 | 0.29 | MPD |
| Myelodysplastic syndromes | 461 | 0.9 | 6.6 | 2.4 | 0.07 | 0.21 | 395 | 0.8 | 5.4 | 1.5 | 0.05 | 0.14 | MPS |
| Other and unspecified | 1093 | 2.0 | 15.6 | 6.0 | 0.28 | 0.67 | 1148 | 2.4 | 15.7 | 4.8 | 0.23 | 0.50 | O&U |
| All sites | 74712 | | 1069.7 | 444.7 | 21.45 | 52.63 | 66709 | | 912.8 | 379.5 | 22.97 | 43.22 | C00–96 |
| All sites except C44 | 53541 | 100.0 | 766.6 | 330.2 | 16.82 | 39.38 | 47781 | 100.0 | 653.8 | 283.7 | 17.97 | 32.01 | C00–96 exc. C44 |

†See note following population pyramid

Iceland

CONTRIBUTORS

Helgi Birgisson
 Laufey Tryggvadottir
 Elinborg J. Olafsdottir
 Holmfridur Hilmarsdottir
 Hrefna Stefansdottir
 Kristin Alexiusdottir
 Gudridur H. Olafsdottir



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 75.6 | Non-melanoma skin cancer | 94.7 |
| Non-melanoma skin cancer | 74.8 | Breast | 83.8 |
| Trachea, bronchus, and lung | 29.4 | Trachea, bronchus, and lung | 32.0 |
| Colon | 22.0 | Colon | 19.6 |
| Bladder | 20.9 | Corpus uteri | 14.4 |
| Kidney | 13.0 | Melanoma of skin | 10.6 |
| Rectum | 10.9 | Thyroid | 9.7 |
| Non-Hodgkin lymphoma | 9.9 | Non-Hodgkin lymphoma | 9.1 |
| Pancreas | 8.7 | Cervix uteri | 8.9 |
| Melanoma of skin | 8.5 | Kidney | 7.5 |
| Testis | 7.0 | Rectum | 6.4 |
| Lymphoid leukaemia | 6.4 | Pancreas | 6.4 |
| Brain and nervous system | 5.9 | Ovary | 6.0 |
| Oesophagus | 5.6 | Other and unspecified | 5.3 |
| Liver | 5.2 | Brain and nervous system | 5.0 |
| Stomach | 5.1 | Bladder | 4.9 |
| Multiple myeloma | 4.3 | Multiple myeloma | 4.4 |
| Thyroid | 3.5 | Lymphoid leukaemia | 4.2 |
| Other and unspecified | 3.4 | Stomach | 3.4 |
| Myelodysplastic syndromes | 3.3 | Hodgkin lymphoma | 3.0 |
| All sites | 356.3 | All sites | 364.9 |

Iceland (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 10 | 0.3 | 1.2 | 0.7 | 0.04 | 0.09 | 3 | 0.1 | 0.4 | 0.2 | 0.00 | 0.04 | C00 |
| Tongue | 21 | 0.5 | 2.5 | 1.9 | 0.14 | 0.19 | 8 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | C01–02 |
| Mouth | 20 | 0.5 | 2.4 | 1.5 | 0.11 | 0.14 | 15 | 0.4 | 1.8 | 0.8 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 4 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 7 | 0.2 | 0.8 | 0.6 | 0.04 | 0.08 | C07–08 |
| Tonsil | 20 | 0.5 | 2.4 | 1.7 | 0.19 | 0.19 | 4 | 0.1 | 0.5 | 0.3 | 0.03 | 0.05 | C09 |
| Other oropharynx | 4 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 5 | 0.1 | 0.6 | 0.4 | 0.03 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 77 | 2.0 | 9.2 | 5.6 | 0.34 | 0.74 | 27 | 0.7 | 3.3 | 1.6 | 0.07 | 0.15 | C15 |
| Stomach | 75 | 2.0 | 9.0 | 5.1 | 0.25 | 0.53 | 59 | 1.6 | 7.2 | 3.4 | 0.16 | 0.33 | C16 |
| Small intestine | 23 | 0.6 | 2.8 | 1.6 | 0.09 | 0.17 | 19 | 0.5 | 2.3 | 1.3 | 0.08 | 0.15 | C17 |
| Colon | 313 | 8.2 | 37.4 | 22.0 | 0.90 | 2.53 | 326 | 9.0 | 39.5 | 19.6 | 0.89 | 2.10 | C18 |
| Rectum | 146 | 3.8 | 17.5 | 10.9 | 0.75 | 1.22 | 95 | 2.6 | 11.5 | 6.4 | 0.32 | 0.75 | C19–20 |
| Anus | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 15 | 0.4 | 1.8 | 1.2 | 0.09 | 0.18 | C21 |
| Liver | 73 | 1.9 | 8.7 | 5.2 | 0.20 | 0.69 | 31 | 0.9 | 3.8 | 1.7 | 0.07 | 0.19 | C22 |
| Gallbladder etc. | 27 | 0.7 | 3.2 | 1.8 | 0.06 | 0.20 | 21 | 0.6 | 2.5 | 1.1 | 0.05 | 0.12 | C23–24 |
| Pancreas | 130 | 3.4 | 15.5 | 8.7 | 0.36 | 1.05 | 106 | 2.9 | 12.9 | 6.4 | 0.21 | 0.76 | C25 |
| Nose, sinuses etc. | 8 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C30–31 |
| Larynx | 33 | 0.9 | 3.9 | 2.3 | 0.09 | 0.31 | 4 | 0.1 | 0.5 | 0.3 | 0.01 | 0.06 | C32 |
| Trachea, bronchus, and lung | 428 | 11.2 | 51.2 | 29.4 | 1.21 | 3.64 | 474 | 13.0 | 57.5 | 32.0 | 1.41 | 4.31 | C33–34 |
| Other thoracic organs | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 3 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C37–38 |
| Bone | 8 | 0.2 | 1.0 | 1.1 | 0.07 | 0.08 | 7 | 0.2 | 0.8 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 106 | 2.8 | 12.7 | 8.5 | 0.48 | 0.90 | 121 | 3.3 | 14.7 | 10.6 | 0.77 | 1.11 | C43 |
| Other skin | 1087 | 28.4 | 130.0 | 74.8 | 3.32 | 7.75 | 1349 | 37.1 | 163.6 | 94.7 | 5.31 | 10.37 | C44 |
| Mesothelioma | 15 | 0.4 | 1.8 | 1.0 | 0.03 | 0.16 | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.6 | 0.3 | 0.01 | 0.01 | 4 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 15 | 0.4 | 1.8 | 1.2 | 0.04 | 0.15 | 23 | 0.6 | 2.8 | 2.1 | 0.08 | 0.20 | C47+C49 |
| Breast | 20 | 0.5 | 2.4 | 1.4 | 0.09 | 0.18 | 1055 | 29.0 | 128.0 | 83.8 | 5.88 | 9.57 | C50 |
| Vulva | | | | | | | 36 | 1.0 | 4.4 | 2.5 | 0.14 | 0.28 | C51 |
| Vagina | | | | | | | 7 | 0.2 | 0.8 | 0.5 | 0.03 | 0.08 | C52 |
| Cervix uteri | | | | | | | 88 | 2.4 | 10.7 | 8.9 | 0.71 | 0.78 | C53 |
| Corpus uteri | | | | | | | 187 | 5.1 | 22.7 | 14.4 | 1.00 | 1.88 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 81 | 2.2 | 9.8 | 6.0 | 0.40 | 0.71 | C56 |
| Other female genital organs | | | | | | | 12 | 0.3 | 1.5 | 0.8 | 0.03 | 0.09 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.4 | 1.9 | 1.2 | 0.06 | 0.13 | | | | | | | C60 |
| Prostate | 1065 | 27.8 | 127.3 | 75.6 | 3.05 | 10.13 | | | | | | | C61 |
| Testis | 62 | 1.6 | 7.4 | 7.0 | 0.51 | 0.55 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 167 | 4.4 | 20.0 | 13.0 | 0.74 | 1.69 | 105 | 2.9 | 12.7 | 7.5 | 0.47 | 0.88 | C64 |
| Renal pelvis | 8 | 0.2 | 1.0 | 0.5 | 0.02 | 0.03 | 7 | 0.2 | 0.8 | 0.5 | 0.02 | 0.07 | C65 |
| Ureter | 6 | 0.2 | 0.7 | 0.4 | 0.04 | 0.04 | 5 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 301 | 7.9 | 36.0 | 20.9 | 0.92 | 2.40 | 72 | 2.0 | 8.7 | 4.9 | 0.23 | 0.62 | C67 |
| Other urinary organs | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.2 | 1.0 | 1.0 | 0.07 | 0.08 | 8 | 0.2 | 1.0 | 0.7 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 69 | 1.8 | 8.3 | 5.9 | 0.41 | 0.63 | 57 | 1.6 | 6.9 | 5.0 | 0.36 | 0.54 | C70–72 |
| Thyroid | 43 | 1.1 | 5.1 | 3.5 | 0.23 | 0.41 | 101 | 2.8 | 12.3 | 9.7 | 0.78 | 0.89 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 7 | 0.2 | 0.8 | 0.7 | 0.05 | 0.06 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 29 | 0.8 | 3.5 | 3.1 | 0.24 | 0.26 | 26 | 0.7 | 3.2 | 3.0 | 0.20 | 0.24 | C81 |
| Non-Hodgkin lymphoma | 127 | 3.3 | 15.2 | 9.9 | 0.55 | 1.17 | 121 | 3.3 | 14.7 | 9.1 | 0.57 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 28 | 0.7 | 3.3 | 1.9 | 0.10 | 0.18 | 16 | 0.4 | 1.9 | 1.1 | 0.07 | 0.12 | C88 |
| Multiple myeloma | 63 | 1.6 | 7.5 | 4.3 | 0.15 | 0.56 | 65 | 1.8 | 7.9 | 4.4 | 0.22 | 0.57 | C90 |
| Lymphoid leukaemia | 72 | 1.9 | 8.6 | 6.4 | 0.33 | 0.57 | 40 | 1.1 | 4.9 | 4.2 | 0.23 | 0.34 | C91 |
| Myeloid leukaemia | 34 | 0.9 | 4.1 | 2.5 | 0.06 | 0.24 | 25 | 0.7 | 3.0 | 1.9 | 0.10 | 0.21 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 38 | 1.0 | 4.5 | 3.0 | 0.14 | 0.42 | 27 | 0.7 | 3.3 | 2.3 | 0.12 | 0.25 | MPD |
| Myelodysplastic syndromes | 45 | 1.2 | 5.4 | 3.3 | 0.13 | 0.38 | 21 | 0.6 | 2.5 | 1.1 | 0.03 | 0.10 | MPS |
| Other and unspecified | 52 | 1.4 | 6.2 | 3.4 | 0.11 | 0.28 | 89 | 2.4 | 10.8 | 5.3 | 0.22 | 0.56 | O&U |
| All sites | 4915 | | 587.7 | 356.3 | 16.79 | 41.38 | 4985 | | 604.6 | 364.9 | 21.66 | 41.12 | C00–96 |
| All sites except C44 | 3828 | 100.0 | 457.7 | 281.5 | 13.47 | 33.63 | 3636 | 100.0 | 441.0 | 270.1 | 16.36 | 30.75 | C00–96 exc. C44 |

†See note following population pyramid

Ireland

CONTRIBUTORS

Deirdre Murray
Grace Gregan
Paul Walsh
Fiona Dwane
Joe McDevitt



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 159.0 | Non-melanoma skin cancer | 109.6 |
| Prostate | 99.1 | Breast | 90.4 |
| Trachea, bronchus, and lung | 36.1 | Trachea, bronchus, and lung | 28.1 |
| Colon | 25.4 | Colon | 18.5 |
| Rectum | 15.8 | Melanoma of skin | 16.1 |
| Melanoma of skin | 15.1 | Corpus uteri | 14.0 |
| Bladder | 15.0 | Ovary | 10.8 |
| Non-Hodgkin lymphoma | 13.1 | Non-Hodgkin lymphoma | 9.6 |
| Kidney | 12.1 | Cervix uteri | 9.2 |
| Stomach | 9.6 | Rectum | 7.6 |
| Pancreas | 7.8 | Thyroid | 6.6 |
| Oesophagus | 7.7 | Kidney | 6.1 |
| Brain and nervous system | 7.2 | Pancreas | 5.9 |
| Testis | 6.8 | Brain and nervous system | 5.2 |
| Lymphoid leukaemia | 6.5 | Bladder | 5.0 |
| Other and unspecified | 5.9 | Other and unspecified | 5.0 |
| Liver | 5.8 | Stomach | 4.6 |
| Multiple myeloma | 5.1 | Lymphoid leukaemia | 3.7 |
| Larynx | 4.0 | Multiple myeloma | 3.1 |
| Myeloid leukaemia | 3.4 | Oesophagus | 3.1 |
| All sites | 498.6 | All sites | 392.1 |

Ireland (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 95 | 0.2 | 0.8 | 0.5 | 0.02 | 0.05 | 19 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 404 | 0.7 | 3.5 | 2.5 | 0.17 | 0.31 | 189 | 0.4 | 1.6 | 1.1 | 0.07 | 0.13 | C01–02 |
| Mouth | 379 | 0.6 | 3.3 | 2.3 | 0.15 | 0.28 | 193 | 0.4 | 1.6 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 162 | 0.3 | 1.4 | 0.9 | 0.04 | 0.09 | 81 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 267 | 0.4 | 2.3 | 1.7 | 0.14 | 0.21 | 102 | 0.2 | 0.9 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 117 | 0.2 | 1.0 | 0.7 | 0.05 | 0.09 | 24 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 71 | 0.1 | 0.6 | 0.4 | 0.04 | 0.05 | 29 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 195 | 0.3 | 1.7 | 1.1 | 0.07 | 0.15 | 40 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 34 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 11 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1410 | 2.3 | 12.1 | 7.7 | 0.40 | 0.94 | 701 | 1.3 | 5.9 | 3.1 | 0.12 | 0.34 | C15 |
| Stomach | 1828 | 3.0 | 15.7 | 9.6 | 0.44 | 1.08 | 999 | 1.9 | 8.4 | 4.6 | 0.21 | 0.52 | C16 |
| Small intestine | 282 | 0.5 | 2.4 | 1.6 | 0.08 | 0.19 | 215 | 0.4 | 1.8 | 1.1 | 0.06 | 0.14 | C17 |
| Colon | 4794 | 8.0 | 41.3 | 25.4 | 1.10 | 2.85 | 3840 | 7.3 | 32.4 | 18.5 | 0.89 | 2.01 | C18 |
| Rectum | 2832 | 4.7 | 24.4 | 15.8 | 0.83 | 1.96 | 1493 | 2.9 | 12.6 | 7.6 | 0.47 | 0.87 | C19–20 |
| Anus | 123 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 171 | 0.3 | 1.4 | 0.9 | 0.06 | 0.10 | C21 |
| Liver | 1052 | 1.7 | 9.1 | 5.8 | 0.29 | 0.68 | 441 | 0.8 | 3.7 | 2.0 | 0.09 | 0.23 | C22 |
| Gallbladder etc. | 470 | 0.8 | 4.0 | 2.4 | 0.09 | 0.25 | 576 | 1.1 | 4.9 | 2.5 | 0.09 | 0.27 | C23–24 |
| Pancreas | 1472 | 2.4 | 12.7 | 7.8 | 0.34 | 0.92 | 1318 | 2.5 | 11.1 | 5.9 | 0.26 | 0.66 | C25 |
| Nose, sinuses etc. | 82 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | 65 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 711 | 1.2 | 6.1 | 4.0 | 0.23 | 0.53 | 156 | 0.3 | 1.3 | 0.9 | 0.06 | 0.11 | C32 |
| Trachea, bronchus, and lung | 6857 | 11.4 | 59.0 | 36.1 | 1.45 | 4.47 | 5828 | 11.1 | 49.1 | 28.1 | 1.26 | 3.58 | C33–34 |
| Other thoracic organs | 63 | 0.1 | 0.5 | 0.4 | 0.02 | 0.03 | 39 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 149 | 0.2 | 1.3 | 1.2 | 0.07 | 0.10 | 116 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 2644 | 4.4 | 22.8 | 15.1 | 0.86 | 1.64 | 2811 | 5.4 | 23.7 | 16.1 | 1.07 | 1.73 | C43 |
| Other skin | 30225 | 50.2 | 260.1 | 159.0 | 6.91 | 17.79 | 22796 | 43.6 | 192.2 | 109.6 | 5.61 | 12.36 | C44 |
| Mesothelioma | 209 | 0.3 | 1.8 | 1.0 | 0.03 | 0.13 | 35 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 38 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 454 | 0.8 | 3.9 | 2.7 | 0.13 | 0.25 | 286 | 0.5 | 2.4 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 139 | 0.2 | 1.2 | 0.7 | 0.03 | 0.09 | 15622 | 29.9 | 131.7 | 90.4 | 6.84 | 10.12 | C50 |
| Vulva | | | | | | | 279 | 0.5 | 2.4 | 1.4 | 0.09 | 0.15 | C51 |
| Vagina | | | | | | | 57 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 1404 | 2.7 | 11.8 | 9.2 | 0.74 | 0.86 | C53 |
| Corpus uteri | | | | | | | 2506 | 4.8 | 21.1 | 14.0 | 0.95 | 1.79 | C54 |
| Uterus unspecified | | | | | | | 117 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 1988 | 3.8 | 16.8 | 10.8 | 0.68 | 1.24 | C56 |
| Other female genital organs | | | | | | | 183 | 0.3 | 1.5 | 0.9 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 189 | 0.3 | 1.6 | 1.0 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 17253 | 28.7 | 148.5 | 99.1 | 5.45 | 13.64 | | | | | | | C61 |
| Testis | 858 | 1.4 | 7.4 | 6.8 | 0.51 | 0.53 | | | | | | | C62 |
| Other male genital organs | 20 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2057 | 3.4 | 17.7 | 12.1 | 0.72 | 1.39 | 1148 | 2.2 | 9.7 | 6.1 | 0.35 | 0.69 | C64 |
| Renal pelvis | 81 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 39 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 90 | 0.1 | 0.8 | 0.5 | 0.02 | 0.05 | 45 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 2892 | 4.8 | 24.9 | 15.0 | 0.59 | 1.69 | 1094 | 2.1 | 9.2 | 5.0 | 0.24 | 0.56 | C67 |
| Other urinary organs | 22 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 17 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 177 | 0.3 | 1.5 | 1.2 | 0.07 | 0.12 | 135 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | C69 |
| Brain and nervous system | 1100 | 1.8 | 9.5 | 7.2 | 0.43 | 0.75 | 826 | 1.6 | 7.0 | 5.2 | 0.32 | 0.50 | C70–72 |
| Thyroid | 374 | 0.6 | 3.2 | 2.4 | 0.17 | 0.26 | 991 | 1.9 | 8.4 | 6.6 | 0.49 | 0.64 | C73 |
| Adrenal gland | 41 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 48 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 37 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 30 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 437 | 0.7 | 3.8 | 3.4 | 0.23 | 0.29 | 334 | 0.6 | 2.8 | 2.7 | 0.17 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 2237 | 3.7 | 19.2 | 13.1 | 0.72 | 1.44 | 1787 | 3.4 | 15.1 | 9.6 | 0.53 | 1.11 | C82–86,C96 |
| Immunoproliferative diseases | 99 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 100 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 955 | 1.6 | 8.2 | 5.1 | 0.25 | 0.59 | 659 | 1.3 | 5.6 | 3.1 | 0.16 | 0.37 | C90 |
| Lymphoid leukaemia | 1012 | 1.7 | 8.7 | 6.5 | 0.35 | 0.65 | 567 | 1.1 | 4.8 | 3.7 | 0.17 | 0.32 | C91 |
| Myeloid leukaemia | 582 | 1.0 | 5.0 | 3.4 | 0.16 | 0.35 | 421 | 0.8 | 3.6 | 2.4 | 0.14 | 0.25 | C92–94 |
| Leukaemia unspecified | 104 | 0.2 | 0.9 | 0.5 | 0.01 | 0.03 | 84 | 0.2 | 0.7 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 510 | 0.8 | 4.4 | 2.9 | 0.17 | 0.32 | 446 | 0.9 | 3.8 | 2.3 | 0.13 | 0.26 | MPD |
| Myelodysplastic syndromes | 547 | 0.9 | 4.7 | 2.6 | 0.06 | 0.27 | 338 | 0.6 | 2.9 | 1.5 | 0.05 | 0.16 | MPS |
| Other and unspecified | 1159 | 1.9 | 10.0 | 5.9 | 0.21 | 0.58 | 1237 | 2.4 | 10.4 | 5.0 | 0.19 | 0.48 | O&U |
| All sites | 90391 | | 777.8 | 498.6 | 24.37 | 58.56 | 75084 | | 633.2 | 392.1 | 23.21 | 43.93 | C00–96 |
| All sites except C44 | 60166 | 100.0 | 517.7 | 339.6 | 17.45 | 40.77 | 52288 | 100.0 | 440.9 | 282.5 | 17.60 | 31.56 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Aosta Valley

CONTRIBUTORS

Maurizio Castelli
Salvatore Bongiorno
Serena Maria Curti
Tania D'Herin



NOTES ON THE DATA

*Rates based on low numbers due to small population.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 77.0 | Breast | 92.7 |
| Prostate | 75.4 | Non-melanoma skin cancer | 52.9 |
| Trachea, bronchus, and lung | 35.4 | Trachea, bronchus, and lung | 17.0 |
| Bladder | 28.5 | Melanoma of skin | 12.7 |
| Colon | 21.1 | Corpus uteri | 12.5 |
| Liver | 16.1 | Colon | 12.2 |
| Kidney | 14.4 | Non-Hodgkin lymphoma | 7.6 |
| Melanoma of skin | 10.6 | Thyroid | 7.4 |
| Stomach | 9.9 | Ovary | 7.1 |
| Pancreas | 9.8 | Pancreas | 7.1 |
| Non-Hodgkin lymphoma | 9.3 | Bladder | 6.8 |
| Rectum | 8.1 | Stomach | 6.7 |
| Testis | 7.2 | Liver | 6.1 |
| Brain and nervous system | 6.6 | Cervix uteri | 6.1 |
| Oesophagus | 4.7 | Rectum | 4.4 |
| Larynx | 4.4 | Kidney | 3.9 |
| Lymphoid leukaemia | 3.9 | Hodgkin lymphoma | 3.8 |
| Multiple myeloma | 3.8 | Lymphoid leukaemia | 3.3 |
| Tongue | 3.3 | Brain and nervous system | 3.3 |
| Myeloid leukaemia | 3.3 | Anus | 3.0 |
| All sites | 390.6 | All sites | 305.2 |

*Italy, Aosta Valley (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2 | 0.1 | 0.8 | 0.2 | 0.00 | 0.00 | 2 | 0.1 | 0.8 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 18 | 1.0 | 7.2 | 3.3 | 0.24 | 0.42 | 5 | 0.3 | 1.9 | 1.0 | 0.09 | 0.12 | C01–02 |
| Mouth | 17 | 1.0 | 6.8 | 2.7 | 0.12 | 0.26 | 6 | 0.4 | 2.3 | 0.8 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 6 | 0.3 | 2.4 | 0.9 | 0.02 | 0.10 | 5 | 0.3 | 1.9 | 0.6 | 0.03 | 0.06 | C07–08 |
| Tonsil | 7 | 0.4 | 2.8 | 1.4 | 0.08 | 0.18 | 4 | 0.3 | 1.5 | 0.8 | 0.05 | 0.12 | C09 |
| Other oropharynx | 5 | 0.3 | 2.0 | 1.0 | 0.06 | 0.17 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 3 | 0.2 | 1.2 | 0.3 | 0.00 | 0.03 | 1 | 0.1 | 0.4 | 0.1 | 0.00 | 0.04 | C11 |
| Hypopharynx | 14 | 0.8 | 5.6 | 2.5 | 0.11 | 0.32 | 1 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C12–13 |
| Pharynx unspecified | 3 | 0.2 | 1.2 | 0.6 | 0.06 | 0.06 | 1 | 0.1 | 0.4 | 0.2 | 0.03 | 0.03 | C14 |
| Oesophagus | 28 | 1.6 | 11.2 | 4.7 | 0.19 | 0.63 | 15 | 1.0 | 5.7 | 2.3 | 0.13 | 0.34 | C15 |
| Stomach | 59 | 3.3 | 23.6 | 9.9 | 0.48 | 1.15 | 50 | 3.3 | 19.1 | 6.7 | 0.41 | 0.72 | C16 |
| Small intestine | 5 | 0.3 | 2.0 | 0.9 | 0.09 | 0.09 | 5 | 0.3 | 1.9 | 1.1 | 0.08 | 0.15 | C17 |
| Colon | 133 | 7.5 | 53.2 | 21.1 | 0.81 | 2.50 | 109 | 7.2 | 41.6 | 12.2 | 0.74 | 1.12 | C18 |
| Rectum | 48 | 2.7 | 19.2 | 8.1 | 0.45 | 0.85 | 34 | 2.2 | 13.0 | 4.4 | 0.27 | 0.38 | C19–20 |
| Anus | 8 | 0.5 | 3.2 | 1.7 | 0.11 | 0.17 | 16 | 1.1 | 6.1 | 3.0 | 0.25 | 0.35 | C21 |
| Liver | 90 | 5.1 | 36.0 | 16.1 | 0.90 | 2.00 | 38 | 2.5 | 14.5 | 6.1 | 0.36 | 0.52 | C22 |
| Gallbladder etc. | 11 | 0.6 | 4.4 | 1.6 | 0.03 | 0.21 | 14 | 0.9 | 5.3 | 1.6 | 0.03 | 0.24 | C23–24 |
| Pancreas | 52 | 2.9 | 20.8 | 9.8 | 0.61 | 1.29 | 56 | 3.7 | 21.4 | 7.1 | 0.39 | 0.77 | C25 |
| Nose, sinuses etc. | 3 | 0.2 | 1.2 | 0.4 | 0.03 | 0.03 | 1 | 0.1 | 0.4 | 0.1 | 0.00 | 0.04 | C30–31 |
| Larynx | 25 | 1.4 | 10.0 | 4.4 | 0.17 | 0.51 | 4 | 0.3 | 1.5 | 0.8 | 0.08 | 0.08 | C32 |
| Trachea, bronchus, and lung | 224 | 12.6 | 89.7 | 35.4 | 1.66 | 4.19 | 127 | 8.4 | 48.4 | 17.0 | 0.83 | 2.10 | C33–34 |
| Other thoracic organs | 8 | 0.5 | 3.2 | 2.1 | 0.12 | 0.19 | 3 | 0.2 | 1.1 | 0.3 | 0.00 | 0.04 | C37–38 |
| Bone | 5 | 0.3 | 2.0 | 1.2 | 0.08 | 0.12 | 3 | 0.2 | 1.1 | 0.2 | 0.00 | 0.04 | C40–41 |
| Melanoma of skin | 52 | 2.9 | 20.8 | 10.6 | 0.68 | 1.14 | 59 | 3.9 | 22.5 | 12.7 | 0.96 | 1.29 | C43 |
| Other skin | 496 | 28.0 | 198.5 | 77.0 | 3.05 | 8.73 | 401 | 26.4 | 152.9 | 52.9 | 2.85 | 5.53 | C44 |
| Mesothelioma | 12 | 0.7 | 4.8 | 1.5 | 0.03 | 0.19 | 5 | 0.3 | 1.9 | 0.6 | 0.00 | 0.10 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.8 | 0.2 | 0.00 | 0.00 | 1 | 0.1 | 0.4 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 9 | 0.5 | 3.6 | 2.0 | 0.06 | 0.21 | 4 | 0.3 | 1.5 | 0.7 | 0.05 | 0.09 | C47+C49 |
| Breast | 5 | 0.3 | 2.0 | 0.8 | 0.03 | 0.10 | 509 | 33.5 | 194.1 | 92.7 | 6.72 | 10.61 | C50 |
| Vulva | | | | | | | 9 | 0.6 | 3.4 | 1.1 | 0.05 | 0.12 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.8 | 0.1 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 24 | 1.6 | 9.2 | 6.1 | 0.50 | 0.57 | C53 |
| Corpus uteri | | | | | | | 74 | 4.9 | 28.2 | 12.5 | 0.80 | 1.73 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.7 | 4.2 | 1.4 | 0.06 | 0.20 | C55 |
| Ovary | | | | | | | 44 | 2.9 | 16.8 | 7.1 | 0.46 | 0.78 | C56 |
| Other female genital organs | | | | | | | 5 | 0.3 | 1.9 | 0.7 | 0.00 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 2 | 0.1 | 0.8 | 0.2 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 442 | 24.9 | 176.9 | 75.4 | 3.50 | 10.64 | | | | | | | C61 |
| Testis | 17 | 1.0 | 6.8 | 7.2 | 0.53 | 0.53 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 73 | 4.1 | 29.2 | 14.4 | 0.89 | 1.58 | 25 | 1.6 | 9.5 | 3.9 | 0.26 | 0.29 | C64 |
| Renal pelvis | 2 | 0.1 | 0.8 | 0.2 | 0.00 | 0.00 | 1 | 0.1 | 0.4 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.2 | 1.2 | 0.6 | 0.06 | 0.06 | 2 | 0.1 | 0.8 | 0.2 | 0.00 | 0.00 | C66 |
| †Bladder | 175 | 9.9 | 70.1 | 28.5 | 1.33 | 3.41 | 50 | 3.3 | 19.1 | 6.8 | 0.37 | 0.82 | C67 |
| Other urinary organs | 3 | 0.2 | 1.2 | 0.5 | 0.03 | 0.03 | 2 | 0.1 | 0.8 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.8 | 0.2 | 0.00 | 0.00 | 3 | 0.2 | 1.1 | 0.6 | 0.06 | 0.06 | C69 |
| Brain and nervous system | 29 | 1.6 | 11.6 | 6.6 | 0.38 | 0.60 | 22 | 1.4 | 8.4 | 3.3 | 0.20 | 0.37 | C70–72 |
| Thyroid | 11 | 0.6 | 4.4 | 3.0 | 0.19 | 0.23 | 29 | 1.9 | 11.1 | 7.4 | 0.56 | 0.66 | C73 |
| Adrenal gland | 1 | 0.1 | 0.4 | 0.7 | 0.04 | 0.04 | 1 | 0.1 | 0.4 | 1.0 | 0.04 | 0.04 | C74 |
| Other endocrine | 1 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 1 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C75 |
| Hodgkin lymphoma | 8 | 0.5 | 3.2 | 2.1 | 0.18 | 0.26 | 7 | 0.5 | 2.7 | 3.8 | 0.24 | 0.24 | C81 |
| Non-Hodgkin lymphoma | 48 | 2.7 | 19.2 | 9.3 | 0.64 | 1.05 | 37 | 2.4 | 14.1 | 7.6 | 0.47 | 0.71 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.1 | 0.8 | 0.5 | 0.05 | 0.05 | 5 | 0.3 | 1.9 | 1.0 | 0.08 | 0.11 | C88 |
| Multiple myeloma | 22 | 1.2 | 8.8 | 3.8 | 0.23 | 0.50 | 23 | 1.5 | 8.8 | 2.7 | 0.11 | 0.28 | C90 |
| Lymphoid leukaemia | 15 | 0.8 | 6.0 | 3.9 | 0.22 | 0.36 | 11 | 0.7 | 4.2 | 3.3 | 0.21 | 0.27 | C91 |
| Myeloid leukaemia | 13 | 0.7 | 5.2 | 3.3 | 0.20 | 0.31 | 5 | 0.3 | 1.9 | 0.8 | 0.06 | 0.09 | C92–94 |
| Leukaemia unspecified | 5 | 0.3 | 2.0 | 1.3 | 0.09 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 10 | 0.6 | 4.0 | 2.1 | 0.13 | 0.24 | 15 | 1.0 | 5.7 | 2.8 | 0.15 | 0.28 | MPD |
| Myelodysplastic syndromes | 18 | 1.0 | 7.2 | 2.1 | 0.03 | 0.19 | 18 | 1.2 | 6.9 | 1.8 | 0.08 | 0.15 | MPS |
| Other and unspecified | 17 | 1.0 | 6.8 | 2.3 | 0.06 | 0.24 | 15 | 1.0 | 5.7 | 2.7 | 0.12 | 0.19 | O&U |
| All sites | 2269 | | 908.3 | 390.6 | 19.11 | 46.39 | 1920 | | 732.1 | 305.2 | 19.26 | 33.09 | C00–96 |
| All sites except C44 | 1773 | 100.0 | 709.7 | 313.6 | 16.06 | 37.66 | 1519 | 100.0 | 579.2 | 252.3 | 16.40 | 27.56 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Avellino

CONTRIBUTORS

Gaetano Morrone
 Donatella Camerlengo
 Antonietta Ferraro
 Lidja Bogdanovic
 Mafalda Adda
 Lina Matarazzo
 Francesco D'Amelio



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 51.2 | Breast | 65.6 |
| Prostate | 47.4 | Non-melanoma skin cancer | 38.4 |
| Trachea, bronchus, and lung | 41.9 | Thyroid | 33.9 |
| Bladder | 32.0 | Colon | 13.6 |
| Colon | 22.4 | Corpus uteri | 13.1 |
| Rectum | 15.3 | Trachea, bronchus, and lung | 10.8 |
| Non-Hodgkin lymphoma | 14.5 | Melanoma of skin | 8.8 |
| Liver | 13.3 | Non-Hodgkin lymphoma | 8.3 |
| Thyroid | 11.5 | Ovary | 7.2 |
| Stomach | 11.3 | Rectum | 7.1 |
| Melanoma of skin | 9.5 | Cervix uteri | 5.6 |
| Kidney | 8.5 | Stomach | 5.0 |
| Testis | 8.0 | Bladder | 4.9 |
| Pancreas | 7.0 | Hodgkin lymphoma | 4.8 |
| Brain and nervous system | 6.9 | Brain and nervous system | 4.5 |
| Larynx | 6.3 | Kidney | 4.1 |
| Hodgkin lymphoma | 5.9 | Pancreas | 3.8 |
| Lymphoid leukaemia | 5.0 | Liver | 3.4 |
| Multiple myeloma | 4.2 | Multiple myeloma | 2.9 |
| Myeloid leukaemia | 4.1 | Other and unspecified | 2.5 |
| All sites | 358.6 | All sites | 270.5 |

*Italy, Avellino (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.2 | 1.3 | 0.5 | 0.04 | 0.04 | 3 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 19 | 0.5 | 3.0 | 1.8 | 0.16 | 0.25 | 12 | 0.4 | 1.8 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 8 | 0.2 | 1.3 | 0.7 | 0.06 | 0.08 | 8 | 0.3 | 1.2 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 13 | 0.3 | 2.1 | 1.0 | 0.07 | 0.09 | 4 | 0.1 | 0.6 | 0.8 | 0.06 | 0.06 | C07–08 |
| Tonsil | 5 | 0.1 | 0.8 | 0.4 | 0.05 | 0.05 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C09 |
| Other oropharynx | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 14 | 0.4 | 2.2 | 1.5 | 0.12 | 0.16 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 7 | 0.2 | 1.1 | 0.5 | 0.01 | 0.06 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 21 | 0.5 | 3.3 | 1.5 | 0.09 | 0.18 | 4 | 0.1 | 0.6 | 0.2 | 0.01 | 0.05 | C15 |
| Stomach | 169 | 4.3 | 26.8 | 11.3 | 0.54 | 1.31 | 99 | 3.3 | 15.0 | 5.0 | 0.21 | 0.62 | C16 |
| Small intestine | 16 | 0.4 | 2.5 | 1.4 | 0.10 | 0.15 | 9 | 0.3 | 1.4 | 0.5 | 0.01 | 0.05 | C17 |
| Colon | 324 | 8.2 | 51.5 | 22.4 | 0.99 | 2.81 | 225 | 7.5 | 34.1 | 13.6 | 0.71 | 1.58 | C18 |
| Rectum | 208 | 5.3 | 33.0 | 15.3 | 0.64 | 2.02 | 117 | 3.9 | 17.7 | 7.1 | 0.41 | 0.87 | C19–20 |
| Anus | 7 | 0.2 | 1.1 | 0.5 | 0.00 | 0.08 | 10 | 0.3 | 1.5 | 0.7 | 0.04 | 0.12 | C21 |
| Liver | 183 | 4.6 | 29.1 | 13.3 | 0.68 | 1.75 | 76 | 2.5 | 11.5 | 3.4 | 0.16 | 0.38 | C22 |
| Gallbladder etc. | 40 | 1.0 | 6.4 | 2.5 | 0.09 | 0.31 | 54 | 1.8 | 8.2 | 2.4 | 0.06 | 0.28 | C23–24 |
| Pancreas | 98 | 2.5 | 15.6 | 7.0 | 0.31 | 0.90 | 80 | 2.7 | 12.1 | 3.8 | 0.23 | 0.40 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 1 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 74 | 1.9 | 11.8 | 6.3 | 0.41 | 0.82 | 3 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C32 |
| Trachea, bronchus, and lung | 608 | 15.4 | 96.6 | 41.9 | 1.64 | 5.51 | 168 | 5.6 | 25.4 | 10.8 | 0.68 | 1.31 | C33–34 |
| Other thoracic organs | 9 | 0.2 | 1.4 | 0.6 | 0.04 | 0.06 | 7 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | C37–38 |
| Bone | 8 | 0.2 | 1.3 | 1.4 | 0.08 | 0.11 | 13 | 0.4 | 2.0 | 1.5 | 0.10 | 0.10 | C40–41 |
| Melanoma of skin | 95 | 2.4 | 15.1 | 9.5 | 0.73 | 0.96 | 86 | 2.9 | 13.0 | 8.8 | 0.64 | 0.81 | C43 |
| Other skin | 764 | 19.4 | 121.4 | 51.2 | 2.18 | 5.70 | 689 | 23.0 | 104.4 | 38.4 | 1.98 | 4.28 | C44 |
| Mesothelioma | 13 | 0.3 | 2.1 | 0.8 | 0.03 | 0.11 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 10 | 0.3 | 1.6 | 0.6 | 0.02 | 0.07 | 4 | 0.1 | 0.6 | 0.2 | 0.00 | 0.03 | C46 |
| Connective and soft tissue | 14 | 0.4 | 2.2 | 1.1 | 0.05 | 0.12 | 21 | 0.7 | 3.2 | 1.3 | 0.10 | 0.13 | C47+C49 |
| Breast | 14 | 0.4 | 2.2 | 1.1 | 0.05 | 0.14 | 784 | 26.2 | 118.7 | 65.6 | 5.00 | 7.29 | C50 |
| Vulva | | | | | | | 19 | 0.6 | 2.9 | 0.9 | 0.02 | 0.14 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 60 | 2.0 | 9.1 | 5.6 | 0.46 | 0.57 | C53 |
| Corpus uteri | | | | | | | 161 | 5.4 | 24.4 | 13.1 | 0.96 | 1.66 | C54 |
| Uterus unspecified | | | | | | | 6 | 0.2 | 0.9 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 95 | 3.2 | 14.4 | 7.2 | 0.50 | 0.81 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 0.9 | 0.3 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | | | | | | 12 | 0.3 | 1.9 | 0.8 | 0.02 | 0.11 | C60 |
| Prostate | 668 | 17.0 | 106.1 | 47.4 | 1.79 | 6.45 | | | | | | | C61 |
| Testis | 51 | 1.3 | 8.1 | 8.0 | 0.60 | 0.60 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 99 | 2.5 | 15.7 | 8.5 | 0.50 | 0.95 | 55 | 1.8 | 8.3 | 4.1 | 0.29 | 0.50 | C64 |
| Renal pelvis | 8 | 0.2 | 1.3 | 0.6 | 0.02 | 0.07 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 7 | 0.2 | 1.1 | 0.3 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 448 | 11.4 | 71.2 | 32.0 | 1.62 | 3.92 | 96 | 3.2 | 14.5 | 4.9 | 0.25 | 0.55 | C67 |
| Other urinary organs | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C68 |
| Eye | 6 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | 6 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 67 | 1.7 | 10.6 | 6.9 | 0.46 | 0.66 | 50 | 1.7 | 7.6 | 4.5 | 0.26 | 0.42 | C70–72 |
| Thyroid | 87 | 2.2 | 13.8 | 11.5 | 0.90 | 1.01 | 264 | 8.8 | 40.0 | 33.9 | 2.72 | 2.92 | C73 |
| Adrenal gland | 5 | 0.1 | 0.8 | 1.0 | 0.06 | 0.06 | 5 | 0.2 | 0.8 | 0.9 | 0.05 | 0.08 | C74 |
| Other endocrine | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.01 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 38 | 1.0 | 6.0 | 5.9 | 0.39 | 0.46 | 33 | 1.1 | 5.0 | 4.8 | 0.32 | 0.38 | C81 |
| Non-Hodgkin lymphoma | 157 | 4.0 | 24.9 | 14.5 | 0.93 | 1.58 | 108 | 3.6 | 16.4 | 8.3 | 0.56 | 0.92 | C82–86,C96 |
| Immunoproliferative diseases | 12 | 0.3 | 1.9 | 1.1 | 0.06 | 0.11 | 5 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C88 |
| Multiple myeloma | 58 | 1.5 | 9.2 | 4.2 | 0.23 | 0.48 | 47 | 1.6 | 7.1 | 2.9 | 0.15 | 0.31 | C90 |
| Lymphoid leukaemia | 39 | 1.0 | 6.2 | 5.0 | 0.25 | 0.39 | 24 | 0.8 | 3.6 | 2.2 | 0.12 | 0.23 | C91 |
| Myeloid leukaemia | 47 | 1.2 | 7.5 | 4.1 | 0.22 | 0.39 | 32 | 1.1 | 4.8 | 2.1 | 0.11 | 0.27 | C92–94 |
| Leukaemia unspecified | 25 | 0.6 | 4.0 | 1.9 | 0.08 | 0.14 | 24 | 0.8 | 3.6 | 1.1 | 0.04 | 0.10 | C95 |
| Myeloproliferative disorders | 25 | 0.6 | 4.0 | 2.2 | 0.14 | 0.19 | 20 | 0.7 | 3.0 | 1.6 | 0.10 | 0.18 | MPD |
| Myelodysplastic syndromes | 36 | 0.9 | 5.7 | 2.2 | 0.11 | 0.24 | 20 | 0.7 | 3.0 | 1.3 | 0.05 | 0.16 | MPS |
| Other and unspecified | 46 | 1.2 | 7.3 | 2.6 | 0.07 | 0.25 | 56 | 1.9 | 8.5 | 2.5 | 0.06 | 0.30 | O&U |
| All sites | 4705 | | 747.4 | 358.6 | 17.76 | 42.14 | 3686 | | 558.3 | 270.5 | 17.69 | 29.36 | C00–96 |
| All sites except C44 | 3941 | 100.0 | 626.0 | 307.5 | 15.58 | 36.44 | 2997 | 100.0 | 453.9 | 232.1 | 15.71 | 25.08 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Basilicata

CONTRIBUTORS

Rocco Galasso
Luciana Del Riccio
Donato Napolitano



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 57.2 | Breast | 73.2 |
| Prostate | 43.6 | Non-melanoma skin cancer | 37.0 |
| Trachea, bronchus, and lung | 31.1 | Thyroid | 25.9 |
| Bladder | 27.9 | Colon | 17.0 |
| Colon | 24.8 | Corpus uteri | 13.8 |
| Rectum | 13.4 | Melanoma of skin | 10.1 |
| Liver | 13.0 | Ovary | 9.1 |
| Stomach | 12.1 | Trachea, bronchus, and lung | 7.8 |
| Non-Hodgkin lymphoma | 9.8 | Non-Hodgkin lymphoma | 7.2 |
| Thyroid | 9.1 | Rectum | 7.1 |
| Melanoma of skin | 8.5 | Stomach | 6.4 |
| Pancreas | 7.8 | Bladder | 5.8 |
| Kidney | 7.8 | Pancreas | 5.4 |
| Testis | 7.3 | Hodgkin lymphoma | 4.2 |
| Brain and nervous system | 6.8 | Brain and nervous system | 4.0 |
| Larynx | 5.3 | Cervix uteri | 3.8 |
| Hodgkin lymphoma | 4.7 | Liver | 3.7 |
| Lymphoid leukaemia | 4.2 | Kidney | 3.6 |
| Other and unspecified | 4.2 | Multiple myeloma | 2.9 |
| Myelodysplastic syndromes | 3.7 | Gallbladder etc. | 2.6 |
| All sites | 339.4 | All sites | 276.3 |

Italy, Basilicata (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 38 | 0.4 | 2.7 | 0.9 | 0.03 | 0.08 | 8 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | C00 |
| Tongue | 61 | 0.7 | 4.3 | 2.4 | 0.17 | 0.28 | 19 | 0.3 | 1.3 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 41 | 0.5 | 2.9 | 1.2 | 0.07 | 0.13 | 14 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C03–06 |
| Salivary glands | 21 | 0.2 | 1.5 | 0.6 | 0.04 | 0.06 | 21 | 0.3 | 1.4 | 0.5 | 0.02 | 0.06 | C07–08 |
| Tonsil | 16 | 0.2 | 1.1 | 0.7 | 0.05 | 0.09 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 14 | 0.2 | 1.0 | 0.5 | 0.05 | 0.05 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 14 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 24 | 0.3 | 1.7 | 1.0 | 0.09 | 0.12 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 53 | 0.6 | 3.8 | 1.9 | 0.11 | 0.22 | 10 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C15 |
| Stomach | 412 | 4.8 | 29.4 | 12.1 | 0.61 | 1.34 | 293 | 4.1 | 20.1 | 6.4 | 0.34 | 0.70 | C16 |
| Small intestine | 17 | 0.2 | 1.2 | 0.6 | 0.04 | 0.09 | 16 | 0.2 | 1.1 | 0.5 | 0.04 | 0.05 | C17 |
| Colon | 824 | 9.5 | 58.7 | 24.8 | 1.18 | 3.06 | 655 | 9.1 | 44.9 | 17.0 | 1.03 | 1.97 | C18 |
| Rectum | 430 | 5.0 | 30.6 | 13.4 | 0.72 | 1.61 | 293 | 4.1 | 20.1 | 7.1 | 0.35 | 0.82 | C19–20 |
| Anus | 9 | 0.1 | 0.6 | 0.3 | 0.01 | 0.05 | 11 | 0.2 | 0.8 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 432 | 5.0 | 30.8 | 13.0 | 0.60 | 1.62 | 178 | 2.5 | 12.2 | 3.7 | 0.17 | 0.40 | C22 |
| Gallbladder etc. | 130 | 1.5 | 9.3 | 3.2 | 0.11 | 0.34 | 132 | 1.8 | 9.0 | 2.6 | 0.11 | 0.29 | C23–24 |
| Pancreas | 266 | 3.1 | 19.0 | 7.8 | 0.38 | 0.96 | 254 | 3.5 | 17.4 | 5.4 | 0.23 | 0.57 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 152 | 1.8 | 10.8 | 5.3 | 0.36 | 0.70 | 15 | 0.2 | 1.0 | 0.5 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1071 | 12.4 | 76.3 | 31.1 | 1.39 | 3.90 | 283 | 3.9 | 19.4 | 7.8 | 0.48 | 0.92 | C33–34 |
| Other thoracic organs | 20 | 0.2 | 1.4 | 0.9 | 0.05 | 0.07 | 9 | 0.1 | 0.6 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 16 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 14 | 0.2 | 1.0 | 1.2 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 206 | 2.4 | 14.7 | 8.5 | 0.61 | 0.85 | 230 | 3.2 | 15.8 | 10.1 | 0.76 | 0.96 | C43 |
| Other skin | 2057 | 23.8 | 146.6 | 57.2 | 2.42 | 6.38 | 1523 | 21.2 | 104.3 | 37.0 | 2.00 | 3.99 | C44 |
| Mesothelioma | 26 | 0.3 | 1.9 | 0.6 | 0.01 | 0.07 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 31 | 0.4 | 2.2 | 0.9 | 0.04 | 0.09 | 9 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 48 | 0.6 | 3.4 | 1.9 | 0.10 | 0.16 | 44 | 0.6 | 3.0 | 1.6 | 0.11 | 0.15 | C47+C49 |
| Breast | 28 | 0.3 | 2.0 | 0.9 | 0.07 | 0.08 | 1923 | 26.8 | 131.7 | 73.2 | 5.63 | 8.02 | C50 |
| Vulva | | | | | | | 57 | 0.8 | 3.9 | 1.5 | 0.10 | 0.17 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 95 | 1.3 | 6.5 | 3.8 | 0.29 | 0.39 | C53 |
| Corpus uteri | | | | | | | 402 | 5.6 | 27.5 | 13.8 | 0.97 | 1.79 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.2 | 0.8 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 265 | 3.7 | 18.2 | 9.1 | 0.61 | 0.99 | C56 |
| Other female genital organs | | | | | | | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 30 | 0.3 | 2.1 | 0.9 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 1436 | 16.6 | 102.3 | 43.6 | 1.83 | 5.98 | | | | | | | C61 |
| Testis | 107 | 1.2 | 7.6 | 7.3 | 0.56 | 0.56 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 221 | 2.6 | 15.8 | 7.8 | 0.49 | 0.95 | 118 | 1.6 | 8.1 | 3.6 | 0.22 | 0.42 | C64 |
| Renal pelvis | 17 | 0.2 | 1.2 | 0.4 | 0.00 | 0.06 | 15 | 0.2 | 1.0 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 14 | 0.2 | 1.0 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C66 |
| †Bladder | 945 | 10.9 | 67.4 | 27.9 | 1.38 | 3.30 | 217 | 3.0 | 14.9 | 5.8 | 0.29 | 0.69 | C67 |
| Other urinary organs | 4 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 12 | 0.1 | 0.9 | 0.4 | 0.03 | 0.05 | 15 | 0.2 | 1.0 | 0.8 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 156 | 1.8 | 11.1 | 6.8 | 0.40 | 0.67 | 110 | 1.5 | 7.5 | 4.0 | 0.23 | 0.36 | C70–72 |
| Thyroid | 174 | 2.0 | 12.4 | 9.1 | 0.72 | 0.88 | 489 | 6.8 | 33.5 | 25.9 | 2.07 | 2.41 | C73 |
| Adrenal gland | 6 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 5 | 0.1 | 0.3 | 0.6 | 0.03 | 0.03 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.2 | 0.4 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 67 | 0.8 | 4.8 | 4.7 | 0.33 | 0.34 | 52 | 0.7 | 3.6 | 4.2 | 0.27 | 0.31 | C81 |
| Non-Hodgkin lymphoma | 256 | 3.0 | 18.2 | 9.8 | 0.55 | 1.07 | 216 | 3.0 | 14.8 | 7.2 | 0.46 | 0.77 | C82–86,C96 |
| Immunoproliferative diseases | 25 | 0.3 | 1.8 | 0.8 | 0.06 | 0.08 | 28 | 0.4 | 1.9 | 1.0 | 0.08 | 0.11 | C88 |
| Multiple myeloma | 105 | 1.2 | 7.5 | 3.0 | 0.16 | 0.30 | 111 | 1.5 | 7.6 | 2.9 | 0.14 | 0.35 | C90 |
| Lymphoid leukaemia | 101 | 1.2 | 7.2 | 4.2 | 0.23 | 0.41 | 61 | 0.8 | 4.2 | 2.1 | 0.11 | 0.20 | C91 |
| Myeloid leukaemia | 80 | 0.9 | 5.7 | 2.9 | 0.17 | 0.29 | 71 | 1.0 | 4.9 | 2.2 | 0.14 | 0.23 | C92–94 |
| Leukaemia unspecified | 70 | 0.8 | 5.0 | 3.2 | 0.17 | 0.19 | 59 | 0.8 | 4.0 | 1.8 | 0.09 | 0.16 | C95 |
| Myeloproliferative disorders | 95 | 1.1 | 6.8 | 3.6 | 0.21 | 0.40 | 70 | 1.0 | 4.8 | 2.1 | 0.13 | 0.21 | MPD |
| Myelodysplastic syndromes | 148 | 1.7 | 10.5 | 3.7 | 0.13 | 0.35 | 103 | 1.4 | 7.1 | 2.6 | 0.14 | 0.28 | MPS |
| Other and unspecified | 154 | 1.8 | 11.0 | 4.2 | 0.18 | 0.41 | 136 | 1.9 | 9.3 | 2.6 | 0.12 | 0.26 | O&U |
| All sites | 10701 | | 762.7 | 339.4 | 17.12 | 39.17 | 8702 | | 596.1 | 276.3 | 18.18 | 29.71 | C00–96 |
| All sites except C44 | 8644 | 100.0 | 616.1 | 282.1 | 14.70 | 32.79 | 7179 | 100.0 | 491.8 | 239.4 | 16.19 | 25.72 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Benevento

CONTRIBUTORS

Annarita Citarella
Alessio Sepe
Ermelinda Zollo



NOTES ON THE DATA

*No official mortality data. Rates based on low numbers due to small population.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 56.8 | Breast | 71.0 |
| Prostate | 49.5 | Non-melanoma skin cancer | 37.2 |
| Trachea, bronchus, and lung | 38.3 | Colon | 20.0 |
| Bladder | 32.9 | Thyroid | 16.5 |
| Colon | 26.4 | Corpus uteri | 14.6 |
| Rectum | 14.4 | Ovary | 11.7 |
| Liver | 14.2 | Trachea, bronchus, and lung | 9.7 |
| Non-Hodgkin lymphoma | 13.2 | Rectum | 8.9 |
| Kidney | 10.6 | Non-Hodgkin lymphoma | 8.6 |
| Stomach | 9.9 | Melanoma of skin | 8.2 |
| Melanoma of skin | 9.1 | Stomach | 6.1 |
| Pancreas | 7.3 | Bladder | 5.9 |
| Testis | 6.5 | Hodgkin lymphoma | 5.2 |
| Larynx | 6.5 | Brain and nervous system | 5.1 |
| Brain and nervous system | 5.6 | Cervix uteri | 4.7 |
| Hodgkin lymphoma | 5.1 | Pancreas | 4.1 |
| Thyroid | 4.5 | Liver | 3.4 |
| Lymphoid leukaemia | 4.5 | Kidney | 3.2 |
| Myeloid leukaemia | 3.6 | Myeloproliferative disorders | 2.9 |
| Multiple myeloma | 3.2 | Multiple myeloma | 2.7 |
| All sites | 358.1 | All sites | 275.0 |

*Italy, Benevento (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.3 | 1.6 | 0.6 | 0.01 | 0.08 | 6 | 0.2 | 1.0 | 0.5 | 0.02 | 0.04 | C00 |
| Tongue | 20 | 0.6 | 3.6 | 2.2 | 0.22 | 0.24 | 12 | 0.4 | 2.1 | 1.0 | 0.07 | 0.10 | C01–02 |
| Mouth | 18 | 0.5 | 3.3 | 1.8 | 0.14 | 0.19 | 11 | 0.4 | 1.9 | 0.5 | 0.01 | 0.04 | C03–06 |
| Salivary glands | 7 | 0.2 | 1.3 | 0.6 | 0.03 | 0.07 | 8 | 0.3 | 1.4 | 0.6 | 0.02 | 0.05 | C07–08 |
| Tonsil | 10 | 0.3 | 1.8 | 1.0 | 0.08 | 0.12 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 4 | 0.1 | 0.7 | 0.5 | 0.02 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 3 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 7 | 0.2 | 1.3 | 0.7 | 0.05 | 0.07 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.7 | 0.4 | 0.01 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 23 | 0.6 | 4.2 | 1.9 | 0.14 | 0.18 | 7 | 0.2 | 1.2 | 0.3 | 0.00 | 0.05 | C15 |
| Stomach | 140 | 3.9 | 25.5 | 9.9 | 0.35 | 1.15 | 110 | 3.9 | 19.0 | 6.1 | 0.23 | 0.82 | C16 |
| Small intestine | 8 | 0.2 | 1.5 | 0.5 | 0.03 | 0.03 | 9 | 0.3 | 1.6 | 0.6 | 0.05 | 0.05 | C17 |
| Colon | 343 | 9.6 | 62.4 | 26.4 | 1.45 | 3.14 | 291 | 10.3 | 50.1 | 20.0 | 1.17 | 2.35 | C18 |
| Rectum | 173 | 4.9 | 31.5 | 14.4 | 0.82 | 1.82 | 127 | 4.5 | 21.9 | 8.9 | 0.49 | 1.11 | C19–20 |
| Anus | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 9 | 0.3 | 1.6 | 0.4 | 0.01 | 0.03 | C21 |
| Liver | 164 | 4.6 | 29.9 | 14.2 | 0.77 | 1.86 | 59 | 2.1 | 10.2 | 3.4 | 0.15 | 0.44 | C22 |
| Gallbladder etc. | 41 | 1.2 | 7.5 | 3.0 | 0.15 | 0.37 | 34 | 1.2 | 5.9 | 2.1 | 0.09 | 0.25 | C23–24 |
| Pancreas | 92 | 2.6 | 16.7 | 7.3 | 0.37 | 0.89 | 72 | 2.6 | 12.4 | 4.1 | 0.18 | 0.46 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 1.1 | 0.5 | 0.01 | 0.07 | 5 | 0.2 | 0.9 | 0.5 | 0.04 | 0.04 | C30–31 |
| Larynx | 67 | 1.9 | 12.2 | 6.5 | 0.48 | 0.81 | 5 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 509 | 14.3 | 92.7 | 38.3 | 1.67 | 4.79 | 146 | 5.2 | 25.2 | 9.7 | 0.49 | 1.22 | C33–34 |
| Other thoracic organs | 7 | 0.2 | 1.3 | 0.6 | 0.06 | 0.06 | 4 | 0.1 | 0.7 | 0.4 | 0.01 | 0.05 | C37–38 |
| Bone | 5 | 0.1 | 0.9 | 1.2 | 0.06 | 0.06 | 4 | 0.1 | 0.7 | 1.0 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 86 | 2.4 | 15.7 | 9.1 | 0.63 | 0.92 | 84 | 3.0 | 14.5 | 8.2 | 0.56 | 0.79 | C43 |
| Other skin | 802 | 22.5 | 146.0 | 56.8 | 2.37 | 6.45 | 684 | 24.3 | 117.9 | 37.2 | 1.82 | 3.92 | C44 |
| Mesothelioma | 8 | 0.2 | 1.5 | 0.8 | 0.04 | 0.11 | 3 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 14 | 0.4 | 2.5 | 1.2 | 0.07 | 0.11 | 6 | 0.2 | 1.0 | 0.3 | 0.01 | 0.03 | C46 |
| Connective and soft tissue | 24 | 0.7 | 4.4 | 2.5 | 0.17 | 0.26 | 21 | 0.7 | 3.6 | 1.9 | 0.14 | 0.22 | C47+C49 |
| Breast | 7 | 0.2 | 1.3 | 0.5 | 0.03 | 0.05 | 742 | 26.3 | 127.8 | 71.0 | 5.27 | 8.01 | C50 |
| Vulva | | | | | | | 29 | 1.0 | 5.0 | 1.4 | 0.08 | 0.14 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 40 | 1.4 | 6.9 | 4.7 | 0.44 | 0.47 | C53 |
| Corpus uteri | | | | | | | 160 | 5.7 | 27.6 | 14.6 | 1.13 | 1.84 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.1 | 0.7 | 0.4 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 119 | 4.2 | 20.5 | 11.7 | 0.87 | 1.24 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 1.0 | 0.6 | 0.05 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 20 | 0.6 | 3.6 | 2.0 | 0.13 | 0.24 | | | | | | | C60 |
| Prostate | 654 | 18.4 | 119.1 | 49.5 | 1.67 | 6.98 | | | | | | | C61 |
| Testis | 38 | 1.1 | 6.9 | 6.5 | 0.50 | 0.50 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 98 | 2.8 | 17.8 | 10.6 | 0.75 | 1.26 | 41 | 1.5 | 7.1 | 3.2 | 0.20 | 0.42 | C64 |
| Renal pelvis | 11 | 0.3 | 2.0 | 1.0 | 0.06 | 0.13 | 3 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 8 | 0.2 | 1.5 | 0.7 | 0.05 | 0.08 | 5 | 0.2 | 0.9 | 0.1 | 0.00 | 0.00 | C66 |
| †Bladder | 426 | 12.0 | 77.6 | 32.9 | 1.47 | 4.21 | 91 | 3.2 | 15.7 | 5.9 | 0.34 | 0.69 | C67 |
| Other urinary organs | 1 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 6 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | 3 | 0.1 | 0.5 | 0.1 | 0.00 | 0.02 | C69 |
| Brain and nervous system | 55 | 1.5 | 10.0 | 5.6 | 0.35 | 0.58 | 52 | 1.8 | 9.0 | 5.1 | 0.33 | 0.57 | C70–72 |
| Thyroid | 29 | 0.8 | 5.3 | 4.5 | 0.34 | 0.39 | 119 | 4.2 | 20.5 | 16.5 | 1.37 | 1.47 | C73 |
| Adrenal gland | 4 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.2 | 0.6 | 0.02 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 32 | 0.9 | 5.8 | 5.1 | 0.36 | 0.43 | 28 | 1.0 | 4.8 | 5.2 | 0.37 | 0.37 | C81 |
| Non-Hodgkin lymphoma | 133 | 3.7 | 24.2 | 13.2 | 0.81 | 1.52 | 102 | 3.6 | 17.6 | 8.6 | 0.60 | 0.92 | C82–86,C96 |
| Immunoproliferative diseases | 10 | 0.3 | 1.8 | 1.2 | 0.08 | 0.12 | 5 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C88 |
| Multiple myeloma | 39 | 1.1 | 7.1 | 3.2 | 0.19 | 0.39 | 44 | 1.6 | 7.6 | 2.7 | 0.14 | 0.32 | C90 |
| Lymphoid leukaemia | 38 | 1.1 | 6.9 | 4.5 | 0.25 | 0.41 | 29 | 1.0 | 5.0 | 2.2 | 0.15 | 0.22 | C91 |
| Myeloid leukaemia | 43 | 1.2 | 7.8 | 3.6 | 0.21 | 0.35 | 34 | 1.2 | 5.9 | 2.6 | 0.14 | 0.31 | C92–94 |
| Leukaemia unspecified | 8 | 0.2 | 1.5 | 0.4 | 0.00 | 0.04 | 9 | 0.3 | 1.6 | 0.5 | 0.04 | 0.04 | C95 |
| Myeloproliferative disorders | 27 | 0.8 | 4.9 | 3.0 | 0.20 | 0.33 | 25 | 0.9 | 4.3 | 2.9 | 0.16 | 0.28 | MPD |
| Myelodysplastic syndromes | 47 | 1.3 | 8.6 | 3.0 | 0.08 | 0.36 | 41 | 1.5 | 7.1 | 2.2 | 0.06 | 0.24 | MPS |
| Other and unspecified | 34 | 1.0 | 6.2 | 2.8 | 0.17 | 0.28 | 47 | 1.7 | 8.1 | 2.6 | 0.14 | 0.28 | O&U |
| All sites | 4365 | | 794.7 | 358.1 | 18.01 | 42.82 | 3503 | | 603.6 | 275.0 | 17.70 | 30.36 | C00–96 |
| All sites except C44 | 3563 | 100.0 | 648.7 | 301.3 | 15.63 | 36.37 | 2819 | 100.0 | 485.7 | 237.9 | 15.88 | 26.44 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Bergamo

CONTRIBUTORS

Giuseppe Sampietro
Silvia Ghisleni
Andreina Zanchi
Giacomo Crotti
Alberto Zucchi



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 92.1 | Breast | 88.3 |
| Prostate | 61.1 | Non-melanoma skin cancer | 70.2 |
| Trachea, bronchus, and lung | 38.6 | Thyroid | 18.0 |
| Bladder | 28.1 | Trachea, bronchus, and lung | 16.5 |
| Colon | 21.0 | Melanoma of skin | 16.3 |
| Melanoma of skin | 16.3 | Colon | 13.7 |
| Liver | 16.2 | Corpus uteri | 10.8 |
| Stomach | 14.7 | Non-Hodgkin lymphoma | 9.8 |
| Kidney | 14.5 | Stomach | 8.2 |
| Non-Hodgkin lymphoma | 13.6 | Ovary | 7.9 |
| Pancreas | 11.0 | Pancreas | 7.9 |
| Rectum | 9.1 | Bladder | 6.1 |
| Testis | 8.7 | Kidney | 5.8 |
| Thyroid | 6.6 | Cervix uteri | 5.8 |
| Brain and nervous system | 6.4 | Rectum | 5.5 |
| Lymphoid leukaemia | 6.0 | Liver | 5.1 |
| Larynx | 5.3 | Brain and nervous system | 4.2 |
| Hodgkin lymphoma | 4.2 | Hodgkin lymphoma | 3.8 |
| Other and unspecified | 4.2 | Other and unspecified | 3.3 |
| Myeloid leukaemia | 3.9 | Myeloid leukaemia | 3.3 |
| All sites | 421.3 | All sites | 338.7 |

Italy, Bergamo (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 19 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 12 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 108 | 0.6 | 4.0 | 2.1 | 0.13 | 0.26 | 56 | 0.4 | 2.0 | 0.8 | 0.05 | 0.09 | C01–02 |
| Mouth | 85 | 0.5 | 3.1 | 1.6 | 0.09 | 0.18 | 54 | 0.3 | 1.9 | 0.8 | 0.04 | 0.09 | C03–06 |
| Salivary glands | 48 | 0.3 | 1.8 | 1.0 | 0.06 | 0.08 | 34 | 0.2 | 1.2 | 0.6 | 0.05 | 0.07 | C07–08 |
| Tonsil | 62 | 0.3 | 2.3 | 1.2 | 0.08 | 0.15 | 24 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | C09 |
| Other oropharynx | 30 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 28 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | 13 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 46 | 0.3 | 1.7 | 0.9 | 0.06 | 0.11 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 27 | 0.1 | 1.0 | 0.5 | 0.03 | 0.07 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 161 | 0.9 | 5.9 | 2.7 | 0.12 | 0.32 | 65 | 0.4 | 2.3 | 0.8 | 0.04 | 0.10 | C15 |
| Stomach | 957 | 5.2 | 35.0 | 14.7 | 0.50 | 1.60 | 658 | 4.2 | 23.6 | 8.2 | 0.36 | 0.93 | C16 |
| Small intestine | 70 | 0.4 | 2.6 | 1.1 | 0.05 | 0.13 | 35 | 0.2 | 1.3 | 0.6 | 0.03 | 0.07 | C17 |
| Colon | 1311 | 7.2 | 48.0 | 21.0 | 0.89 | 2.26 | 1070 | 6.8 | 38.3 | 13.7 | 0.63 | 1.49 | C18 |
| Rectum | 553 | 3.0 | 20.2 | 9.1 | 0.44 | 1.01 | 376 | 2.4 | 13.5 | 5.5 | 0.34 | 0.60 | C19–20 |
| Anus | 45 | 0.2 | 1.6 | 0.9 | 0.05 | 0.10 | 64 | 0.4 | 2.3 | 1.0 | 0.07 | 0.12 | C21 |
| Liver | 958 | 5.2 | 35.1 | 16.2 | 0.76 | 1.93 | 488 | 3.1 | 17.5 | 5.1 | 0.15 | 0.50 | C22 |
| Gallbladder etc. | 184 | 1.0 | 6.7 | 2.9 | 0.10 | 0.31 | 213 | 1.4 | 7.6 | 2.3 | 0.08 | 0.27 | C23–24 |
| Pancreas | 669 | 3.6 | 24.5 | 11.0 | 0.45 | 1.38 | 674 | 4.3 | 24.2 | 7.9 | 0.31 | 0.90 | C25 |
| Nose, sinuses etc. | 28 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 21 | 0.1 | 0.8 | 0.4 | 0.04 | 0.05 | C30–31 |
| Larynx | 306 | 1.7 | 11.2 | 5.3 | 0.25 | 0.70 | 42 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 2378 | 13.0 | 87.1 | 38.6 | 1.51 | 4.80 | 1144 | 7.3 | 41.0 | 16.5 | 0.91 | 2.02 | C33–34 |
| Other thoracic organs | 41 | 0.2 | 1.5 | 0.7 | 0.04 | 0.07 | 32 | 0.2 | 1.1 | 0.4 | 0.03 | 0.03 | C37–38 |
| Bone | 40 | 0.2 | 1.5 | 1.6 | 0.10 | 0.12 | 30 | 0.2 | 1.1 | 0.8 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 751 | 4.1 | 27.5 | 16.3 | 1.12 | 1.73 | 698 | 4.5 | 25.0 | 16.3 | 1.24 | 1.65 | C43 |
| Other skin | 5460 | 29.8 | 199.9 | 92.1 | 4.33 | 10.25 | 4417 | 28.2 | 158.3 | 70.2 | 4.33 | 7.77 | C44 |
| Mesothelioma | 185 | 1.0 | 6.8 | 2.8 | 0.07 | 0.38 | 86 | 0.5 | 3.1 | 1.1 | 0.02 | 0.15 | C45 |
| Kaposi sarcoma | 77 | 0.4 | 2.8 | 1.4 | 0.06 | 0.14 | 25 | 0.2 | 0.9 | 0.3 | 0.01 | 0.03 | C46 |
| Connective and soft tissue | 127 | 0.7 | 4.6 | 3.1 | 0.19 | 0.29 | 87 | 0.6 | 3.1 | 2.5 | 0.14 | 0.20 | C47+C49 |
| Breast | 48 | 0.3 | 1.8 | 0.7 | 0.02 | 0.09 | 4665 | 29.8 | 167.2 | 88.3 | 6.44 | 9.75 | C50 |
| Vulva | | | | | | | 99 | 0.6 | 3.5 | 1.3 | 0.07 | 0.14 | C51 |
| Vagina | | | | | | | 17 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 240 | 1.5 | 8.6 | 5.8 | 0.48 | 0.59 | C53 |
| Corpus uteri | | | | | | | 602 | 3.8 | 21.6 | 10.8 | 0.77 | 1.36 | C54 |
| Uterus unspecified | | | | | | | 30 | 0.2 | 1.1 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 436 | 2.8 | 15.6 | 7.9 | 0.53 | 0.91 | C56 |
| Other female genital organs | | | | | | | 26 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 38 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 3471 | 18.9 | 127.1 | 61.1 | 2.77 | 8.58 | | | | | | | C61 |
| Testis | 238 | 1.3 | 8.7 | 8.7 | 0.63 | 0.66 | | | | | | | C62 |
| Other male genital organs | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 754 | 4.1 | 27.6 | 14.5 | 0.85 | 1.76 | 347 | 2.2 | 12.4 | 5.8 | 0.33 | 0.63 | C64 |
| Renal pelvis | 35 | 0.2 | 1.3 | 0.5 | 0.02 | 0.06 | 25 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | C65 |
| Ureter | 27 | 0.1 | 1.0 | 0.5 | 0.02 | 0.07 | 12 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 1714 | 9.4 | 62.8 | 28.1 | 1.17 | 3.36 | 435 | 2.8 | 15.6 | 6.1 | 0.30 | 0.73 | C67 |
| Other urinary organs | 34 | 0.2 | 1.2 | 0.5 | 0.02 | 0.05 | 5 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 15 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 18 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 278 | 1.5 | 10.2 | 6.4 | 0.38 | 0.65 | 204 | 1.3 | 7.3 | 4.2 | 0.27 | 0.46 | C70–72 |
| Thyroid | 267 | 1.5 | 9.8 | 6.6 | 0.51 | 0.70 | 692 | 4.4 | 24.8 | 18.0 | 1.43 | 1.81 | C73 |
| Adrenal gland | 13 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 125 | 0.7 | 4.6 | 4.2 | 0.29 | 0.34 | 96 | 0.6 | 3.4 | 3.8 | 0.25 | 0.28 | C81 |
| Non-Hodgkin lymphoma | 690 | 3.8 | 25.3 | 13.6 | 0.81 | 1.52 | 587 | 3.7 | 21.0 | 9.8 | 0.57 | 1.12 | C82–86,C96 |
| Immunoproliferative diseases | 47 | 0.3 | 1.7 | 0.9 | 0.06 | 0.10 | 48 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 230 | 1.3 | 8.4 | 3.9 | 0.17 | 0.46 | 188 | 1.2 | 6.7 | 2.8 | 0.15 | 0.33 | C90 |
| Lymphoid leukaemia | 248 | 1.4 | 9.1 | 6.0 | 0.32 | 0.57 | 145 | 0.9 | 5.2 | 3.2 | 0.17 | 0.30 | C91 |
| Myeloid leukaemia | 199 | 1.1 | 7.3 | 3.9 | 0.21 | 0.42 | 154 | 1.0 | 5.5 | 3.3 | 0.21 | 0.31 | C92–94 |
| Leukaemia unspecified | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 5 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 101 | 0.6 | 3.7 | 2.0 | 0.11 | 0.25 | 74 | 0.5 | 2.7 | 1.2 | 0.07 | 0.12 | MPD |
| Myelodysplastic syndromes | 179 | 1.0 | 6.6 | 2.8 | 0.08 | 0.27 | 154 | 1.0 | 5.5 | 1.8 | 0.06 | 0.18 | MPS |
| Other and unspecified | 271 | 1.5 | 9.9 | 4.2 | 0.14 | 0.41 | 315 | 2.0 | 11.3 | 3.3 | 0.15 | 0.30 | O&U |
| All sites | 23791 | | 871.0 | 421.3 | 20.30 | 49.09 | 20079 | | 719.5 | 338.7 | 21.48 | 37.12 | C00–96 |
| All sites except C44 | 18331 | 100.0 | 671.1 | 329.2 | 15.98 | 38.84 | 15662 | 100.0 | 561.2 | 268.5 | 17.15 | 29.35 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Brescia

CONTRIBUTORS

Cinzia Gasparotti
Giovanni Maifredi



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 63.5 | Breast | 90.2 |
| Prostate | 53.5 | Non-melanoma skin cancer | 44.9 |
| Trachea, bronchus, and lung | 37.5 | Thyroid | 25.0 |
| Bladder | 27.3 | Trachea, bronchus, and lung | 15.0 |
| Colon | 19.4 | Colon | 13.6 |
| Liver | 15.7 | Corpus uteri | 11.4 |
| Stomach | 14.4 | Melanoma of skin | 10.2 |
| Kidney | 13.6 | Non-Hodgkin lymphoma | 9.5 |
| Non-Hodgkin lymphoma | 12.4 | Stomach | 7.4 |
| Melanoma of skin | 11.1 | Ovary | 7.3 |
| Pancreas | 10.7 | Pancreas | 6.6 |
| Rectum | 8.3 | Kidney | 5.9 |
| Testis | 7.8 | Bladder | 5.5 |
| Thyroid | 6.8 | Cervix uteri | 5.1 |
| Brain and nervous system | 5.4 | Rectum | 4.9 |
| Larynx | 5.1 | Liver | 4.5 |
| Other and unspecified | 3.9 | Brain and nervous system | 3.3 |
| Hodgkin lymphoma | 3.8 | Hodgkin lymphoma | 3.0 |
| Oesophagus | 3.0 | Other and unspecified | 2.9 |
| Lymphoid leukaemia | 3.0 | Gallbladder etc. | 2.2 |
| All sites | 359.6 | All sites | 302.8 |

*Italy, Brescia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 107 | 0.6 | 3.8 | 1.8 | 0.10 | 0.23 | 51 | 0.3 | 1.7 | 0.8 | 0.05 | 0.09 | C01–02 |
| Mouth | 92 | 0.5 | 3.2 | 1.7 | 0.10 | 0.21 | 70 | 0.4 | 2.4 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 50 | 0.3 | 1.8 | 0.9 | 0.05 | 0.09 | 41 | 0.3 | 1.4 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 43 | 0.2 | 1.5 | 0.8 | 0.05 | 0.11 | 12 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C09 |
| Other oropharynx | 28 | 0.2 | 1.0 | 0.6 | 0.04 | 0.09 | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C10 |
| Nasopharynx | 26 | 0.2 | 0.9 | 0.6 | 0.05 | 0.05 | 16 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C11 |
| Hypopharynx | 51 | 0.3 | 1.8 | 1.0 | 0.07 | 0.12 | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 30 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 187 | 1.1 | 6.6 | 3.0 | 0.16 | 0.35 | 71 | 0.4 | 2.4 | 0.8 | 0.04 | 0.09 | C15 |
| Stomach | 954 | 5.5 | 33.5 | 14.4 | 0.60 | 1.65 | 678 | 4.3 | 23.0 | 7.4 | 0.33 | 0.81 | C16 |
| Small intestine | 81 | 0.5 | 2.8 | 1.4 | 0.09 | 0.18 | 63 | 0.4 | 2.1 | 0.8 | 0.05 | 0.10 | C17 |
| Colon | 1309 | 7.6 | 45.9 | 19.4 | 0.82 | 2.01 | 1133 | 7.1 | 38.5 | 13.6 | 0.65 | 1.56 | C18 |
| Rectum | 497 | 2.9 | 17.4 | 8.3 | 0.45 | 0.94 | 351 | 2.2 | 11.9 | 4.9 | 0.29 | 0.55 | C19–20 |
| Anus | 28 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 48 | 0.3 | 1.6 | 0.7 | 0.04 | 0.08 | C21 |
| Liver | 984 | 5.7 | 34.5 | 15.7 | 0.65 | 1.99 | 436 | 2.7 | 14.8 | 4.5 | 0.15 | 0.50 | C22 |
| Gallbladder etc. | 168 | 1.0 | 5.9 | 2.5 | 0.11 | 0.30 | 187 | 1.2 | 6.3 | 2.2 | 0.11 | 0.27 | C23–24 |
| Pancreas | 677 | 3.9 | 23.7 | 10.7 | 0.47 | 1.30 | 605 | 3.8 | 20.5 | 6.6 | 0.29 | 0.75 | C25 |
| Nose, sinuses etc. | 27 | 0.2 | 0.9 | 0.5 | 0.02 | 0.05 | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 301 | 1.7 | 10.6 | 5.1 | 0.28 | 0.64 | 36 | 0.2 | 1.2 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 2438 | 14.1 | 85.5 | 37.5 | 1.47 | 4.66 | 1086 | 6.8 | 36.9 | 15.0 | 0.85 | 1.83 | C33–34 |
| Other thoracic organs | 34 | 0.2 | 1.2 | 0.7 | 0.04 | 0.06 | 29 | 0.2 | 1.0 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 40 | 0.2 | 1.4 | 1.4 | 0.08 | 0.12 | 40 | 0.3 | 1.4 | 0.9 | 0.05 | 0.09 | C40–41 |
| Melanoma of skin | 557 | 3.2 | 19.5 | 11.1 | 0.75 | 1.24 | 470 | 2.9 | 16.0 | 10.2 | 0.77 | 1.04 | C43 |
| Other skin | 3987 | 23.0 | 139.9 | 63.5 | 2.91 | 7.21 | 3112 | 19.5 | 105.7 | 44.9 | 2.80 | 4.83 | C44 |
| Mesothelioma | 88 | 0.5 | 3.1 | 1.4 | 0.05 | 0.17 | 39 | 0.2 | 1.3 | 0.5 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 57 | 0.3 | 2.0 | 1.0 | 0.05 | 0.12 | 12 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 98 | 0.6 | 3.4 | 2.0 | 0.12 | 0.21 | 82 | 0.5 | 2.8 | 1.5 | 0.10 | 0.16 | C47+C49 |
| Breast | 49 | 0.3 | 1.7 | 0.8 | 0.05 | 0.09 | 5111 | 32.1 | 173.5 | 90.2 | 6.37 | 10.30 | C50 |
| Vulva | | | | | | | 86 | 0.5 | 2.9 | 1.0 | 0.05 | 0.12 | C51 |
| Vagina | | | | | | | 17 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 222 | 1.4 | 7.5 | 5.1 | 0.41 | 0.49 | C53 |
| Corpus uteri | | | | | | | 676 | 4.2 | 22.9 | 11.4 | 0.76 | 1.49 | C54 |
| Uterus unspecified | | | | | | | 85 | 0.5 | 2.9 | 1.2 | 0.08 | 0.15 | C55 |
| Ovary | | | | | | | 430 | 2.7 | 14.6 | 7.3 | 0.50 | 0.83 | C56 |
| Other female genital organs | | | | | | | 84 | 0.5 | 2.9 | 1.5 | 0.10 | 0.16 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 33 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 3186 | 18.4 | 111.8 | 53.5 | 2.45 | 7.55 | | | | | | | C61 |
| Testis | 230 | 1.3 | 8.1 | 7.8 | 0.59 | 0.59 | | | | | | | C62 |
| Other male genital organs | 10 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 735 | 4.2 | 25.8 | 13.6 | 0.83 | 1.62 | 417 | 2.6 | 14.2 | 5.9 | 0.33 | 0.68 | C64 |
| Renal pelvis | 27 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 22 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 33 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | 16 | 0.1 | 0.5 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 1746 | 10.1 | 61.2 | 27.3 | 1.20 | 3.25 | 439 | 2.8 | 14.9 | 5.5 | 0.26 | 0.67 | C67 |
| Other urinary organs | 67 | 0.4 | 2.4 | 1.1 | 0.05 | 0.14 | 38 | 0.2 | 1.3 | 0.5 | 0.02 | 0.05 | C68 |
| Eye | 17 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 24 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 250 | 1.4 | 8.8 | 5.4 | 0.30 | 0.57 | 190 | 1.2 | 6.5 | 3.3 | 0.21 | 0.34 | C70–72 |
| Thyroid | 282 | 1.6 | 9.9 | 6.8 | 0.53 | 0.73 | 1021 | 6.4 | 34.7 | 25.0 | 2.01 | 2.48 | C73 |
| Adrenal gland | 14 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 12 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 8 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 122 | 0.7 | 4.3 | 3.8 | 0.25 | 0.32 | 92 | 0.6 | 3.1 | 3.0 | 0.20 | 0.23 | C81 |
| Non-Hodgkin lymphoma | 638 | 3.7 | 22.4 | 12.4 | 0.76 | 1.36 | 548 | 3.4 | 18.6 | 9.5 | 0.57 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 30 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 31 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 159 | 0.9 | 5.6 | 2.7 | 0.14 | 0.33 | 158 | 1.0 | 5.4 | 2.2 | 0.12 | 0.29 | C90 |
| Lymphoid leukaemia | 133 | 0.8 | 4.7 | 3.0 | 0.15 | 0.27 | 75 | 0.5 | 2.5 | 1.8 | 0.10 | 0.16 | C91 |
| Myeloid leukaemia | 128 | 0.7 | 4.5 | 2.5 | 0.13 | 0.29 | 82 | 0.5 | 2.8 | 1.5 | 0.09 | 0.16 | C92–94 |
| Leukaemia unspecified | 99 | 0.6 | 3.5 | 2.1 | 0.08 | 0.12 | 101 | 0.6 | 3.4 | 1.6 | 0.06 | 0.10 | C95 |
| Myeloproliferative disorders | 25 | 0.1 | 0.9 | 0.4 | 0.01 | 0.04 | 15 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | MPD |
| Myelodysplastic syndromes | 51 | 0.3 | 1.8 | 0.7 | 0.01 | 0.08 | 28 | 0.2 | 1.0 | 0.3 | 0.01 | 0.04 | MPS |
| Other and unspecified | 258 | 1.5 | 9.0 | 3.9 | 0.15 | 0.40 | 306 | 1.9 | 10.4 | 2.9 | 0.12 | 0.25 | O&U |
| All sites | 21285 | | 746.6 | 359.6 | 17.52 | 42.38 | 19053 | | 646.8 | 302.8 | 19.36 | 33.50 | C00–96 |
| All sites except C44 | 17298 | 100.0 | 606.8 | 296.0 | 14.61 | 35.16 | 15941 | 100.0 | 541.2 | 257.9 | 16.56 | 28.66 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Brianza (Lecco and Monza e Brianza)

CONTRIBUTORS

Luca Cavaliere d'Oro
Magda Rognoni
Leonardo Le Rose
Elisabetta Merlo
Lina Negrino
Lucia Pezzuto



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 58.7 | Breast | 93.9 |
| Trachea, bronchus, and lung | 34.6 | Thyroid | 17.4 |
| Bladder | 31.1 | Colon | 15.7 |
| Non-melanoma skin cancer | 29.6 | Non-melanoma skin cancer | 14.8 |
| Colon | 20.6 | Trachea, bronchus, and lung | 14.7 |
| Stomach | 13.2 | Corpus uteri | 13.1 |
| Liver | 13.0 | Ovary | 8.3 |
| Kidney | 12.4 | Non-Hodgkin lymphoma | 7.5 |
| Non-Hodgkin lymphoma | 12.2 | Pancreas | 7.4 |
| Rectum | 10.0 | Bladder | 6.6 |
| Testis | 8.8 | Stomach | 6.6 |
| Pancreas | 8.8 | Melanoma of skin | 6.0 |
| Melanoma of skin | 8.0 | Kidney | 5.6 |
| Brain and nervous system | 7.3 | Rectum | 5.5 |
| Thyroid | 6.1 | Brain and nervous system | 4.5 |
| Lymphoid leukaemia | 5.2 | Cervix uteri | 4.4 |
| Larynx | 4.5 | Hodgkin lymphoma | 4.0 |
| Hodgkin lymphoma | 4.1 | Liver | 3.9 |
| Myeloid leukaemia | 3.9 | Lymphoid leukaemia | 2.9 |
| Multiple myeloma | 3.7 | Multiple myeloma | 2.7 |
| All sites | 327.9 | All sites | 266.7 |

Italy, Brianza (Lecco and Monza e Brianza) (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 75 | 0.7 | 4.3 | 2.4 | 0.20 | 0.25 | 26 | 0.3 | 1.4 | 0.5 | 0.02 | 0.06 | C01–02 |
| Mouth | 44 | 0.4 | 2.5 | 1.4 | 0.12 | 0.16 | 32 | 0.3 | 1.7 | 0.6 | 0.02 | 0.08 | C03–06 |
| Salivary glands | 12 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 14 | 0.1 | 0.8 | 0.4 | 0.02 | 0.03 | C07–08 |
| Tonsil | 38 | 0.3 | 2.2 | 1.1 | 0.08 | 0.14 | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 20 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 24 | 0.2 | 1.4 | 0.9 | 0.07 | 0.10 | 14 | 0.1 | 0.8 | 0.5 | 0.04 | 0.05 | C11 |
| Hypopharynx | 45 | 0.4 | 2.6 | 1.3 | 0.08 | 0.17 | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 84 | 0.8 | 4.8 | 2.1 | 0.07 | 0.30 | 34 | 0.3 | 1.9 | 0.7 | 0.05 | 0.08 | C15 |
| Stomach | 563 | 5.1 | 32.1 | 13.2 | 0.54 | 1.50 | 380 | 3.8 | 20.7 | 6.6 | 0.29 | 0.71 | C16 |
| Small intestine | 38 | 0.3 | 2.2 | 1.0 | 0.07 | 0.12 | 34 | 0.3 | 1.9 | 0.9 | 0.06 | 0.10 | C17 |
| Colon | 877 | 7.9 | 50.0 | 20.6 | 0.90 | 2.28 | 806 | 8.1 | 44.0 | 15.7 | 0.84 | 1.71 | C18 |
| Rectum | 382 | 3.4 | 21.8 | 10.0 | 0.54 | 1.18 | 281 | 2.8 | 15.3 | 5.5 | 0.27 | 0.64 | C19–20 |
| Anus | 20 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 21 | 0.2 | 1.1 | 0.4 | 0.01 | 0.05 | C21 |
| Liver | 496 | 4.5 | 28.3 | 13.0 | 0.67 | 1.57 | 245 | 2.5 | 13.4 | 3.9 | 0.13 | 0.44 | C22 |
| Gallbladder etc. | 114 | 1.0 | 6.5 | 2.6 | 0.11 | 0.29 | 144 | 1.4 | 7.9 | 2.5 | 0.10 | 0.27 | C23–24 |
| Pancreas | 344 | 3.1 | 19.6 | 8.8 | 0.44 | 1.06 | 387 | 3.9 | 21.1 | 7.4 | 0.35 | 0.88 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 18 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 168 | 1.5 | 9.6 | 4.5 | 0.25 | 0.54 | 21 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1440 | 13.0 | 82.1 | 34.6 | 1.44 | 4.24 | 675 | 6.8 | 36.8 | 14.7 | 0.83 | 1.81 | C33–34 |
| Other thoracic organs | 21 | 0.2 | 1.2 | 0.6 | 0.03 | 0.06 | 14 | 0.1 | 0.8 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 33 | 0.3 | 1.9 | 1.9 | 0.11 | 0.13 | 17 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 275 | 2.5 | 15.7 | 8.0 | 0.45 | 0.89 | 198 | 2.0 | 10.8 | 6.0 | 0.47 | 0.60 | C43 |
| Other skin | 1395 | 12.6 | 79.5 | 29.6 | 0.86 | 3.03 | 845 | 8.5 | 46.1 | 14.8 | 0.68 | 1.51 | C44 |
| Mesothelioma | 114 | 1.0 | 6.5 | 2.6 | 0.09 | 0.35 | 55 | 0.6 | 3.0 | 0.8 | 0.03 | 0.10 | C45 |
| Kaposi sarcoma | 15 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 8 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 73 | 0.7 | 4.2 | 2.2 | 0.14 | 0.19 | 57 | 0.6 | 3.1 | 2.2 | 0.14 | 0.19 | C47+C49 |
| Breast | 38 | 0.3 | 2.2 | 1.0 | 0.06 | 0.13 | 3315 | 33.3 | 180.9 | 93.9 | 7.06 | 10.41 | C50 |
| Vulva | | | | | | | 82 | 0.8 | 4.5 | 1.7 | 0.08 | 0.18 | C51 |
| Vagina | | | | | | | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 126 | 1.3 | 6.9 | 4.4 | 0.33 | 0.44 | C53 |
| Corpus uteri | | | | | | | 495 | 5.0 | 27.0 | 13.1 | 0.95 | 1.65 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.1 | 0.6 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 306 | 3.1 | 16.7 | 8.3 | 0.58 | 0.94 | C56 |
| Other female genital organs | | | | | | | 11 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 25 | 0.2 | 1.4 | 0.6 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 2269 | 20.5 | 129.4 | 58.7 | 2.53 | 8.48 | | | | | | | C61 |
| Testis | 155 | 1.4 | 8.8 | 8.8 | 0.66 | 0.68 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.3 | 0.2 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 433 | 3.9 | 24.7 | 12.4 | 0.78 | 1.43 | 236 | 2.4 | 12.9 | 5.6 | 0.32 | 0.68 | C64 |
| Renal pelvis | 31 | 0.3 | 1.8 | 0.6 | 0.01 | 0.08 | 13 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 20 | 0.2 | 1.1 | 0.4 | 0.01 | 0.04 | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 1283 | 11.6 | 73.2 | 31.1 | 1.34 | 3.72 | 314 | 3.2 | 17.1 | 6.6 | 0.34 | 0.78 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 9 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 204 | 1.8 | 11.6 | 7.3 | 0.47 | 0.80 | 154 | 1.5 | 8.4 | 4.5 | 0.27 | 0.45 | C70–72 |
| Thyroid | 161 | 1.5 | 9.2 | 6.1 | 0.47 | 0.62 | 442 | 4.4 | 24.1 | 17.4 | 1.38 | 1.73 | C73 |
| Adrenal gland | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 71 | 0.6 | 4.0 | 4.1 | 0.27 | 0.32 | 70 | 0.7 | 3.8 | 4.0 | 0.27 | 0.30 | C81 |
| Non-Hodgkin lymphoma | 392 | 3.5 | 22.4 | 12.2 | 0.66 | 1.37 | 306 | 3.1 | 16.7 | 7.5 | 0.43 | 0.84 | C82–86,C96 |
| Immunoproliferative diseases | 11 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 146 | 1.3 | 8.3 | 3.7 | 0.17 | 0.42 | 133 | 1.3 | 7.3 | 2.7 | 0.13 | 0.33 | C90 |
| Lymphoid leukaemia | 130 | 1.2 | 7.4 | 5.2 | 0.29 | 0.46 | 76 | 0.8 | 4.1 | 2.9 | 0.15 | 0.24 | C91 |
| Myeloid leukaemia | 128 | 1.2 | 7.3 | 3.9 | 0.19 | 0.40 | 91 | 0.9 | 5.0 | 2.4 | 0.14 | 0.24 | C92–94 |
| Leukaemia unspecified | 36 | 0.3 | 2.1 | 1.0 | 0.04 | 0.09 | 30 | 0.3 | 1.6 | 0.6 | 0.02 | 0.05 | C95 |
| Myeloproliferative disorders | 16 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 9 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | MPD |
| Myelodysplastic syndromes | 30 | 0.3 | 1.7 | 0.6 | 0.02 | 0.06 | 13 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | MPS |
| Other and unspecified | 141 | 1.3 | 8.0 | 3.4 | 0.11 | 0.27 | 182 | 1.8 | 9.9 | 2.6 | 0.09 | 0.21 | O&U |
| All sites | 12483 | | 711.8 | 327.9 | 15.61 | 38.50 | 10805 | | 589.7 | 266.7 | 17.16 | 29.27 | C00–96 |
| All sites except C44 | 11088 | 100.0 | 632.3 | 298.3 | 14.75 | 35.48 | 9960 | 100.0 | 543.6 | 251.9 | 16.48 | 27.77 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Calabria

CONTRIBUTORS

Sandro Giuffrida
Santa Valenti Clemente
Romina Vincenzi
Ivan Rashid



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 39.1 | Breast | 73.1 |
| Non-melanoma skin cancer | 37.6 | Non-melanoma skin cancer | 22.9 |
| Trachea, bronchus, and lung | 34.5 | Thyroid | 21.8 |
| Bladder | 30.8 | Colon | 15.9 |
| Colon | 25.3 | Corpus uteri | 11.7 |
| Rectum | 13.4 | Trachea, bronchus, and lung | 9.9 |
| Non-Hodgkin lymphoma | 11.1 | Ovary | 9.0 |
| Stomach | 10.0 | Non-Hodgkin lymphoma | 8.3 |
| Liver | 9.2 | Rectum | 7.9 |
| Thyroid | 9.1 | Pancreas | 6.6 |
| Kidney | 9.1 | Melanoma of skin | 6.2 |
| Pancreas | 6.4 | Stomach | 6.1 |
| Testis | 6.1 | Brain and nervous system | 5.6 |
| Brain and nervous system | 6.0 | Cervix uteri | 5.4 |
| Lymphoid leukaemia | 5.9 | Bladder | 4.6 |
| Larynx | 5.5 | Kidney | 4.6 |
| Myeloid leukaemia | 5.1 | Lymphoid leukaemia | 4.5 |
| Hodgkin lymphoma | 4.6 | Myeloproliferative disorders | 4.5 |
| Melanoma of skin | 4.6 | Myeloid leukaemia | 3.4 |
| Multiple myeloma | 3.7 | Hodgkin lymphoma | 3.1 |
| All sites | 313.1 | All sites | 258.3 |

Italy, Calabria (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.2 | 1.4 | 0.7 | 0.04 | 0.10 | 5 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 45 | 0.6 | 3.4 | 2.0 | 0.15 | 0.23 | 27 | 0.4 | 1.9 | 0.9 | 0.05 | 0.10 | C01–02 |
| Mouth | 30 | 0.4 | 2.3 | 1.2 | 0.08 | 0.15 | 24 | 0.4 | 1.7 | 0.9 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 14 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | 15 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | C07–08 |
| Tonsil | 8 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 6 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C09 |
| Other oropharynx | 11 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C10 |
| Nasopharynx | 39 | 0.5 | 2.9 | 2.2 | 0.17 | 0.23 | 11 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 11 | 0.1 | 0.8 | 0.6 | 0.05 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 11 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 38 | 0.5 | 2.9 | 1.3 | 0.08 | 0.15 | 12 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C15 |
| Stomach | 293 | 3.9 | 22.0 | 10.0 | 0.50 | 1.20 | 219 | 3.5 | 15.5 | 6.1 | 0.32 | 0.71 | C16 |
| Small intestine | 37 | 0.5 | 2.8 | 1.6 | 0.12 | 0.19 | 25 | 0.4 | 1.8 | 1.0 | 0.07 | 0.12 | C17 |
| Colon | 761 | 10.2 | 57.1 | 25.3 | 1.12 | 3.11 | 542 | 8.7 | 38.4 | 15.9 | 0.91 | 1.81 | C18 |
| Rectum | 378 | 5.1 | 28.4 | 13.4 | 0.75 | 1.64 | 277 | 4.4 | 19.6 | 7.9 | 0.42 | 0.93 | C19–20 |
| Anus | 9 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 10 | 0.2 | 0.7 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 264 | 3.5 | 19.8 | 9.2 | 0.47 | 1.11 | 124 | 2.0 | 8.8 | 3.1 | 0.14 | 0.39 | C22 |
| Gallbladder etc. | 74 | 1.0 | 5.6 | 2.4 | 0.08 | 0.29 | 87 | 1.4 | 6.2 | 2.0 | 0.07 | 0.25 | C23–24 |
| Pancreas | 195 | 2.6 | 14.6 | 6.4 | 0.32 | 0.73 | 234 | 3.7 | 16.6 | 6.6 | 0.35 | 0.81 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 147 | 2.0 | 11.0 | 5.5 | 0.33 | 0.75 | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 1030 | 13.8 | 77.3 | 34.5 | 1.57 | 4.46 | 282 | 4.5 | 20.0 | 9.9 | 0.68 | 1.26 | C33–34 |
| Other thoracic organs | 13 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 10 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 19 | 0.3 | 1.4 | 1.3 | 0.06 | 0.10 | 10 | 0.2 | 0.7 | 0.7 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 104 | 1.4 | 7.8 | 4.6 | 0.31 | 0.51 | 133 | 2.1 | 9.4 | 6.2 | 0.47 | 0.60 | C43 |
| Other skin | 1195 | 16.1 | 89.7 | 37.6 | 1.56 | 4.29 | 838 | 13.4 | 59.4 | 22.9 | 1.13 | 2.59 | C44 |
| Mesothelioma | 28 | 0.4 | 2.1 | 0.9 | 0.03 | 0.13 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 35 | 0.5 | 2.6 | 1.1 | 0.04 | 0.13 | 15 | 0.2 | 1.1 | 0.3 | 0.02 | 0.03 | C46 |
| Connective and soft tissue | 44 | 0.6 | 3.3 | 2.0 | 0.15 | 0.22 | 27 | 0.4 | 1.9 | 1.4 | 0.09 | 0.14 | C47+C49 |
| Breast | 28 | 0.4 | 2.1 | 1.1 | 0.07 | 0.14 | 1833 | 29.3 | 130.0 | 73.1 | 5.48 | 8.23 | C50 |
| Vulva | | | | | | | 46 | 0.7 | 3.3 | 1.2 | 0.04 | 0.15 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 107 | 1.7 | 7.6 | 5.4 | 0.44 | 0.54 | C53 |
| Corpus uteri | | | | | | | 309 | 4.9 | 21.9 | 11.7 | 0.80 | 1.50 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.2 | 0.9 | 0.3 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 222 | 3.5 | 15.7 | 9.0 | 0.67 | 0.95 | C56 |
| Other female genital organs | | | | | | | 9 | 0.1 | 0.6 | 0.2 | 0.00 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 43 | 0.6 | 3.2 | 1.4 | 0.06 | 0.19 | | | | | | | C60 |
| Prostate | 1160 | 15.6 | 87.0 | 39.1 | 1.45 | 5.53 | | | | | | | C61 |
| Testis | 84 | 1.1 | 6.3 | 6.1 | 0.45 | 0.46 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 212 | 2.8 | 15.9 | 9.1 | 0.66 | 1.03 | 123 | 2.0 | 8.7 | 4.6 | 0.30 | 0.53 | C64 |
| Renal pelvis | 27 | 0.4 | 2.0 | 0.9 | 0.02 | 0.11 | 11 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 14 | 0.2 | 1.1 | 0.6 | 0.05 | 0.07 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C66 |
| †Bladder | 926 | 12.4 | 69.5 | 30.8 | 1.45 | 3.74 | 168 | 2.7 | 11.9 | 4.6 | 0.27 | 0.49 | C67 |
| Other urinary organs | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.3 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 9 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 7 | 0.1 | 0.5 | 0.6 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 127 | 1.7 | 9.5 | 6.0 | 0.38 | 0.63 | 106 | 1.7 | 7.5 | 5.6 | 0.30 | 0.51 | C70–72 |
| Thyroid | 156 | 2.1 | 11.7 | 9.1 | 0.75 | 0.83 | 385 | 6.1 | 27.3 | 21.8 | 1.76 | 2.00 | C73 |
| Adrenal gland | 13 | 0.2 | 1.0 | 1.1 | 0.06 | 0.09 | 7 | 0.1 | 0.5 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.3 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 67 | 0.9 | 5.0 | 4.6 | 0.33 | 0.36 | 48 | 0.8 | 3.4 | 3.1 | 0.20 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 248 | 3.3 | 18.6 | 11.1 | 0.72 | 1.19 | 217 | 3.5 | 15.4 | 8.3 | 0.53 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 108 | 1.5 | 8.1 | 3.7 | 0.19 | 0.44 | 80 | 1.3 | 5.7 | 2.5 | 0.10 | 0.32 | C90 |
| Lymphoid leukaemia | 130 | 1.7 | 9.8 | 5.9 | 0.31 | 0.58 | 87 | 1.4 | 6.2 | 4.5 | 0.25 | 0.37 | C91 |
| Myeloid leukaemia | 127 | 1.7 | 9.5 | 5.1 | 0.27 | 0.48 | 92 | 1.5 | 6.5 | 3.4 | 0.23 | 0.37 | C92–94 |
| Leukaemia unspecified | 3 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 89 | 1.2 | 6.7 | 3.5 | 0.21 | 0.40 | 113 | 1.8 | 8.0 | 4.5 | 0.30 | 0.49 | MPD |
| Myelodysplastic syndromes | 100 | 1.3 | 7.5 | 3.3 | 0.15 | 0.31 | 70 | 1.1 | 5.0 | 2.4 | 0.12 | 0.24 | MPS |
| Other and unspecified | 84 | 1.1 | 6.3 | 2.4 | 0.06 | 0.27 | 80 | 1.3 | 5.7 | 1.7 | 0.07 | 0.16 | O&U |
| All sites | 8637 | | 648.1 | 313.1 | 15.95 | 37.14 | 7103 | | 503.8 | 258.3 | 17.00 | 28.51 | C00–96 |
| All sites except C44 | 7442 | 100.0 | 558.4 | 275.5 | 14.40 | 32.84 | 6265 | 100.0 | 444.4 | 235.4 | 15.87 | 25.92 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Caserta

CONTRIBUTORS

Angelo D'Argenzio
 Alessandra Sessa
 Maria Claudia Mendes Pereira Da Silva
 Agostino Perillo
 Emma Perrotta
 Antonella Minichino
 Nadia Maria Di Pascale
 Mariastella D'Abronzio
 Maria Teresa Pesce
 Domenico De Francesco
 Vincenzo Menditto



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 56.4 | Breast | 81.7 |
| Trachea, bronchus, and lung | 55.1 | Non-melanoma skin cancer | 34.4 |
| Bladder | 39.7 | Thyroid | 22.5 |
| Prostate | 39.6 | Colon | 20.0 |
| Colon | 29.8 | Trachea, bronchus, and lung | 13.4 |
| Liver | 14.5 | Corpus uteri | 12.1 |
| Stomach | 13.5 | Rectum | 8.1 |
| Rectum | 12.7 | Ovary | 8.0 |
| Non-Hodgkin lymphoma | 11.7 | Non-Hodgkin lymphoma | 7.8 |
| Kidney | 10.1 | Bladder | 6.9 |
| Larynx | 8.1 | Stomach | 6.8 |
| Pancreas | 7.8 | Melanoma of skin | 6.7 |
| Testis | 7.4 | Pancreas | 5.8 |
| Melanoma of skin | 7.3 | Liver | 5.2 |
| Thyroid | 7.3 | Hodgkin lymphoma | 5.1 |
| Brain and nervous system | 7.1 | Kidney | 5.0 |
| Lymphoid leukaemia | 5.0 | Cervix uteri | 4.7 |
| Hodgkin lymphoma | 4.8 | Brain and nervous system | 4.1 |
| Myeloid leukaemia | 4.7 | Lymphoid leukaemia | 3.9 |
| Other and unspecified | 3.9 | Myeloid leukaemia | 3.8 |
| All sites | 382.7 | All sites | 296.7 |

*Italy, Caserta (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 9 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 4 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 47 | 0.5 | 2.6 | 1.7 | 0.13 | 0.19 | 21 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C01–02 |
| Mouth | 36 | 0.4 | 2.0 | 1.2 | 0.07 | 0.13 | 32 | 0.4 | 1.7 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 21 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 12 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C09 |
| Other oropharynx | 17 | 0.2 | 0.9 | 0.6 | 0.06 | 0.08 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 25 | 0.2 | 1.4 | 1.0 | 0.08 | 0.09 | 10 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C11 |
| Hypopharynx | 13 | 0.1 | 0.7 | 0.5 | 0.04 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 10 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 36 | 0.4 | 2.0 | 1.2 | 0.07 | 0.16 | 12 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C15 |
| Stomach | 454 | 4.5 | 25.3 | 13.5 | 0.58 | 1.58 | 292 | 3.4 | 15.5 | 6.8 | 0.37 | 0.77 | C16 |
| Small intestine | 21 | 0.2 | 1.2 | 0.7 | 0.05 | 0.10 | 13 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C17 |
| Colon | 985 | 9.7 | 55.0 | 29.8 | 1.40 | 3.59 | 793 | 9.3 | 42.2 | 20.0 | 1.06 | 2.28 | C18 |
| Rectum | 419 | 4.1 | 23.4 | 12.7 | 0.61 | 1.59 | 314 | 3.7 | 16.7 | 8.1 | 0.48 | 0.99 | C19–20 |
| Anus | 16 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 16 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C21 |
| Liver | 473 | 4.7 | 26.4 | 14.5 | 0.69 | 1.82 | 227 | 2.7 | 12.1 | 5.2 | 0.21 | 0.59 | C22 |
| Gallbladder etc. | 93 | 0.9 | 5.2 | 2.6 | 0.12 | 0.28 | 163 | 1.9 | 8.7 | 3.7 | 0.16 | 0.49 | C23–24 |
| Pancreas | 249 | 2.5 | 13.9 | 7.8 | 0.42 | 0.93 | 256 | 3.0 | 13.6 | 5.8 | 0.25 | 0.68 | C25 |
| Nose, sinuses etc. | 22 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | 12 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 242 | 2.4 | 13.5 | 8.1 | 0.53 | 1.00 | 35 | 0.4 | 1.9 | 1.1 | 0.08 | 0.14 | C32 |
| Trachea, bronchus, and lung | 1837 | 18.2 | 102.6 | 55.1 | 2.52 | 7.05 | 467 | 5.5 | 24.8 | 13.4 | 0.90 | 1.63 | C33–34 |
| Other thoracic organs | 18 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 21 | 0.2 | 1.2 | 1.1 | 0.07 | 0.09 | 21 | 0.2 | 1.1 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 201 | 2.0 | 11.2 | 7.3 | 0.50 | 0.82 | 186 | 2.2 | 9.9 | 6.7 | 0.50 | 0.64 | C43 |
| Other skin | 1890 | 18.7 | 105.5 | 56.4 | 2.56 | 6.55 | 1358 | 15.9 | 72.2 | 34.4 | 1.87 | 3.82 | C44 |
| Mesothelioma | 32 | 0.3 | 1.8 | 1.0 | 0.03 | 0.15 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 48 | 0.5 | 2.7 | 1.5 | 0.09 | 0.19 | 27 | 0.3 | 1.4 | 0.5 | 0.01 | 0.06 | C46 |
| Connective and soft tissue | 61 | 0.6 | 3.4 | 2.5 | 0.16 | 0.21 | 48 | 0.6 | 2.6 | 1.8 | 0.12 | 0.15 | C47+C49 |
| Breast | 20 | 0.2 | 1.1 | 0.6 | 0.03 | 0.09 | 2477 | 28.9 | 131.7 | 81.7 | 6.30 | 9.13 | C50 |
| Vulva | | | | | | | 64 | 0.7 | 3.4 | 1.7 | 0.10 | 0.22 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 134 | 1.6 | 7.1 | 4.7 | 0.35 | 0.47 | C53 |
| Corpus uteri | | | | | | | 397 | 4.6 | 21.1 | 12.1 | 0.89 | 1.49 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.3 | 1.2 | 0.5 | 0.02 | 0.06 | C55 |
| Ovary | | | | | | | 254 | 3.0 | 13.5 | 8.0 | 0.56 | 0.91 | C56 |
| Other female genital organs | | | | | | | 17 | 0.2 | 0.9 | 0.5 | 0.02 | 0.07 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 36 | 0.4 | 2.0 | 1.1 | 0.07 | 0.13 | | | | | | | C60 |
| Prostate | 1332 | 13.2 | 74.4 | 39.6 | 1.45 | 5.23 | | | | | | | C61 |
| Testis | 138 | 1.4 | 7.7 | 7.4 | 0.55 | 0.55 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 287 | 2.8 | 16.0 | 10.1 | 0.68 | 1.20 | 158 | 1.8 | 8.4 | 5.0 | 0.31 | 0.55 | C64 |
| Renal pelvis | 31 | 0.3 | 1.7 | 1.0 | 0.06 | 0.13 | 13 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 16 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 1302 | 12.9 | 72.7 | 39.7 | 1.89 | 5.05 | 268 | 3.1 | 14.3 | 6.9 | 0.40 | 0.83 | C67 |
| Other urinary organs | 19 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 17 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 23 | 0.3 | 1.2 | 1.0 | 0.07 | 0.08 | C69 |
| Brain and nervous system | 171 | 1.7 | 9.5 | 7.1 | 0.43 | 0.72 | 116 | 1.4 | 6.2 | 4.1 | 0.24 | 0.44 | C70–72 |
| Thyroid | 161 | 1.6 | 9.0 | 7.3 | 0.56 | 0.65 | 512 | 6.0 | 27.2 | 22.5 | 1.81 | 1.95 | C73 |
| Adrenal gland | 6 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | 9 | 0.1 | 0.5 | 0.7 | 0.04 | 0.04 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 86 | 0.9 | 4.8 | 4.8 | 0.32 | 0.37 | 89 | 1.0 | 4.7 | 5.1 | 0.33 | 0.37 | C81 |
| Non-Hodgkin lymphoma | 311 | 3.1 | 17.4 | 11.7 | 0.73 | 1.31 | 259 | 3.0 | 13.8 | 7.8 | 0.48 | 0.88 | C82–86,C96 |
| Immunoproliferative diseases | 22 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 31 | 0.4 | 1.6 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 107 | 1.1 | 6.0 | 3.3 | 0.18 | 0.38 | 116 | 1.4 | 6.2 | 2.9 | 0.17 | 0.36 | C90 |
| Lymphoid leukaemia | 122 | 1.2 | 6.8 | 5.0 | 0.30 | 0.48 | 94 | 1.1 | 5.0 | 3.9 | 0.21 | 0.32 | C91 |
| Myeloid leukaemia | 130 | 1.3 | 7.3 | 4.7 | 0.29 | 0.49 | 112 | 1.3 | 6.0 | 3.8 | 0.23 | 0.36 | C92–94 |
| Leukaemia unspecified | 42 | 0.4 | 2.3 | 1.1 | 0.03 | 0.10 | 38 | 0.4 | 2.0 | 0.6 | 0.01 | 0.03 | C95 |
| Myeloproliferative disorders | 84 | 0.8 | 4.7 | 2.9 | 0.19 | 0.31 | 72 | 0.8 | 3.8 | 2.3 | 0.14 | 0.24 | MPD |
| Myelodysplastic syndromes | 124 | 1.2 | 6.9 | 3.5 | 0.14 | 0.33 | 140 | 1.6 | 7.4 | 2.7 | 0.07 | 0.29 | MPS |
| Other and unspecified | 130 | 1.3 | 7.3 | 3.9 | 0.19 | 0.42 | 144 | 1.7 | 7.7 | 3.0 | 0.10 | 0.33 | O&U |
| All sites | 12004 | | 670.2 | 382.7 | 19.26 | 45.34 | 9918 | | 527.5 | 296.7 | 19.40 | 32.48 | C00–96 |
| All sites except C44 | 10114 | 100.0 | 564.7 | 326.2 | 16.70 | 38.79 | 8560 | 100.0 | 455.3 | 262.3 | 17.52 | 28.66 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Catania, Messina, and Enna

CONTRIBUTORS

Margherita Ferrante
 Andrea Benedetto
 Alessia Anna Di Prima
 Paolo Fidelbo
 Antonella Ippolito
 Eleonora Irato
 Antonello Marras
 Fiorella Paderni
 Carlo Sciacchitano
 Antonietta Torrisi
 Antonina Torrisi



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 58.0 | Breast | 78.5 |
| Prostate | 45.7 | Non-melanoma skin cancer | 35.4 |
| Trachea, bronchus, and lung | 36.8 | Thyroid | 26.2 |
| Bladder | 33.9 | Colon | 17.7 |
| Colon | 23.8 | Corpus uteri | 13.3 |
| Non-Hodgkin lymphoma | 11.3 | Trachea, bronchus, and lung | 11.7 |
| Rectum | 10.7 | Ovary | 8.6 |
| Kidney | 9.1 | Non-Hodgkin lymphoma | 6.9 |
| Liver | 9.0 | Melanoma of skin | 6.6 |
| Thyroid | 8.5 | Pancreas | 6.5 |
| Stomach | 8.4 | Bladder | 6.3 |
| Testis | 8.0 | Rectum | 5.9 |
| Pancreas | 7.9 | Stomach | 4.8 |
| Melanoma of skin | 7.6 | Cervix uteri | 4.6 |
| Brain and nervous system | 6.2 | Brain and nervous system | 4.2 |
| Lymphoid leukaemia | 5.3 | Kidney | 4.2 |
| Larynx | 5.0 | Hodgkin lymphoma | 3.3 |
| Hodgkin lymphoma | 4.6 | Lymphoid leukaemia | 3.3 |
| Multiple myeloma | 4.4 | Other and unspecified | 3.2 |
| Myeloid leukaemia | 4.3 | Myeloid leukaemia | 3.1 |
| All sites | 344.0 | All sites | 280.6 |

*Italy, Catania, Messina, and Enna (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 58 | 0.2 | 1.2 | 0.6 | 0.02 | 0.08 | 15 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 130 | 0.5 | 2.8 | 1.5 | 0.10 | 0.17 | 90 | 0.4 | 1.8 | 1.0 | 0.06 | 0.11 | C01–02 |
| Mouth | 119 | 0.4 | 2.6 | 1.4 | 0.10 | 0.16 | 76 | 0.3 | 1.5 | 0.6 | 0.03 | 0.08 | C03–06 |
| Salivary glands | 72 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | 37 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 45 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 13 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 16 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 9 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 92 | 0.3 | 2.0 | 1.3 | 0.11 | 0.14 | 34 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | C11 |
| Hypopharynx | 23 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 21 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 128 | 0.5 | 2.8 | 1.3 | 0.08 | 0.15 | 40 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C15 |
| Stomach | 864 | 3.3 | 18.6 | 8.4 | 0.41 | 0.99 | 589 | 2.5 | 11.9 | 4.8 | 0.27 | 0.57 | C16 |
| Small intestine | 84 | 0.3 | 1.8 | 1.0 | 0.07 | 0.10 | 72 | 0.3 | 1.5 | 0.6 | 0.04 | 0.06 | C17 |
| Colon | 2441 | 9.2 | 52.5 | 23.8 | 1.11 | 2.91 | 2183 | 9.2 | 44.0 | 17.7 | 0.92 | 2.15 | C18 |
| Rectum | 1079 | 4.1 | 23.2 | 10.7 | 0.56 | 1.32 | 693 | 2.9 | 14.0 | 5.9 | 0.35 | 0.71 | C19–20 |
| Anus | 59 | 0.2 | 1.3 | 0.6 | 0.04 | 0.07 | 65 | 0.3 | 1.3 | 0.6 | 0.04 | 0.08 | C21 |
| Liver | 876 | 3.3 | 18.9 | 9.0 | 0.45 | 1.10 | 426 | 1.8 | 8.6 | 3.1 | 0.13 | 0.36 | C22 |
| Gallbladder etc. | 375 | 1.4 | 8.1 | 3.4 | 0.14 | 0.42 | 409 | 1.7 | 8.2 | 2.9 | 0.14 | 0.35 | C23–24 |
| Pancreas | 801 | 3.0 | 17.2 | 7.9 | 0.37 | 0.93 | 855 | 3.6 | 17.2 | 6.5 | 0.32 | 0.78 | C25 |
| Nose, sinuses etc. | 51 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | 19 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 450 | 1.7 | 9.7 | 5.0 | 0.32 | 0.62 | 50 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | C32 |
| Trachea, bronchus, and lung | 3748 | 14.1 | 80.7 | 36.8 | 1.61 | 4.83 | 1272 | 5.4 | 25.6 | 11.7 | 0.77 | 1.45 | C33–34 |
| Other thoracic organs | 46 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 37 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 68 | 0.3 | 1.5 | 1.3 | 0.09 | 0.11 | 54 | 0.2 | 1.1 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 591 | 2.2 | 12.7 | 7.6 | 0.53 | 0.81 | 516 | 2.2 | 10.4 | 6.6 | 0.49 | 0.66 | C43 |
| Other skin | 5943 | 22.4 | 127.9 | 58.0 | 2.78 | 6.64 | 4079 | 17.3 | 82.2 | 35.4 | 1.99 | 4.05 | C44 |
| Mesothelioma | 125 | 0.5 | 2.7 | 1.4 | 0.06 | 0.20 | 32 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 79 | 0.3 | 1.7 | 0.8 | 0.05 | 0.08 | 32 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C46 |
| Connective and soft tissue | 176 | 0.7 | 3.8 | 2.5 | 0.14 | 0.23 | 144 | 0.6 | 2.9 | 1.7 | 0.12 | 0.19 | C47+C49 |
| Breast | 63 | 0.2 | 1.4 | 0.8 | 0.05 | 0.08 | 7094 | 30.0 | 142.9 | 78.5 | 5.83 | 8.69 | C50 |
| Vulva | | | | | | | 151 | 0.6 | 3.0 | 1.2 | 0.05 | 0.14 | C51 |
| Vagina | | | | | | | 24 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 352 | 1.5 | 7.1 | 4.6 | 0.37 | 0.47 | C53 |
| Corpus uteri | | | | | | | 1257 | 5.3 | 25.3 | 13.3 | 0.98 | 1.65 | C54 |
| Uterus unspecified | | | | | | | 86 | 0.4 | 1.7 | 0.6 | 0.03 | 0.06 | C55 |
| Ovary | | | | | | | 775 | 3.3 | 15.6 | 8.6 | 0.64 | 0.96 | C56 |
| Other female genital organs | | | | | | | 38 | 0.2 | 0.8 | 0.3 | 0.01 | 0.03 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 102 | 0.4 | 2.2 | 1.1 | 0.07 | 0.14 | | | | | | | C60 |
| Prostate | 4596 | 17.3 | 98.9 | 45.7 | 1.85 | 6.37 | | | | | | | C61 |
| Testis | 378 | 1.4 | 8.1 | 8.0 | 0.59 | 0.60 | | | | | | | C62 |
| Other male genital organs | 19 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 733 | 2.8 | 15.8 | 9.1 | 0.60 | 1.07 | 372 | 1.6 | 7.5 | 4.2 | 0.27 | 0.48 | C64 |
| Renal pelvis | 76 | 0.3 | 1.6 | 0.7 | 0.03 | 0.10 | 33 | 0.1 | 0.7 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 37 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 13 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 3439 | 13.0 | 74.0 | 33.9 | 1.61 | 4.13 | 749 | 3.2 | 15.1 | 6.3 | 0.36 | 0.76 | C67 |
| Other urinary organs | 35 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | 16 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 25 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 21 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 459 | 1.7 | 9.9 | 6.2 | 0.39 | 0.65 | 370 | 1.6 | 7.5 | 4.2 | 0.25 | 0.42 | C70–72 |
| Thyroid | 533 | 2.0 | 11.5 | 8.5 | 0.68 | 0.84 | 1636 | 6.9 | 33.0 | 26.2 | 2.08 | 2.45 | C73 |
| Adrenal gland | 15 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | 20 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 5 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 220 | 0.8 | 4.7 | 4.6 | 0.32 | 0.34 | 147 | 0.6 | 3.0 | 3.3 | 0.21 | 0.24 | C81 |
| Non-Hodgkin lymphoma | 920 | 3.5 | 19.8 | 11.3 | 0.68 | 1.26 | 676 | 2.9 | 13.6 | 6.9 | 0.45 | 0.76 | C82–86,C96 |
| Immunoproliferative diseases | 46 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 49 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 424 | 1.6 | 9.1 | 4.4 | 0.24 | 0.56 | 348 | 1.5 | 7.0 | 2.9 | 0.14 | 0.36 | C90 |
| Lymphoid leukaemia | 345 | 1.3 | 7.4 | 5.3 | 0.29 | 0.46 | 235 | 1.0 | 4.7 | 3.3 | 0.17 | 0.28 | C91 |
| Myeloid leukaemia | 381 | 1.4 | 8.2 | 4.3 | 0.23 | 0.43 | 323 | 1.4 | 6.5 | 3.1 | 0.19 | 0.31 | C92–94 |
| Leukaemia unspecified | 41 | 0.2 | 0.9 | 0.3 | 0.01 | 0.03 | 43 | 0.2 | 0.9 | 0.2 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 289 | 1.1 | 6.2 | 3.2 | 0.19 | 0.38 | 224 | 0.9 | 4.5 | 2.3 | 0.14 | 0.26 | MPD |
| Myelodysplastic syndromes | 296 | 1.1 | 6.4 | 2.6 | 0.09 | 0.28 | 255 | 1.1 | 5.1 | 2.0 | 0.09 | 0.20 | MPS |
| Other and unspecified | 436 | 1.6 | 9.4 | 4.2 | 0.18 | 0.45 | 526 | 2.2 | 10.6 | 3.2 | 0.11 | 0.29 | O&U |
| All sites | 32473 | | 698.8 | 344.0 | 17.55 | 40.85 | 27694 | | 557.8 | 280.6 | 18.45 | 31.05 | C00–96 |
| All sites except C44 | 26530 | 100.0 | 570.9 | 286.0 | 14.77 | 34.21 | 23615 | 100.0 | 475.7 | 245.3 | 16.47 | 27.00 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Emilia-Romagna

CONTRIBUTORS

Fabio Falcini
 Giorgio Chiaranda
 Maria Michiara
 Lucia Mangone
 Giuliano Carrozzi
 Stefano Ferretti
 Paolo Pandolfi
 Giuseppe Diegoli
 Roberto Vespignani
 Veruska Grossi
 Alessandra Ravaioli



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 96.8 | Breast | 94.8 |
| Prostate | 57.7 | Non-melanoma skin cancer | 72.0 |
| Trachea, bronchus, and lung | 39.6 | Thyroid | 26.7 |
| Bladder | 30.5 | Trachea, bronchus, and lung | 19.4 |
| Colon | 22.9 | Colon | 16.7 |
| Melanoma of skin | 15.8 | Melanoma of skin | 14.7 |
| Kidney | 15.6 | Corpus uteri | 14.1 |
| Non-Hodgkin lymphoma | 13.7 | Non-Hodgkin lymphoma | 9.3 |
| Stomach | 12.0 | Ovary | 8.3 |
| Liver | 11.2 | Pancreas | 7.7 |
| Pancreas | 9.9 | Bladder | 7.3 |
| Thyroid | 9.4 | Kidney | 6.5 |
| Rectum | 9.4 | Stomach | 6.2 |
| Testis | 7.3 | Rectum | 5.4 |
| Brain and nervous system | 7.2 | Cervix uteri | 4.7 |
| Lymphoid leukaemia | 5.3 | Brain and nervous system | 4.4 |
| Larynx | 5.1 | Hodgkin lymphoma | 3.6 |
| Multiple myeloma | 4.4 | Other and unspecified | 3.5 |
| Other and unspecified | 4.1 | Myeloid leukaemia | 3.3 |
| Myeloid leukaemia | 4.1 | Lymphoid leukaemia | 3.3 |
| All sites | 420.8 | All sites | 361.8 |

Italy, Emilia-Romagna (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 94 | 0.1 | 1.1 | 0.3 | 0.01 | 0.03 | 34 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 317 | 0.5 | 3.7 | 1.8 | 0.12 | 0.21 | 223 | 0.4 | 2.4 | 1.0 | 0.07 | 0.12 | C01–02 |
| Mouth | 279 | 0.4 | 3.2 | 1.5 | 0.10 | 0.18 | 236 | 0.4 | 2.6 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 164 | 0.3 | 1.9 | 0.8 | 0.05 | 0.08 | 126 | 0.2 | 1.4 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 224 | 0.3 | 2.6 | 1.3 | 0.09 | 0.16 | 83 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 85 | 0.1 | 1.0 | 0.5 | 0.03 | 0.06 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 107 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | 39 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 125 | 0.2 | 1.4 | 0.6 | 0.04 | 0.08 | 27 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 62 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 466 | 0.7 | 5.4 | 2.4 | 0.15 | 0.29 | 178 | 0.3 | 1.9 | 0.7 | 0.04 | 0.08 | C15 |
| Stomach | 2920 | 4.5 | 33.8 | 12.0 | 0.47 | 1.36 | 2028 | 3.4 | 22.1 | 6.2 | 0.28 | 0.65 | C16 |
| Small intestine | 284 | 0.4 | 3.3 | 1.4 | 0.08 | 0.17 | 229 | 0.4 | 2.5 | 1.0 | 0.07 | 0.11 | C17 |
| Colon | 5318 | 8.2 | 61.5 | 22.9 | 1.03 | 2.55 | 4727 | 7.9 | 51.6 | 16.7 | 0.89 | 1.83 | C18 |
| Rectum | 1974 | 3.0 | 22.8 | 9.4 | 0.54 | 1.06 | 1426 | 2.4 | 15.6 | 5.4 | 0.32 | 0.60 | C19–20 |
| Anus | 141 | 0.2 | 1.6 | 0.7 | 0.04 | 0.07 | 341 | 0.6 | 3.7 | 1.6 | 0.11 | 0.19 | C21 |
| Liver | 2296 | 3.5 | 26.5 | 11.2 | 0.62 | 1.34 | 1048 | 1.7 | 11.4 | 3.2 | 0.13 | 0.36 | C22 |
| Gallbladder etc. | 602 | 0.9 | 7.0 | 2.4 | 0.10 | 0.28 | 683 | 1.1 | 7.4 | 1.9 | 0.06 | 0.22 | C23–24 |
| Pancreas | 2233 | 3.4 | 25.8 | 9.9 | 0.45 | 1.17 | 2392 | 4.0 | 26.1 | 7.7 | 0.33 | 0.89 | C25 |
| Nose, sinuses etc. | 111 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 53 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 1001 | 1.5 | 11.6 | 5.1 | 0.32 | 0.65 | 168 | 0.3 | 1.8 | 0.8 | 0.04 | 0.10 | C32 |
| Trachea, bronchus, and lung | 9212 | 14.1 | 106.5 | 39.6 | 1.57 | 4.87 | 4774 | 7.9 | 52.1 | 19.4 | 1.06 | 2.48 | C33–34 |
| Other thoracic organs | 156 | 0.2 | 1.8 | 0.8 | 0.04 | 0.07 | 125 | 0.2 | 1.4 | 0.5 | 0.03 | 0.06 | C37–38 |
| Bone | 144 | 0.2 | 1.7 | 1.7 | 0.10 | 0.12 | 123 | 0.2 | 1.3 | 1.1 | 0.08 | 0.09 | C40–41 |
| Melanoma of skin | 2560 | 3.9 | 29.6 | 15.8 | 1.10 | 1.71 | 2190 | 3.6 | 23.9 | 14.7 | 1.13 | 1.45 | C43 |
| Other skin | 21664 | 33.2 | 250.5 | 96.8 | 4.63 | 10.87 | 16679 | 27.7 | 181.9 | 72.0 | 4.47 | 7.95 | C44 |
| Mesothelioma | 414 | 0.6 | 4.8 | 1.7 | 0.06 | 0.20 | 140 | 0.2 | 1.5 | 0.5 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 165 | 0.3 | 1.9 | 0.8 | 0.04 | 0.09 | 67 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 369 | 0.6 | 4.3 | 2.4 | 0.14 | 0.23 | 314 | 0.5 | 3.4 | 1.8 | 0.12 | 0.17 | C47+C49 |
| Breast | 142 | 0.2 | 1.6 | 0.7 | 0.03 | 0.08 | 17569 | 29.2 | 191.6 | 94.8 | 6.79 | 10.95 | C50 |
| Vulva | | | | | | | 394 | 0.7 | 4.3 | 1.3 | 0.06 | 0.13 | C51 |
| Vagina | | | | | | | 81 | 0.1 | 0.9 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 709 | 1.2 | 7.7 | 4.7 | 0.37 | 0.46 | C53 |
| Corpus uteri | | | | | | | 2853 | 4.7 | 31.1 | 14.1 | 0.97 | 1.79 | C54 |
| Uterus unspecified | | | | | | | 112 | 0.2 | 1.2 | 0.4 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 1619 | 2.7 | 17.7 | 8.3 | 0.56 | 0.94 | C56 |
| Other female genital organs | | | | | | | 203 | 0.3 | 2.2 | 0.8 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 153 | 0.2 | 1.8 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 11756 | 18.0 | 135.9 | 57.7 | 2.57 | 8.17 | | | | | | | C61 |
| Testis | 617 | 0.9 | 7.1 | 7.3 | 0.54 | 0.56 | | | | | | | C62 |
| Other male genital organs | 39 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 2900 | 4.4 | 33.5 | 15.6 | 0.98 | 1.84 | 1496 | 2.5 | 16.3 | 6.5 | 0.40 | 0.75 | C64 |
| Renal pelvis | 187 | 0.3 | 2.2 | 0.9 | 0.05 | 0.10 | 94 | 0.2 | 1.0 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 181 | 0.3 | 2.1 | 0.7 | 0.02 | 0.09 | 69 | 0.1 | 0.8 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 6878 | 10.5 | 79.5 | 30.5 | 1.29 | 3.77 | 1924 | 3.2 | 21.0 | 7.3 | 0.39 | 0.90 | C67 |
| Other urinary organs | 103 | 0.2 | 1.2 | 0.4 | 0.01 | 0.05 | 44 | 0.1 | 0.5 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 82 | 0.1 | 0.9 | 0.6 | 0.03 | 0.05 | 62 | 0.1 | 0.7 | 0.5 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 1062 | 1.6 | 12.3 | 7.2 | 0.44 | 0.73 | 818 | 1.4 | 8.9 | 4.4 | 0.28 | 0.45 | C70–72 |
| Thyroid | 1216 | 1.9 | 14.1 | 9.4 | 0.73 | 0.97 | 3262 | 5.4 | 35.6 | 26.7 | 2.13 | 2.57 | C73 |
| Adrenal gland | 38 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 32 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 376 | 0.6 | 4.3 | 4.0 | 0.27 | 0.33 | 302 | 0.5 | 3.3 | 3.6 | 0.24 | 0.27 | C81 |
| Non-Hodgkin lymphoma | 2441 | 3.7 | 28.2 | 13.7 | 0.79 | 1.48 | 1959 | 3.3 | 21.4 | 9.3 | 0.54 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 205 | 0.3 | 2.4 | 1.1 | 0.06 | 0.13 | 174 | 0.3 | 1.9 | 0.8 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 942 | 1.4 | 10.9 | 4.4 | 0.23 | 0.53 | 770 | 1.3 | 8.4 | 2.9 | 0.14 | 0.36 | C90 |
| Lymphoid leukaemia | 754 | 1.2 | 8.7 | 5.3 | 0.28 | 0.46 | 523 | 0.9 | 5.7 | 3.3 | 0.17 | 0.25 | C91 |
| Myeloid leukaemia | 768 | 1.2 | 8.9 | 4.1 | 0.21 | 0.40 | 705 | 1.2 | 7.7 | 3.3 | 0.19 | 0.34 | C92–94 |
| Leukaemia unspecified | 39 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | 36 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 655 | 1.0 | 7.6 | 3.5 | 0.21 | 0.40 | 612 | 1.0 | 6.7 | 3.0 | 0.18 | 0.33 | MPD |
| Myelodysplastic syndromes | 774 | 1.2 | 8.9 | 2.7 | 0.07 | 0.27 | 653 | 1.1 | 7.1 | 1.6 | 0.05 | 0.15 | MPS |
| Other and unspecified | 1057 | 1.6 | 12.2 | 4.1 | 0.17 | 0.39 | 1230 | 2.0 | 13.4 | 3.5 | 0.15 | 0.32 | O&U |
| All sites | 86866 | | 1004.4 | 420.8 | 21.11 | 49.05 | 76805 | | 837.6 | 361.8 | 23.26 | 40.16 | C00–96 |
| All sites except C44 | 65202 | 100.0 | 753.9 | 324.0 | 16.48 | 38.18 | 60126 | 100.0 | 655.7 | 289.8 | 18.79 | 32.21 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Friuli-Venezia Giulia

CONTRIBUTORS

Diego Serraino
Tiziana Angelin
Ettore Bidoli
Elena Clagnan
Luigino Dal Maso
Stefania Del Zotto
Emilia De Santis
Ornella Forgiarini
Pierantonio Romor
Federica Toffolutti
Ivana Burba



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 94.7 | Breast | 98.0 |
| Prostate | 62.4 | Non-melanoma skin cancer | 80.1 |
| Trachea, bronchus, and lung | 33.1 | Colon | 17.6 |
| Bladder | 25.2 | Thyroid | 16.6 |
| Colon | 25.0 | Melanoma of skin | 16.6 |
| Melanoma of skin | 18.2 | Trachea, bronchus, and lung | 16.4 |
| Kidney | 13.6 | Corpus uteri | 14.9 |
| Liver | 13.3 | Non-Hodgkin lymphoma | 9.1 |
| Non-Hodgkin lymphoma | 12.1 | Ovary | 8.7 |
| Stomach | 10.9 | Pancreas | 7.6 |
| Pancreas | 10.2 | Bladder | 6.6 |
| Rectum | 8.5 | Stomach | 5.4 |
| Testis | 8.0 | Kidney | 5.3 |
| Brain and nervous system | 7.1 | Cervix uteri | 5.2 |
| Thyroid | 5.8 | Rectum | 4.7 |
| Larynx | 4.9 | Brain and nervous system | 4.3 |
| Other and unspecified | 4.7 | Hodgkin lymphoma | 4.1 |
| Lymphoid leukaemia | 4.6 | Liver | 3.4 |
| Oesophagus | 4.5 | Other and unspecified | 3.3 |
| Hodgkin lymphoma | 4.3 | Multiple myeloma | 2.9 |
| All sites | 409.2 | All sites | 356.0 |

Italy, Friuli-Venezia Giulia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 61 | 0.3 | 2.1 | 0.7 | 0.02 | 0.06 | 37 | 0.2 | 1.2 | 0.2 | 0.00 | 0.03 | C00 |
| Tongue | 157 | 0.7 | 5.3 | 2.3 | 0.14 | 0.29 | 85 | 0.4 | 2.7 | 1.2 | 0.07 | 0.14 | C01–02 |
| Mouth | 154 | 0.7 | 5.2 | 2.4 | 0.15 | 0.29 | 113 | 0.5 | 3.6 | 1.1 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 53 | 0.2 | 1.8 | 0.9 | 0.04 | 0.09 | 42 | 0.2 | 1.3 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 88 | 0.4 | 3.0 | 1.4 | 0.09 | 0.19 | 44 | 0.2 | 1.4 | 0.7 | 0.06 | 0.08 | C09 |
| Other oropharynx | 52 | 0.2 | 1.8 | 0.7 | 0.04 | 0.11 | 13 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 28 | 0.1 | 0.9 | 0.5 | 0.04 | 0.05 | 18 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 155 | 0.7 | 5.2 | 2.3 | 0.12 | 0.33 | 19 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 15 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 10 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 323 | 1.4 | 10.9 | 4.5 | 0.24 | 0.56 | 113 | 0.5 | 3.6 | 1.0 | 0.05 | 0.12 | C15 |
| Stomach | 911 | 4.0 | 30.8 | 10.9 | 0.46 | 1.29 | 610 | 3.0 | 19.4 | 5.4 | 0.23 | 0.61 | C16 |
| Small intestine | 66 | 0.3 | 2.2 | 0.9 | 0.04 | 0.11 | 82 | 0.4 | 2.6 | 1.1 | 0.07 | 0.12 | C17 |
| Colon | 2027 | 8.9 | 68.5 | 25.0 | 1.14 | 2.96 | 1775 | 8.6 | 56.3 | 17.6 | 0.89 | 2.05 | C18 |
| Rectum | 642 | 2.8 | 21.7 | 8.5 | 0.44 | 1.05 | 413 | 2.0 | 13.1 | 4.7 | 0.28 | 0.56 | C19–20 |
| Anus | 49 | 0.2 | 1.7 | 0.8 | 0.05 | 0.09 | 88 | 0.4 | 2.8 | 1.1 | 0.08 | 0.12 | C21 |
| Liver | 1043 | 4.6 | 35.2 | 13.3 | 0.61 | 1.70 | 387 | 1.9 | 12.3 | 3.4 | 0.14 | 0.39 | C22 |
| Gallbladder etc. | 235 | 1.0 | 7.9 | 2.7 | 0.10 | 0.30 | 243 | 1.2 | 7.7 | 1.9 | 0.07 | 0.22 | C23–24 |
| Pancreas | 826 | 3.6 | 27.9 | 10.2 | 0.46 | 1.25 | 885 | 4.3 | 28.1 | 7.6 | 0.32 | 0.90 | C25 |
| Nose, sinuses etc. | 49 | 0.2 | 1.7 | 0.7 | 0.04 | 0.09 | 29 | 0.1 | 0.9 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 363 | 1.6 | 12.3 | 4.9 | 0.24 | 0.63 | 54 | 0.3 | 1.7 | 0.8 | 0.06 | 0.09 | C32 |
| Trachea, bronchus, and lung | 2742 | 12.0 | 92.6 | 33.1 | 1.34 | 4.18 | 1482 | 7.2 | 47.0 | 16.4 | 0.91 | 2.11 | C33–34 |
| Other thoracic organs | 32 | 0.1 | 1.1 | 0.5 | 0.03 | 0.04 | 15 | 0.1 | 0.5 | 0.1 | 0.01 | 0.02 | C37–38 |
| Bone | 33 | 0.1 | 1.1 | 1.2 | 0.07 | 0.09 | 31 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 1089 | 4.8 | 36.8 | 18.2 | 1.19 | 1.97 | 952 | 4.6 | 30.2 | 16.6 | 1.21 | 1.69 | C43 |
| Other skin | 7325 | 32.1 | 247.5 | 94.7 | 4.80 | 10.75 | 6744 | 32.7 | 214.0 | 80.1 | 4.95 | 8.86 | C44 |
| Mesothelioma | 259 | 1.1 | 8.8 | 2.9 | 0.08 | 0.37 | 56 | 0.3 | 1.8 | 0.5 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 17 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | 7 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 137 | 0.6 | 4.6 | 2.5 | 0.13 | 0.24 | 92 | 0.4 | 2.9 | 1.6 | 0.10 | 0.16 | C47+C49 |
| Breast | 67 | 0.3 | 2.3 | 0.8 | 0.03 | 0.10 | 6535 | 31.7 | 207.3 | 98.0 | 7.21 | 11.15 | C50 |
| Vulva | | | | | | | 187 | 0.9 | 5.9 | 1.6 | 0.06 | 0.17 | C51 |
| Vagina | | | | | | | 32 | 0.2 | 1.0 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 254 | 1.2 | 8.1 | 5.2 | 0.42 | 0.50 | C53 |
| Corpus uteri | | | | | | | 1081 | 5.2 | 34.3 | 14.9 | 1.03 | 1.94 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 538 | 2.6 | 17.1 | 8.7 | 0.61 | 0.98 | C56 |
| Other female genital organs | | | | | | | 95 | 0.5 | 3.0 | 0.9 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 54 | 0.2 | 1.8 | 0.7 | 0.02 | 0.08 | | | | | | | C60 |
| Prostate | 4790 | 21.0 | 161.8 | 62.4 | 2.63 | 8.83 | | | | | | | C61 |
| Testis | 225 | 1.0 | 7.6 | 8.0 | 0.59 | 0.61 | | | | | | | C62 |
| Other male genital organs | 9 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 910 | 4.0 | 30.7 | 13.6 | 0.83 | 1.60 | 457 | 2.2 | 14.5 | 5.3 | 0.31 | 0.62 | C64 |
| Renal pelvis | 37 | 0.2 | 1.3 | 0.5 | 0.02 | 0.06 | 15 | 0.1 | 0.5 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 49 | 0.2 | 1.7 | 0.6 | 0.03 | 0.08 | 32 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C66 |
| †Bladder | 2107 | 9.2 | 71.2 | 25.2 | 1.08 | 2.98 | 669 | 3.2 | 21.2 | 6.6 | 0.32 | 0.79 | C67 |
| Other urinary organs | 14 | 0.1 | 0.5 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 32 | 0.1 | 1.1 | 0.6 | 0.03 | 0.07 | 25 | 0.1 | 0.8 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 397 | 1.7 | 13.4 | 7.1 | 0.45 | 0.73 | 282 | 1.4 | 8.9 | 4.3 | 0.30 | 0.44 | C70–72 |
| Thyroid | 257 | 1.1 | 8.7 | 5.8 | 0.43 | 0.57 | 701 | 3.4 | 22.2 | 16.6 | 1.28 | 1.61 | C73 |
| Adrenal gland | 14 | 0.1 | 0.5 | 0.7 | 0.03 | 0.04 | 11 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 137 | 0.6 | 4.6 | 4.3 | 0.30 | 0.35 | 108 | 0.5 | 3.4 | 4.1 | 0.28 | 0.30 | C81 |
| Non-Hodgkin lymphoma | 771 | 3.4 | 26.1 | 12.1 | 0.71 | 1.40 | 667 | 3.2 | 21.2 | 9.1 | 0.57 | 1.00 | C82–86,C96 |
| Immunoproliferative diseases | 60 | 0.3 | 2.0 | 0.9 | 0.06 | 0.11 | 72 | 0.3 | 2.3 | 1.1 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 303 | 1.3 | 10.2 | 4.0 | 0.20 | 0.48 | 277 | 1.3 | 8.8 | 2.9 | 0.15 | 0.36 | C90 |
| Lymphoid leukaemia | 200 | 0.9 | 6.8 | 4.6 | 0.22 | 0.39 | 145 | 0.7 | 4.6 | 2.7 | 0.13 | 0.21 | C91 |
| Myeloid leukaemia | 286 | 1.3 | 9.7 | 4.1 | 0.19 | 0.45 | 195 | 0.9 | 6.2 | 2.8 | 0.16 | 0.28 | C92–94 |
| Leukaemia unspecified | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 8 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 31 | 0.1 | 1.0 | 0.4 | 0.01 | 0.04 | 10 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 62 | 0.3 | 2.1 | 0.6 | 0.01 | 0.06 | 37 | 0.2 | 1.2 | 0.4 | 0.01 | 0.03 | MPS |
| Other and unspecified | 406 | 1.8 | 13.7 | 4.7 | 0.19 | 0.48 | 469 | 2.3 | 14.9 | 3.3 | 0.12 | 0.33 | O&U |
| All sites | 30164 | | 1019.2 | 409.2 | 20.24 | 48.72 | 27350 | | 867.7 | 356.0 | 22.95 | 39.85 | C00–96 |
| All sites except C44 | 22839 | 100.0 | 771.7 | 314.5 | 15.44 | 37.97 | 20606 | 100.0 | 653.8 | 275.8 | 18.00 | 30.99 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Genova

CONTRIBUTORS

Luca Boni
 Claudia Casella
 Enza Marani
 Antonella Puppo
 Maria Vittoria Celesia
 Roberta Cogno



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 58.7 | Breast | 90.2 |
| Prostate | 47.5 | Non-melanoma skin cancer | 50.7 |
| Trachea, bronchus, and lung | 39.7 | Colon | 18.4 |
| Bladder | 32.5 | Trachea, bronchus, and lung | 18.2 |
| Colon | 25.3 | Melanoma of skin | 15.5 |
| Melanoma of skin | 16.4 | Thyroid | 15.3 |
| Non-Hodgkin lymphoma | 12.9 | Corpus uteri | 12.0 |
| Kidney | 12.2 | Non-Hodgkin lymphoma | 8.8 |
| Rectum | 12.1 | Ovary | 8.5 |
| Liver | 11.8 | Rectum | 7.6 |
| Pancreas | 9.4 | Pancreas | 7.5 |
| Stomach | 8.5 | Cervix uteri | 7.3 |
| Brain and nervous system | 6.9 | Bladder | 7.0 |
| Thyroid | 6.5 | Brain and nervous system | 4.9 |
| Lymphoid leukaemia | 6.3 | Kidney | 4.6 |
| Larynx | 6.0 | Other and unspecified | 4.0 |
| Testis | 6.0 | Hodgkin lymphoma | 3.8 |
| Hodgkin lymphoma | 5.1 | Stomach | 3.7 |
| Other and unspecified | 4.7 | Myeloid leukaemia | 3.2 |
| Mesothelioma | 4.4 | Liver | 3.0 |
| All sites | 376.5 | All sites | 321.8 |


Italy, Genova (2013–2016)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.1 | 1.0 | 0.3 | 0.01 | 0.04 | 6 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 74 | 0.5 | 4.6 | 2.1 | 0.15 | 0.25 | 42 | 0.3 | 2.3 | 0.7 | 0.04 | 0.08 | C01–02 |
| Mouth | 56 | 0.4 | 3.5 | 1.5 | 0.11 | 0.17 | 50 | 0.4 | 2.8 | 0.9 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 27 | 0.2 | 1.7 | 0.6 | 0.04 | 0.06 | 27 | 0.2 | 1.5 | 0.5 | 0.02 | 0.07 | C07–08 |
| Tonsil | 32 | 0.2 | 2.0 | 1.0 | 0.08 | 0.13 | 13 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 31 | 0.2 | 1.9 | 1.0 | 0.08 | 0.11 | 8 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 19 | 0.1 | 1.2 | 0.6 | 0.04 | 0.07 | 10 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 36 | 0.3 | 2.2 | 0.9 | 0.05 | 0.13 | 14 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 6 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 117 | 0.9 | 7.2 | 2.6 | 0.12 | 0.29 | 46 | 0.4 | 2.5 | 0.6 | 0.02 | 0.07 | C15 |
| Stomach | 429 | 3.1 | 26.5 | 8.5 | 0.37 | 0.98 | 280 | 2.2 | 15.5 | 3.7 | 0.16 | 0.42 | C16 |
| Small intestine | 55 | 0.4 | 3.4 | 1.3 | 0.08 | 0.15 | 43 | 0.3 | 2.4 | 0.7 | 0.04 | 0.09 | C17 |
| Colon | 1282 | 9.4 | 79.3 | 25.3 | 1.07 | 2.97 | 1242 | 9.8 | 68.7 | 18.4 | 0.90 | 2.09 | C18 |
| Rectum | 543 | 4.0 | 33.6 | 12.1 | 0.67 | 1.42 | 423 | 3.3 | 23.4 | 7.6 | 0.44 | 0.95 | C19–20 |
| Anus | 43 | 0.3 | 2.7 | 1.1 | 0.06 | 0.14 | 78 | 0.6 | 4.3 | 1.5 | 0.11 | 0.17 | C21 |
| Liver | 482 | 3.5 | 29.8 | 11.8 | 0.75 | 1.42 | 215 | 1.7 | 11.9 | 3.0 | 0.16 | 0.35 | C22 |
| Gallbladder etc. | 176 | 1.3 | 10.9 | 3.2 | 0.13 | 0.34 | 180 | 1.4 | 10.0 | 2.0 | 0.05 | 0.24 | C23–24 |
| Pancreas | 453 | 3.3 | 28.0 | 9.4 | 0.42 | 1.15 | 535 | 4.2 | 29.6 | 7.5 | 0.32 | 0.85 | C25 |
| Nose, sinuses etc. | 20 | 0.1 | 1.2 | 0.5 | 0.03 | 0.05 | 16 | 0.1 | 0.9 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 250 | 1.8 | 15.5 | 6.0 | 0.32 | 0.80 | 31 | 0.2 | 1.7 | 0.6 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1985 | 14.6 | 122.7 | 39.7 | 1.57 | 5.04 | 990 | 7.8 | 54.8 | 18.2 | 1.01 | 2.34 | C33–34 |
| Other thoracic organs | 58 | 0.4 | 3.6 | 1.0 | 0.04 | 0.08 | 19 | 0.2 | 1.1 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 24 | 0.2 | 1.5 | 1.1 | 0.08 | 0.10 | 16 | 0.1 | 0.9 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 489 | 3.6 | 30.2 | 16.4 | 1.20 | 1.69 | 454 | 3.6 | 25.1 | 15.5 | 1.19 | 1.50 | C43 |
| Other skin | 2777 | 20.4 | 171.7 | 58.7 | 2.86 | 6.53 | 2473 | 19.6 | 136.8 | 50.7 | 3.28 | 5.56 | C44 |
| Mesothelioma | 248 | 1.8 | 15.3 | 4.4 | 0.11 | 0.54 | 62 | 0.5 | 3.4 | 0.8 | 0.02 | 0.09 | C45 |
| Kaposi sarcoma | 29 | 0.2 | 1.8 | 0.8 | 0.04 | 0.08 | 14 | 0.1 | 0.8 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 85 | 0.6 | 5.3 | 2.6 | 0.17 | 0.26 | 51 | 0.4 | 2.8 | 1.5 | 0.10 | 0.13 | C47+C49 |
| Breast | 39 | 0.3 | 2.4 | 1.0 | 0.06 | 0.12 | 3637 | 28.8 | 201.2 | 90.2 | 6.66 | 9.95 | C50 |
| Vulva | | | | | | | 84 | 0.7 | 4.6 | 1.2 | 0.06 | 0.13 | C51 |
| Vagina | | | | | | | 19 | 0.2 | 1.1 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 220 | 1.7 | 12.2 | 7.3 | 0.61 | 0.72 | C53 |
| Corpus uteri | | | | | | | 561 | 4.4 | 31.0 | 12.0 | 0.86 | 1.48 | C54 |
| Uterus unspecified | | | | | | | 23 | 0.2 | 1.3 | 0.3 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 362 | 2.9 | 20.0 | 8.5 | 0.60 | 0.97 | C56 |
| Other female genital organs | | | | | | | 36 | 0.3 | 2.0 | 0.6 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 32 | 0.2 | 2.0 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 2131 | 15.6 | 131.8 | 47.5 | 1.98 | 6.71 | | | | | | | C61 |
| Testis | 90 | 0.7 | 5.6 | 6.0 | 0.46 | 0.46 | | | | | | | C62 |
| Other male genital organs | 12 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | | | | | | | C63 |
| Kidney | 450 | 3.3 | 27.8 | 12.2 | 0.75 | 1.44 | 225 | 1.8 | 12.4 | 4.6 | 0.29 | 0.58 | C64 |
| Renal pelvis | 35 | 0.3 | 2.2 | 0.7 | 0.02 | 0.07 | 25 | 0.2 | 1.4 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 39 | 0.3 | 2.4 | 0.8 | 0.04 | 0.09 | 12 | 0.1 | 0.7 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 1583 | 11.6 | 97.9 | 32.5 | 1.35 | 3.92 | 417 | 3.3 | 23.1 | 7.0 | 0.36 | 0.85 | C67 |
| Other urinary organs | 21 | 0.2 | 1.3 | 0.4 | 0.01 | 0.05 | 6 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 26 | 0.2 | 1.6 | 1.0 | 0.05 | 0.07 | 32 | 0.3 | 1.8 | 0.7 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 204 | 1.5 | 12.6 | 6.9 | 0.44 | 0.67 | 182 | 1.4 | 10.1 | 4.9 | 0.30 | 0.46 | C70–72 |
| Thyroid | 155 | 1.1 | 9.6 | 6.5 | 0.48 | 0.66 | 378 | 3.0 | 20.9 | 15.3 | 1.22 | 1.46 | C73 |
| Adrenal gland | 10 | 0.1 | 0.6 | 0.7 | 0.03 | 0.04 | 11 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.4 | 0.02 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 94 | 0.7 | 5.8 | 5.1 | 0.36 | 0.39 | 58 | 0.5 | 3.2 | 3.8 | 0.24 | 0.27 | C81 |
| Non-Hodgkin lymphoma | 494 | 3.6 | 30.5 | 12.9 | 0.74 | 1.47 | 440 | 3.5 | 24.3 | 8.8 | 0.54 | 0.99 | C82–86,C96 |
| Immunoproliferative diseases | 31 | 0.2 | 1.9 | 0.7 | 0.03 | 0.09 | 34 | 0.3 | 1.9 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 170 | 1.2 | 10.5 | 3.8 | 0.19 | 0.48 | 167 | 1.3 | 9.2 | 2.9 | 0.16 | 0.35 | C90 |
| Lymphoid leukaemia | 231 | 1.7 | 14.3 | 6.3 | 0.32 | 0.64 | 150 | 1.2 | 8.3 | 2.8 | 0.14 | 0.31 | C91 |
| Myeloid leukaemia | 167 | 1.2 | 10.3 | 4.1 | 0.21 | 0.41 | 151 | 1.2 | 8.4 | 3.2 | 0.21 | 0.32 | C92–94 |
| Leukaemia unspecified | 22 | 0.2 | 1.4 | 0.7 | 0.03 | 0.04 | 16 | 0.1 | 0.9 | 0.3 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 131 | 1.0 | 8.1 | 3.5 | 0.19 | 0.38 | 113 | 0.9 | 6.3 | 2.2 | 0.14 | 0.22 | MPD |
| Myelodysplastic syndromes | 152 | 1.1 | 9.4 | 2.4 | 0.09 | 0.23 | 130 | 1.0 | 7.2 | 1.2 | 0.02 | 0.12 | MPS |
| Other and unspecified | 231 | 1.7 | 14.3 | 4.7 | 0.23 | 0.48 | 279 | 2.2 | 15.4 | 4.0 | 0.19 | 0.38 | O&U |
| All sites | 16397 | | 1013.9 | 376.5 | 18.76 | 44.06 | 15118 | | 836.2 | 321.8 | 21.01 | 35.51 | C00–96 |
| All sites except C44 | 13620 | 100.0 | 842.2 | 317.8 | 15.90 | 37.53 | 12645 | 100.0 | 699.4 | 271.1 | 17.73 | 29.95 | C00–96 exc. C44 |

Italy, Lombardy, South, Pavia

CONTRIBUTORS

Lorenza Boschetti
 Simona Migliazza
 Giovanna Tagliabue
 Paolo Contiero
 Giulio Barigelletti
 Andrea Tittarelli
 Elena Reggiani
 Stefano Marguati



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 59.0 | Breast | 93.3 |
| Prostate | 50.1 | Non-melanoma skin cancer | 42.8 |
| Trachea, bronchus, and lung | 45.5 | Colon | 16.6 |
| Bladder | 29.7 | Trachea, bronchus, and lung | 16.5 |
| Colon | 25.5 | Thyroid | 15.6 |
| Liver | 13.7 | Corpus uteri | 14.5 |
| Kidney | 13.4 | Non-Hodgkin lymphoma | 9.7 |
| Non-Hodgkin lymphoma | 12.6 | Pancreas | 8.0 |
| Stomach | 12.0 | Ovary | 7.9 |
| Pancreas | 10.6 | Rectum | 6.7 |
| Rectum | 10.4 | Kidney | 6.4 |
| Testis | 8.4 | Stomach | 6.3 |
| Melanoma of skin | 7.7 | Bladder | 6.2 |
| Brain and nervous system | 6.8 | Melanoma of skin | 5.9 |
| Thyroid | 6.1 | Brain and nervous system | 5.0 |
| Larynx | 5.6 | Cervix uteri | 4.7 |
| Myeloid leukaemia | 4.7 | Liver | 4.6 |
| Other and unspecified | 4.6 | Other and unspecified | 4.1 |
| Lymphoid leukaemia | 4.6 | Myeloproliferative disorders | 3.4 |
| Multiple myeloma | 4.3 | Myeloid leukaemia | 2.9 |
| All sites | 376.5 | All sites | 312.8 |

*Italy, Lombardy, South, Pavia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 17 | 0.2 | 1.3 | 0.5 | 0.03 | 0.07 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 56 | 0.6 | 4.2 | 2.1 | 0.13 | 0.26 | 39 | 0.4 | 2.8 | 1.2 | 0.08 | 0.14 | C01–02 |
| Mouth | 47 | 0.5 | 3.5 | 1.7 | 0.13 | 0.22 | 57 | 0.6 | 4.1 | 1.4 | 0.11 | 0.14 | C03–06 |
| Salivary glands | 21 | 0.2 | 1.6 | 0.7 | 0.04 | 0.08 | 19 | 0.2 | 1.4 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 22 | 0.2 | 1.7 | 0.8 | 0.05 | 0.08 | 12 | 0.1 | 0.9 | 0.4 | 0.03 | 0.06 | C09 |
| Other oropharynx | 16 | 0.2 | 1.2 | 0.6 | 0.05 | 0.07 | 7 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 21 | 0.2 | 1.6 | 1.0 | 0.07 | 0.11 | 9 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | C11 |
| Hypopharynx | 26 | 0.3 | 2.0 | 0.9 | 0.07 | 0.12 | 7 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.2 | 0.03 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C14 |
| Oesophagus | 117 | 1.2 | 8.8 | 3.6 | 0.18 | 0.45 | 40 | 0.4 | 2.8 | 0.9 | 0.04 | 0.10 | C15 |
| Stomach | 417 | 4.2 | 31.4 | 12.0 | 0.56 | 1.36 | 303 | 3.4 | 21.6 | 6.3 | 0.31 | 0.71 | C16 |
| Small intestine | 39 | 0.4 | 2.9 | 1.4 | 0.08 | 0.17 | 24 | 0.3 | 1.7 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 884 | 9.0 | 66.7 | 25.5 | 1.20 | 2.77 | 753 | 8.4 | 53.6 | 16.6 | 0.83 | 1.94 | C18 |
| Rectum | 330 | 3.3 | 24.9 | 10.4 | 0.52 | 1.30 | 262 | 2.9 | 18.6 | 6.7 | 0.37 | 0.82 | C19–20 |
| Anus | 17 | 0.2 | 1.3 | 0.5 | 0.03 | 0.06 | 44 | 0.5 | 3.1 | 1.4 | 0.12 | 0.19 | C21 |
| Liver | 480 | 4.9 | 36.2 | 13.7 | 0.63 | 1.62 | 266 | 3.0 | 18.9 | 4.6 | 0.11 | 0.53 | C22 |
| Gallbladder etc. | 99 | 1.0 | 7.5 | 2.6 | 0.10 | 0.28 | 129 | 1.4 | 9.2 | 2.7 | 0.14 | 0.32 | C23–24 |
| Pancreas | 357 | 3.6 | 26.9 | 10.6 | 0.47 | 1.28 | 393 | 4.4 | 28.0 | 8.0 | 0.33 | 0.91 | C25 |
| Nose, sinuses etc. | 19 | 0.2 | 1.4 | 0.6 | 0.04 | 0.08 | 11 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 177 | 1.8 | 13.3 | 5.6 | 0.25 | 0.71 | 23 | 0.3 | 1.6 | 0.7 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1569 | 15.9 | 118.3 | 45.5 | 2.00 | 5.56 | 629 | 7.0 | 44.8 | 16.5 | 0.91 | 2.12 | C33–34 |
| Other thoracic organs | 40 | 0.4 | 3.0 | 1.2 | 0.06 | 0.14 | 28 | 0.3 | 2.0 | 0.9 | 0.06 | 0.11 | C37–38 |
| Bone | 13 | 0.1 | 1.0 | 1.1 | 0.06 | 0.07 | 20 | 0.2 | 1.4 | 1.3 | 0.08 | 0.12 | C40–41 |
| Melanoma of skin | 213 | 2.2 | 16.1 | 7.7 | 0.52 | 0.86 | 168 | 1.9 | 12.0 | 5.9 | 0.42 | 0.61 | C43 |
| Other skin | 2037 | 20.6 | 153.6 | 59.0 | 2.68 | 6.74 | 1709 | 19.1 | 121.7 | 42.8 | 2.45 | 4.72 | C44 |
| Mesothelioma | 129 | 1.3 | 9.7 | 4.0 | 0.21 | 0.52 | 59 | 0.7 | 4.2 | 1.4 | 0.09 | 0.16 | C45 |
| Kaposi sarcoma | 17 | 0.2 | 1.3 | 0.4 | 0.03 | 0.03 | 5 | 0.1 | 0.4 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 57 | 0.6 | 4.3 | 2.3 | 0.13 | 0.22 | 43 | 0.5 | 3.1 | 1.3 | 0.09 | 0.12 | C47+C49 |
| Breast | 25 | 0.3 | 1.9 | 0.8 | 0.04 | 0.10 | 2692 | 30.0 | 191.6 | 93.3 | 6.98 | 10.49 | C50 |
| Vulva | | | | | | | 44 | 0.5 | 3.1 | 1.0 | 0.07 | 0.10 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 119 | 1.3 | 8.5 | 4.7 | 0.35 | 0.50 | C53 |
| Corpus uteri | | | | | | | 445 | 5.0 | 31.7 | 14.5 | 1.06 | 1.82 | C54 |
| Uterus unspecified | | | | | | | 32 | 0.4 | 2.3 | 0.8 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 224 | 2.5 | 15.9 | 7.9 | 0.60 | 0.94 | C56 |
| Other female genital organs | | | | | | | 40 | 0.4 | 2.8 | 1.4 | 0.10 | 0.16 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.2 | 1.2 | 0.4 | 0.01 | 0.05 | | | | | | | C60 |
| Prostate | 1614 | 16.4 | 121.7 | 50.1 | 2.13 | 7.11 | | | | | | | C61 |
| Testis | 112 | 1.1 | 8.4 | 8.4 | 0.61 | 0.64 | | | | | | | C62 |
| Other male genital organs | 9 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | | | | | | | C63 |
| Kidney | 394 | 4.0 | 29.7 | 13.4 | 0.75 | 1.63 | 215 | 2.4 | 15.3 | 6.4 | 0.37 | 0.73 | C64 |
| Renal pelvis | 22 | 0.2 | 1.7 | 0.6 | 0.02 | 0.09 | 9 | 0.1 | 0.6 | 0.2 | 0.02 | 0.03 | C65 |
| Ureter | 19 | 0.2 | 1.4 | 0.4 | 0.01 | 0.05 | 13 | 0.1 | 0.9 | 0.3 | 0.01 | 0.04 | C66 |
| †Bladder | 997 | 10.1 | 75.2 | 29.7 | 1.28 | 3.70 | 248 | 2.8 | 17.7 | 6.2 | 0.33 | 0.78 | C67 |
| Other urinary organs | 30 | 0.3 | 2.3 | 1.0 | 0.05 | 0.13 | 7 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C68 |
| Eye | 15 | 0.2 | 1.1 | 0.9 | 0.03 | 0.07 | 15 | 0.2 | 1.1 | 0.6 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 151 | 1.5 | 11.4 | 6.8 | 0.44 | 0.70 | 118 | 1.3 | 8.4 | 5.0 | 0.35 | 0.50 | C70–72 |
| Thyroid | 122 | 1.2 | 9.2 | 6.1 | 0.49 | 0.62 | 314 | 3.5 | 22.4 | 15.6 | 1.24 | 1.56 | C73 |
| Adrenal gland | 4 | 0.0 | 0.3 | 0.5 | 0.02 | 0.02 | 8 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C74 |
| Other endocrine | 4 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 43 | 0.4 | 3.2 | 3.0 | 0.20 | 0.24 | 33 | 0.4 | 2.3 | 2.6 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 351 | 3.6 | 26.5 | 12.6 | 0.67 | 1.42 | 326 | 3.6 | 23.2 | 9.7 | 0.59 | 1.05 | C82–86,C96 |
| Immunoproliferative diseases | 18 | 0.2 | 1.4 | 0.6 | 0.03 | 0.08 | 17 | 0.2 | 1.2 | 0.5 | 0.04 | 0.05 | C88 |
| Multiple myeloma | 141 | 1.4 | 10.6 | 4.3 | 0.18 | 0.55 | 114 | 1.3 | 8.1 | 2.7 | 0.14 | 0.33 | C90 |
| Lymphoid leukaemia | 88 | 0.9 | 6.6 | 4.6 | 0.23 | 0.40 | 66 | 0.7 | 4.7 | 2.4 | 0.11 | 0.20 | C91 |
| Myeloid leukaemia | 123 | 1.2 | 9.3 | 4.7 | 0.22 | 0.49 | 87 | 1.0 | 6.2 | 2.9 | 0.18 | 0.29 | C92–94 |
| Leukaemia unspecified | 40 | 0.4 | 3.0 | 1.2 | 0.06 | 0.11 | 41 | 0.5 | 2.9 | 1.1 | 0.07 | 0.12 | C95 |
| Myeloproliferative disorders | 87 | 0.9 | 6.6 | 3.0 | 0.17 | 0.36 | 107 | 1.2 | 7.6 | 3.4 | 0.21 | 0.39 | MPD |
| Myelodysplastic syndromes | 76 | 0.8 | 5.7 | 1.8 | 0.03 | 0.19 | 52 | 0.6 | 3.7 | 0.8 | 0.02 | 0.07 | MPS |
| Other and unspecified | 164 | 1.7 | 12.4 | 4.6 | 0.21 | 0.49 | 211 | 2.4 | 15.0 | 4.1 | 0.15 | 0.34 | O&U |
| All sites | 11907 | | 897.9 | 376.5 | 18.27 | 44.58 | 10669 | | 759.4 | 312.8 | 20.09 | 35.17 | C00–96 |
| All sites except C44 | 9870 | 100.0 | 744.3 | 317.4 | 15.59 | 37.84 | 8960 | 100.0 | 637.8 | 270.1 | 17.63 | 30.45 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Mantova and Cremona

CONTRIBUTORS

Marco Villa
Paola Ballotari
Maria Dall'Acqua
Marilena Ceresola
Erica Giacomazzi



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 54.8 | Breast | 96.7 |
| Trachea, bronchus, and lung | 38.4 | Thyroid | 21.0 |
| Bladder | 27.2 | Colon | 17.3 |
| Colon | 24.4 | Trachea, bronchus, and lung | 16.4 |
| Stomach | 15.2 | Corpus uteri | 13.6 |
| Kidney | 14.6 | Melanoma of skin | 11.3 |
| Non-Hodgkin lymphoma | 13.5 | Non-Hodgkin lymphoma | 8.6 |
| Melanoma of skin | 13.2 | Ovary | 7.5 |
| Liver | 13.0 | Stomach | 7.5 |
| Pancreas | 10.6 | Pancreas | 7.2 |
| Rectum | 10.5 | Bladder | 6.2 |
| Testis | 8.3 | Rectum | 5.9 |
| Brain and nervous system | 7.3 | Kidney | 5.8 |
| Thyroid | 7.3 | Brain and nervous system | 5.1 |
| Larynx | 5.9 | Hodgkin lymphoma | 4.7 |
| Multiple myeloma | 5.3 | Cervix uteri | 3.9 |
| Lymphoid leukaemia | 4.1 | Multiple myeloma | 3.8 |
| Myeloid leukaemia | 3.8 | Liver | 3.8 |
| Hodgkin lymphoma | 3.5 | Myeloid leukaemia | 3.3 |
| Other and unspecified | 3.4 | Other and unspecified | 3.2 |
| All sites | 319.0 | All sites | 277.4 |

Italy, Mantova and Cremona (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 19 | 0.2 | 1.3 | 0.5 | 0.03 | 0.06 | 8 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 57 | 0.5 | 3.8 | 1.9 | 0.13 | 0.24 | 33 | 0.3 | 2.1 | 0.7 | 0.04 | 0.07 | C01–02 |
| Mouth | 61 | 0.6 | 4.0 | 1.9 | 0.12 | 0.23 | 49 | 0.5 | 3.1 | 0.9 | 0.03 | 0.09 | C03–06 |
| Salivary glands | 27 | 0.2 | 1.8 | 0.8 | 0.05 | 0.09 | 25 | 0.2 | 1.6 | 0.8 | 0.06 | 0.09 | C07–08 |
| Tonsil | 19 | 0.2 | 1.3 | 0.6 | 0.04 | 0.10 | 8 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 15 | 0.1 | 1.0 | 0.6 | 0.05 | 0.07 | 5 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 22 | 0.2 | 1.5 | 1.0 | 0.07 | 0.11 | 4 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 23 | 0.2 | 1.5 | 0.8 | 0.05 | 0.10 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.9 | 0.4 | 0.02 | 0.06 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 111 | 1.0 | 7.4 | 2.9 | 0.12 | 0.34 | 30 | 0.3 | 1.9 | 0.6 | 0.04 | 0.05 | C15 |
| Stomach | 600 | 5.6 | 39.8 | 15.2 | 0.61 | 1.78 | 413 | 4.1 | 26.2 | 7.5 | 0.32 | 0.84 | C16 |
| Small intestine | 40 | 0.4 | 2.7 | 1.3 | 0.07 | 0.18 | 39 | 0.4 | 2.5 | 1.0 | 0.07 | 0.12 | C17 |
| Colon | 924 | 8.6 | 61.2 | 24.4 | 1.19 | 2.76 | 842 | 8.4 | 53.4 | 17.3 | 0.90 | 1.96 | C18 |
| Rectum | 373 | 3.5 | 24.7 | 10.5 | 0.58 | 1.25 | 262 | 2.6 | 16.6 | 5.9 | 0.34 | 0.67 | C19–20 |
| Anus | 17 | 0.2 | 1.1 | 0.5 | 0.03 | 0.07 | 29 | 0.3 | 1.8 | 0.7 | 0.05 | 0.08 | C21 |
| Liver | 467 | 4.3 | 30.9 | 13.0 | 0.62 | 1.56 | 195 | 1.9 | 12.4 | 3.8 | 0.17 | 0.41 | C22 |
| Gallbladder etc. | 104 | 1.0 | 6.9 | 2.6 | 0.10 | 0.28 | 114 | 1.1 | 7.2 | 2.0 | 0.08 | 0.21 | C23–24 |
| Pancreas | 395 | 3.7 | 26.2 | 10.6 | 0.44 | 1.29 | 401 | 4.0 | 25.4 | 7.2 | 0.28 | 0.82 | C25 |
| Nose, sinuses etc. | 15 | 0.1 | 1.0 | 0.6 | 0.05 | 0.07 | 8 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 205 | 1.9 | 13.6 | 5.9 | 0.30 | 0.73 | 18 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1492 | 13.8 | 98.9 | 38.4 | 1.54 | 4.74 | 697 | 7.0 | 44.2 | 16.4 | 0.93 | 2.04 | C33–34 |
| Other thoracic organs | 16 | 0.1 | 1.1 | 0.6 | 0.03 | 0.04 | 20 | 0.2 | 1.3 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 23 | 0.2 | 1.5 | 1.5 | 0.10 | 0.10 | 18 | 0.2 | 1.1 | 0.9 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 376 | 3.5 | 24.9 | 13.2 | 0.85 | 1.48 | 303 | 3.0 | 19.2 | 11.3 | 0.89 | 1.19 | C43 |
| Other skin | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 4 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | C44 |
| Mesothelioma | 66 | 0.6 | 4.4 | 1.7 | 0.05 | 0.25 | 34 | 0.3 | 2.2 | 0.7 | 0.03 | 0.09 | C45 |
| Kaposi sarcoma | 74 | 0.7 | 4.9 | 2.3 | 0.12 | 0.28 | 38 | 0.4 | 2.4 | 0.4 | 0.00 | 0.02 | C46 |
| Connective and soft tissue | 60 | 0.6 | 4.0 | 2.4 | 0.13 | 0.26 | 46 | 0.5 | 2.9 | 1.6 | 0.12 | 0.14 | C47+C49 |
| Breast | 35 | 0.3 | 2.3 | 0.9 | 0.03 | 0.11 | 3113 | 31.1 | 197.5 | 96.7 | 7.19 | 10.82 | C50 |
| Vulva | | | | | | | 81 | 0.8 | 5.1 | 1.5 | 0.05 | 0.17 | C51 |
| Vagina | | | | | | | 15 | 0.1 | 1.0 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 107 | 1.1 | 6.8 | 3.9 | 0.30 | 0.40 | C53 |
| Corpus uteri | | | | | | | 466 | 4.7 | 29.6 | 13.6 | 0.99 | 1.68 | C54 |
| Uterus unspecified | | | | | | | 31 | 0.3 | 2.0 | 0.7 | 0.03 | 0.10 | C55 |
| Ovary | | | | | | | 245 | 2.4 | 15.5 | 7.5 | 0.52 | 0.87 | C56 |
| Other female genital organs | | | | | | | 48 | 0.5 | 3.0 | 1.2 | 0.08 | 0.13 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 15 | 0.1 | 1.0 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 1855 | 17.2 | 122.9 | 54.8 | 2.61 | 7.82 | | | | | | | C61 |
| Testis | 118 | 1.1 | 7.8 | 8.3 | 0.60 | 0.63 | | | | | | | C62 |
| Other male genital organs | 12 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | | | | | | | C63 |
| Kidney | 461 | 4.3 | 30.5 | 14.6 | 0.88 | 1.80 | 247 | 2.5 | 15.7 | 5.8 | 0.31 | 0.69 | C64 |
| Renal pelvis | 24 | 0.2 | 1.6 | 0.7 | 0.03 | 0.08 | 13 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 29 | 0.3 | 1.9 | 0.7 | 0.02 | 0.08 | 11 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C66 |
| †Bladder | 1018 | 9.4 | 67.5 | 27.2 | 1.11 | 3.36 | 275 | 2.7 | 17.4 | 6.2 | 0.30 | 0.80 | C67 |
| Other urinary organs | 15 | 0.1 | 1.0 | 0.4 | 0.01 | 0.04 | 7 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 14 | 0.1 | 0.9 | 0.4 | 0.02 | 0.06 | 13 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 186 | 1.7 | 12.3 | 7.3 | 0.49 | 0.73 | 146 | 1.5 | 9.3 | 5.1 | 0.33 | 0.51 | C70–72 |
| Thyroid | 164 | 1.5 | 10.9 | 7.3 | 0.54 | 0.80 | 465 | 4.6 | 29.5 | 21.0 | 1.68 | 2.08 | C73 |
| Adrenal gland | 9 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 7 | 0.1 | 0.4 | 0.7 | 0.04 | 0.04 | C74 |
| Other endocrine | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 54 | 0.5 | 3.6 | 3.5 | 0.23 | 0.25 | 64 | 0.6 | 4.1 | 4.7 | 0.31 | 0.34 | C81 |
| Non-Hodgkin lymphoma | 403 | 3.7 | 26.7 | 13.5 | 0.87 | 1.50 | 326 | 3.3 | 20.7 | 8.6 | 0.52 | 0.95 | C82–86, C96 |
| Immunoproliferative diseases | 30 | 0.3 | 2.0 | 0.8 | 0.04 | 0.11 | 29 | 0.3 | 1.8 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 204 | 1.9 | 13.5 | 5.3 | 0.23 | 0.62 | 170 | 1.7 | 10.8 | 3.8 | 0.19 | 0.49 | C90 |
| Lymphoid leukaemia | 111 | 1.0 | 7.4 | 4.1 | 0.20 | 0.41 | 76 | 0.8 | 4.8 | 2.9 | 0.14 | 0.20 | C91 |
| Myeloid leukaemia | 119 | 1.1 | 7.9 | 3.8 | 0.13 | 0.41 | 109 | 1.1 | 6.9 | 3.3 | 0.20 | 0.33 | C92–94 |
| Leukaemia unspecified | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 82 | 0.8 | 5.4 | 2.3 | 0.11 | 0.25 | 65 | 0.6 | 4.1 | 1.6 | 0.10 | 0.18 | MPD |
| Myelodysplastic syndromes | 73 | 0.7 | 4.8 | 1.6 | 0.04 | 0.17 | 55 | 0.5 | 3.5 | 0.9 | 0.04 | 0.09 | MPS |
| Other and unspecified | 146 | 1.4 | 9.7 | 3.4 | 0.09 | 0.36 | 178 | 1.8 | 11.3 | 3.2 | 0.13 | 0.32 | O&U |
| All sites | 10807 | | 716.2 | 319.0 | 15.89 | 38.30 | 10018 | | 635.5 | 277.4 | 18.17 | 30.69 | C00–96 |
| All sites except C44 | 10800 | 100.0 | 715.7 | 318.7 | 15.87 | 38.27 | 10014 | 100.0 | 635.2 | 277.1 | 18.16 | 30.67 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Marche

CONTRIBUTORS

Marco Pompili
Susanna Vitarelli
Sonia Manasse
Emilia Prospero
Donatella Sarti
Fabio Filippetti



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 111.1 | Breast | 85.2 |
| Prostate | 62.2 | Non-melanoma skin cancer | 82.3 |
| Trachea, bronchus, and lung | 33.1 | Thyroid | 19.4 |
| Bladder | 29.1 | Colon | 19.1 |
| Colon | 28.9 | Melanoma of skin | 15.4 |
| Melanoma of skin | 15.6 | Trachea, bronchus, and lung | 14.1 |
| Stomach | 14.5 | Corpus uteri | 12.5 |
| Non-Hodgkin lymphoma | 14.0 | Non-Hodgkin lymphoma | 9.5 |
| Kidney | 12.4 | Ovary | 8.1 |
| Rectum | 12.3 | Stomach | 8.0 |
| Pancreas | 9.0 | Rectum | 6.8 |
| Testis | 8.1 | Bladder | 6.6 |
| Liver | 6.8 | Kidney | 6.2 |
| Brain and nervous system | 6.4 | Pancreas | 6.0 |
| Thyroid | 6.2 | Cervix uteri | 5.2 |
| Larynx | 4.7 | Brain and nervous system | 4.4 |
| Lymphoid leukaemia | 4.5 | Hodgkin lymphoma | 3.7 |
| Myeloid leukaemia | 4.4 | Multiple myeloma | 3.4 |
| Multiple myeloma | 4.2 | Myeloproliferative disorders | 3.4 |
| Hodgkin lymphoma | 3.9 | Lymphoid leukaemia | 3.1 |
| All sites | 425.6 | All sites | 346.9 |

Italy, Marche (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 41 | 0.2 | 1.4 | 0.5 | 0.03 | 0.06 | 20 | 0.1 | 0.6 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 84 | 0.4 | 2.8 | 1.5 | 0.12 | 0.17 | 36 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | C01–02 |
| Mouth | 88 | 0.4 | 2.9 | 1.3 | 0.09 | 0.16 | 63 | 0.3 | 2.0 | 0.8 | 0.06 | 0.08 | C03–06 |
| Salivary glands | 42 | 0.2 | 1.4 | 0.5 | 0.02 | 0.05 | 38 | 0.2 | 1.2 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 45 | 0.2 | 1.5 | 0.8 | 0.06 | 0.11 | 11 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 12 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 29 | 0.1 | 1.0 | 0.6 | 0.04 | 0.06 | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 11 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 116 | 0.5 | 3.9 | 1.7 | 0.10 | 0.21 | 47 | 0.3 | 1.5 | 0.5 | 0.02 | 0.06 | C15 |
| Stomach | 1181 | 5.4 | 39.5 | 14.5 | 0.60 | 1.69 | 863 | 4.6 | 27.0 | 8.0 | 0.36 | 0.89 | C16 |
| Small intestine | 115 | 0.5 | 3.8 | 1.6 | 0.08 | 0.19 | 86 | 0.5 | 2.7 | 1.2 | 0.08 | 0.13 | C17 |
| Colon | 2286 | 10.4 | 76.4 | 28.9 | 1.37 | 3.37 | 1860 | 9.9 | 58.2 | 19.1 | 0.97 | 2.22 | C18 |
| Rectum | 897 | 4.1 | 30.0 | 12.3 | 0.67 | 1.48 | 621 | 3.3 | 19.4 | 6.8 | 0.40 | 0.78 | C19–20 |
| Anus | 36 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | 53 | 0.3 | 1.7 | 0.8 | 0.05 | 0.10 | C21 |
| Liver | 476 | 2.2 | 15.9 | 6.8 | 0.40 | 0.82 | 206 | 1.1 | 6.5 | 2.0 | 0.10 | 0.21 | C22 |
| Gallbladder etc. | 172 | 0.8 | 5.7 | 2.1 | 0.09 | 0.27 | 201 | 1.1 | 6.3 | 1.8 | 0.07 | 0.21 | C23–24 |
| Pancreas | 695 | 3.2 | 23.2 | 9.0 | 0.42 | 1.06 | 650 | 3.5 | 20.4 | 6.0 | 0.29 | 0.64 | C25 |
| Nose, sinuses etc. | 60 | 0.3 | 2.0 | 0.9 | 0.06 | 0.10 | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 323 | 1.5 | 10.8 | 4.7 | 0.25 | 0.62 | 42 | 0.2 | 1.3 | 0.6 | 0.03 | 0.08 | C32 |
| Trachea, bronchus, and lung | 2690 | 12.3 | 89.9 | 33.1 | 1.35 | 4.04 | 1168 | 6.2 | 36.6 | 14.1 | 0.81 | 1.79 | C33–34 |
| Other thoracic organs | 40 | 0.2 | 1.3 | 0.9 | 0.06 | 0.09 | 24 | 0.1 | 0.8 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 30 | 0.1 | 1.0 | 0.8 | 0.05 | 0.06 | 24 | 0.1 | 0.8 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 857 | 3.9 | 28.6 | 15.6 | 1.12 | 1.69 | 808 | 4.3 | 25.3 | 15.4 | 1.18 | 1.56 | C43 |
| Other skin | 8803 | 40.2 | 294.2 | 111.1 | 5.20 | 12.09 | 6973 | 37.1 | 218.4 | 82.3 | 4.95 | 8.95 | C44 |
| Mesothelioma | 98 | 0.4 | 3.3 | 1.0 | 0.03 | 0.11 | 27 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 44 | 0.2 | 1.5 | 0.8 | 0.05 | 0.09 | 15 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 127 | 0.6 | 4.2 | 2.3 | 0.14 | 0.23 | 102 | 0.5 | 3.2 | 1.5 | 0.09 | 0.16 | C47+C49 |
| Breast | 59 | 0.3 | 2.0 | 0.8 | 0.04 | 0.11 | 5452 | 29.0 | 170.7 | 85.2 | 6.29 | 9.51 | C50 |
| Vulva | | | | | | | 142 | 0.8 | 4.4 | 1.5 | 0.08 | 0.17 | C51 |
| Vagina | | | | | | | 19 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 258 | 1.4 | 8.1 | 5.2 | 0.44 | 0.54 | C53 |
| Corpus uteri | | | | | | | 848 | 4.5 | 26.6 | 12.5 | 0.93 | 1.52 | C54 |
| Uterus unspecified | | | | | | | 52 | 0.3 | 1.6 | 0.6 | 0.05 | 0.06 | C55 |
| Ovary | | | | | | | 545 | 2.9 | 17.1 | 8.1 | 0.57 | 0.91 | C56 |
| Other female genital organs | | | | | | | 32 | 0.2 | 1.0 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 72 | 0.3 | 2.4 | 0.9 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 4451 | 20.3 | 148.8 | 62.2 | 2.80 | 8.64 | | | | | | | C61 |
| Testis | 236 | 1.1 | 7.9 | 8.1 | 0.61 | 0.63 | | | | | | | C62 |
| Other male genital organs | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 795 | 3.6 | 26.6 | 12.4 | 0.73 | 1.52 | 461 | 2.5 | 14.4 | 6.2 | 0.40 | 0.74 | C64 |
| Renal pelvis | 59 | 0.3 | 2.0 | 0.7 | 0.03 | 0.08 | 32 | 0.2 | 1.0 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 30 | 0.1 | 1.0 | 0.4 | 0.02 | 0.04 | 16 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 2285 | 10.4 | 76.4 | 29.1 | 1.25 | 3.52 | 614 | 3.3 | 19.2 | 6.6 | 0.35 | 0.78 | C67 |
| Other urinary organs | 14 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 8 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 20 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 20 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 350 | 1.6 | 11.7 | 6.4 | 0.40 | 0.68 | 273 | 1.5 | 8.5 | 4.4 | 0.28 | 0.46 | C70–72 |
| Thyroid | 273 | 1.2 | 9.1 | 6.2 | 0.47 | 0.64 | 814 | 4.3 | 25.5 | 19.4 | 1.59 | 1.85 | C73 |
| Adrenal gland | 21 | 0.1 | 0.7 | 1.3 | 0.06 | 0.07 | 15 | 0.1 | 0.5 | 0.8 | 0.04 | 0.04 | C74 |
| Other endocrine | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 135 | 0.6 | 4.5 | 3.9 | 0.28 | 0.32 | 114 | 0.6 | 3.6 | 3.7 | 0.23 | 0.28 | C81 |
| Non-Hodgkin lymphoma | 880 | 4.0 | 29.4 | 14.0 | 0.79 | 1.60 | 679 | 3.6 | 21.3 | 9.5 | 0.57 | 1.07 | C82–86,C96 |
| Immunoproliferative diseases | 40 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | 45 | 0.2 | 1.4 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 318 | 1.5 | 10.6 | 4.2 | 0.22 | 0.52 | 302 | 1.6 | 9.5 | 3.4 | 0.17 | 0.43 | C90 |
| Lymphoid leukaemia | 252 | 1.2 | 8.4 | 4.5 | 0.25 | 0.48 | 166 | 0.9 | 5.2 | 3.1 | 0.18 | 0.28 | C91 |
| Myeloid leukaemia | 269 | 1.2 | 9.0 | 4.4 | 0.25 | 0.48 | 192 | 1.0 | 6.0 | 2.8 | 0.18 | 0.30 | C92–94 |
| Leukaemia unspecified | 27 | 0.1 | 0.9 | 0.8 | 0.04 | 0.04 | 22 | 0.1 | 0.7 | 0.5 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 219 | 1.0 | 7.3 | 3.7 | 0.22 | 0.41 | 220 | 1.2 | 6.9 | 3.4 | 0.20 | 0.38 | MPD |
| Myelodysplastic syndromes | 232 | 1.1 | 7.8 | 2.7 | 0.10 | 0.27 | 175 | 0.9 | 5.5 | 1.7 | 0.06 | 0.19 | MPS |
| Other and unspecified | 225 | 1.0 | 7.5 | 2.6 | 0.10 | 0.24 | 278 | 1.5 | 8.7 | 2.0 | 0.06 | 0.18 | O&U |
| All sites | 30686 | | 1025.6 | 425.6 | 21.24 | 49.49 | 25772 | | 807.0 | 346.9 | 22.50 | 38.18 | C00–96 |
| All sites except C44 | 21883 | 100.0 | 731.4 | 314.5 | 16.04 | 37.40 | 18799 | 100.0 | 588.7 | 264.6 | 17.55 | 29.23 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Milan

CONTRIBUTORS

Antonio Giampiero Russo
 Federico Gervasi
 Anita Andreano
 Simona Ghilardi
 Roberta Merlo
 Maria Quattrocchi
 Mariateresa Vighi
 Antonio Riussi



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 56.2 | Breast | 100.6 |
| Non-melanoma skin cancer | 46.1 | Non-melanoma skin cancer | 32.2 |
| Trachea, bronchus, and lung | 39.9 | Trachea, bronchus, and lung | 18.3 |
| Bladder | 31.8 | Colon | 15.4 |
| Colon | 22.4 | Thyroid | 12.9 |
| Non-Hodgkin lymphoma | 13.3 | Corpus uteri | 10.7 |
| Liver | 12.8 | Melanoma of skin | 10.2 |
| Kidney | 12.2 | Non-Hodgkin lymphoma | 9.5 |
| Melanoma of skin | 12.0 | Ovary | 8.9 |
| Stomach | 10.9 | Pancreas | 7.2 |
| Rectum | 9.5 | Bladder | 6.5 |
| Pancreas | 9.4 | Rectum | 5.5 |
| Testis | 7.4 | Stomach | 5.4 |
| Brain and nervous system | 6.8 | Cervix uteri | 5.0 |
| Larynx | 4.9 | Kidney | 4.9 |
| Thyroid | 4.9 | Brain and nervous system | 4.6 |
| Lymphoid leukaemia | 4.5 | Liver | 3.8 |
| Myeloid leukaemia | 4.5 | Hodgkin lymphoma | 3.3 |
| Multiple myeloma | 4.0 | Lymphoid leukaemia | 3.2 |
| Hodgkin lymphoma | 3.9 | Multiple myeloma | 3.1 |
| All sites | 354.6 | All sites | 298.5 |

Italy, Milan (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 8 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 338 | 0.6 | 4.1 | 2.1 | 0.14 | 0.25 | 212 | 0.4 | 2.4 | 1.0 | 0.06 | 0.11 | C01–02 |
| Mouth | 266 | 0.5 | 3.2 | 1.6 | 0.10 | 0.18 | 203 | 0.4 | 2.3 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 147 | 0.3 | 1.8 | 0.9 | 0.05 | 0.10 | 123 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | C07–08 |
| Tonsil | 164 | 0.3 | 2.0 | 1.1 | 0.08 | 0.14 | 46 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 106 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 32 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 123 | 0.2 | 1.5 | 0.9 | 0.07 | 0.10 | 49 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C11 |
| Hypopharynx | 138 | 0.2 | 1.7 | 0.8 | 0.06 | 0.11 | 20 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 49 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 491 | 0.9 | 6.0 | 2.7 | 0.15 | 0.32 | 212 | 0.4 | 2.4 | 0.7 | 0.03 | 0.08 | C15 |
| Stomach | 2227 | 4.0 | 27.1 | 10.9 | 0.47 | 1.27 | 1595 | 3.0 | 18.1 | 5.4 | 0.24 | 0.58 | C16 |
| Small intestine | 214 | 0.4 | 2.6 | 1.3 | 0.09 | 0.15 | 167 | 0.3 | 1.9 | 0.7 | 0.05 | 0.08 | C17 |
| Colon | 4604 | 8.2 | 56.0 | 22.4 | 0.98 | 2.50 | 4156 | 7.9 | 47.2 | 15.4 | 0.74 | 1.74 | C18 |
| Rectum | 1801 | 3.2 | 21.9 | 9.5 | 0.49 | 1.14 | 1337 | 2.5 | 15.2 | 5.5 | 0.31 | 0.63 | C19–20 |
| Anus | 122 | 0.2 | 1.5 | 0.8 | 0.06 | 0.09 | 247 | 0.5 | 2.8 | 1.2 | 0.08 | 0.14 | C21 |
| Liver | 2422 | 4.3 | 29.4 | 12.8 | 0.69 | 1.51 | 1133 | 2.1 | 12.9 | 3.8 | 0.15 | 0.42 | C22 |
| Gallbladder etc. | 696 | 1.2 | 8.5 | 3.3 | 0.13 | 0.38 | 780 | 1.5 | 8.9 | 2.7 | 0.11 | 0.30 | C23–24 |
| Pancreas | 1858 | 3.3 | 22.6 | 9.4 | 0.41 | 1.14 | 2071 | 3.9 | 23.5 | 7.2 | 0.33 | 0.82 | C25 |
| Nose, sinuses etc. | 91 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | 60 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 887 | 1.6 | 10.8 | 4.9 | 0.27 | 0.62 | 146 | 0.3 | 1.7 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 8253 | 14.8 | 100.3 | 39.9 | 1.55 | 4.92 | 4311 | 8.1 | 49.0 | 18.3 | 1.02 | 2.29 | C33–34 |
| Other thoracic organs | 159 | 0.3 | 1.9 | 0.9 | 0.05 | 0.09 | 128 | 0.2 | 1.5 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 157 | 0.3 | 1.9 | 1.6 | 0.10 | 0.14 | 120 | 0.2 | 1.4 | 1.2 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 1806 | 3.2 | 21.9 | 12.0 | 0.80 | 1.28 | 1493 | 2.8 | 17.0 | 10.2 | 0.77 | 1.00 | C43 |
| Other skin | 9335 | 16.7 | 113.5 | 46.1 | 2.08 | 5.14 | 7312 | 13.8 | 83.1 | 32.2 | 1.89 | 3.57 | C44 |
| Mesothelioma | 420 | 0.8 | 5.1 | 1.9 | 0.06 | 0.24 | 200 | 0.4 | 2.3 | 0.7 | 0.02 | 0.08 | C45 |
| Kaposi sarcoma | 158 | 0.3 | 1.9 | 1.0 | 0.06 | 0.11 | 54 | 0.1 | 0.6 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 356 | 0.6 | 4.3 | 2.5 | 0.16 | 0.24 | 272 | 0.5 | 3.1 | 2.1 | 0.13 | 0.19 | C47+C49 |
| Breast | 186 | 0.3 | 2.3 | 1.0 | 0.06 | 0.13 | 18054 | 34.1 | 205.2 | 100.6 | 7.18 | 11.45 | C50 |
| Vulva | | | | | | | 291 | 0.6 | 3.3 | 1.0 | 0.04 | 0.12 | C51 |
| Vagina | | | | | | | 50 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 714 | 1.3 | 8.1 | 5.0 | 0.40 | 0.50 | C53 |
| Corpus uteri | | | | | | | 2050 | 3.9 | 23.3 | 10.7 | 0.72 | 1.38 | C54 |
| Uterus unspecified | | | | | | | 189 | 0.4 | 2.1 | 0.8 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 1602 | 3.0 | 18.2 | 8.9 | 0.61 | 1.03 | C56 |
| Other female genital organs | | | | | | | 126 | 0.2 | 1.4 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 136 | 0.2 | 1.7 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 10394 | 18.6 | 126.3 | 56.2 | 2.51 | 7.94 | | | | | | | C61 |
| Testis | 633 | 1.1 | 7.7 | 7.4 | 0.55 | 0.57 | | | | | | | C62 |
| Other male genital organs | 19 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2050 | 3.7 | 24.9 | 12.2 | 0.74 | 1.44 | 1027 | 1.9 | 11.7 | 4.9 | 0.30 | 0.57 | C64 |
| Renal pelvis | 215 | 0.4 | 2.6 | 1.1 | 0.05 | 0.13 | 118 | 0.2 | 1.3 | 0.4 | 0.02 | 0.06 | C65 |
| Ureter | 139 | 0.2 | 1.7 | 0.7 | 0.03 | 0.09 | 86 | 0.2 | 1.0 | 0.3 | 0.01 | 0.03 | C66 |
| †Bladder | 6417 | 11.5 | 78.0 | 31.8 | 1.35 | 3.84 | 1709 | 3.2 | 19.4 | 6.5 | 0.32 | 0.76 | C67 |
| Other urinary organs | 70 | 0.1 | 0.9 | 0.3 | 0.01 | 0.03 | 20 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 54 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | 67 | 0.1 | 0.8 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 945 | 1.7 | 11.5 | 6.8 | 0.41 | 0.69 | 753 | 1.4 | 8.6 | 4.6 | 0.27 | 0.44 | C70–72 |
| Thyroid | 575 | 1.0 | 7.0 | 4.9 | 0.37 | 0.48 | 1581 | 3.0 | 18.0 | 12.9 | 1.01 | 1.24 | C73 |
| Adrenal gland | 31 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 44 | 0.1 | 0.5 | 0.6 | 0.03 | 0.04 | C74 |
| Other endocrine | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 15 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 350 | 0.6 | 4.3 | 3.9 | 0.26 | 0.31 | 284 | 0.5 | 3.2 | 3.3 | 0.22 | 0.25 | C81 |
| Non-Hodgkin lymphoma | 2070 | 3.7 | 25.2 | 13.3 | 0.80 | 1.46 | 1803 | 3.4 | 20.5 | 9.5 | 0.57 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 92 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 102 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 759 | 1.4 | 9.2 | 4.0 | 0.20 | 0.48 | 745 | 1.4 | 8.5 | 3.1 | 0.16 | 0.39 | C90 |
| Lymphoid leukaemia | 546 | 1.0 | 6.6 | 4.5 | 0.23 | 0.40 | 388 | 0.7 | 4.4 | 3.2 | 0.17 | 0.25 | C91 |
| Myeloid leukaemia | 738 | 1.3 | 9.0 | 4.5 | 0.24 | 0.47 | 515 | 1.0 | 5.9 | 2.7 | 0.16 | 0.27 | C92–94 |
| Leukaemia unspecified | 146 | 0.3 | 1.8 | 0.8 | 0.04 | 0.06 | 114 | 0.2 | 1.3 | 0.4 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 222 | 0.4 | 2.7 | 1.3 | 0.06 | 0.13 | 192 | 0.4 | 2.2 | 0.9 | 0.05 | 0.09 | MPD |
| Myelodysplastic syndromes | 259 | 0.5 | 3.1 | 1.1 | 0.03 | 0.12 | 177 | 0.3 | 2.0 | 0.6 | 0.02 | 0.06 | MPS |
| Other and unspecified | 731 | 1.3 | 8.9 | 3.6 | 0.15 | 0.38 | 891 | 1.7 | 10.1 | 2.8 | 0.12 | 0.24 | O&U |
| All sites | 65206 | | 792.5 | 354.6 | 17.41 | 41.74 | 60215 | | 684.4 | 298.5 | 18.91 | 33.16 | C00–96 |
| All sites except C44 | 55871 | 100.0 | 679.0 | 308.4 | 15.33 | 36.60 | 52903 | 100.0 | 601.3 | 266.3 | 17.02 | 29.59 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Molise

CONTRIBUTORS

Francesco Carrozza
Claudia Spina
Maria Antonietta Viglione



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 83.3 | Breast | 73.3 |
| Prostate | 48.7 | Non-melanoma skin cancer | 57.6 |
| Trachea, bronchus, and lung | 30.0 | Thyroid | 26.5 |
| Colon | 27.4 | Colon | 15.7 |
| Bladder | 27.2 | Corpus uteri | 13.8 |
| Non-Hodgkin lymphoma | 14.5 | Non-Hodgkin lymphoma | 11.1 |
| Stomach | 12.4 | Ovary | 9.8 |
| Liver | 12.1 | Trachea, bronchus, and lung | 9.5 |
| Kidney | 10.9 | Melanoma of skin | 8.3 |
| Thyroid | 9.1 | Stomach | 7.6 |
| Rectum | 8.9 | Brain and nervous system | 7.0 |
| Melanoma of skin | 8.5 | Cervix uteri | 6.9 |
| Lymphoid leukaemia | 6.9 | Bladder | 5.4 |
| Testis | 6.7 | Other and unspecified | 5.4 |
| Pancreas | 6.6 | Rectum | 5.3 |
| Brain and nervous system | 6.0 | Pancreas | 4.7 |
| Larynx | 5.2 | Lymphoid leukaemia | 4.3 |
| Myelodysplastic syndromes | 5.0 | Myeloid leukaemia | 3.5 |
| Myeloid leukaemia | 4.7 | Kidney | 3.4 |
| Multiple myeloma | 4.7 | Multiple myeloma | 3.3 |
| All sites | 378.4 | All sites | 308.7 |

Italy, Molise (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 13 | 0.4 | 2.8 | 0.8 | 0.02 | 0.07 | 6 | 0.2 | 1.3 | 0.2 | 0.02 | 0.02 | C00 |
| Tongue | 11 | 0.4 | 2.4 | 1.4 | 0.07 | 0.17 | 8 | 0.3 | 1.7 | 0.8 | 0.05 | 0.13 | C01–02 |
| Mouth | 25 | 0.8 | 5.5 | 2.7 | 0.17 | 0.32 | 7 | 0.3 | 1.5 | 0.6 | 0.03 | 0.07 | C03–06 |
| Salivary glands | 5 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 8 | 0.3 | 1.7 | 0.8 | 0.06 | 0.08 | C07–08 |
| Tonsil | 4 | 0.1 | 0.9 | 0.5 | 0.06 | 0.06 | 2 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C09 |
| Other oropharynx | 5 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | 1 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C10 |
| Nasopharynx | 3 | 0.1 | 0.7 | 0.6 | 0.05 | 0.05 | 1 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 3 | 0.1 | 0.7 | 0.3 | 0.03 | 0.03 | 1 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.9 | 0.4 | 0.02 | 0.06 | 1 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 17 | 0.6 | 3.7 | 1.7 | 0.09 | 0.22 | 7 | 0.3 | 1.5 | 0.5 | 0.02 | 0.08 | C15 |
| Stomach | 150 | 4.9 | 32.7 | 12.4 | 0.59 | 1.37 | 109 | 4.4 | 22.7 | 7.6 | 0.32 | 0.89 | C16 |
| Small intestine | 11 | 0.4 | 2.4 | 1.1 | 0.06 | 0.13 | 9 | 0.4 | 1.9 | 0.5 | 0.00 | 0.06 | C17 |
| Colon | 317 | 10.4 | 69.2 | 27.4 | 1.41 | 3.18 | 223 | 9.0 | 46.5 | 15.7 | 0.79 | 1.80 | C18 |
| Rectum | 100 | 3.3 | 21.8 | 8.9 | 0.44 | 1.08 | 71 | 2.9 | 14.8 | 5.3 | 0.35 | 0.54 | C19–20 |
| Anus | 18 | 0.6 | 3.9 | 1.8 | 0.09 | 0.22 | 10 | 0.4 | 2.1 | 0.8 | 0.05 | 0.07 | C21 |
| Liver | 132 | 4.3 | 28.8 | 12.1 | 0.65 | 1.54 | 49 | 2.0 | 10.2 | 2.6 | 0.09 | 0.27 | C22 |
| Gallbladder etc. | 28 | 0.9 | 6.1 | 2.4 | 0.12 | 0.24 | 42 | 1.7 | 8.8 | 2.7 | 0.12 | 0.33 | C23–24 |
| Pancreas | 74 | 2.4 | 16.2 | 6.6 | 0.34 | 0.74 | 62 | 2.5 | 12.9 | 4.7 | 0.28 | 0.52 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.7 | 0.4 | 0.03 | 0.03 | 6 | 0.2 | 1.3 | 0.5 | 0.05 | 0.05 | C30–31 |
| Larynx | 55 | 1.8 | 12.0 | 5.2 | 0.24 | 0.68 | 3 | 0.1 | 0.6 | 0.3 | 0.03 | 0.03 | C32 |
| Trachea, bronchus, and lung | 341 | 11.2 | 74.4 | 30.0 | 1.42 | 3.71 | 104 | 4.2 | 21.7 | 9.5 | 0.62 | 1.12 | C33–34 |
| Other thoracic organs | 13 | 0.4 | 2.8 | 1.6 | 0.10 | 0.19 | 5 | 0.2 | 1.0 | 0.4 | 0.00 | 0.06 | C37–38 |
| Bone | 9 | 0.3 | 2.0 | 1.7 | 0.09 | 0.12 | 6 | 0.2 | 1.3 | 0.8 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 76 | 2.5 | 16.6 | 8.5 | 0.57 | 1.02 | 69 | 2.8 | 14.4 | 8.3 | 0.58 | 0.81 | C43 |
| Other skin | 973 | 32.0 | 212.4 | 83.3 | 3.81 | 9.40 | 780 | 31.6 | 162.6 | 57.6 | 3.00 | 6.71 | C44 |
| Mesothelioma | 18 | 0.6 | 3.9 | 1.3 | 0.03 | 0.19 | 8 | 0.3 | 1.7 | 0.7 | 0.05 | 0.08 | C45 |
| Kaposi sarcoma | 12 | 0.4 | 2.6 | 1.3 | 0.08 | 0.16 | 4 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C46 |
| Connective and soft tissue | 15 | 0.5 | 3.3 | 1.8 | 0.12 | 0.21 | 13 | 0.5 | 2.7 | 1.3 | 0.11 | 0.15 | C47+C49 |
| Breast | 5 | 0.2 | 1.1 | 0.5 | 0.05 | 0.07 | 653 | 26.4 | 136.1 | 73.3 | 5.55 | 8.02 | C50 |
| Vulva | | | | | | | 13 | 0.5 | 2.7 | 0.7 | 0.03 | 0.05 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.6 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 51 | 2.1 | 10.6 | 6.9 | 0.55 | 0.66 | C53 |
| Corpus uteri | | | | | | | 128 | 5.2 | 26.7 | 13.8 | 0.97 | 1.78 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.5 | 2.7 | 1.1 | 0.10 | 0.12 | C55 |
| Ovary | | | | | | | 86 | 3.5 | 17.9 | 9.8 | 0.70 | 0.95 | C56 |
| Other female genital organs | | | | | | | 4 | 0.2 | 0.8 | 0.2 | 0.02 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 15 | 0.5 | 3.3 | 1.6 | 0.10 | 0.17 | | | | | | | C60 |
| Prostate | 562 | 18.5 | 122.7 | 48.7 | 1.72 | 6.84 | | | | | | | C61 |
| Testis | 29 | 1.0 | 6.3 | 6.7 | 0.48 | 0.48 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.7 | 0.6 | 0.05 | 0.05 | | | | | | | C63 |
| Kidney | 96 | 3.2 | 21.0 | 10.9 | 0.74 | 1.24 | 42 | 1.7 | 8.8 | 3.4 | 0.22 | 0.38 | C64 |
| Renal pelvis | 5 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 4 | 0.1 | 0.9 | 0.3 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 320 | 10.5 | 69.9 | 27.2 | 1.16 | 3.36 | 75 | 3.0 | 15.6 | 5.4 | 0.34 | 0.54 | C67 |
| Other urinary organs | 15 | 0.5 | 3.3 | 1.0 | 0.01 | 0.07 | 5 | 0.2 | 1.0 | 0.3 | 0.01 | 0.03 | C68 |
| Eye | 9 | 0.3 | 2.0 | 1.1 | 0.07 | 0.09 | 5 | 0.2 | 1.0 | 0.2 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 45 | 1.5 | 9.8 | 6.0 | 0.44 | 0.57 | 46 | 1.9 | 9.6 | 7.0 | 0.48 | 0.59 | C70–72 |
| Thyroid | 59 | 1.9 | 12.9 | 9.1 | 0.70 | 0.91 | 159 | 6.4 | 33.2 | 26.5 | 2.19 | 2.50 | C73 |
| Adrenal gland | 4 | 0.1 | 0.9 | 1.0 | 0.04 | 0.06 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.4 | 0.2 | 0.02 | 0.04 | C75 |
| Hodgkin lymphoma | 17 | 0.6 | 3.7 | 2.6 | 0.16 | 0.25 | 13 | 0.5 | 2.7 | 2.8 | 0.20 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 108 | 3.5 | 23.6 | 14.5 | 0.89 | 1.45 | 104 | 4.2 | 21.7 | 11.1 | 0.72 | 1.23 | C82–86,C96 |
| Immunoproliferative diseases | 9 | 0.3 | 2.0 | 0.9 | 0.06 | 0.11 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C88 |
| Multiple myeloma | 52 | 1.7 | 11.4 | 4.7 | 0.25 | 0.56 | 41 | 1.7 | 8.5 | 3.3 | 0.18 | 0.42 | C90 |
| Lymphoid leukaemia | 42 | 1.4 | 9.2 | 6.9 | 0.41 | 0.62 | 29 | 1.2 | 6.0 | 4.3 | 0.22 | 0.30 | C91 |
| Myeloid leukaemia | 48 | 1.6 | 10.5 | 4.7 | 0.24 | 0.53 | 33 | 1.3 | 6.9 | 3.5 | 0.21 | 0.33 | C92–94 |
| Leukaemia unspecified | 5 | 0.2 | 1.1 | 0.3 | 0.01 | 0.01 | 3 | 0.1 | 0.6 | 0.9 | 0.05 | 0.05 | C95 |
| Myeloproliferative disorders | 23 | 0.8 | 5.0 | 2.0 | 0.10 | 0.24 | 24 | 1.0 | 5.0 | 2.8 | 0.18 | 0.26 | MPD |
| Myelodysplastic syndromes | 62 | 2.0 | 13.5 | 5.0 | 0.18 | 0.58 | 37 | 1.5 | 7.7 | 2.2 | 0.11 | 0.23 | MPS |
| Other and unspecified | 44 | 1.4 | 9.6 | 4.5 | 0.24 | 0.33 | 62 | 2.5 | 12.9 | 5.4 | 0.30 | 0.42 | O&U |
| All sites | 4017 | | 876.9 | 378.4 | 18.91 | 44.00 | 3249 | | 677.4 | 308.7 | 20.12 | 33.23 | C00–96 |
| All sites except C44 | 3044 | 100.0 | 664.5 | 295.1 | 15.10 | 34.59 | 2469 | 100.0 | 514.8 | 251.1 | 17.12 | 26.52 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Naples Centre

CONTRIBUTORS

Rosanna Ortolani
Valentina Cozza
Lucia De Coppi
Veronica Cisonni
Penna Antonio
Emiliana Sellitto



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 79.3 | Breast | 77.1 |
| Trachea, bronchus, and lung | 56.9 | Non-melanoma skin cancer | 57.7 |
| Prostate | 47.1 | Trachea, bronchus, and lung | 22.4 |
| Bladder | 42.2 | Thyroid | 21.3 |
| Colon | 25.9 | Colon | 17.9 |
| Liver | 17.8 | Melanoma of skin | 11.8 |
| Melanoma of skin | 14.3 | Corpus uteri | 11.2 |
| Non-Hodgkin lymphoma | 12.6 | Non-Hodgkin lymphoma | 8.1 |
| Kidney | 11.0 | Bladder | 7.9 |
| Rectum | 10.7 | Ovary | 7.4 |
| Stomach | 9.1 | Liver | 6.4 |
| Larynx | 8.9 | Rectum | 6.0 |
| Pancreas | 8.2 | Stomach | 5.8 |
| Testis | 7.3 | Pancreas | 5.8 |
| Brain and nervous system | 6.5 | Kidney | 5.3 |
| Thyroid | 5.9 | Cervix uteri | 5.3 |
| Other and unspecified | 4.9 | Hodgkin lymphoma | 5.0 |
| Myeloproliferative disorders | 3.8 | Brain and nervous system | 4.5 |
| Hodgkin lymphoma | 3.7 | Other and unspecified | 3.0 |
| Multiple myeloma | 3.7 | Gallbladder etc. | 2.9 |
| All sites | 417.9 | All sites | 322.8 |

*Italy, Naples Centre (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 15 | 0.2 | 1.1 | 0.6 | 0.05 | 0.08 | 6 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 23 | 0.3 | 1.6 | 0.9 | 0.06 | 0.12 | 29 | 0.4 | 1.9 | 0.9 | 0.06 | 0.10 | C01–02 |
| Mouth | 39 | 0.4 | 2.8 | 1.5 | 0.10 | 0.19 | 32 | 0.4 | 2.1 | 0.7 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 25 | 0.3 | 1.8 | 1.1 | 0.05 | 0.12 | 16 | 0.2 | 1.0 | 0.7 | 0.06 | 0.06 | C07–08 |
| Tonsil | 20 | 0.2 | 1.4 | 0.9 | 0.08 | 0.11 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 17 | 0.2 | 1.2 | 0.8 | 0.07 | 0.08 | 10 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C11 |
| Hypopharynx | 7 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.6 | 0.3 | 0.03 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C14 |
| Oesophagus | 41 | 0.5 | 2.9 | 1.6 | 0.09 | 0.21 | 22 | 0.3 | 1.4 | 0.6 | 0.01 | 0.10 | C15 |
| Stomach | 254 | 2.9 | 18.2 | 9.1 | 0.42 | 1.11 | 221 | 2.8 | 14.4 | 5.8 | 0.29 | 0.67 | C16 |
| Small intestine | 28 | 0.3 | 2.0 | 1.2 | 0.08 | 0.15 | 23 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | C17 |
| Colon | 728 | 8.2 | 52.2 | 25.9 | 1.14 | 3.23 | 679 | 8.6 | 44.1 | 17.9 | 0.85 | 2.16 | C18 |
| Rectum | 289 | 3.3 | 20.7 | 10.7 | 0.60 | 1.34 | 228 | 2.9 | 14.8 | 6.0 | 0.36 | 0.69 | C19–20 |
| Anus | 20 | 0.2 | 1.4 | 0.8 | 0.05 | 0.10 | 20 | 0.3 | 1.3 | 0.5 | 0.02 | 0.07 | C21 |
| Liver | 471 | 5.3 | 33.8 | 17.8 | 1.06 | 2.16 | 258 | 3.3 | 16.8 | 6.4 | 0.28 | 0.75 | C22 |
| Gallbladder etc. | 83 | 0.9 | 6.0 | 2.9 | 0.12 | 0.35 | 127 | 1.6 | 8.3 | 2.9 | 0.11 | 0.34 | C23–24 |
| Pancreas | 215 | 2.4 | 15.4 | 8.2 | 0.46 | 1.02 | 244 | 3.1 | 15.9 | 5.8 | 0.26 | 0.69 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.5 | 0.8 | 0.06 | 0.09 | 8 | 0.1 | 0.5 | 0.4 | 0.01 | 0.03 | C30–31 |
| Larynx | 222 | 2.5 | 15.9 | 8.9 | 0.58 | 1.17 | 49 | 0.6 | 3.2 | 1.7 | 0.13 | 0.24 | C32 |
| Trachea, bronchus, and lung | 1627 | 18.4 | 116.7 | 56.9 | 2.27 | 7.32 | 740 | 9.4 | 48.1 | 22.4 | 1.40 | 2.82 | C33–34 |
| Other thoracic organs | 23 | 0.3 | 1.6 | 1.0 | 0.07 | 0.13 | 15 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 14 | 0.2 | 1.0 | 0.8 | 0.05 | 0.06 | 23 | 0.3 | 1.5 | 1.3 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 311 | 3.5 | 22.3 | 14.3 | 1.03 | 1.53 | 277 | 3.5 | 18.0 | 11.8 | 0.90 | 1.20 | C43 |
| Other skin | 2153 | 24.4 | 154.4 | 79.3 | 4.12 | 9.34 | 1869 | 23.7 | 121.5 | 57.7 | 3.50 | 6.61 | C44 |
| Mesothelioma | 47 | 0.5 | 3.4 | 1.7 | 0.06 | 0.22 | 18 | 0.2 | 1.2 | 0.5 | 0.03 | 0.05 | C45 |
| Kaposi sarcoma | 23 | 0.3 | 1.6 | 1.0 | 0.06 | 0.11 | 20 | 0.3 | 1.3 | 0.3 | 0.00 | 0.03 | C46 |
| Connective and soft tissue | 42 | 0.5 | 3.0 | 2.0 | 0.11 | 0.20 | 35 | 0.4 | 2.3 | 1.5 | 0.10 | 0.15 | C47+C49 |
| Breast | 17 | 0.2 | 1.2 | 0.6 | 0.03 | 0.09 | 2153 | 27.3 | 140.0 | 77.1 | 5.76 | 8.60 | C50 |
| Vulva | | | | | | | 64 | 0.8 | 4.2 | 1.5 | 0.04 | 0.19 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 129 | 1.6 | 8.4 | 5.3 | 0.41 | 0.55 | C53 |
| Corpus uteri | | | | | | | 321 | 4.1 | 20.9 | 11.2 | 0.82 | 1.38 | C54 |
| Uterus unspecified | | | | | | | 16 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 203 | 2.6 | 13.2 | 7.4 | 0.57 | 0.86 | C56 |
| Other female genital organs | | | | | | | 22 | 0.3 | 1.4 | 0.6 | 0.05 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 32 | 0.4 | 2.3 | 1.1 | 0.06 | 0.13 | | | | | | | C60 |
| Prostate | 1327 | 15.0 | 95.2 | 47.1 | 1.79 | 6.52 | | | | | | | C61 |
| Testis | 107 | 1.2 | 7.7 | 7.3 | 0.54 | 0.55 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 260 | 2.9 | 18.7 | 11.0 | 0.71 | 1.29 | 151 | 1.9 | 9.8 | 5.3 | 0.37 | 0.56 | C64 |
| Renal pelvis | 23 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | 18 | 0.2 | 1.2 | 0.6 | 0.04 | 0.09 | C65 |
| Ureter | 24 | 0.3 | 1.7 | 0.8 | 0.03 | 0.12 | 9 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C66 |
| †Bladder | 1171 | 13.3 | 84.0 | 42.2 | 1.90 | 5.38 | 285 | 3.6 | 18.5 | 7.9 | 0.47 | 0.95 | C67 |
| Other urinary organs | 7 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 16 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 21 | 0.3 | 1.4 | 0.7 | 0.04 | 0.10 | C69 |
| Brain and nervous system | 140 | 1.6 | 10.0 | 6.5 | 0.40 | 0.66 | 112 | 1.4 | 7.3 | 4.5 | 0.31 | 0.42 | C70–72 |
| Thyroid | 103 | 1.2 | 7.4 | 5.9 | 0.46 | 0.56 | 394 | 5.0 | 25.6 | 21.3 | 1.63 | 1.91 | C73 |
| Adrenal gland | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 10 | 0.1 | 0.7 | 0.7 | 0.03 | 0.06 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 56 | 0.6 | 4.0 | 3.7 | 0.23 | 0.33 | 76 | 1.0 | 4.9 | 5.0 | 0.34 | 0.39 | C81 |
| Non-Hodgkin lymphoma | 283 | 3.2 | 20.3 | 12.6 | 0.83 | 1.37 | 229 | 2.9 | 14.9 | 8.1 | 0.53 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 20 | 0.2 | 1.4 | 0.8 | 0.04 | 0.09 | 16 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 102 | 1.2 | 7.3 | 3.7 | 0.19 | 0.45 | 88 | 1.1 | 5.7 | 2.4 | 0.15 | 0.27 | C90 |
| Lymphoid leukaemia | 57 | 0.6 | 4.1 | 3.2 | 0.16 | 0.31 | 33 | 0.4 | 2.1 | 1.8 | 0.09 | 0.13 | C91 |
| Myeloid leukaemia | 71 | 0.8 | 5.1 | 2.9 | 0.15 | 0.32 | 72 | 0.9 | 4.7 | 2.7 | 0.17 | 0.28 | C92–94 |
| Leukaemia unspecified | 55 | 0.6 | 3.9 | 2.5 | 0.14 | 0.21 | 51 | 0.6 | 3.3 | 1.4 | 0.09 | 0.13 | C95 |
| Myeloproliferative disorders | 86 | 1.0 | 6.2 | 3.8 | 0.25 | 0.42 | 69 | 0.9 | 4.5 | 2.5 | 0.16 | 0.27 | MPD |
| Myelodysplastic syndromes | 101 | 1.1 | 7.2 | 3.4 | 0.15 | 0.34 | 94 | 1.2 | 6.1 | 2.2 | 0.06 | 0.26 | MPS |
| Other and unspecified | 144 | 1.6 | 10.3 | 4.9 | 0.20 | 0.56 | 121 | 1.5 | 7.9 | 3.0 | 0.14 | 0.29 | O&U |
| All sites | 10982 | | 787.8 | 417.9 | 21.28 | 50.58 | 9750 | | 634.0 | 322.8 | 20.96 | 35.98 | C00–96 |
| All sites except C44 | 8829 | 100.0 | 633.3 | 338.6 | 17.16 | 41.24 | 7881 | 100.0 | 512.4 | 265.0 | 17.46 | 29.37 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Naples North

CONTRIBUTORS

Giancarlo D'Orsi
 Marco Principato
 Gaetano Bosso
 Francesco Esposito
 Raffaella Pirozzi
 Antonella Punzo
 Lucio Sanniola



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 62.8 | Breast | 74.1 |
| Trachea, bronchus, and lung | 57.4 | Non-melanoma skin cancer | 39.4 |
| Bladder | 41.6 | Thyroid | 22.0 |
| Prostate | 40.2 | Trachea, bronchus, and lung | 19.1 |
| Colon | 27.7 | Colon | 18.2 |
| Liver | 17.1 | Corpus uteri | 11.7 |
| Stomach | 13.2 | Melanoma of skin | 10.3 |
| Non-Hodgkin lymphoma | 12.2 | Non-Hodgkin lymphoma | 8.3 |
| Melanoma of skin | 11.3 | Bladder | 8.2 |
| Rectum | 10.2 | Ovary | 7.7 |
| Kidney | 10.2 | Liver | 7.2 |
| Larynx | 8.3 | Stomach | 7.2 |
| Pancreas | 7.9 | Rectum | 5.9 |
| Thyroid | 7.6 | Kidney | 5.4 |
| Testis | 7.4 | Pancreas | 5.0 |
| Brain and nervous system | 6.6 | Brain and nervous system | 3.8 |
| Myeloid leukaemia | 3.9 | Cervix uteri | 3.7 |
| Hodgkin lymphoma | 3.9 | Hodgkin lymphoma | 3.4 |
| Lymphoid leukaemia | 3.9 | Myeloid leukaemia | 3.2 |
| Multiple myeloma | 3.1 | Gallbladder etc. | 2.9 |
| All sites | 392.4 | All sites | 293.6 |

*Italy, Naples North (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 17 | 0.2 | 0.8 | 0.5 | 0.02 | 0.08 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 32 | 0.3 | 1.6 | 1.1 | 0.07 | 0.14 | 31 | 0.4 | 1.5 | 0.8 | 0.05 | 0.10 | C01–02 |
| Mouth | 42 | 0.4 | 2.1 | 1.4 | 0.09 | 0.15 | 35 | 0.4 | 1.7 | 0.9 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 27 | 0.3 | 1.3 | 0.9 | 0.07 | 0.11 | 20 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 18 | 0.2 | 0.9 | 0.6 | 0.05 | 0.08 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 34 | 0.3 | 1.7 | 1.2 | 0.09 | 0.14 | 17 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C11 |
| Hypopharynx | 5 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 13 | 0.1 | 0.6 | 0.5 | 0.05 | 0.06 | 4 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | C14 |
| Oesophagus | 51 | 0.5 | 2.5 | 1.5 | 0.08 | 0.17 | 22 | 0.3 | 1.0 | 0.6 | 0.05 | 0.07 | C15 |
| Stomach | 439 | 4.2 | 21.6 | 13.2 | 0.61 | 1.53 | 282 | 3.3 | 13.3 | 7.2 | 0.36 | 0.83 | C16 |
| Small intestine | 34 | 0.3 | 1.7 | 1.1 | 0.07 | 0.15 | 19 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 928 | 9.0 | 45.7 | 27.7 | 1.18 | 3.34 | 705 | 8.3 | 33.3 | 18.2 | 0.98 | 2.17 | C18 |
| Rectum | 333 | 3.2 | 16.4 | 10.2 | 0.50 | 1.32 | 222 | 2.6 | 10.5 | 5.9 | 0.35 | 0.73 | C19–20 |
| Anus | 23 | 0.2 | 1.1 | 0.8 | 0.06 | 0.09 | 19 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C21 |
| Liver | 560 | 5.4 | 27.6 | 17.1 | 0.83 | 2.15 | 306 | 3.6 | 14.5 | 7.2 | 0.22 | 0.92 | C22 |
| Gallbladder etc. | 91 | 0.9 | 4.5 | 2.8 | 0.14 | 0.31 | 115 | 1.3 | 5.4 | 2.9 | 0.11 | 0.38 | C23–24 |
| Pancreas | 250 | 2.4 | 12.3 | 7.9 | 0.45 | 1.04 | 204 | 2.4 | 9.6 | 5.0 | 0.22 | 0.63 | C25 |
| Nose, sinuses etc. | 23 | 0.2 | 1.1 | 0.7 | 0.05 | 0.10 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 260 | 2.5 | 12.8 | 8.3 | 0.52 | 1.03 | 45 | 0.5 | 2.1 | 1.4 | 0.12 | 0.17 | C32 |
| Trachea, bronchus, and lung | 1902 | 18.4 | 93.8 | 57.4 | 2.51 | 7.36 | 669 | 7.8 | 31.6 | 19.1 | 1.28 | 2.39 | C33–34 |
| Other thoracic organs | 17 | 0.2 | 0.8 | 0.6 | 0.03 | 0.07 | 17 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C37–38 |
| Bone | 32 | 0.3 | 1.6 | 1.2 | 0.07 | 0.09 | 23 | 0.3 | 1.1 | 1.0 | 0.07 | 0.07 | C40–41 |
| Melanoma of skin | 319 | 3.1 | 15.7 | 11.3 | 0.76 | 1.22 | 305 | 3.6 | 14.4 | 10.3 | 0.78 | 1.03 | C43 |
| Other skin | 2032 | 19.6 | 100.2 | 62.8 | 3.09 | 7.28 | 1457 | 17.1 | 68.8 | 39.4 | 2.19 | 4.62 | C44 |
| Mesothelioma | 66 | 0.6 | 3.3 | 1.9 | 0.09 | 0.24 | 23 | 0.3 | 1.1 | 0.6 | 0.02 | 0.10 | C45 |
| Kaposi sarcoma | 40 | 0.4 | 2.0 | 1.2 | 0.03 | 0.17 | 16 | 0.2 | 0.8 | 0.4 | 0.01 | 0.03 | C46 |
| Connective and soft tissue | 75 | 0.7 | 3.7 | 3.1 | 0.20 | 0.30 | 49 | 0.6 | 2.3 | 2.2 | 0.14 | 0.17 | C47+C49 |
| Breast | 34 | 0.3 | 1.7 | 1.1 | 0.06 | 0.14 | 2431 | 28.5 | 114.9 | 74.1 | 5.49 | 8.13 | C50 |
| Vulva | | | | | | | 60 | 0.7 | 2.8 | 1.5 | 0.06 | 0.19 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C52 |
| Cervix uteri | | | | | | | 115 | 1.3 | 5.4 | 3.7 | 0.29 | 0.39 | C53 |
| Corpus uteri | | | | | | | 389 | 4.6 | 18.4 | 11.7 | 0.86 | 1.47 | C54 |
| Uterus unspecified | | | | | | | 49 | 0.6 | 2.3 | 1.3 | 0.08 | 0.13 | C55 |
| Ovary | | | | | | | 245 | 2.9 | 11.6 | 7.7 | 0.54 | 0.87 | C56 |
| Other female genital organs | | | | | | | 21 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 28 | 0.3 | 1.4 | 0.9 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 1340 | 13.0 | 66.1 | 40.2 | 1.50 | 5.50 | | | | | | | C61 |
| Testis | 162 | 1.6 | 8.0 | 7.4 | 0.55 | 0.57 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 303 | 2.9 | 14.9 | 10.2 | 0.69 | 1.19 | 185 | 2.2 | 8.7 | 5.4 | 0.36 | 0.64 | C64 |
| Renal pelvis | 24 | 0.2 | 1.2 | 0.8 | 0.06 | 0.10 | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C65 |
| Ureter | 29 | 0.3 | 1.4 | 0.9 | 0.04 | 0.12 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 1361 | 13.2 | 67.1 | 41.6 | 1.93 | 5.16 | 306 | 3.6 | 14.5 | 8.2 | 0.47 | 0.97 | C67 |
| Other urinary organs | 6 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 14 | 0.1 | 0.7 | 0.7 | 0.04 | 0.05 | 23 | 0.3 | 1.1 | 0.7 | 0.03 | 0.09 | C69 |
| Brain and nervous system | 185 | 1.8 | 9.1 | 6.6 | 0.38 | 0.72 | 116 | 1.4 | 5.5 | 3.8 | 0.21 | 0.36 | C70–72 |
| Thyroid | 191 | 1.8 | 9.4 | 7.6 | 0.59 | 0.71 | 565 | 6.6 | 26.7 | 22.0 | 1.73 | 1.94 | C73 |
| Adrenal gland | 12 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 84 | 0.8 | 4.1 | 3.9 | 0.28 | 0.32 | 74 | 0.9 | 3.5 | 3.4 | 0.24 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 347 | 3.4 | 17.1 | 12.2 | 0.71 | 1.34 | 265 | 3.1 | 12.5 | 8.3 | 0.57 | 0.96 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 99 | 1.0 | 4.9 | 3.1 | 0.19 | 0.38 | 87 | 1.0 | 4.1 | 2.3 | 0.13 | 0.30 | C90 |
| Lymphoid leukaemia | 81 | 0.8 | 4.0 | 3.9 | 0.22 | 0.30 | 48 | 0.6 | 2.3 | 2.0 | 0.11 | 0.16 | C91 |
| Myeloid leukaemia | 107 | 1.0 | 5.3 | 3.9 | 0.20 | 0.41 | 100 | 1.2 | 4.7 | 3.2 | 0.21 | 0.30 | C92–94 |
| Leukaemia unspecified | 46 | 0.4 | 2.3 | 1.6 | 0.05 | 0.13 | 41 | 0.5 | 1.9 | 1.1 | 0.05 | 0.09 | C95 |
| Myeloproliferative disorders | 59 | 0.6 | 2.9 | 2.1 | 0.15 | 0.20 | 31 | 0.4 | 1.5 | 1.0 | 0.07 | 0.09 | MPD |
| Myelodysplastic syndromes | 99 | 1.0 | 4.9 | 3.0 | 0.11 | 0.34 | 93 | 1.1 | 4.4 | 2.1 | 0.08 | 0.20 | MPS |
| Other and unspecified | 82 | 0.8 | 4.0 | 2.4 | 0.10 | 0.24 | 80 | 0.9 | 3.8 | 1.8 | 0.07 | 0.18 | O&U |
| All sites | 12374 | | 610.0 | 392.4 | 19.69 | 46.92 | 9989 | | 472.0 | 293.6 | 19.03 | 32.76 | C00–96 |
| All sites except C44 | 10342 | 100.0 | 509.8 | 329.7 | 16.60 | 39.64 | 8532 | 100.0 | 403.1 | 254.2 | 16.84 | 28.14 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Naples South

CONTRIBUTORS

Mario Fusco
 Maria Francesca Vitale
 Valerio Ciullo
 Caterina Bellatalla
 Maria Fusco
 Margherita Panico
 Carmela Perrotta
 Maddalena Di Buono



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 64.6 | Breast | 79.3 |
| Trachea, bronchus, and lung | 52.0 | Non-melanoma skin cancer | 41.4 |
| Prostate | 46.3 | Thyroid | 23.1 |
| Bladder | 41.5 | Colon | 16.5 |
| Colon | 25.0 | Trachea, bronchus, and lung | 15.7 |
| Liver | 18.2 | Corpus uteri | 13.6 |
| Rectum | 12.3 | Melanoma of skin | 10.7 |
| Melanoma of skin | 11.2 | Non-Hodgkin lymphoma | 8.8 |
| Non-Hodgkin lymphoma | 11.0 | Ovary | 7.8 |
| Stomach | 10.6 | Bladder | 7.8 |
| Kidney | 9.7 | Rectum | 7.2 |
| Larynx | 8.3 | Liver | 7.1 |
| Thyroid | 7.8 | Pancreas | 6.1 |
| Testis | 7.8 | Stomach | 5.9 |
| Pancreas | 7.5 | Cervix uteri | 5.2 |
| Brain and nervous system | 6.0 | Kidney | 4.6 |
| Myeloid leukaemia | 5.1 | Hodgkin lymphoma | 4.1 |
| Lymphoid leukaemia | 4.7 | Brain and nervous system | 3.8 |
| Hodgkin lymphoma | 4.2 | Myeloid leukaemia | 3.2 |
| Other and unspecified | 3.7 | Lymphoid leukaemia | 3.0 |
| All sites | 394.0 | All sites | 303.0 |

***Italy, Naples South (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 20 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | <i>C00</i> |
| Tongue | 39 | 0.3 | 1.5 | 0.9 | 0.06 | 0.12 | 38 | 0.3 | 1.4 | 0.8 | 0.05 | 0.08 | <i>C01–02</i> |
| Mouth | 69 | 0.5 | 2.7 | 1.6 | 0.10 | 0.20 | 57 | 0.4 | 2.1 | 1.0 | 0.07 | 0.12 | <i>C03–06</i> |
| Salivary glands | 32 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 27 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | <i>C07–08</i> |
| Tonsil | 15 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C09</i> |
| Other oropharynx | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | <i>C10</i> |
| Nasopharynx | 29 | 0.2 | 1.1 | 0.8 | 0.06 | 0.09 | 14 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | <i>C11</i> |
| Hypopharynx | 11 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | <i>C12–13</i> |
| Pharynx unspecified | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C14</i> |
| Oesophagus | 64 | 0.4 | 2.5 | 1.3 | 0.08 | 0.15 | 17 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | <i>C15</i> |
| Stomach | 529 | 3.5 | 20.5 | 10.6 | 0.50 | 1.18 | 365 | 2.9 | 13.3 | 5.9 | 0.30 | 0.66 | <i>C16</i> |
| Small intestine | 38 | 0.2 | 1.5 | 0.9 | 0.04 | 0.11 | 44 | 0.3 | 1.6 | 0.8 | 0.05 | 0.09 | <i>C17</i> |
| Colon | 1227 | 8.0 | 47.6 | 25.0 | 1.21 | 3.04 | 984 | 7.8 | 36.0 | 16.5 | 0.83 | 1.97 | <i>C18</i> |
| Rectum | 582 | 3.8 | 22.6 | 12.3 | 0.71 | 1.51 | 411 | 3.2 | 15.0 | 7.2 | 0.42 | 0.86 | <i>C19–20</i> |
| Anus | 24 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 27 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | <i>C21</i> |
| Liver | 915 | 6.0 | 35.5 | 18.2 | 0.83 | 2.27 | 495 | 3.9 | 18.1 | 7.1 | 0.19 | 0.84 | <i>C22</i> |
| Gallbladder etc. | 158 | 1.0 | 6.1 | 3.0 | 0.12 | 0.34 | 183 | 1.4 | 6.7 | 2.7 | 0.10 | 0.35 | <i>C23–24</i> |
| Pancreas | 354 | 2.3 | 13.7 | 7.5 | 0.43 | 0.93 | 383 | 3.0 | 14.0 | 6.1 | 0.28 | 0.70 | <i>C25</i> |
| Nose, sinuses etc. | 23 | 0.2 | 0.9 | 0.5 | 0.03 | 0.04 | 16 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | <i>C30–31</i> |
| Larynx | 368 | 2.4 | 14.3 | 8.3 | 0.53 | 1.07 | 41 | 0.3 | 1.5 | 0.9 | 0.07 | 0.11 | <i>C32</i> |
| Trachea, bronchus, and lung | 2586 | 17.0 | 100.4 | 52.0 | 2.29 | 6.57 | 849 | 6.7 | 31.0 | 15.7 | 0.99 | 1.92 | <i>C33–34</i> |
| Other thoracic organs | 60 | 0.4 | 2.3 | 1.4 | 0.07 | 0.13 | 34 | 0.3 | 1.2 | 0.7 | 0.05 | 0.07 | <i>C37–38</i> |
| Bone | 32 | 0.2 | 1.2 | 1.0 | 0.06 | 0.09 | 26 | 0.2 | 1.0 | 1.1 | 0.06 | 0.07 | <i>C40–41</i> |
| Melanoma of skin | 443 | 2.9 | 17.2 | 11.2 | 0.74 | 1.22 | 430 | 3.4 | 15.7 | 10.7 | 0.84 | 1.07 | <i>C43</i> |
| Other skin | 3230 | 21.2 | 125.4 | 64.6 | 2.85 | 7.34 | 2355 | 18.6 | 86.1 | 41.4 | 2.29 | 4.77 | <i>C44</i> |
| Mesothelioma | 116 | 0.8 | 4.5 | 2.4 | 0.08 | 0.36 | 35 | 0.3 | 1.3 | 0.7 | 0.03 | 0.09 | <i>C45</i> |
| Kaposi sarcoma | 73 | 0.5 | 2.8 | 1.5 | 0.07 | 0.17 | 31 | 0.2 | 1.1 | 0.5 | 0.01 | 0.07 | <i>C46</i> |
| Connective and soft tissue | 81 | 0.5 | 3.1 | 2.0 | 0.14 | 0.21 | 59 | 0.5 | 2.2 | 1.3 | 0.08 | 0.14 | <i>C47+C49</i> |
| Breast | 33 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | 3647 | 28.8 | 133.3 | 79.3 | 5.90 | 8.85 | <i>C50</i> |
| Vulva | | | | | | | 85 | 0.7 | 3.1 | 1.3 | 0.05 | 0.16 | <i>C51</i> |
| Vagina | | | | | | | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | <i>C52</i> |
| Cervix uteri | | | | | | | 209 | 1.6 | 7.6 | 5.2 | 0.44 | 0.54 | <i>C53</i> |
| Corpus uteri | | | | | | | 639 | 5.0 | 23.4 | 13.6 | 1.00 | 1.66 | <i>C54</i> |
| Uterus unspecified | | | | | | | 25 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | <i>C55</i> |
| Ovary | | | | | | | 367 | 2.9 | 13.4 | 7.8 | 0.55 | 0.87 | <i>C56</i> |
| Other female genital organs | | | | | | | 26 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | <i>C57</i> |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | <i>C58</i> |
| Penis | 42 | 0.3 | 1.6 | 0.9 | 0.07 | 0.11 | | | | | | | <i>C60</i> |
| Prostate | 2349 | 15.4 | 91.2 | 46.3 | 1.73 | 6.36 | | | | | | | <i>C61</i> |
| Testis | 214 | 1.4 | 8.3 | 7.8 | 0.59 | 0.60 | | | | | | | <i>C62</i> |
| Other male genital organs | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | <i>C63</i> |
| Kidney | 387 | 2.5 | 15.0 | 9.7 | 0.66 | 1.11 | 215 | 1.7 | 7.9 | 4.6 | 0.31 | 0.56 | <i>C64</i> |
| Renal pelvis | 40 | 0.3 | 1.6 | 0.8 | 0.04 | 0.09 | 17 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | <i>C65</i> |
| Ureter | 19 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C66</i> |
| †Bladder | 2053 | 13.5 | 79.7 | 41.5 | 1.87 | 5.14 | 434 | 3.4 | 15.9 | 7.8 | 0.47 | 0.90 | <i>C67</i> |
| Other urinary organs | 17 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | <i>C68</i> |
| Eye | 24 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | 31 | 0.2 | 1.1 | 0.9 | 0.05 | 0.08 | <i>C69</i> |
| Brain and nervous system | 230 | 1.5 | 8.9 | 6.0 | 0.34 | 0.62 | 170 | 1.3 | 6.2 | 3.8 | 0.21 | 0.38 | <i>C70–72</i> |
| Thyroid | 245 | 1.6 | 9.5 | 7.8 | 0.62 | 0.70 | 755 | 6.0 | 27.6 | 23.1 | 1.82 | 2.07 | <i>C73</i> |
| Adrenal gland | 16 | 0.1 | 0.6 | 0.7 | 0.04 | 0.06 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C74</i> |
| Other endocrine | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C75</i> |
| Hodgkin lymphoma | 116 | 0.8 | 4.5 | 4.2 | 0.29 | 0.32 | 110 | 0.9 | 4.0 | 4.1 | 0.29 | 0.32 | <i>C81</i> |
| Non-Hodgkin lymphoma | 460 | 3.0 | 17.9 | 11.0 | 0.70 | 1.27 | 431 | 3.4 | 15.8 | 8.8 | 0.52 | 1.01 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 34 | 0.2 | 1.3 | 0.8 | 0.05 | 0.09 | 37 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | <i>C88</i> |
| Multiple myeloma | 173 | 1.1 | 6.7 | 3.5 | 0.16 | 0.40 | 146 | 1.2 | 5.3 | 2.4 | 0.12 | 0.30 | <i>C90</i> |
| Lymphoid leukaemia | 154 | 1.0 | 6.0 | 4.7 | 0.25 | 0.43 | 111 | 0.9 | 4.1 | 3.0 | 0.16 | 0.25 | <i>C91</i> |
| Myeloid leukaemia | 196 | 1.3 | 7.6 | 5.1 | 0.31 | 0.47 | 138 | 1.1 | 5.0 | 3.2 | 0.19 | 0.33 | <i>C92–94</i> |
| Leukaemia unspecified | 46 | 0.3 | 1.8 | 0.8 | 0.02 | 0.08 | 40 | 0.3 | 1.5 | 0.5 | 0.02 | 0.04 | <i>C95</i> |
| Myeloproliferative disorders | 143 | 0.9 | 5.6 | 3.5 | 0.24 | 0.42 | 113 | 0.9 | 4.1 | 2.4 | 0.16 | 0.24 | <i>MPD</i> |
| Myelodysplastic syndromes | 152 | 1.0 | 5.9 | 2.9 | 0.09 | 0.35 | 115 | 0.9 | 4.2 | 1.9 | 0.10 | 0.21 | <i>MPS</i> |
| Other and unspecified | 185 | 1.2 | 7.2 | 3.7 | 0.14 | 0.40 | 198 | 1.6 | 7.2 | 3.0 | 0.13 | 0.31 | <i>O&U</i> |
| All sites | 18474 | | 717.3 | 394.0 | 19.49 | 46.74 | 15035 | | 549.7 | 303.0 | 19.54 | 33.59 | <i>C00–96</i> |
| All sites except C44 | 15244 | 100.0 | 591.9 | 329.3 | 16.64 | 39.40 | 12680 | 100.0 | 463.6 | 261.6 | 17.25 | 28.82 | <i>C00–96 exc. C44</i> |

*†See note following population pyramid

Italy, Nuoro

CONTRIBUTORS

Mario Usala
 Filomena Pala
 Giovanna Maria Sini
 Nicolina Pintori
 Luisa Canu
 Giuliana Demurtas
 Nina Doa



NOTES ON THE DATA

*Rates based on low numbers due to small population. No questionnaire.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 54.2 | Breast | 84.4 |
| Prostate | 41.5 | Non-melanoma skin cancer | 42.5 |
| Trachea, bronchus, and lung | 33.2 | Thyroid | 34.3 |
| Colon | 24.7 | Colon | 15.3 |
| Bladder | 20.5 | Non-Hodgkin lymphoma | 12.1 |
| Liver | 16.6 | Trachea, bronchus, and lung | 10.4 |
| Rectum | 15.1 | Corpus uteri | 8.8 |
| Non-Hodgkin lymphoma | 13.8 | Rectum | 7.9 |
| Pancreas | 12.5 | Stomach | 6.2 |
| Thyroid | 11.4 | Pancreas | 6.2 |
| Kidney | 8.7 | Ovary | 6.0 |
| Stomach | 8.3 | Liver | 5.3 |
| Oesophagus | 6.5 | Melanoma of skin | 5.2 |
| Brain and nervous system | 6.2 | Bladder | 5.0 |
| Testis | 6.1 | Kidney | 4.8 |
| Larynx | 5.3 | Multiple myeloma | 3.6 |
| Myeloid leukaemia | 4.3 | Myeloproliferative disorders | 3.5 |
| Lymphoid leukaemia | 4.2 | Hodgkin lymphoma | 3.4 |
| Multiple myeloma | 4.2 | Lymphoid leukaemia | 2.2 |
| Tongue | 4.1 | Gallbladder etc. | 2.2 |
| All sites | 341.0 | All sites | 292.4 |

*Italy, Nuoro (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.4 | 2.5 | 0.7 | 0.05 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 21 | 1.1 | 6.6 | 4.1 | 0.32 | 0.44 | 3 | 0.2 | 0.9 | 0.3 | 0.02 | 0.02 | C01–02 |
| Mouth | 18 | 0.9 | 5.7 | 3.1 | 0.22 | 0.40 | 6 | 0.3 | 1.8 | 0.7 | 0.07 | 0.07 | C03–06 |
| Salivary glands | 4 | 0.2 | 1.3 | 0.5 | 0.02 | 0.02 | 5 | 0.3 | 1.5 | 1.3 | 0.09 | 0.12 | C07–08 |
| Tonsil | 6 | 0.3 | 1.9 | 0.8 | 0.04 | 0.10 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 6 | 0.3 | 1.9 | 1.0 | 0.06 | 0.12 | 3 | 0.2 | 0.9 | 0.4 | 0.02 | 0.07 | C10 |
| Nasopharynx | 1 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.1 | 0.3 | 0.6 | 0.03 | 0.03 | C11 |
| Hypopharynx | 19 | 1.0 | 6.0 | 3.3 | 0.29 | 0.41 | 2 | 0.1 | 0.6 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 1 | 0.1 | 0.3 | 0.1 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 42 | 2.1 | 13.3 | 6.5 | 0.40 | 0.79 | 8 | 0.5 | 2.4 | 0.7 | 0.02 | 0.05 | C15 |
| Stomach | 64 | 3.2 | 20.2 | 8.3 | 0.42 | 0.93 | 69 | 4.0 | 21.1 | 6.2 | 0.27 | 0.56 | C16 |
| Small intestine | 11 | 0.6 | 3.5 | 1.5 | 0.12 | 0.12 | 7 | 0.4 | 2.1 | 0.6 | 0.02 | 0.05 | C17 |
| Colon | 183 | 9.2 | 57.9 | 24.7 | 1.34 | 2.82 | 146 | 8.5 | 44.7 | 15.3 | 0.70 | 2.01 | C18 |
| Rectum | 103 | 5.2 | 32.6 | 15.1 | 0.86 | 1.75 | 64 | 3.7 | 19.6 | 7.9 | 0.55 | 0.95 | C19–20 |
| Anus | 3 | 0.2 | 0.9 | 0.5 | 0.04 | 0.04 | 4 | 0.2 | 1.2 | 0.3 | 0.00 | 0.05 | C21 |
| Liver | 123 | 6.2 | 38.9 | 16.6 | 0.91 | 2.03 | 58 | 3.4 | 17.8 | 5.3 | 0.20 | 0.63 | C22 |
| Gallbladder etc. | 24 | 1.2 | 7.6 | 2.9 | 0.10 | 0.34 | 26 | 1.5 | 8.0 | 2.2 | 0.04 | 0.23 | C23–24 |
| Pancreas | 100 | 5.0 | 31.6 | 12.5 | 0.47 | 1.41 | 76 | 4.4 | 23.3 | 6.2 | 0.23 | 0.65 | C25 |
| Nose, sinuses etc. | 7 | 0.4 | 2.2 | 1.0 | 0.06 | 0.06 | 3 | 0.2 | 0.9 | 0.3 | 0.02 | 0.05 | C30–31 |
| Larynx | 36 | 1.8 | 11.4 | 5.3 | 0.36 | 0.67 | 1 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 258 | 13.0 | 81.6 | 33.2 | 1.29 | 4.21 | 77 | 4.5 | 23.6 | 10.4 | 0.75 | 1.20 | C33–34 |
| Other thoracic organs | 3 | 0.2 | 0.9 | 0.4 | 0.00 | 0.06 | 3 | 0.2 | 0.9 | 0.1 | 0.00 | 0.00 | C37–38 |
| Bone | 5 | 0.3 | 1.6 | 1.7 | 0.09 | 0.09 | 3 | 0.2 | 0.9 | 0.8 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 17 | 0.9 | 5.4 | 2.8 | 0.16 | 0.32 | 26 | 1.5 | 8.0 | 5.2 | 0.41 | 0.52 | C43 |
| Other skin | 408 | 20.5 | 129.1 | 54.2 | 2.45 | 6.50 | 373 | 21.7 | 114.2 | 42.5 | 2.25 | 4.91 | C44 |
| Mesothelioma | 4 | 0.2 | 1.3 | 0.5 | 0.02 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 9 | 0.5 | 2.8 | 1.1 | 0.05 | 0.11 | 2 | 0.1 | 0.6 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 10 | 0.5 | 3.2 | 1.0 | 0.02 | 0.08 | 6 | 0.3 | 1.8 | 1.8 | 0.10 | 0.15 | C47+C49 |
| Breast | 6 | 0.3 | 1.9 | 0.8 | 0.05 | 0.11 | 513 | 29.8 | 157.0 | 84.4 | 6.61 | 9.57 | C50 |
| Vulva | | | | | | | 9 | 0.5 | 2.8 | 1.1 | 0.09 | 0.12 | C51 |
| Vagina | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 10 | 0.6 | 3.1 | 2.2 | 0.20 | 0.22 | C53 |
| Corpus uteri | | | | | | | 77 | 4.5 | 23.6 | 8.8 | 0.37 | 1.22 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.2 | 1.2 | 0.2 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 36 | 2.1 | 11.0 | 6.0 | 0.40 | 0.63 | C56 |
| Other female genital organs | | | | | | | 2 | 0.1 | 0.6 | 0.1 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 3 | 0.2 | 0.9 | 0.4 | 0.00 | 0.06 | | | | | | | C60 |
| Prostate | 323 | 16.2 | 102.2 | 41.5 | 1.48 | 5.60 | | | | | | | C61 |
| Testis | 20 | 1.0 | 6.3 | 6.1 | 0.47 | 0.47 | | | | | | | C62 |
| Other male genital organs | 3 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | | | | | | | C63 |
| Kidney | 59 | 3.0 | 18.7 | 8.7 | 0.53 | 1.12 | 29 | 1.7 | 8.9 | 4.8 | 0.29 | 0.50 | C64 |
| Renal pelvis | 6 | 0.3 | 1.9 | 0.7 | 0.02 | 0.09 | 3 | 0.2 | 0.9 | 0.5 | 0.04 | 0.04 | C65 |
| Ureter | 5 | 0.3 | 1.6 | 0.7 | 0.00 | 0.12 | 1 | 0.1 | 0.3 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 160 | 8.0 | 50.6 | 20.5 | 0.94 | 2.24 | 42 | 2.4 | 12.9 | 5.0 | 0.31 | 0.65 | C67 |
| Other urinary organs | 1 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.1 | 0.3 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.6 | 1.2 | 0.06 | 0.06 | 1 | 0.1 | 0.3 | 1.0 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 34 | 1.7 | 10.8 | 6.2 | 0.35 | 0.75 | 15 | 0.9 | 4.6 | 2.1 | 0.18 | 0.23 | C70–72 |
| Thyroid | 44 | 2.2 | 13.9 | 11.4 | 0.88 | 1.07 | 154 | 8.9 | 47.1 | 34.3 | 2.73 | 3.24 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.3 | 0.2 | 0.00 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 10 | 0.5 | 3.2 | 3.7 | 0.23 | 0.23 | 11 | 0.6 | 3.4 | 3.4 | 0.27 | 0.27 | C81 |
| Non-Hodgkin lymphoma | 80 | 4.0 | 25.3 | 13.8 | 0.83 | 1.55 | 81 | 4.7 | 24.8 | 12.1 | 0.71 | 1.37 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.2 | 1.3 | 0.4 | 0.00 | 0.03 | 4 | 0.2 | 1.2 | 0.3 | 0.00 | 0.03 | C88 |
| Multiple myeloma | 29 | 1.5 | 9.2 | 4.2 | 0.23 | 0.53 | 29 | 1.7 | 8.9 | 3.6 | 0.23 | 0.47 | C90 |
| Lymphoid leukaemia | 23 | 1.2 | 7.3 | 4.2 | 0.16 | 0.46 | 8 | 0.5 | 2.4 | 2.2 | 0.15 | 0.18 | C91 |
| Myeloid leukaemia | 27 | 1.4 | 8.5 | 4.3 | 0.25 | 0.46 | 19 | 1.1 | 5.8 | 2.1 | 0.11 | 0.21 | C92–94 |
| Leukaemia unspecified | 9 | 0.5 | 2.8 | 1.3 | 0.05 | 0.08 | 6 | 0.3 | 1.8 | 1.4 | 0.07 | 0.09 | C95 |
| Myeloproliferative disorders | 22 | 1.1 | 7.0 | 3.2 | 0.23 | 0.38 | 27 | 1.6 | 8.3 | 3.5 | 0.11 | 0.48 | MPD |
| Myelodysplastic syndromes | 11 | 0.6 | 3.5 | 0.9 | 0.00 | 0.06 | 17 | 1.0 | 5.2 | 1.3 | 0.03 | 0.11 | MPS |
| Other and unspecified | 21 | 1.1 | 6.6 | 2.3 | 0.09 | 0.19 | 21 | 1.2 | 6.4 | 2.0 | 0.11 | 0.21 | O&U |
| All sites | 2396 | | 757.9 | 341.0 | 17.09 | 39.76 | 2094 | | 641.0 | 292.4 | 18.96 | 32.37 | C00–96 |
| All sites except C44 | 1988 | 100.0 | 628.8 | 286.8 | 14.64 | 33.26 | 1721 | 100.0 | 526.8 | 249.9 | 16.70 | 27.45 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Palermo

CONTRIBUTORS

Francesco Vitale
 Walter Mazzucco
 Rosanna Cusimano
 Rosalba Amodio
 Alessandro Costa
 Giorgio Graziano
 Rita Mannino
 Sergio Mazzola
 Barbara Ravazzolo
 Maurizio Zarcone



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 41.4 | Breast | 77.6 |
| Trachea, bronchus, and lung | 41.0 | Non-melanoma skin cancer | 21.3 |
| Non-melanoma skin cancer | 38.2 | Colon | 19.2 |
| Bladder | 35.8 | Thyroid | 17.7 |
| Colon | 24.6 | Trachea, bronchus, and lung | 14.9 |
| Liver | 11.0 | Corpus uteri | 11.7 |
| Non-Hodgkin lymphoma | 10.9 | Ovary | 8.5 |
| Kidney | 10.0 | Bladder | 7.4 |
| Rectum | 9.9 | Non-Hodgkin lymphoma | 7.1 |
| Pancreas | 8.8 | Melanoma of skin | 6.9 |
| Testis | 8.3 | Rectum | 6.9 |
| Stomach | 8.3 | Pancreas | 6.6 |
| Melanoma of skin | 7.9 | Brain and nervous system | 4.6 |
| Thyroid | 6.4 | Kidney | 4.4 |
| Brain and nervous system | 6.3 | Stomach | 4.3 |
| Larynx | 5.4 | Cervix uteri | 4.2 |
| Other and unspecified | 5.0 | Liver | 4.1 |
| Myeloid leukaemia | 4.5 | Hodgkin lymphoma | 3.4 |
| Lymphoid leukaemia | 4.4 | Other and unspecified | 3.3 |
| Multiple myeloma | 3.7 | Myeloid leukaemia | 3.2 |
| All sites | 325.3 | All sites | 261.1 |

*Italy, Palermo (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 59 | 0.3 | 1.9 | 0.8 | 0.03 | 0.08 | 10 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 67 | 0.4 | 2.2 | 1.4 | 0.10 | 0.17 | 45 | 0.3 | 1.4 | 0.6 | 0.04 | 0.07 | C01–02 |
| Mouth | 89 | 0.5 | 2.9 | 1.6 | 0.10 | 0.19 | 57 | 0.4 | 1.8 | 0.7 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 53 | 0.3 | 1.8 | 0.8 | 0.04 | 0.09 | 28 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 24 | 0.1 | 0.8 | 0.4 | 0.03 | 0.06 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 16 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 85 | 0.5 | 2.8 | 2.0 | 0.16 | 0.20 | 32 | 0.2 | 1.0 | 0.7 | 0.06 | 0.06 | C11 |
| Hypopharynx | 24 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 10 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 94 | 0.5 | 3.1 | 1.6 | 0.10 | 0.19 | 29 | 0.2 | 0.9 | 0.3 | 0.01 | 0.04 | C15 |
| Stomach | 531 | 3.1 | 17.5 | 8.3 | 0.42 | 0.95 | 324 | 2.1 | 10.0 | 4.3 | 0.23 | 0.49 | C16 |
| Small intestine | 52 | 0.3 | 1.7 | 0.9 | 0.05 | 0.08 | 46 | 0.3 | 1.4 | 0.6 | 0.04 | 0.08 | C17 |
| Colon | 1634 | 9.5 | 54.0 | 24.6 | 1.07 | 2.92 | 1544 | 10.2 | 47.7 | 19.2 | 0.99 | 2.24 | C18 |
| Rectum | 631 | 3.7 | 20.8 | 9.9 | 0.52 | 1.23 | 518 | 3.4 | 16.0 | 6.9 | 0.41 | 0.82 | C19–20 |
| Anus | 21 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | 28 | 0.2 | 0.9 | 0.4 | 0.03 | 0.06 | C21 |
| Liver | 680 | 3.9 | 22.5 | 11.0 | 0.50 | 1.41 | 373 | 2.5 | 11.5 | 4.1 | 0.13 | 0.50 | C22 |
| Gallbladder etc. | 206 | 1.2 | 6.8 | 2.9 | 0.11 | 0.33 | 275 | 1.8 | 8.5 | 3.0 | 0.11 | 0.36 | C23–24 |
| Pancreas | 572 | 3.3 | 18.9 | 8.8 | 0.42 | 1.02 | 587 | 3.9 | 18.1 | 6.6 | 0.31 | 0.71 | C25 |
| Nose, sinuses etc. | 34 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 306 | 1.8 | 10.1 | 5.4 | 0.34 | 0.72 | 47 | 0.3 | 1.5 | 0.8 | 0.05 | 0.10 | C32 |
| Trachea, bronchus, and lung | 2691 | 15.6 | 88.9 | 41.0 | 1.71 | 5.29 | 1053 | 6.9 | 32.5 | 14.9 | 0.89 | 1.88 | C33–34 |
| Other thoracic organs | 38 | 0.2 | 1.3 | 0.5 | 0.02 | 0.06 | 24 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 38 | 0.2 | 1.3 | 0.9 | 0.06 | 0.07 | 40 | 0.3 | 1.2 | 1.0 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 392 | 2.3 | 12.9 | 7.9 | 0.55 | 0.83 | 328 | 2.2 | 10.1 | 6.9 | 0.52 | 0.68 | C43 |
| Other skin | 2652 | 15.4 | 87.6 | 38.2 | 1.58 | 4.22 | 1603 | 10.6 | 49.5 | 21.3 | 1.16 | 2.35 | C44 |
| Mesothelioma | 99 | 0.6 | 3.3 | 1.6 | 0.06 | 0.23 | 28 | 0.2 | 0.9 | 0.3 | 0.01 | 0.04 | C45 |
| Kaposi sarcoma | 43 | 0.2 | 1.4 | 0.7 | 0.03 | 0.07 | 23 | 0.2 | 0.7 | 0.2 | 0.00 | 0.04 | C46 |
| Connective and soft tissue | 109 | 0.6 | 3.6 | 2.2 | 0.14 | 0.21 | 66 | 0.4 | 2.0 | 1.2 | 0.08 | 0.12 | C47+C49 |
| Breast | 44 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | 4474 | 29.5 | 138.2 | 77.6 | 5.71 | 8.68 | C50 |
| Vulva | | | | | | | 100 | 0.7 | 3.1 | 1.2 | 0.07 | 0.13 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 217 | 1.4 | 6.7 | 4.2 | 0.35 | 0.43 | C53 |
| Corpus uteri | | | | | | | 710 | 4.7 | 21.9 | 11.7 | 0.85 | 1.47 | C54 |
| Uterus unspecified | | | | | | | 72 | 0.5 | 2.2 | 1.0 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 510 | 3.4 | 15.8 | 8.5 | 0.59 | 1.01 | C56 |
| Other female genital organs | | | | | | | 33 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 65 | 0.4 | 2.1 | 1.0 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 2730 | 15.8 | 90.1 | 41.4 | 1.50 | 5.69 | | | | | | | C61 |
| Testis | 248 | 1.4 | 8.2 | 8.3 | 0.60 | 0.61 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 540 | 3.1 | 17.8 | 10.0 | 0.61 | 1.22 | 268 | 1.8 | 8.3 | 4.4 | 0.30 | 0.50 | C64 |
| Renal pelvis | 60 | 0.3 | 2.0 | 0.9 | 0.04 | 0.11 | 31 | 0.2 | 1.0 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 38 | 0.2 | 1.3 | 0.5 | 0.01 | 0.08 | 16 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C66 |
| †Bladder | 2322 | 13.5 | 76.7 | 35.8 | 1.63 | 4.42 | 554 | 3.7 | 17.1 | 7.4 | 0.43 | 0.87 | C67 |
| Other urinary organs | 29 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | 12 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 24 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | 18 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 288 | 1.7 | 9.5 | 6.3 | 0.45 | 0.66 | 234 | 1.5 | 7.2 | 4.6 | 0.28 | 0.45 | C70–72 |
| Thyroid | 272 | 1.6 | 9.0 | 6.4 | 0.49 | 0.67 | 751 | 5.0 | 23.2 | 17.7 | 1.44 | 1.72 | C73 |
| Adrenal gland | 14 | 0.1 | 0.5 | 0.6 | 0.03 | 0.04 | 8 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 125 | 0.7 | 4.1 | 3.6 | 0.26 | 0.30 | 113 | 0.7 | 3.5 | 3.4 | 0.23 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 553 | 3.2 | 18.3 | 10.9 | 0.68 | 1.26 | 411 | 2.7 | 12.7 | 7.1 | 0.44 | 0.77 | C82–86,C96 |
| Immunoproliferative diseases | 23 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 21 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C88 |
| Multiple myeloma | 228 | 1.3 | 7.5 | 3.7 | 0.21 | 0.43 | 190 | 1.3 | 5.9 | 2.4 | 0.13 | 0.28 | C90 |
| Lymphoid leukaemia | 183 | 1.1 | 6.0 | 4.4 | 0.22 | 0.38 | 125 | 0.8 | 3.9 | 2.7 | 0.14 | 0.23 | C91 |
| Myeloid leukaemia | 235 | 1.4 | 7.8 | 4.5 | 0.24 | 0.46 | 200 | 1.3 | 6.2 | 3.2 | 0.19 | 0.32 | C92–94 |
| Leukaemia unspecified | 50 | 0.3 | 1.7 | 0.6 | 0.02 | 0.06 | 19 | 0.1 | 0.6 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 103 | 0.6 | 3.4 | 2.0 | 0.13 | 0.22 | 104 | 0.7 | 3.2 | 1.8 | 0.12 | 0.18 | MPD |
| Myelodysplastic syndromes | 132 | 0.8 | 4.4 | 1.8 | 0.05 | 0.18 | 92 | 0.6 | 2.8 | 1.2 | 0.06 | 0.13 | MPS |
| Other and unspecified | 331 | 1.9 | 10.9 | 5.0 | 0.21 | 0.54 | 331 | 2.2 | 10.2 | 3.3 | 0.13 | 0.32 | O&U |
| All sites | 19897 | | 657.0 | 325.3 | 15.88 | 38.58 | 16772 | | 518.2 | 261.1 | 16.92 | 29.10 | C00–96 |
| All sites except C44 | 17245 | 100.0 | 569.4 | 287.1 | 14.29 | 34.36 | 15169 | 100.0 | 468.7 | 239.9 | 15.76 | 26.75 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Puglia

CONTRIBUTORS

Lucia Bisceglia
 Antonino Ardizzone
 Francesco Cuccaro
 Deborah Fracchiolla
 Antonia Mincuzzi
 Fernando Palma
 Anna Melcarne
 Fabrizio Quarta
 Sante Minerba
 Maria Giovanna Burgio Lo Monaco
 Danila Bruno



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 75.4 | Breast | 80.6 |
| Prostate | 49.3 | Non-melanoma skin cancer | 50.3 |
| Trachea, bronchus, and lung | 37.5 | Thyroid | 23.1 |
| Bladder | 33.9 | Colon | 16.1 |
| Colon | 22.6 | Corpus uteri | 12.6 |
| Rectum | 11.9 | Melanoma of skin | 10.0 |
| Liver | 11.4 | Trachea, bronchus, and lung | 9.9 |
| Non-Hodgkin lymphoma | 10.2 | Ovary | 8.8 |
| Melanoma of skin | 10.1 | Non-Hodgkin lymphoma | 8.2 |
| Stomach | 9.0 | Rectum | 7.2 |
| Testis | 8.8 | Pancreas | 5.8 |
| Kidney | 8.6 | Bladder | 5.6 |
| Thyroid | 8.1 | Stomach | 4.9 |
| Pancreas | 7.4 | Cervix uteri | 4.8 |
| Brain and nervous system | 6.7 | Brain and nervous system | 4.4 |
| Larynx | 5.4 | Kidney | 4.3 |
| Lymphoid leukaemia | 5.3 | Hodgkin lymphoma | 3.7 |
| Myeloid leukaemia | 4.7 | Myeloproliferative disorders | 3.7 |
| Multiple myeloma | 4.5 | Multiple myeloma | 3.6 |
| Myeloproliferative disorders | 4.4 | Liver | 3.5 |
| All sites | 373.6 | All sites | 299.5 |

Italy, Puglia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 198 | 0.3 | 2.0 | 0.8 | 0.03 | 0.08 | 30 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 263 | 0.4 | 2.7 | 1.5 | 0.10 | 0.17 | 159 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | C01–02 |
| Mouth | 296 | 0.5 | 3.0 | 1.6 | 0.12 | 0.19 | 191 | 0.4 | 1.8 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 149 | 0.2 | 1.5 | 0.7 | 0.04 | 0.08 | 91 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 128 | 0.2 | 1.3 | 0.7 | 0.06 | 0.09 | 41 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 75 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | 12 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 138 | 0.2 | 1.4 | 0.9 | 0.08 | 0.09 | 54 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 84 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 30 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 291 | 0.5 | 3.0 | 1.5 | 0.10 | 0.18 | 104 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C15 |
| Stomach | 2037 | 3.3 | 20.7 | 9.0 | 0.44 | 1.06 | 1390 | 2.7 | 13.3 | 4.9 | 0.24 | 0.55 | C16 |
| Small intestine | 206 | 0.3 | 2.1 | 1.0 | 0.05 | 0.12 | 137 | 0.3 | 1.3 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 5161 | 8.4 | 52.4 | 22.6 | 1.00 | 2.73 | 4425 | 8.5 | 42.3 | 16.1 | 0.81 | 1.92 | C18 |
| Rectum | 2600 | 4.2 | 26.4 | 11.9 | 0.58 | 1.48 | 1848 | 3.6 | 17.7 | 7.2 | 0.42 | 0.85 | C19–20 |
| Anus | 97 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 138 | 0.3 | 1.3 | 0.6 | 0.04 | 0.07 | C21 |
| Liver | 2548 | 4.1 | 25.9 | 11.4 | 0.54 | 1.35 | 1169 | 2.3 | 11.2 | 3.5 | 0.10 | 0.39 | C22 |
| Gallbladder etc. | 796 | 1.3 | 8.1 | 3.2 | 0.12 | 0.38 | 910 | 1.8 | 8.7 | 2.8 | 0.10 | 0.34 | C23–24 |
| Pancreas | 1636 | 2.7 | 16.6 | 7.4 | 0.34 | 0.89 | 1733 | 3.3 | 16.6 | 5.8 | 0.26 | 0.66 | C25 |
| Nose, sinuses etc. | 84 | 0.1 | 0.9 | 0.4 | 0.03 | 0.06 | 44 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 1051 | 1.7 | 10.7 | 5.4 | 0.32 | 0.71 | 122 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 8730 | 14.2 | 88.7 | 37.5 | 1.53 | 4.71 | 2414 | 4.6 | 23.1 | 9.9 | 0.59 | 1.21 | C33–34 |
| Other thoracic organs | 146 | 0.2 | 1.5 | 0.9 | 0.04 | 0.09 | 102 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 154 | 0.3 | 1.6 | 1.3 | 0.09 | 0.11 | 124 | 0.2 | 1.2 | 1.1 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 1723 | 2.8 | 17.5 | 10.1 | 0.71 | 1.10 | 1620 | 3.1 | 15.5 | 10.0 | 0.75 | 1.00 | C43 |
| Other skin | 16880 | 27.4 | 171.4 | 75.4 | 3.61 | 8.55 | 11931 | 23.0 | 114.1 | 50.3 | 3.03 | 5.59 | C44 |
| Mesothelioma | 293 | 0.5 | 3.0 | 1.3 | 0.05 | 0.16 | 85 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 441 | 0.7 | 4.5 | 1.8 | 0.07 | 0.18 | 231 | 0.4 | 2.2 | 0.6 | 0.01 | 0.06 | C46 |
| Connective and soft tissue | 415 | 0.7 | 4.2 | 2.6 | 0.16 | 0.26 | 317 | 0.6 | 3.0 | 1.9 | 0.12 | 0.18 | C47+C49 |
| Breast | 217 | 0.4 | 2.2 | 1.1 | 0.06 | 0.13 | 15387 | 29.6 | 147.2 | 80.6 | 6.01 | 8.90 | C50 |
| Vulva | | | | | | | 357 | 0.7 | 3.4 | 1.1 | 0.05 | 0.13 | C51 |
| Vagina | | | | | | | 43 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 786 | 1.5 | 7.5 | 4.8 | 0.38 | 0.49 | C53 |
| Corpus uteri | | | | | | | 2618 | 5.0 | 25.0 | 12.6 | 0.88 | 1.58 | C54 |
| Uterus unspecified | | | | | | | 123 | 0.2 | 1.2 | 0.3 | 0.01 | 0.03 | C55 |
| Ovary | | | | | | | 1753 | 3.4 | 16.8 | 8.8 | 0.63 | 0.97 | C56 |
| Other female genital organs | | | | | | | 120 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 214 | 0.3 | 2.2 | 0.9 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 10896 | 17.7 | 110.7 | 49.3 | 2.04 | 6.78 | | | | | | | C61 |
| Testis | 894 | 1.5 | 9.1 | 8.8 | 0.66 | 0.67 | | | | | | | C62 |
| Other male genital organs | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1561 | 2.5 | 15.9 | 8.6 | 0.56 | 1.00 | 895 | 1.7 | 8.6 | 4.3 | 0.26 | 0.49 | C64 |
| Renal pelvis | 184 | 0.3 | 1.9 | 0.8 | 0.04 | 0.10 | 85 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 102 | 0.2 | 1.0 | 0.4 | 0.02 | 0.06 | 34 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 7741 | 12.6 | 78.6 | 33.9 | 1.53 | 4.05 | 1500 | 2.9 | 14.3 | 5.6 | 0.28 | 0.66 | C67 |
| Other urinary organs | 66 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 24 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 96 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | 76 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 1056 | 1.7 | 10.7 | 6.7 | 0.42 | 0.70 | 830 | 1.6 | 7.9 | 4.4 | 0.25 | 0.46 | C70–72 |
| Thyroid | 1069 | 1.7 | 10.9 | 8.1 | 0.62 | 0.79 | 3049 | 5.9 | 29.2 | 23.1 | 1.85 | 2.14 | C73 |
| Adrenal gland | 56 | 0.1 | 0.6 | 0.6 | 0.03 | 0.04 | 47 | 0.1 | 0.4 | 0.7 | 0.04 | 0.04 | C74 |
| Other endocrine | 25 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 420 | 0.7 | 4.3 | 4.1 | 0.28 | 0.31 | 360 | 0.7 | 3.4 | 3.7 | 0.25 | 0.27 | C81 |
| Non-Hodgkin lymphoma | 1835 | 3.0 | 18.6 | 10.2 | 0.63 | 1.18 | 1646 | 3.2 | 15.7 | 8.2 | 0.54 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 171 | 0.3 | 1.7 | 0.9 | 0.05 | 0.10 | 117 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 983 | 1.6 | 10.0 | 4.5 | 0.22 | 0.54 | 927 | 1.8 | 8.9 | 3.6 | 0.20 | 0.45 | C90 |
| Lymphoid leukaemia | 793 | 1.3 | 8.1 | 5.3 | 0.29 | 0.48 | 525 | 1.0 | 5.0 | 3.3 | 0.17 | 0.29 | C91 |
| Myeloid leukaemia | 873 | 1.4 | 8.9 | 4.7 | 0.26 | 0.47 | 665 | 1.3 | 6.4 | 3.1 | 0.18 | 0.31 | C92–94 |
| Leukaemia unspecified | 43 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 51 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 844 | 1.4 | 8.6 | 4.4 | 0.27 | 0.50 | 783 | 1.5 | 7.5 | 3.7 | 0.23 | 0.40 | MPD |
| Myelodysplastic syndromes | 929 | 1.5 | 9.4 | 3.5 | 0.10 | 0.36 | 751 | 1.4 | 7.2 | 2.4 | 0.10 | 0.25 | MPS |
| Other and unspecified | 740 | 1.2 | 7.5 | 3.0 | 0.13 | 0.30 | 851 | 1.6 | 8.1 | 2.6 | 0.12 | 0.23 | O&U |
| All sites | 78472 | | 797.0 | 373.6 | 18.62 | 43.81 | 63871 | | 611.0 | 299.5 | 19.46 | 32.75 | C00–96 |
| All sites except C44 | 61592 | 100.0 | 625.5 | 298.1 | 15.01 | 35.26 | 51940 | 100.0 | 496.9 | 249.2 | 16.43 | 27.16 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Ragusa and Caltanissetta

CONTRIBUTORS

Rosario Tumino
Giuseppe Cascone
Graziella Frasca
Maria Concetta Giurdanella
Caterina Martorana
Carmela Nicita
Patrizia Concetta Rollo
Eugenia Spata
Antonina Rita Cali
Ausilia Sferrazza



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 60.8 | Breast | 74.8 |
| Trachea, bronchus, and lung | 38.9 | Non-melanoma skin cancer | 31.5 |
| Prostate | 37.9 | Thyroid | 20.1 |
| Bladder | 30.9 | Colon | 17.7 |
| Colon | 21.7 | Corpus uteri | 12.8 |
| Rectum | 12.5 | Trachea, bronchus, and lung | 9.8 |
| Non-Hodgkin lymphoma | 11.1 | Ovary | 9.5 |
| Liver | 9.9 | Melanoma of skin | 8.2 |
| Melanoma of skin | 9.6 | Rectum | 6.7 |
| Kidney | 8.8 | Non-Hodgkin lymphoma | 6.4 |
| Testis | 8.0 | Pancreas | 6.3 |
| Pancreas | 7.8 | Bladder | 6.0 |
| Stomach | 7.3 | Cervix uteri | 4.5 |
| Brain and nervous system | 6.8 | Kidney | 4.3 |
| Thyroid | 5.6 | Stomach | 4.2 |
| Larynx | 4.4 | Brain and nervous system | 3.8 |
| Multiple myeloma | 4.1 | Liver | 3.3 |
| Gallbladder etc. | 4.0 | Hodgkin lymphoma | 3.2 |
| Myeloproliferative disorders | 4.0 | Gallbladder etc. | 2.6 |
| Lymphoid leukaemia | 3.5 | Myeloproliferative disorders | 2.6 |
| All sites | 330.9 | All sites | 261.4 |

*Italy, Ragusa and Caltanissetta (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 14 | 0.2 | 1.0 | 0.5 | 0.03 | 0.08 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C00 |
| Tongue | 41 | 0.5 | 2.8 | 1.7 | 0.10 | 0.22 | 19 | 0.3 | 1.3 | 0.6 | 0.03 | 0.08 | C01–02 |
| Mouth | 23 | 0.3 | 1.6 | 1.0 | 0.06 | 0.13 | 33 | 0.5 | 2.2 | 0.9 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 21 | 0.3 | 1.5 | 0.6 | 0.01 | 0.07 | 12 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 15 | 0.2 | 1.0 | 0.7 | 0.05 | 0.10 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 8 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C10 |
| Nasopharynx | 24 | 0.3 | 1.7 | 1.3 | 0.11 | 0.12 | 6 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 8 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 35 | 0.5 | 2.4 | 1.1 | 0.05 | 0.13 | 8 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C15 |
| Stomach | 247 | 3.2 | 17.1 | 7.3 | 0.30 | 0.79 | 162 | 2.5 | 10.7 | 4.2 | 0.20 | 0.47 | C16 |
| Small intestine | 21 | 0.3 | 1.5 | 0.8 | 0.06 | 0.09 | 17 | 0.3 | 1.1 | 0.5 | 0.03 | 0.06 | C17 |
| Colon | 689 | 8.9 | 47.7 | 21.7 | 0.96 | 2.72 | 663 | 10.0 | 44.0 | 17.7 | 0.90 | 2.07 | C18 |
| Rectum | 385 | 5.0 | 26.7 | 12.5 | 0.61 | 1.53 | 243 | 3.7 | 16.1 | 6.7 | 0.38 | 0.79 | C19–20 |
| Anus | 15 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 14 | 0.2 | 0.9 | 0.4 | 0.04 | 0.04 | C21 |
| Liver | 309 | 4.0 | 21.4 | 9.9 | 0.45 | 1.24 | 143 | 2.2 | 9.5 | 3.3 | 0.12 | 0.38 | C22 |
| Gallbladder etc. | 143 | 1.8 | 9.9 | 4.0 | 0.13 | 0.49 | 118 | 1.8 | 7.8 | 2.6 | 0.09 | 0.31 | C23–24 |
| Pancreas | 241 | 3.1 | 16.7 | 7.8 | 0.38 | 0.96 | 255 | 3.9 | 16.9 | 6.3 | 0.29 | 0.76 | C25 |
| Nose, sinuses etc. | 9 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 117 | 1.5 | 8.1 | 4.4 | 0.29 | 0.57 | 16 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1203 | 15.6 | 83.3 | 38.9 | 1.84 | 4.96 | 317 | 4.8 | 21.0 | 9.8 | 0.63 | 1.25 | C33–34 |
| Other thoracic organs | 16 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 14 | 0.2 | 0.9 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 20 | 0.3 | 1.4 | 1.6 | 0.11 | 0.11 | 16 | 0.2 | 1.1 | 1.0 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 224 | 2.9 | 15.5 | 9.6 | 0.64 | 1.07 | 175 | 2.6 | 11.6 | 8.2 | 0.58 | 0.78 | C43 |
| Other skin | 2048 | 26.5 | 141.8 | 60.8 | 2.34 | 6.91 | 1132 | 17.1 | 75.1 | 31.5 | 1.68 | 3.47 | C44 |
| Mesothelioma | 59 | 0.8 | 4.1 | 2.1 | 0.10 | 0.31 | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 36 | 0.5 | 2.5 | 1.1 | 0.03 | 0.11 | 13 | 0.2 | 0.9 | 0.2 | 0.00 | 0.02 | C46 |
| Connective and soft tissue | 57 | 0.7 | 3.9 | 2.5 | 0.16 | 0.25 | 36 | 0.5 | 2.4 | 1.8 | 0.11 | 0.15 | C47+C49 |
| Breast | 19 | 0.2 | 1.3 | 0.7 | 0.05 | 0.10 | 1997 | 30.2 | 132.5 | 74.8 | 5.54 | 8.24 | C50 |
| Vulva | | | | | | | 48 | 0.7 | 3.2 | 1.3 | 0.06 | 0.16 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 105 | 1.6 | 7.0 | 4.5 | 0.36 | 0.48 | C53 |
| Corpus uteri | | | | | | | 361 | 5.5 | 23.9 | 12.8 | 0.92 | 1.63 | C54 |
| Uterus unspecified | | | | | | | 40 | 0.6 | 2.7 | 1.0 | 0.05 | 0.10 | C55 |
| Ovary | | | | | | | 263 | 4.0 | 17.4 | 9.5 | 0.62 | 1.06 | C56 |
| Other female genital organs | | | | | | | 15 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 18 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 1204 | 15.6 | 83.4 | 38.0 | 1.44 | 5.06 | | | | | | | C61 |
| Testis | 122 | 1.6 | 8.4 | 8.0 | 0.60 | 0.61 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 214 | 2.8 | 14.8 | 8.8 | 0.58 | 1.01 | 113 | 1.7 | 7.5 | 4.3 | 0.24 | 0.44 | C64 |
| Renal pelvis | 17 | 0.2 | 1.2 | 0.6 | 0.03 | 0.08 | 6 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C65 |
| Ureter | 13 | 0.2 | 0.9 | 0.4 | 0.01 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 956 | 12.4 | 66.2 | 30.9 | 1.38 | 3.85 | 199 | 3.0 | 13.2 | 6.0 | 0.36 | 0.71 | C67 |
| Other urinary organs | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 9 | 0.1 | 0.6 | 0.5 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 144 | 1.9 | 10.0 | 6.8 | 0.39 | 0.64 | 79 | 1.2 | 5.2 | 3.8 | 0.23 | 0.34 | C70–72 |
| Thyroid | 108 | 1.4 | 7.5 | 5.6 | 0.43 | 0.56 | 379 | 5.7 | 25.1 | 20.1 | 1.61 | 1.87 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 52 | 0.7 | 3.6 | 3.4 | 0.23 | 0.28 | 48 | 0.7 | 3.2 | 3.2 | 0.21 | 0.24 | C81 |
| Non-Hodgkin lymphoma | 269 | 3.5 | 18.6 | 11.1 | 0.68 | 1.28 | 172 | 2.6 | 11.4 | 6.4 | 0.45 | 0.71 | C82–86, C96 |
| Immunoproliferative diseases | 27 | 0.3 | 1.9 | 1.0 | 0.07 | 0.13 | 18 | 0.3 | 1.2 | 0.7 | 0.05 | 0.07 | C88 |
| Multiple myeloma | 125 | 1.6 | 8.7 | 4.1 | 0.21 | 0.46 | 86 | 1.3 | 5.7 | 2.3 | 0.14 | 0.27 | C90 |
| Lymphoid leukaemia | 82 | 1.1 | 5.7 | 3.5 | 0.20 | 0.33 | 52 | 0.8 | 3.4 | 2.3 | 0.12 | 0.19 | C91 |
| Myeloid leukaemia | 83 | 1.1 | 5.7 | 3.0 | 0.16 | 0.32 | 65 | 1.0 | 4.3 | 2.2 | 0.10 | 0.21 | C92–94 |
| Leukaemia unspecified | 16 | 0.2 | 1.1 | 0.6 | 0.03 | 0.08 | 11 | 0.2 | 0.7 | 0.2 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 92 | 1.2 | 6.4 | 4.0 | 0.29 | 0.45 | 65 | 1.0 | 4.3 | 2.6 | 0.19 | 0.30 | MPD |
| Myelodysplastic syndromes | 66 | 0.9 | 4.6 | 1.9 | 0.05 | 0.23 | 51 | 0.8 | 3.4 | 1.4 | 0.08 | 0.14 | MPS |
| Other and unspecified | 108 | 1.4 | 7.5 | 3.1 | 0.10 | 0.36 | 114 | 1.7 | 7.6 | 2.4 | 0.08 | 0.27 | O&U |
| All sites | 9783 | | 677.4 | 330.9 | 15.96 | 39.26 | 7743 | | 513.6 | 261.4 | 16.86 | 28.71 | C00–96 |
| All sites except C44 | 7735 | 100.0 | 535.6 | 270.2 | 13.62 | 32.34 | 6611 | 100.0 | 438.5 | 229.9 | 15.18 | 25.23 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Salerno

CONTRIBUTORS

Rossella Cavallo
 Clorinda Lombardo
 Loredana Annunziato
 Ida Anna Alfano
 Assunta Ferrante
 Annamaria Scola
 Ivano Marrazzo



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 55.1 | Breast | 71.1 |
| Prostate | 41.9 | Non-melanoma skin cancer | 35.8 |
| Trachea, bronchus, and lung | 40.3 | Thyroid | 23.1 |
| Bladder | 30.2 | Colon | 14.3 |
| Colon | 21.7 | Corpus uteri | 11.7 |
| Non-Hodgkin lymphoma | 11.1 | Trachea, bronchus, and lung | 11.5 |
| Melanoma of skin | 11.0 | Melanoma of skin | 11.4 |
| Rectum | 10.8 | Non-Hodgkin lymphoma | 8.1 |
| Liver | 10.2 | Ovary | 7.5 |
| Kidney | 8.8 | Bladder | 5.9 |
| Stomach | 8.5 | Rectum | 5.8 |
| Thyroid | 7.7 | Stomach | 5.5 |
| Testis | 7.4 | Brain and nervous system | 5.3 |
| Pancreas | 6.9 | Pancreas | 5.2 |
| Larynx | 5.6 | Cervix uteri | 4.9 |
| Lymphoid leukaemia | 5.3 | Kidney | 4.4 |
| Brain and nervous system | 5.3 | Hodgkin lymphoma | 4.4 |
| Myeloid leukaemia | 4.0 | Liver | 3.7 |
| Multiple myeloma | 3.9 | Lymphoid leukaemia | 3.4 |
| Hodgkin lymphoma | 3.6 | Myeloid leukaemia | 3.3 |
| All sites | 332.0 | All sites | 273.2 |

*Italy, Salerno (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.2 | 0.8 | 0.3 | 0.01 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 47 | 0.4 | 2.2 | 1.2 | 0.08 | 0.13 | 25 | 0.2 | 1.1 | 0.5 | 0.03 | 0.07 | C01–02 |
| Mouth | 57 | 0.5 | 2.7 | 1.5 | 0.10 | 0.17 | 32 | 0.3 | 1.4 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 32 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | 21 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 18 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 8 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 13 | 0.1 | 0.6 | 0.4 | 0.04 | 0.05 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 31 | 0.3 | 1.4 | 1.0 | 0.07 | 0.10 | 15 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C11 |
| Hypopharynx | 9 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 12 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 60 | 0.5 | 2.8 | 1.4 | 0.09 | 0.17 | 28 | 0.3 | 1.2 | 0.5 | 0.03 | 0.06 | C15 |
| Stomach | 389 | 3.3 | 18.1 | 8.5 | 0.43 | 1.05 | 301 | 3.0 | 13.3 | 5.5 | 0.30 | 0.65 | C16 |
| Small intestine | 30 | 0.3 | 1.4 | 0.9 | 0.06 | 0.10 | 35 | 0.3 | 1.5 | 0.9 | 0.06 | 0.09 | C17 |
| Colon | 1036 | 8.8 | 48.2 | 21.7 | 1.02 | 2.53 | 792 | 7.9 | 35.0 | 14.3 | 0.74 | 1.65 | C18 |
| Rectum | 474 | 4.0 | 22.1 | 10.8 | 0.61 | 1.30 | 316 | 3.1 | 14.0 | 5.8 | 0.29 | 0.73 | C19–20 |
| Anus | 22 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | 13 | 0.1 | 0.6 | 0.2 | 0.02 | 0.02 | C21 |
| Liver | 455 | 3.9 | 21.2 | 10.2 | 0.51 | 1.25 | 226 | 2.3 | 10.0 | 3.7 | 0.12 | 0.44 | C22 |
| Gallbladder etc. | 146 | 1.2 | 6.8 | 3.0 | 0.14 | 0.30 | 173 | 1.7 | 7.7 | 2.9 | 0.14 | 0.34 | C23–24 |
| Pancreas | 293 | 2.5 | 13.6 | 6.9 | 0.38 | 0.81 | 302 | 3.0 | 13.4 | 5.2 | 0.29 | 0.59 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | 14 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 233 | 2.0 | 10.8 | 5.6 | 0.35 | 0.72 | 26 | 0.3 | 1.1 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 1904 | 16.2 | 88.6 | 40.3 | 1.62 | 5.18 | 546 | 5.4 | 24.1 | 11.5 | 0.73 | 1.47 | C33–34 |
| Other thoracic organs | 12 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 20 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | 21 | 0.2 | 0.9 | 1.1 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 357 | 3.0 | 16.6 | 11.0 | 0.79 | 1.16 | 362 | 3.6 | 16.0 | 11.4 | 0.87 | 1.09 | C43 |
| Other skin | 2621 | 22.3 | 122.0 | 55.1 | 2.53 | 6.17 | 2030 | 20.2 | 89.8 | 35.8 | 1.85 | 4.02 | C44 |
| Mesothelioma | 44 | 0.4 | 2.0 | 1.0 | 0.05 | 0.13 | 9 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 35 | 0.3 | 1.6 | 0.7 | 0.02 | 0.07 | 20 | 0.2 | 0.9 | 0.3 | 0.01 | 0.04 | C46 |
| Connective and soft tissue | 67 | 0.6 | 3.1 | 2.2 | 0.14 | 0.20 | 73 | 0.7 | 3.2 | 2.3 | 0.14 | 0.19 | C47+C49 |
| Breast | 28 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 2863 | 28.5 | 126.6 | 71.1 | 5.35 | 7.77 | C50 |
| Vulva | | | | | | | 99 | 1.0 | 4.4 | 1.4 | 0.05 | 0.15 | C51 |
| Vagina | | | | | | | 15 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 183 | 1.8 | 8.1 | 4.9 | 0.38 | 0.52 | C53 |
| Corpus uteri | | | | | | | 505 | 5.0 | 22.3 | 11.7 | 0.85 | 1.47 | C54 |
| Uterus unspecified | | | | | | | 23 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 316 | 3.1 | 14.0 | 7.5 | 0.52 | 0.86 | C56 |
| Other female genital organs | | | | | | | 30 | 0.3 | 1.3 | 0.7 | 0.04 | 0.08 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 59 | 0.5 | 2.7 | 1.3 | 0.06 | 0.16 | | | | | | | C60 |
| Prostate | 1999 | 17.0 | 93.0 | 41.9 | 1.58 | 5.61 | | | | | | | C61 |
| Testis | 166 | 1.4 | 7.7 | 7.4 | 0.56 | 0.56 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 326 | 2.8 | 15.2 | 8.8 | 0.59 | 1.00 | 182 | 1.8 | 8.0 | 4.4 | 0.26 | 0.52 | C64 |
| Renal pelvis | 43 | 0.4 | 2.0 | 1.0 | 0.05 | 0.11 | 12 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 15 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 1430 | 12.2 | 66.6 | 30.2 | 1.38 | 3.61 | 309 | 3.1 | 13.7 | 5.9 | 0.33 | 0.72 | C67 |
| Other urinary organs | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 16 | 0.1 | 0.7 | 0.6 | 0.03 | 0.04 | 13 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 175 | 1.5 | 8.1 | 5.3 | 0.34 | 0.56 | 192 | 1.9 | 8.5 | 5.3 | 0.34 | 0.51 | C70–72 |
| Thyroid | 214 | 1.8 | 10.0 | 7.7 | 0.58 | 0.73 | 631 | 6.3 | 27.9 | 23.1 | 1.86 | 2.06 | C73 |
| Adrenal gland | 11 | 0.1 | 0.5 | 0.8 | 0.04 | 0.05 | 11 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 5 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 80 | 0.7 | 3.7 | 3.6 | 0.24 | 0.28 | 99 | 1.0 | 4.4 | 4.4 | 0.31 | 0.33 | C81 |
| Non-Hodgkin lymphoma | 402 | 3.4 | 18.7 | 11.1 | 0.73 | 1.19 | 336 | 3.3 | 14.9 | 8.1 | 0.52 | 0.87 | C82–86,C96 |
| Immunoproliferative diseases | 32 | 0.3 | 1.5 | 0.8 | 0.05 | 0.10 | 24 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | C88 |
| Multiple myeloma | 169 | 1.4 | 7.9 | 3.9 | 0.19 | 0.51 | 159 | 1.6 | 7.0 | 2.8 | 0.14 | 0.36 | C90 |
| Lymphoid leukaemia | 159 | 1.4 | 7.4 | 5.3 | 0.29 | 0.45 | 89 | 0.9 | 3.9 | 3.4 | 0.20 | 0.27 | C91 |
| Myeloid leukaemia | 138 | 1.2 | 6.4 | 4.0 | 0.22 | 0.37 | 126 | 1.3 | 5.6 | 3.3 | 0.22 | 0.34 | C92–94 |
| Leukaemia unspecified | 46 | 0.4 | 2.1 | 1.0 | 0.04 | 0.10 | 57 | 0.6 | 2.5 | 0.8 | 0.03 | 0.09 | C95 |
| Myeloproliferative disorders | 112 | 1.0 | 5.2 | 2.7 | 0.15 | 0.30 | 94 | 0.9 | 4.2 | 2.2 | 0.14 | 0.22 | MPD |
| Myelodysplastic syndromes | 162 | 1.4 | 7.5 | 3.3 | 0.13 | 0.38 | 120 | 1.2 | 5.3 | 2.2 | 0.09 | 0.24 | MPS |
| Other and unspecified | 128 | 1.1 | 6.0 | 2.6 | 0.11 | 0.26 | 153 | 1.5 | 6.8 | 2.2 | 0.08 | 0.22 | O&U |
| All sites | 14374 | | 669.0 | 332.0 | 16.72 | 38.52 | 12062 | | 533.4 | 273.2 | 17.80 | 29.82 | C00–96 |
| All sites except C44 | 11753 | 100.0 | 547.0 | 276.9 | 14.19 | 32.36 | 10032 | 100.0 | 443.7 | 237.4 | 15.95 | 25.80 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Sassari

CONTRIBUTORS

Daniela Piras
Antonio Cossu
Paolo Cossu Rocca
Luisa Canu



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 65.3 | Breast | 84.1 |
| Prostate | 45.0 | Non-melanoma skin cancer | 56.0 |
| Trachea, bronchus, and lung | 41.7 | Thyroid | 21.8 |
| Bladder | 27.0 | Colon | 17.3 |
| Colon | 24.3 | Trachea, bronchus, and lung | 15.3 |
| Liver | 17.1 | Corpus uteri | 10.7 |
| Rectum | 13.0 | Rectum | 7.4 |
| Non-Hodgkin lymphoma | 11.5 | Non-Hodgkin lymphoma | 7.3 |
| Kidney | 10.9 | Pancreas | 7.0 |
| Pancreas | 10.0 | Melanoma of skin | 7.0 |
| Testis | 9.6 | Bladder | 6.4 |
| Brain and nervous system | 8.0 | Ovary | 6.2 |
| Stomach | 7.5 | Stomach | 4.5 |
| Thyroid | 6.8 | Hodgkin lymphoma | 4.4 |
| Melanoma of skin | 6.6 | Kidney | 4.2 |
| Larynx | 6.0 | Multiple myeloma | 3.8 |
| Lymphoid leukaemia | 4.8 | Cervix uteri | 3.6 |
| Multiple myeloma | 4.0 | Liver | 3.4 |
| Myeloid leukaemia | 4.0 | Lymphoid leukaemia | 3.2 |
| Gallbladder etc. | 3.9 | Brain and nervous system | 3.0 |
| All sites | 364.6 | All sites | 298.4 |

Italy, Sassari (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.3 | 1.6 | 0.7 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 15 | 0.5 | 3.1 | 1.7 | 0.14 | 0.20 | 6 | 0.2 | 1.2 | 0.5 | 0.04 | 0.08 | C01–02 |
| Mouth | 21 | 0.7 | 4.3 | 2.3 | 0.17 | 0.25 | 15 | 0.6 | 2.9 | 1.4 | 0.08 | 0.20 | C03–06 |
| Salivary glands | 5 | 0.2 | 1.0 | 0.6 | 0.06 | 0.06 | 8 | 0.3 | 1.6 | 0.8 | 0.09 | 0.10 | C07–08 |
| Tonsil | 8 | 0.3 | 1.6 | 1.0 | 0.08 | 0.12 | 3 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C09 |
| Other oropharynx | 8 | 0.3 | 1.6 | 0.9 | 0.06 | 0.11 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 3 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | 2 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C11 |
| Hypopharynx | 17 | 0.5 | 3.5 | 1.6 | 0.13 | 0.18 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 6 | 0.2 | 1.2 | 0.6 | 0.05 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 35 | 1.1 | 7.2 | 3.4 | 0.17 | 0.48 | 5 | 0.2 | 1.0 | 0.4 | 0.03 | 0.04 | C15 |
| Stomach | 89 | 2.8 | 18.3 | 7.5 | 0.33 | 0.94 | 58 | 2.2 | 11.4 | 4.5 | 0.31 | 0.51 | C16 |
| Small intestine | 11 | 0.3 | 2.3 | 1.1 | 0.10 | 0.12 | 6 | 0.2 | 1.2 | 0.3 | 0.01 | 0.03 | C17 |
| Colon | 287 | 9.0 | 59.1 | 24.3 | 1.00 | 2.89 | 248 | 9.3 | 48.6 | 17.3 | 0.93 | 1.94 | C18 |
| Rectum | 138 | 4.3 | 28.4 | 13.0 | 0.78 | 1.63 | 103 | 3.9 | 20.2 | 7.4 | 0.46 | 0.78 | C19–20 |
| Anus | 5 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | 4 | 0.2 | 0.8 | 0.2 | 0.00 | 0.02 | C21 |
| Liver | 190 | 6.0 | 39.1 | 17.1 | 0.95 | 2.02 | 59 | 2.2 | 11.6 | 3.4 | 0.13 | 0.32 | C22 |
| Gallbladder etc. | 47 | 1.5 | 9.7 | 3.9 | 0.18 | 0.49 | 40 | 1.5 | 7.8 | 2.5 | 0.07 | 0.34 | C23–24 |
| Pancreas | 122 | 3.8 | 25.1 | 10.0 | 0.36 | 1.10 | 115 | 4.3 | 22.5 | 7.0 | 0.33 | 0.70 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.6 | 0.3 | 0.00 | 0.06 | 3 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C30–31 |
| Larynx | 62 | 1.9 | 12.8 | 6.0 | 0.40 | 0.83 | 8 | 0.3 | 1.6 | 0.6 | 0.02 | 0.09 | C32 |
| Trachea, bronchus, and lung | 475 | 14.9 | 97.9 | 41.7 | 1.86 | 5.20 | 187 | 7.0 | 36.6 | 15.3 | 1.03 | 1.96 | C33–34 |
| Other thoracic organs | 11 | 0.3 | 2.3 | 1.2 | 0.08 | 0.13 | 5 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | C37–38 |
| Bone | 8 | 0.3 | 1.6 | 1.4 | 0.10 | 0.12 | 2 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C40–41 |
| Melanoma of skin | 65 | 2.0 | 13.4 | 6.6 | 0.43 | 0.71 | 60 | 2.3 | 11.8 | 7.0 | 0.47 | 0.74 | C43 |
| Other skin | 759 | 23.8 | 156.4 | 65.3 | 2.84 | 7.38 | 654 | 24.6 | 128.2 | 56.0 | 3.59 | 5.96 | C44 |
| Mesothelioma | 14 | 0.4 | 2.9 | 1.4 | 0.06 | 0.20 | 5 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C45 |
| Kaposi sarcoma | 17 | 0.5 | 3.5 | 1.8 | 0.14 | 0.16 | 6 | 0.2 | 1.2 | 0.2 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 16 | 0.5 | 3.3 | 1.7 | 0.10 | 0.14 | 11 | 0.4 | 2.2 | 1.2 | 0.09 | 0.11 | C47+C49 |
| Breast | 10 | 0.3 | 2.1 | 0.9 | 0.03 | 0.12 | 807 | 30.4 | 158.2 | 84.1 | 6.41 | 9.10 | C50 |
| Vulva | | | | | | | 7 | 0.3 | 1.4 | 0.5 | 0.03 | 0.04 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 28 | 1.1 | 5.5 | 3.6 | 0.30 | 0.35 | C53 |
| Corpus uteri | | | | | | | 114 | 4.3 | 22.3 | 10.7 | 0.74 | 1.37 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.5 | 2.4 | 0.8 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 68 | 2.6 | 13.3 | 6.2 | 0.46 | 0.66 | C56 |
| Other female genital organs | | | | | | | 6 | 0.2 | 1.2 | 0.5 | 0.04 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 8 | 0.3 | 1.6 | 0.7 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 522 | 16.4 | 107.6 | 45.0 | 1.81 | 5.98 | | | | | | | C61 |
| Testis | 47 | 1.5 | 9.7 | 9.6 | 0.71 | 0.71 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 110 | 3.5 | 22.7 | 10.9 | 0.68 | 1.25 | 50 | 1.9 | 9.8 | 4.2 | 0.21 | 0.45 | C64 |
| Renal pelvis | 6 | 0.2 | 1.2 | 0.4 | 0.00 | 0.06 | 7 | 0.3 | 1.4 | 0.5 | 0.04 | 0.06 | C65 |
| Ureter | 8 | 0.3 | 1.6 | 0.8 | 0.03 | 0.12 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 320 | 10.1 | 65.9 | 27.0 | 1.22 | 3.13 | 85 | 3.2 | 16.7 | 6.4 | 0.34 | 0.81 | C67 |
| Other urinary organs | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 3 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 56 | 1.8 | 11.5 | 8.0 | 0.47 | 0.75 | 39 | 1.5 | 7.6 | 3.0 | 0.18 | 0.35 | C70–72 |
| Thyroid | 53 | 1.7 | 10.9 | 6.8 | 0.50 | 0.77 | 149 | 5.6 | 29.2 | 21.8 | 1.60 | 2.05 | C73 |
| Adrenal gland | 3 | 0.1 | 0.6 | 0.3 | 0.03 | 0.05 | 5 | 0.2 | 1.0 | 1.0 | 0.04 | 0.09 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 24 | 0.8 | 4.9 | 3.8 | 0.28 | 0.32 | 22 | 0.8 | 4.3 | 4.4 | 0.31 | 0.34 | C81 |
| Non-Hodgkin lymphoma | 106 | 3.3 | 21.8 | 11.5 | 0.72 | 1.32 | 92 | 3.5 | 18.0 | 7.3 | 0.43 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.2 | 1.0 | 0.6 | 0.06 | 0.08 | 3 | 0.1 | 0.6 | 0.1 | 0.00 | 0.02 | C88 |
| Multiple myeloma | 45 | 1.4 | 9.3 | 4.0 | 0.23 | 0.46 | 48 | 1.8 | 9.4 | 3.8 | 0.19 | 0.44 | C90 |
| Lymphoid leukaemia | 35 | 1.1 | 7.2 | 4.8 | 0.25 | 0.52 | 25 | 0.9 | 4.9 | 3.2 | 0.17 | 0.23 | C91 |
| Myeloid leukaemia | 42 | 1.3 | 8.7 | 4.0 | 0.26 | 0.46 | 21 | 0.8 | 4.1 | 2.0 | 0.13 | 0.20 | C92–94 |
| Leukaemia unspecified | 9 | 0.3 | 1.9 | 1.0 | 0.04 | 0.05 | 7 | 0.3 | 1.4 | 0.4 | 0.01 | 0.03 | C95 |
| Myeloproliferative disorders | 16 | 0.5 | 3.3 | 1.4 | 0.07 | 0.15 | 18 | 0.7 | 3.5 | 1.2 | 0.07 | 0.11 | MPD |
| Myelodysplastic syndromes | 31 | 1.0 | 6.4 | 2.4 | 0.09 | 0.22 | 30 | 1.1 | 5.9 | 1.4 | 0.06 | 0.06 | MPS |
| Other and unspecified | 35 | 1.1 | 7.2 | 2.5 | 0.07 | 0.22 | 43 | 1.6 | 8.4 | 2.2 | 0.11 | 0.18 | O&U |
| All sites | 3943 | | 812.4 | 364.6 | 18.20 | 42.65 | 3308 | | 648.3 | 298.4 | 19.83 | 32.18 | C00–96 |
| All sites except C44 | 3184 | 100.0 | 656.0 | 299.4 | 15.36 | 35.27 | 2654 | 100.0 | 520.1 | 242.4 | 16.24 | 26.22 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Sondrio

CONTRIBUTORS

Anna Clara Fanetti
Ivan Cometti
Gianfabrizio Ferrari
Paola Giumelli
Mariuccia Sala
Barbara Franzina



NOTES ON THE DATA

*Rates based on low numbers due to small population. No questionnaire.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 80.8 | Breast | 91.2 |
| Prostate | 69.8 | Non-melanoma skin cancer | 57.8 |
| Trachea, bronchus, and lung | 46.4 | Trachea, bronchus, and lung | 19.0 |
| Bladder | 31.8 | Thyroid | 15.7 |
| Liver | 24.2 | Colon | 14.7 |
| Colon | 22.0 | Corpus uteri | 12.2 |
| Stomach | 16.2 | Bladder | 9.8 |
| Kidney | 15.2 | Non-Hodgkin lymphoma | 9.2 |
| Non-Hodgkin lymphoma | 13.0 | Stomach | 8.9 |
| Pancreas | 12.2 | Pancreas | 8.5 |
| Melanoma of skin | 10.1 | Ovary | 8.2 |
| Testis | 8.2 | Melanoma of skin | 7.8 |
| Rectum | 6.8 | Kidney | 6.4 |
| Brain and nervous system | 6.7 | Liver | 6.2 |
| Other and unspecified | 6.0 | Rectum | 5.9 |
| Larynx | 5.6 | Cervix uteri | 5.5 |
| Oesophagus | 5.4 | Brain and nervous system | 5.1 |
| Thyroid | 5.4 | Other and unspecified | 3.8 |
| Lymphoid leukaemia | 3.6 | Leukaemia unspecified | 3.4 |
| Leukaemia unspecified | 3.5 | Gallbladder etc. | 2.7 |
| All sites | 439.9 | All sites | 334.1 |

*Italy, Sondrio (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 15 | 0.4 | 2.9 | 1.1 | 0.05 | 0.09 | 5 | 0.1 | 0.9 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 30 | 0.7 | 5.9 | 3.2 | 0.19 | 0.41 | 15 | 0.4 | 2.8 | 1.4 | 0.09 | 0.14 | C01–02 |
| Mouth | 29 | 0.7 | 5.7 | 2.8 | 0.22 | 0.33 | 11 | 0.3 | 2.1 | 0.7 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 14 | 0.3 | 2.7 | 1.2 | 0.04 | 0.10 | 11 | 0.3 | 2.1 | 0.6 | 0.03 | 0.06 | C07–08 |
| Tonsil | 14 | 0.3 | 2.7 | 1.5 | 0.11 | 0.20 | 5 | 0.1 | 0.9 | 0.4 | 0.04 | 0.04 | C09 |
| Other oropharynx | 9 | 0.2 | 1.8 | 0.8 | 0.07 | 0.08 | 7 | 0.2 | 1.3 | 0.6 | 0.04 | 0.09 | C10 |
| Nasopharynx | 6 | 0.1 | 1.2 | 0.8 | 0.05 | 0.09 | 2 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 22 | 0.5 | 4.3 | 2.0 | 0.11 | 0.32 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.2 | 1.4 | 0.6 | 0.03 | 0.08 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C14 |
| Oesophagus | 59 | 1.5 | 11.6 | 5.4 | 0.26 | 0.70 | 16 | 0.5 | 3.0 | 0.9 | 0.06 | 0.09 | C15 |
| Stomach | 199 | 4.9 | 39.1 | 16.2 | 0.73 | 1.78 | 153 | 4.6 | 28.9 | 8.9 | 0.40 | 0.97 | C16 |
| Small intestine | 17 | 0.4 | 3.3 | 1.7 | 0.08 | 0.27 | 4 | 0.1 | 0.8 | 0.4 | 0.04 | 0.06 | C17 |
| Colon | 274 | 6.7 | 53.8 | 22.0 | 1.15 | 2.28 | 233 | 7.0 | 44.1 | 14.7 | 0.75 | 1.53 | C18 |
| Rectum | 86 | 2.1 | 16.9 | 6.8 | 0.35 | 0.75 | 86 | 2.6 | 16.3 | 5.9 | 0.37 | 0.66 | C19–20 |
| Anus | 7 | 0.2 | 1.4 | 0.5 | 0.00 | 0.05 | 18 | 0.5 | 3.4 | 1.4 | 0.12 | 0.14 | C21 |
| Liver | 288 | 7.1 | 56.5 | 24.2 | 1.21 | 2.92 | 110 | 3.3 | 20.8 | 6.2 | 0.20 | 0.61 | C22 |
| Gallbladder etc. | 28 | 0.7 | 5.5 | 2.1 | 0.07 | 0.25 | 52 | 1.6 | 9.8 | 2.7 | 0.14 | 0.28 | C23–24 |
| Pancreas | 152 | 3.7 | 29.8 | 12.2 | 0.56 | 1.36 | 139 | 4.2 | 26.3 | 8.5 | 0.40 | 0.99 | C25 |
| Nose, sinuses etc. | 10 | 0.2 | 2.0 | 0.9 | 0.07 | 0.11 | 7 | 0.2 | 1.3 | 1.3 | 0.08 | 0.08 | C30–31 |
| Larynx | 61 | 1.5 | 12.0 | 5.6 | 0.32 | 0.75 | 13 | 0.4 | 2.5 | 1.0 | 0.06 | 0.12 | C32 |
| Trachea, bronchus, and lung | 573 | 14.1 | 112.5 | 46.4 | 1.98 | 5.84 | 268 | 8.0 | 50.7 | 19.0 | 1.13 | 2.26 | C33–34 |
| Other thoracic organs | 11 | 0.3 | 2.2 | 1.0 | 0.04 | 0.12 | 12 | 0.4 | 2.3 | 0.9 | 0.04 | 0.11 | C37–38 |
| Bone | 18 | 0.4 | 3.5 | 3.3 | 0.19 | 0.27 | 9 | 0.3 | 1.7 | 2.0 | 0.12 | 0.14 | C40–41 |
| Melanoma of skin | 101 | 2.5 | 19.8 | 10.1 | 0.62 | 1.06 | 74 | 2.2 | 14.0 | 7.8 | 0.58 | 0.87 | C43 |
| Other skin | 991 | 24.4 | 194.5 | 80.8 | 3.77 | 8.83 | 796 | 23.9 | 150.6 | 57.8 | 3.42 | 6.39 | C44 |
| Mesothelioma | 21 | 0.5 | 4.1 | 1.4 | 0.00 | 0.16 | 14 | 0.4 | 2.6 | 0.5 | 0.00 | 0.05 | C45 |
| Kaposi sarcoma | 17 | 0.4 | 3.3 | 1.2 | 0.04 | 0.08 | 8 | 0.2 | 1.5 | 0.4 | 0.01 | 0.03 | C46 |
| Connective and soft tissue | 28 | 0.7 | 5.5 | 2.9 | 0.20 | 0.32 | 22 | 0.7 | 4.2 | 1.6 | 0.08 | 0.20 | C47+C49 |
| Breast | 9 | 0.2 | 1.8 | 0.9 | 0.08 | 0.12 | 950 | 28.5 | 179.7 | 91.2 | 6.75 | 10.08 | C50 |
| Vulva | | | | | | | 23 | 0.7 | 4.4 | 1.2 | 0.06 | 0.15 | C51 |
| Vagina | | | | | | | 9 | 0.3 | 1.7 | 0.4 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 52 | 1.6 | 9.8 | 5.5 | 0.44 | 0.56 | C53 |
| Corpus uteri | | | | | | | 134 | 4.0 | 25.3 | 12.2 | 0.95 | 1.53 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.2 | 1.5 | 0.5 | 0.02 | 0.06 | C55 |
| Ovary | | | | | | | 94 | 2.8 | 17.8 | 8.2 | 0.56 | 0.94 | C56 |
| Other female genital organs | | | | | | | 18 | 0.5 | 3.4 | 1.4 | 0.10 | 0.21 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 9 | 0.2 | 1.8 | 0.6 | 0.01 | 0.09 | | | | | | | C60 |
| Prostate | 817 | 20.1 | 160.4 | 69.8 | 3.29 | 9.65 | | | | | | | C61 |
| Testis | 45 | 1.1 | 8.8 | 8.2 | 0.62 | 0.66 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.4 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 167 | 4.1 | 32.8 | 15.2 | 0.79 | 1.75 | 78 | 2.3 | 14.8 | 6.4 | 0.39 | 0.71 | C64 |
| Renal pelvis | 8 | 0.2 | 1.6 | 0.5 | 0.00 | 0.06 | 4 | 0.1 | 0.8 | 0.3 | 0.02 | 0.02 | C65 |
| Ureter | 14 | 0.3 | 2.7 | 1.1 | 0.02 | 0.15 | 4 | 0.1 | 0.8 | 0.2 | 0.00 | 0.04 | C66 |
| †Bladder | 399 | 9.8 | 78.3 | 31.8 | 1.34 | 3.77 | 139 | 4.2 | 26.3 | 9.8 | 0.59 | 1.15 | C67 |
| Other urinary organs | 5 | 0.1 | 1.0 | 0.4 | 0.03 | 0.04 | 5 | 0.1 | 0.9 | 0.2 | 0.00 | 0.02 | C68 |
| Eye | 4 | 0.1 | 0.8 | 0.7 | 0.03 | 0.05 | 2 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 59 | 1.5 | 11.6 | 6.7 | 0.46 | 0.71 | 53 | 1.6 | 10.0 | 5.1 | 0.30 | 0.58 | C70–72 |
| Thyroid | 41 | 1.0 | 8.0 | 5.4 | 0.38 | 0.61 | 113 | 3.4 | 21.4 | 15.7 | 1.22 | 1.56 | C73 |
| Adrenal gland | 4 | 0.1 | 0.8 | 0.7 | 0.04 | 0.04 | 5 | 0.1 | 0.9 | 1.5 | 0.07 | 0.09 | C74 |
| Other endocrine | 2 | 0.0 | 0.4 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 13 | 0.3 | 2.6 | 2.2 | 0.17 | 0.19 | 13 | 0.4 | 2.5 | 2.3 | 0.12 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 125 | 3.1 | 24.5 | 13.0 | 0.76 | 1.38 | 99 | 3.0 | 18.7 | 9.2 | 0.62 | 1.00 | C82–86,C96 |
| Immunoproliferative diseases | 11 | 0.3 | 2.2 | 1.0 | 0.05 | 0.17 | 8 | 0.2 | 1.5 | 0.5 | 0.03 | 0.04 | C88 |
| Multiple myeloma | 41 | 1.0 | 8.0 | 3.2 | 0.14 | 0.38 | 39 | 1.2 | 7.4 | 2.6 | 0.12 | 0.33 | C90 |
| Lymphoid leukaemia | 25 | 0.6 | 4.9 | 3.6 | 0.19 | 0.26 | 17 | 0.5 | 3.2 | 1.2 | 0.04 | 0.09 | C91 |
| Myeloid leukaemia | 38 | 0.9 | 7.5 | 3.4 | 0.19 | 0.31 | 30 | 0.9 | 5.7 | 2.7 | 0.09 | 0.20 | C92–94 |
| Leukaemia unspecified | 30 | 0.7 | 5.9 | 3.5 | 0.18 | 0.21 | 24 | 0.7 | 4.5 | 3.4 | 0.16 | 0.23 | C95 |
| Myeloproliferative disorders | 14 | 0.3 | 2.7 | 1.4 | 0.09 | 0.16 | 15 | 0.4 | 2.8 | 1.3 | 0.09 | 0.16 | MPD |
| Myelodysplastic syndromes | 21 | 0.5 | 4.1 | 1.5 | 0.03 | 0.13 | 18 | 0.5 | 3.4 | 0.8 | 0.03 | 0.08 | MPS |
| Other and unspecified | 68 | 1.7 | 13.3 | 6.0 | 0.26 | 0.59 | 86 | 2.6 | 16.3 | 3.8 | 0.10 | 0.33 | O&U |
| All sites | 5058 | | 992.8 | 439.9 | 21.69 | 51.11 | 4132 | | 781.5 | 334.1 | 21.18 | 36.45 | C00–96 |
| All sites except C44 | 4067 | 100.0 | 798.3 | 359.1 | 17.92 | 42.28 | 3336 | 100.0 | 631.0 | 276.3 | 17.77 | 30.06 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, South Tyrol

CONTRIBUTORS

Guido Mazzoleni
 Andreas Klaus Bulatko
 Elena Devigili
 Esther Hanspeter
 Elena De Valiere
 Daniela Romito
 Paolo Vian
 Fabio Vittadello
 Daniele Fassinato



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 69.9 | Breast | 72.7 |
| Trachea, bronchus, and lung | 28.9 | Colon | 15.7 |
| Bladder | 27.7 | Trachea, bronchus, and lung | 15.1 |
| Colon | 25.7 | Melanoma of skin | 14.4 |
| Non-melanoma skin cancer | 24.6 | Non-melanoma skin cancer | 13.6 |
| Melanoma of skin | 16.7 | Thyroid | 12.0 |
| Liver | 12.9 | Corpus uteri | 11.7 |
| Rectum | 12.2 | Non-Hodgkin lymphoma | 8.4 |
| Non-Hodgkin lymphoma | 10.7 | Pancreas | 7.7 |
| Kidney | 10.5 | Ovary | 7.5 |
| Testis | 10.2 | Bladder | 6.7 |
| Stomach | 9.7 | Rectum | 6.6 |
| Pancreas | 8.6 | Stomach | 5.5 |
| Brain and nervous system | 7.3 | Cervix uteri | 5.4 |
| Lymphoid leukaemia | 5.4 | Kidney | 5.0 |
| Thyroid | 5.1 | Brain and nervous system | 3.7 |
| Oesophagus | 4.1 | Multiple myeloma | 3.4 |
| Multiple myeloma | 3.6 | Other and unspecified | 3.2 |
| Larynx | 3.4 | Lymphoid leukaemia | 3.0 |
| Myeloid leukaemia | 3.3 | Myeloid leukaemia | 2.9 |
| All sites | 338.0 | All sites | 251.2 |

Italy, South Tyrol (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 44 | 0.5 | 3.4 | 1.5 | 0.07 | 0.14 | 11 | 0.2 | 0.8 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 39 | 0.5 | 3.0 | 1.6 | 0.09 | 0.19 | 28 | 0.4 | 2.1 | 1.0 | 0.08 | 0.10 | C01–02 |
| Mouth | 55 | 0.7 | 4.3 | 2.4 | 0.13 | 0.33 | 20 | 0.3 | 1.5 | 0.6 | 0.02 | 0.08 | C03–06 |
| Salivary glands | 11 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | 13 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C07–08 |
| Tonsil | 34 | 0.4 | 2.6 | 1.4 | 0.08 | 0.18 | 12 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 35 | 0.4 | 2.7 | 1.7 | 0.11 | 0.24 | 10 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C10 |
| Nasopharynx | 12 | 0.1 | 0.9 | 0.6 | 0.04 | 0.07 | 5 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 41 | 0.5 | 3.2 | 1.7 | 0.10 | 0.23 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 110 | 1.4 | 8.5 | 4.1 | 0.19 | 0.54 | 32 | 0.5 | 2.4 | 0.8 | 0.04 | 0.11 | C15 |
| Stomach | 287 | 3.6 | 22.3 | 9.7 | 0.38 | 1.08 | 220 | 3.4 | 16.7 | 5.5 | 0.21 | 0.62 | C16 |
| Small intestine | 36 | 0.4 | 2.8 | 1.5 | 0.10 | 0.16 | 24 | 0.4 | 1.8 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 700 | 8.7 | 54.4 | 25.7 | 1.19 | 3.07 | 526 | 8.1 | 39.8 | 15.7 | 0.74 | 1.82 | C18 |
| Rectum | 318 | 4.0 | 24.7 | 12.2 | 0.65 | 1.48 | 197 | 3.0 | 14.9 | 6.6 | 0.41 | 0.77 | C19–20 |
| Anus | 10 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | 34 | 0.5 | 2.6 | 1.3 | 0.11 | 0.17 | C21 |
| Liver | 346 | 4.3 | 26.9 | 12.9 | 0.64 | 1.70 | 76 | 1.2 | 5.8 | 2.5 | 0.15 | 0.30 | C22 |
| Gallbladder etc. | 100 | 1.2 | 7.8 | 3.2 | 0.11 | 0.41 | 108 | 1.7 | 8.2 | 2.7 | 0.11 | 0.30 | C23–24 |
| Pancreas | 249 | 3.1 | 19.3 | 8.6 | 0.32 | 1.04 | 281 | 4.3 | 21.3 | 7.7 | 0.34 | 0.90 | C25 |
| Nose, sinuses etc. | 13 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | 14 | 0.2 | 1.1 | 0.5 | 0.04 | 0.04 | C30–31 |
| Larynx | 84 | 1.0 | 6.5 | 3.4 | 0.19 | 0.42 | 12 | 0.2 | 0.9 | 0.5 | 0.05 | 0.07 | C32 |
| Trachea, bronchus, and lung | 812 | 10.1 | 63.1 | 28.9 | 1.20 | 3.69 | 476 | 7.4 | 36.1 | 15.1 | 0.87 | 1.86 | C33–34 |
| Other thoracic organs | 11 | 0.1 | 0.9 | 0.4 | 0.01 | 0.03 | 7 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | C37–38 |
| Bone | 17 | 0.2 | 1.3 | 1.1 | 0.08 | 0.08 | 17 | 0.3 | 1.3 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 385 | 4.8 | 29.9 | 16.7 | 1.05 | 1.81 | 347 | 5.4 | 26.3 | 14.4 | 0.99 | 1.54 | C43 |
| Other skin | 824 | 10.3 | 64.0 | 24.6 | 0.64 | 2.56 | 656 | 10.2 | 49.7 | 13.6 | 0.36 | 1.32 | C44 |
| Mesothelioma | 22 | 0.3 | 1.7 | 0.8 | 0.02 | 0.10 | 10 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C45 |
| Kaposi sarcoma | 13 | 0.2 | 1.0 | 0.5 | 0.04 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 37 | 0.5 | 2.9 | 1.6 | 0.10 | 0.18 | 44 | 0.7 | 3.3 | 2.0 | 0.13 | 0.21 | C47+C49 |
| Breast | 21 | 0.3 | 1.6 | 0.8 | 0.02 | 0.10 | 1765 | 27.3 | 133.7 | 72.7 | 5.15 | 8.17 | C50 |
| Vulva | | | | | | | 54 | 0.8 | 4.1 | 1.4 | 0.07 | 0.15 | C51 |
| Vagina | | | | | | | 13 | 0.2 | 1.0 | 0.3 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 104 | 1.6 | 7.9 | 5.4 | 0.43 | 0.52 | C53 |
| Corpus uteri | | | | | | | 310 | 4.8 | 23.5 | 11.7 | 0.80 | 1.49 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.7 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 202 | 3.1 | 15.3 | 7.5 | 0.51 | 0.80 | C56 |
| Other female genital organs | | | | | | | 24 | 0.4 | 1.8 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 19 | 0.2 | 1.5 | 0.6 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 1808 | 22.5 | 140.5 | 69.9 | 3.16 | 9.57 | | | | | | | C61 |
| Testis | 134 | 1.7 | 10.4 | 10.2 | 0.78 | 0.79 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 254 | 3.2 | 19.7 | 10.5 | 0.61 | 1.26 | 147 | 2.3 | 11.1 | 5.0 | 0.30 | 0.58 | C64 |
| Renal pelvis | 20 | 0.2 | 1.6 | 0.8 | 0.04 | 0.10 | 13 | 0.2 | 1.0 | 0.3 | 0.00 | 0.04 | C65 |
| Ureter | 17 | 0.2 | 1.3 | 0.6 | 0.02 | 0.08 | 8 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C66 |
| †Bladder | 810 | 10.1 | 62.9 | 27.7 | 1.09 | 3.29 | 212 | 3.3 | 16.1 | 6.7 | 0.35 | 0.87 | C67 |
| Other urinary organs | 5 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 14 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 9 | 0.1 | 0.7 | 0.6 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 150 | 1.9 | 11.7 | 7.3 | 0.47 | 0.80 | 89 | 1.4 | 6.7 | 3.7 | 0.26 | 0.38 | C70–72 |
| Thyroid | 91 | 1.1 | 7.1 | 5.1 | 0.38 | 0.54 | 220 | 3.4 | 16.7 | 12.0 | 0.97 | 1.18 | C73 |
| Adrenal gland | 4 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 46 | 0.6 | 3.6 | 3.2 | 0.20 | 0.28 | 34 | 0.5 | 2.6 | 2.5 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 264 | 3.3 | 20.5 | 10.7 | 0.59 | 1.29 | 216 | 3.3 | 16.4 | 8.4 | 0.51 | 0.92 | C82–86,C96 |
| Immunoproliferative diseases | 27 | 0.3 | 2.1 | 1.1 | 0.07 | 0.13 | 22 | 0.3 | 1.7 | 0.7 | 0.03 | 0.08 | C88 |
| Multiple myeloma | 98 | 1.2 | 7.6 | 3.6 | 0.17 | 0.44 | 99 | 1.5 | 7.5 | 3.4 | 0.21 | 0.40 | C90 |
| Lymphoid leukaemia | 95 | 1.2 | 7.4 | 5.4 | 0.23 | 0.43 | 57 | 0.9 | 4.3 | 3.0 | 0.17 | 0.24 | C91 |
| Myeloid leukaemia | 76 | 0.9 | 5.9 | 3.3 | 0.15 | 0.29 | 72 | 1.1 | 5.5 | 2.9 | 0.18 | 0.27 | C92–94 |
| Leukaemia unspecified | 20 | 0.2 | 1.6 | 0.5 | 0.01 | 0.04 | 27 | 0.4 | 2.0 | 0.4 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 67 | 0.8 | 5.2 | 2.7 | 0.17 | 0.28 | 55 | 0.9 | 4.2 | 1.8 | 0.10 | 0.23 | MPD |
| Myelodysplastic syndromes | 58 | 0.7 | 4.5 | 1.7 | 0.05 | 0.17 | 27 | 0.4 | 2.0 | 0.8 | 0.05 | 0.09 | MPS |
| Other and unspecified | 96 | 1.2 | 7.5 | 3.0 | 0.14 | 0.28 | 141 | 2.2 | 10.7 | 3.2 | 0.11 | 0.29 | O&U |
| All sites | 8846 | | 687.4 | 338.0 | 16.06 | 40.32 | 7118 | | 539.1 | 251.2 | 15.42 | 27.87 | C00–96 |
| All sites except C44 | 8022 | 100.0 | 623.4 | 313.4 | 15.42 | 37.76 | 6462 | 100.0 | 489.4 | 237.7 | 15.06 | 26.55 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Syracuse

CONTRIBUTORS

Anselmo Madeddu
 Francesca Bella
 Marine Castaing
 Ylenia Dinaro
 Paolo Grande
 Margherita Mizzi
 Angela Muni
 Antonino Colanino Ziino



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 56.4 | Breast | 75.2 |
| Prostate | 42.4 | Non-melanoma skin cancer | 27.6 |
| Trachea, bronchus, and lung | 40.6 | Thyroid | 18.3 |
| Bladder | 34.8 | Colon | 16.9 |
| Colon | 20.4 | Trachea, bronchus, and lung | 12.6 |
| Liver | 12.1 | Corpus uteri | 12.3 |
| Rectum | 10.4 | Ovary | 9.0 |
| Non-Hodgkin lymphoma | 10.2 | Pancreas | 6.8 |
| Kidney | 9.8 | Bladder | 6.5 |
| Pancreas | 8.6 | Melanoma of skin | 6.5 |
| Brain and nervous system | 8.1 | Non-Hodgkin lymphoma | 6.4 |
| Testis | 7.5 | Rectum | 6.1 |
| Thyroid | 7.0 | Brain and nervous system | 5.5 |
| Stomach | 6.6 | Cervix uteri | 5.1 |
| Melanoma of skin | 6.4 | Liver | 4.6 |
| Larynx | 5.3 | Stomach | 3.5 |
| Other and unspecified | 5.2 | Kidney | 3.4 |
| Multiple myeloma | 4.1 | Other and unspecified | 3.4 |
| Lymphoid leukaemia | 3.9 | Hodgkin lymphoma | 3.3 |
| Gallbladder etc. | 3.8 | Myeloid leukaemia | 3.1 |
| All sites | 333.4 | All sites | 261.2 |

*Italy, Syracuse (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 6 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 12 | 0.2 | 1.2 | 0.6 | 0.02 | 0.08 | 18 | 0.4 | 1.8 | 0.8 | 0.05 | 0.07 | C01–02 |
| Mouth | 25 | 0.4 | 2.5 | 1.3 | 0.09 | 0.15 | 14 | 0.3 | 1.4 | 0.6 | 0.02 | 0.08 | C03–06 |
| Salivary glands | 18 | 0.3 | 1.8 | 1.0 | 0.05 | 0.12 | 7 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C10 |
| Nasopharynx | 13 | 0.2 | 1.3 | 0.9 | 0.08 | 0.10 | 7 | 0.1 | 0.7 | 0.4 | 0.04 | 0.04 | C11 |
| Hypopharynx | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 26 | 0.5 | 2.6 | 1.2 | 0.04 | 0.14 | 12 | 0.3 | 1.2 | 0.6 | 0.04 | 0.08 | C15 |
| Stomach | 154 | 2.7 | 15.5 | 6.6 | 0.28 | 0.80 | 99 | 2.1 | 9.7 | 3.5 | 0.20 | 0.39 | C16 |
| Small intestine | 19 | 0.3 | 1.9 | 0.9 | 0.06 | 0.09 | 16 | 0.3 | 1.6 | 0.7 | 0.04 | 0.09 | C17 |
| Colon | 461 | 8.1 | 46.5 | 20.4 | 0.91 | 2.37 | 422 | 9.0 | 41.2 | 16.9 | 0.90 | 2.08 | C18 |
| Rectum | 218 | 3.8 | 22.0 | 10.4 | 0.49 | 1.29 | 135 | 2.9 | 13.2 | 6.1 | 0.42 | 0.72 | C19–20 |
| Anus | 8 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | 8 | 0.2 | 0.8 | 0.4 | 0.01 | 0.06 | C21 |
| Liver | 256 | 4.5 | 25.8 | 12.1 | 0.54 | 1.41 | 133 | 2.8 | 13.0 | 4.6 | 0.16 | 0.62 | C22 |
| Gallbladder etc. | 101 | 1.8 | 10.2 | 3.8 | 0.10 | 0.41 | 93 | 2.0 | 9.1 | 2.9 | 0.11 | 0.32 | C23–24 |
| Pancreas | 184 | 3.2 | 18.5 | 8.6 | 0.44 | 1.04 | 177 | 3.8 | 17.3 | 6.8 | 0.30 | 0.82 | C25 |
| Nose, sinuses etc. | 5 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 101 | 1.8 | 10.2 | 5.3 | 0.36 | 0.68 | 10 | 0.2 | 1.0 | 0.3 | 0.01 | 0.06 | C32 |
| Trachea, bronchus, and lung | 921 | 16.2 | 92.8 | 40.6 | 1.71 | 5.07 | 279 | 6.0 | 27.2 | 12.6 | 0.86 | 1.53 | C33–34 |
| Other thoracic organs | 13 | 0.2 | 1.3 | 0.6 | 0.04 | 0.05 | 9 | 0.2 | 0.9 | 0.6 | 0.03 | 0.04 | C37–38 |
| Bone | 14 | 0.2 | 1.4 | 1.2 | 0.07 | 0.09 | 11 | 0.2 | 1.1 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 108 | 1.9 | 10.9 | 6.4 | 0.42 | 0.70 | 104 | 2.2 | 10.2 | 6.5 | 0.47 | 0.61 | C43 |
| Other skin | 1257 | 22.1 | 126.7 | 56.4 | 2.60 | 6.49 | 645 | 13.8 | 63.0 | 27.6 | 1.58 | 3.15 | C44 |
| Mesothelioma | 46 | 0.8 | 4.6 | 2.1 | 0.08 | 0.26 | 17 | 0.4 | 1.7 | 0.7 | 0.02 | 0.11 | C45 |
| Kaposi sarcoma | 8 | 0.1 | 0.8 | 0.4 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 31 | 0.5 | 3.1 | 1.5 | 0.09 | 0.19 | 19 | 0.4 | 1.9 | 0.9 | 0.05 | 0.08 | C47+C49 |
| Breast | 16 | 0.3 | 1.6 | 0.7 | 0.02 | 0.09 | 1393 | 29.8 | 136.0 | 75.2 | 5.51 | 8.53 | C50 |
| Vulva | | | | | | | 30 | 0.6 | 2.9 | 1.2 | 0.06 | 0.14 | C51 |
| Vagina | | | | | | | 12 | 0.3 | 1.2 | 0.4 | 0.04 | 0.05 | C52 |
| Cervix uteri | | | | | | | 82 | 1.8 | 8.0 | 5.1 | 0.39 | 0.55 | C53 |
| Corpus uteri | | | | | | | 238 | 5.1 | 23.2 | 12.3 | 0.89 | 1.54 | C54 |
| Uterus unspecified | | | | | | | 23 | 0.5 | 2.2 | 0.6 | 0.01 | 0.06 | C55 |
| Ovary | | | | | | | 160 | 3.4 | 15.6 | 9.0 | 0.62 | 0.98 | C56 |
| Other female genital organs | | | | | | | 15 | 0.3 | 1.5 | 0.7 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 15 | 0.3 | 1.5 | 0.7 | 0.04 | 0.11 | | | | | | | C60 |
| Prostate | 968 | 17.0 | 97.6 | 42.4 | 1.41 | 5.98 | | | | | | | C61 |
| Testis | 76 | 1.3 | 7.7 | 7.5 | 0.55 | 0.56 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 178 | 3.1 | 17.9 | 9.8 | 0.61 | 1.18 | 77 | 1.6 | 7.5 | 3.4 | 0.20 | 0.36 | C64 |
| Renal pelvis | 12 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | 6 | 0.1 | 0.6 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 7 | 0.1 | 0.7 | 0.3 | 0.00 | 0.03 | 6 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 746 | 13.1 | 75.2 | 34.8 | 1.67 | 4.37 | 156 | 3.3 | 15.2 | 6.5 | 0.38 | 0.73 | C67 |
| Other urinary organs | 11 | 0.2 | 1.1 | 0.5 | 0.01 | 0.07 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 7 | 0.1 | 0.7 | 0.6 | 0.04 | 0.04 | 8 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 120 | 2.1 | 12.1 | 8.1 | 0.53 | 0.80 | 91 | 1.9 | 8.9 | 5.5 | 0.36 | 0.56 | C70–72 |
| Thyroid | 93 | 1.6 | 9.4 | 7.0 | 0.57 | 0.68 | 241 | 5.2 | 23.5 | 18.3 | 1.45 | 1.73 | C73 |
| Adrenal gland | 5 | 0.1 | 0.5 | 0.6 | 0.03 | 0.03 | 3 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 32 | 0.6 | 3.2 | 3.0 | 0.21 | 0.22 | 29 | 0.6 | 2.8 | 3.3 | 0.21 | 0.24 | C81 |
| Non-Hodgkin lymphoma | 172 | 3.0 | 17.3 | 10.2 | 0.70 | 1.06 | 130 | 2.8 | 12.7 | 6.4 | 0.39 | 0.73 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.1 | 0.8 | 0.5 | 0.04 | 0.07 | 11 | 0.2 | 1.1 | 0.6 | 0.05 | 0.07 | C88 |
| Multiple myeloma | 83 | 1.5 | 8.4 | 4.1 | 0.22 | 0.51 | 62 | 1.3 | 6.1 | 3.0 | 0.21 | 0.35 | C90 |
| Lymphoid leukaemia | 55 | 1.0 | 5.5 | 3.9 | 0.25 | 0.39 | 26 | 0.6 | 2.5 | 1.5 | 0.09 | 0.14 | C91 |
| Myeloid leukaemia | 62 | 1.1 | 6.2 | 3.5 | 0.16 | 0.33 | 59 | 1.3 | 5.8 | 3.1 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 37 | 0.7 | 3.7 | 1.4 | 0.04 | 0.09 | 23 | 0.5 | 2.2 | 0.7 | 0.03 | 0.06 | C95 |
| Myeloproliferative disorders | 30 | 0.5 | 3.0 | 1.7 | 0.11 | 0.18 | 36 | 0.8 | 3.5 | 2.0 | 0.12 | 0.21 | MPD |
| Myelodysplastic syndromes | 55 | 1.0 | 5.5 | 2.2 | 0.07 | 0.24 | 48 | 1.0 | 4.7 | 1.9 | 0.08 | 0.26 | MPS |
| Other and unspecified | 126 | 2.2 | 12.7 | 5.2 | 0.19 | 0.51 | 97 | 2.1 | 9.5 | 3.4 | 0.13 | 0.33 | O&U |
| All sites | 6937 | | 699.3 | 333.4 | 16.11 | 39.41 | 5316 | | 519.0 | 261.2 | 17.02 | 29.33 | C00–96 |
| All sites except C44 | 5680 | 100.0 | 572.6 | 277.0 | 13.51 | 32.91 | 4671 | 100.0 | 456.1 | 233.6 | 15.44 | 26.18 | C00–96 exc. C44 |

*†See note following population pyramid

Italy, Trento

CONTRIBUTORS

Roberto Vito Rizzello
 Maria Adalgisa Gentilini
 Lucia Bombarda
 Mariangela Pedron
 Franca Casagrande
 Francesca Valent



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 119.5 | Non-melanoma skin cancer | 97.4 |
| Prostate | 66.1 | Breast | 92.7 |
| Trachea, bronchus, and lung | 31.5 | Thyroid | 18.7 |
| Bladder | 28.9 | Melanoma of skin | 15.6 |
| Colon | 19.0 | Corpus uteri | 14.4 |
| Melanoma of skin | 16.5 | Colon | 14.1 |
| Liver | 13.3 | Trachea, bronchus, and lung | 14.1 |
| Non-Hodgkin lymphoma | 11.9 | Non-Hodgkin lymphoma | 8.1 |
| Kidney | 11.2 | Ovary | 7.8 |
| Rectum | 10.4 | Bladder | 6.9 |
| Pancreas | 9.9 | Pancreas | 6.9 |
| Stomach | 9.6 | Kidney | 5.9 |
| Testis | 7.9 | Stomach | 5.7 |
| Brain and nervous system | 6.6 | Rectum | 5.2 |
| Larynx | 5.1 | Cervix uteri | 4.7 |
| Thyroid | 5.0 | Brain and nervous system | 4.2 |
| Myeloid leukaemia | 5.0 | Liver | 4.1 |
| Hodgkin lymphoma | 4.4 | Immunoproliferative diseases | 3.7 |
| Lymphoid leukaemia | 4.4 | Hodgkin lymphoma | 3.4 |
| Oesophagus | 4.2 | Myeloid leukaemia | 3.0 |
| All sites | 431.0 | All sites | 365.1 |

Italy, Trento (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 27 | 0.3 | 2.1 | 0.7 | 0.02 | 0.05 | 9 | 0.1 | 0.7 | 0.2 | 0.00 | 0.01 | C00 |
| Tongue | 51 | 0.6 | 3.9 | 2.1 | 0.18 | 0.26 | 28 | 0.4 | 2.0 | 0.7 | 0.03 | 0.08 | C01–02 |
| Mouth | 46 | 0.5 | 3.5 | 1.7 | 0.11 | 0.20 | 28 | 0.4 | 2.0 | 0.8 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 10 | 0.1 | 0.8 | 0.3 | 0.02 | 0.02 | 14 | 0.2 | 1.0 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 18 | 0.2 | 1.4 | 0.7 | 0.04 | 0.09 | 15 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 23 | 0.3 | 1.8 | 0.9 | 0.06 | 0.12 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 21 | 0.2 | 1.6 | 0.9 | 0.07 | 0.11 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 40 | 0.5 | 3.1 | 1.5 | 0.12 | 0.19 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 122 | 1.4 | 9.3 | 4.2 | 0.21 | 0.54 | 47 | 0.6 | 3.4 | 1.4 | 0.07 | 0.17 | C15 |
| Stomach | 294 | 3.4 | 22.4 | 9.6 | 0.41 | 1.09 | 249 | 3.2 | 18.2 | 5.8 | 0.24 | 0.63 | C16 |
| Small intestine | 58 | 0.7 | 4.4 | 2.0 | 0.10 | 0.25 | 44 | 0.6 | 3.2 | 1.3 | 0.08 | 0.15 | C17 |
| Colon | 612 | 7.1 | 46.7 | 19.0 | 0.77 | 2.08 | 561 | 7.1 | 40.9 | 14.1 | 0.69 | 1.51 | C18 |
| Rectum | 300 | 3.5 | 22.9 | 10.4 | 0.58 | 1.18 | 195 | 2.5 | 14.2 | 5.2 | 0.29 | 0.56 | C19–20 |
| Anus | 16 | 0.2 | 1.2 | 0.6 | 0.04 | 0.08 | 38 | 0.5 | 2.8 | 1.4 | 0.11 | 0.17 | C21 |
| Liver | 422 | 4.9 | 32.2 | 13.3 | 0.51 | 1.71 | 167 | 2.1 | 12.2 | 4.1 | 0.16 | 0.46 | C22 |
| Gallbladder etc. | 86 | 1.0 | 6.6 | 2.3 | 0.05 | 0.26 | 116 | 1.5 | 8.5 | 2.5 | 0.09 | 0.26 | C23–24 |
| Pancreas | 316 | 3.6 | 24.1 | 9.9 | 0.36 | 1.19 | 318 | 4.0 | 23.2 | 6.9 | 0.25 | 0.79 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.6 | 0.7 | 0.02 | 0.09 | 12 | 0.2 | 0.9 | 0.5 | 0.05 | 0.05 | C30–31 |
| Larynx | 144 | 1.7 | 11.0 | 5.1 | 0.24 | 0.71 | 22 | 0.3 | 1.6 | 0.7 | 0.03 | 0.10 | C32 |
| Trachea, bronchus, and lung | 997 | 11.5 | 76.1 | 31.5 | 1.26 | 3.77 | 510 | 6.5 | 37.2 | 14.1 | 0.69 | 1.75 | C33–34 |
| Other thoracic organs | 21 | 0.2 | 1.6 | 0.7 | 0.02 | 0.08 | 12 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 18 | 0.2 | 1.4 | 1.3 | 0.08 | 0.09 | 12 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C40–41 |
| Melanoma of skin | 393 | 4.5 | 30.0 | 16.5 | 1.09 | 1.76 | 332 | 4.2 | 24.2 | 15.6 | 1.20 | 1.55 | C43 |
| Other skin | 3552 | 40.9 | 271.1 | 119.5 | 5.71 | 13.40 | 3207 | 40.8 | 234.0 | 97.4 | 5.91 | 10.74 | C44 |
| Mesothelioma | 29 | 0.3 | 2.2 | 0.9 | 0.03 | 0.12 | 19 | 0.2 | 1.4 | 0.5 | 0.01 | 0.06 | C45 |
| Kaposi sarcoma | 15 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 51 | 0.6 | 3.9 | 2.4 | 0.15 | 0.22 | 37 | 0.5 | 2.7 | 1.4 | 0.10 | 0.14 | C47+C49 |
| Breast | 21 | 0.2 | 1.6 | 0.7 | 0.03 | 0.09 | 2427 | 30.9 | 177.1 | 92.7 | 6.87 | 10.46 | C50 |
| Vulva | | | | | | | 49 | 0.6 | 3.6 | 1.3 | 0.07 | 0.15 | C51 |
| Vagina | | | | | | | 8 | 0.1 | 0.6 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 96 | 1.2 | 7.0 | 4.7 | 0.36 | 0.46 | C53 |
| Corpus uteri | | | | | | | 414 | 5.3 | 30.2 | 14.4 | 1.03 | 1.82 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 212 | 2.7 | 15.5 | 7.8 | 0.51 | 0.86 | C56 |
| Other female genital organs | | | | | | | 23 | 0.3 | 1.7 | 0.5 | 0.02 | 0.06 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 24 | 0.3 | 1.8 | 0.7 | 0.02 | 0.09 | | | | | | | C60 |
| Prostate | 1881 | 21.7 | 143.6 | 66.1 | 2.71 | 9.60 | | | | | | | C61 |
| Testis | 106 | 1.2 | 8.1 | 7.9 | 0.61 | 0.61 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 291 | 3.4 | 22.2 | 11.2 | 0.63 | 1.36 | 169 | 2.1 | 12.3 | 5.9 | 0.37 | 0.67 | C64 |
| Renal pelvis | 15 | 0.2 | 1.1 | 0.5 | 0.01 | 0.07 | 15 | 0.2 | 1.1 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 18 | 0.2 | 1.4 | 0.6 | 0.02 | 0.08 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 890 | 10.3 | 67.9 | 28.9 | 1.16 | 3.57 | 276 | 3.5 | 20.1 | 6.9 | 0.31 | 0.84 | C67 |
| Other urinary organs | 9 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 21 | 0.2 | 1.6 | 1.1 | 0.05 | 0.11 | 9 | 0.1 | 0.7 | 0.3 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 141 | 1.6 | 10.8 | 6.6 | 0.38 | 0.68 | 92 | 1.2 | 6.7 | 4.2 | 0.25 | 0.39 | C70–72 |
| Thyroid | 89 | 1.0 | 6.8 | 5.0 | 0.37 | 0.51 | 325 | 4.1 | 23.7 | 18.7 | 1.47 | 1.77 | C73 |
| Adrenal gland | 7 | 0.1 | 0.5 | 0.5 | 0.02 | 0.03 | 6 | 0.1 | 0.4 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.5 | 0.4 | 0.01 | 0.03 | C75 |
| Hodgkin lymphoma | 59 | 0.7 | 4.5 | 4.4 | 0.29 | 0.34 | 44 | 0.6 | 3.2 | 3.4 | 0.20 | 0.25 | C81 |
| Non-Hodgkin lymphoma | 291 | 3.4 | 22.2 | 11.9 | 0.67 | 1.30 | 254 | 3.2 | 18.5 | 8.1 | 0.45 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 90 | 1.0 | 6.9 | 3.7 | 0.23 | 0.41 | 93 | 1.2 | 6.8 | 3.7 | 0.29 | 0.44 | C88 |
| Multiple myeloma | 114 | 1.3 | 8.7 | 3.7 | 0.17 | 0.41 | 115 | 1.5 | 8.4 | 3.0 | 0.16 | 0.35 | C90 |
| Lymphoid leukaemia | 85 | 1.0 | 6.5 | 4.4 | 0.20 | 0.40 | 65 | 0.8 | 4.7 | 2.1 | 0.10 | 0.20 | C91 |
| Myeloid leukaemia | 117 | 1.3 | 8.9 | 5.0 | 0.30 | 0.49 | 90 | 1.1 | 6.6 | 3.0 | 0.17 | 0.29 | C92–94 |
| Leukaemia unspecified | 15 | 0.2 | 1.1 | 0.4 | 0.01 | 0.01 | 8 | 0.1 | 0.6 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 52 | 0.6 | 4.0 | 1.9 | 0.10 | 0.20 | 50 | 0.6 | 3.6 | 1.8 | 0.13 | 0.19 | MPD |
| Myelodysplastic syndromes | 66 | 0.8 | 5.0 | 2.2 | 0.08 | 0.26 | 61 | 0.8 | 4.5 | 1.1 | 0.03 | 0.11 | MPS |
| Other and unspecified | 114 | 1.3 | 8.7 | 3.4 | 0.15 | 0.38 | 143 | 1.8 | 10.4 | 2.8 | 0.10 | 0.28 | O&U |
| All sites | 12230 | | 933.4 | 431.0 | 20.59 | 50.82 | 11070 | | 807.7 | 365.1 | 23.25 | 40.22 | C00–96 |
| All sites except C44 | 8678 | 100.0 | 662.3 | 311.6 | 14.88 | 37.42 | 7863 | 100.0 | 573.7 | 267.7 | 17.34 | 29.48 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Turin

CONTRIBUTORS

Stefano Rosso
Paola Busso
Franca Gilardi
Fulvio Lazzarato
Enrica Migliore
Silvia Patriarca
Lorenzo Richiardi
Irene Sobrato
Roberto Zanetti



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 56.7 | Breast | 85.4 |
| Trachea, bronchus, and lung | 39.1 | Colon | 18.4 |
| Bladder | 31.3 | Trachea, bronchus, and lung | 14.7 |
| Colon | 27.0 | Thyroid | 12.0 |
| Non-Hodgkin lymphoma | 14.9 | Corpus uteri | 11.3 |
| Liver | 10.8 | Non-Hodgkin lymphoma | 10.1 |
| Kidney | 10.4 | Ovary | 8.7 |
| Melanoma of skin | 9.6 | Melanoma of skin | 8.2 |
| Stomach | 9.0 | Bladder | 6.3 |
| Rectum | 7.9 | Pancreas | 5.5 |
| Testis | 7.7 | Brain and nervous system | 5.0 |
| Pancreas | 7.5 | Rectum | 4.7 |
| Brain and nervous system | 7.3 | Stomach | 4.6 |
| Lymphoid leukaemia | 5.4 | Cervix uteri | 4.6 |
| Larynx | 5.4 | Kidney | 4.6 |
| Myeloid leukaemia | 4.7 | Non-melanoma skin cancer | 3.9 |
| Non-melanoma skin cancer | 4.6 | Hodgkin lymphoma | 3.5 |
| Thyroid | 4.4 | Other and unspecified | 3.4 |
| Multiple myeloma | 4.2 | Liver | 3.4 |
| Hodgkin lymphoma | 3.5 | Lymphoid leukaemia | 3.2 |
| All sites | 309.2 | All sites | 249.1 |

Italy, Turin (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 65 | 0.2 | 1.2 | 0.4 | 0.02 | 0.04 | 25 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 213 | 0.5 | 3.9 | 1.7 | 0.11 | 0.20 | 118 | 0.4 | 2.0 | 0.7 | 0.04 | 0.08 | C01–02 |
| Mouth | 257 | 0.6 | 4.7 | 2.2 | 0.14 | 0.27 | 204 | 0.6 | 3.5 | 1.3 | 0.09 | 0.15 | C03–06 |
| Salivary glands | 143 | 0.4 | 2.6 | 1.2 | 0.06 | 0.14 | 87 | 0.3 | 1.5 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 118 | 0.3 | 2.2 | 1.1 | 0.08 | 0.13 | 51 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 69 | 0.2 | 1.3 | 0.6 | 0.05 | 0.07 | 34 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C10 |
| Nasopharynx | 78 | 0.2 | 1.4 | 0.9 | 0.07 | 0.10 | 23 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C11 |
| Hypopharynx | 83 | 0.2 | 1.5 | 0.8 | 0.06 | 0.09 | 18 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 19 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 9 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 390 | 1.0 | 7.1 | 3.0 | 0.16 | 0.36 | 139 | 0.4 | 2.4 | 0.7 | 0.03 | 0.09 | C15 |
| Stomach | 1310 | 3.3 | 23.9 | 9.0 | 0.41 | 1.05 | 839 | 2.5 | 14.2 | 4.6 | 0.23 | 0.52 | C16 |
| Small intestine | 125 | 0.3 | 2.3 | 0.9 | 0.05 | 0.11 | 98 | 0.3 | 1.7 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 3950 | 9.9 | 72.0 | 27.0 | 1.28 | 3.12 | 3319 | 10.0 | 56.3 | 18.4 | 0.96 | 2.14 | C18 |
| Rectum | 1091 | 2.7 | 19.9 | 7.9 | 0.41 | 0.97 | 749 | 2.3 | 12.7 | 4.7 | 0.28 | 0.56 | C19–20 |
| Anus | 95 | 0.2 | 1.7 | 0.7 | 0.04 | 0.08 | 126 | 0.4 | 2.1 | 0.8 | 0.06 | 0.10 | C21 |
| Liver | 1379 | 3.5 | 25.1 | 10.8 | 0.65 | 1.32 | 602 | 1.8 | 10.2 | 3.4 | 0.17 | 0.39 | C22 |
| Gallbladder etc. | 423 | 1.1 | 7.7 | 2.7 | 0.11 | 0.31 | 498 | 1.5 | 8.5 | 2.3 | 0.11 | 0.25 | C23–24 |
| Pancreas | 1067 | 2.7 | 19.4 | 7.5 | 0.36 | 0.92 | 1088 | 3.3 | 18.5 | 5.5 | 0.26 | 0.60 | C25 |
| Nose, sinuses etc. | 92 | 0.2 | 1.7 | 0.7 | 0.04 | 0.07 | 49 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 678 | 1.7 | 12.4 | 5.4 | 0.33 | 0.66 | 92 | 0.3 | 1.6 | 0.7 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 5716 | 14.4 | 104.2 | 39.1 | 1.66 | 4.96 | 2312 | 7.0 | 39.2 | 14.7 | 0.84 | 1.88 | C33–34 |
| Other thoracic organs | 108 | 0.3 | 2.0 | 0.8 | 0.04 | 0.09 | 68 | 0.2 | 1.2 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 62 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 55 | 0.2 | 0.9 | 0.8 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 973 | 2.5 | 17.7 | 9.6 | 0.67 | 1.03 | 840 | 2.5 | 14.3 | 8.2 | 0.62 | 0.82 | C43 |
| Other skin | 654 | 1.6 | 11.9 | 4.6 | 0.21 | 0.49 | 639 | 1.9 | 10.8 | 3.9 | 0.22 | 0.40 | C44 |
| Mesothelioma | 279 | 0.7 | 5.1 | 1.8 | 0.06 | 0.23 | 126 | 0.4 | 2.1 | 0.7 | 0.02 | 0.09 | C45 |
| Kaposi sarcoma | 105 | 0.3 | 1.9 | 0.7 | 0.03 | 0.08 | 35 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 247 | 0.6 | 4.5 | 2.6 | 0.16 | 0.24 | 250 | 0.8 | 4.2 | 2.3 | 0.14 | 0.23 | C47+C49 |
| Breast | 174 | 0.4 | 3.2 | 1.3 | 0.07 | 0.17 | 10382 | 31.3 | 176.2 | 85.4 | 6.26 | 9.54 | C50 |
| Vulva | | | | | | | 207 | 0.6 | 3.5 | 1.0 | 0.04 | 0.11 | C51 |
| Vagina | | | | | | | 65 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 470 | 1.4 | 8.0 | 4.6 | 0.36 | 0.47 | C53 |
| Corpus uteri | | | | | | | 1535 | 4.6 | 26.1 | 11.3 | 0.77 | 1.43 | C54 |
| Uterus unspecified | | | | | | | 41 | 0.1 | 0.7 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 1104 | 3.3 | 18.7 | 8.7 | 0.60 | 0.98 | C56 |
| Other female genital organs | | | | | | | 39 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 96 | 0.2 | 1.7 | 0.7 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 7821 | 19.7 | 142.5 | 56.7 | 2.50 | 7.93 | | | | | | | C61 |
| Testis | 414 | 1.0 | 7.5 | 7.7 | 0.57 | 0.59 | | | | | | | C62 |
| Other male genital organs | 16 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1234 | 3.1 | 22.5 | 10.4 | 0.65 | 1.26 | 613 | 1.8 | 10.4 | 4.6 | 0.29 | 0.51 | C64 |
| Renal pelvis | 102 | 0.3 | 1.9 | 0.7 | 0.02 | 0.08 | 55 | 0.2 | 0.9 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 101 | 0.3 | 1.8 | 0.7 | 0.02 | 0.09 | 45 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | C66 |
| †Bladder | 4628 | 11.7 | 84.3 | 31.3 | 1.31 | 3.79 | 1091 | 3.3 | 18.5 | 6.3 | 0.32 | 0.78 | C67 |
| Other urinary organs | 45 | 0.1 | 0.8 | 0.2 | 0.01 | 0.02 | 21 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 659 | 1.7 | 12.0 | 7.3 | 0.45 | 0.71 | 503 | 1.5 | 8.5 | 5.0 | 0.29 | 0.48 | C70–72 |
| Thyroid | 377 | 0.9 | 6.9 | 4.4 | 0.35 | 0.45 | 956 | 2.9 | 16.2 | 12.0 | 0.95 | 1.13 | C73 |
| Adrenal gland | 40 | 0.1 | 0.7 | 0.5 | 0.02 | 0.04 | 34 | 0.1 | 0.6 | 0.6 | 0.03 | 0.04 | C74 |
| Other endocrine | 21 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 18 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 200 | 0.5 | 3.6 | 3.5 | 0.26 | 0.28 | 177 | 0.5 | 3.0 | 3.5 | 0.24 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 1611 | 4.1 | 29.4 | 14.9 | 0.91 | 1.66 | 1300 | 3.9 | 22.1 | 10.1 | 0.63 | 1.14 | C82–86,C96 |
| Immunoproliferative diseases | 44 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 52 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C88 |
| Multiple myeloma | 608 | 1.5 | 11.1 | 4.2 | 0.22 | 0.50 | 522 | 1.6 | 8.9 | 2.9 | 0.14 | 0.35 | C90 |
| Lymphoid leukaemia | 509 | 1.3 | 9.3 | 5.4 | 0.29 | 0.51 | 348 | 1.0 | 5.9 | 3.2 | 0.16 | 0.29 | C91 |
| Myeloid leukaemia | 561 | 1.4 | 10.2 | 4.7 | 0.25 | 0.49 | 400 | 1.2 | 6.8 | 3.0 | 0.17 | 0.30 | C92–94 |
| Leukaemia unspecified | 50 | 0.1 | 0.9 | 0.4 | 0.02 | 0.03 | 38 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 393 | 1.0 | 7.2 | 3.3 | 0.20 | 0.40 | 356 | 1.1 | 6.0 | 2.9 | 0.18 | 0.32 | MPD |
| Myelodysplastic syndromes | 340 | 0.9 | 6.2 | 2.0 | 0.06 | 0.21 | 200 | 0.6 | 3.4 | 1.0 | 0.04 | 0.11 | MPS |
| Other and unspecified | 523 | 1.3 | 9.5 | 3.4 | 0.14 | 0.34 | 714 | 2.2 | 12.1 | 3.4 | 0.16 | 0.32 | O&U |
| All sites | 40368 | | 735.6 | 309.2 | 15.73 | 36.91 | 33785 | | 573.5 | 249.1 | 16.19 | 27.63 | C00–96 |
| All sites except C44 | 39714 | 100.0 | 723.7 | 304.6 | 15.53 | 36.43 | 33146 | 100.0 | 562.7 | 245.3 | 15.96 | 27.24 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Tuscany

CONTRIBUTORS

Adele Caldarella
 Teresa Intrieri
 Valentina Cacciarini
 Marco Ceroti
 Antonella Corbinelli
 Enrica Fornai
 Bianca Giusti
 Gianfranco Manneschi
 Annalisa Roselli
 Lara Sbrana



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 116.5 | Breast | 95.7 |
| Prostate | 54.6 | Non-melanoma skin cancer | 87.0 |
| Trachea, bronchus, and lung | 44.2 | Thyroid | 27.6 |
| Bladder | 34.7 | Colon | 19.7 |
| Colon | 25.8 | Trachea, bronchus, and lung | 19.0 |
| Melanoma of skin | 19.7 | Melanoma of skin | 17.9 |
| Kidney | 16.0 | Corpus uteri | 14.1 |
| Non-Hodgkin lymphoma | 15.0 | Non-Hodgkin lymphoma | 10.2 |
| Stomach | 13.4 | Ovary | 9.8 |
| Rectum | 11.3 | Bladder | 7.5 |
| Liver | 10.9 | Pancreas | 7.3 |
| Thyroid | 10.5 | Stomach | 7.0 |
| Pancreas | 9.3 | Kidney | 6.9 |
| Brain and nervous system | 7.8 | Cervix uteri | 6.9 |
| Testis | 7.4 | Rectum | 6.8 |
| Larynx | 6.7 | Brain and nervous system | 5.7 |
| Lymphoid leukaemia | 5.4 | Multiple myeloma | 4.0 |
| Multiple myeloma | 5.4 | Liver | 3.8 |
| Hodgkin lymphoma | 5.0 | Hodgkin lymphoma | 3.7 |
| Myeloid leukaemia | 4.5 | Other and unspecified | 3.3 |
| All sites | 466.3 | All sites | 394.9 |

*Italy, Tuscany (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|------------------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 46 | 0.1 | 0.9 | 0.3 | 0.02 | 0.03 | 15 | 0.0 | 0.3 | 0.0 | 0.00 | 0.00 | <i>C00</i> |
| Tongue | 242 | 0.6 | 4.9 | 2.4 | 0.18 | 0.28 | 129 | 0.3 | 2.4 | 1.0 | 0.06 | 0.11 | <i>C01–02</i> |
| Mouth | 196 | 0.5 | 4.0 | 1.8 | 0.13 | 0.21 | 164 | 0.4 | 3.1 | 1.2 | 0.08 | 0.13 | <i>C03–06</i> |
| Salivary glands | 91 | 0.2 | 1.9 | 0.8 | 0.05 | 0.09 | 70 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | <i>C07–08</i> |
| Tonsil | 79 | 0.2 | 1.6 | 0.8 | 0.06 | 0.11 | 35 | 0.1 | 0.7 | 0.3 | 0.02 | 0.05 | <i>C09</i> |
| Other oropharynx | 58 | 0.1 | 1.2 | 0.6 | 0.04 | 0.08 | 22 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | <i>C10</i> |
| Nasopharynx | 69 | 0.2 | 1.4 | 0.8 | 0.07 | 0.09 | 30 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | <i>C11</i> |
| Hypopharynx | 68 | 0.2 | 1.4 | 0.7 | 0.05 | 0.08 | 18 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | <i>C12–13</i> |
| Pharynx unspecified | 25 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 9 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C14</i> |
| Oesophagus | 324 | 0.8 | 6.6 | 2.8 | 0.15 | 0.35 | 123 | 0.3 | 2.3 | 0.7 | 0.03 | 0.08 | <i>C15</i> |
| Stomach | 1925 | 4.7 | 39.2 | 13.4 | 0.54 | 1.49 | 1353 | 3.7 | 25.5 | 7.0 | 0.32 | 0.75 | <i>C16</i> |
| Small intestine | 201 | 0.5 | 4.1 | 1.6 | 0.08 | 0.19 | 149 | 0.4 | 2.8 | 1.1 | 0.06 | 0.13 | <i>C17</i> |
| Colon | 3555 | 8.7 | 72.4 | 25.8 | 1.14 | 2.96 | 3255 | 8.8 | 61.3 | 19.7 | 1.04 | 2.21 | <i>C18</i> |
| Rectum | 1414 | 3.4 | 28.8 | 11.3 | 0.57 | 1.35 | 979 | 2.6 | 18.4 | 6.8 | 0.40 | 0.81 | <i>C19–20</i> |
| Anus | 98 | 0.2 | 2.0 | 0.9 | 0.06 | 0.10 | 165 | 0.4 | 3.1 | 1.3 | 0.09 | 0.15 | <i>C21</i> |
| Liver | 1288 | 3.1 | 26.2 | 10.9 | 0.62 | 1.31 | 677 | 1.8 | 12.7 | 3.8 | 0.17 | 0.43 | <i>C22</i> |
| Gallbladder etc. | 469 | 1.1 | 9.6 | 3.3 | 0.15 | 0.36 | 466 | 1.3 | 8.8 | 2.4 | 0.10 | 0.27 | <i>C23–24</i> |
| Pancreas | 1220 | 3.0 | 24.9 | 9.3 | 0.42 | 1.16 | 1337 | 3.6 | 25.2 | 7.3 | 0.32 | 0.83 | <i>C25</i> |
| Nose, sinuses etc. | 88 | 0.2 | 1.8 | 0.9 | 0.06 | 0.10 | 35 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | <i>C30–31</i> |
| Larynx | 745 | 1.8 | 15.2 | 6.7 | 0.39 | 0.88 | 104 | 0.3 | 2.0 | 0.9 | 0.07 | 0.11 | <i>C32</i> |
| Trachea, bronchus, and lung | 5977 | 14.6 | 121.8 | 44.2 | 1.83 | 5.54 | 2683 | 7.2 | 50.5 | 19.0 | 1.10 | 2.37 | <i>C33–34</i> |
| Other thoracic organs | 93 | 0.2 | 1.9 | 0.9 | 0.05 | 0.09 | 56 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | <i>C37–38</i> |
| Bone | 87 | 0.2 | 1.8 | 1.6 | 0.11 | 0.13 | 70 | 0.2 | 1.3 | 1.3 | 0.08 | 0.09 | <i>C40–41</i> |
| Melanoma of skin | 1772 | 4.3 | 36.1 | 19.7 | 1.38 | 2.11 | 1578 | 4.3 | 29.7 | 17.9 | 1.35 | 1.81 | <i>C43</i> |
| Other skin | 14899 | 36.3 | 303.5 | 116.5 | 5.80 | 13.17 | 12040 | 32.5 | 226.7 | 87.0 | 5.39 | 9.67 | <i>C44</i> |
| Mesothelioma | 202 | 0.5 | 4.1 | 1.4 | 0.05 | 0.20 | 52 | 0.1 | 1.0 | 0.4 | 0.02 | 0.05 | <i>C45</i> |
| Kaposi sarcoma | 68 | 0.2 | 1.4 | 0.7 | 0.04 | 0.06 | 24 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | <i>C46</i> |
| Connective and soft tissue | 282 | 0.7 | 5.7 | 2.9 | 0.16 | 0.30 | 231 | 0.6 | 4.4 | 2.3 | 0.14 | 0.22 | <i>C47+C49</i> |
| Breast | 127 | 0.3 | 2.6 | 1.1 | 0.07 | 0.13 | 10344 | 27.9 | 194.8 | 95.7 | 7.01 | 10.71 | <i>C50</i> |
| Vulva | | | | | | | 227 | 0.6 | 4.3 | 1.2 | 0.05 | 0.14 | <i>C51</i> |
| Vagina | | | | | | | 65 | 0.2 | 1.2 | 0.4 | 0.02 | 0.04 | <i>C52</i> |
| Cervix uteri | | | | | | | 585 | 1.6 | 11.0 | 6.9 | 0.55 | 0.68 | <i>C53</i> |
| Corpus uteri | | | | | | | 1654 | 4.5 | 31.1 | 14.1 | 0.99 | 1.78 | <i>C54</i> |
| Uterus unspecified | | | | | | | 174 | 0.5 | 3.3 | 1.1 | 0.07 | 0.12 | <i>C55</i> |
| Ovary | | | | | | | 1123 | 3.0 | 21.1 | 9.8 | 0.67 | 1.08 | <i>C56</i> |
| Other female genital organs | | | | | | | 63 | 0.2 | 1.2 | 0.5 | 0.03 | 0.06 | <i>C57</i> |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | <i>C58</i> |
| Penis | 112 | 0.3 | 2.3 | 0.8 | 0.04 | 0.10 | | | | | | | <i>C60</i> |
| Prostate | 6864 | 16.7 | 139.8 | 54.6 | 2.32 | 7.53 | | | | | | | <i>C61</i> |
| Testis | 349 | 0.8 | 7.1 | 7.4 | 0.54 | 0.56 | | | | | | | <i>C62</i> |
| Other male genital organs | 14 | 0.0 | 0.3 | 0.3 | 0.01 | 0.02 | | | | | | | <i>C63</i> |
| Kidney | 1680 | 4.1 | 34.2 | 16.0 | 1.03 | 1.91 | 920 | 2.5 | 17.3 | 6.9 | 0.42 | 0.80 | <i>C64</i> |
| Renal pelvis | 97 | 0.2 | 2.0 | 0.8 | 0.04 | 0.09 | 49 | 0.1 | 0.9 | 0.3 | 0.01 | 0.04 | <i>C65</i> |
| Ureter | 130 | 0.3 | 2.6 | 0.9 | 0.03 | 0.12 | 47 | 0.1 | 0.9 | 0.3 | 0.01 | 0.04 | <i>C66</i> |
| †Bladder | 4624 | 11.3 | 94.2 | 34.7 | 1.51 | 4.23 | 1149 | 3.1 | 21.6 | 7.5 | 0.39 | 0.91 | <i>C67</i> |
| Other urinary organs | 13 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | <i>C68</i> |
| Eye | 54 | 0.1 | 1.1 | 0.6 | 0.04 | 0.07 | 52 | 0.1 | 1.0 | 0.8 | 0.05 | 0.06 | <i>C69</i> |
| Brain and nervous system | 709 | 1.7 | 14.4 | 7.8 | 0.47 | 0.79 | 562 | 1.5 | 10.6 | 5.7 | 0.34 | 0.56 | <i>C70–72</i> |
| Thyroid | 762 | 1.9 | 15.5 | 10.5 | 0.81 | 1.08 | 1987 | 5.4 | 37.4 | 27.6 | 2.16 | 2.67 | <i>C73</i> |
| Adrenal gland | 13 | 0.0 | 0.3 | 0.3 | 0.01 | 0.02 | 18 | 0.0 | 0.3 | 0.5 | 0.03 | 0.03 | <i>C74</i> |
| Other endocrine | 16 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | 12 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | <i>C75</i> |
| Hodgkin lymphoma | 240 | 0.6 | 4.9 | 5.0 | 0.34 | 0.39 | 179 | 0.5 | 3.4 | 3.7 | 0.25 | 0.28 | <i>C81</i> |
| Non-Hodgkin lymphoma | 1479 | 3.6 | 30.1 | 15.0 | 0.87 | 1.63 | 1243 | 3.4 | 23.4 | 10.2 | 0.63 | 1.16 | <i>C82–86,C96</i> |
| Immunoproliferative diseases | 120 | 0.3 | 2.4 | 1.2 | 0.07 | 0.13 | 104 | 0.3 | 2.0 | 0.8 | 0.05 | 0.10 | <i>C88</i> |
| Multiple myeloma | 682 | 1.7 | 13.9 | 5.4 | 0.27 | 0.63 | 611 | 1.7 | 11.5 | 4.0 | 0.20 | 0.49 | <i>C90</i> |
| Lymphoid leukaemia | 455 | 1.1 | 9.3 | 5.4 | 0.27 | 0.50 | 307 | 0.8 | 5.8 | 2.9 | 0.14 | 0.24 | <i>C91</i> |
| Myeloid leukaemia | 486 | 1.2 | 9.9 | 4.5 | 0.23 | 0.46 | 395 | 1.1 | 7.4 | 2.8 | 0.16 | 0.28 | <i>C92–94</i> |
| Leukaemia unspecified | 133 | 0.3 | 2.7 | 1.0 | 0.04 | 0.10 | 108 | 0.3 | 2.0 | 0.6 | 0.03 | 0.07 | <i>C95</i> |
| Myeloproliferative disorders | 233 | 0.6 | 4.7 | 2.2 | 0.14 | 0.26 | 205 | 0.6 | 3.9 | 1.7 | 0.10 | 0.17 | <i>MPD</i> |
| Myelodysplastic syndromes | 425 | 1.0 | 8.7 | 3.0 | 0.11 | 0.31 | 306 | 0.8 | 5.8 | 1.6 | 0.07 | 0.16 | <i>MPS</i> |
| Other and unspecified | 577 | 1.4 | 11.8 | 4.0 | 0.18 | 0.40 | 697 | 1.9 | 13.1 | 3.3 | 0.12 | 0.29 | <i>O&U</i> |
| All sites | 55975 | | 1140.3 | 466.3 | 23.68 | 54.34 | 49069 | | 924.1 | 394.9 | 25.63 | 43.50 | <i>C00–96</i> |
| All sites except C44 | 41076 | 100.0 | 836.8 | 349.8 | 17.88 | 41.17 | 37029 | 100.0 | 697.3 | 307.8 | 20.24 | 33.84 | <i>C00–96 exc. C44</i> |

*†See note following population pyramid

Italy, Umbria

CONTRIBUTORS

Fabrizio Stracci
 Fortunato Bianconi
 Chiara Lupi
 Silvia Leite
 Alessandro Montedori
 Alessio Gili
 Chiara Antonini
 Mara Sforza
 Giancarlo Bizzarri
 Sara Calandrini



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 66.2 | Breast | 89.7 |
| Prostate | 64.8 | Non-melanoma skin cancer | 42.6 |
| Trachea, bronchus, and lung | 36.8 | Thyroid | 23.8 |
| Bladder | 32.7 | Colon | 17.3 |
| Colon | 22.9 | Melanoma of skin | 14.8 |
| Melanoma of skin | 17.0 | Trachea, bronchus, and lung | 14.5 |
| Kidney | 14.5 | Corpus uteri | 12.6 |
| Stomach | 13.3 | Ovary | 8.9 |
| Non-Hodgkin lymphoma | 12.2 | Non-Hodgkin lymphoma | 8.3 |
| Rectum | 12.2 | Stomach | 7.9 |
| Liver | 10.0 | Pancreas | 6.8 |
| Pancreas | 9.0 | Bladder | 6.8 |
| Thyroid | 8.2 | Cervix uteri | 6.3 |
| Testis | 7.1 | Rectum | 5.8 |
| Brain and nervous system | 6.7 | Kidney | 5.4 |
| Myeloid leukaemia | 4.7 | Brain and nervous system | 4.2 |
| Lymphoid leukaemia | 4.7 | Hodgkin lymphoma | 3.5 |
| Larynx | 4.6 | Myeloid leukaemia | 3.5 |
| Multiple myeloma | 4.1 | Liver | 2.9 |
| Other and unspecified | 4.0 | Lymphoid leukaemia | 2.6 |
| All sites | 392.0 | All sites | 314.3 |

Italy, Umbria (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 15 | 0.1 | 0.9 | 0.3 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 61 | 0.5 | 3.6 | 1.6 | 0.10 | 0.21 | 32 | 0.3 | 1.7 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 68 | 0.5 | 4.0 | 1.8 | 0.10 | 0.23 | 31 | 0.3 | 1.7 | 0.6 | 0.04 | 0.07 | C03–06 |
| Salivary glands | 36 | 0.3 | 2.1 | 0.8 | 0.04 | 0.09 | 29 | 0.2 | 1.6 | 0.9 | 0.06 | 0.08 | C07–08 |
| Tonsil | 13 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C09 |
| Other oropharynx | 20 | 0.1 | 1.2 | 0.6 | 0.04 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 19 | 0.1 | 1.1 | 0.6 | 0.05 | 0.08 | 12 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 19 | 0.1 | 1.1 | 0.5 | 0.04 | 0.06 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 6 | 0.0 | 0.4 | 0.2 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 57 | 0.4 | 3.3 | 1.3 | 0.08 | 0.15 | 39 | 0.3 | 2.1 | 0.8 | 0.05 | 0.09 | C15 |
| Stomach | 674 | 5.0 | 39.5 | 13.3 | 0.54 | 1.48 | 544 | 4.7 | 29.4 | 7.9 | 0.35 | 0.80 | C16 |
| Small intestine | 65 | 0.5 | 3.8 | 1.9 | 0.13 | 0.25 | 23 | 0.2 | 1.2 | 0.5 | 0.03 | 0.07 | C17 |
| Colon | 1059 | 7.8 | 62.1 | 22.9 | 1.03 | 2.78 | 1019 | 8.8 | 55.0 | 17.3 | 0.90 | 1.96 | C18 |
| Rectum | 543 | 4.0 | 31.8 | 12.2 | 0.59 | 1.43 | 315 | 2.7 | 17.0 | 5.8 | 0.32 | 0.69 | C19–20 |
| Anus | 26 | 0.2 | 1.5 | 0.7 | 0.05 | 0.09 | 45 | 0.4 | 2.4 | 1.1 | 0.09 | 0.11 | C21 |
| Liver | 415 | 3.1 | 24.3 | 10.0 | 0.56 | 1.15 | 177 | 1.5 | 9.6 | 2.9 | 0.14 | 0.31 | C22 |
| Gallbladder etc. | 124 | 0.9 | 7.3 | 2.3 | 0.07 | 0.25 | 167 | 1.4 | 9.0 | 2.4 | 0.09 | 0.30 | C23–24 |
| Pancreas | 401 | 3.0 | 23.5 | 9.0 | 0.44 | 1.03 | 457 | 3.9 | 24.7 | 6.8 | 0.29 | 0.78 | C25 |
| Nose, sinuses etc. | 23 | 0.2 | 1.3 | 0.7 | 0.05 | 0.08 | 16 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 187 | 1.4 | 11.0 | 4.6 | 0.24 | 0.64 | 21 | 0.2 | 1.1 | 0.5 | 0.03 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1735 | 12.9 | 101.7 | 36.8 | 1.54 | 4.56 | 720 | 6.2 | 38.9 | 14.5 | 0.83 | 1.87 | C33–34 |
| Other thoracic organs | 20 | 0.1 | 1.2 | 0.5 | 0.03 | 0.05 | 19 | 0.2 | 1.0 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 32 | 0.2 | 1.9 | 1.9 | 0.12 | 0.14 | 25 | 0.2 | 1.4 | 1.0 | 0.06 | 0.09 | C40–41 |
| Melanoma of skin | 550 | 4.1 | 32.2 | 17.0 | 1.21 | 1.83 | 437 | 3.8 | 23.6 | 14.8 | 1.14 | 1.43 | C43 |
| Other skin | 3235 | 24.0 | 189.6 | 66.2 | 2.88 | 7.34 | 2418 | 20.8 | 130.6 | 42.6 | 2.33 | 4.58 | C44 |
| Mesothelioma | 78 | 0.6 | 4.6 | 1.7 | 0.07 | 0.23 | 18 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 7 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 69 | 0.5 | 4.0 | 2.2 | 0.13 | 0.22 | 59 | 0.5 | 3.2 | 1.8 | 0.12 | 0.16 | C47+C49 |
| Breast | 24 | 0.2 | 1.4 | 0.6 | 0.04 | 0.07 | 3335 | 28.7 | 180.2 | 89.7 | 6.64 | 10.02 | C50 |
| Vulva | | | | | | | 92 | 0.8 | 5.0 | 1.4 | 0.05 | 0.16 | C51 |
| Vagina | | | | | | | 17 | 0.1 | 0.9 | 0.3 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 183 | 1.6 | 9.9 | 6.3 | 0.50 | 0.61 | C53 |
| Corpus uteri | | | | | | | 518 | 4.5 | 28.0 | 12.6 | 0.89 | 1.57 | C54 |
| Uterus unspecified | | | | | | | 26 | 0.2 | 1.4 | 0.3 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 367 | 3.2 | 19.8 | 8.9 | 0.63 | 0.98 | C56 |
| Other female genital organs | | | | | | | 19 | 0.2 | 1.0 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 46 | 0.3 | 2.7 | 1.1 | 0.07 | 0.11 | | | | | | | C60 |
| Prostate | 2790 | 20.7 | 163.5 | 64.8 | 2.72 | 9.12 | | | | | | | C61 |
| Testis | 118 | 0.9 | 6.9 | 7.1 | 0.53 | 0.55 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 554 | 4.1 | 32.5 | 14.5 | 0.86 | 1.72 | 256 | 2.2 | 13.8 | 5.4 | 0.32 | 0.63 | C64 |
| Renal pelvis | 42 | 0.3 | 2.5 | 0.9 | 0.04 | 0.11 | 20 | 0.2 | 1.1 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 41 | 0.3 | 2.4 | 0.9 | 0.04 | 0.10 | 21 | 0.2 | 1.1 | 0.3 | 0.00 | 0.04 | C66 |
| †Bladder | 1496 | 11.1 | 87.7 | 32.7 | 1.39 | 4.06 | 373 | 3.2 | 20.2 | 6.8 | 0.35 | 0.79 | C67 |
| Other urinary organs | 19 | 0.1 | 1.1 | 0.4 | 0.02 | 0.04 | 4 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 13 | 0.1 | 0.8 | 0.7 | 0.03 | 0.05 | 15 | 0.1 | 0.8 | 0.5 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 204 | 1.5 | 12.0 | 6.7 | 0.41 | 0.71 | 170 | 1.5 | 9.2 | 4.2 | 0.29 | 0.45 | C70–72 |
| Thyroid | 215 | 1.6 | 12.6 | 8.2 | 0.60 | 0.88 | 595 | 5.1 | 32.1 | 23.8 | 1.88 | 2.31 | C73 |
| Adrenal gland | 10 | 0.1 | 0.6 | 0.6 | 0.03 | 0.04 | 5 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 5 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 62 | 0.5 | 3.6 | 3.3 | 0.22 | 0.26 | 65 | 0.6 | 3.5 | 3.5 | 0.24 | 0.27 | C81 |
| Non-Hodgkin lymphoma | 436 | 3.2 | 25.6 | 12.2 | 0.76 | 1.30 | 374 | 3.2 | 20.2 | 8.3 | 0.48 | 0.92 | C82–86,C96 |
| Immunoproliferative diseases | 24 | 0.2 | 1.4 | 0.6 | 0.03 | 0.07 | 27 | 0.2 | 1.5 | 0.8 | 0.06 | 0.09 | C88 |
| Multiple myeloma | 185 | 1.4 | 10.8 | 4.1 | 0.21 | 0.49 | 144 | 1.2 | 7.8 | 2.4 | 0.12 | 0.29 | C90 |
| Lymphoid leukaemia | 151 | 1.1 | 8.9 | 4.7 | 0.25 | 0.40 | 100 | 0.9 | 5.4 | 2.6 | 0.12 | 0.21 | C91 |
| Myeloid leukaemia | 200 | 1.5 | 11.7 | 4.7 | 0.24 | 0.47 | 161 | 1.4 | 8.7 | 3.5 | 0.20 | 0.37 | C92–94 |
| Leukaemia unspecified | 34 | 0.3 | 2.0 | 0.6 | 0.03 | 0.05 | 46 | 0.4 | 2.5 | 0.6 | 0.01 | 0.04 | C95 |
| Myeloproliferative disorders | 132 | 1.0 | 7.7 | 3.2 | 0.20 | 0.34 | 114 | 1.0 | 6.2 | 2.2 | 0.10 | 0.25 | MPD |
| Myelodysplastic syndromes | 187 | 1.4 | 11.0 | 3.1 | 0.07 | 0.27 | 147 | 1.3 | 7.9 | 1.5 | 0.04 | 0.13 | MPS |
| Other and unspecified | 191 | 1.4 | 11.2 | 4.0 | 0.17 | 0.38 | 198 | 1.7 | 10.7 | 2.4 | 0.11 | 0.18 | O&U |
| All sites | 16735 | | 980.8 | 392.0 | 19.16 | 46.19 | 14048 | | 758.9 | 314.3 | 20.25 | 34.29 | C00–96 |
| All sites except C44 | 13500 | 100.0 | 791.2 | 325.8 | 16.28 | 38.85 | 11630 | 100.0 | 628.3 | 271.7 | 17.93 | 29.71 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Varese

CONTRIBUTORS

Maria Letizia Gambino
 Lorena Balconi
 Roberta Cerutti
 Monica Lanzoni
 Fabio Sarro



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 49.1 | Breast | 78.3 |
| Non-melanoma skin cancer | 37.5 | Non-melanoma skin cancer | 19.2 |
| Trachea, bronchus, and lung | 36.5 | Colon | 15.6 |
| Bladder | 35.9 | Thyroid | 12.3 |
| Colon | 20.1 | Trachea, bronchus, and lung | 12.3 |
| Kidney | 11.4 | Corpus uteri | 10.1 |
| Liver | 10.0 | Ovary | 7.8 |
| Non-Hodgkin lymphoma | 10.0 | Non-Hodgkin lymphoma | 7.3 |
| Stomach | 9.5 | Bladder | 6.6 |
| Melanoma of skin | 7.9 | Melanoma of skin | 5.9 |
| Rectum | 7.5 | Pancreas | 5.3 |
| Pancreas | 7.3 | Stomach | 5.1 |
| Testis | 7.3 | Rectum | 4.8 |
| Brain and nervous system | 6.5 | Kidney | 4.8 |
| Larynx | 4.5 | Brain and nervous system | 4.0 |
| Hodgkin lymphoma | 4.3 | Cervix uteri | 3.7 |
| Myeloid leukaemia | 4.0 | Hodgkin lymphoma | 3.5 |
| Thyroid | 4.0 | Myeloid leukaemia | 3.1 |
| Lymphoid leukaemia | 3.7 | Lymphoid leukaemia | 2.6 |
| Multiple myeloma | 3.7 | Liver | 2.6 |
| All sites | 310.2 | All sites | 236.9 |

Italy, Varese (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 5 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 44 | 0.6 | 3.4 | 1.8 | 0.11 | 0.23 | 25 | 0.4 | 1.8 | 0.9 | 0.07 | 0.10 | C01–02 |
| Mouth | 36 | 0.5 | 2.8 | 1.5 | 0.10 | 0.21 | 32 | 0.5 | 2.3 | 0.9 | 0.05 | 0.08 | C03–06 |
| Salivary glands | 25 | 0.3 | 1.9 | 0.9 | 0.05 | 0.10 | 15 | 0.2 | 1.1 | 0.5 | 0.04 | 0.04 | C07–08 |
| Tonsil | 20 | 0.3 | 1.6 | 0.7 | 0.05 | 0.09 | 12 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C09 |
| Other oropharynx | 19 | 0.2 | 1.5 | 0.8 | 0.07 | 0.12 | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 13 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 20 | 0.3 | 1.6 | 0.8 | 0.05 | 0.11 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 70 | 0.9 | 5.4 | 2.2 | 0.10 | 0.24 | 19 | 0.3 | 1.4 | 0.5 | 0.03 | 0.05 | C15 |
| Stomach | 297 | 3.8 | 23.0 | 9.5 | 0.44 | 1.08 | 225 | 3.4 | 16.5 | 5.1 | 0.25 | 0.53 | C16 |
| Small intestine | 32 | 0.4 | 2.5 | 1.2 | 0.08 | 0.13 | 19 | 0.3 | 1.4 | 0.5 | 0.02 | 0.08 | C17 |
| Colon | 655 | 8.4 | 50.8 | 20.1 | 0.86 | 2.26 | 614 | 9.3 | 45.0 | 15.6 | 0.85 | 1.73 | C18 |
| Rectum | 231 | 3.0 | 17.9 | 7.5 | 0.35 | 0.87 | 177 | 2.7 | 13.0 | 4.8 | 0.26 | 0.56 | C19–20 |
| Anus | 9 | 0.1 | 0.7 | 0.4 | 0.02 | 0.03 | 15 | 0.2 | 1.1 | 0.4 | 0.03 | 0.04 | C21 |
| Liver | 294 | 3.8 | 22.8 | 10.0 | 0.56 | 1.23 | 121 | 1.8 | 8.9 | 2.6 | 0.10 | 0.27 | C22 |
| Gallbladder etc. | 90 | 1.2 | 7.0 | 2.7 | 0.10 | 0.33 | 95 | 1.4 | 7.0 | 2.0 | 0.08 | 0.21 | C23–24 |
| Pancreas | 222 | 2.8 | 17.2 | 7.3 | 0.34 | 0.84 | 246 | 3.7 | 18.0 | 5.3 | 0.22 | 0.60 | C25 |
| Nose, sinuses etc. | 16 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | 13 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C30–31 |
| Larynx | 133 | 1.7 | 10.3 | 4.5 | 0.21 | 0.58 | 18 | 0.3 | 1.3 | 0.5 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1191 | 15.2 | 92.4 | 36.5 | 1.40 | 4.42 | 436 | 6.6 | 31.9 | 12.3 | 0.74 | 1.47 | C33–34 |
| Other thoracic organs | 22 | 0.3 | 1.7 | 0.9 | 0.05 | 0.07 | 15 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 21 | 0.3 | 1.6 | 1.2 | 0.09 | 0.11 | 17 | 0.3 | 1.2 | 1.2 | 0.07 | 0.10 | C40–41 |
| Melanoma of skin | 208 | 2.7 | 16.1 | 7.9 | 0.50 | 0.88 | 144 | 2.2 | 10.5 | 5.9 | 0.42 | 0.61 | C43 |
| Other skin | 1285 | 16.4 | 99.7 | 37.5 | 1.36 | 4.03 | 792 | 11.9 | 58.0 | 19.2 | 0.97 | 2.07 | C44 |
| Mesothelioma | 69 | 0.9 | 5.4 | 2.1 | 0.06 | 0.27 | 38 | 0.6 | 2.8 | 0.9 | 0.03 | 0.11 | C45 |
| Kaposi sarcoma | 10 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | 5 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 56 | 0.7 | 4.3 | 2.1 | 0.13 | 0.28 | 41 | 0.6 | 3.0 | 1.6 | 0.10 | 0.17 | C47+C49 |
| Breast | 13 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | 2105 | 31.8 | 154.2 | 78.3 | 5.74 | 8.85 | C50 |
| Vulva | | | | | | | 50 | 0.8 | 3.7 | 1.1 | 0.06 | 0.10 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 79 | 1.2 | 5.8 | 3.7 | 0.31 | 0.38 | C53 |
| Corpus uteri | | | | | | | 301 | 4.5 | 22.1 | 10.1 | 0.64 | 1.33 | C54 |
| Uterus unspecified | | | | | | | 41 | 0.6 | 3.0 | 1.4 | 0.09 | 0.17 | C55 |
| Ovary | | | | | | | 223 | 3.4 | 16.3 | 7.8 | 0.53 | 0.87 | C56 |
| Other female genital organs | | | | | | | 32 | 0.5 | 2.3 | 0.8 | 0.03 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 19 | 0.2 | 1.5 | 0.6 | 0.02 | 0.10 | | | | | | | C60 |
| Prostate | 1385 | 17.7 | 107.5 | 49.1 | 2.31 | 7.07 | | | | | | | C61 |
| Testis | 97 | 1.2 | 7.5 | 7.3 | 0.55 | 0.57 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 314 | 4.0 | 24.4 | 11.4 | 0.65 | 1.40 | 170 | 2.6 | 12.5 | 4.8 | 0.26 | 0.56 | C64 |
| Renal pelvis | 32 | 0.4 | 2.5 | 0.9 | 0.02 | 0.12 | 9 | 0.1 | 0.7 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 18 | 0.2 | 1.4 | 0.6 | 0.04 | 0.08 | 6 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 1120 | 14.3 | 86.9 | 35.9 | 1.63 | 4.25 | 245 | 3.7 | 17.9 | 6.6 | 0.35 | 0.80 | C67 |
| Other urinary organs | 6 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 138 | 1.8 | 10.7 | 6.5 | 0.41 | 0.71 | 99 | 1.5 | 7.3 | 4.0 | 0.22 | 0.41 | C70–72 |
| Thyroid | 79 | 1.0 | 6.1 | 4.0 | 0.30 | 0.44 | 235 | 3.5 | 17.2 | 12.3 | 0.93 | 1.21 | C73 |
| Adrenal gland | 5 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 2 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C75 |
| Hodgkin lymphoma | 57 | 0.7 | 4.4 | 4.3 | 0.30 | 0.33 | 42 | 0.6 | 3.1 | 3.5 | 0.22 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 277 | 3.5 | 21.5 | 10.0 | 0.54 | 1.09 | 237 | 3.6 | 17.4 | 7.3 | 0.39 | 0.77 | C82–86,C96 |
| Immunoproliferative diseases | 14 | 0.2 | 1.1 | 0.4 | 0.01 | 0.04 | 16 | 0.2 | 1.2 | 0.5 | 0.03 | 0.07 | C88 |
| Multiple myeloma | 106 | 1.4 | 8.2 | 3.7 | 0.21 | 0.42 | 93 | 1.4 | 6.8 | 2.4 | 0.10 | 0.31 | C90 |
| Lymphoid leukaemia | 63 | 0.8 | 4.9 | 3.7 | 0.21 | 0.30 | 53 | 0.8 | 3.9 | 2.6 | 0.12 | 0.18 | C91 |
| Myeloid leukaemia | 102 | 1.3 | 7.9 | 4.0 | 0.21 | 0.42 | 90 | 1.4 | 6.6 | 3.1 | 0.18 | 0.36 | C92–94 |
| Leukaemia unspecified | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 16 | 0.2 | 1.2 | 0.6 | 0.02 | 0.08 | 10 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | MPD |
| Myelodysplastic syndromes | 45 | 0.6 | 3.5 | 1.2 | 0.03 | 0.13 | 29 | 0.4 | 2.1 | 0.7 | 0.04 | 0.08 | MPS |
| Other and unspecified | 88 | 1.1 | 6.8 | 2.5 | 0.10 | 0.24 | 91 | 1.4 | 6.7 | 2.0 | 0.08 | 0.20 | O&U |
| All sites | 9107 | | 706.7 | 310.2 | 14.85 | 36.65 | 7420 | | 543.6 | 236.9 | 14.93 | 26.27 | C00–96 |
| All sites except C44 | 7822 | 100.0 | 607.0 | 272.7 | 13.48 | 32.61 | 6628 | 100.0 | 485.6 | 217.7 | 13.95 | 24.21 | C00–96 exc. C44 |

†See note following population pyramid

Italy, Veneto

CONTRIBUTORS

Massimo Rugge



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 91.7 | Breast | 96.7 |
| Prostate | 65.3 | Non-melanoma skin cancer | 69.5 |
| Trachea, bronchus, and lung | 33.5 | Thyroid | 23.5 |
| Bladder | 27.4 | Colon | 16.8 |
| Colon | 25.0 | Melanoma of skin | 16.4 |
| Melanoma of skin | 16.9 | Trachea, bronchus, and lung | 14.2 |
| Kidney | 13.7 | Corpus uteri | 12.7 |
| Liver | 13.0 | Non-Hodgkin lymphoma | 9.5 |
| Non-Hodgkin lymphoma | 12.9 | Ovary | 7.9 |
| Pancreas | 10.0 | Pancreas | 7.4 |
| Rectum | 9.2 | Bladder | 6.2 |
| Stomach | 9.1 | Kidney | 5.7 |
| Testis | 7.6 | Rectum | 5.1 |
| Thyroid | 7.4 | Brain and nervous system | 4.9 |
| Brain and nervous system | 7.1 | Stomach | 4.6 |
| Larynx | 5.7 | Cervix uteri | 4.3 |
| Lymphoid leukaemia | 4.5 | Hodgkin lymphoma | 3.9 |
| Multiple myeloma | 4.3 | Liver | 3.5 |
| Other and unspecified | 4.0 | Other and unspecified | 3.1 |
| Hodgkin lymphoma | 4.0 | Multiple myeloma | 3.1 |
| All sites | 411.3 | All sites | 347.7 |

Italy, Veneto (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 191 | 0.2 | 1.6 | 0.6 | 0.02 | 0.06 | 90 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 500 | 0.6 | 4.2 | 2.1 | 0.13 | 0.26 | 274 | 0.4 | 2.2 | 0.9 | 0.05 | 0.11 | C01–02 |
| Mouth | 546 | 0.7 | 4.6 | 2.2 | 0.15 | 0.27 | 388 | 0.5 | 3.1 | 1.2 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 225 | 0.3 | 1.9 | 0.9 | 0.05 | 0.08 | 149 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 253 | 0.3 | 2.1 | 1.1 | 0.07 | 0.14 | 97 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 90 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | 31 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 91 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | 49 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 240 | 0.3 | 2.0 | 1.0 | 0.06 | 0.13 | 37 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 153 | 0.2 | 1.3 | 0.7 | 0.05 | 0.09 | 39 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 1080 | 1.3 | 9.1 | 3.9 | 0.19 | 0.49 | 384 | 0.5 | 3.1 | 1.0 | 0.04 | 0.12 | C15 |
| Stomach | 2699 | 3.3 | 22.8 | 9.1 | 0.40 | 1.03 | 1859 | 2.5 | 14.9 | 4.6 | 0.20 | 0.49 | C16 |
| Small intestine | 341 | 0.4 | 2.9 | 1.3 | 0.07 | 0.15 | 265 | 0.4 | 2.1 | 0.8 | 0.05 | 0.10 | C17 |
| Colon | 7228 | 8.7 | 61.1 | 25.0 | 1.16 | 2.74 | 6136 | 8.2 | 49.3 | 16.8 | 0.89 | 1.81 | C18 |
| Rectum | 2547 | 3.1 | 21.5 | 9.2 | 0.48 | 1.05 | 1695 | 2.3 | 13.6 | 5.1 | 0.31 | 0.57 | C19–20 |
| Anus | 147 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | 206 | 0.3 | 1.7 | 0.6 | 0.04 | 0.08 | C21 |
| Liver | 3573 | 4.3 | 30.2 | 13.0 | 0.64 | 1.58 | 1380 | 1.8 | 11.1 | 3.5 | 0.15 | 0.39 | C22 |
| Gallbladder etc. | 746 | 0.9 | 6.3 | 2.3 | 0.08 | 0.26 | 854 | 1.1 | 6.9 | 2.0 | 0.08 | 0.22 | C23–24 |
| Pancreas | 2876 | 3.5 | 24.3 | 10.0 | 0.45 | 1.21 | 3002 | 4.0 | 24.1 | 7.4 | 0.30 | 0.86 | C25 |
| Nose, sinuses etc. | 162 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | 109 | 0.1 | 0.9 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 1477 | 1.8 | 12.5 | 5.7 | 0.33 | 0.73 | 193 | 0.3 | 1.6 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 10195 | 12.3 | 86.2 | 33.5 | 1.18 | 4.01 | 4908 | 6.5 | 39.4 | 14.2 | 0.74 | 1.75 | C33–34 |
| Other thoracic organs | 179 | 0.2 | 1.5 | 0.7 | 0.04 | 0.06 | 112 | 0.1 | 0.9 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 158 | 0.2 | 1.3 | 1.2 | 0.07 | 0.09 | 134 | 0.2 | 1.1 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 3614 | 4.4 | 30.6 | 16.9 | 1.15 | 1.83 | 3248 | 4.3 | 26.1 | 16.4 | 1.26 | 1.62 | C43 |
| Other skin | 26154 | 31.5 | 221.1 | 91.7 | 4.24 | 10.16 | 21409 | 28.5 | 172.0 | 69.5 | 4.22 | 7.59 | C44 |
| Mesothelioma | 452 | 0.5 | 3.8 | 1.5 | 0.06 | 0.19 | 144 | 0.2 | 1.2 | 0.4 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 122 | 0.1 | 1.0 | 0.6 | 0.04 | 0.06 | 35 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 567 | 0.7 | 4.8 | 2.6 | 0.15 | 0.26 | 355 | 0.5 | 2.9 | 1.6 | 0.10 | 0.15 | C47+C49 |
| Breast | 223 | 0.3 | 1.9 | 0.8 | 0.04 | 0.10 | 23820 | 31.7 | 191.4 | 96.7 | 7.05 | 10.96 | C50 |
| Vulva | | | | | | | 571 | 0.8 | 4.6 | 1.5 | 0.06 | 0.17 | C51 |
| Vagina | | | | | | | 95 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 836 | 1.1 | 6.7 | 4.3 | 0.34 | 0.41 | C53 |
| Corpus uteri | | | | | | | 3296 | 4.4 | 26.5 | 12.7 | 0.90 | 1.60 | C54 |
| Uterus unspecified | | | | | | | 376 | 0.5 | 3.0 | 1.5 | 0.11 | 0.17 | C55 |
| Ovary | | | | | | | 2034 | 2.7 | 16.3 | 7.9 | 0.55 | 0.88 | C56 |
| Other female genital organs | | | | | | | 333 | 0.4 | 2.7 | 1.2 | 0.08 | 0.15 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 202 | 0.2 | 1.7 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 17271 | 20.8 | 146.0 | 65.3 | 2.94 | 9.26 | | | | | | | C61 |
| Testis | 890 | 1.1 | 7.5 | 7.6 | 0.57 | 0.58 | | | | | | | C62 |
| Other male genital organs | 35 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 3303 | 4.0 | 27.9 | 13.7 | 0.82 | 1.67 | 1658 | 2.2 | 13.3 | 5.7 | 0.33 | 0.68 | C64 |
| Renal pelvis | 149 | 0.2 | 1.3 | 0.5 | 0.02 | 0.07 | 94 | 0.1 | 0.8 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 190 | 0.2 | 1.6 | 0.6 | 0.03 | 0.08 | 87 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 7865 | 9.5 | 66.5 | 27.4 | 1.17 | 3.25 | 2193 | 2.9 | 17.6 | 6.2 | 0.32 | 0.70 | C67 |
| Other urinary organs | 260 | 0.3 | 2.2 | 0.9 | 0.03 | 0.10 | 95 | 0.1 | 0.8 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 133 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 113 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1452 | 1.8 | 12.3 | 7.1 | 0.44 | 0.74 | 1117 | 1.5 | 9.0 | 4.9 | 0.30 | 0.49 | C70–72 |
| Thyroid | 1315 | 1.6 | 11.1 | 7.4 | 0.57 | 0.77 | 3995 | 5.3 | 32.1 | 23.5 | 1.85 | 2.32 | C73 |
| Adrenal gland | 40 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 52 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 36 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 18 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 506 | 0.6 | 4.3 | 4.0 | 0.26 | 0.32 | 463 | 0.6 | 3.7 | 3.9 | 0.27 | 0.30 | C81 |
| Non-Hodgkin lymphoma | 2967 | 3.6 | 25.1 | 12.9 | 0.76 | 1.39 | 2601 | 3.5 | 20.9 | 9.5 | 0.58 | 1.08 | C82–86,C96 |
| Immunoproliferative diseases | 194 | 0.2 | 1.6 | 0.8 | 0.04 | 0.09 | 171 | 0.2 | 1.4 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 1165 | 1.4 | 9.9 | 4.3 | 0.22 | 0.51 | 1054 | 1.4 | 8.5 | 3.1 | 0.15 | 0.38 | C90 |
| Lymphoid leukaemia | 820 | 1.0 | 6.9 | 4.5 | 0.24 | 0.39 | 605 | 0.8 | 4.9 | 2.9 | 0.15 | 0.23 | C91 |
| Myeloid leukaemia | 910 | 1.1 | 7.7 | 4.0 | 0.21 | 0.39 | 706 | 0.9 | 5.7 | 2.5 | 0.14 | 0.26 | C92–94 |
| Leukaemia unspecified | 48 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 59 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 600 | 0.7 | 5.1 | 2.5 | 0.15 | 0.29 | 627 | 0.8 | 5.0 | 2.5 | 0.16 | 0.29 | MPD |
| Myelodysplastic syndromes | 648 | 0.8 | 5.5 | 1.9 | 0.04 | 0.17 | 474 | 0.6 | 3.8 | 1.0 | 0.03 | 0.11 | MPS |
| Other and unspecified | 1250 | 1.5 | 10.6 | 4.0 | 0.16 | 0.39 | 1399 | 1.9 | 11.2 | 3.1 | 0.12 | 0.27 | O&U |
| All sites | 109078 | | 922.3 | 411.3 | 20.24 | 47.98 | 96529 | | 775.5 | 347.7 | 22.43 | 38.18 | C00–96 |
| All sites except C44 | 82924 | 100.0 | 701.1 | 319.7 | 16.00 | 37.82 | 75120 | 100.0 | 603.5 | 278.2 | 18.21 | 30.60 | C00–96 exc. C44 |

†See note following population pyramid

Latvia

CONTRIBUTORS

Elina Liepina
Zane Baltane



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 72.6 | Breast | 58.0 |
| Trachea, bronchus, and lung | 51.0 | Non-melanoma skin cancer | 25.7 |
| Non-melanoma skin cancer | 27.6 | Cervix uteri | 16.0 |
| Bladder | 19.9 | Corpus uteri | 15.9 |
| Stomach | 19.7 | Ovary | 15.5 |
| Kidney | 17.8 | Thyroid | 12.7 |
| Colon | 16.4 | Colon | 11.2 |
| Rectum | 14.5 | Trachea, bronchus, and lung | 9.9 |
| Pancreas | 11.8 | Kidney | 9.1 |
| Other and unspecified | 10.8 | Stomach | 8.8 |
| Brain and nervous system | 8.2 | Rectum | 7.8 |
| Non-Hodgkin lymphoma | 7.6 | Pancreas | 6.9 |
| Larynx | 7.3 | Brain and nervous system | 6.5 |
| Oesophagus | 7.2 | Melanoma of skin | 6.3 |
| Liver | 6.2 | Other and unspecified | 6.3 |
| Lymphoid leukaemia | 5.4 | Non-Hodgkin lymphoma | 5.0 |
| Melanoma of skin | 5.1 | Lymphoid leukaemia | 3.9 |
| Testis | 3.3 | Bladder | 3.6 |
| Thyroid | 3.2 | Liver | 2.4 |
| Mouth | 3.0 | Hodgkin lymphoma | 2.2 |
| All sites | 352.3 | All sites | 254.2 |

Latvia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 64 | 0.3 | 1.4 | 0.7 | 0.03 | 0.07 | 29 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 186 | 0.7 | 4.1 | 2.6 | 0.20 | 0.33 | 74 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | C01–02 |
| Mouth | 218 | 0.9 | 4.8 | 3.0 | 0.23 | 0.38 | 58 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 85 | 0.3 | 1.9 | 1.0 | 0.05 | 0.12 | 55 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C07–08 |
| Tonsil | 136 | 0.5 | 3.0 | 2.0 | 0.16 | 0.23 | 40 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C09 |
| Other oropharynx | 70 | 0.3 | 1.5 | 0.9 | 0.07 | 0.12 | 11 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C10 |
| Nasopharynx | 31 | 0.1 | 0.7 | 0.4 | 0.04 | 0.05 | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 201 | 0.8 | 4.4 | 2.8 | 0.20 | 0.35 | 17 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 24 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 546 | 2.1 | 12.0 | 7.2 | 0.47 | 0.97 | 134 | 0.5 | 2.5 | 1.1 | 0.07 | 0.14 | C15 |
| Stomach | 1574 | 6.2 | 34.7 | 19.7 | 1.06 | 2.38 | 1217 | 4.7 | 22.8 | 8.8 | 0.50 | 0.98 | C16 |
| Small intestine | 46 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 63 | 0.2 | 1.2 | 0.5 | 0.04 | 0.06 | C17 |
| Colon | 1388 | 5.4 | 30.6 | 16.4 | 0.67 | 2.02 | 1724 | 6.7 | 32.2 | 11.2 | 0.55 | 1.29 | C18 |
| Rectum | 1211 | 4.8 | 26.7 | 14.5 | 0.68 | 1.85 | 1125 | 4.4 | 21.0 | 7.8 | 0.41 | 0.97 | C19–20 |
| Anus | 42 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 89 | 0.3 | 1.7 | 0.8 | 0.06 | 0.10 | C21 |
| Liver | 495 | 1.9 | 10.9 | 6.2 | 0.38 | 0.76 | 318 | 1.2 | 5.9 | 2.4 | 0.14 | 0.28 | C22 |
| Gallbladder etc. | 96 | 0.4 | 2.1 | 1.1 | 0.05 | 0.12 | 152 | 0.6 | 2.8 | 0.9 | 0.04 | 0.11 | C23–24 |
| Pancreas | 947 | 3.7 | 20.9 | 11.8 | 0.67 | 1.45 | 1142 | 4.5 | 21.3 | 6.9 | 0.31 | 0.78 | C25 |
| Nose, sinuses etc. | 56 | 0.2 | 1.2 | 0.8 | 0.05 | 0.10 | 36 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 556 | 2.2 | 12.3 | 7.3 | 0.48 | 0.92 | 43 | 0.2 | 0.8 | 0.4 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 4118 | 16.2 | 90.8 | 51.0 | 2.60 | 6.74 | 1292 | 5.0 | 24.2 | 9.9 | 0.57 | 1.24 | C33–34 |
| Other thoracic organs | 47 | 0.2 | 1.0 | 0.7 | 0.05 | 0.08 | 46 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 80 | 0.3 | 1.8 | 1.5 | 0.09 | 0.14 | 77 | 0.3 | 1.4 | 1.0 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 381 | 1.5 | 8.4 | 5.1 | 0.30 | 0.55 | 657 | 2.6 | 12.3 | 6.3 | 0.41 | 0.67 | C43 |
| Other skin | 2421 | 9.5 | 53.4 | 27.6 | 1.07 | 2.94 | 3829 | 14.9 | 71.6 | 25.7 | 1.31 | 2.90 | C44 |
| Mesothelioma | 17 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 24 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 9 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 128 | 0.5 | 2.8 | 1.9 | 0.11 | 0.19 | 162 | 0.6 | 3.0 | 1.7 | 0.11 | 0.17 | C47+C49 |
| Breast | 41 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 5801 | 22.6 | 108.4 | 58.0 | 4.34 | 6.62 | C50 |
| Vulva | | | | | | | 246 | 1.0 | 4.6 | 1.5 | 0.08 | 0.17 | C51 |
| Vagina | | | | | | | 62 | 0.2 | 1.2 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 1238 | 4.8 | 23.1 | 16.0 | 1.31 | 1.54 | C53 |
| Corpus uteri | | | | | | | 1811 | 7.1 | 33.9 | 15.9 | 1.14 | 1.99 | C54 |
| Uterus unspecified | | | | | | | 58 | 0.2 | 1.1 | 0.4 | 0.02 | 0.05 | C55 |
| Ovary | | | | | | | 1518 | 5.9 | 28.4 | 15.5 | 1.18 | 1.70 | C56 |
| Other female genital organs | | | | | | | 55 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 88 | 0.3 | 1.9 | 1.2 | 0.07 | 0.15 | | | | | | | C60 |
| Prostate | 5969 | 23.4 | 131.6 | 72.6 | 3.21 | 10.04 | | | | | | | C61 |
| Testis | 163 | 0.6 | 3.6 | 3.3 | 0.24 | 0.25 | | | | | | | C62 |
| Other male genital organs | 10 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1332 | 5.2 | 29.4 | 17.8 | 1.11 | 2.17 | 1112 | 4.3 | 20.8 | 9.1 | 0.58 | 1.11 | C64 |
| Renal pelvis | 64 | 0.3 | 1.4 | 0.8 | 0.04 | 0.10 | 30 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 48 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 37 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C66 |
| †Bladder | 1686 | 6.6 | 37.2 | 19.9 | 0.84 | 2.47 | 573 | 2.2 | 10.7 | 3.6 | 0.17 | 0.40 | C67 |
| Other urinary organs | 15 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 29 | 0.1 | 0.6 | 0.5 | 0.03 | 0.05 | 38 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 505 | 2.0 | 11.1 | 8.2 | 0.56 | 0.82 | 600 | 2.3 | 11.2 | 6.5 | 0.41 | 0.70 | C70–72 |
| Thyroid | 208 | 0.8 | 4.6 | 3.2 | 0.24 | 0.35 | 1036 | 4.0 | 19.4 | 12.7 | 0.99 | 1.33 | C73 |
| Adrenal gland | 26 | 0.1 | 0.6 | 0.5 | 0.02 | 0.05 | 43 | 0.2 | 0.8 | 0.6 | 0.04 | 0.05 | C74 |
| Other endocrine | 8 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 12 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 132 | 0.5 | 2.9 | 2.7 | 0.19 | 0.20 | 126 | 0.5 | 2.4 | 2.2 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 540 | 2.1 | 11.9 | 7.6 | 0.45 | 0.84 | 559 | 2.2 | 10.4 | 5.0 | 0.31 | 0.54 | C82–86,C96 |
| Immunoproliferative diseases | 15 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 16 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 218 | 0.9 | 4.8 | 2.7 | 0.14 | 0.33 | 285 | 1.1 | 5.3 | 2.1 | 0.13 | 0.27 | C90 |
| Lymphoid leukaemia | 376 | 1.5 | 8.3 | 5.4 | 0.28 | 0.56 | 433 | 1.7 | 8.1 | 3.9 | 0.18 | 0.39 | C91 |
| Myeloid leukaemia | 193 | 0.8 | 4.3 | 2.8 | 0.16 | 0.31 | 215 | 0.8 | 4.0 | 1.9 | 0.11 | 0.21 | C92–94 |
| Leukaemia unspecified | 142 | 0.6 | 3.1 | 2.0 | 0.10 | 0.20 | 142 | 0.6 | 2.7 | 1.1 | 0.06 | 0.11 | C95 |
| Myeloproliferative disorders | 39 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | 38 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 889 | 3.5 | 19.6 | 10.8 | 0.56 | 1.24 | 936 | 3.7 | 17.5 | 6.3 | 0.32 | 0.71 | O&U |
| All sites | 27909 | | 615.2 | 352.3 | 18.17 | 43.45 | 29461 | | 550.7 | 254.2 | 16.56 | 28.62 | C00–96 |
| All sites except C44 | 25488 | 100.0 | 561.9 | 324.7 | 17.10 | 40.50 | 25632 | 100.0 | 479.2 | 228.5 | 15.25 | 25.72 | C00–96 exc. C44 |

†See note following population pyramid

Liechtenstein

CONTRIBUTORS

Mohsen Mousavi
 Marcel Blum
 Alexandra Breu
 Barbara Herde
 Elke Mattasits
 Emel Galeli
 Michaela Schönbacher
 Fatma Akyol
 Irem Meral



NOTES ON THE DATA

*No DCO registrations. Rates based on low numbers due to small population.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 50.2 | Breast | 87.8 |
| Trachea, bronchus, and lung | 30.6 | Trachea, bronchus, and lung | 25.0 |
| Non-melanoma skin cancer | 26.7 | Melanoma of skin | 22.2 |
| Melanoma of skin | 25.4 | Colon | 12.7 |
| Colon | 21.1 | Non-melanoma skin cancer | 11.6 |
| Bladder | 17.6 | Thyroid | 10.1 |
| Rectum | 11.2 | Corpus uteri | 10.1 |
| Kidney | 10.5 | Ovary | 8.3 |
| Testis | 10.0 | Bladder | 8.0 |
| Stomach | 7.4 | Pancreas | 7.6 |
| Non-Hodgkin lymphoma | 6.7 | Rectum | 7.5 |
| Liver | 6.6 | Brain and nervous system | 7.3 |
| Brain and nervous system | 6.1 | Non-Hodgkin lymphoma | 6.7 |
| Lymphoid leukaemia | 6.0 | Liver | 5.3 |
| Pancreas | 5.9 | Other and unspecified | 4.1 |
| Oesophagus | 5.4 | Kidney | 3.9 |
| Myeloid leukaemia | 5.0 | Multiple myeloma | 3.1 |
| Multiple myeloma | 3.5 | Stomach | 2.8 |
| Tongue | 3.5 | Cervix uteri | 2.7 |
| Mouth | 3.3 | Myeloproliferative disorders | 2.3 |
| All sites | 297.5 | All sites | 270.4 |

***Liechtenstein (2013–2017)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 6 | 1.3 | 6.4 | 3.5 | 0.31 | 0.56 | 1 | 0.2 | 1.1 | 0.9 | 0.07 | 0.07 | C01–02 |
| Mouth | 6 | 1.3 | 6.4 | 3.3 | 0.29 | 0.50 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C03–06 |
| Salivary glands | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.4 | 2.1 | 0.5 | 0.00 | 0.00 | C07–08 |
| Tonsil | 3 | 0.6 | 3.2 | 1.8 | 0.23 | 0.23 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C09 |
| Other oropharynx | 5 | 1.1 | 5.4 | 3.1 | 0.24 | 0.43 | 1 | 0.2 | 1.1 | 0.6 | 0.00 | 0.10 | C10 |
| Nasopharynx | 1 | 0.2 | 1.1 | 0.8 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 2 | 0.4 | 2.1 | 1.1 | 0.00 | 0.19 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 10 | 2.1 | 10.7 | 5.4 | 0.28 | 0.68 | 2 | 0.4 | 2.1 | 1.0 | 0.06 | 0.06 | C15 |
| Stomach | 13 | 2.7 | 13.9 | 7.4 | 0.37 | 0.75 | 5 | 1.1 | 5.3 | 2.8 | 0.13 | 0.35 | C16 |
| Small intestine | 2 | 0.4 | 2.1 | 1.2 | 0.06 | 0.16 | 2 | 0.4 | 2.1 | 0.8 | 0.07 | 0.07 | C17 |
| Colon | 38 | 8.0 | 40.8 | 21.1 | 1.09 | 2.73 | 28 | 6.0 | 29.5 | 12.7 | 0.74 | 1.51 | C18 |
| Rectum | 19 | 4.0 | 20.4 | 11.2 | 0.60 | 1.34 | 15 | 3.2 | 15.8 | 7.5 | 0.59 | 0.81 | C19–20 |
| Anus | 2 | 0.4 | 2.1 | 1.2 | 0.06 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C21 |
| Liver | 12 | 2.5 | 12.9 | 6.6 | 0.38 | 0.84 | 7 | 1.5 | 7.4 | 5.3 | 0.27 | 0.57 | C22 |
| Gallbladder etc. | 3 | 0.6 | 3.2 | 1.7 | 0.06 | 0.06 | 1 | 0.2 | 1.1 | 0.6 | 0.00 | 0.10 | C23–24 |
| Pancreas | 11 | 2.3 | 11.8 | 5.9 | 0.29 | 0.73 | 17 | 3.6 | 17.9 | 7.6 | 0.42 | 0.96 | C25 |
| Nose, sinuses etc. | 1 | 0.2 | 1.1 | 0.6 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 6 | 1.3 | 6.4 | 3.1 | 0.16 | 0.35 | 1 | 0.2 | 1.1 | 0.5 | 0.00 | 0.12 | C32 |
| Trachea, bronchus, and lung | 56 | 11.8 | 60.1 | 30.6 | 1.28 | 4.02 | 47 | 10.1 | 49.6 | 25.0 | 1.65 | 3.62 | C33–34 |
| Other thoracic organs | 1 | 0.2 | 1.1 | 0.6 | 0.00 | 0.10 | 1 | 0.2 | 1.1 | 0.6 | 0.07 | 0.07 | C37–38 |
| Bone | 1 | 0.2 | 1.1 | 1.4 | 0.09 | 0.09 | 2 | 0.4 | 2.1 | 1.4 | 0.12 | 0.12 | C40–41 |
| Melanoma of skin | 42 | 8.8 | 45.0 | 25.4 | 1.27 | 2.78 | 37 | 7.9 | 39.0 | 22.2 | 1.43 | 2.21 | C43 |
| Other skin | 56 | 11.8 | 60.1 | 26.7 | 0.52 | 1.62 | 31 | 6.7 | 32.7 | 11.6 | 0.61 | 0.95 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 1.1 | 0.7 | 0.06 | 0.06 | C45 |
| Kaposi sarcoma | 1 | 0.2 | 1.1 | 0.5 | 0.00 | 0.12 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2 | 0.4 | 2.1 | 0.8 | 0.00 | 0.12 | 4 | 0.9 | 4.2 | 1.7 | 0.13 | 0.13 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 151 | 32.4 | 159.3 | 87.8 | 6.64 | 9.59 | C50 |
| Vulva | | | | | | | 4 | 0.9 | 4.2 | 2.2 | 0.17 | 0.17 | C51 |
| Vagina | | | | | | | 2 | 0.4 | 2.1 | 1.0 | 0.06 | 0.06 | C52 |
| Cervix uteri | | | | | | | 4 | 0.9 | 4.2 | 2.7 | 0.15 | 0.34 | C53 |
| Corpus uteri | | | | | | | 21 | 4.5 | 22.2 | 10.1 | 0.54 | 1.41 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 14 | 3.0 | 14.8 | 8.3 | 0.42 | 0.77 | C56 |
| Other female genital organs | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C57 |
| Placenta | | | | | | | 1 | 0.2 | 1.1 | 0.7 | 0.06 | 0.06 | C58 |
| Penis | 1 | 0.2 | 1.1 | 0.4 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 93 | 19.6 | 99.7 | 50.2 | 2.02 | 7.97 | | | | | | | C61 |
| Testis | 10 | 2.1 | 10.7 | 10.0 | 0.80 | 0.80 | | | | | | | C62 |
| Other male genital organs | 2 | 0.4 | 2.1 | 1.2 | 0.08 | 0.08 | | | | | | | C63 |
| Kidney | 18 | 3.8 | 19.3 | 10.5 | 0.71 | 1.36 | 9 | 1.9 | 9.5 | 3.9 | 0.25 | 0.37 | C64 |
| Renal pelvis | 2 | 0.4 | 2.1 | 0.9 | 0.00 | 0.12 | 2 | 0.4 | 2.1 | 1.1 | 0.06 | 0.06 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C66 |
| †Bladder | 35 | 7.4 | 37.5 | 17.6 | 0.52 | 2.23 | 18 | 3.9 | 19.0 | 8.0 | 0.30 | 1.03 | C67 |
| Other urinary organs | 2 | 0.4 | 2.1 | 0.8 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.4 | 2.1 | 1.1 | 0.06 | 0.06 | 2 | 0.4 | 2.1 | 1.2 | 0.15 | 0.15 | C69 |
| Brain and nervous system | 10 | 2.1 | 10.7 | 6.1 | 0.30 | 0.68 | 10 | 2.1 | 10.5 | 7.3 | 0.48 | 0.72 | C70–72 |
| Thyroid | 4 | 0.8 | 4.3 | 2.4 | 0.23 | 0.32 | 15 | 3.2 | 15.8 | 10.1 | 0.81 | 1.14 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 3 | 0.6 | 3.2 | 2.8 | 0.23 | 0.23 | 2 | 0.4 | 2.1 | 1.8 | 0.09 | 0.09 | C81 |
| Non-Hodgkin lymphoma | 13 | 2.7 | 13.9 | 6.7 | 0.19 | 0.75 | 12 | 2.6 | 12.7 | 6.7 | 0.32 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.2 | 1.1 | 0.6 | 0.06 | 0.06 | 1 | 0.2 | 1.1 | 0.5 | 0.00 | 0.12 | C88 |
| Multiple myeloma | 8 | 1.7 | 8.6 | 3.5 | 0.00 | 0.61 | 7 | 1.5 | 7.4 | 3.1 | 0.13 | 0.32 | C90 |
| Lymphoid leukaemia | 8 | 1.7 | 8.6 | 6.0 | 0.33 | 0.42 | 5 | 1.1 | 5.3 | 2.1 | 0.17 | 0.17 | C91 |
| Myeloid leukaemia | 8 | 1.7 | 8.6 | 5.0 | 0.31 | 0.63 | 2 | 0.4 | 2.1 | 0.8 | 0.00 | 0.10 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 2 | 0.4 | 2.1 | 1.2 | 0.08 | 0.21 | 4 | 0.9 | 4.2 | 2.3 | 0.25 | 0.25 | MPD |
| Myelodysplastic syndromes | 6 | 1.3 | 6.4 | 3.2 | 0.15 | 0.37 | 2 | 0.4 | 2.1 | 1.1 | 0.14 | 0.14 | MPS |
| Other and unspecified | 4 | 0.8 | 4.3 | 2.4 | 0.08 | 0.08 | 4 | 0.9 | 4.2 | 4.1 | 0.20 | 0.20 | O&U |
| All sites | 531 | | 569.4 | 297.5 | 13.85 | 35.66 | 497 | | 524.3 | 270.4 | 17.84 | 30.17 | C00–96 |
| All sites except C44 | 475 | 100.0 | 509.4 | 270.8 | 13.34 | 34.04 | 466 | 100.0 | 491.6 | 258.7 | 17.24 | 29.21 | C00–96 exc. C44 |

*†See note following population pyramid

Lithuania

CONTRIBUTORS

Ieva Vincerzevskiene
 Laura Steponaviciene
 Giedre Smailyte
 Nadezda Lipunova
 Arvydas Laurinavicius



NOTES ON THE DATA

*High DCO%.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 128.6 | Breast | 55.2 |
| Trachea, bronchus, and lung | 50.0 | Non-melanoma skin cancer | 36.1 |
| Non-melanoma skin cancer | 35.2 | Corpus uteri | 19.8 |
| Stomach | 20.2 | Cervix uteri | 15.9 |
| Kidney | 18.3 | Ovary | 13.3 |
| Colon | 17.4 | Thyroid | 13.2 |
| Bladder | 16.2 | Colon | 11.5 |
| Rectum | 14.6 | Stomach | 8.3 |
| Pancreas | 10.8 | Trachea, bronchus, and lung | 8.0 |
| Other and unspecified | 9.9 | Kidney | 7.9 |
| Brain and nervous system | 8.4 | Rectum | 7.5 |
| Oesophagus | 8.2 | Melanoma of skin | 6.5 |
| Larynx | 7.6 | Brain and nervous system | 6.4 |
| Non-Hodgkin lymphoma | 7.6 | Pancreas | 6.2 |
| Liver | 6.4 | Non-Hodgkin lymphoma | 5.5 |
| Lymphoid leukaemia | 6.1 | Other and unspecified | 4.9 |
| Melanoma of skin | 5.8 | Myeloproliferative disorders | 3.6 |
| Myeloid leukaemia | 3.9 | Lymphoid leukaemia | 3.6 |
| Myeloproliferative disorders | 3.6 | Bladder | 2.8 |
| Hypopharynx | 3.4 | Myeloid leukaemia | 2.4 |
| All sites | 421.3 | All sites | 262.1 |

*Lithuania (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 76 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 43 | 0.1 | 0.6 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 280 | 0.6 | 4.2 | 2.7 | 0.22 | 0.33 | 97 | 0.3 | 1.2 | 0.6 | 0.04 | 0.08 | C01–02 |
| Mouth | 323 | 0.7 | 4.8 | 3.2 | 0.27 | 0.39 | 105 | 0.3 | 1.3 | 0.7 | 0.06 | 0.08 | C03–06 |
| Salivary glands | 110 | 0.3 | 1.6 | 1.0 | 0.07 | 0.11 | 67 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 132 | 0.3 | 2.0 | 1.3 | 0.09 | 0.16 | 27 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 233 | 0.5 | 3.5 | 2.3 | 0.18 | 0.30 | 45 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C10 |
| Nasopharynx | 58 | 0.1 | 0.9 | 0.6 | 0.05 | 0.07 | 23 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 354 | 0.8 | 5.3 | 3.4 | 0.25 | 0.44 | 26 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 19 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 896 | 2.0 | 13.4 | 8.2 | 0.55 | 1.07 | 174 | 0.5 | 2.2 | 0.9 | 0.07 | 0.11 | C15 |
| Stomach | 2451 | 5.6 | 36.7 | 20.2 | 1.05 | 2.40 | 1704 | 4.7 | 21.8 | 8.3 | 0.45 | 0.92 | C16 |
| Small intestine | 82 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 97 | 0.3 | 1.2 | 0.6 | 0.04 | 0.07 | C17 |
| Colon | 2164 | 4.9 | 32.4 | 17.4 | 0.69 | 2.17 | 2376 | 6.5 | 30.4 | 11.5 | 0.61 | 1.35 | C18 |
| Rectum | 1780 | 4.1 | 26.7 | 14.6 | 0.67 | 1.84 | 1495 | 4.1 | 19.1 | 7.5 | 0.45 | 0.87 | C19–20 |
| Anus | 51 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | 88 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C21 |
| Liver | 722 | 1.6 | 10.8 | 6.4 | 0.37 | 0.77 | 408 | 1.1 | 5.2 | 2.0 | 0.11 | 0.24 | C22 |
| Gallbladder etc. | 218 | 0.5 | 3.3 | 1.7 | 0.07 | 0.20 | 364 | 1.0 | 4.7 | 1.5 | 0.07 | 0.18 | C23–24 |
| Pancreas | 1277 | 2.9 | 19.1 | 10.8 | 0.56 | 1.34 | 1389 | 3.8 | 17.8 | 6.2 | 0.30 | 0.73 | C25 |
| Nose, sinuses etc. | 71 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | 71 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 833 | 1.9 | 12.5 | 7.6 | 0.51 | 1.02 | 64 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 5912 | 13.5 | 88.5 | 50.0 | 2.63 | 6.55 | 1547 | 4.2 | 19.8 | 8.0 | 0.46 | 0.99 | C33–34 |
| Other thoracic organs | 57 | 0.1 | 0.9 | 0.6 | 0.03 | 0.06 | 43 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | C37–38 |
| Bone | 94 | 0.2 | 1.4 | 1.2 | 0.08 | 0.10 | 92 | 0.3 | 1.2 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 626 | 1.4 | 9.4 | 5.8 | 0.36 | 0.65 | 963 | 2.6 | 12.3 | 6.5 | 0.45 | 0.71 | C43 |
| Other skin | 4363 | 9.9 | 65.3 | 35.2 | 1.59 | 4.02 | 7072 | 19.4 | 90.5 | 36.1 | 1.92 | 4.20 | C44 |
| Mesothelioma | 17 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 13 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 22 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 186 | 0.4 | 2.8 | 1.9 | 0.11 | 0.19 | 221 | 0.6 | 2.8 | 1.6 | 0.10 | 0.16 | C47+C49 |
| Breast | 59 | 0.1 | 0.9 | 0.5 | 0.02 | 0.06 | 7889 | 21.7 | 101.0 | 55.2 | 4.24 | 6.23 | C50 |
| Vulva | | | | | | | 271 | 0.7 | 3.5 | 1.2 | 0.06 | 0.13 | C51 |
| Vagina | | | | | | | 72 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1896 | 5.2 | 24.3 | 15.9 | 1.27 | 1.57 | C53 |
| Corpus uteri | | | | | | | 3130 | 8.6 | 40.1 | 19.8 | 1.44 | 2.43 | C54 |
| Uterus unspecified | | | | | | | 75 | 0.2 | 1.0 | 0.4 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 1981 | 5.4 | 25.4 | 13.3 | 0.98 | 1.47 | C56 |
| Other female genital organs | | | | | | | 101 | 0.3 | 1.3 | 0.6 | 0.04 | 0.07 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 130 | 0.3 | 1.9 | 1.1 | 0.07 | 0.13 | | | | | | | C60 |
| Prostate | 14513 | 33.0 | 217.4 | 128.6 | 7.43 | 18.17 | | | | | | | C61 |
| Testis | 184 | 0.4 | 2.8 | 2.6 | 0.19 | 0.20 | | | | | | | C62 |
| Other male genital organs | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 2029 | 4.6 | 30.4 | 18.3 | 1.12 | 2.29 | 1379 | 3.8 | 17.6 | 7.9 | 0.47 | 0.93 | C64 |
| Renal pelvis | 69 | 0.2 | 1.0 | 0.6 | 0.02 | 0.07 | 71 | 0.2 | 0.9 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 32 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 18 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 2052 | 4.7 | 30.7 | 16.2 | 0.67 | 1.92 | 624 | 1.7 | 8.0 | 2.8 | 0.13 | 0.30 | C67 |
| Other urinary organs | 15 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 14 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 75 | 0.2 | 1.1 | 0.8 | 0.04 | 0.09 | 88 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 799 | 1.8 | 12.0 | 8.4 | 0.53 | 0.84 | 931 | 2.6 | 11.9 | 6.4 | 0.36 | 0.64 | C70–72 |
| Thyroid | 289 | 0.7 | 4.3 | 3.1 | 0.23 | 0.32 | 1460 | 4.0 | 18.7 | 13.2 | 1.03 | 1.34 | C73 |
| Adrenal gland | 41 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 33 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 124 | 0.3 | 1.9 | 1.8 | 0.12 | 0.13 | 137 | 0.4 | 1.8 | 1.9 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 806 | 1.8 | 12.1 | 7.6 | 0.45 | 0.81 | 931 | 2.6 | 11.9 | 5.5 | 0.32 | 0.60 | C82–86,C96 |
| Immunoproliferative diseases | 60 | 0.1 | 0.9 | 0.5 | 0.03 | 0.05 | 100 | 0.3 | 1.3 | 0.6 | 0.03 | 0.07 | C88 |
| Multiple myeloma | 371 | 0.8 | 5.6 | 3.0 | 0.17 | 0.37 | 399 | 1.1 | 5.1 | 2.1 | 0.12 | 0.28 | C90 |
| Lymphoid leukaemia | 596 | 1.4 | 8.9 | 6.1 | 0.31 | 0.61 | 526 | 1.4 | 6.7 | 3.6 | 0.19 | 0.36 | C91 |
| Myeloid leukaemia | 385 | 0.9 | 5.8 | 3.9 | 0.20 | 0.40 | 359 | 1.0 | 4.6 | 2.4 | 0.14 | 0.24 | C92–94 |
| Leukaemia unspecified | 390 | 0.9 | 5.8 | 2.8 | 0.07 | 0.27 | 490 | 1.3 | 6.3 | 1.6 | 0.05 | 0.16 | C95 |
| Myeloproliferative disorders | 411 | 0.9 | 6.2 | 3.6 | 0.20 | 0.41 | 580 | 1.6 | 7.4 | 3.6 | 0.23 | 0.41 | MPD |
| Myelodysplastic syndromes | 249 | 0.6 | 3.7 | 1.9 | 0.07 | 0.19 | 249 | 0.7 | 3.2 | 1.1 | 0.05 | 0.12 | MPS |
| Other and unspecified | 1204 | 2.7 | 18.0 | 9.9 | 0.49 | 1.18 | 1064 | 2.9 | 13.6 | 4.9 | 0.23 | 0.49 | O&U |
| All sites | 48312 | | 723.5 | 421.3 | 23.05 | 53.13 | 43510 | | 556.8 | 262.1 | 17.03 | 29.34 | C00–96 |
| All sites except C44 | 43949 | 100.0 | 658.2 | 386.1 | 21.45 | 49.11 | 36438 | 100.0 | 466.3 | 226.0 | 15.10 | 25.14 | C00–96 exc. C44 |

*†See note following population pyramid

Malta

CONTRIBUTORS

Miriam Azzopardi
Neville Calleja
Rita Micallef



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 47.2 | Breast | 78.8 |
| Trachea, bronchus, and lung | 31.1 | Corpus uteri | 17.2 |
| Colon | 24.4 | Colon | 16.4 |
| Bladder | 18.9 | Thyroid | 15.2 |
| Non-Hodgkin lymphoma | 13.1 | Trachea, bronchus, and lung | 11.2 |
| Kidney | 12.2 | Other and unspecified | 9.7 |
| Other and unspecified | 11.6 | Non-Hodgkin lymphoma | 9.5 |
| Rectum | 10.3 | Ovary | 9.1 |
| Pancreas | 9.2 | Melanoma of skin | 8.5 |
| Melanoma of skin | 8.6 | Kidney | 6.8 |
| Stomach | 8.1 | Rectum | 6.3 |
| Testis | 6.8 | Pancreas | 6.2 |
| Brain and nervous system | 5.6 | Bladder | 4.6 |
| Liver | 5.5 | Brain and nervous system | 4.4 |
| Thyroid | 5.3 | Cervix uteri | 4.0 |
| Lymphoid leukaemia | 4.4 | Stomach | 3.4 |
| Larynx | 4.3 | Hodgkin lymphoma | 3.4 |
| Myeloid leukaemia | 3.9 | Myelodysplastic syndromes | 2.9 |
| Multiple myeloma | 3.6 | Lymphoid leukaemia | 2.7 |
| Hodgkin lymphoma | 3.4 | Myeloid leukaemia | 2.4 |
| All sites | 268.3 | All sites | 245.3 |

Malta (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 27 | 0.5 | 2.4 | 1.5 | 0.13 | 0.19 | 29 | 0.5 | 2.6 | 1.3 | 0.08 | 0.14 | C01–02 |
| Mouth | 31 | 0.5 | 2.8 | 1.3 | 0.07 | 0.15 | 38 | 0.7 | 3.4 | 1.4 | 0.07 | 0.12 | C03–06 |
| Salivary glands | 17 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | 11 | 0.2 | 1.0 | 0.5 | 0.03 | 0.04 | C07–08 |
| Tonsil | 18 | 0.3 | 1.6 | 0.9 | 0.05 | 0.11 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 5 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 28 | 0.5 | 2.5 | 1.6 | 0.13 | 0.18 | 5 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C11 |
| Hypopharynx | 11 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 55 | 1.0 | 4.9 | 2.4 | 0.11 | 0.24 | 30 | 0.6 | 2.7 | 1.2 | 0.07 | 0.15 | C15 |
| Stomach | 193 | 3.4 | 17.3 | 8.1 | 0.28 | 0.95 | 103 | 1.9 | 9.3 | 3.4 | 0.12 | 0.37 | C16 |
| Small intestine | 26 | 0.5 | 2.3 | 1.3 | 0.10 | 0.16 | 17 | 0.3 | 1.5 | 0.7 | 0.03 | 0.09 | C17 |
| Colon | 553 | 9.6 | 49.4 | 24.4 | 1.17 | 2.83 | 435 | 8.2 | 39.2 | 16.4 | 0.88 | 1.78 | C18 |
| Rectum | 230 | 4.0 | 20.6 | 10.3 | 0.47 | 1.29 | 156 | 2.9 | 14.0 | 6.3 | 0.35 | 0.74 | C19–20 |
| Anus | 15 | 0.3 | 1.3 | 0.6 | 0.03 | 0.05 | 11 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C21 |
| Liver | 116 | 2.0 | 10.4 | 5.5 | 0.29 | 0.64 | 38 | 0.7 | 3.4 | 1.5 | 0.07 | 0.12 | C22 |
| Gallbladder etc. | 35 | 0.6 | 3.1 | 1.6 | 0.07 | 0.20 | 33 | 0.6 | 3.0 | 1.0 | 0.03 | 0.11 | C23–24 |
| Pancreas | 203 | 3.5 | 18.1 | 9.2 | 0.46 | 1.16 | 172 | 3.2 | 15.5 | 6.2 | 0.27 | 0.68 | C25 |
| Nose, sinuses etc. | 7 | 0.1 | 0.6 | 0.4 | 0.01 | 0.04 | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 91 | 1.6 | 8.1 | 4.3 | 0.29 | 0.56 | 19 | 0.4 | 1.7 | 0.8 | 0.05 | 0.10 | C32 |
| Trachea, bronchus, and lung | 733 | 12.8 | 65.5 | 31.1 | 1.30 | 3.70 | 270 | 5.1 | 24.3 | 11.2 | 0.64 | 1.44 | C33–34 |
| Other thoracic organs | 15 | 0.3 | 1.3 | 0.7 | 0.04 | 0.07 | 7 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C37–38 |
| Bone | 23 | 0.4 | 2.1 | 1.7 | 0.10 | 0.17 | 18 | 0.3 | 1.6 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 166 | 2.9 | 14.8 | 8.6 | 0.54 | 0.95 | 143 | 2.7 | 12.9 | 8.5 | 0.64 | 0.91 | C43 |
| Other skin | 36 | 0.6 | 3.2 | 1.6 | 0.06 | 0.16 | 31 | 0.6 | 2.8 | 1.6 | 0.12 | 0.12 | C44 |
| Mesothelioma | 41 | 0.7 | 3.7 | 1.6 | 0.03 | 0.14 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 14 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 5 | 0.1 | 0.5 | 0.1 | 0.00 | 0.02 | C46 |
| Connective and soft tissue | 41 | 0.7 | 3.7 | 2.3 | 0.13 | 0.21 | 29 | 0.5 | 2.6 | 1.5 | 0.10 | 0.15 | C47+C49 |
| Breast | 20 | 0.3 | 1.8 | 0.9 | 0.05 | 0.10 | 1652 | 31.1 | 148.8 | 78.8 | 5.41 | 8.89 | C50 |
| Vulva | | | | | | | 36 | 0.7 | 3.2 | 1.3 | 0.05 | 0.17 | C51 |
| Vagina | | | | | | | 11 | 0.2 | 1.0 | 0.4 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 66 | 1.2 | 5.9 | 4.0 | 0.33 | 0.40 | C53 |
| Corpus uteri | | | | | | | 373 | 7.0 | 33.6 | 17.2 | 1.26 | 2.12 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 188 | 3.5 | 16.9 | 9.1 | 0.56 | 1.01 | C56 |
| Other female genital organs | | | | | | | 5 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 24 | 0.4 | 2.1 | 1.3 | 0.08 | 0.14 | | | | | | | C60 |
| Prostate | 1117 | 19.5 | 99.8 | 47.2 | 1.82 | 6.28 | | | | | | | C61 |
| Testis | 87 | 1.5 | 7.8 | 6.8 | 0.52 | 0.56 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 240 | 4.2 | 21.5 | 12.2 | 0.81 | 1.47 | 135 | 2.5 | 12.2 | 6.8 | 0.40 | 0.78 | C64 |
| Renal pelvis | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 6 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C66 |
| †Bladder | 446 | 7.8 | 39.9 | 18.9 | 0.76 | 2.25 | 131 | 2.5 | 11.8 | 4.6 | 0.17 | 0.59 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 11 | 0.2 | 1.0 | 0.8 | 0.02 | 0.07 | 8 | 0.2 | 0.7 | 0.9 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 99 | 1.7 | 8.8 | 5.6 | 0.34 | 0.56 | 80 | 1.5 | 7.2 | 4.4 | 0.31 | 0.45 | C70–72 |
| Thyroid | 86 | 1.5 | 7.7 | 5.3 | 0.44 | 0.55 | 231 | 4.4 | 20.8 | 15.2 | 1.26 | 1.48 | C73 |
| Adrenal gland | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 6 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | C74 |
| Other endocrine | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 47 | 0.8 | 4.2 | 3.4 | 0.26 | 0.27 | 40 | 0.8 | 3.6 | 3.4 | 0.22 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 243 | 4.2 | 21.7 | 13.1 | 0.85 | 1.36 | 204 | 3.8 | 18.4 | 9.5 | 0.60 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 13 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | 15 | 0.3 | 1.4 | 0.5 | 0.01 | 0.07 | C88 |
| Multiple myeloma | 82 | 1.4 | 7.3 | 3.6 | 0.14 | 0.42 | 58 | 1.1 | 5.2 | 2.1 | 0.10 | 0.24 | C90 |
| Lymphoid leukaemia | 65 | 1.1 | 5.8 | 4.4 | 0.24 | 0.38 | 39 | 0.7 | 3.5 | 2.7 | 0.14 | 0.22 | C91 |
| Myeloid leukaemia | 71 | 1.2 | 6.3 | 3.9 | 0.21 | 0.38 | 45 | 0.8 | 4.1 | 2.4 | 0.15 | 0.21 | C92–94 |
| Leukaemia unspecified | 8 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 8 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 26 | 0.5 | 2.3 | 1.2 | 0.06 | 0.12 | 19 | 0.4 | 1.7 | 1.0 | 0.06 | 0.08 | MPD |
| Myelodysplastic syndromes | 64 | 1.1 | 5.7 | 2.9 | 0.14 | 0.29 | 73 | 1.4 | 6.6 | 2.9 | 0.14 | 0.28 | MPS |
| Other and unspecified | 267 | 4.7 | 23.9 | 11.6 | 0.48 | 1.23 | 279 | 5.3 | 25.1 | 9.7 | 0.41 | 1.12 | O&U |
| All sites | 5772 | | 516.0 | 268.3 | 13.35 | 31.05 | 5335 | | 480.4 | 245.3 | 15.54 | 27.14 | C00–96 |
| All sites except C44 | 5736 | 100.0 | 512.7 | 266.7 | 13.29 | 30.89 | 5304 | 100.0 | 477.6 | 243.8 | 15.42 | 27.01 | C00–96 exc.C44 |


§Includes 1 case of unknown age

†See note following population pyramid

The Netherlands

CONTRIBUTORS

O. Visser
K.C.A.A. Timmermans
H. Bretveld



NOTES ON THE DATA

*No DCO registrations.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 63.9 | Breast | 99.1 |
| Trachea, bronchus, and lung | 42.2 | Trachea, bronchus, and lung | 32.5 |
| Colon | 32.0 | Colon | 25.1 |
| Non-melanoma skin cancer | 30.2 | Melanoma of skin | 23.3 |
| Bladder | 26.9 | Non-melanoma skin cancer | 20.6 |
| Melanoma of skin | 20.2 | Corpus uteri | 11.4 |
| Rectum | 17.9 | Rectum | 9.8 |
| Non-Hodgkin lymphoma | 13.2 | Non-Hodgkin lymphoma | 8.3 |
| Oesophagus | 10.4 | Bladder | 7.5 |
| Kidney | 10.3 | Ovary | 6.9 |
| Testis | 9.3 | Cervix uteri | 6.6 |
| Pancreas | 7.8 | Pancreas | 6.5 |
| Lymphoid leukaemia | 6.9 | Kidney | 5.4 |
| Stomach | 6.6 | Thyroid | 4.4 |
| Brain and nervous system | 6.3 | Other and unspecified | 4.2 |
| Multiple myeloma | 4.4 | Brain and nervous system | 4.2 |
| Other and unspecified | 4.3 | Lymphoid leukaemia | 4.0 |
| Myeloid leukaemia | 4.0 | Myeloproliferative disorders | 3.4 |
| Liver | 3.6 | Stomach | 3.4 |
| Larynx | 3.4 | Oesophagus | 3.1 |
| All sites | 361.7 | All sites | 320.8 |

*The Netherlands (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 592 | 0.2 | 1.4 | 0.7 | 0.03 | 0.07 | 379 | 0.2 | 0.9 | 0.4 | 0.01 | 0.04 | C00 |
| Tongue | 1594 | 0.6 | 3.8 | 2.2 | 0.15 | 0.27 | 1103 | 0.5 | 2.6 | 1.3 | 0.09 | 0.16 | C01–02 |
| Mouth | 1637 | 0.6 | 3.9 | 2.1 | 0.13 | 0.27 | 1388 | 0.6 | 3.3 | 1.5 | 0.09 | 0.19 | C03–06 |
| Salivary glands | 442 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | 362 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 780 | 0.3 | 1.9 | 1.0 | 0.08 | 0.14 | 388 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 522 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 194 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 257 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 113 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 846 | 0.3 | 2.0 | 1.1 | 0.07 | 0.14 | 235 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 270 | 0.1 | 0.6 | 0.3 | 0.02 | 0.05 | 122 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 8646 | 3.2 | 20.6 | 10.4 | 0.54 | 1.33 | 3045 | 1.3 | 7.1 | 3.1 | 0.16 | 0.40 | C15 |
| Stomach | 5693 | 2.1 | 13.6 | 6.6 | 0.30 | 0.75 | 3316 | 1.4 | 7.8 | 3.4 | 0.17 | 0.39 | C16 |
| Small intestine | 1183 | 0.4 | 2.8 | 1.5 | 0.08 | 0.18 | 978 | 0.4 | 2.3 | 1.1 | 0.07 | 0.14 | C17 |
| Colon | 27749 | 10.3 | 66.2 | 32.0 | 1.37 | 3.96 | 24195 | 10.0 | 56.7 | 25.1 | 1.20 | 3.07 | C18 |
| Rectum | 14800 | 5.5 | 35.3 | 17.9 | 0.94 | 2.30 | 8800 | 3.6 | 20.6 | 9.8 | 0.57 | 1.21 | C19–20 |
| Anus | 576 | 0.2 | 1.4 | 0.8 | 0.05 | 0.09 | 624 | 0.3 | 1.5 | 0.8 | 0.06 | 0.10 | C21 |
| Liver | 2904 | 1.1 | 6.9 | 3.6 | 0.18 | 0.45 | 1292 | 0.5 | 3.0 | 1.5 | 0.08 | 0.18 | C22 |
| Gallbladder etc. | 2128 | 0.8 | 5.1 | 2.4 | 0.10 | 0.29 | 2129 | 0.9 | 5.0 | 2.1 | 0.10 | 0.25 | C23–24 |
| Pancreas | 6703 | 2.5 | 16.0 | 7.8 | 0.36 | 0.97 | 6410 | 2.6 | 15.0 | 6.5 | 0.30 | 0.81 | C25 |
| Nose, sinuses etc. | 531 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 346 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 2796 | 1.0 | 6.7 | 3.4 | 0.19 | 0.43 | 677 | 0.3 | 1.6 | 0.8 | 0.05 | 0.11 | C32 |
| Trachea, bronchus, and lung | 37232 | 13.8 | 88.8 | 42.2 | 1.83 | 5.23 | 28154 | 11.6 | 66.0 | 32.5 | 1.98 | 4.28 | C33–34 |
| Other thoracic organs | 352 | 0.1 | 0.8 | 0.5 | 0.03 | 0.04 | 213 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 674 | 0.2 | 1.6 | 1.4 | 0.10 | 0.12 | 605 | 0.2 | 1.4 | 1.2 | 0.09 | 0.10 | C40–41 |
| Melanoma of skin | 14493 | 5.4 | 34.6 | 20.2 | 1.31 | 2.29 | 15735 | 6.5 | 36.9 | 23.3 | 1.69 | 2.46 | C43 |
| Other skin | 29844 | 11.0 | 71.2 | 30.2 | 0.76 | 2.94 | 24187 | 10.0 | 56.7 | 20.6 | 0.72 | 2.24 | C44 |
| Mesothelioma | 2289 | 0.8 | 5.5 | 2.4 | 0.06 | 0.29 | 391 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 203 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 30 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 1684 | 0.6 | 4.0 | 2.4 | 0.13 | 0.23 | 1210 | 0.5 | 2.8 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 579 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 73331 | 30.3 | 171.9 | 99.1 | 7.23 | 11.53 | C50 |
| Vulva | | | | | | | 2097 | 0.9 | 4.9 | 2.2 | 0.12 | 0.24 | C51 |
| Vagina | | | | | | | 271 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 3715 | 1.5 | 8.7 | 6.6 | 0.52 | 0.61 | C53 |
| Corpus uteri | | | | | | | 10092 | 4.2 | 23.7 | 11.4 | 0.66 | 1.48 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 5796 | 2.4 | 13.6 | 6.9 | 0.42 | 0.81 | C56 |
| Other female genital organs | | | | | | | 341 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 35 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 762 | 0.3 | 1.8 | 0.9 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 55805 | 20.6 | 133.2 | 63.9 | 2.55 | 8.83 | | | | | | | C61 |
| Testis | 3871 | 1.4 | 9.2 | 9.3 | 0.70 | 0.71 | | | | | | | C62 |
| Other male genital organs | 102 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 7985 | 3.0 | 19.1 | 10.3 | 0.58 | 1.25 | 4610 | 1.9 | 10.8 | 5.4 | 0.30 | 0.64 | C64 |
| Renal pelvis | 770 | 0.3 | 1.8 | 0.9 | 0.04 | 0.10 | 485 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 536 | 0.2 | 1.3 | 0.6 | 0.02 | 0.06 | 279 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| †Bladder | 24098 | 8.9 | 57.5 | 26.9 | 1.09 | 3.13 | 7330 | 3.0 | 17.2 | 7.5 | 0.38 | 0.91 | C67 |
| Other urinary organs | 85 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 44 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 592 | 0.2 | 1.4 | 0.9 | 0.06 | 0.09 | 561 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 3879 | 1.4 | 9.3 | 6.3 | 0.40 | 0.65 | 2710 | 1.1 | 6.4 | 4.2 | 0.27 | 0.43 | C70–72 |
| Thyroid | 1080 | 0.4 | 2.6 | 1.8 | 0.13 | 0.18 | 2577 | 1.1 | 6.0 | 4.4 | 0.34 | 0.43 | C73 |
| Adrenal gland | 142 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 143 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 50 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 23 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 1356 | 0.5 | 3.2 | 2.9 | 0.20 | 0.24 | 1006 | 0.4 | 2.4 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 9997 | 3.7 | 23.9 | 13.2 | 0.74 | 1.49 | 7039 | 2.9 | 16.5 | 8.3 | 0.47 | 0.96 | C82–86,C96 |
| Immunoproliferative diseases | 655 | 0.2 | 1.6 | 0.9 | 0.05 | 0.10 | 660 | 0.3 | 1.5 | 0.8 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 3784 | 1.4 | 9.0 | 4.4 | 0.22 | 0.53 | 2815 | 1.2 | 6.6 | 3.0 | 0.15 | 0.37 | C90 |
| Lymphoid leukaemia | 4597 | 1.7 | 11.0 | 6.9 | 0.36 | 0.71 | 2787 | 1.2 | 6.5 | 4.0 | 0.21 | 0.40 | C91 |
| Myeloid leukaemia | 2952 | 1.1 | 7.0 | 4.0 | 0.21 | 0.42 | 2203 | 0.9 | 5.2 | 3.0 | 0.17 | 0.31 | C92–94 |
| Leukaemia unspecified | 74 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 46 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 2636 | 1.0 | 6.3 | 3.3 | 0.18 | 0.39 | 2915 | 1.2 | 6.8 | 3.4 | 0.20 | 0.40 | MPD |
| Myelodysplastic syndromes | 2396 | 0.9 | 5.7 | 2.5 | 0.08 | 0.27 | 1346 | 0.6 | 3.2 | 1.3 | 0.06 | 0.15 | MPS |
| Other and unspecified | 3887 | 1.4 | 9.3 | 4.3 | 0.17 | 0.47 | 4444 | 1.8 | 10.4 | 4.2 | 0.19 | 0.47 | O&U |
| All sites | 300090 | | 716.1 | 361.7 | 16.89 | 43.03 | 266326 | | 624.2 | 320.8 | 19.79 | 37.33 | C00–96 |
| All sites except C44 | 270246 | 100.0 | 644.9 | 331.4 | 16.14 | 40.09 | 242139 | 100.0 | 567.6 | 300.2 | 19.07 | 35.09 | C00–96 exc. C44 |

*†See note following population pyramid

Norway

CONTRIBUTORS

Giske Ursin
Tom Børge Johannesen
Johanne Jerven Hestad
Finn Brynstad



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 106.9 | Breast | 84.7 |
| Trachea, bronchus, and lung | 33.2 | Trachea, bronchus, and lung | 28.2 |
| Colon | 28.5 | Colon | 26.6 |
| Melanoma of skin | 24.5 | Melanoma of skin | 25.1 |
| Bladder | 20.4 | Corpus uteri | 15.8 |
| Non-melanoma skin cancer | 17.9 | Non-melanoma skin cancer | 12.2 |
| Rectum | 17.4 | Rectum | 10.9 |
| Kidney | 13.7 | Cervix uteri | 10.8 |
| Non-Hodgkin lymphoma | 12.2 | Ovary | 8.6 |
| Testis | 11.2 | Non-Hodgkin lymphoma | 8.3 |
| Brain and nervous system | 8.4 | Thyroid | 8.1 |
| Pancreas | 7.7 | Brain and nervous system | 6.7 |
| Lymphoid leukaemia | 7.2 | Pancreas | 6.4 |
| Stomach | 6.1 | Bladder | 6.0 |
| Multiple myeloma | 5.2 | Kidney | 6.0 |
| Oesophagus | 4.5 | Lymphoid leukaemia | 4.5 |
| Other and unspecified | 4.3 | Other and unspecified | 4.5 |
| Liver | 3.9 | Myeloproliferative disorders | 3.6 |
| Myeloid leukaemia | 3.7 | Multiple myeloma | 3.5 |
| Myeloproliferative disorders | 3.6 | Stomach | 3.0 |
| All sites | 377.7 | All sites | 315.5 |

Norway (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 307 | 0.4 | 2.4 | 1.2 | 0.04 | 0.12 | 228 | 0.3 | 1.8 | 0.7 | 0.03 | 0.08 | C00 |
| Tongue | 464 | 0.6 | 3.6 | 2.2 | 0.15 | 0.27 | 268 | 0.4 | 2.1 | 1.1 | 0.07 | 0.13 | C01–02 |
| Mouth | 348 | 0.4 | 2.7 | 1.6 | 0.09 | 0.20 | 279 | 0.4 | 2.2 | 1.1 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 179 | 0.2 | 1.4 | 0.8 | 0.05 | 0.08 | 151 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 433 | 0.5 | 3.3 | 2.2 | 0.18 | 0.27 | 133 | 0.2 | 1.0 | 0.6 | 0.05 | 0.08 | C09 |
| Other oropharynx | 70 | 0.1 | 0.5 | 0.3 | 0.02 | 0.05 | 27 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 44 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 32 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 111 | 0.1 | 0.9 | 0.5 | 0.02 | 0.07 | 23 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1070 | 1.3 | 8.2 | 4.5 | 0.21 | 0.56 | 358 | 0.5 | 2.8 | 1.2 | 0.05 | 0.16 | C15 |
| Stomach | 1504 | 1.8 | 11.6 | 6.1 | 0.27 | 0.70 | 862 | 1.2 | 6.7 | 3.0 | 0.15 | 0.34 | C16 |
| Small intestine | 530 | 0.6 | 4.1 | 2.3 | 0.12 | 0.28 | 386 | 0.5 | 3.0 | 1.5 | 0.08 | 0.18 | C17 |
| Colon | 7166 | 8.6 | 55.2 | 28.5 | 1.16 | 3.23 | 7931 | 11.2 | 61.9 | 26.6 | 1.10 | 2.99 | C18 |
| Rectum | 4046 | 4.9 | 31.2 | 17.4 | 0.90 | 2.09 | 2795 | 3.9 | 21.8 | 10.9 | 0.61 | 1.31 | C19–20 |
| Anus | 132 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 327 | 0.5 | 2.6 | 1.4 | 0.09 | 0.17 | C21 |
| Liver | 897 | 1.1 | 6.9 | 3.9 | 0.22 | 0.45 | 510 | 0.7 | 4.0 | 1.9 | 0.09 | 0.22 | C22 |
| Gallbladder etc. | 532 | 0.6 | 4.1 | 2.3 | 0.11 | 0.28 | 575 | 0.8 | 4.5 | 2.0 | 0.09 | 0.25 | C23–24 |
| Pancreas | 1899 | 2.3 | 14.6 | 7.7 | 0.34 | 0.94 | 1904 | 2.7 | 14.8 | 6.4 | 0.27 | 0.74 | C25 |
| Nose, sinuses etc. | 133 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 87 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 479 | 0.6 | 3.7 | 2.0 | 0.09 | 0.25 | 100 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 8317 | 10.0 | 64.1 | 33.2 | 1.23 | 4.20 | 7450 | 10.5 | 58.1 | 28.2 | 1.27 | 3.76 | C33–34 |
| Other thoracic organs | 98 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 56 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C37–38 |
| Bone | 151 | 0.2 | 1.2 | 0.9 | 0.06 | 0.09 | 144 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 5448 | 6.5 | 42.0 | 24.5 | 1.38 | 2.82 | 5296 | 7.4 | 41.3 | 25.1 | 1.73 | 2.72 | C43 |
| Other skin | 5208 | 6.3 | 40.1 | 17.9 | 0.39 | 1.59 | 4560 | 6.4 | 35.6 | 12.2 | 0.37 | 1.15 | C44 |
| Mesothelioma | 340 | 0.4 | 2.6 | 1.3 | 0.03 | 0.15 | 64 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 29 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 496 | 0.6 | 3.8 | 2.5 | 0.15 | 0.25 | 370 | 0.5 | 2.9 | 1.9 | 0.12 | 0.19 | C47+C49 |
| Breast | 147 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 17740 | 24.9 | 138.4 | 84.7 | 6.23 | 9.70 | C50 |
| Vulva | | | | | | | 438 | 0.6 | 3.4 | 1.6 | 0.10 | 0.17 | C51 |
| Vagina | | | | | | | 100 | 0.1 | 0.8 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1737 | 2.4 | 13.5 | 10.8 | 0.84 | 1.00 | C53 |
| Corpus uteri | | | | | | | 3779 | 5.3 | 29.5 | 15.8 | 0.96 | 1.99 | C54 |
| Uterus unspecified | | | | | | | 44 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 1959 | 2.8 | 15.3 | 8.6 | 0.56 | 0.99 | C56 |
| Other female genital organs | | | | | | | 578 | 0.8 | 4.5 | 2.6 | 0.16 | 0.34 | C57 |
| Placenta | | | | | | | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 276 | 0.3 | 2.1 | 1.1 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 25468 | 30.6 | 196.3 | 106.9 | 4.82 | 14.37 | | | | | | | C61 |
| Testis | 1579 | 1.9 | 12.2 | 11.2 | 0.86 | 0.88 | | | | | | | C62 |
| Other male genital organs | 40 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2945 | 3.5 | 22.7 | 13.7 | 0.83 | 1.67 | 1385 | 1.9 | 10.8 | 6.0 | 0.33 | 0.71 | C64 |
| Renal pelvis | 201 | 0.2 | 1.5 | 0.7 | 0.02 | 0.08 | 144 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 96 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | 44 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 5278 | 6.3 | 40.7 | 20.4 | 0.72 | 2.34 | 1769 | 2.5 | 13.8 | 6.0 | 0.27 | 0.70 | C67 |
| Other urinary organs | 32 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 25 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 201 | 0.2 | 1.5 | 1.0 | 0.06 | 0.11 | 197 | 0.3 | 1.5 | 1.0 | 0.06 | 0.11 | C69 |
| Brain and nervous system | 1569 | 1.9 | 12.1 | 8.4 | 0.53 | 0.84 | 1317 | 1.9 | 10.3 | 6.7 | 0.42 | 0.68 | C70–72 |
| Thyroid | 603 | 0.7 | 4.6 | 3.2 | 0.22 | 0.33 | 1404 | 2.0 | 10.9 | 8.1 | 0.60 | 0.82 | C73 |
| Adrenal gland | 43 | 0.1 | 0.3 | 0.4 | 0.02 | 0.03 | 33 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 131 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | 174 | 0.2 | 1.4 | 1.1 | 0.08 | 0.10 | C75 |
| Hodgkin lymphoma | 446 | 0.5 | 3.4 | 3.0 | 0.21 | 0.26 | 292 | 0.4 | 2.3 | 2.1 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 2643 | 3.2 | 20.4 | 12.2 | 0.64 | 1.37 | 2050 | 2.9 | 16.0 | 8.3 | 0.44 | 0.99 | C82–86,C96 |
| Immunoproliferative diseases | 353 | 0.4 | 2.7 | 1.5 | 0.07 | 0.18 | 292 | 0.4 | 2.3 | 1.1 | 0.06 | 0.12 | C88 |
| Multiple myeloma | 1278 | 1.5 | 9.8 | 5.2 | 0.24 | 0.61 | 991 | 1.4 | 7.7 | 3.5 | 0.17 | 0.40 | C90 |
| Lymphoid leukaemia | 1379 | 1.7 | 10.6 | 7.2 | 0.36 | 0.73 | 914 | 1.3 | 7.1 | 4.5 | 0.24 | 0.44 | C91 |
| Myeloid leukaemia | 786 | 0.9 | 6.1 | 3.7 | 0.19 | 0.39 | 609 | 0.9 | 4.7 | 2.8 | 0.16 | 0.28 | C92–94 |
| Leukaemia unspecified | 52 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 62 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 793 | 1.0 | 6.1 | 3.6 | 0.20 | 0.41 | 881 | 1.2 | 6.9 | 3.6 | 0.19 | 0.41 | MPD |
| Myelodysplastic syndromes | 535 | 0.6 | 4.1 | 1.9 | 0.05 | 0.19 | 337 | 0.5 | 2.6 | 1.0 | 0.04 | 0.11 | MPS |
| Other and unspecified | 1108 | 1.3 | 8.5 | 4.3 | 0.17 | 0.44 | 1445 | 2.0 | 11.3 | 4.5 | 0.20 | 0.47 | O&U |
| All sites | 88428 | | 681.5 | 377.7 | 17.71 | 44.78 | 75676 | | 590.2 | 315.5 | 18.75 | 35.83 | C00–96 |
| All sites except C44 | 83220 | 100.0 | 641.3 | 359.8 | 17.32 | 43.19 | 71116 | 100.0 | 554.6 | 303.3 | 18.38 | 34.67 | C00–96 exc. C44 |

†See note following population pyramid

Poland, Kielce

CONTRIBUTORS

Stanisław Gózdź
Paweł Macek
Anna Giemza
Edyta Pokrzepa
Barbara Moskal
Monika Nogajczyk
Iwona Kasza
Piotr Faszczewski
Łukasz Fortuna



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 50.4 | Breast | 47.8 |
| Trachea, bronchus, and lung | 50.2 | Corpus uteri | 17.3 |
| Non-melanoma skin cancer | 20.3 | Thyroid | 16.6 |
| Bladder | 19.1 | Non-melanoma skin cancer | 16.0 |
| Colon | 17.2 | Trachea, bronchus, and lung | 15.7 |
| Rectum | 14.0 | Ovary | 11.1 |
| Stomach | 11.4 | Colon | 10.7 |
| Kidney | 10.5 | Cervix uteri | 6.9 |
| Larynx | 6.8 | Rectum | 6.8 |
| Brain and nervous system | 6.7 | Kidney | 6.2 |
| Non-Hodgkin lymphoma | 6.7 | Melanoma of skin | 5.9 |
| Lymphoid leukaemia | 6.2 | Brain and nervous system | 4.5 |
| Melanoma of skin | 5.7 | Stomach | 4.3 |
| Pancreas | 5.6 | Pancreas | 4.2 |
| Testis | 5.4 | Bladder | 4.2 |
| Other and unspecified | 4.6 | Non-Hodgkin lymphoma | 4.2 |
| Liver | 4.2 | Lymphoid leukaemia | 3.2 |
| Oesophagus | 3.6 | Other and unspecified | 2.9 |
| Thyroid | 3.1 | Gallbladder etc. | 2.4 |
| Myeloid leukaemia | 3.0 | Liver | 2.2 |
| All sites | 281.2 | All sites | 211.8 |

Poland, Kielce (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 83 | 0.6 | 2.7 | 1.3 | 0.06 | 0.15 | 33 | 0.3 | 1.0 | 0.3 | 0.00 | 0.03 | C00 |
| Tongue | 88 | 0.6 | 2.9 | 1.8 | 0.14 | 0.24 | 25 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 85 | 0.6 | 2.8 | 1.7 | 0.14 | 0.20 | 43 | 0.4 | 1.3 | 0.7 | 0.05 | 0.09 | C03–06 |
| Salivary glands | 37 | 0.3 | 1.2 | 0.6 | 0.04 | 0.06 | 24 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 51 | 0.4 | 1.7 | 1.0 | 0.07 | 0.13 | 13 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 85 | 0.6 | 2.8 | 1.7 | 0.15 | 0.21 | 13 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C10 |
| Nasopharynx | 24 | 0.2 | 0.8 | 0.5 | 0.02 | 0.07 | 14 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 87 | 0.6 | 2.8 | 1.7 | 0.14 | 0.21 | 10 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 190 | 1.3 | 6.2 | 3.6 | 0.27 | 0.45 | 41 | 0.3 | 1.3 | 0.5 | 0.03 | 0.06 | C15 |
| Stomach | 642 | 4.5 | 20.9 | 11.4 | 0.54 | 1.37 | 340 | 2.8 | 10.6 | 4.3 | 0.18 | 0.51 | C16 |
| Small intestine | 14 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 28 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C17 |
| Colon | 1005 | 7.0 | 32.8 | 17.2 | 0.71 | 2.10 | 818 | 6.7 | 25.4 | 10.7 | 0.56 | 1.27 | C18 |
| Rectum | 793 | 5.5 | 25.8 | 14.0 | 0.70 | 1.78 | 481 | 4.0 | 14.9 | 6.8 | 0.38 | 0.82 | C19–20 |
| Anus | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.04 | 25 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C21 |
| Liver | 235 | 1.6 | 7.7 | 4.2 | 0.22 | 0.49 | 174 | 1.4 | 5.4 | 2.2 | 0.11 | 0.23 | C22 |
| Gallbladder etc. | 106 | 0.7 | 3.5 | 1.9 | 0.10 | 0.22 | 189 | 1.6 | 5.9 | 2.4 | 0.12 | 0.30 | C23–24 |
| Pancreas | 311 | 2.2 | 10.1 | 5.6 | 0.32 | 0.68 | 313 | 2.6 | 9.7 | 4.2 | 0.26 | 0.49 | C25 |
| Nose, sinuses etc. | 19 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 19 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 368 | 2.6 | 12.0 | 6.8 | 0.47 | 0.92 | 48 | 0.4 | 1.5 | 0.8 | 0.06 | 0.10 | C32 |
| Trachea, bronchus, and lung | 2859 | 20.0 | 93.2 | 50.2 | 2.57 | 6.63 | 1076 | 8.9 | 33.4 | 15.7 | 0.98 | 2.11 | C33–34 |
| Other thoracic organs | 25 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | 20 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 54 | 0.4 | 1.8 | 1.3 | 0.06 | 0.12 | 35 | 0.3 | 1.1 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 299 | 2.1 | 9.7 | 5.7 | 0.34 | 0.66 | 359 | 3.0 | 11.1 | 5.9 | 0.41 | 0.64 | C43 |
| Other skin | 1212 | 8.5 | 39.5 | 20.3 | 0.81 | 2.17 | 1334 | 11.0 | 41.4 | 16.0 | 0.76 | 1.90 | C44 |
| Mesothelioma | 39 | 0.3 | 1.3 | 0.7 | 0.04 | 0.09 | 31 | 0.3 | 1.0 | 0.5 | 0.04 | 0.06 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 76 | 0.5 | 2.5 | 2.0 | 0.12 | 0.17 | 68 | 0.6 | 2.1 | 1.4 | 0.09 | 0.14 | C47+C49 |
| Breast | 20 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 2725 | 22.5 | 84.6 | 47.8 | 3.58 | 5.47 | C50 |
| Vulva | | | | | | | 98 | 0.8 | 3.0 | 1.1 | 0.05 | 0.12 | C51 |
| Vagina | | | | | | | 16 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 380 | 3.1 | 11.8 | 6.9 | 0.55 | 0.76 | C53 |
| Corpus uteri | | | | | | | 1099 | 9.1 | 34.1 | 17.3 | 1.19 | 2.26 | C54 |
| Uterus unspecified | | | | | | | 12 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 638 | 5.3 | 19.8 | 11.1 | 0.80 | 1.26 | C56 |
| Other female genital organs | | | | | | | 12 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 42 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | | | | | | | C60 |
| Prostate | 2950 | 20.6 | 96.1 | 50.4 | 1.78 | 6.89 | | | | | | | C61 |
| Testis | 190 | 1.3 | 6.2 | 5.4 | 0.40 | 0.41 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 543 | 3.8 | 17.7 | 10.5 | 0.64 | 1.27 | 388 | 3.2 | 12.0 | 6.2 | 0.35 | 0.75 | C64 |
| Renal pelvis | 40 | 0.3 | 1.3 | 0.7 | 0.05 | 0.09 | 28 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | C65 |
| Ureter | 11 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 10 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 1116 | 7.8 | 36.4 | 19.1 | 0.80 | 2.36 | 302 | 2.5 | 9.4 | 4.2 | 0.24 | 0.55 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 31 | 0.2 | 1.0 | 0.8 | 0.04 | 0.07 | 50 | 0.4 | 1.6 | 0.9 | 0.06 | 0.09 | C69 |
| Brain and nervous system | 310 | 2.2 | 10.1 | 6.7 | 0.41 | 0.72 | 264 | 2.2 | 8.2 | 4.5 | 0.28 | 0.48 | C70–72 |
| Thyroid | 137 | 1.0 | 4.5 | 3.1 | 0.23 | 0.33 | 705 | 5.8 | 21.9 | 16.6 | 1.27 | 1.62 | C73 |
| Adrenal gland | 7 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 7 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 71 | 0.5 | 2.3 | 2.1 | 0.15 | 0.17 | 67 | 0.6 | 2.1 | 1.9 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 325 | 2.3 | 10.6 | 6.7 | 0.37 | 0.70 | 274 | 2.3 | 8.5 | 4.2 | 0.26 | 0.44 | C82–86,C96 |
| Immunoproliferative diseases | 15 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 138 | 1.0 | 4.5 | 2.4 | 0.13 | 0.29 | 146 | 1.2 | 4.5 | 2.1 | 0.11 | 0.26 | C90 |
| Lymphoid leukaemia | 280 | 2.0 | 9.1 | 6.2 | 0.32 | 0.63 | 209 | 1.7 | 6.5 | 3.2 | 0.16 | 0.34 | C91 |
| Myeloid leukaemia | 151 | 1.1 | 4.9 | 3.0 | 0.14 | 0.32 | 126 | 1.0 | 3.9 | 2.1 | 0.13 | 0.20 | C92–94 |
| Leukaemia unspecified | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 10 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 36 | 0.3 | 1.2 | 0.7 | 0.04 | 0.07 | 56 | 0.5 | 1.7 | 0.7 | 0.04 | 0.09 | MPD |
| Myelodysplastic syndromes | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | MPS |
| Other and unspecified | 265 | 1.9 | 8.6 | 4.6 | 0.23 | 0.53 | 252 | 2.1 | 7.8 | 2.9 | 0.14 | 0.33 | O&U |
| All sites | 15507 | | 505.3 | 281.2 | 13.98 | 34.41 | 13471 | | 418.3 | 211.8 | 13.68 | 24.55 | C00–96 |
| All sites except C44 | 14295 | 100.0 | 465.9 | 260.8 | 13.16 | 32.24 | 12137 | 100.0 | 376.8 | 195.8 | 12.92 | 22.65 | C00–96 exc. C44 |

†See note following population pyramid

Portugal, Azores

CONTRIBUTORS

Gonçalo Forjaz
 Andreia Coelho
 Gizela Rocha
 Natacha Amaral
 Vitor Rodrigues
 Raul Rego



NOTES ON THE DATA

*Rates based on low numbers due to small population.
 †C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 71.1 | Breast | 65.9 |
| Trachea, bronchus, and lung | 66.7 | Non-melanoma skin cancer | 47.2 |
| Prostate | 59.6 | Colon | 17.4 |
| Colon | 23.7 | Thyroid | 16.3 |
| Stomach | 21.0 | Corpus uteri | 12.5 |
| Bladder | 19.6 | Trachea, bronchus, and lung | 11.6 |
| Non-Hodgkin lymphoma | 12.8 | Cervix uteri | 10.4 |
| Rectum | 12.6 | Stomach | 8.3 |
| Larynx | 11.8 | Non-Hodgkin lymphoma | 8.2 |
| Kidney | 10.8 | Ovary | 7.4 |
| Pancreas | 9.0 | Rectum | 6.7 |
| Other and unspecified | 8.0 | Kidney | 5.5 |
| Oesophagus | 6.6 | Melanoma of skin | 5.3 |
| Mouth | 6.3 | Bladder | 5.2 |
| Melanoma of skin | 6.1 | Other and unspecified | 4.3 |
| Brain and nervous system | 4.9 | Pancreas | 3.9 |
| Lip | 4.8 | Gallbladder etc. | 3.3 |
| Hypopharynx | 4.6 | Myeloproliferative disorders | 2.8 |
| Liver | 4.6 | Brain and nervous system | 2.7 |
| Hodgkin lymphoma | 4.5 | Myelodysplastic syndromes | 2.6 |
| All sites | 419.3 | All sites | 272.2 |

***Portugal, Azores (2013–2016)**


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 34 | 1.4 | 7.0 | 4.8 | 0.33 | 0.52 | 8 | 0.4 | 1.6 | 0.8 | 0.04 | 0.11 | C00 |
| Tongue | 27 | 1.1 | 5.6 | 3.9 | 0.31 | 0.44 | 6 | 0.3 | 1.2 | 0.5 | 0.01 | 0.06 | C01–02 |
| Mouth | 43 | 1.7 | 8.9 | 6.3 | 0.49 | 0.81 | 3 | 0.2 | 0.6 | 0.3 | 0.01 | 0.01 | C03–06 |
| Salivary glands | 6 | 0.2 | 1.2 | 0.9 | 0.03 | 0.12 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C07–08 |
| Tonsil | 23 | 0.9 | 4.8 | 3.5 | 0.27 | 0.46 | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.05 | C09 |
| Other oropharynx | 19 | 0.8 | 3.9 | 2.9 | 0.30 | 0.33 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 13 | 0.5 | 2.7 | 1.9 | 0.19 | 0.24 | 5 | 0.3 | 1.0 | 0.7 | 0.06 | 0.09 | C11 |
| Hypopharynx | 31 | 1.3 | 6.4 | 4.6 | 0.41 | 0.57 | 2 | 0.1 | 0.4 | 0.3 | 0.04 | 0.04 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.6 | 0.5 | 0.01 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 45 | 1.8 | 9.3 | 6.6 | 0.48 | 0.92 | 6 | 0.3 | 1.2 | 0.7 | 0.06 | 0.06 | C15 |
| Stomach | 154 | 6.2 | 31.9 | 21.0 | 1.22 | 2.34 | 80 | 4.4 | 15.9 | 8.3 | 0.48 | 0.89 | C16 |
| Small intestine | 9 | 0.4 | 1.9 | 1.4 | 0.14 | 0.14 | 11 | 0.6 | 2.2 | 1.4 | 0.12 | 0.15 | C17 |
| Colon | 175 | 7.1 | 36.3 | 23.7 | 1.13 | 2.82 | 161 | 8.8 | 32.0 | 17.4 | 0.98 | 2.12 | C18 |
| Rectum | 95 | 3.8 | 19.7 | 12.6 | 0.69 | 1.43 | 65 | 3.5 | 12.9 | 6.7 | 0.39 | 0.77 | C19–20 |
| Anus | 10 | 0.4 | 2.1 | 1.5 | 0.13 | 0.15 | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 34 | 1.4 | 7.0 | 4.6 | 0.26 | 0.50 | 20 | 1.1 | 4.0 | 2.2 | 0.13 | 0.28 | C22 |
| Gallbladder etc. | 25 | 1.0 | 5.2 | 3.4 | 0.19 | 0.42 | 31 | 1.7 | 6.2 | 3.3 | 0.18 | 0.38 | C23–24 |
| Pancreas | 64 | 2.6 | 13.3 | 9.0 | 0.46 | 1.20 | 36 | 2.0 | 7.2 | 3.9 | 0.22 | 0.49 | C25 |
| Nose, sinuses etc. | 2 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 82 | 3.3 | 17.0 | 11.8 | 0.98 | 1.39 | 5 | 0.3 | 1.0 | 0.7 | 0.08 | 0.08 | C32 |
| Trachea, bronchus, and lung | 478 | 19.3 | 99.1 | 66.7 | 3.63 | 8.78 | 101 | 5.5 | 20.1 | 11.6 | 0.80 | 1.35 | C33–34 |
| Other thoracic organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 4 | 0.2 | 0.8 | 0.8 | 0.07 | 0.07 | 5 | 0.3 | 1.0 | 1.0 | 0.08 | 0.08 | C40–41 |
| Melanoma of skin | 40 | 1.6 | 8.3 | 6.1 | 0.38 | 0.62 | 39 | 2.1 | 7.8 | 5.3 | 0.40 | 0.49 | C43 |
| Other skin | 535 | 21.7 | 110.9 | 71.1 | 3.16 | 8.22 | 453 | 24.7 | 90.2 | 47.2 | 2.59 | 5.48 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 7 | 0.3 | 1.5 | 0.8 | 0.04 | 0.04 | 6 | 0.3 | 1.2 | 0.6 | 0.03 | 0.08 | C46 |
| Connective and soft tissue | 17 | 0.7 | 3.5 | 2.6 | 0.19 | 0.27 | 6 | 0.3 | 1.2 | 0.6 | 0.05 | 0.05 | C47+C49 |
| Breast | 3 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 519 | 28.3 | 103.3 | 65.9 | 4.78 | 7.45 | C50 |
| Vulva | | | | | | | 12 | 0.7 | 2.4 | 1.3 | 0.07 | 0.17 | C51 |
| Vagina | | | | | | | 5 | 0.3 | 1.0 | 0.7 | 0.04 | 0.07 | C52 |
| Cervix uteri | | | | | | | 69 | 3.8 | 13.7 | 10.4 | 0.82 | 1.01 | C53 |
| Corpus uteri | | | | | | | 102 | 5.6 | 20.3 | 12.5 | 0.93 | 1.60 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.3 | 1.0 | 0.6 | 0.03 | 0.05 | C55 |
| Ovary | | | | | | | 53 | 2.9 | 10.5 | 7.4 | 0.51 | 0.91 | C56 |
| Other female genital organs | | | | | | | 7 | 0.4 | 1.4 | 0.5 | 0.00 | 0.02 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 10 | 0.4 | 2.1 | 1.5 | 0.09 | 0.22 | | | | | | | C60 |
| Prostate | 426 | 17.2 | 88.3 | 59.6 | 2.84 | 8.33 | | | | | | | C61 |
| Testis | 22 | 0.9 | 4.6 | 3.8 | 0.30 | 0.30 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.2 | 0.2 | 0.00 | 0.03 | | | | | | | C63 |
| Kidney | 75 | 3.0 | 15.5 | 10.8 | 0.64 | 1.31 | 46 | 2.5 | 9.2 | 5.5 | 0.31 | 0.66 | C64 |
| Renal pelvis | 2 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C65 |
| Ureter | 3 | 0.1 | 0.6 | 0.4 | 0.00 | 0.06 | 1 | 0.1 | 0.2 | 0.1 | 0.00 | 0.03 | C66 |
| †Bladder | 150 | 6.1 | 31.1 | 19.6 | 0.79 | 2.29 | 48 | 2.6 | 9.6 | 5.2 | 0.32 | 0.64 | C67 |
| Other urinary organs | 2 | 0.1 | 0.4 | 0.2 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.2 | 0.2 | 0.00 | 0.03 | 3 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 28 | 1.1 | 5.8 | 4.9 | 0.35 | 0.50 | 22 | 1.2 | 4.4 | 2.7 | 0.19 | 0.30 | C70–72 |
| Thyroid | 21 | 0.8 | 4.4 | 3.2 | 0.20 | 0.41 | 108 | 5.9 | 21.5 | 16.3 | 1.35 | 1.66 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 27 | 1.1 | 5.6 | 4.5 | 0.32 | 0.35 | 15 | 0.8 | 3.0 | 2.6 | 0.18 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 92 | 3.7 | 19.1 | 12.8 | 0.79 | 1.43 | 66 | 3.6 | 13.1 | 8.2 | 0.50 | 1.08 | C82–86, C96 |
| Immunoproliferative diseases | 8 | 0.3 | 1.7 | 1.2 | 0.09 | 0.12 | 4 | 0.2 | 0.8 | 0.5 | 0.03 | 0.03 | C88 |
| Multiple myeloma | 23 | 0.9 | 4.8 | 3.0 | 0.15 | 0.34 | 21 | 1.1 | 4.2 | 2.6 | 0.19 | 0.32 | C90 |
| Lymphoid leukaemia | 22 | 0.9 | 4.6 | 3.9 | 0.21 | 0.41 | 10 | 0.5 | 2.0 | 1.6 | 0.05 | 0.15 | C91 |
| Myeloid leukaemia | 20 | 0.8 | 4.1 | 3.0 | 0.15 | 0.22 | 20 | 1.1 | 4.0 | 2.6 | 0.16 | 0.28 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.6 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 23 | 0.9 | 4.8 | 3.0 | 0.13 | 0.38 | 23 | 1.3 | 4.6 | 2.8 | 0.14 | 0.30 | MPD |
| Myelodysplastic syndromes | 10 | 0.4 | 2.1 | 1.3 | 0.10 | 0.12 | 25 | 1.4 | 5.0 | 2.6 | 0.14 | 0.20 | MPS |
| Other and unspecified | 59 | 2.4 | 12.2 | 8.0 | 0.48 | 0.93 | 43 | 2.3 | 8.6 | 4.3 | 0.20 | 0.50 | O&U |
| All sites | 3006 | | 623.1 | 419.3 | 23.17 | 50.81 | 2285 | | 454.8 | 272.2 | 17.84 | 30.87 | C00–96 |
| All sites except C44 | 2471 | 100.0 | 512.2 | 348.2 | 20.01 | 42.59 | 1832 | 100.0 | 364.6 | 225.0 | 15.24 | 25.40 | C00–96 exc. C44 |

*†See note following population pyramid

Russian Federation, Arkhangelsk

CONTRIBUTORS

Mikhail Valkov
Elena Potekhina
Alexandra Pankratieva
Dmitry Korotov
Svetlana Gladilina



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 63.7 | Breast | 45.0 |
| Prostate | 47.7 | Non-melanoma skin cancer | 27.5 |
| Stomach | 34.1 | Cervix uteri | 18.2 |
| Non-melanoma skin cancer | 25.0 | Colon | 18.0 |
| Colon | 20.9 | Corpus uteri | 16.5 |
| Rectum | 18.7 | Stomach | 14.4 |
| Kidney | 16.9 | Rectum | 11.0 |
| Bladder | 13.7 | Ovary | 10.4 |
| Oesophagus | 13.1 | Kidney | 10.0 |
| Pancreas | 11.6 | Thyroid | 9.9 |
| Other and unspecified | 7.7 | Trachea, bronchus, and lung | 8.4 |
| Larynx | 6.7 | Melanoma of skin | 7.3 |
| Brain and nervous system | 6.1 | Pancreas | 6.9 |
| Liver | 4.6 | Brain and nervous system | 5.2 |
| Melanoma of skin | 4.2 | Other and unspecified | 4.7 |
| Mouth | 3.6 | Oesophagus | 2.8 |
| Hypopharynx | 3.3 | Bladder | 2.6 |
| Hodgkin lymphoma | 2.3 | Gallbladder etc. | 2.2 |
| Thyroid | 2.1 | Liver | 1.9 |
| Tongue | 2.1 | Myeloid leukaemia | 1.8 |
| All sites | 334.6 | All sites | 241.8 |

Russian Federation, Arkhangelsk (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 61 | 0.5 | 2.2 | 1.6 | 0.06 | 0.21 | 30 | 0.2 | 1.0 | 0.3 | 0.00 | 0.04 | C00 |
| Tongue | 78 | 0.7 | 2.8 | 2.1 | 0.16 | 0.25 | 66 | 0.5 | 2.1 | 1.2 | 0.08 | 0.12 | C01–02 |
| Mouth | 136 | 1.2 | 4.9 | 3.6 | 0.28 | 0.45 | 47 | 0.4 | 1.5 | 0.9 | 0.07 | 0.09 | C03–06 |
| Salivary glands | 30 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | 21 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C07–08 |
| Tonsil | 43 | 0.4 | 1.6 | 1.2 | 0.08 | 0.14 | 15 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C09 |
| Other oropharynx | 72 | 0.6 | 2.6 | 1.8 | 0.16 | 0.22 | 13 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 129 | 1.1 | 4.7 | 3.3 | 0.24 | 0.42 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 511 | 4.4 | 18.4 | 13.1 | 0.84 | 1.56 | 202 | 1.6 | 6.4 | 2.8 | 0.15 | 0.32 | C15 |
| Stomach | 1289 | 11.1 | 46.5 | 34.1 | 1.73 | 4.24 | 1059 | 8.5 | 33.6 | 14.4 | 0.63 | 1.68 | C16 |
| Small intestine | 41 | 0.4 | 1.5 | 1.0 | 0.06 | 0.12 | 48 | 0.4 | 1.5 | 0.6 | 0.03 | 0.07 | C17 |
| Colon | 773 | 6.7 | 27.9 | 20.9 | 0.85 | 2.51 | 1292 | 10.3 | 41.1 | 18.0 | 0.85 | 2.13 | C18 |
| Rectum | 702 | 6.1 | 25.3 | 18.7 | 0.86 | 2.38 | 727 | 5.8 | 23.1 | 11.0 | 0.61 | 1.34 | C19–20 |
| Anus | 21 | 0.2 | 0.8 | 0.5 | 0.04 | 0.07 | 24 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C21 |
| Liver | 166 | 1.4 | 6.0 | 4.6 | 0.20 | 0.53 | 132 | 1.1 | 4.2 | 1.9 | 0.09 | 0.18 | C22 |
| Gallbladder etc. | 77 | 0.7 | 2.8 | 2.0 | 0.08 | 0.20 | 170 | 1.4 | 5.4 | 2.2 | 0.11 | 0.24 | C23–24 |
| Pancreas | 441 | 3.8 | 15.9 | 11.6 | 0.63 | 1.39 | 496 | 4.0 | 15.8 | 6.9 | 0.34 | 0.79 | C25 |
| Nose, sinuses etc. | 29 | 0.3 | 1.0 | 0.8 | 0.06 | 0.08 | 15 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 261 | 2.3 | 9.4 | 6.7 | 0.46 | 0.91 | 27 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | C32 |
| Trachea, bronchus, and lung | 2448 | 21.2 | 88.4 | 63.7 | 3.60 | 8.35 | 545 | 4.4 | 17.3 | 8.4 | 0.46 | 1.04 | C33–34 |
| Other thoracic organs | 30 | 0.3 | 1.1 | 0.8 | 0.06 | 0.08 | 24 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 26 | 0.2 | 0.9 | 0.8 | 0.05 | 0.08 | 32 | 0.3 | 1.0 | 0.8 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 155 | 1.3 | 5.6 | 4.2 | 0.25 | 0.47 | 373 | 3.0 | 11.9 | 7.3 | 0.53 | 0.79 | C43 |
| Other skin | 931 | 8.0 | 33.6 | 25.0 | 1.04 | 2.93 | 1920 | 15.3 | 61.0 | 27.5 | 1.37 | 3.25 | C44 |
| Mesothelioma | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 52 | 0.4 | 1.9 | 1.5 | 0.09 | 0.15 | 58 | 0.5 | 1.8 | 1.2 | 0.08 | 0.09 | C47+C49 |
| Breast | 18 | 0.2 | 0.6 | 0.5 | 0.03 | 0.08 | 2470 | 19.7 | 78.5 | 45.0 | 3.25 | 5.27 | C50 |
| Vulva | | | | | | | 74 | 0.6 | 2.4 | 1.1 | 0.05 | 0.12 | C51 |
| Vagina | | | | | | | 20 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 764 | 6.1 | 24.3 | 18.2 | 1.48 | 1.71 | C53 |
| Corpus uteri | | | | | | | 952 | 7.6 | 30.2 | 16.5 | 1.21 | 2.04 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 549 | 4.4 | 17.4 | 10.4 | 0.72 | 1.18 | C56 |
| Other female genital organs | | | | | | | 18 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 33 | 0.3 | 1.2 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 1762 | 15.2 | 63.6 | 47.7 | 1.50 | 6.21 | | | | | | | C61 |
| Testis | 58 | 0.5 | 2.1 | 1.7 | 0.13 | 0.13 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 635 | 5.5 | 22.9 | 16.9 | 1.01 | 2.03 | 614 | 4.9 | 19.5 | 10.0 | 0.60 | 1.24 | C64 |
| Renal pelvis | 12 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 518 | 4.5 | 18.7 | 13.7 | 0.61 | 1.70 | 183 | 1.5 | 5.8 | 2.6 | 0.14 | 0.28 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 29 | 0.3 | 1.0 | 0.8 | 0.06 | 0.08 | 32 | 0.3 | 1.0 | 0.5 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 205 | 1.8 | 7.4 | 6.1 | 0.36 | 0.66 | 266 | 2.1 | 8.5 | 5.2 | 0.33 | 0.55 | C70–72 |
| Thyroid | 74 | 0.6 | 2.7 | 2.1 | 0.15 | 0.21 | 453 | 3.6 | 14.4 | 9.9 | 0.76 | 1.00 | C73 |
| Adrenal gland | 8 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 12 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 71 | 0.6 | 2.6 | 2.3 | 0.17 | 0.18 | 56 | 0.4 | 1.8 | 1.6 | 0.11 | 0.12 | C81 |
| Non-Hodgkin lymphoma | 34 | 0.3 | 1.2 | 1.0 | 0.06 | 0.12 | 39 | 0.3 | 1.2 | 0.8 | 0.04 | 0.07 | C82–86,C96 |
| Immunoproliferative diseases | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 66 | 0.6 | 2.4 | 1.8 | 0.10 | 0.24 | 76 | 0.6 | 2.4 | 1.3 | 0.08 | 0.18 | C90 |
| Lymphoid leukaemia | 38 | 0.3 | 1.4 | 1.4 | 0.09 | 0.10 | 32 | 0.3 | 1.0 | 1.1 | 0.06 | 0.08 | C91 |
| Myeloid leukaemia | 62 | 0.5 | 2.2 | 1.9 | 0.12 | 0.17 | 79 | 0.6 | 2.5 | 1.8 | 0.12 | 0.17 | C92–94 |
| Leukaemia unspecified | 37 | 0.3 | 1.3 | 1.0 | 0.03 | 0.09 | 53 | 0.4 | 1.7 | 0.7 | 0.03 | 0.08 | C95 |
| Myeloproliferative disorders | 17 | 0.1 | 0.6 | 0.9 | 0.04 | 0.04 | 10 | 0.1 | 0.3 | 0.6 | 0.03 | 0.03 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 281 | 2.4 | 10.1 | 7.7 | 0.40 | 0.96 | 303 | 2.4 | 9.6 | 4.7 | 0.26 | 0.53 | O&U |
| All sites | 12501 | | 451.3 | 334.6 | 16.96 | 41.14 | 14446 | | 459.0 | 241.8 | 15.04 | 27.46 | C00–96 |
| All sites except C44 | 11570 | 100.0 | 417.7 | 309.6 | 15.91 | 38.21 | 12526 | 100.0 | 398.0 | 214.2 | 13.66 | 24.21 | C00–96 exc. C44 |

†See note following population pyramid

Russian Federation, Kaliningrad

CONTRIBUTORS

K.Y. Barinov
O.V. Shveina
O.V. Bogatinskya
I.P. Alimov



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 40.8 | Breast | 56.6 |
| Prostate | 35.6 | Non-melanoma skin cancer | 28.6 |
| Non-melanoma skin cancer | 31.2 | Corpus uteri | 17.1 |
| Stomach | 21.0 | Cervix uteri | 16.4 |
| Colon | 16.3 | Colon | 12.2 |
| Rectum | 15.2 | Ovary | 11.1 |
| Bladder | 14.1 | Stomach | 9.4 |
| Kidney | 12.9 | Rectum | 9.4 |
| Larynx | 7.8 | Trachea, bronchus, and lung | 7.2 |
| Other and unspecified | 6.9 | Kidney | 6.5 |
| Pancreas | 6.8 | Melanoma of skin | 5.9 |
| Oesophagus | 5.6 | Thyroid | 4.9 |
| Melanoma of skin | 4.9 | Pancreas | 4.9 |
| Liver | 4.1 | Other and unspecified | 4.1 |
| Brain and nervous system | 3.8 | Hodgkin lymphoma | 3.0 |
| Mouth | 3.1 | Brain and nervous system | 2.8 |
| Hypopharynx | 2.7 | Bladder | 2.2 |
| Tongue | 2.7 | Liver | 1.7 |
| Other oropharynx | 2.4 | Connective and soft tissue | 1.6 |
| Connective and soft tissue | 2.4 | Multiple myeloma | 1.2 |
| All sites | 263.8 | All sites | 223.3 |

Russian Federation, Kaliningrad (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 38 | 0.5 | 1.7 | 1.2 | 0.06 | 0.15 | 16 | 0.2 | 0.6 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 85 | 1.2 | 3.7 | 2.7 | 0.21 | 0.34 | 45 | 0.5 | 1.7 | 1.0 | 0.08 | 0.12 | C01–02 |
| Mouth | 97 | 1.4 | 4.3 | 3.1 | 0.26 | 0.37 | 38 | 0.4 | 1.5 | 0.9 | 0.05 | 0.12 | C03–06 |
| Salivary glands | 18 | 0.3 | 0.8 | 0.6 | 0.04 | 0.06 | 18 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | C07–08 |
| Tonsil | 30 | 0.4 | 1.3 | 1.0 | 0.07 | 0.10 | 6 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 77 | 1.1 | 3.4 | 2.4 | 0.19 | 0.31 | 15 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | C10 |
| Nasopharynx | 11 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 85 | 1.2 | 3.7 | 2.7 | 0.19 | 0.36 | 13 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 175 | 2.5 | 7.7 | 5.6 | 0.37 | 0.75 | 39 | 0.4 | 1.5 | 0.7 | 0.05 | 0.09 | C15 |
| Stomach | 650 | 9.1 | 28.5 | 21.0 | 1.12 | 2.68 | 516 | 5.8 | 20.0 | 9.4 | 0.47 | 1.15 | C16 |
| Small intestine | 17 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 23 | 0.3 | 0.9 | 0.5 | 0.03 | 0.06 | C17 |
| Colon | 503 | 7.1 | 22.1 | 16.3 | 0.74 | 1.99 | 660 | 7.4 | 25.6 | 12.2 | 0.63 | 1.60 | C18 |
| Rectum | 470 | 6.6 | 20.6 | 15.2 | 0.79 | 1.95 | 502 | 5.7 | 19.4 | 9.4 | 0.50 | 1.23 | C19–20 |
| Anus | 15 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | 55 | 0.6 | 2.1 | 1.2 | 0.10 | 0.12 | C21 |
| Liver | 129 | 1.8 | 5.7 | 4.1 | 0.24 | 0.48 | 100 | 1.1 | 3.9 | 1.7 | 0.08 | 0.20 | C22 |
| Gallbladder etc. | 36 | 0.5 | 1.6 | 1.1 | 0.06 | 0.14 | 61 | 0.7 | 2.4 | 1.1 | 0.04 | 0.15 | C23–24 |
| Pancreas | 215 | 3.0 | 9.4 | 6.8 | 0.39 | 0.81 | 276 | 3.1 | 10.7 | 4.9 | 0.27 | 0.56 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 0.6 | 0.4 | 0.03 | 0.04 | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 245 | 3.4 | 10.7 | 7.8 | 0.60 | 1.00 | 17 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1270 | 17.9 | 55.7 | 40.8 | 2.38 | 5.44 | 360 | 4.1 | 13.9 | 7.2 | 0.48 | 0.89 | C33–34 |
| Other thoracic organs | 21 | 0.3 | 0.9 | 0.8 | 0.04 | 0.10 | 10 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C37–38 |
| Bone | 41 | 0.6 | 1.8 | 1.5 | 0.10 | 0.14 | 30 | 0.3 | 1.2 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 154 | 2.2 | 6.8 | 4.9 | 0.33 | 0.51 | 266 | 3.0 | 10.3 | 5.9 | 0.40 | 0.62 | C43 |
| Other skin | 978 | 13.8 | 42.9 | 31.2 | 1.31 | 3.52 | 1597 | 18.0 | 61.8 | 28.6 | 1.47 | 3.33 | C44 |
| Mesothelioma | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 14 | 0.2 | 0.6 | 0.5 | 0.02 | 0.07 | 7 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C46 |
| Connective and soft tissue | 65 | 0.9 | 2.9 | 2.4 | 0.14 | 0.24 | 49 | 0.6 | 1.9 | 1.6 | 0.10 | 0.12 | C47+C49 |
| Breast | 16 | 0.2 | 0.7 | 0.5 | 0.03 | 0.07 | 2509 | 28.2 | 97.2 | 56.6 | 4.10 | 6.67 | C50 |
| Vulva | | | | | | | 63 | 0.7 | 2.4 | 1.1 | 0.05 | 0.16 | C51 |
| Vagina | | | | | | | 16 | 0.2 | 0.6 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 618 | 7.0 | 23.9 | 16.4 | 1.31 | 1.66 | C53 |
| Corpus uteri | | | | | | | 811 | 9.1 | 31.4 | 17.1 | 1.24 | 2.19 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 474 | 5.3 | 18.4 | 11.1 | 0.88 | 1.23 | C56 |
| Other female genital organs | | | | | | | 9 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 25 | 0.4 | 1.1 | 0.8 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 1078 | 15.2 | 47.3 | 35.6 | 1.28 | 5.00 | | | | | | | C61 |
| Testis | 55 | 0.8 | 2.4 | 2.0 | 0.15 | 0.16 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 399 | 5.6 | 17.5 | 12.9 | 0.86 | 1.51 | 299 | 3.4 | 11.6 | 6.5 | 0.44 | 0.78 | C64 |
| Renal pelvis | 5 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 14 | 0.2 | 0.5 | 0.3 | 0.02 | 0.03 | C65 |
| Ureter | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 6 | 0.1 | 0.2 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 443 | 6.2 | 19.4 | 14.1 | 0.71 | 1.70 | 118 | 1.3 | 4.6 | 2.2 | 0.13 | 0.27 | C67 |
| Other urinary organs | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 20 | 0.3 | 0.9 | 0.6 | 0.05 | 0.06 | 25 | 0.3 | 1.0 | 0.6 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 100 | 1.4 | 4.4 | 3.8 | 0.25 | 0.37 | 101 | 1.1 | 3.9 | 2.8 | 0.19 | 0.27 | C70–72 |
| Thyroid | 43 | 0.6 | 1.9 | 1.4 | 0.11 | 0.16 | 187 | 2.1 | 7.2 | 4.9 | 0.38 | 0.50 | C73 |
| Adrenal gland | 10 | 0.1 | 0.4 | 0.5 | 0.02 | 0.06 | 9 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 49 | 0.7 | 2.1 | 1.9 | 0.14 | 0.16 | 69 | 0.8 | 2.7 | 3.0 | 0.20 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 46 | 0.6 | 2.0 | 1.6 | 0.10 | 0.20 | 54 | 0.6 | 2.1 | 1.2 | 0.07 | 0.12 | C82–86,C96 |
| Immunoproliferative diseases | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 39 | 0.5 | 1.7 | 1.3 | 0.08 | 0.17 | 57 | 0.6 | 2.2 | 1.2 | 0.07 | 0.17 | C90 |
| Lymphoid leukaemia | 19 | 0.3 | 0.8 | 1.0 | 0.06 | 0.07 | 16 | 0.2 | 0.6 | 0.9 | 0.05 | 0.06 | C91 |
| Myeloid leukaemia | 31 | 0.4 | 1.4 | 1.2 | 0.07 | 0.14 | 45 | 0.5 | 1.7 | 1.1 | 0.06 | 0.14 | C92–94 |
| Leukaemia unspecified | 18 | 0.3 | 0.8 | 0.7 | 0.03 | 0.07 | 12 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C95 |
| Myeloproliferative disorders | 11 | 0.2 | 0.5 | 0.8 | 0.03 | 0.04 | 5 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 205 | 2.9 | 9.0 | 6.9 | 0.32 | 0.94 | 210 | 2.4 | 8.1 | 4.1 | 0.23 | 0.49 | O&U |
| All sites | 8085 | | 354.7 | 263.8 | 14.18 | 32.75 | 10481 | | 405.9 | 223.3 | 14.62 | 26.00 | C00–96 |
| All sites except C44 | 7107 | 100.0 | 311.8 | 232.6 | 12.87 | 29.23 | 8884 | 100.0 | 344.1 | 194.8 | 13.15 | 22.67 | C00–96 exc. C44 |

†See note following population pyramid

Russian Federation, Karelia

CONTRIBUTORS

Yervand Khidishyan
 Marina Kravtsova
 Natalia Soloveva
 Julia Trofimova
 Julia Kazarovets
 Irina Erofeeva
 Svetlana Kiliyanchuk
 Maya Malkova
 Ekaterina Nazarova



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 61.4 | Breast | 55.2 |
| Prostate | 37.4 | Non-melanoma skin cancer | 23.5 |
| Stomach | 32.7 | Cervix uteri | 23.3 |
| Non-melanoma skin cancer | 25.9 | Corpus uteri | 18.7 |
| Colon | 22.2 | Colon | 16.4 |
| Rectum | 18.6 | Stomach | 13.2 |
| Kidney | 16.0 | Ovary | 10.9 |
| Bladder | 14.8 | Rectum | 9.4 |
| Oesophagus | 10.7 | Kidney | 8.9 |
| Pancreas | 9.5 | Thyroid | 8.2 |
| Larynx | 7.9 | Trachea, bronchus, and lung | 7.1 |
| Other and unspecified | 7.2 | Melanoma of skin | 5.8 |
| Brain and nervous system | 5.6 | Pancreas | 5.6 |
| Melanoma of skin | 5.6 | Brain and nervous system | 3.1 |
| Liver | 4.9 | Other and unspecified | 3.0 |
| Mouth | 3.6 | Oesophagus | 2.4 |
| Tongue | 3.3 | Non-Hodgkin lymphoma | 2.3 |
| Hypopharynx | 3.1 | Hodgkin lymphoma | 2.3 |
| Myeloid leukaemia | 2.9 | Myeloid leukaemia | 2.2 |
| Testis | 2.7 | Bladder | 2.1 |
| All sites | 323.3 | All sites | 244.2 |

Russian Federation, Karelia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 27 | 0.5 | 1.9 | 1.4 | 0.05 | 0.18 | 11 | 0.2 | 0.6 | 0.2 | 0.00 | 0.02 | C00 |
| Tongue | 70 | 1.2 | 4.9 | 3.3 | 0.27 | 0.38 | 32 | 0.5 | 1.9 | 1.1 | 0.08 | 0.12 | C01–02 |
| Mouth | 76 | 1.3 | 5.3 | 3.6 | 0.25 | 0.46 | 36 | 0.5 | 2.1 | 1.0 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 17 | 0.3 | 1.2 | 0.9 | 0.07 | 0.10 | 27 | 0.4 | 1.6 | 0.8 | 0.05 | 0.09 | C07–08 |
| Tonsil | 21 | 0.4 | 1.5 | 1.0 | 0.08 | 0.14 | 12 | 0.2 | 0.7 | 0.4 | 0.04 | 0.04 | C09 |
| Other oropharynx | 44 | 0.7 | 3.1 | 2.1 | 0.16 | 0.28 | 14 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C10 |
| Nasopharynx | 6 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 64 | 1.1 | 4.5 | 3.1 | 0.23 | 0.41 | 17 | 0.2 | 1.0 | 0.6 | 0.05 | 0.06 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 227 | 3.8 | 15.8 | 10.7 | 0.75 | 1.33 | 106 | 1.5 | 6.2 | 2.4 | 0.14 | 0.25 | C15 |
| Stomach | 660 | 11.0 | 46.0 | 32.7 | 1.56 | 4.26 | 501 | 7.1 | 29.3 | 13.2 | 0.67 | 1.55 | C16 |
| Small intestine | 16 | 0.3 | 1.1 | 0.9 | 0.04 | 0.13 | 23 | 0.3 | 1.3 | 0.7 | 0.05 | 0.08 | C17 |
| Colon | 448 | 7.5 | 31.2 | 22.2 | 0.90 | 2.64 | 654 | 9.3 | 38.2 | 16.4 | 0.78 | 2.08 | C18 |
| Rectum | 387 | 6.5 | 27.0 | 18.6 | 0.97 | 2.26 | 358 | 5.1 | 20.9 | 9.4 | 0.52 | 1.14 | C19–20 |
| Anus | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 14 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C21 |
| Liver | 100 | 1.7 | 7.0 | 4.9 | 0.26 | 0.62 | 70 | 1.0 | 4.1 | 1.8 | 0.09 | 0.22 | C22 |
| Gallbladder etc. | 38 | 0.6 | 2.6 | 2.0 | 0.09 | 0.28 | 67 | 1.0 | 3.9 | 1.6 | 0.08 | 0.22 | C23–24 |
| Pancreas | 188 | 3.1 | 13.1 | 9.5 | 0.44 | 1.28 | 222 | 3.2 | 13.0 | 5.6 | 0.24 | 0.71 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 1.0 | 0.7 | 0.03 | 0.11 | 14 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C30–31 |
| Larynx | 161 | 2.7 | 11.2 | 7.9 | 0.57 | 1.10 | 16 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 1275 | 21.3 | 88.9 | 61.4 | 3.73 | 7.84 | 253 | 3.6 | 14.8 | 7.1 | 0.42 | 0.90 | C33–34 |
| Other thoracic organs | 16 | 0.3 | 1.1 | 0.9 | 0.04 | 0.13 | 10 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 18 | 0.3 | 1.3 | 1.0 | 0.07 | 0.09 | 12 | 0.2 | 0.7 | 0.5 | 0.04 | 0.04 | C40–41 |
| Melanoma of skin | 111 | 1.9 | 7.7 | 5.6 | 0.36 | 0.64 | 178 | 2.5 | 10.4 | 5.8 | 0.39 | 0.63 | C43 |
| Other skin | 519 | 8.7 | 36.2 | 25.9 | 1.05 | 2.96 | 943 | 13.4 | 55.1 | 23.5 | 1.13 | 2.77 | C44 |
| Mesothelioma | 8 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 14 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 29 | 0.5 | 2.0 | 1.5 | 0.11 | 0.16 | 49 | 0.7 | 2.9 | 1.6 | 0.09 | 0.16 | C47+C49 |
| Breast | 12 | 0.2 | 0.8 | 0.6 | 0.04 | 0.08 | 1694 | 24.1 | 99.0 | 55.2 | 4.15 | 6.44 | C50 |
| Vulva | | | | | | | 49 | 0.7 | 2.9 | 1.2 | 0.04 | 0.16 | C51 |
| Vagina | | | | | | | 12 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C52 |
| Cervix uteri | | | | | | | 511 | 7.3 | 29.9 | 23.3 | 1.84 | 2.13 | C53 |
| Corpus uteri | | | | | | | 592 | 8.4 | 34.6 | 18.7 | 1.48 | 2.26 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 330 | 4.7 | 19.3 | 10.9 | 0.78 | 1.26 | C56 |
| Other female genital organs | | | | | | | 12 | 0.2 | 0.7 | 0.3 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.3 | 1.1 | 0.8 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 743 | 12.4 | 51.8 | 37.4 | 1.32 | 5.26 | | | | | | | C61 |
| Testis | 41 | 0.7 | 2.9 | 2.7 | 0.19 | 0.21 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 327 | 5.5 | 22.8 | 16.0 | 1.01 | 1.94 | 292 | 4.2 | 17.1 | 8.9 | 0.51 | 1.11 | C64 |
| Renal pelvis | 10 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.4 | 0.1 | 0.01 | 0.02 | C66 |
| †Bladder | 292 | 4.9 | 20.4 | 14.8 | 0.64 | 1.88 | 89 | 1.3 | 5.2 | 2.1 | 0.10 | 0.23 | C67 |
| Other urinary organs | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 13 | 0.2 | 0.9 | 0.7 | 0.04 | 0.10 | 12 | 0.2 | 0.7 | 0.3 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 101 | 1.7 | 7.0 | 5.6 | 0.41 | 0.51 | 85 | 1.2 | 5.0 | 3.1 | 0.20 | 0.32 | C70–72 |
| Thyroid | 43 | 0.7 | 3.0 | 2.3 | 0.17 | 0.26 | 200 | 2.8 | 11.7 | 8.2 | 0.63 | 0.87 | C73 |
| Adrenal gland | 9 | 0.2 | 0.6 | 0.6 | 0.03 | 0.06 | 12 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 30 | 0.5 | 2.1 | 1.7 | 0.13 | 0.15 | 36 | 0.5 | 2.1 | 2.3 | 0.16 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 48 | 0.8 | 3.3 | 2.5 | 0.17 | 0.29 | 73 | 1.0 | 4.3 | 2.3 | 0.12 | 0.25 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 33 | 0.6 | 2.3 | 1.5 | 0.10 | 0.17 | 60 | 0.9 | 3.5 | 1.6 | 0.07 | 0.20 | C90 |
| Lymphoid leukaemia | 20 | 0.3 | 1.4 | 1.3 | 0.09 | 0.11 | 20 | 0.3 | 1.2 | 1.3 | 0.07 | 0.09 | C91 |
| Myeloid leukaemia | 56 | 0.9 | 3.9 | 2.9 | 0.17 | 0.29 | 68 | 1.0 | 4.0 | 2.2 | 0.14 | 0.22 | C92–94 |
| Leukaemia unspecified | 6 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | 9 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C95 |
| Myeloproliferative disorders | 6 | 0.1 | 0.4 | 0.7 | 0.03 | 0.03 | 8 | 0.1 | 0.5 | 1.0 | 0.04 | 0.04 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 146 | 2.4 | 10.2 | 7.2 | 0.35 | 0.87 | 117 | 1.7 | 6.8 | 3.0 | 0.14 | 0.33 | O&U |
| All sites | 6504 | | 453.4 | 323.3 | 17.12 | 40.32 | 7963 | | 465.2 | 244.2 | 15.77 | 27.91 | C00–96 |
| All sites except C44 | 5985 | 100.0 | 417.2 | 297.4 | 16.07 | 37.36 | 7020 | 100.0 | 410.1 | 220.7 | 14.64 | 25.14 | C00–96 exc. C44 |

†See note following population pyramid

Russian Federation, Komi Republic

CONTRIBUTORS

Olga Vladimirovna Visheratina
 Andrew Nikolaevich Sokolov
 Andrew Pavlovich Galin
 Aleksandr Vladimirovich Yakimov



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 69.8 | Breast | 56.6 |
| Prostate | 43.5 | Non-melanoma skin cancer | 20.7 |
| Stomach | 33.1 | Cervix uteri | 19.3 |
| Colon | 23.8 | Colon | 17.7 |
| Kidney | 21.1 | Thyroid | 16.3 |
| Non-melanoma skin cancer | 20.3 | Corpus uteri | 16.2 |
| Rectum | 20.0 | Ovary | 14.4 |
| Bladder | 16.7 | Stomach | 12.2 |
| Oesophagus | 13.5 | Rectum | 10.8 |
| Pancreas | 11.7 | Kidney | 10.7 |
| Other and unspecified | 9.4 | Trachea, bronchus, and lung | 10.6 |
| Larynx | 8.2 | Pancreas | 5.9 |
| Liver | 6.9 | Melanoma of skin | 5.6 |
| Brain and nervous system | 5.8 | Other and unspecified | 5.0 |
| Melanoma of skin | 5.6 | Brain and nervous system | 4.0 |
| Leukaemia unspecified | 4.2 | Bladder | 3.3 |
| Hypopharynx | 3.3 | Liver | 2.8 |
| Mouth | 3.2 | Oesophagus | 2.5 |
| Thyroid | 3.0 | Hodgkin lymphoma | 2.4 |
| Other oropharynx | 2.9 | Leukaemia unspecified | 2.4 |
| All sites | 360.4 | All sites | 261.7 |

*Russian Federation, Komi Republic (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 49 | 0.6 | 2.4 | 2.1 | 0.11 | 0.23 | 17 | 0.2 | 0.7 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 62 | 0.8 | 3.0 | 2.5 | 0.15 | 0.32 | 42 | 0.5 | 1.8 | 1.1 | 0.09 | 0.13 | C01–02 |
| Mouth | 84 | 1.1 | 4.1 | 3.2 | 0.22 | 0.40 | 39 | 0.4 | 1.7 | 1.1 | 0.08 | 0.14 | C03–06 |
| Salivary glands | 23 | 0.3 | 1.1 | 0.9 | 0.06 | 0.13 | 19 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 31 | 0.4 | 1.5 | 1.4 | 0.07 | 0.20 | 11 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | C09 |
| Other oropharynx | 77 | 1.0 | 3.8 | 2.9 | 0.20 | 0.35 | 21 | 0.2 | 0.9 | 0.5 | 0.05 | 0.06 | C10 |
| Nasopharynx | 12 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 89 | 1.1 | 4.4 | 3.3 | 0.27 | 0.43 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 4 | 0.1 | 0.2 | 0.2 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 344 | 4.3 | 16.8 | 13.5 | 0.91 | 1.67 | 103 | 1.1 | 4.5 | 2.5 | 0.14 | 0.31 | C15 |
| Stomach | 778 | 9.8 | 38.1 | 33.1 | 1.62 | 4.18 | 522 | 5.8 | 22.9 | 12.2 | 0.54 | 1.42 | C16 |
| Small intestine | 30 | 0.4 | 1.5 | 1.3 | 0.05 | 0.17 | 24 | 0.3 | 1.1 | 0.6 | 0.02 | 0.06 | C17 |
| Colon | 537 | 6.7 | 26.3 | 23.8 | 1.03 | 2.86 | 741 | 8.2 | 32.5 | 17.7 | 0.90 | 2.10 | C18 |
| Rectum | 448 | 5.6 | 21.9 | 20.0 | 0.86 | 2.57 | 446 | 4.9 | 19.5 | 10.8 | 0.59 | 1.34 | C19–20 |
| Anus | 13 | 0.2 | 0.6 | 0.6 | 0.03 | 0.07 | 41 | 0.5 | 1.8 | 1.2 | 0.07 | 0.15 | C21 |
| Liver | 158 | 2.0 | 7.7 | 6.9 | 0.33 | 0.98 | 121 | 1.3 | 5.3 | 2.8 | 0.14 | 0.31 | C22 |
| Gallbladder etc. | 37 | 0.5 | 1.8 | 1.6 | 0.06 | 0.22 | 96 | 1.1 | 4.2 | 2.2 | 0.09 | 0.30 | C23–24 |
| Pancreas | 280 | 3.5 | 13.7 | 11.7 | 0.62 | 1.50 | 255 | 2.8 | 11.2 | 5.9 | 0.33 | 0.70 | C25 |
| Nose, sinuses etc. | 26 | 0.3 | 1.3 | 1.0 | 0.06 | 0.11 | 15 | 0.2 | 0.7 | 0.5 | 0.03 | 0.04 | C30–31 |
| Larynx | 208 | 2.6 | 10.2 | 8.2 | 0.54 | 1.07 | 14 | 0.2 | 0.6 | 0.4 | 0.04 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1676 | 21.0 | 82.1 | 69.8 | 3.80 | 8.99 | 439 | 4.9 | 19.2 | 10.6 | 0.63 | 1.26 | C33–34 |
| Other thoracic organs | 17 | 0.2 | 0.8 | 0.8 | 0.04 | 0.08 | 18 | 0.2 | 0.8 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 24 | 0.3 | 1.2 | 1.3 | 0.06 | 0.13 | 26 | 0.3 | 1.1 | 1.0 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 143 | 1.8 | 7.0 | 5.6 | 0.36 | 0.65 | 198 | 2.2 | 8.7 | 5.6 | 0.36 | 0.60 | C43 |
| Other skin | 446 | 5.6 | 21.8 | 20.3 | 0.77 | 2.27 | 883 | 9.8 | 38.7 | 20.7 | 0.93 | 2.38 | C44 |
| Mesothelioma | 11 | 0.1 | 0.5 | 0.5 | 0.02 | 0.08 | 6 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 54 | 0.7 | 2.6 | 2.3 | 0.16 | 0.24 | 73 | 0.8 | 3.2 | 2.3 | 0.17 | 0.22 | C47+C49 |
| Breast | 16 | 0.2 | 0.8 | 0.7 | 0.03 | 0.08 | 2079 | 23.0 | 91.1 | 56.6 | 4.09 | 6.64 | C50 |
| Vulva | | | | | | | 50 | 0.6 | 2.2 | 1.2 | 0.06 | 0.16 | C51 |
| Vagina | | | | | | | 13 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 623 | 6.9 | 27.3 | 19.3 | 1.53 | 1.86 | C53 |
| Corpus uteri | | | | | | | 620 | 6.9 | 27.2 | 16.2 | 1.19 | 2.01 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 508 | 5.6 | 22.3 | 14.4 | 1.06 | 1.57 | C56 |
| Other female genital organs | | | | | | | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 17 | 0.2 | 0.8 | 0.7 | 0.04 | 0.11 | | | | | | | C60 |
| Prostate | 935 | 11.7 | 45.8 | 43.5 | 1.34 | 5.66 | | | | | | | C61 |
| Testis | 46 | 0.6 | 2.3 | 1.9 | 0.13 | 0.16 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 523 | 6.6 | 25.6 | 21.1 | 1.33 | 2.47 | 423 | 4.7 | 18.5 | 10.7 | 0.68 | 1.29 | C64 |
| Renal pelvis | 9 | 0.1 | 0.4 | 0.4 | 0.02 | 0.05 | 7 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 10 | 0.1 | 0.5 | 0.5 | 0.02 | 0.05 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 377 | 4.7 | 18.5 | 16.7 | 0.76 | 2.00 | 138 | 1.5 | 6.0 | 3.3 | 0.20 | 0.39 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 18 | 0.2 | 0.9 | 0.8 | 0.04 | 0.10 | 19 | 0.2 | 0.8 | 0.7 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 143 | 1.8 | 7.0 | 5.8 | 0.38 | 0.66 | 113 | 1.3 | 5.0 | 4.0 | 0.25 | 0.38 | C70–72 |
| Thyroid | 73 | 0.9 | 3.6 | 3.0 | 0.20 | 0.34 | 542 | 6.0 | 23.7 | 16.3 | 1.22 | 1.77 | C73 |
| Adrenal gland | 30 | 0.4 | 1.5 | 1.8 | 0.07 | 0.14 | 22 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 62 | 0.8 | 3.0 | 2.8 | 0.19 | 0.23 | 58 | 0.6 | 2.5 | 2.4 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 53 | 0.7 | 2.6 | 2.1 | 0.14 | 0.28 | 55 | 0.6 | 2.4 | 1.4 | 0.09 | 0.15 | C82–86,C96 |
| Immunoproliferative diseases | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 32 | 0.4 | 1.6 | 1.3 | 0.08 | 0.20 | 40 | 0.4 | 1.8 | 1.1 | 0.08 | 0.13 | C90 |
| Lymphoid leukaemia | 20 | 0.3 | 1.0 | 1.1 | 0.07 | 0.08 | 17 | 0.2 | 0.7 | 0.7 | 0.04 | 0.06 | C91 |
| Myeloid leukaemia | 53 | 0.7 | 2.6 | 2.4 | 0.15 | 0.23 | 57 | 0.6 | 2.5 | 1.8 | 0.12 | 0.20 | C92–94 |
| Leukaemia unspecified | 97 | 1.2 | 4.7 | 4.2 | 0.19 | 0.49 | 99 | 1.1 | 4.3 | 2.4 | 0.12 | 0.27 | C95 |
| Myeloproliferative disorders | 7 | 0.1 | 0.3 | 0.6 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 218 | 2.7 | 10.7 | 9.4 | 0.48 | 1.13 | 202 | 2.2 | 8.9 | 5.0 | 0.28 | 0.52 | O&U |
| All sites | 8411 | | 411.8 | 360.4 | 18.15 | 44.51 | 9906 | | 434.1 | 261.7 | 16.76 | 29.82 | C00–96 |
| All sites except C44 | 7965 | 100.0 | 390.0 | 340.2 | 17.38 | 42.24 | 9023 | 100.0 | 395.4 | 241.0 | 15.82 | 27.43 | C00–96 exc. C44 |

*See note following population pyramid

Russian Federation, Murmansk

CONTRIBUTORS

Dmitriy Aleksandrovich Kovalenko
Svetlana Petrovna Titkova
Anastasia Alexandrovna Kozina
Lilia Nikolaevna Oparina
Ksenia Petrovna Odintsova
Natalya Veniaminovna Pronichkina
Valentina Vladimirovna Pushkina
Oksana Petrovna Dariyuchuk
Anastasia Evgenievna Shashmolova
Anna Vladimirovna Budyleva
Sergey Nikolaevich Bushkovskiy



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 63.9 | Breast | 58.2 |
| Trachea, bronchus, and lung | 63.7 | Non-melanoma skin cancer | 22.9 |
| Stomach | 29.5 | Corpus uteri | 19.8 |
| Colon | 25.1 | Cervix uteri | 17.3 |
| Kidney | 24.6 | Colon | 17.2 |
| Non-melanoma skin cancer | 21.9 | Stomach | 13.1 |
| Rectum | 19.6 | Ovary | 12.0 |
| Bladder | 18.3 | Rectum | 11.9 |
| Pancreas | 10.9 | Kidney | 11.6 |
| Oesophagus | 10.2 | Thyroid | 10.8 |
| Other and unspecified | 6.8 | Trachea, bronchus, and lung | 10.3 |
| Melanoma of skin | 6.3 | Melanoma of skin | 6.8 |
| Larynx | 5.7 | Pancreas | 6.8 |
| Brain and nervous system | 5.2 | Myeloid leukaemia | 5.0 |
| Liver | 4.7 | Other and unspecified | 4.2 |
| Myeloid leukaemia | 4.4 | Bladder | 2.9 |
| Mouth | 3.5 | Brain and nervous system | 2.8 |
| Thyroid | 3.5 | Hodgkin lymphoma | 2.0 |
| Hypopharynx | 3.0 | Oesophagus | 2.0 |
| Hodgkin lymphoma | 3.0 | Liver | 1.9 |
| All sites | 363.4 | All sites | 258.6 |

Russian Federation, Murmansk (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 22 | 0.3 | 1.2 | 1.1 | 0.05 | 0.13 | 15 | 0.2 | 0.8 | 0.3 | 0.02 | 0.04 | C00 |
| Tongue | 71 | 1.0 | 3.9 | 3.0 | 0.25 | 0.37 | 34 | 0.4 | 1.7 | 1.0 | 0.06 | 0.12 | C01–02 |
| Mouth | 81 | 1.2 | 4.4 | 3.5 | 0.27 | 0.42 | 40 | 0.5 | 2.0 | 1.2 | 0.10 | 0.13 | C03–06 |
| Salivary glands | 23 | 0.3 | 1.3 | 1.1 | 0.08 | 0.11 | 17 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 43 | 0.6 | 2.3 | 2.0 | 0.12 | 0.29 | 20 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | C09 |
| Other oropharynx | 49 | 0.7 | 2.7 | 2.2 | 0.15 | 0.28 | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 9 | 0.1 | 0.5 | 0.5 | 0.03 | 0.06 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 69 | 1.0 | 3.8 | 3.0 | 0.24 | 0.40 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 223 | 3.2 | 12.1 | 10.2 | 0.70 | 1.24 | 78 | 1.0 | 3.9 | 2.0 | 0.11 | 0.21 | C15 |
| Stomach | 591 | 8.6 | 32.1 | 29.5 | 1.45 | 3.65 | 506 | 6.3 | 25.3 | 13.1 | 0.65 | 1.48 | C16 |
| Small intestine | 22 | 0.3 | 1.2 | 1.0 | 0.07 | 0.15 | 21 | 0.3 | 1.1 | 0.5 | 0.02 | 0.05 | C17 |
| Colon | 479 | 7.0 | 26.0 | 25.1 | 1.05 | 3.18 | 674 | 8.4 | 33.7 | 17.2 | 0.84 | 2.18 | C18 |
| Rectum | 386 | 5.6 | 21.0 | 19.6 | 0.85 | 2.55 | 450 | 5.6 | 22.5 | 11.9 | 0.67 | 1.43 | C19–20 |
| Anus | 8 | 0.1 | 0.4 | 0.4 | 0.02 | 0.06 | 33 | 0.4 | 1.7 | 1.0 | 0.07 | 0.10 | C21 |
| Liver | 98 | 1.4 | 5.3 | 4.7 | 0.30 | 0.60 | 72 | 0.9 | 3.6 | 1.9 | 0.10 | 0.23 | C22 |
| Gallbladder etc. | 44 | 0.6 | 2.4 | 2.2 | 0.10 | 0.28 | 66 | 0.8 | 3.3 | 1.4 | 0.04 | 0.15 | C23–24 |
| Pancreas | 231 | 3.4 | 12.6 | 10.9 | 0.63 | 1.34 | 267 | 3.3 | 13.4 | 6.8 | 0.32 | 0.85 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 0.8 | 0.7 | 0.05 | 0.09 | 14 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 125 | 1.8 | 6.8 | 5.7 | 0.39 | 0.73 | 18 | 0.2 | 0.9 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 1305 | 19.0 | 71.0 | 63.7 | 3.40 | 8.61 | 376 | 4.7 | 18.8 | 10.3 | 0.67 | 1.27 | C33–34 |
| Other thoracic organs | 16 | 0.2 | 0.9 | 1.0 | 0.04 | 0.07 | 9 | 0.1 | 0.5 | 0.5 | 0.02 | 0.03 | C37–38 |
| Bone | 23 | 0.3 | 1.3 | 1.4 | 0.06 | 0.12 | 15 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 131 | 1.9 | 7.1 | 6.3 | 0.36 | 0.74 | 215 | 2.7 | 10.8 | 6.8 | 0.44 | 0.79 | C43 |
| Other skin | 428 | 6.2 | 23.3 | 21.9 | 1.02 | 2.59 | 907 | 11.3 | 45.4 | 22.9 | 1.07 | 2.57 | C44 |
| Mesothelioma | 11 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 4 | 0.1 | 0.2 | 0.3 | 0.00 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 41 | 0.6 | 2.2 | 1.9 | 0.11 | 0.22 | 44 | 0.5 | 2.2 | 1.6 | 0.09 | 0.15 | C47+C49 |
| Breast | 19 | 0.3 | 1.0 | 0.9 | 0.04 | 0.10 | 1955 | 24.3 | 97.8 | 58.2 | 4.17 | 6.73 | C50 |
| Vulva | | | | | | | 47 | 0.6 | 2.4 | 1.2 | 0.07 | 0.15 | C51 |
| Vagina | | | | | | | 17 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 494 | 6.1 | 24.7 | 17.3 | 1.42 | 1.61 | C53 |
| Corpus uteri | | | | | | | 686 | 8.5 | 34.3 | 19.8 | 1.50 | 2.38 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 379 | 4.7 | 19.0 | 12.0 | 0.89 | 1.32 | C56 |
| Other female genital organs | | | | | | | 14 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 15 | 0.2 | 0.8 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 1173 | 17.1 | 63.8 | 63.9 | 2.16 | 8.65 | | | | | | | C61 |
| Testis | 48 | 0.7 | 2.6 | 2.2 | 0.15 | 0.19 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 534 | 7.8 | 29.0 | 24.6 | 1.57 | 3.13 | 400 | 5.0 | 20.0 | 11.6 | 0.71 | 1.47 | C64 |
| Renal pelvis | 11 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | 10 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 372 | 5.4 | 20.2 | 18.3 | 0.92 | 2.27 | 108 | 1.3 | 5.4 | 2.9 | 0.14 | 0.35 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 22 | 0.3 | 1.1 | 0.6 | 0.03 | 0.07 | C69 |
| Brain and nervous system | 102 | 1.5 | 5.5 | 5.2 | 0.28 | 0.54 | 75 | 0.9 | 3.8 | 2.8 | 0.18 | 0.30 | C70–72 |
| Thyroid | 79 | 1.2 | 4.3 | 3.5 | 0.26 | 0.37 | 328 | 4.1 | 16.4 | 10.8 | 0.88 | 1.10 | C73 |
| Adrenal gland | 6 | 0.1 | 0.3 | 0.5 | 0.03 | 0.03 | 7 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 57 | 0.8 | 3.1 | 3.0 | 0.20 | 0.23 | 39 | 0.5 | 2.0 | 2.0 | 0.14 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 22 | 0.3 | 1.2 | 1.1 | 0.06 | 0.10 | 33 | 0.4 | 1.7 | 1.0 | 0.06 | 0.08 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 33 | 0.5 | 1.8 | 1.6 | 0.11 | 0.22 | 48 | 0.6 | 2.4 | 1.2 | 0.08 | 0.16 | C90 |
| Lymphoid leukaemia | 18 | 0.3 | 1.0 | 1.0 | 0.07 | 0.08 | 13 | 0.2 | 0.7 | 0.5 | 0.04 | 0.04 | C91 |
| Myeloid leukaemia | 85 | 1.2 | 4.6 | 4.4 | 0.26 | 0.47 | 164 | 2.0 | 8.2 | 5.0 | 0.31 | 0.55 | C92–94 |
| Leukaemia unspecified | 16 | 0.2 | 0.9 | 0.7 | 0.05 | 0.08 | 24 | 0.3 | 1.2 | 0.7 | 0.04 | 0.05 | C95 |
| Myeloproliferative disorders | 4 | 0.1 | 0.2 | 0.4 | 0.01 | 0.02 | 4 | 0.0 | 0.2 | 0.4 | 0.02 | 0.02 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 139 | 2.0 | 7.6 | 6.8 | 0.35 | 0.92 | 152 | 1.9 | 7.6 | 4.2 | 0.22 | 0.46 | O&U |
| All sites | 7296 | | 396.7 | 363.4 | 18.46 | 45.91 | 8955 | | 447.8 | 258.6 | 16.52 | 29.38 | C00–96 |
| All sites except C44 | 6868 | 100.0 | 373.5 | 341.4 | 17.44 | 43.32 | 8048 | 100.0 | 402.4 | 235.7 | 15.46 | 26.82 | C00–96 exc. C44 |

†See note following population pyramid

Russian Federation, Orenburg

CONTRIBUTORS

Alfiya Damirovna Yeremeeva
 Pavel Vladimirovich Faver
 Igor Olegovich Sennikov
 Elena Vladimirovna Kryukova
 Nadezhda Nikolaevna Tupikova
 Olga Alexandrovna Gerasimova
 Larisa Anatolievna Telnova



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 69.6 | Breast | 57.5 |
| Prostate | 38.7 | Non-melanoma skin cancer | 33.8 |
| Non-melanoma skin cancer | 36.4 | Other and unspecified | 28.5 |
| Stomach | 27.1 | Corpus uteri | 22.0 |
| Colon | 18.9 | Cervix uteri | 16.2 |
| Bladder | 17.9 | Colon | 15.3 |
| Kidney | 17.1 | Ovary | 12.5 |
| Rectum | 16.4 | Stomach | 11.3 |
| Other and unspecified | 16.0 | Rectum | 9.8 |
| Pancreas | 9.9 | Kidney | 9.7 |
| Larynx | 8.9 | Trachea, bronchus, and lung | 9.5 |
| Oesophagus | 7.4 | Thyroid | 7.6 |
| Liver | 5.8 | Pancreas | 5.6 |
| Non-Hodgkin lymphoma | 5.8 | Melanoma of skin | 4.6 |
| Brain and nervous system | 5.3 | Non-Hodgkin lymphoma | 4.4 |
| Melanoma of skin | 4.2 | Brain and nervous system | 4.2 |
| Lymphoid leukaemia | 4.1 | Lymphoid leukaemia | 2.8 |
| Lip | 4.1 | Liver | 2.7 |
| Myeloid leukaemia | 3.3 | Myeloid leukaemia | 2.6 |
| Mouth | 3.1 | Bladder | 2.1 |
| All sites | 348.3 | All sites | 281.2 |

*Russian Federation, Orenburg (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 270 | 1.4 | 5.8 | 4.1 | 0.20 | 0.49 | 65 | 0.3 | 1.2 | 0.5 | 0.02 | 0.07 | C00 |
| Tongue | 144 | 0.7 | 3.1 | 2.2 | 0.16 | 0.28 | 46 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C01–02 |
| Mouth | 205 | 1.0 | 4.4 | 3.1 | 0.25 | 0.38 | 75 | 0.3 | 1.4 | 0.8 | 0.06 | 0.09 | C03–06 |
| Salivary glands | 55 | 0.3 | 1.2 | 0.9 | 0.06 | 0.09 | 58 | 0.3 | 1.1 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 82 | 0.4 | 1.8 | 1.3 | 0.08 | 0.17 | 19 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 57 | 0.3 | 1.2 | 0.9 | 0.07 | 0.10 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 27 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 9 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 143 | 0.7 | 3.1 | 2.2 | 0.16 | 0.28 | 11 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 18 | 0.1 | 0.4 | 0.3 | 0.02 | 0.04 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 488 | 2.5 | 10.5 | 7.4 | 0.49 | 0.93 | 159 | 0.7 | 3.0 | 1.4 | 0.07 | 0.15 | C15 |
| Stomach | 1746 | 8.8 | 37.5 | 27.1 | 1.52 | 3.39 | 1214 | 5.4 | 22.7 | 11.3 | 0.61 | 1.34 | C16 |
| Small intestine | 35 | 0.2 | 0.8 | 0.6 | 0.03 | 0.08 | 42 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C17 |
| Colon | 1224 | 6.2 | 26.3 | 18.9 | 0.90 | 2.33 | 1673 | 7.5 | 31.2 | 15.3 | 0.78 | 1.93 | C18 |
| Rectum | 1055 | 5.3 | 22.7 | 16.4 | 0.83 | 2.12 | 1019 | 4.5 | 19.0 | 9.8 | 0.62 | 1.21 | C19–20 |
| Anus | 15 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 52 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C21 |
| Liver | 373 | 1.9 | 8.0 | 5.8 | 0.31 | 0.72 | 301 | 1.3 | 5.6 | 2.7 | 0.12 | 0.33 | C22 |
| Gallbladder etc. | 123 | 0.6 | 2.6 | 1.9 | 0.10 | 0.26 | 198 | 0.9 | 3.7 | 1.8 | 0.09 | 0.22 | C23–24 |
| Pancreas | 643 | 3.2 | 13.8 | 9.9 | 0.56 | 1.17 | 649 | 2.9 | 12.1 | 5.6 | 0.28 | 0.70 | C25 |
| Nose, sinuses etc. | 62 | 0.3 | 1.3 | 1.0 | 0.07 | 0.13 | 40 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 581 | 2.9 | 12.5 | 8.9 | 0.60 | 1.13 | 36 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C32 |
| Trachea, bronchus, and lung | 4531 | 22.8 | 97.3 | 69.6 | 3.94 | 9.05 | 1022 | 4.6 | 19.1 | 9.5 | 0.56 | 1.13 | C33–34 |
| Other thoracic organs | 65 | 0.3 | 1.4 | 1.0 | 0.06 | 0.12 | 36 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 50 | 0.3 | 1.1 | 1.0 | 0.06 | 0.09 | 41 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 261 | 1.3 | 5.6 | 4.2 | 0.25 | 0.49 | 428 | 1.9 | 8.0 | 4.6 | 0.31 | 0.50 | C43 |
| Other skin | 2349 | 11.8 | 50.4 | 36.4 | 1.52 | 4.25 | 3892 | 17.4 | 72.7 | 33.8 | 1.66 | 3.88 | C44 |
| Mesothelioma | 29 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 23 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 41 | 0.2 | 0.9 | 0.7 | 0.03 | 0.07 | 21 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 105 | 0.5 | 2.3 | 1.8 | 0.11 | 0.16 | 171 | 0.8 | 3.2 | 2.0 | 0.13 | 0.20 | C47+C49 |
| Breast | 65 | 0.3 | 1.4 | 1.0 | 0.06 | 0.12 | 5158 | 23.0 | 96.3 | 57.5 | 4.26 | 6.58 | C50 |
| Vulva | | | | | | | 170 | 0.8 | 3.2 | 1.4 | 0.06 | 0.15 | C51 |
| Vagina | | | | | | | 43 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1162 | 5.2 | 21.7 | 16.2 | 1.30 | 1.54 | C53 |
| Corpus uteri | | | | | | | 2048 | 9.1 | 38.3 | 22.0 | 1.68 | 2.70 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 1051 | 4.7 | 19.6 | 12.5 | 0.97 | 1.35 | C56 |
| Other female genital organs | | | | | | | 39 | 0.2 | 0.7 | 0.4 | 0.04 | 0.04 | C57 |
| Placenta | | | | | | | 12 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C58 |
| Penis | 50 | 0.3 | 1.1 | 0.8 | 0.05 | 0.08 | | | | | | | C60 |
| Prostate | 2485 | 12.5 | 53.4 | 38.7 | 1.35 | 5.14 | | | | | | | C61 |
| Testis | 103 | 0.5 | 2.2 | 1.9 | 0.13 | 0.15 | | | | | | | C62 |
| Other male genital organs | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1091 | 5.5 | 23.4 | 17.1 | 1.10 | 2.06 | 909 | 4.1 | 17.0 | 9.7 | 0.68 | 1.18 | C64 |
| Renal pelvis | 25 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 13 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C65 |
| Ureter | 10 | 0.1 | 0.2 | 0.2 | 0.00 | 0.02 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C66 |
| †Bladder | 1147 | 5.8 | 24.6 | 17.9 | 0.79 | 2.23 | 238 | 1.1 | 4.4 | 2.1 | 0.13 | 0.23 | C67 |
| Other urinary organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 37 | 0.2 | 0.8 | 0.6 | 0.04 | 0.08 | 40 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C69 |
| Brain and nervous system | 310 | 1.6 | 6.7 | 5.3 | 0.37 | 0.56 | 315 | 1.4 | 5.9 | 4.2 | 0.29 | 0.43 | C70–72 |
| Thyroid | 120 | 0.6 | 2.6 | 1.9 | 0.13 | 0.20 | 588 | 2.6 | 11.0 | 7.6 | 0.58 | 0.81 | C73 |
| Adrenal gland | 21 | 0.1 | 0.5 | 0.4 | 0.02 | 0.03 | 22 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 122 | 0.6 | 2.6 | 2.3 | 0.16 | 0.20 | 114 | 0.5 | 2.1 | 2.0 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 345 | 1.7 | 7.4 | 5.8 | 0.36 | 0.67 | 381 | 1.7 | 7.1 | 4.4 | 0.29 | 0.49 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 79 | 0.4 | 1.7 | 1.2 | 0.09 | 0.14 | 132 | 0.6 | 2.5 | 1.5 | 0.10 | 0.20 | C90 |
| Lymphoid leukaemia | 227 | 1.1 | 4.9 | 4.1 | 0.26 | 0.41 | 210 | 0.9 | 3.9 | 2.8 | 0.14 | 0.26 | C91 |
| Myeloid leukaemia | 188 | 0.9 | 4.0 | 3.3 | 0.21 | 0.37 | 185 | 0.8 | 3.5 | 2.6 | 0.16 | 0.26 | C92–94 |
| Leukaemia unspecified | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 16 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 15 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 1010 | 5.1 | 21.7 | 16.0 | 1.04 | 1.84 | 2126 | 9.5 | 39.7 | 28.5 | 2.07 | 2.80 | O&U |
| All sites | 22249 | | 477.8 | 348.3 | 18.70 | 42.85 | 26305 | | 491.3 | 281.2 | 18.67 | 31.66 | C00–96 |
| All sites except C44 | 19900 | 100.0 | 427.4 | 311.9 | 17.18 | 38.60 | 22413 | 100.0 | 418.6 | 247.4 | 17.01 | 27.78 | C00–96 exc. C44 |

*†See note following population pyramid

Russian Federation, Pskov

CONTRIBUTORS

Konstantin Alekseev
 Elena Vereshchagina
 Lyubov Yurchenko
 Tatiana Korshikova
 Tamara Chkhitauri
 Aleksandr Urov
 Ekaterina Kalinichenko
 Larisa Rastopchina



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 58.6 | Breast | 48.9 |
| Prostate | 35.9 | Non-melanoma skin cancer | 40.6 |
| Non-melanoma skin cancer | 29.6 | Corpus uteri | 19.4 |
| Stomach | 28.9 | Cervix uteri | 18.8 |
| Rectum | 16.9 | Colon | 13.2 |
| Colon | 15.4 | Ovary | 12.7 |
| Kidney | 14.2 | Stomach | 10.9 |
| Larynx | 13.3 | Rectum | 9.9 |
| Bladder | 13.3 | Trachea, bronchus, and lung | 7.8 |
| Pancreas | 9.7 | Thyroid | 7.7 |
| Oesophagus | 8.7 | Kidney | 7.2 |
| Other and unspecified | 7.8 | Pancreas | 5.2 |
| Brain and nervous system | 5.5 | Other and unspecified | 4.4 |
| Liver | 4.9 | Brain and nervous system | 4.3 |
| Melanoma of skin | 3.8 | Melanoma of skin | 4.3 |
| Mouth | 3.3 | Hodgkin lymphoma | 3.3 |
| Tongue | 3.2 | Bladder | 2.2 |
| Tonsil | 3.2 | Liver | 1.9 |
| Hodgkin lymphoma | 2.9 | Connective and soft tissue | 1.7 |
| Testis | 2.6 | Multiple myeloma | 1.6 |
| All sites | 305.9 | All sites | 243.5 |


Russian Federation, Pskov (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 44 | 0.7 | 2.9 | 1.8 | 0.09 | 0.24 | 23 | 0.3 | 1.3 | 0.4 | 0.02 | 0.02 | C00 |
| Tongue | 72 | 1.1 | 4.8 | 3.2 | 0.23 | 0.41 | 15 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | C01–02 |
| Mouth | 81 | 1.3 | 5.4 | 3.3 | 0.27 | 0.43 | 25 | 0.4 | 1.4 | 0.7 | 0.06 | 0.08 | C03–06 |
| Salivary glands | 21 | 0.3 | 1.4 | 0.9 | 0.06 | 0.13 | 14 | 0.2 | 0.8 | 0.3 | 0.01 | 0.02 | C07–08 |
| Tonsil | 72 | 1.1 | 4.8 | 3.2 | 0.26 | 0.42 | 11 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | C09 |
| Other oropharynx | 16 | 0.3 | 1.1 | 0.7 | 0.06 | 0.08 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 8 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 31 | 0.5 | 2.1 | 1.3 | 0.11 | 0.16 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 201 | 3.2 | 13.4 | 8.7 | 0.50 | 1.17 | 48 | 0.7 | 2.7 | 1.0 | 0.07 | 0.12 | C15 |
| Stomach | 673 | 10.6 | 44.9 | 28.9 | 1.56 | 3.55 | 483 | 6.8 | 27.5 | 10.9 | 0.54 | 1.26 | C16 |
| Small intestine | 14 | 0.2 | 0.9 | 0.6 | 0.02 | 0.09 | 16 | 0.2 | 0.9 | 0.4 | 0.03 | 0.04 | C17 |
| Colon | 360 | 5.7 | 24.0 | 15.4 | 0.64 | 1.98 | 595 | 8.4 | 33.9 | 13.2 | 0.66 | 1.63 | C18 |
| Rectum | 399 | 6.3 | 26.6 | 16.9 | 0.81 | 2.11 | 421 | 5.9 | 24.0 | 9.9 | 0.54 | 1.18 | C19–20 |
| Anus | 11 | 0.2 | 0.7 | 0.5 | 0.04 | 0.05 | 26 | 0.4 | 1.5 | 0.7 | 0.06 | 0.07 | C21 |
| Liver | 113 | 1.8 | 7.5 | 4.9 | 0.24 | 0.63 | 98 | 1.4 | 5.6 | 1.9 | 0.08 | 0.24 | C22 |
| Gallbladder etc. | 23 | 0.4 | 1.5 | 1.0 | 0.05 | 0.10 | 54 | 0.8 | 3.1 | 1.1 | 0.06 | 0.12 | C23–24 |
| Pancreas | 232 | 3.7 | 15.5 | 9.7 | 0.59 | 1.15 | 233 | 3.3 | 13.3 | 5.2 | 0.26 | 0.67 | C25 |
| Nose, sinuses etc. | 16 | 0.3 | 1.1 | 0.6 | 0.05 | 0.07 | 10 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | C30–31 |
| Larynx | 308 | 4.9 | 20.5 | 13.3 | 1.00 | 1.73 | 15 | 0.2 | 0.9 | 0.5 | 0.05 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1365 | 21.5 | 91.0 | 58.6 | 3.64 | 7.61 | 324 | 4.6 | 18.4 | 7.8 | 0.48 | 0.98 | C33–34 |
| Other thoracic organs | 10 | 0.2 | 0.7 | 0.5 | 0.03 | 0.07 | 12 | 0.2 | 0.7 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 21 | 0.3 | 1.4 | 1.0 | 0.08 | 0.10 | 27 | 0.4 | 1.5 | 1.1 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 83 | 1.3 | 5.5 | 3.8 | 0.26 | 0.42 | 152 | 2.1 | 8.6 | 4.3 | 0.32 | 0.48 | C43 |
| Other skin | 697 | 11.0 | 46.5 | 29.6 | 1.50 | 3.33 | 1759 | 24.7 | 100.1 | 40.6 | 2.20 | 4.96 | C44 |
| Mesothelioma | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C46 |
| Connective and soft tissue | 47 | 0.7 | 3.1 | 2.3 | 0.17 | 0.22 | 54 | 0.8 | 3.1 | 1.7 | 0.12 | 0.20 | C47+C49 |
| Breast | 10 | 0.2 | 0.7 | 0.4 | 0.03 | 0.03 | 1614 | 22.7 | 91.8 | 48.9 | 3.60 | 5.66 | C50 |
| Vulva | | | | | | | 71 | 1.0 | 4.0 | 1.6 | 0.07 | 0.20 | C51 |
| Vagina | | | | | | | 17 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 447 | 6.3 | 25.4 | 18.8 | 1.50 | 1.76 | C53 |
| Corpus uteri | | | | | | | 702 | 9.9 | 39.9 | 19.4 | 1.45 | 2.39 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 397 | 5.6 | 22.6 | 12.7 | 0.97 | 1.38 | C56 |
| Other female genital organs | | | | | | | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 19 | 0.3 | 1.3 | 0.9 | 0.05 | 0.10 | | | | | | | C60 |
| Prostate | 855 | 13.5 | 57.0 | 35.9 | 1.14 | 4.71 | | | | | | | C61 |
| Testis | 46 | 0.7 | 3.1 | 2.6 | 0.18 | 0.19 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 315 | 5.0 | 21.0 | 14.2 | 0.94 | 1.76 | 258 | 3.6 | 14.7 | 7.2 | 0.51 | 0.83 | C64 |
| Renal pelvis | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.05 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C65 |
| Ureter | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 308 | 4.9 | 20.5 | 13.3 | 0.61 | 1.63 | 104 | 1.5 | 5.9 | 2.2 | 0.12 | 0.26 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 15 | 0.2 | 1.0 | 0.9 | 0.06 | 0.09 | 19 | 0.3 | 1.1 | 0.9 | 0.06 | 0.09 | C69 |
| Brain and nervous system | 114 | 1.8 | 7.6 | 5.5 | 0.38 | 0.63 | 121 | 1.7 | 6.9 | 4.3 | 0.31 | 0.45 | C70–72 |
| Thyroid | 25 | 0.4 | 1.7 | 1.4 | 0.09 | 0.14 | 205 | 2.9 | 11.7 | 7.7 | 0.61 | 0.81 | C73 |
| Adrenal gland | 4 | 0.1 | 0.3 | 0.2 | 0.00 | 0.05 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 54 | 0.9 | 3.6 | 2.9 | 0.21 | 0.26 | 62 | 0.9 | 3.5 | 3.3 | 0.23 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 27 | 0.4 | 1.8 | 1.3 | 0.10 | 0.12 | 36 | 0.5 | 2.0 | 1.0 | 0.07 | 0.11 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 35 | 0.6 | 2.3 | 1.5 | 0.10 | 0.18 | 64 | 0.9 | 3.6 | 1.6 | 0.10 | 0.21 | C90 |
| Lymphoid leukaemia | 17 | 0.3 | 1.1 | 1.1 | 0.08 | 0.08 | 15 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C91 |
| Myeloid leukaemia | 29 | 0.5 | 1.9 | 1.4 | 0.09 | 0.14 | 34 | 0.5 | 1.9 | 1.0 | 0.06 | 0.11 | C92–94 |
| Leukaemia unspecified | 42 | 0.7 | 2.8 | 1.9 | 0.10 | 0.20 | 39 | 0.5 | 2.2 | 1.2 | 0.07 | 0.14 | C95 |
| Myeloproliferative disorders | 3 | 0.0 | 0.2 | 0.4 | 0.02 | 0.02 | 8 | 0.1 | 0.5 | 1.1 | 0.05 | 0.05 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 180 | 2.8 | 12.0 | 7.8 | 0.47 | 0.94 | 191 | 2.7 | 10.9 | 4.4 | 0.21 | 0.51 | O&U |
| All sites | 7044 | | 469.5 | 305.9 | 17.01 | 37.73 | 8871 | | 504.8 | 243.5 | 15.93 | 27.89 | C00–96 |
| All sites except C44 | 6347 | 100.0 | 423.0 | 276.3 | 15.51 | 34.40 | 7112 | 100.0 | 404.7 | 202.9 | 13.73 | 22.93 | C00–96 exc.C44 |

Russian Federation, Samara

CONTRIBUTORS

Andrey Evgenevich Orlov
 Alla Gennadevna Egorova
 Aleksey Nikolaevich Somov
 Tatiyna Philippovna Popova
 Rustam Nailievich Usupov
 Aleksandr Anatolievich Ershov
 Aleksandr Viktorovich Lutkovskiy



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 57.6 | Breast | 55.8 |
| Trachea, bronchus, and lung | 49.2 | Non-melanoma skin cancer | 47.4 |
| Non-melanoma skin cancer | 47.1 | Corpus uteri | 20.8 |
| Stomach | 21.9 | Colon | 15.9 |
| Colon | 19.5 | Cervix uteri | 13.3 |
| Rectum | 17.1 | Ovary | 10.7 |
| Kidney | 15.0 | Thyroid | 10.1 |
| Bladder | 14.8 | Rectum | 9.8 |
| Pancreas | 8.9 | Stomach | 9.5 |
| Larynx | 6.7 | Kidney | 7.7 |
| Oesophagus | 5.8 | Trachea, bronchus, and lung | 7.3 |
| Other and unspecified | 5.7 | Melanoma of skin | 6.0 |
| Non-Hodgkin lymphoma | 5.6 | Pancreas | 5.3 |
| Melanoma of skin | 5.3 | Non-Hodgkin lymphoma | 4.5 |
| Brain and nervous system | 5.2 | Brain and nervous system | 4.4 |
| Liver | 5.2 | Lymphoid leukaemia | 3.8 |
| Lymphoid leukaemia | 4.0 | Myeloid leukaemia | 3.4 |
| Myeloid leukaemia | 3.2 | Other and unspecified | 3.1 |
| Mouth | 2.9 | Hodgkin lymphoma | 2.6 |
| Tongue | 2.5 | Bladder | 2.5 |
| All sites | 331.9 | All sites | 261.6 |

*Russian Federation, Samara (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 220 | 0.7 | 3.0 | 1.9 | 0.09 | 0.21 | 73 | 0.2 | 0.8 | 0.3 | 0.01 | 0.02 | C00 |
| Tongue | 258 | 0.8 | 3.5 | 2.5 | 0.18 | 0.31 | 109 | 0.3 | 1.3 | 0.7 | 0.05 | 0.07 | C01–02 |
| Mouth | 308 | 1.0 | 4.2 | 2.9 | 0.22 | 0.35 | 108 | 0.3 | 1.2 | 0.7 | 0.05 | 0.07 | C03–06 |
| Salivary glands | 64 | 0.2 | 0.9 | 0.6 | 0.03 | 0.08 | 66 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C07–08 |
| Tonsil | 40 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 26 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 242 | 0.8 | 3.3 | 2.3 | 0.17 | 0.29 | 51 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C10 |
| Nasopharynx | 38 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 24 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 249 | 0.8 | 3.4 | 2.3 | 0.18 | 0.31 | 20 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 644 | 2.1 | 8.8 | 5.8 | 0.36 | 0.74 | 137 | 0.4 | 1.6 | 0.7 | 0.04 | 0.07 | C15 |
| Stomach | 2402 | 7.8 | 32.7 | 21.9 | 1.10 | 2.79 | 1837 | 5.4 | 21.1 | 9.5 | 0.51 | 1.15 | C16 |
| Small intestine | 80 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | 110 | 0.3 | 1.3 | 0.6 | 0.04 | 0.08 | C17 |
| Colon | 2159 | 7.0 | 29.4 | 19.5 | 0.89 | 2.44 | 3027 | 8.9 | 34.8 | 15.9 | 0.84 | 1.99 | C18 |
| Rectum | 1869 | 6.1 | 25.5 | 17.1 | 0.91 | 2.24 | 1762 | 5.2 | 20.2 | 9.8 | 0.59 | 1.23 | C19–20 |
| Anus | 49 | 0.2 | 0.7 | 0.4 | 0.03 | 0.05 | 97 | 0.3 | 1.1 | 0.6 | 0.04 | 0.07 | C21 |
| Liver | 555 | 1.8 | 7.6 | 5.2 | 0.31 | 0.66 | 383 | 1.1 | 4.4 | 2.1 | 0.11 | 0.22 | C22 |
| Gallbladder etc. | 130 | 0.4 | 1.8 | 1.2 | 0.05 | 0.17 | 223 | 0.7 | 2.6 | 1.1 | 0.06 | 0.14 | C23–24 |
| Pancreas | 971 | 3.2 | 13.2 | 8.9 | 0.52 | 1.11 | 999 | 2.9 | 11.5 | 5.3 | 0.28 | 0.64 | C25 |
| Nose, sinuses etc. | 64 | 0.2 | 0.9 | 0.6 | 0.05 | 0.07 | 42 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C30–31 |
| Larynx | 717 | 2.3 | 9.8 | 6.7 | 0.46 | 0.88 | 47 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 5378 | 17.6 | 73.3 | 49.2 | 2.96 | 6.67 | 1308 | 3.8 | 15.0 | 7.3 | 0.42 | 0.93 | C33–34 |
| Other thoracic organs | 78 | 0.3 | 1.1 | 0.8 | 0.05 | 0.09 | 74 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 62 | 0.2 | 0.8 | 0.8 | 0.05 | 0.07 | 69 | 0.2 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 552 | 1.8 | 7.5 | 5.3 | 0.34 | 0.61 | 892 | 2.6 | 10.2 | 6.0 | 0.41 | 0.65 | C43 |
| Other skin | 5213 | 17.0 | 71.1 | 47.1 | 2.00 | 5.53 | 9543 | 28.0 | 109.6 | 47.4 | 2.30 | 5.62 | C44 |
| Mesothelioma | 78 | 0.3 | 1.1 | 0.7 | 0.04 | 0.10 | 89 | 0.3 | 1.0 | 0.4 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 51 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | 28 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 210 | 0.7 | 2.9 | 2.2 | 0.14 | 0.23 | 239 | 0.7 | 2.7 | 2.0 | 0.12 | 0.17 | C47+C49 |
| Breast | 64 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 8683 | 25.5 | 99.7 | 55.8 | 4.11 | 6.50 | C50 |
| Vulva | | | | | | | 207 | 0.6 | 2.4 | 1.0 | 0.04 | 0.11 | C51 |
| Vagina | | | | | | | 56 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1702 | 5.0 | 19.5 | 13.3 | 1.07 | 1.32 | C53 |
| Corpus uteri | | | | | | | 3410 | 10.0 | 39.1 | 20.8 | 1.52 | 2.64 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 1563 | 4.6 | 17.9 | 10.7 | 0.82 | 1.20 | C56 |
| Other female genital organs | | | | | | | 55 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C57 |
| Placenta | | | | | | | 12 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 66 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | | | | | | | C60 |
| Prostate | 6396 | 20.9 | 87.2 | 57.6 | 2.10 | 7.91 | | | | | | | C61 |
| Testis | 216 | 0.7 | 2.9 | 2.4 | 0.18 | 0.19 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 1578 | 5.2 | 21.5 | 15.0 | 1.06 | 1.87 | 1204 | 3.5 | 13.8 | 7.7 | 0.52 | 0.94 | C64 |
| Renal pelvis | 71 | 0.2 | 1.0 | 0.7 | 0.02 | 0.09 | 41 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C65 |
| Ureter | 26 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 18 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 1621 | 5.3 | 22.1 | 14.8 | 0.71 | 1.92 | 484 | 1.4 | 5.6 | 2.5 | 0.13 | 0.29 | C67 |
| Other urinary organs | 6 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 67 | 0.2 | 0.9 | 0.6 | 0.04 | 0.07 | 94 | 0.3 | 1.1 | 0.7 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 488 | 1.6 | 6.7 | 5.2 | 0.39 | 0.54 | 490 | 1.4 | 5.6 | 4.4 | 0.30 | 0.40 | C70–72 |
| Thyroid | 214 | 0.7 | 2.9 | 2.2 | 0.15 | 0.24 | 1341 | 3.9 | 15.4 | 10.1 | 0.79 | 1.08 | C73 |
| Adrenal gland | 42 | 0.1 | 0.6 | 0.5 | 0.03 | 0.06 | 47 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C74 |
| Other endocrine | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 200 | 0.7 | 2.7 | 2.3 | 0.17 | 0.19 | 245 | 0.7 | 2.8 | 2.6 | 0.18 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 545 | 1.8 | 7.4 | 5.6 | 0.36 | 0.59 | 642 | 1.9 | 7.4 | 4.5 | 0.28 | 0.45 | C82–86,C96 |
| Immunoproliferative diseases | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 15 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C88 |
| Multiple myeloma | 199 | 0.6 | 2.7 | 1.8 | 0.10 | 0.23 | 298 | 0.9 | 3.4 | 1.8 | 0.11 | 0.24 | C90 |
| Lymphoid leukaemia | 347 | 1.1 | 4.7 | 4.0 | 0.23 | 0.38 | 470 | 1.4 | 5.4 | 3.8 | 0.20 | 0.35 | C91 |
| Myeloid leukaemia | 326 | 1.1 | 4.4 | 3.2 | 0.18 | 0.38 | 503 | 1.5 | 5.8 | 3.4 | 0.21 | 0.37 | C92–94 |
| Leukaemia unspecified | 20 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 19 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 40 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 49 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 615 | 2.0 | 8.4 | 5.7 | 0.33 | 0.69 | 552 | 1.6 | 6.3 | 3.1 | 0.17 | 0.34 | O&U |
| All sites | 35845 | | 488.6 | 331.9 | 17.48 | 41.81 | 43597 | | 500.5 | 261.6 | 16.76 | 30.28 | C00–96 |
| All sites except C44 | 30632 | 100.0 | 417.5 | 284.7 | 15.48 | 36.29 | 34054 | 100.0 | 391.0 | 214.3 | 14.46 | 24.66 | C00–96 exc. C44 |

*See note following population pyramid

Russian Federation, Vologda Region

CONTRIBUTORS

Ludmila Goryunova
Nikolai Shubin
Maria Petryashova
Rostislav Shubin
Konstantin Kolybin



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 50.7 | Breast | 45.1 |
| Stomach | 29.8 | Non-melanoma skin cancer | 27.3 |
| Prostate | 28.3 | Cervix uteri | 18.7 |
| Non-melanoma skin cancer | 23.8 | Corpus uteri | 15.9 |
| Colon | 17.7 | Colon | 14.3 |
| Rectum | 15.9 | Ovary | 12.1 |
| Kidney | 13.3 | Stomach | 11.2 |
| Bladder | 12.9 | Rectum | 9.2 |
| Other and unspecified | 9.4 | Kidney | 7.6 |
| Pancreas | 8.6 | Thyroid | 6.9 |
| Oesophagus | 7.9 | Trachea, bronchus, and lung | 6.4 |
| Larynx | 6.5 | Melanoma of skin | 5.7 |
| Brain and nervous system | 5.4 | Other and unspecified | 5.1 |
| Melanoma of skin | 4.5 | Pancreas | 4.6 |
| Liver | 4.2 | Brain and nervous system | 4.2 |
| Myeloid leukaemia | 3.5 | Hodgkin lymphoma | 2.6 |
| Hodgkin lymphoma | 2.7 | Liver | 2.3 |
| Mouth | 2.7 | Myeloid leukaemia | 2.3 |
| Testis | 2.5 | Bladder | 2.1 |
| Hypopharynx | 2.3 | Oesophagus | 1.7 |
| All sites | 276.1 | All sites | 220.4 |


Russian Federation, Vologda Region (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 81 | 0.8 | 3.0 | 2.1 | 0.07 | 0.28 | 26 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C00 |
| Tongue | 82 | 0.8 | 3.0 | 2.1 | 0.16 | 0.25 | 41 | 0.4 | 1.3 | 0.7 | 0.04 | 0.08 | C01–02 |
| Mouth | 105 | 1.1 | 3.9 | 2.7 | 0.21 | 0.32 | 36 | 0.3 | 1.1 | 0.6 | 0.05 | 0.07 | C03–06 |
| Salivary glands | 26 | 0.3 | 1.0 | 0.7 | 0.05 | 0.07 | 27 | 0.2 | 0.8 | 0.4 | 0.04 | 0.05 | C07–08 |
| Tonsil | 24 | 0.2 | 0.9 | 0.6 | 0.06 | 0.07 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C09 |
| Other oropharynx | 70 | 0.7 | 2.6 | 1.8 | 0.12 | 0.22 | 13 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 10 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 5 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 94 | 1.0 | 3.5 | 2.3 | 0.20 | 0.27 | 13 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 312 | 3.2 | 11.6 | 7.9 | 0.51 | 0.99 | 124 | 1.1 | 3.8 | 1.7 | 0.08 | 0.22 | C15 |
| Stomach | 1160 | 12.0 | 43.1 | 29.8 | 1.58 | 3.80 | 795 | 7.2 | 24.5 | 11.2 | 0.53 | 1.41 | C16 |
| Small intestine | 31 | 0.3 | 1.2 | 0.8 | 0.06 | 0.10 | 34 | 0.3 | 1.0 | 0.5 | 0.03 | 0.06 | C17 |
| Colon | 675 | 7.0 | 25.1 | 17.7 | 0.83 | 2.25 | 987 | 9.0 | 30.4 | 14.3 | 0.81 | 1.78 | C18 |
| Rectum | 622 | 6.4 | 23.1 | 15.9 | 0.83 | 2.02 | 614 | 5.6 | 18.9 | 9.2 | 0.54 | 1.15 | C19–20 |
| Anus | 10 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C21 |
| Liver | 162 | 1.7 | 6.0 | 4.2 | 0.24 | 0.51 | 144 | 1.3 | 4.4 | 2.3 | 0.12 | 0.26 | C22 |
| Gallbladder etc. | 39 | 0.4 | 1.4 | 1.0 | 0.04 | 0.13 | 80 | 0.7 | 2.5 | 1.1 | 0.05 | 0.14 | C23–24 |
| Pancreas | 332 | 3.4 | 12.3 | 8.6 | 0.51 | 1.07 | 317 | 2.9 | 9.8 | 4.6 | 0.25 | 0.57 | C25 |
| Nose, sinuses etc. | 31 | 0.3 | 1.2 | 0.8 | 0.05 | 0.10 | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 260 | 2.7 | 9.7 | 6.5 | 0.47 | 0.81 | 10 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C32 |
| Trachea, bronchus, and lung | 2026 | 20.9 | 75.3 | 50.7 | 3.13 | 6.50 | 403 | 3.7 | 12.4 | 6.4 | 0.42 | 0.78 | C33–34 |
| Other thoracic organs | 20 | 0.2 | 0.7 | 0.5 | 0.03 | 0.06 | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C37–38 |
| Bone | 48 | 0.5 | 1.8 | 1.4 | 0.10 | 0.14 | 49 | 0.4 | 1.5 | 1.2 | 0.09 | 0.11 | C40–41 |
| Melanoma of skin | 163 | 1.7 | 6.1 | 4.5 | 0.25 | 0.53 | 311 | 2.8 | 9.6 | 5.7 | 0.41 | 0.62 | C43 |
| Other skin | 896 | 9.3 | 33.3 | 23.8 | 0.93 | 3.02 | 1942 | 17.7 | 59.9 | 27.3 | 1.29 | 3.46 | C44 |
| Mesothelioma | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 53 | 0.5 | 2.0 | 1.6 | 0.09 | 0.17 | 81 | 0.7 | 2.5 | 1.5 | 0.10 | 0.16 | C47+C49 |
| Breast | 18 | 0.2 | 0.7 | 0.5 | 0.02 | 0.06 | 2473 | 22.5 | 76.3 | 45.1 | 3.48 | 5.05 | C50 |
| Vulva | | | | | | | 77 | 0.7 | 2.4 | 1.2 | 0.07 | 0.14 | C51 |
| Vagina | | | | | | | 11 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 781 | 7.1 | 24.1 | 18.7 | 1.50 | 1.67 | C53 |
| Corpus uteri | | | | | | | 932 | 8.5 | 28.7 | 15.9 | 1.24 | 1.88 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 620 | 5.6 | 19.1 | 12.1 | 0.97 | 1.31 | C56 |
| Other female genital organs | | | | | | | 14 | 0.1 | 0.4 | 0.3 | 0.01 | 0.04 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 23 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 1081 | 11.2 | 40.2 | 28.3 | 0.91 | 3.79 | | | | | | | C61 |
| Testis | 77 | 0.8 | 2.9 | 2.5 | 0.17 | 0.20 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 512 | 5.3 | 19.0 | 13.3 | 0.90 | 1.61 | 436 | 4.0 | 13.4 | 7.6 | 0.49 | 0.88 | C64 |
| Renal pelvis | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C65 |
| Ureter | 8 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C66 |
| Bladder | 498 | 5.1 | 18.5 | 12.9 | 0.64 | 1.64 | 151 | 1.4 | 4.7 | 2.1 | 0.10 | 0.26 | C67 |
| Other urinary organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 30 | 0.3 | 1.1 | 1.0 | 0.07 | 0.08 | 21 | 0.2 | 0.6 | 0.6 | 0.04 | 0.04 | C69 |
| Brain and nervous system | 180 | 1.9 | 6.7 | 5.4 | 0.37 | 0.53 | 196 | 1.8 | 6.0 | 4.2 | 0.30 | 0.40 | C70–72 |
| Thyroid | 71 | 0.7 | 2.6 | 2.0 | 0.15 | 0.21 | 334 | 3.0 | 10.3 | 6.9 | 0.54 | 0.70 | C73 |
| Adrenal gland | 6 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 79 | 0.8 | 2.9 | 2.7 | 0.20 | 0.22 | 76 | 0.7 | 2.3 | 2.6 | 0.18 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 29 | 0.3 | 1.1 | 0.7 | 0.07 | 0.08 | 41 | 0.4 | 1.3 | 0.7 | 0.04 | 0.08 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 50 | 0.5 | 1.9 | 1.3 | 0.08 | 0.16 | 87 | 0.8 | 2.7 | 1.3 | 0.07 | 0.17 | C90 |
| Lymphoid leukaemia | 60 | 0.6 | 2.2 | 1.8 | 0.10 | 0.19 | 48 | 0.4 | 1.5 | 1.2 | 0.07 | 0.10 | C91 |
| Myeloid leukaemia | 117 | 1.2 | 4.3 | 3.5 | 0.23 | 0.36 | 121 | 1.1 | 3.7 | 2.3 | 0.15 | 0.24 | C92–94 |
| Leukaemia unspecified | 21 | 0.2 | 0.8 | 0.6 | 0.03 | 0.07 | 41 | 0.4 | 1.3 | 0.7 | 0.04 | 0.08 | C95 |
| Myeloproliferative disorders | 8 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 8 | 0.1 | 0.2 | 0.5 | 0.02 | 0.02 | MPD |
| Myelodysplastic syndromes | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | MPS |
| Other and unspecified | 362 | 3.7 | 13.5 | 9.4 | 0.56 | 1.14 | 335 | 3.1 | 10.3 | 5.1 | 0.28 | 0.60 | O&U |
| All sites | 10576 | | 393.1 | 276.1 | 15.16 | 34.26 | 12921 | | 398.5 | 220.4 | 14.60 | 25.03 | C00–96 |
| All sites except C44 | 9680 | 100.0 | 359.8 | 252.4 | 14.23 | 31.24 | 10979 | 100.0 | 338.6 | 193.1 | 13.31 | 21.57 | C00–96 exc.C44 |

Slovenia

CONTRIBUTORS

Vesna Zadnik
Tina Žagar



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 79.5 | Breast | 70.2 |
| Non-melanoma skin cancer | 68.6 | Non-melanoma skin cancer | 54.9 |
| Trachea, bronchus, and lung | 46.0 | Trachea, bronchus, and lung | 21.7 |
| Colon | 22.6 | Corpus uteri | 15.9 |
| Bladder | 18.5 | Melanoma of skin | 14.9 |
| Rectum | 17.8 | Colon | 13.9 |
| Melanoma of skin | 17.1 | Thyroid | 10.3 |
| Stomach | 13.5 | Rectum | 7.9 |
| Kidney | 12.6 | Ovary | 7.7 |
| Testis | 10.6 | Non-Hodgkin lymphoma | 7.4 |
| Non-Hodgkin lymphoma | 10.1 | Cervix uteri | 7.0 |
| Pancreas | 9.5 | Pancreas | 6.5 |
| Liver | 7.9 | Stomach | 6.2 |
| Brain and nervous system | 6.5 | Bladder | 5.2 |
| Lymphoid leukaemia | 6.0 | Other and unspecified | 5.2 |
| Other and unspecified | 5.9 | Kidney | 5.1 |
| Larynx | 4.6 | Brain and nervous system | 4.3 |
| Gallbladder etc. | 3.9 | Gallbladder etc. | 3.4 |
| Oesophagus | 3.7 | Lymphoid leukaemia | 3.2 |
| Multiple myeloma | 3.6 | Myeloid leukaemia | 3.0 |
| All sites | 409.3 | All sites | 302.4 |

Slovenia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 86 | 0.3 | 1.7 | 0.8 | 0.04 | 0.09 | 45 | 0.2 | 0.9 | 0.3 | 0.01 | 0.02 | C00 |
| Tongue | 213 | 0.6 | 4.2 | 2.4 | 0.19 | 0.30 | 69 | 0.3 | 1.3 | 0.8 | 0.05 | 0.09 | C01–02 |
| Mouth | 283 | 0.9 | 5.5 | 3.2 | 0.25 | 0.39 | 120 | 0.4 | 2.3 | 1.2 | 0.09 | 0.14 | C03–06 |
| Salivary glands | 51 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 43 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 205 | 0.6 | 4.0 | 2.3 | 0.18 | 0.30 | 50 | 0.2 | 1.0 | 0.5 | 0.05 | 0.06 | C09 |
| Other oropharynx | 177 | 0.5 | 3.5 | 2.0 | 0.15 | 0.26 | 22 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 42 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 9 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 280 | 0.8 | 5.5 | 3.1 | 0.23 | 0.38 | 36 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 351 | 1.1 | 6.9 | 3.7 | 0.24 | 0.47 | 83 | 0.3 | 1.6 | 0.7 | 0.03 | 0.08 | C15 |
| Stomach | 1424 | 4.3 | 27.8 | 13.5 | 0.62 | 1.56 | 863 | 3.2 | 16.6 | 6.2 | 0.31 | 0.68 | C16 |
| Small intestine | 116 | 0.3 | 2.3 | 1.2 | 0.07 | 0.14 | 93 | 0.3 | 1.8 | 0.8 | 0.05 | 0.09 | C17 |
| Colon | 2358 | 7.1 | 46.1 | 22.6 | 0.98 | 2.71 | 1828 | 6.8 | 35.1 | 13.9 | 0.70 | 1.64 | C18 |
| Rectum | 1781 | 5.4 | 34.8 | 17.8 | 1.00 | 2.17 | 1025 | 3.8 | 19.7 | 7.9 | 0.42 | 0.94 | C19–20 |
| Anus | 23 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | 53 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C21 |
| Liver | 814 | 2.4 | 15.9 | 7.9 | 0.37 | 1.02 | 308 | 1.2 | 5.9 | 2.3 | 0.11 | 0.27 | C22 |
| Gallbladder etc. | 435 | 1.3 | 8.5 | 3.9 | 0.12 | 0.48 | 540 | 2.0 | 10.4 | 3.4 | 0.14 | 0.38 | C23–24 |
| Pancreas | 996 | 3.0 | 19.5 | 9.5 | 0.44 | 1.15 | 955 | 3.6 | 18.4 | 6.5 | 0.29 | 0.76 | C25 |
| Nose, sinuses etc. | 54 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 34 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 438 | 1.3 | 8.6 | 4.6 | 0.30 | 0.59 | 58 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C32 |
| Trachea, bronchus, and lung | 4648 | 14.0 | 90.9 | 46.0 | 2.51 | 5.85 | 2482 | 9.3 | 47.7 | 21.7 | 1.43 | 2.77 | C33–34 |
| Other thoracic organs | 40 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 37 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | C37–38 |
| Bone | 63 | 0.2 | 1.2 | 1.2 | 0.07 | 0.09 | 49 | 0.2 | 0.9 | 1.0 | 0.07 | 0.07 | C40–41 |
| Melanoma of skin | 1530 | 4.6 | 29.9 | 17.1 | 1.04 | 1.90 | 1339 | 5.0 | 25.7 | 14.9 | 1.06 | 1.54 | C43 |
| Other skin | 7206 | 21.7 | 140.9 | 68.6 | 2.89 | 7.63 | 7134 | 26.7 | 137.2 | 54.9 | 2.94 | 6.02 | C44 |
| Mesothelioma | 154 | 0.5 | 3.0 | 1.5 | 0.06 | 0.18 | 54 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C45 |
| Kaposi sarcoma | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 152 | 0.5 | 3.0 | 1.9 | 0.11 | 0.19 | 146 | 0.5 | 2.8 | 1.9 | 0.12 | 0.16 | C47+C49 |
| Breast | 59 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | 6755 | 25.3 | 129.9 | 70.2 | 5.15 | 7.92 | C50 |
| Vulva | | | | | | | 264 | 1.0 | 5.1 | 1.8 | 0.08 | 0.20 | C51 |
| Vagina | | | | | | | 56 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 567 | 2.1 | 10.9 | 7.0 | 0.58 | 0.69 | C53 |
| Corpus uteri | | | | | | | 1742 | 6.5 | 33.5 | 15.9 | 1.07 | 1.98 | C54 |
| Uterus unspecified | | | | | | | 91 | 0.3 | 1.7 | 0.8 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 788 | 3.0 | 15.2 | 7.7 | 0.55 | 0.89 | C56 |
| Other female genital organs | | | | | | | 122 | 0.5 | 2.3 | 1.1 | 0.06 | 0.14 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 74 | 0.2 | 1.4 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 8171 | 24.6 | 159.8 | 79.5 | 3.44 | 11.02 | | | | | | | C61 |
| Testis | 587 | 1.8 | 11.5 | 10.6 | 0.81 | 0.81 | | | | | | | C62 |
| Other male genital organs | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1207 | 3.6 | 23.6 | 12.6 | 0.73 | 1.57 | 612 | 2.3 | 11.8 | 5.1 | 0.27 | 0.61 | C64 |
| Renal pelvis | 82 | 0.2 | 1.6 | 0.8 | 0.03 | 0.08 | 75 | 0.3 | 1.4 | 0.5 | 0.02 | 0.05 | C65 |
| Ureter | 28 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 24 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 1974 | 5.9 | 38.6 | 18.5 | 0.78 | 2.15 | 706 | 2.6 | 13.6 | 5.2 | 0.25 | 0.63 | C67 |
| Other urinary organs | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 50 | 0.2 | 1.0 | 0.6 | 0.03 | 0.05 | 62 | 0.2 | 1.2 | 0.8 | 0.04 | 0.07 | C69 |
| Brain and nervous system | 506 | 1.5 | 9.9 | 6.5 | 0.43 | 0.66 | 366 | 1.4 | 7.0 | 4.3 | 0.27 | 0.42 | C70–72 |
| Thyroid | 220 | 0.7 | 4.3 | 2.9 | 0.22 | 0.30 | 748 | 2.8 | 14.4 | 10.3 | 0.78 | 1.02 | C73 |
| Adrenal gland | 20 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | 21 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 139 | 0.4 | 2.7 | 2.6 | 0.17 | 0.19 | 127 | 0.5 | 2.4 | 2.5 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 934 | 2.8 | 18.3 | 10.1 | 0.54 | 1.10 | 852 | 3.2 | 16.4 | 7.4 | 0.44 | 0.84 | C82–86,C96 |
| Immunoproliferative diseases | 64 | 0.2 | 1.3 | 0.7 | 0.04 | 0.07 | 83 | 0.3 | 1.6 | 0.9 | 0.06 | 0.09 | C88 |
| Multiple myeloma | 367 | 1.1 | 7.2 | 3.6 | 0.17 | 0.42 | 322 | 1.2 | 6.2 | 2.4 | 0.13 | 0.28 | C90 |
| Lymphoid leukaemia | 484 | 1.5 | 9.5 | 6.0 | 0.28 | 0.58 | 320 | 1.2 | 6.2 | 3.2 | 0.15 | 0.32 | C91 |
| Myeloid leukaemia | 328 | 1.0 | 6.4 | 3.4 | 0.16 | 0.34 | 291 | 1.1 | 5.6 | 3.0 | 0.18 | 0.31 | C92–94 |
| Leukaemia unspecified | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 267 | 0.8 | 5.2 | 2.8 | 0.15 | 0.31 | 329 | 1.2 | 6.3 | 2.8 | 0.15 | 0.31 | MPD |
| Myelodysplastic syndromes | 288 | 0.9 | 5.6 | 2.5 | 0.07 | 0.25 | 217 | 0.8 | 4.2 | 1.2 | 0.04 | 0.10 | MPS |
| Other and unspecified | 620 | 1.9 | 12.1 | 5.9 | 0.27 | 0.65 | 796 | 3.0 | 15.3 | 5.2 | 0.23 | 0.53 | O&U |
| All sites | 40436 | | 790.8 | 409.3 | 20.48 | 48.92 | 33828 | | 650.4 | 302.4 | 18.87 | 33.91 | C00–96 |
| All sites except C44 | 33230 | 100.0 | 649.9 | 340.7 | 17.59 | 41.29 | 26694 | 100.0 | 513.3 | 247.5 | 15.92 | 27.89 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Asturias

CONTRIBUTORS

J. Ramón Quirós
Carmen Rodríguez Oleaga
Susana Merino Perera
Virginia Menéndez García
Marta Rodríguez Cambor



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 61.9 | Breast | 65.7 |
| Trachea, bronchus, and lung | 55.6 | Colon | 16.4 |
| Bladder | 35.7 | Trachea, bronchus, and lung | 16.0 |
| Colon | 30.9 | Corpus uteri | 13.4 |
| Rectum | 19.4 | Non-Hodgkin lymphoma | 9.1 |
| Kidney | 14.6 | Rectum | 8.3 |
| Liver | 14.1 | Ovary | 8.2 |
| Non-Hodgkin lymphoma | 13.7 | Melanoma of skin | 7.6 |
| Stomach | 10.3 | Cervix uteri | 6.7 |
| Pancreas | 8.4 | Bladder | 6.5 |
| Larynx | 8.1 | Thyroid | 6.1 |
| Other and unspecified | 6.4 | Pancreas | 5.9 |
| Brain and nervous system | 5.7 | Brain and nervous system | 5.4 |
| Testis | 5.7 | Kidney | 5.0 |
| Melanoma of skin | 5.6 | Stomach | 5.0 |
| Lymphoid leukaemia | 5.1 | Other and unspecified | 3.9 |
| Oesophagus | 5.0 | Myeloproliferative disorders | 3.4 |
| Myeloid leukaemia | 4.6 | Lymphoid leukaemia | 3.0 |
| Myeloproliferative disorders | 3.8 | Multiple myeloma | 3.0 |
| Multiple myeloma | 3.6 | Liver | 2.7 |
| All sites | 357.2 | All sites | 224.2 |

Spain, Asturias (2013–2015)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 31 | 0.2 | 2.0 | 0.6 | 0.01 | 0.05 | 22 | 0.2 | 1.3 | 0.3 | 0.01 | 0.04 | C00 |
| Tongue | 94 | 0.7 | 6.2 | 2.9 | 0.20 | 0.35 | 34 | 0.4 | 2.1 | 0.7 | 0.04 | 0.07 | C01–02 |
| Mouth | 78 | 0.6 | 5.2 | 2.5 | 0.19 | 0.30 | 39 | 0.4 | 2.4 | 0.8 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 24 | 0.2 | 1.6 | 0.8 | 0.04 | 0.07 | 21 | 0.2 | 1.3 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 39 | 0.3 | 2.6 | 1.3 | 0.11 | 0.16 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 41 | 0.3 | 2.7 | 1.3 | 0.10 | 0.17 | 6 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 28 | 0.2 | 1.9 | 1.1 | 0.08 | 0.12 | 10 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C11 |
| Hypopharynx | 76 | 0.6 | 5.0 | 2.4 | 0.16 | 0.33 | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 10 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | C14 |
| Oesophagus | 172 | 1.4 | 11.4 | 5.0 | 0.29 | 0.63 | 27 | 0.3 | 1.6 | 0.5 | 0.02 | 0.05 | C15 |
| Stomach | 417 | 3.3 | 27.6 | 10.3 | 0.49 | 1.22 | 287 | 3.2 | 17.4 | 5.0 | 0.27 | 0.56 | C16 |
| Small intestine | 58 | 0.5 | 3.8 | 1.6 | 0.09 | 0.20 | 34 | 0.4 | 2.1 | 0.6 | 0.03 | 0.09 | C17 |
| Colon | 1266 | 10.1 | 83.6 | 30.9 | 1.46 | 3.59 | 824 | 9.3 | 50.0 | 16.4 | 0.91 | 1.83 | C18 |
| Rectum | 706 | 5.6 | 46.6 | 19.4 | 1.05 | 2.41 | 398 | 4.5 | 24.2 | 8.3 | 0.50 | 0.97 | C19–20 |
| Anus | 23 | 0.2 | 1.5 | 0.7 | 0.05 | 0.08 | 18 | 0.2 | 1.1 | 0.5 | 0.05 | 0.05 | C21 |
| Liver | 489 | 3.9 | 32.3 | 14.1 | 0.82 | 1.83 | 159 | 1.8 | 9.6 | 2.7 | 0.12 | 0.29 | C22 |
| Gallbladder etc. | 72 | 0.6 | 4.8 | 1.6 | 0.07 | 0.16 | 81 | 0.9 | 4.9 | 1.4 | 0.07 | 0.16 | C23–24 |
| Pancreas | 317 | 2.5 | 20.9 | 8.4 | 0.47 | 1.03 | 342 | 3.9 | 20.8 | 5.9 | 0.25 | 0.70 | C25 |
| Nose, sinuses etc. | 25 | 0.2 | 1.7 | 0.6 | 0.02 | 0.06 | 13 | 0.1 | 0.8 | 0.4 | 0.03 | 0.06 | C30–31 |
| Larynx | 272 | 2.2 | 18.0 | 8.1 | 0.46 | 1.08 | 21 | 0.2 | 1.3 | 0.6 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 2023 | 16.1 | 133.7 | 55.6 | 3.05 | 6.92 | 609 | 6.9 | 37.0 | 16.0 | 1.22 | 1.94 | C33–34 |
| Other thoracic organs | 18 | 0.1 | 1.2 | 0.6 | 0.04 | 0.06 | 13 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 32 | 0.3 | 2.1 | 2.3 | 0.14 | 0.17 | 21 | 0.2 | 1.3 | 0.8 | 0.07 | 0.09 | C40–41 |
| Melanoma of skin | 169 | 1.3 | 11.2 | 5.6 | 0.37 | 0.62 | 240 | 2.7 | 14.6 | 7.6 | 0.56 | 0.76 | C43 |
| Other skin | 15 | 0.1 | 1.0 | 0.4 | 0.02 | 0.04 | 21 | 0.2 | 1.3 | 0.6 | 0.05 | 0.05 | C44 |
| Mesothelioma | 24 | 0.2 | 1.6 | 0.7 | 0.05 | 0.09 | 8 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 16 | 0.1 | 1.1 | 0.6 | 0.04 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 81 | 0.6 | 5.4 | 3.4 | 0.20 | 0.29 | 45 | 0.5 | 2.7 | 1.9 | 0.13 | 0.16 | C47+C49 |
| Breast | 20 | 0.2 | 1.3 | 0.6 | 0.03 | 0.08 | 2202 | 24.9 | 133.6 | 65.7 | 4.99 | 7.21 | C50 |
| Vulva | | | | | | | 71 | 0.8 | 4.3 | 1.0 | 0.04 | 0.11 | C51 |
| Vagina | | | | | | | 12 | 0.1 | 0.7 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 186 | 2.1 | 11.3 | 6.7 | 0.55 | 0.67 | C53 |
| Corpus uteri | | | | | | | 524 | 5.9 | 31.8 | 13.4 | 0.89 | 1.70 | C54 |
| Uterus unspecified | | | | | | | 13 | 0.1 | 0.8 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 300 | 3.4 | 18.2 | 8.2 | 0.56 | 0.96 | C56 |
| Other female genital organs | | | | | | | 38 | 0.4 | 2.3 | 0.7 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 36 | 0.3 | 2.4 | 1.0 | 0.05 | 0.11 | | | | | | | C60 |
| Prostate | 2199 | 17.5 | 145.3 | 61.9 | 2.83 | 8.88 | | | | | | | C61 |
| Testis | 93 | 0.7 | 6.1 | 5.7 | 0.44 | 0.44 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 479 | 3.8 | 31.6 | 14.6 | 0.93 | 1.76 | 237 | 2.7 | 14.4 | 5.0 | 0.30 | 0.61 | C64 |
| Renal pelvis | 20 | 0.2 | 1.3 | 0.6 | 0.03 | 0.09 | 12 | 0.1 | 0.7 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 13 | 0.1 | 0.9 | 0.3 | 0.02 | 0.02 | 16 | 0.2 | 1.0 | 0.3 | 0.02 | 0.04 | C66 |
| †Bladder | 1366 | 10.9 | 90.3 | 35.7 | 1.79 | 4.26 | 301 | 3.4 | 18.3 | 6.5 | 0.41 | 0.79 | C67 |
| Other urinary organs | 15 | 0.1 | 1.0 | 0.3 | 0.01 | 0.01 | 11 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C68 |
| Eye | 12 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C69 |
| Brain and nervous system | 169 | 1.3 | 11.2 | 5.7 | 0.38 | 0.58 | 165 | 1.9 | 10.0 | 5.4 | 0.32 | 0.53 | C70–72 |
| Thyroid | 58 | 0.5 | 3.8 | 2.4 | 0.15 | 0.21 | 160 | 1.8 | 9.7 | 6.1 | 0.49 | 0.60 | C73 |
| Adrenal gland | 8 | 0.1 | 0.5 | 0.9 | 0.04 | 0.05 | 15 | 0.2 | 0.9 | 1.3 | 0.06 | 0.09 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 41 | 0.3 | 2.7 | 2.3 | 0.17 | 0.19 | 42 | 0.5 | 2.5 | 2.2 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 412 | 3.3 | 27.2 | 13.7 | 0.81 | 1.42 | 368 | 4.2 | 22.3 | 9.1 | 0.61 | 1.00 | C82–86,C96 |
| Immunoproliferative diseases | 41 | 0.3 | 2.7 | 1.5 | 0.09 | 0.14 | 48 | 0.5 | 2.9 | 1.1 | 0.06 | 0.13 | C88 |
| Multiple myeloma | 153 | 1.2 | 10.1 | 3.6 | 0.16 | 0.38 | 149 | 1.7 | 9.0 | 3.0 | 0.16 | 0.33 | C90 |
| Lymphoid leukaemia | 130 | 1.0 | 8.6 | 5.1 | 0.26 | 0.44 | 94 | 1.1 | 5.7 | 3.0 | 0.17 | 0.28 | C91 |
| Myeloid leukaemia | 128 | 1.0 | 8.5 | 4.6 | 0.25 | 0.44 | 93 | 1.1 | 5.6 | 2.6 | 0.15 | 0.23 | C92–94 |
| Leukaemia unspecified | 12 | 0.1 | 0.8 | 0.2 | 0.01 | 0.01 | 6 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 125 | 1.0 | 8.3 | 3.8 | 0.21 | 0.38 | 120 | 1.4 | 7.3 | 3.4 | 0.19 | 0.30 | MPD |
| Myelodysplastic syndromes | 125 | 1.0 | 8.3 | 2.6 | 0.06 | 0.25 | 96 | 1.1 | 5.8 | 1.3 | 0.04 | 0.12 | MPS |
| Other and unspecified | 273 | 2.2 | 18.0 | 6.4 | 0.30 | 0.68 | 268 | 3.0 | 16.3 | 3.9 | 0.18 | 0.37 | O&U |
| All sites | 12550 | | 829.2 | 357.2 | 19.13 | 43.04 | 8862 | | 537.8 | 224.2 | 15.02 | 24.75 | C00–96 |
| All sites except C44 | 12535 | 100.0 | 828.2 | 356.9 | 19.11 | 43.00 | 8841 | 100.0 | 536.5 | 223.6 | 14.97 | 24.70 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Basque Country

CONTRIBUTORS

Arantza Lopez de Munain
Marta De La Cruz
Visitación De Castro
Patricia Sancho
Nerea Larrañaga
Leire Gil
Covadonga Audicana
M. Carmen San Sebastian
Amaia Aizpurua
M. Luisa Iruretagoyena



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 73.5 | Breast | 77.2 |
| Trachea, bronchus, and lung | 51.3 | Colon | 19.5 |
| Bladder | 36.1 | Trachea, bronchus, and lung | 17.1 |
| Colon | 36.0 | Corpus uteri | 13.7 |
| Rectum | 17.9 | Thyroid | 11.8 |
| Kidney | 15.5 | Non-Hodgkin lymphoma | 8.7 |
| Liver | 14.0 | Melanoma of skin | 8.7 |
| Stomach | 13.2 | Rectum | 8.5 |
| Non-Hodgkin lymphoma | 12.8 | Ovary | 8.4 |
| Pancreas | 9.1 | Bladder | 7.2 |
| Larynx | 9.0 | Pancreas | 6.0 |
| Melanoma of skin | 7.9 | Stomach | 5.8 |
| Brain and nervous system | 7.2 | Kidney | 5.6 |
| Lymphoid leukaemia | 6.7 | Brain and nervous system | 5.1 |
| Other and unspecified | 5.9 | Cervix uteri | 4.9 |
| Testis | 5.7 | Lymphoid leukaemia | 4.7 |
| Oesophagus | 5.4 | Other and unspecified | 3.5 |
| Myeloid leukaemia | 4.6 | Hodgkin lymphoma | 3.2 |
| Hodgkin lymphoma | 4.2 | Liver | 2.9 |
| Thyroid | 3.9 | Myeloid leukaemia | 2.9 |
| All sites | 383.5 | All sites | 251.4 |

Spain, Basque Country (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 114 | 0.3 | 2.7 | 1.0 | 0.04 | 0.10 | 44 | 0.2 | 1.0 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 240 | 0.7 | 5.7 | 2.9 | 0.21 | 0.36 | 98 | 0.4 | 2.2 | 1.1 | 0.07 | 0.13 | C01–02 |
| Mouth | 246 | 0.7 | 5.8 | 3.0 | 0.22 | 0.37 | 156 | 0.7 | 3.5 | 1.4 | 0.09 | 0.16 | C03–06 |
| Salivary glands | 69 | 0.2 | 1.6 | 0.8 | 0.05 | 0.08 | 55 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | C07–08 |
| Tonsil | 111 | 0.3 | 2.6 | 1.5 | 0.11 | 0.19 | 36 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C09 |
| Other oropharynx | 79 | 0.2 | 1.9 | 1.0 | 0.07 | 0.13 | 12 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 83 | 0.2 | 2.0 | 1.2 | 0.09 | 0.13 | 22 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 192 | 0.6 | 4.5 | 2.3 | 0.16 | 0.31 | 26 | 0.1 | 0.6 | 0.3 | 0.02 | 0.05 | C12–13 |
| Pharynx unspecified | 55 | 0.2 | 1.3 | 0.7 | 0.06 | 0.09 | 10 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 475 | 1.4 | 11.2 | 5.4 | 0.33 | 0.69 | 101 | 0.4 | 2.3 | 1.0 | 0.07 | 0.12 | C15 |
| Stomach | 1294 | 3.8 | 30.6 | 13.2 | 0.62 | 1.55 | 718 | 3.0 | 16.1 | 5.8 | 0.30 | 0.64 | C16 |
| Small intestine | 125 | 0.4 | 3.0 | 1.4 | 0.08 | 0.15 | 97 | 0.4 | 2.2 | 1.0 | 0.07 | 0.10 | C17 |
| Colon | 3447 | 10.2 | 81.5 | 36.0 | 1.80 | 4.26 | 2264 | 9.6 | 50.7 | 19.5 | 1.15 | 2.21 | C18 |
| Rectum | 1664 | 4.9 | 39.3 | 17.9 | 1.03 | 2.14 | 916 | 3.9 | 20.5 | 8.5 | 0.56 | 0.98 | C19–20 |
| Anus | 48 | 0.1 | 1.1 | 0.6 | 0.05 | 0.06 | 48 | 0.2 | 1.1 | 0.4 | 0.03 | 0.04 | C21 |
| Liver | 1184 | 3.5 | 28.0 | 14.0 | 0.87 | 1.72 | 405 | 1.7 | 9.1 | 2.9 | 0.14 | 0.32 | C22 |
| Gallbladder etc. | 310 | 0.9 | 7.3 | 2.9 | 0.11 | 0.35 | 313 | 1.3 | 7.0 | 1.9 | 0.07 | 0.21 | C23–24 |
| Pancreas | 865 | 2.6 | 20.4 | 9.1 | 0.45 | 1.11 | 802 | 3.4 | 18.0 | 6.0 | 0.30 | 0.69 | C25 |
| Nose, sinuses etc. | 57 | 0.2 | 1.3 | 0.6 | 0.03 | 0.07 | 26 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 756 | 2.2 | 17.9 | 9.0 | 0.57 | 1.17 | 70 | 0.3 | 1.6 | 0.8 | 0.06 | 0.10 | C32 |
| Trachea, bronchus, and lung | 4648 | 13.8 | 109.8 | 51.3 | 2.82 | 6.57 | 1545 | 6.5 | 34.6 | 17.1 | 1.36 | 2.04 | C33–34 |
| Other thoracic organs | 51 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | 29 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 63 | 0.2 | 1.5 | 1.5 | 0.09 | 0.12 | 46 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 633 | 1.9 | 15.0 | 7.9 | 0.50 | 0.86 | 707 | 3.0 | 15.8 | 8.7 | 0.61 | 0.92 | C43 |
| Other skin | 73 | 0.2 | 1.7 | 0.9 | 0.06 | 0.08 | 69 | 0.3 | 1.5 | 0.8 | 0.05 | 0.07 | C44 |
| Mesothelioma | 144 | 0.4 | 3.4 | 1.5 | 0.06 | 0.18 | 41 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 47 | 0.1 | 1.1 | 0.6 | 0.04 | 0.06 | 14 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 158 | 0.5 | 3.7 | 2.1 | 0.12 | 0.20 | 126 | 0.5 | 2.8 | 1.7 | 0.11 | 0.17 | C47+C49 |
| Breast | 67 | 0.2 | 1.6 | 0.7 | 0.04 | 0.09 | 6387 | 27.0 | 143.0 | 77.2 | 6.09 | 8.39 | C50 |
| Vulva | | | | | | | 149 | 0.6 | 3.3 | 1.1 | 0.04 | 0.11 | C51 |
| Vagina | | | | | | | 38 | 0.2 | 0.9 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 356 | 1.5 | 8.0 | 4.9 | 0.41 | 0.50 | C53 |
| Corpus uteri | | | | | | | 1293 | 5.5 | 29.0 | 13.7 | 0.96 | 1.72 | C54 |
| Uterus unspecified | | | | | | | 62 | 0.3 | 1.4 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 729 | 3.1 | 16.3 | 8.4 | 0.60 | 0.95 | C56 |
| Other female genital organs | | | | | | | 62 | 0.3 | 1.4 | 0.5 | 0.03 | 0.07 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 80 | 0.2 | 1.9 | 0.8 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 6532 | 19.4 | 154.4 | 73.5 | 3.36 | 10.62 | | | | | | | C61 |
| Testis | 247 | 0.7 | 5.8 | 5.7 | 0.42 | 0.44 | | | | | | | C62 |
| Other male genital organs | 17 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 1271 | 3.8 | 30.0 | 15.5 | 1.01 | 1.84 | 563 | 2.4 | 12.6 | 5.6 | 0.34 | 0.64 | C64 |
| Renal pelvis | 115 | 0.3 | 2.7 | 1.2 | 0.07 | 0.15 | 40 | 0.2 | 0.9 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 67 | 0.2 | 1.6 | 0.6 | 0.02 | 0.08 | 15 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 3428 | 10.2 | 81.0 | 36.1 | 1.81 | 4.50 | 824 | 3.5 | 18.5 | 7.2 | 0.48 | 0.85 | C67 |
| Other urinary organs | 53 | 0.2 | 1.3 | 0.5 | 0.02 | 0.07 | 16 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 43 | 0.1 | 1.0 | 0.6 | 0.03 | 0.05 | 27 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 505 | 1.5 | 11.9 | 7.2 | 0.44 | 0.78 | 413 | 1.7 | 9.2 | 5.1 | 0.30 | 0.51 | C70–72 |
| Thyroid | 259 | 0.8 | 6.1 | 3.9 | 0.30 | 0.42 | 776 | 3.3 | 17.4 | 11.8 | 0.92 | 1.18 | C73 |
| Adrenal gland | 18 | 0.1 | 0.4 | 0.5 | 0.03 | 0.04 | 18 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 207 | 0.6 | 4.9 | 4.2 | 0.30 | 0.35 | 122 | 0.5 | 2.7 | 3.2 | 0.21 | 0.23 | C81 |
| Non-Hodgkin lymphoma | 1029 | 3.1 | 24.3 | 12.8 | 0.77 | 1.39 | 861 | 3.6 | 19.3 | 8.7 | 0.54 | 0.96 | C82–86,C96 |
| Immunoproliferative diseases | 93 | 0.3 | 2.2 | 1.1 | 0.06 | 0.12 | 83 | 0.4 | 1.9 | 0.9 | 0.06 | 0.11 | C88 |
| Multiple myeloma | 341 | 1.0 | 8.1 | 3.4 | 0.16 | 0.40 | 322 | 1.4 | 7.2 | 2.6 | 0.13 | 0.31 | C90 |
| Lymphoid leukaemia | 484 | 1.4 | 11.4 | 6.7 | 0.33 | 0.62 | 385 | 1.6 | 8.6 | 4.7 | 0.23 | 0.44 | C91 |
| Myeloid leukaemia | 367 | 1.1 | 8.7 | 4.6 | 0.24 | 0.44 | 283 | 1.2 | 6.3 | 2.9 | 0.17 | 0.30 | C92–94 |
| Leukaemia unspecified | 25 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | 30 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 320 | 1.0 | 7.6 | 3.6 | 0.19 | 0.41 | 333 | 1.4 | 7.5 | 2.9 | 0.16 | 0.32 | MPD |
| Myelodysplastic syndromes | 329 | 1.0 | 7.8 | 2.6 | 0.05 | 0.24 | 212 | 0.9 | 4.7 | 1.4 | 0.06 | 0.14 | MPS |
| Other and unspecified | 583 | 1.7 | 13.8 | 5.9 | 0.28 | 0.61 | 504 | 2.1 | 11.3 | 3.5 | 0.16 | 0.34 | O&U |
| All sites | 33716 | | 796.7 | 383.5 | 20.70 | 47.00 | 23705 | | 530.9 | 251.4 | 17.38 | 27.70 | C00–96 |
| All sites except C44 | 33643 | 100.0 | 795.0 | 382.6 | 20.65 | 46.93 | 23636 | 100.0 | 529.3 | 250.6 | 17.33 | 27.62 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Canary Islands

CONTRIBUTORS

María Dolores Rojas Martín
Araceli Alemán Herrera
Emilio de Miguel Ruiz



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 69.3 | Breast | 65.7 |
| Trachea, bronchus, and lung | 44.0 | Colon | 17.6 |
| Bladder | 27.3 | Trachea, bronchus, and lung | 15.3 |
| Colon | 26.5 | Corpus uteri | 12.2 |
| Rectum | 14.2 | Thyroid | 11.1 |
| Non-Hodgkin lymphoma | 13.3 | Non-Hodgkin lymphoma | 10.1 |
| Liver | 9.2 | Cervix uteri | 7.8 |
| Pancreas | 8.5 | Rectum | 7.0 |
| Kidney | 7.9 | Melanoma of skin | 6.9 |
| Stomach | 7.5 | Ovary | 6.7 |
| Larynx | 6.9 | Pancreas | 6.4 |
| Melanoma of skin | 6.3 | Bladder | 5.4 |
| Brain and nervous system | 6.1 | Brain and nervous system | 4.8 |
| Other and unspecified | 5.4 | Stomach | 4.1 |
| Oesophagus | 4.7 | Other and unspecified | 3.5 |
| Testis | 4.4 | Liver | 2.8 |
| Multiple myeloma | 3.6 | Kidney | 2.7 |
| Myeloid leukaemia | 3.6 | Myeloid leukaemia | 2.4 |
| Thyroid | 3.4 | Myeloproliferative disorders | 2.3 |
| Tongue | 3.3 | Multiple myeloma | 2.2 |
| All sites | 313.7 | All sites | 218.8 |

Spain, Canary Islands (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 149 | 0.8 | 4.3 | 2.4 | 0.11 | 0.26 | 40 | 0.3 | 1.1 | 0.4 | 0.01 | 0.04 | C00 |
| Tongue | 187 | 1.0 | 5.4 | 3.3 | 0.20 | 0.41 | 70 | 0.5 | 2.0 | 1.0 | 0.06 | 0.12 | C01–02 |
| Mouth | 167 | 0.9 | 4.9 | 2.9 | 0.20 | 0.37 | 71 | 0.5 | 2.0 | 1.0 | 0.07 | 0.10 | C03–06 |
| Salivary glands | 32 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 27 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 87 | 0.5 | 2.5 | 1.6 | 0.11 | 0.20 | 16 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C09 |
| Other oropharynx | 65 | 0.4 | 1.9 | 1.1 | 0.06 | 0.14 | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 47 | 0.3 | 1.4 | 0.9 | 0.07 | 0.10 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C11 |
| Hypopharynx | 119 | 0.7 | 3.5 | 2.2 | 0.15 | 0.29 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 66 | 0.4 | 1.9 | 1.2 | 0.09 | 0.15 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 281 | 1.5 | 8.2 | 4.7 | 0.24 | 0.56 | 63 | 0.5 | 1.8 | 0.9 | 0.04 | 0.11 | C15 |
| Stomach | 487 | 2.7 | 14.2 | 7.5 | 0.32 | 0.90 | 316 | 2.3 | 9.0 | 4.1 | 0.23 | 0.44 | C16 |
| Small intestine | 67 | 0.4 | 1.9 | 1.1 | 0.06 | 0.11 | 45 | 0.3 | 1.3 | 0.6 | 0.03 | 0.07 | C17 |
| Colon | 1657 | 9.1 | 48.2 | 26.5 | 1.16 | 3.28 | 1299 | 9.4 | 36.9 | 17.6 | 0.91 | 2.03 | C18 |
| Rectum | 856 | 4.7 | 24.9 | 14.2 | 0.74 | 1.83 | 471 | 3.4 | 13.4 | 7.0 | 0.44 | 0.82 | C19–20 |
| Anus | 66 | 0.4 | 1.9 | 1.2 | 0.08 | 0.15 | 56 | 0.4 | 1.6 | 0.8 | 0.05 | 0.09 | C21 |
| Liver | 555 | 3.0 | 16.1 | 9.2 | 0.49 | 1.10 | 212 | 1.5 | 6.0 | 2.8 | 0.14 | 0.32 | C22 |
| Gallbladder etc. | 154 | 0.8 | 4.5 | 2.4 | 0.09 | 0.25 | 162 | 1.2 | 4.6 | 1.9 | 0.08 | 0.20 | C23–24 |
| Pancreas | 524 | 2.9 | 15.2 | 8.5 | 0.47 | 0.97 | 496 | 3.6 | 14.1 | 6.4 | 0.30 | 0.71 | C25 |
| Nose, sinuses etc. | 35 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | 22 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 394 | 2.2 | 11.5 | 6.9 | 0.40 | 0.90 | 45 | 0.3 | 1.3 | 0.7 | 0.05 | 0.09 | C32 |
| Trachea, bronchus, and lung | 2668 | 14.6 | 77.6 | 44.0 | 2.35 | 5.52 | 954 | 6.9 | 27.1 | 15.3 | 1.11 | 1.91 | C33–34 |
| Other thoracic organs | 28 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 12 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 32 | 0.2 | 0.9 | 0.9 | 0.06 | 0.07 | 28 | 0.2 | 0.8 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 355 | 1.9 | 10.3 | 6.3 | 0.39 | 0.67 | 392 | 2.8 | 11.1 | 6.9 | 0.51 | 0.72 | C43 |
| Other skin | 51 | 0.3 | 1.5 | 0.9 | 0.03 | 0.10 | 44 | 0.3 | 1.3 | 0.7 | 0.04 | 0.06 | C44 |
| Mesothelioma | 34 | 0.2 | 1.0 | 0.5 | 0.01 | 0.07 | 7 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 59 | 0.3 | 1.7 | 1.2 | 0.09 | 0.11 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 110 | 0.6 | 3.2 | 2.0 | 0.12 | 0.19 | 79 | 0.6 | 2.2 | 1.5 | 0.10 | 0.14 | C47+C49 |
| Breast | 33 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | 3935 | 28.5 | 111.9 | 65.7 | 4.92 | 7.18 | C50 |
| Vulva | | | | | | | 118 | 0.9 | 3.4 | 1.5 | 0.07 | 0.14 | C51 |
| Vagina | | | | | | | 18 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 431 | 3.1 | 12.3 | 7.8 | 0.61 | 0.80 | C53 |
| Corpus uteri | | | | | | | 783 | 5.7 | 22.3 | 12.2 | 0.82 | 1.50 | C54 |
| Uterus unspecified | | | | | | | 35 | 0.3 | 1.0 | 0.6 | 0.04 | 0.06 | C55 |
| Ovary | | | | | | | 412 | 3.0 | 11.7 | 6.7 | 0.46 | 0.73 | C56 |
| Other female genital organs | | | | | | | 37 | 0.3 | 1.1 | 0.5 | 0.03 | 0.05 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 72 | 0.4 | 2.1 | 1.1 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 3943 | 21.6 | 114.7 | 69.3 | 3.58 | 9.98 | | | | | | | C61 |
| Testis | 176 | 1.0 | 5.1 | 4.4 | 0.33 | 0.33 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 443 | 2.4 | 12.9 | 7.9 | 0.48 | 0.96 | 180 | 1.3 | 5.1 | 2.7 | 0.17 | 0.32 | C64 |
| Renal pelvis | 52 | 0.3 | 1.5 | 0.8 | 0.04 | 0.09 | 26 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C65 |
| Ureter | 27 | 0.1 | 0.8 | 0.4 | 0.01 | 0.04 | 9 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 1729 | 9.5 | 50.3 | 27.3 | 1.26 | 3.17 | 397 | 2.9 | 11.3 | 5.4 | 0.29 | 0.64 | C67 |
| Other urinary organs | 52 | 0.3 | 1.5 | 0.8 | 0.02 | 0.11 | 14 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C68 |
| Eye | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 17 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 279 | 1.5 | 8.1 | 6.1 | 0.39 | 0.64 | 238 | 1.7 | 6.8 | 4.8 | 0.28 | 0.42 | C70–72 |
| Thyroid | 173 | 0.9 | 5.0 | 3.4 | 0.24 | 0.35 | 573 | 4.1 | 16.3 | 11.1 | 0.87 | 1.13 | C73 |
| Adrenal gland | 12 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 11 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 4 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 83 | 0.5 | 2.4 | 2.0 | 0.14 | 0.18 | 68 | 0.5 | 1.9 | 1.8 | 0.12 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 730 | 4.0 | 21.2 | 13.3 | 0.78 | 1.47 | 641 | 4.6 | 18.2 | 10.1 | 0.59 | 1.16 | C82–86,C96 |
| Immunoproliferative diseases | 33 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 47 | 0.3 | 1.3 | 0.8 | 0.06 | 0.09 | C88 |
| Multiple myeloma | 226 | 1.2 | 6.6 | 3.6 | 0.19 | 0.43 | 162 | 1.2 | 4.6 | 2.2 | 0.11 | 0.28 | C90 |
| Lymphoid leukaemia | 123 | 0.7 | 3.6 | 3.0 | 0.17 | 0.27 | 86 | 0.6 | 2.4 | 1.8 | 0.09 | 0.16 | C91 |
| Myeloid leukaemia | 191 | 1.0 | 5.6 | 3.6 | 0.17 | 0.38 | 147 | 1.1 | 4.2 | 2.4 | 0.12 | 0.25 | C92–94 |
| Leukaemia unspecified | 15 | 0.1 | 0.4 | 0.2 | 0.00 | 0.01 | 12 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 140 | 0.8 | 4.1 | 2.4 | 0.12 | 0.27 | 141 | 1.0 | 4.0 | 2.3 | 0.12 | 0.25 | MPD |
| Myelodysplastic syndromes | 82 | 0.4 | 2.4 | 1.1 | 0.02 | 0.11 | 59 | 0.4 | 1.7 | 0.7 | 0.03 | 0.07 | MPS |
| Other and unspecified | 332 | 1.8 | 9.7 | 5.4 | 0.25 | 0.61 | 293 | 2.1 | 8.3 | 3.5 | 0.15 | 0.32 | O&U |
| All sites | 18298 | | 532.3 | 313.7 | 16.58 | 38.62 | 13856 | | 393.9 | 218.8 | 14.39 | 24.14 | C00–96 |
| All sites except C44 | 18247 | 100.0 | 530.8 | 312.8 | 16.55 | 38.52 | 13812 | 100.0 | 392.6 | 218.1 | 14.35 | 24.08 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Castellón

CONTRIBUTORS

Ana Vizcaino Batllés
 Consol Sabater Gregori
 Francesc Botella Quijal
 Fernando Almela Vich
 Javier Peñalver Herrero
 Isabel Saez Lloret



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 68.2 | Breast | 71.6 |
| Trachea, bronchus, and lung | 48.8 | Colon | 18.5 |
| Bladder | 36.7 | Corpus uteri | 12.1 |
| Colon | 31.9 | Trachea, bronchus, and lung | 10.7 |
| Rectum | 16.7 | Rectum | 8.3 |
| Liver | 9.7 | Thyroid | 7.8 |
| Non-Hodgkin lymphoma | 9.2 | Ovary | 7.1 |
| Kidney | 9.1 | Non-Hodgkin lymphoma | 6.5 |
| Stomach | 8.5 | Melanoma of skin | 5.8 |
| Larynx | 8.0 | Pancreas | 5.8 |
| Pancreas | 7.8 | Bladder | 5.0 |
| Melanoma of skin | 6.6 | Cervix uteri | 5.0 |
| Brain and nervous system | 5.0 | Brain and nervous system | 4.4 |
| Testis | 4.9 | Kidney | 3.7 |
| Myeloid leukaemia | 4.6 | Stomach | 3.6 |
| Oesophagus | 4.0 | Lymphoid leukaemia | 2.7 |
| Lymphoid leukaemia | 3.5 | Myeloid leukaemia | 2.7 |
| Other and unspecified | 3.4 | Liver | 2.6 |
| Thyroid | 3.0 | Other and unspecified | 2.4 |
| Multiple myeloma | 2.9 | Multiple myeloma | 2.2 |
| All sites | 322.7 | All sites | 207.7 |

Spain, Castellón (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 54 | 0.6 | 3.7 | 1.6 | 0.06 | 0.14 | 16 | 0.3 | 1.1 | 0.4 | 0.01 | 0.03 | C00 |
| Tongue | 50 | 0.6 | 3.4 | 2.1 | 0.16 | 0.28 | 27 | 0.5 | 1.8 | 0.9 | 0.04 | 0.11 | C01–02 |
| Mouth | 61 | 0.7 | 4.2 | 2.5 | 0.20 | 0.30 | 36 | 0.6 | 2.4 | 1.1 | 0.05 | 0.13 | C03–06 |
| Salivary glands | 20 | 0.2 | 1.4 | 0.8 | 0.04 | 0.10 | 16 | 0.3 | 1.1 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 25 | 0.3 | 1.7 | 1.1 | 0.07 | 0.14 | 7 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | C09 |
| Other oropharynx | 15 | 0.2 | 1.0 | 0.6 | 0.06 | 0.07 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 18 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 21 | 0.2 | 1.4 | 0.9 | 0.09 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 12 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 103 | 1.2 | 7.1 | 4.0 | 0.26 | 0.52 | 19 | 0.3 | 1.3 | 0.5 | 0.03 | 0.05 | C15 |
| Stomach | 267 | 3.0 | 18.3 | 8.5 | 0.36 | 1.03 | 133 | 2.3 | 9.1 | 3.6 | 0.20 | 0.35 | C16 |
| Small intestine | 21 | 0.2 | 1.4 | 0.8 | 0.06 | 0.11 | 15 | 0.3 | 1.0 | 0.4 | 0.01 | 0.06 | C17 |
| Colon | 953 | 10.9 | 65.4 | 31.9 | 1.52 | 3.78 | 659 | 11.2 | 44.8 | 18.5 | 1.04 | 2.08 | C18 |
| Rectum | 465 | 5.3 | 31.9 | 16.7 | 0.93 | 2.08 | 274 | 4.7 | 18.6 | 8.3 | 0.46 | 0.96 | C19–20 |
| Anus | 20 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | 27 | 0.5 | 1.8 | 0.9 | 0.04 | 0.11 | C21 |
| Liver | 260 | 3.0 | 17.8 | 9.7 | 0.62 | 1.12 | 98 | 1.7 | 6.7 | 2.6 | 0.13 | 0.30 | C22 |
| Gallbladder etc. | 52 | 0.6 | 3.6 | 1.6 | 0.06 | 0.14 | 69 | 1.2 | 4.7 | 1.6 | 0.04 | 0.19 | C23–24 |
| Pancreas | 223 | 2.5 | 15.3 | 7.8 | 0.44 | 0.92 | 212 | 3.6 | 14.4 | 5.8 | 0.23 | 0.72 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 1.2 | 0.7 | 0.03 | 0.08 | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 199 | 2.3 | 13.7 | 8.0 | 0.54 | 1.09 | 14 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | C32 |
| Trachea, bronchus, and lung | 1341 | 15.3 | 92.1 | 48.8 | 2.60 | 6.37 | 291 | 5.0 | 19.8 | 10.7 | 0.78 | 1.31 | C33–34 |
| Other thoracic organs | 19 | 0.2 | 1.3 | 0.6 | 0.05 | 0.05 | 7 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | C37–38 |
| Bone | 15 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | 9 | 0.2 | 0.6 | 0.7 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 161 | 1.8 | 11.1 | 6.6 | 0.43 | 0.72 | 142 | 2.4 | 9.7 | 5.8 | 0.37 | 0.58 | C43 |
| Other skin | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C44 |
| Mesothelioma | 20 | 0.2 | 1.4 | 0.7 | 0.03 | 0.10 | 4 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 49 | 0.6 | 3.4 | 2.1 | 0.14 | 0.20 | 33 | 0.6 | 2.2 | 1.5 | 0.11 | 0.13 | C47+C49 |
| Breast | 24 | 0.3 | 1.6 | 0.9 | 0.06 | 0.10 | 1796 | 30.6 | 122.2 | 71.6 | 5.43 | 7.72 | C50 |
| Vulva | | | | | | | 49 | 0.8 | 3.3 | 1.1 | 0.05 | 0.09 | C51 |
| Vagina | | | | | | | 13 | 0.2 | 0.9 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 113 | 1.9 | 7.7 | 5.0 | 0.38 | 0.52 | C53 |
| Corpus uteri | | | | | | | 351 | 6.0 | 23.9 | 12.1 | 0.82 | 1.53 | C54 |
| Uterus unspecified | | | | | | | 19 | 0.3 | 1.3 | 0.6 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 190 | 3.2 | 12.9 | 7.1 | 0.50 | 0.81 | C56 |
| Other female genital organs | | | | | | | 7 | 0.1 | 0.5 | 0.2 | 0.00 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 33 | 0.4 | 2.3 | 1.1 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 1878 | 21.4 | 128.9 | 68.2 | 2.99 | 9.61 | | | | | | | C61 |
| Testis | 75 | 0.9 | 5.1 | 4.9 | 0.36 | 0.37 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 230 | 2.6 | 15.8 | 9.1 | 0.58 | 1.05 | 110 | 1.9 | 7.5 | 3.7 | 0.22 | 0.46 | C64 |
| Renal pelvis | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.4 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 12 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C66 |
| †Bladder | 1074 | 12.2 | 73.7 | 36.7 | 1.71 | 4.57 | 181 | 3.1 | 12.3 | 5.0 | 0.32 | 0.58 | C67 |
| Other urinary organs | 10 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 3 | 0.1 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 8 | 0.1 | 0.5 | 0.5 | 0.04 | 0.04 | 6 | 0.1 | 0.4 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 124 | 1.4 | 8.5 | 5.0 | 0.28 | 0.57 | 109 | 1.9 | 7.4 | 4.4 | 0.25 | 0.47 | C70–72 |
| Thyroid | 60 | 0.7 | 4.1 | 3.0 | 0.21 | 0.31 | 151 | 2.6 | 10.3 | 7.8 | 0.61 | 0.73 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 5 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 44 | 0.5 | 3.0 | 2.6 | 0.19 | 0.21 | 35 | 0.6 | 2.4 | 2.0 | 0.14 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 220 | 2.5 | 15.1 | 9.2 | 0.58 | 1.04 | 180 | 3.1 | 12.2 | 6.5 | 0.41 | 0.74 | C82–86,C96 |
| Immunoproliferative diseases | 16 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 17 | 0.3 | 1.2 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 84 | 1.0 | 5.8 | 2.9 | 0.13 | 0.38 | 85 | 1.4 | 5.8 | 2.2 | 0.09 | 0.26 | C90 |
| Lymphoid leukaemia | 75 | 0.9 | 5.1 | 3.5 | 0.16 | 0.26 | 50 | 0.9 | 3.4 | 2.7 | 0.14 | 0.21 | C91 |
| Myeloid leukaemia | 108 | 1.2 | 7.4 | 4.6 | 0.25 | 0.45 | 75 | 1.3 | 5.1 | 2.7 | 0.13 | 0.29 | C92–94 |
| Leukaemia unspecified | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 54 | 0.6 | 3.7 | 1.9 | 0.10 | 0.21 | 52 | 0.9 | 3.5 | 2.0 | 0.12 | 0.24 | MPD |
| Myelodysplastic syndromes | 75 | 0.9 | 5.1 | 2.1 | 0.05 | 0.19 | 35 | 0.6 | 2.4 | 0.7 | 0.01 | 0.07 | MPS |
| Other and unspecified | 94 | 1.1 | 6.5 | 3.4 | 0.19 | 0.41 | 93 | 1.6 | 6.3 | 2.4 | 0.12 | 0.21 | O&U |
| All sites | 8783 | | 602.9 | 322.7 | 17.01 | 39.89 | 5868 | | 399.3 | 207.7 | 13.68 | 22.82 | C00–96 |
| All sites except C44 | 8780 | 100.0 | 602.7 | 322.6 | 17.00 | 39.88 | 5863 | 100.0 | 399.0 | 207.6 | 13.67 | 22.80 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Girona

CONTRIBUTORS

Rafael Marcos-Gragera
 Angel Izquierdo
 Loreto Vilardell
 Anna Vidal
 Montse Puigdemont
 Arantza Sanvisens
 Josepa Ribes
 Jordi Galvez
 Laura Esteban
 Josep Maria Borràs



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 81.4 | Non-melanoma skin cancer | 72.5 |
| Prostate | 58.1 | Breast | 72.1 |
| Trachea, bronchus, and lung | 43.9 | Colon | 20.3 |
| Bladder | 33.9 | Trachea, bronchus, and lung | 12.7 |
| Colon | 32.8 | Corpus uteri | 11.4 |
| Rectum | 16.6 | Thyroid | 9.4 |
| Non-Hodgkin lymphoma | 12.0 | Ovary | 7.6 |
| Liver | 11.5 | Non-Hodgkin lymphoma | 7.5 |
| Kidney | 10.3 | Rectum | 7.4 |
| Stomach | 8.9 | Melanoma of skin | 6.8 |
| Pancreas | 7.9 | Bladder | 6.1 |
| Larynx | 7.4 | Pancreas | 5.2 |
| Brain and nervous system | 6.5 | Cervix uteri | 5.0 |
| Melanoma of skin | 6.0 | Stomach | 4.9 |
| Testis | 5.7 | Kidney | 4.8 |
| Oesophagus | 5.3 | Brain and nervous system | 4.3 |
| Lymphoid leukaemia | 5.3 | Lymphoid leukaemia | 3.3 |
| Other and unspecified | 4.6 | Other and unspecified | 3.2 |
| Multiple myeloma | 3.8 | Liver | 2.6 |
| Myeloid leukaemia | 3.6 | Myeloproliferative disorders | 2.5 |
| All sites | 405.8 | All sites | 295.6 |

Spain, Girona (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 56 | 0.5 | 3.0 | 1.3 | 0.03 | 0.15 | 20 | 0.3 | 1.1 | 0.3 | 0.00 | 0.03 | C00 |
| Tongue | 77 | 0.7 | 4.1 | 2.5 | 0.19 | 0.28 | 34 | 0.4 | 1.8 | 0.9 | 0.03 | 0.12 | C01–02 |
| Mouth | 64 | 0.6 | 3.4 | 2.1 | 0.14 | 0.22 | 36 | 0.5 | 1.9 | 0.7 | 0.04 | 0.08 | C03–06 |
| Salivary glands | 13 | 0.1 | 0.7 | 0.4 | 0.02 | 0.03 | 18 | 0.2 | 1.0 | 0.5 | 0.04 | 0.05 | C07–08 |
| Tonsil | 57 | 0.5 | 3.1 | 1.9 | 0.14 | 0.23 | 22 | 0.3 | 1.2 | 0.8 | 0.06 | 0.09 | C09 |
| Other oropharynx | 40 | 0.4 | 2.2 | 1.3 | 0.09 | 0.17 | 5 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 15 | 0.1 | 0.8 | 0.5 | 0.05 | 0.06 | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 38 | 0.3 | 2.0 | 1.0 | 0.06 | 0.11 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 5 | 0.0 | 0.3 | 0.1 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 179 | 1.6 | 9.6 | 5.3 | 0.36 | 0.63 | 32 | 0.4 | 1.7 | 0.8 | 0.04 | 0.09 | C15 |
| Stomach | 341 | 3.0 | 18.4 | 8.9 | 0.46 | 1.01 | 223 | 2.8 | 12.0 | 4.9 | 0.23 | 0.55 | C16 |
| Small intestine | 38 | 0.3 | 2.0 | 1.1 | 0.05 | 0.15 | 40 | 0.5 | 2.2 | 1.1 | 0.07 | 0.12 | C17 |
| Colon | 1210 | 10.7 | 65.1 | 32.8 | 1.58 | 3.93 | 856 | 10.8 | 46.0 | 20.3 | 1.08 | 2.44 | C18 |
| Rectum | 577 | 5.1 | 31.1 | 16.6 | 0.91 | 2.13 | 280 | 3.5 | 15.1 | 7.4 | 0.47 | 0.89 | C19–20 |
| Anus | 19 | 0.2 | 1.0 | 0.6 | 0.05 | 0.07 | 34 | 0.4 | 1.8 | 0.9 | 0.07 | 0.09 | C21 |
| Liver | 373 | 3.3 | 20.1 | 11.5 | 0.76 | 1.41 | 116 | 1.5 | 6.2 | 2.6 | 0.14 | 0.28 | C22 |
| Gallbladder etc. | 103 | 0.9 | 5.5 | 2.7 | 0.12 | 0.32 | 105 | 1.3 | 5.6 | 2.1 | 0.09 | 0.22 | C23–24 |
| Pancreas | 284 | 2.5 | 15.3 | 7.9 | 0.44 | 0.96 | 248 | 3.1 | 13.3 | 5.2 | 0.27 | 0.56 | C25 |
| Nose, sinuses etc. | 17 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 245 | 2.2 | 13.2 | 7.4 | 0.48 | 0.95 | 24 | 0.3 | 1.3 | 0.7 | 0.07 | 0.09 | C32 |
| Trachea, bronchus, and lung | 1596 | 14.1 | 85.9 | 43.9 | 2.11 | 5.53 | 437 | 5.5 | 23.5 | 12.7 | 0.96 | 1.58 | C33–34 |
| Other thoracic organs | 31 | 0.3 | 1.7 | 1.0 | 0.05 | 0.10 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 29 | 0.3 | 1.6 | 1.2 | 0.06 | 0.11 | 21 | 0.3 | 1.1 | 1.2 | 0.08 | 0.09 | C40–41 |
| Melanoma of skin | 199 | 1.8 | 10.7 | 6.0 | 0.36 | 0.62 | 200 | 2.5 | 10.8 | 6.8 | 0.53 | 0.70 | C43 |
| Other skin | 3280 | 29.0 | 176.5 | 81.4 | 3.39 | 8.74 | 3164 | 39.9 | 170.2 | 72.5 | 3.86 | 8.02 | C44 |
| Mesothelioma | 30 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | 16 | 0.2 | 0.9 | 0.4 | 0.01 | 0.06 | C45 |
| Kaposi sarcoma | 17 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | 3 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 64 | 0.6 | 3.4 | 2.5 | 0.16 | 0.22 | 33 | 0.4 | 1.8 | 1.1 | 0.07 | 0.12 | C47+C49 |
| Breast | 29 | 0.3 | 1.6 | 0.7 | 0.02 | 0.08 | 2304 | 29.1 | 123.9 | 72.1 | 5.45 | 7.98 | C50 |
| Vulva | | | | | | | 78 | 1.0 | 4.2 | 1.5 | 0.06 | 0.16 | C51 |
| Vagina | | | | | | | 13 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 146 | 1.8 | 7.9 | 5.0 | 0.39 | 0.51 | C53 |
| Corpus uteri | | | | | | | 399 | 5.0 | 21.5 | 11.4 | 0.76 | 1.44 | C54 |
| Uterus unspecified | | | | | | | 23 | 0.3 | 1.2 | 0.5 | 0.04 | 0.04 | C55 |
| Ovary | | | | | | | 245 | 3.1 | 13.2 | 7.6 | 0.51 | 0.87 | C56 |
| Other female genital organs | | | | | | | 19 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 42 | 0.4 | 2.3 | 1.0 | 0.03 | 0.13 | | | | | | | C60 |
| Prostate | 2087 | 18.5 | 112.3 | 58.1 | 2.40 | 8.03 | | | | | | | C61 |
| Testis | 112 | 1.0 | 6.0 | 5.7 | 0.43 | 0.43 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 340 | 3.0 | 18.3 | 10.3 | 0.65 | 1.16 | 174 | 2.2 | 9.4 | 4.8 | 0.29 | 0.57 | C64 |
| Renal pelvis | 30 | 0.3 | 1.6 | 0.8 | 0.02 | 0.11 | 10 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 23 | 0.2 | 1.2 | 0.5 | 0.02 | 0.05 | 9 | 0.1 | 0.5 | 0.2 | 0.01 | 0.04 | C66 |
| †Bladder | 1287 | 11.4 | 69.3 | 33.9 | 1.61 | 4.08 | 267 | 3.4 | 14.4 | 6.1 | 0.40 | 0.66 | C67 |
| Other urinary organs | 18 | 0.2 | 1.0 | 0.4 | 0.01 | 0.06 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C68 |
| Eye | 12 | 0.1 | 0.6 | 0.5 | 0.03 | 0.04 | 8 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C69 |
| Brain and nervous system | 186 | 1.6 | 10.0 | 6.5 | 0.39 | 0.70 | 125 | 1.6 | 6.7 | 4.3 | 0.24 | 0.41 | C70–72 |
| Thyroid | 67 | 0.6 | 3.6 | 2.5 | 0.20 | 0.26 | 230 | 2.9 | 12.4 | 9.4 | 0.72 | 0.92 | C73 |
| Adrenal gland | 15 | 0.1 | 0.8 | 0.8 | 0.04 | 0.06 | 10 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C74 |
| Other endocrine | 5 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 58 | 0.5 | 3.1 | 3.0 | 0.20 | 0.22 | 42 | 0.5 | 2.3 | 2.2 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 353 | 3.1 | 19.0 | 12.0 | 0.80 | 1.24 | 275 | 3.5 | 14.8 | 7.5 | 0.47 | 0.88 | C82–86,C96 |
| Immunoproliferative diseases | 50 | 0.4 | 2.7 | 1.5 | 0.07 | 0.20 | 31 | 0.4 | 1.7 | 0.8 | 0.06 | 0.09 | C88 |
| Multiple myeloma | 139 | 1.2 | 7.5 | 3.8 | 0.21 | 0.44 | 92 | 1.2 | 4.9 | 2.1 | 0.11 | 0.26 | C90 |
| Lymphoid leukaemia | 152 | 1.3 | 8.2 | 5.3 | 0.27 | 0.50 | 109 | 1.4 | 5.9 | 3.3 | 0.18 | 0.34 | C91 |
| Myeloid leukaemia | 120 | 1.1 | 6.5 | 3.6 | 0.16 | 0.38 | 96 | 1.2 | 5.2 | 2.4 | 0.15 | 0.24 | C92–94 |
| Leukaemia unspecified | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 111 | 1.0 | 6.0 | 3.1 | 0.18 | 0.34 | 103 | 1.3 | 5.5 | 2.5 | 0.14 | 0.25 | MPD |
| Myelodysplastic syndromes | 127 | 1.1 | 6.8 | 2.8 | 0.07 | 0.26 | 78 | 1.0 | 4.2 | 1.4 | 0.04 | 0.16 | MPS |
| Other and unspecified | 209 | 1.8 | 11.2 | 4.6 | 0.18 | 0.45 | 199 | 2.5 | 10.7 | 3.2 | 0.13 | 0.28 | O&U |
| All sites | 14578 | | 784.6 | 405.8 | 20.18 | 47.65 | 11089 | | 596.4 | 295.6 | 18.69 | 32.92 | C00–96 |
| All sites except C44 | 11298 | 100.0 | 608.1 | 324.4 | 16.79 | 38.91 | 7925 | 100.0 | 426.2 | 223.1 | 14.83 | 24.91 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Granada

CONTRIBUTORS

María José Sánchez-Pérez
 Miguel Rodríguez Barranco
 Daysi Yoe Ling Chang-Chan
 Daniel Redondo-Sánchez
 Oscar Mendoza-García
 Carmen Ruiz-Baena
 Carmen Estévez-Estévez
 Victoria Barragán-Sánchez
 Maribel Antoniles-Moreno



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 103.1 | Non-melanoma skin cancer | 78.4 |
| Prostate | 52.9 | Breast | 68.9 |
| Trachea, bronchus, and lung | 39.5 | Corpus uteri | 16.2 |
| Bladder | 29.8 | Colon | 16.1 |
| Colon | 26.2 | Thyroid | 12.5 |
| Rectum | 14.3 | Melanoma of skin | 9.6 |
| Melanoma of skin | 9.6 | Trachea, bronchus, and lung | 8.6 |
| Non-Hodgkin lymphoma | 9.6 | Non-Hodgkin lymphoma | 7.9 |
| Kidney | 8.7 | Ovary | 7.5 |
| Stomach | 8.6 | Rectum | 7.5 |
| Liver | 7.4 | Cervix uteri | 5.5 |
| Larynx | 6.9 | Pancreas | 5.2 |
| Pancreas | 6.5 | Bladder | 5.2 |
| Brain and nervous system | 5.8 | Stomach | 4.5 |
| Other and unspecified | 5.6 | Brain and nervous system | 4.3 |
| Testis | 5.4 | Kidney | 4.0 |
| Thyroid | 3.8 | Other and unspecified | 3.9 |
| Lip | 3.4 | Lymphoid leukaemia | 2.4 |
| Multiple myeloma | 3.3 | Multiple myeloma | 2.4 |
| Myeloid leukaemia | 3.1 | Gallbladder etc. | 2.3 |
| All sites | 389.6 | All sites | 294.7 |

Spain, Granada (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 155 | 1.3 | 6.8 | 3.4 | 0.16 | 0.38 | 24 | 0.3 | 1.0 | 0.4 | 0.01 | 0.04 | C00 |
| Tongue | 102 | 0.9 | 4.5 | 2.8 | 0.19 | 0.37 | 49 | 0.5 | 2.1 | 1.0 | 0.05 | 0.14 | C01–02 |
| Mouth | 88 | 0.8 | 3.9 | 2.3 | 0.16 | 0.27 | 36 | 0.4 | 1.6 | 0.6 | 0.03 | 0.06 | C03–06 |
| Salivary glands | 21 | 0.2 | 0.9 | 0.5 | 0.03 | 0.08 | 13 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C07–08 |
| Tonsil | 32 | 0.3 | 1.4 | 0.9 | 0.09 | 0.10 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C09 |
| Other oropharynx | 15 | 0.1 | 0.7 | 0.4 | 0.03 | 0.06 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 30 | 0.3 | 1.3 | 0.9 | 0.06 | 0.12 | 11 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 44 | 0.4 | 1.9 | 1.1 | 0.08 | 0.15 | 3 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 110 | 0.9 | 4.8 | 2.8 | 0.14 | 0.38 | 16 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C15 |
| Stomach | 382 | 3.3 | 16.8 | 8.6 | 0.46 | 0.99 | 239 | 2.6 | 10.3 | 4.5 | 0.23 | 0.51 | C16 |
| Small intestine | 47 | 0.4 | 2.1 | 1.1 | 0.07 | 0.12 | 32 | 0.4 | 1.4 | 0.7 | 0.05 | 0.08 | C17 |
| Colon | 1160 | 10.0 | 50.9 | 26.2 | 1.18 | 3.20 | 832 | 9.2 | 35.9 | 16.1 | 0.87 | 1.87 | C18 |
| Rectum | 599 | 5.1 | 26.3 | 14.3 | 0.82 | 1.72 | 367 | 4.0 | 15.8 | 7.5 | 0.46 | 0.88 | C19–20 |
| Anus | 23 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | 24 | 0.3 | 1.0 | 0.5 | 0.03 | 0.07 | C21 |
| Liver | 308 | 2.6 | 13.5 | 7.4 | 0.43 | 0.92 | 124 | 1.4 | 5.4 | 2.2 | 0.08 | 0.24 | C22 |
| Gallbladder etc. | 117 | 1.0 | 5.1 | 2.2 | 0.07 | 0.23 | 160 | 1.8 | 6.9 | 2.3 | 0.07 | 0.25 | C23–24 |
| Pancreas | 280 | 2.4 | 12.3 | 6.5 | 0.37 | 0.78 | 278 | 3.1 | 12.0 | 5.2 | 0.27 | 0.65 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 0.9 | 0.5 | 0.02 | 0.07 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 260 | 2.2 | 11.4 | 6.9 | 0.45 | 0.90 | 23 | 0.3 | 1.0 | 0.6 | 0.06 | 0.07 | C32 |
| Trachea, bronchus, and lung | 1675 | 14.4 | 73.6 | 39.5 | 1.95 | 4.99 | 367 | 4.0 | 15.8 | 8.6 | 0.60 | 1.10 | C33–34 |
| Other thoracic organs | 22 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 17 | 0.2 | 0.7 | 0.4 | 0.03 | 0.06 | C37–38 |
| Bone | 27 | 0.2 | 1.2 | 1.2 | 0.07 | 0.10 | 26 | 0.3 | 1.1 | 0.9 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 338 | 2.9 | 14.8 | 9.6 | 0.66 | 1.00 | 346 | 3.8 | 14.9 | 9.6 | 0.73 | 1.00 | C43 |
| Other skin | 4617 | 39.6 | 202.7 | 103.1 | 4.88 | 11.73 | 3817 | 42.1 | 164.8 | 78.4 | 4.60 | 8.85 | C44 |
| Mesothelioma | 24 | 0.2 | 1.1 | 0.6 | 0.02 | 0.08 | 8 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 23 | 0.2 | 1.0 | 0.5 | 0.03 | 0.04 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C46 |
| Connective and soft tissue | 79 | 0.7 | 3.5 | 2.3 | 0.12 | 0.22 | 64 | 0.7 | 2.8 | 2.0 | 0.12 | 0.19 | C47+C49 |
| Breast | 27 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | 2643 | 29.1 | 114.1 | 68.9 | 5.45 | 7.56 | C50 |
| Vulva | | | | | | | 66 | 0.7 | 2.8 | 1.1 | 0.05 | 0.11 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 182 | 2.0 | 7.9 | 5.5 | 0.48 | 0.54 | C53 |
| Corpus uteri | | | | | | | 668 | 7.4 | 28.8 | 16.2 | 1.11 | 2.05 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 282 | 3.1 | 12.2 | 7.5 | 0.57 | 0.84 | C56 |
| Other female genital organs | | | | | | | 10 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 34 | 0.3 | 1.5 | 0.7 | 0.02 | 0.09 | | | | | | | C60 |
| Prostate | 2161 | 18.5 | 94.9 | 52.9 | 2.45 | 7.45 | | | | | | | C61 |
| Testis | 134 | 1.2 | 5.9 | 5.4 | 0.40 | 0.41 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 333 | 2.9 | 14.6 | 8.7 | 0.52 | 1.07 | 175 | 1.9 | 7.6 | 4.0 | 0.25 | 0.48 | C64 |
| Renal pelvis | 62 | 0.5 | 2.7 | 1.4 | 0.05 | 0.17 | 27 | 0.3 | 1.2 | 0.5 | 0.03 | 0.07 | C65 |
| Ureter | 28 | 0.2 | 1.2 | 0.6 | 0.01 | 0.08 | 9 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 1347 | 11.6 | 59.1 | 29.8 | 1.36 | 3.56 | 272 | 3.0 | 11.7 | 5.2 | 0.27 | 0.65 | C67 |
| Other urinary organs | 7 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 13 | 0.1 | 0.6 | 0.5 | 0.02 | 0.04 | 10 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 174 | 1.5 | 7.6 | 5.8 | 0.41 | 0.58 | 158 | 1.7 | 6.8 | 4.3 | 0.26 | 0.41 | C70–72 |
| Thyroid | 119 | 1.0 | 5.2 | 3.8 | 0.30 | 0.40 | 397 | 4.4 | 17.1 | 12.5 | 1.01 | 1.24 | C73 |
| Adrenal gland | 7 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | 17 | 0.2 | 0.7 | 1.0 | 0.06 | 0.06 | C74 |
| Other endocrine | 5 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 61 | 0.5 | 2.7 | 2.6 | 0.17 | 0.19 | 47 | 0.5 | 2.0 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 335 | 2.9 | 14.7 | 9.6 | 0.59 | 1.02 | 311 | 3.4 | 13.4 | 7.9 | 0.52 | 0.88 | C82–86,C96 |
| Immunoproliferative diseases | 39 | 0.3 | 1.7 | 1.0 | 0.05 | 0.12 | 45 | 0.5 | 1.9 | 1.1 | 0.08 | 0.13 | C88 |
| Multiple myeloma | 142 | 1.2 | 6.2 | 3.3 | 0.16 | 0.39 | 125 | 1.4 | 5.4 | 2.4 | 0.11 | 0.29 | C90 |
| Lymphoid leukaemia | 92 | 0.8 | 4.0 | 3.0 | 0.15 | 0.25 | 70 | 0.8 | 3.0 | 2.4 | 0.11 | 0.16 | C91 |
| Myeloid leukaemia | 113 | 1.0 | 5.0 | 3.1 | 0.15 | 0.31 | 79 | 0.9 | 3.4 | 1.8 | 0.09 | 0.19 | C92–94 |
| Leukaemia unspecified | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 61 | 0.5 | 2.7 | 1.7 | 0.12 | 0.20 | 61 | 0.7 | 2.6 | 1.5 | 0.10 | 0.18 | MPD |
| Myelodysplastic syndromes | 84 | 0.7 | 3.7 | 1.8 | 0.07 | 0.18 | 53 | 0.6 | 2.3 | 0.8 | 0.04 | 0.08 | MPS |
| Other and unspecified | 281 | 2.4 | 12.3 | 5.6 | 0.20 | 0.62 | 268 | 3.0 | 11.6 | 3.9 | 0.17 | 0.37 | O&U |
| All sites | 16269 | | 714.4 | 389.6 | 19.92 | 46.44 | 12892 | | 556.5 | 294.7 | 19.38 | 32.87 | C00–96 |
| All sites except C44 | 11652 | 100.0 | 511.6 | 286.6 | 15.04 | 34.71 | 9075 | 100.0 | 391.7 | 216.4 | 14.78 | 24.03 | C00–96 exc. C44 |

†See note following population pyramid

Spain, La Rioja

CONTRIBUTORS

Josefina Perucha González
 María Isabel Palacios Castaño
 Enrique Ramalle Gómara



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 69.8 | Breast | 73.7 |
| Trachea, bronchus, and lung | 39.3 | Colon | 17.1 |
| Bladder | 34.1 | Trachea, bronchus, and lung | 12.9 |
| Colon | 29.5 | Corpus uteri | 11.6 |
| Rectum | 16.8 | Ovary | 7.6 |
| Stomach | 12.3 | Non-Hodgkin lymphoma | 7.0 |
| Liver | 9.9 | Bladder | 7.0 |
| Non-Hodgkin lymphoma | 9.6 | Thyroid | 6.3 |
| Kidney | 9.2 | Pancreas | 6.0 |
| Pancreas | 8.7 | Rectum | 5.9 |
| Testis | 6.8 | Melanoma of skin | 5.8 |
| Larynx | 6.7 | Cervix uteri | 5.1 |
| Other and unspecified | 5.9 | Stomach | 4.9 |
| Lymphoid leukaemia | 5.7 | Brain and nervous system | 4.1 |
| Melanoma of skin | 5.5 | Hodgkin lymphoma | 4.0 |
| Brain and nervous system | 5.3 | Kidney | 3.7 |
| Oesophagus | 4.9 | Lymphoid leukaemia | 3.0 |
| Myeloid leukaemia | 4.3 | Other and unspecified | 3.0 |
| Myelodysplastic syndromes | 3.8 | Multiple myeloma | 2.9 |
| Multiple myeloma | 3.6 | Liver | 2.3 |
| All sites | 324.8 | All sites | 215.6 |

Spain, La Rioja (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 14 | 0.3 | 1.8 | 0.8 | 0.01 | 0.13 | 6 | 0.2 | 0.8 | 0.2 | 0.01 | 0.01 | C00 |
| Tongue | 30 | 0.6 | 3.9 | 2.1 | 0.13 | 0.25 | 20 | 0.6 | 2.5 | 1.4 | 0.09 | 0.16 | C01–02 |
| Mouth | 35 | 0.7 | 4.5 | 2.3 | 0.17 | 0.26 | 19 | 0.5 | 2.4 | 1.2 | 0.09 | 0.15 | C03–06 |
| Salivary glands | 9 | 0.2 | 1.2 | 0.4 | 0.01 | 0.04 | 4 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C07–08 |
| Tonsil | 6 | 0.1 | 0.8 | 0.5 | 0.03 | 0.07 | 4 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 13 | 0.2 | 1.7 | 0.9 | 0.06 | 0.11 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 10 | 0.2 | 1.3 | 0.8 | 0.07 | 0.10 | 4 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 30 | 0.6 | 3.9 | 2.2 | 0.15 | 0.30 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 7 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 78 | 1.5 | 10.1 | 4.9 | 0.24 | 0.60 | 12 | 0.3 | 1.5 | 0.7 | 0.04 | 0.09 | C15 |
| Stomach | 219 | 4.2 | 28.2 | 12.3 | 0.51 | 1.46 | 122 | 3.4 | 15.4 | 4.9 | 0.23 | 0.55 | C16 |
| Small intestine | 16 | 0.3 | 2.1 | 0.8 | 0.03 | 0.08 | 11 | 0.3 | 1.4 | 0.7 | 0.05 | 0.09 | C17 |
| Colon | 554 | 10.5 | 71.4 | 29.5 | 1.11 | 3.62 | 356 | 9.9 | 44.9 | 17.1 | 0.92 | 2.04 | C18 |
| Rectum | 284 | 5.4 | 36.6 | 16.8 | 0.91 | 2.04 | 135 | 3.8 | 17.0 | 5.9 | 0.23 | 0.72 | C19–20 |
| Anus | 7 | 0.1 | 0.9 | 0.4 | 0.03 | 0.06 | 5 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C21 |
| Liver | 161 | 3.1 | 20.7 | 9.9 | 0.60 | 1.20 | 54 | 1.5 | 6.8 | 2.3 | 0.11 | 0.25 | C22 |
| Gallbladder etc. | 59 | 1.1 | 7.6 | 2.7 | 0.10 | 0.23 | 56 | 1.6 | 7.1 | 2.1 | 0.07 | 0.23 | C23–24 |
| Pancreas | 144 | 2.7 | 18.6 | 8.7 | 0.41 | 1.14 | 129 | 3.6 | 16.3 | 6.0 | 0.33 | 0.73 | C25 |
| Nose, sinuses etc. | 8 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 100 | 1.9 | 12.9 | 6.7 | 0.42 | 0.94 | 18 | 0.5 | 2.3 | 1.4 | 0.10 | 0.20 | C32 |
| Trachea, bronchus, and lung | 658 | 12.5 | 84.8 | 39.3 | 2.10 | 4.86 | 195 | 5.4 | 24.6 | 12.9 | 1.00 | 1.46 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.5 | 0.4 | 0.01 | 0.03 | C37–38 |
| Bone | 12 | 0.2 | 1.5 | 1.3 | 0.06 | 0.12 | 10 | 0.3 | 1.3 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 83 | 1.6 | 10.7 | 5.5 | 0.34 | 0.57 | 84 | 2.3 | 10.6 | 5.8 | 0.46 | 0.59 | C43 |
| Other skin | 13 | 0.2 | 1.7 | 1.1 | 0.06 | 0.08 | 11 | 0.3 | 1.4 | 0.8 | 0.04 | 0.08 | C44 |
| Mesothelioma | 10 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 4 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 26 | 0.5 | 3.4 | 1.8 | 0.11 | 0.19 | 7 | 0.2 | 0.9 | 0.5 | 0.04 | 0.04 | C47+C49 |
| Breast | 17 | 0.3 | 2.2 | 1.1 | 0.06 | 0.13 | 1052 | 29.3 | 132.7 | 73.7 | 5.58 | 8.22 | C50 |
| Vulva | | | | | | | 40 | 1.1 | 5.0 | 1.8 | 0.10 | 0.21 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C52 |
| Cervix uteri | | | | | | | 68 | 1.9 | 8.6 | 5.1 | 0.40 | 0.52 | C53 |
| Corpus uteri | | | | | | | 190 | 5.3 | 24.0 | 11.6 | 0.82 | 1.38 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.2 | 0.9 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 114 | 3.2 | 14.4 | 7.6 | 0.55 | 0.88 | C56 |
| Other female genital organs | | | | | | | 11 | 0.3 | 1.4 | 0.5 | 0.03 | 0.04 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 15 | 0.3 | 1.9 | 0.9 | 0.06 | 0.10 | | | | | | | C60 |
| Prostate | 1111 | 21.1 | 143.2 | 69.8 | 3.07 | 9.95 | | | | | | | C61 |
| Testis | 54 | 1.0 | 7.0 | 6.8 | 0.51 | 0.51 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 142 | 2.7 | 18.3 | 9.2 | 0.53 | 1.11 | 68 | 1.9 | 8.6 | 3.7 | 0.23 | 0.42 | C64 |
| Renal pelvis | 12 | 0.2 | 1.5 | 0.7 | 0.03 | 0.08 | 7 | 0.2 | 0.9 | 0.3 | 0.01 | 0.02 | C65 |
| Ureter | 10 | 0.2 | 1.3 | 0.6 | 0.01 | 0.11 | 3 | 0.1 | 0.4 | 0.1 | 0.01 | 0.02 | C66 |
| †Bladder | 581 | 11.0 | 74.9 | 34.1 | 1.82 | 4.13 | 151 | 4.2 | 19.0 | 7.0 | 0.46 | 0.78 | C67 |
| Other urinary organs | 7 | 0.1 | 0.9 | 0.4 | 0.02 | 0.05 | 4 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C68 |
| Eye | 1 | 0.0 | 0.1 | 0.3 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 71 | 1.3 | 9.1 | 5.3 | 0.30 | 0.65 | 56 | 1.6 | 7.1 | 4.1 | 0.28 | 0.43 | C70–72 |
| Thyroid | 25 | 0.5 | 3.2 | 2.0 | 0.16 | 0.24 | 73 | 2.0 | 9.2 | 6.3 | 0.55 | 0.64 | C73 |
| Adrenal gland | 2 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 2 | 0.1 | 0.3 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 27 | 0.5 | 3.5 | 2.5 | 0.21 | 0.22 | 30 | 0.8 | 3.8 | 4.0 | 0.28 | 0.30 | C81 |
| Non-Hodgkin lymphoma | 129 | 2.4 | 16.6 | 9.6 | 0.59 | 1.03 | 117 | 3.3 | 14.8 | 7.0 | 0.43 | 0.76 | C82–86,C96 |
| Immunoproliferative diseases | 20 | 0.4 | 2.6 | 1.4 | 0.10 | 0.14 | 11 | 0.3 | 1.4 | 0.6 | 0.04 | 0.06 | C88 |
| Multiple myeloma | 60 | 1.1 | 7.7 | 3.6 | 0.18 | 0.43 | 59 | 1.6 | 7.4 | 2.9 | 0.15 | 0.37 | C90 |
| Lymphoid leukaemia | 87 | 1.7 | 11.2 | 5.7 | 0.32 | 0.53 | 59 | 1.6 | 7.4 | 3.0 | 0.16 | 0.32 | C91 |
| Myeloid leukaemia | 69 | 1.3 | 8.9 | 4.3 | 0.20 | 0.41 | 44 | 1.2 | 5.5 | 2.3 | 0.12 | 0.24 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 45 | 0.9 | 5.8 | 2.7 | 0.16 | 0.31 | 33 | 0.9 | 4.2 | 2.1 | 0.12 | 0.20 | MPD |
| Myelodysplastic syndromes | 84 | 1.6 | 10.8 | 3.8 | 0.08 | 0.43 | 30 | 0.8 | 3.8 | 1.2 | 0.05 | 0.14 | MPS |
| Other and unspecified | 118 | 2.2 | 15.2 | 5.9 | 0.24 | 0.61 | 95 | 2.6 | 12.0 | 3.0 | 0.14 | 0.26 | O&U |
| All sites | 5282 | | 680.7 | 324.8 | 16.48 | 39.89 | 3606 | | 454.8 | 215.6 | 14.54 | 23.94 | C00–96 |
| All sites except C44 | 5269 | 100.0 | 679.0 | 323.7 | 16.42 | 39.81 | 3595 | 100.0 | 453.5 | 214.9 | 14.49 | 23.86 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Murcia

CONTRIBUTORS

María Dolores Chirlaque López
 Antonia Sánchez Gil
 Ricardo José Vaamonde Martón
 Jacinta Tortosa Martínez
 Sandra María Garrido Gallego
 María Mercedes Expósito Castro
 María José Sánchez Lucas
 Mónica Ballesta Ruiz



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 68.3 | Breast | 71.6 |
| Trachea, bronchus, and lung | 48.6 | Colon | 16.4 |
| Bladder | 36.9 | Thyroid | 15.3 |
| Colon | 30.1 | Corpus uteri | 15.2 |
| Rectum | 15.2 | Trachea, bronchus, and lung | 11.0 |
| Non-Hodgkin lymphoma | 12.3 | Melanoma of skin | 8.6 |
| Liver | 9.8 | Non-Hodgkin lymphoma | 8.4 |
| Kidney | 8.6 | Ovary | 7.3 |
| Larynx | 8.4 | Rectum | 6.8 |
| Pancreas | 8.2 | Cervix uteri | 6.7 |
| Stomach | 8.1 | Bladder | 5.7 |
| Melanoma of skin | 8.0 | Pancreas | 5.5 |
| Other and unspecified | 5.9 | Stomach | 5.0 |
| Testis | 5.3 | Brain and nervous system | 4.6 |
| Brain and nervous system | 5.3 | Kidney | 4.1 |
| Thyroid | 4.3 | Other and unspecified | 3.1 |
| Oesophagus | 4.2 | Hodgkin lymphoma | 2.8 |
| Myeloid leukaemia | 4.0 | Multiple myeloma | 2.4 |
| Lymphoid leukaemia | 3.8 | Lymphoid leukaemia | 2.3 |
| Hodgkin lymphoma | 3.4 | Myeloid leukaemia | 2.2 |
| All sites | 334.7 | All sites | 227.1 |

Spain, Murcia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 118 | 0.6 | 3.2 | 1.8 | 0.08 | 0.23 | 16 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 126 | 0.6 | 3.4 | 2.3 | 0.16 | 0.31 | 66 | 0.5 | 1.8 | 1.1 | 0.08 | 0.13 | C01–02 |
| Mouth | 112 | 0.6 | 3.0 | 2.1 | 0.16 | 0.26 | 74 | 0.5 | 2.0 | 1.0 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 56 | 0.3 | 1.5 | 0.9 | 0.05 | 0.09 | 27 | 0.2 | 0.7 | 0.5 | 0.02 | 0.05 | C07–08 |
| Tonsil | 60 | 0.3 | 1.6 | 1.2 | 0.10 | 0.15 | 12 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 45 | 0.2 | 1.2 | 0.8 | 0.07 | 0.11 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 36 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | 16 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C11 |
| Hypopharynx | 70 | 0.4 | 1.9 | 1.3 | 0.09 | 0.19 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 22 | 0.1 | 0.6 | 0.4 | 0.03 | 0.06 | 9 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 241 | 1.2 | 6.5 | 4.2 | 0.24 | 0.53 | 34 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C15 |
| Stomach | 535 | 2.7 | 14.5 | 8.1 | 0.37 | 0.91 | 384 | 2.7 | 10.5 | 5.0 | 0.25 | 0.56 | C16 |
| Small intestine | 62 | 0.3 | 1.7 | 1.0 | 0.06 | 0.10 | 55 | 0.4 | 1.5 | 0.8 | 0.04 | 0.09 | C17 |
| Colon | 1920 | 9.8 | 52.2 | 30.1 | 1.35 | 3.57 | 1251 | 8.9 | 34.2 | 16.4 | 0.85 | 1.87 | C18 |
| Rectum | 942 | 4.8 | 25.6 | 15.2 | 0.80 | 1.83 | 482 | 3.4 | 13.2 | 6.8 | 0.40 | 0.76 | C19–20 |
| Anus | 32 | 0.2 | 0.9 | 0.5 | 0.03 | 0.07 | 30 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C21 |
| Liver | 565 | 2.9 | 15.3 | 9.8 | 0.61 | 1.18 | 161 | 1.2 | 4.4 | 2.1 | 0.10 | 0.25 | C22 |
| Gallbladder etc. | 152 | 0.8 | 4.1 | 2.2 | 0.10 | 0.25 | 151 | 1.1 | 4.1 | 1.5 | 0.06 | 0.14 | C23–24 |
| Pancreas | 496 | 2.5 | 13.5 | 8.2 | 0.44 | 1.03 | 430 | 3.1 | 11.7 | 5.5 | 0.26 | 0.63 | C25 |
| Nose, sinuses etc. | 29 | 0.1 | 0.8 | 0.6 | 0.03 | 0.07 | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 459 | 2.3 | 12.5 | 8.4 | 0.56 | 1.11 | 38 | 0.3 | 1.0 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 2890 | 14.8 | 78.5 | 48.6 | 2.46 | 6.30 | 674 | 4.8 | 18.4 | 11.0 | 0.74 | 1.42 | C33–34 |
| Other thoracic organs | 36 | 0.2 | 1.0 | 0.8 | 0.04 | 0.09 | 13 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C37–38 |
| Bone | 46 | 0.2 | 1.2 | 1.2 | 0.08 | 0.10 | 49 | 0.4 | 1.3 | 1.3 | 0.08 | 0.10 | C40–41 |
| Melanoma of skin | 452 | 2.3 | 12.3 | 8.0 | 0.51 | 0.93 | 491 | 3.5 | 13.4 | 8.6 | 0.62 | 0.94 | C43 |
| Other skin | 72 | 0.4 | 2.0 | 1.2 | 0.07 | 0.12 | 50 | 0.4 | 1.4 | 0.7 | 0.04 | 0.06 | C44 |
| Mesothelioma | 61 | 0.3 | 1.7 | 1.0 | 0.05 | 0.14 | 18 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 24 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 117 | 0.6 | 3.2 | 2.3 | 0.14 | 0.23 | 81 | 0.6 | 2.2 | 1.4 | 0.11 | 0.16 | C47+C49 |
| Breast | 51 | 0.3 | 1.4 | 0.8 | 0.04 | 0.09 | 4113 | 29.4 | 112.4 | 71.6 | 5.43 | 7.86 | C50 |
| Vulva | | | | | | | 95 | 0.7 | 2.6 | 1.1 | 0.05 | 0.11 | C51 |
| Vagina | | | | | | | 22 | 0.2 | 0.6 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 344 | 2.5 | 9.4 | 6.7 | 0.54 | 0.66 | C53 |
| Corpus uteri | | | | | | | 925 | 6.6 | 25.3 | 15.2 | 1.04 | 1.90 | C54 |
| Uterus unspecified | | | | | | | 30 | 0.2 | 0.8 | 0.5 | 0.05 | 0.06 | C55 |
| Ovary | | | | | | | 411 | 2.9 | 11.2 | 7.3 | 0.51 | 0.82 | C56 |
| Other female genital organs | | | | | | | 67 | 0.5 | 1.8 | 0.9 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 7 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 60 | 0.3 | 1.6 | 0.9 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 4008 | 20.5 | 108.9 | 68.3 | 3.04 | 9.51 | | | | | | | C61 |
| Testis | 222 | 1.1 | 6.0 | 5.3 | 0.39 | 0.40 | | | | | | | C62 |
| Other male genital organs | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 473 | 2.4 | 12.8 | 8.6 | 0.56 | 1.02 | 238 | 1.7 | 6.5 | 4.1 | 0.26 | 0.46 | C64 |
| Renal pelvis | 72 | 0.4 | 2.0 | 1.0 | 0.04 | 0.12 | 31 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 39 | 0.2 | 1.1 | 0.5 | 0.01 | 0.06 | 9 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 2294 | 11.7 | 62.3 | 36.9 | 1.80 | 4.56 | 432 | 3.1 | 11.8 | 5.7 | 0.32 | 0.62 | C67 |
| Other urinary organs | 43 | 0.2 | 1.2 | 0.7 | 0.02 | 0.09 | 18 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C68 |
| Eye | 20 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 31 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | C69 |
| Brain and nervous system | 282 | 1.4 | 7.7 | 5.3 | 0.33 | 0.54 | 236 | 1.7 | 6.4 | 4.6 | 0.27 | 0.50 | C70–72 |
| Thyroid | 208 | 1.1 | 5.7 | 4.3 | 0.33 | 0.45 | 729 | 5.2 | 19.9 | 15.3 | 1.20 | 1.52 | C73 |
| Adrenal gland | 14 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 16 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 129 | 0.7 | 3.5 | 3.4 | 0.23 | 0.29 | 112 | 0.8 | 3.1 | 2.8 | 0.19 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 649 | 3.3 | 17.6 | 12.3 | 0.79 | 1.31 | 511 | 3.7 | 14.0 | 8.4 | 0.49 | 0.95 | C82–86,C96 |
| Immunoproliferative diseases | 63 | 0.3 | 1.7 | 1.0 | 0.06 | 0.13 | 45 | 0.3 | 1.2 | 0.7 | 0.06 | 0.08 | C88 |
| Multiple myeloma | 202 | 1.0 | 5.5 | 3.1 | 0.16 | 0.34 | 181 | 1.3 | 4.9 | 2.4 | 0.11 | 0.31 | C90 |
| Lymphoid leukaemia | 182 | 0.9 | 4.9 | 3.8 | 0.20 | 0.36 | 127 | 0.9 | 3.5 | 2.3 | 0.12 | 0.22 | C91 |
| Myeloid leukaemia | 223 | 1.1 | 6.1 | 4.0 | 0.23 | 0.38 | 139 | 1.0 | 3.8 | 2.2 | 0.13 | 0.20 | C92–94 |
| Leukaemia unspecified | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 10 | 0.1 | 0.3 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 128 | 0.7 | 3.5 | 2.2 | 0.13 | 0.25 | 122 | 0.9 | 3.3 | 1.9 | 0.11 | 0.21 | MPD |
| Myelodysplastic syndromes | 121 | 0.6 | 3.3 | 1.7 | 0.04 | 0.18 | 106 | 0.8 | 2.9 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 388 | 2.0 | 10.5 | 5.9 | 0.30 | 0.66 | 291 | 2.1 | 8.0 | 3.1 | 0.14 | 0.30 | O&U |
| All sites | 19665 | | 534.2 | 334.7 | 17.57 | 41.01 | 14045 | | 383.7 | 227.1 | 15.20 | 25.09 | C00–96 |
| All sites except C44 | 19593 | 100.0 | 532.3 | 333.5 | 17.50 | 40.89 | 13995 | 100.0 | 382.3 | 226.4 | 15.16 | 25.02 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Navarra

CONTRIBUTORS

Marcela Guevara
 Maribel Eciolaza
 Miren Baztan
 Alberto Ovies
 Aitziber Menéndez
 Rosana Burgui
 Eva Ardanaz



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 106.5 | Non-melanoma skin cancer | 98.2 |
| Prostate | 76.2 | Breast | 71.0 |
| Trachea, bronchus, and lung | 48.3 | Colon | 19.6 |
| Bladder | 39.2 | Trachea, bronchus, and lung | 15.6 |
| Colon | 38.1 | Corpus uteri | 14.5 |
| Rectum | 18.8 | Thyroid | 14.5 |
| Kidney | 11.9 | Bladder | 9.3 |
| Non-Hodgkin lymphoma | 11.7 | Melanoma of skin | 9.0 |
| Stomach | 10.2 | Rectum | 7.7 |
| Liver | 8.8 | Non-Hodgkin lymphoma | 6.9 |
| Pancreas | 8.7 | Ovary | 6.3 |
| Melanoma of skin | 8.3 | Stomach | 5.9 |
| Brain and nervous system | 7.3 | Pancreas | 5.6 |
| Larynx | 6.8 | Brain and nervous system | 5.0 |
| Testis | 5.6 | Kidney | 4.1 |
| Lymphoid leukaemia | 5.0 | Cervix uteri | 3.9 |
| Oesophagus | 4.8 | Lymphoid leukaemia | 3.7 |
| Thyroid | 4.4 | Myeloid leukaemia | 3.2 |
| Other and unspecified | 3.6 | Other and unspecified | 3.1 |
| Hodgkin lymphoma | 3.5 | Hodgkin lymphoma | 2.5 |
| All sites | 469.8 | All sites | 333.2 |

Spain, Navarra (2013–2016)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 48 | 0.5 | 3.8 | 1.5 | 0.04 | 0.15 | 13 | 0.2 | 1.0 | 0.3 | 0.02 | 0.03 | C00 |
| Tongue | 42 | 0.5 | 3.3 | 1.7 | 0.09 | 0.25 | 19 | 0.3 | 1.5 | 0.8 | 0.05 | 0.08 | C01–02 |
| Mouth | 59 | 0.7 | 4.6 | 2.6 | 0.17 | 0.31 | 44 | 0.7 | 3.4 | 1.5 | 0.09 | 0.19 | C03–06 |
| Salivary glands | 18 | 0.2 | 1.4 | 0.6 | 0.03 | 0.05 | 9 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C07–08 |
| Tonsil | 32 | 0.4 | 2.5 | 1.6 | 0.13 | 0.21 | 8 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 11 | 0.1 | 0.9 | 0.5 | 0.03 | 0.08 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C10 |
| Nasopharynx | 23 | 0.3 | 1.8 | 1.0 | 0.07 | 0.13 | 6 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 43 | 0.5 | 3.4 | 1.9 | 0.13 | 0.22 | 4 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 123 | 1.4 | 9.6 | 4.8 | 0.25 | 0.57 | 28 | 0.5 | 2.2 | 0.9 | 0.05 | 0.09 | C15 |
| Stomach | 288 | 3.2 | 22.6 | 10.2 | 0.47 | 1.19 | 200 | 3.4 | 15.5 | 5.9 | 0.28 | 0.62 | C16 |
| Small intestine | 38 | 0.4 | 3.0 | 1.8 | 0.11 | 0.22 | 20 | 0.3 | 1.5 | 0.8 | 0.05 | 0.11 | C17 |
| Colon | 1003 | 11.2 | 78.7 | 38.1 | 1.87 | 4.70 | 606 | 10.2 | 46.9 | 19.6 | 1.11 | 2.35 | C18 |
| Rectum | 461 | 5.2 | 36.2 | 18.8 | 1.09 | 2.32 | 214 | 3.6 | 16.6 | 7.7 | 0.49 | 0.93 | C19–20 |
| Anus | 11 | 0.1 | 0.9 | 0.4 | 0.03 | 0.03 | 9 | 0.2 | 0.7 | 0.3 | 0.02 | 0.03 | C21 |
| Liver | 215 | 2.4 | 16.9 | 8.8 | 0.45 | 1.16 | 66 | 1.1 | 5.1 | 1.7 | 0.09 | 0.16 | C22 |
| Gallbladder etc. | 101 | 1.1 | 7.9 | 3.0 | 0.08 | 0.31 | 90 | 1.5 | 7.0 | 2.2 | 0.09 | 0.24 | C23–24 |
| Pancreas | 229 | 2.6 | 18.0 | 8.7 | 0.32 | 1.21 | 202 | 3.4 | 15.6 | 5.6 | 0.28 | 0.61 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.6 | 0.8 | 0.05 | 0.09 | 5 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C30–31 |
| Larynx | 161 | 1.8 | 12.6 | 6.8 | 0.37 | 0.92 | 25 | 0.4 | 1.9 | 1.2 | 0.12 | 0.13 | C32 |
| Trachea, bronchus, and lung | 1231 | 13.8 | 96.5 | 48.3 | 2.47 | 6.21 | 379 | 6.4 | 29.4 | 15.6 | 1.19 | 1.89 | C33–34 |
| Other thoracic organs | 19 | 0.2 | 1.5 | 1.1 | 0.06 | 0.11 | 10 | 0.2 | 0.8 | 0.3 | 0.02 | 0.02 | C37–38 |
| Bone | 23 | 0.3 | 1.8 | 1.8 | 0.12 | 0.13 | 10 | 0.2 | 0.8 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 197 | 2.2 | 15.4 | 8.3 | 0.48 | 0.91 | 213 | 3.6 | 16.5 | 9.0 | 0.56 | 1.01 | C43 |
| Other skin | 2989 | 33.5 | 234.4 | 106.5 | 4.46 | 12.20 | 2884 | 48.4 | 223.4 | 98.2 | 5.74 | 11.11 | C44 |
| Mesothelioma | 35 | 0.4 | 2.7 | 1.4 | 0.07 | 0.19 | 10 | 0.2 | 0.8 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 9 | 0.1 | 0.7 | 0.5 | 0.04 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 49 | 0.5 | 3.8 | 2.3 | 0.12 | 0.32 | 43 | 0.7 | 3.3 | 2.0 | 0.13 | 0.19 | C47+C49 |
| Breast | 18 | 0.2 | 1.4 | 0.7 | 0.03 | 0.10 | 1542 | 25.9 | 119.4 | 71.0 | 5.58 | 7.76 | C50 |
| Vulva | | | | | | | 50 | 0.8 | 3.9 | 1.2 | 0.06 | 0.13 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 0.7 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 77 | 1.3 | 6.0 | 3.9 | 0.32 | 0.40 | C53 |
| Corpus uteri | | | | | | | 373 | 6.3 | 28.9 | 14.5 | 1.00 | 1.79 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 163 | 2.7 | 12.6 | 6.3 | 0.44 | 0.68 | C56 |
| Other female genital organs | | | | | | | 12 | 0.2 | 0.9 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 29 | 0.3 | 2.3 | 1.0 | 0.02 | 0.13 | | | | | | | C60 |
| Prostate | 1835 | 20.5 | 143.9 | 76.2 | 3.59 | 10.97 | | | | | | | C61 |
| Testis | 72 | 0.8 | 5.6 | 5.6 | 0.41 | 0.42 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.5 | 0.3 | 0.00 | 0.04 | | | | | | | C63 |
| Kidney | 275 | 3.1 | 21.6 | 11.9 | 0.79 | 1.42 | 111 | 1.9 | 8.6 | 4.1 | 0.23 | 0.49 | C64 |
| Renal pelvis | 25 | 0.3 | 2.0 | 0.9 | 0.04 | 0.09 | 16 | 0.3 | 1.2 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 15 | 0.2 | 1.2 | 0.6 | 0.02 | 0.06 | 8 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C66 |
| †Bladder | 1056 | 11.8 | 82.8 | 39.2 | 1.99 | 4.68 | 262 | 4.4 | 20.3 | 9.3 | 0.60 | 1.14 | C67 |
| Other urinary organs | 20 | 0.2 | 1.6 | 0.5 | 0.02 | 0.03 | 8 | 0.1 | 0.6 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 15 | 0.2 | 1.2 | 0.9 | 0.05 | 0.10 | 6 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 149 | 1.7 | 11.7 | 7.3 | 0.45 | 0.85 | 118 | 2.0 | 9.1 | 5.0 | 0.31 | 0.57 | C70–72 |
| Thyroid | 76 | 0.9 | 6.0 | 4.4 | 0.32 | 0.45 | 247 | 4.1 | 19.1 | 14.5 | 1.11 | 1.42 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 48 | 0.5 | 3.8 | 3.5 | 0.24 | 0.28 | 38 | 0.6 | 2.9 | 2.5 | 0.17 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 256 | 2.9 | 20.1 | 11.7 | 0.77 | 1.21 | 184 | 3.1 | 14.2 | 6.9 | 0.45 | 0.73 | C82–86,C96 |
| Immunoproliferative diseases | 29 | 0.3 | 2.3 | 1.2 | 0.06 | 0.13 | 17 | 0.3 | 1.3 | 0.9 | 0.08 | 0.10 | C88 |
| Multiple myeloma | 69 | 0.8 | 5.4 | 2.4 | 0.11 | 0.29 | 66 | 1.1 | 5.1 | 1.6 | 0.06 | 0.13 | C90 |
| Lymphoid leukaemia | 100 | 1.1 | 7.8 | 5.0 | 0.23 | 0.45 | 79 | 1.3 | 6.1 | 3.7 | 0.19 | 0.37 | C91 |
| Myeloid leukaemia | 79 | 0.9 | 6.2 | 3.4 | 0.16 | 0.33 | 77 | 1.3 | 6.0 | 3.2 | 0.19 | 0.31 | C92–94 |
| Leukaemia unspecified | 4 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | 6 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 75 | 0.8 | 5.9 | 3.3 | 0.19 | 0.37 | 55 | 0.9 | 4.3 | 2.1 | 0.14 | 0.24 | MPD |
| Myelodysplastic syndromes | 67 | 0.7 | 5.3 | 1.9 | 0.04 | 0.15 | 51 | 0.9 | 3.9 | 1.0 | 0.03 | 0.08 | MPS |
| Other and unspecified | 113 | 1.3 | 8.9 | 3.6 | 0.10 | 0.39 | 142 | 2.4 | 11.0 | 3.1 | 0.14 | 0.26 | O&U |
| All sites | 11923 | | 935.0 | 469.8 | 23.27 | 57.23 | 8847 | | 685.2 | 333.2 | 21.75 | 37.06 | C00–96 |
| All sites except C44 | 8934 | 100.0 | 700.6 | 363.3 | 18.81 | 45.02 | 5963 | 100.0 | 461.8 | 235.0 | 16.01 | 25.95 | C00–96 exc. C44 |

†See note following population pyramid

Spain, Salamanca

CONTRIBUTORS

Pilar Gutiérrez Meléndez
 Enrique Cabrera Torres
 Lorena Estevez Iglesias
 Rufino Álamo Sanz



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 77.2 | Breast | 71.7 |
| Trachea, bronchus, and lung | 41.7 | Colon | 23.7 |
| Colon | 36.0 | Corpus uteri | 13.7 |
| Bladder | 23.8 | Thyroid | 11.8 |
| Rectum | 16.4 | Trachea, bronchus, and lung | 10.6 |
| Non-melanoma skin cancer | 15.4 | Ovary | 9.9 |
| Non-Hodgkin lymphoma | 12.1 | Non-Hodgkin lymphoma | 9.4 |
| Stomach | 10.9 | Rectum | 9.2 |
| Kidney | 10.0 | Non-melanoma skin cancer | 7.9 |
| Larynx | 7.9 | Melanoma of skin | 7.7 |
| Pancreas | 7.7 | Stomach | 5.8 |
| Brain and nervous system | 7.3 | Pancreas | 5.7 |
| Liver | 5.7 | Brain and nervous system | 5.2 |
| Melanoma of skin | 5.3 | Cervix uteri | 4.8 |
| Testis | 4.9 | Bladder | 4.5 |
| Lymphoid leukaemia | 4.9 | Kidney | 4.5 |
| Myeloid leukaemia | 4.0 | Hodgkin lymphoma | 4.3 |
| Hodgkin lymphoma | 3.8 | Myeloid leukaemia | 3.3 |
| Thyroid | 3.5 | Other and unspecified | 2.3 |
| Oesophagus | 3.3 | Multiple myeloma | 2.0 |
| All sites | 338.1 | All sites | 238.8 |


Spain, Salamanca (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 56 | 0.8 | 6.7 | 2.4 | 0.11 | 0.27 | 12 | 0.3 | 1.4 | 0.3 | 0.02 | 0.04 | C00 |
| Tongue | 30 | 0.5 | 3.6 | 1.8 | 0.13 | 0.26 | 21 | 0.4 | 2.4 | 1.0 | 0.06 | 0.12 | C01–02 |
| Mouth | 32 | 0.5 | 3.8 | 1.6 | 0.09 | 0.21 | 11 | 0.2 | 1.3 | 0.6 | 0.03 | 0.05 | C03–06 |
| Salivary glands | 14 | 0.2 | 1.7 | 0.7 | 0.03 | 0.06 | 7 | 0.1 | 0.8 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 8 | 0.1 | 1.0 | 0.5 | 0.04 | 0.09 | 6 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 8 | 0.1 | 1.0 | 0.4 | 0.02 | 0.08 | 3 | 0.1 | 0.3 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 22 | 0.3 | 2.6 | 1.6 | 0.14 | 0.17 | 10 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | C11 |
| Hypopharynx | 24 | 0.4 | 2.9 | 1.5 | 0.12 | 0.19 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 67 | 1.0 | 8.0 | 3.3 | 0.20 | 0.39 | 19 | 0.4 | 2.2 | 0.6 | 0.02 | 0.07 | C15 |
| Stomach | 270 | 4.1 | 32.4 | 10.9 | 0.44 | 1.24 | 185 | 3.9 | 21.2 | 5.8 | 0.27 | 0.68 | C16 |
| Small intestine | 31 | 0.5 | 3.7 | 1.8 | 0.12 | 0.23 | 20 | 0.4 | 2.3 | 0.7 | 0.05 | 0.08 | C17 |
| Colon | 817 | 12.4 | 97.9 | 36.0 | 1.79 | 4.50 | 607 | 13.0 | 69.5 | 23.7 | 1.31 | 2.82 | C18 |
| Rectum | 363 | 5.5 | 43.5 | 16.4 | 0.78 | 2.04 | 214 | 4.6 | 24.5 | 9.2 | 0.60 | 1.13 | C19–20 |
| Anus | 7 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 8 | 0.2 | 0.9 | 0.3 | 0.02 | 0.04 | C21 |
| Liver | 120 | 1.8 | 14.4 | 5.7 | 0.34 | 0.70 | 62 | 1.3 | 7.1 | 1.8 | 0.06 | 0.17 | C22 |
| Gallbladder etc. | 57 | 0.9 | 6.8 | 2.2 | 0.08 | 0.24 | 71 | 1.5 | 8.1 | 1.9 | 0.06 | 0.19 | C23–24 |
| Pancreas | 173 | 2.6 | 20.7 | 7.7 | 0.34 | 0.96 | 176 | 3.8 | 20.1 | 5.7 | 0.32 | 0.66 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 1.7 | 0.7 | 0.04 | 0.09 | 4 | 0.1 | 0.5 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 142 | 2.2 | 17.0 | 7.9 | 0.50 | 1.02 | 7 | 0.1 | 0.8 | 0.4 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 882 | 13.4 | 105.7 | 41.7 | 2.27 | 5.27 | 219 | 4.7 | 25.1 | 10.6 | 0.79 | 1.29 | C33–34 |
| Other thoracic organs | 6 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | 6 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 12 | 0.2 | 1.4 | 1.7 | 0.12 | 0.13 | 13 | 0.3 | 1.5 | 1.3 | 0.08 | 0.11 | C40–41 |
| Melanoma of skin | 97 | 1.5 | 11.6 | 5.3 | 0.36 | 0.59 | 138 | 2.9 | 15.8 | 7.7 | 0.54 | 0.84 | C43 |
| Other skin | 522 | 7.9 | 62.6 | 15.4 | 0.44 | 1.42 | 411 | 8.8 | 47.0 | 7.9 | 0.27 | 0.61 | C44 |
| Mesothelioma | 10 | 0.2 | 1.2 | 0.3 | 0.00 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 14 | 0.2 | 1.7 | 0.6 | 0.03 | 0.08 | 6 | 0.1 | 0.7 | 0.2 | 0.01 | 0.04 | C46 |
| Connective and soft tissue | 36 | 0.5 | 4.3 | 2.0 | 0.14 | 0.18 | 20 | 0.4 | 2.3 | 0.9 | 0.06 | 0.10 | C47+C49 |
| Breast | 14 | 0.2 | 1.7 | 0.7 | 0.04 | 0.07 | 1241 | 26.5 | 142.0 | 71.7 | 5.38 | 7.81 | C50 |
| Vulva | | | | | | | 26 | 0.6 | 3.0 | 1.3 | 0.09 | 0.14 | C51 |
| Vagina | | | | | | | 9 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 70 | 1.5 | 8.0 | 4.8 | 0.39 | 0.50 | C53 |
| Corpus uteri | | | | | | | 273 | 5.8 | 31.2 | 13.7 | 0.94 | 1.68 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.1 | 0.8 | 0.2 | 0.00 | 0.04 | C55 |
| Ovary | | | | | | | 167 | 3.6 | 19.1 | 9.9 | 0.74 | 1.09 | C56 |
| Other female genital organs | | | | | | | 10 | 0.2 | 1.1 | 0.4 | 0.02 | 0.05 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 27 | 0.4 | 3.2 | 1.1 | 0.04 | 0.16 | | | | | | | C60 |
| Prostate | 1632 | 24.7 | 195.6 | 77.2 | 3.50 | 10.56 | | | | | | | C61 |
| Testis | 45 | 0.7 | 5.4 | 4.9 | 0.39 | 0.40 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 176 | 2.7 | 21.1 | 10.0 | 0.61 | 1.22 | 89 | 1.9 | 10.2 | 4.5 | 0.33 | 0.50 | C64 |
| Renal pelvis | 30 | 0.5 | 3.6 | 1.2 | 0.08 | 0.12 | 14 | 0.3 | 1.6 | 0.4 | 0.01 | 0.06 | C65 |
| Ureter | 15 | 0.2 | 1.8 | 0.7 | 0.03 | 0.07 | 5 | 0.1 | 0.6 | 0.2 | 0.02 | 0.02 | C66 |
| Bladder | 553 | 8.4 | 66.3 | 23.8 | 1.08 | 3.00 | 117 | 2.5 | 13.4 | 4.5 | 0.37 | 0.47 | C67 |
| Other urinary organs | 3 | 0.0 | 0.4 | 0.2 | 0.00 | 0.04 | 3 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 10 | 0.2 | 1.2 | 0.5 | 0.03 | 0.05 | 4 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 88 | 1.3 | 10.5 | 7.3 | 0.41 | 0.67 | 86 | 1.8 | 9.8 | 5.2 | 0.32 | 0.59 | C70–72 |
| Thyroid | 53 | 0.8 | 6.4 | 3.5 | 0.26 | 0.36 | 142 | 3.0 | 16.3 | 11.8 | 0.88 | 1.15 | C73 |
| Adrenal gland | 3 | 0.0 | 0.4 | 0.2 | 0.02 | 0.02 | 3 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | 2 | 0.0 | 0.2 | 0.4 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 38 | 0.6 | 4.6 | 3.8 | 0.24 | 0.33 | 40 | 0.9 | 4.6 | 4.3 | 0.31 | 0.35 | C81 |
| Non-Hodgkin lymphoma | 181 | 2.7 | 21.7 | 12.1 | 0.68 | 1.31 | 209 | 4.5 | 23.9 | 9.4 | 0.54 | 1.16 | C82–86,C96 |
| Immunoproliferative diseases | 35 | 0.5 | 4.2 | 1.9 | 0.09 | 0.21 | 18 | 0.4 | 2.1 | 0.9 | 0.05 | 0.13 | C88 |
| Multiple myeloma | 66 | 1.0 | 7.9 | 2.8 | 0.13 | 0.36 | 59 | 1.3 | 6.8 | 2.0 | 0.07 | 0.30 | C90 |
| Lymphoid leukaemia | 70 | 1.1 | 8.4 | 4.9 | 0.25 | 0.41 | 37 | 0.8 | 4.2 | 1.9 | 0.10 | 0.16 | C91 |
| Myeloid leukaemia | 75 | 1.1 | 9.0 | 4.0 | 0.21 | 0.43 | 58 | 1.2 | 6.6 | 3.3 | 0.20 | 0.32 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 20 | 0.3 | 2.4 | 0.7 | 0.02 | 0.08 | 21 | 0.4 | 2.4 | 0.8 | 0.04 | 0.09 | MPD |
| Myelodysplastic syndromes | 73 | 1.1 | 8.7 | 2.3 | 0.09 | 0.18 | 44 | 0.9 | 5.0 | 0.9 | 0.02 | 0.05 | MPS |
| Other and unspecified | 75 | 1.1 | 9.0 | 3.1 | 0.15 | 0.37 | 85 | 1.8 | 9.7 | 2.3 | 0.11 | 0.21 | O&U |
| All sites | 7124 | | 853.7 | 338.1 | 17.11 | 41.04 | 5098 | | 583.4 | 238.8 | 15.71 | 26.27 | C00–96 |
| All sites except C44 | 6602 | 100.0 | 791.1 | 322.7 | 16.67 | 39.62 | 4687 | 100.0 | 536.4 | 230.8 | 15.44 | 25.66 | C00–96 exc.C44 |

Spain, Tarragona

CONTRIBUTORS

Jaume Galceran
 Marià Carulla
 Clàudia Pla
 Alberto Ameijide
 Laia Llauradó
 Araceli Jiménez
 Josefina Rion
 Sandra Mateu
 Xavier Collado
 Xavier Cardó



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 117.1 | Non-melanoma skin cancer | 98.3 |
| Prostate | 54.0 | Breast | 73.5 |
| Trachea, bronchus, and lung | 48.6 | Colon | 19.9 |
| Bladder | 36.4 | Trachea, bronchus, and lung | 13.2 |
| Colon | 34.5 | Corpus uteri | 12.6 |
| Rectum | 17.3 | Thyroid | 8.2 |
| Liver | 11.1 | Rectum | 8.2 |
| Non-Hodgkin lymphoma | 11.1 | Ovary | 7.8 |
| Kidney | 9.2 | Non-Hodgkin lymphoma | 7.7 |
| Pancreas | 8.9 | Melanoma of skin | 6.9 |
| Larynx | 8.0 | Bladder | 5.4 |
| Stomach | 7.9 | Cervix uteri | 4.9 |
| Melanoma of skin | 6.1 | Pancreas | 4.7 |
| Brain and nervous system | 6.0 | Kidney | 4.2 |
| Other and unspecified | 5.7 | Brain and nervous system | 4.1 |
| Oesophagus | 5.4 | Stomach | 3.8 |
| Lymphoid leukaemia | 5.0 | Other and unspecified | 3.3 |
| Testis | 4.5 | Liver | 3.3 |
| Myeloid leukaemia | 3.4 | Lymphoid leukaemia | 3.2 |
| Hodgkin lymphoma | 2.9 | Myeloid leukaemia | 3.1 |
| All sites | 439.7 | All sites | 319.9 |

Spain, Tarragona (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|------------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 53 | 0.4 | 2.7 | 1.2 | 0.04 | 0.13 | 11 | 0.1 | 0.6 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 87 | 0.7 | 4.4 | 2.6 | 0.20 | 0.34 | 36 | 0.4 | 1.8 | 0.9 | 0.06 | 0.10 | C01–02 |
| Mouth | 94 | 0.8 | 4.7 | 2.7 | 0.21 | 0.32 | 46 | 0.6 | 2.3 | 1.1 | 0.07 | 0.12 | C03–06 |
| Salivary glands | 23 | 0.2 | 1.2 | 0.5 | 0.02 | 0.05 | 18 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C07–08 |
| Tonsil | 28 | 0.2 | 1.4 | 0.9 | 0.09 | 0.12 | 11 | 0.1 | 0.6 | 0.3 | 0.02 | 0.05 | C09 |
| Other oropharynx | 32 | 0.3 | 1.6 | 1.0 | 0.08 | 0.13 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 23 | 0.2 | 1.2 | 0.8 | 0.07 | 0.08 | 9 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C11 |
| Hypopharynx | 57 | 0.5 | 2.9 | 1.7 | 0.13 | 0.21 | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 6 | 0.0 | 0.3 | 0.2 | 0.01 | 0.03 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 189 | 1.5 | 9.5 | 5.4 | 0.37 | 0.66 | 28 | 0.3 | 1.4 | 0.6 | 0.02 | 0.10 | C15 |
| Stomach | 327 | 2.7 | 16.4 | 7.9 | 0.40 | 0.85 | 178 | 2.1 | 9.0 | 3.8 | 0.22 | 0.43 | C16 |
| Small intestine | 36 | 0.3 | 1.8 | 1.0 | 0.05 | 0.12 | 26 | 0.3 | 1.3 | 0.7 | 0.05 | 0.08 | C17 |
| Colon | 1432 | 11.6 | 72.0 | 34.5 | 1.62 | 4.15 | 923 | 11.0 | 46.5 | 19.9 | 1.11 | 2.29 | C18 |
| Rectum | 681 | 5.5 | 34.2 | 17.3 | 0.98 | 2.09 | 360 | 4.3 | 18.2 | 8.2 | 0.49 | 0.89 | C19–20 |
| Anus | 29 | 0.2 | 1.5 | 0.8 | 0.05 | 0.08 | 20 | 0.2 | 1.0 | 0.5 | 0.04 | 0.06 | C21 |
| Liver | 409 | 3.3 | 20.6 | 11.1 | 0.66 | 1.39 | 146 | 1.7 | 7.4 | 3.3 | 0.16 | 0.34 | C22 |
| Gallbladder etc. | 77 | 0.6 | 3.9 | 1.9 | 0.10 | 0.22 | 86 | 1.0 | 4.3 | 1.5 | 0.07 | 0.15 | C23–24 |
| Pancreas | 360 | 2.9 | 18.1 | 8.9 | 0.45 | 1.09 | 245 | 2.9 | 12.4 | 4.7 | 0.21 | 0.55 | C25 |
| Nose, sinuses etc. | 25 | 0.2 | 1.3 | 0.7 | 0.03 | 0.09 | 18 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 282 | 2.3 | 14.2 | 8.0 | 0.53 | 1.02 | 25 | 0.3 | 1.3 | 0.8 | 0.06 | 0.09 | C32 |
| Trachea, bronchus, and lung | 1877 | 15.2 | 94.4 | 48.6 | 2.60 | 6.16 | 485 | 5.8 | 24.5 | 13.2 | 0.95 | 1.58 | C33–34 |
| Other thoracic organs | 28 | 0.2 | 1.4 | 0.9 | 0.05 | 0.07 | 18 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | C37–38 |
| Bone | 26 | 0.2 | 1.3 | 1.3 | 0.09 | 0.11 | 18 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | C40–41 |
| Melanoma of skin | 217 | 1.8 | 10.9 | 6.1 | 0.36 | 0.66 | 228 | 2.7 | 11.5 | 6.9 | 0.49 | 0.71 | C43 |
| Other skin | 5002 | 40.6 | 251.5 | 117.1 | 5.06 | 13.30 | 4402 | 52.7 | 222.0 | 98.3 | 5.49 | 11.13 | C44 |
| Mesothelioma | 29 | 0.2 | 1.5 | 0.7 | 0.02 | 0.10 | 10 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C45 |
| Kaposi sarcoma | 24 | 0.2 | 1.2 | 0.7 | 0.05 | 0.07 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 57 | 0.5 | 2.9 | 1.6 | 0.09 | 0.19 | 44 | 0.5 | 2.2 | 1.2 | 0.08 | 0.14 | C47+C49 |
| Breast | 19 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 2504 | 30.0 | 126.3 | 73.5 | 5.63 | 8.04 | C50 |
| Vulva | | | | | | | 60 | 0.7 | 3.0 | 1.2 | 0.07 | 0.13 | C51 |
| Vagina | | | | | | | 11 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 152 | 1.8 | 7.7 | 4.9 | 0.40 | 0.48 | C53 |
| Corpus uteri | | | | | | | 470 | 5.6 | 23.7 | 12.6 | 0.85 | 1.58 | C54 |
| Uterus unspecified | | | | | | | 22 | 0.3 | 1.1 | 0.5 | 0.02 | 0.06 | C55 |
| Ovary | | | | | | | 263 | 3.1 | 13.3 | 7.8 | 0.59 | 0.91 | C56 |
| Other female genital organs | | | | | | | 40 | 0.5 | 2.0 | 1.0 | 0.06 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 39 | 0.3 | 2.0 | 0.9 | 0.03 | 0.09 | | | | | | | C60 |
| Prostate | 2100 | 17.1 | 105.6 | 54.0 | 2.30 | 7.42 | | | | | | | C61 |
| Testis | 110 | 0.9 | 5.5 | 4.5 | 0.35 | 0.36 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 316 | 2.6 | 15.9 | 9.2 | 0.59 | 1.10 | 156 | 1.9 | 7.9 | 4.2 | 0.28 | 0.49 | C64 |
| Renal pelvis | 37 | 0.3 | 1.9 | 0.9 | 0.03 | 0.11 | 21 | 0.3 | 1.1 | 0.4 | 0.02 | 0.06 | C65 |
| Ureter | 30 | 0.2 | 1.5 | 0.7 | 0.03 | 0.09 | 10 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 1509 | 12.3 | 75.9 | 36.4 | 1.66 | 4.37 | 259 | 3.1 | 13.1 | 5.4 | 0.31 | 0.63 | C67 |
| Other urinary organs | 20 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 19 | 0.2 | 1.0 | 0.6 | 0.02 | 0.06 | 12 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 175 | 1.4 | 8.8 | 6.0 | 0.36 | 0.61 | 129 | 1.5 | 6.5 | 4.1 | 0.24 | 0.43 | C70–72 |
| Thyroid | 78 | 0.6 | 3.9 | 2.6 | 0.22 | 0.28 | 213 | 2.5 | 10.7 | 8.2 | 0.63 | 0.80 | C73 |
| Adrenal gland | 8 | 0.1 | 0.4 | 0.6 | 0.03 | 0.04 | 13 | 0.2 | 0.7 | 0.5 | 0.04 | 0.04 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 68 | 0.6 | 3.4 | 2.9 | 0.21 | 0.24 | 51 | 0.6 | 2.6 | 2.4 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 388 | 3.2 | 19.5 | 11.1 | 0.65 | 1.27 | 290 | 3.5 | 14.6 | 7.7 | 0.49 | 0.82 | C82–86,C96 |
| Immunoproliferative diseases | 44 | 0.4 | 2.2 | 1.3 | 0.07 | 0.16 | 30 | 0.4 | 1.5 | 0.7 | 0.05 | 0.09 | C88 |
| Multiple myeloma | 119 | 1.0 | 6.0 | 2.9 | 0.14 | 0.32 | 101 | 1.2 | 5.1 | 2.3 | 0.13 | 0.29 | C90 |
| Lymphoid leukaemia | 159 | 1.3 | 8.0 | 5.0 | 0.25 | 0.46 | 97 | 1.2 | 4.9 | 3.2 | 0.16 | 0.32 | C91 |
| Myeloid leukaemia | 130 | 1.1 | 6.5 | 3.4 | 0.15 | 0.30 | 103 | 1.2 | 5.2 | 3.1 | 0.17 | 0.27 | C92–94 |
| Leukaemia unspecified | 12 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | 13 | 0.2 | 0.7 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 61 | 0.5 | 3.1 | 1.6 | 0.09 | 0.16 | 49 | 0.6 | 2.5 | 1.2 | 0.06 | 0.11 | MPD |
| Myelodysplastic syndromes | 99 | 0.8 | 5.0 | 1.8 | 0.05 | 0.16 | 77 | 0.9 | 3.9 | 1.3 | 0.04 | 0.14 | MPS |
| Other and unspecified | 258 | 2.1 | 13.0 | 5.7 | 0.25 | 0.63 | 197 | 2.4 | 9.9 | 3.3 | 0.16 | 0.32 | O&U |
| All sites | 17313 | | 870.5 | 439.7 | 21.93 | 52.25 | 12762 | | 643.6 | 319.9 | 20.41 | 35.55 | C00–96 |
| All sites except C44 | 12311 | 100.0 | 619.0 | 322.6 | 16.88 | 38.94 | 8360 | 100.0 | 421.6 | 221.6 | 14.92 | 24.42 | C00–96 exc. C44 |

§Includes 9 cases of unknown age


§Includes 12 cases of unknown age

†See note following population pyramid

Sweden

CONTRIBUTORS

David Pettersson
Niklas Toorell



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 102.9 | Breast | 84.7 |
| Melanoma of skin | 20.9 | Melanoma of skin | 22.0 |
| Non-melanoma skin cancer | 20.2 | Trachea, bronchus, and lung | 19.1 |
| Colon | 19.3 | Colon | 17.4 |
| Bladder | 18.2 | Non-melanoma skin cancer | 13.9 |
| Trachea, bronchus, and lung | 17.9 | Corpus uteri | 12.7 |
| Rectum | 12.4 | Cervix uteri | 8.7 |
| Non-Hodgkin lymphoma | 10.4 | Rectum | 7.4 |
| Kidney | 9.0 | Non-Hodgkin lymphoma | 7.1 |
| Testis | 7.1 | Ovary | 6.9 |
| Pancreas | 6.8 | Thyroid | 6.8 |
| Lymphoid leukaemia | 6.2 | Pancreas | 6.1 |
| Brain and nervous system | 6.1 | Other and unspecified | 5.6 |
| Liver | 5.4 | Bladder | 5.5 |
| Stomach | 5.0 | Kidney | 4.8 |
| Multiple myeloma | 4.1 | Brain and nervous system | 4.3 |
| Other and unspecified | 4.0 | Lymphoid leukaemia | 3.6 |
| Myeloid leukaemia | 3.4 | Myeloid leukaemia | 2.7 |
| Oesophagus | 3.4 | Myeloproliferative disorders | 2.7 |
| Myeloproliferative disorders | 2.9 | Stomach | 2.7 |
| All sites | 315.2 | All sites | 273.5 |

*Sweden (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 441 | 0.3 | 1.8 | 0.7 | 0.02 | 0.08 | 372 | 0.3 | 1.5 | 0.5 | 0.02 | 0.05 | C00 |
| Tongue | 907 | 0.6 | 3.7 | 2.1 | 0.14 | 0.26 | 535 | 0.4 | 2.2 | 1.1 | 0.08 | 0.14 | C01–02 |
| Mouth | 624 | 0.4 | 2.5 | 1.3 | 0.07 | 0.16 | 607 | 0.5 | 2.5 | 1.1 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 281 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 270 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 913 | 0.6 | 3.7 | 2.3 | 0.19 | 0.28 | 336 | 0.3 | 1.4 | 0.8 | 0.07 | 0.10 | C09 |
| Other oropharynx | 78 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 37 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 103 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 54 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 243 | 0.2 | 1.0 | 0.5 | 0.02 | 0.07 | 63 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1808 | 1.2 | 7.4 | 3.4 | 0.15 | 0.42 | 671 | 0.5 | 2.7 | 1.1 | 0.05 | 0.14 | C15 |
| Stomach | 2654 | 1.8 | 10.8 | 5.0 | 0.23 | 0.59 | 1562 | 1.2 | 6.4 | 2.7 | 0.14 | 0.31 | C16 |
| Small intestine | 804 | 0.5 | 3.3 | 1.6 | 0.09 | 0.20 | 641 | 0.5 | 2.6 | 1.2 | 0.07 | 0.15 | C17 |
| Colon | 10656 | 7.3 | 43.4 | 19.3 | 0.82 | 2.18 | 10932 | 8.7 | 44.6 | 17.4 | 0.80 | 1.96 | C18 |
| Rectum | 6387 | 4.4 | 26.0 | 12.4 | 0.62 | 1.52 | 4143 | 3.3 | 16.9 | 7.4 | 0.41 | 0.89 | C19–20 |
| Anus | 255 | 0.2 | 1.0 | 0.5 | 0.03 | 0.07 | 703 | 0.6 | 2.9 | 1.5 | 0.10 | 0.18 | C21 |
| Liver | 2601 | 1.8 | 10.6 | 5.4 | 0.32 | 0.68 | 1193 | 1.0 | 4.9 | 2.2 | 0.11 | 0.26 | C22 |
| Gallbladder etc. | 989 | 0.7 | 4.0 | 1.9 | 0.09 | 0.23 | 1298 | 1.0 | 5.3 | 2.1 | 0.09 | 0.26 | C23–24 |
| Pancreas | 3514 | 2.4 | 14.3 | 6.8 | 0.32 | 0.88 | 3545 | 2.8 | 14.5 | 6.1 | 0.28 | 0.78 | C25 |
| Nose, sinuses etc. | 220 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | 153 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 725 | 0.5 | 3.0 | 1.4 | 0.07 | 0.18 | 136 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 9955 | 6.8 | 40.5 | 17.9 | 0.69 | 2.31 | 10785 | 8.6 | 44.0 | 19.1 | 0.89 | 2.61 | C33–34 |
| Other thoracic organs | 76 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 60 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C37–38 |
| Bone | 285 | 0.2 | 1.2 | 1.0 | 0.07 | 0.08 | 213 | 0.2 | 0.9 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 9495 | 6.5 | 38.7 | 20.9 | 1.25 | 2.35 | 9103 | 7.3 | 37.1 | 22.0 | 1.56 | 2.32 | C43 |
| Other skin | 13605 | 9.3 | 55.4 | 20.2 | 0.45 | 1.87 | 11175 | 8.9 | 45.6 | 13.9 | 0.44 | 1.40 | C44 |
| Mesothelioma | 552 | 0.4 | 2.2 | 0.9 | 0.02 | 0.12 | 138 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 59 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 24 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 944 | 0.6 | 3.8 | 2.3 | 0.13 | 0.23 | 680 | 0.5 | 2.8 | 1.7 | 0.10 | 0.16 | C47+C49 |
| Breast | 244 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 37085 | 29.5 | 151.2 | 84.7 | 5.95 | 10.09 | C50 |
| Vulva | | | | | | | 1006 | 0.8 | 4.1 | 1.7 | 0.09 | 0.18 | C51 |
| Vagina | | | | | | | 175 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 2745 | 2.2 | 11.2 | 8.7 | 0.67 | 0.78 | C53 |
| Corpus uteri | | | | | | | 6927 | 5.5 | 28.2 | 12.7 | 0.71 | 1.60 | C54 |
| Uterus unspecified | | | | | | | 689 | 0.5 | 2.8 | 1.3 | 0.07 | 0.15 | C55 |
| Ovary | | | | | | | 2990 | 2.4 | 12.2 | 6.9 | 0.47 | 0.81 | C56 |
| Other female genital organs | | | | | | | 667 | 0.5 | 2.7 | 1.3 | 0.08 | 0.18 | C57 |
| Placenta | | | | | | | 15 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 587 | 0.4 | 2.4 | 1.1 | 0.05 | 0.14 | | | | | | | C60 |
| Prostate | 52565 | 35.9 | 214.1 | 102.9 | 5.04 | 13.95 | | | | | | | C61 |
| Testis | 1811 | 1.2 | 7.4 | 7.1 | 0.54 | 0.56 | | | | | | | C62 |
| Other male genital organs | 43 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 4068 | 2.8 | 16.6 | 9.0 | 0.53 | 1.11 | 2289 | 1.8 | 9.3 | 4.8 | 0.27 | 0.56 | C64 |
| Renal pelvis | 350 | 0.2 | 1.4 | 0.6 | 0.02 | 0.08 | 237 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 114 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | 101 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 10571 | 7.2 | 43.0 | 18.2 | 0.64 | 2.13 | 3520 | 2.8 | 14.4 | 5.5 | 0.25 | 0.66 | C67 |
| Other urinary organs | 72 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 50 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 368 | 0.3 | 1.5 | 0.9 | 0.05 | 0.10 | 308 | 0.2 | 1.3 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 2218 | 1.5 | 9.0 | 6.1 | 0.40 | 0.64 | 1538 | 1.2 | 6.3 | 4.3 | 0.28 | 0.44 | C70–72 |
| Thyroid | 801 | 0.5 | 3.3 | 2.2 | 0.16 | 0.22 | 2149 | 1.7 | 8.8 | 6.8 | 0.51 | 0.64 | C73 |
| Adrenal gland | 50 | 0.0 | 0.2 | 0.3 | 0.01 | 0.02 | 65 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 25 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 12 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 622 | 0.4 | 2.5 | 2.2 | 0.15 | 0.18 | 491 | 0.4 | 2.0 | 1.9 | 0.12 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 5053 | 3.5 | 20.6 | 10.4 | 0.53 | 1.15 | 3813 | 3.0 | 15.5 | 7.1 | 0.37 | 0.80 | C82–86,C96 |
| Immunoproliferative diseases | 544 | 0.4 | 2.2 | 1.0 | 0.05 | 0.13 | 417 | 0.3 | 1.7 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 2157 | 1.5 | 8.8 | 4.1 | 0.20 | 0.49 | 1565 | 1.2 | 6.4 | 2.7 | 0.13 | 0.32 | C90 |
| Lymphoid leukaemia | 2526 | 1.7 | 10.3 | 6.2 | 0.31 | 0.62 | 1518 | 1.2 | 6.2 | 3.6 | 0.17 | 0.35 | C91 |
| Myeloid leukaemia | 1462 | 1.0 | 6.0 | 3.4 | 0.19 | 0.34 | 1261 | 1.0 | 5.1 | 2.7 | 0.16 | 0.27 | C92–94 |
| Leukaemia unspecified | 41 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 22 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 1328 | 0.9 | 5.4 | 2.9 | 0.17 | 0.32 | 1416 | 1.1 | 5.8 | 2.7 | 0.15 | 0.32 | MPD |
| Myelodysplastic syndromes | 956 | 0.7 | 3.9 | 1.6 | 0.05 | 0.17 | 660 | 0.5 | 2.7 | 1.0 | 0.04 | 0.11 | MPS |
| Other and unspecified | 2112 | 1.4 | 8.6 | 4.0 | 0.18 | 0.46 | 3530 | 2.8 | 14.4 | 5.6 | 0.25 | 0.65 | O&U |
| All sites | 159865 | | 651.0 | 315.2 | 15.26 | 37.91 | 136691 | | 557.4 | 273.5 | 16.31 | 31.51 | C00–96 |
| All sites except C44 | 146260 | 100.0 | 595.6 | 295.0 | 14.81 | 36.04 | 125516 | 100.0 | 511.9 | 259.6 | 15.87 | 30.11 | C00–96 exc. C44 |

*See note following population pyramid

Switzerland, Aargau

CONTRIBUTORS

Martin Adam
Ivan Curjuric
Sabrina Meyer



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 83.5 | Breast | 76.5 |
| Trachea, bronchus, and lung | 29.1 | Trachea, bronchus, and lung | 20.5 |
| Bladder | 22.5 | Melanoma of skin | 15.7 |
| Non-melanoma skin cancer | 20.1 | Colon | 12.1 |
| Melanoma of skin | 18.2 | Corpus uteri | 9.6 |
| Colon | 17.9 | Non-melanoma skin cancer | 9.2 |
| Rectum | 12.7 | Thyroid | 8.1 |
| Testis | 11.4 | Non-Hodgkin lymphoma | 7.9 |
| Non-Hodgkin lymphoma | 11.0 | Ovary | 7.3 |
| Kidney | 8.9 | Pancreas | 6.4 |
| Pancreas | 8.4 | Rectum | 5.7 |
| Lymphoid leukaemia | 6.7 | Bladder | 5.6 |
| Brain and nervous system | 6.6 | Brain and nervous system | 4.5 |
| Stomach | 5.9 | Lymphoid leukaemia | 4.2 |
| Oesophagus | 5.3 | Other and unspecified | 4.2 |
| Liver | 4.8 | Cervix uteri | 4.2 |
| Multiple myeloma | 4.1 | Kidney | 3.6 |
| Other and unspecified | 3.9 | Stomach | 3.0 |
| Myeloid leukaemia | 3.5 | Myeloid leukaemia | 2.9 |
| Thyroid | 3.0 | Multiple myeloma | 2.7 |
| All sites | 321.5 | All sites | 240.4 |

Switzerland, Aargau (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 12 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 55 | 0.6 | 3.4 | 2.0 | 0.13 | 0.22 | 27 | 0.4 | 1.7 | 0.8 | 0.05 | 0.10 | C01–02 |
| Mouth | 48 | 0.5 | 2.9 | 1.7 | 0.09 | 0.22 | 36 | 0.5 | 2.2 | 1.1 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 22 | 0.2 | 1.4 | 0.7 | 0.04 | 0.08 | 8 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | C07–08 |
| Tonsil | 26 | 0.3 | 1.6 | 0.9 | 0.08 | 0.13 | 15 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 24 | 0.3 | 1.5 | 0.8 | 0.06 | 0.12 | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 7 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 5 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 37 | 0.4 | 2.3 | 1.3 | 0.07 | 0.19 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 172 | 1.9 | 10.6 | 5.3 | 0.23 | 0.68 | 52 | 0.7 | 3.2 | 1.4 | 0.09 | 0.15 | C15 |
| Stomach | 191 | 2.1 | 11.7 | 5.9 | 0.33 | 0.62 | 101 | 1.4 | 6.2 | 3.0 | 0.18 | 0.31 | C16 |
| Small intestine | 56 | 0.6 | 3.4 | 1.8 | 0.10 | 0.19 | 35 | 0.5 | 2.2 | 1.1 | 0.08 | 0.11 | C17 |
| Colon | 595 | 6.4 | 36.5 | 17.9 | 0.76 | 2.05 | 478 | 6.6 | 29.5 | 12.1 | 0.45 | 1.36 | C18 |
| Rectum | 394 | 4.3 | 24.2 | 12.7 | 0.68 | 1.53 | 201 | 2.8 | 12.4 | 5.7 | 0.36 | 0.65 | C19–20 |
| Anus | 19 | 0.2 | 1.2 | 0.6 | 0.03 | 0.08 | 47 | 0.6 | 2.9 | 1.5 | 0.11 | 0.18 | C21 |
| Liver | 153 | 1.7 | 9.4 | 4.8 | 0.21 | 0.62 | 74 | 1.0 | 4.6 | 2.2 | 0.14 | 0.27 | C22 |
| Gallbladder etc. | 46 | 0.5 | 2.8 | 1.3 | 0.03 | 0.12 | 47 | 0.6 | 2.9 | 1.0 | 0.03 | 0.11 | C23–24 |
| Pancreas | 269 | 2.9 | 16.5 | 8.4 | 0.39 | 1.07 | 254 | 3.5 | 15.7 | 6.4 | 0.25 | 0.73 | C25 |
| Nose, sinuses etc. | 21 | 0.2 | 1.3 | 0.8 | 0.04 | 0.07 | 10 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 78 | 0.8 | 4.8 | 2.6 | 0.14 | 0.35 | 19 | 0.3 | 1.2 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 954 | 10.3 | 58.6 | 29.1 | 1.33 | 3.65 | 686 | 9.4 | 42.4 | 20.5 | 1.21 | 2.68 | C33–34 |
| Other thoracic organs | 15 | 0.2 | 0.9 | 0.6 | 0.03 | 0.07 | 3 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | C37–38 |
| Bone | 21 | 0.2 | 1.3 | 1.1 | 0.07 | 0.09 | 17 | 0.2 | 1.0 | 1.2 | 0.08 | 0.09 | C40–41 |
| Melanoma of skin | 550 | 6.0 | 33.8 | 18.2 | 0.98 | 2.14 | 455 | 6.2 | 28.1 | 15.7 | 1.01 | 1.71 | C43 |
| Other skin | 759 | 8.2 | 46.6 | 20.1 | 0.50 | 1.78 | 453 | 6.2 | 28.0 | 9.2 | 0.32 | 0.83 | C44 |
| Mesothelioma | 92 | 1.0 | 5.7 | 2.6 | 0.11 | 0.30 | 12 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 70 | 0.8 | 4.3 | 2.4 | 0.10 | 0.26 | 46 | 0.6 | 2.8 | 2.1 | 0.14 | 0.16 | C47+C49 |
| Breast | 15 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | 2308 | 31.7 | 142.5 | 76.5 | 5.25 | 8.75 | C50 |
| Vulva | | | | | | | 46 | 0.6 | 2.8 | 1.2 | 0.04 | 0.11 | C51 |
| Vagina | | | | | | | 7 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 101 | 1.4 | 6.2 | 4.2 | 0.32 | 0.41 | C53 |
| Corpus uteri | | | | | | | 318 | 4.4 | 19.6 | 9.6 | 0.61 | 1.16 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.2 | 0.9 | 0.4 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 236 | 3.2 | 14.6 | 7.3 | 0.50 | 0.81 | C56 |
| Other female genital organs | | | | | | | 39 | 0.5 | 2.4 | 1.0 | 0.03 | 0.14 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.3 | 1.7 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 2635 | 28.5 | 161.8 | 83.5 | 3.92 | 11.49 | | | | | | | C61 |
| Testis | 210 | 2.3 | 12.9 | 11.4 | 0.90 | 0.91 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 263 | 2.8 | 16.2 | 8.9 | 0.46 | 1.01 | 120 | 1.6 | 7.4 | 3.6 | 0.19 | 0.38 | C64 |
| Renal pelvis | 23 | 0.2 | 1.4 | 0.7 | 0.03 | 0.09 | 16 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 13 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 771 | 8.3 | 47.4 | 22.5 | 1.00 | 2.57 | 208 | 2.9 | 12.8 | 5.6 | 0.25 | 0.69 | C67 |
| Other urinary organs | 11 | 0.1 | 0.7 | 0.3 | 0.00 | 0.02 | 3 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 9 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 9 | 0.1 | 0.6 | 0.6 | 0.03 | 0.03 | C69 |
| Brain and nervous system | 163 | 1.8 | 10.0 | 6.6 | 0.39 | 0.71 | 97 | 1.3 | 6.0 | 4.5 | 0.29 | 0.44 | C70–72 |
| Thyroid | 73 | 0.8 | 4.5 | 3.0 | 0.23 | 0.32 | 176 | 2.4 | 10.9 | 8.1 | 0.61 | 0.75 | C73 |
| Adrenal gland | 6 | 0.1 | 0.4 | 0.5 | 0.02 | 0.03 | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 48 | 0.5 | 2.9 | 2.4 | 0.17 | 0.21 | 36 | 0.5 | 2.2 | 2.0 | 0.13 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 315 | 3.4 | 19.3 | 11.0 | 0.64 | 1.23 | 269 | 3.7 | 16.6 | 7.9 | 0.44 | 0.92 | C82–86,C96 |
| Immunoproliferative diseases | 42 | 0.5 | 2.6 | 1.3 | 0.06 | 0.17 | 30 | 0.4 | 1.9 | 0.9 | 0.04 | 0.11 | C88 |
| Multiple myeloma | 137 | 1.5 | 8.4 | 4.1 | 0.17 | 0.48 | 104 | 1.4 | 6.4 | 2.7 | 0.13 | 0.30 | C90 |
| Lymphoid leukaemia | 159 | 1.7 | 9.8 | 6.7 | 0.34 | 0.68 | 99 | 1.4 | 6.1 | 4.2 | 0.21 | 0.41 | C91 |
| Myeloid leukaemia | 108 | 1.2 | 6.6 | 3.5 | 0.17 | 0.40 | 81 | 1.1 | 5.0 | 2.9 | 0.16 | 0.31 | C92–94 |
| Leukaemia unspecified | 9 | 0.1 | 0.6 | 0.5 | 0.02 | 0.04 | 4 | 0.1 | 0.2 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 72 | 0.8 | 4.4 | 2.4 | 0.13 | 0.28 | 83 | 1.1 | 5.1 | 2.6 | 0.15 | 0.30 | MPD |
| Myelodysplastic syndromes | 63 | 0.7 | 3.9 | 1.6 | 0.05 | 0.17 | 42 | 0.6 | 2.6 | 0.8 | 0.03 | 0.06 | MPS |
| Other and unspecified | 135 | 1.5 | 8.3 | 3.9 | 0.15 | 0.38 | 179 | 2.5 | 11.1 | 4.2 | 0.16 | 0.46 | O&U |
| All sites | 10002 | | 614.3 | 321.5 | 15.56 | 38.17 | 7737 | | 477.7 | 240.4 | 14.39 | 26.77 | C00–96 |
| All sites except C44 | 9243 | 100.0 | 567.7 | 301.4 | 15.06 | 36.39 | 7284 | 100.0 | 449.7 | 231.2 | 14.08 | 25.94 | C00–96 exc. C44 |

†See note following population pyramid

Switzerland, Basel

CONTRIBUTORS

Samuel Erny
Katharina Staehelin
Benjamin Struchen
Lillia Manteiga
Caterina Cammarota
Luis Loureiro
Jessica Bertoli
Eliane Müller



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 77.0 | Breast | 86.0 |
| Trachea, bronchus, and lung | 32.2 | Trachea, bronchus, and lung | 22.6 |
| Bladder | 24.9 | Colon | 13.7 |
| Non-melanoma skin cancer | 19.2 | Corpus uteri | 12.1 |
| Colon | 17.4 | Ovary | 9.3 |
| Non-Hodgkin lymphoma | 13.1 | Melanoma of skin | 9.3 |
| Rectum | 12.1 | Thyroid | 8.3 |
| Melanoma of skin | 10.5 | Non-Hodgkin lymphoma | 7.9 |
| Testis | 9.4 | Non-melanoma skin cancer | 7.8 |
| Kidney | 9.0 | Pancreas | 7.8 |
| Pancreas | 8.8 | Rectum | 6.4 |
| Stomach | 8.2 | Bladder | 5.9 |
| Liver | 7.0 | Brain and nervous system | 4.9 |
| Lymphoid leukaemia | 6.8 | Stomach | 4.6 |
| Brain and nervous system | 6.6 | Kidney | 3.9 |
| Oesophagus | 5.3 | Cervix uteri | 3.5 |
| Multiple myeloma | 4.4 | Multiple myeloma | 3.1 |
| Thyroid | 4.1 | Lymphoid leukaemia | 2.9 |
| Myeloid leukaemia | 3.7 | Liver | 2.8 |
| Connective and soft tissue | 3.5 | Connective and soft tissue | 2.5 |
| All sites | 322.1 | All sites | 254.4 |

Switzerland, Basel (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 8 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | 12 | 0.2 | 1.0 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 54 | 0.7 | 4.7 | 2.3 | 0.16 | 0.31 | 25 | 0.4 | 2.1 | 0.9 | 0.04 | 0.10 | C01–02 |
| Mouth | 49 | 0.7 | 4.3 | 2.2 | 0.18 | 0.26 | 31 | 0.5 | 2.6 | 1.3 | 0.09 | 0.16 | C03–06 |
| Salivary glands | 20 | 0.3 | 1.7 | 0.9 | 0.06 | 0.10 | 12 | 0.2 | 1.0 | 0.5 | 0.04 | 0.04 | C07–08 |
| Tonsil | 34 | 0.5 | 3.0 | 1.5 | 0.13 | 0.18 | 17 | 0.3 | 1.4 | 0.6 | 0.03 | 0.06 | C09 |
| Other oropharynx | 20 | 0.3 | 1.7 | 0.9 | 0.06 | 0.13 | 9 | 0.1 | 0.7 | 0.4 | 0.04 | 0.04 | C10 |
| Nasopharynx | 13 | 0.2 | 1.1 | 0.6 | 0.05 | 0.06 | 5 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 24 | 0.3 | 2.1 | 1.0 | 0.06 | 0.14 | 6 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 134 | 1.8 | 11.6 | 5.3 | 0.28 | 0.64 | 58 | 0.9 | 4.8 | 1.9 | 0.11 | 0.25 | C15 |
| Stomach | 215 | 2.9 | 18.7 | 8.2 | 0.38 | 0.99 | 145 | 2.2 | 11.9 | 4.6 | 0.23 | 0.50 | C16 |
| Small intestine | 43 | 0.6 | 3.7 | 2.0 | 0.13 | 0.22 | 35 | 0.5 | 2.9 | 1.2 | 0.07 | 0.17 | C17 |
| Colon | 488 | 6.6 | 42.4 | 17.4 | 0.67 | 1.98 | 463 | 7.0 | 38.1 | 13.7 | 0.66 | 1.56 | C18 |
| Rectum | 298 | 4.0 | 25.9 | 12.1 | 0.69 | 1.46 | 185 | 2.8 | 15.2 | 6.4 | 0.39 | 0.77 | C19–20 |
| Anus | 28 | 0.4 | 2.4 | 1.1 | 0.08 | 0.13 | 48 | 0.7 | 4.0 | 1.7 | 0.12 | 0.20 | C21 |
| Liver | 183 | 2.5 | 15.9 | 7.0 | 0.34 | 0.77 | 86 | 1.3 | 7.1 | 2.8 | 0.16 | 0.32 | C22 |
| Gallbladder etc. | 52 | 0.7 | 4.5 | 1.9 | 0.09 | 0.22 | 46 | 0.7 | 3.8 | 1.4 | 0.08 | 0.15 | C23–24 |
| Pancreas | 233 | 3.2 | 20.2 | 8.8 | 0.42 | 1.04 | 260 | 3.9 | 21.4 | 7.8 | 0.39 | 0.96 | C25 |
| Nose, sinuses etc. | 19 | 0.3 | 1.7 | 0.9 | 0.04 | 0.10 | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 59 | 0.8 | 5.1 | 2.6 | 0.15 | 0.33 | 16 | 0.2 | 1.3 | 0.6 | 0.03 | 0.09 | C32 |
| Trachea, bronchus, and lung | 858 | 11.6 | 74.5 | 32.2 | 1.49 | 3.94 | 668 | 10.1 | 55.0 | 22.6 | 1.21 | 2.94 | C33–34 |
| Other thoracic organs | 8 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 10 | 0.2 | 0.8 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 27 | 0.4 | 2.3 | 2.3 | 0.17 | 0.18 | 13 | 0.2 | 1.1 | 1.0 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 259 | 3.5 | 22.5 | 10.5 | 0.54 | 1.18 | 237 | 3.6 | 19.5 | 9.3 | 0.62 | 1.03 | C43 |
| Other skin | 640 | 8.7 | 55.6 | 19.2 | 0.49 | 1.86 | 379 | 5.7 | 31.2 | 7.8 | 0.24 | 0.66 | C44 |
| Mesothelioma | 49 | 0.7 | 4.3 | 1.9 | 0.07 | 0.29 | 9 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 7 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 70 | 0.9 | 6.1 | 3.5 | 0.21 | 0.33 | 57 | 0.9 | 4.7 | 2.5 | 0.15 | 0.22 | C47+C49 |
| Breast | 13 | 0.2 | 1.1 | 0.4 | 0.03 | 0.04 | 2064 | 31.3 | 169.9 | 86.0 | 5.89 | 9.99 | C50 |
| Vulva | | | | | | | 45 | 0.7 | 3.7 | 1.6 | 0.09 | 0.21 | C51 |
| Vagina | | | | | | | 13 | 0.2 | 1.1 | 0.4 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 67 | 1.0 | 5.5 | 3.5 | 0.30 | 0.36 | C53 |
| Corpus uteri | | | | | | | 314 | 4.8 | 25.9 | 12.1 | 0.80 | 1.53 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.1 | 0.6 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 240 | 3.6 | 19.8 | 9.3 | 0.55 | 1.08 | C56 |
| Other female genital organs | | | | | | | 37 | 0.6 | 3.0 | 1.1 | 0.05 | 0.12 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | 0.3 | 1.9 | 0.9 | 0.05 | 0.10 | | | | | | | C60 |
| Prostate | 1934 | 26.2 | 168.0 | 77.0 | 3.59 | 10.63 | | | | | | | C61 |
| Testis | 121 | 1.6 | 10.5 | 9.4 | 0.72 | 0.77 | | | | | | | C62 |
| Other male genital organs | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 205 | 2.8 | 17.8 | 9.0 | 0.48 | 1.13 | 113 | 1.7 | 9.3 | 3.9 | 0.26 | 0.45 | C64 |
| Renal pelvis | 18 | 0.2 | 1.6 | 0.5 | 0.00 | 0.06 | 11 | 0.2 | 0.9 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 8 | 0.1 | 0.7 | 0.2 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C66 |
| †Bladder | 695 | 9.4 | 60.4 | 24.9 | 0.98 | 3.08 | 203 | 3.1 | 16.7 | 5.9 | 0.29 | 0.68 | C67 |
| Other urinary organs | 16 | 0.2 | 1.4 | 0.5 | 0.01 | 0.09 | 7 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C68 |
| Eye | 11 | 0.1 | 1.0 | 0.5 | 0.04 | 0.05 | 11 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 121 | 1.6 | 10.5 | 6.6 | 0.46 | 0.67 | 95 | 1.4 | 7.8 | 4.9 | 0.28 | 0.49 | C70–72 |
| Thyroid | 72 | 1.0 | 6.3 | 4.1 | 0.29 | 0.44 | 145 | 2.2 | 11.9 | 8.3 | 0.67 | 0.82 | C73 |
| Adrenal gland | 2 | 0.0 | 0.2 | 0.3 | 0.01 | 0.01 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 33 | 0.4 | 2.9 | 2.6 | 0.18 | 0.22 | 28 | 0.4 | 2.3 | 2.2 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 286 | 3.9 | 24.8 | 13.1 | 0.78 | 1.31 | 221 | 3.3 | 18.2 | 7.9 | 0.44 | 0.94 | C82–86,C96 |
| Immunoproliferative diseases | 43 | 0.6 | 3.7 | 1.6 | 0.08 | 0.15 | 42 | 0.6 | 3.5 | 1.6 | 0.10 | 0.16 | C88 |
| Multiple myeloma | 117 | 1.6 | 10.2 | 4.4 | 0.22 | 0.51 | 110 | 1.7 | 9.1 | 3.1 | 0.13 | 0.39 | C90 |
| Lymphoid leukaemia | 121 | 1.6 | 10.5 | 6.8 | 0.39 | 0.55 | 63 | 1.0 | 5.2 | 2.9 | 0.13 | 0.26 | C91 |
| Myeloid leukaemia | 78 | 1.1 | 6.8 | 3.7 | 0.21 | 0.39 | 75 | 1.1 | 6.2 | 2.2 | 0.11 | 0.22 | C92–94 |
| Leukaemia unspecified | 7 | 0.1 | 0.6 | 0.2 | 0.01 | 0.04 | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 49 | 0.7 | 4.3 | 2.1 | 0.10 | 0.24 | 61 | 0.9 | 5.0 | 1.9 | 0.10 | 0.16 | MPD |
| Myelodysplastic syndromes | 77 | 1.0 | 6.7 | 2.4 | 0.06 | 0.27 | 59 | 0.9 | 4.9 | 1.3 | 0.02 | 0.15 | MPS |
| Other and unspecified | 79 | 1.1 | 6.9 | 2.8 | 0.12 | 0.32 | 98 | 1.5 | 8.1 | 2.4 | 0.10 | 0.26 | O&U |
| All sites | 8029 | | 697.3 | 322.1 | 15.86 | 38.08 | 6977 | | 574.4 | 254.4 | 15.41 | 29.11 | C00–96 |
| All sites except C44 | 7389 | 100.0 | 641.8 | 302.9 | 15.37 | 36.22 | 6598 | 100.0 | 543.2 | 246.6 | 15.17 | 28.45 | C00–96 exc. C44 |

†See note following population pyramid

Switzerland, Berne Solothurn

CONTRIBUTORS

Aurel Perren
Andrea Jordan
Luzius Mader
Marco Weber



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 84.0 | Breast | 81.8 |
| Non-melanoma skin cancer | 38.6 | Non-melanoma skin cancer | 22.5 |
| Trachea, bronchus, and lung | 33.6 | Melanoma of skin | 22.4 |
| Melanoma of skin | 25.6 | Trachea, bronchus, and lung | 18.5 |
| Bladder | 25.3 | Colon | 13.9 |
| Colon | 21.5 | Corpus uteri | 9.6 |
| Non-Hodgkin lymphoma | 12.7 | Thyroid | 8.9 |
| Testis | 12.6 | Non-Hodgkin lymphoma | 8.6 |
| Rectum | 12.0 | Ovary | 8.0 |
| Kidney | 9.3 | Rectum | 6.9 |
| Pancreas | 8.7 | Pancreas | 6.7 |
| Stomach | 7.7 | Bladder | 6.1 |
| Liver | 7.0 | Cervix uteri | 4.7 |
| Brain and nervous system | 6.1 | Brain and nervous system | 4.2 |
| Lymphoid leukaemia | 6.0 | Lymphoid leukaemia | 3.6 |
| Multiple myeloma | 5.2 | Stomach | 3.4 |
| Oesophagus | 5.0 | Kidney | 3.1 |
| Myeloid leukaemia | 3.9 | Other and unspecified | 3.0 |
| Other and unspecified | 3.8 | Myeloid leukaemia | 3.0 |
| Hodgkin lymphoma | 3.7 | Multiple myeloma | 2.8 |
| All sites | 370.8 | All sites | 270.2 |

Switzerland, Berne Solothurn (2014–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 17 | 0.1 | 0.9 | 0.4 | 0.02 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 91 | 0.7 | 4.6 | 2.4 | 0.17 | 0.31 | 52 | 0.5 | 2.5 | 1.2 | 0.09 | 0.13 | C01–02 |
| Mouth | 109 | 0.8 | 5.5 | 2.9 | 0.20 | 0.35 | 57 | 0.5 | 2.7 | 1.2 | 0.08 | 0.14 | C03–06 |
| Salivary glands | 20 | 0.1 | 1.0 | 0.4 | 0.02 | 0.06 | 22 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 46 | 0.3 | 2.3 | 1.2 | 0.08 | 0.16 | 21 | 0.2 | 1.0 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 43 | 0.3 | 2.2 | 1.1 | 0.09 | 0.13 | 19 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C10 |
| Nasopharynx | 14 | 0.1 | 0.7 | 0.4 | 0.02 | 0.06 | 4 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C11 |
| Hypopharynx | 54 | 0.4 | 2.7 | 1.4 | 0.11 | 0.18 | 17 | 0.2 | 0.8 | 0.4 | 0.03 | 0.05 | C12–13 |
| Pharynx unspecified | 24 | 0.2 | 1.2 | 0.6 | 0.04 | 0.09 | 8 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C14 |
| Oesophagus | 220 | 1.6 | 11.0 | 5.0 | 0.25 | 0.64 | 74 | 0.7 | 3.6 | 1.4 | 0.07 | 0.19 | C15 |
| Stomach | 334 | 2.4 | 16.8 | 7.7 | 0.40 | 0.96 | 182 | 1.7 | 8.8 | 3.4 | 0.19 | 0.36 | C16 |
| Small intestine | 96 | 0.7 | 4.8 | 2.3 | 0.14 | 0.27 | 66 | 0.6 | 3.2 | 1.3 | 0.07 | 0.15 | C17 |
| Colon | 932 | 6.7 | 46.7 | 21.5 | 0.99 | 2.54 | 752 | 6.9 | 36.2 | 13.9 | 0.67 | 1.58 | C18 |
| Rectum | 516 | 3.7 | 25.9 | 12.0 | 0.62 | 1.48 | 322 | 3.0 | 15.5 | 6.9 | 0.45 | 0.79 | C19–20 |
| Anus | 36 | 0.3 | 1.8 | 0.9 | 0.06 | 0.11 | 74 | 0.7 | 3.6 | 1.6 | 0.13 | 0.19 | C21 |
| Liver | 291 | 2.1 | 14.6 | 7.0 | 0.36 | 0.85 | 102 | 0.9 | 4.9 | 1.9 | 0.09 | 0.18 | C22 |
| Gallbladder etc. | 105 | 0.8 | 5.3 | 2.1 | 0.07 | 0.23 | 110 | 1.0 | 5.3 | 1.7 | 0.08 | 0.17 | C23–24 |
| Pancreas | 398 | 2.9 | 20.0 | 8.7 | 0.40 | 1.04 | 397 | 3.7 | 19.1 | 6.7 | 0.32 | 0.78 | C25 |
| Nose, sinuses etc. | 26 | 0.2 | 1.3 | 0.7 | 0.06 | 0.09 | 20 | 0.2 | 1.0 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 91 | 0.7 | 4.6 | 2.3 | 0.16 | 0.29 | 15 | 0.1 | 0.7 | 0.3 | 0.03 | 0.04 | C32 |
| Trachea, bronchus, and lung | 1469 | 10.6 | 73.7 | 33.6 | 1.71 | 4.13 | 860 | 7.9 | 41.4 | 18.5 | 1.08 | 2.42 | C33–34 |
| Other thoracic organs | 17 | 0.1 | 0.9 | 0.4 | 0.02 | 0.04 | 12 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 11 | 0.1 | 0.6 | 0.5 | 0.04 | 0.04 | 17 | 0.2 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 989 | 7.1 | 49.6 | 25.6 | 1.47 | 2.87 | 837 | 7.7 | 40.3 | 22.4 | 1.61 | 2.33 | C43 |
| Other skin | 2067 | 14.9 | 103.7 | 38.6 | 1.03 | 3.86 | 1619 | 14.9 | 78.0 | 22.5 | 0.79 | 2.23 | C44 |
| Mesothelioma | 95 | 0.7 | 4.8 | 2.0 | 0.08 | 0.26 | 17 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 5 | 0.0 | 0.3 | 0.1 | 0.00 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 85 | 0.6 | 4.3 | 2.3 | 0.14 | 0.24 | 70 | 0.6 | 3.4 | 1.9 | 0.12 | 0.17 | C47+C49 |
| Breast | 18 | 0.1 | 0.9 | 0.4 | 0.01 | 0.05 | 3353 | 30.9 | 161.5 | 81.8 | 5.58 | 9.59 | C50 |
| Vulva | | | | | | | 78 | 0.7 | 3.8 | 1.4 | 0.07 | 0.15 | C51 |
| Vagina | | | | | | | 10 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 144 | 1.3 | 6.9 | 4.7 | 0.37 | 0.45 | C53 |
| Corpus uteri | | | | | | | 437 | 4.0 | 21.1 | 9.6 | 0.62 | 1.22 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 350 | 3.2 | 16.9 | 8.0 | 0.48 | 0.90 | C56 |
| Other female genital organs | | | | | | | 60 | 0.6 | 2.9 | 1.1 | 0.06 | 0.12 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 47 | 0.3 | 2.4 | 1.0 | 0.06 | 0.11 | | | | | | | C60 |
| Prostate | 3772 | 27.2 | 189.2 | 84.0 | 3.55 | 11.42 | | | | | | | C61 |
| Testis | 265 | 1.9 | 13.3 | 12.6 | 0.94 | 0.99 | | | | | | | C62 |
| Other male genital organs | 6 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 381 | 2.7 | 19.1 | 9.3 | 0.49 | 1.09 | 155 | 1.4 | 7.5 | 3.1 | 0.16 | 0.38 | C64 |
| Renal pelvis | 39 | 0.3 | 2.0 | 0.8 | 0.03 | 0.09 | 23 | 0.2 | 1.1 | 0.3 | 0.00 | 0.04 | C65 |
| Ureter | 22 | 0.2 | 1.1 | 0.5 | 0.03 | 0.07 | 8 | 0.1 | 0.4 | 0.1 | 0.00 | 0.02 | C66 |
| †Bladder | 1160 | 8.4 | 58.2 | 25.3 | 1.12 | 3.08 | 336 | 3.1 | 16.2 | 6.1 | 0.29 | 0.71 | C67 |
| Other urinary organs | 18 | 0.1 | 0.9 | 0.3 | 0.00 | 0.02 | 8 | 0.1 | 0.4 | 0.1 | 0.01 | 0.02 | C68 |
| Eye | 19 | 0.1 | 1.0 | 0.4 | 0.01 | 0.05 | 16 | 0.1 | 0.8 | 0.6 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 195 | 1.4 | 9.8 | 6.1 | 0.39 | 0.64 | 125 | 1.2 | 6.0 | 4.2 | 0.26 | 0.37 | C70–72 |
| Thyroid | 101 | 0.7 | 5.1 | 3.3 | 0.25 | 0.36 | 263 | 2.4 | 12.7 | 8.9 | 0.69 | 0.86 | C73 |
| Adrenal gland | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 6 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 86 | 0.6 | 4.3 | 3.7 | 0.24 | 0.29 | 52 | 0.5 | 2.5 | 2.3 | 0.16 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 501 | 3.6 | 25.1 | 12.7 | 0.70 | 1.46 | 402 | 3.7 | 19.4 | 8.6 | 0.50 | 1.02 | C82–86,C96 |
| Immunoproliferative diseases | 64 | 0.5 | 3.2 | 1.5 | 0.07 | 0.19 | 73 | 0.7 | 3.5 | 1.7 | 0.11 | 0.22 | C88 |
| Multiple myeloma | 228 | 1.6 | 11.4 | 5.2 | 0.27 | 0.60 | 158 | 1.5 | 7.6 | 2.8 | 0.10 | 0.33 | C90 |
| Lymphoid leukaemia | 214 | 1.5 | 10.7 | 6.0 | 0.28 | 0.61 | 122 | 1.1 | 5.9 | 3.6 | 0.19 | 0.35 | C91 |
| Myeloid leukaemia | 155 | 1.1 | 7.8 | 3.9 | 0.21 | 0.44 | 126 | 1.2 | 6.1 | 3.0 | 0.18 | 0.28 | C92–94 |
| Leukaemia unspecified | 6 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | 9 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 118 | 0.9 | 5.9 | 2.8 | 0.15 | 0.32 | 109 | 1.0 | 5.3 | 2.2 | 0.11 | 0.25 | MPD |
| Myelodysplastic syndromes | 120 | 0.9 | 6.0 | 2.3 | 0.07 | 0.23 | 61 | 0.6 | 2.9 | 1.0 | 0.04 | 0.10 | MPS |
| Other and unspecified | 201 | 1.4 | 10.1 | 3.8 | 0.14 | 0.34 | 217 | 2.0 | 10.5 | 3.0 | 0.12 | 0.28 | O&U |
| All sites | 15943 | | 799.6 | 370.8 | 17.82 | 43.83 | 12458 | | 600.1 | 270.2 | 16.31 | 30.24 | C00–96 |
| All sites except C44 | 13876 | 100.0 | 696.0 | 332.2 | 16.79 | 39.97 | 10839 | 100.0 | 522.2 | 247.8 | 15.52 | 28.01 | C00–96 exc. C44 |

†See note following population pyramid

Switzerland, East

CONTRIBUTORS

Mohsen Mousavi
 Marcel Blum
 Christian Herrmann
 Alexandra Breu
 Afrdita Demiri
 Fabienne Ernst
 Barbara Herde
 Elke Mattasits
 Eric Polzin



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 81.9 | Breast | 73.8 |
| Non-melanoma skin cancer | 41.4 | Non-melanoma skin cancer | 26.9 |
| Trachea, bronchus, and lung | 32.4 | Trachea, bronchus, and lung | 20.1 |
| Bladder | 25.5 | Melanoma of skin | 16.7 |
| Colon | 17.9 | Colon | 12.2 |
| Melanoma of skin | 17.9 | Corpus uteri | 11.3 |
| Rectum | 13.0 | Ovary | 8.4 |
| Non-Hodgkin lymphoma | 11.7 | Rectum | 7.9 |
| Testis | 11.0 | Thyroid | 7.7 |
| Kidney | 9.0 | Pancreas | 7.3 |
| Pancreas | 8.1 | Non-Hodgkin lymphoma | 7.0 |
| Stomach | 7.3 | Bladder | 5.7 |
| Brain and nervous system | 6.1 | Brain and nervous system | 4.7 |
| Liver | 5.9 | Cervix uteri | 4.1 |
| Oesophagus | 5.7 | Kidney | 3.5 |
| Lymphoid leukaemia | 5.0 | Stomach | 3.1 |
| Myeloid leukaemia | 4.5 | Multiple myeloma | 3.1 |
| Multiple myeloma | 4.3 | Lymphoid leukaemia | 2.9 |
| Connective and soft tissue | 3.1 | Hodgkin lymphoma | 2.8 |
| Hodgkin lymphoma | 3.1 | Connective and soft tissue | 2.7 |
| All sites | 353.0 | All sites | 260.0 |

Switzerland, East (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 21 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | 12 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C00 |
| Tongue | 109 | 0.9 | 5.2 | 3.1 | 0.20 | 0.41 | 40 | 0.4 | 1.9 | 1.1 | 0.07 | 0.13 | C01–02 |
| Mouth | 64 | 0.5 | 3.1 | 1.8 | 0.11 | 0.23 | 46 | 0.5 | 2.2 | 1.1 | 0.07 | 0.14 | C03–06 |
| Salivary glands | 22 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 24 | 0.3 | 1.2 | 0.8 | 0.06 | 0.08 | C07–08 |
| Tonsil | 51 | 0.4 | 2.4 | 1.4 | 0.10 | 0.18 | 12 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C09 |
| Other oropharynx | 35 | 0.3 | 1.7 | 0.9 | 0.06 | 0.12 | 17 | 0.2 | 0.8 | 0.4 | 0.03 | 0.04 | C10 |
| Nasopharynx | 10 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 8 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 44 | 0.4 | 2.1 | 1.2 | 0.05 | 0.18 | 5 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 232 | 1.9 | 11.1 | 5.7 | 0.28 | 0.70 | 54 | 0.6 | 2.6 | 1.2 | 0.07 | 0.15 | C15 |
| Stomach | 303 | 2.5 | 14.5 | 7.3 | 0.39 | 0.82 | 153 | 1.6 | 7.4 | 3.1 | 0.15 | 0.34 | C16 |
| Small intestine | 80 | 0.7 | 3.8 | 2.0 | 0.10 | 0.26 | 57 | 0.6 | 2.7 | 1.4 | 0.10 | 0.17 | C17 |
| Colon | 735 | 6.0 | 35.2 | 17.9 | 0.88 | 2.00 | 603 | 6.5 | 29.0 | 12.2 | 0.60 | 1.22 | C18 |
| Rectum | 509 | 4.2 | 24.4 | 13.0 | 0.71 | 1.68 | 340 | 3.7 | 16.4 | 7.9 | 0.47 | 0.94 | C19–20 |
| Anus | 29 | 0.2 | 1.4 | 0.7 | 0.04 | 0.09 | 53 | 0.6 | 2.6 | 1.4 | 0.09 | 0.17 | C21 |
| Liver | 245 | 2.0 | 11.7 | 5.9 | 0.29 | 0.74 | 106 | 1.1 | 5.1 | 2.2 | 0.10 | 0.29 | C22 |
| Gallbladder etc. | 84 | 0.7 | 4.0 | 2.0 | 0.08 | 0.25 | 101 | 1.1 | 4.9 | 1.7 | 0.06 | 0.17 | C23–24 |
| Pancreas | 345 | 2.8 | 16.5 | 8.1 | 0.35 | 0.97 | 358 | 3.8 | 17.2 | 7.3 | 0.36 | 0.84 | C25 |
| Nose, sinuses etc. | 33 | 0.3 | 1.6 | 1.0 | 0.06 | 0.11 | 12 | 0.1 | 0.6 | 0.4 | 0.02 | 0.03 | C30–31 |
| Larynx | 104 | 0.8 | 5.0 | 2.6 | 0.16 | 0.33 | 15 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 1332 | 10.9 | 63.8 | 32.4 | 1.57 | 4.28 | 869 | 9.3 | 41.8 | 20.1 | 1.12 | 2.74 | C33–34 |
| Other thoracic organs | 19 | 0.2 | 0.9 | 0.6 | 0.03 | 0.05 | 9 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 26 | 0.2 | 1.2 | 1.0 | 0.06 | 0.10 | 22 | 0.2 | 1.1 | 1.0 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 695 | 5.7 | 33.3 | 17.9 | 1.01 | 1.97 | 612 | 6.6 | 29.5 | 16.7 | 1.13 | 1.76 | C43 |
| Other skin | 1917 | 15.7 | 91.9 | 41.4 | 1.38 | 4.27 | 1524 | 16.4 | 73.4 | 26.9 | 1.15 | 2.81 | C44 |
| Mesothelioma | 109 | 0.9 | 5.2 | 2.6 | 0.11 | 0.35 | 21 | 0.2 | 1.0 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 101 | 0.8 | 4.8 | 3.1 | 0.17 | 0.30 | 86 | 0.9 | 4.1 | 2.7 | 0.19 | 0.27 | C47+C49 |
| Breast | 15 | 0.1 | 0.7 | 0.4 | 0.02 | 0.03 | 2751 | 29.6 | 132.5 | 73.8 | 5.20 | 8.46 | C50 |
| Vulva | | | | | | | 65 | 0.7 | 3.1 | 1.2 | 0.05 | 0.15 | C51 |
| Vagina | | | | | | | 11 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C52 |
| Cervix uteri | | | | | | | 118 | 1.3 | 5.7 | 4.1 | 0.30 | 0.38 | C53 |
| Corpus uteri | | | | | | | 459 | 4.9 | 22.1 | 11.3 | 0.71 | 1.41 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 337 | 3.6 | 16.2 | 8.4 | 0.55 | 0.92 | C56 |
| Other female genital organs | | | | | | | 35 | 0.4 | 1.7 | 0.7 | 0.04 | 0.09 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 41 | 0.3 | 2.0 | 1.0 | 0.04 | 0.14 | | | | | | | C60 |
| Prostate | 3373 | 27.5 | 161.7 | 81.9 | 3.50 | 11.38 | | | | | | | C61 |
| Testis | 261 | 2.1 | 12.5 | 11.0 | 0.86 | 0.90 | | | | | | | C62 |
| Other male genital organs | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 350 | 2.9 | 16.8 | 9.0 | 0.48 | 1.10 | 148 | 1.6 | 7.1 | 3.5 | 0.17 | 0.41 | C64 |
| Renal pelvis | 23 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | 23 | 0.2 | 1.1 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 21 | 0.2 | 1.0 | 0.4 | 0.01 | 0.03 | 11 | 0.1 | 0.5 | 0.2 | 0.00 | 0.01 | C66 |
| †Bladder | 1089 | 8.9 | 52.2 | 25.5 | 1.04 | 3.12 | 275 | 3.0 | 13.2 | 5.7 | 0.30 | 0.68 | C67 |
| Other urinary organs | 8 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 6 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 18 | 0.1 | 0.9 | 0.4 | 0.03 | 0.04 | 11 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C69 |
| Brain and nervous system | 196 | 1.6 | 9.4 | 6.1 | 0.41 | 0.63 | 138 | 1.5 | 6.6 | 4.7 | 0.29 | 0.45 | C70–72 |
| Thyroid | 94 | 0.8 | 4.5 | 3.0 | 0.21 | 0.30 | 216 | 2.3 | 10.4 | 7.7 | 0.60 | 0.74 | C73 |
| Adrenal gland | 6 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 4 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.0 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 72 | 0.6 | 3.5 | 3.1 | 0.20 | 0.23 | 59 | 0.6 | 2.8 | 2.8 | 0.18 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 440 | 3.6 | 21.1 | 11.7 | 0.56 | 1.27 | 301 | 3.2 | 14.5 | 7.0 | 0.36 | 0.79 | C82–86,C96 |
| Immunoproliferative diseases | 53 | 0.4 | 2.5 | 1.4 | 0.07 | 0.14 | 49 | 0.5 | 2.4 | 1.2 | 0.07 | 0.13 | C88 |
| Multiple myeloma | 184 | 1.5 | 8.8 | 4.3 | 0.19 | 0.51 | 155 | 1.7 | 7.5 | 3.1 | 0.11 | 0.39 | C90 |
| Lymphoid leukaemia | 171 | 1.4 | 8.2 | 5.0 | 0.28 | 0.53 | 98 | 1.1 | 4.7 | 2.9 | 0.17 | 0.24 | C91 |
| Myeloid leukaemia | 150 | 1.2 | 7.2 | 4.5 | 0.25 | 0.47 | 100 | 1.1 | 4.8 | 2.6 | 0.16 | 0.27 | C92–94 |
| Leukaemia unspecified | 10 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 6 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 98 | 0.8 | 4.7 | 2.6 | 0.14 | 0.29 | 95 | 1.0 | 4.6 | 2.3 | 0.13 | 0.24 | MPD |
| Myelodysplastic syndromes | 113 | 0.9 | 5.4 | 2.6 | 0.07 | 0.26 | 76 | 0.8 | 3.7 | 1.3 | 0.05 | 0.13 | MPS |
| Other and unspecified | 107 | 0.9 | 5.1 | 2.5 | 0.10 | 0.23 | 121 | 1.3 | 5.8 | 2.5 | 0.10 | 0.25 | O&U |
| All sites | 14163 | | 678.8 | 353.0 | 16.85 | 42.31 | 10830 | | 521.5 | 260.0 | 15.66 | 29.13 | C00–96 |
| All sites except C44 | 12246 | 100.0 | 586.9 | 311.5 | 15.47 | 38.04 | 9306 | 100.0 | 448.1 | 233.1 | 14.50 | 26.32 | C00–96 exc. C44 |

†See note following population pyramid

Switzerland, Fribourg

CONTRIBUTORS

Corinne Uginet
Yvan Bergeron



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 95.9 | Breast | 89.8 |
| Prostate | 83.6 | Non-melanoma skin cancer | 77.6 |
| Trachea, bronchus, and lung | 36.6 | Trachea, bronchus, and lung | 24.0 |
| Bladder | 24.0 | Melanoma of skin | 18.8 |
| Melanoma of skin | 22.8 | Colon | 14.1 |
| Colon | 20.7 | Thyroid | 11.0 |
| Non-Hodgkin lymphoma | 13.3 | Non-Hodgkin lymphoma | 9.2 |
| Rectum | 13.2 | Corpus uteri | 7.8 |
| Testis | 9.5 | Ovary | 6.8 |
| Pancreas | 9.1 | Rectum | 6.5 |
| Kidney | 8.8 | Bladder | 6.1 |
| Lymphoid leukaemia | 8.6 | Pancreas | 5.8 |
| Liver | 8.4 | Kidney | 5.2 |
| Stomach | 8.2 | Brain and nervous system | 4.5 |
| Brain and nervous system | 6.2 | Lymphoid leukaemia | 4.2 |
| Myeloid leukaemia | 5.6 | Cervix uteri | 3.6 |
| Oesophagus | 5.6 | Multiple myeloma | 3.2 |
| Other and unspecified | 5.2 | Liver | 3.2 |
| Thyroid | 4.5 | Stomach | 2.9 |
| Multiple myeloma | 4.3 | Other and unspecified | 2.7 |
| All sites | 436.9 | All sites | 337.3 |

*Switzerland, Fribourg (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 43 | 1.0 | 5.6 | 3.5 | 0.27 | 0.45 | 11 | 0.3 | 1.4 | 1.0 | 0.08 | 0.11 | C01–02 |
| Mouth | 33 | 0.8 | 4.3 | 2.7 | 0.18 | 0.36 | 14 | 0.4 | 1.8 | 1.1 | 0.06 | 0.15 | C03–06 |
| Salivary glands | 10 | 0.2 | 1.3 | 0.8 | 0.05 | 0.10 | 4 | 0.1 | 0.5 | 0.3 | 0.02 | 0.05 | C07–08 |
| Tonsil | 20 | 0.5 | 2.6 | 1.6 | 0.10 | 0.20 | 9 | 0.3 | 1.2 | 0.7 | 0.04 | 0.10 | C09 |
| Other oropharynx | 15 | 0.3 | 2.0 | 1.2 | 0.09 | 0.15 | 4 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C10 |
| Nasopharynx | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 4 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C11 |
| Hypopharynx | 28 | 0.6 | 3.7 | 2.1 | 0.11 | 0.33 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 73 | 1.7 | 9.6 | 5.6 | 0.28 | 0.75 | 25 | 0.7 | 3.3 | 1.8 | 0.09 | 0.27 | C15 |
| Stomach | 111 | 2.6 | 14.6 | 8.2 | 0.41 | 0.91 | 45 | 1.3 | 5.9 | 2.9 | 0.15 | 0.32 | C16 |
| Small intestine | 19 | 0.4 | 2.5 | 1.4 | 0.08 | 0.17 | 23 | 0.7 | 3.0 | 1.6 | 0.10 | 0.18 | C17 |
| Colon | 274 | 6.3 | 36.0 | 20.7 | 0.98 | 2.66 | 208 | 6.2 | 27.3 | 14.1 | 0.67 | 1.68 | C18 |
| Rectum | 174 | 4.0 | 22.8 | 13.2 | 0.67 | 1.61 | 95 | 2.8 | 12.5 | 6.5 | 0.37 | 0.80 | C19–20 |
| Anus | 8 | 0.2 | 1.0 | 0.7 | 0.05 | 0.09 | 17 | 0.5 | 2.2 | 1.4 | 0.12 | 0.20 | C21 |
| Liver | 114 | 2.6 | 15.0 | 8.4 | 0.41 | 1.04 | 45 | 1.3 | 5.9 | 3.2 | 0.23 | 0.39 | C22 |
| Gallbladder etc. | 23 | 0.5 | 3.0 | 1.6 | 0.04 | 0.19 | 18 | 0.5 | 2.4 | 1.1 | 0.04 | 0.11 | C23–24 |
| Pancreas | 124 | 2.9 | 16.3 | 9.1 | 0.47 | 1.07 | 92 | 2.7 | 12.1 | 5.8 | 0.17 | 0.78 | C25 |
| Nose, sinuses etc. | 7 | 0.2 | 0.9 | 0.6 | 0.05 | 0.07 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C30–31 |
| Larynx | 48 | 1.1 | 6.3 | 3.7 | 0.25 | 0.44 | 6 | 0.2 | 0.8 | 0.4 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 488 | 11.2 | 64.0 | 36.6 | 1.77 | 4.56 | 311 | 9.3 | 40.8 | 24.0 | 1.53 | 3.29 | C33–34 |
| Other thoracic organs | 11 | 0.3 | 1.4 | 1.0 | 0.06 | 0.09 | 4 | 0.1 | 0.5 | 0.2 | 0.00 | 0.01 | C37–38 |
| Bone | 14 | 0.3 | 1.8 | 1.7 | 0.13 | 0.14 | 7 | 0.2 | 0.9 | 0.8 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 279 | 6.4 | 36.6 | 22.8 | 1.40 | 2.72 | 231 | 6.9 | 30.3 | 18.8 | 1.30 | 1.96 | C43 |
| Other skin | 1349 | 31.0 | 177.1 | 95.9 | 4.24 | 10.27 | 1216 | 36.3 | 159.7 | 77.6 | 4.01 | 8.76 | C44 |
| Mesothelioma | 16 | 0.4 | 2.1 | 1.2 | 0.06 | 0.20 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 28 | 0.6 | 3.7 | 2.7 | 0.17 | 0.27 | 24 | 0.7 | 3.2 | 2.7 | 0.18 | 0.24 | C47+C49 |
| Breast | 9 | 0.2 | 1.2 | 0.7 | 0.02 | 0.10 | 1123 | 33.6 | 147.4 | 89.8 | 6.23 | 10.43 | C50 |
| Vulva | | | | | | | 18 | 0.5 | 2.4 | 1.2 | 0.06 | 0.12 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 37 | 1.1 | 4.9 | 3.6 | 0.30 | 0.33 | C53 |
| Corpus uteri | | | | | | | 103 | 3.1 | 13.5 | 7.8 | 0.50 | 0.91 | C54 |
| Uterus unspecified | | | | | | | 10 | 0.3 | 1.3 | 0.6 | 0.04 | 0.07 | C55 |
| Ovary | | | | | | | 94 | 2.8 | 12.3 | 6.8 | 0.41 | 0.81 | C56 |
| Other female genital organs | | | | | | | 10 | 0.3 | 1.3 | 0.8 | 0.05 | 0.08 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 8 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | | | | | | | C60 |
| Prostate | 1117 | 25.7 | 146.6 | 83.6 | 3.97 | 11.33 | | | | | | | C61 |
| Testis | 78 | 1.8 | 10.2 | 9.5 | 0.73 | 0.75 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 110 | 2.5 | 14.4 | 8.8 | 0.55 | 1.04 | 57 | 1.7 | 7.5 | 5.2 | 0.27 | 0.53 | C64 |
| Renal pelvis | 8 | 0.2 | 1.0 | 0.6 | 0.02 | 0.06 | 11 | 0.3 | 1.4 | 0.9 | 0.05 | 0.12 | C65 |
| Ureter | 7 | 0.2 | 0.9 | 0.5 | 0.01 | 0.06 | 7 | 0.2 | 0.9 | 0.4 | 0.02 | 0.05 | C66 |
| †Bladder | 326 | 7.5 | 42.8 | 24.0 | 1.03 | 2.96 | 91 | 2.7 | 11.9 | 6.1 | 0.29 | 0.80 | C67 |
| Other urinary organs | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.1 | 0.7 | 0.4 | 0.03 | 0.06 | 4 | 0.1 | 0.5 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 64 | 1.5 | 8.4 | 6.2 | 0.37 | 0.61 | 49 | 1.5 | 6.4 | 4.5 | 0.26 | 0.39 | C70–72 |
| Thyroid | 51 | 1.2 | 6.7 | 4.5 | 0.34 | 0.48 | 119 | 3.6 | 15.6 | 11.0 | 0.87 | 1.11 | C73 |
| Adrenal gland | 2 | 0.0 | 0.3 | 0.2 | 0.01 | 0.03 | 5 | 0.1 | 0.7 | 0.6 | 0.03 | 0.06 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 35 | 0.8 | 4.6 | 3.8 | 0.29 | 0.32 | 21 | 0.6 | 2.8 | 2.3 | 0.14 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 164 | 3.8 | 21.5 | 13.3 | 0.74 | 1.51 | 118 | 3.5 | 15.5 | 9.2 | 0.53 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 14 | 0.3 | 1.8 | 1.1 | 0.07 | 0.08 | 18 | 0.5 | 2.4 | 1.3 | 0.08 | 0.17 | C88 |
| Multiple myeloma | 57 | 1.3 | 7.5 | 4.3 | 0.20 | 0.53 | 50 | 1.5 | 6.6 | 3.2 | 0.14 | 0.38 | C90 |
| Lymphoid leukaemia | 88 | 2.0 | 11.5 | 8.6 | 0.48 | 0.78 | 41 | 1.2 | 5.4 | 4.2 | 0.21 | 0.44 | C91 |
| Myeloid leukaemia | 62 | 1.4 | 8.1 | 5.6 | 0.31 | 0.57 | 27 | 0.8 | 3.5 | 2.7 | 0.18 | 0.24 | C92–94 |
| Leukaemia unspecified | 5 | 0.1 | 0.7 | 0.3 | 0.01 | 0.01 | 4 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C95 |
| Myeloproliferative disorders | 48 | 1.1 | 6.3 | 3.6 | 0.17 | 0.46 | 35 | 1.0 | 4.6 | 2.7 | 0.17 | 0.38 | MPD |
| Myelodysplastic syndromes | 45 | 1.0 | 5.9 | 3.2 | 0.13 | 0.35 | 31 | 0.9 | 4.1 | 1.5 | 0.04 | 0.10 | MPS |
| Other and unspecified | 68 | 1.6 | 8.9 | 5.2 | 0.22 | 0.53 | 50 | 1.5 | 6.6 | 2.7 | 0.15 | 0.25 | O&U |
| All sites | 5699 | | 748.0 | 436.9 | 22.15 | 51.69 | 4563 | | 599.1 | 337.3 | 20.42 | 38.79 | C00–96 |
| All sites except C44 | 4350 | 100.0 | 570.9 | 341.0 | 17.91 | 41.42 | 3347 | 100.0 | 439.4 | 259.7 | 16.41 | 30.04 | C00–96 exc. C44 |

*†See note following population pyramid

Switzerland, Geneva

CONTRIBUTORS

Elisabetta Rapiti
Isabelle Neyroud-Caspar
Evelyne Fournier
Robin Schaffar



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 82.5 | Breast | 88.5 |
| Non-melanoma skin cancer | 54.8 | Non-melanoma skin cancer | 35.4 |
| Trachea, bronchus, and lung | 36.0 | Trachea, bronchus, and lung | 23.1 |
| Bladder | 26.9 | Melanoma of skin | 17.5 |
| Melanoma of skin | 22.1 | Thyroid | 17.2 |
| Colon | 17.7 | Colon | 14.7 |
| Liver | 14.4 | Corpus uteri | 10.7 |
| Non-Hodgkin lymphoma | 13.1 | Non-Hodgkin lymphoma | 9.2 |
| Pancreas | 10.6 | Ovary | 7.4 |
| Rectum | 10.0 | Pancreas | 6.9 |
| Kidney | 9.1 | Rectum | 6.5 |
| Stomach | 7.8 | Bladder | 5.9 |
| Lymphoid leukaemia | 7.4 | Kidney | 4.3 |
| Brain and nervous system | 6.5 | Stomach | 3.7 |
| Testis | 6.3 | Hodgkin lymphoma | 3.2 |
| Thyroid | 5.5 | Brain and nervous system | 3.2 |
| Oesophagus | 5.5 | Myeloid leukaemia | 3.1 |
| Connective and soft tissue | 4.0 | Anus | 3.0 |
| Other and unspecified | 3.9 | Liver | 2.9 |
| Hodgkin lymphoma | 3.7 | Cervix uteri | 2.8 |
| All sites | 390.1 | All sites | 300.2 |

Switzerland, Geneva (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 12 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 53 | 0.8 | 4.6 | 2.8 | 0.18 | 0.35 | 32 | 0.5 | 2.6 | 1.3 | 0.09 | 0.17 | C01–02 |
| Mouth | 52 | 0.8 | 4.5 | 2.9 | 0.19 | 0.37 | 29 | 0.5 | 2.3 | 1.3 | 0.06 | 0.18 | C03–06 |
| Salivary glands | 18 | 0.3 | 1.6 | 0.9 | 0.03 | 0.09 | 15 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | C07–08 |
| Tonsil | 37 | 0.5 | 3.2 | 2.0 | 0.15 | 0.27 | 26 | 0.4 | 2.1 | 1.2 | 0.08 | 0.15 | C09 |
| Other oropharynx | 24 | 0.4 | 2.1 | 1.4 | 0.08 | 0.19 | 6 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 12 | 0.2 | 1.0 | 0.7 | 0.07 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 49 | 0.7 | 4.2 | 2.5 | 0.16 | 0.30 | 7 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | C14 |
| Oesophagus | 110 | 1.6 | 9.5 | 5.5 | 0.32 | 0.68 | 42 | 0.7 | 3.4 | 1.6 | 0.08 | 0.24 | C15 |
| Stomach | 161 | 2.4 | 13.9 | 7.8 | 0.46 | 0.92 | 98 | 1.6 | 7.9 | 3.7 | 0.21 | 0.39 | C16 |
| Small intestine | 27 | 0.4 | 2.3 | 1.4 | 0.07 | 0.17 | 32 | 0.5 | 2.6 | 1.3 | 0.06 | 0.17 | C17 |
| Colon | 383 | 5.7 | 33.0 | 17.7 | 0.89 | 1.98 | 411 | 6.6 | 33.2 | 14.7 | 0.76 | 1.62 | C18 |
| Rectum | 200 | 3.0 | 17.2 | 10.0 | 0.54 | 1.22 | 157 | 2.5 | 12.7 | 6.5 | 0.45 | 0.77 | C19–20 |
| Anus | 29 | 0.4 | 2.5 | 1.5 | 0.12 | 0.17 | 68 | 1.1 | 5.5 | 3.0 | 0.19 | 0.37 | C21 |
| Liver | 294 | 4.3 | 25.3 | 14.4 | 0.76 | 1.85 | 84 | 1.4 | 6.8 | 2.9 | 0.14 | 0.33 | C22 |
| Gallbladder etc. | 32 | 0.5 | 2.8 | 1.3 | 0.05 | 0.16 | 53 | 0.9 | 4.3 | 1.5 | 0.06 | 0.16 | C23–24 |
| Pancreas | 229 | 3.4 | 19.7 | 10.6 | 0.57 | 1.28 | 217 | 3.5 | 17.5 | 6.9 | 0.31 | 0.76 | C25 |
| Nose, sinuses etc. | 6 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 14 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C30–31 |
| Larynx | 63 | 0.9 | 5.4 | 3.3 | 0.25 | 0.41 | 14 | 0.2 | 1.1 | 0.7 | 0.06 | 0.09 | C32 |
| Trachea, bronchus, and lung | 773 | 11.4 | 66.6 | 36.0 | 1.53 | 4.64 | 597 | 9.6 | 48.2 | 23.1 | 1.19 | 2.91 | C33–34 |
| Other thoracic organs | 14 | 0.2 | 1.2 | 0.9 | 0.05 | 0.08 | 13 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C37–38 |
| Bone | 12 | 0.2 | 1.0 | 1.1 | 0.06 | 0.06 | 11 | 0.2 | 0.9 | 1.0 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 428 | 6.3 | 36.9 | 22.1 | 1.30 | 2.43 | 368 | 5.9 | 29.7 | 17.5 | 1.23 | 1.86 | C43 |
| Other skin | 1382 | 20.4 | 119.0 | 54.8 | 1.53 | 5.98 | 1209 | 19.5 | 97.6 | 35.4 | 1.24 | 3.90 | C44 |
| Mesothelioma | 15 | 0.2 | 1.3 | 0.7 | 0.01 | 0.09 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 15 | 0.2 | 1.3 | 0.8 | 0.04 | 0.11 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 59 | 0.9 | 5.1 | 4.0 | 0.24 | 0.33 | 42 | 0.7 | 3.4 | 1.8 | 0.11 | 0.20 | C47+C49 |
| Breast | 14 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | 1905 | 30.7 | 153.7 | 88.5 | 6.06 | 10.15 | C50 |
| Vulva | | | | | | | 30 | 0.5 | 2.4 | 1.1 | 0.06 | 0.12 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C52 |
| Cervix uteri | | | | | | | 58 | 0.9 | 4.7 | 2.8 | 0.22 | 0.29 | C53 |
| Corpus uteri | | | | | | | 257 | 4.1 | 20.7 | 10.7 | 0.69 | 1.32 | C54 |
| Uterus unspecified | | | | | | | 9 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 179 | 2.9 | 14.4 | 7.4 | 0.43 | 0.88 | C56 |
| Other female genital organs | | | | | | | 30 | 0.5 | 2.4 | 1.2 | 0.07 | 0.12 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 10 | 0.1 | 0.9 | 0.3 | 0.01 | 0.03 | | | | | | | C60 |
| Prostate | 1692 | 25.0 | 145.7 | 82.5 | 3.69 | 11.33 | | | | | | | C61 |
| Testis | 84 | 1.2 | 7.2 | 6.3 | 0.48 | 0.50 | | | | | | | C62 |
| Other male genital organs | 3 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 171 | 2.5 | 14.7 | 9.1 | 0.55 | 1.06 | 88 | 1.4 | 7.1 | 4.3 | 0.27 | 0.51 | C64 |
| Renal pelvis | 9 | 0.1 | 0.8 | 0.4 | 0.01 | 0.05 | 11 | 0.2 | 0.9 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 9 | 0.1 | 0.8 | 0.4 | 0.02 | 0.04 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| †Bladder | 633 | 9.3 | 54.5 | 26.9 | 0.98 | 3.08 | 173 | 2.8 | 14.0 | 5.9 | 0.27 | 0.67 | C67 |
| Other urinary organs | 7 | 0.1 | 0.6 | 0.3 | 0.00 | 0.03 | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | 15 | 0.2 | 1.2 | 0.8 | 0.02 | 0.07 | C69 |
| Brain and nervous system | 106 | 1.6 | 9.1 | 6.5 | 0.36 | 0.74 | 61 | 1.0 | 4.9 | 3.2 | 0.19 | 0.32 | C70–72 |
| Thyroid | 92 | 1.4 | 7.9 | 5.5 | 0.42 | 0.58 | 299 | 4.8 | 24.1 | 17.2 | 1.38 | 1.72 | C73 |
| Adrenal gland | 5 | 0.1 | 0.4 | 0.6 | 0.03 | 0.03 | 4 | 0.1 | 0.3 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 3 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 53 | 0.8 | 4.6 | 3.7 | 0.26 | 0.29 | 40 | 0.6 | 3.2 | 3.2 | 0.22 | 0.25 | C81 |
| Non-Hodgkin lymphoma | 245 | 3.6 | 21.1 | 13.1 | 0.76 | 1.45 | 222 | 3.6 | 17.9 | 9.2 | 0.51 | 1.06 | C82–86,C96 |
| Immunoproliferative diseases | 22 | 0.3 | 1.9 | 0.9 | 0.03 | 0.11 | 24 | 0.4 | 1.9 | 1.1 | 0.07 | 0.13 | C88 |
| Multiple myeloma | 79 | 1.2 | 6.8 | 3.6 | 0.17 | 0.41 | 83 | 1.3 | 6.7 | 2.8 | 0.14 | 0.31 | C90 |
| Lymphoid leukaemia | 127 | 1.9 | 10.9 | 7.4 | 0.35 | 0.67 | 72 | 1.2 | 5.8 | 2.8 | 0.15 | 0.25 | C91 |
| Myeloid leukaemia | 59 | 0.9 | 5.1 | 2.6 | 0.11 | 0.28 | 70 | 1.1 | 5.6 | 3.1 | 0.18 | 0.34 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 6 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 53 | 0.8 | 4.6 | 2.7 | 0.14 | 0.31 | 50 | 0.8 | 4.0 | 1.9 | 0.11 | 0.18 | MPD |
| Myelodysplastic syndromes | 90 | 1.3 | 7.8 | 3.4 | 0.09 | 0.32 | 63 | 1.0 | 5.1 | 1.4 | 0.02 | 0.12 | MPS |
| Other and unspecified | 89 | 1.3 | 7.7 | 3.9 | 0.14 | 0.41 | 93 | 1.5 | 7.5 | 2.3 | 0.09 | 0.21 | O&U |
| All sites | 8156 | | 702.5 | 390.1 | 18.41 | 46.22 | 7413 | | 598.2 | 300.2 | 17.75 | 33.72 | C00–96 |
| All sites except C44 | 6774 | 100.0 | 583.5 | 335.3 | 16.88 | 40.24 | 6204 | 100.0 | 500.6 | 264.8 | 16.50 | 29.82 | C00–96 exc. C44 |

†See note following population pyramid

Switzerland, Graubünden and Glarus

CONTRIBUTORS

Roger von Moos
Mohsen Mousavi
Philip Went
Christian Herrmann
Sonja Buchli
Andrea Wittmann



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 79.6 | Breast | 69.4 |
| Trachea, bronchus, and lung | 35.7 | Trachea, bronchus, and lung | 19.2 |
| Non-melanoma skin cancer | 26.9 | Non-melanoma skin cancer | 18.3 |
| Bladder | 23.7 | Melanoma of skin | 14.6 |
| Colon | 18.6 | Colon | 13.6 |
| Melanoma of skin | 17.2 | Corpus uteri | 12.5 |
| Testis | 14.4 | Non-Hodgkin lymphoma | 8.3 |
| Non-Hodgkin lymphoma | 10.3 | Pancreas | 8.0 |
| Rectum | 9.5 | Ovary | 7.4 |
| Kidney | 8.2 | Thyroid | 7.0 |
| Pancreas | 8.1 | Rectum | 5.7 |
| Stomach | 7.7 | Bladder | 5.4 |
| Oesophagus | 6.4 | Cervix uteri | 4.3 |
| Brain and nervous system | 6.0 | Kidney | 4.0 |
| Lymphoid leukaemia | 5.9 | Brain and nervous system | 3.5 |
| Liver | 5.8 | Stomach | 3.1 |
| Thyroid | 4.3 | Other and unspecified | 2.8 |
| Myeloid leukaemia | 4.1 | Anus | 2.6 |
| Hodgkin lymphoma | 4.1 | Hodgkin lymphoma | 2.5 |
| Multiple myeloma | 4.0 | Multiple myeloma | 2.4 |
| All sites | 343.8 | All sites | 243.8 |

*Switzerland, Graubünden and Glarus (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 18 | 0.5 | 3.0 | 1.3 | 0.06 | 0.15 | 10 | 0.3 | 1.7 | 0.5 | 0.04 | 0.05 | C00 |
| Tongue | 18 | 0.5 | 3.0 | 1.5 | 0.11 | 0.19 | 11 | 0.4 | 1.9 | 1.0 | 0.07 | 0.11 | C01–02 |
| Mouth | 21 | 0.5 | 3.6 | 2.0 | 0.16 | 0.27 | 11 | 0.4 | 1.9 | 1.1 | 0.09 | 0.12 | C03–06 |
| Salivary glands | 7 | 0.2 | 1.2 | 0.5 | 0.02 | 0.04 | 8 | 0.3 | 1.4 | 0.9 | 0.05 | 0.10 | C07–08 |
| Tonsil | 23 | 0.6 | 3.9 | 2.0 | 0.12 | 0.28 | 12 | 0.4 | 2.0 | 1.0 | 0.09 | 0.12 | C09 |
| Other oropharynx | 11 | 0.3 | 1.9 | 1.0 | 0.07 | 0.14 | 5 | 0.2 | 0.8 | 0.5 | 0.05 | 0.07 | C10 |
| Nasopharynx | 6 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 1 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 14 | 0.4 | 2.4 | 1.2 | 0.07 | 0.16 | 4 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 85 | 2.2 | 14.4 | 6.4 | 0.26 | 0.83 | 26 | 0.9 | 4.4 | 1.8 | 0.10 | 0.22 | C15 |
| Stomach | 104 | 2.6 | 17.6 | 7.7 | 0.42 | 0.94 | 59 | 2.1 | 10.0 | 3.1 | 0.11 | 0.36 | C16 |
| Small intestine | 31 | 0.8 | 5.2 | 2.7 | 0.17 | 0.37 | 21 | 0.7 | 3.6 | 1.5 | 0.09 | 0.20 | C17 |
| Colon | 253 | 6.4 | 42.8 | 18.6 | 0.86 | 2.14 | 194 | 6.8 | 32.9 | 13.6 | 0.64 | 1.63 | C18 |
| Rectum | 127 | 3.2 | 21.5 | 9.5 | 0.52 | 1.18 | 78 | 2.7 | 13.2 | 5.7 | 0.33 | 0.75 | C19–20 |
| Anus | 11 | 0.3 | 1.9 | 0.8 | 0.03 | 0.12 | 34 | 1.2 | 5.8 | 2.6 | 0.18 | 0.36 | C21 |
| Liver | 79 | 2.0 | 13.4 | 5.8 | 0.24 | 0.69 | 32 | 1.1 | 5.4 | 2.2 | 0.13 | 0.28 | C22 |
| Gallbladder etc. | 32 | 0.8 | 5.4 | 2.3 | 0.08 | 0.26 | 28 | 1.0 | 4.8 | 1.8 | 0.06 | 0.25 | C23–24 |
| Pancreas | 109 | 2.8 | 18.4 | 8.1 | 0.40 | 0.96 | 129 | 4.5 | 21.9 | 8.0 | 0.40 | 0.93 | C25 |
| Nose, sinuses etc. | 7 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | 4 | 0.1 | 0.7 | 0.3 | 0.00 | 0.07 | C30–31 |
| Larynx | 34 | 0.9 | 5.8 | 2.9 | 0.20 | 0.38 | 14 | 0.5 | 2.4 | 1.2 | 0.07 | 0.18 | C32 |
| Trachea, bronchus, and lung | 474 | 12.0 | 80.2 | 35.7 | 1.72 | 4.38 | 263 | 9.2 | 44.6 | 19.2 | 1.10 | 2.50 | C33–34 |
| Other thoracic organs | 20 | 0.5 | 3.4 | 1.4 | 0.06 | 0.15 | 4 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C37–38 |
| Bone | 9 | 0.2 | 1.5 | 1.0 | 0.08 | 0.10 | 8 | 0.3 | 1.4 | 1.0 | 0.07 | 0.07 | C40–41 |
| Melanoma of skin | 206 | 5.2 | 34.9 | 17.2 | 0.97 | 1.95 | 178 | 6.2 | 30.2 | 14.6 | 1.01 | 1.50 | C43 |
| Other skin | 422 | 10.7 | 71.4 | 26.9 | 0.74 | 2.52 | 388 | 13.5 | 65.8 | 18.3 | 0.58 | 1.73 | C44 |
| Mesothelioma | 55 | 1.4 | 9.3 | 3.9 | 0.14 | 0.49 | 14 | 0.5 | 2.4 | 0.8 | 0.04 | 0.08 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 35 | 0.9 | 5.9 | 3.5 | 0.17 | 0.29 | 15 | 0.5 | 2.5 | 1.3 | 0.07 | 0.15 | C47+C49 |
| Breast | 6 | 0.2 | 1.0 | 0.5 | 0.01 | 0.08 | 783 | 27.3 | 132.8 | 69.4 | 4.87 | 7.78 | C50 |
| Vulva | | | | | | | 22 | 0.8 | 3.7 | 1.2 | 0.06 | 0.12 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 38 | 1.3 | 6.4 | 4.3 | 0.34 | 0.39 | C53 |
| Corpus uteri | | | | | | | 157 | 5.5 | 26.6 | 12.5 | 0.75 | 1.70 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 107 | 3.7 | 18.2 | 7.4 | 0.42 | 0.80 | C56 |
| Other female genital organs | | | | | | | 8 | 0.3 | 1.4 | 0.6 | 0.05 | 0.06 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 15 | 0.4 | 2.5 | 1.1 | 0.03 | 0.13 | | | | | | | C60 |
| Prostate | 1039 | 26.4 | 175.9 | 79.6 | 3.74 | 10.77 | | | | | | | C61 |
| Testis | 90 | 2.3 | 15.2 | 14.4 | 1.12 | 1.12 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 95 | 2.4 | 16.1 | 8.2 | 0.52 | 0.94 | 41 | 1.4 | 7.0 | 4.0 | 0.21 | 0.47 | C64 |
| Renal pelvis | 6 | 0.2 | 1.0 | 0.4 | 0.01 | 0.06 | 4 | 0.1 | 0.7 | 0.2 | 0.00 | 0.03 | C65 |
| Ureter | 3 | 0.1 | 0.5 | 0.3 | 0.03 | 0.04 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 343 | 8.7 | 58.1 | 23.7 | 0.79 | 2.76 | 91 | 3.2 | 15.4 | 5.4 | 0.21 | 0.69 | C67 |
| Other urinary organs | 4 | 0.1 | 0.7 | 0.2 | 0.00 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 6 | 0.2 | 1.0 | 0.9 | 0.04 | 0.09 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 51 | 1.3 | 8.6 | 6.0 | 0.37 | 0.56 | 35 | 1.2 | 5.9 | 3.5 | 0.24 | 0.37 | C70–72 |
| Thyroid | 37 | 0.9 | 6.3 | 4.3 | 0.31 | 0.42 | 62 | 2.2 | 10.5 | 7.0 | 0.57 | 0.74 | C73 |
| Adrenal gland | 5 | 0.1 | 0.8 | 0.7 | 0.03 | 0.03 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C74 |
| Other endocrine | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 31 | 0.8 | 5.2 | 4.1 | 0.28 | 0.34 | 21 | 0.7 | 3.6 | 2.5 | 0.17 | 0.22 | C81 |
| Non-Hodgkin lymphoma | 126 | 3.2 | 21.3 | 10.3 | 0.57 | 1.11 | 115 | 4.0 | 19.5 | 8.3 | 0.46 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 16 | 0.4 | 2.7 | 1.4 | 0.06 | 0.16 | 15 | 0.5 | 2.5 | 1.1 | 0.06 | 0.14 | C88 |
| Multiple myeloma | 53 | 1.3 | 9.0 | 4.0 | 0.19 | 0.51 | 40 | 1.4 | 6.8 | 2.4 | 0.09 | 0.29 | C90 |
| Lymphoid leukaemia | 62 | 1.6 | 10.5 | 5.9 | 0.28 | 0.57 | 24 | 0.8 | 4.1 | 1.8 | 0.11 | 0.21 | C91 |
| Myeloid leukaemia | 42 | 1.1 | 7.1 | 4.1 | 0.22 | 0.36 | 30 | 1.0 | 5.1 | 2.3 | 0.12 | 0.26 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.5 | 0.3 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 31 | 0.8 | 5.2 | 2.5 | 0.12 | 0.37 | 31 | 1.1 | 5.3 | 2.1 | 0.10 | 0.23 | MPD |
| Myelodysplastic syndromes | 31 | 0.8 | 5.2 | 2.0 | 0.02 | 0.22 | 18 | 0.6 | 3.1 | 1.2 | 0.06 | 0.09 | MPS |
| Other and unspecified | 52 | 1.3 | 8.8 | 3.5 | 0.14 | 0.33 | 53 | 1.8 | 9.0 | 2.8 | 0.12 | 0.28 | O&U |
| All sites | 4362 | | 738.3 | 343.8 | 16.66 | 40.14 | 3255 | | 552.2 | 243.8 | 14.48 | 27.81 | C00–96 |
| All sites except C44 | 3940 | 100.0 | 666.9 | 316.9 | 15.92 | 37.62 | 2867 | 100.0 | 486.4 | 225.5 | 13.91 | 26.08 | C00–96 exc. C44 |

*See note following population pyramid

Switzerland, Lucerne

CONTRIBUTORS

Joachim Diebold
Anja Burgherr



NOTES ON THE DATA

*No questionnaire.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 88.6 | Breast | 79.4 |
| Prostate | 75.6 | Non-melanoma skin cancer | 70.7 |
| Trachea, bronchus, and lung | 28.4 | Melanoma of skin | 21.0 |
| Melanoma of skin | 21.4 | Trachea, bronchus, and lung | 16.4 |
| Bladder | 21.1 | Colon | 12.9 |
| Colon | 16.2 | Corpus uteri | 10.4 |
| Testis | 12.0 | Thyroid | 10.2 |
| Non-Hodgkin lymphoma | 11.6 | Non-Hodgkin lymphoma | 8.0 |
| Rectum | 10.9 | Ovary | 7.9 |
| Kidney | 9.2 | Bladder | 6.3 |
| Pancreas | 9.1 | Pancreas | 6.1 |
| Stomach | 7.5 | Rectum | 5.7 |
| Brain and nervous system | 6.8 | Brain and nervous system | 5.2 |
| Liver | 5.3 | Cervix uteri | 5.1 |
| Other and unspecified | 5.2 | Kidney | 4.2 |
| Oesophagus | 5.2 | Other and unspecified | 4.1 |
| Lymphoid leukaemia | 5.1 | Myeloid leukaemia | 3.2 |
| Thyroid | 4.7 | Stomach | 3.1 |
| Multiple myeloma | 4.2 | Hodgkin lymphoma | 2.7 |
| Myeloid leukaemia | 4.1 | Lymphoid leukaemia | 2.5 |
| All sites | 386.5 | All sites | 315.4 |

*Switzerland, Lucerne (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 14 | 0.2 | 1.1 | 0.5 | 0.03 | 0.05 | 6 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 63 | 0.9 | 4.9 | 3.0 | 0.21 | 0.36 | 36 | 0.6 | 2.8 | 1.5 | 0.09 | 0.17 | C01–02 |
| Mouth | 33 | 0.5 | 2.6 | 1.4 | 0.08 | 0.19 | 33 | 0.6 | 2.6 | 1.3 | 0.09 | 0.12 | C03–06 |
| Salivary glands | 19 | 0.3 | 1.5 | 0.7 | 0.03 | 0.09 | 7 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C07–08 |
| Tonsil | 29 | 0.4 | 2.3 | 1.3 | 0.10 | 0.16 | 11 | 0.2 | 0.9 | 0.5 | 0.04 | 0.07 | C09 |
| Other oropharynx | 15 | 0.2 | 1.2 | 0.7 | 0.05 | 0.09 | 7 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C10 |
| Nasopharynx | 17 | 0.2 | 1.3 | 0.8 | 0.07 | 0.08 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 34 | 0.5 | 2.7 | 1.5 | 0.08 | 0.18 | 3 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 134 | 1.8 | 10.5 | 5.2 | 0.26 | 0.61 | 42 | 0.7 | 3.3 | 1.4 | 0.07 | 0.18 | C15 |
| Stomach | 197 | 2.7 | 15.4 | 7.5 | 0.38 | 0.84 | 97 | 1.6 | 7.6 | 3.1 | 0.16 | 0.29 | C16 |
| Small intestine | 29 | 0.4 | 2.3 | 1.2 | 0.07 | 0.16 | 26 | 0.4 | 2.0 | 0.9 | 0.06 | 0.12 | C17 |
| Colon | 427 | 5.9 | 33.4 | 16.2 | 0.80 | 1.78 | 378 | 6.3 | 29.5 | 12.9 | 0.64 | 1.36 | C18 |
| Rectum | 268 | 3.7 | 21.0 | 10.9 | 0.59 | 1.28 | 154 | 2.6 | 12.0 | 5.7 | 0.32 | 0.67 | C19–20 |
| Anus | 23 | 0.3 | 1.8 | 0.8 | 0.03 | 0.08 | 26 | 0.4 | 2.0 | 1.0 | 0.08 | 0.12 | C21 |
| Liver | 146 | 2.0 | 11.4 | 5.3 | 0.20 | 0.61 | 76 | 1.3 | 5.9 | 2.4 | 0.11 | 0.27 | C22 |
| Gallbladder etc. | 36 | 0.5 | 2.8 | 1.3 | 0.05 | 0.16 | 56 | 0.9 | 4.4 | 1.4 | 0.04 | 0.15 | C23–24 |
| Pancreas | 239 | 3.3 | 18.7 | 9.1 | 0.36 | 1.12 | 202 | 3.4 | 15.8 | 6.1 | 0.26 | 0.73 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | 9 | 0.2 | 0.7 | 0.5 | 0.03 | 0.05 | C30–31 |
| Larynx | 57 | 0.8 | 4.5 | 2.2 | 0.09 | 0.29 | 10 | 0.2 | 0.8 | 0.3 | 0.01 | 0.05 | C32 |
| Trachea, bronchus, and lung | 726 | 10.0 | 56.8 | 28.4 | 1.36 | 3.62 | 440 | 7.4 | 34.4 | 16.4 | 0.88 | 2.13 | C33–34 |
| Other thoracic organs | 10 | 0.1 | 0.8 | 0.5 | 0.04 | 0.05 | 12 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | C37–38 |
| Bone | 15 | 0.2 | 1.2 | 0.8 | 0.04 | 0.10 | 17 | 0.3 | 1.3 | 1.2 | 0.09 | 0.11 | C40–41 |
| Melanoma of skin | 501 | 6.9 | 39.2 | 21.4 | 1.19 | 2.46 | 470 | 7.9 | 36.7 | 21.0 | 1.43 | 2.24 | C43 |
| Other skin | 2386 | 32.9 | 186.6 | 88.6 | 3.77 | 10.16 | 2098 | 35.2 | 163.9 | 70.7 | 3.59 | 8.00 | C44 |
| Mesothelioma | 42 | 0.6 | 3.3 | 1.6 | 0.07 | 0.20 | 6 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 5 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C46 |
| Connective and soft tissue | 41 | 0.6 | 3.2 | 2.2 | 0.13 | 0.18 | 42 | 0.7 | 3.3 | 2.5 | 0.15 | 0.24 | C47+C49 |
| Breast | 22 | 0.3 | 1.7 | 1.0 | 0.07 | 0.09 | 1798 | 30.2 | 140.4 | 79.4 | 5.53 | 9.02 | C50 |
| Vulva | | | | | | | 30 | 0.5 | 2.3 | 1.2 | 0.07 | 0.12 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 95 | 1.6 | 7.4 | 5.1 | 0.39 | 0.49 | C53 |
| Corpus uteri | | | | | | | 257 | 4.3 | 20.1 | 10.4 | 0.68 | 1.31 | C54 |
| Uterus unspecified | | | | | | | 23 | 0.4 | 1.8 | 0.9 | 0.06 | 0.11 | C55 |
| Ovary | | | | | | | 189 | 3.2 | 14.8 | 7.9 | 0.49 | 0.92 | C56 |
| Other female genital organs | | | | | | | 23 | 0.4 | 1.8 | 1.0 | 0.04 | 0.16 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | | 0.4 | 2.3 | 1.0 | 0.04 | 0.11 | | | | | | | C60 |
| Prostate | 1889 | 26.1 | 147.7 | 75.6 | 3.42 | 10.42 | | | | | | | C61 |
| Testis | 174 | 2.4 | 13.6 | 12.0 | 0.94 | 0.97 | | | | | | | C62 |
| Other male genital organs | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 226 | 3.1 | 17.7 | 9.2 | 0.49 | 1.09 | 104 | 1.7 | 8.1 | 4.2 | 0.21 | 0.51 | C64 |
| Renal pelvis | 9 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 9 | 0.2 | 0.7 | 0.3 | 0.00 | 0.04 | C65 |
| Ureter | 10 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | 8 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| †Bladder | 578 | 8.0 | 45.2 | 21.1 | 0.83 | 2.48 | 177 | 3.0 | 13.8 | 6.3 | 0.32 | 0.74 | C67 |
| Other urinary organs | 8 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | 4 | 0.1 | 0.3 | 0.1 | 0.00 | 0.02 | C68 |
| Eye | 11 | 0.2 | 0.9 | 0.4 | 0.03 | 0.05 | 6 | 0.1 | 0.5 | 0.2 | 0.01 | 0.04 | C69 |
| Brain and nervous system | 125 | 1.7 | 9.8 | 6.8 | 0.39 | 0.65 | 93 | 1.6 | 7.3 | 5.2 | 0.36 | 0.51 | C70–72 |
| Thyroid | 88 | 1.2 | 6.9 | 4.7 | 0.31 | 0.50 | 187 | 3.1 | 14.6 | 10.2 | 0.77 | 1.03 | C73 |
| Adrenal gland | 3 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 10 | 0.2 | 0.8 | 1.0 | 0.06 | 0.06 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 2 | 0.0 | 0.2 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 43 | 0.6 | 3.4 | 2.8 | 0.19 | 0.23 | 34 | 0.6 | 2.7 | 2.7 | 0.19 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 259 | 3.6 | 20.3 | 11.6 | 0.59 | 1.28 | 207 | 3.5 | 16.2 | 8.0 | 0.42 | 0.91 | C82–86,C96 |
| Immunoproliferative diseases | 39 | 0.5 | 3.0 | 1.5 | 0.05 | 0.20 | 45 | 0.8 | 3.5 | 1.9 | 0.10 | 0.25 | C88 |
| Multiple myeloma | 112 | 1.5 | 8.8 | 4.2 | 0.18 | 0.53 | 74 | 1.2 | 5.8 | 2.4 | 0.12 | 0.27 | C90 |
| Lymphoid leukaemia | 108 | 1.5 | 8.4 | 5.1 | 0.22 | 0.50 | 57 | 1.0 | 4.5 | 2.5 | 0.12 | 0.18 | C91 |
| Myeloid leukaemia | 91 | 1.3 | 7.1 | 4.1 | 0.20 | 0.42 | 67 | 1.1 | 5.2 | 3.2 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 24 | 0.3 | 1.9 | 0.8 | 0.01 | 0.04 | 15 | 0.3 | 1.2 | 0.5 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 50 | 0.7 | 3.9 | 2.0 | 0.09 | 0.22 | 72 | 1.2 | 5.6 | 2.5 | 0.13 | 0.27 | MPD |
| Myelodysplastic syndromes | 56 | 0.8 | 4.4 | 1.9 | 0.04 | 0.20 | 44 | 0.7 | 3.4 | 1.0 | 0.02 | 0.12 | MPS |
| Other and unspecified | 155 | 2.1 | 12.1 | 5.2 | 0.18 | 0.55 | 153 | 2.6 | 11.9 | 4.1 | 0.14 | 0.37 | O&U |
| All sites | 9635 | | 753.4 | 386.5 | 18.48 | 45.72 | 8058 | | 629.3 | 315.4 | 18.69 | 35.30 | C00–96 |
| All sites except C44 | 7249 | 100.0 | 566.9 | 297.8 | 14.71 | 35.55 | 5960 | 100.0 | 465.5 | 244.8 | 15.10 | 27.30 | C00–96 exc. C44 |

*†See note following population pyramid

Switzerland, Neuchâtel and Jura

CONTRIBUTORS

Manuela Maspoli Conconi
Simon Germann
Jean-Luc Bulliard



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 130.8 | Non-melanoma skin cancer | 102.8 |
| Prostate | 65.7 | Breast | 88.8 |
| Trachea, bronchus, and lung | 41.6 | Trachea, bronchus, and lung | 24.3 |
| Bladder | 27.5 | Melanoma of skin | 15.5 |
| Colon | 22.1 | Colon | 14.5 |
| Melanoma of skin | 18.3 | Corpus uteri | 11.7 |
| Non-Hodgkin lymphoma | 13.8 | Thyroid | 11.1 |
| Rectum | 13.2 | Non-Hodgkin lymphoma | 8.9 |
| Pancreas | 11.4 | Pancreas | 7.5 |
| Liver | 10.9 | Bladder | 7.4 |
| Kidney | 10.3 | Rectum | 7.4 |
| Testis | 8.5 | Ovary | 6.2 |
| Stomach | 8.0 | Cervix uteri | 5.0 |
| Lymphoid leukaemia | 6.7 | Brain and nervous system | 4.3 |
| Oesophagus | 5.9 | Lymphoid leukaemia | 4.1 |
| Hodgkin lymphoma | 5.4 | Multiple myeloma | 3.8 |
| Brain and nervous system | 5.2 | Other and unspecified | 3.7 |
| Thyroid | 5.0 | Kidney | 3.4 |
| Multiple myeloma | 4.9 | Stomach | 3.3 |
| Other and unspecified | 4.8 | Liver | 2.8 |
| All sites | 463.9 | All sites | 368.1 |

*Switzerland, Neuchâtel and Jura (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 30 | 0.8 | 4.9 | 2.8 | 0.21 | 0.36 | 21 | 0.6 | 3.3 | 1.9 | 0.15 | 0.23 | C01–02 |
| Mouth | 20 | 0.5 | 3.3 | 1.9 | 0.14 | 0.21 | 17 | 0.5 | 2.7 | 1.2 | 0.09 | 0.16 | C03–06 |
| Salivary glands | 3 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 8 | 0.2 | 1.3 | 0.3 | 0.00 | 0.02 | C07–08 |
| Tonsil | 22 | 0.6 | 3.6 | 2.2 | 0.18 | 0.26 | 12 | 0.4 | 1.9 | 1.0 | 0.06 | 0.14 | C09 |
| Other oropharynx | 7 | 0.2 | 1.1 | 0.7 | 0.05 | 0.10 | 6 | 0.2 | 0.9 | 0.4 | 0.01 | 0.06 | C10 |
| Nasopharynx | 4 | 0.1 | 0.7 | 0.5 | 0.04 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 15 | 0.4 | 2.5 | 1.4 | 0.10 | 0.17 | 6 | 0.2 | 0.9 | 0.4 | 0.01 | 0.06 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.8 | 0.5 | 0.04 | 0.07 | 2 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 71 | 1.8 | 11.6 | 5.9 | 0.31 | 0.83 | 23 | 0.7 | 3.6 | 1.5 | 0.05 | 0.20 | C15 |
| Stomach | 95 | 2.4 | 15.5 | 8.0 | 0.50 | 0.89 | 52 | 1.5 | 8.2 | 3.3 | 0.18 | 0.38 | C16 |
| Small intestine | 25 | 0.6 | 4.1 | 2.3 | 0.17 | 0.25 | 19 | 0.6 | 3.0 | 1.3 | 0.07 | 0.16 | C17 |
| Colon | 294 | 7.5 | 48.1 | 22.1 | 0.89 | 2.46 | 243 | 7.1 | 38.1 | 14.5 | 0.67 | 1.69 | C18 |
| Rectum | 161 | 4.1 | 26.3 | 13.2 | 0.67 | 1.58 | 102 | 3.0 | 16.0 | 7.4 | 0.41 | 0.89 | C19–20 |
| Anus | 8 | 0.2 | 1.3 | 0.7 | 0.03 | 0.08 | 34 | 1.0 | 5.3 | 2.7 | 0.19 | 0.35 | C21 |
| Liver | 131 | 3.3 | 21.4 | 10.9 | 0.54 | 1.49 | 43 | 1.3 | 6.8 | 2.8 | 0.14 | 0.36 | C22 |
| Gallbladder etc. | 15 | 0.4 | 2.5 | 1.2 | 0.05 | 0.15 | 33 | 1.0 | 5.2 | 1.8 | 0.05 | 0.19 | C23–24 |
| Pancreas | 152 | 3.9 | 24.8 | 11.4 | 0.43 | 1.45 | 131 | 3.8 | 20.6 | 7.5 | 0.28 | 0.91 | C25 |
| Nose, sinuses etc. | 4 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 7 | 0.2 | 1.1 | 0.5 | 0.02 | 0.07 | C30–31 |
| Larynx | 50 | 1.3 | 8.2 | 4.5 | 0.31 | 0.54 | 5 | 0.1 | 0.8 | 0.6 | 0.05 | 0.07 | C32 |
| Trachea, bronchus, and lung | 515 | 13.1 | 84.2 | 41.6 | 1.88 | 5.30 | 334 | 9.8 | 52.4 | 24.3 | 1.36 | 3.08 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | 6 | 0.2 | 0.9 | 0.5 | 0.04 | 0.05 | C37–38 |
| Bone | 9 | 0.2 | 1.5 | 0.9 | 0.04 | 0.10 | 7 | 0.2 | 1.1 | 1.1 | 0.08 | 0.08 | C40–41 |
| Melanoma of skin | 197 | 5.0 | 32.2 | 18.3 | 1.04 | 2.03 | 166 | 4.9 | 26.1 | 15.5 | 1.20 | 1.65 | C43 |
| Other skin | 1746 | 44.5 | 285.4 | 130.8 | 5.46 | 14.91 | 1600 | 46.9 | 251.2 | 102.8 | 5.35 | 11.70 | C44 |
| Mesothelioma | 21 | 0.5 | 3.4 | 1.6 | 0.06 | 0.21 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 3 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 30 | 0.8 | 4.9 | 3.3 | 0.19 | 0.33 | 18 | 0.5 | 2.8 | 1.9 | 0.11 | 0.16 | C47+C49 |
| Breast | 14 | 0.4 | 2.3 | 1.3 | 0.10 | 0.17 | 1039 | 30.5 | 163.1 | 88.8 | 6.33 | 10.53 | C50 |
| Vulva | | | | | | | 31 | 0.9 | 4.9 | 2.1 | 0.15 | 0.18 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.6 | 0.1 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 55 | 1.6 | 8.6 | 5.0 | 0.35 | 0.54 | C53 |
| Corpus uteri | | | | | | | 159 | 4.7 | 25.0 | 11.7 | 0.72 | 1.40 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.1 | 0.8 | 0.2 | 0.00 | 0.02 | C55 |
| Ovary | | | | | | | 79 | 2.3 | 12.4 | 6.2 | 0.38 | 0.72 | C56 |
| Other female genital organs | | | | | | | 17 | 0.5 | 2.7 | 1.1 | 0.09 | 0.12 | C57 |
| Placenta | | | | | | | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C58 |
| Penis | 10 | 0.3 | 1.6 | 0.6 | 0.00 | 0.04 | | | | | | | C60 |
| Prostate | 816 | 20.8 | 133.4 | 65.7 | 3.06 | 8.79 | | | | | | | C61 |
| Testis | 58 | 1.5 | 9.5 | 8.5 | 0.65 | 0.72 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | | | | | | | C63 |
| Kidney | 109 | 2.8 | 17.8 | 10.3 | 0.63 | 1.24 | 47 | 1.4 | 7.4 | 3.4 | 0.19 | 0.40 | C64 |
| Renal pelvis | 15 | 0.4 | 2.5 | 1.1 | 0.01 | 0.17 | 5 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | C65 |
| Ureter | 4 | 0.1 | 0.7 | 0.3 | 0.00 | 0.05 | 3 | 0.1 | 0.5 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 371 | 9.5 | 60.6 | 27.5 | 1.14 | 3.31 | 109 | 3.2 | 17.1 | 7.4 | 0.31 | 0.91 | C67 |
| Other urinary organs | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 3 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 5 | 0.1 | 0.8 | 0.5 | 0.02 | 0.06 | 3 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 51 | 1.3 | 8.3 | 5.2 | 0.37 | 0.56 | 38 | 1.1 | 6.0 | 4.3 | 0.26 | 0.41 | C70–72 |
| Thyroid | 44 | 1.1 | 7.2 | 5.0 | 0.36 | 0.52 | 96 | 2.8 | 15.1 | 11.1 | 0.91 | 1.07 | C73 |
| Adrenal gland | 4 | 0.1 | 0.7 | 1.0 | 0.05 | 0.06 | 6 | 0.2 | 0.9 | 0.7 | 0.04 | 0.05 | C74 |
| Other endocrine | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 29 | 0.7 | 4.7 | 5.4 | 0.37 | 0.37 | 16 | 0.5 | 2.5 | 2.3 | 0.14 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 152 | 3.9 | 24.8 | 13.8 | 0.63 | 1.37 | 119 | 3.5 | 18.7 | 8.9 | 0.45 | 0.87 | C82–86,C96 |
| Immunoproliferative diseases | 23 | 0.6 | 3.8 | 2.0 | 0.11 | 0.20 | 15 | 0.4 | 2.4 | 1.0 | 0.06 | 0.09 | C88 |
| Multiple myeloma | 64 | 1.6 | 10.5 | 4.9 | 0.15 | 0.64 | 55 | 1.6 | 8.6 | 3.8 | 0.18 | 0.49 | C90 |
| Lymphoid leukaemia | 55 | 1.4 | 9.0 | 6.7 | 0.31 | 0.62 | 45 | 1.3 | 7.1 | 4.1 | 0.16 | 0.39 | C91 |
| Myeloid leukaemia | 51 | 1.3 | 8.3 | 4.4 | 0.24 | 0.43 | 41 | 1.2 | 6.4 | 2.7 | 0.13 | 0.27 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 4 | 0.1 | 0.6 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 24 | 0.6 | 3.9 | 2.2 | 0.15 | 0.22 | 12 | 0.4 | 1.9 | 0.9 | 0.06 | 0.10 | MPD |
| Myelodysplastic syndromes | 59 | 1.5 | 9.6 | 4.1 | 0.15 | 0.45 | 31 | 0.9 | 4.9 | 1.6 | 0.06 | 0.17 | MPS |
| Other and unspecified | 66 | 1.7 | 10.8 | 4.8 | 0.15 | 0.65 | 74 | 2.2 | 11.6 | 3.7 | 0.17 | 0.38 | O&U |
| All sites | 5670 | | 926.8 | 463.9 | 22.07 | 54.68 | 5011 | | 786.7 | 368.1 | 21.84 | 42.16 | C00–96 |
| All sites except C44 | 3924 | 100.0 | 641.4 | 333.1 | 16.61 | 39.77 | 3411 | 100.0 | 535.5 | 265.3 | 16.48 | 30.46 | C00–96 exc. C44 |

*See note following population pyramid

Switzerland, Ticino

CONTRIBUTORS

Andrea Bordoni
 Laura Ortelli
 Alessandra Spitale
 Paola Mazzola
 Simona Peverelli



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 61.3 | Breast | 90.1 |
| Trachea, bronchus, and lung | 40.1 | Trachea, bronchus, and lung | 21.1 |
| Melanoma of skin | 23.3 | Melanoma of skin | 20.7 |
| Colon | 23.2 | Colon | 17.6 |
| Non-Hodgkin lymphoma | 15.8 | Corpus uteri | 12.4 |
| Bladder | 14.8 | Thyroid | 10.1 |
| Liver | 14.5 | Non-Hodgkin lymphoma | 9.0 |
| Kidney | 11.8 | Ovary | 7.8 |
| Rectum | 11.1 | Pancreas | 7.3 |
| Pancreas | 10.3 | Rectum | 7.2 |
| Stomach | 8.9 | Lymphoid leukaemia | 4.9 |
| Testis | 7.7 | Cervix uteri | 4.8 |
| Oesophagus | 7.6 | Stomach | 4.7 |
| Brain and nervous system | 6.6 | Brain and nervous system | 4.3 |
| Lymphoid leukaemia | 6.1 | Kidney | 4.1 |
| Multiple myeloma | 5.0 | Bladder | 3.8 |
| Thyroid | 4.9 | Myeloid leukaemia | 3.4 |
| Hodgkin lymphoma | 4.7 | Multiple myeloma | 3.3 |
| Myeloid leukaemia | 4.6 | Hodgkin lymphoma | 3.2 |
| Larynx | 4.4 | Other and unspecified | 2.8 |
| All sites | 325.5 | All sites | 275.6 |

Switzerland, Ticino (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 53 | 0.9 | 6.2 | 3.0 | 0.18 | 0.40 | 11 | 0.2 | 1.2 | 0.6 | 0.03 | 0.09 | C01–02 |
| Mouth | 35 | 0.6 | 4.1 | 2.0 | 0.14 | 0.25 | 34 | 0.6 | 3.8 | 1.6 | 0.10 | 0.18 | C03–06 |
| Salivary glands | 15 | 0.2 | 1.8 | 0.8 | 0.03 | 0.10 | 8 | 0.1 | 0.9 | 0.3 | 0.03 | 0.03 | C07–08 |
| Tonsil | 18 | 0.3 | 2.1 | 0.9 | 0.06 | 0.11 | 10 | 0.2 | 1.1 | 0.5 | 0.02 | 0.08 | C09 |
| Other oropharynx | 23 | 0.4 | 2.7 | 1.4 | 0.09 | 0.20 | 12 | 0.2 | 1.3 | 0.6 | 0.04 | 0.08 | C10 |
| Nasopharynx | 6 | 0.1 | 0.7 | 0.6 | 0.05 | 0.05 | 10 | 0.2 | 1.1 | 0.8 | 0.07 | 0.08 | C11 |
| Hypopharynx | 28 | 0.5 | 3.3 | 1.6 | 0.08 | 0.25 | 14 | 0.3 | 1.6 | 0.7 | 0.06 | 0.09 | C12–13 |
| Pharynx unspecified | 10 | 0.2 | 1.2 | 0.6 | 0.05 | 0.06 | 4 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 146 | 2.4 | 17.1 | 7.6 | 0.41 | 0.97 | 40 | 0.7 | 4.5 | 1.6 | 0.08 | 0.20 | C15 |
| Stomach | 187 | 3.1 | 21.9 | 8.9 | 0.40 | 1.06 | 128 | 2.4 | 14.2 | 4.7 | 0.23 | 0.48 | C16 |
| Small intestine | 45 | 0.7 | 5.3 | 2.3 | 0.11 | 0.28 | 31 | 0.6 | 3.5 | 1.5 | 0.11 | 0.19 | C17 |
| Colon | 478 | 7.9 | 56.1 | 23.2 | 1.09 | 2.54 | 456 | 8.4 | 50.8 | 17.6 | 0.85 | 1.80 | C18 |
| Rectum | 209 | 3.4 | 24.5 | 11.1 | 0.60 | 1.40 | 147 | 2.7 | 16.4 | 7.2 | 0.47 | 0.85 | C19–20 |
| Anus | 14 | 0.2 | 1.6 | 0.8 | 0.05 | 0.10 | 35 | 0.6 | 3.9 | 1.7 | 0.11 | 0.23 | C21 |
| Liver | 287 | 4.7 | 33.7 | 14.5 | 0.71 | 1.78 | 81 | 1.5 | 9.0 | 2.7 | 0.06 | 0.35 | C22 |
| Gallbladder etc. | 72 | 1.2 | 8.4 | 3.1 | 0.09 | 0.34 | 68 | 1.3 | 7.6 | 2.3 | 0.08 | 0.26 | C23–24 |
| Pancreas | 208 | 3.4 | 24.4 | 10.3 | 0.42 | 1.37 | 192 | 3.5 | 21.4 | 7.3 | 0.34 | 0.83 | C25 |
| Nose, sinuses etc. | 14 | 0.2 | 1.6 | 0.8 | 0.05 | 0.10 | 6 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 86 | 1.4 | 10.1 | 4.4 | 0.17 | 0.65 | 16 | 0.3 | 1.8 | 0.8 | 0.03 | 0.11 | C32 |
| Trachea, bronchus, and lung | 819 | 13.5 | 96.1 | 40.1 | 1.89 | 4.89 | 470 | 8.7 | 52.3 | 21.1 | 1.15 | 2.79 | C33–34 |
| Other thoracic organs | 10 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | 8 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | C37–38 |
| Bone | 11 | 0.2 | 1.3 | 1.0 | 0.06 | 0.07 | 5 | 0.1 | 0.6 | 0.6 | 0.03 | 0.05 | C40–41 |
| Melanoma of skin | 377 | 6.2 | 44.2 | 23.3 | 1.42 | 2.62 | 307 | 5.7 | 34.2 | 20.7 | 1.57 | 2.08 | C43 |
| Other skin | 21 | 0.3 | 2.5 | 1.1 | 0.07 | 0.09 | 21 | 0.4 | 2.3 | 1.3 | 0.08 | 0.08 | C44 |
| Mesothelioma | 28 | 0.5 | 3.3 | 1.4 | 0.05 | 0.19 | 7 | 0.1 | 0.8 | 0.2 | 0.00 | 0.03 | C45 |
| Kaposi sarcoma | 12 | 0.2 | 1.4 | 0.6 | 0.03 | 0.05 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 23 | 0.4 | 2.7 | 1.7 | 0.10 | 0.17 | 31 | 0.6 | 3.5 | 2.0 | 0.13 | 0.18 | C47+C49 |
| Breast | 19 | 0.3 | 2.2 | 1.0 | 0.06 | 0.12 | 1644 | 30.3 | 183.0 | 90.1 | 6.26 | 10.18 | C50 |
| Vulva | | | | | | | 30 | 0.6 | 3.3 | 1.0 | 0.03 | 0.12 | C51 |
| Vagina | | | | | | | 12 | 0.2 | 1.3 | 0.9 | 0.06 | 0.06 | C52 |
| Cervix uteri | | | | | | | 73 | 1.3 | 8.1 | 4.8 | 0.32 | 0.47 | C53 |
| Corpus uteri | | | | | | | 241 | 4.4 | 26.8 | 12.4 | 0.86 | 1.52 | C54 |
| Uterus unspecified | | | | | | | 18 | 0.3 | 2.0 | 0.7 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 151 | 2.8 | 16.8 | 7.8 | 0.54 | 0.87 | C56 |
| Other female genital organs | | | | | | | 53 | 1.0 | 5.9 | 2.2 | 0.12 | 0.28 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 15 | 0.2 | 1.8 | 0.7 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 1205 | 19.9 | 141.3 | 61.3 | 2.88 | 8.20 | | | | | | | C61 |
| Testis | 69 | 1.1 | 8.1 | 7.7 | 0.59 | 0.60 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 209 | 3.4 | 24.5 | 11.8 | 0.74 | 1.44 | 89 | 1.6 | 9.9 | 4.1 | 0.25 | 0.52 | C64 |
| Renal pelvis | 25 | 0.4 | 2.9 | 1.0 | 0.03 | 0.11 | 17 | 0.3 | 1.9 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 16 | 0.3 | 1.9 | 0.6 | 0.01 | 0.04 | 5 | 0.1 | 0.6 | 0.2 | 0.00 | 0.02 | C66 |
| †Bladder | 335 | 5.5 | 39.3 | 14.8 | 0.49 | 1.66 | 112 | 2.1 | 12.5 | 3.8 | 0.17 | 0.46 | C67 |
| Other urinary organs | 4 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.2 | 0.4 | 0.01 | 0.01 | C68 |
| Eye | 7 | 0.1 | 0.8 | 0.6 | 0.03 | 0.05 | 5 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 94 | 1.5 | 11.0 | 6.6 | 0.43 | 0.66 | 61 | 1.1 | 6.8 | 4.3 | 0.28 | 0.37 | C70–72 |
| Thyroid | 59 | 1.0 | 6.9 | 4.9 | 0.33 | 0.48 | 116 | 2.1 | 12.9 | 10.1 | 0.79 | 0.94 | C73 |
| Adrenal gland | 2 | 0.0 | 0.2 | 0.4 | 0.01 | 0.02 | 3 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 48 | 0.8 | 5.6 | 4.7 | 0.35 | 0.39 | 33 | 0.6 | 3.7 | 3.2 | 0.21 | 0.25 | C81 |
| Non-Hodgkin lymphoma | 276 | 4.5 | 32.4 | 15.8 | 0.90 | 1.68 | 195 | 3.6 | 21.7 | 9.0 | 0.54 | 0.98 | C82–86,C96 |
| Immunoproliferative diseases | 26 | 0.4 | 3.0 | 1.6 | 0.12 | 0.18 | 31 | 0.6 | 3.5 | 1.9 | 0.11 | 0.24 | C88 |
| Multiple myeloma | 100 | 1.6 | 11.7 | 5.0 | 0.23 | 0.62 | 92 | 1.7 | 10.2 | 3.3 | 0.10 | 0.43 | C90 |
| Lymphoid leukaemia | 102 | 1.7 | 12.0 | 6.1 | 0.33 | 0.64 | 68 | 1.3 | 7.6 | 4.9 | 0.22 | 0.42 | C91 |
| Myeloid leukaemia | 78 | 1.3 | 9.1 | 4.6 | 0.23 | 0.47 | 59 | 1.1 | 6.6 | 3.4 | 0.21 | 0.35 | C92–94 |
| Leukaemia unspecified | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 49 | 0.8 | 5.7 | 2.9 | 0.17 | 0.32 | 57 | 1.1 | 6.3 | 2.3 | 0.10 | 0.25 | MPD |
| Myelodysplastic syndromes | 58 | 1.0 | 6.8 | 2.3 | 0.06 | 0.24 | 41 | 0.8 | 4.6 | 1.4 | 0.02 | 0.17 | MPS |
| Other and unspecified | 55 | 0.9 | 6.5 | 2.7 | 0.11 | 0.24 | 80 | 1.5 | 8.9 | 2.8 | 0.12 | 0.28 | O&U |
| All sites | 6089 | | 714.3 | 325.5 | 16.63 | 38.47 | 5443 | | 605.9 | 275.6 | 17.21 | 30.63 | C00–96 |
| All sites except C44 | 6068 | 100.0 | 711.8 | 324.4 | 16.56 | 38.37 | 5422 | 100.0 | 603.5 | 274.3 | 17.13 | 30.55 | C00–96 exc. C44 |

†See note following population pyramid

Switzerland, Valais

CONTRIBUTORS

Isabelle Konzelmann



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 109.1 | Breast | 86.9 |
| Prostate | 86.6 | Non-melanoma skin cancer | 82.6 |
| Trachea, bronchus, and lung | 35.7 | Trachea, bronchus, and lung | 21.4 |
| Bladder | 26.4 | Melanoma of skin | 17.4 |
| Colon | 18.9 | Colon | 14.4 |
| Melanoma of skin | 18.0 | Corpus uteri | 12.2 |
| Liver | 12.6 | Thyroid | 10.7 |
| Rectum | 12.0 | Ovary | 9.2 |
| Non-Hodgkin lymphoma | 11.7 | Non-Hodgkin lymphoma | 8.0 |
| Testis | 9.9 | Bladder | 7.3 |
| Pancreas | 9.0 | Pancreas | 7.3 |
| Kidney | 8.7 | Rectum | 6.2 |
| Stomach | 8.3 | Cervix uteri | 4.9 |
| Lymphoid leukaemia | 8.1 | Lymphoid leukaemia | 4.3 |
| Oesophagus | 6.4 | Stomach | 4.3 |
| Brain and nervous system | 5.7 | Brain and nervous system | 3.8 |
| Other and unspecified | 5.0 | Kidney | 3.6 |
| Myeloid leukaemia | 4.8 | Other and unspecified | 3.5 |
| Thyroid | 4.5 | Hodgkin lymphoma | 3.4 |
| Multiple myeloma | 4.4 | Myeloproliferative disorders | 3.4 |
| All sites | 452.4 | All sites | 343.1 |

Switzerland, Valais (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C00 |
| Tongue | 35 | 0.6 | 4.2 | 2.1 | 0.14 | 0.26 | 17 | 0.4 | 2.0 | 1.0 | 0.06 | 0.13 | C01–02 |
| Mouth | 48 | 0.9 | 5.8 | 3.2 | 0.24 | 0.39 | 17 | 0.4 | 2.0 | 0.9 | 0.06 | 0.10 | C03–06 |
| Salivary glands | 14 | 0.3 | 1.7 | 1.0 | 0.07 | 0.12 | 11 | 0.3 | 1.3 | 0.5 | 0.02 | 0.05 | C07–08 |
| Tonsil | 45 | 0.8 | 5.5 | 3.0 | 0.23 | 0.42 | 17 | 0.4 | 2.0 | 1.0 | 0.06 | 0.14 | C09 |
| Other oropharynx | 12 | 0.2 | 1.5 | 0.9 | 0.07 | 0.13 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 9 | 0.2 | 1.1 | 1.0 | 0.07 | 0.09 | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 46 | 0.8 | 5.6 | 3.0 | 0.20 | 0.39 | 5 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 102 | 1.8 | 12.4 | 6.4 | 0.36 | 0.84 | 27 | 0.6 | 3.2 | 1.5 | 0.07 | 0.22 | C15 |
| Stomach | 146 | 2.6 | 17.7 | 8.3 | 0.42 | 0.98 | 90 | 2.1 | 10.7 | 4.3 | 0.23 | 0.45 | C16 |
| Small intestine | 36 | 0.6 | 4.4 | 2.6 | 0.14 | 0.31 | 22 | 0.5 | 2.6 | 1.4 | 0.07 | 0.18 | C17 |
| Colon | 330 | 5.9 | 40.0 | 18.9 | 0.88 | 2.30 | 298 | 7.0 | 35.5 | 14.4 | 0.69 | 1.66 | C18 |
| Rectum | 201 | 3.6 | 24.4 | 12.0 | 0.64 | 1.51 | 110 | 2.6 | 13.1 | 6.2 | 0.36 | 0.76 | C19–20 |
| Anus | 8 | 0.1 | 1.0 | 0.4 | 0.02 | 0.04 | 24 | 0.6 | 2.9 | 1.5 | 0.13 | 0.17 | C21 |
| Liver | 217 | 3.9 | 26.3 | 12.6 | 0.72 | 1.57 | 45 | 1.0 | 5.4 | 2.3 | 0.09 | 0.33 | C22 |
| Gallbladder etc. | 32 | 0.6 | 3.9 | 1.8 | 0.11 | 0.22 | 28 | 0.7 | 3.3 | 1.2 | 0.05 | 0.11 | C23–24 |
| Pancreas | 161 | 2.9 | 19.5 | 9.0 | 0.42 | 0.99 | 146 | 3.4 | 17.4 | 7.3 | 0.37 | 0.82 | C25 |
| Nose, sinuses etc. | 10 | 0.2 | 1.2 | 0.8 | 0.07 | 0.08 | 5 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C30–31 |
| Larynx | 61 | 1.1 | 7.4 | 3.6 | 0.17 | 0.50 | 12 | 0.3 | 1.4 | 0.7 | 0.05 | 0.10 | C32 |
| Trachea, bronchus, and lung | 617 | 11.0 | 74.8 | 35.7 | 1.70 | 4.61 | 397 | 9.3 | 47.3 | 21.4 | 1.27 | 2.80 | C33–34 |
| Other thoracic organs | 8 | 0.1 | 1.0 | 0.6 | 0.03 | 0.06 | 6 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | C37–38 |
| Bone | 10 | 0.2 | 1.2 | 1.0 | 0.05 | 0.06 | 8 | 0.2 | 1.0 | 0.6 | 0.05 | 0.08 | C40–41 |
| Melanoma of skin | 276 | 4.9 | 33.5 | 18.0 | 0.97 | 1.95 | 257 | 6.0 | 30.6 | 17.4 | 1.19 | 1.83 | C43 |
| Other skin | 1992 | 35.6 | 241.4 | 109.1 | 4.53 | 11.94 | 1736 | 40.5 | 206.6 | 82.6 | 4.23 | 8.89 | C44 |
| Mesothelioma | 23 | 0.4 | 2.8 | 1.2 | 0.02 | 0.17 | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C45 |
| Kaposi sarcoma | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | C46 |
| Connective and soft tissue | 26 | 0.5 | 3.2 | 2.0 | 0.12 | 0.17 | 23 | 0.5 | 2.7 | 1.8 | 0.09 | 0.15 | C47+C49 |
| Breast | 15 | 0.3 | 1.8 | 0.9 | 0.04 | 0.10 | 1302 | 30.4 | 155.0 | 86.9 | 6.24 | 10.15 | C50 |
| Vulva | | | | | | | 26 | 0.6 | 3.1 | 1.6 | 0.12 | 0.18 | C51 |
| Vagina | | | | | | | 5 | 0.1 | 0.6 | 0.3 | 0.01 | 0.05 | C52 |
| Cervix uteri | | | | | | | 57 | 1.3 | 6.8 | 4.9 | 0.39 | 0.47 | C53 |
| Corpus uteri | | | | | | | 208 | 4.9 | 24.8 | 12.2 | 0.83 | 1.55 | C54 |
| Uterus unspecified | | | | | | | 4 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 149 | 3.5 | 17.7 | 9.2 | 0.61 | 1.07 | C56 |
| Other female genital organs | | | | | | | 22 | 0.5 | 2.6 | 1.0 | 0.05 | 0.15 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 17 | 0.3 | 2.1 | 1.0 | 0.06 | 0.11 | | | | | | | C60 |
| Prostate | 1490 | 26.6 | 180.6 | 86.6 | 3.89 | 11.73 | | | | | | | C61 |
| Testis | 93 | 1.7 | 11.3 | 9.9 | 0.80 | 0.80 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 138 | 2.5 | 16.7 | 8.7 | 0.51 | 1.14 | 59 | 1.4 | 7.0 | 3.6 | 0.18 | 0.36 | C64 |
| Renal pelvis | 12 | 0.2 | 1.5 | 0.6 | 0.02 | 0.08 | 6 | 0.1 | 0.7 | 0.3 | 0.01 | 0.05 | C65 |
| Ureter | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C66 |
| †Bladder | 477 | 8.5 | 57.8 | 26.4 | 1.08 | 3.17 | 148 | 3.5 | 17.6 | 7.3 | 0.35 | 0.86 | C67 |
| Other urinary organs | 5 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 7 | 0.1 | 0.8 | 0.6 | 0.04 | 0.05 | 8 | 0.2 | 1.0 | 0.4 | 0.00 | 0.05 | C69 |
| Brain and nervous system | 76 | 1.4 | 9.2 | 5.7 | 0.35 | 0.55 | 45 | 1.0 | 5.4 | 3.8 | 0.20 | 0.37 | C70–72 |
| Thyroid | 54 | 1.0 | 6.5 | 4.5 | 0.32 | 0.49 | 126 | 2.9 | 15.0 | 10.7 | 0.87 | 1.02 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 25 | 0.4 | 3.0 | 2.7 | 0.18 | 0.21 | 29 | 0.7 | 3.5 | 3.4 | 0.22 | 0.26 | C81 |
| Non-Hodgkin lymphoma | 179 | 3.2 | 21.7 | 11.7 | 0.63 | 1.20 | 144 | 3.4 | 17.1 | 8.0 | 0.45 | 0.90 | C82–86,C96 |
| Immunoproliferative diseases | 44 | 0.8 | 5.3 | 2.7 | 0.17 | 0.33 | 25 | 0.6 | 3.0 | 1.3 | 0.08 | 0.15 | C88 |
| Multiple myeloma | 73 | 1.3 | 8.8 | 4.4 | 0.25 | 0.50 | 43 | 1.0 | 5.1 | 2.3 | 0.13 | 0.30 | C90 |
| Lymphoid leukaemia | 98 | 1.8 | 11.9 | 8.1 | 0.38 | 0.83 | 66 | 1.5 | 7.9 | 4.3 | 0.28 | 0.45 | C91 |
| Myeloid leukaemia | 69 | 1.2 | 8.4 | 4.8 | 0.23 | 0.48 | 40 | 0.9 | 4.8 | 2.8 | 0.18 | 0.28 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 64 | 1.1 | 7.8 | 4.3 | 0.26 | 0.47 | 63 | 1.5 | 7.5 | 3.4 | 0.18 | 0.38 | MPD |
| Myelodysplastic syndromes | 74 | 1.3 | 9.0 | 4.1 | 0.16 | 0.45 | 40 | 0.9 | 4.8 | 1.6 | 0.05 | 0.15 | MPS |
| Other and unspecified | 94 | 1.7 | 11.4 | 5.0 | 0.15 | 0.56 | 88 | 2.1 | 10.5 | 3.5 | 0.18 | 0.34 | O&U |
| All sites | 7585 | | 919.3 | 452.4 | 21.99 | 53.47 | 6022 | | 716.8 | 343.1 | 20.85 | 38.71 | C00–96 |
| All sites except C44 | 5593 | 100.0 | 677.9 | 343.3 | 17.46 | 41.53 | 4286 | 100.0 | 510.2 | 260.5 | 16.62 | 29.82 | C00–96 exc. C44 |

†See note following population pyramid

Switzerland, Vaud

CONTRIBUTORS

Jean-Luc Bulliard
 Patrick Arveux
 Gautier Defossez
 Marion Ferry
 Simon Germann
 Murielle Bochud



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 170.3 | Non-melanoma skin cancer | 145.2 |
| Prostate | 80.1 | Breast | 91.8 |
| Trachea, bronchus, and lung | 37.9 | Trachea, bronchus, and lung | 23.0 |
| Bladder | 27.7 | Melanoma of skin | 17.4 |
| Colon | 21.3 | Colon | 13.6 |
| Melanoma of skin | 20.4 | Thyroid | 11.7 |
| Rectum | 11.8 | Corpus uteri | 11.6 |
| Non-Hodgkin lymphoma | 11.7 | Non-Hodgkin lymphoma | 7.7 |
| Liver | 11.2 | Pancreas | 7.0 |
| Kidney | 9.5 | Bladder | 6.7 |
| Pancreas | 9.4 | Ovary | 6.7 |
| Testis | 7.9 | Rectum | 6.0 |
| Oesophagus | 7.2 | Brain and nervous system | 4.0 |
| Stomach | 6.2 | Kidney | 3.6 |
| Brain and nervous system | 5.6 | Stomach | 3.5 |
| Lymphoid leukaemia | 4.7 | Cervix uteri | 3.4 |
| Other and unspecified | 4.1 | Liver | 2.9 |
| Myeloid leukaemia | 4.1 | Lymphoid leukaemia | 2.8 |
| Larynx | 4.0 | Other and unspecified | 2.7 |
| Thyroid | 3.8 | Hodgkin lymphoma | 2.5 |
| All sites | 501.9 | All sites | 402.7 |

Switzerland, Vaud (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 11 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 5 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 109 | 1.0 | 5.8 | 3.7 | 0.28 | 0.47 | 44 | 0.5 | 2.3 | 1.3 | 0.08 | 0.16 | C01–02 |
| Mouth | 101 | 0.9 | 5.4 | 3.4 | 0.23 | 0.46 | 40 | 0.4 | 2.0 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 23 | 0.2 | 1.2 | 0.7 | 0.03 | 0.06 | 22 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 79 | 0.7 | 4.2 | 2.6 | 0.19 | 0.34 | 30 | 0.3 | 1.5 | 0.9 | 0.06 | 0.11 | C09 |
| Other oropharynx | 37 | 0.3 | 2.0 | 1.3 | 0.10 | 0.16 | 13 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C10 |
| Nasopharynx | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 7 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C11 |
| Hypopharynx | 67 | 0.6 | 3.6 | 2.2 | 0.12 | 0.31 | 19 | 0.2 | 1.0 | 0.6 | 0.03 | 0.09 | C12–13 |
| Pharynx unspecified | 18 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | 4 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C14 |
| Oesophagus | 236 | 2.2 | 12.6 | 7.2 | 0.34 | 0.93 | 74 | 0.8 | 3.8 | 1.7 | 0.07 | 0.23 | C15 |
| Stomach | 207 | 1.9 | 11.0 | 6.2 | 0.36 | 0.65 | 130 | 1.4 | 6.7 | 3.5 | 0.22 | 0.37 | C16 |
| Small intestine | 67 | 0.6 | 3.6 | 2.2 | 0.13 | 0.24 | 33 | 0.4 | 1.7 | 0.9 | 0.06 | 0.10 | C17 |
| Colon | 732 | 6.8 | 39.0 | 21.3 | 1.01 | 2.55 | 591 | 6.4 | 30.2 | 13.6 | 0.65 | 1.46 | C18 |
| Rectum | 398 | 3.7 | 21.2 | 11.8 | 0.59 | 1.43 | 235 | 2.6 | 12.0 | 6.0 | 0.38 | 0.71 | C19–20 |
| Anus | 45 | 0.4 | 2.4 | 1.5 | 0.10 | 0.20 | 83 | 0.9 | 4.2 | 2.3 | 0.17 | 0.27 | C21 |
| Liver | 366 | 3.4 | 19.5 | 11.2 | 0.62 | 1.42 | 122 | 1.3 | 6.2 | 2.9 | 0.15 | 0.35 | C22 |
| Gallbladder etc. | 52 | 0.5 | 2.8 | 1.4 | 0.07 | 0.15 | 80 | 0.9 | 4.1 | 1.8 | 0.09 | 0.20 | C23–24 |
| Pancreas | 325 | 3.0 | 17.3 | 9.4 | 0.46 | 1.14 | 314 | 3.4 | 16.1 | 7.0 | 0.31 | 0.86 | C25 |
| Nose, sinuses etc. | 15 | 0.1 | 0.8 | 0.5 | 0.02 | 0.04 | 11 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 120 | 1.1 | 6.4 | 4.0 | 0.26 | 0.54 | 26 | 0.3 | 1.3 | 0.7 | 0.04 | 0.10 | C32 |
| Trachea, bronchus, and lung | 1263 | 11.8 | 67.2 | 37.9 | 1.89 | 4.84 | 884 | 9.6 | 45.2 | 23.0 | 1.27 | 3.01 | C33–34 |
| Other thoracic organs | 19 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 12 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 49 | 0.5 | 2.6 | 2.3 | 0.15 | 0.20 | 24 | 0.3 | 1.2 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 638 | 6.0 | 34.0 | 20.4 | 1.16 | 2.34 | 544 | 5.9 | 27.8 | 17.4 | 1.24 | 1.84 | C43 |
| Other skin | 6082 | 56.7 | 323.7 | 170.3 | 7.52 | 19.04 | 6044 | 65.7 | 309.3 | 145.2 | 7.84 | 16.67 | C44 |
| Mesothelioma | 52 | 0.5 | 2.8 | 1.4 | 0.02 | 0.15 | 13 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C45 |
| Kaposi sarcoma | 16 | 0.1 | 0.9 | 0.5 | 0.03 | 0.07 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 48 | 0.4 | 2.6 | 1.6 | 0.08 | 0.16 | 56 | 0.6 | 2.9 | 1.9 | 0.14 | 0.18 | C47+C49 |
| Breast | 26 | 0.2 | 1.4 | 0.8 | 0.04 | 0.10 | 3075 | 33.4 | 157.4 | 91.8 | 6.51 | 10.61 | C50 |
| Vulva | | | | | | | 70 | 0.8 | 3.6 | 1.7 | 0.11 | 0.18 | C51 |
| Vagina | | | | | | | 14 | 0.2 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 98 | 1.1 | 5.0 | 3.4 | 0.27 | 0.34 | C53 |
| Corpus uteri | | | | | | | 445 | 4.8 | 22.8 | 11.6 | 0.69 | 1.45 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C55 |
| Ovary | | | | | | | 243 | 2.6 | 12.4 | 6.7 | 0.42 | 0.74 | C56 |
| Other female genital organs | | | | | | | 32 | 0.3 | 1.6 | 0.8 | 0.04 | 0.10 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 37 | 0.3 | 2.0 | 1.0 | 0.04 | 0.10 | | | | | | | C60 |
| Prostate | 2642 | 24.6 | 140.6 | 80.1 | 3.55 | 11.44 | | | | | | | C61 |
| Testis | 166 | 1.5 | 8.8 | 7.9 | 0.61 | 0.62 | | | | | | | C62 |
| Other male genital organs | 6 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | | | | | | | C63 |
| Kidney | 309 | 2.9 | 16.4 | 9.5 | 0.50 | 1.13 | 127 | 1.4 | 6.5 | 3.6 | 0.21 | 0.43 | C64 |
| Renal pelvis | 20 | 0.2 | 1.1 | 0.6 | 0.02 | 0.07 | 13 | 0.1 | 0.7 | 0.2 | 0.00 | 0.02 | C65 |
| Ureter | 13 | 0.1 | 0.7 | 0.4 | 0.01 | 0.05 | 17 | 0.2 | 0.9 | 0.4 | 0.03 | 0.04 | C66 |
| †Bladder | 990 | 9.2 | 52.7 | 27.7 | 1.10 | 3.40 | 285 | 3.1 | 14.6 | 6.7 | 0.36 | 0.83 | C67 |
| Other urinary organs | 11 | 0.1 | 0.6 | 0.3 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 16 | 0.1 | 0.9 | 0.6 | 0.04 | 0.06 | 10 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 160 | 1.5 | 8.5 | 5.6 | 0.34 | 0.60 | 118 | 1.3 | 6.0 | 4.0 | 0.22 | 0.40 | C70–72 |
| Thyroid | 103 | 1.0 | 5.5 | 3.8 | 0.28 | 0.41 | 311 | 3.4 | 15.9 | 11.7 | 0.93 | 1.19 | C73 |
| Adrenal gland | 7 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | 13 | 0.1 | 0.7 | 0.7 | 0.04 | 0.04 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 69 | 0.6 | 3.7 | 3.3 | 0.23 | 0.27 | 54 | 0.6 | 2.8 | 2.5 | 0.15 | 0.21 | C81 |
| Non-Hodgkin lymphoma | 364 | 3.4 | 19.4 | 11.7 | 0.68 | 1.30 | 283 | 3.1 | 14.5 | 7.7 | 0.40 | 0.92 | C82–86,C96 |
| Immunoproliferative diseases | 45 | 0.4 | 2.4 | 1.4 | 0.08 | 0.16 | 51 | 0.6 | 2.6 | 1.5 | 0.09 | 0.20 | C88 |
| Multiple myeloma | 112 | 1.0 | 6.0 | 3.2 | 0.13 | 0.37 | 92 | 1.0 | 4.7 | 2.0 | 0.10 | 0.23 | C90 |
| Lymphoid leukaemia | 124 | 1.2 | 6.6 | 4.7 | 0.23 | 0.41 | 81 | 0.9 | 4.1 | 2.8 | 0.15 | 0.25 | C91 |
| Myeloid leukaemia | 127 | 1.2 | 6.8 | 4.1 | 0.23 | 0.46 | 80 | 0.9 | 4.1 | 2.0 | 0.11 | 0.22 | C92–94 |
| Leukaemia unspecified | 10 | 0.1 | 0.5 | 0.2 | 0.00 | 0.00 | 17 | 0.2 | 0.9 | 0.2 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 60 | 0.6 | 3.2 | 2.0 | 0.09 | 0.24 | 39 | 0.4 | 2.0 | 0.9 | 0.05 | 0.10 | MPD |
| Myelodysplastic syndromes | 60 | 0.6 | 3.2 | 1.6 | 0.04 | 0.15 | 55 | 0.6 | 2.8 | 1.0 | 0.03 | 0.10 | MPS |
| Other and unspecified | 143 | 1.3 | 7.6 | 4.1 | 0.18 | 0.43 | 151 | 1.6 | 7.7 | 2.7 | 0.09 | 0.25 | O&U |
| All sites | 16803 | | 894.4 | 501.9 | 24.37 | 59.99 | 15246 | | 780.2 | 402.7 | 24.11 | 46.16 | C00–96 |
| All sites except C44 | 10721 | 100.0 | 570.7 | 331.6 | 16.85 | 40.95 | 9202 | 100.0 | 470.9 | 257.6 | 16.27 | 29.49 | C00–96 exc. C44 |

†See note following population pyramid

Switzerland, Zurich and Zug

CONTRIBUTORS

Sabine Rohrmann
Dimitri Korol
Miriam Wanner
Manuela Limam



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 77.2 | Breast | 78.6 |
| Trachea, bronchus, and lung | 30.2 | Melanoma of skin | 20.9 |
| Bladder | 25.1 | Trachea, bronchus, and lung | 20.5 |
| Melanoma of skin | 22.0 | Colon | 14.6 |
| Colon | 18.0 | Corpus uteri | 10.1 |
| Non-Hodgkin lymphoma | 12.9 | Thyroid | 9.3 |
| Testis | 10.6 | Non-Hodgkin lymphoma | 8.4 |
| Rectum | 10.4 | Ovary | 7.4 |
| Pancreas | 9.0 | Pancreas | 6.9 |
| Kidney | 8.7 | Bladder | 6.1 |
| Stomach | 7.4 | Rectum | 6.0 |
| Liver | 7.1 | Cervix uteri | 4.2 |
| Lymphoid leukaemia | 6.2 | Brain and nervous system | 4.0 |
| Brain and nervous system | 5.8 | Kidney | 3.8 |
| Multiple myeloma | 4.8 | Lymphoid leukaemia | 3.7 |
| Oesophagus | 4.6 | Multiple myeloma | 3.2 |
| Hodgkin lymphoma | 3.9 | Stomach | 3.0 |
| Myeloid leukaemia | 3.8 | Myeloid leukaemia | 2.8 |
| Thyroid | 3.7 | Other and unspecified | 2.7 |
| Connective and soft tissue | 3.0 | Hodgkin lymphoma | 2.4 |
| All sites | 309.1 | All sites | 244.6 |


Switzerland, Zurich and Zug (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 46 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 27 | 0.1 | 0.7 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 155 | 0.7 | 4.0 | 2.3 | 0.15 | 0.30 | 86 | 0.5 | 2.2 | 1.1 | 0.06 | 0.14 | C01–02 |
| Mouth | 130 | 0.6 | 3.3 | 2.0 | 0.12 | 0.24 | 84 | 0.5 | 2.1 | 1.1 | 0.07 | 0.13 | C03–06 |
| Salivary glands | 56 | 0.3 | 1.4 | 0.8 | 0.04 | 0.08 | 48 | 0.3 | 1.2 | 0.7 | 0.05 | 0.07 | C07–08 |
| Tonsil | 93 | 0.4 | 2.4 | 1.4 | 0.09 | 0.21 | 26 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C09 |
| Other oropharynx | 78 | 0.4 | 2.0 | 1.2 | 0.08 | 0.14 | 29 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | C10 |
| Nasopharynx | 19 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 86 | 0.4 | 2.2 | 1.2 | 0.06 | 0.17 | 26 | 0.1 | 0.7 | 0.3 | 0.02 | 0.05 | C12–13 |
| Pharynx unspecified | 19 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 345 | 1.6 | 8.8 | 4.6 | 0.19 | 0.57 | 128 | 0.7 | 3.2 | 1.4 | 0.06 | 0.18 | C15 |
| Stomach | 532 | 2.4 | 13.6 | 7.4 | 0.41 | 0.87 | 264 | 1.4 | 6.7 | 3.0 | 0.16 | 0.33 | C16 |
| Small intestine | 117 | 0.5 | 3.0 | 1.7 | 0.08 | 0.22 | 86 | 0.5 | 2.2 | 1.1 | 0.05 | 0.14 | C17 |
| Colon | 1388 | 6.3 | 35.4 | 18.0 | 0.82 | 2.03 | 1285 | 6.9 | 32.4 | 14.6 | 0.74 | 1.59 | C18 |
| Rectum | 757 | 3.4 | 19.3 | 10.4 | 0.55 | 1.22 | 501 | 2.7 | 12.6 | 6.0 | 0.38 | 0.69 | C19–20 |
| Anus | 66 | 0.3 | 1.7 | 0.9 | 0.05 | 0.12 | 149 | 0.8 | 3.8 | 2.0 | 0.14 | 0.24 | C21 |
| Liver | 519 | 2.4 | 13.2 | 7.1 | 0.34 | 0.90 | 202 | 1.1 | 5.1 | 2.3 | 0.13 | 0.25 | C22 |
| Gallbladder etc. | 159 | 0.7 | 4.1 | 2.0 | 0.09 | 0.21 | 185 | 1.0 | 4.7 | 2.0 | 0.08 | 0.24 | C23–24 |
| Pancreas | 693 | 3.2 | 17.7 | 9.0 | 0.42 | 1.06 | 716 | 3.9 | 18.1 | 6.9 | 0.24 | 0.76 | C25 |
| Nose, sinuses etc. | 43 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 34 | 0.2 | 0.9 | 0.4 | 0.01 | 0.06 | C30–31 |
| Larynx | 169 | 0.8 | 4.3 | 2.5 | 0.16 | 0.32 | 31 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | C32 |
| Trachea, bronchus, and lung | 2244 | 10.2 | 57.2 | 30.2 | 1.39 | 3.80 | 1676 | 9.0 | 42.3 | 20.5 | 1.11 | 2.65 | C33–34 |
| Other thoracic organs | 34 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | 16 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C37–38 |
| Bone | 43 | 0.2 | 1.1 | 1.0 | 0.06 | 0.08 | 46 | 0.2 | 1.2 | 1.0 | 0.06 | 0.08 | C40–41 |
| Melanoma of skin | 1572 | 7.2 | 40.1 | 22.0 | 1.17 | 2.53 | 1455 | 7.8 | 36.7 | 20.9 | 1.38 | 2.24 | C43 |
| Other skin | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 159 | 0.7 | 4.1 | 2.0 | 0.06 | 0.24 | 30 | 0.2 | 0.8 | 0.3 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 38 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | 3 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 172 | 0.8 | 4.4 | 3.0 | 0.17 | 0.28 | 91 | 0.5 | 2.3 | 1.7 | 0.12 | 0.14 | C47+C49 |
| Breast | 43 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | 5551 | 29.9 | 140.0 | 78.6 | 5.44 | 9.03 | C50 |
| Vulva | | | | | | | 120 | 0.6 | 3.0 | 1.1 | 0.05 | 0.11 | C51 |
| Vagina | | | | | | | 27 | 0.1 | 0.7 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 243 | 1.3 | 6.1 | 4.2 | 0.34 | 0.40 | C53 |
| Corpus uteri | | | | | | | 772 | 4.2 | 19.5 | 10.1 | 0.64 | 1.25 | C54 |
| Uterus unspecified | | | | | | | 21 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 544 | 2.9 | 13.7 | 7.4 | 0.46 | 0.86 | C56 |
| Other female genital organs | | | | | | | 92 | 0.5 | 2.3 | 1.0 | 0.05 | 0.13 | C57 |
| Placenta | | | | | | | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 63 | 0.3 | 1.6 | 0.7 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 5623 | 25.6 | 143.4 | 77.2 | 3.35 | 10.62 | | | | | | | C61 |
| Testis | 478 | 2.2 | 12.2 | 10.6 | 0.80 | 0.83 | | | | | | | C62 |
| Other male genital organs | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 608 | 2.8 | 15.5 | 8.7 | 0.47 | 1.03 | 283 | 1.5 | 7.1 | 3.8 | 0.21 | 0.42 | C64 |
| Renal pelvis | 60 | 0.3 | 1.5 | 0.8 | 0.03 | 0.09 | 51 | 0.3 | 1.3 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 29 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | 23 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C66 |
| Bladder | 1947 | 8.9 | 49.6 | 25.1 | 1.12 | 2.96 | 578 | 3.1 | 14.6 | 6.1 | 0.26 | 0.72 | C67 |
| Other urinary organs | 14 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 32 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 28 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 343 | 1.6 | 8.7 | 5.8 | 0.39 | 0.61 | 262 | 1.4 | 6.6 | 4.0 | 0.24 | 0.41 | C70–72 |
| Thyroid | 212 | 1.0 | 5.4 | 3.7 | 0.26 | 0.39 | 500 | 2.7 | 12.6 | 9.3 | 0.74 | 0.88 | C73 |
| Adrenal gland | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 8 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 166 | 0.8 | 4.2 | 3.9 | 0.26 | 0.29 | 100 | 0.5 | 2.5 | 2.4 | 0.17 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 874 | 4.0 | 22.3 | 12.9 | 0.69 | 1.40 | 660 | 3.6 | 16.6 | 8.4 | 0.49 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 129 | 0.6 | 3.3 | 1.7 | 0.08 | 0.18 | 95 | 0.5 | 2.4 | 1.2 | 0.06 | 0.15 | C88 |
| Multiple myeloma | 360 | 1.6 | 9.2 | 4.8 | 0.22 | 0.59 | 270 | 1.5 | 6.8 | 3.2 | 0.15 | 0.41 | C90 |
| Lymphoid leukaemia | 371 | 1.7 | 9.5 | 6.2 | 0.31 | 0.63 | 220 | 1.2 | 5.5 | 3.7 | 0.19 | 0.34 | C91 |
| Myeloid leukaemia | 248 | 1.1 | 6.3 | 3.8 | 0.18 | 0.39 | 198 | 1.1 | 5.0 | 2.8 | 0.15 | 0.27 | C92–94 |
| Leukaemia unspecified | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 8 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 183 | 0.8 | 4.7 | 2.5 | 0.14 | 0.27 | 189 | 1.0 | 4.8 | 2.2 | 0.11 | 0.24 | MPD |
| Myelodysplastic syndromes | 208 | 0.9 | 5.3 | 2.2 | 0.06 | 0.19 | 163 | 0.9 | 4.1 | 1.4 | 0.05 | 0.15 | MPS |
| Other and unspecified | 215 | 1.0 | 5.5 | 2.6 | 0.10 | 0.27 | 306 | 1.6 | 7.7 | 2.7 | 0.11 | 0.29 | O&U |
| All sites | 21960 | | 560.0 | 309.1 | 15.31 | 36.97 | 18558 | | 467.9 | 244.6 | 15.04 | 27.63 | C00–96 |
| All sites except C44 | 21959 | 100.0 | 560.0 | 309.0 | 15.31 | 36.97 | 18558 | 100.0 | 467.9 | 244.6 | 15.04 | 27.63 | C00–96 exc.C44 |

Ukraine

CONTRIBUTORS

Zoya Fedorenko
Anton Ryzhov
Lyudmila Goulak
Yevhen Gorokh
Olena Soumkina
Lyubov Koutsenko



20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Trachea, bronchus, and lung | 42.7 | Breast | 43.8 |
| Prostate | 27.2 | Non-melanoma skin cancer | 20.8 |
| Non-melanoma skin cancer | 25.1 | Corpus uteri | 19.3 |
| Stomach | 19.8 | Cervix uteri | 15.3 |
| Colon | 16.6 | Ovary | 11.4 |
| Rectum | 15.5 | Colon | 11.4 |
| Bladder | 13.8 | Thyroid | 9.9 |
| Kidney | 11.6 | Rectum | 8.6 |
| Pancreas | 9.4 | Stomach | 7.9 |
| Other and unspecified | 8.8 | Trachea, bronchus, and lung | 6.3 |
| Larynx | 7.9 | Kidney | 5.9 |
| Oesophagus | 6.0 | Melanoma of skin | 5.3 |
| Melanoma of skin | 5.2 | Pancreas | 4.6 |
| Brain and nervous system | 5.0 | Other and unspecified | 4.3 |
| Non-Hodgkin lymphoma | 4.9 | Brain and nervous system | 3.9 |
| Lymphoid leukaemia | 4.6 | Non-Hodgkin lymphoma | 3.4 |
| Hypopharynx | 3.7 | Lymphoid leukaemia | 2.7 |
| Mouth | 3.6 | Hodgkin lymphoma | 2.5 |
| Liver | 3.3 | Myeloid leukaemia | 1.9 |
| Tongue | 3.0 | Bladder | 1.8 |
| All sites | 268.4 | All sites | 206.8 |


Ukraine (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 2361 | 0.8 | 2.8 | 1.8 | 0.08 | 0.22 | 984 | 0.3 | 1.0 | 0.3 | 0.01 | 0.04 | C00 |
| Tongue | 3526 | 1.2 | 4.2 | 3.0 | 0.24 | 0.36 | 671 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C01–02 |
| Mouth | 4287 | 1.4 | 5.1 | 3.6 | 0.29 | 0.44 | 883 | 0.3 | 0.9 | 0.5 | 0.04 | 0.06 | C03–06 |
| Salivary glands | 1117 | 0.4 | 1.3 | 0.9 | 0.06 | 0.11 | 822 | 0.3 | 0.8 | 0.5 | 0.03 | 0.05 | C07–08 |
| Tonsil | 1771 | 0.6 | 2.1 | 1.5 | 0.12 | 0.18 | 378 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C09 |
| Other oropharynx | 2905 | 1.0 | 3.5 | 2.4 | 0.20 | 0.30 | 331 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 627 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 325 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 4472 | 1.5 | 5.3 | 3.7 | 0.30 | 0.47 | 198 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 265 | 0.1 | 0.3 | 0.2 | 0.02 | 0.03 | 28 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 7328 | 2.5 | 8.7 | 6.0 | 0.44 | 0.78 | 954 | 0.3 | 1.0 | 0.4 | 0.03 | 0.05 | C15 |
| Stomach | 24960 | 8.4 | 29.7 | 19.8 | 1.12 | 2.53 | 16064 | 5.1 | 16.5 | 7.9 | 0.45 | 0.96 | C16 |
| Small intestine | 640 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | 591 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C17 |
| Colon | 21265 | 7.1 | 25.3 | 16.6 | 0.82 | 2.12 | 23460 | 7.5 | 24.2 | 11.4 | 0.65 | 1.44 | C18 |
| Rectum | 19695 | 6.6 | 23.4 | 15.5 | 0.85 | 2.03 | 16998 | 5.4 | 17.5 | 8.6 | 0.53 | 1.09 | C19–20 |
| Anus | 468 | 0.2 | 0.6 | 0.4 | 0.02 | 0.05 | 798 | 0.3 | 0.8 | 0.4 | 0.03 | 0.05 | C21 |
| Liver | 4006 | 1.3 | 4.8 | 3.3 | 0.20 | 0.40 | 2891 | 0.9 | 3.0 | 1.5 | 0.08 | 0.18 | C22 |
| Gallbladder etc. | 1790 | 0.6 | 2.1 | 1.4 | 0.07 | 0.17 | 2999 | 1.0 | 3.1 | 1.4 | 0.08 | 0.18 | C23–24 |
| Pancreas | 11777 | 3.9 | 14.0 | 9.4 | 0.57 | 1.18 | 10008 | 3.2 | 10.3 | 4.6 | 0.24 | 0.58 | C25 |
| Nose, sinuses etc. | 995 | 0.3 | 1.2 | 0.8 | 0.06 | 0.10 | 595 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 9547 | 3.2 | 11.4 | 7.9 | 0.59 | 1.01 | 447 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 53346 | 17.9 | 63.5 | 42.7 | 2.61 | 5.67 | 12723 | 4.1 | 13.1 | 6.3 | 0.38 | 0.77 | C33–34 |
| Other thoracic organs | 830 | 0.3 | 1.0 | 0.8 | 0.05 | 0.08 | 527 | 0.2 | 0.5 | 0.4 | 0.03 | 0.04 | C37–38 |
| Bone | 1048 | 0.4 | 1.2 | 1.2 | 0.07 | 0.10 | 841 | 0.3 | 0.9 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 6263 | 2.1 | 7.4 | 5.2 | 0.34 | 0.59 | 8479 | 2.7 | 8.7 | 5.3 | 0.38 | 0.57 | C43 |
| Other skin | 32928 | 11.0 | 39.2 | 25.1 | 1.15 | 2.92 | 45539 | 14.6 | 46.9 | 20.8 | 1.07 | 2.46 | C44 |
| Mesothelioma | 515 | 0.2 | 0.6 | 0.4 | 0.03 | 0.05 | 405 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C45 |
| Kaposi sarcoma | 111 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 51 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 2099 | 0.7 | 2.5 | 1.9 | 0.12 | 0.19 | 2307 | 0.7 | 2.4 | 1.5 | 0.10 | 0.15 | C47+C49 |
| Breast | 561 | 0.2 | 0.7 | 0.4 | 0.02 | 0.05 | 71772 | 23.0 | 73.9 | 43.8 | 3.32 | 5.01 | C50 |
| Vulva | | | | | | | 2562 | 0.8 | 2.6 | 1.1 | 0.05 | 0.13 | C51 |
| Vagina | | | | | | | 573 | 0.2 | 0.6 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 20983 | 6.7 | 21.6 | 15.3 | 1.27 | 1.52 | C53 |
| Corpus uteri | | | | | | | 32768 | 10.5 | 33.8 | 19.3 | 1.52 | 2.39 | C54 |
| Uterus unspecified | | | | | | | 577 | 0.2 | 0.6 | 0.3 | 0.03 | 0.04 | C55 |
| Ovary | | | | | | | 17392 | 5.6 | 17.9 | 11.4 | 0.89 | 1.25 | C56 |
| Other female genital organs | | | | | | | 448 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C57 |
| Placenta | | | | | | | 148 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 941 | 0.3 | 1.1 | 0.8 | 0.04 | 0.09 | | | | | | | C60 |
| Prostate | 35911 | 12.0 | 42.7 | 27.2 | 0.93 | 3.69 | | | | | | | C61 |
| Testis | 2261 | 0.8 | 2.7 | 2.3 | 0.16 | 0.18 | | | | | | | C62 |
| Other male genital organs | 87 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 13798 | 4.6 | 16.4 | 11.6 | 0.80 | 1.43 | 9801 | 3.1 | 10.1 | 5.9 | 0.41 | 0.70 | C64 |
| Renal pelvis | 320 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 179 | 0.1 | 0.2 | 0.1 | 0.00 | 0.01 | C65 |
| Ureter | 256 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 117 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 17750 | 6.0 | 21.1 | 13.8 | 0.69 | 1.74 | 3855 | 1.2 | 4.0 | 1.8 | 0.10 | 0.22 | C67 |
| Other urinary organs | 37 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 66 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 591 | 0.2 | 0.7 | 0.6 | 0.04 | 0.06 | 685 | 0.2 | 0.7 | 0.6 | 0.04 | 0.05 | C69 |
| Brain and nervous system | 5173 | 1.7 | 6.2 | 5.0 | 0.37 | 0.50 | 4968 | 1.6 | 5.1 | 3.9 | 0.28 | 0.38 | C70–72 |
| Thyroid | 2750 | 0.9 | 3.3 | 2.5 | 0.20 | 0.25 | 12668 | 4.1 | 13.0 | 9.9 | 0.80 | 0.95 | C73 |
| Adrenal gland | 430 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 385 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 50 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 62 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 2118 | 0.7 | 2.5 | 2.3 | 0.16 | 0.18 | 2455 | 0.8 | 2.5 | 2.5 | 0.18 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 5443 | 1.8 | 6.5 | 4.9 | 0.33 | 0.53 | 5295 | 1.7 | 5.5 | 3.4 | 0.23 | 0.37 | C82–86,C96 |
| Immunoproliferative diseases | 159 | 0.1 | 0.2 | 0.1 | 0.01 | 0.02 | 162 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C88 |
| Multiple myeloma | 1815 | 0.6 | 2.2 | 1.5 | 0.10 | 0.19 | 2130 | 0.7 | 2.2 | 1.2 | 0.08 | 0.15 | C90 |
| Lymphoid leukaemia | 4510 | 1.5 | 5.4 | 4.6 | 0.25 | 0.45 | 3552 | 1.1 | 3.7 | 2.7 | 0.14 | 0.25 | C91 |
| Myeloid leukaemia | 2741 | 0.9 | 3.3 | 2.5 | 0.15 | 0.27 | 2732 | 0.9 | 2.8 | 1.9 | 0.12 | 0.20 | C92–94 |
| Leukaemia unspecified | 663 | 0.2 | 0.8 | 0.6 | 0.03 | 0.06 | 645 | 0.2 | 0.7 | 0.4 | 0.03 | 0.04 | C95 |
| Myeloproliferative disorders | 793 | 0.3 | 0.9 | 0.7 | 0.05 | 0.08 | 729 | 0.2 | 0.8 | 0.5 | 0.03 | 0.06 | MPD |
| Myelodysplastic syndromes | 254 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 227 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | MPS |
| Other and unspecified | 10842 | 3.6 | 12.9 | 8.8 | 0.52 | 1.09 | 8396 | 2.7 | 8.6 | 4.3 | 0.24 | 0.51 | O&U |
| All sites | 331196 | | 393.9 | 268.4 | 15.47 | 33.27 | 357629 | | 368.4 | 206.8 | 14.22 | 23.60 | C00–96 |
| All sites except C44 | 298268 | 100.0 | 354.8 | 243.3 | 14.32 | 30.35 | 312090 | 100.0 | 321.5 | 186.0 | 13.14 | 21.14 | C00–96 exc.C44 |

UK, England

CONTRIBUTORS

Claire Welsh
John Broggio
Kate Fleming
Natalie Pearce
Brian Rous
Ruth Swann
Sally Vernon
Sarah Stevens



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 119.8 | Breast | 92.4 |
| Prostate | 75.8 | Non-melanoma skin cancer | 86.9 |
| Trachea, bronchus, and lung | 35.2 | Trachea, bronchus, and lung | 27.5 |
| Bladder | 22.1 | Colon | 17.0 |
| Colon | 21.5 | Melanoma of skin | 14.7 |
| Melanoma of skin | 14.2 | Corpus uteri | 14.5 |
| Rectum | 13.8 | Ovary | 9.6 |
| Non-Hodgkin lymphoma | 13.1 | Non-Hodgkin lymphoma | 9.1 |
| Kidney | 12.0 | Cervix uteri | 7.7 |
| Oesophagus | 9.6 | Rectum | 7.2 |
| Pancreas | 7.8 | Bladder | 6.6 |
| Testis | 6.8 | Kidney | 6.3 |
| Brain and nervous system | 6.6 | Thyroid | 6.2 |
| Lymphoid leukaemia | 6.6 | Pancreas | 6.1 |
| Other and unspecified | 6.2 | Other and unspecified | 5.9 |
| Stomach | 6.1 | Brain and nervous system | 4.6 |
| Liver | 6.1 | Lymphoid leukaemia | 3.8 |
| Multiple myeloma | 5.1 | Oesophagus | 3.4 |
| Myeloid leukaemia | 4.7 | Multiple myeloma | 3.3 |
| Tongue | 3.4 | Myeloid leukaemia | 3.2 |
| All sites | 435.3 | All sites | 367.1 |

UK, England (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 707 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 396 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 7359 | 0.9 | 5.4 | 3.4 | 0.26 | 0.42 | 3682 | 0.5 | 2.7 | 1.5 | 0.10 | 0.17 | C01–02 |
| Mouth | 5173 | 0.6 | 3.8 | 2.3 | 0.16 | 0.28 | 3726 | 0.5 | 2.7 | 1.4 | 0.08 | 0.16 | C03–06 |
| Salivary glands | 1620 | 0.2 | 1.2 | 0.7 | 0.04 | 0.07 | 1348 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 5519 | 0.7 | 4.1 | 2.7 | 0.23 | 0.33 | 1821 | 0.2 | 1.3 | 0.8 | 0.07 | 0.10 | C09 |
| Other oropharynx | 915 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 300 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 741 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 311 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 2056 | 0.2 | 1.5 | 0.9 | 0.06 | 0.12 | 637 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 221 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 80 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 25750 | 3.1 | 19.1 | 9.6 | 0.48 | 1.19 | 11866 | 1.6 | 8.6 | 3.4 | 0.14 | 0.38 | C15 |
| Stomach | 17811 | 2.1 | 13.2 | 6.1 | 0.25 | 0.65 | 9487 | 1.3 | 6.8 | 2.7 | 0.13 | 0.28 | C16 |
| Small intestine | 3779 | 0.5 | 2.8 | 1.5 | 0.08 | 0.18 | 3102 | 0.4 | 2.2 | 1.1 | 0.06 | 0.13 | C17 |
| Colon | 60251 | 7.2 | 44.6 | 21.5 | 0.96 | 2.42 | 55968 | 7.4 | 40.3 | 17.0 | 0.82 | 1.84 | C18 |
| Rectum | 35963 | 4.3 | 26.6 | 13.8 | 0.73 | 1.66 | 21332 | 2.8 | 15.4 | 7.2 | 0.41 | 0.83 | C19–20 |
| Anus | 2012 | 0.2 | 1.5 | 0.9 | 0.06 | 0.10 | 3938 | 0.5 | 2.8 | 1.6 | 0.11 | 0.19 | C21 |
| Liver | 16259 | 2.0 | 12.0 | 6.1 | 0.31 | 0.70 | 8756 | 1.2 | 6.3 | 2.6 | 0.12 | 0.29 | C22 |
| Gallbladder etc. | 3851 | 0.5 | 2.9 | 1.3 | 0.05 | 0.15 | 5255 | 0.7 | 3.8 | 1.5 | 0.06 | 0.17 | C23–24 |
| Pancreas | 21797 | 2.6 | 16.1 | 7.8 | 0.34 | 0.91 | 21143 | 2.8 | 15.2 | 6.1 | 0.26 | 0.69 | C25 |
| Nose, sinuses etc. | 1447 | 0.2 | 1.1 | 0.6 | 0.04 | 0.07 | 979 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 7606 | 0.9 | 5.6 | 3.0 | 0.17 | 0.39 | 1598 | 0.2 | 1.2 | 0.6 | 0.04 | 0.08 | C32 |
| Trachea, bronchus, and lung | 102375 | 12.3 | 75.8 | 35.2 | 1.37 | 4.17 | 89680 | 11.9 | 64.6 | 27.5 | 1.22 | 3.44 | C33–34 |
| Other thoracic organs | 987 | 0.1 | 0.7 | 0.5 | 0.03 | 0.05 | 733 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 1442 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 1278 | 0.2 | 0.9 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 33642 | 4.0 | 24.9 | 14.2 | 0.85 | 1.57 | 33343 | 4.4 | 24.0 | 14.7 | 1.02 | 1.55 | C43 |
| Other skin | 347639 | 41.8 | 257.3 | 119.8 | 4.88 | 13.11 | 271432 | 35.9 | 195.6 | 86.9 | 4.50 | 9.74 | C44 |
| Mesothelioma | 9880 | 1.2 | 7.3 | 3.1 | 0.07 | 0.36 | 2029 | 0.3 | 1.5 | 0.6 | 0.02 | 0.07 | C45 |
| Kaposi sarcoma | 601 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | 82 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 5938 | 0.7 | 4.4 | 2.7 | 0.14 | 0.25 | 3791 | 0.5 | 2.7 | 1.8 | 0.11 | 0.17 | C47+C49 |
| Breast | 1573 | 0.2 | 1.2 | 0.6 | 0.03 | 0.07 | 221668 | 29.4 | 159.8 | 92.4 | 6.63 | 10.43 | C50 |
| Vulva | | | | | | | 5422 | 0.7 | 3.9 | 1.8 | 0.11 | 0.20 | C51 |
| Vagina | | | | | | | 1011 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 13099 | 1.7 | 9.4 | 7.7 | 0.59 | 0.67 | C53 |
| Corpus uteri | | | | | | | 38079 | 5.0 | 27.4 | 14.5 | 0.94 | 1.83 | C54 |
| Uterus unspecified | | | | | | | 765 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 24941 | 3.3 | 18.0 | 9.6 | 0.59 | 1.09 | C56 |
| Other female genital organs | | | | | | | 2171 | 0.3 | 1.6 | 0.8 | 0.05 | 0.10 | C57 |
| Placenta | | | | | | | 107 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 2633 | 0.3 | 1.9 | 1.1 | 0.06 | 0.12 | | | | | | | C60 |
| Prostate | 208799 | 25.1 | 154.5 | 75.8 | 3.16 | 9.86 | | | | | | | C61 |
| Testis | 9758 | 1.2 | 7.2 | 6.8 | 0.52 | 0.54 | | | | | | | C62 |
| Other male genital organs | 319 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 29193 | 3.5 | 21.6 | 12.0 | 0.70 | 1.38 | 17438 | 2.3 | 12.6 | 6.3 | 0.36 | 0.71 | C64 |
| Renal pelvis | 1933 | 0.2 | 1.4 | 0.7 | 0.03 | 0.08 | 1364 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | C65 |
| Ureter | 1618 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | 1019 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| †Bladder | 65535 | 7.9 | 48.5 | 22.1 | 0.82 | 2.49 | 22953 | 3.0 | 16.5 | 6.6 | 0.28 | 0.76 | C67 |
| Other urinary organs | 497 | 0.1 | 0.4 | 0.2 | 0.00 | 0.02 | 175 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 1854 | 0.2 | 1.4 | 0.9 | 0.06 | 0.10 | 1594 | 0.2 | 1.1 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 13248 | 1.6 | 9.8 | 6.6 | 0.42 | 0.68 | 9827 | 1.3 | 7.1 | 4.6 | 0.29 | 0.46 | C70–72 |
| Thyroid | 4181 | 0.5 | 3.1 | 2.2 | 0.16 | 0.22 | 11118 | 1.5 | 8.0 | 6.2 | 0.47 | 0.58 | C73 |
| Adrenal gland | 460 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 498 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 283 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 214 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 5038 | 0.6 | 3.7 | 3.2 | 0.22 | 0.27 | 3771 | 0.5 | 2.7 | 2.4 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 31813 | 3.8 | 23.5 | 13.1 | 0.71 | 1.45 | 25477 | 3.4 | 18.4 | 9.1 | 0.50 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 2271 | 0.3 | 1.7 | 0.9 | 0.04 | 0.10 | 2111 | 0.3 | 1.5 | 0.7 | 0.04 | 0.08 | C88 |
| Multiple myeloma | 14300 | 1.7 | 10.6 | 5.1 | 0.24 | 0.59 | 10666 | 1.4 | 7.7 | 3.3 | 0.16 | 0.38 | C90 |
| Lymphoid leukaemia | 14579 | 1.8 | 10.8 | 6.6 | 0.33 | 0.66 | 8982 | 1.2 | 6.5 | 3.8 | 0.18 | 0.36 | C91 |
| Myeloid leukaemia | 11486 | 1.4 | 8.5 | 4.7 | 0.23 | 0.47 | 8471 | 1.1 | 6.1 | 3.2 | 0.18 | 0.32 | C92–94 |
| Leukaemia unspecified | 361 | 0.0 | 0.3 | 0.2 | 0.01 | 0.01 | 311 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 7947 | 1.0 | 5.9 | 3.1 | 0.16 | 0.35 | 7940 | 1.1 | 5.7 | 2.6 | 0.13 | 0.29 | MPD |
| Myelodysplastic syndromes | 8259 | 1.0 | 6.1 | 2.4 | 0.06 | 0.22 | 5012 | 0.7 | 3.6 | 1.2 | 0.04 | 0.12 | MPS |
| Other and unspecified | 18227 | 2.2 | 13.5 | 6.2 | 0.25 | 0.63 | 22333 | 3.0 | 16.1 | 5.9 | 0.24 | 0.59 | O&U |
| All sites | 1179506 | | 872.9 | 435.3 | 19.98 | 49.79 | 1026630 | | 740.0 | 367.1 | 21.57 | 41.03 | C00–96 |
| All sites except C44 | 831867 | 100.0 | 615.7 | 315.5 | 15.10 | 36.68 | 755198 | 100.0 | 544.3 | 280.2 | 17.07 | 31.29 | C00–96 exc. C44 |


†See note following population pyramid

UK, Northern Ireland

CONTRIBUTORS

Anna Gavin

Deirdre Fitzpatrick



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Non-melanoma skin cancer | 121.5 | Breast | 84.6 |
| Prostate | 68.1 | Non-melanoma skin cancer | 76.7 |
| Trachea, bronchus, and lung | 39.1 | Trachea, bronchus, and lung | 31.0 |
| Colon | 24.3 | Colon | 19.0 |
| Bladder | 18.2 | Corpus uteri | 15.1 |
| Rectum | 14.0 | Melanoma of skin | 14.4 |
| Kidney | 13.5 | Non-Hodgkin lymphoma | 8.1 |
| Melanoma of skin | 12.1 | Ovary | 7.5 |
| Non-Hodgkin lymphoma | 11.9 | Cervix uteri | 7.3 |
| Oesophagus | 9.7 | Rectum | 7.3 |
| Stomach | 7.9 | Kidney | 6.9 |
| Pancreas | 7.6 | Other and unspecified | 6.2 |
| Other and unspecified | 6.6 | Bladder | 6.0 |
| Testis | 6.5 | Pancreas | 5.7 |
| Brain and nervous system | 6.3 | Thyroid | 5.5 |
| Lymphoid leukaemia | 5.8 | Brain and nervous system | 4.2 |
| Multiple myeloma | 5.0 | Stomach | 3.8 |
| Liver | 5.0 | Other female genital organs | 3.4 |
| Larynx | 4.1 | Lymphoid leukaemia | 3.3 |
| Myeloid leukaemia | 3.7 | Oesophagus | 3.2 |
| All sites | 428.0 | All sites | 352.8 |

UK, Northern Ireland (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 44 | 0.2 | 1.0 | 0.5 | 0.02 | 0.05 | 10 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C00 |
| Tongue | 210 | 0.8 | 4.6 | 2.9 | 0.21 | 0.34 | 85 | 0.4 | 1.8 | 1.0 | 0.08 | 0.12 | C01–02 |
| Mouth | 150 | 0.6 | 3.3 | 2.1 | 0.16 | 0.25 | 108 | 0.5 | 2.3 | 1.2 | 0.07 | 0.15 | C03–06 |
| Salivary glands | 47 | 0.2 | 1.0 | 0.7 | 0.03 | 0.07 | 34 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | C07–08 |
| Tonsil | 138 | 0.6 | 3.0 | 2.1 | 0.17 | 0.26 | 50 | 0.2 | 1.1 | 0.7 | 0.06 | 0.08 | C09 |
| Other oropharynx | 54 | 0.2 | 1.2 | 0.8 | 0.05 | 0.10 | 24 | 0.1 | 0.5 | 0.3 | 0.02 | 0.05 | C10 |
| Nasopharynx | 22 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | 11 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 90 | 0.4 | 2.0 | 1.2 | 0.06 | 0.16 | 29 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 8 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 754 | 3.0 | 16.6 | 9.7 | 0.52 | 1.20 | 332 | 1.4 | 7.0 | 3.2 | 0.16 | 0.37 | C15 |
| Stomach | 685 | 2.8 | 15.1 | 7.9 | 0.34 | 0.87 | 400 | 1.7 | 8.5 | 3.8 | 0.18 | 0.41 | C16 |
| Small intestine | 128 | 0.5 | 2.8 | 1.7 | 0.10 | 0.21 | 95 | 0.4 | 2.0 | 1.1 | 0.07 | 0.13 | C17 |
| Colon | 2064 | 8.3 | 45.4 | 24.3 | 1.03 | 2.79 | 1908 | 8.1 | 40.5 | 19.0 | 0.90 | 2.16 | C18 |
| Rectum | 1124 | 4.5 | 24.7 | 14.0 | 0.74 | 1.68 | 679 | 2.9 | 14.4 | 7.3 | 0.42 | 0.86 | C19–20 |
| Anus | 53 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 96 | 0.4 | 2.0 | 1.2 | 0.08 | 0.14 | C21 |
| Liver | 425 | 1.7 | 9.4 | 5.0 | 0.23 | 0.59 | 232 | 1.0 | 4.9 | 2.1 | 0.07 | 0.21 | C22 |
| Gallbladder etc. | 196 | 0.8 | 4.3 | 2.2 | 0.08 | 0.23 | 258 | 1.1 | 5.5 | 2.4 | 0.10 | 0.28 | C23–24 |
| Pancreas | 654 | 2.6 | 14.4 | 7.6 | 0.31 | 0.92 | 615 | 2.6 | 13.1 | 5.7 | 0.22 | 0.66 | C25 |
| Nose, sinuses etc. | 45 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 30 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C30–31 |
| Larynx | 324 | 1.3 | 7.1 | 4.1 | 0.22 | 0.53 | 83 | 0.4 | 1.8 | 1.0 | 0.08 | 0.13 | C32 |
| Trachea, bronchus, and lung | 3413 | 13.8 | 75.1 | 39.1 | 1.50 | 4.73 | 3068 | 13.0 | 65.1 | 31.0 | 1.42 | 3.91 | C33–34 |
| Other thoracic organs | 40 | 0.2 | 0.9 | 0.5 | 0.02 | 0.04 | 20 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 34 | 0.1 | 0.7 | 0.7 | 0.05 | 0.06 | 35 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | C40–41 |
| Melanoma of skin | 882 | 3.6 | 19.4 | 12.1 | 0.70 | 1.32 | 1018 | 4.3 | 21.6 | 14.4 | 1.01 | 1.46 | C43 |
| Other skin | 10560 | 42.7 | 232.4 | 121.5 | 5.09 | 13.21 | 7756 | 32.8 | 164.7 | 76.7 | 3.76 | 8.36 | C44 |
| Mesothelioma | 172 | 0.7 | 3.8 | 1.8 | 0.05 | 0.20 | 39 | 0.2 | 0.8 | 0.4 | 0.01 | 0.06 | C45 |
| Kaposi sarcoma | 13 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 127 | 0.5 | 2.8 | 1.7 | 0.09 | 0.16 | 108 | 0.5 | 2.3 | 1.7 | 0.11 | 0.13 | C47+C49 |
| Breast | 52 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 6519 | 27.6 | 138.4 | 84.6 | 6.16 | 9.57 | C50 |
| Vulva | | | | | | | 178 | 0.8 | 3.8 | 1.8 | 0.11 | 0.18 | C51 |
| Vagina | | | | | | | 35 | 0.1 | 0.7 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 416 | 1.8 | 8.8 | 7.3 | 0.57 | 0.65 | C53 |
| Corpus uteri | | | | | | | 1228 | 5.2 | 26.1 | 15.1 | 1.04 | 1.89 | C54 |
| Uterus unspecified | | | | | | | 14 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 616 | 2.6 | 13.1 | 7.5 | 0.50 | 0.81 | C56 |
| Other female genital organs | | | | | | | 300 | 1.3 | 6.4 | 3.4 | 0.19 | 0.44 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 88 | 0.4 | 1.9 | 1.1 | 0.06 | 0.11 | | | | | | | C60 |
| Prostate | 5710 | 23.1 | 125.6 | 68.1 | 2.98 | 8.62 | | | | | | | C61 |
| Testis | 306 | 1.2 | 6.7 | 6.5 | 0.50 | 0.52 | | | | | | | C62 |
| Other male genital organs | 8 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1016 | 4.1 | 22.4 | 13.5 | 0.77 | 1.51 | 586 | 2.5 | 12.4 | 6.9 | 0.40 | 0.77 | C64 |
| Renal pelvis | 57 | 0.2 | 1.3 | 0.6 | 0.02 | 0.07 | 32 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 33 | 0.1 | 0.7 | 0.3 | 0.01 | 0.04 | 33 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C66 |
| †Bladder | 1604 | 6.5 | 35.3 | 18.2 | 0.71 | 2.04 | 629 | 2.7 | 13.4 | 6.0 | 0.29 | 0.68 | C67 |
| Other urinary organs | 16 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 8 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 42 | 0.2 | 0.9 | 0.6 | 0.03 | 0.06 | 62 | 0.3 | 1.3 | 0.9 | 0.06 | 0.10 | C69 |
| Brain and nervous system | 407 | 1.6 | 9.0 | 6.3 | 0.42 | 0.65 | 295 | 1.2 | 6.3 | 4.2 | 0.27 | 0.44 | C70–72 |
| Thyroid | 126 | 0.5 | 2.8 | 2.0 | 0.15 | 0.20 | 324 | 1.4 | 6.9 | 5.5 | 0.40 | 0.50 | C73 |
| Adrenal gland | 8 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 18 | 0.1 | 0.4 | 0.3 | 0.01 | 0.03 | C74 |
| Other endocrine | 7 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 8 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 182 | 0.7 | 4.0 | 3.3 | 0.23 | 0.30 | 127 | 0.5 | 2.7 | 2.5 | 0.17 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 920 | 3.7 | 20.2 | 11.9 | 0.64 | 1.35 | 759 | 3.2 | 16.1 | 8.1 | 0.41 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 49 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | 42 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C88 |
| Multiple myeloma | 422 | 1.7 | 9.3 | 5.0 | 0.22 | 0.62 | 316 | 1.3 | 6.7 | 3.1 | 0.16 | 0.37 | C90 |
| Lymphoid leukaemia | 374 | 1.5 | 8.2 | 5.8 | 0.32 | 0.53 | 247 | 1.0 | 5.2 | 3.3 | 0.16 | 0.32 | C91 |
| Myeloid leukaemia | 264 | 1.1 | 5.8 | 3.7 | 0.19 | 0.36 | 209 | 0.9 | 4.4 | 2.6 | 0.14 | 0.23 | C92–94 |
| Leukaemia unspecified | 51 | 0.2 | 1.1 | 0.6 | 0.03 | 0.05 | 63 | 0.3 | 1.3 | 0.6 | 0.02 | 0.05 | C95 |
| Myeloproliferative disorders | 229 | 0.9 | 5.0 | 3.0 | 0.17 | 0.36 | 271 | 1.1 | 5.8 | 3.2 | 0.18 | 0.31 | MPD |
| Myelodysplastic syndromes | 263 | 1.1 | 5.8 | 2.7 | 0.07 | 0.22 | 185 | 0.8 | 3.9 | 1.4 | 0.05 | 0.13 | MPS |
| Other and unspecified | 593 | 2.4 | 13.0 | 6.6 | 0.23 | 0.66 | 733 | 3.1 | 15.6 | 6.2 | 0.25 | 0.61 | O&U |
| All sites | 35283 | | 776.4 | 428.0 | 19.74 | 48.65 | 31382 | | 666.2 | 352.8 | 20.58 | 39.32 | C00–96 |
| All sites except C44 | 24723 | 100.0 | 544.0 | 306.4 | 14.65 | 35.44 | 23626 | 100.0 | 501.6 | 276.1 | 16.82 | 30.95 | C00–96 exc. C44 |

†See note following population pyramid

UK, Scotland

CONTRIBUTORS

David Morrison
Karen Smith



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 105.8 | Breast | 86.3 |
| Prostate | 63.4 | Non-melanoma skin cancer | 72.3 |
| Trachea, bronchus, and lung | 45.6 | Trachea, bronchus, and lung | 38.4 |
| Colon | 23.5 | Colon | 18.3 |
| Bladder | 19.4 | Corpus uteri | 14.0 |
| Rectum | 13.4 | Melanoma of skin | 13.3 |
| Melanoma of skin | 12.8 | Cervix uteri | 9.8 |
| Kidney | 12.6 | Ovary | 9.2 |
| Non-Hodgkin lymphoma | 12.1 | Non-Hodgkin lymphoma | 8.6 |
| Oesophagus | 11.2 | Bladder | 7.2 |
| Liver | 8.0 | Other and unspecified | 7.1 |
| Other and unspecified | 7.5 | Rectum | 7.1 |
| Pancreas | 7.2 | Kidney | 6.7 |
| Testis | 7.2 | Pancreas | 5.8 |
| Stomach | 7.0 | Thyroid | 5.5 |
| Brain and nervous system | 6.2 | Brain and nervous system | 4.4 |
| Lymphoid leukaemia | 5.9 | Oesophagus | 4.3 |
| Multiple myeloma | 4.6 | Stomach | 3.4 |
| Larynx | 4.5 | Lymphoid leukaemia | 3.3 |
| Myeloid leukaemia | 3.9 | Myeloproliferative disorders | 3.1 |
| All sites | 424.1 | All sites | 362.1 |

UK, Scotland (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 154 | 0.2 | 1.2 | 0.5 | 0.02 | 0.06 | 70 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 810 | 1.0 | 6.2 | 3.6 | 0.26 | 0.45 | 429 | 0.5 | 3.1 | 1.6 | 0.11 | 0.20 | C01–02 |
| Mouth | 669 | 0.8 | 5.1 | 2.8 | 0.18 | 0.36 | 443 | 0.5 | 3.2 | 1.5 | 0.09 | 0.17 | C03–06 |
| Salivary glands | 139 | 0.2 | 1.1 | 0.6 | 0.03 | 0.06 | 136 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 541 | 0.6 | 4.1 | 2.6 | 0.23 | 0.31 | 155 | 0.2 | 1.1 | 0.7 | 0.05 | 0.08 | C09 |
| Other oropharynx | 217 | 0.3 | 1.7 | 1.0 | 0.07 | 0.12 | 71 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | C10 |
| Nasopharynx | 88 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | 36 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 309 | 0.4 | 2.4 | 1.2 | 0.07 | 0.16 | 67 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 127 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | 45 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C14 |
| Oesophagus | 3024 | 3.6 | 23.2 | 11.2 | 0.54 | 1.38 | 1595 | 1.9 | 11.5 | 4.3 | 0.18 | 0.47 | C15 |
| Stomach | 2020 | 2.4 | 15.5 | 7.0 | 0.31 | 0.76 | 1255 | 1.5 | 9.1 | 3.4 | 0.15 | 0.36 | C16 |
| Small intestine | 407 | 0.5 | 3.1 | 1.6 | 0.10 | 0.19 | 327 | 0.4 | 2.4 | 1.1 | 0.06 | 0.13 | C17 |
| Colon | 6535 | 7.8 | 50.0 | 23.5 | 1.04 | 2.66 | 6189 | 7.5 | 44.8 | 18.3 | 0.85 | 2.06 | C18 |
| Rectum | 3538 | 4.2 | 27.1 | 13.4 | 0.70 | 1.61 | 2180 | 2.6 | 15.8 | 7.1 | 0.41 | 0.83 | C19–20 |
| Anus | 216 | 0.3 | 1.7 | 0.9 | 0.06 | 0.11 | 436 | 0.5 | 3.2 | 1.7 | 0.12 | 0.19 | C21 |
| Liver | 2165 | 2.6 | 16.6 | 8.0 | 0.39 | 0.95 | 977 | 1.2 | 7.1 | 2.9 | 0.13 | 0.32 | C22 |
| Gallbladder etc. | 523 | 0.6 | 4.0 | 1.8 | 0.08 | 0.21 | 683 | 0.8 | 4.9 | 1.8 | 0.07 | 0.20 | C23–24 |
| Pancreas | 2007 | 2.4 | 15.4 | 7.2 | 0.31 | 0.87 | 2080 | 2.5 | 15.1 | 5.8 | 0.24 | 0.67 | C25 |
| Nose, sinuses etc. | 123 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 114 | 0.1 | 0.8 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 1131 | 1.3 | 8.7 | 4.5 | 0.27 | 0.57 | 294 | 0.4 | 2.1 | 1.1 | 0.07 | 0.14 | C32 |
| Trachea, bronchus, and lung | 13085 | 15.6 | 100.2 | 45.6 | 1.78 | 5.54 | 13119 | 15.9 | 95.0 | 38.4 | 1.67 | 4.82 | C33–34 |
| Other thoracic organs | 87 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 67 | 0.1 | 0.5 | 0.2 | 0.02 | 0.02 | C37–38 |
| Bone | 163 | 0.2 | 1.2 | 1.1 | 0.07 | 0.09 | 116 | 0.1 | 0.8 | 0.8 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 3068 | 3.7 | 23.5 | 12.8 | 0.76 | 1.39 | 3085 | 3.7 | 22.3 | 13.3 | 0.93 | 1.35 | C43 |
| Other skin | 29732 | 35.4 | 227.6 | 105.8 | 4.68 | 11.52 | 23234 | 28.1 | 168.2 | 72.3 | 3.83 | 7.99 | C44 |
| Mesothelioma | 909 | 1.1 | 7.0 | 2.8 | 0.06 | 0.32 | 158 | 0.2 | 1.1 | 0.4 | 0.01 | 0.05 | C45 |
| Kaposi sarcoma | 25 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 541 | 0.6 | 4.1 | 2.3 | 0.12 | 0.22 | 364 | 0.4 | 2.6 | 1.7 | 0.11 | 0.17 | C47+C49 |
| Breast | 140 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 21558 | 26.1 | 156.0 | 86.3 | 6.28 | 9.69 | C50 |
| Vulva | | | | | | | 646 | 0.8 | 4.7 | 2.2 | 0.14 | 0.23 | C51 |
| Vagina | | | | | | | 127 | 0.2 | 0.9 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 1710 | 2.1 | 12.4 | 9.8 | 0.77 | 0.88 | C53 |
| Corpus uteri | | | | | | | 3913 | 4.7 | 28.3 | 14.0 | 0.91 | 1.78 | C54 |
| Uterus unspecified | | | | | | | 257 | 0.3 | 1.9 | 0.9 | 0.06 | 0.10 | C55 |
| Ovary | | | | | | | 2584 | 3.1 | 18.7 | 9.2 | 0.56 | 1.05 | C56 |
| Other female genital organs | | | | | | | 251 | 0.3 | 1.8 | 0.8 | 0.05 | 0.09 | C57 |
| Placenta | | | | | | | 11 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 366 | 0.4 | 2.8 | 1.5 | 0.08 | 0.17 | | | | | | | C60 |
| Prostate | 17602 | 21.0 | 134.8 | 63.4 | 2.61 | 8.37 | | | | | | | C61 |
| Testis | 1002 | 1.2 | 7.7 | 7.2 | 0.55 | 0.57 | | | | | | | C62 |
| Other male genital organs | 33 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 3061 | 3.6 | 23.4 | 12.6 | 0.73 | 1.43 | 1899 | 2.3 | 13.7 | 6.7 | 0.41 | 0.76 | C64 |
| Renal pelvis | 183 | 0.2 | 1.4 | 0.6 | 0.02 | 0.07 | 142 | 0.2 | 1.0 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 197 | 0.2 | 1.5 | 0.6 | 0.02 | 0.08 | 122 | 0.1 | 0.9 | 0.3 | 0.01 | 0.04 | C66 |
| †Bladder | 5649 | 6.7 | 43.2 | 19.4 | 0.76 | 2.17 | 2577 | 3.1 | 18.7 | 7.2 | 0.30 | 0.83 | C67 |
| Other urinary organs | 53 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 35 | 0.0 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 172 | 0.2 | 1.3 | 0.9 | 0.05 | 0.08 | 181 | 0.2 | 1.3 | 0.9 | 0.06 | 0.08 | C69 |
| Brain and nervous system | 1241 | 1.5 | 9.5 | 6.2 | 0.38 | 0.64 | 956 | 1.2 | 6.9 | 4.4 | 0.27 | 0.44 | C70–72 |
| Thyroid | 421 | 0.5 | 3.2 | 2.2 | 0.15 | 0.24 | 1003 | 1.2 | 7.3 | 5.5 | 0.42 | 0.51 | C73 |
| Adrenal gland | 52 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 51 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C74 |
| Other endocrine | 20 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 20 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 466 | 0.6 | 3.6 | 3.0 | 0.20 | 0.25 | 373 | 0.5 | 2.7 | 2.3 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 2895 | 3.4 | 22.2 | 12.1 | 0.68 | 1.38 | 2534 | 3.1 | 18.3 | 8.6 | 0.48 | 1.01 | C82–86,C96 |
| Immunoproliferative diseases | 219 | 0.3 | 1.7 | 0.8 | 0.04 | 0.09 | 145 | 0.2 | 1.0 | 0.5 | 0.02 | 0.06 | C88 |
| Multiple myeloma | 1310 | 1.6 | 10.0 | 4.6 | 0.20 | 0.54 | 993 | 1.2 | 7.2 | 2.8 | 0.12 | 0.33 | C90 |
| Lymphoid leukaemia | 1218 | 1.5 | 9.3 | 5.9 | 0.28 | 0.58 | 733 | 0.9 | 5.3 | 3.3 | 0.16 | 0.29 | C91 |
| Myeloid leukaemia | 964 | 1.1 | 7.4 | 3.9 | 0.19 | 0.40 | 748 | 0.9 | 5.4 | 2.8 | 0.16 | 0.28 | C92–94 |
| Leukaemia unspecified | 16 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | 18 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 929 | 1.1 | 7.1 | 3.5 | 0.17 | 0.41 | 987 | 1.2 | 7.1 | 3.1 | 0.16 | 0.35 | MPD |
| Myelodysplastic syndromes | 934 | 1.1 | 7.2 | 2.9 | 0.07 | 0.27 | 662 | 0.8 | 4.8 | 1.5 | 0.04 | 0.14 | MPS |
| Other and unspecified | 2232 | 2.7 | 17.1 | 7.5 | 0.28 | 0.74 | 2894 | 3.5 | 20.9 | 7.1 | 0.25 | 0.68 | O&U |
| All sites | 113728 | | 870.7 | 424.1 | 19.82 | 48.76 | 105855 | | 766.2 | 362.1 | 21.18 | 40.49 | C00–96 |
| All sites except C44 | 83996 | 100.0 | 643.1 | 318.3 | 15.13 | 37.24 | 82621 | 100.0 | 598.0 | 289.8 | 17.35 | 32.51 | C00–96 exc. C44 |

†See note following population pyramid

UK, Wales

CONTRIBUTORS

Dyfed Wyn Huws
Janet Warlow
Julie Howe
Leon May
Dawn Allan



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|------------------------------|-------|------------------------------|-------|
| Non-melanoma skin cancer | 104.2 | Breast | 91.8 |
| Prostate | 76.8 | Non-melanoma skin cancer | 70.1 |
| Trachea, bronchus, and lung | 35.5 | Trachea, bronchus, and lung | 28.8 |
| Colon | 23.4 | Colon | 17.1 |
| Bladder | 21.1 | Corpus uteri | 16.2 |
| Rectum | 15.7 | Melanoma of skin | 14.3 |
| Melanoma of skin | 13.8 | Ovary | 9.4 |
| Non-Hodgkin lymphoma | 11.3 | Cervix uteri | 8.4 |
| Kidney | 11.2 | Non-Hodgkin lymphoma | 8.1 |
| Oesophagus | 8.9 | Rectum | 7.9 |
| Stomach | 8.1 | Bladder | 7.4 |
| Pancreas | 7.6 | Other and unspecified | 7.0 |
| Other and unspecified | 7.5 | Kidney | 6.1 |
| Lymphoid leukaemia | 6.8 | Pancreas | 5.9 |
| Brain and nervous system | 6.7 | Brain and nervous system | 4.7 |
| Testis | 6.5 | Thyroid | 4.3 |
| Liver | 6.1 | Myeloproliferative disorders | 4.1 |
| Myeloid leukaemia | 5.2 | Lymphoid leukaemia | 4.0 |
| Myeloproliferative disorders | 4.5 | Oesophagus | 3.5 |
| Multiple myeloma | 4.5 | Multiple myeloma | 3.1 |
| All sites | 426.4 | All sites | 355.9 |

UK, Wales (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 81 | 0.2 | 1.1 | 0.5 | 0.02 | 0.05 | 38 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C00 |
| Tongue | 493 | 0.9 | 6.5 | 3.6 | 0.26 | 0.46 | 250 | 0.5 | 3.2 | 1.6 | 0.12 | 0.19 | C01–02 |
| Mouth | 329 | 0.6 | 4.3 | 2.4 | 0.17 | 0.29 | 222 | 0.5 | 2.8 | 1.3 | 0.09 | 0.16 | C03–06 |
| Salivary glands | 126 | 0.2 | 1.7 | 0.8 | 0.05 | 0.10 | 95 | 0.2 | 1.2 | 0.8 | 0.05 | 0.07 | C07–08 |
| Tonsil | 378 | 0.7 | 5.0 | 3.1 | 0.26 | 0.37 | 110 | 0.2 | 1.4 | 0.8 | 0.07 | 0.10 | C09 |
| Other oropharynx | 98 | 0.2 | 1.3 | 0.7 | 0.05 | 0.09 | 37 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C10 |
| Nasopharynx | 47 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 17 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 181 | 0.3 | 2.4 | 1.2 | 0.08 | 0.16 | 43 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 17 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 10 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1486 | 2.8 | 19.5 | 8.9 | 0.45 | 1.10 | 756 | 1.6 | 9.6 | 3.5 | 0.17 | 0.39 | C15 |
| Stomach | 1470 | 2.8 | 19.3 | 8.1 | 0.34 | 0.91 | 702 | 1.5 | 8.9 | 3.0 | 0.12 | 0.31 | C16 |
| Small intestine | 225 | 0.4 | 2.9 | 1.4 | 0.07 | 0.16 | 178 | 0.4 | 2.3 | 1.0 | 0.06 | 0.12 | C17 |
| Colon | 4100 | 7.7 | 53.7 | 23.4 | 1.07 | 2.63 | 3489 | 7.3 | 44.3 | 17.1 | 0.83 | 1.90 | C18 |
| Rectum | 2581 | 4.8 | 33.8 | 15.7 | 0.84 | 1.87 | 1481 | 3.1 | 18.8 | 7.9 | 0.44 | 0.91 | C19–20 |
| Anus | 127 | 0.2 | 1.7 | 0.9 | 0.06 | 0.10 | 252 | 0.5 | 3.2 | 1.6 | 0.12 | 0.18 | C21 |
| Liver | 1053 | 2.0 | 13.8 | 6.1 | 0.29 | 0.74 | 512 | 1.1 | 6.5 | 2.4 | 0.10 | 0.26 | C22 |
| Gallbladder etc. | 282 | 0.5 | 3.7 | 1.5 | 0.06 | 0.17 | 410 | 0.9 | 5.2 | 1.8 | 0.08 | 0.22 | C23–24 |
| Pancreas | 1291 | 2.4 | 16.9 | 7.6 | 0.39 | 0.89 | 1288 | 2.7 | 16.4 | 5.9 | 0.26 | 0.66 | C25 |
| Nose, sinuses etc. | 89 | 0.2 | 1.2 | 0.6 | 0.04 | 0.07 | 61 | 0.1 | 0.8 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 609 | 1.1 | 8.0 | 4.0 | 0.23 | 0.51 | 139 | 0.3 | 1.8 | 0.8 | 0.05 | 0.10 | C32 |
| Trachea, bronchus, and lung | 6559 | 12.3 | 85.9 | 35.5 | 1.35 | 4.32 | 5799 | 12.2 | 73.6 | 28.8 | 1.33 | 3.69 | C33–34 |
| Other thoracic organs | 31 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 26 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 94 | 0.2 | 1.2 | 1.2 | 0.08 | 0.09 | 85 | 0.2 | 1.1 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 2059 | 3.9 | 27.0 | 13.8 | 0.79 | 1.54 | 1959 | 4.1 | 24.9 | 14.3 | 1.00 | 1.52 | C43 |
| Other skin | 19661 | 36.9 | 257.5 | 104.2 | 3.94 | 11.03 | 14192 | 29.8 | 180.2 | 70.1 | 3.50 | 7.75 | C44 |
| Mesothelioma | 528 | 1.0 | 6.9 | 2.6 | 0.06 | 0.29 | 91 | 0.2 | 1.2 | 0.4 | 0.01 | 0.05 | C45 |
| Kaposi sarcoma | 20 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 398 | 0.7 | 5.2 | 2.8 | 0.14 | 0.24 | 247 | 0.5 | 3.1 | 1.9 | 0.13 | 0.18 | C47+C49 |
| Breast | 85 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | 13565 | 28.5 | 172.2 | 91.8 | 6.62 | 10.41 | C50 |
| Vulva | | | | | | | 385 | 0.8 | 4.9 | 2.1 | 0.12 | 0.23 | C51 |
| Vagina | | | | | | | 68 | 0.1 | 0.9 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 819 | 1.7 | 10.4 | 8.4 | 0.66 | 0.75 | C53 |
| Corpus uteri | | | | | | | 2613 | 5.5 | 33.2 | 16.2 | 1.08 | 2.03 | C54 |
| Uterus unspecified | | | | | | | 35 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 1534 | 3.2 | 19.5 | 9.4 | 0.56 | 1.09 | C56 |
| Other female genital organs | | | | | | | 172 | 0.4 | 2.2 | 1.0 | 0.05 | 0.12 | C57 |
| Placenta | | | | | | | 8 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 177 | 0.3 | 2.3 | 1.2 | 0.07 | 0.14 | | | | | | | C60 |
| Prostate | 13549 | 25.4 | 177.4 | 76.8 | 3.22 | 10.03 | | | | | | | C61 |
| Testis | 513 | 1.0 | 6.7 | 6.5 | 0.50 | 0.53 | | | | | | | C62 |
| Other male genital organs | 14 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | | | | | | | C63 |
| Kidney | 1705 | 3.2 | 22.3 | 11.2 | 0.65 | 1.27 | 1013 | 2.1 | 12.9 | 6.1 | 0.35 | 0.69 | C64 |
| Renal pelvis | 82 | 0.2 | 1.1 | 0.5 | 0.02 | 0.05 | 71 | 0.1 | 0.9 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 61 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | 49 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| †Bladder | 3919 | 7.4 | 51.3 | 21.1 | 0.82 | 2.35 | 1504 | 3.2 | 19.1 | 7.4 | 0.36 | 0.87 | C67 |
| Other urinary organs | 21 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 132 | 0.2 | 1.7 | 1.1 | 0.07 | 0.10 | 117 | 0.2 | 1.5 | 1.0 | 0.06 | 0.08 | C69 |
| Brain and nervous system | 820 | 1.5 | 10.7 | 6.7 | 0.42 | 0.68 | 621 | 1.3 | 7.9 | 4.7 | 0.28 | 0.49 | C70–72 |
| Thyroid | 183 | 0.3 | 2.4 | 1.6 | 0.11 | 0.16 | 436 | 0.9 | 5.5 | 4.3 | 0.32 | 0.38 | C73 |
| Adrenal gland | 22 | 0.0 | 0.3 | 0.3 | 0.01 | 0.02 | 28 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 10 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 14 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 284 | 0.5 | 3.7 | 3.1 | 0.23 | 0.27 | 210 | 0.4 | 2.7 | 2.4 | 0.15 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 1665 | 3.1 | 21.8 | 11.3 | 0.62 | 1.24 | 1372 | 2.9 | 17.4 | 8.1 | 0.44 | 0.98 | C82–86,C96 |
| Immunoproliferative diseases | 168 | 0.3 | 2.2 | 1.0 | 0.05 | 0.10 | 142 | 0.3 | 1.8 | 0.8 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 768 | 1.4 | 10.1 | 4.5 | 0.21 | 0.53 | 630 | 1.3 | 8.0 | 3.1 | 0.16 | 0.36 | C90 |
| Lymphoid leukaemia | 916 | 1.7 | 12.0 | 6.8 | 0.34 | 0.67 | 578 | 1.2 | 7.3 | 4.0 | 0.20 | 0.36 | C91 |
| Myeloid leukaemia | 803 | 1.5 | 10.5 | 5.2 | 0.25 | 0.56 | 537 | 1.1 | 6.8 | 3.1 | 0.17 | 0.32 | C92–94 |
| Leukaemia unspecified | 30 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 13 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 641 | 1.2 | 8.4 | 4.5 | 0.27 | 0.48 | 682 | 1.4 | 8.7 | 4.1 | 0.24 | 0.43 | MPD |
| Myelodysplastic syndromes | 597 | 1.1 | 7.8 | 2.7 | 0.07 | 0.22 | 399 | 0.8 | 5.1 | 1.5 | 0.04 | 0.13 | MPS |
| Other and unspecified | 1398 | 2.6 | 18.3 | 7.5 | 0.30 | 0.77 | 1652 | 3.5 | 21.0 | 7.0 | 0.29 | 0.70 | O&U |
| All sites | 72976 | | 955.6 | 426.4 | 19.46 | 48.61 | 61767 | | 784.3 | 355.9 | 20.96 | 39.93 | C00–96 |
| All sites except C44 | 53315 | 100.0 | 698.2 | 322.1 | 15.51 | 37.58 | 47575 | 100.0 | 604.1 | 285.8 | 17.46 | 32.17 | C00–96 exc. C44 |

†See note following population pyramid

Australia, NSW/ACT

CONTRIBUTORS

Sheena Lawrance
Shelley Rushton
Wendy Thomson



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|------------------------------|-------|
| Prostate | 99.5 | Breast | 93.2 |
| Melanoma of skin | 42.1 | Melanoma of skin | 29.2 |
| Trachea, bronchus, and lung | 31.0 | Trachea, bronchus, and lung | 21.8 |
| Colon | 24.5 | Colon | 21.3 |
| Rectum | 15.2 | Thyroid | 17.0 |
| Non-Hodgkin lymphoma | 15.1 | Corpus uteri | 12.5 |
| Kidney | 12.1 | Non-Hodgkin lymphoma | 10.3 |
| Liver | 8.7 | Rectum | 8.6 |
| Bladder | 8.5 | Ovary | 7.2 |
| Pancreas | 8.3 | Pancreas | 6.5 |
| Lymphoid leukaemia | 8.1 | Kidney | 6.0 |
| Stomach | 7.2 | Cervix uteri | 5.2 |
| Other and unspecified | 6.7 | Other and unspecified | 5.1 |
| Brain and nervous system | 6.7 | Lymphoid leukaemia | 4.8 |
| Testis | 6.3 | Brain and nervous system | 4.4 |
| Thyroid | 5.8 | Myeloid leukaemia | 3.6 |
| Myeloid leukaemia | 5.1 | Stomach | 3.4 |
| Multiple myeloma | 5.0 | Multiple myeloma | 3.3 |
| Oesophagus | 5.0 | Myeloproliferative disorders | 2.7 |
| Tongue | 3.8 | Liver | 2.6 |
| All sites | 366.0 | All sites | 298.3 |

*Australia, NSW/ACT (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1117 | 0.9 | 5.6 | 3.6 | 0.24 | 0.40 | 407 | 0.4 | 2.0 | 1.0 | 0.06 | 0.11 | C00 |
| Tongue | 1143 | 0.9 | 5.7 | 3.8 | 0.28 | 0.47 | 460 | 0.4 | 2.3 | 1.4 | 0.09 | 0.16 | C01–02 |
| Mouth | 628 | 0.5 | 3.2 | 2.0 | 0.14 | 0.24 | 444 | 0.4 | 2.2 | 1.1 | 0.06 | 0.13 | C03–06 |
| Salivary glands | 320 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | 243 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | C07–08 |
| Tonsil | 706 | 0.6 | 3.5 | 2.5 | 0.21 | 0.30 | 136 | 0.1 | 0.7 | 0.4 | 0.04 | 0.05 | C09 |
| Other oropharynx | 257 | 0.2 | 1.3 | 0.8 | 0.06 | 0.11 | 46 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 233 | 0.2 | 1.2 | 0.9 | 0.07 | 0.09 | 79 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C11 |
| Hypopharynx | 230 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 49 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 68 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | 26 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1774 | 1.4 | 8.9 | 5.0 | 0.25 | 0.62 | 737 | 0.7 | 3.6 | 1.6 | 0.07 | 0.17 | C15 |
| Stomach | 2600 | 2.1 | 13.1 | 7.2 | 0.36 | 0.82 | 1379 | 1.3 | 6.8 | 3.4 | 0.19 | 0.39 | C16 |
| Small intestine | 624 | 0.5 | 3.1 | 1.9 | 0.11 | 0.23 | 439 | 0.4 | 2.2 | 1.2 | 0.07 | 0.15 | C17 |
| Colon | 8910 | 7.1 | 44.8 | 24.5 | 1.11 | 2.80 | 8848 | 8.6 | 43.8 | 21.3 | 0.96 | 2.37 | C18 |
| Rectum | 5141 | 4.1 | 25.8 | 15.2 | 0.87 | 1.85 | 3168 | 3.1 | 15.7 | 8.6 | 0.52 | 1.00 | C19–20 |
| Anus | 360 | 0.3 | 1.8 | 1.1 | 0.08 | 0.14 | 477 | 0.5 | 2.4 | 1.4 | 0.09 | 0.17 | C21 |
| Liver | 2873 | 2.3 | 14.4 | 8.7 | 0.59 | 1.07 | 1020 | 1.0 | 5.0 | 2.6 | 0.14 | 0.29 | C22 |
| Gallbladder etc. | 841 | 0.7 | 4.2 | 2.2 | 0.09 | 0.24 | 854 | 0.8 | 4.2 | 1.9 | 0.08 | 0.22 | C23–24 |
| Pancreas | 3051 | 2.4 | 15.3 | 8.3 | 0.39 | 0.95 | 2858 | 2.8 | 14.1 | 6.5 | 0.29 | 0.74 | C25 |
| Nose, sinuses etc. | 195 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | 136 | 0.1 | 0.7 | 0.4 | 0.03 | 0.04 | C30–31 |
| Larynx | 917 | 0.7 | 4.6 | 2.7 | 0.15 | 0.34 | 110 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C32 |
| Trachea, bronchus, and lung | 11691 | 9.3 | 58.8 | 31.0 | 1.32 | 3.74 | 8703 | 8.4 | 43.0 | 21.9 | 1.05 | 2.77 | C33–34 |
| Other thoracic organs | 154 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | 104 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 248 | 0.2 | 1.2 | 1.1 | 0.07 | 0.09 | 217 | 0.2 | 1.1 | 1.0 | 0.07 | 0.08 | C40–41 |
| Melanoma of skin | 14113 | 11.3 | 70.9 | 42.1 | 2.39 | 4.79 | 9628 | 9.3 | 47.6 | 29.2 | 1.94 | 3.22 | C43 |
| Other skin | 33 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 44 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C44 |
| Mesothelioma | 1049 | 0.8 | 5.3 | 2.4 | 0.05 | 0.25 | 244 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | C45 |
| Kaposi sarcoma | 98 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 20 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 703 | 0.6 | 3.5 | 2.4 | 0.14 | 0.23 | 574 | 0.6 | 2.8 | 2.0 | 0.13 | 0.19 | C47+C49 |
| Breast | 225 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 29503 | 28.6 | 145.9 | 93.2 | 6.69 | 10.88 | C50 |
| Vulva | | | | | | | 607 | 0.6 | 3.0 | 1.6 | 0.09 | 0.18 | C51 |
| Vagina | | | | | | | 126 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 1406 | 1.4 | 7.0 | 5.2 | 0.40 | 0.50 | C53 |
| Corpus uteri | | | | | | | 4196 | 4.1 | 20.8 | 12.5 | 0.85 | 1.58 | C54 |
| Uterus unspecified | | | | | | | 289 | 0.3 | 1.4 | 0.8 | 0.05 | 0.09 | C55 |
| Ovary | | | | | | | 2425 | 2.4 | 12.0 | 7.2 | 0.45 | 0.79 | C56 |
| Other female genital organs | | | | | | | 351 | 0.3 | 1.7 | 1.0 | 0.06 | 0.11 | C57 |
| Placenta | | | | | | | 22 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 178 | 0.1 | 0.9 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 34362 | 27.5 | 172.7 | 99.5 | 5.07 | 13.36 | | | | | | | C61 |
| Testis | 1338 | 1.1 | 6.7 | 6.3 | 0.47 | 0.49 | | | | | | | C62 |
| Other male genital organs | 59 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 3783 | 3.0 | 19.0 | 12.1 | 0.79 | 1.45 | 2016 | 2.0 | 10.0 | 6.0 | 0.37 | 0.68 | C64 |
| Renal pelvis | 334 | 0.3 | 1.7 | 0.8 | 0.03 | 0.10 | 284 | 0.3 | 1.4 | 0.5 | 0.02 | 0.06 | C65 |
| Ureter | 161 | 0.1 | 0.8 | 0.4 | 0.01 | 0.04 | 94 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C66 |
| Bladder | 3453 | 2.8 | 17.4 | 8.5 | 0.29 | 0.91 | 1101 | 1.1 | 5.4 | 2.2 | 0.08 | 0.23 | C67 |
| Other urinary organs | 81 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 36 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 289 | 0.2 | 1.5 | 1.0 | 0.05 | 0.11 | 212 | 0.2 | 1.0 | 0.7 | 0.04 | 0.06 | C69 |
| Brain and nervous system | 1849 | 1.5 | 9.3 | 6.7 | 0.42 | 0.68 | 1239 | 1.2 | 6.1 | 4.4 | 0.27 | 0.42 | C70–72 |
| Thyroid | 1579 | 1.3 | 7.9 | 5.8 | 0.44 | 0.62 | 4448 | 4.3 | 22.0 | 17.0 | 1.33 | 1.71 | C73 |
| Adrenal gland | 102 | 0.1 | 0.5 | 0.5 | 0.03 | 0.04 | 91 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 51 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 33 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 599 | 0.5 | 3.0 | 2.6 | 0.17 | 0.22 | 517 | 0.5 | 2.6 | 2.4 | 0.15 | 0.18 | C81 |
| Non-Hodgkin lymphoma | 4990 | 4.0 | 25.1 | 15.1 | 0.83 | 1.66 | 3756 | 3.6 | 18.6 | 10.3 | 0.58 | 1.16 | C82–86,C96 |
| Immunoproliferative diseases | 225 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 202 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 1834 | 1.5 | 9.2 | 5.0 | 0.24 | 0.60 | 1333 | 1.3 | 6.6 | 3.3 | 0.16 | 0.40 | C90 |
| Lymphoid leukaemia | 2416 | 1.9 | 12.1 | 8.1 | 0.41 | 0.85 | 1497 | 1.5 | 7.4 | 4.8 | 0.24 | 0.46 | C91 |
| Myeloid leukaemia | 1716 | 1.4 | 8.6 | 5.1 | 0.25 | 0.49 | 1249 | 1.2 | 6.2 | 3.6 | 0.21 | 0.36 | C92–94 |
| Leukaemia unspecified | 79 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 70 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 1004 | 0.8 | 5.0 | 2.9 | 0.16 | 0.32 | 1047 | 1.0 | 5.2 | 2.7 | 0.14 | 0.29 | MPD |
| Myelodysplastic syndromes | 1668 | 1.3 | 8.4 | 3.7 | 0.08 | 0.33 | 982 | 1.0 | 4.9 | 2.0 | 0.07 | 0.20 | MPS |
| Other and unspecified | 2688 | 2.1 | 13.5 | 6.7 | 0.27 | 0.65 | 2601 | 2.5 | 12.9 | 5.1 | 0.20 | 0.48 | O&U |
| All sites | 125140 | | 629.1 | 366.0 | 19.32 | 43.31 | 103183 | | 510.3 | 298.3 | 18.59 | 33.60 | C00–96 |
| All sites except C44 | 125107 | 100.0 | 628.9 | 365.9 | 19.32 | 43.30 | 103139 | 100.0 | 510.1 | 298.1 | 18.58 | 33.58 | C00–96 exc.C44 |

*See note following population pyramid

Australia, Northern Territory

CONTRIBUTORS

Shu Qin Li
Xiao Hua Zhang
Shayne Pomeroy
Sarah Dugdale
Karen Dempsey
Jacqueline Willets
Kirby Chin
Rowena Boyd



NOTES ON THE DATA


*No official mortality data. Rates based on low numbers due to small population.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 65.1 | Breast | 80.0 |
| Melanoma of skin | 39.1 | Trachea, bronchus, and lung | 27.4 |
| Trachea, bronchus, and lung | 39.0 | Melanoma of skin | 22.8 |
| Colon | 24.7 | Colon | 20.5 |
| Bladder | 17.2 | Corpus uteri | 16.0 |
| Liver | 14.9 | Thyroid | 10.0 |
| Rectum | 13.8 | Rectum | 9.4 |
| Kidney | 11.3 | Other and unspecified | 8.8 |
| Other and unspecified | 9.2 | Non-Hodgkin lymphoma | 6.8 |
| Non-Hodgkin lymphoma | 9.0 | Cervix uteri | 6.1 |
| Pancreas | 8.5 | Pancreas | 6.0 |
| Oesophagus | 7.5 | Liver | 5.3 |
| Brain and nervous system | 6.6 | Gallbladder etc. | 4.8 |
| Larynx | 6.5 | Bladder | 4.6 |
| Tonsil | 5.5 | Ovary | 4.5 |
| Tongue | 5.3 | Kidney | 4.3 |
| Thyroid | 5.0 | Lymphoid leukaemia | 3.8 |
| Stomach | 4.9 | Myeloid leukaemia | 3.5 |
| Multiple myeloma | 4.3 | Brain and nervous system | 2.8 |
| Non-melanoma skin cancer | 4.3 | Non-melanoma skin cancer | 2.3 |
| All sites | 349.2 | All sites | 284.2 |

Australia, Northern Territory: Indigenous (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Based on data from the Australian Bureau of Statistics, which conducts a national census every 4 years followed by a post-census survey to ensure completeness of population data. Aboriginal status is derived by the Northern Territory.

NOTES ON THE DATA

*Rates based on low numbers due to small population.
†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000


Male

| | |
|-----------------------------|-------|
| Trachea, bronchus, and lung | 59.4 |
| Liver | 49.0 |
| Other and unspecified | 20.8 |
| Oesophagus | 14.9 |
| Pancreas | 13.0 |
| Prostate | 12.8 |
| Tongue | 11.6 |
| Larynx | 9.7 |
| Rectum | 8.5 |
| Hypopharynx | 7.1 |
| All sites | 289.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 60.0 |
| Trachea, bronchus, and lung | 34.1 |
| Corpus uteri | 19.9 |
| Other and unspecified | 17.5 |
| Liver | 16.9 |
| Thyroid | 12.8 |
| Gallbladder etc. | 12.2 |
| Cervix uteri | 10.7 |
| Colon | 9.2 |
| Pancreas | 8.2 |
| All sites | 277.7 |

Australia, Northern Territory: Non-Indigenous (2013–2017)
Average annual person-years by sex and age group



SOURCE OF POPULATION

Based on data from the Australian Bureau of Statistics, which conducts a national census every 4 years followed by a post-census survey to ensure completeness of population data. Aboriginal status is derived by the Northern Territory.

NOTES ON THE DATA

*Rates based on low numbers due to small population.
†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 73.1 |
| Melanoma of skin | 45.4 |
| Trachea, bronchus, and lung | 35.4 |
| Colon | 28.2 |
| Bladder | 19.1 |
| Rectum | 14.5 |
| Kidney | 12.9 |
| Non-Hodgkin lymphoma | 10.8 |
| Liver | 9.4 |
| Pancreas | 7.6 |
| All sites | 357.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 86.0 |
| Melanoma of skin | 29.1 |
| Trachea, bronchus, and lung | 25.5 |
| Colon | 23.6 |
| Corpus uteri | 14.8 |
| Rectum | 10.8 |
| Thyroid | 8.9 |
| Non-Hodgkin lymphoma | 8.4 |
| Other and unspecified | 6.6 |
| Pancreas | 5.6 |
| All sites | 285.8 |

*Australia, Northern Territory (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.7 | 2.5 | 2.2 | 0.13 | 0.25 | 6 | 0.3 | 1.0 | 1.0 | 0.04 | 0.13 | C00 |
| Tongue | 40 | 1.7 | 6.3 | 5.3 | 0.42 | 0.58 | 15 | 0.8 | 2.6 | 2.3 | 0.16 | 0.33 | C01–02 |
| Mouth | 25 | 1.1 | 3.9 | 3.5 | 0.24 | 0.38 | 10 | 0.6 | 1.7 | 1.5 | 0.08 | 0.14 | C03–06 |
| Salivary glands | 10 | 0.4 | 1.6 | 1.4 | 0.08 | 0.17 | 4 | 0.2 | 0.7 | 0.6 | 0.04 | 0.04 | C07–08 |
| Tonsil | 37 | 1.6 | 5.8 | 5.5 | 0.31 | 0.75 | 5 | 0.3 | 0.9 | 0.8 | 0.06 | 0.06 | C09 |
| Other oropharynx | 7 | 0.3 | 1.1 | 0.9 | 0.06 | 0.06 | 3 | 0.2 | 0.5 | 0.5 | 0.01 | 0.09 | C10 |
| Nasopharynx | 6 | 0.3 | 0.9 | 0.8 | 0.08 | 0.08 | 2 | 0.1 | 0.3 | 0.3 | 0.04 | 0.04 | C11 |
| Hypopharynx | 14 | 0.6 | 2.2 | 1.8 | 0.14 | 0.19 | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 5 | 0.2 | 0.8 | 0.8 | 0.04 | 0.08 | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 52 | 2.2 | 8.1 | 7.5 | 0.43 | 1.02 | 9 | 0.5 | 1.5 | 1.5 | 0.03 | 0.15 | C15 |
| Stomach | 34 | 1.4 | 5.3 | 4.9 | 0.24 | 0.58 | 11 | 0.6 | 1.9 | 1.8 | 0.09 | 0.20 | C16 |
| Small intestine | 12 | 0.5 | 1.9 | 1.7 | 0.11 | 0.15 | 8 | 0.4 | 1.4 | 1.3 | 0.07 | 0.19 | C17 |
| Colon | 167 | 7.0 | 26.2 | 24.7 | 1.25 | 2.89 | 127 | 7.0 | 21.7 | 20.5 | 1.04 | 2.00 | C18 |
| Rectum | 98 | 4.1 | 15.4 | 13.8 | 0.92 | 1.69 | 61 | 3.4 | 10.4 | 9.4 | 0.60 | 1.31 | C19–20 |
| Anus | 5 | 0.2 | 0.8 | 0.6 | 0.07 | 0.07 | 7 | 0.4 | 1.2 | 1.1 | 0.07 | 0.13 | C21 |
| Liver | 103 | 4.3 | 16.1 | 14.9 | 0.82 | 1.89 | 35 | 1.9 | 6.0 | 5.3 | 0.35 | 0.69 | C22 |
| Gallbladder etc. | 16 | 0.7 | 2.5 | 2.4 | 0.10 | 0.21 | 29 | 1.6 | 5.0 | 4.8 | 0.18 | 0.49 | C23–24 |
| Pancreas | 57 | 2.4 | 8.9 | 8.5 | 0.39 | 1.03 | 38 | 2.1 | 6.5 | 6.0 | 0.28 | 0.68 | C25 |
| Nose, sinuses etc. | 3 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 46 | 1.9 | 7.2 | 6.5 | 0.37 | 0.79 | 10 | 0.6 | 1.7 | 1.6 | 0.10 | 0.17 | C32 |
| Trachea, bronchus, and lung | 260 | 11.0 | 40.7 | 39.0 | 1.71 | 4.71 | 168 | 9.3 | 28.7 | 27.4 | 1.50 | 3.82 | C33–34 |
| Other thoracic organs | 4 | 0.2 | 0.6 | 0.7 | 0.03 | 0.07 | 3 | 0.2 | 0.5 | 0.6 | 0.00 | 0.13 | C37–38 |
| Bone | 8 | 0.3 | 1.3 | 1.2 | 0.06 | 0.13 | 5 | 0.3 | 0.9 | 1.0 | 0.05 | 0.05 | C40–41 |
| Melanoma of skin | 269 | 11.3 | 42.2 | 39.1 | 1.91 | 4.93 | 147 | 8.2 | 25.2 | 22.8 | 1.33 | 2.46 | C43 |
| Other skin | 31 | 1.3 | 4.9 | 4.3 | 0.29 | 0.48 | 16 | 0.9 | 2.7 | 2.3 | 0.19 | 0.22 | C44 |
| Mesothelioma | 11 | 0.5 | 1.7 | 1.7 | 0.06 | 0.26 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.07 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.2 | 0.2 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 20 | 0.8 | 3.1 | 3.1 | 0.12 | 0.34 | 13 | 0.7 | 2.2 | 2.0 | 0.12 | 0.23 | C47+C49 |
| Breast | 8 | 0.3 | 1.3 | 1.1 | 0.06 | 0.17 | 524 | 29.1 | 89.7 | 80.0 | 5.59 | 9.27 | C50 |
| Vulva | | | | | | | 13 | 0.7 | 2.2 | 2.0 | 0.14 | 0.17 | C51 |
| Vagina | | | | | | | 6 | 0.3 | 1.0 | 0.9 | 0.10 | 0.10 | C52 |
| Cervix uteri | | | | | | | 44 | 2.4 | 7.5 | 6.1 | 0.49 | 0.49 | C53 |
| Corpus uteri | | | | | | | 106 | 5.9 | 18.1 | 16.0 | 1.23 | 1.88 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.1 | 0.2 | 0.1 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 29 | 1.6 | 5.0 | 4.5 | 0.28 | 0.56 | C56 |
| Other female genital organs | | | | | | | 7 | 0.4 | 1.2 | 1.1 | 0.07 | 0.12 | C57 |
| Placenta | | | | | | | 1 | 0.1 | 0.2 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 3 | 0.1 | 0.5 | 0.4 | 0.03 | 0.07 | | | | | | | C60 |
| Prostate | 446 | 18.8 | 69.9 | 65.1 | 2.86 | 8.93 | | | | | | | C61 |
| Testis | 32 | 1.3 | 5.0 | 4.0 | 0.32 | 0.32 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 80 | 3.4 | 12.5 | 11.3 | 0.68 | 1.27 | 27 | 1.5 | 4.6 | 4.3 | 0.25 | 0.48 | C64 |
| Renal pelvis | 6 | 0.3 | 0.9 | 0.8 | 0.05 | 0.12 | 6 | 0.3 | 1.0 | 1.1 | 0.04 | 0.17 | C65 |
| Ureter | 3 | 0.1 | 0.5 | 0.5 | 0.00 | 0.07 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C66 |
| †Bladder | 117 | 4.9 | 18.3 | 17.2 | 0.69 | 2.07 | 28 | 1.6 | 4.8 | 4.6 | 0.15 | 0.45 | C67 |
| Other urinary organs | 4 | 0.2 | 0.6 | 0.7 | 0.02 | 0.07 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.5 | 0.4 | 0.02 | 0.06 | 5 | 0.3 | 0.9 | 0.8 | 0.08 | 0.08 | C69 |
| Brain and nervous system | 44 | 1.9 | 6.9 | 6.6 | 0.43 | 0.59 | 18 | 1.0 | 3.1 | 2.8 | 0.12 | 0.39 | C70–72 |
| Thyroid | 36 | 1.5 | 5.6 | 5.0 | 0.36 | 0.56 | 68 | 3.8 | 11.6 | 10.0 | 0.78 | 1.00 | C73 |
| Adrenal gland | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 2 | 0.1 | 0.3 | 0.5 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.2 | 0.1 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 9 | 0.4 | 1.4 | 1.2 | 0.09 | 0.13 | 10 | 0.6 | 1.7 | 1.6 | 0.11 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 61 | 2.6 | 9.6 | 9.0 | 0.47 | 1.12 | 42 | 2.3 | 7.2 | 6.8 | 0.41 | 0.76 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.1 | 0.5 | 0.4 | 0.05 | 0.05 | 9 | 0.5 | 1.5 | 1.3 | 0.11 | 0.11 | C88 |
| Multiple myeloma | 31 | 1.3 | 4.9 | 4.3 | 0.27 | 0.56 | 10 | 0.6 | 1.7 | 1.7 | 0.06 | 0.23 | C90 |
| Lymphoid leukaemia | 25 | 1.1 | 3.9 | 3.9 | 0.16 | 0.47 | 21 | 1.2 | 3.6 | 3.8 | 0.17 | 0.36 | C91 |
| Myeloid leukaemia | 23 | 1.0 | 3.6 | 3.5 | 0.18 | 0.37 | 22 | 1.2 | 3.8 | 3.5 | 0.18 | 0.34 | C92–94 |
| Leukaemia unspecified | 4 | 0.2 | 0.6 | 0.7 | 0.04 | 0.06 | 2 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C95 |
| Myeloproliferative disorders | 27 | 1.1 | 4.2 | 4.0 | 0.10 | 0.45 | 14 | 0.8 | 2.4 | 2.1 | 0.16 | 0.27 | MPD |
| Myelodysplastic syndromes | 14 | 0.6 | 2.2 | 2.1 | 0.06 | 0.25 | 11 | 0.6 | 1.9 | 1.8 | 0.04 | 0.17 | MPS |
| Other and unspecified | 62 | 2.6 | 9.7 | 9.2 | 0.54 | 1.08 | 54 | 3.0 | 9.2 | 8.8 | 0.38 | 0.81 | O&U |
| All sites | 2402 | | 376.5 | 349.2 | 17.97 | 42.72 | 1818 | | 311.1 | 284.2 | 17.51 | 32.23 | C00–96 |
| All sites except C44 | 2371 | 100.0 | 371.6 | 344.9 | 17.68 | 42.24 | 1802 | 100.0 | 308.3 | 281.9 | 17.33 | 32.02 | C00–96 exc.C44 |

*†See note following population pyramid

*Australia, Northern Territory: Indigenous (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.5 | 1.1 | 1.3 | 0.14 | 0.14 | C00 |
| Tongue | 17 | 5.1 | 9.2 | 11.6 | 1.29 | 1.29 | 7 | 1.7 | 3.9 | 5.2 | 0.22 | 0.91 | C01–02 |
| Mouth | 5 | 1.5 | 2.7 | 3.4 | 0.37 | 0.37 | 3 | 0.7 | 1.7 | 1.9 | 0.11 | 0.11 | C03–06 |
| Salivary glands | 2 | 0.6 | 1.1 | 1.1 | 0.10 | 0.10 | 3 | 0.7 | 1.7 | 1.8 | 0.18 | 0.18 | C07–08 |
| Tonsil | 5 | 1.5 | 2.7 | 4.5 | 0.14 | 0.84 | 3 | 0.7 | 1.7 | 1.8 | 0.17 | 0.17 | C09 |
| Other oropharynx | 5 | 1.5 | 2.7 | 3.9 | 0.24 | 0.24 | 3 | 0.7 | 1.7 | 2.4 | 0.04 | 0.46 | C10 |
| Nasopharynx | 1 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | 2 | 0.5 | 1.1 | 1.3 | 0.17 | 0.17 | C11 |
| Hypopharynx | 9 | 2.7 | 4.9 | 7.1 | 0.45 | 0.66 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 2 | 0.6 | 1.1 | 1.3 | 0.14 | 0.14 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 15 | 4.5 | 8.1 | 14.9 | 0.64 | 2.67 | 2 | 0.5 | 1.1 | 1.1 | 0.04 | 0.04 | C15 |
| Stomach | 7 | 2.1 | 3.8 | 6.4 | 0.27 | 0.68 | 6 | 1.5 | 3.3 | 4.5 | 0.40 | 0.67 | C16 |
| Small intestine | 2 | 0.6 | 1.1 | 0.9 | 0.08 | 0.08 | 2 | 0.5 | 1.1 | 1.7 | 0.10 | 0.26 | C17 |
| Colon | 8 | 2.4 | 4.3 | 6.4 | 0.37 | 0.58 | 15 | 3.6 | 8.3 | 9.2 | 0.53 | 0.53 | C18 |
| Rectum | 12 | 3.6 | 6.5 | 8.5 | 0.73 | 1.08 | 5 | 1.2 | 2.8 | 3.3 | 0.25 | 0.41 | C19–20 |
| Anus | 2 | 0.6 | 1.1 | 1.2 | 0.11 | 0.11 | 2 | 0.5 | 1.1 | 1.0 | 0.08 | 0.08 | C21 |
| Liver | 48 | 14.3 | 26.0 | 49.0 | 1.88 | 6.51 | 25 | 6.1 | 13.8 | 16.9 | 1.18 | 2.34 | C22 |
| Gallbladder etc. | 4 | 1.2 | 2.2 | 4.3 | 0.26 | 0.26 | 17 | 4.1 | 9.4 | 12.2 | 0.46 | 1.14 | C23–24 |
| Pancreas | 14 | 4.2 | 7.6 | 13.0 | 0.74 | 1.51 | 11 | 2.7 | 6.1 | 8.2 | 0.38 | 0.70 | C25 |
| Nose, sinuses etc. | 2 | 0.6 | 1.1 | 1.4 | 0.16 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 12 | 3.6 | 6.5 | 9.7 | 0.62 | 1.39 | 7 | 1.7 | 3.9 | 5.2 | 0.40 | 0.56 | C32 |
| Trachea, bronchus, and lung | 59 | 17.6 | 31.9 | 59.4 | 3.24 | 7.30 | 47 | 11.4 | 26.0 | 34.1 | 2.16 | 4.91 | C33–34 |
| Other thoracic organs | 1 | 0.3 | 0.5 | 1.5 | 0.00 | 0.00 | 1 | 0.2 | 0.6 | 1.0 | 0.00 | 0.16 | C37–38 |
| Bone | 1 | 0.3 | 0.5 | 0.4 | 0.03 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C40–41 |
| Melanoma of skin | 2 | 0.6 | 1.1 | 1.9 | 0.04 | 0.39 | 1 | 0.2 | 0.6 | 0.4 | 0.04 | 0.04 | C43 |
| Other skin | 2 | 0.6 | 1.1 | 1.4 | 0.16 | 0.16 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C44 |
| Mesothelioma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.6 | 0.5 | 0.07 | 0.07 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 7 | 1.7 | 3.9 | 4.4 | 0.22 | 0.54 | C47+C49 |
| Breast | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 89 | 21.6 | 49.2 | 60.0 | 4.18 | 6.98 | C50 |
| Vulva | | | | | | | 7 | 1.7 | 3.9 | 3.5 | 0.29 | 0.29 | C51 |
| Vagina | | | | | | | 1 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | C52 |
| Cervix uteri | | | | | | | 20 | 4.9 | 11.0 | 10.7 | 0.84 | 0.84 | C53 |
| Corpus uteri | | | | | | | 30 | 7.3 | 16.6 | 19.9 | 1.56 | 2.51 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 5 | 1.2 | 2.8 | 3.0 | 0.19 | 0.35 | C56 |
| Other female genital organs | | | | | | | 1 | 0.2 | 0.6 | 1.1 | 0.00 | 0.26 | C57 |
| Placenta | | | | | | | 1 | 0.2 | 0.6 | 0.5 | 0.03 | 0.03 | C58 |
| Penis | 1 | 0.3 | 0.5 | 0.6 | 0.08 | 0.08 | | | | | | | C60 |
| Prostate | 12 | 3.6 | 6.5 | 12.8 | 0.50 | 0.92 | | | | | | | C61 |
| Testis | 5 | 1.5 | 2.7 | 2.3 | 0.19 | 0.19 | | | | | | | C62 |
| Other male genital organs | 1 | 0.3 | 0.5 | 0.6 | 0.08 | 0.08 | | | | | | | C63 |
| Kidney | 4 | 1.2 | 2.2 | 2.8 | 0.32 | 0.32 | 7 | 1.7 | 3.9 | 5.1 | 0.20 | 0.52 | C64 |
| Renal pelvis | 3 | 0.9 | 1.6 | 2.9 | 0.18 | 0.53 | 1 | 0.2 | 0.6 | 0.5 | 0.07 | 0.07 | C65 |
| Ureter | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.6 | 0.8 | 0.10 | 0.10 | C66 |
| †Bladder | 7 | 2.1 | 3.8 | 5.0 | 0.39 | 0.60 | 3 | 0.7 | 1.7 | 2.8 | 0.10 | 0.52 | C67 |
| Other urinary organs | 1 | 0.3 | 0.5 | 0.5 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 9 | 2.7 | 4.9 | 5.4 | 0.48 | 0.48 | 3 | 0.7 | 1.7 | 1.5 | 0.13 | 0.13 | C70–72 |
| Thyroid | 9 | 2.7 | 4.9 | 5.8 | 0.41 | 0.41 | 22 | 5.3 | 12.2 | 12.8 | 0.91 | 1.33 | C73 |
| Adrenal gland | 1 | 0.3 | 0.5 | 0.5 | 0.04 | 0.04 | 1 | 0.2 | 0.6 | 0.7 | 0.03 | 0.03 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 2 | 0.6 | 1.1 | 1.1 | 0.11 | 0.11 | 2 | 0.5 | 1.1 | 1.1 | 0.09 | 0.09 | C81 |
| Non-Hodgkin lymphoma | 1 | 0.3 | 0.5 | 0.5 | 0.04 | 0.04 | 2 | 0.5 | 1.1 | 1.6 | 0.20 | 0.20 | C82–86,C96 |
| Immunoproliferative diseases | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.2 | 0.6 | 0.6 | 0.06 | 0.06 | C88 |
| Multiple myeloma | 3 | 0.9 | 1.6 | 2.6 | 0.11 | 0.46 | 3 | 0.7 | 1.7 | 2.3 | 0.07 | 0.23 | C90 |
| Lymphoid leukaemia | 6 | 1.8 | 3.2 | 5.7 | 0.13 | 0.90 | 4 | 1.0 | 2.2 | 3.0 | 0.17 | 0.43 | C91 |
| Myeloid leukaemia | 6 | 1.8 | 3.2 | 3.2 | 0.26 | 0.26 | 7 | 1.7 | 3.9 | 4.5 | 0.24 | 0.40 | C92–94 |
| Leukaemia unspecified | 2 | 0.6 | 1.1 | 0.9 | 0.05 | 0.05 | 1 | 0.2 | 0.6 | 0.5 | 0.07 | 0.07 | C95 |
| Myeloproliferative disorders | 2 | 0.6 | 1.1 | 1.0 | 0.08 | 0.08 | 4 | 1.0 | 2.2 | 3.3 | 0.17 | 0.59 | MPD |
| Myelodysplastic syndromes | 1 | 0.3 | 0.5 | 0.5 | 0.04 | 0.04 | 1 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | MPS |
| Other and unspecified | 24 | 7.2 | 13.0 | 20.8 | 1.44 | 2.14 | 23 | 5.6 | 12.7 | 17.5 | 0.75 | 1.81 | O&U |
| All sites | 337 | | 182.4 | 289.3 | 17.07 | 34.38 | 412 | | 227.6 | 277.7 | 17.85 | 32.50 | C00–96 |
| All sites except C44 | 335 | 100.0 | 181.3 | 287.9 | 16.92 | 34.22 | 412 | 100.0 | 227.6 | 277.7 | 17.85 | 32.50 | C00–96 exc.C44 |

*†See note following population pyramid

*Australia, Northern Territory: Non-Indigenous (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.8 | 3.5 | 2.7 | 0.17 | 0.30 | 4 | 0.3 | 1.0 | 0.9 | 0.01 | 0.12 | C00 |
| Tongue | 23 | 1.1 | 5.1 | 3.7 | 0.22 | 0.41 | 8 | 0.6 | 2.0 | 1.5 | 0.14 | 0.18 | C01–02 |
| Mouth | 20 | 1.0 | 4.4 | 3.4 | 0.21 | 0.37 | 7 | 0.5 | 1.7 | 1.4 | 0.08 | 0.14 | C03–06 |
| Salivary glands | 8 | 0.4 | 1.8 | 1.4 | 0.07 | 0.17 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | C07–08 |
| Tonsil | 32 | 1.6 | 7.1 | 5.6 | 0.34 | 0.74 | 2 | 0.1 | 0.5 | 0.4 | 0.03 | 0.03 | C09 |
| Other oropharynx | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 5 | 0.2 | 1.1 | 0.9 | 0.09 | 0.09 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C11 |
| Hypopharynx | 5 | 0.2 | 1.1 | 0.8 | 0.07 | 0.09 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.7 | 0.6 | 0.02 | 0.06 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C14 |
| Oesophagus | 37 | 1.8 | 8.2 | 6.3 | 0.38 | 0.78 | 7 | 0.5 | 1.7 | 1.5 | 0.02 | 0.17 | C15 |
| Stomach | 27 | 1.3 | 6.0 | 4.6 | 0.23 | 0.56 | 5 | 0.4 | 1.2 | 1.1 | 0.00 | 0.08 | C16 |
| Small intestine | 10 | 0.5 | 2.2 | 1.7 | 0.11 | 0.15 | 6 | 0.4 | 1.5 | 1.3 | 0.07 | 0.17 | C17 |
| Colon | 159 | 7.8 | 35.1 | 28.2 | 1.46 | 3.29 | 112 | 8.1 | 27.8 | 23.6 | 1.20 | 2.38 | C18 |
| Rectum | 86 | 4.2 | 19.0 | 14.5 | 0.96 | 1.78 | 54 | 3.9 | 13.4 | 10.8 | 0.67 | 1.51 | C19–20 |
| Anus | 3 | 0.1 | 0.7 | 0.4 | 0.05 | 0.05 | 5 | 0.4 | 1.2 | 1.0 | 0.07 | 0.13 | C21 |
| Liver | 55 | 2.7 | 12.1 | 9.4 | 0.58 | 1.17 | 10 | 0.7 | 2.5 | 2.0 | 0.10 | 0.23 | C22 |
| Gallbladder etc. | 12 | 0.6 | 2.6 | 2.1 | 0.07 | 0.19 | 12 | 0.9 | 3.0 | 2.7 | 0.09 | 0.31 | C23–24 |
| Pancreas | 43 | 2.1 | 9.5 | 7.6 | 0.32 | 0.94 | 27 | 2.0 | 6.7 | 5.6 | 0.26 | 0.68 | C25 |
| Nose, sinuses etc. | 1 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 34 | 1.7 | 7.5 | 5.7 | 0.30 | 0.68 | 3 | 0.2 | 0.7 | 0.6 | 0.02 | 0.06 | C32 |
| Trachea, bronchus, and lung | 201 | 9.9 | 44.3 | 35.4 | 1.40 | 4.27 | 121 | 8.8 | 30.0 | 25.5 | 1.30 | 3.52 | C33–34 |
| Other thoracic organs | 3 | 0.1 | 0.7 | 0.8 | 0.04 | 0.08 | 2 | 0.1 | 0.5 | 0.5 | 0.00 | 0.13 | C37–38 |
| Bone | 7 | 0.3 | 1.5 | 1.5 | 0.08 | 0.15 | 5 | 0.4 | 1.2 | 1.6 | 0.08 | 0.08 | C40–41 |
| Melanoma of skin | 262 | 12.9 | 57.8 | 45.4 | 2.32 | 5.68 | 141 | 10.2 | 35.0 | 29.1 | 1.72 | 3.12 | C43 |
| Other skin | 29 | 1.4 | 6.4 | 4.9 | 0.33 | 0.55 | 15 | 1.1 | 3.7 | 2.9 | 0.23 | 0.26 | C44 |
| Mesothelioma | 11 | 0.5 | 2.4 | 1.9 | 0.08 | 0.29 | 1 | 0.1 | 0.2 | 0.3 | 0.00 | 0.06 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.2 | 0.2 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 20 | 1.0 | 4.4 | 3.7 | 0.15 | 0.40 | 6 | 0.4 | 1.5 | 1.2 | 0.08 | 0.15 | C47+C49 |
| Breast | 8 | 0.4 | 1.8 | 1.3 | 0.07 | 0.20 | 431 | 31.3 | 106.8 | 86.0 | 6.00 | 9.89 | C50 |
| Vulva | | | | | | | 6 | 0.4 | 1.5 | 1.3 | 0.07 | 0.11 | C51 |
| Vagina | | | | | | | 5 | 0.4 | 1.2 | 0.9 | 0.11 | 0.11 | C52 |
| Cervix uteri | | | | | | | 24 | 1.7 | 5.9 | 4.6 | 0.38 | 0.38 | C53 |
| Corpus uteri | | | | | | | 76 | 5.5 | 18.8 | 14.8 | 1.13 | 1.71 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 24 | 1.7 | 5.9 | 5.0 | 0.31 | 0.61 | C56 |
| Other female genital organs | | | | | | | 6 | 0.4 | 1.5 | 1.1 | 0.09 | 0.09 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 431 | 21.3 | 95.1 | 73.1 | 3.30 | 10.10 | | | | | | | C61 |
| Testis | 27 | 1.3 | 6.0 | 4.7 | 0.37 | 0.37 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 75 | 3.7 | 16.5 | 12.9 | 0.78 | 1.42 | 20 | 1.5 | 5.0 | 4.2 | 0.27 | 0.47 | C64 |
| Renal pelvis | 3 | 0.1 | 0.7 | 0.5 | 0.03 | 0.06 | 5 | 0.4 | 1.2 | 1.2 | 0.03 | 0.19 | C65 |
| Ureter | 3 | 0.1 | 0.7 | 0.6 | 0.00 | 0.08 | 1 | 0.1 | 0.2 | 0.2 | 0.00 | 0.00 | C66 |
| †Bladder | 110 | 5.4 | 24.3 | 19.1 | 0.76 | 2.29 | 25 | 1.8 | 6.2 | 5.2 | 0.17 | 0.44 | C67 |
| Other urinary organs | 3 | 0.1 | 0.7 | 0.6 | 0.02 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 3 | 0.1 | 0.7 | 0.5 | 0.03 | 0.08 | 5 | 0.4 | 1.2 | 1.1 | 0.10 | 0.10 | C69 |
| Brain and nervous system | 35 | 1.7 | 7.7 | 6.9 | 0.43 | 0.61 | 15 | 1.1 | 3.7 | 3.1 | 0.11 | 0.46 | C70–72 |
| Thyroid | 27 | 1.3 | 6.0 | 4.9 | 0.34 | 0.58 | 46 | 3.3 | 11.4 | 8.9 | 0.72 | 0.90 | C73 |
| Adrenal gland | 1 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 1 | 0.1 | 0.2 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 7 | 0.3 | 1.5 | 1.2 | 0.09 | 0.13 | 8 | 0.6 | 2.0 | 2.2 | 0.14 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 60 | 3.0 | 13.2 | 10.8 | 0.57 | 1.32 | 40 | 2.9 | 9.9 | 8.4 | 0.49 | 0.93 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.1 | 0.7 | 0.5 | 0.06 | 0.06 | 8 | 0.6 | 2.0 | 1.6 | 0.12 | 0.12 | C88 |
| Multiple myeloma | 28 | 1.4 | 6.2 | 4.6 | 0.30 | 0.58 | 7 | 0.5 | 1.7 | 1.5 | 0.06 | 0.23 | C90 |
| Lymphoid leukaemia | 19 | 0.9 | 4.2 | 3.7 | 0.17 | 0.42 | 17 | 1.2 | 4.2 | 4.2 | 0.18 | 0.36 | C91 |
| Myeloid leukaemia | 17 | 0.8 | 3.8 | 3.4 | 0.15 | 0.37 | 15 | 1.1 | 3.7 | 2.9 | 0.15 | 0.30 | C92–94 |
| Leukaemia unspecified | 2 | 0.1 | 0.4 | 0.3 | 0.02 | 0.05 | 1 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 25 | 1.2 | 5.5 | 4.4 | 0.11 | 0.50 | 10 | 0.7 | 2.5 | 1.9 | 0.16 | 0.20 | MPD |
| Myelodysplastic syndromes | 13 | 0.6 | 2.9 | 2.3 | 0.06 | 0.28 | 10 | 0.7 | 2.5 | 2.2 | 0.04 | 0.20 | MPS |
| Other and unspecified | 37 | 1.8 | 8.2 | 6.7 | 0.34 | 0.83 | 31 | 2.2 | 7.7 | 6.6 | 0.27 | 0.56 | O&U |
| All sites | 2055 | | 453.4 | 357.5 | 18.12 | 43.76 | 1394 | | 345.5 | 285.8 | 17.34 | 32.08 | C00–96 |
| All sites except C44 | 2026 | 100.0 | 447.0 | 352.6 | 17.79 | 43.21 | 1379 | 100.0 | 341.8 | 282.9 | 17.12 | 31.82 | C00–96 exc.C44 |

*†See note following population pyramid

Australia, Queensland

CONTRIBUTORS

Shoni Philpot
Danica Cossio



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 102.6 | Breast | 97.8 |
| Melanoma of skin | 68.3 | Melanoma of skin | 47.4 |
| Trachea, bronchus, and lung | 34.5 | Trachea, bronchus, and lung | 24.0 |
| Colon | 27.3 | Colon | 23.1 |
| Bladder | 23.1 | Thyroid | 14.7 |
| Rectum | 15.5 | Corpus uteri | 12.9 |
| Non-Hodgkin lymphoma | 15.4 | Non-Hodgkin lymphoma | 10.6 |
| Kidney | 13.4 | Rectum | 8.8 |
| Lymphoid leukaemia | 9.4 | Ovary | 7.0 |
| Other and unspecified | 8.0 | Cervix uteri | 6.6 |
| Pancreas | 8.0 | Kidney | 6.6 |
| Liver | 7.2 | Bladder | 6.0 |
| Stomach | 7.2 | Pancreas | 5.9 |
| Testis | 6.9 | Other and unspecified | 5.7 |
| Brain and nervous system | 6.2 | Lymphoid leukaemia | 5.5 |
| Multiple myeloma | 6.0 | Brain and nervous system | 4.6 |
| Myeloid leukaemia | 5.8 | Stomach | 3.9 |
| Thyroid | 5.3 | Multiple myeloma | 3.9 |
| Oesophagus | 5.3 | Myeloid leukaemia | 3.8 |
| Myeloproliferative disorders | 4.6 | Myeloproliferative disorders | 3.4 |
| All sites | 429.4 | All sites | 335.4 |

*Australia, Queensland (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 627 | 0.7 | 5.3 | 3.6 | 0.26 | 0.38 | 186 | 0.3 | 1.5 | 0.9 | 0.05 | 0.10 | C00 |
| Tongue | 788 | 0.9 | 6.6 | 4.4 | 0.30 | 0.53 | 301 | 0.5 | 2.5 | 1.6 | 0.11 | 0.18 | C01–02 |
| Mouth | 427 | 0.5 | 3.6 | 2.4 | 0.17 | 0.29 | 284 | 0.4 | 2.4 | 1.3 | 0.07 | 0.15 | C03–06 |
| Salivary glands | 132 | 0.2 | 1.1 | 0.7 | 0.04 | 0.08 | 127 | 0.2 | 1.1 | 0.7 | 0.06 | 0.07 | C07–08 |
| Tonsil | 606 | 0.7 | 5.1 | 3.6 | 0.30 | 0.43 | 121 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | C09 |
| Other oropharynx | 107 | 0.1 | 0.9 | 0.6 | 0.04 | 0.07 | 20 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 74 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | 38 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 240 | 0.3 | 2.0 | 1.2 | 0.07 | 0.16 | 32 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 43 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 1074 | 1.3 | 9.0 | 5.3 | 0.27 | 0.64 | 380 | 0.6 | 3.2 | 1.5 | 0.06 | 0.18 | C15 |
| Stomach | 1473 | 1.8 | 12.4 | 7.2 | 0.36 | 0.82 | 870 | 1.3 | 7.2 | 3.9 | 0.20 | 0.44 | C16 |
| Small intestine | 449 | 0.5 | 3.8 | 2.3 | 0.14 | 0.27 | 328 | 0.5 | 2.7 | 1.6 | 0.10 | 0.18 | C17 |
| Colon | 5687 | 6.8 | 47.8 | 27.3 | 1.23 | 3.07 | 5437 | 8.3 | 45.2 | 23.1 | 1.05 | 2.39 | C18 |
| Rectum | 3023 | 3.6 | 25.4 | 15.5 | 0.90 | 1.83 | 1800 | 2.7 | 15.0 | 8.8 | 0.54 | 1.01 | C19–20 |
| Anus | 210 | 0.3 | 1.8 | 1.1 | 0.07 | 0.13 | 324 | 0.5 | 2.7 | 1.7 | 0.12 | 0.20 | C21 |
| Liver | 1363 | 1.6 | 11.5 | 7.2 | 0.49 | 0.88 | 469 | 0.7 | 3.9 | 2.2 | 0.13 | 0.26 | C22 |
| Gallbladder etc. | 449 | 0.5 | 3.8 | 2.0 | 0.07 | 0.24 | 512 | 0.8 | 4.3 | 2.1 | 0.09 | 0.24 | C23–24 |
| Pancreas | 1677 | 2.0 | 14.1 | 8.0 | 0.38 | 0.94 | 1407 | 2.1 | 11.7 | 5.9 | 0.26 | 0.67 | C25 |
| Nose, sinuses etc. | 109 | 0.1 | 0.9 | 0.6 | 0.03 | 0.07 | 77 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 578 | 0.7 | 4.9 | 2.9 | 0.17 | 0.37 | 74 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | C32 |
| Trachea, bronchus, and lung | 7424 | 8.8 | 62.4 | 34.5 | 1.45 | 4.19 | 5328 | 8.1 | 44.3 | 24.0 | 1.14 | 3.05 | C33–34 |
| Other thoracic organs | 123 | 0.1 | 1.0 | 0.7 | 0.05 | 0.08 | 91 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | C37–38 |
| Bone | 142 | 0.2 | 1.2 | 1.0 | 0.07 | 0.09 | 95 | 0.1 | 0.8 | 0.7 | 0.04 | 0.06 | C40–41 |
| Melanoma of skin | 12965 | 15.4 | 109.1 | 68.3 | 4.00 | 7.68 | 8630 | 13.1 | 71.7 | 47.4 | 3.22 | 5.05 | C43 |
| Other skin | 655 | 0.8 | 5.5 | 3.0 | 0.13 | 0.30 | 393 | 0.6 | 3.3 | 1.7 | 0.09 | 0.16 | C44 |
| Mesothelioma | 631 | 0.8 | 5.3 | 2.7 | 0.06 | 0.29 | 144 | 0.2 | 1.2 | 0.6 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 34 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | 5 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 511 | 0.6 | 4.3 | 2.9 | 0.17 | 0.28 | 350 | 0.5 | 2.9 | 2.0 | 0.11 | 0.18 | C47+C49 |
| Breast | 161 | 0.2 | 1.4 | 0.8 | 0.04 | 0.10 | 18116 | 27.6 | 150.5 | 97.8 | 6.83 | 11.55 | C50 |
| Vulva | | | | | | | 393 | 0.6 | 3.3 | 1.9 | 0.11 | 0.21 | C51 |
| Vagina | | | | | | | 108 | 0.2 | 0.9 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 997 | 1.5 | 8.3 | 6.6 | 0.52 | 0.60 | C53 |
| Corpus uteri | | | | | | | 2494 | 3.8 | 20.7 | 12.9 | 0.87 | 1.63 | C54 |
| Uterus unspecified | | | | | | | 74 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C55 |
| Ovary | | | | | | | 1390 | 2.1 | 11.6 | 7.0 | 0.41 | 0.76 | C56 |
| Other female genital organs | | | | | | | 233 | 0.4 | 1.9 | 1.1 | 0.06 | 0.15 | C57 |
| Placenta | | | | | | | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 107 | 0.1 | 0.9 | 0.5 | 0.02 | 0.06 | | | | | | | C60 |
| Prostate | 20578 | 24.5 | 173.1 | 102.6 | 5.20 | 13.77 | | | | | | | C61 |
| Testis | 875 | 1.0 | 7.4 | 6.9 | 0.52 | 0.54 | | | | | | | C62 |
| Other male genital organs | 39 | 0.0 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2434 | 2.9 | 20.5 | 13.4 | 0.87 | 1.57 | 1246 | 1.9 | 10.4 | 6.6 | 0.44 | 0.74 | C64 |
| Renal pelvis | 157 | 0.2 | 1.3 | 0.7 | 0.02 | 0.07 | 135 | 0.2 | 1.1 | 0.5 | 0.01 | 0.05 | C65 |
| Ureter | 104 | 0.1 | 0.9 | 0.5 | 0.01 | 0.06 | 75 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | C66 |
| †Bladder | 5077 | 6.0 | 42.7 | 23.1 | 0.92 | 2.58 | 1465 | 2.2 | 12.2 | 6.0 | 0.25 | 0.68 | C67 |
| Other urinary organs | 53 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 17 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 250 | 0.3 | 2.1 | 1.4 | 0.09 | 0.16 | 172 | 0.3 | 1.4 | 1.0 | 0.06 | 0.10 | C69 |
| Brain and nervous system | 1011 | 1.2 | 8.5 | 6.2 | 0.41 | 0.64 | 762 | 1.2 | 6.3 | 4.6 | 0.29 | 0.46 | C70–72 |
| Thyroid | 847 | 1.0 | 7.1 | 5.3 | 0.38 | 0.57 | 2263 | 3.4 | 18.8 | 14.7 | 1.18 | 1.46 | C73 |
| Adrenal gland | 33 | 0.0 | 0.3 | 0.3 | 0.01 | 0.02 | 50 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 48 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | 46 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C75 |
| Hodgkin lymphoma | 365 | 0.4 | 3.1 | 2.6 | 0.18 | 0.22 | 311 | 0.5 | 2.6 | 2.3 | 0.15 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 2929 | 3.5 | 24.6 | 15.4 | 0.82 | 1.72 | 2180 | 3.3 | 18.1 | 10.6 | 0.59 | 1.18 | C82–86,C96 |
| Immunoproliferative diseases | 150 | 0.2 | 1.3 | 0.8 | 0.04 | 0.09 | 172 | 0.3 | 1.4 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 1260 | 1.5 | 10.6 | 6.0 | 0.28 | 0.71 | 891 | 1.4 | 7.4 | 3.9 | 0.20 | 0.46 | C90 |
| Lymphoid leukaemia | 1653 | 2.0 | 13.9 | 9.4 | 0.47 | 1.00 | 989 | 1.5 | 8.2 | 5.5 | 0.29 | 0.54 | C91 |
| Myeloid leukaemia | 1163 | 1.4 | 9.8 | 5.8 | 0.25 | 0.60 | 795 | 1.2 | 6.6 | 3.8 | 0.20 | 0.37 | C92–94 |
| Leukaemia unspecified | 26 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 21 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 892 | 1.1 | 7.5 | 4.6 | 0.24 | 0.53 | 706 | 1.1 | 5.9 | 3.4 | 0.19 | 0.38 | MPD |
| Myelodysplastic syndromes | 997 | 1.2 | 8.4 | 4.1 | 0.09 | 0.40 | 584 | 0.9 | 4.9 | 2.1 | 0.06 | 0.21 | MPS |
| Other and unspecified | 1779 | 2.1 | 15.0 | 8.0 | 0.34 | 0.78 | 1535 | 2.3 | 12.8 | 5.7 | 0.22 | 0.56 | O&U |
| All sites | 84609 | | 711.7 | 429.4 | 22.54 | 50.50 | 66061 | | 548.9 | 335.4 | 20.75 | 37.52 | C00–96 |
| All sites except C44 | 83954 | 100.0 | 706.2 | 426.3 | 22.41 | 50.20 | 65668 | 100.0 | 545.7 | 333.7 | 20.66 | 37.35 | C00–96 exc.C44 |

*†See note following population pyramid

Australia, South Australia

CONTRIBUTORS

Katina D'Onise
Helen Thomas



20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 90.7 | Breast | 93.6 |
| Melanoma of skin | 31.3 | Trachea, bronchus, and lung | 21.1 |
| Trachea, bronchus, and lung | 29.2 | Colon | 21.1 |
| Colon | 25.3 | Melanoma of skin | 21.0 |
| Non-Hodgkin lymphoma | 18.1 | Corpus uteri | 13.7 |
| Rectum | 15.5 | Non-Hodgkin lymphoma | 11.5 |
| Kidney | 13.6 | Thyroid | 9.3 |
| Bladder | 8.6 | Rectum | 8.7 |
| Lymphoid leukaemia | 8.6 | Ovary | 6.6 |
| Liver | 8.3 | Pancreas | 6.6 |
| Pancreas | 8.2 | Other and unspecified | 6.2 |
| Other and unspecified | 7.5 | Kidney | 6.1 |
| Brain and nervous system | 6.9 | Cervix uteri | 5.3 |
| Testis | 6.8 | Lymphoid leukaemia | 4.8 |
| Stomach | 6.4 | Brain and nervous system | 4.4 |
| Multiple myeloma | 5.4 | Myeloid leukaemia | 3.6 |
| Oesophagus | 5.3 | Multiple myeloma | 3.4 |
| Myeloid leukaemia | 5.1 | Stomach | 3.1 |
| Non-melanoma skin cancer | 4.6 | Hodgkin lymphoma | 2.4 |
| Thyroid | 3.6 | Non-melanoma skin cancer | 2.4 |
| All sites | 351.5 | All sites | 285.2 |

Australia, South Australia (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|------------|-----------|--------------------------|-----------|--------------------------|-------|------------|-----------|--------------------------|-----------|--------------------------|-------|----------------|
| | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | §No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 262 | 0.9 | 6.2 | 3.6 | 0.23 | 0.41 | 83 | 0.4 | 1.9 | 0.9 | 0.05 | 0.10 | C00 |
| Tongue | 232 | 0.8 | 5.5 | 3.4 | 0.25 | 0.44 | 130 | 0.6 | 3.0 | 1.6 | 0.11 | 0.19 | C01–02 |
| Mouth | 115 | 0.4 | 2.7 | 1.6 | 0.11 | 0.20 | 83 | 0.4 | 1.9 | 0.9 | 0.05 | 0.12 | C03–06 |
| Salivary glands | 89 | 0.3 | 2.1 | 1.2 | 0.07 | 0.12 | 47 | 0.2 | 1.1 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 176 | 0.6 | 4.2 | 2.8 | 0.24 | 0.33 | 29 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 43 | 0.2 | 1.0 | 0.6 | 0.05 | 0.07 | 12 | 0.1 | 0.3 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 28 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 47 | 0.2 | 1.1 | 0.6 | 0.03 | 0.09 | 11 | 0.0 | 0.3 | 0.1 | 0.01 | 0.02 | C12–13 |
| Pharynx unspecified | 23 | 0.1 | 0.5 | 0.3 | 0.01 | 0.03 | 8 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 450 | 1.6 | 10.7 | 5.3 | 0.26 | 0.64 | 139 | 0.6 | 3.2 | 1.2 | 0.05 | 0.13 | C15 |
| Stomach | 533 | 1.9 | 12.7 | 6.4 | 0.33 | 0.72 | 295 | 1.3 | 6.9 | 3.1 | 0.17 | 0.33 | C16 |
| Small intestine | 146 | 0.5 | 3.5 | 1.8 | 0.09 | 0.21 | 133 | 0.6 | 3.1 | 1.6 | 0.11 | 0.18 | C17 |
| Colon | 2145 | 7.8 | 51.0 | 25.3 | 1.23 | 2.82 | 2061 | 8.9 | 48.0 | 21.1 | 1.02 | 2.32 | C18 |
| Rectum | 1204 | 4.4 | 28.6 | 15.5 | 0.93 | 1.87 | 737 | 3.2 | 17.2 | 8.7 | 0.54 | 1.01 | C19–20 |
| Anus | 49 | 0.2 | 1.2 | 0.7 | 0.05 | 0.08 | 97 | 0.4 | 2.3 | 1.3 | 0.10 | 0.16 | C21 |
| Liver | 627 | 2.3 | 14.9 | 8.3 | 0.58 | 0.98 | 210 | 0.9 | 4.9 | 2.1 | 0.11 | 0.22 | C22 |
| Gallbladder etc. | 187 | 0.7 | 4.4 | 2.0 | 0.08 | 0.23 | 221 | 1.0 | 5.1 | 2.1 | 0.09 | 0.23 | C23–24 |
| Pancreas | 700 | 2.5 | 16.7 | 8.2 | 0.38 | 0.92 | 674 | 2.9 | 15.7 | 6.6 | 0.31 | 0.74 | C25 |
| Nose, sinuses etc. | 47 | 0.2 | 1.1 | 0.7 | 0.04 | 0.07 | 26 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 193 | 0.7 | 4.6 | 2.5 | 0.15 | 0.32 | 32 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C32 |
| Trachea, bronchus, and lung | 2620 | 9.5 | 62.3 | 29.2 | 1.24 | 3.42 | 2059 | 8.9 | 48.0 | 21.1 | 1.03 | 2.65 | C33–34 |
| Other thoracic organs | 35 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | 27 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | C37–38 |
| Bone | 48 | 0.2 | 1.1 | 0.9 | 0.06 | 0.08 | 41 | 0.2 | 1.0 | 0.8 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 2346 | 8.5 | 55.8 | 31.3 | 1.86 | 3.57 | 1577 | 6.8 | 36.7 | 21.0 | 1.39 | 2.29 | C43 |
| Other skin | 361 | 1.3 | 8.6 | 4.6 | 0.26 | 0.50 | 236 | 1.0 | 5.5 | 2.4 | 0.12 | 0.24 | C44 |
| Mesothelioma | 265 | 1.0 | 6.3 | 2.6 | 0.08 | 0.30 | 70 | 0.3 | 1.6 | 0.6 | 0.02 | 0.08 | C45 |
| Kaposi sarcoma | 9 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 5 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C46 |
| Connective and soft tissue | 218 | 0.8 | 5.2 | 2.8 | 0.13 | 0.28 | 124 | 0.5 | 2.9 | 1.6 | 0.09 | 0.17 | C47+C49 |
| Breast | 54 | 0.2 | 1.3 | 0.7 | 0.04 | 0.08 | 6808 | 29.5 | 158.6 | 93.6 | 6.74 | 11.05 | C50 |
| Vulva | | | | | | | 161 | 0.7 | 3.8 | 1.6 | 0.07 | 0.19 | C51 |
| Vagina | | | | | | | 41 | 0.2 | 1.0 | 0.5 | 0.03 | 0.06 | C52 |
| Cervix uteri | | | | | | | 295 | 1.3 | 6.9 | 5.3 | 0.41 | 0.49 | C53 |
| Corpus uteri | | | | | | | 1095 | 4.8 | 25.5 | 13.7 | 0.88 | 1.73 | C54 |
| Uterus unspecified | | | | | | | 36 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | C55 |
| Ovary | | | | | | | 533 | 2.3 | 12.4 | 6.6 | 0.43 | 0.72 | C56 |
| Other female genital organs | | | | | | | 81 | 0.4 | 1.9 | 1.0 | 0.07 | 0.12 | C57 |
| Placenta | | | | | | | 2 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 52 | 0.2 | 1.2 | 0.7 | 0.04 | 0.06 | | | | | | | C60 |
| Prostate | 7446 | 27.0 | 177.1 | 90.7 | 4.27 | 12.29 | | | | | | | C61 |
| Testis | 290 | 1.1 | 6.9 | 6.8 | 0.51 | 0.52 | | | | | | | C62 |
| Other male genital organs | 15 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 982 | 3.6 | 23.4 | 13.6 | 0.81 | 1.63 | 484 | 2.1 | 11.3 | 6.1 | 0.37 | 0.72 | C64 |
| Renal pelvis | 59 | 0.2 | 1.4 | 0.6 | 0.02 | 0.06 | 64 | 0.3 | 1.5 | 0.5 | 0.01 | 0.04 | C65 |
| Ureter | 40 | 0.1 | 1.0 | 0.4 | 0.01 | 0.04 | 27 | 0.1 | 0.6 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 871 | 3.2 | 20.7 | 8.6 | 0.30 | 0.82 | 267 | 1.2 | 6.2 | 2.2 | 0.07 | 0.24 | C67 |
| Other urinary organs | 11 | 0.0 | 0.3 | 0.1 | 0.01 | 0.01 | 4 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 82 | 0.3 | 2.0 | 1.3 | 0.07 | 0.13 | 85 | 0.4 | 2.0 | 1.1 | 0.07 | 0.11 | C69 |
| Brain and nervous system | 420 | 1.5 | 10.0 | 6.9 | 0.44 | 0.70 | 310 | 1.3 | 7.2 | 4.4 | 0.28 | 0.45 | C70–72 |
| Thyroid | 214 | 0.8 | 5.1 | 3.6 | 0.27 | 0.37 | 522 | 2.3 | 12.2 | 9.3 | 0.72 | 0.92 | C73 |
| Adrenal gland | 13 | 0.0 | 0.3 | 0.3 | 0.02 | 0.02 | 13 | 0.1 | 0.3 | 0.3 | 0.01 | 0.02 | C74 |
| Other endocrine | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 6 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 122 | 0.4 | 2.9 | 2.4 | 0.15 | 0.20 | 115 | 0.5 | 2.7 | 2.4 | 0.16 | 0.19 | C81 |
| Non-Hodgkin lymphoma | 1360 | 4.9 | 32.4 | 18.1 | 0.96 | 2.01 | 996 | 4.3 | 23.2 | 11.5 | 0.64 | 1.31 | C82–86,C96 |
| Immunoproliferative diseases | 57 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | 59 | 0.3 | 1.4 | 0.7 | 0.04 | 0.09 | C88 |
| Multiple myeloma | 450 | 1.6 | 10.7 | 5.4 | 0.27 | 0.65 | 323 | 1.4 | 7.5 | 3.4 | 0.19 | 0.42 | C90 |
| Lymphoid leukaemia | 578 | 2.1 | 13.8 | 8.6 | 0.46 | 0.89 | 347 | 1.5 | 8.1 | 4.8 | 0.23 | 0.46 | C91 |
| Myeloid leukaemia | 402 | 1.5 | 9.6 | 5.1 | 0.25 | 0.48 | 287 | 1.2 | 6.7 | 3.6 | 0.20 | 0.32 | C92–94 |
| Leukaemia unspecified | 18 | 0.1 | 0.4 | 0.3 | 0.01 | 0.02 | 16 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 220 | 0.8 | 5.2 | 2.6 | 0.12 | 0.30 | 205 | 0.9 | 4.8 | 2.3 | 0.13 | 0.27 | MPD |
| Myelodysplastic syndromes | 324 | 1.2 | 7.7 | 3.2 | 0.08 | 0.32 | 208 | 0.9 | 4.8 | 1.8 | 0.06 | 0.18 | MPS |
| Other and unspecified | 689 | 2.5 | 16.4 | 7.5 | 0.34 | 0.76 | 713 | 3.1 | 16.6 | 6.2 | 0.27 | 0.62 | O&U |
| All sites | 27974 | | 665.5 | 351.5 | 18.33 | 41.26 | 23275 | | 542.2 | 285.2 | 17.73 | 32.37 | C00–96 |
| All sites except C44 | 27613 | 100.0 | 656.9 | 346.9 | 18.07 | 40.76 | 23039 | 100.0 | 536.7 | 282.9 | 17.62 | 32.13 | C00–96 exc.C44 |


§Includes 15 cases of unknown age

§Includes 12 cases of unknown age

Australia, Tasmania

CONTRIBUTORS

Alison Venn
 Bruna S. Ragaini
 Tim Albion
 Jessica Roydhouse
 Michelle Kanschat



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 94.0 | Breast | 93.1 |
| Melanoma of skin | 37.4 | Melanoma of skin | 35.3 |
| Trachea, bronchus, and lung | 34.4 | Trachea, bronchus, and lung | 27.1 |
| Colon | 26.3 | Colon | 23.0 |
| Bladder | 22.3 | Non-Hodgkin lymphoma | 10.5 |
| Rectum | 18.3 | Corpus uteri | 10.4 |
| Kidney | 15.6 | Rectum | 10.2 |
| Non-Hodgkin lymphoma | 14.0 | Thyroid | 8.7 |
| Testis | 9.9 | Cervix uteri | 7.6 |
| Other and unspecified | 8.8 | Pancreas | 7.2 |
| Oesophagus | 8.0 | Kidney | 7.2 |
| Brain and nervous system | 7.8 | Other and unspecified | 7.1 |
| Pancreas | 7.7 | Bladder | 5.8 |
| Stomach | 7.6 | Ovary | 5.7 |
| Lymphoid leukaemia | 7.5 | Brain and nervous system | 4.7 |
| Liver | 6.0 | Lymphoid leukaemia | 3.7 |
| Lip | 5.5 | Multiple myeloma | 3.5 |
| Multiple myeloma | 5.0 | Myeloid leukaemia | 3.5 |
| Myeloid leukaemia | 4.6 | Stomach | 3.3 |
| Thyroid | 4.5 | Oesophagus | 2.5 |
| All sites | 384.2 | All sites | 312.3 |

Australia, Tasmania (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 123 | 1.2 | 9.6 | 5.5 | 0.37 | 0.60 | 45 | 0.6 | 3.5 | 1.4 | 0.07 | 0.14 | C00 |
| Tongue | 73 | 0.7 | 5.7 | 3.3 | 0.25 | 0.40 | 38 | 0.5 | 2.9 | 1.6 | 0.11 | 0.17 | C01–02 |
| Mouth | 43 | 0.4 | 3.4 | 1.7 | 0.09 | 0.22 | 33 | 0.4 | 2.5 | 1.3 | 0.09 | 0.15 | C03–06 |
| Salivary glands | 22 | 0.2 | 1.7 | 0.8 | 0.03 | 0.08 | 15 | 0.2 | 1.2 | 0.8 | 0.04 | 0.07 | C07–08 |
| Tonsil | 51 | 0.5 | 4.0 | 2.5 | 0.22 | 0.31 | 14 | 0.2 | 1.1 | 0.7 | 0.06 | 0.08 | C09 |
| Other oropharynx | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 3 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | 4 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C11 |
| Hypopharynx | 14 | 0.1 | 1.1 | 0.6 | 0.04 | 0.08 | 3 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 10 | 0.1 | 0.8 | 0.5 | 0.04 | 0.06 | 3 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 212 | 2.2 | 16.6 | 8.0 | 0.41 | 0.98 | 85 | 1.1 | 6.5 | 2.5 | 0.10 | 0.29 | C15 |
| Stomach | 196 | 2.0 | 15.3 | 7.6 | 0.40 | 0.78 | 92 | 1.2 | 7.1 | 3.3 | 0.17 | 0.40 | C16 |
| Small intestine | 32 | 0.3 | 2.5 | 1.5 | 0.11 | 0.17 | 36 | 0.5 | 2.8 | 1.3 | 0.08 | 0.15 | C17 |
| Colon | 743 | 7.5 | 58.1 | 26.3 | 1.13 | 2.88 | 728 | 9.2 | 56.0 | 23.0 | 1.03 | 2.48 | C18 |
| Rectum | 458 | 4.7 | 35.8 | 18.3 | 1.06 | 2.27 | 277 | 3.5 | 21.3 | 10.2 | 0.54 | 1.17 | C19–20 |
| Anus | 26 | 0.3 | 2.0 | 1.0 | 0.06 | 0.11 | 37 | 0.5 | 2.8 | 1.7 | 0.14 | 0.21 | C21 |
| Liver | 161 | 1.6 | 12.6 | 6.0 | 0.31 | 0.77 | 58 | 0.7 | 4.5 | 2.0 | 0.13 | 0.22 | C22 |
| Gallbladder etc. | 61 | 0.6 | 4.8 | 2.0 | 0.07 | 0.22 | 64 | 0.8 | 4.9 | 1.9 | 0.08 | 0.23 | C23–24 |
| Pancreas | 213 | 2.2 | 16.6 | 7.7 | 0.37 | 0.87 | 232 | 2.9 | 17.8 | 7.2 | 0.38 | 0.75 | C25 |
| Nose, sinuses etc. | 25 | 0.3 | 2.0 | 1.0 | 0.07 | 0.11 | 9 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | C30–31 |
| Larynx | 69 | 0.7 | 5.4 | 2.6 | 0.16 | 0.34 | 5 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C32 |
| Trachea, bronchus, and lung | 998 | 10.1 | 78.0 | 34.4 | 1.33 | 4.14 | 814 | 10.2 | 62.6 | 27.1 | 1.27 | 3.43 | C33–34 |
| Other thoracic organs | 12 | 0.1 | 0.9 | 0.6 | 0.04 | 0.05 | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.04 | C37–38 |
| Bone | 17 | 0.2 | 1.3 | 1.3 | 0.09 | 0.11 | 8 | 0.1 | 0.6 | 0.6 | 0.03 | 0.04 | C40–41 |
| Melanoma of skin | 910 | 9.2 | 71.1 | 37.4 | 2.27 | 4.23 | 798 | 10.0 | 61.3 | 35.3 | 2.52 | 3.84 | C43 |
| Other skin | 43 | 0.4 | 3.4 | 1.3 | 0.05 | 0.12 | 29 | 0.4 | 2.2 | 0.8 | 0.03 | 0.06 | C44 |
| Mesothelioma | 42 | 0.4 | 3.3 | 1.4 | 0.05 | 0.17 | 14 | 0.2 | 1.1 | 0.4 | 0.01 | 0.05 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 52 | 0.5 | 4.1 | 2.5 | 0.16 | 0.24 | 38 | 0.5 | 2.9 | 1.9 | 0.14 | 0.19 | C47+C49 |
| Breast | 22 | 0.2 | 1.7 | 0.8 | 0.05 | 0.09 | 2150 | 27.0 | 165.3 | 93.1 | 6.42 | 10.89 | C50 |
| Vulva | | | | | | | 52 | 0.7 | 4.0 | 2.2 | 0.14 | 0.24 | C51 |
| Vagina | | | | | | | 17 | 0.2 | 1.3 | 0.6 | 0.04 | 0.06 | C52 |
| Cervix uteri | | | | | | | 124 | 1.6 | 9.5 | 7.6 | 0.58 | 0.70 | C53 |
| Corpus uteri | | | | | | | 271 | 3.4 | 20.8 | 10.4 | 0.70 | 1.31 | C54 |
| Uterus unspecified | | | | | | | 20 | 0.3 | 1.5 | 0.8 | 0.04 | 0.08 | C55 |
| Ovary | | | | | | | 140 | 1.8 | 10.8 | 5.7 | 0.32 | 0.63 | C56 |
| Other female genital organs | | | | | | | 59 | 0.7 | 4.5 | 2.0 | 0.08 | 0.24 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 16 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 2515 | 25.5 | 196.5 | 94.0 | 4.79 | 12.62 | | | | | | | C61 |
| Testis | 125 | 1.3 | 9.8 | 9.9 | 0.76 | 0.79 | | | | | | | C62 |
| Other male genital organs | 7 | 0.1 | 0.5 | 0.4 | 0.02 | 0.04 | | | | | | | C63 |
| Kidney | 360 | 3.7 | 28.1 | 15.6 | 1.03 | 1.88 | 174 | 2.2 | 13.4 | 7.2 | 0.49 | 0.84 | C64 |
| Renal pelvis | 25 | 0.3 | 2.0 | 0.8 | 0.02 | 0.08 | 16 | 0.2 | 1.2 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 13 | 0.1 | 1.0 | 0.4 | 0.01 | 0.03 | 8 | 0.1 | 0.6 | 0.3 | 0.02 | 0.02 | C66 |
| †Bladder | 656 | 6.7 | 51.3 | 22.3 | 0.84 | 2.46 | 186 | 2.3 | 14.3 | 5.8 | 0.28 | 0.65 | C67 |
| Other urinary organs | 8 | 0.1 | 0.6 | 0.3 | 0.01 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C68 |
| Eye | 15 | 0.2 | 1.2 | 0.7 | 0.04 | 0.09 | 18 | 0.2 | 1.4 | 0.9 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 151 | 1.5 | 11.8 | 7.8 | 0.52 | 0.81 | 98 | 1.2 | 7.5 | 4.7 | 0.30 | 0.42 | C70–72 |
| Thyroid | 88 | 0.9 | 6.9 | 4.5 | 0.34 | 0.49 | 150 | 1.9 | 11.5 | 8.7 | 0.66 | 0.83 | C73 |
| Adrenal gland | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | C74 |
| Other endocrine | 9 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | 8 | 0.1 | 0.6 | 0.6 | 0.05 | 0.05 | C75 |
| Hodgkin lymphoma | 50 | 0.5 | 3.9 | 3.4 | 0.23 | 0.29 | 29 | 0.4 | 2.2 | 2.2 | 0.14 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 334 | 3.4 | 26.1 | 14.0 | 0.88 | 1.52 | 281 | 3.5 | 21.6 | 10.5 | 0.66 | 1.23 | C82–86,C96 |
| Immunoproliferative diseases | 27 | 0.3 | 2.1 | 1.0 | 0.03 | 0.11 | 12 | 0.2 | 0.9 | 0.4 | 0.03 | 0.06 | C88 |
| Multiple myeloma | 139 | 1.4 | 10.9 | 5.0 | 0.28 | 0.54 | 105 | 1.3 | 8.1 | 3.5 | 0.20 | 0.38 | C90 |
| Lymphoid leukaemia | 179 | 1.8 | 14.0 | 7.5 | 0.32 | 0.73 | 93 | 1.2 | 7.1 | 3.7 | 0.18 | 0.40 | C91 |
| Myeloid leukaemia | 125 | 1.3 | 9.8 | 4.6 | 0.18 | 0.47 | 95 | 1.2 | 7.3 | 3.5 | 0.19 | 0.35 | C92–94 |
| Leukaemia unspecified | 5 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | 7 | 0.1 | 0.5 | 0.4 | 0.02 | 0.02 | C95 |
| Myeloproliferative disorders | 40 | 0.4 | 3.1 | 1.8 | 0.10 | 0.19 | 39 | 0.5 | 3.0 | 1.7 | 0.11 | 0.19 | MPD |
| Myelodysplastic syndromes | 94 | 1.0 | 7.3 | 2.9 | 0.10 | 0.26 | 61 | 0.8 | 4.7 | 1.6 | 0.06 | 0.13 | MPS |
| Other and unspecified | 264 | 2.7 | 20.6 | 8.8 | 0.34 | 0.94 | 269 | 3.4 | 20.7 | 7.1 | 0.27 | 0.64 | O&U |
| All sites | 9887 | | 772.5 | 384.2 | 20.18 | 44.96 | 7978 | | 613.2 | 312.3 | 19.20 | 34.96 | C00–96 |
| All sites except C44 | 9844 | 100.0 | 769.2 | 382.9 | 20.13 | 44.84 | 7949 | 100.0 | 611.0 | 311.5 | 19.16 | 34.90 | C00–96 exc.C44 |


†See note following population pyramid

Australia, Victoria

CONTRIBUTORS

Sue Evans

Luc te Marvelde



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 90.9 | Breast | 90.7 |
| Melanoma of skin | 31.1 | Melanoma of skin | 23.6 |
| Trachea, bronchus, and lung | 26.6 | Colon | 20.0 |
| Colon | 23.4 | Trachea, bronchus, and lung | 19.3 |
| Bladder | 21.8 | Corpus uteri | 14.5 |
| Non-Hodgkin lymphoma | 16.2 | Thyroid | 11.4 |
| Rectum | 15.2 | Non-Hodgkin lymphoma | 11.1 |
| Kidney | 12.5 | Rectum | 8.9 |
| Other and unspecified | 12.1 | Other and unspecified | 8.8 |
| Lymphoid leukaemia | 8.8 | Ovary | 6.5 |
| Liver | 8.4 | Kidney | 6.1 |
| Pancreas | 7.5 | Pancreas | 6.0 |
| Stomach | 7.1 | Bladder | 5.7 |
| Brain and nervous system | 7.0 | Lymphoid leukaemia | 5.4 |
| Testis | 6.6 | Cervix uteri | 4.7 |
| Multiple myeloma | 5.8 | Brain and nervous system | 4.6 |
| Myeloid leukaemia | 5.7 | Multiple myeloma | 3.6 |
| Oesophagus | 4.7 | Myeloid leukaemia | 3.6 |
| Myeloproliferative disorders | 4.1 | Stomach | 3.4 |
| Thyroid | 4.0 | Myeloproliferative disorders | 3.1 |
| All sites | 359.1 | All sites | 290.3 |

*Australia, Victoria (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 622 | 0.7 | 4.2 | 2.6 | 0.17 | 0.28 | 266 | 0.4 | 1.7 | 0.8 | 0.04 | 0.09 | C00 |
| Tongue | 671 | 0.7 | 4.5 | 3.0 | 0.21 | 0.37 | 321 | 0.4 | 2.1 | 1.3 | 0.09 | 0.15 | C01–02 |
| Mouth | 402 | 0.4 | 2.7 | 1.7 | 0.11 | 0.20 | 305 | 0.4 | 2.0 | 1.0 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 229 | 0.3 | 1.5 | 0.9 | 0.05 | 0.09 | 158 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C07–08 |
| Tonsil | 442 | 0.5 | 3.0 | 2.1 | 0.18 | 0.25 | 97 | 0.1 | 0.6 | 0.4 | 0.03 | 0.06 | C09 |
| Other oropharynx | 113 | 0.1 | 0.8 | 0.5 | 0.04 | 0.07 | 26 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 132 | 0.1 | 0.9 | 0.7 | 0.05 | 0.07 | 38 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C11 |
| Hypopharynx | 149 | 0.2 | 1.0 | 0.6 | 0.03 | 0.08 | 31 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 60 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 16 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 1243 | 1.4 | 8.3 | 4.7 | 0.23 | 0.58 | 568 | 0.8 | 3.7 | 1.7 | 0.07 | 0.19 | C15 |
| Stomach | 1909 | 2.1 | 12.8 | 7.1 | 0.34 | 0.83 | 1025 | 1.4 | 6.7 | 3.4 | 0.17 | 0.36 | C16 |
| Small intestine | 400 | 0.4 | 2.7 | 1.6 | 0.09 | 0.20 | 318 | 0.4 | 2.1 | 1.2 | 0.08 | 0.13 | C17 |
| Colon | 6267 | 6.9 | 42.0 | 23.4 | 1.08 | 2.59 | 6174 | 8.2 | 40.5 | 20.0 | 0.94 | 2.17 | C18 |
| Rectum | 3771 | 4.2 | 25.3 | 15.2 | 0.87 | 1.83 | 2387 | 3.2 | 15.6 | 8.9 | 0.54 | 1.06 | C19–20 |
| Anus | 208 | 0.2 | 1.4 | 0.9 | 0.06 | 0.10 | 301 | 0.4 | 2.0 | 1.2 | 0.09 | 0.14 | C21 |
| Liver | 2054 | 2.3 | 13.8 | 8.4 | 0.54 | 0.99 | 828 | 1.1 | 5.4 | 2.7 | 0.14 | 0.29 | C22 |
| Gallbladder etc. | 464 | 0.5 | 3.1 | 1.6 | 0.05 | 0.19 | 514 | 0.7 | 3.4 | 1.5 | 0.06 | 0.16 | C23–24 |
| Pancreas | 2052 | 2.3 | 13.7 | 7.5 | 0.32 | 0.85 | 1968 | 2.6 | 12.9 | 6.0 | 0.25 | 0.67 | C25 |
| Nose, sinuses etc. | 152 | 0.2 | 1.0 | 0.6 | 0.04 | 0.06 | 80 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C30–31 |
| Larynx | 640 | 0.7 | 4.3 | 2.5 | 0.12 | 0.31 | 89 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | C32 |
| Trachea, bronchus, and lung | 7495 | 8.3 | 50.2 | 26.6 | 1.02 | 3.15 | 5762 | 7.6 | 37.8 | 19.3 | 0.89 | 2.41 | C33–34 |
| Other thoracic organs | 83 | 0.1 | 0.6 | 0.4 | 0.03 | 0.04 | 46 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C37–38 |
| Bone | 207 | 0.2 | 1.4 | 1.3 | 0.08 | 0.11 | 149 | 0.2 | 1.0 | 0.9 | 0.05 | 0.07 | C40–41 |
| Melanoma of skin | 7539 | 8.4 | 50.5 | 31.1 | 1.81 | 3.55 | 5803 | 7.7 | 38.0 | 23.6 | 1.55 | 2.58 | C43 |
| Other skin | 411 | 0.5 | 2.8 | 1.3 | 0.05 | 0.12 | 241 | 0.3 | 1.6 | 0.7 | 0.03 | 0.07 | C44 |
| Mesothelioma | 625 | 0.7 | 4.2 | 2.0 | 0.05 | 0.22 | 168 | 0.2 | 1.1 | 0.5 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 76 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | 25 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 693 | 0.8 | 4.6 | 3.0 | 0.17 | 0.29 | 465 | 0.6 | 3.0 | 2.1 | 0.14 | 0.20 | C47+C49 |
| Breast | 193 | 0.2 | 1.3 | 0.8 | 0.04 | 0.09 | 21384 | 28.3 | 140.1 | 90.7 | 6.52 | 10.54 | C50 |
| Vulva | | | | | | | 443 | 0.6 | 2.9 | 1.6 | 0.10 | 0.17 | C51 |
| Vagina | | | | | | | 82 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 951 | 1.3 | 6.2 | 4.7 | 0.37 | 0.45 | C53 |
| Corpus uteri | | | | | | | 3611 | 4.8 | 23.7 | 14.5 | 0.99 | 1.80 | C54 |
| Uterus unspecified | | | | | | | 47 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 1606 | 2.1 | 10.5 | 6.5 | 0.42 | 0.72 | C56 |
| Other female genital organs | | | | | | | 461 | 0.6 | 3.0 | 1.8 | 0.11 | 0.24 | C57 |
| Placenta | | | | | | | 12 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 152 | 0.2 | 1.0 | 0.6 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 22668 | 25.1 | 151.9 | 90.9 | 4.75 | 12.19 | | | | | | | C61 |
| Testis | 1103 | 1.2 | 7.4 | 6.6 | 0.51 | 0.52 | | | | | | | C62 |
| Other male genital organs | 46 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 2858 | 3.2 | 19.1 | 12.5 | 0.80 | 1.47 | 1520 | 2.0 | 10.0 | 6.1 | 0.38 | 0.70 | C64 |
| Renal pelvis | 183 | 0.2 | 1.2 | 0.6 | 0.02 | 0.07 | 119 | 0.2 | 0.8 | 0.3 | 0.01 | 0.04 | C65 |
| Ureter | 87 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 73 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | C66 |
| †Bladder | 6241 | 6.9 | 41.8 | 21.8 | 0.84 | 2.44 | 1884 | 2.5 | 12.3 | 5.7 | 0.25 | 0.64 | C67 |
| Other urinary organs | 35 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 20 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 201 | 0.2 | 1.3 | 0.9 | 0.05 | 0.10 | 177 | 0.2 | 1.2 | 0.8 | 0.05 | 0.07 | C69 |
| Brain and nervous system | 1420 | 1.6 | 9.5 | 7.0 | 0.44 | 0.70 | 1004 | 1.3 | 6.6 | 4.6 | 0.30 | 0.46 | C70–72 |
| Thyroid | 809 | 0.9 | 5.4 | 4.0 | 0.30 | 0.42 | 2283 | 3.0 | 15.0 | 11.4 | 0.90 | 1.13 | C73 |
| Adrenal gland | 45 | 0.0 | 0.3 | 0.4 | 0.02 | 0.02 | 40 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C74 |
| Other endocrine | 31 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 28 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 541 | 0.6 | 3.6 | 3.1 | 0.21 | 0.26 | 421 | 0.6 | 2.8 | 2.5 | 0.17 | 0.20 | C81 |
| Non-Hodgkin lymphoma | 4016 | 4.5 | 26.9 | 16.2 | 0.87 | 1.79 | 3067 | 4.1 | 20.1 | 11.1 | 0.61 | 1.29 | C82–86,C96 |
| Immunoproliferative diseases | 299 | 0.3 | 2.0 | 1.1 | 0.05 | 0.13 | 238 | 0.3 | 1.6 | 0.9 | 0.05 | 0.10 | C88 |
| Multiple myeloma | 1540 | 1.7 | 10.3 | 5.8 | 0.27 | 0.67 | 1123 | 1.5 | 7.4 | 3.6 | 0.17 | 0.42 | C90 |
| Lymphoid leukaemia | 1972 | 2.2 | 13.2 | 8.8 | 0.45 | 0.89 | 1274 | 1.7 | 8.3 | 5.4 | 0.27 | 0.54 | C91 |
| Myeloid leukaemia | 1430 | 1.6 | 9.6 | 5.7 | 0.28 | 0.57 | 953 | 1.3 | 6.2 | 3.6 | 0.20 | 0.35 | C92–94 |
| Leukaemia unspecified | 32 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 33 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 1018 | 1.1 | 6.8 | 4.1 | 0.21 | 0.45 | 875 | 1.2 | 5.7 | 3.1 | 0.16 | 0.33 | MPD |
| Myelodysplastic syndromes | 1133 | 1.3 | 7.6 | 3.4 | 0.07 | 0.30 | 804 | 1.1 | 5.3 | 2.1 | 0.06 | 0.20 | MPS |
| Other and unspecified | 3448 | 3.8 | 23.1 | 12.1 | 0.51 | 1.26 | 3018 | 4.0 | 19.8 | 8.8 | 0.39 | 0.90 | O&U |
| All sites | 90610 | | 607.1 | 359.1 | 18.57 | 42.00 | 75720 | | 496.2 | 290.3 | 17.92 | 32.63 | C00–96 |
| All sites except C44 | 90199 | 100.0 | 604.3 | 357.8 | 18.53 | 41.88 | 75479 | 100.0 | 494.7 | 289.6 | 17.89 | 32.56 | C00–96 exc.C44 |

*†See note following population pyramid

Australia, Western Australia

CONTRIBUTORS

Richard Trevithick
Hamza Cakan



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 101.5 | Breast | 92.5 |
| Melanoma of skin | 43.7 | Melanoma of skin | 30.7 |
| Trachea, bronchus, and lung | 30.1 | Trachea, bronchus, and lung | 21.8 |
| Colon | 22.4 | Colon | 18.6 |
| Non-Hodgkin lymphoma | 15.7 | Thyroid | 13.3 |
| Rectum | 13.5 | Corpus uteri | 12.0 |
| Kidney | 12.7 | Non-Hodgkin lymphoma | 10.6 |
| Bladder | 8.4 | Rectum | 7.9 |
| Pancreas | 7.8 | Ovary | 6.7 |
| Liver | 7.2 | Kidney | 6.3 |
| Lymphoid leukaemia | 6.9 | Pancreas | 5.9 |
| Brain and nervous system | 6.8 | Cervix uteri | 5.6 |
| Other and unspecified | 6.7 | Other and unspecified | 4.6 |
| Stomach | 6.2 | Brain and nervous system | 4.3 |
| Testis | 6.1 | Lymphoid leukaemia | 3.9 |
| Oesophagus | 5.3 | Multiple myeloma | 3.5 |
| Multiple myeloma | 5.1 | Myeloid leukaemia | 3.1 |
| Thyroid | 5.1 | Stomach | 2.7 |
| Lip | 4.7 | Liver | 2.6 |
| Myeloid leukaemia | 4.6 | Connective and soft tissue | 2.2 |
| All sites | 363.6 | All sites | 287.9 |

*Australia, Western Australia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 424 | 1.2 | 6.6 | 4.7 | 0.33 | 0.51 | 183 | 0.6 | 2.9 | 1.6 | 0.10 | 0.18 | C00 |
| Tongue | 292 | 0.8 | 4.6 | 3.2 | 0.24 | 0.38 | 144 | 0.5 | 2.3 | 1.4 | 0.09 | 0.15 | C01–02 |
| Mouth | 163 | 0.5 | 2.6 | 1.7 | 0.12 | 0.21 | 99 | 0.3 | 1.6 | 0.9 | 0.04 | 0.11 | C03–06 |
| Salivary glands | 91 | 0.3 | 1.4 | 0.9 | 0.04 | 0.11 | 57 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | C07–08 |
| Tonsil | 216 | 0.6 | 3.4 | 2.4 | 0.20 | 0.30 | 42 | 0.1 | 0.7 | 0.5 | 0.04 | 0.05 | C09 |
| Other oropharynx | 63 | 0.2 | 1.0 | 0.7 | 0.04 | 0.10 | 18 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C10 |
| Nasopharynx | 35 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | 12 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 72 | 0.2 | 1.1 | 0.7 | 0.05 | 0.10 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 27 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C14 |
| Oesophagus | 536 | 1.5 | 8.4 | 5.3 | 0.30 | 0.65 | 198 | 0.7 | 3.1 | 1.6 | 0.07 | 0.18 | C15 |
| Stomach | 654 | 1.8 | 10.2 | 6.2 | 0.29 | 0.67 | 319 | 1.1 | 5.1 | 2.7 | 0.15 | 0.27 | C16 |
| Small intestine | 168 | 0.5 | 2.6 | 1.7 | 0.10 | 0.20 | 134 | 0.5 | 2.1 | 1.3 | 0.07 | 0.15 | C17 |
| Colon | 2322 | 6.5 | 36.4 | 22.4 | 1.05 | 2.53 | 2137 | 7.5 | 33.9 | 18.6 | 0.88 | 2.02 | C18 |
| Rectum | 1334 | 3.7 | 20.9 | 13.5 | 0.77 | 1.65 | 802 | 2.8 | 12.7 | 7.9 | 0.51 | 0.88 | C19–20 |
| Anus | 86 | 0.2 | 1.3 | 0.9 | 0.06 | 0.11 | 117 | 0.4 | 1.9 | 1.2 | 0.08 | 0.13 | C21 |
| Liver | 694 | 1.9 | 10.9 | 7.2 | 0.47 | 0.85 | 286 | 1.0 | 4.5 | 2.6 | 0.14 | 0.29 | C22 |
| Gallbladder etc. | 247 | 0.7 | 3.9 | 2.3 | 0.09 | 0.26 | 228 | 0.8 | 3.6 | 1.7 | 0.06 | 0.18 | C23–24 |
| Pancreas | 832 | 2.3 | 13.0 | 7.8 | 0.35 | 0.91 | 735 | 2.6 | 11.7 | 5.9 | 0.27 | 0.65 | C25 |
| Nose, sinuses etc. | 64 | 0.2 | 1.0 | 0.7 | 0.05 | 0.07 | 39 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C30–31 |
| Larynx | 202 | 0.6 | 3.2 | 2.0 | 0.11 | 0.27 | 24 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | C32 |
| Trachea, bronchus, and lung | 3272 | 9.2 | 51.2 | 30.1 | 1.16 | 3.52 | 2467 | 8.6 | 39.1 | 21.8 | 1.02 | 2.73 | C33–34 |
| Other thoracic organs | 43 | 0.1 | 0.7 | 0.5 | 0.03 | 0.04 | 12 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C37–38 |
| Bone | 71 | 0.2 | 1.1 | 1.0 | 0.06 | 0.09 | 49 | 0.2 | 0.8 | 0.7 | 0.05 | 0.06 | C40–41 |
| Melanoma of skin | 4256 | 11.9 | 66.6 | 43.7 | 2.53 | 4.94 | 2957 | 10.3 | 46.9 | 30.7 | 2.00 | 3.39 | C43 |
| Other skin | 385 | 1.1 | 6.0 | 3.5 | 0.13 | 0.34 | 244 | 0.9 | 3.9 | 1.8 | 0.08 | 0.17 | C44 |
| Mesothelioma | 473 | 1.3 | 7.4 | 4.2 | 0.12 | 0.48 | 103 | 0.4 | 1.6 | 0.9 | 0.04 | 0.11 | C45 |
| Kaposi sarcoma | 15 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 319 | 0.9 | 5.0 | 3.5 | 0.19 | 0.35 | 203 | 0.7 | 3.2 | 2.2 | 0.15 | 0.22 | C47+C49 |
| Breast | 78 | 0.2 | 1.2 | 0.8 | 0.03 | 0.09 | 8667 | 30.2 | 137.4 | 92.5 | 6.63 | 10.71 | C50 |
| Vulva | | | | | | | 171 | 0.6 | 2.7 | 1.5 | 0.08 | 0.18 | C51 |
| Vagina | | | | | | | 53 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C52 |
| Cervix uteri | | | | | | | 455 | 1.6 | 7.2 | 5.6 | 0.43 | 0.52 | C53 |
| Corpus uteri | | | | | | | 1182 | 4.1 | 18.7 | 12.0 | 0.82 | 1.49 | C54 |
| Uterus unspecified | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C55 |
| Ovary | | | | | | | 668 | 2.3 | 10.6 | 6.7 | 0.41 | 0.73 | C56 |
| Other female genital organs | | | | | | | 138 | 0.5 | 2.2 | 1.4 | 0.08 | 0.18 | C57 |
| Placenta | | | | | | | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 51 | 0.1 | 0.8 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 10102 | 28.3 | 158.2 | 101.5 | 5.25 | 13.57 | | | | | | | C61 |
| Testis | 431 | 1.2 | 6.7 | 6.1 | 0.46 | 0.47 | | | | | | | C62 |
| Other male genital organs | 13 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1181 | 3.3 | 18.5 | 12.7 | 0.81 | 1.48 | 613 | 2.1 | 9.7 | 6.3 | 0.38 | 0.72 | C64 |
| Renal pelvis | 86 | 0.2 | 1.3 | 0.8 | 0.02 | 0.08 | 52 | 0.2 | 0.8 | 0.4 | 0.01 | 0.05 | C65 |
| Ureter | 39 | 0.1 | 0.6 | 0.3 | 0.01 | 0.03 | 20 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 973 | 2.7 | 15.2 | 8.4 | 0.27 | 0.85 | 291 | 1.0 | 4.6 | 2.1 | 0.06 | 0.21 | C67 |
| Other urinary organs | 27 | 0.1 | 0.4 | 0.2 | 0.01 | 0.03 | 9 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 83 | 0.2 | 1.3 | 1.0 | 0.05 | 0.10 | 82 | 0.3 | 1.3 | 0.9 | 0.05 | 0.09 | C69 |
| Brain and nervous system | 587 | 1.6 | 9.2 | 6.8 | 0.42 | 0.71 | 378 | 1.3 | 6.0 | 4.3 | 0.27 | 0.42 | C70–72 |
| Thyroid | 431 | 1.2 | 6.7 | 5.1 | 0.37 | 0.56 | 1089 | 3.8 | 17.3 | 13.3 | 1.01 | 1.36 | C73 |
| Adrenal gland | 19 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | 22 | 0.1 | 0.3 | 0.4 | 0.02 | 0.02 | C74 |
| Other endocrine | 13 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 8 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 160 | 0.4 | 2.5 | 2.3 | 0.15 | 0.19 | 132 | 0.5 | 2.1 | 1.9 | 0.14 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 1495 | 4.2 | 23.4 | 15.7 | 0.87 | 1.76 | 1092 | 3.8 | 17.3 | 10.6 | 0.61 | 1.21 | C82–86,C96 |
| Immunoproliferative diseases | 74 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 60 | 0.2 | 1.0 | 0.6 | 0.04 | 0.07 | C88 |
| Multiple myeloma | 539 | 1.5 | 8.4 | 5.1 | 0.25 | 0.58 | 401 | 1.4 | 6.4 | 3.5 | 0.17 | 0.41 | C90 |
| Lymphoid leukaemia | 603 | 1.7 | 9.4 | 6.9 | 0.34 | 0.69 | 351 | 1.2 | 5.6 | 3.9 | 0.20 | 0.38 | C91 |
| Myeloid leukaemia | 449 | 1.3 | 7.0 | 4.6 | 0.20 | 0.46 | 303 | 1.1 | 4.8 | 3.1 | 0.19 | 0.30 | C92–94 |
| Leukaemia unspecified | 15 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 6 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 234 | 0.7 | 3.7 | 2.3 | 0.11 | 0.23 | 221 | 0.8 | 3.5 | 2.1 | 0.12 | 0.22 | MPD |
| Myelodysplastic syndromes | 308 | 0.9 | 4.8 | 2.5 | 0.05 | 0.20 | 180 | 0.6 | 2.9 | 1.2 | 0.03 | 0.11 | MPS |
| Other and unspecified | 753 | 2.1 | 11.8 | 6.7 | 0.27 | 0.69 | 647 | 2.3 | 10.3 | 4.6 | 0.18 | 0.40 | O&U |
| All sites | 36100 | | 565.2 | 363.6 | 19.02 | 42.71 | 28923 | | 458.5 | 287.9 | 17.96 | 32.17 | C00–96 |
| All sites except C44 | 35715 | 100.0 | 559.2 | 360.1 | 18.89 | 42.37 | 28679 | 100.0 | 454.6 | 286.0 | 17.88 | 32.00 | C00–96 exc.C44 |

*See note following population pyramid

France, New Caledonia

CONTRIBUTORS

Sylvie Laumond
Erika Hartmann
Frédérique Ringuenoire



NOTES ON THE DATA

*No DCO registrations. Rates based on low numbers due to small population.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|------------------------------|-------|------------------------------|-------|
| Prostate | 69.5 | Breast | 84.1 |
| Trachea, bronchus, and lung | 58.5 | Trachea, bronchus, and lung | 26.7 |
| Bladder | 14.7 | Corpus uteri | 20.9 |
| Colon | 13.9 | Thyroid | 17.5 |
| Liver | 11.8 | Cervix uteri | 12.9 |
| Stomach | 10.5 | Colon | 12.0 |
| Melanoma of skin | 10.4 | Ovary | 8.8 |
| Non-Hodgkin lymphoma | 9.8 | Pancreas | 6.6 |
| Rectum | 9.4 | Rectum | 6.6 |
| Pancreas | 8.8 | Other and unspecified | 6.3 |
| Kidney | 8.1 | Non-Hodgkin lymphoma | 6.2 |
| Myeloid leukaemia | 7.4 | Stomach | 5.5 |
| Other and unspecified | 7.3 | Melanoma of skin | 5.1 |
| Oesophagus | 5.9 | Liver | 4.5 |
| Multiple myeloma | 5.2 | Kidney | 3.8 |
| Thyroid | 5.2 | Myeloid leukaemia | 3.2 |
| Testis | 4.3 | Gallbladder etc. | 3.1 |
| Lymphoid leukaemia | 4.3 | Multiple myeloma | 3.0 |
| Brain and nervous system | 4.0 | Bladder | 3.0 |
| Myeloproliferative disorders | 3.8 | Myeloproliferative disorders | 2.9 |
| All sites | 311.3 | All sites | 270.8 |

*France, New Caledonia (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 7 | 0.3 | 1.0 | 0.9 | 0.07 | 0.10 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C00 |
| Tongue | 21 | 0.9 | 3.1 | 2.7 | 0.16 | 0.32 | 11 | 0.5 | 1.7 | 1.4 | 0.08 | 0.16 | C01–02 |
| Mouth | 18 | 0.7 | 2.7 | 2.2 | 0.16 | 0.23 | 8 | 0.4 | 1.2 | 0.9 | 0.06 | 0.12 | C03–06 |
| Salivary glands | 7 | 0.3 | 1.0 | 0.9 | 0.06 | 0.09 | 7 | 0.3 | 1.1 | 0.8 | 0.05 | 0.10 | C07–08 |
| Tonsil | 29 | 1.2 | 4.3 | 3.8 | 0.24 | 0.49 | 9 | 0.4 | 1.4 | 1.2 | 0.11 | 0.17 | C09 |
| Other oropharynx | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 11 | 0.4 | 1.6 | 1.4 | 0.12 | 0.16 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C11 |
| Hypopharynx | 17 | 0.7 | 2.5 | 2.2 | 0.14 | 0.25 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.4 | 0.4 | 0.04 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 47 | 1.9 | 7.0 | 5.9 | 0.38 | 0.83 | 7 | 0.3 | 1.1 | 0.8 | 0.08 | 0.08 | C15 |
| Stomach | 83 | 3.4 | 12.3 | 10.5 | 0.45 | 1.30 | 50 | 2.3 | 7.5 | 5.5 | 0.30 | 0.51 | C16 |
| Small intestine | 9 | 0.4 | 1.3 | 1.1 | 0.07 | 0.12 | 4 | 0.2 | 0.6 | 0.6 | 0.05 | 0.07 | C17 |
| Colon | 113 | 4.6 | 16.7 | 13.9 | 0.73 | 1.54 | 104 | 4.7 | 15.6 | 12.0 | 0.53 | 1.55 | C18 |
| Rectum | 75 | 3.0 | 11.1 | 9.4 | 0.52 | 1.09 | 54 | 2.4 | 8.1 | 6.6 | 0.44 | 0.77 | C19–20 |
| Anus | 4 | 0.2 | 0.6 | 0.5 | 0.04 | 0.04 | 14 | 0.6 | 2.1 | 1.6 | 0.11 | 0.20 | C21 |
| Liver | 93 | 3.8 | 13.8 | 11.8 | 0.60 | 1.56 | 39 | 1.8 | 5.9 | 4.5 | 0.21 | 0.57 | C22 |
| Gallbladder etc. | 19 | 0.8 | 2.8 | 2.4 | 0.08 | 0.30 | 27 | 1.2 | 4.1 | 3.1 | 0.16 | 0.40 | C23–24 |
| Pancreas | 72 | 2.9 | 10.7 | 8.8 | 0.53 | 0.95 | 57 | 2.6 | 8.6 | 6.6 | 0.24 | 0.87 | C25 |
| Nose, sinuses etc. | 6 | 0.2 | 0.9 | 0.8 | 0.07 | 0.10 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C30–31 |
| Larynx | 30 | 1.2 | 4.4 | 3.7 | 0.24 | 0.41 | 6 | 0.3 | 0.9 | 0.7 | 0.02 | 0.08 | C32 |
| Trachea, bronchus, and lung | 466 | 18.9 | 69.0 | 58.5 | 3.14 | 7.26 | 225 | 10.1 | 33.8 | 26.7 | 1.49 | 3.17 | C33–34 |
| Other thoracic organs | 12 | 0.5 | 1.8 | 1.4 | 0.07 | 0.17 | 4 | 0.2 | 0.6 | 0.5 | 0.05 | 0.05 | C37–38 |
| Bone | 8 | 0.3 | 1.2 | 1.1 | 0.07 | 0.10 | 11 | 0.5 | 1.7 | 1.6 | 0.08 | 0.12 | C40–41 |
| Melanoma of skin | 83 | 3.4 | 12.3 | 10.4 | 0.59 | 1.28 | 41 | 1.8 | 6.2 | 5.1 | 0.40 | 0.54 | C43 |
| Other skin | 6 | 0.2 | 0.9 | 0.7 | 0.05 | 0.05 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | C44 |
| Mesothelioma | 9 | 0.4 | 1.3 | 1.1 | 0.00 | 0.15 | 12 | 0.5 | 1.8 | 1.4 | 0.08 | 0.19 | C45 |
| Kaposi sarcoma | 3 | 0.1 | 0.4 | 0.4 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 11 | 0.4 | 1.6 | 1.4 | 0.05 | 0.15 | 18 | 0.8 | 2.7 | 2.3 | 0.16 | 0.21 | C47+C49 |
| Breast | 9 | 0.4 | 1.3 | 1.1 | 0.03 | 0.15 | 679 | 30.6 | 101.9 | 84.1 | 6.01 | 9.82 | C50 |
| Vulva | | | | | | | 13 | 0.6 | 2.0 | 1.6 | 0.11 | 0.16 | C51 |
| Vagina | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.04 | C52 |
| Cervix uteri | | | | | | | 106 | 4.8 | 15.9 | 12.9 | 1.04 | 1.28 | C53 |
| Corpus uteri | | | | | | | 168 | 7.6 | 25.2 | 20.9 | 1.38 | 2.65 | C54 |
| Uterus unspecified | | | | | | | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 70 | 3.2 | 10.5 | 8.8 | 0.54 | 1.05 | C56 |
| Other female genital organs | | | | | | | 6 | 0.3 | 0.9 | 0.7 | 0.03 | 0.11 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | C58 |
| Penis | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | | | | | | | C60 |
| Prostate | 552 | 22.3 | 81.7 | 69.5 | 2.74 | 9.57 | | | | | | | C61 |
| Testis | 32 | 1.3 | 4.7 | 4.3 | 0.32 | 0.32 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 64 | 2.6 | 9.5 | 8.1 | 0.47 | 1.02 | 30 | 1.4 | 4.5 | 3.8 | 0.30 | 0.39 | C64 |
| Renal pelvis | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 4 | 0.2 | 0.6 | 0.5 | 0.02 | 0.05 | C65 |
| Ureter | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C66 |
| †Bladder | 120 | 4.9 | 17.8 | 14.7 | 0.72 | 1.67 | 27 | 1.2 | 4.1 | 3.0 | 0.14 | 0.32 | C67 |
| Other urinary organs | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | C68 |
| Eye | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.2 | 0.8 | 0.6 | 0.03 | 0.08 | C69 |
| Brain and nervous system | 31 | 1.3 | 4.6 | 4.0 | 0.28 | 0.38 | 19 | 0.9 | 2.9 | 2.6 | 0.18 | 0.23 | C70–72 |
| Thyroid | 40 | 1.6 | 5.9 | 5.2 | 0.44 | 0.61 | 135 | 6.1 | 20.3 | 17.5 | 1.34 | 2.00 | C73 |
| Adrenal gland | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.5 | 0.4 | 0.01 | 0.04 | C75 |
| Hodgkin lymphoma | 20 | 0.8 | 3.0 | 2.6 | 0.17 | 0.26 | 7 | 0.3 | 1.1 | 1.0 | 0.06 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 75 | 3.0 | 11.1 | 9.8 | 0.57 | 1.25 | 54 | 2.4 | 8.1 | 6.2 | 0.41 | 0.54 | C82–86,C96 |
| Immunoproliferative diseases | 5 | 0.2 | 0.7 | 0.6 | 0.03 | 0.07 | 3 | 0.1 | 0.5 | 0.3 | 0.03 | 0.03 | C88 |
| Multiple myeloma | 41 | 1.7 | 6.1 | 5.2 | 0.30 | 0.69 | 25 | 1.1 | 3.8 | 3.0 | 0.15 | 0.40 | C90 |
| Lymphoid leukaemia | 31 | 1.3 | 4.6 | 4.3 | 0.23 | 0.36 | 11 | 0.5 | 1.7 | 1.5 | 0.09 | 0.12 | C91 |
| Myeloid leukaemia | 58 | 2.3 | 8.6 | 7.4 | 0.38 | 0.75 | 25 | 1.1 | 3.8 | 3.2 | 0.19 | 0.24 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.4 | 0.3 | 0.01 | 0.01 | 4 | 0.2 | 0.6 | 0.5 | 0.02 | 0.04 | C95 |
| Myeloproliferative disorders | 31 | 1.3 | 4.6 | 3.8 | 0.16 | 0.43 | 25 | 1.1 | 3.8 | 2.9 | 0.19 | 0.30 | MPD |
| Myelodysplastic syndromes | 29 | 1.2 | 4.3 | 3.3 | 0.03 | 0.22 | 24 | 1.1 | 3.6 | 2.7 | 0.08 | 0.26 | MPS |
| Other and unspecified | 59 | 2.4 | 8.7 | 7.3 | 0.37 | 0.77 | 54 | 2.4 | 8.1 | 6.3 | 0.38 | 0.66 | O&U |
| All sites | 2476 | | 366.4 | 311.3 | 16.04 | 37.88 | 2220 | | 333.1 | 270.8 | 17.51 | 30.95 | C00–96 |
| All sites except C44 | 2470 | 100.0 | 365.5 | 310.5 | 15.99 | 37.83 | 2218 | 100.0 | 332.8 | 270.6 | 17.50 | 30.94 | C00–96 exc.C44 |

*†See note following population pyramid

New Zealand


CONTRIBUTORS

Christine Fowler
Chris Lewis
Shirley Miles
Jenny Hendrix
Susan Hanna




20 major cancers, ASR (World) per 100 000

| <i>Male</i> | | <i>Female</i> | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 88.1 | Breast | 89.5 |
| Melanoma of skin | 35.6 | Melanoma of skin | 28.9 |
| Trachea, bronchus, and lung | 27.3 | Trachea, bronchus, and lung | 24.8 |
| Colon | 24.0 | Colon | 21.9 |
| Rectum | 16.5 | Corpus uteri | 14.5 |
| Non-Hodgkin lymphoma | 13.5 | Rectum | 9.2 |
| Kidney | 10.4 | Non-Hodgkin lymphoma | 9.1 |
| Lymphoid leukaemia | 7.3 | Thyroid | 7.5 |
| Pancreas | 7.1 | Ovary | 7.0 |
| Bladder | 6.8 | Other and unspecified | 6.3 |
| Testis | 6.7 | Pancreas | 5.8 |
| Liver | 6.6 | Cervix uteri | 5.3 |
| Stomach | 6.5 | Kidney | 5.2 |
| Brain and nervous system | 6.4 | Brain and nervous system | 4.4 |
| Other and unspecified | 6.3 | Lymphoid leukaemia | 3.9 |
| Multiple myeloma | 5.8 | Multiple myeloma | 3.5 |
| Myeloid leukaemia | 5.2 | Stomach | 3.3 |
| Oesophagus | 4.9 | Myeloid leukaemia | 3.1 |
| Thyroid | 3.1 | Liver | 2.4 |
| Myelodysplastic syndromes | 3.0 | Bladder | 2.1 |
| All sites | 324.1 | All sites | 283.7 |

**NOTES ON THE DATA**

*No official mortality data.

**NOTES ON THE DATA**

*No official mortality data.

10 major cancers, ASR (World) per 100 000**Male**

| | |
|-----------------------------|-------|
| Prostate | 89.5 |
| Trachea, bronchus, and lung | 68.0 |
| Colon | 19.9 |
| Liver | 16.9 |
| Rectum | 16.4 |
| Non-Hodgkin lymphoma | 14.2 |
| Stomach | 13.5 |
| Kidney | 12.6 |
| Pancreas | 11.3 |
| Testis | 10.9 |
| All sites | 379.3 |

Female


| | |
|-----------------------------|-------|
| Breast | 117.3 |
| Trachea, bronchus, and lung | 75.1 |
| Corpus uteri | 22.6 |
| Colon | 18.0 |
| Other and unspecified | 12.7 |
| Pancreas | 10.1 |
| Thyroid | 9.8 |
| Cervix uteri | 9.7 |
| Non-Hodgkin lymphoma | 9.4 |
| Rectum | 8.7 |
| All sites | 386.3 |

10 major cancers, ASR (World) per 100 000**Male**

| | |
|-----------------------------|-------|
| Prostate | 93.2 |
| Melanoma of skin | 44.9 |
| Colon | 25.4 |
| Trachea, bronchus, and lung | 22.6 |
| Rectum | 16.9 |
| Non-Hodgkin lymphoma | 13.8 |
| Kidney | 10.6 |
| Lymphoid leukaemia | 7.7 |
| Testis | 7.3 |
| Bladder | 7.3 |
| All sites | 333.7 |

Female

| | |
|-----------------------------|-------|
| Breast | 88.4 |
| Melanoma of skin | 38.1 |
| Colon | 23.4 |
| Trachea, bronchus, and lung | 19.8 |
| Corpus uteri | 11.2 |
| Rectum | 9.7 |
| Non-Hodgkin lymphoma | 9.3 |
| Ovary | 6.6 |
| Thyroid | 6.0 |
| Other and unspecified | 5.6 |
| All sites | 279.8 |



NOTES ON THE DATA

*No official mortality data. Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 86.2 |
| Trachea, bronchus, and lung | 51.9 |
| Liver | 19.0 |
| Colon | 18.5 |
| Rectum | 16.8 |
| Stomach | 14.1 |
| Non-Hodgkin lymphoma | 14.0 |
| Multiple myeloma | 9.8 |
| Other and unspecified | 8.9 |
| Kidney | 8.7 |
| All sites | 336.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 116.1 |
| Corpus uteri | 52.5 |
| Trachea, bronchus, and lung | 28.8 |
| Colon | 14.4 |
| Ovary | 13.5 |
| Thyroid | 12.7 |
| Stomach | 11.8 |
| Non-Hodgkin lymphoma | 11.7 |
| Other and unspecified | 9.3 |
| Multiple myeloma | 8.3 |
| All sites | 365.8 |

New Zealand (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 188 | 0.3 | 1.7 | 1.1 | 0.06 | 0.12 | 67 | 0.1 | 0.6 | 0.3 | 0.02 | 0.03 | C00 |
| Tongue | 463 | 0.8 | 4.1 | 2.7 | 0.19 | 0.32 | 258 | 0.5 | 2.2 | 1.4 | 0.10 | 0.15 | C01–02 |
| Mouth | 278 | 0.5 | 2.5 | 1.5 | 0.09 | 0.17 | 240 | 0.4 | 2.0 | 1.0 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 107 | 0.2 | 0.9 | 0.6 | 0.04 | 0.06 | 94 | 0.2 | 0.8 | 0.5 | 0.04 | 0.06 | C07–08 |
| Tonsil | 335 | 0.5 | 3.0 | 2.1 | 0.18 | 0.25 | 77 | 0.1 | 0.7 | 0.4 | 0.03 | 0.05 | C09 |
| Other oropharynx | 78 | 0.1 | 0.7 | 0.4 | 0.04 | 0.05 | 19 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 95 | 0.2 | 0.8 | 0.6 | 0.05 | 0.07 | 36 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C11 |
| Hypopharynx | 72 | 0.1 | 0.6 | 0.4 | 0.02 | 0.05 | 18 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 31 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | 12 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 1004 | 1.6 | 8.9 | 4.9 | 0.22 | 0.59 | 456 | 0.8 | 3.9 | 1.8 | 0.06 | 0.19 | C15 |
| Stomach | 1268 | 2.1 | 11.3 | 6.5 | 0.35 | 0.75 | 709 | 1.3 | 6.1 | 3.3 | 0.19 | 0.35 | C16 |
| Small intestine | 302 | 0.5 | 2.7 | 1.6 | 0.09 | 0.19 | 279 | 0.5 | 2.4 | 1.4 | 0.08 | 0.16 | C17 |
| Colon | 4988 | 8.1 | 44.3 | 24.0 | 0.96 | 2.67 | 5402 | 9.6 | 46.1 | 21.9 | 0.90 | 2.26 | C18 |
| Rectum | 3179 | 5.2 | 28.2 | 16.5 | 0.87 | 1.96 | 1956 | 3.5 | 16.7 | 9.2 | 0.52 | 1.07 | C19–20 |
| Anus | 132 | 0.2 | 1.2 | 0.7 | 0.04 | 0.08 | 213 | 0.4 | 1.8 | 1.1 | 0.07 | 0.13 | C21 |
| Liver | 1204 | 2.0 | 10.7 | 6.6 | 0.45 | 0.79 | 537 | 1.0 | 4.6 | 2.4 | 0.12 | 0.27 | C22 |
| Gallbladder etc. | 343 | 0.6 | 3.0 | 1.7 | 0.08 | 0.21 | 394 | 0.7 | 3.4 | 1.7 | 0.08 | 0.20 | C23–24 |
| Pancreas | 1441 | 2.3 | 12.8 | 7.1 | 0.35 | 0.83 | 1412 | 2.5 | 12.1 | 5.8 | 0.25 | 0.64 | C25 |
| Nose, sinuses etc. | 92 | 0.1 | 0.8 | 0.5 | 0.03 | 0.06 | 50 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C30–31 |
| Larynx | 334 | 0.5 | 3.0 | 1.7 | 0.09 | 0.21 | 52 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 5695 | 9.3 | 50.5 | 27.3 | 1.11 | 3.24 | 5549 | 9.9 | 47.4 | 24.8 | 1.20 | 3.10 | C33–34 |
| Other thoracic organs | 88 | 0.1 | 0.8 | 0.6 | 0.04 | 0.06 | 67 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | C37–38 |
| Bone | 132 | 0.2 | 1.2 | 1.1 | 0.07 | 0.09 | 120 | 0.2 | 1.0 | 1.0 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 6693 | 10.9 | 59.4 | 35.6 | 2.00 | 4.05 | 5535 | 9.8 | 47.3 | 28.9 | 1.93 | 3.24 | C43 |
| Other skin | 330 | 0.5 | 2.9 | 1.5 | 0.05 | 0.16 | 223 | 0.4 | 1.9 | 0.8 | 0.03 | 0.07 | C44 |
| Mesothelioma | 436 | 0.7 | 3.9 | 1.9 | 0.05 | 0.20 | 80 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | C45 |
| Kaposi sarcoma | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | 3 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 535 | 0.9 | 4.7 | 2.9 | 0.14 | 0.27 | 293 | 0.5 | 2.5 | 1.8 | 0.11 | 0.16 | C47+C49 |
| Breast | 122 | 0.2 | 1.1 | 0.6 | 0.03 | 0.07 | 16232 | 28.8 | 138.6 | 89.5 | 6.66 | 9.87 | C50 |
| Vulva | | | | | | | 290 | 0.5 | 2.5 | 1.3 | 0.08 | 0.14 | C51 |
| Vagina | | | | | | | 85 | 0.2 | 0.7 | 0.4 | 0.02 | 0.04 | C52 |
| Cervix uteri | | | | | | | 784 | 1.4 | 6.7 | 5.3 | 0.41 | 0.49 | C53 |
| Corpus uteri | | | | | | | 2720 | 4.8 | 23.2 | 14.5 | 1.04 | 1.76 | C54 |
| Uterus unspecified | | | | | | | 62 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C55 |
| Ovary | | | | | | | 1369 | 2.4 | 11.7 | 7.0 | 0.45 | 0.76 | C56 |
| Other female genital organs | | | | | | | 401 | 0.7 | 3.4 | 1.9 | 0.11 | 0.24 | C57 |
| Placenta | | | | | | | 7 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 88 | 0.1 | 0.8 | 0.5 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 16837 | 27.4 | 149.4 | 88.1 | 4.43 | 12.04 | | | | | | | C61 |
| Testis | 775 | 1.3 | 6.9 | 6.7 | 0.51 | 0.53 | | | | | | | C62 |
| Other male genital organs | 21 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1878 | 3.1 | 16.7 | 10.4 | 0.63 | 1.26 | 987 | 1.8 | 8.4 | 5.2 | 0.32 | 0.60 | C64 |
| Renal pelvis | 106 | 0.2 | 0.9 | 0.5 | 0.02 | 0.06 | 78 | 0.1 | 0.7 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 91 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | 51 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C66 |
| Bladder | 1532 | 2.5 | 13.6 | 6.8 | 0.22 | 0.73 | 551 | 1.0 | 4.7 | 2.1 | 0.08 | 0.23 | C67 |
| Other urinary organs | 84 | 0.1 | 0.7 | 0.4 | 0.01 | 0.04 | 26 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 158 | 0.3 | 1.4 | 1.0 | 0.05 | 0.10 | 139 | 0.2 | 1.2 | 0.8 | 0.05 | 0.08 | C69 |
| Brain and nervous system | 963 | 1.6 | 8.5 | 6.4 | 0.40 | 0.65 | 718 | 1.3 | 6.1 | 4.4 | 0.28 | 0.42 | C70–72 |
| Thyroid | 480 | 0.8 | 4.3 | 3.1 | 0.23 | 0.32 | 1120 | 2.0 | 9.6 | 7.5 | 0.57 | 0.72 | C73 |
| Adrenal gland | 37 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 45 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 20 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 14 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 294 | 0.5 | 2.6 | 2.3 | 0.15 | 0.19 | 238 | 0.4 | 2.0 | 1.9 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 2456 | 4.0 | 21.8 | 13.5 | 0.73 | 1.45 | 1915 | 3.4 | 16.4 | 9.1 | 0.48 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 83 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 38 | 0.1 | 0.3 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 1166 | 1.9 | 10.3 | 5.8 | 0.27 | 0.68 | 804 | 1.4 | 6.9 | 3.5 | 0.18 | 0.41 | C90 |
| Lymphoid leukaemia | 1190 | 1.9 | 10.6 | 7.3 | 0.39 | 0.68 | 662 | 1.2 | 5.7 | 3.9 | 0.21 | 0.37 | C91 |
| Myeloid leukaemia | 929 | 1.5 | 8.2 | 5.2 | 0.25 | 0.54 | 623 | 1.1 | 5.3 | 3.1 | 0.19 | 0.31 | C92–94 |
| Leukaemia unspecified | 16 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 28 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C95 |
| Myeloproliferative disorders | 421 | 0.7 | 3.7 | 2.1 | 0.09 | 0.24 | 341 | 0.6 | 2.9 | 1.6 | 0.09 | 0.17 | MPD |
| Myelodysplastic syndromes | 700 | 1.1 | 6.2 | 3.0 | 0.08 | 0.28 | 394 | 0.7 | 3.4 | 1.4 | 0.04 | 0.13 | MPS |
| Other and unspecified | 1393 | 2.3 | 12.4 | 6.3 | 0.24 | 0.59 | 1677 | 3.0 | 14.3 | 6.3 | 0.23 | 0.62 | O&U |
| All sites | 61704 | | 547.7 | 324.1 | 16.49 | 38.23 | 56550 | | 482.9 | 283.7 | 17.64 | 31.24 | C00–96 |
| All sites except C44 | 61374 | 100.0 | 544.8 | 322.5 | 16.45 | 38.06 | 56327 | 100.0 | 481.0 | 282.9 | 17.61 | 31.18 | C00–96 exc.C44 |

*New Zealand: Maori (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 41 | 0.7 | 2.3 | 2.6 | 0.17 | 0.29 | 26 | 0.4 | 1.4 | 1.4 | 0.09 | 0.15 | C01–02 |
| Mouth | 26 | 0.5 | 1.4 | 1.6 | 0.10 | 0.20 | 15 | 0.2 | 0.8 | 0.8 | 0.04 | 0.11 | C03–06 |
| Salivary glands | 7 | 0.1 | 0.4 | 0.4 | 0.05 | 0.05 | 14 | 0.2 | 0.7 | 0.7 | 0.04 | 0.06 | C07–08 |
| Tonsil | 50 | 0.9 | 2.8 | 2.9 | 0.27 | 0.32 | 9 | 0.1 | 0.5 | 0.5 | 0.03 | 0.06 | C09 |
| Other oropharynx | 10 | 0.2 | 0.6 | 0.6 | 0.07 | 0.07 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.05 | C10 |
| Nasopharynx | 11 | 0.2 | 0.6 | 0.7 | 0.04 | 0.05 | 5 | 0.1 | 0.3 | 0.2 | 0.03 | 0.03 | C11 |
| Hypopharynx | 13 | 0.2 | 0.7 | 0.8 | 0.05 | 0.10 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C12–13 |
| Pharynx unspecified | 5 | 0.1 | 0.3 | 0.4 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.01 | 0.01 | C14 |
| Oesophagus | 97 | 1.7 | 5.4 | 6.9 | 0.31 | 0.89 | 49 | 0.7 | 2.6 | 2.8 | 0.16 | 0.35 | C15 |
| Stomach | 212 | 3.7 | 11.7 | 13.5 | 0.75 | 1.53 | 148 | 2.1 | 7.8 | 8.2 | 0.48 | 0.97 | C16 |
| Small intestine | 44 | 0.8 | 2.4 | 2.9 | 0.17 | 0.37 | 38 | 0.5 | 2.0 | 2.1 | 0.13 | 0.24 | C17 |
| Colon | 300 | 5.2 | 16.6 | 19.9 | 0.86 | 2.25 | 319 | 4.6 | 16.9 | 18.0 | 0.94 | 1.86 | C18 |
| Rectum | 251 | 4.4 | 13.9 | 16.4 | 0.96 | 2.08 | 157 | 2.3 | 8.3 | 8.7 | 0.56 | 1.03 | C19–20 |
| Anus | 14 | 0.2 | 0.8 | 0.9 | 0.02 | 0.10 | 21 | 0.3 | 1.1 | 1.2 | 0.08 | 0.14 | C21 |
| Liver | 269 | 4.7 | 14.9 | 16.9 | 1.26 | 2.03 | 106 | 1.5 | 5.6 | 6.0 | 0.35 | 0.63 | C22 |
| Gallbladder etc. | 41 | 0.7 | 2.3 | 2.8 | 0.12 | 0.34 | 61 | 0.9 | 3.2 | 3.5 | 0.17 | 0.43 | C23–24 |
| Pancreas | 171 | 3.0 | 9.4 | 11.3 | 0.52 | 1.45 | 181 | 2.6 | 9.6 | 10.1 | 0.52 | 1.07 | C25 |
| Nose, sinuses etc. | 12 | 0.2 | 0.7 | 0.7 | 0.06 | 0.10 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 42 | 0.7 | 2.3 | 2.7 | 0.16 | 0.32 | 11 | 0.2 | 0.6 | 0.6 | 0.04 | 0.06 | C32 |
| Trachea, bronchus, and lung | 1022 | 17.8 | 56.5 | 68.0 | 3.24 | 8.66 | 1324 | 19.0 | 70.2 | 75.1 | 3.62 | 9.71 | C33–34 |
| Other thoracic organs | 18 | 0.3 | 1.0 | 1.1 | 0.08 | 0.16 | 16 | 0.2 | 0.8 | 0.9 | 0.06 | 0.10 | C37–38 |
| Bone | 24 | 0.4 | 1.3 | 1.3 | 0.07 | 0.12 | 25 | 0.4 | 1.3 | 1.3 | 0.09 | 0.11 | C40–41 |
| Melanoma of skin | 108 | 1.9 | 6.0 | 6.9 | 0.37 | 0.80 | 137 | 2.0 | 7.3 | 7.7 | 0.51 | 0.90 | C43 |
| Other skin | 20 | 0.3 | 1.1 | 1.5 | 0.06 | 0.19 | 11 | 0.2 | 0.6 | 0.6 | 0.03 | 0.08 | C44 |
| Mesothelioma | 22 | 0.4 | 1.2 | 1.6 | 0.04 | 0.19 | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.03 | C45 |
| Kaposi sarcoma | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 52 | 0.9 | 2.9 | 3.2 | 0.20 | 0.32 | 41 | 0.6 | 2.2 | 2.2 | 0.14 | 0.20 | C47+C49 |
| Breast | 8 | 0.1 | 0.4 | 0.6 | 0.01 | 0.07 | 2158 | 30.9 | 114.4 | 117.3 | 8.67 | 12.97 | C50 |
| Vulva | | | | | | | 31 | 0.4 | 1.6 | 1.7 | 0.09 | 0.19 | C51 |
| Vagina | | | | | | | 17 | 0.2 | 0.9 | 0.9 | 0.06 | 0.09 | C52 |
| Cervix uteri | | | | | | | 183 | 2.6 | 9.7 | 9.7 | 0.74 | 0.90 | C53 |
| Corpus uteri | | | | | | | 410 | 5.9 | 21.7 | 22.6 | 1.60 | 2.85 | C54 |
| Uterus unspecified | | | | | | | 11 | 0.2 | 0.6 | 0.6 | 0.03 | 0.07 | C55 |
| Ovary | | | | | | | 159 | 2.3 | 8.4 | 8.7 | 0.53 | 0.96 | C56 |
| Other female genital organs | | | | | | | 43 | 0.6 | 2.3 | 2.4 | 0.17 | 0.28 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | C58 |
| Penis | 6 | 0.1 | 0.3 | 0.4 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 1309 | 22.7 | 72.3 | 89.5 | 4.15 | 11.54 | | | | | | | C61 |
| Testis | 185 | 3.2 | 10.2 | 10.9 | 0.83 | 0.84 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 198 | 3.4 | 10.9 | 12.6 | 0.83 | 1.66 | 137 | 2.0 | 7.3 | 7.5 | 0.48 | 0.89 | C64 |
| Renal pelvis | 5 | 0.1 | 0.3 | 0.3 | 0.01 | 0.03 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C65 |
| Ureter | 3 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.02 | C66 |
| Bladder | 85 | 1.5 | 4.7 | 6.0 | 0.24 | 0.58 | 49 | 0.7 | 2.6 | 2.7 | 0.14 | 0.30 | C67 |
| Other urinary organs | 6 | 0.1 | 0.3 | 0.4 | 0.00 | 0.08 | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 10 | 0.2 | 0.6 | 0.6 | 0.02 | 0.06 | 7 | 0.1 | 0.4 | 0.4 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 103 | 1.8 | 5.7 | 6.1 | 0.35 | 0.59 | 88 | 1.3 | 4.7 | 4.7 | 0.29 | 0.43 | C70–72 |
| Thyroid | 72 | 1.3 | 4.0 | 4.4 | 0.32 | 0.47 | 186 | 2.7 | 9.9 | 9.8 | 0.78 | 0.94 | C73 |
| Adrenal gland | 12 | 0.2 | 0.7 | 0.7 | 0.04 | 0.07 | 8 | 0.1 | 0.4 | 0.4 | 0.03 | 0.05 | C74 |
| Other endocrine | 6 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 3 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | C75 |
| Hodgkin lymphoma | 36 | 0.6 | 2.0 | 2.1 | 0.12 | 0.18 | 31 | 0.4 | 1.6 | 1.6 | 0.11 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 224 | 3.9 | 12.4 | 14.2 | 0.80 | 1.58 | 166 | 2.4 | 8.8 | 9.4 | 0.49 | 1.15 | C82–86,C96 |
| Immunoproliferative diseases | 3 | 0.1 | 0.2 | 0.2 | 0.01 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 118 | 2.1 | 6.5 | 7.9 | 0.37 | 0.99 | 102 | 1.5 | 5.4 | 5.6 | 0.31 | 0.64 | C90 |
| Lymphoid leukaemia | 128 | 2.2 | 7.1 | 7.9 | 0.42 | 0.73 | 77 | 1.1 | 4.1 | 4.3 | 0.23 | 0.43 | C91 |
| Myeloid leukaemia | 107 | 1.9 | 5.9 | 6.9 | 0.35 | 0.66 | 82 | 1.2 | 4.3 | 4.5 | 0.25 | 0.46 | C92–94 |
| Leukaemia unspecified | 2 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 4 | 0.1 | 0.2 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 48 | 0.8 | 2.7 | 3.4 | 0.15 | 0.31 | 44 | 0.6 | 2.3 | 2.5 | 0.14 | 0.29 | MPD |
| Myelodysplastic syndromes | 65 | 1.1 | 3.6 | 4.7 | 0.13 | 0.38 | 32 | 0.5 | 1.7 | 1.8 | 0.05 | 0.17 | MPS |
| Other and unspecified | 149 | 2.6 | 8.2 | 10.1 | 0.43 | 0.98 | 218 | 3.1 | 11.6 | 12.7 | 0.47 | 1.52 | O&U |
| All sites | 5776 | | 319.1 | 379.3 | 19.70 | 44.99 | 6987 | | 370.2 | 386.3 | 23.85 | 44.28 | C00–96 |
| All sites except C44 | 5756 | 100.0 | 318.0 | 377.8 | 19.64 | 44.80 | 6976 | 100.0 | 369.7 | 385.7 | 23.82 | 44.20 | C00–96 exc.C44 |

*See note following population pyramid

*New Zealand: Other (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|--------------------------|-------|-----------|-----------|--------------------------|-----------|--------------------------|-------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 184 | 0.4 | 2.5 | 1.4 | 0.09 | 0.16 | 67 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C00 |
| Tongue | 388 | 0.8 | 5.3 | 2.8 | 0.20 | 0.34 | 194 | 0.4 | 2.6 | 1.3 | 0.09 | 0.14 | C01–02 |
| Mouth | 219 | 0.4 | 3.0 | 1.5 | 0.08 | 0.16 | 202 | 0.5 | 2.7 | 1.1 | 0.05 | 0.11 | C03–06 |
| Salivary glands | 85 | 0.2 | 1.2 | 0.6 | 0.04 | 0.06 | 69 | 0.2 | 0.9 | 0.5 | 0.04 | 0.06 | C07–08 |
| Tonsil | 272 | 0.5 | 3.7 | 2.2 | 0.18 | 0.26 | 65 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 68 | 0.1 | 0.9 | 0.5 | 0.04 | 0.06 | 12 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C10 |
| Nasopharynx | 24 | 0.0 | 0.3 | 0.2 | 0.02 | 0.02 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 56 | 0.1 | 0.8 | 0.4 | 0.02 | 0.05 | 15 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C12–13 |
| Pharynx unspecified | 26 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | 10 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 848 | 1.7 | 11.6 | 5.0 | 0.22 | 0.61 | 395 | 0.9 | 5.2 | 1.8 | 0.06 | 0.19 | C15 |
| Stomach | 858 | 1.7 | 11.8 | 5.1 | 0.26 | 0.60 | 411 | 0.9 | 5.4 | 2.1 | 0.10 | 0.21 | C16 |
| Small intestine | 226 | 0.4 | 3.1 | 1.5 | 0.08 | 0.17 | 218 | 0.5 | 2.9 | 1.3 | 0.07 | 0.15 | C17 |
| Colon | 4385 | 8.5 | 60.2 | 25.4 | 1.03 | 2.84 | 4790 | 10.9 | 63.3 | 23.4 | 0.94 | 2.42 | C18 |
| Rectum | 2656 | 5.2 | 36.5 | 16.9 | 0.88 | 2.01 | 1643 | 3.7 | 21.7 | 9.7 | 0.54 | 1.13 | C19–20 |
| Anus | 114 | 0.2 | 1.6 | 0.8 | 0.05 | 0.09 | 185 | 0.4 | 2.4 | 1.2 | 0.08 | 0.14 | C21 |
| Liver | 692 | 1.3 | 9.5 | 4.5 | 0.27 | 0.54 | 352 | 0.8 | 4.7 | 1.9 | 0.09 | 0.20 | C22 |
| Gallbladder etc. | 240 | 0.5 | 3.3 | 1.4 | 0.07 | 0.17 | 279 | 0.6 | 3.7 | 1.3 | 0.05 | 0.16 | C23–24 |
| Pancreas | 1166 | 2.3 | 16.0 | 6.9 | 0.33 | 0.81 | 1114 | 2.5 | 14.7 | 5.4 | 0.22 | 0.60 | C25 |
| Nose, sinuses etc. | 69 | 0.1 | 0.9 | 0.5 | 0.02 | 0.05 | 40 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C30–31 |
| Larynx | 274 | 0.5 | 3.8 | 1.7 | 0.09 | 0.21 | 38 | 0.1 | 0.5 | 0.2 | 0.02 | 0.03 | C32 |
| Trachea, bronchus, and lung | 4114 | 8.0 | 56.5 | 22.6 | 0.80 | 2.63 | 3755 | 8.6 | 49.6 | 19.8 | 0.88 | 2.46 | C33–34 |
| Other thoracic organs | 51 | 0.1 | 0.7 | 0.4 | 0.02 | 0.04 | 41 | 0.1 | 0.5 | 0.3 | 0.02 | 0.03 | C37–38 |
| Bone | 87 | 0.2 | 1.2 | 1.1 | 0.07 | 0.08 | 75 | 0.2 | 1.0 | 0.9 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 6553 | 12.8 | 90.0 | 44.9 | 2.66 | 5.06 | 5366 | 12.2 | 70.9 | 38.1 | 2.66 | 4.18 | C43 |
| Other skin | 298 | 0.6 | 4.1 | 1.6 | 0.05 | 0.17 | 203 | 0.5 | 2.7 | 0.9 | 0.03 | 0.07 | C44 |
| Mesothelioma | 407 | 0.8 | 5.6 | 2.1 | 0.05 | 0.23 | 70 | 0.2 | 0.9 | 0.4 | 0.02 | 0.06 | C45 |
| Kaposi sarcoma | 16 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 450 | 0.9 | 6.2 | 3.0 | 0.14 | 0.28 | 208 | 0.5 | 2.7 | 1.6 | 0.09 | 0.14 | C47+C49 |
| Breast | 102 | 0.2 | 1.4 | 0.7 | 0.04 | 0.07 | 12260 | 28.0 | 162.0 | 88.4 | 6.55 | 9.74 | C50 |
| Vulva | | | | | | | 251 | 0.6 | 3.3 | 1.5 | 0.09 | 0.15 | C51 |
| Vagina | | | | | | | 59 | 0.1 | 0.8 | 0.4 | 0.02 | 0.03 | C52 |
| Cervix uteri | | | | | | | 467 | 1.1 | 6.2 | 4.9 | 0.37 | 0.43 | C53 |
| Corpus uteri | | | | | | | 1749 | 4.0 | 23.1 | 11.2 | 0.76 | 1.41 | C54 |
| Uterus unspecified | | | | | | | 41 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C55 |
| Ovary | | | | | | | 1030 | 2.3 | 13.6 | 6.6 | 0.41 | 0.71 | C56 |
| Other female genital organs | | | | | | | 298 | 0.7 | 3.9 | 1.7 | 0.08 | 0.22 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 77 | 0.2 | 1.1 | 0.5 | 0.03 | 0.06 | | | | | | | C60 |
| Prostate | 14525 | 28.3 | 199.4 | 93.2 | 4.85 | 12.76 | | | | | | | C61 |
| Testis | 534 | 1.0 | 7.3 | 7.3 | 0.56 | 0.58 | | | | | | | C62 |
| Other male genital organs | 18 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 1550 | 3.0 | 21.3 | 10.6 | 0.64 | 1.29 | 761 | 1.7 | 10.1 | 5.1 | 0.31 | 0.59 | C64 |
| Renal pelvis | 92 | 0.2 | 1.3 | 0.6 | 0.03 | 0.06 | 67 | 0.2 | 0.9 | 0.3 | 0.01 | 0.03 | C65 |
| Ureter | 76 | 0.1 | 1.0 | 0.4 | 0.01 | 0.05 | 45 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 1396 | 2.7 | 19.2 | 7.3 | 0.23 | 0.79 | 479 | 1.1 | 6.3 | 2.1 | 0.08 | 0.24 | C67 |
| Other urinary organs | 75 | 0.1 | 1.0 | 0.4 | 0.01 | 0.04 | 22 | 0.1 | 0.3 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 144 | 0.3 | 2.0 | 1.1 | 0.07 | 0.12 | 126 | 0.3 | 1.7 | 1.1 | 0.07 | 0.10 | C69 |
| Brain and nervous system | 782 | 1.5 | 10.7 | 6.6 | 0.44 | 0.70 | 567 | 1.3 | 7.5 | 4.7 | 0.30 | 0.46 | C70–72 |
| Thyroid | 320 | 0.6 | 4.4 | 2.9 | 0.21 | 0.29 | 633 | 1.4 | 8.4 | 6.0 | 0.45 | 0.58 | C73 |
| Adrenal gland | 18 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 29 | 0.1 | 0.4 | 0.4 | 0.02 | 0.03 | C74 |
| Other endocrine | 11 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 7 | 0.0 | 0.1 | 0.1 | 0.00 | 0.01 | C75 |
| Hodgkin lymphoma | 216 | 0.4 | 3.0 | 2.6 | 0.17 | 0.21 | 179 | 0.4 | 2.4 | 2.3 | 0.15 | 0.17 | C81 |
| Non-Hodgkin lymphoma | 2018 | 3.9 | 27.7 | 13.8 | 0.75 | 1.48 | 1570 | 3.6 | 20.7 | 9.3 | 0.50 | 1.04 | C82–86,C96 |
| Immunoproliferative diseases | 74 | 0.1 | 1.0 | 0.4 | 0.02 | 0.05 | 36 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C88 |
| Multiple myeloma | 947 | 1.8 | 13.0 | 5.6 | 0.26 | 0.66 | 597 | 1.4 | 7.9 | 3.1 | 0.15 | 0.37 | C90 |
| Lymphoid leukaemia | 986 | 1.9 | 13.5 | 7.7 | 0.42 | 0.72 | 526 | 1.2 | 7.0 | 4.0 | 0.21 | 0.38 | C91 |
| Myeloid leukaemia | 714 | 1.4 | 9.8 | 5.0 | 0.23 | 0.51 | 474 | 1.1 | 6.3 | 2.9 | 0.17 | 0.29 | C92–94 |
| Leukaemia unspecified | 13 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | 21 | 0.0 | 0.3 | 0.1 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 337 | 0.7 | 4.6 | 2.0 | 0.08 | 0.24 | 266 | 0.6 | 3.5 | 1.5 | 0.08 | 0.16 | MPD |
| Myelodysplastic syndromes | 604 | 1.2 | 8.3 | 3.0 | 0.08 | 0.29 | 329 | 0.8 | 4.3 | 1.3 | 0.04 | 0.12 | MPS |
| Other and unspecified | 1151 | 2.2 | 15.8 | 6.1 | 0.23 | 0.56 | 1330 | 3.0 | 17.6 | 5.6 | 0.19 | 0.53 | O&U |
| All sites | 51606 | | 708.5 | 333.7 | 17.15 | 39.31 | 44043 | | 582.1 | 279.8 | 17.26 | 30.58 | C00–96 |
| All sites except C44 | 51308 | 100.0 | 704.4 | 332.1 | 17.10 | 39.14 | 43840 | 100.0 | 579.4 | 278.9 | 17.23 | 30.51 | C00–96 exc.C44 |

*See note following population pyramid

*New Zealand: Pacific peoples (2013–2017)


| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 18 | 0.9 | 2.4 | 2.7 | 0.18 | 0.33 | 14 | 0.5 | 1.9 | 2.0 | 0.13 | 0.23 | C01–02 |
| Mouth | 13 | 0.6 | 1.8 | 2.1 | 0.09 | 0.33 | 12 | 0.4 | 1.6 | 1.8 | 0.08 | 0.24 | C03–06 |
| Salivary glands | 9 | 0.4 | 1.2 | 1.5 | 0.07 | 0.15 | 7 | 0.3 | 0.9 | 0.9 | 0.10 | 0.10 | C07–08 |
| Tonsil | 9 | 0.4 | 1.2 | 1.3 | 0.11 | 0.14 | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.05 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 25 | 1.2 | 3.4 | 3.7 | 0.27 | 0.49 | 11 | 0.4 | 1.5 | 1.5 | 0.12 | 0.17 | C11 |
| Hypopharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C14 |
| Oesophagus | 32 | 1.5 | 4.3 | 5.5 | 0.30 | 0.45 | 4 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | C15 |
| Stomach | 90 | 4.3 | 12.1 | 14.1 | 0.83 | 1.65 | 86 | 3.2 | 11.4 | 11.8 | 0.62 | 1.31 | C16 |
| Small intestine | 21 | 1.0 | 2.8 | 3.3 | 0.14 | 0.46 | 15 | 0.6 | 2.0 | 2.0 | 0.15 | 0.22 | C17 |
| Colon | 115 | 5.5 | 15.5 | 18.5 | 0.85 | 2.07 | 105 | 3.9 | 14.0 | 14.4 | 0.94 | 1.66 | C18 |
| Rectum | 108 | 5.2 | 14.6 | 16.8 | 1.02 | 1.99 | 54 | 2.0 | 7.2 | 7.4 | 0.46 | 0.79 | C19–20 |
| Anus | 3 | 0.1 | 0.4 | 0.5 | 0.01 | 0.09 | 4 | 0.1 | 0.5 | 0.6 | 0.06 | 0.08 | C21 |
| Liver | 120 | 5.7 | 16.2 | 19.0 | 1.08 | 2.13 | 38 | 1.4 | 5.1 | 5.4 | 0.28 | 0.67 | C22 |
| Gallbladder etc. | 37 | 1.8 | 5.0 | 6.1 | 0.23 | 0.62 | 29 | 1.1 | 3.9 | 4.2 | 0.24 | 0.51 | C23–24 |
| Pancreas | 49 | 2.3 | 6.6 | 7.9 | 0.41 | 0.73 | 60 | 2.2 | 8.0 | 7.9 | 0.32 | 0.81 | C25 |
| Nose, sinuses etc. | 7 | 0.3 | 0.9 | 1.1 | 0.09 | 0.16 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C30–31 |
| Larynx | 6 | 0.3 | 0.8 | 1.0 | 0.05 | 0.15 | 2 | 0.1 | 0.3 | 0.3 | 0.04 | 0.04 | C32 |
| Trachea, bronchus, and lung | 314 | 15.0 | 42.3 | 51.9 | 2.11 | 6.01 | 209 | 7.8 | 27.8 | 28.8 | 1.36 | 3.46 | C33–34 |
| Other thoracic organs | 6 | 0.3 | 0.8 | 0.8 | 0.06 | 0.06 | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.07 | C37–38 |
| Bone | 14 | 0.7 | 1.9 | 1.8 | 0.11 | 0.14 | 14 | 0.5 | 1.9 | 1.8 | 0.11 | 0.14 | C40–41 |
| Melanoma of skin | 16 | 0.8 | 2.2 | 2.6 | 0.12 | 0.26 | 18 | 0.7 | 2.4 | 2.4 | 0.15 | 0.21 | C43 |
| Other skin | 7 | 0.3 | 0.9 | 1.0 | 0.09 | 0.13 | 3 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | C44 |
| Mesothelioma | 5 | 0.2 | 0.7 | 0.8 | 0.00 | 0.03 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.2 | 0.00 | 0.04 | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 18 | 0.9 | 2.4 | 2.6 | 0.14 | 0.25 | 25 | 0.9 | 3.3 | 3.3 | 0.22 | 0.30 | C47+C49 |
| Breast | 7 | 0.3 | 0.9 | 1.0 | 0.05 | 0.17 | 848 | 31.8 | 112.8 | 116.1 | 8.83 | 12.94 | C50 |
| Vulva | | | | | | | 5 | 0.2 | 0.7 | 0.6 | 0.03 | 0.06 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.5 | 0.6 | 0.04 | 0.04 | C52 |
| Cervix uteri | | | | | | | 47 | 1.8 | 6.3 | 6.3 | 0.54 | 0.69 | C53 |
| Corpus uteri | | | | | | | 382 | 14.3 | 50.8 | 52.5 | 4.15 | 5.98 | C54 |
| Uterus unspecified | | | | | | | 8 | 0.3 | 1.1 | 1.1 | 0.08 | 0.10 | C55 |
| Ovary | | | | | | | 98 | 3.7 | 13.0 | 13.5 | 0.92 | 1.47 | C56 |
| Other female genital organs | | | | | | | 31 | 1.2 | 4.1 | 4.3 | 0.26 | 0.45 | C57 |
| Placenta | | | | | | | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.03 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 513 | 24.5 | 69.2 | 86.2 | 3.35 | 12.20 | | | | | | | C61 |
| Testis | 30 | 1.4 | 4.0 | 3.9 | 0.28 | 0.28 | | | | | | | C62 |
| Other male genital organs | 2 | 0.1 | 0.3 | 0.3 | 0.03 | 0.03 | | | | | | | C63 |
| Kidney | 59 | 2.8 | 8.0 | 8.7 | 0.71 | 0.90 | 42 | 1.6 | 5.6 | 5.9 | 0.39 | 0.74 | C64 |
| Renal pelvis | 3 | 0.1 | 0.4 | 0.5 | 0.02 | 0.07 | 1 | 0.0 | 0.1 | 0.1 | 0.02 | 0.02 | C65 |
| Ureter | 4 | 0.2 | 0.5 | 0.7 | 0.04 | 0.10 | 1 | 0.0 | 0.1 | 0.1 | 0.02 | 0.02 | C66 |
| Bladder | 18 | 0.9 | 2.4 | 3.2 | 0.08 | 0.30 | 13 | 0.5 | 1.7 | 1.8 | 0.12 | 0.19 | C67 |
| Other urinary organs | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.06 | 1 | 0.0 | 0.1 | 0.2 | 0.02 | 0.02 | C68 |
| Eye | 2 | 0.1 | 0.3 | 0.3 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.2 | 0.01 | 0.01 | C69 |
| Brain and nervous system | 40 | 1.9 | 5.4 | 5.7 | 0.38 | 0.50 | 33 | 1.2 | 4.4 | 4.5 | 0.30 | 0.39 | C70–72 |
| Thyroid | 34 | 1.6 | 4.6 | 5.0 | 0.28 | 0.64 | 99 | 3.7 | 13.2 | 12.7 | 0.96 | 1.18 | C73 |
| Adrenal gland | 5 | 0.2 | 0.7 | 0.8 | 0.05 | 0.05 | 6 | 0.2 | 0.8 | 0.8 | 0.06 | 0.06 | C74 |
| Other endocrine | 3 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | 4 | 0.1 | 0.5 | 0.5 | 0.03 | 0.03 | C75 |
| Hodgkin lymphoma | 18 | 0.9 | 2.4 | 2.4 | 0.19 | 0.19 | 16 | 0.6 | 2.1 | 2.1 | 0.14 | 0.16 | C81 |
| Non-Hodgkin lymphoma | 93 | 4.4 | 12.5 | 14.0 | 0.79 | 1.29 | 84 | 3.1 | 11.2 | 11.7 | 0.60 | 1.44 | C82–86,C96 |
| Immunoproliferative diseases | 1 | 0.0 | 0.1 | 0.2 | 0.00 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C88 |
| Multiple myeloma | 60 | 2.9 | 8.1 | 9.8 | 0.43 | 1.36 | 60 | 2.2 | 8.0 | 8.3 | 0.44 | 0.99 | C90 |
| Lymphoid leukaemia | 33 | 1.6 | 4.4 | 4.9 | 0.29 | 0.41 | 27 | 1.0 | 3.6 | 3.9 | 0.18 | 0.41 | C91 |
| Myeloid leukaemia | 49 | 2.3 | 6.6 | 7.5 | 0.38 | 0.82 | 33 | 1.2 | 4.4 | 4.5 | 0.32 | 0.47 | C92–94 |
| Leukaemia unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.1 | 0.3 | 0.3 | 0.00 | 0.03 | C95 |
| Myeloproliferative disorders | 23 | 1.1 | 3.1 | 3.5 | 0.18 | 0.40 | 15 | 0.6 | 2.0 | 2.1 | 0.15 | 0.27 | MPD |
| Myelodysplastic syndromes | 9 | 0.4 | 1.2 | 1.4 | 0.05 | 0.16 | 18 | 0.7 | 2.4 | 2.5 | 0.10 | 0.34 | MPS |
| Other and unspecified | 52 | 2.5 | 7.0 | 8.9 | 0.24 | 1.04 | 69 | 2.6 | 9.2 | 9.3 | 0.49 | 1.02 | O&U |
| All sites | 2104 | | 283.7 | 336.3 | 16.27 | 39.95 | 2673 | | 355.7 | 365.8 | 24.75 | 40.73 | C00–96 |
| All sites except C44 | 2097 | 100.0 | 282.8 | 335.3 | 16.18 | 39.82 | 2670 | 100.0 | 355.3 | 365.4 | 24.72 | 40.70 | C00–96 exc.C44 |

*See note following population pyramid

USA, Hawaii


CONTRIBUTORS

Brenda Hernandez
Joni Davis




20 major cancers, ASR (World) per 100 000

| Male | | Female | |
|-----------------------------|-------|-----------------------------|-------|
| Prostate | 58.1 | Breast | 97.1 |
| Trachea, bronchus, and lung | 33.5 | Corpus uteri | 24.8 |
| Colon | 18.7 | Trachea, bronchus, and lung | 21.8 |
| Melanoma of skin | 16.7 | Thyroid | 18.3 |
| Rectum | 13.4 | Colon | 14.9 |
| Bladder | 13.4 | Melanoma of skin | 11.1 |
| Kidney | 12.4 | Rectum | 8.3 |
| Non-Hodgkin lymphoma | 11.7 | Non-Hodgkin lymphoma | 8.2 |
| Liver | 11.5 | Ovary | 7.7 |
| Pancreas | 9.6 | Pancreas | 7.3 |
| Stomach | 6.4 | Kidney | 5.6 |
| Thyroid | 5.5 | Cervix uteri | 5.5 |
| Other and unspecified | 5.5 | Liver | 4.1 |
| Testis | 5.5 | Lymphoid leukaemia | 3.9 |
| Myeloid leukaemia | 5.3 | Stomach | 3.8 |
| Lymphoid leukaemia | 4.9 | Other and unspecified | 3.7 |
| Multiple myeloma | 4.2 | Myeloid leukaemia | 3.3 |
| Tongue | 4.2 | Bladder | 3.2 |
| Brain and nervous system | 4.1 | Brain and nervous system | 3.1 |
| Oesophagus | 3.9 | Multiple myeloma | 2.7 |
| All sites | 283.3 | All sites | 282.9 |

**NOTES ON THE DATA**

*No official mortality data. Rates based on low numbers due to small population.

**NOTES ON THE DATA**

*No official mortality data. Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000**Male**

| | |
|-----------------------------|-------|
| Prostate | 49.0 |
| Trachea, bronchus, and lung | 35.3 |
| Non-Hodgkin lymphoma | 14.8 |
| Colon | 13.9 |
| Rectum | 11.4 |
| Kidney | 10.1 |
| Liver | 9.5 |
| Bladder | 9.0 |
| Pancreas | 8.7 |
| Thyroid | 8.0 |
| All sites | 236.1 |

Female


| | |
|-----------------------------|-------|
| Breast | 76.5 |
| Corpus uteri | 21.7 |
| Trachea, bronchus, and lung | 20.2 |
| Thyroid | 15.2 |
| Colon | 14.9 |
| Rectum | 7.4 |
| Non-Hodgkin lymphoma | 7.3 |
| Kidney | 5.7 |
| Ovary | 5.6 |
| Myeloid leukaemia | 5.5 |
| All sites | 224.7 |

10 major cancers, ASR (World) per 100 000**Male**

| | |
|-----------------------------|-------|
| Prostate | 59.1 |
| Trachea, bronchus, and lung | 40.9 |
| Colon | 19.0 |
| Rectum | 15.9 |
| Non-Hodgkin lymphoma | 12.3 |
| Kidney | 11.9 |
| Liver | 10.4 |
| Bladder | 8.5 |
| Thyroid | 7.4 |
| Pancreas | 6.9 |
| All sites | 257.8 |


Female

| | |
|-----------------------------|-------|
| Breast | 85.9 |
| Thyroid | 26.0 |
| Corpus uteri | 22.0 |
| Trachea, bronchus, and lung | 19.1 |
| Colon | 13.0 |
| Rectum | 9.1 |
| Ovary | 6.9 |
| Non-Hodgkin lymphoma | 6.6 |
| Kidney | 6.3 |
| Pancreas | 5.1 |
| All sites | 246.3 |



NOTES ON THE DATA

*No official mortality data.



NOTES ON THE DATA

*No official mortality data. Rates based on low numbers due to small population.

10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 48.2 |
| Trachea, bronchus, and lung | 43.1 |
| Colon | 20.3 |
| Liver | 14.8 |
| Kidney | 14.0 |
| Rectum | 12.8 |
| Pancreas | 11.1 |
| Bladder | 9.4 |
| Non-Hodgkin lymphoma | 9.4 |
| Stomach | 7.9 |
| All sites | 273.5 |

Female

| | |
|-----------------------------|-------|
| Breast | 112.0 |
| Trachea, bronchus, and lung | 34.5 |
| Corpus uteri | 32.6 |
| Thyroid | 19.0 |
| Colon | 15.5 |
| Pancreas | 9.7 |
| Non-Hodgkin lymphoma | 7.6 |
| Rectum | 7.3 |
| Ovary | 6.7 |
| Kidney | 5.9 |
| All sites | 315.6 |


10 major cancers, ASR (World) per 100 000

Male

| | |
|-----------------------------|-------|
| Prostate | 55.0 |
| Trachea, bronchus, and lung | 27.5 |
| Colon | 21.6 |
| Rectum | 17.2 |
| Kidney | 13.1 |
| Liver | 11.6 |
| Pancreas | 10.7 |
| Bladder | 9.9 |
| Non-Hodgkin lymphoma | 9.1 |
| Stomach | 7.7 |
| All sites | 239.3 |

Female

| | |
|-----------------------------|-------|
| Breast | 118.7 |
| Corpus uteri | 23.2 |
| Colon | 16.2 |
| Thyroid | 13.8 |
| Trachea, bronchus, and lung | 12.4 |
| Non-Hodgkin lymphoma | 9.5 |
| Rectum | 8.3 |
| Pancreas | 7.6 |
| Ovary | 6.2 |
| Liver | 4.9 |
| All sites | 270.6 |

**10 major cancers, ASR (World) per 100 000****Male**

| | |
|-----------------------------|-------|
| Prostate | 58.0 |
| Melanoma of skin | 44.2 |
| Trachea, bronchus, and lung | 29.0 |
| Bladder | 20.2 |
| Colon | 17.5 |
| Non-Hodgkin lymphoma | 13.1 |
| Kidney | 12.3 |
| Rectum | 10.5 |
| Pancreas | 9.5 |
| Liver | 8.8 |
| All sites | 322.0 |

Female

| | |
|-----------------------------|-------|
| Breast | 95.4 |
| Melanoma of skin | 33.3 |
| Trachea, bronchus, and lung | 23.3 |
| Corpus uteri | 18.1 |
| Thyroid | 16.6 |
| Colon | 14.8 |
| Non-Hodgkin lymphoma | 9.5 |
| Ovary | 9.2 |
| Rectum | 7.5 |
| Pancreas | 7.2 |
| All sites | 306.1 |

USA, Hawaii (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 27 | 0.2 | 0.8 | 0.5 | 0.04 | 0.05 | 7 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C00 |
| Tongue | 249 | 1.4 | 7.0 | 4.2 | 0.27 | 0.52 | 124 | 0.7 | 3.5 | 2.0 | 0.13 | 0.24 | C01–02 |
| Mouth | 94 | 0.5 | 2.6 | 1.6 | 0.11 | 0.19 | 76 | 0.4 | 2.2 | 1.1 | 0.06 | 0.11 | C03–06 |
| Salivary glands | 69 | 0.4 | 1.9 | 1.2 | 0.07 | 0.12 | 69 | 0.4 | 2.0 | 1.3 | 0.08 | 0.13 | C07–08 |
| Tonsil | 141 | 0.8 | 4.0 | 2.5 | 0.20 | 0.31 | 21 | 0.1 | 0.6 | 0.3 | 0.03 | 0.05 | C09 |
| Other oropharynx | 25 | 0.1 | 0.7 | 0.4 | 0.04 | 0.06 | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 84 | 0.5 | 2.4 | 1.7 | 0.14 | 0.18 | 31 | 0.2 | 0.9 | 0.6 | 0.05 | 0.06 | C11 |
| Hypopharynx | 61 | 0.3 | 1.7 | 0.9 | 0.04 | 0.13 | 13 | 0.1 | 0.4 | 0.2 | 0.02 | 0.03 | C12–13 |
| Pharynx unspecified | 16 | 0.1 | 0.4 | 0.3 | 0.02 | 0.03 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 257 | 1.5 | 7.2 | 3.9 | 0.21 | 0.50 | 64 | 0.4 | 1.8 | 0.8 | 0.05 | 0.10 | C15 |
| Stomach | 451 | 2.6 | 12.7 | 6.4 | 0.32 | 0.67 | 314 | 1.8 | 8.9 | 3.8 | 0.20 | 0.38 | C16 |
| Small intestine | 95 | 0.5 | 2.7 | 1.5 | 0.10 | 0.19 | 77 | 0.4 | 2.2 | 1.1 | 0.07 | 0.13 | C17 |
| Colon | 1146 | 6.5 | 32.2 | 18.7 | 1.17 | 2.19 | 1085 | 6.2 | 30.7 | 14.9 | 0.87 | 1.62 | C18 |
| Rectum | 757 | 4.3 | 21.2 | 13.4 | 1.00 | 1.57 | 506 | 2.9 | 14.3 | 8.3 | 0.59 | 0.94 | C19–20 |
| Anus | 37 | 0.2 | 1.0 | 0.6 | 0.04 | 0.08 | 67 | 0.4 | 1.9 | 1.1 | 0.09 | 0.13 | C21 |
| Liver | 729 | 4.1 | 20.5 | 11.5 | 0.74 | 1.40 | 314 | 1.8 | 8.9 | 4.1 | 0.22 | 0.48 | C22 |
| Gallbladder etc. | 153 | 0.9 | 4.3 | 2.1 | 0.08 | 0.24 | 127 | 0.7 | 3.6 | 1.5 | 0.07 | 0.17 | C23–24 |
| Pancreas | 648 | 3.7 | 18.2 | 9.6 | 0.47 | 1.16 | 600 | 3.4 | 17.0 | 7.3 | 0.35 | 0.85 | C25 |
| Nose, sinuses etc. | 44 | 0.2 | 1.2 | 0.7 | 0.03 | 0.10 | 17 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 157 | 0.9 | 4.4 | 2.5 | 0.14 | 0.32 | 22 | 0.1 | 0.6 | 0.4 | 0.03 | 0.05 | C32 |
| Trachea, bronchus, and lung | 2357 | 13.3 | 66.1 | 33.5 | 1.44 | 4.08 | 1747 | 10.0 | 49.5 | 21.8 | 1.03 | 2.69 | C33–34 |
| Other thoracic organs | 39 | 0.2 | 1.1 | 0.8 | 0.06 | 0.07 | 28 | 0.2 | 0.8 | 0.5 | 0.03 | 0.05 | C37–38 |
| Bone | 36 | 0.2 | 1.0 | 1.0 | 0.06 | 0.08 | 35 | 0.2 | 1.0 | 1.0 | 0.06 | 0.07 | C40–41 |
| Melanoma of skin | 995 | 5.6 | 27.9 | 16.7 | 0.96 | 2.04 | 621 | 3.6 | 17.6 | 11.1 | 0.81 | 1.27 | C43 |
| Other skin | 107 | 0.6 | 3.0 | 1.6 | 0.08 | 0.17 | 65 | 0.4 | 1.8 | 0.9 | 0.05 | 0.09 | C44 |
| Mesothelioma | 31 | 0.2 | 0.9 | 0.4 | 0.01 | 0.05 | 6 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C45 |
| Kaposi sarcoma | 20 | 0.1 | 0.6 | 0.4 | 0.04 | 0.05 | 1 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 168 | 1.0 | 4.7 | 3.3 | 0.19 | 0.32 | 119 | 0.7 | 3.4 | 2.1 | 0.13 | 0.22 | C47+C49 |
| Breast | 40 | 0.2 | 1.1 | 0.6 | 0.03 | 0.08 | 5678 | 32.5 | 160.7 | 97.1 | 6.96 | 11.47 | C50 |
| Vulva | | | | | | | 80 | 0.5 | 2.3 | 1.0 | 0.05 | 0.11 | C51 |
| Vagina | | | | | | | 16 | 0.1 | 0.5 | 0.2 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 247 | 1.4 | 7.0 | 5.5 | 0.46 | 0.52 | C53 |
| Corpus uteri | | | | | | | 1393 | 8.0 | 39.4 | 24.8 | 1.94 | 2.91 | C54 |
| Uterus unspecified | | | | | | | 21 | 0.1 | 0.6 | 0.4 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 426 | 2.4 | 12.1 | 7.7 | 0.56 | 0.79 | C56 |
| Other female genital organs | | | | | | | 105 | 0.6 | 3.0 | 1.7 | 0.13 | 0.21 | C57 |
| Placenta | | | | | | | 5 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 25 | 0.1 | 0.7 | 0.4 | 0.02 | 0.05 | | | | | | | C60 |
| Prostate | 3873 | 21.9 | 108.7 | 58.1 | 2.64 | 7.82 | | | | | | | C61 |
| Testis | 210 | 1.2 | 5.9 | 5.5 | 0.42 | 0.43 | | | | | | | C62 |
| Other male genital organs | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | | | | | | | C63 |
| Kidney | 719 | 4.1 | 20.2 | 12.4 | 0.80 | 1.51 | 345 | 2.0 | 9.8 | 5.6 | 0.36 | 0.66 | C64 |
| Renal pelvis | 40 | 0.2 | 1.1 | 0.5 | 0.02 | 0.05 | 32 | 0.2 | 0.9 | 0.4 | 0.02 | 0.04 | C65 |
| Ureter | 30 | 0.2 | 0.8 | 0.4 | 0.02 | 0.04 | 15 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C66 |
| Bladder | 963 | 5.4 | 27.0 | 13.4 | 0.52 | 1.52 | 266 | 1.5 | 7.5 | 3.2 | 0.14 | 0.38 | C67 |
| Other urinary organs | 23 | 0.1 | 0.6 | 0.3 | 0.01 | 0.04 | 6 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 34 | 0.2 | 1.0 | 0.7 | 0.04 | 0.07 | 19 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C69 |
| Brain and nervous system | 191 | 1.1 | 5.4 | 4.1 | 0.26 | 0.38 | 150 | 0.9 | 4.2 | 3.1 | 0.20 | 0.31 | C70–72 |
| Thyroid | 264 | 1.5 | 7.4 | 5.5 | 0.42 | 0.57 | 809 | 4.6 | 22.9 | 18.3 | 1.47 | 1.72 | C73 |
| Adrenal gland | 7 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 11 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 6 | 0.0 | 0.2 | 0.2 | 0.01 | 0.02 | 2 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 70 | 0.4 | 2.0 | 1.6 | 0.10 | 0.13 | 45 | 0.3 | 1.3 | 1.1 | 0.08 | 0.09 | C81 |
| Non-Hodgkin lymphoma | 698 | 3.9 | 19.6 | 11.7 | 0.65 | 1.31 | 533 | 3.1 | 15.1 | 8.2 | 0.48 | 0.85 | C82–86,C96 |
| Immunoproliferative diseases | 69 | 0.4 | 1.9 | 1.0 | 0.04 | 0.13 | 48 | 0.3 | 1.4 | 0.7 | 0.05 | 0.08 | C88 |
| Multiple myeloma | 271 | 1.5 | 7.6 | 4.2 | 0.23 | 0.52 | 209 | 1.2 | 5.9 | 2.7 | 0.12 | 0.36 | C90 |
| Lymphoid leukaemia | 243 | 1.4 | 6.8 | 4.9 | 0.27 | 0.50 | 174 | 1.0 | 4.9 | 3.9 | 0.21 | 0.32 | C91 |
| Myeloid leukaemia | 293 | 1.7 | 8.2 | 5.3 | 0.30 | 0.54 | 189 | 1.1 | 5.3 | 3.3 | 0.19 | 0.33 | C92–94 |
| Leukaemia unspecified | 22 | 0.1 | 0.6 | 0.4 | 0.02 | 0.04 | 13 | 0.1 | 0.4 | 0.2 | 0.01 | 0.02 | C95 |
| Myeloproliferative disorders | 139 | 0.8 | 3.9 | 2.3 | 0.12 | 0.27 | 106 | 0.6 | 3.0 | 1.6 | 0.10 | 0.19 | MPD |
| Myelodysplastic syndromes | 155 | 0.9 | 4.3 | 1.9 | 0.05 | 0.16 | 105 | 0.6 | 3.0 | 1.0 | 0.03 | 0.10 | MPS |
| Other and unspecified | 389 | 2.2 | 10.9 | 5.5 | 0.26 | 0.62 | 312 | 1.8 | 8.8 | 3.7 | 0.17 | 0.38 | O&U |
| All sites | 17780 | | 498.9 | 283.3 | 15.32 | 33.69 | 17523 | | 496.0 | 282.9 | 18.93 | 31.93 | C00–96 |
| All sites except C44 | 17673 | 100.0 | 495.9 | 281.7 | 15.24 | 33.52 | 17458 | 100.0 | 494.2 | 282.1 | 18.88 | 31.84 | C00–96 exc.C44 |

*USA, Hawaii: Chinese (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 9 | 0.9 | 5.1 | 2.2 | 0.20 | 0.20 | 11 | 1.1 | 5.5 | 2.0 | 0.06 | 0.29 | C01–02 |
| Mouth | 5 | 0.5 | 2.8 | 0.6 | 0.00 | 0.04 | 1 | 0.1 | 0.5 | 0.0 | 0.00 | 0.00 | C03–06 |
| Salivary glands | 4 | 0.4 | 2.3 | 1.2 | 0.09 | 0.13 | 5 | 0.5 | 2.5 | 1.0 | 0.07 | 0.17 | C07–08 |
| Tonsil | 3 | 0.3 | 1.7 | 0.5 | 0.00 | 0.10 | 2 | 0.2 | 1.0 | 0.4 | 0.00 | 0.07 | C09 |
| Other oropharynx | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 17 | 1.7 | 9.7 | 6.1 | 0.47 | 0.71 | 5 | 0.5 | 2.5 | 1.6 | 0.15 | 0.15 | C11 |
| Hypopharynx | 7 | 0.7 | 4.0 | 1.2 | 0.07 | 0.14 | 2 | 0.2 | 1.0 | 0.3 | 0.03 | 0.03 | C12–13 |
| Pharynx unspecified | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 16 | 1.6 | 9.1 | 3.8 | 0.17 | 0.53 | 3 | 0.3 | 1.5 | 0.1 | 0.00 | 0.00 | C15 |
| Stomach | 31 | 3.2 | 17.6 | 6.7 | 0.30 | 0.85 | 21 | 2.1 | 10.5 | 4.2 | 0.21 | 0.49 | C16 |
| Small intestine | 4 | 0.4 | 2.3 | 0.9 | 0.00 | 0.18 | 8 | 0.8 | 4.0 | 1.5 | 0.13 | 0.13 | C17 |
| Colon | 59 | 6.0 | 33.5 | 13.9 | 0.84 | 1.54 | 79 | 7.7 | 39.6 | 14.9 | 0.99 | 1.57 | C18 |
| Rectum | 39 | 4.0 | 22.2 | 11.4 | 0.97 | 1.31 | 31 | 3.0 | 15.5 | 7.4 | 0.50 | 0.84 | C19–20 |
| Anus | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.3 | 1.5 | 0.2 | 0.00 | 0.00 | C21 |
| Liver | 40 | 4.1 | 22.7 | 9.5 | 0.69 | 1.13 | 28 | 2.7 | 14.0 | 4.0 | 0.24 | 0.51 | C22 |
| Gallbladder etc. | 13 | 1.3 | 7.4 | 2.8 | 0.13 | 0.29 | 11 | 1.1 | 5.5 | 1.7 | 0.03 | 0.22 | C23–24 |
| Pancreas | 39 | 4.0 | 22.2 | 8.7 | 0.43 | 1.14 | 40 | 3.9 | 20.0 | 5.0 | 0.23 | 0.52 | C25 |
| Nose, sinuses etc. | 5 | 0.5 | 2.8 | 2.8 | 0.21 | 0.28 | 1 | 0.1 | 0.5 | 0.4 | 0.04 | 0.04 | C30–31 |
| Larynx | 2 | 0.2 | 1.1 | 0.4 | 0.04 | 0.04 | 1 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C32 |
| Trachea, bronchus, and lung | 172 | 17.5 | 97.8 | 35.3 | 1.66 | 3.92 | 128 | 12.5 | 64.1 | 20.2 | 0.98 | 2.38 | C33–34 |
| Other thoracic organs | 3 | 0.3 | 1.7 | 0.5 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C37–38 |
| Bone | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 3 | 0.3 | 1.5 | 1.4 | 0.09 | 0.09 | C40–41 |
| Melanoma of skin | 6 | 0.6 | 3.4 | 1.5 | 0.08 | 0.22 | 6 | 0.6 | 3.0 | 1.8 | 0.15 | 0.15 | C43 |
| Other skin | 3 | 0.3 | 1.7 | 0.5 | 0.04 | 0.04 | 8 | 0.8 | 4.0 | 1.5 | 0.10 | 0.17 | C44 |
| Mesothelioma | 3 | 0.3 | 1.7 | 0.8 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 7 | 0.7 | 4.0 | 1.1 | 0.00 | 0.20 | 4 | 0.4 | 2.0 | 0.7 | 0.07 | 0.07 | C47+C49 |
| Breast | 1 | 0.1 | 0.6 | 0.7 | 0.06 | 0.06 | 307 | 30.1 | 153.8 | 76.5 | 5.49 | 9.04 | C50 |
| Vulva | | | | | | | 5 | 0.5 | 2.5 | 0.6 | 0.03 | 0.03 | C51 |
| Vagina | | | | | | | 1 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C52 |
| Cervix uteri | | | | | | | 10 | 1.0 | 5.0 | 3.2 | 0.27 | 0.36 | C53 |
| Corpus uteri | | | | | | | 82 | 8.0 | 41.1 | 21.7 | 1.86 | 2.42 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.2 | 1.0 | 0.4 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 19 | 1.9 | 9.5 | 5.6 | 0.50 | 0.50 | C56 |
| Other female genital organs | | | | | | | 5 | 0.5 | 2.5 | 1.1 | 0.04 | 0.12 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C60 |
| Prostate | 229 | 23.3 | 130.2 | 49.0 | 2.00 | 6.35 | | | | | | | C61 |
| Testis | 5 | 0.5 | 2.8 | 4.2 | 0.28 | 0.28 | | | | | | | C62 |
| Other male genital organs | 4 | 0.4 | 2.3 | 0.8 | 0.07 | 0.07 | | | | | | | C63 |
| Kidney | 38 | 3.9 | 21.6 | 10.1 | 0.50 | 1.41 | 21 | 2.1 | 10.5 | 5.7 | 0.38 | 0.62 | C64 |
| Renal pelvis | 2 | 0.2 | 1.1 | 0.4 | 0.04 | 0.04 | 3 | 0.3 | 1.5 | 0.3 | 0.00 | 0.00 | C65 |
| Ureter | 3 | 0.3 | 1.7 | 0.7 | 0.08 | 0.08 | 1 | 0.1 | 0.5 | 0.1 | 0.00 | 0.00 | C66 |
| Bladder | 52 | 5.3 | 29.6 | 9.0 | 0.18 | 1.04 | 19 | 1.9 | 9.5 | 2.3 | 0.03 | 0.24 | C67 |
| Other urinary organs | 2 | 0.2 | 1.1 | 0.3 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.1 | 0.6 | 0.3 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 9 | 0.9 | 5.1 | 3.2 | 0.22 | 0.33 | 2 | 0.2 | 1.0 | 0.1 | 0.00 | 0.00 | C70–72 |
| Thyroid | 16 | 1.6 | 9.1 | 8.0 | 0.60 | 0.79 | 43 | 4.2 | 21.5 | 15.2 | 1.28 | 1.45 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 2 | 0.2 | 1.0 | 0.4 | 0.03 | 0.03 | C74 |
| Other endocrine | 1 | 0.1 | 0.6 | 1.1 | 0.06 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 2 | 0.2 | 1.1 | 0.5 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C81 |
| Non-Hodgkin lymphoma | 49 | 5.0 | 27.9 | 14.8 | 0.74 | 1.59 | 34 | 3.3 | 17.0 | 7.3 | 0.42 | 0.73 | C82–86,C96 |
| Immunoproliferative diseases | 9 | 0.9 | 5.1 | 1.9 | 0.09 | 0.13 | 1 | 0.1 | 0.5 | 0.2 | 0.00 | 0.04 | C88 |
| Multiple myeloma | 10 | 1.0 | 5.7 | 2.4 | 0.07 | 0.38 | 10 | 1.0 | 5.0 | 1.8 | 0.10 | 0.26 | C90 |
| Lymphoid leukaemia | 12 | 1.2 | 6.8 | 4.1 | 0.20 | 0.43 | 8 | 0.8 | 4.0 | 1.4 | 0.04 | 0.12 | C91 |
| Myeloid leukaemia | 19 | 1.9 | 10.8 | 4.7 | 0.22 | 0.49 | 19 | 1.9 | 9.5 | 5.5 | 0.23 | 0.43 | C92–94 |
| Leukaemia unspecified | 1 | 0.1 | 0.6 | 0.3 | 0.00 | 0.06 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 4 | 0.4 | 2.3 | 1.2 | 0.06 | 0.12 | 7 | 0.7 | 3.5 | 1.2 | 0.07 | 0.12 | MPD |
| Myelodysplastic syndromes | 9 | 0.9 | 5.1 | 1.4 | 0.04 | 0.21 | 7 | 0.7 | 3.5 | 0.9 | 0.03 | 0.08 | MPS |
| Other and unspecified | 20 | 2.0 | 11.4 | 4.1 | 0.18 | 0.51 | 19 | 1.9 | 9.5 | 2.8 | 0.14 | 0.28 | O&U |
| All sites | 982 | 100.0 | 560.1 | 236.1 | 12.26 | 27.60 | 1028 | 100.0 | 510.9 | 223.2 | 14.95 | 24.77 | C00–96 |
| All sites except C44 | 982 | 100.0 | 558.3 | 235.5 | 12.22 | 27.56 | 1020 | 100.0 | 510.9 | 223.2 | 14.95 | 24.60 | C00–96 exc.C44 |

*See note following population pyramid

***USA, Hawaii: Filipino (2013–2017)**

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 3 | 0.1 | 0.5 | 0.4 | 0.03 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 14 | 0.6 | 2.3 | 1.4 | 0.11 | 0.12 | 15 | 0.5 | 2.2 | 1.6 | 0.12 | 0.18 | C01–02 |
| Mouth | 10 | 0.4 | 1.6 | 1.1 | 0.09 | 0.13 | 14 | 0.5 | 2.1 | 1.3 | 0.05 | 0.14 | C03–06 |
| Salivary glands | 9 | 0.4 | 1.5 | 1.1 | 0.08 | 0.13 | 16 | 0.6 | 2.4 | 1.5 | 0.13 | 0.16 | C07–08 |
| Tonsil | 6 | 0.2 | 1.0 | 0.6 | 0.04 | 0.05 | 3 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | C09 |
| Other oropharynx | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 25 | 1.0 | 4.1 | 2.9 | 0.25 | 0.29 | 10 | 0.4 | 1.5 | 0.8 | 0.06 | 0.09 | C11 |
| Hypopharynx | 4 | 0.2 | 0.7 | 0.4 | 0.00 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C12–13 |
| Pharynx unspecified | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 35 | 1.4 | 5.7 | 3.9 | 0.23 | 0.56 | 2 | 0.1 | 0.3 | 0.1 | 0.01 | 0.01 | C15 |
| Stomach | 57 | 2.3 | 9.3 | 5.1 | 0.19 | 0.49 | 42 | 1.5 | 6.3 | 2.6 | 0.11 | 0.27 | C16 |
| Small intestine | 12 | 0.5 | 2.0 | 1.2 | 0.06 | 0.14 | 13 | 0.5 | 1.9 | 1.0 | 0.06 | 0.13 | C17 |
| Colon | 186 | 7.4 | 30.2 | 19.0 | 1.08 | 2.38 | 163 | 5.9 | 24.4 | 13.0 | 0.82 | 1.41 | C18 |
| Rectum | 147 | 5.8 | 23.9 | 15.9 | 1.07 | 1.79 | 106 | 3.9 | 15.9 | 9.1 | 0.59 | 1.04 | C19–20 |
| Anus | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 3 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | C21 |
| Liver | 104 | 4.1 | 16.9 | 10.4 | 0.63 | 1.23 | 48 | 1.8 | 7.2 | 3.4 | 0.13 | 0.39 | C22 |
| Gallbladder etc. | 21 | 0.8 | 3.4 | 1.8 | 0.07 | 0.18 | 24 | 0.9 | 3.6 | 1.8 | 0.09 | 0.23 | C23–24 |
| Pancreas | 70 | 2.8 | 11.4 | 6.9 | 0.34 | 0.83 | 76 | 2.8 | 11.4 | 5.1 | 0.26 | 0.49 | C25 |
| Nose, sinuses etc. | 8 | 0.3 | 1.3 | 1.0 | 0.06 | 0.12 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C30–31 |
| Larynx | 16 | 0.6 | 2.6 | 1.5 | 0.07 | 0.17 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 439 | 17.4 | 71.4 | 40.9 | 1.52 | 4.87 | 269 | 9.8 | 40.3 | 19.1 | 0.91 | 2.36 | C33–34 |
| Other thoracic organs | 6 | 0.2 | 1.0 | 0.8 | 0.07 | 0.07 | 6 | 0.2 | 0.9 | 0.7 | 0.04 | 0.08 | C37–38 |
| Bone | 4 | 0.2 | 0.7 | 0.7 | 0.05 | 0.05 | 9 | 0.3 | 1.3 | 1.2 | 0.09 | 0.10 | C40–41 |
| Melanoma of skin | 13 | 0.5 | 2.1 | 1.4 | 0.07 | 0.16 | 9 | 0.3 | 1.3 | 1.0 | 0.06 | 0.11 | C43 |
| Other skin | 8 | 0.3 | 1.3 | 0.8 | 0.04 | 0.12 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C44 |
| Mesothelioma | 4 | 0.2 | 0.7 | 0.3 | 0.00 | 0.05 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 33 | 1.3 | 5.4 | 4.2 | 0.25 | 0.38 | 25 | 0.9 | 3.7 | 2.2 | 0.18 | 0.27 | C47+C49 |
| Breast | 7 | 0.3 | 1.1 | 0.8 | 0.04 | 0.08 | 902 | 32.9 | 135.1 | 85.9 | 6.58 | 10.10 | C50 |
| Vulva | | | | | | | 10 | 0.4 | 1.5 | 0.6 | 0.02 | 0.05 | C51 |
| Vagina | | | | | | | 4 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 30 | 1.1 | 4.5 | 3.4 | 0.29 | 0.32 | C53 |
| Corpus uteri | | | | | | | 226 | 8.2 | 33.9 | 22.0 | 1.79 | 2.54 | C54 |
| Uterus unspecified | | | | | | | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C55 |
| Ovary | | | | | | | 68 | 2.5 | 10.2 | 6.9 | 0.48 | 0.68 | C56 |
| Other female genital organs | | | | | | | 16 | 0.6 | 2.4 | 1.5 | 0.13 | 0.18 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | | 0.1 | 0.3 | 0.3 | 0.02 | 0.02 | | | | | | | C60 |
| Prostate | 598 | 23.7 | 97.2 | 59.1 | 2.55 | 8.18 | | | | | | | C61 |
| Testis | 13 | 0.5 | 2.1 | 1.9 | 0.14 | 0.14 | | | | | | | C62 |
| Other male genital organs | 3 | 0.1 | 0.5 | 0.2 | 0.00 | 0.02 | | | | | | | C63 |
| Kidney | 111 | 4.4 | 18.0 | 11.9 | 0.72 | 1.46 | 70 | 2.6 | 10.5 | 6.3 | 0.39 | 0.83 | C64 |
| Renal pelvis | 3 | 0.1 | 0.5 | 0.3 | 0.02 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C65 |
| Ureter | 2 | 0.1 | 0.3 | 0.2 | 0.00 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.03 | C66 |
| Bladder | 94 | 3.7 | 15.3 | 8.5 | 0.37 | 0.94 | 26 | 0.9 | 3.9 | 1.5 | 0.03 | 0.15 | C67 |
| Other urinary organs | 2 | 0.1 | 0.3 | 0.2 | 0.01 | 0.01 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 1 | 0.0 | 0.2 | 0.1 | 0.00 | 0.02 | 2 | 0.1 | 0.3 | 0.2 | 0.02 | 0.02 | C69 |
| Brain and nervous system | 28 | 1.1 | 4.6 | 3.6 | 0.22 | 0.36 | 16 | 0.6 | 2.4 | 1.4 | 0.08 | 0.18 | C70–72 |
| Thyroid | 63 | 2.5 | 10.2 | 7.4 | 0.59 | 0.83 | 224 | 8.2 | 33.6 | 26.0 | 2.14 | 2.48 | C73 |
| Adrenal gland | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C74 |
| Other endocrine | 1 | 0.0 | 0.2 | 0.2 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 6 | 0.2 | 1.0 | 0.8 | 0.04 | 0.08 | 9 | 0.3 | 1.3 | 1.3 | 0.09 | 0.11 | C81 |
| Non-Hodgkin lymphoma | 115 | 4.6 | 18.7 | 12.3 | 0.66 | 1.38 | 80 | 2.9 | 12.0 | 6.6 | 0.38 | 0.64 | C82–86,C96 |
| Immunoproliferative diseases | 14 | 0.6 | 2.3 | 1.5 | 0.09 | 0.20 | 8 | 0.3 | 1.2 | 0.6 | 0.05 | 0.07 | C88 |
| Multiple myeloma | 47 | 1.9 | 7.6 | 4.7 | 0.28 | 0.55 | 49 | 1.8 | 7.3 | 3.4 | 0.14 | 0.48 | C90 |
| Lymphoid leukaemia | 26 | 1.0 | 4.2 | 4.0 | 0.27 | 0.31 | 21 | 0.8 | 3.1 | 3.0 | 0.15 | 0.20 | C91 |
| Myeloid leukaemia | 55 | 2.2 | 8.9 | 6.2 | 0.32 | 0.49 | 28 | 1.0 | 4.2 | 2.5 | 0.14 | 0.24 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.5 | 0.4 | 0.02 | 0.02 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C95 |
| Myeloproliferative disorders | 32 | 1.3 | 5.2 | 3.2 | 0.14 | 0.35 | 23 | 0.8 | 3.4 | 2.0 | 0.12 | 0.27 | MPD |
| Myelodysplastic syndromes | 26 | 1.0 | 4.2 | 2.2 | 0.02 | 0.20 | 19 | 0.7 | 2.8 | 1.1 | 0.02 | 0.13 | MPS |
| Other and unspecified | 41 | 1.6 | 6.7 | 3.9 | 0.12 | 0.53 | 43 | 1.6 | 6.4 | 2.3 | 0.08 | 0.21 | O&U |
| All sites | 2532 | | 411.7 | 257.8 | 13.11 | 30.73 | 2742 | | 410.8 | 246.3 | 17.04 | 27.61 | C00–96 |
| All sites except C44 | 2524 | 100.0 | 410.4 | 257.0 | 13.07 | 30.61 | 2740 | 100.0 | 410.5 | 246.1 | 17.02 | 27.59 | C00–96 exc.C44 |

*See note following population pyramid

*USA, Hawaii: Hawaiian (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|--------------------------|-------|-----------|-----------|--------------------------|--------------|--------------------------|-------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 0–74 (%) | | |
| Lip | 3 | 0.1 | 0.4 | 0.3 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C00 |
| Tongue | 29 | 1.2 | 3.4 | 3.3 | 0.20 | 0.45 | 17 | 0.6 | 2.1 | 1.9 | 0.12 | 0.24 | C01–02 |
| Mouth | 10 | 0.4 | 1.2 | 1.2 | 0.10 | 0.17 | 12 | 0.4 | 1.5 | 1.4 | 0.12 | 0.16 | C03–06 |
| Salivary glands | 7 | 0.3 | 0.8 | 0.8 | 0.05 | 0.08 | 11 | 0.4 | 1.3 | 1.1 | 0.08 | 0.12 | C07–08 |
| Tonsil | 25 | 1.0 | 3.0 | 2.8 | 0.18 | 0.35 | 4 | 0.1 | 0.5 | 0.4 | 0.04 | 0.05 | C09 |
| Other oropharynx | 5 | 0.2 | 0.6 | 0.6 | 0.05 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C10 |
| Nasopharynx | 13 | 0.5 | 1.5 | 1.5 | 0.12 | 0.15 | 10 | 0.3 | 1.2 | 1.2 | 0.12 | 0.12 | C11 |
| Hypopharynx | 8 | 0.3 | 0.9 | 0.8 | 0.06 | 0.08 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 3 | 0.1 | 0.4 | 0.4 | 0.04 | 0.04 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 34 | 1.4 | 4.0 | 3.7 | 0.18 | 0.47 | 11 | 0.4 | 1.3 | 1.0 | 0.04 | 0.12 | C15 |
| Stomach | 73 | 3.0 | 8.6 | 7.9 | 0.37 | 0.94 | 43 | 1.4 | 5.3 | 4.1 | 0.25 | 0.41 | C16 |
| Small intestine | 21 | 0.9 | 2.5 | 2.3 | 0.12 | 0.31 | 20 | 0.7 | 2.5 | 2.2 | 0.15 | 0.29 | C17 |
| Colon | 179 | 7.3 | 21.2 | 20.3 | 1.30 | 2.48 | 154 | 5.1 | 18.9 | 15.5 | 0.89 | 1.74 | C18 |
| Rectum | 112 | 4.6 | 13.3 | 12.8 | 0.94 | 1.47 | 68 | 2.3 | 8.3 | 7.3 | 0.59 | 0.90 | C19–20 |
| Anus | 5 | 0.2 | 0.6 | 0.6 | 0.04 | 0.08 | 1 | 0.0 | 0.1 | 0.1 | 0.02 | 0.02 | C21 |
| Liver | 132 | 5.4 | 15.6 | 14.8 | 0.91 | 1.88 | 50 | 1.7 | 6.1 | 5.0 | 0.28 | 0.65 | C22 |
| Gallbladder etc. | 27 | 1.1 | 3.2 | 2.9 | 0.16 | 0.35 | 18 | 0.6 | 2.2 | 1.6 | 0.08 | 0.12 | C23–24 |
| Pancreas | 102 | 4.2 | 12.1 | 11.1 | 0.48 | 1.38 | 102 | 3.4 | 12.5 | 9.7 | 0.46 | 1.10 | C25 |
| Nose, sinuses etc. | 5 | 0.2 | 0.6 | 0.6 | 0.01 | 0.08 | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.02 | C30–31 |
| Larynx | 23 | 0.9 | 2.7 | 2.5 | 0.12 | 0.33 | 7 | 0.2 | 0.9 | 0.8 | 0.06 | 0.12 | C32 |
| Trachea, bronchus, and lung | 397 | 16.2 | 47.0 | 43.1 | 2.05 | 5.47 | 360 | 12.0 | 44.1 | 34.5 | 1.76 | 4.27 | C33–34 |
| Other thoracic organs | 10 | 0.4 | 1.2 | 1.2 | 0.10 | 0.10 | 7 | 0.2 | 0.9 | 0.8 | 0.06 | 0.08 | C37–38 |
| Bone | 8 | 0.3 | 0.9 | 1.0 | 0.05 | 0.08 | 7 | 0.2 | 0.9 | 0.9 | 0.05 | 0.05 | C40–41 |
| Melanoma of skin | 31 | 1.3 | 3.7 | 3.6 | 0.25 | 0.51 | 19 | 0.6 | 2.3 | 1.7 | 0.08 | 0.21 | C43 |
| Other skin | 15 | 0.6 | 1.8 | 1.6 | 0.07 | 0.21 | 8 | 0.3 | 1.0 | 0.9 | 0.07 | 0.11 | C44 |
| Mesothelioma | 6 | 0.2 | 0.7 | 0.7 | 0.03 | 0.12 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 33 | 1.3 | 3.9 | 3.8 | 0.23 | 0.47 | 18 | 0.6 | 2.2 | 1.9 | 0.09 | 0.19 | C47+C49 |
| Breast | 10 | 0.4 | 1.2 | 1.1 | 0.04 | 0.16 | 1041 | 34.8 | 127.5 | 112.0 | 7.76 | 13.86 | C50 |
| Vulva | | | | | | | 2 | 0.1 | 0.2 | 0.2 | 0.02 | 0.03 | C51 |
| Vagina | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.02 | 0.02 | C52 |
| Cervix uteri | | | | | | | 41 | 1.4 | 5.0 | 4.6 | 0.41 | 0.45 | C53 |
| Corpus uteri | | | | | | | 297 | 9.9 | 36.4 | 32.6 | 2.53 | 3.95 | C54 |
| Uterus unspecified | | | | | | | 3 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C55 |
| Ovary | | | | | | | 63 | 2.1 | 7.7 | 6.7 | 0.41 | 0.76 | C56 |
| Other female genital organs | | | | | | | 20 | 0.7 | 2.5 | 2.4 | 0.22 | 0.29 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 5 | 0.2 | 0.6 | 0.5 | 0.03 | 0.05 | | | | | | | C60 |
| Prostate | 438 | 17.9 | 51.8 | 48.2 | 2.17 | 6.49 | | | | | | | C61 |
| Testis | 56 | 2.3 | 6.6 | 6.6 | 0.52 | 0.52 | | | | | | | C62 |
| Other male genital organs | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | | | | | | | C63 |
| Kidney | 123 | 5.0 | 14.6 | 14.0 | 0.98 | 1.76 | 57 | 1.9 | 7.0 | 5.9 | 0.34 | 0.66 | C64 |
| Renal pelvis | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 4 | 0.1 | 0.5 | 0.4 | 0.02 | 0.05 | C65 |
| Ureter | 5 | 0.2 | 0.6 | 0.5 | 0.00 | 0.05 | 2 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | C66 |
| Bladder | 89 | 3.6 | 10.5 | 9.4 | 0.42 | 0.98 | 38 | 1.3 | 4.7 | 3.5 | 0.13 | 0.41 | C67 |
| Other urinary organs | 3 | 0.1 | 0.4 | 0.3 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C68 |
| Eye | 5 | 0.2 | 0.6 | 0.6 | 0.03 | 0.03 | 3 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | C69 |
| Brain and nervous system | 26 | 1.1 | 3.1 | 3.0 | 0.15 | 0.28 | 34 | 1.1 | 4.2 | 3.7 | 0.19 | 0.40 | C70–72 |
| Thyroid | 41 | 1.7 | 4.9 | 4.8 | 0.38 | 0.51 | 162 | 5.4 | 19.8 | 19.0 | 1.52 | 1.78 | C73 |
| Adrenal gland | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.2 | 0.3 | 0.02 | 0.02 | C74 |
| Other endocrine | 1 | 0.0 | 0.1 | 0.1 | 0.00 | 0.03 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C75 |
| Hodgkin lymphoma | 13 | 0.5 | 1.5 | 1.5 | 0.10 | 0.10 | 11 | 0.4 | 1.3 | 1.2 | 0.08 | 0.14 | C81 |
| Non-Hodgkin lymphoma | 87 | 3.5 | 10.3 | 9.4 | 0.49 | 1.04 | 73 | 2.4 | 8.9 | 7.6 | 0.47 | 0.77 | C82–86,C96 |
| Immunoproliferative diseases | 6 | 0.2 | 0.7 | 0.6 | 0.03 | 0.05 | 5 | 0.2 | 0.6 | 0.5 | 0.04 | 0.05 | C88 |
| Multiple myeloma | 40 | 1.6 | 4.7 | 4.4 | 0.25 | 0.57 | 45 | 1.5 | 5.5 | 4.2 | 0.10 | 0.53 | C90 |
| Lymphoid leukaemia | 41 | 1.7 | 4.9 | 4.9 | 0.27 | 0.43 | 31 | 1.0 | 3.8 | 3.5 | 0.19 | 0.26 | C91 |
| Myeloid leukaemia | 49 | 2.0 | 5.8 | 5.6 | 0.34 | 0.64 | 30 | 1.0 | 3.7 | 3.2 | 0.19 | 0.32 | C92–94 |
| Leukaemia unspecified | 3 | 0.1 | 0.4 | 0.4 | 0.03 | 0.05 | 3 | 0.1 | 0.4 | 0.3 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 22 | 0.9 | 2.6 | 2.4 | 0.12 | 0.27 | 15 | 0.5 | 1.8 | 1.7 | 0.12 | 0.24 | MPD |
| Myelodysplastic syndromes | 27 | 1.1 | 3.2 | 2.8 | 0.10 | 0.24 | 16 | 0.5 | 2.0 | 1.4 | 0.04 | 0.19 | MPS |
| Other and unspecified | 56 | 2.3 | 6.6 | 5.9 | 0.37 | 0.60 | 50 | 1.7 | 6.1 | 4.9 | 0.28 | 0.52 | O&U |
| All sites | 2466 | | 291.9 | 273.5 | 15.11 | 33.09 | 3001 | | 367.7 | 315.6 | 20.61 | 36.88 | C00–96 |
| All sites except C44 | 2451 | 100.0 | 290.1 | 271.9 | 15.04 | 32.87 | 2993 | 100.0 | 366.7 | 314.7 | 20.54 | 36.77 | C00–96 exc.C44 |

*See note following population pyramid

*USA, Hawaii: Japanese (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|-----------|-----------|--------------------------|--------------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 1 | 0.0 | 0.2 | 0.3 | 0.02 | 0.02 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C00 |
| Tongue | 44 | 1.2 | 8.9 | 3.9 | 0.25 | 0.40 | 31 | 0.8 | 5.5 | 2.3 | 0.19 | 0.24 | C01–02 |
| Mouth | 14 | 0.4 | 2.8 | 0.9 | 0.06 | 0.11 | 21 | 0.5 | 3.7 | 0.9 | 0.05 | 0.10 | C03–06 |
| Salivary glands | 9 | 0.2 | 1.8 | 0.7 | 0.03 | 0.06 | 10 | 0.3 | 1.8 | 0.8 | 0.04 | 0.10 | C07–08 |
| Tonsil | 16 | 0.4 | 3.2 | 1.6 | 0.12 | 0.18 | 2 | 0.1 | 0.4 | 0.1 | 0.01 | 0.03 | C09 |
| Other oropharynx | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | 2 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C10 |
| Nasopharynx | 2 | 0.1 | 0.4 | 0.1 | 0.00 | 0.03 | 2 | 0.1 | 0.4 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 17 | 0.5 | 3.4 | 1.0 | 0.01 | 0.15 | 3 | 0.1 | 0.5 | 0.3 | 0.02 | 0.04 | C12–13 |
| Pharynx unspecified | 2 | 0.1 | 0.4 | 0.1 | 0.00 | 0.00 | 1 | 0.0 | 0.2 | 0.0 | 0.00 | 0.00 | C14 |
| Oesophagus | 59 | 1.6 | 11.9 | 4.0 | 0.24 | 0.51 | 13 | 0.3 | 2.3 | 0.8 | 0.06 | 0.11 | C15 |
| Stomach | 147 | 4.0 | 29.6 | 7.7 | 0.37 | 0.71 | 116 | 3.0 | 20.6 | 4.4 | 0.19 | 0.42 | C16 |
| Small intestine | 25 | 0.7 | 5.0 | 2.2 | 0.18 | 0.25 | 14 | 0.4 | 2.5 | 0.7 | 0.05 | 0.08 | C17 |
| Colon | 289 | 8.0 | 58.2 | 21.6 | 1.44 | 2.52 | 319 | 8.1 | 56.6 | 16.2 | 0.92 | 1.86 | C18 |
| Rectum | 194 | 5.3 | 39.1 | 17.2 | 1.39 | 2.03 | 112 | 2.9 | 19.9 | 8.3 | 0.61 | 0.94 | C19–20 |
| Anus | 4 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | 9 | 0.2 | 1.6 | 0.5 | 0.03 | 0.07 | C21 |
| Liver | 167 | 4.6 | 33.7 | 11.6 | 0.70 | 1.27 | 89 | 2.3 | 15.8 | 4.9 | 0.26 | 0.52 | C22 |
| Gallbladder etc. | 44 | 1.2 | 8.9 | 2.3 | 0.11 | 0.25 | 37 | 0.9 | 6.6 | 1.9 | 0.11 | 0.20 | C23–24 |
| Pancreas | 183 | 5.0 | 36.9 | 10.7 | 0.54 | 1.21 | 184 | 4.7 | 32.7 | 7.5 | 0.30 | 0.97 | C25 |
| Nose, sinuses etc. | 7 | 0.2 | 1.4 | 0.4 | 0.02 | 0.04 | 4 | 0.1 | 0.7 | 0.0 | 0.00 | 0.00 | C30–31 |
| Larynx | 23 | 0.6 | 4.6 | 1.4 | 0.03 | 0.19 | 1 | 0.0 | 0.2 | 0.1 | 0.01 | 0.01 | C32 |
| Trachea, bronchus, and lung | 523 | 14.4 | 105.4 | 27.5 | 1.04 | 3.34 | 331 | 8.4 | 58.7 | 12.4 | 0.50 | 1.44 | C33–34 |
| Other thoracic organs | 12 | 0.3 | 2.4 | 1.2 | 0.10 | 0.12 | 10 | 0.3 | 1.8 | 0.9 | 0.06 | 0.08 | C37–38 |
| Bone | 4 | 0.1 | 0.8 | 0.6 | 0.03 | 0.05 | 5 | 0.1 | 0.9 | 0.9 | 0.06 | 0.06 | C40–41 |
| Melanoma of skin | 21 | 0.6 | 4.2 | 1.5 | 0.09 | 0.20 | 14 | 0.4 | 2.5 | 1.5 | 0.12 | 0.15 | C43 |
| Other skin | 21 | 0.6 | 4.2 | 1.2 | 0.06 | 0.11 | 13 | 0.3 | 2.3 | 0.9 | 0.06 | 0.07 | C44 |
| Mesothelioma | 6 | 0.2 | 1.2 | 0.3 | 0.01 | 0.02 | 4 | 0.1 | 0.7 | 0.6 | 0.04 | 0.05 | C45 |
| Kaposi sarcoma | 2 | 0.1 | 0.4 | 0.2 | 0.02 | 0.02 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 22 | 0.6 | 4.4 | 1.7 | 0.09 | 0.19 | 27 | 0.7 | 4.8 | 1.9 | 0.14 | 0.23 | C47+C49 |
| Breast | 4 | 0.1 | 0.8 | 0.3 | 0.01 | 0.04 | 1473 | 37.6 | 261.4 | 118.7 | 8.65 | 13.76 | C50 |
| Vulva | | | | | | | 20 | 0.5 | 3.5 | 0.9 | 0.05 | 0.09 | C51 |
| Vagina | | | | | | | 3 | 0.1 | 0.5 | 0.4 | 0.03 | 0.04 | C52 |
| Cervix uteri | | | | | | | 37 | 0.9 | 6.6 | 3.8 | 0.30 | 0.38 | C53 |
| Corpus uteri | | | | | | | 267 | 6.8 | 47.4 | 23.2 | 1.84 | 2.70 | C54 |
| Uterus unspecified | | | | | | | 7 | 0.2 | 1.2 | 0.5 | 0.05 | 0.06 | C55 |
| Ovary | | | | | | | 78 | 2.0 | 13.8 | 6.2 | 0.47 | 0.71 | C56 |
| Other female genital organs | | | | | | | 13 | 0.3 | 2.3 | 0.9 | 0.07 | 0.10 | C57 |
| Placenta | | | | | | | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C58 |
| Penis | 4 | 0.1 | 0.8 | 0.2 | 0.00 | 0.04 | | | | | | | C60 |
| Prostate | 908 | 25.0 | 183.0 | 55.0 | 2.10 | 7.51 | | | | | | | C61 |
| Testis | 19 | 0.5 | 3.8 | 4.3 | 0.34 | 0.34 | | | | | | | C62 |
| Other male genital organs | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | | | | | | | C63 |
| Kidney | 150 | 4.1 | 30.2 | 13.1 | 0.90 | 1.52 | 74 | 1.9 | 13.1 | 4.5 | 0.22 | 0.60 | C64 |
| Renal pelvis | 17 | 0.5 | 3.4 | 0.7 | 0.01 | 0.07 | 16 | 0.4 | 2.8 | 0.7 | 0.05 | 0.07 | C65 |
| Ureter | 10 | 0.3 | 2.0 | 0.5 | 0.01 | 0.04 | 7 | 0.2 | 1.2 | 0.2 | 0.01 | 0.01 | C66 |
| Bladder | 207 | 5.7 | 41.7 | 9.9 | 0.30 | 1.10 | 74 | 1.9 | 13.1 | 3.6 | 0.20 | 0.46 | C67 |
| Other urinary organs | 5 | 0.1 | 1.0 | 0.2 | 0.01 | 0.01 | 3 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C68 |
| Eye | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C69 |
| Brain and nervous system | 16 | 0.4 | 3.2 | 1.8 | 0.14 | 0.18 | 23 | 0.6 | 4.1 | 2.1 | 0.16 | 0.23 | C70–72 |
| Thyroid | 31 | 0.9 | 6.2 | 3.6 | 0.28 | 0.34 | 97 | 2.5 | 17.2 | 13.8 | 1.05 | 1.28 | C73 |
| Adrenal gland | 4 | 0.1 | 0.8 | 1.2 | 0.08 | 0.08 | 2 | 0.1 | 0.4 | 0.3 | 0.03 | 0.03 | C74 |
| Other endocrine | 2 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | 1 | 0.0 | 0.2 | 0.2 | 0.02 | 0.02 | C75 |
| Hodgkin lymphoma | 8 | 0.2 | 1.6 | 0.9 | 0.05 | 0.08 | 5 | 0.1 | 0.9 | 0.8 | 0.06 | 0.06 | C81 |
| Non-Hodgkin lymphoma | 138 | 3.8 | 27.8 | 9.1 | 0.44 | 1.01 | 135 | 3.4 | 24.0 | 9.5 | 0.55 | 0.94 | C82–86,C96 |
| Immunoproliferative diseases | 15 | 0.4 | 3.0 | 0.9 | 0.02 | 0.11 | 13 | 0.3 | 2.3 | 0.9 | 0.08 | 0.09 | C88 |
| Multiple myeloma | 31 | 0.9 | 6.2 | 1.8 | 0.07 | 0.23 | 31 | 0.8 | 5.5 | 1.4 | 0.08 | 0.16 | C90 |
| Lymphoid leukaemia | 18 | 0.5 | 3.6 | 1.5 | 0.07 | 0.14 | 20 | 0.5 | 3.5 | 1.4 | 0.09 | 0.13 | C91 |
| Myeloid leukaemia | 57 | 1.6 | 11.5 | 5.2 | 0.36 | 0.53 | 37 | 0.9 | 6.6 | 2.3 | 0.11 | 0.25 | C92–94 |
| Leukaemia unspecified | 8 | 0.2 | 1.6 | 0.6 | 0.03 | 0.06 | 2 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | C95 |
| Myeloproliferative disorders | 17 | 0.5 | 3.4 | 1.0 | 0.02 | 0.13 | 14 | 0.4 | 2.5 | 1.1 | 0.06 | 0.09 | MPD |
| Myelodysplastic syndromes | 44 | 1.2 | 8.9 | 1.4 | 0.01 | 0.09 | 30 | 0.8 | 5.3 | 0.7 | 0.04 | 0.06 | MPS |
| Other and unspecified | 80 | 2.2 | 16.1 | 3.4 | 0.13 | 0.39 | 78 | 2.0 | 13.8 | 3.2 | 0.12 | 0.25 | O&U |
| All sites | 3652 | | 736.0 | 239.3 | 12.40 | 28.10 | 3935 | | 698.4 | 270.6 | 18.28 | 30.39 | C00–96 |
| All sites except C44 | 3631 | 100.0 | 731.8 | 238.1 | 12.34 | 27.99 | 3922 | 100.0 | 696.1 | 269.7 | 18.23 | 30.32 | C00–96 exc.C44 |

*See note following population pyramid

USA, Hawaii: White (2013–2017)

| SITE | Male | | | | | | Female | | | | | | ICD-10 |
|------------------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|-----------|-----------|--------------------------|-----------|---------------------|---------------------|----------------|
| | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | No. cases | Freq. (%) | Crude rate (per 100 000) | ASR world | Cum. rates 0–64 (%) | Cum. rates 0–74 (%) | |
| Lip | 16 | 0.3 | 1.7 | 1.0 | 0.08 | 0.08 | 4 | 0.1 | 0.5 | 0.2 | 0.01 | 0.03 | C00 |
| Tongue | 139 | 2.2 | 14.4 | 7.1 | 0.45 | 0.95 | 39 | 0.8 | 4.8 | 2.2 | 0.12 | 0.25 | C01–02 |
| Mouth | 43 | 0.7 | 4.4 | 2.2 | 0.15 | 0.27 | 22 | 0.4 | 2.7 | 1.0 | 0.04 | 0.10 | C03–06 |
| Salivary glands | 33 | 0.5 | 3.4 | 1.6 | 0.10 | 0.17 | 17 | 0.3 | 2.1 | 1.4 | 0.08 | 0.12 | C07–08 |
| Tonsil | 83 | 1.3 | 8.6 | 4.7 | 0.40 | 0.59 | 9 | 0.2 | 1.1 | 0.5 | 0.04 | 0.06 | C09 |
| Other oropharynx | 17 | 0.3 | 1.8 | 0.8 | 0.06 | 0.10 | 2 | 0.0 | 0.2 | 0.1 | 0.01 | 0.02 | C10 |
| Nasopharynx | 9 | 0.1 | 0.9 | 0.5 | 0.03 | 0.06 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C11 |
| Hypopharynx | 18 | 0.3 | 1.9 | 0.8 | 0.03 | 0.13 | 5 | 0.1 | 0.6 | 0.3 | 0.03 | 0.04 | C12–13 |
| Pharynx unspecified | 8 | 0.1 | 0.8 | 0.4 | 0.02 | 0.06 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.01 | C14 |
| Oesophagus | 91 | 1.4 | 9.4 | 4.1 | 0.19 | 0.44 | 27 | 0.5 | 3.3 | 1.4 | 0.07 | 0.16 | C15 |
| Stomach | 79 | 1.2 | 8.2 | 3.6 | 0.20 | 0.42 | 38 | 0.8 | 4.6 | 1.9 | 0.10 | 0.20 | C16 |
| Small intestine | 23 | 0.4 | 2.4 | 1.1 | 0.08 | 0.12 | 17 | 0.3 | 2.1 | 0.9 | 0.05 | 0.10 | C17 |
| Colon | 330 | 5.2 | 34.1 | 17.5 | 1.09 | 1.95 | 277 | 5.6 | 33.8 | 14.8 | 0.77 | 1.45 | C18 |
| Rectum | 186 | 2.9 | 19.2 | 10.5 | 0.76 | 1.25 | 121 | 2.5 | 14.8 | 7.5 | 0.53 | 0.83 | C19–20 |
| Anus | 23 | 0.4 | 2.4 | 1.1 | 0.06 | 0.16 | 48 | 1.0 | 5.9 | 2.8 | 0.24 | 0.33 | C21 |
| Liver | 195 | 3.1 | 20.2 | 8.8 | 0.55 | 1.14 | 63 | 1.3 | 7.7 | 3.1 | 0.19 | 0.36 | C22 |
| Gallbladder etc. | 37 | 0.6 | 3.8 | 1.6 | 0.03 | 0.22 | 26 | 0.5 | 3.2 | 1.1 | 0.02 | 0.14 | C23–24 |
| Pancreas | 197 | 3.1 | 20.4 | 9.5 | 0.49 | 1.14 | 146 | 3.0 | 17.8 | 7.2 | 0.32 | 0.90 | C25 |
| Nose, sinuses etc. | 15 | 0.2 | 1.6 | 0.7 | 0.02 | 0.12 | 5 | 0.1 | 0.6 | 0.2 | 0.01 | 0.04 | C30–31 |
| Larynx | 79 | 1.2 | 8.2 | 4.0 | 0.26 | 0.48 | 11 | 0.2 | 1.3 | 0.6 | 0.05 | 0.08 | C32 |
| Trachea, bronchus, and lung | 646 | 10.2 | 66.9 | 29.0 | 1.26 | 3.54 | 481 | 9.8 | 58.6 | 23.3 | 0.94 | 2.71 | C33–34 |
| Other thoracic organs | 6 | 0.1 | 0.6 | 0.6 | 0.02 | 0.04 | 4 | 0.1 | 0.5 | 0.1 | 0.00 | 0.01 | C37–38 |
| Bone | 13 | 0.2 | 1.3 | 0.8 | 0.06 | 0.08 | 8 | 0.2 | 1.0 | 0.9 | 0.04 | 0.08 | C40–41 |
| Melanoma of skin | 852 | 13.4 | 88.2 | 44.2 | 2.42 | 5.09 | 510 | 10.4 | 62.2 | 33.3 | 2.30 | 3.73 | C43 |
| Other skin | 50 | 0.8 | 5.2 | 2.4 | 0.12 | 0.22 | 28 | 0.6 | 3.4 | 1.4 | 0.05 | 0.13 | C44 |
| Mesothelioma | 10 | 0.2 | 1.0 | 0.4 | 0.01 | 0.04 | 1 | 0.0 | 0.1 | 0.0 | 0.00 | 0.00 | C45 |
| Kaposi sarcoma | 10 | 0.2 | 1.0 | 0.7 | 0.06 | 0.08 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | C46 |
| Connective and soft tissue | 53 | 0.8 | 5.5 | 3.2 | 0.17 | 0.29 | 28 | 0.6 | 3.4 | 2.5 | 0.13 | 0.21 | C47+C49 |
| Breast | 13 | 0.2 | 1.3 | 0.5 | 0.02 | 0.06 | 1456 | 29.6 | 177.5 | 95.4 | 6.55 | 10.89 | C50 |
| Vulva | | | | | | | 39 | 0.8 | 4.8 | 1.9 | 0.10 | 0.21 | C51 |
| Vagina | | | | | | | 6 | 0.1 | 0.7 | 0.3 | 0.01 | 0.02 | C52 |
| Cervix uteri | | | | | | | 62 | 1.3 | 7.6 | 5.8 | 0.48 | 0.54 | C53 |
| Corpus uteri | | | | | | | 308 | 6.3 | 37.5 | 18.1 | 1.17 | 2.27 | C54 |
| Uterus unspecified | | | | | | | 5 | 0.1 | 0.6 | 0.3 | 0.03 | 0.03 | C55 |
| Ovary | | | | | | | 138 | 2.8 | 16.8 | 9.2 | 0.61 | 0.88 | C56 |
| Other female genital organs | | | | | | | 43 | 0.9 | 5.2 | 2.6 | 0.16 | 0.31 | C57 |
| Placenta | | | | | | | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C58 |
| Penis | 11 | 0.2 | 1.1 | 0.6 | 0.04 | 0.08 | | | | | | | C60 |
| Prostate | 1276 | 20.1 | 132.0 | 58.0 | 2.70 | 7.75 | | | | | | | C61 |
| Testis | 85 | 1.3 | 8.8 | 7.9 | 0.59 | 0.60 | | | | | | | C62 |
| Other male genital organs | 4 | 0.1 | 0.4 | 0.4 | 0.02 | 0.04 | | | | | | | C63 |
| Kidney | 238 | 3.7 | 24.6 | 12.3 | 0.70 | 1.47 | 83 | 1.7 | 10.1 | 5.0 | 0.35 | 0.55 | C64 |
| Renal pelvis | 17 | 0.3 | 1.8 | 0.7 | 0.04 | 0.08 | 5 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C65 |
| Ureter | 8 | 0.1 | 0.8 | 0.3 | 0.01 | 0.03 | 3 | 0.1 | 0.4 | 0.1 | 0.00 | 0.01 | C66 |
| Bladder | 444 | 7.0 | 45.9 | 20.2 | 0.79 | 2.31 | 90 | 1.8 | 11.0 | 4.4 | 0.22 | 0.49 | C67 |
| Other urinary organs | 8 | 0.1 | 0.8 | 0.4 | 0.01 | 0.07 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C68 |
| Eye | 23 | 0.4 | 2.4 | 1.2 | 0.06 | 0.12 | 12 | 0.2 | 1.5 | 0.9 | 0.08 | 0.10 | C69 |
| Brain and nervous system | 93 | 1.5 | 9.6 | 6.7 | 0.43 | 0.62 | 57 | 1.2 | 6.9 | 4.9 | 0.32 | 0.48 | C70–72 |
| Thyroid | 80 | 1.3 | 8.3 | 5.4 | 0.39 | 0.56 | 177 | 3.6 | 21.6 | 16.6 | 1.33 | 1.51 | C73 |
| Adrenal gland | 2 | 0.0 | 0.2 | 0.4 | 0.02 | 0.02 | 2 | 0.0 | 0.2 | 0.1 | 0.00 | 0.01 | C74 |
| Other endocrine | 0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 1 | 0.0 | 0.1 | 0.1 | 0.01 | 0.01 | C75 |
| Hodgkin lymphoma | 34 | 0.5 | 3.5 | 2.4 | 0.15 | 0.20 | 17 | 0.3 | 2.1 | 2.0 | 0.13 | 0.15 | C81 |
| Non-Hodgkin lymphoma | 244 | 3.8 | 25.3 | 13.1 | 0.80 | 1.51 | 159 | 3.2 | 19.4 | 9.5 | 0.50 | 1.03 | C82–86,C96 |
| Immunoproliferative diseases | 19 | 0.3 | 2.0 | 1.0 | 0.03 | 0.12 | 16 | 0.3 | 2.0 | 0.9 | 0.06 | 0.09 | C88 |
| Multiple myeloma | 103 | 1.6 | 10.7 | 4.9 | 0.26 | 0.56 | 50 | 1.0 | 6.1 | 2.5 | 0.09 | 0.31 | C90 |
| Lymphoid leukaemia | 116 | 1.8 | 12.0 | 6.2 | 0.30 | 0.73 | 67 | 1.4 | 8.2 | 5.1 | 0.25 | 0.51 | C91 |
| Myeloid leukaemia | 86 | 1.4 | 8.9 | 5.0 | 0.27 | 0.49 | 55 | 1.1 | 6.7 | 4.3 | 0.29 | 0.41 | C92–94 |
| Leukaemia unspecified | 4 | 0.1 | 0.4 | 0.2 | 0.01 | 0.01 | 5 | 0.1 | 0.6 | 0.2 | 0.01 | 0.03 | C95 |
| Myeloproliferative disorders | 46 | 0.7 | 4.8 | 2.3 | 0.12 | 0.27 | 34 | 0.7 | 4.1 | 1.7 | 0.10 | 0.17 | MPD |
| Myelodysplastic syndromes | 33 | 0.5 | 3.4 | 1.5 | 0.04 | 0.12 | 22 | 0.4 | 2.7 | 0.8 | 0.02 | 0.07 | MPS |
| Other and unspecified | 162 | 2.5 | 16.8 | 7.7 | 0.34 | 0.82 | 88 | 1.8 | 10.7 | 4.2 | 0.18 | 0.46 | O&U |
| All sites | 6410 | | 663.3 | 322.0 | 17.33 | 37.89 | 4942 | | 602.5 | 306.1 | 19.22 | 33.68 | C00–96 |
| All sites except C44 | 6360 | 100.0 | 658.2 | 319.6 | 17.21 | 37.66 | 4914 | 100.0 | 599.0 | 304.7 | 19.16 | 33.54 | C00–96 exc.C44 |

Age-standardized and cumulative incidence rates and standard errors

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites

| | Male | | | | | Female | | | | |
|--|---------|--------|-------|----------|------|---------|--------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 1522 | 107.8 | 2.90 | 12.15 | 0.40 | 1963 | 132.0 | 3.11 | 13.76 | 0.38 |
| *Algeria, Tizi Ouzou | 2499 | 162.4 | 3.38 | 19.95 | 0.50 | 2883 | 162.9 | 3.17 | 17.50 | 0.38 |
| *Benin, Cotonou | 525 | 97.7 | 4.74 | 11.68 | 0.75 | 701 | 88.7 | 3.61 | 10.07 | 0.50 |
| *France, La Réunion | 5628 | 267.4 | 3.62 | 32.57 | 0.53 | 4617 | 187.6 | 2.88 | 20.55 | 0.37 |
| *Kenya, Eldoret | 1045 | 94.7 | 3.19 | 11.29 | 0.49 | 1290 | 110.7 | 3.34 | 12.79 | 0.48 |
| *Kenya, Nairobi | 4048 | 162.2 | 3.10 | 18.98 | 0.48 | 5627 | 213.3 | 3.46 | 25.82 | 0.54 |
| Mauritius | 5038 | 124.7 | 1.78 | 14.00 | 0.24 | 7013 | 158.9 | 1.94 | 17.75 | 0.25 |
| *Morocco, Casablanca | 10535 | 101.7 | 1.02 | 12.25 | 0.15 | 14519 | 122.5 | 1.04 | 13.47 | 0.13 |
| *Seychelles | 580 | 220.3 | 9.30 | 25.52 | 1.37 | 526 | 163.6 | 7.44 | 18.06 | 1.00 |
| *South Africa, Eastern Cape | 913 | 85.8 | 2.95 | 9.58 | 0.38 | 2120 | 133.7 | 3.03 | 14.35 | 0.36 |
| *Uganda, Kyadondo County | 3759 | 179.3 | 3.73 | 21.58 | 0.61 | 4888 | 176.9 | 3.13 | 20.39 | 0.46 |
| *Uganda, Gulu | 590 | 110.2 | 5.23 | 12.08 | 0.75 | 751 | 114.8 | 4.54 | 11.76 | 0.57 |
| *Zimbabwe, Bulawayo: African | 2017 | 235.7 | 5.56 | 24.02 | 0.81 | 3041 | 264.8 | 5.08 | 29.33 | 0.72 |
| *Zimbabwe, Harare: African | 5051 | 312.9 | 4.88 | 34.20 | 0.76 | 5960 | 288.6 | 4.11 | 33.34 | 0.61 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 5393 | 236.2 | 3.27 | 28.35 | 0.47 | 5316 | 198.3 | 2.89 | 22.27 | 0.37 |
| *Argentina, Mendoza | 12050 | 231.3 | 2.16 | 27.28 | 0.31 | 13219 | 218.5 | 2.00 | 24.33 | 0.25 |
| Brazil, Aracaju | 4119 | 409.9 | 6.48 | 46.93 | 0.95 | 5219 | 332.0 | 4.70 | 35.97 | 0.63 |
| *Brazil, Barretos | 4139 | 303.5 | 4.80 | 36.67 | 0.71 | 3710 | 233.2 | 4.02 | 25.34 | 0.51 |
| Brazil, Belo Horizonte | 23647 | 333.1 | 2.20 | 39.56 | 0.32 | 25446 | 259.2 | 1.70 | 28.76 | 0.22 |
| *Brazil, Campinas | 10725 | 460.3 | 4.52 | 52.98 | 0.65 | 11071 | 358.7 | 3.53 | 39.34 | 0.48 |
| *Brazil, Curitiba | 9994 | 253.8 | 2.58 | 29.05 | 0.37 | 11422 | 213.8 | 2.07 | 23.52 | 0.27 |
| Brazil, Goiânia | 9299 | 363.9 | 3.83 | 42.00 | 0.57 | 9856 | 280.8 | 2.88 | 30.63 | 0.39 |
| *Brazil, Jái | 1756 | 407.7 | 9.92 | 47.71 | 1.46 | 1727 | 326.7 | 8.18 | 37.05 | 1.13 |
| Brazil, João Pessoa | 2712 | 267.2 | 5.20 | 30.47 | 0.75 | 3501 | 230.4 | 3.99 | 25.14 | 0.53 |
| Brazil, Recife | 5705 | 237.3 | 3.18 | 27.73 | 0.47 | 8012 | 212.8 | 2.47 | 23.51 | 0.32 |
| Chile, Region of Antofagasta | 2567 | 267.4 | 5.36 | 29.71 | 0.78 | 2481 | 236.7 | 4.84 | 25.90 | 0.66 |
| Chile, Valdivia | 3195 | 236.0 | 4.31 | 27.12 | 0.61 | 3150 | 205.8 | 3.92 | 23.21 | 0.51 |
| Colombia, Bucaramanga | 5748 | 194.5 | 2.61 | 21.50 | 0.37 | 7210 | 191.0 | 2.31 | 20.29 | 0.30 |
| Colombia, Cali | 12805 | 218.7 | 1.95 | 24.29 | 0.28 | 15612 | 198.9 | 1.63 | 21.50 | 0.21 |
| Colombia, Manizales | 2680 | 196.3 | 3.82 | 21.89 | 0.53 | 3284 | 195.5 | 3.45 | 20.59 | 0.43 |
| Colombia, Pasto | 2006 | 187.8 | 4.29 | 21.26 | 0.62 | 2716 | 204.6 | 4.04 | 21.62 | 0.52 |
| Costa Rica | 19089 | 191.7 | 1.41 | 22.12 | 0.21 | 21949 | 204.6 | 1.41 | 22.63 | 0.19 |
| Ecuador, Guayaquil | 9400 | 175.3 | 1.86 | 19.76 | 0.28 | 11925 | 191.1 | 1.80 | 21.15 | 0.25 |
| Ecuador, Manabí | 4606 | 126.8 | 1.92 | 13.82 | 0.27 | 4980 | 139.2 | 2.01 | 14.60 | 0.26 |
| Ecuador, Quito | 10550 | 256.7 | 2.53 | 28.51 | 0.38 | 13486 | 266.1 | 2.33 | 28.02 | 0.31 |
| *France, Guadeloupe | 4998 | 292.6 | 4.38 | 37.04 | 0.63 | 3299 | 172.5 | 3.32 | 19.12 | 0.40 |
| *France, Martinique | 5468 | 307.2 | 4.45 | 39.47 | 0.64 | 3546 | 176.8 | 3.37 | 19.73 | 0.41 |
| *Peru, Lima | 30646 | 218.7 | 1.27 | 23.11 | 0.18 | 37421 | 222.6 | 1.18 | 23.63 | 0.16 |
| *Trinidad and Tobago | 3835 | 157.4 | 2.57 | 18.87 | 0.39 | 4137 | 158.5 | 2.51 | 18.53 | 0.35 |
| USA, Puerto Rico | 40859 | 272.3 | 1.46 | 33.05 | 0.19 | 37346 | 235.6 | 1.37 | 25.76 | 0.15 |
| *Uruguay | 43605 | 349.9 | 1.75 | 41.35 | 0.25 | 41179 | 272.9 | 1.50 | 30.31 | 0.19 |
| North America | | | | | | | | | | |
| Canada, Alberta | 46914 | 305.3 | 1.45 | 36.09 | 0.21 | 43262 | 275.6 | 1.40 | 31.60 | 0.19 |
| Canada, British Columbia | 67820 | 285.3 | 1.19 | 33.04 | 0.16 | 63083 | 261.5 | 1.16 | 29.59 | 0.15 |
| *Canada, Manitoba | 24755 | 435.8 | 2.91 | 51.12 | 0.42 | 22960 | 382.9 | 2.78 | 44.14 | 0.37 |
| *Canada, New Brunswick | 18754 | 460.5 | 3.59 | 54.84 | 0.49 | 16483 | 391.8 | 3.47 | 44.61 | 0.43 |
| *Canada, Newfoundland and Labrador | 13723 | 488.5 | 4.43 | 57.93 | 0.60 | 11745 | 416.8 | 4.25 | 47.40 | 0.53 |
| Canada, Ontario | 195158 | 317.5 | 0.77 | 37.08 | 0.11 | 196092 | 304.6 | 0.76 | 34.47 | 0.10 |
| *Canada, Prince Edward Island | 2449 | 328.2 | 7.15 | 38.89 | 0.97 | 2244 | 284.0 | 6.76 | 32.75 | 0.85 |
| Canada, Quebec | 140272 | 342.5 | 0.98 | 40.13 | 0.13 | 134440 | 320.2 | 0.98 | 36.65 | 0.12 |
| Canada, Saskatchewan | 21994 | 429.7 | 3.07 | 50.17 | 0.45 | 19222 | 362.7 | 2.92 | 41.74 | 0.39 |
| *Canada, Yukon | 432 | 293.3 | 14.79 | 31.54 | 1.87 | 361 | 254.3 | 13.80 | 29.94 | 1.94 |
| USA | 4236033 | 325.3 | 0.17 | 38.91 | 0.02 | 4153100 | 295.9 | 0.16 | 33.65 | 0.02 |
| USA: White | 3569613 | 324.6 | 0.18 | 38.58 | 0.02 | 3482753 | 302.7 | 0.18 | 34.35 | 0.02 |
| USA: Black | 466796 | 364.3 | 0.54 | 45.50 | 0.08 | 459525 | 281.9 | 0.43 | 32.64 | 0.06 |
| USA, NPCR | 4099306 | 325.8 | 0.17 | 38.98 | 0.02 | 4018439 | 296.1 | 0.16 | 33.68 | 0.02 |
| USA, NPCR: White | 3454291 | 325.0 | 0.19 | 38.63 | 0.03 | 3370774 | 303.0 | 0.18 | 34.39 | 0.02 |
| USA, NPCR: Black | 461052 | 364.7 | 0.54 | 45.55 | 0.08 | 454293 | 282.3 | 0.43 | 32.68 | 0.06 |
| USA, NPCR: Asian and Pacific Islander | 109082 | 190.7 | 0.59 | 22.25 | 0.08 | 140396 | 206.2 | 0.57 | 22.71 | 0.07 |
| USA, NPCR: American Indian | 19544 | 172.9 | 1.25 | 20.80 | 0.18 | 21004 | 166.7 | 1.16 | 19.30 | 0.16 |
| *USA, SEER (18 registries) | 1078044 | 313.1 | 0.31 | 37.39 | 0.04 | 1059291 | 283.0 | 0.30 | 32.03 | 0.04 |
| *USA, SEER (18 registries): White | 864134 | 315.7 | 0.36 | 37.47 | 0.05 | 841428 | 292.0 | 0.35 | 33.02 | 0.04 |
| *USA, SEER (18 registries): Non-Hispanic White | 758736 | 331.7 | 0.41 | 39.26 | 0.05 | 719160 | 304.4 | 0.41 | 34.32 | 0.05 |
| *USA, SEER (18 registries): Hispanic White | 105398 | 241.8 | 0.76 | 28.55 | 0.11 | 122268 | 242.5 | 0.71 | 27.34 | 0.10 |
| *USA, SEER (18 registries): Black | 118469 | 360.2 | 1.06 | 45.03 | 0.16 | 113238 | 272.7 | 0.84 | 31.50 | 0.11 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 67426 | 197.4 | 0.79 | 23.03 | 0.11 | 84708 | 213.1 | 0.77 | 23.59 | 0.10 |
| *USA, SEER (9 registries) | 373809 | 314.4 | 0.54 | 37.40 | 0.07 | 368138 | 286.3 | 0.51 | 32.33 | 0.06 |
| *USA, SEER (9 registries): White | 297272 | 317.2 | 0.61 | 37.52 | 0.08 | 287925 | 295.8 | 0.61 | 33.32 | 0.07 |
| *USA, SEER (9 registries): Black | 40312 | 370.9 | 1.86 | 46.08 | 0.27 | 38852 | 275.1 | 1.43 | 31.70 | 0.19 |
| USA, Alabama | 69779 | 349.2 | 1.38 | 42.12 | 0.19 | 62772 | 285.3 | 1.25 | 32.42 | 0.15 |
| USA, Alabama: White | 52984 | 338.6 | 1.57 | 40.42 | 0.21 | 47624 | 290.8 | 1.50 | 32.86 | 0.18 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites (contd)

| | Male | | | | | Female | | | | |
|--|--------|--------------|-------|----------|------|--------|--------------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 15231 | 378.4 | 3.11 | 46.98 | 0.45 | 14143 | 273.6 | 2.39 | 31.64 | 0.32 |
| USA, Alaska | 7542 | 287.8 | 3.37 | 33.82 | 0.47 | 6993 | 285.3 | 3.50 | 32.34 | 0.46 |
| *USA, Alaska: Alaska Natives | 1104 | 337.2 | 10.24 | 39.56 | 1.48 | 1291 | 363.1 | 10.30 | 40.77 | 1.36 |
| USA, Arizona | 80598 | 274.3 | 1.04 | 32.56 | 0.14 | 77582 | 258.8 | 1.02 | 29.24 | 0.12 |
| USA, Arizona: White | 74967 | 280.6 | 1.12 | 33.22 | 0.15 | 71578 | 267.8 | 1.12 | 30.18 | 0.13 |
| USA, Arizona: Black | 2506 | 267.1 | 5.39 | 33.14 | 0.80 | 2265 | 226.2 | 4.81 | 26.05 | 0.66 |
| *USA, Arizona: Asian and Pacific Islander | 1046 | 145.4 | 4.58 | 16.98 | 0.67 | 1659 | 170.9 | 4.29 | 18.43 | 0.54 |
| USA, Arizona: American Indian | 1531 | 165.9 | 4.28 | 18.93 | 0.61 | 1816 | 163.5 | 3.90 | 18.24 | 0.51 |
| USA, Arkansas | 45096 | 361.7 | 1.79 | 43.88 | 0.25 | 39852 | 300.7 | 1.65 | 34.47 | 0.20 |
| USA, Arkansas: White | 38468 | 353.1 | 1.92 | 42.64 | 0.26 | 33924 | 301.0 | 1.83 | 34.41 | 0.22 |
| USA, Arkansas: Black | 5702 | 414.4 | 5.55 | 51.77 | 0.81 | 4927 | 290.0 | 4.26 | 33.76 | 0.57 |
| USA, California | 417431 | 285.2 | 0.46 | 33.77 | 0.06 | 427935 | 270.2 | 0.44 | 30.56 | 0.06 |
| USA, California: White | 333850 | 294.4 | 0.53 | 34.66 | 0.07 | 338106 | 282.9 | 0.53 | 32.00 | 0.07 |
| USA, California: Black | 27412 | 314.4 | 1.93 | 38.97 | 0.29 | 26774 | 260.6 | 1.66 | 30.37 | 0.22 |
| USA, California: Asian and Pacific Islander | 42920 | 192.4 | 0.97 | 22.46 | 0.14 | 55734 | 213.5 | 0.96 | 23.65 | 0.12 |
| *USA, California, Los Angeles County | 94202 | 262.8 | 0.89 | 31.25 | 0.13 | 100712 | 250.6 | 0.84 | 28.31 | 0.11 |
| *USA, California, Los Angeles County: White | 68343 | 265.4 | 1.05 | 31.39 | 0.15 | 72525 | 258.8 | 1.02 | 29.25 | 0.13 |
| *USA, California, Los Angeles County: Non-Hispanic White | 43828 | 302.6 | 1.60 | 35.73 | 0.21 | 42629 | 294.8 | 1.67 | 33.23 | 0.20 |
| *USA, California, Los Angeles County: Hispanic White | 24515 | 220.3 | 1.43 | 25.94 | 0.21 | 29896 | 223.7 | 1.32 | 25.18 | 0.18 |
| *USA, California, Los Angeles County: Black | 9909 | 303.8 | 3.13 | 37.25 | 0.45 | 10525 | 251.9 | 2.61 | 29.14 | 0.34 |
| *USA, California, Los Angeles County: Chinese | 3026 | 136.5 | 2.77 | 15.38 | 0.37 | 3625 | 149.0 | 2.77 | 15.95 | 0.32 |
| *USA, California, Los Angeles County: Filipino | 2516 | 183.1 | 3.79 | 22.17 | 0.54 | 4056 | 220.4 | 3.75 | 25.08 | 0.44 |
| *USA, California, Los Angeles County: Korean | 1769 | 175.5 | 4.51 | 20.71 | 0.62 | 1899 | 164.6 | 4.19 | 18.31 | 0.50 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 12016 | 186.6 | 1.81 | 21.76 | 0.25 | 15639 | 209.7 | 1.82 | 23.35 | 0.22 |
| *USA, California, San Francisco Bay Area | 52471 | 281.7 | 1.29 | 33.16 | 0.18 | 53459 | 263.4 | 1.24 | 29.60 | 0.16 |
| *USA, California, San Francisco Bay Area: White | 36308 | 297.8 | 1.65 | 34.74 | 0.23 | 35786 | 282.3 | 1.64 | 31.74 | 0.20 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 30889 | 308.1 | 1.92 | 35.90 | 0.25 | 29639 | 292.2 | 1.95 | 32.71 | 0.23 |
| *USA, California, San Francisco Bay Area: Hispanic White | 5419 | 255.8 | 3.59 | 29.66 | 0.55 | 6147 | 247.5 | 3.26 | 28.07 | 0.45 |
| *USA, California, San Francisco Bay Area: Black | 4981 | 340.6 | 4.92 | 42.29 | 0.71 | 4684 | 268.5 | 4.14 | 31.36 | 0.55 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 9788 | 201.5 | 2.16 | 23.30 | 0.30 | 12274 | 215.1 | 2.09 | 23.72 | 0.26 |
| USA, Colorado | 57380 | 274.9 | 1.18 | 32.45 | 0.16 | 58434 | 268.9 | 1.18 | 30.29 | 0.15 |
| USA, Colorado: White | 52834 | 273.0 | 1.23 | 32.13 | 0.17 | 54705 | 274.2 | 1.26 | 30.81 | 0.16 |
| *USA, Colorado: Black | 2181 | 292.2 | 6.37 | 34.54 | 0.93 | 1785 | 235.9 | 5.70 | 27.67 | 0.80 |
| *USA, Colorado: Asian and Pacific Islander | 894 | 177.2 | 6.05 | 20.79 | 0.88 | 1308 | 187.1 | 5.31 | 20.76 | 0.71 |
| USA, Connecticut | 50395 | 326.4 | 1.54 | 39.07 | 0.21 | 51418 | 303.4 | 1.49 | 34.47 | 0.18 |
| USA, Connecticut: White | 44357 | 322.2 | 1.65 | 38.40 | 0.22 | 45174 | 305.1 | 1.64 | 34.70 | 0.20 |
| USA, Connecticut: Black | 4016 | 340.9 | 5.45 | 42.81 | 0.81 | 4007 | 256.2 | 4.17 | 29.61 | 0.56 |
| USA, District of Columbia | 6637 | 315.8 | 3.99 | 38.37 | 0.56 | 7492 | 295.1 | 3.63 | 33.93 | 0.47 |
| USA, District of Columbia: White | 2197 | 237.6 | 5.38 | 27.79 | 0.73 | 2311 | 251.4 | 5.63 | 28.39 | 0.72 |
| USA, District of Columbia: Black | 4050 | 361.8 | 5.86 | 44.65 | 0.83 | 4839 | 316.0 | 4.92 | 36.74 | 0.63 |
| USA, Florida | 332085 | 340.4 | 0.65 | 40.79 | 0.09 | 308500 | 302.0 | 0.62 | 34.27 | 0.07 |
| USA, Florida: White | 286159 | 338.2 | 0.72 | 40.35 | 0.09 | 263601 | 305.4 | 0.70 | 34.60 | 0.08 |
| USA, Florida: Black | 33030 | 326.6 | 1.82 | 40.43 | 0.26 | 33006 | 266.3 | 1.51 | 30.33 | 0.20 |
| USA, Florida: Asian and Pacific Islander | 3187 | 156.1 | 2.83 | 18.27 | 0.39 | 4454 | 174.5 | 2.70 | 19.45 | 0.34 |
| USA, Georgia | 130431 | 356.2 | 1.01 | 43.07 | 0.14 | 122836 | 296.7 | 0.89 | 33.79 | 0.11 |
| USA, Georgia: White | 93535 | 352.4 | 1.20 | 42.15 | 0.16 | 86614 | 310.8 | 1.15 | 35.19 | 0.14 |
| USA, Georgia: Black | 34204 | 387.8 | 2.11 | 48.40 | 0.31 | 33226 | 281.2 | 1.57 | 32.39 | 0.21 |
| USA, Georgia: Asian and Pacific Islander | 2193 | 191.9 | 4.16 | 22.20 | 0.58 | 2637 | 193.8 | 3.85 | 21.04 | 0.49 |
| *USA, Georgia, Atlanta | 38364 | 340.6 | 1.76 | 40.90 | 0.25 | 37935 | 279.3 | 1.48 | 31.58 | 0.19 |
| *USA, Georgia, Atlanta: White | 22510 | 333.1 | 2.28 | 39.43 | 0.32 | 21921 | 300.0 | 2.15 | 33.67 | 0.27 |
| *USA, Georgia, Atlanta: Black | 14168 | 381.9 | 3.25 | 47.16 | 0.48 | 14178 | 268.7 | 2.29 | 30.74 | 0.31 |
| USA, Idaho | 21411 | 308.1 | 2.22 | 36.34 | 0.30 | 19804 | 289.4 | 2.23 | 32.56 | 0.28 |
| USA, Indiana | 89455 | 335.8 | 1.17 | 39.98 | 0.16 | 87548 | 303.8 | 1.12 | 34.86 | 0.14 |
| USA, Indiana: White | 81710 | 334.3 | 1.23 | 39.61 | 0.17 | 79961 | 308.0 | 1.20 | 35.25 | 0.15 |
| USA, Indiana: Black | 6538 | 371.4 | 4.64 | 46.47 | 0.69 | 6445 | 283.7 | 3.64 | 33.03 | 0.50 |
| *USA, Iowa | 45682 | 339.6 | 1.69 | 40.33 | 0.23 | 42751 | 305.4 | 1.66 | 34.54 | 0.20 |
| USA, Kentucky | 69981 | 384.1 | 1.51 | 45.85 | 0.21 | 67069 | 342.2 | 1.44 | 39.16 | 0.18 |
| USA, Louisiana | 67400 | 374.9 | 1.49 | 45.66 | 0.21 | 59294 | 300.3 | 1.33 | 34.47 | 0.17 |
| USA, Louisiana: White | 47917 | 366.7 | 1.77 | 44.06 | 0.24 | 41686 | 306.6 | 1.66 | 34.99 | 0.20 |
| USA, Louisiana: Black | 18760 | 413.2 | 3.05 | 52.09 | 0.45 | 16907 | 298.4 | 2.38 | 34.62 | 0.31 |
| *USA, Louisiana, New Orleans | 11939 | 355.1 | 3.36 | 43.49 | 0.47 | 11003 | 289.4 | 2.97 | 33.23 | 0.38 |
| *USA, Louisiana, New Orleans: White | 7058 | 338.7 | 4.29 | 40.76 | 0.58 | 6576 | 299.6 | 4.15 | 34.38 | 0.51 |
| *USA, Louisiana, New Orleans: Black | 4488 | 388.4 | 5.89 | 48.97 | 0.85 | 4124 | 279.9 | 4.54 | 32.18 | 0.59 |
| USA, Maine | 22118 | 330.5 | 2.42 | 38.96 | 0.32 | 22172 | 321.8 | 2.47 | 36.54 | 0.30 |
| USA, Maryland | 77004 | 328.0 | 1.23 | 39.50 | 0.17 | 79047 | 297.0 | 1.14 | 33.88 | 0.14 |
| USA, Maryland: White | 53684 | 329.0 | 1.51 | 39.14 | 0.21 | 53845 | 312.9 | 1.50 | 35.54 | 0.18 |
| USA, Maryland: Black | 20513 | 357.7 | 2.53 | 44.61 | 0.37 | 21721 | 284.1 | 1.99 | 32.84 | 0.26 |
| USA, Maryland: Asian and Pacific Islander | 2409 | 181.2 | 3.79 | 21.15 | 0.53 | 3128 | 201.9 | 3.72 | 22.02 | 0.46 |
| USA, Massachusetts | 91001 | 323.3 | 1.13 | 38.47 | 0.16 | 97895 | 311.5 | 1.09 | 35.63 | 0.14 |
| USA, Massachusetts: White | 81292 | 322.7 | 1.21 | 38.25 | 0.16 | 88031 | 316.8 | 1.20 | 36.22 | 0.15 |
| USA, Massachusetts: Black | 5202 | 321.2 | 4.50 | 39.90 | 0.67 | 5348 | 262.1 | 3.68 | 30.47 | 0.50 |
| USA, Massachusetts: Asian and Pacific Islander | 2494 | 203.3 | 4.17 | 23.78 | 0.61 | 3041 | 211.0 | 3.92 | 23.53 | 0.52 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites (contd)

| | Male | | | | | Female | | | | |
|---|--------|--------------|-------|----------|------|--------|--------------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 139329 | 324.5 | 0.92 | 38.57 | 0.12 | 135288 | 295.3 | 0.89 | 33.54 | 0.11 |
| USA, Michigan: White | 118429 | 316.8 | 0.99 | 37.36 | 0.13 | 115088 | 297.7 | 0.99 | 33.68 | 0.12 |
| USA, Michigan: Black | 16721 | 379.1 | 2.97 | 47.15 | 0.43 | 16661 | 291.4 | 2.35 | 33.78 | 0.31 |
| USA, Michigan: Asian and Pacific Islander | 1412 | 164.7 | 4.45 | 18.72 | 0.63 | 1784 | 179.6 | 4.32 | 19.74 | 0.56 |
| *USA, Michigan, Detroit | 55900 | 354.1 | 1.56 | 42.35 | 0.22 | 55131 | 307.1 | 1.43 | 34.77 | 0.18 |
| *USA, Michigan, Detroit: White | 42070 | 347.5 | 1.80 | 41.18 | 0.25 | 41172 | 317.0 | 1.76 | 35.65 | 0.21 |
| *USA, Michigan, Detroit: Black | 12429 | 403.5 | 3.68 | 49.95 | 0.52 | 12505 | 297.7 | 2.79 | 34.34 | 0.36 |
| USA, Minnesota | 76055 | 333.4 | 1.27 | 39.74 | 0.18 | 73334 | 308.9 | 1.25 | 35.12 | 0.16 |
| USA, Minnesota: White | 71000 | 332.3 | 1.33 | 39.47 | 0.18 | 68486 | 311.3 | 1.33 | 35.29 | 0.16 |
| USA, Minnesota: Black | 2587 | 379.1 | 7.76 | 47.24 | 1.19 | 2190 | 288.4 | 6.29 | 33.76 | 0.90 |
| *USA, Minnesota: Asian and Pacific Islander | 1103 | 204.4 | 6.31 | 24.86 | 0.97 | 1449 | 211.5 | 5.71 | 23.34 | 0.78 |
| USA, Mississippi | 43669 | 374.3 | 1.85 | 45.84 | 0.26 | 38186 | 295.9 | 1.64 | 33.99 | 0.20 |
| USA, Missouri | 83729 | 327.8 | 1.19 | 39.28 | 0.16 | 83572 | 303.1 | 1.15 | 34.76 | 0.14 |
| USA, Missouri: White | 74849 | 325.9 | 1.27 | 38.90 | 0.17 | 73955 | 305.4 | 1.26 | 34.95 | 0.15 |
| USA, Missouri: Black | 7967 | 379.6 | 4.30 | 47.29 | 0.63 | 8481 | 309.3 | 3.48 | 36.01 | 0.46 |
| USA, Montana | 16167 | 327.0 | 2.76 | 39.61 | 0.37 | 14539 | 305.4 | 2.83 | 35.06 | 0.35 |
| *USA, Montana: American Indian | 539 | 300.5 | 13.10 | 36.51 | 1.91 | 602 | 293.2 | 12.12 | 34.10 | 1.69 |
| USA, Nebraska | 25597 | 333.7 | 2.19 | 40.24 | 0.31 | 24307 | 305.9 | 2.16 | 34.51 | 0.27 |
| USA, Nebraska: White | 24087 | 331.6 | 2.27 | 39.85 | 0.32 | 23010 | 308.3 | 2.27 | 34.76 | 0.28 |
| *USA, Nebraska: Black | 968 | 408.1 | 13.34 | 52.48 | 2.09 | 810 | 302.1 | 10.82 | 33.81 | 1.44 |
| USA, Nevada | 32592 | 270.9 | 1.57 | 32.33 | 0.21 | 32067 | 268.2 | 1.60 | 30.40 | 0.20 |
| USA, Nevada: White | 28222 | 282.0 | 1.78 | 33.56 | 0.24 | 26741 | 280.4 | 1.85 | 31.79 | 0.23 |
| USA, Nevada: Black | 2280 | 266.6 | 5.64 | 32.95 | 0.82 | 2280 | 240.2 | 5.12 | 27.26 | 0.67 |
| *USA, Nevada: Asian and Pacific Islander | 1582 | 159.8 | 4.17 | 18.67 | 0.57 | 2587 | 202.6 | 4.17 | 22.77 | 0.51 |
| USA, New Jersey | 127555 | 348.2 | 1.02 | 41.60 | 0.14 | 131112 | 318.9 | 0.97 | 36.07 | 0.12 |
| USA, New Jersey: White | 105214 | 355.5 | 1.17 | 42.21 | 0.16 | 107738 | 333.8 | 1.15 | 37.74 | 0.14 |
| USA, New Jersey: Black | 14449 | 357.6 | 3.02 | 44.83 | 0.45 | 15660 | 290.1 | 2.42 | 33.22 | 0.32 |
| USA, New Mexico | 22870 | 258.1 | 1.81 | 30.51 | 0.24 | 22969 | 252.8 | 1.83 | 28.65 | 0.22 |
| USA, New Mexico: White | 20546 | 259.0 | 1.94 | 30.58 | 0.26 | 20535 | 257.7 | 2.01 | 29.14 | 0.24 |
| USA, New Mexico: Non-Hispanic White | 13421 | 273.2 | 2.72 | 32.31 | 0.34 | 12558 | 265.9 | 2.93 | 30.00 | 0.32 |
| USA, New Mexico: Hispanic White | 7125 | 237.4 | 2.88 | 27.76 | 0.40 | 7977 | 247.3 | 2.89 | 27.86 | 0.37 |
| *USA, New Mexico: American Indian | 1216 | 197.1 | 5.71 | 22.46 | 0.81 | 1496 | 197.9 | 5.25 | 21.98 | 0.68 |
| USA, New York State | 279816 | 351.9 | 0.70 | 41.88 | 0.10 | 285684 | 319.6 | 0.66 | 36.08 | 0.08 |
| USA, New York State: White | 222838 | 358.6 | 0.81 | 42.33 | 0.11 | 226012 | 336.6 | 0.80 | 37.96 | 0.10 |
| USA, New York State: Black | 40357 | 372.0 | 1.88 | 46.47 | 0.27 | 41731 | 281.5 | 1.45 | 32.34 | 0.19 |
| USA, New York State: Asian and Pacific Islander | 14380 | 243.3 | 2.08 | 28.69 | 0.29 | 16049 | 246.0 | 2.01 | 26.92 | 0.25 |
| USA, North Carolina | 140710 | 348.8 | 0.97 | 42.02 | 0.13 | 135869 | 302.0 | 0.89 | 34.69 | 0.11 |
| USA, North Carolina: White | 110068 | 341.5 | 1.09 | 40.78 | 0.15 | 106095 | 309.3 | 1.05 | 35.37 | 0.13 |
| USA, North Carolina: Black | 26814 | 383.4 | 2.36 | 47.72 | 0.34 | 26173 | 286.6 | 1.84 | 33.42 | 0.24 |
| USA, North Carolina: Asian and Pacific Islander | 1101 | 156.7 | 4.81 | 18.78 | 0.71 | 1669 | 186.1 | 4.62 | 20.77 | 0.63 |
| *USA, North Carolina: American Indian | 1182 | 252.5 | 7.38 | 32.46 | 1.10 | 1051 | 195.6 | 6.21 | 23.18 | 0.84 |
| USA, North Dakota | 9883 | 326.3 | 3.46 | 39.10 | 0.49 | 9064 | 300.6 | 3.50 | 34.38 | 0.45 |
| USA, Ohio | 165749 | 336.0 | 0.87 | 40.24 | 0.12 | 165738 | 310.2 | 0.84 | 35.43 | 0.10 |
| USA, Ohio: White | 145237 | 331.1 | 0.93 | 39.44 | 0.13 | 146113 | 314.1 | 0.92 | 35.80 | 0.11 |
| USA, Ohio: Black | 16691 | 362.0 | 2.84 | 44.92 | 0.42 | 16846 | 289.8 | 2.34 | 33.69 | 0.31 |
| *USA, Ohio: Asian and Pacific Islander | 1061 | 154.1 | 4.81 | 17.89 | 0.68 | 1402 | 167.8 | 4.56 | 17.67 | 0.56 |
| USA, Oklahoma | 51032 | 326.8 | 1.51 | 39.42 | 0.21 | 48932 | 295.6 | 1.45 | 34.11 | 0.18 |
| USA, Oklahoma: White | 43376 | 324.5 | 1.66 | 39.05 | 0.23 | 41544 | 299.1 | 1.63 | 34.43 | 0.20 |
| USA, Oklahoma: Black | 3231 | 359.2 | 6.38 | 45.27 | 0.96 | 2879 | 275.4 | 5.25 | 32.16 | 0.72 |
| USA, Oklahoma: American Indian | 3360 | 305.3 | 5.31 | 35.97 | 0.75 | 3528 | 280.7 | 4.82 | 32.52 | 0.65 |
| USA, Oregon | 54958 | 308.5 | 1.39 | 36.90 | 0.19 | 54328 | 295.2 | 1.40 | 33.43 | 0.17 |
| USA, Oregon: White | 51374 | 307.7 | 1.45 | 36.70 | 0.19 | 50954 | 298.0 | 1.47 | 33.74 | 0.18 |
| *USA, Oregon: Black | 966 | 355.1 | 11.59 | 44.72 | 1.78 | 680 | 262.5 | 10.24 | 29.72 | 1.40 |
| *USA, Oregon: Asian and Pacific Islander | 1196 | 209.0 | 6.17 | 23.93 | 0.88 | 1642 | 215.6 | 5.44 | 23.05 | 0.69 |
| USA, Rhode Island | 15029 | 331.9 | 2.87 | 39.66 | 0.40 | 16099 | 322.2 | 2.83 | 36.96 | 0.35 |
| USA, Rhode Island: White | 14024 | 336.2 | 3.05 | 40.03 | 0.42 | 15087 | 331.0 | 3.06 | 37.85 | 0.38 |
| *USA, Rhode Island: Black | 647 | 281.8 | 11.25 | 36.17 | 1.73 | 602 | 226.3 | 9.50 | 27.13 | 1.37 |
| USA, South Carolina | 71359 | 343.4 | 1.35 | 41.55 | 0.18 | 65688 | 290.2 | 1.24 | 33.13 | 0.15 |
| USA, South Carolina: White | 54087 | 336.6 | 1.55 | 40.30 | 0.20 | 49451 | 298.2 | 1.50 | 33.92 | 0.18 |
| USA, South Carolina: Black | 16438 | 372.8 | 2.94 | 46.65 | 0.42 | 15389 | 274.6 | 2.31 | 31.60 | 0.30 |
| USA, South Dakota | 12145 | 325.6 | 3.13 | 38.99 | 0.44 | 11196 | 301.9 | 3.19 | 33.95 | 0.40 |
| USA, Tennessee | 95398 | 353.2 | 1.19 | 42.84 | 0.16 | 88405 | 300.5 | 1.10 | 34.53 | 0.14 |
| USA, Tennessee: White | 82222 | 351.9 | 1.30 | 42.52 | 0.17 | 75534 | 306.7 | 1.23 | 35.16 | 0.15 |
| USA, Tennessee: Black | 12286 | 383.1 | 3.49 | 47.56 | 0.51 | 11886 | 283.9 | 2.68 | 32.90 | 0.36 |
| USA, Texas | 282535 | 301.5 | 0.58 | 36.07 | 0.08 | 272813 | 267.4 | 0.54 | 30.33 | 0.07 |
| USA, Texas: White | 240747 | 301.9 | 0.63 | 35.93 | 0.09 | 230958 | 272.4 | 0.60 | 30.82 | 0.08 |
| USA, Texas: Black | 33178 | 355.4 | 1.97 | 44.34 | 0.30 | 32199 | 274.1 | 1.56 | 31.84 | 0.21 |
| USA, Texas: Asian and Pacific Islander | 6606 | 174.1 | 2.17 | 20.31 | 0.31 | 7987 | 177.4 | 2.02 | 19.40 | 0.26 |
| USA, Utah | 26381 | 286.1 | 1.80 | 34.37 | 0.26 | 24449 | 260.2 | 1.73 | 28.78 | 0.22 |
| USA, Vermont | 9474 | 317.0 | 3.51 | 37.23 | 0.46 | 9477 | 310.5 | 3.59 | 35.36 | 0.43 |
| USA, Washington State | 91295 | 310.2 | 1.07 | 36.58 | 0.15 | 91314 | 299.0 | 1.07 | 34.00 | 0.13 |
| *USA, Washington, Seattle | 63966 | 321.1 | 1.32 | 37.77 | 0.18 | 62503 | 298.6 | 1.28 | 33.70 | 0.16 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------------|-------|----------|------|--------|--------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 30366 | 346.6 | 2.13 | 41.50 | 0.28 | 29194 | 326.7 | 2.15 | 37.11 | 0.26 |
| USA, Wyoming | 7217 | 287.9 | 3.55 | 34.75 | 0.49 | 6310 | 265.6 | 3.63 | 30.30 | 0.45 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 1706 | 134.6 | 3.35 | 14.81 | 0.49 | 2311 | 169.7 | 3.65 | 18.42 | 0.49 |
| Brunei Darussalam | 1473 | 169.3 | 4.59 | 19.25 | 0.70 | 1965 | 202.9 | 4.75 | 22.75 | 0.68 |
| *China, Anfu County | 1792 | 173.2 | 4.19 | 20.74 | 0.59 | 1292 | 124.7 | 3.61 | 13.66 | 0.45 |
| *China, Anguo City | 2706 | 212.2 | 4.19 | 26.86 | 0.62 | 2276 | 170.3 | 3.65 | 20.14 | 0.51 |
| *China, Anshan City | 16472 | 217.7 | 1.87 | 25.38 | 0.26 | 14933 | 186.2 | 1.70 | 20.78 | 0.21 |
| *China, Aohan Banner, Chifeng City | 3815 | 213.7 | 3.65 | 26.14 | 0.52 | 2196 | 116.1 | 2.62 | 13.32 | 0.35 |
| *China, Arongqi | 2329 | 263.0 | 5.62 | 32.13 | 0.81 | 1720 | 201.3 | 5.03 | 23.28 | 0.70 |
| *China, Baoding City | 7061 | 199.4 | 2.46 | 21.94 | 0.33 | 6504 | 170.1 | 2.16 | 18.29 | 0.27 |
| *China, Beijing City | 78640 | 184.6 | 0.75 | 21.35 | 0.10 | 79914 | 201.6 | 0.81 | 21.82 | 0.10 |
| *China, Binhai County | 8656 | 182.4 | 2.00 | 22.54 | 0.30 | 6359 | 140.7 | 1.83 | 16.22 | 0.24 |
| *China, Cangzhou City | 2758 | 173.8 | 3.44 | 19.70 | 0.46 | 3007 | 176.6 | 3.31 | 19.52 | 0.43 |
| China, Changfeng County | 3612 | 203.4 | 3.57 | 24.56 | 0.51 | 2416 | 147.7 | 3.22 | 16.39 | 0.41 |
| China, Changzhou City | 26078 | 263.9 | 1.68 | 32.19 | 0.25 | 20032 | 193.0 | 1.43 | 21.74 | 0.19 |
| China, Chengdu City | 10287 | 271.9 | 2.77 | 30.92 | 0.38 | 7325 | 190.5 | 2.33 | 20.14 | 0.29 |
| China, Cixian County | 5082 | 308.5 | 4.49 | 38.77 | 0.66 | 3805 | 206.8 | 3.44 | 24.26 | 0.48 |
| China, Cixi City | 10799 | 214.8 | 2.21 | 25.42 | 0.30 | 8663 | 177.2 | 2.06 | 19.52 | 0.25 |
| *China, Dafeng District, Yancheng City | 8008 | 221.6 | 2.65 | 25.38 | 0.35 | 6385 | 176.9 | 2.08 | 19.23 | 0.29 |
| China, Dalian City | 29167 | 259.7 | 1.63 | 29.85 | 0.23 | 28268 | 251.8 | 1.64 | 27.46 | 0.20 |
| *China, Dancheng County | 9239 | 293.2 | 3.18 | 33.58 | 0.47 | 8851 | 258.7 | 2.86 | 29.51 | 0.42 |
| China, Dangtu County | 2735 | 215.4 | 4.34 | 26.14 | 0.60 | 1802 | 155.2 | 3.94 | 16.78 | 0.47 |
| *China, Danyang City | 10372 | 282.0 | 2.86 | 32.41 | 0.39 | 6978 | 174.9 | 2.20 | 18.92 | 0.28 |
| *China, Dawukou District, Shizuishan City | 1851 | 178.3 | 4.37 | 21.36 | 0.63 | 1503 | 144.0 | 3.92 | 16.27 | 0.50 |
| *China, Dehui City | 5084 | 169.9 | 2.44 | 20.36 | 0.34 | 5264 | 172.4 | 2.44 | 19.75 | 0.33 |
| *China, Donggang County | 5677 | 197.1 | 2.74 | 23.01 | 0.38 | 4561 | 162.5 | 2.59 | 18.49 | 0.34 |
| *China, Dongguan City | 8584 | 214.4 | 2.38 | 24.47 | 0.33 | 8072 | 181.7 | 2.13 | 19.60 | 0.26 |
| China, Donghai County | 7056 | 163.2 | 2.00 | 19.47 | 0.30 | 5222 | 132.3 | 1.91 | 14.61 | 0.26 |
| *China, Dongtai City | 9211 | 176.6 | 2.00 | 21.74 | 0.28 | 6861 | 135.5 | 1.86 | 15.63 | 0.23 |
| China, Duanzhou District, Zhaoqing City | 2675 | 218.8 | 4.46 | 24.98 | 0.59 | 2200 | 182.7 | 4.11 | 20.26 | 0.52 |
| *China, Evenki Autonomous Banner | 650 | 237.9 | 10.39 | 26.55 | 1.38 | 624 | 195.5 | 8.16 | 22.46 | 1.10 |
| *China, Faku County | 3861 | 193.4 | 3.32 | 23.36 | 0.45 | 2893 | 145.4 | 2.85 | 16.73 | 0.38 |
| *China, Fangcheng County | 4504 | 192.9 | 2.95 | 22.73 | 0.41 | 3859 | 186.8 | 3.09 | 20.31 | 0.41 |
| *China, Feicheng City | 11013 | 277.6 | 2.71 | 33.43 | 0.39 | 7193 | 169.0 | 2.11 | 18.78 | 0.27 |
| China, Feixi County | 10837 | 255.2 | 2.57 | 29.84 | 0.36 | 7324 | 180.7 | 2.27 | 19.76 | 0.28 |
| China, Fuqing City | 6345 | 229.2 | 2.96 | 27.04 | 0.43 | 5371 | 200.6 | 2.84 | 21.98 | 0.37 |
| *China, Ganyu District, Lianyungang City | 8161 | 183.6 | 2.10 | 22.47 | 0.30 | 5372 | 128.3 | 1.85 | 14.34 | 0.23 |
| *China, Ganzhou District, Zhangye City | 2787 | 304.6 | 6.35 | 38.78 | 0.85 | 1721 | 196.3 | 5.23 | 23.44 | 0.66 |
| *China, Gaocheng City | 4050 | 177.0 | 2.83 | 21.67 | 0.41 | 2868 | 118.2 | 2.31 | 13.04 | 0.29 |
| China, Gaomi City | 6349 | 205.7 | 2.67 | 24.32 | 0.38 | 4484 | 142.0 | 2.27 | 15.30 | 0.28 |
| China, Gong'an County | 7283 | 217.9 | 2.64 | 27.71 | 0.39 | 5660 | 164.6 | 2.29 | 18.63 | 0.29 |
| *China, Guang'an District, Guang'an City | 5130 | 263.7 | 3.75 | 31.92 | 0.53 | 2621 | 135.3 | 2.73 | 15.25 | 0.36 |
| China, Guanghan City | 3806 | 227.3 | 3.92 | 27.32 | 0.53 | 2066 | 117.3 | 2.76 | 13.30 | 0.35 |
| China, Guangzhou City | 68776 | 217.5 | 0.86 | 24.67 | 0.12 | 59812 | 182.6 | 0.79 | 19.63 | 0.10 |
| *China, Guanyun County | 6111 | 167.5 | 2.18 | 19.83 | 0.31 | 4662 | 137.3 | 2.06 | 14.86 | 0.26 |
| China, Guilin City | 5944 | 268.5 | 3.60 | 30.97 | 0.51 | 5083 | 210.9 | 3.06 | 23.49 | 0.41 |
| *China, Hai'an City | 10606 | 187.4 | 2.00 | 22.32 | 0.27 | 8194 | 151.5 | 1.90 | 16.99 | 0.23 |
| China, Hailar District, Hulun Buir City | 2730 | 249.6 | 5.10 | 29.82 | 0.75 | 2249 | 176.3 | 3.90 | 19.43 | 0.52 |
| China, Haimen District, Nantong City | 11565 | 222.1 | 2.23 | 25.66 | 0.30 | 9246 | 183.6 | 2.14 | 20.65 | 0.27 |
| China, Haining City | 6195 | 187.6 | 2.58 | 21.74 | 0.35 | 5680 | 179.2 | 2.60 | 19.04 | 0.30 |
| China, Hangzhou City | 67886 | 213.3 | 0.87 | 24.85 | 0.12 | 64147 | 214.2 | 0.90 | 22.75 | 0.11 |
| China, Hebi City | 2837 | 227.1 | 4.38 | 26.78 | 0.64 | 2276 | 174.0 | 3.77 | 20.07 | 0.51 |
| China, Hefei City | 21649 | 256.4 | 1.80 | 30.12 | 0.26 | 16329 | 193.1 | 1.57 | 21.29 | 0.21 |
| China, Hengdong County | 2598 | 161.7 | 3.26 | 19.49 | 0.46 | 1811 | 119.1 | 2.90 | 13.38 | 0.37 |
| *China, Hengfeng County | 1116 | 183.0 | 5.59 | 19.52 | 0.68 | 863 | 146.3 | 5.14 | 15.53 | 0.60 |
| *China, Hepu County | 7298 | 241.3 | 2.92 | 27.60 | 0.39 | 4158 | 145.3 | 2.38 | 16.37 | 0.32 |
| China, Honghu City | 5553 | 190.0 | 2.65 | 23.24 | 0.37 | 4264 | 143.4 | 2.34 | 16.04 | 0.29 |
| China, Hongshan District, Chifeng City | 2543 | 197.9 | 4.19 | 22.82 | 0.58 | 2284 | 154.7 | 3.43 | 16.89 | 0.43 |
| *China, Hongta District, Yuxi City | 2572 | 155.3 | 3.23 | 17.23 | 0.43 | 2408 | 148.8 | 3.19 | 15.79 | 0.38 |
| *China, Huaiyin District, Huai'an City | 7382 | 196.9 | 2.35 | 24.52 | 0.35 | 4920 | 137.3 | 2.08 | 15.70 | 0.28 |
| *China, Jiange County | 4207 | 252.3 | 3.97 | 31.41 | 0.59 | 2724 | 157.7 | 3.12 | 18.63 | 0.45 |
| China, Jiangmen City | 5448 | 229.1 | 3.19 | 26.31 | 0.45 | 4855 | 191.6 | 2.88 | 20.90 | 0.36 |
| *China, Jiangyin City | 13399 | 229.3 | 2.06 | 27.61 | 0.29 | 8833 | 150.1 | 1.70 | 16.79 | 0.21 |
| *China, Jiashan County | 5068 | 246.4 | 3.76 | 28.65 | 0.50 | 4548 | 239.1 | 3.92 | 25.88 | 0.45 |
| China, Jiayu County | 1384 | 184.1 | 5.08 | 22.66 | 0.73 | 1040 | 136.4 | 4.39 | 15.03 | 0.54 |
| *China, Jinan City | 20675 | 223.7 | 1.61 | 26.01 | 0.23 | 16780 | 172.8 | 1.44 | 18.70 | 0.17 |
| *China, Jingtai County | 1658 | 240.0 | 6.03 | 27.12 | 0.81 | 1292 | 182.9 | 5.28 | 20.05 | 0.67 |
| *China, Jingxian County | 2385 | 174.1 | 3.89 | 20.63 | 0.51 | 1508 | 131.1 | 3.76 | 14.47 | 0.45 |
| *China, Jintan District, Changzhou City | 6481 | 267.2 | 3.46 | 32.14 | 0.51 | 4633 | 196.3 | 3.05 | 22.51 | 0.41 |
| *China, Jiulongpo District, Chongqing City | 8271 | 250.1 | 2.87 | 29.92 | 0.40 | 5423 | 167.5 | 2.45 | 18.39 | 0.30 |
| *China, Jiyuan City | 4717 | 282.8 | 4.27 | 31.27 | 0.55 | 4245 | 235.6 | 3.69 | 25.57 | 0.47 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites (contd)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 2932 | 237.9 | 4.64 | 27.24 | 0.64 | 2181 | 176.3 | 4.03 | 19.07 | 0.53 |
| China, Kunshan City | 8556 | 250.1 | 2.83 | 28.74 | 0.39 | 7442 | 218.1 | 2.69 | 23.55 | 0.33 |
| China, Langzhong City | 5097 | 259.9 | 3.69 | 32.37 | 0.55 | 3167 | 169.3 | 3.09 | 19.44 | 0.42 |
| *China, Liangshan County | 6230 | 205.4 | 2.68 | 24.49 | 0.37 | 5165 | 175.0 | 2.58 | 19.33 | 0.32 |
| *China, Lianshui County | 8212 | 188.6 | 2.13 | 23.97 | 0.32 | 5624 | 130.7 | 1.84 | 15.43 | 0.26 |
| China, Lianyungang City | 6971 | 177.8 | 2.19 | 20.75 | 0.31 | 5561 | 142.2 | 1.99 | 15.50 | 0.25 |
| China, Linhe District, Bayannur City | 2813 | 215.0 | 4.18 | 27.21 | 0.64 | 2283 | 161.7 | 3.50 | 19.01 | 0.48 |
| China, Linqu County | 8141 | 225.4 | 2.57 | 25.88 | 0.37 | 5645 | 154.8 | 2.15 | 16.58 | 0.27 |
| *China, Linzhou City | 8839 | 251.1 | 2.76 | 30.12 | 0.39 | 7926 | 205.4 | 2.36 | 23.31 | 0.31 |
| China, Liuzhou City | 8298 | 219.4 | 2.46 | 24.63 | 0.34 | 7048 | 182.9 | 2.24 | 20.15 | 0.29 |
| China, Liyang City | 7243 | 174.2 | 2.15 | 20.53 | 0.30 | 4804 | 124.4 | 1.96 | 13.65 | 0.24 |
| *China, Longquan City | 2289 | 223.9 | 5.05 | 25.51 | 0.69 | 1833 | 207.3 | 5.15 | 21.71 | 0.64 |
| China, Lucheng District, Wenzhou City | 4762 | 243.0 | 3.70 | 28.47 | 0.52 | 4456 | 230.8 | 3.70 | 24.88 | 0.44 |
| China, Luoding City | 4148 | 178.8 | 2.83 | 21.09 | 0.40 | 2811 | 127.3 | 2.49 | 14.25 | 0.33 |
| *China, Luohe City | 8238 | 215.5 | 2.44 | 25.62 | 0.36 | 7227 | 168.3 | 2.06 | 18.70 | 0.27 |
| *China, Luoyang City | 8319 | 192.6 | 2.23 | 20.78 | 0.30 | 7208 | 164.5 | 2.04 | 17.39 | 0.25 |
| *China, Luquan City | 1812 | 154.3 | 3.69 | 19.80 | 0.56 | 1541 | 125.6 | 3.34 | 14.71 | 0.45 |
| China, Ma'anshan City | 6225 | 285.3 | 3.76 | 30.60 | 0.49 | 4394 | 189.6 | 2.95 | 20.41 | 0.38 |
| *China, Macheng City | 5412 | 226.2 | 3.15 | 28.79 | 0.46 | 3480 | 147.1 | 2.59 | 17.54 | 0.35 |
| China, Meihekou City | 3747 | 160.0 | 2.73 | 19.17 | 0.39 | 3193 | 139.3 | 2.60 | 16.08 | 0.36 |
| *China, Mengjin County | 2409 | 217.8 | 4.51 | 25.92 | 0.64 | 2279 | 190.7 | 4.13 | 21.94 | 0.56 |
| China, Nangang District, Harbin City | 7292 | 179.7 | 2.20 | 21.26 | 0.32 | 8118 | 182.9 | 2.13 | 20.35 | 0.27 |
| *China, Nanhai District, Foshan City | 7637 | 276.1 | 3.22 | 31.80 | 0.44 | 6387 | 208.1 | 2.70 | 22.28 | 0.33 |
| China, Nanhu District, Jiaxing City | 6104 | 232.9 | 3.18 | 26.36 | 0.43 | 5659 | 231.2 | 3.33 | 24.62 | 0.39 |
| *China, Nantong City | 11764 | 206.9 | 2.05 | 24.37 | 0.28 | 9263 | 161.1 | 1.84 | 17.61 | 0.22 |
| *China, Nanxiong City | 3300 | 235.5 | 4.17 | 26.80 | 0.58 | 2239 | 137.1 | 3.01 | 14.66 | 0.36 |
| China, Neixiang County | 5542 | 229.3 | 3.15 | 27.38 | 0.42 | 3747 | 158.1 | 2.69 | 17.61 | 0.33 |
| *China, Qianxi County | 2625 | 190.2 | 3.91 | 22.21 | 0.56 | 1785 | 134.5 | 3.32 | 15.13 | 0.47 |
| China, Qidong City | 13826 | 215.7 | 2.03 | 23.82 | 0.25 | 11005 | 168.9 | 1.88 | 17.98 | 0.21 |
| China, Qingzhou City | 7037 | 212.2 | 2.62 | 25.60 | 0.37 | 5334 | 160.5 | 2.36 | 18.06 | 0.30 |
| *China, Rudong County | 11880 | 183.7 | 1.94 | 21.36 | 0.25 | 9325 | 151.3 | 1.87 | 16.67 | 0.21 |
| *China, Rugao City | 15812 | 211.3 | 1.79 | 25.12 | 0.24 | 11955 | 156.8 | 1.61 | 17.59 | 0.20 |
| *China, Rural areas of Shanghai City | 107422 | 236.1 | 0.81 | 26.52 | 0.10 | 95239 | 228.9 | 0.86 | 23.96 | 0.09 |
| China, Ruyang County | 2695 | 221.1 | 4.36 | 26.79 | 0.66 | 2239 | 183.4 | 4.03 | 20.42 | 0.56 |
| *China, Shan County | 5748 | 233.5 | 3.17 | 27.67 | 0.47 | 4242 | 150.9 | 2.47 | 16.76 | 0.33 |
| China, Shanghai City | 82714 | 223.3 | 0.93 | 24.81 | 0.11 | 77545 | 230.4 | 1.03 | 24.48 | 0.11 |
| China, Shangyu District, Shaoxing City | 9287 | 268.5 | 2.98 | 31.78 | 0.41 | 7531 | 230.4 | 2.87 | 24.79 | 0.34 |
| *China, Shapingba District, Chongqing City | 7860 | 235.5 | 2.81 | 27.91 | 0.39 | 5976 | 174.6 | 2.44 | 19.22 | 0.31 |
| China, Shexian County | 3819 | 283.7 | 4.66 | 35.48 | 0.68 | 2653 | 193.8 | 3.83 | 21.79 | 0.51 |
| China, Sheyang County | 8941 | 207.1 | 2.30 | 25.03 | 0.32 | 7560 | 180.4 | 2.20 | 20.44 | 0.28 |
| *China, Shijiazhuang City | 9882 | 188.7 | 2.00 | 22.43 | 0.28 | 9051 | 174.5 | 1.95 | 19.35 | 0.24 |
| China, Shunde District, Foshan City | 10585 | 306.5 | 3.02 | 35.98 | 0.43 | 8049 | 196.0 | 2.27 | 21.05 | 0.28 |
| *China, Song County | 3453 | 212.8 | 3.68 | 26.05 | 0.55 | 2492 | 160.2 | 3.31 | 18.73 | 0.48 |
| China, Suzhou City | 34876 | 213.2 | 1.21 | 24.76 | 0.17 | 27529 | 173.4 | 1.14 | 18.73 | 0.14 |
| *China, Tengzhou City | 12983 | 233.8 | 2.11 | 28.59 | 0.31 | 9707 | 161.6 | 1.72 | 18.35 | 0.23 |
| *China, Wangdu County | 1197 | 177.1 | 5.27 | 21.83 | 0.75 | 932 | 135.4 | 4.56 | 15.66 | 0.59 |
| *China, Wanxian County | 2289 | 197.5 | 4.23 | 21.69 | 0.55 | 1643 | 139.8 | 3.55 | 14.86 | 0.45 |
| *China, Wu'an City | 5213 | 229.4 | 3.36 | 29.78 | 0.52 | 3582 | 148.5 | 2.57 | 17.92 | 0.37 |
| China, Wuhan City | 44710 | 206.6 | 1.03 | 23.65 | 0.14 | 41576 | 196.8 | 1.05 | 20.85 | 0.12 |
| *China, Wuhu City | 10600 | 194.9 | 1.99 | 23.94 | 0.28 | 7324 | 147.0 | 1.85 | 16.49 | 0.23 |
| China, Wuxi City | 25698 | 207.9 | 1.37 | 24.83 | 0.19 | 18924 | 157.3 | 1.23 | 17.50 | 0.15 |
| China, Wuzhou City | 4450 | 230.9 | 3.55 | 26.86 | 0.49 | 3139 | 162.3 | 3.02 | 17.71 | 0.38 |
| China, Xiangfu District, Kaifeng City | 4277 | 222.2 | 3.47 | 27.00 | 0.51 | 3890 | 186.4 | 3.10 | 20.75 | 0.41 |
| China, Xianju County | 5464 | 267.6 | 3.77 | 31.98 | 0.55 | 4133 | 214.7 | 3.56 | 23.54 | 0.47 |
| *China, Xin'an County | 2383 | 208.2 | 4.34 | 25.01 | 0.64 | 1821 | 160.7 | 3.90 | 18.39 | 0.53 |
| *China, Xining City | 5875 | 276.6 | 3.90 | 27.41 | 0.47 | 4568 | 186.5 | 2.90 | 18.38 | 0.33 |
| *China, Xinji City | 3530 | 132.3 | 2.33 | 16.22 | 0.33 | 3468 | 133.2 | 2.43 | 14.84 | 0.28 |
| *China, Xinluo District, Longyan City | 2485 | 202.6 | 4.24 | 23.75 | 0.60 | 2047 | 176.5 | 4.15 | 19.03 | 0.51 |
| *China, Xinzhou District, Shangrao City | 2681 | 197.9 | 3.93 | 22.79 | 0.55 | 2100 | 151.8 | 3.41 | 16.24 | 0.44 |
| China, Xiping County | 5620 | 216.2 | 3.05 | 23.65 | 0.40 | 4913 | 170.1 | 2.52 | 18.40 | 0.32 |
| *China, Xishan District, Kunming City | 2362 | 146.0 | 3.53 | 16.18 | 0.41 | 1959 | 131.3 | 3.36 | 13.78 | 0.37 |
| *China, Xuyi County | 4907 | 192.0 | 2.83 | 23.78 | 0.43 | 3129 | 121.0 | 2.29 | 14.08 | 0.32 |
| *China, Ya'an City | 10185 | 191.9 | 1.95 | 22.04 | 0.27 | 7777 | 148.0 | 1.73 | 16.81 | 0.23 |
| *China, Yakeshi City | 3572 | 234.5 | 4.38 | 26.73 | 0.58 | 2966 | 182.6 | 3.68 | 19.59 | 0.43 |
| China, Yancheng City | 13866 | 234.9 | 2.06 | 27.71 | 0.29 | 10256 | 174.6 | 1.79 | 19.57 | 0.23 |
| *China, Yangquan City | 4825 | 228.5 | 3.47 | 26.55 | 0.48 | 3540 | 161.7 | 2.83 | 18.42 | 0.38 |
| *China, Yangzhong City | 3204 | 221.0 | 4.03 | 26.43 | 0.56 | 2387 | 154.3 | 3.46 | 16.91 | 0.43 |
| *China, Yanji City | 3817 | 190.6 | 3.24 | 22.48 | 0.46 | 3002 | 128.5 | 2.54 | 14.11 | 0.32 |
| *China, Yanshi City | 3888 | 166.2 | 2.74 | 19.32 | 0.38 | 3896 | 159.7 | 2.68 | 17.61 | 0.34 |
| China, Yanting County | 7165 | 381.0 | 4.58 | 43.32 | 0.61 | 4353 | 228.5 | 3.55 | 26.15 | 0.46 |
| *China, Yi'an District, Tongling City | 2346 | 233.1 | 4.97 | 28.26 | 0.74 | 1322 | 135.7 | 3.88 | 15.60 | 0.53 |
| *China, Yingdong District, Fuyang City | 4280 | 190.6 | 3.01 | 22.75 | 0.43 | 3125 | 143.2 | 2.68 | 16.15 | 0.36 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites (contd)

| | Male | | | | | Female | | | | |
|--|---------|--------------|------|----------|------|---------|--------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 2378 | 250.4 | 5.41 | 29.87 | 0.76 | 2153 | 231.2 | 5.27 | 25.04 | 0.64 |
| *China, Yiyuan County | 4325 | 215.8 | 3.40 | 25.62 | 0.51 | 2758 | 138.4 | 2.82 | 15.03 | 0.36 |
| China, Yong'an City | 2523 | 189.4 | 3.97 | 22.43 | 0.56 | 1752 | 140.5 | 3.52 | 15.86 | 0.47 |
| *China, Yongding District, Longyan City | 3688 | 226.4 | 3.81 | 27.24 | 0.56 | 2262 | 134.3 | 2.99 | 14.57 | 0.39 |
| China, Yongkang City | 5878 | 243.0 | 3.31 | 28.45 | 0.47 | 4537 | 194.0 | 3.03 | 20.48 | 0.37 |
| *China, Yucheng County | 3515 | 180.3 | 3.09 | 21.06 | 0.43 | 4262 | 209.8 | 3.31 | 22.57 | 0.42 |
| China, Yueyanglou District, Yueyang City | 2124 | 195.0 | 4.33 | 23.37 | 0.63 | 1583 | 149.0 | 3.89 | 17.04 | 0.52 |
| China, Yunmeng County | 4053 | 259.3 | 4.38 | 30.26 | 0.56 | 3547 | 205.2 | 3.58 | 22.30 | 0.43 |
| *China, Yunyang District, Shiyuan City | 2397 | 216.8 | 4.56 | 28.63 | 0.73 | 1499 | 141.4 | 3.76 | 16.38 | 0.54 |
| China, Yuzhong District, Chongqing City | 5914 | 265.2 | 3.72 | 33.17 | 0.58 | 4570 | 189.7 | 3.13 | 22.11 | 0.43 |
| *China, Zanhuang County | 1881 | 220.3 | 5.17 | 27.23 | 0.76 | 1348 | 160.0 | 4.48 | 18.66 | 0.60 |
| *China, Zhangjiagang City | 11182 | 244.3 | 2.45 | 28.80 | 0.34 | 8607 | 186.9 | 2.20 | 20.39 | 0.26 |
| *China, Zhaoyuan City | 6993 | 252.6 | 3.20 | 28.62 | 0.42 | 4946 | 177.9 | 2.78 | 19.36 | 0.33 |
| *China, Zhengding County | 2464 | 186.6 | 3.82 | 22.99 | 0.56 | 1869 | 128.9 | 3.08 | 14.32 | 0.39 |
| *China, Zhongshan City | 13492 | 258.5 | 2.27 | 30.27 | 0.32 | 10347 | 181.6 | 1.84 | 19.93 | 0.24 |
| China, Zhongxiang City | 5927 | 177.9 | 2.40 | 21.35 | 0.35 | 5001 | 144.2 | 2.14 | 16.44 | 0.28 |
| *China, Zhuanghe City | 8885 | 200.4 | 2.30 | 23.55 | 0.31 | 7745 | 188.4 | 2.31 | 20.74 | 0.28 |
| *China, Zhuhai City | 7875 | 222.3 | 2.59 | 25.94 | 0.38 | 6998 | 191.2 | 2.39 | 20.83 | 0.32 |
| India, Ahmedabad, Urban | 12263 | 101.3 | 0.94 | 11.80 | 0.13 | 9309 | 79.3 | 0.84 | 8.96 | 0.11 |
| India, Aurangabad | 2057 | 72.7 | 1.65 | 8.64 | 0.24 | 2123 | 76.4 | 1.70 | 8.87 | 0.23 |
| India, Bangalore | 14689 | 129.8 | 1.10 | 15.63 | 0.16 | 18003 | 159.5 | 1.22 | 18.76 | 0.17 |
| India, Barshi, Paranda, and Bhum | 742 | 50.9 | 1.92 | 6.06 | 0.25 | 832 | 61.5 | 2.18 | 6.89 | 0.26 |
| *India, Bhopal | 2836 | 105.1 | 2.02 | 12.35 | 0.28 | 2837 | 110.3 | 2.12 | 12.96 | 0.29 |
| India, Chandigarh | 2204 | 94.4 | 2.09 | 11.23 | 0.31 | 2206 | 100.9 | 2.22 | 12.09 | 0.33 |
| *India, Chennai | 15061 | 122.7 | 1.02 | 13.91 | 0.14 | 17647 | 137.0 | 1.05 | 15.73 | 0.14 |
| India, Dibrugarh | 2523 | 89.3 | 1.83 | 10.77 | 0.27 | 2327 | 78.0 | 1.67 | 9.02 | 0.23 |
| *India, Dindigul, Ambilikai | 3780 | 61.5 | 1.01 | 6.98 | 0.13 | 4938 | 76.8 | 1.10 | 8.48 | 0.13 |
| India, Kamrup Urban District | 5218 | 218.8 | 3.12 | 26.25 | 0.46 | 4010 | 173.7 | 2.86 | 20.50 | 0.41 |
| India, Kollam | 8221 | 131.4 | 1.47 | 16.08 | 0.21 | 8087 | 109.6 | 1.25 | 12.19 | 0.16 |
| *India, Manipur | 3024 | 63.4 | 1.19 | 7.84 | 0.19 | 3664 | 71.1 | 1.21 | 8.37 | 0.18 |
| India, Meghalaya | 4887 | 180.1 | 2.71 | 21.13 | 0.38 | 2961 | 98.1 | 1.87 | 11.56 | 0.26 |
| India, Mizoram | 3545 | 209.6 | 3.62 | 24.90 | 0.53 | 3058 | 174.3 | 3.26 | 20.52 | 0.48 |
| India, Mumbai | 34379 | 110.4 | 0.61 | 12.57 | 0.09 | 35519 | 116.6 | 0.63 | 13.33 | 0.09 |
| *India, New Delhi | 32378 | 149.2 | 0.86 | 17.57 | 0.13 | 29645 | 139.3 | 0.83 | 15.97 | 0.11 |
| India, Poona | 10395 | 85.5 | 0.85 | 10.01 | 0.12 | 11770 | 98.3 | 0.92 | 11.50 | 0.13 |
| *India, Sangrur District | 1788 | 67.3 | 1.61 | 7.89 | 0.21 | 1851 | 74.1 | 1.74 | 8.29 | 0.22 |
| India, SAS Nagar | 2020 | 82.6 | 1.88 | 9.83 | 0.25 | 2230 | 97.0 | 2.09 | 11.16 | 0.27 |
| *India, Tamil Nadu | 140367 | 70.3 | 0.19 | 8.13 | 0.03 | 177160 | 83.7 | 0.20 | 9.33 | 0.02 |
| *India, Tripura | 5382 | 82.2 | 1.14 | 10.02 | 0.17 | 4046 | 59.1 | 0.95 | 6.72 | 0.13 |
| India, Trivandrum | 11075 | 140.1 | 1.35 | 16.53 | 0.19 | 11841 | 130.3 | 1.22 | 14.59 | 0.16 |
| India, Wardha | 2539 | 67.3 | 1.36 | 7.75 | 0.18 | 2689 | 72.7 | 1.42 | 8.04 | 0.17 |
| India, West Arunachal | 983 | 101.0 | 3.60 | 12.59 | 0.56 | 912 | 92.9 | 3.41 | 10.43 | 0.48 |
| *Iran (Islamic Republic of), Ardabil Province | 3371 | 180.5 | 3.26 | 20.84 | 0.49 | 2614 | 137.2 | 2.75 | 15.46 | 0.39 |
| *Iran (Islamic Republic of), Golestan Province | 4108 | 178.2 | 2.88 | 20.52 | 0.43 | 4123 | 158.9 | 2.54 | 17.19 | 0.34 |
| Israel | 67747 | 262.0 | 1.04 | 30.93 | 0.15 | 73292 | 259.9 | 1.02 | 29.35 | 0.13 |
| *Israel: Jews | 57499 | 262.6 | 1.15 | 30.87 | 0.16 | 62584 | 269.3 | 1.17 | 30.43 | 0.15 |
| *Israel: Arabs | 6793 | 227.7 | 2.84 | 27.38 | 0.43 | 6666 | 193.9 | 2.43 | 21.68 | 0.34 |
| Japan | 1553325 | 311.5 | 0.29 | 36.87 | 0.04 | 1143837 | 234.3 | 0.28 | 25.65 | 0.03 |
| Japan, Aichi Prefecture | 80923 | 301.2 | 1.20 | 35.71 | 0.16 | 56877 | 224.1 | 1.15 | 24.61 | 0.13 |
| *Japan, Akita Prefecture | 16697 | 358.0 | 3.45 | 42.60 | 0.45 | 12157 | 255.7 | 3.38 | 27.78 | 0.36 |
| Japan, Aomori Prefecture | 33014 | 360.5 | 2.36 | 42.97 | 0.32 | 25335 | 264.9 | 2.29 | 28.85 | 0.25 |
| Japan, Gunma Prefecture | 24742 | 302.8 | 2.24 | 35.92 | 0.30 | 17471 | 228.0 | 2.24 | 24.81 | 0.25 |
| Japan, Hiroshima Prefecture | 55392 | 364.0 | 1.84 | 43.34 | 0.25 | 39844 | 264.9 | 1.74 | 29.26 | 0.20 |
| Japan, Miyagi Prefecture | 50615 | 337.9 | 1.73 | 40.49 | 0.24 | 37486 | 257.9 | 1.71 | 28.17 | 0.19 |
| Japan, Osaka Prefecture | 114002 | 339.8 | 1.16 | 40.61 | 0.16 | 80771 | 242.7 | 1.07 | 26.77 | 0.12 |
| Kuwait | 6161 | 94.1 | 1.52 | 10.93 | 0.23 | 7559 | 139.9 | 1.84 | 16.19 | 0.27 |
| *Kuwait: Kuwaitis | 2624 | 138.0 | 2.84 | 16.09 | 0.43 | 4123 | 166.7 | 2.67 | 18.79 | 0.37 |
| *Kuwait: Non-Kuwaitis | 3537 | 77.8 | 2.06 | 8.90 | 0.29 | 3436 | 121.0 | 2.83 | 14.07 | 0.44 |
| *Philippines, Manila | 16806 | 165.5 | 1.37 | 18.94 | 0.20 | 26439 | 184.1 | 1.16 | 20.53 | 0.16 |
| *Qatar: Qatari | 680 | 159.1 | 6.43 | 18.15 | 0.96 | 874 | 179.8 | 6.40 | 20.96 | 0.91 |
| Republic of Korea | 592003 | 304.6 | 0.41 | 35.56 | 0.06 | 545403 | 261.2 | 0.38 | 27.36 | 0.04 |
| *Republic of Korea, Busan | 45514 | 313.3 | 1.54 | 36.53 | 0.20 | 43021 | 283.1 | 1.48 | 29.69 | 0.16 |
| *Republic of Korea, Daegu | 28155 | 306.9 | 1.91 | 35.67 | 0.26 | 28361 | 278.5 | 1.78 | 28.72 | 0.20 |
| *Republic of Korea, Daejeon | 15629 | 303.1 | 2.50 | 35.82 | 0.35 | 15489 | 269.3 | 2.27 | 28.14 | 0.27 |
| *Republic of Korea, Gwangju | 14405 | 295.6 | 2.54 | 34.69 | 0.35 | 14604 | 262.0 | 2.28 | 27.25 | 0.27 |
| Republic of Korea, Incheon | 29737 | 288.2 | 1.73 | 33.68 | 0.24 | 29029 | 254.4 | 1.57 | 26.97 | 0.19 |
| Republic of Korea, Jeju | 7016 | 301.5 | 3.75 | 35.28 | 0.51 | 5990 | 233.7 | 3.35 | 24.12 | 0.38 |
| Republic of Korea, Seoul | 109881 | 298.8 | 0.93 | 34.69 | 0.13 | 105107 | 263.1 | 0.85 | 27.61 | 0.10 |
| Republic of Korea, Ulsan | 11369 | 305.4 | 3.04 | 35.29 | 0.42 | 11723 | 280.5 | 2.71 | 29.70 | 0.33 |
| Singapore | 34934 | 236.7 | 1.31 | 27.22 | 0.19 | 36295 | 225.1 | 1.24 | 24.26 | 0.16 |
| Singapore: Chinese | 29114 | 243.8 | 1.49 | 27.94 | 0.21 | 29722 | 228.1 | 1.41 | 24.54 | 0.17 |
| Singapore: Indian | 1618 | 154.4 | 4.03 | 18.24 | 0.62 | 1969 | 185.1 | 4.31 | 20.76 | 0.59 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites (contd)

| | Male | | | | | Female | | | | |
|--|--------|--------------|------|----------|------|--------|--------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 3158 | 210.2 | 3.87 | 23.84 | 0.58 | 3728 | 218.6 | 3.69 | 23.75 | 0.48 |
| Thailand, Bangkok | 21648 | 127.7 | 0.90 | 15.04 | 0.13 | 27411 | 125.0 | 0.78 | 13.97 | 0.11 |
| *Thailand, Chiang Mai | 9682 | 172.1 | 1.83 | 20.17 | 0.26 | 10272 | 160.6 | 1.69 | 17.66 | 0.22 |
| *Thailand, Khon Kaen | 8211 | 136.8 | 1.56 | 15.53 | 0.20 | 7897 | 118.5 | 1.42 | 13.00 | 0.17 |
| Thailand, Lampang | 5254 | 174.5 | 2.56 | 20.44 | 0.36 | 5123 | 157.5 | 2.39 | 17.59 | 0.30 |
| Thailand, Lopburi Province | 5083 | 222.0 | 3.20 | 24.35 | 0.42 | 5280 | 204.7 | 2.91 | 21.63 | 0.35 |
| *Thailand, Songkhla | 6090 | 147.3 | 1.94 | 17.25 | 0.28 | 5954 | 124.3 | 1.67 | 13.66 | 0.21 |
| Turkey, Antalya | 15373 | 253.1 | 2.07 | 30.66 | 0.31 | 12067 | 181.9 | 1.69 | 19.96 | 0.22 |
| Turkey, Bursa | 18782 | 239.7 | 1.77 | 29.09 | 0.26 | 13205 | 150.7 | 1.34 | 16.50 | 0.17 |
| *Turkey, Edirne | 5072 | 324.4 | 4.69 | 39.21 | 0.67 | 3442 | 216.9 | 3.92 | 24.08 | 0.48 |
| *Turkey, Erzurum | 5166 | 280.0 | 3.96 | 33.91 | 0.58 | 4016 | 197.6 | 3.21 | 21.50 | 0.40 |
| Turkey, Eskişehir | 7260 | 273.1 | 3.25 | 33.97 | 0.48 | 5939 | 205.8 | 2.75 | 22.76 | 0.34 |
| Turkey, Gaziantep | 7932 | 229.4 | 2.65 | 27.37 | 0.39 | 6727 | 165.2 | 2.06 | 18.27 | 0.28 |
| *Turkey, Izmir | 41745 | 318.8 | 1.58 | 38.26 | 0.23 | 33110 | 228.2 | 1.30 | 24.92 | 0.16 |
| Turkey, Malatya | 4725 | 215.1 | 3.20 | 25.08 | 0.46 | 3599 | 151.5 | 2.61 | 16.33 | 0.33 |
| Turkey, Samsun | 11354 | 279.0 | 2.65 | 33.77 | 0.38 | 7950 | 180.2 | 2.09 | 19.75 | 0.26 |
| Turkey, Trabzon | 7933 | 319.3 | 3.66 | 37.96 | 0.53 | 6088 | 219.6 | 2.98 | 23.33 | 0.36 |
| Europe | | | | | | | | | | |
| Austria | 110046 | 276.0 | 0.90 | 33.24 | 0.12 | 97026 | 221.2 | 0.82 | 24.90 | 0.10 |
| Austria, Carinthia | 9346 | 329.7 | 3.71 | 40.10 | 0.51 | 7919 | 258.3 | 3.39 | 29.02 | 0.40 |
| Austria, Tyrol | 11202 | 343.2 | 3.50 | 40.51 | 0.47 | 9598 | 282.2 | 3.28 | 30.58 | 0.38 |
| Austria, Vorarlberg | 5370 | 310.0 | 4.53 | 35.90 | 0.62 | 4554 | 243.0 | 4.10 | 26.89 | 0.50 |
| Belarus | 118444 | 375.0 | 1.12 | 46.48 | 0.17 | 117021 | 249.7 | 0.81 | 28.60 | 0.10 |
| *Belgium | 254881 | 474.8 | 1.02 | 56.81 | 0.14 | 232637 | 418.7 | 0.99 | 47.74 | 0.12 |
| Croatia | 65567 | 338.3 | 1.42 | 40.65 | 0.19 | 56627 | 252.1 | 1.24 | 28.29 | 0.15 |
| Cyprus | 9573 | 270.5 | 2.93 | 32.34 | 0.40 | 8953 | 261.0 | 2.95 | 28.26 | 0.34 |
| *Czech Republic | 208051 | 425.1 | 0.97 | 51.38 | 0.14 | 185425 | 326.8 | 0.86 | 37.52 | 0.11 |
| Denmark | 138696 | 495.3 | 1.43 | 58.94 | 0.19 | 131981 | 465.0 | 1.44 | 53.25 | 0.18 |
| Estonia | 22270 | 415.2 | 2.92 | 50.56 | 0.42 | 22491 | 286.5 | 2.30 | 32.16 | 0.28 |
| Finland | 104553 | 359.4 | 1.21 | 41.33 | 0.17 | 101176 | 321.5 | 1.20 | 36.18 | 0.15 |
| *France, Bas-Rhin | 14077 | 356.6 | 3.20 | 42.97 | 0.45 | 11710 | 275.1 | 2.88 | 31.07 | 0.36 |
| *France, Calvados | 11899 | 361.3 | 3.60 | 43.59 | 0.50 | 9914 | 273.8 | 3.25 | 30.76 | 0.39 |
| *France, Doubs | 8575 | 347.7 | 4.06 | 42.52 | 0.57 | 6812 | 262.5 | 3.66 | 29.22 | 0.44 |
| *France, Gironde | 25222 | 368.7 | 2.49 | 44.71 | 0.35 | 21837 | 290.7 | 2.24 | 32.51 | 0.27 |
| *France, Haut-Rhin | 12532 | 345.9 | 3.33 | 41.50 | 0.46 | 10067 | 263.2 | 3.02 | 29.31 | 0.37 |
| *France, Hérault | 18970 | 355.8 | 2.84 | 43.42 | 0.38 | 15764 | 275.8 | 2.55 | 30.90 | 0.30 |
| *France, Isère | 18634 | 342.1 | 2.69 | 41.57 | 0.37 | 15972 | 280.5 | 2.51 | 31.36 | 0.30 |
| *France, Lille-Métropole | 10902 | 390.8 | 3.88 | 47.73 | 0.56 | 9725 | 289.8 | 3.24 | 32.61 | 0.41 |
| *France, Limousin | 7282 | 363.7 | 4.80 | 43.74 | 0.65 | 5389 | 259.1 | 4.27 | 29.00 | 0.50 |
| *France, Loire-Atlantique | 21994 | 383.2 | 2.74 | 46.94 | 0.39 | 17591 | 271.8 | 2.33 | 30.54 | 0.29 |
| *France, Manche | 9142 | 334.3 | 3.92 | 41.26 | 0.55 | 7278 | 258.1 | 3.74 | 28.77 | 0.43 |
| *France, Poitou-Charentes | 34404 | 354.1 | 2.16 | 43.14 | 0.29 | 26518 | 270.7 | 2.02 | 30.21 | 0.23 |
| *France, Somme | 8967 | 351.4 | 3.96 | 43.18 | 0.56 | 7450 | 273.1 | 3.62 | 30.74 | 0.43 |
| *France, Tarn | 7025 | 322.6 | 4.45 | 39.09 | 0.60 | 5821 | 263.6 | 4.31 | 28.99 | 0.49 |
| *France, Territoire de Belfort | 1805 | 345.9 | 8.76 | 41.63 | 1.24 | 1450 | 253.7 | 7.68 | 28.19 | 0.94 |
| *France, Vendée | 13182 | 373.4 | 3.64 | 46.08 | 0.49 | 9706 | 272.0 | 3.36 | 30.07 | 0.38 |
| Germany, Baden-Württemberg | 101450 | 295.2 | 1.02 | 35.83 | 0.15 | 92004 | 258.6 | 0.99 | 29.50 | 0.12 |
| Germany, Bavaria | 189044 | 287.3 | 0.73 | 34.31 | 0.10 | 168851 | 242.8 | 0.69 | 27.23 | 0.08 |
| Germany, Bremen | 14719 | 404.0 | 3.71 | 48.09 | 0.52 | 13394 | 335.1 | 3.48 | 38.38 | 0.44 |
| Germany, Hamburg | 26952 | 312.2 | 2.09 | 37.79 | 0.29 | 26778 | 285.3 | 2.02 | 32.64 | 0.25 |
| Germany, Lower Saxony | 200210 | 440.0 | 1.11 | 50.80 | 0.15 | 174716 | 365.7 | 1.06 | 41.10 | 0.13 |
| Germany, North Rhine-Westphalia | 427023 | 441.1 | 0.76 | 51.75 | 0.10 | 390809 | 379.7 | 0.72 | 42.90 | 0.09 |
| Germany, Rhineland-Palatinate | 93716 | 415.2 | 1.52 | 48.80 | 0.21 | 82052 | 350.1 | 1.46 | 39.38 | 0.18 |
| Germany, Saarland | 24576 | 421.2 | 3.05 | 50.13 | 0.42 | 22306 | 364.1 | 2.98 | 41.32 | 0.36 |
| Germany, Schleswig-Holstein | 74712 | 444.7 | 1.85 | 52.63 | 0.25 | 66709 | 379.5 | 1.77 | 43.23 | 0.22 |
| Iceland | 4915 | 356.3 | 5.35 | 41.38 | 0.76 | 4985 | 364.9 | 5.58 | 41.12 | 0.73 |
| Ireland | 90391 | 498.6 | 1.72 | 58.56 | 0.24 | 75084 | 392.1 | 1.53 | 43.93 | 0.20 |
| *Italy, Aosta Valley | 2269 | 390.6 | 9.23 | 46.39 | 1.25 | 1920 | 305.2 | 8.60 | 33.09 | 1.01 |
| *Italy, Avellino | 4705 | 358.6 | 5.98 | 42.14 | 0.80 | 3686 | 270.5 | 5.30 | 29.36 | 0.62 |
| Italy, Basilicata | 10701 | 339.4 | 3.81 | 39.17 | 0.51 | 8702 | 276.4 | 3.59 | 29.71 | 0.41 |
| *Italy, Benevento | 4365 | 358.1 | 6.15 | 42.82 | 0.86 | 3503 | 275.0 | 5.64 | 30.36 | 0.67 |
| Italy, Bergamo | 23791 | 421.3 | 3.00 | 49.09 | 0.41 | 20079 | 338.7 | 2.81 | 37.12 | 0.33 |
| *Italy, Brescia | 21285 | 359.6 | 2.72 | 42.38 | 0.37 | 19053 | 302.8 | 2.60 | 33.50 | 0.31 |
| Italy, Brianza (Lecco and Monza e Brianza) | 12483 | 327.9 | 3.31 | 38.50 | 0.44 | 10805 | 266.7 | 3.05 | 29.27 | 0.36 |
| Italy, Calabria | 8637 | 313.1 | 3.78 | 37.14 | 0.51 | 7103 | 258.3 | 3.58 | 28.51 | 0.42 |
| *Italy, Caserta | 12004 | 382.7 | 3.72 | 45.34 | 0.52 | 9918 | 296.7 | 3.32 | 32.48 | 0.40 |
| *Italy, Catania, Messina, and Enna | 32473 | 344.0 | 2.13 | 40.85 | 0.29 | 27694 | 280.6 | 1.96 | 31.05 | 0.23 |
| Italy, Emilia-Romagna | 86866 | 420.8 | 1.66 | 49.05 | 0.22 | 76805 | 361.8 | 1.61 | 40.16 | 0.19 |
| Italy, Friuli-Venezia Giulia | 30164 | 409.2 | 2.75 | 48.72 | 0.36 | 27350 | 356.0 | 2.69 | 39.85 | 0.31 |
| Italy, Genova | 16397 | 376.5 | 3.57 | 44.06 | 0.46 | 15118 | 321.8 | 3.44 | 35.51 | 0.39 |
| *Italy, Lombardy, South, Pavia | 11907 | 376.5 | 3.98 | 44.57 | 0.54 | 10669 | 312.8 | 3.74 | 35.17 | 0.45 |
| Italy, Mantova and Cremona | 10807 | 319.0 | 3.49 | 38.30 | 0.47 | 10018 | 277.4 | 3.42 | 30.69 | 0.40 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|---------|--------------|-------|----------|------|---------|--------------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 30686 | 425.6 | 2.84 | 49.49 | 0.38 | 25772 | 346.9 | 2.67 | 38.18 | 0.31 |
| Italy, Milan | 65206 | 354.6 | 1.58 | 41.74 | 0.21 | 60215 | 298.5 | 1.48 | 33.16 | 0.17 |
| Italy, Molise | 4017 | 378.4 | 6.99 | 44.00 | 0.92 | 3249 | 308.7 | 6.80 | 33.23 | 0.76 |
| *Italy, Naples Centre | 10982 | 417.9 | 4.27 | 50.58 | 0.60 | 9750 | 322.8 | 3.75 | 35.98 | 0.44 |
| *Italy, Naples North | 12374 | 392.4 | 3.65 | 46.92 | 0.51 | 9989 | 293.6 | 3.12 | 32.76 | 0.39 |
| *Italy, Naples South | 18474 | 394.0 | 3.09 | 46.74 | 0.43 | 15035 | 303.0 | 2.75 | 33.59 | 0.33 |
| *Italy, Nuoro | 2396 | 341.0 | 7.88 | 39.76 | 1.05 | 2094 | 292.4 | 7.75 | 32.37 | 0.89 |
| *Italy, Palermo | 19897 | 325.3 | 2.55 | 38.58 | 0.35 | 16772 | 261.1 | 2.32 | 29.10 | 0.28 |
| Italy, Puglia | 78472 | 373.6 | 1.49 | 43.81 | 0.20 | 63871 | 299.5 | 1.39 | 32.75 | 0.16 |
| *Italy, Ragusa and Caltanissetta | 9783 | 331.0 | 3.74 | 39.26 | 0.52 | 7743 | 261.4 | 3.46 | 28.71 | 0.41 |
| *Italy, Salerno | 14374 | 332.0 | 3.09 | 38.52 | 0.42 | 12062 | 273.2 | 2.91 | 29.82 | 0.34 |
| Italy, Sassari | 3943 | 364.6 | 6.47 | 42.65 | 0.86 | 3308 | 298.4 | 6.09 | 32.18 | 0.70 |
| *Italy, Sondrio | 5058 | 439.9 | 6.86 | 51.11 | 0.92 | 4132 | 334.1 | 6.44 | 36.45 | 0.75 |
| Italy, South Tyrol | 8846 | 338.0 | 4.00 | 40.32 | 0.56 | 7118 | 251.2 | 3.53 | 27.87 | 0.43 |
| *Italy, Syracuse | 6937 | 333.4 | 4.46 | 39.41 | 0.60 | 5316 | 261.2 | 4.10 | 29.33 | 0.48 |
| Italy, Trento | 12230 | 431.1 | 4.33 | 50.82 | 0.59 | 11070 | 365.1 | 4.15 | 40.22 | 0.50 |
| Italy, Turin | 40368 | 309.2 | 1.79 | 36.91 | 0.24 | 33785 | 249.2 | 1.68 | 27.63 | 0.19 |
| *Italy, Tuscany | 55975 | 466.3 | 2.33 | 54.34 | 0.30 | 49069 | 394.9 | 2.23 | 43.50 | 0.25 |
| Italy, Umbria | 16735 | 392.1 | 3.57 | 46.19 | 0.48 | 14048 | 314.3 | 3.33 | 34.29 | 0.39 |
| Italy, Varese | 9107 | 310.2 | 3.66 | 36.65 | 0.50 | 7420 | 236.9 | 3.34 | 26.27 | 0.39 |
| Italy, Veneto | 109078 | 411.3 | 1.40 | 47.98 | 0.19 | 96529 | 347.7 | 1.35 | 38.18 | 0.16 |
| Latvia | 27909 | 352.3 | 2.22 | 43.45 | 0.32 | 29461 | 254.2 | 1.76 | 28.62 | 0.21 |
| *Liechtenstein | 531 | 297.5 | 13.52 | 35.66 | 1.86 | 497 | 270.4 | 13.45 | 30.17 | 1.64 |
| *Lithuania | 48312 | 421.3 | 2.02 | 53.13 | 0.29 | 43510 | 262.1 | 1.49 | 29.34 | 0.17 |
| Malta | 5772 | 268.3 | 3.79 | 31.05 | 0.50 | 5335 | 245.3 | 3.85 | 27.14 | 0.45 |
| *The Netherlands | 300090 | 361.7 | 0.71 | 43.03 | 0.10 | 266326 | 320.8 | 0.69 | 37.33 | 0.09 |
| Norway | 88428 | 377.6 | 1.34 | 44.78 | 0.19 | 75676 | 315.5 | 1.28 | 35.83 | 0.16 |
| Poland, Kielce | 15507 | 281.2 | 2.38 | 34.41 | 0.35 | 13471 | 211.8 | 2.08 | 24.55 | 0.26 |
| *Portugal, Azores | 3006 | 419.3 | 7.86 | 50.81 | 1.14 | 2285 | 272.2 | 6.14 | 30.87 | 0.79 |
| Russian Federation, Arkhangelsk | 12501 | 334.6 | 3.10 | 41.14 | 0.48 | 14446 | 241.8 | 2.23 | 27.46 | 0.28 |
| Russian Federation, Kaliningrad | 8085 | 263.8 | 3.01 | 32.75 | 0.46 | 10481 | 223.4 | 2.40 | 26.00 | 0.30 |
| Russian Federation, Karelia | 6504 | 323.3 | 4.17 | 40.32 | 0.66 | 7963 | 244.2 | 3.07 | 27.91 | 0.39 |
| *Russian Federation, Komi Republic | 8411 | 360.4 | 4.17 | 44.51 | 0.66 | 9906 | 261.7 | 2.80 | 29.81 | 0.37 |
| Russian Federation, Murmansk | 7296 | 363.3 | 4.47 | 45.91 | 0.71 | 8955 | 258.6 | 2.92 | 29.38 | 0.37 |
| *Russian Federation, Orenburg | 22249 | 348.3 | 2.41 | 42.85 | 0.37 | 26305 | 281.2 | 1.90 | 31.66 | 0.24 |
| Russian Federation, Pskov | 7044 | 305.9 | 3.78 | 37.73 | 0.56 | 8871 | 243.5 | 2.98 | 27.89 | 0.36 |
| *Russian Federation, Samara | 35845 | 331.9 | 1.80 | 41.81 | 0.27 | 43597 | 261.6 | 1.40 | 30.28 | 0.17 |
| Russian Federation, Vologda Region | 10576 | 276.1 | 2.74 | 34.26 | 0.34 | 12921 | 220.4 | 2.13 | 25.03 | 0.23 |
| Slovenia | 40436 | 409.3 | 2.17 | 48.92 | 0.30 | 33828 | 302.4 | 1.91 | 33.91 | 0.23 |
| Spain, Asturias | 12250 | 357.2 | 3.67 | 43.04 | 0.49 | 8862 | 224.2 | 3.01 | 24.75 | 0.34 |
| Spain, Basque Country | 33716 | 383.5 | 2.31 | 47.00 | 0.32 | 23705 | 251.3 | 1.94 | 27.70 | 0.23 |
| Spain, Canary Islands | 18298 | 313.7 | 2.45 | 38.62 | 0.35 | 13856 | 218.8 | 2.04 | 24.14 | 0.25 |
| Spain, Castellón | 8783 | 322.7 | 3.75 | 39.89 | 0.53 | 5868 | 207.7 | 3.10 | 22.82 | 0.37 |
| Spain, Girona | 14578 | 405.8 | 3.68 | 47.65 | 0.52 | 11089 | 295.6 | 3.22 | 32.92 | 0.41 |
| Spain, Granada | 16269 | 389.6 | 3.32 | 46.44 | 0.47 | 12892 | 294.7 | 2.94 | 32.87 | 0.36 |
| Spain, La Rioja | 5282 | 324.8 | 4.96 | 39.89 | 0.70 | 3606 | 215.6 | 4.23 | 23.95 | 0.52 |
| Spain, Murcia | 19665 | 334.7 | 2.55 | 41.01 | 0.37 | 14045 | 227.1 | 2.12 | 25.08 | 0.26 |
| Spain, Navarra | 11923 | 469.8 | 4.72 | 57.23 | 0.68 | 8847 | 333.2 | 4.14 | 37.06 | 0.51 |
| Spain, Salamanca | 7124 | 338.1 | 4.82 | 41.04 | 0.66 | 5098 | 238.8 | 4.29 | 26.27 | 0.50 |
| Spain, Tarragona | 17313 | 439.7 | 3.64 | 52.24 | 0.52 | 12762 | 319.9 | 3.26 | 35.55 | 0.40 |
| *Sweden | 159865 | 315.2 | 0.87 | 37.91 | 0.12 | 136691 | 273.5 | 0.85 | 31.52 | 0.11 |
| Switzerland, Aargau | 10002 | 321.5 | 3.44 | 38.16 | 0.48 | 7737 | 240.4 | 3.08 | 26.77 | 0.38 |
| Switzerland, Basel | 8029 | 322.1 | 4.06 | 38.08 | 0.55 | 6977 | 254.4 | 3.63 | 29.11 | 0.45 |
| Switzerland, Berne Solothurn | 15943 | 370.8 | 3.23 | 43.83 | 0.44 | 12458 | 270.3 | 2.87 | 30.24 | 0.35 |
| Switzerland, East | 14163 | 353.0 | 3.17 | 42.31 | 0.44 | 10830 | 260.0 | 2.85 | 29.13 | 0.35 |
| *Switzerland, Fribourg | 5699 | 436.9 | 6.07 | 51.69 | 0.85 | 4563 | 337.3 | 5.45 | 38.79 | 0.70 |
| Switzerland, Geneva | 8156 | 390.1 | 4.67 | 46.22 | 0.66 | 7413 | 300.2 | 3.98 | 33.72 | 0.51 |
| *Switzerland, Graubünden and Glarus | 4362 | 343.8 | 5.72 | 40.14 | 0.77 | 3255 | 243.8 | 4.96 | 27.81 | 0.63 |
| *Switzerland, Lucerne | 9635 | 386.4 | 4.23 | 45.72 | 0.59 | 8058 | 315.5 | 4.01 | 35.30 | 0.50 |
| *Switzerland, Neuchâtel and Jura | 5670 | 463.9 | 6.72 | 54.68 | 0.93 | 5011 | 368.1 | 6.06 | 42.16 | 0.77 |
| Switzerland, Ticino | 6089 | 325.5 | 4.69 | 38.47 | 0.62 | 5443 | 275.6 | 4.51 | 30.63 | 0.52 |
| Switzerland, Valais | 7585 | 452.4 | 5.62 | 53.47 | 0.77 | 6022 | 343.1 | 5.04 | 38.71 | 0.62 |
| Switzerland, Vaud | 16803 | 501.9 | 4.10 | 59.99 | 0.59 | 15246 | 402.7 | 3.66 | 46.16 | 0.47 |
| Switzerland, Zurich and Zug | 21960 | 309.1 | 2.25 | 36.97 | 0.31 | 18558 | 244.6 | 2.02 | 27.63 | 0.25 |
| Ukraine | 331196 | 268.4 | 0.48 | 33.27 | 0.07 | 357629 | 206.8 | 0.38 | 23.60 | 0.05 |
| UK, England | 1179506 | 435.3 | 0.44 | 49.79 | 0.06 | 1026630 | 367.1 | 0.41 | 41.03 | 0.05 |
| UK, Northern Ireland | 35283 | 428.0 | 2.42 | 48.65 | 0.34 | 31382 | 352.8 | 2.23 | 39.32 | 0.28 |
| UK, Scotland | 113728 | 424.1 | 1.36 | 48.76 | 0.19 | 105855 | 362.1 | 1.27 | 40.49 | 0.16 |
| UK, Wales | 72976 | 426.4 | 1.76 | 48.61 | 0.24 | 61767 | 355.9 | 1.68 | 39.93 | 0.21 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 125140 | 366.0 | 1.10 | 43.31 | 0.15 | 103183 | 298.2 | 1.02 | 33.60 | 0.13 |
| *Australia, Northern Territory | 2402 | 349.2 | 7.26 | 42.72 | 1.06 | 1818 | 284.2 | 6.77 | 32.23 | 0.94 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

All sites (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------------|-------|----------|------|--------|--------------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 2055 | 357.5 | 8.04 | 43.76 | 1.15 | 1394 | 285.7 | 7.78 | 32.08 | 1.06 |
| *Australia, Northern Territory: Indigenous | 337 | 289.3 | 17.27 | 34.38 | 2.60 | 412 | 277.7 | 14.28 | 32.50 | 2.09 |
| *Australia, Queensland | 84609 | 429.3 | 1.55 | 50.50 | 0.21 | 66061 | 335.4 | 1.40 | 37.52 | 0.18 |
| Australia, South Australia | 27974 | 351.5 | 2.28 | 41.26 | 0.31 | 23275 | 285.2 | 2.10 | 32.37 | 0.26 |
| Australia, Tasmania | 9887 | 384.2 | 4.19 | 44.96 | 0.56 | 7978 | 312.3 | 3.94 | 34.96 | 0.48 |
| *Australia, Victoria | 90610 | 359.1 | 1.27 | 42.00 | 0.18 | 75720 | 290.3 | 1.15 | 32.63 | 0.15 |
| *Australia, Western Australia | 36100 | 363.6 | 1.99 | 42.71 | 0.28 | 28923 | 287.9 | 1.80 | 32.17 | 0.23 |
| *France, New Caledonia | 2476 | 311.3 | 6.31 | 37.88 | 0.92 | 2220 | 270.8 | 5.86 | 30.95 | 0.78 |
| New Zealand | 61704 | 324.1 | 1.38 | 38.22 | 0.19 | 56550 | 283.7 | 1.29 | 31.24 | 0.16 |
| *New Zealand: Maori | 5776 | 379.3 | 5.10 | 44.99 | 0.73 | 6987 | 386.3 | 4.67 | 44.28 | 0.65 |
| *New Zealand: Pacific peoples | 2104 | 336.3 | 7.50 | 39.95 | 1.08 | 2673 | 365.8 | 7.15 | 40.73 | 0.95 |
| *New Zealand: Other | 51606 | 333.7 | 1.62 | 39.31 | 0.22 | 44043 | 279.8 | 1.53 | 30.58 | 0.18 |
| USA, Hawaii | 17780 | 283.3 | 2.26 | 33.69 | 0.31 | 17523 | 282.9 | 2.37 | 31.93 | 0.28 |
| USA, Hawaii: White | 6410 | 322.0 | 4.46 | 37.89 | 0.56 | 4942 | 306.1 | 5.00 | 33.68 | 0.57 |
| *USA, Hawaii: Japanese | 3652 | 239.3 | 5.04 | 28.10 | 0.63 | 3935 | 270.6 | 5.89 | 30.39 | 0.64 |
| *USA, Hawaii: Chinese | 985 | 236.0 | 9.15 | 27.60 | 1.17 | 1028 | 224.7 | 8.44 | 24.77 | 0.98 |
| *USA, Hawaii: Hawaiian | 2466 | 273.5 | 5.56 | 33.09 | 0.80 | 3001 | 315.6 | 5.90 | 36.88 | 0.77 |
| *USA, Hawaii: Filipino | 2532 | 257.8 | 5.37 | 30.73 | 0.76 | 2742 | 246.3 | 5.10 | 27.61 | 0.61 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites except non-melanoma skin

| | Male | | | | | Female | | | | |
|--|---------|--------|-------|----------|------|---------|--------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 1450 | 102.5 | 2.82 | 11.51 | 0.39 | 1936 | 130.4 | 3.10 | 13.62 | 0.38 |
| *Algeria, Tizi Ouzou | 2405 | 156.3 | 3.31 | 19.26 | 0.49 | 2792 | 158.7 | 3.13 | 17.11 | 0.38 |
| *Benin, Cotonou | 502 | 94.3 | 4.67 | 11.35 | 0.74 | 687 | 86.9 | 3.57 | 9.85 | 0.50 |
| *France, La Réunion | 5624 | 267.2 | 3.62 | 32.55 | 0.53 | 4609 | 187.1 | 2.87 | 20.52 | 0.37 |
| *Kenya, Eldoret | 1023 | 93.1 | 3.17 | 11.15 | 0.49 | 1272 | 109.2 | 3.32 | 12.60 | 0.48 |
| *Kenya, Nairobi | 3951 | 158.5 | 3.06 | 18.47 | 0.47 | 5543 | 210.0 | 3.43 | 25.44 | 0.54 |
| Mauritius | 4694 | 116.3 | 1.73 | 13.16 | 0.23 | 6766 | 153.5 | 1.91 | 17.16 | 0.24 |
| *Morocco, Casablanca | 10349 | 100.0 | 1.01 | 12.05 | 0.15 | 14375 | 121.3 | 1.03 | 13.35 | 0.13 |
| *Seychelles | 557 | 211.4 | 9.10 | 24.11 | 1.33 | 518 | 161.0 | 7.38 | 17.76 | 1.00 |
| *South Africa, Eastern Cape | 899 | 84.3 | 2.92 | 9.41 | 0.38 | 2103 | 132.5 | 3.02 | 14.25 | 0.36 |
| *Uganda, Kyadondo County | 3715 | 177.7 | 3.72 | 21.40 | 0.61 | 4830 | 175.0 | 3.12 | 20.18 | 0.46 |
| *Uganda, Gulu | 579 | 107.8 | 5.16 | 11.85 | 0.74 | 741 | 113.0 | 4.49 | 11.51 | 0.56 |
| *Zimbabwe, Bulawayo: African | 1962 | 230.2 | 5.51 | 23.43 | 0.80 | 2975 | 258.8 | 5.02 | 28.73 | 0.71 |
| *Zimbabwe, Harare: African | 4930 | 306.0 | 4.83 | 33.38 | 0.75 | 5828 | 282.3 | 4.07 | 32.67 | 0.60 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 5392 | 236.2 | 3.27 | 28.35 | 0.47 | 5316 | 198.3 | 2.89 | 22.27 | 0.37 |
| *Argentina, Mendoza | 10988 | 212.0 | 2.07 | 25.14 | 0.30 | 12294 | 204.8 | 1.94 | 22.81 | 0.25 |
| Brazil, Aracaju | 2457 | 243.9 | 5.00 | 29.04 | 0.75 | 3193 | 204.8 | 3.70 | 22.12 | 0.48 |
| *Brazil, Barretos | 2967 | 221.2 | 4.13 | 27.05 | 0.60 | 2573 | 171.3 | 3.52 | 18.65 | 0.43 |
| Brazil, Belo Horizonte | 18066 | 257.3 | 1.95 | 31.16 | 0.28 | 19167 | 200.3 | 1.51 | 22.12 | 0.19 |
| *Brazil, Campinas | 6974 | 301.2 | 3.67 | 35.62 | 0.53 | 7101 | 236.8 | 2.90 | 26.24 | 0.39 |
| *Brazil, Curitiba | 7940 | 202.6 | 2.31 | 23.46 | 0.33 | 9090 | 172.8 | 1.88 | 18.89 | 0.24 |
| Brazil, Goiânia | 6245 | 244.9 | 3.15 | 29.39 | 0.48 | 6351 | 183.3 | 2.34 | 20.26 | 0.31 |
| *Brazil, Jái | 905 | 214.6 | 7.27 | 26.09 | 1.07 | 866 | 171.3 | 6.02 | 19.58 | 0.80 |
| Brazil, João Pessoa | 2179 | 216.3 | 4.70 | 25.18 | 0.69 | 2875 | 190.8 | 3.64 | 20.85 | 0.48 |
| Brazil, Recife | 4899 | 204.6 | 2.96 | 24.03 | 0.43 | 6999 | 188.0 | 2.34 | 20.70 | 0.30 |
| Chile, Region of Antofagasta | 1987 | 206.9 | 4.72 | 23.31 | 0.69 | 1917 | 184.9 | 4.30 | 20.29 | 0.58 |
| Chile, Valdivia | 2935 | 218.3 | 4.16 | 25.33 | 0.59 | 2822 | 187.3 | 3.76 | 21.12 | 0.49 |
| Colombia, Bucaramanga | 5135 | 175.0 | 2.48 | 19.57 | 0.36 | 6717 | 180.2 | 2.26 | 19.35 | 0.29 |
| Colombia, Cali | 12734 | 217.5 | 1.95 | 24.18 | 0.28 | 15533 | 198.0 | 1.62 | 21.41 | 0.21 |
| Colombia, Manizales | 2523 | 185.2 | 3.73 | 20.63 | 0.52 | 3141 | 187.7 | 3.41 | 19.78 | 0.42 |
| Colombia, Pasto | 1601 | 150.5 | 3.86 | 17.03 | 0.55 | 2136 | 163.5 | 3.64 | 17.18 | 0.46 |
| Costa Rica | 13811 | 140.0 | 1.21 | 16.39 | 0.18 | 16875 | 159.5 | 1.25 | 17.68 | 0.17 |
| Ecuador, Guayaquil | 7620 | 141.7 | 1.67 | 16.02 | 0.25 | 10142 | 163.1 | 1.66 | 18.08 | 0.23 |
| Ecuador, Manabí | 3750 | 103.3 | 1.73 | 11.21 | 0.24 | 4192 | 117.9 | 1.85 | 12.33 | 0.24 |
| Ecuador, Quito | 8737 | 212.7 | 2.31 | 23.77 | 0.35 | 11467 | 227.7 | 2.16 | 24.13 | 0.28 |
| *France, Guadeloupe | 4986 | 291.8 | 4.37 | 36.93 | 0.63 | 3285 | 171.7 | 3.31 | 19.03 | 0.39 |
| *France, Martinique | 5295 | 297.9 | 4.39 | 38.37 | 0.63 | 3391 | 170.4 | 3.32 | 18.98 | 0.40 |
| *Peru, Lima | 26612 | 190.5 | 1.19 | 20.45 | 0.17 | 33128 | 198.6 | 1.11 | 21.16 | 0.15 |
| *Trinidad and Tobago | 3779 | 155.1 | 2.55 | 18.57 | 0.39 | 4096 | 157.0 | 2.50 | 18.37 | 0.35 |
| USA, Puerto Rico | 40715 | 271.4 | 1.46 | 32.95 | 0.19 | 37226 | 234.8 | 1.37 | 25.70 | 0.15 |
| *Uruguay | 36025 | 292.5 | 1.61 | 35.01 | 0.23 | 34230 | 231.6 | 1.39 | 25.67 | 0.17 |
| North America | | | | | | | | | | |
| Canada, Alberta | 46732 | 304.1 | 1.45 | 35.98 | 0.21 | 43162 | 275.0 | 1.40 | 31.55 | 0.19 |
| Canada, British Columbia | 65543 | 277.8 | 1.17 | 32.44 | 0.16 | 61619 | 257.6 | 1.16 | 29.27 | 0.15 |
| *Canada, Manitoba | 16779 | 301.0 | 2.45 | 35.64 | 0.35 | 16519 | 283.1 | 2.42 | 32.70 | 0.31 |
| *Canada, New Brunswick | 12922 | 323.0 | 3.05 | 39.06 | 0.42 | 11782 | 287.9 | 3.03 | 33.09 | 0.37 |
| *Canada, Newfoundland and Labrador | 9383 | 340.1 | 3.76 | 41.16 | 0.51 | 8696 | 316.6 | 3.76 | 36.43 | 0.46 |
| Canada, Ontario | 194186 | 316.0 | 0.77 | 36.94 | 0.11 | 195266 | 303.4 | 0.76 | 34.35 | 0.09 |
| *Canada, Prince Edward Island | 2415 | 323.8 | 7.10 | 38.44 | 0.97 | 2226 | 281.9 | 6.73 | 32.59 | 0.85 |
| Canada, Quebec | 139859 | 341.4 | 0.98 | 40.02 | 0.13 | 134062 | 319.3 | 0.98 | 36.56 | 0.12 |
| Canada, Saskatchewan | 14662 | 297.2 | 2.60 | 35.69 | 0.38 | 13769 | 271.7 | 2.56 | 31.80 | 0.34 |
| *Canada, Yukon | 431 | 292.6 | 14.78 | 31.54 | 1.87 | 360 | 253.6 | 13.78 | 29.82 | 1.94 |
| USA | 4218065 | 324.0 | 0.17 | 38.77 | 0.02 | 4140350 | 295.0 | 0.16 | 33.56 | 0.02 |
| USA: White | 3553843 | 323.2 | 0.18 | 38.45 | 0.02 | 3472235 | 301.9 | 0.18 | 34.27 | 0.02 |
| USA: Black | 465525 | 363.3 | 0.54 | 45.40 | 0.08 | 458206 | 281.0 | 0.43 | 32.55 | 0.06 |
| USA, NPCR | 4081944 | 324.5 | 0.17 | 38.84 | 0.02 | 4006135 | 295.2 | 0.16 | 33.59 | 0.02 |
| USA, NPCR: White | 3439032 | 323.6 | 0.18 | 38.50 | 0.03 | 3360624 | 302.1 | 0.18 | 34.30 | 0.02 |
| USA, NPCR: Black | 459797 | 363.7 | 0.54 | 45.44 | 0.08 | 452991 | 281.3 | 0.43 | 32.59 | 0.06 |
| USA, NPCR: Asian and Pacific Islander | 108691 | 190.0 | 0.59 | 22.18 | 0.08 | 140046 | 205.6 | 0.57 | 22.66 | 0.07 |
| USA, NPCR: American Indian | 19481 | 172.4 | 1.24 | 20.73 | 0.18 | 20935 | 166.1 | 1.16 | 19.25 | 0.16 |
| *USA, SEER (18 registries) | 1072722 | 311.6 | 0.31 | 37.24 | 0.04 | 1055348 | 282.0 | 0.30 | 31.93 | 0.04 |
| *USA, SEER (18 registries): White | 859673 | 314.2 | 0.36 | 37.31 | 0.05 | 838338 | 291.0 | 0.35 | 32.92 | 0.04 |
| *USA, SEER (18 registries): Non-Hispanic White | 754668 | 330.0 | 0.41 | 39.10 | 0.05 | 716490 | 303.4 | 0.41 | 34.22 | 0.05 |
| *USA, SEER (18 registries): Hispanic White | 105005 | 240.9 | 0.76 | 28.46 | 0.11 | 121848 | 241.7 | 0.71 | 27.26 | 0.10 |
| *USA, SEER (18 registries): Black | 118105 | 359.0 | 1.06 | 44.92 | 0.16 | 112852 | 271.6 | 0.83 | 31.40 | 0.11 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 67150 | 196.6 | 0.79 | 22.95 | 0.11 | 84485 | 212.5 | 0.77 | 23.54 | 0.10 |
| *USA, SEER (9 registries) | 371908 | 312.9 | 0.53 | 37.24 | 0.07 | 366718 | 285.2 | 0.51 | 32.22 | 0.06 |
| *USA, SEER (9 registries): White | 295686 | 315.6 | 0.61 | 37.37 | 0.08 | 286805 | 294.7 | 0.61 | 33.21 | 0.07 |
| *USA, SEER (9 registries): Black | 40188 | 369.7 | 1.86 | 45.97 | 0.27 | 38712 | 274.0 | 1.43 | 31.58 | 0.19 |
| USA, Alabama | 69583 | 348.3 | 1.38 | 42.04 | 0.19 | 62599 | 284.5 | 1.25 | 32.34 | 0.15 |
| USA, Alabama: White | 52813 | 337.6 | 1.57 | 40.33 | 0.21 | 47496 | 290.1 | 1.50 | 32.79 | 0.18 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites except non-melanoma skin (contd)

| | Male | | | | | Female | | | | |
|--|--------|--------------|-------|----------|------|--------|--------------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 15214 | 378.0 | 3.10 | 46.93 | 0.45 | 14110 | 272.9 | 2.39 | 31.57 | 0.31 |
| USA, Alaska | 7522 | 287.0 | 3.36 | 33.76 | 0.47 | 6971 | 284.4 | 3.50 | 32.23 | 0.46 |
| *USA, Alaska: Alaska Natives | 1100 | 335.9 | 10.22 | 39.43 | 1.48 | 1291 | 363.1 | 10.30 | 40.77 | 1.36 |
| USA, Arizona | 80262 | 273.2 | 1.03 | 32.45 | 0.14 | 77416 | 258.3 | 1.02 | 29.18 | 0.12 |
| USA, Arizona: White | 74647 | 279.5 | 1.11 | 33.10 | 0.15 | 71423 | 267.3 | 1.12 | 30.13 | 0.13 |
| USA, Arizona: Black | 2501 | 266.6 | 5.39 | 33.10 | 0.80 | 2263 | 226.0 | 4.81 | 26.03 | 0.66 |
| *USA, Arizona: Asian and Pacific Islander | 1042 | 144.9 | 4.57 | 16.90 | 0.66 | 1657 | 170.7 | 4.29 | 18.41 | 0.54 |
| USA, Arizona: American Indian | 1525 | 165.3 | 4.27 | 18.85 | 0.61 | 1809 | 162.9 | 3.89 | 18.18 | 0.51 |
| USA, Arkansas | 44935 | 360.5 | 1.79 | 43.76 | 0.24 | 39755 | 300.0 | 1.65 | 34.41 | 0.20 |
| USA, Arkansas: White | 38329 | 352.0 | 1.92 | 42.52 | 0.26 | 33848 | 300.3 | 1.83 | 34.36 | 0.22 |
| USA, Arkansas: Black | 5681 | 412.8 | 5.53 | 51.59 | 0.81 | 4913 | 289.0 | 4.25 | 33.68 | 0.57 |
| USA, California | 415128 | 283.7 | 0.46 | 33.62 | 0.06 | 426267 | 269.2 | 0.44 | 30.46 | 0.06 |
| USA, California: White | 331940 | 292.9 | 0.53 | 34.50 | 0.07 | 336806 | 281.9 | 0.52 | 31.90 | 0.07 |
| USA, California: Black | 27310 | 313.2 | 1.93 | 38.85 | 0.28 | 26688 | 259.6 | 1.65 | 30.27 | 0.22 |
| USA, California: Asian and Pacific Islander | 42755 | 191.6 | 0.97 | 22.38 | 0.14 | 55591 | 212.9 | 0.96 | 23.59 | 0.12 |
| *USA, California, Los Angeles County | 93737 | 261.5 | 0.88 | 31.13 | 0.13 | 100345 | 249.8 | 0.84 | 28.23 | 0.11 |
| *USA, California, Los Angeles County: White | 67992 | 264.1 | 1.05 | 31.26 | 0.15 | 72254 | 258.0 | 1.02 | 29.17 | 0.13 |
| *USA, California, Los Angeles County: Non-Hispanic White | 43547 | 300.8 | 1.60 | 35.54 | 0.21 | 42465 | 293.9 | 1.66 | 33.14 | 0.20 |
| *USA, California, Los Angeles County: Hispanic White | 24445 | 219.7 | 1.43 | 25.88 | 0.21 | 29789 | 223.0 | 1.32 | 25.11 | 0.18 |
| *USA, California, Los Angeles County: Black | 9868 | 302.3 | 3.12 | 37.13 | 0.45 | 10490 | 250.9 | 2.60 | 29.04 | 0.34 |
| *USA, California, Los Angeles County: Chinese | 3018 | 136.2 | 2.77 | 15.34 | 0.37 | 3619 | 148.6 | 2.76 | 15.91 | 0.32 |
| *USA, California, Los Angeles County: Filipino | 2506 | 182.3 | 3.79 | 22.07 | 0.54 | 4047 | 219.9 | 3.75 | 25.03 | 0.44 |
| *USA, California, Los Angeles County: Korean | 1766 | 175.1 | 4.50 | 20.68 | 0.62 | 1896 | 164.3 | 4.19 | 18.28 | 0.50 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 11977 | 185.9 | 1.81 | 21.70 | 0.25 | 15601 | 209.1 | 1.81 | 23.29 | 0.22 |
| *USA, California, San Francisco Bay Area | 52143 | 280.0 | 1.29 | 33.00 | 0.18 | 53242 | 262.3 | 1.23 | 29.50 | 0.15 |
| *USA, California, San Francisco Bay Area: White | 36062 | 296.0 | 1.65 | 34.57 | 0.22 | 35630 | 281.2 | 1.64 | 31.64 | 0.20 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 30674 | 306.3 | 1.91 | 35.72 | 0.25 | 29508 | 291.1 | 1.95 | 32.61 | 0.23 |
| *USA, California, San Francisco Bay Area: Hispanic White | 5388 | 254.4 | 3.58 | 29.48 | 0.54 | 6122 | 246.5 | 3.26 | 27.99 | 0.45 |
| *USA, California, San Francisco Bay Area: Black | 4958 | 338.7 | 4.91 | 42.12 | 0.71 | 4671 | 267.7 | 4.13 | 31.24 | 0.55 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 9737 | 200.5 | 2.15 | 23.20 | 0.30 | 12237 | 214.4 | 2.09 | 23.66 | 0.26 |
| USA, Colorado | 57136 | 273.8 | 1.18 | 32.33 | 0.16 | 58228 | 267.9 | 1.18 | 30.19 | 0.15 |
| USA, Colorado: White | 52612 | 271.9 | 1.23 | 32.02 | 0.17 | 54517 | 273.2 | 1.25 | 30.71 | 0.16 |
| *USA, Colorado: Black | 2170 | 290.8 | 6.35 | 34.40 | 0.93 | 1779 | 235.1 | 5.69 | 27.60 | 0.80 |
| *USA, Colorado: Asian and Pacific Islander | 889 | 176.2 | 6.03 | 20.64 | 0.87 | 1304 | 186.6 | 5.30 | 20.75 | 0.71 |
| USA, Connecticut | 50203 | 325.2 | 1.54 | 38.97 | 0.21 | 51282 | 302.6 | 1.49 | 34.40 | 0.18 |
| USA, Connecticut: White | 44186 | 321.1 | 1.65 | 38.30 | 0.22 | 45056 | 304.4 | 1.64 | 34.63 | 0.20 |
| USA, Connecticut: Black | 4005 | 340.0 | 5.44 | 42.72 | 0.81 | 3994 | 255.3 | 4.16 | 29.53 | 0.56 |
| USA, District of Columbia | 6619 | 315.0 | 3.99 | 38.28 | 0.56 | 7474 | 294.2 | 3.63 | 33.85 | 0.47 |
| USA, District of Columbia: White | 2190 | 236.8 | 5.37 | 27.68 | 0.73 | 2304 | 250.6 | 5.63 | 28.31 | 0.71 |
| USA, District of Columbia: Black | 4042 | 360.9 | 5.85 | 44.58 | 0.83 | 4830 | 315.2 | 4.91 | 36.67 | 0.63 |
| USA, Florida | 330353 | 338.9 | 0.65 | 40.62 | 0.09 | 307575 | 301.1 | 0.62 | 34.19 | 0.07 |
| USA, Florida: White | 284561 | 336.6 | 0.71 | 40.17 | 0.09 | 262804 | 304.6 | 0.70 | 34.52 | 0.08 |
| USA, Florida: Black | 32953 | 325.8 | 1.81 | 40.34 | 0.26 | 32921 | 265.6 | 1.51 | 30.25 | 0.20 |
| USA, Florida: Asian and Pacific Islander | 3180 | 155.8 | 2.83 | 18.24 | 0.39 | 4449 | 174.3 | 2.69 | 19.43 | 0.33 |
| USA, Georgia | 129874 | 354.7 | 1.01 | 42.92 | 0.14 | 122435 | 295.7 | 0.89 | 33.70 | 0.11 |
| USA, Georgia: White | 93084 | 350.7 | 1.20 | 41.99 | 0.16 | 86328 | 309.8 | 1.15 | 35.09 | 0.14 |
| USA, Georgia: Black | 34111 | 386.7 | 2.11 | 48.30 | 0.31 | 33122 | 280.2 | 1.57 | 32.30 | 0.21 |
| USA, Georgia: Asian and Pacific Islander | 2183 | 191.1 | 4.16 | 22.09 | 0.58 | 2633 | 193.5 | 3.84 | 21.00 | 0.49 |
| *USA, Georgia, Atlanta | 38195 | 339.1 | 1.75 | 40.74 | 0.25 | 37803 | 278.3 | 1.48 | 31.49 | 0.19 |
| *USA, Georgia, Atlanta: White | 22386 | 331.3 | 2.27 | 39.24 | 0.32 | 21844 | 299.0 | 2.15 | 33.57 | 0.27 |
| *USA, Georgia, Atlanta: Black | 14130 | 380.9 | 3.24 | 47.06 | 0.48 | 14127 | 267.7 | 2.28 | 30.65 | 0.31 |
| USA, Idaho | 21326 | 307.0 | 2.21 | 36.24 | 0.30 | 19741 | 288.5 | 2.22 | 32.45 | 0.28 |
| USA, Indiana | 89184 | 334.8 | 1.17 | 39.89 | 0.16 | 87339 | 303.1 | 1.12 | 34.78 | 0.14 |
| USA, Indiana: White | 81461 | 333.4 | 1.23 | 39.52 | 0.17 | 79778 | 307.3 | 1.20 | 35.18 | 0.15 |
| USA, Indiana: Black | 6521 | 370.4 | 4.63 | 46.38 | 0.69 | 6429 | 283.0 | 3.63 | 32.94 | 0.49 |
| *USA, Iowa | 45482 | 338.2 | 1.69 | 40.21 | 0.23 | 42594 | 304.4 | 1.66 | 34.44 | 0.20 |
| USA, Kentucky | 69709 | 382.6 | 1.51 | 45.70 | 0.21 | 66880 | 341.2 | 1.44 | 39.05 | 0.18 |
| USA, Louisiana | 67112 | 373.3 | 1.49 | 45.49 | 0.21 | 59072 | 299.1 | 1.32 | 34.35 | 0.17 |
| USA, Louisiana: White | 47691 | 365.1 | 1.76 | 43.89 | 0.24 | 41527 | 305.5 | 1.66 | 34.88 | 0.20 |
| USA, Louisiana: Black | 18703 | 411.8 | 3.04 | 51.95 | 0.45 | 16848 | 297.2 | 2.37 | 34.49 | 0.31 |
| *USA, Louisiana, New Orleans | 11901 | 353.8 | 3.35 | 43.36 | 0.47 | 10972 | 288.5 | 2.97 | 33.14 | 0.38 |
| *USA, Louisiana, New Orleans: White | 7029 | 337.1 | 4.27 | 40.59 | 0.58 | 6556 | 298.8 | 4.14 | 34.30 | 0.51 |
| *USA, Louisiana, New Orleans: Black | 4482 | 387.8 | 5.89 | 48.91 | 0.85 | 4116 | 279.2 | 4.53 | 32.12 | 0.59 |
| USA, Maine | 22030 | 329.3 | 2.42 | 38.83 | 0.32 | 22092 | 320.7 | 2.47 | 36.44 | 0.29 |
| USA, Maryland | 76706 | 326.7 | 1.22 | 39.39 | 0.17 | 78809 | 296.1 | 1.14 | 33.79 | 0.14 |
| USA, Maryland: White | 53448 | 327.6 | 1.50 | 39.01 | 0.21 | 53677 | 312.0 | 1.50 | 35.43 | 0.18 |
| USA, Maryland: Black | 20455 | 356.6 | 2.52 | 44.51 | 0.37 | 21658 | 283.2 | 1.99 | 32.76 | 0.26 |
| USA, Maryland: Asian and Pacific Islander | 2407 | 181.0 | 3.78 | 21.13 | 0.53 | 3122 | 201.6 | 3.71 | 22.00 | 0.46 |
| USA, Massachusetts | 90572 | 321.8 | 1.13 | 38.32 | 0.16 | 97587 | 310.6 | 1.09 | 35.53 | 0.14 |
| USA, Massachusetts: White | 80916 | 321.3 | 1.20 | 38.10 | 0.16 | 87771 | 316.0 | 1.19 | 36.13 | 0.15 |
| USA, Massachusetts: Black | 5181 | 319.9 | 4.49 | 39.76 | 0.67 | 5325 | 260.9 | 3.67 | 30.32 | 0.50 |
| USA, Massachusetts: Asian and Pacific Islander | 2486 | 202.6 | 4.16 | 23.69 | 0.61 | 3027 | 210.1 | 3.92 | 23.45 | 0.52 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites except non-melanoma skin (contd)

| | Male | | | | | Female | | | | |
|---|--------|--------------|-------|----------|------|--------|--------------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 138702 | 323.1 | 0.92 | 38.42 | 0.12 | 134785 | 294.2 | 0.88 | 33.43 | 0.11 |
| USA, Michigan: White | 117893 | 315.4 | 0.98 | 37.22 | 0.13 | 114678 | 296.7 | 0.99 | 33.58 | 0.12 |
| USA, Michigan: Black | 16672 | 377.9 | 2.96 | 47.01 | 0.43 | 16600 | 290.1 | 2.35 | 33.65 | 0.31 |
| USA, Michigan: Asian and Pacific Islander | 1403 | 163.6 | 4.44 | 18.58 | 0.63 | 1780 | 179.2 | 4.32 | 19.69 | 0.56 |
| *USA, Michigan, Detroit | 55647 | 352.5 | 1.56 | 42.18 | 0.22 | 54917 | 305.9 | 1.43 | 34.65 | 0.18 |
| *USA, Michigan, Detroit: White | 41867 | 345.9 | 1.80 | 41.00 | 0.25 | 41019 | 315.9 | 1.76 | 35.54 | 0.21 |
| *USA, Michigan, Detroit: Black | 12395 | 402.2 | 3.67 | 49.81 | 0.52 | 12454 | 296.2 | 2.78 | 34.19 | 0.36 |
| USA, Minnesota | 75600 | 331.5 | 1.27 | 39.55 | 0.18 | 73031 | 307.7 | 1.25 | 35.00 | 0.16 |
| USA, Minnesota: White | 70573 | 330.5 | 1.33 | 39.29 | 0.18 | 68223 | 310.2 | 1.33 | 35.19 | 0.16 |
| USA, Minnesota: Black | 2572 | 377.1 | 7.74 | 47.04 | 1.19 | 2174 | 286.5 | 6.28 | 33.55 | 0.90 |
| *USA, Minnesota: Asian and Pacific Islander | 1098 | 203.5 | 6.29 | 24.75 | 0.96 | 1442 | 210.5 | 5.70 | 23.24 | 0.78 |
| USA, Mississippi | 43529 | 373.1 | 1.85 | 45.73 | 0.26 | 38096 | 295.2 | 1.64 | 33.91 | 0.20 |
| USA, Missouri | 83471 | 326.8 | 1.19 | 39.18 | 0.16 | 83415 | 302.5 | 1.15 | 34.70 | 0.14 |
| USA, Missouri: White | 74609 | 324.9 | 1.27 | 38.79 | 0.17 | 73819 | 304.9 | 1.25 | 34.89 | 0.15 |
| USA, Missouri: Black | 7953 | 378.8 | 4.30 | 47.21 | 0.63 | 8463 | 308.5 | 3.48 | 35.93 | 0.46 |
| USA, Montana | 16031 | 324.6 | 2.75 | 39.34 | 0.37 | 14464 | 304.0 | 2.82 | 34.93 | 0.35 |
| *USA, Montana: American Indian | 535 | 298.5 | 13.06 | 36.26 | 1.90 | 597 | 290.7 | 12.07 | 33.95 | 1.69 |
| USA, Nebraska | 25472 | 332.1 | 2.19 | 40.09 | 0.31 | 24227 | 304.8 | 2.16 | 34.41 | 0.27 |
| USA, Nebraska: White | 23970 | 330.1 | 2.26 | 39.70 | 0.31 | 22938 | 307.3 | 2.26 | 34.66 | 0.28 |
| *USA, Nebraska: Black | 962 | 406.1 | 13.32 | 52.37 | 2.09 | 804 | 299.7 | 10.77 | 33.59 | 1.43 |
| USA, Nevada | 32481 | 270.0 | 1.57 | 32.22 | 0.21 | 31992 | 267.5 | 1.60 | 30.33 | 0.20 |
| USA, Nevada: White | 28123 | 280.9 | 1.77 | 33.44 | 0.24 | 26682 | 279.8 | 1.85 | 31.72 | 0.23 |
| USA, Nevada: Black | 2272 | 265.7 | 5.64 | 32.87 | 0.82 | 2272 | 239.1 | 5.11 | 27.18 | 0.67 |
| *USA, Nevada: Asian and Pacific Islander | 1580 | 159.6 | 4.17 | 18.64 | 0.56 | 2581 | 202.1 | 4.16 | 22.71 | 0.51 |
| USA, New Jersey | 126971 | 346.6 | 1.02 | 41.44 | 0.14 | 130674 | 317.8 | 0.97 | 35.97 | 0.12 |
| USA, New Jersey: White | 104716 | 353.8 | 1.17 | 42.04 | 0.16 | 107381 | 332.8 | 1.15 | 37.64 | 0.14 |
| USA, New Jersey: Black | 14401 | 356.2 | 3.01 | 44.70 | 0.45 | 15610 | 289.0 | 2.41 | 33.12 | 0.32 |
| USA, New Mexico | 22763 | 256.9 | 1.80 | 30.38 | 0.24 | 22881 | 251.8 | 1.83 | 28.55 | 0.22 |
| USA, New Mexico: White | 20452 | 257.9 | 1.94 | 30.47 | 0.26 | 20462 | 256.8 | 2.00 | 29.05 | 0.24 |
| USA, New Mexico: Non-Hispanic White | 13348 | 271.7 | 2.71 | 32.17 | 0.34 | 12510 | 264.9 | 2.92 | 29.91 | 0.32 |
| USA, New Mexico: Hispanic White | 7104 | 236.7 | 2.88 | 27.70 | 0.40 | 7952 | 246.4 | 2.89 | 27.76 | 0.37 |
| *USA, New Mexico: American Indian | 1210 | 196.1 | 5.70 | 22.40 | 0.81 | 1486 | 196.4 | 5.22 | 21.81 | 0.68 |
| USA, New York State | 278635 | 350.4 | 0.70 | 41.73 | 0.10 | 284730 | 318.5 | 0.66 | 35.98 | 0.08 |
| USA, New York State: White | 221836 | 357.0 | 0.81 | 42.17 | 0.11 | 225258 | 335.6 | 0.80 | 37.85 | 0.10 |
| USA, New York State: Black | 40231 | 370.8 | 1.88 | 46.34 | 0.27 | 41599 | 280.5 | 1.45 | 32.23 | 0.19 |
| USA, New York State: Asian and Pacific Islander | 14337 | 242.5 | 2.08 | 28.61 | 0.29 | 16002 | 245.2 | 2.01 | 26.84 | 0.25 |
| USA, North Carolina | 140099 | 347.3 | 0.96 | 41.87 | 0.13 | 135503 | 301.2 | 0.88 | 34.62 | 0.11 |
| USA, North Carolina: White | 109546 | 340.0 | 1.09 | 40.63 | 0.15 | 105813 | 308.6 | 1.05 | 35.30 | 0.13 |
| USA, North Carolina: Black | 26738 | 382.2 | 2.36 | 47.60 | 0.34 | 26105 | 285.8 | 1.83 | 33.34 | 0.24 |
| USA, North Carolina: Asian and Pacific Islander | 1095 | 156.1 | 4.81 | 18.73 | 0.71 | 1668 | 186.0 | 4.62 | 20.76 | 0.63 |
| *USA, North Carolina: American Indian | 1181 | 252.3 | 7.38 | 32.43 | 1.10 | 1047 | 194.9 | 6.10 | 23.11 | 0.84 |
| USA, North Dakota | 9844 | 325.2 | 3.46 | 39.00 | 0.49 | 9039 | 299.9 | 3.50 | 34.31 | 0.45 |
| USA, Ohio | 165219 | 335.0 | 0.87 | 40.13 | 0.12 | 165295 | 309.3 | 0.84 | 35.34 | 0.10 |
| USA, Ohio: White | 144762 | 330.1 | 0.92 | 39.33 | 0.13 | 145740 | 313.3 | 0.92 | 35.72 | 0.11 |
| USA, Ohio: Black | 16655 | 361.1 | 2.84 | 44.84 | 0.42 | 16800 | 288.8 | 2.33 | 33.60 | 0.31 |
| *USA, Ohio: Asian and Pacific Islander | 1055 | 153.2 | 4.80 | 17.76 | 0.68 | 1398 | 167.2 | 4.55 | 17.62 | 0.56 |
| USA, Oklahoma | 50812 | 325.4 | 1.51 | 39.29 | 0.21 | 48769 | 294.7 | 1.45 | 34.01 | 0.18 |
| USA, Oklahoma: White | 43177 | 323.1 | 1.65 | 38.91 | 0.23 | 41403 | 298.1 | 1.63 | 34.33 | 0.20 |
| USA, Oklahoma: Black | 3224 | 358.4 | 6.37 | 45.19 | 0.96 | 2873 | 274.7 | 5.25 | 32.09 | 0.72 |
| USA, Oklahoma: American Indian | 3356 | 305.0 | 5.30 | 35.91 | 0.75 | 3517 | 279.9 | 4.81 | 32.46 | 0.65 |
| USA, Oregon | 54788 | 307.6 | 1.39 | 36.80 | 0.19 | 54170 | 294.4 | 1.39 | 33.35 | 0.17 |
| USA, Oregon: White | 51212 | 306.7 | 1.45 | 36.60 | 0.19 | 50804 | 297.2 | 1.47 | 33.67 | 0.18 |
| *USA, Oregon: Black | 965 | 354.8 | 11.59 | 44.70 | 1.78 | 678 | 261.9 | 10.23 | 29.69 | 1.40 |
| *USA, Oregon: Asian and Pacific Islander | 1194 | 208.7 | 6.16 | 23.90 | 0.88 | 1640 | 215.3 | 5.43 | 23.02 | 0.69 |
| USA, Rhode Island | 14963 | 330.4 | 2.86 | 39.53 | 0.40 | 16049 | 321.3 | 2.82 | 36.86 | 0.35 |
| USA, Rhode Island: White | 13963 | 334.8 | 3.04 | 39.89 | 0.42 | 15039 | 330.0 | 3.05 | 37.75 | 0.38 |
| *USA, Rhode Island: Black | 645 | 281.1 | 11.23 | 36.14 | 1.73 | 600 | 225.6 | 9.49 | 27.06 | 1.37 |
| USA, South Carolina | 71096 | 342.2 | 1.35 | 41.43 | 0.18 | 65519 | 289.5 | 1.24 | 33.05 | 0.15 |
| USA, South Carolina: White | 53864 | 335.4 | 1.55 | 40.18 | 0.20 | 49332 | 297.6 | 1.50 | 33.84 | 0.18 |
| USA, South Carolina: Black | 16402 | 371.9 | 2.94 | 46.56 | 0.42 | 15345 | 273.6 | 2.31 | 31.51 | 0.30 |
| USA, South Dakota | 12100 | 324.6 | 3.13 | 38.93 | 0.44 | 11178 | 301.3 | 3.19 | 33.90 | 0.40 |
| USA, Tennessee | 95075 | 352.1 | 1.19 | 42.73 | 0.16 | 88204 | 299.8 | 1.10 | 34.46 | 0.14 |
| USA, Tennessee: White | 81931 | 350.8 | 1.30 | 42.41 | 0.17 | 75374 | 306.1 | 1.23 | 35.10 | 0.15 |
| USA, Tennessee: Black | 12258 | 382.1 | 3.48 | 47.47 | 0.51 | 11850 | 283.0 | 2.67 | 32.81 | 0.36 |
| USA, Texas | 281641 | 300.6 | 0.58 | 35.97 | 0.08 | 272179 | 266.8 | 0.54 | 30.26 | 0.07 |
| USA, Texas: White | 239970 | 300.9 | 0.63 | 35.83 | 0.09 | 230428 | 271.8 | 0.60 | 30.76 | 0.08 |
| USA, Texas: Black | 33095 | 354.5 | 1.97 | 44.24 | 0.30 | 32122 | 273.4 | 1.56 | 31.77 | 0.21 |
| USA, Texas: Asian and Pacific Islander | 6580 | 173.5 | 2.17 | 20.24 | 0.31 | 7969 | 177.0 | 2.02 | 19.37 | 0.26 |
| USA, Utah | 26203 | 284.3 | 1.80 | 34.20 | 0.26 | 24337 | 259.0 | 1.73 | 28.66 | 0.22 |
| USA, Vermont | 9434 | 315.6 | 3.50 | 37.10 | 0.46 | 9451 | 309.8 | 3.59 | 35.29 | 0.43 |
| USA, Washington State | 90820 | 308.6 | 1.07 | 36.43 | 0.15 | 90950 | 297.8 | 1.06 | 33.88 | 0.13 |
| *USA, Washington, Seattle | 63599 | 319.3 | 1.31 | 37.59 | 0.18 | 62204 | 297.2 | 1.28 | 33.56 | 0.16 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites except non-melanoma skin (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|-------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 30269 | 345.4 | 2.13 | 41.39 | 0.28 | 29126 | 325.9 | 2.15 | 37.03 | 0.26 |
| USA, Wyoming | 7164 | 285.9 | 3.54 | 34.59 | 0.49 | 6286 | 264.6 | 3.63 | 30.20 | 0.45 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 1677 | 132.3 | 3.33 | 14.61 | 0.48 | 2283 | 167.5 | 3.62 | 18.18 | 0.49 |
| Brunei Darussalam | 1408 | 162.0 | 4.49 | 18.55 | 0.69 | 1912 | 197.5 | 4.69 | 22.21 | 0.67 |
| *China, Anfu County | 1773 | 171.5 | 4.17 | 20.59 | 0.59 | 1273 | 123.0 | 3.59 | 13.44 | 0.45 |
| *China, Anguo City | 2702 | 211.8 | 4.18 | 26.82 | 0.62 | 2270 | 169.8 | 3.65 | 20.08 | 0.51 |
| *China, Anshan City | 16331 | 215.9 | 1.87 | 25.20 | 0.26 | 14820 | 184.9 | 1.69 | 20.64 | 0.21 |
| *China, Aohan Banner, Chifeng City | 3808 | 213.3 | 3.64 | 26.10 | 0.52 | 2189 | 115.8 | 2.62 | 13.27 | 0.35 |
| *China, Arongqi | 2318 | 261.6 | 5.60 | 32.02 | 0.81 | 1713 | 200.6 | 5.03 | 23.19 | 0.70 |
| *China, Baoding City | 7027 | 198.5 | 2.45 | 21.84 | 0.33 | 6475 | 169.4 | 2.16 | 18.23 | 0.27 |
| *China, Beijing City | 77804 | 182.8 | 0.75 | 21.15 | 0.10 | 79070 | 199.7 | 0.81 | 21.61 | 0.10 |
| *China, Binhai County | 8627 | 181.8 | 2.00 | 22.47 | 0.30 | 6331 | 140.1 | 1.83 | 16.16 | 0.24 |
| *China, Cangzhou City | 2745 | 173.0 | 3.43 | 19.61 | 0.46 | 2996 | 175.9 | 3.30 | 19.45 | 0.42 |
| China, Changfeng County | 3578 | 201.6 | 3.55 | 24.36 | 0.50 | 2385 | 146.2 | 3.20 | 16.24 | 0.41 |
| China, Changzhou City | 25883 | 262.0 | 1.68 | 32.00 | 0.25 | 19865 | 191.5 | 1.43 | 21.57 | 0.19 |
| China, Chengdu City | 10211 | 269.9 | 2.76 | 30.74 | 0.38 | 7241 | 188.3 | 2.31 | 19.95 | 0.29 |
| China, Cixian County | 5072 | 307.9 | 4.48 | 38.69 | 0.66 | 3796 | 206.3 | 3.44 | 24.22 | 0.48 |
| China, Cixi City | 10687 | 212.9 | 2.20 | 25.19 | 0.30 | 8563 | 175.7 | 2.06 | 19.40 | 0.24 |
| *China, Dafeng District, Yancheng City | 7919 | 219.3 | 2.64 | 25.15 | 0.35 | 6317 | 175.2 | 2.47 | 19.07 | 0.29 |
| China, Dalian City | 28841 | 256.9 | 1.63 | 29.54 | 0.23 | 27949 | 249.4 | 1.63 | 27.22 | 0.20 |
| *China, Dancheng County | 9156 | 290.5 | 3.17 | 33.28 | 0.47 | 8782 | 256.5 | 2.85 | 29.32 | 0.42 |
| China, Dangtu County | 2709 | 213.4 | 4.32 | 25.91 | 0.60 | 1785 | 154.0 | 3.93 | 16.63 | 0.47 |
| *China, Danyang City | 10326 | 280.7 | 2.85 | 32.31 | 0.39 | 6935 | 174.0 | 2.19 | 18.84 | 0.28 |
| *China, Dawukou District, Shizuishan City | 1827 | 176.1 | 4.34 | 21.11 | 0.63 | 1484 | 142.1 | 3.89 | 16.04 | 0.50 |
| *China, Dehui City | 5071 | 169.5 | 2.44 | 20.33 | 0.34 | 5242 | 171.7 | 2.44 | 19.69 | 0.33 |
| *China, Donggang County | 5642 | 195.9 | 2.73 | 22.87 | 0.38 | 4529 | 161.3 | 2.58 | 18.36 | 0.34 |
| *China, Dongguan City | 8412 | 210.5 | 2.36 | 24.08 | 0.32 | 7888 | 178.4 | 2.11 | 19.26 | 0.26 |
| China, Donghai County | 6984 | 161.5 | 1.99 | 19.29 | 0.30 | 5161 | 130.9 | 1.90 | 14.48 | 0.25 |
| *China, Dongtai City | 9170 | 175.9 | 2.00 | 21.66 | 0.28 | 6818 | 134.9 | 1.86 | 15.57 | 0.23 |
| China, Duanzhou District, Zhaoqing City | 2648 | 216.9 | 4.44 | 24.78 | 0.58 | 2159 | 179.4 | 4.07 | 19.81 | 0.51 |
| *China, Evenki Autonomous Banner | 647 | 237.0 | 10.37 | 26.43 | 1.37 | 623 | 195.3 | 8.15 | 22.44 | 1.09 |
| *China, Faku County | 3843 | 192.4 | 3.31 | 23.25 | 0.45 | 2882 | 144.8 | 2.85 | 16.66 | 0.38 |
| *China, Fangcheng County | 4493 | 192.4 | 2.94 | 22.67 | 0.41 | 3834 | 185.5 | 3.08 | 20.22 | 0.40 |
| *China, Feicheng City | 10958 | 276.0 | 2.70 | 33.28 | 0.39 | 7146 | 168.0 | 2.10 | 18.68 | 0.27 |
| China, Feixi County | 10725 | 252.7 | 2.56 | 29.57 | 0.36 | 7207 | 178.1 | 2.25 | 19.49 | 0.28 |
| China, Fuqing City | 6297 | 227.6 | 2.95 | 26.89 | 0.42 | 5335 | 199.4 | 2.83 | 21.84 | 0.36 |
| *China, Ganyu District, Lianyungang City | 8118 | 182.7 | 2.10 | 22.37 | 0.30 | 5341 | 127.7 | 1.84 | 14.28 | 0.23 |
| *China, Ganzhou District, Zhangye City | 2760 | 301.3 | 6.30 | 38.40 | 0.84 | 1705 | 194.2 | 5.20 | 23.14 | 0.65 |
| *China, Gaocheng City | 4026 | 175.9 | 2.82 | 21.57 | 0.41 | 2852 | 117.6 | 2.31 | 12.99 | 0.29 |
| China, Gaomi City | 6322 | 204.9 | 2.67 | 24.22 | 0.38 | 4446 | 141.0 | 2.26 | 15.23 | 0.28 |
| China, Gong'an County | 7199 | 215.5 | 2.63 | 27.42 | 0.39 | 5596 | 162.9 | 2.28 | 18.45 | 0.29 |
| *China, Guang'an District, Guang'an City | 5107 | 262.4 | 3.74 | 31.73 | 0.53 | 2603 | 134.4 | 2.72 | 15.17 | 0.36 |
| China, Guanghan City | 3795 | 226.7 | 3.92 | 27.28 | 0.53 | 2054 | 116.7 | 2.76 | 13.25 | 0.35 |
| China, Guangzhou City | 67925 | 214.9 | 0.85 | 24.39 | 0.12 | 58957 | 180.3 | 0.78 | 19.39 | 0.10 |
| *China, Guanyun County | 6078 | 166.6 | 2.18 | 19.76 | 0.31 | 4625 | 136.3 | 2.06 | 14.77 | 0.26 |
| China, Guilin City | 5897 | 266.4 | 3.58 | 30.75 | 0.51 | 5022 | 208.3 | 3.04 | 23.25 | 0.40 |
| *China, Hai'an City | 10517 | 185.7 | 1.99 | 22.13 | 0.27 | 8101 | 150.2 | 1.90 | 16.84 | 0.23 |
| China, Hailar District, Hulun Buir City | 2718 | 248.2 | 5.09 | 29.70 | 0.75 | 2237 | 175.4 | 3.89 | 19.30 | 0.52 |
| China, Haimen District, Nantong City | 11395 | 219.2 | 2.22 | 25.37 | 0.29 | 9016 | 180.2 | 2.12 | 20.33 | 0.26 |
| China, Haining City | 6111 | 185.4 | 2.57 | 21.52 | 0.35 | 5576 | 176.8 | 2.59 | 18.80 | 0.30 |
| China, Hangzhou City | 67010 | 210.7 | 0.87 | 24.57 | 0.12 | 63199 | 211.7 | 0.90 | 22.49 | 0.11 |
| China, Hebi City | 2830 | 226.6 | 4.37 | 26.73 | 0.64 | 2262 | 173.0 | 3.76 | 19.94 | 0.51 |
| China, Hefei City | 21500 | 254.6 | 1.80 | 29.92 | 0.26 | 16190 | 191.6 | 1.56 | 21.16 | 0.21 |
| China, Hengdong County | 2575 | 160.3 | 3.25 | 19.32 | 0.45 | 1801 | 118.5 | 2.90 | 13.34 | 0.37 |
| *China, Hengfeng County | 1107 | 181.5 | 5.56 | 19.40 | 0.68 | 858 | 145.5 | 5.12 | 15.42 | 0.60 |
| *China, Hepu County | 7198 | 238.1 | 2.90 | 27.27 | 0.39 | 4094 | 143.5 | 2.36 | 16.19 | 0.32 |
| China, Honghu City | 5525 | 188.9 | 2.64 | 23.11 | 0.37 | 4237 | 142.5 | 2.33 | 15.95 | 0.29 |
| China, Hongshan District, Chifeng City | 2528 | 196.5 | 4.18 | 22.67 | 0.58 | 2268 | 153.6 | 3.41 | 16.75 | 0.43 |
| *China, Hongta District, Yuxi City | 2487 | 150.1 | 3.18 | 16.64 | 0.42 | 2290 | 142.1 | 3.13 | 15.06 | 0.37 |
| *China, Huaiyin District, Huai'an City | 7350 | 196.1 | 2.35 | 24.42 | 0.35 | 4875 | 136.4 | 2.08 | 15.62 | 0.27 |
| *China, Jiange County | 4192 | 251.5 | 3.97 | 31.31 | 0.59 | 2704 | 156.5 | 3.10 | 18.51 | 0.44 |
| China, Jiangmen City | 5367 | 225.6 | 3.17 | 25.90 | 0.44 | 4784 | 189.0 | 2.86 | 20.60 | 0.35 |
| *China, Jiangyin City | 13315 | 228.0 | 2.05 | 27.46 | 0.29 | 8774 | 149.2 | 1.70 | 16.70 | 0.21 |
| *China, Jiashan County | 4990 | 242.9 | 3.74 | 28.29 | 0.49 | 4468 | 236.1 | 3.90 | 25.57 | 0.45 |
| China, Jiayu County | 1374 | 182.8 | 5.07 | 22.52 | 0.73 | 1037 | 136.0 | 4.39 | 14.95 | 0.54 |
| *China, Jinan City | 20566 | 222.5 | 1.61 | 25.88 | 0.23 | 16687 | 172.0 | 1.43 | 18.62 | 0.17 |
| *China, Jingtai County | 1647 | 238.3 | 6.00 | 27.02 | 0.81 | 1280 | 181.1 | 5.26 | 19.89 | 0.67 |
| *China, Jingxian County | 2358 | 172.1 | 3.87 | 20.42 | 0.51 | 1490 | 129.5 | 3.73 | 14.30 | 0.45 |
| *China, Jintan District, Changzhou City | 6431 | 265.1 | 3.45 | 31.95 | 0.51 | 4583 | 194.4 | 3.04 | 22.30 | 0.41 |
| *China, Jiulongpo District, Chongqing City | 8216 | 248.6 | 2.86 | 29.76 | 0.39 | 5360 | 165.7 | 2.44 | 18.17 | 0.30 |
| *China, Jiyuan City | 4697 | 281.7 | 4.26 | 31.13 | 0.54 | 4226 | 234.6 | 3.68 | 25.47 | 0.47 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites except non-melanoma skin (contd)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 2890 | 234.9 | 4.62 | 27.00 | 0.64 | 2144 | 174.1 | 4.02 | 18.92 | 0.53 |
| China, Kunshan City | 8481 | 248.0 | 2.82 | 28.52 | 0.39 | 7359 | 216.1 | 2.68 | 23.33 | 0.33 |
| China, Langzhong City | 5084 | 259.3 | 3.69 | 32.31 | 0.54 | 3154 | 168.6 | 3.08 | 19.39 | 0.42 |
| *China, Liangshan County | 6207 | 204.6 | 2.68 | 24.40 | 0.37 | 5140 | 174.3 | 2.58 | 19.26 | 0.32 |
| *China, Lianshui County | 8175 | 187.7 | 2.13 | 23.87 | 0.32 | 5583 | 129.8 | 1.83 | 15.33 | 0.26 |
| China, Lianyungang City | 6905 | 176.2 | 2.18 | 20.58 | 0.31 | 5527 | 141.5 | 1.99 | 15.43 | 0.25 |
| China, Linhe District, Bayannur City | 2785 | 213.0 | 4.16 | 26.97 | 0.63 | 2268 | 160.7 | 3.49 | 18.91 | 0.48 |
| China, Linqu County | 8095 | 224.1 | 2.56 | 25.74 | 0.36 | 5600 | 153.7 | 2.14 | 16.48 | 0.27 |
| *China, Linzhou City | 8792 | 249.6 | 2.75 | 29.97 | 0.39 | 7872 | 204.0 | 2.36 | 23.17 | 0.31 |
| China, Liuzhou City | 8225 | 217.5 | 2.45 | 24.42 | 0.33 | 6970 | 181.1 | 2.23 | 19.98 | 0.29 |
| China, Liyang City | 7192 | 173.1 | 2.15 | 20.42 | 0.30 | 4757 | 123.6 | 1.96 | 13.58 | 0.23 |
| *China, Longquan City | 2272 | 222.2 | 5.03 | 25.26 | 0.69 | 1815 | 205.9 | 5.14 | 21.63 | 0.64 |
| China, Lucheng District, Wenzhou City | 4724 | 241.3 | 3.69 | 28.31 | 0.52 | 4406 | 228.7 | 3.68 | 24.67 | 0.44 |
| China, Luoding City | 4104 | 177.0 | 2.82 | 20.90 | 0.39 | 2759 | 125.2 | 2.47 | 13.99 | 0.32 |
| *China, Luohe City | 8199 | 214.6 | 2.43 | 25.51 | 0.36 | 7188 | 167.4 | 2.05 | 18.59 | 0.27 |
| *China, Luoyang City | 8274 | 191.5 | 2.23 | 20.67 | 0.30 | 7150 | 163.3 | 2.03 | 17.30 | 0.25 |
| *China, Luquan City | 1802 | 153.4 | 3.68 | 19.69 | 0.56 | 1533 | 125.1 | 3.34 | 14.65 | 0.45 |
| China, Ma'anshan City | 6166 | 282.6 | 3.74 | 30.30 | 0.49 | 4338 | 187.3 | 2.94 | 20.21 | 0.38 |
| *China, Macheng City | 5368 | 224.3 | 3.14 | 28.56 | 0.46 | 3450 | 145.9 | 2.58 | 17.42 | 0.35 |
| China, Meihekou City | 3723 | 158.9 | 2.72 | 19.01 | 0.39 | 3186 | 138.9 | 2.59 | 16.07 | 0.36 |
| *China, Mengjin County | 2396 | 216.4 | 4.49 | 25.78 | 0.64 | 2262 | 189.5 | 4.12 | 21.85 | 0.56 |
| China, Nangang District, Harbin City | 7262 | 178.8 | 2.20 | 21.17 | 0.32 | 8092 | 182.3 | 2.13 | 20.29 | 0.27 |
| *China, Nanhai District, Foshan City | 7552 | 273.1 | 3.20 | 31.47 | 0.43 | 6297 | 205.5 | 2.69 | 22.05 | 0.32 |
| China, Nanhu District, Jiaxing City | 6030 | 230.3 | 3.17 | 26.03 | 0.43 | 5585 | 228.7 | 3.32 | 24.36 | 0.39 |
| *China, Nantong City | 11661 | 205.2 | 2.04 | 24.19 | 0.28 | 9139 | 159.6 | 1.84 | 17.48 | 0.22 |
| *China, Nanxiong City | 3275 | 233.6 | 4.16 | 26.57 | 0.58 | 2203 | 135.1 | 2.99 | 14.46 | 0.36 |
| China, Neixiang County | 5521 | 228.4 | 3.15 | 27.26 | 0.42 | 3726 | 157.3 | 2.69 | 17.52 | 0.33 |
| *China, Qianxi County | 2619 | 189.8 | 3.90 | 22.16 | 0.56 | 1784 | 134.4 | 3.32 | 15.12 | 0.47 |
| China, Qidong City | 13676 | 213.7 | 2.03 | 23.62 | 0.25 | 10843 | 167.3 | 1.88 | 17.83 | 0.21 |
| China, Qingzhou City | 6976 | 210.4 | 2.61 | 25.41 | 0.37 | 5264 | 158.7 | 2.35 | 17.87 | 0.29 |
| *China, Rudong County | 11752 | 181.9 | 1.94 | 21.19 | 0.25 | 9204 | 149.8 | 1.86 | 16.54 | 0.21 |
| *China, Rugao City | 15692 | 209.8 | 1.79 | 24.97 | 0.24 | 11811 | 155.3 | 1.60 | 17.46 | 0.20 |
| *China, Rural areas of Shanghai City | 105904 | 233.1 | 0.80 | 26.18 | 0.10 | 93380 | 225.8 | 0.86 | 23.66 | 0.09 |
| China, Ruyang County | 2675 | 219.3 | 4.34 | 26.57 | 0.66 | 2217 | 181.9 | 4.02 | 20.28 | 0.56 |
| *China, Shan County | 5726 | 232.7 | 3.16 | 27.59 | 0.47 | 4216 | 150.1 | 2.46 | 16.67 | 0.33 |
| China, Shanghai City | 81735 | 220.8 | 0.93 | 24.54 | 0.11 | 76628 | 228.3 | 1.03 | 24.26 | 0.11 |
| China, Shangyu District, Shaoxing City | 9206 | 265.9 | 2.96 | 31.51 | 0.41 | 7478 | 229.0 | 2.87 | 24.67 | 0.34 |
| *China, Shapingba District, Chongqing City | 7796 | 233.5 | 2.80 | 27.67 | 0.39 | 5912 | 172.9 | 2.43 | 19.06 | 0.31 |
| China, Shexian County | 3814 | 283.3 | 4.66 | 35.44 | 0.68 | 2653 | 193.8 | 3.83 | 21.79 | 0.51 |
| China, Sheyang County | 8897 | 206.1 | 2.29 | 24.93 | 0.32 | 7516 | 179.5 | 2.19 | 20.35 | 0.28 |
| *China, Shijiazhuang City | 9814 | 187.4 | 1.99 | 22.28 | 0.28 | 8971 | 173.1 | 1.94 | 19.19 | 0.24 |
| China, Shunde District, Foshan City | 10494 | 303.9 | 3.01 | 35.73 | 0.43 | 7947 | 193.7 | 2.26 | 20.78 | 0.28 |
| *China, Song County | 3442 | 212.2 | 3.67 | 25.98 | 0.55 | 2481 | 159.6 | 3.30 | 18.66 | 0.48 |
| China, Suzhou City | 34647 | 211.8 | 1.21 | 24.61 | 0.17 | 27295 | 172.2 | 1.13 | 18.60 | 0.14 |
| *China, Tengzhou City | 12891 | 232.2 | 2.11 | 28.43 | 0.31 | 9625 | 160.5 | 1.71 | 18.27 | 0.23 |
| *China, Wangdu County | 1189 | 176.0 | 5.25 | 21.69 | 0.75 | 929 | 134.9 | 4.55 | 15.59 | 0.59 |
| *China, Wanxian County | 2280 | 196.6 | 4.22 | 21.59 | 0.55 | 1631 | 138.8 | 3.54 | 14.77 | 0.45 |
| *China, Wu'an City | 5189 | 228.3 | 3.35 | 29.62 | 0.52 | 3557 | 147.4 | 2.56 | 17.81 | 0.37 |
| China, Wuhan City | 44404 | 205.1 | 1.03 | 23.51 | 0.14 | 41307 | 195.7 | 1.04 | 20.73 | 0.12 |
| *China, Wuhu City | 10510 | 193.3 | 1.99 | 23.74 | 0.28 | 7258 | 145.9 | 1.84 | 16.37 | 0.22 |
| China, Wuxi City | 25448 | 205.9 | 1.36 | 24.61 | 0.19 | 18699 | 155.6 | 1.23 | 17.31 | 0.15 |
| China, Wuzhou City | 4402 | 228.4 | 3.53 | 26.58 | 0.49 | 3100 | 160.8 | 3.01 | 17.61 | 0.38 |
| China, Xiangfu District, Kaifeng City | 4221 | 219.2 | 3.45 | 26.64 | 0.51 | 3836 | 184.2 | 3.08 | 20.57 | 0.40 |
| China, Xianju County | 5409 | 264.9 | 3.75 | 31.66 | 0.55 | 4080 | 212.3 | 3.54 | 23.29 | 0.46 |
| *China, Xin'an County | 2370 | 207.0 | 4.33 | 24.86 | 0.64 | 1806 | 159.4 | 3.88 | 18.28 | 0.53 |
| *China, Xining City | 5820 | 274.2 | 3.88 | 27.22 | 0.46 | 4522 | 184.5 | 2.89 | 18.21 | 0.33 |
| *China, Xinji City | 3509 | 131.6 | 2.32 | 16.14 | 0.33 | 3447 | 132.4 | 2.42 | 14.77 | 0.28 |
| *China, Xinluo District, Longyan City | 2464 | 200.9 | 4.22 | 23.54 | 0.59 | 2016 | 173.9 | 4.11 | 18.72 | 0.51 |
| *China, Xinzhou District, Shangrao City | 2654 | 196.0 | 3.91 | 22.57 | 0.55 | 2089 | 151.1 | 3.40 | 16.19 | 0.44 |
| China, Xiping County | 5575 | 214.1 | 3.03 | 23.47 | 0.40 | 4866 | 168.7 | 2.51 | 18.29 | 0.32 |
| *China, Xishan District, Kunming City | 2353 | 145.2 | 3.51 | 16.12 | 0.41 | 1951 | 130.9 | 3.35 | 13.74 | 0.37 |
| *China, Xuyi County | 4865 | 190.3 | 2.82 | 23.56 | 0.43 | 3094 | 119.7 | 2.28 | 13.94 | 0.31 |
| *China, Ya'an City | 10067 | 189.7 | 1.93 | 21.80 | 0.27 | 7657 | 145.9 | 1.72 | 16.58 | 0.23 |
| *China, Yakeshi City | 3556 | 233.3 | 4.36 | 26.58 | 0.58 | 2960 | 182.2 | 3.67 | 19.55 | 0.43 |
| China, Yancheng City | 13821 | 234.1 | 2.05 | 27.64 | 0.29 | 10227 | 174.1 | 1.79 | 19.51 | 0.23 |
| *China, Yangquan City | 4800 | 227.2 | 3.46 | 26.46 | 0.48 | 3519 | 160.8 | 2.82 | 18.32 | 0.38 |
| *China, Yangzhong City | 3193 | 220.3 | 4.02 | 26.37 | 0.56 | 2371 | 153.4 | 3.45 | 16.81 | 0.43 |
| *China, Yanji City | 3790 | 189.3 | 3.23 | 22.32 | 0.46 | 2979 | 127.6 | 2.53 | 14.04 | 0.32 |
| *China, Yanshi City | 3852 | 164.8 | 2.73 | 19.21 | 0.38 | 3858 | 158.4 | 2.67 | 17.48 | 0.34 |
| China, Yanting County | 7133 | 379.3 | 4.57 | 43.16 | 0.61 | 4326 | 227.0 | 3.54 | 25.99 | 0.46 |
| *China, Yi'an District, Tongling City | 2319 | 230.4 | 4.94 | 27.98 | 0.73 | 1303 | 134.1 | 3.86 | 15.47 | 0.52 |
| *China, Yingdong District, Fuyang City | 4230 | 188.7 | 3.00 | 22.57 | 0.43 | 3072 | 141.0 | 2.67 | 15.92 | 0.35 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites except non-melanoma skin (contd)

| | Male | | | | | Female | | | | |
|--|---------|--------|------|----------|------|---------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 2358 | 248.5 | 5.39 | 29.67 | 0.76 | 2140 | 229.9 | 5.26 | 24.91 | 0.64 |
| *China, Yiyuan County | 4317 | 215.4 | 3.40 | 25.57 | 0.51 | 2750 | 138.1 | 2.82 | 15.02 | 0.36 |
| China, Yong'an City | 2510 | 188.5 | 3.96 | 22.35 | 0.56 | 1728 | 138.8 | 3.50 | 15.67 | 0.47 |
| *China, Yongding District, Longyan City | 3656 | 224.6 | 3.79 | 27.07 | 0.56 | 2212 | 131.6 | 2.96 | 14.28 | 0.38 |
| China, Yongkang City | 5835 | 241.3 | 3.29 | 28.28 | 0.47 | 4493 | 192.4 | 3.02 | 20.32 | 0.37 |
| *China, Yucheng County | 3498 | 179.4 | 3.08 | 21.00 | 0.43 | 4246 | 209.2 | 3.31 | 22.53 | 0.41 |
| China, Yueyanglou District, Yueyang City | 2093 | 192.1 | 4.30 | 23.03 | 0.62 | 1564 | 147.2 | 3.87 | 16.79 | 0.52 |
| China, Yunmeng County | 4045 | 258.8 | 4.38 | 30.21 | 0.56 | 3538 | 204.5 | 3.58 | 22.27 | 0.43 |
| *China, Yunyang District, Shiyuan City | 2385 | 215.6 | 4.55 | 28.49 | 0.73 | 1494 | 140.9 | 3.76 | 16.33 | 0.54 |
| China, Yuzhong District, Chongqing City | 5880 | 263.7 | 3.71 | 33.01 | 0.58 | 4536 | 188.4 | 3.12 | 21.95 | 0.43 |
| *China, Zanhuang County | 1875 | 219.6 | 5.16 | 27.14 | 0.76 | 1337 | 158.8 | 4.46 | 18.53 | 0.60 |
| *China, Zhangjiagang City | 11088 | 242.4 | 2.44 | 28.60 | 0.33 | 8531 | 185.7 | 2.19 | 20.28 | 0.26 |
| *China, Zhaoyuan City | 6954 | 251.3 | 3.20 | 28.51 | 0.42 | 4908 | 176.9 | 2.78 | 19.27 | 0.33 |
| *China, Zhengding County | 2441 | 184.8 | 3.81 | 22.91 | 0.56 | 1842 | 127.3 | 3.07 | 14.17 | 0.39 |
| *China, Zhongshan City | 13313 | 255.1 | 2.25 | 29.91 | 0.32 | 10163 | 178.6 | 1.82 | 19.61 | 0.24 |
| China, Zhongxiang City | 5859 | 175.8 | 2.38 | 21.14 | 0.35 | 4939 | 142.4 | 2.13 | 16.25 | 0.28 |
| *China, Zhuanghe City | 8801 | 198.6 | 2.29 | 23.36 | 0.31 | 7648 | 186.3 | 2.30 | 20.55 | 0.28 |
| *China, Zhuhai City | 7785 | 219.8 | 2.58 | 25.65 | 0.38 | 6907 | 188.8 | 2.38 | 20.55 | 0.31 |
| India, Ahmedabad, Urban | 12147 | 100.3 | 0.93 | 11.68 | 0.13 | 9228 | 78.5 | 0.84 | 8.88 | 0.11 |
| India, Aurangabad | 2028 | 71.8 | 1.64 | 8.55 | 0.24 | 2101 | 75.7 | 1.69 | 8.79 | 0.23 |
| India, Bangalore | 14585 | 128.9 | 1.09 | 15.52 | 0.16 | 17906 | 158.7 | 1.22 | 18.67 | 0.17 |
| India, Barshi, Paranda, and Bhum | 719 | 49.3 | 1.88 | 5.86 | 0.24 | 812 | 60.1 | 2.16 | 6.72 | 0.25 |
| *India, Bhopal | 2794 | 103.5 | 2.00 | 12.15 | 0.28 | 2800 | 108.9 | 2.10 | 12.81 | 0.29 |
| India, Chandigarh | 2175 | 93.1 | 2.08 | 11.09 | 0.31 | 2185 | 99.9 | 2.21 | 11.99 | 0.33 |
| *India, Chennai | 14893 | 121.3 | 1.01 | 13.74 | 0.14 | 17519 | 136.0 | 1.04 | 15.62 | 0.14 |
| India, Dibrugarh | 2503 | 88.6 | 1.82 | 10.69 | 0.27 | 2303 | 77.1 | 1.66 | 8.92 | 0.23 |
| *India, Dindigul, Ambilikai | 3726 | 60.6 | 1.00 | 6.90 | 0.13 | 4893 | 76.0 | 1.10 | 8.40 | 0.13 |
| India, Kamrup Urban District | 5118 | 215.0 | 3.09 | 25.85 | 0.46 | 3962 | 171.7 | 2.85 | 20.28 | 0.41 |
| India, Kollam | 8105 | 129.7 | 1.46 | 15.88 | 0.21 | 7978 | 108.3 | 1.24 | 12.05 | 0.16 |
| *India, Manipur | 2907 | 61.0 | 1.17 | 7.57 | 0.18 | 3545 | 68.7 | 1.19 | 8.10 | 0.17 |
| India, Meghalaya | 4839 | 178.4 | 2.70 | 20.95 | 0.38 | 2918 | 96.7 | 1.86 | 11.38 | 0.26 |
| India, Mizoram | 3514 | 207.8 | 3.60 | 24.69 | 0.53 | 3029 | 172.6 | 3.24 | 20.32 | 0.47 |
| India, Mumbai | 33960 | 109.1 | 0.60 | 12.42 | 0.09 | 35207 | 115.5 | 0.63 | 13.20 | 0.09 |
| *India, New Delhi | 31930 | 147.2 | 0.85 | 17.33 | 0.13 | 29315 | 137.7 | 0.82 | 15.78 | 0.11 |
| India, Poon | 10322 | 84.9 | 0.85 | 9.94 | 0.12 | 11699 | 97.7 | 0.92 | 11.43 | 0.13 |
| *India, Sangrur District | 1750 | 65.9 | 1.59 | 7.72 | 0.21 | 1830 | 73.3 | 1.73 | 8.18 | 0.22 |
| India, SAS Nagar | 1997 | 81.8 | 1.87 | 9.75 | 0.25 | 2211 | 96.3 | 2.08 | 11.09 | 0.27 |
| *India, Tamil Nadu | 138158 | 69.2 | 0.19 | 8.00 | 0.03 | 175422 | 82.8 | 0.20 | 9.23 | 0.02 |
| *India, Tripura | 5317 | 81.2 | 1.13 | 9.92 | 0.17 | 3996 | 58.4 | 0.94 | 6.64 | 0.13 |
| India, Trivandrum | 10876 | 137.7 | 1.34 | 16.25 | 0.19 | 11680 | 128.6 | 1.22 | 14.42 | 0.15 |
| India, Wardha | 2451 | 65.0 | 1.33 | 7.47 | 0.17 | 2611 | 70.6 | 1.40 | 7.80 | 0.17 |
| India, West Arunachal | 959 | 99.0 | 3.56 | 12.35 | 0.55 | 893 | 90.8 | 3.37 | 10.20 | 0.47 |
| *Iran (Islamic Republic of), Ardabil Province | 3083 | 165.5 | 3.12 | 19.24 | 0.47 | 2426 | 127.3 | 2.65 | 14.30 | 0.37 |
| *Iran (Islamic Republic of), Golestan Province | 3879 | 168.0 | 2.80 | 19.36 | 0.42 | 3977 | 152.7 | 2.49 | 16.48 | 0.34 |
| Israel | 67420 | 260.8 | 1.04 | 30.81 | 0.15 | 73052 | 259.1 | 1.02 | 29.27 | 0.13 |
| *Israel: Jews | 57200 | 261.3 | 1.15 | 30.75 | 0.16 | 62377 | 268.4 | 1.17 | 30.34 | 0.15 |
| *Israel: Arabs | 6773 | 227.1 | 2.84 | 27.31 | 0.43 | 6648 | 193.5 | 2.43 | 21.64 | 0.34 |
| Japan | 1525811 | 306.5 | 0.29 | 36.38 | 0.04 | 1116845 | 230.7 | 0.28 | 25.29 | 0.03 |
| Japan, Aichi Prefecture | 79390 | 296.0 | 1.19 | 35.20 | 0.16 | 55414 | 220.2 | 1.14 | 24.23 | 0.13 |
| *Japan, Akita Prefecture | 16423 | 352.8 | 3.42 | 42.11 | 0.45 | 11851 | 251.9 | 3.36 | 27.41 | 0.35 |
| Japan, Aomori Prefecture | 32482 | 355.3 | 2.34 | 42.47 | 0.32 | 24735 | 261.2 | 2.28 | 28.48 | 0.25 |
| Japan, Gunma Prefecture | 24307 | 297.8 | 2.22 | 35.43 | 0.30 | 17044 | 224.6 | 2.23 | 24.50 | 0.25 |
| Japan, Hiroshima Prefecture | 54392 | 358.4 | 1.82 | 42.79 | 0.24 | 38849 | 260.9 | 1.73 | 28.88 | 0.20 |
| Japan, Miyagi Prefecture | 49783 | 333.2 | 1.72 | 40.04 | 0.24 | 36654 | 254.5 | 1.70 | 27.87 | 0.19 |
| Japan, Osaka Prefecture | 112323 | 334.9 | 1.16 | 40.10 | 0.15 | 79075 | 239.0 | 1.06 | 26.38 | 0.12 |
| Kuwait | 6069 | 92.7 | 1.51 | 10.76 | 0.23 | 7497 | 138.7 | 1.84 | 16.06 | 0.27 |
| *Kuwait: Kuwaitis | 2601 | 136.7 | 2.83 | 15.94 | 0.43 | 4093 | 165.5 | 2.66 | 18.64 | 0.36 |
| *Kuwait: Non-Kuwaitis | 3468 | 75.9 | 2.02 | 8.71 | 0.28 | 3404 | 119.8 | 2.82 | 13.97 | 0.44 |
| *Philippines, Manila | 16533 | 162.8 | 1.36 | 18.60 | 0.20 | 26172 | 182.2 | 1.15 | 20.32 | 0.16 |
| *Qatar: Qatari | 664 | 155.2 | 6.35 | 17.64 | 0.94 | 862 | 176.9 | 6.34 | 20.69 | 0.90 |
| Republic of Korea | 581065 | 299.1 | 0.41 | 34.97 | 0.06 | 530917 | 256.1 | 0.38 | 26.86 | 0.04 |
| *Republic of Korea, Busan | 44703 | 307.8 | 1.53 | 35.95 | 0.20 | 42102 | 278.3 | 1.47 | 29.22 | 0.16 |
| *Republic of Korea, Daegu | 27567 | 300.6 | 1.89 | 34.98 | 0.26 | 27719 | 273.6 | 1.76 | 28.25 | 0.20 |
| *Republic of Korea, Daejeon | 15355 | 297.8 | 2.48 | 35.23 | 0.35 | 15165 | 264.6 | 2.26 | 27.72 | 0.27 |
| *Republic of Korea, Gwangju | 14159 | 290.7 | 2.52 | 34.18 | 0.35 | 14268 | 257.2 | 2.27 | 26.79 | 0.26 |
| Republic of Korea, Incheon | 29258 | 283.6 | 1.72 | 33.19 | 0.24 | 28439 | 250.1 | 1.56 | 26.54 | 0.19 |
| Republic of Korea, Jeju | 6902 | 296.8 | 3.72 | 34.76 | 0.51 | 5774 | 228.7 | 3.32 | 23.70 | 0.37 |
| Republic of Korea, Seoul | 107971 | 293.6 | 0.93 | 34.14 | 0.12 | 102981 | 258.6 | 0.85 | 27.17 | 0.10 |
| Republic of Korea, Ulsan | 11181 | 300.0 | 3.01 | 34.76 | 0.42 | 11472 | 275.0 | 2.68 | 29.15 | 0.33 |
| Singapore | 33052 | 224.3 | 1.28 | 25.95 | 0.18 | 34777 | 217.0 | 1.22 | 23.48 | 0.15 |
| Singapore: Chinese | 27596 | 231.6 | 1.45 | 26.74 | 0.20 | 28384 | 219.7 | 1.39 | 23.72 | 0.17 |
| Singapore: Indian | 1590 | 151.8 | 4.00 | 17.95 | 0.61 | 1938 | 182.5 | 4.28 | 20.50 | 0.58 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites except non-melanoma skin (contd)

| | Male | | | | | Female | | | | |
|--|--------|--------------|------|----------|------|--------|--------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 3093 | 205.6 | 3.82 | 23.27 | 0.57 | 3659 | 214.7 | 3.66 | 23.35 | 0.48 |
| Thailand, Bangkok | 21198 | 125.1 | 0.89 | 14.76 | 0.13 | 26856 | 122.5 | 0.78 | 13.70 | 0.10 |
| *Thailand, Chiang Mai | 9402 | 167.6 | 1.81 | 19.75 | 0.26 | 9948 | 156.2 | 1.67 | 17.24 | 0.22 |
| *Thailand, Khon Kaen | 7990 | 133.2 | 1.55 | 15.13 | 0.20 | 7572 | 114.1 | 1.40 | 12.53 | 0.16 |
| Thailand, Lampang | 5085 | 169.5 | 2.53 | 19.98 | 0.36 | 4944 | 152.5 | 2.35 | 17.12 | 0.30 |
| Thailand, Lopburi Province | 4949 | 216.2 | 3.16 | 23.82 | 0.41 | 5115 | 198.7 | 2.87 | 21.06 | 0.34 |
| *Thailand, Songkhla | 5900 | 143.1 | 1.91 | 16.83 | 0.28 | 5701 | 120.0 | 1.64 | 13.18 | 0.21 |
| Turkey, Antalya | 13435 | 221.7 | 1.94 | 27.04 | 0.29 | 10544 | 159.6 | 1.58 | 17.50 | 0.21 |
| Turkey, Bursa | 18749 | 239.3 | 1.77 | 29.04 | 0.26 | 13167 | 150.2 | 1.34 | 16.46 | 0.17 |
| *Turkey, Edirne | 4475 | 287.5 | 4.43 | 34.87 | 0.63 | 2951 | 191.2 | 3.72 | 21.32 | 0.45 |
| *Turkey, Erzurum | 4702 | 255.2 | 3.78 | 30.89 | 0.55 | 3699 | 183.4 | 3.10 | 19.91 | 0.39 |
| Turkey, Eskişehir | 6486 | 245.0 | 3.08 | 30.78 | 0.46 | 5351 | 188.0 | 2.65 | 20.74 | 0.32 |
| Turkey, Gaziantep | 7255 | 208.7 | 2.52 | 24.99 | 0.37 | 6081 | 149.2 | 1.96 | 16.45 | 0.26 |
| *Turkey, Izmir | 37274 | 285.4 | 1.50 | 34.44 | 0.22 | 29207 | 203.9 | 1.23 | 22.21 | 0.15 |
| Turkey, Malatya | 4095 | 187.0 | 2.98 | 21.75 | 0.43 | 3141 | 134.6 | 2.47 | 14.41 | 0.30 |
| Turkey, Samsun | 10293 | 253.9 | 2.53 | 30.88 | 0.36 | 7135 | 164.1 | 2.01 | 17.93 | 0.25 |
| Turkey, Trabzon | 7113 | 288.2 | 3.49 | 34.52 | 0.51 | 5404 | 200.0 | 2.87 | 21.19 | 0.34 |
| Europe | | | | | | | | | | |
| Austria | 110046 | 276.0 | 0.90 | 33.24 | 0.12 | 97026 | 221.2 | 0.82 | 24.90 | 0.10 |
| Austria, Carinthia | 9342 | 329.6 | 3.71 | 40.08 | 0.51 | 7917 | 258.3 | 3.39 | 29.02 | 0.40 |
| Austria, Tyrol | 10757 | 331.9 | 3.45 | 39.36 | 0.46 | 9175 | 273.3 | 3.24 | 29.70 | 0.37 |
| Austria, Vorarlberg | 4868 | 286.7 | 4.40 | 33.83 | 0.60 | 4147 | 229.3 | 4.02 | 25.64 | 0.49 |
| Belarus | 104426 | 332.0 | 1.06 | 41.63 | 0.16 | 94542 | 211.2 | 0.76 | 24.08 | 0.09 |
| *Belgium | 186841 | 356.1 | 0.89 | 43.45 | 0.13 | 160584 | 297.8 | 0.84 | 34.09 | 0.10 |
| Croatia | 65552 | 338.2 | 1.42 | 40.64 | 0.19 | 56605 | 252.0 | 1.24 | 28.28 | 0.15 |
| Cyprus | 9570 | 270.4 | 2.92 | 32.33 | 0.40 | 8951 | 260.9 | 2.95 | 28.26 | 0.34 |
| *Czech Republic | 161203 | 334.9 | 0.87 | 41.55 | 0.12 | 138896 | 254.6 | 0.77 | 29.42 | 0.09 |
| Denmark | 99640 | 359.7 | 1.23 | 43.65 | 0.17 | 91897 | 329.1 | 1.22 | 37.72 | 0.15 |
| Estonia | 19706 | 369.4 | 2.76 | 45.58 | 0.40 | 18170 | 237.8 | 2.12 | 26.71 | 0.25 |
| Finland | 81031 | 284.3 | 1.09 | 33.30 | 0.15 | 75304 | 251.8 | 1.08 | 28.40 | 0.13 |
| *France, Bas-Rhin | 14035 | 355.7 | 3.19 | 42.87 | 0.45 | 11657 | 274.1 | 2.87 | 30.99 | 0.36 |
| *France, Calvados | 11569 | 352.6 | 3.56 | 42.68 | 0.49 | 9553 | 266.7 | 3.21 | 29.98 | 0.38 |
| *France, Doubs | 8536 | 346.2 | 4.05 | 42.38 | 0.57 | 6789 | 261.6 | 3.66 | 29.15 | 0.44 |
| *France, Gironde | 25030 | 366.5 | 2.49 | 44.49 | 0.35 | 21685 | 289.6 | 2.24 | 32.43 | 0.27 |
| *France, Haut-Rhin | 12384 | 342.2 | 3.31 | 41.15 | 0.46 | 9963 | 261.1 | 3.00 | 29.12 | 0.37 |
| *France, Hérault | 18916 | 354.7 | 2.84 | 43.32 | 0.38 | 15705 | 274.9 | 2.55 | 30.82 | 0.30 |
| *France, Isère | 18550 | 340.9 | 2.68 | 41.46 | 0.37 | 15889 | 279.4 | 2.50 | 31.24 | 0.30 |
| *France, Lille-Métropole | 10875 | 389.9 | 3.88 | 47.63 | 0.56 | 9701 | 289.3 | 3.24 | 32.55 | 0.41 |
| *France, Limousin | 7258 | 362.6 | 4.79 | 43.64 | 0.65 | 5369 | 258.1 | 4.26 | 28.93 | 0.50 |
| *France, Loire-Atlantique | 21908 | 381.9 | 2.74 | 46.83 | 0.39 | 17529 | 271.2 | 2.33 | 30.48 | 0.29 |
| *France, Manche | 9104 | 333.1 | 3.91 | 41.14 | 0.54 | 7217 | 256.7 | 3.73 | 28.64 | 0.43 |
| *France, Poitou-Charentes | 34383 | 353.7 | 2.16 | 43.10 | 0.29 | 26493 | 270.2 | 2.02 | 30.17 | 0.23 |
| *France, Somme | 8926 | 350.0 | 3.95 | 43.06 | 0.55 | 7410 | 271.9 | 3.61 | 30.64 | 0.43 |
| *France, Tarn | 7001 | 321.8 | 4.44 | 39.02 | 0.60 | 5799 | 262.8 | 4.30 | 28.94 | 0.49 |
| *France, Territoire de Belfort | 1788 | 342.8 | 8.71 | 41.38 | 1.24 | 1435 | 251.5 | 7.65 | 27.90 | 0.94 |
| *France, Vendée | 13135 | 372.2 | 3.64 | 45.97 | 0.49 | 9648 | 271.1 | 3.35 | 30.01 | 0.38 |
| Germany, Baden-Württemberg | 101425 | 295.1 | 1.02 | 35.82 | 0.15 | 91984 | 258.5 | 0.99 | 29.49 | 0.12 |
| Germany, Bavaria | 188963 | 287.1 | 0.73 | 34.29 | 0.10 | 168746 | 242.6 | 0.69 | 27.21 | 0.08 |
| Germany, Bremen | 11469 | 325.6 | 3.38 | 39.24 | 0.47 | 10287 | 268.7 | 3.17 | 30.70 | 0.39 |
| Germany, Hamburg | 26952 | 312.2 | 2.09 | 37.79 | 0.29 | 26778 | 285.3 | 2.02 | 32.64 | 0.25 |
| Germany, Lower Saxony | 144508 | 329.8 | 0.98 | 38.66 | 0.13 | 124716 | 273.0 | 0.93 | 30.46 | 0.11 |
| Germany, North Rhine-Westphalia | 301611 | 323.8 | 0.66 | 38.62 | 0.09 | 276804 | 280.5 | 0.63 | 31.48 | 0.08 |
| Germany, Rhineland-Palatinate | 70245 | 320.2 | 1.35 | 38.07 | 0.18 | 61838 | 272.4 | 1.31 | 30.48 | 0.16 |
| Germany, Saarland | 18406 | 323.0 | 2.71 | 38.79 | 0.37 | 16478 | 275.6 | 2.63 | 31.19 | 0.31 |
| Germany, Schleswig-Holstein | 53541 | 330.2 | 1.63 | 39.38 | 0.22 | 47781 | 283.7 | 1.56 | 32.01 | 0.19 |
| Iceland | 3828 | 281.5 | 4.78 | 33.63 | 0.69 | 3636 | 270.1 | 4.83 | 30.75 | 0.63 |
| Ireland | 60166 | 339.6 | 1.44 | 40.77 | 0.20 | 52288 | 282.5 | 1.32 | 31.56 | 0.17 |
| *Italy, Aosta Valley | 1773 | 313.6 | 8.42 | 37.66 | 1.13 | 1519 | 252.3 | 7.95 | 27.56 | 0.92 |
| *Italy, Avellino | 3941 | 307.4 | 5.61 | 36.44 | 0.74 | 2997 | 232.1 | 4.99 | 25.08 | 0.57 |
| Italy, Basilicata | 8644 | 282.1 | 3.52 | 32.79 | 0.47 | 7179 | 239.4 | 3.39 | 25.72 | 0.38 |
| *Italy, Benevento | 3563 | 301.3 | 5.71 | 36.37 | 0.79 | 2819 | 237.8 | 5.34 | 26.44 | 0.63 |
| Italy, Bergamo | 18331 | 329.2 | 2.68 | 38.84 | 0.36 | 15662 | 268.5 | 2.53 | 29.35 | 0.30 |
| *Italy, Brescia | 17298 | 296.0 | 2.49 | 35.16 | 0.34 | 15941 | 257.9 | 2.42 | 28.66 | 0.29 |
| Italy, Brianza (Lecco and Monza e Brianza) | 11088 | 298.3 | 3.20 | 35.48 | 0.42 | 9960 | 251.9 | 2.98 | 27.77 | 0.35 |
| Italy, Calabria | 7442 | 275.5 | 3.58 | 32.84 | 0.48 | 6265 | 235.4 | 3.46 | 25.92 | 0.40 |
| *Italy, Caserta | 10114 | 326.2 | 3.46 | 38.79 | 0.48 | 8560 | 262.3 | 3.15 | 28.66 | 0.37 |
| *Italy, Catania, Messina, and Enna | 26530 | 286.0 | 1.96 | 34.21 | 0.26 | 23615 | 245.3 | 1.85 | 27.00 | 0.21 |
| Italy, Emilia-Romagna | 65202 | 324.0 | 1.48 | 38.18 | 0.20 | 60126 | 289.8 | 1.46 | 32.21 | 0.17 |
| Italy, Friuli-Venezia Giulia | 22839 | 314.5 | 2.45 | 37.97 | 0.32 | 20606 | 275.8 | 2.41 | 30.99 | 0.27 |
| Italy, Genova | 13620 | 317.8 | 3.32 | 37.53 | 0.42 | 12645 | 271.1 | 3.18 | 29.95 | 0.35 |
| *Italy, Lombardy, South, Pavia | 9870 | 317.4 | 3.70 | 37.84 | 0.50 | 8960 | 270.1 | 3.51 | 30.45 | 0.42 |
| Italy, Mantova and Cremona | 10800 | 318.7 | 3.49 | 38.27 | 0.47 | 10014 | 277.1 | 3.41 | 30.67 | 0.40 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

All sites except non-melanoma skin (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|--------|--------------|-------|----------|------|--------|--------------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 21883 | 314.5 | 2.49 | 37.40 | 0.33 | 18799 | 264.6 | 2.37 | 29.23 | 0.27 |
| Italy, Milan | 55871 | 308.5 | 1.49 | 36.60 | 0.20 | 52903 | 266.3 | 1.41 | 29.59 | 0.16 |
| Italy, Molise | 3044 | 295.1 | 6.30 | 34.59 | 0.82 | 2469 | 251.1 | 6.29 | 26.52 | 0.68 |
| *Italy, Naples Centre | 8829 | 338.6 | 3.87 | 41.24 | 0.54 | 7881 | 265.0 | 3.43 | 29.37 | 0.40 |
| *Italy, Naples North | 10342 | 329.7 | 3.36 | 39.64 | 0.47 | 8532 | 254.2 | 2.92 | 28.14 | 0.36 |
| *Italy, Naples South | 15244 | 329.3 | 2.85 | 39.40 | 0.39 | 12680 | 261.6 | 2.58 | 28.82 | 0.30 |
| *Italy, Nuoro | 1988 | 286.8 | 7.31 | 33.26 | 0.96 | 1721 | 249.9 | 7.29 | 27.45 | 0.82 |
| *Italy, Palermo | 17245 | 287.1 | 2.42 | 34.36 | 0.33 | 15169 | 239.9 | 2.24 | 26.75 | 0.27 |
| Italy, Puglia | 61592 | 298.1 | 1.35 | 35.26 | 0.18 | 51940 | 249.2 | 1.28 | 27.16 | 0.15 |
| *Italy, Ragusa and Caltanissetta | 7735 | 270.2 | 3.43 | 32.34 | 0.47 | 6611 | 229.9 | 3.28 | 25.24 | 0.38 |
| *Italy, Salerno | 11753 | 276.9 | 2.85 | 32.36 | 0.38 | 10032 | 237.4 | 2.75 | 25.80 | 0.31 |
| Italy, Sassari | 3184 | 299.4 | 5.93 | 35.27 | 0.78 | 2654 | 242.4 | 5.53 | 26.22 | 0.63 |
| *Italy, Sondrio | 4067 | 359.2 | 6.27 | 42.28 | 0.84 | 3336 | 276.3 | 5.95 | 30.06 | 0.68 |
| Italy, South Tyrol | 8022 | 313.4 | 3.88 | 37.76 | 0.54 | 6462 | 237.6 | 3.46 | 26.55 | 0.42 |
| *Italy, Syracuse | 5680 | 277.0 | 4.11 | 32.91 | 0.55 | 4671 | 233.6 | 3.91 | 26.18 | 0.46 |
| Italy, Trento | 8678 | 311.6 | 3.73 | 37.42 | 0.51 | 7863 | 267.7 | 3.60 | 29.48 | 0.43 |
| Italy, Turin | 39714 | 304.6 | 1.78 | 36.42 | 0.23 | 33146 | 245.3 | 1.67 | 27.24 | 0.19 |
| *Italy, Tuscany | 41076 | 349.8 | 2.05 | 41.17 | 0.26 | 37029 | 307.8 | 2.00 | 33.83 | 0.22 |
| Italy, Umbria | 13500 | 325.8 | 3.31 | 38.85 | 0.44 | 11630 | 271.7 | 3.14 | 29.72 | 0.36 |
| Italy, Varese | 7822 | 272.7 | 3.47 | 32.61 | 0.47 | 6628 | 217.7 | 3.23 | 24.21 | 0.38 |
| Italy, Veneto | 82924 | 319.7 | 1.25 | 37.82 | 0.17 | 75120 | 278.2 | 1.22 | 30.60 | 0.14 |
| Latvia | 25488 | 324.7 | 2.14 | 40.50 | 0.31 | 25632 | 228.5 | 1.69 | 25.72 | 0.20 |
| *Liechtenstein | 475 | 270.8 | 13.02 | 34.04 | 1.82 | 466 | 258.7 | 13.25 | 29.21 | 1.61 |
| *Lithuania | 43949 | 386.1 | 1.94 | 49.11 | 0.28 | 36438 | 226.0 | 1.40 | 25.14 | 0.16 |
| Malta | 5736 | 266.7 | 3.78 | 30.89 | 0.50 | 5304 | 243.8 | 3.84 | 27.01 | 0.45 |
| *The Netherlands | 270246 | 331.4 | 0.68 | 40.09 | 0.09 | 242139 | 300.2 | 0.68 | 35.09 | 0.08 |
| Norway | 83220 | 359.8 | 1.32 | 43.19 | 0.19 | 71116 | 303.3 | 1.26 | 34.67 | 0.16 |
| Poland, Kielce | 14295 | 260.8 | 2.30 | 32.24 | 0.34 | 12137 | 195.8 | 2.02 | 22.65 | 0.25 |
| *Portugal, Azores | 2471 | 348.2 | 7.20 | 42.59 | 1.04 | 1832 | 225.0 | 5.64 | 25.40 | 0.71 |
| Russian Federation, Arkhangelsk | 11570 | 309.6 | 2.98 | 38.21 | 0.46 | 12526 | 214.2 | 2.12 | 24.21 | 0.26 |
| Russian Federation, Kaliningrad | 7107 | 232.6 | 2.84 | 29.23 | 0.43 | 8884 | 194.8 | 2.27 | 22.67 | 0.28 |
| Russian Federation, Karelia | 5985 | 297.4 | 4.00 | 37.36 | 0.63 | 7020 | 220.7 | 2.95 | 25.14 | 0.37 |
| *Russian Federation, Komi Republic | 7965 | 340.2 | 4.05 | 42.24 | 0.64 | 9023 | 241.0 | 2.70 | 27.43 | 0.35 |
| Russian Federation, Murmansk | 6868 | 341.4 | 4.33 | 43.32 | 0.69 | 8048 | 235.7 | 2.80 | 26.82 | 0.36 |
| *Russian Federation, Orenburg | 19900 | 311.9 | 2.29 | 38.60 | 0.35 | 22413 | 247.4 | 1.81 | 27.78 | 0.22 |
| Russian Federation, Pskov | 6347 | 276.3 | 3.59 | 34.39 | 0.53 | 7112 | 202.9 | 2.77 | 22.93 | 0.33 |
| *Russian Federation, Samara | 30632 | 284.7 | 1.67 | 36.29 | 0.25 | 34054 | 214.3 | 1.29 | 24.66 | 0.16 |
| Russian Federation, Vologda Region | 9680 | 252.4 | 2.62 | 31.24 | 0.33 | 10979 | 193.1 | 2.03 | 21.57 | 0.21 |
| Slovenia | 33230 | 340.7 | 1.99 | 41.29 | 0.28 | 26694 | 247.5 | 1.75 | 27.89 | 0.21 |
| Spain, Asturias | 12535 | 356.9 | 3.67 | 43.00 | 0.49 | 8841 | 223.6 | 3.01 | 24.70 | 0.34 |
| Spain, Basque Country | 33643 | 382.6 | 2.31 | 46.93 | 0.32 | 23636 | 250.6 | 1.93 | 27.62 | 0.22 |
| Spain, Canary Islands | 18247 | 312.8 | 2.45 | 38.52 | 0.35 | 13812 | 218.1 | 2.04 | 24.08 | 0.25 |
| Spain, Castellón | 8780 | 322.6 | 3.75 | 39.88 | 0.53 | 5863 | 207.6 | 3.10 | 22.81 | 0.37 |
| Spain, Girona | 11298 | 324.4 | 3.33 | 38.91 | 0.47 | 7925 | 223.1 | 2.84 | 24.90 | 0.35 |
| Spain, Granada | 11652 | 286.6 | 2.88 | 34.71 | 0.41 | 9075 | 216.4 | 2.56 | 24.03 | 0.31 |
| Spain, La Rioja | 5269 | 323.6 | 4.94 | 39.81 | 0.70 | 3595 | 214.9 | 4.22 | 23.86 | 0.51 |
| Spain, Murcia | 19593 | 333.5 | 2.55 | 40.89 | 0.37 | 13995 | 226.5 | 2.12 | 25.02 | 0.26 |
| Spain, Navarra | 8934 | 363.3 | 4.21 | 45.03 | 0.60 | 5963 | 235.0 | 3.54 | 25.95 | 0.43 |
| Spain, Salamanca | 6602 | 322.7 | 4.74 | 39.62 | 0.65 | 4687 | 230.8 | 4.25 | 25.66 | 0.49 |
| Spain, Tarragona | 12311 | 322.6 | 3.16 | 38.94 | 0.44 | 8360 | 221.6 | 2.77 | 24.42 | 0.33 |
| *Sweden | 146260 | 295.0 | 0.84 | 36.04 | 0.11 | 125516 | 259.6 | 0.84 | 30.11 | 0.10 |
| Switzerland, Aargau | 9243 | 301.4 | 3.35 | 36.39 | 0.46 | 7284 | 231.2 | 3.04 | 25.94 | 0.38 |
| Switzerland, Basel | 7389 | 302.9 | 3.97 | 36.22 | 0.53 | 6598 | 246.6 | 3.59 | 28.45 | 0.44 |
| Switzerland, Berne Solothurn | 13876 | 332.2 | 3.10 | 39.97 | 0.42 | 10839 | 247.8 | 2.79 | 28.01 | 0.33 |
| Switzerland, East | 12246 | 311.5 | 3.01 | 38.04 | 0.42 | 9306 | 233.1 | 2.73 | 26.32 | 0.34 |
| *Switzerland, Fribourg | 4350 | 341.0 | 5.43 | 41.42 | 0.76 | 3347 | 259.7 | 4.87 | 30.04 | 0.62 |
| Switzerland, Geneva | 6774 | 335.3 | 4.39 | 40.24 | 0.62 | 6204 | 264.8 | 3.80 | 29.82 | 0.47 |
| *Switzerland, Graubünden and Glarus | 3940 | 316.9 | 5.55 | 37.62 | 0.74 | 2867 | 225.5 | 4.83 | 26.08 | 0.60 |
| *Switzerland, Lucerne | 7249 | 297.8 | 3.77 | 35.55 | 0.52 | 5960 | 244.8 | 3.60 | 27.30 | 0.44 |
| *Switzerland, Neuchâtel and Jura | 3924 | 333.1 | 5.81 | 39.77 | 0.79 | 3411 | 265.3 | 5.24 | 30.46 | 0.65 |
| Switzerland, Ticino | 6068 | 324.4 | 4.68 | 38.37 | 0.62 | 5422 | 274.3 | 4.50 | 30.55 | 0.52 |
| Switzerland, Valais | 5593 | 343.3 | 4.97 | 41.53 | 0.68 | 4286 | 260.5 | 4.49 | 29.82 | 0.55 |
| Switzerland, Vaud | 10721 | 331.6 | 3.39 | 40.95 | 0.48 | 9202 | 257.6 | 2.99 | 29.49 | 0.38 |
| Switzerland, Zurich and Zug | 21959 | 309.0 | 2.25 | 36.97 | 0.31 | 18558 | 244.6 | 2.02 | 27.63 | 0.25 |
| Ukraine | 298268 | 243.3 | 0.46 | 30.35 | 0.07 | 312090 | 186.0 | 0.37 | 21.14 | 0.04 |
| UK, England | 831867 | 315.5 | 0.38 | 36.68 | 0.05 | 755198 | 280.2 | 0.37 | 31.29 | 0.05 |
| UK, Northern Ireland | 24723 | 306.4 | 2.07 | 35.44 | 0.29 | 23626 | 276.1 | 2.00 | 30.96 | 0.25 |
| UK, Scotland | 83996 | 318.3 | 1.19 | 37.24 | 0.16 | 82621 | 289.8 | 1.15 | 32.51 | 0.14 |
| UK, Wales | 53315 | 322.1 | 1.55 | 37.58 | 0.21 | 47575 | 285.8 | 1.53 | 32.18 | 0.19 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 125107 | 365.9 | 1.10 | 43.30 | 0.15 | 103139 | 298.1 | 1.02 | 33.58 | 0.13 |
| *Australia, Northern Territory | 2371 | 344.9 | 7.22 | 42.24 | 1.05 | 1802 | 281.9 | 6.75 | 32.02 | 0.94 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

All sites except non-melanoma skin (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------------|-------|----------|------|--------|--------------|-------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 2026 | 352.6 | 7.99 | 43.21 | 1.14 | 1379 | 282.9 | 7.75 | 31.82 | 1.06 |
| *Australia, Northern Territory: Indigenous | 335 | 287.9 | 17.24 | 34.22 | 2.59 | 412 | 277.7 | 14.28 | 32.50 | 2.09 |
| *Australia, Queensland | 83954 | 426.3 | 1.54 | 50.21 | 0.21 | 65668 | 333.7 | 1.40 | 37.35 | 0.18 |
| Australia, South Australia | 27613 | 346.9 | 2.26 | 40.76 | 0.31 | 23039 | 282.9 | 2.09 | 32.13 | 0.26 |
| Australia, Tasmania | 9844 | 382.9 | 4.19 | 44.84 | 0.55 | 7949 | 311.5 | 3.94 | 34.90 | 0.48 |
| *Australia, Victoria | 90199 | 357.8 | 1.27 | 41.88 | 0.18 | 75479 | 289.6 | 1.15 | 32.56 | 0.15 |
| *Australia, Western Australia | 35715 | 360.1 | 1.98 | 42.37 | 0.28 | 28679 | 286.0 | 1.80 | 32.00 | 0.23 |
| *France, New Caledonia | 2470 | 310.5 | 6.30 | 37.83 | 0.92 | 2218 | 270.6 | 5.86 | 30.94 | 0.78 |
| New Zealand | 61374 | 322.5 | 1.37 | 38.06 | 0.19 | 56327 | 282.9 | 1.29 | 31.18 | 0.16 |
| *New Zealand: Maori | 5756 | 377.8 | 5.08 | 44.80 | 0.73 | 6976 | 385.7 | 4.67 | 44.20 | 0.65 |
| *New Zealand: Pacific peoples | 2097 | 335.3 | 7.49 | 39.82 | 1.08 | 2670 | 365.4 | 7.14 | 40.70 | 0.95 |
| *New Zealand: Other | 51308 | 332.1 | 1.62 | 39.14 | 0.21 | 43840 | 278.9 | 1.53 | 30.51 | 0.18 |
| USA, Hawaii | 17673 | 281.7 | 2.26 | 33.52 | 0.31 | 17458 | 282.1 | 2.37 | 31.84 | 0.28 |
| USA, Hawaii: White | 6360 | 319.7 | 4.44 | 37.66 | 0.56 | 4914 | 304.7 | 4.99 | 33.54 | 0.56 |
| *USA, Hawaii: Japanese | 3631 | 238.1 | 5.02 | 27.99 | 0.62 | 3922 | 269.7 | 5.87 | 30.32 | 0.64 |
| *USA, Hawaii: Chinese | 982 | 235.5 | 9.14 | 27.56 | 1.17 | 1020 | 223.2 | 8.42 | 24.60 | 0.97 |
| *USA, Hawaii: Hawaiian | 2451 | 271.9 | 5.54 | 32.87 | 0.80 | 2993 | 314.7 | 5.90 | 36.77 | 0.77 |
| *USA, Hawaii: Filipino | 2524 | 257.0 | 5.36 | 30.61 | 0.76 | 2740 | 246.1 | 5.09 | 27.59 | 0.61 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Head and neck (C00–14,C30–32)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 149 | 10.7 | 0.92 | 1.21 | 0.12 | 55 | 3.5 | 0.50 | 0.40 | 0.07 |
| *Algeria, Tizi Ouzou | 128 | 8.2 | 0.75 | 0.99 | 0.11 | 64 | 3.7 | 0.48 | 0.40 | 0.06 |
| *Benin, Cotonou | 36 | 5.5 | 1.06 | 0.63 | 0.17 | 37 | 4.3 | 0.78 | 0.49 | 0.11 |
| *France, La Réunion | 516 | 23.9 | 1.06 | 2.95 | 0.15 | 85 | 3.4 | 0.38 | 0.35 | 0.05 |
| *Kenya, Eldoret | 94 | 8.5 | 0.95 | 1.05 | 0.14 | 41 | 3.3 | 0.59 | 0.41 | 0.09 |
| *Kenya, Nairobi | 425 | 13.6 | 0.83 | 1.53 | 0.12 | 230 | 8.7 | 0.71 | 1.06 | 0.11 |
| Mauritius | 422 | 9.8 | 0.48 | 1.18 | 0.07 | 190 | 4.1 | 0.30 | 0.43 | 0.04 |
| *Morocco, Casablanca | 836 | 7.7 | 0.27 | 0.92 | 0.04 | 401 | 3.4 | 0.17 | 0.35 | 0.02 |
| *Seychelles | 79 | 28.0 | 3.21 | 3.15 | 0.45 | 13 | 3.9 | 1.12 | 0.50 | 0.18 |
| *South Africa, Eastern Cape | 78 | 7.6 | 0.88 | 0.86 | 0.11 | 47 | 2.6 | 0.41 | 0.32 | 0.06 |
| *Uganda, Kyadondo County | 292 | 14.1 | 1.03 | 1.86 | 0.18 | 132 | 4.6 | 0.50 | 0.55 | 0.08 |
| *Uganda, Gulu | 27 | 6.2 | 1.32 | 0.67 | 0.16 | 17 | 2.2 | 0.60 | 0.16 | 0.05 |
| *Zimbabwe, Bulawayo: African | 55 | 6.5 | 0.91 | 0.55 | 0.10 | 21 | 1.9 | 0.42 | 0.17 | 0.05 |
| *Zimbabwe, Harare: African | 233 | 15.0 | 1.08 | 1.80 | 0.16 | 112 | 5.1 | 0.53 | 0.56 | 0.08 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 308 | 14.1 | 0.81 | 1.77 | 0.11 | 79 | 3.1 | 0.36 | 0.36 | 0.05 |
| *Argentina, Mendoza | 434 | 8.6 | 0.42 | 0.99 | 0.06 | 154 | 2.5 | 0.21 | 0.28 | 0.03 |
| Brazil, Aracaju | 197 | 19.1 | 1.38 | 2.51 | 0.22 | 63 | 4.0 | 0.52 | 0.34 | 0.06 |
| *Brazil, Barretos | 380 | 28.5 | 1.48 | 3.51 | 0.21 | 101 | 6.2 | 0.64 | 0.70 | 0.09 |
| Brazil, Belo Horizonte | 1483 | 21.1 | 0.55 | 2.54 | 0.08 | 484 | 5.0 | 0.24 | 0.56 | 0.03 |
| *Brazil, Campinas | 562 | 23.9 | 1.02 | 2.84 | 0.14 | 176 | 5.8 | 0.45 | 0.65 | 0.06 |
| *Brazil, Curitiba | 708 | 17.6 | 0.67 | 2.06 | 0.09 | 191 | 3.5 | 0.26 | 0.37 | 0.03 |
| Brazil, Goiânia | 580 | 21.8 | 0.92 | 2.56 | 0.13 | 163 | 4.7 | 0.37 | 0.54 | 0.05 |
| *Brazil, Jaú | 113 | 27.0 | 2.56 | 3.28 | 0.35 | 22 | 3.8 | 0.84 | 0.33 | 0.10 |
| Brazil, João Pessoa | 215 | 20.8 | 1.44 | 2.37 | 0.20 | 92 | 5.7 | 0.61 | 0.59 | 0.08 |
| Brazil, Recife | 480 | 19.5 | 0.90 | 2.30 | 0.13 | 128 | 3.3 | 0.30 | 0.38 | 0.04 |
| Chile, Region of Antofagasta | 61 | 6.1 | 0.80 | 0.62 | 0.10 | 32 | 3.2 | 0.57 | 0.37 | 0.08 |
| Chile, Valdivia | 50 | 3.5 | 0.51 | 0.36 | 0.07 | 22 | 1.2 | 0.29 | 0.15 | 0.04 |
| Colombia, Bucaramanga | 222 | 7.6 | 0.52 | 0.89 | 0.08 | 121 | 3.2 | 0.20 | 0.35 | 0.04 |
| Colombia, Cali | 540 | 9.2 | 0.40 | 1.08 | 0.06 | 340 | 4.2 | 0.24 | 0.44 | 0.03 |
| Colombia, Manizales | 86 | 6.4 | 0.69 | 0.75 | 0.10 | 47 | 2.5 | 0.36 | 0.26 | 0.05 |
| Colombia, Pasto | 29 | 2.9 | 0.56 | 0.35 | 0.08 | 34 | 2.4 | 0.42 | 0.21 | 0.05 |
| Costa Rica | 633 | 6.3 | 0.25 | 0.70 | 0.04 | 295 | 2.7 | 0.16 | 0.29 | 0.02 |
| Ecuador, Guayaquil | 318 | 6.0 | 0.34 | 0.72 | 0.05 | 175 | 2.7 | 0.21 | 0.30 | 0.03 |
| Ecuador, Manabí | 138 | 4.0 | 0.35 | 0.48 | 0.05 | 72 | 2.0 | 0.24 | 0.22 | 0.03 |
| Ecuador, Quito | 177 | 4.2 | 0.32 | 0.44 | 0.04 | 142 | 2.7 | 0.23 | 0.28 | 0.03 |
| *France, Guadeloupe | 275 | 17.3 | 1.10 | 2.09 | 0.14 | 43 | 2.5 | 0.43 | 0.27 | 0.05 |
| *France, Martinique | 204 | 12.7 | 0.96 | 1.46 | 0.12 | 69 | 3.5 | 0.45 | 0.42 | 0.06 |
| *Peru, Lima | 863 | 6.2 | 0.21 | 0.67 | 0.03 | 633 | 3.8 | 0.15 | 0.43 | 0.02 |
| *Trinidad and Tobago | 211 | 8.6 | 0.60 | 1.12 | 0.09 | 60 | 2.3 | 0.30 | 0.26 | 0.04 |
| USA, Puerto Rico | 2355 | 16.1 | 0.35 | 1.97 | 0.05 | 678 | 3.7 | 0.16 | 0.41 | 0.02 |
| *Uruguay | 1832 | 15.7 | 0.38 | 2.00 | 0.05 | 534 | 3.3 | 0.16 | 0.37 | 0.02 |
| North America | | | | | | | | | | |
| Canada, Alberta | 1820 | 12.1 | 0.29 | 1.48 | 0.04 | 721 | 4.6 | 0.18 | 0.51 | 0.02 |
| Canada, British Columbia | 2961 | 13.7 | 0.26 | 1.65 | 0.03 | 1155 | 4.9 | 0.16 | 0.54 | 0.02 |
| *Canada, Manitoba | 761 | 14.3 | 0.54 | 1.74 | 0.07 | 326 | 5.4 | 0.33 | 0.61 | 0.04 |
| *Canada, New Brunswick | 568 | 14.8 | 0.64 | 1.82 | 0.09 | 193 | 4.7 | 0.38 | 0.55 | 0.05 |
| *Canada, Newfoundland and Labrador | 431 | 16.1 | 0.81 | 1.92 | 0.11 | 126 | 4.8 | 0.47 | 0.53 | 0.05 |
| Canada, Ontario | 9002 | 15.3 | 0.17 | 1.86 | 0.02 | 3665 | 5.6 | 0.10 | 0.63 | 0.01 |
| *Canada, Prince Edward Island | 124 | 17.4 | 1.65 | 1.85 | 0.20 | 48 | 6.7 | 1.06 | 0.77 | 0.13 |
| Canada, Quebec | 6173 | 15.6 | 0.21 | 1.90 | 0.03 | 2558 | 6.1 | 0.13 | 0.71 | 0.02 |
| Canada, Saskatchewan | 572 | 12.3 | 0.54 | 1.46 | 0.07 | 217 | 4.1 | 0.31 | 0.49 | 0.04 |
| *Canada, Yukon | 33 | 20.3 | 3.58 | 2.62 | 0.51 | 8 | 5.2 | 1.87 | 0.64 | 0.30 |
| USA | 217965 | 17.4 | 0.04 | 2.13 | 0.01 | 81667 | 5.7 | 0.02 | 0.67 | 0.00 |
| USA: White | 188226 | 17.9 | 0.04 | 2.19 | 0.01 | 69289 | 5.9 | 0.02 | 0.69 | 0.00 |
| USA: Black | 20897 | 16.3 | 0.11 | 2.04 | 0.02 | 8202 | 5.1 | 0.06 | 0.59 | 0.01 |
| USA, NPCR | 211092 | 17.4 | 0.04 | 2.14 | 0.01 | 78970 | 5.7 | 0.02 | 0.67 | 0.00 |
| USA, NPCR: White | 182294 | 17.9 | 0.04 | 2.20 | 0.01 | 67036 | 5.9 | 0.02 | 0.69 | 0.00 |
| USA, NPCR: Black | 20645 | 16.3 | 0.11 | 2.04 | 0.02 | 8114 | 5.1 | 0.06 | 0.60 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 5604 | 9.9 | 0.13 | 1.17 | 0.02 | 2742 | 4.0 | 0.08 | 0.44 | 0.01 |
| USA, NPCR: American Indian | 1106 | 9.6 | 0.29 | 1.17 | 0.04 | 425 | 3.4 | 0.17 | 0.41 | 0.02 |
| *USA, SEER (18 registries) | 53404 | 15.9 | 0.07 | 1.95 | 0.01 | 20216 | 5.3 | 0.04 | 0.61 | 0.01 |
| *USA, SEER (18 registries): White | 44032 | 16.5 | 0.08 | 2.02 | 0.01 | 16151 | 5.4 | 0.05 | 0.63 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 39900 | 18.1 | 0.10 | 2.21 | 0.01 | 14438 | 5.9 | 0.06 | 0.68 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 4132 | 9.4 | 0.15 | 1.15 | 0.02 | 1713 | 3.4 | 0.08 | 0.38 | 0.01 |
| *USA, SEER (18 registries): Black | 5276 | 16.0 | 0.22 | 2.00 | 0.03 | 2055 | 5.0 | 0.11 | 0.58 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 3216 | 9.8 | 0.18 | 1.15 | 0.02 | 1629 | 4.1 | 0.11 | 0.45 | 0.01 |
| *USA, SEER (9 registries) | 18297 | 15.8 | 0.12 | 1.93 | 0.02 | 7132 | 5.4 | 0.07 | 0.63 | 0.01 |
| *USA, SEER (9 registries): White | 14897 | 16.4 | 0.14 | 2.00 | 0.02 | 5549 | 5.5 | 0.08 | 0.64 | 0.01 |
| *USA, SEER (9 registries): Black | 1769 | 16.1 | 0.39 | 1.98 | 0.06 | 715 | 5.1 | 0.19 | 0.60 | 0.03 |
| USA, Alabama | 3915 | 20.2 | 0.33 | 2.49 | 0.04 | 1439 | 6.5 | 0.19 | 0.75 | 0.02 |
| USA, Alabama: White | 3131 | 21.0 | 0.39 | 2.57 | 0.05 | 1164 | 7.1 | 0.23 | 0.82 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Head and neck (C00–14,C30–32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 714 | 17.7 | 0.67 | 2.25 | 0.10 | 243 | 4.7 | 0.31 | 0.54 | 0.04 |
| USA, Alaska | 405 | 15.1 | 0.76 | 1.88 | 0.11 | 125 | 4.9 | 0.45 | 0.58 | 0.06 |
| *USA, Alaska: Alaska Natives | 68 | 20.0 | 2.45 | 2.35 | 0.34 | 33 | 9.2 | 1.63 | 1.09 | 0.23 |
| USA, Arizona | 3713 | 13.5 | 0.23 | 1.66 | 0.03 | 1287 | 4.2 | 0.13 | 0.49 | 0.02 |
| USA, Arizona: White | 3507 | 14.1 | 0.25 | 1.73 | 0.03 | 1199 | 4.3 | 0.14 | 0.51 | 0.02 |
| USA, Arizona: Black | 90 | 9.6 | 1.03 | 1.37 | 0.17 | 25 | 2.5 | 0.51 | 0.30 | 0.06 |
| *USA, Arizona: Asian and Pacific Islander | 49 | 6.6 | 0.96 | 0.72 | 0.13 | 33 | 3.6 | 0.64 | 0.40 | 0.08 |
| USA, Arizona: American Indian | 52 | 5.9 | 0.82 | 0.77 | 0.12 | 24 | 2.2 | 0.45 | 0.27 | 0.06 |
| USA, Arkansas | 2426 | 20.5 | 0.43 | 2.50 | 0.06 | 915 | 6.8 | 0.25 | 0.79 | 0.03 |
| USA, Arkansas: White | 2121 | 20.7 | 0.47 | 2.52 | 0.06 | 793 | 6.9 | 0.27 | 0.79 | 0.03 |
| USA, Arkansas: Black | 264 | 19.0 | 1.18 | 2.41 | 0.17 | 105 | 6.4 | 0.64 | 0.75 | 0.08 |
| USA, California | 19675 | 13.8 | 0.10 | 1.69 | 0.01 | 7417 | 4.5 | 0.06 | 0.51 | 0.01 |
| USA, California: White | 16268 | 14.7 | 0.12 | 1.80 | 0.02 | 5854 | 4.7 | 0.07 | 0.53 | 0.01 |
| USA, California: Black | 1084 | 12.4 | 0.38 | 1.52 | 0.05 | 427 | 4.2 | 0.21 | 0.49 | 0.03 |
| USA, California: Asian and Pacific Islander | 1989 | 9.5 | 0.22 | 1.12 | 0.03 | 1002 | 3.9 | 0.13 | 0.42 | 0.02 |
| *USA, California, Los Angeles County | 4234 | 12.0 | 0.19 | 1.45 | 0.03 | 1607 | 3.9 | 0.10 | 0.44 | 0.01 |
| *USA, California, Los Angeles County: White | 3161 | 12.4 | 0.23 | 1.51 | 0.03 | 1178 | 4.0 | 0.13 | 0.46 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | 2185 | 15.7 | 0.35 | 1.89 | 0.05 | 782 | 5.3 | 0.22 | 0.60 | 0.03 |
| *USA, California, Los Angeles County: Hispanic White | 976 | 8.7 | 0.28 | 1.05 | 0.04 | 396 | 2.9 | 0.15 | 0.32 | 0.02 |
| *USA, California, Los Angeles County: Black | 422 | 13.1 | 0.65 | 1.64 | 0.09 | 166 | 4.0 | 0.32 | 0.46 | 0.04 |
| *USA, California, Los Angeles County: Chinese | 157 | 8.0 | 0.69 | 0.89 | 0.09 | 63 | 2.6 | 0.36 | 0.26 | 0.04 |
| *USA, California, Los Angeles County: Filipino | 97 | 7.4 | 0.77 | 0.89 | 0.11 | 40 | 2.4 | 0.39 | 0.27 | 0.05 |
| *USA, California, Los Angeles County: Korean | 60 | 6.5 | 0.92 | 0.73 | 0.11 | 18 | 2.1 | 0.59 | 0.22 | 0.06 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 564 | 9.5 | 0.42 | 1.10 | 0.05 | 225 | 3.1 | 0.23 | 0.32 | 0.03 |
| *USA, California, San Francisco Bay Area | 2440 | 13.4 | 0.28 | 1.63 | 0.04 | 963 | 4.7 | 0.16 | 0.54 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 1729 | 14.4 | 0.35 | 1.76 | 0.05 | 594 | 4.4 | 0.19 | 0.52 | 0.03 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1514 | 15.4 | 0.41 | 1.88 | 0.06 | 516 | 4.8 | 0.23 | 0.56 | 0.03 |
| *USA, California, San Francisco Bay Area: Hispanic White | 215 | 9.9 | 0.69 | 1.17 | 0.11 | 78 | 3.0 | 0.35 | 0.35 | 0.06 |
| *USA, California, San Francisco Bay Area: Black | 222 | 15.2 | 1.03 | 1.84 | 0.15 | 79 | 5.0 | 0.59 | 0.61 | 0.08 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 459 | 10.1 | 0.49 | 1.19 | 0.07 | 285 | 5.1 | 0.32 | 0.57 | 0.04 |
| USA, Colorado | 2967 | 14.4 | 0.27 | 1.76 | 0.04 | 1113 | 4.9 | 0.15 | 0.57 | 0.02 |
| USA, Colorado: White | 2772 | 14.5 | 0.28 | 1.77 | 0.04 | 1051 | 5.0 | 0.16 | 0.58 | 0.02 |
| *USA, Colorado: Black | 105 | 14.0 | 1.39 | 1.65 | 0.20 | 23 | 3.1 | 0.65 | 0.39 | 0.09 |
| *USA, Colorado: Asian and Pacific Islander | 46 | 8.8 | 1.32 | 0.95 | 0.17 | 28 | 4.2 | 0.81 | 0.56 | 0.12 |
| USA, Connecticut | 2454 | 16.5 | 0.34 | 2.00 | 0.05 | 1054 | 6.2 | 0.21 | 0.71 | 0.03 |
| USA, Connecticut: White | 2184 | 16.5 | 0.37 | 2.01 | 0.05 | 936 | 6.3 | 0.23 | 0.74 | 0.03 |
| USA, Connecticut: Black | 181 | 15.4 | 1.15 | 1.90 | 0.16 | 71 | 4.4 | 0.54 | 0.50 | 0.07 |
| USA, District of Columbia | 328 | 15.7 | 0.90 | 1.87 | 0.12 | 141 | 5.6 | 0.49 | 0.68 | 0.07 |
| USA, District of Columbia: White | 119 | 12.7 | 1.19 | 1.56 | 0.18 | 43 | 4.6 | 0.74 | 0.60 | 0.11 |
| USA, District of Columbia: Black | 196 | 17.6 | 1.31 | 2.06 | 0.17 | 94 | 6.5 | 0.71 | 0.75 | 0.09 |
| USA, Florida | 19114 | 21.6 | 0.17 | 2.66 | 0.02 | 6284 | 6.2 | 0.09 | 0.73 | 0.01 |
| USA, Florida: White | 17064 | 22.6 | 0.19 | 2.79 | 0.02 | 5544 | 6.5 | 0.10 | 0.77 | 0.01 |
| USA, Florida: Black | 1519 | 15.0 | 0.39 | 1.85 | 0.06 | 557 | 4.6 | 0.20 | 0.55 | 0.03 |
| USA, Florida: Asian and Pacific Islander | 202 | 10.2 | 0.73 | 1.15 | 0.09 | 85 | 3.4 | 0.37 | 0.39 | 0.05 |
| USA, Georgia | 6965 | 19.3 | 0.23 | 2.39 | 0.03 | 2588 | 6.1 | 0.13 | 0.71 | 0.02 |
| USA, Georgia: White | 5278 | 20.4 | 0.29 | 2.51 | 0.04 | 1897 | 6.5 | 0.16 | 0.76 | 0.02 |
| USA, Georgia: Black | 1527 | 17.1 | 0.44 | 2.18 | 0.06 | 626 | 5.3 | 0.21 | 0.62 | 0.03 |
| USA, Georgia: Asian and Pacific Islander | 150 | 12.7 | 1.05 | 1.47 | 0.14 | 62 | 4.4 | 0.57 | 0.49 | 0.08 |
| *USA, Georgia, Atlanta | 1802 | 15.8 | 0.38 | 1.93 | 0.05 | 686 | 5.0 | 0.19 | 0.58 | 0.03 |
| *USA, Georgia, Atlanta: White | 1135 | 16.7 | 0.50 | 2.06 | 0.07 | 416 | 5.5 | 0.28 | 0.65 | 0.04 |
| *USA, Georgia, Atlanta: Black | 575 | 15.2 | 0.64 | 1.86 | 0.09 | 235 | 4.4 | 0.29 | 0.51 | 0.04 |
| USA, Idaho | 1030 | 15.4 | 0.50 | 1.89 | 0.07 | 399 | 5.8 | 0.31 | 0.68 | 0.04 |
| USA, Indiana | 4946 | 19.4 | 0.28 | 2.33 | 0.04 | 1803 | 6.2 | 0.16 | 0.73 | 0.02 |
| USA, Indiana: White | 4556 | 19.5 | 0.30 | 2.34 | 0.04 | 1636 | 6.2 | 0.17 | 0.74 | 0.02 |
| USA, Indiana: Black | 307 | 17.4 | 1.00 | 2.17 | 0.14 | 126 | 5.7 | 0.52 | 0.65 | 0.07 |
| *USA, Iowa | 2365 | 18.6 | 0.40 | 2.25 | 0.05 | 883 | 6.0 | 0.23 | 0.70 | 0.03 |
| USA, Kentucky | 3954 | 22.4 | 0.37 | 2.74 | 0.05 | 1519 | 7.8 | 0.21 | 0.89 | 0.03 |
| USA, Louisiana | 3727 | 21.4 | 0.36 | 2.60 | 0.05 | 1357 | 6.8 | 0.20 | 0.80 | 0.03 |
| USA, Louisiana: White | 2722 | 21.7 | 0.43 | 2.62 | 0.06 | 1026 | 7.4 | 0.25 | 0.88 | 0.03 |
| USA, Louisiana: Black | 976 | 21.7 | 0.70 | 2.72 | 0.10 | 311 | 5.5 | 0.32 | 0.62 | 0.04 |
| *USA, Louisiana, New Orleans | 630 | 19.0 | 0.78 | 2.22 | 0.10 | 232 | 6.0 | 0.42 | 0.68 | 0.05 |
| *USA, Louisiana, New Orleans: White | 422 | 20.6 | 1.04 | 2.41 | 0.14 | 146 | 6.3 | 0.57 | 0.72 | 0.07 |
| *USA, Louisiana, New Orleans: Black | 191 | 16.7 | 1.23 | 2.01 | 0.17 | 79 | 5.3 | 0.62 | 0.60 | 0.08 |
| USA, Maine | 1218 | 19.0 | 0.57 | 2.26 | 0.07 | 466 | 6.8 | 0.35 | 0.77 | 0.04 |
| USA, Maryland | 3679 | 16.1 | 0.27 | 1.96 | 0.04 | 1458 | 5.4 | 0.15 | 0.62 | 0.02 |
| USA, Maryland: White | 2781 | 17.8 | 0.35 | 2.18 | 0.05 | 1050 | 5.9 | 0.20 | 0.68 | 0.03 |
| USA, Maryland: Black | 777 | 13.5 | 0.49 | 1.64 | 0.07 | 340 | 4.6 | 0.26 | 0.50 | 0.03 |
| USA, Maryland: Asian and Pacific Islander | 112 | 8.6 | 0.82 | 0.96 | 0.10 | 64 | 4.2 | 0.53 | 0.47 | 0.07 |
| USA, Massachusetts | 4655 | 17.1 | 0.26 | 2.09 | 0.04 | 1961 | 6.1 | 0.15 | 0.73 | 0.02 |
| USA, Massachusetts: White | 4258 | 17.5 | 0.28 | 2.14 | 0.04 | 1775 | 6.2 | 0.16 | 0.74 | 0.02 |
| USA, Massachusetts: Black | 209 | 12.9 | 0.90 | 1.68 | 0.14 | 88 | 4.4 | 0.48 | 0.52 | 0.06 |
| USA, Massachusetts: Asian and Pacific Islander | 143 | 11.4 | 0.96 | 1.26 | 0.13 | 75 | 5.2 | 0.61 | 0.62 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Head and neck (C00–14,C30–32) (contd)

| | Male | | | | | Female | | | | |
|---|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 7186 | 17.5 | 0.21 | 2.13 | 0.03 | 2793 | 6.0 | 0.12 | 0.70 | 0.02 |
| USA, Michigan: White | 6227 | 17.5 | 0.23 | 2.12 | 0.03 | 2343 | 5.9 | 0.13 | 0.68 | 0.02 |
| USA, Michigan: Black | 805 | 18.4 | 0.66 | 2.26 | 0.09 | 361 | 6.6 | 0.36 | 0.78 | 0.05 |
| USA, Michigan: Asian and Pacific Islander | 73 | 8.4 | 1.00 | 0.97 | 0.13 | 42 | 4.3 | 0.68 | 0.61 | 0.11 |
| *USA, Michigan, Detroit | 2898 | 19.0 | 0.36 | 2.31 | 0.05 | 1109 | 6.1 | 0.20 | 0.72 | 0.03 |
| *USA, Michigan, Detroit: White | 2229 | 19.1 | 0.42 | 2.34 | 0.06 | 805 | 6.0 | 0.23 | 0.71 | 0.03 |
| *USA, Michigan, Detroit: Black | 602 | 19.9 | 0.82 | 2.42 | 0.11 | 278 | 6.8 | 0.42 | 0.81 | 0.06 |
| USA, Minnesota | 3610 | 16.4 | 0.28 | 1.97 | 0.04 | 1489 | 6.2 | 0.17 | 0.71 | 0.02 |
| USA, Minnesota: White | 3347 | 16.3 | 0.29 | 1.95 | 0.04 | 1370 | 6.1 | 0.18 | 0.71 | 0.02 |
| USA, Minnesota: Black | 117 | 16.0 | 1.53 | 1.80 | 0.21 | 58 | 7.6 | 1.02 | 0.87 | 0.14 |
| *USA, Minnesota: Asian and Pacific Islander | 66 | 11.6 | 1.47 | 1.48 | 0.22 | 30 | 4.6 | 0.85 | 0.57 | 0.13 |
| USA, Mississippi | 2491 | 22.4 | 0.46 | 2.76 | 0.06 | 864 | 6.6 | 0.24 | 0.74 | 0.03 |
| USA, Missouri | 4786 | 19.7 | 0.30 | 2.40 | 0.04 | 1710 | 6.2 | 0.16 | 0.72 | 0.02 |
| USA, Missouri: White | 4321 | 19.9 | 0.32 | 2.42 | 0.04 | 1533 | 6.2 | 0.17 | 0.73 | 0.02 |
| USA, Missouri: Black | 418 | 19.9 | 0.99 | 2.49 | 0.14 | 155 | 5.9 | 0.49 | 0.70 | 0.06 |
| USA, Montana | 737 | 15.9 | 0.62 | 1.90 | 0.08 | 253 | 5.4 | 0.37 | 0.64 | 0.05 |
| *USA, Montana: American Indian | 23 | 12.8 | 2.72 | 1.53 | 0.38 | 13 | 6.4 | 1.83 | 0.72 | 0.25 |
| USA, Nebraska | 1248 | 17.0 | 0.50 | 2.05 | 0.07 | 491 | 6.0 | 0.30 | 0.72 | 0.04 |
| USA, Nebraska: White | 1169 | 16.8 | 0.51 | 2.02 | 0.07 | 468 | 6.1 | 0.31 | 0.73 | 0.04 |
| *USA, Nebraska: Black | 46 | 19.4 | 2.91 | 2.53 | 0.43 | 13 | 5.4 | 1.50 | 0.70 | 0.20 |
| USA, Nevada | 1644 | 13.9 | 0.35 | 1.75 | 0.05 | 628 | 5.3 | 0.22 | 0.63 | 0.03 |
| USA, Nevada: White | 1462 | 14.8 | 0.40 | 1.86 | 0.06 | 538 | 5.6 | 0.26 | 0.67 | 0.03 |
| USA, Nevada: Black | 101 | 11.8 | 1.18 | 1.58 | 0.18 | 43 | 4.6 | 0.71 | 0.57 | 0.10 |
| *USA, Nevada: Asian and Pacific Islander | 57 | 6.1 | 0.81 | 0.78 | 0.11 | 36 | 2.9 | 0.49 | 0.36 | 0.06 |
| USA, New Jersey | 5717 | 16.0 | 0.22 | 1.94 | 0.03 | 2256 | 5.4 | 0.13 | 0.62 | 0.02 |
| USA, New Jersey: White | 4781 | 16.6 | 0.25 | 2.01 | 0.03 | 1839 | 5.6 | 0.15 | 0.64 | 0.02 |
| USA, New Jersey: Black | 584 | 14.5 | 0.61 | 1.86 | 0.09 | 257 | 4.9 | 0.32 | 0.56 | 0.04 |
| USA, New Mexico | 1087 | 12.5 | 0.40 | 1.47 | 0.05 | 373 | 3.8 | 0.21 | 0.45 | 0.03 |
| USA, New Mexico: White | 1006 | 12.9 | 0.43 | 1.52 | 0.06 | 350 | 4.0 | 0.24 | 0.47 | 0.03 |
| USA, New Mexico: Non-Hispanic White | 713 | 15.0 | 0.62 | 1.76 | 0.08 | 224 | 4.1 | 0.31 | 0.50 | 0.04 |
| USA, New Mexico: Hispanic White | 293 | 9.8 | 0.58 | 1.15 | 0.08 | 126 | 3.7 | 0.35 | 0.41 | 0.05 |
| *USA, New Mexico: American Indian | 42 | 6.7 | 1.05 | 0.72 | 0.13 | 11 | 1.4 | 0.43 | 0.14 | 0.05 |
| USA, New York State | 12464 | 16.1 | 0.15 | 1.95 | 0.02 | 5261 | 5.8 | 0.09 | 0.66 | 0.01 |
| USA, New York State: White | 10136 | 16.9 | 0.18 | 2.05 | 0.02 | 4160 | 6.0 | 0.10 | 0.69 | 0.01 |
| USA, New York State: Black | 1469 | 13.5 | 0.36 | 1.65 | 0.05 | 709 | 4.8 | 0.19 | 0.55 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 792 | 13.6 | 0.49 | 1.55 | 0.06 | 364 | 5.5 | 0.30 | 0.61 | 0.04 |
| USA, North Carolina | 7510 | 19.4 | 0.23 | 2.37 | 0.03 | 2827 | 6.2 | 0.12 | 0.72 | 0.02 |
| USA, North Carolina: White | 6032 | 19.7 | 0.26 | 2.40 | 0.03 | 2258 | 6.4 | 0.15 | 0.75 | 0.02 |
| USA, North Carolina: Black | 1306 | 18.7 | 0.52 | 2.39 | 0.07 | 497 | 5.4 | 0.25 | 0.63 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 73 | 9.7 | 1.16 | 1.14 | 0.16 | 31 | 3.3 | 0.61 | 0.36 | 0.09 |
| *USA, North Carolina: American Indian | 53 | 11.1 | 1.53 | 1.56 | 0.24 | 27 | 5.1 | 1.00 | 0.80 | 0.18 |
| USA, North Dakota | 508 | 17.3 | 0.80 | 2.12 | 0.11 | 185 | 5.9 | 0.48 | 0.65 | 0.06 |
| USA, Ohio | 8817 | 18.8 | 0.21 | 2.28 | 0.03 | 3416 | 6.5 | 0.12 | 0.75 | 0.02 |
| USA, Ohio: White | 7968 | 19.2 | 0.22 | 2.33 | 0.03 | 3041 | 6.6 | 0.13 | 0.76 | 0.02 |
| USA, Ohio: Black | 751 | 16.4 | 0.61 | 2.02 | 0.09 | 326 | 5.7 | 0.33 | 0.70 | 0.05 |
| *USA, Ohio: Asian and Pacific Islander | 60 | 8.5 | 1.10 | 1.02 | 0.17 | 34 | 4.2 | 0.72 | 0.37 | 0.08 |
| USA, Oklahoma | 2778 | 18.6 | 0.36 | 2.29 | 0.05 | 1016 | 6.1 | 0.21 | 0.72 | 0.03 |
| USA, Oklahoma: White | 2423 | 19.1 | 0.40 | 2.36 | 0.05 | 884 | 6.3 | 0.23 | 0.74 | 0.03 |
| USA, Oklahoma: Black | 135 | 15.0 | 1.30 | 1.88 | 0.20 | 41 | 4.0 | 0.64 | 0.47 | 0.08 |
| USA, Oklahoma: American Indian | 181 | 16.7 | 1.25 | 1.97 | 0.16 | 68 | 5.3 | 0.66 | 0.63 | 0.09 |
| USA, Oregon | 2827 | 16.7 | 0.33 | 2.06 | 0.04 | 1066 | 5.7 | 0.19 | 0.67 | 0.02 |
| USA, Oregon: White | 2673 | 16.9 | 0.34 | 2.08 | 0.05 | 1005 | 5.7 | 0.20 | 0.68 | 0.03 |
| *USA, Oregon: Black | 32 | 12.0 | 2.16 | 1.79 | 0.36 | 10 | 3.9 | 1.24 | 0.34 | 0.13 |
| *USA, Oregon: Asian and Pacific Islander | 64 | 10.8 | 1.35 | 1.19 | 0.17 | 34 | 4.5 | 0.79 | 0.51 | 0.10 |
| USA, Rhode Island | 696 | 16.2 | 0.63 | 2.01 | 0.09 | 338 | 6.5 | 0.38 | 0.75 | 0.05 |
| USA, Rhode Island: White | 653 | 16.5 | 0.67 | 2.05 | 0.09 | 315 | 6.6 | 0.41 | 0.76 | 0.05 |
| *USA, Rhode Island: Black | 24 | 10.6 | 2.19 | 1.44 | 0.35 | 15 | 5.5 | 1.45 | 0.71 | 0.21 |
| USA, South Carolina | 4092 | 20.7 | 0.34 | 2.52 | 0.04 | 1337 | 5.9 | 0.17 | 0.68 | 0.02 |
| USA, South Carolina: White | 3135 | 20.9 | 0.39 | 2.52 | 0.05 | 1048 | 6.2 | 0.21 | 0.72 | 0.03 |
| USA, South Carolina: Black | 922 | 21.0 | 0.70 | 2.63 | 0.10 | 277 | 5.0 | 0.31 | 0.57 | 0.04 |
| USA, South Dakota | 602 | 17.1 | 0.73 | 2.10 | 0.10 | 215 | 5.6 | 0.42 | 0.65 | 0.05 |
| USA, Tennessee | 5339 | 20.5 | 0.29 | 2.52 | 0.04 | 1930 | 6.5 | 0.16 | 0.76 | 0.02 |
| USA, Tennessee: White | 4733 | 21.2 | 0.32 | 2.60 | 0.04 | 1699 | 6.9 | 0.18 | 0.79 | 0.02 |
| USA, Tennessee: Black | 545 | 16.7 | 0.72 | 2.07 | 0.10 | 209 | 5.0 | 0.35 | 0.61 | 0.05 |
| USA, Texas | 15246 | 16.5 | 0.14 | 2.06 | 0.02 | 5163 | 5.0 | 0.07 | 0.57 | 0.01 |
| USA, Texas: White | 13459 | 17.3 | 0.15 | 2.15 | 0.02 | 4435 | 5.1 | 0.08 | 0.59 | 0.01 |
| USA, Texas: Black | 1381 | 14.5 | 0.40 | 1.82 | 0.06 | 531 | 4.6 | 0.20 | 0.52 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 329 | 8.3 | 0.46 | 1.01 | 0.07 | 165 | 3.6 | 0.28 | 0.40 | 0.04 |
| USA, Utah | 1059 | 11.9 | 0.37 | 1.48 | 0.05 | 439 | 4.6 | 0.23 | 0.53 | 0.03 |
| USA, Vermont | 505 | 17.8 | 0.83 | 2.23 | 0.11 | 172 | 5.9 | 0.50 | 0.64 | 0.06 |
| USA, Washington State | 4582 | 16.0 | 0.24 | 1.94 | 0.03 | 1789 | 5.7 | 0.14 | 0.65 | 0.02 |
| *USA, Washington, Seattle | 3225 | 16.5 | 0.30 | 2.00 | 0.04 | 1238 | 5.7 | 0.17 | 0.65 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Head and neck (C00–14,C30–32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 1762 | 21.7 | 0.54 | 2.60 | 0.07 | 676 | 7.6 | 0.32 | 0.88 | 0.04 |
| USA, Wyoming | 327 | 13.5 | 0.77 | 1.64 | 0.10 | 136 | 5.6 | 0.52 | 0.71 | 0.07 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 102 | 7.7 | 0.78 | 0.87 | 0.11 | 36 | 2.8 | 0.48 | 0.31 | 0.07 |
| Brunei Darussalam | 121 | 12.5 | 1.19 | 1.32 | 0.16 | 70 | 7.2 | 0.88 | 0.82 | 0.13 |
| *China, Anfu County | 135 | 12.9 | 1.14 | 1.40 | 0.14 | 37 | 3.8 | 0.67 | 0.42 | 0.08 |
| *China, Anguo City | 42 | 3.3 | 0.52 | 0.41 | 0.07 | 21 | 1.6 | 0.35 | 0.15 | 0.04 |
| *China, Anshan City | 817 | 11.1 | 0.42 | 1.28 | 0.05 | 203 | 2.5 | 0.19 | 0.25 | 0.02 |
| *China, Aohan Banner, Chifeng City | 66 | 3.4 | 0.44 | 0.40 | 0.06 | 27 | 1.5 | 0.29 | 0.21 | 0.05 |
| *China, Arongqi | 99 | 11.1 | 1.17 | 1.31 | 0.15 | 31 | 3.9 | 0.78 | 0.44 | 0.10 |
| *China, Baoding City | 215 | 6.0 | 0.42 | 0.69 | 0.06 | 78 | 2.1 | 0.25 | 0.21 | 0.03 |
| *China, Beijing City | 2399 | 6.0 | 0.13 | 0.71 | 0.02 | 1034 | 2.4 | 0.09 | 0.27 | 0.01 |
| *China, Binhai County | 226 | 4.9 | 0.33 | 0.55 | 0.04 | 109 | 2.4 | 0.23 | 0.30 | 0.03 |
| *China, Cangzhou City | 86 | 5.2 | 0.58 | 0.59 | 0.08 | 32 | 1.8 | 0.33 | 0.20 | 0.04 |
| China, Changfeng County | 105 | 6.3 | 0.64 | 0.74 | 0.08 | 31 | 1.9 | 0.35 | 0.20 | 0.04 |
| China, Changzhou City | 828 | 8.7 | 0.31 | 1.07 | 0.04 | 290 | 2.8 | 0.18 | 0.33 | 0.02 |
| China, Chengdu City | 548 | 14.9 | 0.65 | 1.72 | 0.09 | 182 | 4.8 | 0.37 | 0.54 | 0.05 |
| China, Cixian County | 90 | 5.3 | 0.59 | 0.65 | 0.08 | 63 | 3.5 | 0.45 | 0.42 | 0.06 |
| China, Cixi City | 519 | 10.7 | 0.49 | 1.28 | 0.06 | 163 | 3.4 | 0.29 | 0.36 | 0.03 |
| *China, Dafeng District, Yancheng City | 259 | 7.8 | 0.52 | 0.91 | 0.06 | 118 | 3.4 | 0.35 | 0.35 | 0.04 |
| China, Dalian City | 1070 | 9.9 | 0.33 | 1.17 | 0.04 | 257 | 2.2 | 0.15 | 0.25 | 0.02 |
| *China, Dancheng County | 370 | 11.4 | 0.62 | 1.39 | 0.10 | 322 | 9.9 | 0.57 | 1.28 | 0.09 |
| China, Dangtu County | 93 | 7.9 | 0.85 | 0.90 | 0.11 | 35 | 3.0 | 0.55 | 0.31 | 0.06 |
| *China, Danyang City | 240 | 6.7 | 0.44 | 0.77 | 0.06 | 102 | 2.6 | 0.27 | 0.26 | 0.03 |
| *China, Dawukou District, Shizuishan City | 38 | 3.8 | 0.65 | 0.44 | 0.09 | 10 | 1.0 | 0.33 | 0.11 | 0.04 |
| *China, Dehui City | 223 | 7.3 | 0.50 | 0.88 | 0.07 | 115 | 3.8 | 0.36 | 0.50 | 0.06 |
| *China, Donggang County | 103 | 3.7 | 0.38 | 0.43 | 0.05 | 48 | 1.7 | 0.26 | 0.18 | 0.03 |
| *China, Dongguan City | 921 | 23.4 | 0.78 | 2.69 | 0.10 | 348 | 8.1 | 0.44 | 0.87 | 0.05 |
| China, Donghai County | 233 | 5.7 | 0.38 | 0.72 | 0.06 | 88 | 2.2 | 0.25 | 0.26 | 0.03 |
| *China, Dongtai City | 257 | 5.2 | 0.34 | 0.64 | 0.05 | 95 | 2.2 | 0.28 | 0.24 | 0.03 |
| China, Duanzhou District, Zhaoqing City | 288 | 25.1 | 1.52 | 2.74 | 0.18 | 100 | 8.8 | 0.97 | 0.82 | 0.09 |
| *China, Evenki Autonomous Banner | 41 | 13.8 | 2.38 | 1.64 | 0.34 | 7 | 2.3 | 0.87 | 0.43 | 0.18 |
| *China, Faku County | 179 | 9.5 | 0.75 | 1.21 | 0.10 | 63 | 3.3 | 0.46 | 0.40 | 0.06 |
| *China, Fangcheng County | 139 | 6.0 | 0.52 | 0.65 | 0.07 | 63 | 2.9 | 0.38 | 0.32 | 0.05 |
| *China, Feicheng City | 361 | 9.1 | 0.50 | 1.09 | 0.07 | 82 | 1.9 | 0.21 | 0.20 | 0.03 |
| China, Feixi County | 277 | 6.9 | 0.43 | 0.77 | 0.05 | 139 | 3.8 | 0.35 | 0.43 | 0.04 |
| China, Fuqing City | 332 | 12.3 | 0.69 | 1.41 | 0.09 | 171 | 6.3 | 0.51 | 0.69 | 0.07 |
| *China, Ganyu District, Lianyungang City | 243 | 5.8 | 0.39 | 0.73 | 0.05 | 79 | 1.9 | 0.23 | 0.21 | 0.03 |
| *China, Ganzhou District, Zhangye City | 48 | 5.0 | 0.74 | 0.68 | 0.11 | 35 | 4.4 | 0.87 | 0.45 | 0.09 |
| *China, Gaocheng City | 91 | 4.1 | 0.44 | 0.47 | 0.06 | 43 | 1.8 | 0.29 | 0.16 | 0.03 |
| China, Gaomi City | 191 | 6.6 | 0.50 | 0.73 | 0.06 | 60 | 1.8 | 0.24 | 0.21 | 0.03 |
| China, Gong'an County | 419 | 12.6 | 0.64 | 1.56 | 0.09 | 147 | 4.3 | 0.36 | 0.45 | 0.04 |
| *China, Guang'an District, Guang'an City | 230 | 12.2 | 0.82 | 1.44 | 0.11 | 92 | 4.9 | 0.53 | 0.49 | 0.06 |
| China, Guanghan City | 236 | 13.7 | 0.92 | 1.68 | 0.13 | 45 | 2.6 | 0.41 | 0.29 | 0.05 |
| China, Guangzhou City | 6773 | 22.2 | 0.27 | 2.51 | 0.03 | 2252 | 7.1 | 0.15 | 0.77 | 0.02 |
| *China, Guanyun County | 196 | 5.5 | 0.40 | 0.67 | 0.06 | 65 | 2.0 | 0.25 | 0.24 | 0.03 |
| China, Guilin City | 473 | 20.7 | 0.98 | 2.46 | 0.14 | 158 | 6.4 | 0.52 | 0.68 | 0.06 |
| *China, Hai'an City | 266 | 5.2 | 0.35 | 0.60 | 0.04 | 126 | 2.4 | 0.24 | 0.26 | 0.03 |
| China, Hailar District, Hulun Buir City | 122 | 9.7 | 0.93 | 1.12 | 0.13 | 32 | 2.5 | 0.47 | 0.28 | 0.07 |
| China, Haimen District, Nantong City | 330 | 7.2 | 0.45 | 0.82 | 0.05 | 161 | 3.4 | 0.30 | 0.40 | 0.04 |
| China, Haining City | 237 | 7.6 | 0.53 | 0.89 | 0.07 | 102 | 3.2 | 0.36 | 0.31 | 0.04 |
| China, Hangzhou City | 2757 | 9.0 | 0.18 | 1.06 | 0.02 | 898 | 3.0 | 0.11 | 0.32 | 0.01 |
| China, Hebi City | 126 | 10.2 | 0.94 | 1.15 | 0.13 | 60 | 4.4 | 0.59 | 0.49 | 0.08 |
| China, Hefei City | 703 | 8.5 | 0.33 | 0.99 | 0.05 | 330 | 3.8 | 0.22 | 0.41 | 0.03 |
| China, Hengdong County | 172 | 10.9 | 0.85 | 1.17 | 0.10 | 73 | 4.8 | 0.58 | 0.52 | 0.07 |
| *China, Hengfeng County | 60 | 9.7 | 1.27 | 0.98 | 0.14 | 25 | 4.1 | 0.84 | 0.38 | 0.08 |
| *China, Hepu County | 681 | 24.4 | 0.95 | 2.78 | 0.12 | 193 | 7.2 | 0.54 | 0.78 | 0.07 |
| China, Honghu City | 310 | 10.6 | 0.62 | 1.27 | 0.08 | 100 | 3.4 | 0.36 | 0.37 | 0.04 |
| China, Hongshan District, Chifeng City | 82 | 6.0 | 0.70 | 0.78 | 0.11 | 22 | 1.5 | 0.33 | 0.17 | 0.04 |
| *China, Hongta District, Yuxi City | 109 | 7.0 | 0.69 | 0.80 | 0.09 | 34 | 2.0 | 0.35 | 0.20 | 0.04 |
| *China, Huaiyin District, Huai'an City | 204 | 5.6 | 0.40 | 0.74 | 0.06 | 64 | 2.0 | 0.25 | 0.26 | 0.04 |
| *China, Jiange County | 121 | 7.3 | 0.68 | 0.89 | 0.09 | 67 | 4.0 | 0.49 | 0.49 | 0.07 |
| China, Jiangmen City | 596 | 25.2 | 1.05 | 2.87 | 0.14 | 218 | 9.1 | 0.64 | 0.96 | 0.07 |
| *China, Jiangyin City | 496 | 9.2 | 0.44 | 1.10 | 0.06 | 149 | 2.6 | 0.22 | 0.29 | 0.03 |
| *China, Jiashan County | 223 | 11.3 | 0.82 | 1.41 | 0.11 | 74 | 4.3 | 0.56 | 0.44 | 0.06 |
| China, Jiayu County | 88 | 11.7 | 1.29 | 1.37 | 0.17 | 26 | 3.7 | 0.79 | 0.41 | 0.09 |
| *China, Jinan City | 746 | 8.2 | 0.31 | 0.95 | 0.04 | 212 | 2.0 | 0.15 | 0.21 | 0.02 |
| *China, Jingtai County | 41 | 5.9 | 0.97 | 0.65 | 0.13 | 28 | 4.3 | 0.87 | 0.52 | 0.12 |
| *China, Jingxian County | 72 | 5.4 | 0.67 | 0.67 | 0.09 | 28 | 3.2 | 0.70 | 0.31 | 0.07 |
| *China, Jintan District, Changzhou City | 202 | 8.5 | 0.62 | 1.05 | 0.09 | 98 | 4.3 | 0.45 | 0.51 | 0.06 |
| *China, Jiulongpo District, Chongqing City | 417 | 13.0 | 0.66 | 1.50 | 0.09 | 142 | 4.4 | 0.39 | 0.49 | 0.05 |
| *China, Jiyuan City | 87 | 4.9 | 0.54 | 0.51 | 0.06 | 48 | 2.7 | 0.39 | 0.30 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Head and neck (C00–14,C30–32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 107 | 8.9 | 0.89 | 1.01 | 0.12 | 46 | 4.0 | 0.63 | 0.36 | 0.07 |
| China, Kunshan City | 314 | 10.1 | 0.60 | 1.23 | 0.08 | 125 | 4.3 | 0.44 | 0.46 | 0.05 |
| China, Langzhong City | 137 | 7.1 | 0.62 | 0.89 | 0.09 | 63 | 3.5 | 0.45 | 0.33 | 0.05 |
| *China, Liangshan County | 177 | 6.0 | 0.46 | 0.76 | 0.07 | 49 | 1.6 | 0.25 | 0.19 | 0.03 |
| *China, Lianshui County | 225 | 5.4 | 0.37 | 0.67 | 0.05 | 99 | 2.4 | 0.25 | 0.28 | 0.03 |
| China, Lianyungang City | 245 | 6.3 | 0.41 | 0.74 | 0.06 | 80 | 2.1 | 0.27 | 0.23 | 0.03 |
| China, Linhe District, Bayannur City | 73 | 5.7 | 0.69 | 0.73 | 0.10 | 32 | 2.4 | 0.44 | 0.28 | 0.06 |
| China, Linqu County | 166 | 4.8 | 0.38 | 0.55 | 0.05 | 41 | 1.2 | 0.19 | 0.13 | 0.02 |
| *China, Linzhou City | 187 | 5.4 | 0.41 | 0.63 | 0.05 | 104 | 2.8 | 0.28 | 0.28 | 0.03 |
| China, Liuzhou City | 668 | 17.4 | 0.68 | 2.00 | 0.09 | 243 | 6.3 | 0.41 | 0.72 | 0.06 |
| China, Liyang City | 172 | 4.5 | 0.36 | 0.54 | 0.05 | 64 | 1.7 | 0.23 | 0.18 | 0.03 |
| *China, Longquan City | 107 | 11.1 | 1.12 | 1.23 | 0.14 | 39 | 4.8 | 0.82 | 0.51 | 0.10 |
| China, Lucheng District, Wenzhou City | 231 | 12.2 | 0.83 | 1.52 | 0.12 | 69 | 3.4 | 0.43 | 0.44 | 0.06 |
| China, Luoding City | 553 | 24.4 | 1.05 | 2.63 | 0.12 | 216 | 10.1 | 0.70 | 1.09 | 0.08 |
| *China, Luohe City | 174 | 4.3 | 0.34 | 0.50 | 0.05 | 90 | 2.0 | 0.22 | 0.21 | 0.03 |
| *China, Luoyang City | 250 | 5.6 | 0.37 | 0.64 | 0.05 | 94 | 2.2 | 0.25 | 0.22 | 0.03 |
| *China, Luquan City | 55 | 4.7 | 0.65 | 0.54 | 0.08 | 17 | 1.3 | 0.33 | 0.18 | 0.05 |
| China, Ma'anshan City | 263 | 12.4 | 0.79 | 1.27 | 0.10 | 73 | 3.1 | 0.37 | 0.31 | 0.05 |
| *China, Macheng City | 259 | 10.3 | 0.65 | 1.28 | 0.09 | 117 | 4.9 | 0.46 | 0.60 | 0.06 |
| China, Meihekou City | 127 | 5.2 | 0.47 | 0.63 | 0.07 | 43 | 1.9 | 0.30 | 0.23 | 0.05 |
| *China, Mengjin County | 81 | 7.3 | 0.81 | 0.85 | 0.11 | 26 | 2.4 | 0.49 | 0.25 | 0.06 |
| China, Nangang District, Harbin City | 312 | 7.7 | 0.45 | 0.92 | 0.06 | 97 | 2.0 | 0.21 | 0.22 | 0.03 |
| *China, Nanhai District, Foshan City | 956 | 35.8 | 1.17 | 4.01 | 0.15 | 344 | 11.4 | 0.63 | 1.20 | 0.07 |
| China, Nanhu District, Jiaying City | 216 | 8.8 | 0.63 | 1.10 | 0.08 | 69 | 2.9 | 0.36 | 0.30 | 0.04 |
| *China, Nantong City | 360 | 6.9 | 0.38 | 0.84 | 0.05 | 150 | 2.7 | 0.24 | 0.31 | 0.03 |
| *China, Nanxiong City | 348 | 23.5 | 1.28 | 2.68 | 0.17 | 117 | 7.5 | 0.70 | 0.80 | 0.08 |
| China, Neixiang County | 121 | 5.2 | 0.48 | 0.56 | 0.06 | 61 | 2.6 | 0.35 | 0.30 | 0.04 |
| *China, Qianxi County | 50 | 3.6 | 0.58 | 0.42 | 0.08 | 15 | 1.1 | 0.29 | 0.13 | 0.05 |
| China, Qidong City | 395 | 7.2 | 0.41 | 0.78 | 0.04 | 177 | 3.0 | 0.26 | 0.31 | 0.03 |
| China, Qingzhou City | 212 | 6.6 | 0.47 | 0.80 | 0.06 | 54 | 1.8 | 0.29 | 0.19 | 0.03 |
| *China, Rudong County | 308 | 5.4 | 0.36 | 0.60 | 0.04 | 159 | 2.9 | 0.29 | 0.30 | 0.03 |
| *China, Rugao City | 442 | 6.6 | 0.34 | 0.78 | 0.04 | 170 | 2.3 | 0.19 | 0.25 | 0.02 |
| *China, Rural areas of Shanghai City | 4198 | 9.9 | 0.17 | 1.13 | 0.02 | 1354 | 3.3 | 0.11 | 0.34 | 0.01 |
| China, Ruyang County | 59 | 4.9 | 0.66 | 0.65 | 0.10 | 36 | 3.0 | 0.51 | 0.33 | 0.07 |
| *China, Shan County | 213 | 9.0 | 0.63 | 1.13 | 0.09 | 81 | 2.7 | 0.32 | 0.30 | 0.04 |
| China, Shanghai City | 3146 | 9.5 | 0.20 | 1.07 | 0.02 | 1094 | 3.2 | 0.12 | 0.33 | 0.01 |
| China, Shangyu District, Shaoxing City | 442 | 13.1 | 0.65 | 1.59 | 0.09 | 146 | 4.4 | 0.38 | 0.49 | 0.05 |
| *China, Shapingba District, Chongqing City | 416 | 12.6 | 0.64 | 1.59 | 0.09 | 175 | 5.1 | 0.41 | 0.60 | 0.06 |
| China, Shexian County | 64 | 4.8 | 0.60 | 0.63 | 0.09 | 44 | 3.1 | 0.48 | 0.39 | 0.07 |
| China, Sheyang County | 232 | 5.8 | 0.40 | 0.70 | 0.05 | 148 | 3.4 | 0.29 | 0.41 | 0.04 |
| *China, Shijiazhuang City | 328 | 6.4 | 0.37 | 0.79 | 0.05 | 119 | 2.2 | 0.22 | 0.24 | 0.03 |
| China, Shunde District, Foshan City | 1171 | 33.6 | 0.99 | 3.87 | 0.13 | 382 | 9.7 | 0.51 | 1.02 | 0.06 |
| *China, Song County | 61 | 3.9 | 0.51 | 0.41 | 0.06 | 26 | 1.7 | 0.34 | 0.17 | 0.04 |
| China, Suzhou City | 1101 | 7.3 | 0.23 | 0.87 | 0.03 | 424 | 2.8 | 0.15 | 0.30 | 0.02 |
| *China, Tengzhou City | 370 | 6.8 | 0.36 | 0.85 | 0.05 | 128 | 2.3 | 0.21 | 0.30 | 0.03 |
| *China, Wangdu County | 49 | 6.9 | 1.01 | 0.84 | 0.14 | 30 | 4.1 | 0.76 | 0.46 | 0.10 |
| *China, Wanxian County | 147 | 12.7 | 1.07 | 1.38 | 0.13 | 53 | 4.4 | 0.62 | 0.45 | 0.08 |
| *China, Wu'an City | 80 | 3.5 | 0.40 | 0.48 | 0.07 | 42 | 1.8 | 0.29 | 0.25 | 0.05 |
| China, Wuhan City | 2156 | 10.2 | 0.23 | 1.21 | 0.03 | 767 | 3.5 | 0.13 | 0.36 | 0.02 |
| *China, Wuhu City | 372 | 7.1 | 0.38 | 0.83 | 0.05 | 114 | 2.3 | 0.24 | 0.27 | 0.03 |
| China, Wuxi City | 841 | 7.5 | 0.27 | 0.91 | 0.03 | 344 | 3.0 | 0.18 | 0.34 | 0.02 |
| China, Wuzhou City | 605 | 31.6 | 1.31 | 3.54 | 0.16 | 215 | 11.4 | 0.80 | 1.25 | 0.10 |
| China, Xiangfu District, Kaifeng City | 189 | 10.0 | 0.74 | 1.16 | 0.10 | 86 | 4.2 | 0.47 | 0.40 | 0.05 |
| China, Xianju County | 166 | 8.3 | 0.68 | 0.89 | 0.08 | 80 | 4.2 | 0.49 | 0.47 | 0.07 |
| *China, Xin'an County | 50 | 4.5 | 0.64 | 0.55 | 0.09 | 29 | 2.6 | 0.49 | 0.27 | 0.06 |
| *China, Xining City | 120 | 5.4 | 0.52 | 0.58 | 0.07 | 55 | 2.2 | 0.31 | 0.24 | 0.04 |
| *China, Xinji City | 119 | 4.6 | 0.45 | 0.57 | 0.06 | 51 | 2.0 | 0.29 | 0.22 | 0.03 |
| *China, Xinluo District, Longyan City | 137 | 11.8 | 1.07 | 1.34 | 0.13 | 46 | 3.8 | 0.58 | 0.38 | 0.07 |
| *China, Xinzhou District, Shangrao City | 114 | 8.4 | 0.80 | 1.00 | 0.11 | 50 | 3.7 | 0.54 | 0.42 | 0.07 |
| China, Xiping County | 158 | 6.0 | 0.50 | 0.64 | 0.06 | 58 | 2.0 | 0.28 | 0.22 | 0.03 |
| *China, Xishan District, Kunming City | 114 | 7.2 | 0.75 | 0.82 | 0.09 | 23 | 1.9 | 0.49 | 0.18 | 0.04 |
| *China, Xuyi County | 152 | 6.0 | 0.50 | 0.73 | 0.07 | 62 | 2.4 | 0.33 | 0.24 | 0.04 |
| *China, Ya'an City | 488 | 9.2 | 0.42 | 1.02 | 0.05 | 200 | 3.9 | 0.29 | 0.43 | 0.04 |
| *China, Yakeshi City | 174 | 11.4 | 0.94 | 1.28 | 0.12 | 42 | 2.6 | 0.44 | 0.29 | 0.05 |
| China, Yancheng City | 361 | 6.3 | 0.34 | 0.74 | 0.05 | 166 | 3.0 | 0.24 | 0.37 | 0.03 |
| *China, Yangquan City | 146 | 6.8 | 0.59 | 0.83 | 0.08 | 59 | 2.7 | 0.37 | 0.30 | 0.05 |
| *China, Yangzhong City | 79 | 5.9 | 0.68 | 0.64 | 0.08 | 45 | 2.9 | 0.45 | 0.35 | 0.06 |
| *China, Yanji City | 180 | 8.5 | 0.65 | 1.04 | 0.10 | 27 | 1.1 | 0.22 | 0.12 | 0.03 |
| *China, Yanshi City | 83 | 3.7 | 0.42 | 0.36 | 0.05 | 68 | 2.7 | 0.36 | 0.29 | 0.04 |
| China, Yanting County | 162 | 8.4 | 0.66 | 0.92 | 0.09 | 77 | 4.0 | 0.46 | 0.44 | 0.06 |
| *China, Yi'an District, Tongling City | 86 | 8.6 | 0.95 | 1.00 | 0.13 | 29 | 3.4 | 0.67 | 0.34 | 0.07 |
| *China, Yingdong District, Fuyang City | 123 | 5.8 | 0.54 | 0.71 | 0.07 | 65 | 2.9 | 0.37 | 0.29 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Head and neck (C00–14,C30–32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 114 | 12.5 | 1.19 | 1.54 | 0.16 | 26 | 2.8 | 0.57 | 0.34 | 0.08 |
| *China, Yiyuan County | 100 | 5.1 | 0.53 | 0.59 | 0.07 | 34 | 2.0 | 0.38 | 0.17 | 0.03 |
| China, Yong'an City | 147 | 11.9 | 1.02 | 1.36 | 0.13 | 39 | 3.7 | 0.63 | 0.40 | 0.07 |
| *China, Yongding District, Longyan City | 235 | 14.5 | 0.96 | 1.71 | 0.13 | 79 | 4.8 | 0.57 | 0.53 | 0.07 |
| China, Yongkang City | 211 | 8.9 | 0.64 | 1.05 | 0.09 | 83 | 3.7 | 0.42 | 0.39 | 0.05 |
| *China, Yucheng County | 113 | 5.8 | 0.55 | 0.64 | 0.07 | 82 | 4.2 | 0.49 | 0.41 | 0.05 |
| China, Yueyanglou District, Yueyang City | 184 | 16.6 | 1.24 | 1.94 | 0.16 | 33 | 2.9 | 0.54 | 0.28 | 0.07 |
| China, Yunmeng County | 155 | 10.2 | 0.88 | 1.15 | 0.11 | 90 | 5.4 | 0.59 | 0.56 | 0.07 |
| *China, Yunyang District, Shiyuan City | 53 | 4.8 | 0.68 | 0.59 | 0.10 | 23 | 2.2 | 0.46 | 0.26 | 0.06 |
| China, Yuzhong District, Chongqing City | 328 | 14.6 | 0.85 | 1.81 | 0.13 | 97 | 4.1 | 0.45 | 0.49 | 0.06 |
| *China, Zhanhuang County | 38 | 4.7 | 0.78 | 0.61 | 0.12 | 16 | 2.1 | 0.53 | 0.21 | 0.06 |
| *China, Zhangjiagang City | 397 | 9.0 | 0.47 | 1.06 | 0.06 | 122 | 2.8 | 0.28 | 0.29 | 0.03 |
| *China, Zhaoyuan City | 183 | 7.1 | 0.54 | 0.89 | 0.07 | 44 | 1.6 | 0.27 | 0.17 | 0.03 |
| *China, Zhengding County | 42 | 3.4 | 0.55 | 0.37 | 0.07 | 23 | 1.4 | 0.30 | 0.14 | 0.04 |
| *China, Zhongshan City | 1798 | 34.2 | 0.81 | 3.80 | 0.10 | 525 | 9.4 | 0.42 | 1.01 | 0.05 |
| China, Zhongxiang City | 252 | 7.4 | 0.48 | 0.87 | 0.06 | 120 | 3.5 | 0.33 | 0.41 | 0.04 |
| *China, Zhuanghe City | 234 | 5.5 | 0.38 | 0.64 | 0.05 | 78 | 2.0 | 0.26 | 0.18 | 0.02 |
| *China, Zhuhai City | 944 | 25.1 | 0.83 | 2.83 | 0.11 | 365 | 9.8 | 0.53 | 1.08 | 0.07 |
| India, Ahmedabad, Urban | 5393 | 42.4 | 0.59 | 4.80 | 0.08 | 1159 | 9.8 | 0.29 | 1.11 | 0.04 |
| India, Aurangabad | 813 | 27.7 | 1.00 | 3.20 | 0.14 | 205 | 7.4 | 0.53 | 0.89 | 0.07 |
| India, Bangalore | 2789 | 24.2 | 0.47 | 2.99 | 0.07 | 1353 | 12.3 | 0.34 | 1.47 | 0.05 |
| India, Barshi, Paranda, and Bhum | 161 | 11.2 | 0.90 | 1.35 | 0.12 | 50 | 3.6 | 0.53 | 0.42 | 0.06 |
| *India, Bhopal | 1156 | 41.2 | 1.25 | 4.81 | 0.17 | 321 | 12.5 | 0.71 | 1.52 | 0.10 |
| India, Chandigarh | 449 | 18.7 | 0.92 | 2.20 | 0.13 | 97 | 4.4 | 0.46 | 0.51 | 0.07 |
| *India, Chennai | 4058 | 31.3 | 0.50 | 3.58 | 0.07 | 1385 | 10.6 | 0.29 | 1.21 | 0.04 |
| India, Dibrugarh | 811 | 29.1 | 1.05 | 3.59 | 0.16 | 263 | 9.4 | 0.60 | 1.15 | 0.08 |
| *India, Dindigul, Ambilikkal | 951 | 15.3 | 0.50 | 1.78 | 0.07 | 366 | 5.7 | 0.30 | 0.67 | 0.04 |
| India, Kamrup Urban District | 1656 | 68.2 | 1.72 | 8.20 | 0.25 | 472 | 21.8 | 1.04 | 2.75 | 0.16 |
| India, Kollam | 1575 | 24.6 | 0.62 | 2.99 | 0.09 | 616 | 7.8 | 0.32 | 0.88 | 0.04 |
| *India, Manipur | 598 | 12.4 | 0.52 | 1.55 | 0.08 | 259 | 5.0 | 0.32 | 0.58 | 0.05 |
| India, Meghalaya | 1728 | 63.0 | 1.59 | 7.36 | 0.22 | 566 | 19.7 | 0.85 | 2.44 | 0.13 |
| India, Mizoram | 584 | 33.0 | 1.40 | 3.83 | 0.19 | 188 | 11.0 | 0.83 | 1.29 | 0.12 |
| India, Mumbai | 8121 | 24.9 | 0.28 | 2.90 | 0.04 | 2685 | 8.8 | 0.17 | 1.03 | 0.02 |
| *India, New Delhi | 8000 | 35.6 | 0.41 | 4.33 | 0.06 | 1896 | 9.2 | 0.22 | 1.04 | 0.03 |
| India, Poona | 2570 | 20.3 | 0.41 | 2.39 | 0.06 | 911 | 7.7 | 0.26 | 0.93 | 0.04 |
| *India, Sangrur District | 366 | 14.1 | 0.74 | 1.73 | 0.10 | 87 | 3.4 | 0.37 | 0.36 | 0.05 |
| India, SAS Nagar | 384 | 16.4 | 0.85 | 1.94 | 0.11 | 106 | 4.6 | 0.45 | 0.54 | 0.06 |
| *India, Tamil Nadu | 38453 | 19.0 | 0.10 | 2.28 | 0.01 | 15547 | 7.4 | 0.06 | 0.87 | 0.01 |
| *India, Tripura | 1630 | 24.9 | 0.63 | 3.04 | 0.09 | 500 | 7.6 | 0.34 | 0.90 | 0.05 |
| India, Trivandrum | 2166 | 26.8 | 0.58 | 3.26 | 0.08 | 718 | 7.7 | 0.29 | 0.95 | 0.04 |
| India, Wardha | 761 | 19.8 | 0.72 | 2.35 | 0.10 | 285 | 7.5 | 0.45 | 0.89 | 0.06 |
| India, West Arunachal | 155 | 15.6 | 1.40 | 1.94 | 0.21 | 67 | 7.1 | 0.95 | 0.78 | 0.13 |
| *Iran (Islamic Republic of), Ardabil Province | 95 | 5.4 | 0.58 | 0.64 | 0.08 | 44 | 2.2 | 0.34 | 0.22 | 0.05 |
| *Iran (Islamic Republic of), Golestan Province | 177 | 7.5 | 0.58 | 0.89 | 0.09 | 99 | 4.0 | 0.41 | 0.43 | 0.06 |
| Israel | 2284 | 9.2 | 0.20 | 1.08 | 0.03 | 1026 | 3.4 | 0.11 | 0.38 | 0.02 |
| *Israel: Jews | 1824 | 8.7 | 0.21 | 1.00 | 0.03 | 886 | 3.5 | 0.13 | 0.38 | 0.02 |
| *Israel: Arabs | 314 | 10.7 | 0.62 | 1.35 | 0.09 | 82 | 2.3 | 0.27 | 0.28 | 0.04 |
| Japan | 58075 | 13.2 | 0.06 | 1.64 | 0.01 | 20104 | 3.9 | 0.04 | 0.42 | 0.00 |
| Japan, Aichi Prefecture | 2702 | 11.3 | 0.24 | 1.39 | 0.03 | 969 | 3.8 | 0.15 | 0.41 | 0.02 |
| *Japan, Akita Prefecture | 642 | 15.7 | 0.73 | 1.98 | 0.10 | 219 | 4.3 | 0.44 | 0.45 | 0.05 |
| Japan, Aomori Prefecture | 1174 | 14.7 | 0.50 | 1.86 | 0.07 | 399 | 4.0 | 0.32 | 0.39 | 0.03 |
| Japan, Gunma Prefecture | 858 | 11.8 | 0.47 | 1.46 | 0.06 | 341 | 4.2 | 0.31 | 0.44 | 0.03 |
| Japan, Hiroshima Prefecture | 1851 | 14.2 | 0.38 | 1.72 | 0.05 | 665 | 4.3 | 0.23 | 0.46 | 0.02 |
| Japan, Miyagi Prefecture | 1776 | 13.4 | 0.36 | 1.67 | 0.05 | 707 | 4.8 | 0.23 | 0.52 | 0.03 |
| Japan, Osaka Prefecture | 4231 | 14.4 | 0.25 | 1.79 | 0.03 | 1469 | 4.5 | 0.15 | 0.49 | 0.02 |
| Kuwait | 378 | 5.0 | 0.33 | 0.57 | 0.05 | 112 | 2.0 | 0.22 | 0.19 | 0.03 |
| *Kuwait: Kuwaitis | 123 | 6.8 | 0.64 | 0.77 | 0.09 | 55 | 2.1 | 0.30 | 0.20 | 0.03 |
| *Kuwait: Non-Kuwaitis | 255 | 4.3 | 0.45 | 0.53 | 0.07 | 57 | 2.1 | 0.37 | 0.21 | 0.05 |
| *Philippines, Manila | 1401 | 12.4 | 0.36 | 1.49 | 0.05 | 675 | 4.7 | 0.19 | 0.51 | 0.03 |
| *Qatar: Qatari | 45 | 10.3 | 1.58 | 1.10 | 0.21 | 13 | 2.7 | 0.79 | 0.34 | 0.13 |
| Republic of Korea | 18968 | 9.7 | 0.07 | 1.18 | 0.01 | 5938 | 2.8 | 0.04 | 0.30 | 0.00 |
| *Republic of Korea, Busan | 1504 | 10.3 | 0.27 | 1.22 | 0.04 | 461 | 3.0 | 0.15 | 0.31 | 0.02 |
| *Republic of Korea, Daegu | 908 | 9.9 | 0.34 | 1.14 | 0.05 | 294 | 2.8 | 0.18 | 0.32 | 0.02 |
| *Republic of Korea, Daejeon | 467 | 9.0 | 0.43 | 1.14 | 0.06 | 145 | 2.5 | 0.23 | 0.26 | 0.03 |
| *Republic of Korea, Gwangju | 467 | 9.7 | 0.46 | 1.17 | 0.06 | 164 | 2.8 | 0.22 | 0.30 | 0.03 |
| Republic of Korea, Incheon | 958 | 9.1 | 0.30 | 1.10 | 0.04 | 299 | 2.6 | 0.16 | 0.30 | 0.02 |
| Republic of Korea, Jeju | 259 | 11.1 | 0.71 | 1.27 | 0.09 | 70 | 2.8 | 0.36 | 0.26 | 0.04 |
| Republic of Korea, Seoul | 3589 | 9.7 | 0.17 | 1.15 | 0.02 | 1146 | 2.8 | 0.09 | 0.30 | 0.01 |
| Republic of Korea, Ulsan | 394 | 10.1 | 0.54 | 1.18 | 0.07 | 140 | 3.3 | 0.29 | 0.36 | 0.04 |
| Singapore | 2415 | 16.4 | 0.34 | 1.90 | 0.05 | 882 | 5.7 | 0.20 | 0.61 | 0.02 |
| Singapore: Chinese | 2073 | 18.0 | 0.40 | 2.05 | 0.05 | 720 | 5.9 | 0.23 | 0.64 | 0.03 |
| Singapore: Indian | 124 | 11.6 | 1.09 | 1.42 | 0.17 | 70 | 6.0 | 0.73 | 0.63 | 0.10 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Head and neck (C00–14,C30–32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 173 | 10.9 | 0.85 | 1.31 | 0.13 | 75 | 4.4 | 0.52 | 0.46 | 0.06 |
| Thailand, Bangkok | 2177 | 11.9 | 0.26 | 1.43 | 0.04 | 837 | 3.7 | 0.13 | 0.39 | 0.02 |
| *Thailand, Chiang Mai | 642 | 11.5 | 0.47 | 1.38 | 0.07 | 282 | 4.3 | 0.27 | 0.46 | 0.04 |
| *Thailand, Khon Kaen | 582 | 9.7 | 0.41 | 1.10 | 0.05 | 292 | 4.1 | 0.25 | 0.42 | 0.03 |
| Thailand, Lampang | 306 | 10.4 | 0.62 | 1.16 | 0.08 | 172 | 5.1 | 0.41 | 0.54 | 0.05 |
| Thailand, Lopburi Province | 581 | 24.9 | 1.05 | 2.81 | 0.13 | 348 | 13.7 | 0.76 | 1.33 | 0.08 |
| *Thailand, Songkhla | 800 | 19.4 | 0.70 | 2.29 | 0.10 | 178 | 3.5 | 0.28 | 0.36 | 0.03 |
| Turkey, Antalya | 717 | 11.5 | 0.44 | 1.44 | 0.06 | 213 | 3.2 | 0.22 | 0.34 | 0.03 |
| Turkey, Bursa | 956 | 12.0 | 0.39 | 1.49 | 0.06 | 278 | 3.2 | 0.19 | 0.34 | 0.02 |
| *Turkey, Edirne | 253 | 16.4 | 1.06 | 2.07 | 0.15 | 49 | 3.1 | 0.46 | 0.35 | 0.06 |
| *Turkey, Erzurum | 228 | 12.7 | 0.85 | 1.56 | 0.12 | 45 | 2.1 | 0.32 | 0.23 | 0.04 |
| Turkey, Eskişehir | 323 | 12.1 | 0.68 | 1.47 | 0.09 | 85 | 2.8 | 0.32 | 0.28 | 0.04 |
| Turkey, Gaziantep | 413 | 12.1 | 0.61 | 1.48 | 0.09 | 108 | 2.7 | 0.27 | 0.32 | 0.04 |
| *Turkey, Izmir | 1895 | 14.4 | 0.33 | 1.76 | 0.05 | 517 | 3.5 | 0.16 | 0.39 | 0.02 |
| Turkey, Malatya | 175 | 8.2 | 0.63 | 1.00 | 0.09 | 51 | 2.2 | 0.31 | 0.20 | 0.03 |
| Turkey, Samsun | 631 | 15.5 | 0.62 | 1.92 | 0.09 | 142 | 3.0 | 0.26 | 0.31 | 0.03 |
| Turkey, Trabzon | 247 | 10.0 | 0.64 | 1.22 | 0.09 | 79 | 2.7 | 0.32 | 0.32 | 0.04 |
| Europe | | | | | | | | | | |
| Austria | 6206 | 16.7 | 0.22 | 2.09 | 0.03 | 2026 | 4.6 | 0.11 | 0.56 | 0.01 |
| Austria, Carinthia | 503 | 19.4 | 0.90 | 2.46 | 0.12 | 162 | 5.5 | 0.48 | 0.66 | 0.06 |
| Austria, Tyrol | 536 | 17.3 | 0.78 | 2.13 | 0.11 | 176 | 4.8 | 0.41 | 0.57 | 0.05 |
| Austria, Vorarlberg | 294 | 18.6 | 1.12 | 2.25 | 0.15 | 82 | 4.2 | 0.52 | 0.47 | 0.07 |
| Belarus | 10309 | 32.4 | 0.33 | 4.03 | 0.05 | 1460 | 3.1 | 0.09 | 0.34 | 0.01 |
| *Belgium | 9919 | 20.9 | 0.22 | 2.64 | 0.03 | 3429 | 6.5 | 0.12 | 0.81 | 0.02 |
| Croatia | 4165 | 22.8 | 0.37 | 2.85 | 0.05 | 970 | 4.1 | 0.15 | 0.47 | 0.02 |
| Cyprus | 328 | 9.9 | 0.57 | 1.27 | 0.08 | 119 | 3.3 | 0.32 | 0.35 | 0.04 |
| *Czech Republic | 8401 | 18.9 | 0.21 | 2.37 | 0.03 | 2813 | 5.4 | 0.11 | 0.64 | 0.01 |
| Denmark | 4539 | 17.8 | 0.27 | 2.27 | 0.04 | 1867 | 7.0 | 0.17 | 0.87 | 0.02 |
| Estonia | 1010 | 20.5 | 0.66 | 2.58 | 0.09 | 302 | 4.4 | 0.29 | 0.52 | 0.03 |
| Finland | 2734 | 10.5 | 0.21 | 1.27 | 0.03 | 1474 | 4.8 | 0.15 | 0.54 | 0.02 |
| *France, Bas-Rhin | 826 | 22.4 | 0.80 | 2.86 | 0.11 | 251 | 6.2 | 0.43 | 0.74 | 0.05 |
| *France, Calvados | 814 | 27.3 | 1.01 | 3.31 | 0.13 | 224 | 6.3 | 0.47 | 0.76 | 0.06 |
| *France, Doubs | 462 | 20.8 | 1.02 | 2.55 | 0.14 | 172 | 7.3 | 0.62 | 0.84 | 0.07 |
| *France, Gironde | 1430 | 23.7 | 0.65 | 2.87 | 0.08 | 522 | 7.0 | 0.34 | 0.82 | 0.04 |
| *France, Haut-Rhin | 675 | 19.9 | 0.80 | 2.48 | 0.11 | 192 | 5.3 | 0.43 | 0.60 | 0.05 |
| *France, Hérault | 1197 | 25.4 | 0.78 | 3.11 | 0.10 | 376 | 6.9 | 0.39 | 0.83 | 0.05 |
| *France, Isère | 982 | 19.3 | 0.64 | 2.40 | 0.09 | 334 | 5.9 | 0.36 | 0.71 | 0.05 |
| *France, Lille-Métropole | 917 | 34.9 | 1.18 | 4.35 | 0.16 | 252 | 7.9 | 0.54 | 0.92 | 0.07 |
| *France, Limousin | 414 | 24.7 | 1.30 | 2.95 | 0.16 | 104 | 5.0 | 0.56 | 0.55 | 0.07 |
| *France, Loire-Atlantique | 1588 | 29.9 | 0.77 | 3.70 | 0.10 | 443 | 6.9 | 0.37 | 0.77 | 0.04 |
| *France, Manche | 664 | 29.0 | 1.20 | 3.47 | 0.15 | 170 | 6.5 | 0.56 | 0.77 | 0.07 |
| *France, Poitou-Charentes | 2158 | 25.9 | 0.60 | 3.16 | 0.08 | 617 | 6.4 | 0.29 | 0.75 | 0.04 |
| *France, Somme | 682 | 29.6 | 1.17 | 3.63 | 0.15 | 177 | 7.0 | 0.57 | 0.82 | 0.07 |
| *France, Tarn | 389 | 20.5 | 1.14 | 2.47 | 0.15 | 154 | 7.0 | 0.69 | 0.74 | 0.08 |
| *France, Territoire de Belfort | 103 | 21.5 | 2.19 | 2.78 | 0.31 | 30 | 5.3 | 1.07 | 0.64 | 0.13 |
| *France, Vendée | 847 | 26.3 | 0.97 | 3.31 | 0.13 | 239 | 6.7 | 0.50 | 0.80 | 0.06 |
| Germany, Baden-Württemberg | 4459 | 14.5 | 0.23 | 1.86 | 0.03 | 1754 | 5.1 | 0.14 | 0.61 | 0.02 |
| Germany, Bavaria | 9254 | 15.7 | 0.17 | 1.97 | 0.02 | 3308 | 5.0 | 0.10 | 0.59 | 0.01 |
| Germany, Bremen | 580 | 18.6 | 0.83 | 2.32 | 0.11 | 251 | 7.0 | 0.53 | 0.80 | 0.06 |
| Germany, Hamburg | 1294 | 16.5 | 0.49 | 2.11 | 0.07 | 581 | 6.8 | 0.31 | 0.87 | 0.04 |
| Germany, Lower Saxony | 6432 | 16.5 | 0.22 | 2.03 | 0.03 | 2592 | 6.0 | 0.14 | 0.72 | 0.02 |
| Germany, North Rhine-Westphalia | 13832 | 16.4 | 0.15 | 2.08 | 0.02 | 5864 | 6.1 | 0.09 | 0.74 | 0.01 |
| Germany, Rhineland-Palatinate | 3415 | 17.2 | 0.31 | 2.19 | 0.04 | 1226 | 5.8 | 0.19 | 0.69 | 0.02 |
| Germany, Saarland | 1154 | 22.2 | 0.69 | 2.86 | 0.10 | 452 | 8.2 | 0.44 | 1.00 | 0.06 |
| Germany, Schleswig-Holstein | 2571 | 18.2 | 0.39 | 2.28 | 0.05 | 1007 | 6.3 | 0.22 | 0.77 | 0.03 |
| Iceland | 128 | 10.1 | 0.93 | 1.17 | 0.12 | 44 | 3.1 | 0.52 | 0.39 | 0.07 |
| Ireland | 2517 | 14.9 | 0.30 | 1.85 | 0.04 | 909 | 5.1 | 0.18 | 0.60 | 0.02 |
| *Italy, Aosta Valley | 103 | 17.8 | 1.89 | 2.10 | 0.26 | 30 | 4.7 | 0.97 | 0.58 | 0.13 |
| *Italy, Avellino | 157 | 13.5 | 1.16 | 1.65 | 0.15 | 35 | 2.4 | 0.57 | 0.23 | 0.06 |
| Italy, Basilicata | 400 | 14.0 | 0.76 | 1.69 | 0.10 | 92 | 2.8 | 0.34 | 0.33 | 0.04 |
| *Italy, Benevento | 155 | 15.1 | 1.30 | 1.83 | 0.17 | 51 | 4.0 | 0.74 | 0.38 | 0.08 |
| Italy, Bergamo | 787 | 14.5 | 0.55 | 1.78 | 0.08 | 284 | 4.7 | 0.32 | 0.56 | 0.04 |
| *Italy, Brescia | 771 | 13.7 | 0.53 | 1.69 | 0.07 | 278 | 4.5 | 0.33 | 0.50 | 0.04 |
| Italy, Brianza (Lecco and Monza e Brianza) | 457 | 13.5 | 0.67 | 1.60 | 0.09 | 155 | 3.7 | 0.36 | 0.42 | 0.04 |
| Italy, Calabria | 351 | 14.8 | 0.85 | 1.83 | 0.11 | 104 | 3.6 | 0.43 | 0.38 | 0.05 |
| *Italy, Caserta | 450 | 15.4 | 0.75 | 1.80 | 0.10 | 133 | 4.1 | 0.39 | 0.46 | 0.05 |
| *Italy, Catania, Messina, and Enna | 1077 | 12.4 | 0.40 | 1.48 | 0.05 | 348 | 3.6 | 0.22 | 0.40 | 0.03 |
| Italy, Emilia-Romagna | 2569 | 13.7 | 0.30 | 1.65 | 0.04 | 1027 | 4.8 | 0.18 | 0.56 | 0.02 |
| Italy, Friuli-Venezia Giulia | 1175 | 16.9 | 0.55 | 2.17 | 0.08 | 464 | 5.6 | 0.33 | 0.65 | 0.04 |
| Italy, Genova | 568 | 14.7 | 0.69 | 1.83 | 0.09 | 223 | 4.7 | 0.41 | 0.55 | 0.05 |
| *Italy, Lombardy, South, Pavia | 427 | 14.8 | 0.78 | 1.83 | 0.11 | 188 | 5.6 | 0.49 | 0.62 | 0.06 |
| Italy, Mantova and Cremona | 476 | 15.0 | 0.75 | 1.85 | 0.10 | 167 | 4.1 | 0.39 | 0.47 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Head and neck (C00–14,C30–32) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 748 | 11.4 | 0.47 | 1.40 | 0.06 | 249 | 3.4 | 0.25 | 0.39 | 0.03 |
| Italy, Milan | 2340 | 14.0 | 0.32 | 1.69 | 0.04 | 917 | 4.5 | 0.18 | 0.52 | 0.02 |
| Italy, Molise | 131 | 13.3 | 1.29 | 1.59 | 0.17 | 44 | 3.9 | 0.69 | 0.43 | 0.09 |
| *Italy, Naples Centre | 405 | 16.6 | 0.86 | 2.08 | 0.12 | 158 | 5.2 | 0.47 | 0.59 | 0.06 |
| *Italy, Naples North | 477 | 15.6 | 0.72 | 1.92 | 0.10 | 173 | 5.1 | 0.40 | 0.56 | 0.05 |
| *Italy, Naples South | 625 | 14.3 | 0.59 | 1.77 | 0.08 | 218 | 4.4 | 0.33 | 0.48 | 0.04 |
| *Italy, Nuoro | 127 | 20.2 | 1.92 | 2.34 | 0.24 | 24 | 4.1 | 1.05 | 0.41 | 0.10 |
| *Italy, Palermo | 767 | 14.0 | 0.54 | 1.71 | 0.07 | 253 | 4.0 | 0.28 | 0.44 | 0.03 |
| Italy, Puglia | 2496 | 13.1 | 0.28 | 1.60 | 0.04 | 769 | 3.4 | 0.15 | 0.38 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 282 | 11.1 | 0.70 | 1.41 | 0.10 | 96 | 3.1 | 0.36 | 0.36 | 0.04 |
| *Italy, Salerno | 491 | 12.2 | 0.59 | 1.45 | 0.08 | 155 | 3.6 | 0.32 | 0.43 | 0.04 |
| Italy, Sassari | 156 | 16.0 | 1.35 | 1.96 | 0.18 | 47 | 4.4 | 0.68 | 0.59 | 0.09 |
| *Italy, Sondrio | 217 | 20.5 | 1.47 | 2.56 | 0.20 | 77 | 6.7 | 1.04 | 0.68 | 0.10 |
| Italy, South Tyrol | 371 | 15.3 | 0.85 | 1.95 | 0.12 | 128 | 4.6 | 0.47 | 0.54 | 0.06 |
| *Italy, Syracuse | 193 | 10.5 | 0.81 | 1.32 | 0.11 | 70 | 3.2 | 0.43 | 0.38 | 0.05 |
| Italy, Trento | 409 | 15.0 | 0.79 | 1.87 | 0.11 | 137 | 4.2 | 0.44 | 0.45 | 0.05 |
| Italy, Turin | 1815 | 15.1 | 0.40 | 1.79 | 0.05 | 710 | 5.0 | 0.24 | 0.55 | 0.03 |
| *Italy, Tuscany | 1707 | 16.2 | 0.43 | 1.97 | 0.06 | 631 | 5.3 | 0.27 | 0.60 | 0.03 |
| Italy, Umbria | 467 | 12.0 | 0.61 | 1.57 | 0.09 | 160 | 3.8 | 0.38 | 0.44 | 0.04 |
| Italy, Varese | 336 | 12.6 | 0.74 | 1.58 | 0.10 | 128 | 4.1 | 0.44 | 0.45 | 0.05 |
| Italy, Veneto | 3928 | 15.7 | 0.27 | 1.94 | 0.04 | 1456 | 4.9 | 0.16 | 0.56 | 0.02 |
| Latvia | 1627 | 21.8 | 0.55 | 2.71 | 0.08 | 377 | 3.4 | 0.20 | 0.39 | 0.02 |
| *Liechtenstein | 30 | 17.4 | 3.21 | 2.38 | 0.46 | 5 | 2.4 | 1.18 | 0.28 | 0.17 |
| *Lithuania | 2489 | 23.6 | 0.48 | 2.98 | 0.07 | 572 | 3.6 | 0.17 | 0.41 | 0.02 |
| Malta | 245 | 12.0 | 0.80 | 1.45 | 0.11 | 117 | 4.9 | 0.52 | 0.50 | 0.06 |
| *The Netherlands | 10267 | 13.1 | 0.14 | 1.65 | 0.02 | 5307 | 6.3 | 0.09 | 0.77 | 0.01 |
| Norway | 2583 | 11.6 | 0.24 | 1.42 | 0.03 | 1334 | 5.5 | 0.17 | 0.62 | 0.02 |
| Poland, Kielce | 934 | 17.6 | 0.59 | 2.25 | 0.08 | 242 | 3.8 | 0.27 | 0.45 | 0.03 |
| *Portugal, Azores | 283 | 41.3 | 2.48 | 4.99 | 0.33 | 32 | 3.7 | 0.71 | 0.46 | 0.10 |
| Russian Federation, Arkhangelsk | 849 | 22.1 | 0.78 | 2.81 | 0.11 | 249 | 4.2 | 0.29 | 0.45 | 0.04 |
| Russian Federation, Kaliningrad | 701 | 22.3 | 0.86 | 2.77 | 0.12 | 181 | 4.1 | 0.33 | 0.49 | 0.04 |
| Russian Federation, Karelia | 500 | 24.3 | 1.12 | 3.21 | 0.18 | 182 | 5.6 | 0.45 | 0.63 | 0.06 |
| *Russian Federation, Komi Republic | 665 | 26.1 | 1.06 | 3.32 | 0.16 | 192 | 5.3 | 0.40 | 0.59 | 0.05 |
| Russian Federation, Murmansk | 508 | 22.8 | 1.06 | 2.87 | 0.16 | 176 | 5.1 | 0.40 | 0.59 | 0.05 |
| *Russian Federation, Orenburg | 1644 | 25.3 | 0.64 | 3.14 | 0.09 | 370 | 3.7 | 0.21 | 0.42 | 0.03 |
| Russian Federation, Pskov | 676 | 29.2 | 1.15 | 3.75 | 0.16 | 127 | 3.3 | 0.34 | 0.33 | 0.04 |
| *Russian Federation, Samara | 2203 | 20.5 | 0.44 | 2.60 | 0.06 | 566 | 3.4 | 0.16 | 0.37 | 0.02 |
| Russian Federation, Vologda Region | 788 | 19.9 | 0.72 | 2.43 | 0.09 | 191 | 3.2 | 0.25 | 0.37 | 0.03 |
| Slovenia | 1832 | 20.0 | 0.48 | 2.49 | 0.06 | 486 | 4.8 | 0.25 | 0.56 | 0.03 |
| Spain, Asturias | 718 | 21.8 | 0.87 | 2.73 | 0.12 | 179 | 4.4 | 0.38 | 0.52 | 0.05 |
| Spain, Basque Country | 2002 | 24.1 | 0.57 | 3.02 | 0.08 | 555 | 5.8 | 0.28 | 0.69 | 0.04 |
| Spain, Canary Islands | 1348 | 23.6 | 0.67 | 2.96 | 0.09 | 325 | 4.9 | 0.29 | 0.55 | 0.04 |
| Spain, Castellón | 492 | 19.4 | 0.92 | 2.43 | 0.13 | 129 | 4.2 | 0.42 | 0.49 | 0.06 |
| Spain, Girona | 627 | 19.0 | 0.80 | 2.28 | 0.11 | 180 | 4.8 | 0.41 | 0.57 | 0.05 |
| Spain, Granada | 772 | 19.9 | 0.75 | 2.51 | 0.11 | 171 | 3.7 | 0.32 | 0.41 | 0.04 |
| Spain, La Rioja | 262 | 17.7 | 1.16 | 2.30 | 0.17 | 81 | 5.3 | 0.67 | 0.65 | 0.09 |
| Spain, Murcia | 1133 | 20.6 | 0.64 | 2.63 | 0.09 | 282 | 4.5 | 0.29 | 0.51 | 0.04 |
| Spain, Navarra | 466 | 19.4 | 0.95 | 2.46 | 0.14 | 137 | 5.3 | 0.52 | 0.60 | 0.06 |
| Spain, Salamanca | 352 | 19.3 | 1.13 | 2.45 | 0.16 | 83 | 3.7 | 0.54 | 0.39 | 0.06 |
| Spain, Tarragona | 710 | 20.4 | 0.80 | 2.53 | 0.11 | 187 | 5.0 | 0.42 | 0.55 | 0.05 |
| *Sweden | 4538 | 9.9 | 0.16 | 1.21 | 0.02 | 2564 | 5.1 | 0.12 | 0.59 | 0.01 |
| Switzerland, Aargau | 330 | 11.4 | 0.67 | 1.46 | 0.09 | 139 | 4.5 | 0.42 | 0.52 | 0.05 |
| Switzerland, Basel | 303 | 13.5 | 0.83 | 1.65 | 0.11 | 139 | 5.1 | 0.49 | 0.59 | 0.06 |
| Switzerland, Berne Solothurn | 535 | 13.9 | 0.63 | 1.76 | 0.09 | 235 | 5.5 | 0.41 | 0.61 | 0.05 |
| Switzerland, East | 497 | 13.4 | 0.62 | 1.72 | 0.09 | 191 | 5.3 | 0.45 | 0.59 | 0.05 |
| *Switzerland, Fribourg | 215 | 17.1 | 1.19 | 2.19 | 0.17 | 61 | 4.9 | 0.65 | 0.61 | 0.09 |
| Switzerland, Geneva | 329 | 17.6 | 1.01 | 2.17 | 0.14 | 150 | 6.5 | 0.57 | 0.81 | 0.08 |
| *Switzerland, Graubünden and Glarus | 159 | 13.5 | 1.11 | 1.73 | 0.16 | 80 | 7.1 | 0.87 | 0.89 | 0.11 |
| *Switzerland, Lucerne | 298 | 12.8 | 0.77 | 1.58 | 0.11 | 126 | 5.1 | 0.51 | 0.56 | 0.06 |
| *Switzerland, Neuchâtel and Jura | 161 | 15.1 | 1.24 | 1.81 | 0.16 | 84 | 6.4 | 0.79 | 0.82 | 0.11 |
| Switzerland, Ticino | 288 | 16.1 | 1.01 | 2.19 | 0.15 | 125 | 6.6 | 0.67 | 0.80 | 0.09 |
| Switzerland, Valais | 284 | 18.9 | 1.19 | 2.41 | 0.16 | 90 | 5.1 | 0.59 | 0.61 | 0.08 |
| Switzerland, Vaud | 587 | 19.6 | 0.84 | 2.54 | 0.12 | 221 | 6.2 | 0.45 | 0.77 | 0.06 |
| Switzerland, Zurich and Zug | 894 | 13.3 | 0.46 | 1.68 | 0.07 | 402 | 5.2 | 0.28 | 0.63 | 0.04 |
| Ukraine | 31873 | 26.5 | 0.15 | 3.29 | 0.02 | 5662 | 3.1 | 0.05 | 0.35 | 0.01 |
| UK, England | 33364 | 14.8 | 0.09 | 1.80 | 0.01 | 14878 | 5.9 | 0.05 | 0.69 | 0.01 |
| UK, Northern Ireland | 1132 | 15.4 | 0.47 | 1.89 | 0.06 | 468 | 5.8 | 0.29 | 0.70 | 0.04 |
| UK, Scotland | 4308 | 18.3 | 0.29 | 2.27 | 0.04 | 1860 | 7.0 | 0.18 | 0.82 | 0.02 |
| UK, Wales | 2448 | 17.4 | 0.38 | 2.16 | 0.05 | 1022 | 6.7 | 0.24 | 0.77 | 0.03 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 5814 | 18.6 | 0.25 | 2.23 | 0.03 | 2136 | 6.1 | 0.14 | 0.69 | 0.02 |
| *Australia, Northern Territory | 209 | 29.0 | 2.04 | 3.37 | 0.28 | 57 | 8.9 | 1.19 | 1.02 | 0.17 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Head and neck (C00–14,C30–32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 149 | 25.1 | 2.09 | 2.95 | 0.28 | 27 | 5.3 | 1.04 | 0.56 | 0.14 |
| *Australia, Northern Territory: Indigenous | 60 | 44.4 | 6.11 | 5.23 | 0.88 | 30 | 21.0 | 3.98 | 2.70 | 0.63 |
| *Australia, Queensland | 3731 | 20.6 | 0.35 | 2.46 | 0.05 | 1270 | 6.5 | 0.19 | 0.74 | 0.02 |
| Australia, South Australia | 1255 | 17.6 | 0.52 | 2.12 | 0.07 | 466 | 5.7 | 0.29 | 0.65 | 0.04 |
| Australia, Tasmania | 441 | 19.0 | 0.97 | 2.25 | 0.12 | 170 | 6.8 | 0.60 | 0.73 | 0.07 |
| *Australia, Victoria | 3612 | 15.4 | 0.27 | 1.80 | 0.04 | 1427 | 5.3 | 0.15 | 0.61 | 0.02 |
| *Australia, Western Australia | 1649 | 17.8 | 0.45 | 2.13 | 0.06 | 635 | 6.1 | 0.26 | 0.69 | 0.03 |
| *France, New Caledonia | 151 | 19.1 | 1.57 | 2.26 | 0.21 | 48 | 5.9 | 0.86 | 0.72 | 0.12 |
| New Zealand | 2073 | 11.8 | 0.27 | 1.39 | 0.03 | 923 | 4.6 | 0.16 | 0.51 | 0.02 |
| *New Zealand: Maori | 220 | 13.6 | 0.93 | 1.55 | 0.12 | 92 | 4.9 | 0.51 | 0.55 | 0.07 |
| *New Zealand: Pacific peoples | 88 | 13.4 | 1.46 | 1.76 | 0.22 | 52 | 7.4 | 1.04 | 0.87 | 0.14 |
| *New Zealand: Other | 1665 | 11.9 | 0.31 | 1.40 | 0.04 | 717 | 4.5 | 0.19 | 0.50 | 0.02 |
| USA, Hawaii | 967 | 16.4 | 0.55 | 2.02 | 0.07 | 387 | 6.2 | 0.35 | 0.72 | 0.04 |
| USA, Hawaii: White | 460 | 23.7 | 1.17 | 3.01 | 0.16 | 116 | 6.8 | 0.73 | 0.77 | 0.09 |
| *USA, Hawaii: Japanese | 136 | 10.5 | 1.14 | 1.20 | 0.13 | 78 | 4.8 | 0.73 | 0.55 | 0.08 |
| *USA, Hawaii: Chinese | 52 | 15.2 | 2.62 | 1.63 | 0.28 | 28 | 5.9 | 1.32 | 0.74 | 0.17 |
| *USA, Hawaii: Hawaiian | 131 | 14.8 | 1.30 | 1.85 | 0.19 | 65 | 7.2 | 0.91 | 0.87 | 0.12 |
| *USA, Hawaii: Filipino | 97 | 10.5 | 1.11 | 1.17 | 0.14 | 61 | 5.7 | 0.80 | 0.64 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Lip (C00)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Algeria, Tizi Ouzou | 6 | 0.4 | 0.16 | 0.03 | 0.02 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Benin, Cotonou | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *France, La Réunion | 6 | 0.3 | 0.13 | 0.04 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Nairobi | 9 | 0.3 | 0.12 | 0.03 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| Mauritius | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 6 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Morocco, Casablanca | 27 | 0.2 | 0.05 | 0.03 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Seychelles | 2 | 0.7 | 0.51 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 9 | 0.5 | 0.19 | 0.06 | 0.02 |
| *Uganda, Kyadondo County | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.00 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| *Zimbabwe, Harare: African | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.00 | 0.00 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 13 | 0.6 | 0.18 | 0.06 | 0.02 | 3 | 0.2 | 0.10 | 0.01 | 0.01 |
| *Argentina, Mendoza | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Brazil, Aracaju | 23 | 2.3 | 0.49 | 0.36 | 0.09 | 11 | 0.7 | 0.22 | 0.07 | 0.03 |
| *Brazil, Barretos | 56 | 4.0 | 0.54 | 0.45 | 0.07 | 22 | 1.2 | 0.27 | 0.14 | 0.04 |
| Brazil, Belo Horizonte | 28 | 0.4 | 0.07 | 0.04 | 0.01 | 13 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Brazil, Campinas | 35 | 1.5 | 0.26 | 0.16 | 0.03 | 20 | 0.6 | 0.15 | 0.06 | 0.02 |
| *Brazil, Curitiba | 35 | 0.8 | 0.14 | 0.10 | 0.02 | 21 | 0.4 | 0.08 | 0.04 | 0.01 |
| Brazil, Goiânia | 11 | 0.4 | 0.12 | 0.03 | 0.01 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Brazil, Jaú | 15 | 3.5 | 0.92 | 0.39 | 0.12 | 8 | 1.4 | 0.50 | 0.13 | 0.07 |
| Brazil, João Pessoa | 8 | 0.7 | 0.26 | 0.07 | 0.03 | 6 | 0.4 | 0.17 | 0.04 | 0.02 |
| Brazil, Recife | 10 | 0.4 | 0.13 | 0.04 | 0.01 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| Chile, Region of Antofagasta | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Chile, Valdivia | 3 | 0.2 | 0.13 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Bucaramanga | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Colombia, Cali | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| Colombia, Manizales | 2 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Colombia, Pasto | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Costa Rica | 6 | 0.1 | 0.02 | 0.00 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Guayaquil | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Manabí | 2 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Quito | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *France, Guadeloupe | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Martinique | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Peru, Lima | 29 | 0.2 | 0.04 | 0.02 | 0.01 | 24 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Trinidad and Tobago | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| USA, Puerto Rico | 100 | 0.7 | 0.07 | 0.08 | 0.01 | 64 | 0.3 | 0.04 | 0.03 | 0.01 |
| *Uruguay | 63 | 0.5 | 0.07 | 0.06 | 0.01 | 7 | 0.0 | 0.02 | 0.00 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 73 | 0.5 | 0.05 | 0.05 | 0.01 | 16 | 0.1 | 0.02 | 0.01 | 0.00 |
| Canada, British Columbia | 93 | 0.4 | 0.04 | 0.05 | 0.01 | 38 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Canada, Manitoba | 179 | 2.9 | 0.23 | 0.32 | 0.03 | 69 | 1.0 | 0.13 | 0.11 | 0.02 |
| *Canada, New Brunswick | 31 | 0.7 | 0.13 | 0.07 | 0.02 | 12 | 0.2 | 0.08 | 0.03 | 0.01 |
| *Canada, Newfoundland and Labrador | 52 | 1.9 | 0.28 | 0.22 | 0.04 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| Canada, Ontario | 407 | 0.6 | 0.03 | 0.07 | 0.00 | 146 | 0.2 | 0.02 | 0.02 | 0.00 |
| *Canada, Prince Edward Island | 28 | 3.9 | 0.81 | 0.39 | 0.09 | 8 | 1.0 | 0.38 | 0.11 | 0.04 |
| Canada, Quebec | 300 | 0.7 | 0.04 | 0.07 | 0.01 | 83 | 0.1 | 0.02 | 0.01 | 0.00 |
| Canada, Saskatchewan | 39 | 0.7 | 0.12 | 0.07 | 0.02 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA | 6963 | 0.5 | 0.01 | 0.06 | 0.00 | 2570 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: White | 6607 | 0.6 | 0.01 | 0.06 | 0.00 | 2393 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: Black | 79 | 0.1 | 0.01 | 0.01 | 0.00 | 55 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, NPCR | 6659 | 0.5 | 0.01 | 0.06 | 0.00 | 2475 | 0.1 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: White | 6324 | 0.6 | 0.01 | 0.06 | 0.00 | 2306 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: Black | 79 | 0.1 | 0.01 | 0.01 | 0.00 | 54 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 41 | 0.1 | 0.01 | 0.01 | 0.00 | 29 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, NPCR: American Indian | 18 | 0.2 | 0.04 | 0.02 | 0.01 | 10 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, SEER (18 registries) | 2193 | 0.6 | 0.01 | 0.07 | 0.00 | 808 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): White | 2054 | 0.7 | 0.02 | 0.08 | 0.00 | 746 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 1928 | 0.8 | 0.02 | 0.09 | 0.00 | 686 | 0.2 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 126 | 0.3 | 0.03 | 0.03 | 0.00 | 60 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Black | 25 | 0.1 | 0.01 | 0.01 | 0.00 | 10 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 28 | 0.1 | 0.02 | 0.01 | 0.00 | 18 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, SEER (9 registries) | 745 | 0.6 | 0.02 | 0.06 | 0.00 | 314 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (9 registries): White | 704 | 0.7 | 0.03 | 0.08 | 0.00 | 289 | 0.3 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (9 registries): Black | 5 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Alabama | 171 | 0.8 | 0.06 | 0.09 | 0.01 | 95 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Alabama: White | 161 | 0.9 | 0.07 | 0.10 | 0.01 | 89 | 0.4 | 0.05 | 0.04 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lip (C00) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| USA, Alaska | 12 | 0.5 | 0.13 | 0.05 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *USA, Alaska: Alaska Natives | 1 | 0.3 | 0.27 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona | 76 | 0.3 | 0.03 | 0.03 | 0.00 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Arizona: White | 73 | 0.3 | 0.03 | 0.03 | 0.00 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Arizona: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Arizona: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona: American Indian | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, Arkansas | 90 | 0.7 | 0.07 | 0.07 | 0.01 | 24 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Arkansas: White | 88 | 0.7 | 0.08 | 0.08 | 0.01 | 24 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Arkansas: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, California | 970 | 0.7 | 0.02 | 0.07 | 0.00 | 368 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, California: White | 897 | 0.8 | 0.03 | 0.09 | 0.00 | 337 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, California: Black | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, California: Asian and Pacific Islander | 15 | 0.1 | 0.02 | 0.01 | 0.00 | 12 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County | 156 | 0.4 | 0.03 | 0.05 | 0.00 | 63 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: White | 144 | 0.5 | 0.05 | 0.06 | 0.01 | 61 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 112 | 0.8 | 0.08 | 0.08 | 0.01 | 43 | 0.3 | 0.05 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 32 | 0.3 | 0.05 | 0.04 | 0.01 | 18 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Black | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Chinese | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Filipino | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Korean | 1 | 0.1 | 0.14 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area | 82 | 0.4 | 0.05 | 0.05 | 0.01 | 41 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, California, San Francisco Bay Area: White | 78 | 0.6 | 0.07 | 0.07 | 0.01 | 36 | 0.3 | 0.05 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 72 | 0.7 | 0.09 | 0.08 | 0.01 | 33 | 0.3 | 0.06 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 6 | 0.3 | 0.12 | 0.04 | 0.02 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: Black | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 5 | 0.1 | 0.03 | 0.00 | 0.00 |
| USA, Colorado | 123 | 0.6 | 0.05 | 0.06 | 0.01 | 56 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Colorado: White | 119 | 0.6 | 0.05 | 0.07 | 0.01 | 55 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Colorado: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *USA, Colorado: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Connecticut | 42 | 0.3 | 0.04 | 0.02 | 0.01 | 32 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Connecticut: White | 40 | 0.3 | 0.05 | 0.03 | 0.01 | 30 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Connecticut: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, District of Columbia | 4 | 0.2 | 0.10 | 0.01 | 0.01 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| USA, District of Columbia: White | 3 | 0.3 | 0.16 | 0.02 | 0.02 | 2 | 0.2 | 0.15 | 0.04 | 0.03 |
| USA, District of Columbia: Black | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| USA, Florida | 297 | 0.3 | 0.02 | 0.04 | 0.00 | 82 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Florida: White | 288 | 0.4 | 0.02 | 0.04 | 0.00 | 75 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Florida: Black | 5 | 0.0 | 0.02 | 0.01 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Florida: Asian and Pacific Islander | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Georgia | 148 | 0.4 | 0.03 | 0.04 | 0.00 | 48 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Georgia: White | 134 | 0.5 | 0.04 | 0.05 | 0.01 | 45 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Georgia: Black | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Georgia: Asian and Pacific Islander | 3 | 0.2 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, Georgia, Atlanta | 19 | 0.2 | 0.04 | 0.02 | 0.00 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, Georgia, Atlanta: White | 16 | 0.2 | 0.06 | 0.02 | 0.01 | 12 | 0.2 | 0.05 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: Black | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| USA, Idaho | 116 | 1.6 | 0.16 | 0.20 | 0.02 | 35 | 0.4 | 0.08 | 0.05 | 0.01 |
| USA, Indiana | 141 | 0.5 | 0.04 | 0.06 | 0.01 | 44 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Indiana: White | 123 | 0.5 | 0.04 | 0.05 | 0.01 | 38 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Indiana: Black | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *USA, Iowa | 188 | 1.3 | 0.10 | 0.15 | 0.01 | 44 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, Kentucky | 203 | 1.1 | 0.08 | 0.12 | 0.01 | 61 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Louisiana | 155 | 0.8 | 0.07 | 0.10 | 0.01 | 35 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana: White | 150 | 1.1 | 0.09 | 0.13 | 0.01 | 35 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Louisiana: Black | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, Louisiana, New Orleans | 13 | 0.4 | 0.10 | 0.05 | 0.02 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *USA, Louisiana, New Orleans: White | 11 | 0.5 | 0.15 | 0.05 | 0.02 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: Black | 2 | 0.2 | 0.14 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Maine | 74 | 1.0 | 0.13 | 0.09 | 0.02 | 25 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Maryland | 58 | 0.3 | 0.03 | 0.03 | 0.00 | 29 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Maryland: White | 53 | 0.3 | 0.05 | 0.04 | 0.01 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Maryland: Black | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| USA, Maryland: Asian and Pacific Islander | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| USA, Massachusetts | 96 | 0.3 | 0.03 | 0.03 | 0.00 | 67 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Massachusetts: White | 90 | 0.3 | 0.03 | 0.03 | 0.00 | 65 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Massachusetts: Black | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Massachusetts: Asian and Pacific Islander | 1 | 0.1 | 0.10 | 0.02 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lip (C00) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 160 | 0.4 | 0.03 | 0.04 | 0.00 | 61 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Michigan: White | 154 | 0.4 | 0.03 | 0.04 | 0.00 | 59 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Michigan: Black | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Michigan: Asian and Pacific Islander | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, Michigan, Detroit | 48 | 0.3 | 0.04 | 0.03 | 0.01 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, Michigan, Detroit: White | 44 | 0.3 | 0.05 | 0.03 | 0.01 | 20 | 0.1 | 0.03 | 0.02 | 0.00 |
| *USA, Michigan, Detroit: Black | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Minnesota | 230 | 0.9 | 0.06 | 0.10 | 0.01 | 85 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Minnesota: White | 226 | 0.9 | 0.07 | 0.10 | 0.01 | 79 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Minnesota: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| *USA, Minnesota: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.17 | 0.01 | 0.01 |
| USA, Mississippi | 60 | 0.5 | 0.07 | 0.06 | 0.01 | 7 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Missouri | 116 | 0.4 | 0.04 | 0.05 | 0.01 | 44 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Missouri: White | 114 | 0.5 | 0.05 | 0.05 | 0.01 | 43 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Missouri: Black | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Montana | 32 | 0.6 | 0.12 | 0.07 | 0.02 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.4 | 0.39 | 0.00 | 0.00 |
| USA, Nebraska | 86 | 1.0 | 0.11 | 0.10 | 0.02 | 34 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Nebraska: White | 80 | 0.9 | 0.11 | 0.09 | 0.02 | 34 | 0.3 | 0.07 | 0.03 | 0.01 |
| *USA, Nebraska: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Nevada | 74 | 0.6 | 0.08 | 0.07 | 0.01 | 24 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Nevada: White | 72 | 0.7 | 0.09 | 0.08 | 0.01 | 24 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, Nevada: Black | 2 | 0.3 | 0.18 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, Nevada: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, New Jersey | 117 | 0.3 | 0.03 | 0.03 | 0.00 | 61 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, New Jersey: White | 109 | 0.3 | 0.03 | 0.03 | 0.00 | 52 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, New Jersey: Black | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, New Mexico | 47 | 0.5 | 0.08 | 0.05 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, New Mexico: White | 45 | 0.5 | 0.09 | 0.06 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, New Mexico: Non-Hispanic White | 35 | 0.7 | 0.13 | 0.07 | 0.02 | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, New Mexico: Hispanic White | 10 | 0.3 | 0.11 | 0.03 | 0.01 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| *USA, New Mexico: American Indian | 1 | 0.1 | 0.11 | 0.00 | 0.00 | 1 | 0.1 | 0.14 | 0.02 | 0.02 |
| USA, New York State | 317 | 0.4 | 0.02 | 0.04 | 0.00 | 163 | 0.1 | 0.01 | 0.02 | 0.00 |
| USA, New York State: White | 304 | 0.4 | 0.03 | 0.05 | 0.00 | 155 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, New York State: Black | 6 | 0.1 | 0.02 | 0.01 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, North Carolina | 167 | 0.4 | 0.03 | 0.04 | 0.00 | 83 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, North Carolina: White | 155 | 0.5 | 0.04 | 0.05 | 0.01 | 70 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, North Carolina: Black | 6 | 0.1 | 0.03 | 0.01 | 0.00 | 9 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, North Carolina: American Indian | 1 | 0.2 | 0.19 | 0.02 | 0.02 | 1 | 0.1 | 0.14 | 0.00 | 0.00 |
| USA, North Dakota | 79 | 2.3 | 0.27 | 0.26 | 0.04 | 17 | 0.5 | 0.13 | 0.05 | 0.02 |
| USA, Ohio | 133 | 0.3 | 0.03 | 0.03 | 0.00 | 58 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Ohio: White | 131 | 0.3 | 0.03 | 0.04 | 0.00 | 54 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Ohio: Black | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *USA, Ohio: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma | 201 | 1.2 | 0.09 | 0.15 | 0.01 | 55 | 0.3 | 0.04 | 0.04 | 0.01 |
| USA, Oklahoma: White | 192 | 1.4 | 0.11 | 0.17 | 0.01 | 53 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Oklahoma: Black | 1 | 0.1 | 0.12 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma: American Indian | 6 | 0.5 | 0.21 | 0.05 | 0.03 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| USA, Oregon | 99 | 0.5 | 0.06 | 0.06 | 0.01 | 45 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Oregon: White | 93 | 0.5 | 0.06 | 0.06 | 0.01 | 44 | 0.2 | 0.03 | 0.03 | 0.01 |
| *USA, Oregon: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 2 | 0.3 | 0.22 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, Rhode Island | 20 | 0.4 | 0.11 | 0.05 | 0.01 | 8 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Rhode Island: White | 20 | 0.5 | 0.12 | 0.06 | 0.02 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| *USA, Rhode Island: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 69 | 0.3 | 0.04 | 0.04 | 0.01 | 26 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, South Carolina: White | 65 | 0.4 | 0.05 | 0.04 | 0.01 | 21 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, South Carolina: Black | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, South Dakota | 63 | 1.6 | 0.21 | 0.19 | 0.03 | 23 | 0.5 | 0.12 | 0.06 | 0.02 |
| USA, Tennessee | 137 | 0.4 | 0.04 | 0.04 | 0.01 | 42 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Tennessee: White | 134 | 0.5 | 0.04 | 0.05 | 0.01 | 41 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Tennessee: Black | 2 | 0.1 | 0.05 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Texas | 381 | 0.4 | 0.02 | 0.04 | 0.00 | 78 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Texas: White | 373 | 0.4 | 0.02 | 0.05 | 0.00 | 75 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Texas: Black | 5 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Utah | 104 | 1.1 | 0.11 | 0.12 | 0.02 | 40 | 0.4 | 0.06 | 0.04 | 0.01 |
| USA, Vermont | 10 | 0.3 | 0.11 | 0.04 | 0.02 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| USA, Washington State | 259 | 0.8 | 0.05 | 0.08 | 0.01 | 136 | 0.4 | 0.04 | 0.04 | 0.00 |
| *USA, Washington, Seattle | 188 | 0.9 | 0.07 | 0.08 | 0.01 | 102 | 0.4 | 0.05 | 0.05 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lip (C00) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 45 | 0.5 | 0.08 | 0.06 | 0.01 | 17 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Wyoming | 14 | 0.5 | 0.15 | 0.07 | 0.02 | 5 | 0.2 | 0.10 | 0.03 | 0.02 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 2 | 0.2 | 0.15 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Brunei Darussalam | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| *China, Anfu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 11 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Aohan Banner, Chifeng City | 4 | 0.2 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 3 | 0.6 | 0.37 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 9 | 0.3 | 0.10 | 0.04 | 0.01 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| *China, Beijing City | 35 | 0.1 | 0.01 | 0.01 | 0.00 | 37 | 0.1 | 0.01 | 0.01 | 0.00 |
| *China, Binhai County | 6 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Cangzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Changfeng County | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Changzhou City | 14 | 0.1 | 0.04 | 0.02 | 0.01 | 19 | 0.2 | 0.04 | 0.02 | 0.01 |
| China, Chengdu City | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Cixian County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Cixi City | 15 | 0.3 | 0.09 | 0.04 | 0.01 | 5 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Dafeng District, Yancheng City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Dalian City | 24 | 0.2 | 0.04 | 0.02 | 0.01 | 9 | 0.1 | 0.02 | 0.00 | 0.00 |
| *China, Dancheng County | 14 | 0.4 | 0.12 | 0.07 | 0.02 | 16 | 0.4 | 0.12 | 0.05 | 0.02 |
| China, Dangtu County | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 4 | 0.2 | 0.12 | 0.02 | 0.02 |
| *China, Danyang City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Donggang County | 3 | 0.1 | 0.06 | 0.01 | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Dongguan City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| China, Donghai County | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dongtai City | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.2 | 0.10 | 0.04 | 0.02 |
| *China, Fangcheng County | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Feicheng City | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Feixi County | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Fuqing City | 2 | 0.1 | 0.05 | 0.01 | 0.00 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *China, Ganyu District, Lianyungang City | 7 | 0.1 | 0.06 | 0.01 | 0.01 | 7 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Ganzhou District, Zhangye City | 2 | 0.2 | 0.15 | 0.03 | 0.03 | 2 | 0.2 | 0.14 | 0.01 | 0.01 |
| *China, Gaocheng City | 6 | 0.3 | 0.12 | 0.03 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Gaomi City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Gong'an County | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| China, Guanghan City | 9 | 0.5 | 0.18 | 0.06 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Guangzhou City | 14 | 0.0 | 0.01 | 0.00 | 0.00 | 16 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Guanyun County | 11 | 0.3 | 0.09 | 0.04 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Guilin City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Hai'an City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.1 | 0.03 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Haimen District, Nantong City | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 7 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Haining City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 5 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Hangzhou City | 30 | 0.1 | 0.02 | 0.01 | 0.00 | 22 | 0.1 | 0.02 | 0.00 | 0.00 |
| China, Hebi City | 0 | – | 0.00 | – | 0.00 | 3 | 0.3 | 0.15 | 0.02 | 0.01 |
| China, Hefei City | 6 | 0.1 | 0.03 | 0.01 | 0.00 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.18 | 0.02 | 0.02 |
| *China, Hepu County | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Honghu City | 5 | 0.2 | 0.08 | 0.03 | 0.02 | 3 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Hongshan District, Chifeng City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiange County | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| China, Jiangmen City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Jiangyin City | 10 | 0.2 | 0.05 | 0.01 | 0.01 | 6 | 0.1 | 0.03 | 0.00 | 0.00 |
| *China, Jiashan County | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Jiayu County | 2 | 0.2 | 0.17 | 0.02 | 0.02 | 2 | 0.3 | 0.19 | 0.04 | 0.03 |
| *China, Jinan City | 13 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Jingtai County | 4 | 0.6 | 0.28 | 0.09 | 0.05 | 4 | 0.6 | 0.31 | 0.14 | 0.07 |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 4 | 0.2 | 0.08 | 0.01 | 0.01 | 6 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 11 | 0.4 | 0.14 | 0.04 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Jiyuan City | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lip (C00) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.09 | 0.00 | 0.00 |
| China, Kunshan City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Langzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Liangshan County | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Lianshui County | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Lianyungang City | 5 | 0.1 | 0.05 | 0.01 | 0.00 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| China, Linhe District, Bayannur City | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 4 | 0.3 | 0.14 | 0.02 | 0.02 |
| China, Linqu County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Linzhou City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Liuzhou City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Liyang City | 5 | 0.1 | 0.05 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Longquan City | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Lucheng District, Wenzhou City | 3 | 0.1 | 0.08 | 0.02 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Luoding City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Luohe City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Luoyang City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Luquan City | 1 | 0.1 | 0.10 | 0.02 | 0.02 | 2 | 0.2 | 0.12 | 0.02 | 0.02 |
| China, Ma'anshan City | 8 | 0.3 | 0.12 | 0.03 | 0.01 | 6 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Macheng City | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Mengjin County | 4 | 0.4 | 0.18 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Nangang District, Harbin City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Nanhai District, Foshan City | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Nanhu District, Jiaying City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Nantong City | 8 | 0.1 | 0.05 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Nanxiong City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Neixiang County | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Qianxi County | 1 | 0.1 | 0.10 | 0.02 | 0.02 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Qidong City | 10 | 0.1 | 0.04 | 0.01 | 0.01 | 11 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Qingzhou City | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Rudong County | 6 | 0.1 | 0.03 | 0.01 | 0.01 | 14 | 0.2 | 0.05 | 0.02 | 0.01 |
| *China, Rugao City | 11 | 0.1 | 0.04 | 0.02 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Rural areas of Shanghai City | 42 | 0.1 | 0.01 | 0.01 | 0.00 | 45 | 0.1 | 0.01 | 0.01 | 0.00 |
| China, Ruyang County | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Shan County | 3 | 0.1 | 0.06 | 0.02 | 0.01 | 5 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Shanghai City | 19 | 0.0 | 0.01 | 0.00 | 0.00 | 30 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Shangyu District, Shaoxing City | 12 | 0.3 | 0.11 | 0.05 | 0.02 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Shapingba District, Chongqing City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Shexian County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Sheyang County | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 12 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Shijiazhuang City | 3 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Shunde District, Foshan City | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Song County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 12 | 0.1 | 0.02 | 0.01 | 0.00 | 14 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Tengzhou City | 4 | 0.1 | 0.03 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.00 |
| *China, Wangdu County | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.16 | 0.00 | 0.00 |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Wuhan City | 11 | 0.1 | 0.02 | 0.01 | 0.00 | 12 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Wuhu City | 4 | 0.1 | 0.04 | 0.01 | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Wuxi City | 17 | 0.1 | 0.03 | 0.02 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Wuzhou City | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Xiangfu District, Kaifeng City | 4 | 0.2 | 0.12 | 0.04 | 0.02 | 6 | 0.3 | 0.14 | 0.03 | 0.02 |
| China, Xianju County | 9 | 0.4 | 0.13 | 0.03 | 0.01 | 6 | 0.2 | 0.11 | 0.03 | 0.02 |
| *China, Xin'an County | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xining City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Xinji City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Xinluo District, Longyan City | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Xiping County | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Xishan District, Kunming City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Xuyi County | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Ya'an City | 6 | 0.1 | 0.05 | 0.01 | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.00 |
| *China, Yakeshi City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 3 | 0.2 | 0.10 | 0.01 | 0.01 |
| China, Yancheng City | 9 | 0.2 | 0.05 | 0.02 | 0.01 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| *China, Yangquan City | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yanji City | 5 | 0.3 | 0.12 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Yanshi City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Yanting County | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.09 | 0.03 | 0.02 |
| *China, Yi'an District, Tongling City | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 1 | 0.1 | 0.10 | 0.00 | 0.00 |
| *China, Yingdong District, Fuyang City | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lip (C00) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 2 | 0.2 | 0.15 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 2 | 0.2 | 0.11 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yongkang City | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yucheng County | 5 | 0.2 | 0.11 | 0.04 | 0.02 | 4 | 0.2 | 0.10 | 0.02 | 0.02 |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yunyang District, Shiyuan City | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 2 | 0.2 | 0.15 | 0.01 | 0.01 |
| China, Yuzhong District, Chongqing City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Zhanhuang County | 2 | 0.2 | 0.15 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| *China, Zhaoyuan City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhengding County | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Zhongshan City | 4 | 0.1 | 0.03 | 0.00 | 0.00 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Zhongxiang City | 3 | 0.1 | 0.06 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Zhuanghe City | 14 | 0.3 | 0.09 | 0.04 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Zhuhai City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, Ahmedabad, Urban | 103 | 0.9 | 0.09 | 0.10 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Aurangabad | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 21 | 0.2 | 0.04 | 0.02 | 0.00 | 17 | 0.2 | 0.04 | 0.02 | 0.01 |
| India, Barshi, Paranda, and Bhum | 4 | 0.2 | 0.10 | 0.03 | 0.02 | 3 | 0.2 | 0.14 | 0.02 | 0.01 |
| *India, Bhopal | 12 | 0.4 | 0.12 | 0.05 | 0.02 | 7 | 0.3 | 0.10 | 0.03 | 0.01 |
| India, Chandigarh | 5 | 0.2 | 0.10 | 0.03 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *India, Chennai | 57 | 0.4 | 0.06 | 0.04 | 0.01 | 28 | 0.2 | 0.04 | 0.03 | 0.01 |
| India, Dibrugarh | 25 | 0.9 | 0.18 | 0.12 | 0.03 | 7 | 0.2 | 0.09 | 0.03 | 0.01 |
| *India, Dindigul, Ambilikai | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 7 | 0.1 | 0.04 | 0.02 | 0.01 |
| India, Kamrup Urban District | 31 | 1.3 | 0.24 | 0.16 | 0.03 | 13 | 0.6 | 0.16 | 0.07 | 0.02 |
| India, Kollam | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 16 | 0.2 | 0.05 | 0.02 | 0.01 |
| *India, Manipur | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| India, Meghalaya | 18 | 0.8 | 0.20 | 0.09 | 0.03 | 40 | 1.4 | 0.24 | 0.19 | 0.04 |
| India, Mizoram | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 7 | 0.5 | 0.18 | 0.06 | 0.03 |
| India, Mumbai | 153 | 0.5 | 0.04 | 0.05 | 0.01 | 75 | 0.2 | 0.03 | 0.03 | 0.00 |
| *India, New Delhi | 129 | 0.6 | 0.05 | 0.07 | 0.01 | 32 | 0.2 | 0.03 | 0.02 | 0.01 |
| India, Poona | 49 | 0.4 | 0.06 | 0.05 | 0.01 | 18 | 0.2 | 0.04 | 0.02 | 0.01 |
| *India, Sangrur District | 6 | 0.2 | 0.10 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 7 | 0.3 | 0.11 | 0.04 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *India, Tamil Nadu | 497 | 0.2 | 0.01 | 0.03 | 0.00 | 390 | 0.2 | 0.01 | 0.02 | 0.00 |
| *India, Tripura | 13 | 0.2 | 0.06 | 0.02 | 0.01 | 12 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Trivandrum | 25 | 0.3 | 0.06 | 0.04 | 0.01 | 23 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Wardha | 32 | 0.8 | 0.15 | 0.10 | 0.02 | 12 | 0.3 | 0.09 | 0.05 | 0.02 |
| India, West Arunachal | 0 | – | 0.00 | – | 0.00 | 3 | 0.4 | 0.27 | 0.05 | 0.05 |
| *Iran (Islamic Republic of), Ardabil Province | 11 | 0.6 | 0.18 | 0.07 | 0.03 | 1 | 0.1 | 0.06 | 0.02 | 0.02 |
| *Iran (Islamic Republic of), Golestan Province | 7 | 0.3 | 0.12 | 0.05 | 0.02 | 7 | 0.3 | 0.12 | 0.03 | 0.02 |
| Israel | 128 | 0.5 | 0.04 | 0.05 | 0.01 | 56 | 0.2 | 0.02 | 0.02 | 0.00 |
| *Israel: Jews | 106 | 0.5 | 0.05 | 0.05 | 0.01 | 47 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Israel: Arabs | 18 | 0.6 | 0.14 | 0.05 | 0.02 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| Japan | 248 | 0.1 | 0.00 | 0.01 | 0.00 | 220 | 0.0 | 0.00 | 0.00 | 0.00 |
| Japan, Aichi Prefecture | 16 | 0.0 | 0.01 | 0.00 | 0.00 | 8 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Japan, Akita Prefecture | 2 | 0.0 | 0.02 | 0.01 | 0.01 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| Japan, Aomori Prefecture | 7 | 0.0 | 0.02 | 0.00 | 0.00 | 6 | 0.0 | 0.02 | 0.00 | 0.00 |
| Japan, Gunma Prefecture | 8 | 0.1 | 0.07 | 0.01 | 0.01 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| Japan, Hiroshima Prefecture | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 14 | 0.1 | 0.04 | 0.01 | 0.00 |
| Japan, Miyagi Prefecture | 7 | 0.0 | 0.01 | 0.00 | 0.00 | 9 | 0.0 | 0.02 | 0.00 | 0.00 |
| Japan, Osaka Prefecture | 10 | 0.0 | 0.01 | 0.00 | 0.00 | 14 | 0.0 | 0.01 | 0.00 | 0.00 |
| Kuwait | 4 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Kuwait: Kuwaitis | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Kuwait: Non-Kuwaitis | 4 | 0.2 | 0.21 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Philippines, Manila | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 5 | 0.0 | 0.02 | 0.01 | 0.00 |
| *Qatar: Qatari | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 126 | 0.1 | 0.01 | 0.01 | 0.00 | 82 | 0.0 | 0.00 | 0.00 | 0.00 |
| *Republic of Korea, Busan | 11 | 0.1 | 0.02 | 0.01 | 0.00 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Republic of Korea, Daegu | 8 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Republic of Korea, Daejeon | 2 | 0.0 | 0.03 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Republic of Korea, Gwangju | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea, Incheon | 4 | 0.0 | 0.02 | 0.01 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| Republic of Korea, Jeju | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| Republic of Korea, Seoul | 18 | 0.0 | 0.01 | 0.01 | 0.00 | 10 | 0.0 | 0.01 | 0.00 | 0.00 |
| Republic of Korea, Ulsan | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| Singapore | 5 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Singapore: Chinese | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Singapore: Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lip (C00) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Thailand, Bangkok | 18 | 0.1 | 0.02 | 0.01 | 0.00 | 38 | 0.2 | 0.03 | 0.01 | 0.00 |
| *Thailand, Chiang Mai | 7 | 0.1 | 0.04 | 0.01 | 0.01 | 11 | 0.1 | 0.05 | 0.02 | 0.01 |
| *Thailand, Khon Kaen | 17 | 0.3 | 0.07 | 0.03 | 0.01 | 65 | 0.8 | 0.10 | 0.09 | 0.02 |
| Thailand, Lampang | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.2 | 0.09 | 0.03 | 0.01 |
| Thailand, Lopburi Province | 11 | 0.5 | 0.15 | 0.07 | 0.02 | 31 | 1.2 | 0.23 | 0.08 | 0.02 |
| *Thailand, Songkhla | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.00 |
| Turkey, Antalya | 96 | 1.5 | 0.16 | 0.17 | 0.02 | 25 | 0.4 | 0.08 | 0.04 | 0.01 |
| Turkey, Bursa | 109 | 1.3 | 0.13 | 0.15 | 0.02 | 22 | 0.2 | 0.04 | 0.01 | 0.01 |
| *Turkey, Edirne | 13 | 0.8 | 0.23 | 0.09 | 0.03 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Turkey, Erzurum | 26 | 1.4 | 0.28 | 0.13 | 0.03 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| Turkey, Eskişehir | 11 | 0.4 | 0.12 | 0.04 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Gaziantep | 48 | 1.5 | 0.22 | 0.18 | 0.03 | 25 | 0.7 | 0.14 | 0.09 | 0.02 |
| *Turkey, Izmir | 145 | 1.1 | 0.09 | 0.11 | 0.01 | 38 | 0.2 | 0.04 | 0.02 | 0.01 |
| Turkey, Malatya | 9 | 0.4 | 0.13 | 0.03 | 0.02 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| Turkey, Samsun | 119 | 2.9 | 0.27 | 0.38 | 0.04 | 25 | 0.4 | 0.09 | 0.05 | 0.02 |
| Turkey, Trabzon | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| Europe | | | | | | | | | | |
| Austria | 153 | 0.3 | 0.03 | 0.03 | 0.00 | 101 | 0.1 | 0.02 | 0.01 | 0.00 |
| Austria, Carinthia | 11 | 0.3 | 0.11 | 0.04 | 0.02 | 8 | 0.1 | 0.06 | 0.02 | 0.01 |
| Austria, Tyrol | 53 | 1.4 | 0.21 | 0.17 | 0.03 | 32 | 0.6 | 0.12 | 0.06 | 0.02 |
| Austria, Vorarlberg | 18 | 1.0 | 0.24 | 0.10 | 0.03 | 6 | 0.2 | 0.10 | 0.02 | 0.02 |
| Belarus | 549 | 1.7 | 0.07 | 0.20 | 0.01 | 222 | 0.3 | 0.02 | 0.02 | 0.00 |
| *Belgium | 173 | 0.3 | 0.03 | 0.04 | 0.00 | 84 | 0.1 | 0.02 | 0.01 | 0.00 |
| Croatia | 240 | 1.1 | 0.08 | 0.11 | 0.01 | 110 | 0.3 | 0.03 | 0.03 | 0.00 |
| Cyprus | 18 | 0.6 | 0.13 | 0.07 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Czech Republic | 278 | 0.5 | 0.03 | 0.06 | 0.00 | 211 | 0.2 | 0.02 | 0.02 | 0.00 |
| Denmark | 50 | 0.2 | 0.03 | 0.02 | 0.00 | 45 | 0.1 | 0.02 | 0.02 | 0.00 |
| Estonia | 31 | 0.5 | 0.10 | 0.05 | 0.01 | 25 | 0.2 | 0.04 | 0.01 | 0.01 |
| Finland | 217 | 0.6 | 0.05 | 0.05 | 0.01 | 139 | 0.3 | 0.03 | 0.02 | 0.00 |
| *France, Bas-Rhin | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *France, Calvados | 31 | 0.8 | 0.16 | 0.08 | 0.02 | 12 | 0.2 | 0.08 | 0.01 | 0.01 |
| *France, Doubs | 4 | 0.2 | 0.10 | 0.03 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *France, Gironde | 13 | 0.2 | 0.07 | 0.03 | 0.01 | 19 | 0.2 | 0.04 | 0.02 | 0.01 |
| *France, Haut-Rhin | 13 | 0.3 | 0.10 | 0.04 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *France, Hérault | 26 | 0.4 | 0.09 | 0.04 | 0.01 | 14 | 0.2 | 0.05 | 0.01 | 0.01 |
| *France, Isère | 41 | 0.7 | 0.12 | 0.08 | 0.02 | 15 | 0.1 | 0.04 | 0.01 | 0.01 |
| *France, Lille-Métropole | 9 | 0.4 | 0.12 | 0.05 | 0.02 | 5 | 0.1 | 0.06 | 0.03 | 0.01 |
| *France, Limousin | 9 | 0.5 | 0.17 | 0.05 | 0.02 | 4 | 0.1 | 0.04 | 0.00 | 0.00 |
| *France, Loire-Atlantique | 29 | 0.5 | 0.10 | 0.06 | 0.01 | 21 | 0.2 | 0.06 | 0.03 | 0.01 |
| *France, Manche | 16 | 0.5 | 0.16 | 0.06 | 0.02 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| *France, Poitou-Charentes | 88 | 0.8 | 0.10 | 0.09 | 0.01 | 24 | 0.1 | 0.04 | 0.01 | 0.00 |
| *France, Somme | 15 | 0.6 | 0.16 | 0.06 | 0.02 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Tarn | 17 | 0.7 | 0.19 | 0.07 | 0.03 | 8 | 0.3 | 0.12 | 0.02 | 0.01 |
| *France, Territoire de Belfort | 1 | 0.1 | 0.12 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | 32 | 0.8 | 0.18 | 0.09 | 0.02 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| Germany, Baden-Württemberg | 118 | 0.3 | 0.03 | 0.03 | 0.00 | 84 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, Bavaria | 298 | 0.4 | 0.02 | 0.04 | 0.00 | 184 | 0.2 | 0.01 | 0.01 | 0.00 |
| Germany, Bremen | 16 | 0.4 | 0.11 | 0.02 | 0.01 | 20 | 0.3 | 0.09 | 0.03 | 0.01 |
| Germany, Hamburg | 26 | 0.3 | 0.06 | 0.03 | 0.01 | 21 | 0.2 | 0.05 | 0.03 | 0.01 |
| Germany, Lower Saxony | 216 | 0.4 | 0.03 | 0.04 | 0.00 | 117 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, North Rhine-Westphalia | 278 | 0.3 | 0.02 | 0.03 | 0.00 | 166 | 0.1 | 0.01 | 0.01 | 0.00 |
| Germany, Rhineland-Palatinate | 87 | 0.4 | 0.04 | 0.04 | 0.01 | 57 | 0.2 | 0.03 | 0.02 | 0.00 |
| Germany, Saarland | 27 | 0.4 | 0.09 | 0.05 | 0.01 | 14 | 0.1 | 0.04 | 0.01 | 0.01 |
| Germany, Schleswig-Holstein | 96 | 0.5 | 0.06 | 0.06 | 0.01 | 46 | 0.2 | 0.03 | 0.02 | 0.00 |
| Iceland | 10 | 0.8 | 0.25 | 0.09 | 0.03 | 3 | 0.2 | 0.11 | 0.04 | 0.03 |
| Ireland | 95 | 0.5 | 0.05 | 0.05 | 0.01 | 19 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Italy, Aosta Valley | 2 | 0.2 | 0.14 | 0.00 | 0.00 | 2 | 0.1 | 0.07 | 0.00 | 0.00 |
| *Italy, Avellino | 8 | 0.5 | 0.22 | 0.04 | 0.02 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| Italy, Basilicata | 38 | 0.9 | 0.17 | 0.08 | 0.02 | 8 | 0.2 | 0.07 | 0.03 | 0.01 |
| *Italy, Benevento | 9 | 0.6 | 0.20 | 0.08 | 0.04 | 6 | 0.5 | 0.36 | 0.03 | 0.02 |
| Italy, Bergamo | 19 | 0.3 | 0.08 | 0.03 | 0.01 | 12 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Italy, Brescia | 16 | 0.2 | 0.06 | 0.03 | 0.01 | 7 | 0.1 | 0.04 | 0.01 | 0.00 |
| Italy, Brianza (Lecco and Monza e Brianza) | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Italy, Calabria | 18 | 0.7 | 0.17 | 0.09 | 0.03 | 5 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Italy, Caserta | 9 | 0.3 | 0.11 | 0.04 | 0.01 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Italy, Catania, Messina, and Enna | 58 | 0.6 | 0.08 | 0.08 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| Italy, Emilia-Romagna | 94 | 0.3 | 0.04 | 0.03 | 0.01 | 34 | 0.1 | 0.02 | 0.01 | 0.00 |
| Italy, Friuli-Venezia Giulia | 61 | 0.7 | 0.10 | 0.06 | 0.01 | 37 | 0.2 | 0.05 | 0.03 | 0.01 |
| Italy, Genova | 16 | 0.3 | 0.13 | 0.04 | 0.01 | 6 | 0.1 | 0.03 | 0.00 | 0.00 |
| *Italy, Lombardy, South, Pavia | 17 | 0.5 | 0.14 | 0.07 | 0.02 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Italy, Mantova and Cremona | 19 | 0.5 | 0.13 | 0.06 | 0.02 | 8 | 0.1 | 0.05 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lip (C00) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 41 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | 20 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Italy, Milan | 31 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> | 8 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Italy, Molise | 13 | 0.8 | <i>0.27</i> | 0.07 | <i>0.04</i> | 6 | 0.2 | <i>0.14</i> | 0.02 | <i>0.02</i> |
| *Italy, Naples Centre | 15 | 0.6 | <i>0.16</i> | 0.08 | <i>0.02</i> | 6 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *Italy, Naples North | 17 | 0.5 | <i>0.13</i> | 0.08 | <i>0.02</i> | 4 | 0.1 | <i>0.05</i> | 0.00 | <i>0.00</i> |
| *Italy, Naples South | 20 | 0.4 | <i>0.10</i> | 0.05 | <i>0.01</i> | 8 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Italy, Nuoro | 8 | 0.7 | <i>0.30</i> | 0.05 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Italy, Palermo | 59 | 0.8 | <i>0.12</i> | 0.08 | <i>0.02</i> | 10 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Italy, Puglia | 198 | 0.8 | <i>0.06</i> | 0.08 | <i>0.01</i> | 30 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *Italy, Ragusa and Caltanissetta | 14 | 0.5 | <i>0.14</i> | 0.07 | <i>0.02</i> | 1 | 0.0 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *Italy, Salerno | 18 | 0.3 | <i>0.07</i> | 0.02 | <i>0.01</i> | 4 | 0.1 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| Italy, Sassari | 8 | 0.7 | <i>0.27</i> | 0.04 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Italy, Sondrio | 15 | 1.1 | <i>0.32</i> | 0.09 | <i>0.04</i> | 5 | 0.2 | <i>0.09</i> | 0.02 | <i>0.02</i> |
| Italy, South Tyrol | 44 | 1.5 | <i>0.25</i> | 0.14 | <i>0.03</i> | 11 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| *Italy, Syracuse | 6 | 0.3 | <i>0.13</i> | 0.05 | <i>0.02</i> | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Italy, Trento | 27 | 0.7 | <i>0.15</i> | 0.05 | <i>0.02</i> | 9 | 0.2 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| Italy, Turin | 65 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> | 25 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| *Italy, Tuscany | 46 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | 15 | 0.1 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Italy, Umbria | 15 | 0.3 | <i>0.08</i> | 0.02 | <i>0.01</i> | 6 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| Italy, Varese | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Italy, Veneto | 191 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | 90 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| Latvia | 64 | 0.7 | <i>0.09</i> | 0.07 | <i>0.01</i> | 29 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *Liechtenstein | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Lithuania | 76 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 43 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Malta | 7 | 0.3 | <i>0.11</i> | 0.03 | <i>0.02</i> | 4 | 0.2 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| *The Netherlands | 592 | 0.7 | <i>0.03</i> | 0.07 | <i>0.00</i> | 379 | 0.4 | <i>0.02</i> | 0.04 | <i>0.00</i> |
| Norway | 307 | 1.2 | <i>0.07</i> | 0.12 | <i>0.01</i> | 228 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> |
| Poland, Kielce | 83 | 1.3 | <i>0.15</i> | 0.15 | <i>0.02</i> | 33 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| *Portugal, Azores | 34 | 4.8 | <i>0.84</i> | 0.52 | <i>0.11</i> | 8 | 0.8 | <i>0.30</i> | 0.11 | <i>0.05</i> |
| Russian Federation, Arkhangelsk | 61 | 1.6 | <i>0.22</i> | 0.21 | <i>0.04</i> | 30 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Russian Federation, Kaliningrad | 38 | 1.2 | <i>0.20</i> | 0.15 | <i>0.03</i> | 16 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| Russian Federation, Karelia | 27 | 1.4 | <i>0.27</i> | 0.18 | <i>0.05</i> | 11 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *Russian Federation, Komi Republic | 49 | 2.1 | <i>0.31</i> | 0.23 | <i>0.05</i> | 17 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Russian Federation, Murmansk | 22 | 1.1 | <i>0.25</i> | 0.13 | <i>0.04</i> | 15 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| *Russian Federation, Orenburg | 270 | 4.1 | <i>0.26</i> | 0.49 | <i>0.04</i> | 65 | 0.5 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| Russian Federation, Pskov | 44 | 1.8 | <i>0.29</i> | 0.24 | <i>0.05</i> | 23 | 0.4 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| *Russian Federation, Samara | 220 | 1.9 | <i>0.13</i> | 0.21 | <i>0.02</i> | 73 | 0.3 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| Russian Federation, Vologda Region | 81 | 2.1 | <i>0.24</i> | 0.28 | <i>0.03</i> | 26 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Slovenia | 86 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 45 | 0.3 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Spain, Asturias | 31 | 0.6 | <i>0.12</i> | 0.05 | <i>0.02</i> | 22 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Spain, Basque Country | 114 | 1.0 | <i>0.11</i> | 0.10 | <i>0.02</i> | 44 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| Spain, Canary Islands | 149 | 2.4 | <i>0.20</i> | 0.27 | <i>0.03</i> | 40 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| Spain, Castellón | 54 | 1.6 | <i>0.25</i> | 0.14 | <i>0.03</i> | 16 | 0.4 | <i>0.11</i> | 0.03 | <i>0.02</i> |
| Spain, Girona | 56 | 1.3 | <i>0.19</i> | 0.15 | <i>0.03</i> | 20 | 0.3 | <i>0.07</i> | 0.03 | <i>0.02</i> |
| Spain, Granada | 155 | 3.4 | <i>0.29</i> | 0.38 | <i>0.04</i> | 24 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| Spain, La Rioja | 14 | 0.8 | <i>0.22</i> | 0.13 | <i>0.04</i> | 6 | 0.2 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| Spain, Murcia | 118 | 1.9 | <i>0.18</i> | 0.23 | <i>0.03</i> | 16 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Spain, Navarra | 48 | 1.5 | <i>0.23</i> | 0.15 | <i>0.04</i> | 13 | 0.3 | <i>0.11</i> | 0.03 | <i>0.01</i> |
| Spain, Salamanca | 56 | 2.4 | <i>0.37</i> | 0.27 | <i>0.05</i> | 12 | 0.3 | <i>0.13</i> | 0.04 | <i>0.02</i> |
| Spain, Tarragona | 53 | 1.2 | <i>0.18</i> | 0.13 | <i>0.03</i> | 11 | 0.1 | <i>0.04</i> | 0.00 | <i>0.00</i> |
| *Sweden | 441 | 0.7 | <i>0.04</i> | 0.08 | <i>0.01</i> | 372 | 0.5 | <i>0.03</i> | 0.05 | <i>0.00</i> |
| Switzerland, Aargau | 12 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> | 4 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| Switzerland, Basel | 8 | 0.3 | <i>0.13</i> | 0.03 | <i>0.02</i> | 12 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| Switzerland, Berne Solothurn | 17 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Switzerland, East | 21 | 0.5 | <i>0.12</i> | 0.06 | <i>0.02</i> | 12 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| *Switzerland, Fribourg | 7 | 0.6 | <i>0.22</i> | 0.06 | <i>0.03</i> | 2 | 0.1 | <i>0.10</i> | 0.01 | <i>0.01</i> |
| Switzerland, Geneva | 12 | 0.6 | <i>0.18</i> | 0.08 | <i>0.03</i> | 3 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| *Switzerland, Graubünden and Glarus | 18 | 1.3 | <i>0.33</i> | 0.15 | <i>0.05</i> | 10 | 0.5 | <i>0.20</i> | 0.05 | <i>0.03</i> |
| *Switzerland, Lucerne | 14 | 0.5 | <i>0.14</i> | 0.05 | <i>0.02</i> | 6 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| *Switzerland, Neuchâtel and Jura | 1 | 0.0 | <i>0.05</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Switzerland, Ticino | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Switzerland, Valais | 3 | 0.2 | <i>0.09</i> | 0.02 | <i>0.02</i> | 2 | 0.1 | <i>0.04</i> | 0.00 | <i>0.00</i> |
| Switzerland, Vaud | 11 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Switzerland, Zurich and Zug | 46 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> | 27 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Ukraine | 2361 | 1.8 | <i>0.04</i> | 0.22 | <i>0.01</i> | 984 | 0.4 | <i>0.01</i> | 0.04 | <i>0.00</i> |
| UK, England | 707 | 0.3 | <i>0.01</i> | 0.03 | <i>0.00</i> | 396 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| UK, Northern Ireland | 44 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> | 10 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| UK, Scotland | 154 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | 70 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| UK, Wales | 81 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> | 38 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1117 | 3.6 | <i>0.11</i> | 0.41 | <i>0.01</i> | 407 | 1.0 | <i>0.06</i> | 0.11 | <i>0.01</i> |
| *Australia, Northern Territory | 16 | 2.2 | <i>0.54</i> | 0.25 | <i>0.07</i> | 6 | 1.0 | <i>0.42</i> | 0.13 | <i>0.06</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lip (C00) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 16 | 2.7 | 0.67 | 0.30 | 0.08 | 4 | 0.9 | 0.45 | 0.12 | 0.08 |
| *Australia, Northern Territory: Indigenous | 0 | – | 0.00 | – | 0.00 | 2 | 1.3 | 0.94 | 0.14 | 0.11 |
| *Australia, Queensland | 627 | 3.6 | 0.15 | 0.38 | 0.02 | 186 | 0.9 | 0.07 | 0.10 | 0.01 |
| Australia, South Australia | 262 | 3.6 | 0.24 | 0.40 | 0.03 | 83 | 0.9 | 0.11 | 0.10 | 0.01 |
| Australia, Tasmania | 123 | 5.5 | 0.54 | 0.60 | 0.06 | 45 | 1.4 | 0.23 | 0.14 | 0.03 |
| *Australia, Victoria | 622 | 2.6 | 0.11 | 0.28 | 0.01 | 266 | 0.8 | 0.06 | 0.09 | 0.01 |
| *Australia, Western Australia | 424 | 4.7 | 0.23 | 0.52 | 0.03 | 183 | 1.6 | 0.13 | 0.18 | 0.02 |
| *France, New Caledonia | 7 | 0.9 | 0.33 | 0.10 | 0.04 | 2 | 0.2 | 0.17 | 0.04 | 0.03 |
| New Zealand | 188 | 1.1 | 0.08 | 0.12 | 0.01 | 67 | 0.3 | 0.04 | 0.03 | 0.01 |
| *New Zealand: Maori | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *New Zealand: Pacific peoples | 1 | 0.1 | 0.15 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *New Zealand: Other | 184 | 1.4 | 0.11 | 0.16 | 0.01 | 67 | 0.4 | 0.05 | 0.04 | 0.01 |
| USA, Hawaii | 27 | 0.5 | 0.10 | 0.05 | 0.01 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| USA, Hawaii: White | 16 | 1.0 | 0.26 | 0.08 | 0.02 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *USA, Hawaii: Japanese | 1 | 0.3 | 0.34 | 0.02 | 0.02 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *USA, Hawaii: Chinese | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Hawaii: Hawaiian | 3 | 0.3 | 0.18 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, Hawaii: Filipino | 3 | 0.4 | 0.21 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Tongue (C01–02)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 2 | 0.1 | 0.11 | 0.02 | 0.02 | 3 | 0.2 | 0.12 | 0.03 | 0.02 |
| *Algeria, Tizi Ouzou | 8 | 0.5 | 0.19 | 0.08 | 0.03 | 11 | 0.7 | 0.22 | 0.10 | 0.03 |
| *Benin, Cotonou | 3 | 0.6 | 0.37 | 0.10 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 80 | 3.7 | 0.41 | 0.48 | 0.06 | 13 | 0.5 | 0.15 | 0.07 | 0.02 |
| *Kenya, Eldoret | 14 | 1.3 | 0.37 | 0.16 | 0.05 | 4 | 0.4 | 0.22 | 0.06 | 0.03 |
| *Kenya, Nairobi | 45 | 1.7 | 0.30 | 0.20 | 0.05 | 38 | 1.7 | 0.31 | 0.20 | 0.04 |
| Mauritius | 72 | 1.7 | 0.20 | 0.22 | 0.03 | 62 | 1.3 | 0.17 | 0.15 | 0.02 |
| *Morocco, Casablanca | 57 | 0.5 | 0.07 | 0.07 | 0.01 | 59 | 0.5 | 0.06 | 0.05 | 0.01 |
| *Seychelles | 13 | 4.4 | 1.25 | 0.49 | 0.17 | 4 | 1.2 | 0.61 | 0.13 | 0.08 |
| *South Africa, Eastern Cape | 13 | 1.4 | 0.41 | 0.17 | 0.05 | 5 | 0.3 | 0.14 | 0.05 | 0.02 |
| *Uganda, Kyadondo County | 51 | 2.5 | 0.42 | 0.33 | 0.07 | 15 | 0.9 | 0.27 | 0.12 | 0.04 |
| *Uganda, Gulu | 4 | 1.4 | 0.71 | 0.19 | 0.10 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 4 | 0.5 | 0.23 | 0.04 | 0.02 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Zimbabwe, Harare: African | 17 | 1.2 | 0.30 | 0.11 | 0.04 | 13 | 0.7 | 0.21 | 0.11 | 0.04 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 57 | 2.7 | 0.36 | 0.34 | 0.05 | 18 | 0.7 | 0.18 | 0.08 | 0.02 |
| *Argentina, Mendoza | 70 | 1.4 | 0.17 | 0.15 | 0.02 | 38 | 0.6 | 0.10 | 0.06 | 0.01 |
| Brazil, Aracaju | 35 | 3.4 | 0.58 | 0.47 | 0.09 | 14 | 0.8 | 0.23 | 0.07 | 0.03 |
| *Brazil, Barretos | 55 | 4.2 | 0.57 | 0.58 | 0.09 | 17 | 1.0 | 0.26 | 0.11 | 0.03 |
| Brazil, Belo Horizonte | 281 | 4.0 | 0.24 | 0.49 | 0.03 | 97 | 1.0 | 0.10 | 0.10 | 0.01 |
| *Brazil, Campinas | 115 | 5.0 | 0.47 | 0.62 | 0.07 | 39 | 1.3 | 0.21 | 0.14 | 0.03 |
| *Brazil, Curitiba | 124 | 3.1 | 0.28 | 0.34 | 0.04 | 28 | 0.5 | 0.10 | 0.06 | 0.01 |
| Brazil, Goiânia | 86 | 3.2 | 0.35 | 0.39 | 0.05 | 31 | 0.9 | 0.16 | 0.11 | 0.03 |
| *Brazil, Jaú | 25 | 5.8 | 1.18 | 0.65 | 0.15 | 6 | 1.0 | 0.44 | 0.09 | 0.05 |
| Brazil, João Pessoa | 35 | 3.3 | 0.57 | 0.34 | 0.07 | 16 | 1.0 | 0.26 | 0.07 | 0.02 |
| Brazil, Recife | 91 | 3.6 | 0.38 | 0.42 | 0.05 | 26 | 0.7 | 0.13 | 0.08 | 0.02 |
| Chile, Region of Antofagasta | 10 | 0.9 | 0.30 | 0.07 | 0.03 | 4 | 0.4 | 0.20 | 0.05 | 0.03 |
| Chile, Valdivia | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| Colombia, Bucaramanga | 37 | 1.2 | 0.20 | 0.14 | 0.03 | 36 | 0.9 | 0.16 | 0.12 | 0.02 |
| Colombia, Cali | 68 | 1.2 | 0.14 | 0.13 | 0.02 | 91 | 1.2 | 0.13 | 0.12 | 0.02 |
| Colombia, Manizales | 10 | 0.8 | 0.26 | 0.08 | 0.03 | 14 | 0.8 | 0.20 | 0.08 | 0.02 |
| Colombia, Pasto | 4 | 0.4 | 0.19 | 0.04 | 0.02 | 14 | 1.0 | 0.29 | 0.10 | 0.03 |
| Costa Rica | 67 | 0.7 | 0.08 | 0.07 | 0.01 | 60 | 0.6 | 0.07 | 0.06 | 0.01 |
| Ecuador, Guayaquil | 39 | 0.7 | 0.12 | 0.08 | 0.02 | 54 | 0.9 | 0.12 | 0.10 | 0.02 |
| Ecuador, Manabí | 18 | 0.5 | 0.13 | 0.07 | 0.02 | 22 | 0.6 | 0.13 | 0.06 | 0.02 |
| Ecuador, Quito | 17 | 0.4 | 0.10 | 0.05 | 0.02 | 41 | 0.8 | 0.13 | 0.08 | 0.02 |
| *France, Guadeloupe | 30 | 1.7 | 0.32 | 0.20 | 0.04 | 8 | 0.4 | 0.14 | 0.06 | 0.02 |
| *France, Martinique | 33 | 2.1 | 0.38 | 0.25 | 0.05 | 9 | 0.5 | 0.16 | 0.06 | 0.02 |
| *Peru, Lima | 141 | 1.0 | 0.09 | 0.11 | 0.01 | 179 | 1.1 | 0.08 | 0.13 | 0.01 |
| *Trinidad and Tobago | 25 | 1.0 | 0.20 | 0.13 | 0.03 | 12 | 0.5 | 0.13 | 0.06 | 0.02 |
| USA, Puerto Rico | 408 | 2.9 | 0.15 | 0.35 | 0.02 | 140 | 0.8 | 0.07 | 0.09 | 0.01 |
| *Uruguay | 278 | 2.5 | 0.15 | 0.31 | 0.02 | 106 | 0.6 | 0.07 | 0.07 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 460 | 3.1 | 0.15 | 0.39 | 0.02 | 184 | 1.2 | 0.09 | 0.14 | 0.01 |
| Canada, British Columbia | 734 | 3.5 | 0.14 | 0.45 | 0.02 | 280 | 1.2 | 0.08 | 0.14 | 0.01 |
| *Canada, Manitoba | 163 | 3.3 | 0.27 | 0.42 | 0.04 | 67 | 1.2 | 0.15 | 0.14 | 0.02 |
| *Canada, New Brunswick | 126 | 3.3 | 0.31 | 0.41 | 0.04 | 42 | 0.9 | 0.15 | 0.12 | 0.02 |
| *Canada, Newfoundland and Labrador | 72 | 2.7 | 0.34 | 0.33 | 0.04 | 27 | 1.0 | 0.21 | 0.12 | 0.03 |
| Canada, Ontario | 1984 | 3.5 | 0.08 | 0.44 | 0.01 | 871 | 1.3 | 0.05 | 0.16 | 0.01 |
| *Canada, Prince Edward Island | 25 | 3.7 | 0.77 | 0.41 | 0.09 | 14 | 1.7 | 0.51 | 0.18 | 0.06 |
| Canada, Quebec | 1315 | 3.5 | 0.10 | 0.44 | 0.01 | 570 | 1.4 | 0.06 | 0.16 | 0.01 |
| Canada, Saskatchewan | 115 | 2.6 | 0.25 | 0.32 | 0.03 | 50 | 1.0 | 0.15 | 0.12 | 0.02 |
| *Canada, Yukon | 8 | 4.8 | 1.74 | 0.48 | 0.19 | 3 | 2.3 | 1.34 | 0.43 | 0.27 |
| USA | 51358 | 4.2 | 0.02 | 0.52 | 0.00 | 19648 | 1.4 | 0.01 | 0.16 | 0.00 |
| USA: White | 46662 | 4.5 | 0.02 | 0.57 | 0.00 | 17396 | 1.5 | 0.01 | 0.18 | 0.00 |
| USA: Black | 3046 | 2.4 | 0.04 | 0.30 | 0.01 | 1177 | 0.7 | 0.02 | 0.08 | 0.00 |
| USA, NPCR | 49727 | 4.2 | 0.02 | 0.52 | 0.00 | 18942 | 1.4 | 0.01 | 0.16 | 0.00 |
| USA, NPCR: White | 45198 | 4.5 | 0.02 | 0.57 | 0.00 | 16811 | 1.5 | 0.01 | 0.18 | 0.00 |
| USA, NPCR: Black | 3018 | 2.4 | 0.04 | 0.30 | 0.01 | 1167 | 0.7 | 0.02 | 0.08 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 996 | 1.8 | 0.06 | 0.21 | 0.01 | 722 | 1.0 | 0.04 | 0.12 | 0.01 |
| USA, NPCR: American Indian | 204 | 1.8 | 0.12 | 0.21 | 0.02 | 94 | 0.8 | 0.08 | 0.10 | 0.01 |
| *USA, SEER (18 registries) | 12729 | 3.8 | 0.03 | 0.48 | 0.00 | 4926 | 1.3 | 0.02 | 0.15 | 0.00 |
| *USA, SEER (18 registries): White | 11179 | 4.3 | 0.04 | 0.54 | 0.01 | 4104 | 1.4 | 0.02 | 0.17 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 10399 | 4.8 | 0.05 | 0.61 | 0.01 | 3678 | 1.6 | 0.03 | 0.18 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 780 | 1.8 | 0.07 | 0.23 | 0.01 | 426 | 0.8 | 0.04 | 0.10 | 0.01 |
| *USA, SEER (18 registries): Black | 793 | 2.4 | 0.09 | 0.30 | 0.01 | 300 | 0.7 | 0.04 | 0.08 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 575 | 1.7 | 0.07 | 0.21 | 0.01 | 433 | 1.1 | 0.05 | 0.12 | 0.01 |
| *USA, SEER (9 registries) | 4554 | 4.0 | 0.06 | 0.51 | 0.01 | 1800 | 1.4 | 0.03 | 0.16 | 0.00 |
| *USA, SEER (9 registries): White | 3987 | 4.5 | 0.07 | 0.57 | 0.01 | 1446 | 1.5 | 0.04 | 0.17 | 0.01 |
| *USA, SEER (9 registries): Black | 255 | 2.3 | 0.15 | 0.30 | 0.02 | 105 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, Alabama | 812 | 4.3 | 0.16 | 0.54 | 0.02 | 286 | 1.4 | 0.09 | 0.16 | 0.01 |
| USA, Alabama: White | 696 | 4.8 | 0.19 | 0.59 | 0.02 | 239 | 1.6 | 0.11 | 0.18 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Tongue (C01–02) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 99 | 2.5 | 0.25 | 0.36 | 0.04 | 42 | 0.9 | 0.13 | 0.10 | 0.02 |
| USA, Alaska | 93 | 3.4 | 0.35 | 0.44 | 0.05 | 30 | 1.2 | 0.22 | 0.15 | 0.03 |
| *USA, Alaska: Alaska Natives | 9 | 2.8 | 0.92 | 0.37 | 0.14 | 6 | 1.8 | 0.74 | 0.27 | 0.12 |
| USA, Arizona | 1013 | 3.8 | 0.12 | 0.49 | 0.02 | 352 | 1.2 | 0.07 | 0.14 | 0.01 |
| USA, Arizona: White | 981 | 4.1 | 0.14 | 0.52 | 0.02 | 328 | 1.2 | 0.07 | 0.15 | 0.01 |
| USA, Arizona: Black | 12 | 1.3 | 0.37 | 0.16 | 0.06 | 5 | 0.5 | 0.21 | 0.04 | 0.02 |
| *USA, Arizona: Asian and Pacific Islander | 9 | 1.1 | 0.36 | 0.11 | 0.05 | 12 | 1.3 | 0.38 | 0.13 | 0.05 |
| USA, Arizona: American Indian | 8 | 0.9 | 0.31 | 0.11 | 0.04 | 5 | 0.5 | 0.20 | 0.06 | 0.03 |
| USA, Arkansas | 541 | 4.7 | 0.21 | 0.58 | 0.03 | 195 | 1.5 | 0.11 | 0.17 | 0.01 |
| USA, Arkansas: White | 487 | 5.0 | 0.24 | 0.60 | 0.03 | 183 | 1.6 | 0.13 | 0.19 | 0.02 |
| USA, Arkansas: Black | 44 | 3.2 | 0.48 | 0.40 | 0.07 | 10 | 0.6 | 0.20 | 0.07 | 0.02 |
| USA, California | 5073 | 3.6 | 0.05 | 0.45 | 0.01 | 1986 | 1.2 | 0.03 | 0.14 | 0.00 |
| USA, California: White | 4465 | 4.1 | 0.06 | 0.52 | 0.01 | 1633 | 1.3 | 0.03 | 0.16 | 0.00 |
| USA, California: Black | 201 | 2.3 | 0.16 | 0.29 | 0.02 | 75 | 0.7 | 0.09 | 0.09 | 0.01 |
| USA, California: Asian and Pacific Islander | 333 | 1.6 | 0.09 | 0.20 | 0.01 | 251 | 0.9 | 0.06 | 0.11 | 0.01 |
| *USA, California, Los Angeles County | 1051 | 3.0 | 0.09 | 0.38 | 0.01 | 414 | 1.0 | 0.05 | 0.12 | 0.01 |
| *USA, California, Los Angeles County: White | 832 | 3.3 | 0.12 | 0.42 | 0.02 | 318 | 1.1 | 0.06 | 0.13 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 636 | 4.6 | 0.19 | 0.58 | 0.03 | 216 | 1.4 | 0.11 | 0.17 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 196 | 1.8 | 0.13 | 0.22 | 0.02 | 102 | 0.7 | 0.08 | 0.09 | 0.01 |
| *USA, California, Los Angeles County: Black | 92 | 2.8 | 0.30 | 0.35 | 0.04 | 29 | 0.7 | 0.14 | 0.08 | 0.02 |
| *USA, California, Los Angeles County: Chinese | 25 | 1.4 | 0.28 | 0.15 | 0.03 | 9 | 0.3 | 0.12 | 0.04 | 0.02 |
| *USA, California, Los Angeles County: Filipino | 14 | 1.1 | 0.30 | 0.12 | 0.04 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Korean | 17 | 2.1 | 0.53 | 0.25 | 0.07 | 7 | 1.0 | 0.48 | 0.10 | 0.04 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 104 | 1.8 | 0.18 | 0.22 | 0.02 | 54 | 0.7 | 0.11 | 0.08 | 0.01 |
| *USA, California, San Francisco Bay Area | 629 | 3.5 | 0.14 | 0.43 | 0.02 | 270 | 1.3 | 0.08 | 0.17 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 511 | 4.3 | 0.19 | 0.54 | 0.03 | 179 | 1.4 | 0.11 | 0.18 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 470 | 4.8 | 0.23 | 0.60 | 0.03 | 158 | 1.6 | 0.14 | 0.20 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 41 | 2.0 | 0.31 | 0.24 | 0.05 | 21 | 0.8 | 0.19 | 0.12 | 0.03 |
| *USA, California, San Francisco Bay Area: Black | 32 | 2.2 | 0.39 | 0.28 | 0.06 | 12 | 0.8 | 0.24 | 0.09 | 0.03 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 80 | 1.8 | 0.21 | 0.22 | 0.03 | 77 | 1.3 | 0.15 | 0.17 | 0.02 |
| USA, Colorado | 758 | 3.7 | 0.14 | 0.46 | 0.02 | 307 | 1.4 | 0.08 | 0.17 | 0.01 |
| USA, Colorado: White | 725 | 3.8 | 0.15 | 0.48 | 0.02 | 290 | 1.5 | 0.09 | 0.18 | 0.01 |
| *USA, Colorado: Black | 23 | 3.0 | 0.64 | 0.31 | 0.08 | 4 | 0.5 | 0.27 | 0.06 | 0.03 |
| *USA, Colorado: Asian and Pacific Islander | 3 | 0.7 | 0.39 | 0.13 | 0.08 | 8 | 1.1 | 0.41 | 0.16 | 0.06 |
| USA, Connecticut | 589 | 4.0 | 0.17 | 0.49 | 0.02 | 261 | 1.6 | 0.11 | 0.19 | 0.01 |
| USA, Connecticut: White | 552 | 4.3 | 0.19 | 0.52 | 0.03 | 238 | 1.7 | 0.12 | 0.20 | 0.02 |
| USA, Connecticut: Black | 21 | 1.8 | 0.40 | 0.25 | 0.06 | 9 | 0.5 | 0.17 | 0.05 | 0.02 |
| USA, District of Columbia | 73 | 3.5 | 0.42 | 0.41 | 0.06 | 25 | 0.9 | 0.19 | 0.11 | 0.03 |
| USA, District of Columbia: White | 36 | 3.9 | 0.66 | 0.46 | 0.09 | 13 | 1.3 | 0.38 | 0.13 | 0.05 |
| USA, District of Columbia: Black | 32 | 2.9 | 0.52 | 0.32 | 0.06 | 11 | 0.7 | 0.22 | 0.11 | 0.04 |
| USA, Florida | 4653 | 5.3 | 0.08 | 0.67 | 0.01 | 1528 | 1.5 | 0.04 | 0.18 | 0.01 |
| USA, Florida: White | 4314 | 5.8 | 0.09 | 0.73 | 0.01 | 1404 | 1.7 | 0.05 | 0.20 | 0.01 |
| USA, Florida: Black | 228 | 2.3 | 0.15 | 0.27 | 0.02 | 91 | 0.7 | 0.08 | 0.09 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 40 | 2.0 | 0.32 | 0.23 | 0.04 | 18 | 0.7 | 0.17 | 0.10 | 0.03 |
| USA, Georgia | 1543 | 4.3 | 0.11 | 0.55 | 0.02 | 568 | 1.3 | 0.06 | 0.16 | 0.01 |
| USA, Georgia: White | 1309 | 5.1 | 0.14 | 0.65 | 0.02 | 454 | 1.6 | 0.08 | 0.19 | 0.01 |
| USA, Georgia: Black | 207 | 2.3 | 0.16 | 0.29 | 0.02 | 91 | 0.7 | 0.08 | 0.08 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 25 | 2.2 | 0.44 | 0.26 | 0.06 | 21 | 1.6 | 0.34 | 0.19 | 0.05 |
| *USA, Georgia, Atlanta | 455 | 4.0 | 0.19 | 0.50 | 0.03 | 170 | 1.2 | 0.09 | 0.14 | 0.01 |
| *USA, Georgia, Atlanta: White | 365 | 5.4 | 0.29 | 0.70 | 0.04 | 121 | 1.6 | 0.15 | 0.19 | 0.02 |
| *USA, Georgia, Atlanta: Black | 77 | 2.0 | 0.23 | 0.23 | 0.03 | 36 | 0.6 | 0.11 | 0.07 | 0.01 |
| USA, Idaho | 251 | 4.0 | 0.26 | 0.49 | 0.03 | 98 | 1.5 | 0.16 | 0.17 | 0.02 |
| USA, Indiana | 1141 | 4.5 | 0.14 | 0.56 | 0.02 | 426 | 1.5 | 0.08 | 0.18 | 0.01 |
| USA, Indiana: White | 1077 | 4.7 | 0.15 | 0.58 | 0.02 | 390 | 1.5 | 0.08 | 0.18 | 0.01 |
| USA, Indiana: Black | 41 | 2.3 | 0.37 | 0.31 | 0.06 | 22 | 1.0 | 0.21 | 0.10 | 0.03 |
| *USA, Iowa | 553 | 4.5 | 0.20 | 0.56 | 0.03 | 220 | 1.6 | 0.12 | 0.19 | 0.01 |
| USA, Kentucky | 785 | 4.5 | 0.16 | 0.56 | 0.02 | 312 | 1.7 | 0.10 | 0.19 | 0.01 |
| USA, Louisiana | 777 | 4.5 | 0.16 | 0.54 | 0.02 | 294 | 1.5 | 0.09 | 0.18 | 0.01 |
| USA, Louisiana: White | 635 | 5.1 | 0.21 | 0.62 | 0.03 | 246 | 1.9 | 0.13 | 0.22 | 0.02 |
| USA, Louisiana: Black | 137 | 3.0 | 0.26 | 0.35 | 0.03 | 45 | 0.8 | 0.12 | 0.08 | 0.01 |
| *USA, Louisiana, New Orleans | 139 | 4.2 | 0.37 | 0.51 | 0.05 | 38 | 1.0 | 0.17 | 0.12 | 0.02 |
| *USA, Louisiana, New Orleans: White | 116 | 5.9 | 0.57 | 0.70 | 0.07 | 27 | 1.2 | 0.25 | 0.14 | 0.03 |
| *USA, Louisiana, New Orleans: Black | 21 | 1.8 | 0.39 | 0.22 | 0.05 | 10 | 0.7 | 0.24 | 0.08 | 0.03 |
| USA, Maine | 275 | 4.5 | 0.29 | 0.56 | 0.04 | 88 | 1.3 | 0.16 | 0.15 | 0.02 |
| USA, Maryland | 932 | 4.1 | 0.14 | 0.52 | 0.02 | 406 | 1.5 | 0.08 | 0.17 | 0.01 |
| USA, Maryland: White | 787 | 5.1 | 0.19 | 0.65 | 0.03 | 322 | 1.9 | 0.11 | 0.22 | 0.01 |
| USA, Maryland: Black | 120 | 2.1 | 0.19 | 0.25 | 0.03 | 59 | 0.7 | 0.10 | 0.08 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 23 | 1.8 | 0.37 | 0.18 | 0.04 | 22 | 1.3 | 0.29 | 0.13 | 0.03 |
| USA, Massachusetts | 1087 | 4.1 | 0.13 | 0.51 | 0.02 | 470 | 1.5 | 0.08 | 0.18 | 0.01 |
| USA, Massachusetts: White | 1027 | 4.4 | 0.14 | 0.55 | 0.02 | 436 | 1.6 | 0.08 | 0.19 | 0.01 |
| USA, Massachusetts: Black | 35 | 2.2 | 0.37 | 0.23 | 0.05 | 8 | 0.4 | 0.15 | 0.05 | 0.02 |
| USA, Massachusetts: Asian and Pacific Islander | 21 | 1.6 | 0.34 | 0.13 | 0.03 | 22 | 1.6 | 0.34 | 0.19 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tongue (C01–02) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 1703 | 4.3 | 0.11 | 0.53 | 0.01 | 605 | 1.4 | 0.06 | 0.15 | 0.01 |
| USA, Michigan: White | 1548 | 4.5 | 0.12 | 0.56 | 0.02 | 535 | 1.4 | 0.07 | 0.16 | 0.01 |
| USA, Michigan: Black | 116 | 2.7 | 0.25 | 0.35 | 0.04 | 55 | 1.0 | 0.14 | 0.11 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | 19 | 2.2 | 0.50 | 0.26 | 0.07 | 5 | 0.5 | 0.24 | 0.07 | 0.03 |
| *USA, Michigan, Detroit | 650 | 4.3 | 0.17 | 0.55 | 0.02 | 217 | 1.2 | 0.09 | 0.14 | 0.01 |
| *USA, Michigan, Detroit: White | 541 | 4.7 | 0.21 | 0.60 | 0.03 | 172 | 1.3 | 0.11 | 0.15 | 0.01 |
| *USA, Michigan, Detroit: Black | 92 | 3.1 | 0.33 | 0.40 | 0.05 | 40 | 1.0 | 0.16 | 0.11 | 0.02 |
| USA, Minnesota | 882 | 4.2 | 0.14 | 0.50 | 0.02 | 367 | 1.6 | 0.09 | 0.18 | 0.01 |
| USA, Minnesota: White | 835 | 4.2 | 0.15 | 0.51 | 0.02 | 350 | 1.6 | 0.09 | 0.19 | 0.01 |
| USA, Minnesota: Black | 22 | 3.0 | 0.67 | 0.30 | 0.08 | 8 | 1.0 | 0.36 | 0.09 | 0.04 |
| *USA, Minnesota: Asian and Pacific Islander | 11 | 1.9 | 0.60 | 0.25 | 0.09 | 5 | 0.9 | 0.39 | 0.12 | 0.07 |
| USA, Mississippi | 462 | 4.2 | 0.20 | 0.51 | 0.03 | 178 | 1.4 | 0.11 | 0.15 | 0.01 |
| USA, Missouri | 1077 | 4.5 | 0.14 | 0.55 | 0.02 | 381 | 1.4 | 0.08 | 0.15 | 0.01 |
| USA, Missouri: White | 1019 | 4.8 | 0.16 | 0.58 | 0.02 | 355 | 1.5 | 0.09 | 0.17 | 0.01 |
| USA, Missouri: Black | 50 | 2.4 | 0.34 | 0.32 | 0.05 | 23 | 0.8 | 0.17 | 0.08 | 0.02 |
| USA, Montana | 177 | 3.9 | 0.31 | 0.52 | 0.04 | 76 | 1.7 | 0.21 | 0.19 | 0.03 |
| *USA, Montana: American Indian | 1 | 0.5 | 0.50 | 0.05 | 0.05 | 4 | 2.3 | 1.16 | 0.26 | 0.13 |
| USA, Nebraska | 279 | 4.0 | 0.24 | 0.49 | 0.03 | 110 | 1.5 | 0.15 | 0.19 | 0.02 |
| USA, Nebraska: White | 267 | 4.0 | 0.25 | 0.50 | 0.03 | 107 | 1.6 | 0.16 | 0.20 | 0.02 |
| *USA, Nebraska: Black | 7 | 3.1 | 1.17 | 0.35 | 0.14 | 1 | 0.5 | 0.47 | 0.04 | 0.04 |
| USA, Nevada | 450 | 3.8 | 0.18 | 0.48 | 0.03 | 183 | 1.5 | 0.12 | 0.18 | 0.02 |
| USA, Nevada: White | 415 | 4.3 | 0.22 | 0.53 | 0.03 | 159 | 1.7 | 0.14 | 0.20 | 0.02 |
| USA, Nevada: Black | 22 | 2.5 | 0.53 | 0.29 | 0.08 | 8 | 0.8 | 0.30 | 0.12 | 0.05 |
| *USA, Nevada: Asian and Pacific Islander | 11 | 1.2 | 0.37 | 0.12 | 0.04 | 13 | 1.0 | 0.29 | 0.13 | 0.04 |
| USA, New Jersey | 1269 | 3.6 | 0.10 | 0.45 | 0.01 | 557 | 1.3 | 0.06 | 0.16 | 0.01 |
| USA, New Jersey: White | 1117 | 4.0 | 0.13 | 0.50 | 0.02 | 480 | 1.5 | 0.07 | 0.18 | 0.01 |
| USA, New Jersey: Black | 80 | 2.0 | 0.23 | 0.26 | 0.03 | 40 | 0.7 | 0.12 | 0.09 | 0.02 |
| USA, New Mexico | 240 | 2.9 | 0.19 | 0.36 | 0.03 | 101 | 1.1 | 0.12 | 0.13 | 0.01 |
| USA, New Mexico: White | 233 | 3.2 | 0.22 | 0.40 | 0.03 | 97 | 1.2 | 0.13 | 0.14 | 0.02 |
| USA, New Mexico: Non-Hispanic White | 177 | 4.1 | 0.33 | 0.51 | 0.04 | 62 | 1.2 | 0.17 | 0.15 | 0.02 |
| USA, New Mexico: Hispanic White | 56 | 1.9 | 0.26 | 0.23 | 0.04 | 35 | 1.1 | 0.20 | 0.12 | 0.02 |
| *USA, New Mexico: American Indian | 4 | 0.6 | 0.33 | 0.09 | 0.06 | 3 | 0.4 | 0.22 | 0.03 | 0.02 |
| USA, New York State | 2778 | 3.7 | 0.07 | 0.46 | 0.01 | 1206 | 1.3 | 0.04 | 0.16 | 0.01 |
| USA, New York State: White | 2413 | 4.1 | 0.09 | 0.52 | 0.01 | 993 | 1.5 | 0.05 | 0.17 | 0.01 |
| USA, New York State: Black | 220 | 2.1 | 0.14 | 0.26 | 0.02 | 104 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 128 | 2.2 | 0.20 | 0.25 | 0.02 | 103 | 1.5 | 0.15 | 0.16 | 0.02 |
| USA, North Carolina | 1756 | 4.6 | 0.11 | 0.57 | 0.02 | 605 | 1.3 | 0.06 | 0.15 | 0.01 |
| USA, North Carolina: White | 1533 | 5.1 | 0.13 | 0.63 | 0.02 | 526 | 1.5 | 0.07 | 0.18 | 0.01 |
| USA, North Carolina: Black | 186 | 2.6 | 0.19 | 0.35 | 0.03 | 59 | 0.6 | 0.08 | 0.06 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 21 | 2.7 | 0.60 | 0.31 | 0.08 | 12 | 1.2 | 0.36 | 0.13 | 0.06 |
| *USA, North Carolina: American Indian | 6 | 1.2 | 0.49 | 0.17 | 0.07 | 7 | 1.3 | 0.51 | 0.20 | 0.09 |
| USA, North Dakota | 88 | 3.3 | 0.36 | 0.41 | 0.05 | 43 | 1.4 | 0.24 | 0.15 | 0.03 |
| USA, Ohio | 2155 | 4.7 | 0.10 | 0.58 | 0.01 | 793 | 1.5 | 0.06 | 0.18 | 0.01 |
| USA, Ohio: White | 2018 | 5.0 | 0.11 | 0.61 | 0.01 | 736 | 1.6 | 0.06 | 0.19 | 0.01 |
| USA, Ohio: Black | 115 | 2.6 | 0.24 | 0.34 | 0.04 | 42 | 0.8 | 0.12 | 0.10 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 13 | 1.9 | 0.52 | 0.29 | 0.09 | 11 | 1.4 | 0.41 | 0.15 | 0.05 |
| USA, Oklahoma | 619 | 4.3 | 0.18 | 0.53 | 0.02 | 221 | 1.3 | 0.10 | 0.16 | 0.01 |
| USA, Oklahoma: White | 557 | 4.5 | 0.20 | 0.56 | 0.03 | 198 | 1.4 | 0.11 | 0.17 | 0.01 |
| USA, Oklahoma: Black | 24 | 2.7 | 0.56 | 0.42 | 0.10 | 7 | 0.6 | 0.25 | 0.07 | 0.03 |
| USA, Oklahoma: American Indian | 27 | 2.5 | 0.49 | 0.27 | 0.06 | 14 | 1.1 | 0.30 | 0.15 | 0.04 |
| USA, Oregon | 802 | 4.7 | 0.17 | 0.59 | 0.02 | 314 | 1.8 | 0.11 | 0.22 | 0.01 |
| USA, Oregon: White | 768 | 4.8 | 0.18 | 0.60 | 0.02 | 302 | 1.9 | 0.12 | 0.23 | 0.01 |
| *USA, Oregon: Black | 5 | 1.8 | 0.82 | 0.24 | 0.11 | 1 | 0.4 | 0.35 | 0.03 | 0.03 |
| *USA, Oregon: Asian and Pacific Islander | 13 | 2.2 | 0.60 | 0.25 | 0.08 | 5 | 0.6 | 0.27 | 0.05 | 0.03 |
| USA, Rhode Island | 176 | 4.2 | 0.33 | 0.54 | 0.05 | 78 | 1.4 | 0.18 | 0.18 | 0.03 |
| USA, Rhode Island: White | 170 | 4.5 | 0.36 | 0.57 | 0.05 | 73 | 1.4 | 0.19 | 0.18 | 0.03 |
| *USA, Rhode Island: Black | 3 | 1.6 | 0.92 | 0.31 | 0.18 | 5 | 2.1 | 0.96 | 0.36 | 0.18 |
| USA, South Carolina | 863 | 4.4 | 0.16 | 0.54 | 0.02 | 295 | 1.3 | 0.08 | 0.16 | 0.01 |
| USA, South Carolina: White | 747 | 5.1 | 0.19 | 0.62 | 0.02 | 268 | 1.7 | 0.11 | 0.19 | 0.01 |
| USA, South Carolina: Black | 111 | 2.6 | 0.25 | 0.31 | 0.03 | 25 | 0.5 | 0.09 | 0.06 | 0.01 |
| USA, South Dakota | 126 | 3.8 | 0.35 | 0.46 | 0.05 | 49 | 1.2 | 0.19 | 0.13 | 0.02 |
| USA, Tennessee | 1251 | 4.9 | 0.14 | 0.61 | 0.02 | 429 | 1.5 | 0.07 | 0.18 | 0.01 |
| USA, Tennessee: White | 1147 | 5.2 | 0.16 | 0.65 | 0.02 | 393 | 1.6 | 0.09 | 0.19 | 0.01 |
| USA, Tennessee: Black | 90 | 2.8 | 0.29 | 0.30 | 0.03 | 30 | 0.7 | 0.13 | 0.09 | 0.02 |
| USA, Texas | 3567 | 3.9 | 0.07 | 0.50 | 0.01 | 1303 | 1.3 | 0.04 | 0.15 | 0.00 |
| USA, Texas: White | 3293 | 4.3 | 0.08 | 0.55 | 0.01 | 1170 | 1.4 | 0.04 | 0.16 | 0.01 |
| USA, Texas: Black | 187 | 1.9 | 0.14 | 0.24 | 0.02 | 77 | 0.7 | 0.08 | 0.08 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 66 | 1.7 | 0.20 | 0.21 | 0.03 | 43 | 1.0 | 0.15 | 0.11 | 0.02 |
| USA, Utah | 270 | 3.1 | 0.19 | 0.42 | 0.03 | 114 | 1.2 | 0.12 | 0.14 | 0.02 |
| USA, Vermont | 115 | 4.0 | 0.39 | 0.51 | 0.05 | 31 | 1.1 | 0.21 | 0.12 | 0.02 |
| USA, Washington State | 1286 | 4.6 | 0.13 | 0.58 | 0.02 | 459 | 1.4 | 0.07 | 0.17 | 0.01 |
| *USA, Washington, Seattle | 919 | 4.8 | 0.16 | 0.62 | 0.02 | 323 | 1.5 | 0.09 | 0.17 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tongue (C01–02) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 368 | 4.6 | 0.25 | 0.57 | 0.03 | 142 | 1.5 | 0.14 | 0.18 | 0.02 |
| USA, Wyoming | 83 | 3.6 | 0.41 | 0.39 | 0.05 | 28 | 1.1 | 0.21 | 0.14 | 0.03 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 20 | 1.5 | 0.34 | 0.14 | 0.04 | 7 | 0.5 | 0.21 | 0.07 | 0.03 |
| Brunei Darussalam | 8 | 0.8 | 0.29 | 0.08 | 0.03 | 9 | 0.9 | 0.29 | 0.10 | 0.04 |
| *China, Anfu County | 7 | 0.6 | 0.23 | 0.07 | 0.03 | 2 | 0.2 | 0.15 | 0.04 | 0.03 |
| *China, Anguo City | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 58 | 0.8 | 0.10 | 0.08 | 0.01 | 24 | 0.3 | 0.07 | 0.03 | 0.01 |
| *China, Aohan Banner, Chifeng City | 6 | 0.3 | 0.13 | 0.04 | 0.02 | 2 | 0.1 | 0.10 | 0.02 | 0.02 |
| *China, Arongqi | 16 | 1.6 | 0.40 | 0.18 | 0.05 | 2 | 0.3 | 0.22 | 0.06 | 0.05 |
| *China, Baoding City | 17 | 0.4 | 0.11 | 0.05 | 0.01 | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Beijing City | 250 | 0.7 | 0.05 | 0.08 | 0.01 | 216 | 0.5 | 0.04 | 0.06 | 0.01 |
| *China, Binhai County | 14 | 0.3 | 0.08 | 0.04 | 0.01 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Cangzhou City | 16 | 1.0 | 0.26 | 0.10 | 0.03 | 5 | 0.3 | 0.14 | 0.03 | 0.01 |
| China, Changfeng County | 4 | 0.3 | 0.13 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Changzhou City | 53 | 0.5 | 0.08 | 0.06 | 0.01 | 37 | 0.4 | 0.06 | 0.05 | 0.01 |
| China, Chengdu City | 51 | 1.4 | 0.20 | 0.19 | 0.03 | 21 | 0.5 | 0.11 | 0.06 | 0.02 |
| China, Cixian County | 4 | 0.3 | 0.16 | 0.02 | 0.01 | 7 | 0.4 | 0.16 | 0.05 | 0.02 |
| China, Cixi City | 27 | 0.5 | 0.11 | 0.07 | 0.02 | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Dafeng District, Yancheng City | 14 | 0.4 | 0.11 | 0.05 | 0.02 | 18 | 0.5 | 0.14 | 0.05 | 0.02 |
| China, Dalian City | 119 | 1.1 | 0.10 | 0.13 | 0.01 | 48 | 0.4 | 0.06 | 0.05 | 0.01 |
| *China, Dancheng County | 35 | 1.2 | 0.21 | 0.19 | 0.04 | 43 | 1.4 | 0.22 | 0.21 | 0.04 |
| China, Dangtu County | 6 | 0.5 | 0.21 | 0.05 | 0.02 | 6 | 0.7 | 0.33 | 0.08 | 0.03 |
| *China, Danyang City | 16 | 0.5 | 0.11 | 0.07 | 0.02 | 13 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Dawukou District, Shizuishan City | 2 | 0.2 | 0.16 | 0.04 | 0.03 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Dehui City | 15 | 0.5 | 0.13 | 0.05 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Donggang County | 7 | 0.3 | 0.10 | 0.03 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Dongguan City | 50 | 1.2 | 0.17 | 0.14 | 0.02 | 36 | 0.8 | 0.13 | 0.08 | 0.02 |
| China, Donghai County | 15 | 0.3 | 0.09 | 0.04 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Dongtai City | 18 | 0.4 | 0.10 | 0.04 | 0.01 | 17 | 0.5 | 0.17 | 0.04 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 20 | 1.6 | 0.37 | 0.17 | 0.05 | 19 | 1.6 | 0.38 | 0.16 | 0.04 |
| *China, Evenki Autonomous Banner | 4 | 1.4 | 0.78 | 0.18 | 0.12 | 1 | 0.2 | 0.22 | 0.03 | 0.03 |
| *China, Faku County | 12 | 0.7 | 0.25 | 0.09 | 0.03 | 4 | 0.2 | 0.08 | 0.01 | 0.01 |
| *China, Fangcheng County | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 8 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Feicheng City | 23 | 0.6 | 0.12 | 0.07 | 0.02 | 10 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Feixi County | 17 | 0.4 | 0.11 | 0.07 | 0.02 | 16 | 0.5 | 0.15 | 0.05 | 0.01 |
| China, Fuqing City | 31 | 1.1 | 0.20 | 0.13 | 0.03 | 21 | 0.6 | 0.13 | 0.04 | 0.02 |
| *China, Ganyu District, Lianyungang City | 22 | 0.5 | 0.11 | 0.06 | 0.02 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Ganzhou District, Zhangye City | 2 | 0.3 | 0.19 | 0.04 | 0.03 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Gaocheng City | 9 | 0.5 | 0.16 | 0.04 | 0.02 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Gaomi City | 11 | 0.4 | 0.12 | 0.05 | 0.02 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Gong'an County | 28 | 0.8 | 0.16 | 0.11 | 0.02 | 13 | 0.4 | 0.10 | 0.05 | 0.02 |
| *China, Guang'an District, Guang'an City | 14 | 0.7 | 0.20 | 0.08 | 0.03 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Guanghan City | 18 | 1.0 | 0.25 | 0.14 | 0.04 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Guangzhou City | 474 | 1.5 | 0.07 | 0.19 | 0.01 | 288 | 0.8 | 0.05 | 0.10 | 0.01 |
| *China, Guanyun County | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Guilin City | 25 | 1.1 | 0.22 | 0.12 | 0.03 | 12 | 0.5 | 0.14 | 0.06 | 0.02 |
| *China, Hai'an City | 19 | 0.3 | 0.08 | 0.04 | 0.01 | 17 | 0.3 | 0.08 | 0.03 | 0.01 |
| China, Hailar District, Hulun Buir City | 10 | 0.9 | 0.29 | 0.11 | 0.04 | 5 | 0.5 | 0.22 | 0.07 | 0.03 |
| China, Haimen District, Nantong City | 25 | 0.5 | 0.10 | 0.07 | 0.01 | 20 | 0.4 | 0.10 | 0.05 | 0.01 |
| China, Haining City | 13 | 0.4 | 0.10 | 0.05 | 0.02 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Hangzhou City | 160 | 0.5 | 0.04 | 0.06 | 0.01 | 94 | 0.3 | 0.03 | 0.03 | 0.00 |
| China, Hebi City | 20 | 1.7 | 0.41 | 0.14 | 0.04 | 18 | 1.2 | 0.29 | 0.10 | 0.04 |
| China, Hefei City | 54 | 0.7 | 0.10 | 0.08 | 0.01 | 43 | 0.5 | 0.08 | 0.07 | 0.01 |
| China, Hengdong County | 25 | 1.6 | 0.33 | 0.15 | 0.03 | 5 | 0.3 | 0.15 | 0.05 | 0.02 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.18 | 0.02 | 0.02 |
| *China, Hepu County | 17 | 0.6 | 0.14 | 0.07 | 0.02 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Honghu City | 24 | 0.9 | 0.18 | 0.08 | 0.02 | 11 | 0.4 | 0.11 | 0.05 | 0.02 |
| China, Hongshan District, Chifeng City | 6 | 0.5 | 0.20 | 0.06 | 0.03 | 6 | 0.6 | 0.23 | 0.07 | 0.03 |
| *China, Hongta District, Yuxi City | 6 | 0.5 | 0.21 | 0.05 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Huaiyin District, Huai'an City | 16 | 0.5 | 0.12 | 0.06 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Jiange County | 2 | 0.1 | 0.08 | 0.02 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Jiangmen City | 46 | 1.8 | 0.27 | 0.19 | 0.03 | 23 | 0.9 | 0.19 | 0.11 | 0.03 |
| *China, Jiangyin City | 25 | 0.4 | 0.09 | 0.05 | 0.01 | 25 | 0.4 | 0.09 | 0.05 | 0.01 |
| *China, Jiashan County | 12 | 0.5 | 0.16 | 0.07 | 0.03 | 7 | 0.5 | 0.20 | 0.06 | 0.02 |
| China, Jiayu County | 6 | 0.8 | 0.33 | 0.07 | 0.03 | 2 | 0.3 | 0.19 | 0.07 | 0.05 |
| *China, Jinan City | 89 | 1.0 | 0.10 | 0.11 | 0.01 | 37 | 0.3 | 0.06 | 0.04 | 0.01 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.12 | 0.00 | 0.00 |
| *China, Jingxian County | 3 | 0.4 | 0.21 | 0.04 | 0.02 | 2 | 0.2 | 0.16 | 0.01 | 0.01 |
| *China, Jintan District, Changzhou City | 10 | 0.4 | 0.14 | 0.06 | 0.02 | 20 | 0.8 | 0.19 | 0.12 | 0.03 |
| *China, Jiulongpo District, Chongqing City | 26 | 0.8 | 0.16 | 0.12 | 0.03 | 15 | 0.5 | 0.15 | 0.06 | 0.02 |
| *China, Jiyuan City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 6 | 0.3 | 0.13 | 0.05 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tongue (C01–02) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 5 | 0.4 | 0.19 | 0.05 | 0.03 | 3 | 0.3 | 0.17 | 0.03 | 0.03 |
| China, Kunshan City | 17 | 0.5 | 0.13 | 0.08 | 0.02 | 14 | 0.4 | 0.12 | 0.05 | 0.02 |
| China, Langzhong City | 12 | 0.6 | 0.19 | 0.05 | 0.02 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| *China, Liangshan County | 24 | 0.8 | 0.17 | 0.10 | 0.02 | 16 | 0.5 | 0.14 | 0.06 | 0.02 |
| *China, Lianshui County | 12 | 0.3 | 0.08 | 0.03 | 0.01 | 20 | 0.5 | 0.11 | 0.07 | 0.02 |
| China, Lianyungang City | 17 | 0.4 | 0.10 | 0.05 | 0.02 | 8 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Linhe District, Bayannur City | 4 | 0.2 | 0.12 | 0.02 | 0.01 | 2 | 0.2 | 0.14 | 0.03 | 0.02 |
| China, Linqu County | 8 | 0.2 | 0.09 | 0.03 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Linzhou City | 17 | 0.5 | 0.11 | 0.06 | 0.02 | 19 | 0.5 | 0.13 | 0.04 | 0.01 |
| China, Liuzhou City | 52 | 1.4 | 0.19 | 0.17 | 0.03 | 29 | 0.8 | 0.14 | 0.10 | 0.02 |
| China, Liyang City | 9 | 0.2 | 0.08 | 0.03 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Longquan City | 10 | 1.2 | 0.39 | 0.14 | 0.05 | 3 | 0.3 | 0.16 | 0.01 | 0.01 |
| China, Lucheng District, Wenzhou City | 15 | 0.8 | 0.20 | 0.11 | 0.03 | 7 | 0.3 | 0.13 | 0.03 | 0.01 |
| China, Luoding City | 19 | 0.8 | 0.19 | 0.07 | 0.02 | 25 | 1.1 | 0.23 | 0.14 | 0.03 |
| *China, Luohe City | 10 | 0.3 | 0.08 | 0.03 | 0.01 | 22 | 0.5 | 0.11 | 0.05 | 0.01 |
| *China, Luoyang City | 15 | 0.3 | 0.09 | 0.03 | 0.01 | 10 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Luquan City | 2 | 0.2 | 0.12 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Ma'anshan City | 12 | 0.7 | 0.20 | 0.06 | 0.02 | 5 | 0.2 | 0.09 | 0.03 | 0.02 |
| *China, Macheng City | 8 | 0.3 | 0.11 | 0.03 | 0.01 | 11 | 0.5 | 0.15 | 0.06 | 0.02 |
| China, Meihekou City | 13 | 0.5 | 0.14 | 0.04 | 0.01 | 5 | 0.2 | 0.09 | 0.03 | 0.02 |
| *China, Mengjin County | 4 | 0.4 | 0.18 | 0.04 | 0.02 | 4 | 0.4 | 0.20 | 0.03 | 0.02 |
| China, Nangang District, Harbin City | 19 | 0.5 | 0.11 | 0.05 | 0.01 | 11 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Nanhai District, Foshan City | 60 | 2.2 | 0.28 | 0.26 | 0.04 | 33 | 1.0 | 0.19 | 0.10 | 0.02 |
| China, Nanhu District, Jiaying City | 21 | 0.9 | 0.19 | 0.13 | 0.03 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Nantong City | 23 | 0.5 | 0.11 | 0.06 | 0.01 | 29 | 0.5 | 0.10 | 0.07 | 0.01 |
| *China, Nanxiong City | 13 | 0.9 | 0.26 | 0.12 | 0.04 | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| China, Neixiang County | 6 | 0.3 | 0.11 | 0.03 | 0.01 | 5 | 0.2 | 0.09 | 0.03 | 0.01 |
| *China, Qianxi County | 3 | 0.1 | 0.08 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 34 | 0.7 | 0.12 | 0.07 | 0.01 | 22 | 0.3 | 0.07 | 0.03 | 0.01 |
| China, Qingzhou City | 9 | 0.3 | 0.11 | 0.04 | 0.01 | 4 | 0.2 | 0.08 | 0.01 | 0.01 |
| *China, Rudong County | 17 | 0.3 | 0.07 | 0.04 | 0.01 | 28 | 0.5 | 0.09 | 0.04 | 0.01 |
| *China, Rugao City | 31 | 0.4 | 0.08 | 0.06 | 0.01 | 20 | 0.3 | 0.06 | 0.03 | 0.01 |
| *China, Rural areas of Shanghai City | 327 | 0.8 | 0.05 | 0.09 | 0.01 | 210 | 0.4 | 0.03 | 0.05 | 0.00 |
| China, Ruyang County | 3 | 0.3 | 0.18 | 0.03 | 0.02 | 2 | 0.2 | 0.12 | 0.02 | 0.02 |
| *China, Shan County | 65 | 2.7 | 0.34 | 0.35 | 0.05 | 21 | 0.7 | 0.16 | 0.08 | 0.02 |
| China, Shanghai City | 273 | 0.8 | 0.06 | 0.09 | 0.01 | 201 | 0.5 | 0.04 | 0.05 | 0.00 |
| China, Shangyu District, Shaoxing City | 19 | 0.5 | 0.12 | 0.06 | 0.02 | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Shapingba District, Chongqing City | 36 | 1.0 | 0.17 | 0.11 | 0.02 | 21 | 0.6 | 0.14 | 0.07 | 0.02 |
| China, Shexian County | 14 | 1.0 | 0.28 | 0.14 | 0.04 | 20 | 1.4 | 0.32 | 0.20 | 0.05 |
| China, Sheyang County | 14 | 0.3 | 0.09 | 0.04 | 0.01 | 16 | 0.4 | 0.10 | 0.05 | 0.01 |
| *China, Shijiazhuang City | 26 | 0.5 | 0.10 | 0.05 | 0.01 | 21 | 0.4 | 0.09 | 0.05 | 0.01 |
| China, Shunde District, Foshan City | 93 | 2.6 | 0.27 | 0.28 | 0.03 | 44 | 1.0 | 0.16 | 0.10 | 0.02 |
| *China, Song County | 3 | 0.2 | 0.11 | 0.02 | 0.01 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Suzhou City | 56 | 0.4 | 0.05 | 0.04 | 0.01 | 58 | 0.3 | 0.05 | 0.04 | 0.01 |
| *China, Tengzhou City | 28 | 0.5 | 0.09 | 0.05 | 0.01 | 10 | 0.2 | 0.06 | 0.03 | 0.01 |
| *China, Wangdu County | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 1 | 0.1 | 0.15 | 0.04 | 0.04 |
| *China, Wan'ai County | 7 | 0.7 | 0.26 | 0.09 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 7 | 0.3 | 0.12 | 0.03 | 0.01 | 7 | 0.4 | 0.14 | 0.05 | 0.02 |
| China, Wuhan City | 143 | 0.6 | 0.06 | 0.08 | 0.01 | 86 | 0.4 | 0.04 | 0.05 | 0.01 |
| *China, Wuhu City | 21 | 0.4 | 0.09 | 0.05 | 0.01 | 22 | 0.4 | 0.09 | 0.06 | 0.01 |
| China, Wuxi City | 53 | 0.4 | 0.06 | 0.06 | 0.01 | 50 | 0.4 | 0.06 | 0.04 | 0.01 |
| China, Wuzhou City | 17 | 1.0 | 0.23 | 0.11 | 0.03 | 18 | 0.9 | 0.22 | 0.09 | 0.03 |
| China, Xiangfu District, Kaifeng City | 9 | 0.5 | 0.16 | 0.06 | 0.02 | 3 | 0.2 | 0.09 | 0.03 | 0.02 |
| China, Xianju County | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 6 | 0.3 | 0.12 | 0.03 | 0.02 |
| *China, Xin'an County | 2 | 0.2 | 0.13 | 0.03 | 0.02 | 1 | 0.1 | 0.13 | 0.01 | 0.01 |
| *China, Xining City | 6 | 0.3 | 0.14 | 0.02 | 0.01 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Xinji City | 13 | 0.5 | 0.15 | 0.08 | 0.02 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Xinluo District, Longyan City | 4 | 0.3 | 0.17 | 0.05 | 0.03 | 3 | 0.2 | 0.15 | 0.04 | 0.03 |
| *China, Xinzhou District, Shangrao City | 7 | 0.5 | 0.17 | 0.06 | 0.03 | 6 | 0.4 | 0.16 | 0.03 | 0.02 |
| China, Xiping County | 11 | 0.5 | 0.16 | 0.05 | 0.02 | 5 | 0.2 | 0.09 | 0.03 | 0.01 |
| *China, Xishan District, Kunming City | 4 | 0.2 | 0.11 | 0.03 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Xuyi County | 7 | 0.3 | 0.11 | 0.02 | 0.01 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Ya'an City | 41 | 0.8 | 0.12 | 0.09 | 0.02 | 19 | 0.4 | 0.10 | 0.05 | 0.01 |
| *China, Yakeshi City | 11 | 0.7 | 0.24 | 0.08 | 0.03 | 5 | 0.3 | 0.14 | 0.04 | 0.02 |
| China, Yancheng City | 19 | 0.3 | 0.07 | 0.03 | 0.01 | 16 | 0.3 | 0.07 | 0.04 | 0.01 |
| *China, Yangquan City | 10 | 0.5 | 0.17 | 0.05 | 0.02 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Yangzhong City | 5 | 0.4 | 0.17 | 0.05 | 0.02 | 4 | 0.3 | 0.13 | 0.03 | 0.02 |
| *China, Yanji City | 15 | 0.7 | 0.20 | 0.11 | 0.03 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Yanshi City | 8 | 0.3 | 0.12 | 0.03 | 0.01 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Yanting County | 9 | 0.5 | 0.16 | 0.08 | 0.03 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| *China, Yi'an District, Tongling City | 5 | 0.5 | 0.25 | 0.05 | 0.03 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Yingdong District, Fuyang City | 6 | 0.3 | 0.11 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tongue (C01–02) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 8 | 0.9 | 0.30 | 0.09 | 0.04 | 3 | 0.3 | 0.19 | 0.07 | 0.04 |
| *China, Yiyuan County | 8 | 0.4 | 0.15 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 14 | 1.0 | 0.28 | 0.10 | 0.03 | 5 | 0.4 | 0.18 | 0.06 | 0.04 |
| *China, Yongding District, Longyan City | 16 | 1.0 | 0.25 | 0.12 | 0.03 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Yongkang City | 8 | 0.3 | 0.12 | 0.05 | 0.02 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Yucheng County | 6 | 0.3 | 0.12 | 0.03 | 0.01 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| China, Yueyanglou District, Yueyang City | 45 | 3.9 | 0.58 | 0.42 | 0.07 | 3 | 0.2 | 0.14 | 0.01 | 0.01 |
| China, Yunmeng County | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 4 | 0.2 | 0.12 | 0.03 | 0.01 |
| *China, Yunyang District, Shiyao City | 5 | 0.4 | 0.19 | 0.05 | 0.02 | 4 | 0.4 | 0.20 | 0.07 | 0.04 |
| China, Yuzhong District, Chongqing City | 19 | 1.0 | 0.23 | 0.13 | 0.03 | 17 | 0.7 | 0.19 | 0.09 | 0.03 |
| *China, Zhanhuang County | 3 | 0.4 | 0.23 | 0.03 | 0.02 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| *China, Zhangjiagang City | 22 | 0.5 | 0.11 | 0.06 | 0.01 | 14 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Zhaoyuan City | 12 | 0.5 | 0.14 | 0.06 | 0.02 | 6 | 0.3 | 0.12 | 0.02 | 0.01 |
| *China, Zhengding County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Zhongshan City | 140 | 2.6 | 0.22 | 0.28 | 0.03 | 61 | 1.1 | 0.14 | 0.12 | 0.02 |
| China, Zhongxiang City | 9 | 0.3 | 0.10 | 0.04 | 0.01 | 5 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Zhuanghe City | 12 | 0.3 | 0.08 | 0.03 | 0.01 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Zhuhai City | 56 | 1.5 | 0.21 | 0.19 | 0.03 | 25 | 0.7 | 0.14 | 0.08 | 0.02 |
| India, Ahmedabad, Urban | 1425 | 11.0 | 0.30 | 1.23 | 0.04 | 414 | 3.5 | 0.17 | 0.39 | 0.02 |
| India, Aurangabad | 199 | 6.4 | 0.47 | 0.67 | 0.06 | 54 | 2.1 | 0.29 | 0.26 | 0.04 |
| India, Bangalore | 652 | 5.4 | 0.22 | 0.66 | 0.03 | 199 | 1.8 | 0.13 | 0.21 | 0.02 |
| India, Barshi, Paranda, and Bhum | 27 | 1.9 | 0.38 | 0.22 | 0.05 | 14 | 1.0 | 0.28 | 0.12 | 0.03 |
| *India, Bhopal | 271 | 9.1 | 0.57 | 1.01 | 0.07 | 117 | 4.5 | 0.43 | 0.56 | 0.06 |
| India, Chandigarh | 112 | 4.3 | 0.43 | 0.50 | 0.06 | 28 | 1.3 | 0.24 | 0.15 | 0.04 |
| *India, Chennai | 1034 | 7.7 | 0.24 | 0.86 | 0.03 | 319 | 2.4 | 0.14 | 0.29 | 0.02 |
| India, Dibrugarh | 114 | 4.1 | 0.39 | 0.50 | 0.06 | 37 | 1.4 | 0.23 | 0.18 | 0.04 |
| *India, Dindigul, Ambilikai | 173 | 2.8 | 0.21 | 0.33 | 0.03 | 57 | 0.9 | 0.12 | 0.10 | 0.01 |
| India, Kamrup Urban District | 237 | 9.8 | 0.66 | 1.14 | 0.09 | 75 | 3.5 | 0.42 | 0.46 | 0.07 |
| India, Kollam | 353 | 5.5 | 0.30 | 0.67 | 0.04 | 188 | 2.4 | 0.18 | 0.29 | 0.03 |
| *India, Manipur | 73 | 1.5 | 0.19 | 0.19 | 0.03 | 23 | 0.5 | 0.10 | 0.05 | 0.01 |
| India, Meghalaya | 308 | 10.5 | 0.63 | 1.17 | 0.08 | 61 | 2.1 | 0.28 | 0.25 | 0.04 |
| India, Mizoram | 55 | 3.0 | 0.41 | 0.34 | 0.05 | 17 | 1.1 | 0.26 | 0.13 | 0.04 |
| India, Mumbai | 1780 | 5.3 | 0.13 | 0.60 | 0.02 | 643 | 2.1 | 0.08 | 0.24 | 0.01 |
| *India, New Delhi | 2062 | 8.9 | 0.20 | 1.05 | 0.03 | 630 | 3.1 | 0.12 | 0.34 | 0.02 |
| India, Poona | 578 | 4.3 | 0.18 | 0.47 | 0.02 | 228 | 1.9 | 0.13 | 0.22 | 0.02 |
| *India, Sangrur District | 94 | 3.6 | 0.37 | 0.42 | 0.05 | 19 | 0.7 | 0.17 | 0.09 | 0.02 |
| India, SAS Nagar | 95 | 3.9 | 0.41 | 0.45 | 0.05 | 34 | 1.4 | 0.25 | 0.17 | 0.03 |
| *India, Tamil Nadu | 8024 | 3.9 | 0.04 | 0.46 | 0.01 | 2745 | 1.3 | 0.02 | 0.15 | 0.00 |
| *India, Tripura | 291 | 4.4 | 0.26 | 0.52 | 0.04 | 79 | 1.2 | 0.14 | 0.16 | 0.02 |
| India, Trivandrum | 545 | 6.7 | 0.29 | 0.77 | 0.04 | 217 | 2.3 | 0.16 | 0.29 | 0.02 |
| India, Wardha | 151 | 3.8 | 0.32 | 0.43 | 0.04 | 56 | 1.5 | 0.21 | 0.18 | 0.03 |
| India, West Arunachal | 13 | 1.3 | 0.40 | 0.17 | 0.06 | 9 | 1.0 | 0.33 | 0.10 | 0.04 |
| *Iran (Islamic Republic of), Ardabil Province | 8 | 0.5 | 0.17 | 0.05 | 0.03 | 12 | 0.5 | 0.15 | 0.03 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 13 | 0.6 | 0.17 | 0.07 | 0.03 | 15 | 0.7 | 0.17 | 0.07 | 0.02 |
| Israel | 272 | 1.1 | 0.07 | 0.12 | 0.01 | 257 | 0.9 | 0.06 | 0.09 | 0.01 |
| *Israel: Jews | 223 | 1.1 | 0.08 | 0.12 | 0.01 | 230 | 0.9 | 0.07 | 0.10 | 0.01 |
| *Israel: Arabs | 20 | 0.7 | 0.15 | 0.09 | 0.03 | 13 | 0.4 | 0.11 | 0.05 | 0.02 |
| Japan | 9347 | 2.4 | 0.03 | 0.28 | 0.00 | 5247 | 1.2 | 0.02 | 0.12 | 0.00 |
| Japan, Aichi Prefecture | 460 | 2.2 | 0.11 | 0.26 | 0.01 | 249 | 1.2 | 0.09 | 0.12 | 0.01 |
| *Japan, Akita Prefecture | 87 | 2.6 | 0.34 | 0.31 | 0.04 | 61 | 1.5 | 0.28 | 0.15 | 0.03 |
| Japan, Aomori Prefecture | 189 | 2.6 | 0.22 | 0.31 | 0.03 | 116 | 1.4 | 0.19 | 0.13 | 0.02 |
| Japan, Gunma Prefecture | 141 | 2.3 | 0.22 | 0.28 | 0.03 | 91 | 1.5 | 0.21 | 0.15 | 0.02 |
| Japan, Hiroshima Prefecture | 293 | 2.4 | 0.16 | 0.28 | 0.02 | 186 | 1.4 | 0.14 | 0.14 | 0.01 |
| Japan, Miyagi Prefecture | 340 | 2.9 | 0.18 | 0.34 | 0.02 | 219 | 1.6 | 0.14 | 0.16 | 0.01 |
| Japan, Osaka Prefecture | 680 | 2.6 | 0.11 | 0.31 | 0.01 | 370 | 1.2 | 0.08 | 0.14 | 0.01 |
| Kuwait | 76 | 0.9 | 0.14 | 0.10 | 0.02 | 24 | 0.4 | 0.10 | 0.05 | 0.01 |
| *Kuwait: Kuwaitis | 16 | 0.9 | 0.23 | 0.10 | 0.03 | 10 | 0.4 | 0.12 | 0.04 | 0.01 |
| *Kuwait: Non-Kuwaitis | 60 | 0.7 | 0.15 | 0.11 | 0.03 | 14 | 0.6 | 0.21 | 0.08 | 0.04 |
| *Philippines, Manila | 148 | 1.4 | 0.12 | 0.16 | 0.02 | 108 | 0.8 | 0.08 | 0.08 | 0.01 |
| *Qatar: Qatari | 6 | 1.3 | 0.56 | 0.16 | 0.08 | 2 | 0.5 | 0.38 | 0.07 | 0.06 |
| Republic of Korea | 2408 | 1.3 | 0.03 | 0.14 | 0.00 | 1314 | 0.6 | 0.02 | 0.07 | 0.00 |
| *Republic of Korea, Busan | 200 | 1.4 | 0.10 | 0.16 | 0.01 | 90 | 0.6 | 0.07 | 0.06 | 0.01 |
| *Republic of Korea, Daegu | 104 | 1.1 | 0.12 | 0.12 | 0.01 | 70 | 0.7 | 0.09 | 0.07 | 0.01 |
| *Republic of Korea, Daejeon | 49 | 0.9 | 0.14 | 0.10 | 0.02 | 32 | 0.6 | 0.11 | 0.05 | 0.01 |
| *Republic of Korea, Gwangju | 55 | 1.2 | 0.16 | 0.11 | 0.02 | 42 | 0.6 | 0.11 | 0.07 | 0.01 |
| Republic of Korea, Incheon | 123 | 1.2 | 0.11 | 0.14 | 0.01 | 60 | 0.5 | 0.07 | 0.06 | 0.01 |
| Republic of Korea, Jeju | 30 | 1.4 | 0.26 | 0.13 | 0.03 | 16 | 0.7 | 0.19 | 0.07 | 0.02 |
| Republic of Korea, Seoul | 554 | 1.5 | 0.06 | 0.17 | 0.01 | 285 | 0.7 | 0.04 | 0.08 | 0.01 |
| Republic of Korea, Ulsan | 43 | 1.2 | 0.21 | 0.11 | 0.02 | 28 | 0.6 | 0.12 | 0.07 | 0.02 |
| Singapore | 258 | 1.8 | 0.11 | 0.21 | 0.02 | 156 | 1.0 | 0.08 | 0.11 | 0.01 |
| Singapore: Chinese | 214 | 1.9 | 0.13 | 0.22 | 0.02 | 106 | 0.9 | 0.09 | 0.09 | 0.01 |
| Singapore: Indian | 20 | 1.9 | 0.45 | 0.26 | 0.08 | 24 | 2.1 | 0.44 | 0.26 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tongue (C01–02) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 13 | 0.8 | 0.24 | 0.11 | 0.04 | 21 | 1.1 | 0.25 | 0.12 | 0.03 |
| Thailand, Bangkok | 345 | 1.9 | 0.11 | 0.23 | 0.02 | 185 | 0.8 | 0.06 | 0.09 | 0.01 |
| *Thailand, Chiang Mai | 103 | 1.9 | 0.19 | 0.21 | 0.03 | 45 | 0.7 | 0.10 | 0.07 | 0.01 |
| *Thailand, Khon Kaen | 91 | 1.5 | 0.16 | 0.17 | 0.02 | 54 | 0.8 | 0.12 | 0.08 | 0.01 |
| Thailand, Lampang | 53 | 1.8 | 0.27 | 0.21 | 0.03 | 43 | 1.3 | 0.21 | 0.13 | 0.03 |
| Thailand, Lopburi Province | 108 | 4.6 | 0.45 | 0.53 | 0.06 | 62 | 2.4 | 0.31 | 0.24 | 0.04 |
| *Thailand, Songkhla | 160 | 3.9 | 0.32 | 0.49 | 0.05 | 42 | 0.8 | 0.13 | 0.08 | 0.02 |
| Turkey, Antalya | 43 | 0.7 | 0.11 | 0.09 | 0.02 | 34 | 0.5 | 0.09 | 0.06 | 0.01 |
| Turkey, Bursa | 50 | 0.6 | 0.09 | 0.08 | 0.01 | 42 | 0.5 | 0.07 | 0.06 | 0.01 |
| *Turkey, Edirne | 17 | 1.1 | 0.27 | 0.16 | 0.04 | 6 | 0.4 | 0.19 | 0.05 | 0.02 |
| *Turkey, Erzurum | 9 | 0.5 | 0.17 | 0.06 | 0.02 | 9 | 0.4 | 0.14 | 0.04 | 0.02 |
| Turkey, Eskişehir | 17 | 0.7 | 0.16 | 0.07 | 0.02 | 22 | 0.7 | 0.16 | 0.07 | 0.02 |
| Turkey, Gaziantep | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 12 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Turkey, Izmir | 140 | 1.1 | 0.09 | 0.13 | 0.01 | 92 | 0.6 | 0.07 | 0.08 | 0.01 |
| Turkey, Malatya | 14 | 0.6 | 0.17 | 0.07 | 0.02 | 7 | 0.3 | 0.13 | 0.04 | 0.02 |
| Turkey, Samsun | 31 | 0.8 | 0.14 | 0.10 | 0.02 | 34 | 0.7 | 0.13 | 0.09 | 0.02 |
| Turkey, Trabzon | 16 | 0.6 | 0.16 | 0.07 | 0.02 | 25 | 0.8 | 0.18 | 0.12 | 0.03 |
| Europe | | | | | | | | | | |
| Austria | 916 | 2.5 | 0.09 | 0.32 | 0.01 | 392 | 0.9 | 0.05 | 0.11 | 0.01 |
| Austria, Carinthia | 66 | 2.8 | 0.36 | 0.32 | 0.04 | 35 | 1.2 | 0.22 | 0.14 | 0.03 |
| Austria, Tyrol | 70 | 2.4 | 0.29 | 0.29 | 0.04 | 25 | 0.7 | 0.14 | 0.08 | 0.02 |
| Austria, Vorarlberg | 46 | 2.9 | 0.45 | 0.38 | 0.06 | 13 | 0.7 | 0.22 | 0.09 | 0.03 |
| Belarus | 1204 | 3.8 | 0.11 | 0.45 | 0.01 | 230 | 0.5 | 0.04 | 0.06 | 0.00 |
| *Belgium | 1540 | 3.3 | 0.09 | 0.41 | 0.01 | 661 | 1.3 | 0.05 | 0.16 | 0.01 |
| Croatia | 555 | 3.1 | 0.14 | 0.40 | 0.02 | 134 | 0.6 | 0.06 | 0.07 | 0.01 |
| Cyprus | 43 | 1.4 | 0.22 | 0.16 | 0.03 | 36 | 1.1 | 0.18 | 0.11 | 0.02 |
| *Czech Republic | 1268 | 2.9 | 0.08 | 0.37 | 0.01 | 505 | 1.0 | 0.05 | 0.12 | 0.01 |
| Denmark | 548 | 2.2 | 0.10 | 0.29 | 0.01 | 253 | 1.0 | 0.07 | 0.12 | 0.01 |
| Estonia | 151 | 3.2 | 0.26 | 0.39 | 0.03 | 66 | 1.0 | 0.13 | 0.12 | 0.02 |
| Finland | 565 | 2.3 | 0.10 | 0.28 | 0.01 | 370 | 1.3 | 0.08 | 0.14 | 0.01 |
| *France, Bas-Rhin | 114 | 3.1 | 0.30 | 0.41 | 0.04 | 40 | 0.9 | 0.16 | 0.10 | 0.02 |
| *France, Calvados | 115 | 4.1 | 0.40 | 0.49 | 0.05 | 35 | 1.0 | 0.20 | 0.12 | 0.02 |
| *France, Doubs | 64 | 3.0 | 0.38 | 0.37 | 0.05 | 33 | 1.5 | 0.29 | 0.17 | 0.03 |
| *France, Gironde | 165 | 2.7 | 0.22 | 0.33 | 0.03 | 94 | 1.3 | 0.14 | 0.15 | 0.02 |
| *France, Haut-Rhin | 89 | 2.8 | 0.31 | 0.33 | 0.04 | 42 | 1.2 | 0.21 | 0.13 | 0.02 |
| *France, Hérault | 188 | 4.0 | 0.31 | 0.50 | 0.04 | 69 | 1.2 | 0.16 | 0.15 | 0.02 |
| *France, Isère | 132 | 2.7 | 0.25 | 0.33 | 0.03 | 82 | 1.6 | 0.19 | 0.19 | 0.02 |
| *France, Lille-Métropole | 118 | 4.7 | 0.44 | 0.56 | 0.06 | 56 | 1.7 | 0.24 | 0.22 | 0.03 |
| *France, Limousin | 68 | 4.3 | 0.56 | 0.55 | 0.07 | 22 | 1.1 | 0.28 | 0.12 | 0.03 |
| *France, Loire-Atlantique | 196 | 3.8 | 0.28 | 0.47 | 0.04 | 82 | 1.3 | 0.16 | 0.15 | 0.02 |
| *France, Manche | 73 | 3.2 | 0.41 | 0.38 | 0.05 | 29 | 1.1 | 0.23 | 0.13 | 0.03 |
| *France, Poitou-Charentes | 303 | 3.8 | 0.23 | 0.45 | 0.03 | 121 | 1.3 | 0.13 | 0.15 | 0.02 |
| *France, Somme | 101 | 4.3 | 0.45 | 0.50 | 0.06 | 22 | 0.9 | 0.21 | 0.10 | 0.02 |
| *France, Tarn | 51 | 2.4 | 0.37 | 0.31 | 0.05 | 26 | 1.1 | 0.25 | 0.11 | 0.03 |
| *France, Territoire de Belfort | 16 | 3.6 | 0.93 | 0.50 | 0.13 | 5 | 0.9 | 0.41 | 0.12 | 0.06 |
| *France, Vendée | 115 | 3.7 | 0.37 | 0.47 | 0.05 | 58 | 1.9 | 0.29 | 0.19 | 0.03 |
| Germany, Baden-Württemberg | 586 | 1.9 | 0.08 | 0.25 | 0.01 | 309 | 1.0 | 0.06 | 0.11 | 0.01 |
| Germany, Bavaria | 1384 | 2.5 | 0.07 | 0.31 | 0.01 | 587 | 0.9 | 0.04 | 0.11 | 0.01 |
| Germany, Bremen | 76 | 2.3 | 0.29 | 0.29 | 0.04 | 40 | 1.0 | 0.18 | 0.13 | 0.02 |
| Germany, Hamburg | 192 | 2.5 | 0.19 | 0.34 | 0.03 | 113 | 1.3 | 0.14 | 0.16 | 0.02 |
| Germany, Lower Saxony | 918 | 2.4 | 0.09 | 0.29 | 0.01 | 461 | 1.1 | 0.06 | 0.13 | 0.01 |
| Germany, North Rhine-Westphalia | 2075 | 2.6 | 0.06 | 0.33 | 0.01 | 1104 | 1.2 | 0.04 | 0.14 | 0.01 |
| Germany, Rhineland-Palatinate | 510 | 2.6 | 0.12 | 0.33 | 0.02 | 222 | 1.0 | 0.08 | 0.12 | 0.01 |
| Germany, Saarland | 153 | 3.0 | 0.26 | 0.37 | 0.03 | 79 | 1.4 | 0.18 | 0.16 | 0.02 |
| Germany, Schleswig-Holstein | 365 | 2.8 | 0.15 | 0.34 | 0.02 | 196 | 1.2 | 0.10 | 0.15 | 0.01 |
| Iceland | 21 | 1.9 | 0.42 | 0.19 | 0.05 | 8 | 0.5 | 0.19 | 0.07 | 0.03 |
| Ireland | 404 | 2.5 | 0.13 | 0.31 | 0.02 | 189 | 1.1 | 0.08 | 0.13 | 0.01 |
| *Italy, Aosta Valley | 18 | 3.3 | 0.83 | 0.42 | 0.12 | 5 | 1.0 | 0.48 | 0.12 | 0.06 |
| *Italy, Avellino | 19 | 1.8 | 0.41 | 0.25 | 0.06 | 12 | 0.7 | 0.23 | 0.08 | 0.03 |
| Italy, Basilicata | 61 | 2.4 | 0.33 | 0.29 | 0.04 | 19 | 0.5 | 0.13 | 0.06 | 0.02 |
| *Italy, Benevento | 20 | 2.2 | 0.53 | 0.24 | 0.06 | 12 | 1.0 | 0.34 | 0.10 | 0.04 |
| Italy, Bergamo | 108 | 2.1 | 0.21 | 0.26 | 0.03 | 56 | 0.8 | 0.12 | 0.09 | 0.02 |
| *Italy, Brescia | 107 | 1.8 | 0.19 | 0.23 | 0.03 | 51 | 0.8 | 0.12 | 0.09 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 75 | 2.4 | 0.29 | 0.25 | 0.03 | 26 | 0.5 | 0.15 | 0.06 | 0.02 |
| Italy, Calabria | 45 | 2.0 | 0.31 | 0.23 | 0.04 | 27 | 0.9 | 0.20 | 0.10 | 0.03 |
| *Italy, Caserta | 47 | 1.7 | 0.25 | 0.19 | 0.03 | 21 | 0.6 | 0.13 | 0.06 | 0.02 |
| *Italy, Catania, Messina, and Enna | 130 | 1.5 | 0.14 | 0.17 | 0.02 | 90 | 1.0 | 0.12 | 0.11 | 0.01 |
| Italy, Emilia-Romagna | 317 | 1.8 | 0.12 | 0.21 | 0.01 | 223 | 1.0 | 0.08 | 0.11 | 0.01 |
| Italy, Friuli-Venezia Giulia | 157 | 2.3 | 0.20 | 0.29 | 0.03 | 85 | 1.2 | 0.15 | 0.13 | 0.02 |
| Italy, Genova | 74 | 2.1 | 0.27 | 0.25 | 0.03 | 42 | 0.7 | 0.15 | 0.09 | 0.02 |
| *Italy, Lombardy, South, Pavia | 56 | 2.1 | 0.31 | 0.26 | 0.04 | 39 | 1.2 | 0.23 | 0.14 | 0.03 |
| Italy, Mantova and Cremona | 57 | 1.9 | 0.28 | 0.24 | 0.04 | 33 | 0.7 | 0.15 | 0.07 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Tongue (C01–02) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 84 | 1.5 | 0.18 | 0.17 | 0.02 | 36 | 0.5 | 0.09 | 0.06 | 0.01 |
| Italy, Milan | 338 | 2.1 | 0.13 | 0.25 | 0.02 | 212 | 1.0 | 0.08 | 0.11 | 0.01 |
| Italy, Molise | 11 | 1.4 | 0.47 | 0.17 | 0.06 | 8 | 0.8 | 0.31 | 0.13 | 0.05 |
| *Italy, Naples Centre | 23 | 0.9 | 0.20 | 0.12 | 0.03 | 29 | 0.9 | 0.20 | 0.10 | 0.02 |
| *Italy, Naples North | 32 | 1.1 | 0.20 | 0.14 | 0.03 | 31 | 0.8 | 0.15 | 0.10 | 0.02 |
| *Italy, Naples South | 39 | 0.9 | 0.16 | 0.12 | 0.02 | 38 | 0.8 | 0.14 | 0.08 | 0.02 |
| *Italy, Nuoro | 21 | 4.1 | 0.94 | 0.44 | 0.10 | 3 | 0.3 | 0.21 | 0.02 | 0.02 |
| *Italy, Palermo | 67 | 1.4 | 0.18 | 0.17 | 0.02 | 45 | 0.6 | 0.11 | 0.07 | 0.01 |
| Italy, Puglia | 263 | 1.4 | 0.10 | 0.17 | 0.01 | 159 | 0.7 | 0.07 | 0.08 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 41 | 1.7 | 0.28 | 0.22 | 0.04 | 19 | 0.6 | 0.16 | 0.08 | 0.02 |
| *Italy, Salerno | 47 | 1.2 | 0.19 | 0.13 | 0.02 | 25 | 0.5 | 0.12 | 0.07 | 0.02 |
| Italy, Sassari | 15 | 1.7 | 0.46 | 0.20 | 0.06 | 6 | 0.5 | 0.23 | 0.08 | 0.03 |
| *Italy, Sondrio | 30 | 3.2 | 0.60 | 0.41 | 0.08 | 15 | 1.4 | 0.49 | 0.14 | 0.05 |
| Italy, South Tyrol | 39 | 1.6 | 0.28 | 0.19 | 0.04 | 28 | 1.0 | 0.22 | 0.10 | 0.03 |
| *Italy, Syracuse | 12 | 0.6 | 0.17 | 0.08 | 0.03 | 18 | 0.8 | 0.21 | 0.07 | 0.02 |
| Italy, Trento | 51 | 2.1 | 0.31 | 0.26 | 0.04 | 28 | 0.7 | 0.19 | 0.08 | 0.02 |
| Italy, Turin | 213 | 1.7 | 0.13 | 0.20 | 0.02 | 118 | 0.7 | 0.08 | 0.08 | 0.01 |
| *Italy, Tuscany | 242 | 2.4 | 0.17 | 0.28 | 0.02 | 129 | 0.9 | 0.10 | 0.11 | 0.01 |
| Italy, Umbria | 61 | 1.6 | 0.23 | 0.21 | 0.03 | 32 | 0.7 | 0.14 | 0.08 | 0.02 |
| Italy, Varese | 44 | 1.8 | 0.29 | 0.23 | 0.04 | 25 | 0.9 | 0.19 | 0.10 | 0.02 |
| Italy, Veneto | 500 | 2.1 | 0.10 | 0.26 | 0.01 | 274 | 0.9 | 0.07 | 0.11 | 0.01 |
| Latvia | 186 | 2.6 | 0.19 | 0.33 | 0.03 | 74 | 0.7 | 0.09 | 0.08 | 0.01 |
| *Liechtenstein | 6 | 3.5 | 1.43 | 0.56 | 0.23 | 1 | 0.9 | 0.85 | 0.07 | 0.07 |
| *Lithuania | 280 | 2.7 | 0.17 | 0.33 | 0.02 | 97 | 0.6 | 0.07 | 0.08 | 0.01 |
| Malta | 27 | 1.5 | 0.30 | 0.19 | 0.04 | 29 | 1.3 | 0.26 | 0.14 | 0.03 |
| *The Netherlands | 1594 | 2.1 | 0.06 | 0.27 | 0.01 | 1103 | 1.3 | 0.04 | 0.16 | 0.01 |
| Norway | 464 | 2.2 | 0.11 | 0.27 | 0.01 | 268 | 1.1 | 0.08 | 0.13 | 0.01 |
| Poland, Kielce | 88 | 1.8 | 0.20 | 0.24 | 0.03 | 25 | 0.4 | 0.10 | 0.05 | 0.01 |
| *Portugal, Azores | 27 | 3.9 | 0.77 | 0.44 | 0.10 | 6 | 0.5 | 0.24 | 0.06 | 0.04 |
| Russian Federation, Arkhangelsk | 78 | 2.1 | 0.24 | 0.25 | 0.03 | 66 | 1.2 | 0.16 | 0.12 | 0.02 |
| Russian Federation, Kaliningrad | 85 | 2.7 | 0.30 | 0.34 | 0.04 | 45 | 1.0 | 0.16 | 0.12 | 0.02 |
| Russian Federation, Karelia | 70 | 3.3 | 0.41 | 0.38 | 0.05 | 32 | 1.1 | 0.20 | 0.12 | 0.02 |
| *Russian Federation, Komi Republic | 62 | 2.5 | 0.33 | 0.32 | 0.05 | 42 | 1.1 | 0.18 | 0.13 | 0.02 |
| Russian Federation, Murmansk | 71 | 3.0 | 0.36 | 0.37 | 0.05 | 34 | 1.0 | 0.18 | 0.12 | 0.02 |
| *Russian Federation, Orenburg | 144 | 2.2 | 0.19 | 0.28 | 0.03 | 46 | 0.5 | 0.07 | 0.05 | 0.01 |
| Russian Federation, Pskov | 72 | 3.2 | 0.39 | 0.41 | 0.05 | 15 | 0.4 | 0.12 | 0.05 | 0.01 |
| *Russian Federation, Samara | 258 | 2.5 | 0.16 | 0.31 | 0.02 | 109 | 0.7 | 0.07 | 0.07 | 0.01 |
| Russian Federation, Vologda Region | 82 | 2.1 | 0.23 | 0.25 | 0.03 | 41 | 0.7 | 0.11 | 0.08 | 0.01 |
| Slovenia | 213 | 2.4 | 0.17 | 0.30 | 0.02 | 69 | 0.8 | 0.10 | 0.09 | 0.01 |
| Spain, Asturias | 94 | 2.8 | 0.31 | 0.35 | 0.04 | 34 | 0.7 | 0.14 | 0.07 | 0.02 |
| Spain, Basque Country | 240 | 3.0 | 0.20 | 0.37 | 0.03 | 98 | 1.0 | 0.12 | 0.13 | 0.02 |
| Spain, Canary Islands | 187 | 3.3 | 0.25 | 0.41 | 0.03 | 70 | 1.1 | 0.14 | 0.12 | 0.02 |
| Spain, Castellón | 50 | 2.1 | 0.30 | 0.27 | 0.04 | 27 | 0.9 | 0.20 | 0.11 | 0.03 |
| Spain, Girona | 77 | 2.5 | 0.30 | 0.28 | 0.04 | 34 | 0.9 | 0.16 | 0.12 | 0.03 |
| Spain, Granada | 102 | 2.8 | 0.28 | 0.37 | 0.04 | 49 | 1.0 | 0.16 | 0.14 | 0.02 |
| Spain, La Rioja | 30 | 2.1 | 0.40 | 0.25 | 0.05 | 20 | 1.4 | 0.39 | 0.16 | 0.04 |
| Spain, Murcia | 126 | 2.3 | 0.21 | 0.31 | 0.03 | 66 | 1.1 | 0.14 | 0.13 | 0.02 |
| Spain, Navarra | 42 | 1.7 | 0.28 | 0.25 | 0.05 | 19 | 0.8 | 0.23 | 0.08 | 0.02 |
| Spain, Salamanca | 30 | 1.8 | 0.34 | 0.26 | 0.05 | 21 | 1.0 | 0.30 | 0.11 | 0.03 |
| Spain, Tarragona | 87 | 2.6 | 0.29 | 0.34 | 0.04 | 36 | 0.9 | 0.16 | 0.10 | 0.02 |
| *Sweden | 907 | 2.1 | 0.07 | 0.26 | 0.01 | 535 | 1.1 | 0.05 | 0.14 | 0.01 |
| Switzerland, Aargau | 55 | 2.0 | 0.30 | 0.22 | 0.03 | 27 | 0.8 | 0.17 | 0.10 | 0.02 |
| Switzerland, Basel | 54 | 2.3 | 0.34 | 0.31 | 0.05 | 25 | 0.9 | 0.19 | 0.10 | 0.03 |
| Switzerland, Berne Solothurn | 91 | 2.4 | 0.27 | 0.31 | 0.04 | 52 | 1.2 | 0.18 | 0.13 | 0.02 |
| Switzerland, East | 109 | 3.1 | 0.30 | 0.41 | 0.04 | 40 | 1.1 | 0.19 | 0.13 | 0.02 |
| *Switzerland, Fribourg | 43 | 3.5 | 0.54 | 0.45 | 0.08 | 11 | 0.9 | 0.29 | 0.11 | 0.04 |
| Switzerland, Geneva | 53 | 2.8 | 0.40 | 0.35 | 0.06 | 32 | 1.3 | 0.26 | 0.17 | 0.04 |
| *Switzerland, Graubünden and Glarus | 18 | 1.5 | 0.37 | 0.19 | 0.05 | 11 | 1.0 | 0.31 | 0.11 | 0.04 |
| *Switzerland, Lucerne | 63 | 3.0 | 0.39 | 0.37 | 0.05 | 36 | 1.5 | 0.27 | 0.17 | 0.03 |
| *Switzerland, Neuchâtel and Jura | 30 | 2.8 | 0.53 | 0.36 | 0.07 | 21 | 1.9 | 0.44 | 0.23 | 0.06 |
| Switzerland, Ticino | 53 | 3.0 | 0.44 | 0.40 | 0.06 | 11 | 0.6 | 0.20 | 0.09 | 0.03 |
| Switzerland, Valais | 35 | 2.1 | 0.38 | 0.26 | 0.05 | 17 | 1.0 | 0.26 | 0.13 | 0.04 |
| Switzerland, Vaud | 109 | 3.7 | 0.37 | 0.47 | 0.05 | 44 | 1.3 | 0.21 | 0.16 | 0.03 |
| Switzerland, Zurich and Zug | 155 | 2.3 | 0.19 | 0.30 | 0.03 | 86 | 1.1 | 0.13 | 0.14 | 0.02 |
| Ukraine | 3526 | 3.0 | 0.05 | 0.37 | 0.01 | 671 | 0.4 | 0.02 | 0.04 | 0.00 |
| UK, England | 7359 | 3.4 | 0.04 | 0.42 | 0.01 | 3682 | 1.5 | 0.03 | 0.17 | 0.00 |
| UK, Northern Ireland | 210 | 2.9 | 0.21 | 0.34 | 0.03 | 85 | 1.0 | 0.12 | 0.12 | 0.02 |
| UK, Scotland | 810 | 3.6 | 0.13 | 0.45 | 0.02 | 429 | 1.6 | 0.09 | 0.20 | 0.01 |
| UK, Wales | 493 | 3.7 | 0.17 | 0.46 | 0.02 | 250 | 1.6 | 0.12 | 0.19 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1143 | 3.8 | 0.12 | 0.47 | 0.02 | 460 | 1.4 | 0.07 | 0.16 | 0.01 |
| *Australia, Northern Territory | 40 | 5.3 | 0.85 | 0.58 | 0.10 | 15 | 2.3 | 0.60 | 0.33 | 0.10 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Tongue (C01–02) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 23 | 3.7 | 0.78 | 0.41 | 0.10 | 8 | 1.5 | 0.54 | 0.18 | 0.07 |
| *Australia, Northern Territory: Indigenous | 17 | 11.6 | 2.88 | 1.29 | 0.33 | 7 | 5.2 | 2.08 | 0.91 | 0.42 |
| *Australia, Queensland | 788 | 4.3 | 0.16 | 0.53 | 0.02 | 301 | 1.6 | 0.10 | 0.18 | 0.01 |
| Australia, South Australia | 232 | 3.4 | 0.23 | 0.44 | 0.03 | 130 | 1.6 | 0.16 | 0.19 | 0.02 |
| Australia, Tasmania | 73 | 3.3 | 0.41 | 0.40 | 0.05 | 38 | 1.6 | 0.29 | 0.17 | 0.03 |
| *Australia, Victoria | 671 | 3.0 | 0.12 | 0.37 | 0.02 | 321 | 1.3 | 0.08 | 0.15 | 0.01 |
| *Australia, Western Australia | 292 | 3.2 | 0.19 | 0.38 | 0.02 | 144 | 1.4 | 0.12 | 0.16 | 0.02 |
| *France, New Caledonia | 21 | 2.6 | 0.58 | 0.32 | 0.08 | 11 | 1.4 | 0.43 | 0.16 | 0.06 |
| New Zealand | 463 | 2.7 | 0.13 | 0.32 | 0.02 | 258 | 1.3 | 0.09 | 0.15 | 0.01 |
| *New Zealand: Maori | 41 | 2.6 | 0.41 | 0.29 | 0.05 | 26 | 1.4 | 0.28 | 0.15 | 0.04 |
| *New Zealand: Pacific peoples | 18 | 2.7 | 0.64 | 0.33 | 0.09 | 14 | 2.0 | 0.53 | 0.23 | 0.08 |
| *New Zealand: Other | 388 | 2.8 | 0.15 | 0.34 | 0.02 | 194 | 1.3 | 0.10 | 0.14 | 0.01 |
| USA, Hawaii | 249 | 4.2 | 0.28 | 0.52 | 0.04 | 124 | 2.0 | 0.19 | 0.24 | 0.02 |
| USA, Hawaii: White | 139 | 7.1 | 0.64 | 0.95 | 0.09 | 39 | 2.2 | 0.38 | 0.25 | 0.05 |
| *USA, Hawaii: Japanese | 44 | 3.9 | 0.74 | 0.40 | 0.08 | 31 | 2.3 | 0.53 | 0.24 | 0.06 |
| *USA, Hawaii: Chinese | 9 | 2.3 | 0.94 | 0.20 | 0.09 | 11 | 2.0 | 0.65 | 0.29 | 0.11 |
| *USA, Hawaii: Hawaiian | 29 | 3.3 | 0.62 | 0.45 | 0.09 | 17 | 1.8 | 0.45 | 0.24 | 0.06 |
| *USA, Hawaii: Filipino | 14 | 1.4 | 0.38 | 0.12 | 0.04 | 15 | 1.5 | 0.42 | 0.18 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Mouth (C03–06)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 8 | 0.6 | 0.22 | 0.06 | 0.03 | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| *Algeria, Tizi Ouzou | 6 | 0.4 | 0.15 | 0.04 | 0.02 | 7 | 0.4 | 0.15 | 0.04 | 0.02 |
| *Benin, Cotonou | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 8 | 1.1 | 0.41 | 0.12 | 0.05 |
| *France, La Réunion | 84 | 3.9 | 0.43 | 0.49 | 0.06 | 24 | 0.9 | 0.19 | 0.09 | 0.02 |
| *Kenya, Eldoret | 4 | 0.4 | 0.20 | 0.04 | 0.03 | 1 | 0.1 | 0.14 | 0.02 | 0.02 |
| *Kenya, Nairobi | 54 | 1.8 | 0.32 | 0.15 | 0.04 | 50 | 2.4 | 0.40 | 0.30 | 0.06 |
| Mauritius | 65 | 1.5 | 0.18 | 0.15 | 0.02 | 43 | 0.9 | 0.13 | 0.08 | 0.02 |
| *Morocco, Casablanca | 44 | 0.4 | 0.06 | 0.05 | 0.01 | 45 | 0.4 | 0.06 | 0.04 | 0.01 |
| *Seychelles | 18 | 6.3 | 1.52 | 0.57 | 0.18 | 3 | 1.0 | 0.58 | 0.19 | 0.14 |
| *South Africa, Eastern Cape | 21 | 2.0 | 0.44 | 0.21 | 0.06 | 18 | 0.8 | 0.22 | 0.09 | 0.03 |
| *Uganda, Kyadondo County | 52 | 2.2 | 0.37 | 0.28 | 0.07 | 31 | 1.1 | 0.24 | 0.13 | 0.04 |
| *Uganda, Gulu | 1 | 0.4 | 0.36 | 0.05 | 0.05 | 3 | 0.3 | 0.19 | 0.01 | 0.01 |
| *Zimbabwe, Bulawayo: African | 11 | 1.4 | 0.43 | 0.04 | 0.02 | 9 | 0.8 | 0.29 | 0.11 | 0.05 |
| *Zimbabwe, Harare: African | 42 | 2.8 | 0.48 | 0.36 | 0.08 | 25 | 1.2 | 0.26 | 0.14 | 0.04 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 48 | 2.2 | 0.32 | 0.27 | 0.04 | 14 | 0.5 | 0.14 | 0.06 | 0.02 |
| *Argentina, Mendoza | 51 | 1.0 | 0.15 | 0.09 | 0.02 | 27 | 0.4 | 0.08 | 0.05 | 0.01 |
| Brazil, Aracaju | 21 | 2.0 | 0.44 | 0.19 | 0.05 | 17 | 1.0 | 0.25 | 0.08 | 0.03 |
| *Brazil, Barretos | 62 | 4.7 | 0.61 | 0.64 | 0.09 | 17 | 1.0 | 0.25 | 0.10 | 0.03 |
| Brazil, Belo Horizonte | 212 | 3.0 | 0.21 | 0.36 | 0.03 | 110 | 1.1 | 0.11 | 0.13 | 0.01 |
| *Brazil, Campinas | 113 | 4.8 | 0.46 | 0.58 | 0.07 | 40 | 1.2 | 0.20 | 0.16 | 0.03 |
| *Brazil, Curitiba | 108 | 2.7 | 0.26 | 0.32 | 0.04 | 45 | 0.8 | 0.12 | 0.08 | 0.02 |
| Brazil, Goiânia | 93 | 3.4 | 0.36 | 0.41 | 0.05 | 41 | 1.2 | 0.18 | 0.13 | 0.03 |
| *Brazil, Jaú | 17 | 4.1 | 1.00 | 0.46 | 0.12 | 4 | 0.7 | 0.37 | 0.05 | 0.04 |
| Brazil, João Pessoa | 48 | 4.5 | 0.66 | 0.51 | 0.10 | 31 | 1.6 | 0.30 | 0.12 | 0.04 |
| Brazil, Recife | 81 | 3.2 | 0.36 | 0.38 | 0.05 | 23 | 0.5 | 0.11 | 0.04 | 0.01 |
| Chile, Region of Antofagasta | 7 | 0.7 | 0.26 | 0.06 | 0.03 | 7 | 0.7 | 0.26 | 0.08 | 0.04 |
| Chile, Valdivia | 8 | 0.5 | 0.20 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Bucaramanga | 27 | 0.9 | 0.18 | 0.12 | 0.03 | 27 | 0.7 | 0.13 | 0.06 | 0.01 |
| Colombia, Cali | 49 | 0.8 | 0.12 | 0.08 | 0.02 | 62 | 0.8 | 0.10 | 0.09 | 0.01 |
| Colombia, Manizales | 4 | 0.3 | 0.14 | 0.03 | 0.02 | 3 | 0.2 | 0.09 | 0.02 | 0.02 |
| Colombia, Pasto | 2 | 0.2 | 0.12 | 0.03 | 0.03 | 6 | 0.4 | 0.15 | 0.03 | 0.02 |
| Costa Rica | 60 | 0.6 | 0.08 | 0.07 | 0.01 | 45 | 0.4 | 0.06 | 0.04 | 0.01 |
| Ecuador, Guayaquil | 39 | 0.7 | 0.12 | 0.07 | 0.02 | 37 | 0.6 | 0.09 | 0.06 | 0.01 |
| Ecuador, Manabí | 19 | 0.6 | 0.13 | 0.06 | 0.02 | 18 | 0.5 | 0.12 | 0.07 | 0.02 |
| Ecuador, Quito | 24 | 0.6 | 0.12 | 0.05 | 0.01 | 25 | 0.5 | 0.10 | 0.05 | 0.01 |
| *France, Guadeloupe | 48 | 3.1 | 0.47 | 0.33 | 0.06 | 13 | 0.7 | 0.21 | 0.06 | 0.02 |
| *France, Martinique | 29 | 1.7 | 0.33 | 0.21 | 0.04 | 11 | 0.5 | 0.16 | 0.05 | 0.02 |
| *Peru, Lima | 110 | 0.8 | 0.08 | 0.08 | 0.01 | 140 | 0.8 | 0.07 | 0.09 | 0.01 |
| *Trinidad and Tobago | 15 | 0.6 | 0.16 | 0.08 | 0.03 | 14 | 0.5 | 0.13 | 0.05 | 0.02 |
| USA, Puerto Rico | 310 | 2.1 | 0.13 | 0.27 | 0.02 | 166 | 0.8 | 0.07 | 0.09 | 0.01 |
| *Uruguay | 222 | 1.9 | 0.13 | 0.23 | 0.02 | 113 | 0.6 | 0.07 | 0.06 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 200 | 1.3 | 0.10 | 0.17 | 0.01 | 145 | 0.9 | 0.08 | 0.09 | 0.01 |
| Canada, British Columbia | 354 | 1.6 | 0.09 | 0.18 | 0.01 | 279 | 1.0 | 0.07 | 0.11 | 0.01 |
| *Canada, Manitoba | 65 | 1.3 | 0.16 | 0.18 | 0.02 | 67 | 1.1 | 0.14 | 0.12 | 0.02 |
| *Canada, New Brunswick | 56 | 1.4 | 0.20 | 0.18 | 0.03 | 46 | 1.0 | 0.17 | 0.13 | 0.02 |
| *Canada, Newfoundland and Labrador | 49 | 1.8 | 0.27 | 0.22 | 0.04 | 17 | 0.5 | 0.14 | 0.05 | 0.02 |
| Canada, Ontario | 1281 | 2.2 | 0.06 | 0.26 | 0.01 | 879 | 1.2 | 0.05 | 0.14 | 0.01 |
| *Canada, Prince Edward Island | 13 | 1.6 | 0.50 | 0.16 | 0.06 | 12 | 1.5 | 0.47 | 0.18 | 0.06 |
| Canada, Quebec | 729 | 1.8 | 0.07 | 0.22 | 0.01 | 499 | 1.1 | 0.06 | 0.13 | 0.01 |
| Canada, Saskatchewan | 60 | 1.3 | 0.18 | 0.14 | 0.02 | 62 | 1.0 | 0.15 | 0.10 | 0.02 |
| *Canada, Yukon | 3 | 1.7 | 1.00 | 0.18 | 0.11 | 2 | 1.3 | 0.90 | 0.14 | 0.10 |
| USA | 23338 | 1.8 | 0.01 | 0.22 | 0.00 | 16108 | 1.0 | 0.01 | 0.11 | 0.00 |
| USA: White | 19838 | 1.8 | 0.01 | 0.22 | 0.00 | 13899 | 1.0 | 0.01 | 0.12 | 0.00 |
| USA: Black | 2191 | 1.7 | 0.04 | 0.21 | 0.01 | 1401 | 0.8 | 0.02 | 0.09 | 0.00 |
| USA, NPCR | 22616 | 1.8 | 0.01 | 0.22 | 0.00 | 15598 | 1.0 | 0.01 | 0.11 | 0.00 |
| USA, NPCR: White | 19228 | 1.8 | 0.01 | 0.22 | 0.00 | 13472 | 1.0 | 0.01 | 0.12 | 0.00 |
| USA, NPCR: Black | 2172 | 1.7 | 0.04 | 0.21 | 0.01 | 1387 | 0.8 | 0.02 | 0.10 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 898 | 1.6 | 0.05 | 0.19 | 0.01 | 499 | 0.7 | 0.03 | 0.08 | 0.00 |
| USA, NPCR: American Indian | 119 | 1.0 | 0.10 | 0.13 | 0.01 | 78 | 0.6 | 0.07 | 0.08 | 0.01 |
| *USA, SEER (18 registries) | 5340 | 1.6 | 0.02 | 0.19 | 0.00 | 3788 | 0.9 | 0.02 | 0.10 | 0.00 |
| *USA, SEER (18 registries): White | 4246 | 1.5 | 0.02 | 0.19 | 0.00 | 3089 | 0.9 | 0.02 | 0.10 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 3812 | 1.7 | 0.03 | 0.20 | 0.00 | 2814 | 1.0 | 0.02 | 0.11 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 434 | 1.0 | 0.05 | 0.12 | 0.01 | 275 | 0.5 | 0.03 | 0.06 | 0.00 |
| *USA, SEER (18 registries): Black | 553 | 1.7 | 0.07 | 0.21 | 0.01 | 345 | 0.8 | 0.05 | 0.09 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 440 | 1.3 | 0.06 | 0.15 | 0.01 | 289 | 0.7 | 0.04 | 0.07 | 0.01 |
| *USA, SEER (9 registries) | 1909 | 1.6 | 0.04 | 0.19 | 0.01 | 1374 | 0.9 | 0.03 | 0.10 | 0.00 |
| *USA, SEER (9 registries): White | 1527 | 1.6 | 0.04 | 0.19 | 0.01 | 1112 | 1.0 | 0.03 | 0.10 | 0.00 |
| *USA, SEER (9 registries): Black | 175 | 1.6 | 0.12 | 0.20 | 0.02 | 94 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, Alabama | 418 | 2.1 | 0.11 | 0.26 | 0.01 | 268 | 1.1 | 0.07 | 0.12 | 0.01 |
| USA, Alabama: White | 331 | 2.1 | 0.12 | 0.26 | 0.02 | 213 | 1.1 | 0.09 | 0.13 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mouth (C03–06) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 74 | 1.9 | 0.22 | 0.22 | 0.03 | 48 | 0.9 | 0.13 | 0.09 | 0.02 |
| USA, Alaska | 33 | 1.2 | 0.21 | 0.15 | 0.03 | 28 | 1.1 | 0.20 | 0.14 | 0.03 |
| *USA, Alaska: Alaska Natives | 6 | 1.6 | 0.67 | 0.20 | 0.09 | 5 | 1.2 | 0.56 | 0.17 | 0.09 |
| USA, Arizona | 367 | 1.3 | 0.07 | 0.16 | 0.01 | 234 | 0.7 | 0.05 | 0.08 | 0.01 |
| USA, Arizona: White | 343 | 1.3 | 0.08 | 0.16 | 0.01 | 221 | 0.7 | 0.05 | 0.08 | 0.01 |
| USA, Arizona: Black | 9 | 0.9 | 0.31 | 0.14 | 0.05 | 3 | 0.3 | 0.17 | 0.03 | 0.02 |
| *USA, Arizona: Asian and Pacific Islander | 12 | 1.6 | 0.47 | 0.15 | 0.05 | 3 | 0.3 | 0.19 | 0.05 | 0.03 |
| USA, Arizona: American Indian | 2 | 0.2 | 0.16 | 0.03 | 0.03 | 5 | 0.5 | 0.21 | 0.07 | 0.04 |
| USA, Arkansas | 267 | 2.2 | 0.14 | 0.26 | 0.02 | 177 | 1.1 | 0.09 | 0.12 | 0.01 |
| USA, Arkansas: White | 228 | 2.1 | 0.15 | 0.26 | 0.02 | 153 | 1.1 | 0.10 | 0.12 | 0.01 |
| USA, Arkansas: Black | 29 | 2.1 | 0.39 | 0.28 | 0.06 | 18 | 1.0 | 0.24 | 0.11 | 0.03 |
| USA, California | 1877 | 1.3 | 0.03 | 0.15 | 0.00 | 1373 | 0.7 | 0.02 | 0.08 | 0.00 |
| USA, California: White | 1492 | 1.3 | 0.03 | 0.16 | 0.00 | 1114 | 0.8 | 0.03 | 0.09 | 0.00 |
| USA, California: Black | 119 | 1.4 | 0.13 | 0.16 | 0.02 | 81 | 0.8 | 0.09 | 0.09 | 0.01 |
| USA, California: Asian and Pacific Islander | 240 | 1.1 | 0.07 | 0.13 | 0.01 | 156 | 0.5 | 0.04 | 0.06 | 0.01 |
| *USA, California, Los Angeles County | 409 | 1.1 | 0.06 | 0.14 | 0.01 | 292 | 0.6 | 0.04 | 0.07 | 0.01 |
| *USA, California, Los Angeles County: White | 288 | 1.1 | 0.07 | 0.13 | 0.01 | 219 | 0.7 | 0.05 | 0.07 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 181 | 1.2 | 0.10 | 0.14 | 0.01 | 157 | 0.9 | 0.09 | 0.10 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 107 | 1.0 | 0.09 | 0.12 | 0.01 | 62 | 0.4 | 0.06 | 0.05 | 0.01 |
| *USA, California, Los Angeles County: Black | 51 | 1.7 | 0.24 | 0.19 | 0.03 | 36 | 0.8 | 0.14 | 0.09 | 0.02 |
| *USA, California, Los Angeles County: Chinese | 14 | 0.5 | 0.15 | 0.07 | 0.03 | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Filipino | 10 | 0.7 | 0.24 | 0.10 | 0.04 | 6 | 0.3 | 0.13 | 0.04 | 0.02 |
| *USA, California, Los Angeles County: Korean | 3 | 0.3 | 0.19 | 0.01 | 0.01 | 2 | 0.2 | 0.15 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 67 | 1.1 | 0.13 | 0.13 | 0.02 | 33 | 0.4 | 0.07 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area | 235 | 1.2 | 0.08 | 0.15 | 0.01 | 185 | 0.8 | 0.06 | 0.09 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 160 | 1.3 | 0.10 | 0.16 | 0.02 | 122 | 0.8 | 0.08 | 0.08 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 138 | 1.3 | 0.11 | 0.16 | 0.02 | 106 | 0.8 | 0.09 | 0.09 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 22 | 0.9 | 0.20 | 0.08 | 0.03 | 16 | 0.6 | 0.15 | 0.05 | 0.02 |
| *USA, California, San Francisco Bay Area: Black | 26 | 1.8 | 0.36 | 0.21 | 0.05 | 12 | 0.7 | 0.20 | 0.12 | 0.04 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 45 | 0.9 | 0.14 | 0.12 | 0.02 | 49 | 0.7 | 0.11 | 0.08 | 0.02 |
| USA, Colorado | 291 | 1.4 | 0.08 | 0.17 | 0.01 | 202 | 0.8 | 0.06 | 0.09 | 0.01 |
| USA, Colorado: White | 273 | 1.4 | 0.09 | 0.17 | 0.01 | 192 | 0.8 | 0.07 | 0.09 | 0.01 |
| *USA, Colorado: Black | 12 | 1.8 | 0.51 | 0.24 | 0.08 | 3 | 0.4 | 0.22 | 0.06 | 0.04 |
| *USA, Colorado: Asian and Pacific Islander | 3 | 0.5 | 0.32 | 0.06 | 0.03 | 4 | 0.6 | 0.30 | 0.08 | 0.05 |
| USA, Connecticut | 273 | 1.8 | 0.11 | 0.21 | 0.02 | 195 | 1.0 | 0.08 | 0.11 | 0.01 |
| USA, Connecticut: White | 235 | 1.7 | 0.12 | 0.21 | 0.02 | 174 | 1.0 | 0.08 | 0.11 | 0.01 |
| USA, Connecticut: Black | 16 | 1.3 | 0.34 | 0.15 | 0.04 | 12 | 0.7 | 0.22 | 0.08 | 0.03 |
| USA, District of Columbia | 37 | 1.7 | 0.28 | 0.21 | 0.04 | 20 | 0.7 | 0.17 | 0.08 | 0.02 |
| USA, District of Columbia: White | 17 | 1.8 | 0.45 | 0.23 | 0.07 | 6 | 0.6 | 0.25 | 0.06 | 0.04 |
| USA, District of Columbia: Black | 18 | 1.5 | 0.36 | 0.19 | 0.06 | 14 | 0.9 | 0.25 | 0.10 | 0.03 |
| USA, Florida | 1777 | 2.0 | 0.05 | 0.24 | 0.01 | 1196 | 1.1 | 0.03 | 0.12 | 0.00 |
| USA, Florida: White | 1587 | 2.0 | 0.06 | 0.25 | 0.01 | 1063 | 1.1 | 0.04 | 0.12 | 0.00 |
| USA, Florida: Black | 141 | 1.4 | 0.12 | 0.17 | 0.02 | 94 | 0.8 | 0.08 | 0.09 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 29 | 1.5 | 0.27 | 0.19 | 0.04 | 20 | 0.7 | 0.17 | 0.08 | 0.02 |
| USA, Georgia | 743 | 2.1 | 0.08 | 0.25 | 0.01 | 547 | 1.2 | 0.05 | 0.13 | 0.01 |
| USA, Georgia: White | 541 | 2.1 | 0.09 | 0.25 | 0.01 | 419 | 1.3 | 0.07 | 0.14 | 0.01 |
| USA, Georgia: Black | 162 | 1.8 | 0.14 | 0.23 | 0.02 | 114 | 0.9 | 0.09 | 0.10 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 37 | 3.2 | 0.53 | 0.41 | 0.08 | 14 | 1.0 | 0.27 | 0.13 | 0.04 |
| *USA, Georgia, Atlanta | 174 | 1.5 | 0.12 | 0.18 | 0.02 | 127 | 0.9 | 0.08 | 0.09 | 0.01 |
| *USA, Georgia, Atlanta: White | 93 | 1.3 | 0.14 | 0.15 | 0.02 | 85 | 1.0 | 0.12 | 0.11 | 0.02 |
| *USA, Georgia, Atlanta: Black | 61 | 1.6 | 0.21 | 0.21 | 0.03 | 33 | 0.6 | 0.11 | 0.06 | 0.01 |
| USA, Idaho | 104 | 1.5 | 0.15 | 0.18 | 0.02 | 76 | 1.0 | 0.12 | 0.11 | 0.02 |
| USA, Indiana | 529 | 2.0 | 0.09 | 0.24 | 0.01 | 350 | 1.1 | 0.06 | 0.12 | 0.01 |
| USA, Indiana: White | 475 | 2.0 | 0.09 | 0.24 | 0.01 | 320 | 1.1 | 0.07 | 0.12 | 0.01 |
| USA, Indiana: Black | 40 | 2.2 | 0.36 | 0.27 | 0.05 | 17 | 0.8 | 0.19 | 0.08 | 0.02 |
| *USA, Iowa | 254 | 2.0 | 0.13 | 0.23 | 0.02 | 182 | 1.1 | 0.09 | 0.12 | 0.01 |
| USA, Kentucky | 376 | 2.1 | 0.11 | 0.25 | 0.01 | 257 | 1.2 | 0.08 | 0.13 | 0.01 |
| USA, Louisiana | 405 | 2.3 | 0.12 | 0.27 | 0.02 | 259 | 1.2 | 0.08 | 0.13 | 0.01 |
| USA, Louisiana: White | 276 | 2.1 | 0.14 | 0.25 | 0.02 | 198 | 1.3 | 0.10 | 0.14 | 0.01 |
| USA, Louisiana: Black | 123 | 2.7 | 0.25 | 0.35 | 0.04 | 53 | 0.9 | 0.13 | 0.10 | 0.02 |
| *USA, Louisiana, New Orleans | 77 | 2.3 | 0.27 | 0.24 | 0.03 | 45 | 1.0 | 0.17 | 0.13 | 0.02 |
| *USA, Louisiana, New Orleans: White | 53 | 2.5 | 0.36 | 0.27 | 0.04 | 31 | 1.2 | 0.23 | 0.14 | 0.03 |
| *USA, Louisiana, New Orleans: Black | 21 | 1.8 | 0.40 | 0.19 | 0.04 | 12 | 0.8 | 0.23 | 0.11 | 0.04 |
| USA, Maine | 145 | 2.2 | 0.20 | 0.26 | 0.03 | 97 | 1.2 | 0.13 | 0.12 | 0.02 |
| USA, Maryland | 411 | 1.7 | 0.09 | 0.21 | 0.01 | 278 | 0.9 | 0.06 | 0.10 | 0.01 |
| USA, Maryland: White | 297 | 1.8 | 0.11 | 0.22 | 0.02 | 211 | 1.0 | 0.08 | 0.12 | 0.01 |
| USA, Maryland: Black | 86 | 1.5 | 0.16 | 0.18 | 0.02 | 54 | 0.7 | 0.10 | 0.08 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 26 | 2.0 | 0.39 | 0.24 | 0.05 | 13 | 0.8 | 0.23 | 0.09 | 0.03 |
| USA, Massachusetts | 563 | 2.0 | 0.09 | 0.24 | 0.01 | 418 | 1.2 | 0.06 | 0.14 | 0.01 |
| USA, Massachusetts: White | 512 | 2.0 | 0.09 | 0.25 | 0.01 | 378 | 1.2 | 0.07 | 0.14 | 0.01 |
| USA, Massachusetts: Black | 26 | 1.6 | 0.31 | 0.22 | 0.05 | 18 | 0.9 | 0.21 | 0.10 | 0.03 |
| USA, Massachusetts: Asian and Pacific Islander | 12 | 1.0 | 0.28 | 0.11 | 0.04 | 16 | 1.1 | 0.28 | 0.14 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mouth (C03–06) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 792 | 1.9 | 0.07 | 0.22 | 0.01 | 617 | 1.2 | 0.05 | 0.13 | 0.01 |
| USA, Michigan: White | 693 | 1.9 | 0.07 | 0.22 | 0.01 | 543 | 1.2 | 0.06 | 0.13 | 0.01 |
| USA, Michigan: Black | 75 | 1.7 | 0.20 | 0.20 | 0.03 | 47 | 0.9 | 0.13 | 0.10 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | 7 | 0.8 | 0.31 | 0.10 | 0.05 | 14 | 1.5 | 0.41 | 0.22 | 0.07 |
| *USA, Michigan, Detroit | 317 | 2.0 | 0.12 | 0.25 | 0.02 | 213 | 1.0 | 0.08 | 0.12 | 0.01 |
| *USA, Michigan, Detroit: White | 247 | 2.1 | 0.14 | 0.25 | 0.02 | 169 | 1.1 | 0.09 | 0.12 | 0.01 |
| *USA, Michigan, Detroit: Black | 58 | 1.9 | 0.25 | 0.23 | 0.03 | 34 | 0.8 | 0.15 | 0.10 | 0.02 |
| USA, Minnesota | 421 | 1.9 | 0.10 | 0.22 | 0.01 | 360 | 1.3 | 0.08 | 0.15 | 0.01 |
| USA, Minnesota: White | 392 | 1.9 | 0.10 | 0.21 | 0.01 | 338 | 1.3 | 0.08 | 0.15 | 0.01 |
| USA, Minnesota: Black | 13 | 1.8 | 0.50 | 0.19 | 0.06 | 13 | 1.7 | 0.47 | 0.17 | 0.06 |
| *USA, Minnesota: Asian and Pacific Islander | 6 | 1.0 | 0.42 | 0.11 | 0.05 | 4 | 0.5 | 0.27 | 0.05 | 0.03 |
| USA, Mississippi | 283 | 2.5 | 0.15 | 0.31 | 0.02 | 145 | 1.0 | 0.09 | 0.10 | 0.01 |
| USA, Missouri | 502 | 2.0 | 0.09 | 0.25 | 0.01 | 346 | 1.1 | 0.06 | 0.12 | 0.01 |
| USA, Missouri: White | 460 | 2.0 | 0.10 | 0.26 | 0.01 | 315 | 1.1 | 0.07 | 0.12 | 0.01 |
| USA, Missouri: Black | 35 | 1.7 | 0.29 | 0.22 | 0.04 | 23 | 0.9 | 0.19 | 0.11 | 0.02 |
| USA, Montana | 97 | 2.0 | 0.21 | 0.24 | 0.03 | 47 | 0.8 | 0.13 | 0.08 | 0.02 |
| *USA, Montana: American Indian | 6 | 3.6 | 1.47 | 0.52 | 0.26 | 1 | 0.4 | 0.39 | 0.00 | 0.00 |
| USA, Nebraska | 150 | 1.9 | 0.16 | 0.22 | 0.02 | 109 | 1.2 | 0.13 | 0.14 | 0.02 |
| USA, Nebraska: White | 143 | 1.9 | 0.17 | 0.22 | 0.02 | 101 | 1.2 | 0.13 | 0.13 | 0.02 |
| *USA, Nebraska: Black | 4 | 1.6 | 0.83 | 0.15 | 0.09 | 5 | 2.0 | 0.91 | 0.28 | 0.13 |
| USA, Nevada | 131 | 1.1 | 0.10 | 0.14 | 0.01 | 97 | 0.8 | 0.08 | 0.09 | 0.01 |
| USA, Nevada: White | 116 | 1.2 | 0.12 | 0.15 | 0.02 | 82 | 0.8 | 0.10 | 0.09 | 0.01 |
| USA, Nevada: Black | 6 | 0.7 | 0.29 | 0.08 | 0.04 | 8 | 0.8 | 0.30 | 0.11 | 0.04 |
| *USA, Nevada: Asian and Pacific Islander | 6 | 0.6 | 0.25 | 0.07 | 0.03 | 7 | 0.5 | 0.19 | 0.07 | 0.03 |
| USA, New Jersey | 672 | 1.8 | 0.07 | 0.21 | 0.01 | 461 | 1.0 | 0.05 | 0.11 | 0.01 |
| USA, New Jersey: White | 519 | 1.7 | 0.08 | 0.20 | 0.01 | 372 | 1.0 | 0.06 | 0.11 | 0.01 |
| USA, New Jersey: Black | 58 | 1.4 | 0.19 | 0.17 | 0.03 | 47 | 0.9 | 0.13 | 0.10 | 0.02 |
| USA, New Mexico | 101 | 1.1 | 0.12 | 0.14 | 0.02 | 57 | 0.4 | 0.07 | 0.05 | 0.01 |
| USA, New Mexico: White | 89 | 1.1 | 0.13 | 0.14 | 0.02 | 53 | 0.5 | 0.07 | 0.05 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 65 | 1.3 | 0.18 | 0.17 | 0.02 | 33 | 0.5 | 0.10 | 0.05 | 0.01 |
| USA, New Mexico: Hispanic White | 24 | 0.8 | 0.16 | 0.09 | 0.02 | 20 | 0.4 | 0.11 | 0.04 | 0.02 |
| *USA, New Mexico: American Indian | 7 | 1.1 | 0.43 | 0.12 | 0.05 | 3 | 0.4 | 0.24 | 0.05 | 0.04 |
| USA, New York State | 1420 | 1.8 | 0.05 | 0.22 | 0.01 | 1050 | 1.0 | 0.04 | 0.12 | 0.00 |
| USA, New York State: White | 1157 | 1.9 | 0.06 | 0.23 | 0.01 | 856 | 1.1 | 0.04 | 0.12 | 0.01 |
| USA, New York State: Black | 141 | 1.3 | 0.11 | 0.16 | 0.02 | 128 | 0.8 | 0.08 | 0.09 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 116 | 1.9 | 0.18 | 0.24 | 0.03 | 60 | 0.8 | 0.11 | 0.11 | 0.02 |
| USA, North Carolina | 795 | 2.0 | 0.07 | 0.25 | 0.01 | 601 | 1.2 | 0.05 | 0.13 | 0.01 |
| USA, North Carolina: White | 625 | 2.0 | 0.08 | 0.24 | 0.01 | 489 | 1.2 | 0.06 | 0.14 | 0.01 |
| USA, North Carolina: Black | 142 | 2.0 | 0.17 | 0.25 | 0.02 | 94 | 1.0 | 0.10 | 0.10 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 10 | 1.5 | 0.47 | 0.20 | 0.07 | 6 | 0.7 | 0.29 | 0.05 | 0.02 |
| *USA, North Carolina: American Indian | 9 | 1.9 | 0.64 | 0.26 | 0.09 | 6 | 1.1 | 0.46 | 0.17 | 0.08 |
| USA, North Dakota | 48 | 1.5 | 0.23 | 0.18 | 0.03 | 41 | 1.1 | 0.20 | 0.13 | 0.03 |
| USA, Ohio | 957 | 2.0 | 0.07 | 0.24 | 0.01 | 647 | 1.1 | 0.05 | 0.13 | 0.01 |
| USA, Ohio: White | 867 | 2.0 | 0.07 | 0.24 | 0.01 | 592 | 1.2 | 0.05 | 0.13 | 0.01 |
| USA, Ohio: Black | 73 | 1.6 | 0.19 | 0.21 | 0.03 | 47 | 0.8 | 0.12 | 0.09 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 13 | 2.0 | 0.55 | 0.25 | 0.08 | 5 | 0.6 | 0.26 | 0.06 | 0.03 |
| USA, Oklahoma | 231 | 1.5 | 0.10 | 0.19 | 0.01 | 170 | 0.9 | 0.08 | 0.10 | 0.01 |
| USA, Oklahoma: White | 208 | 1.6 | 0.12 | 0.20 | 0.02 | 147 | 0.9 | 0.09 | 0.11 | 0.01 |
| USA, Oklahoma: Black | 8 | 0.9 | 0.31 | 0.08 | 0.03 | 6 | 0.6 | 0.25 | 0.05 | 0.02 |
| USA, Oklahoma: American Indian | 8 | 0.7 | 0.26 | 0.09 | 0.03 | 10 | 0.8 | 0.25 | 0.11 | 0.04 |
| USA, Oregon | 306 | 1.7 | 0.10 | 0.22 | 0.01 | 229 | 1.0 | 0.08 | 0.12 | 0.01 |
| USA, Oregon: White | 288 | 1.7 | 0.11 | 0.22 | 0.01 | 221 | 1.1 | 0.08 | 0.12 | 0.01 |
| *USA, Oregon: Black | 5 | 1.7 | 0.75 | 0.18 | 0.08 | 2 | 0.9 | 0.62 | 0.07 | 0.05 |
| *USA, Oregon: Asian and Pacific Islander | 8 | 1.4 | 0.50 | 0.18 | 0.08 | 4 | 0.6 | 0.29 | 0.09 | 0.05 |
| USA, Rhode Island | 81 | 1.8 | 0.21 | 0.23 | 0.03 | 72 | 1.3 | 0.17 | 0.13 | 0.02 |
| USA, Rhode Island: White | 73 | 1.8 | 0.21 | 0.21 | 0.03 | 68 | 1.3 | 0.19 | 0.13 | 0.02 |
| *USA, Rhode Island: Black | 5 | 2.3 | 1.03 | 0.39 | 0.19 | 3 | 1.1 | 0.65 | 0.13 | 0.08 |
| USA, South Carolina | 439 | 2.2 | 0.11 | 0.27 | 0.01 | 285 | 1.1 | 0.07 | 0.13 | 0.01 |
| USA, South Carolina: White | 307 | 2.0 | 0.12 | 0.24 | 0.02 | 235 | 1.2 | 0.08 | 0.14 | 0.01 |
| USA, South Carolina: Black | 122 | 2.8 | 0.26 | 0.37 | 0.04 | 49 | 0.9 | 0.13 | 0.10 | 0.02 |
| USA, South Dakota | 58 | 1.6 | 0.21 | 0.21 | 0.03 | 41 | 1.0 | 0.18 | 0.12 | 0.02 |
| USA, Tennessee | 584 | 2.2 | 0.09 | 0.27 | 0.01 | 375 | 1.1 | 0.06 | 0.12 | 0.01 |
| USA, Tennessee: White | 521 | 2.3 | 0.10 | 0.28 | 0.01 | 332 | 1.1 | 0.07 | 0.13 | 0.01 |
| USA, Tennessee: Black | 50 | 1.5 | 0.22 | 0.18 | 0.03 | 35 | 0.7 | 0.13 | 0.07 | 0.02 |
| USA, Texas | 1597 | 1.7 | 0.04 | 0.21 | 0.01 | 992 | 0.9 | 0.03 | 0.10 | 0.00 |
| USA, Texas: White | 1371 | 1.7 | 0.05 | 0.22 | 0.01 | 844 | 0.9 | 0.03 | 0.10 | 0.00 |
| USA, Texas: Black | 142 | 1.5 | 0.13 | 0.18 | 0.02 | 105 | 0.9 | 0.09 | 0.11 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 75 | 1.9 | 0.22 | 0.21 | 0.03 | 37 | 0.8 | 0.13 | 0.09 | 0.02 |
| USA, Utah | 96 | 1.0 | 0.11 | 0.12 | 0.02 | 87 | 0.9 | 0.10 | 0.09 | 0.01 |
| USA, Vermont | 52 | 1.7 | 0.24 | 0.23 | 0.04 | 31 | 0.9 | 0.18 | 0.10 | 0.02 |
| USA, Washington State | 549 | 1.9 | 0.08 | 0.22 | 0.01 | 392 | 1.1 | 0.06 | 0.13 | 0.01 |
| *USA, Washington, Seattle | 365 | 1.8 | 0.10 | 0.21 | 0.01 | 252 | 1.1 | 0.08 | 0.12 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mouth (C03–06) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 218 | 2.7 | 0.19 | 0.32 | 0.02 | 120 | 1.2 | 0.13 | 0.13 | 0.02 |
| USA, Wyoming | 33 | 1.3 | 0.24 | 0.17 | 0.03 | 31 | 1.3 | 0.26 | 0.16 | 0.03 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 16 | 1.3 | 0.35 | 0.18 | 0.06 | 7 | 0.5 | 0.18 | 0.05 | 0.02 |
| Brunei Darussalam | 7 | 0.6 | 0.21 | 0.05 | 0.02 | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| *China, Anfu County | 6 | 0.6 | 0.26 | 0.09 | 0.04 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| *China, Anguo City | 5 | 0.4 | 0.17 | 0.04 | 0.02 | 6 | 0.4 | 0.16 | 0.02 | 0.01 |
| *China, Anshan City | 71 | 1.0 | 0.14 | 0.11 | 0.02 | 33 | 0.4 | 0.07 | 0.05 | 0.01 |
| *China, Aohan Banner, Chifeng City | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |
| *China, Arongqi | 9 | 1.0 | 0.34 | 0.12 | 0.05 | 5 | 0.6 | 0.27 | 0.09 | 0.05 |
| *China, Baoding City | 26 | 0.7 | 0.13 | 0.08 | 0.02 | 15 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Beijing City | 391 | 0.9 | 0.05 | 0.11 | 0.01 | 346 | 0.7 | 0.05 | 0.09 | 0.01 |
| *China, Binhai County | 30 | 0.6 | 0.11 | 0.06 | 0.01 | 34 | 0.7 | 0.12 | 0.09 | 0.02 |
| *China, Cangzhou City | 9 | 0.5 | 0.16 | 0.05 | 0.02 | 8 | 0.5 | 0.16 | 0.06 | 0.03 |
| China, Changfeng County | 13 | 0.7 | 0.20 | 0.09 | 0.03 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| China, Changzhou City | 122 | 1.2 | 0.11 | 0.15 | 0.02 | 76 | 0.7 | 0.09 | 0.08 | 0.01 |
| China, Chengdu City | 65 | 1.8 | 0.22 | 0.20 | 0.03 | 28 | 0.7 | 0.14 | 0.09 | 0.02 |
| China, Cixian County | 5 | 0.3 | 0.15 | 0.04 | 0.02 | 15 | 0.8 | 0.21 | 0.09 | 0.03 |
| China, Cixi City | 48 | 0.9 | 0.14 | 0.11 | 0.02 | 25 | 0.4 | 0.09 | 0.04 | 0.01 |
| *China, Dafeng District, Yancheng City | 38 | 1.1 | 0.18 | 0.14 | 0.03 | 25 | 0.7 | 0.16 | 0.08 | 0.02 |
| China, Dalian City | 118 | 1.0 | 0.10 | 0.11 | 0.01 | 61 | 0.5 | 0.07 | 0.06 | 0.01 |
| *China, Dancheng County | 28 | 0.9 | 0.17 | 0.11 | 0.03 | 36 | 1.2 | 0.21 | 0.19 | 0.04 |
| China, Dangtu County | 8 | 0.7 | 0.25 | 0.08 | 0.03 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Danyang City | 21 | 0.5 | 0.12 | 0.06 | 0.02 | 12 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Dehui City | 13 | 0.4 | 0.12 | 0.05 | 0.01 | 7 | 0.2 | 0.09 | 0.03 | 0.01 |
| *China, Donggang County | 13 | 0.5 | 0.13 | 0.04 | 0.01 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Dongguan City | 45 | 1.2 | 0.18 | 0.15 | 0.03 | 25 | 0.6 | 0.12 | 0.07 | 0.02 |
| China, Donghai County | 15 | 0.3 | 0.09 | 0.04 | 0.01 | 11 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Dongtai City | 40 | 0.7 | 0.12 | 0.09 | 0.02 | 31 | 0.7 | 0.13 | 0.07 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 17 | 1.5 | 0.37 | 0.18 | 0.05 | 10 | 0.8 | 0.24 | 0.08 | 0.03 |
| *China, Evenki Autonomous Banner | 2 | 0.6 | 0.45 | 0.08 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 14 | 0.7 | 0.20 | 0.10 | 0.03 | 14 | 0.8 | 0.22 | 0.09 | 0.03 |
| *China, Fangcheng County | 8 | 0.4 | 0.13 | 0.04 | 0.02 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Feicheng City | 46 | 1.2 | 0.18 | 0.15 | 0.03 | 19 | 0.4 | 0.10 | 0.04 | 0.01 |
| China, Feixi County | 14 | 0.4 | 0.10 | 0.05 | 0.02 | 18 | 0.4 | 0.10 | 0.06 | 0.02 |
| China, Fuqing City | 34 | 1.3 | 0.23 | 0.14 | 0.03 | 23 | 0.7 | 0.17 | 0.09 | 0.03 |
| *China, Ganyu District, Lianyungang City | 21 | 0.5 | 0.11 | 0.07 | 0.02 | 12 | 0.3 | 0.09 | 0.02 | 0.01 |
| *China, Ganzhou District, Zhangye City | 4 | 0.4 | 0.20 | 0.05 | 0.03 | 2 | 0.3 | 0.23 | 0.03 | 0.02 |
| *China, Gaocheng City | 16 | 0.7 | 0.17 | 0.11 | 0.03 | 12 | 0.6 | 0.18 | 0.04 | 0.01 |
| China, Gaomi City | 19 | 0.6 | 0.14 | 0.07 | 0.02 | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| China, Gong'an County | 30 | 0.9 | 0.16 | 0.13 | 0.03 | 12 | 0.4 | 0.12 | 0.03 | 0.01 |
| *China, Guang'an District, Guang'an City | 11 | 0.5 | 0.17 | 0.06 | 0.02 | 9 | 0.5 | 0.17 | 0.09 | 0.03 |
| China, Guanghan City | 46 | 2.5 | 0.38 | 0.30 | 0.06 | 9 | 0.5 | 0.18 | 0.05 | 0.02 |
| China, Guangzhou City | 415 | 1.3 | 0.07 | 0.15 | 0.01 | 220 | 0.7 | 0.05 | 0.08 | 0.01 |
| *China, Guanyun County | 16 | 0.4 | 0.10 | 0.05 | 0.02 | 9 | 0.3 | 0.09 | 0.04 | 0.02 |
| China, Guilin City | 22 | 1.0 | 0.23 | 0.11 | 0.03 | 9 | 0.4 | 0.13 | 0.06 | 0.02 |
| *China, Hai'an City | 33 | 0.6 | 0.11 | 0.08 | 0.02 | 49 | 0.7 | 0.11 | 0.07 | 0.01 |
| China, Hailar District, Hulun Buir City | 14 | 1.1 | 0.30 | 0.12 | 0.04 | 6 | 0.5 | 0.19 | 0.03 | 0.02 |
| China, Haimen District, Nantong City | 29 | 0.6 | 0.12 | 0.06 | 0.01 | 27 | 0.6 | 0.12 | 0.08 | 0.02 |
| China, Haining City | 20 | 0.6 | 0.15 | 0.07 | 0.02 | 17 | 0.4 | 0.10 | 0.03 | 0.01 |
| China, Hangzhou City | 204 | 0.6 | 0.05 | 0.08 | 0.01 | 130 | 0.4 | 0.04 | 0.05 | 0.01 |
| China, Hebi City | 19 | 1.5 | 0.36 | 0.21 | 0.06 | 11 | 0.8 | 0.25 | 0.09 | 0.03 |
| China, Hefei City | 85 | 1.0 | 0.11 | 0.10 | 0.01 | 75 | 0.8 | 0.10 | 0.09 | 0.01 |
| China, Hengdong County | 13 | 0.8 | 0.22 | 0.09 | 0.03 | 5 | 0.3 | 0.13 | 0.02 | 0.01 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 17 | 0.5 | 0.14 | 0.06 | 0.02 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Honghu City | 24 | 0.8 | 0.17 | 0.09 | 0.02 | 8 | 0.2 | 0.08 | 0.01 | 0.01 |
| China, Hongshan District, Chifeng City | 13 | 1.1 | 0.31 | 0.14 | 0.04 | 3 | 0.2 | 0.10 | 0.01 | 0.01 |
| *China, Hongta District, Yuxi City | 7 | 0.4 | 0.16 | 0.07 | 0.03 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Huaiyin District, Huai'an City | 22 | 0.6 | 0.13 | 0.09 | 0.02 | 14 | 0.4 | 0.11 | 0.06 | 0.02 |
| *China, Jiange County | 19 | 1.2 | 0.28 | 0.13 | 0.04 | 9 | 0.5 | 0.18 | 0.07 | 0.03 |
| China, Jiangmen City | 36 | 1.5 | 0.25 | 0.21 | 0.04 | 12 | 0.4 | 0.12 | 0.04 | 0.02 |
| *China, Jiangyin City | 42 | 0.7 | 0.11 | 0.10 | 0.02 | 22 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Jiashan County | 18 | 0.8 | 0.21 | 0.10 | 0.03 | 9 | 0.5 | 0.18 | 0.05 | 0.02 |
| China, Jiayu County | 5 | 0.7 | 0.30 | 0.09 | 0.05 | 3 | 0.4 | 0.23 | 0.03 | 0.03 |
| *China, Jinan City | 87 | 0.9 | 0.10 | 0.10 | 0.01 | 43 | 0.4 | 0.06 | 0.04 | 0.01 |
| *China, Jingtai County | 3 | 0.6 | 0.38 | 0.03 | 0.02 | 6 | 0.9 | 0.36 | 0.14 | 0.06 |
| *China, Jingxian County | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 4 | 0.3 | 0.15 | 0.03 | 0.02 |
| *China, Jintan District, Changzhou City | 24 | 1.0 | 0.21 | 0.12 | 0.03 | 14 | 0.6 | 0.16 | 0.06 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 50 | 1.5 | 0.23 | 0.16 | 0.03 | 21 | 0.5 | 0.12 | 0.05 | 0.02 |
| *China, Jiyuan City | 10 | 0.5 | 0.17 | 0.06 | 0.03 | 10 | 0.5 | 0.17 | 0.05 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mouth (C03–06) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 6 | 0.5 | 0.23 | 0.07 | 0.03 | 4 | 0.4 | 0.21 | 0.04 | 0.03 |
| China, Kunshan City | 25 | 0.8 | 0.15 | 0.11 | 0.02 | 14 | 0.5 | 0.16 | 0.05 | 0.02 |
| China, Langzhong City | 24 | 1.2 | 0.26 | 0.15 | 0.04 | 14 | 0.8 | 0.21 | 0.07 | 0.03 |
| *China, Liangshan County | 15 | 0.5 | 0.13 | 0.06 | 0.02 | 7 | 0.2 | 0.09 | 0.03 | 0.01 |
| *China, Lianshui County | 34 | 0.8 | 0.14 | 0.11 | 0.02 | 31 | 0.7 | 0.13 | 0.08 | 0.02 |
| China, Lianyungang City | 31 | 0.8 | 0.14 | 0.09 | 0.02 | 13 | 0.3 | 0.09 | 0.04 | 0.01 |
| China, Linhe District, Bayannur City | 6 | 0.5 | 0.19 | 0.06 | 0.03 | 6 | 0.5 | 0.23 | 0.08 | 0.03 |
| China, Linqu County | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Linzhou City | 20 | 0.6 | 0.13 | 0.07 | 0.02 | 23 | 0.6 | 0.12 | 0.07 | 0.02 |
| China, Liuzhou City | 46 | 1.2 | 0.18 | 0.15 | 0.03 | 30 | 0.7 | 0.14 | 0.08 | 0.02 |
| China, Liyang City | 18 | 0.5 | 0.11 | 0.06 | 0.02 | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Longquan City | 11 | 1.0 | 0.33 | 0.11 | 0.05 | 3 | 0.3 | 0.17 | 0.02 | 0.02 |
| China, Lucheng District, Wenzhou City | 20 | 1.0 | 0.24 | 0.15 | 0.04 | 11 | 0.5 | 0.15 | 0.06 | 0.02 |
| China, Luoding City | 23 | 1.0 | 0.22 | 0.13 | 0.03 | 5 | 0.2 | 0.11 | 0.04 | 0.02 |
| *China, Luohe City | 20 | 0.5 | 0.11 | 0.05 | 0.01 | 15 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Luoyang City | 33 | 0.8 | 0.14 | 0.09 | 0.02 | 15 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Luquan City | 3 | 0.3 | 0.16 | 0.03 | 0.02 | 6 | 0.4 | 0.18 | 0.05 | 0.03 |
| China, Ma'anshan City | 27 | 1.2 | 0.25 | 0.10 | 0.03 | 13 | 0.5 | 0.14 | 0.06 | 0.02 |
| *China, Macheng City | 25 | 1.0 | 0.20 | 0.13 | 0.03 | 8 | 0.4 | 0.13 | 0.05 | 0.02 |
| China, Meihekou City | 14 | 0.6 | 0.16 | 0.08 | 0.02 | 9 | 0.4 | 0.14 | 0.05 | 0.02 |
| *China, Mengjin County | 12 | 1.1 | 0.33 | 0.14 | 0.05 | 4 | 0.4 | 0.19 | 0.05 | 0.03 |
| China, Nangang District, Harbin City | 37 | 0.9 | 0.15 | 0.12 | 0.02 | 15 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Nanhai District, Foshan City | 33 | 1.1 | 0.20 | 0.13 | 0.03 | 21 | 0.6 | 0.14 | 0.09 | 0.02 |
| China, Nanhu District, Jiaxing City | 15 | 0.5 | 0.15 | 0.07 | 0.02 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Nantong City | 62 | 1.1 | 0.14 | 0.14 | 0.02 | 37 | 0.6 | 0.10 | 0.07 | 0.01 |
| *China, Nanxiong City | 21 | 1.5 | 0.33 | 0.17 | 0.04 | 6 | 0.4 | 0.15 | 0.03 | 0.01 |
| China, Neixiang County | 20 | 0.8 | 0.19 | 0.09 | 0.02 | 8 | 0.4 | 0.15 | 0.05 | 0.02 |
| *China, Qianxi County | 9 | 0.6 | 0.22 | 0.10 | 0.04 | 3 | 0.2 | 0.15 | 0.05 | 0.03 |
| China, Qidong City | 23 | 0.4 | 0.08 | 0.04 | 0.01 | 19 | 0.3 | 0.07 | 0.03 | 0.01 |
| China, Qingzhou City | 17 | 0.5 | 0.13 | 0.07 | 0.02 | 13 | 0.4 | 0.10 | 0.04 | 0.02 |
| *China, Rudong County | 36 | 0.5 | 0.09 | 0.06 | 0.01 | 26 | 0.3 | 0.07 | 0.04 | 0.01 |
| *China, Rugao City | 67 | 0.9 | 0.11 | 0.11 | 0.02 | 48 | 0.5 | 0.08 | 0.07 | 0.01 |
| *China, Rural areas of Shanghai City | 389 | 0.9 | 0.05 | 0.10 | 0.01 | 224 | 0.4 | 0.04 | 0.05 | 0.00 |
| China, Ruyang County | 5 | 0.5 | 0.21 | 0.06 | 0.03 | 9 | 0.8 | 0.27 | 0.09 | 0.03 |
| *China, Shan County | 9 | 0.4 | 0.13 | 0.03 | 0.01 | 15 | 0.5 | 0.13 | 0.04 | 0.02 |
| China, Shanghai City | 340 | 0.9 | 0.06 | 0.11 | 0.01 | 234 | 0.5 | 0.04 | 0.06 | 0.01 |
| China, Shangyu District, Shaoxing City | 32 | 0.9 | 0.16 | 0.10 | 0.02 | 15 | 0.4 | 0.12 | 0.05 | 0.01 |
| *China, Shapingba District, Chongqing City | 42 | 1.2 | 0.19 | 0.13 | 0.03 | 25 | 0.7 | 0.15 | 0.10 | 0.03 |
| China, Shexian County | 4 | 0.3 | 0.15 | 0.05 | 0.03 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| China, Sheyang County | 40 | 1.0 | 0.16 | 0.13 | 0.02 | 34 | 0.7 | 0.13 | 0.07 | 0.02 |
| *China, Shijiazhuang City | 46 | 0.9 | 0.13 | 0.11 | 0.02 | 25 | 0.4 | 0.09 | 0.04 | 0.01 |
| China, Shunde District, Foshan City | 61 | 1.8 | 0.23 | 0.24 | 0.04 | 28 | 0.7 | 0.13 | 0.09 | 0.02 |
| *China, Song County | 8 | 0.5 | 0.18 | 0.06 | 0.03 | 7 | 0.5 | 0.17 | 0.06 | 0.03 |
| China, Suzhou City | 73 | 0.5 | 0.06 | 0.06 | 0.01 | 48 | 0.3 | 0.04 | 0.03 | 0.01 |
| *China, Tengzhou City | 39 | 0.7 | 0.11 | 0.08 | 0.02 | 24 | 0.5 | 0.10 | 0.06 | 0.01 |
| *China, Wangdu County | 5 | 0.7 | 0.33 | 0.07 | 0.04 | 2 | 0.3 | 0.24 | 0.05 | 0.03 |
| *China, Wan'ai County | 5 | 0.4 | 0.17 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 12 | 0.5 | 0.13 | 0.06 | 0.02 |
| China, Wuhan City | 190 | 0.9 | 0.06 | 0.10 | 0.01 | 128 | 0.5 | 0.05 | 0.06 | 0.01 |
| *China, Wuhu City | 42 | 0.8 | 0.13 | 0.08 | 0.02 | 16 | 0.3 | 0.10 | 0.03 | 0.01 |
| China, Wuxi City | 102 | 0.8 | 0.09 | 0.11 | 0.01 | 65 | 0.5 | 0.07 | 0.05 | 0.01 |
| China, Wuzhou City | 14 | 0.7 | 0.19 | 0.07 | 0.03 | 8 | 0.4 | 0.15 | 0.06 | 0.02 |
| China, Xiangfu District, Kaifeng City | 22 | 1.1 | 0.24 | 0.13 | 0.03 | 18 | 0.9 | 0.22 | 0.06 | 0.02 |
| China, Xianju County | 29 | 1.7 | 0.35 | 0.19 | 0.04 | 16 | 0.9 | 0.24 | 0.10 | 0.03 |
| *China, Xin'an County | 7 | 0.7 | 0.27 | 0.09 | 0.04 | 4 | 0.3 | 0.18 | 0.04 | 0.02 |
| *China, Xining City | 10 | 0.4 | 0.15 | 0.05 | 0.02 | 13 | 0.6 | 0.17 | 0.04 | 0.02 |
| *China, Xinji City | 10 | 0.4 | 0.12 | 0.05 | 0.02 | 12 | 0.4 | 0.13 | 0.05 | 0.02 |
| *China, Xinluo District, Longyan City | 4 | 0.3 | 0.15 | 0.04 | 0.03 | 6 | 0.3 | 0.14 | 0.01 | 0.01 |
| *China, Xinzhou District, Shangrao City | 6 | 0.4 | 0.19 | 0.05 | 0.03 | 3 | 0.2 | 0.14 | 0.03 | 0.02 |
| China, Xiping County | 16 | 0.6 | 0.17 | 0.08 | 0.02 | 3 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Xishan District, Kunming City | 9 | 0.5 | 0.17 | 0.05 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Xuyi County | 17 | 0.7 | 0.18 | 0.10 | 0.03 | 21 | 0.7 | 0.16 | 0.07 | 0.02 |
| *China, Ya'an City | 56 | 1.0 | 0.14 | 0.12 | 0.02 | 32 | 0.6 | 0.11 | 0.07 | 0.02 |
| *China, Yakeshi City | 21 | 1.4 | 0.33 | 0.18 | 0.05 | 5 | 0.4 | 0.22 | 0.03 | 0.02 |
| China, Yancheng City | 42 | 0.7 | 0.11 | 0.08 | 0.02 | 27 | 0.5 | 0.09 | 0.07 | 0.01 |
| *China, Yangquan City | 14 | 0.7 | 0.20 | 0.09 | 0.03 | 10 | 0.4 | 0.14 | 0.04 | 0.02 |
| *China, Yangzhong City | 18 | 1.2 | 0.29 | 0.14 | 0.04 | 16 | 0.9 | 0.23 | 0.09 | 0.03 |
| *China, Yanji City | 22 | 1.1 | 0.23 | 0.14 | 0.04 | 8 | 0.3 | 0.12 | 0.03 | 0.02 |
| *China, Yanshi City | 16 | 0.7 | 0.17 | 0.05 | 0.02 | 15 | 0.6 | 0.15 | 0.08 | 0.02 |
| China, Yanting County | 59 | 3.2 | 0.42 | 0.28 | 0.05 | 22 | 1.2 | 0.25 | 0.13 | 0.03 |
| *China, Yi'an District, Tongling City | 7 | 0.7 | 0.27 | 0.09 | 0.04 | 2 | 0.2 | 0.17 | 0.01 | 0.01 |
| *China, Yingdong District, Fuyang City | 13 | 0.6 | 0.18 | 0.08 | 0.02 | 7 | 0.3 | 0.12 | 0.04 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Mouth (C03–06) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 5 | 0.5 | 0.24 | 0.09 | 0.05 | 6 | 0.6 | 0.25 | 0.09 | 0.05 |
| *China, Yiyuan County | 8 | 0.4 | 0.15 | 0.06 | 0.03 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Yong'an City | 12 | 0.8 | 0.24 | 0.09 | 0.04 | 7 | 0.7 | 0.31 | 0.07 | 0.03 |
| *China, Yongding District, Longyan City | 14 | 0.9 | 0.24 | 0.10 | 0.03 | 8 | 0.5 | 0.20 | 0.04 | 0.02 |
| China, Yongkang City | 19 | 0.7 | 0.17 | 0.08 | 0.02 | 11 | 0.5 | 0.18 | 0.05 | 0.02 |
| *China, Yucheng County | 9 | 0.5 | 0.16 | 0.04 | 0.02 | 4 | 0.2 | 0.09 | 0.01 | 0.01 |
| China, Yueyanglou District, Yueyang City | 17 | 1.5 | 0.37 | 0.17 | 0.05 | 3 | 0.2 | 0.11 | 0.01 | 0.01 |
| China, Yunmeng County | 8 | 0.5 | 0.19 | 0.07 | 0.03 | 8 | 0.5 | 0.20 | 0.06 | 0.02 |
| *China, Yunyang District, Shiyao City | 5 | 0.4 | 0.18 | 0.04 | 0.02 | 1 | 0.1 | 0.12 | 0.03 | 0.03 |
| China, Yuzhong District, Chongqing City | 36 | 1.4 | 0.25 | 0.17 | 0.04 | 13 | 0.5 | 0.15 | 0.05 | 0.02 |
| *China, Zhanhuang County | 3 | 0.3 | 0.18 | 0.04 | 0.02 | 2 | 0.2 | 0.12 | 0.01 | 0.01 |
| *China, Zhangjiagang City | 34 | 0.8 | 0.13 | 0.09 | 0.02 | 16 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Zhaoyuan City | 16 | 0.6 | 0.14 | 0.08 | 0.02 | 5 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Zhengding County | 5 | 0.4 | 0.20 | 0.03 | 0.02 | 7 | 0.4 | 0.17 | 0.04 | 0.02 |
| *China, Zhongshan City | 109 | 2.1 | 0.20 | 0.25 | 0.03 | 25 | 0.4 | 0.08 | 0.04 | 0.01 |
| China, Zhongxiang City | 29 | 0.9 | 0.16 | 0.11 | 0.03 | 6 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Zhuanghe City | 25 | 0.6 | 0.11 | 0.07 | 0.02 | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Zhuhai City | 34 | 1.0 | 0.17 | 0.13 | 0.03 | 15 | 0.4 | 0.11 | 0.06 | 0.02 |
| India, Ahmedabad, Urban | 2708 | 20.7 | 0.41 | 2.27 | 0.05 | 477 | 4.0 | 0.19 | 0.46 | 0.03 |
| India, Aurangabad | 383 | 12.6 | 0.66 | 1.40 | 0.09 | 87 | 3.1 | 0.34 | 0.36 | 0.05 |
| India, Bangalore | 679 | 5.5 | 0.22 | 0.66 | 0.03 | 742 | 6.9 | 0.26 | 0.86 | 0.04 |
| India, Barshi, Paranda, and Bhum | 65 | 4.9 | 0.61 | 0.58 | 0.08 | 19 | 1.3 | 0.32 | 0.15 | 0.04 |
| *India, Bhopal | 509 | 17.4 | 0.79 | 1.95 | 0.10 | 145 | 5.8 | 0.49 | 0.72 | 0.07 |
| India, Chandigarh | 120 | 4.9 | 0.46 | 0.53 | 0.06 | 31 | 1.4 | 0.26 | 0.16 | 0.04 |
| *India, Chennai | 1358 | 10.1 | 0.28 | 1.13 | 0.04 | 506 | 3.9 | 0.18 | 0.46 | 0.02 |
| India, Dibrugarh | 174 | 6.2 | 0.48 | 0.78 | 0.07 | 80 | 2.7 | 0.31 | 0.32 | 0.04 |
| *India, Dindigul, Ambilikai | 270 | 4.3 | 0.26 | 0.48 | 0.03 | 137 | 2.2 | 0.18 | 0.27 | 0.03 |
| India, Kamrup Urban District | 335 | 13.4 | 0.76 | 1.63 | 0.11 | 150 | 6.9 | 0.58 | 0.79 | 0.08 |
| India, Kollam | 422 | 6.5 | 0.32 | 0.79 | 0.05 | 292 | 3.6 | 0.22 | 0.40 | 0.03 |
| *India, Manipur | 71 | 1.5 | 0.18 | 0.18 | 0.03 | 47 | 0.9 | 0.14 | 0.12 | 0.02 |
| India, Meghalaya | 247 | 9.5 | 0.63 | 1.17 | 0.09 | 268 | 9.7 | 0.60 | 1.21 | 0.09 |
| India, Mizoram | 72 | 3.9 | 0.48 | 0.42 | 0.06 | 42 | 2.4 | 0.38 | 0.25 | 0.05 |
| India, Mumbai | 3478 | 10.4 | 0.18 | 1.19 | 0.02 | 1199 | 4.0 | 0.12 | 0.48 | 0.02 |
| *India, New Delhi | 2506 | 10.5 | 0.22 | 1.21 | 0.03 | 571 | 2.8 | 0.12 | 0.31 | 0.02 |
| India, Poona | 1095 | 8.4 | 0.26 | 0.99 | 0.04 | 396 | 3.4 | 0.17 | 0.42 | 0.03 |
| *India, Sangrur District | 71 | 2.8 | 0.33 | 0.33 | 0.04 | 18 | 0.7 | 0.17 | 0.08 | 0.02 |
| India, SAS Nagar | 105 | 4.4 | 0.44 | 0.53 | 0.06 | 22 | 1.0 | 0.21 | 0.13 | 0.03 |
| *India, Tamil Nadu | 11462 | 5.6 | 0.05 | 0.66 | 0.01 | 6638 | 3.2 | 0.04 | 0.39 | 0.01 |
| *India, Tripura | 317 | 4.7 | 0.27 | 0.58 | 0.04 | 230 | 3.5 | 0.23 | 0.41 | 0.03 |
| India, Trivandrum | 583 | 7.1 | 0.30 | 0.86 | 0.04 | 259 | 2.8 | 0.17 | 0.37 | 0.03 |
| India, Wardha | 392 | 10.2 | 0.52 | 1.14 | 0.06 | 151 | 3.9 | 0.32 | 0.48 | 0.04 |
| India, West Arunachal | 27 | 2.2 | 0.46 | 0.23 | 0.06 | 11 | 1.1 | 0.37 | 0.13 | 0.05 |
| *Iran (Islamic Republic of), Ardabil Province | 4 | 0.2 | 0.10 | 0.03 | 0.02 | 5 | 0.3 | 0.13 | 0.03 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 14 | 0.5 | 0.15 | 0.04 | 0.01 | 11 | 0.4 | 0.13 | 0.05 | 0.02 |
| Israel | 227 | 0.9 | 0.06 | 0.10 | 0.01 | 221 | 0.7 | 0.05 | 0.07 | 0.01 |
| *Israel: Jews | 184 | 0.8 | 0.07 | 0.10 | 0.01 | 194 | 0.7 | 0.05 | 0.07 | 0.01 |
| *Israel: Arabs | 22 | 0.8 | 0.17 | 0.09 | 0.02 | 13 | 0.4 | 0.11 | 0.04 | 0.01 |
| Japan | 8080 | 1.7 | 0.02 | 0.20 | 0.00 | 6401 | 0.9 | 0.02 | 0.09 | 0.00 |
| Japan, Aichi Prefecture | 391 | 1.5 | 0.08 | 0.18 | 0.01 | 317 | 0.9 | 0.06 | 0.09 | 0.01 |
| *Japan, Akita Prefecture | 92 | 2.0 | 0.24 | 0.25 | 0.03 | 77 | 1.0 | 0.16 | 0.10 | 0.02 |
| Japan, Aomori Prefecture | 155 | 1.8 | 0.16 | 0.26 | 0.02 | 130 | 0.9 | 0.10 | 0.09 | 0.01 |
| Japan, Gunma Prefecture | 124 | 1.6 | 0.17 | 0.20 | 0.02 | 107 | 1.0 | 0.12 | 0.10 | 0.02 |
| Japan, Hiroshima Prefecture | 291 | 2.0 | 0.13 | 0.24 | 0.02 | 211 | 1.0 | 0.09 | 0.10 | 0.01 |
| Japan, Miyagi Prefecture | 234 | 1.7 | 0.13 | 0.21 | 0.02 | 205 | 1.0 | 0.10 | 0.12 | 0.01 |
| Japan, Osaka Prefecture | 590 | 1.8 | 0.08 | 0.22 | 0.01 | 466 | 1.1 | 0.06 | 0.12 | 0.01 |
| Kuwait | 67 | 0.7 | 0.12 | 0.10 | 0.02 | 28 | 0.6 | 0.12 | 0.04 | 0.01 |
| *Kuwait: Kuwaitis | 15 | 0.7 | 0.20 | 0.08 | 0.03 | 10 | 0.4 | 0.13 | 0.02 | 0.01 |
| *Kuwait: Non-Kuwaitis | 52 | 0.7 | 0.15 | 0.11 | 0.03 | 18 | 0.8 | 0.24 | 0.07 | 0.03 |
| *Philippines, Manila | 79 | 0.7 | 0.08 | 0.08 | 0.01 | 82 | 0.6 | 0.07 | 0.07 | 0.01 |
| *Qatar: Qatari | 5 | 1.2 | 0.55 | 0.14 | 0.09 | 4 | 1.0 | 0.52 | 0.16 | 0.10 |
| Republic of Korea | 2014 | 1.0 | 0.02 | 0.12 | 0.00 | 1216 | 0.5 | 0.02 | 0.06 | 0.00 |
| *Republic of Korea, Busan | 148 | 1.0 | 0.09 | 0.11 | 0.01 | 89 | 0.5 | 0.06 | 0.06 | 0.01 |
| *Republic of Korea, Daegu | 113 | 1.2 | 0.12 | 0.15 | 0.02 | 49 | 0.5 | 0.08 | 0.05 | 0.01 |
| *Republic of Korea, Daejeon | 49 | 1.0 | 0.14 | 0.13 | 0.02 | 33 | 0.5 | 0.09 | 0.06 | 0.01 |
| *Republic of Korea, Gwangju | 41 | 0.8 | 0.13 | 0.09 | 0.02 | 43 | 0.7 | 0.12 | 0.09 | 0.02 |
| Republic of Korea, Incheon | 111 | 1.0 | 0.10 | 0.11 | 0.01 | 67 | 0.6 | 0.08 | 0.07 | 0.01 |
| Republic of Korea, Jeju | 25 | 1.0 | 0.21 | 0.12 | 0.03 | 9 | 0.3 | 0.11 | 0.03 | 0.01 |
| Republic of Korea, Seoul | 407 | 1.1 | 0.06 | 0.12 | 0.01 | 231 | 0.5 | 0.04 | 0.05 | 0.00 |
| Republic of Korea, Ulsan | 26 | 0.7 | 0.14 | 0.07 | 0.02 | 18 | 0.4 | 0.09 | 0.04 | 0.01 |
| Singapore | 164 | 1.1 | 0.09 | 0.13 | 0.01 | 104 | 0.6 | 0.06 | 0.07 | 0.01 |
| Singapore: Chinese | 130 | 1.1 | 0.10 | 0.13 | 0.01 | 69 | 0.5 | 0.06 | 0.06 | 0.01 |
| Singapore: Indian | 23 | 2.1 | 0.46 | 0.24 | 0.07 | 27 | 2.3 | 0.45 | 0.23 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mouth (C03–06) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 8 | 0.6 | 0.23 | 0.10 | 0.05 | 6 | 0.3 | 0.14 | 0.04 | 0.02 |
| Thailand, Bangkok | 248 | 1.4 | 0.09 | 0.18 | 0.01 | 142 | 0.6 | 0.05 | 0.06 | 0.01 |
| *Thailand, Chiang Mai | 93 | 1.6 | 0.17 | 0.20 | 0.03 | 57 | 0.8 | 0.12 | 0.09 | 0.02 |
| *Thailand, Khon Kaen | 59 | 0.9 | 0.12 | 0.10 | 0.01 | 75 | 0.9 | 0.11 | 0.08 | 0.01 |
| Thailand, Lampang | 45 | 1.5 | 0.24 | 0.20 | 0.04 | 38 | 0.9 | 0.16 | 0.08 | 0.02 |
| Thailand, Lopburi Province | 146 | 6.5 | 0.55 | 0.69 | 0.07 | 144 | 5.7 | 0.50 | 0.57 | 0.06 |
| *Thailand, Songkhla | 123 | 2.9 | 0.27 | 0.33 | 0.04 | 33 | 0.6 | 0.11 | 0.07 | 0.02 |
| Turkey, Antalya | 54 | 0.9 | 0.12 | 0.10 | 0.02 | 42 | 0.6 | 0.10 | 0.06 | 0.01 |
| Turkey, Bursa | 39 | 0.5 | 0.08 | 0.07 | 0.01 | 36 | 0.4 | 0.07 | 0.05 | 0.01 |
| *Turkey, Edirne | 13 | 0.9 | 0.24 | 0.12 | 0.04 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| *Turkey, Erzurum | 8 | 0.5 | 0.18 | 0.07 | 0.03 | 7 | 0.3 | 0.13 | 0.03 | 0.01 |
| Turkey, Eskişehir | 18 | 0.7 | 0.16 | 0.07 | 0.02 | 13 | 0.4 | 0.12 | 0.05 | 0.02 |
| Turkey, Gaziantep | 15 | 0.4 | 0.12 | 0.06 | 0.02 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Turkey, Izmir | 120 | 0.9 | 0.08 | 0.11 | 0.01 | 89 | 0.6 | 0.07 | 0.07 | 0.01 |
| Turkey, Malatya | 11 | 0.5 | 0.16 | 0.05 | 0.02 | 10 | 0.4 | 0.13 | 0.03 | 0.01 |
| Turkey, Samsun | 24 | 0.6 | 0.12 | 0.06 | 0.02 | 16 | 0.3 | 0.08 | 0.03 | 0.01 |
| Turkey, Trabzon | 12 | 0.5 | 0.14 | 0.06 | 0.02 | 17 | 0.5 | 0.12 | 0.04 | 0.02 |
| Europe | | | | | | | | | | |
| Austria | 919 | 2.5 | 0.09 | 0.31 | 0.01 | 417 | 0.9 | 0.05 | 0.11 | 0.01 |
| Austria, Carinthia | 80 | 3.1 | 0.36 | 0.40 | 0.05 | 39 | 1.2 | 0.21 | 0.15 | 0.03 |
| Austria, Tyrol | 69 | 2.4 | 0.29 | 0.29 | 0.04 | 38 | 1.2 | 0.23 | 0.13 | 0.03 |
| Austria, Vorarlberg | 41 | 2.6 | 0.41 | 0.30 | 0.05 | 21 | 0.9 | 0.24 | 0.09 | 0.03 |
| Belarus | 1599 | 5.1 | 0.13 | 0.62 | 0.02 | 278 | 0.6 | 0.04 | 0.07 | 0.00 |
| *Belgium | 1582 | 3.4 | 0.09 | 0.44 | 0.01 | 805 | 1.4 | 0.06 | 0.18 | 0.01 |
| Croatia | 455 | 2.5 | 0.12 | 0.31 | 0.02 | 168 | 0.7 | 0.06 | 0.08 | 0.01 |
| Cyprus | 39 | 1.2 | 0.20 | 0.15 | 0.03 | 22 | 0.5 | 0.12 | 0.05 | 0.02 |
| *Czech Republic | 1177 | 2.7 | 0.08 | 0.34 | 0.01 | 548 | 1.0 | 0.05 | 0.13 | 0.01 |
| Denmark | 789 | 3.1 | 0.12 | 0.39 | 0.02 | 454 | 1.6 | 0.08 | 0.20 | 0.01 |
| Estonia | 126 | 2.6 | 0.24 | 0.31 | 0.03 | 52 | 0.7 | 0.11 | 0.09 | 0.01 |
| Finland | 441 | 1.6 | 0.08 | 0.21 | 0.01 | 408 | 1.2 | 0.07 | 0.14 | 0.01 |
| *France, Bas-Rhin | 139 | 3.9 | 0.34 | 0.50 | 0.05 | 58 | 1.4 | 0.20 | 0.17 | 0.03 |
| *France, Calvados | 137 | 4.6 | 0.42 | 0.55 | 0.05 | 61 | 1.5 | 0.22 | 0.18 | 0.03 |
| *France, Doubs | 73 | 3.3 | 0.40 | 0.42 | 0.06 | 36 | 1.3 | 0.24 | 0.14 | 0.03 |
| *France, Gironde | 229 | 3.8 | 0.26 | 0.45 | 0.03 | 120 | 1.4 | 0.16 | 0.15 | 0.02 |
| *France, Haut-Rhin | 96 | 2.9 | 0.31 | 0.33 | 0.04 | 48 | 1.2 | 0.19 | 0.13 | 0.02 |
| *France, Hérault | 181 | 4.0 | 0.31 | 0.49 | 0.04 | 66 | 1.0 | 0.14 | 0.11 | 0.02 |
| *France, Isère | 134 | 2.7 | 0.24 | 0.32 | 0.03 | 80 | 1.3 | 0.16 | 0.15 | 0.02 |
| *France, Lille-Métropole | 155 | 5.9 | 0.48 | 0.74 | 0.07 | 66 | 1.8 | 0.25 | 0.19 | 0.03 |
| *France, Limousin | 65 | 3.7 | 0.49 | 0.43 | 0.06 | 21 | 0.7 | 0.19 | 0.07 | 0.02 |
| *France, Loire-Atlantique | 268 | 5.1 | 0.32 | 0.61 | 0.04 | 98 | 1.3 | 0.15 | 0.13 | 0.02 |
| *France, Manche | 114 | 5.1 | 0.51 | 0.59 | 0.06 | 37 | 1.2 | 0.23 | 0.15 | 0.03 |
| *France, Poitou-Charentes | 323 | 3.8 | 0.23 | 0.45 | 0.03 | 158 | 1.4 | 0.13 | 0.16 | 0.02 |
| *France, Somme | 113 | 5.2 | 0.50 | 0.67 | 0.07 | 51 | 2.0 | 0.30 | 0.24 | 0.04 |
| *France, Tarn | 57 | 3.1 | 0.45 | 0.35 | 0.05 | 39 | 1.3 | 0.27 | 0.13 | 0.03 |
| *France, Territoire de Belfort | 12 | 2.3 | 0.68 | 0.23 | 0.08 | 8 | 1.5 | 0.57 | 0.19 | 0.07 |
| *France, Vendée | 134 | 4.1 | 0.38 | 0.50 | 0.05 | 47 | 1.1 | 0.19 | 0.14 | 0.03 |
| Germany, Baden-Württemberg | 734 | 2.4 | 0.09 | 0.31 | 0.01 | 409 | 1.0 | 0.06 | 0.13 | 0.01 |
| Germany, Bavaria | 1546 | 2.7 | 0.07 | 0.34 | 0.01 | 734 | 1.1 | 0.04 | 0.13 | 0.01 |
| Germany, Bremen | 107 | 3.6 | 0.37 | 0.43 | 0.05 | 77 | 1.9 | 0.25 | 0.21 | 0.03 |
| Germany, Hamburg | 212 | 2.6 | 0.19 | 0.31 | 0.03 | 139 | 1.5 | 0.14 | 0.20 | 0.02 |
| Germany, Lower Saxony | 1066 | 2.8 | 0.09 | 0.35 | 0.01 | 666 | 1.4 | 0.06 | 0.17 | 0.01 |
| Germany, North Rhine-Westphalia | 2268 | 2.7 | 0.06 | 0.34 | 0.01 | 1448 | 1.4 | 0.04 | 0.17 | 0.01 |
| Germany, Rhineland-Palatinate | 529 | 2.8 | 0.13 | 0.35 | 0.02 | 270 | 1.3 | 0.09 | 0.15 | 0.01 |
| Germany, Saarland | 201 | 4.0 | 0.30 | 0.49 | 0.04 | 111 | 1.8 | 0.19 | 0.24 | 0.03 |
| Germany, Schleswig-Holstein | 424 | 3.1 | 0.16 | 0.37 | 0.02 | 236 | 1.4 | 0.10 | 0.17 | 0.01 |
| Iceland | 20 | 1.5 | 0.36 | 0.14 | 0.04 | 15 | 0.8 | 0.24 | 0.07 | 0.03 |
| Ireland | 379 | 2.3 | 0.12 | 0.29 | 0.02 | 193 | 1.0 | 0.08 | 0.12 | 0.01 |
| *Italy, Aosta Valley | 17 | 2.7 | 0.73 | 0.27 | 0.09 | 6 | 0.8 | 0.35 | 0.06 | 0.05 |
| *Italy, Avellino | 8 | 0.7 | 0.25 | 0.08 | 0.03 | 8 | 0.4 | 0.21 | 0.04 | 0.02 |
| Italy, Basilicata | 41 | 1.2 | 0.21 | 0.13 | 0.03 | 14 | 0.4 | 0.13 | 0.04 | 0.02 |
| *Italy, Benevento | 18 | 1.8 | 0.45 | 0.19 | 0.05 | 11 | 0.5 | 0.19 | 0.04 | 0.03 |
| Italy, Bergamo | 85 | 1.6 | 0.18 | 0.18 | 0.02 | 54 | 0.8 | 0.12 | 0.09 | 0.02 |
| *Italy, Brescia | 92 | 1.7 | 0.19 | 0.21 | 0.03 | 70 | 1.0 | 0.15 | 0.12 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 44 | 1.4 | 0.22 | 0.16 | 0.03 | 32 | 0.6 | 0.13 | 0.08 | 0.02 |
| Italy, Calabria | 30 | 1.2 | 0.23 | 0.15 | 0.03 | 24 | 0.8 | 0.24 | 0.08 | 0.02 |
| *Italy, Caserta | 36 | 1.2 | 0.21 | 0.13 | 0.03 | 32 | 1.0 | 0.18 | 0.12 | 0.02 |
| *Italy, Catania, Messina, and Enna | 119 | 1.4 | 0.13 | 0.16 | 0.02 | 76 | 0.6 | 0.08 | 0.08 | 0.01 |
| Italy, Emilia-Romagna | 279 | 1.5 | 0.10 | 0.18 | 0.01 | 236 | 1.0 | 0.08 | 0.12 | 0.01 |
| Italy, Friuli-Venezia Giulia | 154 | 2.4 | 0.21 | 0.29 | 0.03 | 113 | 1.1 | 0.13 | 0.11 | 0.02 |
| Italy, Genova | 56 | 1.5 | 0.24 | 0.17 | 0.03 | 50 | 0.9 | 0.16 | 0.11 | 0.02 |
| *Italy, Lombardy, South, Pavia | 47 | 1.7 | 0.27 | 0.22 | 0.04 | 57 | 1.4 | 0.24 | 0.14 | 0.03 |
| Italy, Mantova and Cremona | 61 | 1.9 | 0.26 | 0.23 | 0.04 | 49 | 0.9 | 0.16 | 0.09 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Mouth (C03–06) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 88 | 1.3 | 0.16 | 0.16 | 0.02 | 63 | 0.8 | 0.12 | 0.08 | 0.01 |
| Italy, Milan | 266 | 1.6 | 0.11 | 0.18 | 0.01 | 203 | 0.9 | 0.07 | 0.10 | 0.01 |
| Italy, Molise | 25 | 2.7 | 0.59 | 0.32 | 0.08 | 7 | 0.6 | 0.25 | 0.07 | 0.03 |
| *Italy, Naples Centre | 39 | 1.5 | 0.25 | 0.19 | 0.04 | 32 | 0.7 | 0.16 | 0.06 | 0.02 |
| *Italy, Naples North | 42 | 1.4 | 0.21 | 0.15 | 0.03 | 35 | 0.9 | 0.16 | 0.10 | 0.02 |
| *Italy, Naples South | 69 | 1.6 | 0.20 | 0.20 | 0.03 | 57 | 1.0 | 0.15 | 0.12 | 0.02 |
| *Italy, Nuoro | 18 | 3.1 | 0.75 | 0.40 | 0.10 | 6 | 0.7 | 0.34 | 0.07 | 0.04 |
| *Italy, Palermo | 89 | 1.6 | 0.18 | 0.19 | 0.02 | 57 | 0.7 | 0.11 | 0.09 | 0.02 |
| Italy, Puglia | 296 | 1.6 | 0.10 | 0.19 | 0.01 | 191 | 0.7 | 0.06 | 0.08 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 23 | 1.0 | 0.21 | 0.13 | 0.03 | 33 | 0.9 | 0.18 | 0.12 | 0.03 |
| *Italy, Salerno | 57 | 1.5 | 0.20 | 0.17 | 0.03 | 32 | 0.7 | 0.15 | 0.08 | 0.02 |
| Italy, Sassari | 21 | 2.4 | 0.54 | 0.25 | 0.06 | 15 | 1.4 | 0.39 | 0.20 | 0.06 |
| *Italy, Sondrio | 29 | 2.8 | 0.55 | 0.33 | 0.07 | 11 | 0.7 | 0.26 | 0.09 | 0.04 |
| Italy, South Tyrol | 55 | 2.4 | 0.33 | 0.33 | 0.05 | 20 | 0.6 | 0.15 | 0.08 | 0.02 |
| *Italy, Syracuse | 25 | 1.3 | 0.29 | 0.15 | 0.04 | 14 | 0.6 | 0.17 | 0.08 | 0.03 |
| Italy, Trento | 46 | 1.7 | 0.27 | 0.20 | 0.04 | 28 | 0.8 | 0.21 | 0.07 | 0.02 |
| Italy, Turin | 257 | 2.2 | 0.15 | 0.27 | 0.02 | 204 | 1.3 | 0.12 | 0.15 | 0.01 |
| *Italy, Tuscany | 196 | 1.8 | 0.14 | 0.21 | 0.02 | 164 | 1.2 | 0.11 | 0.13 | 0.01 |
| Italy, Umbria | 68 | 1.8 | 0.24 | 0.23 | 0.03 | 31 | 0.6 | 0.13 | 0.07 | 0.02 |
| Italy, Varese | 36 | 1.5 | 0.26 | 0.21 | 0.04 | 32 | 0.9 | 0.19 | 0.09 | 0.02 |
| Italy, Veneto | 546 | 2.2 | 0.10 | 0.27 | 0.01 | 388 | 1.1 | 0.07 | 0.13 | 0.01 |
| Latvia | 218 | 3.0 | 0.21 | 0.38 | 0.03 | 58 | 0.5 | 0.08 | 0.06 | 0.01 |
| *Liechtenstein | 6 | 3.3 | 1.37 | 0.50 | 0.21 | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | 323 | 3.2 | 0.18 | 0.39 | 0.02 | 105 | 0.7 | 0.08 | 0.08 | 0.01 |
| Malta | 31 | 1.3 | 0.24 | 0.15 | 0.04 | 38 | 1.4 | 0.26 | 0.12 | 0.03 |
| *The Netherlands | 1637 | 2.1 | 0.05 | 0.27 | 0.01 | 1388 | 1.5 | 0.04 | 0.19 | 0.01 |
| Norway | 348 | 1.6 | 0.09 | 0.20 | 0.01 | 279 | 1.1 | 0.07 | 0.12 | 0.01 |
| Poland, Kielce | 85 | 1.7 | 0.19 | 0.20 | 0.02 | 43 | 0.7 | 0.11 | 0.09 | 0.02 |
| *Portugal, Azores | 43 | 6.3 | 0.96 | 0.81 | 0.13 | 3 | 0.3 | 0.18 | 0.01 | 0.01 |
| Russian Federation, Arkhangelsk | 136 | 3.6 | 0.32 | 0.45 | 0.05 | 47 | 0.9 | 0.14 | 0.09 | 0.01 |
| Russian Federation, Kaliningrad | 97 | 3.1 | 0.31 | 0.37 | 0.04 | 38 | 0.9 | 0.15 | 0.12 | 0.02 |
| Russian Federation, Karelia | 76 | 3.6 | 0.42 | 0.46 | 0.06 | 36 | 1.0 | 0.18 | 0.10 | 0.02 |
| *Russian Federation, Komi Republic | 84 | 3.2 | 0.37 | 0.40 | 0.05 | 39 | 1.1 | 0.19 | 0.14 | 0.02 |
| Russian Federation, Murmansk | 81 | 3.5 | 0.40 | 0.42 | 0.06 | 40 | 1.2 | 0.19 | 0.13 | 0.02 |
| *Russian Federation, Orenburg | 205 | 3.1 | 0.23 | 0.38 | 0.03 | 75 | 0.8 | 0.10 | 0.09 | 0.01 |
| Russian Federation, Pskov | 81 | 3.3 | 0.37 | 0.43 | 0.05 | 25 | 0.7 | 0.16 | 0.08 | 0.02 |
| *Russian Federation, Samara | 308 | 2.9 | 0.17 | 0.35 | 0.02 | 108 | 0.7 | 0.07 | 0.07 | 0.01 |
| Russian Federation, Vologda Region | 105 | 2.7 | 0.26 | 0.32 | 0.03 | 36 | 0.7 | 0.12 | 0.07 | 0.01 |
| Slovenia | 283 | 3.2 | 0.19 | 0.39 | 0.03 | 120 | 1.2 | 0.12 | 0.15 | 0.02 |
| Spain, Asturias | 78 | 2.5 | 0.30 | 0.30 | 0.04 | 39 | 0.8 | 0.15 | 0.10 | 0.02 |
| Spain, Basque Country | 246 | 3.0 | 0.20 | 0.37 | 0.03 | 156 | 1.4 | 0.13 | 0.16 | 0.02 |
| Spain, Canary Islands | 167 | 2.9 | 0.23 | 0.37 | 0.03 | 71 | 1.0 | 0.13 | 0.10 | 0.02 |
| Spain, Castellón | 61 | 2.5 | 0.33 | 0.30 | 0.04 | 36 | 1.1 | 0.21 | 0.13 | 0.03 |
| Spain, Girona | 64 | 2.1 | 0.27 | 0.22 | 0.03 | 36 | 0.7 | 0.14 | 0.08 | 0.02 |
| Spain, Granada | 88 | 2.3 | 0.26 | 0.27 | 0.03 | 36 | 0.6 | 0.14 | 0.06 | 0.02 |
| Spain, La Rioja | 35 | 2.3 | 0.42 | 0.26 | 0.05 | 19 | 1.2 | 0.30 | 0.15 | 0.04 |
| Spain, Murcia | 112 | 2.1 | 0.20 | 0.26 | 0.03 | 74 | 1.0 | 0.13 | 0.11 | 0.02 |
| Spain, Navarra | 59 | 2.6 | 0.37 | 0.31 | 0.05 | 44 | 1.5 | 0.26 | 0.19 | 0.04 |
| Spain, Salamanca | 32 | 1.6 | 0.32 | 0.21 | 0.05 | 11 | 0.6 | 0.25 | 0.05 | 0.02 |
| Spain, Tarragona | 94 | 2.7 | 0.29 | 0.32 | 0.04 | 46 | 1.1 | 0.20 | 0.12 | 0.02 |
| *Sweden | 624 | 1.3 | 0.06 | 0.16 | 0.01 | 607 | 1.1 | 0.05 | 0.13 | 0.01 |
| Switzerland, Aargau | 48 | 1.7 | 0.27 | 0.22 | 0.04 | 36 | 1.1 | 0.22 | 0.13 | 0.03 |
| Switzerland, Basel | 49 | 2.2 | 0.33 | 0.26 | 0.04 | 31 | 1.3 | 0.25 | 0.16 | 0.03 |
| Switzerland, Berne Solothurn | 109 | 2.9 | 0.29 | 0.35 | 0.04 | 57 | 1.2 | 0.18 | 0.14 | 0.02 |
| Switzerland, East | 64 | 1.8 | 0.23 | 0.23 | 0.03 | 46 | 1.1 | 0.17 | 0.14 | 0.03 |
| *Switzerland, Fribourg | 33 | 2.7 | 0.48 | 0.36 | 0.07 | 14 | 1.1 | 0.31 | 0.16 | 0.04 |
| Switzerland, Geneva | 52 | 2.9 | 0.42 | 0.37 | 0.06 | 29 | 1.3 | 0.25 | 0.18 | 0.04 |
| *Switzerland, Graubünden and Glarus | 21 | 2.0 | 0.43 | 0.27 | 0.06 | 11 | 1.1 | 0.34 | 0.12 | 0.04 |
| *Switzerland, Lucerne | 33 | 1.4 | 0.24 | 0.19 | 0.04 | 33 | 1.3 | 0.26 | 0.12 | 0.03 |
| *Switzerland, Neuchâtel and Jura | 20 | 1.9 | 0.44 | 0.21 | 0.05 | 17 | 1.2 | 0.32 | 0.16 | 0.05 |
| Switzerland, Ticino | 35 | 2.0 | 0.36 | 0.25 | 0.05 | 34 | 1.6 | 0.34 | 0.18 | 0.04 |
| Switzerland, Valais | 48 | 3.2 | 0.48 | 0.39 | 0.06 | 17 | 0.9 | 0.25 | 0.10 | 0.03 |
| Switzerland, Vaud | 101 | 3.4 | 0.35 | 0.46 | 0.05 | 40 | 0.9 | 0.16 | 0.10 | 0.02 |
| Switzerland, Zurich and Zug | 130 | 2.0 | 0.18 | 0.25 | 0.02 | 84 | 1.1 | 0.13 | 0.13 | 0.02 |
| Ukraine | 4287 | 3.6 | 0.06 | 0.44 | 0.01 | 883 | 0.5 | 0.02 | 0.06 | 0.00 |
| UK, England | 5173 | 2.3 | 0.03 | 0.28 | 0.00 | 3726 | 1.3 | 0.02 | 0.16 | 0.00 |
| UK, Northern Ireland | 150 | 2.1 | 0.18 | 0.25 | 0.02 | 108 | 1.2 | 0.12 | 0.15 | 0.02 |
| UK, Scotland | 669 | 2.8 | 0.11 | 0.36 | 0.02 | 443 | 1.5 | 0.08 | 0.17 | 0.01 |
| UK, Wales | 329 | 2.4 | 0.14 | 0.29 | 0.02 | 222 | 1.3 | 0.10 | 0.16 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 628 | 1.9 | 0.08 | 0.24 | 0.01 | 444 | 1.1 | 0.06 | 0.13 | 0.01 |
| *Australia, Northern Territory | 25 | 3.5 | 0.72 | 0.38 | 0.09 | 10 | 1.5 | 0.49 | 0.14 | 0.06 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Mouth (C03–06) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 20 | 3.4 | 0.77 | 0.37 | 0.10 | 7 | 1.4 | 0.53 | 0.14 | 0.07 |
| *Australia, Northern Territory: Indigenous | 5 | 3.4 | 1.53 | 0.37 | 0.17 | 3 | 1.9 | 1.11 | 0.11 | 0.08 |
| *Australia, Queensland | 427 | 2.4 | 0.12 | 0.29 | 0.02 | 284 | 1.3 | 0.08 | 0.15 | 0.01 |
| Australia, South Australia | 115 | 1.6 | 0.16 | 0.20 | 0.02 | 83 | 0.9 | 0.12 | 0.12 | 0.02 |
| Australia, Tasmania | 43 | 1.7 | 0.28 | 0.22 | 0.04 | 33 | 1.3 | 0.25 | 0.15 | 0.03 |
| *Australia, Victoria | 402 | 1.7 | 0.09 | 0.20 | 0.01 | 305 | 1.0 | 0.07 | 0.12 | 0.01 |
| *Australia, Western Australia | 163 | 1.7 | 0.14 | 0.21 | 0.02 | 99 | 0.9 | 0.10 | 0.11 | 0.01 |
| *France, New Caledonia | 18 | 2.2 | 0.53 | 0.23 | 0.07 | 8 | 0.9 | 0.34 | 0.12 | 0.05 |
| New Zealand | 278 | 1.5 | 0.10 | 0.17 | 0.01 | 240 | 1.0 | 0.07 | 0.11 | 0.01 |
| *New Zealand: Maori | 26 | 1.6 | 0.32 | 0.20 | 0.05 | 15 | 0.8 | 0.21 | 0.10 | 0.04 |
| *New Zealand: Pacific peoples | 13 | 2.1 | 0.58 | 0.33 | 0.11 | 12 | 1.8 | 0.53 | 0.24 | 0.08 |
| *New Zealand: Other | 219 | 1.4 | 0.11 | 0.16 | 0.01 | 202 | 1.1 | 0.09 | 0.11 | 0.01 |
| USA, Hawaii | 94 | 1.6 | 0.17 | 0.19 | 0.02 | 76 | 1.1 | 0.15 | 0.11 | 0.02 |
| USA, Hawaii: White | 43 | 2.2 | 0.35 | 0.27 | 0.05 | 22 | 1.0 | 0.25 | 0.10 | 0.03 |
| *USA, Hawaii: Japanese | 14 | 0.9 | 0.31 | 0.11 | 0.04 | 21 | 0.9 | 0.30 | 0.10 | 0.04 |
| *USA, Hawaii: Chinese | 5 | 0.6 | 0.31 | 0.04 | 0.04 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *USA, Hawaii: Hawaiian | 10 | 1.2 | 0.38 | 0.17 | 0.06 | 12 | 1.4 | 0.42 | 0.16 | 0.05 |
| *USA, Hawaii: Filipino | 10 | 1.1 | 0.36 | 0.13 | 0.05 | 14 | 1.3 | 0.41 | 0.14 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Salivary glands (C07–08)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 11 | 0.7 | 0.21 | 0.06 | 0.03 | 5 | 0.3 | 0.14 | 0.03 | 0.02 |
| *Algeria, Tizi Ouzou | 7 | 0.5 | 0.20 | 0.08 | 0.03 | 7 | 0.3 | 0.14 | 0.03 | 0.02 |
| *Benin, Cotonou | 10 | 1.8 | 0.65 | 0.21 | 0.10 | 10 | 1.4 | 0.48 | 0.21 | 0.08 |
| *France, La Réunion | 4 | 0.2 | 0.09 | 0.03 | 0.02 | 12 | 0.5 | 0.14 | 0.04 | 0.01 |
| *Kenya, Eldoret | 4 | 0.5 | 0.24 | 0.09 | 0.05 | 8 | 0.6 | 0.22 | 0.07 | 0.04 |
| *Kenya, Nairobi | 23 | 0.5 | 0.14 | 0.06 | 0.02 | 20 | 0.6 | 0.17 | 0.08 | 0.03 |
| Mauritius | 19 | 0.5 | 0.11 | 0.06 | 0.02 | 28 | 0.7 | 0.13 | 0.07 | 0.01 |
| *Morocco, Casablanca | 55 | 0.5 | 0.07 | 0.06 | 0.01 | 47 | 0.4 | 0.06 | 0.04 | 0.01 |
| *Seychelles | 1 | 0.3 | 0.31 | 0.03 | 0.03 | 1 | 0.4 | 0.37 | 0.05 | 0.05 |
| *South Africa, Eastern Cape | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 5 | 0.3 | 0.16 | 0.05 | 0.02 |
| *Uganda, Kyadondo County | 17 | 0.7 | 0.20 | 0.09 | 0.03 | 13 | 0.5 | 0.15 | 0.05 | 0.02 |
| *Uganda, Gulu | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *Zimbabwe, Bulawayo: African | 6 | 0.7 | 0.29 | 0.07 | 0.03 | 5 | 0.5 | 0.22 | 0.02 | 0.02 |
| *Zimbabwe, Harare: African | 16 | 0.8 | 0.24 | 0.10 | 0.04 | 18 | 0.8 | 0.22 | 0.09 | 0.03 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 20 | 0.9 | 0.20 | 0.10 | 0.03 | 14 | 0.5 | 0.13 | 0.06 | 0.02 |
| *Argentina, Mendoza | 49 | 1.0 | 0.14 | 0.11 | 0.02 | 24 | 0.4 | 0.09 | 0.05 | 0.01 |
| Brazil, Aracaju | 10 | 1.0 | 0.31 | 0.10 | 0.04 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| *Brazil, Barretos | 9 | 0.7 | 0.24 | 0.04 | 0.02 | 7 | 0.4 | 0.17 | 0.05 | 0.02 |
| Brazil, Belo Horizonte | 47 | 0.7 | 0.10 | 0.08 | 0.01 | 49 | 0.6 | 0.09 | 0.05 | 0.01 |
| *Brazil, Campinas | 21 | 0.9 | 0.20 | 0.07 | 0.02 | 23 | 0.7 | 0.16 | 0.08 | 0.02 |
| *Brazil, Curitiba | 33 | 0.8 | 0.15 | 0.10 | 0.02 | 19 | 0.3 | 0.08 | 0.04 | 0.01 |
| Brazil, Goiânia | 26 | 1.0 | 0.20 | 0.11 | 0.03 | 16 | 0.5 | 0.12 | 0.05 | 0.02 |
| *Brazil, Jaú | 1 | 0.3 | 0.26 | 0.03 | 0.03 | 1 | 0.2 | 0.23 | 0.04 | 0.04 |
| Brazil, João Pessoa | 7 | 0.7 | 0.28 | 0.09 | 0.04 | 14 | 0.9 | 0.25 | 0.11 | 0.04 |
| Brazil, Recife | 17 | 0.7 | 0.17 | 0.06 | 0.02 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| Chile, Region of Antofagasta | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 7 | 0.8 | 0.29 | 0.10 | 0.04 |
| Chile, Valdivia | 3 | 0.2 | 0.14 | 0.02 | 0.01 | 5 | 0.3 | 0.16 | 0.04 | 0.02 |
| Colombia, Bucaramanga | 30 | 0.9 | 0.17 | 0.07 | 0.02 | 15 | 0.4 | 0.10 | 0.05 | 0.02 |
| Colombia, Cali | 63 | 1.0 | 0.13 | 0.11 | 0.02 | 48 | 0.6 | 0.09 | 0.06 | 0.01 |
| Colombia, Manizales | 11 | 0.9 | 0.27 | 0.10 | 0.04 | 8 | 0.5 | 0.16 | 0.05 | 0.02 |
| Colombia, Pasto | 8 | 0.8 | 0.29 | 0.09 | 0.04 | 7 | 0.5 | 0.18 | 0.02 | 0.01 |
| Costa Rica | 63 | 0.6 | 0.08 | 0.07 | 0.01 | 65 | 0.6 | 0.08 | 0.07 | 0.01 |
| Ecuador, Guayaquil | 30 | 0.6 | 0.10 | 0.06 | 0.02 | 24 | 0.4 | 0.08 | 0.04 | 0.01 |
| Ecuador, Manabí | 22 | 0.6 | 0.14 | 0.07 | 0.02 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| Ecuador, Quito | 26 | 0.6 | 0.12 | 0.06 | 0.02 | 34 | 0.7 | 0.12 | 0.07 | 0.02 |
| *France, Guadeloupe | 12 | 0.8 | 0.26 | 0.07 | 0.02 | 6 | 0.5 | 0.21 | 0.04 | 0.02 |
| *France, Martinique | 8 | 0.4 | 0.17 | 0.05 | 0.02 | 15 | 0.8 | 0.21 | 0.11 | 0.03 |
| *Peru, Lima | 86 | 0.6 | 0.07 | 0.07 | 0.01 | 66 | 0.4 | 0.05 | 0.04 | 0.01 |
| *Trinidad and Tobago | 23 | 1.0 | 0.20 | 0.10 | 0.03 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| USA, Puerto Rico | 151 | 1.0 | 0.09 | 0.09 | 0.01 | 92 | 0.6 | 0.07 | 0.05 | 0.01 |
| *Uruguay | 94 | 0.8 | 0.08 | 0.09 | 0.01 | 72 | 0.5 | 0.06 | 0.05 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 94 | 0.6 | 0.07 | 0.08 | 0.01 | 103 | 0.7 | 0.08 | 0.07 | 0.01 |
| Canada, British Columbia | 172 | 0.7 | 0.06 | 0.07 | 0.01 | 153 | 0.7 | 0.07 | 0.08 | 0.01 |
| *Canada, Manitoba | 22 | 0.4 | 0.09 | 0.05 | 0.01 | 30 | 0.6 | 0.13 | 0.06 | 0.01 |
| *Canada, New Brunswick | 21 | 0.5 | 0.14 | 0.05 | 0.01 | 17 | 0.5 | 0.15 | 0.04 | 0.01 |
| *Canada, Newfoundland and Labrador | 14 | 0.5 | 0.15 | 0.07 | 0.02 | 14 | 0.7 | 0.23 | 0.07 | 0.02 |
| Canada, Ontario | 761 | 1.2 | 0.05 | 0.13 | 0.01 | 478 | 0.8 | 0.04 | 0.08 | 0.00 |
| *Canada, Prince Edward Island | 4 | 0.4 | 0.22 | 0.02 | 0.02 | 4 | 0.7 | 0.36 | 0.08 | 0.04 |
| Canada, Quebec | 341 | 0.8 | 0.05 | 0.09 | 0.01 | 281 | 0.8 | 0.05 | 0.08 | 0.01 |
| Canada, Saskatchewan | 42 | 0.9 | 0.14 | 0.09 | 0.02 | 26 | 0.6 | 0.13 | 0.05 | 0.01 |
| *Canada, Yukon | 2 | 1.3 | 0.92 | 0.25 | 0.19 | 0 | – | 0.00 | – | 0.00 |
| USA | 13413 | 1.0 | 0.01 | 0.11 | 0.00 | 9418 | 0.7 | 0.01 | 0.08 | 0.00 |
| USA: White | 11702 | 1.0 | 0.01 | 0.11 | 0.00 | 7537 | 0.7 | 0.01 | 0.07 | 0.00 |
| USA: Black | 1084 | 0.9 | 0.03 | 0.10 | 0.00 | 1285 | 0.8 | 0.02 | 0.09 | 0.00 |
| USA, NPCR | 12956 | 1.0 | 0.01 | 0.11 | 0.00 | 9065 | 0.7 | 0.01 | 0.08 | 0.00 |
| USA, NPCR: White | 11311 | 1.0 | 0.01 | 0.11 | 0.00 | 7262 | 0.7 | 0.01 | 0.07 | 0.00 |
| USA, NPCR: Black | 1062 | 0.9 | 0.03 | 0.10 | 0.00 | 1268 | 0.8 | 0.02 | 0.09 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 432 | 0.8 | 0.04 | 0.09 | 0.01 | 422 | 0.7 | 0.03 | 0.07 | 0.00 |
| USA, NPCR: American Indian | 44 | 0.4 | 0.06 | 0.04 | 0.01 | 42 | 0.3 | 0.05 | 0.04 | 0.01 |
| *USA, SEER (18 registries) | 3604 | 1.0 | 0.02 | 0.11 | 0.00 | 2520 | 0.7 | 0.02 | 0.08 | 0.00 |
| *USA, SEER (18 registries): White | 2995 | 1.0 | 0.02 | 0.11 | 0.00 | 1896 | 0.7 | 0.02 | 0.07 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 2670 | 1.1 | 0.02 | 0.12 | 0.00 | 1587 | 0.7 | 0.02 | 0.08 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 325 | 0.7 | 0.04 | 0.08 | 0.01 | 309 | 0.6 | 0.04 | 0.07 | 0.00 |
| *USA, SEER (18 registries): Black | 273 | 0.8 | 0.05 | 0.09 | 0.01 | 313 | 0.8 | 0.05 | 0.09 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 271 | 0.8 | 0.05 | 0.10 | 0.01 | 258 | 0.7 | 0.05 | 0.07 | 0.01 |
| *USA, SEER (9 registries) | 1162 | 1.0 | 0.03 | 0.10 | 0.00 | 898 | 0.8 | 0.03 | 0.08 | 0.00 |
| *USA, SEER (9 registries): White | 930 | 0.9 | 0.03 | 0.10 | 0.00 | 659 | 0.7 | 0.03 | 0.08 | 0.00 |
| *USA, SEER (9 registries): Black | 111 | 1.0 | 0.10 | 0.11 | 0.01 | 114 | 0.9 | 0.08 | 0.09 | 0.01 |
| USA, Alabama | 266 | 1.3 | 0.08 | 0.15 | 0.01 | 167 | 0.8 | 0.07 | 0.09 | 0.01 |
| USA, Alabama: White | 230 | 1.4 | 0.10 | 0.16 | 0.01 | 121 | 0.8 | 0.08 | 0.09 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Salivary glands (C07–08) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 33 | 0.9 | <i>0.16</i> | 0.09 | <i>0.02</i> | 43 | 0.9 | <i>0.14</i> | 0.10 | <i>0.02</i> |
| USA, Alaska | 12 | 0.5 | <i>0.14</i> | 0.04 | <i>0.02</i> | 14 | 0.6 | <i>0.17</i> | 0.05 | <i>0.02</i> |
| *USA, Alaska: Alaska Natives | 1 | 0.3 | <i>0.30</i> | 0.02 | <i>0.02</i> | 5 | 1.4 | <i>0.62</i> | 0.16 | <i>0.08</i> |
| USA, Arizona | 282 | 0.9 | <i>0.06</i> | 0.09 | <i>0.01</i> | 167 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> |
| USA, Arizona: White | 272 | 0.9 | <i>0.06</i> | 0.10 | <i>0.01</i> | 153 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| USA, Arizona: Black | 2 | 0.2 | <i>0.12</i> | 0.02 | <i>0.01</i> | 2 | 0.2 | <i>0.14</i> | 0.03 | <i>0.02</i> |
| *USA, Arizona: Asian and Pacific Islander | 3 | 0.3 | <i>0.20</i> | 0.02 | <i>0.01</i> | 5 | 0.6 | <i>0.30</i> | 0.05 | <i>0.02</i> |
| USA, Arizona: American Indian | 5 | 0.6 | <i>0.27</i> | 0.07 | <i>0.03</i> | 5 | 0.5 | <i>0.22</i> | 0.05 | <i>0.02</i> |
| USA, Arkansas | 147 | 1.1 | <i>0.09</i> | 0.11 | <i>0.01</i> | 96 | 0.9 | <i>0.10</i> | 0.09 | <i>0.01</i> |
| USA, Arkansas: White | 134 | 1.0 | <i>0.10</i> | 0.11 | <i>0.01</i> | 72 | 0.7 | <i>0.10</i> | 0.07 | <i>0.01</i> |
| USA, Arkansas: Black | 10 | 0.8 | <i>0.24</i> | 0.07 | <i>0.02</i> | 22 | 1.5 | <i>0.32</i> | 0.14 | <i>0.03</i> |
| USA, California | 1472 | 1.0 | <i>0.03</i> | 0.11 | <i>0.00</i> | 970 | 0.6 | <i>0.02</i> | 0.07 | <i>0.00</i> |
| USA, California: White | 1210 | 1.0 | <i>0.03</i> | 0.11 | <i>0.00</i> | 725 | 0.6 | <i>0.03</i> | 0.07 | <i>0.00</i> |
| USA, California: Black | 58 | 0.7 | <i>0.09</i> | 0.08 | <i>0.01</i> | 64 | 0.7 | <i>0.09</i> | 0.07 | <i>0.01</i> |
| USA, California: Asian and Pacific Islander | 174 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 166 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| *USA, California, Los Angeles County | 303 | 0.8 | <i>0.05</i> | 0.10 | <i>0.01</i> | 231 | 0.6 | <i>0.04</i> | 0.07 | <i>0.01</i> |
| *USA, California, Los Angeles County: White | 234 | 0.9 | <i>0.06</i> | 0.10 | <i>0.01</i> | 163 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| *USA, California, Los Angeles County: Non-Hispanic White | 165 | 1.1 | <i>0.09</i> | 0.13 | <i>0.01</i> | 94 | 0.7 | <i>0.10</i> | 0.08 | <i>0.01</i> |
| *USA, California, Los Angeles County: Hispanic White | 69 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 69 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| *USA, California, Los Angeles County: Black | 19 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> | 21 | 0.5 | <i>0.13</i> | 0.06 | <i>0.01</i> |
| *USA, California, Los Angeles County: Chinese | 7 | 0.3 | <i>0.13</i> | 0.05 | <i>0.02</i> | 8 | 0.4 | <i>0.14</i> | 0.04 | <i>0.02</i> |
| *USA, California, Los Angeles County: Filipino | 10 | 0.9 | <i>0.27</i> | 0.12 | <i>0.04</i> | 13 | 0.8 | <i>0.22</i> | 0.08 | <i>0.02</i> |
| *USA, California, Los Angeles County: Korean | 5 | 0.7 | <i>0.38</i> | 0.07 | <i>0.04</i> | 3 | 0.3 | <i>0.18</i> | 0.02 | <i>0.01</i> |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 44 | 0.8 | <i>0.13</i> | 0.10 | <i>0.02</i> | 43 | 0.6 | <i>0.10</i> | 0.07 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area | 167 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 120 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: White | 112 | 0.9 | <i>0.09</i> | 0.10 | <i>0.01</i> | 74 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 94 | 0.9 | <i>0.10</i> | 0.10 | <i>0.01</i> | 58 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Hispanic White | 18 | 0.8 | <i>0.20</i> | 0.09 | <i>0.03</i> | 16 | 0.6 | <i>0.16</i> | 0.07 | <i>0.02</i> |
| *USA, California, San Francisco Bay Area: Black | 13 | 0.9 | <i>0.25</i> | 0.11 | <i>0.04</i> | 11 | 0.8 | <i>0.26</i> | 0.09 | <i>0.03</i> |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 39 | 0.9 | <i>0.15</i> | 0.11 | <i>0.02</i> | 35 | 0.7 | <i>0.12</i> | 0.07 | <i>0.01</i> |
| USA, Colorado | 195 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 128 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> |
| USA, Colorado: White | 182 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 116 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| *USA, Colorado: Black | 7 | 0.9 | <i>0.35</i> | 0.08 | <i>0.04</i> | 6 | 0.9 | <i>0.35</i> | 0.11 | <i>0.05</i> |
| *USA, Colorado: Asian and Pacific Islander | 3 | 0.6 | <i>0.37</i> | 0.11 | <i>0.07</i> | 5 | 0.7 | <i>0.31</i> | 0.08 | <i>0.04</i> |
| USA, Connecticut | 138 | 0.9 | <i>0.08</i> | 0.09 | <i>0.01</i> | 133 | 0.9 | <i>0.09</i> | 0.10 | <i>0.01</i> |
| USA, Connecticut: White | 121 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 114 | 0.9 | <i>0.10</i> | 0.10 | <i>0.01</i> |
| USA, Connecticut: Black | 14 | 1.1 | <i>0.31</i> | 0.10 | <i>0.03</i> | 12 | 0.8 | <i>0.24</i> | 0.08 | <i>0.03</i> |
| USA, District of Columbia | 24 | 1.3 | <i>0.28</i> | 0.14 | <i>0.04</i> | 27 | 1.1 | <i>0.22</i> | 0.14 | <i>0.03</i> |
| USA, District of Columbia: White | 13 | 1.4 | <i>0.39</i> | 0.18 | <i>0.06</i> | 10 | 1.0 | <i>0.33</i> | 0.15 | <i>0.05</i> |
| USA, District of Columbia: Black | 10 | 1.1 | <i>0.37</i> | 0.11 | <i>0.04</i> | 15 | 1.3 | <i>0.35</i> | 0.13 | <i>0.04</i> |
| USA, Florida | 1021 | 1.0 | <i>0.04</i> | 0.11 | <i>0.00</i> | 644 | 0.7 | <i>0.03</i> | 0.07 | <i>0.00</i> |
| USA, Florida: White | 909 | 1.0 | <i>0.04</i> | 0.11 | <i>0.00</i> | 518 | 0.7 | <i>0.03</i> | 0.07 | <i>0.00</i> |
| USA, Florida: Black | 79 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 97 | 0.8 | <i>0.08</i> | 0.09 | <i>0.01</i> |
| USA, Florida: Asian and Pacific Islander | 9 | 0.5 | <i>0.16</i> | 0.04 | <i>0.02</i> | 16 | 0.7 | <i>0.16</i> | 0.07 | <i>0.02</i> |
| USA, Georgia | 453 | 1.2 | <i>0.06</i> | 0.13 | <i>0.01</i> | 288 | 0.8 | <i>0.05</i> | 0.08 | <i>0.01</i> |
| USA, Georgia: White | 366 | 1.3 | <i>0.07</i> | 0.14 | <i>0.01</i> | 168 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| USA, Georgia: Black | 74 | 0.9 | <i>0.10</i> | 0.09 | <i>0.01</i> | 108 | 1.0 | <i>0.09</i> | 0.11 | <i>0.01</i> |
| USA, Georgia: Asian and Pacific Islander | 12 | 1.0 | <i>0.28</i> | 0.07 | <i>0.03</i> | 11 | 0.7 | <i>0.23</i> | 0.07 | <i>0.02</i> |
| *USA, Georgia, Atlanta | 116 | 1.0 | <i>0.10</i> | 0.09 | <i>0.01</i> | 84 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| *USA, Georgia, Atlanta: White | 68 | 0.9 | <i>0.12</i> | 0.09 | <i>0.02</i> | 32 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| *USA, Georgia, Atlanta: Black | 38 | 1.0 | <i>0.16</i> | 0.10 | <i>0.02</i> | 46 | 0.9 | <i>0.13</i> | 0.09 | <i>0.02</i> |
| USA, Idaho | 80 | 1.1 | <i>0.13</i> | 0.12 | <i>0.02</i> | 53 | 0.9 | <i>0.13</i> | 0.10 | <i>0.01</i> |
| USA, Indiana | 278 | 1.0 | <i>0.06</i> | 0.10 | <i>0.01</i> | 185 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> |
| USA, Indiana: White | 262 | 1.0 | <i>0.07</i> | 0.10 | <i>0.01</i> | 165 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| USA, Indiana: Black | 11 | 0.6 | <i>0.19</i> | 0.07 | <i>0.03</i> | 18 | 0.8 | <i>0.20</i> | 0.08 | <i>0.02</i> |
| *USA, Iowa | 153 | 1.1 | <i>0.10</i> | 0.12 | <i>0.01</i> | 107 | 0.8 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| USA, Kentucky | 179 | 1.0 | <i>0.08</i> | 0.10 | <i>0.01</i> | 137 | 0.7 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| USA, Louisiana | 174 | 1.0 | <i>0.08</i> | 0.11 | <i>0.01</i> | 132 | 0.7 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| USA, Louisiana: White | 135 | 1.0 | <i>0.09</i> | 0.11 | <i>0.01</i> | 87 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> |
| USA, Louisiana: Black | 37 | 0.9 | <i>0.15</i> | 0.10 | <i>0.02</i> | 44 | 0.9 | <i>0.13</i> | 0.09 | <i>0.02</i> |
| *USA, Louisiana, New Orleans | 32 | 1.0 | <i>0.19</i> | 0.12 | <i>0.03</i> | 28 | 0.7 | <i>0.14</i> | 0.07 | <i>0.02</i> |
| *USA, Louisiana, New Orleans: White | 22 | 1.0 | <i>0.22</i> | 0.12 | <i>0.03</i> | 18 | 0.7 | <i>0.19</i> | 0.07 | <i>0.02</i> |
| *USA, Louisiana, New Orleans: Black | 9 | 0.9 | <i>0.32</i> | 0.10 | <i>0.04</i> | 10 | 0.7 | <i>0.22</i> | 0.08 | <i>0.03</i> |
| USA, Maine | 52 | 0.8 | <i>0.12</i> | 0.08 | <i>0.02</i> | 42 | 0.6 | <i>0.11</i> | 0.06 | <i>0.01</i> |
| USA, Maryland | 227 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 177 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> |
| USA, Maryland: White | 176 | 1.0 | <i>0.08</i> | 0.11 | <i>0.01</i> | 102 | 0.7 | <i>0.08</i> | 0.07 | <i>0.01</i> |
| USA, Maryland: Black | 46 | 0.8 | <i>0.12</i> | 0.10 | <i>0.02</i> | 66 | 0.9 | <i>0.12</i> | 0.10 | <i>0.01</i> |
| USA, Maryland: Asian and Pacific Islander | 5 | 0.4 | <i>0.19</i> | 0.05 | <i>0.02</i> | 9 | 0.6 | <i>0.20</i> | 0.08 | <i>0.03</i> |
| USA, Massachusetts | 256 | 0.9 | <i>0.06</i> | 0.10 | <i>0.01</i> | 220 | 0.8 | <i>0.06</i> | 0.08 | <i>0.01</i> |
| USA, Massachusetts: White | 229 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 191 | 0.8 | <i>0.06</i> | 0.08 | <i>0.01</i> |
| USA, Massachusetts: Black | 11 | 0.7 | <i>0.20</i> | 0.07 | <i>0.03</i> | 14 | 0.7 | <i>0.20</i> | 0.08 | <i>0.02</i> |
| USA, Massachusetts: Asian and Pacific Islander | 11 | 1.0 | <i>0.29</i> | 0.14 | <i>0.05</i> | 10 | 0.7 | <i>0.22</i> | 0.08 | <i>0.03</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Salivary glands (C07–08) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 391 | 0.9 | <i>0.05</i> | 0.09 | <i>0.01</i> | 318 | 0.7 | <i>0.05</i> | 0.08 | <i>0.01</i> |
| USA, Michigan: White | 347 | 0.9 | <i>0.05</i> | 0.09 | <i>0.01</i> | 263 | 0.7 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| USA, Michigan: Black | 39 | 0.9 | <i>0.15</i> | 0.11 | <i>0.02</i> | 46 | 0.9 | <i>0.14</i> | 0.10 | <i>0.02</i> |
| USA, Michigan: Asian and Pacific Islander | 5 | 0.6 | <i>0.27</i> | 0.06 | <i>0.03</i> | 5 | 0.5 | <i>0.23</i> | 0.09 | <i>0.04</i> |
| *USA, Michigan, Detroit | 165 | 1.0 | <i>0.08</i> | 0.10 | <i>0.01</i> | 140 | 0.9 | <i>0.08</i> | 0.10 | <i>0.01</i> |
| *USA, Michigan, Detroit: White | 135 | 1.1 | <i>0.10</i> | 0.10 | <i>0.01</i> | 101 | 0.8 | <i>0.10</i> | 0.09 | <i>0.01</i> |
| *USA, Michigan, Detroit: Black | 26 | 0.8 | <i>0.16</i> | 0.10 | <i>0.02</i> | 36 | 1.0 | <i>0.18</i> | 0.11 | <i>0.02</i> |
| USA, Minnesota | 200 | 0.9 | <i>0.07</i> | 0.09 | <i>0.01</i> | 180 | 0.8 | <i>0.07</i> | 0.09 | <i>0.01</i> |
| USA, Minnesota: White | 183 | 0.9 | <i>0.07</i> | 0.09 | <i>0.01</i> | 163 | 0.8 | <i>0.07</i> | 0.09 | <i>0.01</i> |
| USA, Minnesota: Black | 7 | 0.9 | <i>0.37</i> | 0.08 | <i>0.04</i> | 5 | 0.6 | <i>0.29</i> | 0.07 | <i>0.04</i> |
| *USA, Minnesota: Asian and Pacific Islander | 7 | 1.2 | <i>0.45</i> | 0.13 | <i>0.05</i> | 10 | 1.5 | <i>0.49</i> | 0.20 | <i>0.07</i> |
| USA, Mississippi | 127 | 1.1 | <i>0.10</i> | 0.12 | <i>0.01</i> | 102 | 0.9 | <i>0.10</i> | 0.09 | <i>0.01</i> |
| USA, Missouri | 255 | 1.0 | <i>0.07</i> | 0.11 | <i>0.01</i> | 164 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| USA, Missouri: White | 232 | 1.0 | <i>0.07</i> | 0.11 | <i>0.01</i> | 142 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| USA, Missouri: Black | 20 | 0.9 | <i>0.21</i> | 0.08 | <i>0.02</i> | 19 | 0.8 | <i>0.17</i> | 0.08 | <i>0.02</i> |
| USA, Montana | 49 | 1.1 | <i>0.17</i> | 0.13 | <i>0.02</i> | 26 | 0.6 | <i>0.13</i> | 0.06 | <i>0.01</i> |
| *USA, Montana: American Indian | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 1 | 0.5 | <i>0.48</i> | 0.05 | <i>0.05</i> |
| USA, Nebraska | 90 | 1.1 | <i>0.12</i> | 0.10 | <i>0.01</i> | 59 | 0.7 | <i>0.11</i> | 0.08 | <i>0.01</i> |
| USA, Nebraska: White | 85 | 1.1 | <i>0.13</i> | 0.10 | <i>0.01</i> | 59 | 0.8 | <i>0.12</i> | 0.09 | <i>0.01</i> |
| *USA, Nebraska: Black | 1 | 0.4 | <i>0.39</i> | 0.03 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Nevada | 120 | 0.9 | <i>0.09</i> | 0.10 | <i>0.01</i> | 65 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> |
| USA, Nevada: White | 106 | 0.9 | <i>0.10</i> | 0.10 | <i>0.01</i> | 55 | 0.7 | <i>0.10</i> | 0.06 | <i>0.01</i> |
| USA, Nevada: Black | 9 | 1.0 | <i>0.35</i> | 0.12 | <i>0.05</i> | 6 | 0.6 | <i>0.25</i> | 0.07 | <i>0.03</i> |
| *USA, Nevada: Asian and Pacific Islander | 3 | 0.4 | <i>0.21</i> | 0.04 | <i>0.02</i> | 4 | 0.4 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| USA, New Jersey | 449 | 1.2 | <i>0.06</i> | 0.13 | <i>0.01</i> | 301 | 0.8 | <i>0.05</i> | 0.08 | <i>0.01</i> |
| USA, New Jersey: White | 383 | 1.3 | <i>0.07</i> | 0.14 | <i>0.01</i> | 243 | 0.8 | <i>0.06</i> | 0.08 | <i>0.01</i> |
| USA, New Jersey: Black | 35 | 0.9 | <i>0.15</i> | 0.10 | <i>0.02</i> | 37 | 0.7 | <i>0.12</i> | 0.07 | <i>0.01</i> |
| USA, New Mexico | 97 | 0.9 | <i>0.10</i> | 0.09 | <i>0.01</i> | 44 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> |
| USA, New Mexico: White | 92 | 1.0 | <i>0.11</i> | 0.09 | <i>0.01</i> | 41 | 0.5 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| USA, New Mexico: Non-Hispanic White | 71 | 1.1 | <i>0.14</i> | 0.11 | <i>0.02</i> | 24 | 0.5 | <i>0.12</i> | 0.06 | <i>0.01</i> |
| USA, New Mexico: Hispanic White | 21 | 0.6 | <i>0.14</i> | 0.05 | <i>0.02</i> | 17 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> |
| *USA, New Mexico: American Indian | 4 | 0.7 | <i>0.34</i> | 0.06 | <i>0.03</i> | 1 | 0.1 | <i>0.12</i> | 0.01 | <i>0.01</i> |
| USA, New York State | 845 | 1.0 | <i>0.04</i> | 0.10 | <i>0.00</i> | 665 | 0.8 | <i>0.03</i> | 0.08 | <i>0.00</i> |
| USA, New York State: White | 697 | 1.1 | <i>0.04</i> | 0.11 | <i>0.01</i> | 490 | 0.8 | <i>0.04</i> | 0.08 | <i>0.00</i> |
| USA, New York State: Black | 80 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 115 | 0.8 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| USA, New York State: Asian and Pacific Islander | 63 | 1.1 | <i>0.14</i> | 0.12 | <i>0.02</i> | 56 | 0.9 | <i>0.13</i> | 0.09 | <i>0.01</i> |
| USA, North Carolina | 412 | 1.0 | <i>0.05</i> | 0.10 | <i>0.01</i> | 278 | 0.7 | <i>0.04</i> | 0.07 | <i>0.01</i> |
| USA, North Carolina: White | 337 | 1.0 | <i>0.06</i> | 0.10 | <i>0.01</i> | 205 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| USA, North Carolina: Black | 67 | 1.0 | <i>0.12</i> | 0.10 | <i>0.01</i> | 67 | 0.8 | <i>0.11</i> | 0.08 | <i>0.01</i> |
| USA, North Carolina: Asian and Pacific Islander | 4 | 0.5 | <i>0.23</i> | 0.04 | <i>0.02</i> | 5 | 0.5 | <i>0.23</i> | 0.06 | <i>0.04</i> |
| *USA, North Carolina: American Indian | 2 | 0.4 | <i>0.30</i> | 0.04 | <i>0.03</i> | 1 | 0.2 | <i>0.20</i> | 0.05 | <i>0.05</i> |
| USA, North Dakota | 26 | 0.9 | <i>0.19</i> | 0.11 | <i>0.03</i> | 25 | 0.9 | <i>0.21</i> | 0.09 | <i>0.02</i> |
| USA, Ohio | 483 | 1.0 | <i>0.05</i> | 0.11 | <i>0.01</i> | 356 | 0.7 | <i>0.04</i> | 0.07 | <i>0.00</i> |
| USA, Ohio: White | 433 | 1.0 | <i>0.05</i> | 0.11 | <i>0.01</i> | 301 | 0.7 | <i>0.04</i> | 0.07 | <i>0.01</i> |
| USA, Ohio: Black | 39 | 0.9 | <i>0.14</i> | 0.10 | <i>0.02</i> | 48 | 0.8 | <i>0.13</i> | 0.09 | <i>0.02</i> |
| *USA, Ohio: Asian and Pacific Islander | 7 | 1.0 | <i>0.38</i> | 0.15 | <i>0.06</i> | 7 | 0.8 | <i>0.32</i> | 0.05 | <i>0.02</i> |
| USA, Oklahoma | 212 | 1.3 | <i>0.09</i> | 0.13 | <i>0.01</i> | 120 | 0.8 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| USA, Oklahoma: White | 186 | 1.3 | <i>0.10</i> | 0.14 | <i>0.01</i> | 101 | 0.8 | <i>0.09</i> | 0.08 | <i>0.01</i> |
| USA, Oklahoma: Black | 13 | 1.5 | <i>0.41</i> | 0.13 | <i>0.05</i> | 3 | 0.3 | <i>0.19</i> | 0.03 | <i>0.02</i> |
| USA, Oklahoma: American Indian | 10 | 0.9 | <i>0.29</i> | 0.11 | <i>0.04</i> | 9 | 0.7 | <i>0.24</i> | 0.07 | <i>0.03</i> |
| USA, Oregon | 149 | 0.8 | <i>0.07</i> | 0.10 | <i>0.01</i> | 118 | 0.7 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| USA, Oregon: White | 142 | 0.8 | <i>0.08</i> | 0.10 | <i>0.01</i> | 110 | 0.7 | <i>0.08</i> | 0.07 | <i>0.01</i> |
| *USA, Oregon: Black | 1 | 0.5 | <i>0.50</i> | 0.12 | <i>0.12</i> | 2 | 0.8 | <i>0.60</i> | 0.09 | <i>0.06</i> |
| *USA, Oregon: Asian and Pacific Islander | 4 | 0.7 | <i>0.35</i> | 0.09 | <i>0.06</i> | 6 | 0.8 | <i>0.32</i> | 0.09 | <i>0.04</i> |
| USA, Rhode Island | 46 | 1.0 | <i>0.15</i> | 0.11 | <i>0.02</i> | 42 | 0.8 | <i>0.13</i> | 0.10 | <i>0.02</i> |
| USA, Rhode Island: White | 44 | 1.0 | <i>0.16</i> | 0.11 | <i>0.02</i> | 39 | 0.8 | <i>0.14</i> | 0.10 | <i>0.02</i> |
| *USA, Rhode Island: Black | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 2 | 0.7 | <i>0.49</i> | 0.08 | <i>0.05</i> |
| USA, South Carolina | 238 | 1.1 | <i>0.08</i> | 0.12 | <i>0.01</i> | 126 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| USA, South Carolina: White | 209 | 1.2 | <i>0.09</i> | 0.14 | <i>0.01</i> | 87 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> |
| USA, South Carolina: Black | 27 | 0.7 | <i>0.13</i> | 0.07 | <i>0.02</i> | 37 | 0.7 | <i>0.12</i> | 0.08 | <i>0.01</i> |
| USA, South Dakota | 45 | 1.1 | <i>0.17</i> | 0.11 | <i>0.02</i> | 23 | 0.6 | <i>0.15</i> | 0.05 | <i>0.01</i> |
| USA, Tennessee | 280 | 1.0 | <i>0.06</i> | 0.11 | <i>0.01</i> | 181 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| USA, Tennessee: White | 262 | 1.0 | <i>0.07</i> | 0.12 | <i>0.01</i> | 155 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| USA, Tennessee: Black | 16 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> | 24 | 0.6 | <i>0.13</i> | 0.06 | <i>0.01</i> |
| USA, Texas | 997 | 1.0 | <i>0.03</i> | 0.12 | <i>0.00</i> | 671 | 0.7 | <i>0.03</i> | 0.07 | <i>0.00</i> |
| USA, Texas: White | 894 | 1.1 | <i>0.04</i> | 0.12 | <i>0.01</i> | 546 | 0.7 | <i>0.03</i> | 0.07 | <i>0.00</i> |
| USA, Texas: Black | 74 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 100 | 0.9 | <i>0.09</i> | 0.09 | <i>0.01</i> |
| USA, Texas: Asian and Pacific Islander | 23 | 0.6 | <i>0.12</i> | 0.07 | <i>0.02</i> | 23 | 0.5 | <i>0.11</i> | 0.06 | <i>0.01</i> |
| USA, Utah | 82 | 0.9 | <i>0.10</i> | 0.10 | <i>0.01</i> | 67 | 0.7 | <i>0.09</i> | 0.08 | <i>0.01</i> |
| USA, Vermont | 30 | 1.1 | <i>0.23</i> | 0.11 | <i>0.02</i> | 18 | 0.8 | <i>0.22</i> | 0.07 | <i>0.02</i> |
| USA, Washington State | 244 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> | 190 | 0.7 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| *USA, Washington, Seattle | 175 | 0.9 | <i>0.07</i> | 0.09 | <i>0.01</i> | 134 | 0.7 | <i>0.07</i> | 0.08 | <i>0.01</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Salivary glands (C07–08) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 89 | 0.9 | <i>0.11</i> | 0.09 | <i>0.01</i> | 67 | 0.8 | <i>0.12</i> | 0.07 | <i>0.01</i> |
| USA, Wyoming | 25 | 1.0 | <i>0.20</i> | 0.09 | <i>0.02</i> | 13 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 5 | 0.3 | <i>0.15</i> | 0.03 | <i>0.01</i> | 9 | 0.8 | <i>0.27</i> | 0.11 | <i>0.05</i> |
| Brunei Darussalam | 16 | 1.7 | <i>0.46</i> | 0.15 | <i>0.06</i> | 12 | 1.2 | <i>0.37</i> | 0.17 | <i>0.07</i> |
| *China, Anfu County | 5 | 0.7 | <i>0.34</i> | 0.05 | <i>0.02</i> | 3 | 0.2 | <i>0.14</i> | 0.01 | <i>0.01</i> |
| *China, Anguo City | 1 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> | 1 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| *China, Anshan City | 29 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | 17 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *China, Aohan Banner, Chifeng City | 1 | 0.0 | <i>0.05</i> | 0.00 | <i>0.00</i> | 3 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| *China, Arongqi | 6 | 0.6 | <i>0.27</i> | 0.07 | <i>0.03</i> | 1 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| *China, Baoding City | 16 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> | 18 | 0.5 | <i>0.11</i> | 0.05 | <i>0.01</i> |
| *China, Beijing City | 170 | 0.5 | <i>0.04</i> | 0.05 | <i>0.00</i> | 114 | 0.4 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| *China, Binhai County | 12 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 6 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *China, Cangzhou City | 4 | 0.2 | <i>0.12</i> | 0.03 | <i>0.02</i> | 5 | 0.3 | <i>0.15</i> | 0.04 | <i>0.02</i> |
| China, Changfeng County | 7 | 0.5 | <i>0.20</i> | 0.06 | <i>0.03</i> | 8 | 0.5 | <i>0.17</i> | 0.05 | <i>0.02</i> |
| China, Changzhou City | 56 | 0.7 | <i>0.10</i> | 0.06 | <i>0.01</i> | 35 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| China, Chengdu City | 18 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> | 14 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| China, Cixian County | 7 | 0.4 | <i>0.17</i> | 0.06 | <i>0.03</i> | 6 | 0.3 | <i>0.13</i> | 0.03 | <i>0.02</i> |
| China, Cixi City | 17 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 22 | 0.5 | <i>0.12</i> | 0.06 | <i>0.01</i> |
| *China, Dafeng District, Yancheng City | 12 | 0.3 | <i>0.10</i> | 0.05 | <i>0.01</i> | 16 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| China, Dalian City | 58 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | 35 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| *China, Dancheng County | 23 | 0.7 | <i>0.15</i> | 0.06 | <i>0.02</i> | 24 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> |
| China, Dangtu County | 6 | 0.6 | <i>0.24</i> | 0.04 | <i>0.02</i> | 3 | 0.3 | <i>0.19</i> | 0.05 | <i>0.03</i> |
| *China, Danyang City | 5 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> | 9 | 0.3 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| *China, Dawukou District, Shizuishan City | 2 | 0.2 | <i>0.15</i> | 0.03 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *China, Dehui City | 9 | 0.3 | <i>0.12</i> | 0.04 | <i>0.02</i> | 10 | 0.3 | <i>0.11</i> | 0.03 | <i>0.01</i> |
| *China, Donggang County | 5 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> | 5 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| *China, Dongguan City | 30 | 0.8 | <i>0.15</i> | 0.07 | <i>0.02</i> | 17 | 0.4 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| China, Donghai County | 12 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> | 4 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *China, Dongtai City | 14 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 4 | 0.2 | <i>0.12</i> | 0.01 | <i>0.01</i> |
| China, Duanzhou District, Zhaoqing City | 3 | 0.2 | <i>0.15</i> | 0.02 | <i>0.01</i> | 5 | 0.3 | <i>0.16</i> | 0.03 | <i>0.02</i> |
| *China, Evenki Autonomous Banner | 2 | 0.5 | <i>0.38</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *China, Faku County | 4 | 0.2 | <i>0.10</i> | 0.03 | <i>0.02</i> | 2 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| *China, Fangcheng County | 11 | 0.5 | <i>0.15</i> | 0.07 | <i>0.02</i> | 7 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| *China, Feicheng City | 28 | 0.8 | <i>0.16</i> | 0.08 | <i>0.02</i> | 15 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| China, Feixi County | 21 | 0.5 | <i>0.11</i> | 0.04 | <i>0.01</i> | 22 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> |
| China, Fuqing City | 26 | 1.0 | <i>0.20</i> | 0.11 | <i>0.03</i> | 25 | 1.0 | <i>0.21</i> | 0.11 | <i>0.03</i> |
| *China, Ganyu District, Lianyungang City | 19 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> | 14 | 0.4 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| *China, Ganzhou District, Zhangye City | 10 | 1.1 | <i>0.38</i> | 0.11 | <i>0.04</i> | 5 | 1.0 | <i>0.50</i> | 0.08 | <i>0.04</i> |
| *China, Gaocheng City | 7 | 0.4 | <i>0.17</i> | 0.04 | <i>0.02</i> | 7 | 0.3 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| China, Gaomi City | 10 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> | 13 | 0.5 | <i>0.13</i> | 0.06 | <i>0.02</i> |
| China, Gong'an County | 20 | 0.8 | <i>0.20</i> | 0.10 | <i>0.02</i> | 17 | 0.5 | <i>0.12</i> | 0.04 | <i>0.01</i> |
| *China, Guang'an District, Guang'an City | 10 | 0.5 | <i>0.17</i> | 0.07 | <i>0.02</i> | 1 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| China, Guanghan City | 4 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| China, Guangzhou City | 191 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 151 | 0.5 | <i>0.04</i> | 0.05 | <i>0.00</i> |
| *China, Guanyun County | 15 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> | 10 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| China, Guilin City | 20 | 0.9 | <i>0.20</i> | 0.07 | <i>0.02</i> | 11 | 0.4 | <i>0.12</i> | 0.03 | <i>0.01</i> |
| *China, Hai'an City | 18 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> | 10 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| China, Hailar District, Hulun Buir City | 7 | 0.6 | <i>0.22</i> | 0.06 | <i>0.03</i> | 3 | 0.3 | <i>0.15</i> | 0.04 | <i>0.03</i> |
| China, Haimen District, Nantong City | 28 | 0.6 | <i>0.14</i> | 0.07 | <i>0.01</i> | 28 | 0.8 | <i>0.18</i> | 0.08 | <i>0.02</i> |
| China, Haining City | 10 | 0.4 | <i>0.17</i> | 0.05 | <i>0.02</i> | 18 | 0.6 | <i>0.16</i> | 0.08 | <i>0.02</i> |
| China, Hangzhou City | 172 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | 114 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> |
| China, Hebi City | 16 | 1.4 | <i>0.36</i> | 0.16 | <i>0.05</i> | 10 | 0.8 | <i>0.26</i> | 0.09 | <i>0.03</i> |
| China, Hefei City | 43 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> | 41 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| China, Hengdong County | 8 | 0.5 | <i>0.20</i> | 0.05 | <i>0.02</i> | 9 | 0.6 | <i>0.21</i> | 0.07 | <i>0.03</i> |
| *China, Hengfeng County | 2 | 0.3 | <i>0.20</i> | 0.02 | <i>0.02</i> | 1 | 0.1 | <i>0.15</i> | 0.02 | <i>0.02</i> |
| *China, Hepu County | 7 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> | 5 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| China, Honghu City | 8 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> | 11 | 0.5 | <i>0.16</i> | 0.04 | <i>0.01</i> |
| China, Hongshan District, Chifeng City | 6 | 0.4 | <i>0.16</i> | 0.06 | <i>0.03</i> | 1 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| *China, Hongta District, Yuxi City | 8 | 0.5 | <i>0.19</i> | 0.08 | <i>0.03</i> | 7 | 0.5 | <i>0.17</i> | 0.05 | <i>0.02</i> |
| *China, Huaiyin District, Huai'an City | 11 | 0.3 | <i>0.10</i> | 0.05 | <i>0.02</i> | 12 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> |
| *China, Jiange County | 4 | 0.3 | <i>0.13</i> | 0.04 | <i>0.02</i> | 3 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| China, Jiangmen City | 20 | 0.9 | <i>0.23</i> | 0.11 | <i>0.03</i> | 18 | 0.9 | <i>0.23</i> | 0.08 | <i>0.02</i> |
| *China, Jiangyin City | 25 | 0.5 | <i>0.12</i> | 0.06 | <i>0.01</i> | 14 | 0.3 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *China, Jiashan County | 20 | 1.1 | <i>0.27</i> | 0.13 | <i>0.03</i> | 14 | 0.8 | <i>0.23</i> | 0.07 | <i>0.02</i> |
| China, Jiayu County | 6 | 0.8 | <i>0.32</i> | 0.11 | <i>0.06</i> | 3 | 0.4 | <i>0.23</i> | 0.04 | <i>0.03</i> |
| *China, Jinan City | 48 | 0.7 | <i>0.11</i> | 0.07 | <i>0.01</i> | 33 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| *China, Jingtai County | 6 | 1.0 | <i>0.45</i> | 0.09 | <i>0.05</i> | 6 | 0.9 | <i>0.38</i> | 0.11 | <i>0.05</i> |
| *China, Jingxian County | 3 | 0.3 | <i>0.18</i> | 0.03 | <i>0.02</i> | 2 | 0.3 | <i>0.20</i> | 0.03 | <i>0.02</i> |
| *China, Jintan District, Changzhou City | 16 | 0.6 | <i>0.16</i> | 0.08 | <i>0.02</i> | 11 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| *China, Jiulongpo District, Chongqing City | 11 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> | 10 | 0.4 | <i>0.14</i> | 0.04 | <i>0.01</i> |
| *China, Jiyuan City | 12 | 0.7 | <i>0.20</i> | 0.07 | <i>0.02</i> | 14 | 0.8 | <i>0.23</i> | 0.11 | <i>0.03</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Salivary glands (C07–08) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 4 | 0.3 | 0.14 | 0.02 | 0.01 | 8 | 0.8 | 0.32 | 0.04 | 0.02 |
| China, Kunshan City | 20 | 0.6 | 0.15 | 0.07 | 0.02 | 13 | 0.4 | 0.14 | 0.05 | 0.02 |
| China, Langzhong City | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 6 | 0.3 | 0.13 | 0.04 | 0.02 |
| *China, Liangshan County | 10 | 0.4 | 0.12 | 0.05 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.00 |
| *China, Lianshui County | 13 | 0.3 | 0.09 | 0.04 | 0.01 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Lianyungang City | 16 | 0.4 | 0.11 | 0.06 | 0.02 | 16 | 0.5 | 0.15 | 0.05 | 0.02 |
| China, Linhe District, Bayannur City | 4 | 0.2 | 0.12 | 0.02 | 0.01 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |
| China, Linqu County | 11 | 0.3 | 0.10 | 0.04 | 0.01 | 8 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Linzhou City | 13 | 0.4 | 0.10 | 0.04 | 0.01 | 17 | 0.4 | 0.11 | 0.04 | 0.01 |
| China, Liuzhou City | 23 | 0.6 | 0.13 | 0.07 | 0.02 | 21 | 0.6 | 0.12 | 0.07 | 0.02 |
| China, Liyang City | 12 | 0.3 | 0.10 | 0.03 | 0.01 | 15 | 0.4 | 0.10 | 0.04 | 0.01 |
| *China, Longquan City | 4 | 0.5 | 0.24 | 0.05 | 0.02 | 4 | 0.6 | 0.34 | 0.05 | 0.03 |
| China, Lucheng District, Wenzhou City | 12 | 0.6 | 0.17 | 0.07 | 0.02 | 8 | 0.5 | 0.21 | 0.06 | 0.02 |
| China, Luoding City | 4 | 0.2 | 0.09 | 0.03 | 0.02 | 10 | 0.5 | 0.18 | 0.05 | 0.02 |
| *China, Luohe City | 11 | 0.3 | 0.08 | 0.03 | 0.01 | 17 | 0.4 | 0.10 | 0.03 | 0.01 |
| *China, Luoyang City | 26 | 0.6 | 0.12 | 0.07 | 0.02 | 18 | 0.5 | 0.12 | 0.04 | 0.01 |
| *China, Luquan City | 9 | 0.8 | 0.27 | 0.08 | 0.03 | 2 | 0.2 | 0.12 | 0.02 | 0.02 |
| China, Ma'anshan City | 13 | 0.6 | 0.18 | 0.05 | 0.02 | 8 | 0.4 | 0.14 | 0.04 | 0.02 |
| *China, Macheng City | 15 | 0.6 | 0.16 | 0.09 | 0.02 | 15 | 0.7 | 0.17 | 0.08 | 0.02 |
| China, Meihekou City | 4 | 0.2 | 0.10 | 0.03 | 0.02 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Mengjin County | 13 | 1.1 | 0.32 | 0.13 | 0.04 | 9 | 0.8 | 0.29 | 0.08 | 0.03 |
| China, Nangang District, Harbin City | 15 | 0.4 | 0.10 | 0.04 | 0.01 | 12 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Nanghai District, Foshan City | 21 | 0.8 | 0.19 | 0.09 | 0.02 | 15 | 0.5 | 0.14 | 0.05 | 0.02 |
| China, Nanhu District, Jiaying City | 11 | 0.5 | 0.16 | 0.05 | 0.02 | 12 | 0.5 | 0.16 | 0.05 | 0.02 |
| *China, Nantong City | 36 | 0.8 | 0.14 | 0.09 | 0.02 | 20 | 0.4 | 0.11 | 0.04 | 0.01 |
| *China, Nanxiong City | 6 | 0.4 | 0.18 | 0.03 | 0.02 | 4 | 0.3 | 0.14 | 0.04 | 0.02 |
| China, Neixiang County | 8 | 0.3 | 0.12 | 0.04 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Qianxi County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.2 | 0.13 | 0.01 | 0.01 |
| China, Qidong City | 31 | 0.8 | 0.19 | 0.07 | 0.01 | 24 | 0.4 | 0.09 | 0.04 | 0.01 |
| China, Qingzhou City | 13 | 0.4 | 0.11 | 0.04 | 0.01 | 5 | 0.3 | 0.13 | 0.02 | 0.01 |
| *China, Rudong County | 18 | 0.3 | 0.08 | 0.03 | 0.01 | 25 | 0.7 | 0.19 | 0.06 | 0.01 |
| *China, Rugao City | 27 | 0.5 | 0.10 | 0.05 | 0.01 | 25 | 0.4 | 0.08 | 0.03 | 0.01 |
| *China, Rural areas of Shanghai City | 236 | 0.6 | 0.05 | 0.06 | 0.00 | 213 | 0.7 | 0.06 | 0.06 | 0.00 |
| China, Ruyang County | 13 | 1.1 | 0.31 | 0.17 | 0.06 | 8 | 0.7 | 0.24 | 0.06 | 0.02 |
| *China, Shan County | 3 | 0.1 | 0.06 | 0.00 | 0.00 | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Shanghai City | 182 | 0.6 | 0.06 | 0.07 | 0.01 | 146 | 0.6 | 0.06 | 0.05 | 0.01 |
| China, Shangyu District, Shaoxing City | 15 | 0.6 | 0.18 | 0.05 | 0.01 | 13 | 0.4 | 0.11 | 0.05 | 0.01 |
| *China, Shapingba District, Chongqing City | 15 | 0.5 | 0.13 | 0.07 | 0.02 | 22 | 0.7 | 0.15 | 0.06 | 0.02 |
| China, Shexian County | 3 | 0.2 | 0.13 | 0.03 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Sheyang County | 15 | 0.4 | 0.11 | 0.05 | 0.01 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Shijiazhuang City | 19 | 0.4 | 0.11 | 0.05 | 0.01 | 25 | 0.5 | 0.12 | 0.05 | 0.01 |
| China, Shunde District, Foshan City | 19 | 0.6 | 0.13 | 0.06 | 0.02 | 14 | 0.4 | 0.11 | 0.04 | 0.01 |
| *China, Song County | 8 | 0.5 | 0.18 | 0.04 | 0.02 | 2 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Suzhou City | 86 | 0.6 | 0.07 | 0.07 | 0.01 | 47 | 0.4 | 0.06 | 0.03 | 0.01 |
| *China, Tengzhou City | 17 | 0.3 | 0.09 | 0.04 | 0.01 | 16 | 0.3 | 0.08 | 0.02 | 0.01 |
| *China, Wangdu County | 7 | 1.1 | 0.41 | 0.14 | 0.06 | 4 | 0.6 | 0.29 | 0.05 | 0.03 |
| *China, Wan'ai County | 4 | 0.4 | 0.19 | 0.04 | 0.02 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Wu'an City | 5 | 0.2 | 0.10 | 0.03 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Wuhan City | 114 | 0.6 | 0.06 | 0.06 | 0.01 | 93 | 0.4 | 0.05 | 0.05 | 0.01 |
| *China, Wuhu City | 24 | 0.4 | 0.09 | 0.04 | 0.01 | 25 | 0.5 | 0.10 | 0.05 | 0.01 |
| China, Wuxi City | 47 | 0.5 | 0.07 | 0.05 | 0.01 | 42 | 0.4 | 0.08 | 0.05 | 0.01 |
| China, Wuzhou City | 16 | 0.9 | 0.23 | 0.11 | 0.03 | 6 | 0.4 | 0.16 | 0.04 | 0.02 |
| China, Xiangfu District, Kaifeng City | 18 | 0.9 | 0.23 | 0.09 | 0.03 | 16 | 0.8 | 0.20 | 0.08 | 0.02 |
| China, Xianju County | 5 | 0.3 | 0.12 | 0.03 | 0.02 | 9 | 0.5 | 0.16 | 0.05 | 0.02 |
| *China, Xin'an County | 10 | 0.9 | 0.28 | 0.11 | 0.04 | 9 | 0.8 | 0.28 | 0.11 | 0.04 |
| *China, Xining City | 7 | 0.3 | 0.13 | 0.03 | 0.02 | 7 | 0.3 | 0.10 | 0.05 | 0.02 |
| *China, Xinji City | 10 | 0.5 | 0.17 | 0.05 | 0.02 | 11 | 0.5 | 0.14 | 0.04 | 0.01 |
| *China, Xinluo District, Longyan City | 4 | 0.3 | 0.17 | 0.04 | 0.02 | 5 | 0.5 | 0.22 | 0.05 | 0.02 |
| *China, Xinzhou District, Shangrao City | 4 | 0.4 | 0.19 | 0.04 | 0.02 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |
| China, Xiping County | 16 | 0.6 | 0.16 | 0.07 | 0.02 | 17 | 0.6 | 0.15 | 0.07 | 0.02 |
| *China, Xishan District, Kunming City | 5 | 0.3 | 0.13 | 0.04 | 0.02 | 6 | 0.8 | 0.38 | 0.06 | 0.03 |
| *China, Xuyi County | 10 | 0.4 | 0.14 | 0.03 | 0.01 | 9 | 0.4 | 0.14 | 0.04 | 0.02 |
| *China, Ya'an City | 45 | 0.9 | 0.13 | 0.09 | 0.02 | 21 | 0.4 | 0.09 | 0.05 | 0.01 |
| *China, Yakeshi City | 13 | 0.9 | 0.29 | 0.10 | 0.03 | 6 | 0.4 | 0.16 | 0.04 | 0.02 |
| China, Yancheng City | 14 | 0.2 | 0.07 | 0.03 | 0.01 | 12 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Yangquan City | 9 | 0.4 | 0.14 | 0.04 | 0.02 | 11 | 0.6 | 0.18 | 0.05 | 0.02 |
| *China, Yangzhong City | 3 | 0.3 | 0.16 | 0.03 | 0.02 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| *China, Yanji City | 7 | 0.3 | 0.12 | 0.02 | 0.01 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Yanshi City | 21 | 1.0 | 0.21 | 0.10 | 0.02 | 16 | 0.7 | 0.20 | 0.07 | 0.02 |
| China, Yanting County | 5 | 0.3 | 0.11 | 0.04 | 0.02 | 5 | 0.2 | 0.11 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 2 | 0.2 | 0.17 | 0.02 | 0.01 | 5 | 0.7 | 0.32 | 0.06 | 0.03 |
| *China, Yingdong District, Fuyang City | 13 | 0.7 | 0.19 | 0.07 | 0.02 | 9 | 0.5 | 0.16 | 0.04 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Salivary glands (C07–08) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 4 | 0.4 | 0.21 | 0.06 | 0.03 | 5 | 0.6 | 0.29 | 0.05 | 0.02 |
| *China, Yiyuan County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 4 | 0.3 | 0.14 | 0.02 | 0.01 |
| China, Yong'an City | 5 | 0.4 | 0.18 | 0.05 | 0.02 | 4 | 0.5 | 0.24 | 0.04 | 0.02 |
| *China, Yongding District, Longyan City | 6 | 0.3 | 0.14 | 0.03 | 0.01 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Yongkang City | 13 | 0.5 | 0.15 | 0.07 | 0.02 | 7 | 0.3 | 0.13 | 0.03 | 0.01 |
| *China, Yucheng County | 16 | 0.8 | 0.19 | 0.08 | 0.02 | 18 | 1.0 | 0.23 | 0.11 | 0.03 |
| China, Yueyanglou District, Yueyang City | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 9 | 0.6 | 0.20 | 0.05 | 0.02 | 7 | 0.4 | 0.15 | 0.04 | 0.02 |
| *China, Yunyang District, Shiyan City | 3 | 0.2 | 0.12 | 0.02 | 0.01 | 3 | 0.2 | 0.13 | 0.03 | 0.02 |
| China, Yuzhong District, Chongqing City | 10 | 0.4 | 0.13 | 0.04 | 0.01 | 9 | 0.4 | 0.14 | 0.05 | 0.02 |
| *China, Zanhuan County | 3 | 0.3 | 0.19 | 0.03 | 0.02 | 4 | 0.5 | 0.25 | 0.07 | 0.04 |
| *China, Zhangjiagang City | 17 | 0.5 | 0.12 | 0.04 | 0.01 | 14 | 0.4 | 0.15 | 0.04 | 0.01 |
| *China, Zhaoyuan City | 8 | 0.4 | 0.16 | 0.04 | 0.02 | 5 | 0.2 | 0.08 | 0.01 | 0.01 |
| *China, Zhengding County | 5 | 0.4 | 0.18 | 0.04 | 0.02 | 5 | 0.3 | 0.14 | 0.04 | 0.02 |
| *China, Zhongshan City | 25 | 0.5 | 0.10 | 0.05 | 0.01 | 20 | 0.4 | 0.08 | 0.03 | 0.01 |
| China, Zhongxiang City | 45 | 1.3 | 0.21 | 0.14 | 0.02 | 40 | 1.2 | 0.19 | 0.13 | 0.02 |
| *China, Zhuanghe City | 11 | 0.4 | 0.14 | 0.03 | 0.01 | 8 | 0.3 | 0.13 | 0.02 | 0.01 |
| *China, Zhuhai City | 28 | 0.7 | 0.14 | 0.08 | 0.02 | 18 | 0.6 | 0.15 | 0.05 | 0.01 |
| India, Ahmedabad, Urban | 44 | 0.3 | 0.05 | 0.04 | 0.01 | 36 | 0.3 | 0.05 | 0.03 | 0.01 |
| India, Aurangabad | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 7 | 0.2 | 0.10 | 0.02 | 0.01 |
| India, Bangalore | 63 | 0.5 | 0.07 | 0.05 | 0.01 | 48 | 0.4 | 0.06 | 0.04 | 0.01 |
| India, Barshi, Paranda, and Bhum | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 2 | 0.1 | 0.08 | 0.02 | 0.02 |
| *India, Bhopal | 15 | 0.6 | 0.16 | 0.08 | 0.02 | 8 | 0.3 | 0.10 | 0.03 | 0.01 |
| India, Chandigarh | 11 | 0.4 | 0.12 | 0.04 | 0.02 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *India, Chennai | 84 | 0.7 | 0.07 | 0.08 | 0.01 | 55 | 0.4 | 0.06 | 0.05 | 0.01 |
| India, Dibrugarh | 8 | 0.3 | 0.10 | 0.03 | 0.01 | 5 | 0.1 | 0.07 | 0.01 | 0.01 |
| *India, Dindigul, Ambilikkai | 22 | 0.3 | 0.07 | 0.04 | 0.01 | 23 | 0.4 | 0.08 | 0.04 | 0.01 |
| India, Kamrup Urban District | 16 | 0.6 | 0.16 | 0.06 | 0.02 | 19 | 0.8 | 0.19 | 0.11 | 0.03 |
| India, Kollam | 47 | 0.8 | 0.11 | 0.07 | 0.01 | 51 | 0.7 | 0.11 | 0.07 | 0.01 |
| *India, Manipur | 29 | 0.5 | 0.10 | 0.06 | 0.02 | 19 | 0.3 | 0.08 | 0.03 | 0.01 |
| India, Meghalaya | 7 | 0.3 | 0.10 | 0.02 | 0.01 | 9 | 0.3 | 0.10 | 0.03 | 0.01 |
| India, Mizoram | 9 | 0.5 | 0.19 | 0.07 | 0.03 | 9 | 0.5 | 0.17 | 0.05 | 0.02 |
| India, Mumbai | 149 | 0.5 | 0.04 | 0.05 | 0.01 | 93 | 0.3 | 0.03 | 0.03 | 0.00 |
| *India, New Delhi | 200 | 0.8 | 0.06 | 0.09 | 0.01 | 111 | 0.5 | 0.05 | 0.05 | 0.01 |
| India, Poona | 53 | 0.4 | 0.06 | 0.04 | 0.01 | 36 | 0.3 | 0.05 | 0.04 | 0.01 |
| *India, Sangrur District | 12 | 0.4 | 0.13 | 0.04 | 0.01 | 5 | 0.2 | 0.09 | 0.01 | 0.01 |
| India, SAS Nagar | 14 | 0.6 | 0.16 | 0.06 | 0.02 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| *India, Tamil Nadu | 892 | 0.4 | 0.01 | 0.05 | 0.00 | 699 | 0.3 | 0.01 | 0.03 | 0.00 |
| *India, Tripura | 38 | 0.5 | 0.09 | 0.06 | 0.01 | 16 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Trivandrum | 72 | 0.9 | 0.11 | 0.12 | 0.02 | 65 | 0.8 | 0.10 | 0.08 | 0.01 |
| India, Wardha | 26 | 0.7 | 0.13 | 0.08 | 0.02 | 20 | 0.5 | 0.12 | 0.05 | 0.01 |
| India, West Arunachal | 4 | 0.2 | 0.10 | 0.01 | 0.01 | 2 | 0.2 | 0.12 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Ardabil Province | 6 | 0.3 | 0.15 | 0.03 | 0.01 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 11 | 0.4 | 0.11 | 0.03 | 0.01 | 10 | 0.4 | 0.12 | 0.03 | 0.01 |
| Israel | 253 | 1.0 | 0.06 | 0.11 | 0.01 | 171 | 0.6 | 0.05 | 0.06 | 0.01 |
| *Israel: Jews | 225 | 1.0 | 0.07 | 0.11 | 0.01 | 137 | 0.6 | 0.05 | 0.06 | 0.01 |
| *Israel: Arabs | 20 | 0.6 | 0.15 | 0.07 | 0.02 | 26 | 0.7 | 0.14 | 0.09 | 0.02 |
| Japan | 2884 | 0.8 | 0.02 | 0.08 | 0.00 | 1893 | 0.5 | 0.01 | 0.05 | 0.00 |
| Japan, Aichi Prefecture | 145 | 0.7 | 0.06 | 0.08 | 0.01 | 80 | 0.4 | 0.05 | 0.04 | 0.01 |
| *Japan, Akita Prefecture | 27 | 0.7 | 0.16 | 0.07 | 0.02 | 15 | 0.4 | 0.14 | 0.05 | 0.02 |
| Japan, Aomori Prefecture | 60 | 0.9 | 0.13 | 0.09 | 0.01 | 34 | 0.3 | 0.07 | 0.04 | 0.01 |
| Japan, Gunma Prefecture | 53 | 0.8 | 0.12 | 0.08 | 0.01 | 28 | 0.3 | 0.08 | 0.03 | 0.01 |
| Japan, Hiroshima Prefecture | 114 | 1.0 | 0.12 | 0.11 | 0.01 | 89 | 0.7 | 0.10 | 0.07 | 0.01 |
| Japan, Miyagi Prefecture | 80 | 0.7 | 0.09 | 0.08 | 0.01 | 59 | 0.5 | 0.08 | 0.05 | 0.01 |
| Japan, Osaka Prefecture | 181 | 0.7 | 0.06 | 0.08 | 0.01 | 125 | 0.5 | 0.06 | 0.05 | 0.01 |
| Kuwait | 26 | 0.3 | 0.07 | 0.04 | 0.01 | 8 | 0.1 | 0.05 | 0.01 | 0.00 |
| *Kuwait: Kuwaitis | 7 | 0.3 | 0.13 | 0.04 | 0.02 | 5 | 0.2 | 0.07 | 0.01 | 0.00 |
| *Kuwait: Non-Kuwaitis | 19 | 0.2 | 0.09 | 0.04 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Philippines, Manila | 73 | 0.6 | 0.08 | 0.06 | 0.01 | 93 | 0.6 | 0.07 | 0.07 | 0.01 |
| *Qatar: Qatari | 2 | 0.4 | 0.28 | 0.04 | 0.03 | 3 | 0.4 | 0.23 | 0.03 | 0.02 |
| Republic of Korea | 1468 | 0.8 | 0.02 | 0.09 | 0.00 | 1220 | 0.7 | 0.02 | 0.07 | 0.00 |
| *Republic of Korea, Busan | 109 | 0.8 | 0.08 | 0.09 | 0.01 | 86 | 0.6 | 0.08 | 0.06 | 0.01 |
| *Republic of Korea, Daegu | 82 | 1.0 | 0.11 | 0.10 | 0.01 | 68 | 0.7 | 0.09 | 0.07 | 0.01 |
| *Republic of Korea, Daejeon | 46 | 1.0 | 0.15 | 0.10 | 0.02 | 33 | 0.7 | 0.12 | 0.07 | 0.01 |
| *Republic of Korea, Gwangju | 40 | 0.8 | 0.14 | 0.09 | 0.02 | 30 | 0.5 | 0.10 | 0.05 | 0.01 |
| Republic of Korea, Incheon | 71 | 0.7 | 0.09 | 0.07 | 0.01 | 62 | 0.6 | 0.08 | 0.06 | 0.01 |
| Republic of Korea, Jeju | 10 | 0.5 | 0.17 | 0.06 | 0.02 | 14 | 0.6 | 0.16 | 0.06 | 0.02 |
| Republic of Korea, Seoul | 278 | 0.8 | 0.05 | 0.09 | 0.01 | 252 | 0.7 | 0.05 | 0.07 | 0.00 |
| Republic of Korea, Ulsan | 39 | 0.9 | 0.15 | 0.11 | 0.02 | 36 | 0.9 | 0.16 | 0.10 | 0.02 |
| Singapore | 112 | 0.8 | 0.08 | 0.08 | 0.01 | 91 | 0.6 | 0.07 | 0.06 | 0.01 |
| Singapore: Chinese | 94 | 0.9 | 0.09 | 0.09 | 0.01 | 73 | 0.6 | 0.08 | 0.06 | 0.01 |
| Singapore: Indian | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 6 | 0.5 | 0.20 | 0.04 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Salivary glands (C07–08) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 11 | 0.7 | 0.21 | 0.06 | 0.02 | 9 | 0.6 | 0.20 | 0.06 | 0.03 |
| Thailand, Bangkok | 98 | 0.5 | 0.06 | 0.06 | 0.01 | 91 | 0.4 | 0.05 | 0.05 | 0.01 |
| *Thailand, Chiang Mai | 32 | 0.6 | 0.11 | 0.06 | 0.01 | 28 | 0.4 | 0.09 | 0.05 | 0.01 |
| *Thailand, Khon Kaen | 24 | 0.4 | 0.08 | 0.04 | 0.01 | 22 | 0.3 | 0.08 | 0.04 | 0.01 |
| Thailand, Lampang | 23 | 0.8 | 0.19 | 0.07 | 0.02 | 15 | 0.5 | 0.13 | 0.05 | 0.02 |
| Thailand, Lopburi Province | 26 | 1.1 | 0.22 | 0.14 | 0.03 | 37 | 1.6 | 0.28 | 0.14 | 0.03 |
| *Thailand, Songkhla | 22 | 0.6 | 0.12 | 0.06 | 0.01 | 19 | 0.4 | 0.10 | 0.05 | 0.01 |
| Turkey, Antalya | 42 | 0.7 | 0.10 | 0.08 | 0.02 | 36 | 0.6 | 0.09 | 0.06 | 0.01 |
| Turkey, Bursa | 43 | 0.5 | 0.08 | 0.07 | 0.01 | 29 | 0.3 | 0.06 | 0.03 | 0.01 |
| *Turkey, Edirne | 12 | 0.8 | 0.23 | 0.11 | 0.04 | 9 | 0.6 | 0.20 | 0.06 | 0.02 |
| *Turkey, Erzurum | 9 | 0.4 | 0.15 | 0.04 | 0.02 | 10 | 0.5 | 0.17 | 0.06 | 0.02 |
| Turkey, Eskişehir | 15 | 0.6 | 0.16 | 0.06 | 0.02 | 12 | 0.4 | 0.12 | 0.05 | 0.02 |
| Turkey, Gaziantep | 20 | 0.6 | 0.13 | 0.08 | 0.02 | 16 | 0.4 | 0.10 | 0.04 | 0.01 |
| *Turkey, Izmir | 89 | 0.7 | 0.07 | 0.07 | 0.01 | 73 | 0.5 | 0.06 | 0.05 | 0.01 |
| Turkey, Malatya | 12 | 0.6 | 0.17 | 0.08 | 0.03 | 11 | 0.4 | 0.14 | 0.05 | 0.02 |
| Turkey, Samsun | 21 | 0.5 | 0.12 | 0.06 | 0.02 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| Turkey, Trabzon | 10 | 0.4 | 0.14 | 0.05 | 0.02 | 11 | 0.4 | 0.14 | 0.05 | 0.01 |
| Europe | | | | | | | | | | |
| Austria | 354 | 0.8 | 0.05 | 0.09 | 0.01 | 199 | 0.4 | 0.04 | 0.05 | 0.00 |
| Austria, Carinthia | 24 | 0.9 | 0.19 | 0.10 | 0.02 | 13 | 0.5 | 0.17 | 0.06 | 0.02 |
| Austria, Tyrol | 26 | 0.7 | 0.15 | 0.07 | 0.02 | 13 | 0.3 | 0.09 | 0.03 | 0.01 |
| Austria, Vorarlberg | 10 | 0.7 | 0.22 | 0.07 | 0.03 | 6 | 0.3 | 0.13 | 0.03 | 0.01 |
| Belarus | 290 | 0.9 | 0.06 | 0.11 | 0.01 | 226 | 0.5 | 0.04 | 0.06 | 0.00 |
| *Belgium | 392 | 0.8 | 0.05 | 0.09 | 0.01 | 311 | 0.6 | 0.04 | 0.06 | 0.00 |
| Croatia | 156 | 0.8 | 0.07 | 0.09 | 0.01 | 128 | 0.5 | 0.06 | 0.05 | 0.01 |
| Cyprus | 22 | 0.6 | 0.13 | 0.06 | 0.02 | 21 | 0.6 | 0.13 | 0.06 | 0.02 |
| *Czech Republic | 376 | 0.8 | 0.05 | 0.09 | 0.01 | 303 | 0.6 | 0.04 | 0.06 | 0.00 |
| Denmark | 180 | 0.7 | 0.05 | 0.07 | 0.01 | 155 | 0.6 | 0.06 | 0.07 | 0.01 |
| Estonia | 34 | 0.7 | 0.13 | 0.07 | 0.02 | 49 | 0.8 | 0.13 | 0.08 | 0.01 |
| Finland | 179 | 0.7 | 0.06 | 0.08 | 0.01 | 170 | 0.6 | 0.06 | 0.06 | 0.01 |
| *France, Bas-Rhin | 27 | 0.6 | 0.13 | 0.07 | 0.02 | 16 | 0.4 | 0.11 | 0.04 | 0.01 |
| *France, Calvados | 35 | 0.9 | 0.17 | 0.09 | 0.02 | 13 | 0.4 | 0.13 | 0.04 | 0.01 |
| *France, Doubs | 22 | 0.9 | 0.23 | 0.09 | 0.03 | 19 | 0.8 | 0.21 | 0.09 | 0.02 |
| *France, Gironde | 45 | 0.7 | 0.13 | 0.06 | 0.01 | 36 | 0.6 | 0.11 | 0.06 | 0.01 |
| *France, Haut-Rhin | 30 | 0.8 | 0.15 | 0.08 | 0.02 | 12 | 0.3 | 0.11 | 0.03 | 0.01 |
| *France, Hérault | 53 | 1.0 | 0.15 | 0.09 | 0.02 | 28 | 0.6 | 0.13 | 0.06 | 0.01 |
| *France, Isère | 36 | 0.5 | 0.10 | 0.06 | 0.01 | 25 | 0.4 | 0.10 | 0.05 | 0.01 |
| *France, Lille-Métropole | 18 | 0.6 | 0.15 | 0.07 | 0.02 | 18 | 0.7 | 0.17 | 0.07 | 0.02 |
| *France, Limousin | 10 | 0.5 | 0.18 | 0.03 | 0.02 | 5 | 0.2 | 0.12 | 0.01 | 0.01 |
| *France, Loire-Atlantique | 36 | 0.6 | 0.10 | 0.07 | 0.01 | 34 | 0.6 | 0.12 | 0.06 | 0.01 |
| *France, Manche | 17 | 0.5 | 0.15 | 0.06 | 0.02 | 11 | 0.3 | 0.12 | 0.03 | 0.01 |
| *France, Poitou-Charentes | 67 | 0.8 | 0.11 | 0.08 | 0.01 | 38 | 0.4 | 0.08 | 0.04 | 0.01 |
| *France, Somme | 20 | 0.8 | 0.21 | 0.10 | 0.03 | 14 | 0.5 | 0.16 | 0.06 | 0.02 |
| *France, Tarn | 17 | 0.8 | 0.29 | 0.07 | 0.03 | 13 | 0.8 | 0.30 | 0.06 | 0.02 |
| *France, Territoire de Belfort | 2 | 0.5 | 0.34 | 0.08 | 0.06 | 2 | 0.5 | 0.38 | 0.05 | 0.04 |
| *France, Vendée | 28 | 0.6 | 0.13 | 0.07 | 0.02 | 22 | 0.6 | 0.14 | 0.06 | 0.02 |
| Germany, Baden-Württemberg | 208 | 0.6 | 0.05 | 0.06 | 0.01 | 160 | 0.5 | 0.04 | 0.05 | 0.01 |
| Germany, Bavaria | 432 | 0.7 | 0.04 | 0.07 | 0.00 | 307 | 0.5 | 0.03 | 0.05 | 0.00 |
| Germany, Bremen | 24 | 0.8 | 0.17 | 0.09 | 0.02 | 15 | 0.7 | 0.24 | 0.06 | 0.02 |
| Germany, Hamburg | 68 | 0.8 | 0.11 | 0.08 | 0.01 | 33 | 0.4 | 0.08 | 0.04 | 0.01 |
| Germany, Lower Saxony | 339 | 0.8 | 0.05 | 0.08 | 0.01 | 219 | 0.5 | 0.04 | 0.05 | 0.00 |
| Germany, North Rhine-Westphalia | 576 | 0.6 | 0.03 | 0.07 | 0.00 | 438 | 0.4 | 0.03 | 0.04 | 0.00 |
| Germany, Rhineland-Palatinate | 170 | 0.8 | 0.07 | 0.08 | 0.01 | 109 | 0.5 | 0.06 | 0.06 | 0.01 |
| Germany, Saarland | 39 | 0.7 | 0.13 | 0.08 | 0.02 | 26 | 0.5 | 0.12 | 0.04 | 0.01 |
| Germany, Schleswig-Holstein | 114 | 0.7 | 0.08 | 0.08 | 0.01 | 80 | 0.5 | 0.06 | 0.05 | 0.01 |
| Iceland | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 7 | 0.6 | 0.26 | 0.08 | 0.03 |
| Ireland | 162 | 0.9 | 0.07 | 0.09 | 0.01 | 81 | 0.5 | 0.06 | 0.05 | 0.01 |
| *Italy, Aosta Valley | 6 | 0.9 | 0.41 | 0.10 | 0.06 | 5 | 0.6 | 0.31 | 0.06 | 0.04 |
| *Italy, Avellino | 13 | 1.0 | 0.30 | 0.09 | 0.04 | 4 | 0.8 | 0.44 | 0.06 | 0.03 |
| Italy, Basilicata | 21 | 0.6 | 0.16 | 0.06 | 0.02 | 21 | 0.5 | 0.14 | 0.06 | 0.02 |
| *Italy, Benevento | 7 | 0.6 | 0.29 | 0.07 | 0.03 | 8 | 0.6 | 0.33 | 0.05 | 0.03 |
| Italy, Bergamo | 48 | 1.0 | 0.16 | 0.08 | 0.02 | 34 | 0.6 | 0.13 | 0.07 | 0.02 |
| *Italy, Brescia | 50 | 0.9 | 0.13 | 0.09 | 0.02 | 41 | 0.6 | 0.12 | 0.06 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 12 | 0.4 | 0.12 | 0.04 | 0.01 | 14 | 0.4 | 0.15 | 0.03 | 0.01 |
| Italy, Calabria | 14 | 0.6 | 0.18 | 0.06 | 0.02 | 15 | 0.5 | 0.16 | 0.05 | 0.02 |
| *Italy, Caserta | 21 | 0.7 | 0.15 | 0.08 | 0.02 | 12 | 0.4 | 0.13 | 0.04 | 0.01 |
| *Italy, Catania, Messina, and Enna | 72 | 0.8 | 0.10 | 0.09 | 0.01 | 37 | 0.4 | 0.08 | 0.04 | 0.01 |
| Italy, Emilia-Romagna | 164 | 0.8 | 0.08 | 0.08 | 0.01 | 126 | 0.7 | 0.08 | 0.07 | 0.01 |
| Italy, Friuli-Venezia Giulia | 53 | 0.9 | 0.16 | 0.09 | 0.02 | 42 | 0.6 | 0.11 | 0.06 | 0.01 |
| Italy, Genova | 27 | 0.6 | 0.14 | 0.06 | 0.02 | 27 | 0.5 | 0.11 | 0.07 | 0.02 |
| *Italy, Lombardy, South, Pavia | 21 | 0.7 | 0.17 | 0.08 | 0.02 | 19 | 0.6 | 0.19 | 0.06 | 0.02 |
| Italy, Mantova and Cremona | 27 | 0.8 | 0.19 | 0.09 | 0.02 | 25 | 0.8 | 0.18 | 0.09 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Salivary glands (C07–08) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 42 | 0.5 | <i>0.11</i> | 0.05 | <i>0.01</i> | 38 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> |
| Italy, Milan | 147 | 0.9 | <i>0.09</i> | 0.10 | <i>0.01</i> | 123 | 0.7 | <i>0.08</i> | 0.07 | <i>0.01</i> |
| Italy, Molise | 5 | 0.5 | <i>0.26</i> | 0.06 | <i>0.03</i> | 8 | 0.8 | <i>0.30</i> | 0.08 | <i>0.04</i> |
| *Italy, Naples Centre | 25 | 1.1 | <i>0.24</i> | 0.12 | <i>0.03</i> | 16 | 0.7 | <i>0.19</i> | 0.06 | <i>0.02</i> |
| *Italy, Naples North | 27 | 0.9 | <i>0.18</i> | 0.11 | <i>0.02</i> | 20 | 0.6 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| *Italy, Naples South | 32 | 0.7 | <i>0.13</i> | 0.08 | <i>0.02</i> | 27 | 0.6 | <i>0.13</i> | 0.06 | <i>0.01</i> |
| *Italy, Nuoro | 4 | 0.5 | <i>0.26</i> | 0.02 | <i>0.02</i> | 5 | 1.3 | <i>0.62</i> | 0.12 | <i>0.05</i> |
| *Italy, Palermo | 53 | 0.8 | <i>0.12</i> | 0.09 | <i>0.02</i> | 28 | 0.5 | <i>0.11</i> | 0.06 | <i>0.01</i> |
| Italy, Puglia | 149 | 0.7 | <i>0.07</i> | 0.08 | <i>0.01</i> | 91 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| *Italy, Ragusa and Caltanissetta | 21 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> | 12 | 0.4 | <i>0.14</i> | 0.04 | <i>0.01</i> |
| *Italy, Salerno | 32 | 0.7 | <i>0.14</i> | 0.08 | <i>0.02</i> | 21 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> |
| Italy, Sassari | 5 | 0.6 | <i>0.29</i> | 0.06 | <i>0.03</i> | 8 | 0.8 | <i>0.31</i> | 0.10 | <i>0.04</i> |
| *Italy, Sondrio | 14 | 1.2 | <i>0.35</i> | 0.10 | <i>0.04</i> | 11 | 0.6 | <i>0.23</i> | 0.06 | <i>0.03</i> |
| Italy, South Tyrol | 11 | 0.5 | <i>0.17</i> | 0.06 | <i>0.02</i> | 13 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> |
| *Italy, Syracuse | 18 | 1.0 | <i>0.27</i> | 0.12 | <i>0.03</i> | 7 | 0.3 | <i>0.14</i> | 0.04 | <i>0.02</i> |
| Italy, Trento | 10 | 0.3 | <i>0.11</i> | 0.02 | <i>0.01</i> | 14 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> |
| Italy, Turin | 143 | 1.2 | <i>0.12</i> | 0.14 | <i>0.01</i> | 87 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| *Italy, Tuscany | 91 | 0.8 | <i>0.10</i> | 0.09 | <i>0.01</i> | 70 | 0.7 | <i>0.11</i> | 0.08 | <i>0.01</i> |
| Italy, Umbria | 36 | 0.8 | <i>0.15</i> | 0.09 | <i>0.02</i> | 29 | 0.9 | <i>0.24</i> | 0.08 | <i>0.02</i> |
| Italy, Varese | 25 | 0.9 | <i>0.19</i> | 0.10 | <i>0.03</i> | 15 | 0.5 | <i>0.20</i> | 0.04 | <i>0.02</i> |
| Italy, Veneto | 225 | 0.9 | <i>0.07</i> | 0.08 | <i>0.01</i> | 149 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> |
| Latvia | 85 | 1.0 | <i>0.12</i> | 0.12 | <i>0.02</i> | 55 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> |
| *Liechtenstein | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 2 | 0.5 | <i>0.34</i> | 0.00 | <i>0.00</i> |
| *Lithuania | 110 | 1.1 | <i>0.10</i> | 0.11 | <i>0.01</i> | 67 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| Malta | 17 | 0.8 | <i>0.21</i> | 0.09 | <i>0.03</i> | 11 | 0.5 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| *The Netherlands | 442 | 0.6 | <i>0.03</i> | 0.06 | <i>0.00</i> | 362 | 0.5 | <i>0.03</i> | 0.05 | <i>0.00</i> |
| Norway | 179 | 0.8 | <i>0.06</i> | 0.08 | <i>0.01</i> | 151 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| Poland, Kielce | 37 | 0.6 | <i>0.11</i> | 0.06 | <i>0.01</i> | 24 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| *Portugal, Azores | 6 | 0.9 | <i>0.36</i> | 0.12 | <i>0.06</i> | 1 | 0.2 | <i>0.17</i> | 0.01 | <i>0.01</i> |
| Russian Federation, Arkhangelsk | 30 | 0.8 | <i>0.15</i> | 0.09 | <i>0.02</i> | 21 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| Russian Federation, Kaliningrad | 18 | 0.6 | <i>0.13</i> | 0.06 | <i>0.01</i> | 18 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> |
| Russian Federation, Karelia | 17 | 0.9 | <i>0.23</i> | 0.10 | <i>0.03</i> | 27 | 0.8 | <i>0.17</i> | 0.09 | <i>0.02</i> |
| *Russian Federation, Komi Republic | 23 | 0.9 | <i>0.20</i> | 0.13 | <i>0.04</i> | 19 | 0.6 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| Russian Federation, Murmansk | 23 | 1.1 | <i>0.23</i> | 0.11 | <i>0.02</i> | 17 | 0.4 | <i>0.11</i> | 0.05 | <i>0.02</i> |
| *Russian Federation, Orenburg | 55 | 0.9 | <i>0.12</i> | 0.09 | <i>0.01</i> | 58 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| Russian Federation, Pskov | 21 | 0.9 | <i>0.21</i> | 0.12 | <i>0.03</i> | 14 | 0.3 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| *Russian Federation, Samara | 64 | 0.6 | <i>0.08</i> | 0.08 | <i>0.01</i> | 66 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| Russian Federation, Vologda Region | 26 | 0.7 | <i>0.14</i> | 0.08 | <i>0.02</i> | 27 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> |
| Slovenia | 51 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> | 43 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| Spain, Asturias | 24 | 0.7 | <i>0.19</i> | 0.07 | <i>0.02</i> | 21 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| Spain, Basque Country | 69 | 0.8 | <i>0.11</i> | 0.08 | <i>0.01</i> | 55 | 0.6 | <i>0.10</i> | 0.07 | <i>0.01</i> |
| Spain, Canary Islands | 32 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | 27 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> |
| Spain, Castellón | 20 | 0.8 | <i>0.20</i> | 0.10 | <i>0.03</i> | 16 | 0.5 | <i>0.14</i> | 0.05 | <i>0.02</i> |
| Spain, Girona | 13 | 0.4 | <i>0.12</i> | 0.03 | <i>0.01</i> | 18 | 0.5 | <i>0.16</i> | 0.05 | <i>0.02</i> |
| Spain, Granada | 21 | 0.5 | <i>0.12</i> | 0.08 | <i>0.02</i> | 13 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> |
| Spain, La Rioja | 9 | 0.4 | <i>0.15</i> | 0.04 | <i>0.02</i> | 4 | 0.2 | <i>0.14</i> | 0.02 | <i>0.01</i> |
| Spain, Murcia | 56 | 0.9 | <i>0.13</i> | 0.09 | <i>0.02</i> | 27 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> |
| Spain, Navarra | 18 | 0.6 | <i>0.16</i> | 0.05 | <i>0.02</i> | 9 | 0.4 | <i>0.17</i> | 0.04 | <i>0.01</i> |
| Spain, Salamanca | 14 | 0.7 | <i>0.20</i> | 0.07 | <i>0.03</i> | 7 | 0.3 | <i>0.15</i> | 0.03 | <i>0.02</i> |
| Spain, Tarragona | 23 | 0.5 | <i>0.12</i> | 0.05 | <i>0.02</i> | 18 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> |
| *Sweden | 281 | 0.6 | <i>0.04</i> | 0.07 | <i>0.00</i> | 270 | 0.6 | <i>0.04</i> | 0.06 | <i>0.00</i> |
| Switzerland, Aargau | 22 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> | 8 | 0.3 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| Switzerland, Basel | 20 | 0.9 | <i>0.21</i> | 0.10 | <i>0.03</i> | 12 | 0.5 | <i>0.17</i> | 0.04 | <i>0.02</i> |
| Switzerland, Berne Solothurn | 20 | 0.4 | <i>0.11</i> | 0.06 | <i>0.02</i> | 22 | 0.6 | <i>0.17</i> | 0.06 | <i>0.02</i> |
| Switzerland, East | 22 | 0.5 | <i>0.12</i> | 0.06 | <i>0.02</i> | 24 | 0.8 | <i>0.20</i> | 0.08 | <i>0.02</i> |
| *Switzerland, Fribourg | 10 | 0.8 | <i>0.26</i> | 0.10 | <i>0.04</i> | 4 | 0.3 | <i>0.17</i> | 0.05 | <i>0.02</i> |
| Switzerland, Geneva | 18 | 0.9 | <i>0.22</i> | 0.09 | <i>0.03</i> | 15 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| *Switzerland, Graubünden and Glarus | 7 | 0.5 | <i>0.20</i> | 0.04 | <i>0.02</i> | 8 | 0.9 | <i>0.35</i> | 0.10 | <i>0.04</i> |
| *Switzerland, Lucerne | 19 | 0.7 | <i>0.18</i> | 0.09 | <i>0.03</i> | 7 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| *Switzerland, Neuchâtel and Jura | 3 | 0.3 | <i>0.16</i> | 0.03 | <i>0.02</i> | 8 | 0.3 | <i>0.10</i> | 0.02 | <i>0.02</i> |
| Switzerland, Ticino | 15 | 0.8 | <i>0.22</i> | 0.11 | <i>0.03</i> | 8 | 0.3 | <i>0.14</i> | 0.03 | <i>0.01</i> |
| Switzerland, Valais | 14 | 1.0 | <i>0.28</i> | 0.12 | <i>0.03</i> | 11 | 0.5 | <i>0.19</i> | 0.05 | <i>0.02</i> |
| Switzerland, Vaud | 23 | 0.7 | <i>0.15</i> | 0.06 | <i>0.02</i> | 22 | 0.6 | <i>0.15</i> | 0.06 | <i>0.02</i> |
| Switzerland, Zurich and Zug | 56 | 0.8 | <i>0.11</i> | 0.08 | <i>0.01</i> | 48 | 0.7 | <i>0.11</i> | 0.07 | <i>0.01</i> |
| Ukraine | 1117 | 0.9 | <i>0.03</i> | 0.11 | <i>0.00</i> | 822 | 0.5 | <i>0.02</i> | 0.05 | <i>0.00</i> |
| UK, England | 1620 | 0.7 | <i>0.02</i> | 0.07 | <i>0.00</i> | 1348 | 0.6 | <i>0.02</i> | 0.06 | <i>0.00</i> |
| UK, Northern Ireland | 47 | 0.7 | <i>0.11</i> | 0.07 | <i>0.01</i> | 34 | 0.5 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| UK, Scotland | 139 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | 136 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| UK, Wales | 126 | 0.8 | <i>0.08</i> | 0.09 | <i>0.01</i> | 95 | 0.8 | <i>0.09</i> | 0.07 | <i>0.01</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 320 | 0.9 | <i>0.06</i> | 0.10 | <i>0.01</i> | 243 | 0.8 | <i>0.05</i> | 0.08 | <i>0.01</i> |
| *Australia, Northern Territory | 10 | 1.4 | <i>0.44</i> | 0.17 | <i>0.06</i> | 4 | 0.6 | <i>0.32</i> | 0.04 | <i>0.03</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Salivary glands (C07–08) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 8 | 1.4 | 0.48 | 0.17 | 0.07 | 1 | 0.2 | 0.20 | 0.00 | 0.00 |
| *Australia, Northern Territory: Indigenous | 2 | 1.1 | 0.79 | 0.10 | 0.07 | 3 | 1.8 | 1.07 | 0.18 | 0.12 |
| *Australia, Queensland | 132 | 0.7 | 0.07 | 0.07 | 0.01 | 127 | 0.7 | 0.07 | 0.07 | 0.01 |
| Australia, South Australia | 89 | 1.2 | 0.14 | 0.12 | 0.02 | 47 | 0.6 | 0.11 | 0.06 | 0.01 |
| Australia, Tasmania | 22 | 0.8 | 0.20 | 0.08 | 0.02 | 15 | 0.8 | 0.25 | 0.07 | 0.02 |
| *Australia, Victoria | 229 | 0.9 | 0.06 | 0.09 | 0.01 | 158 | 0.6 | 0.06 | 0.07 | 0.01 |
| *Australia, Western Australia | 91 | 0.9 | 0.10 | 0.11 | 0.01 | 57 | 0.6 | 0.09 | 0.06 | 0.01 |
| *France, New Caledonia | 7 | 0.9 | 0.34 | 0.09 | 0.04 | 7 | 0.8 | 0.32 | 0.10 | 0.05 |
| New Zealand | 107 | 0.6 | 0.06 | 0.06 | 0.01 | 94 | 0.5 | 0.06 | 0.06 | 0.01 |
| *New Zealand: Maori | 7 | 0.4 | 0.16 | 0.05 | 0.02 | 14 | 0.7 | 0.19 | 0.06 | 0.02 |
| *New Zealand: Pacific peoples | 9 | 1.5 | 0.52 | 0.15 | 0.06 | 7 | 0.9 | 0.35 | 0.10 | 0.04 |
| *New Zealand: Other | 85 | 0.6 | 0.08 | 0.06 | 0.01 | 69 | 0.5 | 0.07 | 0.06 | 0.01 |
| USA, Hawaii | 69 | 1.1 | 0.15 | 0.12 | 0.02 | 69 | 1.3 | 0.17 | 0.13 | 0.02 |
| USA, Hawaii: White | 33 | 1.6 | 0.30 | 0.17 | 0.04 | 17 | 1.4 | 0.46 | 0.12 | 0.04 |
| *USA, Hawaii: Japanese | 9 | 0.7 | 0.34 | 0.06 | 0.03 | 10 | 0.8 | 0.32 | 0.10 | 0.04 |
| *USA, Hawaii: Chinese | 4 | 1.2 | 0.77 | 0.13 | 0.08 | 5 | 1.0 | 0.48 | 0.17 | 0.09 |
| *USA, Hawaii: Hawaiian | 7 | 0.8 | 0.31 | 0.08 | 0.04 | 11 | 1.1 | 0.36 | 0.12 | 0.04 |
| *USA, Hawaii: Filipino | 9 | 1.1 | 0.39 | 0.13 | 0.05 | 16 | 1.5 | 0.40 | 0.16 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tonsil (C09)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Algeria, Tizi Ouzou | 3 | 0.2 | 0.13 | 0.04 | 0.02 | 2 | 0.1 | 0.08 | 0.02 | 0.01 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *France, La Réunion | 66 | 3.1 | 0.38 | 0.39 | 0.05 | 10 | 0.4 | 0.14 | 0.04 | 0.01 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Nairobi | 6 | 0.3 | 0.14 | 0.02 | 0.01 | 4 | 0.2 | 0.12 | 0.04 | 0.02 |
| Mauritius | 38 | 0.9 | 0.14 | 0.11 | 0.02 | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| *Morocco, Casablanca | 15 | 0.1 | 0.04 | 0.02 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Seychelles | 2 | 0.7 | 0.48 | 0.08 | 0.06 | 1 | 0.4 | 0.37 | 0.05 | 0.05 |
| *South Africa, Eastern Cape | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 11 | 0.4 | 0.14 | 0.03 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Zimbabwe, Harare: African | 6 | 0.3 | 0.15 | 0.04 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 18 | 0.8 | 0.20 | 0.08 | 0.02 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Argentina, Mendoza | 29 | 0.6 | 0.11 | 0.06 | 0.01 | 10 | 0.2 | 0.06 | 0.03 | 0.01 |
| Brazil, Aracaju | 11 | 1.0 | 0.32 | 0.17 | 0.06 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Brazil, Barretos | 19 | 1.4 | 0.33 | 0.16 | 0.04 | 6 | 0.4 | 0.16 | 0.04 | 0.02 |
| Brazil, Belo Horizonte | 54 | 0.8 | 0.11 | 0.10 | 0.01 | 15 | 0.2 | 0.05 | 0.02 | 0.01 |
| *Brazil, Campinas | 15 | 0.7 | 0.17 | 0.07 | 0.02 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Brazil, Curitiba | 33 | 0.8 | 0.15 | 0.10 | 0.02 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Brazil, Goiânia | 23 | 0.8 | 0.17 | 0.10 | 0.02 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Brazil, Jaú | 10 | 2.5 | 0.78 | 0.32 | 0.12 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 3 | 0.3 | 0.20 | 0.06 | 0.04 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| Brazil, Recife | 13 | 0.5 | 0.14 | 0.06 | 0.02 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| Chile, Region of Antofagasta | 5 | 0.5 | 0.24 | 0.10 | 0.05 | 2 | 0.2 | 0.16 | 0.04 | 0.03 |
| Chile, Valdivia | 5 | 0.4 | 0.18 | 0.05 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Colombia, Bucaramanga | 24 | 0.9 | 0.18 | 0.10 | 0.02 | 13 | 0.4 | 0.10 | 0.04 | 0.01 |
| Colombia, Cali | 72 | 1.3 | 0.15 | 0.17 | 0.02 | 26 | 0.3 | 0.07 | 0.04 | 0.01 |
| Colombia, Manizales | 12 | 0.8 | 0.25 | 0.09 | 0.03 | 5 | 0.3 | 0.13 | 0.03 | 0.02 |
| Colombia, Pasto | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| Costa Rica | 70 | 0.7 | 0.09 | 0.08 | 0.01 | 27 | 0.2 | 0.05 | 0.03 | 0.01 |
| Ecuador, Guayaquil | 52 | 0.9 | 0.13 | 0.12 | 0.02 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| Ecuador, Manabí | 9 | 0.3 | 0.09 | 0.03 | 0.01 | 8 | 0.2 | 0.08 | 0.02 | 0.01 |
| Ecuador, Quito | 10 | 0.3 | 0.08 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *France, Guadeloupe | 34 | 2.2 | 0.39 | 0.30 | 0.05 | 3 | 0.2 | 0.12 | 0.02 | 0.01 |
| *France, Martinique | 33 | 2.3 | 0.42 | 0.27 | 0.05 | 11 | 0.6 | 0.19 | 0.07 | 0.02 |
| *Peru, Lima | 42 | 0.3 | 0.05 | 0.04 | 0.01 | 18 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Trinidad and Tobago | 15 | 0.6 | 0.16 | 0.10 | 0.03 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| USA, Puerto Rico | 195 | 1.5 | 0.11 | 0.18 | 0.01 | 32 | 0.2 | 0.04 | 0.03 | 0.00 |
| *Uruguay | 153 | 1.4 | 0.11 | 0.18 | 0.02 | 39 | 0.3 | 0.05 | 0.04 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 310 | 2.1 | 0.12 | 0.26 | 0.02 | 88 | 0.6 | 0.06 | 0.07 | 0.01 |
| Canada, British Columbia | 483 | 2.4 | 0.11 | 0.29 | 0.01 | 111 | 0.5 | 0.05 | 0.06 | 0.01 |
| *Canada, Manitoba | 98 | 2.1 | 0.21 | 0.26 | 0.03 | 26 | 0.5 | 0.09 | 0.06 | 0.01 |
| *Canada, New Brunswick | 127 | 3.7 | 0.34 | 0.46 | 0.04 | 28 | 0.7 | 0.15 | 0.07 | 0.02 |
| *Canada, Newfoundland and Labrador | 57 | 2.3 | 0.31 | 0.29 | 0.04 | 20 | 0.8 | 0.19 | 0.09 | 0.02 |
| Canada, Ontario | 1140 | 2.1 | 0.06 | 0.26 | 0.01 | 306 | 0.5 | 0.03 | 0.06 | 0.00 |
| *Canada, Prince Edward Island | 17 | 2.8 | 0.69 | 0.36 | 0.09 | 3 | 0.4 | 0.23 | 0.07 | 0.04 |
| Canada, Quebec | 976 | 2.6 | 0.09 | 0.33 | 0.01 | 333 | 0.9 | 0.05 | 0.11 | 0.01 |
| Canada, Saskatchewan | 97 | 2.2 | 0.23 | 0.28 | 0.03 | 17 | 0.4 | 0.10 | 0.04 | 0.01 |
| *Canada, Yukon | 5 | 3.2 | 1.48 | 0.37 | 0.16 | 1 | 0.5 | 0.53 | 0.07 | 0.07 |
| USA | 36090 | 3.1 | 0.02 | 0.38 | 0.00 | 7404 | 0.6 | 0.01 | 0.07 | 0.00 |
| USA: White | 32483 | 3.3 | 0.02 | 0.41 | 0.00 | 6528 | 0.6 | 0.01 | 0.07 | 0.00 |
| USA: Black | 2715 | 2.1 | 0.04 | 0.26 | 0.01 | 669 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, NPCR | 34994 | 3.1 | 0.02 | 0.38 | 0.00 | 7178 | 0.6 | 0.01 | 0.07 | 0.00 |
| USA, NPCR: White | 31512 | 3.4 | 0.02 | 0.41 | 0.00 | 6324 | 0.6 | 0.01 | 0.07 | 0.00 |
| USA, NPCR: Black | 2671 | 2.1 | 0.04 | 0.26 | 0.01 | 662 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 419 | 0.8 | 0.04 | 0.10 | 0.01 | 117 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, NPCR: American Indian | 192 | 1.6 | 0.12 | 0.20 | 0.02 | 26 | 0.2 | 0.04 | 0.03 | 0.01 |
| *USA, SEER (18 registries) | 8976 | 2.8 | 0.03 | 0.35 | 0.00 | 1822 | 0.5 | 0.01 | 0.06 | 0.00 |
| *USA, SEER (18 registries): White | 7831 | 3.1 | 0.04 | 0.39 | 0.00 | 1548 | 0.6 | 0.01 | 0.07 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 7165 | 3.6 | 0.04 | 0.43 | 0.01 | 1401 | 0.6 | 0.02 | 0.08 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 666 | 1.5 | 0.06 | 0.19 | 0.01 | 147 | 0.3 | 0.03 | 0.04 | 0.00 |
| *USA, SEER (18 registries): Black | 735 | 2.2 | 0.08 | 0.27 | 0.01 | 173 | 0.4 | 0.03 | 0.05 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 278 | 0.9 | 0.05 | 0.11 | 0.01 | 75 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (9 registries) | 2990 | 2.7 | 0.05 | 0.33 | 0.01 | 594 | 0.5 | 0.02 | 0.06 | 0.00 |
| *USA, SEER (9 registries): White | 2570 | 3.0 | 0.06 | 0.37 | 0.01 | 497 | 0.5 | 0.02 | 0.07 | 0.00 |
| *USA, SEER (9 registries): Black | 262 | 2.4 | 0.15 | 0.28 | 0.02 | 61 | 0.4 | 0.06 | 0.06 | 0.01 |
| USA, Alabama | 602 | 3.3 | 0.14 | 0.40 | 0.02 | 140 | 0.7 | 0.06 | 0.08 | 0.01 |
| USA, Alabama: White | 514 | 3.8 | 0.17 | 0.45 | 0.02 | 126 | 0.8 | 0.08 | 0.09 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tonsil (C09) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 76 | 1.9 | 0.22 | 0.25 | 0.03 | 14 | 0.3 | 0.08 | 0.04 | 0.01 |
| USA, Alaska | 77 | 2.9 | 0.34 | 0.35 | 0.04 | 12 | 0.5 | 0.16 | 0.07 | 0.02 |
| *USA, Alaska: Alaska Natives | 5 | 1.4 | 0.65 | 0.18 | 0.08 | 2 | 0.7 | 0.47 | 0.08 | 0.06 |
| USA, Arizona | 644 | 2.6 | 0.10 | 0.32 | 0.01 | 113 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, Arizona: White | 620 | 2.8 | 0.12 | 0.34 | 0.01 | 107 | 0.4 | 0.04 | 0.06 | 0.01 |
| USA, Arizona: Black | 11 | 1.2 | 0.35 | 0.15 | 0.05 | 3 | 0.3 | 0.20 | 0.04 | 0.02 |
| *USA, Arizona: Asian and Pacific Islander | 4 | 0.6 | 0.31 | 0.10 | 0.06 | 2 | 0.2 | 0.14 | 0.02 | 0.01 |
| USA, Arizona: American Indian | 7 | 0.8 | 0.31 | 0.10 | 0.04 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| USA, Arkansas | 441 | 4.0 | 0.20 | 0.50 | 0.02 | 108 | 0.9 | 0.09 | 0.10 | 0.01 |
| USA, Arkansas: White | 399 | 4.3 | 0.22 | 0.53 | 0.03 | 95 | 0.9 | 0.10 | 0.10 | 0.01 |
| USA, Arkansas: Black | 37 | 2.7 | 0.46 | 0.34 | 0.06 | 10 | 0.6 | 0.20 | 0.09 | 0.03 |
| USA, California | 3448 | 2.5 | 0.04 | 0.32 | 0.01 | 684 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, California: White | 3069 | 2.9 | 0.05 | 0.37 | 0.01 | 583 | 0.5 | 0.02 | 0.06 | 0.00 |
| USA, California: Black | 175 | 2.0 | 0.16 | 0.27 | 0.02 | 39 | 0.4 | 0.06 | 0.05 | 0.01 |
| USA, California: Asian and Pacific Islander | 150 | 0.7 | 0.06 | 0.09 | 0.01 | 50 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, California, Los Angeles County | 688 | 2.0 | 0.08 | 0.25 | 0.01 | 145 | 0.4 | 0.03 | 0.05 | 0.00 |
| *USA, California, Los Angeles County: White | 564 | 2.3 | 0.10 | 0.29 | 0.01 | 114 | 0.4 | 0.04 | 0.05 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 421 | 3.3 | 0.17 | 0.39 | 0.02 | 83 | 0.6 | 0.07 | 0.08 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 143 | 1.3 | 0.11 | 0.17 | 0.02 | 31 | 0.2 | 0.04 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Black | 59 | 1.9 | 0.24 | 0.26 | 0.04 | 16 | 0.4 | 0.10 | 0.06 | 0.02 |
| *USA, California, Los Angeles County: Chinese | 6 | 0.3 | 0.14 | 0.04 | 0.02 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Filipino | 8 | 0.6 | 0.22 | 0.07 | 0.03 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Korean | 7 | 0.7 | 0.29 | 0.09 | 0.04 | 2 | 0.2 | 0.15 | 0.03 | 0.02 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 41 | 0.7 | 0.11 | 0.08 | 0.01 | 10 | 0.1 | 0.05 | 0.01 | 0.01 |
| *USA, California, San Francisco Bay Area | 417 | 2.4 | 0.12 | 0.30 | 0.02 | 76 | 0.4 | 0.04 | 0.05 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 353 | 3.2 | 0.17 | 0.40 | 0.02 | 58 | 0.5 | 0.06 | 0.06 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 312 | 3.5 | 0.20 | 0.43 | 0.03 | 53 | 0.5 | 0.08 | 0.07 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 41 | 2.0 | 0.32 | 0.27 | 0.05 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *USA, California, San Francisco Bay Area: Black | 39 | 2.8 | 0.45 | 0.32 | 0.06 | 6 | 0.3 | 0.14 | 0.05 | 0.02 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 23 | 0.5 | 0.11 | 0.07 | 0.01 | 12 | 0.2 | 0.05 | 0.01 | 0.01 |
| USA, Colorado | 548 | 2.8 | 0.12 | 0.34 | 0.02 | 84 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, Colorado: White | 517 | 2.9 | 0.13 | 0.35 | 0.02 | 80 | 0.4 | 0.05 | 0.05 | 0.01 |
| *USA, Colorado: Black | 20 | 2.6 | 0.60 | 0.36 | 0.10 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *USA, Colorado: Asian and Pacific Islander | 3 | 0.6 | 0.35 | 0.07 | 0.04 | 2 | 0.3 | 0.20 | 0.04 | 0.04 |
| USA, Connecticut | 439 | 3.1 | 0.15 | 0.38 | 0.02 | 98 | 0.6 | 0.07 | 0.08 | 0.01 |
| USA, Connecticut: White | 399 | 3.2 | 0.17 | 0.40 | 0.02 | 93 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, Connecticut: Black | 29 | 2.4 | 0.45 | 0.28 | 0.06 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| USA, District of Columbia | 41 | 2.0 | 0.31 | 0.22 | 0.04 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| USA, District of Columbia: White | 18 | 2.1 | 0.50 | 0.24 | 0.06 | 1 | 0.1 | 0.11 | 0.02 | 0.02 |
| USA, District of Columbia: Black | 22 | 1.9 | 0.43 | 0.22 | 0.05 | 6 | 0.4 | 0.18 | 0.04 | 0.02 |
| USA, Florida | 3095 | 3.8 | 0.07 | 0.47 | 0.01 | 669 | 0.7 | 0.03 | 0.09 | 0.00 |
| USA, Florida: White | 2818 | 4.2 | 0.08 | 0.51 | 0.01 | 618 | 0.8 | 0.03 | 0.10 | 0.00 |
| USA, Florida: Black | 185 | 1.9 | 0.14 | 0.25 | 0.02 | 38 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 24 | 1.2 | 0.25 | 0.13 | 0.03 | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| USA, Georgia | 1118 | 3.2 | 0.10 | 0.39 | 0.01 | 249 | 0.6 | 0.04 | 0.08 | 0.01 |
| USA, Georgia: White | 914 | 3.8 | 0.13 | 0.46 | 0.02 | 192 | 0.7 | 0.05 | 0.09 | 0.01 |
| USA, Georgia: Black | 191 | 2.1 | 0.15 | 0.24 | 0.02 | 56 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 12 | 1.1 | 0.31 | 0.13 | 0.05 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *USA, Georgia, Atlanta | 295 | 2.6 | 0.15 | 0.32 | 0.02 | 57 | 0.4 | 0.06 | 0.06 | 0.01 |
| *USA, Georgia, Atlanta: White | 211 | 3.2 | 0.22 | 0.40 | 0.03 | 40 | 0.5 | 0.09 | 0.08 | 0.01 |
| *USA, Georgia, Atlanta: Black | 77 | 1.9 | 0.22 | 0.23 | 0.03 | 16 | 0.3 | 0.08 | 0.04 | 0.01 |
| USA, Idaho | 152 | 2.5 | 0.21 | 0.31 | 0.03 | 37 | 0.6 | 0.10 | 0.08 | 0.01 |
| USA, Indiana | 956 | 4.0 | 0.13 | 0.48 | 0.02 | 170 | 0.6 | 0.05 | 0.08 | 0.01 |
| USA, Indiana: White | 903 | 4.1 | 0.14 | 0.49 | 0.02 | 160 | 0.7 | 0.06 | 0.08 | 0.01 |
| USA, Indiana: Black | 48 | 2.8 | 0.40 | 0.37 | 0.06 | 8 | 0.4 | 0.14 | 0.06 | 0.02 |
| *USA, Iowa | 353 | 3.0 | 0.17 | 0.37 | 0.02 | 75 | 0.6 | 0.07 | 0.07 | 0.01 |
| USA, Kentucky | 685 | 4.1 | 0.16 | 0.51 | 0.02 | 159 | 0.9 | 0.07 | 0.11 | 0.01 |
| USA, Louisiana | 564 | 3.4 | 0.15 | 0.41 | 0.02 | 101 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Louisiana: White | 455 | 3.9 | 0.19 | 0.47 | 0.02 | 83 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, Louisiana: Black | 105 | 2.4 | 0.24 | 0.28 | 0.03 | 16 | 0.3 | 0.08 | 0.03 | 0.01 |
| *USA, Louisiana, New Orleans | 87 | 2.8 | 0.30 | 0.30 | 0.04 | 21 | 0.6 | 0.13 | 0.07 | 0.02 |
| *USA, Louisiana, New Orleans: White | 63 | 3.3 | 0.43 | 0.36 | 0.05 | 15 | 0.7 | 0.19 | 0.09 | 0.02 |
| *USA, Louisiana, New Orleans: Black | 21 | 2.0 | 0.44 | 0.22 | 0.05 | 4 | 0.3 | 0.14 | 0.02 | 0.01 |
| USA, Maine | 217 | 3.6 | 0.25 | 0.45 | 0.03 | 53 | 0.8 | 0.12 | 0.10 | 0.01 |
| USA, Maryland | 614 | 2.8 | 0.12 | 0.34 | 0.01 | 110 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, Maryland: White | 497 | 3.5 | 0.16 | 0.42 | 0.02 | 83 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Maryland: Black | 107 | 1.8 | 0.18 | 0.21 | 0.02 | 23 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 8 | 0.6 | 0.22 | 0.06 | 0.02 | 4 | 0.3 | 0.13 | 0.03 | 0.02 |
| USA, Massachusetts | 709 | 2.8 | 0.11 | 0.34 | 0.01 | 194 | 0.6 | 0.05 | 0.08 | 0.01 |
| USA, Massachusetts: White | 663 | 3.0 | 0.12 | 0.36 | 0.01 | 182 | 0.7 | 0.05 | 0.08 | 0.01 |
| USA, Massachusetts: Black | 32 | 2.0 | 0.35 | 0.26 | 0.05 | 9 | 0.5 | 0.16 | 0.06 | 0.02 |
| USA, Massachusetts: Asian and Pacific Islander | 10 | 0.8 | 0.25 | 0.07 | 0.03 | 3 | 0.2 | 0.14 | 0.03 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tonsil (C09) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 1175 | 3.0 | 0.09 | 0.37 | 0.01 | 232 | 0.5 | 0.04 | 0.07 | 0.00 |
| USA, Michigan: White | 1042 | 3.1 | 0.10 | 0.38 | 0.01 | 195 | 0.5 | 0.04 | 0.07 | 0.01 |
| USA, Michigan: Black | 115 | 2.6 | 0.25 | 0.33 | 0.03 | 34 | 0.6 | 0.11 | 0.07 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 7 | 0.8 | 0.31 | 0.10 | 0.04 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *USA, Michigan, Detroit | 459 | 3.1 | 0.15 | 0.38 | 0.02 | 101 | 0.6 | 0.06 | 0.07 | 0.01 |
| *USA, Michigan, Detroit: White | 365 | 3.3 | 0.18 | 0.40 | 0.02 | 72 | 0.6 | 0.07 | 0.07 | 0.01 |
| *USA, Michigan, Detroit: Black | 87 | 2.9 | 0.31 | 0.36 | 0.04 | 28 | 0.7 | 0.13 | 0.08 | 0.02 |
| USA, Minnesota | 604 | 2.9 | 0.12 | 0.36 | 0.02 | 124 | 0.6 | 0.05 | 0.07 | 0.01 |
| USA, Minnesota: White | 575 | 3.0 | 0.13 | 0.37 | 0.02 | 116 | 0.6 | 0.05 | 0.07 | 0.01 |
| USA, Minnesota: Black | 10 | 1.6 | 0.50 | 0.20 | 0.08 | 5 | 0.7 | 0.31 | 0.08 | 0.04 |
| *USA, Minnesota: Asian and Pacific Islander | 4 | 0.6 | 0.31 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Mississippi | 332 | 3.1 | 0.18 | 0.39 | 0.02 | 82 | 0.7 | 0.08 | 0.08 | 0.01 |
| USA, Missouri | 863 | 3.8 | 0.13 | 0.46 | 0.02 | 170 | 0.6 | 0.05 | 0.08 | 0.01 |
| USA, Missouri: White | 800 | 4.0 | 0.15 | 0.48 | 0.02 | 155 | 0.7 | 0.06 | 0.08 | 0.01 |
| USA, Missouri: Black | 59 | 2.8 | 0.38 | 0.34 | 0.05 | 13 | 0.5 | 0.15 | 0.07 | 0.02 |
| USA, Montana | 139 | 3.4 | 0.30 | 0.39 | 0.04 | 27 | 0.6 | 0.12 | 0.07 | 0.02 |
| *USA, Montana: American Indian | 5 | 2.6 | 1.20 | 0.26 | 0.12 | 1 | 0.3 | 0.31 | 0.00 | 0.00 |
| USA, Nebraska | 210 | 3.2 | 0.23 | 0.39 | 0.03 | 22 | 0.3 | 0.07 | 0.04 | 0.01 |
| USA, Nebraska: White | 199 | 3.3 | 0.24 | 0.39 | 0.03 | 20 | 0.3 | 0.07 | 0.04 | 0.01 |
| *USA, Nebraska: Black | 9 | 3.5 | 1.19 | 0.43 | 0.15 | 1 | 0.4 | 0.44 | 0.06 | 0.06 |
| USA, Nevada | 261 | 2.3 | 0.15 | 0.29 | 0.02 | 57 | 0.5 | 0.07 | 0.06 | 0.01 |
| USA, Nevada: White | 237 | 2.6 | 0.17 | 0.32 | 0.02 | 51 | 0.5 | 0.08 | 0.07 | 0.01 |
| USA, Nevada: Black | 12 | 1.5 | 0.43 | 0.19 | 0.06 | 2 | 0.2 | 0.16 | 0.04 | 0.03 |
| *USA, Nevada: Asian and Pacific Islander | 8 | 0.9 | 0.31 | 0.14 | 0.05 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| USA, New Jersey | 951 | 2.8 | 0.09 | 0.34 | 0.01 | 181 | 0.5 | 0.04 | 0.06 | 0.00 |
| USA, New Jersey: White | 826 | 3.1 | 0.11 | 0.37 | 0.01 | 159 | 0.5 | 0.04 | 0.06 | 0.01 |
| USA, New Jersey: Black | 95 | 2.3 | 0.24 | 0.31 | 0.04 | 17 | 0.4 | 0.09 | 0.04 | 0.01 |
| USA, New Mexico | 163 | 2.1 | 0.17 | 0.25 | 0.02 | 32 | 0.4 | 0.07 | 0.05 | 0.01 |
| USA, New Mexico: White | 148 | 2.1 | 0.18 | 0.25 | 0.02 | 29 | 0.4 | 0.07 | 0.05 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 101 | 2.4 | 0.26 | 0.29 | 0.03 | 21 | 0.4 | 0.10 | 0.06 | 0.01 |
| USA, New Mexico: Hispanic White | 47 | 1.6 | 0.24 | 0.19 | 0.03 | 8 | 0.3 | 0.10 | 0.04 | 0.01 |
| *USA, New Mexico: American Indian | 7 | 1.2 | 0.44 | 0.15 | 0.06 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| USA, New York State | 1808 | 2.5 | 0.06 | 0.31 | 0.01 | 422 | 0.5 | 0.03 | 0.06 | 0.00 |
| USA, New York State: White | 1575 | 2.9 | 0.07 | 0.35 | 0.01 | 353 | 0.6 | 0.03 | 0.07 | 0.00 |
| USA, New York State: Black | 195 | 1.8 | 0.13 | 0.22 | 0.02 | 58 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 31 | 0.6 | 0.11 | 0.07 | 0.01 | 10 | 0.1 | 0.05 | 0.02 | 0.01 |
| USA, North Carolina | 1268 | 3.5 | 0.10 | 0.42 | 0.01 | 272 | 0.6 | 0.04 | 0.08 | 0.01 |
| USA, North Carolina: White | 1095 | 3.8 | 0.12 | 0.47 | 0.01 | 219 | 0.7 | 0.05 | 0.09 | 0.01 |
| USA, North Carolina: Black | 152 | 2.2 | 0.18 | 0.27 | 0.02 | 50 | 0.5 | 0.08 | 0.07 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 11 | 1.5 | 0.46 | 0.19 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| *USA, North Carolina: American Indian | 6 | 1.2 | 0.50 | 0.19 | 0.08 | 2 | 0.4 | 0.27 | 0.08 | 0.06 |
| USA, North Dakota | 86 | 3.1 | 0.34 | 0.40 | 0.05 | 16 | 0.6 | 0.15 | 0.07 | 0.02 |
| USA, Ohio | 1459 | 3.3 | 0.09 | 0.40 | 0.01 | 355 | 0.7 | 0.04 | 0.09 | 0.01 |
| USA, Ohio: White | 1354 | 3.5 | 0.10 | 0.42 | 0.01 | 318 | 0.7 | 0.04 | 0.09 | 0.01 |
| USA, Ohio: Black | 97 | 2.1 | 0.22 | 0.26 | 0.03 | 36 | 0.6 | 0.11 | 0.08 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 1 | 0.2 | 0.17 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma | 435 | 3.2 | 0.16 | 0.39 | 0.02 | 80 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Oklahoma: White | 383 | 3.4 | 0.18 | 0.41 | 0.02 | 70 | 0.5 | 0.07 | 0.06 | 0.01 |
| USA, Oklahoma: Black | 15 | 1.6 | 0.41 | 0.15 | 0.04 | 4 | 0.4 | 0.20 | 0.06 | 0.03 |
| USA, Oklahoma: American Indian | 31 | 2.9 | 0.52 | 0.34 | 0.07 | 5 | 0.4 | 0.18 | 0.05 | 0.02 |
| USA, Oregon | 580 | 3.8 | 0.16 | 0.45 | 0.02 | 97 | 0.5 | 0.06 | 0.07 | 0.01 |
| USA, Oregon: White | 548 | 3.8 | 0.17 | 0.46 | 0.02 | 90 | 0.5 | 0.06 | 0.07 | 0.01 |
| *USA, Oregon: Black | 5 | 1.9 | 0.87 | 0.33 | 0.16 | 1 | 0.4 | 0.44 | 0.07 | 0.07 |
| *USA, Oregon: Asian and Pacific Islander | 5 | 0.8 | 0.36 | 0.06 | 0.03 | 3 | 0.4 | 0.24 | 0.06 | 0.04 |
| USA, Rhode Island | 96 | 2.4 | 0.25 | 0.29 | 0.03 | 29 | 0.6 | 0.12 | 0.08 | 0.02 |
| USA, Rhode Island: White | 92 | 2.5 | 0.27 | 0.30 | 0.03 | 27 | 0.6 | 0.13 | 0.08 | 0.02 |
| *USA, Rhode Island: Black | 4 | 1.7 | 0.86 | 0.19 | 0.10 | 2 | 0.7 | 0.49 | 0.08 | 0.05 |
| USA, South Carolina | 688 | 3.7 | 0.15 | 0.45 | 0.02 | 132 | 0.6 | 0.06 | 0.08 | 0.01 |
| USA, South Carolina: White | 576 | 4.2 | 0.18 | 0.50 | 0.02 | 105 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, South Carolina: Black | 106 | 2.5 | 0.24 | 0.30 | 0.03 | 24 | 0.5 | 0.09 | 0.06 | 0.01 |
| USA, South Dakota | 105 | 3.3 | 0.33 | 0.41 | 0.04 | 14 | 0.5 | 0.13 | 0.06 | 0.02 |
| USA, Tennessee | 913 | 3.7 | 0.13 | 0.45 | 0.02 | 179 | 0.6 | 0.05 | 0.08 | 0.01 |
| USA, Tennessee: White | 849 | 4.1 | 0.14 | 0.49 | 0.02 | 169 | 0.7 | 0.06 | 0.09 | 0.01 |
| USA, Tennessee: Black | 59 | 1.8 | 0.23 | 0.21 | 0.03 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| USA, Texas | 2386 | 2.7 | 0.06 | 0.33 | 0.01 | 435 | 0.4 | 0.02 | 0.06 | 0.00 |
| USA, Texas: White | 2177 | 2.9 | 0.06 | 0.36 | 0.01 | 398 | 0.5 | 0.03 | 0.06 | 0.00 |
| USA, Texas: Black | 177 | 1.8 | 0.14 | 0.22 | 0.02 | 30 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 22 | 0.6 | 0.12 | 0.08 | 0.02 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, Utah | 159 | 1.9 | 0.16 | 0.23 | 0.02 | 22 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, Vermont | 96 | 3.5 | 0.37 | 0.43 | 0.05 | 24 | 0.8 | 0.18 | 0.11 | 0.02 |
| USA, Washington State | 772 | 2.9 | 0.10 | 0.35 | 0.01 | 156 | 0.5 | 0.04 | 0.06 | 0.01 |
| *USA, Washington, Seattle | 564 | 3.0 | 0.13 | 0.37 | 0.02 | 112 | 0.5 | 0.05 | 0.06 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Tonsil (C09) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 281 | 3.8 | 0.23 | 0.43 | 0.03 | 54 | 0.6 | 0.09 | 0.08 | 0.01 |
| USA, Wyoming | 61 | 2.6 | 0.34 | 0.33 | 0.04 | 11 | 0.5 | 0.15 | 0.06 | 0.02 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| Brunei Darussalam | 5 | 0.5 | 0.25 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 27 | 0.3 | 0.07 | 0.03 | 0.01 | 13 | 0.2 | 0.05 | 0.01 | 0.00 |
| *China, Aohan Banner, Chifeng City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Arongqi | 4 | 0.4 | 0.21 | 0.04 | 0.02 | 2 | 0.5 | 0.45 | 0.04 | 0.03 |
| *China, Baoding City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Beijing City | 26 | 0.1 | 0.02 | 0.01 | 0.00 | 19 | 0.1 | 0.01 | 0.01 | 0.00 |
| *China, Binhai County | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Cangzhou City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Changfeng County | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Changzhou City | 8 | 0.1 | 0.03 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Chengdu City | 13 | 0.4 | 0.10 | 0.04 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Cixian County | 3 | 0.2 | 0.11 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Cixi City | 14 | 0.3 | 0.08 | 0.03 | 0.01 | 2 | 0.0 | 0.02 | 0.01 | 0.01 |
| *China, Dafeng District, Yancheng City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Dalian City | 35 | 0.3 | 0.06 | 0.04 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Dancheng County | 10 | 0.4 | 0.12 | 0.04 | 0.02 | 12 | 0.4 | 0.12 | 0.08 | 0.03 |
| China, Dangtu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Donggang County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dongguan City | 10 | 0.3 | 0.08 | 0.03 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Donghai County | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Dongtai City | 3 | 0.1 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Duanzhou District, Zhaoqing City | 7 | 0.6 | 0.22 | 0.09 | 0.04 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 3 | 0.2 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Fangcheng County | 3 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Feicheng City | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Feixi County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Fuqing City | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganyu District, Lianyungang City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganzhou District, Zhangye City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Gaocheng City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Gaomi City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Gong'an County | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 6 | 0.3 | 0.13 | 0.03 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Guanghan City | 6 | 0.4 | 0.16 | 0.06 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Guangzhou City | 92 | 0.3 | 0.03 | 0.03 | 0.00 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Guanyun County | 10 | 0.2 | 0.08 | 0.01 | 0.01 | 3 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Guilin City | 5 | 0.2 | 0.11 | 0.03 | 0.02 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Hai'an City | 8 | 0.1 | 0.05 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 5 | 0.3 | 0.14 | 0.03 | 0.02 | 1 | 0.1 | 0.08 | 0.02 | 0.02 |
| China, Haimen District, Nantong City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Haining City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Hangzhou City | 43 | 0.1 | 0.02 | 0.02 | 0.00 | 8 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Hebi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Hefei City | 12 | 0.1 | 0.04 | 0.02 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Hengfeng County | 1 | 0.1 | 0.15 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 15 | 0.5 | 0.14 | 0.06 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| China, Hongshan District, Chifeng City | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiange County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 9 | 0.4 | 0.12 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiangyin City | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Jiashan County | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| China, Jiayu County | 2 | 0.2 | 0.17 | 0.03 | 0.02 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *China, Jinan City | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.15 | 0.04 | 0.04 |
| *China, Jingxian County | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Jintan District, Changzhou City | 7 | 0.3 | 0.10 | 0.03 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Jiulongpo District, Chongqing City | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Jiyuan City | 5 | 0.3 | 0.13 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tonsil (C09) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Kunshan City | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Langzhong City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Liangshan County | 6 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Lianshui County | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Lianyungang City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | 0.00 | 3 | 0.2 | 0.11 | 0.01 | 0.01 |
| China, Linqu County | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Linzhou City | 6 | 0.2 | 0.08 | 0.01 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Liuzhou City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Liyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Longquan City | 3 | 0.3 | 0.19 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Lucheng District, Wenzhou City | 7 | 0.4 | 0.17 | 0.05 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Luoding City | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Luohe City | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Luoyang City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Luquan City | 2 | 0.1 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Ma'anshan City | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Macheng City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| China, Meihekou City | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Mengjin County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Nangang District, Harbin City | 10 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| *China, Nanhai District, Foshan City | 9 | 0.3 | 0.11 | 0.04 | 0.01 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Nanhu District, Jiaxing City | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Nantong City | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Nanxiong City | 5 | 0.4 | 0.17 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Neixiang County | 4 | 0.2 | 0.10 | 0.03 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Qingzhou City | 5 | 0.2 | 0.08 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Rudong County | 3 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Rugao City | 8 | 0.1 | 0.04 | 0.01 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Rural areas of Shanghai City | 60 | 0.1 | 0.02 | 0.02 | 0.00 | 20 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Ruyang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shan County | 2 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Shanghai City | 48 | 0.1 | 0.02 | 0.02 | 0.00 | 17 | 0.0 | 0.01 | 0.01 | 0.00 |
| China, Shangyu District, Shaoxing City | 8 | 0.2 | 0.08 | 0.03 | 0.01 | 3 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Shapingba District, Chongqing City | 5 | 0.1 | 0.07 | 0.01 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Shexian County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Sheyang County | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 6 | 0.1 | 0.05 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Shunde District, Foshan City | 14 | 0.4 | 0.10 | 0.05 | 0.01 | 2 | 0.1 | 0.09 | 0.00 | 0.00 |
| *China, Song County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 16 | 0.1 | 0.03 | 0.01 | 0.00 | 8 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Tengzhou City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wangdu County | 2 | 0.2 | 0.15 | 0.03 | 0.02 | 5 | 0.6 | 0.29 | 0.08 | 0.04 |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Wuhan City | 42 | 0.2 | 0.03 | 0.02 | 0.00 | 16 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Wuhu City | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Wuxi City | 15 | 0.1 | 0.03 | 0.02 | 0.00 | 17 | 0.1 | 0.04 | 0.02 | 0.00 |
| China, Wuzhou City | 7 | 0.4 | 0.15 | 0.05 | 0.02 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Xiangfu District, Kaifeng City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Xianju County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Xin'an County | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.15 | 0.02 | 0.01 |
| *China, Xining City | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Xinji City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinluo District, Longyan City | 5 | 0.4 | 0.17 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Xiping County | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Xishan District, Kunming City | 2 | 0.1 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xuyi County | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Ya'an City | 8 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Yakeshi City | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yancheng City | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Yangquan City | 5 | 0.2 | 0.11 | 0.03 | 0.01 | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 3 | 0.2 | 0.10 | 0.02 | 0.02 |
| *China, Yanji City | 8 | 0.4 | 0.13 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanshi City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yanting County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Tonsil (C09) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 5 | 0.5 | 0.23 | 0.05 | 0.02 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 3 | 0.2 | 0.13 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 3 | 0.2 | 0.11 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yongkang City | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *China, Yucheng County | 4 | 0.2 | 0.10 | 0.03 | 0.01 | 7 | 0.5 | 0.18 | 0.04 | 0.02 |
| China, Yueyanglou District, Yueyang City | 7 | 0.6 | 0.24 | 0.07 | 0.03 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Yunmeng County | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yunyang District, Shiyuan City | 1 | 0.1 | 0.08 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 7 | 0.3 | 0.13 | 0.04 | 0.02 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |
| *China, Zanzhou County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 8 | 0.2 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Zhaoyuan City | 5 | 0.2 | 0.10 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhengding County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 18 | 0.3 | 0.08 | 0.04 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Zhongxiang City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhuanghe City | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Zhuhai City | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| India, Ahmedabad, Urban | 163 | 1.4 | 0.11 | 0.17 | 0.02 | 22 | 0.2 | 0.04 | 0.02 | 0.01 |
| India, Aurangabad | 13 | 0.5 | 0.14 | 0.05 | 0.02 | 11 | 0.4 | 0.12 | 0.06 | 0.02 |
| India, Bangalore | 150 | 1.4 | 0.11 | 0.17 | 0.02 | 27 | 0.2 | 0.05 | 0.03 | 0.01 |
| India, Barshi, Paranda, and Bhum | 2 | 0.1 | 0.07 | 0.00 | 0.00 | 2 | 0.2 | 0.12 | 0.02 | 0.01 |
| *India, Bhopal | 42 | 1.6 | 0.25 | 0.18 | 0.03 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, Chandigarh | 20 | 0.8 | 0.18 | 0.10 | 0.03 | 4 | 0.2 | 0.11 | 0.03 | 0.02 |
| *India, Chennai | 117 | 1.0 | 0.09 | 0.11 | 0.01 | 26 | 0.2 | 0.04 | 0.02 | 0.00 |
| India, Dibrugarh | 36 | 1.3 | 0.22 | 0.14 | 0.03 | 14 | 0.5 | 0.13 | 0.06 | 0.02 |
| *India, Dindigul, Ambilikai | 49 | 0.8 | 0.11 | 0.10 | 0.02 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, Kamrup Urban District | 108 | 4.4 | 0.43 | 0.48 | 0.06 | 37 | 1.7 | 0.29 | 0.20 | 0.04 |
| India, Kollam | 22 | 0.3 | 0.07 | 0.05 | 0.01 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *India, Manipur | 33 | 0.7 | 0.13 | 0.10 | 0.02 | 11 | 0.2 | 0.07 | 0.03 | 0.01 |
| India, Meghalaya | 164 | 5.8 | 0.48 | 0.70 | 0.07 | 23 | 0.8 | 0.17 | 0.11 | 0.03 |
| India, Mizoram | 37 | 2.1 | 0.35 | 0.25 | 0.05 | 5 | 0.3 | 0.12 | 0.02 | 0.01 |
| India, Mumbai | 201 | 0.6 | 0.04 | 0.07 | 0.01 | 47 | 0.2 | 0.02 | 0.02 | 0.00 |
| *India, New Delhi | 444 | 2.1 | 0.10 | 0.27 | 0.02 | 77 | 0.4 | 0.05 | 0.05 | 0.01 |
| India, Poona | 34 | 0.3 | 0.05 | 0.04 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *India, Sangrur District | 17 | 0.7 | 0.16 | 0.07 | 0.02 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| India, SAS Nagar | 23 | 1.0 | 0.22 | 0.13 | 0.03 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *India, Tamil Nadu | 1125 | 0.6 | 0.02 | 0.07 | 0.00 | 223 | 0.1 | 0.01 | 0.01 | 0.00 |
| *India, Tripura | 161 | 2.5 | 0.20 | 0.29 | 0.03 | 38 | 0.6 | 0.10 | 0.07 | 0.01 |
| India, Trivandrum | 47 | 0.6 | 0.08 | 0.07 | 0.01 | 13 | 0.1 | 0.04 | 0.02 | 0.01 |
| India, Wardha | 21 | 0.6 | 0.13 | 0.08 | 0.02 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| India, West Arunachal | 9 | 0.9 | 0.32 | 0.12 | 0.04 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Golestan Province | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.02 | 0.02 |
| Israel | 96 | 0.4 | 0.04 | 0.05 | 0.01 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Israel: Jews | 76 | 0.4 | 0.05 | 0.05 | 0.01 | 19 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Israel: Arabs | 7 | 0.2 | 0.09 | 0.04 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| Japan | 1663 | 0.4 | 0.01 | 0.05 | 0.00 | 504 | 0.1 | 0.01 | 0.02 | 0.00 |
| Japan, Aichi Prefecture | 33 | 0.2 | 0.03 | 0.02 | 0.00 | 15 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Japan, Akita Prefecture | 15 | 0.4 | 0.13 | 0.06 | 0.02 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| Japan, Aomori Prefecture | 37 | 0.5 | 0.09 | 0.07 | 0.01 | 13 | 0.1 | 0.05 | 0.02 | 0.01 |
| Japan, Gunma Prefecture | 25 | 0.4 | 0.08 | 0.05 | 0.01 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| Japan, Hiroshima Prefecture | 57 | 0.5 | 0.08 | 0.07 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| Japan, Miyagi Prefecture | 41 | 0.3 | 0.05 | 0.04 | 0.01 | 18 | 0.2 | 0.04 | 0.02 | 0.00 |
| Japan, Osaka Prefecture | 170 | 0.7 | 0.06 | 0.08 | 0.01 | 49 | 0.2 | 0.03 | 0.02 | 0.00 |
| Kuwait | 4 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Kuwait: Kuwaitis | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Kuwait: Non-Kuwaitis | 3 | 0.1 | 0.05 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Philippines, Manila | 60 | 0.6 | 0.08 | 0.08 | 0.01 | 20 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Qatar: Qatari | 3 | 0.8 | 0.47 | 0.11 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 1997 | 1.0 | 0.02 | 0.13 | 0.00 | 311 | 0.1 | 0.01 | 0.02 | 0.00 |
| *Republic of Korea, Busan | 168 | 1.1 | 0.09 | 0.14 | 0.01 | 35 | 0.2 | 0.04 | 0.03 | 0.00 |
| *Republic of Korea, Daegu | 92 | 0.9 | 0.10 | 0.12 | 0.01 | 16 | 0.1 | 0.04 | 0.02 | 0.00 |
| *Republic of Korea, Daejeon | 62 | 1.2 | 0.15 | 0.15 | 0.02 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Republic of Korea, Gwangju | 46 | 0.9 | 0.14 | 0.11 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| Republic of Korea, Incheon | 89 | 0.8 | 0.09 | 0.10 | 0.01 | 19 | 0.2 | 0.04 | 0.02 | 0.01 |
| Republic of Korea, Jeju | 27 | 1.2 | 0.24 | 0.14 | 0.03 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| Republic of Korea, Seoul | 484 | 1.3 | 0.06 | 0.16 | 0.01 | 64 | 0.2 | 0.02 | 0.02 | 0.00 |
| Republic of Korea, Ulsan | 36 | 0.8 | 0.14 | 0.10 | 0.02 | 14 | 0.3 | 0.08 | 0.04 | 0.01 |
| Singapore | 95 | 0.6 | 0.07 | 0.08 | 0.01 | 31 | 0.2 | 0.03 | 0.02 | 0.00 |
| Singapore: Chinese | 74 | 0.6 | 0.07 | 0.08 | 0.01 | 26 | 0.2 | 0.04 | 0.02 | 0.01 |
| Singapore: Indian | 10 | 0.7 | 0.23 | 0.07 | 0.02 | 3 | 0.3 | 0.15 | 0.03 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Tonsil (C09) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 6 | 0.5 | 0.19 | 0.08 | 0.04 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| Thailand, Bangkok | 136 | 0.7 | 0.06 | 0.08 | 0.01 | 46 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Thailand, Chiang Mai | 51 | 1.0 | 0.14 | 0.12 | 0.02 | 7 | 0.1 | 0.03 | 0.00 | 0.00 |
| *Thailand, Khon Kaen | 34 | 0.6 | 0.10 | 0.06 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| Thailand, Lampang | 9 | 0.3 | 0.10 | 0.03 | 0.01 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| Thailand, Lopburi Province | 25 | 1.1 | 0.22 | 0.11 | 0.02 | 6 | 0.2 | 0.10 | 0.03 | 0.01 |
| *Thailand, Songkhla | 64 | 1.5 | 0.20 | 0.19 | 0.03 | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| Turkey, Antalya | 18 | 0.3 | 0.07 | 0.04 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| Turkey, Bursa | 18 | 0.2 | 0.05 | 0.03 | 0.01 | 7 | 0.1 | 0.03 | 0.01 | 0.01 |
| *Turkey, Edirne | 6 | 0.4 | 0.16 | 0.05 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Turkey, Erzurum | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Eskişehir | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Gaziantep | 12 | 0.3 | 0.10 | 0.04 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Turkey, Izmir | 48 | 0.4 | 0.05 | 0.05 | 0.01 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| Turkey, Malatya | 4 | 0.2 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Samsun | 12 | 0.3 | 0.09 | 0.04 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.00 |
| Turkey, Trabzon | 4 | 0.2 | 0.08 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Europe | | | | | | | | | | |
| Austria | 616 | 1.7 | 0.07 | 0.22 | 0.01 | 213 | 0.5 | 0.04 | 0.06 | 0.00 |
| Austria, Carinthia | 44 | 1.7 | 0.27 | 0.24 | 0.04 | 17 | 0.7 | 0.17 | 0.08 | 0.02 |
| Austria, Tyrol | 79 | 2.7 | 0.31 | 0.34 | 0.04 | 24 | 0.7 | 0.15 | 0.08 | 0.02 |
| Austria, Vorarlberg | 33 | 2.1 | 0.38 | 0.24 | 0.05 | 12 | 0.6 | 0.17 | 0.07 | 0.03 |
| Belarus | 702 | 2.2 | 0.09 | 0.27 | 0.01 | 109 | 0.3 | 0.03 | 0.03 | 0.00 |
| *Belgium | 942 | 2.1 | 0.07 | 0.26 | 0.01 | 403 | 0.8 | 0.04 | 0.10 | 0.01 |
| Croatia | 228 | 1.3 | 0.09 | 0.17 | 0.01 | 42 | 0.2 | 0.04 | 0.02 | 0.00 |
| Cyprus | 8 | 0.3 | 0.09 | 0.03 | 0.01 | 10 | 0.3 | 0.10 | 0.03 | 0.01 |
| *Czech Republic | 1429 | 3.4 | 0.09 | 0.41 | 0.01 | 491 | 1.0 | 0.05 | 0.13 | 0.01 |
| Denmark | 685 | 2.9 | 0.11 | 0.37 | 0.01 | 254 | 1.1 | 0.07 | 0.13 | 0.01 |
| Estonia | 89 | 1.9 | 0.20 | 0.22 | 0.03 | 28 | 0.5 | 0.10 | 0.06 | 0.01 |
| Finland | 338 | 1.4 | 0.08 | 0.18 | 0.01 | 138 | 0.5 | 0.05 | 0.07 | 0.01 |
| *France, Bas-Rhin | 61 | 1.7 | 0.22 | 0.20 | 0.03 | 39 | 1.0 | 0.17 | 0.13 | 0.02 |
| *France, Calvados | 73 | 2.6 | 0.32 | 0.30 | 0.04 | 22 | 0.7 | 0.15 | 0.09 | 0.02 |
| *France, Doubs | 39 | 1.9 | 0.32 | 0.23 | 0.04 | 20 | 0.9 | 0.22 | 0.10 | 0.03 |
| *France, Gironde | 126 | 2.2 | 0.20 | 0.25 | 0.02 | 52 | 0.8 | 0.12 | 0.09 | 0.01 |
| *France, Haut-Rhin | 69 | 2.1 | 0.26 | 0.27 | 0.04 | 22 | 0.6 | 0.13 | 0.08 | 0.02 |
| *France, Hérault | 157 | 3.4 | 0.29 | 0.43 | 0.04 | 45 | 0.9 | 0.15 | 0.12 | 0.02 |
| *France, Isère | 126 | 2.5 | 0.23 | 0.31 | 0.03 | 47 | 0.9 | 0.13 | 0.12 | 0.02 |
| *France, Lille-Métropole | 107 | 4.1 | 0.40 | 0.49 | 0.05 | 30 | 1.0 | 0.19 | 0.11 | 0.02 |
| *France, Limousin | 58 | 3.8 | 0.52 | 0.44 | 0.06 | 21 | 1.2 | 0.27 | 0.15 | 0.03 |
| *France, Loire-Atlantique | 207 | 4.0 | 0.28 | 0.50 | 0.04 | 50 | 0.9 | 0.14 | 0.11 | 0.02 |
| *France, Manche | 83 | 3.7 | 0.42 | 0.48 | 0.06 | 21 | 1.0 | 0.22 | 0.12 | 0.03 |
| *France, Poitou-Charentes | 235 | 3.0 | 0.20 | 0.37 | 0.03 | 67 | 0.8 | 0.10 | 0.10 | 0.01 |
| *France, Somme | 83 | 3.9 | 0.44 | 0.45 | 0.05 | 24 | 1.0 | 0.21 | 0.12 | 0.03 |
| *France, Tarn | 41 | 2.3 | 0.38 | 0.31 | 0.05 | 21 | 1.0 | 0.24 | 0.15 | 0.04 |
| *France, Territoire de Belfort | 15 | 2.8 | 0.77 | 0.33 | 0.10 | 3 | 0.6 | 0.37 | 0.08 | 0.05 |
| *France, Vendée | 79 | 2.8 | 0.33 | 0.34 | 0.04 | 23 | 0.7 | 0.16 | 0.10 | 0.02 |
| Germany, Baden-Württemberg | 317 | 1.1 | 0.06 | 0.15 | 0.01 | 145 | 0.5 | 0.04 | 0.06 | 0.01 |
| Germany, Bavaria | 978 | 1.7 | 0.06 | 0.22 | 0.01 | 344 | 0.6 | 0.03 | 0.07 | 0.00 |
| Germany, Bremen | 79 | 2.7 | 0.31 | 0.33 | 0.04 | 29 | 0.9 | 0.18 | 0.10 | 0.02 |
| Germany, Hamburg | 108 | 1.4 | 0.15 | 0.18 | 0.02 | 48 | 0.6 | 0.09 | 0.09 | 0.01 |
| Germany, Lower Saxony | 540 | 1.5 | 0.07 | 0.19 | 0.01 | 215 | 0.6 | 0.04 | 0.07 | 0.01 |
| Germany, North Rhine-Westphalia | 1185 | 1.5 | 0.04 | 0.19 | 0.01 | 490 | 0.6 | 0.03 | 0.07 | 0.00 |
| Germany, Rhineland-Palatinate | 276 | 1.4 | 0.09 | 0.19 | 0.01 | 103 | 0.5 | 0.05 | 0.07 | 0.01 |
| Germany, Saarland | 85 | 1.7 | 0.20 | 0.23 | 0.03 | 42 | 0.8 | 0.13 | 0.11 | 0.02 |
| Germany, Schleswig-Holstein | 328 | 2.4 | 0.14 | 0.32 | 0.02 | 136 | 1.0 | 0.09 | 0.12 | 0.01 |
| Iceland | 20 | 1.7 | 0.38 | 0.19 | 0.04 | 4 | 0.3 | 0.17 | 0.05 | 0.02 |
| Ireland | 267 | 1.7 | 0.10 | 0.21 | 0.01 | 102 | 0.6 | 0.06 | 0.08 | 0.01 |
| *Italy, Aosta Valley | 7 | 1.4 | 0.57 | 0.18 | 0.08 | 4 | 0.8 | 0.42 | 0.12 | 0.06 |
| *Italy, Avellino | 5 | 0.4 | 0.20 | 0.05 | 0.02 | 1 | 0.1 | 0.07 | 0.02 | 0.02 |
| Italy, Basilicata | 16 | 0.6 | 0.17 | 0.09 | 0.02 | 4 | 0.1 | 0.08 | 0.02 | 0.01 |
| *Italy, Benevento | 10 | 1.0 | 0.33 | 0.12 | 0.04 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| Italy, Bergamo | 62 | 1.2 | 0.16 | 0.15 | 0.02 | 24 | 0.5 | 0.10 | 0.05 | 0.01 |
| *Italy, Brescia | 43 | 0.8 | 0.13 | 0.11 | 0.02 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 38 | 1.1 | 0.19 | 0.14 | 0.03 | 9 | 0.2 | 0.07 | 0.03 | 0.01 |
| Italy, Calabria | 8 | 0.4 | 0.13 | 0.05 | 0.02 | 6 | 0.3 | 0.12 | 0.03 | 0.01 |
| *Italy, Caserta | 8 | 0.3 | 0.10 | 0.03 | 0.01 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| *Italy, Catania, Messina, and Enna | 45 | 0.5 | 0.09 | 0.07 | 0.01 | 13 | 0.1 | 0.04 | 0.01 | 0.00 |
| Italy, Emilia-Romagna | 224 | 1.3 | 0.09 | 0.16 | 0.01 | 83 | 0.5 | 0.06 | 0.06 | 0.01 |
| Italy, Friuli-Venezia Giulia | 88 | 1.4 | 0.16 | 0.19 | 0.02 | 44 | 0.7 | 0.11 | 0.08 | 0.01 |
| Italy, Genova | 32 | 1.0 | 0.18 | 0.13 | 0.02 | 13 | 0.3 | 0.10 | 0.04 | 0.01 |
| *Italy, Lombardy, South, Pavia | 22 | 0.8 | 0.17 | 0.08 | 0.02 | 12 | 0.4 | 0.13 | 0.06 | 0.02 |
| Italy, Mantova and Cremona | 19 | 0.6 | 0.15 | 0.10 | 0.02 | 8 | 0.2 | 0.09 | 0.03 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Tonsil (C09) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 45 | 0.8 | <i>0.12</i> | 0.11 | <i>0.02</i> | 11 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| Italy, Milan | 164 | 1.1 | <i>0.09</i> | 0.14 | <i>0.01</i> | 46 | 0.2 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| Italy, Molise | 4 | 0.5 | <i>0.26</i> | 0.06 | <i>0.03</i> | 2 | 0.2 | <i>0.18</i> | 0.01 | <i>0.01</i> |
| *Italy, Naples Centre | 20 | 0.9 | <i>0.20</i> | 0.11 | <i>0.03</i> | 5 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *Italy, Naples North | 18 | 0.6 | <i>0.14</i> | 0.08 | <i>0.02</i> | 4 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *Italy, Naples South | 15 | 0.4 | <i>0.10</i> | 0.05 | <i>0.01</i> | 8 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *Italy, Nuoro | 6 | 0.8 | <i>0.36</i> | 0.10 | <i>0.05</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Italy, Palermo | 24 | 0.4 | <i>0.09</i> | 0.07 | <i>0.01</i> | 7 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| Italy, Puglia | 128 | 0.7 | <i>0.07</i> | 0.09 | <i>0.01</i> | 41 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *Italy, Ragusa and Caltanissetta | 15 | 0.7 | <i>0.18</i> | 0.10 | <i>0.03</i> | 3 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *Italy, Salerno | 18 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> | 8 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| Italy, Sassari | 8 | 1.0 | <i>0.36</i> | 0.12 | <i>0.04</i> | 3 | 0.3 | <i>0.20</i> | 0.04 | <i>0.03</i> |
| *Italy, Sondrio | 14 | 1.5 | <i>0.41</i> | 0.20 | <i>0.06</i> | 5 | 0.4 | <i>0.21</i> | 0.04 | <i>0.02</i> |
| Italy, South Tyrol | 34 | 1.4 | <i>0.26</i> | 0.18 | <i>0.04</i> | 12 | 0.5 | <i>0.16</i> | 0.07 | <i>0.02</i> |
| *Italy, Syracuse | 5 | 0.3 | <i>0.14</i> | 0.04 | <i>0.02</i> | 4 | 0.2 | <i>0.12</i> | 0.03 | <i>0.02</i> |
| Italy, Trento | 18 | 0.7 | <i>0.17</i> | 0.09 | <i>0.02</i> | 15 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| Italy, Turin | 118 | 1.1 | <i>0.10</i> | 0.13 | <i>0.01</i> | 51 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| *Italy, Tuscany | 79 | 0.8 | <i>0.10</i> | 0.11 | <i>0.01</i> | 35 | 0.3 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| Italy, Umbria | 13 | 0.4 | <i>0.10</i> | 0.05 | <i>0.01</i> | 8 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Italy, Varese | 20 | 0.7 | <i>0.18</i> | 0.09 | <i>0.02</i> | 12 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> |
| Italy, Veneto | 253 | 1.1 | <i>0.07</i> | 0.14 | <i>0.01</i> | 97 | 0.4 | <i>0.04</i> | 0.05 | <i>0.01</i> |
| Latvia | 136 | 2.0 | <i>0.17</i> | 0.23 | <i>0.02</i> | 40 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| *Liechtenstein | 3 | 1.8 | <i>1.05</i> | 0.23 | <i>0.13</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Lithuania | 132 | 1.3 | <i>0.11</i> | 0.16 | <i>0.01</i> | 27 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| Malta | 18 | 0.9 | <i>0.21</i> | 0.11 | <i>0.03</i> | 3 | 0.1 | <i>0.10</i> | 0.01 | <i>0.01</i> |
| *The Netherlands | 780 | 1.1 | <i>0.04</i> | 0.14 | <i>0.01</i> | 388 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> |
| Norway | 433 | 2.2 | <i>0.11</i> | 0.27 | <i>0.01</i> | 133 | 0.6 | <i>0.06</i> | 0.08 | <i>0.01</i> |
| Poland, Kielce | 51 | 1.0 | <i>0.14</i> | 0.13 | <i>0.02</i> | 13 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *Portugal, Azores | 23 | 3.5 | <i>0.72</i> | 0.46 | <i>0.10</i> | 2 | 0.3 | <i>0.19</i> | 0.05 | <i>0.03</i> |
| Russian Federation, Arkhangelsk | 43 | 1.2 | <i>0.18</i> | 0.14 | <i>0.02</i> | 15 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Russian Federation, Kaliningrad | 30 | 1.0 | <i>0.18</i> | 0.10 | <i>0.02</i> | 6 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Russian Federation, Karelia | 21 | 1.0 | <i>0.23</i> | 0.14 | <i>0.03</i> | 12 | 0.4 | <i>0.14</i> | 0.04 | <i>0.01</i> |
| *Russian Federation, Komi Republic | 31 | 1.4 | <i>0.27</i> | 0.20 | <i>0.05</i> | 11 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Russian Federation, Murmansk | 43 | 2.0 | <i>0.32</i> | 0.29 | <i>0.05</i> | 20 | 0.7 | <i>0.15</i> | 0.07 | <i>0.02</i> |
| *Russian Federation, Orenburg | 82 | 1.3 | <i>0.15</i> | 0.17 | <i>0.02</i> | 19 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Russian Federation, Pskov | 72 | 3.2 | <i>0.38</i> | 0.42 | <i>0.05</i> | 11 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| *Russian Federation, Samara | 40 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> | 26 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| Russian Federation, Vologda Region | 24 | 0.6 | <i>0.12</i> | 0.07 | <i>0.01</i> | 3 | 0.0 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Slovenia | 205 | 2.3 | <i>0.16</i> | 0.30 | <i>0.02</i> | 50 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> |
| Spain, Asturias | 39 | 1.3 | <i>0.22</i> | 0.16 | <i>0.03</i> | 5 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| Spain, Basque Country | 111 | 1.4 | <i>0.14</i> | 0.19 | <i>0.02</i> | 36 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> |
| Spain, Canary Islands | 87 | 1.6 | <i>0.17</i> | 0.20 | <i>0.02</i> | 16 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Spain, Castellón | 25 | 1.1 | <i>0.22</i> | 0.13 | <i>0.03</i> | 7 | 0.3 | <i>0.12</i> | 0.04 | <i>0.01</i> |
| Spain, Girona | 57 | 1.9 | <i>0.26</i> | 0.23 | <i>0.03</i> | 22 | 0.8 | <i>0.17</i> | 0.09 | <i>0.02</i> |
| Spain, Granada | 32 | 0.9 | <i>0.17</i> | 0.10 | <i>0.02</i> | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| Spain, La Rioja | 6 | 0.5 | <i>0.20</i> | 0.07 | <i>0.03</i> | 4 | 0.3 | <i>0.17</i> | 0.04 | <i>0.02</i> |
| Spain, Murcia | 60 | 1.2 | <i>0.16</i> | 0.15 | <i>0.02</i> | 12 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Spain, Navarra | 32 | 1.6 | <i>0.28</i> | 0.21 | <i>0.04</i> | 8 | 0.4 | <i>0.14</i> | 0.05 | <i>0.02</i> |
| Spain, Salamanca | 8 | 0.5 | <i>0.19</i> | 0.09 | <i>0.03</i> | 6 | 0.3 | <i>0.14</i> | 0.04 | <i>0.02</i> |
| Spain, Tarragona | 28 | 0.9 | <i>0.18</i> | 0.12 | <i>0.02</i> | 11 | 0.3 | <i>0.10</i> | 0.05 | <i>0.02</i> |
| *Sweden | 913 | 2.3 | <i>0.08</i> | 0.28 | <i>0.01</i> | 336 | 0.8 | <i>0.05</i> | 0.10 | <i>0.01</i> |
| Switzerland, Aargau | 26 | 0.9 | <i>0.19</i> | 0.13 | <i>0.03</i> | 15 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| Switzerland, Basel | 34 | 1.5 | <i>0.28</i> | 0.18 | <i>0.04</i> | 17 | 0.6 | <i>0.16</i> | 0.06 | <i>0.02</i> |
| Switzerland, Berne Solothurn | 46 | 1.2 | <i>0.18</i> | 0.16 | <i>0.03</i> | 21 | 0.5 | <i>0.12</i> | 0.07 | <i>0.02</i> |
| Switzerland, East | 51 | 1.4 | <i>0.20</i> | 0.18 | <i>0.03</i> | 12 | 0.3 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| *Switzerland, Fribourg | 20 | 1.6 | <i>0.36</i> | 0.20 | <i>0.05</i> | 9 | 0.7 | <i>0.26</i> | 0.10 | <i>0.04</i> |
| Switzerland, Geneva | 37 | 2.0 | <i>0.35</i> | 0.27 | <i>0.05</i> | 26 | 1.2 | <i>0.25</i> | 0.15 | <i>0.03</i> |
| *Switzerland, Graubünden and Glarus | 23 | 2.0 | <i>0.43</i> | 0.27 | <i>0.06</i> | 12 | 1.0 | <i>0.31</i> | 0.12 | <i>0.04</i> |
| *Switzerland, Lucerne | 29 | 1.4 | <i>0.26</i> | 0.16 | <i>0.03</i> | 11 | 0.5 | <i>0.16</i> | 0.07 | <i>0.02</i> |
| *Switzerland, Neuchâtel and Jura | 22 | 2.2 | <i>0.48</i> | 0.26 | <i>0.06</i> | 12 | 1.0 | <i>0.30</i> | 0.14 | <i>0.04</i> |
| Switzerland, Ticino | 18 | 0.9 | <i>0.24</i> | 0.11 | <i>0.03</i> | 10 | 0.5 | <i>0.17</i> | 0.08 | <i>0.03</i> |
| Switzerland, Valais | 45 | 3.0 | <i>0.46</i> | 0.42 | <i>0.07</i> | 17 | 1.0 | <i>0.25</i> | 0.14 | <i>0.04</i> |
| Switzerland, Vaud | 79 | 2.6 | <i>0.30</i> | 0.34 | <i>0.04</i> | 30 | 0.9 | <i>0.17</i> | 0.11 | <i>0.02</i> |
| Switzerland, Zurich and Zug | 93 | 1.4 | <i>0.15</i> | 0.21 | <i>0.02</i> | 26 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Ukraine | 1771 | 1.5 | <i>0.04</i> | 0.18 | <i>0.00</i> | 378 | 0.2 | <i>0.01</i> | 0.03 | <i>0.00</i> |
| UK, England | 5519 | 2.7 | <i>0.04</i> | 0.33 | <i>0.00</i> | 1821 | 0.8 | <i>0.02</i> | 0.10 | <i>0.00</i> |
| UK, Northern Ireland | 138 | 2.1 | <i>0.18</i> | 0.26 | <i>0.02</i> | 50 | 0.7 | <i>0.11</i> | 0.08 | <i>0.01</i> |
| UK, Scotland | 541 | 2.6 | <i>0.11</i> | 0.31 | <i>0.01</i> | 155 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> |
| UK, Wales | 378 | 3.1 | <i>0.16</i> | 0.37 | <i>0.02</i> | 110 | 0.8 | <i>0.08</i> | 0.10 | <i>0.01</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 706 | 2.5 | <i>0.10</i> | 0.30 | <i>0.01</i> | 136 | 0.4 | <i>0.04</i> | 0.05 | <i>0.00</i> |
| *Australia, Northern Territory | 37 | 5.5 | <i>0.92</i> | 0.75 | <i>0.14</i> | 5 | 0.8 | <i>0.36</i> | 0.06 | <i>0.03</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Tonsil (C09) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 32 | 5.6 | 1.01 | 0.74 | 0.15 | 2 | 0.4 | 0.31 | 0.03 | 0.03 |
| *Australia, Northern Territory: Indigenous | 5 | 4.5 | 2.21 | 0.84 | 0.50 | 3 | 1.8 | 1.06 | 0.17 | 0.11 |
| *Australia, Queensland | 606 | 3.6 | 0.15 | 0.43 | 0.02 | 121 | 0.7 | 0.07 | 0.08 | 0.01 |
| Australia, South Australia | 176 | 2.8 | 0.21 | 0.33 | 0.03 | 29 | 0.4 | 0.08 | 0.05 | 0.01 |
| Australia, Tasmania | 51 | 2.5 | 0.36 | 0.31 | 0.04 | 14 | 0.7 | 0.20 | 0.08 | 0.02 |
| *Australia, Victoria | 442 | 2.1 | 0.10 | 0.25 | 0.01 | 97 | 0.4 | 0.04 | 0.06 | 0.01 |
| *Australia, Western Australia | 216 | 2.4 | 0.17 | 0.30 | 0.02 | 42 | 0.5 | 0.07 | 0.05 | 0.01 |
| *France, New Caledonia | 29 | 3.8 | 0.70 | 0.49 | 0.10 | 9 | 1.2 | 0.41 | 0.17 | 0.06 |
| New Zealand | 335 | 2.1 | 0.12 | 0.25 | 0.01 | 77 | 0.4 | 0.05 | 0.05 | 0.01 |
| New Zealand: Maori | 50 | 2.9 | 0.42 | 0.32 | 0.05 | 9 | 0.5 | 0.16 | 0.06 | 0.02 |
| *New Zealand: Pacific peoples | 9 | 1.3 | 0.43 | 0.14 | 0.05 | 2 | 0.3 | 0.23 | 0.05 | 0.03 |
| *New Zealand: Other | 272 | 2.2 | 0.14 | 0.27 | 0.02 | 65 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Hawaii | 141 | 2.5 | 0.22 | 0.31 | 0.03 | 21 | 0.3 | 0.08 | 0.05 | 0.01 |
| USA, Hawaii: White | 83 | 4.6 | 0.54 | 0.59 | 0.07 | 9 | 0.5 | 0.17 | 0.06 | 0.02 |
| *USA, Hawaii: Japanese | 16 | 1.6 | 0.45 | 0.18 | 0.05 | 2 | 0.1 | 0.11 | 0.03 | 0.02 |
| *USA, Hawaii: Chinese | 3 | 0.5 | 0.35 | 0.10 | 0.07 | 2 | 0.4 | 0.30 | 0.07 | 0.05 |
| *USA, Hawaii: Hawaiian | 25 | 2.8 | 0.57 | 0.35 | 0.08 | 4 | 0.4 | 0.22 | 0.05 | 0.03 |
| *USA, Hawaii: Filipino | 6 | 0.6 | 0.24 | 0.05 | 0.03 | 3 | 0.2 | 0.16 | 0.02 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other oropharynx (C10)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 2 | 0.2 | 0.13 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Algeria, Tizi Ouzou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Benin, Cotonou | 4 | 0.5 | 0.31 | 0.05 | 0.04 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| *France, La Réunion | 61 | 2.8 | 0.36 | 0.33 | 0.05 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Kenya, Eldoret | 2 | 0.2 | 0.16 | 0.03 | 0.02 | 2 | 0.2 | 0.16 | 0.03 | 0.02 |
| *Kenya, Nairobi | 10 | 0.5 | 0.18 | 0.07 | 0.03 | 4 | 0.2 | 0.09 | 0.01 | 0.01 |
| Mauritius | 12 | 0.3 | 0.08 | 0.04 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Morocco, Casablanca | 5 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Seychelles | 14 | 4.8 | 1.32 | 0.65 | 0.21 | 1 | 0.3 | 0.27 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 10 | 0.6 | 0.25 | 0.08 | 0.04 | 3 | 0.1 | 0.11 | 0.02 | 0.02 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *Zimbabwe, Bulawayo: African | 1 | 0.1 | 0.13 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 12 | 0.5 | 0.15 | 0.09 | 0.03 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Argentina, Mendoza | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Aracaju | 13 | 1.2 | 0.34 | 0.14 | 0.05 | 4 | 0.3 | 0.14 | 0.05 | 0.03 |
| *Brazil, Barretos | 41 | 3.1 | 0.49 | 0.35 | 0.06 | 6 | 0.4 | 0.16 | 0.04 | 0.02 |
| Brazil, Belo Horizonte | 229 | 3.3 | 0.22 | 0.38 | 0.03 | 43 | 0.5 | 0.07 | 0.06 | 0.01 |
| *Brazil, Campinas | 49 | 2.0 | 0.29 | 0.23 | 0.04 | 11 | 0.4 | 0.11 | 0.04 | 0.02 |
| *Brazil, Curitiba | 92 | 2.3 | 0.24 | 0.26 | 0.03 | 9 | 0.1 | 0.05 | 0.01 | 0.00 |
| Brazil, Goiânia | 98 | 3.7 | 0.38 | 0.49 | 0.06 | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Brazil, Jaú | 3 | 0.8 | 0.46 | 0.13 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 27 | 2.5 | 0.49 | 0.26 | 0.06 | 7 | 0.4 | 0.17 | 0.05 | 0.03 |
| Brazil, Recife | 52 | 2.1 | 0.29 | 0.23 | 0.04 | 11 | 0.3 | 0.10 | 0.04 | 0.01 |
| Chile, Region of Antofagasta | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| Chile, Valdivia | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Colombia, Bucaramanga | 9 | 0.3 | 0.11 | 0.05 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Colombia, Cali | 15 | 0.3 | 0.07 | 0.04 | 0.01 | 12 | 0.2 | 0.05 | 0.02 | 0.01 |
| Colombia, Manizales | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| Colombia, Pasto | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Costa Rica | 13 | 0.1 | 0.04 | 0.01 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Guayaquil | 5 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Manabí | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Quito | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| *France, Guadeloupe | 36 | 2.3 | 0.39 | 0.28 | 0.05 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Martinique | 23 | 1.3 | 0.28 | 0.13 | 0.03 | 6 | 0.3 | 0.13 | 0.04 | 0.02 |
| *Peru, Lima | 52 | 0.4 | 0.05 | 0.04 | 0.01 | 15 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Trinidad and Tobago | 6 | 0.3 | 0.10 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, Puerto Rico | 94 | 0.7 | 0.08 | 0.09 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Uruguay | 75 | 0.7 | 0.08 | 0.10 | 0.01 | 9 | 0.1 | 0.02 | 0.01 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 76 | 0.5 | 0.06 | 0.07 | 0.01 | 18 | 0.1 | 0.03 | 0.01 | 0.00 |
| Canada, British Columbia | 148 | 0.7 | 0.06 | 0.09 | 0.01 | 26 | 0.1 | 0.02 | 0.02 | 0.00 |
| *Canada, Manitoba | 19 | 0.4 | 0.09 | 0.04 | 0.01 | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Canada, New Brunswick | 27 | 0.7 | 0.13 | 0.07 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Canada, Newfoundland and Labrador | 13 | 0.5 | 0.13 | 0.07 | 0.02 | 5 | 0.2 | 0.08 | 0.03 | 0.01 |
| Canada, Ontario | 290 | 0.5 | 0.03 | 0.07 | 0.00 | 100 | 0.2 | 0.02 | 0.02 | 0.00 |
| *Canada, Prince Edward Island | 5 | 0.7 | 0.35 | 0.10 | 0.05 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| Canada, Quebec | 202 | 0.5 | 0.04 | 0.07 | 0.01 | 69 | 0.1 | 0.02 | 0.02 | 0.00 |
| Canada, Saskatchewan | 18 | 0.4 | 0.10 | 0.04 | 0.01 | 4 | 0.1 | 0.05 | 0.02 | 0.01 |
| *Canada, Yukon | 2 | 1.3 | 0.92 | 0.25 | 0.19 | 0 | – | 0.00 | – | 0.00 |
| USA | 8702 | 0.7 | 0.01 | 0.09 | 0.00 | 2432 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: White | 7464 | 0.7 | 0.01 | 0.09 | 0.00 | 2045 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: Black | 1031 | 0.8 | 0.03 | 0.10 | 0.00 | 328 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, NPCR | 8468 | 0.7 | 0.01 | 0.09 | 0.00 | 2364 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: White | 7252 | 0.7 | 0.01 | 0.09 | 0.00 | 1984 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: Black | 1019 | 0.8 | 0.03 | 0.10 | 0.00 | 324 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 97 | 0.2 | 0.02 | 0.02 | 0.00 | 32 | 0.0 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: American Indian | 42 | 0.4 | 0.06 | 0.05 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, SEER (18 registries) | 1881 | 0.6 | 0.01 | 0.07 | 0.00 | 538 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): White | 1549 | 0.6 | 0.02 | 0.07 | 0.00 | 431 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 1393 | 0.6 | 0.02 | 0.08 | 0.00 | 391 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 156 | 0.4 | 0.03 | 0.04 | 0.00 | 40 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Black | 250 | 0.8 | 0.05 | 0.10 | 0.01 | 79 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 50 | 0.1 | 0.02 | 0.02 | 0.00 | 19 | 0.0 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries) | 620 | 0.5 | 0.02 | 0.07 | 0.00 | 182 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (9 registries): White | 515 | 0.6 | 0.03 | 0.07 | 0.00 | 145 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (9 registries): Black | 74 | 0.7 | 0.08 | 0.08 | 0.01 | 28 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Alabama | 164 | 0.9 | 0.07 | 0.11 | 0.01 | 44 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Alabama: White | 132 | 0.9 | 0.08 | 0.12 | 0.01 | 35 | 0.2 | 0.04 | 0.02 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other oropharynx (C10) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 31 | 0.8 | <i>0.14</i> | 0.09 | <i>0.02</i> | 9 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| USA, Alaska | 22 | 0.8 | <i>0.17</i> | 0.10 | <i>0.02</i> | 4 | 0.1 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *USA, Alaska: Alaska Natives | 3 | 0.9 | <i>0.51</i> | 0.11 | <i>0.06</i> | 1 | 0.2 | <i>0.22</i> | 0.00 | <i>0.00</i> |
| USA, Arizona | 131 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> | 40 | 0.1 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, Arizona: White | 121 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 40 | 0.1 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, Arizona: Black | 5 | 0.5 | <i>0.23</i> | 0.07 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Arizona: Asian and Pacific Islander | 2 | 0.3 | <i>0.20</i> | 0.04 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Arizona: American Indian | 3 | 0.4 | <i>0.21</i> | 0.05 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Arkansas | 88 | 0.7 | <i>0.08</i> | 0.09 | <i>0.01</i> | 24 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| USA, Arkansas: White | 78 | 0.7 | <i>0.09</i> | 0.09 | <i>0.01</i> | 17 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Arkansas: Black | 8 | 0.6 | <i>0.21</i> | 0.09 | <i>0.04</i> | 6 | 0.4 | <i>0.15</i> | 0.06 | <i>0.03</i> |
| USA, California | 673 | 0.5 | <i>0.02</i> | 0.06 | <i>0.00</i> | 181 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| USA, California: White | 564 | 0.5 | <i>0.02</i> | 0.07 | <i>0.00</i> | 146 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| USA, California: Black | 67 | 0.8 | <i>0.10</i> | 0.11 | <i>0.02</i> | 22 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| USA, California: Asian and Pacific Islander | 31 | 0.1 | <i>0.03</i> | 0.02 | <i>0.00</i> | 10 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *USA, California, Los Angeles County | 132 | 0.4 | <i>0.03</i> | 0.05 | <i>0.00</i> | 36 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *USA, California, Los Angeles County: White | 97 | 0.4 | <i>0.04</i> | 0.05 | <i>0.01</i> | 26 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *USA, California, Los Angeles County: Non-Hispanic White | 73 | 0.5 | <i>0.06</i> | 0.07 | <i>0.01</i> | 21 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| *USA, California, Los Angeles County: Hispanic White | 24 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> | 5 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| *USA, California, Los Angeles County: Black | 25 | 0.8 | <i>0.16</i> | 0.12 | <i>0.03</i> | 6 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *USA, California, Los Angeles County: Chinese | 2 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, California, Los Angeles County: Filipino | 1 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> | 1 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *USA, California, Los Angeles County: Korean | 2 | 0.2 | <i>0.15</i> | 0.03 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 8 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> | 2 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| *USA, California, San Francisco Bay Area | 79 | 0.4 | <i>0.05</i> | 0.06 | <i>0.01</i> | 26 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *USA, California, San Francisco Bay Area: White | 59 | 0.5 | <i>0.07</i> | 0.07 | <i>0.01</i> | 18 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 49 | 0.5 | <i>0.07</i> | 0.07 | <i>0.01</i> | 17 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| *USA, California, San Francisco Bay Area: Hispanic White | 10 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> | 1 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Black | 12 | 0.9 | <i>0.25</i> | 0.13 | <i>0.04</i> | 6 | 0.3 | <i>0.14</i> | 0.05 | <i>0.02</i> |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 7 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> | 2 | 0.0 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Colorado | 94 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 22 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Colorado: White | 88 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 21 | 0.1 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| *USA, Colorado: Black | 2 | 0.3 | <i>0.24</i> | 0.04 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Colorado: Asian and Pacific Islander | 1 | 0.2 | <i>0.23</i> | 0.03 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Connecticut | 88 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 32 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Connecticut: White | 78 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 29 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| USA, Connecticut: Black | 9 | 0.8 | <i>0.27</i> | 0.11 | <i>0.04</i> | 3 | 0.2 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| USA, District of Columbia | 17 | 0.8 | <i>0.19</i> | 0.10 | <i>0.03</i> | 10 | 0.4 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| USA, District of Columbia: White | 6 | 0.6 | <i>0.26</i> | 0.07 | <i>0.04</i> | 2 | 0.2 | <i>0.15</i> | 0.04 | <i>0.03</i> |
| USA, District of Columbia: Black | 11 | 0.9 | <i>0.28</i> | 0.13 | <i>0.05</i> | 8 | 0.6 | <i>0.21</i> | 0.07 | <i>0.02</i> |
| USA, Florida | 1056 | 1.2 | <i>0.04</i> | 0.16 | <i>0.01</i> | 258 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, Florida: White | 928 | 1.3 | <i>0.04</i> | 0.16 | <i>0.01</i> | 225 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, Florida: Black | 98 | 1.0 | <i>0.10</i> | 0.13 | <i>0.01</i> | 28 | 0.2 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| USA, Florida: Asian and Pacific Islander | 6 | 0.3 | <i>0.13</i> | 0.03 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Georgia | 280 | 0.8 | <i>0.05</i> | 0.10 | <i>0.01</i> | 72 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, Georgia: White | 218 | 0.8 | <i>0.06</i> | 0.10 | <i>0.01</i> | 51 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Georgia: Black | 60 | 0.7 | <i>0.09</i> | 0.10 | <i>0.01</i> | 21 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| USA, Georgia: Asian and Pacific Islander | 2 | 0.2 | <i>0.12</i> | 0.02 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Georgia, Atlanta | 59 | 0.5 | <i>0.07</i> | 0.07 | <i>0.01</i> | 21 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *USA, Georgia, Atlanta: White | 42 | 0.6 | <i>0.10</i> | 0.08 | <i>0.01</i> | 11 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| *USA, Georgia, Atlanta: Black | 16 | 0.4 | <i>0.10</i> | 0.06 | <i>0.02</i> | 10 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| USA, Idaho | 32 | 0.5 | <i>0.09</i> | 0.07 | <i>0.01</i> | 10 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| USA, Indiana | 173 | 0.7 | <i>0.05</i> | 0.08 | <i>0.01</i> | 56 | 0.2 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, Indiana: White | 159 | 0.7 | <i>0.05</i> | 0.08 | <i>0.01</i> | 47 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Indiana: Black | 12 | 0.7 | <i>0.19</i> | 0.09 | <i>0.03</i> | 9 | 0.4 | <i>0.15</i> | 0.06 | <i>0.02</i> |
| *USA, Iowa | 68 | 0.6 | <i>0.07</i> | 0.08 | <i>0.01</i> | 17 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Kentucky | 127 | 0.7 | <i>0.06</i> | 0.09 | <i>0.01</i> | 32 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Louisiana | 124 | 0.7 | <i>0.07</i> | 0.09 | <i>0.01</i> | 55 | 0.3 | <i>0.04</i> | 0.04 | <i>0.01</i> |
| USA, Louisiana: White | 84 | 0.7 | <i>0.08</i> | 0.09 | <i>0.01</i> | 38 | 0.3 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| USA, Louisiana: Black | 40 | 0.9 | <i>0.14</i> | 0.12 | <i>0.02</i> | 17 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| *USA, Louisiana, New Orleans | 24 | 0.7 | <i>0.15</i> | 0.09 | <i>0.02</i> | 11 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| *USA, Louisiana, New Orleans: White | 19 | 1.0 | <i>0.22</i> | 0.12 | <i>0.03</i> | 3 | 0.1 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *USA, Louisiana, New Orleans: Black | 5 | 0.4 | <i>0.19</i> | 0.05 | <i>0.02</i> | 8 | 0.6 | <i>0.22</i> | 0.06 | <i>0.02</i> |
| USA, Maine | 44 | 0.7 | <i>0.10</i> | 0.07 | <i>0.01</i> | 17 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| USA, Maryland | 165 | 0.7 | <i>0.06</i> | 0.09 | <i>0.01</i> | 53 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Maryland: White | 126 | 0.8 | <i>0.08</i> | 0.11 | <i>0.01</i> | 39 | 0.2 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| USA, Maryland: Black | 38 | 0.6 | <i>0.11</i> | 0.08 | <i>0.01</i> | 14 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| USA, Maryland: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Massachusetts | 169 | 0.6 | <i>0.05</i> | 0.08 | <i>0.01</i> | 36 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Massachusetts: White | 158 | 0.7 | <i>0.05</i> | 0.09 | <i>0.01</i> | 31 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Massachusetts: Black | 9 | 0.6 | <i>0.19</i> | 0.09 | <i>0.03</i> | 3 | 0.2 | <i>0.10</i> | 0.03 | <i>0.02</i> |
| USA, Massachusetts: Asian and Pacific Islander | 2 | 0.2 | <i>0.12</i> | 0.03 | <i>0.02</i> | 2 | 0.1 | <i>0.10</i> | 0.01 | <i>0.01</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other oropharynx (C10) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 241 | 0.6 | 0.04 | 0.07 | 0.01 | 77 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Michigan: White | 202 | 0.6 | 0.04 | 0.07 | 0.01 | 66 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Michigan: Black | 38 | 0.9 | 0.14 | 0.10 | 0.02 | 10 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *USA, Michigan, Detroit | 100 | 0.7 | 0.07 | 0.08 | 0.01 | 31 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Michigan, Detroit: White | 69 | 0.6 | 0.08 | 0.08 | 0.01 | 22 | 0.2 | 0.04 | 0.02 | 0.01 |
| *USA, Michigan, Detroit: Black | 30 | 0.9 | 0.18 | 0.10 | 0.02 | 8 | 0.2 | 0.07 | 0.03 | 0.01 |
| USA, Minnesota | 124 | 0.6 | 0.05 | 0.08 | 0.01 | 30 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Minnesota: White | 116 | 0.6 | 0.05 | 0.08 | 0.01 | 27 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Minnesota: Black | 6 | 0.9 | 0.38 | 0.10 | 0.06 | 3 | 0.4 | 0.22 | 0.05 | 0.03 |
| *USA, Minnesota: Asian and Pacific Islander | 1 | 0.2 | 0.16 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Mississippi | 121 | 1.1 | 0.10 | 0.13 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Missouri | 209 | 0.8 | 0.06 | 0.11 | 0.01 | 39 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Missouri: White | 181 | 0.8 | 0.06 | 0.11 | 0.01 | 36 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Missouri: Black | 28 | 1.4 | 0.26 | 0.19 | 0.04 | 3 | 0.1 | 0.06 | 0.02 | 0.01 |
| USA, Montana | 27 | 0.6 | 0.12 | 0.06 | 0.01 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Nebraska | 54 | 0.7 | 0.10 | 0.10 | 0.01 | 12 | 0.1 | 0.04 | 0.02 | 0.01 |
| USA, Nebraska: White | 51 | 0.7 | 0.11 | 0.10 | 0.01 | 12 | 0.1 | 0.04 | 0.02 | 0.01 |
| *USA, Nebraska: Black | 2 | 0.8 | 0.61 | 0.13 | 0.10 | 0 | – | 0.00 | – | 0.00 |
| USA, Nevada | 91 | 0.8 | 0.08 | 0.10 | 0.01 | 27 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Nevada: White | 77 | 0.8 | 0.09 | 0.11 | 0.01 | 23 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Nevada: Black | 10 | 1.2 | 0.38 | 0.14 | 0.05 | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| *USA, Nevada: Asian and Pacific Islander | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| USA, New Jersey | 215 | 0.6 | 0.04 | 0.08 | 0.01 | 72 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, New Jersey: White | 172 | 0.6 | 0.05 | 0.08 | 0.01 | 61 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, New Jersey: Black | 36 | 0.9 | 0.15 | 0.10 | 0.02 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| USA, New Mexico | 53 | 0.6 | 0.09 | 0.07 | 0.01 | 14 | 0.1 | 0.04 | 0.02 | 0.00 |
| USA, New Mexico: White | 51 | 0.6 | 0.10 | 0.08 | 0.01 | 14 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 38 | 0.8 | 0.15 | 0.10 | 0.02 | 7 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, New Mexico: Hispanic White | 13 | 0.4 | 0.12 | 0.04 | 0.02 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *USA, New Mexico: American Indian | 1 | 0.2 | 0.18 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, New York State | 471 | 0.6 | 0.03 | 0.08 | 0.00 | 142 | 0.1 | 0.01 | 0.02 | 0.00 |
| USA, New York State: White | 386 | 0.7 | 0.03 | 0.08 | 0.00 | 107 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, New York State: Black | 68 | 0.6 | 0.08 | 0.08 | 0.01 | 29 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 15 | 0.2 | 0.06 | 0.02 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, North Carolina | 330 | 0.9 | 0.05 | 0.11 | 0.01 | 94 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, North Carolina: White | 244 | 0.8 | 0.06 | 0.10 | 0.01 | 79 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, North Carolina: Black | 76 | 1.1 | 0.12 | 0.15 | 0.02 | 15 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 2 | 0.3 | 0.20 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *USA, North Carolina: American Indian | 3 | 0.6 | 0.36 | 0.11 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| USA, North Dakota | 16 | 0.5 | 0.14 | 0.06 | 0.02 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, Ohio | 337 | 0.7 | 0.04 | 0.09 | 0.01 | 101 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Ohio: White | 307 | 0.8 | 0.04 | 0.09 | 0.01 | 87 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Ohio: Black | 30 | 0.7 | 0.12 | 0.09 | 0.02 | 14 | 0.3 | 0.07 | 0.04 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma | 103 | 0.7 | 0.07 | 0.09 | 0.01 | 32 | 0.2 | 0.03 | 0.03 | 0.01 |
| USA, Oklahoma: White | 83 | 0.7 | 0.08 | 0.08 | 0.01 | 30 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Oklahoma: Black | 8 | 0.9 | 0.33 | 0.16 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma: American Indian | 12 | 1.1 | 0.31 | 0.11 | 0.04 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| USA, Oregon | 98 | 0.6 | 0.06 | 0.07 | 0.01 | 40 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Oregon: White | 97 | 0.6 | 0.06 | 0.08 | 0.01 | 35 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Oregon: Black | 1 | 0.4 | 0.38 | 0.00 | 0.00 | 3 | 0.9 | 0.53 | 0.03 | 0.03 |
| *USA, Oregon: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Rhode Island | 22 | 0.5 | 0.12 | 0.06 | 0.01 | 20 | 0.4 | 0.09 | 0.04 | 0.01 |
| USA, Rhode Island: White | 20 | 0.5 | 0.12 | 0.07 | 0.02 | 19 | 0.4 | 0.09 | 0.04 | 0.01 |
| *USA, Rhode Island: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 179 | 0.9 | 0.07 | 0.12 | 0.01 | 50 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, South Carolina: White | 143 | 1.0 | 0.08 | 0.12 | 0.01 | 33 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, South Carolina: Black | 34 | 0.8 | 0.14 | 0.10 | 0.02 | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, South Dakota | 16 | 0.5 | 0.13 | 0.07 | 0.02 | 11 | 0.3 | 0.09 | 0.04 | 0.01 |
| USA, Tennessee | 221 | 0.9 | 0.06 | 0.11 | 0.01 | 51 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Tennessee: White | 183 | 0.9 | 0.06 | 0.11 | 0.01 | 41 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Tennessee: Black | 36 | 1.1 | 0.19 | 0.15 | 0.03 | 10 | 0.2 | 0.08 | 0.04 | 0.01 |
| USA, Texas | 703 | 0.8 | 0.03 | 0.10 | 0.00 | 193 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, Texas: White | 634 | 0.8 | 0.03 | 0.10 | 0.00 | 165 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Texas: Black | 58 | 0.6 | 0.08 | 0.08 | 0.01 | 24 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 10 | 0.3 | 0.08 | 0.04 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| USA, Utah | 39 | 0.4 | 0.07 | 0.05 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Vermont | 31 | 1.2 | 0.22 | 0.16 | 0.03 | 7 | 0.2 | 0.10 | 0.02 | 0.01 |
| USA, Washington State | 167 | 0.6 | 0.05 | 0.08 | 0.01 | 38 | 0.1 | 0.02 | 0.02 | 0.00 |
| *USA, Washington, Seattle | 109 | 0.6 | 0.05 | 0.07 | 0.01 | 26 | 0.1 | 0.02 | 0.02 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other oropharynx (C10) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 85 | 1.1 | 0.12 | 0.12 | 0.01 | 23 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Wyoming | 16 | 0.7 | 0.17 | 0.09 | 0.02 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 3 | 0.3 | 0.17 | 0.05 | 0.03 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| Brunei Darussalam | 5 | 0.4 | 0.20 | 0.05 | 0.02 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| *China, Anfu County | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 2 | 0.2 | 0.16 | 0.01 | 0.01 | 2 | 0.2 | 0.11 | 0.02 | 0.01 |
| *China, Anshan City | 31 | 0.4 | 0.08 | 0.05 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Aohan Banner, Chifeng City | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Arongqi | 7 | 0.8 | 0.30 | 0.08 | 0.03 | 1 | 0.1 | 0.11 | 0.00 | 0.00 |
| *China, Baoding City | 27 | 0.8 | 0.16 | 0.10 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Beijing City | 66 | 0.2 | 0.02 | 0.02 | 0.00 | 14 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Binhai County | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Cangzhou City | 5 | 0.3 | 0.13 | 0.04 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Changfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Changzhou City | 17 | 0.2 | 0.04 | 0.02 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Chengdu City | 15 | 0.4 | 0.11 | 0.05 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Cixian County | 5 | 0.3 | 0.14 | 0.06 | 0.03 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Cixi City | 20 | 0.4 | 0.08 | 0.04 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Dafeng District, Yancheng City | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Dalian City | 19 | 0.2 | 0.04 | 0.03 | 0.01 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Dancheng County | 26 | 0.8 | 0.17 | 0.10 | 0.03 | 16 | 0.4 | 0.12 | 0.07 | 0.02 |
| China, Dangtu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 7 | 0.2 | 0.07 | 0.03 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Donggang County | 6 | 0.2 | 0.09 | 0.03 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dongguan City | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| China, Donghai County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongtai City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 10 | 0.8 | 0.28 | 0.09 | 0.03 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Evenki Autonomous Banner | 2 | 0.5 | 0.32 | 0.05 | 0.03 | 1 | 0.3 | 0.33 | 0.08 | 0.08 |
| *China, Faku County | 9 | 0.4 | 0.15 | 0.05 | 0.02 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *China, Fangcheng County | 13 | 0.6 | 0.16 | 0.08 | 0.03 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Feicheng City | 14 | 0.3 | 0.09 | 0.04 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Feixi County | 10 | 0.2 | 0.07 | 0.01 | 0.01 | 9 | 0.2 | 0.06 | 0.01 | 0.01 |
| China, Fuqing City | 5 | 0.2 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Ganyu District, Lianyungang City | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 4 | 0.4 | 0.19 | 0.05 | 0.03 | 1 | 0.1 | 0.11 | 0.02 | 0.02 |
| *China, Gaocheng City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Gaomi City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Gong'an County | 16 | 0.5 | 0.13 | 0.06 | 0.02 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 9 | 0.5 | 0.16 | 0.07 | 0.02 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Guanghan City | 10 | 0.7 | 0.23 | 0.11 | 0.04 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Guangzhou City | 114 | 0.4 | 0.03 | 0.05 | 0.00 | 20 | 0.1 | 0.01 | 0.01 | 0.00 |
| *China, Guanyun County | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Guilin City | 8 | 0.4 | 0.13 | 0.05 | 0.02 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Hai'an City | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 5 | 0.4 | 0.17 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Haimen District, Nantong City | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Haining City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Hangzhou City | 80 | 0.3 | 0.03 | 0.03 | 0.00 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Hebi City | 14 | 1.0 | 0.28 | 0.08 | 0.03 | 2 | 0.2 | 0.12 | 0.03 | 0.03 |
| China, Hefei City | 13 | 0.2 | 0.05 | 0.02 | 0.01 | 7 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Hengfeng County | 3 | 0.5 | 0.29 | 0.02 | 0.02 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |
| *China, Hepu County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Hongshan District, Chifeng City | 3 | 0.2 | 0.10 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Huaiyin District, Huai'an City | 10 | 0.3 | 0.08 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiange County | 4 | 0.2 | 0.12 | 0.03 | 0.02 | 5 | 0.3 | 0.12 | 0.03 | 0.01 |
| China, Jiangmen City | 13 | 0.5 | 0.15 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiangyin City | 16 | 0.3 | 0.07 | 0.04 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Jiashan County | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Jiayu County | 2 | 0.4 | 0.32 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 30 | 0.3 | 0.06 | 0.04 | 0.01 | 5 | 0.0 | 0.02 | 0.01 | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 7 | 0.5 | 0.20 | 0.08 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 8 | 0.3 | 0.12 | 0.05 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Jiulongpo District, Chongqing City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Jiyuan City | 2 | 0.2 | 0.14 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other oropharynx (C10) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Kunshan City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Langzhong City | 6 | 0.3 | 0.12 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Liangshan County | 7 | 0.3 | 0.10 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Lianshui County | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Lianyungang City | 7 | 0.2 | 0.07 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Linhe District, Bayannur City | 2 | 0.2 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Linqu County | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Linzhou City | 16 | 0.5 | 0.12 | 0.06 | 0.02 | 6 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Liuzhou City | 13 | 0.4 | 0.10 | 0.04 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Liyang City | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Longquan City | 7 | 0.7 | 0.27 | 0.07 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Lucheng District, Wenzhou City | 11 | 0.6 | 0.18 | 0.08 | 0.03 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Luoding City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Luohe City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Luoyang City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Luquan City | 3 | 0.2 | 0.12 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.02 | 0.02 |
| China, Ma'anshan City | 9 | 0.4 | 0.13 | 0.05 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Macheng City | 4 | 0.2 | 0.08 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| China, Meihekou City | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Mengjin County | 5 | 0.5 | 0.22 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Nangang District, Harbin City | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Nanhai District, Foshan City | 15 | 0.5 | 0.14 | 0.06 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Nanhu District, Jiaying City | 8 | 0.3 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Nantong City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Nanxiong City | 5 | 0.4 | 0.16 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Neixiang County | 7 | 0.3 | 0.11 | 0.03 | 0.01 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Qingzhou City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Rudong County | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Rugao City | 6 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.02 | 0.01 | 0.00 |
| *China, Rural areas of Shanghai City | 62 | 0.1 | 0.02 | 0.02 | 0.00 | 16 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Ruyang County | 2 | 0.2 | 0.11 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Shan County | 5 | 0.2 | 0.09 | 0.03 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Shanghai City | 63 | 0.2 | 0.03 | 0.02 | 0.00 | 7 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Shangyu District, Shaoxing City | 14 | 0.4 | 0.10 | 0.05 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Shapingba District, Chongqing City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Shexian County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Sheyang County | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 12 | 0.2 | 0.07 | 0.03 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Shunde District, Foshan City | 21 | 0.6 | 0.13 | 0.08 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.00 |
| *China, Song County | 1 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 14 | 0.1 | 0.02 | 0.01 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Tengzhou City | 12 | 0.2 | 0.07 | 0.03 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Wangdu County | 4 | 0.6 | 0.31 | 0.08 | 0.05 | 6 | 0.8 | 0.31 | 0.08 | 0.04 |
| *China, Wanxian County | 12 | 1.0 | 0.31 | 0.10 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 8 | 0.3 | 0.12 | 0.03 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Wuhan City | 47 | 0.2 | 0.04 | 0.03 | 0.01 | 8 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Wuhu City | 3 | 0.1 | 0.03 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Wuxi City | 27 | 0.3 | 0.06 | 0.02 | 0.01 | 5 | 0.0 | 0.02 | 0.01 | 0.00 |
| China, Wuzhou City | 9 | 0.5 | 0.18 | 0.07 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Xiangfu District, Kaifeng City | 10 | 0.5 | 0.17 | 0.06 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Xianju County | 7 | 0.3 | 0.13 | 0.04 | 0.02 | 3 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Xin'an County | 3 | 0.3 | 0.15 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Xining City | 11 | 0.5 | 0.15 | 0.06 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinji City | 7 | 0.4 | 0.16 | 0.04 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Xinluo District, Longyan City | 3 | 0.3 | 0.16 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Xiping County | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Xishan District, Kunming City | 7 | 0.4 | 0.16 | 0.05 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Xuyi County | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Ya'an City | 22 | 0.4 | 0.09 | 0.05 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Yakeshi City | 6 | 0.4 | 0.14 | 0.04 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yancheng City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Yangquan City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yangzhong City | 3 | 0.2 | 0.11 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yanji City | 9 | 0.4 | 0.13 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanshi City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Yanting County | 6 | 0.3 | 0.13 | 0.04 | 0.02 | 5 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Yi'an District, Tongling City | 1 | 0.1 | 0.11 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 9 | 0.4 | 0.12 | 0.04 | 0.02 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other oropharynx (C10) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 8 | 0.9 | 0.31 | 0.11 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 2 | 0.1 | 0.07 | 0.00 | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Yong'an City | 5 | 0.4 | 0.18 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 7 | 0.4 | 0.16 | 0.05 | 0.03 | 2 | 0.1 | 0.10 | 0.04 | 0.03 |
| China, Yongkang City | 9 | 0.5 | 0.18 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Yucheng County | 2 | 0.1 | 0.06 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yueyanglou District, Yueyang City | 2 | 0.2 | 0.14 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 6 | 0.4 | 0.15 | 0.04 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yunyang District, Shiyuan City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 10 | 0.4 | 0.14 | 0.06 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Zhanhuang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 11 | 0.2 | 0.07 | 0.03 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Zhaoyuan City | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Zhengding County | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 41 | 0.8 | 0.12 | 0.10 | 0.02 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Zhongxiang City | 12 | 0.4 | 0.13 | 0.05 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Zhuanghe City | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhuhai City | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, Ahmedabad, Urban | 64 | 0.5 | 0.07 | 0.07 | 0.01 | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Aurangabad | 7 | 0.3 | 0.11 | 0.05 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, Bangalore | 159 | 1.4 | 0.12 | 0.18 | 0.02 | 26 | 0.2 | 0.05 | 0.03 | 0.01 |
| India, Barshi, Paranda, and Bhum | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *India, Bhopal | 23 | 0.9 | 0.20 | 0.11 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 19 | 0.9 | 0.22 | 0.12 | 0.03 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *India, Chennai | 211 | 1.7 | 0.12 | 0.21 | 0.02 | 38 | 0.3 | 0.05 | 0.03 | 0.01 |
| India, Dibrugarh | 25 | 0.9 | 0.19 | 0.12 | 0.03 | 9 | 0.3 | 0.12 | 0.04 | 0.02 |
| *India, Dindigul, Ambilikkai | 69 | 1.1 | 0.14 | 0.13 | 0.02 | 10 | 0.2 | 0.05 | 0.01 | 0.00 |
| India, Kamrup Urban District | 112 | 4.6 | 0.44 | 0.57 | 0.07 | 38 | 1.8 | 0.31 | 0.25 | 0.05 |
| India, Kollam | 151 | 2.3 | 0.19 | 0.30 | 0.03 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| *India, Manipur | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Meghalaya | 60 | 2.2 | 0.30 | 0.27 | 0.04 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| India, Mizoram | 13 | 0.7 | 0.19 | 0.07 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | 202 | 0.7 | 0.05 | 0.08 | 0.01 | 63 | 0.2 | 0.03 | 0.02 | 0.00 |
| *India, New Delhi | 422 | 2.0 | 0.10 | 0.27 | 0.02 | 66 | 0.3 | 0.04 | 0.04 | 0.01 |
| India, Poona | 80 | 0.7 | 0.08 | 0.09 | 0.01 | 32 | 0.3 | 0.05 | 0.03 | 0.01 |
| *India, Sangrur District | 23 | 0.9 | 0.18 | 0.12 | 0.03 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, SAS Nagar | 13 | 0.6 | 0.17 | 0.06 | 0.02 | 6 | 0.2 | 0.10 | 0.03 | 0.02 |
| *India, Tamil Nadu | 3229 | 1.6 | 0.03 | 0.20 | 0.00 | 462 | 0.2 | 0.01 | 0.03 | 0.00 |
| *India, Tripura | 78 | 1.2 | 0.14 | 0.15 | 0.02 | 9 | 0.1 | 0.05 | 0.02 | 0.01 |
| India, Trivandrum | 184 | 2.3 | 0.17 | 0.30 | 0.03 | 20 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Wardha | 9 | 0.2 | 0.08 | 0.04 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, West Arunachal | 3 | 0.3 | 0.18 | 0.03 | 0.02 | 4 | 0.7 | 0.33 | 0.07 | 0.04 |
| *Iran (Islamic Republic of), Ardabil Province | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Golestan Province | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Israel | 48 | 0.2 | 0.03 | 0.03 | 0.00 | 7 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Israel: Jews | 39 | 0.2 | 0.03 | 0.03 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Israel: Arabs | 5 | 0.2 | 0.09 | 0.04 | 0.02 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Japan | 4472 | 1.0 | 0.02 | 0.14 | 0.00 | 910 | 0.2 | 0.01 | 0.02 | 0.00 |
| Japan, Aichi Prefecture | 246 | 1.1 | 0.07 | 0.14 | 0.01 | 56 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Japan, Akita Prefecture | 53 | 1.4 | 0.22 | 0.18 | 0.03 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| Japan, Aomori Prefecture | 71 | 0.8 | 0.11 | 0.11 | 0.02 | 13 | 0.1 | 0.04 | 0.01 | 0.01 |
| Japan, Gunma Prefecture | 56 | 0.8 | 0.12 | 0.11 | 0.02 | 15 | 0.2 | 0.06 | 0.03 | 0.01 |
| Japan, Hiroshima Prefecture | 127 | 1.1 | 0.11 | 0.13 | 0.01 | 24 | 0.2 | 0.04 | 0.02 | 0.01 |
| Japan, Miyagi Prefecture | 154 | 1.2 | 0.10 | 0.15 | 0.01 | 34 | 0.3 | 0.06 | 0.03 | 0.01 |
| Japan, Osaka Prefecture | 302 | 1.0 | 0.06 | 0.13 | 0.01 | 55 | 0.2 | 0.03 | 0.02 | 0.00 |
| Kuwait | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Kuwait: Kuwaitis | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Kuwait: Non-Kuwaitis | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Philippines, Manila | 23 | 0.2 | 0.05 | 0.03 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Qatar: Qatari | 4 | 1.0 | 0.50 | 0.11 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 459 | 0.2 | 0.01 | 0.03 | 0.00 | 59 | 0.0 | 0.00 | 0.00 | 0.00 |
| *Republic of Korea, Busan | 33 | 0.2 | 0.04 | 0.03 | 0.01 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Republic of Korea, Daegu | 13 | 0.1 | 0.04 | 0.02 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Republic of Korea, Daejeon | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Republic of Korea, Gwangju | 26 | 0.6 | 0.11 | 0.09 | 0.02 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| Republic of Korea, Incheon | 25 | 0.2 | 0.05 | 0.03 | 0.01 | 8 | 0.1 | 0.02 | 0.01 | 0.00 |
| Republic of Korea, Jeju | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| Republic of Korea, Seoul | 70 | 0.2 | 0.02 | 0.02 | 0.00 | 15 | 0.0 | 0.01 | 0.00 | 0.00 |
| Republic of Korea, Ulsan | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Singapore | 57 | 0.4 | 0.05 | 0.04 | 0.01 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| Singapore: Chinese | 43 | 0.3 | 0.05 | 0.04 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| Singapore: Indian | 10 | 1.0 | 0.33 | 0.13 | 0.05 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other oropharynx (C10) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| Thailand, Bangkok | 68 | 0.4 | 0.04 | 0.04 | 0.01 | 12 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Thailand, Chiang Mai | 23 | 0.4 | 0.08 | 0.04 | 0.01 | 6 | 0.1 | 0.03 | 0.00 | 0.00 |
| *Thailand, Khon Kaen | 10 | 0.1 | 0.05 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Thailand, Lampang | 9 | 0.3 | 0.10 | 0.04 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Thailand, Lopburi Province | 21 | 0.9 | 0.20 | 0.11 | 0.03 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Thailand, Songkhla | 50 | 1.2 | 0.17 | 0.14 | 0.03 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Antalya | 3 | 0.1 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Turkey, Bursa | 7 | 0.1 | 0.04 | 0.01 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Turkey, Edirne | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Turkey, Erzurum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Eskişehir | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Gaziantep | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Turkey, Izmir | 26 | 0.2 | 0.04 | 0.03 | 0.01 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| Turkey, Malatya | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Turkey, Samsun | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Trabzon | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Europe | | | | | | | | | | |
| Austria | 558 | 1.5 | 0.07 | 0.20 | 0.01 | 149 | 0.4 | 0.03 | 0.05 | 0.00 |
| Austria, Carinthia | 53 | 2.0 | 0.28 | 0.26 | 0.04 | 15 | 0.6 | 0.16 | 0.07 | 0.02 |
| Austria, Tyrol | 30 | 0.9 | 0.17 | 0.11 | 0.03 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| Austria, Vorarlberg | 27 | 1.8 | 0.36 | 0.21 | 0.04 | 5 | 0.3 | 0.14 | 0.03 | 0.02 |
| Belarus | 1001 | 3.1 | 0.10 | 0.40 | 0.01 | 56 | 0.1 | 0.02 | 0.02 | 0.00 |
| *Belgium | 714 | 1.6 | 0.06 | 0.20 | 0.01 | 230 | 0.5 | 0.03 | 0.06 | 0.00 |
| Croatia | 275 | 1.5 | 0.09 | 0.20 | 0.01 | 50 | 0.2 | 0.04 | 0.03 | 0.00 |
| Cyprus | 14 | 0.4 | 0.11 | 0.05 | 0.02 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Czech Republic | 377 | 0.9 | 0.05 | 0.11 | 0.01 | 105 | 0.2 | 0.02 | 0.03 | 0.00 |
| Denmark | 602 | 2.5 | 0.10 | 0.32 | 0.01 | 215 | 0.9 | 0.06 | 0.11 | 0.01 |
| Estonia | 73 | 1.5 | 0.18 | 0.21 | 0.03 | 17 | 0.3 | 0.07 | 0.04 | 0.01 |
| Finland | 67 | 0.3 | 0.03 | 0.04 | 0.00 | 17 | 0.1 | 0.01 | 0.01 | 0.00 |
| *France, Bas-Rhin | 70 | 1.9 | 0.23 | 0.26 | 0.03 | 9 | 0.2 | 0.07 | 0.03 | 0.01 |
| *France, Calvados | 79 | 2.7 | 0.32 | 0.34 | 0.04 | 25 | 0.9 | 0.18 | 0.11 | 0.02 |
| *France, Doubs | 33 | 1.6 | 0.28 | 0.19 | 0.04 | 15 | 0.7 | 0.18 | 0.09 | 0.02 |
| *France, Gironde | 196 | 3.3 | 0.25 | 0.42 | 0.03 | 60 | 0.9 | 0.12 | 0.11 | 0.02 |
| *France, Haut-Rhin | 48 | 1.5 | 0.22 | 0.20 | 0.03 | 15 | 0.4 | 0.11 | 0.04 | 0.01 |
| *France, Hérault | 95 | 2.1 | 0.23 | 0.26 | 0.03 | 33 | 0.7 | 0.12 | 0.08 | 0.02 |
| *France, Isère | 55 | 1.2 | 0.16 | 0.17 | 0.02 | 14 | 0.3 | 0.08 | 0.03 | 0.01 |
| *France, Lille-Métropole | 90 | 3.5 | 0.37 | 0.42 | 0.05 | 15 | 0.5 | 0.13 | 0.06 | 0.02 |
| *France, Limousin | 30 | 1.9 | 0.35 | 0.25 | 0.05 | 2 | 0.1 | 0.08 | 0.02 | 0.01 |
| *France, Loire-Atlantique | 132 | 2.6 | 0.23 | 0.33 | 0.03 | 30 | 0.5 | 0.09 | 0.06 | 0.01 |
| *France, Manche | 54 | 2.5 | 0.35 | 0.30 | 0.04 | 22 | 1.0 | 0.22 | 0.12 | 0.03 |
| *France, Poitou-Charentes | 217 | 2.7 | 0.19 | 0.34 | 0.02 | 43 | 0.5 | 0.09 | 0.07 | 0.01 |
| *France, Somme | 61 | 2.6 | 0.34 | 0.34 | 0.05 | 12 | 0.5 | 0.14 | 0.05 | 0.02 |
| *France, Tarn | 36 | 2.0 | 0.35 | 0.26 | 0.05 | 5 | 0.4 | 0.17 | 0.04 | 0.02 |
| *France, Territoire de Belfort | 7 | 1.6 | 0.60 | 0.20 | 0.08 | 1 | 0.2 | 0.22 | 0.03 | 0.03 |
| *France, Vendée | 89 | 3.0 | 0.34 | 0.41 | 0.05 | 17 | 0.6 | 0.15 | 0.07 | 0.02 |
| Germany, Baden-Württemberg | 470 | 1.6 | 0.08 | 0.21 | 0.01 | 141 | 0.4 | 0.04 | 0.05 | 0.01 |
| Germany, Bavaria | 843 | 1.5 | 0.05 | 0.19 | 0.01 | 255 | 0.4 | 0.03 | 0.06 | 0.00 |
| Germany, Bremen | 26 | 0.8 | 0.17 | 0.11 | 0.02 | 11 | 0.4 | 0.12 | 0.05 | 0.02 |
| Germany, Hamburg | 110 | 1.5 | 0.15 | 0.20 | 0.02 | 50 | 0.5 | 0.09 | 0.07 | 0.01 |
| Germany, Lower Saxony | 547 | 1.4 | 0.06 | 0.19 | 0.01 | 187 | 0.5 | 0.04 | 0.06 | 0.01 |
| Germany, North Rhine-Westphalia | 1187 | 1.5 | 0.04 | 0.20 | 0.01 | 449 | 0.5 | 0.03 | 0.07 | 0.00 |
| Germany, Rhineland-Palatinate | 356 | 1.8 | 0.10 | 0.24 | 0.01 | 105 | 0.5 | 0.05 | 0.06 | 0.01 |
| Germany, Saarland | 123 | 2.4 | 0.22 | 0.32 | 0.03 | 50 | 1.0 | 0.14 | 0.14 | 0.02 |
| Germany, Schleswig-Holstein | 172 | 1.3 | 0.10 | 0.17 | 0.01 | 55 | 0.4 | 0.05 | 0.05 | 0.01 |
| Iceland | 4 | 0.4 | 0.18 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Ireland | 117 | 0.7 | 0.07 | 0.09 | 0.01 | 24 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Italy, Aosta Valley | 5 | 1.0 | 0.46 | 0.17 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Avellino | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Italy, Basilicata | 14 | 0.5 | 0.15 | 0.05 | 0.02 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Italy, Benevento | 4 | 0.5 | 0.23 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Italy, Bergamo | 30 | 0.6 | 0.11 | 0.08 | 0.02 | 11 | 0.2 | 0.06 | 0.03 | 0.01 |
| *Italy, Brescia | 28 | 0.6 | 0.11 | 0.09 | 0.02 | 7 | 0.2 | 0.10 | 0.01 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 20 | 0.7 | 0.15 | 0.08 | 0.02 | 6 | 0.2 | 0.08 | 0.03 | 0.01 |
| Italy, Calabria | 11 | 0.5 | 0.14 | 0.06 | 0.02 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *Italy, Caserta | 17 | 0.7 | 0.16 | 0.08 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Italy, Catania, Messina, and Enna | 16 | 0.2 | 0.05 | 0.02 | 0.01 | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| Italy, Emilia-Romagna | 85 | 0.5 | 0.06 | 0.06 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| Italy, Friuli-Venezia Giulia | 52 | 0.7 | 0.11 | 0.11 | 0.02 | 13 | 0.2 | 0.06 | 0.03 | 0.01 |
| Italy, Genova | 31 | 1.0 | 0.19 | 0.11 | 0.02 | 8 | 0.2 | 0.09 | 0.03 | 0.01 |
| *Italy, Lombardy, South, Pavia | 16 | 0.6 | 0.16 | 0.08 | 0.02 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| Italy, Mantova and Cremona | 15 | 0.6 | 0.15 | 0.07 | 0.02 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other oropharynx (C10) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 12 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| Italy, Milan | 106 | 0.7 | 0.07 | 0.08 | 0.01 | 32 | 0.2 | 0.03 | 0.02 | 0.00 |
| Italy, Molise | 5 | 0.5 | 0.26 | 0.05 | 0.03 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |
| *Italy, Naples Centre | 8 | 0.4 | 0.13 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Naples North | 6 | 0.2 | 0.07 | 0.01 | 0.01 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Italy, Naples South | 9 | 0.2 | 0.07 | 0.03 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Italy, Nuoro | 6 | 1.0 | 0.42 | 0.12 | 0.06 | 3 | 0.4 | 0.26 | 0.07 | 0.04 |
| *Italy, Palermo | 16 | 0.3 | 0.09 | 0.04 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| Italy, Puglia | 75 | 0.4 | 0.05 | 0.05 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Italy, Ragusa and Caltanissetta | 8 | 0.3 | 0.10 | 0.03 | 0.02 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| *Italy, Salerno | 13 | 0.4 | 0.11 | 0.05 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Italy, Sassari | 8 | 0.9 | 0.32 | 0.11 | 0.04 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *Italy, Sondrio | 9 | 0.8 | 0.30 | 0.09 | 0.03 | 7 | 0.7 | 0.26 | 0.09 | 0.04 |
| Italy, South Tyrol | 35 | 1.7 | 0.29 | 0.24 | 0.04 | 10 | 0.5 | 0.16 | 0.06 | 0.02 |
| *Italy, Syracuse | 2 | 0.1 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| Italy, Trento | 23 | 0.9 | 0.20 | 0.12 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Italy, Turin | 69 | 0.6 | 0.08 | 0.07 | 0.01 | 34 | 0.3 | 0.06 | 0.03 | 0.01 |
| *Italy, Tuscany | 58 | 0.6 | 0.08 | 0.08 | 0.01 | 22 | 0.2 | 0.04 | 0.02 | 0.01 |
| Italy, Umbria | 20 | 0.6 | 0.14 | 0.08 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Italy, Varese | 19 | 0.8 | 0.19 | 0.12 | 0.03 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| Italy, Veneto | 90 | 0.4 | 0.04 | 0.05 | 0.01 | 31 | 0.1 | 0.02 | 0.02 | 0.00 |
| Latvia | 70 | 0.9 | 0.11 | 0.12 | 0.02 | 11 | 0.1 | 0.05 | 0.01 | 0.00 |
| *Liechtenstein | 5 | 3.1 | 1.38 | 0.43 | 0.19 | 1 | 0.6 | 0.57 | 0.10 | 0.10 |
| *Lithuania | 233 | 2.3 | 0.15 | 0.30 | 0.02 | 45 | 0.4 | 0.06 | 0.04 | 0.01 |
| Malta | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *The Netherlands | 522 | 0.7 | 0.03 | 0.09 | 0.00 | 194 | 0.2 | 0.02 | 0.03 | 0.00 |
| Norway | 70 | 0.3 | 0.04 | 0.05 | 0.01 | 27 | 0.1 | 0.02 | 0.02 | 0.00 |
| Poland, Kielce | 85 | 1.7 | 0.19 | 0.21 | 0.02 | 13 | 0.2 | 0.07 | 0.03 | 0.01 |
| *Portugal, Azores | 19 | 2.9 | 0.66 | 0.33 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Arkhangelsk | 72 | 1.8 | 0.21 | 0.22 | 0.03 | 13 | 0.2 | 0.06 | 0.02 | 0.01 |
| Russian Federation, Kaliningrad | 77 | 2.4 | 0.28 | 0.31 | 0.04 | 15 | 0.4 | 0.10 | 0.05 | 0.01 |
| Russian Federation, Karelia | 44 | 2.1 | 0.32 | 0.28 | 0.05 | 14 | 0.5 | 0.13 | 0.05 | 0.01 |
| *Russian Federation, Komi Republic | 77 | 2.9 | 0.34 | 0.35 | 0.05 | 21 | 0.5 | 0.12 | 0.06 | 0.02 |
| Russian Federation, Murmansk | 49 | 2.2 | 0.32 | 0.28 | 0.05 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Russian Federation, Orenburg | 57 | 0.9 | 0.11 | 0.10 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| Russian Federation, Pskov | 16 | 0.7 | 0.18 | 0.08 | 0.02 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Russian Federation, Samara | 242 | 2.3 | 0.15 | 0.29 | 0.02 | 51 | 0.3 | 0.05 | 0.04 | 0.01 |
| Russian Federation, Vologda Region | 70 | 1.8 | 0.22 | 0.22 | 0.03 | 13 | 0.3 | 0.09 | 0.03 | 0.01 |
| Slovenia | 177 | 2.0 | 0.15 | 0.26 | 0.02 | 22 | 0.2 | 0.05 | 0.03 | 0.01 |
| Spain, Asturias | 41 | 1.3 | 0.22 | 0.17 | 0.03 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| Spain, Basque Country | 79 | 1.0 | 0.12 | 0.14 | 0.02 | 12 | 0.1 | 0.04 | 0.02 | 0.01 |
| Spain, Canary Islands | 65 | 1.1 | 0.14 | 0.14 | 0.02 | 14 | 0.2 | 0.06 | 0.03 | 0.01 |
| Spain, Castellón | 15 | 0.7 | 0.17 | 0.07 | 0.02 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| Spain, Girona | 40 | 1.3 | 0.21 | 0.17 | 0.03 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| Spain, Granada | 15 | 0.4 | 0.11 | 0.06 | 0.02 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| Spain, La Rioja | 13 | 0.9 | 0.27 | 0.11 | 0.03 | 2 | 0.2 | 0.12 | 0.02 | 0.01 |
| Spain, Murcia | 45 | 0.8 | 0.13 | 0.11 | 0.02 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| Spain, Navarra | 11 | 0.5 | 0.15 | 0.08 | 0.02 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| Spain, Salamanca | 8 | 0.4 | 0.16 | 0.08 | 0.03 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Spain, Tarragona | 32 | 1.0 | 0.18 | 0.13 | 0.02 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| *Sweden | 78 | 0.2 | 0.02 | 0.03 | 0.00 | 37 | 0.1 | 0.01 | 0.01 | 0.00 |
| Switzerland, Aargau | 24 | 0.8 | 0.18 | 0.12 | 0.03 | 7 | 0.2 | 0.09 | 0.03 | 0.01 |
| Switzerland, Basel | 20 | 0.9 | 0.21 | 0.13 | 0.03 | 9 | 0.4 | 0.14 | 0.04 | 0.02 |
| Switzerland, Berne Solothurn | 43 | 1.1 | 0.18 | 0.13 | 0.02 | 19 | 0.5 | 0.11 | 0.05 | 0.01 |
| Switzerland, East | 35 | 0.9 | 0.16 | 0.12 | 0.02 | 17 | 0.4 | 0.10 | 0.04 | 0.01 |
| *Switzerland, Fribourg | 15 | 1.2 | 0.32 | 0.15 | 0.04 | 4 | 0.3 | 0.15 | 0.04 | 0.02 |
| Switzerland, Geneva | 24 | 1.4 | 0.28 | 0.19 | 0.04 | 6 | 0.2 | 0.10 | 0.03 | 0.02 |
| *Switzerland, Graubünden and Glarus | 11 | 1.0 | 0.29 | 0.14 | 0.05 | 5 | 0.5 | 0.22 | 0.07 | 0.03 |
| *Switzerland, Lucerne | 15 | 0.7 | 0.17 | 0.09 | 0.03 | 7 | 0.2 | 0.10 | 0.03 | 0.01 |
| *Switzerland, Neuchâtel and Jura | 7 | 0.7 | 0.28 | 0.10 | 0.04 | 6 | 0.4 | 0.20 | 0.06 | 0.03 |
| Switzerland, Ticino | 23 | 1.4 | 0.29 | 0.20 | 0.04 | 12 | 0.6 | 0.20 | 0.08 | 0.03 |
| Switzerland, Valais | 12 | 0.9 | 0.26 | 0.13 | 0.04 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| Switzerland, Vaud | 37 | 1.3 | 0.22 | 0.16 | 0.03 | 13 | 0.4 | 0.11 | 0.05 | 0.02 |
| Switzerland, Zurich and Zug | 78 | 1.2 | 0.14 | 0.14 | 0.02 | 29 | 0.4 | 0.07 | 0.05 | 0.01 |
| Ukraine | 2905 | 2.4 | 0.05 | 0.31 | 0.01 | 331 | 0.2 | 0.01 | 0.02 | 0.00 |
| UK, England | 915 | 0.4 | 0.01 | 0.05 | 0.00 | 300 | 0.1 | 0.01 | 0.02 | 0.00 |
| UK, Northern Ireland | 54 | 0.8 | 0.11 | 0.10 | 0.01 | 24 | 0.3 | 0.07 | 0.05 | 0.01 |
| UK, Scotland | 217 | 1.0 | 0.07 | 0.12 | 0.01 | 71 | 0.3 | 0.03 | 0.03 | 0.00 |
| UK, Wales | 98 | 0.7 | 0.08 | 0.09 | 0.01 | 37 | 0.3 | 0.04 | 0.03 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 257 | 0.8 | 0.05 | 0.11 | 0.01 | 46 | 0.1 | 0.02 | 0.02 | 0.00 |
| *Australia, Northern Territory | 7 | 0.9 | 0.36 | 0.06 | 0.03 | 3 | 0.5 | 0.30 | 0.09 | 0.06 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other oropharynx (C10) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 2 | 0.3 | 0.23 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Australia, Northern Territory: Indigenous | 5 | 3.9 | 1.92 | 0.24 | 0.12 | 3 | 2.4 | 1.48 | 0.46 | 0.31 |
| *Australia, Queensland | 107 | 0.6 | 0.06 | 0.07 | 0.01 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| Australia, South Australia | 43 | 0.6 | 0.10 | 0.07 | 0.01 | 12 | 0.1 | 0.05 | 0.02 | 0.01 |
| Australia, Tasmania | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Australia, Victoria | 113 | 0.5 | 0.05 | 0.07 | 0.01 | 26 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Australia, Western Australia | 63 | 0.7 | 0.09 | 0.10 | 0.01 | 18 | 0.2 | 0.04 | 0.02 | 0.01 |
| *France, New Caledonia | 2 | 0.3 | 0.19 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| New Zealand | 78 | 0.5 | 0.05 | 0.05 | 0.01 | 19 | 0.1 | 0.02 | 0.01 | 0.00 |
| *New Zealand: Maori | 10 | 0.6 | 0.19 | 0.07 | 0.02 | 6 | 0.3 | 0.14 | 0.05 | 0.02 |
| *New Zealand: Pacific peoples | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *New Zealand: Other | 68 | 0.5 | 0.06 | 0.06 | 0.01 | 12 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Hawaii | 25 | 0.4 | 0.09 | 0.06 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, Hawaii: White | 17 | 0.8 | 0.19 | 0.10 | 0.03 | 2 | 0.1 | 0.08 | 0.02 | 0.01 |
| *USA, Hawaii: Japanese | 1 | 0.1 | 0.14 | 0.01 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *USA, Hawaii: Chinese | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Hawaii: Hawaiian | 5 | 0.6 | 0.26 | 0.08 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *USA, Hawaii: Filipino | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nasopharynx (C11)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 71 | 4.7 | 0.59 | 0.50 | 0.07 | 33 | 2.1 | 0.39 | 0.22 | 0.05 |
| *Algeria, Tizi Ouzou | 53 | 3.2 | 0.46 | 0.33 | 0.05 | 27 | 1.6 | 0.31 | 0.14 | 0.03 |
| *Benin, Cotonou | 5 | 0.7 | 0.30 | 0.07 | 0.03 | 5 | 0.5 | 0.25 | 0.03 | 0.02 |
| *France, La Réunion | 9 | 0.4 | 0.14 | 0.05 | 0.02 | 5 | 0.3 | 0.12 | 0.03 | 0.01 |
| *Kenya, Eldoret | 41 | 3.2 | 0.56 | 0.37 | 0.08 | 17 | 1.1 | 0.32 | 0.13 | 0.05 |
| *Kenya, Nairobi | 140 | 3.2 | 0.35 | 0.35 | 0.05 | 62 | 1.7 | 0.28 | 0.19 | 0.04 |
| Mauritius | 26 | 0.6 | 0.13 | 0.07 | 0.02 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Morocco, Casablanca | 251 | 2.2 | 0.14 | 0.23 | 0.02 | 142 | 1.2 | 0.10 | 0.12 | 0.01 |
| *Seychelles | 1 | 0.3 | 0.34 | 0.03 | 0.03 | 1 | 0.3 | 0.30 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | 2 | 0.2 | 0.11 | 0.02 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Uganda, Kyadondo County | 85 | 3.3 | 0.48 | 0.39 | 0.07 | 51 | 1.4 | 0.25 | 0.16 | 0.04 |
| *Uganda, Gulu | 8 | 1.5 | 0.62 | 0.17 | 0.07 | 6 | 1.0 | 0.46 | 0.11 | 0.05 |
| *Zimbabwe, Bulawayo: African | 9 | 0.9 | 0.31 | 0.09 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 29 | 1.5 | 0.31 | 0.17 | 0.05 | 14 | 0.5 | 0.16 | 0.05 | 0.02 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 5 | 0.2 | 0.10 | 0.03 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Argentina, Mendoza | 14 | 0.3 | 0.08 | 0.04 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| Brazil, Aracaju | 4 | 0.3 | 0.18 | 0.02 | 0.01 | 3 | 0.3 | 0.15 | 0.02 | 0.01 |
| *Brazil, Barretos | 11 | 0.9 | 0.27 | 0.10 | 0.03 | 7 | 0.5 | 0.21 | 0.07 | 0.03 |
| Brazil, Belo Horizonte | 37 | 0.5 | 0.09 | 0.05 | 0.01 | 21 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Brazil, Campinas | 12 | 0.5 | 0.14 | 0.05 | 0.02 | 9 | 0.3 | 0.11 | 0.02 | 0.01 |
| *Brazil, Curitiba | 23 | 0.6 | 0.12 | 0.06 | 0.01 | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| Brazil, Goiânia | 24 | 0.9 | 0.18 | 0.07 | 0.02 | 18 | 0.5 | 0.13 | 0.06 | 0.02 |
| *Brazil, Jaú | 4 | 0.9 | 0.48 | 0.07 | 0.04 | 1 | 0.1 | 0.13 | 0.00 | 0.00 |
| Brazil, João Pessoa | 4 | 0.4 | 0.22 | 0.03 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| Brazil, Recife | 17 | 0.6 | 0.16 | 0.06 | 0.02 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| Chile, Region of Antofagasta | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| Chile, Valdivia | 1 | 0.1 | 0.08 | 0.02 | 0.02 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| Colombia, Bucaramanga | 14 | 0.5 | 0.13 | 0.06 | 0.02 | 8 | 0.2 | 0.08 | 0.02 | 0.01 |
| Colombia, Cali | 34 | 0.6 | 0.10 | 0.06 | 0.01 | 13 | 0.2 | 0.05 | 0.02 | 0.01 |
| Colombia, Manizales | 5 | 0.4 | 0.18 | 0.07 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Pasto | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Costa Rica | 58 | 0.6 | 0.08 | 0.05 | 0.01 | 19 | 0.2 | 0.04 | 0.02 | 0.00 |
| Ecuador, Guayaquil | 13 | 0.2 | 0.06 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| Ecuador, Manabí | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| Ecuador, Quito | 5 | 0.1 | 0.05 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *France, Guadeloupe | 9 | 0.6 | 0.22 | 0.08 | 0.03 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| *France, Martinique | 11 | 1.0 | 0.33 | 0.09 | 0.03 | 4 | 0.1 | 0.08 | 0.02 | 0.01 |
| *Peru, Lima | 33 | 0.2 | 0.04 | 0.03 | 0.01 | 21 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Trinidad and Tobago | 15 | 0.6 | 0.16 | 0.09 | 0.03 | 6 | 0.3 | 0.10 | 0.03 | 0.02 |
| USA, Puerto Rico | 70 | 0.5 | 0.07 | 0.06 | 0.01 | 24 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Uruguay | 81 | 0.7 | 0.08 | 0.09 | 0.01 | 24 | 0.2 | 0.05 | 0.02 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 94 | 0.7 | 0.07 | 0.07 | 0.01 | 37 | 0.3 | 0.05 | 0.02 | 0.00 |
| Canada, British Columbia | 188 | 1.0 | 0.08 | 0.11 | 0.01 | 73 | 0.4 | 0.06 | 0.04 | 0.01 |
| *Canada, Manitoba | 26 | 0.6 | 0.11 | 0.07 | 0.01 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Canada, New Brunswick | 16 | 0.5 | 0.12 | 0.06 | 0.02 | 10 | 0.2 | 0.08 | 0.03 | 0.01 |
| *Canada, Newfoundland and Labrador | 15 | 0.6 | 0.16 | 0.08 | 0.02 | 8 | 0.4 | 0.14 | 0.04 | 0.01 |
| Canada, Ontario | 422 | 0.8 | 0.04 | 0.09 | 0.00 | 160 | 0.3 | 0.03 | 0.03 | 0.00 |
| *Canada, Prince Edward Island | 4 | 0.5 | 0.28 | 0.04 | 0.02 | 1 | 0.4 | 0.41 | 0.02 | 0.02 |
| Canada, Quebec | 163 | 0.5 | 0.04 | 0.05 | 0.00 | 75 | 0.2 | 0.03 | 0.02 | 0.00 |
| Canada, Saskatchewan | 19 | 0.5 | 0.11 | 0.05 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Canada, Yukon | 3 | 1.7 | 0.99 | 0.20 | 0.11 | 0 | – | 0.00 | – | 0.00 |
| USA | 6656 | 0.6 | 0.01 | 0.07 | 0.00 | 2760 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: White | 3986 | 0.4 | 0.01 | 0.05 | 0.00 | 1669 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: Black | 1018 | 0.8 | 0.03 | 0.09 | 0.00 | 440 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, NPCR | 6425 | 0.6 | 0.01 | 0.07 | 0.00 | 2668 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: White | 3859 | 0.4 | 0.01 | 0.05 | 0.00 | 1627 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: Black | 1006 | 0.8 | 0.03 | 0.09 | 0.00 | 434 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 1446 | 2.6 | 0.07 | 0.29 | 0.01 | 552 | 0.9 | 0.04 | 0.09 | 0.00 |
| USA, NPCR: American Indian | 73 | 0.6 | 0.07 | 0.07 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.00 |
| *USA, SEER (18 registries) | 2116 | 0.7 | 0.02 | 0.08 | 0.00 | 834 | 0.3 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (18 registries): White | 988 | 0.4 | 0.01 | 0.05 | 0.00 | 386 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 821 | 0.4 | 0.02 | 0.05 | 0.00 | 318 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 167 | 0.4 | 0.03 | 0.04 | 0.00 | 68 | 0.1 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Black | 259 | 0.8 | 0.05 | 0.09 | 0.01 | 101 | 0.3 | 0.03 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 810 | 2.6 | 0.09 | 0.29 | 0.01 | 325 | 0.9 | 0.05 | 0.10 | 0.01 |
| *USA, SEER (9 registries) | 763 | 0.7 | 0.03 | 0.08 | 0.00 | 286 | 0.3 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (9 registries): White | 309 | 0.4 | 0.02 | 0.04 | 0.00 | 105 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): Black | 95 | 0.9 | 0.09 | 0.10 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Alabama | 116 | 0.7 | 0.07 | 0.07 | 0.01 | 33 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Alabama: White | 83 | 0.7 | 0.08 | 0.07 | 0.01 | 20 | 0.1 | 0.03 | 0.02 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nasopharynx (C11) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 29 | 0.7 | <i>0.14</i> | 0.08 | <i>0.02</i> | 11 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| USA, Alaska | 30 | 1.2 | <i>0.21</i> | 0.14 | <i>0.03</i> | 10 | 0.4 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| *USA, Alaska: Alaska Natives | 18 | 5.5 | <i>1.30</i> | 0.68 | <i>0.17</i> | 9 | 2.4 | <i>0.81</i> | 0.19 | <i>0.08</i> |
| USA, Arizona | 86 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | 36 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Arizona: White | 66 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> | 29 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Arizona: Black | 6 | 0.7 | <i>0.28</i> | 0.11 | <i>0.05</i> | 2 | 0.2 | <i>0.15</i> | 0.02 | <i>0.02</i> |
| *USA, Arizona: Asian and Pacific Islander | 5 | 0.7 | <i>0.34</i> | 0.10 | <i>0.05</i> | 3 | 0.3 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| USA, Arizona: American Indian | 9 | 1.0 | <i>0.34</i> | 0.14 | <i>0.05</i> | 2 | 0.2 | <i>0.13</i> | 0.02 | <i>0.02</i> |
| USA, Arkansas | 60 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> | 22 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Arkansas: White | 52 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> | 17 | 0.1 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Arkansas: Black | 7 | 0.6 | <i>0.21</i> | 0.05 | <i>0.02</i> | 4 | 0.3 | <i>0.15</i> | 0.03 | <i>0.01</i> |
| USA, California | 1017 | 0.8 | <i>0.03</i> | 0.09 | <i>0.00</i> | 412 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, California: White | 351 | 0.4 | <i>0.02</i> | 0.04 | <i>0.00</i> | 149 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| USA, California: Black | 52 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> | 23 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| USA, California: Asian and Pacific Islander | 593 | 3.0 | <i>0.13</i> | 0.33 | <i>0.01</i> | 231 | 1.0 | <i>0.07</i> | 0.11 | <i>0.01</i> |
| *USA, California, Los Angeles County | 250 | 0.8 | <i>0.05</i> | 0.08 | <i>0.01</i> | 114 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| *USA, California, Los Angeles County: White | 88 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | 53 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *USA, California, Los Angeles County: Non-Hispanic White | 48 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> | 28 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *USA, California, Los Angeles County: Hispanic White | 40 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | 25 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| *USA, California, Los Angeles County: Black | 15 | 0.5 | <i>0.13</i> | 0.05 | <i>0.02</i> | 11 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *USA, California, Los Angeles County: Chinese | 62 | 3.6 | <i>0.48</i> | 0.38 | <i>0.05</i> | 23 | 1.1 | <i>0.25</i> | 0.10 | <i>0.02</i> |
| *USA, California, Los Angeles County: Filipino | 27 | 2.1 | <i>0.42</i> | 0.23 | <i>0.05</i> | 13 | 0.8 | <i>0.24</i> | 0.09 | <i>0.03</i> |
| *USA, California, Los Angeles County: Korean | 4 | 0.5 | <i>0.28</i> | 0.06 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 142 | 2.7 | <i>0.23</i> | 0.29 | <i>0.03</i> | 47 | 0.8 | <i>0.12</i> | 0.08 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area | 216 | 1.3 | <i>0.09</i> | 0.14 | <i>0.01</i> | 92 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: White | 30 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | 10 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 25 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | 7 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *USA, California, San Francisco Bay Area: Hispanic White | 5 | 0.2 | <i>0.11</i> | 0.03 | <i>0.02</i> | 3 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Black | 8 | 0.6 | <i>0.23</i> | 0.06 | <i>0.02</i> | 4 | 0.2 | <i>0.13</i> | 0.02 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 174 | 4.0 | <i>0.31</i> | 0.43 | <i>0.04</i> | 78 | 1.6 | <i>0.19</i> | 0.17 | <i>0.02</i> |
| USA, Colorado | 79 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | 37 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Colorado: White | 51 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> | 29 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *USA, Colorado: Black | 5 | 0.6 | <i>0.30</i> | 0.05 | <i>0.02</i> | 1 | 0.1 | <i>0.13</i> | 0.01 | <i>0.01</i> |
| *USA, Colorado: Asian and Pacific Islander | 20 | 3.7 | <i>0.84</i> | 0.31 | <i>0.08</i> | 7 | 1.2 | <i>0.47</i> | 0.16 | <i>0.06</i> |
| USA, Connecticut | 62 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> | 32 | 0.2 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| USA, Connecticut: White | 46 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> | 20 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Connecticut: Black | 8 | 0.7 | <i>0.24</i> | 0.06 | <i>0.02</i> | 6 | 0.5 | <i>0.19</i> | 0.05 | <i>0.02</i> |
| USA, District of Columbia | 20 | 1.1 | <i>0.28</i> | 0.13 | <i>0.03</i> | 6 | 0.3 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| USA, District of Columbia: White | 4 | 0.3 | <i>0.18</i> | 0.03 | <i>0.02</i> | 1 | 0.1 | <i>0.10</i> | 0.03 | <i>0.03</i> |
| USA, District of Columbia: Black | 15 | 1.7 | <i>0.47</i> | 0.20 | <i>0.06</i> | 4 | 0.3 | <i>0.16</i> | 0.04 | <i>0.02</i> |
| USA, Florida | 477 | 0.6 | <i>0.03</i> | 0.07 | <i>0.00</i> | 203 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, Florida: White | 338 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> | 142 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, Florida: Black | 89 | 0.9 | <i>0.10</i> | 0.10 | <i>0.01</i> | 41 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, Florida: Asian and Pacific Islander | 41 | 2.1 | <i>0.33</i> | 0.22 | <i>0.04</i> | 11 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| USA, Georgia | 208 | 0.6 | <i>0.04</i> | 0.07 | <i>0.01</i> | 97 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, Georgia: White | 97 | 0.4 | <i>0.04</i> | 0.05 | <i>0.01</i> | 53 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Georgia: Black | 82 | 0.9 | <i>0.10</i> | 0.11 | <i>0.01</i> | 34 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| USA, Georgia: Asian and Pacific Islander | 28 | 2.3 | <i>0.43</i> | 0.24 | <i>0.05</i> | 10 | 0.7 | <i>0.22</i> | 0.06 | <i>0.02</i> |
| *USA, Georgia, Atlanta | 71 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> | 23 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| *USA, Georgia, Atlanta: White | 14 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> | 10 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *USA, Georgia, Atlanta: Black | 36 | 1.0 | <i>0.16</i> | 0.12 | <i>0.02</i> | 9 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| USA, Idaho | 18 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, Indiana | 109 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | 46 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Indiana: White | 90 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | 37 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Indiana: Black | 16 | 0.9 | <i>0.23</i> | 0.10 | <i>0.03</i> | 7 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| *USA, Iowa | 49 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> | 23 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| USA, Kentucky | 94 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 33 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Louisiana | 113 | 0.7 | <i>0.07</i> | 0.08 | <i>0.01</i> | 30 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Louisiana: White | 71 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 18 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Louisiana: Black | 35 | 0.8 | <i>0.13</i> | 0.09 | <i>0.02</i> | 9 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *USA, Louisiana, New Orleans | 21 | 0.7 | <i>0.15</i> | 0.08 | <i>0.02</i> | 6 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *USA, Louisiana, New Orleans: White | 9 | 0.5 | <i>0.17</i> | 0.06 | <i>0.02</i> | 3 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| *USA, Louisiana, New Orleans: Black | 8 | 0.7 | <i>0.24</i> | 0.07 | <i>0.03</i> | 3 | 0.2 | <i>0.14</i> | 0.03 | <i>0.02</i> |
| USA, Maine | 33 | 0.6 | <i>0.12</i> | 0.07 | <i>0.01</i> | 8 | 0.2 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| USA, Maryland | 108 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 52 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Maryland: White | 51 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 21 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Maryland: Black | 38 | 0.7 | <i>0.12</i> | 0.07 | <i>0.01</i> | 24 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| USA, Maryland: Asian and Pacific Islander | 19 | 1.5 | <i>0.34</i> | 0.15 | <i>0.03</i> | 7 | 0.5 | <i>0.22</i> | 0.05 | <i>0.02</i> |
| USA, Massachusetts | 156 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 64 | 0.2 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, Massachusetts: White | 82 | 0.4 | <i>0.04</i> | 0.04 | <i>0.01</i> | 44 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Massachusetts: Black | 15 | 0.9 | <i>0.24</i> | 0.08 | <i>0.02</i> | 7 | 0.4 | <i>0.14</i> | 0.04 | <i>0.02</i> |
| USA, Massachusetts: Asian and Pacific Islander | 59 | 4.9 | <i>0.64</i> | 0.58 | <i>0.09</i> | 12 | 0.8 | <i>0.24</i> | 0.11 | <i>0.04</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nasopharynx (C11) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 200 | 0.6 | <i>0.04</i> | 0.06 | <i>0.00</i> | 63 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, Michigan: White | 137 | 0.4 | <i>0.04</i> | 0.05 | <i>0.00</i> | 45 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Michigan: Black | 40 | 1.0 | <i>0.16</i> | 0.10 | <i>0.02</i> | 9 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| USA, Michigan: Asian and Pacific Islander | 19 | 2.1 | <i>0.49</i> | 0.21 | <i>0.06</i> | 7 | 0.7 | <i>0.26</i> | 0.07 | <i>0.03</i> |
| *USA, Michigan, Detroit | 98 | 0.7 | <i>0.08</i> | 0.07 | <i>0.01</i> | 29 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| *USA, Michigan, Detroit: White | 57 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> | 20 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| *USA, Michigan, Detroit: Black | 30 | 1.1 | <i>0.20</i> | 0.11 | <i>0.02</i> | 8 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| USA, Minnesota | 91 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 29 | 0.1 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Minnesota: White | 59 | 0.3 | <i>0.04</i> | 0.04 | <i>0.01</i> | 19 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Minnesota: Black | 9 | 1.0 | <i>0.33</i> | 0.08 | <i>0.03</i> | 2 | 0.2 | <i>0.16</i> | 0.02 | <i>0.01</i> |
| *USA, Minnesota: Asian and Pacific Islander | 22 | 3.7 | <i>0.82</i> | 0.45 | <i>0.12</i> | 7 | 1.1 | <i>0.41</i> | 0.13 | <i>0.05</i> |
| USA, Mississippi | 76 | 0.7 | <i>0.09</i> | 0.09 | <i>0.01</i> | 33 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| USA, Missouri | 115 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 62 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| USA, Missouri: White | 91 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | 48 | 0.2 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| USA, Missouri: Black | 20 | 1.0 | <i>0.23</i> | 0.10 | <i>0.03</i> | 11 | 0.5 | <i>0.16</i> | 0.04 | <i>0.01</i> |
| USA, Montana | 12 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *USA, Montana: American Indian | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Nebraska | 33 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | 16 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| USA, Nebraska: White | 25 | 0.4 | <i>0.09</i> | 0.05 | <i>0.01</i> | 13 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *USA, Nebraska: Black | 6 | 2.2 | <i>0.93</i> | 0.21 | <i>0.11</i> | 2 | 0.9 | <i>0.61</i> | 0.11 | <i>0.08</i> |
| USA, Nevada | 58 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> | 31 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| USA, Nevada: White | 36 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> | 18 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| USA, Nevada: Black | 9 | 1.1 | <i>0.36</i> | 0.14 | <i>0.05</i> | 6 | 0.7 | <i>0.30</i> | 0.08 | <i>0.04</i> |
| *USA, Nevada: Asian and Pacific Islander | 11 | 1.2 | <i>0.36</i> | 0.16 | <i>0.05</i> | 6 | 0.5 | <i>0.22</i> | 0.05 | <i>0.02</i> |
| USA, New Jersey | 193 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 84 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, New Jersey: White | 125 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | 50 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, New Jersey: Black | 31 | 0.8 | <i>0.15</i> | 0.10 | <i>0.02</i> | 18 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| USA, New Mexico | 36 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> | 6 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, New Mexico: White | 30 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> | 5 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, New Mexico: Non-Hispanic White | 16 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> | 3 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| USA, New Mexico: Hispanic White | 14 | 0.5 | <i>0.13</i> | 0.06 | <i>0.02</i> | 2 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *USA, New Mexico: American Indian | 3 | 0.5 | <i>0.28</i> | 0.05 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, New York State | 607 | 0.9 | <i>0.04</i> | 0.10 | <i>0.00</i> | 239 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, New York State: White | 252 | 0.5 | <i>0.03</i> | 0.05 | <i>0.00</i> | 110 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, New York State: Black | 91 | 0.9 | <i>0.09</i> | 0.10 | <i>0.01</i> | 38 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| USA, New York State: Asian and Pacific Islander | 260 | 4.7 | <i>0.29</i> | 0.49 | <i>0.03</i> | 88 | 1.4 | <i>0.16</i> | 0.15 | <i>0.02</i> |
| USA, North Carolina | 163 | 0.5 | <i>0.04</i> | 0.05 | <i>0.00</i> | 78 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, North Carolina: White | 102 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | 56 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, North Carolina: Black | 50 | 0.8 | <i>0.11</i> | 0.10 | <i>0.02</i> | 19 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| USA, North Carolina: Asian and Pacific Islander | 9 | 1.2 | <i>0.41</i> | 0.12 | <i>0.04</i> | 2 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> |
| *USA, North Carolina: American Indian | 1 | 0.2 | <i>0.23</i> | 0.02 | <i>0.02</i> | 1 | 0.2 | <i>0.19</i> | 0.03 | <i>0.03</i> |
| USA, North Dakota | 8 | 0.4 | <i>0.13</i> | 0.04 | <i>0.01</i> | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| USA, Ohio | 204 | 0.5 | <i>0.04</i> | 0.05 | <i>0.00</i> | 85 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, Ohio: White | 166 | 0.4 | <i>0.04</i> | 0.05 | <i>0.00</i> | 71 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Ohio: Black | 28 | 0.7 | <i>0.13</i> | 0.06 | <i>0.01</i> | 8 | 0.2 | <i>0.06</i> | 0.01 | <i>0.00</i> |
| *USA, Ohio: Asian and Pacific Islander | 10 | 1.3 | <i>0.43</i> | 0.12 | <i>0.04</i> | 6 | 0.8 | <i>0.33</i> | 0.07 | <i>0.03</i> |
| USA, Oklahoma | 77 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 41 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| USA, Oklahoma: White | 59 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | 26 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| USA, Oklahoma: Black | 4 | 0.4 | <i>0.22</i> | 0.04 | <i>0.02</i> | 7 | 0.8 | <i>0.29</i> | 0.08 | <i>0.03</i> |
| USA, Oklahoma: American Indian | 9 | 0.9 | <i>0.29</i> | 0.10 | <i>0.03</i> | 4 | 0.3 | <i>0.18</i> | 0.03 | <i>0.02</i> |
| USA, Oregon | 72 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> | 26 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Oregon: White | 47 | 0.3 | <i>0.05</i> | 0.04 | <i>0.01</i> | 16 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *USA, Oregon: Black | 1 | 0.3 | <i>0.33</i> | 0.03 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Oregon: Asian and Pacific Islander | 23 | 3.9 | <i>0.81</i> | 0.43 | <i>0.10</i> | 10 | 1.4 | <i>0.45</i> | 0.11 | <i>0.04</i> |
| USA, Rhode Island | 21 | 0.6 | <i>0.13</i> | 0.06 | <i>0.01</i> | 11 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| USA, Rhode Island: White | 16 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> | 9 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *USA, Rhode Island: Black | 2 | 0.9 | <i>0.63</i> | 0.09 | <i>0.07</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, South Carolina | 92 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> | 41 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, South Carolina: White | 57 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> | 24 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, South Carolina: Black | 33 | 0.8 | <i>0.14</i> | 0.09 | <i>0.02</i> | 16 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| USA, South Dakota | 13 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| USA, Tennessee | 142 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 64 | 0.2 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, Tennessee: White | 110 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> | 50 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Tennessee: Black | 24 | 0.8 | <i>0.15</i> | 0.08 | <i>0.02</i> | 12 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| USA, Texas | 483 | 0.6 | <i>0.03</i> | 0.06 | <i>0.00</i> | 191 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, Texas: White | 345 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> | 138 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| USA, Texas: Black | 76 | 0.8 | <i>0.09</i> | 0.08 | <i>0.01</i> | 26 | 0.2 | <i>0.05</i> | 0.02 | <i>0.00</i> |
| USA, Texas: Asian and Pacific Islander | 59 | 1.5 | <i>0.19</i> | 0.16 | <i>0.02</i> | 26 | 0.6 | <i>0.11</i> | 0.07 | <i>0.01</i> |
| USA, Utah | 42 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> | 10 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, Vermont | 14 | 0.6 | <i>0.19</i> | 0.06 | <i>0.02</i> | 9 | 0.4 | <i>0.14</i> | 0.03 | <i>0.01</i> |
| USA, Washington State | 136 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 53 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *USA, Washington, Seattle | 105 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | 40 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nasopharynx (C11) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 33 | 0.5 | 0.08 | 0.05 | 0.01 | 22 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Wyoming | 6 | 0.3 | 0.13 | 0.03 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 15 | 1.0 | 0.26 | 0.09 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| Brunei Darussalam | 68 | 7.1 | 0.90 | 0.87 | 0.14 | 35 | 3.6 | 0.63 | 0.40 | 0.09 |
| *China, Anfu County | 68 | 6.3 | 0.77 | 0.66 | 0.09 | 24 | 2.5 | 0.57 | 0.25 | 0.06 |
| *China, Anguo City | 15 | 1.1 | 0.29 | 0.13 | 0.04 | 3 | 0.3 | 0.16 | 0.02 | 0.01 |
| *China, Anshan City | 136 | 2.0 | 0.18 | 0.22 | 0.02 | 33 | 0.4 | 0.07 | 0.04 | 0.01 |
| *China, Aohan Banner, Chifeng City | 16 | 0.8 | 0.21 | 0.10 | 0.03 | 12 | 0.6 | 0.17 | 0.08 | 0.03 |
| *China, Arongqi | 11 | 1.2 | 0.36 | 0.13 | 0.04 | 7 | 0.8 | 0.31 | 0.09 | 0.04 |
| *China, Baoding City | 31 | 0.9 | 0.16 | 0.10 | 0.02 | 16 | 0.4 | 0.11 | 0.04 | 0.01 |
| *China, Beijing City | 265 | 0.8 | 0.05 | 0.08 | 0.01 | 91 | 0.2 | 0.03 | 0.02 | 0.00 |
| *China, Binhai County | 88 | 2.0 | 0.22 | 0.20 | 0.02 | 37 | 0.9 | 0.14 | 0.11 | 0.02 |
| *China, Cangzhou City | 21 | 1.3 | 0.28 | 0.12 | 0.03 | 6 | 0.3 | 0.13 | 0.02 | 0.01 |
| China, Changfeng County | 24 | 1.6 | 0.33 | 0.17 | 0.04 | 8 | 0.6 | 0.20 | 0.06 | 0.02 |
| China, Changzhou City | 243 | 2.6 | 0.17 | 0.32 | 0.02 | 83 | 0.9 | 0.10 | 0.09 | 0.01 |
| China, Chengdu City | 171 | 4.6 | 0.36 | 0.51 | 0.04 | 72 | 1.9 | 0.23 | 0.21 | 0.03 |
| China, Cixian County | 12 | 0.6 | 0.18 | 0.06 | 0.02 | 9 | 0.5 | 0.17 | 0.06 | 0.02 |
| China, Cixi City | 171 | 3.9 | 0.31 | 0.41 | 0.04 | 72 | 1.7 | 0.21 | 0.17 | 0.02 |
| *China, Dafeng District, Yancheng City | 94 | 3.1 | 0.37 | 0.34 | 0.04 | 33 | 0.9 | 0.17 | 0.11 | 0.02 |
| China, Dalian City | 115 | 1.3 | 0.15 | 0.15 | 0.02 | 47 | 0.5 | 0.08 | 0.05 | 0.01 |
| *China, Dancheng County | 56 | 1.4 | 0.20 | 0.15 | 0.03 | 43 | 1.4 | 0.22 | 0.20 | 0.04 |
| China, Dangtu County | 39 | 3.5 | 0.57 | 0.43 | 0.07 | 16 | 1.3 | 0.34 | 0.14 | 0.04 |
| *China, Danyang City | 89 | 2.6 | 0.29 | 0.29 | 0.03 | 42 | 1.1 | 0.18 | 0.11 | 0.02 |
| *China, Dawukou District, Shizuishan City | 6 | 0.7 | 0.28 | 0.08 | 0.03 | 3 | 0.3 | 0.22 | 0.04 | 0.02 |
| *China, Dehui City | 55 | 1.8 | 0.25 | 0.19 | 0.03 | 35 | 1.1 | 0.19 | 0.15 | 0.03 |
| *China, Donggang County | 46 | 1.7 | 0.25 | 0.21 | 0.03 | 21 | 0.8 | 0.18 | 0.09 | 0.02 |
| *China, Dongguan City | 610 | 15.5 | 0.63 | 1.73 | 0.08 | 245 | 5.8 | 0.37 | 0.61 | 0.04 |
| China, Donghai County | 87 | 2.3 | 0.25 | 0.29 | 0.03 | 42 | 1.1 | 0.18 | 0.13 | 0.02 |
| *China, Dongtai City | 80 | 1.8 | 0.21 | 0.22 | 0.03 | 24 | 0.5 | 0.11 | 0.07 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 182 | 16.3 | 1.23 | 1.69 | 0.14 | 55 | 4.6 | 0.63 | 0.47 | 0.07 |
| *China, Evenki Autonomous Banner | 3 | 0.9 | 0.52 | 0.15 | 0.10 | 2 | 0.6 | 0.42 | 0.08 | 0.08 |
| *China, Faku County | 16 | 1.2 | 0.35 | 0.10 | 0.03 | 7 | 0.3 | 0.13 | 0.03 | 0.01 |
| *China, Fangcheng County | 24 | 1.0 | 0.22 | 0.11 | 0.02 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Feicheng City | 34 | 0.9 | 0.17 | 0.10 | 0.02 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Feixi County | 98 | 2.6 | 0.27 | 0.26 | 0.03 | 51 | 1.5 | 0.23 | 0.18 | 0.03 |
| China, Fuqing City | 187 | 6.9 | 0.51 | 0.76 | 0.06 | 82 | 3.1 | 0.35 | 0.35 | 0.05 |
| *China, Ganyu District, Lianyungang City | 53 | 1.4 | 0.20 | 0.15 | 0.02 | 22 | 0.6 | 0.13 | 0.07 | 0.02 |
| *China, Ganzhou District, Zhangye City | 5 | 0.5 | 0.23 | 0.07 | 0.04 | 16 | 1.7 | 0.44 | 0.20 | 0.06 |
| *China, Gaocheng City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Gaomi City | 63 | 2.2 | 0.30 | 0.25 | 0.03 | 18 | 0.6 | 0.14 | 0.07 | 0.02 |
| China, Gong'an County | 175 | 5.3 | 0.41 | 0.60 | 0.05 | 72 | 2.1 | 0.25 | 0.22 | 0.03 |
| *China, Guang'an District, Guang'an City | 115 | 6.2 | 0.60 | 0.72 | 0.07 | 56 | 3.1 | 0.43 | 0.29 | 0.04 |
| China, Guanghan City | 65 | 3.8 | 0.48 | 0.46 | 0.06 | 25 | 1.6 | 0.33 | 0.20 | 0.04 |
| China, Guangzhou City | 3859 | 12.9 | 0.21 | 1.39 | 0.02 | 1361 | 4.5 | 0.12 | 0.48 | 0.01 |
| *China, Guanyun County | 64 | 1.9 | 0.24 | 0.21 | 0.03 | 25 | 0.8 | 0.16 | 0.09 | 0.02 |
| China, Guilin City | 240 | 10.3 | 0.68 | 1.24 | 0.09 | 103 | 4.2 | 0.43 | 0.46 | 0.05 |
| *China, Hai'an City | 71 | 1.6 | 0.22 | 0.16 | 0.02 | 24 | 0.7 | 0.15 | 0.06 | 0.01 |
| China, Hailar District, Hulun Buir City | 14 | 1.2 | 0.33 | 0.13 | 0.04 | 5 | 0.5 | 0.22 | 0.04 | 0.03 |
| China, Haimen District, Nantong City | 112 | 2.7 | 0.29 | 0.28 | 0.03 | 48 | 1.0 | 0.15 | 0.12 | 0.02 |
| China, Haining City | 105 | 3.6 | 0.37 | 0.40 | 0.04 | 40 | 1.3 | 0.23 | 0.13 | 0.02 |
| China, Hangzhou City | 976 | 3.4 | 0.12 | 0.37 | 0.01 | 378 | 1.3 | 0.07 | 0.14 | 0.01 |
| China, Hebi City | 22 | 1.8 | 0.39 | 0.23 | 0.06 | 10 | 0.8 | 0.24 | 0.09 | 0.04 |
| China, Hefei City | 215 | 2.6 | 0.18 | 0.29 | 0.02 | 112 | 1.3 | 0.13 | 0.14 | 0.02 |
| China, Hengdong County | 74 | 4.7 | 0.56 | 0.50 | 0.06 | 36 | 2.4 | 0.41 | 0.25 | 0.05 |
| *China, Hengfeng County | 41 | 6.6 | 1.04 | 0.68 | 0.12 | 15 | 2.5 | 0.65 | 0.24 | 0.07 |
| *China, Hepu County | 437 | 15.9 | 0.77 | 1.76 | 0.09 | 153 | 6.0 | 0.49 | 0.65 | 0.06 |
| China, Honghu City | 152 | 5.2 | 0.43 | 0.57 | 0.05 | 47 | 1.6 | 0.24 | 0.18 | 0.03 |
| China, Hongshan District, Chifeng City | 16 | 1.0 | 0.25 | 0.10 | 0.03 | 9 | 0.5 | 0.18 | 0.05 | 0.02 |
| *China, Hongta District, Yuxi City | 46 | 2.9 | 0.44 | 0.28 | 0.05 | 11 | 0.6 | 0.19 | 0.06 | 0.02 |
| *China, Huaiyin District, Huai'an City | 53 | 1.5 | 0.21 | 0.20 | 0.03 | 25 | 0.7 | 0.15 | 0.09 | 0.02 |
| *China, Jiange County | 66 | 4.0 | 0.49 | 0.47 | 0.06 | 31 | 1.8 | 0.33 | 0.22 | 0.04 |
| China, Jiangmen City | 322 | 13.8 | 0.78 | 1.49 | 0.09 | 152 | 6.3 | 0.52 | 0.68 | 0.06 |
| *China, Jiangyin City | 170 | 3.4 | 0.28 | 0.39 | 0.03 | 52 | 1.0 | 0.14 | 0.11 | 0.02 |
| *China, Jiashan County | 94 | 5.2 | 0.61 | 0.65 | 0.07 | 33 | 2.1 | 0.39 | 0.21 | 0.04 |
| China, Jiayu County | 40 | 5.1 | 0.84 | 0.55 | 0.10 | 12 | 1.8 | 0.62 | 0.18 | 0.05 |
| *China, Jinan City | 87 | 1.0 | 0.12 | 0.11 | 0.01 | 41 | 0.4 | 0.07 | 0.04 | 0.01 |
| *China, Jingtai County | 15 | 1.9 | 0.51 | 0.24 | 0.08 | 4 | 0.4 | 0.21 | 0.02 | 0.01 |
| *China, Jingxian County | 24 | 1.7 | 0.37 | 0.20 | 0.05 | 17 | 2.2 | 0.61 | 0.20 | 0.05 |
| *China, Jintan District, Changzhou City | 57 | 2.5 | 0.34 | 0.32 | 0.05 | 32 | 1.5 | 0.28 | 0.18 | 0.04 |
| *China, Jiulongpo District, Chongqing City | 124 | 4.2 | 0.39 | 0.44 | 0.04 | 68 | 2.2 | 0.27 | 0.25 | 0.03 |
| *China, Jiyuan City | 18 | 0.9 | 0.22 | 0.09 | 0.02 | 5 | 0.3 | 0.14 | 0.03 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nasopharynx (C11) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 39 | 3.1 | 0.51 | 0.33 | 0.06 | 21 | 1.7 | 0.38 | 0.18 | 0.05 |
| China, Kunshan City | 151 | 5.2 | 0.46 | 0.59 | 0.05 | 72 | 2.4 | 0.33 | 0.25 | 0.03 |
| China, Langzhong City | 44 | 2.3 | 0.35 | 0.29 | 0.05 | 22 | 1.2 | 0.26 | 0.12 | 0.03 |
| *China, Liangshan County | 16 | 0.6 | 0.15 | 0.05 | 0.02 | 11 | 0.4 | 0.14 | 0.05 | 0.02 |
| *China, Lianshui County | 54 | 1.4 | 0.19 | 0.16 | 0.02 | 24 | 0.6 | 0.13 | 0.07 | 0.02 |
| China, Lianyungang City | 58 | 1.5 | 0.20 | 0.18 | 0.03 | 23 | 0.7 | 0.16 | 0.07 | 0.02 |
| China, Linhe District, Bayannur City | 12 | 1.1 | 0.31 | 0.14 | 0.05 | 7 | 0.5 | 0.21 | 0.07 | 0.03 |
| China, Linqu County | 29 | 1.0 | 0.19 | 0.09 | 0.02 | 13 | 0.4 | 0.13 | 0.04 | 0.01 |
| *China, Linzhou City | 14 | 0.5 | 0.13 | 0.06 | 0.02 | 15 | 0.4 | 0.10 | 0.04 | 0.01 |
| China, Liuzhou City | 363 | 9.3 | 0.49 | 0.97 | 0.06 | 140 | 3.7 | 0.32 | 0.41 | 0.04 |
| China, Liyang City | 82 | 2.2 | 0.26 | 0.27 | 0.03 | 28 | 0.8 | 0.16 | 0.08 | 0.02 |
| *China, Longquan City | 34 | 3.6 | 0.64 | 0.38 | 0.07 | 26 | 3.3 | 0.68 | 0.38 | 0.09 |
| China, Lucheng District, Wenzhou City | 83 | 4.6 | 0.52 | 0.50 | 0.06 | 28 | 1.4 | 0.27 | 0.19 | 0.04 |
| China, Luoding City | 452 | 20.0 | 0.95 | 2.07 | 0.11 | 155 | 7.3 | 0.59 | 0.74 | 0.07 |
| *China, Luohe City | 42 | 1.1 | 0.17 | 0.13 | 0.02 | 22 | 0.5 | 0.11 | 0.06 | 0.02 |
| *China, Luoyang City | 52 | 1.2 | 0.17 | 0.16 | 0.03 | 20 | 0.5 | 0.11 | 0.05 | 0.01 |
| *China, Luquan City | 4 | 0.4 | 0.20 | 0.07 | 0.04 | 1 | 0.1 | 0.09 | 0.02 | 0.02 |
| China, Ma'anshan City | 61 | 3.0 | 0.39 | 0.30 | 0.04 | 28 | 1.2 | 0.24 | 0.14 | 0.03 |
| *China, Macheng City | 113 | 4.4 | 0.42 | 0.49 | 0.05 | 50 | 2.1 | 0.29 | 0.25 | 0.04 |
| China, Meihekou City | 16 | 0.7 | 0.17 | 0.09 | 0.03 | 8 | 0.4 | 0.13 | 0.04 | 0.02 |
| *China, Mengjin County | 5 | 0.5 | 0.21 | 0.05 | 0.02 | 6 | 0.5 | 0.22 | 0.06 | 0.03 |
| China, Nangang District, Harbin City | 48 | 1.3 | 0.20 | 0.15 | 0.03 | 11 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Nanhai District, Foshan City | 632 | 24.0 | 0.96 | 2.59 | 0.11 | 248 | 8.3 | 0.54 | 0.85 | 0.06 |
| China, Nanhu District, Jiaxing City | 76 | 3.4 | 0.41 | 0.38 | 0.05 | 31 | 1.4 | 0.25 | 0.15 | 0.03 |
| *China, Nantong City | 101 | 2.0 | 0.21 | 0.23 | 0.03 | 51 | 0.9 | 0.14 | 0.11 | 0.02 |
| *China, Nanxiong City | 223 | 14.5 | 0.98 | 1.58 | 0.12 | 95 | 6.1 | 0.63 | 0.64 | 0.07 |
| China, Neixiang County | 20 | 0.9 | 0.22 | 0.09 | 0.02 | 11 | 0.5 | 0.15 | 0.06 | 0.02 |
| *China, Qianxi County | 12 | 1.2 | 0.41 | 0.10 | 0.03 | 3 | 0.2 | 0.14 | 0.04 | 0.03 |
| China, Qidong City | 144 | 2.7 | 0.24 | 0.29 | 0.03 | 75 | 1.5 | 0.19 | 0.14 | 0.02 |
| China, Qingzhou City | 34 | 1.2 | 0.22 | 0.13 | 0.02 | 14 | 0.5 | 0.13 | 0.04 | 0.01 |
| *China, Rudong County | 127 | 2.6 | 0.29 | 0.28 | 0.03 | 49 | 1.0 | 0.17 | 0.10 | 0.02 |
| *China, Rugao City | 147 | 2.4 | 0.22 | 0.27 | 0.02 | 40 | 0.6 | 0.11 | 0.07 | 0.01 |
| *China, Rural areas of Shanghai City | 1380 | 3.6 | 0.11 | 0.39 | 0.01 | 470 | 1.2 | 0.07 | 0.13 | 0.01 |
| China, Ruyang County | 7 | 0.6 | 0.22 | 0.05 | 0.02 | 7 | 0.6 | 0.23 | 0.06 | 0.03 |
| *China, Shan County | 27 | 1.2 | 0.23 | 0.14 | 0.03 | 17 | 0.6 | 0.15 | 0.08 | 0.03 |
| China, Shanghai City | 1012 | 3.6 | 0.13 | 0.39 | 0.01 | 326 | 1.2 | 0.08 | 0.12 | 0.01 |
| China, Shangyu District, Shaoxing City | 165 | 5.2 | 0.41 | 0.64 | 0.06 | 81 | 2.4 | 0.28 | 0.26 | 0.03 |
| *China, Shapingba District, Chongqing City | 129 | 3.9 | 0.37 | 0.47 | 0.05 | 70 | 2.1 | 0.26 | 0.24 | 0.03 |
| China, Shexian County | 9 | 0.7 | 0.23 | 0.07 | 0.03 | 5 | 0.4 | 0.17 | 0.02 | 0.01 |
| China, Sheyang County | 85 | 2.1 | 0.24 | 0.25 | 0.03 | 45 | 1.1 | 0.18 | 0.13 | 0.02 |
| *China, Shijiazhuang City | 23 | 0.5 | 0.10 | 0.05 | 0.01 | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Shunde District, Foshan City | 654 | 18.8 | 0.74 | 2.07 | 0.09 | 258 | 6.7 | 0.42 | 0.71 | 0.05 |
| *China, Song County | 15 | 1.0 | 0.26 | 0.09 | 0.03 | 5 | 0.3 | 0.14 | 0.02 | 0.01 |
| China, Suzhou City | 468 | 3.3 | 0.16 | 0.37 | 0.02 | 190 | 1.3 | 0.10 | 0.14 | 0.01 |
| *China, Tengzhou City | 52 | 0.9 | 0.13 | 0.10 | 0.02 | 31 | 0.6 | 0.11 | 0.07 | 0.01 |
| *China, Wangdu County | 9 | 1.3 | 0.43 | 0.16 | 0.06 | 3 | 0.4 | 0.23 | 0.06 | 0.04 |
| *China, Wanxian County | 89 | 7.8 | 0.84 | 0.85 | 0.10 | 40 | 3.4 | 0.55 | 0.36 | 0.07 |
| *China, Wu'an City | 11 | 0.5 | 0.15 | 0.06 | 0.02 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| China, Wuhan City | 670 | 3.4 | 0.14 | 0.38 | 0.02 | 297 | 1.5 | 0.09 | 0.16 | 0.01 |
| *China, Wuhu City | 100 | 2.0 | 0.21 | 0.23 | 0.03 | 31 | 0.7 | 0.15 | 0.08 | 0.02 |
| China, Wuxi City | 296 | 2.9 | 0.18 | 0.33 | 0.02 | 112 | 1.1 | 0.11 | 0.12 | 0.01 |
| China, Wuzhou City | 444 | 22.9 | 1.11 | 2.51 | 0.13 | 162 | 8.7 | 0.70 | 0.94 | 0.08 |
| China, Xiangfu District, Kaifeng City | 33 | 1.7 | 0.30 | 0.18 | 0.03 | 15 | 0.8 | 0.21 | 0.10 | 0.03 |
| China, Xianju County | 72 | 3.7 | 0.45 | 0.41 | 0.05 | 26 | 1.4 | 0.30 | 0.15 | 0.03 |
| *China, Xin'an County | 8 | 0.7 | 0.25 | 0.08 | 0.03 | 6 | 0.4 | 0.18 | 0.03 | 0.02 |
| *China, Xining City | 29 | 1.2 | 0.24 | 0.14 | 0.03 | 15 | 0.6 | 0.17 | 0.08 | 0.02 |
| *China, Xinji City | 12 | 0.5 | 0.14 | 0.04 | 0.01 | 7 | 0.3 | 0.14 | 0.04 | 0.02 |
| *China, Xinluo District, Longyan City | 69 | 6.2 | 0.81 | 0.60 | 0.08 | 26 | 2.3 | 0.46 | 0.25 | 0.06 |
| *China, Xinzhou District, Shangrao City | 60 | 4.3 | 0.57 | 0.48 | 0.07 | 25 | 2.0 | 0.41 | 0.23 | 0.05 |
| China, Xiping County | 27 | 0.9 | 0.18 | 0.09 | 0.02 | 16 | 0.6 | 0.14 | 0.07 | 0.02 |
| *China, Xishan District, Kunming City | 42 | 2.8 | 0.49 | 0.31 | 0.06 | 7 | 0.4 | 0.17 | 0.04 | 0.02 |
| *China, Xuyi County | 65 | 2.5 | 0.32 | 0.30 | 0.05 | 20 | 0.9 | 0.21 | 0.08 | 0.02 |
| *China, Ya'an City | 184 | 3.5 | 0.26 | 0.38 | 0.03 | 101 | 2.0 | 0.20 | 0.20 | 0.02 |
| *China, Yakeshi City | 21 | 1.5 | 0.38 | 0.15 | 0.04 | 11 | 0.6 | 0.18 | 0.06 | 0.02 |
| China, Yancheng City | 167 | 3.1 | 0.24 | 0.34 | 0.03 | 70 | 1.3 | 0.15 | 0.15 | 0.02 |
| *China, Yangquan City | 17 | 0.7 | 0.18 | 0.09 | 0.03 | 14 | 0.6 | 0.16 | 0.07 | 0.02 |
| *China, Yangzhong City | 34 | 2.7 | 0.48 | 0.28 | 0.05 | 11 | 0.8 | 0.25 | 0.10 | 0.03 |
| *China, Yanji City | 16 | 0.7 | 0.19 | 0.09 | 0.03 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yanshi City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 13 | 0.5 | 0.15 | 0.03 | 0.01 |
| China, Yanting County | 56 | 2.8 | 0.37 | 0.32 | 0.05 | 22 | 1.1 | 0.25 | 0.11 | 0.03 |
| *China, Yi'an District, Tongling City | 24 | 2.5 | 0.52 | 0.32 | 0.07 | 13 | 1.5 | 0.42 | 0.19 | 0.06 |
| *China, Yingdong District, Fuyang City | 28 | 1.4 | 0.26 | 0.18 | 0.04 | 27 | 1.2 | 0.24 | 0.11 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nasopharynx (C11) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 34 | 4.0 | 0.70 | 0.48 | 0.09 | 11 | 1.1 | 0.35 | 0.11 | 0.04 |
| *China, Yiyuan County | 21 | 1.1 | 0.27 | 0.11 | 0.03 | 16 | 1.1 | 0.31 | 0.09 | 0.03 |
| China, Yong'an City | 72 | 6.2 | 0.77 | 0.68 | 0.09 | 21 | 1.9 | 0.44 | 0.21 | 0.05 |
| *China, Yongding District, Longyan City | 112 | 6.9 | 0.66 | 0.78 | 0.08 | 49 | 3.2 | 0.48 | 0.37 | 0.06 |
| China, Yongkang City | 72 | 3.2 | 0.38 | 0.35 | 0.05 | 38 | 1.7 | 0.28 | 0.20 | 0.04 |
| *China, Yucheng County | 20 | 1.0 | 0.23 | 0.11 | 0.03 | 15 | 0.8 | 0.20 | 0.08 | 0.02 |
| China, Yueyanglou District, Yueyang City | 54 | 4.8 | 0.67 | 0.58 | 0.09 | 21 | 1.9 | 0.42 | 0.23 | 0.07 |
| China, Yunmeng County | 65 | 4.5 | 0.63 | 0.43 | 0.06 | 44 | 2.6 | 0.41 | 0.27 | 0.05 |
| *China, Yunyang District, Shiyuan City | 22 | 2.2 | 0.47 | 0.27 | 0.07 | 11 | 1.1 | 0.34 | 0.12 | 0.04 |
| China, Yuzhong District, Chongqing City | 92 | 4.1 | 0.45 | 0.50 | 0.06 | 37 | 1.7 | 0.29 | 0.20 | 0.04 |
| *China, Zanzhuang County | 5 | 0.8 | 0.39 | 0.10 | 0.05 | 6 | 0.8 | 0.35 | 0.06 | 0.03 |
| *China, Zhangjiagang City | 155 | 3.8 | 0.31 | 0.42 | 0.04 | 49 | 1.1 | 0.17 | 0.12 | 0.02 |
| *China, Zhaoyuan City | 50 | 2.1 | 0.31 | 0.24 | 0.04 | 14 | 0.5 | 0.14 | 0.06 | 0.02 |
| *China, Zhengding County | 6 | 0.7 | 0.31 | 0.06 | 0.02 | 5 | 0.3 | 0.14 | 0.03 | 0.02 |
| *China, Zhongshan City | 1017 | 19.4 | 0.61 | 2.03 | 0.07 | 369 | 6.7 | 0.35 | 0.70 | 0.04 |
| China, Zhongxiang City | 93 | 2.7 | 0.28 | 0.31 | 0.04 | 45 | 1.3 | 0.19 | 0.15 | 0.03 |
| *China, Zhuanghe City | 45 | 1.1 | 0.17 | 0.11 | 0.02 | 25 | 0.7 | 0.16 | 0.07 | 0.01 |
| *China, Zhuhai City | 666 | 17.2 | 0.68 | 1.85 | 0.08 | 275 | 7.3 | 0.45 | 0.79 | 0.06 |
| India, Ahmedabad, Urban | 34 | 0.2 | 0.04 | 0.02 | 0.00 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Aurangabad | 5 | 0.2 | 0.09 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 70 | 0.6 | 0.07 | 0.06 | 0.01 | 33 | 0.3 | 0.05 | 0.02 | 0.00 |
| India, Barshi, Paranda, and Bhum | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 16 | 0.6 | 0.14 | 0.07 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| India, Chandigarh | 7 | 0.3 | 0.10 | 0.04 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *India, Chennai | 81 | 0.6 | 0.07 | 0.06 | 0.01 | 41 | 0.3 | 0.05 | 0.04 | 0.01 |
| India, Dibrugarh | 13 | 0.4 | 0.11 | 0.04 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| *India, Dindigul, Ambilikai | 21 | 0.3 | 0.07 | 0.03 | 0.01 | 13 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Kamrup Urban District | 20 | 0.8 | 0.18 | 0.10 | 0.03 | 13 | 0.6 | 0.16 | 0.07 | 0.02 |
| India, Kollam | 37 | 0.6 | 0.10 | 0.07 | 0.01 | 11 | 0.2 | 0.05 | 0.01 | 0.00 |
| *India, Manipur | 193 | 3.9 | 0.29 | 0.47 | 0.04 | 94 | 1.7 | 0.18 | 0.19 | 0.02 |
| India, Meghalaya | 62 | 1.9 | 0.26 | 0.20 | 0.03 | 19 | 0.5 | 0.12 | 0.04 | 0.01 |
| India, Mizoram | 97 | 5.5 | 0.58 | 0.59 | 0.07 | 54 | 3.1 | 0.44 | 0.35 | 0.06 |
| India, Mumbai | 129 | 0.4 | 0.04 | 0.04 | 0.00 | 45 | 0.1 | 0.02 | 0.01 | 0.00 |
| *India, New Delhi | 123 | 0.5 | 0.05 | 0.06 | 0.01 | 66 | 0.3 | 0.04 | 0.04 | 0.01 |
| India, Poona | 37 | 0.3 | 0.05 | 0.03 | 0.01 | 24 | 0.2 | 0.04 | 0.03 | 0.01 |
| *India, Sangrur District | 10 | 0.4 | 0.13 | 0.05 | 0.02 | 7 | 0.3 | 0.11 | 0.04 | 0.02 |
| India, SAS Nagar | 4 | 0.1 | 0.06 | 0.01 | 0.00 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *India, Tamil Nadu | 814 | 0.4 | 0.01 | 0.04 | 0.00 | 397 | 0.2 | 0.01 | 0.02 | 0.00 |
| *India, Tripura | 36 | 0.5 | 0.09 | 0.06 | 0.01 | 21 | 0.3 | 0.06 | 0.03 | 0.01 |
| India, Trivandrum | 52 | 0.7 | 0.10 | 0.07 | 0.01 | 27 | 0.3 | 0.06 | 0.04 | 0.01 |
| India, Wardha | 11 | 0.3 | 0.08 | 0.03 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, West Arunachal | 42 | 4.2 | 0.74 | 0.50 | 0.11 | 21 | 2.0 | 0.49 | 0.21 | 0.07 |
| *Iran (Islamic Republic of), Ardabil Province | 11 | 0.6 | 0.20 | 0.07 | 0.02 | 9 | 0.5 | 0.16 | 0.07 | 0.03 |
| *Iran (Islamic Republic of), Golestan Province | 19 | 0.8 | 0.17 | 0.10 | 0.03 | 9 | 0.3 | 0.10 | 0.03 | 0.01 |
| Israel | 196 | 0.9 | 0.06 | 0.09 | 0.01 | 63 | 0.3 | 0.03 | 0.03 | 0.00 |
| *Israel: Jews | 160 | 0.9 | 0.07 | 0.09 | 0.01 | 51 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Israel: Arabs | 32 | 1.0 | 0.18 | 0.12 | 0.03 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| Japan | 1634 | 0.5 | 0.01 | 0.05 | 0.00 | 619 | 0.2 | 0.01 | 0.02 | 0.00 |
| Japan, Aichi Prefecture | 86 | 0.5 | 0.06 | 0.05 | 0.01 | 33 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Japan, Akita Prefecture | 21 | 0.7 | 0.17 | 0.08 | 0.02 | 9 | 0.3 | 0.16 | 0.03 | 0.01 |
| Japan, Aomori Prefecture | 32 | 0.6 | 0.12 | 0.06 | 0.01 | 14 | 0.2 | 0.06 | 0.02 | 0.01 |
| Japan, Gunma Prefecture | 17 | 0.3 | 0.07 | 0.03 | 0.01 | 9 | 0.1 | 0.05 | 0.01 | 0.01 |
| Japan, Hiroshima Prefecture | 43 | 0.5 | 0.08 | 0.05 | 0.01 | 10 | 0.1 | 0.02 | 0.01 | 0.00 |
| Japan, Miyagi Prefecture | 46 | 0.4 | 0.07 | 0.04 | 0.01 | 19 | 0.2 | 0.05 | 0.02 | 0.00 |
| Japan, Osaka Prefecture | 127 | 0.6 | 0.06 | 0.06 | 0.01 | 48 | 0.2 | 0.04 | 0.02 | 0.00 |
| Kuwait | 68 | 0.8 | 0.12 | 0.09 | 0.02 | 20 | 0.3 | 0.08 | 0.04 | 0.01 |
| *Kuwait: Kuwaitis | 33 | 1.7 | 0.31 | 0.21 | 0.05 | 16 | 0.6 | 0.15 | 0.07 | 0.02 |
| *Kuwait: Non-Kuwaitis | 35 | 0.4 | 0.10 | 0.05 | 0.01 | 4 | 0.1 | 0.08 | 0.02 | 0.01 |
| *Philippines, Manila | 548 | 4.3 | 0.19 | 0.48 | 0.03 | 211 | 1.4 | 0.10 | 0.15 | 0.01 |
| *Qatar: Qatari | 11 | 2.6 | 0.80 | 0.31 | 0.12 | 2 | 0.3 | 0.25 | 0.03 | 0.02 |
| Republic of Korea | 1599 | 0.9 | 0.02 | 0.09 | 0.00 | 504 | 0.3 | 0.01 | 0.03 | 0.00 |
| *Republic of Korea, Busan | 106 | 0.8 | 0.08 | 0.08 | 0.01 | 45 | 0.3 | 0.05 | 0.03 | 0.01 |
| *Republic of Korea, Daegu | 74 | 0.9 | 0.11 | 0.09 | 0.01 | 22 | 0.2 | 0.05 | 0.03 | 0.01 |
| *Republic of Korea, Daejeon | 35 | 0.7 | 0.11 | 0.08 | 0.02 | 13 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Republic of Korea, Gwangju | 38 | 0.8 | 0.13 | 0.08 | 0.01 | 13 | 0.2 | 0.06 | 0.02 | 0.01 |
| Republic of Korea, Incheon | 77 | 0.7 | 0.08 | 0.09 | 0.01 | 21 | 0.2 | 0.05 | 0.02 | 0.00 |
| Republic of Korea, Jeju | 35 | 1.5 | 0.27 | 0.15 | 0.03 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| Republic of Korea, Seoul | 316 | 0.9 | 0.05 | 0.09 | 0.01 | 83 | 0.2 | 0.02 | 0.02 | 0.00 |
| Republic of Korea, Ulsan | 53 | 1.2 | 0.17 | 0.13 | 0.02 | 15 | 0.4 | 0.10 | 0.04 | 0.01 |
| Singapore | 1088 | 7.5 | 0.23 | 0.84 | 0.03 | 381 | 2.6 | 0.14 | 0.28 | 0.02 |
| Singapore: Chinese | 975 | 8.8 | 0.29 | 0.97 | 0.03 | 344 | 3.0 | 0.16 | 0.32 | 0.02 |
| Singapore: Indian | 14 | 1.2 | 0.34 | 0.17 | 0.05 | 2 | 0.2 | 0.12 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nasopharynx (C11) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 89 | 5.4 | 0.58 | 0.59 | 0.07 | 31 | 1.9 | 0.35 | 0.19 | 0.04 |
| Thailand, Bangkok | 570 | 2.9 | 0.13 | 0.34 | 0.02 | 202 | 0.9 | 0.06 | 0.09 | 0.01 |
| *Thailand, Chiang Mai | 137 | 2.5 | 0.22 | 0.30 | 0.03 | 78 | 1.3 | 0.15 | 0.13 | 0.02 |
| *Thailand, Khon Kaen | 185 | 3.2 | 0.25 | 0.35 | 0.03 | 53 | 0.8 | 0.12 | 0.09 | 0.01 |
| Thailand, Lampang | 94 | 3.4 | 0.36 | 0.37 | 0.04 | 35 | 1.2 | 0.22 | 0.13 | 0.03 |
| Thailand, Lopburi Province | 53 | 2.3 | 0.32 | 0.25 | 0.04 | 28 | 1.0 | 0.20 | 0.11 | 0.02 |
| *Thailand, Songkhla | 98 | 2.5 | 0.25 | 0.27 | 0.03 | 33 | 0.7 | 0.12 | 0.07 | 0.01 |
| Turkey, Antalya | 92 | 1.4 | 0.15 | 0.15 | 0.02 | 30 | 0.5 | 0.09 | 0.06 | 0.01 |
| Turkey, Bursa | 117 | 1.4 | 0.13 | 0.15 | 0.02 | 56 | 0.7 | 0.09 | 0.06 | 0.01 |
| *Turkey, Edirne | 20 | 1.6 | 0.39 | 0.17 | 0.04 | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| *Turkey, Erzurum | 30 | 1.6 | 0.30 | 0.18 | 0.04 | 7 | 0.3 | 0.13 | 0.04 | 0.02 |
| Turkey, Eskişehir | 44 | 1.7 | 0.25 | 0.18 | 0.03 | 17 | 0.7 | 0.16 | 0.06 | 0.01 |
| Turkey, Gaziantep | 47 | 1.2 | 0.18 | 0.13 | 0.02 | 14 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Turkey, Izmir | 177 | 1.4 | 0.11 | 0.15 | 0.01 | 55 | 0.4 | 0.06 | 0.04 | 0.01 |
| Turkey, Malatya | 19 | 0.9 | 0.21 | 0.10 | 0.03 | 8 | 0.4 | 0.13 | 0.03 | 0.01 |
| Turkey, Samsun | 50 | 1.3 | 0.19 | 0.14 | 0.02 | 14 | 0.3 | 0.09 | 0.03 | 0.01 |
| Turkey, Trabzon | 28 | 1.2 | 0.23 | 0.12 | 0.02 | 11 | 0.4 | 0.13 | 0.04 | 0.01 |
| Europe | | | | | | | | | | |
| Austria | 153 | 0.5 | 0.04 | 0.05 | 0.00 | 61 | 0.2 | 0.03 | 0.02 | 0.00 |
| Austria, Carinthia | 7 | 0.3 | 0.12 | 0.04 | 0.02 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| Austria, Tyrol | 21 | 0.8 | 0.19 | 0.08 | 0.02 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| Austria, Vorarlberg | 8 | 0.6 | 0.23 | 0.06 | 0.02 | 4 | 0.3 | 0.16 | 0.02 | 0.01 |
| Belarus | 124 | 0.4 | 0.04 | 0.05 | 0.00 | 53 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Belgium | 255 | 0.7 | 0.04 | 0.07 | 0.00 | 78 | 0.2 | 0.03 | 0.02 | 0.00 |
| Croatia | 90 | 0.5 | 0.06 | 0.06 | 0.01 | 47 | 0.2 | 0.04 | 0.03 | 0.00 |
| Cyprus | 18 | 0.7 | 0.17 | 0.07 | 0.02 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Czech Republic | 194 | 0.5 | 0.04 | 0.05 | 0.00 | 70 | 0.2 | 0.02 | 0.02 | 0.00 |
| Denmark | 60 | 0.3 | 0.04 | 0.03 | 0.00 | 30 | 0.1 | 0.02 | 0.01 | 0.00 |
| Estonia | 17 | 0.4 | 0.09 | 0.04 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| Finland | 58 | 0.3 | 0.04 | 0.03 | 0.00 | 29 | 0.1 | 0.03 | 0.01 | 0.00 |
| *France, Bas-Rhin | 26 | 0.9 | 0.17 | 0.09 | 0.02 | 9 | 0.3 | 0.11 | 0.03 | 0.01 |
| *France, Calvados | 14 | 0.6 | 0.17 | 0.06 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Doubs | 10 | 0.6 | 0.19 | 0.06 | 0.02 | 6 | 0.3 | 0.17 | 0.02 | 0.01 |
| *France, Gironde | 33 | 0.6 | 0.11 | 0.07 | 0.01 | 8 | 0.1 | 0.06 | 0.02 | 0.01 |
| *France, Haut-Rhin | 17 | 0.7 | 0.17 | 0.06 | 0.02 | 6 | 0.3 | 0.12 | 0.02 | 0.01 |
| *France, Hérault | 34 | 1.0 | 0.18 | 0.11 | 0.02 | 14 | 0.3 | 0.10 | 0.04 | 0.01 |
| *France, Isère | 33 | 0.8 | 0.15 | 0.08 | 0.02 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| *France, Lille-Métropole | 22 | 0.9 | 0.20 | 0.10 | 0.02 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| *France, Limousin | 4 | 0.4 | 0.22 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Loire-Atlantique | 23 | 0.5 | 0.10 | 0.05 | 0.01 | 12 | 0.3 | 0.10 | 0.02 | 0.01 |
| *France, Manche | 10 | 0.7 | 0.26 | 0.06 | 0.02 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Poitou-Charentes | 28 | 0.5 | 0.10 | 0.04 | 0.01 | 16 | 0.3 | 0.08 | 0.03 | 0.01 |
| *France, Somme | 7 | 0.3 | 0.12 | 0.03 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *France, Tarn | 4 | 0.3 | 0.18 | 0.02 | 0.01 | 3 | 0.3 | 0.20 | 0.02 | 0.01 |
| *France, Territoire de Belfort | 2 | 0.5 | 0.37 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | 6 | 0.3 | 0.13 | 0.03 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Germany, Baden-Württemberg | 113 | 0.4 | 0.04 | 0.05 | 0.01 | 45 | 0.2 | 0.03 | 0.02 | 0.00 |
| Germany, Bavaria | 192 | 0.4 | 0.03 | 0.04 | 0.00 | 84 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, Bremen | 14 | 0.7 | 0.20 | 0.06 | 0.02 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |
| Germany, Hamburg | 39 | 0.5 | 0.09 | 0.06 | 0.01 | 24 | 0.4 | 0.08 | 0.04 | 0.01 |
| Germany, Lower Saxony | 122 | 0.4 | 0.04 | 0.04 | 0.00 | 48 | 0.2 | 0.03 | 0.02 | 0.00 |
| Germany, North Rhine-Westphalia | 316 | 0.4 | 0.03 | 0.05 | 0.00 | 140 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, Rhineland-Palatinate | 77 | 0.5 | 0.06 | 0.05 | 0.01 | 32 | 0.2 | 0.04 | 0.02 | 0.00 |
| Germany, Saarland | 20 | 0.4 | 0.10 | 0.05 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| Germany, Schleswig-Holstein | 51 | 0.5 | 0.07 | 0.05 | 0.01 | 17 | 0.1 | 0.04 | 0.01 | 0.00 |
| Iceland | 2 | 0.2 | 0.18 | 0.03 | 0.02 | 1 | 0.2 | 0.17 | 0.01 | 0.01 |
| Ireland | 71 | 0.5 | 0.06 | 0.05 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Italy, Aosta Valley | 3 | 0.3 | 0.23 | 0.03 | 0.03 | 1 | 0.1 | 0.14 | 0.04 | 0.04 |
| *Italy, Avellino | 14 | 1.5 | 0.41 | 0.16 | 0.05 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| Italy, Basilicata | 14 | 0.6 | 0.18 | 0.07 | 0.02 | 5 | 0.2 | 0.11 | 0.03 | 0.01 |
| *Italy, Benevento | 3 | 0.4 | 0.22 | 0.04 | 0.02 | 2 | 0.2 | 0.16 | 0.03 | 0.02 |
| Italy, Bergamo | 28 | 0.6 | 0.14 | 0.06 | 0.01 | 13 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Italy, Brescia | 26 | 0.6 | 0.12 | 0.05 | 0.01 | 16 | 0.5 | 0.15 | 0.04 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 24 | 0.9 | 0.18 | 0.09 | 0.02 | 14 | 0.5 | 0.13 | 0.05 | 0.01 |
| Italy, Calabria | 39 | 2.2 | 0.38 | 0.23 | 0.04 | 11 | 0.4 | 0.14 | 0.04 | 0.01 |
| *Italy, Caserta | 25 | 1.0 | 0.20 | 0.10 | 0.02 | 10 | 0.5 | 0.16 | 0.04 | 0.01 |
| *Italy, Catania, Messina, and Enna | 92 | 1.3 | 0.15 | 0.14 | 0.02 | 34 | 0.5 | 0.09 | 0.05 | 0.01 |
| Italy, Emilia-Romagna | 107 | 0.8 | 0.09 | 0.08 | 0.01 | 39 | 0.3 | 0.05 | 0.03 | 0.00 |
| Italy, Friuli-Venezia Giulia | 28 | 0.5 | 0.10 | 0.05 | 0.01 | 18 | 0.3 | 0.08 | 0.03 | 0.01 |
| Italy, Genova | 19 | 0.6 | 0.15 | 0.07 | 0.02 | 10 | 0.4 | 0.20 | 0.04 | 0.01 |
| *Italy, Lombardy, South, Pavia | 21 | 1.0 | 0.23 | 0.11 | 0.03 | 9 | 0.5 | 0.15 | 0.04 | 0.01 |
| Italy, Mantova and Cremona | 22 | 1.0 | 0.25 | 0.11 | 0.02 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Nasopharynx (C11) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 29 | 0.6 | <i>0.12</i> | 0.06 | <i>0.01</i> | 12 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Italy, Milan | 123 | 0.9 | <i>0.09</i> | 0.10 | <i>0.01</i> | 49 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| Italy, Molise | 3 | 0.6 | <i>0.35</i> | 0.05 | <i>0.03</i> | 1 | 0.2 | <i>0.18</i> | 0.01 | <i>0.01</i> |
| *Italy, Naples Centre | 17 | 0.8 | <i>0.19</i> | 0.08 | <i>0.02</i> | 10 | 0.4 | <i>0.13</i> | 0.05 | <i>0.02</i> |
| *Italy, Naples North | 34 | 1.2 | <i>0.21</i> | 0.14 | <i>0.03</i> | 17 | 0.6 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| *Italy, Naples South | 29 | 0.8 | <i>0.15</i> | 0.09 | <i>0.02</i> | 14 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| *Italy, Nuoro | 1 | 0.3 | <i>0.30</i> | 0.02 | <i>0.02</i> | 1 | 0.6 | <i>0.60</i> | 0.03 | <i>0.03</i> |
| *Italy, Palermo | 85 | 2.0 | <i>0.23</i> | 0.20 | <i>0.02</i> | 32 | 0.7 | <i>0.14</i> | 0.06 | <i>0.01</i> |
| Italy, Puglia | 138 | 0.9 | <i>0.08</i> | 0.09 | <i>0.01</i> | 54 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| *Italy, Ragusa and Caltanissetta | 24 | 1.3 | <i>0.26</i> | 0.12 | <i>0.03</i> | 6 | 0.3 | <i>0.12</i> | 0.03 | <i>0.01</i> |
| *Italy, Salerno | 31 | 1.0 | <i>0.19</i> | 0.10 | <i>0.02</i> | 15 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> |
| Italy, Sassari | 3 | 0.2 | <i>0.12</i> | 0.02 | <i>0.02</i> | 2 | 0.2 | <i>0.16</i> | 0.03 | <i>0.02</i> |
| *Italy, Sondrio | 6 | 0.8 | <i>0.32</i> | 0.09 | <i>0.04</i> | 2 | 0.2 | <i>0.17</i> | 0.02 | <i>0.02</i> |
| Italy, South Tyrol | 12 | 0.6 | <i>0.17</i> | 0.07 | <i>0.02</i> | 5 | 0.3 | <i>0.15</i> | 0.03 | <i>0.01</i> |
| *Italy, Syracuse | 13 | 0.9 | <i>0.26</i> | 0.10 | <i>0.03</i> | 7 | 0.4 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| Italy, Trento | 21 | 0.9 | <i>0.21</i> | 0.11 | <i>0.03</i> | 4 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| Italy, Turin | 78 | 0.9 | <i>0.12</i> | 0.10 | <i>0.01</i> | 23 | 0.4 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| *Italy, Tuscany | 69 | 0.8 | <i>0.11</i> | 0.09 | <i>0.01</i> | 30 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| Italy, Umbria | 19 | 0.6 | <i>0.15</i> | 0.08 | <i>0.02</i> | 12 | 0.4 | <i>0.12</i> | 0.04 | <i>0.01</i> |
| Italy, Varese | 13 | 0.6 | <i>0.18</i> | 0.06 | <i>0.02</i> | 3 | 0.2 | <i>0.10</i> | 0.01 | <i>0.01</i> |
| Italy, Veneto | 91 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | 49 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| Latvia | 31 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> | 8 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *Liechtenstein | 1 | 0.8 | <i>0.76</i> | 0.06 | <i>0.06</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Lithuania | 58 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> | 23 | 0.1 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| Malta | 28 | 1.6 | <i>0.33</i> | 0.18 | <i>0.04</i> | 5 | 0.4 | <i>0.17</i> | 0.03 | <i>0.02</i> |
| *The Netherlands | 257 | 0.4 | <i>0.03</i> | 0.04 | <i>0.00</i> | 113 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| Norway | 44 | 0.2 | <i>0.04</i> | 0.03 | <i>0.00</i> | 32 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| Poland, Kielce | 24 | 0.5 | <i>0.10</i> | 0.07 | <i>0.02</i> | 14 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *Portugal, Azores | 13 | 1.9 | <i>0.54</i> | 0.24 | <i>0.07</i> | 5 | 0.7 | <i>0.32</i> | 0.09 | <i>0.04</i> |
| Russian Federation, Arkhangelsk | 8 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> | 4 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Kaliningrad | 11 | 0.3 | <i>0.11</i> | 0.03 | <i>0.01</i> | 5 | 0.2 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| Russian Federation, Karelia | 6 | 0.3 | <i>0.12</i> | 0.03 | <i>0.01</i> | 3 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *Russian Federation, Komi Republic | 12 | 0.4 | <i>0.13</i> | 0.05 | <i>0.02</i> | 6 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| Russian Federation, Murmansk | 9 | 0.5 | <i>0.16</i> | 0.06 | <i>0.02</i> | 4 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *Russian Federation, Orenburg | 27 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> | 9 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Pskov | 8 | 0.4 | <i>0.14</i> | 0.04 | <i>0.01</i> | 4 | 0.2 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| *Russian Federation, Samara | 38 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> | 24 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| Russian Federation, Vologda Region | 10 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Slovenia | 42 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> | 9 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> |
| Spain, Asturias | 28 | 1.1 | <i>0.23</i> | 0.12 | <i>0.02</i> | 10 | 0.4 | <i>0.13</i> | 0.04 | <i>0.01</i> |
| Spain, Basque Country | 83 | 1.2 | <i>0.15</i> | 0.13 | <i>0.02</i> | 22 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Spain, Canary Islands | 47 | 0.9 | <i>0.14</i> | 0.10 | <i>0.02</i> | 7 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Spain, Castellón | 18 | 0.7 | <i>0.16</i> | 0.07 | <i>0.02</i> | 3 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| Spain, Girona | 15 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> | 7 | 0.3 | <i>0.12</i> | 0.03 | <i>0.01</i> |
| Spain, Granada | 30 | 0.9 | <i>0.18</i> | 0.12 | <i>0.02</i> | 11 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Spain, La Rioja | 10 | 0.8 | <i>0.26</i> | 0.10 | <i>0.03</i> | 4 | 0.2 | <i>0.14</i> | 0.03 | <i>0.02</i> |
| Spain, Murcia | 36 | 0.7 | <i>0.12</i> | 0.07 | <i>0.01</i> | 16 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Spain, Navarra | 23 | 1.0 | <i>0.23</i> | 0.13 | <i>0.03</i> | 6 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| Spain, Salamanca | 22 | 1.6 | <i>0.36</i> | 0.17 | <i>0.04</i> | 10 | 0.6 | <i>0.22</i> | 0.07 | <i>0.02</i> |
| Spain, Tarragona | 23 | 0.8 | <i>0.19</i> | 0.08 | <i>0.02</i> | 9 | 0.4 | <i>0.14</i> | 0.03 | <i>0.01</i> |
| *Sweden | 103 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> | 54 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| Switzerland, Aargau | 7 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> | 5 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| Switzerland, Basel | 13 | 0.6 | <i>0.18</i> | 0.06 | <i>0.02</i> | 5 | 0.3 | <i>0.12</i> | 0.02 | <i>0.01</i> |
| Switzerland, Berne Solothurn | 14 | 0.4 | <i>0.11</i> | 0.06 | <i>0.02</i> | 4 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Switzerland, East | 10 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> | 8 | 0.3 | <i>0.12</i> | 0.03 | <i>0.01</i> |
| *Switzerland, Fribourg | 1 | 0.1 | <i>0.07</i> | 0.02 | <i>0.02</i> | 4 | 0.3 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| Switzerland, Geneva | 12 | 0.7 | <i>0.22</i> | 0.07 | <i>0.02</i> | 1 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *Switzerland, Graubünden and Glarus | 6 | 0.6 | <i>0.29</i> | 0.07 | <i>0.03</i> | 1 | 0.2 | <i>0.23</i> | 0.01 | <i>0.01</i> |
| *Switzerland, Lucerne | 17 | 0.8 | <i>0.21</i> | 0.08 | <i>0.02</i> | 3 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| *Switzerland, Neuchâtel and Jura | 4 | 0.5 | <i>0.24</i> | 0.06 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Switzerland, Ticino | 6 | 0.6 | <i>0.27</i> | 0.05 | <i>0.02</i> | 10 | 0.8 | <i>0.28</i> | 0.08 | <i>0.03</i> |
| Switzerland, Valais | 9 | 1.0 | <i>0.36</i> | 0.09 | <i>0.03</i> | 2 | 0.2 | <i>0.13</i> | 0.02 | <i>0.01</i> |
| Switzerland, Vaud | 7 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> | 7 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Switzerland, Zurich and Zug | 19 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> | 7 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Ukraine | 627 | 0.6 | <i>0.02</i> | 0.06 | <i>0.00</i> | 325 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| UK, England | 741 | 0.4 | <i>0.01</i> | 0.04 | <i>0.00</i> | 311 | 0.2 | <i>0.01</i> | 0.02 | <i>0.00</i> |
| UK, Northern Ireland | 22 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> | 11 | 0.2 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| UK, Scotland | 88 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | 36 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| UK, Wales | 47 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> | 17 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 233 | 0.9 | <i>0.06</i> | 0.09 | <i>0.01</i> | 79 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| *Australia, Northern Territory | 6 | 0.8 | <i>0.32</i> | 0.08 | <i>0.03</i> | 2 | 0.3 | <i>0.20</i> | 0.04 | <i>0.03</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Nasopharynx (C11) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 5 | 0.9 | <i>0.38</i> | 0.09 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Northern Territory: Indigenous | 1 | 0.4 | <i>0.40</i> | 0.03 | <i>0.03</i> | 2 | 1.3 | <i>0.96</i> | 0.17 | <i>0.12</i> |
| *Australia, Queensland | 74 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | 38 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| Australia, South Australia | 28 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Australia, Tasmania | 3 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | 4 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| *Australia, Victoria | 132 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> | 38 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *Australia, Western Australia | 35 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> | 12 | 0.1 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| *France, New Caledonia | 11 | 1.4 | <i>0.42</i> | 0.16 | <i>0.05</i> | 2 | 0.2 | <i>0.15</i> | 0.01 | <i>0.01</i> |
| New Zealand | 95 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 36 | 0.3 | <i>0.05</i> | 0.02 | <i>0.00</i> |
| *New Zealand: Maori | 11 | 0.7 | <i>0.20</i> | 0.05 | <i>0.02</i> | 5 | 0.2 | <i>0.11</i> | 0.03 | <i>0.01</i> |
| *New Zealand: Pacific peoples | 25 | 3.7 | <i>0.74</i> | 0.50 | <i>0.12</i> | 11 | 1.5 | <i>0.46</i> | 0.17 | <i>0.06</i> |
| *New Zealand: Other | 24 | 0.2 | <i>0.05</i> | 0.02 | <i>0.00</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, Hawaii | 84 | 1.7 | <i>0.19</i> | 0.18 | <i>0.02</i> | 31 | 0.6 | <i>0.11</i> | 0.06 | <i>0.01</i> |
| USA, Hawaii: White | 9 | 0.5 | <i>0.18</i> | 0.06 | <i>0.02</i> | 1 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *USA, Hawaii: Japanese | 2 | 0.1 | <i>0.10</i> | 0.03 | <i>0.02</i> | 2 | 0.1 | <i>0.10</i> | 0.01 | <i>0.01</i> |
| *USA, Hawaii: Chinese | 17 | 6.1 | <i>1.69</i> | 0.71 | <i>0.19</i> | 5 | 1.6 | <i>0.86</i> | 0.15 | <i>0.07</i> |
| *USA, Hawaii: Hawaiian | 13 | 1.5 | <i>0.41</i> | 0.15 | <i>0.05</i> | 10 | 1.2 | <i>0.38</i> | 0.13 | <i>0.04</i> |
| *USA, Hawaii: Filipino | 25 | 2.9 | <i>0.60</i> | 0.29 | <i>0.06</i> | 10 | 0.8 | <i>0.28</i> | 0.09 | <i>0.04</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Hypopharynx (C12–13)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *Algeria, Tizi Ouzou | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Benin, Cotonou | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.2 | 0.21 | 0.03 | 0.03 |
| *France, La Réunion | 71 | 3.4 | 0.40 | 0.40 | 0.05 | 6 | 0.3 | 0.10 | 0.04 | 0.02 |
| *Kenya, Eldoret | 3 | 0.2 | 0.14 | 0.01 | 0.01 | 3 | 0.3 | 0.16 | 0.04 | 0.03 |
| *Kenya, Nairobi | 26 | 0.8 | 0.21 | 0.08 | 0.02 | 13 | 0.6 | 0.19 | 0.08 | 0.03 |
| Mauritius | 15 | 0.4 | 0.10 | 0.04 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Morocco, Casablanca | 18 | 0.2 | 0.04 | 0.01 | 0.00 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Seychelles | 5 | 1.8 | 0.81 | 0.27 | 0.14 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 4 | 0.4 | 0.21 | 0.07 | 0.04 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Uganda, Gulu | 2 | 0.6 | 0.46 | 0.08 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 1 | 0.1 | 0.14 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 5 | 0.4 | 0.17 | 0.04 | 0.02 | 2 | 0.1 | 0.08 | 0.02 | 0.02 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Argentina, Mendoza | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Brazil, Aracaju | 7 | 0.6 | 0.25 | 0.08 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *Brazil, Barretos | 35 | 2.7 | 0.46 | 0.34 | 0.07 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| Brazil, Belo Horizonte | 96 | 1.4 | 0.14 | 0.18 | 0.02 | 16 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Brazil, Campinas | 29 | 1.2 | 0.23 | 0.15 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *Brazil, Curitiba | 41 | 1.1 | 0.17 | 0.14 | 0.02 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| Brazil, Goiânia | 51 | 1.9 | 0.27 | 0.22 | 0.04 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Brazil, Jaú | 6 | 1.5 | 0.61 | 0.19 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 5 | 0.5 | 0.21 | 0.06 | 0.03 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| Brazil, Recife | 22 | 0.9 | 0.20 | 0.13 | 0.03 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| Chile, Region of Antofagasta | 1 | 0.1 | 0.12 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Chile, Valdivia | 4 | 0.3 | 0.15 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| Colombia, Bucaramanga | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Cali | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Colombia, Manizales | 5 | 0.3 | 0.15 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Pasto | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| Costa Rica | 23 | 0.2 | 0.05 | 0.03 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| Ecuador, Guayaquil | 2 | 0.0 | 0.03 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Manabí | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| Ecuador, Quito | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Guadeloupe | 21 | 1.2 | 0.28 | 0.16 | 0.04 | 2 | 0.2 | 0.17 | 0.02 | 0.01 |
| *France, Martinique | 15 | 0.9 | 0.24 | 0.14 | 0.04 | 2 | 0.2 | 0.13 | 0.02 | 0.01 |
| *Peru, Lima | 31 | 0.2 | 0.04 | 0.02 | 0.01 | 39 | 0.2 | 0.04 | 0.03 | 0.01 |
| *Trinidad and Tobago | 8 | 0.3 | 0.11 | 0.04 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, Puerto Rico | 136 | 0.9 | 0.08 | 0.12 | 0.01 | 10 | 0.0 | 0.02 | 0.01 | 0.00 |
| *Uruguay | 110 | 0.9 | 0.09 | 0.12 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 86 | 0.6 | 0.06 | 0.07 | 0.01 | 25 | 0.2 | 0.03 | 0.02 | 0.01 |
| Canada, British Columbia | 114 | 0.5 | 0.05 | 0.06 | 0.01 | 35 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Canada, Manitoba | 34 | 0.6 | 0.11 | 0.08 | 0.02 | 10 | 0.2 | 0.05 | 0.02 | 0.01 |
| *Canada, New Brunswick | 14 | 0.3 | 0.08 | 0.03 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| *Canada, Newfoundland and Labrador | 17 | 0.6 | 0.16 | 0.08 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| Canada, Ontario | 386 | 0.6 | 0.03 | 0.08 | 0.00 | 76 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Canada, Prince Edward Island | 4 | 0.5 | 0.24 | 0.09 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| Canada, Quebec | 309 | 0.7 | 0.04 | 0.10 | 0.01 | 70 | 0.1 | 0.02 | 0.02 | 0.00 |
| Canada, Saskatchewan | 22 | 0.4 | 0.10 | 0.06 | 0.02 | 3 | 0.0 | 0.02 | 0.01 | 0.01 |
| *Canada, Yukon | 1 | 0.6 | 0.60 | 0.08 | 0.08 | 1 | 0.6 | 0.60 | 0.00 | 0.00 |
| USA | 9340 | 0.7 | 0.01 | 0.09 | 0.00 | 2307 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: White | 7535 | 0.7 | 0.01 | 0.09 | 0.00 | 1857 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: Black | 1435 | 1.1 | 0.03 | 0.14 | 0.00 | 355 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, NPCR | 9021 | 0.7 | 0.01 | 0.09 | 0.00 | 2237 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: White | 7280 | 0.7 | 0.01 | 0.09 | 0.00 | 1799 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: Black | 1421 | 1.1 | 0.03 | 0.14 | 0.00 | 351 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 221 | 0.4 | 0.03 | 0.05 | 0.00 | 54 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: American Indian | 67 | 0.6 | 0.07 | 0.08 | 0.01 | 22 | 0.2 | 0.04 | 0.02 | 0.00 |
| *USA, SEER (18 registries) | 2186 | 0.6 | 0.01 | 0.08 | 0.00 | 543 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): White | 1679 | 0.6 | 0.02 | 0.08 | 0.00 | 400 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 1512 | 0.7 | 0.02 | 0.09 | 0.00 | 366 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 167 | 0.4 | 0.03 | 0.05 | 0.00 | 34 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Black | 320 | 1.0 | 0.05 | 0.13 | 0.01 | 99 | 0.2 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 158 | 0.4 | 0.04 | 0.06 | 0.01 | 35 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries) | 779 | 0.7 | 0.02 | 0.08 | 0.00 | 204 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (9 registries): White | 589 | 0.6 | 0.03 | 0.08 | 0.00 | 138 | 0.1 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (9 registries): Black | 99 | 0.9 | 0.09 | 0.11 | 0.01 | 47 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Alabama | 158 | 0.8 | 0.06 | 0.10 | 0.01 | 32 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Alabama: White | 116 | 0.8 | 0.07 | 0.09 | 0.01 | 23 | 0.1 | 0.03 | 0.02 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hypopharynx (C12–13) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 42 | 1.0 | 0.16 | 0.14 | 0.02 | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, Alaska | 24 | 0.9 | 0.19 | 0.12 | 0.03 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *USA, Alaska: Alaska Natives | 6 | 1.7 | 0.71 | 0.21 | 0.11 | 2 | 0.5 | 0.38 | 0.07 | 0.05 |
| USA, Arizona | 115 | 0.4 | 0.04 | 0.05 | 0.01 | 33 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Arizona: White | 105 | 0.4 | 0.04 | 0.05 | 0.01 | 29 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Arizona: Black | 5 | 0.6 | 0.25 | 0.10 | 0.05 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *USA, Arizona: Asian and Pacific Islander | 3 | 0.4 | 0.25 | 0.04 | 0.03 | 3 | 0.3 | 0.18 | 0.05 | 0.03 |
| USA, Arizona: American Indian | 2 | 0.2 | 0.15 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, Arkansas | 111 | 0.9 | 0.09 | 0.12 | 0.01 | 30 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, Arkansas: White | 84 | 0.8 | 0.09 | 0.11 | 0.01 | 21 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, Arkansas: Black | 26 | 1.9 | 0.37 | 0.26 | 0.06 | 9 | 0.5 | 0.18 | 0.07 | 0.02 |
| USA, California | 749 | 0.5 | 0.02 | 0.07 | 0.00 | 179 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, California: White | 603 | 0.5 | 0.02 | 0.07 | 0.00 | 143 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, California: Black | 56 | 0.7 | 0.09 | 0.09 | 0.01 | 13 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, California: Asian and Pacific Islander | 81 | 0.3 | 0.04 | 0.04 | 0.01 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, Los Angeles County | 180 | 0.5 | 0.04 | 0.06 | 0.01 | 36 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: White | 119 | 0.5 | 0.04 | 0.05 | 0.01 | 24 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 73 | 0.5 | 0.06 | 0.06 | 0.01 | 14 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Hispanic White | 46 | 0.4 | 0.06 | 0.05 | 0.01 | 10 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Black | 23 | 0.7 | 0.15 | 0.10 | 0.02 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Chinese | 11 | 0.4 | 0.12 | 0.03 | 0.02 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Filipino | 3 | 0.2 | 0.13 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Korean | 4 | 0.3 | 0.15 | 0.03 | 0.02 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 35 | 0.5 | 0.08 | 0.05 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area | 88 | 0.5 | 0.05 | 0.06 | 0.01 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: White | 62 | 0.5 | 0.06 | 0.06 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 54 | 0.5 | 0.07 | 0.07 | 0.01 | 16 | 0.1 | 0.03 | 0.02 | 0.00 |
| *USA, California, San Francisco Bay Area: Hispanic White | 8 | 0.4 | 0.13 | 0.05 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: Black | 9 | 0.6 | 0.20 | 0.08 | 0.03 | 3 | 0.2 | 0.12 | 0.02 | 0.01 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 15 | 0.3 | 0.08 | 0.04 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, Colorado | 75 | 0.3 | 0.04 | 0.05 | 0.01 | 29 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Colorado: White | 68 | 0.3 | 0.04 | 0.05 | 0.01 | 28 | 0.1 | 0.03 | 0.02 | 0.00 |
| *USA, Colorado: Black | 5 | 0.6 | 0.27 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *USA, Colorado: Asian and Pacific Islander | 1 | 0.2 | 0.23 | 0.04 | 0.04 | 1 | 0.1 | 0.14 | 0.02 | 0.02 |
| USA, Connecticut | 121 | 0.8 | 0.07 | 0.10 | 0.01 | 29 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Connecticut: White | 105 | 0.8 | 0.08 | 0.10 | 0.01 | 26 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Connecticut: Black | 12 | 1.0 | 0.29 | 0.11 | 0.04 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| USA, District of Columbia | 24 | 1.2 | 0.25 | 0.15 | 0.04 | 5 | 0.2 | 0.11 | 0.03 | 0.01 |
| USA, District of Columbia: White | 3 | 0.3 | 0.19 | 0.08 | 0.05 | 3 | 0.4 | 0.24 | 0.06 | 0.03 |
| USA, District of Columbia: Black | 21 | 1.9 | 0.43 | 0.21 | 0.06 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| USA, Florida | 852 | 0.9 | 0.03 | 0.11 | 0.00 | 198 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, Florida: White | 718 | 0.9 | 0.04 | 0.11 | 0.00 | 170 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Florida: Black | 109 | 1.1 | 0.10 | 0.13 | 0.02 | 22 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 9 | 0.4 | 0.14 | 0.05 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, Georgia | 339 | 0.9 | 0.05 | 0.13 | 0.01 | 88 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, Georgia: White | 229 | 0.9 | 0.06 | 0.12 | 0.01 | 56 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Georgia: Black | 102 | 1.1 | 0.11 | 0.16 | 0.02 | 32 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 8 | 0.8 | 0.28 | 0.11 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *USA, Georgia, Atlanta | 89 | 0.8 | 0.08 | 0.12 | 0.01 | 30 | 0.2 | 0.04 | 0.03 | 0.01 |
| *USA, Georgia, Atlanta: White | 52 | 0.8 | 0.11 | 0.11 | 0.02 | 13 | 0.2 | 0.05 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: Black | 32 | 0.9 | 0.15 | 0.12 | 0.02 | 17 | 0.3 | 0.08 | 0.04 | 0.01 |
| USA, Idaho | 28 | 0.4 | 0.08 | 0.06 | 0.01 | 12 | 0.1 | 0.04 | 0.02 | 0.01 |
| USA, Indiana | 176 | 0.7 | 0.05 | 0.08 | 0.01 | 46 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Indiana: White | 156 | 0.6 | 0.05 | 0.07 | 0.01 | 42 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Indiana: Black | 19 | 1.1 | 0.25 | 0.13 | 0.04 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |
| *USA, Iowa | 91 | 0.7 | 0.07 | 0.09 | 0.01 | 20 | 0.1 | 0.04 | 0.02 | 0.00 |
| USA, Kentucky | 146 | 0.8 | 0.07 | 0.11 | 0.01 | 34 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana | 157 | 0.9 | 0.07 | 0.12 | 0.01 | 44 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Louisiana: White | 96 | 0.7 | 0.07 | 0.10 | 0.01 | 26 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Louisiana: Black | 61 | 1.3 | 0.17 | 0.18 | 0.03 | 18 | 0.3 | 0.08 | 0.04 | 0.01 |
| *USA, Louisiana, New Orleans | 25 | 0.7 | 0.15 | 0.09 | 0.02 | 8 | 0.2 | 0.07 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: White | 14 | 0.7 | 0.20 | 0.08 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: Black | 11 | 0.9 | 0.27 | 0.11 | 0.04 | 5 | 0.3 | 0.14 | 0.03 | 0.02 |
| USA, Maine | 52 | 0.8 | 0.11 | 0.10 | 0.02 | 16 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, Maryland | 172 | 0.7 | 0.06 | 0.09 | 0.01 | 40 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Maryland: White | 104 | 0.6 | 0.06 | 0.08 | 0.01 | 32 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Maryland: Black | 60 | 1.0 | 0.13 | 0.14 | 0.02 | 8 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 8 | 0.5 | 0.20 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, Massachusetts | 225 | 0.8 | 0.05 | 0.09 | 0.01 | 52 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Massachusetts: White | 206 | 0.8 | 0.06 | 0.10 | 0.01 | 49 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Massachusetts: Black | 11 | 0.6 | 0.19 | 0.06 | 0.02 | 2 | 0.1 | 0.07 | 0.00 | 0.00 |
| USA, Massachusetts: Asian and Pacific Islander | 6 | 0.4 | 0.19 | 0.03 | 0.02 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hypopharynx (C12–13) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 326 | 0.8 | 0.04 | 0.10 | 0.01 | 92 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Michigan: White | 262 | 0.7 | 0.05 | 0.09 | 0.01 | 61 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Michigan: Black | 61 | 1.4 | 0.18 | 0.16 | 0.02 | 28 | 0.5 | 0.10 | 0.06 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 1 | 0.1 | 0.13 | 0.02 | 0.02 | 1 | 0.1 | 0.10 | 0.03 | 0.03 |
| *USA, Michigan, Detroit | 144 | 0.9 | 0.08 | 0.11 | 0.01 | 41 | 0.2 | 0.04 | 0.03 | 0.01 |
| *USA, Michigan, Detroit: White | 102 | 0.9 | 0.09 | 0.11 | 0.01 | 20 | 0.2 | 0.04 | 0.02 | 0.00 |
| *USA, Michigan, Detroit: Black | 41 | 1.3 | 0.21 | 0.14 | 0.03 | 21 | 0.5 | 0.12 | 0.06 | 0.02 |
| USA, Minnesota | 156 | 0.7 | 0.05 | 0.09 | 0.01 | 34 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Minnesota: White | 133 | 0.6 | 0.05 | 0.08 | 0.01 | 30 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Minnesota: Black | 8 | 1.1 | 0.43 | 0.15 | 0.07 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *USA, Minnesota: Asian and Pacific Islander | 6 | 1.2 | 0.49 | 0.16 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| USA, Mississippi | 150 | 1.3 | 0.11 | 0.18 | 0.02 | 37 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Missouri | 209 | 0.8 | 0.06 | 0.10 | 0.01 | 47 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Missouri: White | 177 | 0.8 | 0.06 | 0.10 | 0.01 | 40 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Missouri: Black | 30 | 1.4 | 0.26 | 0.18 | 0.04 | 7 | 0.2 | 0.09 | 0.03 | 0.01 |
| USA, Montana | 26 | 0.5 | 0.09 | 0.05 | 0.01 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| *USA, Montana: American Indian | 2 | 1.3 | 0.97 | 0.05 | 0.05 | 1 | 0.5 | 0.48 | 0.05 | 0.05 |
| USA, Nebraska | 54 | 0.7 | 0.10 | 0.09 | 0.01 | 15 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Nebraska: White | 53 | 0.7 | 0.10 | 0.09 | 0.01 | 15 | 0.2 | 0.06 | 0.03 | 0.01 |
| *USA, Nebraska: Black | 1 | 0.5 | 0.52 | 0.09 | 0.09 | 0 | – | 0.00 | – | 0.00 |
| USA, Nevada | 63 | 0.5 | 0.07 | 0.07 | 0.01 | 19 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Nevada: White | 57 | 0.6 | 0.08 | 0.07 | 0.01 | 16 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Nevada: Black | 4 | 0.5 | 0.25 | 0.08 | 0.04 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| *USA, Nevada: Asian and Pacific Islander | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 2 | 0.2 | 0.14 | 0.02 | 0.01 |
| USA, New Jersey | 229 | 0.6 | 0.04 | 0.08 | 0.01 | 60 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, New Jersey: White | 179 | 0.6 | 0.05 | 0.08 | 0.01 | 48 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, New Jersey: Black | 37 | 0.9 | 0.15 | 0.11 | 0.02 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| USA, New Mexico | 46 | 0.5 | 0.07 | 0.05 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, New Mexico: White | 44 | 0.5 | 0.08 | 0.05 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 30 | 0.6 | 0.12 | 0.06 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, New Mexico: Hispanic White | 14 | 0.4 | 0.12 | 0.05 | 0.02 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *USA, New Mexico: American Indian | 1 | 0.2 | 0.18 | 0.05 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| USA, New York State | 583 | 0.7 | 0.03 | 0.09 | 0.00 | 160 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, New York State: White | 439 | 0.7 | 0.03 | 0.09 | 0.00 | 128 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, New York State: Black | 111 | 1.0 | 0.10 | 0.12 | 0.01 | 28 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 30 | 0.5 | 0.09 | 0.07 | 0.02 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, North Carolina | 345 | 0.9 | 0.05 | 0.11 | 0.01 | 72 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, North Carolina: White | 247 | 0.8 | 0.05 | 0.10 | 0.01 | 48 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, North Carolina: Black | 93 | 1.3 | 0.14 | 0.18 | 0.02 | 21 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 3 | 0.4 | 0.21 | 0.02 | 0.02 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| *USA, North Carolina: American Indian | 1 | 0.2 | 0.20 | 0.02 | 0.02 | 1 | 0.2 | 0.17 | 0.02 | 0.02 |
| USA, North Dakota | 20 | 0.7 | 0.16 | 0.09 | 0.02 | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| USA, Ohio | 341 | 0.7 | 0.04 | 0.09 | 0.01 | 107 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Ohio: White | 288 | 0.7 | 0.04 | 0.08 | 0.01 | 86 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Ohio: Black | 51 | 1.1 | 0.15 | 0.12 | 0.02 | 18 | 0.3 | 0.07 | 0.04 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.14 | 0.02 | 0.02 |
| USA, Oklahoma | 84 | 0.6 | 0.06 | 0.07 | 0.01 | 18 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Oklahoma: White | 66 | 0.5 | 0.07 | 0.06 | 0.01 | 16 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Oklahoma: Black | 8 | 0.9 | 0.32 | 0.15 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma: American Indian | 10 | 0.9 | 0.29 | 0.14 | 0.05 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| USA, Oregon | 97 | 0.5 | 0.06 | 0.07 | 0.01 | 30 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Oregon: White | 94 | 0.6 | 0.06 | 0.07 | 0.01 | 29 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Oregon: Black | 1 | 0.3 | 0.28 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Rhode Island | 31 | 0.7 | 0.12 | 0.09 | 0.02 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Rhode Island: White | 29 | 0.7 | 0.13 | 0.10 | 0.02 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| *USA, Rhode Island: Black | 2 | 0.8 | 0.54 | 0.00 | 0.00 | 1 | 0.4 | 0.37 | 0.04 | 0.04 |
| USA, South Carolina | 234 | 1.2 | 0.08 | 0.15 | 0.01 | 44 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, South Carolina: White | 167 | 1.1 | 0.09 | 0.14 | 0.01 | 30 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, South Carolina: Black | 65 | 1.4 | 0.18 | 0.19 | 0.03 | 14 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, South Dakota | 20 | 0.6 | 0.13 | 0.08 | 0.02 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, Tennessee | 212 | 0.8 | 0.06 | 0.11 | 0.01 | 45 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Tennessee: White | 166 | 0.7 | 0.06 | 0.10 | 0.01 | 36 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Tennessee: Black | 43 | 1.3 | 0.21 | 0.19 | 0.03 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| USA, Texas | 611 | 0.6 | 0.03 | 0.08 | 0.00 | 139 | 0.1 | 0.01 | 0.02 | 0.00 |
| USA, Texas: White | 523 | 0.7 | 0.03 | 0.09 | 0.00 | 121 | 0.1 | 0.01 | 0.02 | 0.00 |
| USA, Texas: Black | 71 | 0.7 | 0.09 | 0.09 | 0.01 | 15 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 14 | 0.4 | 0.10 | 0.05 | 0.02 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| USA, Utah | 23 | 0.3 | 0.06 | 0.04 | 0.01 | 11 | 0.1 | 0.04 | 0.02 | 0.01 |
| USA, Vermont | 23 | 0.8 | 0.17 | 0.10 | 0.02 | 6 | 0.2 | 0.07 | 0.03 | 0.01 |
| USA, Washington State | 174 | 0.6 | 0.05 | 0.08 | 0.01 | 42 | 0.1 | 0.02 | 0.02 | 0.00 |
| *USA, Washington, Seattle | 116 | 0.6 | 0.06 | 0.08 | 0.01 | 27 | 0.1 | 0.03 | 0.01 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hypopharynx (C12–13) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 73 | 0.9 | 0.11 | 0.10 | 0.01 | 17 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Wyoming | 11 | 0.4 | 0.13 | 0.05 | 0.02 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 1 | 0.1 | 0.08 | 0.00 | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| Brunei Darussalam | 1 | 0.2 | 0.15 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | 6 | 0.6 | 0.24 | 0.08 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 2 | 0.2 | 0.11 | 0.00 | 0.00 |
| *China, Anshan City | 106 | 1.4 | 0.14 | 0.17 | 0.02 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Aohan Banner, Chifeng City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 11 | 1.4 | 0.45 | 0.16 | 0.06 | 2 | 0.2 | 0.13 | 0.02 | 0.01 |
| *China, Baoding City | 18 | 0.5 | 0.12 | 0.06 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Beijing City | 250 | 0.6 | 0.04 | 0.07 | 0.01 | 11 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Binhai County | 13 | 0.3 | 0.08 | 0.05 | 0.02 | 7 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Cangzhou City | 6 | 0.5 | 0.19 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Changfeng County | 9 | 0.6 | 0.20 | 0.09 | 0.03 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Changzhou City | 54 | 0.5 | 0.07 | 0.07 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Chengdu City | 31 | 0.9 | 0.16 | 0.10 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Cixian County | 3 | 0.3 | 0.17 | 0.02 | 0.01 | 5 | 0.3 | 0.14 | 0.04 | 0.02 |
| China, Cixi City | 62 | 1.2 | 0.16 | 0.16 | 0.02 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Dafeng District, Yancheng City | 11 | 0.3 | 0.09 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Dalian City | 110 | 1.0 | 0.10 | 0.12 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Dancheng County | 13 | 0.4 | 0.11 | 0.05 | 0.02 | 9 | 0.3 | 0.09 | 0.02 | 0.01 |
| China, Dangtu County | 6 | 0.5 | 0.22 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 10 | 0.3 | 0.08 | 0.03 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Dawukou District, Shizuishan City | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Donggang County | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Dongguan City | 24 | 0.6 | 0.12 | 0.07 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Donghai County | 4 | 0.1 | 0.05 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongtai City | 12 | 0.2 | 0.07 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Duanzhou District, Zhaoqing City | 7 | 0.6 | 0.24 | 0.10 | 0.04 | 2 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Evenki Autonomous Banner | 7 | 2.2 | 0.91 | 0.25 | 0.13 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 26 | 1.3 | 0.26 | 0.17 | 0.04 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Fangcheng County | 10 | 0.4 | 0.13 | 0.05 | 0.02 | 6 | 0.3 | 0.11 | 0.03 | 0.02 |
| *China, Feicheng City | 76 | 1.8 | 0.21 | 0.24 | 0.03 | 2 | 0.0 | 0.04 | 0.01 | 0.00 |
| China, Feixi County | 11 | 0.3 | 0.08 | 0.04 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Fuqing City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Ganyu District, Lianyungang City | 17 | 0.4 | 0.10 | 0.04 | 0.01 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 5 | 0.5 | 0.23 | 0.09 | 0.04 | 1 | 0.1 | 0.11 | 0.02 | 0.02 |
| *China, Gaocheng City | 9 | 0.4 | 0.13 | 0.06 | 0.02 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Gaomi City | 9 | 0.3 | 0.10 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Gong'an County | 18 | 0.5 | 0.13 | 0.07 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Guang'an District, Guang'an City | 8 | 0.4 | 0.16 | 0.07 | 0.03 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Guanghan City | 7 | 0.5 | 0.17 | 0.07 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | 323 | 1.0 | 0.06 | 0.13 | 0.01 | 15 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Guanyun County | 9 | 0.3 | 0.09 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Guilin City | 32 | 1.5 | 0.26 | 0.18 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Hai'an City | 17 | 0.3 | 0.07 | 0.03 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Hailar District, Hulun Buir City | 27 | 2.1 | 0.41 | 0.22 | 0.06 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Haimen District, Nantong City | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Haining City | 23 | 0.7 | 0.14 | 0.08 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.00 |
| China, Hangzhou City | 234 | 0.7 | 0.05 | 0.10 | 0.01 | 12 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Hebi City | 14 | 1.2 | 0.32 | 0.12 | 0.04 | 2 | 0.2 | 0.12 | 0.03 | 0.02 |
| China, Hefei City | 48 | 0.6 | 0.09 | 0.08 | 0.01 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| China, Hengdong County | 7 | 0.4 | 0.16 | 0.05 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Hengfeng County | 4 | 0.6 | 0.33 | 0.07 | 0.04 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |
| *China, Hepu County | 61 | 2.3 | 0.29 | 0.26 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Hongshan District, Chifeng City | 7 | 0.6 | 0.23 | 0.08 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 12 | 0.9 | 0.25 | 0.12 | 0.04 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Huaiyin District, Huai'an City | 18 | 0.5 | 0.11 | 0.05 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Jiange County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.02 | 0.02 |
| China, Jiangmen City | 36 | 1.5 | 0.25 | 0.18 | 0.04 | 1 | 0.1 | 0.13 | 0.01 | 0.01 |
| *China, Jiangyin City | 39 | 0.7 | 0.11 | 0.09 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiashan County | 30 | 1.4 | 0.26 | 0.16 | 0.04 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Jiayu County | 3 | 0.4 | 0.25 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 148 | 1.5 | 0.13 | 0.18 | 0.02 | 11 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Jingtai County | 3 | 0.4 | 0.23 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 3 | 0.3 | 0.15 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 14 | 0.6 | 0.16 | 0.06 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiulongpo District, Chongqing City | 40 | 1.2 | 0.19 | 0.14 | 0.03 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Jiyuan City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hypopharynx (C12–13) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 9 | 0.8 | 0.29 | 0.11 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| China, Kunshan City | 6 | 0.2 | 0.08 | 0.03 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Langzhong City | 8 | 0.4 | 0.15 | 0.06 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Liangshan County | 37 | 1.2 | 0.21 | 0.17 | 0.03 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Lianshui County | 8 | 0.2 | 0.07 | 0.03 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| China, Lianyungang City | 16 | 0.4 | 0.10 | 0.05 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Linhe District, Bayannur City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Linqu County | 35 | 0.9 | 0.16 | 0.10 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Linzhou City | 18 | 0.5 | 0.13 | 0.05 | 0.02 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Liuzhou City | 26 | 0.7 | 0.14 | 0.10 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Liyang City | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| *China, Longquan City | 4 | 0.4 | 0.20 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Lucheng District, Wenzhou City | 21 | 1.1 | 0.25 | 0.17 | 0.04 | 3 | 0.2 | 0.09 | 0.03 | 0.02 |
| China, Luoding City | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Luohe City | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Luoyang City | 18 | 0.4 | 0.09 | 0.04 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Luquan City | 6 | 0.5 | 0.21 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Ma'anshan City | 24 | 1.1 | 0.24 | 0.12 | 0.03 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Macheng City | 6 | 0.2 | 0.10 | 0.04 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Meihekou City | 11 | 0.4 | 0.13 | 0.04 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Mengjin County | 3 | 0.3 | 0.15 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Nangang District, Harbin City | 32 | 0.8 | 0.14 | 0.10 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Nanghai District, Foshan City | 28 | 1.0 | 0.20 | 0.13 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Nanhu District, Jiaxing City | 24 | 1.0 | 0.20 | 0.13 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Nantong City | 37 | 0.7 | 0.11 | 0.09 | 0.02 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Nanxiong City | 14 | 1.1 | 0.29 | 0.14 | 0.04 | 2 | 0.1 | 0.08 | 0.02 | 0.01 |
| China, Neixiang County | 8 | 0.4 | 0.13 | 0.04 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Qianxi County | 21 | 1.3 | 0.30 | 0.17 | 0.05 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |
| China, Qidong City | 10 | 0.2 | 0.05 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Qingzhou City | 40 | 1.2 | 0.19 | 0.15 | 0.03 | 2 | 0.1 | 0.04 | 0.02 | 0.01 |
| *China, Rudong County | 21 | 0.3 | 0.08 | 0.04 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Rugao City | 31 | 0.4 | 0.08 | 0.06 | 0.01 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Rural areas of Shanghai City | 236 | 0.5 | 0.03 | 0.06 | 0.00 | 5 | 0.0 | 0.00 | 0.00 | 0.00 |
| China, Ruyang County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| *China, Shan County | 13 | 0.6 | 0.17 | 0.09 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Shanghai City | 128 | 0.3 | 0.03 | 0.05 | 0.00 | 10 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Shangyu District, Shaoxing City | 45 | 1.3 | 0.19 | 0.16 | 0.03 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Shapingba District, Chongqing City | 31 | 1.0 | 0.18 | 0.15 | 0.03 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Shexian County | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Sheyang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shijiazhuang City | 34 | 0.7 | 0.11 | 0.08 | 0.02 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Shunde District, Foshan City | 75 | 2.2 | 0.25 | 0.27 | 0.04 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Song County | 4 | 0.2 | 0.12 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Suzhou City | 50 | 0.3 | 0.04 | 0.04 | 0.01 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Tengzhou City | 59 | 1.1 | 0.14 | 0.12 | 0.02 | 7 | 0.1 | 0.04 | 0.02 | 0.01 |
| *China, Wangdu County | 8 | 1.1 | 0.40 | 0.11 | 0.05 | 4 | 0.6 | 0.30 | 0.05 | 0.03 |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Wu'an City | 5 | 0.2 | 0.10 | 0.04 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Wuhan City | 122 | 0.6 | 0.05 | 0.07 | 0.01 | 11 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Wuhu City | 33 | 0.6 | 0.11 | 0.09 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Wuxi City | 41 | 0.3 | 0.05 | 0.04 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Wuzhou City | 21 | 1.1 | 0.24 | 0.10 | 0.03 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Xiangfu District, Kaifeng City | 7 | 0.4 | 0.14 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Xianju County | 6 | 0.3 | 0.12 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xin'an County | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xining City | 3 | 0.2 | 0.14 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Xinji City | 10 | 0.4 | 0.12 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinluo District, Longyan City | 6 | 0.5 | 0.22 | 0.09 | 0.04 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Xinzhou District, Shangrao City | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Xiping County | 11 | 0.4 | 0.14 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Xishan District, Kunming City | 7 | 0.4 | 0.16 | 0.08 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Xuyi County | 10 | 0.4 | 0.13 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Ya'an City | 20 | 0.4 | 0.09 | 0.05 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yakeshi City | 22 | 1.3 | 0.28 | 0.14 | 0.03 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Yancheng City | 4 | 0.1 | 0.03 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Yangquan City | 10 | 0.5 | 0.15 | 0.07 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangzhong City | 6 | 0.4 | 0.16 | 0.04 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yanji City | 24 | 1.1 | 0.24 | 0.16 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanshi City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| China, Yanting County | 5 | 0.3 | 0.12 | 0.03 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Yi'an District, Tongling City | 10 | 1.0 | 0.33 | 0.14 | 0.04 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Yingdong District, Fuyang City | 7 | 0.3 | 0.13 | 0.06 | 0.02 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Hypopharynx (C12–13) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 15 | 1.6 | 0.42 | 0.20 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 25 | 1.2 | 0.25 | 0.15 | 0.03 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Yong'an City | 7 | 0.6 | 0.22 | 0.08 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 16 | 1.0 | 0.25 | 0.12 | 0.03 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Yongkang City | 13 | 0.5 | 0.15 | 0.07 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yucheng County | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| China, Yueyanglou District, Yueyang City | 6 | 0.6 | 0.25 | 0.07 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 3 | 0.2 | 0.11 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yunyang District, Shiyao City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 26 | 1.1 | 0.23 | 0.13 | 0.03 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Zhanhuang County | 4 | 0.5 | 0.25 | 0.08 | 0.04 | 1 | 0.2 | 0.19 | 0.01 | 0.01 |
| *China, Zhangjiagang City | 24 | 0.5 | 0.11 | 0.07 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhaoyuan City | 14 | 0.5 | 0.14 | 0.07 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhengding County | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 159 | 3.0 | 0.24 | 0.34 | 0.03 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Zhongxiang City | 4 | 0.1 | 0.05 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Zhuanghe City | 16 | 0.4 | 0.09 | 0.04 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Zhuhai City | 29 | 0.9 | 0.16 | 0.13 | 0.03 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| India, Ahmedabad, Urban | 342 | 3.0 | 0.17 | 0.37 | 0.02 | 82 | 0.7 | 0.08 | 0.07 | 0.01 |
| India, Aurangabad | 70 | 2.8 | 0.34 | 0.39 | 0.06 | 16 | 0.5 | 0.14 | 0.06 | 0.02 |
| India, Bangalore | 432 | 4.0 | 0.20 | 0.53 | 0.03 | 121 | 1.0 | 0.10 | 0.11 | 0.01 |
| India, Barshi, Paranda, and Bhum | 24 | 1.5 | 0.31 | 0.20 | 0.05 | 5 | 0.4 | 0.18 | 0.05 | 0.02 |
| *India, Bhopal | 101 | 3.9 | 0.40 | 0.54 | 0.06 | 13 | 0.4 | 0.12 | 0.03 | 0.01 |
| India, Chandigarh | 33 | 1.5 | 0.27 | 0.20 | 0.04 | 7 | 0.3 | 0.13 | 0.04 | 0.02 |
| *India, Chennai | 394 | 3.2 | 0.16 | 0.39 | 0.02 | 189 | 1.4 | 0.10 | 0.14 | 0.01 |
| India, Dibrugarh | 291 | 10.5 | 0.63 | 1.29 | 0.09 | 66 | 2.5 | 0.32 | 0.35 | 0.05 |
| *India, Dindigul, Ambilikkai | 120 | 1.9 | 0.18 | 0.24 | 0.02 | 55 | 0.8 | 0.11 | 0.10 | 0.01 |
| India, Kamrup Urban District | 512 | 21.1 | 0.96 | 2.53 | 0.14 | 77 | 3.7 | 0.44 | 0.54 | 0.07 |
| India, Kollam | 141 | 2.2 | 0.18 | 0.27 | 0.03 | 12 | 0.2 | 0.05 | 0.02 | 0.01 |
| *India, Manipur | 57 | 1.2 | 0.17 | 0.16 | 0.03 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, Meghalaya | 438 | 16.0 | 0.80 | 1.89 | 0.11 | 64 | 2.2 | 0.28 | 0.26 | 0.04 |
| India, Mizoram | 190 | 10.9 | 0.81 | 1.26 | 0.11 | 24 | 1.4 | 0.29 | 0.17 | 0.04 |
| India, Mumbai | 557 | 1.9 | 0.08 | 0.23 | 0.01 | 191 | 0.6 | 0.05 | 0.07 | 0.01 |
| *India, New Delhi | 458 | 2.3 | 0.11 | 0.30 | 0.02 | 87 | 0.4 | 0.05 | 0.05 | 0.01 |
| India, Poona | 152 | 1.3 | 0.11 | 0.16 | 0.02 | 64 | 0.5 | 0.07 | 0.06 | 0.01 |
| *India, Sangrur District | 42 | 1.6 | 0.25 | 0.21 | 0.04 | 16 | 0.6 | 0.16 | 0.07 | 0.02 |
| India, SAS Nagar | 27 | 1.2 | 0.23 | 0.16 | 0.03 | 5 | 0.2 | 0.11 | 0.02 | 0.01 |
| *India, Tamil Nadu | 4607 | 2.3 | 0.03 | 0.28 | 0.00 | 2404 | 1.1 | 0.02 | 0.12 | 0.00 |
| *India, Tripura | 270 | 4.2 | 0.26 | 0.53 | 0.04 | 26 | 0.4 | 0.08 | 0.04 | 0.01 |
| India, Trivandrum | 143 | 1.8 | 0.15 | 0.23 | 0.02 | 28 | 0.3 | 0.06 | 0.03 | 0.01 |
| India, Wardha | 27 | 0.7 | 0.14 | 0.09 | 0.02 | 17 | 0.4 | 0.10 | 0.05 | 0.01 |
| India, West Arunachal | 19 | 2.5 | 0.62 | 0.36 | 0.10 | 4 | 0.5 | 0.29 | 0.06 | 0.05 |
| *Iran (Islamic Republic of), Ardabil Province | 2 | 0.1 | 0.10 | 0.03 | 0.02 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 6 | 0.2 | 0.09 | 0.02 | 0.01 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| Israel | 33 | 0.1 | 0.02 | 0.01 | 0.00 | 8 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Israel: Jews | 24 | 0.1 | 0.02 | 0.01 | 0.00 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Israel: Arabs | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| Japan | 11186 | 2.4 | 0.03 | 0.33 | 0.00 | 1019 | 0.2 | 0.01 | 0.03 | 0.00 |
| Japan, Aichi Prefecture | 432 | 1.7 | 0.09 | 0.24 | 0.01 | 50 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Japan, Akita Prefecture | 150 | 3.6 | 0.33 | 0.49 | 0.05 | 11 | 0.2 | 0.10 | 0.02 | 0.01 |
| Japan, Aomori Prefecture | 231 | 2.9 | 0.21 | 0.37 | 0.03 | 17 | 0.2 | 0.05 | 0.02 | 0.01 |
| Japan, Gunma Prefecture | 124 | 1.6 | 0.16 | 0.21 | 0.02 | 16 | 0.2 | 0.06 | 0.03 | 0.01 |
| Japan, Hiroshima Prefecture | 370 | 2.7 | 0.16 | 0.36 | 0.02 | 38 | 0.3 | 0.05 | 0.03 | 0.01 |
| Japan, Miyagi Prefecture | 340 | 2.5 | 0.14 | 0.34 | 0.02 | 35 | 0.3 | 0.05 | 0.03 | 0.01 |
| Japan, Osaka Prefecture | 804 | 2.6 | 0.10 | 0.35 | 0.01 | 91 | 0.3 | 0.04 | 0.04 | 0.00 |
| Kuwait | 5 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Kuwait: Kuwaitis | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Kuwait: Non-Kuwaitis | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 5 | 0.2 | 0.10 | 0.01 | 0.00 |
| *Philippines, Manila | 28 | 0.3 | 0.06 | 0.04 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Qatar: Qatari | 3 | 0.7 | 0.41 | 0.08 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 2001 | 1.0 | 0.02 | 0.13 | 0.00 | 137 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Republic of Korea, Busan | 152 | 1.0 | 0.08 | 0.13 | 0.01 | 10 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Republic of Korea, Daegu | 93 | 1.0 | 0.10 | 0.14 | 0.02 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| *Republic of Korea, Daejeon | 36 | 0.7 | 0.12 | 0.09 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Republic of Korea, Gwangju | 43 | 1.0 | 0.15 | 0.13 | 0.02 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Republic of Korea, Incheon | 102 | 1.0 | 0.10 | 0.12 | 0.01 | 5 | 0.0 | 0.02 | 0.01 | 0.00 |
| Republic of Korea, Jeju | 33 | 1.3 | 0.23 | 0.18 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea, Seoul | 328 | 0.9 | 0.05 | 0.11 | 0.01 | 18 | 0.0 | 0.01 | 0.01 | 0.00 |
| Republic of Korea, Ulsan | 41 | 1.1 | 0.19 | 0.13 | 0.03 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| Singapore | 114 | 0.7 | 0.07 | 0.08 | 0.01 | 12 | 0.1 | 0.02 | 0.01 | 0.00 |
| Singapore: Chinese | 104 | 0.8 | 0.08 | 0.09 | 0.01 | 8 | 0.1 | 0.02 | 0.01 | 0.00 |
| Singapore: Indian | 8 | 0.7 | 0.25 | 0.06 | 0.03 | 1 | 0.1 | 0.13 | 0.03 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hypopharynx (C12–13) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 2 | 0.2 | 0.12 | 0.03 | 0.03 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| Thailand, Bangkok | 209 | 1.2 | 0.08 | 0.15 | 0.01 | 15 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Thailand, Chiang Mai | 61 | 1.1 | 0.14 | 0.14 | 0.02 | 11 | 0.2 | 0.05 | 0.02 | 0.01 |
| *Thailand, Khon Kaen | 41 | 0.7 | 0.11 | 0.08 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| Thailand, Lampang | 18 | 0.6 | 0.14 | 0.08 | 0.02 | 3 | 0.1 | 0.05 | 0.02 | 0.01 |
| Thailand, Lopburi Province | 69 | 2.8 | 0.35 | 0.33 | 0.05 | 11 | 0.4 | 0.13 | 0.03 | 0.01 |
| *Thailand, Songkhla | 100 | 2.5 | 0.25 | 0.29 | 0.03 | 10 | 0.2 | 0.06 | 0.01 | 0.01 |
| Turkey, Antalya | 21 | 0.4 | 0.08 | 0.05 | 0.01 | 7 | 0.1 | 0.04 | 0.01 | 0.00 |
| Turkey, Bursa | 20 | 0.3 | 0.06 | 0.04 | 0.01 | 20 | 0.2 | 0.05 | 0.03 | 0.01 |
| *Turkey, Edirne | 7 | 0.5 | 0.21 | 0.06 | 0.03 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Turkey, Erzurum | 5 | 0.3 | 0.13 | 0.03 | 0.02 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| Turkey, Eskişehir | 18 | 0.7 | 0.16 | 0.07 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| Turkey, Gaziantep | 7 | 0.2 | 0.07 | 0.03 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Turkey, Izmir | 53 | 0.4 | 0.06 | 0.05 | 0.01 | 31 | 0.2 | 0.04 | 0.02 | 0.00 |
| Turkey, Malatya | 6 | 0.3 | 0.12 | 0.05 | 0.02 | 6 | 0.3 | 0.11 | 0.02 | 0.01 |
| Turkey, Samsun | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| Turkey, Trabzon | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Europe | | | | | | | | | | |
| Austria | 569 | 1.6 | 0.07 | 0.21 | 0.01 | 69 | 0.2 | 0.02 | 0.02 | 0.00 |
| Austria, Carinthia | 61 | 2.3 | 0.31 | 0.30 | 0.04 | 6 | 0.3 | 0.11 | 0.03 | 0.01 |
| Austria, Tyrol | 35 | 1.1 | 0.19 | 0.15 | 0.03 | 5 | 0.2 | 0.07 | 0.03 | 0.01 |
| Austria, Vorarlberg | 27 | 1.8 | 0.35 | 0.23 | 0.05 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| Belarus | 1495 | 4.7 | 0.12 | 0.59 | 0.02 | 50 | 0.1 | 0.02 | 0.02 | 0.00 |
| *Belgium | 1229 | 2.6 | 0.08 | 0.35 | 0.01 | 228 | 0.5 | 0.03 | 0.06 | 0.00 |
| Croatia | 514 | 2.8 | 0.13 | 0.35 | 0.02 | 62 | 0.3 | 0.04 | 0.04 | 0.01 |
| Cyprus | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Czech Republic | 678 | 1.5 | 0.06 | 0.20 | 0.01 | 103 | 0.2 | 0.02 | 0.03 | 0.00 |
| Denmark | 434 | 1.7 | 0.09 | 0.22 | 0.01 | 90 | 0.3 | 0.03 | 0.04 | 0.01 |
| Estonia | 142 | 2.9 | 0.25 | 0.41 | 0.04 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| Finland | 160 | 0.6 | 0.05 | 0.08 | 0.01 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| *France, Bas-Rhin | 133 | 3.5 | 0.31 | 0.47 | 0.05 | 26 | 0.7 | 0.14 | 0.09 | 0.02 |
| *France, Calvados | 134 | 4.6 | 0.41 | 0.57 | 0.06 | 21 | 0.6 | 0.14 | 0.08 | 0.02 |
| *France, Doubs | 64 | 2.7 | 0.36 | 0.32 | 0.05 | 14 | 0.5 | 0.16 | 0.05 | 0.02 |
| *France, Gironde | 190 | 3.2 | 0.24 | 0.41 | 0.03 | 31 | 0.4 | 0.08 | 0.04 | 0.01 |
| *France, Haut-Rhin | 112 | 3.3 | 0.32 | 0.46 | 0.05 | 9 | 0.3 | 0.11 | 0.04 | 0.01 |
| *France, Hérault | 96 | 2.1 | 0.22 | 0.28 | 0.03 | 20 | 0.4 | 0.10 | 0.05 | 0.01 |
| *France, Isère | 110 | 2.1 | 0.21 | 0.27 | 0.03 | 16 | 0.3 | 0.08 | 0.04 | 0.01 |
| *France, Lille-Métropole | 168 | 6.3 | 0.50 | 0.80 | 0.07 | 20 | 0.7 | 0.15 | 0.07 | 0.02 |
| *France, Limousin | 64 | 3.9 | 0.52 | 0.46 | 0.06 | 5 | 0.3 | 0.14 | 0.03 | 0.02 |
| *France, Loire-Atlantique | 261 | 4.8 | 0.31 | 0.61 | 0.04 | 24 | 0.4 | 0.08 | 0.05 | 0.01 |
| *France, Manche | 80 | 3.1 | 0.37 | 0.39 | 0.05 | 10 | 0.4 | 0.13 | 0.05 | 0.02 |
| *France, Poitou-Charentes | 290 | 3.6 | 0.22 | 0.45 | 0.03 | 34 | 0.4 | 0.07 | 0.05 | 0.01 |
| *France, Somme | 113 | 4.7 | 0.46 | 0.61 | 0.06 | 20 | 0.9 | 0.20 | 0.11 | 0.03 |
| *France, Tarn | 36 | 2.1 | 0.36 | 0.26 | 0.05 | 10 | 0.5 | 0.18 | 0.06 | 0.02 |
| *France, Territoire de Belfort | 19 | 4.2 | 0.99 | 0.56 | 0.14 | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | 103 | 3.1 | 0.33 | 0.41 | 0.05 | 14 | 0.4 | 0.12 | 0.06 | 0.02 |
| Germany, Baden-Württemberg | 460 | 1.5 | 0.07 | 0.20 | 0.01 | 63 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, Bavaria | 1128 | 1.9 | 0.06 | 0.26 | 0.01 | 198 | 0.3 | 0.02 | 0.04 | 0.00 |
| Germany, Bremen | 58 | 1.9 | 0.26 | 0.26 | 0.04 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| Germany, Hamburg | 91 | 1.2 | 0.13 | 0.17 | 0.02 | 24 | 0.3 | 0.06 | 0.04 | 0.01 |
| Germany, Lower Saxony | 637 | 1.6 | 0.07 | 0.22 | 0.01 | 137 | 0.4 | 0.03 | 0.04 | 0.00 |
| Germany, North Rhine-Westphalia | 1377 | 1.7 | 0.05 | 0.22 | 0.01 | 327 | 0.4 | 0.02 | 0.05 | 0.00 |
| Germany, Rhineland-Palatinate | 370 | 1.9 | 0.10 | 0.26 | 0.02 | 66 | 0.3 | 0.04 | 0.04 | 0.01 |
| Germany, Saarland | 144 | 2.7 | 0.23 | 0.35 | 0.03 | 27 | 0.6 | 0.12 | 0.07 | 0.01 |
| Germany, Schleswig-Holstein | 280 | 2.0 | 0.13 | 0.27 | 0.02 | 57 | 0.4 | 0.06 | 0.05 | 0.01 |
| Iceland | 5 | 0.4 | 0.19 | 0.06 | 0.03 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Ireland | 195 | 1.1 | 0.08 | 0.15 | 0.01 | 40 | 0.2 | 0.03 | 0.03 | 0.01 |
| *Italy, Aosta Valley | 14 | 2.5 | 0.71 | 0.32 | 0.10 | 1 | 0.2 | 0.20 | 0.03 | 0.03 |
| *Italy, Avellino | 7 | 0.5 | 0.21 | 0.06 | 0.03 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| Italy, Basilicata | 24 | 1.0 | 0.22 | 0.12 | 0.03 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Italy, Benevento | 7 | 0.6 | 0.26 | 0.07 | 0.03 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| Italy, Bergamo | 46 | 0.9 | 0.13 | 0.11 | 0.02 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Italy, Brescia | 51 | 1.0 | 0.14 | 0.12 | 0.02 | 13 | 0.2 | 0.07 | 0.03 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 45 | 1.3 | 0.20 | 0.17 | 0.03 | 10 | 0.3 | 0.09 | 0.04 | 0.01 |
| Italy, Calabria | 11 | 0.6 | 0.18 | 0.07 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Caserta | 13 | 0.5 | 0.13 | 0.04 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Italy, Catania, Messina, and Enna | 23 | 0.3 | 0.06 | 0.04 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Italy, Emilia-Romagna | 125 | 0.6 | 0.06 | 0.08 | 0.01 | 27 | 0.1 | 0.03 | 0.02 | 0.00 |
| Italy, Friuli-Venezia Giulia | 155 | 2.3 | 0.20 | 0.33 | 0.03 | 19 | 0.3 | 0.07 | 0.04 | 0.01 |
| Italy, Genova | 36 | 0.9 | 0.16 | 0.13 | 0.02 | 14 | 0.3 | 0.09 | 0.04 | 0.01 |
| *Italy, Lombardy, South, Pavia | 26 | 0.9 | 0.19 | 0.12 | 0.03 | 7 | 0.2 | 0.08 | 0.03 | 0.01 |
| Italy, Mantova and Cremona | 23 | 0.8 | 0.17 | 0.10 | 0.02 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hypopharynx (C12–13) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 11 | 0.2 | 0.05 | 0.02 | 0.01 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| Italy, Milan | 138 | 0.8 | 0.08 | 0.11 | 0.01 | 20 | 0.1 | 0.03 | 0.01 | 0.00 |
| Italy, Molise | 3 | 0.3 | 0.22 | 0.03 | 0.02 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |
| *Italy, Naples Centre | 7 | 0.3 | 0.12 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Italy, Naples North | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Italy, Naples South | 11 | 0.2 | 0.08 | 0.03 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *Italy, Nuoro | 19 | 3.3 | 0.79 | 0.41 | 0.10 | 2 | 0.2 | 0.18 | 0.02 | 0.02 |
| *Italy, Palermo | 24 | 0.5 | 0.10 | 0.07 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| Italy, Puglia | 84 | 0.5 | 0.05 | 0.06 | 0.01 | 18 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Italy, Ragusa and Caltanissetta | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Italy, Salerno | 9 | 0.3 | 0.09 | 0.03 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| Italy, Sassari | 17 | 1.6 | 0.42 | 0.19 | 0.05 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| *Italy, Sondrio | 22 | 2.0 | 0.45 | 0.32 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| Italy, South Tyrol | 41 | 1.7 | 0.28 | 0.23 | 0.04 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Italy, Syracuse | 4 | 0.2 | 0.12 | 0.03 | 0.02 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| Italy, Trento | 40 | 1.5 | 0.25 | 0.19 | 0.03 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| Italy, Turin | 83 | 0.8 | 0.09 | 0.09 | 0.01 | 18 | 0.1 | 0.04 | 0.02 | 0.00 |
| *Italy, Tuscany | 68 | 0.7 | 0.09 | 0.08 | 0.01 | 18 | 0.2 | 0.04 | 0.02 | 0.01 |
| Italy, Umbria | 19 | 0.5 | 0.13 | 0.06 | 0.02 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| Italy, Varese | 20 | 0.8 | 0.19 | 0.11 | 0.03 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| Italy, Veneto | 240 | 1.0 | 0.07 | 0.13 | 0.01 | 37 | 0.1 | 0.02 | 0.01 | 0.00 |
| Latvia | 201 | 2.7 | 0.20 | 0.35 | 0.03 | 17 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Liechtenstein | 2 | 1.1 | 0.81 | 0.19 | 0.13 | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | 354 | 3.4 | 0.18 | 0.44 | 0.03 | 26 | 0.2 | 0.04 | 0.02 | 0.00 |
| Malta | 11 | 0.6 | 0.18 | 0.07 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *The Netherlands | 846 | 1.1 | 0.04 | 0.15 | 0.01 | 235 | 0.3 | 0.02 | 0.04 | 0.00 |
| Norway | 111 | 0.5 | 0.05 | 0.07 | 0.01 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| Poland, Kielce | 87 | 1.7 | 0.18 | 0.21 | 0.02 | 10 | 0.2 | 0.05 | 0.02 | 0.01 |
| *Portugal, Azores | 31 | 4.6 | 0.83 | 0.57 | 0.11 | 2 | 0.3 | 0.22 | 0.04 | 0.03 |
| Russian Federation, Arkhangelsk | 129 | 3.3 | 0.30 | 0.42 | 0.04 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| Russian Federation, Kaliningrad | 85 | 2.7 | 0.30 | 0.36 | 0.05 | 13 | 0.3 | 0.10 | 0.04 | 0.01 |
| Russian Federation, Karelia | 64 | 3.1 | 0.40 | 0.41 | 0.06 | 17 | 0.6 | 0.16 | 0.06 | 0.02 |
| *Russian Federation, Komi Republic | 89 | 3.3 | 0.37 | 0.43 | 0.06 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| Russian Federation, Murmansk | 69 | 3.0 | 0.38 | 0.40 | 0.06 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Russian Federation, Orenburg | 143 | 2.2 | 0.19 | 0.28 | 0.03 | 11 | 0.2 | 0.05 | 0.02 | 0.01 |
| Russian Federation, Pskov | 31 | 1.3 | 0.24 | 0.16 | 0.03 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Russian Federation, Samara | 249 | 2.3 | 0.15 | 0.31 | 0.02 | 20 | 0.2 | 0.04 | 0.02 | 0.00 |
| Russian Federation, Vologda Region | 94 | 2.3 | 0.24 | 0.27 | 0.03 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| Slovenia | 280 | 3.1 | 0.19 | 0.37 | 0.02 | 36 | 0.4 | 0.07 | 0.05 | 0.01 |
| Spain, Asturias | 76 | 2.4 | 0.29 | 0.33 | 0.04 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| Spain, Basque Country | 192 | 2.3 | 0.18 | 0.31 | 0.03 | 26 | 0.3 | 0.06 | 0.05 | 0.01 |
| Spain, Canary Islands | 119 | 2.2 | 0.20 | 0.29 | 0.03 | 6 | 0.1 | 0.04 | 0.02 | 0.01 |
| Spain, Castellón | 21 | 0.9 | 0.20 | 0.11 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Spain, Girona | 38 | 1.0 | 0.17 | 0.11 | 0.02 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| Spain, Granada | 44 | 1.1 | 0.17 | 0.15 | 0.03 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| Spain, La Rioja | 30 | 2.2 | 0.42 | 0.30 | 0.06 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Spain, Murcia | 70 | 1.3 | 0.16 | 0.19 | 0.02 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| Spain, Navarra | 43 | 1.9 | 0.30 | 0.22 | 0.04 | 4 | 0.2 | 0.10 | 0.03 | 0.01 |
| Spain, Salamanca | 24 | 1.5 | 0.32 | 0.19 | 0.04 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| Spain, Tarragona | 57 | 1.7 | 0.23 | 0.21 | 0.03 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Sweden | 243 | 0.5 | 0.03 | 0.07 | 0.00 | 63 | 0.1 | 0.02 | 0.02 | 0.00 |
| Switzerland, Aargau | 37 | 1.3 | 0.21 | 0.19 | 0.03 | 4 | 0.2 | 0.08 | 0.01 | 0.01 |
| Switzerland, Basel | 24 | 1.0 | 0.22 | 0.14 | 0.03 | 6 | 0.2 | 0.09 | 0.03 | 0.02 |
| Switzerland, Berne Solothurn | 54 | 1.4 | 0.20 | 0.18 | 0.03 | 17 | 0.4 | 0.10 | 0.05 | 0.01 |
| Switzerland, East | 44 | 1.2 | 0.18 | 0.18 | 0.03 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Switzerland, Fribourg | 28 | 2.2 | 0.42 | 0.33 | 0.07 | 2 | 0.2 | 0.12 | 0.02 | 0.01 |
| Switzerland, Geneva | 49 | 2.5 | 0.38 | 0.30 | 0.05 | 7 | 0.3 | 0.12 | 0.03 | 0.02 |
| *Switzerland, Graubünden and Glarus | 14 | 1.2 | 0.33 | 0.16 | 0.05 | 4 | 0.4 | 0.21 | 0.05 | 0.03 |
| *Switzerland, Lucerne | 34 | 1.5 | 0.26 | 0.18 | 0.04 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Switzerland, Neuchâtel and Jura | 15 | 1.4 | 0.38 | 0.17 | 0.05 | 6 | 0.4 | 0.17 | 0.06 | 0.03 |
| Switzerland, Ticino | 28 | 1.6 | 0.32 | 0.25 | 0.05 | 14 | 0.7 | 0.21 | 0.09 | 0.03 |
| Switzerland, Valais | 46 | 3.0 | 0.46 | 0.39 | 0.06 | 5 | 0.3 | 0.14 | 0.04 | 0.02 |
| Switzerland, Vaud | 67 | 2.2 | 0.28 | 0.31 | 0.04 | 19 | 0.6 | 0.14 | 0.09 | 0.02 |
| Switzerland, Zurich and Zug | 86 | 1.2 | 0.14 | 0.17 | 0.02 | 26 | 0.4 | 0.07 | 0.05 | 0.01 |
| Ukraine | 4472 | 3.7 | 0.06 | 0.47 | 0.01 | 198 | 0.1 | 0.01 | 0.01 | 0.00 |
| UK, England | 2056 | 0.9 | 0.02 | 0.11 | 0.00 | 637 | 0.2 | 0.01 | 0.03 | 0.00 |
| UK, Northern Ireland | 90 | 1.2 | 0.13 | 0.16 | 0.02 | 29 | 0.4 | 0.07 | 0.04 | 0.01 |
| UK, Scotland | 309 | 1.2 | 0.07 | 0.16 | 0.01 | 67 | 0.2 | 0.03 | 0.03 | 0.00 |
| UK, Wales | 181 | 1.2 | 0.09 | 0.16 | 0.01 | 43 | 0.3 | 0.05 | 0.03 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 230 | 0.7 | 0.05 | 0.08 | 0.01 | 49 | 0.1 | 0.02 | 0.02 | 0.00 |
| *Australia, Northern Territory | 14 | 1.8 | 0.48 | 0.19 | 0.06 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Hypopharynx (C12–13) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 5 | 0.8 | <i>0.34</i> | 0.09 | <i>0.04</i> | 1 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> |
| *Australia, Northern Territory: Indigenous | 9 | 7.1 | <i>2.55</i> | 0.66 | <i>0.27</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Queensland | 240 | 1.2 | <i>0.08</i> | 0.16 | <i>0.01</i> | 32 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| Australia, South Australia | 47 | 0.6 | <i>0.09</i> | 0.09 | <i>0.01</i> | 11 | 0.1 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| Australia, Tasmania | 14 | 0.6 | <i>0.15</i> | 0.08 | <i>0.02</i> | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *Australia, Victoria | 149 | 0.6 | <i>0.05</i> | 0.08 | <i>0.01</i> | 31 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *Australia, Western Australia | 72 | 0.7 | <i>0.09</i> | 0.10 | <i>0.01</i> | 8 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *France, New Caledonia | 17 | 2.2 | <i>0.53</i> | 0.25 | <i>0.07</i> | 2 | 0.3 | <i>0.21</i> | 0.04 | <i>0.03</i> |
| New Zealand | 72 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | 18 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *New Zealand: Maori | 13 | 0.8 | <i>0.23</i> | 0.10 | <i>0.03</i> | 1 | 0.0 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *New Zealand: Pacific peoples | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 2 | 0.3 | <i>0.21</i> | 0.03 | <i>0.02</i> |
| *New Zealand: Other | 56 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | 15 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Hawaii | 61 | 0.9 | <i>0.12</i> | 0.13 | <i>0.02</i> | 13 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| USA, Hawaii: White | 18 | 0.8 | <i>0.18</i> | 0.13 | <i>0.03</i> | 5 | 0.3 | <i>0.17</i> | 0.04 | <i>0.02</i> |
| *USA, Hawaii: Japanese | 17 | 1.0 | <i>0.27</i> | 0.15 | <i>0.05</i> | 3 | 0.3 | <i>0.16</i> | 0.04 | <i>0.02</i> |
| *USA, Hawaii: Chinese | 7 | 1.2 | <i>0.54</i> | 0.14 | <i>0.08</i> | 2 | 0.3 | <i>0.28</i> | 0.03 | <i>0.03</i> |
| *USA, Hawaii: Hawaiian | 8 | 0.8 | <i>0.30</i> | 0.09 | <i>0.04</i> | 2 | 0.2 | <i>0.15</i> | 0.04 | <i>0.03</i> |
| *USA, Hawaii: Filipino | 4 | 0.4 | <i>0.21</i> | 0.08 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pharynx unspecified (C14)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Algeria, Tizi Ouzou | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *Benin, Cotonou | 3 | 0.3 | 0.15 | 0.02 | 0.01 | 7 | 0.6 | 0.25 | 0.06 | 0.02 |
| *France, La Réunion | 6 | 0.3 | 0.11 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Eldoret | 6 | 0.5 | 0.23 | 0.06 | 0.03 | 2 | 0.1 | 0.08 | 0.00 | 0.00 |
| *Kenya, Nairobi | 18 | 0.7 | 0.19 | 0.10 | 0.03 | 5 | 0.2 | 0.11 | 0.03 | 0.02 |
| Mauritius | 19 | 0.4 | 0.10 | 0.05 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *Morocco, Casablanca | 5 | 0.1 | 0.02 | 0.01 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Seychelles | 2 | 0.8 | 0.57 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 2 | 0.2 | 0.12 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Uganda, Kyadondo County | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Gulu | 1 | 0.3 | 0.29 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 3 | 0.1 | 0.08 | 0.00 | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 14 | 0.6 | 0.17 | 0.07 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Argentina, Mendoza | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 9 | 0.2 | 0.05 | 0.02 | 0.01 |
| Brazil, Aracaju | 4 | 0.4 | 0.21 | 0.04 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Brazil, Barretos | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Belo Horizonte | 14 | 0.2 | 0.05 | 0.02 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Brazil, Campinas | 12 | 0.5 | 0.14 | 0.05 | 0.02 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Brazil, Curitiba | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| Brazil, Goiânia | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Brazil, Jaú | 1 | 0.3 | 0.26 | 0.03 | 0.03 | 1 | 0.2 | 0.23 | 0.03 | 0.03 |
| Brazil, João Pessoa | 5 | 0.5 | 0.22 | 0.07 | 0.04 | 1 | 0.1 | 0.07 | 0.02 | 0.02 |
| Brazil, Recife | 11 | 0.4 | 0.13 | 0.03 | 0.01 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| Chile, Region of Antofagasta | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| Chile, Valdivia | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| Colombia, Bucaramanga | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| Colombia, Cali | 15 | 0.3 | 0.07 | 0.02 | 0.01 | 7 | 0.1 | 0.03 | 0.01 | 0.00 |
| Colombia, Manizales | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Pasto | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Costa Rica | 8 | 0.1 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Ecuador, Guayaquil | 0 | – | 0.00 | – | 0.00 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| Ecuador, Manabí | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Quito | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Guadeloupe | 10 | 0.7 | 0.21 | 0.07 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Martinique | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Peru, Lima | 7 | 0.1 | 0.02 | 0.01 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Trinidad and Tobago | 12 | 0.5 | 0.14 | 0.07 | 0.03 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Puerto Rico | 148 | 1.0 | 0.09 | 0.12 | 0.01 | 25 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Uruguay | 53 | 0.4 | 0.06 | 0.06 | 0.01 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 13 | 0.1 | 0.02 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| Canada, British Columbia | 33 | 0.1 | 0.02 | 0.01 | 0.00 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Canada, Manitoba | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| *Canada, New Brunswick | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Canada, Newfoundland and Labrador | 21 | 0.9 | 0.19 | 0.09 | 0.02 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| Canada, Ontario | 251 | 0.4 | 0.03 | 0.05 | 0.00 | 90 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Canada, Prince Edward Island | 1 | 0.2 | 0.18 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Canada, Quebec | 123 | 0.3 | 0.03 | 0.03 | 0.00 | 53 | 0.1 | 0.02 | 0.01 | 0.00 |
| Canada, Saskatchewan | 14 | 0.3 | 0.08 | 0.03 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA | 4893 | 0.4 | 0.01 | 0.05 | 0.00 | 1422 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA: White | 4271 | 0.4 | 0.01 | 0.05 | 0.00 | 1224 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA: Black | 498 | 0.4 | 0.02 | 0.05 | 0.00 | 164 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR | 4806 | 0.4 | 0.01 | 0.05 | 0.00 | 1391 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA, NPCR: White | 4196 | 0.4 | 0.01 | 0.05 | 0.00 | 1196 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA, NPCR: Black | 495 | 0.4 | 0.02 | 0.05 | 0.00 | 162 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 59 | 0.1 | 0.01 | 0.01 | 0.00 | 17 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, NPCR: American Indian | 34 | 0.3 | 0.05 | 0.04 | 0.01 | 8 | 0.1 | 0.02 | 0.00 | 0.00 |
| *USA, SEER (18 registries) | 1048 | 0.3 | 0.01 | 0.04 | 0.00 | 306 | 0.1 | 0.00 | 0.01 | 0.00 |
| *USA, SEER (18 registries): White | 907 | 0.3 | 0.01 | 0.04 | 0.00 | 251 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 855 | 0.4 | 0.01 | 0.05 | 0.00 | 233 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 52 | 0.1 | 0.02 | 0.01 | 0.00 | 18 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, SEER (18 registries): Black | 102 | 0.3 | 0.03 | 0.04 | 0.00 | 42 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 27 | 0.1 | 0.02 | 0.01 | 0.00 | 8 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, SEER (9 registries) | 351 | 0.3 | 0.02 | 0.04 | 0.00 | 101 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): White | 299 | 0.3 | 0.02 | 0.04 | 0.00 | 82 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): Black | 39 | 0.4 | 0.06 | 0.05 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Alabama | 87 | 0.4 | 0.05 | 0.06 | 0.01 | 27 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Alabama: White | 61 | 0.4 | 0.05 | 0.05 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pharynx unspecified (C14) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 24 | 0.6 | 0.12 | 0.08 | 0.02 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Alaska | 7 | 0.3 | 0.10 | 0.04 | 0.01 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| *USA, Alaska: Alaska Natives | 2 | 0.6 | 0.43 | 0.08 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona | 83 | 0.3 | 0.03 | 0.03 | 0.00 | 24 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Arizona: White | 78 | 0.3 | 0.03 | 0.03 | 0.00 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Arizona: Black | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, Arizona: Asian and Pacific Islander | 1 | 0.1 | 0.14 | 0.01 | 0.01 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| USA, Arizona: American Indian | 3 | 0.4 | 0.21 | 0.06 | 0.04 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| USA, Arkansas | 42 | 0.4 | 0.06 | 0.05 | 0.01 | 18 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Arkansas: White | 37 | 0.4 | 0.07 | 0.05 | 0.01 | 17 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Arkansas: Black | 5 | 0.3 | 0.15 | 0.05 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, California | 234 | 0.2 | 0.01 | 0.02 | 0.00 | 70 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, California: White | 207 | 0.2 | 0.01 | 0.02 | 0.00 | 59 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, California: Black | 11 | 0.1 | 0.04 | 0.02 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, California: Asian and Pacific Islander | 14 | 0.1 | 0.02 | 0.01 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County | 61 | 0.2 | 0.02 | 0.02 | 0.00 | 14 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: White | 45 | 0.2 | 0.03 | 0.02 | 0.00 | 11 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 31 | 0.2 | 0.04 | 0.03 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Hispanic White | 14 | 0.1 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Black | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Chinese | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Filipino | 2 | 0.1 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Korean | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 8 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area | 14 | 0.1 | 0.02 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: White | 11 | 0.1 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: Hispanic White | 2 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, San Francisco Bay Area: Black | 2 | 0.1 | 0.10 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Colorado | 148 | 0.7 | 0.06 | 0.09 | 0.01 | 30 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Colorado: White | 143 | 0.8 | 0.06 | 0.09 | 0.01 | 29 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, Colorado: Black | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| *USA, Colorado: Asian and Pacific Islander | 2 | 0.3 | 0.20 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Connecticut | 18 | 0.1 | 0.03 | 0.01 | 0.00 | 10 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Connecticut: White | 15 | 0.1 | 0.03 | 0.01 | 0.00 | 9 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Connecticut: Black | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, District of Columbia | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, District of Columbia: White | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, District of Columbia: Black | 4 | 0.4 | 0.20 | 0.05 | 0.03 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Florida | 964 | 1.0 | 0.04 | 0.13 | 0.00 | 235 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, Florida: White | 859 | 1.1 | 0.04 | 0.14 | 0.01 | 217 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, Florida: Black | 84 | 0.8 | 0.09 | 0.10 | 0.01 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Florida: Asian and Pacific Islander | 5 | 0.3 | 0.11 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Georgia | 203 | 0.6 | 0.04 | 0.07 | 0.01 | 54 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Georgia: White | 170 | 0.7 | 0.05 | 0.08 | 0.01 | 44 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Georgia: Black | 32 | 0.4 | 0.06 | 0.05 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Georgia: Asian and Pacific Islander | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, Georgia, Atlanta | 50 | 0.4 | 0.06 | 0.05 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, Georgia, Atlanta: White | 38 | 0.5 | 0.09 | 0.07 | 0.01 | 10 | 0.1 | 0.04 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: Black | 12 | 0.3 | 0.08 | 0.03 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Idaho | 39 | 0.5 | 0.09 | 0.07 | 0.01 | 13 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Indiana | 89 | 0.3 | 0.04 | 0.04 | 0.00 | 31 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Indiana: White | 85 | 0.4 | 0.04 | 0.04 | 0.01 | 27 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Indiana: Black | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 4 | 0.2 | 0.10 | 0.04 | 0.02 |
| *USA, Iowa | 36 | 0.3 | 0.05 | 0.03 | 0.01 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Kentucky | 142 | 0.8 | 0.07 | 0.10 | 0.01 | 40 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana | 97 | 0.6 | 0.06 | 0.08 | 0.01 | 27 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana: White | 73 | 0.6 | 0.07 | 0.08 | 0.01 | 18 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana: Black | 24 | 0.5 | 0.11 | 0.07 | 0.02 | 9 | 0.2 | 0.05 | 0.02 | 0.01 |
| *USA, Louisiana, New Orleans | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| *USA, Louisiana, New Orleans: White | 3 | 0.2 | 0.09 | 0.02 | 0.01 | 5 | 0.3 | 0.13 | 0.03 | 0.01 |
| *USA, Louisiana, New Orleans: Black | 2 | 0.2 | 0.16 | 0.02 | 0.02 | 3 | 0.2 | 0.12 | 0.03 | 0.02 |
| USA, Maine | 12 | 0.2 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Maryland | 64 | 0.3 | 0.03 | 0.03 | 0.00 | 16 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Maryland: White | 47 | 0.3 | 0.04 | 0.03 | 0.01 | 10 | 0.1 | 0.02 | 0.00 | 0.00 |
| USA, Maryland: Black | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 1 | 0.1 | 0.07 | 0.02 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, Massachusetts | 204 | 0.7 | 0.05 | 0.09 | 0.01 | 54 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Massachusetts: White | 193 | 0.8 | 0.06 | 0.10 | 0.01 | 50 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Massachusetts: Black | 7 | 0.4 | 0.17 | 0.06 | 0.03 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| USA, Massachusetts: Asian and Pacific Islander | 4 | 0.3 | 0.13 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pharynx unspecified (C14) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 186 | 0.4 | 0.03 | 0.06 | 0.00 | 53 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Michigan: White | 162 | 0.4 | 0.04 | 0.05 | 0.00 | 44 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Michigan: Black | 22 | 0.5 | 0.11 | 0.08 | 0.02 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 1 | 0.1 | 0.15 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, Michigan, Detroit | 117 | 0.8 | 0.07 | 0.10 | 0.01 | 29 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Michigan, Detroit: White | 95 | 0.8 | 0.09 | 0.10 | 0.01 | 20 | 0.2 | 0.03 | 0.02 | 0.01 |
| *USA, Michigan, Detroit: Black | 20 | 0.7 | 0.16 | 0.10 | 0.02 | 9 | 0.2 | 0.07 | 0.03 | 0.01 |
| USA, Minnesota | 29 | 0.1 | 0.03 | 0.02 | 0.00 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Minnesota: White | 25 | 0.1 | 0.03 | 0.02 | 0.00 | 17 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Minnesota: Black | 1 | 0.2 | 0.16 | 0.02 | 0.02 | 2 | 0.2 | 0.17 | 0.02 | 0.02 |
| *USA, Minnesota: Asian and Pacific Islander | 2 | 0.5 | 0.33 | 0.08 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| USA, Mississippi | 91 | 0.8 | 0.09 | 0.10 | 0.01 | 38 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Missouri | 106 | 0.4 | 0.04 | 0.05 | 0.01 | 32 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Missouri: White | 97 | 0.4 | 0.04 | 0.06 | 0.01 | 27 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Missouri: Black | 8 | 0.4 | 0.13 | 0.05 | 0.02 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, Montana | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.6 | 0.64 | 0.05 | 0.05 |
| USA, Nebraska | 13 | 0.2 | 0.04 | 0.02 | 0.01 | 4 | 0.0 | 0.03 | 0.01 | 0.00 |
| USA, Nebraska: White | 13 | 0.2 | 0.05 | 0.02 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, Nebraska: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Nevada | 37 | 0.3 | 0.05 | 0.04 | 0.01 | 7 | 0.0 | 0.02 | 0.01 | 0.00 |
| USA, Nevada: White | 30 | 0.3 | 0.05 | 0.04 | 0.01 | 7 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Nevada: Black | 3 | 0.4 | 0.21 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *USA, Nevada: Asian and Pacific Islander | 4 | 0.4 | 0.22 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, New Jersey | 107 | 0.3 | 0.03 | 0.04 | 0.00 | 31 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, New Jersey: White | 96 | 0.3 | 0.03 | 0.04 | 0.00 | 24 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, New Jersey: Black | 8 | 0.2 | 0.08 | 0.03 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, New Mexico | 17 | 0.2 | 0.05 | 0.02 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, New Mexico: White | 16 | 0.2 | 0.06 | 0.02 | 0.01 | 7 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, New Mexico: Non-Hispanic White | 11 | 0.3 | 0.10 | 0.03 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, New Mexico: Hispanic White | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *USA, New Mexico: American Indian | 1 | 0.1 | 0.11 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, New York State | 139 | 0.2 | 0.02 | 0.02 | 0.00 | 52 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, New York State: White | 117 | 0.2 | 0.02 | 0.02 | 0.00 | 44 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, New York State: Black | 18 | 0.2 | 0.04 | 0.02 | 0.01 | 8 | 0.0 | 0.02 | 0.01 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 3 | 0.0 | 0.03 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, North Carolina | 157 | 0.4 | 0.03 | 0.05 | 0.00 | 53 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, North Carolina: White | 122 | 0.4 | 0.04 | 0.05 | 0.00 | 42 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, North Carolina: Black | 30 | 0.4 | 0.08 | 0.06 | 0.01 | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, North Carolina: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, North Carolina: American Indian | 3 | 0.7 | 0.38 | 0.08 | 0.04 | 1 | 0.2 | 0.20 | 0.05 | 0.05 |
| USA, North Dakota | 9 | 0.3 | 0.09 | 0.04 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Ohio | 112 | 0.2 | 0.02 | 0.03 | 0.00 | 36 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Ohio: White | 98 | 0.2 | 0.02 | 0.03 | 0.00 | 33 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Ohio: Black | 13 | 0.3 | 0.08 | 0.03 | 0.01 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| *USA, Ohio: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma | 74 | 0.5 | 0.06 | 0.06 | 0.01 | 22 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Oklahoma: White | 64 | 0.5 | 0.06 | 0.06 | 0.01 | 21 | 0.1 | 0.03 | 0.02 | 0.00 |
| USA, Oklahoma: Black | 3 | 0.3 | 0.20 | 0.05 | 0.03 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| USA, Oklahoma: American Indian | 7 | 0.6 | 0.24 | 0.08 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Oregon | 31 | 0.2 | 0.03 | 0.02 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Oregon: White | 31 | 0.2 | 0.03 | 0.02 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, Oregon: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Rhode Island | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Rhode Island: White | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *USA, Rhode Island: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 71 | 0.3 | 0.04 | 0.04 | 0.01 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, South Carolina: White | 49 | 0.3 | 0.04 | 0.03 | 0.01 | 18 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, South Carolina: Black | 22 | 0.5 | 0.11 | 0.06 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, South Dakota | 20 | 0.6 | 0.13 | 0.07 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Tennessee | 81 | 0.3 | 0.03 | 0.03 | 0.00 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Tennessee: White | 71 | 0.3 | 0.04 | 0.03 | 0.00 | 19 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Tennessee: Black | 10 | 0.3 | 0.10 | 0.03 | 0.01 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| USA, Texas | 556 | 0.6 | 0.03 | 0.08 | 0.00 | 159 | 0.1 | 0.01 | 0.02 | 0.00 |
| USA, Texas: White | 489 | 0.6 | 0.03 | 0.08 | 0.00 | 132 | 0.1 | 0.01 | 0.02 | 0.00 |
| USA, Texas: Black | 59 | 0.6 | 0.08 | 0.08 | 0.01 | 21 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Utah | 31 | 0.4 | 0.07 | 0.05 | 0.01 | 6 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Vermont | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Washington State | 64 | 0.2 | 0.03 | 0.03 | 0.00 | 29 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, Washington, Seattle | 52 | 0.3 | 0.04 | 0.03 | 0.01 | 21 | 0.1 | 0.02 | 0.01 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pharynx unspecified (C14) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 19 | 0.2 | 0.05 | 0.02 | 0.01 | 7 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Wyoming | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Brunei Darussalam | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | 7 | 0.8 | 0.29 | 0.11 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.2 | 0.12 | 0.02 | 0.02 |
| *China, Anshan City | 13 | 0.2 | 0.05 | 0.02 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Aohan Banner, Chifeng City | 5 | 0.3 | 0.15 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| *China, Baoding City | 3 | 0.1 | 0.05 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Beijing City | 47 | 0.1 | 0.02 | 0.01 | 0.00 | 29 | 0.1 | 0.01 | 0.01 | 0.00 |
| *China, Binhai County | 2 | 0.0 | 0.03 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Cangzhou City | 4 | 0.2 | 0.12 | 0.03 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Changfeng County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Changzhou City | 11 | 0.1 | 0.03 | 0.01 | 0.00 | 6 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Chengdu City | 16 | 0.4 | 0.10 | 0.03 | 0.01 | 7 | 0.2 | 0.06 | 0.01 | 0.00 |
| China, Cixian County | 3 | 0.2 | 0.10 | 0.04 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Cixi City | 19 | 0.4 | 0.09 | 0.06 | 0.02 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Dafeng District, Yancheng City | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Dalian City | 26 | 0.2 | 0.05 | 0.02 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Dancheng County | 25 | 0.8 | 0.17 | 0.11 | 0.03 | 11 | 0.3 | 0.10 | 0.03 | 0.01 |
| China, Dangtu County | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 15 | 0.4 | 0.10 | 0.04 | 0.02 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Dawukou District, Shizuishan City | 4 | 0.4 | 0.20 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Donggang County | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongguan City | 7 | 0.2 | 0.07 | 0.03 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Donghai County | 10 | 0.2 | 0.08 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongtai City | 16 | 0.3 | 0.08 | 0.05 | 0.01 | 6 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 1 | 0.4 | 0.45 | 0.07 | 0.07 |
| *China, Faku County | 8 | 0.4 | 0.15 | 0.07 | 0.03 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *China, Fangcheng County | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.1 | 0.08 | 0.02 | 0.02 |
| *China, Feicheng City | 13 | 0.3 | 0.09 | 0.03 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Feixi County | 3 | 0.1 | 0.05 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Fuqing City | 0 | – | 0.00 | – | 0.00 | 4 | 0.1 | 0.08 | 0.02 | 0.01 |
| *China, Ganyu District, Lianyungang City | 12 | 0.3 | 0.09 | 0.04 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 4 | 0.4 | 0.19 | 0.05 | 0.03 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Gaocheng City | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Gaomi City | 9 | 0.3 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Gong'an County | 8 | 0.2 | 0.09 | 0.03 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 14 | 0.7 | 0.18 | 0.05 | 0.02 | 5 | 0.2 | 0.09 | 0.01 | 0.01 |
| China, Guanghan City | 6 | 0.3 | 0.14 | 0.05 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Guangzhou City | 76 | 0.2 | 0.03 | 0.03 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Guanyun County | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Guilin City | 9 | 0.4 | 0.14 | 0.06 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Hai'an City | 4 | 0.1 | 0.03 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 1 | 0.1 | 0.11 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Haimen District, Nantong City | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Haining City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Hangzhou City | 69 | 0.2 | 0.03 | 0.03 | 0.00 | 8 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Hebi City | 3 | 0.2 | 0.14 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Hefei City | 10 | 0.1 | 0.04 | 0.01 | 0.01 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| China, Hengdong County | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Hengfeng County | 1 | 0.2 | 0.18 | 0.03 | 0.03 | 2 | 0.4 | 0.25 | 0.00 | 0.00 |
| *China, Hepu County | 7 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Honghu City | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hongshan District, Chifeng City | 4 | 0.4 | 0.19 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiange County | 5 | 0.3 | 0.13 | 0.04 | 0.02 | 4 | 0.2 | 0.12 | 0.04 | 0.02 |
| China, Jiangmen City | 6 | 0.3 | 0.11 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiangyin City | 9 | 0.2 | 0.10 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Jiashan County | 6 | 0.3 | 0.11 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Jiayu County | 3 | 0.4 | 0.22 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 11 | 0.1 | 0.03 | 0.02 | 0.01 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *China, Jingxian County | 7 | 0.5 | 0.18 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 4 | 0.1 | 0.06 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Jiulongpo District, Chongqing City | 26 | 0.7 | 0.14 | 0.08 | 0.02 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Jiyuan City | 6 | 0.3 | 0.14 | 0.04 | 0.02 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Pharynx unspecified (C14) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 5 | 0.5 | 0.23 | 0.06 | 0.03 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Kunshan City | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Langzhong City | 4 | 0.2 | 0.10 | 0.02 | 0.02 | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| *China, Liangshan County | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Lianshui County | 21 | 0.5 | 0.11 | 0.07 | 0.02 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Lianyungang City | 8 | 0.2 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Linhe District, Bayannur City | 1 | 0.1 | 0.10 | 0.02 | 0.02 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Linqu County | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Linzhou City | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Liuzhou City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Liyang City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Longquan City | 5 | 0.5 | 0.22 | 0.04 | 0.02 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| China, Lucheng District, Wenzhou City | 7 | 0.3 | 0.13 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Luoding City | 4 | 0.2 | 0.09 | 0.03 | 0.02 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *China, Luohe City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Luoyang City | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Luquan City | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.12 | 0.03 | 0.02 |
| China, Ma'anshan City | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Macheng City | 7 | 0.3 | 0.11 | 0.04 | 0.02 | 9 | 0.4 | 0.13 | 0.06 | 0.02 |
| China, Meihekou City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.08 | 0.00 | 0.00 |
| *China, Mengjin County | 5 | 0.5 | 0.22 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Nangang District, Harbin City | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| *China, Nanhai District, Foshan City | 11 | 0.4 | 0.12 | 0.05 | 0.02 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Nanhu District, Jiaying City | 9 | 0.4 | 0.12 | 0.05 | 0.02 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Nantong City | 7 | 0.1 | 0.05 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Nanxiong City | 6 | 0.4 | 0.17 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Neixiang County | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.09 | 0.02 | 0.01 |
| *China, Qianxi County | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 3 | 0.0 | 0.02 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Qingzhou City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Rudong County | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Rugao City | 14 | 0.2 | 0.06 | 0.02 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Rural areas of Shanghai City | 51 | 0.1 | 0.02 | 0.01 | 0.00 | 12 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Ruyang County | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Shan County | 6 | 0.2 | 0.10 | 0.03 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Shanghai City | 42 | 0.1 | 0.02 | 0.01 | 0.00 | 9 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Shangyu District, Shaoxing City | 12 | 0.3 | 0.10 | 0.05 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Shapingba District, Chongqing City | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Shexian County | 3 | 0.3 | 0.15 | 0.05 | 0.03 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Sheyang County | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Shunde District, Foshan City | 32 | 0.9 | 0.16 | 0.11 | 0.02 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Song County | 5 | 0.3 | 0.15 | 0.06 | 0.03 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Suzhou City | 30 | 0.2 | 0.03 | 0.02 | 0.01 | 8 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Tengzhou City | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Wangdu County | 5 | 0.7 | 0.32 | 0.09 | 0.05 | 2 | 0.3 | 0.20 | 0.03 | 0.02 |
| *China, Wanxian County | 4 | 0.4 | 0.19 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Wuhan City | 32 | 0.1 | 0.03 | 0.02 | 0.00 | 7 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Wuhu City | 15 | 0.3 | 0.07 | 0.03 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Wuxi City | 11 | 0.1 | 0.03 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuzhou City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| China, Xiangfu District, Kaifeng City | 3 | 0.2 | 0.11 | 0.03 | 0.02 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Xianju County | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Xin'an County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Xining City | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Xinji City | 7 | 0.3 | 0.10 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Xinzhou District, Shangrao City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| China, Xiping County | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xishan District, Kunming City | 3 | 0.2 | 0.11 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Xuyi County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ya'an City | 13 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Yakeshi City | 6 | 0.3 | 0.15 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Yancheng City | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Yangquan City | 7 | 0.3 | 0.10 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangzhong City | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yanji City | 7 | 0.3 | 0.12 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanshi City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Yanting County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 3 | 0.2 | 0.12 | 0.00 | 0.00 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *China, Yingdong District, Fuyang City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Pharynx unspecified (C14) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 3 | 0.3 | 0.18 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 3 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| China, Yong'an City | 2 | 0.1 | 0.11 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 5 | 0.3 | 0.14 | 0.04 | 0.02 | 3 | 0.1 | 0.09 | 0.02 | 0.02 |
| China, Yongkang City | 7 | 0.3 | 0.11 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yucheng County | 11 | 0.6 | 0.18 | 0.06 | 0.02 | 7 | 0.3 | 0.12 | 0.04 | 0.02 |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 27 | 1.7 | 0.33 | 0.26 | 0.06 | 9 | 0.5 | 0.17 | 0.07 | 0.03 |
| *China, Yunyang District, Shiyuan City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 6 | 0.3 | 0.11 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Zhanhuang County | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Zhaoyuan City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Zhengding County | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 12 | 0.2 | 0.07 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Zhongxiang City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Zhuanghe City | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Zhuhai City | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| India, Ahmedabad, Urban | 103 | 0.9 | 0.09 | 0.10 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Aurangabad | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| India, Bangalore | 41 | 0.4 | 0.06 | 0.04 | 0.01 | 15 | 0.1 | 0.04 | 0.02 | 0.01 |
| India, Barshi, Paranda, and Bhum | 5 | 0.3 | 0.14 | 0.04 | 0.02 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *India, Bhopal | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, Chandigarh | 9 | 0.4 | 0.13 | 0.04 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *India, Chennai | 87 | 0.7 | 0.08 | 0.08 | 0.01 | 51 | 0.4 | 0.06 | 0.04 | 0.01 |
| India, Dibrugarh | 55 | 2.1 | 0.28 | 0.26 | 0.04 | 15 | 0.5 | 0.14 | 0.06 | 0.02 |
| *India, Dindigul, Ambilikkai | 24 | 0.4 | 0.08 | 0.04 | 0.01 | 19 | 0.3 | 0.07 | 0.04 | 0.01 |
| India, Kamrup Urban District | 79 | 3.5 | 0.41 | 0.44 | 0.06 | 21 | 1.0 | 0.21 | 0.10 | 0.03 |
| India, Kollam | 13 | 0.2 | 0.06 | 0.03 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *India, Manipur | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, Meghalaya | 138 | 5.2 | 0.46 | 0.58 | 0.06 | 22 | 0.7 | 0.16 | 0.08 | 0.02 |
| India, Mizoram | 26 | 1.4 | 0.28 | 0.18 | 0.04 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| India, Mumbai | 173 | 0.6 | 0.04 | 0.06 | 0.01 | 69 | 0.2 | 0.03 | 0.03 | 0.00 |
| *India, New Delhi | 112 | 0.5 | 0.05 | 0.06 | 0.01 | 33 | 0.2 | 0.03 | 0.02 | 0.00 |
| India, Poona | 39 | 0.3 | 0.05 | 0.04 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| *India, Sangrur District | 5 | 0.2 | 0.09 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 6 | 0.2 | 0.09 | 0.02 | 0.01 | 6 | 0.3 | 0.12 | 0.04 | 0.02 |
| *India, Tamil Nadu | 512 | 0.3 | 0.01 | 0.03 | 0.00 | 247 | 0.1 | 0.01 | 0.01 | 0.00 |
| *India, Tripura | 46 | 0.7 | 0.11 | 0.09 | 0.02 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| India, Trivandrum | 10 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Wardha | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.2 | 0.07 | 0.01 | 0.01 |
| India, West Arunachal | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Ardabil Province | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Iran (Islamic Republic of), Golestan Province | 3 | 0.1 | 0.08 | 0.02 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Israel | 22 | 0.1 | 0.02 | 0.01 | 0.00 | 10 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Israel: Jews | 18 | 0.1 | 0.02 | 0.01 | 0.00 | 10 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Israel: Arabs | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Japan | 563 | 0.1 | 0.00 | 0.01 | 0.00 | 151 | 0.0 | 0.00 | 0.00 | 0.00 |
| Japan, Aichi Prefecture | 17 | 0.1 | 0.02 | 0.01 | 0.00 | 9 | 0.0 | 0.00 | 0.00 | 0.00 |
| *Japan, Akita Prefecture | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| Japan, Aomori Prefecture | 5 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Japan, Gunma Prefecture | 6 | 0.1 | 0.03 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Japan, Hiroshima Prefecture | 12 | 0.1 | 0.02 | 0.01 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| Japan, Miyagi Prefecture | 9 | 0.0 | 0.01 | 0.00 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| Japan, Osaka Prefecture | 33 | 0.1 | 0.01 | 0.01 | 0.00 | 11 | 0.0 | 0.01 | 0.00 | 0.00 |
| Kuwait | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *Kuwait: Kuwaitis | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Kuwait: Non-Kuwaitis | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Philippines, Manila | 37 | 0.3 | 0.05 | 0.04 | 0.01 | 16 | 0.1 | 0.03 | 0.01 | 0.01 |
| *Qatar: Qatari | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 145 | 0.1 | 0.01 | 0.01 | 0.00 | 27 | 0.0 | 0.00 | 0.00 | 0.00 |
| *Republic of Korea, Busan | 14 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Republic of Korea, Daegu | 13 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Republic of Korea, Daejeon | 4 | 0.1 | 0.03 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Republic of Korea, Gwangju | 3 | 0.1 | 0.03 | 0.01 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| Republic of Korea, Incheon | 8 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| Republic of Korea, Jeju | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea, Seoul | 20 | 0.1 | 0.02 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Republic of Korea, Ulsan | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Singapore | 4 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Singapore: Chinese | 3 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Singapore: Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pharynx unspecified (C14) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Thailand, Bangkok | 23 | 0.1 | 0.03 | 0.02 | 0.00 | 6 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Thailand, Chiang Mai | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Thailand, Khon Kaen | 6 | 0.1 | 0.04 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Thailand, Lampang | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Thailand, Lopburi Province | 11 | 0.4 | 0.13 | 0.04 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Thailand, Songkhla | 10 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| Turkey, Antalya | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Turkey, Bursa | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.00 |
| *Turkey, Edirne | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Turkey, Erzurum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Eskişehir | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Gaziantep | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Turkey, Izmir | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Turkey, Malatya | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Samsun | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Trabzon | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Europe | | | | | | | | | | |
| Austria | 239 | 0.7 | 0.04 | 0.09 | 0.01 | 80 | 0.2 | 0.02 | 0.02 | 0.00 |
| Austria, Carinthia | 5 | 0.2 | 0.09 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Austria, Tyrol | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| Austria, Vorarlberg | 5 | 0.3 | 0.12 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Belarus | 15 | 0.0 | 0.01 | 0.01 | 0.00 | 3 | 0.0 | 0.00 | 0.00 | 0.00 |
| *Belgium | 83 | 0.2 | 0.02 | 0.02 | 0.00 | 27 | 0.0 | 0.01 | 0.01 | 0.00 |
| Croatia | 43 | 0.2 | 0.04 | 0.03 | 0.01 | 7 | 0.0 | 0.01 | 0.00 | 0.00 |
| Cyprus | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Czech Republic | 37 | 0.1 | 0.01 | 0.01 | 0.00 | 10 | 0.0 | 0.01 | 0.00 | 0.00 |
| Denmark | 0 | 0.0 | 0.00 | 0.00 | 0.00 | 0 | 0.0 | 0.00 | 0.00 | 0.00 |
| Estonia | 6 | 0.1 | 0.05 | 0.02 | 0.01 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| Finland | 31 | 0.1 | 0.02 | 0.02 | 0.00 | 6 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Bas-Rhin | 25 | 0.7 | 0.14 | 0.09 | 0.02 | 5 | 0.1 | 0.07 | 0.02 | 0.01 |
| *France, Calvados | 8 | 0.3 | 0.09 | 0.03 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Doubs | 7 | 0.3 | 0.12 | 0.03 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *France, Gironde | 57 | 0.9 | 0.13 | 0.12 | 0.02 | 14 | 0.2 | 0.06 | 0.03 | 0.01 |
| *France, Haut-Rhin | 14 | 0.4 | 0.11 | 0.06 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *France, Hérault | 47 | 0.9 | 0.15 | 0.12 | 0.02 | 14 | 0.3 | 0.08 | 0.03 | 0.01 |
| *France, Isère | 31 | 0.6 | 0.11 | 0.09 | 0.02 | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Lille-Métropole | 27 | 1.1 | 0.21 | 0.14 | 0.03 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *France, Limousin | 12 | 0.6 | 0.18 | 0.08 | 0.03 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| *France, Loire-Atlantique | 35 | 0.7 | 0.12 | 0.09 | 0.02 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| *France, Manche | 23 | 1.2 | 0.26 | 0.15 | 0.03 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *France, Poitou-Charentes | 40 | 0.6 | 0.10 | 0.07 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| *France, Somme | 26 | 1.2 | 0.23 | 0.14 | 0.03 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *France, Tarn | 9 | 0.4 | 0.14 | 0.06 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Territoire de Belfort | 2 | 0.5 | 0.33 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | 30 | 0.9 | 0.18 | 0.13 | 0.03 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| Germany, Baden-Württemberg | 188 | 0.7 | 0.05 | 0.09 | 0.01 | 49 | 0.1 | 0.02 | 0.02 | 0.00 |
| Germany, Bavaria | 90 | 0.1 | 0.02 | 0.02 | 0.00 | 33 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, Bremen | 23 | 0.8 | 0.17 | 0.11 | 0.02 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| Germany, Hamburg | 70 | 1.0 | 0.12 | 0.13 | 0.02 | 22 | 0.3 | 0.06 | 0.04 | 0.01 |
| Germany, Lower Saxony | 119 | 0.3 | 0.03 | 0.04 | 0.00 | 36 | 0.1 | 0.02 | 0.01 | 0.00 |
| Germany, North Rhine-Westphalia | 206 | 0.2 | 0.02 | 0.03 | 0.00 | 86 | 0.1 | 0.01 | 0.01 | 0.00 |
| Germany, Rhineland-Palatinate | 43 | 0.2 | 0.03 | 0.02 | 0.00 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| Germany, Saarland | 57 | 1.1 | 0.16 | 0.16 | 0.02 | 21 | 0.4 | 0.09 | 0.05 | 0.01 |
| Germany, Schleswig-Holstein | 17 | 0.1 | 0.03 | 0.01 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| Iceland | 1 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Ireland | 34 | 0.2 | 0.04 | 0.02 | 0.00 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Italy, Aosta Valley | 3 | 0.6 | 0.36 | 0.06 | 0.04 | 1 | 0.2 | 0.25 | 0.03 | 0.03 |
| *Italy, Avellino | 2 | 0.1 | 0.10 | 0.02 | 0.02 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Italy, Basilicata | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *Italy, Benevento | 4 | 0.4 | 0.20 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| Italy, Bergamo | 27 | 0.5 | 0.10 | 0.07 | 0.02 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Italy, Brescia | 30 | 0.6 | 0.11 | 0.07 | 0.01 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 7 | 0.2 | 0.08 | 0.03 | 0.01 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| Italy, Calabria | 11 | 0.5 | 0.15 | 0.06 | 0.02 | 2 | 0.0 | 0.04 | 0.01 | 0.01 |
| *Italy, Caserta | 10 | 0.4 | 0.11 | 0.04 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Italy, Catania, Messina, and Enna | 21 | 0.3 | 0.06 | 0.03 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Italy, Emilia-Romagna | 62 | 0.3 | 0.05 | 0.05 | 0.01 | 21 | 0.1 | 0.02 | 0.01 | 0.00 |
| Italy, Friuli-Venezia Giulia | 15 | 0.2 | 0.06 | 0.03 | 0.01 | 10 | 0.1 | 0.04 | 0.02 | 0.01 |
| Italy, Genova | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.02 | 0.01 |
| *Italy, Lombardy, South, Pavia | 5 | 0.2 | 0.11 | 0.03 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| Italy, Mantova and Cremona | 13 | 0.4 | 0.12 | 0.05 | 0.02 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Pharynx unspecified (C14) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 13 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Italy, Milan | 49 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> | 18 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Italy, Molise | 4 | 0.4 | <i>0.21</i> | 0.06 | <i>0.04</i> | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| *Italy, Naples Centre | 8 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> | 1 | 0.0 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Italy, Naples North | 13 | 0.5 | <i>0.13</i> | 0.06 | <i>0.02</i> | 4 | 0.1 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| *Italy, Naples South | 10 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> | 4 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Italy, Nuoro | 1 | 0.1 | <i>0.13</i> | 0.03 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Italy, Palermo | 10 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> | 7 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Italy, Puglia | 30 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> | 7 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *Italy, Ragusa and Caltanissetta | 2 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Italy, Salerno | 12 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> | 6 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| Italy, Sassari | 6 | 0.6 | <i>0.28</i> | 0.07 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Italy, Sondrio | 7 | 0.6 | <i>0.24</i> | 0.08 | <i>0.04</i> | 1 | 0.1 | <i>0.10</i> | 0.02 | <i>0.02</i> |
| Italy, South Tyrol | 3 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Italy, Syracuse | 2 | 0.1 | <i>0.10</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Italy, Trento | 8 | 0.3 | <i>0.11</i> | 0.04 | <i>0.01</i> | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Italy, Turin | 19 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> | 9 | 0.0 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *Italy, Tuscany | 25 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | 9 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Italy, Umbria | 6 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Italy, Varese | 5 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> | 1 | 0.0 | <i>0.03</i> | 0.01 | <i>0.01</i> |
| Italy, Veneto | 153 | 0.7 | <i>0.06</i> | 0.09 | <i>0.01</i> | 39 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| Latvia | 24 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 6 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *Liechtenstein | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Lithuania | 19 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> | 4 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Malta | 3 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | 1 | 0.0 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *The Netherlands | 270 | 0.3 | <i>0.02</i> | 0.05 | <i>0.00</i> | 122 | 0.1 | <i>0.01</i> | 0.02 | <i>0.00</i> |
| Norway | 15 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | 6 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Poland, Kielce | 7 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Portugal, Azores | 3 | 0.5 | <i>0.27</i> | 0.07 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Russian Federation, Arkhangelsk | 2 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Russian Federation, Kaliningrad | 1 | 0.0 | <i>0.04</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Russian Federation, Karelia | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Russian Federation, Komi Republic | 4 | 0.2 | <i>0.08</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Russian Federation, Murmansk | 2 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *Russian Federation, Orenburg | 18 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 3 | 0.0 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Pskov | 7 | 0.3 | <i>0.12</i> | 0.04 | <i>0.02</i> | 2 | 0.0 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| *Russian Federation, Samara | 3 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Russian Federation, Vologda Region | 5 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Slovenia | 3 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Spain, Asturias | 10 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> | 4 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Spain, Basque Country | 55 | 0.7 | <i>0.10</i> | 0.09 | <i>0.01</i> | 10 | 0.1 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| Spain, Canary Islands | 66 | 1.2 | <i>0.15</i> | 0.15 | <i>0.02</i> | 7 | 0.1 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| Spain, Castellón | 12 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Spain, Girona | 5 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Spain, Granada | 4 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Spain, La Rioja | 7 | 0.4 | <i>0.17</i> | 0.05 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Spain, Murcia | 22 | 0.4 | <i>0.09</i> | 0.06 | <i>0.01</i> | 9 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Spain, Navarra | 8 | 0.4 | <i>0.15</i> | 0.05 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Spain, Salamanca | 2 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Spain, Tarragona | 6 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> | 2 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Sweden | 3 | 0.0 | <i>0.00</i> | 0.00 | <i>0.00</i> | 1 | 0.0 | <i>0.00</i> | 0.00 | <i>0.00</i> |
| Switzerland, Aargau | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 4 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| Switzerland, Basel | 3 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Switzerland, Berne Solothurn | 24 | 0.6 | <i>0.13</i> | 0.09 | <i>0.02</i> | 8 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Switzerland, East | 4 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Switzerland, Fribourg | 3 | 0.2 | <i>0.13</i> | 0.02 | <i>0.02</i> | 2 | 0.2 | <i>0.13</i> | 0.02 | <i>0.02</i> |
| Switzerland, Geneva | 3 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> | 3 | 0.1 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| *Switzerland, Graubünden and Glarus | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Switzerland, Lucerne | 3 | 0.1 | <i>0.08</i> | 0.03 | <i>0.01</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *Switzerland, Neuchâtel and Jura | 5 | 0.5 | <i>0.22</i> | 0.07 | <i>0.03</i> | 2 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| Switzerland, Ticino | 10 | 0.6 | <i>0.19</i> | 0.06 | <i>0.02</i> | 4 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| Switzerland, Valais | 1 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> | 1 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| Switzerland, Vaud | 18 | 0.6 | <i>0.14</i> | 0.08 | <i>0.02</i> | 4 | 0.1 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| Switzerland, Zurich and Zug | 19 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 4 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Ukraine | 265 | 0.2 | <i>0.01</i> | 0.03 | <i>0.00</i> | 28 | 0.0 | <i>0.00</i> | 0.00 | <i>0.00</i> |
| UK, England | 221 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> | 80 | 0.0 | <i>0.00</i> | 0.00 | <i>0.00</i> |
| UK, Northern Ireland | 8 | 0.1 | <i>0.03</i> | 0.01 | <i>0.01</i> | 4 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| UK, Scotland | 127 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 45 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| UK, Wales | 17 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | 10 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 68 | 0.2 | <i>0.02</i> | 0.03 | <i>0.00</i> | 26 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| *Australia, Northern Territory | 5 | 0.8 | <i>0.38</i> | 0.08 | <i>0.05</i> | 1 | 0.1 | <i>0.13</i> | 0.01 | <i>0.01</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Pharynx unspecified (C14) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 3 | 0.6 | <i>0.39</i> | 0.06 | <i>0.05</i> | 1 | 0.2 | <i>0.18</i> | 0.02 | <i>0.02</i> |
| *Australia, Northern Territory: Indigenous | 2 | 1.3 | <i>0.89</i> | 0.14 | <i>0.10</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Queensland | 43 | 0.2 | <i>0.04</i> | 0.03 | <i>0.01</i> | 10 | 0.0 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| Australia, South Australia | 23 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | 8 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Australia, Tasmania | 10 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> | 3 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *Australia, Victoria | 60 | 0.2 | <i>0.03</i> | 0.03 | <i>0.00</i> | 16 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *Australia, Western Australia | 27 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> | 9 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *France, New Caledonia | 3 | 0.4 | <i>0.25</i> | 0.06 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| New Zealand | 31 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> | 12 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *New Zealand: Maori | 5 | 0.4 | <i>0.19</i> | 0.05 | <i>0.02</i> | 1 | 0.0 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *New Zealand: Pacific peoples | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 1 | 0.1 | <i>0.13</i> | 0.01 | <i>0.01</i> |
| *New Zealand: Other | 26 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> | 10 | 0.0 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Hawaii | 16 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> | 2 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| USA, Hawaii: White | 8 | 0.4 | <i>0.15</i> | 0.06 | <i>0.02</i> | 1 | 0.0 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *USA, Hawaii: Japanese | 2 | 0.1 | <i>0.05</i> | 0.00 | <i>0.00</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *USA, Hawaii: Chinese | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 3 | 0.3 | <i>0.20</i> | 0.04 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Filipino | 1 | 0.1 | <i>0.06</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Oesophagus (C15)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 15 | 1.1 | 0.29 | 0.10 | 0.04 | 11 | 0.8 | 0.24 | 0.08 | 0.03 |
| *Algeria, Tizi Ouzou | 22 | 1.6 | 0.35 | 0.23 | 0.06 | 22 | 1.1 | 0.25 | 0.15 | 0.04 |
| *Benin, Cotonou | 16 | 3.4 | 0.92 | 0.46 | 0.16 | 19 | 3.2 | 0.75 | 0.45 | 0.12 |
| *France, La Réunion | 192 | 8.9 | 0.65 | 1.13 | 0.09 | 25 | 0.9 | 0.20 | 0.11 | 0.03 |
| *Kenya, Eldoret | 155 | 16.0 | 1.34 | 1.88 | 0.20 | 111 | 11.9 | 1.19 | 1.62 | 0.19 |
| *Kenya, Nairobi | 354 | 16.1 | 0.99 | 1.98 | 0.15 | 281 | 14.3 | 0.95 | 1.71 | 0.15 |
| Mauritius | 119 | 2.9 | 0.27 | 0.37 | 0.04 | 74 | 1.5 | 0.18 | 0.19 | 0.03 |
| *Morocco, Casablanca | 66 | 0.6 | 0.08 | 0.07 | 0.01 | 54 | 0.4 | 0.06 | 0.05 | 0.01 |
| *Seychelles | 14 | 5.0 | 1.36 | 0.73 | 0.23 | 1 | 0.3 | 0.32 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | 196 | 18.4 | 1.35 | 2.22 | 0.19 | 298 | 16.1 | 1.02 | 2.03 | 0.15 |
| *Uganda, Kyadondo County | 348 | 23.4 | 1.40 | 3.01 | 0.23 | 244 | 13.0 | 0.91 | 1.54 | 0.14 |
| *Uganda, Gulu | 31 | 7.8 | 1.46 | 0.92 | 0.20 | 7 | 1.2 | 0.48 | 0.16 | 0.08 |
| *Zimbabwe, Bulawayo: African | 183 | 23.3 | 1.78 | 2.36 | 0.26 | 160 | 16.3 | 1.33 | 1.72 | 0.19 |
| *Zimbabwe, Harare: African | 259 | 17.9 | 1.18 | 2.00 | 0.19 | 261 | 15.2 | 0.99 | 1.84 | 0.15 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 168 | 7.3 | 0.57 | 0.88 | 0.08 | 81 | 2.6 | 0.31 | 0.33 | 0.05 |
| *Argentina, Mendoza | 246 | 4.6 | 0.30 | 0.53 | 0.04 | 120 | 1.6 | 0.16 | 0.17 | 0.02 |
| Brazil, Aracaju | 47 | 4.4 | 0.65 | 0.56 | 0.10 | 17 | 1.0 | 0.26 | 0.09 | 0.03 |
| *Brazil, Barretos | 99 | 7.6 | 0.77 | 0.94 | 0.11 | 18 | 1.1 | 0.27 | 0.12 | 0.04 |
| Brazil, Belo Horizonte | 621 | 8.9 | 0.36 | 1.09 | 0.05 | 218 | 2.1 | 0.15 | 0.24 | 0.02 |
| *Brazil, Campinas | 145 | 6.3 | 0.53 | 0.80 | 0.08 | 42 | 1.4 | 0.22 | 0.15 | 0.03 |
| *Brazil, Curitiba | 299 | 7.6 | 0.44 | 0.93 | 0.06 | 82 | 1.4 | 0.16 | 0.15 | 0.02 |
| Brazil, Goiânia | 147 | 5.7 | 0.47 | 0.72 | 0.07 | 46 | 1.3 | 0.20 | 0.16 | 0.03 |
| *Brazil, Jaú | 39 | 8.8 | 1.43 | 0.96 | 0.19 | 3 | 0.5 | 0.32 | 0.07 | 0.06 |
| Brazil, João Pessoa | 43 | 4.2 | 0.65 | 0.50 | 0.09 | 13 | 0.8 | 0.22 | 0.05 | 0.02 |
| Brazil, Recife | 147 | 6.0 | 0.50 | 0.76 | 0.08 | 54 | 1.3 | 0.18 | 0.16 | 0.03 |
| Chile, Region of Antofagasta | 26 | 2.7 | 0.54 | 0.23 | 0.07 | 14 | 1.3 | 0.35 | 0.16 | 0.06 |
| Chile, Valdivia | 74 | 4.9 | 0.59 | 0.53 | 0.09 | 46 | 2.1 | 0.34 | 0.20 | 0.05 |
| Colombia, Bucaramanga | 86 | 2.7 | 0.30 | 0.28 | 0.05 | 34 | 0.8 | 0.14 | 0.07 | 0.02 |
| Colombia, Cali | 132 | 2.2 | 0.19 | 0.21 | 0.03 | 62 | 0.7 | 0.09 | 0.07 | 0.01 |
| Colombia, Manizales | 32 | 2.2 | 0.40 | 0.26 | 0.06 | 26 | 1.4 | 0.28 | 0.17 | 0.05 |
| Colombia, Pasto | 21 | 1.8 | 0.41 | 0.17 | 0.06 | 10 | 0.7 | 0.22 | 0.07 | 0.03 |
| Costa Rica | 118 | 1.2 | 0.11 | 0.14 | 0.02 | 36 | 0.3 | 0.06 | 0.04 | 0.01 |
| Ecuador, Guayaquil | 111 | 2.1 | 0.20 | 0.24 | 0.03 | 33 | 0.6 | 0.10 | 0.07 | 0.02 |
| Ecuador, Manabí | 47 | 1.4 | 0.21 | 0.18 | 0.03 | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| Ecuador, Quito | 72 | 1.7 | 0.20 | 0.16 | 0.03 | 31 | 0.6 | 0.10 | 0.05 | 0.01 |
| *France, Guadeloupe | 114 | 6.8 | 0.65 | 0.84 | 0.09 | 19 | 1.0 | 0.26 | 0.10 | 0.03 |
| *France, Martinique | 50 | 2.9 | 0.43 | 0.37 | 0.06 | 9 | 0.4 | 0.15 | 0.07 | 0.02 |
| *Peru, Lima | 238 | 1.7 | 0.11 | 0.19 | 0.02 | 122 | 0.7 | 0.07 | 0.07 | 0.01 |
| *Trinidad and Tobago | 77 | 3.2 | 0.36 | 0.43 | 0.06 | 22 | 0.9 | 0.19 | 0.12 | 0.03 |
| USA, Puerto Rico | 591 | 3.7 | 0.16 | 0.47 | 0.02 | 128 | 0.5 | 0.05 | 0.05 | 0.01 |
| *Uruguay | 792 | 6.1 | 0.23 | 0.71 | 0.03 | 410 | 2.1 | 0.12 | 0.24 | 0.02 |
| North America | | | | | | | | | | |
| Canada, Alberta | 779 | 4.9 | 0.18 | 0.60 | 0.03 | 203 | 1.2 | 0.09 | 0.14 | 0.01 |
| Canada, British Columbia | 1188 | 4.9 | 0.15 | 0.62 | 0.02 | 396 | 1.4 | 0.07 | 0.16 | 0.01 |
| *Canada, Manitoba | 249 | 4.2 | 0.28 | 0.50 | 0.04 | 79 | 1.2 | 0.15 | 0.16 | 0.02 |
| *Canada, New Brunswick | 179 | 4.4 | 0.34 | 0.54 | 0.05 | 48 | 0.9 | 0.15 | 0.10 | 0.02 |
| *Canada, Newfoundland and Labrador | 156 | 5.5 | 0.45 | 0.70 | 0.07 | 33 | 1.0 | 0.19 | 0.12 | 0.03 |
| Canada, Ontario | 2879 | 4.6 | 0.09 | 0.57 | 0.01 | 988 | 1.2 | 0.04 | 0.15 | 0.01 |
| *Canada, Prince Edward Island | 45 | 6.2 | 0.95 | 0.91 | 0.14 | 12 | 1.4 | 0.42 | 0.22 | 0.07 |
| Canada, Quebec | 1774 | 4.2 | 0.10 | 0.53 | 0.02 | 577 | 1.1 | 0.05 | 0.12 | 0.01 |
| Canada, Saskatchewan | 214 | 4.4 | 0.31 | 0.55 | 0.05 | 59 | 1.0 | 0.15 | 0.14 | 0.02 |
| *Canada, Yukon | 9 | 6.2 | 2.08 | 0.59 | 0.28 | 7 | 4.7 | 1.81 | 0.63 | 0.25 |
| USA | 68905 | 5.1 | 0.02 | 0.65 | 0.00 | 18386 | 1.1 | 0.01 | 0.13 | 0.00 |
| USA: White | 61339 | 5.4 | 0.02 | 0.68 | 0.00 | 15255 | 1.1 | 0.01 | 0.13 | 0.00 |
| USA: Black | 5458 | 4.2 | 0.06 | 0.54 | 0.01 | 2475 | 1.4 | 0.03 | 0.17 | 0.00 |
| USA, NPCR | 66459 | 5.1 | 0.02 | 0.65 | 0.00 | 17790 | 1.1 | 0.01 | 0.13 | 0.00 |
| USA, NPCR: White | 59166 | 5.4 | 0.02 | 0.68 | 0.00 | 14738 | 1.1 | 0.01 | 0.13 | 0.00 |
| USA, NPCR: Black | 5386 | 4.2 | 0.06 | 0.54 | 0.01 | 2449 | 1.4 | 0.03 | 0.17 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 1289 | 2.2 | 0.06 | 0.27 | 0.01 | 433 | 0.6 | 0.03 | 0.07 | 0.00 |
| USA, NPCR: American Indian | 378 | 3.4 | 0.17 | 0.43 | 0.03 | 105 | 0.8 | 0.08 | 0.11 | 0.01 |
| *USA, SEER (18 registries) | 16162 | 4.6 | 0.04 | 0.57 | 0.01 | 4532 | 1.0 | 0.02 | 0.12 | 0.00 |
| *USA, SEER (18 registries): White | 13795 | 4.9 | 0.04 | 0.61 | 0.01 | 3601 | 1.0 | 0.02 | 0.12 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 12488 | 5.2 | 0.05 | 0.66 | 0.01 | 3266 | 1.1 | 0.02 | 0.13 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 1307 | 3.0 | 0.09 | 0.37 | 0.01 | 335 | 0.6 | 0.03 | 0.06 | 0.00 |
| *USA, SEER (18 registries): Black | 1394 | 4.2 | 0.11 | 0.54 | 0.02 | 606 | 1.4 | 0.06 | 0.17 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 788 | 2.3 | 0.08 | 0.28 | 0.01 | 261 | 0.6 | 0.04 | 0.07 | 0.01 |
| *USA, SEER (9 registries) | 5914 | 4.8 | 0.06 | 0.59 | 0.01 | 1629 | 1.1 | 0.03 | 0.13 | 0.00 |
| *USA, SEER (9 registries): White | 5011 | 5.1 | 0.07 | 0.63 | 0.01 | 1295 | 1.1 | 0.03 | 0.13 | 0.00 |
| *USA, SEER (9 registries): Black | 463 | 4.2 | 0.20 | 0.53 | 0.03 | 213 | 1.4 | 0.10 | 0.18 | 0.01 |
| USA, Alabama | 1112 | 5.6 | 0.17 | 0.71 | 0.02 | 268 | 1.1 | 0.07 | 0.13 | 0.01 |
| USA, Alabama: White | 875 | 5.6 | 0.20 | 0.71 | 0.03 | 186 | 1.0 | 0.08 | 0.11 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Oesophagus (C15) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 229 | 5.6 | 0.37 | 0.73 | 0.06 | 78 | 1.4 | 0.17 | 0.17 | 0.02 |
| USA, Alaska | 151 | 5.6 | 0.46 | 0.63 | 0.06 | 51 | 1.9 | 0.28 | 0.23 | 0.04 |
| *USA, Alaska: Alaska Natives | 33 | 10.0 | 1.76 | 1.23 | 0.25 | 17 | 4.6 | 1.14 | 0.55 | 0.15 |
| USA, Arizona | 1441 | 4.7 | 0.13 | 0.59 | 0.02 | 371 | 1.1 | 0.06 | 0.12 | 0.01 |
| USA, Arizona: White | 1361 | 4.8 | 0.14 | 0.61 | 0.02 | 344 | 1.1 | 0.07 | 0.13 | 0.01 |
| USA, Arizona: Black | 21 | 2.2 | 0.49 | 0.19 | 0.06 | 12 | 1.2 | 0.35 | 0.15 | 0.05 |
| *USA, Arizona: Asian and Pacific Islander | 18 | 2.4 | 0.57 | 0.24 | 0.08 | 6 | 0.6 | 0.26 | 0.07 | 0.03 |
| USA, Arizona: American Indian | 38 | 4.3 | 0.70 | 0.54 | 0.11 | 8 | 0.7 | 0.25 | 0.09 | 0.04 |
| USA, Arkansas | 675 | 5.4 | 0.22 | 0.68 | 0.03 | 147 | 1.0 | 0.09 | 0.11 | 0.01 |
| USA, Arkansas: White | 601 | 5.5 | 0.24 | 0.69 | 0.03 | 119 | 0.9 | 0.09 | 0.10 | 0.01 |
| USA, Arkansas: Black | 65 | 4.7 | 0.58 | 0.59 | 0.08 | 27 | 1.6 | 0.31 | 0.20 | 0.04 |
| USA, California | 5625 | 3.7 | 0.05 | 0.46 | 0.01 | 1702 | 0.9 | 0.02 | 0.10 | 0.00 |
| USA, California: White | 4888 | 4.2 | 0.06 | 0.52 | 0.01 | 1408 | 0.9 | 0.03 | 0.11 | 0.00 |
| USA, California: Black | 233 | 2.7 | 0.18 | 0.36 | 0.03 | 119 | 1.1 | 0.10 | 0.11 | 0.01 |
| USA, California: Asian and Pacific Islander | 457 | 2.0 | 0.09 | 0.23 | 0.01 | 158 | 0.5 | 0.04 | 0.06 | 0.01 |
| *USA, California, Los Angeles County | 1107 | 3.0 | 0.09 | 0.38 | 0.01 | 338 | 0.7 | 0.04 | 0.08 | 0.01 |
| *USA, California, Los Angeles County: White | 879 | 3.3 | 0.11 | 0.42 | 0.02 | 239 | 0.7 | 0.05 | 0.07 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 566 | 3.6 | 0.16 | 0.46 | 0.02 | 176 | 0.8 | 0.07 | 0.10 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 313 | 2.8 | 0.16 | 0.37 | 0.03 | 63 | 0.4 | 0.05 | 0.04 | 0.01 |
| *USA, California, Los Angeles County: Black | 87 | 2.7 | 0.29 | 0.35 | 0.05 | 46 | 1.0 | 0.15 | 0.10 | 0.02 |
| *USA, California, Los Angeles County: Chinese | 36 | 1.5 | 0.27 | 0.19 | 0.04 | 12 | 0.4 | 0.13 | 0.06 | 0.02 |
| *USA, California, Los Angeles County: Filipino | 24 | 1.7 | 0.35 | 0.20 | 0.05 | 8 | 0.3 | 0.11 | 0.03 | 0.02 |
| *USA, California, Los Angeles County: Korean | 13 | 1.3 | 0.39 | 0.13 | 0.05 | 4 | 0.3 | 0.16 | 0.03 | 0.02 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 124 | 1.8 | 0.17 | 0.21 | 0.02 | 47 | 0.5 | 0.08 | 0.06 | 0.01 |
| *USA, California, San Francisco Bay Area | 689 | 3.5 | 0.14 | 0.44 | 0.02 | 239 | 0.9 | 0.07 | 0.10 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 507 | 4.0 | 0.18 | 0.49 | 0.03 | 176 | 1.1 | 0.09 | 0.12 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 446 | 4.1 | 0.20 | 0.52 | 0.03 | 154 | 1.2 | 0.11 | 0.14 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 61 | 2.8 | 0.36 | 0.30 | 0.05 | 22 | 0.7 | 0.16 | 0.06 | 0.02 |
| *USA, California, San Francisco Bay Area: Black | 55 | 3.7 | 0.51 | 0.47 | 0.07 | 27 | 1.5 | 0.31 | 0.16 | 0.04 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 122 | 2.4 | 0.23 | 0.29 | 0.03 | 35 | 0.5 | 0.08 | 0.05 | 0.01 |
| USA, Colorado | 1060 | 4.9 | 0.15 | 0.60 | 0.02 | 216 | 0.9 | 0.06 | 0.10 | 0.01 |
| USA, Colorado: White | 1021 | 5.1 | 0.16 | 0.62 | 0.02 | 200 | 0.9 | 0.06 | 0.10 | 0.01 |
| *USA, Colorado: Black | 20 | 2.9 | 0.66 | 0.41 | 0.12 | 9 | 1.2 | 0.40 | 0.16 | 0.07 |
| *USA, Colorado: Asian and Pacific Islander | 11 | 2.2 | 0.67 | 0.28 | 0.10 | 6 | 0.8 | 0.34 | 0.10 | 0.06 |
| USA, Connecticut | 839 | 5.2 | 0.19 | 0.64 | 0.03 | 248 | 1.2 | 0.08 | 0.15 | 0.01 |
| USA, Connecticut: White | 774 | 5.4 | 0.20 | 0.66 | 0.03 | 221 | 1.2 | 0.09 | 0.14 | 0.01 |
| USA, Connecticut: Black | 55 | 4.7 | 0.64 | 0.58 | 0.09 | 21 | 1.5 | 0.32 | 0.21 | 0.05 |
| USA, District of Columbia | 80 | 3.8 | 0.43 | 0.45 | 0.06 | 43 | 1.5 | 0.24 | 0.18 | 0.03 |
| USA, District of Columbia: White | 23 | 2.4 | 0.51 | 0.27 | 0.07 | 9 | 0.8 | 0.30 | 0.10 | 0.04 |
| USA, District of Columbia: Black | 53 | 4.7 | 0.66 | 0.58 | 0.09 | 33 | 1.8 | 0.33 | 0.22 | 0.05 |
| USA, Florida | 5138 | 5.1 | 0.08 | 0.65 | 0.01 | 1385 | 1.1 | 0.03 | 0.14 | 0.00 |
| USA, Florida: White | 4681 | 5.4 | 0.08 | 0.68 | 0.01 | 1176 | 1.1 | 0.04 | 0.13 | 0.01 |
| USA, Florida: Black | 335 | 3.3 | 0.18 | 0.42 | 0.03 | 171 | 1.3 | 0.10 | 0.15 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 35 | 1.6 | 0.28 | 0.22 | 0.05 | 17 | 0.6 | 0.15 | 0.07 | 0.02 |
| USA, Georgia | 1899 | 5.1 | 0.12 | 0.64 | 0.02 | 515 | 1.1 | 0.05 | 0.13 | 0.01 |
| USA, Georgia: White | 1406 | 5.2 | 0.14 | 0.66 | 0.02 | 343 | 1.0 | 0.06 | 0.12 | 0.01 |
| USA, Georgia: Black | 460 | 5.1 | 0.24 | 0.65 | 0.04 | 159 | 1.3 | 0.10 | 0.16 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 28 | 2.4 | 0.46 | 0.26 | 0.06 | 12 | 0.9 | 0.27 | 0.12 | 0.04 |
| *USA, Georgia, Atlanta | 481 | 4.2 | 0.19 | 0.51 | 0.03 | 154 | 1.0 | 0.09 | 0.13 | 0.01 |
| *USA, Georgia, Atlanta: White | 314 | 4.5 | 0.26 | 0.56 | 0.04 | 86 | 1.0 | 0.11 | 0.12 | 0.02 |
| *USA, Georgia, Atlanta: Black | 143 | 3.8 | 0.32 | 0.46 | 0.05 | 63 | 1.2 | 0.15 | 0.14 | 0.02 |
| USA, Idaho | 390 | 5.6 | 0.29 | 0.69 | 0.04 | 82 | 1.0 | 0.12 | 0.12 | 0.02 |
| USA, Indiana | 1766 | 6.6 | 0.16 | 0.81 | 0.02 | 402 | 1.2 | 0.07 | 0.15 | 0.01 |
| USA, Indiana: White | 1676 | 6.8 | 0.17 | 0.84 | 0.02 | 354 | 1.2 | 0.07 | 0.15 | 0.01 |
| USA, Indiana: Black | 83 | 4.7 | 0.52 | 0.60 | 0.08 | 43 | 1.8 | 0.29 | 0.21 | 0.04 |
| *USA, Iowa | 931 | 6.8 | 0.23 | 0.82 | 0.03 | 207 | 1.2 | 0.09 | 0.15 | 0.01 |
| USA, Kentucky | 1143 | 6.2 | 0.19 | 0.79 | 0.03 | 270 | 1.3 | 0.08 | 0.15 | 0.01 |
| USA, Louisiana | 955 | 5.2 | 0.17 | 0.67 | 0.03 | 256 | 1.2 | 0.08 | 0.15 | 0.01 |
| USA, Louisiana: White | 708 | 5.3 | 0.21 | 0.68 | 0.03 | 158 | 1.0 | 0.09 | 0.13 | 0.01 |
| USA, Louisiana: Black | 238 | 5.2 | 0.34 | 0.68 | 0.05 | 97 | 1.6 | 0.17 | 0.21 | 0.02 |
| *USA, Louisiana, New Orleans | 159 | 4.5 | 0.36 | 0.57 | 0.05 | 41 | 1.0 | 0.16 | 0.12 | 0.02 |
| *USA, Louisiana, New Orleans: White | 107 | 4.8 | 0.48 | 0.58 | 0.07 | 27 | 1.0 | 0.21 | 0.13 | 0.03 |
| *USA, Louisiana, New Orleans: Black | 49 | 4.1 | 0.59 | 0.57 | 0.09 | 14 | 0.9 | 0.24 | 0.12 | 0.04 |
| USA, Maine | 528 | 7.5 | 0.34 | 0.92 | 0.05 | 128 | 1.6 | 0.15 | 0.21 | 0.02 |
| USA, Maryland | 1114 | 4.5 | 0.14 | 0.53 | 0.02 | 359 | 1.1 | 0.06 | 0.14 | 0.01 |
| USA, Maryland: White | 893 | 5.2 | 0.18 | 0.62 | 0.03 | 251 | 1.2 | 0.08 | 0.14 | 0.01 |
| USA, Maryland: Black | 196 | 3.3 | 0.24 | 0.40 | 0.04 | 101 | 1.2 | 0.13 | 0.16 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | 23 | 1.7 | 0.36 | 0.21 | 0.05 | 7 | 0.4 | 0.15 | 0.04 | 0.02 |
| USA, Massachusetts | 1741 | 5.9 | 0.15 | 0.74 | 0.02 | 527 | 1.4 | 0.07 | 0.18 | 0.01 |
| USA, Massachusetts: White | 1633 | 6.2 | 0.16 | 0.78 | 0.02 | 486 | 1.4 | 0.07 | 0.18 | 0.01 |
| USA, Massachusetts: Black | 60 | 3.6 | 0.47 | 0.44 | 0.07 | 27 | 1.2 | 0.25 | 0.16 | 0.04 |
| USA, Massachusetts: Asian and Pacific Islander | 41 | 3.3 | 0.52 | 0.37 | 0.07 | 11 | 0.8 | 0.24 | 0.12 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Oesophagus (C15) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 2663 | 6.0 | 0.12 | 0.75 | 0.02 | 715 | 1.3 | 0.05 | 0.16 | 0.01 |
| USA, Michigan: White | 2391 | 6.1 | 0.13 | 0.76 | 0.02 | 600 | 1.3 | 0.06 | 0.16 | 0.01 |
| USA, Michigan: Black | 220 | 4.9 | 0.33 | 0.62 | 0.05 | 106 | 1.7 | 0.17 | 0.21 | 0.03 |
| USA, Michigan: Asian and Pacific Islander | 20 | 2.4 | 0.54 | 0.33 | 0.09 | 5 | 0.5 | 0.21 | 0.05 | 0.03 |
| *USA, Michigan, Detroit | 959 | 5.9 | 0.19 | 0.76 | 0.03 | 291 | 1.4 | 0.09 | 0.17 | 0.01 |
| *USA, Michigan, Detroit: White | 780 | 6.2 | 0.23 | 0.80 | 0.03 | 201 | 1.3 | 0.10 | 0.16 | 0.01 |
| *USA, Michigan, Detroit: Black | 162 | 5.1 | 0.41 | 0.67 | 0.06 | 85 | 1.9 | 0.21 | 0.24 | 0.03 |
| USA, Minnesota | 1249 | 5.2 | 0.15 | 0.65 | 0.02 | 332 | 1.2 | 0.07 | 0.15 | 0.01 |
| USA, Minnesota: White | 1197 | 5.3 | 0.16 | 0.67 | 0.02 | 298 | 1.1 | 0.07 | 0.14 | 0.01 |
| USA, Minnesota: Black | 24 | 3.5 | 0.75 | 0.28 | 0.08 | 25 | 3.4 | 0.69 | 0.38 | 0.10 |
| *USA, Minnesota: Asian and Pacific Islander | 15 | 3.1 | 0.80 | 0.44 | 0.14 | 4 | 0.6 | 0.31 | 0.07 | 0.04 |
| USA, Mississippi | 650 | 5.5 | 0.22 | 0.71 | 0.03 | 174 | 1.3 | 0.10 | 0.16 | 0.01 |
| USA, Missouri | 1535 | 5.8 | 0.15 | 0.72 | 0.02 | 408 | 1.3 | 0.07 | 0.15 | 0.01 |
| USA, Missouri: White | 1441 | 6.1 | 0.17 | 0.75 | 0.02 | 348 | 1.2 | 0.07 | 0.15 | 0.01 |
| USA, Missouri: Black | 87 | 4.1 | 0.45 | 0.52 | 0.07 | 57 | 2.0 | 0.27 | 0.23 | 0.04 |
| USA, Montana | 284 | 5.7 | 0.35 | 0.71 | 0.05 | 64 | 1.1 | 0.15 | 0.13 | 0.02 |
| *USA, Montana: American Indian | 14 | 8.2 | 2.23 | 0.90 | 0.30 | 3 | 1.5 | 0.85 | 0.22 | 0.16 |
| USA, Nebraska | 419 | 5.2 | 0.26 | 0.63 | 0.04 | 102 | 1.0 | 0.11 | 0.12 | 0.02 |
| USA, Nebraska: White | 407 | 5.3 | 0.28 | 0.64 | 0.04 | 98 | 1.0 | 0.12 | 0.12 | 0.02 |
| *USA, Nebraska: Black | 4 | 1.6 | 0.83 | 0.11 | 0.08 | 3 | 1.0 | 0.62 | 0.11 | 0.08 |
| USA, Nevada | 609 | 4.9 | 0.20 | 0.64 | 0.03 | 142 | 1.0 | 0.09 | 0.12 | 0.01 |
| USA, Nevada: White | 547 | 5.2 | 0.23 | 0.68 | 0.03 | 129 | 1.1 | 0.11 | 0.14 | 0.02 |
| USA, Nevada: Black | 28 | 3.3 | 0.64 | 0.47 | 0.10 | 6 | 0.6 | 0.25 | 0.06 | 0.03 |
| *USA, Nevada: Asian and Pacific Islander | 24 | 2.3 | 0.48 | 0.31 | 0.07 | 4 | 0.2 | 0.11 | 0.01 | 0.01 |
| USA, New Jersey | 1802 | 4.8 | 0.12 | 0.61 | 0.02 | 550 | 1.1 | 0.05 | 0.13 | 0.01 |
| USA, New Jersey: White | 1581 | 5.2 | 0.14 | 0.66 | 0.02 | 440 | 1.0 | 0.06 | 0.12 | 0.01 |
| USA, New Jersey: Black | 154 | 3.7 | 0.31 | 0.46 | 0.05 | 84 | 1.4 | 0.16 | 0.18 | 0.02 |
| USA, New Mexico | 419 | 4.4 | 0.22 | 0.56 | 0.03 | 77 | 0.7 | 0.09 | 0.09 | 0.01 |
| USA, New Mexico: White | 395 | 4.6 | 0.24 | 0.59 | 0.04 | 71 | 0.8 | 0.10 | 0.10 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 271 | 5.0 | 0.33 | 0.64 | 0.05 | 51 | 0.9 | 0.14 | 0.11 | 0.02 |
| USA, New Mexico: Hispanic White | 124 | 3.9 | 0.36 | 0.49 | 0.06 | 20 | 0.6 | 0.13 | 0.08 | 0.02 |
| *USA, New Mexico: American Indian | 13 | 2.2 | 0.60 | 0.25 | 0.09 | 4 | 0.5 | 0.26 | 0.07 | 0.04 |
| USA, New York State | 4079 | 4.9 | 0.08 | 0.62 | 0.01 | 1342 | 1.3 | 0.04 | 0.15 | 0.01 |
| USA, New York State: White | 3440 | 5.4 | 0.10 | 0.67 | 0.01 | 1068 | 1.3 | 0.04 | 0.16 | 0.01 |
| USA, New York State: Black | 438 | 3.9 | 0.19 | 0.50 | 0.03 | 217 | 1.3 | 0.09 | 0.16 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 187 | 3.1 | 0.23 | 0.37 | 0.03 | 52 | 0.7 | 0.10 | 0.09 | 0.02 |
| USA, North Carolina | 2065 | 5.0 | 0.11 | 0.65 | 0.02 | 509 | 1.0 | 0.05 | 0.11 | 0.01 |
| USA, North Carolina: White | 1714 | 5.2 | 0.13 | 0.68 | 0.02 | 360 | 0.9 | 0.05 | 0.10 | 0.01 |
| USA, North Carolina: Black | 323 | 4.5 | 0.25 | 0.59 | 0.04 | 142 | 1.4 | 0.12 | 0.16 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | 12 | 1.7 | 0.50 | 0.21 | 0.07 | 5 | 0.6 | 0.27 | 0.10 | 0.06 |
| *USA, North Carolina: American Indian | 11 | 2.4 | 0.74 | 0.37 | 0.13 | 1 | 0.2 | 0.19 | 0.03 | 0.03 |
| USA, North Dakota | 170 | 5.7 | 0.45 | 0.75 | 0.07 | 42 | 1.2 | 0.22 | 0.13 | 0.03 |
| USA, Ohio | 3131 | 6.2 | 0.11 | 0.77 | 0.02 | 784 | 1.2 | 0.05 | 0.14 | 0.01 |
| USA, Ohio: White | 2935 | 6.5 | 0.12 | 0.81 | 0.02 | 682 | 1.2 | 0.05 | 0.14 | 0.01 |
| USA, Ohio: Black | 169 | 3.7 | 0.28 | 0.43 | 0.04 | 95 | 1.5 | 0.16 | 0.17 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 14 | 2.1 | 0.56 | 0.22 | 0.08 | 6 | 0.7 | 0.28 | 0.09 | 0.04 |
| USA, Oklahoma | 824 | 5.3 | 0.19 | 0.68 | 0.03 | 195 | 1.0 | 0.08 | 0.12 | 0.01 |
| USA, Oklahoma: White | 724 | 5.5 | 0.21 | 0.69 | 0.03 | 163 | 1.0 | 0.09 | 0.12 | 0.01 |
| USA, Oklahoma: Black | 29 | 3.3 | 0.62 | 0.44 | 0.10 | 16 | 1.4 | 0.37 | 0.16 | 0.05 |
| USA, Oklahoma: American Indian | 60 | 5.6 | 0.72 | 0.76 | 0.11 | 14 | 1.0 | 0.29 | 0.12 | 0.04 |
| USA, Oregon | 1019 | 5.5 | 0.18 | 0.70 | 0.03 | 264 | 1.2 | 0.08 | 0.14 | 0.01 |
| USA, Oregon: White | 981 | 5.6 | 0.19 | 0.71 | 0.03 | 253 | 1.2 | 0.08 | 0.14 | 0.01 |
| *USA, Oregon: Black | 8 | 2.9 | 1.04 | 0.28 | 0.12 | 3 | 1.2 | 0.71 | 0.19 | 0.14 |
| *USA, Oregon: Asian and Pacific Islander | 14 | 2.4 | 0.64 | 0.29 | 0.10 | 3 | 0.3 | 0.21 | 0.04 | 0.03 |
| USA, Rhode Island | 239 | 5.3 | 0.35 | 0.63 | 0.05 | 75 | 1.3 | 0.16 | 0.16 | 0.02 |
| USA, Rhode Island: White | 223 | 5.3 | 0.37 | 0.65 | 0.05 | 70 | 1.3 | 0.17 | 0.16 | 0.03 |
| *USA, Rhode Island: Black | 11 | 4.6 | 1.39 | 0.32 | 0.14 | 4 | 1.4 | 0.74 | 0.16 | 0.10 |
| USA, South Carolina | 1145 | 5.5 | 0.17 | 0.70 | 0.02 | 306 | 1.1 | 0.07 | 0.14 | 0.01 |
| USA, South Carolina: White | 861 | 5.3 | 0.19 | 0.67 | 0.03 | 216 | 1.0 | 0.08 | 0.12 | 0.01 |
| USA, South Carolina: Black | 274 | 6.2 | 0.38 | 0.82 | 0.06 | 89 | 1.5 | 0.16 | 0.19 | 0.02 |
| USA, South Dakota | 196 | 5.1 | 0.37 | 0.72 | 0.06 | 45 | 1.1 | 0.18 | 0.14 | 0.03 |
| USA, Tennessee | 1555 | 5.7 | 0.15 | 0.72 | 0.02 | 345 | 1.0 | 0.06 | 0.13 | 0.01 |
| USA, Tennessee: White | 1383 | 5.9 | 0.16 | 0.74 | 0.02 | 281 | 1.0 | 0.06 | 0.12 | 0.01 |
| USA, Tennessee: Black | 159 | 4.9 | 0.39 | 0.63 | 0.06 | 61 | 1.4 | 0.18 | 0.20 | 0.03 |
| USA, Texas | 4336 | 4.5 | 0.07 | 0.58 | 0.01 | 1084 | 0.9 | 0.03 | 0.11 | 0.00 |
| USA, Texas: White | 3900 | 4.8 | 0.08 | 0.61 | 0.01 | 911 | 0.9 | 0.03 | 0.11 | 0.00 |
| USA, Texas: Black | 332 | 3.5 | 0.20 | 0.44 | 0.03 | 143 | 1.2 | 0.10 | 0.15 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 85 | 2.3 | 0.25 | 0.31 | 0.04 | 24 | 0.5 | 0.11 | 0.07 | 0.02 |
| USA, Utah | 334 | 3.5 | 0.20 | 0.42 | 0.03 | 69 | 0.7 | 0.09 | 0.09 | 0.01 |
| USA, Vermont | 205 | 6.4 | 0.46 | 0.81 | 0.07 | 50 | 1.4 | 0.21 | 0.16 | 0.03 |
| USA, Washington State | 1605 | 5.2 | 0.13 | 0.64 | 0.02 | 418 | 1.2 | 0.06 | 0.14 | 0.01 |
| *USA, Washington, Seattle | 1005 | 4.8 | 0.16 | 0.59 | 0.02 | 280 | 1.1 | 0.07 | 0.13 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Oesophagus (C15) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 577 | 6.5 | 0.28 | 0.85 | 0.04 | 132 | 1.3 | 0.12 | 0.14 | 0.02 |
| USA, Wyoming | 114 | 4.3 | 0.41 | 0.55 | 0.06 | 25 | 0.9 | 0.19 | 0.12 | 0.03 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 19 | 1.6 | 0.38 | 0.13 | 0.04 | 9 | 0.8 | 0.26 | 0.08 | 0.04 |
| Brunei Darussalam | 12 | 1.4 | 0.42 | 0.18 | 0.07 | 3 | 0.4 | 0.24 | 0.03 | 0.03 |
| *China, Anfu County | 58 | 5.9 | 0.78 | 0.81 | 0.12 | 11 | 1.1 | 0.33 | 0.16 | 0.05 |
| *China, Anguo City | 280 | 22.3 | 1.36 | 2.94 | 0.22 | 104 | 7.4 | 0.75 | 0.95 | 0.12 |
| *China, Anshan City | 680 | 8.5 | 0.34 | 1.03 | 0.05 | 109 | 1.0 | 0.11 | 0.10 | 0.02 |
| *China, Aohan Banner, Chifeng City | 498 | 28.1 | 1.31 | 3.83 | 0.20 | 38 | 2.0 | 0.34 | 0.25 | 0.05 |
| *China, Arongqi | 185 | 20.3 | 1.53 | 2.55 | 0.22 | 19 | 2.6 | 0.60 | 0.31 | 0.09 |
| *China, Baoding City | 355 | 10.1 | 0.55 | 1.06 | 0.07 | 113 | 2.9 | 0.28 | 0.25 | 0.03 |
| *China, Beijing City | 2595 | 5.7 | 0.12 | 0.67 | 0.02 | 723 | 1.1 | 0.05 | 0.11 | 0.01 |
| *China, Binhai County | 1791 | 36.9 | 0.88 | 4.84 | 0.14 | 883 | 17.9 | 0.62 | 2.36 | 0.10 |
| *China, Cangzhou City | 116 | 7.1 | 0.67 | 0.97 | 0.11 | 54 | 3.4 | 0.47 | 0.44 | 0.08 |
| China, Changfeng County | 562 | 31.2 | 1.37 | 4.14 | 0.21 | 179 | 9.0 | 0.72 | 1.07 | 0.12 |
| China, Changzhou City | 2325 | 23.1 | 0.48 | 3.01 | 0.08 | 876 | 7.3 | 0.26 | 0.92 | 0.04 |
| China, Chengdu City | 1190 | 32.3 | 0.95 | 3.94 | 0.13 | 201 | 4.9 | 0.36 | 0.58 | 0.05 |
| China, Cixian County | 1555 | 95.1 | 2.50 | 12.15 | 0.38 | 1021 | 55.9 | 1.80 | 6.78 | 0.27 |
| China, Cixi City | 622 | 11.8 | 0.48 | 1.49 | 0.07 | 67 | 1.0 | 0.14 | 0.11 | 0.02 |
| *China, Dafeng District, Yancheng City | 1173 | 30.5 | 0.92 | 3.55 | 0.13 | 552 | 12.0 | 0.53 | 1.32 | 0.08 |
| China, Dalian City | 909 | 7.8 | 0.27 | 0.91 | 0.04 | 80 | 0.5 | 0.06 | 0.03 | 0.01 |
| *China, Dancheng County | 1352 | 45.9 | 1.28 | 5.37 | 0.20 | 1067 | 34.7 | 1.08 | 3.95 | 0.17 |
| China, Dangtu County | 205 | 15.4 | 1.12 | 2.08 | 0.18 | 60 | 4.1 | 0.55 | 0.50 | 0.09 |
| *China, Danyang City | 1733 | 46.4 | 1.13 | 5.63 | 0.16 | 890 | 20.0 | 0.69 | 2.24 | 0.10 |
| *China, Dawukou District, Shizuishan City | 103 | 9.9 | 1.02 | 1.26 | 0.16 | 42 | 3.8 | 0.61 | 0.45 | 0.09 |
| *China, Dehui City | 132 | 4.3 | 0.38 | 0.53 | 0.05 | 15 | 0.5 | 0.13 | 0.04 | 0.01 |
| *China, Donggang County | 149 | 5.0 | 0.42 | 0.60 | 0.06 | 29 | 1.0 | 0.19 | 0.12 | 0.03 |
| *China, Dongguan City | 162 | 3.9 | 0.32 | 0.46 | 0.05 | 44 | 0.7 | 0.12 | 0.06 | 0.02 |
| China, Donghai County | 766 | 17.1 | 0.63 | 2.15 | 0.10 | 235 | 5.2 | 0.36 | 0.58 | 0.06 |
| *China, Dongtai City | 1835 | 32.7 | 0.79 | 4.16 | 0.13 | 938 | 14.2 | 0.50 | 1.79 | 0.08 |
| China, Duanzhou District, Zhaoqing City | 83 | 7.0 | 0.78 | 0.87 | 0.11 | 12 | 1.0 | 0.29 | 0.14 | 0.05 |
| *China, Evenki Autonomous Banner | 65 | 21.2 | 2.83 | 2.41 | 0.36 | 9 | 3.3 | 1.14 | 0.44 | 0.18 |
| *China, Faku County | 533 | 25.6 | 1.12 | 3.19 | 0.16 | 49 | 2.1 | 0.31 | 0.25 | 0.05 |
| *China, Fangcheng County | 520 | 21.3 | 0.95 | 2.61 | 0.14 | 203 | 9.3 | 0.67 | 1.09 | 0.10 |
| *China, Feicheng City | 2705 | 66.8 | 1.30 | 8.25 | 0.19 | 1259 | 26.3 | 0.75 | 3.17 | 0.12 |
| China, Feixi County | 1603 | 36.9 | 0.95 | 4.65 | 0.15 | 553 | 11.1 | 0.50 | 1.31 | 0.08 |
| China, Fuqing City | 475 | 16.1 | 0.76 | 2.06 | 0.12 | 304 | 10.2 | 0.62 | 1.29 | 0.10 |
| *China, Ganyu District, Lianyungang City | 1719 | 36.8 | 0.91 | 4.60 | 0.14 | 326 | 6.5 | 0.38 | 0.80 | 0.06 |
| *China, Ganzhou District, Zhangye City | 407 | 43.5 | 2.29 | 6.18 | 0.35 | 169 | 20.6 | 1.78 | 2.69 | 0.24 |
| *China, Gaocheng City | 321 | 13.8 | 0.78 | 1.78 | 0.12 | 185 | 6.6 | 0.50 | 0.77 | 0.07 |
| China, Gaomi City | 437 | 14.0 | 0.68 | 1.61 | 0.10 | 53 | 1.3 | 0.19 | 0.13 | 0.03 |
| China, Gong'an County | 490 | 14.3 | 0.66 | 1.87 | 0.10 | 50 | 1.3 | 0.19 | 0.13 | 0.03 |
| *China, Guang'an District, Guang'an City | 647 | 32.9 | 1.31 | 4.28 | 0.20 | 219 | 10.9 | 0.76 | 1.33 | 0.11 |
| China, Guanghan City | 769 | 45.2 | 1.68 | 5.58 | 0.24 | 67 | 3.3 | 0.42 | 0.37 | 0.06 |
| China, Guangzhou City | 2072 | 6.5 | 0.14 | 0.80 | 0.02 | 352 | 0.9 | 0.05 | 0.10 | 0.01 |
| *China, Guanyun County | 832 | 21.7 | 0.76 | 2.80 | 0.12 | 358 | 9.1 | 0.50 | 1.04 | 0.08 |
| China, Guilin City | 193 | 8.7 | 0.64 | 0.92 | 0.08 | 21 | 0.9 | 0.21 | 0.13 | 0.03 |
| *China, Hai'an City | 2325 | 38.1 | 0.82 | 4.80 | 0.13 | 1305 | 19.2 | 0.57 | 2.41 | 0.09 |
| China, Hailar District, Hulun Buir City | 246 | 22.2 | 1.50 | 2.84 | 0.23 | 24 | 2.0 | 0.41 | 0.19 | 0.06 |
| China, Haimen District, Nantong City | 591 | 10.6 | 0.45 | 1.29 | 0.07 | 273 | 4.1 | 0.27 | 0.46 | 0.04 |
| China, Haining City | 275 | 7.4 | 0.46 | 0.86 | 0.07 | 83 | 1.9 | 0.22 | 0.21 | 0.04 |
| China, Hangzhou City | 3376 | 10.0 | 0.18 | 1.28 | 0.03 | 477 | 1.2 | 0.06 | 0.13 | 0.01 |
| China, Hebi City | 458 | 36.8 | 1.75 | 4.85 | 0.28 | 268 | 19.8 | 1.24 | 2.52 | 0.19 |
| China, Hefei City | 2338 | 28.1 | 0.60 | 3.65 | 0.09 | 765 | 8.2 | 0.31 | 0.95 | 0.05 |
| China, Hengdong County | 61 | 3.7 | 0.48 | 0.53 | 0.08 | 13 | 0.8 | 0.22 | 0.10 | 0.04 |
| *China, Hengfeng County | 56 | 8.8 | 1.19 | 0.96 | 0.16 | 13 | 2.3 | 0.64 | 0.29 | 0.09 |
| *China, Hepu County | 284 | 9.8 | 0.59 | 1.11 | 0.08 | 32 | 0.8 | 0.17 | 0.07 | 0.02 |
| China, Honghu City | 129 | 4.4 | 0.40 | 0.59 | 0.06 | 24 | 0.7 | 0.15 | 0.06 | 0.02 |
| China, Hongshan District, Chifeng City | 141 | 11.2 | 1.00 | 1.39 | 0.14 | 21 | 1.5 | 0.34 | 0.12 | 0.04 |
| *China, Hongta District, Yuxi City | 53 | 3.3 | 0.46 | 0.41 | 0.07 | 9 | 0.5 | 0.16 | 0.05 | 0.02 |
| *China, Huaiyin District, Huai'an City | 1725 | 44.4 | 1.09 | 5.77 | 0.17 | 960 | 22.9 | 0.79 | 2.92 | 0.13 |
| *China, Jiange County | 934 | 55.4 | 1.85 | 7.10 | 0.29 | 484 | 27.7 | 1.29 | 3.64 | 0.21 |
| China, Jiangmen City | 230 | 9.4 | 0.63 | 1.18 | 0.09 | 16 | 0.5 | 0.14 | 0.05 | 0.02 |
| *China, Jiangyin City | 1135 | 18.8 | 0.57 | 2.34 | 0.08 | 393 | 5.3 | 0.28 | 0.65 | 0.05 |
| *China, Jiashan County | 204 | 9.1 | 0.65 | 1.18 | 0.10 | 68 | 2.5 | 0.32 | 0.29 | 0.05 |
| China, Jiayu County | 72 | 9.5 | 1.14 | 1.17 | 0.17 | 12 | 1.4 | 0.42 | 0.14 | 0.06 |
| *China, Jinan City | 1932 | 20.1 | 0.46 | 2.47 | 0.07 | 577 | 4.7 | 0.21 | 0.54 | 0.03 |
| *China, Jingtai County | 87 | 12.9 | 1.42 | 1.55 | 0.22 | 33 | 5.2 | 0.93 | 0.48 | 0.11 |
| *China, Jingxian County | 202 | 13.5 | 1.00 | 1.56 | 0.14 | 32 | 2.1 | 0.40 | 0.20 | 0.06 |
| *China, Jintan District, Changzhou City | 1064 | 43.4 | 1.37 | 5.37 | 0.21 | 420 | 16.0 | 0.82 | 2.04 | 0.14 |
| *China, Jiulongpo District, Chongqing City | 504 | 14.9 | 0.68 | 1.97 | 0.10 | 97 | 2.5 | 0.26 | 0.30 | 0.04 |
| *China, Jiyuan City | 572 | 35.6 | 1.55 | 4.07 | 0.20 | 380 | 20.8 | 1.09 | 2.14 | 0.15 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Oesophagus (C15) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 213 | 18.3 | 1.31 | 2.27 | 0.19 | 67 | 4.7 | 0.62 | 0.49 | 0.10 |
| China, Kunshan City | 384 | 10.7 | 0.56 | 1.27 | 0.08 | 162 | 3.5 | 0.30 | 0.40 | 0.05 |
| China, Langzhong City | 1684 | 85.9 | 2.11 | 11.47 | 0.33 | 890 | 47.0 | 1.59 | 5.73 | 0.24 |
| *China, Liangshan County | 859 | 26.7 | 0.93 | 3.28 | 0.14 | 322 | 9.4 | 0.55 | 1.16 | 0.09 |
| *China, Lianshui County | 2474 | 55.7 | 1.14 | 7.55 | 0.18 | 1519 | 31.9 | 0.87 | 4.20 | 0.14 |
| China, Lianyungang City | 584 | 14.2 | 0.60 | 1.76 | 0.10 | 222 | 4.6 | 0.32 | 0.52 | 0.05 |
| China, Linhe District, Bayannur City | 172 | 13.1 | 1.03 | 1.82 | 0.17 | 38 | 2.8 | 0.47 | 0.36 | 0.08 |
| China, Linqu County | 521 | 14.0 | 0.63 | 1.61 | 0.09 | 114 | 2.6 | 0.25 | 0.23 | 0.04 |
| *China, Linzhou City | 2317 | 65.8 | 1.41 | 7.97 | 0.21 | 1772 | 43.4 | 1.04 | 5.25 | 0.15 |
| China, Liuzhou City | 241 | 6.4 | 0.42 | 0.73 | 0.06 | 61 | 1.4 | 0.19 | 0.18 | 0.03 |
| China, Liyang City | 794 | 18.3 | 0.66 | 2.33 | 0.10 | 173 | 3.7 | 0.29 | 0.49 | 0.05 |
| *China, Longquan City | 109 | 10.1 | 1.02 | 1.18 | 0.15 | 16 | 1.5 | 0.41 | 0.19 | 0.07 |
| China, Lucheng District, Wenzhou City | 189 | 9.6 | 0.71 | 1.28 | 0.11 | 21 | 0.7 | 0.17 | 0.04 | 0.02 |
| China, Luoding City | 273 | 11.5 | 0.71 | 1.46 | 0.11 | 118 | 4.5 | 0.45 | 0.54 | 0.07 |
| *China, Luohe City | 852 | 22.3 | 0.79 | 2.84 | 0.12 | 542 | 11.6 | 0.52 | 1.34 | 0.08 |
| *China, Luoyang City | 650 | 15.2 | 0.62 | 1.83 | 0.09 | 355 | 7.6 | 0.42 | 0.86 | 0.06 |
| *China, Luquan City | 190 | 15.9 | 1.17 | 2.15 | 0.19 | 103 | 7.5 | 0.76 | 1.00 | 0.13 |
| China, Ma'anshan City | 516 | 23.5 | 1.07 | 2.86 | 0.15 | 152 | 5.7 | 0.47 | 0.55 | 0.07 |
| *China, Macheng City | 465 | 19.3 | 0.91 | 2.49 | 0.14 | 233 | 9.5 | 0.63 | 1.31 | 0.10 |
| China, Meihekou City | 129 | 5.4 | 0.49 | 0.73 | 0.08 | 17 | 0.7 | 0.18 | 0.07 | 0.03 |
| *China, Mengjin County | 331 | 29.2 | 1.62 | 3.42 | 0.24 | 289 | 22.2 | 1.34 | 3.05 | 0.23 |
| China, Nangang District, Harbin City | 224 | 5.2 | 0.36 | 0.60 | 0.05 | 19 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Nanghai District, Foshan City | 261 | 9.3 | 0.58 | 1.10 | 0.08 | 53 | 1.5 | 0.21 | 0.17 | 0.03 |
| China, Nanhu District, Jiaying City | 254 | 9.2 | 0.59 | 1.13 | 0.09 | 57 | 1.7 | 0.23 | 0.15 | 0.03 |
| *China, Nantong City | 915 | 15.4 | 0.52 | 1.98 | 0.08 | 338 | 4.2 | 0.25 | 0.44 | 0.04 |
| *China, Nanxiong City | 105 | 7.8 | 0.77 | 0.99 | 0.12 | 13 | 0.5 | 0.15 | 0.02 | 0.01 |
| China, Neixiang County | 1401 | 56.8 | 1.55 | 7.10 | 0.22 | 728 | 27.2 | 1.04 | 3.35 | 0.15 |
| *China, Qianxi County | 337 | 24.1 | 1.37 | 2.87 | 0.21 | 68 | 5.0 | 0.63 | 0.67 | 0.11 |
| China, Qidong City | 494 | 6.9 | 0.32 | 0.75 | 0.04 | 181 | 1.7 | 0.14 | 0.14 | 0.02 |
| China, Qingzhou City | 416 | 12.1 | 0.60 | 1.50 | 0.09 | 121 | 2.9 | 0.28 | 0.36 | 0.05 |
| *China, Rudong County | 1213 | 17.1 | 0.51 | 2.16 | 0.08 | 592 | 7.2 | 0.32 | 0.87 | 0.05 |
| *China, Rugao City | 3787 | 47.5 | 0.79 | 6.17 | 0.12 | 2262 | 24.3 | 0.55 | 3.06 | 0.09 |
| *China, Rural areas of Shanghai City | 3567 | 7.0 | 0.12 | 0.82 | 0.02 | 941 | 1.3 | 0.05 | 0.13 | 0.01 |
| China, Ruyang County | 505 | 41.8 | 1.91 | 5.62 | 0.32 | 319 | 23.7 | 1.41 | 2.69 | 0.23 |
| *China, Shan County | 504 | 19.9 | 0.91 | 2.41 | 0.14 | 309 | 9.1 | 0.56 | 1.01 | 0.09 |
| China, Shanghai City | 2023 | 4.9 | 0.12 | 0.56 | 0.02 | 642 | 1.1 | 0.05 | 0.10 | 0.01 |
| China, Shangyu District, Shaoxing City | 637 | 17.6 | 0.71 | 2.26 | 0.11 | 72 | 1.7 | 0.21 | 0.21 | 0.04 |
| *China, Shapingba District, Chongqing City | 530 | 15.9 | 0.71 | 2.00 | 0.11 | 128 | 3.5 | 0.33 | 0.40 | 0.05 |
| China, Shexian County | 743 | 55.0 | 2.04 | 7.12 | 0.32 | 413 | 29.8 | 1.48 | 3.60 | 0.22 |
| China, Sheyang County | 1228 | 27.2 | 0.80 | 3.57 | 0.13 | 792 | 16.6 | 0.61 | 2.02 | 0.10 |
| *China, Shijiazhuang City | 540 | 10.0 | 0.44 | 1.36 | 0.07 | 268 | 4.2 | 0.28 | 0.48 | 0.04 |
| China, Shunde District, Foshan City | 659 | 18.9 | 0.74 | 2.41 | 0.11 | 56 | 1.1 | 0.15 | 0.11 | 0.02 |
| *China, Song County | 1100 | 67.4 | 2.06 | 8.54 | 0.32 | 606 | 37.5 | 1.58 | 4.72 | 0.25 |
| China, Suzhou City | 2032 | 11.7 | 0.27 | 1.43 | 0.04 | 676 | 3.1 | 0.13 | 0.33 | 0.02 |
| *China, Tengzhou City | 2217 | 39.6 | 0.86 | 5.02 | 0.13 | 1153 | 17.4 | 0.54 | 2.16 | 0.09 |
| *China, Wangdu County | 84 | 12.7 | 1.42 | 1.46 | 0.21 | 34 | 4.8 | 0.85 | 0.72 | 0.14 |
| *China, Wanxian County | 55 | 4.6 | 0.64 | 0.55 | 0.09 | 8 | 0.6 | 0.21 | 0.04 | 0.02 |
| *China, Wu'an City | 1086 | 48.5 | 1.55 | 6.90 | 0.26 | 503 | 21.0 | 0.97 | 2.77 | 0.16 |
| China, Wuhan City | 1768 | 7.8 | 0.19 | 0.92 | 0.03 | 530 | 1.9 | 0.09 | 0.22 | 0.01 |
| *China, Wuhu City | 831 | 14.7 | 0.53 | 1.93 | 0.08 | 210 | 3.3 | 0.24 | 0.40 | 0.04 |
| China, Wuxi City | 1838 | 14.3 | 0.34 | 1.87 | 0.05 | 607 | 4.1 | 0.17 | 0.50 | 0.03 |
| China, Wuzhou City | 204 | 10.9 | 0.78 | 1.36 | 0.11 | 47 | 1.9 | 0.29 | 0.16 | 0.04 |
| China, Xiangfu District, Kaifeng City | 331 | 16.9 | 0.95 | 2.18 | 0.15 | 157 | 6.7 | 0.56 | 0.90 | 0.10 |
| China, Xianju County | 555 | 25.9 | 1.13 | 3.25 | 0.19 | 336 | 16.0 | 0.92 | 1.99 | 0.15 |
| *China, Xin'an County | 286 | 24.6 | 1.47 | 3.26 | 0.24 | 174 | 13.9 | 1.09 | 1.78 | 0.18 |
| *China, Xining City | 326 | 16.2 | 0.96 | 1.77 | 0.12 | 115 | 4.5 | 0.44 | 0.44 | 0.06 |
| *China, Xinji City | 364 | 12.8 | 0.68 | 1.58 | 0.10 | 198 | 6.4 | 0.47 | 0.81 | 0.07 |
| *China, Xinluo District, Longyan City | 73 | 5.9 | 0.71 | 0.72 | 0.10 | 27 | 2.0 | 0.40 | 0.24 | 0.07 |
| *China, Xinzhou District, Shangrao City | 178 | 13.4 | 1.03 | 1.76 | 0.16 | 59 | 4.3 | 0.58 | 0.50 | 0.09 |
| China, Xiping County | 710 | 28.0 | 1.12 | 3.03 | 0.15 | 421 | 13.5 | 0.69 | 1.63 | 0.11 |
| *China, Xishan District, Kunming City | 65 | 3.8 | 0.50 | 0.45 | 0.07 | 16 | 0.8 | 0.20 | 0.08 | 0.03 |
| *China, Xuyi County | 914 | 34.8 | 1.18 | 4.55 | 0.20 | 420 | 14.2 | 0.73 | 1.85 | 0.13 |
| *China, Ya'an City | 756 | 14.2 | 0.53 | 1.79 | 0.08 | 132 | 2.3 | 0.20 | 0.29 | 0.03 |
| *China, Yakeshi City | 312 | 19.9 | 1.21 | 2.40 | 0.17 | 44 | 2.2 | 0.36 | 0.20 | 0.05 |
| China, Yancheng City | 2330 | 38.0 | 0.80 | 4.70 | 0.12 | 1226 | 18.5 | 0.54 | 2.24 | 0.09 |
| *China, Yangquan City | 586 | 28.4 | 1.24 | 3.22 | 0.17 | 306 | 15.0 | 0.89 | 1.80 | 0.13 |
| *China, Yangzhong City | 665 | 45.0 | 1.77 | 5.79 | 0.26 | 440 | 23.8 | 1.18 | 2.78 | 0.18 |
| *China, Yanji City | 153 | 7.3 | 0.60 | 0.83 | 0.09 | 12 | 0.5 | 0.16 | 0.06 | 0.02 |
| *China, Yanshi City | 619 | 25.0 | 1.01 | 3.03 | 0.15 | 431 | 14.7 | 0.73 | 1.70 | 0.12 |
| China, Yanting County | 1736 | 91.7 | 2.22 | 11.16 | 0.32 | 1128 | 58.2 | 1.76 | 7.24 | 0.25 |
| *China, Yi'an District, Tongling City | 333 | 32.8 | 1.84 | 4.09 | 0.29 | 68 | 6.3 | 0.78 | 0.76 | 0.13 |
| *China, Yingdong District, Fuyang City | 523 | 21.9 | 0.99 | 2.75 | 0.16 | 256 | 10.3 | 0.68 | 1.29 | 0.11 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Oesophagus (C15) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 113 | 11.6 | 1.11 | 1.40 | 0.15 | 18 | 1.7 | 0.42 | 0.24 | 0.07 |
| *China, Yiyuan County | 395 | 19.0 | 0.98 | 2.16 | 0.15 | 52 | 2.2 | 0.32 | 0.23 | 0.05 |
| China, Yong'an City | 161 | 12.0 | 0.97 | 1.43 | 0.14 | 44 | 3.4 | 0.54 | 0.46 | 0.09 |
| *China, Yongding District, Longyan City | 247 | 15.3 | 0.98 | 1.87 | 0.14 | 31 | 1.4 | 0.27 | 0.13 | 0.04 |
| China, Yongkang City | 183 | 7.4 | 0.56 | 0.97 | 0.09 | 80 | 2.7 | 0.32 | 0.27 | 0.05 |
| *China, Yucheng County | 425 | 21.5 | 1.06 | 2.66 | 0.16 | 355 | 16.3 | 0.90 | 2.02 | 0.14 |
| China, Yueyanglou District, Yueyang City | 82 | 7.7 | 0.86 | 0.97 | 0.13 | 8 | 0.7 | 0.26 | 0.08 | 0.03 |
| China, Yunmeng County | 225 | 14.0 | 0.97 | 1.77 | 0.14 | 70 | 3.8 | 0.47 | 0.48 | 0.07 |
| *China, Yunyang District, Shiyuan City | 529 | 47.8 | 2.13 | 6.65 | 0.36 | 246 | 23.2 | 1.52 | 3.02 | 0.25 |
| China, Yuzhong District, Chongqing City | 232 | 10.3 | 0.72 | 1.34 | 0.12 | 44 | 1.5 | 0.26 | 0.16 | 0.04 |
| *China, Zhanhuang County | 194 | 22.2 | 1.61 | 2.81 | 0.25 | 128 | 14.1 | 1.27 | 1.89 | 0.21 |
| *China, Zhangjiagang City | 796 | 16.7 | 0.60 | 2.15 | 0.09 | 265 | 4.4 | 0.29 | 0.55 | 0.05 |
| *China, Zhaoyuan City | 234 | 8.1 | 0.55 | 0.96 | 0.08 | 27 | 0.7 | 0.15 | 0.05 | 0.02 |
| *China, Zhengding County | 191 | 14.4 | 1.06 | 1.93 | 0.17 | 100 | 6.1 | 0.62 | 0.76 | 0.10 |
| *China, Zhongshan City | 817 | 15.5 | 0.55 | 1.94 | 0.08 | 49 | 0.8 | 0.12 | 0.09 | 0.02 |
| China, Zhongxiang City | 431 | 12.9 | 0.63 | 1.65 | 0.10 | 142 | 3.9 | 0.34 | 0.47 | 0.05 |
| *China, Zhuanghe City | 284 | 6.1 | 0.37 | 0.80 | 0.06 | 44 | 0.8 | 0.13 | 0.08 | 0.02 |
| *China, Zhuhai City | 234 | 6.7 | 0.45 | 0.86 | 0.07 | 62 | 1.8 | 0.23 | 0.23 | 0.04 |
| India, Ahmedabad, Urban | 617 | 5.4 | 0.22 | 0.69 | 0.03 | 350 | 3.1 | 0.17 | 0.38 | 0.02 |
| India, Aurangabad | 144 | 5.6 | 0.47 | 0.70 | 0.07 | 79 | 3.1 | 0.35 | 0.43 | 0.06 |
| India, Bangalore | 758 | 7.2 | 0.26 | 0.95 | 0.04 | 577 | 5.5 | 0.23 | 0.71 | 0.04 |
| India, Barshi, Paranda, and Bhum | 53 | 3.4 | 0.49 | 0.41 | 0.07 | 40 | 2.6 | 0.43 | 0.34 | 0.06 |
| *India, Bhopal | 122 | 4.8 | 0.45 | 0.62 | 0.07 | 95 | 3.8 | 0.40 | 0.48 | 0.06 |
| India, Chandigarh | 135 | 5.9 | 0.52 | 0.70 | 0.08 | 46 | 2.3 | 0.34 | 0.25 | 0.05 |
| *India, Chennai | 534 | 4.3 | 0.19 | 0.50 | 0.03 | 424 | 3.2 | 0.16 | 0.38 | 0.02 |
| India, Dibrugarh | 393 | 14.4 | 0.74 | 1.78 | 0.11 | 214 | 7.9 | 0.55 | 1.03 | 0.08 |
| *India, Dindigul, Ambilikkai | 192 | 3.1 | 0.22 | 0.39 | 0.03 | 114 | 1.8 | 0.17 | 0.22 | 0.02 |
| India, Kamrup Urban District | 733 | 30.8 | 1.17 | 3.76 | 0.17 | 371 | 17.6 | 0.94 | 2.32 | 0.15 |
| India, Kollam | 284 | 4.4 | 0.26 | 0.55 | 0.04 | 119 | 1.5 | 0.14 | 0.18 | 0.02 |
| *India, Manipur | 168 | 3.7 | 0.29 | 0.48 | 0.05 | 53 | 1.2 | 0.16 | 0.17 | 0.03 |
| India, Meghalaya | 1518 | 55.6 | 1.49 | 6.32 | 0.20 | 680 | 24.1 | 0.94 | 2.94 | 0.13 |
| India, Mizoram | 548 | 30.7 | 1.34 | 3.60 | 0.18 | 109 | 6.9 | 0.67 | 0.90 | 0.10 |
| India, Mumbai | 1179 | 3.9 | 0.11 | 0.46 | 0.02 | 949 | 3.1 | 0.10 | 0.34 | 0.01 |
| *India, New Delhi | 1301 | 6.3 | 0.18 | 0.80 | 0.03 | 746 | 3.8 | 0.14 | 0.46 | 0.02 |
| India, Poona | 409 | 3.6 | 0.18 | 0.46 | 0.03 | 333 | 2.8 | 0.16 | 0.31 | 0.02 |
| *India, Sangrur District | 162 | 6.1 | 0.48 | 0.72 | 0.06 | 132 | 5.4 | 0.47 | 0.65 | 0.06 |
| India, SAS Nagar | 138 | 6.1 | 0.53 | 0.77 | 0.07 | 95 | 4.1 | 0.43 | 0.54 | 0.06 |
| *India, Tamil Nadu | 6941 | 3.5 | 0.04 | 0.43 | 0.01 | 4291 | 2.0 | 0.03 | 0.24 | 0.00 |
| *India, Tripura | 405 | 6.2 | 0.31 | 0.79 | 0.05 | 197 | 3.2 | 0.23 | 0.41 | 0.03 |
| India, Trivandrum | 328 | 4.0 | 0.22 | 0.51 | 0.03 | 85 | 0.9 | 0.10 | 0.11 | 0.01 |
| India, Wardha | 160 | 4.2 | 0.34 | 0.55 | 0.05 | 117 | 3.1 | 0.29 | 0.40 | 0.04 |
| India, West Arunachal | 83 | 9.5 | 1.14 | 1.23 | 0.17 | 30 | 4.2 | 0.82 | 0.57 | 0.13 |
| *Iran (Islamic Republic of), Ardabil Province | 200 | 10.9 | 0.81 | 1.34 | 0.13 | 181 | 9.9 | 0.76 | 1.17 | 0.11 |
| *Iran (Islamic Republic of), Golestan Province | 291 | 13.0 | 0.79 | 1.46 | 0.12 | 244 | 10.6 | 0.69 | 1.25 | 0.11 |
| Israel | 416 | 1.6 | 0.08 | 0.19 | 0.01 | 295 | 0.8 | 0.05 | 0.09 | 0.01 |
| *Israel: Jews | 356 | 1.6 | 0.09 | 0.19 | 0.01 | 262 | 0.9 | 0.06 | 0.10 | 0.01 |
| *Israel: Arabs | 24 | 0.9 | 0.18 | 0.14 | 0.03 | 17 | 0.5 | 0.12 | 0.04 | 0.01 |
| Japan | 57783 | 12.0 | 0.05 | 1.59 | 0.01 | 11254 | 2.0 | 0.02 | 0.25 | 0.00 |
| Japan, Aichi Prefecture | 2462 | 9.4 | 0.21 | 1.27 | 0.03 | 465 | 1.6 | 0.09 | 0.21 | 0.01 |
| *Japan, Akita Prefecture | 806 | 16.7 | 0.68 | 2.08 | 0.10 | 115 | 1.9 | 0.23 | 0.25 | 0.03 |
| Japan, Aomori Prefecture | 1097 | 12.3 | 0.41 | 1.61 | 0.06 | 179 | 1.7 | 0.16 | 0.20 | 0.02 |
| Japan, Gunma Prefecture | 742 | 8.9 | 0.36 | 1.16 | 0.05 | 172 | 1.8 | 0.17 | 0.22 | 0.02 |
| Japan, Hiroshima Prefecture | 1800 | 12.4 | 0.33 | 1.64 | 0.05 | 355 | 2.1 | 0.14 | 0.26 | 0.02 |
| Japan, Miyagi Prefecture | 2156 | 14.0 | 0.33 | 1.81 | 0.05 | 427 | 2.2 | 0.13 | 0.28 | 0.02 |
| Japan, Osaka Prefecture | 4341 | 13.7 | 0.23 | 1.82 | 0.03 | 963 | 2.8 | 0.11 | 0.33 | 0.01 |
| Kuwait | 53 | 1.1 | 0.18 | 0.13 | 0.03 | 23 | 0.6 | 0.14 | 0.06 | 0.02 |
| *Kuwait: Kuwaitis | 32 | 2.0 | 0.36 | 0.24 | 0.05 | 15 | 0.7 | 0.18 | 0.07 | 0.02 |
| *Kuwait: Non-Kuwaitis | 21 | 0.5 | 0.15 | 0.07 | 0.03 | 8 | 0.4 | 0.16 | 0.05 | 0.02 |
| *Philippines, Manila | 218 | 2.2 | 0.16 | 0.29 | 0.03 | 69 | 0.5 | 0.06 | 0.05 | 0.01 |
| *Qatar: Qatari | 2 | 0.5 | 0.33 | 0.03 | 0.03 | 3 | 0.8 | 0.48 | 0.07 | 0.07 |
| Republic of Korea | 11160 | 5.6 | 0.05 | 0.71 | 0.01 | 1143 | 0.5 | 0.01 | 0.05 | 0.00 |
| *Republic of Korea, Busan | 946 | 6.1 | 0.20 | 0.78 | 0.03 | 100 | 0.5 | 0.05 | 0.05 | 0.01 |
| *Republic of Korea, Daegu | 499 | 5.3 | 0.24 | 0.68 | 0.04 | 52 | 0.4 | 0.06 | 0.05 | 0.01 |
| *Republic of Korea, Daejeon | 251 | 4.8 | 0.31 | 0.63 | 0.05 | 26 | 0.4 | 0.08 | 0.04 | 0.01 |
| *Republic of Korea, Gwangju | 224 | 4.5 | 0.30 | 0.58 | 0.05 | 19 | 0.3 | 0.07 | 0.04 | 0.01 |
| Republic of Korea, Incheon | 520 | 5.0 | 0.22 | 0.65 | 0.04 | 65 | 0.5 | 0.07 | 0.06 | 0.01 |
| Republic of Korea, Jeju | 177 | 7.6 | 0.59 | 0.92 | 0.08 | 9 | 0.4 | 0.13 | 0.05 | 0.02 |
| Republic of Korea, Seoul | 1976 | 5.2 | 0.12 | 0.68 | 0.02 | 220 | 0.5 | 0.03 | 0.05 | 0.00 |
| Republic of Korea, Ulsan | 202 | 5.5 | 0.41 | 0.70 | 0.06 | 23 | 0.5 | 0.11 | 0.05 | 0.02 |
| Singapore | 472 | 3.1 | 0.14 | 0.39 | 0.02 | 96 | 0.5 | 0.05 | 0.05 | 0.01 |
| Singapore: Chinese | 418 | 3.4 | 0.17 | 0.42 | 0.03 | 85 | 0.5 | 0.06 | 0.05 | 0.01 |
| Singapore: Indian | 25 | 2.3 | 0.48 | 0.31 | 0.08 | 5 | 0.5 | 0.21 | 0.06 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Oesophagus (C15) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 25 | 1.6 | 0.33 | 0.18 | 0.05 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |
| Thailand, Bangkok | 533 | 3.0 | 0.13 | 0.39 | 0.02 | 96 | 0.4 | 0.05 | 0.05 | 0.01 |
| *Thailand, Chiang Mai | 120 | 2.1 | 0.20 | 0.26 | 0.03 | 28 | 0.4 | 0.08 | 0.05 | 0.01 |
| *Thailand, Khon Kaen | 100 | 1.6 | 0.17 | 0.20 | 0.02 | 15 | 0.2 | 0.06 | 0.02 | 0.01 |
| Thailand, Lampang | 61 | 2.0 | 0.27 | 0.24 | 0.04 | 11 | 0.3 | 0.10 | 0.02 | 0.01 |
| Thailand, Lopburi Province | 185 | 7.9 | 0.59 | 0.97 | 0.08 | 30 | 1.1 | 0.21 | 0.12 | 0.03 |
| *Thailand, Songkhla | 344 | 8.4 | 0.46 | 1.05 | 0.07 | 36 | 0.7 | 0.12 | 0.09 | 0.02 |
| Turkey, Antalya | 80 | 1.3 | 0.15 | 0.15 | 0.02 | 49 | 0.7 | 0.10 | 0.07 | 0.01 |
| Turkey, Bursa | 160 | 2.0 | 0.16 | 0.26 | 0.03 | 117 | 1.3 | 0.12 | 0.14 | 0.02 |
| *Turkey, Edirne | 34 | 2.1 | 0.37 | 0.25 | 0.05 | 9 | 0.5 | 0.19 | 0.07 | 0.03 |
| *Turkey, Erzurum | 184 | 9.6 | 0.72 | 1.05 | 0.10 | 219 | 10.3 | 0.72 | 1.23 | 0.10 |
| Turkey, Eskişehir | 48 | 1.8 | 0.26 | 0.22 | 0.04 | 18 | 0.5 | 0.13 | 0.05 | 0.02 |
| Turkey, Gaziantep | 36 | 1.1 | 0.19 | 0.13 | 0.03 | 22 | 0.5 | 0.12 | 0.06 | 0.01 |
| *Turkey, Izmir | 288 | 2.2 | 0.13 | 0.28 | 0.02 | 179 | 1.2 | 0.09 | 0.14 | 0.01 |
| Turkey, Malatya | 21 | 1.0 | 0.22 | 0.13 | 0.04 | 10 | 0.4 | 0.14 | 0.05 | 0.02 |
| Turkey, Samsun | 113 | 2.7 | 0.26 | 0.31 | 0.04 | 53 | 1.2 | 0.16 | 0.12 | 0.02 |
| Turkey, Trabzon | 31 | 1.2 | 0.22 | 0.13 | 0.03 | 17 | 0.5 | 0.13 | 0.07 | 0.02 |
| Europe | | | | | | | | | | |
| Austria | 1772 | 4.5 | 0.11 | 0.59 | 0.02 | 480 | 1.0 | 0.05 | 0.13 | 0.01 |
| Austria, Carinthia | 136 | 5.2 | 0.46 | 0.67 | 0.06 | 45 | 1.3 | 0.22 | 0.18 | 0.03 |
| Austria, Tyrol | 115 | 3.6 | 0.35 | 0.47 | 0.05 | 31 | 0.8 | 0.17 | 0.11 | 0.02 |
| Austria, Vorarlberg | 67 | 3.6 | 0.46 | 0.44 | 0.07 | 17 | 0.7 | 0.20 | 0.08 | 0.03 |
| Belarus | 2509 | 7.9 | 0.16 | 1.03 | 0.02 | 302 | 0.6 | 0.04 | 0.07 | 0.01 |
| *Belgium | 3706 | 7.1 | 0.12 | 0.91 | 0.02 | 1366 | 2.1 | 0.06 | 0.27 | 0.01 |
| Croatia | 816 | 4.3 | 0.16 | 0.56 | 0.02 | 179 | 0.7 | 0.06 | 0.08 | 0.01 |
| Cyprus | 43 | 1.1 | 0.17 | 0.13 | 0.03 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| *Czech Republic | 2678 | 5.8 | 0.11 | 0.74 | 0.02 | 591 | 1.0 | 0.04 | 0.12 | 0.01 |
| Denmark | 1947 | 6.8 | 0.16 | 0.88 | 0.02 | 708 | 2.1 | 0.09 | 0.28 | 0.01 |
| Estonia | 326 | 6.3 | 0.36 | 0.81 | 0.05 | 83 | 1.0 | 0.13 | 0.12 | 0.02 |
| Finland | 1179 | 4.1 | 0.13 | 0.55 | 0.02 | 475 | 1.2 | 0.06 | 0.13 | 0.01 |
| *France, Bas-Rhin | 258 | 6.3 | 0.41 | 0.84 | 0.06 | 63 | 1.3 | 0.18 | 0.16 | 0.03 |
| *France, Calvados | 256 | 7.8 | 0.52 | 0.90 | 0.07 | 58 | 1.3 | 0.20 | 0.17 | 0.03 |
| *France, Doubs | 114 | 4.5 | 0.45 | 0.55 | 0.06 | 39 | 1.2 | 0.22 | 0.16 | 0.03 |
| *France, Gironde | 382 | 5.7 | 0.31 | 0.70 | 0.04 | 138 | 1.5 | 0.15 | 0.19 | 0.02 |
| *France, Haut-Rhin | 225 | 6.1 | 0.43 | 0.72 | 0.06 | 51 | 1.0 | 0.16 | 0.10 | 0.02 |
| *France, Hérault | 282 | 5.5 | 0.35 | 0.66 | 0.05 | 95 | 1.4 | 0.16 | 0.17 | 0.02 |
| *France, Isère | 270 | 4.9 | 0.31 | 0.61 | 0.04 | 89 | 1.2 | 0.15 | 0.15 | 0.02 |
| *France, Lille-Métropole | 286 | 10.3 | 0.63 | 1.32 | 0.09 | 93 | 2.3 | 0.26 | 0.29 | 0.04 |
| *France, Limousin | 139 | 7.1 | 0.66 | 0.88 | 0.09 | 35 | 1.5 | 0.29 | 0.21 | 0.04 |
| *France, Loire-Atlantique | 519 | 9.0 | 0.42 | 1.10 | 0.06 | 135 | 1.7 | 0.16 | 0.22 | 0.03 |
| *France, Manche | 231 | 8.4 | 0.59 | 1.06 | 0.09 | 54 | 1.6 | 0.24 | 0.22 | 0.04 |
| *France, Poitou-Charentes | 640 | 6.6 | 0.28 | 0.81 | 0.04 | 173 | 1.4 | 0.13 | 0.17 | 0.02 |
| *France, Somme | 249 | 9.6 | 0.63 | 1.21 | 0.09 | 64 | 2.2 | 0.31 | 0.28 | 0.04 |
| *France, Tarn | 109 | 5.3 | 0.55 | 0.63 | 0.07 | 38 | 1.3 | 0.24 | 0.18 | 0.04 |
| *France, Territoire de Belfort | 31 | 5.7 | 1.10 | 0.62 | 0.15 | 4 | 0.6 | 0.34 | 0.09 | 0.05 |
| *France, Vendée | 294 | 8.0 | 0.51 | 0.93 | 0.07 | 61 | 1.5 | 0.23 | 0.19 | 0.03 |
| Germany, Baden-Württemberg | 1773 | 5.3 | 0.13 | 0.68 | 0.02 | 526 | 1.3 | 0.06 | 0.16 | 0.01 |
| Germany, Bavaria | 3593 | 5.7 | 0.10 | 0.74 | 0.01 | 925 | 1.2 | 0.04 | 0.15 | 0.01 |
| Germany, Bremen | 305 | 9.1 | 0.57 | 1.13 | 0.08 | 93 | 2.2 | 0.27 | 0.27 | 0.04 |
| Germany, Hamburg | 635 | 7.5 | 0.32 | 0.97 | 0.05 | 228 | 2.2 | 0.17 | 0.28 | 0.02 |
| Germany, Lower Saxony | 2818 | 6.7 | 0.13 | 0.86 | 0.02 | 812 | 1.6 | 0.06 | 0.20 | 0.01 |
| Germany, North Rhine-Westphalia | 6231 | 6.9 | 0.09 | 0.89 | 0.01 | 2134 | 1.8 | 0.05 | 0.23 | 0.01 |
| Germany, Rhineland-Palatinate | 1432 | 6.6 | 0.19 | 0.83 | 0.03 | 386 | 1.5 | 0.09 | 0.19 | 0.01 |
| Germany, Saarland | 346 | 6.1 | 0.35 | 0.81 | 0.05 | 105 | 1.6 | 0.18 | 0.22 | 0.03 |
| Germany, Schleswig-Holstein | 1226 | 7.9 | 0.24 | 1.00 | 0.03 | 373 | 2.0 | 0.12 | 0.26 | 0.02 |
| Iceland | 77 | 5.6 | 0.66 | 0.74 | 0.10 | 27 | 1.6 | 0.33 | 0.15 | 0.04 |
| Ireland | 1410 | 7.7 | 0.21 | 0.94 | 0.03 | 701 | 3.1 | 0.13 | 0.34 | 0.02 |
| *Italy, Aosta Valley | 28 | 4.7 | 0.94 | 0.63 | 0.15 | 15 | 2.3 | 0.67 | 0.34 | 0.11 |
| *Italy, Avellino | 21 | 1.5 | 0.37 | 0.18 | 0.05 | 4 | 0.2 | 0.13 | 0.05 | 0.03 |
| Italy, Basilicata | 53 | 1.9 | 0.28 | 0.22 | 0.04 | 10 | 0.3 | 0.10 | 0.04 | 0.02 |
| *Italy, Benevento | 23 | 1.9 | 0.45 | 0.18 | 0.05 | 7 | 0.3 | 0.15 | 0.05 | 0.03 |
| Italy, Bergamo | 161 | 2.7 | 0.22 | 0.32 | 0.03 | 65 | 0.8 | 0.12 | 0.10 | 0.02 |
| *Italy, Brescia | 187 | 3.0 | 0.24 | 0.35 | 0.03 | 71 | 0.8 | 0.12 | 0.09 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 84 | 2.1 | 0.24 | 0.30 | 0.04 | 34 | 0.7 | 0.15 | 0.08 | 0.02 |
| Italy, Calabria | 38 | 1.3 | 0.24 | 0.15 | 0.03 | 12 | 0.4 | 0.13 | 0.05 | 0.02 |
| *Italy, Caserta | 36 | 1.2 | 0.21 | 0.16 | 0.03 | 12 | 0.3 | 0.10 | 0.03 | 0.01 |
| *Italy, Catania, Messina, and Enna | 128 | 1.3 | 0.12 | 0.15 | 0.02 | 40 | 0.3 | 0.06 | 0.04 | 0.01 |
| Italy, Emilia-Romagna | 466 | 2.4 | 0.12 | 0.29 | 0.02 | 178 | 0.7 | 0.07 | 0.08 | 0.01 |
| Italy, Friuli-Venezia Giulia | 323 | 4.5 | 0.28 | 0.56 | 0.04 | 113 | 1.0 | 0.13 | 0.12 | 0.02 |
| Italy, Genova | 117 | 2.6 | 0.28 | 0.29 | 0.04 | 46 | 0.6 | 0.13 | 0.07 | 0.02 |
| *Italy, Lombardy, South, Pavia | 117 | 3.6 | 0.37 | 0.45 | 0.05 | 40 | 0.9 | 0.17 | 0.10 | 0.02 |
| Italy, Mantova and Cremona | 111 | 2.9 | 0.30 | 0.34 | 0.04 | 30 | 0.6 | 0.13 | 0.05 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Oesophagus (C15) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 116 | 1.7 | 0.18 | 0.21 | 0.02 | 47 | 0.5 | 0.09 | 0.06 | 0.01 |
| Italy, Milan | 491 | 2.7 | 0.13 | 0.32 | 0.02 | 212 | 0.7 | 0.06 | 0.08 | 0.01 |
| Italy, Molise | 17 | 1.7 | 0.45 | 0.22 | 0.07 | 7 | 0.5 | 0.22 | 0.08 | 0.04 |
| *Italy, Naples Centre | 41 | 1.6 | 0.27 | 0.21 | 0.04 | 22 | 0.6 | 0.14 | 0.10 | 0.02 |
| *Italy, Naples North | 51 | 1.5 | 0.22 | 0.17 | 0.03 | 22 | 0.6 | 0.14 | 0.07 | 0.02 |
| *Italy, Naples South | 64 | 1.3 | 0.17 | 0.15 | 0.02 | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Italy, Nuoro | 42 | 6.5 | 1.07 | 0.79 | 0.14 | 8 | 0.7 | 0.29 | 0.05 | 0.03 |
| *Italy, Palermo | 94 | 1.6 | 0.18 | 0.20 | 0.02 | 29 | 0.3 | 0.07 | 0.04 | 0.01 |
| Italy, Puglia | 291 | 1.5 | 0.10 | 0.18 | 0.01 | 104 | 0.4 | 0.04 | 0.04 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 35 | 1.1 | 0.21 | 0.13 | 0.03 | 8 | 0.2 | 0.10 | 0.03 | 0.01 |
| *Italy, Salerno | 60 | 1.4 | 0.20 | 0.17 | 0.03 | 28 | 0.5 | 0.10 | 0.06 | 0.02 |
| Italy, Sassari | 35 | 3.4 | 0.61 | 0.48 | 0.09 | 5 | 0.4 | 0.19 | 0.04 | 0.03 |
| *Italy, Sondrio | 59 | 5.4 | 0.74 | 0.70 | 0.11 | 16 | 0.9 | 0.28 | 0.09 | 0.04 |
| Italy, South Tyrol | 110 | 4.1 | 0.43 | 0.54 | 0.06 | 32 | 0.8 | 0.18 | 0.11 | 0.03 |
| *Italy, Syracuse | 26 | 1.2 | 0.25 | 0.14 | 0.04 | 12 | 0.6 | 0.20 | 0.08 | 0.03 |
| Italy, Trento | 122 | 4.2 | 0.41 | 0.54 | 0.06 | 47 | 1.4 | 0.24 | 0.17 | 0.03 |
| Italy, Turin | 390 | 3.0 | 0.17 | 0.36 | 0.02 | 139 | 0.7 | 0.07 | 0.09 | 0.01 |
| *Italy, Tuscany | 324 | 2.8 | 0.17 | 0.35 | 0.02 | 123 | 0.7 | 0.09 | 0.08 | 0.01 |
| Italy, Umbria | 57 | 1.3 | 0.19 | 0.15 | 0.03 | 39 | 0.8 | 0.15 | 0.09 | 0.02 |
| Italy, Varese | 70 | 2.2 | 0.28 | 0.24 | 0.04 | 19 | 0.5 | 0.13 | 0.05 | 0.02 |
| Italy, Veneto | 1080 | 3.9 | 0.13 | 0.49 | 0.02 | 384 | 1.0 | 0.06 | 0.12 | 0.01 |
| Latvia | 546 | 7.3 | 0.32 | 0.97 | 0.05 | 134 | 1.1 | 0.10 | 0.13 | 0.01 |
| *Liechtenstein | 10 | 5.4 | 1.75 | 0.68 | 0.25 | 2 | 1.0 | 0.71 | 0.06 | 0.06 |
| *Lithuania | 896 | 8.2 | 0.28 | 1.07 | 0.04 | 174 | 0.9 | 0.08 | 0.11 | 0.01 |
| Malta | 55 | 2.4 | 0.34 | 0.24 | 0.04 | 30 | 1.1 | 0.22 | 0.15 | 0.03 |
| *The Netherlands | 8646 | 10.4 | 0.12 | 1.33 | 0.02 | 3045 | 3.1 | 0.06 | 0.40 | 0.01 |
| Norway | 1070 | 4.5 | 0.14 | 0.56 | 0.02 | 358 | 1.2 | 0.07 | 0.16 | 0.01 |
| Poland, Kielce | 190 | 3.6 | 0.27 | 0.45 | 0.04 | 41 | 0.5 | 0.09 | 0.06 | 0.01 |
| *Portugal, Azores | 45 | 6.6 | 0.99 | 0.92 | 0.15 | 6 | 0.7 | 0.31 | 0.06 | 0.03 |
| Russian Federation, Arkhangelsk | 511 | 13.1 | 0.59 | 1.56 | 0.09 | 202 | 2.8 | 0.21 | 0.32 | 0.03 |
| Russian Federation, Kaliningrad | 175 | 5.6 | 0.43 | 0.75 | 0.07 | 39 | 0.7 | 0.13 | 0.09 | 0.02 |
| Russian Federation, Karelia | 227 | 10.7 | 0.73 | 1.33 | 0.11 | 106 | 2.4 | 0.26 | 0.25 | 0.04 |
| *Russian Federation, Komi Republic | 344 | 13.5 | 0.77 | 1.67 | 0.11 | 103 | 2.5 | 0.26 | 0.31 | 0.04 |
| Russian Federation, Murmansk | 223 | 10.2 | 0.71 | 1.24 | 0.10 | 78 | 2.0 | 0.24 | 0.21 | 0.03 |
| *Russian Federation, Orenburg | 488 | 7.4 | 0.35 | 0.93 | 0.05 | 159 | 1.4 | 0.12 | 0.15 | 0.02 |
| Russian Federation, Pskov | 201 | 8.7 | 0.63 | 1.17 | 0.10 | 48 | 1.0 | 0.17 | 0.12 | 0.02 |
| *Russian Federation, Samara | 644 | 5.8 | 0.23 | 0.74 | 0.03 | 137 | 0.7 | 0.06 | 0.08 | 0.01 |
| Russian Federation, Vologda Region | 312 | 7.9 | 0.45 | 0.99 | 0.06 | 124 | 1.7 | 0.17 | 0.22 | 0.02 |
| Slovenia | 351 | 3.7 | 0.20 | 0.47 | 0.03 | 83 | 0.7 | 0.08 | 0.08 | 0.01 |
| Spain, Asturias | 172 | 5.0 | 0.41 | 0.63 | 0.06 | 27 | 0.5 | 0.11 | 0.05 | 0.02 |
| Spain, Basque Country | 475 | 5.4 | 0.26 | 0.69 | 0.04 | 101 | 1.0 | 0.12 | 0.12 | 0.01 |
| Spain, Canary Islands | 281 | 4.7 | 0.29 | 0.56 | 0.04 | 63 | 0.8 | 0.12 | 0.11 | 0.02 |
| Spain, Castellón | 103 | 4.0 | 0.41 | 0.52 | 0.06 | 19 | 0.5 | 0.13 | 0.05 | 0.02 |
| Spain, Girona | 179 | 5.3 | 0.42 | 0.63 | 0.06 | 32 | 0.8 | 0.15 | 0.09 | 0.02 |
| Spain, Granada | 110 | 2.8 | 0.28 | 0.38 | 0.04 | 16 | 0.3 | 0.08 | 0.04 | 0.01 |
| Spain, La Rioja | 78 | 4.9 | 0.61 | 0.60 | 0.09 | 12 | 0.6 | 0.22 | 0.09 | 0.03 |
| Spain, Murcia | 241 | 4.2 | 0.28 | 0.53 | 0.04 | 34 | 0.5 | 0.09 | 0.05 | 0.01 |
| Spain, Navarra | 123 | 4.8 | 0.46 | 0.57 | 0.07 | 28 | 0.9 | 0.19 | 0.09 | 0.03 |
| Spain, Salamanca | 67 | 3.3 | 0.46 | 0.39 | 0.06 | 19 | 0.6 | 0.17 | 0.07 | 0.03 |
| Spain, Tarragona | 189 | 5.4 | 0.41 | 0.66 | 0.06 | 28 | 0.6 | 0.13 | 0.10 | 0.02 |
| *Sweden | 1808 | 3.4 | 0.09 | 0.42 | 0.01 | 671 | 1.1 | 0.05 | 0.14 | 0.01 |
| Switzerland, Aargau | 172 | 5.3 | 0.42 | 0.68 | 0.06 | 52 | 1.4 | 0.21 | 0.15 | 0.03 |
| Switzerland, Basel | 134 | 5.3 | 0.50 | 0.64 | 0.07 | 58 | 1.9 | 0.28 | 0.25 | 0.04 |
| Switzerland, Berne Solothurn | 220 | 5.0 | 0.35 | 0.64 | 0.05 | 74 | 1.4 | 0.19 | 0.19 | 0.03 |
| Switzerland, East | 232 | 5.7 | 0.39 | 0.70 | 0.06 | 54 | 1.2 | 0.18 | 0.15 | 0.03 |
| *Switzerland, Fribourg | 73 | 5.6 | 0.67 | 0.75 | 0.10 | 25 | 1.8 | 0.37 | 0.27 | 0.06 |
| Switzerland, Geneva | 110 | 5.5 | 0.55 | 0.68 | 0.08 | 42 | 1.6 | 0.27 | 0.24 | 0.04 |
| *Switzerland, Graubünden and Glarus | 85 | 6.4 | 0.73 | 0.83 | 0.11 | 26 | 1.8 | 0.39 | 0.22 | 0.06 |
| *Switzerland, Lucerne | 134 | 5.2 | 0.47 | 0.61 | 0.07 | 42 | 1.4 | 0.24 | 0.18 | 0.04 |
| *Switzerland, Neuchâtel and Jura | 71 | 5.9 | 0.74 | 0.83 | 0.12 | 23 | 1.5 | 0.34 | 0.20 | 0.06 |
| Switzerland, Ticino | 146 | 7.6 | 0.67 | 0.97 | 0.10 | 40 | 1.6 | 0.29 | 0.19 | 0.04 |
| Switzerland, Valais | 102 | 6.4 | 0.66 | 0.84 | 0.10 | 27 | 1.5 | 0.30 | 0.22 | 0.05 |
| Switzerland, Vaud | 236 | 7.2 | 0.49 | 0.93 | 0.07 | 74 | 1.7 | 0.22 | 0.23 | 0.03 |
| Switzerland, Zurich and Zug | 345 | 4.6 | 0.26 | 0.57 | 0.04 | 128 | 1.4 | 0.14 | 0.18 | 0.02 |
| Ukraine | 7328 | 6.0 | 0.07 | 0.78 | 0.01 | 954 | 0.5 | 0.02 | 0.05 | 0.00 |
| UK, England | 25750 | 9.6 | 0.06 | 1.19 | 0.01 | 11866 | 3.4 | 0.04 | 0.39 | 0.01 |
| UK, Northern Ireland | 754 | 9.7 | 0.37 | 1.20 | 0.05 | 332 | 3.2 | 0.20 | 0.37 | 0.03 |
| UK, Scotland | 3024 | 11.2 | 0.21 | 1.38 | 0.03 | 1595 | 4.3 | 0.12 | 0.47 | 0.02 |
| UK, Wales | 1486 | 8.9 | 0.25 | 1.10 | 0.04 | 756 | 3.5 | 0.15 | 0.39 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1774 | 5.0 | 0.12 | 0.62 | 0.02 | 737 | 1.6 | 0.06 | 0.17 | 0.01 |
| *Australia, Northern Territory | 52 | 7.5 | 1.04 | 1.02 | 0.17 | 9 | 1.5 | 0.51 | 0.15 | 0.06 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Oesophagus (C15) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 37 | 6.3 | <i>1.03</i> | 0.78 | <i>0.15</i> | 7 | 1.5 | <i>0.58</i> | 0.17 | <i>0.08</i> |
| *Australia, Northern Territory: Indigenous | 15 | 14.9 | <i>4.07</i> | 2.67 | <i>0.82</i> | 2 | 1.1 | <i>0.77</i> | 0.04 | <i>0.04</i> |
| *Australia, Queensland | 1074 | 5.3 | <i>0.17</i> | 0.64 | <i>0.02</i> | 380 | 1.5 | <i>0.08</i> | 0.18 | <i>0.01</i> |
| Australia, South Australia | 450 | 5.3 | <i>0.27</i> | 0.64 | <i>0.04</i> | 139 | 1.2 | <i>0.12</i> | 0.13 | <i>0.02</i> |
| Australia, Tasmania | 212 | 8.0 | <i>0.58</i> | 0.98 | <i>0.08</i> | 85 | 2.5 | <i>0.30</i> | 0.29 | <i>0.05</i> |
| *Australia, Victoria | 1243 | 4.7 | <i>0.14</i> | 0.58 | <i>0.02</i> | 568 | 1.7 | <i>0.08</i> | 0.19 | <i>0.01</i> |
| *Australia, Western Australia | 536 | 5.3 | <i>0.24</i> | 0.65 | <i>0.03</i> | 198 | 1.6 | <i>0.12</i> | 0.18 | <i>0.02</i> |
| *France, New Caledonia | 47 | 5.9 | <i>0.87</i> | 0.83 | <i>0.14</i> | 7 | 0.8 | <i>0.33</i> | 0.08 | <i>0.04</i> |
| New Zealand | 1004 | 4.9 | <i>0.16</i> | 0.59 | <i>0.02</i> | 456 | 1.8 | <i>0.09</i> | 0.19 | <i>0.01</i> |
| *New Zealand: Maori | 97 | 6.9 | <i>0.72</i> | 0.89 | <i>0.11</i> | 49 | 2.8 | <i>0.40</i> | 0.35 | <i>0.06</i> |
| *New Zealand: Pacific peoples | 32 | 5.5 | <i>1.03</i> | 0.45 | <i>0.10</i> | 4 | 0.5 | <i>0.23</i> | 0.03 | <i>0.02</i> |
| *New Zealand: Other | 848 | 5.0 | <i>0.18</i> | 0.61 | <i>0.03</i> | 395 | 1.8 | <i>0.10</i> | 0.19 | <i>0.02</i> |
| USA, Hawaii | 257 | 3.9 | <i>0.26</i> | 0.50 | <i>0.04</i> | 64 | 0.8 | <i>0.11</i> | 0.10 | <i>0.02</i> |
| USA, Hawaii: White | 91 | 4.1 | <i>0.44</i> | 0.44 | <i>0.06</i> | 27 | 1.4 | <i>0.28</i> | 0.16 | <i>0.04</i> |
| *USA, Hawaii: Japanese | 59 | 4.0 | <i>0.60</i> | 0.51 | <i>0.08</i> | 13 | 0.8 | <i>0.24</i> | 0.11 | <i>0.04</i> |
| *USA, Hawaii: Chinese | 16 | 3.8 | <i>0.98</i> | 0.53 | <i>0.17</i> | 3 | 0.1 | <i>0.08</i> | 0.00 | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 34 | 3.7 | <i>0.64</i> | 0.47 | <i>0.10</i> | 11 | 1.0 | <i>0.32</i> | 0.12 | <i>0.04</i> |
| *USA, Hawaii: Filipino | 35 | 3.9 | <i>0.67</i> | 0.56 | <i>0.11</i> | 2 | 0.2 | <i>0.11</i> | 0.01 | <i>0.01</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Stomach (C16)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 92 | 6.5 | 0.71 | 0.75 | 0.10 | 57 | 3.9 | 0.55 | 0.37 | 0.06 |
| *Algeria, Tizi Ouzou | 88 | 5.6 | 0.62 | 0.66 | 0.09 | 89 | 4.6 | 0.51 | 0.54 | 0.07 |
| *Benin, Cotonou | 24 | 4.6 | 1.01 | 0.55 | 0.15 | 21 | 3.1 | 0.71 | 0.35 | 0.10 |
| *France, La Réunion | 244 | 11.3 | 0.73 | 1.23 | 0.10 | 163 | 5.8 | 0.48 | 0.65 | 0.07 |
| *Kenya, Eldoret | 54 | 5.6 | 0.82 | 0.72 | 0.13 | 35 | 3.4 | 0.61 | 0.44 | 0.10 |
| *Kenya, Nairobi | 229 | 9.5 | 0.75 | 1.11 | 0.12 | 189 | 9.6 | 0.79 | 1.24 | 0.13 |
| Mauritius | 299 | 7.2 | 0.42 | 0.83 | 0.06 | 198 | 4.2 | 0.30 | 0.50 | 0.04 |
| *Morocco, Casablanca | 454 | 4.3 | 0.21 | 0.53 | 0.03 | 328 | 2.8 | 0.16 | 0.33 | 0.02 |
| *Seychelles | 12 | 4.6 | 1.35 | 0.24 | 0.10 | 10 | 3.1 | 1.03 | 0.34 | 0.14 |
| *South Africa, Eastern Cape | 8 | 0.7 | 0.24 | 0.08 | 0.04 | 15 | 0.8 | 0.22 | 0.09 | 0.03 |
| *Uganda, Kyadondo County | 100 | 6.1 | 0.70 | 0.75 | 0.12 | 95 | 4.6 | 0.53 | 0.56 | 0.09 |
| *Uganda, Gulu | 6 | 1.5 | 0.67 | 0.23 | 0.13 | 4 | 0.8 | 0.41 | 0.09 | 0.05 |
| *Zimbabwe, Bulawayo: African | 46 | 5.8 | 0.88 | 0.67 | 0.13 | 61 | 6.4 | 0.84 | 0.75 | 0.13 |
| *Zimbabwe, Harare: African | 252 | 18.0 | 1.21 | 2.03 | 0.19 | 307 | 18.4 | 1.09 | 2.19 | 0.18 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 242 | 10.5 | 0.68 | 1.22 | 0.10 | 146 | 5.1 | 0.46 | 0.60 | 0.06 |
| *Argentina, Mendoza | 609 | 11.4 | 0.47 | 1.37 | 0.07 | 340 | 5.0 | 0.29 | 0.60 | 0.04 |
| Brazil, Aracaju | 105 | 10.2 | 1.01 | 1.13 | 0.14 | 88 | 5.5 | 0.59 | 0.64 | 0.09 |
| *Brazil, Barretos | 157 | 11.3 | 0.91 | 1.42 | 0.14 | 78 | 4.8 | 0.56 | 0.57 | 0.08 |
| Brazil, Belo Horizonte | 864 | 12.0 | 0.41 | 1.38 | 0.06 | 656 | 6.2 | 0.25 | 0.70 | 0.04 |
| *Brazil, Campinas | 391 | 16.7 | 0.86 | 1.90 | 0.13 | 239 | 7.5 | 0.51 | 0.81 | 0.07 |
| *Brazil, Curitiba | 519 | 13.1 | 0.58 | 1.48 | 0.08 | 316 | 5.6 | 0.32 | 0.63 | 0.05 |
| Brazil, Goiânia | 306 | 11.9 | 0.69 | 1.43 | 0.11 | 227 | 6.4 | 0.43 | 0.70 | 0.06 |
| *Brazil, Jaú | 58 | 13.5 | 1.81 | 1.59 | 0.27 | 31 | 5.9 | 1.10 | 0.87 | 0.19 |
| Brazil, João Pessoa | 134 | 13.4 | 1.17 | 1.61 | 0.18 | 87 | 5.5 | 0.60 | 0.57 | 0.08 |
| Brazil, Recife | 278 | 11.3 | 0.69 | 1.40 | 0.11 | 211 | 5.3 | 0.38 | 0.57 | 0.05 |
| Chile, Region of Antofagasta | 163 | 17.0 | 1.35 | 2.02 | 0.21 | 86 | 7.7 | 0.85 | 0.78 | 0.12 |
| Chile, Valdivia | 452 | 31.2 | 1.51 | 3.56 | 0.22 | 199 | 11.7 | 0.89 | 1.39 | 0.13 |
| Colombia, Bucaramanga | 597 | 19.9 | 0.83 | 2.20 | 0.12 | 390 | 9.8 | 0.51 | 1.02 | 0.07 |
| Colombia, Cali | 1224 | 20.5 | 0.59 | 2.21 | 0.08 | 924 | 11.0 | 0.37 | 1.10 | 0.05 |
| Colombia, Manizales | 284 | 20.4 | 1.23 | 2.37 | 0.18 | 178 | 9.6 | 0.74 | 1.06 | 0.11 |
| Colombia, Pasto | 266 | 24.6 | 1.54 | 2.95 | 0.24 | 158 | 11.3 | 0.93 | 1.15 | 0.12 |
| Costa Rica | 1623 | 16.1 | 0.41 | 1.83 | 0.06 | 1111 | 10.1 | 0.31 | 1.15 | 0.05 |
| Ecuador, Guayaquil | 884 | 16.7 | 0.57 | 1.95 | 0.09 | 598 | 9.4 | 0.40 | 1.05 | 0.06 |
| Ecuador, Manabí | 660 | 18.5 | 0.74 | 2.14 | 0.11 | 349 | 9.5 | 0.52 | 1.01 | 0.07 |
| Ecuador, Quito | 804 | 19.6 | 0.70 | 2.15 | 0.11 | 707 | 13.6 | 0.52 | 1.42 | 0.07 |
| *France, Guadeloupe | 242 | 12.9 | 0.89 | 1.44 | 0.12 | 162 | 6.2 | 0.55 | 0.66 | 0.08 |
| *France, Martinique | 265 | 13.1 | 0.87 | 1.58 | 0.13 | 176 | 6.2 | 0.54 | 0.62 | 0.07 |
| *Peru, Lima | 2707 | 19.4 | 0.38 | 2.12 | 0.06 | 2510 | 14.4 | 0.29 | 1.51 | 0.04 |
| *Trinidad and Tobago | 99 | 4.0 | 0.41 | 0.47 | 0.06 | 73 | 2.5 | 0.30 | 0.26 | 0.04 |
| USA, Puerto Rico | 948 | 5.7 | 0.20 | 0.66 | 0.03 | 775 | 3.8 | 0.15 | 0.44 | 0.02 |
| *Uruguay | 1598 | 12.7 | 0.33 | 1.55 | 0.05 | 1012 | 5.6 | 0.20 | 0.62 | 0.03 |
| North America | | | | | | | | | | |
| Canada, Alberta | 886 | 5.5 | 0.19 | 0.60 | 0.03 | 451 | 2.6 | 0.13 | 0.29 | 0.02 |
| Canada, British Columbia | 1344 | 5.4 | 0.16 | 0.61 | 0.02 | 633 | 2.3 | 0.10 | 0.25 | 0.01 |
| *Canada, Manitoba | 392 | 6.8 | 0.36 | 0.83 | 0.05 | 195 | 3.0 | 0.24 | 0.35 | 0.03 |
| *Canada, New Brunswick | 326 | 7.8 | 0.45 | 0.93 | 0.06 | 148 | 2.9 | 0.26 | 0.33 | 0.04 |
| *Canada, Newfoundland and Labrador | 261 | 8.8 | 0.56 | 0.98 | 0.08 | 135 | 4.4 | 0.43 | 0.46 | 0.05 |
| Canada, Ontario | 4711 | 7.3 | 0.11 | 0.83 | 0.02 | 2728 | 3.6 | 0.08 | 0.40 | 0.01 |
| *Canada, Prince Edward Island | 56 | 7.4 | 1.03 | 0.90 | 0.15 | 23 | 2.5 | 0.56 | 0.30 | 0.08 |
| Canada, Quebec | 2734 | 6.3 | 0.13 | 0.70 | 0.02 | 1566 | 3.0 | 0.09 | 0.32 | 0.01 |
| Canada, Saskatchewan | 325 | 6.3 | 0.37 | 0.71 | 0.05 | 154 | 2.5 | 0.23 | 0.26 | 0.03 |
| *Canada, Yukon | 2 | 1.5 | 1.09 | 0.00 | 0.00 | 4 | 2.4 | 1.21 | 0.19 | 0.11 |
| USA | 74704 | 5.6 | 0.02 | 0.65 | 0.00 | 46073 | 3.0 | 0.02 | 0.33 | 0.00 |
| USA: White | 57709 | 5.1 | 0.02 | 0.60 | 0.00 | 33340 | 2.6 | 0.02 | 0.29 | 0.00 |
| USA: Black | 10949 | 8.4 | 0.08 | 0.99 | 0.01 | 8163 | 4.6 | 0.05 | 0.51 | 0.01 |
| USA, NPCR | 72106 | 5.6 | 0.02 | 0.65 | 0.00 | 44478 | 3.0 | 0.02 | 0.33 | 0.00 |
| USA, NPCR: White | 55764 | 5.1 | 0.02 | 0.60 | 0.00 | 32241 | 2.6 | 0.02 | 0.29 | 0.00 |
| USA, NPCR: Black | 10796 | 8.4 | 0.08 | 0.99 | 0.01 | 8046 | 4.6 | 0.05 | 0.51 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 4702 | 7.9 | 0.12 | 0.91 | 0.02 | 3551 | 4.7 | 0.08 | 0.51 | 0.01 |
| USA, NPCR: American Indian | 477 | 4.2 | 0.19 | 0.47 | 0.03 | 358 | 2.8 | 0.15 | 0.31 | 0.02 |
| *USA, SEER (18 registries) | 20887 | 5.8 | 0.04 | 0.67 | 0.01 | 13606 | 3.3 | 0.03 | 0.36 | 0.00 |
| *USA, SEER (18 registries): White | 15065 | 5.3 | 0.05 | 0.61 | 0.01 | 9190 | 2.9 | 0.03 | 0.32 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 11485 | 4.7 | 0.05 | 0.55 | 0.01 | 6267 | 2.2 | 0.03 | 0.25 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 3580 | 8.0 | 0.14 | 0.94 | 0.02 | 2923 | 5.6 | 0.11 | 0.63 | 0.02 |
| *USA, SEER (18 registries): Black | 2733 | 8.2 | 0.16 | 0.94 | 0.02 | 2015 | 4.5 | 0.10 | 0.50 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2733 | 7.5 | 0.15 | 0.85 | 0.02 | 2104 | 4.5 | 0.11 | 0.48 | 0.01 |
| *USA, SEER (9 registries) | 6807 | 5.5 | 0.07 | 0.62 | 0.01 | 4305 | 2.9 | 0.05 | 0.32 | 0.01 |
| *USA, SEER (9 registries): White | 4746 | 4.8 | 0.07 | 0.56 | 0.01 | 2703 | 2.4 | 0.05 | 0.26 | 0.01 |
| *USA, SEER (9 registries): Black | 888 | 8.1 | 0.27 | 0.92 | 0.04 | 689 | 4.5 | 0.18 | 0.49 | 0.02 |
| USA, Alabama | 1156 | 5.6 | 0.17 | 0.65 | 0.02 | 814 | 3.3 | 0.13 | 0.37 | 0.02 |
| USA, Alabama: White | 775 | 4.7 | 0.18 | 0.55 | 0.02 | 497 | 2.6 | 0.13 | 0.29 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Stomach (C16) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 356 | 8.7 | 0.46 | 0.98 | 0.06 | 290 | 5.1 | 0.31 | 0.57 | 0.04 |
| USA, Alaska | 176 | 6.7 | 0.51 | 0.80 | 0.07 | 88 | 3.5 | 0.38 | 0.38 | 0.05 |
| *USA, Alaska: Alaska Natives | 62 | 19.0 | 2.43 | 2.50 | 0.37 | 32 | 8.7 | 1.57 | 0.89 | 0.19 |
| USA, Arizona | 1363 | 4.5 | 0.13 | 0.52 | 0.02 | 807 | 2.5 | 0.10 | 0.28 | 0.01 |
| USA, Arizona: White | 1198 | 4.3 | 0.13 | 0.50 | 0.02 | 681 | 2.4 | 0.10 | 0.27 | 0.01 |
| USA, Arizona: Black | 62 | 6.7 | 0.87 | 0.94 | 0.15 | 38 | 3.7 | 0.61 | 0.36 | 0.07 |
| *USA, Arizona: Asian and Pacific Islander | 37 | 5.1 | 0.84 | 0.61 | 0.13 | 33 | 3.2 | 0.56 | 0.40 | 0.09 |
| USA, Arizona: American Indian | 64 | 6.7 | 0.85 | 0.67 | 0.11 | 53 | 4.5 | 0.64 | 0.47 | 0.08 |
| USA, Arkansas | 730 | 5.8 | 0.22 | 0.70 | 0.03 | 409 | 2.8 | 0.15 | 0.32 | 0.02 |
| USA, Arkansas: White | 575 | 5.2 | 0.23 | 0.62 | 0.03 | 317 | 2.5 | 0.16 | 0.28 | 0.02 |
| USA, Arkansas: Black | 140 | 10.4 | 0.88 | 1.37 | 0.14 | 81 | 4.5 | 0.52 | 0.52 | 0.07 |
| USA, California | 9088 | 6.0 | 0.07 | 0.69 | 0.01 | 6176 | 3.6 | 0.05 | 0.39 | 0.01 |
| USA, California: White | 6579 | 5.7 | 0.07 | 0.65 | 0.01 | 4268 | 3.3 | 0.06 | 0.37 | 0.01 |
| USA, California: Black | 652 | 7.2 | 0.29 | 0.79 | 0.04 | 448 | 4.0 | 0.20 | 0.45 | 0.03 |
| USA, California: Asian and Pacific Islander | 1776 | 7.4 | 0.18 | 0.85 | 0.03 | 1382 | 4.5 | 0.13 | 0.47 | 0.02 |
| *USA, California, Los Angeles County | 2756 | 7.4 | 0.15 | 0.86 | 0.02 | 1924 | 4.3 | 0.11 | 0.47 | 0.01 |
| *USA, California, Los Angeles County: White | 1842 | 7.0 | 0.17 | 0.81 | 0.02 | 1271 | 4.2 | 0.13 | 0.48 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | 829 | 5.3 | 0.20 | 0.62 | 0.03 | 430 | 2.4 | 0.13 | 0.28 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 1013 | 8.8 | 0.28 | 1.02 | 0.04 | 841 | 6.0 | 0.21 | 0.67 | 0.03 |
| *USA, California, Los Angeles County: Black | 254 | 7.4 | 0.48 | 0.86 | 0.07 | 178 | 3.6 | 0.29 | 0.40 | 0.04 |
| *USA, California, Los Angeles County: Chinese | 171 | 7.2 | 0.59 | 0.80 | 0.09 | 129 | 4.3 | 0.42 | 0.40 | 0.05 |
| *USA, California, Los Angeles County: Filipino | 56 | 4.0 | 0.55 | 0.45 | 0.08 | 48 | 2.1 | 0.33 | 0.26 | 0.05 |
| *USA, California, Los Angeles County: Korean | 189 | 18.3 | 1.41 | 2.36 | 0.21 | 130 | 8.8 | 0.87 | 0.87 | 0.11 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 631 | 9.2 | 0.38 | 1.07 | 0.06 | 441 | 4.7 | 0.25 | 0.48 | 0.03 |
| *USA, California, San Francisco Bay Area | 1129 | 5.7 | 0.18 | 0.63 | 0.02 | 787 | 3.4 | 0.13 | 0.36 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 643 | 5.0 | 0.21 | 0.57 | 0.03 | 420 | 2.9 | 0.16 | 0.31 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 453 | 4.1 | 0.21 | 0.47 | 0.03 | 255 | 1.9 | 0.14 | 0.20 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 190 | 8.9 | 0.67 | 1.06 | 0.10 | 165 | 6.6 | 0.53 | 0.76 | 0.08 |
| *USA, California, San Francisco Bay Area: Black | 119 | 7.6 | 0.72 | 0.88 | 0.11 | 86 | 4.4 | 0.51 | 0.47 | 0.07 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 361 | 6.8 | 0.37 | 0.73 | 0.05 | 274 | 4.2 | 0.27 | 0.42 | 0.03 |
| USA, Colorado | 1005 | 4.7 | 0.15 | 0.55 | 0.02 | 503 | 2.2 | 0.10 | 0.24 | 0.01 |
| USA, Colorado: White | 910 | 4.6 | 0.15 | 0.53 | 0.02 | 429 | 2.0 | 0.10 | 0.22 | 0.01 |
| *USA, Colorado: Black | 49 | 6.8 | 0.99 | 0.82 | 0.16 | 20 | 2.5 | 0.58 | 0.31 | 0.08 |
| *USA, Colorado: Asian and Pacific Islander | 36 | 7.4 | 1.24 | 1.06 | 0.21 | 48 | 6.5 | 0.96 | 0.79 | 0.15 |
| USA, Connecticut | 1116 | 6.8 | 0.21 | 0.81 | 0.03 | 644 | 3.3 | 0.15 | 0.36 | 0.02 |
| USA, Connecticut: White | 935 | 6.4 | 0.22 | 0.76 | 0.03 | 515 | 2.9 | 0.15 | 0.33 | 0.02 |
| USA, Connecticut: Black | 121 | 9.9 | 0.91 | 1.14 | 0.14 | 90 | 5.1 | 0.56 | 0.59 | 0.08 |
| USA, District of Columbia | 170 | 7.7 | 0.61 | 0.94 | 0.09 | 108 | 3.9 | 0.41 | 0.40 | 0.05 |
| USA, District of Columbia: White | 53 | 5.6 | 0.79 | 0.65 | 0.11 | 22 | 2.2 | 0.49 | 0.24 | 0.07 |
| USA, District of Columbia: Black | 108 | 9.3 | 0.92 | 1.15 | 0.14 | 82 | 4.9 | 0.60 | 0.50 | 0.07 |
| USA, Florida | 5029 | 5.1 | 0.08 | 0.60 | 0.01 | 3026 | 2.6 | 0.05 | 0.30 | 0.01 |
| USA, Florida: White | 3999 | 4.6 | 0.08 | 0.55 | 0.01 | 2296 | 2.3 | 0.06 | 0.26 | 0.01 |
| USA, Florida: Black | 841 | 8.1 | 0.28 | 0.94 | 0.04 | 595 | 4.4 | 0.19 | 0.50 | 0.03 |
| USA, Florida: Asian and Pacific Islander | 99 | 4.8 | 0.49 | 0.59 | 0.07 | 82 | 3.0 | 0.34 | 0.33 | 0.04 |
| USA, Georgia | 2093 | 5.6 | 0.12 | 0.67 | 0.02 | 1349 | 3.0 | 0.09 | 0.33 | 0.01 |
| USA, Georgia: White | 1240 | 4.5 | 0.13 | 0.54 | 0.02 | 763 | 2.5 | 0.10 | 0.28 | 0.01 |
| USA, Georgia: Black | 746 | 8.4 | 0.31 | 1.01 | 0.04 | 520 | 4.1 | 0.19 | 0.44 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 104 | 8.8 | 0.87 | 0.97 | 0.12 | 64 | 4.6 | 0.58 | 0.50 | 0.08 |
| *USA, Georgia, Atlanta | 696 | 6.0 | 0.23 | 0.68 | 0.03 | 447 | 3.0 | 0.15 | 0.33 | 0.02 |
| *USA, Georgia, Atlanta: White | 333 | 4.7 | 0.26 | 0.53 | 0.04 | 178 | 2.2 | 0.17 | 0.23 | 0.02 |
| *USA, Georgia, Atlanta: Black | 287 | 7.8 | 0.47 | 0.89 | 0.07 | 223 | 4.1 | 0.27 | 0.43 | 0.04 |
| USA, Idaho | 321 | 4.5 | 0.26 | 0.52 | 0.04 | 167 | 2.1 | 0.18 | 0.22 | 0.02 |
| USA, Indiana | 1478 | 5.4 | 0.15 | 0.66 | 0.02 | 783 | 2.4 | 0.09 | 0.28 | 0.01 |
| USA, Indiana: White | 1310 | 5.3 | 0.15 | 0.63 | 0.02 | 663 | 2.3 | 0.10 | 0.26 | 0.01 |
| USA, Indiana: Black | 145 | 8.2 | 0.69 | 1.06 | 0.11 | 94 | 3.9 | 0.41 | 0.44 | 0.06 |
| *USA, Iowa | 560 | 4.0 | 0.18 | 0.47 | 0.03 | 315 | 2.0 | 0.13 | 0.22 | 0.02 |
| USA, Kentucky | 1052 | 5.6 | 0.18 | 0.66 | 0.02 | 709 | 3.2 | 0.13 | 0.40 | 0.02 |
| USA, Louisiana | 1196 | 6.5 | 0.19 | 0.76 | 0.03 | 670 | 3.1 | 0.13 | 0.36 | 0.02 |
| USA, Louisiana: White | 709 | 5.3 | 0.21 | 0.61 | 0.03 | 354 | 2.3 | 0.14 | 0.27 | 0.02 |
| USA, Louisiana: Black | 460 | 10.0 | 0.47 | 1.17 | 0.07 | 305 | 5.0 | 0.30 | 0.58 | 0.04 |
| *USA, Louisiana, New Orleans | 216 | 6.3 | 0.44 | 0.74 | 0.06 | 129 | 3.3 | 0.31 | 0.36 | 0.04 |
| *USA, Louisiana, New Orleans: White | 110 | 5.3 | 0.52 | 0.58 | 0.07 | 58 | 2.7 | 0.39 | 0.31 | 0.05 |
| *USA, Louisiana, New Orleans: Black | 86 | 7.1 | 0.78 | 0.90 | 0.12 | 66 | 4.2 | 0.54 | 0.42 | 0.07 |
| USA, Maine | 313 | 4.5 | 0.27 | 0.53 | 0.04 | 205 | 2.5 | 0.19 | 0.29 | 0.03 |
| USA, Maryland | 1349 | 5.6 | 0.16 | 0.66 | 0.02 | 937 | 3.2 | 0.11 | 0.37 | 0.02 |
| USA, Maryland: White | 827 | 4.9 | 0.18 | 0.58 | 0.03 | 470 | 2.4 | 0.13 | 0.28 | 0.02 |
| USA, Maryland: Black | 397 | 6.9 | 0.35 | 0.82 | 0.05 | 380 | 4.7 | 0.25 | 0.55 | 0.03 |
| USA, Maryland: Asian and Pacific Islander | 109 | 7.7 | 0.75 | 0.84 | 0.11 | 81 | 5.0 | 0.57 | 0.55 | 0.08 |
| USA, Massachusetts | 1714 | 5.8 | 0.15 | 0.69 | 0.02 | 1011 | 2.8 | 0.10 | 0.32 | 0.01 |
| USA, Massachusetts: White | 1425 | 5.4 | 0.15 | 0.65 | 0.02 | 808 | 2.5 | 0.10 | 0.28 | 0.01 |
| USA, Massachusetts: Black | 167 | 9.9 | 0.77 | 1.06 | 0.11 | 118 | 5.2 | 0.49 | 0.52 | 0.07 |
| USA, Massachusetts: Asian and Pacific Islander | 99 | 7.6 | 0.78 | 0.81 | 0.11 | 67 | 4.5 | 0.56 | 0.53 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Stomach (C16) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 2297 | 5.1 | 0.11 | 0.59 | 0.02 | 1307 | 2.4 | 0.08 | 0.27 | 0.01 |
| USA, Michigan: White | 1832 | 4.6 | 0.11 | 0.53 | 0.02 | 953 | 2.1 | 0.08 | 0.23 | 0.01 |
| USA, Michigan: Black | 382 | 8.5 | 0.44 | 0.97 | 0.06 | 295 | 4.6 | 0.28 | 0.53 | 0.04 |
| USA, Michigan: Asian and Pacific Islander | 62 | 7.1 | 0.91 | 0.78 | 0.13 | 45 | 4.2 | 0.64 | 0.40 | 0.08 |
| *USA, Michigan, Detroit | 979 | 5.9 | 0.20 | 0.66 | 0.03 | 641 | 3.0 | 0.13 | 0.33 | 0.02 |
| *USA, Michigan, Detroit: White | 671 | 5.1 | 0.21 | 0.57 | 0.03 | 393 | 2.4 | 0.14 | 0.27 | 0.02 |
| *USA, Michigan, Detroit: Black | 265 | 8.5 | 0.53 | 0.97 | 0.07 | 217 | 4.5 | 0.32 | 0.51 | 0.05 |
| USA, Minnesota | 1165 | 5.0 | 0.15 | 0.58 | 0.02 | 617 | 2.4 | 0.11 | 0.27 | 0.01 |
| USA, Minnesota: White | 1030 | 4.7 | 0.15 | 0.55 | 0.02 | 525 | 2.2 | 0.11 | 0.24 | 0.01 |
| USA, Minnesota: Black | 60 | 8.8 | 1.18 | 1.00 | 0.17 | 29 | 4.0 | 0.76 | 0.55 | 0.13 |
| *USA, Minnesota: Asian and Pacific Islander | 50 | 9.3 | 1.33 | 0.99 | 0.18 | 49 | 6.6 | 0.97 | 0.62 | 0.13 |
| USA, Mississippi | 701 | 6.1 | 0.24 | 0.73 | 0.03 | 476 | 3.4 | 0.17 | 0.38 | 0.02 |
| USA, Missouri | 1292 | 4.9 | 0.14 | 0.57 | 0.02 | 684 | 2.2 | 0.09 | 0.24 | 0.01 |
| USA, Missouri: White | 1097 | 4.6 | 0.15 | 0.55 | 0.02 | 541 | 2.0 | 0.10 | 0.21 | 0.01 |
| USA, Missouri: Black | 167 | 7.7 | 0.60 | 0.87 | 0.09 | 123 | 4.0 | 0.38 | 0.45 | 0.05 |
| USA, Montana | 216 | 4.3 | 0.31 | 0.50 | 0.04 | 114 | 2.2 | 0.23 | 0.26 | 0.03 |
| *USA, Montana: American Indian | 16 | 8.8 | 2.24 | 1.03 | 0.27 | 9 | 4.3 | 1.44 | 0.65 | 0.25 |
| USA, Nebraska | 372 | 4.7 | 0.26 | 0.56 | 0.04 | 185 | 2.1 | 0.17 | 0.23 | 0.02 |
| USA, Nebraska: White | 340 | 4.5 | 0.26 | 0.54 | 0.04 | 166 | 1.9 | 0.17 | 0.21 | 0.02 |
| *USA, Nebraska: Black | 22 | 8.7 | 1.87 | 0.90 | 0.25 | 11 | 3.9 | 1.19 | 0.52 | 0.18 |
| USA, Nevada | 512 | 4.1 | 0.19 | 0.49 | 0.03 | 339 | 2.7 | 0.16 | 0.29 | 0.02 |
| USA, Nevada: White | 398 | 3.8 | 0.20 | 0.46 | 0.03 | 249 | 2.6 | 0.18 | 0.27 | 0.02 |
| USA, Nevada: Black | 43 | 4.7 | 0.73 | 0.56 | 0.11 | 35 | 3.3 | 0.57 | 0.31 | 0.07 |
| *USA, Nevada: Asian and Pacific Islander | 59 | 5.8 | 0.77 | 0.65 | 0.11 | 51 | 3.7 | 0.56 | 0.42 | 0.07 |
| USA, New Jersey | 2506 | 6.5 | 0.14 | 0.76 | 0.02 | 1709 | 3.8 | 0.10 | 0.42 | 0.01 |
| USA, New Jersey: White | 1921 | 6.2 | 0.15 | 0.72 | 0.02 | 1205 | 3.3 | 0.11 | 0.37 | 0.01 |
| USA, New Jersey: Black | 336 | 8.1 | 0.45 | 0.92 | 0.07 | 311 | 5.3 | 0.32 | 0.56 | 0.04 |
| USA, New Mexico | 471 | 5.1 | 0.25 | 0.59 | 0.03 | 322 | 3.1 | 0.19 | 0.35 | 0.02 |
| USA, New Mexico: White | 400 | 4.8 | 0.26 | 0.55 | 0.04 | 259 | 2.8 | 0.20 | 0.32 | 0.03 |
| USA, New Mexico: Non-Hispanic White | 184 | 3.4 | 0.29 | 0.39 | 0.04 | 91 | 1.7 | 0.21 | 0.18 | 0.02 |
| USA, New Mexico: Hispanic White | 216 | 6.9 | 0.48 | 0.79 | 0.07 | 168 | 4.6 | 0.37 | 0.54 | 0.05 |
| *USA, New Mexico: American Indian | 52 | 8.5 | 1.19 | 1.08 | 0.19 | 43 | 5.3 | 0.84 | 0.55 | 0.11 |
| USA, New York State | 6106 | 7.4 | 0.10 | 0.86 | 0.01 | 4079 | 4.1 | 0.07 | 0.46 | 0.01 |
| USA, New York State: White | 4183 | 6.5 | 0.11 | 0.75 | 0.01 | 2661 | 3.5 | 0.08 | 0.39 | 0.01 |
| USA, New York State: Black | 1051 | 9.3 | 0.29 | 1.07 | 0.04 | 904 | 5.4 | 0.19 | 0.62 | 0.03 |
| USA, New York State: Asian and Pacific Islander | 847 | 14.0 | 0.49 | 1.71 | 0.07 | 492 | 6.9 | 0.32 | 0.77 | 0.04 |
| USA, North Carolina | 2258 | 5.5 | 0.12 | 0.66 | 0.02 | 1467 | 2.9 | 0.08 | 0.33 | 0.01 |
| USA, North Carolina: White | 1564 | 4.7 | 0.13 | 0.57 | 0.02 | 939 | 2.4 | 0.09 | 0.27 | 0.01 |
| USA, North Carolina: Black | 600 | 8.5 | 0.35 | 1.03 | 0.05 | 468 | 4.7 | 0.23 | 0.50 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 53 | 7.9 | 1.11 | 0.99 | 0.17 | 39 | 4.3 | 0.70 | 0.49 | 0.10 |
| *USA, North Carolina: American Indian | 27 | 5.8 | 1.12 | 0.82 | 0.18 | 17 | 3.1 | 0.75 | 0.39 | 0.12 |
| USA, North Dakota | 155 | 4.9 | 0.42 | 0.57 | 0.06 | 78 | 2.2 | 0.29 | 0.24 | 0.04 |
| USA, Ohio | 2858 | 5.5 | 0.11 | 0.66 | 0.02 | 1626 | 2.6 | 0.07 | 0.30 | 0.01 |
| USA, Ohio: White | 2391 | 5.2 | 0.11 | 0.62 | 0.02 | 1271 | 2.3 | 0.07 | 0.26 | 0.01 |
| USA, Ohio: Black | 408 | 8.7 | 0.44 | 1.07 | 0.07 | 303 | 4.8 | 0.29 | 0.56 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | 45 | 6.3 | 0.95 | 0.72 | 0.14 | 32 | 3.8 | 0.68 | 0.39 | 0.08 |
| USA, Oklahoma | 767 | 4.8 | 0.18 | 0.56 | 0.03 | 473 | 2.6 | 0.13 | 0.31 | 0.02 |
| USA, Oklahoma: White | 607 | 4.4 | 0.19 | 0.53 | 0.03 | 356 | 2.3 | 0.13 | 0.27 | 0.02 |
| USA, Oklahoma: Black | 75 | 8.2 | 0.96 | 0.90 | 0.13 | 43 | 4.1 | 0.63 | 0.46 | 0.08 |
| USA, Oklahoma: American Indian | 61 | 5.4 | 0.70 | 0.54 | 0.09 | 54 | 4.2 | 0.59 | 0.53 | 0.08 |
| USA, Oregon | 872 | 4.8 | 0.17 | 0.57 | 0.02 | 463 | 2.4 | 0.12 | 0.26 | 0.02 |
| USA, Oregon: White | 785 | 4.6 | 0.17 | 0.54 | 0.02 | 396 | 2.2 | 0.12 | 0.24 | 0.02 |
| *USA, Oregon: Black | 26 | 9.5 | 1.89 | 1.33 | 0.32 | 10 | 3.6 | 1.17 | 0.39 | 0.16 |
| *USA, Oregon: Asian and Pacific Islander | 48 | 8.1 | 1.19 | 1.00 | 0.19 | 48 | 6.1 | 0.90 | 0.78 | 0.14 |
| USA, Rhode Island | 328 | 6.9 | 0.40 | 0.76 | 0.05 | 179 | 3.1 | 0.26 | 0.34 | 0.03 |
| USA, Rhode Island: White | 298 | 6.8 | 0.41 | 0.76 | 0.06 | 158 | 2.8 | 0.26 | 0.33 | 0.04 |
| *USA, Rhode Island: Black | 17 | 7.5 | 1.84 | 0.93 | 0.30 | 12 | 4.1 | 1.22 | 0.37 | 0.12 |
| USA, South Carolina | 1268 | 6.0 | 0.18 | 0.71 | 0.02 | 739 | 3.0 | 0.12 | 0.34 | 0.02 |
| USA, South Carolina: White | 815 | 5.0 | 0.18 | 0.58 | 0.02 | 415 | 2.2 | 0.12 | 0.26 | 0.02 |
| USA, South Carolina: Black | 435 | 9.7 | 0.47 | 1.17 | 0.07 | 304 | 5.1 | 0.31 | 0.55 | 0.04 |
| USA, South Dakota | 163 | 4.3 | 0.35 | 0.54 | 0.05 | 83 | 1.9 | 0.24 | 0.19 | 0.03 |
| USA, Tennessee | 1404 | 5.1 | 0.14 | 0.61 | 0.02 | 849 | 2.7 | 0.10 | 0.31 | 0.01 |
| USA, Tennessee: White | 1135 | 4.8 | 0.15 | 0.57 | 0.02 | 650 | 2.4 | 0.10 | 0.28 | 0.01 |
| USA, Tennessee: Black | 251 | 7.8 | 0.50 | 0.92 | 0.07 | 182 | 4.2 | 0.32 | 0.48 | 0.04 |
| USA, Texas | 5306 | 5.5 | 0.08 | 0.65 | 0.01 | 3549 | 3.3 | 0.06 | 0.37 | 0.01 |
| USA, Texas: White | 4234 | 5.2 | 0.08 | 0.61 | 0.01 | 2784 | 3.1 | 0.06 | 0.35 | 0.01 |
| USA, Texas: Black | 805 | 8.6 | 0.31 | 1.03 | 0.05 | 552 | 4.4 | 0.19 | 0.48 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 249 | 6.4 | 0.41 | 0.72 | 0.06 | 188 | 4.0 | 0.29 | 0.42 | 0.04 |
| USA, Utah | 360 | 3.9 | 0.21 | 0.45 | 0.03 | 231 | 2.3 | 0.16 | 0.25 | 0.02 |
| USA, Vermont | 144 | 4.8 | 0.43 | 0.54 | 0.05 | 87 | 2.6 | 0.31 | 0.29 | 0.04 |
| USA, Washington State | 1465 | 4.8 | 0.13 | 0.57 | 0.02 | 818 | 2.5 | 0.09 | 0.27 | 0.01 |
| *USA, Washington, Seattle | 1045 | 5.1 | 0.16 | 0.59 | 0.02 | 604 | 2.6 | 0.12 | 0.27 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Stomach (C16) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 448 | 4.8 | 0.24 | 0.57 | 0.03 | 275 | 2.6 | 0.18 | 0.30 | 0.02 |
| USA, Wyoming | 105 | 4.1 | 0.42 | 0.50 | 0.06 | 43 | 1.7 | 0.29 | 0.18 | 0.03 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 52 | 4.2 | 0.59 | 0.42 | 0.08 | 33 | 2.7 | 0.48 | 0.31 | 0.07 |
| Brunei Darussalam | 60 | 7.3 | 0.98 | 0.87 | 0.16 | 48 | 5.6 | 0.83 | 0.76 | 0.14 |
| *China, Anfu County | 221 | 21.1 | 1.44 | 2.61 | 0.21 | 110 | 10.4 | 1.02 | 1.12 | 0.13 |
| *China, Anguo City | 518 | 40.9 | 1.83 | 5.84 | 0.30 | 171 | 12.6 | 0.98 | 1.55 | 0.15 |
| *China, Anshan City | 1309 | 16.7 | 0.49 | 2.05 | 0.08 | 597 | 6.8 | 0.30 | 0.77 | 0.04 |
| *China, Aohan Banner, Chifeng City | 497 | 27.3 | 1.28 | 3.38 | 0.19 | 163 | 8.0 | 0.65 | 0.92 | 0.09 |
| *China, Arongqi | 266 | 30.4 | 1.91 | 3.92 | 0.29 | 88 | 10.9 | 1.20 | 1.36 | 0.18 |
| *China, Baoding City | 617 | 17.4 | 0.72 | 1.94 | 0.10 | 266 | 6.8 | 0.43 | 0.71 | 0.06 |
| *China, Beijing City | 5798 | 12.4 | 0.18 | 1.49 | 0.03 | 2799 | 6.0 | 0.13 | 0.68 | 0.02 |
| *China, Binhai County | 1609 | 33.2 | 0.84 | 4.20 | 0.13 | 723 | 14.6 | 0.56 | 1.72 | 0.08 |
| *China, Cangzhou City | 260 | 16.6 | 1.06 | 2.13 | 0.16 | 135 | 7.9 | 0.69 | 0.89 | 0.10 |
| China, Changfeng County | 598 | 32.1 | 1.37 | 4.16 | 0.21 | 220 | 11.8 | 0.85 | 1.46 | 0.13 |
| China, Changzhou City | 5654 | 56.2 | 0.76 | 7.33 | 0.12 | 2324 | 20.6 | 0.44 | 2.52 | 0.07 |
| China, Chengdu City | 850 | 22.2 | 0.78 | 2.66 | 0.11 | 384 | 9.5 | 0.49 | 1.10 | 0.07 |
| China, Cixian County | 1218 | 74.3 | 2.19 | 10.01 | 0.34 | 544 | 29.8 | 1.31 | 3.77 | 0.20 |
| China, Cixi City | 1037 | 19.6 | 0.62 | 2.44 | 0.10 | 492 | 8.8 | 0.42 | 1.00 | 0.06 |
| *China, Dafeng District, Yancheng City | 1257 | 33.6 | 0.98 | 3.99 | 0.14 | 527 | 13.0 | 0.59 | 1.49 | 0.08 |
| China, Dalian City | 3261 | 27.6 | 0.50 | 3.33 | 0.08 | 1485 | 11.3 | 0.32 | 1.25 | 0.05 |
| *China, Dancheng County | 1329 | 43.4 | 1.22 | 4.86 | 0.19 | 1000 | 31.4 | 1.02 | 3.49 | 0.15 |
| China, Dangtu County | 615 | 47.2 | 1.98 | 5.69 | 0.28 | 239 | 18.7 | 1.29 | 2.16 | 0.18 |
| *China, Danyang City | 3063 | 81.4 | 1.49 | 10.14 | 0.22 | 1415 | 33.4 | 0.92 | 3.72 | 0.13 |
| *China, Dawukou District, Shizuishan City | 309 | 29.8 | 1.76 | 3.77 | 0.27 | 99 | 9.0 | 0.94 | 1.04 | 0.13 |
| *China, Dehui City | 702 | 23.5 | 0.90 | 3.04 | 0.14 | 316 | 10.7 | 0.61 | 1.40 | 0.10 |
| *China, Donggang County | 911 | 30.7 | 1.03 | 3.69 | 0.15 | 369 | 12.4 | 0.67 | 1.50 | 0.10 |
| *China, Dongguan City | 394 | 9.6 | 0.49 | 1.12 | 0.07 | 272 | 5.8 | 0.36 | 0.68 | 0.05 |
| China, Donghai County | 819 | 18.5 | 0.66 | 2.24 | 0.10 | 363 | 8.2 | 0.45 | 0.83 | 0.06 |
| *China, Dongtai City | 1565 | 28.6 | 0.76 | 3.70 | 0.12 | 663 | 11.7 | 0.49 | 1.47 | 0.07 |
| China, Duanzhou District, Zhaoqing City | 100 | 7.8 | 0.80 | 0.90 | 0.11 | 63 | 5.1 | 0.66 | 0.63 | 0.09 |
| *China, Evenki Autonomous Banner | 57 | 20.6 | 2.99 | 2.07 | 0.38 | 28 | 8.5 | 1.65 | 1.06 | 0.25 |
| *China, Faku County | 335 | 16.3 | 0.90 | 2.06 | 0.14 | 133 | 6.0 | 0.54 | 0.71 | 0.09 |
| *China, Fangcheng County | 975 | 41.5 | 1.35 | 5.35 | 0.20 | 343 | 16.0 | 0.89 | 1.98 | 0.14 |
| *China, Feicheng City | 2177 | 54.1 | 1.17 | 6.83 | 0.18 | 750 | 16.1 | 0.60 | 1.88 | 0.09 |
| China, Feixi County | 2346 | 53.6 | 1.15 | 6.57 | 0.17 | 952 | 20.7 | 0.71 | 2.48 | 0.11 |
| China, Fuqing City | 939 | 32.4 | 1.09 | 4.01 | 0.17 | 377 | 13.0 | 0.70 | 1.45 | 0.10 |
| *China, Ganyu District, Lianyungang City | 969 | 21.4 | 0.71 | 2.69 | 0.11 | 380 | 7.9 | 0.44 | 0.96 | 0.06 |
| *China, Ganzhou District, Zhangye City | 1016 | 109.3 | 3.76 | 14.31 | 0.51 | 282 | 31.6 | 2.02 | 4.26 | 0.29 |
| *China, Gaocheng City | 922 | 39.8 | 1.32 | 5.14 | 0.21 | 328 | 12.2 | 0.69 | 1.49 | 0.11 |
| China, Gaomi City | 1033 | 33.4 | 1.07 | 4.10 | 0.16 | 419 | 11.9 | 0.62 | 1.28 | 0.08 |
| China, Gong'an County | 430 | 12.5 | 0.61 | 1.65 | 0.09 | 197 | 5.5 | 0.40 | 0.68 | 0.06 |
| *China, Guang'an District, Guang'an City | 685 | 34.6 | 1.34 | 4.38 | 0.20 | 302 | 14.4 | 0.86 | 1.72 | 0.13 |
| China, Guanghan City | 438 | 25.7 | 1.27 | 3.25 | 0.18 | 149 | 7.8 | 0.67 | 0.87 | 0.09 |
| China, Guangzhou City | 3162 | 9.7 | 0.18 | 1.14 | 0.03 | 1867 | 5.3 | 0.13 | 0.60 | 0.02 |
| *China, Guanyun County | 725 | 19.4 | 0.73 | 2.41 | 0.11 | 327 | 8.9 | 0.51 | 1.03 | 0.07 |
| China, Guilin City | 475 | 21.5 | 1.01 | 2.59 | 0.15 | 235 | 9.3 | 0.63 | 1.04 | 0.09 |
| *China, Hai'an City | 1491 | 24.4 | 0.66 | 2.98 | 0.10 | 654 | 10.5 | 0.46 | 1.20 | 0.06 |
| China, Hailar District, Hulun Buir City | 303 | 28.5 | 1.73 | 3.61 | 0.27 | 112 | 8.4 | 0.82 | 0.86 | 0.11 |
| China, Haimen District, Nantong City | 1370 | 25.3 | 0.72 | 3.00 | 0.10 | 762 | 13.9 | 0.55 | 1.62 | 0.08 |
| China, Haining City | 555 | 16.1 | 0.71 | 1.95 | 0.10 | 294 | 8.3 | 0.52 | 0.94 | 0.07 |
| China, Hangzhou City | 7235 | 21.5 | 0.26 | 2.66 | 0.04 | 3357 | 9.9 | 0.18 | 1.13 | 0.03 |
| China, Hebi City | 488 | 38.5 | 1.78 | 4.66 | 0.27 | 212 | 15.5 | 1.09 | 1.85 | 0.16 |
| China, Hefei City | 3446 | 40.6 | 0.71 | 5.11 | 0.11 | 1491 | 16.7 | 0.45 | 1.93 | 0.07 |
| China, Hengdong County | 269 | 16.5 | 1.03 | 2.32 | 0.17 | 115 | 6.8 | 0.65 | 0.71 | 0.09 |
| *China, Hengfeng County | 166 | 26.7 | 2.09 | 3.23 | 0.29 | 79 | 12.9 | 1.48 | 1.38 | 0.18 |
| *China, Hepu County | 466 | 14.8 | 0.71 | 1.66 | 0.10 | 242 | 8.0 | 0.55 | 0.93 | 0.08 |
| China, Honghu City | 467 | 15.8 | 0.75 | 2.02 | 0.11 | 296 | 9.3 | 0.56 | 1.12 | 0.08 |
| China, Hongshan District, Chifeng City | 297 | 23.4 | 1.44 | 2.90 | 0.21 | 94 | 6.4 | 0.69 | 0.71 | 0.10 |
| *China, Hongta District, Yuxi City | 150 | 9.1 | 0.77 | 1.13 | 0.11 | 79 | 4.6 | 0.53 | 0.51 | 0.07 |
| *China, Huaiyin District, Huai'an City | 1067 | 27.5 | 0.86 | 3.47 | 0.13 | 457 | 11.2 | 0.56 | 1.38 | 0.09 |
| *China, Jiange County | 970 | 57.6 | 1.88 | 7.45 | 0.29 | 364 | 20.1 | 1.09 | 2.35 | 0.17 |
| China, Jiangmen City | 215 | 8.9 | 0.61 | 1.10 | 0.09 | 153 | 5.6 | 0.47 | 0.68 | 0.07 |
| *China, Jiangyin City | 3070 | 50.9 | 0.93 | 6.42 | 0.14 | 1148 | 17.7 | 0.54 | 2.17 | 0.08 |
| *China, Jiashan County | 481 | 22.1 | 1.04 | 2.71 | 0.15 | 198 | 8.7 | 0.65 | 1.02 | 0.09 |
| China, Jiayu County | 115 | 15.1 | 1.42 | 1.93 | 0.21 | 80 | 10.2 | 1.16 | 1.17 | 0.16 |
| *China, Jinan City | 3220 | 34.0 | 0.61 | 4.28 | 0.09 | 1163 | 10.6 | 0.33 | 1.22 | 0.05 |
| *China, Jingtai County | 374 | 54.1 | 2.83 | 6.38 | 0.40 | 114 | 16.2 | 1.54 | 1.96 | 0.22 |
| *China, Jingxian County | 467 | 33.5 | 1.64 | 4.25 | 0.23 | 195 | 16.0 | 1.24 | 1.89 | 0.17 |
| *China, Jintan District, Changzhou City | 1653 | 67.3 | 1.70 | 8.59 | 0.26 | 665 | 26.8 | 1.08 | 3.28 | 0.17 |
| *China, Jiulongpo District, Chongqing City | 455 | 13.7 | 0.66 | 1.68 | 0.09 | 187 | 5.6 | 0.43 | 0.68 | 0.06 |
| *China, Jiyuan City | 1620 | 97.1 | 2.48 | 11.34 | 0.33 | 635 | 34.8 | 1.41 | 3.95 | 0.20 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Stomach (C16) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 325 | 26.0 | 1.52 | 3.09 | 0.22 | 134 | 10.5 | 0.96 | 1.20 | 0.14 |
| China, Kunshan City | 1376 | 38.8 | 1.07 | 4.81 | 0.16 | 610 | 15.6 | 0.68 | 1.68 | 0.09 |
| China, Langzhong City | 841 | 42.5 | 1.48 | 5.26 | 0.22 | 284 | 15.1 | 0.91 | 1.79 | 0.13 |
| *China, Liangshan County | 647 | 20.5 | 0.82 | 2.62 | 0.13 | 271 | 8.3 | 0.54 | 0.91 | 0.07 |
| *China, Lianshui County | 1164 | 26.0 | 0.78 | 3.40 | 0.12 | 489 | 10.6 | 0.50 | 1.34 | 0.08 |
| China, Lianyungang City | 772 | 19.3 | 0.71 | 2.33 | 0.11 | 343 | 8.0 | 0.44 | 0.91 | 0.06 |
| China, Linhe District, Bayannur City | 482 | 36.9 | 1.73 | 4.89 | 0.27 | 153 | 11.2 | 0.93 | 1.42 | 0.14 |
| China, Linqu County | 1903 | 52.4 | 1.22 | 6.26 | 0.18 | 700 | 18.0 | 0.70 | 1.98 | 0.10 |
| *China, Linzhou City | 2993 | 82.8 | 1.55 | 10.60 | 0.23 | 1428 | 35.2 | 0.94 | 4.42 | 0.14 |
| China, Liuzhou City | 590 | 15.2 | 0.64 | 1.74 | 0.09 | 311 | 7.8 | 0.46 | 0.88 | 0.06 |
| China, Liyang City | 1541 | 36.1 | 0.95 | 4.39 | 0.14 | 556 | 13.2 | 0.60 | 1.50 | 0.08 |
| *China, Longquan City | 255 | 24.0 | 1.58 | 3.01 | 0.25 | 84 | 8.8 | 1.00 | 0.95 | 0.14 |
| China, Lucheng District, Wenzhou City | 485 | 23.4 | 1.09 | 2.87 | 0.17 | 244 | 10.9 | 0.73 | 1.31 | 0.11 |
| China, Luoding City | 302 | 12.8 | 0.75 | 1.63 | 0.11 | 137 | 5.7 | 0.51 | 0.67 | 0.08 |
| *China, Luohe City | 1113 | 29.2 | 0.90 | 3.58 | 0.14 | 571 | 12.5 | 0.55 | 1.38 | 0.08 |
| *China, Luoyang City | 1008 | 22.9 | 0.75 | 2.58 | 0.11 | 400 | 8.6 | 0.45 | 0.91 | 0.06 |
| *China, Luquan City | 317 | 27.0 | 1.54 | 3.61 | 0.25 | 107 | 7.8 | 0.79 | 0.91 | 0.12 |
| China, Ma'anshan City | 1177 | 52.9 | 1.59 | 6.08 | 0.22 | 460 | 19.1 | 0.91 | 2.08 | 0.13 |
| *China, Macheng City | 1069 | 44.5 | 1.37 | 6.00 | 0.21 | 420 | 17.2 | 0.85 | 2.21 | 0.13 |
| China, Meihekou City | 428 | 17.9 | 0.89 | 2.25 | 0.14 | 156 | 6.8 | 0.56 | 0.83 | 0.09 |
| *China, Mengjin County | 492 | 43.9 | 1.99 | 6.00 | 0.32 | 187 | 14.5 | 1.09 | 1.79 | 0.17 |
| China, Nangang District, Harbin City | 743 | 18.1 | 0.68 | 2.31 | 0.11 | 286 | 5.8 | 0.36 | 0.69 | 0.05 |
| *China, Nanghai District, Foshan City | 278 | 9.9 | 0.60 | 1.24 | 0.09 | 202 | 6.3 | 0.46 | 0.69 | 0.06 |
| China, Nanhu District, Jiaying City | 461 | 16.7 | 0.80 | 1.92 | 0.11 | 224 | 8.2 | 0.59 | 0.84 | 0.07 |
| *China, Nantong City | 1515 | 25.3 | 0.68 | 3.18 | 0.10 | 762 | 11.5 | 0.46 | 1.29 | 0.06 |
| *China, Nanxiong City | 309 | 22.5 | 1.29 | 2.61 | 0.18 | 152 | 8.4 | 0.71 | 1.02 | 0.10 |
| China, Neixiang County | 1533 | 61.7 | 1.60 | 7.70 | 0.22 | 498 | 19.3 | 0.89 | 2.43 | 0.13 |
| *China, Qianxi County | 537 | 39.1 | 1.76 | 4.78 | 0.26 | 212 | 15.6 | 1.11 | 1.76 | 0.18 |
| China, Qidong City | 1661 | 24.7 | 0.64 | 2.82 | 0.09 | 959 | 12.9 | 0.48 | 1.36 | 0.06 |
| China, Qingzhou City | 1237 | 36.2 | 1.04 | 4.57 | 0.16 | 387 | 10.6 | 0.57 | 1.22 | 0.08 |
| *China, Rudong County | 1654 | 23.9 | 0.62 | 2.84 | 0.09 | 766 | 10.6 | 0.43 | 1.18 | 0.06 |
| *China, Rugao City | 1693 | 21.1 | 0.53 | 2.58 | 0.08 | 814 | 9.3 | 0.36 | 1.06 | 0.05 |
| *China, Rural areas of Shanghai City | 11153 | 22.7 | 0.23 | 2.70 | 0.03 | 5778 | 11.1 | 0.16 | 1.23 | 0.02 |
| China, Ruyang County | 633 | 50.7 | 2.07 | 5.92 | 0.31 | 203 | 15.2 | 1.14 | 1.72 | 0.18 |
| *China, Shan County | 641 | 25.5 | 1.04 | 3.00 | 0.16 | 422 | 12.8 | 0.68 | 1.37 | 0.10 |
| China, Shanghai City | 8468 | 20.8 | 0.25 | 2.41 | 0.04 | 4555 | 10.9 | 0.20 | 1.17 | 0.02 |
| China, Shangyu District, Shaoxing City | 1517 | 41.7 | 1.09 | 5.15 | 0.17 | 620 | 17.0 | 0.71 | 1.97 | 0.10 |
| *China, Shapingba District, Chongqing City | 507 | 14.8 | 0.68 | 1.87 | 0.10 | 267 | 7.6 | 0.49 | 0.87 | 0.07 |
| China, Shexian County | 1633 | 120.3 | 3.01 | 15.44 | 0.45 | 619 | 44.7 | 1.82 | 5.16 | 0.26 |
| China, Sheyang County | 1702 | 38.0 | 0.94 | 4.72 | 0.14 | 818 | 18.0 | 0.65 | 2.18 | 0.10 |
| *China, Shijiazhuang City | 1378 | 25.4 | 0.70 | 3.24 | 0.11 | 466 | 8.0 | 0.39 | 0.95 | 0.06 |
| China, Shunde District, Foshan City | 423 | 12.2 | 0.60 | 1.49 | 0.09 | 217 | 5.0 | 0.35 | 0.51 | 0.04 |
| *China, Song County | 979 | 60.2 | 1.95 | 7.77 | 0.31 | 381 | 23.3 | 1.24 | 2.78 | 0.20 |
| China, Suzhou City | 6054 | 35.5 | 0.47 | 4.34 | 0.07 | 2666 | 14.6 | 0.30 | 1.68 | 0.04 |
| *China, Tengzhou City | 1378 | 24.4 | 0.67 | 3.05 | 0.10 | 612 | 9.4 | 0.40 | 1.08 | 0.06 |
| *China, Wangdu County | 207 | 30.2 | 2.14 | 4.07 | 0.33 | 75 | 10.8 | 1.26 | 1.34 | 0.19 |
| *China, Wanxian County | 192 | 16.1 | 1.19 | 1.82 | 0.16 | 104 | 8.7 | 0.88 | 0.96 | 0.12 |
| *China, Wu'an City | 1882 | 82.9 | 2.03 | 10.78 | 0.32 | 777 | 33.1 | 1.23 | 4.12 | 0.19 |
| China, Wuhan City | 4078 | 18.2 | 0.29 | 2.21 | 0.04 | 2130 | 9.0 | 0.20 | 0.97 | 0.03 |
| *China, Wuhu City | 2253 | 40.7 | 0.89 | 5.32 | 0.13 | 823 | 15.3 | 0.57 | 1.88 | 0.08 |
| China, Wuxi City | 5300 | 41.5 | 0.58 | 5.22 | 0.09 | 2119 | 15.8 | 0.36 | 1.84 | 0.05 |
| China, Wuzhou City | 216 | 11.3 | 0.79 | 1.44 | 0.12 | 90 | 4.5 | 0.49 | 0.53 | 0.07 |
| China, Xiangfu District, Kaifeng City | 369 | 19.0 | 1.01 | 2.42 | 0.16 | 168 | 7.6 | 0.61 | 0.94 | 0.09 |
| China, Xianju County | 1408 | 67.3 | 1.84 | 8.60 | 0.30 | 621 | 30.5 | 1.29 | 3.60 | 0.20 |
| *China, Xin'an County | 506 | 43.2 | 1.95 | 5.28 | 0.30 | 199 | 16.1 | 1.18 | 1.97 | 0.19 |
| *China, Xining City | 1115 | 53.5 | 1.71 | 5.97 | 0.22 | 422 | 17.7 | 0.91 | 1.82 | 0.11 |
| *China, Xinji City | 475 | 17.1 | 0.80 | 2.15 | 0.12 | 219 | 7.4 | 0.52 | 0.94 | 0.08 |
| *China, Xinluo District, Longyan City | 285 | 22.3 | 1.35 | 2.71 | 0.21 | 145 | 11.5 | 1.01 | 1.39 | 0.15 |
| *China, Xinzhou District, Shangrao City | 406 | 29.9 | 1.52 | 3.72 | 0.23 | 184 | 13.3 | 1.01 | 1.56 | 0.15 |
| China, Xiping County | 665 | 25.6 | 1.04 | 3.03 | 0.15 | 293 | 9.6 | 0.58 | 1.06 | 0.08 |
| *China, Xishan District, Kunming City | 163 | 9.1 | 0.75 | 1.12 | 0.11 | 103 | 5.7 | 0.61 | 0.60 | 0.08 |
| *China, Xuyi County | 745 | 28.3 | 1.06 | 3.54 | 0.17 | 250 | 9.1 | 0.61 | 1.12 | 0.09 |
| *China, Ya'an City | 885 | 16.7 | 0.57 | 1.98 | 0.08 | 457 | 8.2 | 0.39 | 0.92 | 0.06 |
| *China, Yakeshi City | 371 | 23.8 | 1.36 | 2.78 | 0.19 | 121 | 7.2 | 0.69 | 0.81 | 0.09 |
| China, Yancheng City | 2965 | 48.5 | 0.91 | 5.99 | 0.14 | 1312 | 20.7 | 0.59 | 2.40 | 0.09 |
| *China, Yangquan City | 878 | 41.5 | 1.46 | 5.21 | 0.22 | 253 | 12.0 | 0.78 | 1.49 | 0.12 |
| *China, Yangzhong City | 1022 | 69.8 | 2.22 | 8.62 | 0.32 | 500 | 29.8 | 1.40 | 3.43 | 0.20 |
| *China, Yanji City | 345 | 17.1 | 0.94 | 2.22 | 0.15 | 141 | 5.8 | 0.50 | 0.67 | 0.07 |
| *China, Yanshi City | 703 | 28.9 | 1.10 | 3.72 | 0.17 | 280 | 10.2 | 0.63 | 1.14 | 0.09 |
| China, Yanting County | 2388 | 126.7 | 2.62 | 14.70 | 0.36 | 1174 | 59.6 | 1.77 | 6.97 | 0.24 |
| *China, Yi'an District, Tongling City | 574 | 57.1 | 2.43 | 7.24 | 0.38 | 195 | 19.0 | 1.40 | 2.31 | 0.21 |
| *China, Yingdong District, Fuyang City | 441 | 19.2 | 0.94 | 2.50 | 0.15 | 169 | 6.8 | 0.55 | 0.73 | 0.08 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Stomach (C16) (contd)

| | Male | | | | | Female | | | | |
|--|--------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 308 | 30.9 | 1.84 | 3.78 | 0.28 | 122 | 11.7 | 1.09 | 1.33 | 0.16 |
| *China, Yiyuan County | 952 | 46.7 | 1.56 | 5.71 | 0.24 | 294 | 13.7 | 0.84 | 1.57 | 0.12 |
| China, Yong'an City | 319 | 22.9 | 1.33 | 2.81 | 0.20 | 147 | 10.8 | 0.93 | 1.26 | 0.14 |
| *China, Yongding District, Longyan City | 308 | 19.0 | 1.10 | 2.44 | 0.17 | 141 | 7.9 | 0.70 | 0.98 | 0.11 |
| China, Yongkang City | 679 | 26.4 | 1.05 | 3.14 | 0.16 | 297 | 11.4 | 0.69 | 1.26 | 0.10 |
| *China, Yucheng County | 464 | 23.7 | 1.12 | 2.94 | 0.16 | 353 | 16.3 | 0.90 | 1.79 | 0.12 |
| China, Yueyanglou District, Yueyang City | 146 | 13.3 | 1.12 | 1.63 | 0.17 | 73 | 7.0 | 0.83 | 0.88 | 0.13 |
| China, Yunmeng County | 502 | 31.8 | 1.51 | 3.77 | 0.20 | 326 | 18.1 | 1.05 | 1.89 | 0.13 |
| *China, Yunyang District, Shiyuan City | 514 | 46.2 | 2.09 | 6.26 | 0.34 | 210 | 19.0 | 1.35 | 2.16 | 0.20 |
| China, Yuzhong District, Chongqing City | 344 | 15.1 | 0.87 | 1.92 | 0.14 | 205 | 8.7 | 0.65 | 1.10 | 0.10 |
| *China, Zhanhuang County | 779 | 90.5 | 3.29 | 11.76 | 0.50 | 270 | 30.0 | 1.88 | 3.69 | 0.28 |
| *China, Zhangjiagang City | 1832 | 38.3 | 0.91 | 4.69 | 0.14 | 768 | 14.1 | 0.56 | 1.50 | 0.07 |
| *China, Zhaoyuan City | 1375 | 47.9 | 1.33 | 5.67 | 0.19 | 572 | 18.0 | 0.81 | 1.90 | 0.11 |
| *China, Zhengding County | 532 | 39.8 | 1.75 | 5.17 | 0.27 | 140 | 9.0 | 0.79 | 1.02 | 0.11 |
| *China, Zhongshan City | 495 | 9.4 | 0.43 | 1.21 | 0.07 | 255 | 4.3 | 0.28 | 0.49 | 0.04 |
| China, Zhongxiang City | 345 | 10.3 | 0.56 | 1.39 | 0.09 | 163 | 4.7 | 0.38 | 0.59 | 0.06 |
| *China, Zhuanghe City | 1616 | 35.0 | 0.90 | 4.38 | 0.14 | 578 | 12.4 | 0.54 | 1.50 | 0.08 |
| *China, Zhuhai City | 387 | 10.8 | 0.57 | 1.24 | 0.08 | 207 | 5.6 | 0.40 | 0.65 | 0.06 |
| India, Ahmedabad, Urban | 209 | 1.8 | 0.13 | 0.22 | 0.02 | 128 | 1.1 | 0.10 | 0.13 | 0.01 |
| India, Aurangabad | 70 | 2.6 | 0.32 | 0.34 | 0.05 | 35 | 1.3 | 0.23 | 0.15 | 0.03 |
| India, Bangalore | 977 | 8.8 | 0.29 | 1.12 | 0.04 | 589 | 5.3 | 0.22 | 0.64 | 0.03 |
| India, Barshi, Paranda, and Bhum | 31 | 2.3 | 0.42 | 0.26 | 0.05 | 22 | 1.5 | 0.33 | 0.15 | 0.04 |
| *India, Bhopal | 55 | 2.1 | 0.29 | 0.28 | 0.04 | 24 | 1.0 | 0.21 | 0.15 | 0.04 |
| India, Chandigarh | 52 | 2.1 | 0.30 | 0.25 | 0.04 | 18 | 0.7 | 0.18 | 0.07 | 0.02 |
| *India, Chennai | 1267 | 10.3 | 0.29 | 1.22 | 0.04 | 676 | 5.2 | 0.20 | 0.63 | 0.03 |
| India, Dibrugarh | 170 | 6.3 | 0.50 | 0.82 | 0.08 | 122 | 4.2 | 0.40 | 0.54 | 0.06 |
| *India, Dindigul, Ambilikikai | 335 | 5.3 | 0.29 | 0.63 | 0.04 | 195 | 3.0 | 0.21 | 0.35 | 0.03 |
| India, Kamrup Urban District | 325 | 13.8 | 0.79 | 1.71 | 0.12 | 183 | 8.0 | 0.61 | 0.89 | 0.09 |
| India, Kollam | 392 | 6.1 | 0.31 | 0.77 | 0.05 | 156 | 2.0 | 0.17 | 0.25 | 0.02 |
| *India, Manipur | 192 | 4.0 | 0.30 | 0.50 | 0.05 | 133 | 2.8 | 0.25 | 0.35 | 0.04 |
| India, Meghalaya | 295 | 12.1 | 0.74 | 1.59 | 0.12 | 206 | 6.7 | 0.49 | 0.75 | 0.07 |
| India, Mizoram | 624 | 38.8 | 1.59 | 4.89 | 0.25 | 294 | 18.1 | 1.08 | 2.31 | 0.17 |
| India, Mumbai | 1413 | 4.6 | 0.12 | 0.55 | 0.02 | 842 | 2.8 | 0.10 | 0.32 | 0.01 |
| *India, New Delhi | 822 | 3.8 | 0.14 | 0.45 | 0.02 | 522 | 2.5 | 0.11 | 0.30 | 0.02 |
| India, Poona | 408 | 3.4 | 0.17 | 0.41 | 0.03 | 202 | 1.7 | 0.12 | 0.19 | 0.02 |
| *India, Sangrur District | 31 | 1.2 | 0.21 | 0.13 | 0.03 | 24 | 0.9 | 0.19 | 0.09 | 0.02 |
| India, SAS Nagar | 40 | 1.7 | 0.27 | 0.23 | 0.04 | 12 | 0.5 | 0.15 | 0.06 | 0.02 |
| *India, Tamil Nadu | 12821 | 6.4 | 0.06 | 0.78 | 0.01 | 6134 | 2.9 | 0.04 | 0.33 | 0.00 |
| *India, Tripura | 323 | 5.0 | 0.28 | 0.64 | 0.04 | 147 | 2.1 | 0.18 | 0.24 | 0.02 |
| India, Trivandrum | 407 | 5.1 | 0.25 | 0.61 | 0.04 | 156 | 1.7 | 0.14 | 0.20 | 0.02 |
| India, Wardha | 57 | 1.5 | 0.21 | 0.19 | 0.03 | 50 | 1.3 | 0.19 | 0.17 | 0.03 |
| India, West Arunachal | 229 | 24.7 | 1.81 | 3.15 | 0.29 | 142 | 15.9 | 1.43 | 1.63 | 0.17 |
| *Iran (Islamic Republic of), Ardabil Province | 680 | 36.4 | 1.47 | 4.36 | 0.24 | 371 | 20.0 | 1.07 | 2.48 | 0.17 |
| *Iran (Islamic Republic of), Golestan Province | 530 | 24.4 | 1.09 | 2.94 | 0.17 | 282 | 11.7 | 0.72 | 1.33 | 0.11 |
| Israel | 2312 | 8.5 | 0.19 | 0.99 | 0.03 | 1563 | 4.9 | 0.13 | 0.55 | 0.02 |
| *Israel: Jews | 1903 | 8.1 | 0.20 | 0.94 | 0.03 | 1248 | 4.6 | 0.14 | 0.51 | 0.02 |
| *Israel: Arabs | 222 | 7.4 | 0.51 | 0.88 | 0.08 | 176 | 5.2 | 0.40 | 0.57 | 0.06 |
| Japan | 263846 | 50.2 | 0.11 | 6.07 | 0.02 | 120749 | 18.5 | 0.07 | 2.11 | 0.01 |
| Japan, Aichi Prefecture | 12335 | 43.9 | 0.43 | 5.30 | 0.06 | 5414 | 16.7 | 0.28 | 1.93 | 0.04 |
| *Japan, Akita Prefecture | 3507 | 72.2 | 1.43 | 8.81 | 0.20 | 1696 | 25.3 | 0.89 | 2.90 | 0.11 |
| Japan, Aomori Prefecture | 5674 | 59.4 | 0.90 | 7.23 | 0.13 | 2766 | 20.6 | 0.53 | 2.36 | 0.07 |
| Japan, Gunma Prefecture | 4015 | 46.2 | 0.82 | 5.56 | 0.12 | 1748 | 17.3 | 0.53 | 1.95 | 0.07 |
| Japan, Hiroshima Prefecture | 9257 | 58.0 | 0.69 | 7.15 | 0.10 | 4345 | 21.0 | 0.42 | 2.45 | 0.06 |
| Japan, Miyagi Prefecture | 9649 | 61.3 | 0.69 | 7.60 | 0.10 | 4261 | 21.7 | 0.42 | 2.51 | 0.06 |
| Japan, Osaka Prefecture | 19828 | 56.2 | 0.45 | 6.86 | 0.06 | 8808 | 20.7 | 0.27 | 2.40 | 0.04 |
| Kuwait | 201 | 3.3 | 0.30 | 0.43 | 0.05 | 117 | 2.4 | 0.25 | 0.33 | 0.04 |
| *Kuwait: Kuwaitis | 78 | 4.4 | 0.52 | 0.54 | 0.08 | 63 | 2.7 | 0.34 | 0.35 | 0.05 |
| *Kuwait: Non-Kuwaitis | 123 | 3.0 | 0.42 | 0.39 | 0.07 | 54 | 2.4 | 0.44 | 0.34 | 0.09 |
| *Philippines, Manila | 434 | 4.5 | 0.23 | 0.54 | 0.04 | 368 | 2.8 | 0.15 | 0.32 | 0.02 |
| *Qatar: Qatari | 19 | 4.7 | 1.11 | 0.70 | 0.20 | 18 | 3.8 | 0.93 | 0.30 | 0.11 |
| Republic of Korea | 101421 | 51.1 | 0.16 | 6.28 | 0.02 | 49580 | 21.0 | 0.10 | 2.39 | 0.01 |
| *Republic of Korea, Busan | 7933 | 52.8 | 0.61 | 6.51 | 0.08 | 3921 | 22.8 | 0.38 | 2.59 | 0.05 |
| *Republic of Korea, Daegu | 4599 | 48.6 | 0.73 | 5.90 | 0.10 | 2398 | 20.8 | 0.45 | 2.33 | 0.06 |
| *Republic of Korea, Daejeon | 3119 | 59.1 | 1.08 | 7.30 | 0.16 | 1483 | 24.0 | 0.65 | 2.73 | 0.09 |
| *Republic of Korea, Gwangju | 2442 | 48.9 | 1.01 | 6.07 | 0.15 | 1397 | 23.0 | 0.64 | 2.54 | 0.09 |
| Republic of Korea, Incheon | 5240 | 49.2 | 0.69 | 6.11 | 0.10 | 2381 | 19.3 | 0.41 | 2.15 | 0.06 |
| Republic of Korea, Jeju | 1000 | 42.7 | 1.38 | 5.09 | 0.19 | 561 | 18.7 | 0.87 | 1.97 | 0.11 |
| Republic of Korea, Seoul | 17407 | 46.3 | 0.36 | 5.71 | 0.05 | 8421 | 19.3 | 0.22 | 2.19 | 0.03 |
| Republic of Korea, Ulsan | 2015 | 51.9 | 1.22 | 6.37 | 0.18 | 962 | 22.1 | 0.73 | 2.50 | 0.10 |
| Singapore | 1515 | 9.9 | 0.26 | 1.08 | 0.04 | 1102 | 5.9 | 0.19 | 0.60 | 0.03 |
| Singapore: Chinese | 1333 | 10.7 | 0.30 | 1.16 | 0.04 | 989 | 6.4 | 0.21 | 0.64 | 0.03 |
| Singapore: Indian | 77 | 6.7 | 0.80 | 0.76 | 0.12 | 43 | 3.9 | 0.60 | 0.45 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Stomach (C16) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 90 | 5.9 | 0.64 | 0.64 | 0.09 | 51 | 2.8 | 0.40 | 0.34 | 0.06 |
| Thailand, Bangkok | 433 | 2.5 | 0.12 | 0.28 | 0.02 | 483 | 2.2 | 0.10 | 0.26 | 0.02 |
| *Thailand, Chiang Mai | 358 | 6.1 | 0.33 | 0.69 | 0.05 | 299 | 4.5 | 0.27 | 0.49 | 0.04 |
| *Thailand, Khon Kaen | 168 | 2.7 | 0.21 | 0.33 | 0.03 | 140 | 2.2 | 0.19 | 0.25 | 0.02 |
| Thailand, Lampang | 158 | 5.0 | 0.41 | 0.57 | 0.06 | 130 | 3.8 | 0.35 | 0.44 | 0.05 |
| Thailand, Lopburi Province | 117 | 5.0 | 0.48 | 0.58 | 0.07 | 100 | 3.7 | 0.37 | 0.44 | 0.05 |
| *Thailand, Songkhla | 104 | 2.5 | 0.25 | 0.29 | 0.03 | 80 | 1.6 | 0.18 | 0.17 | 0.02 |
| Turkey, Antalya | 672 | 10.8 | 0.42 | 1.29 | 0.06 | 365 | 5.3 | 0.28 | 0.60 | 0.04 |
| Turkey, Bursa | 1339 | 16.8 | 0.46 | 1.98 | 0.07 | 685 | 7.5 | 0.29 | 0.87 | 0.04 |
| *Turkey, Edirne | 245 | 15.5 | 1.01 | 1.99 | 0.16 | 116 | 6.6 | 0.64 | 0.86 | 0.10 |
| *Turkey, Erzurum | 721 | 39.2 | 1.49 | 4.95 | 0.23 | 393 | 17.9 | 0.93 | 2.19 | 0.14 |
| Turkey, Eskişehir | 335 | 12.4 | 0.68 | 1.54 | 0.10 | 178 | 5.8 | 0.44 | 0.66 | 0.06 |
| Turkey, Gaziantep | 361 | 10.5 | 0.56 | 1.24 | 0.08 | 211 | 5.2 | 0.37 | 0.60 | 0.05 |
| *Turkey, Izmir | 1760 | 13.2 | 0.32 | 1.56 | 0.05 | 971 | 6.2 | 0.21 | 0.69 | 0.03 |
| Turkey, Malatya | 295 | 13.2 | 0.79 | 1.60 | 0.12 | 127 | 4.7 | 0.44 | 0.54 | 0.06 |
| Turkey, Samsun | 709 | 17.2 | 0.65 | 2.12 | 0.09 | 326 | 6.6 | 0.38 | 0.74 | 0.05 |
| Turkey, Trabzon | 590 | 23.5 | 0.98 | 2.82 | 0.14 | 301 | 9.1 | 0.57 | 1.05 | 0.08 |
| Europe | | | | | | | | | | |
| Austria | 3635 | 8.3 | 0.15 | 0.94 | 0.02 | 2576 | 4.5 | 0.11 | 0.49 | 0.01 |
| Austria, Carinthia | 288 | 9.1 | 0.58 | 0.96 | 0.08 | 249 | 6.1 | 0.46 | 0.66 | 0.06 |
| Austria, Tyrol | 391 | 10.5 | 0.57 | 1.16 | 0.08 | 234 | 5.2 | 0.40 | 0.56 | 0.05 |
| Austria, Vorarlberg | 163 | 8.8 | 0.73 | 0.88 | 0.09 | 106 | 4.6 | 0.51 | 0.49 | 0.07 |
| Belarus | 8271 | 25.8 | 0.29 | 3.22 | 0.05 | 5900 | 10.8 | 0.16 | 1.29 | 0.02 |
| *Belgium | 4570 | 8.3 | 0.13 | 0.96 | 0.02 | 2742 | 4.1 | 0.09 | 0.46 | 0.01 |
| Croatia | 2840 | 13.6 | 0.27 | 1.57 | 0.04 | 1925 | 6.3 | 0.17 | 0.70 | 0.02 |
| Cyprus | 260 | 7.1 | 0.46 | 0.84 | 0.07 | 166 | 4.0 | 0.33 | 0.44 | 0.04 |
| *Czech Republic | 4319 | 8.6 | 0.13 | 1.01 | 0.02 | 2951 | 4.6 | 0.09 | 0.51 | 0.01 |
| Denmark | 2019 | 7.1 | 0.17 | 0.84 | 0.02 | 1054 | 3.3 | 0.11 | 0.38 | 0.02 |
| Estonia | 1075 | 19.4 | 0.62 | 2.30 | 0.09 | 928 | 10.2 | 0.40 | 1.19 | 0.05 |
| Finland | 1776 | 6.0 | 0.15 | 0.68 | 0.02 | 1326 | 3.6 | 0.12 | 0.41 | 0.02 |
| *France, Bas-Rhin | 317 | 7.7 | 0.46 | 0.86 | 0.06 | 180 | 3.4 | 0.30 | 0.36 | 0.04 |
| *France, Calvados | 202 | 5.6 | 0.43 | 0.61 | 0.06 | 120 | 2.5 | 0.27 | 0.27 | 0.04 |
| *France, Doubs | 200 | 7.6 | 0.58 | 0.88 | 0.08 | 104 | 3.2 | 0.37 | 0.35 | 0.05 |
| *France, Gironde | 468 | 6.6 | 0.33 | 0.78 | 0.05 | 230 | 2.3 | 0.18 | 0.24 | 0.02 |
| *France, Haut-Rhin | 305 | 7.6 | 0.46 | 0.91 | 0.07 | 167 | 3.3 | 0.31 | 0.38 | 0.04 |
| *France, Hérault | 371 | 6.6 | 0.37 | 0.77 | 0.05 | 244 | 3.4 | 0.26 | 0.37 | 0.03 |
| *France, Isère | 431 | 7.3 | 0.38 | 0.87 | 0.05 | 230 | 3.2 | 0.25 | 0.35 | 0.03 |
| *France, Lille-Métropole | 210 | 7.2 | 0.52 | 0.84 | 0.07 | 119 | 3.0 | 0.32 | 0.33 | 0.04 |
| *France, Limousin | 154 | 6.3 | 0.58 | 0.69 | 0.08 | 63 | 2.0 | 0.32 | 0.20 | 0.04 |
| *France, Loire-Atlantique | 446 | 7.3 | 0.37 | 0.86 | 0.05 | 243 | 2.8 | 0.22 | 0.29 | 0.03 |
| *France, Manche | 264 | 8.5 | 0.60 | 0.94 | 0.08 | 145 | 2.8 | 0.31 | 0.26 | 0.04 |
| *France, Poitou-Charentes | 667 | 6.3 | 0.28 | 0.72 | 0.04 | 313 | 2.2 | 0.16 | 0.25 | 0.02 |
| *France, Somme | 209 | 7.6 | 0.56 | 0.92 | 0.08 | 105 | 2.8 | 0.34 | 0.30 | 0.04 |
| *France, Tarn | 123 | 4.9 | 0.51 | 0.59 | 0.07 | 77 | 2.6 | 0.39 | 0.26 | 0.05 |
| *France, Territoire de Belfort | 42 | 8.0 | 1.32 | 0.92 | 0.19 | 21 | 2.6 | 0.68 | 0.26 | 0.09 |
| *France, Vendée | 294 | 6.9 | 0.45 | 0.78 | 0.07 | 130 | 2.6 | 0.28 | 0.29 | 0.04 |
| Germany, Baden-Württemberg | 3504 | 10.0 | 0.18 | 1.17 | 0.03 | 2116 | 5.0 | 0.13 | 0.55 | 0.02 |
| Germany, Bavaria | 6920 | 9.8 | 0.13 | 1.13 | 0.02 | 4850 | 5.4 | 0.09 | 0.59 | 0.01 |
| Germany, Bremen | 349 | 9.5 | 0.56 | 1.06 | 0.08 | 251 | 5.2 | 0.41 | 0.54 | 0.05 |
| Germany, Hamburg | 921 | 10.1 | 0.36 | 1.19 | 0.05 | 581 | 5.3 | 0.26 | 0.62 | 0.04 |
| Germany, Lower Saxony | 5004 | 11.1 | 0.17 | 1.28 | 0.02 | 3063 | 5.3 | 0.12 | 0.57 | 0.02 |
| Germany, North Rhine-Westphalia | 9955 | 10.1 | 0.11 | 1.17 | 0.02 | 6585 | 5.3 | 0.08 | 0.57 | 0.01 |
| Germany, Rhineland-Palatinate | 2226 | 9.7 | 0.23 | 1.11 | 0.03 | 1426 | 4.9 | 0.16 | 0.54 | 0.02 |
| Germany, Saarland | 575 | 9.3 | 0.43 | 1.06 | 0.06 | 376 | 4.8 | 0.31 | 0.48 | 0.04 |
| Germany, Schleswig-Holstein | 1813 | 10.6 | 0.28 | 1.20 | 0.04 | 1114 | 5.3 | 0.20 | 0.59 | 0.03 |
| Iceland | 75 | 5.1 | 0.62 | 0.53 | 0.08 | 59 | 3.4 | 0.49 | 0.33 | 0.07 |
| Ireland | 1828 | 9.6 | 0.23 | 1.08 | 0.03 | 999 | 4.7 | 0.16 | 0.52 | 0.02 |
| *Italy, Aosta Valley | 59 | 9.9 | 1.46 | 1.15 | 0.20 | 50 | 6.7 | 1.16 | 0.72 | 0.15 |
| *Italy, Avellino | 169 | 11.4 | 0.96 | 1.31 | 0.14 | 99 | 5.0 | 0.61 | 0.62 | 0.10 |
| Italy, Basilicata | 412 | 12.1 | 0.68 | 1.34 | 0.09 | 293 | 6.4 | 0.46 | 0.70 | 0.07 |
| *Italy, Benevento | 140 | 9.9 | 0.94 | 1.15 | 0.14 | 110 | 6.1 | 0.71 | 0.82 | 0.12 |
| Italy, Bergamo | 957 | 14.6 | 0.51 | 1.60 | 0.07 | 658 | 8.2 | 0.38 | 0.93 | 0.05 |
| *Italy, Brescia | 954 | 14.4 | 0.50 | 1.65 | 0.07 | 678 | 7.4 | 0.35 | 0.81 | 0.05 |
| Italy, Brianza (Lecco and Monza e Brianza) | 563 | 13.2 | 0.60 | 1.51 | 0.09 | 380 | 6.6 | 0.41 | 0.71 | 0.06 |
| Italy, Calabria | 293 | 10.0 | 0.64 | 1.20 | 0.09 | 219 | 6.1 | 0.49 | 0.71 | 0.07 |
| *Italy, Caserta | 454 | 13.5 | 0.66 | 1.58 | 0.10 | 292 | 6.8 | 0.45 | 0.77 | 0.06 |
| *Italy, Catania, Messina, and Enna | 864 | 8.4 | 0.31 | 0.99 | 0.05 | 589 | 4.8 | 0.23 | 0.57 | 0.03 |
| Italy, Emilia-Romagna | 2920 | 12.0 | 0.25 | 1.36 | 0.04 | 2028 | 6.2 | 0.18 | 0.65 | 0.02 |
| Italy, Friuli-Venezia Giulia | 911 | 10.9 | 0.41 | 1.29 | 0.06 | 610 | 5.4 | 0.29 | 0.61 | 0.04 |
| Italy, Genova | 429 | 8.5 | 0.48 | 0.98 | 0.07 | 280 | 3.7 | 0.29 | 0.42 | 0.04 |
| *Italy, Lombardy, South, Pavia | 417 | 12.0 | 0.65 | 1.36 | 0.09 | 303 | 6.3 | 0.46 | 0.71 | 0.07 |
| Italy, Mantova and Cremona | 600 | 15.2 | 0.69 | 1.78 | 0.10 | 413 | 7.5 | 0.46 | 0.84 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Stomach (C16) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 1181 | 14.5 | 0.48 | 1.69 | 0.07 | 863 | 8.0 | 0.36 | 0.89 | 0.05 |
| Italy, Milan | 2227 | 10.9 | 0.26 | 1.27 | 0.04 | 1595 | 5.4 | 0.17 | 0.59 | 0.02 |
| Italy, Molise | 150 | 12.4 | 1.14 | 1.37 | 0.16 | 109 | 7.6 | 1.00 | 0.89 | 0.13 |
| *Italy, Naples Centre | 254 | 9.1 | 0.60 | 1.11 | 0.09 | 221 | 5.8 | 0.45 | 0.67 | 0.06 |
| *Italy, Naples North | 439 | 13.2 | 0.65 | 1.53 | 0.09 | 282 | 7.2 | 0.46 | 0.83 | 0.06 |
| *Italy, Naples South | 529 | 10.6 | 0.49 | 1.18 | 0.07 | 365 | 5.9 | 0.35 | 0.66 | 0.05 |
| *Italy, Nuoro | 64 | 8.3 | 1.14 | 0.93 | 0.16 | 69 | 6.2 | 0.99 | 0.56 | 0.12 |
| *Italy, Palermo | 531 | 8.3 | 0.39 | 0.95 | 0.05 | 324 | 4.2 | 0.27 | 0.49 | 0.04 |
| Italy, Puglia | 2037 | 9.0 | 0.22 | 1.05 | 0.03 | 1390 | 4.9 | 0.15 | 0.55 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 247 | 7.3 | 0.52 | 0.79 | 0.07 | 162 | 4.2 | 0.38 | 0.47 | 0.05 |
| *Italy, Salerno | 389 | 8.5 | 0.47 | 1.05 | 0.07 | 301 | 5.5 | 0.37 | 0.65 | 0.05 |
| Italy, Sassari | 89 | 7.5 | 0.85 | 0.94 | 0.13 | 58 | 4.5 | 0.68 | 0.51 | 0.09 |
| *Italy, Sondrio | 199 | 16.2 | 1.23 | 1.78 | 0.17 | 153 | 8.9 | 0.89 | 0.97 | 0.12 |
| Italy, South Tyrol | 287 | 9.7 | 0.63 | 1.08 | 0.09 | 220 | 5.5 | 0.44 | 0.62 | 0.07 |
| *Italy, Syracuse | 154 | 6.6 | 0.58 | 0.80 | 0.09 | 99 | 3.5 | 0.41 | 0.39 | 0.06 |
| Italy, Trento | 294 | 9.6 | 0.61 | 1.09 | 0.09 | 249 | 5.8 | 0.44 | 0.63 | 0.06 |
| Italy, Turin | 1310 | 9.0 | 0.28 | 1.05 | 0.04 | 839 | 4.6 | 0.20 | 0.53 | 0.03 |
| *Italy, Tuscany | 1925 | 13.4 | 0.35 | 1.49 | 0.05 | 1353 | 7.0 | 0.24 | 0.75 | 0.03 |
| Italy, Umbria | 674 | 13.3 | 0.59 | 1.48 | 0.09 | 544 | 7.9 | 0.44 | 0.80 | 0.06 |
| Italy, Varese | 297 | 9.5 | 0.61 | 1.08 | 0.09 | 225 | 5.1 | 0.42 | 0.53 | 0.06 |
| Italy, Veneto | 2699 | 9.1 | 0.19 | 1.03 | 0.03 | 1859 | 4.6 | 0.13 | 0.49 | 0.02 |
| Latvia | 1574 | 19.7 | 0.52 | 2.38 | 0.07 | 1217 | 8.8 | 0.30 | 0.98 | 0.04 |
| *Liechtenstein | 13 | 7.4 | 2.13 | 0.75 | 0.25 | 5 | 2.8 | 1.31 | 0.35 | 0.18 |
| *Lithuania | 2451 | 20.2 | 0.43 | 2.40 | 0.06 | 1704 | 8.3 | 0.24 | 0.92 | 0.03 |
| Malta | 193 | 8.1 | 0.60 | 0.95 | 0.09 | 103 | 3.4 | 0.38 | 0.37 | 0.05 |
| *The Netherlands | 5693 | 6.5 | 0.09 | 0.75 | 0.01 | 3316 | 3.4 | 0.07 | 0.39 | 0.01 |
| Norway | 1504 | 6.1 | 0.16 | 0.71 | 0.02 | 862 | 3.0 | 0.12 | 0.34 | 0.02 |
| Poland, Kielce | 642 | 11.4 | 0.47 | 1.37 | 0.07 | 340 | 4.3 | 0.27 | 0.51 | 0.04 |
| *Portugal, Azores | 154 | 21.0 | 1.73 | 2.34 | 0.24 | 80 | 8.3 | 1.02 | 0.89 | 0.13 |
| Russian Federation, Arkhangelsk | 1289 | 34.1 | 0.98 | 4.24 | 0.15 | 1059 | 14.4 | 0.49 | 1.68 | 0.07 |
| Russian Federation, Kaliningrad | 650 | 21.0 | 0.84 | 2.68 | 0.13 | 516 | 9.4 | 0.45 | 1.15 | 0.07 |
| Russian Federation, Karelia | 660 | 32.7 | 1.32 | 4.26 | 0.23 | 501 | 13.2 | 0.67 | 1.55 | 0.10 |
| *Russian Federation, Komi Republic | 778 | 33.1 | 1.26 | 4.18 | 0.20 | 522 | 12.2 | 0.57 | 1.42 | 0.09 |
| Russian Federation, Murmansk | 591 | 29.5 | 1.27 | 3.65 | 0.20 | 506 | 13.1 | 0.61 | 1.48 | 0.09 |
| *Russian Federation, Orenburg | 1746 | 27.1 | 0.67 | 3.39 | 0.10 | 1214 | 11.3 | 0.36 | 1.34 | 0.05 |
| Russian Federation, Pskov | 673 | 28.9 | 1.14 | 3.55 | 0.17 | 483 | 10.9 | 0.57 | 1.26 | 0.08 |
| *Russian Federation, Samara | 2402 | 21.9 | 0.46 | 2.79 | 0.07 | 1837 | 9.5 | 0.24 | 1.15 | 0.03 |
| Russian Federation, Vologda Region | 1160 | 29.8 | 0.88 | 3.80 | 0.11 | 795 | 11.2 | 0.42 | 1.41 | 0.05 |
| Slovenia | 1424 | 13.5 | 0.37 | 1.56 | 0.05 | 863 | 6.2 | 0.25 | 0.68 | 0.03 |
| Spain, Asturias | 417 | 10.3 | 0.56 | 1.22 | 0.08 | 287 | 5.0 | 0.37 | 0.56 | 0.05 |
| Spain, Basque Country | 1294 | 13.2 | 0.40 | 1.55 | 0.06 | 718 | 5.8 | 0.27 | 0.64 | 0.04 |
| Spain, Canary Islands | 487 | 7.5 | 0.36 | 0.90 | 0.05 | 316 | 4.1 | 0.26 | 0.44 | 0.03 |
| Spain, Castellón | 267 | 8.5 | 0.56 | 1.03 | 0.09 | 133 | 3.6 | 0.38 | 0.35 | 0.05 |
| Spain, Girona | 341 | 8.9 | 0.52 | 1.01 | 0.08 | 223 | 4.9 | 0.38 | 0.55 | 0.05 |
| Spain, Granada | 382 | 8.6 | 0.48 | 0.99 | 0.07 | 239 | 4.5 | 0.34 | 0.51 | 0.05 |
| Spain, La Rioja | 219 | 12.3 | 0.90 | 1.46 | 0.14 | 122 | 4.9 | 0.57 | 0.55 | 0.08 |
| Spain, Murcia | 535 | 8.1 | 0.38 | 0.91 | 0.06 | 384 | 5.0 | 0.29 | 0.56 | 0.04 |
| Spain, Navarra | 288 | 10.2 | 0.65 | 1.19 | 0.10 | 200 | 5.9 | 0.50 | 0.62 | 0.07 |
| Spain, Salamanca | 270 | 10.9 | 0.79 | 1.24 | 0.11 | 185 | 5.8 | 0.56 | 0.68 | 0.08 |
| Spain, Tarragona | 327 | 7.9 | 0.47 | 0.85 | 0.07 | 178 | 3.8 | 0.33 | 0.43 | 0.05 |
| *Sweden | 2654 | 5.0 | 0.11 | 0.59 | 0.01 | 1562 | 2.7 | 0.08 | 0.31 | 0.01 |
| Switzerland, Aargau | 191 | 5.9 | 0.45 | 0.62 | 0.06 | 101 | 3.0 | 0.34 | 0.31 | 0.04 |
| Switzerland, Basel | 215 | 8.2 | 0.61 | 0.99 | 0.09 | 145 | 4.6 | 0.45 | 0.50 | 0.06 |
| Switzerland, Berne Solothurn | 334 | 7.7 | 0.45 | 0.96 | 0.06 | 182 | 3.4 | 0.30 | 0.36 | 0.04 |
| Switzerland, East | 303 | 7.3 | 0.44 | 0.82 | 0.06 | 153 | 3.1 | 0.29 | 0.34 | 0.04 |
| *Switzerland, Fribourg | 111 | 8.2 | 0.81 | 0.91 | 0.11 | 45 | 2.9 | 0.47 | 0.31 | 0.06 |
| Switzerland, Geneva | 161 | 7.8 | 0.66 | 0.92 | 0.09 | 98 | 3.7 | 0.43 | 0.39 | 0.05 |
| *Switzerland, Graubünden and Glarus | 104 | 7.7 | 0.80 | 0.94 | 0.12 | 59 | 3.1 | 0.49 | 0.36 | 0.07 |
| *Switzerland, Lucerne | 197 | 7.5 | 0.57 | 0.85 | 0.08 | 97 | 3.1 | 0.38 | 0.29 | 0.05 |
| *Switzerland, Neuchâtel and Jura | 95 | 8.0 | 0.87 | 0.89 | 0.11 | 52 | 3.3 | 0.53 | 0.38 | 0.07 |
| Switzerland, Ticino | 187 | 8.9 | 0.72 | 1.06 | 0.10 | 128 | 4.7 | 0.52 | 0.48 | 0.07 |
| Switzerland, Valais | 146 | 8.3 | 0.73 | 0.98 | 0.10 | 90 | 4.3 | 0.52 | 0.45 | 0.07 |
| Switzerland, Vaud | 207 | 6.2 | 0.45 | 0.65 | 0.06 | 130 | 3.5 | 0.34 | 0.37 | 0.04 |
| Switzerland, Zurich and Zug | 532 | 7.4 | 0.34 | 0.87 | 0.05 | 264 | 3.0 | 0.21 | 0.33 | 0.03 |
| Ukraine | 24960 | 19.8 | 0.13 | 2.53 | 0.02 | 16064 | 7.9 | 0.07 | 0.96 | 0.01 |
| UK, England | 17811 | 6.1 | 0.05 | 0.66 | 0.01 | 9487 | 2.7 | 0.03 | 0.28 | 0.00 |
| UK, Northern Ireland | 685 | 7.9 | 0.32 | 0.87 | 0.05 | 400 | 3.8 | 0.21 | 0.41 | 0.03 |
| UK, Scotland | 2020 | 7.0 | 0.17 | 0.76 | 0.02 | 1255 | 3.4 | 0.11 | 0.36 | 0.02 |
| UK, Wales | 1470 | 8.1 | 0.23 | 0.91 | 0.03 | 702 | 3.0 | 0.14 | 0.31 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 2600 | 7.2 | 0.15 | 0.82 | 0.02 | 1379 | 3.4 | 0.10 | 0.39 | 0.01 |
| *Australia, Northern Territory | 34 | 4.9 | 0.86 | 0.58 | 0.12 | 11 | 1.8 | 0.55 | 0.20 | 0.08 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Stomach (C16) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 27 | 4.6 | 0.91 | 0.56 | 0.13 | 5 | 1.1 | 0.49 | 0.08 | 0.05 |
| *Australia, Northern Territory: Indigenous | 7 | 6.4 | 2.62 | 0.68 | 0.33 | 6 | 4.5 | 1.87 | 0.67 | 0.32 |
| *Australia, Queensland | 1473 | 7.2 | 0.20 | 0.82 | 0.03 | 870 | 3.9 | 0.14 | 0.44 | 0.02 |
| Australia, South Australia | 533 | 6.4 | 0.30 | 0.72 | 0.04 | 295 | 3.1 | 0.20 | 0.33 | 0.03 |
| Australia, Tasmania | 196 | 7.6 | 0.60 | 0.78 | 0.07 | 92 | 3.3 | 0.39 | 0.40 | 0.05 |
| *Australia, Victoria | 1909 | 7.1 | 0.17 | 0.83 | 0.02 | 1025 | 3.4 | 0.12 | 0.36 | 0.02 |
| *Australia, Western Australia | 654 | 6.2 | 0.25 | 0.67 | 0.04 | 319 | 2.7 | 0.17 | 0.27 | 0.02 |
| *France, New Caledonia | 83 | 10.5 | 1.16 | 1.30 | 0.17 | 50 | 5.5 | 0.81 | 0.51 | 0.10 |
| New Zealand | 1268 | 6.5 | 0.19 | 0.75 | 0.03 | 709 | 3.3 | 0.14 | 0.35 | 0.02 |
| *New Zealand: Maori | 212 | 13.5 | 0.95 | 1.53 | 0.13 | 148 | 8.2 | 0.68 | 0.97 | 0.10 |
| *New Zealand: Pacific peoples | 90 | 14.1 | 1.51 | 1.65 | 0.21 | 86 | 11.8 | 1.28 | 1.31 | 0.18 |
| *New Zealand: Other | 858 | 5.1 | 0.19 | 0.60 | 0.03 | 411 | 2.1 | 0.12 | 0.21 | 0.02 |
| USA, Hawaii | 451 | 6.4 | 0.32 | 0.67 | 0.04 | 314 | 3.8 | 0.25 | 0.38 | 0.03 |
| USA, Hawaii: White | 79 | 3.6 | 0.42 | 0.42 | 0.06 | 38 | 1.9 | 0.33 | 0.20 | 0.04 |
| *USA, Hawaii: Japanese | 147 | 7.7 | 0.84 | 0.71 | 0.10 | 116 | 4.4 | 0.78 | 0.42 | 0.08 |
| *USA, Hawaii: Chinese | 31 | 6.7 | 1.49 | 0.85 | 0.21 | 21 | 4.2 | 1.04 | 0.49 | 0.14 |
| *USA, Hawaii: Hawaiian | 73 | 7.9 | 0.93 | 0.93 | 0.14 | 43 | 4.1 | 0.65 | 0.41 | 0.08 |
| *USA, Hawaii: Filipino | 57 | 5.1 | 0.70 | 0.49 | 0.09 | 42 | 2.6 | 0.45 | 0.27 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Small intestine (C17)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 8 | 0.5 | 0.19 | 0.05 | 0.02 | 5 | 0.4 | 0.17 | 0.06 | 0.03 |
| *Algeria, Tizi Ouzou | 12 | 0.8 | 0.25 | 0.09 | 0.03 | 12 | 0.7 | 0.20 | 0.07 | 0.02 |
| *Benin, Cotonou | 4 | 0.9 | 0.44 | 0.13 | 0.07 | 3 | 0.4 | 0.27 | 0.05 | 0.03 |
| *France, La Réunion | 27 | 1.2 | 0.24 | 0.14 | 0.03 | 20 | 0.8 | 0.18 | 0.10 | 0.03 |
| *Kenya, Eldoret | 3 | 0.2 | 0.15 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Kenya, Nairobi | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| Mauritius | 15 | 0.4 | 0.09 | 0.05 | 0.01 | 30 | 0.7 | 0.12 | 0.08 | 0.02 |
| *Morocco, Casablanca | 32 | 0.3 | 0.06 | 0.05 | 0.01 | 36 | 0.3 | 0.05 | 0.03 | 0.01 |
| *Seychelles | 2 | 0.7 | 0.50 | 0.02 | 0.02 | 1 | 0.2 | 0.19 | 0.00 | 0.00 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 9 | 0.5 | 0.21 | 0.07 | 0.04 | 7 | 0.3 | 0.14 | 0.02 | 0.02 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *Zimbabwe, Bulawayo: African | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 4 | 0.4 | 0.19 | 0.03 | 0.02 |
| *Zimbabwe, Harare: African | 17 | 1.0 | 0.26 | 0.06 | 0.02 | 10 | 0.6 | 0.21 | 0.10 | 0.04 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 24 | 1.1 | 0.22 | 0.12 | 0.03 | 30 | 1.0 | 0.19 | 0.10 | 0.02 |
| *Argentina, Mendoza | 51 | 1.0 | 0.14 | 0.13 | 0.02 | 65 | 1.1 | 0.14 | 0.13 | 0.02 |
| Brazil, Aracaju | 11 | 1.1 | 0.33 | 0.16 | 0.06 | 16 | 1.0 | 0.26 | 0.11 | 0.04 |
| *Brazil, Barretos | 11 | 0.8 | 0.24 | 0.09 | 0.04 | 6 | 0.4 | 0.15 | 0.04 | 0.02 |
| Brazil, Belo Horizonte | 76 | 1.1 | 0.13 | 0.14 | 0.02 | 89 | 0.8 | 0.09 | 0.09 | 0.01 |
| *Brazil, Campinas | 35 | 1.5 | 0.26 | 0.18 | 0.04 | 40 | 1.3 | 0.21 | 0.14 | 0.03 |
| *Brazil, Curitiba | 31 | 0.8 | 0.14 | 0.09 | 0.02 | 25 | 0.5 | 0.09 | 0.06 | 0.01 |
| Brazil, Goiânia | 23 | 0.9 | 0.18 | 0.10 | 0.03 | 24 | 0.7 | 0.14 | 0.08 | 0.02 |
| *Brazil, Jaú | 4 | 0.9 | 0.45 | 0.06 | 0.04 | 2 | 0.5 | 0.33 | 0.07 | 0.05 |
| Brazil, João Pessoa | 12 | 1.2 | 0.35 | 0.15 | 0.05 | 18 | 1.1 | 0.26 | 0.12 | 0.04 |
| Brazil, Recife | 32 | 1.3 | 0.22 | 0.14 | 0.03 | 24 | 0.6 | 0.13 | 0.07 | 0.02 |
| Chile, Region of Antofagasta | 7 | 0.7 | 0.28 | 0.08 | 0.03 | 2 | 0.2 | 0.15 | 0.03 | 0.02 |
| Chile, Valdivia | 10 | 0.8 | 0.26 | 0.08 | 0.03 | 13 | 0.8 | 0.22 | 0.14 | 0.05 |
| Colombia, Bucaramanga | 29 | 1.0 | 0.19 | 0.11 | 0.02 | 29 | 0.7 | 0.14 | 0.10 | 0.02 |
| Colombia, Cali | 51 | 0.9 | 0.12 | 0.08 | 0.01 | 58 | 0.7 | 0.10 | 0.07 | 0.01 |
| Colombia, Manizales | 11 | 0.8 | 0.26 | 0.10 | 0.03 | 18 | 1.1 | 0.26 | 0.12 | 0.03 |
| Colombia, Pasto | 9 | 0.9 | 0.31 | 0.14 | 0.05 | 9 | 0.6 | 0.21 | 0.05 | 0.02 |
| Costa Rica | 61 | 0.6 | 0.07 | 0.05 | 0.01 | 38 | 0.4 | 0.06 | 0.05 | 0.01 |
| Ecuador, Guayaquil | 44 | 0.8 | 0.13 | 0.10 | 0.02 | 50 | 0.8 | 0.11 | 0.07 | 0.01 |
| Ecuador, Manabí | 14 | 0.4 | 0.11 | 0.04 | 0.01 | 18 | 0.5 | 0.13 | 0.06 | 0.02 |
| Ecuador, Quito | 68 | 1.7 | 0.21 | 0.22 | 0.03 | 68 | 1.4 | 0.17 | 0.17 | 0.03 |
| *France, Guadeloupe | 22 | 1.3 | 0.28 | 0.19 | 0.05 | 26 | 1.2 | 0.26 | 0.13 | 0.03 |
| *France, Martinique | 16 | 0.9 | 0.25 | 0.09 | 0.03 | 17 | 0.8 | 0.23 | 0.10 | 0.03 |
| *Peru, Lima | 147 | 1.1 | 0.09 | 0.12 | 0.01 | 153 | 0.9 | 0.07 | 0.10 | 0.01 |
| *Trinidad and Tobago | 8 | 0.3 | 0.12 | 0.04 | 0.01 | 11 | 0.4 | 0.13 | 0.05 | 0.02 |
| USA, Puerto Rico | 204 | 1.4 | 0.11 | 0.17 | 0.01 | 157 | 0.8 | 0.07 | 0.10 | 0.01 |
| *Uruguay | 137 | 1.2 | 0.10 | 0.15 | 0.01 | 131 | 0.9 | 0.08 | 0.11 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 255 | 1.7 | 0.11 | 0.19 | 0.02 | 228 | 1.4 | 0.09 | 0.16 | 0.01 |
| Canada, British Columbia | 326 | 1.4 | 0.08 | 0.16 | 0.01 | 252 | 1.0 | 0.07 | 0.11 | 0.01 |
| *Canada, Manitoba | 89 | 1.6 | 0.18 | 0.19 | 0.02 | 68 | 1.1 | 0.15 | 0.13 | 0.02 |
| *Canada, New Brunswick | 77 | 1.9 | 0.23 | 0.23 | 0.03 | 47 | 1.0 | 0.16 | 0.11 | 0.02 |
| *Canada, Newfoundland and Labrador | 51 | 1.9 | 0.27 | 0.22 | 0.04 | 56 | 1.9 | 0.26 | 0.24 | 0.04 |
| Canada, Ontario | 1238 | 2.0 | 0.06 | 0.24 | 0.01 | 1120 | 1.7 | 0.05 | 0.20 | 0.01 |
| *Canada, Prince Edward Island | 10 | 1.2 | 0.40 | 0.13 | 0.06 | 7 | 0.6 | 0.24 | 0.08 | 0.05 |
| Canada, Quebec | 622 | 1.6 | 0.07 | 0.18 | 0.01 | 552 | 1.2 | 0.06 | 0.14 | 0.01 |
| Canada, Saskatchewan | 63 | 1.2 | 0.16 | 0.12 | 0.02 | 81 | 1.5 | 0.18 | 0.18 | 0.03 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 1 | 0.9 | 0.90 | 0.22 | 0.22 |
| USA | 24209 | 1.9 | 0.01 | 0.23 | 0.00 | 21526 | 1.5 | 0.01 | 0.18 | 0.00 |
| USA: White | 19511 | 1.8 | 0.01 | 0.21 | 0.00 | 16808 | 1.4 | 0.01 | 0.17 | 0.00 |
| USA: Black | 3812 | 3.0 | 0.05 | 0.36 | 0.01 | 3993 | 2.4 | 0.04 | 0.29 | 0.01 |
| USA, NPCR | 23433 | 1.9 | 0.01 | 0.23 | 0.00 | 20836 | 1.5 | 0.01 | 0.18 | 0.00 |
| USA, NPCR: White | 18888 | 1.8 | 0.01 | 0.21 | 0.00 | 16257 | 1.4 | 0.01 | 0.17 | 0.00 |
| USA, NPCR: Black | 3750 | 3.0 | 0.05 | 0.36 | 0.01 | 3942 | 2.4 | 0.04 | 0.29 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 558 | 1.0 | 0.04 | 0.11 | 0.01 | 421 | 0.6 | 0.03 | 0.07 | 0.00 |
| USA, NPCR: American Indian | 102 | 0.9 | 0.09 | 0.12 | 0.01 | 76 | 0.6 | 0.07 | 0.07 | 0.01 |
| *USA, SEER (18 registries) | 6143 | 1.8 | 0.02 | 0.21 | 0.00 | 5535 | 1.4 | 0.02 | 0.17 | 0.00 |
| *USA, SEER (18 registries): White | 4728 | 1.7 | 0.03 | 0.20 | 0.00 | 4118 | 1.4 | 0.02 | 0.16 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 4137 | 1.8 | 0.03 | 0.22 | 0.00 | 3583 | 1.4 | 0.03 | 0.17 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 591 | 1.3 | 0.06 | 0.15 | 0.01 | 535 | 1.0 | 0.05 | 0.13 | 0.01 |
| *USA, SEER (18 registries): Black | 979 | 3.0 | 0.10 | 0.36 | 0.01 | 1058 | 2.5 | 0.08 | 0.30 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 339 | 1.0 | 0.06 | 0.12 | 0.01 | 266 | 0.6 | 0.04 | 0.07 | 0.01 |
| *USA, SEER (9 registries) | 2232 | 1.9 | 0.04 | 0.22 | 0.01 | 1951 | 1.4 | 0.03 | 0.17 | 0.00 |
| *USA, SEER (9 registries): White | 1665 | 1.8 | 0.05 | 0.21 | 0.01 | 1425 | 1.4 | 0.04 | 0.16 | 0.01 |
| *USA, SEER (9 registries): Black | 380 | 3.5 | 0.18 | 0.40 | 0.02 | 366 | 2.5 | 0.14 | 0.30 | 0.02 |
| USA, Alabama | 372 | 1.9 | 0.10 | 0.23 | 0.01 | 365 | 1.6 | 0.09 | 0.19 | 0.01 |
| USA, Alabama: White | 264 | 1.8 | 0.11 | 0.21 | 0.01 | 241 | 1.4 | 0.10 | 0.17 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Small intestine (C17) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 101 | 2.6 | 0.26 | 0.35 | 0.04 | 122 | 2.4 | 0.22 | 0.28 | 0.03 |
| USA, Alaska | 41 | 1.6 | 0.26 | 0.18 | 0.03 | 35 | 1.4 | 0.25 | 0.17 | 0.03 |
| *USA, Alaska: Alaska Natives | 2 | 0.5 | 0.35 | 0.06 | 0.04 | 1 | 0.4 | 0.37 | 0.03 | 0.03 |
| USA, Arizona | 390 | 1.3 | 0.07 | 0.16 | 0.01 | 379 | 1.2 | 0.07 | 0.14 | 0.01 |
| USA, Arizona: White | 357 | 1.3 | 0.08 | 0.16 | 0.01 | 346 | 1.2 | 0.07 | 0.14 | 0.01 |
| USA, Arizona: Black | 23 | 2.3 | 0.49 | 0.30 | 0.07 | 19 | 2.0 | 0.47 | 0.35 | 0.09 |
| *USA, Arizona: Asian and Pacific Islander | 5 | 0.6 | 0.25 | 0.05 | 0.03 | 4 | 0.4 | 0.22 | 0.07 | 0.04 |
| USA, Arizona: American Indian | 5 | 0.5 | 0.24 | 0.05 | 0.03 | 9 | 0.8 | 0.29 | 0.09 | 0.04 |
| USA, Arkansas | 262 | 2.2 | 0.14 | 0.27 | 0.02 | 221 | 1.7 | 0.12 | 0.20 | 0.02 |
| USA, Arkansas: White | 231 | 2.2 | 0.15 | 0.27 | 0.02 | 171 | 1.5 | 0.13 | 0.18 | 0.02 |
| USA, Arkansas: Black | 28 | 2.0 | 0.39 | 0.21 | 0.04 | 39 | 2.3 | 0.39 | 0.26 | 0.05 |
| USA, California | 2098 | 1.4 | 0.03 | 0.17 | 0.00 | 1881 | 1.1 | 0.03 | 0.14 | 0.00 |
| USA, California: White | 1677 | 1.5 | 0.04 | 0.17 | 0.01 | 1513 | 1.2 | 0.03 | 0.15 | 0.00 |
| USA, California: Black | 208 | 2.4 | 0.17 | 0.28 | 0.02 | 197 | 1.9 | 0.14 | 0.22 | 0.02 |
| USA, California: Asian and Pacific Islander | 192 | 0.9 | 0.06 | 0.11 | 0.01 | 147 | 0.5 | 0.04 | 0.05 | 0.01 |
| *USA, California, Los Angeles County | 462 | 1.3 | 0.06 | 0.16 | 0.01 | 472 | 1.1 | 0.05 | 0.14 | 0.01 |
| *USA, California, Los Angeles County: White | 343 | 1.3 | 0.07 | 0.16 | 0.01 | 342 | 1.2 | 0.07 | 0.14 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 228 | 1.6 | 0.11 | 0.20 | 0.02 | 201 | 1.3 | 0.10 | 0.16 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 115 | 1.0 | 0.10 | 0.11 | 0.01 | 141 | 1.0 | 0.09 | 0.13 | 0.01 |
| *USA, California, Los Angeles County: Black | 64 | 2.0 | 0.25 | 0.25 | 0.04 | 81 | 1.9 | 0.22 | 0.24 | 0.03 |
| *USA, California, Los Angeles County: Chinese | 10 | 0.4 | 0.14 | 0.04 | 0.02 | 10 | 0.3 | 0.10 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Filipino | 9 | 0.7 | 0.24 | 0.11 | 0.04 | 9 | 0.4 | 0.14 | 0.04 | 0.02 |
| *USA, California, Los Angeles County: Korean | 6 | 0.6 | 0.26 | 0.05 | 0.03 | 5 | 0.3 | 0.15 | 0.04 | 0.03 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 46 | 0.7 | 0.11 | 0.08 | 0.02 | 40 | 0.4 | 0.07 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area | 273 | 1.4 | 0.09 | 0.16 | 0.01 | 221 | 1.0 | 0.07 | 0.12 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 185 | 1.4 | 0.11 | 0.16 | 0.01 | 160 | 1.2 | 0.10 | 0.14 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 155 | 1.5 | 0.12 | 0.16 | 0.02 | 133 | 1.2 | 0.12 | 0.14 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 30 | 1.4 | 0.26 | 0.16 | 0.04 | 27 | 1.0 | 0.20 | 0.13 | 0.03 |
| *USA, California, San Francisco Bay Area: Black | 46 | 3.1 | 0.46 | 0.35 | 0.06 | 31 | 1.6 | 0.30 | 0.19 | 0.04 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 39 | 0.8 | 0.13 | 0.09 | 0.02 | 28 | 0.5 | 0.11 | 0.05 | 0.01 |
| USA, Colorado | 352 | 1.7 | 0.09 | 0.19 | 0.01 | 298 | 1.3 | 0.08 | 0.15 | 0.01 |
| USA, Colorado: White | 328 | 1.7 | 0.10 | 0.19 | 0.01 | 273 | 1.3 | 0.08 | 0.14 | 0.01 |
| *USA, Colorado: Black | 16 | 2.0 | 0.52 | 0.23 | 0.07 | 16 | 2.2 | 0.55 | 0.26 | 0.07 |
| *USA, Colorado: Asian and Pacific Islander | 5 | 0.9 | 0.41 | 0.11 | 0.06 | 7 | 1.1 | 0.41 | 0.14 | 0.06 |
| USA, Connecticut | 272 | 1.8 | 0.11 | 0.20 | 0.01 | 272 | 1.5 | 0.10 | 0.18 | 0.01 |
| USA, Connecticut: White | 218 | 1.6 | 0.12 | 0.17 | 0.02 | 220 | 1.4 | 0.11 | 0.17 | 0.01 |
| USA, Connecticut: Black | 44 | 3.6 | 0.55 | 0.47 | 0.08 | 38 | 2.4 | 0.39 | 0.26 | 0.05 |
| USA, District of Columbia | 54 | 2.6 | 0.36 | 0.31 | 0.05 | 60 | 2.6 | 0.34 | 0.32 | 0.05 |
| USA, District of Columbia: White | 15 | 1.6 | 0.42 | 0.20 | 0.06 | 8 | 0.9 | 0.34 | 0.13 | 0.05 |
| USA, District of Columbia: Black | 38 | 3.6 | 0.60 | 0.42 | 0.08 | 49 | 3.5 | 0.53 | 0.43 | 0.07 |
| USA, Florida | 1520 | 1.6 | 0.04 | 0.19 | 0.01 | 1303 | 1.3 | 0.04 | 0.14 | 0.00 |
| USA, Florida: White | 1267 | 1.5 | 0.05 | 0.18 | 0.01 | 1056 | 1.2 | 0.04 | 0.14 | 0.01 |
| USA, Florida: Black | 224 | 2.2 | 0.15 | 0.29 | 0.02 | 214 | 1.7 | 0.12 | 0.19 | 0.02 |
| USA, Florida: Asian and Pacific Islander | 14 | 0.7 | 0.19 | 0.09 | 0.03 | 13 | 0.4 | 0.12 | 0.05 | 0.02 |
| USA, Georgia | 794 | 2.2 | 0.08 | 0.25 | 0.01 | 729 | 1.7 | 0.07 | 0.20 | 0.01 |
| USA, Georgia: White | 526 | 2.0 | 0.09 | 0.23 | 0.01 | 413 | 1.4 | 0.07 | 0.17 | 0.01 |
| USA, Georgia: Black | 253 | 2.8 | 0.18 | 0.33 | 0.03 | 309 | 2.6 | 0.15 | 0.29 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 14 | 1.1 | 0.29 | 0.09 | 0.03 | 7 | 0.5 | 0.18 | 0.04 | 0.02 |
| *USA, Georgia, Atlanta | 281 | 2.5 | 0.15 | 0.27 | 0.02 | 243 | 1.7 | 0.11 | 0.20 | 0.02 |
| *USA, Georgia, Atlanta: White | 155 | 2.3 | 0.18 | 0.24 | 0.02 | 96 | 1.3 | 0.13 | 0.15 | 0.02 |
| *USA, Georgia, Atlanta: Black | 115 | 3.0 | 0.29 | 0.35 | 0.04 | 142 | 2.6 | 0.22 | 0.30 | 0.03 |
| USA, Idaho | 114 | 1.7 | 0.17 | 0.21 | 0.02 | 104 | 1.5 | 0.16 | 0.20 | 0.02 |
| USA, Indiana | 515 | 1.9 | 0.09 | 0.23 | 0.01 | 446 | 1.5 | 0.08 | 0.17 | 0.01 |
| USA, Indiana: White | 467 | 1.9 | 0.09 | 0.23 | 0.01 | 389 | 1.4 | 0.08 | 0.16 | 0.01 |
| USA, Indiana: Black | 44 | 2.5 | 0.39 | 0.33 | 0.06 | 55 | 2.3 | 0.32 | 0.26 | 0.04 |
| *USA, Iowa | 288 | 2.2 | 0.13 | 0.25 | 0.02 | 242 | 1.6 | 0.12 | 0.19 | 0.02 |
| USA, Kentucky | 418 | 2.4 | 0.12 | 0.27 | 0.02 | 398 | 2.1 | 0.11 | 0.24 | 0.01 |
| USA, Louisiana | 433 | 2.5 | 0.12 | 0.31 | 0.02 | 424 | 2.1 | 0.11 | 0.26 | 0.01 |
| USA, Louisiana: White | 282 | 2.3 | 0.14 | 0.27 | 0.02 | 243 | 1.7 | 0.12 | 0.21 | 0.02 |
| USA, Louisiana: Black | 146 | 3.3 | 0.28 | 0.44 | 0.04 | 179 | 3.1 | 0.24 | 0.38 | 0.03 |
| *USA, Louisiana, New Orleans | 79 | 2.5 | 0.29 | 0.26 | 0.03 | 96 | 2.6 | 0.28 | 0.33 | 0.04 |
| *USA, Louisiana, New Orleans: White | 46 | 2.4 | 0.36 | 0.25 | 0.04 | 42 | 1.8 | 0.30 | 0.27 | 0.05 |
| *USA, Louisiana, New Orleans: Black | 32 | 3.0 | 0.54 | 0.32 | 0.07 | 53 | 3.7 | 0.53 | 0.43 | 0.07 |
| USA, Maine | 143 | 2.2 | 0.20 | 0.25 | 0.03 | 136 | 2.0 | 0.19 | 0.24 | 0.02 |
| USA, Maryland | 456 | 2.0 | 0.09 | 0.23 | 0.01 | 431 | 1.6 | 0.08 | 0.19 | 0.01 |
| USA, Maryland: White | 273 | 1.7 | 0.11 | 0.20 | 0.01 | 242 | 1.4 | 0.10 | 0.17 | 0.01 |
| USA, Maryland: Black | 163 | 2.8 | 0.22 | 0.34 | 0.03 | 177 | 2.2 | 0.17 | 0.26 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | 17 | 1.3 | 0.33 | 0.18 | 0.05 | 10 | 0.7 | 0.22 | 0.08 | 0.03 |
| USA, Massachusetts | 487 | 1.8 | 0.08 | 0.21 | 0.01 | 419 | 1.3 | 0.07 | 0.15 | 0.01 |
| USA, Massachusetts: White | 415 | 1.7 | 0.08 | 0.20 | 0.01 | 365 | 1.3 | 0.07 | 0.15 | 0.01 |
| USA, Massachusetts: Black | 48 | 3.0 | 0.43 | 0.36 | 0.06 | 41 | 2.0 | 0.31 | 0.24 | 0.04 |
| USA, Massachusetts: Asian and Pacific Islander | 16 | 1.1 | 0.29 | 0.13 | 0.04 | 6 | 0.4 | 0.18 | 0.06 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Small intestine (C17) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 812 | 2.0 | 0.07 | 0.23 | 0.01 | 698 | 1.5 | 0.06 | 0.17 | 0.01 |
| USA, Michigan: White | 633 | 1.8 | 0.07 | 0.21 | 0.01 | 541 | 1.4 | 0.06 | 0.16 | 0.01 |
| USA, Michigan: Black | 165 | 3.7 | 0.29 | 0.43 | 0.04 | 144 | 2.5 | 0.21 | 0.31 | 0.03 |
| USA, Michigan: Asian and Pacific Islander | 8 | 0.9 | 0.32 | 0.13 | 0.06 | 5 | 0.6 | 0.25 | 0.06 | 0.03 |
| *USA, Michigan, Detroit | 364 | 2.4 | 0.13 | 0.28 | 0.02 | 319 | 1.7 | 0.10 | 0.21 | 0.01 |
| *USA, Michigan, Detroit: White | 227 | 2.0 | 0.13 | 0.23 | 0.02 | 206 | 1.5 | 0.11 | 0.18 | 0.02 |
| *USA, Michigan, Detroit: Black | 130 | 4.2 | 0.37 | 0.48 | 0.05 | 111 | 2.6 | 0.25 | 0.34 | 0.04 |
| USA, Minnesota | 457 | 2.0 | 0.10 | 0.23 | 0.01 | 383 | 1.6 | 0.09 | 0.19 | 0.01 |
| USA, Minnesota: White | 426 | 2.0 | 0.10 | 0.23 | 0.01 | 369 | 1.6 | 0.09 | 0.20 | 0.01 |
| USA, Minnesota: Black | 18 | 2.5 | 0.61 | 0.33 | 0.11 | 6 | 0.9 | 0.36 | 0.12 | 0.06 |
| *USA, Minnesota: Asian and Pacific Islander | 7 | 1.3 | 0.51 | 0.15 | 0.08 | 5 | 0.7 | 0.33 | 0.06 | 0.04 |
| USA, Mississippi | 291 | 2.6 | 0.16 | 0.30 | 0.02 | 286 | 2.2 | 0.14 | 0.26 | 0.02 |
| USA, Missouri | 485 | 1.9 | 0.09 | 0.24 | 0.01 | 453 | 1.6 | 0.08 | 0.19 | 0.01 |
| USA, Missouri: White | 402 | 1.8 | 0.09 | 0.22 | 0.01 | 370 | 1.5 | 0.08 | 0.18 | 0.01 |
| USA, Missouri: Black | 76 | 3.6 | 0.42 | 0.43 | 0.06 | 82 | 3.0 | 0.34 | 0.32 | 0.04 |
| USA, Montana | 95 | 1.9 | 0.21 | 0.23 | 0.03 | 77 | 1.5 | 0.19 | 0.19 | 0.03 |
| *USA, Montana: American Indian | 4 | 2.0 | 1.03 | 0.20 | 0.12 | 1 | 0.4 | 0.39 | 0.05 | 0.05 |
| USA, Nebraska | 146 | 2.0 | 0.17 | 0.22 | 0.02 | 122 | 1.5 | 0.15 | 0.17 | 0.02 |
| USA, Nebraska: White | 133 | 1.9 | 0.18 | 0.21 | 0.02 | 111 | 1.4 | 0.15 | 0.16 | 0.02 |
| *USA, Nebraska: Black | 12 | 5.0 | 1.48 | 0.57 | 0.21 | 9 | 3.1 | 1.06 | 0.33 | 0.12 |
| USA, Nevada | 150 | 1.3 | 0.11 | 0.14 | 0.01 | 124 | 1.0 | 0.09 | 0.11 | 0.01 |
| USA, Nevada: White | 126 | 1.3 | 0.12 | 0.14 | 0.02 | 104 | 1.0 | 0.11 | 0.12 | 0.01 |
| USA, Nevada: Black | 19 | 2.2 | 0.50 | 0.27 | 0.07 | 12 | 1.2 | 0.37 | 0.14 | 0.05 |
| *USA, Nevada: Asian and Pacific Islander | 4 | 0.4 | 0.20 | 0.04 | 0.03 | 5 | 0.3 | 0.15 | 0.05 | 0.03 |
| USA, New Jersey | 734 | 2.0 | 0.08 | 0.24 | 0.01 | 643 | 1.5 | 0.06 | 0.17 | 0.01 |
| USA, New Jersey: White | 572 | 1.9 | 0.09 | 0.23 | 0.01 | 473 | 1.3 | 0.07 | 0.16 | 0.01 |
| USA, New Jersey: Black | 121 | 3.0 | 0.28 | 0.41 | 0.04 | 141 | 2.6 | 0.22 | 0.30 | 0.03 |
| USA, New Mexico | 121 | 1.5 | 0.14 | 0.18 | 0.02 | 99 | 1.0 | 0.11 | 0.12 | 0.01 |
| USA, New Mexico: White | 108 | 1.5 | 0.15 | 0.18 | 0.02 | 83 | 1.0 | 0.12 | 0.12 | 0.02 |
| USA, New Mexico: Non-Hispanic White | 58 | 1.3 | 0.19 | 0.17 | 0.02 | 48 | 1.0 | 0.17 | 0.13 | 0.02 |
| USA, New Mexico: Hispanic White | 50 | 1.7 | 0.25 | 0.19 | 0.03 | 35 | 1.0 | 0.17 | 0.11 | 0.02 |
| *USA, New Mexico: American Indian | 7 | 1.1 | 0.41 | 0.11 | 0.06 | 12 | 1.4 | 0.42 | 0.15 | 0.06 |
| USA, New York State | 1672 | 2.1 | 0.05 | 0.25 | 0.01 | 1457 | 1.6 | 0.04 | 0.18 | 0.01 |
| USA, New York State: White | 1254 | 2.0 | 0.06 | 0.24 | 0.01 | 1066 | 1.5 | 0.05 | 0.18 | 0.01 |
| USA, New York State: Black | 338 | 3.1 | 0.17 | 0.39 | 0.03 | 312 | 2.1 | 0.12 | 0.25 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 71 | 1.2 | 0.14 | 0.12 | 0.02 | 69 | 1.0 | 0.13 | 0.13 | 0.02 |
| USA, North Carolina | 902 | 2.3 | 0.08 | 0.27 | 0.01 | 856 | 1.9 | 0.07 | 0.23 | 0.01 |
| USA, North Carolina: White | 651 | 2.0 | 0.08 | 0.24 | 0.01 | 573 | 1.7 | 0.07 | 0.20 | 0.01 |
| USA, North Carolina: Black | 229 | 3.3 | 0.22 | 0.38 | 0.03 | 263 | 2.9 | 0.18 | 0.35 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 10 | 1.4 | 0.46 | 0.20 | 0.07 | 9 | 1.0 | 0.33 | 0.09 | 0.04 |
| *USA, North Carolina: American Indian | 11 | 2.3 | 0.70 | 0.25 | 0.09 | 7 | 1.4 | 0.55 | 0.17 | 0.07 |
| USA, North Dakota | 42 | 1.4 | 0.23 | 0.14 | 0.03 | 34 | 1.2 | 0.22 | 0.14 | 0.03 |
| USA, Ohio | 1024 | 2.1 | 0.07 | 0.26 | 0.01 | 902 | 1.6 | 0.06 | 0.19 | 0.01 |
| USA, Ohio: White | 856 | 2.0 | 0.07 | 0.24 | 0.01 | 751 | 1.5 | 0.06 | 0.18 | 0.01 |
| USA, Ohio: Black | 152 | 3.4 | 0.28 | 0.43 | 0.04 | 143 | 2.5 | 0.22 | 0.30 | 0.03 |
| *USA, Ohio: Asian and Pacific Islander | 5 | 0.8 | 0.35 | 0.09 | 0.04 | 3 | 0.3 | 0.20 | 0.03 | 0.02 |
| USA, Oklahoma | 279 | 1.8 | 0.11 | 0.23 | 0.02 | 270 | 1.7 | 0.11 | 0.20 | 0.01 |
| USA, Oklahoma: White | 228 | 1.8 | 0.12 | 0.22 | 0.02 | 226 | 1.7 | 0.12 | 0.20 | 0.02 |
| USA, Oklahoma: Black | 23 | 2.6 | 0.54 | 0.32 | 0.08 | 26 | 2.5 | 0.51 | 0.29 | 0.07 |
| USA, Oklahoma: American Indian | 23 | 2.1 | 0.44 | 0.30 | 0.07 | 13 | 1.0 | 0.29 | 0.13 | 0.04 |
| USA, Oregon | 307 | 1.7 | 0.10 | 0.21 | 0.01 | 279 | 1.5 | 0.10 | 0.18 | 0.01 |
| USA, Oregon: White | 289 | 1.7 | 0.11 | 0.21 | 0.01 | 268 | 1.5 | 0.10 | 0.18 | 0.01 |
| *USA, Oregon: Black | 5 | 1.9 | 0.86 | 0.28 | 0.15 | 6 | 2.5 | 1.04 | 0.28 | 0.12 |
| *USA, Oregon: Asian and Pacific Islander | 8 | 1.4 | 0.51 | 0.21 | 0.09 | 3 | 0.4 | 0.23 | 0.03 | 0.02 |
| USA, Rhode Island | 100 | 2.2 | 0.23 | 0.27 | 0.03 | 75 | 1.4 | 0.17 | 0.17 | 0.02 |
| USA, Rhode Island: White | 95 | 2.3 | 0.24 | 0.28 | 0.03 | 70 | 1.4 | 0.18 | 0.17 | 0.03 |
| *USA, Rhode Island: Black | 3 | 1.2 | 0.67 | 0.07 | 0.05 | 3 | 1.2 | 0.69 | 0.19 | 0.13 |
| USA, South Carolina | 425 | 2.1 | 0.11 | 0.24 | 0.01 | 426 | 1.9 | 0.10 | 0.22 | 0.01 |
| USA, South Carolina: White | 301 | 2.0 | 0.12 | 0.23 | 0.02 | 264 | 1.6 | 0.11 | 0.19 | 0.01 |
| USA, South Carolina: Black | 119 | 2.7 | 0.25 | 0.31 | 0.03 | 157 | 2.7 | 0.23 | 0.29 | 0.03 |
| USA, South Dakota | 75 | 2.2 | 0.28 | 0.26 | 0.04 | 48 | 1.2 | 0.19 | 0.13 | 0.03 |
| USA, Tennessee | 577 | 2.2 | 0.09 | 0.26 | 0.01 | 509 | 1.7 | 0.08 | 0.21 | 0.01 |
| USA, Tennessee: White | 468 | 2.0 | 0.10 | 0.24 | 0.01 | 389 | 1.5 | 0.08 | 0.18 | 0.01 |
| USA, Tennessee: Black | 101 | 3.2 | 0.32 | 0.40 | 0.05 | 117 | 2.8 | 0.27 | 0.35 | 0.04 |
| USA, Texas | 1684 | 1.8 | 0.04 | 0.22 | 0.01 | 1428 | 1.4 | 0.04 | 0.16 | 0.01 |
| USA, Texas: White | 1332 | 1.7 | 0.05 | 0.20 | 0.01 | 1118 | 1.3 | 0.04 | 0.15 | 0.01 |
| USA, Texas: Black | 309 | 3.3 | 0.19 | 0.40 | 0.03 | 281 | 2.4 | 0.15 | 0.28 | 0.02 |
| USA, Texas: Asian and Pacific Islander | 35 | 0.9 | 0.15 | 0.11 | 0.02 | 24 | 0.5 | 0.11 | 0.04 | 0.01 |
| USA, Utah | 187 | 2.0 | 0.15 | 0.25 | 0.02 | 163 | 1.7 | 0.14 | 0.19 | 0.02 |
| USA, Vermont | 43 | 1.5 | 0.23 | 0.20 | 0.04 | 38 | 1.2 | 0.20 | 0.16 | 0.03 |
| USA, Washington State | 498 | 1.7 | 0.08 | 0.21 | 0.01 | 440 | 1.4 | 0.07 | 0.17 | 0.01 |
| *USA, Washington, Seattle | 351 | 1.8 | 0.10 | 0.22 | 0.01 | 315 | 1.4 | 0.09 | 0.18 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Small intestine (C17) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 142 | 1.7 | 0.15 | 0.20 | 0.02 | 135 | 1.6 | 0.15 | 0.17 | 0.02 |
| USA, Wyoming | 48 | 2.0 | 0.29 | 0.23 | 0.04 | 38 | 1.5 | 0.26 | 0.21 | 0.04 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 10 | 0.8 | 0.25 | 0.09 | 0.03 | 6 | 0.4 | 0.19 | 0.06 | 0.03 |
| Brunei Darussalam | 5 | 0.6 | 0.30 | 0.11 | 0.06 | 3 | 0.3 | 0.19 | 0.05 | 0.04 |
| *China, Anfu County | 8 | 0.8 | 0.29 | 0.12 | 0.05 | 10 | 1.1 | 0.35 | 0.13 | 0.05 |
| *China, Anguo City | 21 | 1.6 | 0.35 | 0.20 | 0.05 | 15 | 1.1 | 0.29 | 0.14 | 0.04 |
| *China, Anshan City | 95 | 1.2 | 0.13 | 0.13 | 0.02 | 62 | 0.8 | 0.10 | 0.09 | 0.01 |
| *China, Aohan Banner, Chifeng City | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Arongqi | 7 | 0.8 | 0.31 | 0.10 | 0.05 | 3 | 0.4 | 0.22 | 0.05 | 0.03 |
| *China, Baoding City | 43 | 1.2 | 0.19 | 0.15 | 0.03 | 32 | 0.9 | 0.15 | 0.10 | 0.02 |
| *China, Beijing City | 439 | 1.0 | 0.05 | 0.12 | 0.01 | 318 | 0.6 | 0.04 | 0.08 | 0.01 |
| *China, Binhai County | 33 | 0.7 | 0.12 | 0.09 | 0.02 | 25 | 0.6 | 0.11 | 0.08 | 0.02 |
| *China, Cangzhou City | 8 | 0.6 | 0.22 | 0.06 | 0.02 | 20 | 1.3 | 0.30 | 0.14 | 0.04 |
| China, Changfeng County | 10 | 0.6 | 0.19 | 0.07 | 0.03 | 19 | 1.2 | 0.27 | 0.18 | 0.05 |
| China, Changzhou City | 123 | 1.2 | 0.11 | 0.13 | 0.01 | 112 | 1.0 | 0.10 | 0.11 | 0.01 |
| China, Chengdu City | 43 | 1.2 | 0.18 | 0.13 | 0.02 | 30 | 0.7 | 0.13 | 0.07 | 0.02 |
| China, Cixian County | 15 | 0.8 | 0.22 | 0.12 | 0.04 | 13 | 0.7 | 0.19 | 0.08 | 0.03 |
| China, Cixi City | 40 | 0.7 | 0.12 | 0.08 | 0.02 | 41 | 0.7 | 0.12 | 0.09 | 0.02 |
| *China, Dafeng District, Yancheng City | 30 | 0.8 | 0.14 | 0.10 | 0.02 | 22 | 0.7 | 0.15 | 0.08 | 0.02 |
| China, Dalian City | 127 | 1.1 | 0.10 | 0.13 | 0.01 | 122 | 0.9 | 0.09 | 0.11 | 0.01 |
| *China, Dancheng County | 58 | 1.8 | 0.24 | 0.21 | 0.04 | 54 | 1.6 | 0.23 | 0.16 | 0.03 |
| China, Dangtu County | 13 | 1.1 | 0.31 | 0.16 | 0.05 | 7 | 0.7 | 0.27 | 0.08 | 0.03 |
| *China, Danyang City | 51 | 1.4 | 0.20 | 0.13 | 0.02 | 27 | 0.7 | 0.13 | 0.07 | 0.02 |
| *China, Dawukou District, Shizuishan City | 10 | 1.0 | 0.31 | 0.10 | 0.05 | 9 | 0.8 | 0.29 | 0.10 | 0.04 |
| *China, Dehui City | 10 | 0.3 | 0.10 | 0.04 | 0.02 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Donggang County | 20 | 0.7 | 0.16 | 0.08 | 0.02 | 14 | 0.6 | 0.15 | 0.07 | 0.02 |
| *China, Dongguan City | 42 | 1.0 | 0.16 | 0.11 | 0.02 | 39 | 0.8 | 0.13 | 0.08 | 0.02 |
| China, Donghai County | 24 | 0.5 | 0.11 | 0.07 | 0.02 | 15 | 0.4 | 0.10 | 0.05 | 0.01 |
| *China, Dongtai City | 9 | 0.2 | 0.06 | 0.02 | 0.01 | 16 | 0.3 | 0.08 | 0.04 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 17 | 1.3 | 0.34 | 0.14 | 0.04 | 9 | 0.8 | 0.25 | 0.10 | 0.04 |
| *China, Evenki Autonomous Banner | 1 | 0.3 | 0.26 | 0.03 | 0.03 | 0 | – | – | – | 0.00 |
| *China, Faku County | 7 | 0.4 | 0.13 | 0.05 | 0.02 | 6 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Fangcheng County | 25 | 1.1 | 0.23 | 0.17 | 0.04 | 20 | 1.0 | 0.22 | 0.11 | 0.03 |
| *China, Feicheng City | 33 | 0.8 | 0.14 | 0.08 | 0.02 | 20 | 0.5 | 0.11 | 0.05 | 0.01 |
| China, Feixi County | 55 | 1.3 | 0.18 | 0.16 | 0.03 | 43 | 1.0 | 0.16 | 0.13 | 0.02 |
| China, Fuqing City | 20 | 0.7 | 0.16 | 0.09 | 0.03 | 10 | 0.4 | 0.13 | 0.05 | 0.02 |
| *China, Ganyu District, Lianyungang City | 15 | 0.3 | 0.09 | 0.04 | 0.01 | 10 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Ganzhou District, Zhangye City | 6 | 1.0 | 0.56 | 0.07 | 0.04 | 2 | 0.2 | 0.16 | 0.05 | 0.03 |
| *China, Gaocheng City | 12 | 0.5 | 0.15 | 0.07 | 0.02 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Gaomi City | 18 | 0.5 | 0.13 | 0.05 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.00 |
| China, Gong'an County | 29 | 0.9 | 0.16 | 0.10 | 0.02 | 22 | 0.6 | 0.13 | 0.06 | 0.02 |
| *China, Guang'an District, Guang'an City | 10 | 0.6 | 0.19 | 0.06 | 0.02 | 17 | 0.9 | 0.21 | 0.10 | 0.03 |
| China, Guanghan City | 6 | 0.3 | 0.15 | 0.03 | 0.02 | 5 | 0.3 | 0.11 | 0.05 | 0.03 |
| China, Guangzhou City | 319 | 1.0 | 0.06 | 0.12 | 0.01 | 235 | 0.7 | 0.05 | 0.08 | 0.01 |
| *China, Guanyun County | 36 | 1.0 | 0.17 | 0.12 | 0.02 | 22 | 0.6 | 0.13 | 0.09 | 0.02 |
| China, Guilin City | 22 | 1.0 | 0.22 | 0.13 | 0.03 | 21 | 0.9 | 0.21 | 0.10 | 0.03 |
| *China, Hai'an City | 52 | 1.0 | 0.14 | 0.12 | 0.02 | 31 | 0.6 | 0.11 | 0.07 | 0.02 |
| China, Hailar District, Hulun Buir City | 7 | 0.7 | 0.29 | 0.08 | 0.04 | 13 | 0.9 | 0.24 | 0.07 | 0.03 |
| China, Haimen District, Nantong City | 36 | 0.7 | 0.11 | 0.08 | 0.02 | 30 | 0.6 | 0.11 | 0.08 | 0.02 |
| China, Haining City | 31 | 0.9 | 0.17 | 0.11 | 0.02 | 32 | 0.9 | 0.18 | 0.09 | 0.02 |
| China, Hangzhou City | 378 | 1.1 | 0.06 | 0.14 | 0.01 | 258 | 0.8 | 0.05 | 0.10 | 0.01 |
| China, Hebi City | 23 | 1.8 | 0.39 | 0.20 | 0.05 | 15 | 1.1 | 0.29 | 0.10 | 0.04 |
| China, Hefei City | 118 | 1.4 | 0.13 | 0.15 | 0.02 | 85 | 1.0 | 0.11 | 0.12 | 0.02 |
| China, Hengdong County | 16 | 1.1 | 0.27 | 0.14 | 0.04 | 13 | 0.9 | 0.24 | 0.10 | 0.03 |
| *China, Hengfeng County | 7 | 1.1 | 0.43 | 0.14 | 0.06 | 7 | 1.2 | 0.45 | 0.11 | 0.05 |
| *China, Hepu County | 19 | 0.6 | 0.15 | 0.07 | 0.02 | 16 | 0.5 | 0.13 | 0.05 | 0.02 |
| China, Honghu City | 22 | 0.8 | 0.17 | 0.11 | 0.03 | 24 | 0.8 | 0.17 | 0.11 | 0.02 |
| China, Hongshan District, Chifeng City | 13 | 1.0 | 0.28 | 0.13 | 0.04 | 9 | 0.6 | 0.21 | 0.06 | 0.02 |
| *China, Hongta District, Yuxi City | 12 | 0.8 | 0.24 | 0.09 | 0.03 | 7 | 0.5 | 0.18 | 0.05 | 0.02 |
| *China, Huaiyin District, Huai'an City | 31 | 0.8 | 0.15 | 0.09 | 0.02 | 16 | 0.5 | 0.12 | 0.06 | 0.02 |
| *China, Jiange County | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Jiangmen City | 34 | 1.4 | 0.25 | 0.15 | 0.03 | 25 | 1.0 | 0.20 | 0.13 | 0.03 |
| *China, Jiangyin City | 77 | 1.3 | 0.15 | 0.16 | 0.02 | 56 | 0.8 | 0.12 | 0.08 | 0.01 |
| *China, Jiashan County | 34 | 1.7 | 0.32 | 0.18 | 0.04 | 29 | 1.2 | 0.24 | 0.13 | 0.03 |
| China, Jiayu County | 6 | 0.8 | 0.32 | 0.08 | 0.03 | 6 | 0.8 | 0.33 | 0.08 | 0.04 |
| *China, Jinan City | 98 | 1.1 | 0.11 | 0.13 | 0.02 | 54 | 0.5 | 0.07 | 0.06 | 0.01 |
| *China, Jingtai County | 9 | 1.0 | 0.35 | 0.11 | 0.04 | 4 | 0.6 | 0.31 | 0.12 | 0.06 |
| *China, Jingxian County | 6 | 0.5 | 0.25 | 0.05 | 0.03 | 8 | 0.5 | 0.19 | 0.07 | 0.03 |
| *China, Jintan District, Changzhou City | 38 | 1.4 | 0.24 | 0.15 | 0.03 | 39 | 1.6 | 0.27 | 0.24 | 0.05 |
| *China, Jiulongpo District, Chongqing City | 31 | 0.9 | 0.16 | 0.09 | 0.02 | 33 | 1.0 | 0.20 | 0.09 | 0.02 |
| *China, Jiyuan City | 21 | 1.2 | 0.26 | 0.10 | 0.03 | 16 | 0.9 | 0.24 | 0.11 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Small intestine (C17) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 17 | 1.2 | 0.31 | 0.14 | 0.04 | 14 | 1.2 | 0.35 | 0.14 | 0.05 |
| China, Kunshan City | 55 | 1.6 | 0.22 | 0.16 | 0.03 | 33 | 0.9 | 0.16 | 0.10 | 0.02 |
| China, Langzhong City | 14 | 0.7 | 0.18 | 0.08 | 0.03 | 5 | 0.2 | 0.11 | 0.04 | 0.02 |
| *China, Liangshan County | 16 | 0.5 | 0.14 | 0.06 | 0.02 | 15 | 0.5 | 0.13 | 0.07 | 0.02 |
| *China, Lianshui County | 17 | 0.4 | 0.10 | 0.05 | 0.01 | 24 | 0.5 | 0.11 | 0.07 | 0.02 |
| China, Lianyungang City | 41 | 1.0 | 0.16 | 0.11 | 0.02 | 18 | 0.5 | 0.11 | 0.07 | 0.02 |
| China, Linhe District, Bayannur City | 21 | 1.8 | 0.40 | 0.25 | 0.06 | 12 | 0.9 | 0.27 | 0.14 | 0.05 |
| China, Linqu County | 29 | 0.8 | 0.15 | 0.10 | 0.02 | 17 | 0.4 | 0.11 | 0.05 | 0.01 |
| *China, Linzhou City | 18 | 0.5 | 0.11 | 0.06 | 0.02 | 25 | 0.6 | 0.13 | 0.07 | 0.02 |
| China, Liuzhou City | 58 | 1.6 | 0.21 | 0.18 | 0.03 | 40 | 1.1 | 0.17 | 0.12 | 0.02 |
| China, Liyang City | 39 | 0.9 | 0.15 | 0.10 | 0.02 | 32 | 0.8 | 0.15 | 0.08 | 0.02 |
| *China, Longquan City | 10 | 0.7 | 0.25 | 0.04 | 0.03 | 7 | 0.8 | 0.30 | 0.10 | 0.05 |
| China, Lucheng District, Wenzhou City | 18 | 0.9 | 0.22 | 0.12 | 0.03 | 12 | 0.4 | 0.14 | 0.04 | 0.02 |
| China, Luoding City | 9 | 0.4 | 0.13 | 0.04 | 0.01 | 7 | 0.4 | 0.14 | 0.05 | 0.02 |
| *China, Luohe City | 25 | 0.6 | 0.12 | 0.06 | 0.02 | 35 | 0.8 | 0.14 | 0.08 | 0.02 |
| *China, Luoyang City | 56 | 1.4 | 0.19 | 0.15 | 0.03 | 31 | 0.7 | 0.12 | 0.07 | 0.02 |
| *China, Luquan City | 11 | 0.8 | 0.25 | 0.06 | 0.03 | 5 | 0.4 | 0.19 | 0.05 | 0.02 |
| China, Ma'anshan City | 23 | 1.0 | 0.21 | 0.14 | 0.03 | 22 | 1.0 | 0.21 | 0.13 | 0.03 |
| *China, Macheng City | 7 | 0.3 | 0.10 | 0.04 | 0.02 | 6 | 0.3 | 0.11 | 0.04 | 0.02 |
| China, Meihekou City | 11 | 0.4 | 0.13 | 0.05 | 0.02 | 7 | 0.3 | 0.11 | 0.04 | 0.02 |
| *China, Mengjin County | 13 | 1.2 | 0.32 | 0.14 | 0.05 | 11 | 0.9 | 0.28 | 0.12 | 0.04 |
| China, Nangang District, Harbin City | 36 | 0.9 | 0.15 | 0.10 | 0.02 | 32 | 0.7 | 0.13 | 0.09 | 0.02 |
| *China, Nanhai District, Foshan City | 30 | 1.1 | 0.20 | 0.12 | 0.03 | 26 | 0.8 | 0.16 | 0.09 | 0.02 |
| China, Nanhu District, Jiaying City | 40 | 1.5 | 0.24 | 0.14 | 0.03 | 33 | 1.2 | 0.22 | 0.13 | 0.03 |
| *China, Nantong City | 61 | 1.0 | 0.14 | 0.11 | 0.02 | 48 | 0.7 | 0.11 | 0.08 | 0.02 |
| *China, Nanxiong City | 8 | 0.6 | 0.22 | 0.09 | 0.04 | 7 | 0.4 | 0.16 | 0.04 | 0.02 |
| China, Neixiang County | 10 | 0.5 | 0.15 | 0.05 | 0.02 | 14 | 0.6 | 0.16 | 0.06 | 0.02 |
| *China, Qianxi County | 4 | 0.3 | 0.15 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 25 | 0.4 | 0.09 | 0.04 | 0.01 | 20 | 0.3 | 0.06 | 0.03 | 0.01 |
| China, Qingzhou City | 36 | 1.1 | 0.20 | 0.12 | 0.02 | 22 | 0.6 | 0.13 | 0.07 | 0.02 |
| *China, Rudong County | 37 | 0.6 | 0.10 | 0.06 | 0.01 | 31 | 0.4 | 0.09 | 0.05 | 0.01 |
| *China, Rugao City | 69 | 1.0 | 0.13 | 0.12 | 0.02 | 42 | 0.5 | 0.09 | 0.06 | 0.01 |
| *China, Rural areas of Shanghai City | 526 | 1.1 | 0.05 | 0.13 | 0.01 | 415 | 0.8 | 0.05 | 0.09 | 0.01 |
| China, Ruyang County | 8 | 0.7 | 0.24 | 0.09 | 0.04 | 9 | 0.7 | 0.26 | 0.09 | 0.04 |
| *China, Shan County | 20 | 0.8 | 0.18 | 0.09 | 0.03 | 12 | 0.4 | 0.11 | 0.04 | 0.02 |
| China, Shanghai City | 405 | 1.1 | 0.06 | 0.13 | 0.01 | 334 | 0.7 | 0.05 | 0.08 | 0.01 |
| China, Shangyu District, Shaoxing City | 51 | 1.5 | 0.21 | 0.17 | 0.03 | 34 | 1.0 | 0.17 | 0.14 | 0.03 |
| *China, Shapingba District, Chongqing City | 26 | 0.7 | 0.15 | 0.08 | 0.02 | 23 | 0.7 | 0.15 | 0.10 | 0.02 |
| China, Shexian County | 4 | 0.3 | 0.15 | 0.04 | 0.02 | 6 | 0.4 | 0.18 | 0.06 | 0.03 |
| China, Sheyang County | 18 | 0.4 | 0.10 | 0.05 | 0.01 | 22 | 0.5 | 0.11 | 0.08 | 0.02 |
| *China, Shijiazhuang City | 39 | 0.7 | 0.12 | 0.08 | 0.02 | 29 | 0.6 | 0.11 | 0.06 | 0.01 |
| China, Shunde District, Foshan City | 67 | 1.9 | 0.23 | 0.21 | 0.03 | 41 | 0.9 | 0.15 | 0.10 | 0.02 |
| *China, Song County | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 5 | 0.3 | 0.14 | 0.03 | 0.02 |
| China, Suzhou City | 186 | 1.2 | 0.09 | 0.12 | 0.01 | 131 | 0.7 | 0.07 | 0.09 | 0.01 |
| *China, Tengzhou City | 44 | 0.8 | 0.13 | 0.12 | 0.02 | 31 | 0.5 | 0.10 | 0.06 | 0.01 |
| *China, Wangdu County | 2 | 0.2 | 0.18 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Wanxian County | 2 | 0.2 | 0.14 | 0.04 | 0.03 | 3 | 0.4 | 0.22 | 0.06 | 0.04 |
| *China, Wu'an City | 12 | 0.5 | 0.15 | 0.06 | 0.02 | 7 | 0.3 | 0.10 | 0.03 | 0.02 |
| China, Wuhan City | 240 | 1.1 | 0.07 | 0.14 | 0.01 | 145 | 0.6 | 0.05 | 0.08 | 0.01 |
| *China, Wuhu City | 72 | 1.3 | 0.16 | 0.18 | 0.02 | 56 | 1.0 | 0.14 | 0.14 | 0.02 |
| China, Wuxi City | 149 | 1.2 | 0.10 | 0.14 | 0.01 | 122 | 1.0 | 0.09 | 0.12 | 0.01 |
| China, Wuzhou City | 7 | 0.3 | 0.13 | 0.03 | 0.02 | 9 | 0.5 | 0.18 | 0.06 | 0.02 |
| China, Xiangfu District, Kaifeng City | 212 | 10.5 | 0.74 | 1.18 | 0.11 | 108 | 5.1 | 0.51 | 0.62 | 0.07 |
| China, Xianju County | 30 | 1.5 | 0.29 | 0.21 | 0.05 | 18 | 0.9 | 0.21 | 0.09 | 0.03 |
| *China, Xin'an County | 5 | 0.4 | 0.19 | 0.05 | 0.03 | 3 | 0.3 | 0.20 | 0.03 | 0.02 |
| *China, Xining City | 36 | 1.6 | 0.28 | 0.17 | 0.04 | 29 | 1.2 | 0.24 | 0.12 | 0.03 |
| *China, Xinji City | 14 | 0.5 | 0.13 | 0.06 | 0.02 | 14 | 0.5 | 0.13 | 0.06 | 0.02 |
| *China, Xinluo District, Longyan City | 13 | 1.2 | 0.33 | 0.15 | 0.05 | 7 | 0.5 | 0.20 | 0.04 | 0.02 |
| *China, Xinzhou District, Shangrao City | 18 | 1.2 | 0.29 | 0.12 | 0.04 | 11 | 0.9 | 0.27 | 0.12 | 0.04 |
| China, Xiping County | 18 | 0.7 | 0.17 | 0.08 | 0.02 | 32 | 1.1 | 0.20 | 0.12 | 0.03 |
| *China, Xishan District, Kunming City | 13 | 0.8 | 0.23 | 0.07 | 0.02 | 6 | 0.3 | 0.13 | 0.03 | 0.02 |
| *China, Xuyi County | 22 | 0.9 | 0.18 | 0.10 | 0.03 | 15 | 0.6 | 0.16 | 0.07 | 0.02 |
| *China, Ya'an City | 50 | 0.9 | 0.13 | 0.10 | 0.02 | 45 | 0.8 | 0.12 | 0.11 | 0.02 |
| *China, Yakeshi City | 14 | 0.9 | 0.27 | 0.11 | 0.04 | 4 | 0.2 | 0.13 | 0.03 | 0.02 |
| China, Yancheng City | 37 | 0.7 | 0.11 | 0.10 | 0.02 | 37 | 0.6 | 0.10 | 0.07 | 0.01 |
| *China, Yangquan City | 24 | 1.1 | 0.24 | 0.13 | 0.03 | 16 | 0.8 | 0.20 | 0.12 | 0.03 |
| *China, Yangzhong City | 7 | 0.6 | 0.23 | 0.06 | 0.03 | 9 | 0.6 | 0.20 | 0.08 | 0.03 |
| *China, Yanji City | 21 | 1.0 | 0.23 | 0.14 | 0.03 | 13 | 0.5 | 0.15 | 0.07 | 0.02 |
| *China, Yanshi City | 18 | 0.8 | 0.18 | 0.08 | 0.03 | 16 | 0.7 | 0.17 | 0.09 | 0.03 |
| China, Yanting County | 7 | 0.4 | 0.14 | 0.05 | 0.02 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 8 | 0.8 | 0.29 | 0.10 | 0.04 | 5 | 0.6 | 0.27 | 0.06 | 0.03 |
| *China, Yingdong District, Fuyang City | 15 | 0.7 | 0.17 | 0.09 | 0.03 | 13 | 0.6 | 0.18 | 0.08 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Small intestine (C17) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 5 | 0.5 | 0.23 | 0.08 | 0.05 | 9 | 0.8 | 0.29 | 0.09 | 0.04 |
| *China, Yiyuan County | 9 | 0.5 | 0.15 | 0.06 | 0.02 | 5 | 0.2 | 0.10 | 0.02 | 0.02 |
| China, Yong'an City | 5 | 0.3 | 0.15 | 0.04 | 0.02 | 10 | 0.6 | 0.20 | 0.06 | 0.03 |
| *China, Yongding District, Longyan City | 18 | 1.1 | 0.27 | 0.16 | 0.04 | 18 | 1.0 | 0.24 | 0.10 | 0.03 |
| China, Yongkang City | 36 | 1.5 | 0.26 | 0.18 | 0.04 | 16 | 0.6 | 0.16 | 0.07 | 0.03 |
| *China, Yucheng County | 47 | 2.4 | 0.35 | 0.30 | 0.05 | 37 | 1.7 | 0.29 | 0.21 | 0.04 |
| China, Yueyanglou District, Yueyang City | 4 | 0.4 | 0.18 | 0.05 | 0.03 | 4 | 0.4 | 0.21 | 0.08 | 0.04 |
| China, Yunmeng County | 12 | 0.7 | 0.21 | 0.09 | 0.03 | 12 | 0.7 | 0.21 | 0.09 | 0.03 |
| *China, Yunyang District, Shiyao City | 5 | 0.4 | 0.20 | 0.06 | 0.03 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| China, Yuzhong District, Chongqing City | 30 | 1.2 | 0.24 | 0.15 | 0.04 | 27 | 1.0 | 0.22 | 0.14 | 0.04 |
| *China, Zanzhou County | 7 | 0.9 | 0.34 | 0.11 | 0.04 | 5 | 0.5 | 0.23 | 0.05 | 0.04 |
| *China, Zhangjiagang City | 56 | 1.1 | 0.16 | 0.14 | 0.02 | 45 | 0.8 | 0.13 | 0.08 | 0.02 |
| *China, Zhaoyuan City | 21 | 0.7 | 0.16 | 0.09 | 0.02 | 14 | 0.5 | 0.13 | 0.07 | 0.02 |
| *China, Zhengding County | 5 | 0.3 | 0.16 | 0.02 | 0.01 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |
| *China, Zhongshan City | 62 | 1.2 | 0.15 | 0.16 | 0.02 | 45 | 0.8 | 0.12 | 0.11 | 0.02 |
| China, Zhongxiang City | 22 | 0.6 | 0.13 | 0.08 | 0.02 | 18 | 0.5 | 0.13 | 0.07 | 0.02 |
| *China, Zhuanghe City | 17 | 0.4 | 0.10 | 0.04 | 0.01 | 17 | 0.4 | 0.11 | 0.07 | 0.02 |
| *China, Zhuhai City | 45 | 1.2 | 0.19 | 0.14 | 0.03 | 39 | 1.1 | 0.18 | 0.13 | 0.03 |
| India, Ahmedabad, Urban | 44 | 0.4 | 0.06 | 0.04 | 0.01 | 15 | 0.2 | 0.04 | 0.02 | 0.01 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| India, Bangalore | 46 | 0.4 | 0.06 | 0.05 | 0.01 | 27 | 0.2 | 0.05 | 0.03 | 0.01 |
| India, Barshi, Paranda, and Bhum | 2 | 0.1 | 0.09 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 7 | 0.3 | 0.11 | 0.03 | 0.01 | 5 | 0.2 | 0.09 | 0.03 | 0.01 |
| India, Chandigarh | 22 | 0.8 | 0.18 | 0.09 | 0.03 | 10 | 0.5 | 0.15 | 0.06 | 0.03 |
| *India, Chennai | 54 | 0.4 | 0.06 | 0.05 | 0.01 | 26 | 0.2 | 0.04 | 0.02 | 0.00 |
| India, Dibrugarh | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 9 | 0.3 | 0.11 | 0.03 | 0.02 |
| *India, Dindigul, Ambilikkai | 11 | 0.2 | 0.05 | 0.02 | 0.01 | 11 | 0.2 | 0.05 | 0.01 | 0.01 |
| India, Kamrup Urban District | 10 | 0.4 | 0.12 | 0.04 | 0.02 | 9 | 0.4 | 0.15 | 0.05 | 0.02 |
| India, Kollam | 32 | 0.5 | 0.09 | 0.05 | 0.01 | 23 | 0.3 | 0.06 | 0.04 | 0.01 |
| *India, Manipur | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| India, Meghalaya | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 11 | 0.4 | 0.12 | 0.04 | 0.01 |
| India, Mizoram | 10 | 0.6 | 0.21 | 0.08 | 0.03 | 4 | 0.3 | 0.14 | 0.05 | 0.03 |
| India, Mumbai | 132 | 0.4 | 0.04 | 0.05 | 0.01 | 94 | 0.3 | 0.03 | 0.04 | 0.00 |
| *India, New Delhi | 344 | 1.6 | 0.09 | 0.17 | 0.01 | 207 | 1.0 | 0.07 | 0.10 | 0.01 |
| India, Poona | 26 | 0.2 | 0.05 | 0.03 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| *India, Sangrur District | 7 | 0.3 | 0.10 | 0.02 | 0.01 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| India, SAS Nagar | 18 | 0.7 | 0.17 | 0.07 | 0.02 | 8 | 0.4 | 0.13 | 0.06 | 0.02 |
| *India, Tamil Nadu | 448 | 0.2 | 0.01 | 0.03 | 0.00 | 286 | 0.1 | 0.01 | 0.02 | 0.00 |
| *India, Tripura | 11 | 0.2 | 0.05 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| India, Trivandrum | 26 | 0.3 | 0.06 | 0.04 | 0.01 | 20 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Wardha | 15 | 0.4 | 0.10 | 0.05 | 0.01 | 8 | 0.2 | 0.08 | 0.02 | 0.01 |
| India, West Arunachal | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 21 | 1.1 | 0.26 | 0.14 | 0.04 | 14 | 0.8 | 0.22 | 0.11 | 0.04 |
| *Iran (Islamic Republic of), Golestan Province | 22 | 1.0 | 0.22 | 0.12 | 0.03 | 24 | 1.0 | 0.21 | 0.13 | 0.03 |
| Israel | 258 | 1.0 | 0.07 | 0.12 | 0.01 | 203 | 0.7 | 0.05 | 0.08 | 0.01 |
| *Israel: Jews | 220 | 1.0 | 0.07 | 0.12 | 0.01 | 163 | 0.7 | 0.06 | 0.07 | 0.01 |
| *Israel: Arabs | 22 | 0.8 | 0.17 | 0.10 | 0.03 | 28 | 0.8 | 0.16 | 0.07 | 0.02 |
| Japan | 6050 | 1.3 | 0.02 | 0.16 | 0.00 | 3686 | 0.7 | 0.01 | 0.08 | 0.00 |
| Japan, Aichi Prefecture | 293 | 1.2 | 0.08 | 0.14 | 0.01 | 189 | 0.7 | 0.06 | 0.08 | 0.01 |
| *Japan, Akita Prefecture | 67 | 1.6 | 0.23 | 0.20 | 0.03 | 27 | 0.4 | 0.11 | 0.05 | 0.02 |
| Japan, Aomori Prefecture | 113 | 1.5 | 0.16 | 0.17 | 0.02 | 64 | 0.7 | 0.13 | 0.07 | 0.01 |
| Japan, Gunma Prefecture | 93 | 1.3 | 0.15 | 0.17 | 0.02 | 57 | 0.7 | 0.11 | 0.09 | 0.01 |
| Japan, Hiroshima Prefecture | 267 | 2.0 | 0.14 | 0.22 | 0.02 | 160 | 1.0 | 0.10 | 0.11 | 0.01 |
| Japan, Miyagi Prefecture | 194 | 1.4 | 0.11 | 0.18 | 0.02 | 96 | 0.6 | 0.08 | 0.07 | 0.01 |
| Japan, Osaka Prefecture | 472 | 1.6 | 0.08 | 0.19 | 0.01 | 300 | 0.9 | 0.06 | 0.10 | 0.01 |
| Kuwait | 39 | 0.6 | 0.12 | 0.08 | 0.02 | 25 | 0.4 | 0.10 | 0.05 | 0.01 |
| *Kuwait: Kuwaitis | 12 | 0.8 | 0.25 | 0.12 | 0.04 | 16 | 0.6 | 0.17 | 0.07 | 0.02 |
| *Kuwait: Non-Kuwaitis | 27 | 0.6 | 0.16 | 0.07 | 0.03 | 9 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Philippines, Manila | 58 | 0.6 | 0.08 | 0.06 | 0.01 | 39 | 0.3 | 0.05 | 0.03 | 0.01 |
| *Qatar: Qatari | 4 | 1.0 | 0.54 | 0.13 | 0.08 | 3 | 0.7 | 0.41 | 0.09 | 0.06 |
| Republic of Korea | 2526 | 1.3 | 0.03 | 0.15 | 0.00 | 1770 | 0.8 | 0.02 | 0.09 | 0.00 |
| *Republic of Korea, Busan | 198 | 1.4 | 0.10 | 0.16 | 0.01 | 128 | 0.8 | 0.07 | 0.09 | 0.01 |
| *Republic of Korea, Daegu | 110 | 1.1 | 0.11 | 0.13 | 0.01 | 92 | 0.8 | 0.09 | 0.09 | 0.01 |
| *Republic of Korea, Daejeon | 63 | 1.2 | 0.15 | 0.15 | 0.02 | 39 | 0.6 | 0.10 | 0.06 | 0.01 |
| *Republic of Korea, Gwangju | 75 | 1.5 | 0.18 | 0.17 | 0.02 | 45 | 0.8 | 0.12 | 0.10 | 0.02 |
| Republic of Korea, Incheon | 111 | 1.0 | 0.10 | 0.12 | 0.01 | 86 | 0.7 | 0.08 | 0.08 | 0.01 |
| Republic of Korea, Jeju | 36 | 1.4 | 0.25 | 0.15 | 0.03 | 11 | 0.3 | 0.12 | 0.04 | 0.02 |
| Republic of Korea, Seoul | 469 | 1.3 | 0.06 | 0.14 | 0.01 | 351 | 0.8 | 0.04 | 0.09 | 0.01 |
| Republic of Korea, Ulsan | 63 | 1.5 | 0.19 | 0.16 | 0.03 | 38 | 0.9 | 0.15 | 0.11 | 0.02 |
| Singapore | 166 | 1.1 | 0.09 | 0.12 | 0.01 | 121 | 0.7 | 0.07 | 0.08 | 0.01 |
| Singapore: Chinese | 133 | 1.1 | 0.10 | 0.12 | 0.01 | 87 | 0.6 | 0.07 | 0.07 | 0.01 |
| Singapore: Indian | 18 | 1.5 | 0.36 | 0.16 | 0.04 | 21 | 2.0 | 0.45 | 0.25 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Small intestine (C17) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 15 | 1.0 | 0.27 | 0.13 | 0.04 | 11 | 0.7 | 0.21 | 0.08 | 0.03 |
| Thailand, Bangkok | 62 | 0.4 | 0.05 | 0.04 | 0.01 | 59 | 0.3 | 0.04 | 0.03 | 0.01 |
| *Thailand, Chiang Mai | 18 | 0.3 | 0.08 | 0.04 | 0.01 | 18 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Thailand, Khon Kaen | 18 | 0.3 | 0.07 | 0.03 | 0.01 | 14 | 0.2 | 0.05 | 0.03 | 0.01 |
| Thailand, Lampang | 14 | 0.4 | 0.12 | 0.05 | 0.02 | 16 | 0.5 | 0.13 | 0.05 | 0.02 |
| Thailand, Lopburi Province | 10 | 0.4 | 0.14 | 0.06 | 0.02 | 11 | 0.5 | 0.14 | 0.05 | 0.02 |
| *Thailand, Songkhla | 17 | 0.4 | 0.10 | 0.04 | 0.01 | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| Turkey, Antalya | 54 | 0.9 | 0.12 | 0.10 | 0.02 | 36 | 0.5 | 0.09 | 0.06 | 0.01 |
| Turkey, Bursa | 48 | 0.6 | 0.09 | 0.07 | 0.01 | 37 | 0.4 | 0.07 | 0.04 | 0.01 |
| *Turkey, Edirne | 6 | 0.3 | 0.14 | 0.03 | 0.02 | 7 | 0.4 | 0.17 | 0.05 | 0.02 |
| *Turkey, Erzurum | 19 | 1.0 | 0.24 | 0.11 | 0.03 | 20 | 0.9 | 0.21 | 0.12 | 0.03 |
| Turkey, Eskişehir | 18 | 0.7 | 0.17 | 0.09 | 0.02 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| Turkey, Gaziantep | 17 | 0.5 | 0.12 | 0.05 | 0.02 | 20 | 0.5 | 0.11 | 0.05 | 0.02 |
| *Turkey, Izmir | 96 | 0.7 | 0.07 | 0.08 | 0.01 | 69 | 0.5 | 0.06 | 0.05 | 0.01 |
| Turkey, Malatya | 8 | 0.4 | 0.13 | 0.06 | 0.02 | 10 | 0.4 | 0.12 | 0.04 | 0.02 |
| Turkey, Samsun | 30 | 0.7 | 0.13 | 0.07 | 0.02 | 25 | 0.5 | 0.11 | 0.05 | 0.01 |
| Turkey, Trabzon | 12 | 0.5 | 0.14 | 0.05 | 0.01 | 19 | 0.7 | 0.16 | 0.07 | 0.02 |
| Europe | | | | | | | | | | |
| Austria | 511 | 1.3 | 0.06 | 0.15 | 0.01 | 460 | 1.0 | 0.05 | 0.12 | 0.01 |
| Austria, Carinthia | 51 | 1.9 | 0.28 | 0.24 | 0.04 | 30 | 0.9 | 0.18 | 0.11 | 0.03 |
| Austria, Tyrol | 41 | 1.3 | 0.22 | 0.17 | 0.03 | 31 | 0.9 | 0.17 | 0.10 | 0.02 |
| Austria, Vorarlberg | 23 | 1.3 | 0.30 | 0.14 | 0.04 | 26 | 1.3 | 0.30 | 0.15 | 0.04 |
| Belarus | 229 | 0.7 | 0.05 | 0.09 | 0.01 | 272 | 0.6 | 0.04 | 0.07 | 0.01 |
| *Belgium | 933 | 1.9 | 0.06 | 0.22 | 0.01 | 757 | 1.3 | 0.05 | 0.16 | 0.01 |
| Croatia | 164 | 0.9 | 0.07 | 0.11 | 0.01 | 179 | 0.7 | 0.06 | 0.08 | 0.01 |
| Cyprus | 24 | 0.8 | 0.16 | 0.09 | 0.02 | 13 | 0.4 | 0.11 | 0.04 | 0.01 |
| *Czech Republic | 581 | 1.2 | 0.05 | 0.15 | 0.01 | 436 | 0.8 | 0.04 | 0.09 | 0.01 |
| Denmark | 494 | 1.8 | 0.09 | 0.23 | 0.01 | 398 | 1.3 | 0.07 | 0.17 | 0.01 |
| Estonia | 55 | 1.1 | 0.15 | 0.14 | 0.02 | 85 | 1.1 | 0.14 | 0.13 | 0.02 |
| Finland | 455 | 1.7 | 0.08 | 0.20 | 0.01 | 366 | 1.2 | 0.07 | 0.13 | 0.01 |
| *France, Bas-Rhin | 69 | 1.7 | 0.21 | 0.18 | 0.03 | 38 | 0.9 | 0.16 | 0.11 | 0.02 |
| *France, Calvados | 41 | 1.1 | 0.19 | 0.13 | 0.03 | 36 | 0.8 | 0.17 | 0.08 | 0.02 |
| *France, Doubs | 37 | 1.6 | 0.29 | 0.18 | 0.04 | 36 | 1.0 | 0.20 | 0.11 | 0.03 |
| *France, Gironde | 118 | 1.7 | 0.17 | 0.19 | 0.02 | 76 | 0.9 | 0.12 | 0.10 | 0.02 |
| *France, Haut-Rhin | 39 | 1.1 | 0.18 | 0.14 | 0.03 | 34 | 0.7 | 0.14 | 0.08 | 0.02 |
| *France, Hérault | 85 | 1.6 | 0.19 | 0.19 | 0.03 | 78 | 1.2 | 0.16 | 0.15 | 0.02 |
| *France, Isère | 74 | 1.3 | 0.16 | 0.15 | 0.02 | 50 | 0.8 | 0.12 | 0.11 | 0.02 |
| *France, Lille-Métropole | 52 | 1.8 | 0.26 | 0.18 | 0.03 | 41 | 1.2 | 0.21 | 0.16 | 0.03 |
| *France, Limousin | 23 | 1.0 | 0.24 | 0.10 | 0.03 | 18 | 0.6 | 0.18 | 0.07 | 0.03 |
| *France, Loire-Atlantique | 93 | 1.7 | 0.19 | 0.20 | 0.02 | 73 | 0.9 | 0.12 | 0.11 | 0.02 |
| *France, Manche | 41 | 1.3 | 0.23 | 0.16 | 0.03 | 46 | 1.7 | 0.32 | 0.17 | 0.03 |
| *France, Poitou-Charentes | 133 | 1.4 | 0.14 | 0.17 | 0.02 | 115 | 1.0 | 0.12 | 0.12 | 0.02 |
| *France, Somme | 43 | 1.8 | 0.29 | 0.22 | 0.04 | 26 | 0.8 | 0.18 | 0.09 | 0.02 |
| *France, Tarn | 30 | 1.3 | 0.28 | 0.16 | 0.04 | 16 | 0.7 | 0.19 | 0.09 | 0.03 |
| *France, Territoire de Belfort | 13 | 2.6 | 0.78 | 0.22 | 0.08 | 6 | 1.0 | 0.47 | 0.12 | 0.06 |
| *France, Vendée | 74 | 2.1 | 0.26 | 0.26 | 0.04 | 51 | 1.2 | 0.20 | 0.16 | 0.03 |
| Germany, Baden-Württemberg | 644 | 1.9 | 0.08 | 0.23 | 0.01 | 479 | 1.3 | 0.07 | 0.15 | 0.01 |
| Germany, Bavaria | 1158 | 1.8 | 0.06 | 0.21 | 0.01 | 907 | 1.3 | 0.05 | 0.15 | 0.01 |
| Germany, Bremen | 49 | 1.4 | 0.23 | 0.15 | 0.03 | 45 | 1.0 | 0.17 | 0.10 | 0.02 |
| Germany, Hamburg | 131 | 1.5 | 0.14 | 0.16 | 0.02 | 151 | 1.5 | 0.14 | 0.18 | 0.02 |
| Germany, Lower Saxony | 602 | 1.4 | 0.06 | 0.17 | 0.01 | 513 | 1.1 | 0.06 | 0.14 | 0.01 |
| Germany, North Rhine-Westphalia | 1382 | 1.5 | 0.04 | 0.18 | 0.01 | 1196 | 1.1 | 0.04 | 0.13 | 0.00 |
| Germany, Rhineland-Palatinate | 346 | 1.6 | 0.10 | 0.19 | 0.01 | 277 | 1.2 | 0.08 | 0.14 | 0.01 |
| Germany, Saarland | 86 | 1.5 | 0.18 | 0.17 | 0.02 | 69 | 1.2 | 0.16 | 0.14 | 0.02 |
| Germany, Schleswig-Holstein | 276 | 1.9 | 0.12 | 0.22 | 0.02 | 197 | 1.1 | 0.09 | 0.12 | 0.01 |
| Iceland | 23 | 1.6 | 0.36 | 0.17 | 0.05 | 19 | 1.3 | 0.32 | 0.15 | 0.04 |
| Ireland | 282 | 1.6 | 0.10 | 0.19 | 0.01 | 215 | 1.1 | 0.08 | 0.14 | 0.01 |
| *Italy, Aosta Valley | 5 | 0.9 | 0.44 | 0.09 | 0.05 | 5 | 1.1 | 0.51 | 0.15 | 0.07 |
| *Italy, Avellino | 16 | 1.4 | 0.37 | 0.15 | 0.04 | 9 | 0.5 | 0.19 | 0.05 | 0.03 |
| Italy, Basilicata | 17 | 0.6 | 0.16 | 0.09 | 0.02 | 16 | 0.5 | 0.17 | 0.05 | 0.02 |
| *Italy, Benevento | 8 | 0.5 | 0.21 | 0.03 | 0.02 | 9 | 0.6 | 0.26 | 0.05 | 0.03 |
| Italy, Bergamo | 70 | 1.1 | 0.15 | 0.13 | 0.02 | 35 | 0.6 | 0.11 | 0.07 | 0.01 |
| *Italy, Brescia | 81 | 1.4 | 0.17 | 0.18 | 0.02 | 63 | 0.8 | 0.12 | 0.10 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 38 | 1.0 | 0.18 | 0.12 | 0.02 | 34 | 0.8 | 0.17 | 0.09 | 0.02 |
| Italy, Calabria | 37 | 1.6 | 0.28 | 0.19 | 0.04 | 25 | 1.0 | 0.22 | 0.12 | 0.03 |
| *Italy, Caserta | 21 | 0.7 | 0.16 | 0.10 | 0.02 | 13 | 0.4 | 0.12 | 0.05 | 0.02 |
| *Italy, Catania, Messina, and Enna | 84 | 1.0 | 0.11 | 0.10 | 0.01 | 72 | 0.6 | 0.08 | 0.06 | 0.01 |
| Italy, Emilia-Romagna | 284 | 1.4 | 0.10 | 0.17 | 0.01 | 229 | 1.0 | 0.08 | 0.11 | 0.01 |
| Italy, Friuli-Venezia Giulia | 66 | 0.9 | 0.12 | 0.11 | 0.02 | 82 | 1.1 | 0.14 | 0.12 | 0.02 |
| Italy, Genova | 55 | 1.3 | 0.20 | 0.16 | 0.03 | 43 | 0.7 | 0.14 | 0.09 | 0.02 |
| *Italy, Lombardy, South, Pavia | 39 | 1.4 | 0.25 | 0.18 | 0.03 | 24 | 0.6 | 0.16 | 0.07 | 0.02 |
| Italy, Mantova and Cremona | 40 | 1.3 | 0.22 | 0.18 | 0.03 | 39 | 1.0 | 0.19 | 0.12 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Small intestine (C17) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 115 | 1.6 | 0.17 | 0.19 | 0.02 | 86 | 1.2 | 0.15 | 0.13 | 0.02 |
| Italy, Milan | 214 | 1.3 | 0.10 | 0.15 | 0.01 | 167 | 0.7 | 0.07 | 0.08 | 0.01 |
| Italy, Molise | 11 | 1.1 | 0.37 | 0.13 | 0.05 | 9 | 0.5 | 0.19 | 0.06 | 0.03 |
| *Italy, Naples Centre | 28 | 1.2 | 0.22 | 0.15 | 0.03 | 23 | 0.7 | 0.16 | 0.08 | 0.02 |
| *Italy, Naples North | 34 | 1.1 | 0.20 | 0.15 | 0.03 | 19 | 0.6 | 0.13 | 0.07 | 0.02 |
| *Italy, Naples South | 38 | 0.9 | 0.15 | 0.11 | 0.02 | 44 | 0.8 | 0.13 | 0.09 | 0.02 |
| *Italy, Nuoro | 11 | 1.5 | 0.49 | 0.12 | 0.05 | 7 | 0.6 | 0.27 | 0.05 | 0.04 |
| *Italy, Palermo | 52 | 0.9 | 0.13 | 0.08 | 0.02 | 46 | 0.6 | 0.10 | 0.08 | 0.01 |
| Italy, Puglia | 206 | 1.0 | 0.08 | 0.12 | 0.01 | 137 | 0.6 | 0.07 | 0.07 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 21 | 0.8 | 0.18 | 0.09 | 0.02 | 17 | 0.5 | 0.13 | 0.06 | 0.02 |
| *Italy, Salerno | 30 | 0.9 | 0.19 | 0.10 | 0.02 | 35 | 0.8 | 0.16 | 0.09 | 0.02 |
| Italy, Sassari | 11 | 1.1 | 0.35 | 0.12 | 0.04 | 6 | 0.3 | 0.16 | 0.03 | 0.02 |
| *Italy, Sondrio | 17 | 1.7 | 0.41 | 0.27 | 0.07 | 4 | 0.4 | 0.22 | 0.06 | 0.03 |
| Italy, South Tyrol | 36 | 1.5 | 0.26 | 0.16 | 0.03 | 24 | 0.8 | 0.19 | 0.09 | 0.02 |
| *Italy, Syracuse | 19 | 0.9 | 0.22 | 0.09 | 0.03 | 16 | 0.7 | 0.21 | 0.09 | 0.03 |
| Italy, Trento | 58 | 2.0 | 0.28 | 0.25 | 0.04 | 44 | 1.3 | 0.23 | 0.15 | 0.03 |
| Italy, Turin | 125 | 0.9 | 0.09 | 0.11 | 0.01 | 98 | 0.7 | 0.08 | 0.07 | 0.01 |
| *Italy, Tuscany | 201 | 1.6 | 0.13 | 0.19 | 0.02 | 149 | 1.1 | 0.10 | 0.13 | 0.01 |
| Italy, Umbria | 65 | 1.9 | 0.25 | 0.25 | 0.03 | 23 | 0.5 | 0.14 | 0.07 | 0.02 |
| Italy, Varese | 32 | 1.2 | 0.22 | 0.13 | 0.03 | 19 | 0.5 | 0.13 | 0.08 | 0.02 |
| Italy, Veneto | 341 | 1.3 | 0.08 | 0.15 | 0.01 | 265 | 0.8 | 0.06 | 0.10 | 0.01 |
| Latvia | 46 | 0.6 | 0.10 | 0.08 | 0.01 | 63 | 0.5 | 0.08 | 0.06 | 0.01 |
| *Liechtenstein | 2 | 1.2 | 0.86 | 0.16 | 0.12 | 2 | 0.8 | 0.61 | 0.07 | 0.07 |
| *Lithuania | 82 | 0.7 | 0.08 | 0.08 | 0.01 | 97 | 0.6 | 0.07 | 0.07 | 0.01 |
| Malta | 26 | 1.3 | 0.26 | 0.16 | 0.03 | 17 | 0.7 | 0.19 | 0.09 | 0.03 |
| *The Netherlands | 1183 | 1.5 | 0.05 | 0.18 | 0.01 | 978 | 1.1 | 0.04 | 0.14 | 0.01 |
| Norway | 530 | 2.3 | 0.10 | 0.28 | 0.01 | 386 | 1.5 | 0.09 | 0.19 | 0.01 |
| Poland, Kielce | 14 | 0.3 | 0.07 | 0.03 | 0.01 | 28 | 0.4 | 0.07 | 0.05 | 0.01 |
| *Portugal, Azores | 9 | 1.4 | 0.46 | 0.14 | 0.05 | 11 | 1.4 | 0.44 | 0.15 | 0.05 |
| Russian Federation, Arkhangelsk | 41 | 1.0 | 0.16 | 0.12 | 0.02 | 48 | 0.6 | 0.10 | 0.07 | 0.01 |
| Russian Federation, Kaliningrad | 17 | 0.5 | 0.13 | 0.05 | 0.02 | 23 | 0.5 | 0.11 | 0.06 | 0.02 |
| Russian Federation, Karelia | 16 | 0.9 | 0.23 | 0.13 | 0.04 | 23 | 0.7 | 0.16 | 0.08 | 0.02 |
| *Russian Federation, Komi Republic | 30 | 1.3 | 0.26 | 0.17 | 0.04 | 24 | 0.6 | 0.12 | 0.06 | 0.02 |
| Russian Federation, Murmansk | 22 | 1.0 | 0.23 | 0.15 | 0.04 | 21 | 0.5 | 0.12 | 0.05 | 0.02 |
| *Russian Federation, Orenburg | 35 | 0.6 | 0.10 | 0.08 | 0.02 | 42 | 0.5 | 0.08 | 0.06 | 0.01 |
| Russian Federation, Pskov | 14 | 0.6 | 0.17 | 0.08 | 0.03 | 16 | 0.4 | 0.11 | 0.04 | 0.01 |
| *Russian Federation, Samara | 80 | 0.7 | 0.08 | 0.08 | 0.01 | 110 | 0.6 | 0.07 | 0.08 | 0.01 |
| Russian Federation, Vologda Region | 31 | 0.8 | 0.14 | 0.10 | 0.02 | 34 | 0.5 | 0.09 | 0.06 | 0.01 |
| Slovenia | 116 | 1.2 | 0.12 | 0.14 | 0.02 | 93 | 0.8 | 0.09 | 0.09 | 0.01 |
| Spain, Asturias | 58 | 1.6 | 0.23 | 0.20 | 0.03 | 34 | 0.6 | 0.13 | 0.09 | 0.02 |
| Spain, Basque Country | 125 | 1.4 | 0.14 | 0.16 | 0.02 | 97 | 1.0 | 0.12 | 0.10 | 0.01 |
| Spain, Canary Islands | 67 | 1.1 | 0.14 | 0.11 | 0.02 | 45 | 0.6 | 0.10 | 0.07 | 0.01 |
| Spain, Castellón | 21 | 0.8 | 0.19 | 0.11 | 0.03 | 15 | 0.4 | 0.13 | 0.06 | 0.02 |
| Spain, Girona | 38 | 1.1 | 0.19 | 0.15 | 0.03 | 40 | 1.1 | 0.19 | 0.12 | 0.02 |
| Spain, Granada | 47 | 1.1 | 0.17 | 0.12 | 0.02 | 32 | 0.7 | 0.13 | 0.08 | 0.02 |
| Spain, La Rioja | 16 | 0.8 | 0.23 | 0.08 | 0.03 | 11 | 0.7 | 0.23 | 0.09 | 0.03 |
| Spain, Murcia | 62 | 1.0 | 0.13 | 0.10 | 0.02 | 55 | 0.8 | 0.12 | 0.09 | 0.02 |
| Spain, Navarra | 38 | 1.8 | 0.29 | 0.22 | 0.04 | 20 | 0.8 | 0.20 | 0.11 | 0.03 |
| Spain, Salamanca | 31 | 1.8 | 0.36 | 0.23 | 0.05 | 20 | 0.7 | 0.20 | 0.08 | 0.03 |
| Spain, Tarragona | 36 | 1.0 | 0.18 | 0.12 | 0.02 | 26 | 0.7 | 0.15 | 0.08 | 0.02 |
| *Sweden | 804 | 1.6 | 0.06 | 0.20 | 0.01 | 641 | 1.2 | 0.05 | 0.15 | 0.01 |
| Switzerland, Aargau | 56 | 1.8 | 0.25 | 0.19 | 0.03 | 35 | 1.1 | 0.20 | 0.11 | 0.02 |
| Switzerland, Basel | 43 | 2.0 | 0.37 | 0.22 | 0.04 | 35 | 1.2 | 0.23 | 0.17 | 0.03 |
| Switzerland, Berne Solothurn | 96 | 2.3 | 0.26 | 0.27 | 0.03 | 66 | 1.3 | 0.19 | 0.16 | 0.03 |
| Switzerland, East | 80 | 2.0 | 0.24 | 0.26 | 0.04 | 57 | 1.4 | 0.20 | 0.17 | 0.03 |
| *Switzerland, Fribourg | 19 | 1.4 | 0.32 | 0.17 | 0.05 | 23 | 1.6 | 0.35 | 0.18 | 0.05 |
| Switzerland, Geneva | 27 | 1.4 | 0.28 | 0.17 | 0.04 | 32 | 1.3 | 0.24 | 0.17 | 0.04 |
| *Switzerland, Graubünden and Glarus | 31 | 2.7 | 0.52 | 0.37 | 0.07 | 21 | 1.5 | 0.37 | 0.20 | 0.05 |
| *Switzerland, Lucerne | 29 | 1.2 | 0.23 | 0.16 | 0.03 | 26 | 0.9 | 0.20 | 0.12 | 0.03 |
| *Switzerland, Neuchâtel and Jura | 25 | 2.3 | 0.49 | 0.25 | 0.06 | 19 | 1.3 | 0.34 | 0.16 | 0.05 |
| Switzerland, Ticino | 45 | 2.3 | 0.36 | 0.28 | 0.05 | 31 | 1.5 | 0.30 | 0.19 | 0.04 |
| Switzerland, Valais | 36 | 2.6 | 0.47 | 0.31 | 0.06 | 22 | 1.4 | 0.31 | 0.18 | 0.04 |
| Switzerland, Vaud | 67 | 2.2 | 0.28 | 0.24 | 0.04 | 33 | 0.9 | 0.17 | 0.10 | 0.02 |
| Switzerland, Zurich and Zug | 117 | 1.7 | 0.16 | 0.22 | 0.02 | 86 | 1.1 | 0.12 | 0.14 | 0.02 |
| Ukraine | 640 | 0.5 | 0.02 | 0.06 | 0.00 | 591 | 0.3 | 0.01 | 0.04 | 0.00 |
| UK, England | 3779 | 1.5 | 0.03 | 0.18 | 0.00 | 3102 | 1.1 | 0.02 | 0.13 | 0.00 |
| UK, Northern Ireland | 128 | 1.7 | 0.15 | 0.21 | 0.02 | 95 | 1.1 | 0.12 | 0.13 | 0.02 |
| UK, Scotland | 407 | 1.6 | 0.09 | 0.19 | 0.01 | 327 | 1.1 | 0.07 | 0.13 | 0.01 |
| UK, Wales | 225 | 1.4 | 0.10 | 0.16 | 0.01 | 178 | 1.0 | 0.08 | 0.12 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 624 | 1.9 | 0.08 | 0.22 | 0.01 | 439 | 1.2 | 0.06 | 0.15 | 0.01 |
| *Australia, Northern Territory | 12 | 1.7 | 0.49 | 0.15 | 0.06 | 8 | 1.3 | 0.48 | 0.19 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Small intestine (C17) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 10 | 1.7 | 0.54 | 0.15 | 0.06 | 6 | 1.3 | 0.52 | 0.17 | 0.08 |
| *Australia, Northern Territory: Indigenous | 2 | 0.9 | 0.64 | 0.08 | 0.05 | 2 | 1.7 | 1.24 | 0.26 | 0.19 |
| *Australia, Queensland | 449 | 2.3 | 0.11 | 0.27 | 0.02 | 328 | 1.6 | 0.09 | 0.18 | 0.01 |
| Australia, South Australia | 146 | 1.8 | 0.16 | 0.21 | 0.02 | 133 | 1.6 | 0.16 | 0.18 | 0.02 |
| Australia, Tasmania | 32 | 1.5 | 0.29 | 0.17 | 0.03 | 36 | 1.3 | 0.23 | 0.15 | 0.03 |
| *Australia, Victoria | 400 | 1.6 | 0.09 | 0.20 | 0.01 | 318 | 1.2 | 0.07 | 0.13 | 0.01 |
| *Australia, Western Australia | 168 | 1.7 | 0.14 | 0.20 | 0.02 | 134 | 1.3 | 0.12 | 0.15 | 0.02 |
| *France, New Caledonia | 9 | 1.1 | 0.37 | 0.12 | 0.05 | 4 | 0.6 | 0.28 | 0.07 | 0.04 |
| New Zealand | 302 | 1.6 | 0.10 | 0.19 | 0.01 | 279 | 1.4 | 0.09 | 0.16 | 0.01 |
| *New Zealand: Maori | 44 | 2.9 | 0.44 | 0.37 | 0.07 | 38 | 2.1 | 0.34 | 0.24 | 0.05 |
| *New Zealand: Pacific peoples | 21 | 3.3 | 0.73 | 0.46 | 0.12 | 15 | 2.0 | 0.52 | 0.22 | 0.07 |
| *New Zealand: Other | 226 | 1.5 | 0.11 | 0.17 | 0.01 | 218 | 1.3 | 0.10 | 0.15 | 0.01 |
| USA, Hawaii | 95 | 1.5 | 0.17 | 0.19 | 0.02 | 77 | 1.1 | 0.14 | 0.14 | 0.02 |
| USA, Hawaii: White | 23 | 1.2 | 0.26 | 0.12 | 0.03 | 17 | 0.9 | 0.21 | 0.10 | 0.03 |
| *USA, Hawaii: Japanese | 25 | 2.2 | 0.53 | 0.25 | 0.06 | 14 | 0.7 | 0.23 | 0.08 | 0.03 |
| *USA, Hawaii: Chinese | 4 | 0.9 | 0.46 | 0.18 | 0.09 | 8 | 1.5 | 0.63 | 0.13 | 0.06 |
| *USA, Hawaii: Hawaiian | 21 | 2.3 | 0.51 | 0.31 | 0.08 | 20 | 2.2 | 0.51 | 0.29 | 0.07 |
| *USA, Hawaii: Filipino | 12 | 1.2 | 0.35 | 0.14 | 0.05 | 13 | 1.0 | 0.30 | 0.13 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon and rectum (C18–20)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 185 | 13.4 | 1.02 | 1.60 | 0.15 | 196 | 14.0 | 1.04 | 1.47 | 0.13 |
| *Algeria, Tizi Ouzou | 372 | 24.3 | 1.31 | 2.97 | 0.19 | 325 | 17.9 | 1.04 | 2.06 | 0.14 |
| *Benin, Cotonou | 44 | 8.4 | 1.38 | 1.11 | 0.23 | 28 | 3.6 | 0.72 | 0.36 | 0.08 |
| *France, La Réunion | 659 | 30.8 | 1.21 | 3.74 | 0.18 | 604 | 22.5 | 0.96 | 2.65 | 0.14 |
| *Kenya, Eldoret | 60 | 5.8 | 0.80 | 0.75 | 0.12 | 71 | 6.5 | 0.83 | 0.77 | 0.12 |
| *Kenya, Nairobi | 353 | 13.9 | 0.89 | 1.79 | 0.14 | 294 | 12.9 | 0.87 | 1.47 | 0.13 |
| Mauritius | 661 | 15.7 | 0.61 | 1.85 | 0.09 | 616 | 13.2 | 0.54 | 1.55 | 0.08 |
| *Morocco, Casablanca | 937 | 9.0 | 0.30 | 1.14 | 0.05 | 1004 | 8.7 | 0.28 | 1.06 | 0.04 |
| *Seychelles | 67 | 25.0 | 3.10 | 2.66 | 0.44 | 65 | 19.9 | 2.54 | 2.60 | 0.42 |
| *South Africa, Eastern Cape | 30 | 2.9 | 0.54 | 0.33 | 0.07 | 43 | 2.7 | 0.43 | 0.31 | 0.06 |
| *Uganda, Kyadondo County | 205 | 11.8 | 0.99 | 1.53 | 0.16 | 166 | 8.8 | 0.78 | 1.14 | 0.12 |
| *Uganda, Gulu | 10 | 1.9 | 0.67 | 0.17 | 0.07 | 6 | 1.2 | 0.52 | 0.16 | 0.07 |
| *Zimbabwe, Bulawayo: African | 87 | 10.5 | 1.17 | 1.20 | 0.17 | 89 | 8.6 | 0.95 | 1.01 | 0.14 |
| *Zimbabwe, Harare: African | 257 | 15.8 | 1.09 | 1.78 | 0.17 | 221 | 11.6 | 0.84 | 1.36 | 0.13 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 783 | 34.0 | 1.24 | 4.01 | 0.18 | 751 | 25.6 | 1.01 | 2.96 | 0.14 |
| *Argentina, Mendoza | 1502 | 28.7 | 0.76 | 3.48 | 0.11 | 1188 | 18.1 | 0.56 | 2.06 | 0.08 |
| Brazil, Aracaju | 179 | 17.4 | 1.32 | 2.01 | 0.19 | 241 | 15.4 | 1.01 | 1.75 | 0.15 |
| *Brazil, Barretos | 319 | 23.6 | 1.34 | 2.93 | 0.20 | 276 | 17.5 | 1.09 | 2.06 | 0.15 |
| Brazil, Belo Horizonte | 1714 | 23.9 | 0.58 | 2.81 | 0.08 | 2126 | 21.2 | 0.48 | 2.48 | 0.07 |
| *Brazil, Campinas | 829 | 35.3 | 1.24 | 4.13 | 0.18 | 800 | 25.7 | 0.94 | 2.88 | 0.13 |
| *Brazil, Curitiba | 897 | 22.6 | 0.76 | 2.67 | 0.11 | 948 | 17.2 | 0.57 | 1.97 | 0.08 |
| Brazil, Goiânia | 684 | 26.2 | 1.01 | 2.99 | 0.15 | 670 | 19.1 | 0.75 | 2.17 | 0.10 |
| *Brazil, Jái | 124 | 28.9 | 2.64 | 3.50 | 0.39 | 115 | 21.6 | 2.09 | 2.53 | 0.30 |
| Brazil, João Pessoa | 121 | 11.5 | 1.06 | 1.27 | 0.14 | 181 | 11.2 | 0.86 | 1.17 | 0.12 |
| Brazil, Recife | 383 | 15.6 | 0.81 | 1.85 | 0.12 | 517 | 13.0 | 0.59 | 1.41 | 0.08 |
| Chile, Region of Antofagasta | 167 | 17.1 | 1.34 | 1.80 | 0.19 | 167 | 15.5 | 1.22 | 1.67 | 0.17 |
| Chile, Valdivia | 271 | 19.7 | 1.22 | 2.39 | 0.18 | 276 | 17.2 | 1.12 | 1.87 | 0.15 |
| Colombia, Bucaramanga | 435 | 14.7 | 0.71 | 1.66 | 0.10 | 521 | 13.0 | 0.59 | 1.46 | 0.08 |
| Colombia, Cali | 1114 | 18.7 | 0.57 | 2.10 | 0.08 | 1307 | 15.9 | 0.45 | 1.76 | 0.06 |
| Colombia, Manizales | 223 | 16.0 | 1.07 | 1.72 | 0.15 | 288 | 15.8 | 0.95 | 1.72 | 0.13 |
| Colombia, Pasto | 106 | 10.3 | 1.02 | 1.26 | 0.15 | 136 | 9.8 | 0.87 | 1.08 | 0.12 |
| Costa Rica | 1513 | 15.2 | 0.40 | 1.85 | 0.06 | 1621 | 14.8 | 0.38 | 1.72 | 0.06 |
| Ecuador, Guayaquil | 700 | 13.0 | 0.51 | 1.48 | 0.07 | 776 | 12.5 | 0.46 | 1.44 | 0.07 |
| Ecuador, Manabí | 305 | 8.6 | 0.50 | 0.99 | 0.07 | 286 | 7.7 | 0.47 | 0.80 | 0.06 |
| Ecuador, Quito | 593 | 14.3 | 0.59 | 1.51 | 0.08 | 641 | 12.5 | 0.51 | 1.41 | 0.08 |
| *France, Guadeloupe | 438 | 26.1 | 1.32 | 3.25 | 0.19 | 449 | 19.7 | 1.01 | 2.26 | 0.14 |
| *France, Martinique | 535 | 28.1 | 1.31 | 3.34 | 0.19 | 470 | 20.9 | 1.08 | 2.43 | 0.14 |
| *Peru, Lima | 2250 | 16.0 | 0.34 | 1.77 | 0.05 | 2501 | 14.3 | 0.29 | 1.53 | 0.04 |
| *Trinidad and Tobago | 423 | 17.3 | 0.84 | 2.18 | 0.13 | 395 | 14.6 | 0.75 | 1.74 | 0.11 |
| USA, Puerto Rico | 4989 | 33.1 | 0.50 | 3.99 | 0.07 | 4198 | 22.6 | 0.39 | 2.57 | 0.05 |
| *Uruguay | 4704 | 36.6 | 0.56 | 4.26 | 0.08 | 4480 | 25.7 | 0.44 | 2.92 | 0.06 |
| North America | | | | | | | | | | |
| Canada, Alberta | 5700 | 36.4 | 0.49 | 4.32 | 0.07 | 4371 | 25.4 | 0.41 | 2.92 | 0.06 |
| Canada, British Columbia | 8802 | 36.5 | 0.41 | 4.35 | 0.06 | 6979 | 25.7 | 0.34 | 2.88 | 0.05 |
| *Canada, Manitoba | 2271 | 40.0 | 0.88 | 4.69 | 0.13 | 1824 | 27.5 | 0.72 | 3.12 | 0.10 |
| *Canada, New Brunswick | 1657 | 40.5 | 1.05 | 4.84 | 0.15 | 1283 | 26.1 | 0.82 | 2.95 | 0.11 |
| *Canada, Newfoundland and Labrador | 1678 | 58.8 | 1.49 | 7.22 | 0.21 | 1312 | 42.3 | 1.26 | 4.82 | 0.17 |
| Canada, Ontario | 22512 | 35.5 | 0.25 | 4.11 | 0.04 | 18943 | 25.2 | 0.20 | 2.77 | 0.03 |
| *Canada, Prince Edward Island | 344 | 44.5 | 2.51 | 5.47 | 0.37 | 265 | 29.7 | 2.05 | 3.41 | 0.28 |
| Canada, Quebec | 18241 | 43.1 | 0.34 | 4.98 | 0.05 | 14724 | 29.6 | 0.28 | 3.32 | 0.04 |
| Canada, Saskatchewan | 2188 | 43.5 | 0.98 | 5.23 | 0.14 | 1631 | 28.5 | 0.80 | 3.23 | 0.11 |
| *Canada, Yukon | 64 | 41.4 | 5.26 | 4.15 | 0.67 | 33 | 21.4 | 3.78 | 2.01 | 0.46 |
| USA | 373230 | 28.7 | 0.05 | 3.29 | 0.01 | 337189 | 21.7 | 0.04 | 2.39 | 0.01 |
| USA: White | 308560 | 28.1 | 0.05 | 3.20 | 0.01 | 275810 | 21.3 | 0.05 | 2.33 | 0.01 |
| USA: Black | 44590 | 34.4 | 0.16 | 4.06 | 0.02 | 43743 | 25.7 | 0.13 | 2.97 | 0.02 |
| USA, NPCR | 361130 | 28.7 | 0.05 | 3.29 | 0.01 | 326076 | 21.7 | 0.04 | 2.39 | 0.01 |
| USA, NPCR: White | 298788 | 28.2 | 0.05 | 3.21 | 0.01 | 266767 | 21.3 | 0.05 | 2.33 | 0.01 |
| USA, NPCR: Black | 44095 | 34.5 | 0.17 | 4.07 | 0.02 | 43293 | 25.8 | 0.13 | 2.98 | 0.02 |
| USA, NPCR: Asian and Pacific Islander | 13325 | 23.1 | 0.20 | 2.71 | 0.03 | 11851 | 16.3 | 0.15 | 1.83 | 0.02 |
| USA, NPCR: American Indian | 2212 | 19.3 | 0.41 | 2.27 | 0.06 | 2010 | 15.6 | 0.35 | 1.79 | 0.05 |
| *USA, SEER (18 registries) | 96468 | 28.0 | 0.09 | 3.22 | 0.01 | 87545 | 21.4 | 0.08 | 2.36 | 0.01 |
| *USA, SEER (18 registries): White | 74705 | 27.3 | 0.10 | 3.11 | 0.01 | 67159 | 21.0 | 0.09 | 2.29 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 63184 | 27.9 | 0.12 | 3.15 | 0.02 | 57037 | 21.4 | 0.10 | 2.32 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 11521 | 26.0 | 0.25 | 3.06 | 0.04 | 10122 | 19.6 | 0.20 | 2.23 | 0.03 |
| *USA, SEER (18 registries): Black | 11363 | 34.1 | 0.32 | 4.07 | 0.05 | 11202 | 26.0 | 0.25 | 3.00 | 0.03 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 8509 | 25.0 | 0.28 | 2.94 | 0.04 | 7493 | 17.2 | 0.21 | 1.93 | 0.03 |
| *USA, SEER (9 registries) | 32101 | 27.1 | 0.16 | 3.07 | 0.02 | 29525 | 20.8 | 0.13 | 2.27 | 0.02 |
| *USA, SEER (9 registries): White | 24198 | 25.9 | 0.17 | 2.91 | 0.02 | 22182 | 20.3 | 0.15 | 2.19 | 0.02 |
| *USA, SEER (9 registries): Black | 3745 | 33.9 | 0.56 | 3.97 | 0.08 | 3707 | 25.3 | 0.43 | 2.87 | 0.06 |
| USA, Alabama | 6649 | 33.7 | 0.43 | 3.91 | 0.06 | 5981 | 25.2 | 0.36 | 2.81 | 0.04 |
| USA, Alabama: White | 5000 | 32.5 | 0.49 | 3.75 | 0.06 | 4261 | 23.8 | 0.41 | 2.63 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon and rectum (C18–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 1534 | 38.2 | 0.99 | 4.49 | 0.14 | 1596 | 29.3 | 0.76 | 3.39 | 0.10 |
| USA, Alaska | 786 | 29.6 | 1.07 | 3.50 | 0.15 | 667 | 26.6 | 1.05 | 2.92 | 0.14 |
| *USA, Alaska: Alaska Natives | 191 | 58.3 | 4.25 | 6.96 | 0.61 | 219 | 60.3 | 4.18 | 6.40 | 0.55 |
| USA, Arizona | 7127 | 24.5 | 0.31 | 2.82 | 0.04 | 6022 | 17.9 | 0.26 | 1.93 | 0.03 |
| USA, Arizona: White | 6615 | 25.1 | 0.33 | 2.88 | 0.04 | 5527 | 18.3 | 0.28 | 1.96 | 0.03 |
| USA, Arizona: Black | 202 | 20.9 | 1.49 | 2.37 | 0.20 | 212 | 20.5 | 1.43 | 2.24 | 0.19 |
| *USA, Arizona: Asian and Pacific Islander | 112 | 15.2 | 1.46 | 1.80 | 0.21 | 124 | 11.9 | 1.08 | 1.30 | 0.15 |
| USA, Arizona: American Indian | 186 | 20.1 | 1.49 | 2.30 | 0.20 | 150 | 13.1 | 1.09 | 1.41 | 0.14 |
| USA, Arkansas | 4192 | 34.4 | 0.56 | 3.99 | 0.07 | 3634 | 25.2 | 0.46 | 2.85 | 0.06 |
| USA, Arkansas: White | 3538 | 33.4 | 0.60 | 3.87 | 0.08 | 3009 | 24.2 | 0.50 | 2.72 | 0.06 |
| USA, Arkansas: Black | 564 | 40.8 | 1.74 | 4.79 | 0.24 | 536 | 30.3 | 1.36 | 3.54 | 0.19 |
| USA, California | 38240 | 26.0 | 0.14 | 2.98 | 0.02 | 34681 | 20.0 | 0.12 | 2.19 | 0.02 |
| USA, California: White | 29505 | 25.9 | 0.16 | 2.94 | 0.02 | 26645 | 20.2 | 0.14 | 2.20 | 0.02 |
| USA, California: Black | 2572 | 29.0 | 0.58 | 3.46 | 0.08 | 2559 | 23.6 | 0.49 | 2.75 | 0.07 |
| USA, California: Asian and Pacific Islander | 5548 | 24.9 | 0.34 | 2.93 | 0.05 | 5002 | 17.4 | 0.26 | 1.95 | 0.03 |
| *USA, California, Los Angeles County | 9434 | 25.9 | 0.27 | 2.98 | 0.04 | 8751 | 19.9 | 0.23 | 2.23 | 0.03 |
| *USA, California, Los Angeles County: White | 6648 | 25.3 | 0.32 | 2.89 | 0.04 | 6054 | 19.7 | 0.27 | 2.19 | 0.04 |
| *USA, California, Los Angeles County: Non-Hispanic White | 3805 | 26.0 | 0.46 | 2.89 | 0.06 | 3487 | 20.9 | 0.42 | 2.25 | 0.05 |
| *USA, California, Los Angeles County: Hispanic White | 2843 | 25.1 | 0.48 | 2.96 | 0.07 | 2567 | 18.6 | 0.38 | 2.16 | 0.05 |
| *USA, California, Los Angeles County: Black | 938 | 28.6 | 0.96 | 3.35 | 0.13 | 1015 | 22.8 | 0.76 | 2.68 | 0.11 |
| *USA, California, Los Angeles County: Chinese | 474 | 20.8 | 1.03 | 2.30 | 0.14 | 397 | 13.7 | 0.75 | 1.45 | 0.10 |
| *USA, California, Los Angeles County: Filipino | 281 | 20.7 | 1.26 | 2.67 | 0.19 | 296 | 14.4 | 0.89 | 1.68 | 0.12 |
| *USA, California, Los Angeles County: Korean | 284 | 29.3 | 1.85 | 3.50 | 0.25 | 234 | 18.2 | 1.29 | 2.19 | 0.18 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 1668 | 25.8 | 0.66 | 3.02 | 0.09 | 1538 | 18.2 | 0.50 | 2.06 | 0.07 |
| *USA, California, San Francisco Bay Area | 4669 | 24.8 | 0.38 | 2.80 | 0.05 | 4302 | 19.0 | 0.32 | 2.05 | 0.04 |
| *USA, California, San Francisco Bay Area: White | 2986 | 24.2 | 0.46 | 2.65 | 0.06 | 2710 | 19.0 | 0.41 | 2.01 | 0.05 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 2438 | 24.3 | 0.53 | 2.66 | 0.07 | 2209 | 19.0 | 0.47 | 2.00 | 0.06 |
| *USA, California, San Francisco Bay Area: Hispanic White | 548 | 24.7 | 1.09 | 2.72 | 0.16 | 501 | 19.0 | 0.89 | 2.06 | 0.13 |
| *USA, California, San Francisco Bay Area: Black | 430 | 28.9 | 1.41 | 3.53 | 0.21 | 479 | 25.5 | 1.24 | 2.91 | 0.17 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 1189 | 24.6 | 0.74 | 2.90 | 0.10 | 1066 | 16.8 | 0.55 | 1.87 | 0.07 |
| USA, Colorado | 4933 | 23.7 | 0.34 | 2.66 | 0.05 | 4434 | 18.6 | 0.30 | 2.02 | 0.04 |
| USA, Colorado: White | 4518 | 23.4 | 0.36 | 2.62 | 0.05 | 4091 | 18.6 | 0.31 | 2.01 | 0.04 |
| *USA, Colorado: Black | 219 | 29.0 | 1.99 | 3.33 | 0.29 | 165 | 21.3 | 1.70 | 2.46 | 0.24 |
| *USA, Colorado: Asian and Pacific Islander | 123 | 24.0 | 2.19 | 2.94 | 0.32 | 118 | 16.1 | 1.52 | 1.80 | 0.21 |
| USA, Connecticut | 3933 | 25.4 | 0.43 | 2.86 | 0.06 | 3772 | 19.6 | 0.36 | 2.12 | 0.05 |
| USA, Connecticut: White | 3395 | 24.7 | 0.45 | 2.77 | 0.06 | 3266 | 19.0 | 0.39 | 2.06 | 0.05 |
| USA, Connecticut: Black | 346 | 28.4 | 1.54 | 3.19 | 0.21 | 343 | 20.9 | 1.16 | 2.29 | 0.15 |
| USA, District of Columbia | 580 | 27.1 | 1.15 | 3.06 | 0.15 | 654 | 24.3 | 1.02 | 2.79 | 0.13 |
| USA, District of Columbia: White | 157 | 16.4 | 1.35 | 1.84 | 0.18 | 161 | 16.7 | 1.41 | 1.90 | 0.19 |
| USA, District of Columbia: Black | 392 | 34.9 | 1.83 | 3.93 | 0.24 | 470 | 28.7 | 1.44 | 3.32 | 0.19 |
| USA, Florida | 26922 | 28.1 | 0.19 | 3.27 | 0.02 | 23764 | 20.8 | 0.15 | 2.30 | 0.02 |
| USA, Florida: White | 22809 | 27.5 | 0.20 | 3.18 | 0.03 | 19995 | 20.4 | 0.17 | 2.24 | 0.02 |
| USA, Florida: Black | 3242 | 31.7 | 0.56 | 3.74 | 0.08 | 3025 | 23.2 | 0.43 | 2.63 | 0.06 |
| USA, Florida: Asian and Pacific Islander | 388 | 18.7 | 0.96 | 2.18 | 0.13 | 332 | 12.4 | 0.69 | 1.39 | 0.09 |
| USA, Georgia | 11827 | 32.4 | 0.30 | 3.78 | 0.04 | 10317 | 23.5 | 0.24 | 2.67 | 0.03 |
| USA, Georgia: White | 8119 | 31.0 | 0.35 | 3.58 | 0.05 | 6747 | 22.3 | 0.29 | 2.51 | 0.04 |
| USA, Georgia: Black | 3354 | 37.5 | 0.65 | 4.44 | 0.09 | 3313 | 27.2 | 0.48 | 3.14 | 0.07 |
| USA, Georgia: Asian and Pacific Islander | 310 | 26.7 | 1.54 | 3.26 | 0.22 | 234 | 17.0 | 1.12 | 1.94 | 0.15 |
| *USA, Georgia, Atlanta | 3451 | 30.1 | 0.52 | 3.47 | 0.07 | 3083 | 21.7 | 0.40 | 2.41 | 0.05 |
| *USA, Georgia, Atlanta: White | 1899 | 27.8 | 0.65 | 3.17 | 0.09 | 1566 | 19.8 | 0.53 | 2.16 | 0.07 |
| *USA, Georgia, Atlanta: Black | 1314 | 34.6 | 0.97 | 4.03 | 0.13 | 1348 | 25.0 | 0.69 | 2.85 | 0.10 |
| USA, Idaho | 1745 | 25.6 | 0.64 | 2.90 | 0.08 | 1496 | 20.3 | 0.57 | 2.20 | 0.07 |
| USA, Indiana | 8460 | 31.7 | 0.36 | 3.66 | 0.05 | 7736 | 23.9 | 0.30 | 2.63 | 0.04 |
| USA, Indiana: White | 7729 | 31.6 | 0.37 | 3.62 | 0.05 | 7034 | 23.9 | 0.32 | 2.62 | 0.04 |
| USA, Indiana: Black | 622 | 35.0 | 1.42 | 4.20 | 0.21 | 618 | 25.9 | 1.08 | 2.99 | 0.15 |
| *USA, Iowa | 4141 | 30.5 | 0.50 | 3.48 | 0.07 | 3848 | 23.1 | 0.43 | 2.43 | 0.05 |
| USA, Kentucky | 6764 | 37.4 | 0.47 | 4.32 | 0.06 | 5860 | 27.4 | 0.39 | 3.07 | 0.05 |
| USA, Louisiana | 6373 | 35.6 | 0.46 | 4.22 | 0.06 | 5440 | 26.3 | 0.38 | 3.01 | 0.05 |
| USA, Louisiana: White | 4318 | 33.3 | 0.53 | 3.88 | 0.07 | 3538 | 24.4 | 0.46 | 2.74 | 0.06 |
| USA, Louisiana: Black | 1963 | 43.1 | 0.98 | 5.25 | 0.14 | 1841 | 31.7 | 0.76 | 3.77 | 0.10 |
| *USA, Louisiana, New Orleans | 1079 | 31.8 | 1.00 | 3.71 | 0.13 | 907 | 22.4 | 0.80 | 2.51 | 0.10 |
| *USA, Louisiana, New Orleans: White | 601 | 28.4 | 1.21 | 3.23 | 0.16 | 477 | 19.5 | 1.03 | 2.14 | 0.13 |
| *USA, Louisiana, New Orleans: Black | 438 | 37.5 | 1.82 | 4.54 | 0.26 | 410 | 27.0 | 1.38 | 3.11 | 0.18 |
| USA, Maine | 1737 | 26.3 | 0.68 | 2.88 | 0.08 | 1663 | 21.4 | 0.61 | 2.33 | 0.07 |
| USA, Maryland | 6150 | 26.1 | 0.34 | 2.96 | 0.05 | 6129 | 21.0 | 0.29 | 2.30 | 0.04 |
| USA, Maryland: White | 4083 | 25.0 | 0.41 | 2.80 | 0.05 | 3993 | 20.6 | 0.37 | 2.21 | 0.05 |
| USA, Maryland: Black | 1781 | 30.7 | 0.73 | 3.58 | 0.10 | 1867 | 23.3 | 0.56 | 2.64 | 0.07 |
| USA, Maryland: Asian and Pacific Islander | 261 | 19.6 | 1.23 | 2.32 | 0.17 | 234 | 14.2 | 0.95 | 1.55 | 0.13 |
| USA, Massachusetts | 7286 | 25.6 | 0.31 | 2.85 | 0.04 | 7115 | 19.9 | 0.27 | 2.13 | 0.03 |
| USA, Massachusetts: White | 6444 | 25.4 | 0.33 | 2.81 | 0.04 | 6369 | 20.0 | 0.29 | 2.12 | 0.04 |
| USA, Massachusetts: Black | 496 | 29.9 | 1.36 | 3.33 | 0.19 | 444 | 21.1 | 1.03 | 2.42 | 0.14 |
| USA, Massachusetts: Asian and Pacific Islander | 262 | 20.8 | 1.31 | 2.38 | 0.19 | 233 | 15.6 | 1.04 | 1.74 | 0.15 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon and rectum (C18–20) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 11721 | 27.4 | 0.27 | 3.05 | 0.03 | 10975 | 21.5 | 0.23 | 2.34 | 0.03 |
| USA, Michigan: White | 9770 | 26.2 | 0.28 | 2.90 | 0.04 | 9112 | 20.7 | 0.25 | 2.23 | 0.03 |
| USA, Michigan: Black | 1646 | 37.1 | 0.93 | 4.28 | 0.13 | 1620 | 27.3 | 0.71 | 3.14 | 0.09 |
| USA, Michigan: Asian and Pacific Islander | 164 | 18.7 | 1.48 | 1.94 | 0.19 | 133 | 12.9 | 1.13 | 1.31 | 0.15 |
| *USA, Michigan, Detroit | 4721 | 29.8 | 0.45 | 3.34 | 0.06 | 4627 | 23.2 | 0.38 | 2.55 | 0.05 |
| *USA, Michigan, Detroit: White | 3360 | 27.5 | 0.50 | 3.06 | 0.07 | 3288 | 22.1 | 0.44 | 2.38 | 0.06 |
| *USA, Michigan, Detroit: Black | 1235 | 40.0 | 1.16 | 4.60 | 0.16 | 1235 | 28.1 | 0.84 | 3.23 | 0.11 |
| USA, Minnesota | 6241 | 27.3 | 0.36 | 3.08 | 0.05 | 5743 | 20.9 | 0.31 | 2.18 | 0.04 |
| USA, Minnesota: White | 5780 | 27.1 | 0.38 | 3.04 | 0.05 | 5349 | 20.6 | 0.32 | 2.15 | 0.04 |
| USA, Minnesota: Black | 223 | 30.9 | 2.16 | 3.52 | 0.31 | 183 | 23.8 | 1.79 | 2.70 | 0.25 |
| *USA, Minnesota: Asian and Pacific Islander | 139 | 24.7 | 2.15 | 3.01 | 0.32 | 125 | 18.1 | 1.66 | 1.93 | 0.23 |
| USA, Mississippi | 4449 | 38.8 | 0.60 | 4.62 | 0.08 | 3868 | 27.8 | 0.48 | 3.22 | 0.06 |
| USA, Missouri | 7772 | 30.4 | 0.36 | 3.46 | 0.05 | 6963 | 22.4 | 0.30 | 2.49 | 0.04 |
| USA, Missouri: White | 6932 | 30.2 | 0.39 | 3.43 | 0.05 | 6084 | 22.0 | 0.32 | 2.42 | 0.04 |
| USA, Missouri: Black | 734 | 34.8 | 1.30 | 4.09 | 0.18 | 786 | 27.6 | 1.02 | 3.31 | 0.14 |
| USA, Montana | 1418 | 29.4 | 0.84 | 3.35 | 0.11 | 1103 | 21.1 | 0.71 | 2.34 | 0.09 |
| *USA, Montana: American Indian | 83 | 46.6 | 5.19 | 5.27 | 0.72 | 64 | 30.5 | 3.87 | 3.97 | 0.58 |
| USA, Nebraska | 2392 | 30.9 | 0.66 | 3.60 | 0.09 | 2205 | 23.7 | 0.57 | 2.54 | 0.07 |
| USA, Nebraska: White | 2255 | 30.7 | 0.68 | 3.57 | 0.09 | 2091 | 23.7 | 0.59 | 2.53 | 0.08 |
| *USA, Nebraska: Black | 93 | 39.3 | 4.14 | 4.93 | 0.64 | 71 | 26.3 | 3.19 | 3.17 | 0.46 |
| USA, Nevada | 3180 | 26.5 | 0.49 | 3.03 | 0.06 | 2591 | 20.2 | 0.42 | 2.25 | 0.05 |
| USA, Nevada: White | 2637 | 26.4 | 0.53 | 3.03 | 0.07 | 2135 | 20.8 | 0.48 | 2.31 | 0.06 |
| USA, Nevada: Black | 247 | 28.3 | 1.82 | 3.12 | 0.24 | 205 | 21.1 | 1.50 | 2.42 | 0.20 |
| *USA, Nevada: Asian and Pacific Islander | 248 | 25.4 | 1.65 | 2.90 | 0.22 | 214 | 15.4 | 1.10 | 1.76 | 0.14 |
| USA, New Jersey | 11114 | 29.9 | 0.30 | 3.41 | 0.04 | 10590 | 22.5 | 0.24 | 2.42 | 0.03 |
| USA, New Jersey: White | 9045 | 30.0 | 0.34 | 3.39 | 0.05 | 8535 | 22.6 | 0.28 | 2.40 | 0.04 |
| USA, New Jersey: Black | 1359 | 33.1 | 0.91 | 3.99 | 0.13 | 1465 | 25.5 | 0.69 | 2.91 | 0.10 |
| USA, New Mexico | 2123 | 24.4 | 0.56 | 2.80 | 0.07 | 1902 | 19.6 | 0.49 | 2.24 | 0.06 |
| USA, New Mexico: White | 1869 | 24.0 | 0.59 | 2.75 | 0.08 | 1658 | 19.4 | 0.53 | 2.22 | 0.07 |
| USA, New Mexico: Non-Hispanic White | 1049 | 22.5 | 0.79 | 2.56 | 0.10 | 934 | 18.3 | 0.73 | 2.07 | 0.08 |
| USA, New Mexico: Hispanic White | 820 | 27.0 | 0.97 | 3.11 | 0.13 | 724 | 21.3 | 0.83 | 2.47 | 0.11 |
| *USA, New Mexico: American Indian | 180 | 29.2 | 2.20 | 3.42 | 0.31 | 172 | 21.9 | 1.72 | 2.46 | 0.23 |
| USA, New York State | 23010 | 28.5 | 0.20 | 3.22 | 0.03 | 21980 | 21.7 | 0.16 | 2.36 | 0.02 |
| USA, New York State: White | 17749 | 28.1 | 0.22 | 3.15 | 0.03 | 16879 | 21.6 | 0.19 | 2.33 | 0.02 |
| USA, New York State: Black | 3523 | 31.8 | 0.54 | 3.69 | 0.08 | 3683 | 23.3 | 0.40 | 2.66 | 0.05 |
| USA, New York State: Asian and Pacific Islander | 1606 | 26.8 | 0.68 | 3.13 | 0.09 | 1276 | 18.3 | 0.53 | 2.03 | 0.07 |
| USA, North Carolina | 11224 | 28.3 | 0.28 | 3.25 | 0.04 | 10292 | 21.4 | 0.23 | 2.39 | 0.03 |
| USA, North Carolina: White | 8541 | 27.0 | 0.31 | 3.08 | 0.04 | 7680 | 20.7 | 0.26 | 2.29 | 0.03 |
| USA, North Carolina: Black | 2359 | 33.9 | 0.70 | 3.96 | 0.10 | 2316 | 24.3 | 0.52 | 2.79 | 0.07 |
| USA, North Carolina: Asian and Pacific Islander | 113 | 15.7 | 1.51 | 1.85 | 0.21 | 136 | 15.3 | 1.32 | 1.60 | 0.17 |
| *USA, North Carolina: American Indian | 117 | 24.8 | 2.31 | 2.97 | 0.32 | 84 | 15.3 | 1.69 | 1.73 | 0.23 |
| USA, North Dakota | 952 | 31.3 | 1.07 | 3.56 | 0.14 | 845 | 24.1 | 0.94 | 2.64 | 0.12 |
| USA, Ohio | 15149 | 30.5 | 0.26 | 3.47 | 0.03 | 14176 | 23.4 | 0.22 | 2.60 | 0.03 |
| USA, Ohio: White | 13255 | 30.0 | 0.28 | 3.40 | 0.04 | 12398 | 23.0 | 0.23 | 2.54 | 0.03 |
| USA, Ohio: Black | 1457 | 31.1 | 0.83 | 3.57 | 0.11 | 1501 | 25.1 | 0.68 | 2.97 | 0.09 |
| *USA, Ohio: Asian and Pacific Islander | 124 | 18.0 | 1.63 | 2.19 | 0.23 | 99 | 11.6 | 1.18 | 1.35 | 0.17 |
| USA, Oklahoma | 4890 | 31.9 | 0.47 | 3.75 | 0.06 | 4274 | 23.8 | 0.40 | 2.75 | 0.05 |
| USA, Oklahoma: White | 4086 | 31.0 | 0.51 | 3.67 | 0.07 | 3559 | 23.3 | 0.44 | 2.69 | 0.06 |
| USA, Oklahoma: Black | 316 | 35.2 | 2.00 | 4.20 | 0.28 | 279 | 26.0 | 1.60 | 3.01 | 0.22 |
| USA, Oklahoma: American Indian | 407 | 37.5 | 1.87 | 4.23 | 0.25 | 346 | 26.7 | 1.46 | 3.19 | 0.21 |
| USA, Oregon | 4499 | 25.7 | 0.40 | 2.88 | 0.05 | 4044 | 19.5 | 0.34 | 2.09 | 0.04 |
| USA, Oregon: White | 4191 | 25.5 | 0.42 | 2.85 | 0.05 | 3758 | 19.3 | 0.35 | 2.06 | 0.04 |
| *USA, Oregon: Black | 66 | 24.1 | 3.00 | 2.62 | 0.41 | 55 | 20.5 | 2.83 | 2.15 | 0.37 |
| *USA, Oregon: Asian and Pacific Islander | 144 | 25.0 | 2.11 | 2.81 | 0.29 | 155 | 19.8 | 1.63 | 2.11 | 0.21 |
| USA, Rhode Island | 1107 | 24.0 | 0.76 | 2.65 | 0.10 | 1104 | 19.1 | 0.65 | 2.10 | 0.08 |
| USA, Rhode Island: White | 1032 | 24.2 | 0.80 | 2.68 | 0.11 | 1027 | 19.4 | 0.70 | 2.14 | 0.09 |
| *USA, Rhode Island: Black | 47 | 19.6 | 2.90 | 2.27 | 0.41 | 44 | 14.6 | 2.32 | 1.59 | 0.35 |
| USA, South Carolina | 5927 | 29.5 | 0.40 | 3.39 | 0.05 | 5264 | 21.9 | 0.33 | 2.45 | 0.04 |
| USA, South Carolina: White | 4282 | 27.9 | 0.45 | 3.18 | 0.06 | 3719 | 20.8 | 0.38 | 2.32 | 0.05 |
| USA, South Carolina: Black | 1574 | 35.9 | 0.92 | 4.15 | 0.12 | 1466 | 25.1 | 0.68 | 2.88 | 0.09 |
| USA, South Dakota | 1130 | 30.1 | 0.95 | 3.44 | 0.13 | 991 | 22.4 | 0.82 | 2.38 | 0.11 |
| USA, Tennessee | 8184 | 30.7 | 0.35 | 3.56 | 0.05 | 7455 | 23.3 | 0.29 | 2.62 | 0.04 |
| USA, Tennessee: White | 6923 | 30.2 | 0.38 | 3.48 | 0.05 | 6190 | 22.8 | 0.32 | 2.54 | 0.04 |
| USA, Tennessee: Black | 1182 | 36.5 | 1.07 | 4.29 | 0.15 | 1186 | 27.5 | 0.82 | 3.22 | 0.11 |
| USA, Texas | 27991 | 29.8 | 0.18 | 3.49 | 0.03 | 22700 | 20.9 | 0.15 | 2.37 | 0.02 |
| USA, Texas: White | 23580 | 29.6 | 0.20 | 3.46 | 0.03 | 18667 | 20.5 | 0.16 | 2.31 | 0.02 |
| USA, Texas: Black | 3540 | 37.3 | 0.63 | 4.45 | 0.09 | 3246 | 26.8 | 0.48 | 3.15 | 0.07 |
| USA, Texas: Asian and Pacific Islander | 743 | 19.2 | 0.71 | 2.26 | 0.10 | 672 | 14.6 | 0.57 | 1.66 | 0.08 |
| USA, Utah | 1945 | 21.2 | 0.49 | 2.38 | 0.07 | 1751 | 17.8 | 0.45 | 1.96 | 0.06 |
| USA, Vermont | 705 | 23.8 | 0.95 | 2.67 | 0.12 | 714 | 20.6 | 0.88 | 2.23 | 0.11 |
| USA, Washington State | 7456 | 25.9 | 0.31 | 2.92 | 0.04 | 6807 | 20.6 | 0.27 | 2.23 | 0.03 |
| *USA, Washington, Seattle | 5215 | 26.8 | 0.38 | 3.00 | 0.05 | 4649 | 20.7 | 0.33 | 2.25 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Colon and rectum (C18–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 3016 | 34.8 | 0.67 | 3.99 | 0.09 | 2707 | 26.4 | 0.57 | 2.92 | 0.07 |
| USA, Wyoming | 582 | 23.5 | 1.02 | 2.70 | 0.13 | 487 | 18.4 | 0.91 | 2.07 | 0.12 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 225 | 18.2 | 1.25 | 2.35 | 0.20 | 193 | 14.7 | 1.09 | 1.73 | 0.16 |
| Brunei Darussalam | 283 | 31.7 | 1.96 | 3.67 | 0.29 | 227 | 23.8 | 1.64 | 2.73 | 0.24 |
| *China, Anfu County | 196 | 18.7 | 1.36 | 2.14 | 0.19 | 141 | 12.9 | 1.13 | 1.55 | 0.16 |
| *China, Anguo City | 219 | 16.8 | 1.16 | 1.91 | 0.16 | 180 | 13.2 | 1.00 | 1.58 | 0.14 |
| *China, Anshan City | 2552 | 32.9 | 0.68 | 3.98 | 0.10 | 1741 | 19.7 | 0.51 | 2.37 | 0.08 |
| *China, Aohan Banner, Chifeng City | 240 | 13.4 | 0.91 | 1.60 | 0.13 | 138 | 7.5 | 0.66 | 0.94 | 0.10 |
| *China, Arongqi | 225 | 24.0 | 1.63 | 2.90 | 0.24 | 147 | 17.4 | 1.47 | 2.26 | 0.23 |
| *China, Baoding City | 758 | 21.1 | 0.79 | 2.39 | 0.11 | 481 | 12.4 | 0.58 | 1.38 | 0.08 |
| *China, Beijing City | 11249 | 25.2 | 0.26 | 3.08 | 0.04 | 8697 | 17.7 | 0.21 | 2.09 | 0.03 |
| *China, Binhai County | 506 | 10.8 | 0.49 | 1.33 | 0.07 | 373 | 7.8 | 0.42 | 0.90 | 0.06 |
| *China, Cangzhou City | 263 | 16.4 | 1.04 | 1.89 | 0.14 | 169 | 9.8 | 0.77 | 1.11 | 0.10 |
| China, Changfeng County | 288 | 16.6 | 1.03 | 1.92 | 0.14 | 181 | 10.6 | 0.82 | 1.34 | 0.12 |
| China, Changzhou City | 2909 | 29.1 | 0.55 | 3.56 | 0.08 | 2121 | 18.9 | 0.43 | 2.20 | 0.06 |
| China, Chengdu City | 1200 | 31.0 | 0.92 | 3.48 | 0.13 | 833 | 20.1 | 0.71 | 2.10 | 0.10 |
| China, Cixian County | 227 | 13.5 | 0.93 | 1.64 | 0.13 | 210 | 11.3 | 0.80 | 1.31 | 0.11 |
| China, Cixi City | 976 | 18.8 | 0.63 | 2.20 | 0.09 | 769 | 13.9 | 0.52 | 1.67 | 0.08 |
| *China, Dafeng District, Yancheng City | 751 | 20.9 | 0.79 | 2.47 | 0.11 | 502 | 12.9 | 0.61 | 1.47 | 0.08 |
| China, Dalian City | 3717 | 32.1 | 0.55 | 3.80 | 0.08 | 2655 | 20.3 | 0.43 | 2.32 | 0.06 |
| *China, Dancheng County | 469 | 14.1 | 0.68 | 1.71 | 0.10 | 479 | 14.0 | 0.66 | 1.69 | 0.10 |
| China, Dangtu County | 289 | 24.1 | 1.46 | 2.91 | 0.20 | 200 | 16.5 | 1.23 | 1.99 | 0.17 |
| *China, Danyang City | 771 | 21.4 | 0.79 | 2.33 | 0.10 | 596 | 14.5 | 0.62 | 1.60 | 0.08 |
| *China, Dawukou District, Shizuishan City | 186 | 17.7 | 1.35 | 2.27 | 0.21 | 132 | 12.6 | 1.13 | 1.51 | 0.16 |
| *China, Dehui City | 381 | 12.5 | 0.65 | 1.52 | 0.09 | 265 | 8.9 | 0.56 | 1.13 | 0.09 |
| *China, Donggang County | 589 | 20.1 | 0.84 | 2.48 | 0.13 | 460 | 15.6 | 0.74 | 1.86 | 0.11 |
| *China, Dongguan City | 1226 | 30.0 | 0.87 | 3.60 | 0.13 | 1086 | 22.8 | 0.72 | 2.66 | 0.10 |
| China, Donghai County | 493 | 11.5 | 0.53 | 1.46 | 0.08 | 310 | 7.6 | 0.44 | 0.95 | 0.07 |
| *China, Dongtai City | 510 | 10.1 | 0.49 | 1.18 | 0.06 | 387 | 7.4 | 0.42 | 0.87 | 0.05 |
| China, Duanzhou District, Zhaoqing City | 379 | 29.6 | 1.57 | 3.72 | 0.23 | 283 | 22.0 | 1.35 | 2.65 | 0.20 |
| *China, Evenki Autonomous Banner | 82 | 34.3 | 4.11 | 4.53 | 0.62 | 47 | 14.3 | 2.14 | 1.72 | 0.31 |
| *China, Faku County | 308 | 15.0 | 0.86 | 1.99 | 0.14 | 206 | 9.8 | 0.70 | 1.21 | 0.11 |
| *China, Fangcheng County | 231 | 10.0 | 0.66 | 1.30 | 0.10 | 186 | 8.8 | 0.66 | 1.03 | 0.09 |
| *China, Feicheng City | 709 | 17.8 | 0.68 | 2.13 | 0.10 | 507 | 11.5 | 0.54 | 1.28 | 0.07 |
| China, Feixi County | 823 | 19.2 | 0.69 | 2.29 | 0.10 | 546 | 12.7 | 0.57 | 1.47 | 0.08 |
| China, Fuqing City | 426 | 15.1 | 0.75 | 1.81 | 0.11 | 327 | 11.5 | 0.66 | 1.36 | 0.10 |
| *China, Ganyu District, Lianyungang City | 588 | 12.9 | 0.55 | 1.56 | 0.08 | 394 | 8.7 | 0.46 | 1.01 | 0.06 |
| *China, Ganzhou District, Zhangye City | 173 | 18.4 | 1.50 | 2.32 | 0.21 | 137 | 16.0 | 1.50 | 2.05 | 0.20 |
| *China, Gaocheng City | 234 | 10.2 | 0.67 | 1.26 | 0.10 | 158 | 6.3 | 0.51 | 0.81 | 0.08 |
| China, Gaomi City | 540 | 17.3 | 0.77 | 2.06 | 0.11 | 354 | 10.3 | 0.57 | 1.21 | 0.08 |
| China, Gong'an County | 583 | 17.0 | 0.72 | 2.12 | 0.11 | 435 | 12.3 | 0.61 | 1.45 | 0.08 |
| *China, Guang'an District, Guang'an City | 352 | 18.0 | 0.98 | 2.13 | 0.14 | 218 | 11.0 | 0.77 | 1.23 | 0.10 |
| China, Guanghan City | 352 | 20.2 | 1.12 | 2.48 | 0.16 | 227 | 12.3 | 0.85 | 1.50 | 0.12 |
| China, Guangzhou City | 10101 | 30.9 | 0.32 | 3.67 | 0.05 | 7644 | 20.9 | 0.25 | 2.41 | 0.04 |
| *China, Guanyun County | 372 | 10.2 | 0.54 | 1.19 | 0.07 | 306 | 8.7 | 0.51 | 1.02 | 0.07 |
| China, Guilin City | 863 | 39.0 | 1.36 | 4.54 | 0.20 | 616 | 25.3 | 1.05 | 2.87 | 0.15 |
| *China, Hai'an City | 881 | 15.9 | 0.58 | 1.87 | 0.08 | 665 | 11.3 | 0.48 | 1.29 | 0.06 |
| China, Hailar District, Hulun Buir City | 331 | 30.9 | 1.80 | 3.71 | 0.26 | 255 | 20.8 | 1.35 | 2.52 | 0.20 |
| China, Haimen District, Nantong City | 1138 | 21.7 | 0.67 | 2.65 | 0.10 | 858 | 15.0 | 0.55 | 1.81 | 0.08 |
| China, Haining City | 658 | 19.4 | 0.78 | 2.29 | 0.11 | 495 | 13.5 | 0.64 | 1.61 | 0.09 |
| China, Hangzhou City | 8189 | 24.7 | 0.28 | 2.94 | 0.04 | 5663 | 16.4 | 0.23 | 1.89 | 0.03 |
| China, Hebi City | 190 | 14.9 | 1.10 | 1.77 | 0.16 | 145 | 10.8 | 0.91 | 1.37 | 0.14 |
| China, Hefei City | 2263 | 26.8 | 0.58 | 3.21 | 0.09 | 1550 | 17.8 | 0.47 | 2.09 | 0.07 |
| China, Hengdong County | 263 | 16.1 | 1.02 | 1.93 | 0.14 | 162 | 10.2 | 0.83 | 1.27 | 0.12 |
| *China, Hengfeng County | 106 | 17.2 | 1.69 | 1.90 | 0.21 | 97 | 17.0 | 1.79 | 1.96 | 0.23 |
| *China, Hepu County | 712 | 22.7 | 0.88 | 2.66 | 0.13 | 416 | 13.6 | 0.71 | 1.64 | 0.11 |
| China, Honghu City | 467 | 15.8 | 0.75 | 1.87 | 0.10 | 344 | 11.0 | 0.61 | 1.32 | 0.08 |
| China, Hongshan District, Chifeng City | 375 | 29.5 | 1.61 | 3.68 | 0.23 | 275 | 18.4 | 1.16 | 2.04 | 0.16 |
| *China, Hongta District, Yuxi City | 359 | 21.1 | 1.15 | 2.42 | 0.16 | 275 | 16.0 | 0.99 | 1.94 | 0.14 |
| *China, Huaiyin District, Huai'an City | 416 | 11.1 | 0.56 | 1.37 | 0.08 | 291 | 8.1 | 0.50 | 0.96 | 0.07 |
| *China, Jiange County | 184 | 10.7 | 0.80 | 1.25 | 0.12 | 139 | 7.9 | 0.69 | 0.96 | 0.10 |
| China, Jiangmen City | 771 | 31.6 | 1.16 | 3.81 | 0.18 | 616 | 22.3 | 0.92 | 2.60 | 0.13 |
| *China, Jiangyin City | 1485 | 25.5 | 0.68 | 3.01 | 0.09 | 987 | 15.8 | 0.52 | 1.87 | 0.07 |
| *China, Jiashan County | 598 | 28.8 | 1.22 | 3.55 | 0.17 | 508 | 22.5 | 1.07 | 2.59 | 0.15 |
| China, Jiayu County | 121 | 15.8 | 1.46 | 1.95 | 0.21 | 94 | 12.0 | 1.25 | 1.46 | 0.18 |
| *China, Jinan City | 2392 | 25.2 | 0.53 | 2.95 | 0.08 | 1481 | 13.4 | 0.37 | 1.60 | 0.05 |
| *China, Jingtai County | 133 | 19.2 | 1.71 | 2.04 | 0.22 | 102 | 14.4 | 1.45 | 1.71 | 0.21 |
| *China, Jingxian County | 232 | 17.5 | 1.23 | 2.05 | 0.16 | 153 | 12.8 | 1.12 | 1.47 | 0.14 |
| *China, Jintan District, Changzhou City | 578 | 23.9 | 1.03 | 2.90 | 0.15 | 411 | 16.6 | 0.85 | 2.05 | 0.13 |
| *China, Jiulongpo District, Chongqing City | 927 | 27.4 | 0.92 | 3.30 | 0.13 | 592 | 16.4 | 0.71 | 2.00 | 0.10 |
| *China, Jiyuan City | 281 | 16.7 | 1.03 | 1.79 | 0.13 | 265 | 14.7 | 0.92 | 1.62 | 0.12 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon and rectum (C18–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 239 | 18.9 | 1.28 | 2.18 | 0.18 | 147 | 11.5 | 1.02 | 1.24 | 0.14 |
| China, Kunshan City | 853 | 25.0 | 0.87 | 2.93 | 0.12 | 766 | 20.4 | 0.78 | 2.34 | 0.11 |
| China, Langzhong City | 323 | 16.5 | 0.93 | 1.97 | 0.13 | 247 | 13.0 | 0.84 | 1.48 | 0.12 |
| *China, Liangshan County | 449 | 14.5 | 0.70 | 1.74 | 0.10 | 313 | 10.0 | 0.60 | 1.21 | 0.08 |
| *China, Lianshui County | 432 | 9.8 | 0.48 | 1.19 | 0.07 | 288 | 6.4 | 0.39 | 0.73 | 0.06 |
| China, Lianyungang City | 712 | 18.1 | 0.69 | 2.21 | 0.10 | 466 | 11.2 | 0.54 | 1.32 | 0.07 |
| China, Linhe District, Bayannur City | 393 | 30.6 | 1.59 | 4.06 | 0.25 | 279 | 21.1 | 1.30 | 2.84 | 0.20 |
| China, Linqu County | 576 | 15.8 | 0.67 | 1.86 | 0.10 | 427 | 11.0 | 0.55 | 1.15 | 0.07 |
| *China, Linzhou City | 505 | 14.3 | 0.65 | 1.70 | 0.09 | 520 | 13.1 | 0.58 | 1.57 | 0.08 |
| China, Liuzhou City | 1220 | 32.1 | 0.94 | 3.65 | 0.13 | 856 | 21.6 | 0.76 | 2.53 | 0.11 |
| China, Liyang City | 853 | 21.0 | 0.75 | 2.51 | 0.10 | 554 | 13.3 | 0.61 | 1.55 | 0.08 |
| *China, Longquan City | 287 | 28.0 | 1.75 | 3.35 | 0.26 | 205 | 20.6 | 1.53 | 2.20 | 0.22 |
| China, Lucheng District, Wenzhou City | 708 | 34.8 | 1.34 | 4.27 | 0.21 | 445 | 20.3 | 1.01 | 2.44 | 0.15 |
| China, Luoding City | 405 | 17.3 | 0.88 | 2.25 | 0.14 | 288 | 12.8 | 0.79 | 1.58 | 0.12 |
| *China, Luohe City | 587 | 15.1 | 0.64 | 1.76 | 0.09 | 465 | 10.8 | 0.52 | 1.35 | 0.08 |
| *China, Luoyang City | 833 | 18.8 | 0.68 | 1.98 | 0.09 | 638 | 13.8 | 0.57 | 1.48 | 0.08 |
| *China, Luquan City | 112 | 9.8 | 0.94 | 1.35 | 0.15 | 101 | 7.7 | 0.78 | 1.07 | 0.13 |
| China, Ma'anshan City | 767 | 35.1 | 1.31 | 3.88 | 0.17 | 542 | 22.8 | 1.00 | 2.53 | 0.14 |
| *China, Macheng City | 367 | 15.4 | 0.81 | 1.94 | 0.12 | 274 | 11.6 | 0.72 | 1.43 | 0.10 |
| China, Meihekou City | 381 | 16.0 | 0.85 | 1.91 | 0.12 | 291 | 12.7 | 0.77 | 1.65 | 0.12 |
| *China, Mengjin County | 154 | 14.0 | 1.14 | 1.73 | 0.16 | 158 | 12.9 | 1.05 | 1.77 | 0.17 |
| China, Nangang District, Harbin City | 1132 | 27.3 | 0.84 | 3.31 | 0.13 | 790 | 16.5 | 0.61 | 2.08 | 0.09 |
| *China, Nanhai District, Foshan City | 940 | 33.0 | 1.09 | 3.95 | 0.16 | 670 | 19.8 | 0.79 | 2.33 | 0.11 |
| China, Nanhu District, Jiaxing City | 783 | 29.5 | 1.10 | 3.57 | 0.16 | 574 | 20.7 | 0.91 | 2.38 | 0.13 |
| *China, Nantong City | 1228 | 20.9 | 0.62 | 2.48 | 0.09 | 891 | 13.1 | 0.48 | 1.49 | 0.07 |
| *China, Nanxiong City | 283 | 20.2 | 1.21 | 2.38 | 0.18 | 210 | 12.6 | 0.89 | 1.41 | 0.12 |
| China, Neixiang County | 263 | 11.3 | 0.71 | 1.25 | 0.09 | 222 | 9.0 | 0.63 | 1.03 | 0.08 |
| *China, Qianxi County | 182 | 13.6 | 1.05 | 1.63 | 0.16 | 120 | 9.0 | 0.85 | 1.11 | 0.13 |
| China, Qidong City | 1405 | 21.3 | 0.60 | 2.47 | 0.08 | 1215 | 15.2 | 0.48 | 1.76 | 0.07 |
| China, Qingzhou City | 674 | 20.1 | 0.79 | 2.41 | 0.11 | 484 | 13.6 | 0.65 | 1.63 | 0.09 |
| *China, Rudong County | 914 | 14.4 | 0.52 | 1.70 | 0.07 | 717 | 10.4 | 0.43 | 1.17 | 0.06 |
| *China, Rugao City | 1106 | 14.9 | 0.47 | 1.80 | 0.07 | 859 | 10.7 | 0.39 | 1.22 | 0.05 |
| *China, Rural areas of Shanghai City | 14178 | 29.5 | 0.26 | 3.50 | 0.04 | 10200 | 19.3 | 0.21 | 2.23 | 0.03 |
| China, Ruyang County | 138 | 11.2 | 0.97 | 1.33 | 0.14 | 122 | 9.9 | 0.94 | 1.26 | 0.15 |
| *China, Shan County | 394 | 16.0 | 0.83 | 1.87 | 0.12 | 246 | 8.3 | 0.57 | 0.96 | 0.08 |
| China, Shanghai City | 12700 | 31.7 | 0.31 | 3.74 | 0.04 | 9744 | 22.2 | 0.26 | 2.59 | 0.04 |
| China, Shangyu District, Shaoxing City | 885 | 25.0 | 0.87 | 3.02 | 0.13 | 639 | 17.4 | 0.72 | 2.02 | 0.10 |
| *China, Shapingba District, Chongqing City | 895 | 26.4 | 0.92 | 3.25 | 0.14 | 650 | 18.2 | 0.75 | 2.06 | 0.11 |
| China, Shexian County | 238 | 17.6 | 1.15 | 2.18 | 0.17 | 185 | 13.5 | 1.00 | 1.57 | 0.14 |
| China, Sheyang County | 609 | 13.9 | 0.58 | 1.61 | 0.08 | 563 | 12.8 | 0.56 | 1.46 | 0.08 |
| *China, Shijiazhuang City | 958 | 17.8 | 0.59 | 2.12 | 0.09 | 736 | 12.7 | 0.49 | 1.54 | 0.07 |
| China, Shunde District, Foshan City | 1100 | 31.9 | 0.97 | 3.80 | 0.14 | 966 | 21.6 | 0.72 | 2.49 | 0.10 |
| *China, Song County | 175 | 10.8 | 0.83 | 1.29 | 0.12 | 160 | 10.2 | 0.83 | 1.27 | 0.13 |
| China, Suzhou City | 4105 | 25.1 | 0.41 | 3.02 | 0.06 | 3145 | 17.8 | 0.34 | 2.07 | 0.05 |
| *China, Tengzhou City | 891 | 16.0 | 0.55 | 1.98 | 0.08 | 635 | 10.3 | 0.43 | 1.22 | 0.06 |
| *China, Wangdu County | 99 | 14.1 | 1.45 | 1.52 | 0.19 | 47 | 6.6 | 0.97 | 0.61 | 0.12 |
| *China, Wanxian County | 213 | 18.2 | 1.28 | 2.16 | 0.18 | 171 | 14.5 | 1.14 | 1.69 | 0.16 |
| *China, Wu'an City | 264 | 10.8 | 0.71 | 1.20 | 0.10 | 242 | 9.8 | 0.65 | 1.18 | 0.09 |
| China, Wuhan City | 5182 | 23.1 | 0.33 | 2.78 | 0.05 | 3918 | 16.2 | 0.27 | 1.92 | 0.04 |
| *China, Wuhu City | 1131 | 21.1 | 0.65 | 2.58 | 0.09 | 751 | 14.0 | 0.54 | 1.76 | 0.08 |
| China, Wuxi City | 3370 | 27.1 | 0.48 | 3.30 | 0.07 | 2577 | 19.4 | 0.40 | 2.32 | 0.06 |
| China, Wuzhou City | 564 | 29.3 | 1.26 | 3.57 | 0.18 | 407 | 19.7 | 1.03 | 2.21 | 0.14 |
| China, Xiangfu District, Kaifeng City | 326 | 17.1 | 0.96 | 2.07 | 0.14 | 252 | 11.4 | 0.75 | 1.42 | 0.11 |
| China, Xianju County | 362 | 17.4 | 0.94 | 2.09 | 0.14 | 305 | 15.0 | 0.90 | 1.69 | 0.13 |
| *China, Xin'an County | 149 | 13.0 | 1.07 | 1.55 | 0.16 | 110 | 9.5 | 0.93 | 1.27 | 0.15 |
| *China, Xining City | 606 | 28.7 | 1.25 | 2.82 | 0.15 | 436 | 18.1 | 0.91 | 1.87 | 0.11 |
| *China, Xinji City | 264 | 9.9 | 0.62 | 1.24 | 0.09 | 210 | 7.4 | 0.53 | 0.91 | 0.07 |
| *China, Xinluo District, Longyan City | 367 | 29.0 | 1.55 | 3.34 | 0.22 | 252 | 20.8 | 1.35 | 2.54 | 0.20 |
| *China, Xinzhou District, Shangrao City | 295 | 21.2 | 1.27 | 2.38 | 0.18 | 210 | 15.1 | 1.07 | 1.69 | 0.15 |
| China, Xiping County | 373 | 14.0 | 0.75 | 1.68 | 0.10 | 323 | 10.9 | 0.63 | 1.30 | 0.09 |
| *China, Xishan District, Kunming City | 354 | 20.6 | 1.17 | 2.46 | 0.16 | 259 | 15.0 | 0.98 | 1.84 | 0.14 |
| *China, Xuyi County | 391 | 15.3 | 0.80 | 1.84 | 0.12 | 259 | 10.0 | 0.66 | 1.20 | 0.09 |
| *China, Ya'an City | 1390 | 25.9 | 0.71 | 3.11 | 0.10 | 1039 | 19.2 | 0.61 | 2.39 | 0.09 |
| *China, Yakeshi City | 396 | 26.1 | 1.43 | 3.10 | 0.20 | 265 | 15.3 | 0.99 | 1.78 | 0.13 |
| China, Yancheng City | 1060 | 18.0 | 0.56 | 2.06 | 0.08 | 712 | 11.8 | 0.45 | 1.35 | 0.06 |
| *China, Yangquan City | 431 | 20.4 | 1.04 | 2.24 | 0.14 | 300 | 13.6 | 0.81 | 1.52 | 0.11 |
| *China, Yangzhong City | 325 | 23.5 | 1.35 | 2.70 | 0.18 | 250 | 16.5 | 1.10 | 1.84 | 0.14 |
| *China, Yanji City | 458 | 22.2 | 1.06 | 2.79 | 0.17 | 325 | 12.9 | 0.73 | 1.48 | 0.11 |
| *China, Yanshi City | 276 | 11.9 | 0.73 | 1.39 | 0.10 | 265 | 9.9 | 0.63 | 1.22 | 0.10 |
| China, Yanting County | 214 | 11.0 | 0.76 | 1.18 | 0.10 | 143 | 7.0 | 0.60 | 0.80 | 0.08 |
| *China, Yi'an District, Tongling City | 186 | 18.1 | 1.35 | 2.19 | 0.20 | 150 | 15.3 | 1.29 | 1.80 | 0.18 |
| *China, Yingdong District, Fuyang City | 285 | 12.8 | 0.78 | 1.68 | 0.12 | 216 | 9.3 | 0.66 | 1.13 | 0.10 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon and rectum (C18–20) (contd)

| | Male | | | | | Female | | | | |
|--|--------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 316 | 31.6 | 1.82 | 3.96 | 0.28 | 199 | 18.0 | 1.32 | 1.84 | 0.18 |
| *China, Yiyuan County | 350 | 17.8 | 0.98 | 2.09 | 0.15 | 212 | 9.4 | 0.68 | 1.03 | 0.10 |
| China, Yong'an City | 362 | 26.4 | 1.44 | 3.10 | 0.21 | 211 | 16.0 | 1.16 | 1.95 | 0.18 |
| *China, Yongding District, Longyan City | 532 | 31.9 | 1.41 | 3.76 | 0.21 | 293 | 16.2 | 0.99 | 1.87 | 0.15 |
| China, Yongkang City | 651 | 26.5 | 1.07 | 3.27 | 0.16 | 465 | 18.5 | 0.90 | 2.10 | 0.13 |
| *China, Yucheng County | 263 | 13.3 | 0.84 | 1.44 | 0.11 | 228 | 10.8 | 0.74 | 1.22 | 0.10 |
| China, Yueyanglou District, Yueyang City | 250 | 22.7 | 1.46 | 2.82 | 0.22 | 129 | 11.7 | 1.05 | 1.39 | 0.16 |
| China, Yunmeng County | 337 | 21.2 | 1.20 | 2.55 | 0.16 | 300 | 17.1 | 1.02 | 2.07 | 0.14 |
| *China, Yunyang District, Shiyuan City | 178 | 15.7 | 1.21 | 1.98 | 0.19 | 94 | 8.9 | 0.95 | 1.13 | 0.15 |
| China, Yuzhong District, Chongqing City | 834 | 37.2 | 1.37 | 4.87 | 0.22 | 563 | 21.5 | 1.01 | 2.59 | 0.15 |
| *China, Zanzhuang County | 110 | 12.9 | 1.25 | 1.51 | 0.18 | 89 | 10.2 | 1.10 | 1.35 | 0.17 |
| *China, Zhangjiagang City | 1143 | 24.6 | 0.75 | 2.96 | 0.11 | 815 | 15.7 | 0.58 | 1.84 | 0.08 |
| *China, Zhaoyuan City | 745 | 26.0 | 0.99 | 3.06 | 0.14 | 507 | 16.9 | 0.80 | 1.95 | 0.11 |
| *China, Zhengding County | 149 | 10.9 | 0.90 | 1.33 | 0.13 | 118 | 7.6 | 0.71 | 0.92 | 0.11 |
| *China, Zhongshan City | 1561 | 29.5 | 0.76 | 3.64 | 0.12 | 1139 | 19.0 | 0.58 | 2.21 | 0.09 |
| China, Zhongxiang City | 548 | 16.2 | 0.70 | 2.06 | 0.11 | 373 | 10.9 | 0.58 | 1.42 | 0.09 |
| *China, Zhuanghe City | 983 | 21.4 | 0.70 | 2.69 | 0.11 | 659 | 14.4 | 0.59 | 1.72 | 0.08 |
| *China, Zhuhai City | 1061 | 29.7 | 0.94 | 3.61 | 0.14 | 714 | 19.6 | 0.75 | 2.24 | 0.11 |
| India, Ahmedabad, Urban | 568 | 4.8 | 0.21 | 0.57 | 0.03 | 285 | 2.4 | 0.15 | 0.29 | 0.02 |
| India, Aurangabad | 115 | 4.0 | 0.39 | 0.49 | 0.06 | 77 | 2.7 | 0.31 | 0.31 | 0.04 |
| India, Bangalore | 1027 | 9.0 | 0.29 | 1.11 | 0.04 | 776 | 7.0 | 0.26 | 0.87 | 0.04 |
| India, Barshi, Paranda, and Bhum | 46 | 3.3 | 0.50 | 0.39 | 0.06 | 37 | 2.6 | 0.43 | 0.28 | 0.05 |
| *India, Bhopal | 124 | 4.4 | 0.41 | 0.50 | 0.06 | 99 | 3.9 | 0.40 | 0.48 | 0.06 |
| India, Chandigarh | 116 | 4.9 | 0.47 | 0.59 | 0.07 | 68 | 3.2 | 0.40 | 0.38 | 0.06 |
| *India, Chennai | 1115 | 9.1 | 0.28 | 1.08 | 0.04 | 902 | 6.9 | 0.23 | 0.80 | 0.03 |
| India, Dibrugarh | 188 | 6.3 | 0.47 | 0.76 | 0.07 | 119 | 3.8 | 0.36 | 0.41 | 0.05 |
| *India, Dindigul, Ambilikai | 245 | 3.9 | 0.25 | 0.45 | 0.03 | 131 | 2.0 | 0.18 | 0.23 | 0.02 |
| India, Kamrup Urban District | 281 | 11.3 | 0.70 | 1.32 | 0.10 | 193 | 8.6 | 0.64 | 1.00 | 0.09 |
| India, Kollam | 651 | 10.3 | 0.41 | 1.35 | 0.06 | 513 | 6.7 | 0.30 | 0.85 | 0.04 |
| *India, Manipur | 193 | 3.9 | 0.29 | 0.45 | 0.04 | 173 | 3.5 | 0.28 | 0.45 | 0.04 |
| India, Meghalaya | 81 | 3.0 | 0.35 | 0.38 | 0.06 | 82 | 2.6 | 0.30 | 0.28 | 0.04 |
| India, Mizoram | 198 | 11.9 | 0.88 | 1.51 | 0.14 | 151 | 9.0 | 0.76 | 1.10 | 0.12 |
| India, Mumbai | 2265 | 7.2 | 0.15 | 0.84 | 0.02 | 1757 | 5.7 | 0.14 | 0.65 | 0.02 |
| *India, New Delhi | 1530 | 6.8 | 0.18 | 0.81 | 0.03 | 1020 | 4.8 | 0.15 | 0.55 | 0.02 |
| India, Poona | 896 | 7.3 | 0.25 | 0.86 | 0.04 | 614 | 5.2 | 0.22 | 0.65 | 0.03 |
| *India, Sangrur District | 63 | 2.3 | 0.29 | 0.23 | 0.03 | 38 | 1.5 | 0.25 | 0.16 | 0.03 |
| India, SAS Nagar | 83 | 3.3 | 0.37 | 0.43 | 0.05 | 67 | 2.8 | 0.35 | 0.30 | 0.04 |
| *India, Tamil Nadu | 9148 | 4.5 | 0.05 | 0.53 | 0.01 | 6362 | 3.0 | 0.04 | 0.35 | 0.01 |
| *India, Tripura | 207 | 3.0 | 0.21 | 0.35 | 0.03 | 137 | 1.9 | 0.17 | 0.22 | 0.02 |
| India, Trivandrum | 875 | 10.9 | 0.37 | 1.36 | 0.05 | 674 | 7.3 | 0.28 | 0.93 | 0.04 |
| India, Wardha | 140 | 3.6 | 0.31 | 0.42 | 0.04 | 88 | 2.3 | 0.25 | 0.26 | 0.03 |
| India, West Arunachal | 29 | 2.4 | 0.52 | 0.28 | 0.08 | 32 | 3.8 | 0.74 | 0.48 | 0.12 |
| *Iran (Islamic Republic of), Ardabil Province | 340 | 18.9 | 1.06 | 2.27 | 0.16 | 261 | 14.0 | 0.88 | 1.65 | 0.13 |
| *Iran (Islamic Republic of), Golestan Province | 402 | 17.5 | 0.91 | 2.18 | 0.14 | 341 | 13.9 | 0.77 | 1.68 | 0.11 |
| Israel | 8031 | 30.3 | 0.35 | 3.51 | 0.05 | 7710 | 24.3 | 0.30 | 2.74 | 0.04 |
| *Israel: Jews | 6745 | 29.7 | 0.38 | 3.42 | 0.05 | 6518 | 24.3 | 0.33 | 2.73 | 0.05 |
| *Israel: Arabs | 842 | 28.8 | 1.01 | 3.48 | 0.15 | 737 | 22.1 | 0.83 | 2.51 | 0.12 |
| Japan | 235756 | 49.4 | 0.11 | 6.00 | 0.02 | 179832 | 30.0 | 0.09 | 3.47 | 0.01 |
| Japan, Aichi Prefecture | 12380 | 47.5 | 0.47 | 5.76 | 0.06 | 9495 | 31.1 | 0.38 | 3.63 | 0.05 |
| *Japan, Akita Prefecture | 2781 | 64.2 | 1.44 | 7.75 | 0.19 | 2213 | 36.5 | 1.07 | 4.28 | 0.14 |
| Japan, Aomori Prefecture | 5885 | 67.0 | 1.00 | 8.20 | 0.14 | 4496 | 36.3 | 0.73 | 4.17 | 0.09 |
| Japan, Gunma Prefecture | 3875 | 49.7 | 0.90 | 6.05 | 0.12 | 2870 | 29.7 | 0.71 | 3.38 | 0.09 |
| Japan, Hiroshima Prefecture | 7689 | 53.5 | 0.70 | 6.63 | 0.10 | 6151 | 33.5 | 0.55 | 3.91 | 0.07 |
| Japan, Miyagi Prefecture | 7484 | 52.4 | 0.68 | 6.40 | 0.09 | 6122 | 33.0 | 0.54 | 3.73 | 0.07 |
| Japan, Osaka Prefecture | 16559 | 51.2 | 0.45 | 6.29 | 0.06 | 12619 | 31.6 | 0.34 | 3.69 | 0.04 |
| Kuwait | 787 | 12.3 | 0.55 | 1.57 | 0.09 | 601 | 13.3 | 0.60 | 1.61 | 0.09 |
| *Kuwait: Kuwaitis | 340 | 19.1 | 1.08 | 2.35 | 0.16 | 377 | 16.5 | 0.87 | 1.92 | 0.12 |
| *Kuwait: Non-Kuwaitis | 447 | 9.5 | 0.70 | 1.30 | 0.11 | 224 | 10.5 | 0.90 | 1.31 | 0.14 |
| *Philippines, Manila | 2653 | 26.4 | 0.55 | 3.16 | 0.08 | 2213 | 16.5 | 0.36 | 1.91 | 0.05 |
| *Qatar: Qatari | 88 | 22.2 | 2.45 | 2.59 | 0.37 | 89 | 19.3 | 2.14 | 2.44 | 0.32 |
| Republic of Korea | 83471 | 42.1 | 0.15 | 5.07 | 0.02 | 56551 | 23.1 | 0.10 | 2.63 | 0.01 |
| *Republic of Korea, Busan | 6550 | 44.2 | 0.56 | 5.31 | 0.08 | 4252 | 23.7 | 0.38 | 2.75 | 0.05 |
| *Republic of Korea, Daegu | 4007 | 42.7 | 0.69 | 5.12 | 0.10 | 2800 | 23.3 | 0.46 | 2.61 | 0.06 |
| *Republic of Korea, Daejeon | 2189 | 41.8 | 0.91 | 5.13 | 0.13 | 1514 | 23.7 | 0.64 | 2.69 | 0.09 |
| *Republic of Korea, Gwangju | 1934 | 39.0 | 0.90 | 4.77 | 0.13 | 1377 | 21.5 | 0.61 | 2.44 | 0.09 |
| Republic of Korea, Incheon | 4439 | 42.1 | 0.65 | 5.09 | 0.09 | 2950 | 23.3 | 0.45 | 2.66 | 0.06 |
| Republic of Korea, Jeju | 1038 | 44.0 | 1.40 | 5.27 | 0.20 | 690 | 23.0 | 0.96 | 2.50 | 0.13 |
| Republic of Korea, Seoul | 15970 | 42.6 | 0.34 | 5.12 | 0.05 | 10551 | 23.4 | 0.24 | 2.64 | 0.03 |
| Republic of Korea, Ulsan | 1492 | 39.1 | 1.07 | 4.65 | 0.15 | 1067 | 24.5 | 0.77 | 2.90 | 0.12 |
| Singapore | 5793 | 38.2 | 0.51 | 4.58 | 0.08 | 4809 | 27.0 | 0.40 | 3.02 | 0.06 |
| Singapore: Chinese | 4970 | 40.6 | 0.58 | 4.85 | 0.09 | 4101 | 28.1 | 0.46 | 3.12 | 0.07 |
| Singapore: Indian | 222 | 20.8 | 1.46 | 2.66 | 0.24 | 172 | 15.7 | 1.22 | 1.76 | 0.18 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon and rectum (C18–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 500 | 31.9 | 1.47 | 3.62 | 0.22 | 444 | 25.0 | 1.22 | 2.98 | 0.19 |
| Thailand, Bangkok | 3315 | 19.5 | 0.35 | 2.40 | 0.05 | 2788 | 12.6 | 0.25 | 1.45 | 0.04 |
| *Thailand, Chiang Mai | 1103 | 19.2 | 0.59 | 2.32 | 0.09 | 855 | 12.6 | 0.45 | 1.47 | 0.06 |
| *Thailand, Khon Kaen | 814 | 13.2 | 0.47 | 1.55 | 0.06 | 758 | 10.5 | 0.39 | 1.28 | 0.05 |
| Thailand, Lampang | 577 | 19.0 | 0.82 | 2.28 | 0.12 | 475 | 13.9 | 0.68 | 1.66 | 0.10 |
| Thailand, Lopburi Province | 640 | 27.4 | 1.10 | 3.29 | 0.16 | 516 | 19.2 | 0.86 | 2.25 | 0.12 |
| *Thailand, Songkhla | 767 | 18.3 | 0.68 | 2.28 | 0.10 | 630 | 12.3 | 0.51 | 1.46 | 0.07 |
| Turkey, Antalya | 1319 | 21.4 | 0.60 | 2.62 | 0.09 | 821 | 12.3 | 0.44 | 1.42 | 0.06 |
| Turkey, Bursa | 2062 | 25.9 | 0.57 | 3.11 | 0.09 | 1307 | 14.3 | 0.40 | 1.66 | 0.06 |
| *Turkey, Edirne | 386 | 23.8 | 1.23 | 2.72 | 0.18 | 276 | 15.3 | 0.98 | 1.77 | 0.14 |
| *Turkey, Erzurum | 251 | 13.5 | 0.86 | 1.56 | 0.12 | 243 | 11.6 | 0.76 | 1.32 | 0.10 |
| Turkey, Eskişehir | 688 | 25.8 | 0.99 | 3.37 | 0.15 | 448 | 14.7 | 0.71 | 1.68 | 0.10 |
| Turkey, Gaziantep | 483 | 13.8 | 0.65 | 1.59 | 0.09 | 361 | 9.0 | 0.48 | 1.01 | 0.07 |
| *Turkey, Izmir | 3433 | 25.9 | 0.45 | 3.21 | 0.07 | 2461 | 15.9 | 0.33 | 1.79 | 0.05 |
| Turkey, Malatya | 330 | 15.2 | 0.85 | 1.88 | 0.13 | 253 | 9.9 | 0.65 | 1.14 | 0.09 |
| Turkey, Samsun | 966 | 23.4 | 0.76 | 2.78 | 0.11 | 691 | 14.6 | 0.58 | 1.72 | 0.08 |
| Turkey, Trabzon | 592 | 23.8 | 0.99 | 2.87 | 0.15 | 462 | 14.6 | 0.73 | 1.56 | 0.10 |
| Europe | | | | | | | | | | |
| Austria | 13043 | 30.2 | 0.28 | 3.56 | 0.04 | 9451 | 17.6 | 0.21 | 1.99 | 0.03 |
| Austria, Carinthia | 825 | 27.4 | 1.03 | 3.34 | 0.15 | 614 | 15.9 | 0.76 | 1.85 | 0.10 |
| Austria, Tyrol | 1038 | 29.6 | 0.98 | 3.42 | 0.14 | 769 | 18.9 | 0.79 | 2.09 | 0.10 |
| Austria, Vorarlberg | 517 | 28.5 | 1.32 | 3.27 | 0.19 | 410 | 19.9 | 1.12 | 2.24 | 0.15 |
| Belarus | 12022 | 37.3 | 0.35 | 4.74 | 0.06 | 12539 | 23.1 | 0.23 | 2.89 | 0.03 |
| *Belgium | 24152 | 43.5 | 0.30 | 5.35 | 0.04 | 18874 | 28.0 | 0.24 | 3.30 | 0.03 |
| Croatia | 10411 | 50.6 | 0.52 | 6.16 | 0.08 | 7368 | 26.8 | 0.36 | 3.16 | 0.05 |
| Cyprus | 1107 | 29.1 | 0.91 | 3.36 | 0.13 | 767 | 18.3 | 0.72 | 2.03 | 0.10 |
| *Czech Republic | 23313 | 46.7 | 0.32 | 5.80 | 0.05 | 15744 | 24.9 | 0.23 | 2.92 | 0.03 |
| Denmark | 14339 | 48.5 | 0.43 | 6.02 | 0.06 | 11899 | 35.2 | 0.36 | 4.20 | 0.05 |
| Estonia | 2199 | 38.4 | 0.86 | 4.50 | 0.13 | 2504 | 25.2 | 0.60 | 2.95 | 0.08 |
| Finland | 8529 | 28.7 | 0.33 | 3.30 | 0.05 | 7677 | 21.1 | 0.29 | 2.39 | 0.04 |
| *France, Bas-Rhin | 1511 | 35.6 | 0.97 | 4.14 | 0.14 | 1178 | 22.5 | 0.76 | 2.65 | 0.11 |
| *France, Calvados | 1225 | 34.6 | 1.07 | 4.16 | 0.16 | 1004 | 21.6 | 0.84 | 2.46 | 0.11 |
| *France, Doubs | 882 | 32.9 | 1.20 | 3.97 | 0.18 | 700 | 21.4 | 0.96 | 2.45 | 0.13 |
| *France, Gironde | 2760 | 37.6 | 0.77 | 4.57 | 0.11 | 2268 | 22.9 | 0.57 | 2.59 | 0.08 |
| *France, Haut-Rhin | 1345 | 34.3 | 0.99 | 4.11 | 0.15 | 1080 | 22.7 | 0.80 | 2.68 | 0.11 |
| *France, Hérault | 2005 | 34.1 | 0.84 | 4.10 | 0.12 | 1766 | 23.4 | 0.67 | 2.67 | 0.09 |
| *France, Isère | 1999 | 33.9 | 0.81 | 4.01 | 0.12 | 1642 | 23.0 | 0.66 | 2.63 | 0.09 |
| *France, Lille-Métropole | 1213 | 41.6 | 1.24 | 5.12 | 0.19 | 1086 | 26.1 | 0.90 | 3.01 | 0.13 |
| *France, Limousin | 880 | 39.6 | 1.51 | 4.58 | 0.21 | 607 | 20.6 | 1.05 | 2.38 | 0.14 |
| *France, Loire-Atlantique | 2308 | 37.3 | 0.82 | 4.47 | 0.12 | 1895 | 23.5 | 0.64 | 2.68 | 0.09 |
| *France, Manche | 1080 | 35.9 | 1.21 | 4.41 | 0.18 | 830 | 22.0 | 0.96 | 2.52 | 0.13 |
| *France, Poitou-Charentes | 3939 | 35.7 | 0.64 | 4.30 | 0.09 | 3012 | 22.6 | 0.51 | 2.57 | 0.07 |
| *France, Somme | 1007 | 37.0 | 1.25 | 4.46 | 0.18 | 793 | 22.7 | 0.94 | 2.60 | 0.13 |
| *France, Tarn | 916 | 36.8 | 1.40 | 4.42 | 0.20 | 714 | 22.7 | 1.09 | 2.59 | 0.15 |
| *France, Territoire de Belfort | 207 | 38.0 | 2.83 | 4.69 | 0.42 | 155 | 22.0 | 2.12 | 2.34 | 0.28 |
| *France, Vendée | 1623 | 42.3 | 1.17 | 5.11 | 0.17 | 1121 | 24.1 | 0.91 | 2.77 | 0.12 |
| Germany, Baden-Württemberg | 12411 | 34.8 | 0.34 | 4.13 | 0.05 | 9779 | 22.0 | 0.27 | 2.46 | 0.04 |
| Germany, Bavaria | 24874 | 35.8 | 0.25 | 4.21 | 0.04 | 18520 | 21.5 | 0.19 | 2.40 | 0.03 |
| Germany, Bremen | 1301 | 34.2 | 1.04 | 3.99 | 0.15 | 1147 | 22.0 | 0.81 | 2.41 | 0.11 |
| Germany, Hamburg | 2964 | 32.6 | 0.65 | 3.86 | 0.09 | 2856 | 24.9 | 0.56 | 2.78 | 0.08 |
| Germany, Lower Saxony | 16803 | 36.0 | 0.31 | 4.18 | 0.04 | 14505 | 24.3 | 0.25 | 2.68 | 0.03 |
| Germany, North Rhine-Westphalia | 35769 | 35.6 | 0.21 | 4.15 | 0.03 | 32194 | 25.0 | 0.17 | 2.77 | 0.02 |
| Germany, Rhineland-Palatinate | 8317 | 35.6 | 0.43 | 4.15 | 0.06 | 6764 | 23.1 | 0.34 | 2.58 | 0.05 |
| Germany, Saarland | 2461 | 40.3 | 0.90 | 4.84 | 0.13 | 1976 | 25.6 | 0.72 | 2.95 | 0.10 |
| Germany, Schleswig-Holstein | 6074 | 35.4 | 0.50 | 4.14 | 0.07 | 5273 | 24.6 | 0.42 | 2.73 | 0.05 |
| Iceland | 459 | 32.9 | 1.60 | 3.75 | 0.23 | 421 | 26.0 | 1.40 | 2.86 | 0.20 |
| Ireland | 7626 | 41.2 | 0.49 | 4.81 | 0.07 | 5333 | 26.1 | 0.39 | 2.88 | 0.05 |
| *Italy, Aosta Valley | 181 | 29.1 | 2.44 | 3.35 | 0.34 | 143 | 16.5 | 1.77 | 1.50 | 0.21 |
| *Italy, Avellino | 532 | 37.7 | 1.77 | 4.83 | 0.27 | 342 | 20.7 | 1.33 | 2.45 | 0.18 |
| Italy, Basilicata | 1254 | 38.2 | 1.19 | 4.67 | 0.18 | 948 | 24.1 | 0.93 | 2.79 | 0.13 |
| *Italy, Benevento | 516 | 40.8 | 1.98 | 4.96 | 0.29 | 418 | 28.9 | 1.68 | 3.46 | 0.23 |
| Italy, Bergamo | 1864 | 30.1 | 0.75 | 3.27 | 0.10 | 1446 | 19.2 | 0.60 | 2.09 | 0.08 |
| *Italy, Brescia | 1806 | 27.8 | 0.71 | 2.95 | 0.10 | 1484 | 18.5 | 0.58 | 2.12 | 0.08 |
| Italy, Brianza (Lecco and Monza e Brianza) | 1259 | 30.6 | 0.94 | 3.47 | 0.13 | 1087 | 21.2 | 0.77 | 2.36 | 0.10 |
| Italy, Calabria | 1139 | 38.7 | 1.25 | 4.75 | 0.18 | 819 | 23.8 | 0.97 | 2.74 | 0.13 |
| *Italy, Caserta | 1404 | 42.6 | 1.19 | 5.18 | 0.18 | 1107 | 28.1 | 0.94 | 3.28 | 0.13 |
| *Italy, Catania, Messina, and Enna | 3520 | 34.5 | 0.63 | 4.23 | 0.09 | 2876 | 23.6 | 0.51 | 2.86 | 0.07 |
| Italy, Emilia-Romagna | 7292 | 32.3 | 0.43 | 3.62 | 0.06 | 6153 | 22.1 | 0.36 | 2.42 | 0.05 |
| Italy, Friuli-Venezia Giulia | 2669 | 33.5 | 0.73 | 4.01 | 0.10 | 2188 | 22.2 | 0.58 | 2.61 | 0.08 |
| Italy, Genova | 1825 | 37.3 | 1.01 | 4.38 | 0.14 | 1665 | 26.1 | 0.86 | 3.04 | 0.11 |
| *Italy, Lombardy, South, Pavia | 1214 | 35.8 | 1.16 | 4.07 | 0.16 | 1015 | 23.4 | 0.91 | 2.75 | 0.13 |
| Italy, Mantova and Cremona | 1297 | 35.0 | 1.08 | 4.01 | 0.15 | 1104 | 23.2 | 0.86 | 2.63 | 0.12 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Colon and rectum (C18–20) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 3183 | 41.3 | 0.83 | 4.85 | 0.12 | 2481 | 25.9 | 0.65 | 3.00 | 0.09 |
| Italy, Milan | 6405 | 31.9 | 0.44 | 3.64 | 0.06 | 5493 | 21.0 | 0.35 | 2.37 | 0.05 |
| Italy, Molise | 417 | 36.2 | 1.99 | 4.26 | 0.29 | 294 | 21.0 | 1.50 | 2.35 | 0.20 |
| *Italy, Naples Centre | 1017 | 36.6 | 1.21 | 4.56 | 0.18 | 907 | 24.0 | 0.91 | 2.85 | 0.13 |
| *Italy, Naples North | 1261 | 38.0 | 1.09 | 4.66 | 0.16 | 927 | 24.1 | 0.83 | 2.90 | 0.12 |
| *Italy, Naples South | 1809 | 37.3 | 0.92 | 4.55 | 0.13 | 1395 | 23.7 | 0.70 | 2.83 | 0.10 |
| *Italy, Nuoro | 286 | 39.8 | 2.55 | 4.57 | 0.35 | 210 | 23.3 | 1.88 | 2.96 | 0.27 |
| *Italy, Palermo | 2265 | 34.6 | 0.78 | 4.15 | 0.12 | 2062 | 26.1 | 0.67 | 3.06 | 0.09 |
| Italy, Puglia | 7761 | 34.5 | 0.43 | 4.21 | 0.06 | 6273 | 23.3 | 0.34 | 2.77 | 0.05 |
| *Italy, Ragusa and Caltanissetta | 1074 | 34.3 | 1.14 | 4.25 | 0.17 | 906 | 24.4 | 0.94 | 2.86 | 0.13 |
| *Italy, Salerno | 1510 | 32.5 | 0.91 | 3.83 | 0.13 | 1108 | 20.1 | 0.71 | 2.38 | 0.10 |
| Italy, Sassari | 425 | 37.2 | 1.95 | 4.51 | 0.28 | 351 | 24.7 | 1.53 | 2.72 | 0.20 |
| *Italy, Sondrio | 360 | 28.8 | 1.66 | 3.03 | 0.22 | 319 | 20.6 | 1.47 | 2.20 | 0.19 |
| Italy, South Tyrol | 1018 | 37.9 | 1.29 | 4.55 | 0.19 | 723 | 22.3 | 0.98 | 2.59 | 0.13 |
| *Italy, Syracuse | 679 | 30.8 | 1.28 | 3.66 | 0.18 | 557 | 23.0 | 1.10 | 2.79 | 0.15 |
| Italy, Trento | 912 | 29.4 | 1.06 | 3.26 | 0.15 | 756 | 19.3 | 0.87 | 2.07 | 0.11 |
| Italy, Turin | 5041 | 34.9 | 0.55 | 4.08 | 0.08 | 4068 | 23.1 | 0.44 | 2.70 | 0.06 |
| *Italy, Tuscany | 4969 | 37.1 | 0.60 | 4.31 | 0.09 | 4234 | 26.5 | 0.51 | 3.02 | 0.07 |
| Italy, Umbria | 1602 | 35.1 | 1.01 | 4.20 | 0.14 | 1334 | 23.0 | 0.80 | 2.65 | 0.11 |
| Italy, Varese | 886 | 27.6 | 1.02 | 3.13 | 0.15 | 791 | 20.4 | 0.88 | 2.29 | 0.12 |
| Italy, Veneto | 9775 | 34.1 | 0.38 | 3.79 | 0.05 | 7831 | 21.9 | 0.30 | 2.38 | 0.04 |
| Latvia | 2599 | 31.0 | 0.63 | 3.87 | 0.10 | 2849 | 19.0 | 0.42 | 2.26 | 0.06 |
| *Liechtenstein | 57 | 32.2 | 4.42 | 4.07 | 0.63 | 43 | 20.2 | 3.28 | 2.32 | 0.46 |
| *Lithuania | 3944 | 32.0 | 0.53 | 4.01 | 0.08 | 3871 | 19.0 | 0.36 | 2.22 | 0.05 |
| Malta | 783 | 34.7 | 1.29 | 4.11 | 0.18 | 591 | 22.6 | 1.05 | 2.52 | 0.14 |
| *The Netherlands | 42549 | 50.0 | 0.25 | 6.26 | 0.04 | 32995 | 34.9 | 0.21 | 4.28 | 0.03 |
| Norway | 11212 | 45.9 | 0.45 | 5.32 | 0.07 | 10726 | 37.6 | 0.41 | 4.31 | 0.06 |
| Poland, Kielce | 1798 | 31.2 | 0.76 | 3.88 | 0.12 | 1299 | 17.4 | 0.55 | 2.10 | 0.08 |
| *Portugal, Azores | 270 | 36.3 | 2.27 | 4.25 | 0.33 | 226 | 24.1 | 1.76 | 2.89 | 0.25 |
| Russian Federation, Arkhangelsk | 1475 | 39.6 | 1.06 | 4.89 | 0.17 | 2019 | 29.0 | 0.70 | 3.48 | 0.10 |
| Russian Federation, Kaliningrad | 973 | 31.5 | 1.03 | 3.94 | 0.17 | 1162 | 21.6 | 0.68 | 2.83 | 0.10 |
| Russian Federation, Karelia | 835 | 40.7 | 1.46 | 4.89 | 0.23 | 1012 | 25.8 | 0.89 | 3.22 | 0.14 |
| *Russian Federation, Komi Republic | 985 | 43.9 | 1.49 | 5.43 | 0.24 | 1187 | 28.5 | 0.87 | 3.44 | 0.13 |
| Russian Federation, Murmansk | 865 | 44.7 | 1.59 | 5.73 | 0.26 | 1124 | 29.1 | 0.91 | 3.62 | 0.14 |
| *Russian Federation, Orenburg | 2279 | 35.4 | 0.76 | 4.45 | 0.12 | 2692 | 25.2 | 0.53 | 3.14 | 0.08 |
| Russian Federation, Pskov | 759 | 32.3 | 1.21 | 4.09 | 0.20 | 1016 | 23.1 | 0.82 | 2.81 | 0.12 |
| *Russian Federation, Samara | 4028 | 36.6 | 0.59 | 4.67 | 0.09 | 4789 | 25.7 | 0.40 | 3.22 | 0.06 |
| Russian Federation, Vologda Region | 1297 | 33.6 | 0.94 | 4.27 | 0.12 | 1601 | 23.5 | 0.62 | 2.93 | 0.08 |
| Slovenia | 4139 | 40.4 | 0.66 | 4.87 | 0.10 | 2853 | 21.7 | 0.47 | 2.58 | 0.07 |
| Spain, Asturias | 1972 | 50.3 | 1.25 | 6.01 | 0.19 | 1222 | 24.7 | 0.89 | 2.80 | 0.12 |
| Spain, Basque Country | 5111 | 53.9 | 0.82 | 6.41 | 0.12 | 3180 | 28.0 | 0.60 | 3.19 | 0.08 |
| Spain, Canary Islands | 2513 | 40.7 | 0.84 | 5.10 | 0.13 | 1770 | 24.6 | 0.64 | 2.85 | 0.09 |
| Spain, Castellón | 1418 | 48.6 | 1.39 | 5.86 | 0.20 | 933 | 26.7 | 1.02 | 3.04 | 0.14 |
| Spain, Girona | 1787 | 49.4 | 1.25 | 6.06 | 0.19 | 1136 | 27.7 | 0.94 | 3.33 | 0.13 |
| Spain, Granada | 1759 | 40.4 | 1.03 | 4.93 | 0.15 | 1199 | 23.5 | 0.77 | 2.75 | 0.11 |
| Spain, La Rioja | 838 | 46.3 | 1.77 | 5.65 | 0.27 | 491 | 23.0 | 1.24 | 2.76 | 0.18 |
| Spain, Murcia | 2862 | 45.3 | 0.90 | 5.40 | 0.13 | 1733 | 23.2 | 0.63 | 2.63 | 0.09 |
| Spain, Navarra | 1464 | 56.9 | 1.60 | 7.02 | 0.24 | 820 | 27.3 | 1.11 | 3.29 | 0.16 |
| Spain, Salamanca | 1180 | 52.3 | 1.75 | 6.54 | 0.26 | 821 | 32.9 | 1.44 | 3.96 | 0.19 |
| Spain, Tarragona | 2113 | 51.9 | 1.21 | 6.25 | 0.18 | 1283 | 28.0 | 0.90 | 3.18 | 0.12 |
| *Sweden | 17043 | 31.7 | 0.26 | 3.70 | 0.04 | 15075 | 24.9 | 0.24 | 2.85 | 0.03 |
| Switzerland, Aargau | 989 | 30.6 | 1.02 | 3.59 | 0.15 | 679 | 17.8 | 0.77 | 2.01 | 0.11 |
| Switzerland, Basel | 786 | 29.5 | 1.18 | 3.44 | 0.17 | 648 | 20.1 | 0.97 | 2.33 | 0.13 |
| Switzerland, Berne Solothurn | 1448 | 33.5 | 0.96 | 4.02 | 0.13 | 1074 | 20.8 | 0.76 | 2.37 | 0.10 |
| Switzerland, East | 1244 | 30.9 | 0.93 | 3.68 | 0.13 | 943 | 20.0 | 0.76 | 2.16 | 0.10 |
| *Switzerland, Fribourg | 448 | 33.9 | 1.66 | 4.26 | 0.24 | 303 | 20.6 | 1.29 | 2.48 | 0.18 |
| Switzerland, Geneva | 583 | 27.7 | 1.24 | 3.20 | 0.17 | 568 | 21.2 | 1.03 | 2.38 | 0.14 |
| *Switzerland, Graubünden and Glarus | 380 | 28.1 | 1.53 | 3.31 | 0.22 | 272 | 19.3 | 1.36 | 2.38 | 0.19 |
| *Switzerland, Lucerne | 695 | 27.1 | 1.10 | 3.06 | 0.15 | 532 | 18.6 | 0.95 | 2.03 | 0.12 |
| *Switzerland, Neuchâtel and Jura | 455 | 35.3 | 1.78 | 4.04 | 0.25 | 345 | 21.9 | 1.38 | 2.57 | 0.19 |
| Switzerland, Ticino | 687 | 34.3 | 1.45 | 3.94 | 0.20 | 603 | 24.8 | 1.26 | 2.64 | 0.16 |
| Switzerland, Valais | 531 | 30.9 | 1.42 | 3.80 | 0.21 | 408 | 20.6 | 1.17 | 2.41 | 0.16 |
| Switzerland, Vaud | 1130 | 33.2 | 1.04 | 3.98 | 0.15 | 826 | 19.6 | 0.79 | 2.17 | 0.10 |
| Switzerland, Zurich and Zug | 2145 | 28.4 | 0.66 | 3.24 | 0.09 | 1786 | 20.6 | 0.56 | 2.28 | 0.07 |
| Ukraine | 40960 | 32.1 | 0.16 | 4.16 | 0.03 | 40458 | 20.0 | 0.11 | 2.53 | 0.02 |
| UK, England | 96214 | 35.3 | 0.12 | 4.08 | 0.02 | 77300 | 24.1 | 0.10 | 2.67 | 0.01 |
| UK, Northern Ireland | 3188 | 38.3 | 0.72 | 4.46 | 0.10 | 2587 | 26.3 | 0.58 | 3.02 | 0.08 |
| UK, Scotland | 10073 | 36.8 | 0.39 | 4.27 | 0.06 | 8369 | 25.4 | 0.32 | 2.90 | 0.04 |
| UK, Wales | 6681 | 39.1 | 0.52 | 4.49 | 0.07 | 4970 | 25.1 | 0.42 | 2.81 | 0.06 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 14051 | 39.7 | 0.36 | 4.65 | 0.05 | 12016 | 29.9 | 0.31 | 3.37 | 0.04 |
| *Australia, Northern Territory | 265 | 38.6 | 2.41 | 4.58 | 0.34 | 188 | 29.9 | 2.22 | 3.31 | 0.31 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon and rectum (C18–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 245 | 42.8 | 2.78 | 5.07 | 0.39 | 166 | 34.5 | 2.72 | 3.90 | 0.39 |
| *Australia, Northern Territory: Indigenous | 20 | 14.9 | 3.60 | 1.67 | 0.50 | 20 | 12.5 | 2.90 | 0.94 | 0.27 |
| *Australia, Queensland | 8710 | 42.8 | 0.48 | 4.90 | 0.07 | 7237 | 31.9 | 0.41 | 3.40 | 0.05 |
| Australia, South Australia | 3349 | 40.8 | 0.76 | 4.69 | 0.10 | 2798 | 29.8 | 0.65 | 3.33 | 0.09 |
| Australia, Tasmania | 1201 | 44.6 | 1.39 | 5.16 | 0.19 | 1005 | 33.2 | 1.20 | 3.64 | 0.16 |
| *Australia, Victoria | 10038 | 38.6 | 0.41 | 4.42 | 0.06 | 8561 | 28.9 | 0.35 | 3.23 | 0.05 |
| *Australia, Western Australia | 3656 | 36.0 | 0.62 | 4.18 | 0.09 | 2939 | 26.5 | 0.53 | 2.90 | 0.07 |
| *France, New Caledonia | 188 | 23.3 | 1.72 | 2.64 | 0.24 | 158 | 18.5 | 1.51 | 2.32 | 0.23 |
| New Zealand | 8167 | 40.5 | 0.47 | 4.63 | 0.07 | 7358 | 31.1 | 0.40 | 3.34 | 0.05 |
| *New Zealand: Maori | 551 | 36.3 | 1.58 | 4.33 | 0.23 | 476 | 26.6 | 1.24 | 2.89 | 0.17 |
| *New Zealand: Pacific peoples | 223 | 35.3 | 2.42 | 4.06 | 0.34 | 159 | 21.7 | 1.74 | 2.45 | 0.24 |
| *New Zealand: Other | 7041 | 42.3 | 0.55 | 4.85 | 0.08 | 6433 | 33.1 | 0.48 | 3.55 | 0.06 |
| USA, Hawaii | 1903 | 32.2 | 0.78 | 3.76 | 0.10 | 1591 | 23.2 | 0.65 | 2.56 | 0.08 |
| USA, Hawaii: White | 516 | 28.0 | 1.36 | 3.20 | 0.16 | 398 | 22.3 | 1.26 | 2.28 | 0.15 |
| *USA, Hawaii: Japanese | 483 | 38.8 | 2.13 | 4.55 | 0.25 | 431 | 24.5 | 1.59 | 2.79 | 0.19 |
| *USA, Hawaii: Chinese | 98 | 25.3 | 2.99 | 2.85 | 0.36 | 110 | 22.3 | 2.53 | 2.42 | 0.30 |
| *USA, Hawaii: Hawaiian | 291 | 33.1 | 1.95 | 3.95 | 0.27 | 222 | 22.9 | 1.57 | 2.64 | 0.21 |
| *USA, Hawaii: Filipino | 333 | 34.9 | 1.97 | 4.17 | 0.27 | 269 | 22.0 | 1.46 | 2.45 | 0.18 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon (C18)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 109 | 7.9 | 0.78 | 0.99 | 0.12 | 122 | 8.7 | 0.82 | 0.92 | 0.10 |
| *Algeria, Tizi Ouzou | 221 | 14.3 | 1.00 | 1.78 | 0.15 | 196 | 10.9 | 0.81 | 1.24 | 0.11 |
| *Benin, Cotonou | 29 | 5.7 | 1.15 | 0.82 | 0.21 | 18 | 2.3 | 0.57 | 0.22 | 0.06 |
| *France, La Réunion | 413 | 19.2 | 0.96 | 2.35 | 0.14 | 434 | 16.0 | 0.81 | 1.90 | 0.12 |
| *Kenya, Eldoret | 31 | 3.1 | 0.59 | 0.42 | 0.09 | 43 | 3.9 | 0.64 | 0.45 | 0.09 |
| *Kenya, Nairobi | 209 | 8.9 | 0.73 | 1.21 | 0.12 | 175 | 8.3 | 0.71 | 0.99 | 0.11 |
| Mauritius | 367 | 8.8 | 0.47 | 1.05 | 0.07 | 435 | 9.3 | 0.45 | 1.06 | 0.06 |
| *Morocco, Casablanca | 505 | 4.9 | 0.22 | 0.62 | 0.03 | 590 | 5.2 | 0.22 | 0.64 | 0.03 |
| *Seychelles | 36 | 13.5 | 2.28 | 1.59 | 0.33 | 37 | 11.4 | 1.93 | 1.60 | 0.34 |
| *South Africa, Eastern Cape | 15 | 1.4 | 0.37 | 0.17 | 0.05 | 21 | 1.3 | 0.29 | 0.15 | 0.04 |
| *Uganda, Kyadondo County | 122 | 7.3 | 0.79 | 1.00 | 0.13 | 94 | 4.8 | 0.58 | 0.63 | 0.09 |
| *Uganda, Gulu | 7 | 1.2 | 0.50 | 0.09 | 0.05 | 4 | 0.7 | 0.36 | 0.10 | 0.06 |
| *Zimbabwe, Bulawayo: African | 49 | 5.5 | 0.83 | 0.61 | 0.11 | 57 | 5.2 | 0.73 | 0.58 | 0.10 |
| *Zimbabwe, Harare: African | 150 | 9.6 | 0.87 | 1.15 | 0.14 | 128 | 7.0 | 0.67 | 0.82 | 0.10 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 583 | 25.2 | 1.06 | 2.93 | 0.15 | 616 | 20.9 | 0.91 | 2.40 | 0.12 |
| *Argentina, Mendoza | 1109 | 21.1 | 0.65 | 2.54 | 0.10 | 927 | 13.9 | 0.49 | 1.53 | 0.07 |
| Brazil, Aracaju | 116 | 11.2 | 1.06 | 1.29 | 0.15 | 156 | 10.0 | 0.82 | 1.14 | 0.12 |
| *Brazil, Barretos | 173 | 12.8 | 0.98 | 1.57 | 0.14 | 176 | 11.1 | 0.87 | 1.30 | 0.12 |
| Brazil, Belo Horizonte | 1079 | 14.9 | 0.46 | 1.72 | 0.07 | 1417 | 14.0 | 0.39 | 1.62 | 0.05 |
| *Brazil, Campinas | 481 | 20.4 | 0.95 | 2.30 | 0.14 | 539 | 17.3 | 0.77 | 1.94 | 0.11 |
| *Brazil, Curitiba | 523 | 13.1 | 0.58 | 1.51 | 0.08 | 582 | 10.5 | 0.45 | 1.21 | 0.06 |
| Brazil, Goiânia | 409 | 15.7 | 0.79 | 1.77 | 0.11 | 462 | 13.3 | 0.62 | 1.51 | 0.09 |
| *Brazil, Jaú | 67 | 15.6 | 1.94 | 1.92 | 0.29 | 77 | 14.2 | 1.69 | 1.65 | 0.25 |
| Brazil, João Pessoa | 73 | 6.9 | 0.82 | 0.80 | 0.11 | 102 | 6.4 | 0.65 | 0.64 | 0.08 |
| Brazil, Recife | 208 | 8.4 | 0.59 | 0.93 | 0.08 | 300 | 7.4 | 0.44 | 0.79 | 0.06 |
| Chile, Region of Antofagasta | 108 | 11.2 | 1.09 | 1.19 | 0.16 | 115 | 10.8 | 1.03 | 1.21 | 0.15 |
| Chile, Valdivia | 137 | 10.1 | 0.88 | 1.26 | 0.13 | 188 | 11.5 | 0.91 | 1.19 | 0.12 |
| Colombia, Bucaramanga | 294 | 9.8 | 0.58 | 1.06 | 0.08 | 372 | 9.2 | 0.49 | 1.00 | 0.07 |
| Colombia, Cali | 734 | 12.3 | 0.46 | 1.36 | 0.07 | 936 | 11.4 | 0.38 | 1.25 | 0.05 |
| Colombia, Manizales | 139 | 10.1 | 0.85 | 1.05 | 0.11 | 199 | 10.8 | 0.78 | 1.18 | 0.11 |
| Colombia, Pasto | 60 | 5.7 | 0.75 | 0.66 | 0.11 | 89 | 6.4 | 0.70 | 0.67 | 0.09 |
| Costa Rica | 894 | 9.0 | 0.31 | 1.09 | 0.05 | 1149 | 10.4 | 0.32 | 1.21 | 0.05 |
| Ecuador, Guayaquil | 453 | 8.4 | 0.40 | 0.92 | 0.06 | 533 | 8.5 | 0.38 | 0.99 | 0.06 |
| Ecuador, Manabí | 195 | 5.6 | 0.41 | 0.65 | 0.06 | 193 | 5.1 | 0.38 | 0.52 | 0.05 |
| Ecuador, Quito | 411 | 9.8 | 0.49 | 0.99 | 0.07 | 440 | 8.5 | 0.42 | 0.94 | 0.06 |
| *France, Guadeloupe | 296 | 17.1 | 1.05 | 2.17 | 0.15 | 349 | 15.0 | 0.88 | 1.70 | 0.12 |
| *France, Martinique | 376 | 19.4 | 1.08 | 2.28 | 0.15 | 359 | 15.6 | 0.92 | 1.77 | 0.12 |
| *Peru, Lima | 1615 | 11.5 | 0.29 | 1.25 | 0.04 | 1861 | 10.5 | 0.25 | 1.10 | 0.04 |
| *Trinidad and Tobago | 265 | 10.8 | 0.67 | 1.39 | 0.11 | 271 | 10.1 | 0.63 | 1.17 | 0.09 |
| USA, Puerto Rico | 3467 | 22.4 | 0.41 | 2.67 | 0.06 | 3077 | 16.0 | 0.33 | 1.81 | 0.04 |
| *Uruguay | 3197 | 24.6 | 0.46 | 2.84 | 0.07 | 3329 | 18.7 | 0.37 | 2.10 | 0.05 |
| North America | | | | | | | | | | |
| Canada, Alberta | 3446 | 21.7 | 0.38 | 2.53 | 0.06 | 3075 | 17.5 | 0.34 | 2.00 | 0.05 |
| Canada, British Columbia | 5479 | 22.1 | 0.32 | 2.58 | 0.05 | 4973 | 17.4 | 0.28 | 1.94 | 0.04 |
| *Canada, Manitoba | 1358 | 23.5 | 0.67 | 2.74 | 0.10 | 1290 | 18.5 | 0.58 | 2.05 | 0.08 |
| *Canada, New Brunswick | 1024 | 24.3 | 0.80 | 2.83 | 0.11 | 965 | 18.6 | 0.68 | 2.10 | 0.10 |
| *Canada, Newfoundland and Labrador | 1050 | 36.0 | 1.16 | 4.46 | 0.17 | 979 | 31.0 | 1.08 | 3.50 | 0.15 |
| Canada, Ontario | 14537 | 22.3 | 0.20 | 2.55 | 0.03 | 13753 | 17.6 | 0.17 | 1.91 | 0.02 |
| *Canada, Prince Edward Island | 221 | 27.7 | 1.94 | 3.45 | 0.30 | 188 | 19.9 | 1.63 | 2.19 | 0.22 |
| Canada, Quebec | 11707 | 27.0 | 0.26 | 3.04 | 0.04 | 10740 | 20.8 | 0.23 | 2.30 | 0.03 |
| Canada, Saskatchewan | 1378 | 26.9 | 0.76 | 3.14 | 0.11 | 1192 | 20.0 | 0.66 | 2.25 | 0.09 |
| *Canada, Yukon | 41 | 25.9 | 4.10 | 2.41 | 0.51 | 26 | 16.8 | 3.34 | 1.35 | 0.34 |
| USA | 251827 | 18.9 | 0.04 | 2.15 | 0.01 | 251994 | 15.6 | 0.03 | 1.70 | 0.00 |
| USA: White | 208038 | 18.5 | 0.04 | 2.08 | 0.01 | 206789 | 15.2 | 0.04 | 1.65 | 0.00 |
| USA: Black | 31659 | 24.4 | 0.14 | 2.88 | 0.02 | 33324 | 19.3 | 0.11 | 2.24 | 0.02 |
| USA, NPCR | 243902 | 19.0 | 0.04 | 2.16 | 0.01 | 243767 | 15.6 | 0.03 | 1.71 | 0.00 |
| USA, NPCR: White | 201527 | 18.5 | 0.04 | 2.08 | 0.01 | 199987 | 15.3 | 0.04 | 1.65 | 0.00 |
| USA, NPCR: Black | 31326 | 24.5 | 0.14 | 2.89 | 0.02 | 32990 | 19.4 | 0.11 | 2.25 | 0.02 |
| USA, NPCR: Asian and Pacific Islander | 8023 | 13.7 | 0.16 | 1.61 | 0.02 | 8038 | 10.9 | 0.13 | 1.21 | 0.02 |
| USA, NPCR: American Indian | 1385 | 12.2 | 0.33 | 1.40 | 0.05 | 1426 | 11.0 | 0.30 | 1.27 | 0.04 |
| *USA, SEER (18 registries) | 63541 | 18.1 | 0.07 | 2.06 | 0.01 | 63806 | 15.0 | 0.06 | 1.64 | 0.01 |
| *USA, SEER (18 registries): White | 49435 | 17.6 | 0.08 | 1.99 | 0.01 | 49238 | 14.7 | 0.07 | 1.59 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 42202 | 18.1 | 0.09 | 2.02 | 0.01 | 42066 | 15.0 | 0.08 | 1.61 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 7233 | 16.4 | 0.20 | 1.91 | 0.03 | 7172 | 13.8 | 0.17 | 1.56 | 0.02 |
| *USA, SEER (18 registries): Black | 7920 | 23.8 | 0.27 | 2.85 | 0.04 | 8386 | 19.2 | 0.22 | 2.22 | 0.03 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 5113 | 14.8 | 0.21 | 1.74 | 0.03 | 5123 | 11.4 | 0.17 | 1.28 | 0.02 |
| *USA, SEER (9 registries) | 21045 | 17.4 | 0.12 | 1.95 | 0.02 | 21662 | 14.7 | 0.11 | 1.58 | 0.01 |
| *USA, SEER (9 registries): White | 15960 | 16.6 | 0.14 | 1.84 | 0.02 | 16444 | 14.4 | 0.13 | 1.53 | 0.02 |
| *USA, SEER (9 registries): Black | 2601 | 23.6 | 0.47 | 2.75 | 0.07 | 2772 | 18.7 | 0.36 | 2.13 | 0.05 |
| USA, Alabama | 4752 | 23.7 | 0.36 | 2.74 | 0.05 | 4630 | 19.0 | 0.31 | 2.12 | 0.04 |
| USA, Alabama: White | 3558 | 22.6 | 0.40 | 2.60 | 0.05 | 3293 | 17.9 | 0.35 | 1.97 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon (C18) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 1119 | 27.8 | 0.84 | 3.29 | 0.12 | 1251 | 22.6 | 0.67 | 2.60 | 0.09 | |
| USA, Alaska | 497 | 18.6 | 0.84 | 2.20 | 0.12 | 469 | 18.5 | 0.88 | 2.04 | 0.12 | |
| *USA, Alaska: Alaska Natives | 125 | 38.0 | 3.43 | 4.61 | 0.51 | 144 | 38.9 | 3.33 | 4.24 | 0.46 | |
| USA, Arizona | 4748 | 15.8 | 0.24 | 1.80 | 0.03 | 4527 | 12.8 | 0.21 | 1.36 | 0.03 | |
| USA, Arizona: White | 4436 | 16.2 | 0.26 | 1.85 | 0.03 | 4158 | 13.0 | 0.23 | 1.38 | 0.03 | |
| USA, Arizona: Black | 135 | 14.2 | 1.24 | 1.64 | 0.17 | 170 | 16.5 | 1.28 | 1.84 | 0.18 | |
| *USA, Arizona: Asian and Pacific Islander | 66 | 8.9 | 1.12 | 1.02 | 0.16 | 88 | 8.3 | 0.90 | 0.87 | 0.12 | |
| USA, Arizona: American Indian | 104 | 11.2 | 1.11 | 1.26 | 0.16 | 104 | 8.9 | 0.89 | 0.97 | 0.12 | |
| USA, Arkansas | 2877 | 23.0 | 0.45 | 2.66 | 0.06 | 2766 | 18.7 | 0.39 | 2.10 | 0.05 | |
| USA, Arkansas: White | 2411 | 22.1 | 0.48 | 2.54 | 0.06 | 2289 | 17.8 | 0.42 | 1.99 | 0.05 | |
| USA, Arkansas: Black | 411 | 29.6 | 1.48 | 3.45 | 0.20 | 418 | 23.6 | 1.20 | 2.82 | 0.17 | |
| USA, California | 25248 | 16.8 | 0.11 | 1.90 | 0.02 | 25282 | 14.0 | 0.10 | 1.52 | 0.01 | |
| USA, California: White | 19643 | 16.9 | 0.13 | 1.88 | 0.02 | 19546 | 14.2 | 0.11 | 1.52 | 0.01 | |
| USA, California: Black | 1863 | 21.0 | 0.49 | 2.52 | 0.07 | 1976 | 17.9 | 0.42 | 2.05 | 0.06 | |
| USA, California: Asian and Pacific Islander | 3427 | 15.0 | 0.26 | 1.78 | 0.04 | 3491 | 11.8 | 0.21 | 1.33 | 0.03 | |
| *USA, California, Los Angeles County | 6263 | 16.9 | 0.22 | 1.93 | 0.03 | 6312 | 13.8 | 0.19 | 1.54 | 0.03 | |
| *USA, California, Los Angeles County: White | 4419 | 16.5 | 0.26 | 1.87 | 0.04 | 4360 | 13.7 | 0.23 | 1.50 | 0.03 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 2645 | 17.5 | 0.37 | 1.94 | 0.05 | 2533 | 14.3 | 0.34 | 1.51 | 0.04 | |
| *USA, California, Los Angeles County: Hispanic White | 1774 | 15.7 | 0.38 | 1.83 | 0.06 | 1827 | 13.1 | 0.32 | 1.52 | 0.05 | |
| *USA, California, Los Angeles County: Black | 688 | 20.7 | 0.81 | 2.43 | 0.12 | 784 | 17.2 | 0.65 | 1.98 | 0.09 | |
| *USA, California, Los Angeles County: Chinese | 328 | 13.9 | 0.83 | 1.54 | 0.11 | 290 | 9.7 | 0.62 | 1.01 | 0.08 | |
| *USA, California, Los Angeles County: Filipino | 168 | 12.2 | 0.96 | 1.60 | 0.15 | 207 | 9.6 | 0.71 | 1.11 | 0.10 | |
| *USA, California, Los Angeles County: Korean | 178 | 17.6 | 1.41 | 2.05 | 0.20 | 164 | 12.1 | 1.04 | 1.42 | 0.14 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 1054 | 15.8 | 0.51 | 1.83 | 0.07 | 1086 | 12.3 | 0.40 | 1.39 | 0.06 | |
| *USA, California, San Francisco Bay Area | 3089 | 16.1 | 0.30 | 1.79 | 0.04 | 3207 | 13.7 | 0.27 | 1.46 | 0.04 | |
| *USA, California, San Francisco Bay Area: White | 1999 | 15.8 | 0.37 | 1.68 | 0.05 | 2067 | 13.9 | 0.35 | 1.44 | 0.04 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1651 | 15.9 | 0.42 | 1.70 | 0.05 | 1692 | 13.9 | 0.40 | 1.42 | 0.05 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 348 | 15.8 | 0.87 | 1.67 | 0.12 | 375 | 14.2 | 0.77 | 1.54 | 0.11 | |
| *USA, California, San Francisco Bay Area: Black | 307 | 20.7 | 1.20 | 2.50 | 0.17 | 384 | 20.3 | 1.10 | 2.32 | 0.15 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 744 | 15.2 | 0.57 | 1.80 | 0.08 | 725 | 11.1 | 0.45 | 1.24 | 0.06 | |
| USA, Colorado | 3273 | 15.5 | 0.28 | 1.71 | 0.04 | 3296 | 13.4 | 0.25 | 1.45 | 0.03 | |
| USA, Colorado: White | 3002 | 15.3 | 0.29 | 1.68 | 0.04 | 3056 | 13.4 | 0.26 | 1.44 | 0.03 | |
| *USA, Colorado: Black | 150 | 20.1 | 1.67 | 2.36 | 0.25 | 116 | 14.7 | 1.40 | 1.64 | 0.20 | |
| *USA, Colorado: Asian and Pacific Islander | 79 | 15.4 | 1.76 | 1.93 | 0.27 | 79 | 10.7 | 1.24 | 1.29 | 0.19 | |
| USA, Connecticut | 2618 | 16.6 | 0.34 | 1.86 | 0.05 | 2776 | 13.7 | 0.30 | 1.46 | 0.04 | |
| USA, Connecticut: White | 2274 | 16.2 | 0.36 | 1.81 | 0.05 | 2424 | 13.4 | 0.32 | 1.43 | 0.04 | |
| USA, Connecticut: Black | 227 | 18.7 | 1.26 | 2.12 | 0.17 | 255 | 15.4 | 1.00 | 1.72 | 0.13 | |
| USA, District of Columbia | 404 | 18.5 | 0.94 | 2.07 | 0.13 | 492 | 17.8 | 0.86 | 2.05 | 0.12 | |
| USA, District of Columbia: White | 110 | 11.0 | 1.09 | 1.22 | 0.15 | 113 | 11.5 | 1.17 | 1.25 | 0.15 | |
| USA, District of Columbia: Black | 277 | 24.2 | 1.51 | 2.72 | 0.20 | 364 | 21.5 | 1.23 | 2.55 | 0.17 | |
| USA, Florida | 18973 | 19.2 | 0.15 | 2.22 | 0.02 | 18323 | 15.3 | 0.13 | 1.68 | 0.02 | |
| USA, Florida: White | 15995 | 18.5 | 0.16 | 2.13 | 0.02 | 15378 | 14.8 | 0.14 | 1.61 | 0.02 | |
| USA, Florida: Black | 2401 | 23.4 | 0.48 | 2.75 | 0.07 | 2402 | 18.3 | 0.38 | 2.09 | 0.05 | |
| USA, Florida: Asian and Pacific Islander | 234 | 11.2 | 0.74 | 1.28 | 0.10 | 230 | 8.5 | 0.57 | 0.97 | 0.08 | |
| USA, Georgia | 7881 | 21.4 | 0.24 | 2.48 | 0.03 | 7454 | 16.6 | 0.20 | 1.89 | 0.03 | |
| USA, Georgia: White | 5357 | 20.0 | 0.28 | 2.30 | 0.04 | 4867 | 15.5 | 0.24 | 1.75 | 0.03 | |
| USA, Georgia: Black | 2321 | 26.1 | 0.55 | 3.08 | 0.08 | 2427 | 19.8 | 0.41 | 2.30 | 0.06 | |
| USA, Georgia: Asian and Pacific Islander | 176 | 15.2 | 1.16 | 1.92 | 0.18 | 150 | 11.0 | 0.91 | 1.27 | 0.13 | |
| *USA, Georgia, Atlanta | 2229 | 19.4 | 0.41 | 2.24 | 0.06 | 2194 | 15.2 | 0.33 | 1.71 | 0.05 | |
| *USA, Georgia, Atlanta: White | 1202 | 17.3 | 0.51 | 1.97 | 0.07 | 1116 | 13.7 | 0.44 | 1.51 | 0.06 | |
| *USA, Georgia, Atlanta: Black | 898 | 23.9 | 0.81 | 2.76 | 0.11 | 968 | 17.9 | 0.58 | 2.05 | 0.08 | |
| USA, Idaho | 1147 | 16.4 | 0.51 | 1.81 | 0.07 | 1103 | 14.3 | 0.47 | 1.53 | 0.06 | |
| USA, Indiana | 5701 | 21.0 | 0.29 | 2.40 | 0.04 | 5754 | 17.0 | 0.25 | 1.87 | 0.03 | |
| USA, Indiana: White | 5190 | 20.8 | 0.30 | 2.36 | 0.04 | 5235 | 16.9 | 0.26 | 1.85 | 0.03 | |
| USA, Indiana: Black | 449 | 25.3 | 1.21 | 3.07 | 0.18 | 473 | 19.6 | 0.94 | 2.30 | 0.13 | |
| *USA, Iowa | 2801 | 19.9 | 0.40 | 2.21 | 0.05 | 2991 | 16.8 | 0.36 | 1.75 | 0.05 | |
| USA, Kentucky | 4548 | 24.7 | 0.38 | 2.85 | 0.05 | 4404 | 19.9 | 0.33 | 2.23 | 0.04 | |
| USA, Louisiana | 4247 | 23.3 | 0.37 | 2.77 | 0.05 | 3979 | 18.5 | 0.32 | 2.12 | 0.04 | |
| USA, Louisiana: White | 2878 | 21.6 | 0.42 | 2.52 | 0.06 | 2597 | 17.1 | 0.38 | 1.90 | 0.05 | |
| USA, Louisiana: Black | 1317 | 28.8 | 0.80 | 3.56 | 0.12 | 1346 | 22.8 | 0.64 | 2.75 | 0.09 | |
| *USA, Louisiana, New Orleans | 684 | 19.6 | 0.77 | 2.30 | 0.11 | 656 | 15.6 | 0.66 | 1.74 | 0.09 | |
| *USA, Louisiana, New Orleans: White | 384 | 17.6 | 0.93 | 2.01 | 0.13 | 369 | 14.2 | 0.86 | 1.54 | 0.11 | |
| *USA, Louisiana, New Orleans: Black | 277 | 23.4 | 1.43 | 2.84 | 0.21 | 281 | 18.3 | 1.13 | 2.12 | 0.15 | |
| USA, Maine | 1143 | 16.7 | 0.54 | 1.80 | 0.07 | 1263 | 15.8 | 0.52 | 1.67 | 0.06 | |
| USA, Maryland | 4218 | 17.5 | 0.28 | 1.95 | 0.04 | 4639 | 15.4 | 0.25 | 1.67 | 0.03 | |
| USA, Maryland: White | 2744 | 16.2 | 0.33 | 1.78 | 0.04 | 3044 | 15.0 | 0.31 | 1.60 | 0.04 | |
| USA, Maryland: Black | 1293 | 22.2 | 0.62 | 2.54 | 0.09 | 1428 | 17.6 | 0.48 | 1.98 | 0.07 | |
| USA, Maryland: Asian and Pacific Islander | 165 | 12.2 | 0.96 | 1.47 | 0.14 | 142 | 8.4 | 0.72 | 0.88 | 0.09 | |
| USA, Massachusetts | 4915 | 16.8 | 0.25 | 1.85 | 0.03 | 5258 | 14.0 | 0.22 | 1.48 | 0.03 | |
| USA, Massachusetts: White | 4362 | 16.6 | 0.27 | 1.83 | 0.04 | 4743 | 14.1 | 0.24 | 1.47 | 0.03 | |
| USA, Massachusetts: Black | 356 | 21.5 | 1.15 | 2.40 | 0.16 | 320 | 15.1 | 0.87 | 1.76 | 0.12 | |
| USA, Massachusetts: Asian and Pacific Islander | 154 | 12.2 | 1.00 | 1.40 | 0.15 | 155 | 10.2 | 0.84 | 1.12 | 0.12 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon (C18) (contd)

| | Male | | | | | Female | | | | |
|---|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 7962 | 18.2 | 0.21 | 2.00 | 0.03 | 8231 | 15.3 | 0.19 | 1.66 | 0.02 |
| USA, Michigan: White | 6619 | 17.2 | 0.23 | 1.89 | 0.03 | 6817 | 14.6 | 0.20 | 1.56 | 0.03 |
| USA, Michigan: Black | 1160 | 26.1 | 0.78 | 2.96 | 0.11 | 1252 | 20.8 | 0.62 | 2.38 | 0.08 |
| USA, Michigan: Asian and Pacific Islander | 100 | 11.3 | 1.14 | 1.12 | 0.15 | 87 | 8.3 | 0.90 | 0.81 | 0.12 |
| *USA, Michigan, Detroit | 3186 | 19.7 | 0.36 | 2.18 | 0.05 | 3403 | 16.4 | 0.31 | 1.80 | 0.04 |
| *USA, Michigan, Detroit: White | 2230 | 17.8 | 0.40 | 1.95 | 0.05 | 2394 | 15.1 | 0.36 | 1.63 | 0.05 |
| *USA, Michigan, Detroit: Black | 878 | 28.3 | 0.97 | 3.20 | 0.13 | 943 | 21.2 | 0.73 | 2.43 | 0.10 |
| USA, Minnesota | 4199 | 17.9 | 0.29 | 1.97 | 0.04 | 4419 | 15.2 | 0.26 | 1.56 | 0.03 |
| USA, Minnesota: White | 3914 | 17.8 | 0.30 | 1.95 | 0.04 | 4148 | 15.1 | 0.27 | 1.53 | 0.03 |
| USA, Minnesota: Black | 150 | 21.2 | 1.81 | 2.47 | 0.26 | 129 | 16.9 | 1.52 | 1.95 | 0.21 |
| *USA, Minnesota: Asian and Pacific Islander | 78 | 14.2 | 1.66 | 1.83 | 0.26 | 78 | 11.1 | 1.30 | 1.17 | 0.18 |
| USA, Mississippi | 3173 | 27.2 | 0.50 | 3.21 | 0.07 | 2965 | 20.8 | 0.41 | 2.43 | 0.06 |
| USA, Missouri | 5323 | 20.3 | 0.29 | 2.29 | 0.04 | 5333 | 16.4 | 0.25 | 1.82 | 0.03 |
| USA, Missouri: White | 4721 | 20.0 | 0.31 | 2.24 | 0.04 | 4692 | 16.2 | 0.27 | 1.77 | 0.04 |
| USA, Missouri: Black | 523 | 24.7 | 1.10 | 2.88 | 0.16 | 582 | 20.1 | 0.86 | 2.40 | 0.12 |
| USA, Montana | 953 | 19.1 | 0.66 | 2.15 | 0.09 | 833 | 15.3 | 0.60 | 1.67 | 0.08 |
| *USA, Montana: American Indian | 52 | 29.5 | 4.15 | 3.55 | 0.60 | 43 | 20.5 | 3.16 | 2.71 | 0.49 |
| USA, Nebraska | 1625 | 20.4 | 0.53 | 2.36 | 0.07 | 1656 | 16.7 | 0.47 | 1.76 | 0.06 |
| USA, Nebraska: White | 1526 | 20.1 | 0.54 | 2.32 | 0.08 | 1578 | 16.8 | 0.49 | 1.76 | 0.06 |
| *USA, Nebraska: Black | 67 | 29.0 | 3.60 | 3.71 | 0.57 | 47 | 17.1 | 2.56 | 1.99 | 0.36 |
| USA, Nevada | 2122 | 17.3 | 0.39 | 1.95 | 0.05 | 1897 | 14.3 | 0.35 | 1.58 | 0.05 |
| USA, Nevada: White | 1765 | 17.3 | 0.43 | 1.96 | 0.06 | 1544 | 14.5 | 0.40 | 1.57 | 0.05 |
| USA, Nevada: Black | 190 | 21.7 | 1.59 | 2.35 | 0.21 | 164 | 16.8 | 1.34 | 1.99 | 0.19 |
| *USA, Nevada: Asian and Pacific Islander | 137 | 13.7 | 1.20 | 1.48 | 0.16 | 164 | 11.6 | 0.95 | 1.31 | 0.13 |
| USA, New Jersey | 7459 | 19.7 | 0.24 | 2.22 | 0.03 | 7770 | 15.9 | 0.20 | 1.67 | 0.03 |
| USA, New Jersey: White | 6098 | 19.8 | 0.27 | 2.20 | 0.04 | 6286 | 15.9 | 0.24 | 1.65 | 0.03 |
| USA, New Jersey: Black | 970 | 23.6 | 0.77 | 2.86 | 0.11 | 1115 | 19.2 | 0.60 | 2.17 | 0.08 |
| USA, New Mexico | 1360 | 15.3 | 0.44 | 1.75 | 0.06 | 1375 | 13.8 | 0.41 | 1.57 | 0.05 |
| USA, New Mexico: White | 1200 | 15.0 | 0.46 | 1.71 | 0.06 | 1198 | 13.6 | 0.44 | 1.55 | 0.06 |
| USA, New Mexico: Non-Hispanic White | 693 | 14.5 | 0.63 | 1.63 | 0.08 | 674 | 12.7 | 0.60 | 1.42 | 0.07 |
| USA, New Mexico: Hispanic White | 507 | 16.5 | 0.75 | 1.89 | 0.10 | 524 | 15.3 | 0.70 | 1.77 | 0.09 |
| *USA, New Mexico: American Indian | 106 | 17.1 | 1.68 | 1.95 | 0.23 | 123 | 15.3 | 1.42 | 1.67 | 0.19 |
| USA, New York State | 15490 | 18.7 | 0.16 | 2.09 | 0.02 | 16312 | 15.4 | 0.14 | 1.67 | 0.02 |
| USA, New York State: White | 11987 | 18.3 | 0.18 | 2.02 | 0.02 | 12614 | 15.4 | 0.16 | 1.64 | 0.02 |
| USA, New York State: Black | 2442 | 22.0 | 0.45 | 2.57 | 0.06 | 2746 | 16.9 | 0.34 | 1.93 | 0.05 |
| USA, New York State: Asian and Pacific Islander | 970 | 16.0 | 0.52 | 1.87 | 0.07 | 858 | 12.1 | 0.43 | 1.32 | 0.06 |
| USA, North Carolina | 7643 | 18.8 | 0.22 | 2.15 | 0.03 | 7692 | 15.5 | 0.19 | 1.74 | 0.03 |
| USA, North Carolina: White | 5779 | 17.7 | 0.24 | 2.01 | 0.03 | 5724 | 14.7 | 0.22 | 1.64 | 0.03 |
| USA, North Carolina: Black | 1679 | 24.1 | 0.59 | 2.80 | 0.08 | 1776 | 18.4 | 0.45 | 2.14 | 0.06 |
| USA, North Carolina: Asian and Pacific Islander | 51 | 7.2 | 1.03 | 0.81 | 0.14 | 88 | 9.9 | 1.07 | 1.01 | 0.14 |
| *USA, North Carolina: American Indian | 74 | 15.7 | 1.84 | 1.74 | 0.24 | 58 | 10.5 | 1.40 | 1.17 | 0.19 |
| USA, North Dakota | 633 | 20.0 | 0.84 | 2.26 | 0.12 | 624 | 16.6 | 0.76 | 1.81 | 0.10 |
| USA, Ohio | 10351 | 20.4 | 0.21 | 2.30 | 0.03 | 10787 | 17.0 | 0.18 | 1.88 | 0.02 |
| USA, Ohio: White | 9024 | 19.9 | 0.22 | 2.23 | 0.03 | 9452 | 16.7 | 0.20 | 1.82 | 0.03 |
| USA, Ohio: Black | 1028 | 21.8 | 0.69 | 2.50 | 0.10 | 1144 | 18.7 | 0.58 | 2.25 | 0.08 |
| *USA, Ohio: Asian and Pacific Islander | 70 | 10.3 | 1.24 | 1.23 | 0.18 | 72 | 8.4 | 1.00 | 0.98 | 0.14 |
| USA, Oklahoma | 3324 | 21.3 | 0.39 | 2.48 | 0.05 | 3196 | 17.2 | 0.33 | 1.97 | 0.04 |
| USA, Oklahoma: White | 2775 | 20.7 | 0.42 | 2.42 | 0.06 | 2661 | 16.8 | 0.37 | 1.91 | 0.05 |
| USA, Oklahoma: Black | 221 | 24.8 | 1.68 | 2.95 | 0.24 | 212 | 19.4 | 1.37 | 2.32 | 0.20 |
| USA, Oklahoma: American Indian | 274 | 25.0 | 1.52 | 2.70 | 0.20 | 260 | 20.0 | 1.26 | 2.39 | 0.18 |
| USA, Oregon | 2915 | 16.1 | 0.31 | 1.76 | 0.04 | 3032 | 13.9 | 0.28 | 1.46 | 0.04 |
| USA, Oregon: White | 2728 | 16.1 | 0.33 | 1.76 | 0.04 | 2834 | 13.8 | 0.29 | 1.44 | 0.04 |
| *USA, Oregon: Black | 47 | 17.5 | 2.59 | 1.93 | 0.37 | 41 | 15.1 | 2.42 | 1.61 | 0.33 |
| *USA, Oregon: Asian and Pacific Islander | 77 | 13.1 | 1.52 | 1.41 | 0.22 | 107 | 13.5 | 1.33 | 1.43 | 0.18 |
| USA, Rhode Island | 738 | 15.6 | 0.61 | 1.71 | 0.08 | 794 | 12.8 | 0.52 | 1.41 | 0.07 |
| USA, Rhode Island: White | 684 | 15.5 | 0.63 | 1.70 | 0.09 | 747 | 13.1 | 0.55 | 1.44 | 0.07 |
| *USA, Rhode Island: Black | 34 | 14.4 | 2.51 | 1.74 | 0.38 | 28 | 9.0 | 1.82 | 1.04 | 0.30 |
| USA, South Carolina | 4097 | 20.1 | 0.33 | 2.29 | 0.04 | 4046 | 16.3 | 0.28 | 1.82 | 0.04 |
| USA, South Carolina: White | 2957 | 18.8 | 0.37 | 2.14 | 0.05 | 2839 | 15.3 | 0.32 | 1.69 | 0.04 |
| USA, South Carolina: Black | 1097 | 24.9 | 0.76 | 2.87 | 0.10 | 1150 | 19.4 | 0.60 | 2.23 | 0.08 |
| USA, South Dakota | 781 | 20.0 | 0.76 | 2.29 | 0.11 | 752 | 15.9 | 0.68 | 1.64 | 0.09 |
| USA, Tennessee | 5624 | 20.7 | 0.29 | 2.40 | 0.04 | 5652 | 17.2 | 0.25 | 1.93 | 0.03 |
| USA, Tennessee: White | 4725 | 20.2 | 0.31 | 2.32 | 0.04 | 4707 | 16.7 | 0.27 | 1.86 | 0.03 |
| USA, Tennessee: Black | 849 | 26.3 | 0.91 | 3.14 | 0.13 | 894 | 20.6 | 0.71 | 2.45 | 0.10 |
| USA, Texas | 18645 | 19.6 | 0.15 | 2.28 | 0.02 | 16798 | 15.1 | 0.12 | 1.70 | 0.02 |
| USA, Texas: White | 15628 | 19.3 | 0.16 | 2.24 | 0.02 | 13782 | 14.7 | 0.13 | 1.65 | 0.02 |
| USA, Texas: Black | 2488 | 26.2 | 0.53 | 3.07 | 0.08 | 2492 | 20.5 | 0.42 | 2.41 | 0.06 |
| USA, Texas: Asian and Pacific Islander | 452 | 11.7 | 0.56 | 1.37 | 0.08 | 446 | 9.7 | 0.46 | 1.12 | 0.07 |
| USA, Utah | 1285 | 13.7 | 0.39 | 1.52 | 0.05 | 1283 | 12.6 | 0.37 | 1.38 | 0.05 |
| USA, Vermont | 445 | 14.5 | 0.74 | 1.61 | 0.10 | 540 | 14.4 | 0.71 | 1.52 | 0.09 |
| USA, Washington State | 4795 | 16.2 | 0.24 | 1.80 | 0.03 | 4923 | 14.3 | 0.22 | 1.53 | 0.03 |
| *USA, Washington, Seattle | 3331 | 16.7 | 0.30 | 1.84 | 0.04 | 3348 | 14.4 | 0.27 | 1.54 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon (C18) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 2052 | 23.0 | 0.54 | 2.66 | 0.07 | 2031 | 19.0 | 0.48 | 2.11 | 0.06 |
| USA, Wyoming | 366 | 14.7 | 0.81 | 1.68 | 0.11 | 363 | 13.4 | 0.77 | 1.53 | 0.10 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 132 | 10.6 | 0.95 | 1.42 | 0.16 | 126 | 9.3 | 0.85 | 1.02 | 0.12 |
| Brunei Darussalam | 158 | 18.1 | 1.49 | 2.15 | 0.24 | 140 | 14.7 | 1.30 | 1.67 | 0.19 |
| *China, Anfu County | 82 | 7.8 | 0.88 | 0.95 | 0.13 | 64 | 5.8 | 0.76 | 0.66 | 0.11 |
| *China, Anguo City | 75 | 5.8 | 0.68 | 0.65 | 0.09 | 73 | 5.4 | 0.64 | 0.64 | 0.09 |
| *China, Anshan City | 1153 | 14.7 | 0.46 | 1.76 | 0.07 | 897 | 10.0 | 0.36 | 1.21 | 0.05 |
| *China, Aohan Banner, Chifeng City | 95 | 5.3 | 0.57 | 0.65 | 0.08 | 56 | 3.0 | 0.42 | 0.36 | 0.06 |
| *China, Arongqi | 105 | 10.9 | 1.09 | 1.31 | 0.15 | 65 | 7.8 | 1.00 | 0.95 | 0.15 |
| *China, Baoding City | 352 | 9.8 | 0.54 | 1.04 | 0.07 | 252 | 6.6 | 0.43 | 0.75 | 0.06 |
| *China, Beijing City | 6284 | 13.8 | 0.19 | 1.67 | 0.03 | 5505 | 10.9 | 0.16 | 1.30 | 0.03 |
| *China, Binhai County | 210 | 4.5 | 0.31 | 0.59 | 0.05 | 148 | 3.2 | 0.27 | 0.38 | 0.04 |
| *China, Cangzhou City | 115 | 7.3 | 0.70 | 0.86 | 0.10 | 81 | 4.7 | 0.53 | 0.53 | 0.07 |
| China, Changfeng County | 112 | 6.6 | 0.66 | 0.76 | 0.09 | 61 | 3.6 | 0.48 | 0.41 | 0.07 |
| China, Changzhou City | 1617 | 16.1 | 0.41 | 1.97 | 0.06 | 1280 | 11.4 | 0.33 | 1.37 | 0.05 |
| China, Chengdu City | 530 | 13.8 | 0.61 | 1.56 | 0.09 | 408 | 9.8 | 0.49 | 0.98 | 0.07 |
| China, Cixian County | 115 | 6.6 | 0.65 | 0.77 | 0.09 | 117 | 6.4 | 0.61 | 0.75 | 0.09 |
| China, Cixi City | 430 | 8.3 | 0.42 | 0.96 | 0.06 | 378 | 6.8 | 0.37 | 0.82 | 0.05 |
| *China, Dafeng District, Yancheng City | 371 | 10.4 | 0.57 | 1.23 | 0.08 | 265 | 6.6 | 0.42 | 0.76 | 0.06 |
| China, Dalian City | 1998 | 16.9 | 0.39 | 1.96 | 0.06 | 1581 | 11.8 | 0.33 | 1.35 | 0.05 |
| *China, Dancheng County | 216 | 6.5 | 0.46 | 0.73 | 0.07 | 217 | 6.3 | 0.44 | 0.75 | 0.07 |
| China, Dangtu County | 145 | 12.3 | 1.05 | 1.53 | 0.14 | 134 | 10.7 | 0.97 | 1.30 | 0.13 |
| *China, Danyang City | 375 | 10.4 | 0.55 | 1.07 | 0.07 | 327 | 7.9 | 0.45 | 0.83 | 0.06 |
| *China, Dawukou District, Shizuishan City | 93 | 9.0 | 0.97 | 1.16 | 0.15 | 70 | 6.7 | 0.82 | 0.81 | 0.12 |
| *China, Dehui City | 167 | 5.5 | 0.43 | 0.64 | 0.06 | 133 | 4.5 | 0.40 | 0.57 | 0.06 |
| *China, Donggang County | 284 | 9.6 | 0.58 | 1.18 | 0.09 | 237 | 8.0 | 0.53 | 0.94 | 0.08 |
| *China, Dongguan City | 759 | 18.4 | 0.68 | 2.20 | 0.10 | 731 | 15.5 | 0.59 | 1.87 | 0.09 |
| China, Donghai County | 191 | 4.4 | 0.33 | 0.55 | 0.05 | 127 | 3.1 | 0.28 | 0.38 | 0.04 |
| *China, Dongtai City | 217 | 4.5 | 0.34 | 0.55 | 0.04 | 148 | 2.9 | 0.26 | 0.38 | 0.04 |
| China, Duanzhou District, Zhaoqing City | 222 | 16.8 | 1.17 | 1.99 | 0.17 | 185 | 14.3 | 1.08 | 1.72 | 0.16 |
| *China, Evenki Autonomous Banner | 43 | 18.0 | 2.99 | 2.39 | 0.45 | 23 | 6.9 | 1.48 | 0.83 | 0.23 |
| *China, Faku County | 102 | 4.9 | 0.50 | 0.64 | 0.08 | 81 | 3.9 | 0.45 | 0.45 | 0.06 |
| *China, Fangcheng County | 75 | 3.2 | 0.38 | 0.41 | 0.06 | 54 | 2.5 | 0.35 | 0.29 | 0.05 |
| *China, Feicheng City | 291 | 7.4 | 0.44 | 0.85 | 0.06 | 231 | 5.2 | 0.37 | 0.58 | 0.05 |
| China, Feixi County | 348 | 8.2 | 0.46 | 0.97 | 0.06 | 258 | 6.1 | 0.40 | 0.71 | 0.06 |
| China, Fuqing City | 162 | 5.7 | 0.46 | 0.64 | 0.07 | 149 | 5.2 | 0.44 | 0.58 | 0.06 |
| *China, Ganyu District, Lianyungang City | 192 | 4.4 | 0.33 | 0.51 | 0.05 | 127 | 2.8 | 0.26 | 0.34 | 0.04 |
| *China, Ganzhou District, Zhangye City | 66 | 7.0 | 0.99 | 0.80 | 0.12 | 54 | 5.5 | 0.78 | 0.69 | 0.11 |
| *China, Gaocheng City | 108 | 4.7 | 0.46 | 0.54 | 0.06 | 74 | 2.9 | 0.34 | 0.37 | 0.05 |
| China, Gaomi City | 177 | 5.7 | 0.45 | 0.67 | 0.06 | 148 | 4.1 | 0.36 | 0.49 | 0.05 |
| China, Gong'an County | 289 | 8.4 | 0.51 | 1.01 | 0.07 | 212 | 6.1 | 0.43 | 0.74 | 0.06 |
| *China, Guang'an District, Guang'an City | 98 | 5.1 | 0.52 | 0.62 | 0.07 | 60 | 3.2 | 0.42 | 0.38 | 0.06 |
| China, Guanghan City | 134 | 7.7 | 0.69 | 0.98 | 0.10 | 100 | 5.4 | 0.56 | 0.70 | 0.08 |
| China, Guangzhou City | 6239 | 19.0 | 0.25 | 2.23 | 0.04 | 5269 | 14.3 | 0.21 | 1.63 | 0.03 |
| *China, Guanyun County | 171 | 4.8 | 0.37 | 0.59 | 0.05 | 139 | 4.0 | 0.35 | 0.47 | 0.05 |
| China, Guilin City | 448 | 20.3 | 0.99 | 2.37 | 0.14 | 370 | 15.3 | 0.83 | 1.77 | 0.12 |
| *China, Hai'an City | 324 | 6.0 | 0.37 | 0.69 | 0.05 | 292 | 4.8 | 0.31 | 0.53 | 0.04 |
| China, Hailar District, Hulun Buir City | 179 | 17.3 | 1.37 | 2.03 | 0.20 | 151 | 12.8 | 1.07 | 1.62 | 0.16 |
| China, Haimen District, Nantong City | 570 | 10.9 | 0.48 | 1.34 | 0.07 | 461 | 7.9 | 0.40 | 0.95 | 0.06 |
| China, Haining City | 358 | 10.7 | 0.58 | 1.27 | 0.08 | 290 | 8.1 | 0.51 | 1.00 | 0.07 |
| China, Hangzhou City | 4012 | 12.0 | 0.20 | 1.39 | 0.03 | 3164 | 9.0 | 0.17 | 1.03 | 0.02 |
| China, Hebi City | 107 | 8.5 | 0.84 | 1.00 | 0.12 | 80 | 5.8 | 0.66 | 0.73 | 0.10 |
| China, Hefei City | 1215 | 14.3 | 0.42 | 1.67 | 0.06 | 888 | 10.2 | 0.36 | 1.19 | 0.05 |
| China, Hengdong County | 126 | 7.7 | 0.70 | 0.93 | 0.10 | 94 | 6.0 | 0.64 | 0.73 | 0.09 |
| *China, Hengfeng County | 37 | 6.1 | 1.03 | 0.59 | 0.11 | 37 | 6.5 | 1.14 | 0.83 | 0.15 |
| *China, Hepu County | 356 | 11.3 | 0.62 | 1.28 | 0.09 | 229 | 7.4 | 0.52 | 0.89 | 0.08 |
| China, Honghu City | 219 | 7.5 | 0.52 | 0.89 | 0.07 | 162 | 5.1 | 0.42 | 0.60 | 0.06 |
| China, Hongshan District, Chifeng City | 181 | 14.0 | 1.10 | 1.75 | 0.16 | 142 | 9.4 | 0.82 | 1.05 | 0.11 |
| *China, Hongta District, Yuxi City | 133 | 7.8 | 0.70 | 0.88 | 0.10 | 113 | 6.4 | 0.62 | 0.78 | 0.09 |
| *China, Huaiyin District, Huai'an City | 163 | 4.4 | 0.35 | 0.54 | 0.05 | 113 | 3.2 | 0.32 | 0.35 | 0.04 |
| *China, Jiange County | 31 | 1.8 | 0.33 | 0.20 | 0.05 | 38 | 2.2 | 0.37 | 0.28 | 0.05 |
| China, Jiangmen City | 451 | 18.5 | 0.89 | 2.21 | 0.14 | 410 | 14.8 | 0.75 | 1.75 | 0.11 |
| *China, Jiangyin City | 719 | 12.3 | 0.47 | 1.44 | 0.06 | 532 | 8.5 | 0.38 | 1.01 | 0.05 |
| *China, Jiashan County | 323 | 15.5 | 0.90 | 1.91 | 0.13 | 306 | 13.3 | 0.82 | 1.51 | 0.11 |
| China, Jiayu County | 58 | 7.7 | 1.03 | 0.95 | 0.15 | 38 | 4.9 | 0.80 | 0.53 | 0.10 |
| *China, Jinan City | 1165 | 12.2 | 0.36 | 1.37 | 0.05 | 774 | 6.9 | 0.26 | 0.82 | 0.04 |
| *China, Jingtai County | 36 | 5.4 | 0.92 | 0.52 | 0.11 | 29 | 4.3 | 0.82 | 0.46 | 0.11 |
| *China, Jingxian County | 92 | 7.0 | 0.79 | 0.80 | 0.10 | 69 | 5.7 | 0.73 | 0.66 | 0.09 |
| *China, Jintan District, Changzhou City | 297 | 12.3 | 0.74 | 1.50 | 0.11 | 240 | 9.7 | 0.65 | 1.21 | 0.10 |
| *China, Jiulongpo District, Chongqing City | 418 | 12.4 | 0.62 | 1.51 | 0.09 | 299 | 8.2 | 0.51 | 0.99 | 0.07 |
| *China, Jiyuan City | 122 | 7.2 | 0.68 | 0.80 | 0.09 | 127 | 7.0 | 0.63 | 0.73 | 0.08 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon (C18) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 91 | 7.4 | 0.82 | 0.81 | 0.11 | 73 | 5.8 | 0.73 | 0.60 | 0.10 |
| China, Kunshan City | 507 | 14.8 | 0.67 | 1.74 | 0.09 | 484 | 12.8 | 0.62 | 1.47 | 0.09 |
| China, Langzhong City | 69 | 3.4 | 0.41 | 0.37 | 0.06 | 79 | 4.1 | 0.47 | 0.45 | 0.06 |
| *China, Liangshan County | 140 | 4.7 | 0.41 | 0.57 | 0.06 | 99 | 3.4 | 0.37 | 0.41 | 0.05 |
| *China, Lianshui County | 135 | 3.1 | 0.27 | 0.37 | 0.04 | 111 | 2.5 | 0.25 | 0.32 | 0.04 |
| China, Lianyungang City | 359 | 9.1 | 0.49 | 1.11 | 0.07 | 269 | 6.5 | 0.41 | 0.79 | 0.06 |
| China, Linhe District, Bayannur City | 160 | 12.3 | 1.00 | 1.59 | 0.16 | 122 | 9.2 | 0.86 | 1.23 | 0.13 |
| China, Linqu County | 237 | 6.5 | 0.43 | 0.79 | 0.07 | 198 | 5.1 | 0.37 | 0.53 | 0.05 |
| *China, Linzhou City | 225 | 6.4 | 0.44 | 0.70 | 0.06 | 267 | 6.8 | 0.42 | 0.83 | 0.06 |
| China, Liuzhou City | 709 | 18.8 | 0.72 | 2.14 | 0.10 | 548 | 13.8 | 0.60 | 1.61 | 0.09 |
| China, Liyang City | 434 | 10.5 | 0.52 | 1.22 | 0.07 | 281 | 6.8 | 0.44 | 0.84 | 0.06 |
| *China, Longquan City | 120 | 11.5 | 1.12 | 1.35 | 0.16 | 98 | 10.1 | 1.09 | 1.11 | 0.16 |
| China, Lucheng District, Wenzhou City | 373 | 18.3 | 0.98 | 2.20 | 0.15 | 266 | 12.2 | 0.79 | 1.45 | 0.12 |
| China, Luoding City | 206 | 8.8 | 0.63 | 1.17 | 0.10 | 164 | 7.3 | 0.59 | 0.92 | 0.09 |
| *China, Luohe City | 247 | 6.3 | 0.41 | 0.69 | 0.06 | 219 | 5.1 | 0.35 | 0.63 | 0.05 |
| *China, Luoyang City | 421 | 9.4 | 0.49 | 0.97 | 0.07 | 345 | 7.4 | 0.42 | 0.76 | 0.05 |
| *China, Luquan City | 64 | 5.8 | 0.74 | 0.77 | 0.11 | 50 | 3.7 | 0.54 | 0.44 | 0.08 |
| China, Ma'anshan City | 455 | 20.7 | 1.01 | 2.26 | 0.13 | 340 | 14.2 | 0.79 | 1.61 | 0.11 |
| *China, Macheng City | 153 | 6.4 | 0.52 | 0.85 | 0.08 | 127 | 5.5 | 0.50 | 0.68 | 0.07 |
| China, Meihekou City | 168 | 7.0 | 0.55 | 0.82 | 0.08 | 128 | 5.4 | 0.49 | 0.63 | 0.07 |
| *China, Mengjin County | 60 | 5.5 | 0.71 | 0.80 | 0.12 | 78 | 6.5 | 0.75 | 0.88 | 0.12 |
| China, Nangang District, Harbin City | 603 | 14.6 | 0.61 | 1.80 | 0.10 | 484 | 10.0 | 0.47 | 1.24 | 0.07 |
| *China, Nanhai District, Foshan City | 552 | 19.3 | 0.83 | 2.29 | 0.12 | 438 | 13.1 | 0.64 | 1.54 | 0.09 |
| China, Nanhu District, Jiaying City | 460 | 17.0 | 0.82 | 2.07 | 0.12 | 372 | 13.1 | 0.72 | 1.46 | 0.10 |
| *China, Nantong City | 632 | 10.8 | 0.45 | 1.30 | 0.06 | 480 | 7.1 | 0.35 | 0.80 | 0.05 |
| *China, Nanxiong City | 144 | 10.2 | 0.86 | 1.25 | 0.13 | 107 | 6.3 | 0.63 | 0.73 | 0.08 |
| China, Neixiang County | 90 | 4.0 | 0.43 | 0.46 | 0.05 | 69 | 2.8 | 0.35 | 0.28 | 0.04 |
| *China, Qianxi County | 55 | 4.3 | 0.60 | 0.55 | 0.10 | 45 | 3.1 | 0.48 | 0.35 | 0.07 |
| China, Qidong City | 543 | 8.3 | 0.37 | 1.01 | 0.05 | 522 | 6.5 | 0.32 | 0.75 | 0.04 |
| China, Qingzhou City | 275 | 8.4 | 0.52 | 0.98 | 0.07 | 228 | 6.4 | 0.45 | 0.75 | 0.06 |
| *China, Rudong County | 319 | 5.1 | 0.32 | 0.59 | 0.04 | 275 | 4.0 | 0.27 | 0.46 | 0.04 |
| *China, Rugao City | 466 | 6.4 | 0.31 | 0.79 | 0.04 | 385 | 4.9 | 0.27 | 0.56 | 0.04 |
| *China, Rural areas of Shanghai City | 8110 | 16.7 | 0.20 | 1.96 | 0.03 | 6455 | 12.0 | 0.17 | 1.39 | 0.02 |
| China, Ruyang County | 51 | 4.2 | 0.59 | 0.53 | 0.09 | 54 | 4.5 | 0.64 | 0.62 | 0.11 |
| *China, Shan County | 142 | 5.8 | 0.50 | 0.70 | 0.07 | 87 | 2.9 | 0.34 | 0.33 | 0.05 |
| China, Shanghai City | 7601 | 18.6 | 0.24 | 2.19 | 0.03 | 6494 | 14.6 | 0.21 | 1.70 | 0.03 |
| China, Shangyu District, Shaoxing City | 401 | 11.4 | 0.59 | 1.39 | 0.09 | 336 | 9.1 | 0.52 | 1.08 | 0.08 |
| *China, Shapingba District, Chongqing City | 397 | 11.6 | 0.60 | 1.39 | 0.09 | 345 | 9.6 | 0.54 | 1.05 | 0.08 |
| China, Shexian County | 73 | 5.3 | 0.63 | 0.65 | 0.09 | 45 | 3.3 | 0.49 | 0.38 | 0.07 |
| China, Sheyang County | 226 | 5.3 | 0.36 | 0.62 | 0.05 | 211 | 5.0 | 0.36 | 0.61 | 0.05 |
| *China, Shijiazhuang City | 468 | 8.6 | 0.41 | 1.05 | 0.06 | 420 | 7.2 | 0.37 | 0.86 | 0.05 |
| China, Shunde District, Foshan City | 639 | 18.7 | 0.75 | 2.23 | 0.11 | 614 | 13.7 | 0.57 | 1.60 | 0.08 |
| *China, Song County | 74 | 4.6 | 0.54 | 0.55 | 0.08 | 63 | 4.0 | 0.52 | 0.49 | 0.08 |
| China, Suzhou City | 2374 | 14.4 | 0.31 | 1.72 | 0.04 | 1973 | 11.0 | 0.26 | 1.25 | 0.04 |
| *China, Tengzhou City | 335 | 6.0 | 0.34 | 0.73 | 0.05 | 250 | 4.1 | 0.27 | 0.48 | 0.04 |
| *China, Wangdu County | 45 | 6.6 | 1.01 | 0.61 | 0.12 | 19 | 2.7 | 0.63 | 0.29 | 0.08 |
| *China, Wanxian County | 53 | 4.7 | 0.66 | 0.56 | 0.09 | 60 | 5.1 | 0.68 | 0.54 | 0.09 |
| *China, Wu'an City | 135 | 5.6 | 0.52 | 0.64 | 0.07 | 104 | 4.1 | 0.41 | 0.50 | 0.06 |
| China, Wuhan City | 2691 | 12.0 | 0.24 | 1.43 | 0.04 | 2267 | 9.2 | 0.20 | 1.08 | 0.03 |
| *China, Wuhu City | 613 | 11.4 | 0.48 | 1.41 | 0.07 | 433 | 8.0 | 0.40 | 1.03 | 0.06 |
| China, Wuxi City | 2012 | 16.0 | 0.37 | 1.95 | 0.05 | 1672 | 12.5 | 0.32 | 1.48 | 0.05 |
| China, Wuzhou City | 314 | 16.4 | 0.95 | 1.99 | 0.14 | 259 | 12.6 | 0.83 | 1.43 | 0.11 |
| China, Xiangfu District, Kaifeng City | 167 | 8.8 | 0.70 | 1.09 | 0.10 | 117 | 5.4 | 0.51 | 0.66 | 0.08 |
| China, Xianju County | 159 | 7.5 | 0.61 | 0.84 | 0.09 | 170 | 8.2 | 0.66 | 0.91 | 0.10 |
| *China, Xin'an County | 59 | 5.1 | 0.68 | 0.62 | 0.10 | 42 | 3.7 | 0.59 | 0.52 | 0.10 |
| *China, Xining City | 289 | 13.5 | 0.85 | 1.39 | 0.11 | 203 | 8.3 | 0.61 | 0.88 | 0.08 |
| *China, Xinji City | 112 | 4.3 | 0.41 | 0.54 | 0.06 | 101 | 3.6 | 0.37 | 0.44 | 0.05 |
| *China, Xinluo District, Longyan City | 171 | 13.3 | 1.04 | 1.53 | 0.15 | 139 | 11.5 | 1.01 | 1.46 | 0.16 |
| *China, Xinzhou District, Shangrao City | 158 | 11.3 | 0.92 | 1.22 | 0.13 | 127 | 8.9 | 0.81 | 0.95 | 0.11 |
| China, Xiping County | 166 | 6.3 | 0.51 | 0.75 | 0.07 | 136 | 4.7 | 0.41 | 0.55 | 0.06 |
| *China, Xishan District, Kunming City | 180 | 9.9 | 0.79 | 1.09 | 0.11 | 152 | 8.8 | 0.76 | 1.06 | 0.11 |
| *China, Xuyi County | 187 | 7.4 | 0.56 | 0.89 | 0.08 | 123 | 4.9 | 0.47 | 0.61 | 0.07 |
| *China, Ya'an City | 530 | 9.9 | 0.44 | 1.18 | 0.06 | 406 | 7.6 | 0.39 | 0.94 | 0.06 |
| *China, Yakeshi City | 191 | 12.5 | 0.99 | 1.47 | 0.14 | 119 | 6.8 | 0.66 | 0.83 | 0.09 |
| China, Yancheng City | 412 | 7.1 | 0.36 | 0.83 | 0.05 | 270 | 4.5 | 0.28 | 0.53 | 0.04 |
| *China, Yangquan City | 209 | 9.9 | 0.72 | 1.02 | 0.09 | 148 | 6.7 | 0.57 | 0.76 | 0.08 |
| *China, Yangzhong City | 147 | 10.5 | 0.91 | 1.33 | 0.13 | 117 | 7.6 | 0.75 | 0.83 | 0.09 |
| *China, Yanji City | 263 | 12.7 | 0.79 | 1.57 | 0.13 | 173 | 6.8 | 0.53 | 0.74 | 0.08 |
| *China, Yanshi City | 132 | 5.8 | 0.51 | 0.65 | 0.07 | 129 | 4.7 | 0.43 | 0.54 | 0.06 |
| China, Yanting County | 38 | 1.9 | 0.31 | 0.22 | 0.04 | 33 | 1.7 | 0.30 | 0.21 | 0.04 |
| *China, Yi'an District, Tongling City | 93 | 8.8 | 0.93 | 0.98 | 0.13 | 73 | 7.4 | 0.90 | 0.80 | 0.12 |
| *China, Yingdong District, Fuyang City | 93 | 4.2 | 0.45 | 0.57 | 0.07 | 86 | 3.7 | 0.42 | 0.45 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon (C18) (contd)

| | Male | | | | | Female | | | | | |
|--|--------|-------------|------|----------|------|--------|-------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| Asia (contd) | | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 158 | 15.5 | 1.26 | 1.87 | 0.20 | 120 | 11.0 | 1.03 | 1.13 | 0.14 | |
| *China, Yiyuan County | 156 | 7.9 | 0.65 | 0.87 | 0.09 | 102 | 4.4 | 0.46 | 0.47 | 0.07 | |
| China, Yong'an City | 177 | 12.9 | 1.00 | 1.49 | 0.14 | 110 | 8.3 | 0.83 | 1.01 | 0.13 | |
| *China, Yongding District, Longyan City | 231 | 13.9 | 0.93 | 1.58 | 0.13 | 153 | 8.7 | 0.74 | 1.04 | 0.11 | |
| China, Yongkang City | 292 | 11.9 | 0.72 | 1.44 | 0.11 | 230 | 9.1 | 0.64 | 1.00 | 0.09 | |
| *China, Yucheng County | 168 | 8.5 | 0.67 | 0.88 | 0.09 | 150 | 7.0 | 0.59 | 0.79 | 0.08 | |
| China, Yueyanglou District, Yueyang City | 151 | 13.8 | 1.14 | 1.81 | 0.18 | 75 | 6.8 | 0.81 | 0.81 | 0.12 | |
| China, Yunmeng County | 124 | 7.8 | 0.73 | 0.94 | 0.09 | 113 | 6.5 | 0.63 | 0.80 | 0.08 | |
| *China, Yunyang District, Shiyao City | 64 | 5.8 | 0.74 | 0.68 | 0.11 | 41 | 4.1 | 0.65 | 0.53 | 0.11 | |
| China, Yuzhong District, Chongqing City | 428 | 19.1 | 0.99 | 2.55 | 0.17 | 312 | 11.8 | 0.75 | 1.45 | 0.12 | |
| *China, Zhanhuang County | 51 | 6.1 | 0.86 | 0.62 | 0.11 | 48 | 5.5 | 0.81 | 0.73 | 0.12 | |
| *China, Zhangjiagang City | 645 | 13.9 | 0.56 | 1.68 | 0.08 | 502 | 9.5 | 0.45 | 1.12 | 0.06 | |
| *China, Zhaoyuan City | 315 | 11.0 | 0.65 | 1.23 | 0.09 | 254 | 8.3 | 0.56 | 0.91 | 0.07 | |
| *China, Zhengding County | 73 | 5.3 | 0.63 | 0.66 | 0.09 | 52 | 3.3 | 0.47 | 0.38 | 0.07 | |
| *China, Zhongshan City | 880 | 16.6 | 0.57 | 2.05 | 0.09 | 742 | 12.4 | 0.47 | 1.45 | 0.07 | |
| China, Zhongxiang City | 216 | 6.5 | 0.45 | 0.84 | 0.07 | 147 | 4.4 | 0.37 | 0.60 | 0.06 | |
| *China, Zhuanghe City | 397 | 8.6 | 0.45 | 1.07 | 0.07 | 293 | 6.2 | 0.38 | 0.72 | 0.06 | |
| *China, Zhuhai City | 612 | 17.0 | 0.71 | 2.04 | 0.11 | 433 | 12.0 | 0.59 | 1.42 | 0.09 | |
| India, Ahmedabad, Urban | 295 | 2.5 | 0.15 | 0.29 | 0.02 | 137 | 1.2 | 0.11 | 0.14 | 0.01 | |
| India, Aurangabad | 45 | 1.7 | 0.25 | 0.21 | 0.04 | 32 | 1.1 | 0.20 | 0.11 | 0.02 | |
| India, Bangalore | 525 | 4.7 | 0.21 | 0.59 | 0.03 | 409 | 3.8 | 0.19 | 0.46 | 0.03 | |
| India, Barshi, Paranda, and Bhum | 14 | 1.0 | 0.27 | 0.11 | 0.03 | 13 | 0.9 | 0.25 | 0.10 | 0.03 | |
| *India, Bhopal | 74 | 2.7 | 0.32 | 0.29 | 0.04 | 59 | 2.4 | 0.31 | 0.29 | 0.04 | |
| India, Chandigarh | 74 | 3.1 | 0.38 | 0.39 | 0.06 | 44 | 2.0 | 0.31 | 0.23 | 0.04 | |
| *India, Chennai | 558 | 4.6 | 0.20 | 0.56 | 0.03 | 490 | 3.8 | 0.17 | 0.44 | 0.02 | |
| India, Dibrugarh | 99 | 3.3 | 0.35 | 0.39 | 0.05 | 58 | 1.8 | 0.25 | 0.20 | 0.03 | |
| *India, Dindigul, Ambilikkai | 96 | 1.5 | 0.16 | 0.18 | 0.02 | 53 | 0.8 | 0.11 | 0.09 | 0.01 | |
| India, Kamrup Urban District | 134 | 5.5 | 0.49 | 0.65 | 0.07 | 91 | 4.3 | 0.47 | 0.54 | 0.07 | |
| India, Kollam | 267 | 4.2 | 0.26 | 0.54 | 0.04 | 190 | 2.5 | 0.18 | 0.30 | 0.03 | |
| *India, Manipur | 94 | 1.9 | 0.20 | 0.22 | 0.03 | 67 | 1.4 | 0.17 | 0.17 | 0.03 | |
| India, Meghalaya | 39 | 1.5 | 0.25 | 0.19 | 0.04 | 44 | 1.4 | 0.22 | 0.15 | 0.03 | |
| India, Mizoram | 91 | 5.7 | 0.61 | 0.73 | 0.10 | 72 | 4.3 | 0.52 | 0.51 | 0.08 | |
| India, Mumbai | 1253 | 4.0 | 0.12 | 0.47 | 0.02 | 1049 | 3.4 | 0.11 | 0.40 | 0.02 | |
| *India, New Delhi | 872 | 4.0 | 0.14 | 0.48 | 0.02 | 566 | 2.7 | 0.12 | 0.32 | 0.02 | |
| India, Poona | 447 | 3.7 | 0.18 | 0.42 | 0.03 | 332 | 2.9 | 0.16 | 0.34 | 0.02 | |
| *India, Sangrur District | 28 | 1.0 | 0.19 | 0.09 | 0.02 | 27 | 1.1 | 0.21 | 0.11 | 0.02 | |
| India, SAS Nagar | 48 | 1.9 | 0.28 | 0.24 | 0.04 | 44 | 1.8 | 0.28 | 0.19 | 0.03 | |
| *India, Tamil Nadu | 3873 | 1.9 | 0.03 | 0.22 | 0.00 | 2796 | 1.3 | 0.03 | 0.15 | 0.00 | |
| *India, Tripura | 106 | 1.5 | 0.15 | 0.17 | 0.02 | 73 | 1.1 | 0.13 | 0.13 | 0.02 | |
| India, Trivandrum | 390 | 4.9 | 0.25 | 0.59 | 0.04 | 310 | 3.4 | 0.19 | 0.44 | 0.03 | |
| India, Wardha | 57 | 1.5 | 0.20 | 0.18 | 0.03 | 47 | 1.2 | 0.18 | 0.14 | 0.02 | |
| India, West Arunachal | 12 | 1.2 | 0.40 | 0.14 | 0.06 | 18 | 2.3 | 0.58 | 0.31 | 0.09 | |
| *Iran (Islamic Republic of), Ardabil Province | 252 | 14.1 | 0.92 | 1.70 | 0.14 | 190 | 10.2 | 0.76 | 1.22 | 0.11 | |
| *Iran (Islamic Republic of), Golestan Province | 264 | 11.5 | 0.73 | 1.42 | 0.11 | 229 | 9.5 | 0.64 | 1.17 | 0.10 | |
| Israel | 5631 | 20.8 | 0.29 | 2.38 | 0.04 | 5810 | 17.9 | 0.25 | 1.99 | 0.04 | |
| *Israel: Jews | 4760 | 20.4 | 0.31 | 2.31 | 0.05 | 4929 | 17.8 | 0.28 | 1.97 | 0.04 | |
| *Israel: Arabs | 571 | 19.9 | 0.85 | 2.47 | 0.13 | 561 | 16.9 | 0.73 | 1.94 | 0.11 | |
| Japan | 145517 | 28.8 | 0.09 | 3.43 | 0.01 | 128868 | 20.0 | 0.07 | 2.29 | 0.01 | |
| Japan, Aichi Prefecture | 7498 | 27.3 | 0.35 | 3.23 | 0.05 | 6767 | 20.9 | 0.31 | 2.41 | 0.04 | |
| *Japan, Akita Prefecture | 1771 | 38.1 | 1.07 | 4.62 | 0.15 | 1621 | 24.6 | 0.86 | 2.86 | 0.11 | |
| Japan, Aomori Prefecture | 3559 | 38.2 | 0.74 | 4.63 | 0.10 | 3258 | 24.3 | 0.58 | 2.73 | 0.07 | |
| Japan, Gunma Prefecture | 2276 | 27.7 | 0.65 | 3.30 | 0.09 | 2043 | 19.5 | 0.56 | 2.17 | 0.07 | |
| Japan, Hiroshima Prefecture | 4784 | 31.4 | 0.52 | 3.84 | 0.07 | 4391 | 22.0 | 0.44 | 2.53 | 0.06 | |
| Japan, Miyagi Prefecture | 4593 | 30.2 | 0.50 | 3.63 | 0.07 | 4426 | 22.0 | 0.43 | 2.45 | 0.06 | |
| Japan, Osaka Prefecture | 10073 | 29.6 | 0.33 | 3.59 | 0.05 | 8896 | 20.9 | 0.27 | 2.39 | 0.04 | |
| Kuwait | 517 | 8.4 | 0.47 | 1.07 | 0.08 | 410 | 9.3 | 0.51 | 1.13 | 0.08 | |
| *Kuwait: Kuwaitis | 223 | 12.7 | 0.88 | 1.57 | 0.14 | 267 | 11.7 | 0.73 | 1.36 | 0.10 | |
| *Kuwait: Non-Kuwaitis | 294 | 6.7 | 0.61 | 0.89 | 0.09 | 143 | 6.9 | 0.73 | 0.89 | 0.12 | |
| *Philippines, Manila | 1590 | 16.2 | 0.43 | 1.89 | 0.06 | 1451 | 10.8 | 0.29 | 1.23 | 0.04 | |
| *Qatar: Qatari | 67 | 17.2 | 2.18 | 2.08 | 0.33 | 61 | 12.7 | 1.69 | 1.51 | 0.24 | |
| Republic of Korea | 46002 | 23.2 | 0.11 | 2.80 | 0.02 | 34846 | 14.0 | 0.08 | 1.60 | 0.01 | |
| *Republic of Korea, Busan | 3742 | 25.1 | 0.42 | 3.04 | 0.06 | 2687 | 14.6 | 0.30 | 1.71 | 0.04 | |
| *Republic of Korea, Daegu | 2157 | 23.1 | 0.51 | 2.77 | 0.07 | 1673 | 13.6 | 0.35 | 1.54 | 0.05 | |
| *Republic of Korea, Daejeon | 1225 | 23.5 | 0.68 | 2.89 | 0.10 | 926 | 14.5 | 0.50 | 1.69 | 0.07 | |
| *Republic of Korea, Gwangju | 1078 | 21.6 | 0.67 | 2.67 | 0.10 | 855 | 13.3 | 0.47 | 1.52 | 0.07 | |
| Republic of Korea, Incheon | 2483 | 23.9 | 0.49 | 2.90 | 0.07 | 1845 | 14.5 | 0.35 | 1.66 | 0.05 | |
| Republic of Korea, Jeju | 653 | 27.6 | 1.11 | 3.33 | 0.16 | 471 | 15.3 | 0.77 | 1.67 | 0.10 | |
| Republic of Korea, Seoul | 9180 | 24.4 | 0.26 | 2.93 | 0.04 | 6657 | 14.5 | 0.18 | 1.65 | 0.03 | |
| Republic of Korea, Ulsan | 780 | 20.7 | 0.78 | 2.49 | 0.11 | 654 | 14.8 | 0.60 | 1.75 | 0.09 | |
| Singapore | 3449 | 22.7 | 0.39 | 2.67 | 0.06 | 3271 | 18.2 | 0.33 | 2.01 | 0.05 | |
| Singapore: Chinese | 2993 | 24.3 | 0.45 | 2.84 | 0.07 | 2838 | 19.1 | 0.38 | 2.11 | 0.05 | |
| Singapore: Indian | 125 | 11.8 | 1.11 | 1.54 | 0.19 | 100 | 9.1 | 0.93 | 1.04 | 0.14 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Colon (C18) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 281 | 18.1 | 1.11 | 2.07 | 0.17 | 284 | 16.0 | 0.97 | 1.85 | 0.15 |
| Thailand, Bangkok | 1921 | 11.3 | 0.27 | 1.36 | 0.04 | 1817 | 8.2 | 0.20 | 0.92 | 0.03 |
| *Thailand, Chiang Mai | 620 | 10.8 | 0.45 | 1.30 | 0.07 | 502 | 7.4 | 0.35 | 0.87 | 0.05 |
| *Thailand, Khon Kaen | 415 | 6.8 | 0.34 | 0.79 | 0.05 | 415 | 5.7 | 0.29 | 0.68 | 0.04 |
| Thailand, Lampang | 293 | 9.5 | 0.58 | 1.06 | 0.08 | 301 | 9.0 | 0.55 | 1.04 | 0.07 |
| Thailand, Lopburi Province | 375 | 16.1 | 0.85 | 1.94 | 0.12 | 322 | 11.9 | 0.68 | 1.37 | 0.09 |
| *Thailand, Songkhla | 468 | 11.1 | 0.53 | 1.36 | 0.08 | 388 | 7.5 | 0.39 | 0.86 | 0.06 |
| Turkey, Antalya | 732 | 11.9 | 0.44 | 1.45 | 0.07 | 490 | 7.4 | 0.34 | 0.87 | 0.05 |
| Turkey, Bursa | 1243 | 15.6 | 0.45 | 1.88 | 0.07 | 809 | 8.9 | 0.32 | 1.05 | 0.05 |
| *Turkey, Edirne | 237 | 14.6 | 0.97 | 1.67 | 0.14 | 170 | 9.2 | 0.75 | 1.11 | 0.11 |
| *Turkey, Erzurum | 179 | 9.4 | 0.72 | 1.05 | 0.10 | 170 | 8.1 | 0.64 | 0.94 | 0.09 |
| Turkey, Eskişehir | 392 | 14.7 | 0.75 | 1.92 | 0.12 | 283 | 9.2 | 0.57 | 1.04 | 0.08 |
| Turkey, Gaziantep | 291 | 8.2 | 0.50 | 0.90 | 0.07 | 234 | 5.8 | 0.39 | 0.65 | 0.05 |
| *Turkey, Izmir | 2062 | 15.6 | 0.35 | 1.91 | 0.05 | 1586 | 10.2 | 0.26 | 1.13 | 0.04 |
| Turkey, Malatya | 183 | 8.4 | 0.63 | 1.01 | 0.09 | 169 | 6.5 | 0.52 | 0.73 | 0.07 |
| Turkey, Samsun | 536 | 13.0 | 0.57 | 1.53 | 0.08 | 399 | 8.5 | 0.44 | 0.99 | 0.06 |
| Turkey, Trabzon | 352 | 14.1 | 0.77 | 1.72 | 0.11 | 302 | 9.5 | 0.59 | 1.00 | 0.08 |
| Europe | | | | | | | | | | |
| Austria | 8370 | 18.9 | 0.22 | 2.18 | 0.03 | 6589 | 11.9 | 0.17 | 1.33 | 0.02 |
| Austria, Carinthia | 533 | 17.2 | 0.82 | 2.04 | 0.12 | 425 | 10.6 | 0.63 | 1.23 | 0.08 |
| Austria, Tyrol | 632 | 17.6 | 0.75 | 2.00 | 0.11 | 540 | 13.0 | 0.65 | 1.40 | 0.08 |
| Austria, Vorarlberg | 321 | 17.4 | 1.03 | 1.98 | 0.15 | 276 | 13.2 | 0.92 | 1.51 | 0.12 |
| Belarus | 6420 | 19.9 | 0.26 | 2.51 | 0.04 | 7726 | 14.0 | 0.18 | 1.74 | 0.03 |
| *Belgium | 16069 | 28.5 | 0.24 | 3.48 | 0.04 | 13891 | 20.1 | 0.20 | 2.34 | 0.03 |
| Croatia | 6153 | 29.3 | 0.39 | 3.52 | 0.06 | 4647 | 16.6 | 0.28 | 1.95 | 0.04 |
| Cyprus | 787 | 20.4 | 0.76 | 2.32 | 0.11 | 593 | 14.1 | 0.63 | 1.55 | 0.08 |
| *Czech Republic | 13298 | 26.1 | 0.23 | 3.18 | 0.03 | 10269 | 15.8 | 0.18 | 1.83 | 0.02 |
| Denmark | 9210 | 30.6 | 0.34 | 3.76 | 0.05 | 8718 | 25.1 | 0.30 | 2.97 | 0.04 |
| Estonia | 1291 | 22.2 | 0.65 | 2.49 | 0.10 | 1673 | 16.6 | 0.49 | 1.92 | 0.07 |
| Finland | 5028 | 16.8 | 0.26 | 1.86 | 0.04 | 5288 | 14.1 | 0.23 | 1.56 | 0.03 |
| *France, Bas-Rhin | 960 | 22.2 | 0.76 | 2.54 | 0.11 | 831 | 15.3 | 0.63 | 1.76 | 0.09 |
| *France, Calvados | 746 | 20.5 | 0.82 | 2.43 | 0.12 | 695 | 14.5 | 0.69 | 1.58 | 0.09 |
| *France, Doubs | 545 | 19.9 | 0.92 | 2.40 | 0.14 | 499 | 14.5 | 0.78 | 1.67 | 0.11 |
| *France, Gironde | 1765 | 23.6 | 0.61 | 2.81 | 0.09 | 1632 | 16.1 | 0.48 | 1.82 | 0.07 |
| *France, Haut-Rhin | 878 | 21.6 | 0.78 | 2.55 | 0.12 | 765 | 15.7 | 0.66 | 1.84 | 0.10 |
| *France, Hérault | 1301 | 21.7 | 0.66 | 2.60 | 0.10 | 1269 | 16.1 | 0.55 | 1.81 | 0.07 |
| *France, Isère | 1287 | 21.3 | 0.64 | 2.46 | 0.09 | 1129 | 15.1 | 0.53 | 1.67 | 0.07 |
| *France, Lille-Métropole | 770 | 26.2 | 0.98 | 3.20 | 0.15 | 763 | 17.9 | 0.74 | 2.02 | 0.11 |
| *France, Limousin | 532 | 23.1 | 1.14 | 2.68 | 0.16 | 409 | 13.8 | 0.84 | 1.62 | 0.12 |
| *France, Loire-Atlantique | 1431 | 22.6 | 0.64 | 2.70 | 0.10 | 1316 | 15.6 | 0.52 | 1.74 | 0.07 |
| *France, Manche | 685 | 21.8 | 0.93 | 2.60 | 0.14 | 586 | 15.1 | 0.79 | 1.73 | 0.11 |
| *France, Poitou-Charentes | 2416 | 21.0 | 0.48 | 2.48 | 0.07 | 2091 | 15.2 | 0.42 | 1.70 | 0.06 |
| *France, Somme | 629 | 22.7 | 0.98 | 2.61 | 0.14 | 538 | 14.7 | 0.75 | 1.67 | 0.10 |
| *France, Tarn | 633 | 25.0 | 1.15 | 2.94 | 0.17 | 485 | 14.5 | 0.86 | 1.64 | 0.12 |
| *France, Territoire de Belfort | 136 | 24.2 | 2.25 | 2.79 | 0.32 | 105 | 13.9 | 1.67 | 1.50 | 0.22 |
| *France, Vendée | 1032 | 26.2 | 0.91 | 3.12 | 0.13 | 814 | 17.1 | 0.77 | 1.96 | 0.10 |
| Germany, Baden-Württemberg | 7874 | 21.4 | 0.27 | 2.48 | 0.04 | 7011 | 15.2 | 0.22 | 1.68 | 0.03 |
| Germany, Bavaria | 15546 | 21.6 | 0.19 | 2.46 | 0.03 | 13213 | 14.7 | 0.16 | 1.62 | 0.02 |
| Germany, Bremen | 818 | 21.0 | 0.81 | 2.38 | 0.12 | 831 | 15.3 | 0.67 | 1.67 | 0.09 |
| Germany, Hamburg | 1929 | 20.5 | 0.51 | 2.36 | 0.07 | 2066 | 17.2 | 0.46 | 1.91 | 0.06 |
| Germany, Lower Saxony | 10666 | 22.1 | 0.24 | 2.48 | 0.03 | 10419 | 16.8 | 0.20 | 1.82 | 0.03 |
| Germany, North Rhine-Westphalia | 22385 | 21.6 | 0.16 | 2.44 | 0.02 | 22997 | 17.2 | 0.14 | 1.87 | 0.02 |
| Germany, Rhineland-Palatinate | 5071 | 21.0 | 0.32 | 2.39 | 0.05 | 4721 | 15.5 | 0.28 | 1.72 | 0.04 |
| Germany, Saarland | 1513 | 23.9 | 0.69 | 2.82 | 0.10 | 1364 | 17.0 | 0.59 | 1.92 | 0.08 |
| Germany, Schleswig-Holstein | 3795 | 21.2 | 0.39 | 2.37 | 0.05 | 3735 | 16.6 | 0.34 | 1.83 | 0.04 |
| Iceland | 313 | 22.0 | 1.30 | 2.53 | 0.19 | 326 | 19.6 | 1.21 | 2.10 | 0.17 |
| Ireland | 4794 | 25.4 | 0.38 | 2.85 | 0.05 | 3840 | 18.5 | 0.33 | 2.01 | 0.04 |
| *Italy, Aosta Valley | 133 | 21.1 | 2.08 | 2.50 | 0.29 | 109 | 12.2 | 1.50 | 1.12 | 0.19 |
| *Italy, Avellino | 324 | 22.4 | 1.36 | 2.81 | 0.21 | 225 | 13.5 | 1.08 | 1.59 | 0.15 |
| Italy, Basilicata | 824 | 24.8 | 0.95 | 3.06 | 0.14 | 655 | 17.0 | 0.78 | 1.97 | 0.11 |
| *Italy, Benevento | 343 | 26.4 | 1.58 | 3.14 | 0.23 | 291 | 20.0 | 1.40 | 2.35 | 0.19 |
| Italy, Bergamo | 1311 | 21.0 | 0.62 | 2.26 | 0.09 | 1070 | 13.7 | 0.50 | 1.49 | 0.07 |
| *Italy, Brescia | 1309 | 19.4 | 0.58 | 2.01 | 0.08 | 1133 | 13.6 | 0.49 | 1.56 | 0.07 |
| Italy, Brianza (Lecco and Monza e Brianza) | 877 | 20.6 | 0.76 | 2.28 | 0.11 | 806 | 15.7 | 0.67 | 1.71 | 0.09 |
| Italy, Calabria | 761 | 25.3 | 1.00 | 3.11 | 0.15 | 542 | 15.9 | 0.80 | 1.81 | 0.11 |
| *Italy, Caserta | 985 | 29.8 | 1.00 | 3.59 | 0.15 | 793 | 20.0 | 0.79 | 2.28 | 0.11 |
| *Italy, Catania, Messina, and Enna | 2441 | 23.8 | 0.52 | 2.91 | 0.08 | 2183 | 17.7 | 0.44 | 2.15 | 0.06 |
| Italy, Emilia-Romagna | 5318 | 22.9 | 0.36 | 2.55 | 0.05 | 4727 | 16.6 | 0.31 | 1.83 | 0.04 |
| Italy, Friuli-Venezia Giulia | 2027 | 25.0 | 0.62 | 2.96 | 0.09 | 1775 | 17.6 | 0.51 | 2.05 | 0.07 |
| Italy, Genova | 1282 | 25.3 | 0.82 | 2.97 | 0.12 | 1242 | 18.4 | 0.72 | 2.09 | 0.09 |
| *Italy, Lombardy, South, Pavia | 884 | 25.5 | 0.97 | 2.77 | 0.13 | 753 | 16.7 | 0.76 | 1.94 | 0.11 |
| Italy, Mantova and Cremona | 924 | 24.4 | 0.90 | 2.76 | 0.13 | 842 | 17.3 | 0.74 | 1.96 | 0.10 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Colon (C18) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 2286 | 28.9 | 0.69 | 3.37 | 0.10 | 1860 | 19.1 | 0.55 | 2.22 | 0.08 |
| Italy, Milan | 4604 | 22.4 | 0.37 | 2.50 | 0.05 | 4156 | 15.4 | 0.30 | 1.74 | 0.04 |
| Italy, Molise | 317 | 27.4 | 1.73 | 3.18 | 0.25 | 223 | 15.7 | 1.29 | 1.80 | 0.18 |
| *Italy, Naples Centre | 728 | 25.8 | 1.01 | 3.23 | 0.15 | 679 | 17.9 | 0.79 | 2.16 | 0.11 |
| *Italy, Naples North | 928 | 27.7 | 0.93 | 3.34 | 0.14 | 705 | 18.2 | 0.72 | 2.17 | 0.10 |
| *Italy, Naples South | 1227 | 25.0 | 0.75 | 3.04 | 0.11 | 984 | 16.5 | 0.58 | 1.97 | 0.08 |
| *Italy, Nuoro | 183 | 24.7 | 1.97 | 2.82 | 0.28 | 146 | 15.3 | 1.48 | 2.01 | 0.22 |
| *Italy, Palermo | 1634 | 24.6 | 0.66 | 2.92 | 0.10 | 1544 | 19.2 | 0.57 | 2.24 | 0.08 |
| Italy, Puglia | 5161 | 22.6 | 0.34 | 2.72 | 0.05 | 4425 | 16.2 | 0.28 | 1.92 | 0.04 |
| *Italy, Ragusa and Caltanissetta | 689 | 21.7 | 0.91 | 2.72 | 0.14 | 663 | 17.7 | 0.80 | 2.07 | 0.11 |
| *Italy, Salerno | 1036 | 21.7 | 0.73 | 2.53 | 0.11 | 792 | 14.3 | 0.60 | 1.66 | 0.08 |
| Italy, Sassari | 287 | 24.2 | 1.55 | 2.89 | 0.23 | 248 | 17.3 | 1.27 | 1.94 | 0.17 |
| *Italy, Sondrio | 274 | 22.0 | 1.45 | 2.28 | 0.19 | 233 | 14.7 | 1.26 | 1.53 | 0.16 |
| Italy, South Tyrol | 700 | 25.7 | 1.06 | 3.07 | 0.15 | 526 | 15.7 | 0.82 | 1.82 | 0.11 |
| *Italy, Syracuse | 461 | 20.4 | 1.03 | 2.37 | 0.15 | 422 | 16.9 | 0.94 | 2.08 | 0.13 |
| Italy, Trento | 612 | 19.0 | 0.84 | 2.08 | 0.12 | 561 | 14.1 | 0.74 | 1.51 | 0.10 |
| Italy, Turin | 3950 | 27.0 | 0.48 | 3.12 | 0.07 | 3319 | 18.4 | 0.39 | 2.14 | 0.05 |
| *Italy, Tuscany | 3555 | 25.8 | 0.50 | 2.96 | 0.07 | 3255 | 19.7 | 0.44 | 2.21 | 0.06 |
| Italy, Umbria | 1059 | 22.9 | 0.81 | 2.78 | 0.12 | 1019 | 17.3 | 0.70 | 1.96 | 0.09 |
| Italy, Varese | 655 | 20.1 | 0.86 | 2.26 | 0.12 | 614 | 15.6 | 0.77 | 1.73 | 0.10 |
| Italy, Veneto | 7228 | 25.0 | 0.32 | 2.74 | 0.04 | 6136 | 16.8 | 0.27 | 1.81 | 0.03 |
| Latvia | 1388 | 16.4 | 0.46 | 2.02 | 0.07 | 1724 | 11.2 | 0.32 | 1.29 | 0.04 |
| *Liechtenstein | 38 | 21.1 | 3.54 | 2.73 | 0.52 | 28 | 12.7 | 2.57 | 1.51 | 0.38 |
| *Lithuania | 2164 | 17.4 | 0.39 | 2.17 | 0.06 | 2376 | 11.5 | 0.28 | 1.35 | 0.04 |
| Malta | 553 | 24.4 | 1.08 | 2.83 | 0.15 | 435 | 16.4 | 0.89 | 1.78 | 0.12 |
| *The Netherlands | 27749 | 32.0 | 0.20 | 3.96 | 0.03 | 24195 | 25.1 | 0.18 | 3.07 | 0.03 |
| Norway | 7166 | 28.5 | 0.35 | 3.22 | 0.05 | 7931 | 26.6 | 0.34 | 2.99 | 0.05 |
| Poland, Kielce | 1005 | 17.2 | 0.56 | 2.10 | 0.09 | 818 | 10.7 | 0.42 | 1.28 | 0.06 |
| *Portugal, Azores | 175 | 23.7 | 1.84 | 2.82 | 0.27 | 161 | 17.4 | 1.50 | 2.12 | 0.21 |
| Russian Federation, Arkhangelsk | 773 | 20.9 | 0.78 | 2.51 | 0.12 | 1292 | 18.1 | 0.55 | 2.13 | 0.08 |
| Russian Federation, Kaliningrad | 503 | 16.3 | 0.74 | 1.99 | 0.12 | 660 | 12.2 | 0.51 | 1.59 | 0.08 |
| Russian Federation, Karelia | 448 | 22.2 | 1.09 | 2.64 | 0.18 | 654 | 16.4 | 0.71 | 2.08 | 0.11 |
| *Russian Federation, Komi Republic | 537 | 23.8 | 1.10 | 2.86 | 0.17 | 741 | 17.7 | 0.69 | 2.10 | 0.10 |
| Russian Federation, Murmansk | 479 | 25.1 | 1.21 | 3.18 | 0.20 | 674 | 17.2 | 0.69 | 2.19 | 0.11 |
| *Russian Federation, Orenburg | 1224 | 19.0 | 0.56 | 2.33 | 0.09 | 1673 | 15.3 | 0.41 | 1.93 | 0.06 |
| Russian Federation, Pskov | 360 | 15.4 | 0.83 | 1.98 | 0.14 | 595 | 13.2 | 0.61 | 1.63 | 0.09 |
| *Russian Federation, Samara | 2159 | 19.5 | 0.43 | 2.44 | 0.07 | 3027 | 15.9 | 0.32 | 1.99 | 0.05 |
| Russian Federation, Vologda Region | 675 | 17.7 | 0.69 | 2.25 | 0.09 | 987 | 14.3 | 0.48 | 1.78 | 0.06 |
| Slovenia | 2358 | 22.6 | 0.49 | 2.71 | 0.07 | 1828 | 13.9 | 0.38 | 1.64 | 0.05 |
| Spain, Asturias | 1266 | 30.9 | 0.96 | 3.59 | 0.14 | 824 | 16.4 | 0.74 | 1.83 | 0.10 |
| Spain, Basque Country | 3447 | 36.0 | 0.67 | 4.26 | 0.10 | 2264 | 19.5 | 0.50 | 2.21 | 0.06 |
| Spain, Canary Islands | 1657 | 26.5 | 0.68 | 3.28 | 0.10 | 1299 | 17.6 | 0.54 | 2.03 | 0.08 |
| Spain, Castellón | 953 | 31.9 | 1.12 | 3.78 | 0.16 | 659 | 18.5 | 0.84 | 2.08 | 0.12 |
| Spain, Girona | 1210 | 32.8 | 1.02 | 3.93 | 0.15 | 856 | 20.3 | 0.80 | 2.44 | 0.11 |
| Spain, Granada | 1160 | 26.1 | 0.83 | 3.20 | 0.13 | 832 | 16.1 | 0.64 | 1.87 | 0.09 |
| Spain, La Rioja | 554 | 29.5 | 1.39 | 3.61 | 0.22 | 356 | 17.1 | 1.08 | 2.04 | 0.15 |
| Spain, Murcia | 1920 | 30.0 | 0.74 | 3.57 | 0.11 | 1251 | 16.4 | 0.53 | 1.87 | 0.07 |
| Spain, Navarra | 1003 | 38.1 | 1.30 | 4.70 | 0.19 | 606 | 19.6 | 0.93 | 2.35 | 0.13 |
| Spain, Salamanca | 817 | 36.0 | 1.45 | 4.50 | 0.22 | 607 | 23.7 | 1.22 | 2.82 | 0.16 |
| Spain, Tarragona | 1432 | 34.5 | 0.98 | 4.15 | 0.15 | 923 | 19.9 | 0.76 | 2.29 | 0.10 |
| *Sweden | 10656 | 19.3 | 0.20 | 2.18 | 0.03 | 10932 | 17.4 | 0.20 | 1.96 | 0.03 |
| Switzerland, Aargau | 595 | 17.9 | 0.77 | 2.05 | 0.11 | 478 | 12.1 | 0.63 | 1.36 | 0.09 |
| Switzerland, Basel | 488 | 17.4 | 0.90 | 1.98 | 0.13 | 463 | 13.7 | 0.81 | 1.56 | 0.11 |
| Switzerland, Berne Solothurn | 932 | 21.5 | 0.78 | 2.54 | 0.11 | 752 | 13.9 | 0.63 | 1.58 | 0.08 |
| Switzerland, East | 735 | 17.9 | 0.71 | 2.00 | 0.10 | 603 | 12.2 | 0.59 | 1.22 | 0.07 |
| *Switzerland, Fribourg | 274 | 20.7 | 1.30 | 2.66 | 0.20 | 208 | 14.1 | 1.08 | 1.67 | 0.15 |
| Switzerland, Geneva | 383 | 17.7 | 0.98 | 1.97 | 0.14 | 411 | 14.7 | 0.85 | 1.62 | 0.11 |
| *Switzerland, Graubünden and Glarus | 253 | 18.6 | 1.24 | 2.14 | 0.18 | 194 | 13.6 | 1.15 | 1.63 | 0.15 |
| *Switzerland, Lucerne | 427 | 16.2 | 0.84 | 1.78 | 0.12 | 378 | 12.9 | 0.80 | 1.36 | 0.10 |
| *Switzerland, Neuchâtel and Jura | 294 | 22.1 | 1.39 | 2.46 | 0.20 | 243 | 14.5 | 1.10 | 1.69 | 0.16 |
| Switzerland, Ticino | 478 | 23.2 | 1.19 | 2.54 | 0.16 | 456 | 17.6 | 1.05 | 1.80 | 0.13 |
| Switzerland, Valais | 330 | 18.9 | 1.11 | 2.30 | 0.16 | 298 | 14.4 | 0.96 | 1.66 | 0.13 |
| Switzerland, Vaud | 732 | 21.3 | 0.83 | 2.55 | 0.12 | 591 | 13.6 | 0.66 | 1.46 | 0.09 |
| Switzerland, Zurich and Zug | 1388 | 18.0 | 0.52 | 2.03 | 0.07 | 1285 | 14.6 | 0.47 | 1.59 | 0.06 |
| Ukraine | 21265 | 16.6 | 0.12 | 2.13 | 0.02 | 23460 | 11.4 | 0.08 | 1.44 | 0.01 |
| UK, England | 60251 | 21.5 | 0.10 | 2.42 | 0.01 | 55968 | 17.0 | 0.08 | 1.84 | 0.01 |
| UK, Northern Ireland | 2064 | 24.3 | 0.57 | 2.79 | 0.08 | 1908 | 19.0 | 0.50 | 2.16 | 0.07 |
| UK, Scotland | 6535 | 23.5 | 0.31 | 2.66 | 0.04 | 6189 | 18.3 | 0.27 | 2.06 | 0.04 |
| UK, Wales | 4100 | 23.4 | 0.40 | 2.63 | 0.06 | 3489 | 17.1 | 0.35 | 1.90 | 0.05 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 8910 | 24.5 | 0.28 | 2.80 | 0.04 | 8848 | 21.3 | 0.26 | 2.37 | 0.04 |
| *Australia, Northern Territory | 167 | 24.7 | 1.95 | 2.89 | 0.28 | 127 | 20.5 | 1.84 | 2.00 | 0.24 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Colon (C18) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 159 | 28.2 | 2.28 | 3.29 | 0.32 | 112 | 23.6 | 2.27 | 2.38 | 0.30 |
| *Australia, Northern Territory: Indigenous | 8 | 6.4 | 2.49 | 0.58 | 0.27 | 15 | 9.2 | 2.48 | 0.53 | 0.18 |
| *Australia, Queensland | 5687 | 27.3 | 0.38 | 3.07 | 0.05 | 5437 | 23.1 | 0.35 | 2.39 | 0.05 |
| Australia, South Australia | 2145 | 25.3 | 0.59 | 2.82 | 0.08 | 2061 | 21.1 | 0.54 | 2.32 | 0.07 |
| Australia, Tasmania | 743 | 26.4 | 1.05 | 2.89 | 0.14 | 728 | 23.0 | 0.99 | 2.48 | 0.13 |
| *Australia, Victoria | 6267 | 23.4 | 0.32 | 2.59 | 0.04 | 6174 | 20.0 | 0.29 | 2.17 | 0.04 |
| *Australia, Western Australia | 2322 | 22.4 | 0.48 | 2.53 | 0.07 | 2137 | 18.6 | 0.44 | 2.02 | 0.06 |
| *France, New Caledonia | 113 | 13.9 | 1.32 | 1.54 | 0.18 | 104 | 12.0 | 1.20 | 1.55 | 0.19 |
| New Zealand | 4988 | 24.0 | 0.36 | 2.67 | 0.05 | 5402 | 21.9 | 0.33 | 2.26 | 0.05 |
| *New Zealand: Maori | 300 | 19.9 | 1.17 | 2.25 | 0.17 | 319 | 18.0 | 1.02 | 1.86 | 0.14 |
| *New Zealand: Pacific peoples | 115 | 18.5 | 1.78 | 2.07 | 0.24 | 105 | 14.4 | 1.42 | 1.66 | 0.20 |
| *New Zealand: Other | 4385 | 25.4 | 0.42 | 2.84 | 0.06 | 4790 | 23.4 | 0.40 | 2.42 | 0.05 |
| USA, Hawaii | 1146 | 18.7 | 0.59 | 2.20 | 0.08 | 1085 | 14.9 | 0.52 | 1.62 | 0.06 |
| USA, Hawaii: White | 330 | 17.5 | 1.09 | 1.95 | 0.13 | 277 | 14.8 | 1.00 | 1.45 | 0.12 |
| *USA, Hawaii: Japanese | 289 | 21.6 | 1.55 | 2.52 | 0.19 | 319 | 16.2 | 1.26 | 1.86 | 0.16 |
| *USA, Hawaii: Chinese | 59 | 13.9 | 2.15 | 1.54 | 0.27 | 79 | 14.9 | 2.02 | 1.57 | 0.24 |
| *USA, Hawaii: Hawaiian | 179 | 20.3 | 1.53 | 2.48 | 0.22 | 154 | 15.5 | 1.29 | 1.74 | 0.17 |
| *USA, Hawaii: Filipino | 186 | 19.0 | 1.44 | 2.38 | 0.21 | 163 | 13.0 | 1.11 | 1.41 | 0.14 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Rectum (C19–20)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 76 | 5.5 | 0.65 | 0.62 | 0.09 | 74 | 5.3 | 0.64 | 0.55 | 0.08 |
| *Algeria, Tizi Ouzou | 151 | 10.0 | 0.84 | 1.19 | 0.12 | 129 | 7.0 | 0.65 | 0.82 | 0.09 |
| *Benin, Cotonou | 15 | 2.7 | 0.76 | 0.29 | 0.11 | 10 | 1.3 | 0.43 | 0.14 | 0.05 |
| *France, La Réunion | 246 | 11.6 | 0.74 | 1.38 | 0.11 | 170 | 6.5 | 0.52 | 0.74 | 0.07 |
| *Kenya, Eldoret | 29 | 2.7 | 0.53 | 0.33 | 0.08 | 28 | 2.5 | 0.52 | 0.32 | 0.08 |
| *Kenya, Nairobi | 144 | 5.0 | 0.52 | 0.58 | 0.08 | 119 | 4.6 | 0.50 | 0.48 | 0.07 |
| Mauritius | 294 | 6.8 | 0.40 | 0.81 | 0.06 | 181 | 3.9 | 0.30 | 0.49 | 0.04 |
| *Morocco, Casablanca | 432 | 4.0 | 0.20 | 0.52 | 0.03 | 414 | 3.6 | 0.18 | 0.43 | 0.03 |
| *Seychelles | 31 | 11.5 | 2.09 | 1.07 | 0.28 | 28 | 8.5 | 1.66 | 1.00 | 0.24 |
| *South Africa, Eastern Cape | 15 | 1.5 | 0.39 | 0.16 | 0.05 | 22 | 1.4 | 0.31 | 0.16 | 0.04 |
| *Uganda, Kyadondo County | 83 | 4.6 | 0.60 | 0.53 | 0.09 | 72 | 3.9 | 0.53 | 0.51 | 0.08 |
| *Uganda, Gulu | 3 | 0.7 | 0.45 | 0.08 | 0.05 | 2 | 0.5 | 0.36 | 0.06 | 0.05 |
| *Zimbabwe, Bulawayo: African | 38 | 4.9 | 0.83 | 0.59 | 0.13 | 32 | 3.4 | 0.61 | 0.43 | 0.10 |
| *Zimbabwe, Harare: African | 107 | 6.1 | 0.66 | 0.64 | 0.09 | 93 | 4.5 | 0.52 | 0.53 | 0.08 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 200 | 8.8 | 0.63 | 1.08 | 0.09 | 135 | 4.8 | 0.44 | 0.56 | 0.06 |
| *Argentina, Mendoza | 393 | 7.7 | 0.40 | 0.94 | 0.06 | 261 | 4.2 | 0.27 | 0.52 | 0.04 |
| Brazil, Aracaju | 63 | 6.1 | 0.78 | 0.72 | 0.12 | 85 | 5.4 | 0.59 | 0.61 | 0.09 |
| *Brazil, Barretos | 146 | 10.8 | 0.91 | 1.36 | 0.13 | 100 | 6.4 | 0.65 | 0.75 | 0.09 |
| Brazil, Belo Horizonte | 635 | 9.0 | 0.36 | 1.09 | 0.05 | 709 | 7.2 | 0.28 | 0.85 | 0.04 |
| *Brazil, Campinas | 348 | 14.9 | 0.81 | 1.82 | 0.12 | 261 | 8.4 | 0.54 | 0.94 | 0.07 |
| *Brazil, Curitiba | 374 | 9.5 | 0.50 | 1.16 | 0.07 | 366 | 6.7 | 0.36 | 0.76 | 0.05 |
| Brazil, Goiânia | 275 | 10.5 | 0.64 | 1.22 | 0.09 | 208 | 5.9 | 0.41 | 0.66 | 0.06 |
| *Brazil, Jaú | 57 | 13.3 | 1.79 | 1.59 | 0.25 | 38 | 7.4 | 1.23 | 0.88 | 0.17 |
| Brazil, João Pessoa | 48 | 4.5 | 0.66 | 0.47 | 0.09 | 79 | 4.9 | 0.56 | 0.53 | 0.08 |
| Brazil, Recife | 175 | 7.2 | 0.55 | 0.92 | 0.09 | 217 | 5.6 | 0.39 | 0.62 | 0.05 |
| Chile, Region of Antofagasta | 59 | 5.9 | 0.78 | 0.61 | 0.11 | 52 | 4.7 | 0.67 | 0.46 | 0.09 |
| Chile, Valdivia | 134 | 9.6 | 0.85 | 1.13 | 0.13 | 88 | 5.7 | 0.64 | 0.67 | 0.09 |
| Colombia, Bucaramanga | 141 | 4.9 | 0.42 | 0.60 | 0.06 | 149 | 3.9 | 0.32 | 0.46 | 0.05 |
| Colombia, Cali | 380 | 6.4 | 0.33 | 0.74 | 0.05 | 371 | 4.6 | 0.24 | 0.51 | 0.03 |
| Colombia, Manizales | 84 | 6.0 | 0.65 | 0.66 | 0.09 | 89 | 5.0 | 0.54 | 0.54 | 0.07 |
| Colombia, Pasto | 46 | 4.7 | 0.70 | 0.60 | 0.10 | 47 | 3.4 | 0.52 | 0.41 | 0.07 |
| Costa Rica | 619 | 6.2 | 0.25 | 0.75 | 0.04 | 472 | 4.4 | 0.21 | 0.50 | 0.03 |
| Ecuador, Guayaquil | 247 | 4.6 | 0.30 | 0.55 | 0.05 | 243 | 4.0 | 0.26 | 0.45 | 0.04 |
| Ecuador, Manabí | 110 | 3.1 | 0.30 | 0.34 | 0.04 | 93 | 2.6 | 0.27 | 0.28 | 0.04 |
| Ecuador, Quito | 182 | 4.5 | 0.34 | 0.53 | 0.05 | 201 | 4.0 | 0.29 | 0.48 | 0.04 |
| *France, Guadeloupe | 142 | 9.0 | 0.81 | 1.08 | 0.11 | 100 | 4.7 | 0.50 | 0.56 | 0.07 |
| *France, Martinique | 159 | 8.7 | 0.74 | 1.07 | 0.10 | 111 | 5.3 | 0.56 | 0.66 | 0.08 |
| *Peru, Lima | 635 | 4.6 | 0.18 | 0.52 | 0.03 | 640 | 3.8 | 0.15 | 0.43 | 0.02 |
| *Trinidad and Tobago | 158 | 6.4 | 0.51 | 0.80 | 0.08 | 124 | 4.6 | 0.42 | 0.56 | 0.06 |
| USA, Puerto Rico | 1522 | 10.7 | 0.29 | 1.32 | 0.04 | 1121 | 6.6 | 0.22 | 0.76 | 0.03 |
| *Uruguay | 1507 | 11.9 | 0.32 | 1.42 | 0.05 | 1151 | 7.0 | 0.23 | 0.82 | 0.03 |
| North America | | | | | | | | | | |
| Canada, Alberta | 2254 | 14.7 | 0.32 | 1.79 | 0.05 | 1296 | 7.9 | 0.23 | 0.92 | 0.03 |
| Canada, British Columbia | 3323 | 14.5 | 0.26 | 1.77 | 0.04 | 2006 | 8.2 | 0.20 | 0.95 | 0.03 |
| *Canada, Manitoba | 913 | 16.6 | 0.57 | 1.94 | 0.08 | 534 | 9.0 | 0.42 | 1.07 | 0.06 |
| *Canada, New Brunswick | 633 | 16.3 | 0.68 | 2.00 | 0.09 | 318 | 7.5 | 0.47 | 0.85 | 0.06 |
| *Canada, Newfoundland and Labrador | 628 | 22.8 | 0.95 | 2.76 | 0.13 | 333 | 11.2 | 0.66 | 1.32 | 0.09 |
| Canada, Ontario | 7975 | 13.1 | 0.15 | 1.56 | 0.02 | 5190 | 7.6 | 0.12 | 0.86 | 0.01 |
| *Canada, Prince Edward Island | 123 | 16.8 | 1.59 | 2.02 | 0.22 | 77 | 9.8 | 1.24 | 1.22 | 0.17 |
| Canada, Quebec | 6534 | 16.0 | 0.21 | 1.95 | 0.03 | 3984 | 8.7 | 0.15 | 1.02 | 0.02 |
| Canada, Saskatchewan | 810 | 16.6 | 0.61 | 2.09 | 0.09 | 439 | 8.5 | 0.45 | 0.98 | 0.06 |
| *Canada, Yukon | 23 | 15.5 | 3.29 | 1.74 | 0.42 | 7 | 4.6 | 1.78 | 0.66 | 0.30 |
| USA | 121403 | 9.8 | 0.03 | 1.14 | 0.00 | 85195 | 6.1 | 0.02 | 0.69 | 0.00 |
| USA: White | 100522 | 9.7 | 0.03 | 1.12 | 0.00 | 69021 | 6.0 | 0.03 | 0.68 | 0.00 |
| USA: Black | 12931 | 10.0 | 0.09 | 1.18 | 0.01 | 10419 | 6.4 | 0.06 | 0.73 | 0.01 |
| USA, NPCR | 117228 | 9.8 | 0.03 | 1.14 | 0.00 | 82309 | 6.1 | 0.02 | 0.69 | 0.00 |
| USA, NPCR: White | 97261 | 9.7 | 0.03 | 1.12 | 0.00 | 66780 | 6.1 | 0.03 | 0.68 | 0.00 |
| USA, NPCR: Black | 12769 | 10.0 | 0.09 | 1.18 | 0.01 | 10303 | 6.4 | 0.06 | 0.73 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 5302 | 9.3 | 0.13 | 1.10 | 0.02 | 3813 | 5.4 | 0.09 | 0.62 | 0.01 |
| USA, NPCR: American Indian | 827 | 7.2 | 0.25 | 0.87 | 0.04 | 584 | 4.6 | 0.19 | 0.53 | 0.03 |
| *USA, SEER (18 registries) | 32927 | 9.9 | 0.06 | 1.16 | 0.01 | 23739 | 6.4 | 0.04 | 0.72 | 0.01 |
| *USA, SEER (18 registries): White | 25270 | 9.7 | 0.06 | 1.12 | 0.01 | 17921 | 6.3 | 0.05 | 0.70 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 20982 | 9.8 | 0.07 | 1.13 | 0.01 | 14971 | 6.4 | 0.06 | 0.71 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 4288 | 9.6 | 0.15 | 1.15 | 0.02 | 2950 | 5.9 | 0.11 | 0.67 | 0.01 |
| *USA, SEER (18 registries): Black | 3443 | 10.3 | 0.18 | 1.22 | 0.02 | 2816 | 6.8 | 0.13 | 0.78 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 3396 | 10.3 | 0.18 | 1.20 | 0.02 | 2370 | 5.8 | 0.12 | 0.66 | 0.02 |
| *USA, SEER (9 registries) | 11056 | 9.7 | 0.09 | 1.13 | 0.01 | 7863 | 6.2 | 0.07 | 0.69 | 0.01 |
| *USA, SEER (9 registries): White | 8238 | 9.3 | 0.11 | 1.07 | 0.01 | 5738 | 6.0 | 0.09 | 0.66 | 0.01 |
| *USA, SEER (9 registries): Black | 1144 | 10.2 | 0.31 | 1.21 | 0.04 | 935 | 6.6 | 0.22 | 0.74 | 0.03 |
| USA, Alabama | 1897 | 10.0 | 0.24 | 1.17 | 0.03 | 1351 | 6.2 | 0.18 | 0.69 | 0.02 |
| USA, Alabama: White | 1442 | 9.9 | 0.27 | 1.15 | 0.03 | 968 | 5.9 | 0.21 | 0.66 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Rectum (C19–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 415 | 10.4 | 0.52 | 1.21 | 0.07 | 345 | 6.7 | 0.37 | 0.79 | 0.05 |
| USA, Alaska | 289 | 11.0 | 0.65 | 1.30 | 0.09 | 198 | 8.1 | 0.59 | 0.88 | 0.07 |
| *USA, Alaska: Alaska Natives | 66 | 20.3 | 2.52 | 2.35 | 0.34 | 75 | 21.4 | 2.52 | 2.16 | 0.30 |
| USA, Arizona | 2379 | 8.8 | 0.19 | 1.01 | 0.02 | 1495 | 5.1 | 0.14 | 0.57 | 0.02 |
| USA, Arizona: White | 2179 | 8.9 | 0.20 | 1.03 | 0.03 | 1369 | 5.2 | 0.16 | 0.58 | 0.02 |
| USA, Arizona: Black | 67 | 6.8 | 0.83 | 0.73 | 0.10 | 42 | 4.1 | 0.64 | 0.40 | 0.08 |
| *USA, Arizona: Asian and Pacific Islander | 46 | 6.3 | 0.93 | 0.78 | 0.14 | 36 | 3.6 | 0.60 | 0.43 | 0.09 |
| USA, Arizona: American Indian | 82 | 8.9 | 0.99 | 1.04 | 0.13 | 46 | 4.2 | 0.62 | 0.44 | 0.07 |
| USA, Arkansas | 1315 | 11.4 | 0.33 | 1.34 | 0.04 | 868 | 6.5 | 0.24 | 0.75 | 0.03 |
| USA, Arkansas: White | 1127 | 11.3 | 0.35 | 1.33 | 0.04 | 720 | 6.3 | 0.26 | 0.74 | 0.03 |
| USA, Arkansas: Black | 153 | 11.2 | 0.92 | 1.35 | 0.12 | 118 | 6.7 | 0.64 | 0.72 | 0.08 |
| USA, California | 12992 | 9.2 | 0.08 | 1.07 | 0.01 | 9399 | 6.0 | 0.06 | 0.67 | 0.01 |
| USA, California: White | 9862 | 9.1 | 0.09 | 1.05 | 0.01 | 7099 | 6.0 | 0.08 | 0.68 | 0.01 |
| USA, California: Black | 709 | 8.0 | 0.31 | 0.95 | 0.04 | 583 | 5.7 | 0.24 | 0.69 | 0.03 |
| USA, California: Asian and Pacific Islander | 2121 | 9.8 | 0.22 | 1.15 | 0.03 | 1511 | 5.6 | 0.15 | 0.63 | 0.02 |
| *USA, California, Los Angeles County | 3171 | 9.0 | 0.16 | 1.05 | 0.02 | 2439 | 6.0 | 0.13 | 0.69 | 0.02 |
| *USA, California, Los Angeles County: White | 2229 | 8.8 | 0.19 | 1.02 | 0.03 | 1694 | 6.0 | 0.15 | 0.68 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | 1160 | 8.5 | 0.27 | 0.95 | 0.03 | 954 | 6.6 | 0.24 | 0.73 | 0.03 |
| *USA, California, Los Angeles County: Hispanic White | 1069 | 9.4 | 0.29 | 1.13 | 0.04 | 740 | 5.5 | 0.21 | 0.64 | 0.03 |
| *USA, California, Los Angeles County: Black | 250 | 7.9 | 0.51 | 0.92 | 0.07 | 231 | 5.6 | 0.38 | 0.70 | 0.05 |
| *USA, California, Los Angeles County: Chinese | 146 | 6.9 | 0.61 | 0.77 | 0.08 | 107 | 4.1 | 0.43 | 0.44 | 0.05 |
| *USA, California, Los Angeles County: Filipino | 113 | 8.5 | 0.81 | 1.06 | 0.11 | 89 | 4.8 | 0.54 | 0.56 | 0.07 |
| *USA, California, Los Angeles County: Korean | 106 | 11.7 | 1.20 | 1.46 | 0.16 | 70 | 6.1 | 0.77 | 0.77 | 0.10 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 614 | 10.0 | 0.42 | 1.19 | 0.06 | 452 | 5.9 | 0.29 | 0.67 | 0.04 |
| *USA, California, San Francisco Bay Area | 1580 | 8.8 | 0.23 | 1.01 | 0.03 | 1095 | 5.3 | 0.17 | 0.60 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 987 | 8.5 | 0.28 | 0.97 | 0.04 | 643 | 5.1 | 0.22 | 0.57 | 0.03 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 787 | 8.4 | 0.31 | 0.96 | 0.04 | 517 | 5.1 | 0.25 | 0.58 | 0.03 |
| *USA, California, San Francisco Bay Area: Hispanic White | 200 | 8.9 | 0.65 | 1.05 | 0.09 | 126 | 4.8 | 0.45 | 0.52 | 0.06 |
| *USA, California, San Francisco Bay Area: Black | 123 | 8.2 | 0.75 | 1.03 | 0.11 | 95 | 5.3 | 0.57 | 0.59 | 0.07 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 445 | 9.5 | 0.46 | 1.09 | 0.06 | 341 | 5.7 | 0.32 | 0.63 | 0.04 |
| USA, Colorado | 1660 | 8.2 | 0.21 | 0.95 | 0.03 | 1138 | 5.2 | 0.16 | 0.58 | 0.02 |
| USA, Colorado: White | 1516 | 8.1 | 0.21 | 0.94 | 0.03 | 1035 | 5.1 | 0.17 | 0.57 | 0.02 |
| *USA, Colorado: Black | 69 | 8.9 | 1.09 | 0.97 | 0.15 | 49 | 6.7 | 0.96 | 0.82 | 0.13 |
| *USA, Colorado: Asian and Pacific Islander | 44 | 8.6 | 1.31 | 1.01 | 0.18 | 39 | 5.4 | 0.88 | 0.52 | 0.10 |
| USA, Connecticut | 1315 | 8.8 | 0.26 | 1.00 | 0.03 | 996 | 5.9 | 0.20 | 0.65 | 0.02 |
| USA, Connecticut: White | 1121 | 8.5 | 0.27 | 0.96 | 0.03 | 842 | 5.6 | 0.21 | 0.63 | 0.03 |
| USA, Connecticut: Black | 119 | 9.6 | 0.89 | 1.07 | 0.12 | 88 | 5.5 | 0.60 | 0.57 | 0.07 |
| USA, District of Columbia | 176 | 8.6 | 0.66 | 0.99 | 0.09 | 162 | 6.5 | 0.54 | 0.74 | 0.07 |
| USA, District of Columbia: White | 47 | 5.4 | 0.80 | 0.62 | 0.10 | 48 | 5.2 | 0.80 | 0.66 | 0.11 |
| USA, District of Columbia: Black | 115 | 10.7 | 1.03 | 1.21 | 0.13 | 106 | 7.2 | 0.75 | 0.77 | 0.09 |
| USA, Florida | 7949 | 8.9 | 0.11 | 1.05 | 0.01 | 5441 | 5.5 | 0.08 | 0.62 | 0.01 |
| USA, Florida: White | 6814 | 9.0 | 0.12 | 1.05 | 0.01 | 4617 | 5.6 | 0.09 | 0.63 | 0.01 |
| USA, Florida: Black | 841 | 8.3 | 0.29 | 0.99 | 0.04 | 623 | 4.9 | 0.20 | 0.54 | 0.03 |
| USA, Florida: Asian and Pacific Islander | 154 | 7.5 | 0.61 | 0.90 | 0.08 | 102 | 3.9 | 0.39 | 0.42 | 0.05 |
| USA, Georgia | 3946 | 11.0 | 0.18 | 1.30 | 0.02 | 2863 | 7.0 | 0.14 | 0.78 | 0.02 |
| USA, Georgia: White | 2762 | 10.9 | 0.21 | 1.28 | 0.03 | 1880 | 6.8 | 0.17 | 0.75 | 0.02 |
| USA, Georgia: Black | 1033 | 11.4 | 0.36 | 1.36 | 0.05 | 886 | 7.4 | 0.25 | 0.84 | 0.03 |
| USA, Georgia: Asian and Pacific Islander | 134 | 11.5 | 1.00 | 1.34 | 0.13 | 84 | 6.0 | 0.66 | 0.66 | 0.08 |
| *USA, Georgia, Atlanta | 1222 | 10.6 | 0.31 | 1.24 | 0.04 | 889 | 6.5 | 0.22 | 0.71 | 0.03 |
| *USA, Georgia, Atlanta: White | 697 | 10.4 | 0.40 | 1.20 | 0.05 | 450 | 6.1 | 0.30 | 0.65 | 0.04 |
| *USA, Georgia, Atlanta: Black | 416 | 10.7 | 0.53 | 1.27 | 0.07 | 380 | 7.1 | 0.37 | 0.80 | 0.05 |
| USA, Idaho | 598 | 9.2 | 0.39 | 1.09 | 0.05 | 393 | 6.0 | 0.32 | 0.67 | 0.04 |
| USA, Indiana | 2759 | 10.7 | 0.21 | 1.26 | 0.03 | 1982 | 6.9 | 0.17 | 0.76 | 0.02 |
| USA, Indiana: White | 2539 | 10.8 | 0.22 | 1.26 | 0.03 | 1799 | 6.9 | 0.18 | 0.77 | 0.02 |
| USA, Indiana: Black | 173 | 9.7 | 0.75 | 1.13 | 0.11 | 145 | 6.3 | 0.54 | 0.69 | 0.07 |
| *USA, Iowa | 1340 | 10.6 | 0.30 | 1.27 | 0.04 | 857 | 6.3 | 0.24 | 0.68 | 0.03 |
| USA, Kentucky | 2216 | 12.7 | 0.28 | 1.47 | 0.04 | 1456 | 7.5 | 0.21 | 0.85 | 0.03 |
| USA, Louisiana | 2126 | 12.4 | 0.28 | 1.45 | 0.04 | 1461 | 7.8 | 0.21 | 0.89 | 0.03 |
| USA, Louisiana: White | 1440 | 11.7 | 0.32 | 1.36 | 0.04 | 941 | 7.3 | 0.26 | 0.84 | 0.03 |
| USA, Louisiana: Black | 646 | 14.3 | 0.57 | 1.69 | 0.08 | 495 | 8.9 | 0.41 | 1.02 | 0.05 |
| *USA, Louisiana, New Orleans | 395 | 12.2 | 0.63 | 1.41 | 0.08 | 251 | 6.8 | 0.45 | 0.77 | 0.06 |
| *USA, Louisiana, New Orleans: White | 217 | 10.9 | 0.77 | 1.22 | 0.10 | 108 | 5.3 | 0.56 | 0.60 | 0.07 |
| *USA, Louisiana, New Orleans: Black | 161 | 14.1 | 1.13 | 1.70 | 0.15 | 129 | 8.7 | 0.79 | 0.99 | 0.10 |
| USA, Maine | 594 | 9.5 | 0.41 | 1.08 | 0.05 | 400 | 5.7 | 0.31 | 0.66 | 0.04 |
| USA, Maryland | 1932 | 8.6 | 0.20 | 1.01 | 0.03 | 1490 | 5.6 | 0.16 | 0.63 | 0.02 |
| USA, Maryland: White | 1339 | 8.8 | 0.25 | 1.02 | 0.03 | 949 | 5.6 | 0.20 | 0.62 | 0.02 |
| USA, Maryland: Black | 488 | 8.5 | 0.39 | 1.03 | 0.06 | 439 | 5.7 | 0.28 | 0.66 | 0.04 |
| USA, Maryland: Asian and Pacific Islander | 96 | 7.4 | 0.76 | 0.86 | 0.10 | 92 | 5.8 | 0.62 | 0.67 | 0.08 |
| USA, Massachusetts | 2371 | 8.8 | 0.19 | 0.99 | 0.02 | 1857 | 5.9 | 0.15 | 0.65 | 0.02 |
| USA, Massachusetts: White | 2082 | 8.8 | 0.20 | 0.98 | 0.03 | 1626 | 5.9 | 0.16 | 0.65 | 0.02 |
| USA, Massachusetts: Black | 140 | 8.4 | 0.71 | 0.94 | 0.10 | 124 | 6.0 | 0.55 | 0.66 | 0.07 |
| USA, Massachusetts: Asian and Pacific Islander | 108 | 8.6 | 0.84 | 0.98 | 0.11 | 78 | 5.4 | 0.62 | 0.63 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Rectum (C19–20) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 3759 | 9.2 | 0.16 | 1.05 | 0.02 | 2744 | 6.1 | 0.13 | 0.68 | 0.02 |
| USA, Michigan: White | 3151 | 9.0 | 0.17 | 1.02 | 0.02 | 2295 | 6.1 | 0.14 | 0.67 | 0.02 |
| USA, Michigan: Black | 486 | 11.0 | 0.50 | 1.31 | 0.07 | 368 | 6.5 | 0.35 | 0.76 | 0.04 |
| USA, Michigan: Asian and Pacific Islander | 64 | 7.5 | 0.95 | 0.82 | 0.12 | 46 | 4.6 | 0.68 | 0.50 | 0.09 |
| *USA, Michigan, Detroit | 1535 | 10.1 | 0.27 | 1.16 | 0.03 | 1224 | 6.9 | 0.21 | 0.76 | 0.03 |
| *USA, Michigan, Detroit: White | 1130 | 9.8 | 0.30 | 1.11 | 0.04 | 894 | 7.0 | 0.26 | 0.75 | 0.03 |
| *USA, Michigan, Detroit: Black | 357 | 11.7 | 0.63 | 1.40 | 0.08 | 292 | 7.0 | 0.43 | 0.80 | 0.05 |
| USA, Minnesota | 2042 | 9.4 | 0.22 | 1.11 | 0.03 | 1324 | 5.7 | 0.17 | 0.63 | 0.02 |
| USA, Minnesota: White | 1866 | 9.3 | 0.22 | 1.09 | 0.03 | 1201 | 5.5 | 0.17 | 0.61 | 0.02 |
| USA, Minnesota: Black | 73 | 9.7 | 1.18 | 1.05 | 0.16 | 54 | 6.9 | 0.95 | 0.75 | 0.13 |
| *USA, Minnesota: Asian and Pacific Islander | 61 | 10.5 | 1.37 | 1.18 | 0.18 | 47 | 6.9 | 1.03 | 0.76 | 0.15 |
| USA, Mississippi | 1276 | 11.6 | 0.33 | 1.41 | 0.04 | 903 | 7.0 | 0.25 | 0.79 | 0.03 |
| USA, Missouri | 2449 | 10.1 | 0.21 | 1.17 | 0.03 | 1630 | 6.0 | 0.16 | 0.67 | 0.02 |
| USA, Missouri: White | 2211 | 10.2 | 0.23 | 1.19 | 0.03 | 1392 | 5.8 | 0.17 | 0.65 | 0.02 |
| USA, Missouri: Black | 211 | 10.1 | 0.70 | 1.21 | 0.10 | 204 | 7.6 | 0.54 | 0.91 | 0.07 |
| USA, Montana | 465 | 10.3 | 0.51 | 1.20 | 0.06 | 270 | 5.8 | 0.38 | 0.68 | 0.05 |
| *USA, Montana: American Indian | 31 | 17.1 | 3.11 | 1.72 | 0.39 | 21 | 10.0 | 2.23 | 1.26 | 0.32 |
| USA, Nebraska | 767 | 10.5 | 0.40 | 1.24 | 0.05 | 549 | 6.9 | 0.32 | 0.78 | 0.04 |
| USA, Nebraska: White | 729 | 10.6 | 0.41 | 1.26 | 0.05 | 513 | 6.8 | 0.33 | 0.77 | 0.04 |
| *USA, Nebraska: Black | 26 | 10.3 | 2.05 | 1.21 | 0.29 | 24 | 9.2 | 1.90 | 1.18 | 0.28 |
| USA, Nevada | 1058 | 9.2 | 0.29 | 1.08 | 0.04 | 694 | 5.9 | 0.23 | 0.68 | 0.03 |
| USA, Nevada: White | 872 | 9.1 | 0.32 | 1.07 | 0.04 | 591 | 6.3 | 0.27 | 0.73 | 0.03 |
| USA, Nevada: Black | 57 | 6.6 | 0.89 | 0.77 | 0.12 | 41 | 4.2 | 0.67 | 0.43 | 0.08 |
| *USA, Nevada: Asian and Pacific Islander | 111 | 11.7 | 1.13 | 1.42 | 0.15 | 50 | 3.8 | 0.55 | 0.45 | 0.07 |
| USA, New Jersey | 3655 | 10.2 | 0.17 | 1.19 | 0.02 | 2820 | 6.6 | 0.13 | 0.75 | 0.02 |
| USA, New Jersey: White | 2947 | 10.2 | 0.20 | 1.19 | 0.03 | 2249 | 6.7 | 0.16 | 0.75 | 0.02 |
| USA, New Jersey: Black | 389 | 9.5 | 0.49 | 1.13 | 0.07 | 350 | 6.3 | 0.35 | 0.74 | 0.05 |
| USA, New Mexico | 763 | 9.2 | 0.35 | 1.05 | 0.04 | 527 | 5.8 | 0.27 | 0.67 | 0.03 |
| USA, New Mexico: White | 669 | 9.0 | 0.37 | 1.03 | 0.05 | 460 | 5.7 | 0.29 | 0.66 | 0.04 |
| USA, New Mexico: Non-Hispanic White | 356 | 8.0 | 0.48 | 0.92 | 0.06 | 260 | 5.6 | 0.41 | 0.65 | 0.05 |
| USA, New Mexico: Hispanic White | 313 | 10.6 | 0.61 | 1.22 | 0.08 | 200 | 6.0 | 0.44 | 0.70 | 0.06 |
| *USA, New Mexico: American Indian | 74 | 12.1 | 1.41 | 1.47 | 0.20 | 49 | 6.6 | 0.96 | 0.78 | 0.13 |
| USA, New York State | 7520 | 9.8 | 0.12 | 1.13 | 0.02 | 5668 | 6.3 | 0.09 | 0.70 | 0.01 |
| USA, New York State: White | 5762 | 9.7 | 0.13 | 1.12 | 0.02 | 4265 | 6.2 | 0.11 | 0.69 | 0.01 |
| USA, New York State: Black | 1081 | 9.8 | 0.30 | 1.12 | 0.04 | 937 | 6.3 | 0.22 | 0.72 | 0.03 |
| USA, New York State: Asian and Pacific Islander | 636 | 10.8 | 0.43 | 1.26 | 0.06 | 418 | 6.2 | 0.31 | 0.71 | 0.04 |
| USA, North Carolina | 3581 | 9.5 | 0.16 | 1.10 | 0.02 | 2600 | 6.0 | 0.12 | 0.66 | 0.01 |
| USA, North Carolina: White | 2762 | 9.3 | 0.18 | 1.07 | 0.02 | 1956 | 6.0 | 0.15 | 0.65 | 0.02 |
| USA, North Carolina: Black | 680 | 9.8 | 0.38 | 1.16 | 0.05 | 540 | 5.9 | 0.26 | 0.65 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 62 | 8.5 | 1.10 | 1.04 | 0.16 | 48 | 5.4 | 0.78 | 0.59 | 0.10 |
| *USA, North Carolina: American Indian | 43 | 9.1 | 1.39 | 1.23 | 0.21 | 26 | 4.8 | 0.94 | 0.56 | 0.13 |
| USA, North Dakota | 319 | 11.3 | 0.66 | 1.30 | 0.08 | 221 | 7.4 | 0.55 | 0.84 | 0.07 |
| USA, Ohio | 4798 | 10.1 | 0.15 | 1.17 | 0.02 | 3389 | 6.4 | 0.12 | 0.72 | 0.01 |
| USA, Ohio: White | 4231 | 10.1 | 0.16 | 1.17 | 0.02 | 2946 | 6.3 | 0.13 | 0.71 | 0.02 |
| USA, Ohio: Black | 429 | 9.3 | 0.45 | 1.07 | 0.06 | 357 | 6.3 | 0.35 | 0.72 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | 54 | 7.7 | 1.06 | 0.96 | 0.15 | 27 | 3.2 | 0.61 | 0.37 | 0.08 |
| USA, Oklahoma | 1566 | 10.6 | 0.28 | 1.27 | 0.04 | 1078 | 6.6 | 0.22 | 0.78 | 0.03 |
| USA, Oklahoma: White | 1311 | 10.4 | 0.30 | 1.24 | 0.04 | 898 | 6.6 | 0.24 | 0.78 | 0.03 |
| USA, Oklahoma: Black | 95 | 10.4 | 1.08 | 1.24 | 0.15 | 67 | 6.5 | 0.81 | 0.69 | 0.09 |
| USA, Oklahoma: American Indian | 133 | 12.4 | 1.08 | 1.53 | 0.15 | 86 | 6.7 | 0.73 | 0.80 | 0.10 |
| USA, Oregon | 1584 | 9.6 | 0.25 | 1.11 | 0.03 | 1012 | 5.6 | 0.19 | 0.63 | 0.02 |
| USA, Oregon: White | 1463 | 9.4 | 0.26 | 1.09 | 0.03 | 924 | 5.5 | 0.20 | 0.62 | 0.02 |
| *USA, Oregon: Black | 19 | 6.6 | 1.52 | 0.69 | 0.18 | 14 | 5.4 | 1.46 | 0.54 | 0.16 |
| *USA, Oregon: Asian and Pacific Islander | 67 | 11.9 | 1.47 | 1.40 | 0.20 | 48 | 6.3 | 0.93 | 0.68 | 0.12 |
| USA, Rhode Island | 369 | 8.4 | 0.46 | 0.94 | 0.06 | 310 | 6.3 | 0.40 | 0.69 | 0.05 |
| USA, Rhode Island: White | 348 | 8.7 | 0.49 | 0.97 | 0.06 | 280 | 6.3 | 0.42 | 0.69 | 0.05 |
| *USA, Rhode Island: Black | 13 | 5.2 | 1.46 | 0.53 | 0.16 | 16 | 5.6 | 1.43 | 0.55 | 0.17 |
| USA, South Carolina | 1830 | 9.5 | 0.23 | 1.09 | 0.03 | 1218 | 5.6 | 0.17 | 0.63 | 0.02 |
| USA, South Carolina: White | 1325 | 9.1 | 0.26 | 1.05 | 0.03 | 880 | 5.5 | 0.20 | 0.63 | 0.02 |
| USA, South Carolina: Black | 477 | 11.0 | 0.51 | 1.28 | 0.07 | 316 | 5.7 | 0.33 | 0.65 | 0.04 |
| USA, South Dakota | 349 | 10.0 | 0.57 | 1.15 | 0.07 | 239 | 6.5 | 0.47 | 0.74 | 0.06 |
| USA, Tennessee | 2560 | 9.9 | 0.20 | 1.16 | 0.03 | 1803 | 6.2 | 0.16 | 0.69 | 0.02 |
| USA, Tennessee: White | 2198 | 10.0 | 0.22 | 1.17 | 0.03 | 1483 | 6.1 | 0.17 | 0.68 | 0.02 |
| USA, Tennessee: Black | 333 | 10.3 | 0.57 | 1.15 | 0.08 | 292 | 6.9 | 0.41 | 0.77 | 0.05 |
| USA, Texas | 9346 | 10.2 | 0.11 | 1.21 | 0.01 | 5902 | 5.8 | 0.08 | 0.66 | 0.01 |
| USA, Texas: White | 7952 | 10.3 | 0.12 | 1.21 | 0.02 | 4885 | 5.8 | 0.09 | 0.66 | 0.01 |
| USA, Texas: Black | 1052 | 11.1 | 0.35 | 1.38 | 0.05 | 754 | 6.4 | 0.24 | 0.75 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 291 | 7.4 | 0.44 | 0.89 | 0.06 | 226 | 4.9 | 0.33 | 0.54 | 0.04 |
| USA, Utah | 660 | 7.6 | 0.30 | 0.86 | 0.04 | 468 | 5.2 | 0.25 | 0.59 | 0.03 |
| USA, Vermont | 260 | 9.3 | 0.60 | 1.06 | 0.08 | 174 | 6.2 | 0.51 | 0.71 | 0.06 |
| USA, Washington State | 2661 | 9.6 | 0.19 | 1.11 | 0.02 | 1884 | 6.3 | 0.15 | 0.70 | 0.02 |
| *USA, Washington, Seattle | 1884 | 10.0 | 0.24 | 1.16 | 0.03 | 1301 | 6.4 | 0.19 | 0.71 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Rectum (C19–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 964 | 11.7 | 0.40 | 1.33 | 0.05 | 676 | 7.4 | 0.32 | 0.81 | 0.04 |
| USA, Wyoming | 216 | 8.9 | 0.63 | 1.02 | 0.08 | 124 | 5.0 | 0.49 | 0.53 | 0.06 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 93 | 7.6 | 0.81 | 0.92 | 0.13 | 67 | 5.4 | 0.68 | 0.71 | 0.11 |
| Brunei Darussalam | 125 | 13.7 | 1.27 | 1.52 | 0.18 | 87 | 9.1 | 1.01 | 1.06 | 0.15 |
| *China, Anfu County | 114 | 10.8 | 1.03 | 1.19 | 0.14 | 77 | 7.1 | 0.83 | 0.89 | 0.12 |
| *China, Anguo City | 144 | 11.1 | 0.94 | 1.26 | 0.13 | 107 | 7.8 | 0.77 | 0.94 | 0.11 |
| *China, Anshan City | 1399 | 18.2 | 0.51 | 2.22 | 0.08 | 844 | 9.7 | 0.36 | 1.16 | 0.05 |
| *China, Aohan Banner, Chifeng City | 145 | 8.1 | 0.71 | 0.95 | 0.10 | 82 | 4.5 | 0.51 | 0.58 | 0.08 |
| *China, Arongqi | 120 | 13.0 | 1.21 | 1.59 | 0.18 | 82 | 9.6 | 1.09 | 1.31 | 0.18 |
| *China, Baoding City | 406 | 11.3 | 0.57 | 1.35 | 0.08 | 229 | 5.8 | 0.39 | 0.64 | 0.05 |
| *China, Beijing City | 4965 | 11.4 | 0.17 | 1.41 | 0.03 | 3192 | 6.8 | 0.13 | 0.80 | 0.02 |
| *China, Binhai County | 296 | 6.3 | 0.38 | 0.74 | 0.05 | 225 | 4.6 | 0.32 | 0.52 | 0.04 |
| *China, Cangzhou City | 148 | 9.1 | 0.77 | 1.03 | 0.10 | 88 | 5.1 | 0.55 | 0.59 | 0.08 |
| China, Changfeng County | 176 | 10.0 | 0.80 | 1.16 | 0.11 | 120 | 7.0 | 0.67 | 0.93 | 0.10 |
| China, Changzhou City | 1292 | 13.0 | 0.37 | 1.59 | 0.05 | 841 | 7.4 | 0.27 | 0.84 | 0.04 |
| China, Chengdu City | 670 | 17.3 | 0.68 | 1.92 | 0.10 | 425 | 10.3 | 0.51 | 1.12 | 0.07 |
| China, Cixian County | 112 | 6.8 | 0.67 | 0.88 | 0.10 | 93 | 4.9 | 0.52 | 0.56 | 0.07 |
| China, Cixi City | 546 | 10.5 | 0.47 | 1.24 | 0.07 | 391 | 7.1 | 0.37 | 0.85 | 0.05 |
| *China, Dafeng District, Yancheng City | 380 | 10.5 | 0.55 | 1.25 | 0.08 | 237 | 6.3 | 0.44 | 0.70 | 0.06 |
| China, Dalian City | 1719 | 15.2 | 0.38 | 1.84 | 0.06 | 1074 | 8.5 | 0.28 | 0.97 | 0.04 |
| *China, Dancheng County | 253 | 7.6 | 0.50 | 0.97 | 0.08 | 262 | 7.7 | 0.49 | 0.94 | 0.08 |
| China, Dangtu County | 144 | 11.8 | 1.02 | 1.38 | 0.13 | 66 | 5.7 | 0.75 | 0.69 | 0.10 |
| *China, Danyang City | 396 | 11.0 | 0.57 | 1.26 | 0.08 | 269 | 6.7 | 0.42 | 0.77 | 0.06 |
| *China, Dawukou District, Shizuishan City | 93 | 8.7 | 0.94 | 1.11 | 0.15 | 62 | 5.9 | 0.77 | 0.70 | 0.11 |
| *China, Dehui City | 214 | 7.1 | 0.49 | 0.88 | 0.07 | 132 | 4.4 | 0.39 | 0.56 | 0.06 |
| *China, Donggang County | 305 | 10.5 | 0.61 | 1.31 | 0.09 | 223 | 7.6 | 0.52 | 0.93 | 0.08 |
| *China, Dongguan City | 467 | 11.5 | 0.54 | 1.40 | 0.08 | 355 | 7.3 | 0.40 | 0.80 | 0.05 |
| China, Donghai County | 302 | 7.1 | 0.42 | 0.91 | 0.06 | 183 | 4.5 | 0.34 | 0.57 | 0.06 |
| *China, Dongtai City | 293 | 5.6 | 0.35 | 0.63 | 0.05 | 239 | 4.5 | 0.33 | 0.50 | 0.04 |
| China, Duanzhou District, Zhaoqing City | 157 | 12.8 | 1.05 | 1.73 | 0.16 | 98 | 7.7 | 0.80 | 0.93 | 0.12 |
| *China, Evenki Autonomous Banner | 39 | 16.3 | 2.82 | 2.15 | 0.43 | 24 | 7.4 | 1.54 | 0.88 | 0.20 |
| *China, Faku County | 206 | 10.0 | 0.71 | 1.35 | 0.11 | 125 | 5.9 | 0.54 | 0.75 | 0.09 |
| *China, Fangcheng County | 156 | 6.7 | 0.54 | 0.88 | 0.08 | 132 | 6.2 | 0.55 | 0.74 | 0.08 |
| *China, Feicheng City | 418 | 10.4 | 0.51 | 1.28 | 0.08 | 276 | 6.2 | 0.39 | 0.70 | 0.05 |
| China, Feixi County | 475 | 11.0 | 0.52 | 1.32 | 0.08 | 288 | 6.6 | 0.41 | 0.76 | 0.06 |
| China, Fuqing City | 264 | 9.4 | 0.59 | 1.18 | 0.09 | 178 | 6.3 | 0.49 | 0.78 | 0.08 |
| *China, Ganyu District, Lianyungang City | 396 | 8.6 | 0.44 | 1.05 | 0.07 | 267 | 5.8 | 0.37 | 0.67 | 0.05 |
| *China, Ganzhou District, Zhangye City | 107 | 11.4 | 1.13 | 1.52 | 0.17 | 83 | 10.5 | 1.28 | 1.36 | 0.17 |
| *China, Gaocheng City | 126 | 5.5 | 0.49 | 0.72 | 0.08 | 84 | 3.4 | 0.38 | 0.44 | 0.05 |
| China, Gaomi City | 363 | 11.6 | 0.62 | 1.40 | 0.09 | 206 | 6.2 | 0.45 | 0.72 | 0.06 |
| China, Gong'an County | 294 | 8.5 | 0.51 | 1.11 | 0.08 | 223 | 6.2 | 0.43 | 0.71 | 0.06 |
| *China, Guang'an District, Guang'an City | 254 | 13.0 | 0.83 | 1.51 | 0.12 | 158 | 7.8 | 0.65 | 0.85 | 0.09 |
| China, Guanghan City | 218 | 12.5 | 0.88 | 1.50 | 0.13 | 127 | 6.9 | 0.64 | 0.80 | 0.09 |
| China, Guangzhou City | 3862 | 11.9 | 0.20 | 1.44 | 0.03 | 2375 | 6.6 | 0.14 | 0.78 | 0.02 |
| *China, Guanyun County | 201 | 5.4 | 0.38 | 0.61 | 0.05 | 167 | 4.7 | 0.37 | 0.55 | 0.05 |
| China, Guilin City | 415 | 18.6 | 0.94 | 2.18 | 0.14 | 246 | 10.0 | 0.65 | 1.10 | 0.09 |
| *China, Hai'an City | 557 | 9.9 | 0.44 | 1.18 | 0.06 | 373 | 6.5 | 0.36 | 0.76 | 0.05 |
| China, Hailar District, Hulun Buir City | 152 | 13.6 | 1.16 | 1.68 | 0.17 | 104 | 8.0 | 0.82 | 0.90 | 0.12 |
| China, Haimen District, Nantong City | 568 | 10.8 | 0.47 | 1.30 | 0.07 | 397 | 7.1 | 0.38 | 0.86 | 0.06 |
| China, Haining City | 300 | 8.7 | 0.52 | 1.02 | 0.07 | 205 | 5.4 | 0.40 | 0.61 | 0.06 |
| China, Hangzhou City | 4177 | 12.6 | 0.20 | 1.55 | 0.03 | 2499 | 7.4 | 0.15 | 0.86 | 0.02 |
| China, Hebi City | 83 | 6.4 | 0.72 | 0.77 | 0.11 | 65 | 5.0 | 0.63 | 0.64 | 0.10 |
| China, Hefei City | 1048 | 12.5 | 0.40 | 1.54 | 0.06 | 662 | 7.6 | 0.31 | 0.89 | 0.04 |
| China, Hengdong County | 137 | 8.5 | 0.74 | 1.00 | 0.10 | 68 | 4.2 | 0.52 | 0.54 | 0.08 |
| *China, Hengfeng County | 69 | 11.0 | 1.34 | 1.31 | 0.18 | 60 | 10.5 | 1.39 | 1.13 | 0.17 |
| *China, Hepu County | 356 | 11.4 | 0.62 | 1.37 | 0.09 | 187 | 6.2 | 0.49 | 0.76 | 0.07 |
| China, Honghu City | 248 | 8.3 | 0.54 | 0.98 | 0.08 | 182 | 5.9 | 0.45 | 0.72 | 0.06 |
| China, Hongshan District, Chifeng City | 194 | 15.4 | 1.18 | 1.93 | 0.17 | 133 | 9.0 | 0.81 | 0.99 | 0.11 |
| *China, Hongta District, Yuxi City | 226 | 13.2 | 0.91 | 1.54 | 0.13 | 162 | 9.6 | 0.77 | 1.16 | 0.11 |
| *China, Huaiyin District, Huai'an City | 253 | 6.7 | 0.43 | 0.82 | 0.06 | 178 | 4.9 | 0.38 | 0.61 | 0.06 |
| *China, Jiange County | 153 | 8.9 | 0.73 | 1.06 | 0.11 | 101 | 5.7 | 0.58 | 0.68 | 0.09 |
| China, Jiangmen City | 320 | 13.0 | 0.74 | 1.59 | 0.11 | 206 | 7.5 | 0.53 | 0.85 | 0.07 |
| *China, Jiangyin City | 766 | 13.2 | 0.49 | 1.57 | 0.07 | 455 | 7.4 | 0.36 | 0.86 | 0.05 |
| *China, Jiashan County | 275 | 13.3 | 0.83 | 1.64 | 0.12 | 202 | 9.2 | 0.68 | 1.08 | 0.10 |
| China, Jiayu County | 63 | 8.1 | 1.03 | 1.00 | 0.15 | 56 | 7.1 | 0.96 | 0.93 | 0.15 |
| *China, Jinan City | 1227 | 13.0 | 0.38 | 1.58 | 0.06 | 707 | 6.5 | 0.25 | 0.78 | 0.04 |
| *China, Jingtai County | 97 | 13.9 | 1.44 | 1.52 | 0.19 | 73 | 10.2 | 1.20 | 1.25 | 0.18 |
| *China, Jingxian County | 140 | 10.5 | 0.94 | 1.24 | 0.12 | 84 | 7.1 | 0.84 | 0.81 | 0.11 |
| *China, Jintan District, Changzhou City | 281 | 11.6 | 0.71 | 1.40 | 0.10 | 171 | 6.9 | 0.55 | 0.85 | 0.08 |
| *China, Jiulongpo District, Chongqing City | 509 | 15.0 | 0.68 | 1.80 | 0.10 | 293 | 8.2 | 0.50 | 1.01 | 0.07 |
| *China, Jiyuan City | 159 | 9.5 | 0.78 | 0.99 | 0.09 | 138 | 7.7 | 0.66 | 0.90 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Rectum (C19–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 148 | 11.5 | 0.98 | 1.37 | 0.14 | 74 | 5.7 | 0.71 | 0.64 | 0.10 |
| China, Kunshan City | 346 | 10.2 | 0.56 | 1.19 | 0.08 | 282 | 7.6 | 0.47 | 0.87 | 0.07 |
| China, Langzhong City | 254 | 13.1 | 0.84 | 1.60 | 0.12 | 168 | 8.9 | 0.70 | 1.03 | 0.10 |
| *China, Liangshan County | 309 | 9.8 | 0.57 | 1.16 | 0.08 | 214 | 6.6 | 0.48 | 0.80 | 0.07 |
| *China, Lianshui County | 297 | 6.6 | 0.39 | 0.82 | 0.06 | 177 | 3.9 | 0.31 | 0.42 | 0.04 |
| China, Lianyungang City | 353 | 9.0 | 0.49 | 1.10 | 0.07 | 197 | 4.7 | 0.34 | 0.54 | 0.05 |
| China, Linhe District, Bayannur City | 233 | 18.2 | 1.23 | 2.47 | 0.19 | 157 | 11.9 | 0.98 | 1.61 | 0.15 |
| China, Linqu County | 339 | 9.3 | 0.51 | 1.07 | 0.07 | 229 | 5.9 | 0.40 | 0.62 | 0.05 |
| *China, Linzhou City | 280 | 7.8 | 0.48 | 1.00 | 0.07 | 253 | 6.3 | 0.40 | 0.74 | 0.06 |
| China, Liuzhou City | 511 | 13.3 | 0.60 | 1.52 | 0.08 | 308 | 7.8 | 0.45 | 0.92 | 0.07 |
| China, Liyang City | 419 | 10.5 | 0.53 | 1.29 | 0.07 | 273 | 6.4 | 0.42 | 0.72 | 0.05 |
| *China, Longquan City | 167 | 16.4 | 1.35 | 2.00 | 0.20 | 107 | 10.6 | 1.08 | 1.08 | 0.15 |
| China, Lucheng District, Wenzhou City | 335 | 16.5 | 0.92 | 2.07 | 0.14 | 179 | 8.2 | 0.64 | 1.00 | 0.09 |
| China, Luoding City | 199 | 8.5 | 0.61 | 1.08 | 0.09 | 124 | 5.5 | 0.52 | 0.66 | 0.07 |
| *China, Luohe City | 340 | 8.8 | 0.49 | 1.07 | 0.07 | 246 | 5.7 | 0.38 | 0.72 | 0.06 |
| *China, Luoyang City | 412 | 9.4 | 0.48 | 1.01 | 0.06 | 293 | 6.4 | 0.38 | 0.72 | 0.05 |
| *China, Luquan City | 48 | 4.0 | 0.58 | 0.58 | 0.10 | 51 | 3.9 | 0.56 | 0.63 | 0.11 |
| China, Ma'anshan City | 312 | 14.4 | 0.84 | 1.62 | 0.11 | 202 | 8.5 | 0.62 | 0.92 | 0.08 |
| *China, Macheng City | 214 | 9.0 | 0.62 | 1.09 | 0.09 | 147 | 6.1 | 0.51 | 0.75 | 0.07 |
| China, Meihekou City | 213 | 9.0 | 0.64 | 1.09 | 0.09 | 163 | 7.3 | 0.59 | 1.02 | 0.10 |
| *China, Mengjin County | 94 | 8.5 | 0.89 | 0.94 | 0.11 | 80 | 6.4 | 0.73 | 0.89 | 0.12 |
| China, Nangang District, Harbin City | 529 | 12.7 | 0.57 | 1.50 | 0.08 | 306 | 6.5 | 0.38 | 0.84 | 0.06 |
| *China, Nanghai District, Foshan City | 388 | 13.7 | 0.70 | 1.66 | 0.10 | 232 | 6.8 | 0.46 | 0.79 | 0.06 |
| China, Nanhu District, Jiaying City | 323 | 12.5 | 0.73 | 1.50 | 0.10 | 202 | 7.6 | 0.55 | 0.92 | 0.08 |
| *China, Nantong City | 596 | 10.1 | 0.43 | 1.18 | 0.06 | 411 | 6.0 | 0.32 | 0.69 | 0.05 |
| *China, Nanxiong City | 139 | 9.9 | 0.85 | 1.13 | 0.12 | 103 | 6.2 | 0.63 | 0.68 | 0.08 |
| China, Neixiang County | 173 | 7.3 | 0.57 | 0.80 | 0.07 | 153 | 6.2 | 0.52 | 0.75 | 0.07 |
| *China, Qianxi County | 127 | 9.3 | 0.86 | 1.08 | 0.12 | 75 | 5.8 | 0.70 | 0.76 | 0.11 |
| China, Qidong City | 862 | 13.0 | 0.47 | 1.46 | 0.06 | 693 | 8.7 | 0.36 | 1.01 | 0.05 |
| China, Qingzhou City | 399 | 11.7 | 0.59 | 1.44 | 0.09 | 256 | 7.2 | 0.47 | 0.87 | 0.07 |
| *China, Rudong County | 595 | 9.2 | 0.41 | 1.12 | 0.06 | 442 | 6.3 | 0.33 | 0.71 | 0.04 |
| *China, Rugao City | 640 | 8.5 | 0.35 | 1.01 | 0.05 | 474 | 5.8 | 0.29 | 0.67 | 0.04 |
| *China, Rural areas of Shanghai City | 6068 | 12.8 | 0.17 | 1.54 | 0.02 | 3745 | 7.3 | 0.13 | 0.84 | 0.02 |
| China, Ruyang County | 87 | 7.0 | 0.77 | 0.80 | 0.11 | 68 | 5.4 | 0.68 | 0.64 | 0.10 |
| *China, Shan County | 252 | 10.2 | 0.66 | 1.17 | 0.09 | 159 | 5.4 | 0.66 | 0.63 | 0.07 |
| China, Shanghai City | 5099 | 13.1 | 0.20 | 1.55 | 0.03 | 3250 | 7.7 | 0.16 | 0.89 | 0.02 |
| China, Shangyu District, Shaoxing City | 484 | 13.6 | 0.64 | 1.63 | 0.09 | 303 | 8.3 | 0.50 | 0.94 | 0.07 |
| *China, Shapingba District, Chongqing City | 498 | 14.8 | 0.69 | 1.86 | 0.10 | 305 | 8.6 | 0.52 | 1.01 | 0.07 |
| China, Shexian County | 165 | 12.2 | 0.97 | 1.53 | 0.14 | 140 | 10.2 | 0.87 | 1.19 | 0.12 |
| China, Sheyang County | 383 | 8.6 | 0.45 | 0.99 | 0.06 | 352 | 7.8 | 0.43 | 0.85 | 0.06 |
| *China, Shijiazhuang City | 490 | 9.1 | 0.42 | 1.07 | 0.06 | 316 | 5.6 | 0.33 | 0.68 | 0.05 |
| China, Shunde District, Foshan City | 461 | 13.2 | 0.62 | 1.57 | 0.09 | 352 | 7.9 | 0.43 | 0.90 | 0.06 |
| *China, Song County | 101 | 6.2 | 0.62 | 0.74 | 0.09 | 97 | 6.2 | 0.65 | 0.78 | 0.10 |
| China, Suzhou City | 1731 | 10.7 | 0.27 | 1.30 | 0.04 | 1172 | 6.9 | 0.21 | 0.81 | 0.03 |
| *China, Tengzhou City | 556 | 10.0 | 0.43 | 1.25 | 0.06 | 385 | 6.3 | 0.33 | 0.75 | 0.05 |
| *China, Wangdu County | 54 | 7.5 | 1.04 | 0.91 | 0.15 | 28 | 3.9 | 0.74 | 0.33 | 0.09 |
| *China, Wanxian County | 160 | 13.5 | 1.09 | 1.60 | 0.16 | 111 | 9.4 | 0.92 | 1.15 | 0.14 |
| *China, Wu'an City | 129 | 5.2 | 0.49 | 0.56 | 0.06 | 138 | 5.7 | 0.50 | 0.69 | 0.07 |
| China, Wuhan City | 2491 | 11.1 | 0.23 | 1.35 | 0.03 | 1651 | 7.0 | 0.18 | 0.84 | 0.03 |
| *China, Wuhu City | 518 | 9.7 | 0.44 | 1.17 | 0.06 | 318 | 6.0 | 0.35 | 0.74 | 0.05 |
| China, Wuxi City | 1358 | 11.1 | 0.31 | 1.36 | 0.04 | 905 | 6.9 | 0.24 | 0.84 | 0.03 |
| China, Wuzhou City | 250 | 12.9 | 0.84 | 1.58 | 0.12 | 148 | 7.0 | 0.61 | 0.78 | 0.08 |
| China, Xiangfu District, Kaifeng City | 159 | 8.2 | 0.67 | 0.98 | 0.10 | 135 | 6.0 | 0.54 | 0.76 | 0.08 |
| China, Xianju County | 203 | 9.9 | 0.72 | 1.25 | 0.11 | 135 | 6.8 | 0.61 | 0.78 | 0.09 |
| *China, Xin'an County | 90 | 7.8 | 0.83 | 0.93 | 0.12 | 68 | 5.8 | 0.72 | 0.75 | 0.12 |
| *China, Xining City | 317 | 15.2 | 0.92 | 1.43 | 0.11 | 233 | 9.8 | 0.68 | 0.99 | 0.08 |
| *China, Xinji City | 152 | 5.7 | 0.47 | 0.70 | 0.07 | 109 | 3.8 | 0.37 | 0.47 | 0.05 |
| *China, Xinluo District, Longyan City | 196 | 15.7 | 1.15 | 1.81 | 0.16 | 113 | 9.3 | 0.90 | 1.08 | 0.13 |
| *China, Xinzhou District, Shangrao City | 137 | 10.0 | 0.87 | 1.17 | 0.12 | 83 | 6.2 | 0.70 | 0.74 | 0.10 |
| China, Xiping County | 207 | 7.7 | 0.56 | 0.94 | 0.08 | 187 | 6.2 | 0.47 | 0.74 | 0.07 |
| *China, Xishan District, Kunming City | 174 | 10.6 | 0.86 | 1.37 | 0.12 | 107 | 6.1 | 0.62 | 0.77 | 0.09 |
| *China, Xuyi County | 204 | 7.8 | 0.56 | 0.95 | 0.08 | 136 | 5.0 | 0.45 | 0.59 | 0.07 |
| *China, Ya'an City | 860 | 16.0 | 0.56 | 1.94 | 0.08 | 633 | 11.6 | 0.47 | 1.44 | 0.07 |
| *China, Yakeshi City | 205 | 13.6 | 1.04 | 1.63 | 0.15 | 146 | 8.5 | 0.75 | 0.95 | 0.10 |
| China, Yancheng City | 648 | 10.9 | 0.44 | 1.24 | 0.06 | 442 | 7.3 | 0.36 | 0.81 | 0.05 |
| *China, Yangquan City | 222 | 10.5 | 0.75 | 1.22 | 0.10 | 152 | 6.9 | 0.58 | 0.76 | 0.08 |
| *China, Yangzhong City | 178 | 12.9 | 1.00 | 1.37 | 0.12 | 133 | 8.9 | 0.81 | 1.02 | 0.10 |
| *China, Yanji City | 195 | 9.5 | 0.70 | 1.22 | 0.11 | 152 | 6.1 | 0.50 | 0.74 | 0.08 |
| *China, Yanshi City | 144 | 6.1 | 0.52 | 0.74 | 0.07 | 136 | 5.2 | 0.46 | 0.68 | 0.07 |
| China, Yanting County | 176 | 9.0 | 0.69 | 0.97 | 0.09 | 110 | 5.3 | 0.52 | 0.59 | 0.07 |
| *China, Yi'an District, Tongling City | 93 | 9.3 | 0.98 | 1.22 | 0.16 | 77 | 7.9 | 0.92 | 1.00 | 0.13 |
| *China, Yingdong District, Fuyang City | 192 | 8.6 | 0.64 | 1.11 | 0.10 | 130 | 5.7 | 0.51 | 0.67 | 0.08 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Rectum (C19–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 158 | 16.1 | 1.31 | 2.09 | 0.20 | 79 | 7.0 | 0.82 | 0.70 | 0.11 |
| *China, Yiyuan County | 194 | 9.9 | 0.73 | 1.22 | 0.12 | 110 | 5.0 | 0.50 | 0.55 | 0.07 |
| China, Yong'an City | 185 | 13.4 | 1.02 | 1.62 | 0.15 | 101 | 7.7 | 0.81 | 0.94 | 0.12 |
| *China, Yongding District, Longyan City | 301 | 18.0 | 1.06 | 2.18 | 0.16 | 140 | 7.4 | 0.66 | 0.83 | 0.10 |
| China, Yongkang City | 359 | 14.6 | 0.79 | 1.83 | 0.12 | 235 | 9.4 | 0.64 | 1.10 | 0.09 |
| *China, Yucheng County | 95 | 4.8 | 0.50 | 0.57 | 0.07 | 78 | 3.8 | 0.44 | 0.43 | 0.06 |
| China, Yueyanglou District, Yueyang City | 99 | 8.9 | 0.91 | 1.01 | 0.13 | 54 | 4.9 | 0.68 | 0.58 | 0.10 |
| China, Yunmeng County | 213 | 13.4 | 0.96 | 1.62 | 0.13 | 187 | 10.6 | 0.80 | 1.27 | 0.11 |
| *China, Yunyang District, Shiyuan City | 114 | 9.9 | 0.95 | 1.30 | 0.15 | 53 | 4.8 | 0.68 | 0.60 | 0.10 |
| China, Yuzhong District, Chongqing City | 406 | 18.0 | 0.95 | 2.32 | 0.15 | 251 | 9.7 | 0.68 | 1.14 | 0.10 |
| *China, Zhanhuang County | 59 | 6.9 | 0.90 | 0.89 | 0.14 | 41 | 4.7 | 0.75 | 0.62 | 0.11 |
| *China, Zhangjiagang City | 498 | 10.7 | 0.49 | 1.29 | 0.07 | 313 | 6.1 | 0.37 | 0.72 | 0.05 |
| *China, Zhaoyuan City | 430 | 15.0 | 0.75 | 1.83 | 0.11 | 253 | 8.5 | 0.57 | 1.04 | 0.08 |
| *China, Zhengding County | 76 | 5.6 | 0.65 | 0.67 | 0.09 | 66 | 4.3 | 0.54 | 0.54 | 0.08 |
| *China, Zhongshan City | 681 | 12.9 | 0.50 | 1.60 | 0.08 | 397 | 6.6 | 0.34 | 0.77 | 0.05 |
| China, Zhongxiang City | 332 | 9.7 | 0.54 | 1.22 | 0.08 | 226 | 6.6 | 0.45 | 0.82 | 0.07 |
| *China, Zhuanghe City | 586 | 12.8 | 0.54 | 1.62 | 0.08 | 366 | 8.2 | 0.45 | 0.99 | 0.06 |
| *China, Zhuhai City | 449 | 12.7 | 0.61 | 1.57 | 0.10 | 281 | 7.6 | 0.47 | 0.82 | 0.07 |
| India, Ahmedabad, Urban | 273 | 2.3 | 0.15 | 0.28 | 0.02 | 148 | 1.2 | 0.10 | 0.14 | 0.02 |
| India, Aurangabad | 70 | 2.4 | 0.29 | 0.29 | 0.04 | 45 | 1.6 | 0.24 | 0.20 | 0.04 |
| India, Bangalore | 502 | 4.3 | 0.20 | 0.52 | 0.03 | 367 | 3.2 | 0.17 | 0.41 | 0.03 |
| India, Barshi, Paranda, and Bhum | 32 | 2.4 | 0.42 | 0.28 | 0.05 | 24 | 1.7 | 0.36 | 0.18 | 0.04 |
| *India, Bhopal | 50 | 1.8 | 0.26 | 0.21 | 0.04 | 40 | 1.5 | 0.25 | 0.19 | 0.04 |
| India, Chandigarh | 42 | 1.8 | 0.28 | 0.19 | 0.04 | 24 | 1.2 | 0.25 | 0.15 | 0.04 |
| *India, Chennai | 557 | 4.5 | 0.19 | 0.52 | 0.03 | 412 | 3.1 | 0.16 | 0.36 | 0.02 |
| India, Dibrugarh | 89 | 3.0 | 0.32 | 0.37 | 0.05 | 61 | 1.9 | 0.25 | 0.21 | 0.03 |
| *India, Dindigul, Ambilikkai | 149 | 2.4 | 0.19 | 0.27 | 0.03 | 78 | 1.2 | 0.14 | 0.14 | 0.02 |
| India, Kamrup Urban District | 147 | 5.8 | 0.49 | 0.67 | 0.07 | 102 | 4.3 | 0.45 | 0.47 | 0.06 |
| India, Kollam | 384 | 6.1 | 0.31 | 0.81 | 0.05 | 323 | 4.3 | 0.24 | 0.56 | 0.04 |
| *India, Manipur | 99 | 2.0 | 0.20 | 0.23 | 0.03 | 106 | 2.1 | 0.21 | 0.27 | 0.03 |
| India, Meghalaya | 42 | 1.5 | 0.25 | 0.19 | 0.04 | 38 | 1.2 | 0.20 | 0.14 | 0.03 |
| India, Mizoram | 107 | 6.3 | 0.63 | 0.77 | 0.10 | 79 | 4.7 | 0.55 | 0.59 | 0.09 |
| India, Mumbai | 1012 | 3.2 | 0.10 | 0.37 | 0.01 | 708 | 2.3 | 0.09 | 0.26 | 0.01 |
| *India, New Delhi | 658 | 2.9 | 0.12 | 0.33 | 0.02 | 454 | 2.0 | 0.10 | 0.23 | 0.01 |
| India, Poona | 449 | 3.6 | 0.17 | 0.43 | 0.03 | 282 | 2.4 | 0.14 | 0.30 | 0.02 |
| *India, Sangrur District | 35 | 1.3 | 0.22 | 0.14 | 0.03 | 11 | 0.4 | 0.13 | 0.05 | 0.02 |
| India, SAS Nagar | 35 | 1.4 | 0.25 | 0.18 | 0.03 | 23 | 1.0 | 0.21 | 0.12 | 0.03 |
| *India, Tamil Nadu | 5275 | 2.6 | 0.04 | 0.30 | 0.00 | 3566 | 1.7 | 0.03 | 0.20 | 0.00 |
| *India, Tripura | 101 | 1.5 | 0.15 | 0.18 | 0.02 | 64 | 0.9 | 0.11 | 0.09 | 0.01 |
| India, Trivandrum | 485 | 6.0 | 0.28 | 0.76 | 0.04 | 364 | 3.9 | 0.21 | 0.49 | 0.03 |
| India, Wardha | 83 | 2.1 | 0.24 | 0.24 | 0.03 | 41 | 1.1 | 0.17 | 0.13 | 0.02 |
| India, West Arunachal | 17 | 1.2 | 0.33 | 0.14 | 0.05 | 14 | 1.5 | 0.45 | 0.17 | 0.07 |
| *Iran (Islamic Republic of), Ardabil Province | 88 | 4.9 | 0.54 | 0.57 | 0.08 | 71 | 3.8 | 0.46 | 0.43 | 0.06 |
| *Iran (Islamic Republic of), Golestan Province | 138 | 6.0 | 0.53 | 0.76 | 0.08 | 112 | 4.4 | 0.43 | 0.51 | 0.06 |
| Israel | 2400 | 9.5 | 0.20 | 1.13 | 0.03 | 1900 | 6.5 | 0.16 | 0.75 | 0.02 |
| *Israel: Jews | 1985 | 9.3 | 0.22 | 1.11 | 0.03 | 1589 | 6.5 | 0.18 | 0.76 | 0.02 |
| *Israel: Arabs | 271 | 8.9 | 0.55 | 1.01 | 0.08 | 176 | 5.2 | 0.40 | 0.57 | 0.06 |
| Japan | 90239 | 20.6 | 0.08 | 2.56 | 0.01 | 50964 | 9.9 | 0.05 | 1.18 | 0.01 |
| Japan, Aichi Prefecture | 4882 | 20.2 | 0.32 | 2.53 | 0.04 | 2728 | 10.2 | 0.23 | 1.21 | 0.03 |
| *Japan, Akita Prefecture | 1010 | 26.1 | 0.96 | 3.14 | 0.12 | 592 | 11.9 | 0.64 | 1.41 | 0.08 |
| Japan, Aomori Prefecture | 2326 | 28.8 | 0.68 | 3.57 | 0.09 | 1238 | 12.0 | 0.43 | 1.44 | 0.05 |
| Japan, Gunma Prefecture | 1599 | 22.1 | 0.62 | 2.75 | 0.08 | 827 | 10.2 | 0.44 | 1.21 | 0.05 |
| Japan, Hiroshima Prefecture | 2905 | 22.1 | 0.46 | 2.79 | 0.06 | 1760 | 11.5 | 0.34 | 1.38 | 0.04 |
| Japan, Miyagi Prefecture | 2891 | 22.2 | 0.45 | 2.77 | 0.06 | 1696 | 11.1 | 0.33 | 1.27 | 0.04 |
| Japan, Osaka Prefecture | 6486 | 21.6 | 0.30 | 2.71 | 0.04 | 3723 | 10.7 | 0.21 | 1.30 | 0.03 |
| Kuwait | 270 | 3.9 | 0.30 | 0.50 | 0.05 | 191 | 4.0 | 0.32 | 0.48 | 0.05 |
| *Kuwait: Kuwaitis | 117 | 6.4 | 0.62 | 0.78 | 0.09 | 110 | 4.8 | 0.46 | 0.56 | 0.07 |
| *Kuwait: Non-Kuwaitis | 153 | 2.9 | 0.34 | 0.41 | 0.06 | 81 | 3.6 | 0.52 | 0.42 | 0.08 |
| *Philippines, Manila | 1063 | 10.1 | 0.33 | 1.27 | 0.05 | 762 | 5.6 | 0.21 | 0.68 | 0.03 |
| *Qatar: Qatari | 21 | 4.9 | 1.12 | 0.52 | 0.16 | 28 | 6.7 | 1.31 | 0.93 | 0.21 |
| Republic of Korea | 37469 | 19.0 | 0.10 | 2.27 | 0.01 | 21705 | 9.1 | 0.07 | 1.02 | 0.01 |
| *Republic of Korea, Busan | 2808 | 19.2 | 0.37 | 2.27 | 0.05 | 1565 | 9.1 | 0.24 | 1.04 | 0.03 |
| *Republic of Korea, Daegu | 1850 | 19.7 | 0.47 | 2.36 | 0.06 | 1127 | 9.8 | 0.31 | 1.07 | 0.04 |
| *Republic of Korea, Daejeon | 964 | 18.3 | 0.60 | 2.24 | 0.09 | 588 | 9.2 | 0.40 | 0.99 | 0.05 |
| *Republic of Korea, Gwangju | 856 | 17.4 | 0.60 | 2.11 | 0.09 | 522 | 8.3 | 0.38 | 0.92 | 0.05 |
| Republic of Korea, Incheon | 1956 | 18.3 | 0.42 | 2.19 | 0.06 | 1105 | 8.8 | 0.28 | 1.00 | 0.04 |
| Republic of Korea, Jeju | 385 | 16.4 | 0.85 | 1.94 | 0.12 | 219 | 7.7 | 0.57 | 0.83 | 0.07 |
| Republic of Korea, Seoul | 6790 | 18.2 | 0.22 | 2.19 | 0.03 | 3894 | 8.9 | 0.15 | 0.99 | 0.02 |
| Republic of Korea, Ulsan | 712 | 18.4 | 0.73 | 2.16 | 0.10 | 413 | 9.6 | 0.49 | 1.16 | 0.07 |
| Singapore | 2344 | 15.5 | 0.32 | 1.91 | 0.05 | 1538 | 8.9 | 0.23 | 1.01 | 0.03 |
| Singapore: Chinese | 1977 | 16.3 | 0.37 | 2.01 | 0.05 | 1263 | 8.9 | 0.26 | 1.01 | 0.04 |
| Singapore: Indian | 97 | 9.0 | 0.95 | 1.12 | 0.15 | 72 | 6.6 | 0.80 | 0.72 | 0.11 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Rectum (C19–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 219 | 13.8 | 0.96 | 1.55 | 0.14 | 160 | 9.0 | 0.73 | 1.13 | 0.12 |
| Thailand, Bangkok | 1394 | 8.2 | 0.23 | 1.03 | 0.04 | 971 | 4.5 | 0.15 | 0.54 | 0.02 |
| *Thailand, Chiang Mai | 483 | 8.5 | 0.39 | 1.02 | 0.06 | 353 | 5.2 | 0.29 | 0.60 | 0.04 |
| *Thailand, Khon Kaen | 399 | 6.4 | 0.33 | 0.76 | 0.04 | 343 | 4.8 | 0.26 | 0.60 | 0.04 |
| Thailand, Lampang | 284 | 9.5 | 0.58 | 1.22 | 0.09 | 174 | 5.0 | 0.40 | 0.62 | 0.06 |
| Thailand, Lopburi Province | 265 | 11.2 | 0.70 | 1.35 | 0.10 | 194 | 7.3 | 0.54 | 0.88 | 0.07 |
| *Thailand, Songkhla | 299 | 7.2 | 0.43 | 0.92 | 0.07 | 242 | 4.9 | 0.32 | 0.59 | 0.05 |
| Turkey, Antalya | 587 | 9.5 | 0.40 | 1.18 | 0.06 | 331 | 4.9 | 0.27 | 0.55 | 0.04 |
| Turkey, Bursa | 819 | 10.2 | 0.36 | 1.24 | 0.05 | 498 | 5.4 | 0.25 | 0.61 | 0.03 |
| *Turkey, Edirne | 149 | 9.1 | 0.76 | 1.05 | 0.11 | 106 | 6.1 | 0.63 | 0.66 | 0.08 |
| *Turkey, Erzurum | 72 | 4.0 | 0.48 | 0.51 | 0.07 | 73 | 3.4 | 0.41 | 0.38 | 0.05 |
| Turkey, Eskişehir | 296 | 11.0 | 0.65 | 1.45 | 0.10 | 165 | 5.4 | 0.43 | 0.64 | 0.06 |
| Turkey, Gaziantep | 192 | 5.6 | 0.42 | 0.68 | 0.06 | 127 | 3.2 | 0.29 | 0.37 | 0.04 |
| *Turkey, Izmir | 1371 | 10.3 | 0.28 | 1.30 | 0.04 | 875 | 5.7 | 0.20 | 0.66 | 0.03 |
| Turkey, Malatya | 147 | 6.9 | 0.57 | 0.87 | 0.08 | 84 | 3.5 | 0.39 | 0.41 | 0.05 |
| Turkey, Samsun | 430 | 10.4 | 0.51 | 1.25 | 0.07 | 292 | 6.1 | 0.37 | 0.73 | 0.05 |
| Turkey, Trabzon | 240 | 9.6 | 0.63 | 1.15 | 0.09 | 160 | 5.1 | 0.43 | 0.57 | 0.06 |
| Europe | | | | | | | | | | |
| Austria | 4673 | 11.3 | 0.18 | 1.38 | 0.02 | 2862 | 5.7 | 0.12 | 0.67 | 0.02 |
| Austria, Carinthia | 292 | 10.2 | 0.63 | 1.30 | 0.09 | 189 | 5.2 | 0.43 | 0.63 | 0.06 |
| Austria, Tyrol | 406 | 12.0 | 0.63 | 1.43 | 0.09 | 229 | 6.0 | 0.44 | 0.68 | 0.06 |
| Austria, Vorarlberg | 196 | 11.1 | 0.84 | 1.29 | 0.12 | 134 | 6.7 | 0.64 | 0.73 | 0.08 |
| Belarus | 5602 | 17.4 | 0.24 | 2.23 | 0.04 | 4813 | 9.1 | 0.14 | 1.15 | 0.02 |
| *Belgium | 8083 | 15.0 | 0.18 | 1.86 | 0.03 | 4983 | 7.9 | 0.13 | 0.96 | 0.02 |
| Croatia | 4258 | 21.2 | 0.34 | 2.63 | 0.05 | 2721 | 10.2 | 0.22 | 1.20 | 0.03 |
| Cyprus | 320 | 8.7 | 0.51 | 1.03 | 0.07 | 174 | 4.3 | 0.35 | 0.48 | 0.05 |
| *Czech Republic | 10015 | 20.6 | 0.21 | 2.62 | 0.03 | 5475 | 9.1 | 0.14 | 1.08 | 0.02 |
| Denmark | 5129 | 17.9 | 0.26 | 2.26 | 0.04 | 3181 | 10.1 | 0.20 | 1.23 | 0.03 |
| Estonia | 908 | 16.2 | 0.56 | 2.02 | 0.09 | 831 | 8.6 | 0.35 | 1.04 | 0.05 |
| Finland | 3501 | 11.9 | 0.21 | 1.44 | 0.03 | 2389 | 7.0 | 0.16 | 0.83 | 0.02 |
| *France, Bas-Rhin | 551 | 13.4 | 0.60 | 1.60 | 0.09 | 347 | 7.2 | 0.44 | 0.89 | 0.06 |
| *France, Calvados | 479 | 14.1 | 0.69 | 1.73 | 0.10 | 309 | 7.2 | 0.48 | 0.88 | 0.07 |
| *France, Doubs | 337 | 13.0 | 0.76 | 1.57 | 0.11 | 201 | 6.9 | 0.56 | 0.78 | 0.07 |
| *France, Gironde | 995 | 14.0 | 0.47 | 1.76 | 0.07 | 636 | 6.8 | 0.31 | 0.77 | 0.04 |
| *France, Haut-Rhin | 467 | 12.6 | 0.62 | 1.56 | 0.09 | 315 | 7.1 | 0.46 | 0.84 | 0.06 |
| *France, Hérault | 704 | 12.5 | 0.51 | 1.50 | 0.07 | 497 | 7.2 | 0.38 | 0.85 | 0.05 |
| *France, Isère | 712 | 12.5 | 0.50 | 1.55 | 0.07 | 513 | 7.9 | 0.39 | 0.96 | 0.05 |
| *France, Lille-Métropole | 443 | 15.5 | 0.76 | 1.92 | 0.11 | 323 | 8.2 | 0.51 | 0.99 | 0.07 |
| *France, Limousin | 348 | 16.5 | 0.99 | 1.90 | 0.13 | 198 | 6.8 | 0.62 | 0.76 | 0.08 |
| *France, Loire-Atlantique | 877 | 14.6 | 0.52 | 1.78 | 0.08 | 579 | 7.9 | 0.37 | 0.94 | 0.05 |
| *France, Manche | 395 | 14.2 | 0.77 | 1.81 | 0.11 | 244 | 6.8 | 0.54 | 0.79 | 0.07 |
| *France, Poitou-Charentes | 1523 | 14.8 | 0.42 | 1.81 | 0.06 | 921 | 7.4 | 0.30 | 0.87 | 0.04 |
| *France, Somme | 378 | 14.3 | 0.78 | 1.84 | 0.12 | 255 | 7.9 | 0.57 | 0.93 | 0.08 |
| *France, Tarn | 283 | 11.8 | 0.79 | 1.48 | 0.12 | 229 | 8.2 | 0.66 | 0.95 | 0.09 |
| *France, Territoire de Belfort | 71 | 13.8 | 1.72 | 1.91 | 0.28 | 50 | 8.1 | 1.31 | 0.84 | 0.16 |
| *France, Vendée | 591 | 16.0 | 0.73 | 1.98 | 0.10 | 307 | 7.0 | 0.49 | 0.81 | 0.06 |
| Germany, Baden-Württemberg | 4537 | 13.4 | 0.22 | 1.66 | 0.03 | 2768 | 6.8 | 0.15 | 0.78 | 0.02 |
| Germany, Bavaria | 9328 | 14.2 | 0.16 | 1.75 | 0.02 | 5307 | 6.7 | 0.11 | 0.78 | 0.01 |
| Germany, Bremen | 483 | 13.2 | 0.65 | 1.60 | 0.09 | 316 | 6.7 | 0.46 | 0.74 | 0.06 |
| Germany, Hamburg | 1035 | 12.1 | 0.41 | 1.50 | 0.06 | 790 | 7.7 | 0.32 | 0.87 | 0.04 |
| Germany, Lower Saxony | 6137 | 14.0 | 0.19 | 1.70 | 0.03 | 4086 | 7.5 | 0.14 | 0.86 | 0.02 |
| Germany, North Rhine-Westphalia | 13384 | 14.1 | 0.13 | 1.71 | 0.02 | 9197 | 7.8 | 0.10 | 0.90 | 0.01 |
| Germany, Rhineland-Palatinate | 3246 | 14.7 | 0.28 | 1.77 | 0.04 | 2043 | 7.6 | 0.20 | 0.86 | 0.03 |
| Germany, Saarland | 948 | 16.5 | 0.58 | 2.02 | 0.08 | 612 | 8.6 | 0.41 | 1.03 | 0.06 |
| Germany, Schleswig-Holstein | 2279 | 14.1 | 0.32 | 1.77 | 0.05 | 1538 | 8.0 | 0.24 | 0.90 | 0.03 |
| Iceland | 146 | 10.9 | 0.94 | 1.22 | 0.12 | 95 | 6.4 | 0.72 | 0.75 | 0.10 |
| Ireland | 2832 | 15.8 | 0.30 | 1.96 | 0.04 | 1493 | 7.7 | 0.21 | 0.87 | 0.03 |
| *Italy, Aosta Valley | 48 | 8.1 | 1.26 | 0.85 | 0.17 | 34 | 4.4 | 0.94 | 0.38 | 0.11 |
| *Italy, Avellino | 208 | 15.3 | 1.14 | 2.02 | 0.18 | 117 | 7.1 | 0.77 | 0.87 | 0.11 |
| Italy, Basilicata | 430 | 13.4 | 0.72 | 1.61 | 0.10 | 293 | 7.1 | 0.50 | 0.82 | 0.07 |
| *Italy, Benevento | 173 | 14.4 | 1.19 | 1.82 | 0.17 | 127 | 8.9 | 0.92 | 1.11 | 0.13 |
| Italy, Bergamo | 553 | 9.1 | 0.41 | 1.01 | 0.06 | 376 | 5.5 | 0.33 | 0.60 | 0.04 |
| *Italy, Brescia | 497 | 8.3 | 0.41 | 0.94 | 0.05 | 351 | 4.9 | 0.31 | 0.55 | 0.04 |
| Italy, Brianza (Lecco and Monza e Brianza) | 382 | 10.0 | 0.55 | 1.18 | 0.08 | 281 | 5.5 | 0.38 | 0.64 | 0.05 |
| Italy, Calabria | 378 | 13.4 | 0.75 | 1.64 | 0.11 | 277 | 7.9 | 0.56 | 0.93 | 0.08 |
| *Italy, Caserta | 419 | 12.7 | 0.65 | 1.59 | 0.10 | 314 | 8.1 | 0.50 | 0.99 | 0.07 |
| *Italy, Catania, Messina, and Enna | 1079 | 10.7 | 0.35 | 1.32 | 0.05 | 693 | 5.9 | 0.26 | 0.71 | 0.04 |
| Italy, Emilia-Romagna | 1974 | 9.4 | 0.24 | 1.07 | 0.03 | 1426 | 5.5 | 0.18 | 0.60 | 0.02 |
| Italy, Friuli-Venezia Giulia | 642 | 8.5 | 0.38 | 1.05 | 0.05 | 413 | 4.7 | 0.27 | 0.56 | 0.04 |
| Italy, Genova | 543 | 12.1 | 0.59 | 1.42 | 0.08 | 423 | 7.6 | 0.46 | 0.95 | 0.06 |
| *Italy, Lombardy, South, Pavia | 330 | 10.3 | 0.63 | 1.30 | 0.09 | 262 | 6.7 | 0.50 | 0.82 | 0.07 |
| Italy, Mantova and Cremona | 373 | 10.5 | 0.60 | 1.25 | 0.08 | 262 | 5.9 | 0.44 | 0.67 | 0.06 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Rectum (C19–20) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 897 | 12.3 | 0.46 | 1.48 | 0.07 | 621 | 6.8 | 0.34 | 0.78 | 0.05 |
| Italy, Milan | 1801 | 9.5 | 0.25 | 1.14 | 0.03 | 1337 | 5.5 | 0.18 | 0.63 | 0.02 |
| Italy, Molise | 100 | 8.8 | 0.98 | 1.08 | 0.14 | 71 | 5.3 | 0.77 | 0.54 | 0.10 |
| *Italy, Naples Centre | 289 | 10.7 | 0.66 | 1.34 | 0.10 | 228 | 6.0 | 0.46 | 0.69 | 0.06 |
| *Italy, Naples North | 333 | 10.2 | 0.57 | 1.32 | 0.09 | 222 | 5.9 | 0.42 | 0.73 | 0.06 |
| *Italy, Naples South | 582 | 12.3 | 0.53 | 1.51 | 0.08 | 411 | 7.2 | 0.39 | 0.86 | 0.05 |
| *Italy, Nuoro | 103 | 15.1 | 1.61 | 1.75 | 0.22 | 64 | 7.9 | 1.16 | 0.95 | 0.15 |
| *Italy, Palermo | 631 | 9.9 | 0.42 | 1.23 | 0.06 | 518 | 6.9 | 0.34 | 0.82 | 0.05 |
| Italy, Puglia | 2600 | 11.9 | 0.25 | 1.48 | 0.04 | 1848 | 7.2 | 0.19 | 0.85 | 0.03 |
| *Italy, Ragusa and Caltanissetta | 385 | 12.5 | 0.70 | 1.54 | 0.10 | 243 | 6.7 | 0.49 | 0.79 | 0.07 |
| *Italy, Salerno | 474 | 10.8 | 0.54 | 1.30 | 0.08 | 316 | 5.8 | 0.37 | 0.73 | 0.05 |
| Italy, Sassari | 138 | 13.0 | 1.18 | 1.63 | 0.17 | 103 | 7.4 | 0.84 | 0.78 | 0.11 |
| *Italy, Sondrio | 86 | 6.8 | 0.80 | 0.75 | 0.11 | 86 | 5.9 | 0.77 | 0.66 | 0.10 |
| Italy, South Tyrol | 318 | 12.2 | 0.74 | 1.48 | 0.11 | 197 | 6.6 | 0.53 | 0.77 | 0.07 |
| *Italy, Syracuse | 218 | 10.4 | 0.76 | 1.29 | 0.11 | 135 | 6.1 | 0.58 | 0.72 | 0.08 |
| Italy, Trento | 300 | 10.4 | 0.65 | 1.18 | 0.09 | 195 | 5.2 | 0.46 | 0.56 | 0.06 |
| Italy, Turin | 1091 | 7.9 | 0.27 | 0.97 | 0.04 | 749 | 4.7 | 0.20 | 0.56 | 0.03 |
| *Italy, Tuscany | 1414 | 11.3 | 0.34 | 1.35 | 0.05 | 979 | 6.8 | 0.26 | 0.81 | 0.03 |
| Italy, Umbria | 543 | 12.2 | 0.60 | 1.43 | 0.08 | 315 | 5.8 | 0.40 | 0.69 | 0.06 |
| Italy, Varese | 231 | 7.5 | 0.54 | 0.87 | 0.08 | 177 | 4.8 | 0.42 | 0.56 | 0.06 |
| Italy, Veneto | 2547 | 9.2 | 0.20 | 1.05 | 0.03 | 1695 | 5.1 | 0.15 | 0.57 | 0.02 |
| Latvia | 1211 | 14.5 | 0.43 | 1.85 | 0.07 | 1125 | 7.8 | 0.27 | 0.97 | 0.04 |
| *Liechtenstein | 19 | 11.2 | 2.65 | 1.34 | 0.35 | 15 | 7.5 | 2.03 | 0.81 | 0.26 |
| *Lithuania | 1780 | 14.6 | 0.36 | 1.84 | 0.06 | 1495 | 7.5 | 0.23 | 0.87 | 0.03 |
| Malta | 230 | 10.3 | 0.71 | 1.29 | 0.10 | 156 | 6.3 | 0.56 | 0.74 | 0.07 |
| *The Netherlands | 14800 | 17.9 | 0.15 | 2.30 | 0.02 | 8800 | 9.8 | 0.11 | 1.21 | 0.02 |
| Norway | 4046 | 17.4 | 0.28 | 2.09 | 0.04 | 2795 | 10.9 | 0.23 | 1.31 | 0.03 |
| Poland, Kielce | 793 | 14.0 | 0.52 | 1.78 | 0.08 | 481 | 6.8 | 0.35 | 0.82 | 0.05 |
| *Portugal, Azores | 95 | 12.6 | 1.32 | 1.43 | 0.19 | 65 | 6.7 | 0.92 | 0.77 | 0.13 |
| Russian Federation, Arkhangelsk | 702 | 18.7 | 0.73 | 2.37 | 0.12 | 727 | 11.0 | 0.44 | 1.34 | 0.06 |
| Russian Federation, Kaliningrad | 470 | 15.2 | 0.72 | 1.95 | 0.12 | 502 | 9.4 | 0.45 | 1.23 | 0.07 |
| Russian Federation, Karelia | 387 | 18.6 | 0.97 | 2.26 | 0.15 | 358 | 9.4 | 0.54 | 1.14 | 0.08 |
| *Russian Federation, Komi Republic | 448 | 20.0 | 1.01 | 2.57 | 0.17 | 446 | 10.8 | 0.54 | 1.34 | 0.08 |
| Russian Federation, Murmansk | 386 | 19.6 | 1.04 | 2.55 | 0.17 | 450 | 11.9 | 0.58 | 1.43 | 0.08 |
| *Russian Federation, Orenburg | 1055 | 16.4 | 0.52 | 2.12 | 0.08 | 1019 | 9.8 | 0.33 | 1.21 | 0.05 |
| Russian Federation, Pskov | 399 | 16.9 | 0.87 | 2.11 | 0.14 | 421 | 9.8 | 0.54 | 1.18 | 0.08 |
| *Russian Federation, Samara | 1869 | 17.1 | 0.40 | 2.24 | 0.06 | 1762 | 9.8 | 0.25 | 1.23 | 0.04 |
| Russian Federation, Vologda Region | 622 | 15.9 | 0.65 | 2.02 | 0.08 | 614 | 9.2 | 0.39 | 1.15 | 0.05 |
| Slovenia | 1781 | 17.7 | 0.44 | 2.17 | 0.06 | 1025 | 7.9 | 0.28 | 0.93 | 0.04 |
| Spain, Asturias | 706 | 19.4 | 0.80 | 2.41 | 0.12 | 398 | 8.3 | 0.50 | 0.97 | 0.07 |
| Spain, Basque Country | 1664 | 17.9 | 0.47 | 2.14 | 0.07 | 916 | 8.5 | 0.33 | 0.98 | 0.04 |
| Spain, Canary Islands | 856 | 14.2 | 0.50 | 1.83 | 0.08 | 471 | 7.0 | 0.34 | 0.82 | 0.05 |
| Spain, Castellón | 465 | 16.7 | 0.82 | 2.08 | 0.12 | 274 | 8.3 | 0.57 | 0.96 | 0.08 |
| Spain, Girona | 577 | 16.6 | 0.73 | 2.13 | 0.11 | 280 | 7.4 | 0.49 | 0.89 | 0.07 |
| Spain, Granada | 599 | 14.3 | 0.62 | 1.72 | 0.09 | 367 | 7.5 | 0.44 | 0.89 | 0.06 |
| Spain, La Rioja | 284 | 16.8 | 1.08 | 2.04 | 0.16 | 135 | 5.9 | 0.61 | 0.72 | 0.09 |
| Spain, Murcia | 942 | 15.2 | 0.53 | 1.83 | 0.08 | 482 | 6.7 | 0.35 | 0.76 | 0.05 |
| Spain, Navarra | 461 | 18.8 | 0.93 | 2.32 | 0.13 | 214 | 7.7 | 0.60 | 0.93 | 0.08 |
| Spain, Salamanca | 363 | 16.4 | 0.98 | 2.04 | 0.15 | 214 | 9.2 | 0.76 | 1.13 | 0.10 |
| Spain, Tarragona | 681 | 17.3 | 0.71 | 2.09 | 0.10 | 360 | 8.2 | 0.49 | 0.89 | 0.06 |
| *Sweden | 6387 | 12.4 | 0.17 | 1.52 | 0.02 | 4143 | 7.4 | 0.13 | 0.89 | 0.02 |
| Switzerland, Aargau | 394 | 12.7 | 0.66 | 1.53 | 0.09 | 201 | 5.7 | 0.45 | 0.65 | 0.06 |
| Switzerland, Basel | 298 | 12.1 | 0.76 | 1.46 | 0.11 | 185 | 6.4 | 0.53 | 0.77 | 0.07 |
| Switzerland, Berne Solothurn | 516 | 12.0 | 0.56 | 1.48 | 0.08 | 322 | 6.9 | 0.44 | 0.79 | 0.06 |
| Switzerland, East | 509 | 13.0 | 0.60 | 1.68 | 0.09 | 340 | 7.9 | 0.47 | 0.94 | 0.06 |
| *Switzerland, Fribourg | 174 | 13.2 | 1.03 | 1.61 | 0.15 | 95 | 6.5 | 0.72 | 0.80 | 0.10 |
| Switzerland, Geneva | 200 | 10.0 | 0.75 | 1.22 | 0.11 | 157 | 6.5 | 0.57 | 0.77 | 0.08 |
| *Switzerland, Graubünden and Glarus | 127 | 9.5 | 0.89 | 1.17 | 0.13 | 78 | 5.7 | 0.72 | 0.75 | 0.10 |
| *Switzerland, Lucerne | 268 | 10.9 | 0.70 | 1.28 | 0.10 | 154 | 5.7 | 0.51 | 0.67 | 0.07 |
| *Switzerland, Neuchâtel and Jura | 161 | 13.2 | 1.11 | 1.58 | 0.16 | 102 | 7.4 | 0.83 | 0.89 | 0.11 |
| Switzerland, Ticino | 209 | 11.1 | 0.82 | 1.40 | 0.12 | 147 | 7.2 | 0.69 | 0.85 | 0.09 |
| Switzerland, Valais | 201 | 12.0 | 0.89 | 1.51 | 0.13 | 110 | 6.2 | 0.67 | 0.76 | 0.09 |
| Switzerland, Vaud | 398 | 11.8 | 0.62 | 1.43 | 0.09 | 235 | 6.0 | 0.44 | 0.71 | 0.06 |
| Switzerland, Zurich and Zug | 757 | 10.4 | 0.40 | 1.22 | 0.06 | 501 | 6.0 | 0.30 | 0.69 | 0.04 |
| Ukraine | 19695 | 15.5 | 0.11 | 2.03 | 0.02 | 16998 | 8.6 | 0.07 | 1.09 | 0.01 |
| UK, England | 35963 | 13.8 | 0.08 | 1.66 | 0.01 | 21332 | 7.2 | 0.06 | 0.83 | 0.01 |
| UK, Northern Ireland | 1124 | 14.0 | 0.44 | 1.68 | 0.06 | 679 | 7.3 | 0.31 | 0.87 | 0.04 |
| UK, Scotland | 3538 | 13.4 | 0.24 | 1.61 | 0.03 | 2180 | 7.1 | 0.17 | 0.83 | 0.02 |
| UK, Wales | 2581 | 15.7 | 0.34 | 1.87 | 0.05 | 1481 | 7.9 | 0.24 | 0.91 | 0.03 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 5141 | 15.2 | 0.22 | 1.85 | 0.03 | 3168 | 8.6 | 0.17 | 1.00 | 0.02 |
| *Australia, Northern Territory | 98 | 13.8 | 1.42 | 1.69 | 0.20 | 61 | 9.4 | 1.23 | 1.31 | 0.21 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Rectum (C19–20) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|-------------|----------|-------------|--------|-------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 86 | 14.5 | <i>1.59</i> | 1.78 | <i>0.23</i> | 54 | 10.8 | <i>1.50</i> | 1.51 | <i>0.25</i> |
| *Australia, Northern Territory: Indigenous | 12 | 8.5 | <i>2.60</i> | 1.08 | <i>0.42</i> | 5 | 3.3 | <i>1.52</i> | 0.41 | <i>0.21</i> |
| *Australia, Queensland | 3023 | 15.5 | <i>0.29</i> | 1.83 | <i>0.04</i> | 1800 | 8.8 | <i>0.22</i> | 1.01 | <i>0.03</i> |
| Australia, South Australia | 1204 | 15.5 | <i>0.48</i> | 1.87 | <i>0.07</i> | 737 | 8.7 | <i>0.36</i> | 1.01 | <i>0.05</i> |
| Australia, Tasmania | 458 | 18.3 | <i>0.91</i> | 2.27 | <i>0.12</i> | 277 | 10.2 | <i>0.68</i> | 1.17 | <i>0.09</i> |
| *Australia, Victoria | 3771 | 15.2 | <i>0.26</i> | 1.83 | <i>0.04</i> | 2387 | 8.9 | <i>0.20</i> | 1.06 | <i>0.03</i> |
| *Australia, Western Australia | 1334 | 13.6 | <i>0.38</i> | 1.65 | <i>0.05</i> | 802 | 7.9 | <i>0.30</i> | 0.88 | <i>0.04</i> |
| *France, New Caledonia | 75 | 9.4 | <i>1.09</i> | 1.10 | <i>0.15</i> | 54 | 6.6 | <i>0.91</i> | 0.77 | <i>0.12</i> |
| New Zealand | 3179 | 16.5 | <i>0.31</i> | 1.96 | <i>0.04</i> | 1956 | 9.2 | <i>0.22</i> | 1.08 | <i>0.03</i> |
| *New Zealand: Maori | 251 | 16.4 | <i>1.05</i> | 2.08 | <i>0.16</i> | 157 | 8.7 | <i>0.70</i> | 1.03 | <i>0.10</i> |
| *New Zealand: Pacific peoples | 108 | 16.8 | <i>1.64</i> | 1.99 | <i>0.23</i> | 54 | 7.4 | <i>1.01</i> | 0.79 | <i>0.14</i> |
| *New Zealand: Other | 2656 | 16.9 | <i>0.35</i> | 2.01 | <i>0.05</i> | 1643 | 9.7 | <i>0.27</i> | 1.13 | <i>0.04</i> |
| USA, Hawaii | 757 | 13.4 | <i>0.51</i> | 1.56 | <i>0.06</i> | 506 | 8.3 | <i>0.40</i> | 0.94 | <i>0.05</i> |
| USA, Hawaii: White | 186 | 10.5 | <i>0.82</i> | 1.25 | <i>0.10</i> | 121 | 7.5 | <i>0.76</i> | 0.83 | <i>0.09</i> |
| *USA, Hawaii: Japanese | 194 | 17.2 | <i>1.46</i> | 2.03 | <i>0.17</i> | 112 | 8.3 | <i>0.97</i> | 0.94 | <i>0.11</i> |
| *USA, Hawaii: Chinese | 39 | 11.4 | <i>2.07</i> | 1.31 | <i>0.24</i> | 31 | 7.4 | <i>1.53</i> | 0.84 | <i>0.18</i> |
| *USA, Hawaii: Hawaiian | 112 | 12.8 | <i>1.21</i> | 1.47 | <i>0.16</i> | 68 | 7.3 | <i>0.90</i> | 0.90 | <i>0.12</i> |
| *USA, Hawaii: Filipino | 147 | 15.9 | <i>1.35</i> | 1.79 | <i>0.17</i> | 106 | 9.1 | <i>0.95</i> | 1.04 | <i>0.12</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Anus (C21)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 5 | 0.4 | 0.18 | 0.05 | 0.02 | 3 | 0.2 | 0.13 | 0.02 | 0.02 |
| *Algeria, Tizi Ouzou | 5 | 0.3 | 0.15 | 0.04 | 0.02 | 4 | 0.3 | 0.13 | 0.03 | 0.02 |
| *Benin, Cotonou | 10 | 1.5 | 0.55 | 0.21 | 0.10 | 2 | 0.3 | 0.25 | 0.04 | 0.03 |
| *France, La Réunion | 8 | 0.4 | 0.14 | 0.05 | 0.02 | 21 | 0.8 | 0.19 | 0.11 | 0.03 |
| *Kenya, Eldoret | 2 | 0.2 | 0.17 | 0.02 | 0.02 | 4 | 0.4 | 0.21 | 0.04 | 0.02 |
| *Kenya, Nairobi | 19 | 0.9 | 0.23 | 0.09 | 0.03 | 25 | 1.1 | 0.24 | 0.11 | 0.03 |
| Mauritius | 14 | 0.3 | 0.08 | 0.03 | 0.01 | 21 | 0.5 | 0.10 | 0.06 | 0.02 |
| *Morocco, Casablanca | 40 | 0.4 | 0.06 | 0.05 | 0.01 | 30 | 0.3 | 0.05 | 0.03 | 0.01 |
| *Seychelles | 2 | 0.8 | 0.55 | 0.14 | 0.11 | 4 | 1.0 | 0.52 | 0.07 | 0.07 |
| *South Africa, Eastern Cape | 10 | 0.9 | 0.31 | 0.11 | 0.04 | 6 | 0.4 | 0.17 | 0.03 | 0.01 |
| *Uganda, Kyadondo County | 14 | 0.8 | 0.24 | 0.07 | 0.03 | 18 | 0.7 | 0.19 | 0.06 | 0.02 |
| *Uganda, Gulu | 4 | 0.7 | 0.41 | 0.07 | 0.05 | 1 | 0.3 | 0.29 | 0.05 | 0.05 |
| *Zimbabwe, Bulawayo: African | 9 | 1.1 | 0.37 | 0.14 | 0.06 | 23 | 1.7 | 0.39 | 0.19 | 0.05 |
| *Zimbabwe, Harare: African | 22 | 1.2 | 0.30 | 0.11 | 0.04 | 25 | 1.0 | 0.21 | 0.11 | 0.03 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 28 | 1.3 | 0.24 | 0.15 | 0.03 | 20 | 0.7 | 0.16 | 0.09 | 0.02 |
| *Argentina, Mendoza | 33 | 0.7 | 0.12 | 0.08 | 0.02 | 47 | 0.7 | 0.11 | 0.08 | 0.01 |
| Brazil, Aracaju | 5 | 0.5 | 0.21 | 0.04 | 0.02 | 32 | 2.1 | 0.38 | 0.25 | 0.06 |
| *Brazil, Barretos | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 14 | 0.9 | 0.25 | 0.10 | 0.03 |
| Brazil, Belo Horizonte | 58 | 0.8 | 0.11 | 0.09 | 0.01 | 96 | 0.9 | 0.10 | 0.11 | 0.01 |
| *Brazil, Campinas | 10 | 0.4 | 0.14 | 0.03 | 0.01 | 35 | 1.2 | 0.21 | 0.16 | 0.03 |
| *Brazil, Curitiba | 17 | 0.4 | 0.11 | 0.06 | 0.02 | 47 | 0.9 | 0.13 | 0.11 | 0.02 |
| Brazil, Goiânia | 14 | 0.5 | 0.14 | 0.06 | 0.02 | 50 | 1.4 | 0.21 | 0.18 | 0.03 |
| *Brazil, Jaú | 3 | 0.7 | 0.40 | 0.11 | 0.08 | 1 | 0.2 | 0.21 | 0.05 | 0.05 |
| Brazil, João Pessoa | 2 | 0.2 | 0.14 | 0.03 | 0.03 | 8 | 0.6 | 0.20 | 0.08 | 0.03 |
| Brazil, Recife | 15 | 0.6 | 0.16 | 0.07 | 0.02 | 48 | 1.3 | 0.19 | 0.15 | 0.03 |
| Chile, Region of Antofagasta | 2 | 0.2 | 0.13 | 0.02 | 0.01 | 8 | 0.8 | 0.28 | 0.09 | 0.04 |
| Chile, Valdivia | 5 | 0.3 | 0.15 | 0.06 | 0.03 | 9 | 0.5 | 0.18 | 0.04 | 0.02 |
| Colombia, Bucaramanga | 26 | 0.9 | 0.18 | 0.12 | 0.03 | 57 | 1.4 | 0.19 | 0.16 | 0.03 |
| Colombia, Cali | 39 | 0.7 | 0.11 | 0.08 | 0.02 | 100 | 1.2 | 0.12 | 0.14 | 0.02 |
| Colombia, Manizales | 15 | 1.2 | 0.31 | 0.18 | 0.05 | 16 | 0.9 | 0.23 | 0.08 | 0.03 |
| Colombia, Pasto | 7 | 0.7 | 0.26 | 0.08 | 0.04 | 6 | 0.5 | 0.20 | 0.06 | 0.03 |
| Costa Rica | 50 | 0.5 | 0.07 | 0.06 | 0.01 | 61 | 0.6 | 0.08 | 0.09 | 0.01 |
| Ecuador, Guayaquil | 34 | 0.6 | 0.11 | 0.08 | 0.02 | 87 | 1.5 | 0.16 | 0.18 | 0.02 |
| Ecuador, Manabí | 9 | 0.3 | 0.09 | 0.02 | 0.01 | 38 | 1.1 | 0.19 | 0.13 | 0.03 |
| Ecuador, Quito | 22 | 0.5 | 0.12 | 0.07 | 0.02 | 50 | 0.9 | 0.14 | 0.10 | 0.02 |
| *France, Guadeloupe | 6 | 0.3 | 0.14 | 0.04 | 0.02 | 17 | 0.7 | 0.18 | 0.08 | 0.03 |
| *France, Martinique | 4 | 0.2 | 0.11 | 0.03 | 0.02 | 12 | 0.7 | 0.20 | 0.07 | 0.02 |
| *Peru, Lima | 61 | 0.4 | 0.06 | 0.05 | 0.01 | 237 | 1.4 | 0.09 | 0.17 | 0.01 |
| *Trinidad and Tobago | 13 | 0.5 | 0.15 | 0.06 | 0.02 | 14 | 0.5 | 0.13 | 0.05 | 0.02 |
| USA, Puerto Rico | 119 | 0.9 | 0.09 | 0.10 | 0.01 | 235 | 1.2 | 0.09 | 0.14 | 0.01 |
| *Uruguay | 132 | 1.1 | 0.10 | 0.13 | 0.01 | 227 | 1.4 | 0.10 | 0.16 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 87 | 0.6 | 0.06 | 0.07 | 0.01 | 215 | 1.4 | 0.10 | 0.17 | 0.01 |
| Canada, British Columbia | 194 | 0.9 | 0.07 | 0.10 | 0.01 | 364 | 1.6 | 0.09 | 0.19 | 0.01 |
| *Canada, Manitoba | 42 | 0.8 | 0.13 | 0.10 | 0.02 | 64 | 1.1 | 0.15 | 0.13 | 0.02 |
| *Canada, New Brunswick | 23 | 0.6 | 0.13 | 0.08 | 0.02 | 78 | 2.0 | 0.24 | 0.25 | 0.03 |
| *Canada, Newfoundland and Labrador | 20 | 0.7 | 0.17 | 0.07 | 0.02 | 30 | 1.1 | 0.21 | 0.11 | 0.02 |
| Canada, Ontario | 505 | 0.9 | 0.04 | 0.10 | 0.01 | 896 | 1.4 | 0.05 | 0.16 | 0.01 |
| *Canada, Prince Edward Island | 2 | 0.3 | 0.22 | 0.05 | 0.04 | 7 | 0.9 | 0.39 | 0.06 | 0.03 |
| Canada, Quebec | 309 | 0.8 | 0.05 | 0.09 | 0.01 | 536 | 1.3 | 0.06 | 0.16 | 0.01 |
| Canada, Saskatchewan | 28 | 0.6 | 0.11 | 0.07 | 0.02 | 50 | 1.0 | 0.16 | 0.13 | 0.02 |
| *Canada, Yukon | 3 | 1.7 | 1.01 | 0.12 | 0.09 | 0 | – | 0.00 | – | 0.00 |
| USA | 13010 | 1.1 | 0.01 | 0.12 | 0.00 | 23398 | 1.7 | 0.01 | 0.20 | 0.00 |
| USA: White | 10748 | 1.0 | 0.01 | 0.12 | 0.00 | 20840 | 1.8 | 0.01 | 0.22 | 0.00 |
| USA: Black | 1928 | 1.5 | 0.04 | 0.17 | 0.00 | 2094 | 1.3 | 0.03 | 0.15 | 0.00 |
| USA, NPCR | 12636 | 1.1 | 0.01 | 0.12 | 0.00 | 22691 | 1.7 | 0.01 | 0.20 | 0.00 |
| USA, NPCR: White | 10411 | 1.0 | 0.01 | 0.12 | 0.00 | 20187 | 1.8 | 0.01 | 0.22 | 0.00 |
| USA, NPCR: Black | 1915 | 1.5 | 0.04 | 0.17 | 0.00 | 2066 | 1.3 | 0.03 | 0.15 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 162 | 0.3 | 0.02 | 0.03 | 0.00 | 217 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, NPCR: American Indian | 60 | 0.5 | 0.07 | 0.06 | 0.01 | 96 | 0.8 | 0.08 | 0.09 | 0.01 |
| *USA, SEER (18 registries) | 3483 | 1.1 | 0.02 | 0.12 | 0.00 | 5929 | 1.6 | 0.02 | 0.19 | 0.00 |
| *USA, SEER (18 registries): White | 2796 | 1.1 | 0.02 | 0.13 | 0.00 | 5191 | 1.8 | 0.03 | 0.22 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 2485 | 1.2 | 0.02 | 0.14 | 0.00 | 4667 | 2.0 | 0.03 | 0.24 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 311 | 0.7 | 0.04 | 0.08 | 0.01 | 524 | 1.0 | 0.05 | 0.12 | 0.01 |
| *USA, SEER (18 registries): Black | 517 | 1.6 | 0.07 | 0.16 | 0.01 | 533 | 1.3 | 0.06 | 0.15 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 102 | 0.3 | 0.03 | 0.04 | 0.00 | 131 | 0.3 | 0.03 | 0.03 | 0.00 |
| *USA, SEER (9 registries) | 1278 | 1.1 | 0.03 | 0.13 | 0.00 | 1978 | 1.5 | 0.04 | 0.19 | 0.00 |
| *USA, SEER (9 registries): White | 979 | 1.1 | 0.04 | 0.13 | 0.00 | 1718 | 1.8 | 0.04 | 0.22 | 0.01 |
| *USA, SEER (9 registries): Black | 228 | 2.1 | 0.14 | 0.20 | 0.01 | 191 | 1.4 | 0.10 | 0.15 | 0.01 |
| USA, Alabama | 193 | 1.1 | 0.08 | 0.12 | 0.01 | 361 | 1.6 | 0.09 | 0.20 | 0.01 |
| USA, Alabama: White | 139 | 1.0 | 0.09 | 0.11 | 0.01 | 310 | 1.9 | 0.12 | 0.23 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Anus (C21) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 52 | 1.4 | 0.20 | 0.15 | 0.02 | 49 | 0.9 | 0.13 | 0.11 | 0.02 |
| USA, Alaska | 28 | 1.0 | 0.20 | 0.10 | 0.02 | 44 | 1.8 | 0.27 | 0.22 | 0.04 |
| *USA, Alaska: Alaska Natives | 1 | 0.3 | 0.25 | 0.00 | 0.00 | 7 | 1.9 | 0.70 | 0.21 | 0.08 |
| USA, Arizona | 188 | 0.7 | 0.05 | 0.08 | 0.01 | 392 | 1.3 | 0.07 | 0.16 | 0.01 |
| USA, Arizona: White | 175 | 0.7 | 0.06 | 0.09 | 0.01 | 369 | 1.4 | 0.08 | 0.17 | 0.01 |
| USA, Arizona: Black | 5 | 0.5 | 0.24 | 0.06 | 0.03 | 9 | 1.0 | 0.32 | 0.11 | 0.04 |
| *USA, Arizona: Asian and Pacific Islander | 2 | 0.3 | 0.21 | 0.05 | 0.04 | 4 | 0.3 | 0.18 | 0.02 | 0.02 |
| USA, Arizona: American Indian | 4 | 0.4 | 0.21 | 0.04 | 0.02 | 9 | 0.8 | 0.26 | 0.10 | 0.04 |
| USA, Arkansas | 130 | 1.2 | 0.11 | 0.14 | 0.01 | 242 | 1.9 | 0.13 | 0.23 | 0.02 |
| USA, Arkansas: White | 112 | 1.2 | 0.12 | 0.14 | 0.01 | 223 | 2.1 | 0.15 | 0.25 | 0.02 |
| USA, Arkansas: Black | 16 | 1.3 | 0.33 | 0.15 | 0.04 | 13 | 0.7 | 0.20 | 0.08 | 0.03 |
| USA, California | 1486 | 1.1 | 0.03 | 0.12 | 0.00 | 2375 | 1.5 | 0.03 | 0.18 | 0.00 |
| USA, California: White | 1252 | 1.2 | 0.03 | 0.13 | 0.00 | 2127 | 1.7 | 0.04 | 0.22 | 0.01 |
| USA, California: Black | 140 | 1.6 | 0.14 | 0.18 | 0.02 | 137 | 1.3 | 0.12 | 0.16 | 0.02 |
| USA, California: Asian and Pacific Islander | 67 | 0.3 | 0.04 | 0.04 | 0.01 | 79 | 0.3 | 0.03 | 0.03 | 0.00 |
| *USA, California, Los Angeles County | 387 | 1.1 | 0.06 | 0.13 | 0.01 | 461 | 1.1 | 0.05 | 0.14 | 0.01 |
| *USA, California, Los Angeles County: White | 295 | 1.2 | 0.07 | 0.14 | 0.01 | 378 | 1.3 | 0.07 | 0.17 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 200 | 1.5 | 0.11 | 0.18 | 0.01 | 278 | 1.9 | 0.12 | 0.24 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 95 | 0.8 | 0.08 | 0.08 | 0.01 | 100 | 0.7 | 0.08 | 0.09 | 0.01 |
| *USA, California, Los Angeles County: Black | 66 | 2.1 | 0.26 | 0.23 | 0.03 | 45 | 1.1 | 0.17 | 0.13 | 0.02 |
| *USA, California, Los Angeles County: Chinese | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Filipino | 6 | 0.4 | 0.18 | 0.04 | 0.02 | 10 | 0.5 | 0.15 | 0.06 | 0.02 |
| *USA, California, Los Angeles County: Korean | 2 | 0.2 | 0.12 | 0.03 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 16 | 0.3 | 0.07 | 0.04 | 0.01 | 28 | 0.3 | 0.06 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area | 250 | 1.4 | 0.09 | 0.15 | 0.01 | 269 | 1.3 | 0.08 | 0.17 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 194 | 1.6 | 0.12 | 0.18 | 0.02 | 222 | 1.8 | 0.12 | 0.22 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 178 | 1.8 | 0.14 | 0.21 | 0.02 | 189 | 1.8 | 0.14 | 0.23 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 16 | 0.7 | 0.18 | 0.08 | 0.03 | 33 | 1.4 | 0.24 | 0.16 | 0.03 |
| *USA, California, San Francisco Bay Area: Black | 33 | 2.4 | 0.42 | 0.24 | 0.04 | 27 | 1.6 | 0.31 | 0.19 | 0.04 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 15 | 0.3 | 0.09 | 0.04 | 0.01 | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, Colorado | 160 | 0.8 | 0.06 | 0.09 | 0.01 | 349 | 1.6 | 0.09 | 0.20 | 0.01 |
| USA, Colorado: White | 148 | 0.8 | 0.07 | 0.09 | 0.01 | 331 | 1.6 | 0.09 | 0.21 | 0.01 |
| *USA, Colorado: Black | 7 | 0.8 | 0.32 | 0.08 | 0.03 | 10 | 1.3 | 0.41 | 0.17 | 0.06 |
| *USA, Colorado: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 4 | 0.6 | 0.29 | 0.08 | 0.05 |
| USA, Connecticut | 148 | 1.0 | 0.09 | 0.12 | 0.01 | 266 | 1.6 | 0.10 | 0.20 | 0.01 |
| USA, Connecticut: White | 136 | 1.0 | 0.09 | 0.12 | 0.01 | 241 | 1.6 | 0.11 | 0.20 | 0.01 |
| USA, Connecticut: Black | 7 | 0.6 | 0.24 | 0.07 | 0.03 | 21 | 1.4 | 0.31 | 0.17 | 0.04 |
| USA, District of Columbia | 62 | 3.1 | 0.40 | 0.38 | 0.05 | 53 | 2.3 | 0.32 | 0.27 | 0.04 |
| USA, District of Columbia: White | 24 | 2.9 | 0.59 | 0.40 | 0.09 | 12 | 1.4 | 0.44 | 0.17 | 0.06 |
| USA, District of Columbia: Black | 38 | 3.9 | 0.66 | 0.42 | 0.08 | 36 | 2.5 | 0.45 | 0.31 | 0.06 |
| USA, Florida | 1194 | 1.4 | 0.04 | 0.16 | 0.01 | 2122 | 2.2 | 0.05 | 0.26 | 0.01 |
| USA, Florida: White | 1021 | 1.4 | 0.05 | 0.16 | 0.01 | 1930 | 2.3 | 0.06 | 0.28 | 0.01 |
| USA, Florida: Black | 136 | 1.4 | 0.12 | 0.15 | 0.01 | 143 | 1.2 | 0.10 | 0.14 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 7 | 0.3 | 0.12 | 0.03 | 0.02 | 7 | 0.3 | 0.10 | 0.03 | 0.01 |
| USA, Georgia | 496 | 1.4 | 0.07 | 0.16 | 0.01 | 701 | 1.7 | 0.07 | 0.20 | 0.01 |
| USA, Georgia: White | 315 | 1.2 | 0.07 | 0.15 | 0.01 | 558 | 2.0 | 0.09 | 0.24 | 0.01 |
| USA, Georgia: Black | 176 | 2.0 | 0.15 | 0.19 | 0.02 | 139 | 1.2 | 0.10 | 0.14 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 3 | 0.3 | 0.16 | 0.01 | 0.01 | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| *USA, Georgia, Atlanta | 223 | 2.0 | 0.13 | 0.21 | 0.02 | 196 | 1.4 | 0.10 | 0.17 | 0.01 |
| *USA, Georgia, Atlanta: White | 105 | 1.6 | 0.15 | 0.19 | 0.02 | 134 | 1.8 | 0.16 | 0.23 | 0.02 |
| *USA, Georgia, Atlanta: Black | 114 | 2.8 | 0.26 | 0.26 | 0.03 | 60 | 1.1 | 0.15 | 0.12 | 0.02 |
| USA, Idaho | 34 | 0.5 | 0.10 | 0.06 | 0.01 | 145 | 2.1 | 0.18 | 0.25 | 0.02 |
| USA, Indiana | 260 | 1.1 | 0.07 | 0.12 | 0.01 | 555 | 2.0 | 0.09 | 0.23 | 0.01 |
| USA, Indiana: White | 229 | 1.0 | 0.07 | 0.12 | 0.01 | 522 | 2.1 | 0.10 | 0.25 | 0.01 |
| USA, Indiana: Black | 29 | 1.7 | 0.31 | 0.19 | 0.04 | 31 | 1.3 | 0.24 | 0.15 | 0.03 |
| *USA, Iowa | 120 | 1.0 | 0.09 | 0.11 | 0.01 | 261 | 2.0 | 0.13 | 0.25 | 0.02 |
| USA, Kentucky | 210 | 1.3 | 0.09 | 0.14 | 0.01 | 429 | 2.3 | 0.11 | 0.27 | 0.01 |
| USA, Louisiana | 211 | 1.3 | 0.09 | 0.14 | 0.01 | 294 | 1.5 | 0.09 | 0.18 | 0.01 |
| USA, Louisiana: White | 150 | 1.2 | 0.10 | 0.14 | 0.01 | 238 | 1.8 | 0.13 | 0.22 | 0.02 |
| USA, Louisiana: Black | 60 | 1.4 | 0.18 | 0.14 | 0.02 | 56 | 1.0 | 0.14 | 0.12 | 0.02 |
| *USA, Louisiana, New Orleans | 58 | 1.9 | 0.26 | 0.21 | 0.03 | 46 | 1.2 | 0.19 | 0.14 | 0.02 |
| *USA, Louisiana, New Orleans: White | 37 | 2.0 | 0.34 | 0.23 | 0.04 | 34 | 1.6 | 0.30 | 0.19 | 0.04 |
| *USA, Louisiana, New Orleans: Black | 21 | 2.0 | 0.44 | 0.20 | 0.05 | 11 | 0.7 | 0.22 | 0.07 | 0.03 |
| USA, Maine | 68 | 1.1 | 0.14 | 0.12 | 0.02 | 135 | 2.0 | 0.18 | 0.26 | 0.02 |
| USA, Maryland | 228 | 1.0 | 0.07 | 0.12 | 0.01 | 395 | 1.5 | 0.08 | 0.18 | 0.01 |
| USA, Maryland: White | 138 | 0.8 | 0.08 | 0.10 | 0.01 | 297 | 1.7 | 0.11 | 0.20 | 0.01 |
| USA, Maryland: Black | 87 | 1.6 | 0.17 | 0.18 | 0.02 | 93 | 1.2 | 0.13 | 0.15 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | 3 | 0.2 | 0.13 | 0.03 | 0.02 | 5 | 0.3 | 0.15 | 0.05 | 0.02 |
| USA, Massachusetts | 312 | 1.1 | 0.07 | 0.13 | 0.01 | 499 | 1.6 | 0.08 | 0.19 | 0.01 |
| USA, Massachusetts: White | 288 | 1.2 | 0.07 | 0.14 | 0.01 | 464 | 1.7 | 0.08 | 0.20 | 0.01 |
| USA, Massachusetts: Black | 18 | 1.1 | 0.26 | 0.14 | 0.04 | 23 | 1.1 | 0.24 | 0.12 | 0.03 |
| USA, Massachusetts: Asian and Pacific Islander | 2 | 0.2 | 0.14 | 0.04 | 0.03 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Anus (C21) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 356 | 0.9 | <i>0.05</i> | 0.10 | <i>0.01</i> | 736 | 1.7 | <i>0.06</i> | 0.20 | <i>0.01</i> |
| USA, Michigan: White | 282 | 0.8 | <i>0.05</i> | 0.09 | <i>0.01</i> | 663 | 1.8 | <i>0.07</i> | 0.21 | <i>0.01</i> |
| USA, Michigan: Black | 71 | 1.7 | <i>0.21</i> | 0.17 | <i>0.02</i> | 66 | 1.2 | <i>0.15</i> | 0.14 | <i>0.02</i> |
| USA, Michigan: Asian and Pacific Islander | 1 | 0.1 | <i>0.12</i> | 0.00 | <i>0.00</i> | 2 | 0.2 | <i>0.13</i> | 0.01 | <i>0.01</i> |
| *USA, Michigan, Detroit | 166 | 1.1 | <i>0.09</i> | 0.12 | <i>0.01</i> | 285 | 1.6 | <i>0.10</i> | 0.19 | <i>0.01</i> |
| *USA, Michigan, Detroit: White | 112 | 0.9 | <i>0.09</i> | 0.11 | <i>0.01</i> | 225 | 1.8 | <i>0.13</i> | 0.21 | <i>0.02</i> |
| *USA, Michigan, Detroit: Black | 53 | 1.9 | <i>0.27</i> | 0.19 | <i>0.03</i> | 59 | 1.4 | <i>0.19</i> | 0.16 | <i>0.02</i> |
| USA, Minnesota | 154 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> | 369 | 1.6 | <i>0.09</i> | 0.19 | <i>0.01</i> |
| USA, Minnesota: White | 141 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> | 340 | 1.6 | <i>0.09</i> | 0.19 | <i>0.01</i> |
| USA, Minnesota: Black | 8 | 1.0 | <i>0.39</i> | 0.14 | <i>0.06</i> | 17 | 2.3 | <i>0.57</i> | 0.29 | <i>0.09</i> |
| *USA, Minnesota: Asian and Pacific Islander | 1 | 0.1 | <i>0.12</i> | 0.01 | <i>0.01</i> | 2 | 0.4 | <i>0.26</i> | 0.05 | <i>0.03</i> |
| USA, Mississippi | 116 | 1.1 | <i>0.11</i> | 0.12 | <i>0.01</i> | 228 | 1.8 | <i>0.13</i> | 0.20 | <i>0.02</i> |
| USA, Missouri | 266 | 1.2 | <i>0.07</i> | 0.14 | <i>0.01</i> | 530 | 2.0 | <i>0.09</i> | 0.24 | <i>0.01</i> |
| USA, Missouri: White | 225 | 1.1 | <i>0.08</i> | 0.13 | <i>0.01</i> | 480 | 2.1 | <i>0.10</i> | 0.26 | <i>0.01</i> |
| USA, Missouri: Black | 34 | 1.7 | <i>0.29</i> | 0.20 | <i>0.04</i> | 47 | 1.6 | <i>0.24</i> | 0.15 | <i>0.03</i> |
| USA, Montana | 40 | 0.9 | <i>0.15</i> | 0.10 | <i>0.02</i> | 90 | 1.9 | <i>0.22</i> | 0.23 | <i>0.03</i> |
| *USA, Montana: American Indian | 1 | 0.4 | <i>0.43</i> | 0.05 | <i>0.05</i> | 1 | 0.6 | <i>0.64</i> | 0.05 | <i>0.05</i> |
| USA, Nebraska | 64 | 0.9 | <i>0.11</i> | 0.10 | <i>0.01</i> | 137 | 1.8 | <i>0.17</i> | 0.20 | <i>0.02</i> |
| USA, Nebraska: White | 58 | 0.8 | <i>0.11</i> | 0.09 | <i>0.01</i> | 130 | 1.8 | <i>0.17</i> | 0.21 | <i>0.02</i> |
| *USA, Nebraska: Black | 4 | 1.3 | <i>0.68</i> | 0.13 | <i>0.06</i> | 5 | 2.1 | <i>0.96</i> | 0.26 | <i>0.12</i> |
| USA, Nevada | 111 | 0.9 | <i>0.09</i> | 0.11 | <i>0.01</i> | 181 | 1.5 | <i>0.12</i> | 0.19 | <i>0.02</i> |
| USA, Nevada: White | 101 | 1.0 | <i>0.11</i> | 0.12 | <i>0.01</i> | 158 | 1.7 | <i>0.14</i> | 0.21 | <i>0.02</i> |
| USA, Nevada: Black | 6 | 0.7 | <i>0.29</i> | 0.12 | <i>0.06</i> | 15 | 1.5 | <i>0.40</i> | 0.18 | <i>0.05</i> |
| *USA, Nevada: Asian and Pacific Islander | 3 | 0.3 | <i>0.19</i> | 0.04 | <i>0.03</i> | 7 | 0.6 | <i>0.22</i> | 0.06 | <i>0.02</i> |
| USA, New Jersey | 324 | 0.9 | <i>0.05</i> | 0.10 | <i>0.01</i> | 651 | 1.6 | <i>0.07</i> | 0.20 | <i>0.01</i> |
| USA, New Jersey: White | 263 | 0.9 | <i>0.06</i> | 0.10 | <i>0.01</i> | 551 | 1.8 | <i>0.08</i> | 0.22 | <i>0.01</i> |
| USA, New Jersey: Black | 50 | 1.2 | <i>0.17</i> | 0.11 | <i>0.02</i> | 82 | 1.6 | <i>0.18</i> | 0.18 | <i>0.02</i> |
| USA, New Mexico | 69 | 0.9 | <i>0.11</i> | 0.10 | <i>0.01</i> | 113 | 1.2 | <i>0.12</i> | 0.14 | <i>0.02</i> |
| USA, New Mexico: White | 66 | 0.9 | <i>0.12</i> | 0.11 | <i>0.01</i> | 108 | 1.3 | <i>0.13</i> | 0.15 | <i>0.02</i> |
| USA, New Mexico: Non-Hispanic White | 45 | 1.1 | <i>0.19</i> | 0.13 | <i>0.02</i> | 78 | 1.6 | <i>0.21</i> | 0.20 | <i>0.03</i> |
| USA, New Mexico: Hispanic White | 21 | 0.7 | <i>0.16</i> | 0.09 | <i>0.02</i> | 30 | 0.8 | <i>0.16</i> | 0.10 | <i>0.02</i> |
| *USA, New Mexico: American Indian | 2 | 0.4 | <i>0.26</i> | 0.03 | <i>0.02</i> | 2 | 0.3 | <i>0.19</i> | 0.01 | <i>0.01</i> |
| USA, New York State | 1007 | 1.4 | <i>0.04</i> | 0.16 | <i>0.01</i> | 1532 | 1.7 | <i>0.05</i> | 0.21 | <i>0.01</i> |
| USA, New York State: White | 765 | 1.3 | <i>0.05</i> | 0.15 | <i>0.01</i> | 1259 | 1.9 | <i>0.06</i> | 0.23 | <i>0.01</i> |
| USA, New York State: Black | 220 | 2.1 | <i>0.14</i> | 0.23 | <i>0.02</i> | 250 | 1.7 | <i>0.11</i> | 0.19 | <i>0.01</i> |
| USA, New York State: Asian and Pacific Islander | 20 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 17 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| USA, North Carolina | 400 | 1.1 | <i>0.06</i> | 0.12 | <i>0.01</i> | 813 | 1.9 | <i>0.07</i> | 0.21 | <i>0.01</i> |
| USA, North Carolina: White | 303 | 1.0 | <i>0.06</i> | 0.12 | <i>0.01</i> | 683 | 2.1 | <i>0.08</i> | 0.24 | <i>0.01</i> |
| USA, North Carolina: Black | 90 | 1.4 | <i>0.15</i> | 0.15 | <i>0.02</i> | 120 | 1.4 | <i>0.13</i> | 0.15 | <i>0.02</i> |
| USA, North Carolina: Asian and Pacific Islander | 3 | 0.5 | <i>0.27</i> | 0.05 | <i>0.04</i> | 2 | 0.3 | <i>0.18</i> | 0.04 | <i>0.03</i> |
| *USA, North Carolina: American Indian | 1 | 0.2 | <i>0.23</i> | 0.03 | <i>0.03</i> | 5 | 1.0 | <i>0.43</i> | 0.17 | <i>0.08</i> |
| USA, North Dakota | 22 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> | 45 | 1.6 | <i>0.26</i> | 0.19 | <i>0.03</i> |
| USA, Ohio | 450 | 1.0 | <i>0.05</i> | 0.12 | <i>0.01</i> | 919 | 1.8 | <i>0.06</i> | 0.21 | <i>0.01</i> |
| USA, Ohio: White | 380 | 0.9 | <i>0.05</i> | 0.11 | <i>0.01</i> | 838 | 1.9 | <i>0.07</i> | 0.22 | <i>0.01</i> |
| USA, Ohio: Black | 69 | 1.6 | <i>0.20</i> | 0.19 | <i>0.03</i> | 75 | 1.3 | <i>0.16</i> | 0.16 | <i>0.02</i> |
| *USA, Ohio: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 5 | 0.6 | <i>0.25</i> | 0.04 | <i>0.02</i> |
| USA, Oklahoma | 153 | 1.1 | <i>0.09</i> | 0.12 | <i>0.01</i> | 320 | 2.0 | <i>0.12</i> | 0.24 | <i>0.02</i> |
| USA, Oklahoma: White | 127 | 1.1 | <i>0.10</i> | 0.13 | <i>0.01</i> | 295 | 2.2 | <i>0.14</i> | 0.27 | <i>0.02</i> |
| USA, Oklahoma: Black | 14 | 1.5 | <i>0.40</i> | 0.13 | <i>0.04</i> | 16 | 1.6 | <i>0.40</i> | 0.22 | <i>0.06</i> |
| USA, Oklahoma: American Indian | 11 | 1.0 | <i>0.31</i> | 0.12 | <i>0.04</i> | 8 | 0.6 | <i>0.23</i> | 0.07 | <i>0.03</i> |
| USA, Oregon | 179 | 1.1 | <i>0.08</i> | 0.12 | <i>0.01</i> | 376 | 2.1 | <i>0.11</i> | 0.25 | <i>0.01</i> |
| USA, Oregon: White | 166 | 1.1 | <i>0.09</i> | 0.12 | <i>0.01</i> | 364 | 2.2 | <i>0.12</i> | 0.26 | <i>0.02</i> |
| *USA, Oregon: Black | 3 | 1.0 | <i>0.61</i> | 0.15 | <i>0.09</i> | 1 | 0.5 | <i>0.45</i> | 0.11 | <i>0.11</i> |
| *USA, Oregon: Asian and Pacific Islander | 3 | 0.6 | <i>0.33</i> | 0.07 | <i>0.04</i> | 4 | 0.5 | <i>0.26</i> | 0.06 | <i>0.04</i> |
| USA, Rhode Island | 42 | 1.0 | <i>0.16</i> | 0.12 | <i>0.02</i> | 84 | 1.8 | <i>0.21</i> | 0.22 | <i>0.03</i> |
| USA, Rhode Island: White | 39 | 1.0 | <i>0.17</i> | 0.12 | <i>0.02</i> | 77 | 1.9 | <i>0.22</i> | 0.22 | <i>0.03</i> |
| *USA, Rhode Island: Black | 3 | 1.3 | <i>0.77</i> | 0.16 | <i>0.10</i> | 6 | 2.5 | <i>1.05</i> | 0.36 | <i>0.16</i> |
| USA, South Carolina | 185 | 1.0 | <i>0.08</i> | 0.11 | <i>0.01</i> | 354 | 1.6 | <i>0.09</i> | 0.20 | <i>0.01</i> |
| USA, South Carolina: White | 132 | 0.9 | <i>0.08</i> | 0.11 | <i>0.01</i> | 299 | 1.9 | <i>0.12</i> | 0.23 | <i>0.01</i> |
| USA, South Carolina: Black | 51 | 1.2 | <i>0.18</i> | 0.14 | <i>0.02</i> | 53 | 1.0 | <i>0.14</i> | 0.11 | <i>0.02</i> |
| USA, South Dakota | 21 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> | 48 | 1.4 | <i>0.21</i> | 0.14 | <i>0.02</i> |
| USA, Tennessee | 307 | 1.2 | <i>0.07</i> | 0.14 | <i>0.01</i> | 590 | 2.1 | <i>0.09</i> | 0.25 | <i>0.01</i> |
| USA, Tennessee: White | 261 | 1.2 | <i>0.08</i> | 0.14 | <i>0.01</i> | 532 | 2.3 | <i>0.10</i> | 0.27 | <i>0.01</i> |
| USA, Tennessee: Black | 46 | 1.4 | <i>0.21</i> | 0.15 | <i>0.02</i> | 57 | 1.4 | <i>0.18</i> | 0.15 | <i>0.02</i> |
| USA, Texas | 880 | 1.0 | <i>0.03</i> | 0.11 | <i>0.00</i> | 1389 | 1.3 | <i>0.04</i> | 0.16 | <i>0.01</i> |
| USA, Texas: White | 729 | 1.0 | <i>0.04</i> | 0.11 | <i>0.00</i> | 1250 | 1.5 | <i>0.04</i> | 0.18 | <i>0.01</i> |
| USA, Texas: Black | 144 | 1.5 | <i>0.12</i> | 0.16 | <i>0.02</i> | 123 | 1.0 | <i>0.10</i> | 0.13 | <i>0.01</i> |
| USA, Texas: Asian and Pacific Islander | 4 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> | 9 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| USA, Utah | 53 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> | 131 | 1.4 | <i>0.12</i> | 0.16 | <i>0.02</i> |
| USA, Vermont | 42 | 1.7 | <i>0.28</i> | 0.18 | <i>0.03</i> | 66 | 2.1 | <i>0.27</i> | 0.28 | <i>0.04</i> |
| USA, Washington State | 294 | 1.1 | <i>0.06</i> | 0.13 | <i>0.01</i> | 562 | 1.8 | <i>0.08</i> | 0.22 | <i>0.01</i> |
| *USA, Washington, Seattle | 212 | 1.1 | <i>0.08</i> | 0.13 | <i>0.01</i> | 390 | 1.8 | <i>0.09</i> | 0.22 | <i>0.01</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Anus (C21) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 93 | 1.1 | 0.12 | 0.13 | 0.02 | 200 | 2.3 | 0.18 | 0.27 | 0.02 |
| USA, Wyoming | 22 | 0.9 | 0.20 | 0.14 | 0.03 | 30 | 1.3 | 0.25 | 0.18 | 0.03 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 10 | 0.8 | 0.27 | 0.09 | 0.04 | 5 | 0.3 | 0.15 | 0.02 | 0.01 |
| Brunei Darussalam | 3 | 0.3 | 0.19 | 0.04 | 0.03 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| *China, Anfu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 7 | 0.5 | 0.20 | 0.05 | 0.02 | 7 | 0.5 | 0.19 | 0.07 | 0.03 |
| *China, Anshan City | 7 | 0.1 | 0.03 | 0.01 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Baoding City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Beijing City | 34 | 0.1 | 0.02 | 0.01 | 0.00 | 43 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Binhai County | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Cangzhou City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Changfeng County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Changzhou City | 18 | 0.2 | 0.04 | 0.02 | 0.01 | 18 | 0.2 | 0.04 | 0.02 | 0.01 |
| China, Chengdu City | 29 | 0.8 | 0.14 | 0.11 | 0.02 | 27 | 0.6 | 0.13 | 0.07 | 0.02 |
| China, Cixian County | 5 | 0.3 | 0.14 | 0.04 | 0.02 | 10 | 0.6 | 0.18 | 0.09 | 0.03 |
| China, Cixi City | 65 | 1.2 | 0.15 | 0.16 | 0.03 | 38 | 0.6 | 0.10 | 0.07 | 0.02 |
| *China, Dafeng District, Yancheng City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Dalian City | 19 | 0.2 | 0.04 | 0.02 | 0.01 | 16 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Dancheng County | 203 | 6.2 | 0.45 | 0.64 | 0.06 | 154 | 4.1 | 0.34 | 0.48 | 0.05 |
| China, Dangtu County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Danyang City | 20 | 0.5 | 0.12 | 0.07 | 0.02 | 16 | 0.4 | 0.09 | 0.04 | 0.01 |
| *China, Dawukou District, Shizuishan City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Donggang County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongguan City | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Donghai County | 2 | 0.0 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Dongtai City | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 5 | 0.3 | 0.14 | 0.01 | 0.01 | 4 | 0.4 | 0.19 | 0.06 | 0.03 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 3 | 1.2 | 0.72 | 0.05 | 0.05 |
| *China, Faku County | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Fangcheng County | 77 | 3.0 | 0.35 | 0.32 | 0.05 | 26 | 1.2 | 0.24 | 0.14 | 0.04 |
| *China, Feicheng City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Feixi County | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Fuqing City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Ganyu District, Lianyungang City | 2 | 0.1 | 0.06 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganzhou District, Zhangye City | 6 | 0.6 | 0.26 | 0.13 | 0.05 | 6 | 0.8 | 0.33 | 0.10 | 0.04 |
| *China, Gaocheng City | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Gaomi City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Gong'an County | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 9 | 0.4 | 0.13 | 0.04 | 0.02 |
| China, Guanghan City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Guangzhou City | 81 | 0.2 | 0.03 | 0.03 | 0.00 | 59 | 0.2 | 0.02 | 0.02 | 0.00 |
| *China, Guanyun County | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Guilin City | 11 | 0.5 | 0.15 | 0.06 | 0.02 | 7 | 0.3 | 0.11 | 0.03 | 0.02 |
| *China, Hai'an City | 8 | 0.1 | 0.05 | 0.01 | 0.01 | 7 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Hailar District, Hulun Buir City | 6 | 0.5 | 0.23 | 0.06 | 0.03 | 2 | 0.2 | 0.13 | 0.02 | 0.01 |
| China, Haimen District, Nantong City | 13 | 0.2 | 0.07 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Haining City | 4 | 0.1 | 0.08 | 0.02 | 0.01 | 8 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Hangzhou City | 85 | 0.2 | 0.03 | 0.03 | 0.00 | 90 | 0.2 | 0.03 | 0.02 | 0.00 |
| China, Hebi City | 8 | 0.7 | 0.25 | 0.13 | 0.05 | 3 | 0.2 | 0.13 | 0.03 | 0.02 |
| China, Hefei City | 5 | 0.1 | 0.03 | 0.01 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Hengdong County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.2 | 0.13 | 0.04 | 0.02 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 7 | 0.2 | 0.09 | 0.04 | 0.02 | 8 | 0.3 | 0.11 | 0.05 | 0.02 |
| China, Honghu City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Hongshan District, Chifeng City | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.11 | 0.02 | 0.02 |
| *China, Hongta District, Yuxi City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Huaiyin District, Huai'an City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Jiange County | 7 | 0.4 | 0.16 | 0.06 | 0.03 | 8 | 0.5 | 0.18 | 0.06 | 0.02 |
| China, Jiangmen City | 7 | 0.3 | 0.12 | 0.04 | 0.02 | 12 | 0.5 | 0.14 | 0.06 | 0.02 |
| *China, Jiangyin City | 20 | 0.3 | 0.07 | 0.05 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Jiashan County | 12 | 0.5 | 0.16 | 0.06 | 0.02 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 19 | 0.2 | 0.05 | 0.02 | 0.01 | 14 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 3 | 0.4 | 0.21 | 0.04 | 0.02 | 2 | 0.2 | 0.15 | 0.01 | 0.01 |
| *China, Jintan District, Changzhou City | 11 | 0.4 | 0.14 | 0.03 | 0.01 | 6 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 11 | 0.3 | 0.11 | 0.03 | 0.01 | 7 | 0.3 | 0.15 | 0.02 | 0.01 |
| *China, Jiyuan City | 5 | 0.3 | 0.17 | 0.01 | 0.01 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Anus (C21) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 7 | 0.6 | 0.24 | 0.07 | 0.03 | 4 | 0.2 | 0.12 | 0.01 | 0.01 |
| China, Kunshan City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Langzhong City | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.00 | 0.00 |
| *China, Liangshan County | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.2 | 0.08 | 0.04 | 0.02 |
| *China, Lianshui County | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 5 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Lianyungang City | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Linhe District, Bayannur City | 8 | 0.7 | 0.26 | 0.12 | 0.04 | 3 | 0.3 | 0.15 | 0.03 | 0.02 |
| China, Linqu County | 11 | 0.3 | 0.09 | 0.04 | 0.02 | 11 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Linzhou City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Liuzhou City | 11 | 0.3 | 0.09 | 0.03 | 0.01 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Liyang City | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 7 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Longquan City | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Lucheng District, Wenzhou City | 13 | 0.6 | 0.18 | 0.09 | 0.03 | 7 | 0.3 | 0.11 | 0.02 | 0.01 |
| China, Luoding City | 7 | 0.3 | 0.12 | 0.04 | 0.02 | 3 | 0.1 | 0.09 | 0.02 | 0.02 |
| *China, Luohe City | 12 | 0.3 | 0.09 | 0.04 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Luoyang City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Luquan City | 8 | 0.6 | 0.23 | 0.08 | 0.04 | 3 | 0.2 | 0.14 | 0.04 | 0.03 |
| China, Ma'anshan City | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Macheng City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Meihekou City | 13 | 0.5 | 0.16 | 0.04 | 0.02 | 13 | 0.5 | 0.15 | 0.05 | 0.02 |
| *China, Mengjin County | 1 | 0.1 | 0.14 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Nangang District, Harbin City | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Nanhai District, Foshan City | 9 | 0.3 | 0.11 | 0.03 | 0.01 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Nanhu District, Jiaxing City | 24 | 1.0 | 0.20 | 0.11 | 0.03 | 19 | 0.7 | 0.16 | 0.07 | 0.02 |
| *China, Nantong City | 12 | 0.2 | 0.07 | 0.03 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Nanxiong City | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Neixiang County | 9 | 0.4 | 0.12 | 0.05 | 0.02 | 10 | 0.4 | 0.13 | 0.04 | 0.02 |
| *China, Qianxi County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| China, Qidong City | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 6 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Qingzhou City | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Rudong County | 9 | 0.1 | 0.04 | 0.02 | 0.01 | 8 | 0.2 | 0.06 | 0.01 | 0.01 |
| *China, Rugao City | 3 | 0.0 | 0.02 | 0.01 | 0.00 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Rural areas of Shanghai City | 90 | 0.2 | 0.02 | 0.02 | 0.00 | 64 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Ruyang County | 6 | 0.5 | 0.19 | 0.04 | 0.02 | 3 | 0.2 | 0.15 | 0.03 | 0.02 |
| *China, Shan County | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 8 | 0.3 | 0.11 | 0.04 | 0.02 |
| China, Shanghai City | 65 | 0.2 | 0.02 | 0.02 | 0.00 | 62 | 0.1 | 0.02 | 0.02 | 0.00 |
| China, Shangyu District, Shaoxing City | 33 | 0.9 | 0.16 | 0.12 | 0.02 | 18 | 0.5 | 0.11 | 0.05 | 0.01 |
| *China, Shapingba District, Chongqing City | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Shexian County | 5 | 0.4 | 0.16 | 0.04 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Sheyang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shijiazhuang City | 10 | 0.2 | 0.06 | 0.03 | 0.01 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Shunde District, Foshan City | 14 | 0.4 | 0.10 | 0.05 | 0.02 | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Song County | 3 | 0.2 | 0.12 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 44 | 0.3 | 0.04 | 0.03 | 0.01 | 41 | 0.2 | 0.04 | 0.02 | 0.01 |
| *China, Tengzhou City | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Wangdu County | 1 | 0.1 | 0.14 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Wan'ai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuhan City | 69 | 0.3 | 0.04 | 0.03 | 0.01 | 42 | 0.2 | 0.03 | 0.03 | 0.00 |
| *China, Wuhu City | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Wuxi City | 39 | 0.3 | 0.05 | 0.05 | 0.01 | 38 | 0.3 | 0.05 | 0.03 | 0.01 |
| China, Wuzhou City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Xiangfu District, Kaifeng City | 31 | 1.7 | 0.30 | 0.20 | 0.04 | 19 | 0.9 | 0.22 | 0.12 | 0.03 |
| China, Xianju County | 17 | 0.8 | 0.19 | 0.09 | 0.03 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Xin'an County | 2 | 0.2 | 0.11 | 0.02 | 0.02 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| *China, Xining City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Xinji City | 19 | 0.7 | 0.16 | 0.11 | 0.03 | 9 | 0.3 | 0.11 | 0.05 | 0.02 |
| *China, Xinluo District, Longyan City | 4 | 0.3 | 0.17 | 0.04 | 0.02 | 4 | 0.3 | 0.14 | 0.02 | 0.01 |
| *China, Xinzhou District, Shangrao City | 6 | 0.5 | 0.23 | 0.02 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Xiping County | 4 | 0.2 | 0.10 | 0.01 | 0.00 | 8 | 0.3 | 0.09 | 0.02 | 0.01 |
| *China, Xishan District, Kunming City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Xuyi County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 4 | 0.2 | 0.08 | 0.03 | 0.02 |
| *China, Ya'an City | 30 | 0.6 | 0.10 | 0.07 | 0.01 | 16 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Yakeshi City | 5 | 0.2 | 0.08 | 0.00 | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Yancheng City | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Yangquan City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Yangzhong City | 10 | 0.8 | 0.26 | 0.05 | 0.02 | 6 | 0.2 | 0.10 | 0.01 | 0.01 |
| *China, Yanji City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanshi City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Yanting County | 3 | 0.2 | 0.09 | 0.03 | 0.02 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Anus (C21) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 3 | 0.4 | 0.23 | 0.03 | 0.02 | 4 | 0.5 | 0.23 | 0.06 | 0.03 |
| *China, Yiyuan County | 29 | 1.5 | 0.29 | 0.18 | 0.04 | 16 | 0.6 | 0.17 | 0.07 | 0.03 |
| China, Yong'an City | 3 | 0.2 | 0.13 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yongding District, Longyan City | 8 | 0.5 | 0.17 | 0.06 | 0.03 | 4 | 0.2 | 0.09 | 0.02 | 0.02 |
| China, Yongkang City | 33 | 1.3 | 0.24 | 0.16 | 0.04 | 22 | 0.9 | 0.19 | 0.08 | 0.02 |
| *China, Yucheng County | 8 | 0.4 | 0.14 | 0.05 | 0.02 | 5 | 0.3 | 0.12 | 0.03 | 0.01 |
| China, Yueyanglou District, Yueyang City | 2 | 0.2 | 0.14 | 0.04 | 0.03 | 3 | 0.3 | 0.16 | 0.03 | 0.02 |
| China, Yunmeng County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 2 | 0.1 | 0.09 | 0.02 | 0.01 |
| *China, Yunyang District, Shiyuan City | 11 | 1.1 | 0.33 | 0.18 | 0.07 | 8 | 0.7 | 0.27 | 0.10 | 0.04 |
| China, Yuzhong District, Chongqing City | 4 | 0.1 | 0.08 | 0.02 | 0.02 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Zanzhou County | 2 | 0.2 | 0.12 | 0.00 | 0.00 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| *China, Zhangjiagang City | 10 | 0.2 | 0.07 | 0.02 | 0.01 | 8 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Zhaoyuan City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Zhengding County | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 3 | 0.2 | 0.11 | 0.03 | 0.02 |
| *China, Zhongshan City | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Zhongxiang City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Zhuanghe City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Zhuhai City | 9 | 0.3 | 0.09 | 0.03 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| India, Ahmedabad, Urban | 54 | 0.4 | 0.06 | 0.05 | 0.01 | 25 | 0.2 | 0.05 | 0.03 | 0.01 |
| India, Aurangabad | 11 | 0.4 | 0.12 | 0.05 | 0.02 | 8 | 0.2 | 0.09 | 0.02 | 0.01 |
| India, Bangalore | 42 | 0.4 | 0.06 | 0.04 | 0.01 | 47 | 0.4 | 0.07 | 0.05 | 0.01 |
| India, Barshi, Paranda, and Bhum | 3 | 0.2 | 0.11 | 0.03 | 0.02 | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| *India, Bhopal | 14 | 0.6 | 0.15 | 0.08 | 0.02 | 10 | 0.4 | 0.12 | 0.05 | 0.02 |
| India, Chandigarh | 16 | 0.7 | 0.18 | 0.08 | 0.03 | 12 | 0.5 | 0.16 | 0.05 | 0.02 |
| *India, Chennai | 66 | 0.5 | 0.07 | 0.06 | 0.01 | 82 | 0.7 | 0.07 | 0.08 | 0.01 |
| India, Dibrugarh | 12 | 0.4 | 0.12 | 0.05 | 0.02 | 4 | 0.2 | 0.08 | 0.01 | 0.01 |
| *India, Dindigul, Ambilikai | 20 | 0.3 | 0.07 | 0.04 | 0.01 | 10 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Kamrup Urban District | 17 | 0.6 | 0.16 | 0.08 | 0.02 | 13 | 0.5 | 0.16 | 0.07 | 0.02 |
| India, Kollam | 8 | 0.1 | 0.04 | 0.02 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| *India, Manipur | 15 | 0.3 | 0.08 | 0.03 | 0.01 | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| India, Meghalaya | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, Mizoram | 2 | 0.1 | 0.10 | 0.03 | 0.02 | 5 | 0.3 | 0.12 | 0.01 | 0.01 |
| India, Mumbai | 136 | 0.4 | 0.04 | 0.05 | 0.01 | 82 | 0.3 | 0.03 | 0.03 | 0.00 |
| *India, New Delhi | 153 | 0.7 | 0.06 | 0.09 | 0.01 | 73 | 0.4 | 0.04 | 0.04 | 0.01 |
| India, Poona | 23 | 0.2 | 0.04 | 0.02 | 0.01 | 24 | 0.2 | 0.04 | 0.02 | 0.01 |
| *India, Sangrur District | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| India, SAS Nagar | 14 | 0.6 | 0.17 | 0.09 | 0.02 | 9 | 0.4 | 0.13 | 0.05 | 0.02 |
| *India, Tamil Nadu | 766 | 0.4 | 0.01 | 0.04 | 0.00 | 630 | 0.3 | 0.01 | 0.04 | 0.00 |
| *India, Tripura | 20 | 0.3 | 0.07 | 0.03 | 0.01 | 13 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Trivandrum | 24 | 0.3 | 0.06 | 0.03 | 0.01 | 18 | 0.2 | 0.05 | 0.02 | 0.01 |
| India, Wardha | 13 | 0.3 | 0.09 | 0.03 | 0.01 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| India, West Arunachal | 4 | 0.4 | 0.24 | 0.06 | 0.04 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Ardabil Province | 5 | 0.3 | 0.13 | 0.03 | 0.02 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 5 | 0.2 | 0.08 | 0.01 | 0.01 |
| Israel | 109 | 0.4 | 0.04 | 0.05 | 0.01 | 147 | 0.5 | 0.05 | 0.06 | 0.01 |
| *Israel: Jews | 87 | 0.4 | 0.05 | 0.05 | 0.01 | 129 | 0.6 | 0.05 | 0.07 | 0.01 |
| *Israel: Arabs | 16 | 0.6 | 0.14 | 0.08 | 0.02 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| Japan | 1428 | 0.3 | 0.01 | 0.03 | 0.00 | 1476 | 0.3 | 0.01 | 0.03 | 0.00 |
| Japan, Aichi Prefecture | 100 | 0.4 | 0.05 | 0.05 | 0.01 | 74 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Japan, Akita Prefecture | 14 | 0.4 | 0.14 | 0.04 | 0.01 | 13 | 0.3 | 0.10 | 0.03 | 0.01 |
| Japan, Aomori Prefecture | 16 | 0.2 | 0.05 | 0.02 | 0.01 | 27 | 0.3 | 0.11 | 0.03 | 0.01 |
| Japan, Gunma Prefecture | 27 | 0.4 | 0.08 | 0.04 | 0.01 | 18 | 0.2 | 0.07 | 0.02 | 0.01 |
| Japan, Hiroshima Prefecture | 44 | 0.3 | 0.05 | 0.03 | 0.01 | 41 | 0.2 | 0.04 | 0.02 | 0.01 |
| Japan, Miyagi Prefecture | 43 | 0.3 | 0.05 | 0.03 | 0.01 | 40 | 0.2 | 0.04 | 0.02 | 0.01 |
| Japan, Osaka Prefecture | 127 | 0.4 | 0.04 | 0.05 | 0.01 | 133 | 0.3 | 0.03 | 0.03 | 0.00 |
| Kuwait | 13 | 0.1 | 0.06 | 0.01 | 0.00 | 12 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Kuwait: Kuwaitis | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 7 | 0.3 | 0.13 | 0.04 | 0.02 |
| *Kuwait: Non-Kuwaitis | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 5 | 0.1 | 0.08 | 0.02 | 0.01 |
| *Philippines, Manila | 19 | 0.2 | 0.04 | 0.01 | 0.00 | 24 | 0.2 | 0.03 | 0.01 | 0.00 |
| *Qatar: Qatari | 3 | 0.8 | 0.50 | 0.08 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 581 | 0.3 | 0.01 | 0.03 | 0.00 | 845 | 0.4 | 0.01 | 0.04 | 0.00 |
| *Republic of Korea, Busan | 34 | 0.2 | 0.04 | 0.03 | 0.01 | 67 | 0.4 | 0.05 | 0.04 | 0.01 |
| *Republic of Korea, Daegu | 21 | 0.2 | 0.05 | 0.02 | 0.01 | 40 | 0.3 | 0.06 | 0.04 | 0.01 |
| *Republic of Korea, Daejeon | 15 | 0.3 | 0.07 | 0.03 | 0.01 | 16 | 0.3 | 0.08 | 0.02 | 0.01 |
| *Republic of Korea, Gwangju | 7 | 0.1 | 0.04 | 0.01 | 0.01 | 17 | 0.3 | 0.07 | 0.04 | 0.01 |
| Republic of Korea, Incheon | 22 | 0.2 | 0.04 | 0.03 | 0.01 | 46 | 0.4 | 0.06 | 0.05 | 0.01 |
| Republic of Korea, Jeju | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 12 | 0.4 | 0.13 | 0.04 | 0.02 |
| Republic of Korea, Seoul | 150 | 0.4 | 0.03 | 0.05 | 0.00 | 189 | 0.4 | 0.03 | 0.05 | 0.00 |
| Republic of Korea, Ulsan | 12 | 0.3 | 0.09 | 0.03 | 0.01 | 22 | 0.5 | 0.11 | 0.06 | 0.02 |
| Singapore | 107 | 0.7 | 0.07 | 0.10 | 0.01 | 73 | 0.4 | 0.05 | 0.04 | 0.01 |
| Singapore: Chinese | 87 | 0.7 | 0.08 | 0.10 | 0.01 | 60 | 0.4 | 0.06 | 0.04 | 0.01 |
| Singapore: Indian | 5 | 0.5 | 0.24 | 0.09 | 0.05 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Anus (C21) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 14 | 0.9 | <i>0.25</i> | 0.13 | <i>0.04</i> | 11 | 0.6 | <i>0.19</i> | 0.07 | <i>0.02</i> |
| Thailand, Bangkok | 50 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> | 61 | 0.3 | <i>0.04</i> | 0.04 | <i>0.01</i> |
| *Thailand, Chiang Mai | 26 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | 21 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| *Thailand, Khon Kaen | 16 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 7 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Thailand, Lampang | 11 | 0.4 | <i>0.12</i> | 0.04 | <i>0.01</i> | 11 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| Thailand, Lopburi Province | 13 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> | 9 | 0.3 | <i>0.12</i> | 0.04 | <i>0.02</i> |
| *Thailand, Songkhla | 17 | 0.4 | <i>0.09</i> | 0.04 | <i>0.02</i> | 14 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| Turkey, Antalya | 30 | 0.5 | <i>0.09</i> | 0.07 | <i>0.01</i> | 23 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Turkey, Bursa | 25 | 0.3 | <i>0.06</i> | 0.04 | <i>0.01</i> | 15 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| *Turkey, Edirne | 4 | 0.2 | <i>0.12</i> | 0.04 | <i>0.02</i> | 1 | 0.0 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| *Turkey, Erzurum | 5 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> | 8 | 0.3 | <i>0.13</i> | 0.04 | <i>0.02</i> |
| Turkey, Eskişehir | 20 | 0.7 | <i>0.17</i> | 0.10 | <i>0.03</i> | 9 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Turkey, Gaziantep | 15 | 0.4 | <i>0.11</i> | 0.05 | <i>0.02</i> | 9 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *Turkey, Izmir | 31 | 0.2 | <i>0.04</i> | 0.03 | <i>0.01</i> | 29 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| Turkey, Malatya | 16 | 0.8 | <i>0.20</i> | 0.10 | <i>0.03</i> | 5 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| Turkey, Samsun | 3 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> | 13 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Turkey, Trabzon | 4 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> | 4 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| Europe | | | | | | | | | | |
| Austria | 265 | 0.7 | <i>0.04</i> | 0.08 | <i>0.01</i> | 552 | 1.3 | <i>0.06</i> | 0.15 | <i>0.01</i> |
| Austria, Carinthia | 24 | 0.9 | <i>0.19</i> | 0.11 | <i>0.02</i> | 53 | 1.8 | <i>0.27</i> | 0.25 | <i>0.04</i> |
| Austria, Tyrol | 18 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> | 51 | 1.4 | <i>0.22</i> | 0.17 | <i>0.03</i> |
| Austria, Vorarlberg | 11 | 0.6 | <i>0.20</i> | 0.09 | <i>0.03</i> | 19 | 0.9 | <i>0.22</i> | 0.08 | <i>0.03</i> |
| Belarus | 117 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | 287 | 0.6 | <i>0.04</i> | 0.07 | <i>0.00</i> |
| *Belgium | 366 | 0.7 | <i>0.04</i> | 0.08 | <i>0.01</i> | 599 | 1.1 | <i>0.05</i> | 0.13 | <i>0.01</i> |
| Croatia | 101 | 0.5 | <i>0.06</i> | 0.07 | <i>0.01</i> | 104 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| Cyprus | 18 | 0.5 | <i>0.13</i> | 0.06 | <i>0.02</i> | 21 | 0.6 | <i>0.13</i> | 0.07 | <i>0.02</i> |
| *Czech Republic | 297 | 0.6 | <i>0.04</i> | 0.08 | <i>0.01</i> | 575 | 1.0 | <i>0.05</i> | 0.13 | <i>0.01</i> |
| Denmark | 224 | 0.9 | <i>0.06</i> | 0.11 | <i>0.01</i> | 518 | 2.0 | <i>0.09</i> | 0.24 | <i>0.01</i> |
| Estonia | 24 | 0.5 | <i>0.11</i> | 0.06 | <i>0.01</i> | 58 | 0.7 | <i>0.11</i> | 0.08 | <i>0.01</i> |
| Finland | 95 | 0.3 | <i>0.04</i> | 0.04 | <i>0.00</i> | 160 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> |
| *France, Bas-Rhin | 27 | 0.7 | <i>0.13</i> | 0.10 | <i>0.02</i> | 41 | 0.9 | <i>0.16</i> | 0.11 | <i>0.02</i> |
| *France, Calvados | 24 | 0.8 | <i>0.18</i> | 0.09 | <i>0.02</i> | 86 | 2.1 | <i>0.26</i> | 0.25 | <i>0.04</i> |
| *France, Doubs | 22 | 1.0 | <i>0.22</i> | 0.11 | <i>0.03</i> | 59 | 2.2 | <i>0.33</i> | 0.25 | <i>0.04</i> |
| *France, Gironde | 59 | 0.9 | <i>0.13</i> | 0.11 | <i>0.02</i> | 218 | 2.8 | <i>0.21</i> | 0.33 | <i>0.03</i> |
| *France, Haut-Rhin | 25 | 0.8 | <i>0.15</i> | 0.11 | <i>0.02</i> | 67 | 1.8 | <i>0.25</i> | 0.21 | <i>0.03</i> |
| *France, Hérault | 43 | 0.8 | <i>0.14</i> | 0.10 | <i>0.02</i> | 193 | 3.5 | <i>0.27</i> | 0.43 | <i>0.04</i> |
| *France, Isère | 42 | 0.7 | <i>0.12</i> | 0.08 | <i>0.02</i> | 118 | 2.0 | <i>0.20</i> | 0.25 | <i>0.03</i> |
| *France, Lille-Métropole | 25 | 0.9 | <i>0.19</i> | 0.09 | <i>0.02</i> | 45 | 1.4 | <i>0.23</i> | 0.15 | <i>0.03</i> |
| *France, Limousin | 16 | 1.0 | <i>0.27</i> | 0.10 | <i>0.03</i> | 38 | 2.0 | <i>0.36</i> | 0.24 | <i>0.05</i> |
| *France, Loire-Atlantique | 41 | 0.7 | <i>0.12</i> | 0.09 | <i>0.02</i> | 140 | 2.2 | <i>0.20</i> | 0.26 | <i>0.03</i> |
| *France, Manche | 11 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> | 43 | 1.9 | <i>0.33</i> | 0.21 | <i>0.04</i> |
| *France, Poitou-Charentes | 71 | 0.8 | <i>0.11</i> | 0.09 | <i>0.01</i> | 194 | 1.9 | <i>0.16</i> | 0.23 | <i>0.02</i> |
| *France, Somme | 17 | 0.7 | <i>0.19</i> | 0.09 | <i>0.02</i> | 42 | 1.4 | <i>0.24</i> | 0.17 | <i>0.03</i> |
| *France, Tarn | 16 | 0.9 | <i>0.28</i> | 0.11 | <i>0.03</i> | 47 | 2.3 | <i>0.38</i> | 0.27 | <i>0.05</i> |
| *France, Territoire de Belfort | 3 | 0.7 | <i>0.43</i> | 0.06 | <i>0.04</i> | 15 | 2.9 | <i>0.80</i> | 0.38 | <i>0.11</i> |
| *France, Vendée | 26 | 0.8 | <i>0.17</i> | 0.11 | <i>0.02</i> | 73 | 1.8 | <i>0.24</i> | 0.22 | <i>0.03</i> |
| Germany, Baden-Württemberg | 265 | 0.8 | <i>0.06</i> | 0.10 | <i>0.01</i> | 463 | 1.4 | <i>0.07</i> | 0.17 | <i>0.01</i> |
| Germany, Bavaria | 497 | 0.8 | <i>0.04</i> | 0.10 | <i>0.01</i> | 894 | 1.4 | <i>0.05</i> | 0.16 | <i>0.01</i> |
| Germany, Bremen | 47 | 1.5 | <i>0.23</i> | 0.17 | <i>0.03</i> | 78 | 2.3 | <i>0.29</i> | 0.27 | <i>0.04</i> |
| Germany, Hamburg | 144 | 1.9 | <i>0.17</i> | 0.21 | <i>0.02</i> | 226 | 2.6 | <i>0.19</i> | 0.30 | <i>0.02</i> |
| Germany, Lower Saxony | 359 | 1.0 | <i>0.06</i> | 0.11 | <i>0.01</i> | 643 | 1.5 | <i>0.07</i> | 0.17 | <i>0.01</i> |
| Germany, North Rhine-Westphalia | 813 | 1.0 | <i>0.04</i> | 0.11 | <i>0.00</i> | 1422 | 1.5 | <i>0.05</i> | 0.18 | <i>0.01</i> |
| Germany, Rhineland-Palatinate | 176 | 0.9 | <i>0.07</i> | 0.11 | <i>0.01</i> | 337 | 1.7 | <i>0.10</i> | 0.19 | <i>0.01</i> |
| Germany, Saarland | 76 | 1.5 | <i>0.19</i> | 0.16 | <i>0.02</i> | 94 | 1.7 | <i>0.20</i> | 0.20 | <i>0.02</i> |
| Germany, Schleswig-Holstein | 162 | 1.2 | <i>0.10</i> | 0.14 | <i>0.01</i> | 333 | 2.1 | <i>0.13</i> | 0.24 | <i>0.02</i> |
| Iceland | 1 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> | 15 | 1.2 | <i>0.31</i> | 0.18 | <i>0.05</i> |
| Ireland | 123 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> | 171 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> |
| *Italy, Aosta Valley | 8 | 1.7 | <i>0.61</i> | 0.17 | <i>0.07</i> | 16 | 3.0 | <i>0.81</i> | 0.35 | <i>0.10</i> |
| *Italy, Avellino | 7 | 0.5 | <i>0.20</i> | 0.08 | <i>0.04</i> | 10 | 0.7 | <i>0.25</i> | 0.12 | <i>0.04</i> |
| Italy, Basilicata | 9 | 0.3 | <i>0.11</i> | 0.05 | <i>0.02</i> | 11 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| *Italy, Benevento | 1 | 0.1 | <i>0.09</i> | 0.02 | <i>0.02</i> | 9 | 0.4 | <i>0.17</i> | 0.03 | <i>0.02</i> |
| Italy, Bergamo | 45 | 0.9 | <i>0.14</i> | 0.10 | <i>0.02</i> | 64 | 1.0 | <i>0.14</i> | 0.12 | <i>0.02</i> |
| *Italy, Brescia | 28 | 0.6 | <i>0.11</i> | 0.07 | <i>0.01</i> | 48 | 0.7 | <i>0.12</i> | 0.08 | <i>0.02</i> |
| Italy, Brianza (Lecco and Monza e Brianza) | 20 | 0.5 | <i>0.12</i> | 0.06 | <i>0.02</i> | 21 | 0.4 | <i>0.10</i> | 0.05 | <i>0.02</i> |
| Italy, Calabria | 9 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> | 10 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| *Italy, Caserta | 16 | 0.5 | <i>0.13</i> | 0.06 | <i>0.02</i> | 16 | 0.5 | <i>0.13</i> | 0.06 | <i>0.02</i> |
| *Italy, Catania, Messina, and Enna | 59 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> | 65 | 0.6 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| Italy, Emilia-Romagna | 141 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> | 341 | 1.6 | <i>0.10</i> | 0.19 | <i>0.01</i> |
| Italy, Friuli-Venezia Giulia | 49 | 0.8 | <i>0.13</i> | 0.09 | <i>0.01</i> | 88 | 1.1 | <i>0.14</i> | 0.12 | <i>0.02</i> |
| Italy, Genova | 43 | 1.1 | <i>0.19</i> | 0.14 | <i>0.03</i> | 78 | 1.5 | <i>0.21</i> | 0.17 | <i>0.03</i> |
| *Italy, Lombardy, South, Pavia | 17 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> | 44 | 1.4 | <i>0.24</i> | 0.19 | <i>0.03</i> |
| Italy, Mantova and Cremona | 17 | 0.5 | <i>0.13</i> | 0.07 | <i>0.02</i> | 29 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Anus (C21) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 36 | 0.6 | <i>0.11</i> | 0.06 | <i>0.01</i> | 53 | 0.8 | <i>0.12</i> | 0.10 | <i>0.02</i> |
| Italy, Milan | 122 | 0.8 | <i>0.07</i> | 0.09 | <i>0.01</i> | 247 | 1.2 | <i>0.09</i> | 0.14 | <i>0.01</i> |
| Italy, Molise | 18 | 1.8 | <i>0.48</i> | 0.22 | <i>0.06</i> | 10 | 0.8 | <i>0.38</i> | 0.07 | <i>0.04</i> |
| *Italy, Naples Centre | 20 | 0.8 | <i>0.19</i> | 0.10 | <i>0.03</i> | 20 | 0.5 | <i>0.13</i> | 0.08 | <i>0.02</i> |
| *Italy, Naples North | 23 | 0.8 | <i>0.16</i> | 0.09 | <i>0.02</i> | 19 | 0.5 | <i>0.11</i> | 0.05 | <i>0.02</i> |
| *Italy, Naples South | 24 | 0.5 | <i>0.11</i> | 0.06 | <i>0.01</i> | 27 | 0.5 | <i>0.11</i> | 0.06 | <i>0.01</i> |
| *Italy, Nuoro | 3 | 0.5 | <i>0.29</i> | 0.04 | <i>0.03</i> | 4 | 0.3 | <i>0.16</i> | 0.05 | <i>0.04</i> |
| *Italy, Palermo | 21 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> | 28 | 0.4 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| Italy, Puglia | 97 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 138 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| *Italy, Ragusa and Caltanissetta | 15 | 0.6 | <i>0.16</i> | 0.07 | <i>0.02</i> | 14 | 0.4 | <i>0.14</i> | 0.04 | <i>0.01</i> |
| *Italy, Salerno | 22 | 0.6 | <i>0.13</i> | 0.06 | <i>0.02</i> | 13 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| Italy, Sassari | 5 | 0.5 | <i>0.21</i> | 0.08 | <i>0.04</i> | 4 | 0.2 | <i>0.11</i> | 0.02 | <i>0.02</i> |
| *Italy, Sondrio | 7 | 0.5 | <i>0.21</i> | 0.05 | <i>0.03</i> | 18 | 1.4 | <i>0.39</i> | 0.14 | <i>0.04</i> |
| Italy, South Tyrol | 10 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> | 34 | 1.3 | <i>0.25</i> | 0.17 | <i>0.03</i> |
| *Italy, Syracuse | 8 | 0.3 | <i>0.12</i> | 0.04 | <i>0.02</i> | 8 | 0.4 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| Italy, Trento | 16 | 0.6 | <i>0.16</i> | 0.08 | <i>0.02</i> | 38 | 1.4 | <i>0.24</i> | 0.17 | <i>0.03</i> |
| Italy, Turin | 95 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> | 126 | 0.8 | <i>0.09</i> | 0.10 | <i>0.01</i> |
| *Italy, Tuscany | 98 | 0.9 | <i>0.10</i> | 0.10 | <i>0.01</i> | 165 | 1.3 | <i>0.12</i> | 0.15 | <i>0.01</i> |
| Italy, Umbria | 26 | 0.7 | <i>0.16</i> | 0.09 | <i>0.02</i> | 45 | 1.1 | <i>0.18</i> | 0.11 | <i>0.02</i> |
| Italy, Varese | 9 | 0.4 | <i>0.13</i> | 0.03 | <i>0.01</i> | 15 | 0.4 | <i>0.12</i> | 0.04 | <i>0.02</i> |
| Italy, Veneto | 147 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | 206 | 0.6 | <i>0.05</i> | 0.08 | <i>0.01</i> |
| Latvia | 42 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> | 89 | 0.8 | <i>0.10</i> | 0.10 | <i>0.01</i> |
| *Liechtenstein | 2 | 1.2 | <i>0.86</i> | 0.16 | <i>0.12</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Lithuania | 51 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> | 88 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| Malta | 15 | 0.6 | <i>0.17</i> | 0.05 | <i>0.02</i> | 11 | 0.6 | <i>0.20</i> | 0.07 | <i>0.02</i> |
| *The Netherlands | 576 | 0.8 | <i>0.03</i> | 0.09 | <i>0.00</i> | 624 | 0.8 | <i>0.03</i> | 0.10 | <i>0.00</i> |
| Norway | 132 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 327 | 1.4 | <i>0.08</i> | 0.17 | <i>0.01</i> |
| Poland, Kielce | 13 | 0.2 | <i>0.07</i> | 0.04 | <i>0.01</i> | 25 | 0.4 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| *Portugal, Azores | 10 | 1.5 | <i>0.47</i> | 0.15 | <i>0.05</i> | 2 | 0.3 | <i>0.19</i> | 0.04 | <i>0.03</i> |
| Russian Federation, Arkhangelsk | 21 | 0.5 | <i>0.12</i> | 0.07 | <i>0.02</i> | 24 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| Russian Federation, Kaliningrad | 15 | 0.5 | <i>0.12</i> | 0.04 | <i>0.01</i> | 55 | 1.2 | <i>0.17</i> | 0.12 | <i>0.02</i> |
| Russian Federation, Karelia | 6 | 0.3 | <i>0.13</i> | 0.04 | <i>0.02</i> | 14 | 0.5 | <i>0.14</i> | 0.05 | <i>0.02</i> |
| *Russian Federation, Komi Republic | 13 | 0.6 | <i>0.16</i> | 0.07 | <i>0.03</i> | 41 | 1.2 | <i>0.19</i> | 0.15 | <i>0.03</i> |
| Russian Federation, Murmansk | 8 | 0.4 | <i>0.16</i> | 0.06 | <i>0.03</i> | 33 | 1.0 | <i>0.18</i> | 0.10 | <i>0.02</i> |
| *Russian Federation, Orenburg | 15 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 52 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> |
| Russian Federation, Pskov | 11 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> | 26 | 0.7 | <i>0.16</i> | 0.07 | <i>0.02</i> |
| *Russian Federation, Samara | 49 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> | 97 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| Russian Federation, Vologda Region | 10 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> | 11 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Slovenia | 23 | 0.2 | <i>0.05</i> | 0.03 | <i>0.01</i> | 53 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> |
| Spain, Asturias | 23 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> | 18 | 0.5 | <i>0.14</i> | 0.05 | <i>0.01</i> |
| Spain, Basque Country | 48 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> | 48 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| Spain, Canary Islands | 66 | 1.2 | <i>0.15</i> | 0.15 | <i>0.02</i> | 56 | 0.8 | <i>0.11</i> | 0.08 | <i>0.02</i> |
| Spain, Castellón | 20 | 0.7 | <i>0.17</i> | 0.07 | <i>0.02</i> | 27 | 0.9 | <i>0.19</i> | 0.11 | <i>0.03</i> |
| Spain, Girona | 19 | 0.6 | <i>0.15</i> | 0.07 | <i>0.02</i> | 34 | 0.9 | <i>0.17</i> | 0.09 | <i>0.02</i> |
| Spain, Granada | 23 | 0.5 | <i>0.12</i> | 0.07 | <i>0.02</i> | 24 | 0.5 | <i>0.12</i> | 0.07 | <i>0.02</i> |
| Spain, La Rioja | 7 | 0.4 | <i>0.17</i> | 0.06 | <i>0.03</i> | 5 | 0.4 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| Spain, Murcia | 32 | 0.5 | <i>0.10</i> | 0.07 | <i>0.02</i> | 30 | 0.4 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| Spain, Navarra | 11 | 0.4 | <i>0.13</i> | 0.03 | <i>0.02</i> | 9 | 0.3 | <i>0.12</i> | 0.03 | <i>0.02</i> |
| Spain, Salamanca | 7 | 0.5 | <i>0.20</i> | 0.06 | <i>0.02</i> | 8 | 0.3 | <i>0.15</i> | 0.04 | <i>0.02</i> |
| Spain, Tarragona | 29 | 0.8 | <i>0.17</i> | 0.09 | <i>0.02</i> | 20 | 0.5 | <i>0.13</i> | 0.06 | <i>0.02</i> |
| *Sweden | 255 | 0.5 | <i>0.04</i> | 0.07 | <i>0.00</i> | 703 | 1.4 | <i>0.06</i> | 0.18 | <i>0.01</i> |
| Switzerland, Aargau | 19 | 0.6 | <i>0.15</i> | 0.08 | <i>0.02</i> | 47 | 1.5 | <i>0.23</i> | 0.18 | <i>0.03</i> |
| Switzerland, Basel | 28 | 1.1 | <i>0.23</i> | 0.13 | <i>0.03</i> | 48 | 1.7 | <i>0.28</i> | 0.19 | <i>0.04</i> |
| Switzerland, Berne Solothurn | 36 | 0.9 | <i>0.17</i> | 0.11 | <i>0.02</i> | 74 | 1.6 | <i>0.21</i> | 0.19 | <i>0.03</i> |
| Switzerland, East | 29 | 0.7 | <i>0.14</i> | 0.09 | <i>0.02</i> | 53 | 1.4 | <i>0.20</i> | 0.17 | <i>0.03</i> |
| *Switzerland, Fribourg | 8 | 0.7 | <i>0.24</i> | 0.09 | <i>0.04</i> | 17 | 1.4 | <i>0.34</i> | 0.20 | <i>0.05</i> |
| Switzerland, Geneva | 29 | 1.5 | <i>0.29</i> | 0.17 | <i>0.04</i> | 68 | 3.0 | <i>0.39</i> | 0.37 | <i>0.05</i> |
| *Switzerland, Graubünden and Glarus | 11 | 0.8 | <i>0.25</i> | 0.12 | <i>0.04</i> | 34 | 2.6 | <i>0.48</i> | 0.36 | <i>0.07</i> |
| *Switzerland, Lucerne | 23 | 0.8 | <i>0.17</i> | 0.08 | <i>0.02</i> | 26 | 1.0 | <i>0.22</i> | 0.12 | <i>0.03</i> |
| *Switzerland, Neuchâtel and Jura | 8 | 0.7 | <i>0.25</i> | 0.08 | <i>0.03</i> | 34 | 2.7 | <i>0.51</i> | 0.35 | <i>0.07</i> |
| Switzerland, Ticino | 14 | 0.8 | <i>0.23</i> | 0.10 | <i>0.03</i> | 35 | 1.7 | <i>0.32</i> | 0.23 | <i>0.05</i> |
| Switzerland, Valais | 8 | 0.4 | <i>0.17</i> | 0.04 | <i>0.02</i> | 24 | 1.5 | <i>0.33</i> | 0.17 | <i>0.04</i> |
| Switzerland, Vaud | 45 | 1.5 | <i>0.23</i> | 0.20 | <i>0.03</i> | 83 | 2.3 | <i>0.27</i> | 0.27 | <i>0.04</i> |
| Switzerland, Zurich and Zug | 66 | 0.9 | <i>0.12</i> | 0.12 | <i>0.02</i> | 149 | 2.0 | <i>0.18</i> | 0.24 | <i>0.02</i> |
| Ukraine | 468 | 0.4 | <i>0.02</i> | 0.05 | <i>0.00</i> | 798 | 0.4 | <i>0.02</i> | 0.05 | <i>0.00</i> |
| UK, England | 2012 | 0.9 | <i>0.02</i> | 0.10 | <i>0.00</i> | 3938 | 1.6 | <i>0.03</i> | 0.19 | <i>0.00</i> |
| UK, Northern Ireland | 53 | 0.7 | <i>0.10</i> | 0.08 | <i>0.01</i> | 96 | 1.2 | <i>0.13</i> | 0.14 | <i>0.02</i> |
| UK, Scotland | 216 | 0.9 | <i>0.07</i> | 0.11 | <i>0.01</i> | 436 | 1.7 | <i>0.09</i> | 0.19 | <i>0.01</i> |
| UK, Wales | 127 | 0.9 | <i>0.09</i> | 0.10 | <i>0.01</i> | 252 | 1.6 | <i>0.12</i> | 0.18 | <i>0.01</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 360 | 1.1 | <i>0.06</i> | 0.14 | <i>0.01</i> | 477 | 1.4 | <i>0.07</i> | 0.17 | <i>0.01</i> |
| *Australia, Northern Territory | 5 | 0.6 | <i>0.27</i> | 0.07 | <i>0.03</i> | 7 | 1.1 | <i>0.42</i> | 0.13 | <i>0.06</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Anus (C21) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 3 | 0.4 | 0.24 | 0.05 | 0.03 | 5 | 1.0 | 0.46 | 0.13 | 0.07 |
| *Australia, Northern Territory: Indigenous | 2 | 1.2 | 0.83 | 0.11 | 0.08 | 2 | 1.0 | 0.69 | 0.08 | 0.06 |
| *Australia, Queensland | 210 | 1.1 | 0.08 | 0.13 | 0.01 | 324 | 1.7 | 0.10 | 0.20 | 0.01 |
| Australia, South Australia | 49 | 0.7 | 0.10 | 0.08 | 0.01 | 97 | 1.3 | 0.14 | 0.16 | 0.02 |
| Australia, Tasmania | 26 | 1.0 | 0.21 | 0.11 | 0.03 | 37 | 1.7 | 0.30 | 0.21 | 0.04 |
| *Australia, Victoria | 208 | 0.9 | 0.06 | 0.10 | 0.01 | 301 | 1.2 | 0.07 | 0.14 | 0.01 |
| *Australia, Western Australia | 86 | 0.9 | 0.10 | 0.11 | 0.01 | 117 | 1.2 | 0.11 | 0.13 | 0.01 |
| *France, New Caledonia | 4 | 0.5 | 0.23 | 0.04 | 0.02 | 14 | 1.6 | 0.45 | 0.19 | 0.06 |
| New Zealand | 132 | 0.7 | 0.07 | 0.08 | 0.01 | 213 | 1.1 | 0.08 | 0.13 | 0.01 |
| *New Zealand: Maori | 14 | 0.9 | 0.25 | 0.10 | 0.03 | 21 | 1.2 | 0.26 | 0.14 | 0.04 |
| *New Zealand: Pacific peoples | 3 | 0.5 | 0.28 | 0.09 | 0.05 | 4 | 0.6 | 0.31 | 0.08 | 0.04 |
| *New Zealand: Other | 114 | 0.8 | 0.08 | 0.09 | 0.01 | 185 | 1.2 | 0.10 | 0.14 | 0.01 |
| USA, Hawaii | 37 | 0.6 | 0.11 | 0.08 | 0.01 | 67 | 1.1 | 0.14 | 0.13 | 0.02 |
| USA, Hawaii: White | 23 | 1.1 | 0.25 | 0.16 | 0.04 | 48 | 2.8 | 0.43 | 0.33 | 0.05 |
| *USA, Hawaii: Japanese | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 9 | 0.5 | 0.19 | 0.07 | 0.03 |
| *USA, Hawaii: Chinese | 0 | – | 0.00 | – | 0.00 | 3 | 0.2 | 0.14 | 0.00 | 0.00 |
| *USA, Hawaii: Hawaiian | 5 | 0.6 | 0.26 | 0.08 | 0.04 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| *USA, Hawaii: Filipino | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 3 | 0.4 | 0.25 | 0.04 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Liver (C22)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 38 | 2.7 | 0.46 | 0.27 | 0.06 | 41 | 3.1 | 0.51 | 0.35 | 0.07 |
| *Algeria, Tizi Ouzou | 30 | 1.9 | 0.36 | 0.25 | 0.06 | 31 | 1.6 | 0.30 | 0.20 | 0.04 |
| *Benin, Cotonou | 68 | 10.6 | 1.47 | 1.25 | 0.23 | 24 | 3.4 | 0.73 | 0.38 | 0.10 |
| *France, La Réunion | 163 | 7.7 | 0.61 | 0.95 | 0.09 | 69 | 2.6 | 0.33 | 0.33 | 0.05 |
| *Kenya, Eldoret | 38 | 3.2 | 0.58 | 0.36 | 0.08 | 30 | 2.8 | 0.53 | 0.28 | 0.06 |
| *Kenya, Nairobi | 134 | 3.5 | 0.40 | 0.39 | 0.06 | 87 | 3.6 | 0.46 | 0.46 | 0.08 |
| Mauritius | 139 | 3.4 | 0.29 | 0.41 | 0.04 | 128 | 2.9 | 0.26 | 0.28 | 0.03 |
| *Morocco, Casablanca | 123 | 1.2 | 0.11 | 0.11 | 0.01 | 125 | 1.1 | 0.10 | 0.12 | 0.01 |
| *Seychelles | 17 | 6.2 | 1.53 | 0.50 | 0.18 | 6 | 1.7 | 0.73 | 0.22 | 0.12 |
| *South Africa, Eastern Cape | 32 | 3.3 | 0.60 | 0.36 | 0.07 | 22 | 1.2 | 0.28 | 0.14 | 0.04 |
| *Uganda, Kyadondo County | 194 | 8.9 | 0.83 | 1.16 | 0.14 | 152 | 5.8 | 0.58 | 0.72 | 0.09 |
| *Uganda, Gulu | 78 | 13.8 | 1.79 | 1.52 | 0.25 | 38 | 6.9 | 1.18 | 0.75 | 0.15 |
| *Zimbabwe, Bulawayo: African | 122 | 13.4 | 1.28 | 1.16 | 0.16 | 81 | 7.8 | 0.90 | 0.89 | 0.13 |
| *Zimbabwe, Harare: African | 298 | 15.4 | 1.03 | 1.72 | 0.16 | 176 | 9.6 | 0.77 | 1.02 | 0.11 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 96 | 4.2 | 0.43 | 0.47 | 0.06 | 59 | 1.7 | 0.25 | 0.17 | 0.03 |
| *Argentina, Mendoza | 311 | 5.8 | 0.34 | 0.69 | 0.05 | 231 | 3.3 | 0.23 | 0.38 | 0.03 |
| Brazil, Aracaju | 63 | 6.3 | 0.81 | 0.79 | 0.13 | 36 | 2.1 | 0.36 | 0.20 | 0.05 |
| *Brazil, Barretos | 93 | 6.9 | 0.72 | 0.89 | 0.11 | 46 | 2.9 | 0.44 | 0.32 | 0.06 |
| Brazil, Belo Horizonte | 372 | 5.3 | 0.28 | 0.65 | 0.04 | 231 | 2.2 | 0.15 | 0.27 | 0.02 |
| *Brazil, Campinas | 237 | 10.0 | 0.66 | 1.12 | 0.09 | 110 | 3.5 | 0.35 | 0.42 | 0.05 |
| *Brazil, Curitiba | 242 | 6.2 | 0.41 | 0.76 | 0.06 | 142 | 2.6 | 0.23 | 0.27 | 0.03 |
| Brazil, Goiânia | 121 | 4.8 | 0.44 | 0.63 | 0.07 | 64 | 1.9 | 0.24 | 0.24 | 0.04 |
| *Brazil, Jaú | 24 | 5.6 | 1.16 | 0.63 | 0.15 | 8 | 1.4 | 0.51 | 0.11 | 0.06 |
| Brazil, João Pessoa | 59 | 5.9 | 0.79 | 0.64 | 0.11 | 58 | 3.7 | 0.50 | 0.45 | 0.08 |
| Brazil, Recife | 196 | 8.2 | 0.59 | 1.01 | 0.09 | 198 | 4.8 | 0.37 | 0.50 | 0.05 |
| Chile, Region of Antofagasta | 46 | 4.9 | 0.73 | 0.61 | 0.12 | 43 | 4.0 | 0.62 | 0.40 | 0.09 |
| Chile, Valdivia | 82 | 5.9 | 0.68 | 0.73 | 0.10 | 55 | 3.0 | 0.43 | 0.38 | 0.07 |
| Colombia, Bucaramanga | 132 | 4.6 | 0.41 | 0.57 | 0.06 | 116 | 2.8 | 0.27 | 0.29 | 0.04 |
| Colombia, Cali | 301 | 5.2 | 0.31 | 0.58 | 0.04 | 324 | 3.7 | 0.22 | 0.43 | 0.03 |
| Colombia, Manizales | 43 | 2.9 | 0.46 | 0.31 | 0.07 | 39 | 2.2 | 0.38 | 0.19 | 0.04 |
| Colombia, Pasto | 34 | 3.3 | 0.59 | 0.35 | 0.08 | 38 | 2.3 | 0.39 | 0.23 | 0.06 |
| Costa Rica | 343 | 3.5 | 0.19 | 0.41 | 0.03 | 238 | 2.3 | 0.15 | 0.30 | 0.02 |
| Ecuador, Guayaquil | 255 | 5.0 | 0.32 | 0.63 | 0.05 | 205 | 3.3 | 0.24 | 0.38 | 0.04 |
| Ecuador, Manabí | 168 | 4.7 | 0.37 | 0.54 | 0.06 | 146 | 4.0 | 0.34 | 0.48 | 0.05 |
| Ecuador, Quito | 234 | 5.9 | 0.39 | 0.69 | 0.06 | 253 | 4.9 | 0.31 | 0.49 | 0.05 |
| *France, Guadeloupe | 86 | 5.1 | 0.59 | 0.60 | 0.08 | 25 | 0.9 | 0.21 | 0.09 | 0.03 |
| *France, Martinique | 52 | 2.9 | 0.44 | 0.34 | 0.06 | 32 | 1.3 | 0.33 | 0.11 | 0.03 |
| *Peru, Lima | 773 | 5.5 | 0.20 | 0.58 | 0.03 | 754 | 4.2 | 0.16 | 0.39 | 0.02 |
| *Trinidad and Tobago | 63 | 2.6 | 0.33 | 0.32 | 0.05 | 36 | 1.3 | 0.22 | 0.14 | 0.03 |
| USA, Puerto Rico | 1383 | 8.9 | 0.25 | 1.12 | 0.04 | 597 | 2.7 | 0.13 | 0.30 | 0.02 |
| *Uruguay | 490 | 4.0 | 0.19 | 0.52 | 0.03 | 201 | 1.1 | 0.09 | 0.14 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 1069 | 7.0 | 0.22 | 0.87 | 0.03 | 452 | 2.8 | 0.14 | 0.33 | 0.02 |
| Canada, British Columbia | 1946 | 8.5 | 0.20 | 1.05 | 0.03 | 777 | 2.8 | 0.12 | 0.31 | 0.02 |
| *Canada, Manitoba | 310 | 5.7 | 0.33 | 0.72 | 0.05 | 152 | 2.4 | 0.22 | 0.29 | 0.03 |
| *Canada, New Brunswick | 176 | 4.0 | 0.31 | 0.53 | 0.05 | 103 | 2.2 | 0.27 | 0.26 | 0.03 |
| *Canada, Newfoundland and Labrador | 125 | 4.3 | 0.40 | 0.51 | 0.06 | 79 | 2.4 | 0.31 | 0.26 | 0.04 |
| Canada, Ontario | 4480 | 7.2 | 0.11 | 0.87 | 0.02 | 1996 | 2.5 | 0.06 | 0.29 | 0.01 |
| *Canada, Prince Edward Island | 41 | 5.5 | 0.90 | 0.74 | 0.14 | 19 | 1.9 | 0.48 | 0.18 | 0.06 |
| Canada, Quebec | 2855 | 6.8 | 0.13 | 0.82 | 0.02 | 1284 | 2.5 | 0.08 | 0.27 | 0.01 |
| Canada, Saskatchewan | 211 | 4.5 | 0.32 | 0.57 | 0.05 | 106 | 1.8 | 0.20 | 0.18 | 0.03 |
| *Canada, Yukon | 15 | 10.2 | 3.02 | 1.15 | 0.35 | 4 | 2.8 | 1.43 | 0.36 | 0.24 |
| USA | 120158 | 9.4 | 0.03 | 1.18 | 0.00 | 47818 | 3.1 | 0.02 | 0.37 | 0.00 |
| USA: White | 92260 | 8.6 | 0.03 | 1.07 | 0.00 | 36838 | 2.9 | 0.02 | 0.34 | 0.00 |
| USA: Black | 17929 | 14.0 | 0.11 | 1.86 | 0.02 | 6680 | 4.0 | 0.05 | 0.50 | 0.01 |
| USA, NPCR | 116096 | 9.4 | 0.03 | 1.18 | 0.00 | 46196 | 3.1 | 0.02 | 0.37 | 0.00 |
| USA, NPCR: White | 89198 | 8.6 | 0.03 | 1.07 | 0.00 | 35668 | 2.9 | 0.02 | 0.34 | 0.00 |
| USA, NPCR: Black | 17698 | 14.0 | 0.11 | 1.86 | 0.02 | 6594 | 4.0 | 0.05 | 0.50 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 7588 | 13.3 | 0.15 | 1.62 | 0.02 | 3290 | 4.4 | 0.08 | 0.50 | 0.01 |
| USA, NPCR: American Indian | 1250 | 10.9 | 0.31 | 1.42 | 0.05 | 503 | 3.9 | 0.18 | 0.46 | 0.03 |
| *USA, SEER (18 registries) | 34009 | 10.0 | 0.06 | 1.26 | 0.01 | 13676 | 3.3 | 0.03 | 0.39 | 0.00 |
| *USA, SEER (18 registries): White | 24366 | 9.1 | 0.06 | 1.13 | 0.01 | 9800 | 3.1 | 0.03 | 0.36 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 18046 | 8.0 | 0.06 | 0.99 | 0.01 | 7066 | 2.6 | 0.04 | 0.31 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 6320 | 14.9 | 0.19 | 1.90 | 0.03 | 2734 | 5.4 | 0.11 | 0.66 | 0.02 |
| *USA, SEER (18 registries): Black | 4512 | 13.8 | 0.21 | 1.87 | 0.03 | 1618 | 3.8 | 0.10 | 0.48 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 4463 | 13.1 | 0.20 | 1.60 | 0.03 | 1974 | 4.3 | 0.10 | 0.49 | 0.01 |
| *USA, SEER (9 registries) | 11456 | 9.7 | 0.09 | 1.23 | 0.01 | 4608 | 3.2 | 0.05 | 0.38 | 0.01 |
| *USA, SEER (9 registries): White | 7712 | 8.3 | 0.10 | 1.04 | 0.01 | 3039 | 2.8 | 0.06 | 0.32 | 0.01 |
| *USA, SEER (9 registries): Black | 1656 | 15.4 | 0.38 | 2.12 | 0.06 | 633 | 4.5 | 0.18 | 0.56 | 0.03 |
| USA, Alabama | 1732 | 8.8 | 0.22 | 1.10 | 0.03 | 696 | 2.9 | 0.12 | 0.34 | 0.02 |
| USA, Alabama: White | 1260 | 8.2 | 0.24 | 1.01 | 0.03 | 518 | 2.9 | 0.15 | 0.33 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Liver (C22) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 439 | 10.8 | 0.52 | 1.41 | 0.07 | 159 | 2.9 | 0.24 | 0.34 | 0.03 |
| USA, Alaska | 255 | 9.4 | 0.60 | 1.20 | 0.09 | 96 | 3.9 | 0.42 | 0.43 | 0.05 |
| *USA, Alaska: Alaska Natives | 38 | 11.8 | 1.93 | 1.47 | 0.28 | 29 | 7.9 | 1.50 | 0.85 | 0.18 |
| USA, Arizona | 2459 | 9.1 | 0.19 | 1.12 | 0.03 | 987 | 3.1 | 0.11 | 0.36 | 0.01 |
| USA, Arizona: White | 2146 | 8.7 | 0.20 | 1.09 | 0.03 | 848 | 3.0 | 0.12 | 0.34 | 0.01 |
| USA, Arizona: Black | 94 | 10.3 | 1.07 | 1.38 | 0.16 | 34 | 3.4 | 0.58 | 0.38 | 0.08 |
| *USA, Arizona: Asian and Pacific Islander | 72 | 9.8 | 1.18 | 1.14 | 0.17 | 40 | 3.9 | 0.66 | 0.41 | 0.09 |
| USA, Arizona: American Indian | 141 | 15.2 | 1.29 | 1.86 | 0.18 | 64 | 5.6 | 0.71 | 0.69 | 0.11 |
| USA, Arkansas | 1073 | 8.8 | 0.28 | 1.11 | 0.04 | 397 | 2.8 | 0.16 | 0.32 | 0.02 |
| USA, Arkansas: White | 875 | 8.3 | 0.29 | 1.04 | 0.04 | 333 | 2.7 | 0.17 | 0.31 | 0.02 |
| USA, Arkansas: Black | 167 | 11.9 | 0.93 | 1.53 | 0.13 | 51 | 3.0 | 0.43 | 0.36 | 0.06 |
| USA, California | 15405 | 10.8 | 0.09 | 1.37 | 0.01 | 6400 | 3.7 | 0.05 | 0.44 | 0.01 |
| USA, California: White | 11037 | 10.1 | 0.10 | 1.27 | 0.01 | 4583 | 3.5 | 0.06 | 0.43 | 0.01 |
| USA, California: Black | 1175 | 13.8 | 0.41 | 1.89 | 0.06 | 434 | 4.2 | 0.21 | 0.55 | 0.03 |
| USA, California: Asian and Pacific Islander | 3004 | 13.5 | 0.25 | 1.66 | 0.04 | 1316 | 4.2 | 0.13 | 0.48 | 0.02 |
| *USA, California, Los Angeles County | 3481 | 9.8 | 0.17 | 1.25 | 0.03 | 1684 | 3.8 | 0.10 | 0.47 | 0.01 |
| *USA, California, Los Angeles County: White | 2300 | 9.1 | 0.19 | 1.16 | 0.03 | 1117 | 3.7 | 0.12 | 0.45 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | 956 | 6.8 | 0.23 | 0.87 | 0.03 | 426 | 2.6 | 0.16 | 0.31 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 1344 | 12.4 | 0.34 | 1.57 | 0.05 | 691 | 5.0 | 0.20 | 0.63 | 0.03 |
| *USA, California, Los Angeles County: Black | 369 | 11.6 | 0.62 | 1.62 | 0.10 | 179 | 4.1 | 0.32 | 0.55 | 0.05 |
| *USA, California, Los Angeles County: Chinese | 212 | 9.8 | 0.73 | 1.15 | 0.10 | 101 | 3.2 | 0.35 | 0.36 | 0.05 |
| *USA, California, Los Angeles County: Filipino | 137 | 9.9 | 0.90 | 1.15 | 0.12 | 75 | 3.2 | 0.39 | 0.36 | 0.06 |
| *USA, California, Los Angeles County: Korean | 136 | 14.7 | 1.39 | 1.64 | 0.17 | 65 | 4.7 | 0.63 | 0.54 | 0.09 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 765 | 11.9 | 0.45 | 1.41 | 0.06 | 369 | 4.0 | 0.22 | 0.47 | 0.03 |
| *USA, California, San Francisco Bay Area | 2149 | 11.7 | 0.26 | 1.49 | 0.04 | 833 | 3.6 | 0.14 | 0.43 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 1174 | 9.8 | 0.30 | 1.26 | 0.04 | 466 | 3.2 | 0.16 | 0.40 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 849 | 8.5 | 0.31 | 1.09 | 0.04 | 316 | 2.6 | 0.16 | 0.32 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 325 | 16.1 | 0.92 | 2.10 | 0.15 | 150 | 6.1 | 0.53 | 0.80 | 0.08 |
| *USA, California, San Francisco Bay Area: Black | 258 | 17.8 | 1.12 | 2.47 | 0.17 | 74 | 4.4 | 0.54 | 0.57 | 0.07 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 691 | 14.2 | 0.56 | 1.76 | 0.08 | 286 | 4.1 | 0.27 | 0.47 | 0.04 |
| USA, Colorado | 1671 | 8.1 | 0.20 | 1.02 | 0.03 | 607 | 2.5 | 0.11 | 0.30 | 0.02 |
| USA, Colorado: White | 1469 | 7.6 | 0.20 | 0.96 | 0.03 | 527 | 2.3 | 0.11 | 0.28 | 0.02 |
| *USA, Colorado: Black | 96 | 13.3 | 1.38 | 1.85 | 0.22 | 33 | 4.3 | 0.77 | 0.58 | 0.13 |
| *USA, Colorado: Asian and Pacific Islander | 75 | 14.8 | 1.73 | 1.77 | 0.24 | 37 | 5.1 | 0.87 | 0.59 | 0.13 |
| USA, Connecticut | 1387 | 9.0 | 0.25 | 1.16 | 0.04 | 507 | 2.6 | 0.13 | 0.30 | 0.02 |
| USA, Connecticut: White | 1166 | 8.4 | 0.26 | 1.08 | 0.04 | 408 | 2.4 | 0.14 | 0.26 | 0.02 |
| USA, Connecticut: Black | 142 | 12.4 | 1.05 | 1.71 | 0.16 | 63 | 4.0 | 0.52 | 0.55 | 0.08 |
| USA, District of Columbia | 303 | 15.1 | 0.88 | 2.01 | 0.12 | 124 | 4.8 | 0.46 | 0.61 | 0.06 |
| USA, District of Columbia: White | 43 | 5.1 | 0.81 | 0.64 | 0.11 | 17 | 1.8 | 0.46 | 0.23 | 0.07 |
| USA, District of Columbia: Black | 253 | 23.0 | 1.47 | 3.09 | 0.21 | 101 | 6.4 | 0.68 | 0.83 | 0.09 |
| USA, Florida | 8190 | 9.0 | 0.11 | 1.14 | 0.01 | 3196 | 2.9 | 0.06 | 0.35 | 0.01 |
| USA, Florida: White | 6951 | 8.8 | 0.11 | 1.11 | 0.02 | 2606 | 2.8 | 0.06 | 0.33 | 0.01 |
| USA, Florida: Black | 987 | 9.9 | 0.32 | 1.28 | 0.05 | 461 | 3.6 | 0.17 | 0.45 | 0.02 |
| USA, Florida: Asian and Pacific Islander | 165 | 7.9 | 0.63 | 0.94 | 0.09 | 88 | 3.2 | 0.35 | 0.33 | 0.05 |
| USA, Georgia | 3368 | 9.3 | 0.16 | 1.16 | 0.02 | 1346 | 3.0 | 0.09 | 0.36 | 0.01 |
| USA, Georgia: White | 2217 | 8.5 | 0.19 | 1.03 | 0.03 | 885 | 2.8 | 0.10 | 0.33 | 0.01 |
| USA, Georgia: Black | 990 | 11.1 | 0.36 | 1.49 | 0.05 | 388 | 3.2 | 0.17 | 0.39 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 155 | 13.7 | 1.11 | 1.67 | 0.16 | 72 | 5.7 | 0.69 | 0.73 | 0.10 |
| *USA, Georgia, Atlanta | 1108 | 9.8 | 0.30 | 1.25 | 0.04 | 462 | 3.3 | 0.16 | 0.40 | 0.02 |
| *USA, Georgia, Atlanta: White | 496 | 7.3 | 0.34 | 0.89 | 0.05 | 207 | 2.5 | 0.19 | 0.31 | 0.03 |
| *USA, Georgia, Atlanta: Black | 497 | 13.3 | 0.60 | 1.80 | 0.09 | 205 | 3.8 | 0.27 | 0.46 | 0.04 |
| USA, Idaho | 538 | 7.9 | 0.35 | 1.01 | 0.05 | 200 | 2.6 | 0.20 | 0.31 | 0.03 |
| USA, Indiana | 2138 | 8.1 | 0.18 | 1.01 | 0.03 | 858 | 2.7 | 0.10 | 0.33 | 0.01 |
| USA, Indiana: White | 1817 | 7.5 | 0.18 | 0.93 | 0.03 | 749 | 2.6 | 0.11 | 0.31 | 0.01 |
| USA, Indiana: Black | 281 | 15.9 | 0.95 | 2.07 | 0.14 | 97 | 4.3 | 0.44 | 0.53 | 0.06 |
| *USA, Iowa | 936 | 7.0 | 0.24 | 0.86 | 0.03 | 426 | 2.6 | 0.15 | 0.29 | 0.02 |
| USA, Kentucky | 1700 | 9.4 | 0.24 | 1.16 | 0.03 | 678 | 3.2 | 0.14 | 0.38 | 0.02 |
| USA, Louisiana | 2198 | 12.4 | 0.27 | 1.58 | 0.04 | 663 | 3.2 | 0.13 | 0.39 | 0.02 |
| USA, Louisiana: White | 1285 | 10.1 | 0.29 | 1.26 | 0.04 | 432 | 2.9 | 0.16 | 0.36 | 0.02 |
| USA, Louisiana: Black | 838 | 18.1 | 0.63 | 2.38 | 0.09 | 209 | 3.6 | 0.25 | 0.44 | 0.03 |
| *USA, Louisiana, New Orleans | 563 | 16.6 | 0.71 | 2.16 | 0.10 | 162 | 4.0 | 0.35 | 0.47 | 0.05 |
| *USA, Louisiana, New Orleans: White | 277 | 13.3 | 0.81 | 1.71 | 0.11 | 86 | 3.6 | 0.46 | 0.40 | 0.06 |
| *USA, Louisiana, New Orleans: Black | 249 | 20.9 | 1.34 | 2.78 | 0.20 | 65 | 4.2 | 0.54 | 0.52 | 0.08 |
| USA, Maine | 438 | 6.3 | 0.31 | 0.77 | 0.04 | 122 | 1.5 | 0.15 | 0.18 | 0.02 |
| USA, Maryland | 2298 | 9.9 | 0.21 | 1.26 | 0.03 | 930 | 3.2 | 0.11 | 0.39 | 0.02 |
| USA, Maryland: White | 1278 | 7.8 | 0.23 | 0.99 | 0.03 | 538 | 2.8 | 0.13 | 0.33 | 0.02 |
| USA, Maryland: Black | 879 | 15.3 | 0.52 | 2.02 | 0.08 | 322 | 4.1 | 0.23 | 0.51 | 0.03 |
| USA, Maryland: Asian and Pacific Islander | 134 | 10.0 | 0.88 | 1.15 | 0.12 | 64 | 3.6 | 0.47 | 0.42 | 0.07 |
| USA, Massachusetts | 2635 | 9.4 | 0.19 | 1.16 | 0.03 | 943 | 2.7 | 0.10 | 0.32 | 0.01 |
| USA, Massachusetts: White | 2159 | 8.5 | 0.19 | 1.05 | 0.03 | 774 | 2.5 | 0.10 | 0.28 | 0.01 |
| USA, Massachusetts: Black | 225 | 14.1 | 0.95 | 1.84 | 0.14 | 82 | 4.0 | 0.46 | 0.48 | 0.06 |
| USA, Massachusetts: Asian and Pacific Islander | 207 | 17.1 | 1.21 | 2.08 | 0.18 | 77 | 5.3 | 0.62 | 0.69 | 0.10 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Liver (C22) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 3271 | 7.7 | 0.14 | 0.97 | 0.02 | 1420 | 2.8 | 0.08 | 0.33 | 0.01 |
| USA, Michigan: White | 2499 | 6.7 | 0.14 | 0.83 | 0.02 | 1087 | 2.4 | 0.08 | 0.28 | 0.01 |
| USA, Michigan: Black | 670 | 15.4 | 0.60 | 2.10 | 0.09 | 279 | 4.8 | 0.30 | 0.61 | 0.04 |
| USA, Michigan: Asian and Pacific Islander | 56 | 6.6 | 0.89 | 0.87 | 0.13 | 32 | 3.0 | 0.54 | 0.33 | 0.08 |
| *USA, Michigan, Detroit | 1472 | 9.4 | 0.25 | 1.21 | 0.04 | 617 | 3.1 | 0.13 | 0.36 | 0.02 |
| *USA, Michigan, Detroit: White | 935 | 7.7 | 0.26 | 0.95 | 0.04 | 377 | 2.4 | 0.15 | 0.27 | 0.02 |
| *USA, Michigan, Detroit: Black | 501 | 16.4 | 0.74 | 2.27 | 0.11 | 215 | 4.9 | 0.34 | 0.61 | 0.05 |
| USA, Minnesota | 1758 | 7.7 | 0.19 | 0.94 | 0.03 | 718 | 2.9 | 0.12 | 0.34 | 0.02 |
| USA, Minnesota: White | 1410 | 6.5 | 0.18 | 0.79 | 0.03 | 591 | 2.5 | 0.12 | 0.30 | 0.02 |
| USA, Minnesota: Black | 188 | 28.4 | 2.15 | 3.55 | 0.32 | 63 | 9.1 | 1.17 | 1.21 | 0.19 |
| *USA, Minnesota: Asian and Pacific Islander | 116 | 22.6 | 2.14 | 3.03 | 0.34 | 43 | 6.7 | 1.05 | 0.81 | 0.16 |
| USA, Mississippi | 1166 | 10.2 | 0.31 | 1.27 | 0.04 | 435 | 3.2 | 0.17 | 0.37 | 0.02 |
| USA, Missouri | 2165 | 8.6 | 0.19 | 1.07 | 0.03 | 864 | 2.9 | 0.11 | 0.34 | 0.01 |
| USA, Missouri: White | 1727 | 7.6 | 0.19 | 0.93 | 0.03 | 699 | 2.6 | 0.11 | 0.31 | 0.01 |
| USA, Missouri: Black | 381 | 18.2 | 0.94 | 2.47 | 0.14 | 136 | 4.7 | 0.42 | 0.52 | 0.05 |
| USA, Montana | 344 | 7.3 | 0.43 | 0.89 | 0.05 | 123 | 2.2 | 0.22 | 0.27 | 0.03 |
| *USA, Montana: American Indian | 29 | 14.9 | 2.80 | 1.60 | 0.36 | 9 | 4.2 | 1.42 | 0.54 | 0.21 |
| USA, Nebraska | 465 | 6.2 | 0.30 | 0.77 | 0.04 | 180 | 2.1 | 0.17 | 0.26 | 0.02 |
| USA, Nebraska: White | 376 | 5.3 | 0.29 | 0.64 | 0.04 | 157 | 1.9 | 0.17 | 0.24 | 0.02 |
| *USA, Nebraska: Black | 43 | 17.9 | 2.77 | 2.24 | 0.41 | 11 | 4.1 | 1.25 | 0.61 | 0.21 |
| USA, Nevada | 860 | 7.4 | 0.26 | 0.90 | 0.03 | 340 | 2.7 | 0.16 | 0.31 | 0.02 |
| USA, Nevada: White | 691 | 7.1 | 0.28 | 0.87 | 0.04 | 256 | 2.5 | 0.17 | 0.29 | 0.02 |
| USA, Nevada: Black | 74 | 9.1 | 1.06 | 1.23 | 0.16 | 31 | 3.3 | 0.60 | 0.39 | 0.08 |
| *USA, Nevada: Asian and Pacific Islander | 75 | 7.3 | 0.87 | 0.76 | 0.11 | 45 | 3.4 | 0.60 | 0.41 | 0.07 |
| USA, New Jersey | 3138 | 8.6 | 0.16 | 1.08 | 0.02 | 1245 | 2.7 | 0.09 | 0.32 | 0.01 |
| USA, New Jersey: White | 2405 | 8.2 | 0.17 | 1.01 | 0.02 | 972 | 2.6 | 0.10 | 0.31 | 0.01 |
| USA, New Jersey: Black | 472 | 12.0 | 0.56 | 1.62 | 0.08 | 183 | 3.4 | 0.26 | 0.43 | 0.04 |
| USA, New Mexico | 1010 | 12.1 | 0.39 | 1.52 | 0.05 | 375 | 3.7 | 0.21 | 0.42 | 0.03 |
| USA, New Mexico: White | 863 | 11.7 | 0.42 | 1.46 | 0.05 | 307 | 3.4 | 0.23 | 0.38 | 0.03 |
| USA, New Mexico: Non-Hispanic White | 332 | 6.9 | 0.40 | 0.88 | 0.05 | 132 | 2.5 | 0.31 | 0.28 | 0.03 |
| USA, New Mexico: Hispanic White | 531 | 18.5 | 0.81 | 2.33 | 0.11 | 175 | 4.8 | 0.39 | 0.55 | 0.05 |
| *USA, New Mexico: American Indian | 102 | 16.6 | 1.66 | 2.24 | 0.26 | 53 | 6.7 | 0.94 | 0.89 | 0.15 |
| USA, New York State | 7919 | 10.2 | 0.12 | 1.29 | 0.02 | 3226 | 3.2 | 0.06 | 0.38 | 0.01 |
| USA, New York State: White | 5361 | 8.7 | 0.12 | 1.10 | 0.02 | 2182 | 2.8 | 0.07 | 0.33 | 0.01 |
| USA, New York State: Black | 1544 | 14.6 | 0.37 | 1.93 | 0.05 | 641 | 4.2 | 0.17 | 0.52 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 956 | 16.4 | 0.54 | 2.00 | 0.08 | 385 | 5.3 | 0.28 | 0.64 | 0.04 |
| USA, North Carolina | 3842 | 9.7 | 0.16 | 1.20 | 0.02 | 1491 | 3.1 | 0.09 | 0.36 | 0.01 |
| USA, North Carolina: White | 2819 | 8.9 | 0.17 | 1.09 | 0.02 | 1090 | 2.9 | 0.10 | 0.34 | 0.01 |
| USA, North Carolina: Black | 871 | 12.3 | 0.42 | 1.57 | 0.06 | 341 | 3.6 | 0.20 | 0.44 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 79 | 11.3 | 1.29 | 1.46 | 0.20 | 39 | 4.6 | 0.76 | 0.52 | 0.11 |
| *USA, North Carolina: American Indian | 60 | 12.5 | 1.62 | 1.55 | 0.22 | 17 | 3.0 | 0.74 | 0.31 | 0.09 |
| USA, North Dakota | 141 | 4.8 | 0.42 | 0.54 | 0.05 | 59 | 1.7 | 0.24 | 0.23 | 0.04 |
| USA, Ohio | 3773 | 7.6 | 0.13 | 0.97 | 0.02 | 1654 | 2.8 | 0.08 | 0.33 | 0.01 |
| USA, Ohio: White | 3007 | 6.8 | 0.13 | 0.86 | 0.02 | 1362 | 2.6 | 0.08 | 0.30 | 0.01 |
| USA, Ohio: Black | 685 | 14.9 | 0.58 | 2.02 | 0.09 | 263 | 4.3 | 0.28 | 0.54 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | 68 | 10.1 | 1.25 | 1.17 | 0.16 | 24 | 2.9 | 0.62 | 0.31 | 0.08 |
| USA, Oklahoma | 1403 | 9.4 | 0.26 | 1.19 | 0.04 | 558 | 3.2 | 0.15 | 0.38 | 0.02 |
| USA, Oklahoma: White | 1044 | 8.2 | 0.26 | 1.03 | 0.04 | 413 | 2.8 | 0.15 | 0.33 | 0.02 |
| USA, Oklahoma: Black | 107 | 11.5 | 1.12 | 1.52 | 0.16 | 40 | 3.6 | 0.58 | 0.41 | 0.07 |
| USA, Oklahoma: American Indian | 205 | 18.6 | 1.31 | 2.52 | 0.20 | 89 | 6.7 | 0.73 | 0.86 | 0.11 |
| USA, Oregon | 1866 | 10.8 | 0.26 | 1.41 | 0.04 | 689 | 3.4 | 0.14 | 0.40 | 0.02 |
| USA, Oregon: White | 1625 | 10.0 | 0.26 | 1.29 | 0.04 | 598 | 3.2 | 0.15 | 0.38 | 0.02 |
| *USA, Oregon: Black | 68 | 25.6 | 3.14 | 3.94 | 0.54 | 16 | 6.1 | 1.56 | 0.70 | 0.22 |
| *USA, Oregon: Asian and Pacific Islander | 108 | 19.4 | 1.89 | 2.59 | 0.30 | 56 | 6.9 | 0.94 | 0.65 | 0.12 |
| USA, Rhode Island | 429 | 9.9 | 0.51 | 1.26 | 0.07 | 167 | 3.1 | 0.28 | 0.36 | 0.04 |
| USA, Rhode Island: White | 381 | 9.6 | 0.53 | 1.21 | 0.07 | 148 | 3.0 | 0.29 | 0.34 | 0.04 |
| *USA, Rhode Island: Black | 20 | 8.8 | 2.01 | 1.31 | 0.32 | 10 | 3.5 | 1.14 | 0.39 | 0.16 |
| USA, South Carolina | 1898 | 9.5 | 0.23 | 1.18 | 0.03 | 686 | 2.7 | 0.11 | 0.33 | 0.02 |
| USA, South Carolina: White | 1400 | 9.1 | 0.26 | 1.12 | 0.03 | 508 | 2.7 | 0.13 | 0.32 | 0.02 |
| USA, South Carolina: Black | 477 | 10.8 | 0.50 | 1.39 | 0.07 | 162 | 2.7 | 0.22 | 0.32 | 0.03 |
| USA, South Dakota | 265 | 7.6 | 0.49 | 0.93 | 0.07 | 94 | 2.3 | 0.28 | 0.25 | 0.04 |
| USA, Tennessee | 2581 | 9.8 | 0.20 | 1.21 | 0.03 | 975 | 3.1 | 0.11 | 0.37 | 0.01 |
| USA, Tennessee: White | 2056 | 9.0 | 0.21 | 1.11 | 0.03 | 770 | 2.9 | 0.11 | 0.35 | 0.01 |
| USA, Tennessee: Black | 472 | 14.3 | 0.66 | 1.87 | 0.10 | 186 | 4.3 | 0.33 | 0.49 | 0.04 |
| USA, Texas | 12158 | 13.2 | 0.12 | 1.65 | 0.02 | 4825 | 4.4 | 0.07 | 0.53 | 0.01 |
| USA, Texas: White | 9832 | 12.6 | 0.13 | 1.56 | 0.02 | 3981 | 4.3 | 0.07 | 0.51 | 0.01 |
| USA, Texas: Black | 1742 | 18.3 | 0.44 | 2.44 | 0.07 | 598 | 5.0 | 0.21 | 0.63 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 528 | 13.7 | 0.60 | 1.64 | 0.09 | 212 | 4.6 | 0.32 | 0.52 | 0.05 |
| USA, Utah | 568 | 6.3 | 0.27 | 0.79 | 0.04 | 261 | 2.6 | 0.17 | 0.28 | 0.02 |
| USA, Vermont | 182 | 6.0 | 0.46 | 0.73 | 0.06 | 61 | 1.8 | 0.29 | 0.21 | 0.03 |
| USA, Washington State | 2877 | 10.0 | 0.19 | 1.25 | 0.03 | 1149 | 3.5 | 0.11 | 0.43 | 0.02 |
| *USA, Washington, Seattle | 2097 | 10.7 | 0.24 | 1.35 | 0.03 | 813 | 3.6 | 0.14 | 0.44 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Liver (C22) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 715 | 8.2 | 0.32 | 1.00 | 0.04 | 286 | 2.7 | 0.18 | 0.31 | 0.02 |
| USA, Wyoming | 172 | 6.7 | 0.52 | 0.90 | 0.08 | 62 | 2.2 | 0.29 | 0.27 | 0.04 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 73 | 6.0 | 0.72 | 0.72 | 0.11 | 40 | 3.4 | 0.55 | 0.41 | 0.09 |
| Brunei Darussalam | 102 | 12.1 | 1.24 | 1.56 | 0.20 | 46 | 5.3 | 0.80 | 0.51 | 0.11 |
| *China, Anfu County | 241 | 22.9 | 1.50 | 2.56 | 0.20 | 83 | 7.7 | 0.88 | 0.95 | 0.13 |
| *China, Anguo City | 324 | 24.3 | 1.37 | 2.89 | 0.19 | 106 | 7.6 | 0.75 | 0.93 | 0.11 |
| *China, Anshan City | 1731 | 22.8 | 0.57 | 2.63 | 0.08 | 616 | 6.9 | 0.32 | 0.81 | 0.04 |
| *China, Aohan Banner, Chifeng City | 1098 | 61.1 | 1.94 | 7.39 | 0.27 | 404 | 21.4 | 1.12 | 2.43 | 0.16 |
| *China, Arongqi | 607 | 67.1 | 2.78 | 8.18 | 0.41 | 200 | 24.5 | 1.78 | 3.04 | 0.27 |
| *China, Baoding City | 637 | 17.6 | 0.72 | 2.03 | 0.10 | 294 | 7.6 | 0.45 | 0.84 | 0.06 |
| *China, Beijing City | 5732 | 13.8 | 0.20 | 1.58 | 0.03 | 2273 | 4.5 | 0.11 | 0.50 | 0.02 |
| *China, Binhai County | 1042 | 22.4 | 0.70 | 2.58 | 0.09 | 532 | 11.4 | 0.51 | 1.47 | 0.07 |
| *China, Cangzhou City | 328 | 20.1 | 1.14 | 2.26 | 0.15 | 110 | 6.5 | 0.63 | 0.71 | 0.09 |
| China, Changfeng County | 337 | 19.7 | 1.11 | 2.28 | 0.15 | 111 | 6.3 | 0.63 | 0.78 | 0.09 |
| China, Changzhou City | 2493 | 25.4 | 0.52 | 3.06 | 0.07 | 922 | 7.8 | 0.27 | 0.89 | 0.04 |
| China, Chengdu City | 1217 | 32.6 | 0.96 | 3.67 | 0.13 | 448 | 11.1 | 0.56 | 1.19 | 0.07 |
| China, Cixian County | 453 | 26.2 | 1.28 | 3.15 | 0.18 | 188 | 10.1 | 0.76 | 1.13 | 0.10 |
| China, Cixi City | 1342 | 27.7 | 0.78 | 3.08 | 0.10 | 458 | 8.4 | 0.41 | 0.96 | 0.06 |
| *China, Dafeng District, Yancheng City | 1032 | 30.0 | 0.97 | 3.39 | 0.12 | 438 | 11.1 | 0.56 | 1.23 | 0.07 |
| China, Dalian City | 2821 | 25.3 | 0.49 | 2.95 | 0.07 | 989 | 7.4 | 0.26 | 0.83 | 0.04 |
| *China, Dancheng County | 1347 | 41.7 | 1.19 | 4.55 | 0.17 | 909 | 26.8 | 0.92 | 2.93 | 0.13 |
| China, Dangtu County | 250 | 20.0 | 1.32 | 2.41 | 0.18 | 121 | 9.3 | 0.94 | 0.98 | 0.12 |
| *China, Danyang City | 975 | 27.1 | 0.90 | 3.04 | 0.11 | 433 | 10.2 | 0.51 | 1.15 | 0.07 |
| *China, Dawukou District, Shizuishan City | 247 | 24.7 | 1.61 | 2.70 | 0.20 | 116 | 10.7 | 1.02 | 1.38 | 0.15 |
| *China, Dehui City | 958 | 30.7 | 1.01 | 3.62 | 0.14 | 355 | 12.0 | 0.65 | 1.51 | 0.10 |
| *China, Donggang County | 1108 | 38.8 | 1.18 | 4.49 | 0.16 | 475 | 15.7 | 0.74 | 1.87 | 0.11 |
| *China, Dongguan City | 1375 | 34.7 | 0.95 | 4.03 | 0.13 | 358 | 7.3 | 0.41 | 0.81 | 0.06 |
| China, Donghai County | 1037 | 24.4 | 0.77 | 2.86 | 0.11 | 428 | 10.5 | 0.53 | 1.24 | 0.08 |
| *China, Dongtai City | 1213 | 25.5 | 0.78 | 2.91 | 0.10 | 527 | 9.9 | 0.48 | 1.12 | 0.06 |
| China, Duanzhou District, Zhaoqing City | 434 | 36.8 | 1.81 | 4.41 | 0.24 | 134 | 10.9 | 1.04 | 1.27 | 0.14 |
| *China, Evenki Autonomous Banner | 88 | 29.8 | 3.45 | 3.58 | 0.49 | 37 | 12.2 | 2.07 | 1.23 | 0.27 |
| *China, Faku County | 475 | 23.2 | 1.08 | 2.67 | 0.15 | 150 | 6.9 | 0.58 | 0.73 | 0.08 |
| *China, Fangcheng County | 548 | 23.3 | 1.01 | 2.53 | 0.13 | 221 | 10.2 | 0.71 | 1.07 | 0.10 |
| *China, Feicheng City | 969 | 24.1 | 0.79 | 2.74 | 0.10 | 319 | 7.0 | 0.40 | 0.78 | 0.05 |
| China, Feixi County | 932 | 22.8 | 0.77 | 2.62 | 0.10 | 329 | 7.4 | 0.45 | 0.83 | 0.06 |
| China, Fuqing City | 1348 | 49.5 | 1.37 | 5.89 | 0.19 | 370 | 13.5 | 0.73 | 1.64 | 0.11 |
| *China, Ganyu District, Lianyungang City | 967 | 22.8 | 0.75 | 2.81 | 0.10 | 313 | 6.9 | 0.41 | 0.81 | 0.06 |
| *China, Ganzhou District, Zhangye City | 335 | 35.4 | 2.05 | 4.46 | 0.28 | 135 | 15.0 | 1.35 | 1.88 | 0.19 |
| *China, Gaocheng City | 555 | 24.2 | 1.04 | 2.82 | 0.14 | 160 | 6.1 | 0.49 | 0.69 | 0.07 |
| China, Gaomi City | 904 | 29.9 | 1.01 | 3.51 | 0.14 | 316 | 9.0 | 0.55 | 1.06 | 0.08 |
| China, Gong'an County | 1086 | 32.0 | 0.99 | 3.93 | 0.14 | 380 | 10.6 | 0.56 | 1.35 | 0.08 |
| *China, Guang'an District, Guang'an City | 913 | 47.5 | 1.59 | 5.38 | 0.20 | 234 | 11.9 | 0.81 | 1.34 | 0.11 |
| China, Guanghan City | 517 | 31.2 | 1.44 | 3.69 | 0.19 | 163 | 8.3 | 0.68 | 0.98 | 0.10 |
| China, Guangzhou City | 10023 | 32.1 | 0.33 | 3.68 | 0.04 | 2603 | 7.1 | 0.15 | 0.80 | 0.02 |
| *China, Guanyun County | 1222 | 34.5 | 1.00 | 3.94 | 0.13 | 425 | 12.1 | 0.60 | 1.32 | 0.08 |
| China, Guilin City | 841 | 36.8 | 1.30 | 4.52 | 0.19 | 244 | 10.0 | 0.66 | 1.15 | 0.10 |
| *China, Hai'an City | 1237 | 25.3 | 0.77 | 2.85 | 0.09 | 459 | 8.1 | 0.41 | 0.95 | 0.05 |
| China, Hailar District, Hulun Buir City | 299 | 26.3 | 1.61 | 3.12 | 0.23 | 111 | 8.8 | 0.87 | 0.97 | 0.12 |
| China, Haimen District, Nantong City | 1633 | 35.9 | 0.93 | 4.06 | 0.11 | 675 | 12.4 | 0.51 | 1.42 | 0.07 |
| China, Haining City | 546 | 16.8 | 0.76 | 1.85 | 0.10 | 244 | 6.6 | 0.47 | 0.78 | 0.06 |
| China, Hangzhou City | 6094 | 19.2 | 0.26 | 2.20 | 0.03 | 2095 | 5.9 | 0.14 | 0.66 | 0.02 |
| China, Hebi City | 326 | 25.6 | 1.45 | 2.73 | 0.19 | 160 | 11.5 | 0.93 | 1.23 | 0.13 |
| China, Hefei City | 1691 | 19.9 | 0.50 | 2.22 | 0.07 | 640 | 7.2 | 0.30 | 0.83 | 0.04 |
| China, Hengdong County | 444 | 27.7 | 1.34 | 3.22 | 0.18 | 89 | 5.8 | 0.63 | 0.77 | 0.10 |
| *China, Hengfeng County | 217 | 34.4 | 2.37 | 3.89 | 0.29 | 90 | 14.7 | 1.57 | 1.46 | 0.19 |
| *China, Hepu County | 1701 | 59.1 | 1.47 | 6.61 | 0.18 | 338 | 11.5 | 0.66 | 1.42 | 0.10 |
| China, Honghu City | 1024 | 34.5 | 1.11 | 4.05 | 0.15 | 386 | 11.7 | 0.62 | 1.38 | 0.09 |
| China, Hongshan District, Chifeng City | 330 | 25.0 | 1.46 | 2.86 | 0.20 | 139 | 9.5 | 0.84 | 1.07 | 0.12 |
| *China, Hongta District, Yuxi City | 229 | 13.9 | 0.94 | 1.58 | 0.13 | 135 | 7.6 | 0.70 | 0.94 | 0.10 |
| *China, Huaiyin District, Huai'an City | 1020 | 29.0 | 0.92 | 3.33 | 0.12 | 348 | 9.6 | 0.55 | 1.15 | 0.08 |
| *China, Jiange County | 548 | 32.5 | 1.41 | 3.87 | 0.19 | 214 | 12.1 | 0.85 | 1.41 | 0.12 |
| China, Jiangmen City | 920 | 38.7 | 1.30 | 4.44 | 0.17 | 194 | 7.0 | 0.52 | 0.78 | 0.07 |
| *China, Jiangyin City | 1212 | 21.7 | 0.63 | 2.45 | 0.08 | 449 | 6.8 | 0.34 | 0.79 | 0.05 |
| *China, Jiashan County | 494 | 22.7 | 1.06 | 2.34 | 0.14 | 235 | 9.3 | 0.65 | 1.08 | 0.10 |
| China, Jiayu County | 233 | 30.2 | 2.03 | 3.54 | 0.28 | 77 | 10.0 | 1.20 | 1.12 | 0.15 |
| *China, Jinan City | 2283 | 24.8 | 0.53 | 2.88 | 0.07 | 789 | 7.2 | 0.27 | 0.85 | 0.04 |
| *China, Jingtai County | 291 | 40.2 | 2.40 | 4.60 | 0.32 | 106 | 15.5 | 1.53 | 1.80 | 0.22 |
| *China, Jingxian County | 255 | 17.8 | 1.18 | 2.05 | 0.16 | 108 | 8.6 | 0.89 | 1.04 | 0.13 |
| *China, Jintan District, Changzhou City | 509 | 21.3 | 0.97 | 2.60 | 0.14 | 260 | 10.1 | 0.65 | 1.21 | 0.10 |
| *China, Jiulongpo District, Chongqing City | 1041 | 33.1 | 1.06 | 3.76 | 0.13 | 327 | 9.3 | 0.55 | 1.08 | 0.08 |
| *China, Jiyuan City | 498 | 29.6 | 1.37 | 3.15 | 0.17 | 263 | 14.4 | 0.91 | 1.49 | 0.12 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Liver (C22) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 344 | 26.6 | 1.50 | 2.98 | 0.20 | 105 | 8.1 | 0.85 | 0.88 | 0.13 |
| China, Kunshan City | 755 | 21.6 | 0.81 | 2.34 | 0.11 | 401 | 9.1 | 0.48 | 0.93 | 0.07 |
| China, Langzhong City | 447 | 22.4 | 1.08 | 2.71 | 0.15 | 167 | 8.7 | 0.68 | 1.03 | 0.10 |
| *China, Liangshan County | 847 | 28.9 | 1.01 | 3.38 | 0.13 | 288 | 8.9 | 0.55 | 1.07 | 0.08 |
| *China, Lianshui County | 876 | 20.8 | 0.71 | 2.38 | 0.09 | 375 | 8.6 | 0.46 | 0.99 | 0.06 |
| China, Lianyungang City | 875 | 22.9 | 0.78 | 2.64 | 0.10 | 272 | 6.5 | 0.41 | 0.72 | 0.06 |
| China, Linhe District, Bayannur City | 307 | 23.0 | 1.35 | 2.90 | 0.20 | 107 | 7.6 | 0.75 | 0.91 | 0.12 |
| China, Linqu County | 863 | 24.3 | 0.84 | 2.85 | 0.12 | 384 | 9.9 | 0.53 | 1.09 | 0.07 |
| *China, Linzhou City | 630 | 17.8 | 0.73 | 1.99 | 0.10 | 341 | 8.6 | 0.47 | 1.06 | 0.07 |
| China, Liuzhou City | 1446 | 38.0 | 1.02 | 4.40 | 0.14 | 382 | 9.7 | 0.51 | 1.09 | 0.07 |
| China, Liyang City | 636 | 16.3 | 0.68 | 1.85 | 0.09 | 240 | 5.4 | 0.37 | 0.60 | 0.05 |
| *China, Longquan City | 336 | 33.5 | 1.90 | 3.74 | 0.25 | 108 | 11.0 | 1.11 | 1.17 | 0.16 |
| China, Lucheng District, Wenzhou City | 637 | 33.3 | 1.37 | 3.88 | 0.18 | 174 | 7.9 | 0.64 | 0.93 | 0.09 |
| China, Luoding City | 853 | 37.6 | 1.30 | 4.34 | 0.17 | 200 | 8.9 | 0.66 | 1.06 | 0.09 |
| *China, Luohe City | 1380 | 35.2 | 0.97 | 4.08 | 0.13 | 618 | 13.6 | 0.57 | 1.63 | 0.09 |
| *China, Luoyang City | 907 | 21.3 | 0.73 | 2.34 | 0.10 | 404 | 8.9 | 0.47 | 0.92 | 0.06 |
| *China, Luquan City | 218 | 18.7 | 1.28 | 2.28 | 0.18 | 96 | 7.2 | 0.76 | 0.87 | 0.11 |
| China, Ma'anshan City | 509 | 23.6 | 1.09 | 2.42 | 0.13 | 193 | 7.7 | 0.57 | 0.79 | 0.08 |
| *China, Macheng City | 749 | 29.9 | 1.11 | 3.52 | 0.15 | 234 | 9.8 | 0.66 | 1.22 | 0.09 |
| China, Meihekou City | 624 | 25.8 | 1.06 | 2.94 | 0.15 | 270 | 12.3 | 0.79 | 1.52 | 0.12 |
| *China, Mengjin County | 233 | 20.8 | 1.38 | 2.55 | 0.20 | 106 | 7.6 | 0.77 | 0.79 | 0.11 |
| China, Nangang District, Harbin City | 840 | 20.6 | 0.72 | 2.39 | 0.10 | 311 | 6.2 | 0.36 | 0.73 | 0.06 |
| *China, Nanhai District, Foshan City | 1301 | 47.7 | 1.33 | 5.64 | 0.18 | 350 | 10.6 | 0.59 | 1.19 | 0.08 |
| China, Nanhu District, Jiaying City | 631 | 22.8 | 0.95 | 2.40 | 0.13 | 287 | 9.0 | 0.59 | 0.87 | 0.08 |
| *China, Nantong City | 1555 | 30.4 | 0.80 | 3.51 | 0.10 | 609 | 9.3 | 0.40 | 1.11 | 0.06 |
| *China, Nanxiong City | 918 | 62.5 | 2.09 | 7.02 | 0.28 | 191 | 11.3 | 0.85 | 1.26 | 0.11 |
| China, Neixiang County | 452 | 19.0 | 0.92 | 2.19 | 0.11 | 191 | 7.7 | 0.57 | 0.84 | 0.07 |
| *China, Qianxi County | 503 | 34.8 | 1.62 | 4.06 | 0.23 | 210 | 15.3 | 1.10 | 1.67 | 0.16 |
| China, Qidong City | 2734 | 47.5 | 0.97 | 5.16 | 0.11 | 1202 | 16.7 | 0.53 | 1.82 | 0.07 |
| China, Qingzhou City | 643 | 19.8 | 0.79 | 2.44 | 0.11 | 229 | 6.1 | 0.43 | 0.71 | 0.06 |
| *China, Rudong County | 1537 | 26.5 | 0.72 | 3.02 | 0.09 | 637 | 9.7 | 0.46 | 1.07 | 0.05 |
| *China, Rugao City | 2438 | 36.5 | 0.78 | 3.96 | 0.09 | 873 | 11.6 | 0.43 | 1.34 | 0.05 |
| *China, Rural areas of Shanghai City | 8138 | 18.0 | 0.21 | 1.96 | 0.03 | 3457 | 6.2 | 0.12 | 0.68 | 0.02 |
| China, Ruyang County | 171 | 14.2 | 1.10 | 1.82 | 0.17 | 86 | 6.8 | 0.77 | 0.87 | 0.13 |
| *China, Shan County | 1023 | 42.1 | 1.35 | 4.92 | 0.19 | 399 | 12.7 | 0.69 | 1.39 | 0.10 |
| China, Shanghai City | 5731 | 15.5 | 0.23 | 1.73 | 0.03 | 2536 | 5.3 | 0.13 | 0.55 | 0.02 |
| China, Shangyu District, Shaoxing City | 972 | 28.1 | 0.94 | 3.27 | 0.12 | 352 | 9.6 | 0.58 | 1.18 | 0.08 |
| *China, Shapingba District, Chongqing City | 872 | 25.5 | 0.89 | 2.93 | 0.12 | 314 | 8.4 | 0.52 | 0.83 | 0.07 |
| China, Shexian County | 282 | 21.0 | 1.27 | 2.48 | 0.18 | 124 | 9.1 | 0.83 | 0.97 | 0.11 |
| China, Sheyang County | 1357 | 32.6 | 0.90 | 3.77 | 0.12 | 564 | 13.1 | 0.57 | 1.53 | 0.08 |
| *China, Shijiazhuang City | 990 | 19.2 | 0.62 | 2.27 | 0.08 | 361 | 6.4 | 0.36 | 0.80 | 0.05 |
| China, Shunde District, Foshan City | 2380 | 68.0 | 1.40 | 8.03 | 0.19 | 478 | 10.4 | 0.49 | 1.15 | 0.07 |
| *China, Song County | 315 | 19.1 | 1.09 | 2.17 | 0.15 | 161 | 9.6 | 0.79 | 1.06 | 0.12 |
| China, Suzhou City | 2718 | 16.9 | 0.34 | 1.84 | 0.04 | 1326 | 6.8 | 0.20 | 0.73 | 0.03 |
| *China, Tengzhou City | 1374 | 24.5 | 0.68 | 2.97 | 0.09 | 438 | 7.1 | 0.35 | 0.84 | 0.05 |
| *China, Wangdu County | 133 | 19.6 | 1.74 | 2.37 | 0.24 | 47 | 6.8 | 1.01 | 0.77 | 0.13 |
| *China, Wanxian County | 611 | 52.3 | 2.16 | 5.57 | 0.27 | 211 | 17.6 | 1.26 | 1.91 | 0.17 |
| *China, Wu'an City | 407 | 17.3 | 0.91 | 2.13 | 0.13 | 195 | 8.3 | 0.62 | 1.10 | 0.10 |
| China, Wuhan City | 4752 | 22.1 | 0.33 | 2.49 | 0.04 | 1680 | 6.7 | 0.18 | 0.71 | 0.02 |
| *China, Wuhu City | 760 | 14.4 | 0.54 | 1.79 | 0.08 | 317 | 5.4 | 0.32 | 0.67 | 0.05 |
| China, Wuxi City | 2189 | 18.7 | 0.41 | 2.17 | 0.05 | 931 | 6.7 | 0.23 | 0.74 | 0.03 |
| China, Wuzhou City | 938 | 48.2 | 1.60 | 5.47 | 0.21 | 220 | 11.1 | 0.79 | 1.25 | 0.11 |
| China, Xiangfu District, Kaifeng City | 617 | 32.0 | 1.31 | 3.97 | 0.18 | 222 | 10.8 | 0.75 | 1.34 | 0.11 |
| China, Xianju County | 834 | 41.5 | 1.47 | 4.90 | 0.20 | 235 | 11.8 | 0.80 | 1.39 | 0.12 |
| *China, Xin'an County | 294 | 25.3 | 1.49 | 2.95 | 0.21 | 138 | 11.1 | 0.98 | 1.20 | 0.14 |
| *China, Xining City | 793 | 36.4 | 1.39 | 3.61 | 0.16 | 331 | 13.5 | 0.78 | 1.30 | 0.09 |
| *China, Xinji City | 342 | 12.9 | 0.72 | 1.60 | 0.10 | 160 | 5.2 | 0.42 | 0.64 | 0.06 |
| *China, Xinluo District, Longyan City | 282 | 23.4 | 1.43 | 2.88 | 0.21 | 79 | 6.0 | 0.74 | 0.68 | 0.11 |
| *China, Xinzhou District, Shangrao City | 319 | 23.9 | 1.37 | 2.72 | 0.18 | 125 | 9.1 | 0.84 | 0.98 | 0.11 |
| China, Xiping County | 918 | 33.8 | 1.16 | 3.64 | 0.15 | 405 | 13.3 | 0.69 | 1.44 | 0.09 |
| *China, Xishan District, Kunming City | 262 | 15.9 | 1.07 | 1.94 | 0.14 | 109 | 6.1 | 0.64 | 0.64 | 0.08 |
| *China, Xuyi County | 622 | 25.0 | 1.03 | 2.91 | 0.14 | 215 | 7.7 | 0.55 | 0.96 | 0.09 |
| *China, Ya'an City | 1610 | 30.1 | 0.76 | 3.48 | 0.10 | 565 | 10.5 | 0.45 | 1.29 | 0.07 |
| *China, Yakeshi City | 454 | 29.1 | 1.50 | 3.32 | 0.20 | 145 | 8.9 | 0.84 | 1.05 | 0.11 |
| China, Yancheng City | 1529 | 26.6 | 0.69 | 3.01 | 0.09 | 614 | 10.1 | 0.43 | 1.17 | 0.06 |
| *China, Yangquan City | 363 | 16.6 | 0.92 | 1.92 | 0.13 | 151 | 7.2 | 0.61 | 0.83 | 0.09 |
| *China, Yangzhong City | 216 | 15.2 | 1.06 | 1.81 | 0.14 | 123 | 7.5 | 0.71 | 0.82 | 0.10 |
| *China, Yanji City | 991 | 47.7 | 1.55 | 5.73 | 0.23 | 392 | 15.7 | 0.81 | 1.91 | 0.12 |
| *China, Yanshi City | 467 | 20.4 | 0.95 | 2.35 | 0.13 | 221 | 8.4 | 0.60 | 0.97 | 0.08 |
| China, Yanting County | 1052 | 54.9 | 1.72 | 5.76 | 0.21 | 512 | 27.0 | 1.22 | 3.14 | 0.16 |
| *China, Yi'an District, Tongling City | 233 | 22.8 | 1.53 | 2.75 | 0.22 | 84 | 7.9 | 0.89 | 1.02 | 0.15 |
| *China, Yingdong District, Fuyang City | 800 | 36.2 | 1.31 | 4.18 | 0.17 | 246 | 10.7 | 0.71 | 1.32 | 0.11 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Liver (C22) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 194 | 20.3 | 1.50 | 2.34 | 0.20 | 67 | 6.1 | 0.77 | 0.68 | 0.11 |
| *China, Yiyuan County | 442 | 22.3 | 1.08 | 2.71 | 0.16 | 176 | 8.2 | 0.64 | 1.01 | 0.10 |
| China, Yong'an City | 326 | 24.8 | 1.43 | 3.01 | 0.20 | 91 | 6.9 | 0.76 | 0.80 | 0.11 |
| *China, Yongding District, Longyan City | 608 | 36.8 | 1.52 | 4.41 | 0.22 | 163 | 9.6 | 0.80 | 1.19 | 0.12 |
| China, Yongkang City | 817 | 34.8 | 1.24 | 4.07 | 0.17 | 246 | 9.5 | 0.63 | 1.05 | 0.09 |
| *China, Yucheng County | 576 | 29.5 | 1.25 | 3.48 | 0.17 | 336 | 15.9 | 0.90 | 1.91 | 0.13 |
| China, Yueyanglou District, Yueyang City | 281 | 25.0 | 1.52 | 2.92 | 0.22 | 86 | 8.0 | 0.88 | 0.97 | 0.13 |
| China, Yunmeng County | 1015 | 62.7 | 2.04 | 7.55 | 0.27 | 603 | 34.4 | 1.46 | 4.37 | 0.20 |
| *China, Yunyang District, Shiyao City | 364 | 32.1 | 1.72 | 3.95 | 0.26 | 119 | 11.0 | 1.04 | 1.26 | 0.16 |
| China, Yuzhong District, Chongqing City | 633 | 27.4 | 1.15 | 3.25 | 0.17 | 183 | 7.1 | 0.58 | 0.85 | 0.09 |
| *China, Zhanhuang County | 159 | 18.9 | 1.53 | 2.43 | 0.23 | 72 | 8.8 | 1.07 | 1.01 | 0.14 |
| *China, Zhangjiagang City | 1040 | 24.0 | 0.76 | 2.71 | 0.10 | 441 | 8.6 | 0.45 | 0.97 | 0.06 |
| *China, Zhaoyuan City | 1078 | 41.4 | 1.33 | 4.57 | 0.16 | 365 | 12.2 | 0.67 | 1.45 | 0.09 |
| *China, Zhengding County | 398 | 29.9 | 1.52 | 3.54 | 0.20 | 97 | 6.1 | 0.64 | 0.77 | 0.10 |
| *China, Zhongshan City | 2289 | 43.4 | 0.92 | 5.12 | 0.13 | 440 | 7.4 | 0.37 | 0.91 | 0.06 |
| China, Zhongxiang City | 1054 | 29.9 | 0.94 | 3.53 | 0.13 | 354 | 9.8 | 0.54 | 1.21 | 0.08 |
| *China, Zhuanghe City | 1307 | 29.9 | 0.85 | 3.49 | 0.11 | 439 | 9.4 | 0.46 | 1.15 | 0.07 |
| *China, Zhuhai City | 1317 | 35.9 | 1.01 | 4.25 | 0.14 | 288 | 8.2 | 0.50 | 0.98 | 0.08 |
| India, Ahmedabad, Urban | 198 | 1.8 | 0.13 | 0.23 | 0.02 | 57 | 0.5 | 0.07 | 0.06 | 0.01 |
| India, Aurangabad | 30 | 1.2 | 0.22 | 0.17 | 0.04 | 15 | 0.6 | 0.15 | 0.08 | 0.02 |
| India, Bangalore | 651 | 6.1 | 0.24 | 0.80 | 0.04 | 244 | 2.3 | 0.15 | 0.27 | 0.02 |
| India, Barshi, Paranda, and Bhum | 52 | 3.6 | 0.51 | 0.46 | 0.07 | 8 | 0.7 | 0.25 | 0.06 | 0.02 |
| *India, Bhopal | 54 | 2.1 | 0.30 | 0.28 | 0.04 | 31 | 1.3 | 0.24 | 0.19 | 0.04 |
| India, Chandigarh | 62 | 2.7 | 0.36 | 0.32 | 0.05 | 21 | 1.2 | 0.26 | 0.16 | 0.04 |
| *India, Chennai | 577 | 4.8 | 0.21 | 0.60 | 0.03 | 209 | 1.7 | 0.12 | 0.19 | 0.02 |
| India, Dibrugarh | 103 | 3.5 | 0.35 | 0.42 | 0.05 | 55 | 1.9 | 0.26 | 0.22 | 0.03 |
| *India, Dindigul, Ambilikai | 107 | 1.8 | 0.17 | 0.24 | 0.03 | 41 | 0.6 | 0.10 | 0.08 | 0.01 |
| India, Kamrup Urban District | 155 | 6.8 | 0.56 | 0.89 | 0.09 | 82 | 3.5 | 0.40 | 0.34 | 0.05 |
| India, Kollam | 409 | 6.4 | 0.32 | 0.87 | 0.05 | 105 | 1.4 | 0.15 | 0.18 | 0.02 |
| *India, Manipur | 110 | 2.3 | 0.23 | 0.30 | 0.04 | 54 | 1.1 | 0.16 | 0.14 | 0.02 |
| India, Meghalaya | 84 | 3.5 | 0.39 | 0.44 | 0.06 | 42 | 1.4 | 0.23 | 0.17 | 0.03 |
| India, Mizoram | 174 | 10.2 | 0.80 | 1.23 | 0.11 | 96 | 5.7 | 0.59 | 0.67 | 0.08 |
| India, Mumbai | 2060 | 6.8 | 0.15 | 0.83 | 0.02 | 999 | 3.3 | 0.11 | 0.40 | 0.02 |
| *India, New Delhi | 988 | 4.7 | 0.15 | 0.59 | 0.02 | 480 | 2.3 | 0.11 | 0.27 | 0.02 |
| India, Poona | 433 | 3.8 | 0.18 | 0.48 | 0.03 | 184 | 1.6 | 0.12 | 0.20 | 0.02 |
| *India, Sangrur District | 139 | 5.4 | 0.46 | 0.68 | 0.06 | 30 | 1.3 | 0.23 | 0.14 | 0.03 |
| India, SAS Nagar | 89 | 3.8 | 0.41 | 0.47 | 0.06 | 39 | 1.8 | 0.29 | 0.24 | 0.04 |
| *India, Tamil Nadu | 3907 | 2.0 | 0.03 | 0.24 | 0.00 | 1328 | 0.6 | 0.02 | 0.07 | 0.00 |
| *India, Tripura | 127 | 1.9 | 0.18 | 0.25 | 0.03 | 84 | 1.3 | 0.14 | 0.16 | 0.02 |
| India, Trivandrum | 535 | 6.6 | 0.29 | 0.82 | 0.04 | 151 | 1.7 | 0.14 | 0.20 | 0.02 |
| India, Wardha | 168 | 4.4 | 0.35 | 0.50 | 0.05 | 67 | 1.9 | 0.23 | 0.20 | 0.03 |
| India, West Arunachal | 201 | 22.0 | 1.72 | 2.93 | 0.28 | 71 | 8.0 | 1.03 | 0.94 | 0.15 |
| *Iran (Islamic Republic of), Ardabil Province | 94 | 4.8 | 0.52 | 0.51 | 0.08 | 57 | 3.0 | 0.41 | 0.31 | 0.06 |
| *Iran (Islamic Republic of), Golestan Province | 99 | 4.3 | 0.44 | 0.51 | 0.07 | 68 | 3.0 | 0.37 | 0.38 | 0.06 |
| Israel | 917 | 3.6 | 0.12 | 0.42 | 0.02 | 559 | 1.6 | 0.07 | 0.17 | 0.01 |
| *Israel: Jews | 726 | 3.3 | 0.13 | 0.38 | 0.02 | 468 | 1.6 | 0.08 | 0.16 | 0.01 |
| *Israel: Arabs | 116 | 4.1 | 0.39 | 0.53 | 0.06 | 49 | 1.5 | 0.22 | 0.16 | 0.03 |
| Japan | 84102 | 16.2 | 0.06 | 1.91 | 0.01 | 42096 | 5.3 | 0.04 | 0.57 | 0.00 |
| Japan, Aichi Prefecture | 3712 | 13.3 | 0.24 | 1.55 | 0.03 | 1838 | 4.8 | 0.15 | 0.50 | 0.02 |
| *Japan, Akita Prefecture | 583 | 11.8 | 0.56 | 1.53 | 0.08 | 305 | 3.7 | 0.29 | 0.43 | 0.04 |
| Japan, Aomori Prefecture | 1525 | 17.0 | 0.51 | 2.04 | 0.07 | 879 | 5.8 | 0.29 | 0.66 | 0.04 |
| Japan, Gunma Prefecture | 1221 | 14.7 | 0.48 | 1.80 | 0.07 | 679 | 5.5 | 0.30 | 0.56 | 0.04 |
| Japan, Hiroshima Prefecture | 3356 | 20.8 | 0.42 | 2.46 | 0.06 | 1575 | 6.1 | 0.23 | 0.64 | 0.03 |
| Japan, Miyagi Prefecture | 2066 | 13.4 | 0.33 | 1.64 | 0.05 | 1036 | 4.2 | 0.18 | 0.45 | 0.02 |
| Japan, Osaka Prefecture | 7073 | 20.1 | 0.27 | 2.32 | 0.04 | 3502 | 6.7 | 0.15 | 0.71 | 0.02 |
| Kuwait | 237 | 4.2 | 0.33 | 0.53 | 0.05 | 80 | 2.3 | 0.27 | 0.24 | 0.04 |
| *Kuwait: Kuwaitis | 98 | 5.8 | 0.61 | 0.71 | 0.09 | 50 | 2.3 | 0.33 | 0.26 | 0.05 |
| *Kuwait: Non-Kuwaitis | 139 | 3.1 | 0.34 | 0.43 | 0.06 | 30 | 2.2 | 0.47 | 0.21 | 0.06 |
| *Philippines, Manila | 1672 | 16.1 | 0.42 | 1.93 | 0.06 | 724 | 5.5 | 0.21 | 0.62 | 0.03 |
| *Qatar: Qatari | 34 | 9.3 | 1.64 | 1.07 | 0.24 | 21 | 5.2 | 1.16 | 0.58 | 0.17 |
| Republic of Korea | 59464 | 29.9 | 0.13 | 3.54 | 0.02 | 20175 | 8.2 | 0.06 | 0.96 | 0.01 |
| *Republic of Korea, Busan | 5276 | 35.7 | 0.51 | 4.12 | 0.07 | 1824 | 9.5 | 0.23 | 1.10 | 0.03 |
| *Republic of Korea, Daegu | 2736 | 28.8 | 0.56 | 3.39 | 0.08 | 901 | 7.5 | 0.27 | 0.86 | 0.04 |
| *Republic of Korea, Daejeon | 1361 | 25.2 | 0.70 | 2.93 | 0.10 | 490 | 7.5 | 0.35 | 0.85 | 0.05 |
| *Republic of Korea, Gwangju | 1624 | 32.5 | 0.82 | 3.81 | 0.11 | 538 | 8.4 | 0.38 | 0.96 | 0.05 |
| Republic of Korea, Incheon | 2907 | 26.7 | 0.51 | 3.17 | 0.07 | 1007 | 8.1 | 0.27 | 0.99 | 0.04 |
| Republic of Korea, Jeju | 849 | 35.9 | 1.27 | 4.15 | 0.17 | 306 | 9.6 | 0.61 | 1.13 | 0.09 |
| Republic of Korea, Seoul | 10084 | 26.8 | 0.27 | 3.14 | 0.04 | 3376 | 7.4 | 0.14 | 0.84 | 0.02 |
| Republic of Korea, Ulsan | 1244 | 31.5 | 0.96 | 3.65 | 0.13 | 383 | 8.8 | 0.46 | 1.06 | 0.07 |
| Singapore | 2751 | 18.0 | 0.35 | 2.13 | 0.05 | 1022 | 5.4 | 0.18 | 0.56 | 0.03 |
| Singapore: Chinese | 2329 | 18.9 | 0.40 | 2.21 | 0.06 | 873 | 5.5 | 0.20 | 0.57 | 0.03 |
| Singapore: Indian | 124 | 11.7 | 1.09 | 1.44 | 0.17 | 36 | 3.2 | 0.54 | 0.27 | 0.08 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Liver (C22) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 252 | 15.7 | 1.02 | 1.81 | 0.15 | 96 | 5.7 | 0.61 | 0.64 | 0.09 |
| Thailand, Bangkok | 3177 | 18.0 | 0.33 | 2.21 | 0.05 | 1319 | 6.0 | 0.17 | 0.70 | 0.03 |
| *Thailand, Chiang Mai | 2045 | 35.9 | 0.81 | 4.30 | 0.11 | 867 | 12.6 | 0.45 | 1.50 | 0.07 |
| *Thailand, Khon Kaen | 2437 | 39.3 | 0.81 | 4.57 | 0.11 | 926 | 12.3 | 0.42 | 1.53 | 0.06 |
| Thailand, Lampang | 1242 | 40.9 | 1.20 | 4.87 | 0.17 | 549 | 15.7 | 0.70 | 1.89 | 0.10 |
| Thailand, Lopburi Province | 1018 | 43.7 | 1.39 | 5.15 | 0.19 | 401 | 14.7 | 0.75 | 1.75 | 0.11 |
| *Thailand, Songkhla | 649 | 15.8 | 0.63 | 1.87 | 0.09 | 263 | 5.2 | 0.34 | 0.60 | 0.05 |
| Turkey, Antalya | 280 | 4.6 | 0.28 | 0.55 | 0.04 | 110 | 1.7 | 0.16 | 0.19 | 0.02 |
| Turkey, Bursa | 310 | 4.0 | 0.23 | 0.48 | 0.03 | 141 | 1.5 | 0.13 | 0.15 | 0.02 |
| *Turkey, Edirne | 120 | 7.7 | 0.73 | 0.87 | 0.10 | 31 | 1.8 | 0.39 | 0.20 | 0.05 |
| *Turkey, Erzurum | 92 | 5.0 | 0.53 | 0.65 | 0.08 | 66 | 3.0 | 0.38 | 0.31 | 0.05 |
| Turkey, Eskişehir | 90 | 3.4 | 0.37 | 0.38 | 0.05 | 44 | 1.4 | 0.22 | 0.19 | 0.03 |
| Turkey, Gaziantep | 268 | 8.1 | 0.50 | 1.00 | 0.07 | 99 | 2.6 | 0.26 | 0.31 | 0.04 |
| *Turkey, Izmir | 680 | 5.2 | 0.20 | 0.64 | 0.03 | 328 | 2.0 | 0.12 | 0.23 | 0.02 |
| Turkey, Malatya | 99 | 4.7 | 0.48 | 0.56 | 0.07 | 35 | 1.4 | 0.25 | 0.14 | 0.03 |
| Turkey, Samsun | 147 | 3.6 | 0.30 | 0.46 | 0.05 | 72 | 1.5 | 0.18 | 0.17 | 0.03 |
| Turkey, Trabzon | 137 | 5.5 | 0.47 | 0.71 | 0.07 | 49 | 1.3 | 0.21 | 0.15 | 0.03 |
| Europe | | | | | | | | | | |
| Austria | 3606 | 8.5 | 0.15 | 1.10 | 0.02 | 1475 | 2.7 | 0.08 | 0.31 | 0.01 |
| Austria, Carinthia | 264 | 8.5 | 0.56 | 1.13 | 0.09 | 106 | 2.4 | 0.27 | 0.29 | 0.04 |
| Austria, Tyrol | 251 | 7.8 | 0.54 | 0.99 | 0.07 | 83 | 1.9 | 0.24 | 0.23 | 0.03 |
| Austria, Vorarlberg | 129 | 6.9 | 0.63 | 0.89 | 0.10 | 60 | 2.4 | 0.35 | 0.26 | 0.05 |
| Belarus | 1452 | 4.6 | 0.12 | 0.58 | 0.02 | 781 | 1.5 | 0.06 | 0.18 | 0.01 |
| *Belgium | 3333 | 6.5 | 0.12 | 0.85 | 0.02 | 1345 | 2.2 | 0.07 | 0.27 | 0.01 |
| Croatia | 1704 | 8.3 | 0.21 | 1.05 | 0.03 | 809 | 2.6 | 0.11 | 0.30 | 0.02 |
| Cyprus | 160 | 4.1 | 0.35 | 0.51 | 0.05 | 99 | 2.4 | 0.28 | 0.22 | 0.03 |
| *Czech Republic | 3264 | 6.4 | 0.12 | 0.83 | 0.02 | 1724 | 2.5 | 0.07 | 0.29 | 0.01 |
| Denmark | 1593 | 5.6 | 0.15 | 0.72 | 0.02 | 637 | 2.0 | 0.09 | 0.23 | 0.01 |
| Estonia | 335 | 6.2 | 0.36 | 0.79 | 0.05 | 231 | 2.6 | 0.22 | 0.31 | 0.03 |
| Finland | 1780 | 5.8 | 0.15 | 0.70 | 0.02 | 904 | 2.4 | 0.10 | 0.26 | 0.01 |
| *France, Bas-Rhin | 536 | 12.8 | 0.59 | 1.61 | 0.09 | 166 | 3.1 | 0.29 | 0.38 | 0.04 |
| *France, Calvados | 492 | 14.0 | 0.67 | 1.83 | 0.10 | 123 | 2.8 | 0.29 | 0.33 | 0.04 |
| *France, Doubs | 333 | 12.8 | 0.75 | 1.60 | 0.11 | 102 | 3.1 | 0.35 | 0.38 | 0.05 |
| *France, Gironde | 742 | 10.7 | 0.41 | 1.36 | 0.06 | 229 | 2.4 | 0.18 | 0.31 | 0.03 |
| *France, Haut-Rhin | 449 | 11.3 | 0.56 | 1.37 | 0.09 | 147 | 3.0 | 0.31 | 0.33 | 0.04 |
| *France, Hérault | 716 | 13.9 | 0.56 | 1.77 | 0.08 | 197 | 2.7 | 0.22 | 0.33 | 0.03 |
| *France, Isère | 663 | 11.6 | 0.48 | 1.51 | 0.07 | 193 | 2.5 | 0.21 | 0.30 | 0.03 |
| *France, Lille-Métropole | 456 | 16.1 | 0.78 | 2.17 | 0.12 | 146 | 3.6 | 0.33 | 0.46 | 0.05 |
| *France, Limousin | 247 | 12.5 | 0.89 | 1.52 | 0.12 | 64 | 2.8 | 0.45 | 0.35 | 0.06 |
| *France, Loire-Atlantique | 1119 | 18.4 | 0.58 | 2.39 | 0.09 | 201 | 2.3 | 0.20 | 0.27 | 0.03 |
| *France, Manche | 349 | 12.2 | 0.70 | 1.68 | 0.11 | 85 | 2.1 | 0.28 | 0.27 | 0.04 |
| *France, Poitou-Charentes | 1112 | 11.0 | 0.36 | 1.41 | 0.05 | 325 | 2.5 | 0.18 | 0.30 | 0.02 |
| *France, Somme | 312 | 11.2 | 0.66 | 1.48 | 0.10 | 94 | 2.6 | 0.31 | 0.33 | 0.05 |
| *France, Tarn | 160 | 7.4 | 0.64 | 0.96 | 0.09 | 53 | 1.8 | 0.30 | 0.21 | 0.04 |
| *France, Territoire de Belfort | 61 | 10.8 | 1.45 | 1.51 | 0.25 | 18 | 2.4 | 0.60 | 0.36 | 0.12 |
| *France, Vendée | 678 | 17.8 | 0.73 | 2.36 | 0.11 | 121 | 2.7 | 0.33 | 0.30 | 0.04 |
| Germany, Baden-Württemberg | 2462 | 6.8 | 0.15 | 0.85 | 0.02 | 1028 | 2.3 | 0.09 | 0.28 | 0.01 |
| Germany, Bavaria | 5421 | 7.9 | 0.12 | 0.99 | 0.02 | 2059 | 2.5 | 0.07 | 0.29 | 0.01 |
| Germany, Bremen | 217 | 6.0 | 0.45 | 0.76 | 0.07 | 94 | 2.4 | 0.34 | 0.26 | 0.04 |
| Germany, Hamburg | 620 | 7.1 | 0.31 | 0.89 | 0.05 | 312 | 2.7 | 0.18 | 0.30 | 0.02 |
| Germany, Lower Saxony | 2674 | 5.8 | 0.13 | 0.70 | 0.02 | 1288 | 2.3 | 0.08 | 0.26 | 0.01 |
| Germany, North Rhine-Westphalia | 6127 | 6.2 | 0.09 | 0.76 | 0.01 | 3119 | 2.5 | 0.06 | 0.28 | 0.01 |
| Germany, Rhineland-Palatinate | 1671 | 7.1 | 0.20 | 0.88 | 0.03 | 845 | 3.0 | 0.13 | 0.33 | 0.02 |
| Germany, Saarland | 502 | 8.6 | 0.43 | 1.12 | 0.06 | 242 | 3.3 | 0.28 | 0.38 | 0.04 |
| Germany, Schleswig-Holstein | 854 | 5.0 | 0.19 | 0.62 | 0.03 | 436 | 2.3 | 0.13 | 0.27 | 0.02 |
| Iceland | 73 | 5.2 | 0.64 | 0.69 | 0.10 | 31 | 1.7 | 0.35 | 0.19 | 0.05 |
| Ireland | 1052 | 5.8 | 0.19 | 0.69 | 0.03 | 441 | 2.0 | 0.11 | 0.23 | 0.02 |
| *Italy, Aosta Valley | 90 | 16.1 | 1.88 | 2.00 | 0.26 | 38 | 6.1 | 1.46 | 0.52 | 0.13 |
| *Italy, Avellino | 183 | 13.3 | 1.06 | 1.75 | 0.16 | 76 | 3.4 | 0.48 | 0.38 | 0.07 |
| Italy, Basilicata | 432 | 13.0 | 0.71 | 1.62 | 0.11 | 178 | 3.7 | 0.34 | 0.40 | 0.05 |
| *Italy, Benevento | 164 | 14.2 | 1.22 | 1.86 | 0.18 | 59 | 3.4 | 0.55 | 0.44 | 0.08 |
| Italy, Bergamo | 958 | 16.2 | 0.56 | 1.93 | 0.08 | 488 | 5.1 | 0.28 | 0.50 | 0.04 |
| *Italy, Brescia | 984 | 15.7 | 0.54 | 1.99 | 0.08 | 436 | 4.5 | 0.26 | 0.50 | 0.04 |
| Italy, Brianza (Lecco and Monza e Brianza) | 496 | 13.0 | 0.64 | 1.57 | 0.09 | 245 | 3.9 | 0.31 | 0.44 | 0.05 |
| Italy, Calabria | 264 | 9.2 | 0.62 | 1.11 | 0.09 | 124 | 3.1 | 0.32 | 0.39 | 0.05 |
| *Italy, Caserta | 473 | 14.5 | 0.70 | 1.82 | 0.10 | 227 | 5.2 | 0.40 | 0.59 | 0.06 |
| *Italy, Catania, Messina, and Enna | 876 | 9.0 | 0.33 | 1.10 | 0.05 | 426 | 3.1 | 0.18 | 0.36 | 0.03 |
| Italy, Emilia-Romagna | 2296 | 11.2 | 0.27 | 1.34 | 0.04 | 1048 | 3.2 | 0.13 | 0.36 | 0.02 |
| Italy, Friuli-Venezia Giulia | 1043 | 13.4 | 0.46 | 1.70 | 0.07 | 387 | 3.4 | 0.23 | 0.39 | 0.03 |
| Italy, Genova | 482 | 11.8 | 0.61 | 1.42 | 0.08 | 215 | 3.0 | 0.27 | 0.35 | 0.04 |
| *Italy, Lombardy, South, Pavia | 480 | 13.7 | 0.69 | 1.62 | 0.10 | 266 | 4.6 | 0.34 | 0.53 | 0.06 |
| Italy, Mantova and Cremona | 467 | 13.0 | 0.68 | 1.56 | 0.09 | 195 | 3.8 | 0.35 | 0.41 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Liver (C22) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 476 | 6.8 | 0.34 | 0.82 | 0.05 | 206 | 2.0 | 0.18 | 0.21 | 0.02 |
| Italy, Milan | 2422 | 12.8 | 0.29 | 1.51 | 0.04 | 1133 | 3.8 | 0.14 | 0.42 | 0.02 |
| Italy, Molise | 132 | 12.1 | 1.16 | 1.54 | 0.17 | 49 | 2.6 | 0.48 | 0.27 | 0.07 |
| *Italy, Naples Centre | 471 | 17.9 | 0.87 | 2.16 | 0.12 | 258 | 6.4 | 0.45 | 0.75 | 0.07 |
| *Italy, Naples North | 560 | 17.1 | 0.74 | 2.15 | 0.11 | 306 | 7.2 | 0.44 | 0.92 | 0.07 |
| *Italy, Naples South | 915 | 18.2 | 0.63 | 2.27 | 0.10 | 495 | 7.1 | 0.36 | 0.84 | 0.06 |
| *Italy, Nuoro | 123 | 16.6 | 1.60 | 2.03 | 0.24 | 58 | 5.3 | 0.84 | 0.63 | 0.13 |
| *Italy, Palermo | 680 | 11.0 | 0.46 | 1.41 | 0.07 | 373 | 4.1 | 0.25 | 0.50 | 0.04 |
| Italy, Puglia | 2548 | 11.4 | 0.25 | 1.35 | 0.04 | 1169 | 3.4 | 0.12 | 0.39 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 309 | 9.9 | 0.62 | 1.24 | 0.09 | 143 | 3.3 | 0.32 | 0.38 | 0.05 |
| *Italy, Salerno | 455 | 10.2 | 0.52 | 1.24 | 0.08 | 226 | 3.7 | 0.30 | 0.44 | 0.04 |
| Italy, Sassari | 190 | 17.1 | 1.33 | 2.02 | 0.19 | 59 | 3.4 | 0.54 | 0.32 | 0.07 |
| *Italy, Sondrio | 288 | 24.2 | 1.55 | 2.92 | 0.22 | 110 | 6.2 | 0.93 | 0.61 | 0.10 |
| Italy, South Tyrol | 346 | 12.9 | 0.74 | 1.70 | 0.11 | 76 | 2.5 | 0.36 | 0.30 | 0.05 |
| *Italy, Syracuse | 256 | 12.1 | 0.87 | 1.41 | 0.11 | 133 | 4.6 | 0.44 | 0.61 | 0.07 |
| Italy, Trento | 422 | 13.3 | 0.70 | 1.70 | 0.11 | 167 | 4.1 | 0.39 | 0.46 | 0.05 |
| Italy, Turin | 1379 | 10.8 | 0.32 | 1.32 | 0.04 | 602 | 3.3 | 0.18 | 0.39 | 0.02 |
| *Italy, Tuscany | 1288 | 10.9 | 0.34 | 1.31 | 0.05 | 677 | 3.8 | 0.19 | 0.43 | 0.03 |
| Italy, Umbria | 415 | 10.0 | 0.57 | 1.15 | 0.07 | 177 | 2.9 | 0.34 | 0.31 | 0.04 |
| Italy, Varese | 294 | 10.0 | 0.63 | 1.23 | 0.09 | 121 | 2.6 | 0.28 | 0.27 | 0.04 |
| Italy, Veneto | 3573 | 13.0 | 0.24 | 1.58 | 0.03 | 1380 | 3.5 | 0.12 | 0.39 | 0.02 |
| Latvia | 495 | 6.2 | 0.29 | 0.76 | 0.04 | 318 | 2.4 | 0.16 | 0.28 | 0.02 |
| *Liechtenstein | 12 | 6.6 | 1.93 | 0.84 | 0.29 | 7 | 5.3 | 2.60 | 0.57 | 0.24 |
| *Lithuania | 722 | 6.4 | 0.25 | 0.77 | 0.03 | 408 | 2.0 | 0.12 | 0.24 | 0.02 |
| Malta | 116 | 5.5 | 0.55 | 0.64 | 0.07 | 38 | 1.5 | 0.34 | 0.12 | 0.03 |
| *The Netherlands | 2904 | 3.5 | 0.07 | 0.45 | 0.01 | 1292 | 1.5 | 0.05 | 0.18 | 0.01 |
| Norway | 897 | 3.9 | 0.14 | 0.45 | 0.02 | 510 | 1.9 | 0.09 | 0.22 | 0.01 |
| Poland, Kielce | 235 | 4.2 | 0.29 | 0.49 | 0.04 | 174 | 2.2 | 0.20 | 0.23 | 0.03 |
| *Portugal, Azores | 34 | 4.6 | 0.81 | 0.50 | 0.11 | 20 | 2.2 | 0.53 | 0.28 | 0.08 |
| Russian Federation, Arkhangelsk | 166 | 4.6 | 0.38 | 0.53 | 0.05 | 132 | 1.9 | 0.20 | 0.18 | 0.02 |
| Russian Federation, Kaliningrad | 129 | 4.1 | 0.37 | 0.48 | 0.05 | 100 | 1.7 | 0.19 | 0.20 | 0.03 |
| Russian Federation, Karelia | 100 | 4.9 | 0.51 | 0.62 | 0.08 | 70 | 1.8 | 0.24 | 0.22 | 0.04 |
| *Russian Federation, Komi Republic | 158 | 6.9 | 0.58 | 0.98 | 0.11 | 121 | 2.8 | 0.27 | 0.31 | 0.04 |
| Russian Federation, Murmansk | 98 | 4.7 | 0.50 | 0.60 | 0.08 | 72 | 1.9 | 0.25 | 0.23 | 0.03 |
| *Russian Federation, Orenburg | 373 | 5.8 | 0.31 | 0.72 | 0.05 | 301 | 2.7 | 0.17 | 0.33 | 0.03 |
| Russian Federation, Pskov | 113 | 4.9 | 0.49 | 0.63 | 0.08 | 98 | 1.9 | 0.22 | 0.24 | 0.04 |
| *Russian Federation, Samara | 555 | 5.2 | 0.23 | 0.66 | 0.03 | 383 | 2.1 | 0.13 | 0.22 | 0.02 |
| Russian Federation, Vologda Region | 162 | 4.2 | 0.34 | 0.51 | 0.04 | 144 | 2.3 | 0.22 | 0.26 | 0.02 |
| Slovenia | 814 | 7.9 | 0.29 | 1.02 | 0.04 | 308 | 2.3 | 0.15 | 0.27 | 0.02 |
| Spain, Asturias | 489 | 14.1 | 0.68 | 1.83 | 0.10 | 159 | 2.7 | 0.27 | 0.29 | 0.04 |
| Spain, Basque Country | 1184 | 14.0 | 0.44 | 1.72 | 0.06 | 405 | 2.9 | 0.18 | 0.32 | 0.03 |
| Spain, Canary Islands | 555 | 9.2 | 0.42 | 1.10 | 0.06 | 212 | 2.8 | 0.21 | 0.32 | 0.03 |
| Spain, Castellón | 260 | 9.6 | 0.65 | 1.12 | 0.09 | 98 | 2.6 | 0.31 | 0.30 | 0.04 |
| Spain, Girona | 373 | 11.5 | 0.63 | 1.41 | 0.09 | 116 | 2.6 | 0.28 | 0.28 | 0.04 |
| Spain, Granada | 308 | 7.4 | 0.45 | 0.92 | 0.07 | 124 | 2.2 | 0.24 | 0.24 | 0.03 |
| Spain, La Rioja | 161 | 9.9 | 0.85 | 1.20 | 0.12 | 54 | 2.3 | 0.39 | 0.25 | 0.05 |
| Spain, Murcia | 565 | 9.8 | 0.44 | 1.18 | 0.06 | 161 | 2.1 | 0.19 | 0.25 | 0.03 |
| Spain, Navarra | 215 | 8.8 | 0.64 | 1.16 | 0.10 | 66 | 1.7 | 0.29 | 0.16 | 0.03 |
| Spain, Salamanca | 120 | 5.7 | 0.58 | 0.70 | 0.08 | 62 | 1.8 | 0.38 | 0.17 | 0.04 |
| Spain, Tarragona | 409 | 11.1 | 0.59 | 1.39 | 0.08 | 146 | 3.3 | 0.35 | 0.34 | 0.04 |
| *Sweden | 2601 | 5.4 | 0.12 | 0.68 | 0.02 | 1193 | 2.2 | 0.07 | 0.26 | 0.01 |
| Switzerland, Aargau | 153 | 4.8 | 0.40 | 0.62 | 0.06 | 74 | 2.2 | 0.28 | 0.27 | 0.04 |
| Switzerland, Basel | 183 | 7.0 | 0.58 | 0.77 | 0.08 | 86 | 2.8 | 0.35 | 0.32 | 0.05 |
| Switzerland, Berne Solothurn | 291 | 6.9 | 0.45 | 0.85 | 0.06 | 102 | 1.9 | 0.24 | 0.18 | 0.03 |
| Switzerland, East | 245 | 5.9 | 0.40 | 0.74 | 0.06 | 106 | 2.3 | 0.24 | 0.29 | 0.04 |
| *Switzerland, Fribourg | 114 | 8.4 | 0.84 | 1.04 | 0.12 | 45 | 3.2 | 0.51 | 0.39 | 0.07 |
| Switzerland, Geneva | 294 | 14.4 | 0.89 | 1.85 | 0.13 | 84 | 2.9 | 0.37 | 0.33 | 0.05 |
| *Switzerland, Graubünden and Glarus | 79 | 5.8 | 0.68 | 0.69 | 0.10 | 32 | 2.2 | 0.43 | 0.28 | 0.06 |
| *Switzerland, Lucerne | 146 | 5.3 | 0.47 | 0.61 | 0.07 | 76 | 2.4 | 0.31 | 0.27 | 0.04 |
| *Switzerland, Neuchâtel and Jura | 131 | 10.9 | 1.01 | 1.49 | 0.15 | 43 | 2.8 | 0.49 | 0.36 | 0.07 |
| Switzerland, Ticino | 287 | 14.5 | 0.93 | 1.78 | 0.13 | 81 | 2.7 | 0.35 | 0.35 | 0.06 |
| Switzerland, Valais | 217 | 12.6 | 0.90 | 1.57 | 0.13 | 45 | 2.3 | 0.37 | 0.33 | 0.06 |
| Switzerland, Vaud | 366 | 11.2 | 0.61 | 1.42 | 0.09 | 122 | 2.9 | 0.30 | 0.35 | 0.04 |
| Switzerland, Zurich and Zug | 519 | 7.1 | 0.33 | 0.90 | 0.05 | 202 | 2.3 | 0.18 | 0.25 | 0.02 |
| Ukraine | 4006 | 3.3 | 0.05 | 0.40 | 0.01 | 2891 | 1.5 | 0.03 | 0.18 | 0.00 |
| UK, England | 16259 | 6.1 | 0.05 | 0.70 | 0.01 | 8756 | 2.6 | 0.03 | 0.28 | 0.00 |
| UK, Northern Ireland | 425 | 5.0 | 0.26 | 0.59 | 0.04 | 232 | 2.1 | 0.16 | 0.21 | 0.02 |
| UK, Scotland | 2165 | 8.0 | 0.18 | 0.95 | 0.03 | 977 | 2.9 | 0.11 | 0.32 | 0.01 |
| UK, Wales | 1053 | 6.1 | 0.21 | 0.75 | 0.03 | 512 | 2.4 | 0.13 | 0.26 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 2873 | 8.7 | 0.17 | 1.07 | 0.02 | 1020 | 2.6 | 0.09 | 0.29 | 0.01 |
| *Australia, Northern Territory | 103 | 14.9 | 1.50 | 1.89 | 0.23 | 35 | 5.3 | 0.91 | 0.69 | 0.14 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Liver (C22) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 55 | 9.4 | 1.30 | 1.17 | 0.18 | 10 | 2.0 | 0.64 | 0.23 | 0.09 |
| *Australia, Northern Territory: Indigenous | 48 | 49.0 | 7.71 | 6.51 | 1.31 | 25 | 16.9 | 3.51 | 2.34 | 0.57 |
| *Australia, Queensland | 1363 | 7.2 | 0.20 | 0.88 | 0.03 | 469 | 2.2 | 0.11 | 0.26 | 0.02 |
| Australia, South Australia | 627 | 8.3 | 0.35 | 0.98 | 0.05 | 210 | 2.0 | 0.16 | 0.22 | 0.02 |
| Australia, Tasmania | 161 | 6.0 | 0.50 | 0.77 | 0.07 | 58 | 2.0 | 0.30 | 0.22 | 0.04 |
| *Australia, Victoria | 2054 | 8.4 | 0.19 | 0.99 | 0.03 | 828 | 2.7 | 0.10 | 0.29 | 0.01 |
| *Australia, Western Australia | 694 | 7.2 | 0.28 | 0.85 | 0.04 | 286 | 2.6 | 0.17 | 0.29 | 0.02 |
| *France, New Caledonia | 93 | 11.8 | 1.23 | 1.56 | 0.19 | 39 | 4.5 | 0.73 | 0.57 | 0.11 |
| New Zealand | 1204 | 6.6 | 0.20 | 0.79 | 0.03 | 537 | 2.4 | 0.11 | 0.27 | 0.02 |
| *New Zealand: Maori | 269 | 16.9 | 1.05 | 2.03 | 0.14 | 106 | 6.0 | 0.59 | 0.63 | 0.08 |
| *New Zealand: Pacific peoples | 120 | 19.0 | 1.78 | 2.13 | 0.24 | 38 | 5.4 | 0.89 | 0.67 | 0.14 |
| *New Zealand: Other | 692 | 4.5 | 0.19 | 0.54 | 0.03 | 352 | 1.9 | 0.12 | 0.20 | 0.02 |
| USA, Hawaii | 729 | 11.5 | 0.45 | 1.40 | 0.06 | 314 | 4.1 | 0.26 | 0.48 | 0.04 |
| USA, Hawaii: White | 195 | 8.8 | 0.65 | 1.14 | 0.09 | 63 | 3.1 | 0.42 | 0.36 | 0.05 |
| *USA, Hawaii: Japanese | 167 | 11.6 | 1.21 | 1.27 | 0.13 | 89 | 4.9 | 0.93 | 0.52 | 0.08 |
| *USA, Hawaii: Chinese | 40 | 9.5 | 1.75 | 1.13 | 0.23 | 28 | 4.0 | 0.91 | 0.51 | 0.14 |
| *USA, Hawaii: Hawaiian | 132 | 14.8 | 1.30 | 1.88 | 0.19 | 50 | 5.0 | 0.73 | 0.65 | 0.11 |
| *USA, Hawaii: Filipino | 104 | 10.4 | 1.06 | 1.23 | 0.15 | 48 | 3.4 | 0.54 | 0.39 | 0.08 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Gallbladder etc. (C23–24)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 36 | 2.7 | 0.48 | 0.26 | 0.06 | 83 | 6.4 | 0.73 | 0.77 | 0.10 |
| *Algeria, Tizi Ouzou | 59 | 4.0 | 0.54 | 0.51 | 0.08 | 68 | 3.7 | 0.48 | 0.45 | 0.07 |
| *Benin, Cotonou | 6 | 1.1 | 0.51 | 0.13 | 0.09 | 5 | 0.5 | 0.24 | 0.05 | 0.02 |
| *France, La Réunion | 60 | 2.8 | 0.36 | 0.36 | 0.06 | 78 | 2.7 | 0.32 | 0.31 | 0.05 |
| *Kenya, Eldoret | 4 | 0.3 | 0.16 | 0.01 | 0.01 | 11 | 1.2 | 0.38 | 0.18 | 0.06 |
| *Kenya, Nairobi | 63 | 2.7 | 0.39 | 0.34 | 0.06 | 77 | 3.5 | 0.46 | 0.50 | 0.08 |
| Mauritius | 23 | 0.5 | 0.11 | 0.07 | 0.02 | 59 | 1.2 | 0.16 | 0.16 | 0.02 |
| *Morocco, Casablanca | 54 | 0.5 | 0.07 | 0.06 | 0.01 | 120 | 1.0 | 0.10 | 0.12 | 0.01 |
| *Seychelles | 2 | 0.7 | 0.49 | 0.10 | 0.08 | 2 | 0.8 | 0.54 | 0.14 | 0.11 |
| *South Africa, Eastern Cape | 1 | 0.1 | 0.15 | 0.01 | 0.01 | 3 | 0.2 | 0.10 | 0.03 | 0.02 |
| *Uganda, Kyadondo County | 6 | 0.2 | 0.11 | 0.01 | 0.01 | 5 | 0.3 | 0.13 | 0.03 | 0.02 |
| *Uganda, Gulu | 1 | 0.4 | 0.36 | 0.05 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 6 | 0.8 | 0.32 | 0.09 | 0.04 | 12 | 1.1 | 0.33 | 0.11 | 0.04 |
| *Zimbabwe, Harare: African | 40 | 2.9 | 0.48 | 0.34 | 0.08 | 37 | 2.3 | 0.40 | 0.33 | 0.07 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 38 | 1.7 | 0.28 | 0.22 | 0.04 | 68 | 2.1 | 0.28 | 0.23 | 0.04 |
| *Argentina, Mendoza | 144 | 2.7 | 0.23 | 0.33 | 0.03 | 187 | 2.9 | 0.22 | 0.34 | 0.03 |
| Brazil, Aracaju | 24 | 2.5 | 0.52 | 0.31 | 0.08 | 43 | 2.7 | 0.42 | 0.31 | 0.06 |
| *Brazil, Barretos | 24 | 1.9 | 0.38 | 0.27 | 0.06 | 29 | 1.8 | 0.35 | 0.19 | 0.05 |
| Brazil, Belo Horizonte | 108 | 1.5 | 0.15 | 0.18 | 0.02 | 210 | 2.0 | 0.14 | 0.24 | 0.02 |
| *Brazil, Campinas | 35 | 1.6 | 0.27 | 0.21 | 0.04 | 69 | 2.2 | 0.27 | 0.24 | 0.04 |
| *Brazil, Curitiba | 60 | 1.5 | 0.20 | 0.16 | 0.03 | 105 | 1.8 | 0.18 | 0.20 | 0.03 |
| Brazil, Goiânia | 50 | 1.9 | 0.27 | 0.20 | 0.04 | 70 | 2.0 | 0.24 | 0.23 | 0.04 |
| *Brazil, Jaú | 5 | 1.0 | 0.44 | 0.10 | 0.06 | 15 | 2.6 | 0.70 | 0.28 | 0.11 |
| Brazil, João Pessoa | 18 | 1.8 | 0.42 | 0.19 | 0.06 | 35 | 2.2 | 0.37 | 0.24 | 0.06 |
| Brazil, Recife | 53 | 2.2 | 0.30 | 0.25 | 0.05 | 150 | 3.6 | 0.31 | 0.40 | 0.04 |
| Chile, Region of Antofagasta | 36 | 3.9 | 0.66 | 0.43 | 0.10 | 79 | 7.5 | 0.86 | 0.92 | 0.13 |
| Chile, Valdivia | 111 | 7.7 | 0.75 | 0.91 | 0.12 | 297 | 17.7 | 1.08 | 2.20 | 0.16 |
| Colombia, Bucaramanga | 82 | 2.7 | 0.30 | 0.28 | 0.04 | 141 | 3.4 | 0.29 | 0.37 | 0.04 |
| Colombia, Cali | 133 | 2.3 | 0.20 | 0.24 | 0.03 | 278 | 3.3 | 0.20 | 0.38 | 0.03 |
| Colombia, Manizales | 43 | 3.0 | 0.47 | 0.34 | 0.07 | 72 | 3.6 | 0.43 | 0.30 | 0.05 |
| Colombia, Pasto | 40 | 3.8 | 0.61 | 0.41 | 0.08 | 90 | 6.3 | 0.69 | 0.72 | 0.10 |
| Costa Rica | 99 | 1.0 | 0.10 | 0.11 | 0.01 | 132 | 1.2 | 0.10 | 0.13 | 0.02 |
| Ecuador, Guayaquil | 93 | 1.8 | 0.19 | 0.21 | 0.03 | 137 | 2.3 | 0.20 | 0.27 | 0.03 |
| Ecuador, Manabí | 37 | 1.1 | 0.19 | 0.14 | 0.03 | 62 | 1.7 | 0.22 | 0.19 | 0.03 |
| Ecuador, Quito | 167 | 4.1 | 0.33 | 0.47 | 0.05 | 286 | 5.5 | 0.33 | 0.60 | 0.05 |
| *France, Guadeloupe | 42 | 2.3 | 0.37 | 0.22 | 0.05 | 53 | 2.2 | 0.33 | 0.27 | 0.05 |
| *France, Martinique | 43 | 2.1 | 0.34 | 0.25 | 0.05 | 50 | 1.8 | 0.28 | 0.18 | 0.04 |
| *Peru, Lima | 549 | 3.9 | 0.17 | 0.44 | 0.03 | 880 | 5.3 | 0.18 | 0.65 | 0.03 |
| *Trinidad and Tobago | 14 | 0.6 | 0.15 | 0.06 | 0.02 | 54 | 2.0 | 0.27 | 0.22 | 0.04 |
| USA, Puerto Rico | 259 | 1.6 | 0.11 | 0.19 | 0.01 | 300 | 1.4 | 0.09 | 0.16 | 0.01 |
| *Uruguay | 435 | 3.1 | 0.16 | 0.37 | 0.02 | 662 | 3.6 | 0.16 | 0.42 | 0.02 |
| North America | | | | | | | | | | |
| Canada, Alberta | 326 | 2.0 | 0.11 | 0.23 | 0.02 | 342 | 1.9 | 0.11 | 0.22 | 0.02 |
| Canada, British Columbia | 427 | 1.6 | 0.08 | 0.19 | 0.01 | 454 | 1.6 | 0.08 | 0.19 | 0.01 |
| *Canada, Manitoba | 140 | 2.4 | 0.21 | 0.29 | 0.03 | 179 | 2.6 | 0.21 | 0.29 | 0.03 |
| *Canada, New Brunswick | 72 | 1.6 | 0.19 | 0.20 | 0.03 | 75 | 1.4 | 0.18 | 0.16 | 0.03 |
| *Canada, Newfoundland and Labrador | 55 | 1.8 | 0.24 | 0.20 | 0.04 | 54 | 1.6 | 0.23 | 0.21 | 0.04 |
| Canada, Ontario | 1680 | 2.5 | 0.06 | 0.28 | 0.01 | 1747 | 2.2 | 0.06 | 0.25 | 0.01 |
| *Canada, Prince Edward Island | 23 | 2.8 | 0.59 | 0.34 | 0.09 | 19 | 1.8 | 0.44 | 0.20 | 0.07 |
| Canada, Quebec | 822 | 1.9 | 0.07 | 0.20 | 0.01 | 989 | 1.8 | 0.06 | 0.20 | 0.01 |
| Canada, Saskatchewan | 135 | 2.5 | 0.23 | 0.29 | 0.03 | 112 | 1.9 | 0.19 | 0.24 | 0.03 |
| *Canada, Yukon | 1 | 0.6 | 0.63 | 0.00 | 0.00 | 2 | 1.2 | 0.85 | 0.15 | 0.11 |
| USA | 24322 | 1.7 | 0.01 | 0.20 | 0.00 | 28593 | 1.7 | 0.01 | 0.19 | 0.00 |
| USA: White | 19972 | 1.7 | 0.01 | 0.19 | 0.00 | 22615 | 1.6 | 0.01 | 0.18 | 0.00 |
| USA: Black | 2632 | 2.0 | 0.04 | 0.24 | 0.01 | 4003 | 2.2 | 0.04 | 0.27 | 0.01 |
| USA, NPCR | 23380 | 1.7 | 0.01 | 0.20 | 0.00 | 27648 | 1.7 | 0.01 | 0.19 | 0.00 |
| USA, NPCR: White | 19218 | 1.7 | 0.01 | 0.19 | 0.00 | 21890 | 1.6 | 0.01 | 0.18 | 0.00 |
| USA, NPCR: Black | 2601 | 2.0 | 0.04 | 0.24 | 0.01 | 3946 | 2.2 | 0.04 | 0.27 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 1338 | 2.2 | 0.06 | 0.26 | 0.01 | 1501 | 2.0 | 0.05 | 0.22 | 0.01 |
| USA, NPCR: American Indian | 137 | 1.2 | 0.10 | 0.14 | 0.02 | 216 | 1.6 | 0.11 | 0.17 | 0.02 |
| *USA, SEER (18 registries) | 6930 | 1.9 | 0.02 | 0.22 | 0.00 | 8059 | 1.8 | 0.02 | 0.21 | 0.00 |
| *USA, SEER (18 registries): White | 5338 | 1.8 | 0.03 | 0.21 | 0.00 | 6064 | 1.7 | 0.02 | 0.20 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 4179 | 1.7 | 0.03 | 0.19 | 0.00 | 4396 | 1.4 | 0.02 | 0.16 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 1159 | 2.6 | 0.08 | 0.29 | 0.01 | 1668 | 3.2 | 0.08 | 0.39 | 0.01 |
| *USA, SEER (18 registries): Black | 680 | 2.0 | 0.08 | 0.26 | 0.01 | 974 | 2.1 | 0.07 | 0.25 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 826 | 2.2 | 0.08 | 0.26 | 0.01 | 897 | 1.9 | 0.07 | 0.21 | 0.01 |
| *USA, SEER (9 registries) | 2293 | 1.8 | 0.04 | 0.20 | 0.01 | 2595 | 1.6 | 0.03 | 0.19 | 0.01 |
| *USA, SEER (9 registries): White | 1706 | 1.7 | 0.04 | 0.19 | 0.01 | 1861 | 1.5 | 0.04 | 0.17 | 0.01 |
| *USA, SEER (9 registries): Black | 227 | 2.1 | 0.14 | 0.26 | 0.02 | 321 | 2.1 | 0.12 | 0.24 | 0.02 |
| USA, Alabama | 327 | 1.5 | 0.09 | 0.18 | 0.01 | 367 | 1.4 | 0.08 | 0.16 | 0.01 |
| USA, Alabama: White | 254 | 1.5 | 0.10 | 0.18 | 0.01 | 267 | 1.3 | 0.09 | 0.15 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Gallbladder etc. (C23–24) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 67 | 1.6 | 0.20 | 0.18 | 0.03 | 95 | 1.7 | 0.18 | 0.21 | 0.03 |
| USA, Alaska | 41 | 1.5 | 0.24 | 0.19 | 0.04 | 39 | 1.4 | 0.23 | 0.17 | 0.03 |
| *USA, Alaska: Alaska Natives | 8 | 2.4 | 0.86 | 0.31 | 0.13 | 13 | 3.3 | 0.93 | 0.35 | 0.11 |
| USA, Arizona | 508 | 1.6 | 0.07 | 0.19 | 0.01 | 543 | 1.5 | 0.07 | 0.18 | 0.01 |
| USA, Arizona: White | 462 | 1.6 | 0.08 | 0.19 | 0.01 | 467 | 1.4 | 0.07 | 0.17 | 0.01 |
| USA, Arizona: Black | 10 | 1.1 | 0.35 | 0.16 | 0.05 | 14 | 1.5 | 0.40 | 0.20 | 0.06 |
| *USA, Arizona: Asian and Pacific Islander | 12 | 1.6 | 0.47 | 0.15 | 0.07 | 17 | 1.8 | 0.44 | 0.27 | 0.08 |
| USA, Arizona: American Indian | 24 | 2.5 | 0.52 | 0.24 | 0.07 | 44 | 3.7 | 0.57 | 0.40 | 0.08 |
| USA, Arkansas | 204 | 1.5 | 0.11 | 0.19 | 0.02 | 234 | 1.5 | 0.10 | 0.18 | 0.01 |
| USA, Arkansas: White | 181 | 1.6 | 0.12 | 0.19 | 0.02 | 197 | 1.4 | 0.11 | 0.17 | 0.02 |
| USA, Arkansas: Black | 21 | 1.5 | 0.34 | 0.18 | 0.05 | 30 | 1.6 | 0.30 | 0.20 | 0.05 |
| USA, California | 3029 | 1.9 | 0.04 | 0.23 | 0.01 | 3641 | 1.9 | 0.03 | 0.22 | 0.01 |
| USA, California: White | 2293 | 1.9 | 0.04 | 0.22 | 0.01 | 2780 | 2.0 | 0.04 | 0.23 | 0.01 |
| USA, California: Black | 165 | 1.8 | 0.15 | 0.24 | 0.02 | 234 | 2.0 | 0.14 | 0.24 | 0.02 |
| USA, California: Asian and Pacific Islander | 554 | 2.3 | 0.10 | 0.27 | 0.02 | 608 | 1.9 | 0.08 | 0.21 | 0.01 |
| *USA, California, Los Angeles County | 817 | 2.2 | 0.08 | 0.26 | 0.01 | 1127 | 2.4 | 0.08 | 0.28 | 0.01 |
| *USA, California, Los Angeles County: White | 580 | 2.2 | 0.09 | 0.25 | 0.01 | 838 | 2.6 | 0.10 | 0.30 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 263 | 1.6 | 0.11 | 0.19 | 0.02 | 289 | 1.4 | 0.10 | 0.16 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 317 | 2.8 | 0.16 | 0.31 | 0.02 | 549 | 3.9 | 0.17 | 0.47 | 0.03 |
| *USA, California, Los Angeles County: Black | 60 | 1.8 | 0.24 | 0.25 | 0.04 | 104 | 2.2 | 0.23 | 0.26 | 0.03 |
| *USA, California, Los Angeles County: Chinese | 35 | 1.5 | 0.26 | 0.20 | 0.04 | 44 | 1.4 | 0.23 | 0.16 | 0.03 |
| *USA, California, Los Angeles County: Filipino | 24 | 1.5 | 0.32 | 0.15 | 0.05 | 34 | 1.5 | 0.27 | 0.17 | 0.04 |
| *USA, California, Los Angeles County: Korean | 59 | 5.0 | 0.69 | 0.62 | 0.11 | 42 | 2.9 | 0.48 | 0.33 | 0.07 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 170 | 2.3 | 0.19 | 0.29 | 0.03 | 179 | 1.9 | 0.15 | 0.22 | 0.02 |
| *USA, California, San Francisco Bay Area | 335 | 1.7 | 0.09 | 0.20 | 0.01 | 454 | 1.8 | 0.09 | 0.21 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 193 | 1.5 | 0.11 | 0.17 | 0.02 | 266 | 1.6 | 0.11 | 0.19 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 143 | 1.3 | 0.11 | 0.14 | 0.02 | 181 | 1.3 | 0.11 | 0.14 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 50 | 2.4 | 0.35 | 0.29 | 0.06 | 85 | 3.4 | 0.38 | 0.44 | 0.06 |
| *USA, California, San Francisco Bay Area: Black | 32 | 2.2 | 0.39 | 0.30 | 0.07 | 43 | 2.1 | 0.33 | 0.26 | 0.05 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 109 | 2.0 | 0.20 | 0.24 | 0.03 | 140 | 1.9 | 0.18 | 0.21 | 0.03 |
| USA, Colorado | 333 | 1.5 | 0.08 | 0.17 | 0.01 | 412 | 1.6 | 0.08 | 0.18 | 0.01 |
| USA, Colorado: White | 313 | 1.5 | 0.09 | 0.18 | 0.01 | 381 | 1.6 | 0.09 | 0.18 | 0.01 |
| *USA, Colorado: Black | 10 | 1.4 | 0.44 | 0.07 | 0.04 | 19 | 2.2 | 0.53 | 0.28 | 0.10 |
| *USA, Colorado: Asian and Pacific Islander | 10 | 1.9 | 0.61 | 0.22 | 0.09 | 12 | 1.5 | 0.45 | 0.13 | 0.06 |
| USA, Connecticut | 329 | 1.9 | 0.11 | 0.21 | 0.02 | 345 | 1.6 | 0.10 | 0.20 | 0.01 |
| USA, Connecticut: White | 297 | 1.9 | 0.12 | 0.21 | 0.02 | 283 | 1.4 | 0.10 | 0.17 | 0.01 |
| USA, Connecticut: Black | 23 | 1.9 | 0.41 | 0.23 | 0.06 | 45 | 2.8 | 0.43 | 0.32 | 0.06 |
| USA, District of Columbia | 45 | 2.1 | 0.31 | 0.25 | 0.05 | 57 | 1.8 | 0.26 | 0.20 | 0.04 |
| USA, District of Columbia: White | 15 | 1.6 | 0.41 | 0.16 | 0.05 | 17 | 1.7 | 0.44 | 0.19 | 0.06 |
| USA, District of Columbia: Black | 27 | 2.3 | 0.45 | 0.32 | 0.08 | 36 | 1.7 | 0.31 | 0.20 | 0.05 |
| USA, Florida | 1818 | 1.7 | 0.04 | 0.21 | 0.01 | 1923 | 1.5 | 0.04 | 0.18 | 0.01 |
| USA, Florida: White | 1551 | 1.6 | 0.05 | 0.20 | 0.01 | 1549 | 1.4 | 0.04 | 0.17 | 0.01 |
| USA, Florida: Black | 193 | 1.9 | 0.14 | 0.23 | 0.02 | 306 | 2.3 | 0.13 | 0.26 | 0.02 |
| USA, Florida: Asian and Pacific Islander | 33 | 1.6 | 0.28 | 0.22 | 0.04 | 36 | 1.3 | 0.23 | 0.18 | 0.03 |
| USA, Georgia | 654 | 1.7 | 0.07 | 0.20 | 0.01 | 766 | 1.6 | 0.06 | 0.18 | 0.01 |
| USA, Georgia: White | 442 | 1.5 | 0.07 | 0.18 | 0.01 | 506 | 1.5 | 0.07 | 0.17 | 0.01 |
| USA, Georgia: Black | 190 | 2.2 | 0.16 | 0.28 | 0.02 | 239 | 1.9 | 0.12 | 0.22 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 21 | 1.8 | 0.39 | 0.18 | 0.05 | 20 | 1.4 | 0.32 | 0.15 | 0.04 |
| *USA, Georgia, Atlanta | 188 | 1.6 | 0.12 | 0.20 | 0.02 | 268 | 1.8 | 0.11 | 0.20 | 0.02 |
| *USA, Georgia, Atlanta: White | 98 | 1.3 | 0.14 | 0.15 | 0.02 | 145 | 1.6 | 0.14 | 0.18 | 0.02 |
| *USA, Georgia, Atlanta: Black | 75 | 2.1 | 0.24 | 0.28 | 0.04 | 107 | 2.0 | 0.19 | 0.22 | 0.03 |
| USA, Idaho | 117 | 1.5 | 0.14 | 0.17 | 0.02 | 119 | 1.5 | 0.14 | 0.18 | 0.02 |
| USA, Indiana | 510 | 1.8 | 0.08 | 0.20 | 0.01 | 567 | 1.6 | 0.07 | 0.18 | 0.01 |
| USA, Indiana: White | 460 | 1.7 | 0.08 | 0.20 | 0.01 | 506 | 1.5 | 0.07 | 0.18 | 0.01 |
| USA, Indiana: Black | 41 | 2.4 | 0.37 | 0.33 | 0.06 | 52 | 2.1 | 0.30 | 0.23 | 0.04 |
| *USA, Iowa | 262 | 1.8 | 0.12 | 0.20 | 0.02 | 268 | 1.5 | 0.10 | 0.18 | 0.02 |
| USA, Kentucky | 343 | 1.8 | 0.10 | 0.21 | 0.01 | 407 | 1.7 | 0.09 | 0.20 | 0.01 |
| USA, Louisiana | 331 | 1.7 | 0.10 | 0.20 | 0.01 | 409 | 1.8 | 0.10 | 0.22 | 0.01 |
| USA, Louisiana: White | 225 | 1.6 | 0.11 | 0.18 | 0.02 | 252 | 1.5 | 0.10 | 0.19 | 0.02 |
| USA, Louisiana: Black | 100 | 2.2 | 0.22 | 0.29 | 0.03 | 144 | 2.4 | 0.20 | 0.29 | 0.03 |
| *USA, Louisiana, New Orleans | 53 | 1.5 | 0.21 | 0.19 | 0.03 | 92 | 2.2 | 0.24 | 0.27 | 0.04 |
| *USA, Louisiana, New Orleans: White | 29 | 1.3 | 0.24 | 0.16 | 0.04 | 52 | 2.0 | 0.30 | 0.27 | 0.05 |
| *USA, Louisiana, New Orleans: Black | 21 | 1.7 | 0.38 | 0.23 | 0.06 | 32 | 2.0 | 0.36 | 0.24 | 0.05 |
| USA, Maine | 104 | 1.4 | 0.15 | 0.16 | 0.02 | 135 | 1.6 | 0.15 | 0.20 | 0.02 |
| USA, Maryland | 402 | 1.6 | 0.08 | 0.17 | 0.01 | 498 | 1.5 | 0.07 | 0.18 | 0.01 |
| USA, Maryland: White | 285 | 1.6 | 0.10 | 0.18 | 0.01 | 304 | 1.3 | 0.08 | 0.15 | 0.01 |
| USA, Maryland: Black | 102 | 1.7 | 0.17 | 0.19 | 0.02 | 163 | 2.0 | 0.16 | 0.23 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | 14 | 1.0 | 0.27 | 0.11 | 0.04 | 28 | 1.6 | 0.31 | 0.18 | 0.04 |
| USA, Massachusetts | 586 | 1.9 | 0.08 | 0.23 | 0.01 | 724 | 1.8 | 0.07 | 0.20 | 0.01 |
| USA, Massachusetts: White | 514 | 1.8 | 0.09 | 0.22 | 0.01 | 613 | 1.6 | 0.07 | 0.18 | 0.01 |
| USA, Massachusetts: Black | 30 | 1.8 | 0.33 | 0.21 | 0.05 | 74 | 3.4 | 0.41 | 0.40 | 0.06 |
| USA, Massachusetts: Asian and Pacific Islander | 35 | 2.8 | 0.49 | 0.39 | 0.09 | 27 | 1.7 | 0.35 | 0.17 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Gallbladder etc. (C23–24) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 771 | 1.6 | 0.06 | 0.19 | 0.01 | 877 | 1.5 | 0.06 | 0.18 | 0.01 |
| USA, Michigan: White | 655 | 1.6 | 0.07 | 0.19 | 0.01 | 724 | 1.4 | 0.06 | 0.16 | 0.01 |
| USA, Michigan: Black | 94 | 2.0 | 0.21 | 0.24 | 0.03 | 127 | 2.1 | 0.19 | 0.26 | 0.03 |
| USA, Michigan: Asian and Pacific Islander | 19 | 2.3 | 0.54 | 0.27 | 0.07 | 19 | 1.9 | 0.44 | 0.29 | 0.07 |
| *USA, Michigan, Detroit | 321 | 1.9 | 0.11 | 0.22 | 0.02 | 378 | 1.7 | 0.09 | 0.19 | 0.01 |
| *USA, Michigan, Detroit: White | 234 | 1.8 | 0.12 | 0.21 | 0.02 | 270 | 1.5 | 0.10 | 0.16 | 0.01 |
| *USA, Michigan, Detroit: Black | 71 | 2.1 | 0.26 | 0.25 | 0.04 | 93 | 2.0 | 0.22 | 0.25 | 0.03 |
| USA, Minnesota | 386 | 1.5 | 0.08 | 0.17 | 0.01 | 467 | 1.6 | 0.08 | 0.19 | 0.01 |
| USA, Minnesota: White | 359 | 1.5 | 0.08 | 0.17 | 0.01 | 404 | 1.4 | 0.08 | 0.17 | 0.01 |
| USA, Minnesota: Black | 15 | 2.3 | 0.63 | 0.31 | 0.10 | 21 | 2.8 | 0.63 | 0.36 | 0.10 |
| *USA, Minnesota: Asian and Pacific Islander | 6 | 1.2 | 0.51 | 0.17 | 0.09 | 33 | 5.2 | 0.93 | 0.66 | 0.14 |
| USA, Mississippi | 186 | 1.5 | 0.11 | 0.19 | 0.02 | 233 | 1.5 | 0.11 | 0.18 | 0.02 |
| USA, Missouri | 442 | 1.6 | 0.08 | 0.19 | 0.01 | 495 | 1.4 | 0.07 | 0.17 | 0.01 |
| USA, Missouri: White | 394 | 1.6 | 0.08 | 0.19 | 0.01 | 406 | 1.3 | 0.07 | 0.15 | 0.01 |
| USA, Missouri: Black | 41 | 2.0 | 0.31 | 0.27 | 0.05 | 81 | 2.8 | 0.32 | 0.35 | 0.05 |
| USA, Montana | 72 | 1.3 | 0.17 | 0.14 | 0.02 | 96 | 1.6 | 0.18 | 0.19 | 0.03 |
| *USA, Montana: American Indian | 1 | 0.7 | 0.67 | 0.06 | 0.06 | 5 | 2.1 | 0.96 | 0.16 | 0.09 |
| USA, Nebraska | 135 | 1.5 | 0.14 | 0.17 | 0.02 | 160 | 1.5 | 0.13 | 0.19 | 0.02 |
| USA, Nebraska: White | 125 | 1.5 | 0.14 | 0.15 | 0.02 | 146 | 1.4 | 0.13 | 0.17 | 0.02 |
| *USA, Nebraska: Black | 5 | 2.2 | 1.01 | 0.35 | 0.18 | 10 | 3.8 | 1.24 | 0.53 | 0.20 |
| USA, Nevada | 175 | 1.4 | 0.11 | 0.16 | 0.02 | 184 | 1.4 | 0.11 | 0.15 | 0.01 |
| USA, Nevada: White | 137 | 1.3 | 0.11 | 0.15 | 0.02 | 144 | 1.3 | 0.12 | 0.15 | 0.02 |
| USA, Nevada: Black | 13 | 1.5 | 0.41 | 0.15 | 0.06 | 14 | 1.3 | 0.35 | 0.16 | 0.05 |
| *USA, Nevada: Asian and Pacific Islander | 23 | 2.3 | 0.49 | 0.28 | 0.07 | 21 | 1.5 | 0.34 | 0.14 | 0.04 |
| USA, New Jersey | 796 | 2.0 | 0.07 | 0.23 | 0.01 | 950 | 1.9 | 0.07 | 0.22 | 0.01 |
| USA, New Jersey: White | 658 | 2.0 | 0.08 | 0.23 | 0.01 | 731 | 1.8 | 0.07 | 0.20 | 0.01 |
| USA, New Jersey: Black | 83 | 2.0 | 0.22 | 0.23 | 0.03 | 155 | 2.6 | 0.22 | 0.29 | 0.03 |
| USA, New Mexico | 198 | 2.0 | 0.15 | 0.25 | 0.02 | 205 | 1.9 | 0.15 | 0.23 | 0.02 |
| USA, New Mexico: White | 168 | 1.9 | 0.16 | 0.23 | 0.02 | 166 | 1.8 | 0.15 | 0.22 | 0.02 |
| USA, New Mexico: Non-Hispanic White | 82 | 1.6 | 0.20 | 0.20 | 0.03 | 68 | 1.2 | 0.17 | 0.14 | 0.02 |
| USA, New Mexico: Hispanic White | 86 | 2.6 | 0.29 | 0.29 | 0.04 | 98 | 2.7 | 0.29 | 0.33 | 0.04 |
| *USA, New Mexico: American Indian | 23 | 3.7 | 0.78 | 0.41 | 0.12 | 34 | 3.9 | 0.70 | 0.34 | 0.08 |
| USA, New York State | 1754 | 2.0 | 0.05 | 0.23 | 0.01 | 2195 | 2.0 | 0.05 | 0.24 | 0.01 |
| USA, New York State: White | 1290 | 1.8 | 0.05 | 0.21 | 0.01 | 1531 | 1.8 | 0.05 | 0.21 | 0.01 |
| USA, New York State: Black | 280 | 2.5 | 0.15 | 0.28 | 0.02 | 473 | 2.9 | 0.14 | 0.35 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 177 | 2.8 | 0.22 | 0.32 | 0.03 | 180 | 2.5 | 0.19 | 0.30 | 0.03 |
| USA, North Carolina | 657 | 1.5 | 0.06 | 0.17 | 0.01 | 753 | 1.4 | 0.05 | 0.16 | 0.01 |
| USA, North Carolina: White | 485 | 1.4 | 0.06 | 0.16 | 0.01 | 521 | 1.2 | 0.06 | 0.13 | 0.01 |
| USA, North Carolina: Black | 150 | 2.1 | 0.17 | 0.24 | 0.03 | 203 | 2.0 | 0.14 | 0.24 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | 13 | 1.8 | 0.50 | 0.20 | 0.08 | 17 | 2.0 | 0.49 | 0.24 | 0.08 |
| *USA, North Carolina: American Indian | 8 | 1.6 | 0.58 | 0.13 | 0.06 | 10 | 1.7 | 0.55 | 0.21 | 0.08 |
| USA, North Dakota | 42 | 1.2 | 0.19 | 0.14 | 0.03 | 61 | 1.6 | 0.23 | 0.19 | 0.04 |
| USA, Ohio | 846 | 1.6 | 0.06 | 0.19 | 0.01 | 1080 | 1.6 | 0.05 | 0.18 | 0.01 |
| USA, Ohio: White | 741 | 1.5 | 0.06 | 0.18 | 0.01 | 912 | 1.5 | 0.06 | 0.17 | 0.01 |
| USA, Ohio: Black | 95 | 2.0 | 0.21 | 0.25 | 0.03 | 147 | 2.3 | 0.20 | 0.27 | 0.03 |
| *USA, Ohio: Asian and Pacific Islander | 9 | 1.3 | 0.45 | 0.15 | 0.06 | 19 | 2.1 | 0.50 | 0.22 | 0.07 |
| USA, Oklahoma | 269 | 1.7 | 0.10 | 0.21 | 0.02 | 275 | 1.4 | 0.09 | 0.17 | 0.01 |
| USA, Oklahoma: White | 220 | 1.5 | 0.11 | 0.20 | 0.02 | 213 | 1.3 | 0.10 | 0.16 | 0.01 |
| USA, Oklahoma: Black | 17 | 1.9 | 0.47 | 0.22 | 0.07 | 21 | 1.9 | 0.43 | 0.25 | 0.07 |
| USA, Oklahoma: American Indian | 25 | 2.3 | 0.47 | 0.28 | 0.07 | 31 | 2.2 | 0.41 | 0.23 | 0.06 |
| USA, Oregon | 298 | 1.5 | 0.09 | 0.16 | 0.01 | 352 | 1.6 | 0.10 | 0.18 | 0.01 |
| USA, Oregon: White | 277 | 1.4 | 0.09 | 0.16 | 0.01 | 308 | 1.5 | 0.10 | 0.17 | 0.01 |
| *USA, Oregon: Black | 2 | 0.7 | 0.52 | 0.04 | 0.04 | 6 | 2.2 | 0.91 | 0.21 | 0.11 |
| *USA, Oregon: Asian and Pacific Islander | 14 | 2.4 | 0.65 | 0.31 | 0.11 | 23 | 2.9 | 0.62 | 0.35 | 0.09 |
| USA, Rhode Island | 105 | 2.1 | 0.21 | 0.25 | 0.03 | 123 | 2.1 | 0.21 | 0.23 | 0.03 |
| USA, Rhode Island: White | 98 | 2.1 | 0.22 | 0.25 | 0.03 | 107 | 1.9 | 0.21 | 0.21 | 0.03 |
| *USA, Rhode Island: Black | 4 | 1.6 | 0.80 | 0.20 | 0.10 | 12 | 4.7 | 1.38 | 0.53 | 0.20 |
| USA, South Carolina | 350 | 1.5 | 0.09 | 0.17 | 0.01 | 364 | 1.4 | 0.08 | 0.17 | 0.01 |
| USA, South Carolina: White | 250 | 1.4 | 0.10 | 0.16 | 0.01 | 234 | 1.2 | 0.08 | 0.13 | 0.01 |
| USA, South Carolina: Black | 94 | 2.0 | 0.21 | 0.23 | 0.03 | 123 | 2.0 | 0.19 | 0.26 | 0.03 |
| USA, South Dakota | 62 | 1.5 | 0.21 | 0.16 | 0.03 | 68 | 1.3 | 0.19 | 0.14 | 0.03 |
| USA, Tennessee | 448 | 1.5 | 0.07 | 0.17 | 0.01 | 483 | 1.4 | 0.07 | 0.17 | 0.01 |
| USA, Tennessee: White | 390 | 1.5 | 0.08 | 0.17 | 0.01 | 391 | 1.3 | 0.07 | 0.16 | 0.01 |
| USA, Tennessee: Black | 48 | 1.5 | 0.22 | 0.16 | 0.03 | 84 | 1.8 | 0.21 | 0.22 | 0.03 |
| USA, Texas | 1711 | 1.7 | 0.04 | 0.20 | 0.01 | 2113 | 1.8 | 0.04 | 0.22 | 0.01 |
| USA, Texas: White | 1424 | 1.7 | 0.05 | 0.20 | 0.01 | 1740 | 1.8 | 0.05 | 0.21 | 0.01 |
| USA, Texas: Black | 206 | 2.2 | 0.16 | 0.26 | 0.02 | 283 | 2.2 | 0.14 | 0.26 | 0.02 |
| USA, Texas: Asian and Pacific Islander | 76 | 2.0 | 0.23 | 0.20 | 0.03 | 78 | 1.7 | 0.19 | 0.20 | 0.03 |
| USA, Utah | 109 | 1.1 | 0.11 | 0.12 | 0.02 | 143 | 1.3 | 0.11 | 0.14 | 0.02 |
| USA, Vermont | 43 | 1.3 | 0.21 | 0.19 | 0.03 | 67 | 1.7 | 0.23 | 0.19 | 0.03 |
| USA, Washington State | 589 | 1.9 | 0.08 | 0.20 | 0.01 | 597 | 1.6 | 0.07 | 0.18 | 0.01 |
| *USA, Washington, Seattle | 398 | 1.9 | 0.10 | 0.20 | 0.01 | 407 | 1.6 | 0.08 | 0.17 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Gallbladder etc. (C23–24) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 141 | 1.4 | 0.13 | 0.15 | 0.02 | 171 | 1.5 | 0.13 | 0.17 | 0.02 |
| USA, Wyoming | 44 | 1.6 | 0.26 | 0.21 | 0.04 | 51 | 1.8 | 0.28 | 0.24 | 0.04 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 22 | 1.7 | 0.38 | 0.19 | 0.05 | 19 | 1.6 | 0.37 | 0.19 | 0.06 |
| Brunei Darussalam | 15 | 1.7 | 0.46 | 0.21 | 0.07 | 18 | 2.1 | 0.51 | 0.25 | 0.08 |
| *China, Anfu County | 26 | 2.7 | 0.53 | 0.31 | 0.07 | 28 | 2.7 | 0.53 | 0.33 | 0.08 |
| *China, Anguo City | 22 | 1.8 | 0.40 | 0.23 | 0.06 | 16 | 1.1 | 0.27 | 0.08 | 0.03 |
| *China, Anshan City | 304 | 3.7 | 0.23 | 0.42 | 0.03 | 262 | 2.7 | 0.18 | 0.29 | 0.03 |
| *China, Aohan Banner, Chifeng City | 35 | 2.0 | 0.35 | 0.20 | 0.05 | 14 | 0.7 | 0.21 | 0.11 | 0.03 |
| *China, Arongqi | 9 | 1.1 | 0.37 | 0.18 | 0.07 | 9 | 1.1 | 0.36 | 0.13 | 0.05 |
| *China, Baoding City | 80 | 2.4 | 0.27 | 0.30 | 0.04 | 54 | 1.3 | 0.18 | 0.15 | 0.03 |
| *China, Beijing City | 1559 | 3.2 | 0.09 | 0.38 | 0.01 | 1540 | 2.8 | 0.08 | 0.31 | 0.01 |
| *China, Binhai County | 80 | 1.7 | 0.20 | 0.22 | 0.03 | 99 | 2.0 | 0.21 | 0.22 | 0.03 |
| *China, Cangzhou City | 27 | 1.7 | 0.33 | 0.18 | 0.05 | 28 | 1.6 | 0.31 | 0.18 | 0.05 |
| China, Changfeng County | 32 | 1.8 | 0.33 | 0.19 | 0.04 | 51 | 2.7 | 0.40 | 0.34 | 0.06 |
| China, Changzhou City | 212 | 2.1 | 0.14 | 0.25 | 0.02 | 360 | 3.0 | 0.17 | 0.35 | 0.03 |
| China, Chengdu City | 131 | 3.3 | 0.29 | 0.39 | 0.04 | 143 | 3.6 | 0.32 | 0.43 | 0.05 |
| China, Cixian County | 39 | 2.4 | 0.41 | 0.28 | 0.06 | 41 | 2.3 | 0.37 | 0.31 | 0.06 |
| China, Cixi City | 123 | 2.2 | 0.21 | 0.26 | 0.03 | 205 | 3.3 | 0.24 | 0.37 | 0.04 |
| *China, Dafeng District, Yancheng City | 80 | 2.2 | 0.26 | 0.25 | 0.03 | 102 | 2.3 | 0.24 | 0.24 | 0.03 |
| China, Dalian City | 437 | 3.6 | 0.18 | 0.42 | 0.03 | 325 | 2.3 | 0.14 | 0.25 | 0.02 |
| *China, Dancheng County | 55 | 1.8 | 0.25 | 0.25 | 0.04 | 72 | 2.2 | 0.26 | 0.26 | 0.04 |
| China, Dangtu County | 43 | 3.1 | 0.49 | 0.44 | 0.08 | 32 | 2.6 | 0.49 | 0.32 | 0.07 |
| *China, Danyang City | 80 | 2.1 | 0.25 | 0.21 | 0.03 | 141 | 3.3 | 0.29 | 0.36 | 0.04 |
| *China, Dawukou District, Shizuishan City | 22 | 1.6 | 0.35 | 0.16 | 0.06 | 24 | 2.2 | 0.48 | 0.24 | 0.06 |
| *China, Dehui City | 8 | 0.3 | 0.10 | 0.03 | 0.02 | 8 | 0.3 | 0.11 | 0.04 | 0.01 |
| *China, Donggang County | 37 | 1.2 | 0.20 | 0.13 | 0.03 | 32 | 1.1 | 0.19 | 0.14 | 0.03 |
| *China, Dongguan City | 78 | 1.9 | 0.22 | 0.21 | 0.03 | 98 | 1.8 | 0.20 | 0.20 | 0.03 |
| China, Donghai County | 129 | 2.9 | 0.26 | 0.36 | 0.04 | 93 | 2.1 | 0.23 | 0.23 | 0.04 |
| *China, Dongtai City | 133 | 2.5 | 0.22 | 0.31 | 0.03 | 112 | 1.8 | 0.19 | 0.18 | 0.03 |
| China, Duanzhou District, Zhaoqing City | 29 | 2.0 | 0.38 | 0.20 | 0.06 | 23 | 1.9 | 0.40 | 0.25 | 0.06 |
| *China, Evenki Autonomous Banner | 4 | 1.1 | 0.55 | 0.11 | 0.06 | 3 | 1.0 | 0.58 | 0.13 | 0.10 |
| *China, Faku County | 54 | 2.6 | 0.36 | 0.35 | 0.06 | 28 | 1.4 | 0.27 | 0.23 | 0.05 |
| *China, Fangcheng County | 33 | 1.3 | 0.24 | 0.14 | 0.03 | 44 | 2.0 | 0.31 | 0.24 | 0.05 |
| *China, Feicheng City | 88 | 2.2 | 0.24 | 0.26 | 0.04 | 58 | 1.2 | 0.17 | 0.17 | 0.03 |
| China, Feixi County | 111 | 2.5 | 0.25 | 0.30 | 0.04 | 147 | 2.9 | 0.26 | 0.32 | 0.04 |
| China, Fuqing City | 39 | 1.4 | 0.22 | 0.18 | 0.04 | 30 | 1.0 | 0.19 | 0.11 | 0.03 |
| *China, Ganyu District, Lianyungang City | 93 | 2.2 | 0.23 | 0.28 | 0.03 | 56 | 1.1 | 0.16 | 0.14 | 0.02 |
| *China, Ganzhou District, Zhangye City | 25 | 2.5 | 0.51 | 0.34 | 0.07 | 28 | 3.1 | 0.67 | 0.37 | 0.08 |
| *China, Gaocheng City | 34 | 1.5 | 0.25 | 0.20 | 0.04 | 28 | 1.0 | 0.19 | 0.11 | 0.03 |
| China, Gaomi City | 175 | 5.4 | 0.42 | 0.66 | 0.06 | 103 | 2.8 | 0.29 | 0.34 | 0.05 |
| China, Gong'an County | 43 | 1.3 | 0.20 | 0.17 | 0.03 | 68 | 1.9 | 0.24 | 0.25 | 0.04 |
| *China, Guang'an District, Guang'an City | 21 | 1.0 | 0.23 | 0.09 | 0.03 | 18 | 0.9 | 0.22 | 0.11 | 0.03 |
| China, Guanghan City | 38 | 2.1 | 0.34 | 0.29 | 0.06 | 37 | 1.8 | 0.31 | 0.24 | 0.05 |
| China, Guangzhou City | 717 | 2.1 | 0.08 | 0.24 | 0.01 | 710 | 1.8 | 0.07 | 0.20 | 0.01 |
| *China, Guanyun County | 85 | 2.3 | 0.25 | 0.29 | 0.04 | 82 | 2.2 | 0.25 | 0.23 | 0.03 |
| China, Guilin City | 56 | 2.7 | 0.37 | 0.29 | 0.05 | 55 | 2.3 | 0.32 | 0.27 | 0.05 |
| *China, Hai'an City | 165 | 2.7 | 0.22 | 0.29 | 0.03 | 173 | 2.7 | 0.22 | 0.31 | 0.03 |
| China, Hailar District, Hulun Buir City | 37 | 3.7 | 0.65 | 0.50 | 0.11 | 30 | 2.2 | 0.42 | 0.23 | 0.06 |
| China, Haimen District, Nantong City | 167 | 3.0 | 0.24 | 0.38 | 0.04 | 213 | 3.6 | 0.27 | 0.42 | 0.04 |
| China, Haining City | 101 | 2.7 | 0.28 | 0.27 | 0.04 | 140 | 3.5 | 0.31 | 0.37 | 0.04 |
| China, Hangzhou City | 846 | 2.4 | 0.09 | 0.27 | 0.01 | 1180 | 3.1 | 0.10 | 0.35 | 0.01 |
| China, Hebi City | 45 | 3.5 | 0.53 | 0.37 | 0.08 | 56 | 4.1 | 0.56 | 0.55 | 0.09 |
| China, Hefei City | 240 | 2.7 | 0.18 | 0.32 | 0.03 | 286 | 3.1 | 0.19 | 0.37 | 0.03 |
| China, Hengdong County | 24 | 1.4 | 0.30 | 0.15 | 0.04 | 32 | 1.9 | 0.35 | 0.25 | 0.06 |
| *China, Hengfeng County | 2 | 0.4 | 0.27 | 0.03 | 0.02 | 4 | 0.6 | 0.31 | 0.05 | 0.03 |
| *China, Hepu County | 39 | 1.2 | 0.20 | 0.16 | 0.03 | 38 | 1.2 | 0.22 | 0.14 | 0.03 |
| China, Honghu City | 42 | 1.3 | 0.21 | 0.18 | 0.04 | 66 | 2.1 | 0.26 | 0.29 | 0.04 |
| China, Hongshan District, Chifeng City | 42 | 3.3 | 0.54 | 0.28 | 0.07 | 29 | 2.1 | 0.40 | 0.27 | 0.06 |
| *China, Hongta District, Yuxi City | 46 | 2.6 | 0.39 | 0.30 | 0.06 | 85 | 4.6 | 0.51 | 0.59 | 0.08 |
| *China, Huaiyin District, Huai'an City | 90 | 2.3 | 0.25 | 0.30 | 0.04 | 73 | 1.7 | 0.22 | 0.23 | 0.04 |
| *China, Jiange County | 16 | 1.0 | 0.25 | 0.13 | 0.04 | 20 | 1.1 | 0.25 | 0.11 | 0.03 |
| China, Jiangmen City | 108 | 4.2 | 0.42 | 0.43 | 0.06 | 73 | 2.5 | 0.30 | 0.25 | 0.04 |
| *China, Jiangyin City | 170 | 2.7 | 0.21 | 0.31 | 0.03 | 256 | 3.7 | 0.24 | 0.41 | 0.04 |
| *China, Jiashan County | 80 | 3.6 | 0.41 | 0.43 | 0.06 | 149 | 6.1 | 0.54 | 0.68 | 0.08 |
| China, Jiayu County | 5 | 0.6 | 0.28 | 0.06 | 0.03 | 5 | 0.6 | 0.29 | 0.07 | 0.04 |
| *China, Jinan City | 224 | 2.3 | 0.16 | 0.25 | 0.02 | 158 | 1.4 | 0.11 | 0.17 | 0.02 |
| *China, Jingtai County | 22 | 3.1 | 0.67 | 0.33 | 0.09 | 19 | 2.8 | 0.66 | 0.27 | 0.07 |
| *China, Jingxian County | 22 | 1.5 | 0.33 | 0.14 | 0.04 | 44 | 3.2 | 0.52 | 0.39 | 0.08 |
| *China, Jintan District, Changzhou City | 65 | 2.6 | 0.34 | 0.34 | 0.06 | 103 | 3.9 | 0.40 | 0.44 | 0.06 |
| *China, Jiulongpo District, Chongqing City | 83 | 2.4 | 0.27 | 0.29 | 0.04 | 104 | 2.7 | 0.28 | 0.33 | 0.04 |
| *China, Jiyuan City | 56 | 3.7 | 0.53 | 0.40 | 0.06 | 76 | 4.1 | 0.48 | 0.41 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Gallbladder etc. (C23–24) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 50 | 4.1 | 0.61 | 0.45 | 0.09 | 59 | 4.9 | 0.68 | 0.55 | 0.10 |
| China, Kunshan City | 159 | 4.3 | 0.35 | 0.48 | 0.05 | 215 | 5.2 | 0.38 | 0.65 | 0.06 |
| China, Langzhong City | 45 | 2.2 | 0.33 | 0.25 | 0.05 | 36 | 2.0 | 0.33 | 0.19 | 0.04 |
| *China, Liangshan County | 56 | 1.8 | 0.25 | 0.25 | 0.04 | 43 | 1.2 | 0.20 | 0.13 | 0.03 |
| *China, Lianshui County | 82 | 1.8 | 0.21 | 0.21 | 0.03 | 79 | 1.6 | 0.20 | 0.18 | 0.03 |
| China, Lianyungang City | 88 | 2.1 | 0.23 | 0.22 | 0.03 | 78 | 1.7 | 0.20 | 0.19 | 0.03 |
| China, Linhe District, Bayannur City | 10 | 0.8 | 0.26 | 0.08 | 0.03 | 17 | 1.3 | 0.33 | 0.16 | 0.05 |
| China, Linqu County | 119 | 3.3 | 0.31 | 0.42 | 0.05 | 85 | 2.1 | 0.24 | 0.21 | 0.03 |
| *China, Linzhou City | 83 | 2.4 | 0.27 | 0.29 | 0.04 | 119 | 3.0 | 0.28 | 0.37 | 0.04 |
| China, Liuzhou City | 69 | 1.9 | 0.23 | 0.20 | 0.03 | 74 | 1.8 | 0.22 | 0.20 | 0.03 |
| China, Liyang City | 77 | 1.8 | 0.22 | 0.24 | 0.03 | 130 | 2.8 | 0.26 | 0.30 | 0.04 |
| *China, Longquan City | 17 | 1.4 | 0.38 | 0.18 | 0.07 | 20 | 1.8 | 0.43 | 0.17 | 0.06 |
| China, Lucheng District, Wenzhou City | 46 | 2.4 | 0.36 | 0.34 | 0.06 | 58 | 2.5 | 0.34 | 0.29 | 0.05 |
| China, Luoding City | 28 | 1.1 | 0.22 | 0.13 | 0.03 | 27 | 1.1 | 0.22 | 0.16 | 0.04 |
| *China, Luohe City | 122 | 3.1 | 0.29 | 0.36 | 0.04 | 138 | 3.0 | 0.27 | 0.37 | 0.04 |
| *China, Luoyang City | 122 | 2.9 | 0.27 | 0.29 | 0.04 | 179 | 3.7 | 0.29 | 0.37 | 0.04 |
| *China, Luquan City | 21 | 1.8 | 0.40 | 0.25 | 0.06 | 21 | 1.6 | 0.37 | 0.19 | 0.05 |
| China, Ma'anshan City | 60 | 2.8 | 0.38 | 0.34 | 0.05 | 88 | 3.4 | 0.37 | 0.36 | 0.06 |
| *China, Macheng City | 20 | 0.8 | 0.19 | 0.13 | 0.03 | 37 | 1.6 | 0.27 | 0.21 | 0.04 |
| China, Meihekou City | 54 | 2.4 | 0.34 | 0.29 | 0.05 | 50 | 2.3 | 0.33 | 0.33 | 0.06 |
| *China, Mengjin County | 46 | 3.9 | 0.59 | 0.43 | 0.09 | 86 | 6.3 | 0.71 | 0.71 | 0.11 |
| China, Nangang District, Harbin City | 77 | 1.8 | 0.21 | 0.18 | 0.03 | 60 | 1.3 | 0.17 | 0.18 | 0.03 |
| *China, Nanhai District, Foshan City | 108 | 3.6 | 0.35 | 0.42 | 0.05 | 72 | 2.0 | 0.24 | 0.22 | 0.04 |
| China, Nanhu District, Jiaying City | 103 | 3.6 | 0.37 | 0.39 | 0.05 | 140 | 4.6 | 0.42 | 0.51 | 0.06 |
| *China, Nantong City | 142 | 2.3 | 0.20 | 0.25 | 0.03 | 159 | 2.2 | 0.19 | 0.26 | 0.03 |
| *China, Nanxiong City | 41 | 2.9 | 0.46 | 0.33 | 0.06 | 19 | 1.0 | 0.24 | 0.11 | 0.03 |
| China, Neixiang County | 31 | 1.3 | 0.25 | 0.14 | 0.03 | 27 | 1.1 | 0.21 | 0.15 | 0.03 |
| *China, Qianxi County | 23 | 1.6 | 0.35 | 0.13 | 0.04 | 14 | 1.1 | 0.32 | 0.15 | 0.05 |
| China, Qidong City | 170 | 2.5 | 0.20 | 0.26 | 0.03 | 224 | 2.7 | 0.20 | 0.29 | 0.03 |
| China, Qingzhou City | 144 | 4.2 | 0.35 | 0.55 | 0.06 | 116 | 3.0 | 0.28 | 0.38 | 0.05 |
| *China, Rudong County | 140 | 2.1 | 0.19 | 0.24 | 0.03 | 155 | 2.1 | 0.18 | 0.23 | 0.03 |
| *China, Rugao City | 210 | 2.6 | 0.19 | 0.29 | 0.03 | 217 | 2.3 | 0.17 | 0.27 | 0.03 |
| *China, Rural areas of Shanghai City | 1658 | 3.2 | 0.08 | 0.36 | 0.01 | 2519 | 4.2 | 0.09 | 0.46 | 0.01 |
| China, Ruyang County | 28 | 2.3 | 0.44 | 0.27 | 0.07 | 49 | 3.8 | 0.58 | 0.49 | 0.10 |
| *China, Shan County | 41 | 1.7 | 0.27 | 0.22 | 0.04 | 41 | 1.3 | 0.22 | 0.15 | 0.03 |
| China, Shanghai City | 1267 | 3.0 | 0.09 | 0.33 | 0.01 | 1697 | 3.4 | 0.10 | 0.36 | 0.01 |
| China, Shangyu District, Shaoxing City | 143 | 3.9 | 0.33 | 0.49 | 0.05 | 178 | 4.4 | 0.34 | 0.48 | 0.05 |
| *China, Shapingba District, Chongqing City | 76 | 2.3 | 0.27 | 0.27 | 0.04 | 96 | 2.6 | 0.28 | 0.30 | 0.04 |
| China, Shexian County | 21 | 1.5 | 0.33 | 0.20 | 0.05 | 16 | 1.1 | 0.29 | 0.13 | 0.04 |
| China, Sheyang County | 26 | 0.6 | 0.12 | 0.08 | 0.02 | 43 | 0.9 | 0.15 | 0.11 | 0.02 |
| *China, Shijiazhuang City | 133 | 2.4 | 0.21 | 0.29 | 0.03 | 110 | 1.8 | 0.18 | 0.22 | 0.03 |
| China, Shunde District, Foshan City | 199 | 5.7 | 0.41 | 0.69 | 0.07 | 108 | 2.3 | 0.23 | 0.27 | 0.03 |
| *China, Song County | 22 | 1.4 | 0.31 | 0.22 | 0.06 | 35 | 2.3 | 0.39 | 0.30 | 0.06 |
| China, Suzhou City | 518 | 3.0 | 0.14 | 0.34 | 0.02 | 794 | 4.0 | 0.15 | 0.45 | 0.02 |
| *China, Tengzhou City | 175 | 3.1 | 0.24 | 0.40 | 0.04 | 129 | 2.0 | 0.19 | 0.23 | 0.03 |
| *China, Wangdu County | 15 | 2.2 | 0.57 | 0.34 | 0.10 | 9 | 1.2 | 0.42 | 0.14 | 0.06 |
| *China, Wanxian County | 10 | 0.8 | 0.27 | 0.12 | 0.04 | 25 | 1.9 | 0.39 | 0.25 | 0.07 |
| *China, Wu'an City | 29 | 1.3 | 0.24 | 0.18 | 0.04 | 23 | 1.0 | 0.22 | 0.16 | 0.04 |
| China, Wuhan City | 573 | 2.5 | 0.11 | 0.26 | 0.02 | 753 | 2.9 | 0.11 | 0.35 | 0.02 |
| *China, Wuhu City | 133 | 2.3 | 0.21 | 0.28 | 0.03 | 192 | 3.3 | 0.25 | 0.41 | 0.04 |
| China, Wuxi City | 296 | 2.2 | 0.13 | 0.25 | 0.02 | 432 | 2.8 | 0.14 | 0.29 | 0.02 |
| China, Wuzhou City | 42 | 1.9 | 0.31 | 0.20 | 0.04 | 43 | 2.3 | 0.37 | 0.31 | 0.05 |
| China, Xiangfu District, Kaifeng City | 91 | 4.7 | 0.50 | 0.62 | 0.08 | 84 | 3.7 | 0.42 | 0.43 | 0.06 |
| China, Xianju County | 34 | 1.7 | 0.29 | 0.22 | 0.05 | 53 | 2.4 | 0.34 | 0.21 | 0.04 |
| *China, Xin'an County | 36 | 3.1 | 0.53 | 0.49 | 0.10 | 66 | 5.0 | 0.65 | 0.58 | 0.10 |
| *China, Xining City | 115 | 5.7 | 0.57 | 0.57 | 0.07 | 149 | 6.1 | 0.54 | 0.56 | 0.06 |
| *China, Xinji City | 30 | 1.0 | 0.19 | 0.15 | 0.03 | 21 | 0.7 | 0.16 | 0.10 | 0.02 |
| *China, Xinluo District, Longyan City | 20 | 1.6 | 0.36 | 0.24 | 0.07 | 15 | 1.0 | 0.27 | 0.08 | 0.04 |
| *China, Xinzhou District, Shangrao City | 35 | 2.8 | 0.48 | 0.33 | 0.07 | 58 | 3.9 | 0.53 | 0.41 | 0.08 |
| China, Xiping County | 82 | 3.0 | 0.35 | 0.38 | 0.05 | 137 | 4.4 | 0.39 | 0.48 | 0.06 |
| *China, Xishan District, Kunming City | 28 | 1.4 | 0.28 | 0.16 | 0.04 | 47 | 2.5 | 0.39 | 0.26 | 0.05 |
| *China, Xuyi County | 39 | 1.4 | 0.23 | 0.20 | 0.04 | 62 | 2.1 | 0.28 | 0.21 | 0.04 |
| *China, Ya'an City | 79 | 1.5 | 0.17 | 0.17 | 0.02 | 107 | 2.0 | 0.20 | 0.24 | 0.03 |
| *China, Yakeshi City | 61 | 3.9 | 0.54 | 0.46 | 0.08 | 33 | 1.5 | 0.28 | 0.15 | 0.04 |
| China, Yancheng City | 121 | 2.1 | 0.19 | 0.23 | 0.03 | 159 | 2.5 | 0.20 | 0.29 | 0.03 |
| *China, Yangquan City | 76 | 3.5 | 0.42 | 0.44 | 0.06 | 93 | 4.5 | 0.48 | 0.48 | 0.06 |
| *China, Yangzhong City | 21 | 1.5 | 0.35 | 0.13 | 0.04 | 37 | 2.2 | 0.38 | 0.24 | 0.05 |
| *China, Yanji City | 71 | 3.5 | 0.42 | 0.46 | 0.07 | 50 | 1.9 | 0.28 | 0.23 | 0.05 |
| *China, Yanshi City | 84 | 3.4 | 0.38 | 0.36 | 0.05 | 112 | 3.8 | 0.38 | 0.41 | 0.05 |
| China, Yanting County | 7 | 0.4 | 0.14 | 0.04 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Yi'an District, Tongling City | 28 | 2.6 | 0.50 | 0.28 | 0.07 | 61 | 5.8 | 0.75 | 0.73 | 0.12 |
| *China, Yingdong District, Fuyang City | 75 | 3.2 | 0.38 | 0.42 | 0.06 | 76 | 3.3 | 0.40 | 0.41 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Gallbladder etc. (C23–24) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 24 | 2.4 | 0.50 | 0.29 | 0.07 | 32 | 2.9 | 0.52 | 0.32 | 0.08 |
| *China, Yiyuan County | 32 | 1.4 | 0.26 | 0.14 | 0.04 | 21 | 1.0 | 0.22 | 0.12 | 0.04 |
| China, Yong'an City | 35 | 2.3 | 0.42 | 0.24 | 0.06 | 32 | 2.4 | 0.44 | 0.30 | 0.07 |
| *China, Yongding District, Longyan City | 43 | 2.5 | 0.39 | 0.24 | 0.05 | 40 | 2.1 | 0.35 | 0.23 | 0.05 |
| China, Yongkang City | 70 | 2.8 | 0.34 | 0.35 | 0.05 | 68 | 2.5 | 0.32 | 0.25 | 0.04 |
| *China, Yucheng County | 69 | 3.4 | 0.42 | 0.42 | 0.06 | 64 | 2.9 | 0.37 | 0.31 | 0.05 |
| China, Yueyanglou District, Yueyang City | 40 | 3.7 | 0.59 | 0.42 | 0.09 | 36 | 3.1 | 0.52 | 0.31 | 0.07 |
| China, Yunmeng County | 19 | 1.1 | 0.27 | 0.16 | 0.04 | 24 | 1.5 | 0.31 | 0.15 | 0.04 |
| *China, Yunyang District, Shiyao City | 24 | 2.2 | 0.46 | 0.33 | 0.08 | 12 | 1.2 | 0.35 | 0.18 | 0.06 |
| China, Yuzhong District, Chongqing City | 69 | 3.3 | 0.42 | 0.47 | 0.07 | 76 | 2.5 | 0.33 | 0.28 | 0.05 |
| *China, Zhanhuang County | 21 | 2.4 | 0.52 | 0.26 | 0.08 | 16 | 1.6 | 0.42 | 0.19 | 0.07 |
| *China, Zhangjiagang City | 173 | 3.6 | 0.28 | 0.43 | 0.04 | 293 | 5.3 | 0.32 | 0.66 | 0.05 |
| *China, Zhaoyuan City | 100 | 3.4 | 0.35 | 0.43 | 0.05 | 72 | 2.2 | 0.28 | 0.26 | 0.04 |
| *China, Zhengding County | 29 | 2.1 | 0.39 | 0.24 | 0.05 | 24 | 1.5 | 0.31 | 0.22 | 0.06 |
| *China, Zhongshan City | 214 | 3.9 | 0.27 | 0.42 | 0.04 | 148 | 2.3 | 0.20 | 0.24 | 0.03 |
| China, Zhongxiang City | 26 | 0.8 | 0.16 | 0.10 | 0.03 | 27 | 0.7 | 0.14 | 0.08 | 0.02 |
| *China, Zhuanghe City | 109 | 2.2 | 0.22 | 0.27 | 0.03 | 91 | 1.8 | 0.20 | 0.22 | 0.03 |
| *China, Zhuhai City | 64 | 1.8 | 0.24 | 0.22 | 0.04 | 59 | 1.5 | 0.21 | 0.17 | 0.03 |
| India, Ahmedabad, Urban | 178 | 1.5 | 0.12 | 0.18 | 0.02 | 247 | 2.1 | 0.14 | 0.23 | 0.02 |
| India, Aurangabad | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 7 | 0.2 | 0.09 | 0.03 | 0.01 |
| India, Bangalore | 223 | 2.0 | 0.14 | 0.26 | 0.02 | 251 | 2.3 | 0.15 | 0.28 | 0.02 |
| India, Barshi, Paranda, and Bhum | 11 | 0.8 | 0.25 | 0.11 | 0.03 | 9 | 0.6 | 0.19 | 0.07 | 0.03 |
| *India, Bhopal | 66 | 2.6 | 0.33 | 0.31 | 0.05 | 151 | 6.2 | 0.51 | 0.78 | 0.07 |
| India, Chandigarh | 59 | 2.6 | 0.35 | 0.33 | 0.05 | 126 | 5.6 | 0.52 | 0.62 | 0.07 |
| *India, Chennai | 222 | 1.8 | 0.12 | 0.22 | 0.02 | 212 | 1.7 | 0.12 | 0.21 | 0.02 |
| India, Dibrugarh | 123 | 4.5 | 0.42 | 0.57 | 0.06 | 229 | 7.8 | 0.53 | 0.94 | 0.07 |
| *India, Dindigul, Ambilikai | 54 | 0.9 | 0.12 | 0.10 | 0.02 | 31 | 0.5 | 0.09 | 0.05 | 0.01 |
| India, Kamrup Urban District | 203 | 8.4 | 0.61 | 1.04 | 0.09 | 374 | 16.9 | 0.91 | 2.04 | 0.13 |
| India, Kollam | 93 | 1.4 | 0.15 | 0.18 | 0.02 | 76 | 1.0 | 0.12 | 0.12 | 0.02 |
| *India, Manipur | 86 | 1.8 | 0.20 | 0.20 | 0.03 | 192 | 4.0 | 0.30 | 0.51 | 0.04 |
| India, Meghalaya | 55 | 2.0 | 0.29 | 0.23 | 0.04 | 132 | 4.6 | 0.41 | 0.56 | 0.06 |
| India, Mizoram | 47 | 2.9 | 0.43 | 0.36 | 0.06 | 76 | 4.6 | 0.55 | 0.58 | 0.08 |
| India, Mumbai | 691 | 2.2 | 0.08 | 0.25 | 0.01 | 1078 | 3.5 | 0.11 | 0.41 | 0.02 |
| *India, New Delhi | 1228 | 5.8 | 0.17 | 0.72 | 0.03 | 2394 | 11.5 | 0.24 | 1.36 | 0.03 |
| India, Poona | 134 | 1.1 | 0.10 | 0.13 | 0.01 | 186 | 1.6 | 0.12 | 0.21 | 0.02 |
| *India, Sangrur District | 44 | 1.7 | 0.25 | 0.19 | 0.03 | 108 | 4.3 | 0.42 | 0.50 | 0.06 |
| India, SAS Nagar | 44 | 1.8 | 0.28 | 0.23 | 0.04 | 104 | 4.6 | 0.46 | 0.53 | 0.06 |
| *India, Tamil Nadu | 1761 | 0.9 | 0.02 | 0.11 | 0.00 | 1543 | 0.7 | 0.02 | 0.09 | 0.00 |
| *India, Tripura | 204 | 3.2 | 0.23 | 0.40 | 0.03 | 395 | 5.9 | 0.31 | 0.72 | 0.04 |
| India, Trivandrum | 120 | 1.5 | 0.14 | 0.19 | 0.02 | 112 | 1.2 | 0.12 | 0.15 | 0.02 |
| India, Wardha | 41 | 1.1 | 0.17 | 0.14 | 0.02 | 34 | 0.9 | 0.15 | 0.11 | 0.02 |
| India, West Arunachal | 22 | 2.0 | 0.45 | 0.24 | 0.07 | 38 | 3.7 | 0.67 | 0.41 | 0.09 |
| *Iran (Islamic Republic of), Ardabil Province | 27 | 1.3 | 0.26 | 0.11 | 0.03 | 37 | 2.0 | 0.33 | 0.26 | 0.05 |
| *Iran (Islamic Republic of), Golestan Province | 51 | 2.4 | 0.35 | 0.36 | 0.06 | 33 | 1.4 | 0.24 | 0.10 | 0.03 |
| Israel | 524 | 1.9 | 0.09 | 0.21 | 0.01 | 524 | 1.6 | 0.07 | 0.19 | 0.01 |
| *Israel: Jews | 414 | 1.7 | 0.09 | 0.19 | 0.01 | 425 | 1.5 | 0.08 | 0.18 | 0.01 |
| *Israel: Arabs | 90 | 3.1 | 0.34 | 0.35 | 0.05 | 70 | 2.2 | 0.27 | 0.25 | 0.04 |
| Japan | 35944 | 6.1 | 0.04 | 0.64 | 0.01 | 33940 | 3.8 | 0.03 | 0.38 | 0.00 |
| Japan, Aichi Prefecture | 1522 | 5.0 | 0.14 | 0.55 | 0.02 | 1480 | 3.4 | 0.11 | 0.33 | 0.02 |
| *Japan, Akita Prefecture | 520 | 8.8 | 0.47 | 0.93 | 0.07 | 514 | 5.0 | 0.32 | 0.51 | 0.05 |
| Japan, Aomori Prefecture | 981 | 9.0 | 0.33 | 0.98 | 0.05 | 944 | 5.1 | 0.22 | 0.52 | 0.03 |
| Japan, Gunma Prefecture | 644 | 6.7 | 0.30 | 0.70 | 0.04 | 606 | 4.0 | 0.22 | 0.36 | 0.03 |
| Japan, Hiroshima Prefecture | 950 | 5.0 | 0.19 | 0.51 | 0.03 | 923 | 3.4 | 0.16 | 0.34 | 0.02 |
| Japan, Miyagi Prefecture | 1167 | 6.4 | 0.21 | 0.67 | 0.03 | 1007 | 3.6 | 0.15 | 0.36 | 0.02 |
| Japan, Osaka Prefecture | 2142 | 5.7 | 0.14 | 0.63 | 0.02 | 1984 | 3.6 | 0.10 | 0.37 | 0.01 |
| Kuwait | 79 | 1.1 | 0.16 | 0.10 | 0.02 | 51 | 1.4 | 0.21 | 0.16 | 0.03 |
| *Kuwait: Kuwaitis | 30 | 1.5 | 0.29 | 0.13 | 0.04 | 30 | 1.4 | 0.26 | 0.15 | 0.04 |
| *Kuwait: Non-Kuwaitis | 49 | 0.8 | 0.17 | 0.09 | 0.02 | 21 | 1.5 | 0.38 | 0.18 | 0.06 |
| *Philippines, Manila | 149 | 1.6 | 0.14 | 0.18 | 0.02 | 185 | 1.4 | 0.10 | 0.15 | 0.02 |
| *Qatar: Qatari | 5 | 1.4 | 0.63 | 0.21 | 0.12 | 8 | 2.3 | 0.84 | 0.34 | 0.14 |
| Republic of Korea | 16557 | 8.2 | 0.07 | 0.94 | 0.01 | 15342 | 5.6 | 0.05 | 0.63 | 0.01 |
| *Republic of Korea, Busan | 1364 | 8.9 | 0.25 | 1.05 | 0.04 | 1391 | 6.8 | 0.19 | 0.78 | 0.03 |
| *Republic of Korea, Daegu | 884 | 9.4 | 0.33 | 1.07 | 0.05 | 791 | 5.9 | 0.22 | 0.67 | 0.03 |
| *Republic of Korea, Daejeon | 438 | 8.5 | 0.42 | 0.99 | 0.06 | 376 | 5.5 | 0.30 | 0.64 | 0.05 |
| *Republic of Korea, Gwangju | 377 | 7.7 | 0.41 | 0.88 | 0.06 | 360 | 5.2 | 0.29 | 0.59 | 0.04 |
| Republic of Korea, Incheon | 751 | 7.2 | 0.27 | 0.80 | 0.04 | 635 | 4.7 | 0.20 | 0.54 | 0.03 |
| Republic of Korea, Jeju | 178 | 7.7 | 0.60 | 0.94 | 0.09 | 270 | 7.4 | 0.51 | 0.80 | 0.08 |
| Republic of Korea, Seoul | 2823 | 7.5 | 0.14 | 0.89 | 0.02 | 2332 | 4.8 | 0.10 | 0.54 | 0.02 |
| Republic of Korea, Ulsan | 325 | 9.3 | 0.55 | 1.13 | 0.08 | 311 | 7.2 | 0.42 | 0.87 | 0.07 |
| Singapore | 362 | 2.4 | 0.13 | 0.29 | 0.02 | 378 | 2.1 | 0.11 | 0.24 | 0.02 |
| Singapore: Chinese | 298 | 2.4 | 0.14 | 0.29 | 0.02 | 312 | 2.0 | 0.12 | 0.23 | 0.02 |
| Singapore: Indian | 21 | 2.1 | 0.47 | 0.24 | 0.08 | 31 | 3.0 | 0.54 | 0.38 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Gallbladder etc. (C23–24) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 35 | 2.3 | 0.40 | 0.27 | 0.06 | 31 | 1.8 | 0.33 | 0.22 | 0.06 |
| Thailand, Bangkok | 228 | 1.3 | 0.09 | 0.15 | 0.01 | 288 | 1.3 | 0.08 | 0.15 | 0.01 |
| *Thailand, Chiang Mai | 116 | 1.9 | 0.18 | 0.22 | 0.03 | 146 | 2.0 | 0.17 | 0.22 | 0.03 |
| *Thailand, Khon Kaen | 522 | 8.2 | 0.36 | 1.02 | 0.05 | 307 | 4.1 | 0.24 | 0.49 | 0.03 |
| Thailand, Lampang | 134 | 4.3 | 0.38 | 0.54 | 0.06 | 120 | 3.1 | 0.30 | 0.33 | 0.04 |
| Thailand, Lopburi Province | 59 | 2.5 | 0.33 | 0.28 | 0.05 | 71 | 2.5 | 0.31 | 0.27 | 0.04 |
| *Thailand, Songkhla | 55 | 1.3 | 0.18 | 0.14 | 0.02 | 68 | 1.2 | 0.16 | 0.13 | 0.02 |
| Turkey, Antalya | 136 | 2.2 | 0.19 | 0.30 | 0.03 | 132 | 1.9 | 0.17 | 0.20 | 0.02 |
| Turkey, Bursa | 164 | 2.0 | 0.16 | 0.24 | 0.02 | 174 | 1.8 | 0.14 | 0.21 | 0.02 |
| *Turkey, Edirne | 20 | 1.3 | 0.29 | 0.18 | 0.05 | 31 | 1.7 | 0.31 | 0.18 | 0.04 |
| *Turkey, Erzurum | 29 | 1.5 | 0.29 | 0.15 | 0.04 | 25 | 1.1 | 0.23 | 0.14 | 0.04 |
| Turkey, Eskişehir | 35 | 1.3 | 0.22 | 0.16 | 0.03 | 43 | 1.3 | 0.20 | 0.17 | 0.03 |
| Turkey, Gaziantep | 114 | 3.4 | 0.32 | 0.40 | 0.05 | 127 | 3.3 | 0.30 | 0.42 | 0.05 |
| *Turkey, Izmir | 315 | 2.4 | 0.13 | 0.30 | 0.02 | 319 | 2.0 | 0.11 | 0.24 | 0.02 |
| Turkey, Malatya | 57 | 2.5 | 0.33 | 0.26 | 0.05 | 51 | 1.9 | 0.28 | 0.22 | 0.04 |
| Turkey, Samsun | 61 | 1.5 | 0.19 | 0.18 | 0.03 | 69 | 1.4 | 0.18 | 0.17 | 0.02 |
| Turkey, Trabzon | 25 | 1.0 | 0.20 | 0.12 | 0.03 | 30 | 0.9 | 0.18 | 0.10 | 0.03 |
| Europe | | | | | | | | | | |
| Austria | 1007 | 2.2 | 0.08 | 0.28 | 0.01 | 1180 | 2.0 | 0.07 | 0.23 | 0.01 |
| Austria, Carinthia | 62 | 1.9 | 0.26 | 0.22 | 0.04 | 75 | 1.6 | 0.23 | 0.16 | 0.03 |
| Austria, Tyrol | 56 | 1.5 | 0.22 | 0.21 | 0.03 | 74 | 1.5 | 0.21 | 0.16 | 0.03 |
| Austria, Vorarlberg | 36 | 1.9 | 0.34 | 0.24 | 0.05 | 35 | 1.5 | 0.28 | 0.20 | 0.05 |
| Belarus | 484 | 1.5 | 0.07 | 0.18 | 0.01 | 867 | 1.5 | 0.06 | 0.18 | 0.01 |
| *Belgium | 1061 | 1.9 | 0.06 | 0.22 | 0.01 | 1031 | 1.3 | 0.05 | 0.16 | 0.01 |
| Croatia | 653 | 3.0 | 0.12 | 0.36 | 0.02 | 945 | 2.8 | 0.11 | 0.31 | 0.02 |
| Cyprus | 74 | 2.0 | 0.24 | 0.24 | 0.04 | 71 | 1.6 | 0.20 | 0.18 | 0.03 |
| *Czech Republic | 1693 | 3.2 | 0.08 | 0.37 | 0.01 | 2513 | 3.5 | 0.08 | 0.41 | 0.01 |
| Denmark | 474 | 1.6 | 0.08 | 0.20 | 0.01 | 563 | 1.6 | 0.08 | 0.20 | 0.01 |
| Estonia | 123 | 2.1 | 0.20 | 0.26 | 0.03 | 222 | 2.0 | 0.16 | 0.23 | 0.02 |
| Finland | 628 | 2.0 | 0.09 | 0.24 | 0.01 | 878 | 2.0 | 0.08 | 0.23 | 0.01 |
| *France, Bas-Rhin | 65 | 1.5 | 0.20 | 0.20 | 0.03 | 90 | 1.6 | 0.20 | 0.18 | 0.03 |
| *France, Calvados | 113 | 2.8 | 0.28 | 0.30 | 0.04 | 78 | 1.2 | 0.17 | 0.14 | 0.03 |
| *France, Doubs | 59 | 1.9 | 0.27 | 0.23 | 0.04 | 53 | 1.3 | 0.22 | 0.14 | 0.03 |
| *France, Gironde | 165 | 2.1 | 0.18 | 0.25 | 0.03 | 174 | 1.5 | 0.14 | 0.17 | 0.02 |
| *France, Haut-Rhin | 88 | 1.9 | 0.22 | 0.18 | 0.03 | 96 | 1.6 | 0.20 | 0.19 | 0.03 |
| *France, Hérault | 96 | 1.5 | 0.17 | 0.17 | 0.02 | 119 | 1.4 | 0.15 | 0.16 | 0.02 |
| *France, Isère | 149 | 2.2 | 0.19 | 0.24 | 0.03 | 154 | 1.7 | 0.17 | 0.18 | 0.02 |
| *France, Lille-Métropole | 60 | 1.9 | 0.25 | 0.21 | 0.04 | 97 | 1.9 | 0.22 | 0.20 | 0.03 |
| *France, Limousin | 63 | 3.1 | 0.42 | 0.44 | 0.07 | 33 | 1.4 | 0.29 | 0.17 | 0.04 |
| *France, Loire-Atlantique | 127 | 2.0 | 0.19 | 0.22 | 0.03 | 127 | 1.3 | 0.13 | 0.14 | 0.02 |
| *France, Manche | 59 | 1.6 | 0.24 | 0.17 | 0.04 | 53 | 1.2 | 0.21 | 0.14 | 0.03 |
| *France, Poitou-Charentes | 188 | 1.6 | 0.13 | 0.18 | 0.02 | 240 | 1.4 | 0.12 | 0.15 | 0.02 |
| *France, Somme | 58 | 2.0 | 0.28 | 0.25 | 0.04 | 55 | 1.4 | 0.23 | 0.16 | 0.03 |
| *France, Tarn | 51 | 2.0 | 0.31 | 0.22 | 0.04 | 62 | 1.5 | 0.27 | 0.16 | 0.04 |
| *France, Territoire de Belfort | 13 | 2.0 | 0.62 | 0.17 | 0.08 | 14 | 2.3 | 0.68 | 0.34 | 0.11 |
| *France, Vendée | 62 | 1.4 | 0.19 | 0.19 | 0.03 | 63 | 1.3 | 0.21 | 0.12 | 0.03 |
| Germany, Baden-Württemberg | 851 | 2.2 | 0.08 | 0.25 | 0.01 | 872 | 1.7 | 0.07 | 0.19 | 0.01 |
| Germany, Bavaria | 1663 | 2.2 | 0.06 | 0.27 | 0.01 | 1771 | 1.8 | 0.05 | 0.20 | 0.01 |
| Germany, Bremen | 101 | 2.5 | 0.28 | 0.28 | 0.04 | 92 | 1.6 | 0.21 | 0.20 | 0.03 |
| Germany, Hamburg | 217 | 2.2 | 0.16 | 0.27 | 0.03 | 253 | 1.9 | 0.15 | 0.21 | 0.02 |
| Germany, Lower Saxony | 1180 | 2.4 | 0.08 | 0.27 | 0.01 | 1352 | 2.0 | 0.07 | 0.22 | 0.01 |
| Germany, North Rhine-Westphalia | 2624 | 2.5 | 0.05 | 0.29 | 0.01 | 2943 | 2.0 | 0.04 | 0.23 | 0.01 |
| Germany, Rhineland-Palatinate | 619 | 2.5 | 0.11 | 0.31 | 0.02 | 644 | 1.9 | 0.09 | 0.20 | 0.01 |
| Germany, Saarland | 171 | 2.6 | 0.22 | 0.33 | 0.03 | 169 | 1.8 | 0.17 | 0.20 | 0.03 |
| Germany, Schleswig-Holstein | 403 | 2.1 | 0.12 | 0.26 | 0.02 | 478 | 2.0 | 0.11 | 0.21 | 0.02 |
| Iceland | 27 | 1.8 | 0.37 | 0.20 | 0.05 | 21 | 1.1 | 0.27 | 0.12 | 0.04 |
| Ireland | 470 | 2.4 | 0.12 | 0.25 | 0.02 | 576 | 2.5 | 0.11 | 0.28 | 0.02 |
| *Italy, Aosta Valley | 11 | 1.6 | 0.52 | 0.21 | 0.09 | 14 | 1.6 | 0.48 | 0.24 | 0.09 |
| *Italy, Avellino | 40 | 2.5 | 0.44 | 0.31 | 0.07 | 54 | 2.4 | 0.39 | 0.28 | 0.06 |
| Italy, Basilicata | 130 | 3.2 | 0.32 | 0.34 | 0.05 | 132 | 2.6 | 0.28 | 0.29 | 0.04 |
| *Italy, Benevento | 41 | 3.0 | 0.52 | 0.37 | 0.08 | 34 | 2.1 | 0.46 | 0.25 | 0.06 |
| Italy, Bergamo | 184 | 2.9 | 0.23 | 0.31 | 0.03 | 213 | 2.3 | 0.19 | 0.27 | 0.03 |
| *Italy, Brescia | 168 | 2.5 | 0.21 | 0.30 | 0.03 | 187 | 2.2 | 0.19 | 0.27 | 0.03 |
| Italy, Brianza (Lecco and Monza e Brianza) | 114 | 2.6 | 0.27 | 0.29 | 0.04 | 144 | 2.5 | 0.25 | 0.27 | 0.04 |
| Italy, Calabria | 74 | 2.4 | 0.30 | 0.29 | 0.05 | 87 | 2.0 | 0.26 | 0.25 | 0.04 |
| *Italy, Caserta | 93 | 2.6 | 0.28 | 0.28 | 0.04 | 163 | 3.7 | 0.33 | 0.49 | 0.05 |
| *Italy, Catania, Messina, and Enna | 375 | 3.4 | 0.19 | 0.42 | 0.03 | 409 | 2.9 | 0.17 | 0.35 | 0.03 |
| Italy, Emilia-Romagna | 602 | 2.4 | 0.11 | 0.28 | 0.02 | 683 | 1.9 | 0.09 | 0.22 | 0.01 |
| Italy, Friuli-Venezia Giulia | 235 | 2.7 | 0.20 | 0.30 | 0.03 | 243 | 1.9 | 0.16 | 0.22 | 0.02 |
| Italy, Genova | 176 | 3.2 | 0.28 | 0.34 | 0.04 | 180 | 2.0 | 0.19 | 0.24 | 0.03 |
| *Italy, Lombardy, South, Pavia | 99 | 2.6 | 0.29 | 0.28 | 0.04 | 129 | 2.7 | 0.31 | 0.32 | 0.04 |
| Italy, Mantova and Cremona | 104 | 2.6 | 0.28 | 0.28 | 0.04 | 114 | 2.0 | 0.23 | 0.21 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Gallbladder etc. (C23–24) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 172 | 2.2 | 0.19 | 0.27 | 0.03 | 201 | 1.8 | 0.16 | 0.21 | 0.02 |
| Italy, Milan | 696 | 3.3 | 0.14 | 0.38 | 0.02 | 780 | 2.7 | 0.12 | 0.30 | 0.02 |
| Italy, Molise | 28 | 2.4 | 0.50 | 0.25 | 0.07 | 42 | 2.7 | 0.50 | 0.33 | 0.08 |
| *Italy, Naples Centre | 83 | 2.9 | 0.34 | 0.35 | 0.05 | 127 | 2.9 | 0.29 | 0.34 | 0.05 |
| *Italy, Naples North | 91 | 2.8 | 0.29 | 0.31 | 0.04 | 115 | 2.9 | 0.28 | 0.38 | 0.05 |
| *Italy, Naples South | 158 | 3.0 | 0.25 | 0.34 | 0.04 | 183 | 2.7 | 0.22 | 0.35 | 0.04 |
| *Italy, Nuoro | 24 | 2.9 | 0.63 | 0.34 | 0.10 | 26 | 2.2 | 0.52 | 0.23 | 0.08 |
| *Italy, Palermo | 206 | 2.9 | 0.22 | 0.33 | 0.03 | 275 | 3.0 | 0.21 | 0.36 | 0.03 |
| Italy, Puglia | 796 | 3.2 | 0.13 | 0.38 | 0.02 | 910 | 2.8 | 0.11 | 0.34 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 143 | 4.0 | 0.37 | 0.49 | 0.06 | 118 | 2.6 | 0.28 | 0.31 | 0.04 |
| *Italy, Salerno | 146 | 2.9 | 0.27 | 0.30 | 0.04 | 173 | 2.9 | 0.25 | 0.34 | 0.04 |
| Italy, Sassari | 47 | 3.9 | 0.60 | 0.50 | 0.09 | 40 | 2.5 | 0.44 | 0.34 | 0.07 |
| *Italy, Sondrio | 28 | 2.1 | 0.43 | 0.25 | 0.07 | 52 | 2.7 | 0.48 | 0.28 | 0.07 |
| Italy, South Tyrol | 100 | 3.2 | 0.35 | 0.41 | 0.06 | 108 | 2.7 | 0.32 | 0.30 | 0.05 |
| *Italy, Syracuse | 101 | 3.8 | 0.41 | 0.41 | 0.06 | 93 | 2.9 | 0.36 | 0.32 | 0.05 |
| Italy, Trento | 86 | 2.3 | 0.27 | 0.26 | 0.04 | 116 | 2.5 | 0.29 | 0.26 | 0.04 |
| Italy, Turin | 423 | 2.7 | 0.15 | 0.31 | 0.02 | 498 | 2.3 | 0.13 | 0.25 | 0.02 |
| *Italy, Tuscany | 469 | 3.3 | 0.18 | 0.36 | 0.02 | 466 | 2.4 | 0.14 | 0.27 | 0.02 |
| Italy, Umbria | 124 | 2.3 | 0.24 | 0.25 | 0.04 | 167 | 2.4 | 0.24 | 0.30 | 0.04 |
| Italy, Varese | 90 | 2.7 | 0.31 | 0.33 | 0.05 | 95 | 2.0 | 0.25 | 0.21 | 0.04 |
| Italy, Veneto | 746 | 2.4 | 0.09 | 0.26 | 0.01 | 854 | 2.0 | 0.08 | 0.22 | 0.01 |
| Latvia | 96 | 1.1 | 0.12 | 0.12 | 0.02 | 152 | 0.9 | 0.09 | 0.11 | 0.01 |
| *Liechtenstein | 3 | 1.7 | 1.00 | 0.06 | 0.06 | 1 | 0.6 | 0.57 | 0.10 | 0.10 |
| *Lithuania | 218 | 1.7 | 0.12 | 0.19 | 0.02 | 364 | 1.5 | 0.09 | 0.18 | 0.01 |
| Malta | 35 | 1.6 | 0.27 | 0.20 | 0.04 | 33 | 1.0 | 0.19 | 0.11 | 0.03 |
| *The Netherlands | 2128 | 2.4 | 0.06 | 0.29 | 0.01 | 2129 | 2.1 | 0.05 | 0.25 | 0.01 |
| Norway | 532 | 2.3 | 0.10 | 0.28 | 0.02 | 575 | 2.0 | 0.09 | 0.25 | 0.01 |
| Poland, Kielce | 106 | 1.9 | 0.19 | 0.22 | 0.03 | 189 | 2.4 | 0.19 | 0.30 | 0.03 |
| *Portugal, Azores | 25 | 3.4 | 0.69 | 0.42 | 0.11 | 31 | 3.3 | 0.64 | 0.38 | 0.09 |
| Russian Federation, Arkhangelsk | 77 | 2.0 | 0.24 | 0.20 | 0.03 | 170 | 2.2 | 0.19 | 0.24 | 0.03 |
| Russian Federation, Kaliningrad | 36 | 1.1 | 0.19 | 0.14 | 0.03 | 61 | 1.1 | 0.14 | 0.15 | 0.03 |
| Russian Federation, Karelia | 38 | 2.0 | 0.34 | 0.28 | 0.06 | 67 | 1.6 | 0.22 | 0.22 | 0.04 |
| *Russian Federation, Komi Republic | 37 | 1.6 | 0.28 | 0.22 | 0.05 | 96 | 2.2 | 0.24 | 0.30 | 0.04 |
| Russian Federation, Murmansk | 44 | 2.2 | 0.35 | 0.28 | 0.06 | 66 | 1.4 | 0.19 | 0.15 | 0.03 |
| *Russian Federation, Orenburg | 123 | 1.9 | 0.18 | 0.26 | 0.03 | 198 | 1.8 | 0.14 | 0.22 | 0.02 |
| Russian Federation, Pskov | 23 | 1.0 | 0.20 | 0.10 | 0.03 | 54 | 1.1 | 0.17 | 0.12 | 0.02 |
| *Russian Federation, Samara | 130 | 1.2 | 0.11 | 0.17 | 0.02 | 223 | 1.1 | 0.08 | 0.14 | 0.01 |
| Russian Federation, Vologda Region | 39 | 1.0 | 0.16 | 0.13 | 0.02 | 80 | 1.1 | 0.13 | 0.14 | 0.02 |
| Slovenia | 435 | 3.9 | 0.20 | 0.48 | 0.03 | 540 | 3.4 | 0.17 | 0.38 | 0.03 |
| Spain, Asturias | 72 | 1.6 | 0.21 | 0.16 | 0.03 | 81 | 1.4 | 0.19 | 0.16 | 0.03 |
| Spain, Basque Country | 310 | 2.9 | 0.18 | 0.35 | 0.03 | 313 | 1.9 | 0.13 | 0.21 | 0.02 |
| Spain, Canary Islands | 154 | 2.4 | 0.20 | 0.25 | 0.03 | 162 | 1.9 | 0.17 | 0.20 | 0.02 |
| Spain, Castellón | 52 | 1.6 | 0.24 | 0.14 | 0.03 | 69 | 1.6 | 0.22 | 0.19 | 0.04 |
| Spain, Girona | 103 | 2.7 | 0.28 | 0.32 | 0.04 | 105 | 2.1 | 0.24 | 0.22 | 0.03 |
| Spain, Granada | 117 | 2.2 | 0.23 | 0.23 | 0.03 | 160 | 2.3 | 0.22 | 0.25 | 0.03 |
| Spain, La Rioja | 59 | 2.7 | 0.43 | 0.23 | 0.05 | 56 | 2.1 | 0.35 | 0.23 | 0.05 |
| Spain, Murcia | 152 | 2.2 | 0.19 | 0.25 | 0.03 | 151 | 1.5 | 0.15 | 0.15 | 0.02 |
| Spain, Navarra | 101 | 3.0 | 0.33 | 0.31 | 0.05 | 90 | 2.2 | 0.29 | 0.24 | 0.04 |
| Spain, Salamanca | 57 | 2.2 | 0.34 | 0.24 | 0.05 | 71 | 1.9 | 0.32 | 0.19 | 0.04 |
| Spain, Tarragona | 77 | 1.9 | 0.24 | 0.22 | 0.03 | 86 | 1.5 | 0.20 | 0.15 | 0.03 |
| *Sweden | 989 | 1.9 | 0.07 | 0.23 | 0.01 | 1298 | 2.1 | 0.07 | 0.26 | 0.01 |
| Switzerland, Aargau | 46 | 1.3 | 0.19 | 0.12 | 0.03 | 47 | 1.0 | 0.17 | 0.11 | 0.03 |
| Switzerland, Basel | 52 | 1.9 | 0.29 | 0.22 | 0.04 | 46 | 1.3 | 0.24 | 0.15 | 0.03 |
| Switzerland, Berne Solothurn | 105 | 2.1 | 0.22 | 0.23 | 0.03 | 110 | 1.7 | 0.20 | 0.17 | 0.03 |
| Switzerland, East | 84 | 2.0 | 0.23 | 0.25 | 0.03 | 101 | 1.7 | 0.19 | 0.17 | 0.03 |
| *Switzerland, Fribourg | 23 | 1.6 | 0.33 | 0.19 | 0.05 | 18 | 1.1 | 0.28 | 0.11 | 0.04 |
| Switzerland, Geneva | 32 | 1.3 | 0.25 | 0.16 | 0.04 | 53 | 1.5 | 0.24 | 0.16 | 0.04 |
| *Switzerland, Graubünden and Glarus | 32 | 2.3 | 0.43 | 0.26 | 0.06 | 28 | 1.8 | 0.36 | 0.25 | 0.06 |
| *Switzerland, Lucerne | 36 | 1.3 | 0.23 | 0.16 | 0.04 | 56 | 1.4 | 0.22 | 0.15 | 0.03 |
| *Switzerland, Neuchâtel and Jura | 15 | 1.2 | 0.32 | 0.15 | 0.05 | 33 | 1.8 | 0.36 | 0.19 | 0.05 |
| Switzerland, Ticino | 72 | 3.1 | 0.41 | 0.34 | 0.06 | 68 | 2.3 | 0.34 | 0.26 | 0.05 |
| Switzerland, Valais | 32 | 1.8 | 0.35 | 0.22 | 0.05 | 28 | 1.2 | 0.27 | 0.11 | 0.03 |
| Switzerland, Vaud | 52 | 1.4 | 0.21 | 0.15 | 0.03 | 80 | 1.8 | 0.23 | 0.20 | 0.03 |
| Switzerland, Zurich and Zug | 159 | 2.0 | 0.17 | 0.21 | 0.02 | 185 | 2.0 | 0.16 | 0.24 | 0.02 |
| Ukraine | 1790 | 1.4 | 0.03 | 0.17 | 0.01 | 2999 | 1.4 | 0.03 | 0.18 | 0.00 |
| UK, England | 3851 | 1.3 | 0.02 | 0.15 | 0.00 | 5255 | 1.5 | 0.02 | 0.17 | 0.00 |
| UK, Northern Ireland | 196 | 2.2 | 0.16 | 0.23 | 0.02 | 258 | 2.4 | 0.17 | 0.28 | 0.03 |
| UK, Scotland | 523 | 1.8 | 0.09 | 0.21 | 0.01 | 683 | 1.8 | 0.08 | 0.20 | 0.01 |
| UK, Wales | 282 | 1.5 | 0.10 | 0.17 | 0.01 | 410 | 1.8 | 0.10 | 0.22 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 841 | 2.2 | 0.08 | 0.24 | 0.01 | 854 | 1.9 | 0.07 | 0.22 | 0.01 |
| *Australia, Northern Territory | 16 | 2.4 | 0.63 | 0.21 | 0.07 | 29 | 4.8 | 0.90 | 0.49 | 0.13 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Gallbladder etc. (C23–24) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 12 | 2.1 | 0.61 | 0.19 | 0.08 | 12 | 2.7 | 0.77 | 0.31 | 0.12 |
| *Australia, Northern Territory: Indigenous | 4 | 4.3 | 2.51 | 0.26 | 0.15 | 17 | 12.2 | 3.08 | 1.14 | 0.44 |
| *Australia, Queensland | 449 | 2.0 | 0.10 | 0.24 | 0.02 | 512 | 2.1 | 0.10 | 0.24 | 0.01 |
| Australia, South Australia | 187 | 2.0 | 0.16 | 0.23 | 0.02 | 221 | 2.1 | 0.16 | 0.23 | 0.02 |
| Australia, Tasmania | 61 | 2.0 | 0.28 | 0.22 | 0.04 | 64 | 1.9 | 0.26 | 0.23 | 0.04 |
| *Australia, Victoria | 464 | 1.6 | 0.08 | 0.19 | 0.01 | 514 | 1.5 | 0.08 | 0.16 | 0.01 |
| *Australia, Western Australia | 247 | 2.3 | 0.15 | 0.26 | 0.02 | 228 | 1.7 | 0.13 | 0.18 | 0.02 |
| *France, New Caledonia | 19 | 2.4 | 0.55 | 0.30 | 0.09 | 27 | 3.1 | 0.62 | 0.40 | 0.10 |
| New Zealand | 343 | 1.7 | 0.10 | 0.21 | 0.01 | 394 | 1.7 | 0.09 | 0.20 | 0.01 |
| *New Zealand: Maori | 41 | 2.8 | 0.45 | 0.34 | 0.07 | 61 | 3.5 | 0.45 | 0.43 | 0.07 |
| *New Zealand: Pacific peoples | 37 | 6.1 | 1.03 | 0.62 | 0.13 | 29 | 4.2 | 0.78 | 0.51 | 0.11 |
| *New Zealand: Other | 240 | 1.4 | 0.10 | 0.17 | 0.01 | 279 | 1.4 | 0.09 | 0.16 | 0.01 |
| USA, Hawaii | 153 | 2.1 | 0.18 | 0.24 | 0.03 | 127 | 1.5 | 0.15 | 0.17 | 0.02 |
| USA, Hawaii: White | 37 | 1.6 | 0.27 | 0.22 | 0.04 | 26 | 1.1 | 0.23 | 0.13 | 0.04 |
| *USA, Hawaii: Japanese | 44 | 2.3 | 0.41 | 0.25 | 0.06 | 37 | 1.9 | 0.43 | 0.20 | 0.05 |
| *USA, Hawaii: Chinese | 13 | 2.8 | 0.97 | 0.29 | 0.12 | 11 | 1.7 | 0.56 | 0.22 | 0.10 |
| *USA, Hawaii: Hawaiian | 27 | 2.9 | 0.57 | 0.35 | 0.08 | 18 | 1.6 | 0.41 | 0.12 | 0.04 |
| *USA, Hawaii: Filipino | 21 | 1.8 | 0.42 | 0.18 | 0.06 | 24 | 1.8 | 0.39 | 0.23 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pancreas (C25)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 68 | 4.9 | 0.62 | 0.55 | 0.09 | 32 | 2.3 | 0.42 | 0.27 | 0.06 |
| *Algeria, Tizi Ouzou | 74 | 5.1 | 0.61 | 0.60 | 0.08 | 55 | 3.1 | 0.44 | 0.42 | 0.07 |
| *Benin, Cotonou | 13 | 2.1 | 0.63 | 0.25 | 0.08 | 13 | 2.1 | 0.59 | 0.26 | 0.09 |
| *France, La Réunion | 139 | 6.3 | 0.54 | 0.73 | 0.08 | 119 | 4.3 | 0.42 | 0.51 | 0.06 |
| *Kenya, Eldoret | 31 | 3.4 | 0.62 | 0.42 | 0.10 | 30 | 3.3 | 0.63 | 0.53 | 0.12 |
| *Kenya, Nairobi | 89 | 4.1 | 0.49 | 0.49 | 0.07 | 106 | 5.9 | 0.64 | 0.87 | 0.11 |
| Mauritius | 101 | 2.3 | 0.24 | 0.29 | 0.03 | 108 | 2.3 | 0.22 | 0.25 | 0.03 |
| *Morocco, Casablanca | 285 | 2.8 | 0.17 | 0.35 | 0.03 | 202 | 1.8 | 0.13 | 0.23 | 0.02 |
| *Seychelles | 12 | 4.5 | 1.31 | 0.58 | 0.20 | 6 | 1.5 | 0.65 | 0.16 | 0.11 |
| *South Africa, Eastern Cape | 6 | 0.6 | 0.26 | 0.07 | 0.03 | 8 | 0.5 | 0.17 | 0.08 | 0.03 |
| *Uganda, Kyadondo County | 41 | 2.6 | 0.45 | 0.32 | 0.08 | 41 | 2.3 | 0.40 | 0.29 | 0.06 |
| *Uganda, Gulu | 8 | 1.1 | 0.48 | 0.12 | 0.07 | 8 | 1.7 | 0.62 | 0.23 | 0.10 |
| *Zimbabwe, Bulawayo: African | 31 | 3.8 | 0.72 | 0.51 | 0.12 | 34 | 3.4 | 0.60 | 0.36 | 0.09 |
| *Zimbabwe, Harare: African | 89 | 6.4 | 0.72 | 0.72 | 0.11 | 89 | 5.2 | 0.58 | 0.58 | 0.09 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 206 | 8.8 | 0.63 | 1.01 | 0.09 | 197 | 5.9 | 0.46 | 0.69 | 0.07 |
| *Argentina, Mendoza | 401 | 7.6 | 0.39 | 0.94 | 0.06 | 464 | 6.4 | 0.32 | 0.73 | 0.05 |
| Brazil, Aracaju | 55 | 5.6 | 0.77 | 0.65 | 0.11 | 64 | 3.9 | 0.51 | 0.43 | 0.08 |
| *Brazil, Barretos | 72 | 5.2 | 0.62 | 0.63 | 0.09 | 62 | 3.3 | 0.44 | 0.34 | 0.06 |
| Brazil, Belo Horizonte | 393 | 5.4 | 0.28 | 0.68 | 0.04 | 449 | 4.0 | 0.20 | 0.44 | 0.03 |
| *Brazil, Campinas | 169 | 7.3 | 0.57 | 0.90 | 0.09 | 192 | 6.2 | 0.47 | 0.72 | 0.07 |
| *Brazil, Curitiba | 239 | 6.0 | 0.39 | 0.68 | 0.06 | 263 | 4.6 | 0.29 | 0.55 | 0.04 |
| Brazil, Goiânia | 125 | 4.9 | 0.44 | 0.62 | 0.07 | 125 | 3.6 | 0.33 | 0.41 | 0.05 |
| *Brazil, Jaú | 12 | 2.9 | 0.86 | 0.45 | 0.15 | 13 | 2.6 | 0.73 | 0.29 | 0.09 |
| Brazil, João Pessoa | 40 | 3.9 | 0.62 | 0.47 | 0.11 | 55 | 3.5 | 0.48 | 0.40 | 0.07 |
| Brazil, Recife | 166 | 6.9 | 0.54 | 0.83 | 0.08 | 209 | 4.9 | 0.35 | 0.61 | 0.06 |
| Chile, Region of Antofagasta | 57 | 6.0 | 0.81 | 0.71 | 0.13 | 61 | 6.0 | 0.78 | 0.72 | 0.11 |
| Chile, Valdivia | 59 | 4.4 | 0.58 | 0.57 | 0.09 | 80 | 4.6 | 0.56 | 0.55 | 0.08 |
| Colombia, Bucaramanga | 104 | 3.5 | 0.35 | 0.43 | 0.06 | 103 | 2.4 | 0.25 | 0.26 | 0.04 |
| Colombia, Cali | 294 | 5.0 | 0.29 | 0.58 | 0.04 | 336 | 3.9 | 0.22 | 0.43 | 0.03 |
| Colombia, Manizales | 55 | 3.9 | 0.53 | 0.45 | 0.08 | 72 | 3.9 | 0.47 | 0.50 | 0.08 |
| Colombia, Pasto | 47 | 4.5 | 0.67 | 0.51 | 0.09 | 63 | 4.5 | 0.59 | 0.51 | 0.09 |
| Costa Rica | 200 | 2.0 | 0.14 | 0.23 | 0.02 | 256 | 2.4 | 0.15 | 0.29 | 0.02 |
| Ecuador, Guayaquil | 136 | 2.6 | 0.23 | 0.32 | 0.03 | 130 | 2.1 | 0.19 | 0.25 | 0.03 |
| Ecuador, Manabí | 71 | 2.0 | 0.24 | 0.24 | 0.04 | 78 | 2.0 | 0.24 | 0.18 | 0.03 |
| Ecuador, Quito | 146 | 3.6 | 0.30 | 0.42 | 0.05 | 227 | 4.3 | 0.29 | 0.42 | 0.04 |
| *France, Guadeloupe | 108 | 5.8 | 0.58 | 0.66 | 0.08 | 95 | 3.7 | 0.42 | 0.47 | 0.07 |
| *France, Martinique | 136 | 7.3 | 0.67 | 0.92 | 0.10 | 126 | 4.6 | 0.47 | 0.51 | 0.07 |
| *Peru, Lima | 717 | 5.2 | 0.20 | 0.57 | 0.03 | 834 | 4.7 | 0.17 | 0.53 | 0.03 |
| *Trinidad and Tobago | 156 | 6.4 | 0.52 | 0.79 | 0.08 | 130 | 4.5 | 0.41 | 0.53 | 0.06 |
| USA, Puerto Rico | 984 | 6.2 | 0.21 | 0.74 | 0.03 | 884 | 4.0 | 0.15 | 0.45 | 0.02 |
| *Uruguay | 1414 | 11.0 | 0.30 | 1.32 | 0.05 | 1615 | 8.2 | 0.23 | 0.96 | 0.03 |
| North America | | | | | | | | | | |
| Canada, Alberta | 1259 | 7.8 | 0.23 | 0.89 | 0.03 | 1158 | 6.3 | 0.20 | 0.70 | 0.03 |
| Canada, British Columbia | 1916 | 7.6 | 0.18 | 0.89 | 0.03 | 1792 | 6.2 | 0.16 | 0.72 | 0.02 |
| *Canada, Manitoba | 456 | 7.8 | 0.38 | 0.95 | 0.06 | 472 | 6.7 | 0.34 | 0.80 | 0.05 |
| *Canada, New Brunswick | 378 | 8.8 | 0.47 | 0.99 | 0.07 | 312 | 6.0 | 0.37 | 0.74 | 0.06 |
| *Canada, Newfoundland and Labrador | 173 | 6.0 | 0.47 | 0.77 | 0.07 | 171 | 5.0 | 0.41 | 0.56 | 0.06 |
| Canada, Ontario | 5224 | 8.0 | 0.12 | 0.95 | 0.02 | 4828 | 5.9 | 0.09 | 0.68 | 0.01 |
| *Canada, Prince Edward Island | 68 | 8.2 | 1.04 | 0.79 | 0.14 | 53 | 5.7 | 0.92 | 0.64 | 0.12 |
| Canada, Quebec | 3641 | 8.4 | 0.15 | 0.97 | 0.02 | 3444 | 6.5 | 0.12 | 0.74 | 0.02 |
| Canada, Saskatchewan | 408 | 7.9 | 0.41 | 0.97 | 0.06 | 352 | 5.5 | 0.33 | 0.63 | 0.05 |
| *Canada, Yukon | 6 | 3.9 | 1.60 | 0.45 | 0.27 | 8 | 5.7 | 2.04 | 0.76 | 0.31 |
| USA | 126398 | 9.2 | 0.03 | 1.11 | 0.00 | 118421 | 6.9 | 0.02 | 0.81 | 0.00 |
| USA: White | 106884 | 9.1 | 0.03 | 1.10 | 0.00 | 96983 | 6.8 | 0.02 | 0.79 | 0.00 |
| USA: Black | 14485 | 11.1 | 0.09 | 1.36 | 0.01 | 16290 | 9.0 | 0.07 | 1.05 | 0.01 |
| USA, NPCR | 122010 | 9.2 | 0.03 | 1.11 | 0.00 | 114290 | 6.9 | 0.02 | 0.81 | 0.00 |
| USA, NPCR: White | 103220 | 9.1 | 0.03 | 1.10 | 0.00 | 93582 | 6.8 | 0.02 | 0.79 | 0.00 |
| USA, NPCR: Black | 14311 | 11.2 | 0.09 | 1.36 | 0.01 | 16109 | 9.0 | 0.07 | 1.06 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 3539 | 5.9 | 0.10 | 0.69 | 0.01 | 3777 | 4.8 | 0.08 | 0.54 | 0.01 |
| USA, NPCR: American Indian | 607 | 5.3 | 0.22 | 0.66 | 0.03 | 548 | 4.2 | 0.18 | 0.49 | 0.03 |
| *USA, SEER (18 registries) | 32717 | 9.0 | 0.05 | 1.08 | 0.01 | 31310 | 6.9 | 0.04 | 0.79 | 0.01 |
| *USA, SEER (18 registries): White | 26235 | 9.0 | 0.06 | 1.09 | 0.01 | 24398 | 6.8 | 0.05 | 0.78 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 22862 | 9.2 | 0.06 | 1.11 | 0.01 | 20792 | 6.8 | 0.05 | 0.78 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 3373 | 7.9 | 0.14 | 0.96 | 0.02 | 3606 | 6.8 | 0.12 | 0.78 | 0.02 |
| *USA, SEER (18 registries): Black | 3722 | 11.2 | 0.19 | 1.39 | 0.03 | 4065 | 8.9 | 0.14 | 1.05 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2396 | 6.6 | 0.14 | 0.75 | 0.02 | 2577 | 5.3 | 0.11 | 0.60 | 0.02 |
| *USA, SEER (9 registries) | 11428 | 9.1 | 0.09 | 1.09 | 0.01 | 10999 | 7.0 | 0.07 | 0.80 | 0.01 |
| *USA, SEER (9 registries): White | 8977 | 8.9 | 0.10 | 1.08 | 0.01 | 8380 | 6.8 | 0.08 | 0.78 | 0.01 |
| *USA, SEER (9 registries): Black | 1283 | 11.8 | 0.33 | 1.48 | 0.05 | 1403 | 9.2 | 0.25 | 1.06 | 0.04 |
| USA, Alabama | 1993 | 9.5 | 0.22 | 1.13 | 0.03 | 1816 | 6.9 | 0.18 | 0.81 | 0.02 |
| USA, Alabama: White | 1534 | 9.3 | 0.25 | 1.10 | 0.03 | 1275 | 6.3 | 0.20 | 0.74 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pancreas (C25) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 439 | 10.6 | 0.51 | 1.27 | 0.07 | 522 | 9.0 | 0.41 | 1.06 | 0.06 | |
| USA, Alaska | 230 | 8.6 | 0.57 | 1.04 | 0.09 | 193 | 7.2 | 0.52 | 0.84 | 0.08 | |
| *USA, Alaska: Alaska Natives | 43 | 13.3 | 2.05 | 1.72 | 0.32 | 32 | 8.0 | 1.45 | 0.73 | 0.17 | |
| USA, Arizona | 2637 | 8.4 | 0.17 | 1.02 | 0.02 | 2248 | 6.0 | 0.14 | 0.68 | 0.02 | |
| USA, Arizona: White | 2463 | 8.6 | 0.18 | 1.04 | 0.03 | 2053 | 6.0 | 0.15 | 0.68 | 0.02 | |
| USA, Arizona: Black | 90 | 9.6 | 1.02 | 1.20 | 0.16 | 96 | 9.2 | 0.96 | 1.02 | 0.13 | |
| *USA, Arizona: Asian and Pacific Islander | 29 | 4.0 | 0.78 | 0.41 | 0.10 | 41 | 3.9 | 0.62 | 0.50 | 0.10 | |
| USA, Arizona: American Indian | 50 | 5.5 | 0.79 | 0.66 | 0.11 | 56 | 4.6 | 0.63 | 0.56 | 0.10 | |
| USA, Arkansas | 1230 | 9.4 | 0.28 | 1.14 | 0.04 | 1079 | 6.4 | 0.22 | 0.73 | 0.03 | |
| USA, Arkansas: White | 1053 | 9.1 | 0.30 | 1.12 | 0.04 | 880 | 6.0 | 0.23 | 0.68 | 0.03 | |
| USA, Arkansas: Black | 163 | 11.7 | 0.93 | 1.33 | 0.13 | 190 | 9.7 | 0.74 | 1.13 | 0.11 | |
| USA, California | 12717 | 8.2 | 0.08 | 0.99 | 0.01 | 12026 | 6.3 | 0.06 | 0.72 | 0.01 | |
| USA, California: White | 10199 | 8.5 | 0.09 | 1.03 | 0.01 | 9383 | 6.5 | 0.07 | 0.74 | 0.01 | |
| USA, California: Black | 941 | 10.6 | 0.35 | 1.30 | 0.05 | 930 | 8.2 | 0.28 | 0.98 | 0.04 | |
| USA, California: Asian and Pacific Islander | 1503 | 6.3 | 0.17 | 0.72 | 0.02 | 1661 | 5.2 | 0.14 | 0.58 | 0.02 | |
| *USA, California, Los Angeles County | 3006 | 7.9 | 0.15 | 0.96 | 0.02 | 3048 | 6.3 | 0.12 | 0.73 | 0.02 | |
| *USA, California, Los Angeles County: White | 2183 | 8.0 | 0.18 | 0.98 | 0.03 | 2147 | 6.4 | 0.15 | 0.74 | 0.02 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 1400 | 8.7 | 0.25 | 1.06 | 0.04 | 1231 | 6.3 | 0.21 | 0.74 | 0.03 | |
| *USA, California, Los Angeles County: Hispanic White | 783 | 7.1 | 0.26 | 0.88 | 0.04 | 916 | 6.4 | 0.22 | 0.73 | 0.03 | |
| *USA, California, Los Angeles County: Black | 335 | 9.8 | 0.55 | 1.22 | 0.08 | 401 | 8.4 | 0.44 | 1.01 | 0.07 | |
| *USA, California, Los Angeles County: Chinese | 111 | 4.6 | 0.47 | 0.55 | 0.07 | 119 | 3.7 | 0.37 | 0.42 | 0.06 | |
| *USA, California, Los Angeles County: Filipino | 96 | 6.6 | 0.69 | 0.78 | 0.11 | 117 | 5.0 | 0.50 | 0.55 | 0.07 | |
| *USA, California, Los Angeles County: Korean | 83 | 8.5 | 1.01 | 0.90 | 0.13 | 80 | 5.3 | 0.64 | 0.59 | 0.09 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 443 | 6.4 | 0.32 | 0.73 | 0.05 | 481 | 5.0 | 0.25 | 0.56 | 0.04 | |
| *USA, California, San Francisco Bay Area | 1646 | 8.2 | 0.21 | 0.98 | 0.03 | 1603 | 6.4 | 0.18 | 0.73 | 0.03 | |
| *USA, California, San Francisco Bay Area: White | 1127 | 8.5 | 0.26 | 1.01 | 0.04 | 1032 | 6.4 | 0.22 | 0.73 | 0.03 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 958 | 8.7 | 0.29 | 1.02 | 0.04 | 831 | 6.2 | 0.25 | 0.70 | 0.03 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 169 | 8.3 | 0.66 | 1.00 | 0.11 | 201 | 7.4 | 0.56 | 0.83 | 0.08 | |
| *USA, California, San Francisco Bay Area: Black | 177 | 11.9 | 0.91 | 1.50 | 0.14 | 182 | 9.5 | 0.74 | 1.11 | 0.10 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 334 | 6.4 | 0.36 | 0.76 | 0.06 | 383 | 5.4 | 0.30 | 0.62 | 0.05 | |
| USA, Colorado | 1755 | 8.0 | 0.19 | 0.98 | 0.03 | 1475 | 5.7 | 0.16 | 0.65 | 0.02 | |
| USA, Colorado: White | 1651 | 8.1 | 0.20 | 0.99 | 0.03 | 1381 | 5.8 | 0.17 | 0.66 | 0.02 | |
| *USA, Colorado: Black | 66 | 8.3 | 1.04 | 0.93 | 0.14 | 52 | 6.7 | 0.96 | 0.75 | 0.13 | |
| *USA, Colorado: Asian and Pacific Islander | 24 | 5.2 | 1.06 | 0.79 | 0.19 | 31 | 4.0 | 0.74 | 0.36 | 0.09 | |
| USA, Connecticut | 1583 | 9.6 | 0.25 | 1.18 | 0.04 | 1552 | 7.2 | 0.21 | 0.81 | 0.03 | |
| USA, Connecticut: White | 1419 | 9.5 | 0.26 | 1.16 | 0.04 | 1375 | 7.1 | 0.22 | 0.80 | 0.03 | |
| USA, Connecticut: Black | 122 | 10.5 | 0.96 | 1.42 | 0.15 | 141 | 8.3 | 0.72 | 0.97 | 0.11 | |
| USA, District of Columbia | 256 | 11.8 | 0.75 | 1.49 | 0.11 | 259 | 8.8 | 0.59 | 1.02 | 0.08 | |
| USA, District of Columbia: White | 73 | 7.1 | 0.86 | 0.72 | 0.13 | 72 | 6.6 | 0.84 | 0.73 | 0.12 | |
| USA, District of Columbia: Black | 172 | 15.2 | 1.18 | 2.04 | 0.18 | 180 | 10.2 | 0.83 | 1.20 | 0.11 | |
| USA, Florida | 9613 | 9.2 | 0.10 | 1.11 | 0.01 | 8617 | 6.7 | 0.08 | 0.78 | 0.01 | |
| USA, Florida: White | 8445 | 9.2 | 0.11 | 1.11 | 0.02 | 7286 | 6.5 | 0.09 | 0.75 | 0.01 | |
| USA, Florida: Black | 937 | 9.1 | 0.30 | 1.12 | 0.04 | 1115 | 8.1 | 0.25 | 0.93 | 0.04 | |
| USA, Florida: Asian and Pacific Islander | 87 | 4.2 | 0.46 | 0.53 | 0.07 | 107 | 3.8 | 0.38 | 0.46 | 0.05 | |
| USA, Georgia | 3559 | 9.4 | 0.16 | 1.16 | 0.02 | 3395 | 7.1 | 0.13 | 0.83 | 0.02 | |
| USA, Georgia: White | 2530 | 9.0 | 0.18 | 1.11 | 0.03 | 2216 | 6.5 | 0.15 | 0.76 | 0.02 | |
| USA, Georgia: Black | 953 | 10.8 | 0.35 | 1.35 | 0.05 | 1123 | 8.9 | 0.27 | 1.05 | 0.04 | |
| USA, Georgia: Asian and Pacific Islander | 73 | 6.2 | 0.73 | 0.61 | 0.09 | 55 | 4.0 | 0.55 | 0.46 | 0.08 | |
| *USA, Georgia, Atlanta | 1053 | 9.1 | 0.28 | 1.12 | 0.04 | 1060 | 7.1 | 0.22 | 0.83 | 0.03 | |
| *USA, Georgia, Atlanta: White | 608 | 8.5 | 0.35 | 1.07 | 0.06 | 551 | 6.5 | 0.29 | 0.79 | 0.04 | |
| *USA, Georgia, Atlanta: Black | 387 | 10.6 | 0.55 | 1.29 | 0.08 | 470 | 8.6 | 0.40 | 0.94 | 0.06 | |
| USA, Idaho | 709 | 9.6 | 0.38 | 1.14 | 0.05 | 599 | 7.2 | 0.32 | 0.83 | 0.05 | |
| USA, Indiana | 2722 | 9.8 | 0.19 | 1.20 | 0.03 | 2466 | 7.3 | 0.16 | 0.86 | 0.02 | |
| USA, Indiana: White | 2500 | 9.8 | 0.20 | 1.20 | 0.03 | 2217 | 7.1 | 0.17 | 0.85 | 0.02 | |
| USA, Indiana: Black | 204 | 11.5 | 0.81 | 1.36 | 0.12 | 234 | 9.8 | 0.66 | 1.15 | 0.09 | |
| *USA, Iowa | 1388 | 9.7 | 0.28 | 1.14 | 0.04 | 1289 | 7.1 | 0.23 | 0.85 | 0.03 | |
| USA, Kentucky | 1858 | 9.7 | 0.23 | 1.17 | 0.03 | 1745 | 7.4 | 0.19 | 0.86 | 0.03 | |
| USA, Louisiana | 1923 | 10.2 | 0.24 | 1.23 | 0.03 | 1811 | 7.7 | 0.19 | 0.90 | 0.03 | |
| USA, Louisiana: White | 1368 | 9.7 | 0.27 | 1.17 | 0.04 | 1209 | 7.2 | 0.23 | 0.84 | 0.03 | |
| USA, Louisiana: Black | 539 | 11.8 | 0.51 | 1.41 | 0.07 | 582 | 9.2 | 0.40 | 1.07 | 0.06 | |
| *USA, Louisiana, New Orleans | 344 | 10.0 | 0.55 | 1.29 | 0.08 | 338 | 7.5 | 0.44 | 0.89 | 0.06 | |
| *USA, Louisiana, New Orleans: White | 205 | 9.2 | 0.67 | 1.19 | 0.10 | 188 | 7.2 | 0.59 | 0.90 | 0.08 | |
| *USA, Louisiana, New Orleans: Black | 129 | 11.3 | 1.01 | 1.46 | 0.15 | 141 | 8.3 | 0.73 | 0.87 | 0.10 | |
| USA, Maine | 634 | 9.0 | 0.38 | 1.09 | 0.05 | 608 | 7.1 | 0.32 | 0.87 | 0.05 | |
| USA, Maryland | 2370 | 9.6 | 0.20 | 1.15 | 0.03 | 2265 | 7.3 | 0.16 | 0.85 | 0.02 | |
| USA, Maryland: White | 1627 | 9.3 | 0.24 | 1.12 | 0.04 | 1436 | 6.9 | 0.20 | 0.80 | 0.03 | |
| USA, Maryland: Black | 647 | 11.0 | 0.44 | 1.34 | 0.06 | 745 | 8.9 | 0.33 | 1.05 | 0.05 | |
| USA, Maryland: Asian and Pacific Islander | 86 | 6.2 | 0.68 | 0.71 | 0.10 | 78 | 4.5 | 0.53 | 0.46 | 0.07 | |
| USA, Massachusetts | 2796 | 9.3 | 0.18 | 1.11 | 0.03 | 2800 | 7.2 | 0.15 | 0.85 | 0.02 | |
| USA, Massachusetts: White | 2532 | 9.3 | 0.19 | 1.12 | 0.03 | 2523 | 7.1 | 0.16 | 0.85 | 0.02 | |
| USA, Massachusetts: Black | 166 | 10.1 | 0.79 | 1.16 | 0.11 | 173 | 8.0 | 0.63 | 0.97 | 0.10 | |
| USA, Massachusetts: Asian and Pacific Islander | 71 | 5.8 | 0.70 | 0.68 | 0.10 | 76 | 5.0 | 0.59 | 0.57 | 0.09 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Pancreas (C25) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 4373 | 9.7 | 0.15 | 1.17 | 0.02 | 4123 | 7.3 | 0.12 | 0.85 | 0.02 |
| USA, Michigan: White | 3709 | 9.3 | 0.16 | 1.13 | 0.02 | 3397 | 6.9 | 0.13 | 0.81 | 0.02 |
| USA, Michigan: Black | 597 | 13.3 | 0.55 | 1.64 | 0.08 | 647 | 10.1 | 0.41 | 1.17 | 0.06 |
| USA, Michigan: Asian and Pacific Islander | 37 | 4.2 | 0.69 | 0.44 | 0.10 | 39 | 3.6 | 0.58 | 0.31 | 0.07 |
| *USA, Michigan, Detroit | 1814 | 10.8 | 0.26 | 1.33 | 0.04 | 1847 | 8.4 | 0.21 | 0.97 | 0.03 |
| *USA, Michigan, Detroit: White | 1342 | 10.3 | 0.29 | 1.25 | 0.04 | 1299 | 7.7 | 0.24 | 0.89 | 0.03 |
| *USA, Michigan, Detroit: Black | 443 | 14.1 | 0.68 | 1.78 | 0.10 | 508 | 10.8 | 0.50 | 1.27 | 0.07 |
| USA, Minnesota | 2227 | 9.2 | 0.20 | 1.09 | 0.03 | 2055 | 7.0 | 0.17 | 0.83 | 0.03 |
| USA, Minnesota: White | 2099 | 9.2 | 0.21 | 1.09 | 0.03 | 1920 | 6.9 | 0.18 | 0.82 | 0.03 |
| USA, Minnesota: Black | 73 | 11.5 | 1.39 | 1.31 | 0.20 | 75 | 10.3 | 1.21 | 1.23 | 0.18 |
| *USA, Minnesota: Asian and Pacific Islander | 36 | 6.9 | 1.17 | 0.81 | 0.18 | 31 | 4.7 | 0.86 | 0.52 | 0.13 |
| USA, Mississippi | 1325 | 10.9 | 0.31 | 1.30 | 0.04 | 1185 | 7.5 | 0.24 | 0.87 | 0.03 |
| USA, Missouri | 2512 | 9.4 | 0.19 | 1.13 | 0.03 | 2238 | 6.7 | 0.16 | 0.79 | 0.02 |
| USA, Missouri: White | 2169 | 8.9 | 0.20 | 1.07 | 0.03 | 1907 | 6.3 | 0.16 | 0.74 | 0.02 |
| USA, Missouri: Black | 320 | 15.0 | 0.85 | 1.86 | 0.13 | 311 | 10.4 | 0.62 | 1.23 | 0.09 |
| USA, Montana | 437 | 8.3 | 0.42 | 1.00 | 0.06 | 394 | 6.7 | 0.37 | 0.77 | 0.05 |
| *USA, Montana: American Indian | 16 | 8.7 | 2.19 | 1.07 | 0.32 | 14 | 6.7 | 1.81 | 0.73 | 0.26 |
| USA, Nebraska | 745 | 9.3 | 0.36 | 1.12 | 0.05 | 670 | 6.6 | 0.29 | 0.73 | 0.04 |
| USA, Nebraska: White | 705 | 9.3 | 0.37 | 1.10 | 0.05 | 633 | 6.6 | 0.30 | 0.71 | 0.04 |
| *USA, Nebraska: Black | 35 | 15.9 | 2.72 | 2.44 | 0.51 | 27 | 9.5 | 1.88 | 1.01 | 0.26 |
| USA, Nevada | 988 | 8.0 | 0.26 | 0.97 | 0.04 | 963 | 6.9 | 0.23 | 0.80 | 0.03 |
| USA, Nevada: White | 850 | 8.1 | 0.29 | 0.99 | 0.04 | 804 | 7.1 | 0.27 | 0.83 | 0.04 |
| USA, Nevada: Black | 78 | 9.2 | 1.05 | 1.23 | 0.16 | 83 | 8.3 | 0.93 | 1.03 | 0.14 |
| *USA, Nevada: Asian and Pacific Islander | 48 | 4.8 | 0.71 | 0.54 | 0.09 | 64 | 4.1 | 0.53 | 0.43 | 0.07 |
| USA, New Jersey | 3851 | 9.9 | 0.17 | 1.18 | 0.02 | 3951 | 7.7 | 0.14 | 0.88 | 0.02 |
| USA, New Jersey: White | 3247 | 10.2 | 0.19 | 1.22 | 0.03 | 3255 | 7.8 | 0.16 | 0.90 | 0.02 |
| USA, New Jersey: Black | 442 | 10.7 | 0.52 | 1.33 | 0.08 | 544 | 8.9 | 0.40 | 1.02 | 0.06 |
| USA, New Mexico | 769 | 8.1 | 0.31 | 0.99 | 0.04 | 690 | 6.1 | 0.25 | 0.70 | 0.04 |
| USA, New Mexico: White | 695 | 8.3 | 0.33 | 1.01 | 0.05 | 629 | 6.3 | 0.28 | 0.73 | 0.04 |
| USA, New Mexico: Non-Hispanic White | 415 | 7.8 | 0.42 | 0.96 | 0.06 | 369 | 5.9 | 0.35 | 0.67 | 0.05 |
| USA, New Mexico: Hispanic White | 280 | 9.1 | 0.56 | 1.11 | 0.08 | 260 | 6.9 | 0.45 | 0.81 | 0.07 |
| *USA, New Mexico: American Indian | 44 | 6.8 | 1.04 | 0.73 | 0.16 | 35 | 3.9 | 0.68 | 0.39 | 0.09 |
| USA, New York State | 8465 | 10.0 | 0.11 | 1.20 | 0.02 | 8480 | 7.5 | 0.09 | 0.88 | 0.01 |
| USA, New York State: White | 6839 | 10.2 | 0.13 | 1.22 | 0.02 | 6588 | 7.6 | 0.11 | 0.89 | 0.02 |
| USA, New York State: Black | 1192 | 10.8 | 0.32 | 1.31 | 0.05 | 1457 | 8.5 | 0.24 | 0.99 | 0.03 |
| USA, New York State: Asian and Pacific Islander | 406 | 6.5 | 0.33 | 0.76 | 0.05 | 413 | 5.5 | 0.28 | 0.62 | 0.04 |
| USA, North Carolina | 3971 | 9.4 | 0.15 | 1.12 | 0.02 | 3796 | 7.1 | 0.13 | 0.84 | 0.02 |
| USA, North Carolina: White | 3062 | 9.0 | 0.17 | 1.08 | 0.02 | 2776 | 6.7 | 0.14 | 0.80 | 0.02 |
| USA, North Carolina: Black | 833 | 11.7 | 0.41 | 1.38 | 0.06 | 946 | 9.2 | 0.31 | 1.07 | 0.05 |
| USA, North Carolina: Asian and Pacific Islander | 34 | 4.7 | 0.83 | 0.58 | 0.12 | 42 | 4.7 | 0.74 | 0.41 | 0.10 |
| *USA, North Carolina: American Indian | 35 | 7.4 | 1.27 | 0.66 | 0.13 | 22 | 3.9 | 0.85 | 0.48 | 0.13 |
| USA, North Dakota | 275 | 8.6 | 0.55 | 1.08 | 0.08 | 240 | 6.5 | 0.47 | 0.79 | 0.07 |
| USA, Ohio | 4799 | 9.2 | 0.14 | 1.12 | 0.02 | 4745 | 7.2 | 0.12 | 0.86 | 0.02 |
| USA, Ohio: White | 4243 | 9.1 | 0.15 | 1.10 | 0.02 | 4100 | 7.0 | 0.12 | 0.84 | 0.02 |
| USA, Ohio: Black | 517 | 11.1 | 0.50 | 1.38 | 0.08 | 604 | 9.1 | 0.39 | 1.08 | 0.06 |
| *USA, Ohio: Asian and Pacific Islander | 35 | 5.1 | 0.87 | 0.56 | 0.12 | 33 | 3.7 | 0.65 | 0.38 | 0.09 |
| USA, Oklahoma | 1292 | 7.9 | 0.23 | 0.93 | 0.03 | 1299 | 6.5 | 0.20 | 0.76 | 0.03 |
| USA, Oklahoma: White | 1089 | 7.6 | 0.24 | 0.90 | 0.03 | 1083 | 6.2 | 0.21 | 0.73 | 0.03 |
| USA, Oklahoma: Black | 90 | 9.9 | 1.06 | 1.13 | 0.14 | 97 | 8.4 | 0.88 | 0.97 | 0.13 |
| USA, Oklahoma: American Indian | 100 | 9.1 | 0.91 | 1.14 | 0.13 | 97 | 7.2 | 0.75 | 0.80 | 0.11 |
| USA, Oregon | 1784 | 9.5 | 0.23 | 1.16 | 0.03 | 1610 | 7.2 | 0.20 | 0.84 | 0.03 |
| USA, Oregon: White | 1669 | 9.5 | 0.24 | 1.15 | 0.03 | 1494 | 7.2 | 0.20 | 0.83 | 0.03 |
| *USA, Oregon: Black | 36 | 13.4 | 2.26 | 1.50 | 0.33 | 28 | 10.5 | 2.03 | 1.30 | 0.30 |
| *USA, Oregon: Asian and Pacific Islander | 44 | 7.3 | 1.11 | 0.74 | 0.15 | 62 | 7.5 | 0.98 | 0.79 | 0.14 |
| USA, Rhode Island | 465 | 9.7 | 0.47 | 1.14 | 0.07 | 410 | 6.5 | 0.36 | 0.75 | 0.05 |
| USA, Rhode Island: White | 429 | 9.7 | 0.49 | 1.13 | 0.07 | 385 | 6.6 | 0.38 | 0.77 | 0.05 |
| *USA, Rhode Island: Black | 29 | 12.7 | 2.40 | 1.72 | 0.39 | 19 | 6.9 | 1.66 | 0.77 | 0.22 |
| USA, South Carolina | 2143 | 9.8 | 0.22 | 1.18 | 0.03 | 1972 | 7.3 | 0.18 | 0.82 | 0.02 |
| USA, South Carolina: White | 1596 | 9.3 | 0.25 | 1.13 | 0.03 | 1358 | 6.6 | 0.20 | 0.76 | 0.03 |
| USA, South Carolina: Black | 529 | 11.7 | 0.51 | 1.39 | 0.07 | 601 | 9.5 | 0.40 | 1.03 | 0.05 |
| USA, South Dakota | 349 | 9.0 | 0.50 | 1.19 | 0.08 | 311 | 6.6 | 0.43 | 0.76 | 0.06 |
| USA, Tennessee | 2610 | 9.3 | 0.19 | 1.13 | 0.03 | 2409 | 6.9 | 0.15 | 0.81 | 0.02 |
| USA, Tennessee: White | 2212 | 9.0 | 0.20 | 1.10 | 0.03 | 1977 | 6.6 | 0.16 | 0.78 | 0.02 |
| USA, Tennessee: Black | 375 | 11.6 | 0.60 | 1.35 | 0.09 | 413 | 9.1 | 0.46 | 1.06 | 0.07 |
| USA, Texas | 8536 | 8.8 | 0.10 | 1.05 | 0.01 | 7950 | 6.7 | 0.08 | 0.79 | 0.01 |
| USA, Texas: White | 7278 | 8.7 | 0.10 | 1.05 | 0.02 | 6567 | 6.5 | 0.09 | 0.76 | 0.01 |
| USA, Texas: Black | 1000 | 10.6 | 0.34 | 1.27 | 0.05 | 1133 | 9.1 | 0.28 | 1.10 | 0.04 |
| USA, Texas: Asian and Pacific Islander | 222 | 5.8 | 0.39 | 0.69 | 0.06 | 217 | 4.7 | 0.32 | 0.55 | 0.05 |
| USA, Utah | 738 | 7.7 | 0.29 | 0.94 | 0.04 | 616 | 5.5 | 0.23 | 0.62 | 0.03 |
| USA, Vermont | 285 | 8.8 | 0.54 | 1.05 | 0.08 | 227 | 6.0 | 0.44 | 0.72 | 0.06 |
| USA, Washington State | 2697 | 8.7 | 0.17 | 1.03 | 0.03 | 2500 | 6.8 | 0.15 | 0.79 | 0.02 |
| *USA, Washington, Seattle | 1789 | 8.5 | 0.21 | 1.01 | 0.03 | 1742 | 6.9 | 0.18 | 0.78 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pancreas (C25) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 776 | 8.6 | 0.32 | 1.04 | 0.04 | 766 | 6.9 | 0.28 | 0.80 | 0.04 |
| USA, Wyoming | 213 | 8.2 | 0.58 | 1.00 | 0.08 | 160 | 5.3 | 0.44 | 0.63 | 0.07 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 48 | 4.1 | 0.60 | 0.49 | 0.10 | 37 | 2.9 | 0.49 | 0.33 | 0.08 |
| Brunei Darussalam | 21 | 2.6 | 0.58 | 0.27 | 0.09 | 34 | 3.9 | 0.69 | 0.50 | 0.12 |
| *China, Anfu County | 32 | 3.0 | 0.54 | 0.33 | 0.08 | 32 | 2.8 | 0.52 | 0.26 | 0.07 |
| *China, Anguo City | 26 | 1.9 | 0.38 | 0.21 | 0.05 | 20 | 1.5 | 0.34 | 0.23 | 0.06 |
| *China, Anshan City | 491 | 6.3 | 0.30 | 0.77 | 0.05 | 386 | 4.2 | 0.23 | 0.53 | 0.04 |
| *China, Aohan Banner, Chifeng City | 106 | 5.6 | 0.57 | 0.64 | 0.08 | 52 | 2.6 | 0.38 | 0.31 | 0.06 |
| *China, Arongqi | 75 | 8.5 | 1.00 | 1.04 | 0.15 | 64 | 8.0 | 1.03 | 1.10 | 0.17 |
| *China, Baoding City | 158 | 4.3 | 0.35 | 0.49 | 0.05 | 128 | 3.2 | 0.29 | 0.34 | 0.04 |
| *China, Beijing City | 2522 | 5.4 | 0.12 | 0.65 | 0.02 | 2174 | 4.1 | 0.10 | 0.49 | 0.02 |
| *China, Binhai County | 220 | 4.6 | 0.32 | 0.63 | 0.05 | 169 | 3.4 | 0.27 | 0.41 | 0.04 |
| *China, Cangzhou City | 84 | 5.1 | 0.58 | 0.48 | 0.07 | 58 | 3.4 | 0.46 | 0.45 | 0.07 |
| China, Changfeng County | 74 | 4.0 | 0.49 | 0.47 | 0.07 | 56 | 3.0 | 0.43 | 0.37 | 0.07 |
| China, Changzhou City | 811 | 7.9 | 0.28 | 0.96 | 0.04 | 672 | 5.5 | 0.22 | 0.62 | 0.03 |
| China, Chengdu City | 300 | 7.8 | 0.46 | 0.93 | 0.07 | 192 | 4.5 | 0.33 | 0.45 | 0.05 |
| China, Cixian County | 44 | 2.8 | 0.44 | 0.30 | 0.06 | 31 | 1.7 | 0.32 | 0.19 | 0.04 |
| China, Cixi City | 340 | 6.5 | 0.36 | 0.80 | 0.05 | 236 | 4.1 | 0.28 | 0.52 | 0.04 |
| *China, Dafeng District, Yancheng City | 241 | 6.6 | 0.45 | 0.77 | 0.06 | 219 | 5.1 | 0.36 | 0.57 | 0.05 |
| China, Dalian City | 1026 | 8.8 | 0.29 | 1.09 | 0.05 | 743 | 5.2 | 0.20 | 0.58 | 0.03 |
| *China, Dancheng County | 88 | 2.8 | 0.31 | 0.39 | 0.05 | 79 | 2.3 | 0.26 | 0.28 | 0.04 |
| China, Dangtu County | 79 | 5.9 | 0.69 | 0.80 | 0.11 | 54 | 3.8 | 0.54 | 0.40 | 0.07 |
| *China, Danyang City | 282 | 7.7 | 0.47 | 0.78 | 0.06 | 240 | 5.4 | 0.36 | 0.60 | 0.05 |
| *China, Dawukou District, Shizuishan City | 59 | 5.6 | 0.75 | 0.83 | 0.13 | 39 | 3.4 | 0.56 | 0.41 | 0.08 |
| *China, Dehui City | 145 | 4.9 | 0.41 | 0.56 | 0.06 | 105 | 3.6 | 0.36 | 0.43 | 0.05 |
| *China, Donggang County | 204 | 6.7 | 0.48 | 0.79 | 0.07 | 149 | 4.8 | 0.41 | 0.59 | 0.06 |
| *China, Dongguan City | 157 | 3.8 | 0.31 | 0.49 | 0.05 | 143 | 2.8 | 0.25 | 0.36 | 0.04 |
| China, Donghai County | 162 | 3.9 | 0.31 | 0.51 | 0.05 | 116 | 2.8 | 0.27 | 0.34 | 0.04 |
| *China, Dongtai City | 352 | 6.5 | 0.36 | 0.84 | 0.06 | 296 | 5.1 | 0.31 | 0.63 | 0.05 |
| China, Duanzhou District, Zhaoqing City | 48 | 3.7 | 0.55 | 0.47 | 0.08 | 57 | 4.4 | 0.60 | 0.54 | 0.09 |
| *China, Evenki Autonomous Banner | 22 | 8.5 | 1.94 | 1.35 | 0.34 | 21 | 7.1 | 1.58 | 0.92 | 0.25 |
| *China, Faku County | 103 | 5.0 | 0.50 | 0.67 | 0.08 | 75 | 3.6 | 0.44 | 0.49 | 0.07 |
| *China, Fangcheng County | 91 | 3.8 | 0.41 | 0.45 | 0.06 | 64 | 3.1 | 0.41 | 0.38 | 0.06 |
| *China, Feicheng City | 146 | 3.6 | 0.30 | 0.44 | 0.04 | 101 | 2.2 | 0.22 | 0.24 | 0.03 |
| China, Feixi County | 283 | 6.6 | 0.40 | 0.79 | 0.06 | 171 | 3.7 | 0.31 | 0.47 | 0.05 |
| China, Fuqing City | 74 | 2.6 | 0.31 | 0.32 | 0.05 | 58 | 2.0 | 0.28 | 0.25 | 0.05 |
| *China, Ganyu District, Lianyungang City | 198 | 4.3 | 0.32 | 0.55 | 0.05 | 109 | 2.4 | 0.24 | 0.29 | 0.03 |
| *China, Ganzhou District, Zhangye City | 50 | 5.7 | 0.94 | 0.57 | 0.10 | 29 | 3.4 | 0.71 | 0.40 | 0.09 |
| *China, Gaocheng City | 65 | 2.8 | 0.34 | 0.35 | 0.05 | 49 | 1.8 | 0.26 | 0.21 | 0.04 |
| China, Gaomi City | 103 | 3.3 | 0.33 | 0.38 | 0.05 | 110 | 3.3 | 0.32 | 0.44 | 0.05 |
| China, Gong'an County | 157 | 4.8 | 0.39 | 0.68 | 0.06 | 110 | 3.1 | 0.30 | 0.37 | 0.04 |
| *China, Guang'an District, Guang'an City | 103 | 5.1 | 0.51 | 0.65 | 0.08 | 60 | 3.0 | 0.40 | 0.34 | 0.06 |
| China, Guanghan City | 97 | 5.6 | 0.59 | 0.65 | 0.08 | 49 | 2.4 | 0.35 | 0.30 | 0.06 |
| China, Guangzhou City | 1192 | 3.7 | 0.11 | 0.42 | 0.02 | 1081 | 2.8 | 0.09 | 0.33 | 0.01 |
| *China, Guanyun County | 184 | 5.0 | 0.37 | 0.59 | 0.05 | 140 | 3.9 | 0.34 | 0.49 | 0.05 |
| China, Guilin City | 130 | 5.8 | 0.52 | 0.65 | 0.07 | 84 | 3.4 | 0.38 | 0.38 | 0.05 |
| *China, Hai'an City | 369 | 6.1 | 0.33 | 0.73 | 0.05 | 284 | 4.4 | 0.31 | 0.47 | 0.04 |
| China, Hailar District, Hulun Buir City | 106 | 9.5 | 0.98 | 1.21 | 0.15 | 76 | 6.2 | 0.74 | 0.76 | 0.11 |
| China, Haimen District, Nantong City | 405 | 7.3 | 0.38 | 0.82 | 0.05 | 381 | 6.2 | 0.36 | 0.72 | 0.05 |
| China, Haining City | 288 | 8.1 | 0.49 | 1.02 | 0.08 | 240 | 5.6 | 0.38 | 0.61 | 0.06 |
| China, Hangzhou City | 2343 | 6.8 | 0.14 | 0.81 | 0.02 | 1790 | 4.7 | 0.12 | 0.53 | 0.02 |
| China, Hebi City | 58 | 4.5 | 0.60 | 0.53 | 0.10 | 56 | 4.1 | 0.55 | 0.53 | 0.09 |
| China, Hefei City | 627 | 7.2 | 0.30 | 0.83 | 0.04 | 427 | 4.6 | 0.23 | 0.51 | 0.03 |
| China, Hengdong County | 32 | 2.0 | 0.35 | 0.24 | 0.05 | 26 | 1.6 | 0.33 | 0.21 | 0.05 |
| *China, Hengfeng County | 15 | 2.5 | 0.66 | 0.22 | 0.07 | 14 | 2.3 | 0.61 | 0.25 | 0.08 |
| *China, Hepu County | 88 | 3.0 | 0.32 | 0.39 | 0.05 | 47 | 1.5 | 0.23 | 0.18 | 0.04 |
| China, Honghu City | 143 | 4.8 | 0.41 | 0.66 | 0.07 | 102 | 3.2 | 0.33 | 0.39 | 0.05 |
| China, Hongshan District, Chifeng City | 101 | 8.0 | 0.84 | 0.93 | 0.12 | 67 | 4.4 | 0.56 | 0.53 | 0.08 |
| *China, Hongta District, Yuxi City | 81 | 4.7 | 0.54 | 0.56 | 0.08 | 52 | 2.9 | 0.41 | 0.35 | 0.06 |
| *China, Huaiyin District, Huai'an City | 139 | 3.6 | 0.32 | 0.47 | 0.05 | 115 | 2.9 | 0.29 | 0.33 | 0.04 |
| *China, Jiange County | 77 | 4.6 | 0.54 | 0.55 | 0.08 | 49 | 2.8 | 0.41 | 0.32 | 0.06 |
| China, Jiangmen City | 90 | 3.6 | 0.39 | 0.40 | 0.06 | 67 | 2.3 | 0.29 | 0.24 | 0.04 |
| *China, Jiangyin City | 431 | 7.1 | 0.35 | 0.83 | 0.05 | 378 | 5.2 | 0.28 | 0.61 | 0.04 |
| *China, Jiashan County | 235 | 10.6 | 0.72 | 1.20 | 0.10 | 150 | 6.1 | 0.52 | 0.65 | 0.07 |
| China, Jiayu County | 25 | 3.2 | 0.65 | 0.47 | 0.10 | 14 | 1.6 | 0.45 | 0.20 | 0.07 |
| *China, Jinan City | 446 | 4.7 | 0.22 | 0.53 | 0.03 | 349 | 3.0 | 0.17 | 0.37 | 0.03 |
| *China, Jingtai County | 61 | 9.0 | 1.17 | 1.09 | 0.16 | 42 | 5.9 | 0.92 | 0.64 | 0.12 |
| *China, Jingxian County | 75 | 5.3 | 0.64 | 0.71 | 0.10 | 52 | 4.2 | 0.62 | 0.49 | 0.09 |
| *China, Jintan District, Changzhou City | 190 | 7.8 | 0.58 | 0.89 | 0.09 | 144 | 5.4 | 0.47 | 0.60 | 0.07 |
| *China, Jiulongpo District, Chongqing City | 239 | 6.9 | 0.46 | 0.84 | 0.07 | 142 | 3.6 | 0.32 | 0.40 | 0.05 |
| *China, Jiyuan City | 103 | 6.1 | 0.62 | 0.65 | 0.08 | 74 | 4.1 | 0.48 | 0.49 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pancreas (C25) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 91 | 7.5 | 0.83 | 0.86 | 0.12 | 55 | 4.3 | 0.61 | 0.57 | 0.10 |
| China, Kunshan City | 331 | 9.4 | 0.53 | 1.12 | 0.08 | 263 | 6.1 | 0.42 | 0.66 | 0.06 |
| China, Langzhong City | 86 | 4.5 | 0.50 | 0.49 | 0.07 | 50 | 2.7 | 0.39 | 0.28 | 0.05 |
| *China, Liangshan County | 118 | 3.9 | 0.37 | 0.49 | 0.05 | 69 | 2.1 | 0.26 | 0.28 | 0.04 |
| *China, Lianshui County | 135 | 3.1 | 0.27 | 0.43 | 0.04 | 116 | 2.6 | 0.26 | 0.32 | 0.04 |
| China, Lianyungang City | 254 | 6.3 | 0.40 | 0.76 | 0.06 | 130 | 2.9 | 0.26 | 0.34 | 0.04 |
| China, Linhe District, Bayannur City | 97 | 7.2 | 0.76 | 0.96 | 0.12 | 46 | 3.3 | 0.51 | 0.43 | 0.08 |
| China, Linqu County | 191 | 5.2 | 0.38 | 0.60 | 0.06 | 147 | 3.6 | 0.31 | 0.39 | 0.04 |
| *China, Linzhou City | 75 | 2.1 | 0.25 | 0.27 | 0.04 | 72 | 1.8 | 0.21 | 0.19 | 0.03 |
| China, Liuzhou City | 151 | 4.0 | 0.33 | 0.42 | 0.04 | 104 | 2.6 | 0.26 | 0.29 | 0.04 |
| China, Liyang City | 265 | 6.2 | 0.39 | 0.76 | 0.06 | 175 | 3.7 | 0.29 | 0.47 | 0.05 |
| *China, Longquan City | 47 | 4.1 | 0.63 | 0.48 | 0.10 | 22 | 2.2 | 0.51 | 0.27 | 0.08 |
| China, Lucheng District, Wenzhou City | 104 | 5.1 | 0.51 | 0.65 | 0.08 | 79 | 3.2 | 0.38 | 0.34 | 0.06 |
| China, Luoding City | 32 | 1.3 | 0.23 | 0.14 | 0.03 | 23 | 1.0 | 0.22 | 0.12 | 0.03 |
| *China, Luohe City | 140 | 3.8 | 0.33 | 0.44 | 0.05 | 104 | 2.4 | 0.24 | 0.26 | 0.03 |
| *China, Luoyang City | 222 | 5.2 | 0.37 | 0.57 | 0.05 | 173 | 3.6 | 0.29 | 0.43 | 0.04 |
| *China, Luquan City | 47 | 4.0 | 0.59 | 0.44 | 0.08 | 22 | 1.6 | 0.35 | 0.20 | 0.05 |
| China, Ma'anshan City | 225 | 10.4 | 0.72 | 1.11 | 0.09 | 134 | 5.4 | 0.48 | 0.58 | 0.07 |
| *China, Macheng City | 96 | 3.9 | 0.40 | 0.51 | 0.06 | 52 | 2.2 | 0.31 | 0.29 | 0.05 |
| China, Meihekou City | 129 | 5.5 | 0.50 | 0.68 | 0.08 | 87 | 3.8 | 0.42 | 0.46 | 0.07 |
| *China, Mengjin County | 46 | 4.1 | 0.62 | 0.50 | 0.09 | 33 | 2.8 | 0.52 | 0.29 | 0.07 |
| China, Nangang District, Harbin City | 220 | 5.2 | 0.36 | 0.65 | 0.06 | 165 | 3.4 | 0.28 | 0.46 | 0.05 |
| *China, Nanghai District, Foshan City | 133 | 4.6 | 0.41 | 0.53 | 0.06 | 116 | 3.2 | 0.31 | 0.36 | 0.04 |
| China, Nanhu District, Jiaying City | 261 | 9.4 | 0.60 | 1.10 | 0.09 | 227 | 7.3 | 0.51 | 0.84 | 0.08 |
| *China, Nantong City | 439 | 7.2 | 0.36 | 0.86 | 0.05 | 396 | 5.6 | 0.31 | 0.64 | 0.05 |
| *China, Nanxiong City | 45 | 3.1 | 0.47 | 0.33 | 0.06 | 33 | 1.9 | 0.34 | 0.25 | 0.05 |
| China, Neixiang County | 61 | 2.5 | 0.32 | 0.31 | 0.05 | 41 | 1.7 | 0.28 | 0.20 | 0.04 |
| *China, Qianxi County | 66 | 4.8 | 0.60 | 0.63 | 0.10 | 24 | 1.7 | 0.36 | 0.15 | 0.05 |
| China, Qidong City | 593 | 8.4 | 0.36 | 0.93 | 0.05 | 498 | 5.8 | 0.28 | 0.64 | 0.04 |
| China, Qingzhou City | 142 | 4.2 | 0.35 | 0.49 | 0.05 | 113 | 2.8 | 0.28 | 0.32 | 0.04 |
| *China, Rudong County | 488 | 6.9 | 0.33 | 0.82 | 0.05 | 408 | 5.6 | 0.31 | 0.66 | 0.04 |
| *China, Rugao City | 510 | 6.4 | 0.30 | 0.77 | 0.04 | 429 | 4.7 | 0.25 | 0.52 | 0.04 |
| *China, Rural areas of Shanghai City | 4257 | 8.4 | 0.13 | 0.97 | 0.02 | 3492 | 5.7 | 0.11 | 0.61 | 0.02 |
| China, Ruyang County | 28 | 2.2 | 0.43 | 0.21 | 0.06 | 31 | 2.5 | 0.48 | 0.32 | 0.07 |
| *China, Shan County | 131 | 5.3 | 0.48 | 0.66 | 0.07 | 95 | 2.9 | 0.33 | 0.32 | 0.05 |
| China, Shanghai City | 3338 | 8.2 | 0.16 | 0.93 | 0.02 | 2965 | 6.0 | 0.13 | 0.67 | 0.02 |
| China, Shangyu District, Shaoxing City | 332 | 9.0 | 0.51 | 1.06 | 0.08 | 209 | 5.2 | 0.37 | 0.62 | 0.06 |
| *China, Shapingba District, Chongqing City | 164 | 4.7 | 0.38 | 0.55 | 0.05 | 127 | 3.4 | 0.32 | 0.42 | 0.05 |
| China, Shexian County | 43 | 3.2 | 0.50 | 0.40 | 0.08 | 21 | 1.5 | 0.33 | 0.16 | 0.04 |
| China, Sheyang County | 294 | 6.6 | 0.39 | 0.88 | 0.06 | 232 | 5.1 | 0.35 | 0.61 | 0.05 |
| *China, Shijiazhuang City | 210 | 3.8 | 0.27 | 0.42 | 0.04 | 189 | 3.1 | 0.24 | 0.38 | 0.04 |
| China, Shunde District, Foshan City | 149 | 4.3 | 0.35 | 0.52 | 0.05 | 123 | 2.7 | 0.25 | 0.33 | 0.04 |
| *China, Song County | 36 | 2.3 | 0.39 | 0.31 | 0.06 | 22 | 1.3 | 0.29 | 0.16 | 0.05 |
| China, Suzhou City | 1421 | 8.3 | 0.23 | 0.97 | 0.03 | 1121 | 5.6 | 0.18 | 0.63 | 0.03 |
| *China, Tengzhou City | 179 | 3.2 | 0.24 | 0.40 | 0.04 | 151 | 2.5 | 0.21 | 0.33 | 0.03 |
| *China, Wangdu County | 15 | 2.1 | 0.56 | 0.25 | 0.08 | 10 | 1.6 | 0.50 | 0.23 | 0.08 |
| *China, Wanxian County | 44 | 3.9 | 0.60 | 0.40 | 0.08 | 39 | 3.0 | 0.50 | 0.31 | 0.07 |
| *China, Wu'an City | 49 | 2.2 | 0.32 | 0.29 | 0.05 | 47 | 1.9 | 0.29 | 0.26 | 0.05 |
| China, Wuhan City | 1154 | 5.1 | 0.15 | 0.60 | 0.02 | 979 | 3.8 | 0.13 | 0.42 | 0.02 |
| *China, Wuhu City | 296 | 5.4 | 0.33 | 0.65 | 0.05 | 187 | 3.1 | 0.24 | 0.36 | 0.04 |
| China, Wuxi City | 922 | 7.1 | 0.24 | 0.82 | 0.03 | 677 | 4.6 | 0.19 | 0.51 | 0.03 |
| China, Wuzhou City | 40 | 2.1 | 0.34 | 0.29 | 0.05 | 43 | 1.9 | 0.31 | 0.19 | 0.04 |
| China, Xiangfu District, Kaifeng City | 87 | 4.4 | 0.49 | 0.53 | 0.07 | 74 | 3.5 | 0.43 | 0.45 | 0.06 |
| China, Xianju County | 88 | 4.2 | 0.46 | 0.49 | 0.07 | 67 | 3.1 | 0.40 | 0.34 | 0.06 |
| *China, Xin'an County | 47 | 4.2 | 0.62 | 0.47 | 0.09 | 25 | 2.4 | 0.52 | 0.27 | 0.06 |
| *China, Xining City | 186 | 8.8 | 0.70 | 0.88 | 0.08 | 136 | 5.7 | 0.52 | 0.51 | 0.06 |
| *China, Xinji City | 66 | 2.4 | 0.30 | 0.31 | 0.05 | 60 | 2.0 | 0.26 | 0.25 | 0.04 |
| *China, Xinluo District, Longyan City | 45 | 3.5 | 0.53 | 0.41 | 0.08 | 23 | 1.8 | 0.40 | 0.25 | 0.07 |
| *China, Xinzhou District, Shangrao City | 53 | 3.6 | 0.51 | 0.39 | 0.07 | 45 | 3.3 | 0.52 | 0.46 | 0.08 |
| China, Xiping County | 116 | 4.8 | 0.47 | 0.57 | 0.06 | 92 | 3.2 | 0.34 | 0.35 | 0.05 |
| *China, Xishan District, Kunming City | 72 | 4.1 | 0.50 | 0.50 | 0.07 | 56 | 3.0 | 0.42 | 0.34 | 0.06 |
| *China, Xuyi County | 135 | 5.2 | 0.45 | 0.60 | 0.07 | 96 | 3.5 | 0.38 | 0.42 | 0.06 |
| *China, Ya'an City | 287 | 5.3 | 0.32 | 0.61 | 0.05 | 236 | 4.4 | 0.29 | 0.54 | 0.04 |
| *China, Yakeshi City | 125 | 8.3 | 0.81 | 1.03 | 0.12 | 85 | 4.8 | 0.56 | 0.60 | 0.08 |
| China, Yancheng City | 406 | 6.8 | 0.34 | 0.80 | 0.05 | 324 | 5.1 | 0.29 | 0.61 | 0.04 |
| *China, Yangquan City | 105 | 4.6 | 0.47 | 0.52 | 0.07 | 67 | 3.0 | 0.38 | 0.33 | 0.05 |
| *China, Yangzhong City | 54 | 3.7 | 0.52 | 0.42 | 0.07 | 58 | 3.1 | 0.44 | 0.28 | 0.06 |
| *China, Yanji City | 145 | 6.9 | 0.58 | 0.79 | 0.09 | 125 | 5.0 | 0.45 | 0.58 | 0.07 |
| *China, Yanshi City | 67 | 2.8 | 0.35 | 0.32 | 0.05 | 53 | 1.9 | 0.28 | 0.22 | 0.04 |
| China, Yanting County | 34 | 1.9 | 0.33 | 0.17 | 0.04 | 29 | 1.4 | 0.26 | 0.18 | 0.04 |
| *China, Yi'an District, Tongling City | 56 | 5.6 | 0.76 | 0.66 | 0.11 | 41 | 4.1 | 0.65 | 0.55 | 0.10 |
| *China, Yingdong District, Fuyang City | 69 | 3.0 | 0.37 | 0.32 | 0.05 | 51 | 2.2 | 0.32 | 0.27 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Pancreas (C25) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 79 | 7.8 | 0.90 | 0.79 | 0.12 | 72 | 6.6 | 0.80 | 0.80 | 0.13 |
| *China, Yiyuan County | 103 | 5.2 | 0.52 | 0.62 | 0.08 | 52 | 2.4 | 0.36 | 0.24 | 0.05 |
| China, Yong'an City | 47 | 3.5 | 0.53 | 0.43 | 0.08 | 20 | 1.6 | 0.36 | 0.23 | 0.06 |
| *China, Yongding District, Longyan City | 42 | 2.7 | 0.42 | 0.39 | 0.07 | 31 | 1.7 | 0.32 | 0.21 | 0.05 |
| China, Yongkang City | 114 | 4.5 | 0.43 | 0.51 | 0.06 | 101 | 3.6 | 0.38 | 0.43 | 0.06 |
| *China, Yucheng County | 58 | 2.9 | 0.39 | 0.42 | 0.06 | 49 | 2.2 | 0.33 | 0.24 | 0.04 |
| China, Yueyanglou District, Yueyang City | 54 | 5.0 | 0.69 | 0.63 | 0.10 | 35 | 3.3 | 0.57 | 0.43 | 0.09 |
| China, Yunmeng County | 87 | 5.4 | 0.61 | 0.74 | 0.09 | 61 | 3.7 | 0.50 | 0.41 | 0.06 |
| *China, Yunyang District, Shiyuan City | 14 | 1.3 | 0.35 | 0.18 | 0.06 | 9 | 1.0 | 0.35 | 0.17 | 0.06 |
| China, Yuzhong District, Chongqing City | 150 | 6.7 | 0.58 | 0.82 | 0.09 | 105 | 3.5 | 0.39 | 0.36 | 0.06 |
| *China, Zhanhuang County | 22 | 2.5 | 0.54 | 0.32 | 0.08 | 18 | 2.1 | 0.50 | 0.24 | 0.07 |
| *China, Zhangjiagang City | 392 | 8.0 | 0.41 | 0.90 | 0.06 | 325 | 5.5 | 0.32 | 0.62 | 0.05 |
| *China, Zhaoyuan City | 190 | 6.4 | 0.48 | 0.70 | 0.07 | 132 | 3.8 | 0.36 | 0.43 | 0.05 |
| *China, Zhengding County | 32 | 2.4 | 0.43 | 0.29 | 0.06 | 33 | 2.1 | 0.37 | 0.20 | 0.05 |
| *China, Zhongshan City | 230 | 4.3 | 0.29 | 0.48 | 0.04 | 160 | 2.5 | 0.21 | 0.30 | 0.03 |
| China, Zhongxiang City | 141 | 4.3 | 0.37 | 0.58 | 0.06 | 115 | 3.3 | 0.31 | 0.41 | 0.05 |
| *China, Zhuanghe City | 269 | 5.7 | 0.36 | 0.66 | 0.05 | 172 | 3.7 | 0.30 | 0.48 | 0.05 |
| *China, Zhuhai City | 135 | 3.9 | 0.34 | 0.49 | 0.05 | 99 | 2.8 | 0.28 | 0.30 | 0.04 |
| India, Ahmedabad, Urban | 121 | 1.1 | 0.10 | 0.14 | 0.01 | 62 | 0.6 | 0.07 | 0.07 | 0.01 |
| India, Aurangabad | 14 | 0.5 | 0.13 | 0.05 | 0.02 | 11 | 0.4 | 0.12 | 0.04 | 0.01 |
| India, Bangalore | 256 | 2.3 | 0.15 | 0.29 | 0.02 | 173 | 1.6 | 0.12 | 0.19 | 0.02 |
| India, Barshi, Paranda, and Bhum | 15 | 1.0 | 0.25 | 0.14 | 0.04 | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| *India, Bhopal | 30 | 1.1 | 0.21 | 0.15 | 0.03 | 26 | 1.1 | 0.22 | 0.15 | 0.03 |
| India, Chandigarh | 34 | 1.5 | 0.27 | 0.20 | 0.05 | 28 | 1.4 | 0.28 | 0.21 | 0.05 |
| *India, Chennai | 275 | 2.2 | 0.14 | 0.26 | 0.02 | 186 | 1.5 | 0.11 | 0.18 | 0.02 |
| India, Dibrugarh | 23 | 0.8 | 0.17 | 0.10 | 0.03 | 15 | 0.5 | 0.14 | 0.06 | 0.02 |
| *India, Dindigul, Ambalikkai | 48 | 0.8 | 0.11 | 0.08 | 0.01 | 36 | 0.6 | 0.10 | 0.07 | 0.01 |
| India, Kamrup Urban District | 80 | 3.4 | 0.39 | 0.43 | 0.06 | 47 | 2.3 | 0.35 | 0.29 | 0.05 |
| India, Kollam | 166 | 2.6 | 0.20 | 0.33 | 0.03 | 87 | 1.2 | 0.13 | 0.15 | 0.02 |
| *India, Manipur | 29 | 0.6 | 0.12 | 0.08 | 0.02 | 22 | 0.5 | 0.11 | 0.06 | 0.02 |
| India, Meghalaya | 22 | 0.9 | 0.20 | 0.08 | 0.02 | 22 | 0.8 | 0.17 | 0.11 | 0.03 |
| India, Mizoram | 46 | 2.9 | 0.44 | 0.41 | 0.08 | 40 | 2.6 | 0.43 | 0.34 | 0.07 |
| India, Mumbai | 954 | 3.2 | 0.10 | 0.38 | 0.02 | 669 | 2.2 | 0.09 | 0.26 | 0.01 |
| *India, New Delhi | 523 | 2.5 | 0.11 | 0.31 | 0.02 | 379 | 1.9 | 0.10 | 0.23 | 0.01 |
| India, Poona | 240 | 2.0 | 0.13 | 0.23 | 0.02 | 164 | 1.4 | 0.11 | 0.17 | 0.02 |
| *India, Sangrur District | 42 | 1.6 | 0.25 | 0.21 | 0.04 | 32 | 1.3 | 0.23 | 0.15 | 0.03 |
| India, SAS Nagar | 40 | 1.7 | 0.28 | 0.22 | 0.04 | 26 | 1.1 | 0.22 | 0.14 | 0.03 |
| *India, Tamil Nadu | 1908 | 0.9 | 0.02 | 0.11 | 0.00 | 1183 | 0.6 | 0.02 | 0.07 | 0.00 |
| *India, Tripura | 57 | 0.9 | 0.12 | 0.11 | 0.02 | 40 | 0.6 | 0.10 | 0.06 | 0.01 |
| India, Trivandrum | 228 | 2.8 | 0.19 | 0.35 | 0.03 | 154 | 1.6 | 0.13 | 0.21 | 0.02 |
| India, Wardha | 25 | 0.6 | 0.13 | 0.07 | 0.02 | 16 | 0.4 | 0.11 | 0.05 | 0.01 |
| India, West Arunachal | 16 | 1.5 | 0.40 | 0.12 | 0.04 | 8 | 1.0 | 0.39 | 0.15 | 0.06 |
| *Iran (Islamic Republic of), Ardabil Province | 67 | 3.8 | 0.48 | 0.49 | 0.08 | 51 | 2.7 | 0.38 | 0.28 | 0.05 |
| *Iran (Islamic Republic of), Golestan Province | 90 | 4.1 | 0.44 | 0.50 | 0.07 | 61 | 2.6 | 0.34 | 0.28 | 0.05 |
| Israel | 2384 | 8.8 | 0.19 | 1.06 | 0.03 | 2314 | 6.6 | 0.15 | 0.75 | 0.02 |
| *Israel: Jews | 2094 | 9.0 | 0.21 | 1.08 | 0.03 | 2083 | 7.0 | 0.17 | 0.80 | 0.03 |
| *Israel: Arabs | 182 | 6.5 | 0.49 | 0.87 | 0.08 | 134 | 4.2 | 0.37 | 0.50 | 0.06 |
| Japan | 58129 | 11.4 | 0.05 | 1.36 | 0.01 | 54046 | 7.4 | 0.04 | 0.85 | 0.01 |
| Japan, Aichi Prefecture | 3019 | 10.9 | 0.22 | 1.32 | 0.03 | 2488 | 6.9 | 0.17 | 0.81 | 0.02 |
| *Japan, Akita Prefecture | 580 | 11.8 | 0.57 | 1.41 | 0.08 | 601 | 7.6 | 0.43 | 0.86 | 0.06 |
| Japan, Aomori Prefecture | 1244 | 13.3 | 0.43 | 1.62 | 0.06 | 1322 | 8.3 | 0.31 | 0.95 | 0.04 |
| Japan, Gunma Prefecture | 774 | 9.4 | 0.38 | 1.11 | 0.05 | 793 | 6.6 | 0.30 | 0.74 | 0.04 |
| Japan, Hiroshima Prefecture | 1873 | 12.0 | 0.32 | 1.44 | 0.04 | 1855 | 7.9 | 0.24 | 0.92 | 0.03 |
| Japan, Miyagi Prefecture | 1863 | 12.0 | 0.31 | 1.47 | 0.05 | 1736 | 7.8 | 0.24 | 0.88 | 0.03 |
| Japan, Osaka Prefecture | 3869 | 11.5 | 0.21 | 1.38 | 0.03 | 3556 | 7.5 | 0.16 | 0.87 | 0.02 |
| Kuwait | 193 | 3.3 | 0.30 | 0.35 | 0.04 | 124 | 3.2 | 0.31 | 0.39 | 0.05 |
| *Kuwait: Kuwaitis | 94 | 5.2 | 0.56 | 0.56 | 0.08 | 69 | 3.2 | 0.39 | 0.40 | 0.06 |
| *Kuwait: Non-Kuwaitis | 99 | 2.1 | 0.30 | 0.25 | 0.04 | 55 | 3.5 | 0.55 | 0.40 | 0.08 |
| *Philippines, Manila | 418 | 4.3 | 0.22 | 0.49 | 0.03 | 501 | 3.9 | 0.18 | 0.44 | 0.03 |
| *Qatar: Qatari | 16 | 4.1 | 1.08 | 0.53 | 0.17 | 13 | 3.1 | 0.92 | 0.47 | 0.16 |
| Republic of Korea | 16847 | 8.5 | 0.07 | 1.01 | 0.01 | 15088 | 5.8 | 0.05 | 0.66 | 0.01 |
| *Republic of Korea, Busan | 1340 | 8.9 | 0.25 | 1.06 | 0.03 | 1063 | 5.4 | 0.17 | 0.63 | 0.03 |
| *Republic of Korea, Daegu | 753 | 7.9 | 0.30 | 0.96 | 0.04 | 654 | 5.3 | 0.22 | 0.58 | 0.03 |
| *Republic of Korea, Daejeon | 395 | 7.6 | 0.40 | 0.84 | 0.05 | 393 | 5.8 | 0.31 | 0.65 | 0.05 |
| *Republic of Korea, Gwangju | 403 | 8.2 | 0.42 | 1.02 | 0.06 | 420 | 6.5 | 0.34 | 0.77 | 0.05 |
| Republic of Korea, Incheon | 805 | 7.7 | 0.28 | 0.91 | 0.04 | 743 | 5.6 | 0.22 | 0.63 | 0.03 |
| Republic of Korea, Jeju | 178 | 7.4 | 0.57 | 0.87 | 0.08 | 182 | 5.9 | 0.50 | 0.66 | 0.07 |
| Republic of Korea, Seoul | 3242 | 8.6 | 0.15 | 1.04 | 0.02 | 2810 | 6.0 | 0.12 | 0.68 | 0.02 |
| Republic of Korea, Ulsan | 320 | 9.1 | 0.55 | 1.06 | 0.08 | 255 | 5.8 | 0.38 | 0.67 | 0.06 |
| Singapore | 1062 | 6.9 | 0.21 | 0.82 | 0.03 | 942 | 5.3 | 0.18 | 0.61 | 0.03 |
| Singapore: Chinese | 915 | 7.3 | 0.25 | 0.86 | 0.04 | 812 | 5.5 | 0.20 | 0.64 | 0.03 |
| Singapore: Indian | 47 | 4.2 | 0.63 | 0.45 | 0.09 | 50 | 4.8 | 0.69 | 0.54 | 0.10 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Pancreas (C25) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 70 | 4.6 | 0.57 | 0.58 | 0.09 | 72 | 4.1 | 0.49 | 0.49 | 0.08 |
| Thailand, Bangkok | 439 | 2.6 | 0.13 | 0.33 | 0.02 | 408 | 1.9 | 0.09 | 0.22 | 0.01 |
| *Thailand, Chiang Mai | 178 | 3.0 | 0.23 | 0.33 | 0.03 | 152 | 2.3 | 0.19 | 0.29 | 0.03 |
| *Thailand, Khon Kaen | 78 | 1.3 | 0.15 | 0.14 | 0.02 | 74 | 1.1 | 0.13 | 0.13 | 0.02 |
| Thailand, Lampang | 98 | 3.1 | 0.33 | 0.37 | 0.05 | 100 | 2.8 | 0.30 | 0.35 | 0.05 |
| Thailand, Lopburi Province | 78 | 3.4 | 0.40 | 0.38 | 0.05 | 51 | 1.9 | 0.27 | 0.20 | 0.03 |
| *Thailand, Songkhla | 86 | 2.1 | 0.23 | 0.23 | 0.03 | 87 | 1.6 | 0.18 | 0.17 | 0.02 |
| Turkey, Antalya | 411 | 6.7 | 0.33 | 0.80 | 0.05 | 289 | 4.3 | 0.26 | 0.53 | 0.04 |
| Turkey, Bursa | 549 | 7.0 | 0.30 | 0.89 | 0.05 | 357 | 3.8 | 0.21 | 0.43 | 0.03 |
| *Turkey, Edirne | 139 | 8.9 | 0.77 | 1.11 | 0.11 | 98 | 5.2 | 0.55 | 0.64 | 0.08 |
| *Turkey, Erzurum | 111 | 5.9 | 0.57 | 0.73 | 0.09 | 111 | 4.9 | 0.49 | 0.55 | 0.07 |
| Turkey, Eskişehir | 167 | 6.2 | 0.48 | 0.79 | 0.07 | 124 | 3.9 | 0.36 | 0.48 | 0.05 |
| Turkey, Gaziantep | 199 | 6.0 | 0.43 | 0.76 | 0.07 | 158 | 3.9 | 0.32 | 0.41 | 0.04 |
| *Turkey, Izmir | 900 | 6.8 | 0.23 | 0.84 | 0.03 | 746 | 4.6 | 0.17 | 0.54 | 0.03 |
| Turkey, Malatya | 137 | 6.1 | 0.53 | 0.73 | 0.08 | 64 | 2.5 | 0.33 | 0.32 | 0.05 |
| Turkey, Samsun | 283 | 6.9 | 0.41 | 0.85 | 0.06 | 196 | 3.9 | 0.29 | 0.43 | 0.04 |
| Turkey, Trabzon | 166 | 6.4 | 0.51 | 0.74 | 0.07 | 141 | 3.9 | 0.36 | 0.45 | 0.05 |
| Europe | | | | | | | | | | |
| Austria | 4573 | 10.4 | 0.16 | 1.27 | 0.02 | 4536 | 7.8 | 0.13 | 0.94 | 0.02 |
| Austria, Carinthia | 367 | 11.9 | 0.67 | 1.50 | 0.10 | 364 | 8.3 | 0.51 | 0.93 | 0.07 |
| Austria, Tyrol | 352 | 9.5 | 0.54 | 1.11 | 0.08 | 337 | 7.4 | 0.47 | 0.86 | 0.07 |
| Austria, Vorarlberg | 158 | 8.8 | 0.73 | 1.10 | 0.11 | 154 | 7.1 | 0.66 | 0.83 | 0.09 |
| Belarus | 2913 | 9.2 | 0.17 | 1.17 | 0.03 | 2479 | 4.5 | 0.10 | 0.56 | 0.01 |
| *Belgium | 4504 | 8.2 | 0.13 | 1.02 | 0.02 | 4353 | 6.6 | 0.11 | 0.80 | 0.02 |
| Croatia | 2014 | 9.8 | 0.23 | 1.19 | 0.03 | 2027 | 6.7 | 0.17 | 0.81 | 0.03 |
| Cyprus | 252 | 7.0 | 0.46 | 0.86 | 0.07 | 191 | 4.4 | 0.35 | 0.48 | 0.05 |
| *Czech Republic | 5750 | 11.5 | 0.16 | 1.44 | 0.02 | 5483 | 8.2 | 0.12 | 0.99 | 0.02 |
| Denmark | 2545 | 8.7 | 0.18 | 1.10 | 0.03 | 2424 | 7.1 | 0.16 | 0.87 | 0.02 |
| Estonia | 617 | 11.4 | 0.47 | 1.43 | 0.07 | 745 | 7.2 | 0.32 | 0.83 | 0.05 |
| Finland | 3060 | 10.1 | 0.19 | 1.22 | 0.03 | 3239 | 7.8 | 0.16 | 0.92 | 0.02 |
| *France, Bas-Rhin | 407 | 9.7 | 0.51 | 1.19 | 0.08 | 399 | 6.8 | 0.40 | 0.76 | 0.06 |
| *France, Calvados | 320 | 9.0 | 0.55 | 1.09 | 0.08 | 327 | 6.7 | 0.45 | 0.74 | 0.06 |
| *France, Doubs | 275 | 10.7 | 0.69 | 1.37 | 0.11 | 266 | 7.7 | 0.55 | 0.93 | 0.08 |
| *France, Gironde | 732 | 9.9 | 0.39 | 1.18 | 0.06 | 726 | 7.5 | 0.32 | 0.92 | 0.05 |
| *France, Haut-Rhin | 398 | 10.5 | 0.56 | 1.28 | 0.08 | 353 | 6.7 | 0.42 | 0.76 | 0.06 |
| *France, Hérault | 636 | 11.3 | 0.49 | 1.36 | 0.07 | 602 | 8.1 | 0.39 | 0.98 | 0.05 |
| *France, Isère | 595 | 10.3 | 0.45 | 1.27 | 0.07 | 592 | 7.5 | 0.36 | 0.88 | 0.05 |
| *France, Lille-Métropole | 285 | 9.9 | 0.61 | 1.25 | 0.09 | 295 | 6.8 | 0.45 | 0.75 | 0.06 |
| *France, Limousin | 177 | 8.2 | 0.69 | 1.00 | 0.10 | 167 | 5.9 | 0.59 | 0.71 | 0.08 |
| *France, Loire-Atlantique | 611 | 9.9 | 0.42 | 1.24 | 0.06 | 586 | 6.9 | 0.33 | 0.82 | 0.05 |
| *France, Manche | 251 | 8.6 | 0.60 | 1.06 | 0.09 | 260 | 5.9 | 0.47 | 0.65 | 0.07 |
| *France, Poitou-Charentes | 997 | 9.6 | 0.34 | 1.17 | 0.05 | 913 | 6.7 | 0.27 | 0.79 | 0.04 |
| *France, Somme | 252 | 9.6 | 0.63 | 1.16 | 0.09 | 196 | 5.3 | 0.43 | 0.64 | 0.07 |
| *France, Tarn | 189 | 8.5 | 0.69 | 1.01 | 0.10 | 229 | 7.2 | 0.58 | 0.82 | 0.08 |
| *France, Territoire de Belfort | 62 | 10.9 | 1.49 | 1.27 | 0.22 | 57 | 7.3 | 1.17 | 0.79 | 0.16 |
| *France, Vendée | 392 | 10.1 | 0.57 | 1.22 | 0.08 | 347 | 7.1 | 0.48 | 0.83 | 0.07 |
| Germany, Baden-Württemberg | 3272 | 8.9 | 0.17 | 1.08 | 0.03 | 3256 | 6.9 | 0.14 | 0.81 | 0.02 |
| Germany, Bavaria | 6783 | 9.3 | 0.12 | 1.10 | 0.02 | 6690 | 7.0 | 0.10 | 0.79 | 0.01 |
| Germany, Bremen | 364 | 9.7 | 0.56 | 1.17 | 0.08 | 370 | 7.0 | 0.45 | 0.80 | 0.06 |
| Germany, Hamburg | 964 | 10.4 | 0.36 | 1.30 | 0.06 | 1002 | 7.9 | 0.30 | 0.91 | 0.04 |
| Germany, Lower Saxony | 4573 | 9.6 | 0.15 | 1.12 | 0.02 | 4612 | 7.4 | 0.13 | 0.86 | 0.02 |
| Germany, North Rhine-Westphalia | 9612 | 9.7 | 0.11 | 1.18 | 0.02 | 9817 | 7.3 | 0.09 | 0.85 | 0.01 |
| Germany, Rhineland-Palatinate | 2323 | 9.7 | 0.22 | 1.18 | 0.03 | 2326 | 7.3 | 0.18 | 0.83 | 0.03 |
| Germany, Saarland | 495 | 8.2 | 0.41 | 0.99 | 0.06 | 549 | 6.7 | 0.35 | 0.77 | 0.05 |
| Germany, Schleswig-Holstein | 1721 | 9.8 | 0.26 | 1.21 | 0.04 | 1708 | 7.7 | 0.22 | 0.91 | 0.03 |
| Iceland | 130 | 8.7 | 0.81 | 1.05 | 0.13 | 106 | 6.4 | 0.67 | 0.76 | 0.11 |
| Ireland | 1472 | 7.8 | 0.21 | 0.92 | 0.03 | 1318 | 5.9 | 0.18 | 0.66 | 0.03 |
| *Italy, Aosta Valley | 52 | 9.8 | 1.43 | 1.29 | 0.21 | 56 | 7.1 | 1.15 | 0.77 | 0.16 |
| *Italy, Avellino | 98 | 7.0 | 0.77 | 0.90 | 0.12 | 80 | 3.8 | 0.53 | 0.40 | 0.07 |
| Italy, Basilicata | 266 | 7.8 | 0.53 | 0.96 | 0.08 | 254 | 5.4 | 0.42 | 0.57 | 0.06 |
| *Italy, Benevento | 92 | 7.3 | 0.83 | 0.89 | 0.12 | 72 | 4.1 | 0.60 | 0.46 | 0.09 |
| Italy, Bergamo | 669 | 11.0 | 0.45 | 1.38 | 0.07 | 674 | 7.9 | 0.36 | 0.90 | 0.05 |
| *Italy, Brescia | 677 | 10.7 | 0.44 | 1.30 | 0.07 | 605 | 6.6 | 0.32 | 0.75 | 0.05 |
| Italy, Brianza (Lecco and Monza e Brianza) | 344 | 8.8 | 0.51 | 1.06 | 0.07 | 387 | 7.4 | 0.45 | 0.88 | 0.06 |
| Italy, Calabria | 195 | 6.4 | 0.50 | 0.73 | 0.07 | 234 | 6.6 | 0.51 | 0.81 | 0.07 |
| *Italy, Caserta | 249 | 7.8 | 0.51 | 0.93 | 0.07 | 256 | 5.8 | 0.41 | 0.68 | 0.06 |
| *Italy, Catania, Messina, and Enna | 801 | 7.8 | 0.30 | 0.93 | 0.04 | 855 | 6.5 | 0.26 | 0.78 | 0.04 |
| Italy, Emilia-Romagna | 2233 | 9.9 | 0.23 | 1.17 | 0.03 | 2392 | 7.7 | 0.20 | 0.89 | 0.03 |
| Italy, Friuli-Venezia Giulia | 826 | 10.2 | 0.40 | 1.25 | 0.06 | 885 | 7.6 | 0.31 | 0.90 | 0.05 |
| Italy, Genova | 453 | 9.5 | 0.51 | 1.15 | 0.07 | 535 | 7.5 | 0.44 | 0.85 | 0.06 |
| *Italy, Lombardy, South, Pavia | 357 | 10.6 | 0.61 | 1.29 | 0.09 | 393 | 8.0 | 0.52 | 0.91 | 0.07 |
| Italy, Mantova and Cremona | 395 | 10.6 | 0.58 | 1.29 | 0.09 | 401 | 7.2 | 0.46 | 0.82 | 0.07 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Pancreas (C25) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 695 | 9.0 | 0.39 | 1.06 | 0.06 | 650 | 6.0 | 0.31 | 0.64 | 0.04 |
| Italy, Milan | 1858 | 9.4 | 0.24 | 1.14 | 0.04 | 2071 | 7.2 | 0.20 | 0.82 | 0.03 |
| Italy, Molise | 74 | 6.6 | 0.87 | 0.74 | 0.12 | 62 | 4.7 | 0.75 | 0.52 | 0.10 |
| *Italy, Naples Centre | 215 | 8.2 | 0.59 | 1.02 | 0.08 | 244 | 5.8 | 0.42 | 0.69 | 0.06 |
| *Italy, Naples North | 250 | 7.9 | 0.51 | 1.04 | 0.08 | 204 | 5.1 | 0.38 | 0.63 | 0.06 |
| *Italy, Naples South | 354 | 7.5 | 0.42 | 0.93 | 0.06 | 383 | 6.1 | 0.36 | 0.70 | 0.05 |
| *Italy, Nuoro | 100 | 12.5 | 1.36 | 1.41 | 0.20 | 76 | 6.2 | 0.87 | 0.65 | 0.13 |
| *Italy, Palermo | 572 | 8.8 | 0.40 | 1.02 | 0.06 | 587 | 6.6 | 0.33 | 0.71 | 0.04 |
| Italy, Puglia | 1636 | 7.4 | 0.20 | 0.89 | 0.03 | 1733 | 5.8 | 0.17 | 0.66 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 241 | 7.8 | 0.55 | 0.96 | 0.08 | 255 | 6.3 | 0.46 | 0.75 | 0.07 |
| *Italy, Salerno | 293 | 6.9 | 0.43 | 0.81 | 0.06 | 302 | 5.2 | 0.36 | 0.59 | 0.05 |
| Italy, Sassari | 122 | 10.0 | 0.98 | 1.10 | 0.14 | 115 | 7.0 | 0.80 | 0.70 | 0.11 |
| *Italy, Sondrio | 152 | 12.2 | 1.06 | 1.36 | 0.15 | 139 | 8.5 | 0.92 | 1.00 | 0.13 |
| Italy, South Tyrol | 249 | 8.6 | 0.60 | 1.04 | 0.09 | 281 | 7.7 | 0.55 | 0.91 | 0.08 |
| *Italy, Syracuse | 184 | 8.6 | 0.68 | 1.04 | 0.10 | 177 | 6.8 | 0.57 | 0.82 | 0.08 |
| Italy, Trento | 316 | 9.9 | 0.60 | 1.19 | 0.09 | 318 | 6.9 | 0.48 | 0.79 | 0.07 |
| Italy, Turin | 1067 | 7.5 | 0.26 | 0.92 | 0.04 | 1088 | 5.5 | 0.21 | 0.60 | 0.03 |
| *Italy, Tuscany | 1220 | 9.3 | 0.30 | 1.16 | 0.04 | 1337 | 7.3 | 0.25 | 0.83 | 0.04 |
| Italy, Umbria | 401 | 9.0 | 0.51 | 1.03 | 0.07 | 457 | 6.8 | 0.41 | 0.78 | 0.06 |
| Italy, Varese | 222 | 7.3 | 0.53 | 0.84 | 0.07 | 246 | 5.3 | 0.41 | 0.60 | 0.06 |
| Italy, Veneto | 2876 | 10.0 | 0.20 | 1.21 | 0.03 | 3002 | 7.4 | 0.16 | 0.86 | 0.02 |
| Latvia | 947 | 11.8 | 0.40 | 1.45 | 0.06 | 1142 | 6.9 | 0.24 | 0.78 | 0.03 |
| *Liechtenstein | 11 | 5.9 | 1.80 | 0.73 | 0.26 | 17 | 7.6 | 1.95 | 0.96 | 0.30 |
| *Lithuania | 1277 | 10.8 | 0.32 | 1.34 | 0.05 | 1389 | 6.2 | 0.20 | 0.73 | 0.03 |
| Malta | 203 | 9.2 | 0.68 | 1.16 | 0.10 | 172 | 6.2 | 0.52 | 0.68 | 0.07 |
| *The Netherlands | 6703 | 7.8 | 0.10 | 0.97 | 0.01 | 6410 | 6.5 | 0.09 | 0.81 | 0.01 |
| Norway | 1899 | 7.7 | 0.19 | 0.94 | 0.03 | 1904 | 6.4 | 0.16 | 0.74 | 0.02 |
| Poland, Kielce | 311 | 5.6 | 0.33 | 0.69 | 0.05 | 313 | 4.2 | 0.27 | 0.49 | 0.04 |
| *Portugal, Azores | 64 | 9.0 | 1.15 | 1.20 | 0.18 | 36 | 3.9 | 0.70 | 0.49 | 0.10 |
| Russian Federation, Arkhangelsk | 441 | 11.6 | 0.57 | 1.39 | 0.09 | 496 | 6.9 | 0.34 | 0.79 | 0.05 |
| Russian Federation, Kaliningrad | 215 | 6.8 | 0.47 | 0.81 | 0.07 | 276 | 4.9 | 0.32 | 0.56 | 0.05 |
| Russian Federation, Karelia | 188 | 9.5 | 0.72 | 1.28 | 0.13 | 222 | 5.6 | 0.41 | 0.71 | 0.06 |
| *Russian Federation, Komi Republic | 280 | 11.7 | 0.74 | 1.50 | 0.12 | 255 | 5.9 | 0.39 | 0.70 | 0.06 |
| Russian Federation, Murmansk | 231 | 10.9 | 0.75 | 1.34 | 0.11 | 267 | 6.8 | 0.43 | 0.85 | 0.07 |
| *Russian Federation, Orenburg | 643 | 9.9 | 0.40 | 1.17 | 0.06 | 649 | 5.6 | 0.24 | 0.70 | 0.04 |
| Russian Federation, Pskov | 232 | 9.7 | 0.65 | 1.15 | 0.09 | 233 | 5.2 | 0.39 | 0.67 | 0.06 |
| *Russian Federation, Samara | 971 | 8.9 | 0.29 | 1.11 | 0.04 | 999 | 5.3 | 0.18 | 0.64 | 0.03 |
| Russian Federation, Vologda Region | 332 | 8.6 | 0.48 | 1.07 | 0.06 | 317 | 4.6 | 0.28 | 0.57 | 0.03 |
| Slovenia | 996 | 9.5 | 0.31 | 1.15 | 0.05 | 955 | 6.5 | 0.24 | 0.76 | 0.04 |
| Spain, Asturias | 317 | 8.4 | 0.52 | 1.03 | 0.08 | 342 | 5.9 | 0.39 | 0.70 | 0.06 |
| Spain, Basque Country | 865 | 9.1 | 0.33 | 1.11 | 0.05 | 802 | 6.0 | 0.25 | 0.69 | 0.04 |
| Spain, Canary Islands | 524 | 8.5 | 0.39 | 0.97 | 0.05 | 496 | 6.4 | 0.32 | 0.71 | 0.05 |
| Spain, Castellón | 223 | 7.8 | 0.56 | 0.92 | 0.08 | 212 | 5.8 | 0.46 | 0.72 | 0.07 |
| Spain, Girona | 284 | 7.9 | 0.49 | 0.96 | 0.07 | 248 | 5.2 | 0.39 | 0.56 | 0.05 |
| Spain, Granada | 280 | 6.5 | 0.42 | 0.78 | 0.06 | 278 | 5.2 | 0.36 | 0.65 | 0.05 |
| Spain, La Rioja | 144 | 8.7 | 0.79 | 1.14 | 0.12 | 129 | 6.0 | 0.64 | 0.73 | 0.09 |
| Spain, Murcia | 496 | 8.2 | 0.39 | 1.03 | 0.06 | 430 | 5.5 | 0.30 | 0.63 | 0.04 |
| Spain, Navarra | 229 | 8.7 | 0.62 | 1.21 | 0.10 | 202 | 5.6 | 0.48 | 0.61 | 0.07 |
| Spain, Salamanca | 173 | 7.7 | 0.67 | 0.96 | 0.10 | 176 | 5.7 | 0.56 | 0.66 | 0.08 |
| Spain, Tarragona | 360 | 9.0 | 0.50 | 1.09 | 0.07 | 245 | 4.7 | 0.35 | 0.55 | 0.05 |
| *Sweden | 3514 | 6.8 | 0.12 | 0.88 | 0.02 | 3545 | 6.1 | 0.12 | 0.78 | 0.02 |
| Switzerland, Aargau | 269 | 8.4 | 0.53 | 1.07 | 0.08 | 254 | 6.5 | 0.45 | 0.74 | 0.07 |
| Switzerland, Basel | 233 | 8.8 | 0.63 | 1.04 | 0.09 | 260 | 7.8 | 0.57 | 0.96 | 0.08 |
| Switzerland, Berne Solothurn | 398 | 8.7 | 0.47 | 1.04 | 0.07 | 397 | 6.7 | 0.40 | 0.78 | 0.06 |
| Switzerland, East | 345 | 8.1 | 0.46 | 0.97 | 0.07 | 358 | 7.3 | 0.44 | 0.85 | 0.06 |
| *Switzerland, Fribourg | 124 | 9.1 | 0.84 | 1.07 | 0.12 | 92 | 5.8 | 0.66 | 0.78 | 0.11 |
| Switzerland, Geneva | 229 | 10.6 | 0.75 | 1.28 | 0.11 | 217 | 6.9 | 0.55 | 0.76 | 0.08 |
| *Switzerland, Graubünden and Glarus | 109 | 8.1 | 0.81 | 0.96 | 0.12 | 129 | 8.0 | 0.81 | 0.93 | 0.12 |
| *Switzerland, Lucerne | 239 | 9.1 | 0.62 | 1.12 | 0.09 | 202 | 6.1 | 0.49 | 0.73 | 0.07 |
| *Switzerland, Neuchâtel and Jura | 152 | 11.4 | 0.98 | 1.45 | 0.16 | 131 | 7.5 | 0.78 | 0.91 | 0.12 |
| Switzerland, Ticino | 208 | 10.3 | 0.77 | 1.37 | 0.12 | 192 | 7.3 | 0.63 | 0.83 | 0.09 |
| Switzerland, Valais | 161 | 8.9 | 0.77 | 0.99 | 0.11 | 146 | 7.3 | 0.70 | 0.82 | 0.09 |
| Switzerland, Vaud | 325 | 9.4 | 0.55 | 1.14 | 0.08 | 314 | 7.0 | 0.45 | 0.87 | 0.07 |
| Switzerland, Zurich and Zug | 693 | 9.0 | 0.36 | 1.06 | 0.05 | 716 | 6.9 | 0.30 | 0.76 | 0.04 |
| Ukraine | 11777 | 9.4 | 0.09 | 1.18 | 0.01 | 10008 | 4.6 | 0.05 | 0.59 | 0.01 |
| UK, England | 21797 | 7.8 | 0.06 | 0.91 | 0.01 | 21143 | 6.1 | 0.05 | 0.69 | 0.01 |
| UK, Northern Ireland | 654 | 7.6 | 0.31 | 0.93 | 0.05 | 615 | 5.7 | 0.26 | 0.66 | 0.04 |
| UK, Scotland | 2007 | 7.2 | 0.17 | 0.87 | 0.03 | 2080 | 5.8 | 0.14 | 0.67 | 0.02 |
| UK, Wales | 1291 | 7.6 | 0.23 | 0.89 | 0.03 | 1288 | 5.9 | 0.19 | 0.67 | 0.03 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 3051 | 8.3 | 0.16 | 0.95 | 0.02 | 2858 | 6.5 | 0.14 | 0.74 | 0.02 |
| *Australia, Northern Territory | 57 | 8.5 | 1.14 | 1.03 | 0.17 | 38 | 6.0 | 0.99 | 0.68 | 0.14 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Pancreas (C25) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 43 | 7.6 | 1.17 | 0.94 | 0.18 | 27 | 5.5 | 1.08 | 0.67 | 0.16 |
| *Australia, Northern Territory: Indigenous | 14 | 13.0 | 3.67 | 1.51 | 0.53 | 11 | 8.2 | 2.57 | 0.70 | 0.28 |
| *Australia, Queensland | 1677 | 8.0 | 0.20 | 0.94 | 0.03 | 1407 | 5.9 | 0.17 | 0.67 | 0.02 |
| Australia, South Australia | 700 | 8.2 | 0.33 | 0.92 | 0.05 | 674 | 6.6 | 0.29 | 0.74 | 0.04 |
| Australia, Tasmania | 213 | 7.7 | 0.57 | 0.87 | 0.08 | 232 | 7.2 | 0.53 | 0.75 | 0.07 |
| *Australia, Victoria | 2052 | 7.5 | 0.17 | 0.85 | 0.03 | 1968 | 6.0 | 0.15 | 0.67 | 0.02 |
| *Australia, Western Australia | 832 | 7.8 | 0.28 | 0.91 | 0.04 | 735 | 5.9 | 0.24 | 0.65 | 0.03 |
| *France, New Caledonia | 72 | 8.8 | 1.04 | 0.95 | 0.14 | 57 | 6.6 | 0.90 | 0.87 | 0.14 |
| New Zealand | 1441 | 7.1 | 0.20 | 0.83 | 0.03 | 1412 | 5.8 | 0.17 | 0.64 | 0.02 |
| *New Zealand: Maori | 171 | 11.3 | 0.88 | 1.45 | 0.14 | 181 | 10.1 | 0.76 | 1.07 | 0.10 |
| *New Zealand: Pacific peoples | 49 | 7.9 | 1.18 | 0.73 | 0.13 | 60 | 7.9 | 1.03 | 0.81 | 0.15 |
| *New Zealand: Other | 1166 | 6.9 | 0.21 | 0.81 | 0.03 | 1114 | 5.4 | 0.18 | 0.60 | 0.03 |
| USA, Hawaii | 648 | 9.7 | 0.40 | 1.16 | 0.06 | 600 | 7.3 | 0.34 | 0.85 | 0.05 |
| USA, Hawaii: White | 197 | 9.4 | 0.71 | 1.14 | 0.10 | 146 | 7.2 | 0.66 | 0.90 | 0.10 |
| *USA, Hawaii: Japanese | 183 | 10.7 | 0.97 | 1.21 | 0.13 | 184 | 7.6 | 0.74 | 0.97 | 0.11 |
| *USA, Hawaii: Chinese | 39 | 8.7 | 1.72 | 1.14 | 0.24 | 40 | 5.0 | 1.02 | 0.52 | 0.15 |
| *USA, Hawaii: Hawaiian | 102 | 11.1 | 1.11 | 1.38 | 0.17 | 102 | 9.7 | 1.00 | 1.10 | 0.14 |
| *USA, Hawaii: Filipino | 70 | 6.9 | 0.86 | 0.84 | 0.13 | 76 | 5.1 | 0.67 | 0.50 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Nose, sinuses etc. (C30–31)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 4 | 0.2 | 0.13 | 0.03 | 0.02 |
| *Algeria, Tizi Ouzou | 4 | 0.3 | 0.14 | 0.05 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Benin, Cotonou | 3 | 0.4 | 0.29 | 0.04 | 0.03 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *France, La Réunion | 13 | 0.6 | 0.16 | 0.06 | 0.02 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Kenya, Eldoret | 4 | 0.4 | 0.22 | 0.06 | 0.04 | 2 | 0.2 | 0.17 | 0.03 | 0.02 |
| *Kenya, Nairobi | 23 | 0.6 | 0.16 | 0.06 | 0.02 | 24 | 0.8 | 0.22 | 0.10 | 0.03 |
| Mauritius | 13 | 0.3 | 0.09 | 0.04 | 0.01 | 12 | 0.3 | 0.07 | 0.02 | 0.01 |
| *Morocco, Casablanca | 26 | 0.2 | 0.05 | 0.03 | 0.01 | 20 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Seychelles | 2 | 0.7 | 0.52 | 0.10 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 2 | 0.1 | 0.09 | 0.02 | 0.02 |
| *Uganda, Kyadondo County | 16 | 0.6 | 0.21 | 0.10 | 0.04 | 7 | 0.2 | 0.11 | 0.03 | 0.02 |
| *Uganda, Gulu | 3 | 0.3 | 0.15 | 0.02 | 0.01 | 3 | 0.4 | 0.23 | 0.00 | 0.00 |
| *Zimbabwe, Bulawayo: African | 5 | 0.6 | 0.27 | 0.07 | 0.05 | 2 | 0.2 | 0.14 | 0.02 | 0.02 |
| *Zimbabwe, Harare: African | 34 | 2.0 | 0.39 | 0.26 | 0.06 | 19 | 0.8 | 0.20 | 0.08 | 0.03 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 3 | 0.2 | 0.09 | 0.02 | 0.01 | 7 | 0.2 | 0.10 | 0.03 | 0.01 |
| *Argentina, Mendoza | 17 | 0.4 | 0.09 | 0.04 | 0.01 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| Brazil, Aracaju | 2 | 0.2 | 0.13 | 0.02 | 0.01 | 2 | 0.2 | 0.16 | 0.01 | 0.01 |
| *Brazil, Barretos | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 3 | 0.2 | 0.13 | 0.03 | 0.02 |
| Brazil, Belo Horizonte | 41 | 0.6 | 0.10 | 0.08 | 0.01 | 31 | 0.3 | 0.06 | 0.04 | 0.01 |
| *Brazil, Campinas | 11 | 0.5 | 0.14 | 0.08 | 0.03 | 9 | 0.4 | 0.12 | 0.05 | 0.02 |
| *Brazil, Curitiba | 22 | 0.5 | 0.11 | 0.05 | 0.01 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| Brazil, Goiânia | 14 | 0.5 | 0.12 | 0.03 | 0.01 | 11 | 0.3 | 0.10 | 0.03 | 0.01 |
| *Brazil, Jaú | 1 | 0.3 | 0.27 | 0.05 | 0.05 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| Brazil, João Pessoa | 4 | 0.4 | 0.19 | 0.02 | 0.02 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| Brazil, Recife | 8 | 0.4 | 0.14 | 0.04 | 0.02 | 9 | 0.2 | 0.08 | 0.04 | 0.01 |
| Chile, Region of Antofagasta | 9 | 0.9 | 0.30 | 0.09 | 0.04 | 6 | 0.5 | 0.22 | 0.05 | 0.02 |
| Chile, Valdivia | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 5 | 0.3 | 0.12 | 0.04 | 0.03 |
| Colombia, Bucaramanga | 16 | 0.6 | 0.15 | 0.08 | 0.02 | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| Colombia, Cali | 37 | 0.6 | 0.10 | 0.07 | 0.02 | 44 | 0.5 | 0.08 | 0.05 | 0.01 |
| Colombia, Manizales | 4 | 0.3 | 0.16 | 0.04 | 0.02 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| Colombia, Pasto | 2 | 0.3 | 0.22 | 0.03 | 0.02 | 2 | 0.2 | 0.12 | 0.03 | 0.02 |
| Costa Rica | 52 | 0.5 | 0.07 | 0.06 | 0.01 | 34 | 0.3 | 0.05 | 0.03 | 0.01 |
| Ecuador, Guayaquil | 23 | 0.4 | 0.09 | 0.05 | 0.01 | 19 | 0.3 | 0.07 | 0.03 | 0.01 |
| Ecuador, Manabí | 11 | 0.3 | 0.09 | 0.03 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.00 |
| Ecuador, Quito | 27 | 0.6 | 0.12 | 0.06 | 0.02 | 13 | 0.2 | 0.07 | 0.02 | 0.01 |
| *France, Guadeloupe | 7 | 0.6 | 0.27 | 0.06 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Martinique | 10 | 0.7 | 0.25 | 0.04 | 0.02 | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| *Peru, Lima | 88 | 0.6 | 0.07 | 0.06 | 0.01 | 72 | 0.4 | 0.05 | 0.04 | 0.01 |
| *Trinidad and Tobago | 6 | 0.2 | 0.10 | 0.03 | 0.02 | 6 | 0.3 | 0.11 | 0.03 | 0.01 |
| USA, Puerto Rico | 73 | 0.5 | 0.06 | 0.05 | 0.01 | 42 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Uruguay | 72 | 0.6 | 0.07 | 0.07 | 0.01 | 32 | 0.2 | 0.04 | 0.02 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 83 | 0.5 | 0.06 | 0.06 | 0.01 | 53 | 0.3 | 0.05 | 0.03 | 0.01 |
| Canada, British Columbia | 131 | 0.6 | 0.06 | 0.07 | 0.01 | 73 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Canada, Manitoba | 23 | 0.4 | 0.10 | 0.05 | 0.01 | 19 | 0.3 | 0.08 | 0.04 | 0.01 |
| *Canada, New Brunswick | 16 | 0.4 | 0.11 | 0.05 | 0.01 | 9 | 0.3 | 0.11 | 0.03 | 0.01 |
| *Canada, Newfoundland and Labrador | 14 | 0.6 | 0.17 | 0.07 | 0.02 | 8 | 0.3 | 0.12 | 0.03 | 0.01 |
| Canada, Ontario | 344 | 0.6 | 0.04 | 0.07 | 0.00 | 232 | 0.4 | 0.03 | 0.04 | 0.00 |
| *Canada, Prince Edward Island | 4 | 0.7 | 0.37 | 0.06 | 0.03 | 1 | 0.1 | 0.12 | 0.03 | 0.03 |
| Canada, Quebec | 235 | 0.6 | 0.05 | 0.07 | 0.01 | 188 | 0.4 | 0.04 | 0.05 | 0.00 |
| Canada, Saskatchewan | 31 | 0.7 | 0.13 | 0.08 | 0.02 | 16 | 0.3 | 0.09 | 0.04 | 0.01 |
| *Canada, Yukon | 1 | 0.5 | 0.49 | 0.06 | 0.06 | 1 | 0.5 | 0.50 | 0.00 | 0.00 |
| USA | 7360 | 0.6 | 0.01 | 0.07 | 0.00 | 4750 | 0.3 | 0.01 | 0.04 | 0.00 |
| USA: White | 6263 | 0.6 | 0.01 | 0.07 | 0.00 | 3958 | 0.3 | 0.01 | 0.04 | 0.00 |
| USA: Black | 711 | 0.6 | 0.02 | 0.06 | 0.00 | 514 | 0.3 | 0.01 | 0.04 | 0.00 |
| USA, NPCR | 7127 | 0.6 | 0.01 | 0.07 | 0.00 | 4596 | 0.3 | 0.01 | 0.04 | 0.00 |
| USA, NPCR: White | 6080 | 0.6 | 0.01 | 0.07 | 0.00 | 3829 | 0.3 | 0.01 | 0.04 | 0.00 |
| USA, NPCR: Black | 702 | 0.6 | 0.02 | 0.06 | 0.00 | 509 | 0.3 | 0.02 | 0.04 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 269 | 0.5 | 0.03 | 0.05 | 0.00 | 192 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, NPCR: American Indian | 30 | 0.3 | 0.05 | 0.03 | 0.01 | 23 | 0.2 | 0.04 | 0.02 | 0.01 |
| *USA, SEER (18 registries) | 1959 | 0.6 | 0.01 | 0.07 | 0.00 | 1316 | 0.3 | 0.01 | 0.04 | 0.00 |
| *USA, SEER (18 registries): White | 1565 | 0.6 | 0.02 | 0.07 | 0.00 | 1030 | 0.3 | 0.01 | 0.04 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 1315 | 0.6 | 0.02 | 0.07 | 0.00 | 873 | 0.4 | 0.01 | 0.04 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 250 | 0.5 | 0.03 | 0.06 | 0.00 | 157 | 0.3 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Black | 184 | 0.6 | 0.04 | 0.06 | 0.01 | 140 | 0.4 | 0.03 | 0.04 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 181 | 0.6 | 0.04 | 0.06 | 0.01 | 109 | 0.3 | 0.03 | 0.03 | 0.00 |
| *USA, SEER (9 registries) | 644 | 0.6 | 0.02 | 0.06 | 0.00 | 448 | 0.3 | 0.02 | 0.04 | 0.00 |
| *USA, SEER (9 registries): White | 509 | 0.6 | 0.03 | 0.06 | 0.00 | 340 | 0.3 | 0.02 | 0.04 | 0.00 |
| *USA, SEER (9 registries): Black | 59 | 0.5 | 0.07 | 0.06 | 0.01 | 57 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, Alabama | 99 | 0.5 | 0.05 | 0.05 | 0.01 | 88 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, Alabama: White | 79 | 0.5 | 0.06 | 0.06 | 0.01 | 69 | 0.4 | 0.06 | 0.05 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nose, sinuses etc. (C30–31) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 20 | 0.5 | <i>0.11</i> | 0.05 | <i>0.01</i> | 17 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| USA, Alaska | 15 | 0.6 | <i>0.15</i> | 0.06 | <i>0.02</i> | 7 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| *USA, Alaska: Alaska Natives | 1 | 0.3 | <i>0.25</i> | 0.00 | <i>0.00</i> | 1 | 0.4 | <i>0.39</i> | 0.03 | <i>0.03</i> |
| USA, Arizona | 156 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 94 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, Arizona: White | 145 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | 87 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, Arizona: Black | 5 | 0.5 | <i>0.24</i> | 0.07 | <i>0.03</i> | 1 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| *USA, Arizona: Asian and Pacific Islander | 1 | 0.1 | <i>0.13</i> | 0.01 | <i>0.01</i> | 3 | 0.3 | <i>0.17</i> | 0.02 | <i>0.02</i> |
| USA, Arizona: American Indian | 3 | 0.3 | <i>0.19</i> | 0.03 | <i>0.02</i> | 3 | 0.3 | <i>0.15</i> | 0.02 | <i>0.02</i> |
| USA, Arkansas | 62 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | 48 | 0.3 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, Arkansas: White | 57 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | 44 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, Arkansas: Black | 5 | 0.4 | <i>0.17</i> | 0.06 | <i>0.03</i> | 3 | 0.2 | <i>0.12</i> | 0.01 | <i>0.01</i> |
| USA, California | 802 | 0.6 | <i>0.02</i> | 0.06 | <i>0.00</i> | 509 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, California: White | 634 | 0.6 | <i>0.02</i> | 0.06 | <i>0.00</i> | 386 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, California: Black | 42 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> | 36 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, California: Asian and Pacific Islander | 121 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> | 70 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| *USA, California, Los Angeles County | 206 | 0.6 | <i>0.04</i> | 0.06 | <i>0.01</i> | 127 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| *USA, California, Los Angeles County: White | 149 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | 93 | 0.3 | <i>0.04</i> | 0.04 | <i>0.00</i> |
| *USA, California, Los Angeles County: Non-Hispanic White | 86 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> | 56 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| *USA, California, Los Angeles County: Hispanic White | 63 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | 37 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| *USA, California, Los Angeles County: Black | 17 | 0.6 | <i>0.15</i> | 0.05 | <i>0.01</i> | 10 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *USA, California, Los Angeles County: Chinese | 7 | 0.4 | <i>0.20</i> | 0.03 | <i>0.02</i> | 6 | 0.3 | <i>0.12</i> | 0.01 | <i>0.01</i> |
| *USA, California, Los Angeles County: Filipino | 9 | 0.7 | <i>0.22</i> | 0.08 | <i>0.03</i> | 1 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| *USA, California, Los Angeles County: Korean | 4 | 0.4 | <i>0.21</i> | 0.05 | <i>0.03</i> | 2 | 0.2 | <i>0.13</i> | 0.02 | <i>0.02</i> |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 38 | 0.7 | <i>0.12</i> | 0.07 | <i>0.01</i> | 18 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area | 100 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> | 59 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: White | 67 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | 32 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 53 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> | 27 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Hispanic White | 14 | 0.6 | <i>0.15</i> | 0.05 | <i>0.02</i> | 5 | 0.2 | <i>0.09</i> | 0.03 | <i>0.02</i> |
| *USA, California, San Francisco Bay Area: Black | 9 | 0.7 | <i>0.24</i> | 0.10 | <i>0.04</i> | 10 | 0.7 | <i>0.23</i> | 0.07 | <i>0.02</i> |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 24 | 0.6 | <i>0.12</i> | 0.06 | <i>0.01</i> | 17 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| USA, Colorado | 108 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 73 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| USA, Colorado: White | 94 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | 71 | 0.3 | <i>0.04</i> | 0.04 | <i>0.01</i> |
| *USA, Colorado: Black | 9 | 1.3 | <i>0.42</i> | 0.19 | <i>0.07</i> | 1 | 0.1 | <i>0.15</i> | 0.02 | <i>0.02</i> |
| *USA, Colorado: Asian and Pacific Islander | 4 | 0.8 | <i>0.41</i> | 0.13 | <i>0.07</i> | 1 | 0.2 | <i>0.16</i> | 0.03 | <i>0.03</i> |
| USA, Connecticut | 84 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 65 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| USA, Connecticut: White | 74 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> | 54 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, Connecticut: Black | 6 | 0.5 | <i>0.22</i> | 0.07 | <i>0.03</i> | 4 | 0.2 | <i>0.12</i> | 0.03 | <i>0.02</i> |
| USA, District of Columbia | 16 | 0.7 | <i>0.19</i> | 0.08 | <i>0.03</i> | 7 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| USA, District of Columbia: White | 8 | 0.9 | <i>0.32</i> | 0.11 | <i>0.05</i> | 3 | 0.4 | <i>0.25</i> | 0.04 | <i>0.02</i> |
| USA, District of Columbia: Black | 6 | 0.5 | <i>0.20</i> | 0.06 | <i>0.03</i> | 4 | 0.3 | <i>0.16</i> | 0.03 | <i>0.01</i> |
| USA, Florida | 597 | 0.7 | <i>0.03</i> | 0.08 | <i>0.00</i> | 337 | 0.3 | <i>0.02</i> | 0.04 | <i>0.00</i> |
| USA, Florida: White | 527 | 0.7 | <i>0.04</i> | 0.08 | <i>0.00</i> | 275 | 0.3 | <i>0.02</i> | 0.04 | <i>0.00</i> |
| USA, Florida: Black | 48 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> | 48 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| USA, Florida: Asian and Pacific Islander | 8 | 0.4 | <i>0.15</i> | 0.04 | <i>0.02</i> | 9 | 0.4 | <i>0.13</i> | 0.04 | <i>0.01</i> |
| USA, Georgia | 248 | 0.7 | <i>0.04</i> | 0.08 | <i>0.01</i> | 173 | 0.4 | <i>0.03</i> | 0.05 | <i>0.00</i> |
| USA, Georgia: White | 190 | 0.7 | <i>0.05</i> | 0.09 | <i>0.01</i> | 119 | 0.4 | <i>0.04</i> | 0.05 | <i>0.01</i> |
| USA, Georgia: Black | 51 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> | 51 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| USA, Georgia: Asian and Pacific Islander | 7 | 0.6 | <i>0.21</i> | 0.06 | <i>0.03</i> | 3 | 0.2 | <i>0.12</i> | 0.01 | <i>0.01</i> |
| *USA, Georgia, Atlanta | 59 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | 57 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| *USA, Georgia, Atlanta: White | 34 | 0.5 | <i>0.09</i> | 0.06 | <i>0.01</i> | 36 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| *USA, Georgia, Atlanta: Black | 21 | 0.5 | <i>0.11</i> | 0.05 | <i>0.01</i> | 20 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| USA, Idaho | 41 | 0.6 | <i>0.10</i> | 0.07 | <i>0.01</i> | 19 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| USA, Indiana | 153 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 94 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| USA, Indiana: White | 143 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | 89 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| USA, Indiana: Black | 8 | 0.5 | <i>0.16</i> | 0.06 | <i>0.02</i> | 5 | 0.3 | <i>0.12</i> | 0.02 | <i>0.01</i> |
| *USA, Iowa | 57 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> | 45 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| USA, Kentucky | 126 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> | 77 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> |
| USA, Louisiana | 109 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | 77 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| USA, Louisiana: White | 83 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> | 62 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| USA, Louisiana: Black | 26 | 0.6 | <i>0.12</i> | 0.07 | <i>0.02</i> | 13 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *USA, Louisiana, New Orleans | 14 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> | 8 | 0.3 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| *USA, Louisiana, New Orleans: White | 9 | 0.5 | <i>0.20</i> | 0.06 | <i>0.02</i> | 5 | 0.3 | <i>0.14</i> | 0.02 | <i>0.01</i> |
| *USA, Louisiana, New Orleans: Black | 3 | 0.3 | <i>0.15</i> | 0.03 | <i>0.01</i> | 2 | 0.2 | <i>0.13</i> | 0.03 | <i>0.02</i> |
| USA, Maine | 43 | 0.7 | <i>0.11</i> | 0.08 | <i>0.01</i> | 24 | 0.4 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| USA, Maryland | 152 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> | 95 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> |
| USA, Maryland: White | 115 | 0.7 | <i>0.07</i> | 0.09 | <i>0.01</i> | 64 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, Maryland: Black | 29 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> | 23 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| USA, Maryland: Asian and Pacific Islander | 7 | 0.6 | <i>0.21</i> | 0.08 | <i>0.04</i> | 7 | 0.5 | <i>0.18</i> | 0.07 | <i>0.03</i> |
| USA, Massachusetts | 168 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 112 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> |
| USA, Massachusetts: White | 147 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 97 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| USA, Massachusetts: Black | 11 | 0.7 | <i>0.21</i> | 0.09 | <i>0.03</i> | 6 | 0.3 | <i>0.12</i> | 0.04 | <i>0.02</i> |
| USA, Massachusetts: Asian and Pacific Islander | 8 | 0.6 | <i>0.21</i> | 0.05 | <i>0.03</i> | 5 | 0.4 | <i>0.16</i> | 0.05 | <i>0.02</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nose, sinuses etc. (C30–31) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 230 | 0.6 | 0.04 | 0.07 | 0.00 | 167 | 0.4 | 0.03 | 0.04 | 0.00 |
| USA, Michigan: White | 200 | 0.6 | 0.04 | 0.06 | 0.01 | 137 | 0.4 | 0.04 | 0.04 | 0.00 |
| USA, Michigan: Black | 25 | 0.6 | 0.12 | 0.07 | 0.02 | 24 | 0.4 | 0.09 | 0.05 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 3 | 0.3 | 0.20 | 0.02 | 0.01 | 3 | 0.3 | 0.18 | 0.03 | 0.02 |
| *USA, Michigan, Detroit | 92 | 0.6 | 0.06 | 0.07 | 0.01 | 70 | 0.4 | 0.05 | 0.04 | 0.01 |
| *USA, Michigan, Detroit: White | 73 | 0.6 | 0.07 | 0.08 | 0.01 | 48 | 0.4 | 0.06 | 0.04 | 0.01 |
| *USA, Michigan, Detroit: Black | 18 | 0.6 | 0.15 | 0.07 | 0.02 | 19 | 0.4 | 0.10 | 0.06 | 0.02 |
| USA, Minnesota | 124 | 0.6 | 0.06 | 0.07 | 0.01 | 69 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Minnesota: White | 116 | 0.6 | 0.06 | 0.07 | 0.01 | 64 | 0.3 | 0.05 | 0.03 | 0.00 |
| USA, Minnesota: Black | 6 | 0.6 | 0.25 | 0.06 | 0.02 | 3 | 0.4 | 0.23 | 0.03 | 0.02 |
| *USA, Minnesota: Asian and Pacific Islander | 1 | 0.2 | 0.17 | 0.02 | 0.02 | 1 | 0.2 | 0.19 | 0.05 | 0.05 |
| USA, Mississippi | 79 | 0.7 | 0.09 | 0.08 | 0.01 | 52 | 0.4 | 0.06 | 0.03 | 0.01 |
| USA, Missouri | 161 | 0.7 | 0.06 | 0.08 | 0.01 | 80 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Missouri: White | 140 | 0.6 | 0.06 | 0.07 | 0.01 | 73 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Missouri: Black | 18 | 0.9 | 0.21 | 0.09 | 0.02 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| USA, Montana | 23 | 0.5 | 0.10 | 0.06 | 0.01 | 11 | 0.2 | 0.07 | 0.03 | 0.01 |
| *USA, Montana: American Indian | 1 | 0.6 | 0.65 | 0.16 | 0.16 | 0 | – | 0.00 | – | 0.00 |
| USA, Nebraska | 25 | 0.4 | 0.08 | 0.04 | 0.01 | 36 | 0.4 | 0.08 | 0.05 | 0.01 |
| USA, Nebraska: White | 25 | 0.4 | 0.09 | 0.04 | 0.01 | 34 | 0.4 | 0.08 | 0.05 | 0.01 |
| *USA, Nebraska: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.4 | 0.44 | 0.07 | 0.07 |
| USA, Nevada | 50 | 0.4 | 0.06 | 0.06 | 0.01 | 40 | 0.3 | 0.06 | 0.05 | 0.01 |
| USA, Nevada: White | 45 | 0.4 | 0.07 | 0.06 | 0.01 | 33 | 0.4 | 0.07 | 0.05 | 0.01 |
| USA, Nevada: Black | 1 | 0.1 | 0.13 | 0.02 | 0.02 | 6 | 0.6 | 0.26 | 0.08 | 0.04 |
| *USA, Nevada: Asian and Pacific Islander | 2 | 0.2 | 0.14 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, New Jersey | 200 | 0.6 | 0.04 | 0.07 | 0.01 | 150 | 0.4 | 0.04 | 0.04 | 0.00 |
| USA, New Jersey: White | 151 | 0.5 | 0.05 | 0.06 | 0.01 | 125 | 0.4 | 0.04 | 0.04 | 0.00 |
| USA, New Jersey: Black | 30 | 0.7 | 0.14 | 0.10 | 0.02 | 12 | 0.3 | 0.09 | 0.03 | 0.01 |
| USA, New Mexico | 48 | 0.6 | 0.09 | 0.06 | 0.01 | 27 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, New Mexico: White | 38 | 0.5 | 0.09 | 0.05 | 0.01 | 26 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 26 | 0.5 | 0.10 | 0.05 | 0.01 | 14 | 0.2 | 0.06 | 0.03 | 0.01 |
| USA, New Mexico: Hispanic White | 12 | 0.5 | 0.14 | 0.04 | 0.01 | 12 | 0.3 | 0.10 | 0.03 | 0.01 |
| *USA, New Mexico: American Indian | 6 | 1.0 | 0.40 | 0.09 | 0.04 | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| USA, New York State | 451 | 0.6 | 0.03 | 0.07 | 0.00 | 358 | 0.4 | 0.02 | 0.04 | 0.00 |
| USA, New York State: White | 369 | 0.6 | 0.04 | 0.07 | 0.00 | 291 | 0.4 | 0.03 | 0.05 | 0.00 |
| USA, New York State: Black | 65 | 0.6 | 0.08 | 0.07 | 0.01 | 48 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 16 | 0.3 | 0.07 | 0.02 | 0.01 | 18 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, North Carolina | 233 | 0.6 | 0.04 | 0.07 | 0.01 | 151 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, North Carolina: White | 191 | 0.6 | 0.05 | 0.07 | 0.01 | 116 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, North Carolina: Black | 38 | 0.6 | 0.09 | 0.06 | 0.01 | 31 | 0.3 | 0.06 | 0.05 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 2 | 0.2 | 0.15 | 0.02 | 0.01 | 2 | 0.2 | 0.16 | 0.03 | 0.03 |
| *USA, North Carolina: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.20 | 0.05 | 0.05 |
| USA, North Dakota | 11 | 0.4 | 0.13 | 0.04 | 0.01 | 9 | 0.4 | 0.12 | 0.05 | 0.02 |
| USA, Ohio | 299 | 0.7 | 0.04 | 0.07 | 0.00 | 175 | 0.3 | 0.03 | 0.04 | 0.00 |
| USA, Ohio: White | 263 | 0.7 | 0.04 | 0.07 | 0.01 | 154 | 0.3 | 0.03 | 0.04 | 0.00 |
| USA, Ohio: Black | 29 | 0.7 | 0.12 | 0.07 | 0.02 | 20 | 0.3 | 0.08 | 0.04 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 6 | 0.8 | 0.31 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma | 99 | 0.7 | 0.07 | 0.08 | 0.01 | 50 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Oklahoma: White | 85 | 0.7 | 0.08 | 0.08 | 0.01 | 45 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Oklahoma: Black | 7 | 0.8 | 0.29 | 0.07 | 0.04 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| USA, Oklahoma: American Indian | 6 | 0.6 | 0.24 | 0.07 | 0.03 | 3 | 0.2 | 0.15 | 0.02 | 0.02 |
| USA, Oregon | 105 | 0.6 | 0.07 | 0.07 | 0.01 | 57 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Oregon: White | 97 | 0.6 | 0.07 | 0.07 | 0.01 | 54 | 0.3 | 0.04 | 0.03 | 0.01 |
| *USA, Oregon: Black | 3 | 1.1 | 0.63 | 0.15 | 0.09 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 4 | 0.6 | 0.31 | 0.05 | 0.03 | 2 | 0.3 | 0.20 | 0.04 | 0.03 |
| USA, Rhode Island | 17 | 0.4 | 0.10 | 0.05 | 0.01 | 13 | 0.3 | 0.09 | 0.03 | 0.01 |
| USA, Rhode Island: White | 16 | 0.4 | 0.10 | 0.05 | 0.01 | 11 | 0.3 | 0.09 | 0.03 | 0.01 |
| *USA, Rhode Island: Black | 0 | – | 0.00 | – | 0.00 | 2 | 0.5 | 0.42 | 0.03 | 0.03 |
| USA, South Carolina | 116 | 0.6 | 0.06 | 0.07 | 0.01 | 68 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, South Carolina: White | 81 | 0.5 | 0.06 | 0.06 | 0.01 | 46 | 0.3 | 0.05 | 0.03 | 0.00 |
| USA, South Carolina: Black | 34 | 0.8 | 0.14 | 0.10 | 0.02 | 20 | 0.4 | 0.09 | 0.04 | 0.01 |
| USA, South Dakota | 21 | 0.6 | 0.13 | 0.07 | 0.02 | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| USA, Tennessee | 163 | 0.6 | 0.05 | 0.07 | 0.01 | 118 | 0.4 | 0.04 | 0.04 | 0.00 |
| USA, Tennessee: White | 142 | 0.6 | 0.06 | 0.07 | 0.01 | 106 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, Tennessee: Black | 18 | 0.5 | 0.13 | 0.07 | 0.02 | 11 | 0.3 | 0.09 | 0.03 | 0.01 |
| USA, Texas | 505 | 0.6 | 0.03 | 0.06 | 0.00 | 298 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, Texas: White | 445 | 0.6 | 0.03 | 0.07 | 0.00 | 258 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, Texas: Black | 40 | 0.4 | 0.07 | 0.05 | 0.01 | 23 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 16 | 0.4 | 0.11 | 0.04 | 0.01 | 16 | 0.3 | 0.08 | 0.02 | 0.01 |
| USA, Utah | 45 | 0.5 | 0.07 | 0.06 | 0.01 | 37 | 0.4 | 0.06 | 0.04 | 0.01 |
| USA, Vermont | 21 | 0.7 | 0.16 | 0.09 | 0.02 | 10 | 0.3 | 0.10 | 0.04 | 0.01 |
| USA, Washington State | 154 | 0.6 | 0.05 | 0.06 | 0.01 | 94 | 0.3 | 0.03 | 0.04 | 0.00 |
| *USA, Washington, Seattle | 115 | 0.6 | 0.06 | 0.06 | 0.01 | 71 | 0.3 | 0.04 | 0.04 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nose, sinuses etc. (C30–31) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 59 | 0.7 | <i>0.10</i> | 0.08 | <i>0.01</i> | 33 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| USA, Wyoming | 8 | 0.3 | <i>0.10</i> | 0.04 | <i>0.02</i> | 9 | 0.4 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 4 | 0.3 | <i>0.15</i> | 0.02 | <i>0.02</i> | 3 | 0.3 | <i>0.15</i> | 0.03 | <i>0.03</i> |
| Brunei Darussalam | 2 | 0.2 | <i>0.15</i> | 0.02 | <i>0.02</i> | 4 | 0.4 | <i>0.20</i> | 0.04 | <i>0.02</i> |
| *China, Anfu County | 7 | 0.6 | <i>0.21</i> | 0.04 | <i>0.03</i> | 4 | 0.4 | <i>0.19</i> | 0.05 | <i>0.03</i> |
| *China, Anguo City | 1 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *China, Anshan City | 49 | 0.8 | <i>0.14</i> | 0.07 | <i>0.01</i> | 14 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *China, Aohan Banner, Chifeng City | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *China, Arongqi | 1 | 0.1 | <i>0.15</i> | 0.02 | <i>0.02</i> | 3 | 0.3 | <i>0.20</i> | 0.04 | <i>0.02</i> |
| *China, Baoding City | 9 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> | 8 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *China, Beijing City | 111 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> | 75 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *China, Binhai County | 2 | 0.1 | <i>0.04</i> | 0.00 | <i>0.00</i> | 3 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| *China, Cangzhou City | 4 | 0.2 | <i>0.12</i> | 0.03 | <i>0.01</i> | 3 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| China, Changfeng County | 5 | 0.2 | <i>0.12</i> | 0.02 | <i>0.01</i> | 5 | 0.3 | <i>0.15</i> | 0.02 | <i>0.01</i> |
| China, Changzhou City | 36 | 0.4 | <i>0.06</i> | 0.06 | <i>0.01</i> | 17 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| China, Chengdu City | 17 | 0.5 | <i>0.12</i> | 0.05 | <i>0.02</i> | 13 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| China, Cixian County | 12 | 0.7 | <i>0.19</i> | 0.06 | <i>0.03</i> | 7 | 0.4 | <i>0.16</i> | 0.05 | <i>0.02</i> |
| China, Cixi City | 10 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> | 13 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *China, Dafeng District, Yancheng City | 17 | 0.5 | <i>0.12</i> | 0.05 | <i>0.02</i> | 10 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| China, Dalian City | 55 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> | 22 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| *China, Dancheng County | 37 | 1.1 | <i>0.19</i> | 0.14 | <i>0.03</i> | 46 | 1.3 | <i>0.20</i> | 0.15 | <i>0.03</i> |
| China, Dangtu County | 4 | 0.3 | <i>0.18</i> | 0.05 | <i>0.03</i> | 3 | 0.2 | <i>0.13</i> | 0.02 | <i>0.01</i> |
| *China, Danyang City | 9 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 5 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *China, Dawukou District, Shizuishan City | 6 | 0.8 | <i>0.31</i> | 0.09 | <i>0.04</i> | 2 | 0.2 | <i>0.15</i> | 0.02 | <i>0.02</i> |
| *China, Dehui City | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> |
| *China, Donggang County | 1 | 0.0 | <i>0.03</i> | 0.00 | <i>0.00</i> | 4 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *China, Dongguan City | 14 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> | 9 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| China, Donghai County | 9 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> | 11 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| *China, Dongtai City | 16 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> | 5 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| China, Duanzhou District, Zhaoqing City | 8 | 0.7 | <i>0.25</i> | 0.08 | <i>0.03</i> | 5 | 1.1 | <i>0.53</i> | 0.05 | <i>0.03</i> |
| *China, Evenki Autonomous Banner | 2 | 0.6 | <i>0.45</i> | 0.07 | <i>0.05</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *China, Faku County | 5 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> | 3 | 0.3 | <i>0.22</i> | 0.02 | <i>0.01</i> |
| *China, Fangcheng County | 11 | 0.6 | <i>0.19</i> | 0.06 | <i>0.02</i> | 6 | 0.3 | <i>0.12</i> | 0.03 | <i>0.01</i> |
| *China, Feicheng City | 19 | 0.5 | <i>0.12</i> | 0.06 | <i>0.02</i> | 9 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| China, Feixi County | 15 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> | 7 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| China, Fuqing City | 6 | 0.3 | <i>0.12</i> | 0.02 | <i>0.01</i> | 3 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *China, Ganyu District, Lianyungang City | 12 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> | 2 | 0.0 | <i>0.04</i> | 0.00 | <i>0.00</i> |
| *China, Ganzhou District, Zhangye City | 6 | 0.6 | <i>0.24</i> | 0.09 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *China, Gaocheng City | 3 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> | 5 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| China, Gaomi City | 8 | 0.4 | <i>0.15</i> | 0.04 | <i>0.02</i> | 5 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| China, Gong'an County | 19 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> | 13 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> |
| *China, Guang'an District, Guang'an City | 9 | 0.5 | <i>0.16</i> | 0.06 | <i>0.02</i> | 7 | 0.3 | <i>0.11</i> | 0.01 | <i>0.01</i> |
| China, Guanghan City | 8 | 0.5 | <i>0.20</i> | 0.04 | <i>0.02</i> | 2 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| China, Guangzhou City | 175 | 0.6 | <i>0.04</i> | 0.06 | <i>0.01</i> | 84 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *China, Guanyun County | 8 | 0.2 | <i>0.08</i> | 0.04 | <i>0.01</i> | 4 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| China, Guilin City | 11 | 0.5 | <i>0.17</i> | 0.06 | <i>0.02</i> | 11 | 0.4 | <i>0.14</i> | 0.03 | <i>0.01</i> |
| *China, Hai'an City | 29 | 0.6 | <i>0.12</i> | 0.07 | <i>0.01</i> | 10 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| China, Hailar District, Hulun Buir City | 5 | 0.3 | <i>0.16</i> | 0.05 | <i>0.03</i> | 3 | 0.2 | <i>0.15</i> | 0.03 | <i>0.02</i> |
| China, Haimen District, Nantong City | 21 | 0.4 | <i>0.09</i> | 0.06 | <i>0.01</i> | 15 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| China, Haining City | 4 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> | 3 | 0.1 | <i>0.04</i> | 0.00 | <i>0.00</i> |
| China, Hangzhou City | 119 | 0.4 | <i>0.04</i> | 0.05 | <i>0.01</i> | 75 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| China, Hebi City | 4 | 0.3 | <i>0.14</i> | 0.03 | <i>0.01</i> | 1 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| China, Hefei City | 34 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> | 18 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| China, Hengdong County | 8 | 0.5 | <i>0.20</i> | 0.06 | <i>0.02</i> | 3 | 0.2 | <i>0.12</i> | 0.03 | <i>0.02</i> |
| *China, Hengfeng County | 6 | 1.1 | <i>0.44</i> | 0.11 | <i>0.05</i> | 3 | 0.5 | <i>0.28</i> | 0.05 | <i>0.03</i> |
| *China, Hepu County | 10 | 0.3 | <i>0.10</i> | 0.05 | <i>0.02</i> | 4 | 0.1 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| China, Honghu City | 6 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| China, Hongshan District, Chifeng City | 2 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> | 1 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *China, Hongta District, Yuxi City | 6 | 0.4 | <i>0.16</i> | 0.05 | <i>0.02</i> | 8 | 0.4 | <i>0.16</i> | 0.03 | <i>0.02</i> |
| *China, Huaiyin District, Huai'an City | 11 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> | 6 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| *China, Jiange County | 5 | 0.3 | <i>0.13</i> | 0.04 | <i>0.02</i> | 7 | 0.4 | <i>0.16</i> | 0.05 | <i>0.02</i> |
| China, Jiangmen City | 19 | 0.8 | <i>0.19</i> | 0.11 | <i>0.03</i> | 8 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| *China, Jiangyin City | 23 | 0.4 | <i>0.09</i> | 0.05 | <i>0.01</i> | 18 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *China, Jiashan County | 6 | 0.2 | <i>0.10</i> | 0.03 | <i>0.01</i> | 3 | 0.2 | <i>0.12</i> | 0.02 | <i>0.01</i> |
| China, Jiayu County | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 3 | 0.4 | <i>0.21</i> | 0.04 | <i>0.03</i> |
| *China, Jinan City | 29 | 0.3 | <i>0.06</i> | 0.04 | <i>0.01</i> | 18 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| *China, Jingtai County | 3 | 0.5 | <i>0.26</i> | 0.06 | <i>0.04</i> | 1 | 0.1 | <i>0.12</i> | 0.02 | <i>0.02</i> |
| *China, Jingxian County | 4 | 0.2 | <i>0.12</i> | 0.03 | <i>0.02</i> | 1 | 0.1 | <i>0.12</i> | 0.01 | <i>0.01</i> |
| *China, Jintan District, Changzhou City | 15 | 0.7 | <i>0.19</i> | 0.08 | <i>0.02</i> | 6 | 0.3 | <i>0.11</i> | 0.03 | <i>0.02</i> |
| *China, Jiulongpo District, Chongqing City | 13 | 0.4 | <i>0.11</i> | 0.03 | <i>0.01</i> | 8 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *China, Jiyuan City | 6 | 0.3 | <i>0.14</i> | 0.05 | <i>0.02</i> | 3 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nose, sinuses etc. (C30–31) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 4 | 0.4 | 0.22 | 0.06 | 0.03 | 6 | 0.5 | 0.21 | 0.03 | 0.02 |
| China, Kunshan City | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.3 | 0.15 | 0.03 | 0.01 |
| China, Langzhong City | 5 | 0.3 | 0.15 | 0.03 | 0.01 | 11 | 0.6 | 0.18 | 0.05 | 0.02 |
| *China, Liangshan County | 8 | 0.2 | 0.09 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Lianshui County | 16 | 0.4 | 0.11 | 0.05 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Lianyungang City | 10 | 0.2 | 0.08 | 0.03 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Linhe District, Bayannur City | 15 | 1.1 | 0.30 | 0.17 | 0.05 | 3 | 0.2 | 0.14 | 0.04 | 0.03 |
| China, Linqu County | 11 | 0.3 | 0.11 | 0.04 | 0.01 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Linzhou City | 16 | 0.6 | 0.15 | 0.05 | 0.02 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Liuzhou City | 14 | 0.4 | 0.12 | 0.06 | 0.02 | 13 | 0.4 | 0.10 | 0.04 | 0.01 |
| China, Liyang City | 8 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Longquan City | 4 | 0.3 | 0.19 | 0.03 | 0.02 | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| China, Lucheng District, Wenzhou City | 9 | 0.5 | 0.17 | 0.08 | 0.03 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Luoding City | 9 | 0.4 | 0.13 | 0.04 | 0.01 | 6 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Luohe City | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Luoyang City | 19 | 0.4 | 0.10 | 0.04 | 0.01 | 8 | 0.2 | 0.10 | 0.03 | 0.01 |
| *China, Luquan City | 3 | 0.4 | 0.21 | 0.03 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Ma'anshan City | 8 | 0.5 | 0.17 | 0.04 | 0.02 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Macheng City | 9 | 0.3 | 0.12 | 0.04 | 0.01 | 11 | 0.4 | 0.13 | 0.04 | 0.01 |
| China, Meihekou City | 12 | 0.5 | 0.15 | 0.08 | 0.03 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Mengjin County | 8 | 0.7 | 0.25 | 0.08 | 0.03 | 2 | 0.2 | 0.14 | 0.02 | 0.02 |
| China, Nangang District, Harbin City | 9 | 0.3 | 0.09 | 0.03 | 0.01 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Nanhai District, Foshan City | 13 | 0.5 | 0.13 | 0.04 | 0.01 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| China, Nanhu District, Jiaxing City | 10 | 0.3 | 0.11 | 0.05 | 0.02 | 5 | 0.2 | 0.11 | 0.03 | 0.01 |
| *China, Nantong City | 12 | 0.2 | 0.07 | 0.02 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.00 |
| *China, Nanxiong City | 7 | 0.4 | 0.17 | 0.05 | 0.03 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Neixiang County | 13 | 0.5 | 0.15 | 0.06 | 0.02 | 12 | 0.5 | 0.15 | 0.05 | 0.02 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| China, Qidong City | 19 | 0.3 | 0.08 | 0.03 | 0.01 | 15 | 0.3 | 0.09 | 0.03 | 0.01 |
| China, Qingzhou City | 13 | 0.4 | 0.10 | 0.05 | 0.02 | 11 | 0.4 | 0.16 | 0.04 | 0.01 |
| *China, Rudong County | 14 | 0.2 | 0.06 | 0.03 | 0.01 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| *China, Rugao City | 21 | 0.3 | 0.07 | 0.04 | 0.01 | 14 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Rural areas of Shanghai City | 186 | 0.4 | 0.03 | 0.05 | 0.00 | 91 | 0.2 | 0.03 | 0.02 | 0.00 |
| China, Ruyang County | 6 | 0.5 | 0.19 | 0.05 | 0.02 | 2 | 0.2 | 0.12 | 0.02 | 0.02 |
| *China, Shan County | 9 | 0.4 | 0.13 | 0.06 | 0.02 | 6 | 0.2 | 0.10 | 0.03 | 0.01 |
| China, Shanghai City | 131 | 0.4 | 0.03 | 0.04 | 0.00 | 62 | 0.2 | 0.03 | 0.02 | 0.00 |
| China, Shangyu District, Shaoxing City | 23 | 0.7 | 0.15 | 0.08 | 0.02 | 9 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Shapingba District, Chongqing City | 8 | 0.3 | 0.10 | 0.02 | 0.01 | 16 | 0.5 | 0.13 | 0.07 | 0.02 |
| China, Shexian County | 2 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| China, Sheyang County | 12 | 0.4 | 0.14 | 0.04 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Shijiazhuang City | 17 | 0.4 | 0.10 | 0.04 | 0.01 | 13 | 0.3 | 0.09 | 0.04 | 0.01 |
| China, Shunde District, Foshan City | 22 | 0.6 | 0.14 | 0.07 | 0.02 | 13 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Song County | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 3 | 0.2 | 0.11 | 0.01 | 0.01 |
| China, Suzhou City | 38 | 0.2 | 0.04 | 0.03 | 0.01 | 21 | 0.1 | 0.03 | 0.02 | 0.00 |
| *China, Tengzhou City | 9 | 0.2 | 0.06 | 0.02 | 0.01 | 13 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Wangdu County | 4 | 0.5 | 0.28 | 0.04 | 0.03 | 1 | 0.1 | 0.14 | 0.02 | 0.02 |
| *China, Wanxian County | 3 | 0.3 | 0.18 | 0.03 | 0.02 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| *China, Wu'an City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Wuhan City | 77 | 0.4 | 0.05 | 0.05 | 0.01 | 57 | 0.3 | 0.04 | 0.02 | 0.00 |
| *China, Wuhu City | 13 | 0.3 | 0.10 | 0.03 | 0.01 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Wuxi City | 43 | 0.4 | 0.06 | 0.04 | 0.01 | 23 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Wuzhou City | 6 | 0.3 | 0.14 | 0.02 | 0.01 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Xiangfu District, Kaifeng City | 24 | 1.4 | 0.29 | 0.12 | 0.03 | 20 | 0.9 | 0.22 | 0.08 | 0.02 |
| China, Xianju County | 7 | 0.4 | 0.14 | 0.04 | 0.01 | 9 | 0.5 | 0.17 | 0.05 | 0.02 |
| *China, Xin'an County | 3 | 0.3 | 0.16 | 0.03 | 0.03 | 3 | 0.2 | 0.14 | 0.02 | 0.02 |
| *China, Xining City | 8 | 0.3 | 0.12 | 0.03 | 0.02 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Xinji City | 6 | 0.2 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 5 | 0.4 | 0.19 | 0.06 | 0.03 | 3 | 0.3 | 0.16 | 0.03 | 0.02 |
| *China, Xinzhou District, Shangrao City | 10 | 0.8 | 0.25 | 0.10 | 0.03 | 7 | 0.5 | 0.20 | 0.08 | 0.03 |
| China, Xiping County | 17 | 0.7 | 0.18 | 0.07 | 0.02 | 7 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Xishan District, Kunming City | 5 | 0.4 | 0.18 | 0.05 | 0.02 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Xuyi County | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Ya'an City | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Yakeshi City | 7 | 0.5 | 0.19 | 0.05 | 0.03 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Yancheng City | 9 | 0.2 | 0.05 | 0.01 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Yangquan City | 13 | 0.6 | 0.17 | 0.07 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yangzhong City | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 4 | 0.3 | 0.15 | 0.04 | 0.02 |
| *China, Yanji City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Yanshi City | 8 | 0.5 | 0.19 | 0.04 | 0.02 | 8 | 0.3 | 0.12 | 0.03 | 0.01 |
| China, Yanting County | 3 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.1 | 0.08 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 6 | 0.7 | 0.27 | 0.09 | 0.04 | 3 | 0.4 | 0.26 | 0.04 | 0.02 |
| *China, Yingdong District, Fuyang City | 12 | 0.6 | 0.19 | 0.07 | 0.02 | 5 | 0.2 | 0.08 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nose, sinuses etc. (C30–31) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 2 | 0.2 | 0.15 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 7 | 0.3 | 0.13 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Yong'an City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| *China, Yongding District, Longyan City | 6 | 0.3 | 0.14 | 0.04 | 0.02 | 6 | 0.3 | 0.13 | 0.03 | 0.01 |
| China, Yongkang City | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 9 | 0.4 | 0.13 | 0.05 | 0.02 |
| *China, Yucheng County | 6 | 0.3 | 0.14 | 0.03 | 0.01 | 5 | 0.3 | 0.16 | 0.02 | 0.01 |
| China, Yueyanglou District, Yueyang City | 5 | 0.4 | 0.20 | 0.05 | 0.03 | 2 | 0.3 | 0.27 | 0.02 | 0.01 |
| China, Yunmeng County | 3 | 0.2 | 0.11 | 0.02 | 0.01 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| *China, Yunyang District, Shiyuan City | 3 | 0.3 | 0.15 | 0.02 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Yuzhong District, Chongqing City | 12 | 0.6 | 0.17 | 0.06 | 0.02 | 5 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Zhanhuang County | 1 | 0.1 | 0.14 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 16 | 0.4 | 0.09 | 0.04 | 0.01 | 12 | 0.3 | 0.08 | 0.02 | 0.01 |
| *China, Zhaoyuan City | 12 | 0.5 | 0.13 | 0.06 | 0.02 | 9 | 0.4 | 0.14 | 0.05 | 0.02 |
| *China, Zhengding County | 2 | 0.1 | 0.11 | 0.01 | 0.01 | 3 | 0.2 | 0.11 | 0.02 | 0.02 |
| *China, Zhongshan City | 33 | 0.6 | 0.11 | 0.09 | 0.02 | 19 | 0.3 | 0.08 | 0.04 | 0.01 |
| China, Zhongxiang City | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 11 | 0.3 | 0.10 | 0.04 | 0.02 |
| *China, Zhuanghe City | 12 | 0.3 | 0.10 | 0.03 | 0.01 | 13 | 0.3 | 0.08 | 0.02 | 0.01 |
| *China, Zhuhai City | 19 | 0.5 | 0.13 | 0.06 | 0.02 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| India, Ahmedabad, Urban | 70 | 0.6 | 0.07 | 0.06 | 0.01 | 33 | 0.3 | 0.05 | 0.03 | 0.01 |
| India, Aurangabad | 13 | 0.4 | 0.13 | 0.05 | 0.02 | 11 | 0.4 | 0.11 | 0.05 | 0.02 |
| India, Bangalore | 52 | 0.4 | 0.06 | 0.05 | 0.01 | 50 | 0.4 | 0.06 | 0.04 | 0.01 |
| India, Barshi, Paranda, and Bhum | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| India, Chandigarh | 8 | 0.3 | 0.11 | 0.04 | 0.01 | 3 | 0.2 | 0.09 | 0.02 | 0.02 |
| *India, Chennai | 72 | 0.6 | 0.07 | 0.05 | 0.01 | 44 | 0.3 | 0.05 | 0.04 | 0.01 |
| India, Dibrugarh | 8 | 0.3 | 0.10 | 0.03 | 0.01 | 9 | 0.3 | 0.11 | 0.03 | 0.01 |
| *India, Dindigul, Ambilikkai | 27 | 0.4 | 0.08 | 0.04 | 0.01 | 20 | 0.3 | 0.07 | 0.04 | 0.01 |
| India, Kamrup Urban District | 11 | 0.5 | 0.15 | 0.05 | 0.02 | 9 | 0.3 | 0.12 | 0.04 | 0.02 |
| India, Kollam | 36 | 0.6 | 0.11 | 0.07 | 0.01 | 13 | 0.2 | 0.05 | 0.02 | 0.01 |
| *India, Manipur | 32 | 0.7 | 0.12 | 0.09 | 0.02 | 21 | 0.4 | 0.09 | 0.05 | 0.01 |
| India, Meghalaya | 13 | 0.5 | 0.14 | 0.06 | 0.02 | 8 | 0.3 | 0.09 | 0.04 | 0.02 |
| India, Mizoram | 8 | 0.5 | 0.18 | 0.07 | 0.03 | 5 | 0.3 | 0.13 | 0.04 | 0.02 |
| India, Mumbai | 173 | 0.5 | 0.04 | 0.06 | 0.01 | 77 | 0.3 | 0.03 | 0.04 | 0.01 |
| *India, New Delhi | 121 | 0.5 | 0.05 | 0.06 | 0.01 | 59 | 0.3 | 0.03 | 0.03 | 0.00 |
| India, Poona | 49 | 0.4 | 0.05 | 0.04 | 0.01 | 43 | 0.3 | 0.05 | 0.04 | 0.01 |
| *India, Sangrur District | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 4 | 0.2 | 0.08 | 0.01 | 0.01 |
| India, SAS Nagar | 8 | 0.3 | 0.11 | 0.03 | 0.01 | 3 | 0.1 | 0.09 | 0.02 | 0.01 |
| *India, Tamil Nadu | 915 | 0.4 | 0.01 | 0.05 | 0.00 | 555 | 0.3 | 0.01 | 0.03 | 0.00 |
| *India, Tripura | 16 | 0.2 | 0.06 | 0.03 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| India, Trivandrum | 39 | 0.5 | 0.08 | 0.05 | 0.01 | 33 | 0.4 | 0.08 | 0.04 | 0.01 |
| India, Wardha | 15 | 0.4 | 0.11 | 0.07 | 0.02 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, West Arunachal | 3 | 0.3 | 0.17 | 0.02 | 0.02 | 3 | 0.3 | 0.17 | 0.03 | 0.02 |
| *Iran (Islamic Republic of), Ardabil Province | 3 | 0.1 | 0.09 | 0.01 | 0.01 | 3 | 0.2 | 0.11 | 0.02 | 0.02 |
| *Iran (Islamic Republic of), Golestan Province | 11 | 0.5 | 0.15 | 0.06 | 0.03 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| Israel | 105 | 0.4 | 0.04 | 0.05 | 0.01 | 71 | 0.2 | 0.03 | 0.03 | 0.00 |
| *Israel: Jews | 85 | 0.4 | 0.05 | 0.04 | 0.01 | 62 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Israel: Arabs | 15 | 0.5 | 0.13 | 0.06 | 0.02 | 7 | 0.2 | 0.07 | 0.01 | 0.00 |
| Japan | 3515 | 0.9 | 0.02 | 0.10 | 0.00 | 1993 | 0.4 | 0.01 | 0.04 | 0.00 |
| Japan, Aichi Prefecture | 168 | 0.7 | 0.06 | 0.08 | 0.01 | 92 | 0.4 | 0.06 | 0.04 | 0.01 |
| *Japan, Akita Prefecture | 37 | 0.9 | 0.18 | 0.11 | 0.02 | 24 | 0.4 | 0.13 | 0.05 | 0.02 |
| Japan, Aomori Prefecture | 73 | 1.1 | 0.17 | 0.13 | 0.02 | 36 | 0.6 | 0.18 | 0.04 | 0.01 |
| Japan, Gunma Prefecture | 59 | 1.0 | 0.17 | 0.11 | 0.02 | 43 | 0.5 | 0.11 | 0.05 | 0.01 |
| Japan, Hiroshima Prefecture | 111 | 1.1 | 0.12 | 0.12 | 0.01 | 50 | 0.3 | 0.07 | 0.03 | 0.01 |
| Japan, Miyagi Prefecture | 127 | 1.1 | 0.11 | 0.13 | 0.01 | 75 | 0.5 | 0.08 | 0.05 | 0.01 |
| Japan, Osaka Prefecture | 240 | 0.9 | 0.07 | 0.10 | 0.01 | 149 | 0.4 | 0.05 | 0.04 | 0.00 |
| Kuwait | 15 | 0.2 | 0.05 | 0.02 | 0.01 | 12 | 0.2 | 0.05 | 0.01 | 0.00 |
| *Kuwait: Kuwaitis | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 5 | 0.2 | 0.08 | 0.01 | 0.01 |
| *Kuwait: Non-Kuwaitis | 11 | 0.2 | 0.09 | 0.03 | 0.02 | 7 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Philippines, Manila | 78 | 0.6 | 0.07 | 0.07 | 0.01 | 55 | 0.4 | 0.05 | 0.04 | 0.01 |
| *Qatar: Qatari | 2 | 0.4 | 0.28 | 0.04 | 0.03 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |
| Republic of Korea | 1170 | 0.6 | 0.02 | 0.07 | 0.00 | 708 | 0.3 | 0.01 | 0.03 | 0.00 |
| *Republic of Korea, Busan | 93 | 0.7 | 0.07 | 0.07 | 0.01 | 57 | 0.3 | 0.05 | 0.04 | 0.01 |
| *Republic of Korea, Daegu | 57 | 0.6 | 0.09 | 0.07 | 0.01 | 33 | 0.3 | 0.06 | 0.04 | 0.01 |
| *Republic of Korea, Daejeon | 24 | 0.5 | 0.10 | 0.06 | 0.01 | 19 | 0.3 | 0.08 | 0.03 | 0.01 |
| *Republic of Korea, Gwangju | 33 | 0.7 | 0.12 | 0.08 | 0.02 | 15 | 0.2 | 0.07 | 0.03 | 0.01 |
| Republic of Korea, Incheon | 67 | 0.6 | 0.08 | 0.06 | 0.01 | 40 | 0.4 | 0.06 | 0.04 | 0.01 |
| Republic of Korea, Jeju | 16 | 0.6 | 0.16 | 0.07 | 0.02 | 9 | 0.4 | 0.15 | 0.02 | 0.01 |
| Republic of Korea, Seoul | 191 | 0.5 | 0.04 | 0.06 | 0.01 | 125 | 0.3 | 0.03 | 0.03 | 0.00 |
| Republic of Korea, Ulsan | 32 | 0.9 | 0.17 | 0.10 | 0.02 | 13 | 0.4 | 0.10 | 0.05 | 0.01 |
| Singapore | 111 | 0.8 | 0.08 | 0.09 | 0.01 | 65 | 0.4 | 0.05 | 0.04 | 0.01 |
| Singapore: Chinese | 97 | 0.9 | 0.09 | 0.10 | 0.01 | 59 | 0.5 | 0.07 | 0.05 | 0.01 |
| Singapore: Indian | 5 | 0.6 | 0.32 | 0.04 | 0.02 | 4 | 0.3 | 0.18 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nose, sinuses etc. (C30–31) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 6 | 0.3 | <i>0.14</i> | 0.04 | <i>0.02</i> | 2 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| Thailand, Bangkok | 83 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | 58 | 0.3 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *Thailand, Chiang Mai | 32 | 0.6 | <i>0.10</i> | 0.08 | <i>0.02</i> | 25 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> |
| *Thailand, Khon Kaen | 19 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 13 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| Thailand, Lampang | 10 | 0.4 | <i>0.11</i> | 0.04 | <i>0.02</i> | 13 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> |
| Thailand, Lopburi Province | 27 | 1.1 | <i>0.22</i> | 0.12 | <i>0.03</i> | 15 | 0.6 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| *Thailand, Songkhla | 25 | 0.6 | <i>0.12</i> | 0.06 | <i>0.01</i> | 17 | 0.4 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Turkey, Antalya | 20 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> | 12 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Turkey, Bursa | 27 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> | 15 | 0.2 | <i>0.05</i> | 0.02 | <i>0.00</i> |
| *Turkey, Edirne | 6 | 0.4 | <i>0.15</i> | 0.05 | <i>0.02</i> | 5 | 0.3 | <i>0.14</i> | 0.05 | <i>0.02</i> |
| *Turkey, Erzurum | 8 | 0.5 | <i>0.17</i> | 0.06 | <i>0.02</i> | 4 | 0.2 | <i>0.09</i> | 0.03 | <i>0.02</i> |
| Turkey, Eskişehir | 8 | 0.3 | <i>0.11</i> | 0.04 | <i>0.02</i> | 5 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| Turkey, Gaziantep | 20 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> | 12 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| *Turkey, Izmir | 75 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 46 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| Turkey, Malatya | 8 | 0.4 | <i>0.14</i> | 0.05 | <i>0.02</i> | 2 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| Turkey, Samsun | 16 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> | 11 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| Turkey, Trabzon | 8 | 0.3 | <i>0.11</i> | 0.04 | <i>0.02</i> | 7 | 0.3 | <i>0.10</i> | 0.04 | <i>0.02</i> |
| Europe | | | | | | | | | | |
| Austria | 325 | 0.9 | <i>0.05</i> | 0.10 | <i>0.01</i> | 141 | 0.3 | <i>0.03</i> | 0.04 | <i>0.00</i> |
| Austria, Carinthia | 23 | 0.8 | <i>0.18</i> | 0.11 | <i>0.03</i> | 11 | 0.4 | <i>0.12</i> | 0.04 | <i>0.02</i> |
| Austria, Tyrol | 40 | 1.4 | <i>0.23</i> | 0.16 | <i>0.03</i> | 7 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Austria, Vorarlberg | 15 | 0.9 | <i>0.25</i> | 0.10 | <i>0.03</i> | 2 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| Belarus | 261 | 0.8 | <i>0.05</i> | 0.09 | <i>0.01</i> | 126 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| *Belgium | 464 | 0.9 | <i>0.05</i> | 0.11 | <i>0.01</i> | 161 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| Croatia | 116 | 0.7 | <i>0.07</i> | 0.07 | <i>0.01</i> | 88 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> |
| Cyprus | 12 | 0.4 | <i>0.11</i> | 0.06 | <i>0.02</i> | 5 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *Czech Republic | 230 | 0.5 | <i>0.04</i> | 0.06 | <i>0.00</i> | 173 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| Denmark | 190 | 0.7 | <i>0.05</i> | 0.09 | <i>0.01</i> | 135 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> |
| Estonia | 39 | 0.7 | <i>0.12</i> | 0.10 | <i>0.02</i> | 20 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| Finland | 133 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 102 | 0.4 | <i>0.05</i> | 0.04 | <i>0.00</i> |
| *France, Bas-Rhin | 49 | 1.3 | <i>0.19</i> | 0.16 | <i>0.03</i> | 18 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> |
| *France, Calvados | 21 | 0.7 | <i>0.16</i> | 0.09 | <i>0.02</i> | 9 | 0.3 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| *France, Doubs | 22 | 1.1 | <i>0.24</i> | 0.13 | <i>0.03</i> | 13 | 0.6 | <i>0.18</i> | 0.08 | <i>0.02</i> |
| *France, Gironde | 47 | 0.7 | <i>0.11</i> | 0.09 | <i>0.02</i> | 28 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| *France, Haut-Rhin | 35 | 1.0 | <i>0.19</i> | 0.12 | <i>0.02</i> | 7 | 0.2 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| *France, Hérault | 35 | 0.6 | <i>0.12</i> | 0.07 | <i>0.01</i> | 20 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| *France, Isère | 47 | 0.9 | <i>0.14</i> | 0.11 | <i>0.02</i> | 14 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| *France, Lille-Métropole | 25 | 0.9 | <i>0.18</i> | 0.10 | <i>0.02</i> | 9 | 0.3 | <i>0.12</i> | 0.04 | <i>0.01</i> |
| *France, Limousin | 24 | 1.1 | <i>0.26</i> | 0.12 | <i>0.03</i> | 9 | 0.5 | <i>0.20</i> | 0.06 | <i>0.02</i> |
| *France, Loire-Atlantique | 70 | 1.2 | <i>0.16</i> | 0.15 | <i>0.02</i> | 31 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> |
| *France, Manche | 26 | 1.0 | <i>0.22</i> | 0.12 | <i>0.03</i> | 7 | 0.2 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| *France, Poitou-Charentes | 94 | 1.0 | <i>0.11</i> | 0.12 | <i>0.01</i> | 39 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| *France, Somme | 25 | 1.0 | <i>0.21</i> | 0.11 | <i>0.03</i> | 14 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| *France, Tarn | 24 | 1.2 | <i>0.28</i> | 0.12 | <i>0.03</i> | 11 | 0.5 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| *France, Territoire de Belfort | 5 | 1.0 | <i>0.48</i> | 0.12 | <i>0.06</i> | 4 | 0.5 | <i>0.33</i> | 0.03 | <i>0.03</i> |
| *France, Vendée | 40 | 1.2 | <i>0.20</i> | 0.14 | <i>0.03</i> | 19 | 0.5 | <i>0.13</i> | 0.05 | <i>0.01</i> |
| Germany, Baden-Württemberg | 233 | 0.8 | <i>0.05</i> | 0.09 | <i>0.01</i> | 176 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| Germany, Bavaria | 457 | 0.8 | <i>0.04</i> | 0.09 | <i>0.00</i> | 266 | 0.4 | <i>0.03</i> | 0.05 | <i>0.00</i> |
| Germany, Bremen | 21 | 0.6 | <i>0.16</i> | 0.06 | <i>0.02</i> | 18 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| Germany, Hamburg | 63 | 0.8 | <i>0.11</i> | 0.09 | <i>0.01</i> | 38 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| Germany, Lower Saxony | 293 | 0.8 | <i>0.05</i> | 0.09 | <i>0.01</i> | 209 | 0.5 | <i>0.04</i> | 0.05 | <i>0.00</i> |
| Germany, North Rhine-Westphalia | 721 | 0.9 | <i>0.04</i> | 0.10 | <i>0.00</i> | 472 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> |
| Germany, Rhineland-Palatinate | 186 | 0.9 | <i>0.07</i> | 0.11 | <i>0.01</i> | 104 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| Germany, Saarland | 56 | 1.1 | <i>0.16</i> | 0.12 | <i>0.02</i> | 31 | 0.7 | <i>0.15</i> | 0.06 | <i>0.01</i> |
| Germany, Schleswig-Holstein | 129 | 0.9 | <i>0.09</i> | 0.11 | <i>0.01</i> | 75 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> |
| Iceland | 8 | 0.6 | <i>0.22</i> | 0.06 | <i>0.03</i> | 1 | 0.1 | <i>0.07</i> | 0.02 | <i>0.02</i> |
| Ireland | 82 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> | 65 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| *Italy, Aosta Valley | 3 | 0.4 | <i>0.28</i> | 0.03 | <i>0.03</i> | 1 | 0.1 | <i>0.14</i> | 0.04 | <i>0.04</i> |
| *Italy, Avellino | 6 | 0.7 | <i>0.32</i> | 0.07 | <i>0.03</i> | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Italy, Basilicata | 14 | 0.5 | <i>0.15</i> | 0.07 | <i>0.02</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *Italy, Benevento | 6 | 0.5 | <i>0.21</i> | 0.07 | <i>0.03</i> | 5 | 0.5 | <i>0.24</i> | 0.04 | <i>0.02</i> |
| Italy, Bergamo | 28 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | 21 | 0.4 | <i>0.12</i> | 0.05 | <i>0.01</i> |
| *Italy, Brescia | 27 | 0.5 | <i>0.11</i> | 0.05 | <i>0.01</i> | 16 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Italy, Brianza (Lecco and Monza e Brianza) | 17 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> | 18 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> |
| Italy, Calabria | 17 | 0.7 | <i>0.19</i> | 0.08 | <i>0.02</i> | 8 | 0.3 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| *Italy, Caserta | 22 | 0.7 | <i>0.17</i> | 0.08 | <i>0.02</i> | 12 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> |
| *Italy, Catania, Messina, and Enna | 51 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> | 19 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| Italy, Emilia-Romagna | 111 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 53 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| Italy, Friuli-Venezia Giulia | 49 | 0.7 | <i>0.11</i> | 0.09 | <i>0.02</i> | 29 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Italy, Genova | 20 | 0.5 | <i>0.12</i> | 0.05 | <i>0.02</i> | 16 | 0.4 | <i>0.15</i> | 0.04 | <i>0.01</i> |
| *Italy, Lombardy, South, Pavia | 19 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> | 11 | 0.3 | <i>0.11</i> | 0.04 | <i>0.01</i> |
| Italy, Mantova and Cremona | 15 | 0.6 | <i>0.15</i> | 0.07 | <i>0.02</i> | 8 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Nose, sinuses etc. (C30–31) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 60 | 0.9 | <i>0.13</i> | 0.10 | <i>0.02</i> | 16 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Italy, Milan | 91 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> | 60 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| Italy, Molise | 3 | 0.4 | <i>0.23</i> | 0.03 | <i>0.02</i> | 6 | 0.5 | <i>0.23</i> | 0.05 | <i>0.03</i> |
| *Italy, Naples Centre | 21 | 0.9 | <i>0.20</i> | 0.09 | <i>0.02</i> | 8 | 0.4 | <i>0.16</i> | 0.03 | <i>0.01</i> |
| *Italy, Naples North | 23 | 0.7 | <i>0.15</i> | 0.10 | <i>0.02</i> | 6 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *Italy, Naples South | 23 | 0.5 | <i>0.11</i> | 0.04 | <i>0.01</i> | 16 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *Italy, Nuoro | 7 | 1.0 | <i>0.40</i> | 0.06 | <i>0.04</i> | 3 | 0.3 | <i>0.21</i> | 0.05 | <i>0.03</i> |
| *Italy, Palermo | 34 | 0.6 | <i>0.12</i> | 0.06 | <i>0.01</i> | 13 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| Italy, Puglia | 84 | 0.4 | <i>0.05</i> | 0.06 | <i>0.01</i> | 44 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *Italy, Ragusa and Caltanissetta | 9 | 0.3 | <i>0.12</i> | 0.04 | <i>0.02</i> | 3 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *Italy, Salerno | 21 | 0.5 | <i>0.13</i> | 0.05 | <i>0.02</i> | 14 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| Italy, Sassari | 3 | 0.3 | <i>0.16</i> | 0.06 | <i>0.03</i> | 3 | 0.2 | <i>0.10</i> | 0.02 | <i>0.02</i> |
| *Italy, Sondrio | 10 | 0.9 | <i>0.30</i> | 0.11 | <i>0.04</i> | 7 | 1.3 | <i>0.68</i> | 0.08 | <i>0.04</i> |
| Italy, South Tyrol | 13 | 0.5 | <i>0.14</i> | 0.07 | <i>0.02</i> | 14 | 0.5 | <i>0.16</i> | 0.04 | <i>0.02</i> |
| *Italy, Syracuse | 5 | 0.3 | <i>0.15</i> | 0.04 | <i>0.02</i> | 6 | 0.3 | <i>0.13</i> | 0.03 | <i>0.02</i> |
| Italy, Trento | 21 | 0.7 | <i>0.16</i> | 0.09 | <i>0.03</i> | 12 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| Italy, Turin | 92 | 0.7 | <i>0.08</i> | 0.07 | <i>0.01</i> | 49 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| *Italy, Tuscany | 88 | 0.9 | <i>0.12</i> | 0.10 | <i>0.01</i> | 35 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| Italy, Umbria | 23 | 0.7 | <i>0.15</i> | 0.08 | <i>0.02</i> | 16 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> |
| Italy, Varese | 16 | 0.6 | <i>0.19</i> | 0.06 | <i>0.02</i> | 13 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> |
| Italy, Veneto | 162 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> | 109 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| Latvia | 56 | 0.8 | <i>0.10</i> | 0.10 | <i>0.01</i> | 36 | 0.3 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| *Liechtenstein | 1 | 0.6 | <i>0.65</i> | 0.06 | <i>0.06</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Lithuania | 71 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> | 71 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> |
| Malta | 7 | 0.4 | <i>0.14</i> | 0.04 | <i>0.02</i> | 4 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| *The Netherlands | 531 | 0.7 | <i>0.03</i> | 0.08 | <i>0.00</i> | 346 | 0.4 | <i>0.02</i> | 0.05 | <i>0.00</i> |
| Norway | 133 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | 87 | 0.3 | <i>0.04</i> | 0.04 | <i>0.01</i> |
| Poland, Kielce | 19 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> | 19 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| *Portugal, Azores | 2 | 0.3 | <i>0.23</i> | 0.03 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Russian Federation, Arkhangelsk | 29 | 0.8 | <i>0.15</i> | 0.08 | <i>0.02</i> | 15 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Russian Federation, Kaliningrad | 14 | 0.4 | <i>0.12</i> | 0.04 | <i>0.01</i> | 8 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| Russian Federation, Karelia | 14 | 0.7 | <i>0.20</i> | 0.11 | <i>0.04</i> | 14 | 0.5 | <i>0.13</i> | 0.06 | <i>0.02</i> |
| *Russian Federation, Komi Republic | 26 | 1.0 | <i>0.20</i> | 0.11 | <i>0.03</i> | 15 | 0.5 | <i>0.14</i> | 0.04 | <i>0.01</i> |
| Russian Federation, Murmansk | 14 | 0.7 | <i>0.20</i> | 0.09 | <i>0.03</i> | 14 | 0.4 | <i>0.11</i> | 0.05 | <i>0.02</i> |
| *Russian Federation, Orenburg | 62 | 1.0 | <i>0.13</i> | 0.13 | <i>0.02</i> | 40 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Russian Federation, Pskov | 16 | 0.6 | <i>0.16</i> | 0.07 | <i>0.02</i> | 10 | 0.3 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| *Russian Federation, Samara | 64 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 42 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| Russian Federation, Vologda Region | 31 | 0.8 | <i>0.14</i> | 0.10 | <i>0.02</i> | 16 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Slovenia | 54 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> | 34 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Spain, Asturias | 25 | 0.6 | <i>0.14</i> | 0.06 | <i>0.02</i> | 13 | 0.4 | <i>0.12</i> | 0.06 | <i>0.02</i> |
| Spain, Basque Country | 57 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> | 26 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Spain, Canary Islands | 35 | 0.6 | <i>0.13</i> | 0.06 | <i>0.01</i> | 22 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| Spain, Castellón | 17 | 0.7 | <i>0.18</i> | 0.08 | <i>0.02</i> | 7 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| Spain, Girona | 17 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> | 8 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Spain, Granada | 21 | 0.5 | <i>0.12</i> | 0.07 | <i>0.02</i> | 5 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| Spain, La Rioja | 8 | 0.6 | <i>0.22</i> | 0.07 | <i>0.03</i> | 3 | 0.2 | <i>0.13</i> | 0.02 | <i>0.01</i> |
| Spain, Murcia | 29 | 0.6 | <i>0.12</i> | 0.07 | <i>0.02</i> | 14 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Spain, Navarra | 21 | 0.8 | <i>0.19</i> | 0.09 | <i>0.03</i> | 5 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| Spain, Salamanca | 14 | 0.7 | <i>0.21</i> | 0.09 | <i>0.03</i> | 4 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| Spain, Tarragona | 25 | 0.7 | <i>0.14</i> | 0.09 | <i>0.02</i> | 18 | 0.5 | <i>0.13</i> | 0.05 | <i>0.02</i> |
| *Sweden | 220 | 0.5 | <i>0.04</i> | 0.05 | <i>0.00</i> | 153 | 0.3 | <i>0.03</i> | 0.04 | <i>0.00</i> |
| Switzerland, Aargau | 21 | 0.8 | <i>0.19</i> | 0.07 | <i>0.02</i> | 10 | 0.3 | <i>0.11</i> | 0.04 | <i>0.01</i> |
| Switzerland, Basel | 19 | 0.9 | <i>0.25</i> | 0.10 | <i>0.03</i> | 5 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| Switzerland, Berne Solothurn | 26 | 0.7 | <i>0.15</i> | 0.09 | <i>0.02</i> | 20 | 0.5 | <i>0.14</i> | 0.05 | <i>0.01</i> |
| Switzerland, East | 33 | 1.0 | <i>0.19</i> | 0.11 | <i>0.02</i> | 12 | 0.4 | <i>0.18</i> | 0.03 | <i>0.01</i> |
| *Switzerland, Fribourg | 7 | 0.6 | <i>0.22</i> | 0.07 | <i>0.03</i> | 3 | 0.2 | <i>0.12</i> | 0.01 | <i>0.01</i> |
| Switzerland, Geneva | 6 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> | 14 | 0.6 | <i>0.17</i> | 0.06 | <i>0.02</i> |
| *Switzerland, Graubünden and Glarus | 7 | 0.5 | <i>0.22</i> | 0.06 | <i>0.03</i> | 4 | 0.3 | <i>0.15</i> | 0.07 | <i>0.03</i> |
| *Switzerland, Lucerne | 14 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> | 9 | 0.5 | <i>0.17</i> | 0.05 | <i>0.02</i> |
| *Switzerland, Neuchâtel and Jura | 4 | 0.3 | <i>0.19</i> | 0.03 | <i>0.02</i> | 7 | 0.5 | <i>0.21</i> | 0.07 | <i>0.03</i> |
| Switzerland, Ticino | 14 | 0.8 | <i>0.23</i> | 0.10 | <i>0.03</i> | 6 | 0.4 | <i>0.18</i> | 0.05 | <i>0.02</i> |
| Switzerland, Valais | 10 | 0.8 | <i>0.29</i> | 0.08 | <i>0.03</i> | 5 | 0.2 | <i>0.12</i> | 0.02 | <i>0.01</i> |
| Switzerland, Vaud | 15 | 0.5 | <i>0.14</i> | 0.05 | <i>0.02</i> | 11 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| Switzerland, Zurich and Zug | 43 | 0.6 | <i>0.10</i> | 0.08 | <i>0.01</i> | 34 | 0.4 | <i>0.07</i> | 0.06 | <i>0.01</i> |
| Ukraine | 995 | 0.8 | <i>0.03</i> | 0.09 | <i>0.00</i> | 595 | 0.3 | <i>0.02</i> | 0.04 | <i>0.00</i> |
| UK, England | 1447 | 0.6 | <i>0.02</i> | 0.07 | <i>0.00</i> | 979 | 0.4 | <i>0.01</i> | 0.04 | <i>0.00</i> |
| UK, Northern Ireland | 45 | 0.6 | <i>0.10</i> | 0.07 | <i>0.01</i> | 30 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| UK, Scotland | 123 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 114 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| UK, Wales | 89 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 61 | 0.3 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 195 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 136 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> |
| *Australia, Northern Territory | 3 | 0.4 | <i>0.23</i> | 0.04 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Nose, sinuses etc. (C30–31) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 1 | 0.2 | 0.15 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Australia, Northern Territory: Indigenous | 2 | 1.4 | 1.06 | 0.16 | 0.12 | 0 | – | 0.00 | – | 0.00 |
| *Australia, Queensland | 109 | 0.6 | 0.06 | 0.07 | 0.01 | 77 | 0.4 | 0.05 | 0.04 | 0.01 |
| Australia, South Australia | 47 | 0.6 | 0.10 | 0.07 | 0.01 | 26 | 0.3 | 0.07 | 0.03 | 0.01 |
| Australia, Tasmania | 25 | 1.0 | 0.22 | 0.11 | 0.03 | 9 | 0.4 | 0.14 | 0.04 | 0.02 |
| *Australia, Victoria | 152 | 0.6 | 0.05 | 0.06 | 0.01 | 80 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Australia, Western Australia | 64 | 0.7 | 0.09 | 0.07 | 0.01 | 39 | 0.4 | 0.07 | 0.05 | 0.01 |
| *France, New Caledonia | 6 | 0.8 | 0.33 | 0.10 | 0.04 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| New Zealand | 92 | 0.5 | 0.06 | 0.06 | 0.01 | 50 | 0.3 | 0.04 | 0.03 | 0.00 |
| *New Zealand: Maori | 12 | 0.7 | 0.21 | 0.10 | 0.03 | 4 | 0.2 | 0.11 | 0.03 | 0.01 |
| *New Zealand: Pacific peoples | 7 | 1.1 | 0.42 | 0.16 | 0.07 | 1 | 0.1 | 0.13 | 0.01 | 0.01 |
| *New Zealand: Other | 69 | 0.5 | 0.06 | 0.05 | 0.01 | 40 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Hawaii | 44 | 0.7 | 0.12 | 0.10 | 0.02 | 17 | 0.2 | 0.06 | 0.03 | 0.01 |
| USA, Hawaii: White | 15 | 0.7 | 0.20 | 0.12 | 0.03 | 5 | 0.2 | 0.11 | 0.04 | 0.02 |
| *USA, Hawaii: Japanese | 7 | 0.4 | 0.16 | 0.04 | 0.02 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *USA, Hawaii: Chinese | 5 | 2.8 | 1.38 | 0.28 | 0.12 | 1 | 0.4 | 0.42 | 0.03 | 0.03 |
| *USA, Hawaii: Hawaiian | 5 | 0.6 | 0.25 | 0.08 | 0.04 | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| *USA, Hawaii: Filipino | 8 | 1.0 | 0.36 | 0.12 | 0.05 | 2 | 0.2 | 0.14 | 0.03 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Larynx (C32)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 51 | 4.1 | 0.59 | 0.52 | 0.08 | 4 | 0.3 | 0.14 | 0.05 | 0.03 |
| *Algeria, Tizi Ouzou | 40 | 2.6 | 0.43 | 0.34 | 0.07 | 5 | 0.2 | 0.11 | 0.03 | 0.02 |
| *Benin, Cotonou | 4 | 0.9 | 0.49 | 0.12 | 0.08 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *France, La Réunion | 116 | 5.3 | 0.50 | 0.64 | 0.07 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Kenya, Eldoret | 16 | 1.7 | 0.45 | 0.23 | 0.07 | 2 | 0.3 | 0.20 | 0.04 | 0.03 |
| *Kenya, Nairobi | 71 | 3.2 | 0.43 | 0.42 | 0.07 | 6 | 0.3 | 0.12 | 0.02 | 0.01 |
| Mauritius | 139 | 3.2 | 0.28 | 0.41 | 0.04 | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| *Morocco, Casablanca | 333 | 3.2 | 0.18 | 0.41 | 0.03 | 42 | 0.4 | 0.06 | 0.04 | 0.01 |
| *Seychelles | 19 | 7.1 | 1.65 | 0.89 | 0.26 | 2 | 0.5 | 0.33 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | 32 | 3.2 | 0.58 | 0.38 | 0.07 | 6 | 0.4 | 0.16 | 0.05 | 0.02 |
| *Uganda, Kyadondo County | 40 | 3.2 | 0.55 | 0.47 | 0.09 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Uganda, Gulu | 7 | 1.7 | 0.64 | 0.13 | 0.06 | 3 | 0.4 | 0.23 | 0.03 | 0.02 |
| *Zimbabwe, Bulawayo: African | 18 | 2.3 | 0.55 | 0.24 | 0.07 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Zimbabwe, Harare: African | 75 | 5.6 | 0.68 | 0.69 | 0.10 | 10 | 0.5 | 0.16 | 0.04 | 0.02 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 116 | 5.2 | 0.49 | 0.70 | 0.07 | 16 | 0.7 | 0.17 | 0.08 | 0.02 |
| *Argentina, Mendoza | 180 | 3.5 | 0.27 | 0.45 | 0.04 | 25 | 0.4 | 0.09 | 0.05 | 0.01 |
| Brazil, Aracaju | 67 | 6.7 | 0.83 | 0.93 | 0.13 | 7 | 0.4 | 0.15 | 0.02 | 0.01 |
| *Brazil, Barretos | 86 | 6.4 | 0.70 | 0.81 | 0.10 | 15 | 0.9 | 0.25 | 0.12 | 0.04 |
| Brazil, Belo Horizonte | 444 | 6.3 | 0.30 | 0.76 | 0.04 | 83 | 0.8 | 0.10 | 0.10 | 0.01 |
| *Brazil, Campinas | 150 | 6.4 | 0.53 | 0.78 | 0.08 | 18 | 0.6 | 0.15 | 0.08 | 0.02 |
| *Brazil, Curitiba | 188 | 4.7 | 0.35 | 0.57 | 0.05 | 40 | 0.7 | 0.11 | 0.08 | 0.02 |
| Brazil, Goiânia | 151 | 5.9 | 0.48 | 0.70 | 0.07 | 18 | 0.5 | 0.12 | 0.06 | 0.02 |
| *Brazil, Jaú | 30 | 7.1 | 1.31 | 0.94 | 0.20 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 69 | 6.9 | 0.84 | 0.87 | 0.12 | 12 | 0.9 | 0.25 | 0.13 | 0.04 |
| Brazil, Recife | 158 | 6.6 | 0.53 | 0.84 | 0.08 | 32 | 0.8 | 0.15 | 0.11 | 0.02 |
| Chile, Region of Antofagasta | 25 | 2.6 | 0.53 | 0.26 | 0.07 | 3 | 0.3 | 0.15 | 0.01 | 0.01 |
| Chile, Valdivia | 19 | 1.3 | 0.30 | 0.13 | 0.04 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Colombia, Bucaramanga | 57 | 2.0 | 0.26 | 0.24 | 0.04 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| Colombia, Cali | 160 | 2.8 | 0.22 | 0.35 | 0.03 | 31 | 0.3 | 0.06 | 0.02 | 0.01 |
| Colombia, Manizales | 30 | 2.1 | 0.39 | 0.26 | 0.06 | 12 | 0.6 | 0.18 | 0.07 | 0.03 |
| Colombia, Pasto | 11 | 1.1 | 0.35 | 0.16 | 0.05 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| Costa Rica | 213 | 2.1 | 0.15 | 0.25 | 0.02 | 26 | 0.2 | 0.05 | 0.03 | 0.01 |
| Ecuador, Guayaquil | 113 | 2.2 | 0.21 | 0.29 | 0.03 | 16 | 0.2 | 0.06 | 0.02 | 0.01 |
| Ecuador, Manabí | 44 | 1.3 | 0.20 | 0.16 | 0.03 | 5 | 0.2 | 0.07 | 0.02 | 0.01 |
| Ecuador, Quito | 58 | 1.5 | 0.19 | 0.18 | 0.03 | 17 | 0.3 | 0.08 | 0.04 | 0.01 |
| *France, Guadeloupe | 67 | 4.1 | 0.51 | 0.55 | 0.08 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| *France, Martinique | 37 | 2.1 | 0.36 | 0.24 | 0.05 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Peru, Lima | 244 | 1.8 | 0.11 | 0.20 | 0.02 | 54 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Trinidad and Tobago | 84 | 3.4 | 0.37 | 0.43 | 0.06 | 8 | 0.3 | 0.10 | 0.03 | 0.01 |
| USA, Puerto Rico | 670 | 4.3 | 0.18 | 0.54 | 0.02 | 66 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Uruguay | 631 | 5.3 | 0.22 | 0.68 | 0.03 | 104 | 0.7 | 0.07 | 0.08 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 331 | 2.1 | 0.12 | 0.26 | 0.02 | 49 | 0.3 | 0.05 | 0.04 | 0.01 |
| Canada, British Columbia | 511 | 2.1 | 0.10 | 0.27 | 0.01 | 73 | 0.3 | 0.03 | 0.03 | 0.00 |
| *Canada, Manitoba | 130 | 2.2 | 0.20 | 0.28 | 0.03 | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Canada, New Brunswick | 127 | 3.1 | 0.28 | 0.42 | 0.04 | 18 | 0.4 | 0.11 | 0.05 | 0.01 |
| *Canada, Newfoundland and Labrador | 107 | 3.7 | 0.37 | 0.41 | 0.05 | 15 | 0.5 | 0.14 | 0.06 | 0.02 |
| Canada, Ontario | 1736 | 2.8 | 0.07 | 0.36 | 0.01 | 327 | 0.5 | 0.03 | 0.06 | 0.00 |
| *Canada, Prince Edward Island | 19 | 2.3 | 0.54 | 0.21 | 0.07 | 4 | 0.6 | 0.34 | 0.08 | 0.04 |
| Canada, Quebec | 1480 | 3.5 | 0.09 | 0.44 | 0.01 | 337 | 0.7 | 0.04 | 0.09 | 0.01 |
| Canada, Saskatchewan | 115 | 2.3 | 0.23 | 0.29 | 0.03 | 19 | 0.4 | 0.09 | 0.05 | 0.01 |
| *Canada, Yukon | 8 | 5.1 | 1.82 | 0.76 | 0.31 | 0 | – | 0.00 | – | 0.00 |
| USA | 49852 | 3.8 | 0.02 | 0.48 | 0.00 | 12848 | 0.9 | 0.01 | 0.11 | 0.00 |
| USA: White | 41415 | 3.8 | 0.02 | 0.47 | 0.00 | 10783 | 0.9 | 0.01 | 0.12 | 0.00 |
| USA: Black | 7089 | 5.5 | 0.07 | 0.71 | 0.01 | 1814 | 1.1 | 0.03 | 0.14 | 0.00 |
| USA, NPCR | 48293 | 3.8 | 0.02 | 0.48 | 0.00 | 12456 | 0.9 | 0.01 | 0.11 | 0.00 |
| USA, NPCR: White | 40054 | 3.8 | 0.02 | 0.47 | 0.00 | 10426 | 0.9 | 0.01 | 0.12 | 0.00 |
| USA, NPCR: Black | 7000 | 5.5 | 0.07 | 0.71 | 0.01 | 1796 | 1.1 | 0.03 | 0.14 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 726 | 1.2 | 0.05 | 0.16 | 0.01 | 106 | 0.1 | 0.01 | 0.02 | 0.00 |
| USA, NPCR: American Indian | 283 | 2.5 | 0.15 | 0.31 | 0.02 | 80 | 0.6 | 0.07 | 0.08 | 0.01 |
| *USA, SEER (18 registries) | 11372 | 3.3 | 0.03 | 0.41 | 0.00 | 2815 | 0.7 | 0.01 | 0.09 | 0.00 |
| *USA, SEER (18 registries): White | 9039 | 3.3 | 0.04 | 0.41 | 0.01 | 2270 | 0.8 | 0.02 | 0.10 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 8030 | 3.5 | 0.04 | 0.43 | 0.01 | 2091 | 0.9 | 0.02 | 0.11 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 1009 | 2.4 | 0.08 | 0.30 | 0.01 | 179 | 0.4 | 0.03 | 0.04 | 0.00 |
| *USA, SEER (18 registries): Black | 1782 | 5.4 | 0.13 | 0.70 | 0.02 | 453 | 1.0 | 0.05 | 0.13 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 398 | 1.1 | 0.06 | 0.14 | 0.01 | 60 | 0.1 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (9 registries) | 3780 | 3.1 | 0.05 | 0.39 | 0.01 | 931 | 0.7 | 0.02 | 0.09 | 0.00 |
| *USA, SEER (9 registries): White | 2958 | 3.1 | 0.06 | 0.39 | 0.01 | 736 | 0.7 | 0.03 | 0.09 | 0.00 |
| *USA, SEER (9 registries): Black | 595 | 5.4 | 0.22 | 0.69 | 0.03 | 160 | 1.1 | 0.09 | 0.14 | 0.01 |
| USA, Alabama | 1022 | 5.2 | 0.17 | 0.66 | 0.02 | 259 | 1.2 | 0.08 | 0.15 | 0.01 |
| USA, Alabama: White | 728 | 4.7 | 0.18 | 0.61 | 0.03 | 212 | 1.4 | 0.10 | 0.17 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Larynx (C32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 280 | 6.8 | <i>0.41</i> | 0.88 | <i>0.06</i> | 41 | 0.8 | <i>0.13</i> | 0.10 | <i>0.02</i> |
| USA, Alaska | 80 | 2.9 | <i>0.33</i> | 0.39 | <i>0.05</i> | 15 | 0.6 | <i>0.15</i> | 0.08 | <i>0.02</i> |
| *USA, Alaska: Alaska Natives | 16 | 4.7 | <i>1.19</i> | 0.46 | <i>0.17</i> | 2 | 0.6 | <i>0.43</i> | 0.13 | <i>0.09</i> |
| USA, Arizona | 760 | 2.5 | <i>0.10</i> | 0.33 | <i>0.01</i> | 169 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| USA, Arizona: White | 703 | 2.6 | <i>0.10</i> | 0.33 | <i>0.01</i> | 158 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| USA, Arizona: Black | 34 | 3.7 | <i>0.64</i> | 0.53 | <i>0.11</i> | 8 | 0.8 | <i>0.30</i> | 0.11 | <i>0.04</i> |
| *USA, Arizona: Asian and Pacific Islander | 9 | 1.2 | <i>0.41</i> | 0.14 | <i>0.06</i> | 1 | 0.1 | <i>0.11</i> | 0.01 | <i>0.01</i> |
| USA, Arizona: American Indian | 9 | 1.0 | <i>0.33</i> | 0.14 | <i>0.05</i> | 2 | 0.2 | <i>0.12</i> | 0.02 | <i>0.02</i> |
| USA, Arkansas | 577 | 4.7 | <i>0.20</i> | 0.60 | <i>0.03</i> | 173 | 1.4 | <i>0.11</i> | 0.17 | <i>0.01</i> |
| USA, Arkansas: White | 477 | 4.5 | <i>0.22</i> | 0.58 | <i>0.03</i> | 150 | 1.4 | <i>0.12</i> | 0.17 | <i>0.02</i> |
| USA, Arkansas: Black | 93 | 6.6 | <i>0.69</i> | 0.80 | <i>0.10</i> | 22 | 1.3 | <i>0.29</i> | 0.17 | <i>0.04</i> |
| USA, California | 3360 | 2.2 | <i>0.04</i> | 0.28 | <i>0.01</i> | 685 | 0.4 | <i>0.02</i> | 0.05 | <i>0.00</i> |
| USA, California: White | 2776 | 2.4 | <i>0.05</i> | 0.30 | <i>0.01</i> | 579 | 0.5 | <i>0.02</i> | 0.06 | <i>0.00</i> |
| USA, California: Black | 294 | 3.2 | <i>0.19</i> | 0.39 | <i>0.03</i> | 65 | 0.6 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| USA, California: Asian and Pacific Islander | 237 | 1.0 | <i>0.07</i> | 0.12 | <i>0.01</i> | 32 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *USA, California, Los Angeles County | 798 | 2.2 | <i>0.08</i> | 0.27 | <i>0.01</i> | 135 | 0.3 | <i>0.03</i> | 0.04 | <i>0.00</i> |
| *USA, California, Los Angeles County: White | 601 | 2.3 | <i>0.10</i> | 0.29 | <i>0.01</i> | 96 | 0.3 | <i>0.03</i> | 0.04 | <i>0.01</i> |
| *USA, California, Los Angeles County: Non-Hispanic White | 359 | 2.4 | <i>0.13</i> | 0.31 | <i>0.02</i> | 60 | 0.3 | <i>0.05</i> | 0.05 | <i>0.01</i> |
| *USA, California, Los Angeles County: Hispanic White | 242 | 2.2 | <i>0.14</i> | 0.26 | <i>0.02</i> | 36 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| *USA, California, Los Angeles County: Black | 109 | 3.2 | <i>0.31</i> | 0.40 | <i>0.05</i> | 25 | 0.6 | <i>0.12</i> | 0.08 | <i>0.02</i> |
| *USA, California, Los Angeles County: Chinese | 21 | 0.9 | <i>0.21</i> | 0.11 | <i>0.03</i> | 4 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *USA, California, Los Angeles County: Filipino | 12 | 0.8 | <i>0.24</i> | 0.10 | <i>0.04</i> | 2 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| *USA, California, Los Angeles County: Korean | 12 | 1.1 | <i>0.33</i> | 0.11 | <i>0.05</i> | 1 | 0.1 | <i>0.07</i> | 0.02 | <i>0.02</i> |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 75 | 1.1 | <i>0.13</i> | 0.13 | <i>0.02</i> | 13 | 0.1 | <i>0.03</i> | 0.01 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area | 413 | 2.1 | <i>0.11</i> | 0.25 | <i>0.02</i> | 68 | 0.3 | <i>0.04</i> | 0.04 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: White | 286 | 2.2 | <i>0.14</i> | 0.26 | <i>0.02</i> | 47 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 238 | 2.2 | <i>0.15</i> | 0.26 | <i>0.02</i> | 40 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Hispanic White | 48 | 2.2 | <i>0.33</i> | 0.24 | <i>0.05</i> | 7 | 0.3 | <i>0.12</i> | 0.05 | <i>0.02</i> |
| *USA, California, San Francisco Bay Area: Black | 71 | 4.5 | <i>0.54</i> | 0.51 | <i>0.08</i> | 15 | 0.9 | <i>0.23</i> | 0.11 | <i>0.03</i> |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 48 | 0.9 | <i>0.14</i> | 0.11 | <i>0.02</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| USA, Colorado | 548 | 2.6 | <i>0.11</i> | 0.32 | <i>0.02</i> | 145 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| USA, Colorado: White | 512 | 2.6 | <i>0.12</i> | 0.33 | <i>0.02</i> | 140 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| *USA, Colorado: Black | 21 | 2.7 | <i>0.60</i> | 0.30 | <i>0.09</i> | 5 | 0.7 | <i>0.31</i> | 0.09 | <i>0.05</i> |
| *USA, Colorado: Asian and Pacific Islander | 6 | 1.1 | <i>0.46</i> | 0.07 | <i>0.05</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Connecticut | 600 | 3.8 | <i>0.16</i> | 0.49 | <i>0.02</i> | 167 | 1.0 | <i>0.08</i> | 0.12 | <i>0.01</i> |
| USA, Connecticut: White | 519 | 3.7 | <i>0.17</i> | 0.48 | <i>0.02</i> | 149 | 1.0 | <i>0.09</i> | 0.12 | <i>0.01</i> |
| USA, Connecticut: Black | 63 | 5.4 | <i>0.69</i> | 0.74 | <i>0.11</i> | 17 | 1.1 | <i>0.27</i> | 0.13 | <i>0.04</i> |
| USA, District of Columbia | 67 | 3.1 | <i>0.39</i> | 0.39 | <i>0.06</i> | 29 | 1.2 | <i>0.23</i> | 0.14 | <i>0.03</i> |
| USA, District of Columbia: White | 10 | 1.0 | <i>0.33</i> | 0.14 | <i>0.06</i> | 2 | 0.3 | <i>0.21</i> | 0.03 | <i>0.02</i> |
| USA, District of Columbia: Black | 56 | 4.7 | <i>0.64</i> | 0.56 | <i>0.09</i> | 27 | 1.8 | <i>0.36</i> | 0.22 | <i>0.05</i> |
| USA, Florida | 4325 | 4.6 | <i>0.07</i> | 0.58 | <i>0.01</i> | 934 | 0.9 | <i>0.03</i> | 0.11 | <i>0.00</i> |
| USA, Florida: White | 3778 | 4.7 | <i>0.08</i> | 0.59 | <i>0.01</i> | 837 | 1.0 | <i>0.04</i> | 0.12 | <i>0.00</i> |
| USA, Florida: Black | 453 | 4.4 | <i>0.21</i> | 0.54 | <i>0.03</i> | 80 | 0.6 | <i>0.07</i> | 0.08 | <i>0.01</i> |
| USA, Florida: Asian and Pacific Islander | 30 | 1.5 | <i>0.27</i> | 0.18 | <i>0.04</i> | 2 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| USA, Georgia | 1682 | 4.5 | <i>0.11</i> | 0.58 | <i>0.02</i> | 404 | 0.9 | <i>0.05</i> | 0.12 | <i>0.01</i> |
| USA, Georgia: White | 1110 | 4.1 | <i>0.13</i> | 0.52 | <i>0.02</i> | 296 | 1.0 | <i>0.06</i> | 0.13 | <i>0.01</i> |
| USA, Georgia: Black | 556 | 6.3 | <i>0.27</i> | 0.84 | <i>0.04</i> | 106 | 0.9 | <i>0.09</i> | 0.12 | <i>0.01</i> |
| USA, Georgia: Asian and Pacific Islander | 15 | 1.2 | <i>0.32</i> | 0.14 | <i>0.04</i> | 2 | 0.1 | <i>0.10</i> | 0.01 | <i>0.01</i> |
| *USA, Georgia, Atlanta | 415 | 3.6 | <i>0.18</i> | 0.44 | <i>0.03</i> | 90 | 0.6 | <i>0.07</i> | 0.09 | <i>0.01</i> |
| *USA, Georgia, Atlanta: White | 202 | 2.9 | <i>0.20</i> | 0.34 | <i>0.03</i> | 46 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> |
| *USA, Georgia, Atlanta: Black | 203 | 5.5 | <i>0.39</i> | 0.71 | <i>0.06</i> | 43 | 0.8 | <i>0.13</i> | 0.12 | <i>0.02</i> |
| USA, Idaho | 169 | 2.3 | <i>0.18</i> | 0.29 | <i>0.03</i> | 41 | 0.6 | <i>0.10</i> | 0.07 | <i>0.01</i> |
| USA, Indiana | 1201 | 4.6 | <i>0.14</i> | 0.57 | <i>0.02</i> | 355 | 1.3 | <i>0.07</i> | 0.17 | <i>0.01</i> |
| USA, Indiana: White | 1083 | 4.5 | <i>0.14</i> | 0.56 | <i>0.02</i> | 321 | 1.3 | <i>0.08</i> | 0.17 | <i>0.01</i> |
| USA, Indiana: Black | 107 | 6.1 | <i>0.59</i> | 0.75 | <i>0.08</i> | 31 | 1.4 | <i>0.25</i> | 0.16 | <i>0.03</i> |
| *USA, Iowa | 563 | 4.2 | <i>0.18</i> | 0.53 | <i>0.03</i> | 139 | 1.0 | <i>0.09</i> | 0.13 | <i>0.01</i> |
| USA, Kentucky | 1091 | 6.1 | <i>0.19</i> | 0.75 | <i>0.03</i> | 377 | 2.0 | <i>0.11</i> | 0.25 | <i>0.01</i> |
| USA, Louisiana | 1052 | 5.9 | <i>0.19</i> | 0.73 | <i>0.03</i> | 303 | 1.5 | <i>0.09</i> | 0.19 | <i>0.01</i> |
| USA, Louisiana: White | 664 | 5.2 | <i>0.21</i> | 0.63 | <i>0.03</i> | 215 | 1.6 | <i>0.12</i> | 0.20 | <i>0.02</i> |
| USA, Louisiana: Black | 384 | 8.4 | <i>0.44</i> | 1.09 | <i>0.06</i> | 87 | 1.5 | <i>0.16</i> | 0.17 | <i>0.02</i> |
| *USA, Louisiana, New Orleans | 193 | 5.5 | <i>0.40</i> | 0.68 | <i>0.06</i> | 57 | 1.5 | <i>0.20</i> | 0.17 | <i>0.03</i> |
| *USA, Louisiana, New Orleans: White | 103 | 4.6 | <i>0.46</i> | 0.56 | <i>0.07</i> | 34 | 1.5 | <i>0.28</i> | 0.19 | <i>0.04</i> |
| *USA, Louisiana, New Orleans: Black | 88 | 7.5 | <i>0.81</i> | 0.95 | <i>0.12</i> | 22 | 1.4 | <i>0.30</i> | 0.15 | <i>0.04</i> |
| USA, Maine | 271 | 3.9 | <i>0.24</i> | 0.48 | <i>0.03</i> | 94 | 1.4 | <i>0.15</i> | 0.18 | <i>0.02</i> |
| USA, Maryland | 776 | 3.3 | <i>0.12</i> | 0.41 | <i>0.02</i> | 202 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> |
| USA, Maryland: White | 528 | 3.2 | <i>0.14</i> | 0.40 | <i>0.02</i> | 141 | 0.8 | <i>0.07</i> | 0.10 | <i>0.01</i> |
| USA, Maryland: Black | 234 | 4.0 | <i>0.27</i> | 0.52 | <i>0.04</i> | 61 | 0.8 | <i>0.10</i> | 0.09 | <i>0.01</i> |
| USA, Maryland: Asian and Pacific Islander | 13 | 1.0 | <i>0.28</i> | 0.12 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Massachusetts | 1022 | 3.6 | <i>0.11</i> | 0.45 | <i>0.02</i> | 274 | 0.8 | <i>0.05</i> | 0.11 | <i>0.01</i> |
| USA, Massachusetts: White | 951 | 3.7 | <i>0.12</i> | 0.46 | <i>0.02</i> | 252 | 0.9 | <i>0.06</i> | 0.11 | <i>0.01</i> |
| USA, Massachusetts: Black | 51 | 3.3 | <i>0.46</i> | 0.49 | <i>0.08</i> | 18 | 0.9 | <i>0.21</i> | 0.10 | <i>0.03</i> |
| USA, Massachusetts: Asian and Pacific Islander | 9 | 0.7 | <i>0.23</i> | 0.09 | <i>0.04</i> | 2 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Larynx (C32) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 1782 | 4.2 | 0.10 | 0.53 | 0.01 | 508 | 1.1 | 0.05 | 0.14 | 0.01 |
| USA, Michigan: White | 1480 | 4.0 | 0.11 | 0.51 | 0.02 | 395 | 1.0 | 0.06 | 0.12 | 0.01 |
| USA, Michigan: Black | 273 | 6.1 | 0.37 | 0.76 | 0.05 | 99 | 1.7 | 0.18 | 0.22 | 0.03 |
| USA, Michigan: Asian and Pacific Islander | 10 | 1.2 | 0.40 | 0.17 | 0.06 | 5 | 0.5 | 0.22 | 0.08 | 0.04 |
| *USA, Michigan, Detroit | 708 | 4.5 | 0.17 | 0.58 | 0.03 | 216 | 1.2 | 0.08 | 0.14 | 0.01 |
| *USA, Michigan, Detroit: White | 501 | 4.2 | 0.19 | 0.54 | 0.03 | 141 | 1.1 | 0.10 | 0.13 | 0.01 |
| *USA, Michigan, Detroit: Black | 198 | 6.4 | 0.46 | 0.81 | 0.07 | 73 | 1.7 | 0.20 | 0.21 | 0.03 |
| USA, Minnesota | 749 | 3.2 | 0.12 | 0.40 | 0.02 | 191 | 0.8 | 0.06 | 0.11 | 0.01 |
| USA, Minnesota: White | 687 | 3.1 | 0.12 | 0.39 | 0.02 | 167 | 0.8 | 0.06 | 0.10 | 0.01 |
| USA, Minnesota: Black | 35 | 4.9 | 0.86 | 0.63 | 0.13 | 15 | 2.2 | 0.57 | 0.31 | 0.09 |
| *USA, Minnesota: Asian and Pacific Islander | 6 | 1.2 | 0.50 | 0.21 | 0.11 | 1 | 0.2 | 0.15 | 0.01 | 0.01 |
| USA, Mississippi | 710 | 6.2 | 0.24 | 0.79 | 0.03 | 161 | 1.2 | 0.10 | 0.15 | 0.01 |
| USA, Missouri | 1173 | 4.7 | 0.14 | 0.58 | 0.02 | 345 | 1.3 | 0.07 | 0.17 | 0.01 |
| USA, Missouri: White | 1010 | 4.5 | 0.15 | 0.56 | 0.02 | 299 | 1.3 | 0.08 | 0.16 | 0.01 |
| USA, Missouri: Black | 149 | 7.1 | 0.59 | 0.94 | 0.09 | 46 | 1.8 | 0.27 | 0.24 | 0.04 |
| USA, Montana | 150 | 3.0 | 0.26 | 0.35 | 0.03 | 35 | 0.9 | 0.15 | 0.12 | 0.02 |
| *USA, Montana: American Indian | 8 | 4.1 | 1.47 | 0.49 | 0.18 | 3 | 1.5 | 0.85 | 0.32 | 0.20 |
| USA, Nebraska | 254 | 3.3 | 0.21 | 0.45 | 0.03 | 74 | 0.9 | 0.11 | 0.11 | 0.02 |
| USA, Nebraska: White | 228 | 3.1 | 0.21 | 0.42 | 0.03 | 69 | 0.9 | 0.11 | 0.11 | 0.02 |
| *USA, Nebraska: Black | 16 | 7.2 | 1.82 | 1.15 | 0.33 | 3 | 1.1 | 0.66 | 0.14 | 0.09 |
| USA, Nevada | 309 | 2.4 | 0.14 | 0.34 | 0.02 | 78 | 0.6 | 0.07 | 0.08 | 0.01 |
| USA, Nevada: White | 271 | 2.6 | 0.16 | 0.35 | 0.02 | 70 | 0.7 | 0.09 | 0.09 | 0.01 |
| USA, Nevada: Black | 23 | 2.6 | 0.55 | 0.41 | 0.10 | 4 | 0.4 | 0.20 | 0.04 | 0.02 |
| *USA, Nevada: Asian and Pacific Islander | 8 | 0.8 | 0.30 | 0.10 | 0.04 | 1 | 0.1 | 0.07 | 0.02 | 0.02 |
| USA, New Jersey | 1315 | 3.5 | 0.10 | 0.44 | 0.01 | 298 | 0.7 | 0.04 | 0.09 | 0.01 |
| USA, New Jersey: White | 1104 | 3.6 | 0.11 | 0.45 | 0.02 | 225 | 0.7 | 0.05 | 0.08 | 0.01 |
| USA, New Jersey: Black | 174 | 4.3 | 0.33 | 0.58 | 0.05 | 65 | 1.2 | 0.15 | 0.15 | 0.02 |
| USA, New Mexico | 239 | 2.6 | 0.18 | 0.33 | 0.03 | 64 | 0.7 | 0.09 | 0.08 | 0.01 |
| USA, New Mexico: White | 220 | 2.7 | 0.19 | 0.33 | 0.03 | 60 | 0.7 | 0.10 | 0.09 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 143 | 2.8 | 0.26 | 0.33 | 0.03 | 44 | 0.9 | 0.15 | 0.11 | 0.02 |
| USA, New Mexico: Hispanic White | 77 | 2.5 | 0.29 | 0.35 | 0.05 | 16 | 0.5 | 0.12 | 0.05 | 0.02 |
| *USA, New Mexico: American Indian | 7 | 1.1 | 0.42 | 0.10 | 0.04 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| USA, New York State | 3045 | 3.7 | 0.07 | 0.47 | 0.01 | 804 | 0.9 | 0.03 | 0.11 | 0.00 |
| USA, New York State: White | 2427 | 3.8 | 0.08 | 0.47 | 0.01 | 633 | 0.9 | 0.04 | 0.11 | 0.01 |
| USA, New York State: Black | 474 | 4.3 | 0.20 | 0.53 | 0.03 | 148 | 1.0 | 0.09 | 0.13 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 126 | 2.1 | 0.19 | 0.27 | 0.03 | 17 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, North Carolina | 1884 | 4.7 | 0.11 | 0.60 | 0.02 | 540 | 1.2 | 0.06 | 0.16 | 0.01 |
| USA, North Carolina: White | 1381 | 4.3 | 0.12 | 0.55 | 0.02 | 408 | 1.2 | 0.06 | 0.16 | 0.01 |
| USA, North Carolina: Black | 466 | 6.6 | 0.31 | 0.87 | 0.05 | 123 | 1.3 | 0.12 | 0.17 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | 11 | 1.5 | 0.47 | 0.20 | 0.07 | 3 | 0.3 | 0.20 | 0.04 | 0.02 |
| *USA, North Carolina: American Indian | 21 | 4.4 | 0.97 | 0.64 | 0.16 | 6 | 1.2 | 0.49 | 0.15 | 0.07 |
| USA, North Dakota | 117 | 3.9 | 0.38 | 0.49 | 0.05 | 18 | 0.6 | 0.14 | 0.08 | 0.02 |
| USA, Ohio | 2337 | 4.8 | 0.10 | 0.60 | 0.01 | 703 | 1.4 | 0.05 | 0.17 | 0.01 |
| USA, Ohio: White | 2043 | 4.7 | 0.11 | 0.59 | 0.02 | 609 | 1.4 | 0.06 | 0.16 | 0.01 |
| USA, Ohio: Black | 275 | 5.8 | 0.36 | 0.74 | 0.05 | 88 | 1.6 | 0.17 | 0.20 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 10 | 1.4 | 0.43 | 0.15 | 0.06 | 4 | 0.5 | 0.23 | 0.02 | 0.02 |
| USA, Oklahoma | 643 | 4.1 | 0.17 | 0.54 | 0.02 | 207 | 1.3 | 0.09 | 0.15 | 0.01 |
| USA, Oklahoma: White | 540 | 4.0 | 0.18 | 0.53 | 0.03 | 177 | 1.3 | 0.11 | 0.15 | 0.01 |
| USA, Oklahoma: Black | 44 | 4.9 | 0.74 | 0.63 | 0.11 | 12 | 1.2 | 0.34 | 0.16 | 0.05 |
| USA, Oklahoma: American Indian | 55 | 5.0 | 0.69 | 0.60 | 0.09 | 18 | 1.4 | 0.34 | 0.16 | 0.04 |
| USA, Oregon | 488 | 2.7 | 0.13 | 0.35 | 0.02 | 105 | 0.6 | 0.06 | 0.07 | 0.01 |
| USA, Oregon: White | 468 | 2.8 | 0.13 | 0.36 | 0.02 | 99 | 0.6 | 0.06 | 0.08 | 0.01 |
| *USA, Oregon: Black | 10 | 4.0 | 1.29 | 0.71 | 0.24 | 1 | 0.4 | 0.43 | 0.05 | 0.05 |
| *USA, Oregon: Asian and Pacific Islander | 5 | 0.9 | 0.40 | 0.10 | 0.05 | 4 | 0.5 | 0.26 | 0.06 | 0.04 |
| USA, Rhode Island | 179 | 4.1 | 0.31 | 0.50 | 0.04 | 53 | 1.1 | 0.16 | 0.13 | 0.02 |
| USA, Rhode Island: White | 166 | 4.1 | 0.33 | 0.51 | 0.05 | 51 | 1.2 | 0.18 | 0.13 | 0.02 |
| *USA, Rhode Island: Black | 8 | 3.4 | 1.21 | 0.46 | 0.19 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 1103 | 5.4 | 0.17 | 0.66 | 0.02 | 247 | 1.1 | 0.07 | 0.13 | 0.01 |
| USA, South Carolina: White | 734 | 4.7 | 0.18 | 0.57 | 0.02 | 181 | 1.1 | 0.09 | 0.13 | 0.01 |
| USA, South Carolina: Black | 365 | 8.0 | 0.42 | 1.03 | 0.06 | 65 | 1.1 | 0.14 | 0.14 | 0.02 |
| USA, South Dakota | 115 | 3.2 | 0.31 | 0.40 | 0.04 | 36 | 1.0 | 0.17 | 0.14 | 0.03 |
| USA, Tennessee | 1355 | 5.1 | 0.14 | 0.64 | 0.02 | 421 | 1.5 | 0.08 | 0.18 | 0.01 |
| USA, Tennessee: White | 1148 | 5.0 | 0.15 | 0.63 | 0.02 | 357 | 1.5 | 0.09 | 0.19 | 0.01 |
| USA, Tennessee: Black | 197 | 6.0 | 0.43 | 0.80 | 0.07 | 62 | 1.5 | 0.19 | 0.20 | 0.03 |
| USA, Texas | 3460 | 3.7 | 0.06 | 0.47 | 0.01 | 704 | 0.7 | 0.03 | 0.09 | 0.00 |
| USA, Texas: White | 2915 | 3.6 | 0.07 | 0.47 | 0.01 | 588 | 0.7 | 0.03 | 0.09 | 0.00 |
| USA, Texas: Black | 492 | 5.3 | 0.24 | 0.71 | 0.04 | 109 | 0.9 | 0.09 | 0.12 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 37 | 1.0 | 0.16 | 0.13 | 0.03 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Utah | 168 | 1.8 | 0.14 | 0.23 | 0.02 | 35 | 0.4 | 0.06 | 0.05 | 0.01 |
| USA, Vermont | 110 | 3.7 | 0.37 | 0.48 | 0.05 | 30 | 1.1 | 0.22 | 0.11 | 0.02 |
| USA, Washington State | 777 | 2.6 | 0.09 | 0.32 | 0.01 | 200 | 0.6 | 0.05 | 0.08 | 0.01 |
| *USA, Washington, Seattle | 517 | 2.5 | 0.11 | 0.31 | 0.02 | 130 | 0.6 | 0.05 | 0.07 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Larynx (C32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 492 | 5.9 | 0.27 | 0.74 | 0.04 | 174 | 2.1 | 0.17 | 0.25 | 0.02 |
| USA, Wyoming | 68 | 2.7 | 0.34 | 0.36 | 0.05 | 27 | 1.1 | 0.22 | 0.16 | 0.03 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 33 | 2.5 | 0.45 | 0.29 | 0.06 | 3 | 0.2 | 0.14 | 0.02 | 0.01 |
| Brunei Darussalam | 9 | 1.0 | 0.33 | 0.06 | 0.03 | 4 | 0.5 | 0.24 | 0.05 | 0.04 |
| *China, Anfu County | 27 | 2.6 | 0.51 | 0.27 | 0.07 | 2 | 0.2 | 0.13 | 0.03 | 0.02 |
| *China, Anguo City | 12 | 1.0 | 0.28 | 0.14 | 0.04 | 5 | 0.4 | 0.17 | 0.06 | 0.03 |
| *China, Anshan City | 286 | 3.7 | 0.23 | 0.48 | 0.04 | 49 | 0.5 | 0.07 | 0.04 | 0.01 |
| *China, Aohan Banner, Chifeng City | 22 | 1.2 | 0.28 | 0.16 | 0.04 | 4 | 0.3 | 0.14 | 0.05 | 0.02 |
| *China, Arongqi | 31 | 3.4 | 0.63 | 0.45 | 0.09 | 7 | 0.8 | 0.31 | 0.10 | 0.05 |
| *China, Baoding City | 57 | 1.6 | 0.22 | 0.18 | 0.03 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Beijing City | 788 | 1.9 | 0.07 | 0.24 | 0.01 | 82 | 0.1 | 0.02 | 0.02 | 0.00 |
| *China, Binhai County | 43 | 0.9 | 0.14 | 0.12 | 0.02 | 8 | 0.2 | 0.06 | 0.03 | 0.01 |
| *China, Cangzhou City | 15 | 1.0 | 0.25 | 0.15 | 0.04 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Changfeng County | 37 | 2.1 | 0.37 | 0.25 | 0.05 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Changzhou City | 214 | 2.2 | 0.15 | 0.28 | 0.02 | 11 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Chengdu City | 141 | 3.7 | 0.32 | 0.45 | 0.05 | 15 | 0.5 | 0.14 | 0.06 | 0.02 |
| China, Cixian County | 36 | 2.1 | 0.36 | 0.25 | 0.05 | 9 | 0.5 | 0.16 | 0.06 | 0.02 |
| China, Cixi City | 116 | 2.3 | 0.21 | 0.30 | 0.03 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Dafeng District, Yancheng City | 49 | 1.4 | 0.20 | 0.17 | 0.03 | 4 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Dalian City | 391 | 3.4 | 0.18 | 0.44 | 0.03 | 22 | 0.2 | 0.04 | 0.02 | 0.01 |
| *China, Dancheng County | 103 | 3.4 | 0.34 | 0.37 | 0.05 | 66 | 2.0 | 0.25 | 0.22 | 0.03 |
| China, Dangtu County | 21 | 1.5 | 0.35 | 0.17 | 0.05 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Danyang City | 59 | 1.6 | 0.21 | 0.17 | 0.03 | 5 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Dawukou District, Shizuishan City | 17 | 1.5 | 0.37 | 0.17 | 0.06 | 3 | 0.3 | 0.15 | 0.03 | 0.02 |
| *China, Dehui City | 111 | 3.6 | 0.35 | 0.48 | 0.05 | 54 | 1.8 | 0.26 | 0.26 | 0.04 |
| *China, Donggang County | 18 | 0.6 | 0.15 | 0.08 | 0.02 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Dongguan City | 119 | 3.0 | 0.28 | 0.40 | 0.04 | 7 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Donghai County | 67 | 1.6 | 0.20 | 0.20 | 0.03 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Dongtai City | 51 | 1.0 | 0.14 | 0.12 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 29 | 2.4 | 0.45 | 0.28 | 0.06 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Evenki Autonomous Banner | 19 | 7.2 | 1.82 | 0.87 | 0.27 | 2 | 0.7 | 0.46 | 0.16 | 0.12 |
| *China, Faku County | 81 | 4.0 | 0.45 | 0.53 | 0.07 | 22 | 1.1 | 0.23 | 0.15 | 0.04 |
| *China, Fangcheng County | 49 | 2.0 | 0.29 | 0.18 | 0.03 | 14 | 0.7 | 0.20 | 0.09 | 0.03 |
| *China, Feicheng City | 99 | 2.5 | 0.25 | 0.28 | 0.04 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| China, Feixi County | 81 | 2.0 | 0.23 | 0.23 | 0.03 | 8 | 0.2 | 0.06 | 0.01 | 0.00 |
| China, Fuqing City | 35 | 1.3 | 0.22 | 0.20 | 0.04 | 6 | 0.3 | 0.15 | 0.03 | 0.01 |
| *China, Ganyu District, Lianyungang City | 76 | 1.8 | 0.21 | 0.25 | 0.03 | 9 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Ganzhou District, Zhangye City | 6 | 0.6 | 0.26 | 0.10 | 0.05 | 4 | 0.7 | 0.43 | 0.06 | 0.03 |
| *China, Gaocheng City | 33 | 1.4 | 0.24 | 0.13 | 0.03 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Gaomi City | 58 | 1.9 | 0.25 | 0.22 | 0.03 | 7 | 0.2 | 0.06 | 0.01 | 0.01 |
| China, Gong'an County | 95 | 2.8 | 0.29 | 0.37 | 0.04 | 9 | 0.3 | 0.09 | 0.02 | 0.01 |
| *China, Guang'an District, Guang'an City | 33 | 1.7 | 0.30 | 0.22 | 0.04 | 5 | 0.3 | 0.12 | 0.04 | 0.02 |
| China, Guanghan City | 57 | 3.2 | 0.43 | 0.37 | 0.06 | 3 | 0.1 | 0.08 | 0.00 | 0.00 |
| China, Guangzhou City | 1040 | 3.3 | 0.10 | 0.41 | 0.02 | 68 | 0.2 | 0.02 | 0.02 | 0.00 |
| *China, Guanyun County | 43 | 1.2 | 0.18 | 0.17 | 0.03 | 6 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Guilin City | 99 | 4.4 | 0.46 | 0.54 | 0.07 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Hai'an City | 57 | 1.0 | 0.13 | 0.13 | 0.02 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| China, Hailar District, Hulun Buir City | 33 | 2.8 | 0.52 | 0.31 | 0.07 | 8 | 0.5 | 0.18 | 0.04 | 0.03 |
| China, Haimen District, Nantong City | 80 | 1.7 | 0.22 | 0.21 | 0.03 | 8 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Haining City | 49 | 1.4 | 0.21 | 0.18 | 0.03 | 2 | 0.2 | 0.14 | 0.01 | 0.01 |
| China, Hangzhou City | 670 | 2.0 | 0.08 | 0.27 | 0.01 | 35 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Hebi City | 14 | 1.1 | 0.29 | 0.14 | 0.04 | 3 | 0.2 | 0.13 | 0.02 | 0.02 |
| China, Hefei City | 183 | 2.2 | 0.17 | 0.28 | 0.03 | 11 | 0.1 | 0.03 | 0.01 | 0.01 |
| China, Hengdong County | 35 | 2.1 | 0.37 | 0.27 | 0.05 | 10 | 0.6 | 0.21 | 0.06 | 0.02 |
| *China, Hengfeng County | 2 | 0.3 | 0.22 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 105 | 3.6 | 0.36 | 0.44 | 0.05 | 17 | 0.6 | 0.15 | 0.05 | 0.02 |
| China, Honghu City | 78 | 2.7 | 0.31 | 0.37 | 0.05 | 13 | 0.4 | 0.11 | 0.04 | 0.01 |
| China, Hongshan District, Chifeng City | 21 | 1.6 | 0.37 | 0.22 | 0.06 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Hongta District, Yuxi City | 20 | 1.1 | 0.26 | 0.11 | 0.03 | 3 | 0.2 | 0.12 | 0.03 | 0.02 |
| *China, Huaiyin District, Huai'an City | 57 | 1.6 | 0.21 | 0.21 | 0.03 | 4 | 0.1 | 0.05 | 0.02 | 0.01 |
| *China, Jiange County | 13 | 0.8 | 0.23 | 0.12 | 0.03 | 3 | 0.2 | 0.10 | 0.03 | 0.02 |
| China, Jiangmen City | 88 | 3.6 | 0.39 | 0.46 | 0.06 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Jiangyin City | 131 | 2.2 | 0.19 | 0.27 | 0.03 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Jiashan County | 27 | 1.3 | 0.25 | 0.20 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| China, Jiayu County | 19 | 2.7 | 0.63 | 0.35 | 0.10 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 195 | 2.0 | 0.15 | 0.24 | 0.02 | 14 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Jingtai County | 7 | 1.0 | 0.37 | 0.12 | 0.05 | 4 | 1.0 | 0.53 | 0.04 | 0.03 |
| *China, Jingxian County | 16 | 1.2 | 0.31 | 0.17 | 0.05 | 1 | 0.1 | 0.08 | 0.02 | 0.02 |
| *China, Jintan District, Changzhou City | 43 | 1.8 | 0.28 | 0.22 | 0.04 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 107 | 3.2 | 0.32 | 0.40 | 0.05 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Jiyuan City | 22 | 1.3 | 0.27 | 0.14 | 0.03 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Larynx (C32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 31 | 2.5 | 0.47 | 0.26 | 0.06 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| China, Kunshan City | 75 | 2.2 | 0.26 | 0.30 | 0.04 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Langzhong City | 28 | 1.4 | 0.27 | 0.20 | 0.04 | 4 | 0.2 | 0.12 | 0.01 | 0.01 |
| *China, Liangshan County | 44 | 1.5 | 0.22 | 0.20 | 0.03 | 3 | 0.1 | 0.05 | 0.02 | 0.01 |
| *China, Lianshui County | 52 | 1.2 | 0.17 | 0.15 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Lianyungang City | 72 | 1.9 | 0.22 | 0.22 | 0.03 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Linhe District, Bayannur City | 26 | 2.2 | 0.43 | 0.28 | 0.06 | 2 | 0.1 | 0.11 | 0.01 | 0.01 |
| China, Linqu County | 52 | 1.4 | 0.20 | 0.18 | 0.03 | 2 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Linzhou City | 60 | 1.6 | 0.22 | 0.20 | 0.03 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Liuzhou City | 120 | 3.2 | 0.29 | 0.40 | 0.04 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Liyang City | 23 | 0.6 | 0.12 | 0.08 | 0.02 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Longquan City | 23 | 2.5 | 0.53 | 0.31 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| China, Lucheng District, Wenzhou City | 43 | 2.2 | 0.34 | 0.26 | 0.05 | 5 | 0.2 | 0.10 | 0.03 | 0.02 |
| China, Luoding City | 35 | 1.5 | 0.26 | 0.22 | 0.04 | 7 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Luohe City | 60 | 1.5 | 0.19 | 0.18 | 0.03 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Luoyang City | 73 | 1.6 | 0.19 | 0.19 | 0.03 | 7 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Luquan City | 22 | 1.8 | 0.39 | 0.22 | 0.05 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| China, Ma'anshan City | 98 | 4.5 | 0.46 | 0.51 | 0.06 | 3 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Macheng City | 67 | 2.7 | 0.33 | 0.38 | 0.06 | 8 | 0.3 | 0.12 | 0.03 | 0.02 |
| China, Meihekou City | 47 | 2.0 | 0.30 | 0.22 | 0.04 | 8 | 0.4 | 0.14 | 0.06 | 0.02 |
| *China, Mengjin County | 22 | 1.9 | 0.40 | 0.24 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| China, Nangang District, Harbin City | 125 | 3.0 | 0.28 | 0.37 | 0.04 | 22 | 0.4 | 0.09 | 0.05 | 0.01 |
| *China, Nanhai District, Foshan City | 132 | 4.8 | 0.42 | 0.62 | 0.06 | 10 | 0.3 | 0.11 | 0.04 | 0.02 |
| China, Nanhu District, Jiaying City | 35 | 1.3 | 0.23 | 0.17 | 0.03 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Nantong City | 68 | 1.2 | 0.15 | 0.15 | 0.02 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Nanxiong City | 48 | 3.5 | 0.51 | 0.45 | 0.08 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Neixiang County | 28 | 1.1 | 0.22 | 0.13 | 0.03 | 7 | 0.3 | 0.11 | 0.04 | 0.02 |
| *China, Qianxi County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 114 | 1.8 | 0.18 | 0.22 | 0.02 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Qingzhou City | 67 | 2.0 | 0.25 | 0.27 | 0.04 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Rudong County | 63 | 0.9 | 0.12 | 0.11 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Rugao City | 79 | 1.1 | 0.12 | 0.14 | 0.02 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Rural areas of Shanghai City | 1229 | 2.6 | 0.08 | 0.32 | 0.01 | 48 | 0.1 | 0.01 | 0.01 | 0.00 |
| China, Ruyang County | 19 | 1.6 | 0.37 | 0.25 | 0.07 | 4 | 0.4 | 0.19 | 0.06 | 0.03 |
| *China, Shan County | 71 | 3.0 | 0.36 | 0.37 | 0.05 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Shanghai City | 908 | 2.3 | 0.08 | 0.29 | 0.01 | 52 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Shangyu District, Shaoxing City | 97 | 2.7 | 0.28 | 0.33 | 0.04 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Shapingba District, Chongqing City | 140 | 4.3 | 0.37 | 0.59 | 0.06 | 10 | 0.3 | 0.08 | 0.04 | 0.01 |
| China, Shexian County | 24 | 1.8 | 0.38 | 0.25 | 0.06 | 8 | 0.6 | 0.20 | 0.08 | 0.03 |
| China, Sheyang County | 45 | 1.0 | 0.16 | 0.13 | 0.02 | 23 | 0.4 | 0.10 | 0.05 | 0.01 |
| *China, Shijiazhuang City | 135 | 2.6 | 0.23 | 0.34 | 0.03 | 5 | 0.1 | 0.04 | 0.02 | 0.01 |
| China, Shunde District, Foshan City | 174 | 5.0 | 0.38 | 0.62 | 0.06 | 9 | 0.2 | 0.06 | 0.03 | 0.01 |
| *China, Song County | 13 | 0.8 | 0.22 | 0.08 | 0.03 | 2 | 0.2 | 0.13 | 0.03 | 0.02 |
| China, Suzhou City | 258 | 1.6 | 0.10 | 0.20 | 0.01 | 22 | 0.1 | 0.04 | 0.02 | 0.00 |
| *China, Tengzhou City | 139 | 2.6 | 0.23 | 0.36 | 0.03 | 19 | 0.3 | 0.07 | 0.05 | 0.01 |
| *China, Wangdu County | 4 | 0.6 | 0.29 | 0.11 | 0.06 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Wanxian County | 23 | 1.8 | 0.39 | 0.19 | 0.05 | 9 | 0.7 | 0.22 | 0.06 | 0.03 |
| *China, Wu'an City | 32 | 1.4 | 0.26 | 0.23 | 0.05 | 8 | 0.3 | 0.12 | 0.05 | 0.02 |
| China, Wuhan City | 708 | 3.2 | 0.12 | 0.41 | 0.02 | 52 | 0.2 | 0.03 | 0.02 | 0.00 |
| *China, Wuhu City | 113 | 2.1 | 0.20 | 0.26 | 0.03 | 3 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Wuxi City | 189 | 1.6 | 0.12 | 0.21 | 0.02 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Wuzhou City | 68 | 3.6 | 0.45 | 0.48 | 0.07 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| China, Xiangfu District, Kaifeng City | 59 | 3.1 | 0.41 | 0.41 | 0.06 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Xianju County | 20 | 0.9 | 0.20 | 0.08 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Xin'an County | 15 | 1.3 | 0.34 | 0.16 | 0.05 | 3 | 0.3 | 0.17 | 0.03 | 0.02 |
| *China, Xining City | 37 | 1.7 | 0.28 | 0.18 | 0.04 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Xinji City | 40 | 1.4 | 0.22 | 0.19 | 0.04 | 8 | 0.3 | 0.10 | 0.04 | 0.01 |
| *China, Xinluo District, Longyan City | 33 | 2.7 | 0.48 | 0.35 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 16 | 1.2 | 0.30 | 0.16 | 0.05 | 4 | 0.3 | 0.13 | 0.03 | 0.02 |
| China, Xiping County | 52 | 1.9 | 0.27 | 0.20 | 0.03 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Xishan District, Kunming City | 29 | 1.8 | 0.41 | 0.18 | 0.04 | 2 | 0.2 | 0.19 | 0.02 | 0.02 |
| *China, Xuyi County | 33 | 1.3 | 0.22 | 0.18 | 0.04 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Ya'an City | 82 | 1.5 | 0.17 | 0.18 | 0.02 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Yakeshi City | 63 | 4.1 | 0.56 | 0.48 | 0.08 | 9 | 0.6 | 0.21 | 0.09 | 0.03 |
| China, Yancheng City | 77 | 1.3 | 0.15 | 0.17 | 0.02 | 11 | 0.2 | 0.05 | 0.02 | 0.01 |
| *China, Yangquan City | 54 | 2.6 | 0.38 | 0.32 | 0.05 | 4 | 0.2 | 0.13 | 0.03 | 0.02 |
| *China, Yangzhong City | 6 | 0.4 | 0.15 | 0.04 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yanji City | 65 | 3.1 | 0.40 | 0.36 | 0.06 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Yanshi City | 20 | 0.9 | 0.20 | 0.10 | 0.02 | 5 | 0.2 | 0.10 | 0.04 | 0.02 |
| China, Yanting County | 14 | 0.7 | 0.19 | 0.09 | 0.03 | 8 | 0.4 | 0.15 | 0.04 | 0.02 |
| *China, Yi'an District, Tongling City | 27 | 2.5 | 0.49 | 0.26 | 0.07 | 2 | 0.2 | 0.16 | 0.01 | 0.01 |
| *China, Yingdong District, Fuyang City | 29 | 1.3 | 0.25 | 0.18 | 0.04 | 8 | 0.4 | 0.14 | 0.06 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Larynx (C32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 28 | 2.9 | 0.56 | 0.38 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 25 | 1.3 | 0.26 | 0.16 | 0.04 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Yong'an City | 23 | 1.9 | 0.40 | 0.24 | 0.05 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Yongding District, Longyan City | 50 | 3.2 | 0.46 | 0.40 | 0.07 | 4 | 0.1 | 0.07 | 0.00 | 0.00 |
| China, Yongkang City | 59 | 2.4 | 0.31 | 0.30 | 0.05 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Yucheng County | 31 | 1.6 | 0.29 | 0.21 | 0.04 | 16 | 0.7 | 0.18 | 0.06 | 0.02 |
| China, Yueyanglou District, Yueyang City | 46 | 4.3 | 0.64 | 0.54 | 0.09 | 3 | 0.2 | 0.12 | 0.00 | 0.00 |
| China, Yunmeng County | 28 | 1.7 | 0.33 | 0.23 | 0.05 | 11 | 0.7 | 0.21 | 0.04 | 0.02 |
| *China, Yunyang District, Shiyao City | 10 | 1.0 | 0.32 | 0.14 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 109 | 4.9 | 0.50 | 0.65 | 0.08 | 5 | 0.3 | 0.12 | 0.05 | 0.02 |
| *China, Zhanhuang County | 16 | 1.9 | 0.48 | 0.26 | 0.08 | 2 | 0.3 | 0.18 | 0.03 | 0.02 |
| *China, Zhangjiagang City | 98 | 2.0 | 0.21 | 0.26 | 0.03 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Zhaoyuan City | 55 | 2.0 | 0.27 | 0.27 | 0.04 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Zhengding County | 15 | 1.1 | 0.29 | 0.17 | 0.05 | 1 | 0.1 | 0.07 | 0.02 | 0.02 |
| *China, Zhongshan City | 240 | 4.6 | 0.30 | 0.60 | 0.04 | 10 | 0.2 | 0.06 | 0.03 | 0.01 |
| China, Zhongxiang City | 43 | 1.3 | 0.20 | 0.15 | 0.03 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Zhuanghe City | 85 | 1.9 | 0.21 | 0.25 | 0.03 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Zhuhai City | 91 | 2.6 | 0.28 | 0.33 | 0.04 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| India, Ahmedabad, Urban | 337 | 2.9 | 0.16 | 0.37 | 0.02 | 46 | 0.4 | 0.06 | 0.05 | 0.01 |
| India, Aurangabad | 109 | 4.2 | 0.40 | 0.51 | 0.06 | 13 | 0.5 | 0.13 | 0.05 | 0.02 |
| India, Bangalore | 470 | 4.4 | 0.20 | 0.57 | 0.03 | 75 | 0.7 | 0.08 | 0.07 | 0.01 |
| India, Barshi, Paranda, and Bhum | 27 | 1.8 | 0.36 | 0.22 | 0.05 | 2 | 0.1 | 0.09 | 0.02 | 0.01 |
| *India, Bhopal | 158 | 6.4 | 0.51 | 0.79 | 0.07 | 21 | 0.9 | 0.19 | 0.11 | 0.03 |
| India, Chandigarh | 105 | 4.7 | 0.47 | 0.56 | 0.07 | 12 | 0.5 | 0.16 | 0.07 | 0.02 |
| *India, Chennai | 563 | 4.6 | 0.20 | 0.55 | 0.03 | 88 | 0.7 | 0.07 | 0.08 | 0.01 |
| India, Dibrugarh | 62 | 2.3 | 0.29 | 0.28 | 0.04 | 18 | 0.6 | 0.15 | 0.06 | 0.02 |
| *India, Dindigul, Ambalikkai | 160 | 2.6 | 0.20 | 0.32 | 0.03 | 20 | 0.3 | 0.07 | 0.04 | 0.01 |
| India, Kamrup Urban District | 195 | 8.2 | 0.60 | 1.06 | 0.09 | 20 | 1.0 | 0.22 | 0.13 | 0.03 |
| India, Kollam | 349 | 5.4 | 0.29 | 0.67 | 0.04 | 18 | 0.2 | 0.05 | 0.02 | 0.01 |
| *India, Manipur | 94 | 2.1 | 0.22 | 0.26 | 0.03 | 31 | 0.7 | 0.13 | 0.09 | 0.02 |
| India, Meghalaya | 273 | 10.3 | 0.65 | 1.19 | 0.09 | 48 | 1.6 | 0.24 | 0.21 | 0.04 |
| India, Mizoram | 75 | 4.4 | 0.52 | 0.57 | 0.08 | 24 | 1.5 | 0.31 | 0.20 | 0.05 |
| India, Mumbai | 1126 | 3.7 | 0.11 | 0.45 | 0.02 | 183 | 0.6 | 0.05 | 0.07 | 0.01 |
| *India, New Delhi | 1423 | 6.9 | 0.19 | 0.90 | 0.03 | 164 | 0.8 | 0.07 | 0.11 | 0.01 |
| India, Poona | 404 | 3.5 | 0.18 | 0.45 | 0.03 | 55 | 0.5 | 0.07 | 0.06 | 0.01 |
| *India, Sangrur District | 81 | 3.1 | 0.35 | 0.40 | 0.05 | 11 | 0.4 | 0.13 | 0.04 | 0.01 |
| India, SAS Nagar | 82 | 3.7 | 0.42 | 0.45 | 0.05 | 17 | 0.7 | 0.18 | 0.08 | 0.02 |
| *India, Tamil Nadu | 6376 | 3.2 | 0.04 | 0.40 | 0.01 | 787 | 0.4 | 0.01 | 0.04 | 0.00 |
| *India, Tripura | 364 | 5.6 | 0.30 | 0.69 | 0.04 | 56 | 0.9 | 0.12 | 0.11 | 0.02 |
| India, Trivandrum | 466 | 5.7 | 0.27 | 0.75 | 0.04 | 32 | 0.3 | 0.06 | 0.04 | 0.01 |
| India, Wardha | 70 | 1.9 | 0.23 | 0.28 | 0.04 | 11 | 0.3 | 0.08 | 0.04 | 0.01 |
| India, West Arunachal | 32 | 3.5 | 0.66 | 0.46 | 0.10 | 8 | 0.9 | 0.33 | 0.10 | 0.04 |
| *Iran (Islamic Republic of), Ardabil Province | 49 | 2.9 | 0.43 | 0.36 | 0.06 | 7 | 0.3 | 0.14 | 0.02 | 0.02 |
| *Iran (Islamic Republic of), Golestan Province | 90 | 3.9 | 0.43 | 0.49 | 0.07 | 32 | 1.3 | 0.24 | 0.14 | 0.03 |
| Israel | 904 | 3.7 | 0.13 | 0.46 | 0.02 | 139 | 0.5 | 0.04 | 0.06 | 0.01 |
| *Israel: Jews | 684 | 3.2 | 0.13 | 0.40 | 0.02 | 125 | 0.5 | 0.05 | 0.07 | 0.01 |
| *Israel: Arabs | 168 | 5.9 | 0.47 | 0.76 | 0.07 | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| Japan | 14483 | 2.9 | 0.03 | 0.38 | 0.00 | 1147 | 0.2 | 0.01 | 0.03 | 0.00 |
| Japan, Aichi Prefecture | 708 | 2.6 | 0.10 | 0.33 | 0.02 | 60 | 0.2 | 0.04 | 0.03 | 0.00 |
| *Japan, Akita Prefecture | 154 | 3.2 | 0.30 | 0.42 | 0.04 | 9 | 0.1 | 0.05 | 0.02 | 0.01 |
| Japan, Aomori Prefecture | 314 | 3.5 | 0.22 | 0.46 | 0.03 | 18 | 0.1 | 0.05 | 0.01 | 0.01 |
| Japan, Gunma Prefecture | 245 | 2.9 | 0.21 | 0.38 | 0.03 | 21 | 0.2 | 0.06 | 0.03 | 0.01 |
| Japan, Hiroshima Prefecture | 423 | 2.8 | 0.15 | 0.36 | 0.02 | 29 | 0.2 | 0.05 | 0.03 | 0.01 |
| Japan, Miyagi Prefecture | 398 | 2.6 | 0.14 | 0.34 | 0.02 | 31 | 0.2 | 0.04 | 0.02 | 0.01 |
| Japan, Osaka Prefecture | 1094 | 3.4 | 0.11 | 0.44 | 0.02 | 91 | 0.3 | 0.03 | 0.03 | 0.00 |
| Kuwait | 106 | 1.9 | 0.22 | 0.19 | 0.03 | 10 | 0.2 | 0.07 | 0.03 | 0.01 |
| *Kuwait: Kuwaitis | 42 | 2.6 | 0.41 | 0.28 | 0.05 | 5 | 0.2 | 0.10 | 0.03 | 0.01 |
| *Kuwait: Non-Kuwaitis | 64 | 1.6 | 0.29 | 0.17 | 0.04 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Philippines, Manila | 325 | 3.5 | 0.20 | 0.46 | 0.03 | 58 | 0.4 | 0.06 | 0.05 | 0.01 |
| *Qatar: Qatari | 9 | 2.0 | 0.68 | 0.11 | 0.05 | 1 | 0.3 | 0.26 | 0.03 | 0.03 |
| Republic of Korea | 5581 | 2.8 | 0.04 | 0.36 | 0.01 | 360 | 0.1 | 0.01 | 0.02 | 0.00 |
| *Republic of Korea, Busan | 470 | 3.1 | 0.15 | 0.39 | 0.02 | 38 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Republic of Korea, Daegu | 259 | 2.7 | 0.17 | 0.33 | 0.03 | 26 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Republic of Korea, Daejeon | 152 | 2.9 | 0.24 | 0.39 | 0.04 | 6 | 0.1 | 0.03 | 0.01 | 0.01 |
| *Republic of Korea, Gwangju | 140 | 2.9 | 0.25 | 0.37 | 0.04 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| Republic of Korea, Incheon | 281 | 2.7 | 0.16 | 0.38 | 0.03 | 9 | 0.1 | 0.02 | 0.01 | 0.00 |
| Republic of Korea, Jeju | 73 | 3.0 | 0.36 | 0.37 | 0.05 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| Republic of Korea, Seoul | 923 | 2.4 | 0.08 | 0.31 | 0.01 | 61 | 0.1 | 0.02 | 0.02 | 0.00 |
| Republic of Korea, Ulsan | 110 | 2.9 | 0.28 | 0.39 | 0.05 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| Singapore | 407 | 2.6 | 0.13 | 0.33 | 0.02 | 34 | 0.2 | 0.03 | 0.02 | 0.01 |
| Singapore: Chinese | 335 | 2.7 | 0.15 | 0.34 | 0.02 | 29 | 0.2 | 0.04 | 0.02 | 0.01 |
| Singapore: Indian | 32 | 3.2 | 0.58 | 0.44 | 0.10 | 3 | 0.2 | 0.13 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Larynx (C32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 35 | 2.3 | 0.40 | 0.28 | 0.07 | 2 | 0.1 | 0.08 | 0.02 | 0.01 |
| Thailand, Bangkok | 379 | 2.2 | 0.12 | 0.27 | 0.02 | 42 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Thailand, Chiang Mai | 101 | 1.7 | 0.18 | 0.20 | 0.03 | 14 | 0.2 | 0.05 | 0.03 | 0.01 |
| *Thailand, Khon Kaen | 96 | 1.5 | 0.16 | 0.20 | 0.02 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| Thailand, Lampang | 39 | 1.2 | 0.19 | 0.12 | 0.03 | 12 | 0.3 | 0.10 | 0.05 | 0.02 |
| Thailand, Lopburi Province | 84 | 3.6 | 0.39 | 0.43 | 0.05 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| *Thailand, Songkhla | 140 | 3.3 | 0.29 | 0.41 | 0.04 | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| Turkey, Antalya | 328 | 5.4 | 0.30 | 0.72 | 0.05 | 21 | 0.3 | 0.07 | 0.03 | 0.01 |
| Turkey, Bursa | 522 | 6.5 | 0.29 | 0.84 | 0.04 | 46 | 0.5 | 0.08 | 0.06 | 0.01 |
| *Turkey, Edirne | 157 | 9.8 | 0.79 | 1.24 | 0.11 | 18 | 1.1 | 0.27 | 0.15 | 0.04 |
| *Turkey, Erzurum | 131 | 7.3 | 0.65 | 0.97 | 0.10 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| Turkey, Eskişehir | 187 | 7.0 | 0.52 | 0.91 | 0.08 | 10 | 0.3 | 0.10 | 0.02 | 0.01 |
| Turkey, Gaziantep | 231 | 6.9 | 0.46 | 0.88 | 0.07 | 14 | 0.4 | 0.11 | 0.06 | 0.02 |
| *Turkey, Izmir | 1012 | 7.6 | 0.24 | 0.97 | 0.04 | 83 | 0.6 | 0.06 | 0.06 | 0.01 |
| Turkey, Malatya | 91 | 4.3 | 0.45 | 0.56 | 0.07 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| Turkey, Samsun | 349 | 8.5 | 0.46 | 1.06 | 0.06 | 18 | 0.4 | 0.09 | 0.03 | 0.01 |
| Turkey, Trabzon | 163 | 6.5 | 0.52 | 0.82 | 0.08 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| Europe | | | | | | | | | | |
| Austria | 1404 | 3.7 | 0.10 | 0.48 | 0.01 | 204 | 0.5 | 0.04 | 0.06 | 0.00 |
| Austria, Carinthia | 129 | 4.9 | 0.45 | 0.61 | 0.06 | 14 | 0.4 | 0.13 | 0.06 | 0.02 |
| Austria, Tyrol | 113 | 3.5 | 0.35 | 0.47 | 0.05 | 21 | 0.6 | 0.15 | 0.08 | 0.02 |
| Austria, Vorarlberg | 64 | 3.9 | 0.50 | 0.52 | 0.07 | 11 | 0.6 | 0.20 | 0.09 | 0.03 |
| Belarus | 3069 | 9.6 | 0.18 | 1.23 | 0.03 | 107 | 0.2 | 0.02 | 0.03 | 0.00 |
| *Belgium | 2545 | 5.0 | 0.10 | 0.65 | 0.02 | 441 | 0.8 | 0.04 | 0.11 | 0.01 |
| Croatia | 1493 | 8.1 | 0.22 | 1.06 | 0.03 | 134 | 0.6 | 0.06 | 0.07 | 0.01 |
| Cyprus | 147 | 4.2 | 0.36 | 0.58 | 0.05 | 12 | 0.3 | 0.10 | 0.04 | 0.01 |
| *Czech Republic | 2357 | 5.1 | 0.11 | 0.68 | 0.02 | 294 | 0.5 | 0.03 | 0.07 | 0.00 |
| Denmark | 1001 | 3.7 | 0.12 | 0.48 | 0.02 | 236 | 0.8 | 0.06 | 0.11 | 0.01 |
| Estonia | 302 | 5.9 | 0.35 | 0.75 | 0.05 | 25 | 0.4 | 0.08 | 0.05 | 0.01 |
| Finland | 545 | 2.0 | 0.09 | 0.26 | 0.01 | 72 | 0.2 | 0.03 | 0.03 | 0.00 |
| *France, Bas-Rhin | 176 | 4.6 | 0.36 | 0.58 | 0.05 | 30 | 0.8 | 0.15 | 0.09 | 0.02 |
| *France, Calvados | 167 | 5.4 | 0.44 | 0.70 | 0.06 | 21 | 0.6 | 0.15 | 0.08 | 0.02 |
| *France, Doubs | 124 | 5.2 | 0.49 | 0.66 | 0.07 | 13 | 0.5 | 0.15 | 0.06 | 0.02 |
| *France, Gironde | 329 | 5.2 | 0.30 | 0.65 | 0.04 | 60 | 0.8 | 0.11 | 0.10 | 0.02 |
| *France, Haut-Rhin | 152 | 4.2 | 0.35 | 0.53 | 0.05 | 28 | 0.8 | 0.16 | 0.09 | 0.02 |
| *France, Hérault | 285 | 5.8 | 0.37 | 0.73 | 0.05 | 53 | 1.0 | 0.14 | 0.14 | 0.02 |
| *France, Isère | 237 | 4.5 | 0.30 | 0.58 | 0.04 | 27 | 0.5 | 0.10 | 0.05 | 0.01 |
| *France, Lille-Métropole | 178 | 6.7 | 0.51 | 0.87 | 0.08 | 24 | 0.8 | 0.17 | 0.09 | 0.02 |
| *France, Limousin | 70 | 4.0 | 0.51 | 0.52 | 0.07 | 11 | 0.6 | 0.19 | 0.09 | 0.03 |
| *France, Loire-Atlantique | 331 | 6.1 | 0.35 | 0.76 | 0.05 | 54 | 0.9 | 0.13 | 0.10 | 0.02 |
| *France, Manche | 168 | 7.3 | 0.60 | 0.89 | 0.08 | 24 | 1.1 | 0.23 | 0.13 | 0.03 |
| *France, Poitou-Charentes | 473 | 5.4 | 0.26 | 0.71 | 0.04 | 72 | 0.8 | 0.10 | 0.09 | 0.01 |
| *France, Somme | 118 | 5.0 | 0.48 | 0.61 | 0.06 | 10 | 0.5 | 0.15 | 0.06 | 0.02 |
| *France, Tarn | 97 | 5.3 | 0.57 | 0.64 | 0.07 | 17 | 0.8 | 0.23 | 0.10 | 0.03 |
| *France, Territoire de Belfort | 22 | 4.4 | 0.96 | 0.64 | 0.16 | 7 | 1.1 | 0.46 | 0.14 | 0.06 |
| *France, Vendée | 191 | 5.6 | 0.43 | 0.73 | 0.06 | 23 | 0.7 | 0.15 | 0.08 | 0.02 |
| Germany, Baden-Württemberg | 1032 | 3.2 | 0.10 | 0.42 | 0.02 | 173 | 0.5 | 0.04 | 0.07 | 0.01 |
| Germany, Bavaria | 1906 | 3.0 | 0.07 | 0.39 | 0.01 | 316 | 0.5 | 0.03 | 0.06 | 0.00 |
| Germany, Bremen | 136 | 4.1 | 0.37 | 0.55 | 0.06 | 22 | 0.7 | 0.15 | 0.09 | 0.02 |
| Germany, Hamburg | 315 | 3.9 | 0.24 | 0.52 | 0.03 | 69 | 0.9 | 0.11 | 0.11 | 0.02 |
| Germany, Lower Saxony | 1635 | 4.0 | 0.10 | 0.51 | 0.01 | 297 | 0.7 | 0.05 | 0.09 | 0.01 |
| Germany, North Rhine-Westphalia | 3643 | 4.1 | 0.07 | 0.53 | 0.01 | 744 | 0.8 | 0.03 | 0.10 | 0.00 |
| Germany, Rhineland-Palatinate | 811 | 3.9 | 0.14 | 0.51 | 0.02 | 136 | 0.7 | 0.06 | 0.09 | 0.01 |
| Germany, Saarland | 249 | 4.7 | 0.31 | 0.64 | 0.05 | 46 | 0.9 | 0.15 | 0.11 | 0.02 |
| Germany, Schleswig-Holstein | 595 | 3.9 | 0.17 | 0.50 | 0.02 | 104 | 0.6 | 0.07 | 0.09 | 0.01 |
| Iceland | 33 | 2.3 | 0.41 | 0.31 | 0.07 | 4 | 0.3 | 0.17 | 0.06 | 0.03 |
| Ireland | 711 | 4.0 | 0.16 | 0.53 | 0.02 | 156 | 0.9 | 0.07 | 0.11 | 0.01 |
| *Italy, Aosta Valley | 25 | 4.4 | 0.93 | 0.51 | 0.13 | 4 | 0.8 | 0.43 | 0.08 | 0.05 |
| *Italy, Avellino | 74 | 6.3 | 0.77 | 0.82 | 0.11 | 3 | 0.1 | 0.10 | 0.01 | 0.01 |
| Italy, Basilicata | 152 | 5.3 | 0.46 | 0.70 | 0.07 | 15 | 0.5 | 0.15 | 0.08 | 0.02 |
| *Italy, Benevento | 67 | 6.5 | 0.84 | 0.81 | 0.11 | 5 | 0.5 | 0.22 | 0.06 | 0.03 |
| Italy, Bergamo | 306 | 5.3 | 0.32 | 0.70 | 0.05 | 42 | 0.7 | 0.11 | 0.09 | 0.02 |
| *Italy, Brescia | 301 | 5.1 | 0.31 | 0.64 | 0.05 | 36 | 0.5 | 0.09 | 0.06 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 168 | 4.5 | 0.38 | 0.54 | 0.05 | 21 | 0.5 | 0.12 | 0.05 | 0.01 |
| Italy, Calabria | 147 | 5.5 | 0.48 | 0.75 | 0.07 | 5 | 0.2 | 0.08 | 0.03 | 0.01 |
| *Italy, Caserta | 242 | 8.1 | 0.54 | 1.00 | 0.07 | 35 | 1.1 | 0.19 | 0.14 | 0.03 |
| *Italy, Catania, Messina, and Enna | 450 | 5.0 | 0.25 | 0.62 | 0.03 | 50 | 0.6 | 0.09 | 0.07 | 0.01 |
| Italy, Emilia-Romagna | 1001 | 5.1 | 0.18 | 0.65 | 0.03 | 168 | 0.8 | 0.07 | 0.10 | 0.01 |
| Italy, Friuli-Venezia Giulia | 363 | 4.9 | 0.28 | 0.63 | 0.04 | 54 | 0.8 | 0.12 | 0.09 | 0.02 |
| Italy, Genova | 250 | 6.0 | 0.42 | 0.80 | 0.06 | 31 | 0.6 | 0.13 | 0.08 | 0.02 |
| *Italy, Lombardy, South, Pavia | 177 | 5.6 | 0.45 | 0.71 | 0.07 | 23 | 0.7 | 0.16 | 0.08 | 0.02 |
| Italy, Mantova and Cremona | 205 | 5.9 | 0.44 | 0.73 | 0.06 | 18 | 0.7 | 0.18 | 0.09 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Larynx (C32) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 323 | 4.7 | 0.28 | 0.62 | 0.04 | 42 | 0.6 | 0.10 | 0.08 | 0.01 |
| Italy, Milan | 887 | 4.9 | 0.18 | 0.62 | 0.03 | 146 | 0.7 | 0.07 | 0.10 | 0.01 |
| Italy, Molise | 55 | 5.2 | 0.76 | 0.68 | 0.12 | 3 | 0.3 | 0.18 | 0.03 | 0.02 |
| *Italy, Naples Centre | 222 | 8.9 | 0.62 | 1.17 | 0.09 | 49 | 1.7 | 0.25 | 0.24 | 0.04 |
| *Italy, Naples North | 260 | 8.3 | 0.52 | 1.04 | 0.07 | 45 | 1.4 | 0.21 | 0.17 | 0.03 |
| *Italy, Naples South | 368 | 8.3 | 0.45 | 1.07 | 0.06 | 41 | 0.9 | 0.14 | 0.11 | 0.02 |
| *Italy, Nuoro | 36 | 5.3 | 0.93 | 0.67 | 0.13 | 1 | 0.2 | 0.20 | 0.02 | 0.02 |
| *Italy, Palermo | 306 | 5.4 | 0.32 | 0.72 | 0.05 | 47 | 0.8 | 0.12 | 0.10 | 0.02 |
| Italy, Puglia | 1051 | 5.4 | 0.18 | 0.71 | 0.03 | 122 | 0.5 | 0.05 | 0.06 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 117 | 4.4 | 0.43 | 0.57 | 0.06 | 16 | 0.5 | 0.14 | 0.06 | 0.02 |
| *Italy, Salerno | 233 | 5.6 | 0.39 | 0.72 | 0.06 | 26 | 0.7 | 0.13 | 0.09 | 0.02 |
| Italy, Sassari | 62 | 6.0 | 0.80 | 0.83 | 0.12 | 8 | 0.6 | 0.25 | 0.09 | 0.04 |
| *Italy, Sondrio | 61 | 5.6 | 0.75 | 0.75 | 0.11 | 13 | 1.0 | 0.32 | 0.12 | 0.04 |
| Italy, South Tyrol | 84 | 3.4 | 0.39 | 0.42 | 0.06 | 12 | 0.5 | 0.16 | 0.07 | 0.02 |
| *Italy, Syracuse | 101 | 5.3 | 0.55 | 0.68 | 0.08 | 10 | 0.3 | 0.12 | 0.06 | 0.02 |
| Italy, Trento | 144 | 5.1 | 0.45 | 0.71 | 0.07 | 22 | 0.7 | 0.16 | 0.10 | 0.03 |
| Italy, Turin | 678 | 5.4 | 0.22 | 0.66 | 0.03 | 92 | 0.7 | 0.08 | 0.08 | 0.01 |
| *Italy, Tuscany | 745 | 6.7 | 0.27 | 0.88 | 0.04 | 104 | 0.9 | 0.10 | 0.11 | 0.01 |
| Italy, Umbria | 187 | 4.6 | 0.37 | 0.64 | 0.06 | 21 | 0.5 | 0.12 | 0.08 | 0.02 |
| Italy, Varese | 133 | 4.5 | 0.42 | 0.58 | 0.06 | 18 | 0.5 | 0.13 | 0.06 | 0.02 |
| Italy, Veneto | 1477 | 5.7 | 0.16 | 0.73 | 0.02 | 193 | 0.6 | 0.05 | 0.08 | 0.01 |
| Latvia | 556 | 7.3 | 0.32 | 0.92 | 0.04 | 43 | 0.4 | 0.07 | 0.06 | 0.01 |
| *Liechtenstein | 6 | 3.1 | 1.31 | 0.35 | 0.17 | 1 | 0.5 | 0.47 | 0.12 | 0.12 |
| *Lithuania | 833 | 7.6 | 0.27 | 1.02 | 0.04 | 64 | 0.5 | 0.07 | 0.05 | 0.01 |
| Malta | 91 | 4.3 | 0.46 | 0.55 | 0.07 | 19 | 0.8 | 0.19 | 0.10 | 0.03 |
| *The Netherlands | 2796 | 3.4 | 0.07 | 0.43 | 0.01 | 677 | 0.8 | 0.03 | 0.11 | 0.00 |
| Norway | 479 | 2.0 | 0.09 | 0.25 | 0.01 | 100 | 0.4 | 0.05 | 0.05 | 0.01 |
| Poland, Kielce | 368 | 6.8 | 0.36 | 0.92 | 0.05 | 48 | 0.8 | 0.13 | 0.10 | 0.02 |
| *Portugal, Azores | 82 | 11.8 | 1.32 | 1.39 | 0.17 | 5 | 0.7 | 0.31 | 0.08 | 0.04 |
| Russian Federation, Arkhangelsk | 261 | 6.7 | 0.43 | 0.91 | 0.07 | 27 | 0.5 | 0.10 | 0.05 | 0.01 |
| Russian Federation, Kaliningrad | 245 | 7.8 | 0.50 | 1.00 | 0.07 | 17 | 0.4 | 0.10 | 0.05 | 0.01 |
| Russian Federation, Karelia | 161 | 7.9 | 0.64 | 1.10 | 0.11 | 16 | 0.5 | 0.14 | 0.07 | 0.02 |
| *Russian Federation, Komi Republic | 208 | 8.3 | 0.60 | 1.07 | 0.09 | 14 | 0.4 | 0.12 | 0.05 | 0.01 |
| Russian Federation, Murmansk | 125 | 5.7 | 0.53 | 0.73 | 0.08 | 18 | 0.6 | 0.13 | 0.08 | 0.02 |
| *Russian Federation, Orenburg | 581 | 8.9 | 0.38 | 1.13 | 0.06 | 36 | 0.4 | 0.07 | 0.04 | 0.01 |
| Russian Federation, Pskov | 308 | 13.3 | 0.78 | 1.73 | 0.11 | 15 | 0.5 | 0.15 | 0.05 | 0.01 |
| *Russian Federation, Samara | 717 | 6.7 | 0.25 | 0.88 | 0.04 | 47 | 0.3 | 0.04 | 0.03 | 0.01 |
| Russian Federation, Vologda Region | 260 | 6.5 | 0.41 | 0.81 | 0.05 | 10 | 0.2 | 0.05 | 0.02 | 0.01 |
| Slovenia | 438 | 4.6 | 0.22 | 0.59 | 0.03 | 58 | 0.6 | 0.08 | 0.07 | 0.01 |
| Spain, Asturias | 272 | 8.1 | 0.52 | 1.08 | 0.08 | 21 | 0.6 | 0.14 | 0.09 | 0.02 |
| Spain, Basque Country | 756 | 9.0 | 0.34 | 1.17 | 0.05 | 70 | 0.8 | 0.10 | 0.10 | 0.01 |
| Spain, Canary Islands | 394 | 6.9 | 0.35 | 0.90 | 0.05 | 45 | 0.7 | 0.11 | 0.09 | 0.02 |
| Spain, Castellón | 199 | 8.0 | 0.59 | 1.09 | 0.09 | 14 | 0.5 | 0.14 | 0.07 | 0.02 |
| Spain, Girona | 245 | 7.4 | 0.49 | 0.95 | 0.07 | 24 | 0.7 | 0.16 | 0.09 | 0.02 |
| Spain, Granada | 260 | 6.9 | 0.44 | 0.90 | 0.06 | 23 | 0.6 | 0.14 | 0.07 | 0.02 |
| Spain, La Rioja | 100 | 6.7 | 0.70 | 0.94 | 0.11 | 18 | 1.4 | 0.33 | 0.20 | 0.05 |
| Spain, Murcia | 459 | 8.4 | 0.41 | 1.11 | 0.06 | 38 | 0.6 | 0.11 | 0.08 | 0.02 |
| Spain, Navarra | 161 | 6.8 | 0.56 | 0.92 | 0.09 | 25 | 1.2 | 0.25 | 0.13 | 0.03 |
| Spain, Salamanca | 142 | 7.9 | 0.72 | 1.02 | 0.10 | 7 | 0.4 | 0.17 | 0.03 | 0.02 |
| Spain, Tarragona | 282 | 8.0 | 0.50 | 1.02 | 0.07 | 25 | 0.8 | 0.16 | 0.09 | 0.02 |
| *Sweden | 725 | 1.4 | 0.06 | 0.18 | 0.01 | 136 | 0.3 | 0.03 | 0.03 | 0.00 |
| Switzerland, Aargau | 78 | 2.6 | 0.30 | 0.35 | 0.05 | 19 | 0.6 | 0.15 | 0.08 | 0.02 |
| Switzerland, Basel | 59 | 2.6 | 0.37 | 0.33 | 0.05 | 16 | 0.6 | 0.16 | 0.09 | 0.02 |
| Switzerland, Berne Solothurn | 91 | 2.3 | 0.25 | 0.29 | 0.03 | 15 | 0.3 | 0.10 | 0.04 | 0.01 |
| Switzerland, East | 104 | 2.6 | 0.27 | 0.33 | 0.04 | 15 | 0.4 | 0.11 | 0.05 | 0.02 |
| *Switzerland, Fribourg | 48 | 3.7 | 0.55 | 0.44 | 0.07 | 6 | 0.5 | 0.19 | 0.06 | 0.03 |
| Switzerland, Geneva | 63 | 3.3 | 0.44 | 0.41 | 0.06 | 14 | 0.7 | 0.20 | 0.09 | 0.03 |
| *Switzerland, Graubünden and Glarus | 34 | 2.9 | 0.51 | 0.38 | 0.07 | 14 | 1.2 | 0.33 | 0.19 | 0.05 |
| *Switzerland, Lucerne | 57 | 2.2 | 0.31 | 0.29 | 0.05 | 10 | 0.3 | 0.12 | 0.05 | 0.02 |
| *Switzerland, Neuchâtel and Jura | 50 | 4.5 | 0.66 | 0.54 | 0.09 | 5 | 0.6 | 0.32 | 0.07 | 0.03 |
| Switzerland, Ticino | 86 | 4.4 | 0.50 | 0.65 | 0.08 | 16 | 0.8 | 0.22 | 0.11 | 0.03 |
| Switzerland, Valais | 61 | 3.6 | 0.48 | 0.50 | 0.07 | 12 | 0.7 | 0.22 | 0.10 | 0.03 |
| Switzerland, Vaud | 120 | 4.0 | 0.38 | 0.54 | 0.06 | 26 | 0.7 | 0.15 | 0.10 | 0.02 |
| Switzerland, Zurich and Zug | 169 | 2.5 | 0.20 | 0.32 | 0.03 | 31 | 0.5 | 0.09 | 0.06 | 0.01 |
| Ukraine | 9547 | 7.9 | 0.08 | 1.01 | 0.01 | 447 | 0.3 | 0.01 | 0.03 | 0.00 |
| UK, England | 7606 | 3.0 | 0.04 | 0.39 | 0.01 | 1598 | 0.6 | 0.02 | 0.08 | 0.00 |
| UK, Northern Ireland | 324 | 4.1 | 0.24 | 0.53 | 0.03 | 83 | 1.0 | 0.12 | 0.13 | 0.02 |
| UK, Scotland | 1131 | 4.5 | 0.14 | 0.57 | 0.02 | 294 | 1.1 | 0.07 | 0.14 | 0.01 |
| UK, Wales | 609 | 4.0 | 0.17 | 0.51 | 0.02 | 139 | 0.8 | 0.08 | 0.10 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 917 | 2.7 | 0.09 | 0.34 | 0.01 | 110 | 0.3 | 0.03 | 0.04 | 0.00 |
| *Australia, Northern Territory | 46 | 6.5 | 0.96 | 0.79 | 0.14 | 10 | 1.6 | 0.50 | 0.17 | 0.06 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Larynx (C32) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 34 | 5.7 | 0.98 | 0.68 | 0.14 | 3 | 0.6 | 0.35 | 0.06 | 0.04 |
| *Australia, Northern Territory: Indigenous | 12 | 9.7 | 2.99 | 1.39 | 0.51 | 7 | 5.2 | 2.00 | 0.56 | 0.25 |
| *Australia, Queensland | 578 | 2.9 | 0.13 | 0.37 | 0.02 | 74 | 0.4 | 0.04 | 0.04 | 0.01 |
| Australia, South Australia | 193 | 2.5 | 0.18 | 0.32 | 0.03 | 32 | 0.4 | 0.07 | 0.05 | 0.01 |
| Australia, Tasmania | 69 | 2.6 | 0.33 | 0.34 | 0.05 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| *Australia, Victoria | 640 | 2.5 | 0.10 | 0.31 | 0.02 | 89 | 0.3 | 0.03 | 0.04 | 0.01 |
| *Australia, Western Australia | 202 | 2.0 | 0.15 | 0.27 | 0.02 | 24 | 0.2 | 0.05 | 0.03 | 0.01 |
| *France, New Caledonia | 30 | 3.7 | 0.68 | 0.41 | 0.09 | 6 | 0.7 | 0.28 | 0.08 | 0.04 |
| New Zealand | 334 | 1.7 | 0.10 | 0.21 | 0.01 | 52 | 0.2 | 0.04 | 0.03 | 0.01 |
| *New Zealand: Maori | 42 | 2.7 | 0.42 | 0.32 | 0.06 | 11 | 0.6 | 0.18 | 0.06 | 0.02 |
| *New Zealand: Pacific peoples | 6 | 1.0 | 0.40 | 0.15 | 0.07 | 2 | 0.3 | 0.21 | 0.04 | 0.03 |
| *New Zealand: Other | 274 | 1.7 | 0.11 | 0.21 | 0.02 | 38 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Hawaii | 157 | 2.5 | 0.20 | 0.32 | 0.03 | 22 | 0.4 | 0.08 | 0.05 | 0.01 |
| USA, Hawaii: White | 79 | 3.9 | 0.47 | 0.48 | 0.06 | 11 | 0.6 | 0.17 | 0.08 | 0.03 |
| *USA, Hawaii: Japanese | 23 | 1.4 | 0.32 | 0.19 | 0.05 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *USA, Hawaii: Chinese | 2 | 0.4 | 0.33 | 0.04 | 0.04 | 1 | 0.1 | 0.12 | 0.00 | 0.00 |
| *USA, Hawaii: Hawaiian | 23 | 2.5 | 0.52 | 0.33 | 0.08 | 7 | 0.8 | 0.29 | 0.12 | 0.04 |
| *USA, Hawaii: Filipino | 16 | 1.5 | 0.39 | 0.17 | 0.06 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Trachea, bronchus, and lung (C33–34)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 201 | 15.5 | 1.14 | 1.88 | 0.16 | 28 | 2.0 | 0.39 | 0.23 | 0.06 |
| *Algeria, Tizi Ouzou | 333 | 21.9 | 1.24 | 2.83 | 0.19 | 49 | 2.6 | 0.40 | 0.30 | 0.05 |
| *Benin, Cotonou | 9 | 1.4 | 0.53 | 0.13 | 0.06 | 7 | 1.2 | 0.47 | 0.19 | 0.09 |
| *France, La Réunion | 701 | 32.8 | 1.25 | 4.21 | 0.19 | 268 | 10.5 | 0.66 | 1.28 | 0.09 |
| *Kenya, Eldoret | 22 | 2.1 | 0.47 | 0.23 | 0.07 | 8 | 0.8 | 0.27 | 0.09 | 0.04 |
| *Kenya, Nairobi | 120 | 6.0 | 0.61 | 0.85 | 0.11 | 100 | 5.0 | 0.57 | 0.69 | 0.09 |
| Mauritius | 482 | 11.6 | 0.53 | 1.42 | 0.08 | 224 | 4.7 | 0.32 | 0.56 | 0.05 |
| *Morocco, Casablanca | 2700 | 25.8 | 0.51 | 3.37 | 0.08 | 425 | 3.7 | 0.18 | 0.45 | 0.03 |
| *Seychelles | 43 | 16.3 | 2.52 | 1.94 | 0.38 | 15 | 4.3 | 1.16 | 0.50 | 0.19 |
| *South Africa, Eastern Cape | 54 | 5.4 | 0.76 | 0.65 | 0.10 | 42 | 2.7 | 0.43 | 0.34 | 0.06 |
| *Uganda, Kyadondo County | 77 | 4.3 | 0.58 | 0.57 | 0.10 | 73 | 3.7 | 0.49 | 0.52 | 0.08 |
| *Uganda, Gulu | 10 | 2.8 | 0.94 | 0.34 | 0.13 | 9 | 1.4 | 0.49 | 0.15 | 0.08 |
| *Zimbabwe, Bulawayo: African | 50 | 6.7 | 0.97 | 0.88 | 0.16 | 29 | 2.6 | 0.51 | 0.29 | 0.08 |
| *Zimbabwe, Harare: African | 219 | 16.0 | 1.15 | 2.01 | 0.19 | 134 | 8.2 | 0.74 | 1.10 | 0.12 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 804 | 35.3 | 1.26 | 4.60 | 0.19 | 274 | 9.9 | 0.63 | 1.24 | 0.09 |
| *Argentina, Mendoza | 1100 | 20.9 | 0.64 | 2.68 | 0.10 | 515 | 8.1 | 0.38 | 1.02 | 0.05 |
| Brazil, Aracaju | 169 | 17.4 | 1.35 | 1.98 | 0.20 | 124 | 7.7 | 0.71 | 0.78 | 0.09 |
| *Brazil, Barretos | 245 | 17.8 | 1.15 | 2.10 | 0.17 | 175 | 10.9 | 0.85 | 1.39 | 0.12 |
| Brazil, Belo Horizonte | 1074 | 14.8 | 0.46 | 1.82 | 0.07 | 896 | 8.6 | 0.30 | 1.01 | 0.04 |
| *Brazil, Campinas | 479 | 20.7 | 0.96 | 2.52 | 0.15 | 360 | 11.8 | 0.64 | 1.45 | 0.10 |
| *Brazil, Curitiba | 633 | 16.2 | 0.65 | 2.01 | 0.10 | 607 | 10.9 | 0.45 | 1.35 | 0.07 |
| Brazil, Goiânia | 449 | 18.0 | 0.86 | 2.18 | 0.13 | 383 | 11.1 | 0.58 | 1.36 | 0.09 |
| *Brazil, Jaú | 59 | 13.8 | 1.82 | 1.83 | 0.29 | 32 | 6.1 | 1.11 | 0.71 | 0.15 |
| Brazil, João Pessoa | 152 | 15.2 | 1.25 | 1.90 | 0.20 | 149 | 9.9 | 0.83 | 1.25 | 0.13 |
| Brazil, Recife | 466 | 19.7 | 0.92 | 2.49 | 0.14 | 476 | 11.7 | 0.56 | 1.41 | 0.08 |
| Chile, Region of Antofagasta | 358 | 38.9 | 2.08 | 4.86 | 0.33 | 160 | 15.1 | 1.22 | 1.78 | 0.18 |
| Chile, Valdivia | 147 | 10.1 | 0.86 | 1.20 | 0.13 | 96 | 5.3 | 0.58 | 0.56 | 0.08 |
| Colombia, Bucaramanga | 307 | 10.3 | 0.60 | 1.27 | 0.10 | 245 | 6.2 | 0.41 | 0.73 | 0.06 |
| Colombia, Cali | 867 | 14.8 | 0.51 | 1.68 | 0.08 | 667 | 7.7 | 0.31 | 0.83 | 0.05 |
| Colombia, Manizales | 206 | 14.3 | 1.01 | 1.64 | 0.15 | 141 | 7.4 | 0.64 | 0.79 | 0.09 |
| Colombia, Pasto | 77 | 7.3 | 0.86 | 0.93 | 0.13 | 46 | 3.4 | 0.51 | 0.41 | 0.08 |
| Costa Rica | 559 | 5.6 | 0.24 | 0.68 | 0.04 | 360 | 3.4 | 0.18 | 0.43 | 0.03 |
| Ecuador, Guayaquil | 391 | 7.6 | 0.39 | 0.92 | 0.06 | 308 | 5.1 | 0.30 | 0.62 | 0.05 |
| Ecuador, Manabí | 200 | 5.3 | 0.39 | 0.57 | 0.06 | 143 | 3.8 | 0.33 | 0.40 | 0.05 |
| Ecuador, Quito | 333 | 8.2 | 0.46 | 0.96 | 0.07 | 342 | 6.8 | 0.38 | 0.79 | 0.06 |
| *France, Guadeloupe | 229 | 13.3 | 0.91 | 1.64 | 0.13 | 126 | 6.0 | 0.58 | 0.68 | 0.07 |
| *France, Martinique | 206 | 10.9 | 0.81 | 1.26 | 0.11 | 154 | 6.9 | 0.61 | 0.88 | 0.09 |
| *Peru, Lima | 1831 | 13.1 | 0.31 | 1.43 | 0.05 | 1689 | 9.8 | 0.24 | 1.10 | 0.04 |
| *Trinidad and Tobago | 465 | 19.0 | 0.89 | 2.54 | 0.14 | 161 | 6.0 | 0.48 | 0.68 | 0.07 |
| USA, Puerto Rico | 2417 | 13.9 | 0.30 | 1.71 | 0.05 | 1534 | 7.3 | 0.21 | 0.86 | 0.03 |
| *Uruguay | 5489 | 44.4 | 0.62 | 5.79 | 0.10 | 2005 | 13.2 | 0.32 | 1.69 | 0.05 |
| North America | | | | | | | | | | |
| Canada, Alberta | 5475 | 33.8 | 0.47 | 4.17 | 0.08 | 5525 | 31.6 | 0.45 | 4.03 | 0.07 |
| Canada, British Columbia | 8120 | 30.9 | 0.36 | 3.66 | 0.06 | 8535 | 29.9 | 0.35 | 3.68 | 0.05 |
| *Canada, Manitoba | 2185 | 36.2 | 0.80 | 4.46 | 0.13 | 2327 | 34.6 | 0.77 | 4.48 | 0.12 |
| *Canada, New Brunswick | 2226 | 50.2 | 1.10 | 6.10 | 0.17 | 1869 | 39.2 | 0.97 | 5.04 | 0.15 |
| *Canada, Newfoundland and Labrador | 1374 | 44.8 | 1.24 | 5.47 | 0.19 | 1132 | 35.6 | 1.11 | 4.59 | 0.17 |
| Canada, Ontario | 24376 | 35.9 | 0.24 | 4.36 | 0.04 | 24134 | 31.7 | 0.22 | 4.05 | 0.03 |
| *Canada, Prince Edward Island | 345 | 41.4 | 2.32 | 5.13 | 0.36 | 367 | 39.2 | 2.17 | 4.99 | 0.34 |
| Canada, Quebec | 23765 | 53.0 | 0.36 | 6.39 | 0.05 | 22771 | 48.6 | 0.35 | 6.30 | 0.05 |
| Canada, Saskatchewan | 1903 | 35.5 | 0.85 | 4.36 | 0.14 | 2008 | 34.8 | 0.84 | 4.63 | 0.14 |
| *Canada, Yukon | 51 | 33.8 | 4.75 | 3.71 | 0.71 | 46 | 31.8 | 4.75 | 3.94 | 0.76 |
| USA | 580308 | 41.1 | 0.06 | 5.13 | 0.01 | 533824 | 32.3 | 0.05 | 4.10 | 0.01 |
| USA: White | 494647 | 41.0 | 0.06 | 5.10 | 0.01 | 461957 | 33.5 | 0.05 | 4.26 | 0.01 |
| USA: Black | 64550 | 49.5 | 0.20 | 6.37 | 0.03 | 53768 | 30.5 | 0.14 | 3.87 | 0.02 |
| USA, NPCR | 562475 | 41.3 | 0.06 | 5.15 | 0.01 | 517365 | 32.5 | 0.05 | 4.11 | 0.01 |
| USA, NPCR: White | 479505 | 41.1 | 0.06 | 5.12 | 0.01 | 447619 | 33.6 | 0.05 | 4.27 | 0.01 |
| USA, NPCR: Black | 63839 | 49.6 | 0.20 | 6.39 | 0.03 | 53165 | 30.5 | 0.14 | 3.87 | 0.02 |
| USA, NPCR: Asian and Pacific Islander | 14868 | 24.8 | 0.21 | 2.94 | 0.03 | 12666 | 16.7 | 0.15 | 1.95 | 0.02 |
| USA, NPCR: American Indian | 2921 | 26.0 | 0.49 | 3.26 | 0.08 | 2907 | 22.5 | 0.42 | 2.91 | 0.07 |
| *USA, SEER (18 registries) | 131806 | 35.4 | 0.10 | 4.36 | 0.02 | 123432 | 27.9 | 0.08 | 3.49 | 0.01 |
| *USA, SEER (18 registries): White | 105592 | 35.2 | 0.11 | 4.33 | 0.02 | 101677 | 29.2 | 0.10 | 3.68 | 0.02 |
| *USA, SEER (18 registries): Non-Hispanic White | 97753 | 38.3 | 0.13 | 4.72 | 0.02 | 94229 | 32.1 | 0.11 | 4.05 | 0.02 |
| *USA, SEER (18 registries): Hispanic White | 7839 | 18.4 | 0.21 | 2.16 | 0.03 | 7448 | 14.2 | 0.17 | 1.74 | 0.03 |
| *USA, SEER (18 registries): Black | 15663 | 46.9 | 0.38 | 5.99 | 0.06 | 12962 | 28.9 | 0.26 | 3.63 | 0.04 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 9407 | 25.5 | 0.27 | 3.03 | 0.04 | 7683 | 16.5 | 0.20 | 1.94 | 0.03 |
| *USA, SEER (9 registries) | 43899 | 33.9 | 0.17 | 4.12 | 0.03 | 42322 | 27.6 | 0.14 | 3.45 | 0.02 |
| *USA, SEER (9 registries): White | 34456 | 33.3 | 0.19 | 4.04 | 0.03 | 34076 | 28.7 | 0.17 | 3.59 | 0.03 |
| *USA, SEER (9 registries): Black | 4992 | 45.7 | 0.65 | 5.77 | 0.10 | 4544 | 30.4 | 0.46 | 3.86 | 0.07 |
| USA, Alabama | 11465 | 53.4 | 0.51 | 6.76 | 0.08 | 8425 | 33.1 | 0.38 | 4.31 | 0.06 |
| USA, Alabama: White | 9066 | 53.1 | 0.58 | 6.67 | 0.09 | 6965 | 36.1 | 0.47 | 4.69 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 2327 | 56.3 | 1.18 | 7.39 | 0.18 | 1398 | 24.9 | 0.68 | 3.24 | 0.11 | |
| USA, Alaska | 1027 | 38.0 | 1.19 | 4.35 | 0.17 | 792 | 29.5 | 1.06 | 3.69 | 0.17 | |
| *USA, Alaska: Alaska Natives | 193 | 58.8 | 4.27 | 7.45 | 0.68 | 174 | 46.6 | 3.59 | 6.19 | 0.58 | |
| USA, Arizona | 10251 | 30.8 | 0.32 | 3.83 | 0.05 | 9796 | 26.1 | 0.28 | 3.25 | 0.04 | |
| USA, Arizona: White | 9677 | 31.6 | 0.34 | 3.93 | 0.05 | 9255 | 27.0 | 0.31 | 3.37 | 0.05 | |
| USA, Arizona: Black | 339 | 36.6 | 2.01 | 4.66 | 0.32 | 256 | 25.0 | 1.58 | 3.23 | 0.25 | |
| *USA, Arizona: Asian and Pacific Islander | 146 | 20.2 | 1.70 | 2.38 | 0.26 | 176 | 16.7 | 1.28 | 1.89 | 0.19 | |
| USA, Arizona: American Indian | 79 | 8.7 | 0.99 | 1.03 | 0.16 | 95 | 8.1 | 0.85 | 1.02 | 0.14 | |
| USA, Arkansas | 8164 | 60.6 | 0.70 | 7.77 | 0.11 | 6336 | 41.6 | 0.56 | 5.44 | 0.08 | |
| USA, Arkansas: White | 7069 | 59.4 | 0.74 | 7.60 | 0.11 | 5634 | 42.8 | 0.62 | 5.60 | 0.09 | |
| USA, Arkansas: Black | 1006 | 71.8 | 2.28 | 9.29 | 0.35 | 623 | 34.8 | 1.43 | 4.59 | 0.22 | |
| USA, California | 42777 | 26.7 | 0.13 | 3.22 | 0.02 | 42812 | 22.4 | 0.12 | 2.74 | 0.02 | |
| USA, California: White | 32931 | 26.2 | 0.15 | 3.15 | 0.02 | 34251 | 23.3 | 0.14 | 2.86 | 0.02 | |
| USA, California: Black | 3340 | 37.4 | 0.66 | 4.79 | 0.11 | 3165 | 28.3 | 0.52 | 3.51 | 0.08 | |
| USA, California: Asian and Pacific Islander | 6242 | 25.7 | 0.34 | 3.06 | 0.05 | 5112 | 16.5 | 0.25 | 1.94 | 0.04 | |
| *USA, California, Los Angeles County | 9496 | 24.4 | 0.26 | 2.96 | 0.04 | 8741 | 18.2 | 0.21 | 2.22 | 0.03 | |
| *USA, California, Los Angeles County: White | 6353 | 22.7 | 0.29 | 2.73 | 0.05 | 5991 | 17.7 | 0.25 | 2.15 | 0.04 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 4666 | 27.9 | 0.43 | 3.41 | 0.07 | 4480 | 23.6 | 0.39 | 2.93 | 0.06 | |
| *USA, California, Los Angeles County: Hispanic White | 1687 | 15.3 | 0.38 | 1.78 | 0.06 | 1511 | 10.3 | 0.28 | 1.20 | 0.04 | |
| *USA, California, Los Angeles County: Black | 1279 | 37.3 | 1.07 | 4.75 | 0.17 | 1289 | 27.5 | 0.80 | 3.37 | 0.12 | |
| *USA, California, Los Angeles County: Chinese | 538 | 22.2 | 1.03 | 2.57 | 0.15 | 439 | 15.4 | 0.81 | 1.81 | 0.12 | |
| *USA, California, Los Angeles County: Filipino | 397 | 26.3 | 1.35 | 3.23 | 0.22 | 314 | 13.6 | 0.81 | 1.72 | 0.12 | |
| *USA, California, Los Angeles County: Korean | 283 | 25.2 | 1.60 | 3.06 | 0.25 | 146 | 10.7 | 0.97 | 1.29 | 0.14 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 1789 | 25.2 | 0.62 | 3.02 | 0.10 | 1385 | 15.4 | 0.45 | 1.87 | 0.07 | |
| *USA, California, San Francisco Bay Area | 5221 | 25.2 | 0.36 | 2.99 | 0.06 | 5339 | 21.3 | 0.31 | 2.55 | 0.05 | |
| *USA, California, San Francisco Bay Area: White | 3099 | 22.5 | 0.42 | 2.68 | 0.07 | 3518 | 21.8 | 0.40 | 2.61 | 0.06 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 2689 | 23.2 | 0.47 | 2.79 | 0.07 | 3125 | 23.3 | 0.46 | 2.78 | 0.07 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 410 | 19.6 | 1.00 | 2.08 | 0.16 | 393 | 14.6 | 0.78 | 1.79 | 0.13 | |
| *USA, California, San Francisco Bay Area: Black | 632 | 41.2 | 1.66 | 5.13 | 0.26 | 601 | 31.2 | 1.33 | 3.93 | 0.20 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 1461 | 26.9 | 0.73 | 3.10 | 0.11 | 1201 | 17.3 | 0.54 | 1.97 | 0.08 | |
| USA, Colorado | 5738 | 25.4 | 0.34 | 3.03 | 0.05 | 6011 | 23.3 | 0.31 | 2.87 | 0.05 | |
| USA, Colorado: White | 5350 | 25.4 | 0.35 | 3.03 | 0.05 | 5653 | 23.5 | 0.33 | 2.89 | 0.05 | |
| *USA, Colorado: Black | 221 | 30.1 | 2.06 | 3.37 | 0.30 | 185 | 24.5 | 1.84 | 3.30 | 0.30 | |
| *USA, Colorado: Asian and Pacific Islander | 115 | 22.2 | 2.11 | 2.61 | 0.33 | 129 | 17.3 | 1.56 | 2.14 | 0.26 | |
| USA, Connecticut | 6366 | 37.6 | 0.49 | 4.65 | 0.08 | 6749 | 33.0 | 0.43 | 4.19 | 0.07 | |
| USA, Connecticut: White | 5743 | 37.6 | 0.52 | 4.65 | 0.08 | 6171 | 33.9 | 0.47 | 4.32 | 0.07 | |
| USA, Connecticut: Black | 489 | 41.0 | 1.88 | 5.16 | 0.30 | 449 | 26.9 | 1.31 | 3.34 | 0.20 | |
| USA, District of Columbia | 712 | 32.9 | 1.26 | 4.31 | 0.20 | 819 | 29.4 | 1.09 | 3.65 | 0.16 | |
| USA, District of Columbia: White | 141 | 14.4 | 1.25 | 1.67 | 0.19 | 182 | 17.2 | 1.35 | 2.03 | 0.20 | |
| USA, District of Columbia: Black | 549 | 47.2 | 2.06 | 6.33 | 0.32 | 622 | 37.0 | 1.58 | 4.68 | 0.23 | |
| USA, Florida | 45233 | 42.0 | 0.21 | 5.28 | 0.03 | 40516 | 32.5 | 0.18 | 4.11 | 0.03 | |
| USA, Florida: White | 40316 | 42.6 | 0.23 | 5.35 | 0.03 | 36824 | 34.4 | 0.20 | 4.36 | 0.03 | |
| USA, Florida: Black | 3892 | 37.6 | 0.61 | 4.79 | 0.09 | 2915 | 21.7 | 0.41 | 2.66 | 0.06 | |
| USA, Florida: Asian and Pacific Islander | 408 | 19.2 | 0.96 | 2.44 | 0.15 | 391 | 13.8 | 0.71 | 1.62 | 0.10 | |
| USA, Georgia | 18841 | 48.8 | 0.36 | 6.13 | 0.06 | 15085 | 32.0 | 0.27 | 4.05 | 0.04 | |
| USA, Georgia: White | 14129 | 49.4 | 0.43 | 6.19 | 0.06 | 11675 | 35.3 | 0.35 | 4.47 | 0.05 | |
| USA, Georgia: Black | 4497 | 51.1 | 0.77 | 6.50 | 0.12 | 3188 | 25.7 | 0.46 | 3.28 | 0.07 | |
| USA, Georgia: Asian and Pacific Islander | 192 | 17.1 | 1.25 | 2.05 | 0.19 | 197 | 14.5 | 1.04 | 1.69 | 0.15 | |
| *USA, Georgia, Atlanta | 3976 | 34.5 | 0.55 | 4.19 | 0.08 | 3798 | 25.4 | 0.42 | 3.14 | 0.07 | |
| *USA, Georgia, Atlanta: White | 2321 | 32.2 | 0.68 | 3.84 | 0.10 | 2345 | 26.9 | 0.58 | 3.30 | 0.09 | |
| *USA, Georgia, Atlanta: Black | 1510 | 41.9 | 1.09 | 5.27 | 0.17 | 1330 | 24.9 | 0.69 | 3.14 | 0.11 | |
| USA, Idaho | 2431 | 31.5 | 0.66 | 3.81 | 0.10 | 2274 | 27.6 | 0.62 | 3.36 | 0.09 | |
| USA, Indiana | 15231 | 53.7 | 0.45 | 6.76 | 0.07 | 13119 | 39.9 | 0.37 | 5.14 | 0.06 | |
| USA, Indiana: White | 14194 | 54.2 | 0.47 | 6.81 | 0.07 | 12116 | 40.5 | 0.39 | 5.22 | 0.06 | |
| USA, Indiana: Black | 962 | 54.3 | 1.77 | 7.06 | 0.28 | 926 | 38.4 | 1.30 | 4.77 | 0.20 | |
| *USA, Iowa | 6555 | 44.4 | 0.57 | 5.51 | 0.09 | 5611 | 33.9 | 0.50 | 4.34 | 0.08 | |
| USA, Kentucky | 13333 | 68.5 | 0.61 | 8.64 | 0.09 | 11460 | 51.1 | 0.50 | 6.59 | 0.08 | |
| USA, Louisiana | 9929 | 52.0 | 0.53 | 6.56 | 0.08 | 7848 | 34.7 | 0.41 | 4.40 | 0.06 | |
| USA, Louisiana: White | 6854 | 48.3 | 0.60 | 6.09 | 0.09 | 5892 | 36.9 | 0.51 | 4.70 | 0.08 | |
| USA, Louisiana: Black | 2987 | 64.2 | 1.18 | 8.17 | 0.18 | 1893 | 30.6 | 0.72 | 3.85 | 0.11 | |
| *USA, Louisiana, New Orleans | 1664 | 46.8 | 1.17 | 6.02 | 0.18 | 1398 | 32.0 | 0.90 | 3.87 | 0.13 | |
| *USA, Louisiana, New Orleans: White | 937 | 41.3 | 1.39 | 5.27 | 0.21 | 899 | 34.5 | 1.25 | 4.22 | 0.18 | |
| *USA, Louisiana, New Orleans: Black | 692 | 58.2 | 2.24 | 7.56 | 0.35 | 484 | 29.7 | 1.39 | 3.57 | 0.20 | |
| USA, Maine | 3607 | 49.9 | 0.87 | 6.06 | 0.13 | 3420 | 41.6 | 0.77 | 5.21 | 0.11 | |
| USA, Maryland | 9549 | 37.9 | 0.40 | 4.74 | 0.06 | 9968 | 32.0 | 0.34 | 3.99 | 0.05 | |
| USA, Maryland: White | 6894 | 38.6 | 0.48 | 4.81 | 0.07 | 7140 | 34.1 | 0.44 | 4.26 | 0.07 | |
| USA, Maryland: Black | 2360 | 40.3 | 0.84 | 5.16 | 0.13 | 2570 | 30.7 | 0.62 | 3.85 | 0.10 | |
| USA, Maryland: Asian and Pacific Islander | 272 | 19.0 | 1.18 | 2.21 | 0.18 | 236 | 14.0 | 0.93 | 1.68 | 0.14 | |
| USA, Massachusetts | 12132 | 39.4 | 0.37 | 4.90 | 0.06 | 13840 | 37.2 | 0.34 | 4.76 | 0.05 | |
| USA, Massachusetts: White | 11133 | 40.0 | 0.39 | 4.96 | 0.06 | 12929 | 38.7 | 0.37 | 4.97 | 0.06 | |
| USA, Massachusetts: Black | 540 | 33.4 | 1.45 | 4.16 | 0.23 | 540 | 25.3 | 1.12 | 3.31 | 0.18 | |
| USA, Massachusetts: Asian and Pacific Islander | 395 | 32.3 | 1.65 | 4.09 | 0.27 | 297 | 19.8 | 1.18 | 2.27 | 0.18 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | | Female | | | | |
|---|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 20637 | 44.3 | 0.32 | 5.51 | 0.05 | 19547 | 36.6 | 0.28 | 4.66 | 0.04 |
| USA, Michigan: White | 17758 | 43.3 | 0.34 | 5.36 | 0.05 | 16815 | 36.7 | 0.30 | 4.67 | 0.05 |
| USA, Michigan: Black | 2531 | 55.7 | 1.12 | 7.17 | 0.17 | 2364 | 38.0 | 0.81 | 4.86 | 0.12 |
| USA, Michigan: Asian and Pacific Islander | 144 | 16.5 | 1.39 | 1.82 | 0.20 | 164 | 15.9 | 1.25 | 1.90 | 0.19 |
| *USA, Michigan, Detroit | 7812 | 45.8 | 0.53 | 5.65 | 0.08 | 7899 | 37.5 | 0.45 | 4.78 | 0.07 |
| *USA, Michigan, Detroit: White | 5843 | 43.9 | 0.59 | 5.36 | 0.09 | 5982 | 38.0 | 0.53 | 4.85 | 0.08 |
| *USA, Michigan, Detroit: Black | 1827 | 57.0 | 1.35 | 7.28 | 0.21 | 1769 | 38.2 | 0.94 | 4.90 | 0.14 |
| USA, Minnesota | 9206 | 37.1 | 0.40 | 4.67 | 0.06 | 9113 | 32.8 | 0.37 | 4.17 | 0.06 |
| USA, Minnesota: White | 8594 | 36.4 | 0.41 | 4.59 | 0.06 | 8536 | 32.4 | 0.38 | 4.12 | 0.06 |
| USA, Minnesota: Black | 318 | 50.0 | 2.90 | 6.38 | 0.46 | 259 | 36.6 | 2.31 | 4.65 | 0.36 |
| *USA, Minnesota: Asian and Pacific Islander | 163 | 32.1 | 2.55 | 4.19 | 0.42 | 122 | 19.1 | 1.77 | 2.31 | 0.27 |
| USA, Mississippi | 7675 | 61.5 | 0.72 | 7.73 | 0.11 | 5641 | 38.3 | 0.54 | 4.94 | 0.08 |
| USA, Missouri | 14369 | 51.9 | 0.45 | 6.55 | 0.07 | 13098 | 40.9 | 0.38 | 5.19 | 0.06 |
| USA, Missouri: White | 12893 | 51.2 | 0.47 | 6.46 | 0.07 | 11729 | 41.2 | 0.41 | 5.23 | 0.06 |
| USA, Missouri: Black | 1359 | 63.5 | 1.74 | 8.15 | 0.27 | 1257 | 42.5 | 1.24 | 5.44 | 0.19 |
| USA, Montana | 1748 | 31.1 | 0.77 | 3.90 | 0.12 | 1973 | 33.5 | 0.80 | 4.25 | 0.12 |
| *USA, Montana: American Indian | 80 | 44.0 | 4.96 | 5.38 | 0.78 | 112 | 50.9 | 4.88 | 5.70 | 0.74 |
| USA, Nebraska | 3322 | 39.5 | 0.71 | 4.99 | 0.11 | 3033 | 32.6 | 0.64 | 4.11 | 0.10 |
| USA, Nebraska: White | 3167 | 39.5 | 0.73 | 5.00 | 0.12 | 2860 | 32.3 | 0.66 | 4.08 | 0.10 |
| *USA, Nebraska: Black | 110 | 46.6 | 4.51 | 5.57 | 0.70 | 131 | 48.0 | 4.29 | 5.65 | 0.61 |
| USA, Nevada | 4240 | 31.8 | 0.50 | 3.97 | 0.08 | 4477 | 31.2 | 0.49 | 3.86 | 0.07 |
| USA, Nevada: White | 3665 | 32.5 | 0.55 | 4.06 | 0.09 | 3868 | 33.2 | 0.56 | 4.12 | 0.09 |
| USA, Nevada: Black | 285 | 32.8 | 1.97 | 4.46 | 0.32 | 299 | 29.1 | 1.72 | 3.45 | 0.25 |
| *USA, Nevada: Asian and Pacific Islander | 249 | 23.6 | 1.53 | 2.68 | 0.22 | 265 | 18.1 | 1.14 | 2.20 | 0.17 |
| USA, New Jersey | 14243 | 35.6 | 0.31 | 4.35 | 0.05 | 15657 | 31.8 | 0.27 | 4.04 | 0.04 |
| USA, New Jersey: White | 12082 | 36.8 | 0.35 | 4.51 | 0.05 | 13472 | 34.1 | 0.32 | 4.36 | 0.05 |
| USA, New Jersey: Black | 1588 | 38.3 | 0.98 | 4.85 | 0.16 | 1727 | 29.1 | 0.73 | 3.57 | 0.11 |
| USA, New Mexico | 2555 | 25.1 | 0.52 | 2.98 | 0.08 | 2352 | 20.5 | 0.45 | 2.56 | 0.07 |
| USA, New Mexico: White | 2400 | 26.1 | 0.56 | 3.10 | 0.08 | 2215 | 21.8 | 0.50 | 2.72 | 0.08 |
| USA, New Mexico: Non-Hispanic White | 1732 | 29.8 | 0.77 | 3.55 | 0.11 | 1602 | 25.5 | 0.71 | 3.20 | 0.10 |
| USA, New Mexico: Hispanic White | 668 | 20.2 | 0.80 | 2.34 | 0.12 | 613 | 15.9 | 0.68 | 1.93 | 0.11 |
| *USA, New Mexico: American Indian | 59 | 9.3 | 1.22 | 1.00 | 0.19 | 53 | 6.0 | 0.86 | 0.76 | 0.14 |
| USA, New York State | 34402 | 39.8 | 0.22 | 4.89 | 0.03 | 35604 | 33.6 | 0.19 | 4.23 | 0.03 |
| USA, New York State: White | 27954 | 40.7 | 0.25 | 4.99 | 0.04 | 29851 | 36.7 | 0.23 | 4.66 | 0.04 |
| USA, New York State: Black | 4285 | 38.3 | 0.59 | 4.93 | 0.09 | 4132 | 25.0 | 0.41 | 3.11 | 0.06 |
| USA, New York State: Asian and Pacific Islander | 2059 | 32.9 | 0.74 | 3.94 | 0.11 | 1534 | 21.4 | 0.56 | 2.53 | 0.08 |
| USA, North Carolina | 22213 | 51.2 | 0.35 | 6.42 | 0.05 | 18871 | 36.4 | 0.28 | 4.66 | 0.04 |
| USA, North Carolina: White | 17664 | 50.1 | 0.39 | 6.24 | 0.06 | 15513 | 38.3 | 0.33 | 4.91 | 0.05 |
| USA, North Carolina: Black | 4125 | 57.6 | 0.90 | 7.49 | 0.14 | 3011 | 30.5 | 0.57 | 3.92 | 0.09 |
| USA, North Carolina: Asian and Pacific Islander | 142 | 20.8 | 1.77 | 2.63 | 0.27 | 162 | 18.4 | 1.46 | 2.08 | 0.22 |
| *USA, North Carolina: American Indian | 238 | 51.0 | 3.32 | 6.81 | 0.53 | 158 | 28.6 | 2.30 | 3.60 | 0.35 |
| USA, North Dakota | 1304 | 38.9 | 1.12 | 4.87 | 0.18 | 1158 | 33.2 | 1.06 | 4.26 | 0.16 |
| USA, Ohio | 26473 | 49.9 | 0.32 | 6.24 | 0.05 | 23597 | 38.2 | 0.27 | 4.86 | 0.04 |
| USA, Ohio: White | 23558 | 49.6 | 0.34 | 6.19 | 0.05 | 20906 | 38.4 | 0.29 | 4.91 | 0.04 |
| USA, Ohio: Black | 2741 | 57.8 | 1.12 | 7.35 | 0.18 | 2523 | 39.8 | 0.83 | 4.96 | 0.12 |
| *USA, Ohio: Asian and Pacific Islander | 134 | 19.3 | 1.69 | 2.19 | 0.25 | 145 | 16.4 | 1.38 | 1.53 | 0.17 |
| USA, Oklahoma | 8450 | 50.3 | 0.57 | 6.49 | 0.09 | 7120 | 37.2 | 0.47 | 4.82 | 0.07 |
| USA, Oklahoma: White | 7262 | 49.8 | 0.61 | 6.43 | 0.09 | 6110 | 37.3 | 0.51 | 4.83 | 0.08 |
| USA, Oklahoma: Black | 483 | 54.0 | 2.48 | 7.27 | 0.41 | 375 | 33.8 | 1.78 | 4.36 | 0.28 |
| USA, Oklahoma: American Indian | 636 | 56.4 | 2.25 | 7.06 | 0.35 | 558 | 42.0 | 1.81 | 5.41 | 0.28 |
| USA, Oregon | 6963 | 35.1 | 0.44 | 4.32 | 0.07 | 6990 | 31.0 | 0.40 | 3.85 | 0.06 |
| USA, Oregon: White | 6489 | 34.5 | 0.45 | 4.25 | 0.07 | 6592 | 31.0 | 0.41 | 3.86 | 0.06 |
| *USA, Oregon: Black | 130 | 48.2 | 4.30 | 6.00 | 0.68 | 94 | 34.2 | 3.62 | 3.92 | 0.55 |
| *USA, Oregon: Asian and Pacific Islander | 182 | 31.3 | 2.35 | 3.79 | 0.37 | 170 | 20.9 | 1.65 | 2.42 | 0.25 |
| USA, Rhode Island | 2295 | 47.0 | 1.02 | 5.89 | 0.16 | 2453 | 41.7 | 0.91 | 5.38 | 0.14 |
| USA, Rhode Island: White | 2165 | 47.6 | 1.07 | 5.93 | 0.16 | 2353 | 43.1 | 0.96 | 5.53 | 0.15 |
| *USA, Rhode Island: Black | 103 | 46.4 | 4.64 | 6.41 | 0.76 | 71 | 27.3 | 3.36 | 4.20 | 0.60 |
| USA, South Carolina | 11247 | 50.2 | 0.49 | 6.34 | 0.07 | 8922 | 34.0 | 0.38 | 4.34 | 0.06 |
| USA, South Carolina: White | 8644 | 49.2 | 0.55 | 6.16 | 0.08 | 7222 | 36.9 | 0.47 | 4.70 | 0.07 |
| USA, South Carolina: Black | 2540 | 55.7 | 1.11 | 7.29 | 0.17 | 1634 | 26.5 | 0.67 | 3.41 | 0.10 |
| USA, South Dakota | 1613 | 38.4 | 1.00 | 4.62 | 0.16 | 1487 | 34.4 | 0.96 | 4.39 | 0.15 |
| USA, Tennessee | 16821 | 58.0 | 0.46 | 7.35 | 0.07 | 13659 | 40.7 | 0.37 | 5.26 | 0.05 |
| USA, Tennessee: White | 14766 | 58.2 | 0.50 | 7.39 | 0.07 | 12066 | 42.3 | 0.41 | 5.48 | 0.06 |
| USA, Tennessee: Black | 1954 | 60.6 | 1.38 | 7.61 | 0.21 | 1499 | 33.5 | 0.88 | 4.24 | 0.14 |
| USA, Texas | 36483 | 36.7 | 0.20 | 4.59 | 0.03 | 30576 | 26.2 | 0.16 | 3.30 | 0.02 |
| USA, Texas: White | 30834 | 35.9 | 0.21 | 4.48 | 0.03 | 26193 | 26.4 | 0.17 | 3.33 | 0.03 |
| USA, Texas: Black | 4667 | 50.8 | 0.75 | 6.58 | 0.12 | 3555 | 28.9 | 0.49 | 3.72 | 0.08 |
| USA, Texas: Asian and Pacific Islander | 852 | 22.3 | 0.77 | 2.64 | 0.12 | 686 | 14.8 | 0.57 | 1.73 | 0.08 |
| USA, Utah | 1726 | 17.4 | 0.43 | 2.11 | 0.07 | 1489 | 13.9 | 0.38 | 1.73 | 0.06 |
| USA, Vermont | 1353 | 41.9 | 1.19 | 5.08 | 0.17 | 1288 | 34.7 | 1.03 | 4.24 | 0.15 |
| USA, Washington State | 11086 | 34.6 | 0.34 | 4.18 | 0.05 | 11040 | 30.4 | 0.31 | 3.76 | 0.05 |
| *USA, Washington, Seattle | 7331 | 33.9 | 0.40 | 4.04 | 0.06 | 7338 | 29.5 | 0.36 | 3.62 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 5728 | 59.9 | 0.82 | 7.55 | 0.12 | 4796 | 46.1 | 0.72 | 5.89 | 0.10 |
| USA, Wyoming | 746 | 27.0 | 1.02 | 3.38 | 0.16 | 709 | 25.0 | 0.99 | 3.09 | 0.15 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 188 | 16.0 | 1.19 | 1.75 | 0.18 | 69 | 5.6 | 0.68 | 0.51 | 0.09 |
| Brunei Darussalam | 200 | 24.0 | 1.75 | 2.72 | 0.27 | 168 | 19.4 | 1.55 | 2.23 | 0.23 |
| *China, Anfu County | 480 | 46.5 | 2.16 | 5.95 | 0.32 | 205 | 19.0 | 1.38 | 2.35 | 0.21 |
| *China, Anguo City | 899 | 69.4 | 2.36 | 9.00 | 0.36 | 519 | 37.9 | 1.69 | 4.66 | 0.25 |
| *China, Anshan City | 4660 | 59.2 | 0.91 | 7.27 | 0.14 | 2850 | 30.5 | 0.61 | 3.60 | 0.10 |
| *China, Aohan Banner, Chifeng City | 778 | 43.5 | 1.64 | 5.47 | 0.25 | 487 | 25.7 | 1.23 | 3.04 | 0.17 |
| *China, Arongqi | 520 | 59.4 | 2.68 | 7.14 | 0.39 | 361 | 44.9 | 2.42 | 5.44 | 0.37 |
| *China, Baoding City | 2233 | 62.7 | 1.36 | 7.17 | 0.19 | 1110 | 27.9 | 0.86 | 2.91 | 0.12 |
| *China, Beijing City | 18083 | 38.9 | 0.32 | 4.83 | 0.05 | 12595 | 25.6 | 0.25 | 3.01 | 0.04 |
| *China, Binhai County | 1993 | 41.2 | 0.94 | 5.26 | 0.15 | 944 | 19.5 | 0.65 | 2.44 | 0.10 |
| *China, Cangzhou City | 759 | 48.5 | 1.82 | 5.69 | 0.26 | 532 | 31.6 | 1.40 | 3.62 | 0.20 |
| China, Changfeng County | 929 | 49.6 | 1.70 | 6.17 | 0.26 | 376 | 20.6 | 1.14 | 2.38 | 0.17 |
| China, Changzhou City | 4927 | 48.6 | 0.70 | 6.12 | 0.11 | 2425 | 21.7 | 0.46 | 2.58 | 0.07 |
| China, Chengdu City | 2590 | 67.3 | 1.35 | 8.00 | 0.20 | 1290 | 31.5 | 0.90 | 3.38 | 0.12 |
| China, Cixian County | 983 | 59.8 | 1.98 | 7.52 | 0.29 | 526 | 28.6 | 1.28 | 3.28 | 0.18 |
| China, Cixi City | 3244 | 61.1 | 1.10 | 7.71 | 0.17 | 1754 | 32.6 | 0.80 | 4.03 | 0.12 |
| *China, Dafeng District, Yancheng City | 1767 | 46.7 | 1.14 | 5.67 | 0.17 | 1027 | 25.1 | 0.83 | 2.91 | 0.11 |
| China, Dalian City | 7504 | 64.0 | 0.77 | 7.79 | 0.12 | 5580 | 44.9 | 0.64 | 5.34 | 0.09 |
| *China, Dancheng County | 2753 | 86.3 | 1.71 | 10.52 | 0.26 | 1053 | 31.8 | 1.01 | 3.63 | 0.15 |
| China, Dangtu County | 682 | 50.9 | 2.03 | 6.44 | 0.31 | 218 | 16.3 | 1.18 | 1.80 | 0.16 |
| *China, Danyang City | 1805 | 48.1 | 1.16 | 5.42 | 0.16 | 801 | 19.1 | 0.69 | 2.10 | 0.10 |
| *China, Dawukou District, Shizuishan City | 449 | 41.5 | 2.05 | 5.14 | 0.32 | 235 | 21.0 | 1.43 | 2.42 | 0.21 |
| *China, Dehui City | 1564 | 52.6 | 1.35 | 6.60 | 0.20 | 1142 | 38.3 | 1.16 | 4.81 | 0.18 |
| *China, Donggang County | 1498 | 50.7 | 1.33 | 6.10 | 0.20 | 1011 | 33.2 | 1.07 | 3.98 | 0.16 |
| *China, Dongguan City | 1808 | 44.0 | 1.06 | 5.38 | 0.16 | 1073 | 21.9 | 0.70 | 2.60 | 0.10 |
| China, Donghai County | 2125 | 47.6 | 1.06 | 5.80 | 0.17 | 1139 | 26.9 | 0.83 | 3.10 | 0.12 |
| *China, Dongtai City | 1913 | 35.7 | 0.85 | 4.63 | 0.13 | 1111 | 19.7 | 0.64 | 2.47 | 0.09 |
| China, Duanzhou District, Zhaoqing City | 655 | 50.4 | 2.04 | 6.05 | 0.30 | 329 | 24.7 | 1.41 | 2.71 | 0.20 |
| *China, Evenki Autonomous Banner | 167 | 63.7 | 5.44 | 6.93 | 0.73 | 101 | 33.1 | 3.39 | 4.16 | 0.52 |
| *China, Faku County | 1175 | 56.0 | 1.66 | 6.92 | 0.25 | 864 | 40.1 | 1.40 | 4.96 | 0.22 |
| *China, Fangcheng County | 970 | 40.4 | 1.32 | 4.91 | 0.20 | 461 | 21.2 | 1.01 | 2.51 | 0.15 |
| *China, Feicheng City | 2323 | 57.8 | 1.22 | 7.20 | 0.19 | 1091 | 23.8 | 0.74 | 2.75 | 0.11 |
| China, Feixi County | 2344 | 52.3 | 1.12 | 6.28 | 0.17 | 978 | 21.9 | 0.74 | 2.63 | 0.11 |
| China, Fuqing City | 1279 | 45.3 | 1.29 | 5.69 | 0.20 | 715 | 25.6 | 0.99 | 3.08 | 0.15 |
| *China, Ganyu District, Lianyungang City | 2076 | 46.0 | 1.04 | 5.85 | 0.16 | 1182 | 25.3 | 0.78 | 3.02 | 0.11 |
| *China, Ganzhou District, Zhangye City | 344 | 39.2 | 2.44 | 4.89 | 0.31 | 150 | 16.4 | 1.46 | 2.08 | 0.20 |
| *China, Gaocheng City | 961 | 41.1 | 1.34 | 5.46 | 0.21 | 413 | 15.7 | 0.80 | 1.90 | 0.12 |
| China, Gaomi City | 1973 | 62.3 | 1.44 | 7.64 | 0.22 | 977 | 27.4 | 0.92 | 3.13 | 0.13 |
| China, Gong'an County | 2500 | 74.0 | 1.51 | 10.06 | 0.24 | 941 | 25.6 | 0.86 | 3.21 | 0.13 |
| *China, Guang'an District, Guang'an City | 1599 | 81.4 | 2.07 | 10.11 | 0.30 | 586 | 29.3 | 1.24 | 3.36 | 0.17 |
| China, Guanghan City | 776 | 45.9 | 1.71 | 5.65 | 0.24 | 425 | 22.1 | 1.11 | 2.53 | 0.16 |
| China, Guangzhou City | 16012 | 48.8 | 0.39 | 5.93 | 0.06 | 8218 | 22.4 | 0.26 | 2.59 | 0.04 |
| *China, Guanyun County | 1330 | 35.5 | 0.99 | 4.39 | 0.15 | 791 | 22.1 | 0.80 | 2.58 | 0.11 |
| China, Guilin City | 1518 | 69.7 | 1.84 | 8.16 | 0.27 | 608 | 24.9 | 1.04 | 2.79 | 0.15 |
| *China, Hai'an City | 2092 | 35.6 | 0.82 | 4.53 | 0.12 | 1195 | 19.8 | 0.62 | 2.34 | 0.09 |
| China, Hailar District, Hulun Buir City | 686 | 63.6 | 2.57 | 7.74 | 0.40 | 399 | 31.1 | 1.62 | 3.38 | 0.23 |
| China, Haimen District, Nantong City | 3289 | 58.2 | 1.06 | 7.03 | 0.16 | 1652 | 28.8 | 0.76 | 3.38 | 0.11 |
| China, Haining City | 1813 | 51.4 | 1.24 | 6.41 | 0.19 | 983 | 27.1 | 0.90 | 3.12 | 0.12 |
| China, Hangzhou City | 16426 | 48.8 | 0.39 | 6.14 | 0.06 | 8938 | 26.5 | 0.29 | 3.14 | 0.04 |
| China, Hebi City | 619 | 49.2 | 2.02 | 5.94 | 0.31 | 301 | 21.8 | 1.29 | 2.54 | 0.19 |
| China, Hefei City | 5045 | 58.3 | 0.85 | 7.07 | 0.13 | 2341 | 26.7 | 0.57 | 3.13 | 0.08 |
| China, Hengdong County | 812 | 48.8 | 1.75 | 6.19 | 0.26 | 253 | 15.9 | 1.03 | 2.00 | 0.16 |
| *China, Hengfeng County | 277 | 44.5 | 2.70 | 5.06 | 0.36 | 94 | 15.4 | 1.62 | 1.77 | 0.22 |
| *China, Hepu County | 2049 | 63.9 | 1.47 | 7.77 | 0.22 | 787 | 25.4 | 0.97 | 3.05 | 0.15 |
| China, Honghu City | 1766 | 59.3 | 1.46 | 7.86 | 0.23 | 640 | 20.0 | 0.82 | 2.44 | 0.12 |
| China, Hongshan District, Chifeng City | 556 | 43.1 | 1.93 | 5.02 | 0.28 | 367 | 24.4 | 1.33 | 2.68 | 0.18 |
| *China, Hongta District, Yuxi City | 744 | 42.8 | 1.63 | 5.10 | 0.24 | 300 | 16.9 | 1.00 | 1.98 | 0.14 |
| *China, Huaiyin District, Huai'an City | 1717 | 44.8 | 1.10 | 5.92 | 0.17 | 667 | 17.1 | 0.70 | 2.12 | 0.10 |
| *China, Jiange County | 899 | 54.5 | 1.85 | 6.94 | 0.28 | 394 | 22.1 | 1.14 | 2.51 | 0.17 |
| China, Jiangmen City | 1202 | 48.8 | 1.43 | 5.91 | 0.22 | 767 | 28.2 | 1.05 | 3.43 | 0.16 |
| *China, Jiangyin City | 2912 | 48.2 | 0.91 | 6.31 | 0.14 | 1211 | 19.2 | 0.57 | 2.26 | 0.08 |
| *China, Jiashan County | 1340 | 60.2 | 1.69 | 7.60 | 0.26 | 788 | 37.9 | 1.41 | 4.60 | 0.19 |
| China, Jiayu County | 447 | 59.1 | 2.83 | 7.81 | 0.45 | 149 | 18.4 | 1.53 | 2.26 | 0.23 |
| *China, Jinan City | 4973 | 51.7 | 0.75 | 6.25 | 0.11 | 2730 | 23.9 | 0.48 | 2.75 | 0.07 |
| *China, Jingtai County | 287 | 42.2 | 2.53 | 5.05 | 0.36 | 151 | 21.8 | 1.81 | 2.31 | 0.24 |
| *China, Jingxian County | 619 | 42.5 | 1.80 | 5.33 | 0.27 | 255 | 20.0 | 1.35 | 2.36 | 0.19 |
| *China, Jintan District, Changzhou City | 1105 | 44.3 | 1.37 | 5.36 | 0.21 | 489 | 19.5 | 0.92 | 2.16 | 0.13 |
| *China, Jiulongpo District, Chongqing City | 2858 | 83.9 | 1.60 | 10.58 | 0.24 | 1036 | 27.6 | 0.90 | 3.17 | 0.13 |
| *China, Jiyuan City | 705 | 42.3 | 1.66 | 4.62 | 0.21 | 396 | 22.3 | 1.14 | 2.41 | 0.15 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 855 | 69.1 | 2.49 | 8.35 | 0.37 | 322 | 26.2 | 1.55 | 3.08 | 0.23 |
| China, Kunshan City | 2062 | 57.1 | 1.29 | 6.86 | 0.19 | 1060 | 29.4 | 0.94 | 3.54 | 0.13 |
| China, Langzhong City | 904 | 46.3 | 1.56 | 5.78 | 0.23 | 383 | 20.5 | 1.06 | 2.42 | 0.15 |
| *China, Liangshan County | 2003 | 64.7 | 1.48 | 7.98 | 0.21 | 947 | 28.8 | 0.98 | 3.40 | 0.14 |
| *China, Lianshui County | 1746 | 39.6 | 0.97 | 5.26 | 0.15 | 689 | 15.2 | 0.61 | 1.91 | 0.09 |
| China, Lianyungang City | 1733 | 43.1 | 1.05 | 5.23 | 0.16 | 921 | 21.1 | 0.72 | 2.52 | 0.11 |
| China, Linhe District, Bayannur City | 658 | 50.5 | 2.03 | 6.42 | 0.32 | 244 | 18.2 | 1.20 | 2.33 | 0.19 |
| China, Linqu County | 2584 | 69.8 | 1.40 | 8.04 | 0.21 | 1449 | 36.6 | 0.99 | 4.08 | 0.14 |
| *China, Linzhou City | 895 | 25.4 | 0.87 | 3.07 | 0.13 | 639 | 16.1 | 0.64 | 1.90 | 0.09 |
| China, Liuzhou City | 1961 | 51.8 | 1.19 | 6.14 | 0.17 | 865 | 21.8 | 0.76 | 2.56 | 0.11 |
| China, Liyang City | 1567 | 36.0 | 0.94 | 4.28 | 0.14 | 695 | 16.4 | 0.65 | 1.96 | 0.09 |
| *China, Longquan City | 594 | 55.4 | 2.39 | 6.73 | 0.37 | 265 | 28.4 | 1.82 | 3.25 | 0.26 |
| China, Lucheng District, Wenzhou City | 920 | 45.2 | 1.53 | 5.54 | 0.23 | 663 | 31.2 | 1.25 | 3.61 | 0.17 |
| China, Luoding City | 859 | 36.4 | 1.27 | 4.65 | 0.19 | 386 | 16.6 | 0.88 | 2.03 | 0.13 |
| *China, Luohe City | 2438 | 64.0 | 1.33 | 7.91 | 0.20 | 1146 | 24.9 | 0.77 | 2.76 | 0.11 |
| *China, Luoyang City | 2131 | 48.4 | 1.09 | 5.43 | 0.15 | 928 | 19.9 | 0.68 | 2.06 | 0.09 |
| *China, Luquan City | 501 | 41.6 | 1.88 | 5.54 | 0.30 | 282 | 21.3 | 1.31 | 2.68 | 0.20 |
| China, Ma'anshan City | 1432 | 65.1 | 1.80 | 6.55 | 0.23 | 559 | 23.1 | 1.00 | 2.57 | 0.14 |
| *China, Macheng City | 1494 | 61.9 | 1.62 | 8.46 | 0.26 | 547 | 22.3 | 0.97 | 2.86 | 0.15 |
| China, Meihekou City | 1229 | 52.3 | 1.54 | 6.54 | 0.23 | 792 | 34.6 | 1.26 | 4.13 | 0.19 |
| *China, Mengjin County | 511 | 45.3 | 2.02 | 5.18 | 0.28 | 247 | 19.4 | 1.26 | 2.33 | 0.19 |
| China, Nangang District, Harbin City | 1715 | 41.7 | 1.04 | 5.36 | 0.16 | 1142 | 23.1 | 0.71 | 2.74 | 0.11 |
| *China, Nanhai District, Foshan City | 1871 | 65.5 | 1.53 | 8.09 | 0.23 | 1062 | 31.5 | 0.99 | 3.67 | 0.14 |
| China, Nanhu District, Jiaxing City | 1440 | 52.4 | 1.43 | 6.28 | 0.21 | 995 | 37.4 | 1.24 | 4.31 | 0.17 |
| *China, Nantong City | 2833 | 47.0 | 0.92 | 5.76 | 0.14 | 1604 | 25.6 | 0.68 | 3.01 | 0.09 |
| *China, Nanxiong City | 669 | 49.2 | 1.92 | 5.98 | 0.29 | 364 | 20.7 | 1.12 | 2.35 | 0.15 |
| China, Neixiang County | 1004 | 40.9 | 1.32 | 5.06 | 0.18 | 368 | 14.8 | 0.80 | 1.72 | 0.10 |
| *China, Qianxi County | 533 | 37.9 | 1.71 | 4.68 | 0.26 | 348 | 26.0 | 1.44 | 3.06 | 0.22 |
| China, Qidong City | 3485 | 49.6 | 0.88 | 5.78 | 0.13 | 1757 | 22.8 | 0.59 | 2.54 | 0.08 |
| China, Qingzhou City | 2089 | 61.0 | 1.35 | 7.75 | 0.21 | 1120 | 29.6 | 0.92 | 3.57 | 0.14 |
| *China, Rudong County | 3043 | 43.5 | 0.84 | 5.46 | 0.13 | 1687 | 23.3 | 0.63 | 2.74 | 0.09 |
| *China, Rugao City | 3090 | 39.2 | 0.73 | 4.96 | 0.11 | 1533 | 18.4 | 0.51 | 2.17 | 0.07 |
| *China, Rural areas of Shanghai City | 26172 | 52.5 | 0.34 | 6.32 | 0.05 | 15016 | 31.6 | 0.28 | 3.64 | 0.04 |
| China, Ruyang County | 630 | 51.3 | 2.09 | 6.24 | 0.32 | 255 | 20.3 | 1.33 | 2.43 | 0.21 |
| *China, Shan County | 1943 | 78.0 | 1.82 | 9.60 | 0.28 | 807 | 26.8 | 1.01 | 3.18 | 0.15 |
| China, Shanghai City | 18019 | 44.7 | 0.37 | 5.20 | 0.05 | 12204 | 32.0 | 0.34 | 3.69 | 0.04 |
| China, Shangyu District, Shaoxing City | 2389 | 65.4 | 1.36 | 8.18 | 0.21 | 1187 | 32.6 | 1.00 | 3.84 | 0.14 |
| *China, Shapingba District, Chongqing City | 2682 | 78.8 | 1.57 | 9.61 | 0.23 | 1034 | 29.1 | 0.95 | 3.49 | 0.14 |
| China, Shexian County | 410 | 30.3 | 1.52 | 3.84 | 0.23 | 237 | 16.9 | 1.11 | 1.92 | 0.15 |
| China, Sheyang County | 2182 | 48.8 | 1.07 | 6.19 | 0.17 | 1283 | 28.3 | 0.82 | 3.39 | 0.12 |
| *China, Shijiazhuang City | 2373 | 42.9 | 0.91 | 5.36 | 0.14 | 1264 | 21.9 | 0.65 | 2.57 | 0.09 |
| China, Shunde District, Foshan City | 2322 | 66.9 | 1.40 | 8.13 | 0.22 | 1297 | 28.3 | 0.81 | 3.25 | 0.12 |
| *China, Song County | 415 | 25.2 | 1.26 | 3.02 | 0.19 | 209 | 13.1 | 0.94 | 1.51 | 0.14 |
| China, Suzhou City | 8343 | 48.7 | 0.55 | 6.03 | 0.08 | 4170 | 24.2 | 0.39 | 2.82 | 0.05 |
| *China, Tengzhou City | 4193 | 74.3 | 1.18 | 9.43 | 0.18 | 2068 | 31.8 | 0.73 | 3.78 | 0.11 |
| *China, Wangdu County | 351 | 51.4 | 2.80 | 6.74 | 0.42 | 151 | 21.6 | 1.78 | 2.83 | 0.27 |
| *China, Wanxian County | 697 | 59.3 | 2.30 | 6.65 | 0.31 | 271 | 22.3 | 1.40 | 2.44 | 0.20 |
| *China, Wu'an City | 839 | 37.2 | 1.36 | 4.88 | 0.22 | 349 | 14.2 | 0.79 | 1.81 | 0.12 |
| China, Wuhan City | 12023 | 52.7 | 0.49 | 6.50 | 0.08 | 4950 | 19.8 | 0.30 | 2.30 | 0.04 |
| *China, Wuhu City | 2495 | 43.3 | 0.90 | 5.60 | 0.14 | 888 | 15.9 | 0.57 | 1.98 | 0.08 |
| China, Wuxi City | 4973 | 38.5 | 0.56 | 4.80 | 0.08 | 2484 | 19.3 | 0.40 | 2.28 | 0.06 |
| China, Wuzhou City | 983 | 50.3 | 1.64 | 6.24 | 0.25 | 468 | 22.4 | 1.09 | 2.54 | 0.15 |
| China, Xiangfu District, Kaifeng City | 1049 | 53.8 | 1.70 | 7.02 | 0.27 | 541 | 24.2 | 1.09 | 2.99 | 0.17 |
| China, Xianju County | 1059 | 51.3 | 1.61 | 6.37 | 0.25 | 477 | 23.8 | 1.13 | 3.03 | 0.18 |
| *China, Xin'an County | 611 | 52.5 | 2.15 | 6.40 | 0.32 | 277 | 23.3 | 1.44 | 2.92 | 0.23 |
| *China, Xining City | 1253 | 57.5 | 1.75 | 5.42 | 0.21 | 623 | 26.4 | 1.13 | 2.37 | 0.13 |
| *China, Xinji City | 1078 | 38.6 | 1.19 | 4.89 | 0.18 | 577 | 19.4 | 0.84 | 2.30 | 0.12 |
| *China, Xinluo District, Longyan City | 648 | 52.0 | 2.10 | 6.72 | 0.33 | 244 | 19.7 | 1.32 | 2.38 | 0.20 |
| *China, Xinzhou District, Shangrao City | 700 | 50.4 | 1.96 | 5.95 | 0.29 | 263 | 18.3 | 1.16 | 1.85 | 0.16 |
| China, Xiping County | 1567 | 59.4 | 1.58 | 6.62 | 0.22 | 720 | 23.5 | 0.91 | 2.56 | 0.13 |
| *China, Xishan District, Kunming City | 612 | 32.6 | 1.38 | 3.90 | 0.20 | 252 | 13.9 | 0.92 | 1.59 | 0.13 |
| *China, Xuyi County | 1092 | 42.4 | 1.32 | 5.63 | 0.22 | 412 | 14.7 | 0.76 | 1.85 | 0.12 |
| *China, Ya'an City | 2042 | 37.7 | 0.85 | 4.46 | 0.12 | 1140 | 20.6 | 0.63 | 2.46 | 0.09 |
| *China, Yakeshi City | 881 | 56.6 | 2.09 | 6.54 | 0.30 | 599 | 32.6 | 1.42 | 3.57 | 0.19 |
| China, Yancheng City | 2958 | 49.0 | 0.92 | 6.18 | 0.14 | 1453 | 23.2 | 0.62 | 2.72 | 0.09 |
| *China, Yangquan City | 1204 | 56.3 | 1.69 | 6.75 | 0.25 | 515 | 23.9 | 1.10 | 2.55 | 0.15 |
| *China, Yangzhong City | 515 | 33.7 | 1.51 | 4.01 | 0.22 | 206 | 12.0 | 0.86 | 1.42 | 0.13 |
| *China, Yanji City | 713 | 35.7 | 1.37 | 4.28 | 0.21 | 413 | 16.5 | 0.83 | 1.91 | 0.12 |
| *China, Yanshi City | 672 | 27.8 | 1.08 | 3.27 | 0.16 | 413 | 15.0 | 0.76 | 1.70 | 0.11 |
| China, Yanting County | 915 | 47.9 | 1.60 | 5.66 | 0.22 | 313 | 16.3 | 0.94 | 1.90 | 0.12 |
| *China, Yi'an District, Tongling City | 483 | 46.7 | 2.18 | 5.62 | 0.34 | 182 | 17.9 | 1.36 | 2.26 | 0.21 |
| *China, Yingdong District, Fuyang City | 1147 | 49.6 | 1.51 | 6.13 | 0.23 | 560 | 23.7 | 1.05 | 2.86 | 0.16 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 555 | 56.3 | 2.43 | 7.00 | 0.36 | 439 | 44.3 | 2.16 | 5.39 | 0.30 |
| *China, Yiyuan County | 1346 | 66.2 | 1.85 | 8.10 | 0.29 | 699 | 32.3 | 1.27 | 3.65 | 0.19 |
| China, Yong'an City | 585 | 42.9 | 1.84 | 5.51 | 0.29 | 234 | 18.0 | 1.23 | 2.20 | 0.19 |
| *China, Yongding District, Longyan City | 994 | 61.7 | 1.99 | 8.05 | 0.32 | 322 | 17.4 | 1.03 | 1.99 | 0.16 |
| China, Yongkang City | 1722 | 68.4 | 1.70 | 8.51 | 0.27 | 739 | 29.0 | 1.11 | 3.36 | 0.16 |
| *China, Yucheng County | 830 | 42.0 | 1.48 | 5.03 | 0.22 | 502 | 23.4 | 1.08 | 2.77 | 0.16 |
| China, Yueyanglou District, Yueyang City | 615 | 56.3 | 2.31 | 7.05 | 0.36 | 208 | 19.1 | 1.35 | 2.31 | 0.21 |
| China, Yunmeng County | 1118 | 74.0 | 2.47 | 8.51 | 0.31 | 468 | 28.1 | 1.40 | 2.74 | 0.16 |
| *China, Yunyang District, Shiyao City | 471 | 42.3 | 2.00 | 5.72 | 0.33 | 209 | 18.5 | 1.32 | 2.15 | 0.20 |
| China, Yuzhong District, Chongqing City | 1726 | 78.9 | 2.02 | 10.63 | 0.33 | 756 | 28.6 | 1.16 | 3.52 | 0.18 |
| *China, Zhanhuang County | 295 | 34.1 | 2.01 | 4.26 | 0.30 | 136 | 15.3 | 1.34 | 1.97 | 0.20 |
| *China, Zhangjiagang City | 2880 | 59.4 | 1.13 | 7.38 | 0.17 | 1480 | 29.2 | 0.80 | 3.40 | 0.11 |
| *China, Zhaoyuan City | 1801 | 61.8 | 1.50 | 7.31 | 0.21 | 881 | 27.5 | 0.98 | 3.30 | 0.14 |
| *China, Zhengding County | 651 | 48.8 | 1.93 | 6.34 | 0.30 | 327 | 20.8 | 1.18 | 2.51 | 0.18 |
| *China, Zhongshan City | 3146 | 59.6 | 1.08 | 7.39 | 0.17 | 1911 | 31.7 | 0.74 | 3.80 | 0.11 |
| China, Zhongxiang City | 1669 | 49.8 | 1.24 | 6.26 | 0.20 | 722 | 20.4 | 0.78 | 2.57 | 0.12 |
| *China, Zhuanghe City | 2128 | 45.3 | 1.01 | 5.51 | 0.15 | 1610 | 34.6 | 0.91 | 4.17 | 0.13 |
| *China, Zhuhai City | 1708 | 48.8 | 1.21 | 6.12 | 0.20 | 1004 | 28.0 | 0.91 | 3.47 | 0.14 |
| India, Ahmedabad, Urban | 988 | 9.0 | 0.29 | 1.17 | 0.05 | 251 | 2.3 | 0.15 | 0.29 | 0.02 |
| India, Aurangabad | 235 | 9.1 | 0.61 | 1.27 | 0.10 | 93 | 3.5 | 0.37 | 0.47 | 0.06 |
| India, Bangalore | 1444 | 13.5 | 0.36 | 1.76 | 0.06 | 655 | 6.1 | 0.24 | 0.77 | 0.04 |
| India, Barshi, Paranda, and Bhum | 32 | 2.2 | 0.40 | 0.27 | 0.05 | 27 | 1.9 | 0.38 | 0.20 | 0.04 |
| *India, Bhopal | 303 | 12.2 | 0.71 | 1.59 | 0.11 | 85 | 3.5 | 0.38 | 0.43 | 0.05 |
| India, Chandigarh | 280 | 12.6 | 0.78 | 1.70 | 0.13 | 84 | 4.3 | 0.49 | 0.61 | 0.08 |
| *India, Chennai | 1453 | 12.1 | 0.32 | 1.57 | 0.05 | 582 | 4.5 | 0.19 | 0.56 | 0.03 |
| India, Dibrugarh | 133 | 5.0 | 0.44 | 0.61 | 0.07 | 55 | 2.1 | 0.29 | 0.27 | 0.04 |
| *India, Dindigul, Ambilikai | 347 | 5.6 | 0.30 | 0.69 | 0.04 | 118 | 1.8 | 0.17 | 0.21 | 0.02 |
| India, Kamrup Urban District | 409 | 18.4 | 0.93 | 2.33 | 0.15 | 148 | 6.7 | 0.57 | 0.77 | 0.08 |
| India, Kollam | 1492 | 23.4 | 0.61 | 3.16 | 0.10 | 294 | 3.9 | 0.23 | 0.48 | 0.03 |
| *India, Manipur | 568 | 13.0 | 0.56 | 1.76 | 0.10 | 532 | 11.9 | 0.53 | 1.60 | 0.09 |
| India, Meghalaya | 323 | 13.7 | 0.79 | 1.84 | 0.13 | 113 | 4.2 | 0.40 | 0.53 | 0.06 |
| India, Mizoram | 510 | 32.5 | 1.47 | 4.00 | 0.23 | 427 | 27.6 | 1.36 | 3.53 | 0.22 |
| India, Mumbai | 3153 | 10.5 | 0.19 | 1.30 | 0.03 | 1734 | 5.8 | 0.14 | 0.70 | 0.02 |
| *India, New Delhi | 3412 | 17.0 | 0.30 | 2.24 | 0.05 | 1008 | 5.0 | 0.16 | 0.61 | 0.02 |
| India, Poona | 812 | 7.0 | 0.25 | 0.92 | 0.04 | 476 | 4.1 | 0.19 | 0.51 | 0.03 |
| *India, Sangrur District | 92 | 3.6 | 0.38 | 0.47 | 0.05 | 47 | 1.9 | 0.28 | 0.21 | 0.04 |
| India, SAS Nagar | 185 | 7.9 | 0.59 | 0.99 | 0.08 | 51 | 2.3 | 0.32 | 0.26 | 0.04 |
| *India, Tamil Nadu | 11396 | 5.8 | 0.05 | 0.73 | 0.01 | 4408 | 2.1 | 0.03 | 0.25 | 0.00 |
| *India, Tripura | 873 | 14.1 | 0.48 | 1.81 | 0.07 | 220 | 3.5 | 0.24 | 0.46 | 0.04 |
| India, Trivandrum | 1440 | 17.8 | 0.47 | 2.27 | 0.07 | 464 | 4.9 | 0.23 | 0.62 | 0.03 |
| India, Wardha | 181 | 4.7 | 0.36 | 0.58 | 0.05 | 108 | 2.9 | 0.28 | 0.36 | 0.04 |
| India, West Arunachal | 60 | 6.8 | 0.96 | 0.87 | 0.15 | 38 | 5.2 | 0.89 | 0.75 | 0.15 |
| *Iran (Islamic Republic of), Ardabil Province | 304 | 17.1 | 1.02 | 2.19 | 0.16 | 121 | 6.2 | 0.58 | 0.63 | 0.08 |
| *Iran (Islamic Republic of), Golestan Province | 418 | 18.7 | 0.94 | 2.32 | 0.15 | 212 | 8.8 | 0.62 | 1.00 | 0.09 |
| Israel | 8255 | 31.4 | 0.36 | 3.96 | 0.06 | 4817 | 15.3 | 0.24 | 1.92 | 0.04 |
| *Israel: Jews | 6398 | 28.1 | 0.37 | 3.51 | 0.06 | 4344 | 16.3 | 0.27 | 2.05 | 0.04 |
| *Israel: Arabs | 1333 | 47.9 | 1.34 | 6.09 | 0.21 | 249 | 7.8 | 0.50 | 1.00 | 0.08 |
| Japan | 235889 | 43.3 | 0.10 | 5.14 | 0.01 | 111358 | 17.3 | 0.06 | 2.10 | 0.01 |
| Japan, Aichi Prefecture | 12403 | 42.7 | 0.42 | 5.12 | 0.06 | 5367 | 16.6 | 0.27 | 2.03 | 0.04 |
| *Japan, Akita Prefecture | 2187 | 41.0 | 1.04 | 4.73 | 0.15 | 1052 | 16.6 | 0.68 | 2.02 | 0.09 |
| Japan, Aomori Prefecture | 4776 | 47.7 | 0.78 | 5.71 | 0.12 | 2194 | 17.0 | 0.47 | 2.12 | 0.07 |
| Japan, Gunma Prefecture | 3564 | 39.7 | 0.74 | 4.70 | 0.11 | 1607 | 15.5 | 0.49 | 1.91 | 0.07 |
| Japan, Hiroshima Prefecture | 7735 | 46.6 | 0.61 | 5.63 | 0.09 | 3813 | 19.6 | 0.40 | 2.45 | 0.06 |
| Japan, Miyagi Prefecture | 7351 | 44.4 | 0.58 | 5.35 | 0.09 | 3398 | 17.7 | 0.37 | 2.20 | 0.05 |
| Japan, Osaka Prefecture | 17301 | 47.8 | 0.41 | 5.76 | 0.06 | 8382 | 19.0 | 0.25 | 2.28 | 0.04 |
| Kuwait | 524 | 10.6 | 0.55 | 1.36 | 0.09 | 165 | 4.0 | 0.34 | 0.48 | 0.05 |
| *Kuwait: Kuwaitis | 242 | 14.9 | 0.98 | 1.99 | 0.16 | 83 | 3.7 | 0.42 | 0.41 | 0.06 |
| *Kuwait: Non-Kuwaitis | 282 | 8.5 | 0.74 | 1.00 | 0.10 | 82 | 4.4 | 0.60 | 0.63 | 0.11 |
| *Philippines, Manila | 2696 | 29.6 | 0.60 | 3.62 | 0.09 | 1579 | 12.0 | 0.31 | 1.38 | 0.05 |
| *Qatar: Qatari | 63 | 16.2 | 2.10 | 2.05 | 0.33 | 22 | 5.1 | 1.12 | 0.58 | 0.18 |
| Republic of Korea | 87856 | 43.6 | 0.15 | 5.21 | 0.02 | 38711 | 15.4 | 0.08 | 1.79 | 0.01 |
| *Republic of Korea, Busan | 6308 | 41.5 | 0.54 | 4.99 | 0.08 | 2741 | 14.4 | 0.29 | 1.65 | 0.04 |
| *Republic of Korea, Daegu | 4359 | 46.4 | 0.72 | 5.61 | 0.11 | 1862 | 15.0 | 0.36 | 1.72 | 0.05 |
| *Republic of Korea, Daejeon | 2175 | 42.1 | 0.92 | 5.20 | 0.14 | 1127 | 17.7 | 0.56 | 2.06 | 0.08 |
| *Republic of Korea, Gwangju | 1970 | 40.3 | 0.93 | 4.86 | 0.14 | 965 | 15.2 | 0.51 | 1.75 | 0.07 |
| Republic of Korea, Incheon | 4217 | 41.1 | 0.65 | 4.90 | 0.10 | 1933 | 15.1 | 0.36 | 1.78 | 0.05 |
| Republic of Korea, Jeju | 1026 | 42.5 | 1.37 | 5.23 | 0.21 | 444 | 14.1 | 0.74 | 1.65 | 0.11 |
| Republic of Korea, Seoul | 14904 | 39.4 | 0.33 | 4.66 | 0.05 | 7316 | 16.0 | 0.19 | 1.90 | 0.03 |
| Republic of Korea, Ulsan | 1653 | 47.9 | 1.24 | 5.77 | 0.18 | 756 | 17.2 | 0.65 | 1.98 | 0.09 |
| Singapore | 5055 | 32.9 | 0.47 | 3.78 | 0.07 | 2830 | 15.6 | 0.30 | 1.71 | 0.04 |
| Singapore: Chinese | 4213 | 33.5 | 0.52 | 3.79 | 0.08 | 2485 | 16.7 | 0.35 | 1.83 | 0.05 |
| Singapore: Indian | 197 | 19.1 | 1.42 | 2.51 | 0.24 | 68 | 6.4 | 0.79 | 0.78 | 0.13 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 557 | 37.3 | 1.63 | 4.55 | 0.27 | 231 | 12.5 | 0.85 | 1.30 | 0.12 |
| Thailand, Bangkok | 3405 | 20.1 | 0.35 | 2.42 | 0.05 | 2158 | 9.8 | 0.22 | 1.14 | 0.03 |
| *Thailand, Chiang Mai | 2022 | 34.7 | 0.79 | 4.41 | 0.13 | 1489 | 21.4 | 0.58 | 2.62 | 0.09 |
| *Thailand, Khon Kaen | 1071 | 17.1 | 0.53 | 2.00 | 0.07 | 546 | 7.5 | 0.33 | 0.89 | 0.05 |
| Thailand, Lampang | 1177 | 37.5 | 1.12 | 4.82 | 0.18 | 724 | 20.3 | 0.79 | 2.58 | 0.13 |
| Thailand, Lopburi Province | 678 | 28.7 | 1.13 | 3.24 | 0.16 | 347 | 12.5 | 0.68 | 1.48 | 0.10 |
| *Thailand, Songkhla | 1040 | 24.9 | 0.79 | 3.14 | 0.12 | 526 | 10.2 | 0.46 | 1.22 | 0.07 |
| Turkey, Antalya | 2853 | 47.3 | 0.90 | 6.19 | 0.14 | 569 | 8.7 | 0.37 | 1.03 | 0.05 |
| Turkey, Bursa | 5293 | 67.4 | 0.93 | 8.82 | 0.14 | 735 | 8.1 | 0.30 | 0.98 | 0.04 |
| *Turkey, Edirne | 1457 | 91.7 | 2.43 | 11.79 | 0.36 | 160 | 9.1 | 0.75 | 1.06 | 0.10 |
| *Turkey, Erzurum | 922 | 51.4 | 1.72 | 6.73 | 0.26 | 204 | 8.9 | 0.65 | 0.87 | 0.08 |
| Turkey, Eskişehir | 1658 | 62.3 | 1.54 | 8.24 | 0.23 | 245 | 7.9 | 0.52 | 0.95 | 0.07 |
| Turkey, Gaziantep | 1429 | 44.0 | 1.18 | 5.80 | 0.18 | 243 | 6.2 | 0.41 | 0.77 | 0.06 |
| *Turkey, Izmir | 10050 | 75.8 | 0.76 | 9.85 | 0.12 | 1915 | 12.5 | 0.29 | 1.51 | 0.04 |
| Turkey, Malatya | 792 | 36.7 | 1.33 | 4.70 | 0.20 | 202 | 7.6 | 0.56 | 0.89 | 0.08 |
| Turkey, Samsun | 2439 | 59.7 | 1.22 | 7.92 | 0.18 | 359 | 7.7 | 0.42 | 0.96 | 0.06 |
| Turkey, Trabzon | 1514 | 60.4 | 1.58 | 7.86 | 0.25 | 226 | 6.9 | 0.49 | 0.84 | 0.07 |
| Europe | | | | | | | | | | |
| Austria | 14802 | 36.1 | 0.31 | 4.75 | 0.05 | 9812 | 21.7 | 0.24 | 2.86 | 0.03 |
| Austria, Carinthia | 1088 | 36.7 | 1.17 | 4.75 | 0.17 | 716 | 21.9 | 0.90 | 2.76 | 0.12 |
| Austria, Tyrol | 1227 | 35.3 | 1.06 | 4.46 | 0.16 | 821 | 22.4 | 0.84 | 2.94 | 0.12 |
| Austria, Vorarlberg | 618 | 35.3 | 1.49 | 4.54 | 0.22 | 393 | 21.0 | 1.13 | 2.76 | 0.16 |
| Belarus | 18707 | 58.3 | 0.44 | 7.74 | 0.07 | 3091 | 6.0 | 0.12 | 0.73 | 0.02 |
| *Belgium | 28310 | 51.4 | 0.32 | 6.61 | 0.05 | 13457 | 24.3 | 0.23 | 3.18 | 0.03 |
| Croatia | 11336 | 56.9 | 0.55 | 7.33 | 0.08 | 4564 | 18.7 | 0.30 | 2.38 | 0.04 |
| Cyprus | 1325 | 35.7 | 1.02 | 4.75 | 0.16 | 381 | 9.8 | 0.53 | 1.25 | 0.08 |
| *Czech Republic | 22033 | 43.5 | 0.30 | 5.80 | 0.05 | 11250 | 18.3 | 0.19 | 2.41 | 0.03 |
| Denmark | 11857 | 39.2 | 0.38 | 4.96 | 0.06 | 11803 | 36.7 | 0.37 | 4.75 | 0.05 |
| Estonia | 3027 | 54.6 | 1.02 | 7.14 | 0.16 | 1197 | 13.3 | 0.44 | 1.73 | 0.06 |
| Finland | 8962 | 28.9 | 0.32 | 3.62 | 0.05 | 5022 | 13.8 | 0.22 | 1.82 | 0.03 |
| *France, Bas-Rhin | 1988 | 48.9 | 1.14 | 6.11 | 0.17 | 905 | 20.6 | 0.74 | 2.60 | 0.10 |
| *France, Calvados | 1705 | 51.8 | 1.33 | 6.46 | 0.19 | 702 | 20.3 | 0.85 | 2.50 | 0.11 |
| *France, Doubs | 1266 | 50.9 | 1.51 | 6.50 | 0.22 | 530 | 19.9 | 0.95 | 2.46 | 0.13 |
| *France, Gironde | 3712 | 54.5 | 0.94 | 7.02 | 0.14 | 1767 | 23.8 | 0.61 | 2.93 | 0.08 |
| *France, Haut-Rhin | 1707 | 45.9 | 1.16 | 5.75 | 0.17 | 786 | 19.8 | 0.78 | 2.35 | 0.10 |
| *France, Hérault | 2863 | 53.8 | 1.08 | 6.73 | 0.15 | 1450 | 24.8 | 0.72 | 3.08 | 0.10 |
| *France, Isère | 2641 | 47.2 | 0.96 | 6.05 | 0.14 | 1084 | 17.9 | 0.59 | 2.19 | 0.08 |
| *France, Lille-Métropole | 1763 | 63.2 | 1.55 | 8.00 | 0.23 | 656 | 19.9 | 0.83 | 2.37 | 0.11 |
| *France, Limousin | 800 | 41.8 | 1.58 | 5.47 | 0.23 | 346 | 17.2 | 1.05 | 2.12 | 0.13 |
| *France, Loire-Atlantique | 2672 | 47.5 | 0.95 | 6.10 | 0.14 | 1190 | 18.4 | 0.59 | 2.24 | 0.08 |
| *France, Manche | 1281 | 47.2 | 1.41 | 6.18 | 0.21 | 454 | 16.3 | 0.87 | 1.97 | 0.11 |
| *France, Poitou-Charentes | 4800 | 50.9 | 0.79 | 6.56 | 0.11 | 1974 | 20.5 | 0.52 | 2.47 | 0.06 |
| *France, Somme | 1448 | 57.1 | 1.56 | 7.42 | 0.23 | 482 | 18.2 | 0.90 | 2.20 | 0.12 |
| *France, Tarn | 1033 | 48.5 | 1.65 | 6.19 | 0.24 | 435 | 19.9 | 1.09 | 2.44 | 0.14 |
| *France, Territoire de Belfort | 276 | 52.0 | 3.30 | 6.44 | 0.48 | 135 | 23.6 | 2.23 | 2.96 | 0.31 |
| *France, Vendée | 1682 | 49.0 | 1.28 | 6.41 | 0.18 | 663 | 18.4 | 0.81 | 2.21 | 0.10 |
| Germany, Baden-Württemberg | 10706 | 31.1 | 0.32 | 4.10 | 0.05 | 6509 | 17.9 | 0.25 | 2.39 | 0.04 |
| Germany, Bavaria | 20625 | 30.3 | 0.23 | 3.91 | 0.03 | 12376 | 17.2 | 0.17 | 2.25 | 0.02 |
| Germany, Bremen | 1819 | 51.8 | 1.31 | 6.85 | 0.20 | 1147 | 29.3 | 0.97 | 3.90 | 0.14 |
| Germany, Hamburg | 3640 | 41.0 | 0.73 | 5.37 | 0.11 | 2769 | 28.2 | 0.60 | 3.75 | 0.09 |
| Germany, Lower Saxony | 19149 | 42.4 | 0.33 | 5.40 | 0.05 | 10802 | 23.0 | 0.25 | 2.99 | 0.04 |
| Germany, North Rhine-Westphalia | 45909 | 47.7 | 0.24 | 6.13 | 0.04 | 28838 | 28.2 | 0.18 | 3.69 | 0.03 |
| Germany, Rhineland-Palatinate | 9436 | 41.4 | 0.46 | 5.32 | 0.07 | 5508 | 23.3 | 0.35 | 3.06 | 0.05 |
| Germany, Saarland | 2676 | 45.2 | 0.94 | 5.83 | 0.14 | 1657 | 26.4 | 0.72 | 3.39 | 0.10 |
| Germany, Schleswig-Holstein | 7381 | 43.9 | 0.56 | 5.66 | 0.08 | 4680 | 26.8 | 0.44 | 3.54 | 0.06 |
| Iceland | 428 | 29.4 | 1.47 | 3.64 | 0.23 | 474 | 32.0 | 1.56 | 4.31 | 0.25 |
| Ireland | 6857 | 36.1 | 0.45 | 4.47 | 0.07 | 5828 | 28.1 | 0.39 | 3.58 | 0.06 |
| *Italy, Aosta Valley | 224 | 35.4 | 2.57 | 4.19 | 0.38 | 127 | 17.0 | 1.76 | 2.10 | 0.26 |
| *Italy, Avellino | 608 | 41.9 | 1.85 | 5.51 | 0.30 | 168 | 10.8 | 0.96 | 1.31 | 0.13 |
| Italy, Basilicata | 1071 | 31.1 | 1.05 | 3.90 | 0.16 | 283 | 7.8 | 0.54 | 0.92 | 0.07 |
| *Italy, Benevento | 509 | 38.4 | 1.88 | 4.79 | 0.29 | 146 | 9.7 | 0.95 | 1.22 | 0.14 |
| Italy, Bergamo | 2378 | 38.6 | 0.84 | 4.80 | 0.13 | 1144 | 16.5 | 0.56 | 2.02 | 0.08 |
| *Italy, Brescia | 2438 | 37.5 | 0.82 | 4.66 | 0.13 | 1086 | 15.0 | 0.53 | 1.83 | 0.07 |
| Italy, Brianza (Lecco and Monza e Brianza) | 1440 | 34.6 | 0.98 | 4.24 | 0.15 | 675 | 14.7 | 0.65 | 1.81 | 0.09 |
| Italy, Calabria | 1030 | 34.6 | 1.17 | 4.46 | 0.18 | 282 | 9.9 | 0.65 | 1.26 | 0.09 |
| *Italy, Caserta | 1837 | 55.2 | 1.34 | 7.05 | 0.21 | 467 | 13.4 | 0.67 | 1.63 | 0.09 |
| *Italy, Catania, Messina, and Enna | 3748 | 36.8 | 0.65 | 4.83 | 0.10 | 1272 | 11.7 | 0.37 | 1.45 | 0.05 |
| Italy, Emilia-Romagna | 9212 | 39.6 | 0.46 | 4.87 | 0.07 | 4774 | 19.3 | 0.33 | 2.47 | 0.05 |
| Italy, Friuli-Venezia Giulia | 2742 | 33.1 | 0.70 | 4.18 | 0.11 | 1482 | 16.4 | 0.50 | 2.11 | 0.07 |
| Italy, Genova | 1985 | 39.7 | 1.01 | 5.04 | 0.16 | 990 | 18.2 | 0.71 | 2.34 | 0.10 |
| *Italy, Lombardy, South, Pavia | 1569 | 45.5 | 1.26 | 5.56 | 0.19 | 629 | 16.5 | 0.77 | 2.12 | 0.11 |
| Italy, Mantova and Cremona | 1492 | 38.4 | 1.09 | 4.74 | 0.17 | 697 | 16.5 | 0.74 | 2.04 | 0.10 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 2690 | 33.1 | 0.72 | 4.04 | 0.11 | 1168 | 14.1 | 0.48 | 1.79 | 0.07 |
| Italy, Milan | 8253 | 39.9 | 0.48 | 4.92 | 0.07 | 4311 | 18.2 | 0.32 | 2.29 | 0.05 |
| Italy, Molise | 341 | 30.0 | 1.80 | 3.71 | 0.27 | 104 | 9.5 | 1.10 | 1.12 | 0.14 |
| *Italy, Naples Centre | 1627 | 56.9 | 1.48 | 7.32 | 0.23 | 740 | 22.4 | 0.91 | 2.82 | 0.13 |
| *Italy, Naples North | 1902 | 57.4 | 1.34 | 7.36 | 0.21 | 669 | 19.1 | 0.77 | 2.39 | 0.11 |
| *Italy, Naples South | 2586 | 52.0 | 1.07 | 6.57 | 0.16 | 849 | 15.7 | 0.58 | 1.92 | 0.08 |
| *Italy, Nuoro | 258 | 33.2 | 2.22 | 4.21 | 0.35 | 77 | 10.4 | 1.34 | 1.20 | 0.17 |
| *Italy, Palermo | 2691 | 41.0 | 0.84 | 5.30 | 0.13 | 1053 | 14.9 | 0.51 | 1.88 | 0.07 |
| Italy, Puglia | 8730 | 37.5 | 0.43 | 4.71 | 0.07 | 2414 | 9.9 | 0.23 | 1.21 | 0.03 |
| *Italy, Ragusa and Caltanissetta | 1203 | 38.9 | 1.22 | 4.96 | 0.19 | 317 | 9.8 | 0.61 | 1.25 | 0.09 |
| *Italy, Salerno | 1904 | 40.3 | 0.99 | 5.18 | 0.16 | 546 | 11.4 | 0.54 | 1.47 | 0.08 |
| Italy, Sassari | 475 | 41.7 | 2.06 | 5.20 | 0.30 | 187 | 15.3 | 1.23 | 1.96 | 0.17 |
| *Italy, Sondrio | 573 | 46.4 | 2.06 | 5.84 | 0.32 | 268 | 19.0 | 1.36 | 2.26 | 0.19 |
| Italy, South Tyrol | 812 | 28.9 | 1.10 | 3.69 | 0.17 | 476 | 15.1 | 0.79 | 1.86 | 0.11 |
| *Italy, Syracuse | 921 | 40.6 | 1.44 | 5.07 | 0.22 | 279 | 12.7 | 0.84 | 1.53 | 0.11 |
| Italy, Trento | 997 | 31.5 | 1.07 | 3.77 | 0.16 | 510 | 14.1 | 0.73 | 1.75 | 0.11 |
| Italy, Turin | 5716 | 39.1 | 0.57 | 4.96 | 0.09 | 2312 | 14.7 | 0.36 | 1.88 | 0.05 |
| *Italy, Tuscany | 5977 | 44.2 | 0.64 | 5.54 | 0.10 | 2683 | 19.0 | 0.43 | 2.37 | 0.06 |
| Italy, Umbria | 1735 | 36.8 | 0.99 | 4.56 | 0.15 | 720 | 14.5 | 0.63 | 1.87 | 0.09 |
| Italy, Varese | 1191 | 36.5 | 1.15 | 4.42 | 0.17 | 436 | 12.3 | 0.69 | 1.47 | 0.09 |
| Italy, Veneto | 10195 | 33.4 | 0.36 | 4.01 | 0.06 | 4908 | 14.2 | 0.24 | 1.75 | 0.03 |
| Latvia | 4118 | 51.0 | 0.82 | 6.74 | 0.13 | 1292 | 9.9 | 0.31 | 1.24 | 0.04 |
| *Liechtenstein | 56 | 30.6 | 4.17 | 4.02 | 0.63 | 47 | 24.9 | 3.74 | 3.62 | 0.59 |
| *Lithuania | 5912 | 50.0 | 0.68 | 6.55 | 0.10 | 1547 | 8.0 | 0.24 | 0.99 | 0.03 |
| Malta | 733 | 31.1 | 1.20 | 3.70 | 0.18 | 270 | 11.2 | 0.75 | 1.44 | 0.11 |
| *The Netherlands | 37232 | 42.2 | 0.23 | 5.23 | 0.03 | 28154 | 32.5 | 0.21 | 4.28 | 0.03 |
| Norway | 8317 | 33.2 | 0.38 | 4.19 | 0.06 | 7450 | 28.2 | 0.35 | 3.76 | 0.05 |
| Poland, Kielce | 2859 | 50.2 | 0.96 | 6.63 | 0.15 | 1076 | 15.7 | 0.51 | 2.11 | 0.08 |
| *Portugal, Azores | 478 | 66.7 | 3.11 | 8.78 | 0.48 | 101 | 11.6 | 1.24 | 1.35 | 0.17 |
| Russian Federation, Arkhangelsk | 2448 | 63.7 | 1.32 | 8.35 | 0.21 | 545 | 8.4 | 0.38 | 1.04 | 0.06 |
| Russian Federation, Kaliningrad | 1270 | 40.8 | 1.17 | 5.44 | 0.19 | 360 | 7.2 | 0.40 | 0.89 | 0.06 |
| Russian Federation, Karelia | 1275 | 61.4 | 1.77 | 7.84 | 0.28 | 253 | 7.1 | 0.49 | 0.90 | 0.07 |
| *Russian Federation, Komi Republic | 1676 | 69.8 | 1.80 | 8.99 | 0.29 | 439 | 10.6 | 0.53 | 1.26 | 0.08 |
| Russian Federation, Murmansk | 1305 | 63.7 | 1.85 | 8.61 | 0.31 | 376 | 10.3 | 0.55 | 1.27 | 0.08 |
| *Russian Federation, Orenburg | 4531 | 69.6 | 1.07 | 9.05 | 0.17 | 1022 | 9.5 | 0.33 | 1.13 | 0.05 |
| Russian Federation, Pskov | 1365 | 58.6 | 1.62 | 7.61 | 0.25 | 324 | 7.8 | 0.48 | 0.98 | 0.07 |
| *Russian Federation, Samara | 5378 | 49.2 | 0.68 | 6.67 | 0.11 | 1308 | 7.3 | 0.22 | 0.93 | 0.03 |
| Russian Federation, Vologda Region | 2026 | 50.7 | 1.14 | 6.50 | 0.15 | 403 | 6.4 | 0.34 | 0.78 | 0.04 |
| Slovenia | 4648 | 46.0 | 0.70 | 5.85 | 0.10 | 2482 | 21.7 | 0.47 | 2.78 | 0.07 |
| Spain, Asturias | 2023 | 55.6 | 1.34 | 6.92 | 0.20 | 609 | 16.0 | 0.75 | 1.94 | 0.10 |
| Spain, Basque Country | 4648 | 51.3 | 0.80 | 6.57 | 0.12 | 1545 | 17.1 | 0.47 | 2.04 | 0.06 |
| Spain, Canary Islands | 2668 | 44.0 | 0.88 | 5.52 | 0.13 | 954 | 15.3 | 0.52 | 1.91 | 0.07 |
| Spain, Castellón | 1341 | 48.8 | 1.41 | 6.37 | 0.21 | 291 | 10.7 | 0.68 | 1.31 | 0.09 |
| Spain, Girona | 1596 | 43.9 | 1.17 | 5.53 | 0.18 | 437 | 12.7 | 0.65 | 1.58 | 0.09 |
| Spain, Granada | 1675 | 39.5 | 1.03 | 4.99 | 0.16 | 367 | 8.6 | 0.48 | 1.11 | 0.07 |
| Spain, La Rioja | 658 | 39.3 | 1.65 | 4.86 | 0.24 | 195 | 12.9 | 1.05 | 1.46 | 0.13 |
| Spain, Murcia | 2890 | 48.6 | 0.95 | 6.30 | 0.15 | 674 | 11.0 | 0.45 | 1.42 | 0.06 |
| Spain, Navarra | 1231 | 48.3 | 1.47 | 6.21 | 0.22 | 379 | 15.6 | 0.88 | 1.89 | 0.12 |
| Spain, Salamanca | 882 | 41.7 | 1.59 | 5.27 | 0.23 | 219 | 10.6 | 0.84 | 1.29 | 0.11 |
| Spain, Tarragona | 1877 | 48.6 | 1.19 | 6.16 | 0.18 | 485 | 13.2 | 0.66 | 1.58 | 0.09 |
| *Sweden | 9955 | 17.9 | 0.19 | 2.31 | 0.03 | 10785 | 19.1 | 0.20 | 2.61 | 0.03 |
| Switzerland, Aargau | 954 | 29.1 | 0.98 | 3.65 | 0.15 | 686 | 20.5 | 0.83 | 2.68 | 0.12 |
| Switzerland, Basel | 858 | 32.3 | 1.19 | 3.94 | 0.18 | 668 | 22.6 | 0.98 | 2.94 | 0.14 |
| Switzerland, Berne Solothurn | 1469 | 33.6 | 0.93 | 4.13 | 0.13 | 860 | 18.5 | 0.69 | 2.42 | 0.10 |
| Switzerland, East | 1332 | 32.4 | 0.92 | 4.28 | 0.14 | 869 | 20.1 | 0.73 | 2.74 | 0.11 |
| *Switzerland, Fribourg | 488 | 36.6 | 1.71 | 4.56 | 0.25 | 311 | 24.0 | 1.41 | 3.29 | 0.21 |
| Switzerland, Geneva | 773 | 36.0 | 1.37 | 4.64 | 0.21 | 597 | 23.1 | 1.05 | 2.91 | 0.15 |
| *Switzerland, Graubünden and Glarus | 474 | 35.7 | 1.73 | 4.38 | 0.26 | 263 | 19.2 | 1.30 | 2.50 | 0.19 |
| *Switzerland, Lucerne | 726 | 28.4 | 1.10 | 3.62 | 0.17 | 440 | 16.4 | 0.85 | 2.13 | 0.13 |
| *Switzerland, Neuchâtel and Jura | 515 | 41.6 | 1.94 | 5.30 | 0.29 | 334 | 24.3 | 1.46 | 3.08 | 0.21 |
| Switzerland, Ticino | 819 | 40.1 | 1.53 | 4.89 | 0.22 | 470 | 21.1 | 1.10 | 2.79 | 0.16 |
| Switzerland, Valais | 617 | 35.7 | 1.51 | 4.61 | 0.23 | 397 | 21.4 | 1.17 | 2.80 | 0.17 |
| Switzerland, Vaud | 1263 | 37.9 | 1.12 | 4.83 | 0.17 | 884 | 23.0 | 0.84 | 3.01 | 0.12 |
| Switzerland, Zurich and Zug | 2244 | 30.2 | 0.67 | 3.80 | 0.10 | 1676 | 20.5 | 0.55 | 2.65 | 0.08 |
| Ukraine | 53346 | 42.7 | 0.19 | 5.67 | 0.03 | 12723 | 6.4 | 0.06 | 0.77 | 0.01 |
| UK, England | 102375 | 35.2 | 0.12 | 4.17 | 0.02 | 89680 | 27.5 | 0.10 | 3.44 | 0.02 |
| UK, Northern Ireland | 3413 | 39.1 | 0.70 | 4.73 | 0.11 | 3068 | 31.0 | 0.61 | 3.91 | 0.09 |
| UK, Scotland | 13085 | 45.6 | 0.42 | 5.54 | 0.06 | 13119 | 38.4 | 0.37 | 4.82 | 0.06 |
| UK, Wales | 6559 | 35.5 | 0.47 | 4.32 | 0.07 | 5799 | 28.8 | 0.42 | 3.69 | 0.06 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 11691 | 31.0 | 0.30 | 3.74 | 0.05 | 8703 | 21.8 | 0.25 | 2.77 | 0.04 |
| *Australia, Northern Territory | 260 | 39.0 | 2.46 | 4.71 | 0.37 | 168 | 27.4 | 2.15 | 3.82 | 0.35 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 201 | 35.4 | 2.53 | 4.27 | 0.38 | 121 | 25.5 | 2.34 | 3.52 | 0.38 |
| *Australia, Northern Territory: Indigenous | 59 | 59.4 | 8.31 | 7.30 | 1.25 | 47 | 34.1 | 5.16 | 4.91 | 0.86 |
| *Australia, Queensland | 7424 | 34.5 | 0.42 | 4.19 | 0.06 | 5328 | 24.0 | 0.35 | 3.05 | 0.05 |
| Australia, South Australia | 2620 | 29.2 | 0.61 | 3.42 | 0.09 | 2059 | 21.1 | 0.51 | 2.65 | 0.08 |
| Australia, Tasmania | 998 | 34.4 | 1.16 | 4.14 | 0.17 | 814 | 27.2 | 1.03 | 3.43 | 0.15 |
| *Australia, Victoria | 7495 | 26.6 | 0.32 | 3.15 | 0.05 | 5762 | 19.3 | 0.28 | 2.41 | 0.04 |
| *Australia, Western Australia | 3272 | 30.1 | 0.54 | 3.52 | 0.08 | 2467 | 21.8 | 0.47 | 2.74 | 0.07 |
| *France, New Caledonia | 466 | 58.5 | 2.73 | 7.26 | 0.40 | 225 | 26.7 | 1.83 | 3.17 | 0.26 |
| New Zealand | 5695 | 27.3 | 0.38 | 3.24 | 0.06 | 5549 | 24.8 | 0.35 | 3.10 | 0.05 |
| *New Zealand: Maori | 1022 | 68.0 | 2.16 | 8.66 | 0.33 | 1324 | 75.1 | 2.09 | 9.71 | 0.33 |
| *New Zealand: Pacific peoples | 314 | 51.8 | 3.01 | 6.01 | 0.43 | 209 | 28.8 | 2.02 | 3.46 | 0.31 |
| *New Zealand: Other | 4114 | 22.6 | 0.38 | 2.63 | 0.06 | 3755 | 19.8 | 0.35 | 2.46 | 0.05 |
| USA, Hawaii | 2357 | 33.5 | 0.73 | 4.08 | 0.11 | 1747 | 21.8 | 0.57 | 2.69 | 0.09 |
| USA, Hawaii: White | 646 | 29.0 | 1.18 | 3.54 | 0.17 | 481 | 23.3 | 1.12 | 2.71 | 0.16 |
| *USA, Hawaii: Japanese | 523 | 27.5 | 1.42 | 3.34 | 0.21 | 331 | 12.4 | 0.89 | 1.44 | 0.14 |
| *USA, Hawaii: Chinese | 172 | 35.3 | 3.13 | 3.92 | 0.44 | 128 | 20.2 | 2.06 | 2.38 | 0.31 |
| *USA, Hawaii: Hawaiian | 397 | 43.1 | 2.18 | 5.47 | 0.34 | 360 | 34.5 | 1.87 | 4.27 | 0.28 |
| *USA, Hawaii: Filipino | 439 | 40.9 | 2.03 | 4.87 | 0.31 | 269 | 19.1 | 1.27 | 2.36 | 0.19 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other thoracic organs (C37–38)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 6 | 0.4 | 0.18 | 0.06 | 0.03 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Algeria, Tizi Ouzou | 10 | 0.6 | 0.21 | 0.06 | 0.02 | 8 | 0.5 | 0.17 | 0.05 | 0.02 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 10 | 0.5 | 0.18 | 0.06 | 0.02 | 13 | 0.5 | 0.15 | 0.06 | 0.02 |
| *Kenya, Eldoret | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Nairobi | 5 | 0.3 | 0.13 | 0.03 | 0.01 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |
| Mauritius | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Morocco, Casablanca | 63 | 0.6 | 0.08 | 0.07 | 0.01 | 38 | 0.3 | 0.05 | 0.04 | 0.01 |
| *Seychelles | 2 | 0.9 | 0.61 | 0.18 | 0.13 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 3 | 0.3 | 0.16 | 0.03 | 0.02 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| *Uganda, Kyadondo County | 2 | 0.1 | 0.12 | 0.03 | 0.03 | 4 | 0.2 | 0.12 | 0.02 | 0.02 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 4 | 0.4 | 0.21 | 0.05 | 0.03 | 6 | 0.6 | 0.25 | 0.06 | 0.04 |
| *Zimbabwe, Harare: African | 18 | 0.9 | 0.25 | 0.10 | 0.04 | 21 | 1.0 | 0.25 | 0.12 | 0.04 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 20 | 0.9 | 0.21 | 0.10 | 0.03 | 22 | 0.8 | 0.19 | 0.08 | 0.02 |
| *Argentina, Mendoza | 51 | 1.0 | 0.14 | 0.11 | 0.02 | 40 | 0.7 | 0.11 | 0.07 | 0.01 |
| Brazil, Aracaju | 3 | 0.4 | 0.21 | 0.04 | 0.03 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *Brazil, Barretos | 4 | 0.3 | 0.17 | 0.02 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| Brazil, Belo Horizonte | 37 | 0.5 | 0.09 | 0.05 | 0.01 | 38 | 0.5 | 0.10 | 0.04 | 0.01 |
| *Brazil, Campinas | 19 | 0.8 | 0.19 | 0.09 | 0.02 | 14 | 0.5 | 0.15 | 0.04 | 0.01 |
| *Brazil, Curitiba | 21 | 0.6 | 0.13 | 0.06 | 0.02 | 19 | 0.4 | 0.11 | 0.05 | 0.01 |
| Brazil, Goiânia | 7 | 0.3 | 0.10 | 0.03 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Brazil, Jaú | 1 | 0.3 | 0.27 | 0.02 | 0.02 | 4 | 1.1 | 0.63 | 0.06 | 0.04 |
| Brazil, João Pessoa | 5 | 0.5 | 0.22 | 0.04 | 0.03 | 6 | 0.4 | 0.15 | 0.04 | 0.02 |
| Brazil, Recife | 31 | 1.3 | 0.24 | 0.19 | 0.04 | 29 | 0.8 | 0.16 | 0.10 | 0.02 |
| Chile, Region of Antofagasta | 16 | 1.5 | 0.38 | 0.13 | 0.04 | 14 | 1.4 | 0.36 | 0.14 | 0.04 |
| Chile, Valdivia | 6 | 0.5 | 0.22 | 0.04 | 0.02 | 4 | 0.2 | 0.09 | 0.01 | 0.01 |
| Colombia, Bucaramanga | 15 | 0.5 | 0.13 | 0.04 | 0.01 | 19 | 0.5 | 0.12 | 0.05 | 0.01 |
| Colombia, Cali | 41 | 0.7 | 0.11 | 0.07 | 0.01 | 31 | 0.4 | 0.07 | 0.04 | 0.01 |
| Colombia, Manizales | 9 | 0.7 | 0.22 | 0.07 | 0.03 | 8 | 0.4 | 0.15 | 0.04 | 0.02 |
| Colombia, Pasto | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 4 | 0.3 | 0.16 | 0.04 | 0.02 |
| Costa Rica | 49 | 0.5 | 0.07 | 0.05 | 0.01 | 30 | 0.3 | 0.05 | 0.04 | 0.01 |
| Ecuador, Guayaquil | 49 | 0.9 | 0.13 | 0.10 | 0.02 | 35 | 0.6 | 0.10 | 0.07 | 0.01 |
| Ecuador, Manabí | 18 | 0.5 | 0.12 | 0.04 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| Ecuador, Quito | 12 | 0.3 | 0.08 | 0.01 | 0.01 | 14 | 0.3 | 0.07 | 0.02 | 0.01 |
| *France, Guadeloupe | 5 | 0.3 | 0.14 | 0.05 | 0.02 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Martinique | 21 | 1.2 | 0.27 | 0.16 | 0.04 | 15 | 0.6 | 0.20 | 0.06 | 0.02 |
| *Peru, Lima | 105 | 0.7 | 0.07 | 0.08 | 0.01 | 82 | 0.5 | 0.05 | 0.05 | 0.01 |
| *Trinidad and Tobago | 6 | 0.3 | 0.11 | 0.02 | 0.01 | 9 | 0.4 | 0.12 | 0.04 | 0.02 |
| USA, Puerto Rico | 45 | 0.5 | 0.07 | 0.04 | 0.01 | 23 | 0.2 | 0.06 | 0.02 | 0.00 |
| *Uruguay | 54 | 0.5 | 0.07 | 0.05 | 0.01 | 33 | 0.2 | 0.04 | 0.02 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 77 | 0.6 | 0.07 | 0.05 | 0.01 | 65 | 0.5 | 0.07 | 0.05 | 0.01 |
| Canada, British Columbia | 90 | 0.5 | 0.07 | 0.05 | 0.01 | 74 | 0.3 | 0.05 | 0.04 | 0.01 |
| *Canada, Manitoba | 22 | 0.6 | 0.13 | 0.05 | 0.01 | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Canada, New Brunswick | 10 | 0.3 | 0.11 | 0.03 | 0.01 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Canada, Newfoundland and Labrador | 6 | 0.3 | 0.11 | 0.03 | 0.01 | 5 | 0.2 | 0.07 | 0.01 | 0.01 |
| Canada, Ontario | 291 | 0.6 | 0.04 | 0.06 | 0.00 | 210 | 0.4 | 0.03 | 0.04 | 0.00 |
| *Canada, Prince Edward Island | 2 | 0.2 | 0.13 | 0.00 | 0.00 | 4 | 0.7 | 0.35 | 0.09 | 0.05 |
| Canada, Quebec | 232 | 0.7 | 0.05 | 0.07 | 0.01 | 155 | 0.5 | 0.05 | 0.04 | 0.00 |
| Canada, Saskatchewan | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA | 5092 | 0.5 | 0.01 | 0.05 | 0.00 | 3659 | 0.3 | 0.01 | 0.03 | 0.00 |
| USA: White | 3874 | 0.5 | 0.01 | 0.05 | 0.00 | 2664 | 0.3 | 0.01 | 0.03 | 0.00 |
| USA: Black | 715 | 0.6 | 0.02 | 0.06 | 0.00 | 625 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, NPCR | 4902 | 0.5 | 0.01 | 0.05 | 0.00 | 3532 | 0.3 | 0.01 | 0.03 | 0.00 |
| USA, NPCR: White | 3736 | 0.5 | 0.01 | 0.05 | 0.00 | 2580 | 0.3 | 0.01 | 0.03 | 0.00 |
| USA, NPCR: Black | 703 | 0.6 | 0.02 | 0.06 | 0.00 | 612 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 407 | 0.8 | 0.04 | 0.08 | 0.00 | 304 | 0.5 | 0.03 | 0.05 | 0.00 |
| USA, NPCR: American Indian | 26 | 0.2 | 0.05 | 0.03 | 0.01 | 16 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, SEER (18 registries) | 1433 | 0.5 | 0.01 | 0.05 | 0.00 | 1027 | 0.3 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (18 registries): White | 1017 | 0.5 | 0.02 | 0.04 | 0.00 | 669 | 0.3 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 774 | 0.4 | 0.02 | 0.04 | 0.00 | 555 | 0.3 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 243 | 0.5 | 0.03 | 0.05 | 0.00 | 114 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Black | 163 | 0.5 | 0.04 | 0.05 | 0.00 | 166 | 0.4 | 0.04 | 0.05 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 230 | 0.8 | 0.05 | 0.08 | 0.01 | 174 | 0.5 | 0.04 | 0.05 | 0.00 |
| *USA, SEER (9 registries) | 488 | 0.5 | 0.02 | 0.05 | 0.00 | 361 | 0.3 | 0.02 | 0.04 | 0.00 |
| *USA, SEER (9 registries): White | 323 | 0.4 | 0.03 | 0.04 | 0.00 | 214 | 0.3 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (9 registries): Black | 61 | 0.6 | 0.07 | 0.06 | 0.01 | 58 | 0.4 | 0.06 | 0.06 | 0.01 |
| USA, Alabama | 73 | 0.5 | 0.06 | 0.05 | 0.01 | 46 | 0.2 | 0.04 | 0.03 | 0.00 |
| USA, Alabama: White | 52 | 0.5 | 0.08 | 0.04 | 0.01 | 23 | 0.2 | 0.04 | 0.02 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other thoracic organs (C37–38) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 21 | 0.6 | 0.13 | 0.07 | 0.02 | 23 | 0.5 | 0.11 | 0.06 | 0.01 |
| USA, Alaska | 11 | 0.4 | 0.13 | 0.04 | 0.01 | 8 | 0.3 | 0.12 | 0.04 | 0.02 |
| *USA, Alaska: Alaska Natives | 3 | 1.0 | 0.56 | 0.12 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona | 92 | 0.4 | 0.05 | 0.04 | 0.00 | 53 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Arizona: White | 79 | 0.4 | 0.05 | 0.04 | 0.00 | 44 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Arizona: Black | 2 | 0.2 | 0.15 | 0.02 | 0.02 | 3 | 0.3 | 0.19 | 0.04 | 0.02 |
| *USA, Arizona: Asian and Pacific Islander | 6 | 0.9 | 0.38 | 0.11 | 0.05 | 2 | 0.2 | 0.11 | 0.00 | 0.00 |
| USA, Arizona: American Indian | 5 | 0.6 | 0.26 | 0.07 | 0.03 | 4 | 0.3 | 0.18 | 0.03 | 0.02 |
| USA, Arkansas | 35 | 0.3 | 0.06 | 0.04 | 0.01 | 31 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Arkansas: White | 30 | 0.3 | 0.07 | 0.04 | 0.01 | 26 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, Arkansas: Black | 5 | 0.4 | 0.18 | 0.03 | 0.01 | 5 | 0.4 | 0.17 | 0.03 | 0.01 |
| USA, California | 682 | 0.6 | 0.02 | 0.05 | 0.00 | 444 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, California: White | 479 | 0.5 | 0.02 | 0.05 | 0.00 | 281 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, California: Black | 42 | 0.5 | 0.08 | 0.04 | 0.01 | 49 | 0.5 | 0.07 | 0.05 | 0.01 |
| USA, California: Asian and Pacific Islander | 158 | 0.8 | 0.07 | 0.08 | 0.01 | 110 | 0.5 | 0.05 | 0.05 | 0.01 |
| *USA, California, Los Angeles County | 170 | 0.5 | 0.04 | 0.05 | 0.00 | 125 | 0.3 | 0.03 | 0.04 | 0.00 |
| *USA, California, Los Angeles County: White | 123 | 0.5 | 0.05 | 0.05 | 0.01 | 82 | 0.3 | 0.04 | 0.04 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 59 | 0.5 | 0.07 | 0.05 | 0.01 | 46 | 0.4 | 0.08 | 0.04 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 64 | 0.5 | 0.07 | 0.04 | 0.01 | 36 | 0.3 | 0.05 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Black | 19 | 0.7 | 0.16 | 0.05 | 0.01 | 16 | 0.4 | 0.11 | 0.04 | 0.01 |
| *USA, California, Los Angeles County: Chinese | 6 | 0.3 | 0.14 | 0.04 | 0.02 | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Filipino | 6 | 0.5 | 0.24 | 0.06 | 0.02 | 7 | 0.6 | 0.30 | 0.05 | 0.02 |
| *USA, California, Los Angeles County: Korean | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 2 | 0.2 | 0.18 | 0.02 | 0.02 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 27 | 0.5 | 0.11 | 0.06 | 0.01 | 25 | 0.4 | 0.11 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area | 100 | 0.7 | 0.07 | 0.06 | 0.01 | 79 | 0.4 | 0.05 | 0.05 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 50 | 0.5 | 0.08 | 0.05 | 0.01 | 34 | 0.3 | 0.06 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 39 | 0.6 | 0.11 | 0.05 | 0.01 | 29 | 0.3 | 0.06 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 11 | 0.4 | 0.14 | 0.04 | 0.01 | 5 | 0.2 | 0.11 | 0.02 | 0.01 |
| *USA, California, San Francisco Bay Area: Black | 8 | 0.6 | 0.21 | 0.05 | 0.02 | 11 | 0.6 | 0.20 | 0.08 | 0.03 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 42 | 1.1 | 0.19 | 0.09 | 0.02 | 34 | 0.7 | 0.13 | 0.07 | 0.01 |
| USA, Colorado | 86 | 0.5 | 0.06 | 0.05 | 0.01 | 57 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Colorado: White | 77 | 0.5 | 0.07 | 0.05 | 0.01 | 52 | 0.3 | 0.05 | 0.03 | 0.00 |
| *USA, Colorado: Black | 5 | 0.7 | 0.34 | 0.14 | 0.07 | 3 | 0.4 | 0.24 | 0.07 | 0.04 |
| *USA, Colorado: Asian and Pacific Islander | 3 | 0.5 | 0.32 | 0.08 | 0.06 | 1 | 0.1 | 0.13 | 0.01 | 0.01 |
| USA, Connecticut | 74 | 0.6 | 0.08 | 0.06 | 0.01 | 47 | 0.4 | 0.07 | 0.04 | 0.01 |
| USA, Connecticut: White | 62 | 0.6 | 0.09 | 0.06 | 0.01 | 34 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Connecticut: Black | 10 | 0.9 | 0.28 | 0.15 | 0.05 | 11 | 1.0 | 0.34 | 0.08 | 0.03 |
| USA, District of Columbia | 17 | 0.9 | 0.23 | 0.11 | 0.03 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| USA, District of Columbia: White | 11 | 1.3 | 0.38 | 0.18 | 0.06 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| USA, District of Columbia: Black | 5 | 0.5 | 0.22 | 0.04 | 0.02 | 5 | 0.4 | 0.20 | 0.04 | 0.02 |
| USA, Florida | 316 | 0.4 | 0.03 | 0.04 | 0.00 | 239 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Florida: White | 257 | 0.5 | 0.03 | 0.04 | 0.00 | 180 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Florida: Black | 41 | 0.4 | 0.07 | 0.04 | 0.01 | 46 | 0.4 | 0.07 | 0.04 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 10 | 0.6 | 0.19 | 0.06 | 0.02 | 8 | 0.3 | 0.12 | 0.05 | 0.02 |
| USA, Georgia | 128 | 0.4 | 0.04 | 0.04 | 0.00 | 104 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Georgia: White | 78 | 0.3 | 0.04 | 0.04 | 0.00 | 55 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Georgia: Black | 44 | 0.5 | 0.08 | 0.05 | 0.01 | 42 | 0.4 | 0.06 | 0.05 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 6 | 0.5 | 0.19 | 0.06 | 0.03 | 7 | 0.5 | 0.20 | 0.05 | 0.02 |
| *USA, Georgia, Atlanta | 45 | 0.4 | 0.06 | 0.04 | 0.01 | 35 | 0.3 | 0.05 | 0.04 | 0.01 |
| *USA, Georgia, Atlanta: White | 23 | 0.3 | 0.07 | 0.04 | 0.01 | 12 | 0.2 | 0.05 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: Black | 18 | 0.5 | 0.11 | 0.04 | 0.01 | 18 | 0.4 | 0.09 | 0.06 | 0.02 |
| USA, Idaho | 18 | 0.3 | 0.08 | 0.03 | 0.01 | 15 | 0.2 | 0.07 | 0.03 | 0.01 |
| USA, Indiana | 104 | 0.5 | 0.05 | 0.04 | 0.01 | 72 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Indiana: White | 93 | 0.5 | 0.06 | 0.04 | 0.01 | 61 | 0.3 | 0.05 | 0.03 | 0.00 |
| USA, Indiana: Black | 9 | 0.5 | 0.17 | 0.06 | 0.03 | 10 | 0.5 | 0.15 | 0.07 | 0.02 |
| *USA, Iowa | 45 | 0.4 | 0.07 | 0.04 | 0.01 | 31 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Kentucky | 52 | 0.4 | 0.06 | 0.03 | 0.01 | 38 | 0.3 | 0.05 | 0.02 | 0.00 |
| USA, Louisiana | 54 | 0.3 | 0.05 | 0.04 | 0.01 | 44 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Louisiana: White | 30 | 0.3 | 0.06 | 0.03 | 0.01 | 27 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Louisiana: Black | 24 | 0.5 | 0.11 | 0.06 | 0.01 | 17 | 0.3 | 0.08 | 0.04 | 0.01 |
| *USA, Louisiana, New Orleans | 10 | 0.3 | 0.10 | 0.04 | 0.01 | 14 | 0.4 | 0.12 | 0.04 | 0.01 |
| *USA, Louisiana, New Orleans: White | 4 | 0.2 | 0.11 | 0.03 | 0.02 | 6 | 0.3 | 0.12 | 0.04 | 0.02 |
| *USA, Louisiana, New Orleans: Black | 6 | 0.5 | 0.21 | 0.07 | 0.03 | 7 | 0.5 | 0.19 | 0.05 | 0.02 |
| USA, Maine | 23 | 0.4 | 0.08 | 0.05 | 0.01 | 13 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Maryland | 119 | 0.6 | 0.06 | 0.06 | 0.01 | 91 | 0.4 | 0.04 | 0.04 | 0.00 |
| USA, Maryland: White | 63 | 0.5 | 0.07 | 0.05 | 0.01 | 48 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Maryland: Black | 45 | 0.8 | 0.12 | 0.08 | 0.01 | 36 | 0.5 | 0.09 | 0.06 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 11 | 1.0 | 0.30 | 0.11 | 0.03 | 7 | 0.4 | 0.15 | 0.04 | 0.02 |
| USA, Massachusetts | 119 | 0.6 | 0.06 | 0.05 | 0.01 | 91 | 0.4 | 0.05 | 0.04 | 0.00 |
| USA, Massachusetts: White | 98 | 0.5 | 0.06 | 0.05 | 0.01 | 75 | 0.3 | 0.05 | 0.03 | 0.00 |
| USA, Massachusetts: Black | 8 | 0.5 | 0.18 | 0.06 | 0.03 | 8 | 0.5 | 0.19 | 0.04 | 0.02 |
| USA, Massachusetts: Asian and Pacific Islander | 11 | 0.8 | 0.26 | 0.09 | 0.03 | 7 | 0.5 | 0.19 | 0.05 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other thoracic organs (C37–38) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 144 | 0.5 | <i>0.04</i> | 0.04 | <i>0.00</i> | 92 | 0.2 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, Michigan: White | 110 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | 72 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Michigan: Black | 26 | 0.6 | <i>0.13</i> | 0.05 | <i>0.01</i> | 14 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| USA, Michigan: Asian and Pacific Islander | 8 | 1.0 | <i>0.37</i> | 0.05 | <i>0.02</i> | 5 | 0.6 | <i>0.32</i> | 0.07 | <i>0.03</i> |
| *USA, Michigan, Detroit | 53 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> | 42 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| *USA, Michigan, Detroit: White | 35 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> | 25 | 0.2 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| *USA, Michigan, Detroit: Black | 17 | 0.6 | <i>0.15</i> | 0.06 | <i>0.02</i> | 11 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| USA, Minnesota | 78 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 51 | 0.3 | <i>0.05</i> | 0.03 | <i>0.00</i> |
| USA, Minnesota: White | 65 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 43 | 0.3 | <i>0.05</i> | 0.02 | <i>0.00</i> |
| USA, Minnesota: Black | 4 | 0.6 | <i>0.31</i> | 0.05 | <i>0.03</i> | 3 | 0.3 | <i>0.18</i> | 0.03 | <i>0.02</i> |
| *USA, Minnesota: Asian and Pacific Islander | 7 | 1.4 | <i>0.55</i> | 0.19 | <i>0.08</i> | 4 | 0.7 | <i>0.35</i> | 0.13 | <i>0.07</i> |
| USA, Mississippi | 38 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> | 43 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| USA, Missouri | 75 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | 64 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| USA, Missouri: White | 57 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> | 53 | 0.3 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Missouri: Black | 16 | 0.8 | <i>0.21</i> | 0.11 | <i>0.03</i> | 11 | 0.4 | <i>0.13</i> | 0.06 | <i>0.02</i> |
| USA, Montana | 21 | 0.6 | <i>0.14</i> | 0.06 | <i>0.01</i> | 15 | 0.5 | <i>0.14</i> | 0.04 | <i>0.01</i> |
| *USA, Montana: American Indian | 1 | 0.6 | <i>0.64</i> | 0.05 | <i>0.05</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Nebraska | 33 | 0.6 | <i>0.11</i> | 0.05 | <i>0.01</i> | 17 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| USA, Nebraska: White | 31 | 0.6 | <i>0.12</i> | 0.05 | <i>0.01</i> | 16 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *USA, Nebraska: Black | 1 | 0.4 | <i>0.44</i> | 0.06 | <i>0.06</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Nevada | 39 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> | 21 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| USA, Nevada: White | 29 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> | 16 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| USA, Nevada: Black | 3 | 0.4 | <i>0.22</i> | 0.05 | <i>0.03</i> | 2 | 0.2 | <i>0.15</i> | 0.01 | <i>0.01</i> |
| *USA, Nevada: Asian and Pacific Islander | 7 | 0.8 | <i>0.31</i> | 0.09 | <i>0.04</i> | 2 | 0.1 | <i>0.07</i> | 0.00 | <i>0.00</i> |
| USA, New Jersey | 166 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | 149 | 0.4 | <i>0.04</i> | 0.05 | <i>0.00</i> |
| USA, New Jersey: White | 130 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | 108 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> |
| USA, New Jersey: Black | 16 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> | 26 | 0.6 | <i>0.13</i> | 0.05 | <i>0.01</i> |
| USA, New Mexico | 32 | 0.5 | <i>0.10</i> | 0.04 | <i>0.01</i> | 21 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| USA, New Mexico: White | 28 | 0.5 | <i>0.11</i> | 0.04 | <i>0.01</i> | 18 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| USA, New Mexico: Non-Hispanic White | 14 | 0.7 | <i>0.21</i> | 0.05 | <i>0.01</i> | 11 | 0.4 | <i>0.17</i> | 0.03 | <i>0.01</i> |
| USA, New Mexico: Hispanic White | 14 | 0.5 | <i>0.14</i> | 0.04 | <i>0.01</i> | 7 | 0.3 | <i>0.12</i> | 0.03 | <i>0.01</i> |
| *USA, New Mexico: American Indian | 3 | 0.5 | <i>0.29</i> | 0.05 | <i>0.03</i> | 1 | 0.1 | <i>0.15</i> | 0.02 | <i>0.02</i> |
| USA, New York State | 472 | 0.7 | <i>0.04</i> | 0.08 | <i>0.00</i> | 367 | 0.5 | <i>0.03</i> | 0.05 | <i>0.00</i> |
| USA, New York State: White | 337 | 0.7 | <i>0.04</i> | 0.07 | <i>0.00</i> | 243 | 0.4 | <i>0.03</i> | 0.05 | <i>0.00</i> |
| USA, New York State: Black | 75 | 0.7 | <i>0.09</i> | 0.07 | <i>0.01</i> | 67 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| USA, New York State: Asian and Pacific Islander | 55 | 1.1 | <i>0.15</i> | 0.10 | <i>0.02</i> | 56 | 0.9 | <i>0.14</i> | 0.09 | <i>0.01</i> |
| USA, North Carolina | 143 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | 110 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, North Carolina: White | 103 | 0.4 | <i>0.05</i> | 0.04 | <i>0.00</i> | 78 | 0.2 | <i>0.03</i> | 0.03 | <i>0.00</i> |
| USA, North Carolina: Black | 34 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> | 28 | 0.3 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, North Carolina: Asian and Pacific Islander | 5 | 0.7 | <i>0.30</i> | 0.05 | <i>0.02</i> | 3 | 0.3 | <i>0.18</i> | 0.03 | <i>0.02</i> |
| *USA, North Carolina: American Indian | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 1 | 0.2 | <i>0.17</i> | 0.02 | <i>0.02</i> |
| USA, North Dakota | 7 | 0.4 | <i>0.15</i> | 0.03 | <i>0.01</i> | 2 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| USA, Ohio | 188 | 0.5 | <i>0.04</i> | 0.05 | <i>0.00</i> | 103 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Ohio: White | 151 | 0.5 | <i>0.05</i> | 0.04 | <i>0.00</i> | 79 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, Ohio: Black | 32 | 0.8 | <i>0.14</i> | 0.09 | <i>0.02</i> | 21 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| *USA, Ohio: Asian and Pacific Islander | 4 | 0.5 | <i>0.26</i> | 0.06 | <i>0.03</i> | 2 | 0.2 | <i>0.18</i> | 0.03 | <i>0.02</i> |
| USA, Oklahoma | 50 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> | 37 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Oklahoma: White | 35 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | 30 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> |
| USA, Oklahoma: Black | 9 | 0.9 | <i>0.32</i> | 0.10 | <i>0.04</i> | 2 | 0.2 | <i>0.13</i> | 0.01 | <i>0.01</i> |
| USA, Oklahoma: American Indian | 3 | 0.3 | <i>0.17</i> | 0.03 | <i>0.02</i> | 5 | 0.3 | <i>0.16</i> | 0.03 | <i>0.02</i> |
| USA, Oregon | 72 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> | 67 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, Oregon: White | 65 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> | 56 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| *USA, Oregon: Black | 2 | 0.7 | <i>0.50</i> | 0.10 | <i>0.08</i> | 2 | 0.7 | <i>0.51</i> | 0.07 | <i>0.05</i> |
| *USA, Oregon: Asian and Pacific Islander | 4 | 0.8 | <i>0.38</i> | 0.13 | <i>0.08</i> | 8 | 1.1 | <i>0.40</i> | 0.12 | <i>0.05</i> |
| USA, Rhode Island | 14 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> | 15 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| USA, Rhode Island: White | 11 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> | 13 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *USA, Rhode Island: Black | 1 | 0.4 | <i>0.35</i> | 0.00 | <i>0.00</i> | 2 | 0.7 | <i>0.50</i> | 0.07 | <i>0.05</i> |
| USA, South Carolina | 72 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> | 74 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, South Carolina: White | 50 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> | 42 | 0.4 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| USA, South Carolina: Black | 20 | 0.6 | <i>0.13</i> | 0.06 | <i>0.01</i> | 28 | 0.6 | <i>0.12</i> | 0.07 | <i>0.01</i> |
| USA, South Dakota | 10 | 0.4 | <i>0.13</i> | 0.04 | <i>0.01</i> | 3 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| USA, Tennessee | 92 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 65 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| USA, Tennessee: White | 67 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 48 | 0.3 | <i>0.05</i> | 0.02 | <i>0.00</i> |
| USA, Tennessee: Black | 22 | 0.7 | <i>0.14</i> | 0.07 | <i>0.02</i> | 16 | 0.4 | <i>0.10</i> | 0.05 | <i>0.01</i> |
| USA, Texas | 364 | 0.5 | <i>0.03</i> | 0.04 | <i>0.00</i> | 271 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, Texas: White | 270 | 0.4 | <i>0.03</i> | 0.04 | <i>0.00</i> | 197 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| USA, Texas: Black | 64 | 0.7 | <i>0.09</i> | 0.08 | <i>0.01</i> | 48 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| USA, Texas: Asian and Pacific Islander | 29 | 0.8 | <i>0.15</i> | 0.08 | <i>0.02</i> | 24 | 0.6 | <i>0.13</i> | 0.05 | <i>0.01</i> |
| USA, Utah | 25 | 0.3 | <i>0.06</i> | 0.02 | <i>0.01</i> | 23 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| USA, Vermont | 8 | 0.4 | <i>0.19</i> | 0.03 | <i>0.01</i> | 13 | 0.5 | <i>0.20</i> | 0.05 | <i>0.02</i> |
| USA, Washington State | 115 | 0.5 | <i>0.05</i> | 0.04 | <i>0.00</i> | 75 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| *USA, Washington, Seattle | 75 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 55 | 0.3 | <i>0.05</i> | 0.03 | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other thoracic organs (C37–38) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 31 | 0.5 | 0.10 | 0.05 | 0.01 | 16 | 0.3 | 0.09 | 0.02 | 0.01 |
| USA, Wyoming | 11 | 0.7 | 0.23 | 0.07 | 0.02 | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 12 | 0.9 | 0.26 | 0.12 | 0.04 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| Brunei Darussalam | 12 | 1.1 | 0.34 | 0.06 | 0.03 | 7 | 0.9 | 0.34 | 0.14 | 0.06 |
| *China, Anfu County | 10 | 0.9 | 0.30 | 0.09 | 0.03 | 4 | 0.4 | 0.19 | 0.03 | 0.02 |
| *China, Anguo City | 3 | 0.2 | 0.13 | 0.03 | 0.02 | 9 | 0.9 | 0.33 | 0.07 | 0.03 |
| *China, Anshan City | 95 | 1.5 | 0.20 | 0.16 | 0.02 | 56 | 0.8 | 0.13 | 0.08 | 0.01 |
| *China, Aohan Banner, Chifeng City | 3 | 0.2 | 0.09 | 0.01 | 0.01 | 4 | 0.2 | 0.11 | 0.01 | 0.01 |
| *China, Arongqi | 7 | 0.7 | 0.29 | 0.10 | 0.04 | 3 | 0.3 | 0.17 | 0.02 | 0.01 |
| *China, Baoding City | 43 | 1.2 | 0.20 | 0.14 | 0.03 | 26 | 0.7 | 0.14 | 0.08 | 0.02 |
| *China, Beijing City | 298 | 0.8 | 0.06 | 0.09 | 0.01 | 207 | 0.6 | 0.05 | 0.06 | 0.01 |
| *China, Binhai County | 16 | 0.3 | 0.09 | 0.05 | 0.01 | 16 | 0.4 | 0.13 | 0.05 | 0.01 |
| *China, Cangzhou City | 15 | 0.9 | 0.25 | 0.13 | 0.04 | 11 | 0.6 | 0.19 | 0.06 | 0.02 |
| China, Changfeng County | 8 | 0.5 | 0.19 | 0.06 | 0.02 | 5 | 0.4 | 0.16 | 0.05 | 0.02 |
| China, Changzhou City | 68 | 0.7 | 0.09 | 0.08 | 0.01 | 57 | 0.5 | 0.07 | 0.06 | 0.01 |
| China, Chengdu City | 26 | 0.7 | 0.15 | 0.08 | 0.02 | 14 | 0.4 | 0.10 | 0.04 | 0.01 |
| China, Cixian County | 8 | 0.5 | 0.16 | 0.06 | 0.03 | 5 | 0.3 | 0.13 | 0.05 | 0.02 |
| China, Cixi City | 52 | 1.1 | 0.17 | 0.12 | 0.02 | 28 | 0.6 | 0.12 | 0.07 | 0.02 |
| *China, Dafeng District, Yancheng City | 23 | 0.7 | 0.14 | 0.07 | 0.02 | 15 | 0.8 | 0.28 | 0.06 | 0.02 |
| China, Dalian City | 77 | 0.8 | 0.11 | 0.08 | 0.01 | 59 | 0.5 | 0.08 | 0.05 | 0.01 |
| *China, Dancheng County | 24 | 0.7 | 0.15 | 0.07 | 0.02 | 29 | 0.8 | 0.16 | 0.10 | 0.02 |
| China, Dangtu County | 8 | 0.6 | 0.23 | 0.03 | 0.02 | 3 | 0.4 | 0.20 | 0.03 | 0.02 |
| *China, Danyang City | 20 | 0.6 | 0.15 | 0.06 | 0.02 | 19 | 0.4 | 0.10 | 0.06 | 0.02 |
| *China, Dawukou District, Shizuishan City | 5 | 0.5 | 0.23 | 0.06 | 0.03 | 3 | 0.3 | 0.18 | 0.04 | 0.02 |
| *China, Dehui City | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 10 | 0.3 | 0.10 | 0.04 | 0.01 |
| *China, Donggang County | 18 | 0.7 | 0.18 | 0.10 | 0.03 | 20 | 0.7 | 0.18 | 0.08 | 0.02 |
| *China, Dongguan City | 35 | 1.0 | 0.19 | 0.10 | 0.02 | 19 | 0.4 | 0.10 | 0.05 | 0.01 |
| China, Donghai County | 14 | 0.3 | 0.09 | 0.03 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Dongtai City | 16 | 0.4 | 0.14 | 0.05 | 0.01 | 11 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 8 | 0.7 | 0.28 | 0.06 | 0.03 | 5 | 0.5 | 0.24 | 0.04 | 0.02 |
| *China, Evenki Autonomous Banner | 7 | 1.9 | 0.76 | 0.21 | 0.09 | 1 | 0.2 | 0.22 | 0.03 | 0.03 |
| *China, Faku County | 12 | 0.7 | 0.19 | 0.09 | 0.03 | 4 | 0.4 | 0.23 | 0.03 | 0.02 |
| *China, Fangcheng County | 16 | 0.8 | 0.21 | 0.08 | 0.02 | 14 | 0.8 | 0.21 | 0.08 | 0.02 |
| *China, Feicheng City | 20 | 0.5 | 0.12 | 0.06 | 0.02 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Feixi County | 28 | 0.8 | 0.16 | 0.08 | 0.02 | 20 | 0.6 | 0.14 | 0.07 | 0.02 |
| China, Fuqing City | 18 | 0.7 | 0.18 | 0.09 | 0.03 | 7 | 0.3 | 0.13 | 0.03 | 0.01 |
| *China, Ganyu District, Lianyungang City | 14 | 0.3 | 0.09 | 0.04 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Ganzhou District, Zhangye City | 8 | 0.9 | 0.33 | 0.12 | 0.05 | 6 | 1.1 | 0.57 | 0.08 | 0.04 |
| *China, Gaocheng City | 13 | 0.6 | 0.16 | 0.06 | 0.02 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Gaomi City | 17 | 0.6 | 0.17 | 0.07 | 0.02 | 10 | 0.4 | 0.13 | 0.03 | 0.01 |
| China, Gong'an County | 30 | 0.9 | 0.17 | 0.09 | 0.02 | 20 | 0.6 | 0.13 | 0.07 | 0.02 |
| *China, Guang'an District, Guang'an City | 8 | 0.5 | 0.18 | 0.04 | 0.01 | 5 | 0.3 | 0.12 | 0.04 | 0.02 |
| China, Guanghan City | 8 | 0.5 | 0.19 | 0.05 | 0.02 | 7 | 0.4 | 0.16 | 0.04 | 0.02 |
| China, Guangzhou City | 276 | 1.0 | 0.06 | 0.10 | 0.01 | 157 | 0.5 | 0.04 | 0.05 | 0.00 |
| *China, Guanyun County | 20 | 0.6 | 0.12 | 0.06 | 0.01 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| China, Guilin City | 21 | 0.9 | 0.21 | 0.11 | 0.03 | 12 | 0.5 | 0.14 | 0.06 | 0.02 |
| *China, Hai'an City | 24 | 0.5 | 0.10 | 0.06 | 0.01 | 12 | 0.3 | 0.10 | 0.04 | 0.01 |
| China, Hailar District, Hulun Buir City | 8 | 0.7 | 0.24 | 0.07 | 0.03 | 7 | 0.6 | 0.25 | 0.10 | 0.04 |
| China, Haimen District, Nantong City | 45 | 1.0 | 0.17 | 0.12 | 0.02 | 36 | 0.8 | 0.20 | 0.08 | 0.02 |
| China, Haining City | 20 | 0.8 | 0.18 | 0.09 | 0.02 | 11 | 0.3 | 0.11 | 0.05 | 0.02 |
| China, Hangzhou City | 266 | 1.0 | 0.07 | 0.10 | 0.01 | 170 | 0.7 | 0.06 | 0.07 | 0.01 |
| China, Hebi City | 23 | 1.9 | 0.41 | 0.30 | 0.07 | 17 | 1.5 | 0.37 | 0.15 | 0.04 |
| China, Hefei City | 69 | 0.9 | 0.11 | 0.09 | 0.01 | 42 | 0.5 | 0.08 | 0.07 | 0.01 |
| China, Hengdong County | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 7 | 0.5 | 0.22 | 0.04 | 0.02 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 31 | 1.1 | 0.20 | 0.11 | 0.02 | 16 | 0.6 | 0.15 | 0.05 | 0.02 |
| China, Honghu City | 37 | 1.3 | 0.22 | 0.15 | 0.03 | 15 | 0.6 | 0.18 | 0.06 | 0.02 |
| China, Hongshan District, Chifeng City | 8 | 0.9 | 0.32 | 0.09 | 0.04 | 6 | 0.4 | 0.17 | 0.05 | 0.02 |
| *China, Hongta District, Yuxi City | 12 | 0.8 | 0.25 | 0.10 | 0.03 | 11 | 0.8 | 0.26 | 0.09 | 0.03 |
| *China, Huaiyin District, Huai'an City | 28 | 0.7 | 0.14 | 0.08 | 0.02 | 13 | 0.3 | 0.08 | 0.02 | 0.01 |
| *China, Jiange County | 7 | 0.4 | 0.15 | 0.04 | 0.02 | 10 | 0.6 | 0.19 | 0.07 | 0.03 |
| China, Jiangmen City | 28 | 1.2 | 0.24 | 0.13 | 0.03 | 13 | 0.5 | 0.15 | 0.05 | 0.02 |
| *China, Jiangyin City | 40 | 0.7 | 0.12 | 0.09 | 0.02 | 35 | 0.6 | 0.11 | 0.08 | 0.02 |
| *China, Jiashan County | 28 | 2.0 | 0.52 | 0.19 | 0.04 | 10 | 0.5 | 0.18 | 0.07 | 0.03 |
| China, Jiayu County | 6 | 0.9 | 0.37 | 0.12 | 0.05 | 4 | 0.5 | 0.26 | 0.07 | 0.04 |
| *China, Jinan City | 72 | 0.9 | 0.12 | 0.10 | 0.01 | 45 | 0.5 | 0.08 | 0.05 | 0.01 |
| *China, Jingtai County | 12 | 1.6 | 0.47 | 0.19 | 0.06 | 4 | 1.0 | 0.56 | 0.07 | 0.04 |
| *China, Jingxian County | 6 | 0.6 | 0.24 | 0.05 | 0.03 | 7 | 1.0 | 0.48 | 0.04 | 0.03 |
| *China, Jintan District, Changzhou City | 27 | 1.4 | 0.35 | 0.15 | 0.03 | 8 | 0.4 | 0.14 | 0.04 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiyuan City | 9 | 0.6 | 0.20 | 0.04 | 0.02 | 7 | 0.4 | 0.16 | 0.05 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other thoracic organs (C37–38) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 9 | 0.8 | 0.27 | 0.10 | 0.04 | 9 | 0.6 | 0.21 | 0.06 | 0.02 |
| China, Kunshan City | 35 | 1.1 | 0.19 | 0.12 | 0.02 | 28 | 0.9 | 0.16 | 0.10 | 0.02 |
| China, Langzhong City | 14 | 0.8 | 0.24 | 0.07 | 0.02 | 8 | 0.4 | 0.15 | 0.04 | 0.02 |
| *China, Liangshan County | 13 | 0.4 | 0.13 | 0.04 | 0.01 | 11 | 0.3 | 0.10 | 0.04 | 0.02 |
| *China, Lianshui County | 31 | 0.8 | 0.15 | 0.09 | 0.02 | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| China, Lianyungang City | 23 | 0.8 | 0.19 | 0.08 | 0.02 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Linhe District, Bayannur City | 7 | 0.5 | 0.18 | 0.04 | 0.03 | 8 | 0.7 | 0.24 | 0.09 | 0.04 |
| China, Linqu County | 12 | 0.3 | 0.10 | 0.03 | 0.01 | 11 | 0.4 | 0.13 | 0.03 | 0.01 |
| *China, Linzhou City | 35 | 1.0 | 0.17 | 0.12 | 0.02 | 23 | 0.6 | 0.13 | 0.06 | 0.01 |
| China, Liuzhou City | 31 | 0.8 | 0.15 | 0.08 | 0.02 | 22 | 0.6 | 0.13 | 0.07 | 0.02 |
| China, Liyang City | 19 | 0.6 | 0.18 | 0.06 | 0.01 | 18 | 0.5 | 0.17 | 0.07 | 0.02 |
| *China, Longquan City | 5 | 0.5 | 0.21 | 0.04 | 0.02 | 6 | 0.7 | 0.27 | 0.07 | 0.03 |
| China, Lucheng District, Wenzhou City | 19 | 1.0 | 0.23 | 0.13 | 0.04 | 10 | 0.6 | 0.21 | 0.06 | 0.02 |
| China, Luoding City | 18 | 0.9 | 0.21 | 0.08 | 0.02 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Luohe City | 39 | 1.1 | 0.18 | 0.12 | 0.02 | 24 | 0.6 | 0.12 | 0.07 | 0.02 |
| *China, Luoyang City | 38 | 0.9 | 0.16 | 0.09 | 0.02 | 24 | 0.6 | 0.14 | 0.05 | 0.01 |
| *China, Luquan City | 6 | 0.5 | 0.22 | 0.07 | 0.03 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| China, Ma'anshan City | 11 | 0.5 | 0.14 | 0.04 | 0.02 | 14 | 0.7 | 0.18 | 0.09 | 0.03 |
| *China, Macheng City | 20 | 0.9 | 0.22 | 0.09 | 0.02 | 9 | 0.3 | 0.12 | 0.04 | 0.02 |
| China, Meihekou City | 22 | 1.0 | 0.21 | 0.11 | 0.03 | 9 | 0.4 | 0.14 | 0.06 | 0.02 |
| *China, Mengjin County | 14 | 1.3 | 0.36 | 0.13 | 0.05 | 6 | 0.5 | 0.21 | 0.08 | 0.03 |
| China, Nangang District, Harbin City | 47 | 1.3 | 0.21 | 0.15 | 0.03 | 29 | 0.6 | 0.11 | 0.06 | 0.02 |
| *China, Nanghai District, Foshan City | 28 | 1.2 | 0.23 | 0.11 | 0.02 | 22 | 0.7 | 0.15 | 0.07 | 0.02 |
| China, Nanhu District, Jiaxing City | 35 | 1.4 | 0.24 | 0.14 | 0.03 | 27 | 1.1 | 0.23 | 0.12 | 0.03 |
| *China, Nantong City | 30 | 0.7 | 0.15 | 0.09 | 0.02 | 33 | 0.6 | 0.11 | 0.07 | 0.01 |
| *China, Nanxiong City | 8 | 0.6 | 0.20 | 0.07 | 0.03 | 7 | 0.4 | 0.15 | 0.05 | 0.02 |
| China, Neixiang County | 24 | 1.0 | 0.21 | 0.10 | 0.03 | 12 | 0.5 | 0.15 | 0.06 | 0.02 |
| *China, Qianxi County | 2 | 0.1 | 0.10 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 30 | 0.7 | 0.19 | 0.07 | 0.01 | 17 | 0.5 | 0.18 | 0.03 | 0.01 |
| China, Qingzhou City | 16 | 0.5 | 0.12 | 0.06 | 0.02 | 15 | 0.5 | 0.13 | 0.06 | 0.02 |
| *China, Rudong County | 23 | 0.6 | 0.19 | 0.05 | 0.01 | 28 | 0.6 | 0.13 | 0.07 | 0.01 |
| *China, Rugao City | 37 | 0.6 | 0.12 | 0.06 | 0.01 | 26 | 0.5 | 0.14 | 0.05 | 0.01 |
| *China, Rural areas of Shanghai City | 432 | 1.1 | 0.07 | 0.12 | 0.01 | 283 | 0.7 | 0.06 | 0.08 | 0.01 |
| China, Ruyang County | 6 | 0.5 | 0.22 | 0.09 | 0.04 | 8 | 0.8 | 0.32 | 0.09 | 0.04 |
| *China, Shan County | 10 | 0.4 | 0.13 | 0.05 | 0.02 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| China, Shanghai City | 388 | 1.3 | 0.09 | 0.14 | 0.01 | 260 | 0.8 | 0.06 | 0.09 | 0.01 |
| China, Shangyu District, Shaoxing City | 31 | 1.0 | 0.19 | 0.12 | 0.02 | 22 | 0.6 | 0.14 | 0.07 | 0.02 |
| *China, Shapingba District, Chongqing City | 23 | 0.7 | 0.15 | 0.08 | 0.02 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Shexian County | 10 | 0.8 | 0.27 | 0.08 | 0.03 | 7 | 0.6 | 0.22 | 0.06 | 0.03 |
| China, Sheyang County | 21 | 0.6 | 0.15 | 0.06 | 0.02 | 17 | 0.4 | 0.11 | 0.05 | 0.01 |
| *China, Shijiazhuang City | 48 | 1.0 | 0.16 | 0.11 | 0.02 | 24 | 0.5 | 0.12 | 0.04 | 0.01 |
| China, Shunde District, Foshan City | 41 | 1.2 | 0.19 | 0.16 | 0.03 | 29 | 0.8 | 0.15 | 0.07 | 0.02 |
| *China, Song County | 9 | 0.6 | 0.20 | 0.07 | 0.03 | 7 | 0.4 | 0.16 | 0.05 | 0.03 |
| China, Suzhou City | 140 | 1.1 | 0.10 | 0.11 | 0.01 | 92 | 0.6 | 0.07 | 0.06 | 0.01 |
| *China, Tengzhou City | 32 | 0.6 | 0.11 | 0.07 | 0.02 | 20 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Wangdu County | 10 | 1.6 | 0.53 | 0.07 | 0.03 | 7 | 1.0 | 0.38 | 0.10 | 0.04 |
| *China, Wanxian County | 5 | 0.5 | 0.21 | 0.04 | 0.02 | 3 | 0.2 | 0.13 | 0.03 | 0.02 |
| *China, Wu'an City | 18 | 0.9 | 0.21 | 0.12 | 0.03 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Wuhan City | 202 | 0.9 | 0.07 | 0.10 | 0.01 | 154 | 0.7 | 0.07 | 0.09 | 0.01 |
| *China, Wuhu City | 26 | 0.5 | 0.10 | 0.05 | 0.01 | 23 | 0.5 | 0.12 | 0.05 | 0.01 |
| China, Wuxi City | 108 | 1.0 | 0.10 | 0.11 | 0.01 | 64 | 0.6 | 0.09 | 0.06 | 0.01 |
| China, Wuzhou City | 9 | 0.5 | 0.17 | 0.07 | 0.02 | 4 | 0.2 | 0.12 | 0.04 | 0.02 |
| China, Xiangfu District, Kaifeng City | 20 | 1.1 | 0.24 | 0.11 | 0.03 | 11 | 0.5 | 0.16 | 0.05 | 0.02 |
| China, Xianju County | 14 | 0.8 | 0.27 | 0.08 | 0.03 | 7 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Xin'an County | 3 | 0.2 | 0.14 | 0.02 | 0.01 | 2 | 0.2 | 0.14 | 0.02 | 0.02 |
| *China, Xining City | 22 | 1.1 | 0.26 | 0.13 | 0.03 | 32 | 1.3 | 0.23 | 0.14 | 0.03 |
| *China, Xinji City | 18 | 0.7 | 0.17 | 0.09 | 0.02 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Xinluo District, Longyan City | 9 | 0.7 | 0.25 | 0.07 | 0.03 | 8 | 0.6 | 0.22 | 0.06 | 0.03 |
| *China, Xinzhou District, Shangrao City | 11 | 0.9 | 0.30 | 0.09 | 0.03 | 6 | 0.4 | 0.18 | 0.06 | 0.03 |
| China, Xiping County | 19 | 0.7 | 0.19 | 0.08 | 0.02 | 14 | 0.6 | 0.19 | 0.06 | 0.02 |
| *China, Xishan District, Kunming City | 14 | 1.5 | 0.55 | 0.10 | 0.03 | 6 | 0.4 | 0.18 | 0.04 | 0.02 |
| *China, Xuyi County | 12 | 0.5 | 0.14 | 0.08 | 0.02 | 9 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Ya'an City | 57 | 1.1 | 0.15 | 0.14 | 0.02 | 28 | 0.6 | 0.11 | 0.05 | 0.01 |
| *China, Yakeshi City | 24 | 1.7 | 0.42 | 0.15 | 0.04 | 13 | 0.8 | 0.26 | 0.10 | 0.03 |
| China, Yancheng City | 25 | 0.5 | 0.09 | 0.06 | 0.01 | 32 | 0.6 | 0.11 | 0.06 | 0.01 |
| *China, Yangquan City | 25 | 1.2 | 0.24 | 0.16 | 0.04 | 15 | 0.7 | 0.18 | 0.09 | 0.03 |
| *China, Yangzhong City | 2 | 0.2 | 0.14 | 0.02 | 0.02 | 2 | 0.6 | 0.48 | 0.03 | 0.02 |
| *China, Yanji City | 11 | 0.5 | 0.16 | 0.05 | 0.02 | 5 | 0.2 | 0.08 | 0.01 | 0.01 |
| *China, Yanshi City | 25 | 1.2 | 0.24 | 0.12 | 0.03 | 9 | 0.3 | 0.12 | 0.04 | 0.01 |
| China, Yanting County | 15 | 0.8 | 0.20 | 0.11 | 0.03 | 5 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Yi'an District, Tongling City | 3 | 0.6 | 0.37 | 0.04 | 0.03 | 7 | 0.9 | 0.35 | 0.10 | 0.04 |
| *China, Yingdong District, Fuyang City | 10 | 0.6 | 0.20 | 0.05 | 0.02 | 9 | 0.5 | 0.17 | 0.06 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other thoracic organs (C37–38) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 8 | 0.9 | 0.33 | 0.11 | 0.04 | 8 | 0.9 | 0.33 | 0.08 | 0.04 |
| *China, Yiyuan County | 10 | 0.5 | 0.15 | 0.05 | 0.02 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Yong'an City | 13 | 1.1 | 0.31 | 0.13 | 0.04 | 7 | 0.7 | 0.27 | 0.07 | 0.03 |
| *China, Yongding District, Longyan City | 10 | 0.6 | 0.19 | 0.06 | 0.02 | 9 | 0.5 | 0.17 | 0.05 | 0.02 |
| China, Yongkang City | 24 | 1.2 | 0.27 | 0.12 | 0.03 | 14 | 0.6 | 0.16 | 0.06 | 0.02 |
| *China, Yucheng County | 9 | 0.4 | 0.15 | 0.03 | 0.01 | 30 | 1.6 | 0.30 | 0.15 | 0.03 |
| China, Yueyanglou District, Yueyang City | 5 | 0.5 | 0.21 | 0.07 | 0.03 | 2 | 0.2 | 0.12 | 0.02 | 0.01 |
| China, Yunmeng County | 9 | 0.5 | 0.17 | 0.05 | 0.02 | 7 | 0.4 | 0.15 | 0.05 | 0.02 |
| *China, Yunyang District, Shiyuan City | 6 | 0.5 | 0.23 | 0.07 | 0.04 | 8 | 0.7 | 0.26 | 0.06 | 0.02 |
| China, Yuzhong District, Chongqing City | 21 | 1.2 | 0.34 | 0.11 | 0.03 | 15 | 0.6 | 0.17 | 0.07 | 0.02 |
| *China, Zhanhuang County | 2 | 0.3 | 0.20 | 0.03 | 0.03 | 4 | 0.5 | 0.27 | 0.09 | 0.05 |
| *China, Zhangjiagang City | 51 | 1.2 | 0.20 | 0.13 | 0.02 | 36 | 0.9 | 0.15 | 0.10 | 0.02 |
| *China, Zhaoyuan City | 18 | 0.7 | 0.17 | 0.08 | 0.02 | 7 | 0.3 | 0.14 | 0.03 | 0.01 |
| *China, Zhengding County | 5 | 0.4 | 0.16 | 0.04 | 0.02 | 9 | 0.6 | 0.21 | 0.07 | 0.02 |
| *China, Zhongshan City | 56 | 1.1 | 0.15 | 0.11 | 0.02 | 30 | 0.6 | 0.11 | 0.06 | 0.01 |
| China, Zhongxiang City | 33 | 1.1 | 0.22 | 0.13 | 0.03 | 32 | 1.0 | 0.19 | 0.11 | 0.02 |
| *China, Zhuanghe City | 15 | 0.5 | 0.18 | 0.04 | 0.01 | 11 | 0.4 | 0.18 | 0.03 | 0.01 |
| *China, Zhuhai City | 28 | 0.8 | 0.16 | 0.10 | 0.02 | 23 | 0.6 | 0.12 | 0.06 | 0.02 |
| India, Ahmedabad, Urban | 23 | 0.2 | 0.04 | 0.02 | 0.01 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Aurangabad | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| India, Bangalore | 34 | 0.3 | 0.05 | 0.03 | 0.01 | 27 | 0.2 | 0.05 | 0.02 | 0.00 |
| India, Barshi, Paranda, and Bhum | 5 | 0.3 | 0.13 | 0.03 | 0.02 | 4 | 0.2 | 0.12 | 0.02 | 0.02 |
| *India, Bhopal | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.09 | 0.02 | 0.01 |
| *India, Chennai | 43 | 0.4 | 0.05 | 0.05 | 0.01 | 21 | 0.2 | 0.04 | 0.02 | 0.00 |
| India, Dibrugarh | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| *India, Dindigul, Ambilikai | 6 | 0.1 | 0.04 | 0.01 | 0.00 | 8 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, Kamrup Urban District | 18 | 0.7 | 0.18 | 0.11 | 0.03 | 5 | 0.2 | 0.10 | 0.03 | 0.02 |
| India, Kollam | 18 | 0.4 | 0.09 | 0.03 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| *India, Manipur | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| India, Meghalaya | 12 | 0.5 | 0.14 | 0.04 | 0.01 | 3 | 0.1 | 0.06 | 0.02 | 0.01 |
| India, Mizoram | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | 42 | 0.1 | 0.02 | 0.02 | 0.00 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| *India, New Delhi | 77 | 0.3 | 0.04 | 0.04 | 0.01 | 57 | 0.3 | 0.04 | 0.03 | 0.01 |
| India, Poona | 8 | 0.1 | 0.02 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *India, Sangrur District | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| India, SAS Nagar | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| *India, Tamil Nadu | 407 | 0.2 | 0.01 | 0.02 | 0.00 | 268 | 0.1 | 0.01 | 0.01 | 0.00 |
| *India, Tripura | 15 | 0.2 | 0.07 | 0.04 | 0.01 | 9 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, Trivandrum | 19 | 0.2 | 0.06 | 0.02 | 0.01 | 16 | 0.2 | 0.04 | 0.02 | 0.00 |
| India, Wardha | 12 | 0.3 | 0.09 | 0.03 | 0.01 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| India, West Arunachal | 5 | 0.5 | 0.26 | 0.07 | 0.04 | 2 | 0.3 | 0.21 | 0.06 | 0.05 |
| *Iran (Islamic Republic of), Ardabil Province | 6 | 0.3 | 0.13 | 0.02 | 0.01 | 6 | 0.4 | 0.15 | 0.04 | 0.02 |
| *Iran (Islamic Republic of), Golestan Province | 11 | 0.5 | 0.15 | 0.06 | 0.02 | 9 | 0.4 | 0.13 | 0.05 | 0.02 |
| Israel | 132 | 0.6 | 0.05 | 0.06 | 0.01 | 94 | 0.4 | 0.04 | 0.04 | 0.00 |
| *Israel: Jews | 101 | 0.5 | 0.06 | 0.05 | 0.01 | 75 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Israel: Arabs | 21 | 0.6 | 0.15 | 0.08 | 0.02 | 12 | 0.3 | 0.10 | 0.03 | 0.01 |
| Japan | 3404 | 1.0 | 0.02 | 0.11 | 0.00 | 2322 | 0.6 | 0.02 | 0.07 | 0.00 |
| Japan, Aichi Prefecture | 219 | 1.2 | 0.10 | 0.12 | 0.01 | 124 | 0.6 | 0.07 | 0.07 | 0.01 |
| *Japan, Akita Prefecture | 21 | 0.6 | 0.17 | 0.06 | 0.02 | 22 | 0.8 | 0.21 | 0.08 | 0.02 |
| Japan, Aomori Prefecture | 53 | 1.1 | 0.20 | 0.10 | 0.02 | 33 | 0.3 | 0.08 | 0.04 | 0.01 |
| Japan, Gunma Prefecture | 45 | 0.9 | 0.15 | 0.10 | 0.02 | 30 | 0.5 | 0.12 | 0.05 | 0.01 |
| Japan, Hiroshima Prefecture | 131 | 1.3 | 0.15 | 0.14 | 0.01 | 83 | 0.6 | 0.08 | 0.07 | 0.01 |
| Japan, Miyagi Prefecture | 103 | 1.0 | 0.12 | 0.10 | 0.01 | 85 | 0.8 | 0.11 | 0.09 | 0.01 |
| Japan, Osaka Prefecture | 215 | 1.0 | 0.08 | 0.10 | 0.01 | 112 | 0.5 | 0.06 | 0.05 | 0.01 |
| Kuwait | 24 | 0.3 | 0.08 | 0.03 | 0.01 | 12 | 0.3 | 0.09 | 0.05 | 0.02 |
| *Kuwait: Kuwaitis | 9 | 0.4 | 0.12 | 0.02 | 0.01 | 7 | 0.3 | 0.12 | 0.04 | 0.02 |
| *Kuwait: Non-Kuwaitis | 15 | 0.3 | 0.10 | 0.04 | 0.02 | 5 | 0.3 | 0.17 | 0.06 | 0.04 |
| *Philippines, Manila | 48 | 0.4 | 0.06 | 0.04 | 0.01 | 54 | 0.4 | 0.05 | 0.05 | 0.01 |
| *Qatar: Qatari | 2 | 0.4 | 0.29 | 0.01 | 0.01 | 2 | 0.3 | 0.22 | 0.03 | 0.02 |
| Republic of Korea | 2151 | 1.3 | 0.03 | 0.13 | 0.00 | 1481 | 0.8 | 0.02 | 0.08 | 0.00 |
| *Republic of Korea, Busan | 148 | 1.2 | 0.11 | 0.12 | 0.01 | 96 | 0.7 | 0.09 | 0.07 | 0.01 |
| *Republic of Korea, Daegu | 104 | 1.3 | 0.13 | 0.13 | 0.01 | 69 | 0.8 | 0.12 | 0.07 | 0.01 |
| *Republic of Korea, Daejeon | 60 | 1.3 | 0.19 | 0.12 | 0.02 | 57 | 1.1 | 0.15 | 0.13 | 0.02 |
| *Republic of Korea, Gwangju | 65 | 1.4 | 0.19 | 0.14 | 0.02 | 47 | 1.0 | 0.17 | 0.11 | 0.02 |
| Republic of Korea, Incheon | 101 | 1.1 | 0.13 | 0.12 | 0.01 | 96 | 0.9 | 0.10 | 0.10 | 0.01 |
| Republic of Korea, Jeju | 37 | 2.0 | 0.38 | 0.17 | 0.03 | 16 | 0.6 | 0.16 | 0.07 | 0.02 |
| Republic of Korea, Seoul | 436 | 1.3 | 0.07 | 0.13 | 0.01 | 299 | 0.8 | 0.06 | 0.08 | 0.01 |
| Republic of Korea, Ulsan | 46 | 1.3 | 0.21 | 0.12 | 0.02 | 24 | 0.9 | 0.21 | 0.06 | 0.01 |
| Singapore | 169 | 1.4 | 0.11 | 0.14 | 0.01 | 103 | 0.6 | 0.06 | 0.08 | 0.01 |
| Singapore: Chinese | 141 | 1.4 | 0.13 | 0.14 | 0.01 | 87 | 0.7 | 0.07 | 0.08 | 0.01 |
| Singapore: Indian | 6 | 0.5 | 0.21 | 0.05 | 0.02 | 1 | 0.1 | 0.11 | 0.02 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other thoracic organs (C37–38) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 17 | 1.3 | 0.33 | 0.12 | 0.04 | 12 | 0.7 | 0.21 | 0.07 | 0.02 |
| Thailand, Bangkok | 95 | 0.5 | 0.06 | 0.05 | 0.01 | 63 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Thailand, Chiang Mai | 16 | 0.4 | 0.12 | 0.03 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Thailand, Khon Kaen | 21 | 0.4 | 0.10 | 0.04 | 0.01 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| Thailand, Lampang | 4 | 0.3 | 0.14 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| Thailand, Lopburi Province | 25 | 1.1 | 0.23 | 0.10 | 0.03 | 16 | 0.6 | 0.14 | 0.05 | 0.02 |
| *Thailand, Songkhla | 9 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| Turkey, Antalya | 33 | 0.6 | 0.10 | 0.07 | 0.01 | 22 | 0.3 | 0.07 | 0.04 | 0.01 |
| Turkey, Bursa | 16 | 0.2 | 0.05 | 0.02 | 0.01 | 11 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Turkey, Edirne | 11 | 0.8 | 0.24 | 0.09 | 0.03 | 3 | 0.2 | 0.09 | 0.01 | 0.01 |
| *Turkey, Erzurum | 5 | 0.3 | 0.14 | 0.04 | 0.02 | 11 | 0.5 | 0.16 | 0.07 | 0.02 |
| Turkey, Eskişehir | 6 | 0.2 | 0.10 | 0.04 | 0.02 | 8 | 0.3 | 0.11 | 0.04 | 0.01 |
| Turkey, Gaziantep | 29 | 0.7 | 0.14 | 0.08 | 0.02 | 11 | 0.3 | 0.09 | 0.04 | 0.01 |
| *Turkey, Izmir | 66 | 0.5 | 0.06 | 0.05 | 0.01 | 59 | 0.4 | 0.06 | 0.05 | 0.01 |
| Turkey, Malatya | 14 | 0.6 | 0.17 | 0.09 | 0.03 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| Turkey, Samsun | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| Turkey, Trabzon | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| Europe | | | | | | | | | | |
| Austria | 318 | 0.9 | 0.05 | 0.10 | 0.01 | 239 | 0.6 | 0.04 | 0.07 | 0.01 |
| Austria, Carinthia | 15 | 0.5 | 0.14 | 0.04 | 0.02 | 9 | 0.2 | 0.09 | 0.03 | 0.01 |
| Austria, Tyrol | 13 | 0.4 | 0.11 | 0.05 | 0.02 | 10 | 0.3 | 0.10 | 0.03 | 0.01 |
| Austria, Vorarlberg | 9 | 0.5 | 0.17 | 0.06 | 0.03 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| Belarus | 147 | 0.6 | 0.05 | 0.05 | 0.01 | 113 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Belgium | 280 | 0.7 | 0.05 | 0.07 | 0.00 | 201 | 0.4 | 0.03 | 0.05 | 0.00 |
| Croatia | 58 | 0.4 | 0.05 | 0.04 | 0.01 | 41 | 0.2 | 0.03 | 0.02 | 0.00 |
| Cyprus | 20 | 0.8 | 0.19 | 0.08 | 0.02 | 10 | 0.4 | 0.16 | 0.04 | 0.01 |
| *Czech Republic | 272 | 0.6 | 0.04 | 0.07 | 0.00 | 204 | 0.4 | 0.03 | 0.04 | 0.00 |
| Denmark | 65 | 0.2 | 0.03 | 0.03 | 0.00 | 40 | 0.1 | 0.02 | 0.02 | 0.00 |
| Estonia | 25 | 0.5 | 0.11 | 0.06 | 0.01 | 17 | 0.4 | 0.11 | 0.04 | 0.01 |
| Finland | 99 | 0.4 | 0.04 | 0.04 | 0.01 | 114 | 0.4 | 0.05 | 0.04 | 0.00 |
| *France, Bas-Rhin | 27 | 0.8 | 0.16 | 0.09 | 0.02 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| *France, Calvados | 19 | 0.7 | 0.17 | 0.07 | 0.02 | 11 | 0.4 | 0.13 | 0.05 | 0.02 |
| *France, Doubs | 20 | 0.9 | 0.21 | 0.11 | 0.03 | 18 | 0.7 | 0.19 | 0.06 | 0.02 |
| *France, Gironde | 34 | 0.6 | 0.12 | 0.06 | 0.01 | 23 | 0.3 | 0.07 | 0.03 | 0.01 |
| *France, Haut-Rhin | 16 | 0.5 | 0.13 | 0.05 | 0.01 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *France, Hérault | 33 | 0.7 | 0.14 | 0.09 | 0.02 | 24 | 0.5 | 0.11 | 0.06 | 0.01 |
| *France, Isère | 33 | 0.7 | 0.14 | 0.07 | 0.01 | 21 | 0.4 | 0.09 | 0.05 | 0.01 |
| *France, Lille-Métropole | 27 | 0.9 | 0.19 | 0.11 | 0.03 | 16 | 0.5 | 0.12 | 0.06 | 0.02 |
| *France, Limousin | 5 | 0.4 | 0.21 | 0.03 | 0.02 | 8 | 0.5 | 0.21 | 0.05 | 0.02 |
| *France, Loire-Atlantique | 56 | 1.0 | 0.15 | 0.11 | 0.02 | 28 | 0.4 | 0.10 | 0.05 | 0.01 |
| *France, Manche | 12 | 0.7 | 0.25 | 0.07 | 0.02 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *France, Poitou-Charentes | 60 | 0.7 | 0.11 | 0.08 | 0.01 | 41 | 0.4 | 0.07 | 0.04 | 0.01 |
| *France, Somme | 23 | 1.0 | 0.21 | 0.14 | 0.03 | 12 | 0.5 | 0.15 | 0.05 | 0.02 |
| *France, Tarn | 15 | 0.9 | 0.32 | 0.07 | 0.03 | 8 | 0.3 | 0.13 | 0.02 | 0.01 |
| *France, Territoire de Belfort | 1 | 0.1 | 0.12 | 0.00 | 0.00 | 2 | 0.3 | 0.22 | 0.03 | 0.03 |
| *France, Vendée | 36 | 1.3 | 0.27 | 0.12 | 0.03 | 14 | 0.4 | 0.11 | 0.04 | 0.01 |
| Germany, Baden-Württemberg | 192 | 0.6 | 0.05 | 0.08 | 0.01 | 174 | 0.5 | 0.04 | 0.07 | 0.01 |
| Germany, Bavaria | 293 | 0.5 | 0.03 | 0.05 | 0.00 | 198 | 0.3 | 0.02 | 0.03 | 0.00 |
| Germany, Bremen | 8 | 0.3 | 0.10 | 0.03 | 0.01 | 9 | 0.3 | 0.17 | 0.03 | 0.01 |
| Germany, Hamburg | 27 | 0.3 | 0.06 | 0.03 | 0.01 | 24 | 0.3 | 0.06 | 0.02 | 0.01 |
| Germany, Lower Saxony | 147 | 0.4 | 0.04 | 0.04 | 0.00 | 113 | 0.3 | 0.04 | 0.03 | 0.00 |
| Germany, North Rhine-Westphalia | 294 | 0.4 | 0.02 | 0.04 | 0.00 | 222 | 0.2 | 0.02 | 0.03 | 0.00 |
| Germany, Rhineland-Palatinate | 189 | 0.8 | 0.06 | 0.08 | 0.01 | 105 | 0.5 | 0.07 | 0.05 | 0.01 |
| Germany, Saarland | 37 | 0.8 | 0.16 | 0.08 | 0.02 | 21 | 0.5 | 0.14 | 0.06 | 0.01 |
| Germany, Schleswig-Holstein | 49 | 0.3 | 0.05 | 0.04 | 0.01 | 33 | 0.2 | 0.04 | 0.02 | 0.01 |
| Iceland | 2 | 0.2 | 0.13 | 0.03 | 0.02 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| Ireland | 63 | 0.4 | 0.05 | 0.03 | 0.01 | 39 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Italy, Aosta Valley | 8 | 2.1 | 0.85 | 0.19 | 0.08 | 3 | 0.3 | 0.17 | 0.04 | 0.04 |
| *Italy, Avellino | 9 | 0.6 | 0.24 | 0.06 | 0.03 | 7 | 0.7 | 0.29 | 0.07 | 0.03 |
| Italy, Basilicata | 20 | 0.9 | 0.28 | 0.07 | 0.02 | 9 | 0.3 | 0.11 | 0.03 | 0.01 |
| *Italy, Benevento | 7 | 0.6 | 0.24 | 0.06 | 0.03 | 4 | 0.4 | 0.27 | 0.05 | 0.03 |
| Italy, Bergamo | 41 | 0.7 | 0.12 | 0.07 | 0.02 | 32 | 0.4 | 0.09 | 0.03 | 0.01 |
| *Italy, Brescia | 34 | 0.7 | 0.16 | 0.06 | 0.01 | 29 | 0.4 | 0.10 | 0.05 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 21 | 0.6 | 0.13 | 0.06 | 0.02 | 14 | 0.2 | 0.08 | 0.02 | 0.01 |
| Italy, Calabria | 13 | 0.5 | 0.15 | 0.06 | 0.02 | 10 | 0.4 | 0.15 | 0.05 | 0.02 |
| *Italy, Caserta | 18 | 0.7 | 0.18 | 0.07 | 0.02 | 9 | 0.3 | 0.14 | 0.03 | 0.01 |
| *Italy, Catania, Messina, and Enna | 46 | 0.5 | 0.09 | 0.05 | 0.01 | 37 | 0.4 | 0.09 | 0.04 | 0.01 |
| Italy, Emilia-Romagna | 156 | 0.8 | 0.08 | 0.07 | 0.01 | 125 | 0.5 | 0.06 | 0.06 | 0.01 |
| Italy, Friuli-Venezia Giulia | 32 | 0.5 | 0.13 | 0.04 | 0.01 | 15 | 0.1 | 0.04 | 0.02 | 0.01 |
| Italy, Genova | 58 | 1.0 | 0.17 | 0.08 | 0.02 | 19 | 0.5 | 0.14 | 0.05 | 0.02 |
| *Italy, Lombardy, South, Pavia | 40 | 1.2 | 0.21 | 0.14 | 0.03 | 28 | 0.9 | 0.22 | 0.11 | 0.03 |
| Italy, Mantova and Cremona | 16 | 0.6 | 0.17 | 0.04 | 0.01 | 20 | 0.6 | 0.15 | 0.06 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other thoracic organs (C37–38) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 40 | 0.9 | <i>0.18</i> | 0.09 | <i>0.02</i> | 24 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| Italy, Milan | 159 | 0.9 | <i>0.09</i> | 0.09 | <i>0.01</i> | 128 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> |
| Italy, Molise | 13 | 1.6 | <i>0.51</i> | 0.19 | <i>0.06</i> | 5 | 0.4 | <i>0.20</i> | 0.06 | <i>0.03</i> |
| *Italy, Naples Centre | 23 | 1.0 | <i>0.22</i> | 0.13 | <i>0.03</i> | 15 | 0.5 | <i>0.13</i> | 0.05 | <i>0.02</i> |
| *Italy, Naples North | 17 | 0.6 | <i>0.15</i> | 0.07 | <i>0.02</i> | 17 | 0.5 | <i>0.14</i> | 0.05 | <i>0.01</i> |
| *Italy, Naples South | 60 | 1.4 | <i>0.20</i> | 0.13 | <i>0.02</i> | 34 | 0.7 | <i>0.14</i> | 0.07 | <i>0.02</i> |
| *Italy, Nuoro | 3 | 0.4 | <i>0.25</i> | 0.06 | <i>0.04</i> | 3 | 0.1 | <i>0.08</i> | 0.00 | <i>0.00</i> |
| *Italy, Palermo | 38 | 0.5 | <i>0.09</i> | 0.06 | <i>0.01</i> | 24 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Italy, Puglia | 146 | 0.8 | <i>0.08</i> | 0.09 | <i>0.01</i> | 102 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> |
| *Italy, Ragusa and Caltanissetta | 16 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> | 14 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| *Italy, Salerno | 12 | 0.4 | <i>0.15</i> | 0.03 | <i>0.01</i> | 9 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| Italy, Sassari | 11 | 1.2 | <i>0.38</i> | 0.13 | <i>0.05</i> | 5 | 0.5 | <i>0.25</i> | 0.07 | <i>0.03</i> |
| *Italy, Sondrio | 11 | 0.9 | <i>0.31</i> | 0.11 | <i>0.04</i> | 12 | 0.9 | <i>0.29</i> | 0.11 | <i>0.04</i> |
| Italy, South Tyrol | 11 | 0.4 | <i>0.13</i> | 0.03 | <i>0.01</i> | 7 | 0.4 | <i>0.17</i> | 0.04 | <i>0.02</i> |
| *Italy, Syracuse | 13 | 0.6 | <i>0.19</i> | 0.05 | <i>0.02</i> | 9 | 0.6 | <i>0.31</i> | 0.04 | <i>0.02</i> |
| Italy, Trento | 21 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> | 12 | 0.4 | <i>0.12</i> | 0.04 | <i>0.01</i> |
| Italy, Turin | 108 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 68 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| *Italy, Tuscany | 93 | 1.0 | <i>0.14</i> | 0.09 | <i>0.01</i> | 56 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| Italy, Umbria | 20 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> | 19 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> |
| Italy, Varese | 22 | 0.9 | <i>0.27</i> | 0.07 | <i>0.02</i> | 15 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> |
| Italy, Veneto | 179 | 0.7 | <i>0.06</i> | 0.06 | <i>0.01</i> | 112 | 0.4 | <i>0.05</i> | 0.03 | <i>0.00</i> |
| Latvia | 47 | 0.7 | <i>0.12</i> | 0.08 | <i>0.01</i> | 46 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| *Liechtenstein | 1 | 0.6 | <i>0.57</i> | 0.10 | <i>0.10</i> | 1 | 0.6 | <i>0.56</i> | 0.07 | <i>0.07</i> |
| *Lithuania | 57 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> | 43 | 0.4 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Malta | 15 | 0.7 | <i>0.21</i> | 0.07 | <i>0.02</i> | 7 | 0.4 | <i>0.18</i> | 0.05 | <i>0.02</i> |
| *The Netherlands | 352 | 0.5 | <i>0.03</i> | 0.04 | <i>0.00</i> | 213 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| Norway | 98 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | 56 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| Poland, Kielce | 25 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | 20 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| *Portugal, Azores | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Russian Federation, Arkhangelsk | 30 | 0.8 | <i>0.16</i> | 0.08 | <i>0.02</i> | 24 | 0.5 | <i>0.13</i> | 0.05 | <i>0.01</i> |
| Russian Federation, Kaliningrad | 21 | 0.8 | <i>0.17</i> | 0.10 | <i>0.02</i> | 10 | 0.4 | <i>0.16</i> | 0.03 | <i>0.01</i> |
| Russian Federation, Karelia | 16 | 0.9 | <i>0.22</i> | 0.13 | <i>0.04</i> | 10 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| *Russian Federation, Komi Republic | 17 | 0.8 | <i>0.20</i> | 0.08 | <i>0.03</i> | 18 | 0.6 | <i>0.15</i> | 0.06 | <i>0.02</i> |
| Russian Federation, Murmansk | 16 | 1.0 | <i>0.26</i> | 0.07 | <i>0.03</i> | 9 | 0.5 | <i>0.20</i> | 0.03 | <i>0.01</i> |
| *Russian Federation, Orenburg | 65 | 1.0 | <i>0.13</i> | 0.12 | <i>0.02</i> | 36 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Russian Federation, Pskov | 10 | 0.5 | <i>0.15</i> | 0.07 | <i>0.02</i> | 12 | 0.3 | <i>0.11</i> | 0.03 | <i>0.01</i> |
| *Russian Federation, Samara | 78 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 74 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| Russian Federation, Vologda Region | 20 | 0.5 | <i>0.12</i> | 0.06 | <i>0.01</i> | 7 | 0.2 | <i>0.08</i> | 0.01 | <i>0.00</i> |
| Slovenia | 40 | 0.5 | <i>0.09</i> | 0.06 | <i>0.01</i> | 37 | 0.5 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| Spain, Asturias | 18 | 0.6 | <i>0.17</i> | 0.06 | <i>0.02</i> | 13 | 0.3 | <i>0.12</i> | 0.04 | <i>0.02</i> |
| Spain, Basque Country | 51 | 0.6 | <i>0.11</i> | 0.06 | <i>0.01</i> | 29 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Spain, Canary Islands | 28 | 0.6 | <i>0.14</i> | 0.06 | <i>0.01</i> | 12 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Spain, Castellón | 19 | 0.7 | <i>0.16</i> | 0.05 | <i>0.02</i> | 7 | 0.3 | <i>0.11</i> | 0.03 | <i>0.01</i> |
| Spain, Girona | 31 | 1.0 | <i>0.22</i> | 0.10 | <i>0.02</i> | 7 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| Spain, Granada | 22 | 0.6 | <i>0.14</i> | 0.08 | <i>0.02</i> | 17 | 0.4 | <i>0.11</i> | 0.06 | <i>0.02</i> |
| Spain, La Rioja | 3 | 0.2 | <i>0.13</i> | 0.02 | <i>0.01</i> | 4 | 0.4 | <i>0.34</i> | 0.03 | <i>0.02</i> |
| Spain, Murcia | 36 | 0.8 | <i>0.14</i> | 0.09 | <i>0.02</i> | 13 | 0.3 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| Spain, Navarra | 19 | 1.1 | <i>0.31</i> | 0.11 | <i>0.03</i> | 10 | 0.3 | <i>0.12</i> | 0.02 | <i>0.01</i> |
| Spain, Salamanca | 6 | 0.3 | <i>0.15</i> | 0.04 | <i>0.02</i> | 6 | 0.3 | <i>0.12</i> | 0.03 | <i>0.02</i> |
| Spain, Tarragona | 28 | 0.9 | <i>0.21</i> | 0.07 | <i>0.02</i> | 18 | 0.4 | <i>0.11</i> | 0.06 | <i>0.02</i> |
| *Sweden | 76 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> | 60 | 0.1 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| Switzerland, Aargau | 15 | 0.6 | <i>0.18</i> | 0.07 | <i>0.02</i> | 3 | 0.3 | <i>0.21</i> | 0.02 | <i>0.01</i> |
| Switzerland, Basel | 8 | 0.4 | <i>0.14</i> | 0.04 | <i>0.02</i> | 10 | 0.4 | <i>0.13</i> | 0.05 | <i>0.02</i> |
| Switzerland, Berne Solothurn | 17 | 0.4 | <i>0.12</i> | 0.04 | <i>0.01</i> | 12 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| Switzerland, East | 19 | 0.6 | <i>0.16</i> | 0.05 | <i>0.01</i> | 9 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| *Switzerland, Fribourg | 11 | 1.0 | <i>0.34</i> | 0.09 | <i>0.03</i> | 4 | 0.2 | <i>0.10</i> | 0.01 | <i>0.01</i> |
| Switzerland, Geneva | 14 | 0.9 | <i>0.27</i> | 0.08 | <i>0.03</i> | 13 | 0.6 | <i>0.17</i> | 0.06 | <i>0.02</i> |
| *Switzerland, Graubünden and Glarus | 20 | 1.4 | <i>0.34</i> | 0.15 | <i>0.05</i> | 4 | 0.3 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| *Switzerland, Lucerne | 10 | 0.5 | <i>0.17</i> | 0.05 | <i>0.02</i> | 12 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> |
| *Switzerland, Neuchâtel and Jura | 6 | 0.7 | <i>0.29</i> | 0.08 | <i>0.03</i> | 6 | 0.5 | <i>0.24</i> | 0.05 | <i>0.02</i> |
| Switzerland, Ticino | 10 | 0.6 | <i>0.22</i> | 0.05 | <i>0.02</i> | 8 | 0.5 | <i>0.17</i> | 0.06 | <i>0.02</i> |
| Switzerland, Valais | 8 | 0.5 | <i>0.20</i> | 0.06 | <i>0.03</i> | 6 | 0.3 | <i>0.13</i> | 0.04 | <i>0.02</i> |
| Switzerland, Vaud | 19 | 0.7 | <i>0.17</i> | 0.07 | <i>0.02</i> | 12 | 0.4 | <i>0.12</i> | 0.04 | <i>0.01</i> |
| Switzerland, Zurich and Zug | 34 | 0.6 | <i>0.11</i> | 0.06 | <i>0.01</i> | 16 | 0.2 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Ukraine | 830 | 0.8 | <i>0.03</i> | 0.08 | <i>0.00</i> | 527 | 0.4 | <i>0.02</i> | 0.04 | <i>0.00</i> |
| UK, England | 987 | 0.5 | <i>0.02</i> | 0.05 | <i>0.00</i> | 733 | 0.3 | <i>0.01</i> | 0.03 | <i>0.00</i> |
| UK, Northern Ireland | 40 | 0.5 | <i>0.08</i> | 0.04 | <i>0.01</i> | 20 | 0.2 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| UK, Scotland | 87 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | 67 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| UK, Wales | 31 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> | 26 | 0.2 | <i>0.05</i> | 0.02 | <i>0.00</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 154 | 0.5 | <i>0.05</i> | 0.05 | <i>0.00</i> | 104 | 0.3 | <i>0.04</i> | 0.04 | <i>0.00</i> |
| *Australia, Northern Territory | 4 | 0.7 | <i>0.36</i> | 0.07 | <i>0.05</i> | 3 | 0.6 | <i>0.34</i> | 0.13 | <i>0.08</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other thoracic organs (C37–38) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 3 | 0.8 | <i>0.47</i> | 0.08 | <i>0.05</i> | 2 | 0.5 | <i>0.36</i> | 0.13 | <i>0.09</i> |
| *Australia, Northern Territory: Indigenous | 1 | 1.5 | <i>1.50</i> | 0.00 | <i>0.00</i> | 1 | 1.0 | <i>0.96</i> | 0.16 | <i>0.16</i> |
| *Australia, Queensland | 123 | 0.7 | <i>0.07</i> | 0.08 | <i>0.01</i> | 91 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| Australia, South Australia | 35 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> | 27 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> |
| Australia, Tasmania | 12 | 0.6 | <i>0.18</i> | 0.05 | <i>0.02</i> | 8 | 0.3 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| *Australia, Victoria | 83 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 46 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *Australia, Western Australia | 43 | 0.5 | <i>0.09</i> | 0.04 | <i>0.01</i> | 12 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| *France, New Caledonia | 12 | 1.4 | <i>0.42</i> | 0.18 | <i>0.06</i> | 4 | 0.5 | <i>0.26</i> | 0.05 | <i>0.03</i> |
| New Zealand | 88 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> | 67 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| *New Zealand: Maori | 18 | 1.1 | <i>0.27</i> | 0.16 | <i>0.04</i> | 16 | 0.8 | <i>0.21</i> | 0.10 | <i>0.03</i> |
| *New Zealand: Pacific peoples | 6 | 0.8 | <i>0.31</i> | 0.06 | <i>0.03</i> | 3 | 0.4 | <i>0.26</i> | 0.07 | <i>0.04</i> |
| *New Zealand: Other | 51 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> | 41 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| USA, Hawaii | 39 | 0.8 | <i>0.14</i> | 0.07 | <i>0.01</i> | 28 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> |
| USA, Hawaii: White | 6 | 0.6 | <i>0.33</i> | 0.04 | <i>0.02</i> | 4 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *USA, Hawaii: Japanese | 12 | 1.2 | <i>0.40</i> | 0.12 | <i>0.04</i> | 10 | 0.9 | <i>0.51</i> | 0.08 | <i>0.04</i> |
| *USA, Hawaii: Chinese | 3 | 0.5 | <i>0.34</i> | 0.04 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 10 | 1.2 | <i>0.37</i> | 0.10 | <i>0.04</i> | 7 | 0.8 | <i>0.30</i> | 0.08 | <i>0.04</i> |
| *USA, Hawaii: Filipino | 6 | 0.8 | <i>0.35</i> | 0.07 | <i>0.03</i> | 6 | 0.7 | <i>0.31</i> | 0.08 | <i>0.04</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bone (C40–41)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 16 | 0.9 | 0.25 | 0.07 | 0.02 | 23 | 1.3 | 0.28 | 0.11 | 0.03 |
| *Algeria, Tizi Ouzou | 18 | 1.2 | 0.29 | 0.11 | 0.03 | 19 | 1.1 | 0.26 | 0.08 | 0.02 |
| *Benin, Cotonou | 13 | 1.9 | 0.59 | 0.25 | 0.10 | 20 | 2.3 | 0.57 | 0.25 | 0.08 |
| *France, La Réunion | 20 | 1.1 | 0.25 | 0.10 | 0.03 | 18 | 0.9 | 0.24 | 0.08 | 0.02 |
| *Kenya, Eldoret | 24 | 1.2 | 0.27 | 0.08 | 0.03 | 13 | 0.6 | 0.20 | 0.05 | 0.02 |
| *Kenya, Nairobi | 61 | 1.2 | 0.21 | 0.12 | 0.03 | 49 | 1.5 | 0.29 | 0.19 | 0.05 |
| Mauritius | 50 | 1.5 | 0.22 | 0.15 | 0.02 | 31 | 0.8 | 0.15 | 0.06 | 0.01 |
| *Morocco, Casablanca | 91 | 0.9 | 0.09 | 0.07 | 0.01 | 78 | 0.7 | 0.09 | 0.06 | 0.01 |
| *Seychelles | 6 | 2.6 | 1.11 | 0.19 | 0.08 | 3 | 1.6 | 0.96 | 0.17 | 0.11 |
| *South Africa, Eastern Cape | 3 | 0.2 | 0.15 | 0.03 | 0.02 | 6 | 0.4 | 0.17 | 0.04 | 0.02 |
| *Uganda, Kyadondo County | 47 | 1.0 | 0.21 | 0.08 | 0.03 | 21 | 0.4 | 0.11 | 0.03 | 0.01 |
| *Uganda, Gulu | 4 | 0.4 | 0.22 | 0.03 | 0.02 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Zimbabwe, Bulawayo: African | 19 | 1.5 | 0.38 | 0.13 | 0.04 | 20 | 1.3 | 0.30 | 0.09 | 0.03 |
| *Zimbabwe, Harare: African | 57 | 2.2 | 0.36 | 0.23 | 0.05 | 43 | 1.2 | 0.22 | 0.11 | 0.03 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 19 | 0.8 | 0.20 | 0.08 | 0.02 | 18 | 0.8 | 0.20 | 0.08 | 0.02 |
| *Argentina, Mendoza | 75 | 1.6 | 0.19 | 0.15 | 0.02 | 67 | 1.2 | 0.16 | 0.11 | 0.02 |
| Brazil, Aracaju | 7 | 0.6 | 0.23 | 0.04 | 0.01 | 8 | 0.6 | 0.22 | 0.04 | 0.02 |
| *Brazil, Barretos | 10 | 0.9 | 0.28 | 0.07 | 0.02 | 15 | 1.3 | 0.35 | 0.10 | 0.03 |
| Brazil, Belo Horizonte | 80 | 1.3 | 0.15 | 0.11 | 0.01 | 66 | 0.8 | 0.11 | 0.06 | 0.01 |
| *Brazil, Campinas | 31 | 1.4 | 0.25 | 0.13 | 0.03 | 32 | 1.2 | 0.23 | 0.11 | 0.02 |
| *Brazil, Curitiba | 38 | 1.1 | 0.18 | 0.10 | 0.02 | 46 | 1.1 | 0.17 | 0.09 | 0.02 |
| Brazil, Goiânia | 32 | 1.2 | 0.21 | 0.10 | 0.02 | 31 | 1.0 | 0.19 | 0.07 | 0.01 |
| *Brazil, Jaú | 4 | 0.9 | 0.44 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 10 | 1.0 | 0.30 | 0.12 | 0.04 | 23 | 1.7 | 0.37 | 0.13 | 0.03 |
| Brazil, Recife | 39 | 1.6 | 0.27 | 0.17 | 0.04 | 33 | 1.1 | 0.19 | 0.10 | 0.02 |
| Chile, Region of Antofagasta | 8 | 0.9 | 0.33 | 0.09 | 0.04 | 10 | 1.2 | 0.37 | 0.08 | 0.03 |
| Chile, Valdivia | 7 | 0.7 | 0.28 | 0.06 | 0.03 | 6 | 0.7 | 0.32 | 0.05 | 0.02 |
| Colombia, Bucaramanga | 48 | 1.7 | 0.24 | 0.13 | 0.02 | 32 | 1.0 | 0.19 | 0.08 | 0.02 |
| Colombia, Cali | 127 | 2.1 | 0.19 | 0.17 | 0.02 | 126 | 1.8 | 0.16 | 0.16 | 0.02 |
| Colombia, Manizales | 19 | 1.6 | 0.39 | 0.13 | 0.04 | 10 | 0.8 | 0.29 | 0.06 | 0.02 |
| Colombia, Pasto | 6 | 0.6 | 0.25 | 0.07 | 0.03 | 7 | 0.6 | 0.23 | 0.03 | 0.01 |
| Costa Rica | 99 | 1.0 | 0.10 | 0.08 | 0.01 | 75 | 0.8 | 0.09 | 0.07 | 0.01 |
| Ecuador, Guayaquil | 67 | 1.1 | 0.14 | 0.10 | 0.02 | 80 | 1.2 | 0.14 | 0.12 | 0.02 |
| Ecuador, Manabí | 32 | 0.8 | 0.14 | 0.05 | 0.01 | 22 | 0.6 | 0.12 | 0.05 | 0.01 |
| Ecuador, Quito | 80 | 1.8 | 0.20 | 0.15 | 0.02 | 61 | 1.3 | 0.16 | 0.11 | 0.02 |
| *France, Guadeloupe | 4 | 0.4 | 0.20 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Martinique | 4 | 0.5 | 0.27 | 0.04 | 0.02 | 4 | 0.2 | 0.16 | 0.02 | 0.01 |
| *Peru, Lima | 151 | 1.0 | 0.08 | 0.08 | 0.01 | 125 | 0.8 | 0.07 | 0.07 | 0.01 |
| *Trinidad and Tobago | 26 | 1.2 | 0.24 | 0.12 | 0.03 | 20 | 0.9 | 0.21 | 0.09 | 0.02 |
| USA, Puerto Rico | 109 | 1.1 | 0.12 | 0.09 | 0.01 | 71 | 0.7 | 0.09 | 0.05 | 0.01 |
| *Uruguay | 101 | 1.1 | 0.11 | 0.09 | 0.01 | 67 | 0.7 | 0.09 | 0.06 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 117 | 1.0 | 0.10 | 0.09 | 0.01 | 84 | 0.8 | 0.10 | 0.06 | 0.01 |
| Canada, British Columbia | 160 | 1.1 | 0.10 | 0.09 | 0.01 | 126 | 0.9 | 0.10 | 0.07 | 0.01 |
| *Canada, Manitoba | 35 | 0.9 | 0.17 | 0.08 | 0.02 | 32 | 0.9 | 0.17 | 0.08 | 0.01 |
| *Canada, New Brunswick | 21 | 1.0 | 0.23 | 0.08 | 0.02 | 17 | 1.0 | 0.30 | 0.06 | 0.02 |
| *Canada, Newfoundland and Labrador | 16 | 1.1 | 0.31 | 0.10 | 0.03 | 7 | 0.4 | 0.17 | 0.04 | 0.02 |
| Canada, Ontario | 476 | 1.1 | 0.06 | 0.10 | 0.01 | 413 | 1.0 | 0.06 | 0.08 | 0.00 |
| *Canada, Prince Edward Island | 6 | 1.6 | 0.69 | 0.13 | 0.05 | 6 | 1.4 | 0.66 | 0.10 | 0.05 |
| Canada, Quebec | 341 | 1.4 | 0.09 | 0.12 | 0.01 | 267 | 1.0 | 0.08 | 0.08 | 0.01 |
| Canada, Saskatchewan | 33 | 0.8 | 0.15 | 0.07 | 0.02 | 27 | 0.8 | 0.18 | 0.07 | 0.02 |
| *Canada, Yukon | 1 | 0.6 | 0.60 | 0.08 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| USA | 10291 | 1.2 | 0.01 | 0.10 | 0.00 | 7951 | 0.9 | 0.01 | 0.07 | 0.00 |
| USA: White | 8651 | 1.2 | 0.01 | 0.10 | 0.00 | 6591 | 0.9 | 0.01 | 0.07 | 0.00 |
| USA: Black | 1060 | 0.9 | 0.03 | 0.08 | 0.00 | 895 | 0.7 | 0.02 | 0.06 | 0.00 |
| USA, NPCR | 9982 | 1.2 | 0.01 | 0.10 | 0.00 | 7692 | 0.9 | 0.01 | 0.07 | 0.00 |
| USA, NPCR: White | 8390 | 1.2 | 0.01 | 0.10 | 0.00 | 6387 | 0.9 | 0.01 | 0.07 | 0.00 |
| USA, NPCR: Black | 1048 | 0.9 | 0.03 | 0.08 | 0.00 | 878 | 0.7 | 0.03 | 0.06 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 407 | 0.9 | 0.05 | 0.07 | 0.00 | 318 | 0.6 | 0.04 | 0.05 | 0.00 |
| USA, NPCR: American Indian | 69 | 0.6 | 0.07 | 0.05 | 0.01 | 54 | 0.5 | 0.06 | 0.04 | 0.01 |
| *USA, SEER (18 registries) | 2721 | 1.1 | 0.02 | 0.09 | 0.00 | 2124 | 0.9 | 0.02 | 0.07 | 0.00 |
| *USA, SEER (18 registries): White | 2216 | 1.2 | 0.03 | 0.10 | 0.00 | 1683 | 0.9 | 0.02 | 0.07 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 1653 | 1.2 | 0.03 | 0.10 | 0.00 | 1258 | 0.9 | 0.03 | 0.07 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 563 | 1.2 | 0.05 | 0.10 | 0.01 | 425 | 0.9 | 0.04 | 0.08 | 0.00 |
| *USA, SEER (18 registries): Black | 249 | 0.9 | 0.05 | 0.07 | 0.01 | 215 | 0.7 | 0.05 | 0.06 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 211 | 0.9 | 0.06 | 0.07 | 0.01 | 173 | 0.6 | 0.05 | 0.05 | 0.00 |
| *USA, SEER (9 registries) | 970 | 1.2 | 0.04 | 0.09 | 0.00 | 718 | 0.9 | 0.03 | 0.07 | 0.00 |
| *USA, SEER (9 registries): White | 778 | 1.3 | 0.05 | 0.10 | 0.00 | 534 | 0.9 | 0.04 | 0.07 | 0.00 |
| *USA, SEER (9 registries): Black | 88 | 0.9 | 0.10 | 0.07 | 0.01 | 86 | 0.8 | 0.09 | 0.07 | 0.01 |
| USA, Alabama | 167 | 1.2 | 0.10 | 0.10 | 0.01 | 140 | 0.9 | 0.09 | 0.07 | 0.01 |
| USA, Alabama: White | 124 | 1.2 | 0.12 | 0.10 | 0.01 | 96 | 0.9 | 0.11 | 0.07 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bone (C40–41) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 42 | 1.3 | 0.20 | 0.10 | 0.02 | 43 | 1.0 | 0.16 | 0.08 | 0.01 |
| USA, Alaska | 21 | 0.9 | 0.20 | 0.07 | 0.02 | 16 | 0.7 | 0.19 | 0.07 | 0.02 |
| *USA, Alaska: Alaska Natives | 4 | 1.2 | 0.62 | 0.08 | 0.04 | 6 | 1.9 | 0.78 | 0.21 | 0.10 |
| USA, Arizona | 242 | 1.2 | 0.09 | 0.10 | 0.01 | 164 | 0.9 | 0.08 | 0.06 | 0.01 |
| USA, Arizona: White | 220 | 1.3 | 0.10 | 0.11 | 0.01 | 154 | 1.0 | 0.09 | 0.07 | 0.01 |
| USA, Arizona: Black | 5 | 0.5 | 0.23 | 0.06 | 0.04 | 2 | 0.2 | 0.14 | 0.02 | 0.01 |
| *USA, Arizona: Asian and Pacific Islander | 7 | 1.0 | 0.38 | 0.08 | 0.04 | 2 | 0.2 | 0.14 | 0.02 | 0.02 |
| USA, Arizona: American Indian | 10 | 1.1 | 0.34 | 0.09 | 0.03 | 6 | 0.6 | 0.25 | 0.06 | 0.03 |
| USA, Arkansas | 105 | 1.2 | 0.13 | 0.11 | 0.01 | 80 | 0.9 | 0.11 | 0.07 | 0.01 |
| USA, Arkansas: White | 88 | 1.2 | 0.14 | 0.11 | 0.01 | 68 | 1.0 | 0.13 | 0.07 | 0.01 |
| USA, Arkansas: Black | 13 | 1.1 | 0.31 | 0.09 | 0.03 | 9 | 0.7 | 0.24 | 0.06 | 0.02 |
| USA, California | 1133 | 1.1 | 0.03 | 0.09 | 0.00 | 863 | 0.8 | 0.03 | 0.06 | 0.00 |
| USA, California: White | 944 | 1.2 | 0.04 | 0.10 | 0.00 | 712 | 0.9 | 0.04 | 0.07 | 0.00 |
| USA, California: Black | 56 | 0.7 | 0.10 | 0.06 | 0.01 | 48 | 0.6 | 0.09 | 0.05 | 0.01 |
| USA, California: Asian and Pacific Islander | 125 | 0.8 | 0.08 | 0.06 | 0.01 | 98 | 0.5 | 0.06 | 0.04 | 0.00 |
| *USA, California, Los Angeles County | 290 | 1.1 | 0.07 | 0.09 | 0.01 | 220 | 0.8 | 0.06 | 0.06 | 0.00 |
| *USA, California, Los Angeles County: White | 231 | 1.2 | 0.09 | 0.10 | 0.01 | 173 | 0.9 | 0.07 | 0.07 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 96 | 1.2 | 0.16 | 0.10 | 0.01 | 80 | 1.1 | 0.16 | 0.08 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 135 | 1.2 | 0.11 | 0.09 | 0.01 | 93 | 0.8 | 0.08 | 0.06 | 0.01 |
| *USA, California, Los Angeles County: Black | 20 | 0.8 | 0.18 | 0.07 | 0.02 | 15 | 0.5 | 0.15 | 0.04 | 0.01 |
| *USA, California, Los Angeles County: Chinese | 9 | 0.7 | 0.26 | 0.05 | 0.02 | 8 | 0.8 | 0.37 | 0.04 | 0.02 |
| *USA, California, Los Angeles County: Filipino | 12 | 1.4 | 0.44 | 0.13 | 0.04 | 10 | 0.7 | 0.30 | 0.06 | 0.02 |
| *USA, California, Los Angeles County: Korean | 3 | 0.2 | 0.15 | 0.02 | 0.02 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 36 | 0.9 | 0.17 | 0.07 | 0.01 | 30 | 0.7 | 0.16 | 0.05 | 0.01 |
| *USA, California, San Francisco Bay Area | 132 | 1.1 | 0.10 | 0.09 | 0.01 | 91 | 0.7 | 0.08 | 0.06 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 104 | 1.3 | 0.15 | 0.10 | 0.01 | 54 | 0.7 | 0.10 | 0.06 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 71 | 1.2 | 0.18 | 0.10 | 0.01 | 41 | 0.7 | 0.13 | 0.06 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 33 | 1.4 | 0.25 | 0.09 | 0.02 | 13 | 0.6 | 0.18 | 0.07 | 0.02 |
| *USA, California, San Francisco Bay Area: Black | 7 | 0.7 | 0.28 | 0.04 | 0.02 | 11 | 0.8 | 0.26 | 0.08 | 0.03 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 21 | 0.7 | 0.17 | 0.06 | 0.01 | 23 | 0.6 | 0.16 | 0.05 | 0.01 |
| USA, Colorado | 199 | 1.2 | 0.09 | 0.11 | 0.01 | 123 | 0.8 | 0.08 | 0.07 | 0.01 |
| USA, Colorado: White | 185 | 1.3 | 0.10 | 0.11 | 0.01 | 111 | 0.8 | 0.08 | 0.07 | 0.01 |
| *USA, Colorado: Black | 8 | 1.0 | 0.34 | 0.08 | 0.03 | 7 | 1.0 | 0.37 | 0.06 | 0.03 |
| *USA, Colorado: Asian and Pacific Islander | 4 | 0.8 | 0.42 | 0.14 | 0.08 | 2 | 0.4 | 0.27 | 0.03 | 0.02 |
| USA, Connecticut | 110 | 1.2 | 0.12 | 0.09 | 0.01 | 88 | 1.0 | 0.11 | 0.07 | 0.01 |
| USA, Connecticut: White | 99 | 1.3 | 0.15 | 0.10 | 0.01 | 69 | 0.9 | 0.13 | 0.07 | 0.01 |
| USA, Connecticut: Black | 6 | 0.6 | 0.24 | 0.04 | 0.02 | 14 | 1.1 | 0.32 | 0.09 | 0.03 |
| USA, District of Columbia | 24 | 1.5 | 0.34 | 0.10 | 0.02 | 20 | 1.0 | 0.26 | 0.08 | 0.02 |
| USA, District of Columbia: White | 11 | 1.1 | 0.40 | 0.07 | 0.03 | 11 | 1.4 | 0.49 | 0.11 | 0.04 |
| USA, District of Columbia: Black | 13 | 1.7 | 0.51 | 0.12 | 0.04 | 7 | 0.6 | 0.25 | 0.06 | 0.02 |
| USA, Florida | 813 | 1.4 | 0.06 | 0.12 | 0.00 | 581 | 1.0 | 0.05 | 0.08 | 0.00 |
| USA, Florida: White | 682 | 1.5 | 0.07 | 0.12 | 0.01 | 474 | 1.0 | 0.06 | 0.08 | 0.00 |
| USA, Florida: Black | 102 | 1.1 | 0.12 | 0.10 | 0.01 | 91 | 1.0 | 0.11 | 0.08 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 14 | 0.8 | 0.23 | 0.06 | 0.02 | 10 | 0.5 | 0.17 | 0.04 | 0.01 |
| USA, Georgia | 321 | 1.2 | 0.07 | 0.10 | 0.01 | 250 | 0.9 | 0.06 | 0.07 | 0.00 |
| USA, Georgia: White | 227 | 1.3 | 0.09 | 0.11 | 0.01 | 168 | 1.0 | 0.08 | 0.07 | 0.01 |
| USA, Georgia: Black | 78 | 0.9 | 0.11 | 0.08 | 0.01 | 66 | 0.7 | 0.09 | 0.06 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 15 | 1.3 | 0.35 | 0.15 | 0.04 | 14 | 1.1 | 0.32 | 0.10 | 0.03 |
| *USA, Georgia, Atlanta | 108 | 1.1 | 0.11 | 0.09 | 0.01 | 94 | 1.0 | 0.10 | 0.08 | 0.01 |
| *USA, Georgia, Atlanta: White | 63 | 1.3 | 0.17 | 0.10 | 0.01 | 46 | 1.0 | 0.16 | 0.08 | 0.01 |
| *USA, Georgia, Atlanta: Black | 31 | 0.9 | 0.15 | 0.07 | 0.01 | 36 | 0.8 | 0.14 | 0.08 | 0.01 |
| USA, Idaho | 54 | 1.2 | 0.17 | 0.10 | 0.01 | 41 | 0.8 | 0.14 | 0.08 | 0.01 |
| USA, Indiana | 185 | 1.0 | 0.08 | 0.08 | 0.01 | 149 | 0.8 | 0.07 | 0.06 | 0.01 |
| USA, Indiana: White | 165 | 1.0 | 0.08 | 0.08 | 0.01 | 136 | 0.8 | 0.08 | 0.07 | 0.01 |
| USA, Indiana: Black | 18 | 1.0 | 0.24 | 0.08 | 0.02 | 9 | 0.5 | 0.18 | 0.03 | 0.01 |
| *USA, Iowa | 97 | 1.1 | 0.13 | 0.09 | 0.01 | 75 | 0.8 | 0.11 | 0.07 | 0.01 |
| USA, Kentucky | 152 | 1.2 | 0.11 | 0.10 | 0.01 | 123 | 0.9 | 0.09 | 0.08 | 0.01 |
| USA, Louisiana | 109 | 0.9 | 0.09 | 0.08 | 0.01 | 104 | 0.8 | 0.08 | 0.06 | 0.01 |
| USA, Louisiana: White | 78 | 1.0 | 0.12 | 0.08 | 0.01 | 74 | 0.9 | 0.11 | 0.07 | 0.01 |
| USA, Louisiana: Black | 27 | 0.7 | 0.14 | 0.06 | 0.01 | 28 | 0.6 | 0.12 | 0.05 | 0.01 |
| *USA, Louisiana, New Orleans | 21 | 1.1 | 0.25 | 0.10 | 0.02 | 21 | 0.8 | 0.21 | 0.07 | 0.02 |
| *USA, Louisiana, New Orleans: White | 16 | 1.6 | 0.46 | 0.14 | 0.04 | 11 | 0.8 | 0.29 | 0.07 | 0.02 |
| *USA, Louisiana, New Orleans: Black | 3 | 0.4 | 0.22 | 0.03 | 0.02 | 10 | 0.9 | 0.33 | 0.07 | 0.02 |
| USA, Maine | 38 | 1.1 | 0.21 | 0.08 | 0.01 | 31 | 0.8 | 0.16 | 0.06 | 0.01 |
| USA, Maryland | 201 | 1.3 | 0.09 | 0.11 | 0.01 | 152 | 0.9 | 0.08 | 0.07 | 0.01 |
| USA, Maryland: White | 138 | 1.4 | 0.13 | 0.12 | 0.01 | 105 | 1.0 | 0.11 | 0.08 | 0.01 |
| USA, Maryland: Black | 54 | 1.1 | 0.15 | 0.10 | 0.01 | 36 | 0.7 | 0.11 | 0.05 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 8 | 0.8 | 0.30 | 0.05 | 0.02 | 11 | 1.0 | 0.34 | 0.07 | 0.02 |
| USA, Massachusetts | 211 | 1.1 | 0.09 | 0.10 | 0.01 | 171 | 0.9 | 0.08 | 0.07 | 0.01 |
| USA, Massachusetts: White | 188 | 1.2 | 0.10 | 0.10 | 0.01 | 142 | 0.9 | 0.09 | 0.07 | 0.01 |
| USA, Massachusetts: Black | 13 | 0.8 | 0.23 | 0.06 | 0.02 | 15 | 0.9 | 0.25 | 0.08 | 0.02 |
| USA, Massachusetts: Asian and Pacific Islander | 9 | 0.8 | 0.29 | 0.08 | 0.03 | 12 | 0.9 | 0.28 | 0.07 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bone (C40–41) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 327 | 1.1 | 0.07 | 0.09 | 0.01 | 233 | 0.8 | 0.06 | 0.06 | 0.00 |
| USA, Michigan: White | 278 | 1.1 | 0.08 | 0.09 | 0.01 | 203 | 0.8 | 0.07 | 0.07 | 0.01 |
| USA, Michigan: Black | 37 | 1.0 | 0.17 | 0.10 | 0.02 | 23 | 0.5 | 0.12 | 0.04 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 10 | 1.2 | 0.37 | 0.13 | 0.05 | 6 | 0.6 | 0.25 | 0.06 | 0.03 |
| *USA, Michigan, Detroit | 143 | 1.2 | 0.12 | 0.10 | 0.01 | 88 | 0.7 | 0.09 | 0.06 | 0.01 |
| *USA, Michigan, Detroit: White | 108 | 1.3 | 0.15 | 0.10 | 0.01 | 64 | 0.8 | 0.11 | 0.06 | 0.01 |
| *USA, Michigan, Detroit: Black | 29 | 1.2 | 0.22 | 0.11 | 0.02 | 19 | 0.6 | 0.16 | 0.05 | 0.01 |
| USA, Minnesota | 180 | 1.2 | 0.09 | 0.10 | 0.01 | 102 | 0.7 | 0.07 | 0.05 | 0.01 |
| USA, Minnesota: White | 164 | 1.2 | 0.10 | 0.10 | 0.01 | 94 | 0.7 | 0.08 | 0.06 | 0.01 |
| USA, Minnesota: Black | 8 | 0.9 | 0.32 | 0.08 | 0.04 | 3 | 0.3 | 0.16 | 0.02 | 0.01 |
| *USA, Minnesota: Asian and Pacific Islander | 3 | 0.4 | 0.22 | 0.02 | 0.01 | 3 | 0.5 | 0.29 | 0.04 | 0.03 |
| USA, Mississippi | 90 | 1.1 | 0.12 | 0.09 | 0.01 | 76 | 0.9 | 0.11 | 0.07 | 0.01 |
| USA, Missouri | 190 | 1.1 | 0.08 | 0.10 | 0.01 | 153 | 0.8 | 0.08 | 0.07 | 0.01 |
| USA, Missouri: White | 171 | 1.1 | 0.09 | 0.10 | 0.01 | 132 | 0.9 | 0.09 | 0.07 | 0.01 |
| USA, Missouri: Black | 16 | 0.8 | 0.20 | 0.07 | 0.02 | 19 | 0.9 | 0.21 | 0.08 | 0.02 |
| USA, Montana | 39 | 1.1 | 0.20 | 0.11 | 0.02 | 43 | 1.4 | 0.25 | 0.11 | 0.02 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 4 | 2.3 | 1.13 | 0.14 | 0.07 |
| USA, Nebraska | 51 | 1.0 | 0.14 | 0.08 | 0.01 | 47 | 0.9 | 0.15 | 0.07 | 0.01 |
| USA, Nebraska: White | 48 | 1.0 | 0.15 | 0.08 | 0.01 | 41 | 0.9 | 0.15 | 0.07 | 0.01 |
| *USA, Nebraska: Black | 2 | 0.7 | 0.47 | 0.04 | 0.03 | 3 | 1.2 | 0.70 | 0.09 | 0.05 |
| USA, Nevada | 104 | 1.3 | 0.14 | 0.11 | 0.01 | 67 | 0.8 | 0.11 | 0.06 | 0.01 |
| USA, Nevada: White | 84 | 1.3 | 0.16 | 0.11 | 0.01 | 60 | 0.9 | 0.13 | 0.07 | 0.01 |
| USA, Nevada: Black | 8 | 0.9 | 0.33 | 0.13 | 0.05 | 3 | 0.4 | 0.22 | 0.02 | 0.01 |
| *USA, Nevada: Asian and Pacific Islander | 9 | 1.5 | 0.54 | 0.09 | 0.03 | 3 | 0.2 | 0.14 | 0.04 | 0.02 |
| USA, New Jersey | 294 | 1.2 | 0.07 | 0.10 | 0.01 | 251 | 1.0 | 0.07 | 0.08 | 0.01 |
| USA, New Jersey: White | 240 | 1.3 | 0.09 | 0.11 | 0.01 | 196 | 1.1 | 0.09 | 0.08 | 0.01 |
| USA, New Jersey: Black | 33 | 1.0 | 0.18 | 0.08 | 0.02 | 30 | 0.7 | 0.13 | 0.06 | 0.01 |
| USA, New Mexico | 66 | 1.1 | 0.14 | 0.09 | 0.01 | 61 | 1.0 | 0.15 | 0.09 | 0.01 |
| USA, New Mexico: White | 60 | 1.2 | 0.17 | 0.09 | 0.01 | 55 | 1.1 | 0.17 | 0.09 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 29 | 1.0 | 0.24 | 0.09 | 0.02 | 22 | 0.9 | 0.24 | 0.08 | 0.02 |
| USA, New Mexico: Hispanic White | 31 | 1.3 | 0.23 | 0.09 | 0.02 | 33 | 1.3 | 0.23 | 0.11 | 0.02 |
| *USA, New Mexico: American Indian | 5 | 0.8 | 0.38 | 0.07 | 0.03 | 5 | 0.8 | 0.34 | 0.09 | 0.04 |
| USA, New York State | 704 | 1.3 | 0.05 | 0.11 | 0.00 | 576 | 1.0 | 0.05 | 0.08 | 0.00 |
| USA, New York State: White | 558 | 1.4 | 0.07 | 0.11 | 0.01 | 431 | 1.1 | 0.06 | 0.08 | 0.00 |
| USA, New York State: Black | 101 | 1.2 | 0.12 | 0.09 | 0.01 | 100 | 1.0 | 0.11 | 0.08 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 39 | 0.9 | 0.15 | 0.07 | 0.01 | 38 | 0.8 | 0.14 | 0.06 | 0.01 |
| USA, North Carolina | 281 | 1.0 | 0.06 | 0.08 | 0.01 | 248 | 0.8 | 0.06 | 0.07 | 0.00 |
| USA, North Carolina: White | 216 | 1.1 | 0.08 | 0.09 | 0.01 | 203 | 0.9 | 0.08 | 0.07 | 0.01 |
| USA, North Carolina: Black | 51 | 0.9 | 0.12 | 0.07 | 0.01 | 39 | 0.6 | 0.10 | 0.05 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 5 | 0.8 | 0.37 | 0.09 | 0.05 | 3 | 0.4 | 0.23 | 0.05 | 0.03 |
| *USA, North Carolina: American Indian | 4 | 0.8 | 0.38 | 0.09 | 0.05 | 1 | 0.2 | 0.17 | 0.02 | 0.02 |
| USA, North Dakota | 16 | 0.7 | 0.20 | 0.07 | 0.02 | 11 | 0.5 | 0.17 | 0.05 | 0.02 |
| USA, Ohio | 352 | 1.1 | 0.06 | 0.09 | 0.01 | 282 | 0.9 | 0.06 | 0.07 | 0.00 |
| USA, Ohio: White | 307 | 1.1 | 0.07 | 0.09 | 0.01 | 252 | 0.9 | 0.07 | 0.07 | 0.00 |
| USA, Ohio: Black | 37 | 0.9 | 0.15 | 0.08 | 0.01 | 26 | 0.6 | 0.12 | 0.05 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 6 | 1.1 | 0.45 | 0.07 | 0.03 | 4 | 0.5 | 0.28 | 0.03 | 0.02 |
| USA, Oklahoma | 118 | 1.0 | 0.10 | 0.10 | 0.01 | 109 | 1.0 | 0.10 | 0.08 | 0.01 |
| USA, Oklahoma: White | 96 | 1.1 | 0.12 | 0.10 | 0.01 | 83 | 0.9 | 0.12 | 0.07 | 0.01 |
| USA, Oklahoma: Black | 5 | 0.6 | 0.25 | 0.07 | 0.03 | 11 | 1.2 | 0.37 | 0.11 | 0.04 |
| USA, Oklahoma: American Indian | 15 | 1.4 | 0.37 | 0.13 | 0.04 | 10 | 0.9 | 0.29 | 0.07 | 0.03 |
| USA, Oregon | 128 | 1.2 | 0.11 | 0.09 | 0.01 | 85 | 0.8 | 0.10 | 0.06 | 0.01 |
| USA, Oregon: White | 116 | 1.2 | 0.12 | 0.09 | 0.01 | 82 | 0.8 | 0.11 | 0.06 | 0.01 |
| *USA, Oregon: Black | 7 | 2.2 | 0.85 | 0.19 | 0.08 | 1 | 0.4 | 0.39 | 0.02 | 0.02 |
| *USA, Oregon: Asian and Pacific Islander | 3 | 0.5 | 0.30 | 0.05 | 0.03 | 1 | 0.2 | 0.24 | 0.01 | 0.01 |
| USA, Rhode Island | 45 | 1.7 | 0.28 | 0.12 | 0.02 | 30 | 0.8 | 0.17 | 0.07 | 0.02 |
| USA, Rhode Island: White | 42 | 1.9 | 0.31 | 0.13 | 0.02 | 28 | 0.8 | 0.18 | 0.07 | 0.02 |
| *USA, Rhode Island: Black | 3 | 1.4 | 0.81 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 157 | 1.1 | 0.09 | 0.09 | 0.01 | 114 | 0.8 | 0.08 | 0.07 | 0.01 |
| USA, South Carolina: White | 124 | 1.1 | 0.12 | 0.10 | 0.01 | 87 | 0.9 | 0.11 | 0.07 | 0.01 |
| USA, South Carolina: Black | 29 | 0.9 | 0.17 | 0.07 | 0.01 | 24 | 0.6 | 0.13 | 0.04 | 0.01 |
| USA, South Dakota | 17 | 0.7 | 0.20 | 0.05 | 0.01 | 14 | 0.7 | 0.20 | 0.05 | 0.01 |
| USA, Tennessee | 196 | 1.1 | 0.08 | 0.09 | 0.01 | 150 | 0.8 | 0.07 | 0.06 | 0.01 |
| USA, Tennessee: White | 168 | 1.2 | 0.10 | 0.09 | 0.01 | 131 | 0.8 | 0.09 | 0.07 | 0.01 |
| USA, Tennessee: Black | 22 | 0.7 | 0.16 | 0.06 | 0.02 | 17 | 0.6 | 0.14 | 0.04 | 0.01 |
| USA, Texas | 852 | 1.2 | 0.04 | 0.10 | 0.00 | 671 | 0.9 | 0.04 | 0.07 | 0.00 |
| USA, Texas: White | 733 | 1.2 | 0.05 | 0.10 | 0.00 | 570 | 0.9 | 0.04 | 0.08 | 0.00 |
| USA, Texas: Black | 76 | 0.8 | 0.10 | 0.07 | 0.01 | 75 | 0.8 | 0.09 | 0.06 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 38 | 1.1 | 0.19 | 0.08 | 0.01 | 22 | 0.6 | 0.13 | 0.05 | 0.01 |
| USA, Utah | 112 | 1.4 | 0.13 | 0.11 | 0.01 | 80 | 1.1 | 0.12 | 0.09 | 0.01 |
| USA, Vermont | 24 | 1.0 | 0.23 | 0.10 | 0.02 | 16 | 1.0 | 0.29 | 0.06 | 0.02 |
| USA, Washington State | 250 | 1.2 | 0.08 | 0.10 | 0.01 | 165 | 0.8 | 0.07 | 0.06 | 0.01 |
| *USA, Washington, Seattle | 166 | 1.2 | 0.10 | 0.10 | 0.01 | 106 | 0.8 | 0.08 | 0.06 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bone (C40–41) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 49 | 0.9 | 0.14 | 0.08 | 0.01 | 60 | 1.2 | 0.18 | 0.10 | 0.01 |
| USA, Wyoming | 20 | 1.2 | 0.29 | 0.10 | 0.02 | 12 | 0.9 | 0.27 | 0.07 | 0.02 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 18 | 1.2 | 0.30 | 0.12 | 0.04 | 16 | 1.0 | 0.26 | 0.08 | 0.02 |
| Brunei Darussalam | 9 | 0.8 | 0.26 | 0.06 | 0.02 | 3 | 0.3 | 0.16 | 0.02 | 0.01 |
| *China, Anfu County | 12 | 1.6 | 0.51 | 0.17 | 0.05 | 6 | 0.7 | 0.28 | 0.07 | 0.03 |
| *China, Anguo City | 14 | 1.3 | 0.39 | 0.16 | 0.05 | 22 | 1.8 | 0.44 | 0.20 | 0.05 |
| *China, Anshan City | 124 | 1.9 | 0.23 | 0.18 | 0.02 | 105 | 1.6 | 0.22 | 0.17 | 0.02 |
| *China, Aohan Banner, Chifeng City | 48 | 2.6 | 0.40 | 0.27 | 0.05 | 34 | 2.2 | 0.41 | 0.21 | 0.04 |
| *China, Arongqi | 23 | 2.7 | 0.58 | 0.34 | 0.08 | 15 | 2.1 | 0.58 | 0.22 | 0.07 |
| *China, Baoding City | 63 | 1.9 | 0.26 | 0.18 | 0.03 | 43 | 1.2 | 0.19 | 0.14 | 0.03 |
| *China, Beijing City | 305 | 1.2 | 0.09 | 0.10 | 0.01 | 232 | 0.8 | 0.07 | 0.07 | 0.01 |
| *China, Binhai County | 89 | 2.0 | 0.22 | 0.24 | 0.03 | 43 | 1.1 | 0.17 | 0.12 | 0.02 |
| *China, Cangzhou City | 18 | 1.3 | 0.33 | 0.12 | 0.03 | 20 | 1.3 | 0.30 | 0.12 | 0.04 |
| China, Changfeng County | 17 | 1.1 | 0.30 | 0.10 | 0.03 | 14 | 1.0 | 0.31 | 0.08 | 0.03 |
| China, Changzhou City | 112 | 1.3 | 0.15 | 0.13 | 0.02 | 86 | 0.8 | 0.10 | 0.09 | 0.01 |
| China, Chengdu City | 60 | 1.8 | 0.25 | 0.19 | 0.03 | 35 | 1.1 | 0.22 | 0.10 | 0.02 |
| China, Cixian County | 30 | 1.8 | 0.34 | 0.19 | 0.04 | 23 | 1.3 | 0.28 | 0.16 | 0.04 |
| China, Cixi City | 35 | 1.0 | 0.21 | 0.09 | 0.02 | 27 | 0.6 | 0.16 | 0.06 | 0.01 |
| *China, Dafeng District, Yancheng City | 68 | 2.2 | 0.32 | 0.21 | 0.03 | 58 | 1.9 | 0.33 | 0.19 | 0.03 |
| China, Dalian City | 68 | 0.8 | 0.14 | 0.08 | 0.01 | 62 | 0.6 | 0.10 | 0.06 | 0.01 |
| *China, Dancheng County | 39 | 1.2 | 0.21 | 0.11 | 0.02 | 25 | 0.7 | 0.16 | 0.09 | 0.02 |
| China, Dangtu County | 14 | 1.6 | 0.48 | 0.19 | 0.05 | 9 | 1.1 | 0.42 | 0.08 | 0.03 |
| *China, Danyang City | 73 | 2.2 | 0.28 | 0.23 | 0.03 | 55 | 1.6 | 0.26 | 0.13 | 0.02 |
| *China, Dawukou District, Shizuishan City | 8 | 1.0 | 0.39 | 0.08 | 0.03 | 9 | 1.4 | 0.54 | 0.10 | 0.04 |
| *China, Dehui City | 46 | 1.7 | 0.26 | 0.16 | 0.03 | 40 | 1.5 | 0.25 | 0.21 | 0.04 |
| *China, Donggang County | 48 | 2.0 | 0.37 | 0.20 | 0.04 | 40 | 1.5 | 0.26 | 0.19 | 0.03 |
| *China, Dongguan City | 34 | 1.0 | 0.18 | 0.08 | 0.02 | 25 | 0.7 | 0.15 | 0.06 | 0.01 |
| China, Donghai County | 79 | 1.9 | 0.23 | 0.20 | 0.03 | 53 | 1.4 | 0.20 | 0.18 | 0.03 |
| *China, Dongtai City | 114 | 2.2 | 0.22 | 0.27 | 0.03 | 78 | 1.5 | 0.19 | 0.17 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 16 | 1.6 | 0.44 | 0.20 | 0.05 | 11 | 0.9 | 0.29 | 0.10 | 0.04 |
| *China, Evenki Autonomous Banner | 8 | 3.5 | 1.42 | 0.29 | 0.14 | 4 | 1.4 | 0.70 | 0.18 | 0.11 |
| *China, Faku County | 46 | 2.5 | 0.41 | 0.30 | 0.05 | 34 | 2.2 | 0.48 | 0.22 | 0.04 |
| *China, Fangcheng County | 63 | 3.0 | 0.39 | 0.32 | 0.05 | 46 | 2.6 | 0.41 | 0.24 | 0.04 |
| *China, Feicheng City | 57 | 1.6 | 0.24 | 0.17 | 0.03 | 52 | 1.3 | 0.20 | 0.14 | 0.02 |
| China, Feixi County | 90 | 2.6 | 0.30 | 0.25 | 0.03 | 63 | 1.7 | 0.25 | 0.16 | 0.03 |
| China, Fuqing City | 45 | 1.8 | 0.29 | 0.19 | 0.04 | 53 | 2.2 | 0.33 | 0.24 | 0.04 |
| *China, Ganyu District, Lianyungang City | 62 | 1.6 | 0.22 | 0.18 | 0.03 | 56 | 1.3 | 0.19 | 0.15 | 0.02 |
| *China, Ganzhou District, Zhangye City | 37 | 4.3 | 0.74 | 0.49 | 0.09 | 21 | 2.3 | 0.53 | 0.24 | 0.06 |
| *China, Gaocheng City | 18 | 0.9 | 0.23 | 0.11 | 0.03 | 16 | 0.8 | 0.22 | 0.08 | 0.02 |
| China, Gaomi City | 38 | 1.3 | 0.22 | 0.16 | 0.03 | 32 | 1.0 | 0.21 | 0.09 | 0.02 |
| China, Gong'an County | 37 | 1.2 | 0.21 | 0.14 | 0.03 | 40 | 1.5 | 0.26 | 0.15 | 0.03 |
| *China, Guang'an District, Guang'an City | 37 | 1.9 | 0.31 | 0.25 | 0.05 | 35 | 1.7 | 0.29 | 0.21 | 0.04 |
| China, Guanghan City | 24 | 2.0 | 0.53 | 0.21 | 0.05 | 30 | 1.7 | 0.33 | 0.18 | 0.04 |
| China, Guangzhou City | 277 | 1.1 | 0.08 | 0.09 | 0.01 | 219 | 0.8 | 0.07 | 0.07 | 0.01 |
| *China, Guanyun County | 39 | 1.2 | 0.19 | 0.15 | 0.03 | 34 | 1.0 | 0.18 | 0.10 | 0.02 |
| China, Guilin City | 45 | 2.2 | 0.34 | 0.21 | 0.04 | 29 | 1.4 | 0.27 | 0.17 | 0.04 |
| *China, Hai'an City | 50 | 1.1 | 0.21 | 0.10 | 0.02 | 52 | 1.2 | 0.25 | 0.12 | 0.02 |
| China, Hailar District, Hulun Buir City | 11 | 1.3 | 0.46 | 0.16 | 0.05 | 11 | 0.9 | 0.30 | 0.09 | 0.03 |
| China, Haimen District, Nantong City | 56 | 1.3 | 0.21 | 0.13 | 0.02 | 44 | 1.3 | 0.25 | 0.11 | 0.02 |
| China, Haining City | 14 | 0.7 | 0.25 | 0.05 | 0.02 | 19 | 0.5 | 0.12 | 0.06 | 0.02 |
| China, Hangzhou City | 262 | 1.0 | 0.08 | 0.10 | 0.01 | 201 | 0.9 | 0.08 | 0.07 | 0.01 |
| China, Hebi City | 24 | 2.1 | 0.45 | 0.21 | 0.05 | 18 | 1.5 | 0.38 | 0.17 | 0.04 |
| China, Hefei City | 135 | 1.8 | 0.17 | 0.18 | 0.02 | 98 | 1.4 | 0.15 | 0.14 | 0.02 |
| China, Hengdong County | 22 | 1.6 | 0.36 | 0.16 | 0.04 | 21 | 1.3 | 0.33 | 0.11 | 0.03 |
| *China, Hengfeng County | 12 | 2.4 | 0.76 | 0.19 | 0.06 | 10 | 1.8 | 0.63 | 0.21 | 0.07 |
| *China, Hepu County | 74 | 2.3 | 0.28 | 0.24 | 0.04 | 47 | 1.7 | 0.27 | 0.16 | 0.03 |
| China, Honghu City | 42 | 1.6 | 0.25 | 0.17 | 0.03 | 37 | 1.4 | 0.30 | 0.15 | 0.03 |
| China, Hongshan District, Chifeng City | 7 | 0.8 | 0.34 | 0.08 | 0.03 | 9 | 0.7 | 0.26 | 0.07 | 0.03 |
| *China, Hongta District, Yuxi City | 22 | 1.5 | 0.35 | 0.15 | 0.04 | 26 | 2.2 | 0.48 | 0.20 | 0.04 |
| *China, Huaiyin District, Huai'an City | 36 | 1.0 | 0.17 | 0.14 | 0.03 | 35 | 1.0 | 0.18 | 0.12 | 0.02 |
| *China, Jiange County | 39 | 2.3 | 0.38 | 0.29 | 0.06 | 18 | 1.1 | 0.27 | 0.10 | 0.03 |
| China, Jiangmen City | 15 | 0.7 | 0.18 | 0.04 | 0.01 | 20 | 0.9 | 0.22 | 0.09 | 0.02 |
| *China, Jiangyin City | 53 | 0.9 | 0.13 | 0.09 | 0.02 | 42 | 0.7 | 0.13 | 0.08 | 0.02 |
| *China, Jiashan County | 19 | 1.1 | 0.28 | 0.10 | 0.03 | 14 | 0.7 | 0.21 | 0.08 | 0.02 |
| China, Jiayu County | 20 | 2.9 | 0.69 | 0.32 | 0.08 | 6 | 0.8 | 0.32 | 0.10 | 0.04 |
| *China, Jinan City | 82 | 1.0 | 0.13 | 0.11 | 0.01 | 51 | 0.6 | 0.09 | 0.05 | 0.01 |
| *China, Jingtai County | 26 | 3.7 | 0.74 | 0.38 | 0.09 | 15 | 2.0 | 0.52 | 0.20 | 0.06 |
| *China, Jingxian County | 25 | 2.1 | 0.49 | 0.22 | 0.05 | 24 | 2.0 | 0.44 | 0.22 | 0.06 |
| *China, Jintan District, Changzhou City | 46 | 2.0 | 0.33 | 0.22 | 0.04 | 32 | 1.3 | 0.25 | 0.13 | 0.03 |
| *China, Jiulongpo District, Chongqing City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiyuan City | 40 | 2.5 | 0.41 | 0.23 | 0.04 | 36 | 2.1 | 0.36 | 0.25 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bone (C40–41) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 9 | 0.8 | 0.29 | 0.12 | 0.04 | 12 | 1.1 | 0.36 | 0.10 | 0.04 |
| China, Kunshan City | 38 | 1.3 | 0.23 | 0.12 | 0.02 | 27 | 0.8 | 0.20 | 0.07 | 0.02 |
| China, Langzhong City | 27 | 1.4 | 0.29 | 0.15 | 0.03 | 25 | 1.5 | 0.30 | 0.16 | 0.04 |
| *China, Liangshan County | 44 | 1.7 | 0.27 | 0.16 | 0.03 | 18 | 0.7 | 0.20 | 0.08 | 0.02 |
| *China, Lianshui County | 64 | 1.6 | 0.21 | 0.17 | 0.03 | 47 | 1.2 | 0.19 | 0.15 | 0.03 |
| China, Lianyungang City | 41 | 1.2 | 0.21 | 0.12 | 0.02 | 21 | 0.6 | 0.14 | 0.06 | 0.02 |
| China, Linhe District, Bayannur City | 34 | 2.6 | 0.48 | 0.29 | 0.06 | 13 | 1.0 | 0.30 | 0.11 | 0.03 |
| China, Linqu County | 31 | 1.0 | 0.20 | 0.09 | 0.02 | 23 | 0.7 | 0.16 | 0.06 | 0.02 |
| *China, Linzhou City | 61 | 1.9 | 0.26 | 0.17 | 0.03 | 66 | 1.8 | 0.25 | 0.19 | 0.03 |
| China, Liuzhou City | 44 | 1.3 | 0.21 | 0.12 | 0.02 | 38 | 1.0 | 0.17 | 0.10 | 0.02 |
| China, Liyang City | 43 | 1.2 | 0.26 | 0.11 | 0.02 | 27 | 0.8 | 0.19 | 0.08 | 0.02 |
| *China, Longquan City | 5 | 0.9 | 0.49 | 0.08 | 0.04 | 2 | 0.4 | 0.29 | 0.02 | 0.02 |
| China, Lucheng District, Wenzhou City | 14 | 0.8 | 0.24 | 0.09 | 0.03 | 8 | 0.6 | 0.28 | 0.05 | 0.02 |
| China, Luoding City | 20 | 0.9 | 0.21 | 0.09 | 0.03 | 17 | 0.8 | 0.22 | 0.06 | 0.02 |
| *China, Luohe City | 69 | 1.8 | 0.22 | 0.18 | 0.03 | 42 | 1.0 | 0.16 | 0.10 | 0.02 |
| *China, Luoyang City | 35 | 1.0 | 0.20 | 0.09 | 0.02 | 47 | 1.2 | 0.19 | 0.12 | 0.02 |
| *China, Luquan City | 12 | 1.1 | 0.34 | 0.11 | 0.04 | 8 | 0.6 | 0.21 | 0.08 | 0.04 |
| China, Ma'anshan City | 18 | 0.9 | 0.21 | 0.10 | 0.03 | 14 | 0.7 | 0.20 | 0.06 | 0.02 |
| *China, Macheng City | 34 | 1.5 | 0.28 | 0.17 | 0.04 | 16 | 0.7 | 0.17 | 0.07 | 0.02 |
| China, Meihekou City | 31 | 1.5 | 0.29 | 0.18 | 0.04 | 37 | 1.9 | 0.38 | 0.22 | 0.04 |
| *China, Mengjin County | 30 | 3.1 | 0.58 | 0.31 | 0.06 | 14 | 1.3 | 0.37 | 0.14 | 0.04 |
| China, Nangang District, Harbin City | 42 | 1.2 | 0.21 | 0.12 | 0.02 | 35 | 0.8 | 0.18 | 0.07 | 0.02 |
| *China, Nanghai District, Foshan City | 42 | 1.9 | 0.31 | 0.17 | 0.03 | 29 | 1.0 | 0.21 | 0.09 | 0.02 |
| China, Nanhu District, Jiaying City | 11 | 0.5 | 0.18 | 0.05 | 0.02 | 13 | 0.8 | 0.31 | 0.09 | 0.03 |
| *China, Nantong City | 67 | 1.3 | 0.18 | 0.15 | 0.02 | 57 | 0.9 | 0.13 | 0.11 | 0.02 |
| *China, Nanxiong City | 18 | 1.4 | 0.35 | 0.11 | 0.03 | 15 | 1.0 | 0.27 | 0.09 | 0.03 |
| China, Neixiang County | 50 | 2.5 | 0.36 | 0.20 | 0.03 | 34 | 1.5 | 0.27 | 0.17 | 0.03 |
| *China, Qianxi County | 24 | 1.7 | 0.36 | 0.13 | 0.03 | 21 | 1.4 | 0.32 | 0.14 | 0.04 |
| China, Qidong City | 51 | 1.2 | 0.22 | 0.11 | 0.02 | 37 | 0.7 | 0.17 | 0.08 | 0.01 |
| China, Qingzhou City | 20 | 0.8 | 0.21 | 0.08 | 0.02 | 17 | 0.8 | 0.25 | 0.06 | 0.02 |
| *China, Rudong County | 111 | 2.1 | 0.27 | 0.21 | 0.03 | 90 | 1.6 | 0.26 | 0.15 | 0.02 |
| *China, Rugao City | 63 | 1.2 | 0.18 | 0.11 | 0.02 | 65 | 1.2 | 0.21 | 0.12 | 0.02 |
| *China, Rural areas of Shanghai City | 364 | 1.1 | 0.08 | 0.10 | 0.01 | 290 | 0.9 | 0.08 | 0.08 | 0.01 |
| China, Ruyang County | 20 | 1.8 | 0.41 | 0.21 | 0.06 | 21 | 2.1 | 0.47 | 0.19 | 0.05 |
| *China, Shan County | 39 | 1.7 | 0.28 | 0.18 | 0.04 | 30 | 1.1 | 0.21 | 0.11 | 0.03 |
| China, Shanghai City | 290 | 1.1 | 0.10 | 0.11 | 0.01 | 261 | 1.0 | 0.10 | 0.09 | 0.01 |
| China, Shangyu District, Shaoxing City | 36 | 1.1 | 0.20 | 0.14 | 0.03 | 26 | 0.7 | 0.14 | 0.07 | 0.02 |
| *China, Shapingba District, Chongqing City | 37 | 1.3 | 0.27 | 0.12 | 0.02 | 33 | 1.1 | 0.24 | 0.10 | 0.02 |
| China, Shexian County | 31 | 2.4 | 0.45 | 0.27 | 0.05 | 22 | 1.8 | 0.41 | 0.17 | 0.04 |
| China, Sheyang County | 76 | 1.9 | 0.24 | 0.21 | 0.03 | 61 | 1.8 | 0.29 | 0.20 | 0.03 |
| *China, Shijiazhuang City | 51 | 1.1 | 0.17 | 0.10 | 0.02 | 44 | 1.0 | 0.18 | 0.10 | 0.02 |
| China, Shunde District, Foshan City | 45 | 1.5 | 0.23 | 0.15 | 0.03 | 34 | 1.0 | 0.21 | 0.09 | 0.02 |
| *China, Song County | 20 | 1.4 | 0.33 | 0.11 | 0.03 | 20 | 1.4 | 0.32 | 0.16 | 0.05 |
| China, Suzhou City | 206 | 1.5 | 0.12 | 0.14 | 0.01 | 148 | 0.9 | 0.09 | 0.10 | 0.01 |
| *China, Tengzhou City | 98 | 1.9 | 0.20 | 0.21 | 0.03 | 59 | 0.9 | 0.13 | 0.10 | 0.02 |
| *China, Wangdu County | 19 | 2.7 | 0.62 | 0.35 | 0.09 | 9 | 1.3 | 0.44 | 0.15 | 0.06 |
| *China, Wanxian County | 22 | 1.8 | 0.41 | 0.20 | 0.06 | 22 | 2.0 | 0.46 | 0.21 | 0.05 |
| *China, Wu'an City | 27 | 1.2 | 0.25 | 0.17 | 0.04 | 31 | 1.4 | 0.25 | 0.18 | 0.04 |
| China, Wuhan City | 165 | 0.9 | 0.09 | 0.09 | 0.01 | 181 | 1.0 | 0.10 | 0.09 | 0.01 |
| *China, Wuhu City | 50 | 1.1 | 0.18 | 0.10 | 0.02 | 32 | 0.5 | 0.10 | 0.06 | 0.01 |
| China, Wuxi City | 88 | 0.8 | 0.11 | 0.08 | 0.01 | 76 | 0.6 | 0.08 | 0.06 | 0.01 |
| China, Wuzhou City | 19 | 1.1 | 0.26 | 0.10 | 0.03 | 14 | 0.6 | 0.20 | 0.04 | 0.02 |
| China, Xiangfu District, Kaifeng City | 103 | 5.9 | 0.59 | 0.59 | 0.07 | 55 | 3.0 | 0.42 | 0.34 | 0.05 |
| China, Xianju County | 17 | 1.1 | 0.28 | 0.10 | 0.03 | 18 | 1.0 | 0.25 | 0.08 | 0.03 |
| *China, Xin'an County | 24 | 2.5 | 0.53 | 0.29 | 0.06 | 16 | 1.7 | 0.44 | 0.22 | 0.06 |
| *China, Xining City | 61 | 2.8 | 0.40 | 0.25 | 0.04 | 49 | 2.3 | 0.34 | 0.19 | 0.03 |
| *China, Xinji City | 13 | 0.7 | 0.23 | 0.06 | 0.02 | 13 | 0.5 | 0.15 | 0.05 | 0.02 |
| *China, Xinluo District, Longyan City | 14 | 1.3 | 0.38 | 0.13 | 0.04 | 7 | 1.0 | 0.44 | 0.07 | 0.03 |
| *China, Xinzhou District, Shangrao City | 20 | 1.5 | 0.35 | 0.19 | 0.05 | 24 | 1.9 | 0.40 | 0.15 | 0.04 |
| China, Xiping County | 52 | 2.0 | 0.30 | 0.21 | 0.04 | 49 | 1.9 | 0.29 | 0.22 | 0.04 |
| *China, Xishan District, Kunming City | 27 | 1.8 | 0.43 | 0.15 | 0.04 | 19 | 1.5 | 0.41 | 0.14 | 0.04 |
| *China, Xuyi County | 36 | 1.5 | 0.26 | 0.17 | 0.04 | 21 | 0.9 | 0.21 | 0.10 | 0.03 |
| *China, Ya'an City | 98 | 2.0 | 0.21 | 0.21 | 0.02 | 72 | 1.5 | 0.18 | 0.16 | 0.02 |
| *China, Yakeshi City | 34 | 2.7 | 0.54 | 0.20 | 0.05 | 19 | 1.3 | 0.43 | 0.14 | 0.04 |
| China, Yancheng City | 173 | 3.2 | 0.27 | 0.35 | 0.03 | 109 | 2.0 | 0.22 | 0.21 | 0.02 |
| *China, Yangquan City | 68 | 3.3 | 0.42 | 0.38 | 0.06 | 44 | 1.9 | 0.30 | 0.23 | 0.04 |
| *China, Yangzhong City | 18 | 1.4 | 0.42 | 0.15 | 0.04 | 6 | 0.3 | 0.15 | 0.03 | 0.02 |
| *China, Yanji City | 18 | 1.2 | 0.34 | 0.09 | 0.03 | 14 | 1.1 | 0.39 | 0.08 | 0.03 |
| *China, Yanshi City | 40 | 2.1 | 0.35 | 0.22 | 0.04 | 34 | 1.4 | 0.25 | 0.16 | 0.03 |
| China, Yanting County | 52 | 2.8 | 0.40 | 0.26 | 0.05 | 29 | 1.5 | 0.30 | 0.15 | 0.03 |
| *China, Yi'an District, Tongling City | 24 | 2.8 | 0.67 | 0.31 | 0.08 | 9 | 0.8 | 0.29 | 0.10 | 0.05 |
| *China, Yingdong District, Fuyang City | 63 | 3.0 | 0.39 | 0.33 | 0.05 | 42 | 2.3 | 0.39 | 0.24 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bone (C40–41) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 6 | 0.6 | 0.26 | 0.10 | 0.05 | 6 | 0.5 | 0.21 | 0.04 | 0.03 |
| *China, Yiyuan County | 22 | 1.1 | 0.26 | 0.12 | 0.03 | 18 | 1.0 | 0.28 | 0.09 | 0.03 |
| China, Yong'an City | 14 | 1.6 | 0.48 | 0.12 | 0.04 | 10 | 0.8 | 0.27 | 0.10 | 0.04 |
| *China, Yongding District, Longyan City | 13 | 1.0 | 0.29 | 0.10 | 0.03 | 18 | 1.3 | 0.36 | 0.10 | 0.03 |
| China, Yongkang City | 21 | 0.9 | 0.22 | 0.11 | 0.03 | 13 | 0.7 | 0.24 | 0.06 | 0.02 |
| *China, Yucheng County | 51 | 2.9 | 0.41 | 0.26 | 0.04 | 28 | 1.5 | 0.30 | 0.13 | 0.03 |
| China, Yueyanglou District, Yueyang City | 4 | 0.4 | 0.24 | 0.04 | 0.02 | 11 | 1.0 | 0.31 | 0.10 | 0.04 |
| China, Yunmeng County | 39 | 2.5 | 0.44 | 0.27 | 0.05 | 60 | 3.8 | 0.52 | 0.39 | 0.06 |
| *China, Yunyang District, Shiyao City | 24 | 2.2 | 0.48 | 0.25 | 0.07 | 9 | 0.9 | 0.32 | 0.11 | 0.05 |
| China, Yuzhong District, Chongqing City | 25 | 1.2 | 0.27 | 0.15 | 0.04 | 11 | 0.4 | 0.14 | 0.05 | 0.02 |
| *China, Zhanhuang County | 7 | 0.9 | 0.34 | 0.07 | 0.03 | 9 | 1.0 | 0.34 | 0.12 | 0.05 |
| *China, Zhangjiagang City | 50 | 1.6 | 0.30 | 0.12 | 0.02 | 32 | 0.7 | 0.18 | 0.07 | 0.02 |
| *China, Zhaoyuan City | 31 | 1.5 | 0.32 | 0.14 | 0.03 | 38 | 1.6 | 0.33 | 0.16 | 0.03 |
| *China, Zhengding County | 8 | 0.8 | 0.29 | 0.06 | 0.02 | 7 | 0.7 | 0.28 | 0.07 | 0.03 |
| *China, Zhongshan City | 31 | 0.7 | 0.14 | 0.06 | 0.01 | 22 | 0.5 | 0.13 | 0.04 | 0.01 |
| China, Zhongxiang City | 83 | 2.6 | 0.29 | 0.30 | 0.04 | 60 | 2.0 | 0.30 | 0.20 | 0.03 |
| *China, Zhuanghe City | 37 | 1.3 | 0.27 | 0.12 | 0.02 | 18 | 0.4 | 0.09 | 0.04 | 0.01 |
| *China, Zhuhai City | 47 | 1.4 | 0.22 | 0.11 | 0.02 | 45 | 1.4 | 0.24 | 0.13 | 0.03 |
| India, Ahmedabad, Urban | 153 | 1.1 | 0.09 | 0.09 | 0.01 | 85 | 0.7 | 0.08 | 0.06 | 0.01 |
| India, Aurangabad | 22 | 0.6 | 0.14 | 0.07 | 0.02 | 9 | 0.3 | 0.10 | 0.02 | 0.01 |
| India, Bangalore | 216 | 1.7 | 0.12 | 0.16 | 0.01 | 156 | 1.3 | 0.11 | 0.11 | 0.01 |
| India, Barshi, Paranda, and Bhum | 13 | 0.9 | 0.26 | 0.10 | 0.03 | 10 | 0.8 | 0.26 | 0.08 | 0.03 |
| *India, Bhopal | 30 | 0.9 | 0.17 | 0.06 | 0.01 | 27 | 0.9 | 0.18 | 0.08 | 0.02 |
| India, Chandigarh | 20 | 0.6 | 0.13 | 0.04 | 0.01 | 21 | 0.8 | 0.18 | 0.07 | 0.02 |
| *India, Chennai | 144 | 1.2 | 0.10 | 0.10 | 0.01 | 105 | 0.9 | 0.09 | 0.08 | 0.01 |
| India, Dibrugarh | 29 | 0.9 | 0.17 | 0.11 | 0.02 | 16 | 0.5 | 0.12 | 0.04 | 0.01 |
| *India, Dindigul, Ambalikkai | 43 | 0.7 | 0.11 | 0.06 | 0.01 | 32 | 0.6 | 0.11 | 0.04 | 0.01 |
| India, Kamrup Urban District | 42 | 1.5 | 0.24 | 0.16 | 0.03 | 21 | 0.8 | 0.18 | 0.07 | 0.02 |
| India, Kollam | 38 | 0.8 | 0.13 | 0.06 | 0.01 | 27 | 0.5 | 0.10 | 0.03 | 0.01 |
| *India, Manipur | 54 | 1.0 | 0.14 | 0.10 | 0.02 | 46 | 0.8 | 0.12 | 0.08 | 0.02 |
| India, Meghalaya | 17 | 0.4 | 0.11 | 0.04 | 0.01 | 14 | 0.3 | 0.09 | 0.03 | 0.01 |
| India, Mizoram | 12 | 0.6 | 0.17 | 0.04 | 0.02 | 16 | 0.9 | 0.22 | 0.10 | 0.03 |
| India, Mumbai | 383 | 1.1 | 0.06 | 0.10 | 0.01 | 287 | 0.9 | 0.06 | 0.08 | 0.01 |
| *India, New Delhi | 544 | 1.9 | 0.09 | 0.16 | 0.01 | 312 | 1.3 | 0.07 | 0.10 | 0.01 |
| India, Poona | 116 | 0.8 | 0.08 | 0.06 | 0.01 | 99 | 0.8 | 0.08 | 0.06 | 0.01 |
| *India, Sangrur District | 23 | 0.8 | 0.17 | 0.07 | 0.02 | 24 | 0.9 | 0.19 | 0.08 | 0.02 |
| India, SAS Nagar | 28 | 0.9 | 0.17 | 0.06 | 0.02 | 10 | 0.4 | 0.13 | 0.04 | 0.02 |
| *India, Tamil Nadu | 1577 | 0.8 | 0.02 | 0.07 | 0.00 | 1050 | 0.5 | 0.02 | 0.04 | 0.00 |
| *India, Tripura | 63 | 0.9 | 0.11 | 0.10 | 0.02 | 36 | 0.5 | 0.08 | 0.04 | 0.01 |
| India, Trivandrum | 63 | 1.0 | 0.13 | 0.07 | 0.01 | 46 | 0.7 | 0.11 | 0.05 | 0.01 |
| India, Wardha | 28 | 0.8 | 0.15 | 0.08 | 0.02 | 26 | 0.7 | 0.15 | 0.06 | 0.01 |
| India, West Arunachal | 9 | 0.5 | 0.19 | 0.04 | 0.02 | 11 | 0.5 | 0.16 | 0.04 | 0.01 |
| *Iran (Islamic Republic of), Ardabil Province | 18 | 0.9 | 0.21 | 0.07 | 0.02 | 14 | 0.8 | 0.21 | 0.08 | 0.03 |
| *Iran (Islamic Republic of), Golestan Province | 54 | 2.1 | 0.29 | 0.17 | 0.03 | 27 | 1.0 | 0.20 | 0.09 | 0.02 |
| Israel | 305 | 1.4 | 0.08 | 0.11 | 0.01 | 255 | 1.1 | 0.07 | 0.10 | 0.01 |
| *Israel: Jews | 242 | 1.5 | 0.10 | 0.12 | 0.01 | 199 | 1.2 | 0.09 | 0.10 | 0.01 |
| *Israel: Arabs | 44 | 0.9 | 0.14 | 0.06 | 0.01 | 50 | 1.1 | 0.16 | 0.09 | 0.02 |
| Japan | 1687 | 0.7 | 0.02 | 0.06 | 0.00 | 1395 | 0.6 | 0.02 | 0.05 | 0.00 |
| Japan, Aichi Prefecture | 83 | 0.7 | 0.09 | 0.05 | 0.01 | 67 | 0.5 | 0.08 | 0.04 | 0.01 |
| *Japan, Akita Prefecture | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 9 | 0.5 | 0.21 | 0.05 | 0.02 |
| Japan, Aomori Prefecture | 30 | 0.7 | 0.16 | 0.05 | 0.01 | 30 | 0.5 | 0.14 | 0.04 | 0.01 |
| Japan, Gunma Prefecture | 33 | 0.8 | 0.17 | 0.07 | 0.01 | 28 | 0.7 | 0.18 | 0.06 | 0.01 |
| Japan, Hiroshima Prefecture | 58 | 0.8 | 0.13 | 0.07 | 0.01 | 66 | 0.9 | 0.16 | 0.07 | 0.01 |
| Japan, Miyagi Prefecture | 66 | 0.9 | 0.14 | 0.07 | 0.01 | 56 | 0.7 | 0.12 | 0.06 | 0.01 |
| Japan, Osaka Prefecture | 111 | 0.7 | 0.08 | 0.06 | 0.01 | 77 | 0.5 | 0.07 | 0.04 | 0.00 |
| Kuwait | 51 | 0.6 | 0.10 | 0.04 | 0.01 | 36 | 0.6 | 0.11 | 0.06 | 0.02 |
| *Kuwait: Kuwaitis | 24 | 0.8 | 0.18 | 0.06 | 0.02 | 16 | 0.5 | 0.12 | 0.03 | 0.01 |
| *Kuwait: Non-Kuwaitis | 27 | 0.4 | 0.10 | 0.03 | 0.01 | 20 | 0.9 | 0.27 | 0.12 | 0.05 |
| *Philippines, Manila | 193 | 1.3 | 0.10 | 0.12 | 0.01 | 126 | 0.8 | 0.07 | 0.07 | 0.01 |
| *Qatar: Qatari | 7 | 1.2 | 0.51 | 0.13 | 0.07 | 3 | 0.4 | 0.24 | 0.03 | 0.02 |
| Republic of Korea | 1432 | 1.1 | 0.03 | 0.08 | 0.00 | 1287 | 0.9 | 0.03 | 0.07 | 0.00 |
| *Republic of Korea, Busan | 105 | 1.2 | 0.13 | 0.09 | 0.01 | 88 | 0.9 | 0.12 | 0.07 | 0.01 |
| *Republic of Korea, Daegu | 84 | 1.4 | 0.17 | 0.11 | 0.01 | 74 | 0.9 | 0.13 | 0.09 | 0.01 |
| *Republic of Korea, Daejeon | 41 | 1.2 | 0.21 | 0.09 | 0.02 | 27 | 0.6 | 0.12 | 0.05 | 0.01 |
| *Republic of Korea, Gwangju | 33 | 0.8 | 0.14 | 0.07 | 0.01 | 31 | 0.8 | 0.16 | 0.07 | 0.01 |
| Republic of Korea, Incheon | 90 | 1.2 | 0.14 | 0.09 | 0.01 | 66 | 0.8 | 0.12 | 0.07 | 0.01 |
| Republic of Korea, Jeju | 24 | 1.5 | 0.32 | 0.12 | 0.03 | 21 | 1.2 | 0.32 | 0.10 | 0.02 |
| Republic of Korea, Seoul | 265 | 1.0 | 0.07 | 0.08 | 0.01 | 275 | 1.0 | 0.07 | 0.08 | 0.01 |
| Republic of Korea, Ulsan | 24 | 0.9 | 0.19 | 0.06 | 0.01 | 24 | 0.8 | 0.18 | 0.06 | 0.01 |
| Singapore | 76 | 0.8 | 0.09 | 0.07 | 0.01 | 68 | 0.7 | 0.09 | 0.05 | 0.01 |
| Singapore: Chinese | 59 | 0.8 | 0.11 | 0.07 | 0.01 | 50 | 0.7 | 0.11 | 0.05 | 0.01 |
| Singapore: Indian | 5 | 0.7 | 0.33 | 0.07 | 0.04 | 6 | 0.7 | 0.28 | 0.04 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bone (C40–41) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 5 | 0.4 | 0.16 | 0.02 | 0.01 | 12 | 0.8 | 0.24 | 0.08 | 0.03 |
| Thailand, Bangkok | 119 | 0.9 | 0.09 | 0.07 | 0.01 | 87 | 0.5 | 0.06 | 0.05 | 0.01 |
| *Thailand, Chiang Mai | 25 | 0.6 | 0.13 | 0.05 | 0.01 | 32 | 0.8 | 0.16 | 0.06 | 0.01 |
| *Thailand, Khon Kaen | 32 | 0.7 | 0.13 | 0.06 | 0.01 | 23 | 0.4 | 0.10 | 0.04 | 0.01 |
| Thailand, Lampang | 13 | 0.6 | 0.18 | 0.05 | 0.02 | 20 | 0.9 | 0.24 | 0.08 | 0.02 |
| Thailand, Lopburi Province | 47 | 2.1 | 0.32 | 0.22 | 0.04 | 65 | 2.8 | 0.37 | 0.27 | 0.04 |
| *Thailand, Songkhla | 31 | 0.9 | 0.16 | 0.08 | 0.02 | 26 | 0.7 | 0.15 | 0.05 | 0.01 |
| Turkey, Antalya | 56 | 0.9 | 0.13 | 0.07 | 0.01 | 43 | 0.7 | 0.11 | 0.06 | 0.01 |
| Turkey, Bursa | 57 | 0.8 | 0.11 | 0.06 | 0.01 | 46 | 0.7 | 0.10 | 0.05 | 0.01 |
| *Turkey, Edirne | 8 | 0.8 | 0.31 | 0.06 | 0.02 | 3 | 0.3 | 0.17 | 0.02 | 0.01 |
| *Turkey, Erzurum | 26 | 1.3 | 0.26 | 0.11 | 0.03 | 16 | 0.8 | 0.21 | 0.08 | 0.02 |
| Turkey, Eskişehir | 24 | 1.1 | 0.23 | 0.09 | 0.02 | 13 | 0.6 | 0.18 | 0.05 | 0.01 |
| Turkey, Gaziantep | 46 | 1.0 | 0.15 | 0.09 | 0.02 | 25 | 0.5 | 0.11 | 0.05 | 0.01 |
| *Turkey, Izmir | 121 | 1.1 | 0.11 | 0.09 | 0.01 | 85 | 0.8 | 0.09 | 0.06 | 0.01 |
| Turkey, Malatya | 26 | 1.3 | 0.26 | 0.09 | 0.02 | 18 | 0.8 | 0.20 | 0.08 | 0.02 |
| Turkey, Samsun | 30 | 1.0 | 0.19 | 0.07 | 0.01 | 22 | 0.7 | 0.17 | 0.05 | 0.01 |
| Turkey, Trabzon | 18 | 0.9 | 0.22 | 0.06 | 0.02 | 12 | 0.6 | 0.18 | 0.05 | 0.02 |
| Europe | | | | | | | | | | |
| Austria | 319 | 1.4 | 0.09 | 0.11 | 0.01 | 271 | 1.2 | 0.09 | 0.09 | 0.01 |
| Austria, Carinthia | 9 | 0.6 | 0.22 | 0.05 | 0.02 | 11 | 0.5 | 0.22 | 0.04 | 0.02 |
| Austria, Tyrol | 27 | 1.5 | 0.33 | 0.12 | 0.02 | 19 | 1.0 | 0.26 | 0.07 | 0.02 |
| Austria, Vorarlberg | 18 | 2.1 | 0.55 | 0.17 | 0.04 | 10 | 1.0 | 0.38 | 0.09 | 0.03 |
| Belarus | 233 | 1.1 | 0.08 | 0.08 | 0.01 | 195 | 0.7 | 0.06 | 0.05 | 0.00 |
| *Belgium | 368 | 1.2 | 0.07 | 0.10 | 0.01 | 279 | 0.9 | 0.06 | 0.07 | 0.00 |
| Croatia | 194 | 1.6 | 0.13 | 0.13 | 0.01 | 167 | 1.1 | 0.11 | 0.08 | 0.01 |
| Cyprus | 27 | 1.2 | 0.27 | 0.09 | 0.02 | 15 | 0.8 | 0.23 | 0.06 | 0.02 |
| *Czech Republic | 312 | 1.0 | 0.06 | 0.09 | 0.01 | 286 | 0.8 | 0.06 | 0.07 | 0.00 |
| Denmark | 195 | 1.1 | 0.09 | 0.10 | 0.01 | 150 | 1.0 | 0.09 | 0.08 | 0.01 |
| Estonia | 36 | 1.0 | 0.18 | 0.09 | 0.02 | 28 | 0.7 | 0.15 | 0.06 | 0.01 |
| Finland | 156 | 0.9 | 0.08 | 0.07 | 0.01 | 129 | 0.8 | 0.08 | 0.06 | 0.01 |
| *France, Bas-Rhin | 25 | 1.1 | 0.24 | 0.09 | 0.02 | 14 | 0.5 | 0.16 | 0.04 | 0.01 |
| *France, Calvados | 22 | 1.2 | 0.27 | 0.09 | 0.02 | 12 | 0.6 | 0.18 | 0.05 | 0.02 |
| *France, Doubs | 18 | 1.3 | 0.34 | 0.10 | 0.03 | 10 | 0.7 | 0.23 | 0.05 | 0.02 |
| *France, Gironde | 44 | 1.1 | 0.17 | 0.09 | 0.01 | 44 | 1.1 | 0.19 | 0.07 | 0.01 |
| *France, Haut-Rhin | 29 | 1.2 | 0.25 | 0.10 | 0.02 | 11 | 0.5 | 0.19 | 0.04 | 0.01 |
| *France, Hérault | 37 | 1.2 | 0.21 | 0.10 | 0.02 | 16 | 0.5 | 0.14 | 0.03 | 0.01 |
| *France, Isère | 45 | 1.3 | 0.21 | 0.11 | 0.02 | 35 | 0.9 | 0.17 | 0.08 | 0.02 |
| *France, Lille-Métropole | 19 | 0.9 | 0.22 | 0.08 | 0.02 | 20 | 0.9 | 0.23 | 0.08 | 0.02 |
| *France, Limousin | 11 | 1.0 | 0.34 | 0.08 | 0.03 | 9 | 0.9 | 0.34 | 0.07 | 0.03 |
| *France, Loire-Atlantique | 41 | 1.0 | 0.18 | 0.09 | 0.02 | 29 | 0.8 | 0.17 | 0.06 | 0.01 |
| *France, Manche | 16 | 1.4 | 0.38 | 0.11 | 0.03 | 12 | 0.8 | 0.30 | 0.06 | 0.02 |
| *France, Poitou-Charentes | 63 | 1.3 | 0.19 | 0.10 | 0.01 | 41 | 0.8 | 0.15 | 0.06 | 0.01 |
| *France, Somme | 26 | 1.7 | 0.35 | 0.15 | 0.03 | 15 | 0.9 | 0.27 | 0.07 | 0.02 |
| *France, Tarn | 6 | 0.6 | 0.26 | 0.05 | 0.02 | 16 | 1.2 | 0.37 | 0.10 | 0.03 |
| *France, Territoire de Belfort | 3 | 1.0 | 0.61 | 0.08 | 0.05 | 1 | 0.3 | 0.26 | 0.03 | 0.03 |
| *France, Vendée | 20 | 1.0 | 0.27 | 0.09 | 0.02 | 19 | 0.9 | 0.24 | 0.08 | 0.02 |
| Germany, Baden-Württemberg | 248 | 1.0 | 0.07 | 0.09 | 0.01 | 197 | 0.7 | 0.06 | 0.07 | 0.01 |
| Germany, Bavaria | 341 | 0.9 | 0.06 | 0.08 | 0.00 | 294 | 0.7 | 0.05 | 0.06 | 0.00 |
| Germany, Bremen | 22 | 1.3 | 0.34 | 0.09 | 0.02 | 12 | 0.4 | 0.17 | 0.04 | 0.01 |
| Germany, Hamburg | 67 | 1.3 | 0.18 | 0.12 | 0.02 | 62 | 0.9 | 0.15 | 0.07 | 0.01 |
| Germany, Lower Saxony | 281 | 1.3 | 0.09 | 0.10 | 0.01 | 200 | 0.8 | 0.07 | 0.06 | 0.01 |
| Germany, North Rhine-Westphalia | 568 | 1.2 | 0.06 | 0.09 | 0.00 | 473 | 0.9 | 0.05 | 0.07 | 0.00 |
| Germany, Rhineland-Palatinate | 132 | 1.2 | 0.12 | 0.09 | 0.01 | 115 | 0.9 | 0.11 | 0.07 | 0.01 |
| Germany, Saarland | 40 | 1.4 | 0.27 | 0.12 | 0.02 | 32 | 1.0 | 0.24 | 0.08 | 0.02 |
| Germany, Schleswig-Holstein | 69 | 0.8 | 0.11 | 0.06 | 0.01 | 60 | 0.8 | 0.12 | 0.06 | 0.01 |
| Iceland | 8 | 1.1 | 0.39 | 0.08 | 0.03 | 7 | 0.8 | 0.30 | 0.07 | 0.03 |
| Ireland | 149 | 1.2 | 0.10 | 0.10 | 0.01 | 116 | 0.9 | 0.09 | 0.07 | 0.01 |
| *Italy, Aosta Valley | 5 | 1.2 | 0.59 | 0.12 | 0.06 | 3 | 0.2 | 0.15 | 0.04 | 0.04 |
| *Italy, Avellino | 8 | 1.4 | 0.58 | 0.11 | 0.04 | 13 | 1.5 | 0.55 | 0.09 | 0.04 |
| Italy, Basilicata | 16 | 0.9 | 0.25 | 0.08 | 0.02 | 14 | 1.2 | 0.37 | 0.09 | 0.02 |
| *Italy, Benevento | 5 | 1.2 | 0.66 | 0.06 | 0.03 | 4 | 1.0 | 0.56 | 0.07 | 0.04 |
| Italy, Bergamo | 40 | 1.6 | 0.28 | 0.12 | 0.02 | 30 | 0.8 | 0.19 | 0.08 | 0.02 |
| *Italy, Brescia | 40 | 1.4 | 0.26 | 0.12 | 0.02 | 40 | 0.9 | 0.19 | 0.09 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 33 | 1.9 | 0.41 | 0.13 | 0.03 | 17 | 0.8 | 0.22 | 0.07 | 0.02 |
| Italy, Calabria | 19 | 1.3 | 0.35 | 0.10 | 0.03 | 10 | 0.6 | 0.24 | 0.04 | 0.02 |
| *Italy, Caserta | 21 | 1.1 | 0.27 | 0.09 | 0.02 | 21 | 1.0 | 0.24 | 0.08 | 0.02 |
| *Italy, Catania, Messina, and Enna | 68 | 1.3 | 0.18 | 0.11 | 0.01 | 54 | 0.9 | 0.16 | 0.07 | 0.01 |
| Italy, Emilia-Romagna | 144 | 1.7 | 0.17 | 0.12 | 0.01 | 123 | 1.1 | 0.13 | 0.09 | 0.01 |
| Italy, Friuli-Venezia Giulia | 33 | 1.2 | 0.24 | 0.09 | 0.02 | 31 | 0.8 | 0.18 | 0.07 | 0.01 |
| Italy, Genova | 24 | 1.1 | 0.29 | 0.09 | 0.02 | 16 | 0.7 | 0.25 | 0.06 | 0.02 |
| *Italy, Lombardy, South, Pavia | 13 | 1.1 | 0.39 | 0.07 | 0.02 | 20 | 1.3 | 0.36 | 0.12 | 0.03 |
| Italy, Mantova and Cremona | 23 | 1.5 | 0.39 | 0.11 | 0.03 | 18 | 0.9 | 0.27 | 0.08 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Bone (C40–41) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 30 | 0.8 | <i>0.18</i> | 0.06 | <i>0.01</i> | 24 | 0.6 | <i>0.17</i> | 0.05 | <i>0.01</i> |
| Italy, Milan | 157 | 1.6 | <i>0.15</i> | 0.14 | <i>0.01</i> | 120 | 1.2 | <i>0.13</i> | 0.10 | <i>0.01</i> |
| Italy, Molise | 9 | 1.7 | <i>0.70</i> | 0.12 | <i>0.05</i> | 6 | 0.8 | <i>0.35</i> | 0.08 | <i>0.04</i> |
| *Italy, Naples Centre | 14 | 0.8 | <i>0.26</i> | 0.06 | <i>0.02</i> | 23 | 1.3 | <i>0.34</i> | 0.10 | <i>0.02</i> |
| *Italy, Naples North | 32 | 1.2 | <i>0.23</i> | 0.09 | <i>0.02</i> | 23 | 1.0 | <i>0.23</i> | 0.07 | <i>0.02</i> |
| *Italy, Naples South | 32 | 1.0 | <i>0.19</i> | 0.09 | <i>0.02</i> | 26 | 1.1 | <i>0.24</i> | 0.07 | <i>0.02</i> |
| *Italy, Nuoro | 5 | 1.7 | <i>0.94</i> | 0.09 | <i>0.05</i> | 3 | 0.8 | <i>0.63</i> | 0.06 | <i>0.04</i> |
| *Italy, Palermo | 38 | 0.9 | <i>0.16</i> | 0.07 | <i>0.01</i> | 40 | 1.0 | <i>0.19</i> | 0.09 | <i>0.02</i> |
| Italy, Puglia | 154 | 1.4 | <i>0.13</i> | 0.11 | <i>0.01</i> | 124 | 1.1 | <i>0.12</i> | 0.08 | <i>0.01</i> |
| *Italy, Ragusa and Caltanissetta | 20 | 1.6 | <i>0.38</i> | 0.11 | <i>0.03</i> | 16 | 1.0 | <i>0.30</i> | 0.08 | <i>0.02</i> |
| *Italy, Salerno | 20 | 0.9 | <i>0.22</i> | 0.07 | <i>0.02</i> | 21 | 1.1 | <i>0.26</i> | 0.08 | <i>0.02</i> |
| Italy, Sassari | 8 | 1.4 | <i>0.60</i> | 0.12 | <i>0.05</i> | 2 | 0.1 | <i>0.08</i> | 0.02 | <i>0.02</i> |
| *Italy, Sondrio | 18 | 3.3 | <i>0.92</i> | 0.27 | <i>0.07</i> | 9 | 2.0 | <i>0.77</i> | 0.14 | <i>0.05</i> |
| Italy, South Tyrol | 17 | 1.1 | <i>0.31</i> | 0.09 | <i>0.02</i> | 17 | 0.9 | <i>0.27</i> | 0.08 | <i>0.02</i> |
| *Italy, Syracuse | 14 | 1.2 | <i>0.37</i> | 0.09 | <i>0.03</i> | 11 | 0.9 | <i>0.32</i> | 0.07 | <i>0.03</i> |
| Italy, Trento | 18 | 1.3 | <i>0.36</i> | 0.09 | <i>0.02</i> | 12 | 0.5 | <i>0.18</i> | 0.05 | <i>0.02</i> |
| Italy, Turin | 62 | 0.9 | <i>0.15</i> | 0.08 | <i>0.01</i> | 55 | 0.8 | <i>0.14</i> | 0.07 | <i>0.01</i> |
| *Italy, Tuscany | 87 | 1.6 | <i>0.21</i> | 0.13 | <i>0.02</i> | 70 | 1.3 | <i>0.20</i> | 0.09 | <i>0.01</i> |
| Italy, Umbria | 32 | 1.9 | <i>0.40</i> | 0.14 | <i>0.03</i> | 25 | 1.0 | <i>0.28</i> | 0.09 | <i>0.02</i> |
| Italy, Varese | 21 | 1.2 | <i>0.29</i> | 0.11 | <i>0.03</i> | 17 | 1.2 | <i>0.37</i> | 0.10 | <i>0.03</i> |
| Italy, Veneto | 158 | 1.2 | <i>0.11</i> | 0.09 | <i>0.01</i> | 134 | 0.9 | <i>0.10</i> | 0.07 | <i>0.01</i> |
| Latvia | 80 | 1.5 | <i>0.18</i> | 0.14 | <i>0.02</i> | 77 | 1.0 | <i>0.15</i> | 0.09 | <i>0.01</i> |
| *Liechtenstein | 1 | 1.4 | <i>1.37</i> | 0.09 | <i>0.09</i> | 2 | 1.4 | <i>0.97</i> | 0.12 | <i>0.09</i> |
| *Lithuania | 94 | 1.2 | <i>0.14</i> | 0.10 | <i>0.01</i> | 92 | 0.9 | <i>0.12</i> | 0.07 | <i>0.01</i> |
| Malta | 23 | 1.7 | <i>0.39</i> | 0.17 | <i>0.04</i> | 18 | 1.0 | <i>0.30</i> | 0.08 | <i>0.02</i> |
| *The Netherlands | 674 | 1.4 | <i>0.06</i> | 0.12 | <i>0.00</i> | 605 | 1.2 | <i>0.06</i> | 0.10 | <i>0.00</i> |
| Norway | 151 | 1.0 | <i>0.08</i> | 0.09 | <i>0.01</i> | 144 | 0.9 | <i>0.09</i> | 0.08 | <i>0.01</i> |
| Poland, Kielce | 54 | 1.3 | <i>0.20</i> | 0.12 | <i>0.02</i> | 35 | 0.7 | <i>0.14</i> | 0.05 | <i>0.01</i> |
| *Portugal, Azores | 4 | 0.8 | <i>0.43</i> | 0.06 | <i>0.03</i> | 5 | 1.0 | <i>0.48</i> | 0.07 | <i>0.03</i> |
| Russian Federation, Arkhangelsk | 26 | 0.8 | <i>0.18</i> | 0.08 | <i>0.02</i> | 32 | 0.8 | <i>0.15</i> | 0.07 | <i>0.01</i> |
| Russian Federation, Kaliningrad | 41 | 1.5 | <i>0.25</i> | 0.14 | <i>0.02</i> | 30 | 1.0 | <i>0.23</i> | 0.08 | <i>0.02</i> |
| Russian Federation, Karelia | 18 | 1.0 | <i>0.26</i> | 0.09 | <i>0.02</i> | 12 | 0.5 | <i>0.18</i> | 0.04 | <i>0.01</i> |
| *Russian Federation, Komi Republic | 24 | 1.3 | <i>0.27</i> | 0.13 | <i>0.03</i> | 26 | 1.0 | <i>0.22</i> | 0.09 | <i>0.02</i> |
| Russian Federation, Murmansk | 23 | 1.4 | <i>0.31</i> | 0.12 | <i>0.03</i> | 15 | 0.8 | <i>0.25</i> | 0.06 | <i>0.02</i> |
| *Russian Federation, Orenburg | 50 | 1.0 | <i>0.15</i> | 0.09 | <i>0.01</i> | 41 | 0.7 | <i>0.12</i> | 0.06 | <i>0.01</i> |
| Russian Federation, Pskov | 21 | 1.0 | <i>0.23</i> | 0.09 | <i>0.02</i> | 27 | 1.1 | <i>0.24</i> | 0.10 | <i>0.02</i> |
| *Russian Federation, Samara | 62 | 0.8 | <i>0.11</i> | 0.07 | <i>0.01</i> | 69 | 0.7 | <i>0.11</i> | 0.06 | <i>0.01</i> |
| Russian Federation, Vologda Region | 48 | 1.4 | <i>0.22</i> | 0.14 | <i>0.02</i> | 49 | 1.2 | <i>0.21</i> | 0.11 | <i>0.02</i> |
| Slovenia | 63 | 1.2 | <i>0.18</i> | 0.09 | <i>0.01</i> | 49 | 1.0 | <i>0.16</i> | 0.07 | <i>0.01</i> |
| Spain, Asturias | 32 | 2.3 | <i>0.51</i> | 0.17 | <i>0.03</i> | 21 | 0.8 | <i>0.19</i> | 0.09 | <i>0.02</i> |
| Spain, Basque Country | 63 | 1.5 | <i>0.22</i> | 0.12 | <i>0.02</i> | 46 | 0.9 | <i>0.18</i> | 0.07 | <i>0.01</i> |
| Spain, Canary Islands | 32 | 1.0 | <i>0.19</i> | 0.07 | <i>0.01</i> | 28 | 0.9 | <i>0.20</i> | 0.07 | <i>0.01</i> |
| Spain, Castellón | 15 | 0.9 | <i>0.26</i> | 0.07 | <i>0.02</i> | 9 | 0.7 | <i>0.26</i> | 0.05 | <i>0.02</i> |
| Spain, Girona | 29 | 1.2 | <i>0.25</i> | 0.11 | <i>0.02</i> | 21 | 1.2 | <i>0.30</i> | 0.09 | <i>0.02</i> |
| Spain, Granada | 27 | 1.2 | <i>0.26</i> | 0.10 | <i>0.02</i> | 26 | 0.9 | <i>0.20</i> | 0.08 | <i>0.02</i> |
| Spain, La Rioja | 12 | 1.3 | <i>0.46</i> | 0.12 | <i>0.04</i> | 10 | 0.9 | <i>0.37</i> | 0.07 | <i>0.03</i> |
| Spain, Murcia | 46 | 1.2 | <i>0.19</i> | 0.10 | <i>0.02</i> | 49 | 1.3 | <i>0.20</i> | 0.10 | <i>0.02</i> |
| Spain, Navarra | 23 | 1.8 | <i>0.43</i> | 0.13 | <i>0.03</i> | 10 | 0.8 | <i>0.28</i> | 0.07 | <i>0.02</i> |
| Spain, Salamanca | 12 | 1.7 | <i>0.55</i> | 0.13 | <i>0.04</i> | 13 | 1.3 | <i>0.51</i> | 0.11 | <i>0.04</i> |
| Spain, Tarragona | 26 | 1.3 | <i>0.29</i> | 0.11 | <i>0.02</i> | 18 | 0.6 | <i>0.17</i> | 0.07 | <i>0.02</i> |
| *Sweden | 285 | 1.0 | <i>0.07</i> | 0.09 | <i>0.01</i> | 213 | 0.8 | <i>0.06</i> | 0.06 | <i>0.00</i> |
| Switzerland, Aargau | 21 | 1.1 | <i>0.28</i> | 0.09 | <i>0.02</i> | 17 | 1.2 | <i>0.32</i> | 0.09 | <i>0.02</i> |
| Switzerland, Basel | 27 | 2.3 | <i>0.51</i> | 0.18 | <i>0.04</i> | 13 | 1.0 | <i>0.35</i> | 0.07 | <i>0.02</i> |
| Switzerland, Berne Solothurn | 11 | 0.5 | <i>0.18</i> | 0.04 | <i>0.01</i> | 17 | 0.8 | <i>0.23</i> | 0.06 | <i>0.02</i> |
| Switzerland, East | 26 | 1.0 | <i>0.22</i> | 0.10 | <i>0.02</i> | 22 | 1.0 | <i>0.25</i> | 0.08 | <i>0.02</i> |
| *Switzerland, Fribourg | 14 | 1.7 | <i>0.49</i> | 0.14 | <i>0.04</i> | 7 | 0.8 | <i>0.31</i> | 0.08 | <i>0.03</i> |
| Switzerland, Geneva | 12 | 1.1 | <i>0.34</i> | 0.06 | <i>0.02</i> | 11 | 1.0 | <i>0.32</i> | 0.06 | <i>0.02</i> |
| *Switzerland, Graubünden and Glarus | 9 | 1.0 | <i>0.40</i> | 0.10 | <i>0.04</i> | 8 | 1.0 | <i>0.41</i> | 0.07 | <i>0.03</i> |
| *Switzerland, Lucerne | 15 | 0.8 | <i>0.22</i> | 0.10 | <i>0.03</i> | 17 | 1.2 | <i>0.32</i> | 0.11 | <i>0.03</i> |
| *Switzerland, Neuchâtel and Jura | 9 | 0.9 | <i>0.36</i> | 0.10 | <i>0.04</i> | 7 | 1.1 | <i>0.47</i> | 0.08 | <i>0.03</i> |
| Switzerland, Ticino | 11 | 1.0 | <i>0.37</i> | 0.07 | <i>0.03</i> | 5 | 0.6 | <i>0.34</i> | 0.05 | <i>0.02</i> |
| Switzerland, Valais | 10 | 1.0 | <i>0.38</i> | 0.06 | <i>0.02</i> | 8 | 0.6 | <i>0.23</i> | 0.08 | <i>0.03</i> |
| Switzerland, Vaud | 49 | 2.3 | <i>0.35</i> | 0.20 | <i>0.03</i> | 24 | 1.0 | <i>0.25</i> | 0.08 | <i>0.02</i> |
| Switzerland, Zurich and Zug | 43 | 1.0 | <i>0.17</i> | 0.08 | <i>0.01</i> | 46 | 1.0 | <i>0.18</i> | 0.08 | <i>0.01</i> |
| Ukraine | 1048 | 1.2 | <i>0.04</i> | 0.10 | <i>0.00</i> | 841 | 0.7 | <i>0.03</i> | 0.06 | <i>0.00</i> |
| UK, England | 1442 | 1.0 | <i>0.03</i> | 0.08 | <i>0.00</i> | 1278 | 0.8 | <i>0.03</i> | 0.07 | <i>0.00</i> |
| UK, Northern Ireland | 34 | 0.7 | <i>0.12</i> | 0.06 | <i>0.01</i> | 35 | 0.6 | <i>0.12</i> | 0.05 | <i>0.01</i> |
| UK, Scotland | 163 | 1.1 | <i>0.10</i> | 0.09 | <i>0.01</i> | 116 | 0.8 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| UK, Wales | 94 | 1.2 | <i>0.13</i> | 0.09 | <i>0.01</i> | 85 | 1.0 | <i>0.12</i> | 0.08 | <i>0.01</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 248 | 1.1 | <i>0.08</i> | 0.09 | <i>0.01</i> | 217 | 1.0 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| *Australia, Northern Territory | 8 | 1.2 | <i>0.43</i> | 0.13 | <i>0.05</i> | 5 | 1.0 | <i>0.46</i> | 0.05 | <i>0.03</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Bone (C40–41) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 7 | 1.5 | 0.61 | 0.15 | 0.07 | 5 | 1.6 | 0.78 | 0.08 | 0.04 |
| *Australia, Northern Territory: Indigenous | 1 | 0.4 | 0.40 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *Australia, Queensland | 142 | 1.1 | 0.10 | 0.09 | 0.01 | 95 | 0.7 | 0.08 | 0.06 | 0.01 |
| Australia, South Australia | 48 | 0.9 | 0.15 | 0.08 | 0.01 | 41 | 0.8 | 0.15 | 0.07 | 0.01 |
| Australia, Tasmania | 17 | 1.3 | 0.34 | 0.11 | 0.03 | 8 | 0.6 | 0.25 | 0.04 | 0.02 |
| *Australia, Victoria | 207 | 1.2 | 0.09 | 0.11 | 0.01 | 149 | 0.9 | 0.08 | 0.07 | 0.01 |
| *Australia, Western Australia | 71 | 1.0 | 0.13 | 0.09 | 0.01 | 49 | 0.8 | 0.12 | 0.06 | 0.01 |
| *France, New Caledonia | 8 | 1.1 | 0.40 | 0.10 | 0.04 | 11 | 1.6 | 0.49 | 0.12 | 0.04 |
| New Zealand | 132 | 1.1 | 0.10 | 0.09 | 0.01 | 120 | 1.0 | 0.10 | 0.07 | 0.01 |
| *New Zealand: Maori | 24 | 1.3 | 0.28 | 0.12 | 0.03 | 25 | 1.3 | 0.26 | 0.10 | 0.03 |
| *New Zealand: Pacific peoples | 14 | 1.8 | 0.49 | 0.14 | 0.04 | 14 | 1.8 | 0.48 | 0.14 | 0.04 |
| *New Zealand: Other | 87 | 1.1 | 0.13 | 0.08 | 0.01 | 75 | 0.9 | 0.13 | 0.07 | 0.01 |
| USA, Hawaii | 36 | 1.0 | 0.19 | 0.08 | 0.01 | 35 | 1.0 | 0.18 | 0.07 | 0.01 |
| USA, Hawaii: White | 13 | 0.8 | 0.25 | 0.08 | 0.02 | 8 | 0.9 | 0.40 | 0.08 | 0.03 |
| *USA, Hawaii: Japanese | 4 | 0.6 | 0.49 | 0.05 | 0.03 | 5 | 0.9 | 0.57 | 0.06 | 0.04 |
| *USA, Hawaii: Chinese | 0 | – | 0.00 | – | 0.00 | 3 | 1.4 | 1.05 | 0.09 | 0.06 |
| *USA, Hawaii: Hawaiian | 8 | 1.0 | 0.34 | 0.08 | 0.03 | 7 | 0.9 | 0.36 | 0.05 | 0.02 |
| *USA, Hawaii: Filipino | 4 | 0.7 | 0.36 | 0.05 | 0.02 | 9 | 1.2 | 0.42 | 0.10 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Melanoma of skin (C43)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 9 | 0.6 | 0.20 | 0.06 | 0.02 | 10 | 0.7 | 0.24 | 0.07 | 0.03 |
| *Algeria, Tizi Ouzou | 20 | 1.4 | 0.33 | 0.21 | 0.05 | 12 | 0.6 | 0.18 | 0.06 | 0.02 |
| *Benin, Cotonou | 2 | 0.6 | 0.44 | 0.08 | 0.08 | 1 | 0.2 | 0.21 | 0.03 | 0.03 |
| *France, La Réunion | 103 | 5.1 | 0.51 | 0.56 | 0.06 | 91 | 4.1 | 0.44 | 0.41 | 0.05 |
| *Kenya, Eldoret | 13 | 1.3 | 0.39 | 0.18 | 0.06 | 8 | 0.8 | 0.32 | 0.10 | 0.04 |
| *Kenya, Nairobi | 19 | 1.0 | 0.26 | 0.09 | 0.03 | 23 | 1.0 | 0.25 | 0.15 | 0.05 |
| Mauritius | 13 | 0.3 | 0.09 | 0.04 | 0.01 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Morocco, Casablanca | 36 | 0.3 | 0.06 | 0.03 | 0.01 | 44 | 0.4 | 0.06 | 0.04 | 0.01 |
| *Seychelles | 1 | 0.3 | 0.26 | 0.03 | 0.03 | 1 | 0.2 | 0.19 | 0.00 | 0.00 |
| *South Africa, Eastern Cape | 3 | 0.3 | 0.15 | 0.03 | 0.02 | 8 | 0.4 | 0.15 | 0.04 | 0.02 |
| *Uganda, Kyadondo County | 11 | 0.5 | 0.20 | 0.05 | 0.03 | 25 | 1.0 | 0.23 | 0.10 | 0.03 |
| *Uganda, Gulu | 1 | 0.2 | 0.20 | 0.00 | 0.00 | 6 | 1.1 | 0.47 | 0.11 | 0.06 |
| *Zimbabwe, Bulawayo: African | 14 | 1.8 | 0.50 | 0.22 | 0.08 | 30 | 3.2 | 0.61 | 0.43 | 0.10 |
| *Zimbabwe, Harare: African | 37 | 2.4 | 0.43 | 0.30 | 0.07 | 60 | 3.6 | 0.48 | 0.46 | 0.08 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 101 | 4.6 | 0.46 | 0.52 | 0.06 | 120 | 4.9 | 0.47 | 0.54 | 0.06 |
| *Argentina, Mendoza | 151 | 3.0 | 0.25 | 0.33 | 0.03 | 140 | 2.5 | 0.22 | 0.24 | 0.02 |
| Brazil, Aracaju | 39 | 3.5 | 0.58 | 0.39 | 0.08 | 43 | 2.7 | 0.42 | 0.28 | 0.05 |
| *Brazil, Barretos | 66 | 4.8 | 0.60 | 0.52 | 0.08 | 54 | 3.4 | 0.48 | 0.38 | 0.06 |
| Brazil, Belo Horizonte | 269 | 3.7 | 0.23 | 0.41 | 0.03 | 276 | 2.9 | 0.18 | 0.32 | 0.02 |
| *Brazil, Campinas | 178 | 7.4 | 0.57 | 0.84 | 0.08 | 176 | 5.8 | 0.44 | 0.60 | 0.06 |
| *Brazil, Curitiba | 219 | 5.5 | 0.37 | 0.63 | 0.05 | 243 | 4.7 | 0.31 | 0.51 | 0.04 |
| Brazil, Goiânia | 105 | 4.0 | 0.40 | 0.49 | 0.06 | 112 | 3.2 | 0.30 | 0.33 | 0.04 |
| *Brazil, Jaú | 22 | 5.1 | 1.10 | 0.54 | 0.15 | 30 | 6.1 | 1.14 | 0.74 | 0.16 |
| Brazil, João Pessoa | 30 | 2.9 | 0.54 | 0.39 | 0.09 | 34 | 2.5 | 0.44 | 0.31 | 0.06 |
| Brazil, Recife | 73 | 2.9 | 0.35 | 0.30 | 0.05 | 53 | 1.3 | 0.19 | 0.15 | 0.03 |
| Chile, Region of Antofagasta | 23 | 2.3 | 0.49 | 0.28 | 0.07 | 29 | 2.7 | 0.51 | 0.30 | 0.07 |
| Chile, Valdivia | 35 | 2.6 | 0.45 | 0.30 | 0.06 | 40 | 2.8 | 0.46 | 0.31 | 0.06 |
| Colombia, Bucaramanga | 65 | 2.2 | 0.28 | 0.23 | 0.04 | 72 | 1.9 | 0.23 | 0.22 | 0.03 |
| Colombia, Cali | 174 | 2.9 | 0.22 | 0.31 | 0.03 | 206 | 2.6 | 0.18 | 0.27 | 0.02 |
| Colombia, Manizales | 44 | 3.3 | 0.50 | 0.39 | 0.07 | 47 | 2.9 | 0.42 | 0.30 | 0.05 |
| Colombia, Pasto | 22 | 2.0 | 0.43 | 0.22 | 0.06 | 38 | 2.8 | 0.48 | 0.25 | 0.05 |
| Costa Rica | 229 | 2.2 | 0.15 | 0.23 | 0.02 | 207 | 1.9 | 0.13 | 0.21 | 0.02 |
| Ecuador, Guayaquil | 90 | 1.7 | 0.18 | 0.19 | 0.03 | 76 | 1.2 | 0.14 | 0.13 | 0.02 |
| Ecuador, Manabí | 32 | 0.9 | 0.16 | 0.07 | 0.02 | 19 | 0.5 | 0.12 | 0.05 | 0.02 |
| Ecuador, Quito | 196 | 4.7 | 0.34 | 0.52 | 0.05 | 212 | 4.1 | 0.29 | 0.43 | 0.04 |
| *France, Guadeloupe | 53 | 3.3 | 0.48 | 0.38 | 0.06 | 34 | 1.7 | 0.31 | 0.18 | 0.04 |
| *France, Martinique | 42 | 2.5 | 0.44 | 0.26 | 0.05 | 36 | 1.8 | 0.33 | 0.21 | 0.04 |
| *Peru, Lima | 392 | 2.8 | 0.14 | 0.29 | 0.02 | 400 | 2.4 | 0.12 | 0.26 | 0.02 |
| *Trinidad and Tobago | 16 | 0.7 | 0.17 | 0.08 | 0.02 | 6 | 0.2 | 0.11 | 0.02 | 0.01 |
| USA, Puerto Rico | 415 | 2.9 | 0.15 | 0.30 | 0.02 | 312 | 2.1 | 0.14 | 0.21 | 0.01 |
| *Uruguay | 667 | 5.5 | 0.22 | 0.61 | 0.03 | 609 | 4.4 | 0.19 | 0.46 | 0.02 |
| North America | | | | | | | | | | |
| Canada, Alberta | 1698 | 11.1 | 0.27 | 1.25 | 0.04 | 1560 | 10.5 | 0.28 | 1.14 | 0.03 |
| Canada, British Columbia | 2946 | 12.9 | 0.25 | 1.48 | 0.03 | 2424 | 11.2 | 0.25 | 1.21 | 0.03 |
| *Canada, Manitoba | 647 | 11.7 | 0.48 | 1.32 | 0.07 | 542 | 9.9 | 0.46 | 1.10 | 0.06 |
| *Canada, New Brunswick | 491 | 12.9 | 0.62 | 1.48 | 0.08 | 473 | 13.7 | 0.72 | 1.45 | 0.08 |
| *Canada, Newfoundland and Labrador | 292 | 11.7 | 0.74 | 1.29 | 0.09 | 239 | 9.9 | 0.71 | 1.04 | 0.08 |
| Canada, Ontario | 9713 | 15.8 | 0.17 | 1.78 | 0.02 | 7654 | 12.8 | 0.16 | 1.37 | 0.02 |
| *Canada, Prince Edward Island | 154 | 22.1 | 1.93 | 2.42 | 0.24 | 134 | 21.0 | 2.00 | 2.36 | 0.22 |
| Canada, Quebec | 4302 | 11.3 | 0.18 | 1.28 | 0.02 | 3558 | 10.2 | 0.19 | 1.07 | 0.02 |
| Canada, Saskatchewan | 468 | 9.9 | 0.48 | 1.19 | 0.07 | 474 | 11.2 | 0.55 | 1.20 | 0.06 |
| *Canada, Yukon | 8 | 4.5 | 1.64 | 0.51 | 0.18 | 10 | 7.5 | 2.38 | 0.97 | 0.34 |
| USA | 240843 | 18.4 | 0.04 | 2.10 | 0.01 | 166357 | 13.1 | 0.03 | 1.39 | 0.00 |
| USA: White | 230215 | 21.0 | 0.05 | 2.39 | 0.01 | 156817 | 15.5 | 0.04 | 1.63 | 0.00 |
| USA: Black | 922 | 0.7 | 0.02 | 0.08 | 0.00 | 1016 | 0.6 | 0.02 | 0.06 | 0.00 |
| USA, NPCR | 233945 | 18.5 | 0.04 | 2.10 | 0.01 | 161128 | 13.1 | 0.04 | 1.39 | 0.00 |
| USA, NPCR: White | 223726 | 21.1 | 0.05 | 2.40 | 0.01 | 151918 | 15.5 | 0.04 | 1.63 | 0.00 |
| USA, NPCR: Black | 910 | 0.7 | 0.02 | 0.08 | 0.00 | 1002 | 0.6 | 0.02 | 0.06 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 530 | 0.9 | 0.04 | 0.10 | 0.01 | 579 | 0.9 | 0.04 | 0.09 | 0.00 |
| USA, NPCR: American Indian | 394 | 3.5 | 0.18 | 0.40 | 0.02 | 300 | 2.4 | 0.14 | 0.24 | 0.02 |
| *USA, SEER (18 registries) | 60921 | 17.7 | 0.07 | 2.03 | 0.01 | 43923 | 12.8 | 0.07 | 1.37 | 0.01 |
| *USA, SEER (18 registries): White | 57253 | 21.1 | 0.09 | 2.41 | 0.01 | 40686 | 15.8 | 0.08 | 1.68 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 55805 | 25.3 | 0.12 | 2.86 | 0.01 | 38835 | 19.5 | 0.11 | 2.03 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 1448 | 3.2 | 0.09 | 0.37 | 0.01 | 1851 | 3.6 | 0.09 | 0.40 | 0.01 |
| *USA, SEER (18 registries): Black | 233 | 0.7 | 0.05 | 0.08 | 0.01 | 258 | 0.6 | 0.04 | 0.06 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 334 | 1.0 | 0.06 | 0.11 | 0.01 | 347 | 0.9 | 0.05 | 0.09 | 0.01 |
| *USA, SEER (9 registries) | 21992 | 18.8 | 0.13 | 2.16 | 0.02 | 16667 | 14.4 | 0.12 | 1.52 | 0.01 |
| *USA, SEER (9 registries): White | 21026 | 23.1 | 0.17 | 2.64 | 0.02 | 15818 | 18.7 | 0.16 | 1.96 | 0.02 |
| *USA, SEER (9 registries): Black | 74 | 0.7 | 0.08 | 0.07 | 0.01 | 79 | 0.6 | 0.07 | 0.06 | 0.01 |
| USA, Alabama | 3637 | 18.3 | 0.32 | 2.06 | 0.04 | 2458 | 12.6 | 0.28 | 1.30 | 0.03 |
| USA, Alabama: White | 3599 | 23.5 | 0.42 | 2.65 | 0.05 | 2413 | 17.5 | 0.39 | 1.79 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Melanoma of skin (C43) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|-------------|----------|-------------|--------|-------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 33 | 0.9 | <i>0.16</i> | 0.09 | <i>0.02</i> | 41 | 0.7 | <i>0.12</i> | 0.07 | <i>0.02</i> |
| USA, Alaska | 275 | 10.8 | <i>0.66</i> | 1.26 | <i>0.09</i> | 216 | 9.5 | <i>0.66</i> | 0.98 | <i>0.07</i> |
| *USA, Alaska: Alaska Natives | 9 | 2.9 | <i>0.96</i> | 0.27 | <i>0.11</i> | 16 | 4.8 | <i>1.20</i> | 0.50 | <i>0.13</i> |
| USA, Arizona | 6350 | 21.2 | <i>0.28</i> | 2.44 | <i>0.04</i> | 3532 | 12.8 | <i>0.23</i> | 1.42 | <i>0.03</i> |
| USA, Arizona: White | 6126 | 22.6 | <i>0.31</i> | 2.58 | <i>0.04</i> | 3383 | 13.9 | <i>0.27</i> | 1.54 | <i>0.03</i> |
| USA, Arizona: Black | 12 | 1.2 | <i>0.36</i> | 0.17 | <i>0.06</i> | 14 | 1.4 | <i>0.37</i> | 0.21 | <i>0.07</i> |
| *USA, Arizona: Asian and Pacific Islander | 4 | 0.6 | <i>0.31</i> | 0.11 | <i>0.06</i> | 7 | 0.8 | <i>0.29</i> | 0.07 | <i>0.03</i> |
| USA, Arizona: American Indian | 26 | 2.8 | <i>0.55</i> | 0.28 | <i>0.08</i> | 25 | 2.3 | <i>0.46</i> | 0.20 | <i>0.05</i> |
| USA, Arkansas | 2283 | 18.2 | <i>0.40</i> | 2.05 | <i>0.05</i> | 1472 | 12.7 | <i>0.36</i> | 1.32 | <i>0.04</i> |
| USA, Arkansas: White | 2187 | 20.1 | <i>0.46</i> | 2.27 | <i>0.06</i> | 1386 | 14.5 | <i>0.43</i> | 1.50 | <i>0.05</i> |
| USA, Arkansas: Black | 15 | 1.1 | <i>0.29</i> | 0.15 | <i>0.05</i> | 15 | 0.8 | <i>0.23</i> | 0.07 | <i>0.02</i> |
| USA, California | 28886 | 19.3 | <i>0.12</i> | 2.24 | <i>0.02</i> | 18723 | 12.4 | <i>0.10</i> | 1.36 | <i>0.01</i> |
| USA, California: White | 26389 | 22.7 | <i>0.15</i> | 2.62 | <i>0.02</i> | 16597 | 14.7 | <i>0.12</i> | 1.61 | <i>0.01</i> |
| USA, California: Black | 74 | 0.9 | <i>0.10</i> | 0.10 | <i>0.01</i> | 57 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> |
| USA, California: Asian and Pacific Islander | 193 | 0.9 | <i>0.07</i> | 0.09 | <i>0.01</i> | 223 | 0.9 | <i>0.07</i> | 0.09 | <i>0.01</i> |
| *USA, California, Los Angeles County | 3948 | 10.8 | <i>0.18</i> | 1.25 | <i>0.03</i> | 2637 | 6.7 | <i>0.14</i> | 0.71 | <i>0.02</i> |
| *USA, California, Los Angeles County: White | 3525 | 13.3 | <i>0.23</i> | 1.55 | <i>0.03</i> | 2271 | 8.1 | <i>0.18</i> | 0.88 | <i>0.02</i> |
| *USA, California, Los Angeles County: Non-Hispanic White | 3243 | 22.7 | <i>0.43</i> | 2.60 | <i>0.06</i> | 1959 | 15.1 | <i>0.39</i> | 1.58 | <i>0.04</i> |
| *USA, California, Los Angeles County: Hispanic White | 282 | 2.5 | <i>0.15</i> | 0.30 | <i>0.02</i> | 312 | 2.3 | <i>0.13</i> | 0.25 | <i>0.02</i> |
| *USA, California, Los Angeles County: Black | 26 | 0.8 | <i>0.16</i> | 0.09 | <i>0.02</i> | 18 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> |
| *USA, California, Los Angeles County: Chinese | 6 | 0.5 | <i>0.24</i> | 0.04 | <i>0.02</i> | 10 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| *USA, California, Los Angeles County: Filipino | 10 | 0.7 | <i>0.23</i> | 0.08 | <i>0.03</i> | 9 | 0.5 | <i>0.17</i> | 0.06 | <i>0.02</i> |
| *USA, California, Los Angeles County: Korean | 7 | 0.7 | <i>0.29</i> | 0.08 | <i>0.04</i> | 8 | 0.7 | <i>0.25</i> | 0.12 | <i>0.04</i> |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 46 | 0.7 | <i>0.12</i> | 0.08 | <i>0.01</i> | 48 | 0.6 | <i>0.10</i> | 0.07 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area | 3682 | 19.9 | <i>0.34</i> | 2.34 | <i>0.05</i> | 2604 | 14.0 | <i>0.29</i> | 1.51 | <i>0.03</i> |
| *USA, California, San Francisco Bay Area: White | 3386 | 28.0 | <i>0.50</i> | 3.27 | <i>0.07</i> | 2363 | 20.8 | <i>0.46</i> | 2.24 | <i>0.05</i> |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 3288 | 34.1 | <i>0.64</i> | 3.91 | <i>0.08</i> | 2228 | 26.2 | <i>0.63</i> | 2.75 | <i>0.07</i> |
| *USA, California, San Francisco Bay Area: Hispanic White | 98 | 4.6 | <i>0.47</i> | 0.52 | <i>0.07</i> | 135 | 5.3 | <i>0.47</i> | 0.58 | <i>0.06</i> |
| *USA, California, San Francisco Bay Area: Black | 16 | 1.0 | <i>0.26</i> | 0.09 | <i>0.03</i> | 4 | 0.3 | <i>0.13</i> | 0.02 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 36 | 0.8 | <i>0.14</i> | 0.07 | <i>0.02</i> | 50 | 1.0 | <i>0.16</i> | 0.09 | <i>0.02</i> |
| USA, Colorado | 3747 | 18.0 | <i>0.30</i> | 2.07 | <i>0.04</i> | 2718 | 13.6 | <i>0.27</i> | 1.46 | <i>0.03</i> |
| USA, Colorado: White | 3733 | 19.5 | <i>0.33</i> | 2.23 | <i>0.04</i> | 2699 | 14.9 | <i>0.30</i> | 1.59 | <i>0.03</i> |
| *USA, Colorado: Black | 5 | 0.5 | <i>0.24</i> | 0.04 | <i>0.02</i> | 2 | 0.2 | <i>0.16</i> | 0.01 | <i>0.01</i> |
| *USA, Colorado: Asian and Pacific Islander | 1 | 0.2 | <i>0.16</i> | 0.01 | <i>0.01</i> | 10 | 1.5 | <i>0.48</i> | 0.15 | <i>0.05</i> |
| USA, Connecticut | 2329 | 14.9 | <i>0.33</i> | 1.70 | <i>0.04</i> | 1783 | 11.1 | <i>0.29</i> | 1.19 | <i>0.03</i> |
| USA, Connecticut: White | 2224 | 16.2 | <i>0.37</i> | 1.84 | <i>0.05</i> | 1687 | 12.5 | <i>0.35</i> | 1.33 | <i>0.04</i> |
| USA, Connecticut: Black | 10 | 0.8 | <i>0.27</i> | 0.11 | <i>0.04</i> | 9 | 0.5 | <i>0.18</i> | 0.05 | <i>0.02</i> |
| USA, District of Columbia | 213 | 9.8 | <i>0.69</i> | 1.14 | <i>0.10</i> | 133 | 5.3 | <i>0.49</i> | 0.53 | <i>0.06</i> |
| USA, District of Columbia: White | 149 | 15.2 | <i>1.30</i> | 1.79 | <i>0.19</i> | 90 | 7.9 | <i>0.90</i> | 0.80 | <i>0.11</i> |
| USA, District of Columbia: Black | 9 | 0.7 | <i>0.25</i> | 0.06 | <i>0.03</i> | 9 | 0.8 | <i>0.31</i> | 0.07 | <i>0.03</i> |
| USA, Florida | 21930 | 21.6 | <i>0.16</i> | 2.46 | <i>0.02</i> | 12599 | 13.1 | <i>0.13</i> | 1.42 | <i>0.02</i> |
| USA, Florida: White | 20939 | 24.1 | <i>0.19</i> | 2.74 | <i>0.02</i> | 11901 | 15.1 | <i>0.16</i> | 1.63 | <i>0.02</i> |
| USA, Florida: Black | 109 | 1.0 | <i>0.10</i> | 0.11 | <i>0.01</i> | 79 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| USA, Florida: Asian and Pacific Islander | 24 | 1.2 | <i>0.24</i> | 0.13 | <i>0.03</i> | 18 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> |
| USA, Georgia | 8470 | 23.0 | <i>0.26</i> | 2.66 | <i>0.03</i> | 5749 | 15.2 | <i>0.21</i> | 1.61 | <i>0.02</i> |
| USA, Georgia: White | 8336 | 31.9 | <i>0.36</i> | 3.67 | <i>0.05</i> | 5609 | 23.4 | <i>0.34</i> | 2.43 | <i>0.04</i> |
| USA, Georgia: Black | 61 | 0.7 | <i>0.09</i> | 0.07 | <i>0.01</i> | 75 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> |
| USA, Georgia: Asian and Pacific Islander | 12 | 1.0 | <i>0.30</i> | 0.16 | <i>0.05</i> | 8 | 0.5 | <i>0.19</i> | 0.05 | <i>0.02</i> |
| *USA, Georgia, Atlanta | 2424 | 21.4 | <i>0.44</i> | 2.51 | <i>0.06</i> | 1854 | 14.5 | <i>0.34</i> | 1.53 | <i>0.04</i> |
| *USA, Georgia, Atlanta: White | 2378 | 35.5 | <i>0.74</i> | 4.16 | <i>0.10</i> | 1798 | 27.9 | <i>0.69</i> | 2.90 | <i>0.08</i> |
| *USA, Georgia, Atlanta: Black | 25 | 0.6 | <i>0.13</i> | 0.08 | <i>0.02</i> | 25 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> |
| USA, Idaho | 1481 | 22.2 | <i>0.61</i> | 2.42 | <i>0.08</i> | 1060 | 17.7 | <i>0.58</i> | 1.88 | <i>0.07</i> |
| USA, Indiana | 4583 | 17.4 | <i>0.27</i> | 1.95 | <i>0.04</i> | 3439 | 13.9 | <i>0.25</i> | 1.45 | <i>0.03</i> |
| USA, Indiana: White | 4413 | 18.4 | <i>0.29</i> | 2.05 | <i>0.04</i> | 3244 | 14.8 | <i>0.28</i> | 1.53 | <i>0.03</i> |
| USA, Indiana: Black | 11 | 0.6 | <i>0.19</i> | 0.10 | <i>0.04</i> | 13 | 0.6 | <i>0.16</i> | 0.06 | <i>0.02</i> |
| *USA, Iowa | 2495 | 19.3 | <i>0.41</i> | 2.18 | <i>0.05</i> | 2075 | 18.4 | <i>0.44</i> | 1.83 | <i>0.05</i> |
| USA, Kentucky | 3921 | 21.8 | <i>0.36</i> | 2.45 | <i>0.05</i> | 2953 | 17.4 | <i>0.35</i> | 1.81 | <i>0.04</i> |
| USA, Louisiana | 2775 | 15.5 | <i>0.31</i> | 1.74 | <i>0.04</i> | 1692 | 9.7 | <i>0.25</i> | 1.01 | <i>0.03</i> |
| USA, Louisiana: White | 2737 | 21.4 | <i>0.43</i> | 2.41 | <i>0.06</i> | 1647 | 14.5 | <i>0.39</i> | 1.49 | <i>0.04</i> |
| USA, Louisiana: Black | 29 | 0.6 | <i>0.12</i> | 0.06 | <i>0.01</i> | 39 | 0.6 | <i>0.10</i> | 0.07 | <i>0.01</i> |
| *USA, Louisiana, New Orleans | 361 | 10.8 | <i>0.59</i> | 1.25 | <i>0.08</i> | 275 | 8.5 | <i>0.55</i> | 0.86 | <i>0.06</i> |
| *USA, Louisiana, New Orleans: White | 351 | 17.1 | <i>0.95</i> | 1.99 | <i>0.13</i> | 263 | 15.2 | <i>1.04</i> | 1.51 | <i>0.10</i> |
| *USA, Louisiana, New Orleans: Black | 8 | 0.7 | <i>0.23</i> | 0.06 | <i>0.03</i> | 9 | 0.6 | <i>0.21</i> | 0.07 | <i>0.03</i> |
| USA, Maine | 1252 | 19.0 | <i>0.58</i> | 2.12 | <i>0.07</i> | 1068 | 18.2 | <i>0.63</i> | 1.85 | <i>0.07</i> |
| USA, Maryland | 4759 | 20.0 | <i>0.30</i> | 2.33 | <i>0.04</i> | 3284 | 13.4 | <i>0.25</i> | 1.42 | <i>0.03</i> |
| USA, Maryland: White | 4662 | 28.8 | <i>0.44</i> | 3.35 | <i>0.06</i> | 3192 | 21.2 | <i>0.41</i> | 2.22 | <i>0.05</i> |
| USA, Maryland: Black | 50 | 0.9 | <i>0.12</i> | 0.09 | <i>0.02</i> | 41 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> |
| USA, Maryland: Asian and Pacific Islander | 17 | 1.1 | <i>0.28</i> | 0.08 | <i>0.03</i> | 10 | 0.6 | <i>0.19</i> | 0.06 | <i>0.03</i> |
| USA, Massachusetts | 5007 | 17.6 | <i>0.26</i> | 1.97 | <i>0.04</i> | 4038 | 13.7 | <i>0.24</i> | 1.46 | <i>0.03</i> |
| USA, Massachusetts: White | 4567 | 18.1 | <i>0.28</i> | 2.01 | <i>0.04</i> | 3612 | 14.3 | <i>0.27</i> | 1.50 | <i>0.03</i> |
| USA, Massachusetts: Black | 4 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | 8 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> |
| USA, Massachusetts: Asian and Pacific Islander | 10 | 0.8 | <i>0.25</i> | 0.08 | <i>0.03</i> | 9 | 0.6 | <i>0.21</i> | 0.07 | <i>0.02</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Melanoma of skin (C43) (contd)

| | Male | | | | | Female | | | | |
|---|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 6647 | 15.6 | 0.20 | 1.72 | 0.03 | 5019 | 13.0 | 0.20 | 1.32 | 0.02 |
| USA, Michigan: White | 6267 | 17.1 | 0.23 | 1.87 | 0.03 | 4662 | 14.7 | 0.24 | 1.48 | 0.02 |
| USA, Michigan: Black | 24 | 0.6 | 0.11 | 0.06 | 0.01 | 42 | 0.7 | 0.12 | 0.08 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 5 | 0.5 | 0.24 | 0.07 | 0.04 | 14 | 1.3 | 0.36 | 0.12 | 0.04 |
| *USA, Michigan, Detroit | 2094 | 13.3 | 0.30 | 1.46 | 0.04 | 1625 | 10.5 | 0.28 | 1.07 | 0.03 |
| *USA, Michigan, Detroit: White | 2034 | 17.1 | 0.40 | 1.87 | 0.05 | 1560 | 14.6 | 0.41 | 1.48 | 0.04 |
| *USA, Michigan, Detroit: Black | 15 | 0.5 | 0.13 | 0.06 | 0.02 | 29 | 0.7 | 0.14 | 0.07 | 0.02 |
| USA, Minnesota | 5516 | 24.7 | 0.35 | 2.85 | 0.05 | 4262 | 21.3 | 0.35 | 2.19 | 0.04 |
| USA, Minnesota: White | 5389 | 26.2 | 0.38 | 3.00 | 0.05 | 4132 | 23.2 | 0.40 | 2.35 | 0.04 |
| USA, Minnesota: Black | 4 | 0.5 | 0.27 | 0.03 | 0.02 | 10 | 1.3 | 0.41 | 0.18 | 0.07 |
| *USA, Minnesota: Asian and Pacific Islander | 3 | 0.6 | 0.33 | 0.09 | 0.06 | 5 | 0.7 | 0.31 | 0.07 | 0.04 |
| USA, Mississippi | 1786 | 15.5 | 0.38 | 1.73 | 0.05 | 1188 | 10.4 | 0.32 | 1.10 | 0.04 |
| USA, Missouri | 4060 | 16.3 | 0.27 | 1.85 | 0.04 | 2769 | 11.9 | 0.25 | 1.22 | 0.03 |
| USA, Missouri: White | 3988 | 18.0 | 0.30 | 2.04 | 0.04 | 2698 | 13.5 | 0.29 | 1.38 | 0.03 |
| USA, Missouri: Black | 12 | 0.5 | 0.16 | 0.04 | 0.01 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| USA, Montana | 986 | 21.1 | 0.72 | 2.43 | 0.09 | 746 | 18.6 | 0.75 | 1.97 | 0.08 |
| *USA, Montana: American Indian | 4 | 1.9 | 0.97 | 0.14 | 0.08 | 2 | 1.2 | 0.82 | 0.14 | 0.10 |
| USA, Nebraska | 1444 | 19.6 | 0.54 | 2.23 | 0.07 | 1264 | 18.9 | 0.58 | 1.87 | 0.06 |
| USA, Nebraska: White | 1400 | 20.2 | 0.57 | 2.28 | 0.07 | 1212 | 19.7 | 0.62 | 1.94 | 0.06 |
| *USA, Nebraska: Black | 1 | 0.5 | 0.52 | 0.09 | 0.09 | 1 | 0.5 | 0.47 | 0.04 | 0.04 |
| USA, Nevada | 1690 | 14.0 | 0.35 | 1.60 | 0.05 | 1036 | 9.2 | 0.30 | 1.00 | 0.04 |
| USA, Nevada: White | 1658 | 16.6 | 0.43 | 1.89 | 0.06 | 1004 | 11.4 | 0.38 | 1.24 | 0.04 |
| USA, Nevada: Black | 6 | 0.7 | 0.28 | 0.09 | 0.04 | 10 | 0.9 | 0.31 | 0.06 | 0.03 |
| *USA, Nevada: Asian and Pacific Islander | 9 | 0.8 | 0.29 | 0.10 | 0.04 | 13 | 1.1 | 0.34 | 0.14 | 0.04 |
| USA, New Jersey | 6825 | 18.2 | 0.23 | 2.08 | 0.03 | 4882 | 12.7 | 0.20 | 1.35 | 0.02 |
| USA, New Jersey: White | 6524 | 21.7 | 0.29 | 2.47 | 0.04 | 4632 | 15.9 | 0.26 | 1.68 | 0.03 |
| USA, New Jersey: Black | 34 | 0.8 | 0.14 | 0.09 | 0.02 | 34 | 0.6 | 0.11 | 0.06 | 0.01 |
| USA, New Mexico | 1079 | 12.1 | 0.39 | 1.44 | 0.05 | 750 | 8.5 | 0.34 | 0.96 | 0.04 |
| USA, New Mexico: White | 1015 | 12.8 | 0.43 | 1.51 | 0.06 | 693 | 9.0 | 0.38 | 1.01 | 0.04 |
| USA, New Mexico: Non-Hispanic White | 929 | 19.8 | 0.74 | 2.27 | 0.09 | 588 | 14.2 | 0.72 | 1.51 | 0.07 |
| USA, New Mexico: Hispanic White | 86 | 3.0 | 0.33 | 0.37 | 0.05 | 105 | 3.3 | 0.33 | 0.40 | 0.05 |
| *USA, New Mexico: American Indian | 16 | 2.5 | 0.64 | 0.35 | 0.11 | 21 | 2.8 | 0.62 | 0.33 | 0.09 |
| USA, New York State | 12123 | 14.9 | 0.14 | 1.67 | 0.02 | 8834 | 10.6 | 0.12 | 1.12 | 0.01 |
| USA, New York State: White | 11869 | 19.0 | 0.19 | 2.13 | 0.02 | 8538 | 14.1 | 0.17 | 1.48 | 0.02 |
| USA, New York State: Black | 76 | 0.7 | 0.08 | 0.07 | 0.01 | 97 | 0.6 | 0.07 | 0.06 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 61 | 1.0 | 0.14 | 0.10 | 0.02 | 49 | 0.7 | 0.11 | 0.08 | 0.01 |
| USA, North Carolina | 8915 | 22.1 | 0.24 | 2.52 | 0.03 | 5981 | 14.7 | 0.21 | 1.56 | 0.02 |
| USA, North Carolina: White | 8586 | 27.1 | 0.31 | 3.09 | 0.04 | 5711 | 19.1 | 0.28 | 2.01 | 0.03 |
| USA, North Carolina: Black | 51 | 0.7 | 0.10 | 0.08 | 0.01 | 49 | 0.5 | 0.08 | 0.05 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 6 | 0.9 | 0.37 | 0.13 | 0.06 | 5 | 0.5 | 0.24 | 0.05 | 0.03 |
| *USA, North Carolina: American Indian | 13 | 2.9 | 0.83 | 0.18 | 0.08 | 9 | 1.6 | 0.55 | 0.14 | 0.06 |
| USA, North Dakota | 507 | 17.9 | 0.84 | 1.98 | 0.10 | 441 | 18.1 | 0.94 | 1.78 | 0.10 |
| USA, Ohio | 9279 | 19.0 | 0.21 | 2.13 | 0.03 | 6925 | 15.1 | 0.20 | 1.56 | 0.02 |
| USA, Ohio: White | 8550 | 19.8 | 0.23 | 2.20 | 0.03 | 6204 | 15.8 | 0.22 | 1.62 | 0.02 |
| USA, Ohio: Black | 20 | 0.4 | 0.09 | 0.05 | 0.01 | 27 | 0.4 | 0.09 | 0.04 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 5 | 0.8 | 0.36 | 0.07 | 0.03 | 7 | 0.9 | 0.33 | 0.08 | 0.03 |
| USA, Oklahoma | 2983 | 18.7 | 0.36 | 2.09 | 0.05 | 1820 | 12.1 | 0.31 | 1.27 | 0.03 |
| USA, Oklahoma: White | 2774 | 20.4 | 0.41 | 2.27 | 0.05 | 1648 | 13.3 | 0.36 | 1.40 | 0.04 |
| USA, Oklahoma: Black | 6 | 0.6 | 0.26 | 0.06 | 0.03 | 10 | 1.0 | 0.31 | 0.06 | 0.02 |
| USA, Oklahoma: American Indian | 81 | 7.3 | 0.82 | 0.89 | 0.12 | 43 | 3.4 | 0.53 | 0.29 | 0.05 |
| USA, Oregon | 3777 | 21.6 | 0.37 | 2.50 | 0.05 | 2876 | 17.7 | 0.36 | 1.89 | 0.04 |
| USA, Oregon: White | 3696 | 22.7 | 0.40 | 2.62 | 0.05 | 2802 | 18.9 | 0.39 | 2.01 | 0.04 |
| *USA, Oregon: Black | 3 | 1.1 | 0.64 | 0.18 | 0.13 | 2 | 0.7 | 0.49 | 0.05 | 0.05 |
| *USA, Oregon: Asian and Pacific Islander | 2 | 0.3 | 0.24 | 0.04 | 0.03 | 12 | 1.4 | 0.42 | 0.13 | 0.04 |
| USA, Rhode Island | 891 | 19.5 | 0.69 | 2.22 | 0.09 | 668 | 14.4 | 0.62 | 1.57 | 0.07 |
| USA, Rhode Island: White | 840 | 20.0 | 0.74 | 2.26 | 0.10 | 616 | 14.7 | 0.67 | 1.60 | 0.08 |
| *USA, Rhode Island: Black | 2 | 1.1 | 0.76 | 0.22 | 0.16 | 2 | 0.6 | 0.45 | 0.08 | 0.06 |
| USA, South Carolina | 4155 | 20.0 | 0.33 | 2.30 | 0.04 | 2726 | 13.4 | 0.28 | 1.43 | 0.03 |
| USA, South Carolina: White | 4102 | 25.9 | 0.43 | 2.97 | 0.06 | 2662 | 18.6 | 0.40 | 1.97 | 0.04 |
| USA, South Carolina: Black | 15 | 0.4 | 0.10 | 0.05 | 0.01 | 29 | 0.5 | 0.09 | 0.05 | 0.01 |
| USA, South Dakota | 685 | 19.0 | 0.77 | 2.10 | 0.10 | 528 | 17.5 | 0.84 | 1.77 | 0.09 |
| USA, Tennessee | 4584 | 17.1 | 0.26 | 1.97 | 0.03 | 3198 | 12.1 | 0.23 | 1.28 | 0.03 |
| USA, Tennessee: White | 4534 | 19.7 | 0.31 | 2.27 | 0.04 | 3132 | 14.5 | 0.28 | 1.53 | 0.03 |
| USA, Tennessee: Black | 12 | 0.4 | 0.11 | 0.06 | 0.02 | 21 | 0.5 | 0.11 | 0.05 | 0.01 |
| USA, Texas | 10869 | 11.4 | 0.11 | 1.31 | 0.02 | 6760 | 7.0 | 0.09 | 0.74 | 0.01 |
| USA, Texas: White | 10536 | 13.1 | 0.13 | 1.50 | 0.02 | 6516 | 8.3 | 0.11 | 0.87 | 0.01 |
| USA, Texas: Black | 68 | 0.7 | 0.09 | 0.07 | 0.01 | 79 | 0.6 | 0.07 | 0.07 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 35 | 0.9 | 0.15 | 0.09 | 0.02 | 22 | 0.5 | 0.10 | 0.05 | 0.01 |
| USA, Utah | 2764 | 30.1 | 0.59 | 3.47 | 0.08 | 2044 | 22.8 | 0.52 | 2.37 | 0.06 |
| USA, Vermont | 876 | 29.6 | 1.07 | 3.28 | 0.14 | 636 | 23.0 | 1.01 | 2.51 | 0.11 |
| USA, Washington State | 5919 | 20.4 | 0.28 | 2.34 | 0.04 | 4589 | 16.6 | 0.26 | 1.79 | 0.03 |
| *USA, Washington, Seattle | 4130 | 21.1 | 0.34 | 2.40 | 0.05 | 3311 | 17.4 | 0.32 | 1.88 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Melanoma of skin (C43) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 1485 | 17.7 | 0.49 | 1.97 | 0.06 | 993 | 13.0 | 0.47 | 1.34 | 0.05 |
| USA, Wyoming | 440 | 17.6 | 0.88 | 2.07 | 0.12 | 317 | 15.0 | 0.90 | 1.67 | 0.10 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 6 | 0.5 | 0.19 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Brunei Darussalam | 2 | 0.2 | 0.11 | 0.01 | 0.01 | 5 | 0.5 | 0.24 | 0.06 | 0.04 |
| *China, Anfu County | 7 | 0.7 | 0.26 | 0.08 | 0.03 | 3 | 0.3 | 0.19 | 0.05 | 0.03 |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 24 | 0.3 | 0.06 | 0.03 | 0.01 | 23 | 0.3 | 0.06 | 0.05 | 0.01 |
| *China, Aohan Banner, Chifeng City | 6 | 0.3 | 0.13 | 0.04 | 0.02 | 2 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 8 | 0.2 | 0.08 | 0.03 | 0.01 | 10 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Beijing City | 156 | 0.4 | 0.04 | 0.04 | 0.00 | 183 | 0.5 | 0.04 | 0.05 | 0.00 |
| *China, Binhai County | 10 | 0.2 | 0.06 | 0.02 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Cangzhou City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Changfeng County | 9 | 0.5 | 0.18 | 0.05 | 0.02 | 8 | 0.5 | 0.20 | 0.07 | 0.03 |
| China, Changzhou City | 49 | 0.5 | 0.07 | 0.06 | 0.01 | 54 | 0.5 | 0.07 | 0.05 | 0.01 |
| China, Chengdu City | 20 | 0.5 | 0.11 | 0.04 | 0.01 | 17 | 0.4 | 0.10 | 0.04 | 0.01 |
| China, Cixian County | 9 | 0.6 | 0.22 | 0.05 | 0.02 | 7 | 0.4 | 0.15 | 0.06 | 0.03 |
| China, Cixi City | 10 | 0.2 | 0.08 | 0.02 | 0.01 | 16 | 0.3 | 0.07 | 0.03 | 0.01 |
| *China, Dafeng District, Yancheng City | 23 | 0.7 | 0.15 | 0.06 | 0.02 | 25 | 0.6 | 0.13 | 0.08 | 0.02 |
| China, Dalian City | 52 | 0.5 | 0.08 | 0.05 | 0.01 | 57 | 0.5 | 0.07 | 0.06 | 0.01 |
| *China, Dancheng County | 13 | 0.3 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Dangtu County | 12 | 0.9 | 0.28 | 0.12 | 0.04 | 11 | 1.5 | 0.58 | 0.14 | 0.05 |
| *China, Danyang City | 10 | 0.3 | 0.09 | 0.04 | 0.01 | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Dawukou District, Shizuishan City | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 4 | 0.4 | 0.20 | 0.06 | 0.03 |
| *China, Dehui City | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Donggang County | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 5 | 0.2 | 0.08 | 0.03 | 0.02 |
| *China, Dongguan City | 26 | 0.6 | 0.13 | 0.06 | 0.01 | 17 | 0.3 | 0.08 | 0.03 | 0.01 |
| China, Donghai County | 13 | 0.3 | 0.09 | 0.04 | 0.01 | 12 | 0.3 | 0.10 | 0.04 | 0.01 |
| *China, Dongtai City | 13 | 0.3 | 0.07 | 0.03 | 0.01 | 11 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 3 | 0.4 | 0.22 | 0.03 | 0.02 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.26 | 0.03 | 0.03 |
| *China, Faku County | 5 | 0.3 | 0.13 | 0.03 | 0.01 | 5 | 0.3 | 0.13 | 0.03 | 0.01 |
| *China, Fangcheng County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Feicheng City | 8 | 0.2 | 0.07 | 0.03 | 0.01 | 9 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Feixi County | 23 | 0.6 | 0.15 | 0.07 | 0.02 | 20 | 0.5 | 0.12 | 0.07 | 0.02 |
| China, Fuqing City | 6 | 0.2 | 0.08 | 0.01 | 0.01 | 7 | 0.3 | 0.10 | 0.04 | 0.02 |
| *China, Ganyu District, Lianyungang City | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Ganzhou District, Zhangye City | 3 | 0.2 | 0.14 | 0.04 | 0.03 | 4 | 0.4 | 0.20 | 0.05 | 0.03 |
| *China, Gaocheng City | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Gaomi City | 8 | 0.3 | 0.10 | 0.03 | 0.01 | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| China, Gong'an County | 16 | 0.5 | 0.13 | 0.07 | 0.02 | 9 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Guang'an District, Guang'an City | 6 | 0.3 | 0.13 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.02 | 0.02 |
| China, Guanghan City | 4 | 0.2 | 0.11 | 0.03 | 0.01 | 4 | 0.2 | 0.11 | 0.06 | 0.03 |
| China, Guangzhou City | 128 | 0.4 | 0.04 | 0.04 | 0.00 | 114 | 0.3 | 0.03 | 0.04 | 0.00 |
| *China, Guanyun County | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Guilin City | 9 | 0.4 | 0.13 | 0.05 | 0.02 | 14 | 0.6 | 0.16 | 0.07 | 0.02 |
| *China, Hai'an City | 18 | 0.4 | 0.10 | 0.04 | 0.01 | 18 | 0.3 | 0.08 | 0.04 | 0.01 |
| China, Hailar District, Hulun Buir City | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 5 | 0.4 | 0.18 | 0.03 | 0.02 |
| China, Haimen District, Nantong City | 35 | 0.7 | 0.12 | 0.08 | 0.02 | 25 | 0.4 | 0.09 | 0.05 | 0.01 |
| China, Haining City | 11 | 0.4 | 0.13 | 0.05 | 0.02 | 21 | 0.5 | 0.13 | 0.06 | 0.02 |
| China, Hangzhou City | 182 | 0.6 | 0.04 | 0.07 | 0.01 | 138 | 0.4 | 0.04 | 0.05 | 0.00 |
| China, Hebi City | 5 | 0.4 | 0.16 | 0.04 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Hefei City | 49 | 0.6 | 0.08 | 0.07 | 0.01 | 41 | 0.5 | 0.08 | 0.05 | 0.01 |
| China, Hengdong County | 5 | 0.3 | 0.12 | 0.03 | 0.01 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Hengfeng County | 1 | 0.1 | 0.13 | 0.03 | 0.03 | 2 | 0.4 | 0.26 | 0.03 | 0.03 |
| *China, Hepu County | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Honghu City | 16 | 0.6 | 0.15 | 0.07 | 0.02 | 14 | 0.5 | 0.13 | 0.06 | 0.02 |
| China, Hongshan District, Chifeng City | 4 | 0.4 | 0.19 | 0.04 | 0.03 | 4 | 0.5 | 0.27 | 0.05 | 0.03 |
| *China, Hongta District, Yuxi City | 11 | 0.6 | 0.19 | 0.06 | 0.02 | 7 | 0.4 | 0.16 | 0.05 | 0.02 |
| *China, Huaiyin District, Huai'an City | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Jiange County | 2 | 0.2 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 20 | 0.8 | 0.18 | 0.07 | 0.02 | 13 | 0.5 | 0.13 | 0.05 | 0.02 |
| *China, Jiangyin City | 23 | 0.5 | 0.10 | 0.04 | 0.01 | 13 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Jiashan County | 16 | 0.7 | 0.19 | 0.06 | 0.02 | 12 | 0.6 | 0.18 | 0.09 | 0.03 |
| China, Jiayu County | 3 | 0.3 | 0.19 | 0.02 | 0.02 | 2 | 0.3 | 0.19 | 0.04 | 0.03 |
| *China, Jinan City | 23 | 0.2 | 0.05 | 0.02 | 0.01 | 23 | 0.2 | 0.05 | 0.02 | 0.00 |
| *China, Jingtai County | 3 | 0.5 | 0.28 | 0.04 | 0.03 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *China, Jingxian County | 5 | 0.4 | 0.17 | 0.03 | 0.02 | 6 | 0.6 | 0.28 | 0.07 | 0.03 |
| *China, Jintan District, Changzhou City | 19 | 0.7 | 0.16 | 0.06 | 0.02 | 12 | 0.5 | 0.15 | 0.06 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 14 | 0.4 | 0.10 | 0.03 | 0.01 | 25 | 0.8 | 0.19 | 0.12 | 0.03 |
| *China, Jiyuan City | 5 | 0.3 | 0.13 | 0.04 | 0.02 | 4 | 0.2 | 0.11 | 0.02 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Melanoma of skin (C43) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 8 | 0.6 | 0.23 | 0.04 | 0.02 | 8 | 0.5 | 0.19 | 0.03 | 0.02 |
| China, Kunshan City | 22 | 0.6 | 0.13 | 0.05 | 0.02 | 24 | 0.7 | 0.15 | 0.07 | 0.02 |
| China, Langzhong City | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| *China, Liangshan County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Lianshui County | 11 | 0.3 | 0.08 | 0.04 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Lianyungang City | 15 | 0.3 | 0.09 | 0.03 | 0.01 | 8 | 0.3 | 0.10 | 0.02 | 0.01 |
| China, Linhe District, Bayannur City | 5 | 0.3 | 0.14 | 0.03 | 0.01 | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| China, Linqu County | 11 | 0.3 | 0.09 | 0.03 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Linzhou City | 17 | 0.6 | 0.15 | 0.05 | 0.01 | 19 | 0.7 | 0.18 | 0.05 | 0.01 |
| China, Liuzhou City | 22 | 0.6 | 0.13 | 0.07 | 0.02 | 17 | 0.4 | 0.10 | 0.03 | 0.01 |
| China, Liyang City | 29 | 0.7 | 0.13 | 0.09 | 0.02 | 15 | 0.4 | 0.11 | 0.04 | 0.01 |
| *China, Longquan City | 6 | 0.5 | 0.21 | 0.04 | 0.02 | 3 | 0.3 | 0.19 | 0.02 | 0.02 |
| China, Lucheng District, Wenzhou City | 10 | 0.6 | 0.21 | 0.08 | 0.03 | 12 | 0.6 | 0.18 | 0.08 | 0.03 |
| China, Luoding City | 6 | 0.3 | 0.11 | 0.04 | 0.02 | 10 | 0.4 | 0.14 | 0.05 | 0.02 |
| *China, Luohe City | 18 | 0.5 | 0.11 | 0.05 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Luoyang City | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Luquan City | 1 | 0.1 | 0.09 | 0.00 | 0.00 | 2 | 0.2 | 0.12 | 0.03 | 0.02 |
| China, Ma'anshan City | 11 | 0.5 | 0.16 | 0.04 | 0.02 | 20 | 0.8 | 0.19 | 0.10 | 0.03 |
| *China, Macheng City | 8 | 0.4 | 0.16 | 0.04 | 0.02 | 8 | 0.3 | 0.12 | 0.04 | 0.02 |
| China, Meihekou City | 8 | 0.3 | 0.13 | 0.04 | 0.02 | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Mengjin County | 12 | 1.1 | 0.33 | 0.14 | 0.04 | 3 | 0.2 | 0.14 | 0.03 | 0.02 |
| China, Nangang District, Harbin City | 14 | 0.5 | 0.16 | 0.04 | 0.01 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Nanhai District, Foshan City | 9 | 0.3 | 0.11 | 0.03 | 0.01 | 20 | 0.6 | 0.14 | 0.07 | 0.02 |
| China, Nanhu District, Jiaxing City | 14 | 0.5 | 0.12 | 0.04 | 0.02 | 10 | 0.4 | 0.15 | 0.04 | 0.02 |
| *China, Nantong City | 23 | 0.4 | 0.08 | 0.06 | 0.01 | 24 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Nanxiong City | 7 | 0.5 | 0.20 | 0.05 | 0.02 | 7 | 0.5 | 0.20 | 0.04 | 0.02 |
| China, Neixiang County | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *China, Qianxi County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 36 | 0.5 | 0.09 | 0.05 | 0.01 | 39 | 0.6 | 0.11 | 0.06 | 0.01 |
| China, Qingzhou City | 14 | 0.5 | 0.15 | 0.04 | 0.01 | 15 | 0.5 | 0.12 | 0.05 | 0.01 |
| *China, Rudong County | 27 | 0.5 | 0.12 | 0.06 | 0.01 | 20 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Rugao City | 21 | 0.3 | 0.06 | 0.03 | 0.01 | 38 | 0.5 | 0.08 | 0.06 | 0.01 |
| *China, Rural areas of Shanghai City | 229 | 0.5 | 0.04 | 0.06 | 0.00 | 221 | 0.5 | 0.04 | 0.05 | 0.00 |
| China, Ruyang County | 0 | – | 0.00 | – | 0.00 | 5 | 0.4 | 0.18 | 0.03 | 0.02 |
| *China, Shan County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| China, Shanghai City | 140 | 0.4 | 0.05 | 0.05 | 0.01 | 168 | 0.5 | 0.04 | 0.05 | 0.01 |
| China, Shangyu District, Shaoxing City | 24 | 0.7 | 0.14 | 0.10 | 0.02 | 23 | 0.6 | 0.13 | 0.06 | 0.02 |
| *China, Shapingba District, Chongqing City | 28 | 0.9 | 0.22 | 0.09 | 0.02 | 16 | 0.4 | 0.12 | 0.05 | 0.01 |
| China, Shexian County | 5 | 0.5 | 0.22 | 0.06 | 0.03 | 4 | 0.4 | 0.20 | 0.03 | 0.01 |
| China, Sheyang County | 10 | 0.2 | 0.06 | 0.02 | 0.01 | 12 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Shijiazhuang City | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Shunde District, Foshan City | 9 | 0.3 | 0.09 | 0.03 | 0.01 | 19 | 0.4 | 0.10 | 0.05 | 0.02 |
| *China, Song County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Suzhou City | 73 | 0.5 | 0.06 | 0.05 | 0.01 | 90 | 0.5 | 0.06 | 0.05 | 0.01 |
| *China, Tengzhou City | 20 | 0.5 | 0.12 | 0.03 | 0.01 | 20 | 0.4 | 0.10 | 0.03 | 0.01 |
| *China, Wangdu County | 1 | 0.2 | 0.18 | 0.03 | 0.03 | 1 | 0.4 | 0.38 | 0.02 | 0.02 |
| *China, Wanxian County | 2 | 0.2 | 0.14 | 0.02 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Wu'an City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| China, Wuhan City | 97 | 0.4 | 0.05 | 0.04 | 0.01 | 99 | 0.5 | 0.06 | 0.06 | 0.01 |
| *China, Wuhu City | 27 | 0.5 | 0.12 | 0.06 | 0.01 | 20 | 0.4 | 0.10 | 0.05 | 0.01 |
| China, Wuxi City | 40 | 0.3 | 0.05 | 0.02 | 0.01 | 28 | 0.2 | 0.05 | 0.02 | 0.01 |
| China, Wuzhou City | 11 | 0.5 | 0.17 | 0.04 | 0.02 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Xiangfu District, Kaifeng City | 21 | 1.1 | 0.26 | 0.12 | 0.03 | 22 | 1.2 | 0.27 | 0.08 | 0.02 |
| China, Xianju County | 10 | 0.4 | 0.14 | 0.05 | 0.02 | 6 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Xin'an County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.13 | 0.01 | 0.01 |
| *China, Xining City | 12 | 0.5 | 0.14 | 0.04 | 0.02 | 10 | 0.4 | 0.11 | 0.05 | 0.02 |
| *China, Xinji City | 4 | 0.1 | 0.07 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 2 | 0.2 | 0.13 | 0.03 | 0.02 | 4 | 0.3 | 0.14 | 0.01 | 0.01 |
| *China, Xinzhou District, Shangrao City | 10 | 0.6 | 0.21 | 0.06 | 0.03 | 5 | 0.4 | 0.16 | 0.03 | 0.02 |
| China, Xiping County | 10 | 0.4 | 0.14 | 0.04 | 0.01 | 13 | 0.5 | 0.14 | 0.07 | 0.02 |
| *China, Xishan District, Kunming City | 7 | 0.5 | 0.18 | 0.07 | 0.03 | 4 | 0.3 | 0.18 | 0.04 | 0.02 |
| *China, Xuyi County | 6 | 0.2 | 0.10 | 0.03 | 0.02 | 7 | 0.3 | 0.12 | 0.05 | 0.02 |
| *China, Ya'an City | 22 | 0.4 | 0.09 | 0.03 | 0.01 | 35 | 0.7 | 0.11 | 0.07 | 0.02 |
| *China, Yakeshi City | 0 | – | 0.00 | – | 0.00 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Yancheng City | 32 | 0.5 | 0.09 | 0.06 | 0.01 | 22 | 0.4 | 0.09 | 0.05 | 0.01 |
| *China, Yangquan City | 11 | 0.6 | 0.21 | 0.06 | 0.02 | 7 | 0.3 | 0.15 | 0.02 | 0.01 |
| *China, Yangzhong City | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yanji City | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Yanshi City | 8 | 0.3 | 0.12 | 0.05 | 0.02 | 14 | 0.6 | 0.15 | 0.08 | 0.03 |
| China, Yanting County | 6 | 0.4 | 0.15 | 0.05 | 0.03 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 2 | 0.2 | 0.18 | 0.00 | 0.00 | 2 | 0.2 | 0.13 | 0.02 | 0.02 |
| *China, Yingdong District, Fuyang City | 11 | 0.5 | 0.15 | 0.05 | 0.02 | 9 | 0.5 | 0.16 | 0.06 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Melanoma of skin (C43) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 4 | 0.5 | 0.29 | 0.03 | 0.02 |
| *China, Yiyuan County | 6 | 0.3 | 0.12 | 0.03 | 0.01 | 4 | 0.2 | 0.10 | 0.03 | 0.01 |
| China, Yong'an City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 2 | 0.2 | 0.13 | 0.02 | 0.02 |
| *China, Yongding District, Longyan City | 7 | 0.5 | 0.21 | 0.05 | 0.02 | 7 | 0.5 | 0.18 | 0.06 | 0.03 |
| China, Yongkang City | 14 | 0.5 | 0.15 | 0.06 | 0.03 | 17 | 0.6 | 0.16 | 0.06 | 0.02 |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Yueyanglou District, Yueyang City | 6 | 0.5 | 0.22 | 0.06 | 0.03 | 5 | 0.4 | 0.19 | 0.04 | 0.02 |
| China, Yunmeng County | 13 | 0.8 | 0.22 | 0.10 | 0.03 | 17 | 1.2 | 0.31 | 0.13 | 0.03 |
| *China, Yunyang District, Shiyao City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 14 | 0.6 | 0.18 | 0.07 | 0.02 | 13 | 0.6 | 0.19 | 0.09 | 0.03 |
| *China, Zhanhuang County | 5 | 0.6 | 0.26 | 0.07 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 25 | 0.5 | 0.10 | 0.04 | 0.01 | 33 | 0.6 | 0.11 | 0.07 | 0.02 |
| *China, Zhaoyuan City | 13 | 0.5 | 0.14 | 0.07 | 0.02 | 9 | 0.3 | 0.13 | 0.04 | 0.02 |
| *China, Zhengding County | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 8 | 0.5 | 0.18 | 0.05 | 0.02 |
| *China, Zhongshan City | 20 | 0.4 | 0.10 | 0.05 | 0.01 | 31 | 0.6 | 0.11 | 0.06 | 0.01 |
| China, Zhongxiang City | 23 | 0.8 | 0.18 | 0.07 | 0.02 | 21 | 0.8 | 0.21 | 0.07 | 0.02 |
| *China, Zhuanghe City | 10 | 0.3 | 0.09 | 0.04 | 0.01 | 19 | 0.6 | 0.15 | 0.06 | 0.01 |
| *China, Zhuhai City | 15 | 0.4 | 0.11 | 0.04 | 0.02 | 18 | 0.6 | 0.15 | 0.06 | 0.02 |
| India, Ahmedabad, Urban | 23 | 0.2 | 0.04 | 0.03 | 0.01 | 21 | 0.2 | 0.04 | 0.02 | 0.01 |
| India, Aurangabad | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| India, Bangalore | 42 | 0.4 | 0.06 | 0.05 | 0.01 | 35 | 0.3 | 0.06 | 0.04 | 0.01 |
| India, Barshi, Paranda, and Bhum | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.11 | 0.01 | 0.01 |
| *India, Bhopal | 3 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| India, Chandigarh | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *India, Chennai | 50 | 0.4 | 0.06 | 0.04 | 0.01 | 50 | 0.4 | 0.05 | 0.04 | 0.01 |
| India, Dibrugarh | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *India, Dindigul, Ambilikai | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 13 | 0.2 | 0.06 | 0.04 | 0.01 |
| India, Kamrup Urban District | 6 | 0.2 | 0.09 | 0.02 | 0.01 | 6 | 0.3 | 0.14 | 0.05 | 0.03 |
| India, Kollam | 26 | 0.4 | 0.08 | 0.05 | 0.01 | 26 | 0.3 | 0.07 | 0.05 | 0.01 |
| *India, Manipur | 3 | 0.0 | 0.03 | 0.00 | 0.00 | 13 | 0.2 | 0.07 | 0.02 | 0.01 |
| India, Meghalaya | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 4 | 0.2 | 0.08 | 0.03 | 0.02 |
| India, Mizoram | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 3 | 0.2 | 0.13 | 0.03 | 0.02 |
| India, Mumbai | 86 | 0.3 | 0.03 | 0.03 | 0.00 | 69 | 0.2 | 0.03 | 0.02 | 0.00 |
| *India, New Delhi | 67 | 0.3 | 0.04 | 0.03 | 0.01 | 61 | 0.3 | 0.04 | 0.04 | 0.01 |
| India, Poona | 43 | 0.3 | 0.05 | 0.03 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| *India, Sangrur District | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, SAS Nagar | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *India, Tamil Nadu | 610 | 0.3 | 0.01 | 0.04 | 0.00 | 427 | 0.2 | 0.01 | 0.02 | 0.00 |
| *India, Tripura | 8 | 0.1 | 0.05 | 0.02 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Trivandrum | 41 | 0.5 | 0.08 | 0.05 | 0.01 | 41 | 0.5 | 0.08 | 0.06 | 0.01 |
| India, Wardha | 10 | 0.3 | 0.08 | 0.02 | 0.01 | 11 | 0.3 | 0.09 | 0.03 | 0.01 |
| India, West Arunachal | 10 | 1.4 | 0.46 | 0.15 | 0.07 | 17 | 1.9 | 0.50 | 0.22 | 0.07 |
| *Iran (Islamic Republic of), Ardabil Province | 16 | 0.9 | 0.22 | 0.08 | 0.03 | 12 | 0.6 | 0.17 | 0.07 | 0.03 |
| *Iran (Islamic Republic of), Golestan Province | 14 | 0.6 | 0.16 | 0.05 | 0.02 | 8 | 0.4 | 0.13 | 0.04 | 0.02 |
| Israel | 3100 | 12.2 | 0.23 | 1.37 | 0.03 | 2591 | 9.4 | 0.20 | 1.03 | 0.02 |
| *Israel: Jews | 2921 | 13.8 | 0.27 | 1.56 | 0.04 | 2393 | 10.8 | 0.24 | 1.18 | 0.03 |
| *Israel: Arabs | 51 | 1.6 | 0.23 | 0.16 | 0.03 | 29 | 0.8 | 0.15 | 0.07 | 0.02 |
| Japan | 2491 | 0.6 | 0.01 | 0.06 | 0.00 | 2724 | 0.6 | 0.02 | 0.06 | 0.00 |
| Japan, Aichi Prefecture | 122 | 0.5 | 0.06 | 0.05 | 0.01 | 127 | 0.5 | 0.05 | 0.05 | 0.01 |
| *Japan, Akita Prefecture | 30 | 0.9 | 0.22 | 0.09 | 0.02 | 30 | 0.4 | 0.12 | 0.04 | 0.01 |
| Japan, Aomori Prefecture | 51 | 0.6 | 0.10 | 0.06 | 0.01 | 64 | 0.6 | 0.09 | 0.06 | 0.01 |
| Japan, Gunma Prefecture | 30 | 0.3 | 0.07 | 0.04 | 0.01 | 45 | 0.7 | 0.13 | 0.07 | 0.01 |
| Japan, Hiroshima Prefecture | 61 | 0.5 | 0.07 | 0.05 | 0.01 | 82 | 0.6 | 0.10 | 0.06 | 0.01 |
| Japan, Miyagi Prefecture | 84 | 0.7 | 0.09 | 0.07 | 0.01 | 84 | 0.7 | 0.10 | 0.07 | 0.01 |
| Japan, Osaka Prefecture | 170 | 0.6 | 0.05 | 0.06 | 0.01 | 174 | 0.6 | 0.05 | 0.06 | 0.01 |
| Kuwait | 23 | 0.2 | 0.07 | 0.03 | 0.01 | 16 | 0.2 | 0.08 | 0.03 | 0.01 |
| *Kuwait: Kuwaitis | 5 | 0.2 | 0.11 | 0.03 | 0.02 | 7 | 0.3 | 0.11 | 0.02 | 0.01 |
| *Kuwait: Non-Kuwaitis | 18 | 0.2 | 0.06 | 0.02 | 0.01 | 9 | 0.2 | 0.13 | 0.04 | 0.03 |
| *Philippines, Manila | 45 | 0.4 | 0.06 | 0.04 | 0.01 | 47 | 0.3 | 0.05 | 0.04 | 0.01 |
| *Qatar: Qatari | 2 | 0.4 | 0.29 | 0.01 | 0.01 | 5 | 0.9 | 0.42 | 0.05 | 0.03 |
| Republic of Korea | 1384 | 0.7 | 0.02 | 0.08 | 0.00 | 1563 | 0.7 | 0.02 | 0.08 | 0.00 |
| *Republic of Korea, Busan | 84 | 0.6 | 0.06 | 0.06 | 0.01 | 89 | 0.5 | 0.06 | 0.06 | 0.01 |
| *Republic of Korea, Daegu | 44 | 0.5 | 0.09 | 0.05 | 0.01 | 66 | 0.6 | 0.07 | 0.06 | 0.01 |
| *Republic of Korea, Daejeon | 43 | 0.8 | 0.13 | 0.08 | 0.01 | 53 | 0.9 | 0.13 | 0.11 | 0.02 |
| *Republic of Korea, Gwangju | 28 | 0.6 | 0.12 | 0.07 | 0.02 | 39 | 0.6 | 0.11 | 0.08 | 0.02 |
| Republic of Korea, Incheon | 71 | 0.7 | 0.08 | 0.07 | 0.01 | 79 | 0.7 | 0.09 | 0.07 | 0.01 |
| Republic of Korea, Jeju | 14 | 0.6 | 0.19 | 0.05 | 0.02 | 25 | 0.9 | 0.23 | 0.07 | 0.02 |
| Republic of Korea, Seoul | 262 | 0.7 | 0.04 | 0.08 | 0.01 | 287 | 0.7 | 0.04 | 0.08 | 0.01 |
| Republic of Korea, Ulsan | 26 | 0.6 | 0.13 | 0.08 | 0.02 | 24 | 0.6 | 0.12 | 0.06 | 0.02 |
| Singapore | 107 | 0.7 | 0.07 | 0.07 | 0.01 | 63 | 0.4 | 0.05 | 0.05 | 0.01 |
| Singapore: Chinese | 59 | 0.5 | 0.07 | 0.04 | 0.01 | 51 | 0.4 | 0.06 | 0.05 | 0.01 |
| Singapore: Indian | 4 | 0.4 | 0.23 | 0.08 | 0.05 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Melanoma of skin (C43) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 4 | 0.2 | 0.12 | 0.02 | 0.01 | 5 | 0.3 | 0.12 | 0.02 | 0.01 |
| Thailand, Bangkok | 37 | 0.2 | 0.04 | 0.02 | 0.01 | 58 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Thailand, Chiang Mai | 28 | 0.5 | 0.10 | 0.07 | 0.02 | 31 | 0.5 | 0.09 | 0.05 | 0.01 |
| *Thailand, Khon Kaen | 26 | 0.4 | 0.09 | 0.05 | 0.01 | 28 | 0.4 | 0.07 | 0.03 | 0.01 |
| Thailand, Lampang | 16 | 0.5 | 0.14 | 0.07 | 0.02 | 17 | 0.7 | 0.21 | 0.07 | 0.02 |
| Thailand, Lopburi Province | 28 | 1.2 | 0.23 | 0.11 | 0.03 | 36 | 1.4 | 0.25 | 0.14 | 0.03 |
| *Thailand, Songkhla | 19 | 0.5 | 0.11 | 0.05 | 0.01 | 27 | 0.6 | 0.11 | 0.07 | 0.02 |
| Turkey, Antalya | 114 | 1.8 | 0.17 | 0.21 | 0.02 | 80 | 1.2 | 0.13 | 0.13 | 0.02 |
| Turkey, Bursa | 130 | 1.6 | 0.14 | 0.18 | 0.02 | 106 | 1.2 | 0.12 | 0.12 | 0.01 |
| *Turkey, Edirne | 34 | 2.2 | 0.39 | 0.25 | 0.05 | 28 | 1.7 | 0.35 | 0.18 | 0.04 |
| *Turkey, Erzurum | 26 | 1.3 | 0.27 | 0.16 | 0.04 | 29 | 1.4 | 0.26 | 0.13 | 0.03 |
| Turkey, Eskişehir | 48 | 1.8 | 0.27 | 0.21 | 0.04 | 45 | 1.6 | 0.25 | 0.18 | 0.03 |
| Turkey, Gaziantep | 43 | 1.2 | 0.19 | 0.15 | 0.03 | 40 | 1.0 | 0.16 | 0.12 | 0.02 |
| *Turkey, Izmir | 294 | 2.2 | 0.13 | 0.25 | 0.02 | 271 | 1.9 | 0.12 | 0.20 | 0.01 |
| Turkey, Malatya | 30 | 1.3 | 0.24 | 0.16 | 0.04 | 25 | 1.0 | 0.20 | 0.09 | 0.02 |
| Turkey, Samsun | 74 | 1.8 | 0.21 | 0.19 | 0.03 | 54 | 1.2 | 0.17 | 0.14 | 0.02 |
| Turkey, Trabzon | 57 | 2.3 | 0.31 | 0.29 | 0.05 | 52 | 1.6 | 0.24 | 0.14 | 0.03 |
| Europe | | | | | | | | | | |
| Austria | 4829 | 12.9 | 0.20 | 1.38 | 0.02 | 4212 | 11.1 | 0.20 | 1.11 | 0.02 |
| Austria, Carinthia | 582 | 22.1 | 1.01 | 2.52 | 0.13 | 515 | 20.8 | 1.06 | 2.11 | 0.11 |
| Austria, Tyrol | 925 | 34.2 | 1.21 | 3.39 | 0.13 | 923 | 35.0 | 1.25 | 3.25 | 0.12 |
| Austria, Vorarlberg | 256 | 15.5 | 1.04 | 1.61 | 0.13 | 226 | 14.5 | 1.07 | 1.46 | 0.11 |
| Belarus | 1653 | 5.3 | 0.14 | 0.61 | 0.02 | 2607 | 6.0 | 0.13 | 0.65 | 0.02 |
| *Belgium | 6044 | 13.3 | 0.18 | 1.48 | 0.02 | 8436 | 19.5 | 0.23 | 1.98 | 0.02 |
| Croatia | 1978 | 11.2 | 0.27 | 1.26 | 0.03 | 1708 | 8.4 | 0.23 | 0.90 | 0.03 |
| Cyprus | 196 | 5.7 | 0.42 | 0.63 | 0.05 | 173 | 5.0 | 0.40 | 0.55 | 0.05 |
| *Czech Republic | 6426 | 14.3 | 0.19 | 1.57 | 0.02 | 5883 | 12.8 | 0.19 | 1.34 | 0.02 |
| Denmark | 5611 | 23.2 | 0.33 | 2.59 | 0.04 | 6392 | 29.0 | 0.40 | 2.95 | 0.04 |
| Estonia | 460 | 9.4 | 0.47 | 1.01 | 0.06 | 729 | 11.9 | 0.51 | 1.20 | 0.05 |
| Finland | 4160 | 16.4 | 0.28 | 1.84 | 0.03 | 3851 | 16.2 | 0.30 | 1.68 | 0.03 |
| *France, Bas-Rhin | 569 | 15.8 | 0.70 | 1.79 | 0.09 | 589 | 16.6 | 0.76 | 1.65 | 0.08 |
| *France, Calvados | 350 | 11.6 | 0.68 | 1.26 | 0.08 | 372 | 12.2 | 0.72 | 1.33 | 0.08 |
| *France, Doubs | 271 | 12.0 | 0.79 | 1.34 | 0.10 | 245 | 11.2 | 0.81 | 1.12 | 0.08 |
| *France, Gironde | 992 | 15.7 | 0.53 | 1.79 | 0.07 | 972 | 14.5 | 0.52 | 1.51 | 0.06 |
| *France, Haut-Rhin | 452 | 14.8 | 0.76 | 1.58 | 0.09 | 459 | 15.7 | 0.81 | 1.54 | 0.08 |
| *France, Hérault | 470 | 9.8 | 0.50 | 1.09 | 0.06 | 437 | 9.4 | 0.51 | 0.98 | 0.05 |
| *France, Isère | 798 | 16.6 | 0.63 | 1.86 | 0.08 | 858 | 18.5 | 0.69 | 1.87 | 0.07 |
| *France, Lille-Métropole | 323 | 12.3 | 0.70 | 1.50 | 0.10 | 350 | 11.8 | 0.67 | 1.32 | 0.08 |
| *France, Limousin | 304 | 16.5 | 1.07 | 1.93 | 0.14 | 288 | 16.0 | 1.12 | 1.69 | 0.12 |
| *France, Loire-Atlantique | 846 | 15.7 | 0.57 | 1.79 | 0.07 | 882 | 15.9 | 0.60 | 1.70 | 0.07 |
| *France, Manche | 225 | 8.7 | 0.65 | 1.06 | 0.09 | 308 | 13.0 | 0.92 | 1.34 | 0.09 |
| *France, Poitou-Charentes | 1049 | 12.1 | 0.43 | 1.34 | 0.05 | 1050 | 13.0 | 0.47 | 1.37 | 0.05 |
| *France, Somme | 223 | 9.8 | 0.70 | 1.10 | 0.09 | 264 | 11.7 | 0.81 | 1.17 | 0.08 |
| *France, Tarn | 192 | 10.4 | 0.86 | 1.16 | 0.10 | 199 | 10.6 | 0.91 | 1.07 | 0.09 |
| *France, Territoire de Belfort | 52 | 10.3 | 1.56 | 1.17 | 0.21 | 41 | 9.7 | 1.66 | 1.04 | 0.18 |
| *France, Vendée | 388 | 12.6 | 0.73 | 1.38 | 0.08 | 351 | 11.3 | 0.72 | 1.18 | 0.08 |
| Germany, Baden-Württemberg | 5272 | 16.5 | 0.25 | 1.90 | 0.03 | 4486 | 15.2 | 0.26 | 1.61 | 0.03 |
| Germany, Bavaria | 9340 | 15.5 | 0.18 | 1.75 | 0.02 | 8143 | 14.5 | 0.18 | 1.52 | 0.02 |
| Germany, Bremen | 413 | 12.5 | 0.69 | 1.39 | 0.09 | 397 | 12.2 | 0.71 | 1.33 | 0.08 |
| Germany, Hamburg | 1017 | 11.6 | 0.40 | 1.32 | 0.05 | 956 | 11.4 | 0.42 | 1.21 | 0.05 |
| Germany, Lower Saxony | 6148 | 15.7 | 0.22 | 1.73 | 0.03 | 6234 | 18.0 | 0.27 | 1.84 | 0.03 |
| Germany, North Rhine-Westphalia | 13090 | 15.8 | 0.15 | 1.73 | 0.02 | 13863 | 18.9 | 0.18 | 1.88 | 0.02 |
| Germany, Rhineland-Palatinate | 3255 | 16.7 | 0.33 | 1.87 | 0.04 | 3073 | 18.0 | 0.37 | 1.86 | 0.04 |
| Germany, Saarland | 669 | 12.9 | 0.57 | 1.42 | 0.07 | 605 | 13.3 | 0.64 | 1.36 | 0.06 |
| Germany, Schleswig-Holstein | 2366 | 15.8 | 0.37 | 1.77 | 0.05 | 2242 | 16.3 | 0.41 | 1.70 | 0.04 |
| Iceland | 106 | 8.5 | 0.86 | 0.89 | 0.11 | 121 | 10.6 | 1.02 | 1.11 | 0.11 |
| Ireland | 2644 | 15.1 | 0.31 | 1.64 | 0.04 | 2811 | 16.1 | 0.32 | 1.73 | 0.04 |
| *Italy, Aosta Valley | 52 | 10.6 | 1.67 | 1.14 | 0.19 | 59 | 12.7 | 1.89 | 1.29 | 0.20 |
| *Italy, Avellino | 95 | 9.5 | 1.05 | 0.96 | 0.11 | 86 | 8.8 | 1.06 | 0.81 | 0.10 |
| Italy, Basilicata | 206 | 8.5 | 0.67 | 0.85 | 0.07 | 230 | 10.1 | 0.75 | 0.96 | 0.07 |
| *Italy, Benevento | 86 | 9.1 | 1.11 | 0.92 | 0.12 | 84 | 8.2 | 1.08 | 0.79 | 0.11 |
| Italy, Bergamo | 751 | 16.3 | 0.65 | 1.73 | 0.07 | 698 | 16.3 | 0.69 | 1.65 | 0.07 |
| *Italy, Brescia | 557 | 11.1 | 0.51 | 1.24 | 0.06 | 470 | 10.2 | 0.52 | 1.04 | 0.05 |
| Italy, Brianza (Lecco and Monza e Brianza) | 275 | 8.0 | 0.54 | 0.89 | 0.07 | 198 | 6.0 | 0.48 | 0.60 | 0.05 |
| Italy, Calabria | 104 | 4.6 | 0.49 | 0.51 | 0.06 | 133 | 6.2 | 0.60 | 0.60 | 0.06 |
| *Italy, Caserta | 201 | 7.3 | 0.54 | 0.82 | 0.07 | 186 | 6.7 | 0.52 | 0.64 | 0.05 |
| *Italy, Catania, Messina, and Enna | 591 | 7.7 | 0.34 | 0.81 | 0.04 | 516 | 6.6 | 0.33 | 0.66 | 0.03 |
| Italy, Emilia-Romagna | 2560 | 15.8 | 0.35 | 1.71 | 0.04 | 2190 | 14.7 | 0.36 | 1.45 | 0.04 |
| Italy, Friuli-Venezia Giulia | 1089 | 18.3 | 0.64 | 1.97 | 0.07 | 952 | 16.6 | 0.65 | 1.69 | 0.06 |
| Italy, Genova | 489 | 16.4 | 0.86 | 1.69 | 0.09 | 454 | 15.5 | 0.89 | 1.50 | 0.08 |
| *Italy, Lombardy, South, Pavia | 213 | 7.7 | 0.58 | 0.86 | 0.07 | 168 | 5.9 | 0.55 | 0.61 | 0.06 |
| Italy, Mantova and Cremona | 376 | 13.2 | 0.75 | 1.48 | 0.09 | 303 | 11.3 | 0.72 | 1.19 | 0.08 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Melanoma of skin (C43) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 857 | 15.6 | 0.59 | 1.69 | 0.07 | 808 | 15.4 | 0.62 | 1.56 | 0.06 |
| Italy, Milan | 1806 | 12.0 | 0.32 | 1.28 | 0.04 | 1493 | 10.2 | 0.31 | 1.00 | 0.03 |
| Italy, Molise | 76 | 8.5 | 1.07 | 1.02 | 0.14 | 69 | 8.3 | 1.19 | 0.81 | 0.12 |
| *Italy, Naples Centre | 311 | 14.3 | 0.86 | 1.53 | 0.10 | 277 | 11.8 | 0.78 | 1.20 | 0.08 |
| *Italy, Naples North | 319 | 11.2 | 0.65 | 1.22 | 0.08 | 305 | 10.3 | 0.62 | 1.03 | 0.06 |
| *Italy, Naples South | 443 | 11.2 | 0.56 | 1.22 | 0.07 | 430 | 10.7 | 0.55 | 1.07 | 0.06 |
| *Italy, Nuoro | 17 | 2.8 | 0.78 | 0.32 | 0.09 | 26 | 5.2 | 1.18 | 0.52 | 0.11 |
| *Italy, Palermo | 392 | 7.9 | 0.43 | 0.83 | 0.05 | 328 | 6.9 | 0.42 | 0.68 | 0.04 |
| Italy, Puglia | 1723 | 10.1 | 0.27 | 1.10 | 0.03 | 1620 | 10.0 | 0.28 | 1.00 | 0.03 |
| *Italy, Ragusa and Caltanissetta | 224 | 9.6 | 0.70 | 1.07 | 0.08 | 175 | 8.2 | 0.69 | 0.78 | 0.07 |
| *Italy, Salerno | 357 | 11.0 | 0.62 | 1.16 | 0.07 | 362 | 11.4 | 0.65 | 1.09 | 0.06 |
| Italy, Sassari | 65 | 6.6 | 0.90 | 0.71 | 0.11 | 60 | 7.0 | 1.01 | 0.74 | 0.11 |
| *Italy, Sondrio | 101 | 10.1 | 1.12 | 1.06 | 0.13 | 74 | 7.8 | 1.03 | 0.87 | 0.11 |
| Italy, South Tyrol | 385 | 16.7 | 0.93 | 1.81 | 0.11 | 347 | 14.4 | 0.90 | 1.54 | 0.10 |
| *Italy, Syracuse | 108 | 6.4 | 0.65 | 0.70 | 0.08 | 104 | 6.5 | 0.72 | 0.61 | 0.07 |
| Italy, Trento | 393 | 16.5 | 0.92 | 1.76 | 0.11 | 332 | 15.7 | 0.96 | 1.55 | 0.10 |
| Italy, Turin | 973 | 9.6 | 0.35 | 1.03 | 0.04 | 840 | 8.2 | 0.33 | 0.82 | 0.03 |
| *Italy, Tuscany | 1772 | 19.7 | 0.54 | 2.11 | 0.06 | 1578 | 17.9 | 0.53 | 1.81 | 0.05 |
| Italy, Umbria | 550 | 17.0 | 0.83 | 1.83 | 0.09 | 437 | 14.8 | 0.83 | 1.43 | 0.08 |
| Italy, Varese | 208 | 8.0 | 0.60 | 0.88 | 0.07 | 144 | 5.9 | 0.58 | 0.61 | 0.06 |
| Italy, Veneto | 3614 | 16.9 | 0.31 | 1.83 | 0.04 | 3248 | 16.5 | 0.33 | 1.62 | 0.03 |
| Latvia | 381 | 5.1 | 0.28 | 0.55 | 0.03 | 657 | 6.3 | 0.29 | 0.67 | 0.03 |
| *Liechtenstein | 42 | 25.4 | 4.13 | 2.78 | 0.51 | 37 | 22.2 | 4.07 | 2.21 | 0.44 |
| *Lithuania | 626 | 5.8 | 0.24 | 0.65 | 0.03 | 963 | 6.5 | 0.24 | 0.72 | 0.03 |
| Malta | 166 | 8.6 | 0.70 | 0.95 | 0.08 | 143 | 8.5 | 0.77 | 0.91 | 0.08 |
| *The Netherlands | 14493 | 20.2 | 0.18 | 2.29 | 0.02 | 15735 | 23.3 | 0.20 | 2.46 | 0.02 |
| Norway | 5448 | 24.5 | 0.35 | 2.82 | 0.05 | 5296 | 25.1 | 0.38 | 2.72 | 0.04 |
| Poland, Kielce | 299 | 5.7 | 0.34 | 0.66 | 0.05 | 359 | 5.9 | 0.36 | 0.64 | 0.04 |
| *Portugal, Azores | 40 | 6.1 | 1.00 | 0.62 | 0.12 | 39 | 5.3 | 0.91 | 0.49 | 0.09 |
| Russian Federation, Arkhangelsk | 155 | 4.2 | 0.35 | 0.47 | 0.05 | 373 | 7.3 | 0.41 | 0.79 | 0.05 |
| Russian Federation, Kaliningrad | 154 | 4.9 | 0.41 | 0.51 | 0.05 | 266 | 5.9 | 0.40 | 0.62 | 0.05 |
| Russian Federation, Karelia | 111 | 5.6 | 0.55 | 0.64 | 0.08 | 178 | 5.8 | 0.48 | 0.63 | 0.06 |
| *Russian Federation, Komi Republic | 143 | 5.6 | 0.49 | 0.65 | 0.07 | 198 | 5.6 | 0.42 | 0.60 | 0.05 |
| Russian Federation, Murmansk | 131 | 6.2 | 0.58 | 0.74 | 0.09 | 215 | 6.8 | 0.51 | 0.79 | 0.06 |
| *Russian Federation, Orenburg | 261 | 4.2 | 0.27 | 0.49 | 0.04 | 428 | 4.7 | 0.25 | 0.50 | 0.03 |
| Russian Federation, Pskov | 83 | 3.8 | 0.43 | 0.41 | 0.05 | 152 | 4.3 | 0.39 | 0.48 | 0.05 |
| *Russian Federation, Samara | 552 | 5.3 | 0.23 | 0.61 | 0.03 | 892 | 6.0 | 0.22 | 0.65 | 0.02 |
| Russian Federation, Vologda Region | 163 | 4.5 | 0.36 | 0.53 | 0.04 | 311 | 5.7 | 0.35 | 0.62 | 0.04 |
| Slovenia | 1530 | 17.1 | 0.47 | 1.90 | 0.06 | 1339 | 14.9 | 0.46 | 1.54 | 0.05 |
| Spain, Asturias | 169 | 5.6 | 0.48 | 0.62 | 0.06 | 240 | 7.5 | 0.61 | 0.76 | 0.06 |
| Spain, Basque Country | 633 | 7.9 | 0.35 | 0.86 | 0.04 | 707 | 8.7 | 0.38 | 0.92 | 0.04 |
| Spain, Canary Islands | 355 | 6.3 | 0.35 | 0.67 | 0.04 | 392 | 6.9 | 0.37 | 0.72 | 0.04 |
| Spain, Castellón | 161 | 6.6 | 0.57 | 0.72 | 0.07 | 142 | 5.8 | 0.57 | 0.58 | 0.06 |
| Spain, Girona | 199 | 6.0 | 0.46 | 0.62 | 0.06 | 200 | 6.8 | 0.53 | 0.70 | 0.06 |
| Spain, Granada | 338 | 9.6 | 0.56 | 1.00 | 0.06 | 346 | 9.6 | 0.56 | 1.01 | 0.06 |
| Spain, La Rioja | 83 | 5.5 | 0.70 | 0.57 | 0.08 | 84 | 5.8 | 0.75 | 0.59 | 0.08 |
| Spain, Murcia | 452 | 8.0 | 0.40 | 0.93 | 0.05 | 491 | 8.6 | 0.42 | 0.94 | 0.05 |
| Spain, Navarra | 197 | 8.3 | 0.66 | 0.91 | 0.08 | 213 | 9.0 | 0.72 | 1.01 | 0.08 |
| Spain, Salamanca | 97 | 5.3 | 0.62 | 0.59 | 0.08 | 138 | 7.7 | 0.84 | 0.84 | 0.09 |
| Spain, Tarragona | 217 | 6.1 | 0.45 | 0.66 | 0.06 | 228 | 6.9 | 0.51 | 0.71 | 0.06 |
| *Sweden | 9495 | 20.9 | 0.23 | 2.35 | 0.03 | 9103 | 22.0 | 0.26 | 2.32 | 0.03 |
| Switzerland, Aargau | 550 | 18.2 | 0.81 | 2.14 | 0.11 | 455 | 15.7 | 0.82 | 1.71 | 0.10 |
| Switzerland, Basel | 259 | 10.5 | 0.72 | 1.18 | 0.10 | 237 | 9.3 | 0.70 | 1.03 | 0.08 |
| Switzerland, Berne Solothurn | 989 | 25.6 | 0.89 | 2.87 | 0.11 | 837 | 22.4 | 0.88 | 2.33 | 0.09 |
| Switzerland, East | 695 | 17.9 | 0.72 | 1.97 | 0.09 | 612 | 16.7 | 0.75 | 1.76 | 0.09 |
| *Switzerland, Fribourg | 279 | 22.8 | 1.41 | 2.72 | 0.19 | 231 | 18.8 | 1.32 | 1.96 | 0.15 |
| Switzerland, Geneva | 428 | 22.1 | 1.13 | 2.43 | 0.15 | 368 | 17.5 | 1.00 | 1.86 | 0.12 |
| *Switzerland, Graubünden and Glarus | 206 | 17.2 | 1.28 | 1.95 | 0.17 | 178 | 14.6 | 1.27 | 1.50 | 0.14 |
| *Switzerland, Lucerne | 501 | 21.4 | 1.02 | 2.46 | 0.14 | 470 | 21.0 | 1.08 | 2.24 | 0.12 |
| *Switzerland, Neuchâtel and Jura | 197 | 18.3 | 1.40 | 2.03 | 0.17 | 166 | 15.5 | 1.32 | 1.65 | 0.15 |
| Switzerland, Ticino | 377 | 23.3 | 1.34 | 2.62 | 0.16 | 307 | 20.7 | 1.32 | 2.08 | 0.13 |
| Switzerland, Valais | 276 | 18.0 | 1.18 | 1.95 | 0.14 | 257 | 17.4 | 1.23 | 1.83 | 0.13 |
| Switzerland, Vaud | 638 | 20.4 | 0.85 | 2.34 | 0.11 | 544 | 17.4 | 0.81 | 1.84 | 0.09 |
| Switzerland, Zurich and Zug | 1572 | 22.0 | 0.59 | 2.53 | 0.08 | 1455 | 20.9 | 0.60 | 2.24 | 0.07 |
| Ukraine | 6263 | 5.2 | 0.07 | 0.59 | 0.01 | 8479 | 5.3 | 0.06 | 0.57 | 0.01 |
| UK, England | 33642 | 14.2 | 0.08 | 1.57 | 0.01 | 33343 | 14.7 | 0.09 | 1.55 | 0.01 |
| UK, Northern Ireland | 882 | 12.1 | 0.43 | 1.32 | 0.05 | 1018 | 14.4 | 0.49 | 1.46 | 0.05 |
| UK, Scotland | 3068 | 12.8 | 0.25 | 1.39 | 0.03 | 3085 | 13.3 | 0.27 | 1.35 | 0.03 |
| UK, Wales | 2059 | 13.8 | 0.34 | 1.54 | 0.04 | 1959 | 14.3 | 0.37 | 1.52 | 0.04 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 14113 | 42.1 | 0.38 | 4.79 | 0.05 | 9628 | 29.2 | 0.32 | 3.22 | 0.04 |
| *Australia, Northern Territory | 269 | 39.1 | 2.43 | 4.93 | 0.36 | 147 | 22.8 | 1.91 | 2.46 | 0.26 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Melanoma of skin (C43) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 262 | 45.5 | 2.85 | 5.68 | 0.41 | 141 | 29.1 | 2.51 | 3.12 | 0.32 |
| *Australia, Northern Territory: Indigenous | 2 | 1.9 | 1.48 | 0.39 | 0.35 | 1 | 0.4 | 0.42 | 0.04 | 0.04 |
| *Australia, Queensland | 12965 | 68.3 | 0.63 | 7.68 | 0.08 | 8630 | 47.4 | 0.54 | 5.05 | 0.06 |
| Australia, South Australia | 2346 | 31.3 | 0.69 | 3.57 | 0.09 | 1577 | 21.0 | 0.59 | 2.29 | 0.07 |
| Australia, Tasmania | 910 | 37.4 | 1.35 | 4.23 | 0.17 | 798 | 35.3 | 1.38 | 3.84 | 0.16 |
| *Australia, Victoria | 7539 | 31.1 | 0.38 | 3.55 | 0.05 | 5803 | 23.6 | 0.33 | 2.58 | 0.04 |
| *Australia, Western Australia | 4256 | 43.7 | 0.69 | 4.94 | 0.09 | 2957 | 30.7 | 0.60 | 3.39 | 0.07 |
| *France, New Caledonia | 83 | 10.4 | 1.14 | 1.28 | 0.17 | 41 | 5.1 | 0.80 | 0.54 | 0.10 |
| New Zealand | 6693 | 35.7 | 0.46 | 4.05 | 0.06 | 5535 | 28.9 | 0.41 | 3.23 | 0.05 |
| *New Zealand: Maori | 108 | 6.9 | 0.68 | 0.80 | 0.10 | 137 | 7.7 | 0.66 | 0.90 | 0.09 |
| *New Zealand: Pacific peoples | 16 | 2.6 | 0.68 | 0.26 | 0.08 | 18 | 2.4 | 0.56 | 0.21 | 0.06 |
| *New Zealand: Other | 6553 | 44.9 | 0.61 | 5.06 | 0.08 | 5366 | 38.1 | 0.58 | 4.19 | 0.07 |
| USA, Hawaii | 995 | 16.7 | 0.56 | 2.04 | 0.07 | 621 | 11.1 | 0.48 | 1.27 | 0.06 |
| USA, Hawaii: White | 852 | 44.2 | 1.64 | 5.09 | 0.20 | 510 | 33.3 | 1.64 | 3.73 | 0.19 |
| *USA, Hawaii: Japanese | 21 | 1.5 | 0.41 | 0.20 | 0.05 | 14 | 1.5 | 0.46 | 0.15 | 0.05 |
| *USA, Hawaii: Chinese | 6 | 1.5 | 0.64 | 0.22 | 0.10 | 6 | 1.8 | 0.83 | 0.15 | 0.07 |
| *USA, Hawaii: Hawaiian | 31 | 3.6 | 0.65 | 0.51 | 0.10 | 19 | 1.7 | 0.41 | 0.21 | 0.06 |
| *USA, Hawaii: Filipino | 13 | 1.4 | 0.41 | 0.16 | 0.06 | 9 | 1.0 | 0.37 | 0.11 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other skin (C44)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 72 | 5.3 | 0.66 | 0.64 | 0.10 | 27 | 1.6 | 0.31 | 0.14 | 0.04 |
| *Algeria, Tizi Ouzou | 94 | 6.1 | 0.64 | 0.70 | 0.09 | 91 | 4.2 | 0.48 | 0.39 | 0.06 |
| *Benin, Cotonou | 23 | 3.4 | 0.84 | 0.33 | 0.12 | 14 | 1.8 | 0.51 | 0.22 | 0.08 |
| *France, La Réunion | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 8 | 0.5 | 0.18 | 0.03 | 0.01 |
| *Kenya, Eldoret | 22 | 1.6 | 0.36 | 0.13 | 0.03 | 18 | 1.5 | 0.38 | 0.19 | 0.06 |
| *Kenya, Nairobi | 97 | 3.7 | 0.47 | 0.51 | 0.09 | 84 | 3.3 | 0.44 | 0.38 | 0.07 |
| Mauritius | 344 | 8.3 | 0.42 | 0.82 | 0.05 | 247 | 5.3 | 0.32 | 0.59 | 0.04 |
| *Morocco, Casablanca | 186 | 1.7 | 0.13 | 0.20 | 0.02 | 144 | 1.2 | 0.10 | 0.12 | 0.01 |
| *Seychelles | 23 | 8.9 | 1.89 | 1.41 | 0.34 | 8 | 2.6 | 0.94 | 0.30 | 0.12 |
| *South Africa, Eastern Cape | 14 | 1.5 | 0.43 | 0.18 | 0.05 | 17 | 1.2 | 0.30 | 0.10 | 0.03 |
| *Uganda, Kyadondo County | 44 | 1.6 | 0.31 | 0.18 | 0.04 | 58 | 1.9 | 0.31 | 0.21 | 0.05 |
| *Uganda, Gulu | 11 | 2.4 | 0.79 | 0.23 | 0.09 | 10 | 1.8 | 0.62 | 0.24 | 0.09 |
| *Zimbabwe, Bulawayo: African | 55 | 5.4 | 0.79 | 0.59 | 0.12 | 66 | 6.0 | 0.78 | 0.60 | 0.11 |
| *Zimbabwe, Harare: African | 121 | 6.8 | 0.71 | 0.82 | 0.12 | 132 | 6.2 | 0.59 | 0.66 | 0.09 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Argentina, Mendoza | 1062 | 19.3 | 0.61 | 2.14 | 0.09 | 925 | 13.7 | 0.48 | 1.52 | 0.07 |
| Brazil, Aracaju | 1662 | 165.9 | 4.12 | 17.89 | 0.59 | 2026 | 127.2 | 2.89 | 13.85 | 0.41 |
| *Brazil, Barretos | 1172 | 82.4 | 2.45 | 9.62 | 0.37 | 1137 | 61.9 | 1.94 | 6.69 | 0.28 |
| Brazil, Belo Horizonte | 5581 | 75.8 | 1.03 | 8.40 | 0.15 | 6279 | 58.8 | 0.77 | 6.64 | 0.11 |
| *Brazil, Campinas | 3751 | 159.1 | 2.64 | 17.37 | 0.38 | 3970 | 121.9 | 2.01 | 13.11 | 0.29 |
| *Brazil, Curitiba | 2054 | 51.2 | 1.14 | 5.59 | 0.16 | 2332 | 41.0 | 0.87 | 4.63 | 0.13 |
| Brazil, Goiânia | 3054 | 119.0 | 2.18 | 12.62 | 0.32 | 3505 | 97.5 | 1.67 | 10.37 | 0.24 |
| *Brazil, Jaú | 851 | 193.0 | 6.75 | 21.62 | 1.00 | 861 | 155.5 | 5.54 | 17.47 | 0.79 |
| Brazil, João Pessoa | 533 | 50.9 | 2.23 | 5.29 | 0.31 | 626 | 39.6 | 1.63 | 4.30 | 0.23 |
| Brazil, Recife | 806 | 32.7 | 1.16 | 3.69 | 0.17 | 1013 | 24.8 | 0.81 | 2.80 | 0.11 |
| Chile, Region of Antofagasta | 580 | 60.5 | 2.55 | 6.41 | 0.36 | 564 | 51.8 | 2.22 | 5.61 | 0.32 |
| Chile, Valdivia | 260 | 17.7 | 1.13 | 1.79 | 0.15 | 328 | 18.5 | 1.10 | 2.09 | 0.16 |
| Colombia, Bucaramanga | 613 | 19.6 | 0.81 | 1.93 | 0.12 | 493 | 10.8 | 0.51 | 0.93 | 0.07 |
| Colombia, Cali | 71 | 1.2 | 0.14 | 0.10 | 0.02 | 79 | 1.0 | 0.11 | 0.09 | 0.01 |
| Colombia, Manizales | 157 | 11.1 | 0.79 | 1.26 | 0.12 | 143 | 7.6 | 0.58 | 0.78 | 0.08 |
| Colombia, Pasto | 405 | 37.2 | 1.89 | 4.23 | 0.28 | 580 | 41.1 | 1.77 | 4.43 | 0.25 |
| Costa Rica | 5278 | 51.8 | 0.73 | 5.73 | 0.11 | 5074 | 45.1 | 0.65 | 4.95 | 0.10 |
| Ecuador, Guayaquil | 1780 | 33.6 | 0.82 | 3.74 | 0.12 | 1783 | 28.0 | 0.69 | 3.07 | 0.10 |
| Ecuador, Manabí | 856 | 23.6 | 0.82 | 2.61 | 0.12 | 788 | 21.3 | 0.78 | 2.27 | 0.11 |
| Ecuador, Quito | 1813 | 44.0 | 1.04 | 4.75 | 0.16 | 2019 | 38.4 | 0.87 | 3.89 | 0.12 |
| *France, Guadeloupe | 12 | 0.8 | 0.27 | 0.11 | 0.03 | 14 | 0.8 | 0.24 | 0.09 | 0.03 |
| *France, Martinique | 173 | 9.3 | 0.78 | 1.10 | 0.11 | 155 | 6.4 | 0.60 | 0.76 | 0.08 |
| *Peru, Lima | 4034 | 28.2 | 0.45 | 2.66 | 0.06 | 4293 | 24.0 | 0.38 | 2.47 | 0.05 |
| *Trinidad and Tobago | 56 | 2.3 | 0.31 | 0.29 | 0.05 | 41 | 1.5 | 0.24 | 0.16 | 0.03 |
| USA, Puerto Rico | 144 | 0.9 | 0.09 | 0.10 | 0.01 | 120 | 0.7 | 0.08 | 0.07 | 0.01 |
| *Uruguay | 7580 | 57.4 | 0.69 | 6.33 | 0.10 | 6949 | 41.3 | 0.56 | 4.64 | 0.07 |
| North America | | | | | | | | | | |
| Canada, Alberta | 182 | 1.2 | 0.09 | 0.11 | 0.01 | 100 | 0.6 | 0.07 | 0.05 | 0.01 |
| Canada, British Columbia | 2277 | 7.5 | 0.17 | 0.60 | 0.02 | 1464 | 3.9 | 0.12 | 0.32 | 0.02 |
| *Canada, Manitoba | 7976 | 134.7 | 1.58 | 15.48 | 0.23 | 6441 | 99.8 | 1.37 | 11.44 | 0.19 |
| *Canada, New Brunswick | 5832 | 137.5 | 1.89 | 15.79 | 0.27 | 4701 | 103.9 | 1.70 | 11.51 | 0.22 |
| *Canada, Newfoundland and Labrador | 4340 | 148.5 | 2.35 | 16.77 | 0.33 | 3049 | 100.2 | 1.97 | 10.98 | 0.25 |
| Canada, Ontario | 972 | 1.5 | 0.05 | 0.15 | 0.01 | 826 | 1.2 | 0.05 | 0.12 | 0.01 |
| *Canada, Prince Edward Island | 34 | 4.4 | 0.84 | 0.45 | 0.11 | 18 | 2.1 | 0.61 | 0.16 | 0.06 |
| Canada, Quebec | 413 | 1.1 | 0.06 | 0.11 | 0.01 | 378 | 0.9 | 0.06 | 0.09 | 0.01 |
| Canada, Saskatchewan | 7332 | 132.5 | 1.64 | 14.49 | 0.24 | 5453 | 91.0 | 1.41 | 9.94 | 0.19 |
| *Canada, Yukon | 1 | 0.6 | 0.64 | 0.00 | 0.00 | 1 | 0.7 | 0.74 | 0.12 | 0.12 |
| USA | 17968 | 1.3 | 0.01 | 0.13 | 0.00 | 12750 | 0.9 | 0.01 | 0.09 | 0.00 |
| USA: White | 15770 | 1.3 | 0.01 | 0.14 | 0.00 | 10518 | 0.8 | 0.01 | 0.09 | 0.00 |
| USA: Black | 1271 | 1.0 | 0.03 | 0.10 | 0.00 | 1319 | 0.9 | 0.03 | 0.09 | 0.00 |
| USA, NPCR | 17362 | 1.3 | 0.01 | 0.13 | 0.00 | 12304 | 0.9 | 0.01 | 0.09 | 0.00 |
| USA, NPCR: White | 15259 | 1.3 | 0.01 | 0.14 | 0.00 | 10150 | 0.8 | 0.01 | 0.09 | 0.00 |
| USA, NPCR: Black | 1255 | 1.1 | 0.03 | 0.10 | 0.00 | 1302 | 0.9 | 0.03 | 0.09 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 391 | 0.7 | 0.04 | 0.07 | 0.00 | 350 | 0.5 | 0.03 | 0.05 | 0.00 |
| USA, NPCR: American Indian | 63 | 0.6 | 0.07 | 0.06 | 0.01 | 69 | 0.6 | 0.07 | 0.05 | 0.01 |
| *USA, SEER (18 registries) | 5322 | 1.5 | 0.02 | 0.15 | 0.00 | 3943 | 1.0 | 0.02 | 0.10 | 0.00 |
| *USA, SEER (18 registries): White | 4461 | 1.5 | 0.02 | 0.15 | 0.00 | 3090 | 1.0 | 0.02 | 0.10 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 4068 | 1.7 | 0.03 | 0.17 | 0.00 | 2670 | 1.0 | 0.02 | 0.10 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 393 | 0.9 | 0.04 | 0.09 | 0.01 | 420 | 0.8 | 0.04 | 0.08 | 0.01 |
| *USA, SEER (18 registries): Black | 364 | 1.2 | 0.06 | 0.12 | 0.01 | 386 | 1.1 | 0.06 | 0.11 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 276 | 0.8 | 0.05 | 0.08 | 0.01 | 223 | 0.6 | 0.04 | 0.06 | 0.00 |
| *USA, SEER (9 registries) | 1901 | 1.5 | 0.04 | 0.15 | 0.00 | 1420 | 1.1 | 0.03 | 0.11 | 0.00 |
| *USA, SEER (9 registries): White | 1586 | 1.6 | 0.04 | 0.16 | 0.01 | 1120 | 1.1 | 0.04 | 0.11 | 0.00 |
| *USA, SEER (9 registries): Black | 124 | 1.2 | 0.11 | 0.12 | 0.01 | 140 | 1.1 | 0.10 | 0.11 | 0.01 |
| USA, Alabama | 196 | 0.9 | 0.07 | 0.09 | 0.01 | 173 | 0.8 | 0.07 | 0.07 | 0.01 |
| USA, Alabama: White | 171 | 1.0 | 0.08 | 0.09 | 0.01 | 128 | 0.7 | 0.07 | 0.07 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other skin (C44) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 17 | 0.5 | 0.12 | 0.05 | 0.01 | 33 | 0.8 | 0.13 | 0.07 | 0.01 |
| USA, Alaska | 20 | 0.8 | 0.18 | 0.06 | 0.02 | 22 | 0.9 | 0.20 | 0.10 | 0.03 |
| *USA, Alaska: Alaska Natives | 4 | 1.2 | 0.62 | 0.13 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona | 336 | 1.1 | 0.06 | 0.11 | 0.01 | 166 | 0.5 | 0.05 | 0.05 | 0.01 |
| USA, Arizona: White | 320 | 1.1 | 0.07 | 0.11 | 0.01 | 155 | 0.5 | 0.05 | 0.05 | 0.01 |
| USA, Arizona: Black | 5 | 0.4 | 0.20 | 0.03 | 0.02 | 2 | 0.2 | 0.16 | 0.02 | 0.02 |
| *USA, Arizona: Asian and Pacific Islander | 4 | 0.6 | 0.29 | 0.07 | 0.04 | 2 | 0.2 | 0.16 | 0.02 | 0.02 |
| USA, Arizona: American Indian | 6 | 0.7 | 0.27 | 0.08 | 0.04 | 7 | 0.6 | 0.24 | 0.05 | 0.02 |
| USA, Arkansas | 161 | 1.2 | 0.10 | 0.12 | 0.01 | 97 | 0.8 | 0.09 | 0.07 | 0.01 |
| USA, Arkansas: White | 139 | 1.1 | 0.10 | 0.12 | 0.01 | 76 | 0.6 | 0.09 | 0.06 | 0.01 |
| USA, Arkansas: Black | 21 | 1.7 | 0.37 | 0.18 | 0.05 | 14 | 1.0 | 0.27 | 0.08 | 0.02 |
| USA, California | 2303 | 1.5 | 0.03 | 0.15 | 0.00 | 1668 | 1.0 | 0.03 | 0.10 | 0.00 |
| USA, California: White | 1910 | 1.6 | 0.04 | 0.16 | 0.01 | 1300 | 1.0 | 0.03 | 0.10 | 0.00 |
| USA, California: Black | 102 | 1.2 | 0.13 | 0.12 | 0.01 | 86 | 1.0 | 0.11 | 0.10 | 0.01 |
| USA, California: Asian and Pacific Islander | 165 | 0.8 | 0.06 | 0.07 | 0.01 | 143 | 0.6 | 0.05 | 0.06 | 0.01 |
| *USA, California, Los Angeles County | 465 | 1.3 | 0.06 | 0.13 | 0.01 | 367 | 0.9 | 0.05 | 0.08 | 0.01 |
| *USA, California, Los Angeles County: White | 351 | 1.3 | 0.07 | 0.13 | 0.01 | 271 | 0.8 | 0.06 | 0.08 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 281 | 1.8 | 0.13 | 0.18 | 0.02 | 164 | 0.9 | 0.10 | 0.08 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 70 | 0.6 | 0.07 | 0.06 | 0.01 | 107 | 0.8 | 0.07 | 0.07 | 0.01 |
| *USA, California, Los Angeles County: Black | 41 | 1.4 | 0.23 | 0.13 | 0.02 | 35 | 1.1 | 0.19 | 0.10 | 0.02 |
| *USA, California, Los Angeles County: Chinese | 8 | 0.4 | 0.13 | 0.05 | 0.02 | 6 | 0.3 | 0.15 | 0.04 | 0.02 |
| *USA, California, Los Angeles County: Filipino | 10 | 0.8 | 0.25 | 0.10 | 0.04 | 9 | 0.5 | 0.19 | 0.05 | 0.02 |
| *USA, California, Los Angeles County: Korean | 3 | 0.4 | 0.23 | 0.03 | 0.02 | 3 | 0.3 | 0.18 | 0.04 | 0.02 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 39 | 0.7 | 0.13 | 0.07 | 0.01 | 38 | 0.6 | 0.11 | 0.05 | 0.01 |
| *USA, California, San Francisco Bay Area | 328 | 1.7 | 0.10 | 0.16 | 0.01 | 217 | 1.0 | 0.08 | 0.09 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 246 | 1.8 | 0.12 | 0.18 | 0.02 | 156 | 1.1 | 0.11 | 0.10 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 215 | 1.9 | 0.14 | 0.18 | 0.02 | 131 | 1.1 | 0.13 | 0.10 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 31 | 1.4 | 0.27 | 0.18 | 0.04 | 25 | 1.0 | 0.20 | 0.08 | 0.02 |
| *USA, California, San Francisco Bay Area: Black | 23 | 1.9 | 0.42 | 0.17 | 0.04 | 13 | 0.8 | 0.24 | 0.11 | 0.03 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 51 | 1.1 | 0.16 | 0.10 | 0.02 | 37 | 0.7 | 0.12 | 0.07 | 0.01 |
| USA, Colorado | 244 | 1.1 | 0.08 | 0.12 | 0.01 | 206 | 0.9 | 0.07 | 0.10 | 0.01 |
| USA, Colorado: White | 222 | 1.1 | 0.08 | 0.11 | 0.01 | 188 | 0.9 | 0.07 | 0.10 | 0.01 |
| *USA, Colorado: Black | 11 | 1.4 | 0.44 | 0.14 | 0.05 | 6 | 0.8 | 0.32 | 0.07 | 0.04 |
| *USA, Colorado: Asian and Pacific Islander | 5 | 1.0 | 0.47 | 0.15 | 0.07 | 4 | 0.4 | 0.23 | 0.01 | 0.01 |
| USA, Connecticut | 192 | 1.2 | 0.10 | 0.11 | 0.01 | 136 | 0.8 | 0.08 | 0.08 | 0.01 |
| USA, Connecticut: White | 171 | 1.1 | 0.10 | 0.10 | 0.01 | 118 | 0.7 | 0.08 | 0.08 | 0.01 |
| USA, Connecticut: Black | 11 | 0.9 | 0.28 | 0.09 | 0.03 | 13 | 1.0 | 0.28 | 0.09 | 0.03 |
| USA, District of Columbia | 18 | 0.8 | 0.20 | 0.09 | 0.02 | 18 | 0.9 | 0.22 | 0.08 | 0.02 |
| USA, District of Columbia: White | 7 | 0.8 | 0.30 | 0.11 | 0.05 | 7 | 0.7 | 0.29 | 0.08 | 0.04 |
| USA, District of Columbia: Black | 8 | 0.9 | 0.31 | 0.07 | 0.03 | 9 | 0.9 | 0.32 | 0.07 | 0.03 |
| USA, Florida | 1732 | 1.6 | 0.04 | 0.17 | 0.01 | 925 | 0.8 | 0.03 | 0.09 | 0.00 |
| USA, Florida: White | 1598 | 1.6 | 0.04 | 0.18 | 0.01 | 797 | 0.8 | 0.04 | 0.08 | 0.00 |
| USA, Florida: Black | 77 | 0.8 | 0.09 | 0.08 | 0.01 | 85 | 0.8 | 0.09 | 0.08 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 7 | 0.4 | 0.15 | 0.03 | 0.01 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| USA, Georgia | 557 | 1.6 | 0.07 | 0.15 | 0.01 | 401 | 1.0 | 0.05 | 0.10 | 0.01 |
| USA, Georgia: White | 451 | 1.6 | 0.08 | 0.16 | 0.01 | 286 | 1.0 | 0.06 | 0.10 | 0.01 |
| USA, Georgia: Black | 93 | 1.1 | 0.11 | 0.10 | 0.01 | 104 | 1.0 | 0.10 | 0.09 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 10 | 0.8 | 0.24 | 0.10 | 0.04 | 4 | 0.3 | 0.15 | 0.04 | 0.02 |
| *USA, Georgia, Atlanta | 169 | 1.5 | 0.12 | 0.15 | 0.01 | 132 | 1.0 | 0.09 | 0.10 | 0.01 |
| *USA, Georgia, Atlanta: White | 124 | 1.8 | 0.16 | 0.19 | 0.02 | 77 | 1.0 | 0.13 | 0.10 | 0.02 |
| *USA, Georgia, Atlanta: Black | 38 | 1.0 | 0.16 | 0.09 | 0.02 | 51 | 1.0 | 0.15 | 0.09 | 0.01 |
| USA, Idaho | 85 | 1.1 | 0.13 | 0.10 | 0.02 | 63 | 1.0 | 0.13 | 0.11 | 0.02 |
| USA, Indiana | 271 | 1.0 | 0.07 | 0.09 | 0.01 | 209 | 0.7 | 0.06 | 0.07 | 0.01 |
| USA, Indiana: White | 249 | 1.0 | 0.07 | 0.09 | 0.01 | 183 | 0.7 | 0.06 | 0.07 | 0.01 |
| USA, Indiana: Black | 17 | 1.0 | 0.24 | 0.09 | 0.03 | 16 | 0.8 | 0.19 | 0.09 | 0.02 |
| *USA, Iowa | 200 | 1.3 | 0.10 | 0.12 | 0.01 | 157 | 1.0 | 0.10 | 0.10 | 0.01 |
| USA, Kentucky | 272 | 1.5 | 0.09 | 0.16 | 0.01 | 189 | 1.0 | 0.08 | 0.11 | 0.01 |
| USA, Louisiana | 288 | 1.6 | 0.10 | 0.16 | 0.01 | 222 | 1.2 | 0.09 | 0.12 | 0.01 |
| USA, Louisiana: White | 226 | 1.6 | 0.12 | 0.17 | 0.02 | 159 | 1.1 | 0.10 | 0.11 | 0.01 |
| USA, Louisiana: Black | 57 | 1.4 | 0.18 | 0.14 | 0.02 | 59 | 1.2 | 0.16 | 0.13 | 0.02 |
| *USA, Louisiana, New Orleans | 38 | 1.2 | 0.21 | 0.13 | 0.03 | 31 | 0.9 | 0.17 | 0.08 | 0.02 |
| *USA, Louisiana, New Orleans: White | 29 | 1.6 | 0.33 | 0.16 | 0.04 | 20 | 0.8 | 0.21 | 0.08 | 0.02 |
| *USA, Louisiana, New Orleans: Black | 6 | 0.5 | 0.23 | 0.06 | 0.03 | 8 | 0.7 | 0.25 | 0.06 | 0.02 |
| USA, Maine | 88 | 1.2 | 0.14 | 0.13 | 0.02 | 80 | 1.1 | 0.15 | 0.10 | 0.02 |
| USA, Maryland | 298 | 1.2 | 0.08 | 0.11 | 0.01 | 238 | 0.9 | 0.07 | 0.10 | 0.01 |
| USA, Maryland: White | 236 | 1.3 | 0.09 | 0.12 | 0.01 | 168 | 0.9 | 0.08 | 0.10 | 0.01 |
| USA, Maryland: Black | 58 | 1.1 | 0.14 | 0.10 | 0.01 | 63 | 0.9 | 0.12 | 0.09 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 6 | 0.4 | 0.15 | 0.02 | 0.01 |
| USA, Massachusetts | 429 | 1.5 | 0.08 | 0.16 | 0.01 | 308 | 0.9 | 0.06 | 0.10 | 0.01 |
| USA, Massachusetts: White | 376 | 1.4 | 0.08 | 0.15 | 0.01 | 260 | 0.8 | 0.06 | 0.09 | 0.01 |
| USA, Massachusetts: Black | 21 | 1.3 | 0.30 | 0.14 | 0.04 | 23 | 1.2 | 0.26 | 0.15 | 0.04 |
| USA, Massachusetts: Asian and Pacific Islander | 8 | 0.7 | 0.24 | 0.09 | 0.04 | 14 | 0.9 | 0.23 | 0.08 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other skin (C44) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 627 | 1.4 | 0.06 | 0.15 | 0.01 | 503 | 1.1 | 0.06 | 0.11 | 0.01 |
| USA, Michigan: White | 536 | 1.4 | 0.06 | 0.14 | 0.01 | 410 | 1.0 | 0.06 | 0.10 | 0.01 |
| USA, Michigan: Black | 49 | 1.2 | 0.18 | 0.14 | 0.02 | 61 | 1.3 | 0.18 | 0.13 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | 9 | 1.1 | 0.37 | 0.14 | 0.05 | 4 | 0.4 | 0.21 | 0.05 | 0.03 |
| *USA, Michigan, Detroit | 253 | 1.7 | 0.11 | 0.17 | 0.01 | 214 | 1.3 | 0.10 | 0.12 | 0.01 |
| *USA, Michigan, Detroit: White | 203 | 1.6 | 0.12 | 0.17 | 0.02 | 153 | 1.1 | 0.10 | 0.11 | 0.01 |
| *USA, Michigan, Detroit: Black | 34 | 1.3 | 0.22 | 0.14 | 0.03 | 51 | 1.6 | 0.22 | 0.15 | 0.02 |
| USA, Minnesota | 455 | 1.9 | 0.09 | 0.19 | 0.01 | 303 | 1.2 | 0.08 | 0.12 | 0.01 |
| USA, Minnesota: White | 427 | 1.8 | 0.10 | 0.19 | 0.01 | 263 | 1.1 | 0.08 | 0.10 | 0.01 |
| USA, Minnesota: Black | 15 | 2.0 | 0.53 | 0.20 | 0.06 | 16 | 1.9 | 0.49 | 0.21 | 0.07 |
| *USA, Minnesota: Asian and Pacific Islander | 5 | 0.9 | 0.41 | 0.12 | 0.07 | 7 | 1.0 | 0.38 | 0.10 | 0.05 |
| USA, Mississippi | 140 | 1.1 | 0.10 | 0.12 | 0.01 | 90 | 0.7 | 0.08 | 0.08 | 0.01 |
| USA, Missouri | 258 | 1.0 | 0.07 | 0.11 | 0.01 | 157 | 0.6 | 0.05 | 0.06 | 0.01 |
| USA, Missouri: White | 240 | 1.0 | 0.07 | 0.11 | 0.01 | 136 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Missouri: Black | 14 | 0.8 | 0.20 | 0.07 | 0.02 | 18 | 0.8 | 0.19 | 0.08 | 0.02 |
| USA, Montana | 136 | 2.3 | 0.21 | 0.27 | 0.03 | 75 | 1.4 | 0.19 | 0.13 | 0.02 |
| *USA, Montana: American Indian | 4 | 2.0 | 1.01 | 0.25 | 0.13 | 5 | 2.5 | 1.12 | 0.15 | 0.07 |
| USA, Nebraska | 125 | 1.6 | 0.15 | 0.15 | 0.02 | 80 | 1.1 | 0.13 | 0.10 | 0.01 |
| USA, Nebraska: White | 117 | 1.6 | 0.16 | 0.15 | 0.02 | 72 | 1.0 | 0.13 | 0.10 | 0.01 |
| *USA, Nebraska: Black | 6 | 2.0 | 0.81 | 0.11 | 0.06 | 6 | 2.4 | 0.99 | 0.22 | 0.11 |
| USA, Nevada | 111 | 1.0 | 0.10 | 0.11 | 0.01 | 75 | 0.7 | 0.09 | 0.07 | 0.01 |
| USA, Nevada: White | 99 | 1.1 | 0.11 | 0.12 | 0.01 | 59 | 0.7 | 0.10 | 0.06 | 0.01 |
| USA, Nevada: Black | 8 | 0.9 | 0.32 | 0.08 | 0.03 | 8 | 1.1 | 0.38 | 0.08 | 0.03 |
| *USA, Nevada: Asian and Pacific Islander | 2 | 0.2 | 0.15 | 0.03 | 0.03 | 6 | 0.5 | 0.24 | 0.06 | 0.03 |
| USA, New Jersey | 584 | 1.6 | 0.07 | 0.16 | 0.01 | 438 | 1.1 | 0.06 | 0.11 | 0.01 |
| USA, New Jersey: White | 498 | 1.7 | 0.08 | 0.17 | 0.01 | 357 | 1.0 | 0.06 | 0.11 | 0.01 |
| USA, New Jersey: Black | 48 | 1.3 | 0.19 | 0.12 | 0.02 | 50 | 1.1 | 0.17 | 0.10 | 0.02 |
| USA, New Mexico | 107 | 1.2 | 0.13 | 0.12 | 0.02 | 88 | 1.0 | 0.12 | 0.10 | 0.01 |
| USA, New Mexico: White | 94 | 1.2 | 0.14 | 0.12 | 0.02 | 73 | 0.9 | 0.12 | 0.09 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 73 | 1.4 | 0.21 | 0.15 | 0.02 | 48 | 1.0 | 0.18 | 0.09 | 0.02 |
| USA, New Mexico: Hispanic White | 21 | 0.7 | 0.16 | 0.06 | 0.02 | 25 | 0.8 | 0.17 | 0.10 | 0.02 |
| *USA, New Mexico: American Indian | 6 | 1.0 | 0.40 | 0.07 | 0.03 | 10 | 1.5 | 0.49 | 0.17 | 0.06 |
| USA, New York State | 1181 | 1.5 | 0.05 | 0.15 | 0.01 | 954 | 1.1 | 0.04 | 0.11 | 0.00 |
| USA, New York State: White | 1002 | 1.5 | 0.05 | 0.16 | 0.01 | 754 | 1.1 | 0.05 | 0.11 | 0.01 |
| USA, New York State: Black | 126 | 1.3 | 0.11 | 0.13 | 0.01 | 132 | 1.1 | 0.10 | 0.10 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 43 | 0.8 | 0.12 | 0.08 | 0.01 | 47 | 0.7 | 0.11 | 0.08 | 0.01 |
| USA, North Carolina | 611 | 1.5 | 0.06 | 0.15 | 0.01 | 366 | 0.8 | 0.05 | 0.07 | 0.00 |
| USA, North Carolina: White | 522 | 1.5 | 0.07 | 0.16 | 0.01 | 282 | 0.7 | 0.05 | 0.07 | 0.01 |
| USA, North Carolina: Black | 76 | 1.2 | 0.14 | 0.11 | 0.01 | 68 | 0.8 | 0.10 | 0.08 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 6 | 0.7 | 0.27 | 0.06 | 0.02 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *USA, North Carolina: American Indian | 1 | 0.2 | 0.23 | 0.03 | 0.03 | 4 | 0.7 | 0.37 | 0.07 | 0.04 |
| USA, North Dakota | 39 | 1.1 | 0.19 | 0.10 | 0.02 | 25 | 0.8 | 0.19 | 0.07 | 0.02 |
| USA, Ohio | 530 | 1.0 | 0.05 | 0.11 | 0.01 | 443 | 0.8 | 0.05 | 0.09 | 0.01 |
| USA, Ohio: White | 475 | 1.0 | 0.05 | 0.11 | 0.01 | 373 | 0.8 | 0.05 | 0.08 | 0.01 |
| USA, Ohio: Black | 36 | 0.9 | 0.14 | 0.08 | 0.01 | 46 | 1.0 | 0.15 | 0.10 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 6 | 0.9 | 0.36 | 0.14 | 0.06 | 4 | 0.6 | 0.31 | 0.05 | 0.03 |
| USA, Oklahoma | 220 | 1.3 | 0.10 | 0.13 | 0.01 | 163 | 0.9 | 0.08 | 0.10 | 0.01 |
| USA, Oklahoma: White | 199 | 1.4 | 0.11 | 0.14 | 0.01 | 141 | 0.9 | 0.09 | 0.10 | 0.01 |
| USA, Oklahoma: Black | 7 | 0.8 | 0.29 | 0.08 | 0.03 | 6 | 0.7 | 0.27 | 0.08 | 0.04 |
| USA, Oklahoma: American Indian | 4 | 0.4 | 0.19 | 0.05 | 0.03 | 11 | 0.8 | 0.25 | 0.06 | 0.03 |
| USA, Oregon | 170 | 0.9 | 0.08 | 0.10 | 0.01 | 158 | 0.8 | 0.07 | 0.07 | 0.01 |
| USA, Oregon: White | 162 | 0.9 | 0.08 | 0.10 | 0.01 | 150 | 0.8 | 0.08 | 0.08 | 0.01 |
| *USA, Oregon: Black | 1 | 0.3 | 0.32 | 0.02 | 0.02 | 2 | 0.6 | 0.42 | 0.03 | 0.03 |
| *USA, Oregon: Asian and Pacific Islander | 2 | 0.3 | 0.22 | 0.03 | 0.02 | 2 | 0.3 | 0.22 | 0.03 | 0.02 |
| USA, Rhode Island | 66 | 1.5 | 0.20 | 0.14 | 0.02 | 50 | 0.9 | 0.14 | 0.10 | 0.02 |
| USA, Rhode Island: White | 61 | 1.5 | 0.23 | 0.14 | 0.02 | 48 | 0.9 | 0.15 | 0.11 | 0.02 |
| *USA, Rhode Island: Black | 2 | 0.7 | 0.52 | 0.02 | 0.02 | 2 | 0.7 | 0.49 | 0.08 | 0.05 |
| USA, South Carolina | 263 | 1.2 | 0.08 | 0.11 | 0.01 | 169 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, South Carolina: White | 223 | 1.2 | 0.09 | 0.12 | 0.01 | 119 | 0.6 | 0.07 | 0.07 | 0.01 |
| USA, South Carolina: Black | 36 | 1.0 | 0.16 | 0.09 | 0.02 | 44 | 0.9 | 0.15 | 0.09 | 0.02 |
| USA, South Dakota | 45 | 1.0 | 0.17 | 0.06 | 0.02 | 18 | 0.6 | 0.16 | 0.05 | 0.01 |
| USA, Tennessee | 323 | 1.1 | 0.07 | 0.11 | 0.01 | 201 | 0.7 | 0.06 | 0.07 | 0.01 |
| USA, Tennessee: White | 291 | 1.1 | 0.07 | 0.10 | 0.01 | 160 | 0.6 | 0.06 | 0.06 | 0.01 |
| USA, Tennessee: Black | 28 | 1.0 | 0.18 | 0.09 | 0.02 | 36 | 1.0 | 0.17 | 0.09 | 0.02 |
| USA, Texas | 894 | 0.9 | 0.03 | 0.10 | 0.00 | 634 | 0.6 | 0.03 | 0.06 | 0.00 |
| USA, Texas: White | 777 | 0.9 | 0.04 | 0.10 | 0.00 | 530 | 0.6 | 0.03 | 0.06 | 0.00 |
| USA, Texas: Black | 83 | 0.9 | 0.10 | 0.09 | 0.01 | 77 | 0.7 | 0.08 | 0.08 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 26 | 0.6 | 0.13 | 0.06 | 0.01 | 18 | 0.4 | 0.09 | 0.03 | 0.01 |
| USA, Utah | 178 | 1.8 | 0.14 | 0.18 | 0.02 | 112 | 1.1 | 0.11 | 0.12 | 0.01 |
| USA, Vermont | 40 | 1.4 | 0.26 | 0.13 | 0.03 | 26 | 0.7 | 0.16 | 0.07 | 0.02 |
| USA, Washington State | 475 | 1.6 | 0.08 | 0.16 | 0.01 | 364 | 1.2 | 0.07 | 0.12 | 0.01 |
| *USA, Washington, Seattle | 367 | 1.8 | 0.10 | 0.18 | 0.01 | 299 | 1.4 | 0.09 | 0.14 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other skin (C44) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 97 | 1.1 | 0.13 | 0.11 | 0.01 | 68 | 0.8 | 0.11 | 0.08 | 0.01 |
| USA, Wyoming | 53 | 2.0 | 0.29 | 0.16 | 0.03 | 24 | 1.0 | 0.22 | 0.10 | 0.02 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 29 | 2.2 | 0.42 | 0.20 | 0.05 | 28 | 2.2 | 0.44 | 0.24 | 0.06 |
| Brunei Darussalam | 65 | 7.3 | 0.94 | 0.70 | 0.12 | 53 | 5.4 | 0.76 | 0.54 | 0.10 |
| *China, Anfu County | 19 | 1.7 | 0.39 | 0.15 | 0.05 | 19 | 1.8 | 0.43 | 0.21 | 0.06 |
| *China, Anguo City | 4 | 0.4 | 0.19 | 0.04 | 0.03 | 6 | 0.5 | 0.19 | 0.06 | 0.03 |
| *China, Anshan City | 141 | 1.8 | 0.16 | 0.19 | 0.02 | 113 | 1.2 | 0.12 | 0.14 | 0.02 |
| *China, Aohan Banner, Chifeng City | 7 | 0.4 | 0.15 | 0.04 | 0.02 | 7 | 0.3 | 0.11 | 0.05 | 0.02 |
| *China, Arongqi | 11 | 1.4 | 0.45 | 0.10 | 0.04 | 7 | 0.7 | 0.28 | 0.08 | 0.04 |
| *China, Baoding City | 34 | 0.9 | 0.17 | 0.10 | 0.02 | 29 | 0.7 | 0.14 | 0.06 | 0.02 |
| *China, Beijing City | 836 | 1.8 | 0.07 | 0.20 | 0.01 | 844 | 1.8 | 0.08 | 0.21 | 0.01 |
| *China, Binhai County | 29 | 0.7 | 0.13 | 0.07 | 0.02 | 28 | 0.6 | 0.13 | 0.06 | 0.02 |
| *China, Cangzhou City | 13 | 0.8 | 0.24 | 0.09 | 0.03 | 11 | 0.7 | 0.22 | 0.07 | 0.03 |
| China, Changfeng County | 34 | 1.8 | 0.33 | 0.20 | 0.05 | 31 | 1.4 | 0.28 | 0.15 | 0.04 |
| China, Changzhou City | 195 | 1.9 | 0.14 | 0.19 | 0.02 | 167 | 1.5 | 0.13 | 0.16 | 0.02 |
| China, Chengdu City | 76 | 2.0 | 0.24 | 0.18 | 0.03 | 84 | 2.2 | 0.25 | 0.19 | 0.03 |
| China, Cixian County | 10 | 0.6 | 0.21 | 0.08 | 0.03 | 9 | 0.5 | 0.16 | 0.04 | 0.02 |
| China, Cixi City | 112 | 2.0 | 0.19 | 0.23 | 0.03 | 100 | 1.5 | 0.16 | 0.11 | 0.02 |
| *China, Dafeng District, Yancheng City | 89 | 2.3 | 0.25 | 0.22 | 0.03 | 68 | 1.6 | 0.21 | 0.16 | 0.03 |
| China, Dalian City | 326 | 2.7 | 0.16 | 0.31 | 0.02 | 319 | 2.4 | 0.16 | 0.24 | 0.02 |
| *China, Dancheng County | 83 | 2.7 | 0.31 | 0.29 | 0.05 | 69 | 2.1 | 0.26 | 0.18 | 0.03 |
| China, Dangtu County | 26 | 2.0 | 0.42 | 0.22 | 0.06 | 17 | 1.2 | 0.31 | 0.14 | 0.05 |
| *China, Danyang City | 46 | 1.3 | 0.21 | 0.10 | 0.02 | 43 | 1.0 | 0.15 | 0.07 | 0.02 |
| *China, Dawukou District, Shizuishan City | 24 | 2.2 | 0.47 | 0.25 | 0.07 | 19 | 1.9 | 0.45 | 0.23 | 0.07 |
| *China, Dehui City | 13 | 0.4 | 0.12 | 0.04 | 0.01 | 22 | 0.7 | 0.15 | 0.06 | 0.02 |
| *China, Donggang County | 35 | 1.2 | 0.20 | 0.14 | 0.03 | 32 | 1.1 | 0.23 | 0.13 | 0.03 |
| *China, Dongguan City | 172 | 3.9 | 0.31 | 0.39 | 0.04 | 184 | 3.3 | 0.26 | 0.34 | 0.04 |
| China, Donghai County | 72 | 1.6 | 0.20 | 0.17 | 0.03 | 61 | 1.4 | 0.19 | 0.13 | 0.03 |
| *China, Dongtai City | 41 | 0.7 | 0.12 | 0.08 | 0.02 | 43 | 0.6 | 0.10 | 0.07 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 27 | 1.9 | 0.39 | 0.19 | 0.05 | 41 | 3.3 | 0.56 | 0.45 | 0.09 |
| *China, Evenki Autonomous Banner | 3 | 0.9 | 0.53 | 0.12 | 0.10 | 1 | 0.2 | 0.22 | 0.03 | 0.03 |
| *China, Faku County | 18 | 1.0 | 0.25 | 0.12 | 0.03 | 11 | 0.6 | 0.19 | 0.07 | 0.02 |
| *China, Fangcheng County | 11 | 0.5 | 0.15 | 0.06 | 0.02 | 25 | 1.2 | 0.27 | 0.09 | 0.02 |
| *China, Feicheng City | 55 | 1.6 | 0.24 | 0.15 | 0.03 | 47 | 1.0 | 0.15 | 0.11 | 0.02 |
| China, Feixi County | 112 | 2.5 | 0.25 | 0.28 | 0.04 | 117 | 2.6 | 0.27 | 0.28 | 0.04 |
| China, Fuqing City | 48 | 1.7 | 0.25 | 0.15 | 0.03 | 36 | 1.2 | 0.22 | 0.14 | 0.03 |
| *China, Ganyu District, Lianyungang City | 43 | 0.9 | 0.15 | 0.10 | 0.02 | 31 | 0.6 | 0.11 | 0.06 | 0.02 |
| *China, Ganzhou District, Zhangye City | 27 | 3.3 | 0.77 | 0.39 | 0.08 | 16 | 2.1 | 0.56 | 0.30 | 0.08 |
| *China, Gaocheng City | 24 | 1.0 | 0.21 | 0.10 | 0.03 | 16 | 0.5 | 0.14 | 0.05 | 0.02 |
| China, Gaomi City | 27 | 0.9 | 0.17 | 0.10 | 0.02 | 38 | 1.0 | 0.19 | 0.07 | 0.02 |
| China, Gong'an County | 84 | 2.4 | 0.27 | 0.29 | 0.04 | 64 | 1.6 | 0.21 | 0.18 | 0.03 |
| *China, Guang'an District, Guang'an City | 23 | 1.2 | 0.26 | 0.18 | 0.04 | 18 | 0.8 | 0.21 | 0.09 | 0.03 |
| China, Guanghan City | 11 | 0.6 | 0.17 | 0.04 | 0.02 | 12 | 0.6 | 0.18 | 0.05 | 0.02 |
| China, Guangzhou City | 851 | 2.6 | 0.09 | 0.28 | 0.01 | 855 | 2.3 | 0.08 | 0.23 | 0.01 |
| *China, Guanyun County | 33 | 0.9 | 0.16 | 0.07 | 0.02 | 37 | 1.0 | 0.17 | 0.09 | 0.02 |
| China, Guilin City | 47 | 2.1 | 0.31 | 0.22 | 0.04 | 61 | 2.5 | 0.34 | 0.25 | 0.05 |
| *China, Hai'an City | 89 | 1.7 | 0.22 | 0.18 | 0.03 | 93 | 1.3 | 0.14 | 0.14 | 0.02 |
| China, Hailar District, Hulun Buir City | 12 | 1.3 | 0.39 | 0.12 | 0.04 | 12 | 1.0 | 0.29 | 0.12 | 0.04 |
| China, Haimen District, Nantong City | 170 | 2.9 | 0.23 | 0.29 | 0.03 | 230 | 3.4 | 0.26 | 0.32 | 0.04 |
| China, Haining City | 84 | 2.2 | 0.25 | 0.22 | 0.04 | 104 | 2.4 | 0.25 | 0.23 | 0.04 |
| China, Hangzhou City | 876 | 2.6 | 0.09 | 0.27 | 0.01 | 948 | 2.5 | 0.09 | 0.26 | 0.01 |
| China, Hebi City | 7 | 0.6 | 0.23 | 0.06 | 0.03 | 14 | 1.1 | 0.29 | 0.13 | 0.04 |
| China, Hefei City | 149 | 1.8 | 0.15 | 0.19 | 0.02 | 139 | 1.4 | 0.13 | 0.13 | 0.02 |
| China, Hengdong County | 23 | 1.5 | 0.31 | 0.17 | 0.05 | 10 | 0.5 | 0.18 | 0.04 | 0.02 |
| *China, Hengfeng County | 9 | 1.5 | 0.50 | 0.12 | 0.06 | 5 | 0.8 | 0.37 | 0.12 | 0.05 |
| *China, Hepu County | 100 | 3.2 | 0.33 | 0.33 | 0.04 | 64 | 1.8 | 0.25 | 0.18 | 0.04 |
| China, Honghu City | 28 | 1.0 | 0.20 | 0.12 | 0.03 | 27 | 0.9 | 0.18 | 0.08 | 0.02 |
| China, Hongshan District, Chifeng City | 15 | 1.4 | 0.39 | 0.15 | 0.05 | 16 | 1.1 | 0.29 | 0.14 | 0.04 |
| *China, Hongta District, Yuxi City | 85 | 5.2 | 0.59 | 0.59 | 0.08 | 118 | 6.7 | 0.65 | 0.73 | 0.09 |
| *China, Huaiyin District, Huai'an City | 32 | 0.8 | 0.14 | 0.10 | 0.02 | 45 | 0.9 | 0.15 | 0.08 | 0.02 |
| *China, Jiange County | 15 | 0.9 | 0.23 | 0.10 | 0.03 | 20 | 1.2 | 0.27 | 0.12 | 0.03 |
| China, Jiangmen City | 81 | 3.4 | 0.39 | 0.42 | 0.06 | 71 | 2.6 | 0.32 | 0.30 | 0.05 |
| *China, Jiangyin City | 84 | 1.4 | 0.15 | 0.14 | 0.02 | 59 | 0.8 | 0.11 | 0.09 | 0.02 |
| *China, Jiashan County | 78 | 3.6 | 0.43 | 0.36 | 0.06 | 80 | 3.0 | 0.37 | 0.31 | 0.05 |
| China, Jiayu County | 10 | 1.2 | 0.40 | 0.14 | 0.05 | 3 | 0.4 | 0.24 | 0.09 | 0.05 |
| *China, Jinan City | 109 | 1.2 | 0.12 | 0.13 | 0.02 | 93 | 0.8 | 0.10 | 0.08 | 0.01 |
| *China, Jingtai County | 11 | 1.7 | 0.54 | 0.10 | 0.05 | 12 | 1.7 | 0.51 | 0.17 | 0.06 |
| *China, Jingxian County | 27 | 2.0 | 0.41 | 0.21 | 0.05 | 18 | 1.6 | 0.41 | 0.17 | 0.05 |
| *China, Jintan District, Changzhou City | 50 | 2.1 | 0.31 | 0.19 | 0.04 | 50 | 1.9 | 0.29 | 0.21 | 0.04 |
| *China, Jiulongpo District, Chongqing City | 55 | 1.6 | 0.23 | 0.16 | 0.03 | 63 | 1.8 | 0.24 | 0.22 | 0.04 |
| *China, Jiyuan City | 20 | 1.1 | 0.25 | 0.13 | 0.04 | 19 | 1.1 | 0.25 | 0.10 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other skin (C44) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 42 | 3.1 | 0.51 | 0.24 | 0.06 | 37 | 2.3 | 0.39 | 0.15 | 0.05 |
| China, Kunshan City | 75 | 2.1 | 0.26 | 0.22 | 0.03 | 83 | 2.0 | 0.24 | 0.22 | 0.04 |
| China, Langzhong City | 13 | 0.6 | 0.17 | 0.07 | 0.02 | 13 | 0.8 | 0.22 | 0.05 | 0.02 |
| *China, Liangshan County | 23 | 0.8 | 0.18 | 0.08 | 0.02 | 25 | 0.7 | 0.15 | 0.07 | 0.02 |
| *China, Lianshui County | 37 | 0.8 | 0.14 | 0.10 | 0.02 | 41 | 0.9 | 0.15 | 0.10 | 0.02 |
| China, Lianyungang City | 66 | 1.6 | 0.20 | 0.17 | 0.03 | 34 | 0.7 | 0.13 | 0.07 | 0.02 |
| China, Linhe District, Bayannur City | 28 | 2.0 | 0.39 | 0.24 | 0.06 | 15 | 1.0 | 0.28 | 0.10 | 0.04 |
| China, Linqu County | 46 | 1.3 | 0.19 | 0.14 | 0.03 | 45 | 1.1 | 0.17 | 0.10 | 0.02 |
| *China, Linzhou City | 47 | 1.5 | 0.24 | 0.14 | 0.03 | 54 | 1.4 | 0.19 | 0.14 | 0.03 |
| China, Liuzhou City | 73 | 1.9 | 0.23 | 0.21 | 0.03 | 78 | 1.8 | 0.21 | 0.17 | 0.03 |
| China, Liyang City | 51 | 1.1 | 0.16 | 0.11 | 0.02 | 47 | 0.8 | 0.12 | 0.07 | 0.02 |
| *China, Longquan City | 17 | 1.8 | 0.44 | 0.26 | 0.07 | 18 | 1.4 | 0.36 | 0.09 | 0.03 |
| China, Lucheng District, Wenzhou City | 38 | 1.7 | 0.29 | 0.16 | 0.04 | 50 | 2.2 | 0.32 | 0.21 | 0.04 |
| China, Luoding City | 44 | 1.8 | 0.28 | 0.19 | 0.04 | 52 | 2.2 | 0.32 | 0.26 | 0.05 |
| *China, Luohe City | 39 | 1.0 | 0.16 | 0.10 | 0.02 | 39 | 0.9 | 0.14 | 0.11 | 0.02 |
| *China, Luoyang City | 45 | 1.1 | 0.18 | 0.12 | 0.02 | 58 | 1.2 | 0.17 | 0.09 | 0.02 |
| *China, Luquan City | 10 | 0.9 | 0.29 | 0.11 | 0.04 | 8 | 0.5 | 0.19 | 0.06 | 0.03 |
| China, Ma'anshan City | 59 | 2.7 | 0.37 | 0.30 | 0.05 | 56 | 2.2 | 0.31 | 0.21 | 0.04 |
| *China, Macheng City | 44 | 1.8 | 0.28 | 0.22 | 0.04 | 30 | 1.2 | 0.22 | 0.12 | 0.03 |
| China, Meihekou City | 24 | 1.1 | 0.24 | 0.16 | 0.04 | 7 | 0.3 | 0.14 | 0.02 | 0.01 |
| *China, Mengjin County | 13 | 1.4 | 0.41 | 0.13 | 0.05 | 17 | 1.2 | 0.30 | 0.09 | 0.03 |
| China, Nangang District, Harbin City | 30 | 0.9 | 0.18 | 0.09 | 0.02 | 26 | 0.6 | 0.11 | 0.06 | 0.02 |
| *China, Nanhai District, Foshan City | 85 | 3.0 | 0.33 | 0.33 | 0.05 | 90 | 2.5 | 0.29 | 0.24 | 0.04 |
| China, Nanhu District, Jiaxing City | 74 | 2.6 | 0.31 | 0.33 | 0.05 | 74 | 2.5 | 0.32 | 0.25 | 0.04 |
| *China, Nantong City | 103 | 1.7 | 0.18 | 0.17 | 0.02 | 124 | 1.5 | 0.15 | 0.13 | 0.02 |
| *China, Nanxiong City | 25 | 1.8 | 0.37 | 0.23 | 0.06 | 36 | 2.1 | 0.37 | 0.21 | 0.04 |
| China, Neixiang County | 21 | 0.9 | 0.21 | 0.12 | 0.03 | 21 | 0.8 | 0.19 | 0.09 | 0.03 |
| *China, Qianxi County | 6 | 0.4 | 0.16 | 0.04 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Qidong City | 150 | 2.1 | 0.18 | 0.20 | 0.02 | 162 | 1.6 | 0.14 | 0.15 | 0.02 |
| China, Qingzhou City | 61 | 1.8 | 0.23 | 0.19 | 0.03 | 70 | 1.8 | 0.23 | 0.18 | 0.03 |
| *China, Rudong County | 128 | 1.8 | 0.17 | 0.17 | 0.02 | 121 | 1.4 | 0.16 | 0.13 | 0.02 |
| *China, Rugao City | 120 | 1.5 | 0.14 | 0.16 | 0.02 | 144 | 1.5 | 0.14 | 0.13 | 0.02 |
| *China, Rural areas of Shanghai City | 1518 | 3.0 | 0.08 | 0.33 | 0.01 | 1859 | 3.0 | 0.08 | 0.29 | 0.01 |
| China, Ruyang County | 20 | 1.7 | 0.40 | 0.22 | 0.06 | 22 | 1.5 | 0.34 | 0.14 | 0.05 |
| *China, Shan County | 22 | 0.9 | 0.19 | 0.09 | 0.03 | 26 | 0.8 | 0.18 | 0.09 | 0.03 |
| China, Shanghai City | 979 | 2.5 | 0.09 | 0.27 | 0.01 | 917 | 2.1 | 0.09 | 0.22 | 0.01 |
| China, Shangyu District, Shaoxing City | 81 | 2.6 | 0.32 | 0.27 | 0.04 | 53 | 1.3 | 0.19 | 0.12 | 0.02 |
| *China, Shapingba District, Chongqing City | 64 | 1.9 | 0.25 | 0.24 | 0.04 | 64 | 1.7 | 0.22 | 0.17 | 0.03 |
| China, Shexian County | 5 | 0.4 | 0.16 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Sheyang County | 44 | 1.0 | 0.17 | 0.11 | 0.02 | 44 | 0.9 | 0.14 | 0.09 | 0.02 |
| *China, Shijiazhuang City | 68 | 1.3 | 0.17 | 0.15 | 0.02 | 80 | 1.4 | 0.16 | 0.16 | 0.02 |
| China, Shunde District, Foshan City | 91 | 2.7 | 0.29 | 0.25 | 0.04 | 102 | 2.3 | 0.24 | 0.26 | 0.04 |
| *China, Song County | 11 | 0.6 | 0.20 | 0.08 | 0.03 | 11 | 0.6 | 0.20 | 0.07 | 0.03 |
| China, Suzhou City | 229 | 1.4 | 0.10 | 0.15 | 0.01 | 234 | 1.2 | 0.08 | 0.12 | 0.01 |
| *China, Tengzhou City | 92 | 1.6 | 0.18 | 0.16 | 0.02 | 82 | 1.1 | 0.13 | 0.08 | 0.02 |
| *China, Wangdu County | 8 | 1.1 | 0.40 | 0.14 | 0.06 | 3 | 0.5 | 0.26 | 0.07 | 0.05 |
| *China, Wanxian County | 9 | 0.9 | 0.31 | 0.10 | 0.04 | 12 | 1.0 | 0.31 | 0.09 | 0.03 |
| *China, Wu'an City | 24 | 1.0 | 0.22 | 0.15 | 0.04 | 25 | 1.1 | 0.23 | 0.12 | 0.03 |
| China, Wuhan City | 306 | 1.4 | 0.09 | 0.15 | 0.01 | 269 | 1.1 | 0.07 | 0.12 | 0.01 |
| *China, Wuhu City | 90 | 1.6 | 0.17 | 0.20 | 0.03 | 66 | 1.1 | 0.14 | 0.12 | 0.02 |
| China, Wuxi City | 250 | 2.0 | 0.13 | 0.22 | 0.02 | 225 | 1.6 | 0.11 | 0.19 | 0.02 |
| China, Wuzhou City | 48 | 2.5 | 0.37 | 0.28 | 0.05 | 39 | 1.5 | 0.26 | 0.11 | 0.03 |
| China, Xiangfu District, Kaifeng City | 56 | 3.0 | 0.41 | 0.36 | 0.06 | 54 | 2.3 | 0.34 | 0.19 | 0.04 |
| China, Xianju County | 55 | 2.6 | 0.37 | 0.32 | 0.06 | 53 | 2.4 | 0.35 | 0.26 | 0.05 |
| *China, Xin'an County | 13 | 1.2 | 0.35 | 0.15 | 0.05 | 15 | 1.3 | 0.35 | 0.11 | 0.04 |
| *China, Xining City | 55 | 2.5 | 0.36 | 0.19 | 0.04 | 46 | 2.0 | 0.32 | 0.16 | 0.03 |
| *China, Xinji City | 21 | 0.7 | 0.17 | 0.08 | 0.02 | 21 | 0.8 | 0.20 | 0.07 | 0.02 |
| *China, Xinluo District, Longyan City | 21 | 1.7 | 0.37 | 0.21 | 0.06 | 31 | 2.6 | 0.51 | 0.31 | 0.07 |
| *China, Xinzhou District, Shangrao City | 27 | 1.9 | 0.38 | 0.22 | 0.06 | 11 | 0.7 | 0.23 | 0.05 | 0.03 |
| China, Xiping County | 45 | 2.1 | 0.34 | 0.19 | 0.04 | 47 | 1.4 | 0.22 | 0.11 | 0.03 |
| *China, Xishan District, Kunming City | 9 | 0.8 | 0.31 | 0.06 | 0.02 | 8 | 0.4 | 0.15 | 0.03 | 0.02 |
| *China, Xuyi County | 42 | 1.8 | 0.28 | 0.22 | 0.04 | 35 | 1.3 | 0.23 | 0.14 | 0.03 |
| *China, Ya'an City | 118 | 2.2 | 0.21 | 0.24 | 0.03 | 120 | 2.1 | 0.20 | 0.23 | 0.03 |
| *China, Yakeshi City | 16 | 1.2 | 0.33 | 0.16 | 0.05 | 6 | 0.4 | 0.16 | 0.04 | 0.02 |
| China, Yancheng City | 45 | 0.8 | 0.13 | 0.07 | 0.01 | 29 | 0.5 | 0.09 | 0.06 | 0.01 |
| *China, Yangquan City | 25 | 1.2 | 0.27 | 0.09 | 0.03 | 21 | 0.9 | 0.21 | 0.11 | 0.03 |
| *China, Yangzhong City | 11 | 0.8 | 0.23 | 0.06 | 0.02 | 16 | 0.9 | 0.27 | 0.10 | 0.04 |
| *China, Yanji City | 27 | 1.3 | 0.27 | 0.16 | 0.04 | 23 | 0.9 | 0.19 | 0.06 | 0.02 |
| *China, Yanshi City | 36 | 1.4 | 0.24 | 0.11 | 0.03 | 38 | 1.4 | 0.24 | 0.13 | 0.03 |
| China, Yanting County | 32 | 1.8 | 0.32 | 0.17 | 0.04 | 27 | 1.5 | 0.30 | 0.16 | 0.03 |
| *China, Yi'an District, Tongling City | 27 | 2.8 | 0.55 | 0.29 | 0.08 | 19 | 1.6 | 0.38 | 0.13 | 0.05 |
| *China, Yingdong District, Fuyang City | 50 | 1.9 | 0.28 | 0.18 | 0.04 | 53 | 2.1 | 0.31 | 0.23 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other skin (C44) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 20 | 1.9 | 0.43 | 0.21 | 0.06 | 13 | 1.2 | 0.36 | 0.14 | 0.05 |
| *China, Yiyuan County | 8 | 0.4 | 0.15 | 0.06 | 0.02 | 8 | 0.3 | 0.12 | 0.01 | 0.01 |
| China, Yong'an City | 13 | 0.9 | 0.26 | 0.08 | 0.03 | 24 | 1.7 | 0.37 | 0.19 | 0.05 |
| *China, Yongding District, Longyan City | 32 | 1.8 | 0.33 | 0.18 | 0.04 | 50 | 2.6 | 0.41 | 0.29 | 0.06 |
| China, Yongkang City | 43 | 1.7 | 0.28 | 0.17 | 0.03 | 44 | 1.6 | 0.27 | 0.16 | 0.04 |
| *China, Yucheng County | 17 | 0.8 | 0.21 | 0.07 | 0.02 | 16 | 0.6 | 0.17 | 0.04 | 0.02 |
| China, Yueyanglou District, Yueyang City | 31 | 2.9 | 0.52 | 0.34 | 0.07 | 19 | 1.8 | 0.43 | 0.25 | 0.07 |
| China, Yunmeng County | 8 | 0.5 | 0.18 | 0.05 | 0.02 | 9 | 0.7 | 0.24 | 0.03 | 0.01 |
| *China, Yunyang District, Shiyuan City | 12 | 1.2 | 0.37 | 0.14 | 0.06 | 5 | 0.4 | 0.19 | 0.04 | 0.02 |
| China, Yuzhong District, Chongqing City | 34 | 1.5 | 0.27 | 0.16 | 0.04 | 34 | 1.3 | 0.25 | 0.16 | 0.04 |
| *China, Zanzhuang County | 6 | 0.7 | 0.29 | 0.09 | 0.04 | 11 | 1.2 | 0.38 | 0.14 | 0.06 |
| *China, Zhangjiagang City | 94 | 1.9 | 0.20 | 0.20 | 0.03 | 76 | 1.2 | 0.15 | 0.11 | 0.02 |
| *China, Zhaoyuan City | 39 | 1.3 | 0.22 | 0.11 | 0.02 | 38 | 1.0 | 0.17 | 0.09 | 0.02 |
| *China, Zhengding County | 23 | 1.8 | 0.38 | 0.08 | 0.03 | 27 | 1.6 | 0.31 | 0.15 | 0.04 |
| *China, Zhongshan City | 179 | 3.4 | 0.26 | 0.36 | 0.04 | 184 | 3.0 | 0.23 | 0.32 | 0.03 |
| China, Zhongxiang City | 68 | 2.1 | 0.28 | 0.21 | 0.03 | 62 | 1.8 | 0.24 | 0.19 | 0.03 |
| *China, Zhuanghe City | 84 | 1.8 | 0.21 | 0.20 | 0.03 | 97 | 2.1 | 0.26 | 0.19 | 0.03 |
| *China, Zhuhai City | 90 | 2.5 | 0.27 | 0.29 | 0.04 | 91 | 2.4 | 0.27 | 0.28 | 0.04 |
| India, Ahmedabad, Urban | 116 | 1.0 | 0.10 | 0.12 | 0.01 | 81 | 0.7 | 0.08 | 0.08 | 0.01 |
| India, Aurangabad | 29 | 1.0 | 0.19 | 0.09 | 0.02 | 22 | 0.7 | 0.16 | 0.07 | 0.02 |
| India, Bangalore | 104 | 0.9 | 0.09 | 0.10 | 0.01 | 97 | 0.8 | 0.09 | 0.09 | 0.01 |
| India, Barshi, Paranda, and Bhum | 23 | 1.7 | 0.36 | 0.19 | 0.04 | 20 | 1.4 | 0.33 | 0.17 | 0.04 |
| *India, Bhopal | 42 | 1.6 | 0.26 | 0.19 | 0.04 | 37 | 1.4 | 0.24 | 0.15 | 0.03 |
| India, Chandigarh | 29 | 1.3 | 0.25 | 0.14 | 0.03 | 21 | 1.0 | 0.22 | 0.10 | 0.03 |
| *India, Chennai | 168 | 1.4 | 0.11 | 0.17 | 0.02 | 128 | 1.0 | 0.09 | 0.11 | 0.01 |
| India, Dibrugarh | 20 | 0.7 | 0.17 | 0.08 | 0.02 | 24 | 0.9 | 0.18 | 0.10 | 0.02 |
| *India, Dindigul, Ambilikkai | 54 | 0.9 | 0.12 | 0.08 | 0.01 | 45 | 0.7 | 0.11 | 0.08 | 0.01 |
| India, Kamrup Urban District | 100 | 3.8 | 0.39 | 0.40 | 0.05 | 48 | 2.1 | 0.31 | 0.22 | 0.04 |
| India, Kollam | 116 | 1.8 | 0.17 | 0.20 | 0.02 | 109 | 1.4 | 0.14 | 0.14 | 0.02 |
| *India, Manipur | 117 | 2.4 | 0.23 | 0.27 | 0.03 | 119 | 2.4 | 0.23 | 0.26 | 0.03 |
| India, Meghalaya | 48 | 1.7 | 0.26 | 0.18 | 0.04 | 43 | 1.4 | 0.23 | 0.18 | 0.04 |
| India, Mizoram | 31 | 1.9 | 0.35 | 0.21 | 0.05 | 29 | 1.7 | 0.33 | 0.20 | 0.05 |
| India, Mumbai | 419 | 1.3 | 0.07 | 0.15 | 0.01 | 312 | 1.0 | 0.06 | 0.12 | 0.01 |
| *India, New Delhi | 448 | 2.1 | 0.10 | 0.24 | 0.01 | 330 | 1.6 | 0.09 | 0.19 | 0.01 |
| India, Poona | 73 | 0.6 | 0.07 | 0.06 | 0.01 | 71 | 0.6 | 0.07 | 0.07 | 0.01 |
| *India, Sangrur District | 38 | 1.4 | 0.23 | 0.17 | 0.03 | 21 | 0.8 | 0.18 | 0.11 | 0.03 |
| India, SAS Nagar | 23 | 0.8 | 0.17 | 0.08 | 0.02 | 19 | 0.8 | 0.18 | 0.07 | 0.02 |
| *India, Tamil Nadu | 2209 | 1.1 | 0.02 | 0.13 | 0.00 | 1738 | 0.8 | 0.02 | 0.09 | 0.00 |
| *India, Tripura | 65 | 1.0 | 0.12 | 0.10 | 0.02 | 50 | 0.7 | 0.11 | 0.08 | 0.01 |
| India, Trivandrum | 199 | 2.4 | 0.17 | 0.28 | 0.02 | 161 | 1.7 | 0.13 | 0.17 | 0.02 |
| India, Wardha | 88 | 2.3 | 0.25 | 0.28 | 0.03 | 78 | 2.1 | 0.24 | 0.24 | 0.03 |
| India, West Arunachal | 24 | 2.1 | 0.50 | 0.23 | 0.08 | 19 | 2.0 | 0.50 | 0.23 | 0.07 |
| *Iran (Islamic Republic of), Ardabil Province | 288 | 15.0 | 0.93 | 1.60 | 0.13 | 188 | 10.0 | 0.74 | 1.15 | 0.11 |
| *Iran (Islamic Republic of), Golestan Province | 229 | 10.2 | 0.70 | 1.16 | 0.11 | 146 | 6.1 | 0.52 | 0.71 | 0.07 |
| Israel | 327 | 1.2 | 0.07 | 0.12 | 0.01 | 240 | 0.8 | 0.06 | 0.09 | 0.01 |
| *Israel: Jews | 299 | 1.3 | 0.08 | 0.12 | 0.01 | 207 | 0.8 | 0.06 | 0.09 | 0.01 |
| *Israel: Arabs | 20 | 0.6 | 0.14 | 0.07 | 0.02 | 18 | 0.5 | 0.12 | 0.04 | 0.01 |
| Japan | 27514 | 5.0 | 0.04 | 0.49 | 0.00 | 26992 | 3.6 | 0.03 | 0.35 | 0.00 |
| Japan, Aichi Prefecture | 1533 | 5.2 | 0.15 | 0.51 | 0.02 | 1463 | 3.9 | 0.13 | 0.38 | 0.02 |
| *Japan, Akita Prefecture | 274 | 5.2 | 0.43 | 0.49 | 0.05 | 306 | 3.8 | 0.38 | 0.37 | 0.04 |
| Japan, Aomori Prefecture | 532 | 5.2 | 0.29 | 0.49 | 0.03 | 600 | 3.7 | 0.24 | 0.37 | 0.03 |
| Japan, Gunma Prefecture | 435 | 5.0 | 0.29 | 0.49 | 0.04 | 427 | 3.4 | 0.25 | 0.31 | 0.03 |
| Japan, Hiroshima Prefecture | 1000 | 5.6 | 0.21 | 0.56 | 0.03 | 995 | 4.0 | 0.19 | 0.38 | 0.02 |
| Japan, Miyagi Prefecture | 832 | 4.7 | 0.19 | 0.45 | 0.03 | 832 | 3.4 | 0.17 | 0.30 | 0.02 |
| Japan, Osaka Prefecture | 1679 | 4.9 | 0.14 | 0.50 | 0.02 | 1696 | 3.8 | 0.12 | 0.39 | 0.01 |
| Kuwait | 92 | 1.4 | 0.19 | 0.17 | 0.03 | 62 | 1.1 | 0.17 | 0.13 | 0.03 |
| *Kuwait: Kuwaitis | 23 | 1.3 | 0.27 | 0.15 | 0.04 | 30 | 1.2 | 0.22 | 0.14 | 0.03 |
| *Kuwait: Non-Kuwaitis | 69 | 1.9 | 0.40 | 0.19 | 0.04 | 32 | 1.2 | 0.30 | 0.10 | 0.04 |
| *Philippines, Manila | 273 | 2.7 | 0.18 | 0.34 | 0.03 | 267 | 2.0 | 0.12 | 0.21 | 0.02 |
| *Qatar: Qatari | 16 | 3.9 | 0.99 | 0.52 | 0.17 | 12 | 2.9 | 0.86 | 0.27 | 0.12 |
| Republic of Korea | 10938 | 5.6 | 0.05 | 0.59 | 0.01 | 14486 | 5.1 | 0.05 | 0.50 | 0.01 |
| *Republic of Korea, Busan | 811 | 5.5 | 0.20 | 0.58 | 0.03 | 919 | 4.7 | 0.17 | 0.47 | 0.02 |
| *Republic of Korea, Daegu | 588 | 6.3 | 0.27 | 0.69 | 0.04 | 642 | 4.8 | 0.21 | 0.47 | 0.03 |
| *Republic of Korea, Daejeon | 274 | 5.3 | 0.33 | 0.60 | 0.05 | 324 | 4.6 | 0.28 | 0.42 | 0.04 |
| *Republic of Korea, Gwangju | 246 | 4.9 | 0.32 | 0.52 | 0.04 | 336 | 4.8 | 0.28 | 0.45 | 0.04 |
| Republic of Korea, Incheon | 479 | 4.6 | 0.22 | 0.49 | 0.03 | 590 | 4.3 | 0.19 | 0.43 | 0.03 |
| Republic of Korea, Jeju | 114 | 4.7 | 0.46 | 0.51 | 0.06 | 216 | 5.1 | 0.40 | 0.43 | 0.06 |
| Republic of Korea, Seoul | 1910 | 5.2 | 0.12 | 0.55 | 0.02 | 2126 | 4.5 | 0.10 | 0.44 | 0.01 |
| Republic of Korea, Ulsan | 188 | 5.4 | 0.43 | 0.54 | 0.05 | 251 | 5.5 | 0.36 | 0.55 | 0.05 |
| Singapore | 1882 | 12.4 | 0.29 | 1.27 | 0.04 | 1518 | 8.1 | 0.22 | 0.78 | 0.03 |
| Singapore: Chinese | 1518 | 12.2 | 0.32 | 1.20 | 0.04 | 1338 | 8.5 | 0.25 | 0.82 | 0.03 |
| Singapore: Indian | 28 | 2.6 | 0.53 | 0.29 | 0.08 | 31 | 2.6 | 0.49 | 0.26 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other skin (C44) (contd)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 65 | 4.6 | 0.59 | 0.57 | 0.10 | 69 | 3.9 | 0.49 | 0.40 | 0.07 |
| Thailand, Bangkok | 450 | 2.6 | 0.13 | 0.28 | 0.02 | 555 | 2.5 | 0.11 | 0.27 | 0.02 |
| *Thailand, Chiang Mai | 280 | 4.5 | 0.28 | 0.41 | 0.04 | 324 | 4.4 | 0.26 | 0.42 | 0.04 |
| *Thailand, Khon Kaen | 221 | 3.5 | 0.24 | 0.40 | 0.03 | 325 | 4.3 | 0.25 | 0.47 | 0.03 |
| Thailand, Lampang | 169 | 5.0 | 0.40 | 0.46 | 0.06 | 179 | 4.9 | 0.43 | 0.48 | 0.05 |
| Thailand, Lopburi Province | 134 | 5.8 | 0.52 | 0.53 | 0.06 | 165 | 6.0 | 0.48 | 0.57 | 0.06 |
| *Thailand, Songkhla | 190 | 4.2 | 0.32 | 0.42 | 0.04 | 253 | 4.3 | 0.29 | 0.48 | 0.04 |
| Turkey, Antalya | 1938 | 31.5 | 0.72 | 3.61 | 0.11 | 1523 | 22.3 | 0.58 | 2.46 | 0.08 |
| Turkey, Bursa | 33 | 0.4 | 0.08 | 0.05 | 0.01 | 38 | 0.5 | 0.08 | 0.04 | 0.01 |
| *Turkey, Edirne | 597 | 36.9 | 1.54 | 4.34 | 0.23 | 491 | 25.7 | 1.24 | 2.77 | 0.17 |
| *Turkey, Erzurum | 464 | 24.8 | 1.17 | 3.02 | 0.18 | 317 | 14.3 | 0.83 | 1.59 | 0.12 |
| Turkey, Eskişehir | 774 | 28.0 | 1.02 | 3.19 | 0.15 | 588 | 17.7 | 0.76 | 2.02 | 0.11 |
| Turkey, Gaziantep | 677 | 20.7 | 0.82 | 2.37 | 0.12 | 646 | 16.0 | 0.65 | 1.81 | 0.10 |
| *Turkey, Izmir | 4471 | 33.5 | 0.51 | 3.82 | 0.07 | 3903 | 24.3 | 0.40 | 2.71 | 0.06 |
| Turkey, Malatya | 630 | 28.1 | 1.15 | 3.33 | 0.17 | 458 | 16.9 | 0.83 | 1.92 | 0.12 |
| Turkey, Samsun | 1061 | 25.2 | 0.78 | 2.89 | 0.11 | 815 | 16.1 | 0.59 | 1.82 | 0.08 |
| Turkey, Trabzon | 820 | 31.1 | 1.11 | 3.43 | 0.17 | 684 | 19.6 | 0.81 | 2.14 | 0.12 |
| Europe | | | | | | | | | | |
| Austria | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Austria, Carinthia | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Austria, Tyrol | 445 | 11.3 | 0.58 | 1.15 | 0.08 | 423 | 8.9 | 0.51 | 0.88 | 0.06 |
| Austria, Vorarlberg | 502 | 23.3 | 1.11 | 2.08 | 0.15 | 407 | 13.7 | 0.81 | 1.24 | 0.11 |
| Belarus | 14018 | 43.1 | 0.37 | 4.85 | 0.06 | 22479 | 38.5 | 0.29 | 4.53 | 0.04 |
| *Belgium | 68040 | 118.7 | 0.49 | 13.36 | 0.07 | 72053 | 120.8 | 0.52 | 13.66 | 0.07 |
| Croatia | 15 | 0.1 | 0.02 | 0.01 | 0.00 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| Cyprus | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Czech Republic | 46848 | 90.1 | 0.43 | 9.83 | 0.06 | 46529 | 72.2 | 0.38 | 8.10 | 0.05 |
| Denmark | 39055 | 135.6 | 0.73 | 15.29 | 0.10 | 40087 | 135.9 | 0.76 | 15.53 | 0.10 |
| Estonia | 2564 | 45.7 | 0.95 | 4.97 | 0.13 | 4321 | 48.8 | 0.89 | 5.45 | 0.11 |
| Finland | 23522 | 75.1 | 0.52 | 8.03 | 0.07 | 25872 | 69.6 | 0.51 | 7.78 | 0.07 |
| *France, Bas-Rhin | 42 | 1.0 | 0.16 | 0.10 | 0.02 | 53 | 1.0 | 0.17 | 0.08 | 0.02 |
| *France, Calvados | 330 | 8.7 | 0.53 | 0.92 | 0.07 | 361 | 7.1 | 0.46 | 0.78 | 0.06 |
| *France, Doubs | 39 | 1.5 | 0.27 | 0.14 | 0.03 | 23 | 0.8 | 0.23 | 0.07 | 0.02 |
| *France, Gironde | 192 | 2.2 | 0.18 | 0.22 | 0.03 | 152 | 1.1 | 0.12 | 0.09 | 0.01 |
| *France, Haut-Rhin | 148 | 3.7 | 0.34 | 0.35 | 0.04 | 104 | 2.0 | 0.25 | 0.19 | 0.03 |
| *France, Hérault | 54 | 1.1 | 0.18 | 0.10 | 0.02 | 59 | 0.9 | 0.15 | 0.08 | 0.02 |
| *France, Isère | 84 | 1.3 | 0.16 | 0.11 | 0.02 | 83 | 1.1 | 0.14 | 0.12 | 0.02 |
| *France, Lille-Métropole | 27 | 0.9 | 0.19 | 0.10 | 0.03 | 24 | 0.5 | 0.13 | 0.05 | 0.02 |
| *France, Limousin | 24 | 1.1 | 0.27 | 0.11 | 0.03 | 20 | 0.9 | 0.28 | 0.07 | 0.02 |
| *France, Loire-Atlantique | 86 | 1.3 | 0.16 | 0.11 | 0.02 | 62 | 0.6 | 0.11 | 0.06 | 0.01 |
| *France, Manche | 38 | 1.2 | 0.23 | 0.13 | 0.03 | 61 | 1.4 | 0.28 | 0.13 | 0.03 |
| *France, Poitou-Charentes | 21 | 0.4 | 0.09 | 0.04 | 0.01 | 25 | 0.4 | 0.09 | 0.04 | 0.01 |
| *France, Somme | 41 | 1.4 | 0.25 | 0.12 | 0.03 | 40 | 1.1 | 0.24 | 0.10 | 0.02 |
| *France, Tarn | 24 | 0.8 | 0.21 | 0.07 | 0.03 | 22 | 0.8 | 0.31 | 0.05 | 0.02 |
| *France, Territoire de Belfort | 17 | 3.1 | 0.85 | 0.25 | 0.09 | 15 | 2.3 | 0.68 | 0.29 | 0.10 |
| *France, Vendée | 47 | 1.2 | 0.22 | 0.11 | 0.02 | 58 | 0.9 | 0.17 | 0.07 | 0.02 |
| Germany, Baden-Württemberg | 25 | 0.1 | 0.02 | 0.01 | 0.00 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| Germany, Bavaria | 81 | 0.1 | 0.02 | 0.01 | 0.00 | 105 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, Bremen | 3250 | 78.4 | 1.52 | 8.85 | 0.22 | 3107 | 66.3 | 1.45 | 7.69 | 0.20 |
| Germany, Hamburg | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Germany, Lower Saxony | 55702 | 110.2 | 0.52 | 12.14 | 0.07 | 50000 | 92.7 | 0.50 | 10.65 | 0.07 |
| Germany, North Rhine-Westphalia | 125412 | 117.3 | 0.37 | 13.13 | 0.05 | 114005 | 99.2 | 0.35 | 11.42 | 0.05 |
| Germany, Rhineland-Palatinate | 23471 | 95.1 | 0.69 | 10.73 | 0.10 | 20214 | 77.8 | 0.65 | 8.90 | 0.09 |
| Germany, Saarland | 6170 | 98.2 | 1.40 | 11.34 | 0.20 | 5828 | 88.4 | 1.40 | 10.14 | 0.18 |
| Germany, Schleswig-Holstein | 21171 | 114.6 | 0.88 | 13.25 | 0.13 | 18928 | 95.7 | 0.83 | 11.21 | 0.11 |
| Iceland | 1087 | 74.8 | 2.40 | 7.75 | 0.33 | 1349 | 94.7 | 2.80 | 10.37 | 0.37 |
| Ireland | 30225 | 159.0 | 0.95 | 17.79 | 0.14 | 22796 | 109.7 | 0.78 | 12.36 | 0.11 |
| *Italy, Aosta Valley | 496 | 77.0 | 3.78 | 8.73 | 0.54 | 401 | 52.9 | 3.28 | 5.53 | 0.41 |
| *Italy, Avellino | 764 | 51.2 | 2.07 | 5.70 | 0.29 | 689 | 38.4 | 1.78 | 4.28 | 0.24 |
| Italy, Basilicata | 2057 | 57.2 | 1.44 | 6.38 | 0.21 | 1523 | 37.0 | 1.18 | 3.99 | 0.15 |
| *Italy, Benevento | 802 | 56.8 | 2.29 | 6.45 | 0.34 | 684 | 37.2 | 1.82 | 3.92 | 0.25 |
| Italy, Bergamo | 5460 | 92.1 | 1.34 | 10.25 | 0.18 | 4417 | 70.2 | 1.22 | 7.78 | 0.15 |
| *Italy, Brescia | 3987 | 63.5 | 1.09 | 7.21 | 0.15 | 3112 | 44.9 | 0.95 | 4.83 | 0.12 |
| Italy, Brianza (Lecco and Monza e Brianza) | 1395 | 29.6 | 0.86 | 3.02 | 0.13 | 845 | 14.8 | 0.63 | 1.51 | 0.08 |
| Italy, Calabria | 1195 | 37.6 | 1.21 | 4.29 | 0.18 | 838 | 22.9 | 0.94 | 2.59 | 0.13 |
| *Italy, Caserta | 1890 | 56.4 | 1.37 | 6.55 | 0.20 | 1358 | 34.5 | 1.05 | 3.82 | 0.14 |
| *Italy, Catania, Messina, and Enna | 5943 | 58.0 | 0.83 | 6.64 | 0.12 | 4079 | 35.4 | 0.65 | 4.05 | 0.08 |
| Italy, Emilia-Romagna | 21664 | 96.8 | 0.75 | 10.87 | 0.10 | 16679 | 72.0 | 0.68 | 7.95 | 0.08 |
| Italy, Friuli-Venezia Giulia | 7325 | 94.7 | 1.26 | 10.75 | 0.17 | 6744 | 80.1 | 1.21 | 8.86 | 0.15 |
| Italy, Genova | 2777 | 58.7 | 1.32 | 6.53 | 0.18 | 2473 | 50.7 | 1.32 | 5.56 | 0.15 |
| *Italy, Lombardy, South, Pavia | 2037 | 59.0 | 1.46 | 6.74 | 0.21 | 1709 | 42.8 | 1.29 | 4.72 | 0.16 |
| Italy, Mantova and Cremona | 7 | 0.3 | 0.11 | 0.04 | 0.02 | 4 | 0.3 | 0.19 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other skin (C44) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|--------|--------------|------|----------|------|--------|--------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 8803 | 111.1 | 1.37 | 12.09 | 0.19 | 6973 | 82.3 | 1.23 | 8.95 | 0.15 |
| Italy, Milan | 9335 | 46.2 | 0.53 | 5.14 | 0.07 | 7312 | 32.2 | 0.45 | 3.57 | 0.06 |
| Italy, Molise | 973 | 83.3 | 3.03 | 9.40 | 0.43 | 780 | 57.6 | 2.58 | 6.71 | 0.35 |
| *Italy, Naples Centre | 2153 | 79.3 | 1.82 | 9.34 | 0.26 | 1869 | 57.7 | 1.51 | 6.61 | 0.19 |
| *Italy, Naples North | 2032 | 62.8 | 1.42 | 7.28 | 0.20 | 1457 | 39.4 | 1.09 | 4.62 | 0.15 |
| *Italy, Naples South | 3230 | 64.6 | 1.20 | 7.34 | 0.17 | 2355 | 41.4 | 0.94 | 4.77 | 0.13 |
| *Italy, Nuoro | 408 | 54.2 | 2.95 | 6.50 | 0.43 | 373 | 42.5 | 2.63 | 4.91 | 0.35 |
| *Italy, Palermo | 2652 | 38.2 | 0.81 | 4.22 | 0.12 | 1603 | 21.3 | 0.62 | 2.35 | 0.08 |
| Italy, Puglia | 16880 | 75.4 | 0.64 | 8.54 | 0.09 | 11931 | 50.3 | 0.53 | 5.60 | 0.07 |
| *Italy, Ragusa and Caltanissetta | 2048 | 60.8 | 1.49 | 6.91 | 0.22 | 1132 | 31.5 | 1.10 | 3.47 | 0.14 |
| *Italy, Salerno | 2621 | 55.1 | 1.19 | 6.17 | 0.17 | 2030 | 35.8 | 0.93 | 4.02 | 0.13 |
| Italy, Sassari | 759 | 65.3 | 2.59 | 7.38 | 0.36 | 654 | 56.0 | 2.54 | 5.96 | 0.30 |
| *Italy, Sondrio | 991 | 80.8 | 2.79 | 8.83 | 0.38 | 796 | 57.8 | 2.47 | 6.39 | 0.31 |
| Italy, South Tyrol | 824 | 24.6 | 0.95 | 2.55 | 0.14 | 656 | 13.6 | 0.66 | 1.32 | 0.10 |
| *Italy, Syracuse | 1257 | 56.4 | 1.74 | 6.49 | 0.25 | 645 | 27.6 | 1.25 | 3.15 | 0.16 |
| Italy, Trento | 3552 | 119.5 | 2.19 | 13.40 | 0.30 | 3207 | 97.4 | 2.07 | 10.74 | 0.26 |
| Italy, Turin | 654 | 4.6 | 0.21 | 0.49 | 0.03 | 639 | 3.9 | 0.20 | 0.40 | 0.02 |
| *Italy, Tuscany | 14899 | 116.5 | 1.10 | 13.17 | 0.15 | 12040 | 87.0 | 0.98 | 9.67 | 0.12 |
| Italy, Umbria | 3235 | 66.2 | 1.35 | 7.34 | 0.19 | 2418 | 42.6 | 1.11 | 4.58 | 0.14 |
| Italy, Varese | 1285 | 37.5 | 1.16 | 4.03 | 0.17 | 792 | 19.2 | 0.83 | 2.07 | 0.11 |
| Italy, Veneto | 26154 | 91.6 | 0.62 | 10.16 | 0.09 | 21409 | 69.5 | 0.57 | 7.59 | 0.07 |
| Latvia | 2421 | 27.6 | 0.59 | 2.94 | 0.08 | 3829 | 25.7 | 0.50 | 2.91 | 0.07 |
| *Liechtenstein | 56 | 26.7 | 3.65 | 1.62 | 0.40 | 31 | 11.6 | 2.28 | 0.95 | 0.29 |
| *Lithuania | 4363 | 35.2 | 0.56 | 4.02 | 0.08 | 7072 | 36.1 | 0.51 | 4.20 | 0.07 |
| Malta | 36 | 1.6 | 0.30 | 0.16 | 0.04 | 31 | 1.6 | 0.32 | 0.12 | 0.03 |
| *The Netherlands | 29844 | 30.2 | 0.18 | 2.94 | 0.03 | 24187 | 20.6 | 0.15 | 2.24 | 0.02 |
| Norway | 5208 | 17.9 | 0.26 | 1.59 | 0.04 | 4560 | 12.2 | 0.21 | 1.16 | 0.03 |
| Poland, Kielce | 1212 | 20.3 | 0.61 | 2.17 | 0.09 | 1334 | 16.0 | 0.50 | 1.90 | 0.07 |
| *Portugal, Azores | 535 | 71.1 | 3.17 | 8.22 | 0.47 | 453 | 47.2 | 2.42 | 5.47 | 0.34 |
| Russian Federation, Arkhangelsk | 931 | 25.0 | 0.85 | 2.93 | 0.13 | 1920 | 27.5 | 0.69 | 3.25 | 0.10 |
| Russian Federation, Kaliningrad | 978 | 31.2 | 1.02 | 3.52 | 0.16 | 1597 | 28.6 | 0.79 | 3.33 | 0.11 |
| Russian Federation, Karelia | 519 | 25.9 | 1.19 | 2.96 | 0.19 | 943 | 23.5 | 0.85 | 2.77 | 0.13 |
| *Russian Federation, Komi Republic | 446 | 20.3 | 1.03 | 2.27 | 0.16 | 883 | 20.7 | 0.75 | 2.38 | 0.11 |
| Russian Federation, Murmansk | 428 | 21.9 | 1.12 | 2.59 | 0.17 | 907 | 22.9 | 0.81 | 2.57 | 0.12 |
| *Russian Federation, Orenburg | 2349 | 36.4 | 0.78 | 4.25 | 0.12 | 3892 | 33.8 | 0.60 | 3.88 | 0.09 |
| Russian Federation, Pskov | 697 | 29.6 | 1.16 | 3.33 | 0.16 | 1759 | 40.6 | 1.10 | 4.96 | 0.16 |
| *Russian Federation, Samara | 5213 | 47.1 | 0.67 | 5.53 | 0.10 | 9543 | 47.4 | 0.53 | 5.62 | 0.08 |
| Russian Federation, Vologda Region | 896 | 23.8 | 0.80 | 3.02 | 0.10 | 1942 | 27.3 | 0.66 | 3.46 | 0.08 |
| Slovenia | 7206 | 68.6 | 0.85 | 7.63 | 0.12 | 7134 | 54.9 | 0.76 | 6.02 | 0.10 |
| Spain, Asturias | 15 | 0.4 | 0.11 | 0.04 | 0.01 | 21 | 0.6 | 0.18 | 0.05 | 0.02 |
| Spain, Basque Country | 73 | 0.9 | 0.12 | 0.08 | 0.01 | 69 | 0.8 | 0.12 | 0.07 | 0.01 |
| Spain, Canary Islands | 51 | 0.9 | 0.13 | 0.10 | 0.02 | 44 | 0.7 | 0.14 | 0.06 | 0.01 |
| Spain, Castellón | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| Spain, Girona | 3280 | 81.4 | 1.56 | 8.74 | 0.22 | 3164 | 72.5 | 1.51 | 8.02 | 0.20 |
| Spain, Granada | 4617 | 103.1 | 1.64 | 11.73 | 0.24 | 3817 | 78.4 | 1.44 | 8.85 | 0.19 |
| Spain, La Rioja | 13 | 1.1 | 0.41 | 0.08 | 0.03 | 11 | 0.8 | 0.26 | 0.08 | 0.03 |
| Spain, Murcia | 72 | 1.2 | 0.16 | 0.12 | 0.02 | 50 | 0.7 | 0.11 | 0.06 | 0.01 |
| Spain, Navarra | 2989 | 106.5 | 2.14 | 12.20 | 0.31 | 2884 | 98.2 | 2.15 | 11.11 | 0.28 |
| Spain, Salamanca | 522 | 15.4 | 0.83 | 1.42 | 0.12 | 411 | 7.9 | 0.60 | 0.61 | 0.08 |
| Spain, Tarragona | 5002 | 117.1 | 1.80 | 13.30 | 0.26 | 4402 | 98.3 | 1.71 | 11.13 | 0.23 |
| *Sweden | 13605 | 20.2 | 0.19 | 1.87 | 0.03 | 11175 | 13.9 | 0.16 | 1.40 | 0.02 |
| Switzerland, Aargau | 759 | 20.1 | 0.78 | 1.78 | 0.11 | 453 | 9.2 | 0.51 | 0.83 | 0.07 |
| Switzerland, Basel | 640 | 19.2 | 0.84 | 1.87 | 0.12 | 379 | 7.8 | 0.52 | 0.66 | 0.07 |
| Switzerland, Berne Solothurn | 2067 | 38.6 | 0.92 | 3.86 | 0.13 | 1619 | 22.5 | 0.68 | 2.23 | 0.10 |
| Switzerland, East | 1917 | 41.5 | 1.01 | 4.27 | 0.14 | 1524 | 26.9 | 0.81 | 2.81 | 0.11 |
| *Switzerland, Fribourg | 1349 | 95.9 | 2.72 | 10.27 | 0.38 | 1216 | 77.6 | 2.45 | 8.76 | 0.34 |
| Switzerland, Geneva | 1382 | 54.8 | 1.59 | 5.98 | 0.25 | 1209 | 35.4 | 1.20 | 3.90 | 0.18 |
| *Switzerland, Graubünden and Glarus | 422 | 26.9 | 1.41 | 2.52 | 0.20 | 388 | 18.2 | 1.13 | 1.73 | 0.16 |
| *Switzerland, Lucerne | 2386 | 88.6 | 1.93 | 10.16 | 0.28 | 2098 | 70.7 | 1.76 | 8.00 | 0.24 |
| *Switzerland, Neuchâtel and Jura | 1746 | 130.8 | 3.37 | 14.91 | 0.49 | 1600 | 102.8 | 3.03 | 11.70 | 0.41 |
| Switzerland, Ticino | 21 | 1.1 | 0.28 | 0.09 | 0.03 | 21 | 1.3 | 0.37 | 0.08 | 0.03 |
| Switzerland, Valais | 1992 | 109.1 | 2.63 | 11.94 | 0.37 | 1736 | 82.6 | 2.28 | 8.89 | 0.30 |
| Switzerland, Vaud | 6082 | 170.3 | 2.31 | 19.04 | 0.33 | 6044 | 145.2 | 2.11 | 16.67 | 0.29 |
| Switzerland, Zurich and Zug | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ukraine | 32928 | 25.1 | 0.14 | 2.92 | 0.02 | 45539 | 20.8 | 0.11 | 2.46 | 0.02 |
| UK, England | 347639 | 119.8 | 0.22 | 13.11 | 0.03 | 271432 | 86.9 | 0.19 | 9.74 | 0.03 |
| UK, Northern Ireland | 10560 | 121.5 | 1.25 | 13.21 | 0.18 | 7756 | 76.7 | 0.99 | 8.36 | 0.13 |
| UK, Scotland | 29732 | 105.8 | 0.66 | 11.52 | 0.09 | 23234 | 72.3 | 0.54 | 7.98 | 0.07 |
| UK, Wales | 19661 | 104.2 | 0.82 | 11.03 | 0.11 | 14192 | 70.1 | 0.69 | 7.75 | 0.09 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 33 | 0.1 | 0.01 | 0.01 | 0.00 | 44 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Australia, Northern Territory | 31 | 4.3 | 0.79 | 0.48 | 0.11 | 16 | 2.3 | 0.58 | 0.22 | 0.06 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other skin (C44) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 29 | 4.9 | <i>0.93</i> | 0.55 | <i>0.12</i> | 15 | 2.9 | <i>0.75</i> | 0.26 | <i>0.08</i> |
| *Australia, Northern Territory: Indigenous | 2 | 1.4 | <i>1.06</i> | 0.16 | <i>0.12</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Queensland | 655 | 3.0 | <i>0.13</i> | 0.30 | <i>0.02</i> | 393 | 1.7 | <i>0.10</i> | 0.16 | <i>0.01</i> |
| Australia, South Australia | 361 | 4.6 | <i>0.26</i> | 0.50 | <i>0.03</i> | 236 | 2.4 | <i>0.18</i> | 0.24 | <i>0.02</i> |
| Australia, Tasmania | 43 | 1.3 | <i>0.22</i> | 0.12 | <i>0.03</i> | 29 | 0.8 | <i>0.18</i> | 0.06 | <i>0.02</i> |
| *Australia, Victoria | 411 | 1.3 | <i>0.07</i> | 0.12 | <i>0.01</i> | 241 | 0.7 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| *Australia, Western Australia | 385 | 3.5 | <i>0.19</i> | 0.34 | <i>0.03</i> | 244 | 1.9 | <i>0.13</i> | 0.17 | <i>0.02</i> |
| *France, New Caledonia | 6 | 0.7 | <i>0.30</i> | 0.05 | <i>0.03</i> | 2 | 0.2 | <i>0.15</i> | 0.01 | <i>0.01</i> |
| New Zealand | 330 | 1.5 | <i>0.09</i> | 0.16 | <i>0.01</i> | 223 | 0.8 | <i>0.06</i> | 0.07 | <i>0.01</i> |
| *New Zealand: Maori | 20 | 1.5 | <i>0.35</i> | 0.19 | <i>0.05</i> | 11 | 0.6 | <i>0.20</i> | 0.08 | <i>0.03</i> |
| *New Zealand: Pacific peoples | 7 | 1.0 | <i>0.39</i> | 0.13 | <i>0.06</i> | 3 | 0.4 | <i>0.23</i> | 0.04 | <i>0.02</i> |
| *New Zealand: Other | 298 | 1.6 | <i>0.11</i> | 0.17 | <i>0.01</i> | 203 | 0.9 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| USA, Hawaii | 107 | 1.6 | <i>0.17</i> | 0.17 | <i>0.02</i> | 65 | 0.9 | <i>0.13</i> | 0.09 | <i>0.02</i> |
| USA, Hawaii: White | 50 | 2.4 | <i>0.36</i> | 0.22 | <i>0.04</i> | 28 | 1.4 | <i>0.30</i> | 0.13 | <i>0.04</i> |
| *USA, Hawaii: Japanese | 21 | 1.2 | <i>0.38</i> | 0.11 | <i>0.04</i> | 13 | 0.9 | <i>0.51</i> | 0.07 | <i>0.04</i> |
| *USA, Hawaii: Chinese | 3 | 0.5 | <i>0.34</i> | 0.03 | <i>0.03</i> | 8 | 1.5 | <i>0.59</i> | 0.17 | <i>0.08</i> |
| *USA, Hawaii: Hawaiian | 15 | 1.6 | <i>0.43</i> | 0.21 | <i>0.07</i> | 8 | 0.9 | <i>0.32</i> | 0.11 | <i>0.04</i> |
| *USA, Hawaii: Filipino | 8 | 0.8 | <i>0.29</i> | 0.12 | <i>0.05</i> | 2 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mesothelioma (C45)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 5 | 0.3 | 0.15 | 0.02 | 0.02 | 3 | 0.2 | 0.10 | 0.02 | 0.02 |
| *Algeria, Tizi Ouzou | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 4 | 0.2 | 0.10 | 0.02 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Nairobi | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Mauritius | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Morocco, Casablanca | 21 | 0.2 | 0.04 | 0.03 | 0.01 | 11 | 0.1 | 0.03 | 0.02 | 0.01 |
| *Seychelles | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Uganda, Gulu | 2 | 0.3 | 0.25 | 0.03 | 0.02 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 2 | 0.1 | 0.07 | 0.00 | 0.00 | 1 | 0.1 | 0.08 | 0.02 | 0.02 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 10 | 0.4 | 0.13 | 0.04 | 0.02 | 10 | 0.4 | 0.14 | 0.06 | 0.02 |
| *Argentina, Mendoza | 22 | 0.4 | 0.10 | 0.06 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| Brazil, Aracaju | 2 | 0.2 | 0.15 | 0.02 | 0.02 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Brazil, Barretos | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Belo Horizonte | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 6 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Brazil, Campinas | 3 | 0.1 | 0.07 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Brazil, Curitiba | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 7 | 0.1 | 0.06 | 0.02 | 0.01 |
| Brazil, Goiânia | 2 | 0.1 | 0.07 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Brazil, Jaú | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Recife | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Chile, Region of Antofagasta | 6 | 0.6 | 0.25 | 0.04 | 0.02 | 4 | 0.4 | 0.21 | 0.06 | 0.04 |
| Chile, Valdivia | 3 | 0.3 | 0.15 | 0.03 | 0.02 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |
| Colombia, Bucaramanga | 14 | 0.4 | 0.11 | 0.03 | 0.01 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| Colombia, Cali | 17 | 0.3 | 0.07 | 0.03 | 0.01 | 9 | 0.1 | 0.04 | 0.02 | 0.01 |
| Colombia, Manizales | 2 | 0.1 | 0.11 | 0.02 | 0.02 | 11 | 0.7 | 0.20 | 0.07 | 0.02 |
| Colombia, Pasto | 6 | 0.5 | 0.21 | 0.03 | 0.02 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| Costa Rica | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Ecuador, Guayaquil | 8 | 0.2 | 0.06 | 0.03 | 0.01 | 9 | 0.1 | 0.05 | 0.01 | 0.01 |
| Ecuador, Manabí | 1 | 0.0 | 0.03 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Quito | 14 | 0.4 | 0.09 | 0.03 | 0.01 | 8 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Guadeloupe | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Martinique | 4 | 0.3 | 0.14 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Peru, Lima | 76 | 0.6 | 0.07 | 0.07 | 0.01 | 47 | 0.3 | 0.04 | 0.03 | 0.01 |
| *Trinidad and Tobago | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| USA, Puerto Rico | 31 | 0.2 | 0.03 | 0.02 | 0.00 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Uruguay | 38 | 0.3 | 0.05 | 0.04 | 0.01 | 23 | 0.1 | 0.03 | 0.02 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 214 | 1.3 | 0.09 | 0.14 | 0.01 | 45 | 0.3 | 0.04 | 0.04 | 0.01 |
| Canada, British Columbia | 390 | 1.4 | 0.07 | 0.14 | 0.01 | 88 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Canada, Manitoba | 84 | 1.4 | 0.16 | 0.15 | 0.02 | 24 | 0.3 | 0.08 | 0.04 | 0.01 |
| *Canada, New Brunswick | 45 | 0.9 | 0.14 | 0.10 | 0.02 | 16 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Canada, Newfoundland and Labrador | 24 | 0.8 | 0.16 | 0.09 | 0.02 | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| Canada, Ontario | 814 | 1.1 | 0.04 | 0.12 | 0.01 | 251 | 0.4 | 0.02 | 0.04 | 0.00 |
| *Canada, Prince Edward Island | 12 | 1.2 | 0.37 | 0.12 | 0.06 | 6 | 0.5 | 0.23 | 0.04 | 0.03 |
| Canada, Quebec | 655 | 1.4 | 0.05 | 0.15 | 0.01 | 204 | 0.4 | 0.03 | 0.05 | 0.00 |
| Canada, Saskatchewan | 63 | 1.1 | 0.15 | 0.15 | 0.03 | 16 | 0.4 | 0.10 | 0.06 | 0.02 |
| *Canada, Yukon | 2 | 1.3 | 0.90 | 0.11 | 0.11 | 3 | 1.9 | 1.13 | 0.24 | 0.15 |
| USA | 12217 | 0.8 | 0.01 | 0.08 | 0.00 | 4009 | 0.2 | 0.00 | 0.03 | 0.00 |
| USA: White | 11341 | 0.8 | 0.01 | 0.09 | 0.00 | 3670 | 0.3 | 0.00 | 0.03 | 0.00 |
| USA: Black | 582 | 0.4 | 0.02 | 0.05 | 0.00 | 222 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR | 11833 | 0.8 | 0.01 | 0.08 | 0.00 | 3904 | 0.2 | 0.00 | 0.03 | 0.00 |
| USA, NPCR: White | 10989 | 0.9 | 0.01 | 0.09 | 0.00 | 3577 | 0.3 | 0.01 | 0.03 | 0.00 |
| USA, NPCR: Black | 579 | 0.4 | 0.02 | 0.05 | 0.00 | 220 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 189 | 0.3 | 0.02 | 0.03 | 0.00 | 73 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: American Indian | 44 | 0.4 | 0.06 | 0.05 | 0.01 | 22 | 0.2 | 0.04 | 0.02 | 0.01 |
| *USA, SEER (18 registries) | 3144 | 0.8 | 0.01 | 0.08 | 0.00 | 1063 | 0.2 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (18 registries): White | 2826 | 0.9 | 0.02 | 0.09 | 0.00 | 935 | 0.3 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 2470 | 0.9 | 0.02 | 0.09 | 0.00 | 806 | 0.3 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 356 | 0.8 | 0.04 | 0.09 | 0.01 | 129 | 0.3 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Black | 158 | 0.5 | 0.04 | 0.05 | 0.01 | 68 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 130 | 0.3 | 0.03 | 0.04 | 0.00 | 45 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, SEER (9 registries) | 1088 | 0.8 | 0.02 | 0.08 | 0.00 | 340 | 0.2 | 0.01 | 0.03 | 0.00 |
| *USA, SEER (9 registries): White | 973 | 0.9 | 0.03 | 0.09 | 0.00 | 294 | 0.3 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (9 registries): Black | 37 | 0.3 | 0.05 | 0.02 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Alabama | 146 | 0.6 | 0.05 | 0.07 | 0.01 | 40 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Alabama: White | 132 | 0.7 | 0.06 | 0.08 | 0.01 | 34 | 0.2 | 0.04 | 0.02 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mesothelioma (C45) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 14 | 0.4 | 0.10 | 0.04 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, Alaska | 26 | 1.0 | 0.19 | 0.09 | 0.03 | 8 | 0.3 | 0.11 | 0.04 | 0.02 |
| *USA, Alaska: Alaska Natives | 1 | 0.4 | 0.40 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona | 274 | 0.7 | 0.05 | 0.08 | 0.01 | 73 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, Arizona: White | 263 | 0.8 | 0.05 | 0.08 | 0.01 | 72 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Arizona: Black | 3 | 0.4 | 0.21 | 0.03 | 0.02 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| *USA, Arizona: Asian and Pacific Islander | 3 | 0.4 | 0.23 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona: American Indian | 4 | 0.4 | 0.21 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Arkansas | 96 | 0.7 | 0.07 | 0.08 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Arkansas: White | 90 | 0.7 | 0.08 | 0.08 | 0.01 | 28 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Arkansas: Black | 4 | 0.3 | 0.16 | 0.07 | 0.03 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, California | 1246 | 0.7 | 0.02 | 0.08 | 0.00 | 439 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, California: White | 1113 | 0.8 | 0.03 | 0.09 | 0.00 | 395 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, California: Black | 51 | 0.5 | 0.08 | 0.06 | 0.01 | 13 | 0.1 | 0.04 | 0.02 | 0.01 |
| USA, California: Asian and Pacific Islander | 78 | 0.3 | 0.04 | 0.04 | 0.01 | 28 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, Los Angeles County | 256 | 0.6 | 0.04 | 0.07 | 0.01 | 97 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, California, Los Angeles County: White | 220 | 0.8 | 0.05 | 0.08 | 0.01 | 79 | 0.2 | 0.03 | 0.03 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 125 | 0.7 | 0.06 | 0.07 | 0.01 | 50 | 0.3 | 0.05 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 95 | 0.8 | 0.09 | 0.09 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Black | 14 | 0.4 | 0.11 | 0.03 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Chinese | 7 | 0.2 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Filipino | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Korean | 3 | 0.3 | 0.18 | 0.03 | 0.02 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 18 | 0.3 | 0.06 | 0.03 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area | 169 | 0.7 | 0.06 | 0.08 | 0.01 | 64 | 0.3 | 0.04 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 133 | 0.9 | 0.08 | 0.09 | 0.01 | 52 | 0.3 | 0.05 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 112 | 0.9 | 0.09 | 0.09 | 0.01 | 46 | 0.4 | 0.06 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 21 | 1.0 | 0.22 | 0.09 | 0.03 | 6 | 0.2 | 0.09 | 0.01 | 0.01 |
| *USA, California, San Francisco Bay Area: Black | 13 | 0.7 | 0.20 | 0.04 | 0.03 | 4 | 0.2 | 0.13 | 0.04 | 0.02 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 21 | 0.4 | 0.09 | 0.05 | 0.02 | 8 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Colorado | 173 | 0.7 | 0.06 | 0.08 | 0.01 | 54 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Colorado: White | 160 | 0.7 | 0.06 | 0.08 | 0.01 | 54 | 0.2 | 0.03 | 0.03 | 0.00 |
| *USA, Colorado: Black | 8 | 1.1 | 0.39 | 0.14 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| *USA, Colorado: Asian and Pacific Islander | 3 | 0.6 | 0.35 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, Connecticut | 156 | 0.8 | 0.07 | 0.09 | 0.01 | 34 | 0.2 | 0.03 | 0.01 | 0.00 |
| USA, Connecticut: White | 153 | 0.9 | 0.08 | 0.10 | 0.01 | 30 | 0.2 | 0.03 | 0.01 | 0.00 |
| USA, Connecticut: Black | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| USA, District of Columbia | 10 | 0.4 | 0.14 | 0.04 | 0.02 | 4 | 0.1 | 0.06 | 0.00 | 0.00 |
| USA, District of Columbia: White | 7 | 0.7 | 0.26 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, District of Columbia: Black | 2 | 0.2 | 0.16 | 0.01 | 0.01 | 4 | 0.2 | 0.12 | 0.01 | 0.01 |
| USA, Florida | 875 | 0.7 | 0.03 | 0.08 | 0.00 | 297 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, Florida: White | 832 | 0.8 | 0.03 | 0.09 | 0.00 | 278 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, Florida: Black | 35 | 0.3 | 0.06 | 0.04 | 0.01 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Florida: Asian and Pacific Islander | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| USA, Georgia | 240 | 0.6 | 0.04 | 0.07 | 0.01 | 72 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Georgia: White | 212 | 0.7 | 0.05 | 0.08 | 0.01 | 60 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Georgia: Black | 22 | 0.3 | 0.06 | 0.03 | 0.01 | 9 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Georgia: Asian and Pacific Islander | 5 | 0.5 | 0.21 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta | 62 | 0.5 | 0.07 | 0.04 | 0.01 | 20 | 0.1 | 0.03 | 0.02 | 0.00 |
| *USA, Georgia, Atlanta: White | 50 | 0.7 | 0.10 | 0.05 | 0.01 | 15 | 0.2 | 0.05 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: Black | 6 | 0.2 | 0.08 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Idaho | 87 | 1.0 | 0.12 | 0.10 | 0.02 | 27 | 0.3 | 0.07 | 0.04 | 0.01 |
| USA, Indiana | 265 | 0.8 | 0.05 | 0.08 | 0.01 | 84 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Indiana: White | 255 | 0.9 | 0.06 | 0.08 | 0.01 | 80 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Indiana: Black | 9 | 0.5 | 0.17 | 0.07 | 0.03 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *USA, Iowa | 134 | 0.9 | 0.08 | 0.10 | 0.01 | 46 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Kentucky | 140 | 0.7 | 0.06 | 0.07 | 0.01 | 38 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana | 240 | 1.2 | 0.08 | 0.15 | 0.01 | 93 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, Louisiana: White | 193 | 1.3 | 0.10 | 0.16 | 0.02 | 73 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Louisiana: Black | 46 | 1.0 | 0.15 | 0.12 | 0.02 | 20 | 0.4 | 0.08 | 0.04 | 0.01 |
| *USA, Louisiana, New Orleans | 64 | 1.8 | 0.23 | 0.25 | 0.04 | 27 | 0.6 | 0.12 | 0.06 | 0.02 |
| *USA, Louisiana, New Orleans: White | 43 | 1.9 | 0.30 | 0.28 | 0.05 | 18 | 0.6 | 0.14 | 0.05 | 0.02 |
| *USA, Louisiana, New Orleans: Black | 19 | 1.6 | 0.37 | 0.19 | 0.06 | 9 | 0.6 | 0.21 | 0.08 | 0.03 |
| USA, Maine | 100 | 1.2 | 0.12 | 0.09 | 0.02 | 26 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Maryland | 172 | 0.6 | 0.05 | 0.07 | 0.01 | 74 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Maryland: White | 151 | 0.8 | 0.06 | 0.09 | 0.01 | 61 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, Maryland: Black | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 11 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 5 | 0.3 | 0.14 | 0.01 | 0.01 | 1 | 0.1 | 0.13 | 0.01 | 0.01 |
| USA, Massachusetts | 327 | 1.0 | 0.06 | 0.10 | 0.01 | 111 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Massachusetts: White | 314 | 1.0 | 0.06 | 0.10 | 0.01 | 106 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Massachusetts: Black | 7 | 0.4 | 0.15 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| USA, Massachusetts: Asian and Pacific Islander | 5 | 0.4 | 0.16 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mesothelioma (C45) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 434 | 0.8 | 0.04 | 0.08 | 0.01 | 144 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Michigan: White | 417 | 0.9 | 0.05 | 0.09 | 0.01 | 135 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Michigan: Black | 12 | 0.3 | 0.08 | 0.03 | 0.01 | 8 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, Michigan: Asian and Pacific Islander | 3 | 0.4 | 0.21 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *USA, Michigan, Detroit | 151 | 0.8 | 0.07 | 0.07 | 0.01 | 51 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Michigan, Detroit: White | 140 | 0.9 | 0.08 | 0.09 | 0.01 | 43 | 0.2 | 0.04 | 0.02 | 0.01 |
| *USA, Michigan, Detroit: Black | 9 | 0.3 | 0.10 | 0.03 | 0.01 | 7 | 0.1 | 0.05 | 0.01 | 0.00 |
| USA, Minnesota | 276 | 1.0 | 0.06 | 0.10 | 0.01 | 99 | 0.4 | 0.04 | 0.04 | 0.01 |
| USA, Minnesota: White | 267 | 1.0 | 0.07 | 0.10 | 0.01 | 95 | 0.4 | 0.04 | 0.04 | 0.01 |
| USA, Minnesota: Black | 5 | 0.7 | 0.34 | 0.09 | 0.06 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *USA, Minnesota: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.19 | 0.03 | 0.03 |
| USA, Mississippi | 97 | 0.7 | 0.07 | 0.07 | 0.01 | 36 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Missouri | 210 | 0.7 | 0.05 | 0.07 | 0.01 | 71 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Missouri: White | 203 | 0.7 | 0.06 | 0.07 | 0.01 | 66 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Missouri: Black | 7 | 0.3 | 0.11 | 0.03 | 0.02 | 4 | 0.2 | 0.08 | 0.01 | 0.01 |
| USA, Montana | 72 | 1.2 | 0.15 | 0.14 | 0.02 | 22 | 0.4 | 0.10 | 0.05 | 0.01 |
| *USA, Montana: American Indian | 1 | 0.6 | 0.65 | 0.16 | 0.16 | 2 | 1.1 | 0.78 | 0.14 | 0.10 |
| USA, Nebraska | 62 | 0.6 | 0.08 | 0.06 | 0.01 | 21 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Nebraska: White | 58 | 0.6 | 0.08 | 0.06 | 0.01 | 20 | 0.3 | 0.06 | 0.03 | 0.01 |
| *USA, Nebraska: Black | 3 | 1.2 | 0.72 | 0.13 | 0.13 | 0 | – | 0.00 | – | 0.00 |
| USA, Nevada | 83 | 0.6 | 0.07 | 0.07 | 0.01 | 31 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Nevada: White | 73 | 0.6 | 0.07 | 0.07 | 0.01 | 25 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, Nevada: Black | 8 | 0.9 | 0.34 | 0.08 | 0.04 | 2 | 0.2 | 0.14 | 0.01 | 0.01 |
| *USA, Nevada: Asian and Pacific Islander | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 4 | 0.3 | 0.16 | 0.03 | 0.02 |
| USA, New Jersey | 416 | 0.9 | 0.05 | 0.10 | 0.01 | 164 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, New Jersey: White | 389 | 1.1 | 0.06 | 0.11 | 0.01 | 144 | 0.3 | 0.03 | 0.04 | 0.00 |
| USA, New Jersey: Black | 16 | 0.4 | 0.10 | 0.04 | 0.01 | 16 | 0.3 | 0.08 | 0.04 | 0.01 |
| USA, New Mexico | 63 | 0.6 | 0.08 | 0.07 | 0.01 | 19 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, New Mexico: White | 57 | 0.6 | 0.08 | 0.06 | 0.01 | 18 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 39 | 0.6 | 0.10 | 0.07 | 0.02 | 6 | 0.1 | 0.05 | 0.02 | 0.01 |
| USA, New Mexico: Hispanic White | 18 | 0.5 | 0.12 | 0.05 | 0.02 | 12 | 0.3 | 0.10 | 0.03 | 0.01 |
| *USA, New Mexico: American Indian | 5 | 0.9 | 0.39 | 0.12 | 0.06 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| USA, New York State | 726 | 0.8 | 0.03 | 0.08 | 0.00 | 259 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, New York State: White | 650 | 0.8 | 0.03 | 0.08 | 0.01 | 233 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, New York State: Black | 48 | 0.4 | 0.06 | 0.05 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 25 | 0.4 | 0.09 | 0.07 | 0.02 | 7 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, North Carolina | 293 | 0.6 | 0.04 | 0.07 | 0.01 | 92 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, North Carolina: White | 269 | 0.7 | 0.05 | 0.08 | 0.01 | 79 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, North Carolina: Black | 17 | 0.2 | 0.06 | 0.04 | 0.01 | 12 | 0.1 | 0.04 | 0.02 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 1 | 0.1 | 0.13 | 0.02 | 0.02 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *USA, North Carolina: American Indian | 3 | 0.6 | 0.34 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, North Dakota | 23 | 0.7 | 0.15 | 0.08 | 0.02 | 8 | 0.3 | 0.10 | 0.05 | 0.02 |
| USA, Ohio | 564 | 0.9 | 0.04 | 0.10 | 0.01 | 168 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, Ohio: White | 536 | 1.0 | 0.05 | 0.11 | 0.01 | 157 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Ohio: Black | 27 | 0.5 | 0.10 | 0.05 | 0.02 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 1 | 0.2 | 0.17 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma | 123 | 0.7 | 0.06 | 0.08 | 0.01 | 29 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Oklahoma: White | 111 | 0.7 | 0.07 | 0.08 | 0.01 | 23 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Oklahoma: Black | 5 | 0.6 | 0.26 | 0.08 | 0.05 | 1 | 0.1 | 0.10 | 0.03 | 0.03 |
| USA, Oklahoma: American Indian | 6 | 0.6 | 0.23 | 0.09 | 0.04 | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| USA, Oregon | 180 | 0.8 | 0.06 | 0.09 | 0.01 | 46 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Oregon: White | 169 | 0.8 | 0.07 | 0.09 | 0.01 | 44 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Oregon: Black | 3 | 1.2 | 0.70 | 0.16 | 0.13 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 3 | 0.5 | 0.28 | 0.03 | 0.03 | 2 | 0.2 | 0.16 | 0.01 | 0.01 |
| USA, Rhode Island | 56 | 1.0 | 0.14 | 0.11 | 0.02 | 13 | 0.2 | 0.06 | 0.03 | 0.01 |
| USA, Rhode Island: White | 53 | 1.0 | 0.15 | 0.12 | 0.02 | 13 | 0.2 | 0.07 | 0.03 | 0.01 |
| *USA, Rhode Island: Black | 3 | 1.3 | 0.74 | 0.14 | 0.14 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 181 | 0.7 | 0.06 | 0.08 | 0.01 | 68 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, South Carolina: White | 159 | 0.8 | 0.07 | 0.09 | 0.01 | 62 | 0.3 | 0.04 | 0.04 | 0.01 |
| USA, South Carolina: Black | 20 | 0.4 | 0.10 | 0.05 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, South Dakota | 28 | 0.7 | 0.14 | 0.10 | 0.02 | 8 | 0.2 | 0.07 | 0.01 | 0.01 |
| USA, Tennessee | 211 | 0.7 | 0.05 | 0.08 | 0.01 | 62 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Tennessee: White | 205 | 0.7 | 0.05 | 0.09 | 0.01 | 56 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Tennessee: Black | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, Texas | 725 | 0.7 | 0.03 | 0.08 | 0.00 | 208 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, Texas: White | 666 | 0.7 | 0.03 | 0.09 | 0.00 | 190 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, Texas: Black | 49 | 0.5 | 0.08 | 0.07 | 0.01 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Utah | 74 | 0.7 | 0.09 | 0.09 | 0.01 | 26 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Vermont | 34 | 0.9 | 0.17 | 0.09 | 0.03 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| USA, Washington State | 355 | 1.0 | 0.06 | 0.10 | 0.01 | 108 | 0.3 | 0.03 | 0.03 | 0.00 |
| *USA, Washington, Seattle | 248 | 1.1 | 0.07 | 0.10 | 0.01 | 74 | 0.3 | 0.04 | 0.03 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Mesothelioma (C45) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 110 | 1.1 | 0.11 | 0.12 | 0.02 | 27 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Wyoming | 26 | 0.9 | 0.19 | 0.09 | 0.03 | 14 | 0.5 | 0.16 | 0.07 | 0.02 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 7 | 0.6 | 0.23 | 0.04 | 0.03 | 1 | 0.1 | 0.11 | 0.03 | 0.03 |
| Brunei Darussalam | 1 | 0.2 | 0.17 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 21 | 0.3 | 0.07 | 0.03 | 0.01 | 8 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Beijing City | 140 | 0.3 | 0.03 | 0.04 | 0.00 | 110 | 0.3 | 0.03 | 0.03 | 0.00 |
| *China, Binhai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Cangzhou City | 5 | 0.3 | 0.14 | 0.05 | 0.03 | 6 | 0.4 | 0.15 | 0.07 | 0.03 |
| China, Changfeng County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Changzhou City | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 4 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Chengdu City | 9 | 0.2 | 0.09 | 0.03 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Cixian County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Cixi City | 16 | 0.3 | 0.08 | 0.04 | 0.01 | 34 | 0.7 | 0.11 | 0.08 | 0.02 |
| *China, Dafeng District, Yancheng City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Dalian City | 40 | 0.3 | 0.06 | 0.04 | 0.01 | 16 | 0.1 | 0.03 | 0.02 | 0.01 |
| *China, Dancheng County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Dangtu County | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dawukou District, Shizuishan City | 2 | 0.2 | 0.13 | 0.03 | 0.02 | 2 | 0.3 | 0.19 | 0.02 | 0.02 |
| *China, Dehui City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Donggang County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Dongguan City | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 7 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Donghai County | 2 | 0.0 | 0.03 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongtai City | 6 | 0.1 | 0.05 | 0.02 | 0.01 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Fangcheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Feicheng City | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Feixi County | 1 | 0.0 | 0.02 | 0.01 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Fuqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganyu District, Lianyungang City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganzhou District, Zhangye City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Gaocheng City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Gaomi City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Gong'an County | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Guanghan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | 72 | 0.2 | 0.03 | 0.04 | 0.00 | 49 | 0.1 | 0.02 | 0.02 | 0.00 |
| *China, Guanyun County | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Guilin City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Hai'an City | 5 | 0.1 | 0.03 | 0.01 | 0.00 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Hailar District, Hulun Buir City | 4 | 0.4 | 0.20 | 0.03 | 0.03 | 3 | 0.2 | 0.15 | 0.03 | 0.02 |
| China, Haimen District, Nantong City | 8 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Haining City | 5 | 0.2 | 0.07 | 0.03 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Hangzhou City | 35 | 0.1 | 0.02 | 0.01 | 0.00 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Hebi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Hefei City | 3 | 0.0 | 0.02 | 0.01 | 0.00 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Hongshan District, Chifeng City | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Jiange County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Jiangmen City | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Jiangyin City | 2 | 0.0 | 0.02 | 0.01 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Jiashan County | 4 | 0.2 | 0.09 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 16 | 0.2 | 0.04 | 0.02 | 0.01 | 5 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Jingtai County | 1 | 0.1 | 0.14 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | 3 | 0.3 | 0.18 | 0.03 | 0.02 |
| *China, Jintan District, Changzhou City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Jiulongpo District, Chongqing City | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Jiyuan City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mesothelioma (C45) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|----------|------|------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | | | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Kunshan City | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Langzhong City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Liangshan County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 10 | 0.3 | 0.11 | 0.04 | 0.01 |
| *China, Lianshui County | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Lianyungang City | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Linhe District, Bayannur City | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Linqu County | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Linzhou City | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Liuzhou City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Liyang City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Longquan City | 2 | 0.1 | 0.07 | 0.00 | 0.00 | 2 | 0.2 | 0.17 | 0.03 | 0.02 |
| China, Lucheng District, Wenzhou City | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Luoding City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Luohe City | 1 | 0.0 | 0.03 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Luoyang City | 5 | 0.1 | 0.04 | 0.01 | 0.00 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Luquan City | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| China, Ma'anshan City | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Macheng City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Mengjin County | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 1 | 0.1 | 0.09 | 0.02 | 0.02 |
| China, Nangang District, Harbin City | 35 | 0.8 | 0.14 | 0.10 | 0.02 | 21 | 0.5 | 0.10 | 0.07 | 0.02 |
| *China, Nanhai District, Foshan City | 5 | 0.2 | 0.07 | 0.01 | 0.01 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Nanhu District, Jiaying City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Nantong City | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Nanxiong City | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Neixiang County | 16 | 0.7 | 0.18 | 0.07 | 0.02 | 17 | 0.8 | 0.19 | 0.08 | 0.02 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 3 | 0.0 | 0.03 | 0.01 | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.00 |
| China, Qingzhou City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Rudong County | 21 | 0.3 | 0.09 | 0.04 | 0.01 | 25 | 0.3 | 0.07 | 0.04 | 0.01 |
| *China, Rugao City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Rural areas of Shanghai City | 62 | 0.1 | 0.02 | 0.02 | 0.00 | 34 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Ruyang County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Shan County | 9 | 0.3 | 0.11 | 0.02 | 0.01 | 25 | 1.0 | 0.21 | 0.12 | 0.03 |
| China, Shanghai City | 47 | 0.1 | 0.02 | 0.02 | 0.00 | 27 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Shangyu District, Shaoxing City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 9 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Shapingba District, Chongqing City | 5 | 0.2 | 0.08 | 0.03 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Shexian County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Sheyang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shijiazhuang City | 14 | 0.3 | 0.07 | 0.04 | 0.01 | 11 | 0.2 | 0.07 | 0.04 | 0.01 |
| China, Shunde District, Foshan City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Song County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 16 | 0.1 | 0.03 | 0.02 | 0.00 | 20 | 0.1 | 0.03 | 0.02 | 0.01 |
| *China, Tengzhou City | 6 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Wangdu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wan'ai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Wuhan City | 30 | 0.1 | 0.03 | 0.02 | 0.00 | 17 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Wuhu City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Wuxi City | 8 | 0.1 | 0.03 | 0.00 | 0.00 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Wuzhou City | 3 | 0.1 | 0.08 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Xiangfu District, Kaifeng City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 6 | 0.3 | 0.12 | 0.03 | 0.02 |
| China, Xianju County | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Xin'an County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xining City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinji City | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Xinluo District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 3 | 0.2 | 0.12 | 0.04 | 0.02 |
| China, Xiping County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Xishan District, Kunming City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Xuyi County | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *China, Ya'an City | 7 | 0.1 | 0.05 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Yakeshi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yancheng City | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Yangquan City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 3 | 0.2 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanshi City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Yanting County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yi'an District, Tongling City | 1 | 0.1 | 0.11 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mesothelioma (C45) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| *China, Yiyuan County | 1 | 0.1 | 0.07 | 0.02 | 0.02 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| China, Yong'an City | 2 | 0.2 | 0.12 | 0.02 | 0.02 | 3 | 0.3 | 0.16 | 0.03 | 0.02 |
| *China, Yongding District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yongkang City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yueyanglou District, Yueyang City | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.2 | 0.13 | 0.03 | 0.03 |
| China, Yunmeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yunyang District, Shiyuan City | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 2 | 0.2 | 0.13 | 0.02 | 0.01 |
| China, Yuzhong District, Chongqing City | 16 | 0.7 | 0.17 | 0.07 | 0.02 | 10 | 0.4 | 0.14 | 0.04 | 0.02 |
| *China, Zanzhuang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Zhaoyuan City | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Zhengding County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Zhongshan City | 8 | 0.2 | 0.05 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Zhongxiang City | 5 | 0.1 | 0.06 | 0.03 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Zhuanghe City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Zhuhai City | 8 | 0.2 | 0.09 | 0.02 | 0.01 | 8 | 0.3 | 0.10 | 0.04 | 0.01 |
| India, Ahmedabad, Urban | 15 | 0.1 | 0.04 | 0.02 | 0.01 | 5 | 0.0 | 0.02 | 0.01 | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 8 | 0.1 | 0.02 | 0.01 | 0.00 | 5 | 0.0 | 0.02 | 0.01 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *India, Chennai | 15 | 0.1 | 0.03 | 0.01 | 0.00 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Dibrugarh | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *India, Dindigul, Ambilikai | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| India, Kamrup Urban District | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Kollam | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Manipur | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Meghalaya | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mizoram | 1 | 0.1 | 0.07 | 0.02 | 0.02 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| India, Mumbai | 13 | 0.0 | 0.01 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, New Delhi | 11 | 0.1 | 0.02 | 0.01 | 0.00 | 7 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Poona | 6 | 0.1 | 0.02 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Tamil Nadu | 65 | 0.0 | 0.00 | 0.00 | 0.00 | 38 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 13 | 0.2 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Trivandrum | 3 | 0.0 | 0.02 | 0.01 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Wardha | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, West Arunachal | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Israel | 176 | 0.6 | 0.05 | 0.08 | 0.01 | 55 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Israel: Jews | 152 | 0.6 | 0.05 | 0.08 | 0.01 | 51 | 0.2 | 0.03 | 0.03 | 0.00 |
| *Israel: Arabs | 23 | 0.8 | 0.17 | 0.11 | 0.03 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| Japan | 4091 | 0.8 | 0.01 | 0.10 | 0.00 | 941 | 0.2 | 0.01 | 0.02 | 0.00 |
| Japan, Aichi Prefecture | 237 | 0.8 | 0.06 | 0.10 | 0.01 | 42 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Japan, Akita Prefecture | 17 | 0.4 | 0.11 | 0.05 | 0.02 | 11 | 0.3 | 0.12 | 0.03 | 0.01 |
| Japan, Aomori Prefecture | 38 | 0.4 | 0.08 | 0.05 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.01 |
| Japan, Gunma Prefecture | 34 | 0.4 | 0.08 | 0.06 | 0.01 | 12 | 0.1 | 0.04 | 0.02 | 0.01 |
| Japan, Hiroshima Prefecture | 179 | 1.0 | 0.08 | 0.11 | 0.01 | 26 | 0.1 | 0.02 | 0.01 | 0.00 |
| Japan, Miyagi Prefecture | 102 | 0.6 | 0.07 | 0.08 | 0.01 | 19 | 0.1 | 0.03 | 0.01 | 0.00 |
| Japan, Osaka Prefecture | 425 | 1.2 | 0.06 | 0.15 | 0.01 | 122 | 0.3 | 0.03 | 0.03 | 0.00 |
| Kuwait | 38 | 0.6 | 0.12 | 0.09 | 0.02 | 22 | 0.5 | 0.12 | 0.06 | 0.02 |
| *Kuwait: Kuwaitis | 15 | 0.9 | 0.24 | 0.12 | 0.03 | 13 | 0.6 | 0.16 | 0.07 | 0.02 |
| *Kuwait: Non-Kuwaitis | 23 | 0.5 | 0.16 | 0.10 | 0.04 | 9 | 0.5 | 0.19 | 0.04 | 0.02 |
| *Philippines, Manila | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Qatar: Qatari | 1 | 0.2 | 0.20 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 469 | 0.2 | 0.01 | 0.03 | 0.00 | 224 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Republic of Korea, Busan | 40 | 0.3 | 0.04 | 0.04 | 0.01 | 21 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Republic of Korea, Daegu | 15 | 0.2 | 0.04 | 0.02 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Republic of Korea, Daejeon | 19 | 0.3 | 0.08 | 0.05 | 0.01 | 6 | 0.1 | 0.04 | 0.02 | 0.01 |
| *Republic of Korea, Gwangju | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| Republic of Korea, Incheon | 30 | 0.3 | 0.05 | 0.04 | 0.01 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| Republic of Korea, Jeju | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| Republic of Korea, Seoul | 104 | 0.3 | 0.03 | 0.04 | 0.00 | 43 | 0.1 | 0.02 | 0.01 | 0.00 |
| Republic of Korea, Ulsan | 14 | 0.4 | 0.10 | 0.04 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| Singapore | 86 | 0.6 | 0.06 | 0.07 | 0.01 | 23 | 0.1 | 0.03 | 0.02 | 0.00 |
| Singapore: Chinese | 81 | 0.6 | 0.07 | 0.08 | 0.01 | 16 | 0.1 | 0.03 | 0.01 | 0.00 |
| Singapore: Indian | 2 | 0.2 | 0.12 | 0.02 | 0.02 | 2 | 0.2 | 0.11 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mesothelioma (C45) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 5 | 0.3 | 0.14 | 0.05 | 0.03 |
| Thailand, Bangkok | 10 | 0.0 | 0.01 | 0.00 | 0.00 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Thailand, Chiang Mai | 2 | 0.0 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Thailand, Khon Kaen | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Thailand, Lampang | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Thailand, Lopburi Province | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Thailand, Songkhla | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Turkey, Antalya | 30 | 0.5 | 0.09 | 0.06 | 0.01 | 26 | 0.4 | 0.08 | 0.05 | 0.01 |
| Turkey, Bursa | 71 | 0.9 | 0.11 | 0.11 | 0.02 | 52 | 0.6 | 0.08 | 0.08 | 0.01 |
| *Turkey, Edirne | 5 | 0.3 | 0.16 | 0.02 | 0.01 | 2 | 0.1 | 0.09 | 0.03 | 0.02 |
| *Turkey, Erzurum | 6 | 0.3 | 0.13 | 0.03 | 0.02 | 10 | 0.5 | 0.16 | 0.06 | 0.02 |
| Turkey, Eskişehir | 78 | 2.9 | 0.34 | 0.40 | 0.05 | 48 | 1.5 | 0.22 | 0.21 | 0.04 |
| Turkey, Gaziantep | 32 | 0.9 | 0.17 | 0.13 | 0.03 | 26 | 0.7 | 0.13 | 0.08 | 0.02 |
| *Turkey, Izmir | 94 | 0.7 | 0.07 | 0.09 | 0.01 | 72 | 0.5 | 0.06 | 0.06 | 0.01 |
| Turkey, Malatya | 19 | 0.9 | 0.20 | 0.10 | 0.03 | 17 | 0.7 | 0.18 | 0.08 | 0.02 |
| Turkey, Samsun | 20 | 0.5 | 0.11 | 0.07 | 0.02 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| Turkey, Trabzon | 19 | 0.8 | 0.17 | 0.10 | 0.03 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| Europe | | | | | | | | | | |
| Austria | 395 | 0.9 | 0.05 | 0.10 | 0.01 | 137 | 0.3 | 0.03 | 0.03 | 0.00 |
| Austria, Carinthia | 39 | 1.2 | 0.21 | 0.16 | 0.03 | 9 | 0.3 | 0.10 | 0.03 | 0.01 |
| Austria, Tyrol | 22 | 0.6 | 0.13 | 0.06 | 0.02 | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| Austria, Vorarlberg | 16 | 0.9 | 0.23 | 0.12 | 0.04 | 2 | 0.1 | 0.08 | 0.02 | 0.02 |
| Belarus | 136 | 0.4 | 0.04 | 0.05 | 0.01 | 119 | 0.2 | 0.02 | 0.03 | 0.00 |
| *Belgium | 1172 | 1.9 | 0.06 | 0.24 | 0.01 | 274 | 0.4 | 0.03 | 0.05 | 0.00 |
| Croatia | 409 | 1.9 | 0.10 | 0.25 | 0.02 | 62 | 0.2 | 0.04 | 0.03 | 0.00 |
| Cyprus | 38 | 1.0 | 0.16 | 0.13 | 0.03 | 17 | 0.4 | 0.10 | 0.05 | 0.02 |
| *Czech Republic | 234 | 0.5 | 0.03 | 0.06 | 0.00 | 106 | 0.2 | 0.02 | 0.02 | 0.00 |
| Denmark | 566 | 1.8 | 0.08 | 0.22 | 0.01 | 140 | 0.4 | 0.04 | 0.05 | 0.01 |
| Estonia | 21 | 0.4 | 0.09 | 0.04 | 0.01 | 23 | 0.3 | 0.09 | 0.03 | 0.01 |
| Finland | 356 | 1.1 | 0.06 | 0.14 | 0.01 | 118 | 0.3 | 0.03 | 0.04 | 0.00 |
| *France, Bas-Rhin | 36 | 0.9 | 0.16 | 0.09 | 0.02 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| *France, Calvados | 56 | 1.4 | 0.20 | 0.17 | 0.03 | 30 | 0.6 | 0.12 | 0.07 | 0.02 |
| *France, Doubs | 26 | 0.7 | 0.16 | 0.06 | 0.02 | 12 | 0.4 | 0.12 | 0.03 | 0.01 |
| *France, Gironde | 92 | 1.1 | 0.12 | 0.15 | 0.02 | 42 | 0.4 | 0.07 | 0.05 | 0.01 |
| *France, Haut-Rhin | 36 | 0.8 | 0.15 | 0.10 | 0.02 | 12 | 0.2 | 0.07 | 0.01 | 0.01 |
| *France, Hérault | 64 | 0.9 | 0.12 | 0.10 | 0.02 | 15 | 0.2 | 0.06 | 0.02 | 0.01 |
| *France, Isère | 108 | 1.7 | 0.17 | 0.19 | 0.03 | 29 | 0.4 | 0.09 | 0.05 | 0.01 |
| *France, Lille-Métropole | 48 | 1.5 | 0.23 | 0.17 | 0.04 | 20 | 0.4 | 0.11 | 0.05 | 0.02 |
| *France, Limousin | 24 | 1.1 | 0.24 | 0.14 | 0.04 | 6 | 0.3 | 0.16 | 0.04 | 0.02 |
| *France, Loire-Atlantique | 120 | 1.7 | 0.17 | 0.19 | 0.03 | 45 | 0.5 | 0.08 | 0.06 | 0.01 |
| *France, Manche | 73 | 2.4 | 0.30 | 0.33 | 0.05 | 18 | 0.4 | 0.12 | 0.04 | 0.02 |
| *France, Poitou-Charentes | 106 | 0.9 | 0.09 | 0.09 | 0.01 | 25 | 0.2 | 0.04 | 0.02 | 0.01 |
| *France, Somme | 36 | 1.2 | 0.20 | 0.13 | 0.03 | 19 | 0.4 | 0.11 | 0.05 | 0.02 |
| *France, Tarn | 18 | 0.7 | 0.19 | 0.08 | 0.03 | 11 | 0.3 | 0.10 | 0.04 | 0.02 |
| *France, Territoire de Belfort | 2 | 0.3 | 0.22 | 0.03 | 0.03 | 3 | 0.3 | 0.21 | 0.04 | 0.04 |
| *France, Vendée | 33 | 0.7 | 0.13 | 0.08 | 0.02 | 24 | 0.6 | 0.14 | 0.07 | 0.02 |
| Germany, Baden-Württemberg | 366 | 0.9 | 0.05 | 0.10 | 0.01 | 96 | 0.2 | 0.03 | 0.03 | 0.00 |
| Germany, Bavaria | 900 | 1.1 | 0.04 | 0.13 | 0.01 | 230 | 0.3 | 0.02 | 0.03 | 0.00 |
| Germany, Bremen | 171 | 3.7 | 0.31 | 0.43 | 0.05 | 32 | 0.6 | 0.12 | 0.08 | 0.02 |
| Germany, Hamburg | 264 | 2.3 | 0.15 | 0.26 | 0.03 | 51 | 0.4 | 0.07 | 0.05 | 0.01 |
| Germany, Lower Saxony | 846 | 1.5 | 0.06 | 0.18 | 0.01 | 174 | 0.3 | 0.03 | 0.03 | 0.00 |
| Germany, North Rhine-Westphalia | 1641 | 1.4 | 0.04 | 0.17 | 0.01 | 398 | 0.3 | 0.02 | 0.04 | 0.00 |
| Germany, Rhineland-Palatinate | 249 | 1.0 | 0.07 | 0.13 | 0.01 | 46 | 0.2 | 0.03 | 0.02 | 0.00 |
| Germany, Saarland | 117 | 1.9 | 0.19 | 0.23 | 0.03 | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| Germany, Schleswig-Holstein | 394 | 1.9 | 0.11 | 0.23 | 0.02 | 73 | 0.3 | 0.04 | 0.03 | 0.01 |
| Iceland | 15 | 1.0 | 0.28 | 0.17 | 0.05 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| Ireland | 209 | 1.0 | 0.07 | 0.13 | 0.01 | 35 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Italy, Aosta Valley | 12 | 1.5 | 0.46 | 0.19 | 0.08 | 5 | 0.6 | 0.29 | 0.10 | 0.06 |
| *Italy, Avellino | 13 | 0.8 | 0.26 | 0.11 | 0.04 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| Italy, Basilicata | 26 | 0.6 | 0.14 | 0.07 | 0.02 | 4 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Italy, Benevento | 8 | 0.8 | 0.28 | 0.11 | 0.04 | 3 | 0.2 | 0.15 | 0.03 | 0.02 |
| Italy, Bergamo | 185 | 2.8 | 0.22 | 0.38 | 0.04 | 86 | 1.1 | 0.13 | 0.15 | 0.02 |
| *Italy, Brescia | 88 | 1.4 | 0.16 | 0.17 | 0.02 | 39 | 0.5 | 0.09 | 0.05 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 114 | 2.6 | 0.26 | 0.35 | 0.04 | 55 | 0.8 | 0.13 | 0.10 | 0.02 |
| Italy, Calabria | 28 | 0.9 | 0.19 | 0.13 | 0.03 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Italy, Caserta | 32 | 1.0 | 0.18 | 0.16 | 0.03 | 9 | 0.3 | 0.09 | 0.04 | 0.01 |
| *Italy, Catania, Messina, and Enna | 125 | 1.4 | 0.13 | 0.20 | 0.02 | 32 | 0.3 | 0.06 | 0.04 | 0.01 |
| Italy, Emilia-Romagna | 414 | 1.7 | 0.09 | 0.20 | 0.01 | 140 | 0.5 | 0.05 | 0.06 | 0.01 |
| Italy, Friuli-Venezia Giulia | 259 | 2.9 | 0.20 | 0.37 | 0.03 | 56 | 0.5 | 0.08 | 0.06 | 0.01 |
| Italy, Genova | 248 | 4.5 | 0.32 | 0.54 | 0.05 | 62 | 0.8 | 0.12 | 0.10 | 0.02 |
| *Italy, Lombardy, South, Pavia | 129 | 4.0 | 0.38 | 0.52 | 0.06 | 59 | 1.4 | 0.22 | 0.16 | 0.03 |
| Italy, Mantova and Cremona | 66 | 1.7 | 0.23 | 0.25 | 0.04 | 34 | 0.7 | 0.15 | 0.09 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Mesothelioma (C45) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 98 | 1.0 | 0.12 | 0.11 | 0.02 | 27 | 0.3 | 0.07 | 0.04 | 0.01 |
| Italy, Milan | 420 | 1.9 | 0.10 | 0.24 | 0.02 | 200 | 0.7 | 0.06 | 0.08 | 0.01 |
| Italy, Molise | 18 | 1.3 | 0.36 | 0.19 | 0.06 | 8 | 0.7 | 0.29 | 0.08 | 0.04 |
| *Italy, Naples Centre | 47 | 1.7 | 0.25 | 0.22 | 0.04 | 18 | 0.5 | 0.12 | 0.05 | 0.02 |
| *Italy, Naples North | 66 | 1.9 | 0.24 | 0.24 | 0.04 | 23 | 0.6 | 0.14 | 0.10 | 0.02 |
| *Italy, Naples South | 116 | 2.4 | 0.23 | 0.36 | 0.04 | 35 | 0.7 | 0.12 | 0.09 | 0.02 |
| *Italy, Nuoro | 4 | 0.5 | 0.28 | 0.09 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Palermo | 99 | 1.6 | 0.16 | 0.23 | 0.03 | 28 | 0.3 | 0.07 | 0.04 | 0.01 |
| Italy, Puglia | 293 | 1.3 | 0.08 | 0.16 | 0.01 | 85 | 0.3 | 0.04 | 0.05 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 59 | 2.1 | 0.29 | 0.31 | 0.05 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Italy, Salerno | 44 | 1.0 | 0.16 | 0.13 | 0.02 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| Italy, Sassari | 14 | 1.4 | 0.39 | 0.20 | 0.06 | 5 | 0.5 | 0.22 | 0.06 | 0.03 |
| *Italy, Sondrio | 21 | 1.4 | 0.32 | 0.16 | 0.05 | 14 | 0.5 | 0.17 | 0.05 | 0.03 |
| Italy, South Tyrol | 22 | 0.8 | 0.17 | 0.10 | 0.03 | 10 | 0.4 | 0.16 | 0.04 | 0.02 |
| *Italy, Syracuse | 46 | 2.1 | 0.32 | 0.26 | 0.05 | 17 | 0.7 | 0.19 | 0.11 | 0.03 |
| Italy, Trento | 29 | 0.9 | 0.18 | 0.12 | 0.03 | 19 | 0.5 | 0.12 | 0.06 | 0.02 |
| Italy, Turin | 279 | 1.8 | 0.12 | 0.23 | 0.02 | 126 | 0.7 | 0.07 | 0.09 | 0.01 |
| *Italy, Tuscany | 202 | 1.4 | 0.11 | 0.20 | 0.02 | 52 | 0.4 | 0.06 | 0.05 | 0.01 |
| Italy, Umbria | 78 | 1.7 | 0.21 | 0.23 | 0.03 | 18 | 0.4 | 0.11 | 0.05 | 0.02 |
| Italy, Varese | 69 | 2.1 | 0.27 | 0.27 | 0.04 | 38 | 0.9 | 0.17 | 0.11 | 0.03 |
| Italy, Veneto | 452 | 1.5 | 0.08 | 0.19 | 0.01 | 144 | 0.4 | 0.04 | 0.06 | 0.01 |
| Latvia | 17 | 0.2 | 0.05 | 0.02 | 0.01 | 24 | 0.2 | 0.05 | 0.03 | 0.01 |
| *Liechtenstein | 0 | – | 0.00 | – | 0.00 | 1 | 0.7 | 0.74 | 0.06 | 0.06 |
| *Lithuania | 17 | 0.2 | 0.04 | 0.02 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| Malta | 41 | 1.6 | 0.25 | 0.14 | 0.03 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *The Netherlands | 2289 | 2.4 | 0.05 | 0.29 | 0.01 | 391 | 0.4 | 0.02 | 0.04 | 0.00 |
| Norway | 340 | 1.3 | 0.07 | 0.15 | 0.01 | 64 | 0.2 | 0.03 | 0.03 | 0.00 |
| Poland, Kielce | 39 | 0.7 | 0.12 | 0.09 | 0.02 | 31 | 0.5 | 0.10 | 0.06 | 0.01 |
| *Portugal, Azores | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |
| Russian Federation, Arkhangelsk | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| Russian Federation, Kaliningrad | 8 | 0.2 | 0.09 | 0.03 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| Russian Federation, Karelia | 8 | 0.4 | 0.14 | 0.04 | 0.02 | 14 | 0.4 | 0.10 | 0.05 | 0.02 |
| *Russian Federation, Komi Republic | 11 | 0.5 | 0.16 | 0.08 | 0.03 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| Russian Federation, Murmansk | 11 | 0.5 | 0.16 | 0.04 | 0.01 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| *Russian Federation, Orenburg | 29 | 0.4 | 0.08 | 0.05 | 0.01 | 23 | 0.2 | 0.05 | 0.03 | 0.01 |
| Russian Federation, Pskov | 7 | 0.3 | 0.12 | 0.04 | 0.02 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Russian Federation, Samara | 78 | 0.7 | 0.09 | 0.10 | 0.01 | 89 | 0.4 | 0.05 | 0.06 | 0.01 |
| Russian Federation, Vologda Region | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Slovenia | 154 | 1.5 | 0.13 | 0.18 | 0.02 | 54 | 0.5 | 0.07 | 0.06 | 0.01 |
| Spain, Asturias | 24 | 0.7 | 0.15 | 0.09 | 0.02 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| Spain, Basque Country | 144 | 1.5 | 0.13 | 0.18 | 0.02 | 41 | 0.4 | 0.07 | 0.04 | 0.01 |
| Spain, Canary Islands | 34 | 0.5 | 0.08 | 0.07 | 0.02 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| Spain, Castellón | 20 | 0.7 | 0.17 | 0.10 | 0.03 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| Spain, Girona | 30 | 0.8 | 0.16 | 0.10 | 0.02 | 16 | 0.4 | 0.11 | 0.06 | 0.02 |
| Spain, Granada | 24 | 0.6 | 0.12 | 0.08 | 0.02 | 8 | 0.1 | 0.06 | 0.02 | 0.01 |
| Spain, La Rioja | 10 | 0.6 | 0.20 | 0.06 | 0.03 | 2 | 0.2 | 0.12 | 0.02 | 0.01 |
| Spain, Murcia | 61 | 1.0 | 0.14 | 0.14 | 0.02 | 18 | 0.2 | 0.06 | 0.03 | 0.01 |
| Spain, Navarra | 35 | 1.4 | 0.25 | 0.19 | 0.04 | 10 | 0.2 | 0.09 | 0.03 | 0.02 |
| Spain, Salamanca | 10 | 0.3 | 0.12 | 0.05 | 0.02 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Spain, Tarragona | 29 | 0.7 | 0.14 | 0.10 | 0.02 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Sweden | 552 | 0.9 | 0.04 | 0.12 | 0.01 | 138 | 0.3 | 0.02 | 0.03 | 0.00 |
| Switzerland, Aargau | 92 | 2.6 | 0.29 | 0.30 | 0.04 | 12 | 0.3 | 0.10 | 0.04 | 0.02 |
| Switzerland, Basel | 49 | 1.9 | 0.30 | 0.29 | 0.05 | 9 | 0.2 | 0.09 | 0.02 | 0.01 |
| Switzerland, Berne Solothurn | 95 | 2.0 | 0.22 | 0.26 | 0.03 | 17 | 0.4 | 0.10 | 0.04 | 0.01 |
| Switzerland, East | 109 | 2.6 | 0.26 | 0.35 | 0.04 | 21 | 0.4 | 0.10 | 0.05 | 0.02 |
| *Switzerland, Fribourg | 16 | 1.2 | 0.31 | 0.20 | 0.06 | 2 | 0.2 | 0.14 | 0.03 | 0.02 |
| Switzerland, Geneva | 15 | 0.7 | 0.18 | 0.09 | 0.03 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Switzerland, Graubünden and Glarus | 55 | 3.9 | 0.55 | 0.49 | 0.09 | 14 | 0.8 | 0.24 | 0.08 | 0.03 |
| *Switzerland, Lucerne | 42 | 1.6 | 0.26 | 0.20 | 0.04 | 6 | 0.2 | 0.11 | 0.03 | 0.01 |
| *Switzerland, Neuchâtel and Jura | 21 | 1.6 | 0.36 | 0.21 | 0.06 | 2 | 0.2 | 0.13 | 0.03 | 0.02 |
| Switzerland, Ticino | 28 | 1.4 | 0.28 | 0.19 | 0.04 | 7 | 0.2 | 0.09 | 0.03 | 0.02 |
| Switzerland, Valais | 23 | 1.2 | 0.26 | 0.17 | 0.05 | 3 | 0.2 | 0.12 | 0.02 | 0.02 |
| Switzerland, Vaud | 52 | 1.4 | 0.20 | 0.15 | 0.03 | 13 | 0.3 | 0.11 | 0.04 | 0.01 |
| Switzerland, Zurich and Zug | 159 | 2.0 | 0.16 | 0.24 | 0.03 | 30 | 0.3 | 0.06 | 0.03 | 0.01 |
| Ukraine | 515 | 0.4 | 0.02 | 0.05 | 0.00 | 405 | 0.2 | 0.01 | 0.03 | 0.00 |
| UK, England | 9880 | 3.1 | 0.03 | 0.36 | 0.01 | 2029 | 0.6 | 0.01 | 0.07 | 0.00 |
| UK, Northern Ireland | 172 | 1.8 | 0.15 | 0.20 | 0.02 | 39 | 0.4 | 0.07 | 0.06 | 0.01 |
| UK, Scotland | 909 | 2.8 | 0.10 | 0.32 | 0.02 | 158 | 0.4 | 0.04 | 0.05 | 0.01 |
| UK, Wales | 528 | 2.6 | 0.12 | 0.29 | 0.02 | 91 | 0.4 | 0.05 | 0.05 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1049 | 2.4 | 0.08 | 0.25 | 0.01 | 244 | 0.6 | 0.04 | 0.07 | 0.01 |
| *Australia, Northern Territory | 11 | 1.7 | 0.50 | 0.26 | 0.09 | 2 | 0.3 | 0.24 | 0.07 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Mesothelioma (C45) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 11 | 1.9 | <i>0.58</i> | 0.29 | <i>0.11</i> | 1 | 0.3 | <i>0.25</i> | 0.06 | <i>0.06</i> |
| *Australia, Northern Territory: Indigenous | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 1 | 0.5 | <i>0.55</i> | 0.07 | <i>0.07</i> |
| *Australia, Queensland | 631 | 2.7 | <i>0.11</i> | 0.29 | <i>0.02</i> | 144 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> |
| Australia, South Australia | 265 | 2.6 | <i>0.17</i> | 0.30 | <i>0.03</i> | 70 | 0.6 | <i>0.09</i> | 0.08 | <i>0.01</i> |
| Australia, Tasmania | 42 | 1.4 | <i>0.22</i> | 0.17 | <i>0.04</i> | 14 | 0.4 | <i>0.11</i> | 0.05 | <i>0.02</i> |
| *Australia, Victoria | 625 | 2.0 | <i>0.09</i> | 0.22 | <i>0.01</i> | 168 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> |
| *Australia, Western Australia | 473 | 4.2 | <i>0.20</i> | 0.49 | <i>0.03</i> | 103 | 0.9 | <i>0.09</i> | 0.11 | <i>0.01</i> |
| *France, New Caledonia | 9 | 1.1 | <i>0.37</i> | 0.15 | <i>0.06</i> | 12 | 1.4 | <i>0.42</i> | 0.19 | <i>0.06</i> |
| New Zealand | 436 | 1.9 | <i>0.09</i> | 0.20 | <i>0.01</i> | 80 | 0.4 | <i>0.04</i> | 0.05 | <i>0.01</i> |
| *New Zealand: Maori | 22 | 1.6 | <i>0.34</i> | 0.19 | <i>0.05</i> | 6 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| *New Zealand: Pacific peoples | 5 | 0.8 | <i>0.35</i> | 0.03 | <i>0.03</i> | 1 | 0.1 | <i>0.13</i> | 0.01 | <i>0.01</i> |
| *New Zealand: Other | 407 | 2.1 | <i>0.11</i> | 0.23 | <i>0.02</i> | 70 | 0.4 | <i>0.05</i> | 0.06 | <i>0.01</i> |
| USA, Hawaii | 31 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> | 6 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| USA, Hawaii: White | 10 | 0.4 | <i>0.14</i> | 0.04 | <i>0.02</i> | 1 | 0.0 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| *USA, Hawaii: Japanese | 6 | 0.3 | <i>0.14</i> | 0.02 | <i>0.02</i> | 4 | 0.6 | <i>0.47</i> | 0.05 | <i>0.03</i> |
| *USA, Hawaii: Chinese | 3 | 0.8 | <i>0.70</i> | 0.06 | <i>0.06</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 6 | 0.7 | <i>0.28</i> | 0.12 | <i>0.05</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Filipino | 4 | 0.3 | <i>0.17</i> | 0.05 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kaposi sarcoma (C46)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 2 | 0.1 | 0.09 | 0.02 | 0.02 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Algeria, Tizi Ouzou | 2 | 0.1 | 0.08 | 0.02 | 0.02 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Benin, Cotonou | 4 | 0.5 | 0.25 | 0.04 | 0.02 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *France, La Réunion | 5 | 0.3 | 0.12 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Kenya, Eldoret | 43 | 2.7 | 0.45 | 0.24 | 0.05 | 42 | 2.6 | 0.46 | 0.26 | 0.05 |
| *Kenya, Nairobi | 104 | 2.3 | 0.29 | 0.27 | 0.05 | 56 | 0.9 | 0.15 | 0.08 | 0.02 |
| Mauritius | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Morocco, Casablanca | 16 | 0.2 | 0.04 | 0.01 | 0.01 | 18 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Seychelles | 1 | 0.3 | 0.31 | 0.03 | 0.03 | 1 | 0.3 | 0.34 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | 92 | 9.2 | 1.01 | 0.76 | 0.09 | 72 | 4.8 | 0.58 | 0.39 | 0.05 |
| *Uganda, Kyadondo County | 766 | 15.8 | 0.77 | 1.45 | 0.10 | 467 | 7.5 | 0.47 | 0.69 | 0.06 |
| *Uganda, Gulu | 77 | 10.0 | 1.30 | 0.89 | 0.15 | 36 | 3.9 | 0.69 | 0.33 | 0.08 |
| *Zimbabwe, Bulawayo: African | 194 | 15.0 | 1.18 | 1.42 | 0.14 | 93 | 5.8 | 0.66 | 0.56 | 0.08 |
| *Zimbabwe, Harare: African | 485 | 16.9 | 0.91 | 1.64 | 0.12 | 289 | 8.1 | 0.56 | 0.76 | 0.07 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *Argentina, Mendoza | 12 | 0.3 | 0.07 | 0.03 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.00 |
| Brazil, Aracaju | 8 | 0.7 | 0.25 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *Brazil, Barretos | 4 | 0.3 | 0.15 | 0.05 | 0.03 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| Brazil, Belo Horizonte | 52 | 0.7 | 0.10 | 0.06 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Brazil, Campinas | 17 | 0.6 | 0.16 | 0.04 | 0.01 | 6 | 0.1 | 0.06 | 0.00 | 0.00 |
| *Brazil, Curitiba | 16 | 0.4 | 0.10 | 0.03 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| Brazil, Goiânia | 28 | 0.9 | 0.17 | 0.09 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Brazil, Jaú | 1 | 0.3 | 0.26 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 5 | 0.4 | 0.17 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Recife | 19 | 0.7 | 0.16 | 0.05 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| Chile, Region of Antofagasta | 5 | 0.5 | 0.20 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Chile, Valdivia | 6 | 0.5 | 0.20 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Bucaramanga | 44 | 1.4 | 0.21 | 0.11 | 0.02 | 11 | 0.3 | 0.10 | 0.03 | 0.01 |
| Colombia, Cali | 70 | 1.1 | 0.13 | 0.09 | 0.01 | 12 | 0.1 | 0.04 | 0.01 | 0.00 |
| Colombia, Manizales | 3 | 0.2 | 0.11 | 0.02 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| Colombia, Pasto | 5 | 0.4 | 0.17 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Costa Rica | 55 | 0.5 | 0.07 | 0.04 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| Ecuador, Guayaquil | 86 | 1.3 | 0.14 | 0.11 | 0.01 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| Ecuador, Manabí | 10 | 0.3 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Quito | 67 | 1.4 | 0.18 | 0.12 | 0.02 | 13 | 0.2 | 0.07 | 0.02 | 0.00 |
| *France, Guadeloupe | 15 | 0.9 | 0.26 | 0.11 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *France, Martinique | 6 | 0.2 | 0.09 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Peru, Lima | 279 | 1.7 | 0.11 | 0.15 | 0.01 | 48 | 0.3 | 0.04 | 0.02 | 0.00 |
| *Trinidad and Tobago | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Puerto Rico | 86 | 0.8 | 0.09 | 0.08 | 0.01 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Uruguay | 50 | 0.5 | 0.07 | 0.05 | 0.01 | 19 | 0.2 | 0.04 | 0.01 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 29 | 0.2 | 0.04 | 0.02 | 0.00 | 8 | 0.1 | 0.02 | 0.00 | 0.00 |
| Canada, British Columbia | 34 | 0.2 | 0.04 | 0.02 | 0.00 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Canada, Manitoba | 14 | 0.3 | 0.09 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Canada, New Brunswick | 6 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Canada, Newfoundland and Labrador | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Canada, Ontario | 194 | 0.3 | 0.03 | 0.04 | 0.00 | 39 | 0.0 | 0.01 | 0.01 | 0.00 |
| *Canada, Prince Edward Island | 3 | 0.3 | 0.18 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Canada, Quebec | 123 | 0.4 | 0.04 | 0.04 | 0.00 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| Canada, Saskatchewan | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA | 5101 | 0.5 | 0.01 | 0.05 | 0.00 | 617 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA: White | 3160 | 0.4 | 0.01 | 0.03 | 0.00 | 394 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA: Black | 1523 | 1.3 | 0.03 | 0.11 | 0.00 | 157 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR | 5001 | 0.5 | 0.01 | 0.05 | 0.00 | 599 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, NPCR: White | 3091 | 0.4 | 0.01 | 0.03 | 0.00 | 378 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, NPCR: Black | 1514 | 1.3 | 0.03 | 0.11 | 0.00 | 156 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 139 | 0.2 | 0.02 | 0.02 | 0.00 | 15 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, NPCR: American Indian | 26 | 0.2 | 0.04 | 0.02 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, SEER (18 registries) | 1880 | 0.7 | 0.02 | 0.06 | 0.00 | 202 | 0.0 | 0.00 | 0.00 | 0.00 |
| *USA, SEER (18 registries): White | 1142 | 0.5 | 0.02 | 0.05 | 0.00 | 119 | 0.0 | 0.00 | 0.00 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 706 | 0.4 | 0.02 | 0.04 | 0.00 | 84 | 0.0 | 0.00 | 0.00 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 436 | 0.8 | 0.04 | 0.08 | 0.00 | 35 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Black | 521 | 1.7 | 0.08 | 0.14 | 0.01 | 48 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 87 | 0.3 | 0.03 | 0.03 | 0.00 | 9 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, SEER (9 registries) | 725 | 0.8 | 0.03 | 0.07 | 0.00 | 78 | 0.1 | 0.01 | 0.00 | 0.00 |
| *USA, SEER (9 registries): White | 382 | 0.5 | 0.03 | 0.05 | 0.00 | 45 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, SEER (9 registries): Black | 274 | 2.6 | 0.16 | 0.22 | 0.01 | 24 | 0.2 | 0.04 | 0.01 | 0.00 |
| USA, Alabama | 48 | 0.3 | 0.05 | 0.03 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Alabama: White | 25 | 0.2 | 0.04 | 0.02 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kaposi sarcoma (C46) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 22 | 0.6 | 0.14 | 0.05 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Alaska | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.00 | 0.00 |
| *USA, Alaska: Alaska Natives | 2 | 0.7 | 0.48 | 0.00 | 0.00 | 2 | 0.4 | 0.27 | 0.00 | 0.00 |
| USA, Arizona | 58 | 0.3 | 0.04 | 0.03 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Arizona: White | 40 | 0.2 | 0.04 | 0.02 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Arizona: Black | 12 | 1.1 | 0.31 | 0.09 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *USA, Arizona: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona: American Indian | 5 | 0.5 | 0.21 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, Arkansas | 27 | 0.3 | 0.05 | 0.02 | 0.01 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Arkansas: White | 18 | 0.2 | 0.04 | 0.01 | 0.00 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Arkansas: Black | 8 | 0.6 | 0.23 | 0.06 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, California | 961 | 0.8 | 0.03 | 0.07 | 0.00 | 94 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, California: White | 694 | 0.7 | 0.03 | 0.07 | 0.00 | 60 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, California: Black | 116 | 1.5 | 0.14 | 0.13 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, California: Asian and Pacific Islander | 62 | 0.3 | 0.04 | 0.03 | 0.00 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County | 345 | 1.1 | 0.06 | 0.10 | 0.01 | 26 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: White | 225 | 1.0 | 0.06 | 0.09 | 0.01 | 16 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 82 | 0.7 | 0.08 | 0.07 | 0.01 | 7 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Hispanic White | 143 | 1.1 | 0.09 | 0.09 | 0.01 | 9 | 0.1 | 0.02 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Black | 57 | 2.1 | 0.28 | 0.18 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Chinese | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Filipino | 8 | 0.8 | 0.27 | 0.07 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Korean | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 15 | 0.3 | 0.08 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area | 191 | 1.2 | 0.09 | 0.12 | 0.01 | 17 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: White | 138 | 1.3 | 0.12 | 0.13 | 0.01 | 12 | 0.1 | 0.02 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 107 | 1.3 | 0.14 | 0.13 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: Hispanic White | 31 | 1.2 | 0.22 | 0.11 | 0.02 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: Black | 23 | 1.9 | 0.41 | 0.16 | 0.04 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 21 | 0.5 | 0.11 | 0.04 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Colorado | 49 | 0.3 | 0.04 | 0.03 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Colorado: White | 37 | 0.2 | 0.04 | 0.02 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| *USA, Colorado: Black | 8 | 1.0 | 0.34 | 0.08 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *USA, Colorado: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Connecticut | 49 | 0.4 | 0.06 | 0.04 | 0.01 | 9 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Connecticut: White | 37 | 0.4 | 0.06 | 0.03 | 0.01 | 9 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Connecticut: Black | 6 | 0.5 | 0.22 | 0.08 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, District of Columbia | 40 | 2.0 | 0.32 | 0.19 | 0.03 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| USA, District of Columbia: White | 8 | 0.7 | 0.28 | 0.07 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, District of Columbia: Black | 25 | 2.9 | 0.60 | 0.26 | 0.05 | 5 | 0.5 | 0.22 | 0.04 | 0.02 |
| USA, Florida | 457 | 0.7 | 0.03 | 0.06 | 0.00 | 76 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Florida: White | 320 | 0.6 | 0.03 | 0.05 | 0.00 | 53 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Florida: Black | 109 | 1.2 | 0.11 | 0.10 | 0.01 | 15 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, Florida: Asian and Pacific Islander | 6 | 0.3 | 0.13 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Georgia | 349 | 1.3 | 0.07 | 0.10 | 0.01 | 16 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Georgia: White | 99 | 0.5 | 0.05 | 0.04 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Georgia: Black | 248 | 2.9 | 0.19 | 0.24 | 0.02 | 12 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Georgia: Asian and Pacific Islander | 2 | 0.1 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, Georgia, Atlanta | 262 | 2.6 | 0.16 | 0.22 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, Georgia, Atlanta: White | 68 | 1.1 | 0.14 | 0.11 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *USA, Georgia, Atlanta: Black | 193 | 4.8 | 0.35 | 0.40 | 0.03 | 11 | 0.2 | 0.06 | 0.01 | 0.01 |
| USA, Idaho | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Indiana | 38 | 0.2 | 0.03 | 0.02 | 0.00 | 6 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Indiana: White | 19 | 0.1 | 0.02 | 0.01 | 0.00 | 6 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Indiana: Black | 17 | 1.0 | 0.25 | 0.10 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *USA, Iowa | 11 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Kentucky | 28 | 0.2 | 0.04 | 0.02 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Louisiana | 99 | 0.7 | 0.08 | 0.06 | 0.01 | 10 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Louisiana: White | 44 | 0.4 | 0.07 | 0.04 | 0.01 | 7 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Louisiana: Black | 55 | 1.4 | 0.19 | 0.10 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *USA, Louisiana, New Orleans | 50 | 2.0 | 0.28 | 0.16 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *USA, Louisiana, New Orleans: White | 24 | 1.5 | 0.32 | 0.13 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *USA, Louisiana, New Orleans: Black | 25 | 2.8 | 0.56 | 0.21 | 0.04 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| USA, Maine | 8 | 0.2 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Maryland | 82 | 0.5 | 0.05 | 0.04 | 0.01 | 17 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Maryland: White | 23 | 0.2 | 0.04 | 0.02 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Maryland: Black | 55 | 1.1 | 0.15 | 0.10 | 0.01 | 10 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 4 | 0.3 | 0.14 | 0.03 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| USA, Massachusetts | 104 | 0.5 | 0.05 | 0.05 | 0.00 | 17 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Massachusetts: White | 64 | 0.3 | 0.04 | 0.04 | 0.00 | 10 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Massachusetts: Black | 27 | 1.6 | 0.30 | 0.12 | 0.03 | 6 | 0.3 | 0.13 | 0.04 | 0.02 |
| USA, Massachusetts: Asian and Pacific Islander | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Kaposi sarcoma (C46) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 93 | 0.3 | 0.03 | 0.03 | 0.00 | 17 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Michigan: White | 45 | 0.1 | 0.02 | 0.01 | 0.00 | 10 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Michigan: Black | 40 | 1.1 | 0.18 | 0.09 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 5 | 0.6 | 0.26 | 0.10 | 0.05 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| *USA, Michigan, Detroit | 70 | 0.6 | 0.07 | 0.05 | 0.01 | 15 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, Michigan, Detroit: White | 30 | 0.2 | 0.05 | 0.02 | 0.01 | 7 | 0.0 | 0.02 | 0.01 | 0.00 |
| *USA, Michigan, Detroit: Black | 36 | 1.6 | 0.26 | 0.12 | 0.02 | 6 | 0.2 | 0.07 | 0.01 | 0.01 |
| USA, Minnesota | 52 | 0.3 | 0.05 | 0.03 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Minnesota: White | 31 | 0.2 | 0.04 | 0.02 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Minnesota: Black | 17 | 2.1 | 0.54 | 0.25 | 0.09 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| *USA, Minnesota: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Mississippi | 32 | 0.4 | 0.07 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Missouri | 40 | 0.2 | 0.04 | 0.02 | 0.00 | 3 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Missouri: White | 26 | 0.2 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Missouri: Black | 13 | 0.7 | 0.19 | 0.06 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, Montana | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Nebraska | 8 | 0.2 | 0.06 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Nebraska: White | 7 | 0.2 | 0.07 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Nebraska: Black | 1 | 0.3 | 0.33 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Nevada | 58 | 0.7 | 0.09 | 0.06 | 0.01 | 6 | 0.0 | 0.02 | 0.01 | 0.00 |
| USA, Nevada: White | 41 | 0.6 | 0.10 | 0.06 | 0.01 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Nevada: Black | 12 | 1.4 | 0.41 | 0.11 | 0.03 | 2 | 0.2 | 0.17 | 0.03 | 0.02 |
| *USA, Nevada: Asian and Pacific Islander | 2 | 0.2 | 0.13 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, New Jersey | 158 | 0.5 | 0.04 | 0.05 | 0.00 | 29 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, New Jersey: White | 108 | 0.4 | 0.05 | 0.04 | 0.00 | 14 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, New Jersey: Black | 38 | 1.0 | 0.16 | 0.09 | 0.02 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| USA, New Mexico | 20 | 0.3 | 0.08 | 0.03 | 0.01 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| USA, New Mexico: White | 12 | 0.2 | 0.07 | 0.02 | 0.01 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| USA, New Mexico: Non-Hispanic White | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, New Mexico: Hispanic White | 7 | 0.3 | 0.10 | 0.02 | 0.01 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| *USA, New Mexico: American Indian | 5 | 0.9 | 0.39 | 0.09 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, New York State | 622 | 0.9 | 0.04 | 0.09 | 0.00 | 102 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, New York State: White | 399 | 0.7 | 0.04 | 0.07 | 0.00 | 75 | 0.1 | 0.01 | 0.00 | 0.00 |
| USA, New York State: Black | 167 | 1.7 | 0.13 | 0.16 | 0.01 | 21 | 0.2 | 0.04 | 0.01 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 23 | 0.4 | 0.08 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, North Carolina | 121 | 0.4 | 0.04 | 0.04 | 0.00 | 5 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, North Carolina: White | 57 | 0.2 | 0.03 | 0.02 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, North Carolina: Black | 58 | 1.0 | 0.13 | 0.08 | 0.01 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, North Carolina: Asian and Pacific Islander | 2 | 0.4 | 0.25 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, North Carolina: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.12 | 0.00 | 0.00 |
| USA, North Dakota | 4 | 0.2 | 0.09 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| USA, Ohio | 98 | 0.3 | 0.03 | 0.02 | 0.00 | 13 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Ohio: White | 58 | 0.2 | 0.03 | 0.02 | 0.00 | 9 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Ohio: Black | 31 | 0.8 | 0.14 | 0.06 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 2 | 0.3 | 0.18 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma | 36 | 0.3 | 0.06 | 0.03 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Oklahoma: White | 28 | 0.3 | 0.06 | 0.03 | 0.01 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Oklahoma: Black | 3 | 0.3 | 0.17 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma: American Indian | 4 | 0.4 | 0.20 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Oregon | 44 | 0.3 | 0.05 | 0.03 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Oregon: White | 33 | 0.3 | 0.05 | 0.02 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| *USA, Oregon: Black | 5 | 1.6 | 0.71 | 0.16 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 3 | 0.5 | 0.28 | 0.05 | 0.03 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| USA, Rhode Island | 17 | 0.4 | 0.10 | 0.03 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, Rhode Island: White | 15 | 0.4 | 0.10 | 0.03 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| *USA, Rhode Island: Black | 1 | 0.4 | 0.42 | 0.00 | 0.00 | 1 | 0.2 | 0.18 | 0.00 | 0.00 |
| USA, South Carolina | 48 | 0.3 | 0.05 | 0.03 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, South Carolina: White | 26 | 0.2 | 0.05 | 0.02 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, South Carolina: Black | 19 | 0.5 | 0.12 | 0.05 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, South Dakota | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Tennessee | 69 | 0.4 | 0.05 | 0.03 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Tennessee: White | 30 | 0.2 | 0.04 | 0.02 | 0.00 | 2 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Tennessee: Black | 37 | 1.3 | 0.21 | 0.11 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, Texas | 583 | 0.7 | 0.03 | 0.06 | 0.00 | 62 | 0.1 | 0.01 | 0.00 | 0.00 |
| USA, Texas: White | 405 | 0.6 | 0.03 | 0.05 | 0.00 | 39 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Texas: Black | 159 | 1.6 | 0.13 | 0.13 | 0.01 | 22 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Utah | 21 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| USA, Vermont | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| USA, Washington State | 88 | 0.4 | 0.04 | 0.03 | 0.00 | 16 | 0.0 | 0.01 | 0.00 | 0.00 |
| *USA, Washington, Seattle | 81 | 0.5 | 0.06 | 0.04 | 0.01 | 14 | 0.1 | 0.02 | 0.00 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Kaposi sarcoma (C46) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 14 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| USA, Wyoming | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| Brunei Darussalam | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Beijing City | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.00 | 0.00 | 0.00 |
| *China, Binhai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Cangzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Changfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Changzhou City | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| China, Chengdu City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Cixian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Cixi City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Dafeng District, Yancheng City | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Dalian City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dancheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Dangtu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Donggang County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongguan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Donghai County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongtai City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Fangcheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Feicheng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Feixi County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Fuqing City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganyu District, Lianyungang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganzhou District, Zhangye City | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Gaocheng City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Gaomi City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.11 | 0.01 | 0.01 |
| China, Gong'an County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Guang'an District, Guang'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Guanghan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | 4 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Guanyun County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Guilin City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hai'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Hailar District, Hulun Buir City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Haimen District, Nantong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Haining City | 1 | 0.0 | 0.03 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Hangzhou City | 7 | 0.0 | 0.01 | 0.00 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Hebi City | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Hefei City | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Hongshan District, Chifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiange County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiangyin City | 3 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiashan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.09 | 0.03 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiyuan City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kaposi sarcoma (C46) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 2 | 0.2 | 0.17 | 0.01 | 0.01 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| China, Kunshan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Langzhong City | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.2 | 0.21 | 0.01 | 0.01 |
| *China, Liangshan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Lianshui County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Lianyungang City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Linqu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Linzhou City | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Liuzhou City | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Liyang City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Longquan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Lucheng District, Wenzhou City | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Luoding City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Luohe City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Luoyang City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Luquan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Ma'anshan City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Macheng City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Mengjin County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Nangang District, Harbin City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Nanhai District, Foshan City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Nanhu District, Jiaxing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Nantong City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Nanxiong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Neixiang County | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qingzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Rudong County | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Rugao City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Rural areas of Shanghai City | 8 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Ruyang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Shanghai City | 5 | 0.0 | 0.01 | 0.00 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Shangyu District, Shaoxing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shapingba District, Chongqing City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Shexian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Sheyang County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| China, Shunde District, Foshan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Song County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 5 | 0.0 | 0.01 | 0.00 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Tengzhou City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wangdu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wan'ai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuhan City | 5 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wuhu City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuxi City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Wuzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Xiangfu District, Kaifeng City | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Xianju County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xin'an County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xining City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Xinji City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinluo District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Xiping County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xishan District, Kunming City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xuyi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ya'an City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Yakeshi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yancheng City | 15 | 0.3 | 0.07 | 0.03 | 0.01 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Yangquan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yanshi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yanting County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kaposi sarcoma (C46) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|----------|------|------|--------|------------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | | | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.11 | 0.03 | 0.03 |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yongkang City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yunyang District, Shiyao City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhanhuang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhaoyuan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhengding County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Zhongxiang City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Zhuanghe City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhuhai City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Ahmedabad, Urban | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Chennai | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Dibrugarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Dindigul, Ambilikai | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kamrup Urban District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kollam | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Manipur | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Meghalaya | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mizoram | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | 1 | 0.0 | 0.00 | 0.00 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, New Delhi | 4 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| India, Poona | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Tamil Nadu | 7 | 0.0 | 0.00 | 0.00 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Trivandrum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Wardha | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, West Arunachal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 11 | 0.5 | 0.16 | 0.05 | 0.02 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 5 | 0.3 | 0.12 | 0.04 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.00 |
| Israel | 381 | 1.3 | 0.07 | 0.15 | 0.01 | 155 | 0.4 | 0.03 | 0.04 | 0.01 |
| *Israel: Jews | 364 | 1.5 | 0.08 | 0.17 | 0.01 | 142 | 0.4 | 0.04 | 0.04 | 0.01 |
| *Israel: Arabs | 12 | 0.4 | 0.12 | 0.03 | 0.01 | 13 | 0.4 | 0.11 | 0.04 | 0.02 |
| Japan | 133 | 0.0 | 0.00 | 0.00 | 0.00 | 13 | 0.0 | 0.00 | 0.00 | 0.00 |
| Japan, Aichi Prefecture | 5 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Japan, Akita Prefecture | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Japan, Aomori Prefecture | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Japan, Gunma Prefecture | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Japan, Hiroshima Prefecture | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Japan, Miyagi Prefecture | 1 | 0.0 | 0.00 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Japan, Osaka Prefecture | 15 | 0.1 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| Kuwait | 11 | 0.3 | 0.09 | 0.05 | 0.02 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Kuwait: Kuwaitis | 8 | 0.6 | 0.21 | 0.12 | 0.04 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Kuwait: Non-Kuwaitis | 3 | 0.1 | 0.10 | 0.00 | 0.00 | 2 | 0.2 | 0.16 | 0.03 | 0.03 |
| *Philippines, Manila | 13 | 0.1 | 0.02 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Qatar: Qatari | 3 | 0.6 | 0.38 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 222 | 0.1 | 0.01 | 0.01 | 0.00 | 76 | 0.0 | 0.00 | 0.00 | 0.00 |
| *Republic of Korea, Busan | 8 | 0.1 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Republic of Korea, Daegu | 12 | 0.1 | 0.04 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Republic of Korea, Daejeon | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Republic of Korea, Gwangju | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Republic of Korea, Incheon | 25 | 0.2 | 0.05 | 0.03 | 0.01 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| Republic of Korea, Jeju | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| Republic of Korea, Seoul | 65 | 0.2 | 0.02 | 0.02 | 0.00 | 17 | 0.0 | 0.01 | 0.00 | 0.00 |
| Republic of Korea, Ulsan | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Singapore | 25 | 0.2 | 0.04 | 0.02 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Singapore: Chinese | 15 | 0.2 | 0.04 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Singapore: Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Kaposi sarcoma (C46) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 6 | 0.4 | 0.16 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Thailand, Bangkok | 18 | 0.1 | 0.02 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Thailand, Chiang Mai | 15 | 0.4 | 0.09 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Thailand, Khon Kaen | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Thailand, Lampang | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Thailand, Lopburi Province | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *Thailand, Songkhla | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Antalya | 54 | 0.9 | 0.12 | 0.09 | 0.02 | 30 | 0.4 | 0.08 | 0.03 | 0.01 |
| Turkey, Bursa | 56 | 0.7 | 0.09 | 0.08 | 0.01 | 21 | 0.2 | 0.05 | 0.02 | 0.01 |
| *Turkey, Edirne | 14 | 0.9 | 0.23 | 0.13 | 0.04 | 13 | 0.7 | 0.19 | 0.08 | 0.03 |
| *Turkey, Erzurum | 14 | 0.7 | 0.19 | 0.06 | 0.02 | 8 | 0.4 | 0.14 | 0.05 | 0.02 |
| Turkey, Eskişehir | 21 | 0.8 | 0.17 | 0.09 | 0.03 | 10 | 0.3 | 0.08 | 0.01 | 0.01 |
| Turkey, Gaziantep | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| *Turkey, Izmir | 95 | 0.7 | 0.07 | 0.07 | 0.01 | 39 | 0.2 | 0.04 | 0.03 | 0.01 |
| Turkey, Malatya | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| Turkey, Samsun | 52 | 1.2 | 0.17 | 0.13 | 0.02 | 27 | 0.5 | 0.10 | 0.05 | 0.01 |
| Turkey, Trabzon | 30 | 1.2 | 0.22 | 0.14 | 0.03 | 25 | 0.6 | 0.14 | 0.08 | 0.02 |
| Europe | | | | | | | | | | |
| Austria | 27 | 0.1 | 0.02 | 0.01 | 0.00 | 11 | 0.0 | 0.01 | 0.00 | 0.00 |
| Austria, Carinthia | 6 | 0.2 | 0.09 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Austria, Tyrol | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Austria, Vorarlberg | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Belarus | 84 | 0.3 | 0.03 | 0.03 | 0.00 | 43 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Belgium | 194 | 0.5 | 0.04 | 0.05 | 0.00 | 50 | 0.1 | 0.02 | 0.01 | 0.00 |
| Croatia | 39 | 0.2 | 0.03 | 0.02 | 0.00 | 13 | 0.1 | 0.02 | 0.01 | 0.00 |
| Cyprus | 17 | 0.6 | 0.14 | 0.06 | 0.02 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| *Czech Republic | 45 | 0.1 | 0.02 | 0.01 | 0.00 | 19 | 0.0 | 0.00 | 0.00 | 0.00 |
| Denmark | 20 | 0.1 | 0.02 | 0.01 | 0.00 | 0 | 0.0 | 0.00 | 0.00 | 0.00 |
| Estonia | 7 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.0 | 0.03 | 0.00 | 0.00 |
| Finland | 45 | 0.2 | 0.03 | 0.01 | 0.00 | 21 | 0.1 | 0.02 | 0.00 | 0.00 |
| *France, Bas-Rhin | 11 | 0.3 | 0.10 | 0.04 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *France, Calvados | 3 | 0.1 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.06 | 0.00 | 0.00 |
| *France, Doubs | 5 | 0.2 | 0.11 | 0.01 | 0.01 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |
| *France, Gironde | 31 | 0.5 | 0.10 | 0.06 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.00 |
| *France, Haut-Rhin | 14 | 0.4 | 0.13 | 0.03 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *France, Hérault | 20 | 0.5 | 0.12 | 0.04 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Isère | 22 | 0.3 | 0.08 | 0.03 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.01 |
| *France, Lille-Métropole | 11 | 0.4 | 0.13 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *France, Limousin | 5 | 0.3 | 0.15 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *France, Loire-Atlantique | 20 | 0.4 | 0.10 | 0.04 | 0.01 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| *France, Manche | 3 | 0.1 | 0.06 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *France, Poitou-Charentes | 33 | 0.5 | 0.09 | 0.05 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *France, Somme | 4 | 0.2 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *France, Tarn | 5 | 0.2 | 0.13 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *France, Territoire de Belfort | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | 6 | 0.2 | 0.09 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, Baden-Württemberg | 61 | 0.2 | 0.03 | 0.02 | 0.00 | 18 | 0.0 | 0.01 | 0.01 | 0.00 |
| Germany, Bavaria | 58 | 0.1 | 0.02 | 0.01 | 0.00 | 18 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, Bremen | 6 | 0.2 | 0.08 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| Germany, Hamburg | 19 | 0.2 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.00 |
| Germany, Lower Saxony | 44 | 0.1 | 0.02 | 0.01 | 0.00 | 14 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, North Rhine-Westphalia | 174 | 0.2 | 0.02 | 0.02 | 0.00 | 41 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, Rhineland-Palatinate | 17 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, Saarland | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Germany, Schleswig-Holstein | 16 | 0.1 | 0.02 | 0.01 | 0.00 | 2 | 0.0 | 0.00 | 0.00 | 0.00 |
| Iceland | 5 | 0.3 | 0.14 | 0.01 | 0.01 | 4 | 0.1 | 0.06 | 0.00 | 0.00 |
| Ireland | 38 | 0.2 | 0.04 | 0.02 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Italy, Aosta Valley | 2 | 0.2 | 0.12 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Italy, Avellino | 10 | 0.6 | 0.22 | 0.07 | 0.03 | 4 | 0.2 | 0.13 | 0.03 | 0.02 |
| Italy, Basilicata | 31 | 0.9 | 0.21 | 0.10 | 0.03 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Italy, Benevento | 14 | 1.2 | 0.38 | 0.11 | 0.04 | 6 | 0.3 | 0.14 | 0.03 | 0.02 |
| Italy, Bergamo | 77 | 1.4 | 0.18 | 0.14 | 0.02 | 25 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Italy, Brescia | 57 | 1.0 | 0.15 | 0.12 | 0.02 | 12 | 0.1 | 0.04 | 0.01 | 0.00 |
| Italy, Brianza (Lecco and Monza e Brianza) | 15 | 0.4 | 0.12 | 0.05 | 0.01 | 8 | 0.1 | 0.05 | 0.01 | 0.01 |
| Italy, Calabria | 35 | 1.1 | 0.21 | 0.13 | 0.03 | 15 | 0.3 | 0.10 | 0.03 | 0.01 |
| *Italy, Caserta | 48 | 1.5 | 0.23 | 0.19 | 0.03 | 27 | 0.5 | 0.11 | 0.06 | 0.02 |
| *Italy, Catania, Messina, and Enna | 79 | 0.8 | 0.10 | 0.08 | 0.01 | 32 | 0.2 | 0.05 | 0.03 | 0.01 |
| Italy, Emilia-Romagna | 165 | 0.8 | 0.07 | 0.09 | 0.01 | 67 | 0.2 | 0.04 | 0.02 | 0.00 |
| Italy, Friuli-Venezia Giulia | 17 | 0.2 | 0.07 | 0.03 | 0.01 | 7 | 0.1 | 0.03 | 0.00 | 0.00 |
| Italy, Genova | 29 | 0.8 | 0.18 | 0.08 | 0.02 | 14 | 0.1 | 0.03 | 0.00 | 0.00 |
| *Italy, Lombardy, South, Pavia | 17 | 0.4 | 0.13 | 0.03 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| Italy, Mantova and Cremona | 74 | 2.3 | 0.31 | 0.28 | 0.04 | 38 | 0.4 | 0.08 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kaposi sarcoma (C46) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 44 | 0.8 | <i>0.14</i> | 0.09 | <i>0.02</i> | 15 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| Italy, Milan | 158 | 1.0 | <i>0.09</i> | 0.11 | <i>0.01</i> | 54 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| Italy, Molise | 12 | 1.3 | <i>0.39</i> | 0.16 | <i>0.05</i> | 4 | 0.3 | <i>0.18</i> | 0.04 | <i>0.02</i> |
| *Italy, Naples Centre | 23 | 1.0 | <i>0.24</i> | 0.11 | <i>0.03</i> | 20 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| *Italy, Naples North | 40 | 1.2 | <i>0.19</i> | 0.17 | <i>0.03</i> | 16 | 0.4 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| *Italy, Naples South | 73 | 1.6 | <i>0.20</i> | 0.17 | <i>0.03</i> | 31 | 0.5 | <i>0.10</i> | 0.07 | <i>0.02</i> |
| *Italy, Nuoro | 9 | 1.1 | <i>0.46</i> | 0.11 | <i>0.06</i> | 2 | 0.1 | <i>0.07</i> | 0.00 | <i>0.00</i> |
| *Italy, Palermo | 43 | 0.7 | <i>0.11</i> | 0.07 | <i>0.01</i> | 23 | 0.2 | <i>0.06</i> | 0.04 | <i>0.01</i> |
| Italy, Puglia | 441 | 1.8 | <i>0.10</i> | 0.18 | <i>0.01</i> | 231 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> |
| *Italy, Ragusa and Caltanissetta | 36 | 1.1 | <i>0.21</i> | 0.11 | <i>0.03</i> | 13 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *Italy, Salerno | 35 | 0.7 | <i>0.13</i> | 0.07 | <i>0.02</i> | 20 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| Italy, Sassari | 17 | 1.8 | <i>0.48</i> | 0.16 | <i>0.05</i> | 6 | 0.2 | <i>0.07</i> | 0.00 | <i>0.00</i> |
| *Italy, Sondrio | 17 | 1.2 | <i>0.33</i> | 0.08 | <i>0.04</i> | 8 | 0.4 | <i>0.17</i> | 0.03 | <i>0.02</i> |
| Italy, South Tyrol | 13 | 0.5 | <i>0.16</i> | 0.05 | <i>0.02</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *Italy, Syracuse | 8 | 0.4 | <i>0.16</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Italy, Trento | 15 | 0.6 | <i>0.17</i> | 0.07 | <i>0.02</i> | 4 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| Italy, Turin | 105 | 0.7 | <i>0.09</i> | 0.08 | <i>0.01</i> | 35 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *Italy, Tuscany | 68 | 0.7 | <i>0.09</i> | 0.06 | <i>0.01</i> | 24 | 0.1 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Italy, Umbria | 4 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> | 7 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| Italy, Varese | 10 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Italy, Veneto | 122 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> | 35 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Latvia | 9 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> | 4 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| *Liechtenstein | 1 | 0.5 | <i>0.49</i> | 0.12 | <i>0.12</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Lithuania | 22 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> | 10 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Malta | 14 | 0.6 | <i>0.17</i> | 0.06 | <i>0.02</i> | 5 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| *The Netherlands | 203 | 0.3 | <i>0.03</i> | 0.04 | <i>0.00</i> | 30 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Norway | 29 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | 5 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Poland, Kielce | 2 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> | 2 | 0.0 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| *Portugal, Azores | 7 | 0.8 | <i>0.33</i> | 0.04 | <i>0.03</i> | 6 | 0.6 | <i>0.28</i> | 0.08 | <i>0.04</i> |
| Russian Federation, Arkhangelsk | 2 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> | 2 | 0.0 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Kaliningrad | 14 | 0.5 | <i>0.13</i> | 0.07 | <i>0.02</i> | 7 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| Russian Federation, Karelia | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 3 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *Russian Federation, Komi Republic | 3 | 0.1 | <i>0.06</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Russian Federation, Murmansk | 4 | 0.3 | <i>0.15</i> | 0.02 | <i>0.02</i> | 1 | 0.0 | <i>0.04</i> | 0.00 | <i>0.00</i> |
| *Russian Federation, Orenburg | 41 | 0.7 | <i>0.11</i> | 0.07 | <i>0.01</i> | 21 | 0.2 | <i>0.05</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Pskov | 1 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> | 6 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| *Russian Federation, Samara | 51 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> | 28 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Vologda Region | 3 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Slovenia | 7 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | 2 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Spain, Asturias | 16 | 0.6 | <i>0.18</i> | 0.05 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Spain, Basque Country | 47 | 0.6 | <i>0.10</i> | 0.06 | <i>0.01</i> | 14 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Spain, Canary Islands | 59 | 1.2 | <i>0.17</i> | 0.11 | <i>0.02</i> | 3 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| Spain, Castellón | 5 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | 1 | 0.0 | <i>0.05</i> | 0.00 | <i>0.00</i> |
| Spain, Girona | 17 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> | 3 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Spain, Granada | 23 | 0.5 | <i>0.12</i> | 0.04 | <i>0.01</i> | 6 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Spain, La Rioja | 4 | 0.3 | <i>0.16</i> | 0.04 | <i>0.02</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Spain, Murcia | 24 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> | 5 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> |
| Spain, Navarra | 9 | 0.5 | <i>0.18</i> | 0.04 | <i>0.01</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Spain, Salamanca | 14 | 0.6 | <i>0.20</i> | 0.08 | <i>0.03</i> | 6 | 0.2 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| Spain, Tarragona | 24 | 0.7 | <i>0.16</i> | 0.07 | <i>0.02</i> | 4 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Sweden | 59 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | 24 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Switzerland, Aargau | 4 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> | 2 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Switzerland, Basel | 7 | 0.3 | <i>0.13</i> | 0.03 | <i>0.02</i> | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Switzerland, Berne Solothurn | 5 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> | 2 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| Switzerland, East | 4 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Switzerland, Fribourg | 2 | 0.2 | <i>0.14</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Switzerland, Geneva | 15 | 0.8 | <i>0.22</i> | 0.11 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Switzerland, Graubünden and Glarus | 2 | 0.2 | <i>0.18</i> | 0.03 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Switzerland, Lucerne | 5 | 0.2 | <i>0.12</i> | 0.03 | <i>0.01</i> | 1 | 0.2 | <i>0.19</i> | 0.01 | <i>0.01</i> |
| *Switzerland, Neuchâtel and Jura | 3 | 0.2 | <i>0.11</i> | 0.02 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Switzerland, Ticino | 12 | 0.6 | <i>0.20</i> | 0.05 | <i>0.02</i> | 1 | 0.0 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| Switzerland, Valais | 2 | 0.2 | <i>0.13</i> | 0.02 | <i>0.01</i> | 2 | 0.2 | <i>0.16</i> | 0.02 | <i>0.01</i> |
| Switzerland, Vaud | 16 | 0.5 | <i>0.14</i> | 0.07 | <i>0.02</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Switzerland, Zurich and Zug | 38 | 0.7 | <i>0.12</i> | 0.07 | <i>0.01</i> | 3 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Ukraine | 111 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> | 51 | 0.0 | <i>0.00</i> | 0.00 | <i>0.00</i> |
| UK, England | 601 | 0.3 | <i>0.01</i> | 0.03 | <i>0.00</i> | 82 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| UK, Northern Ireland | 13 | 0.3 | <i>0.07</i> | 0.02 | <i>0.01</i> | 1 | 0.0 | <i>0.00</i> | 0.00 | <i>0.00</i> |
| UK, Scotland | 25 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| UK, Wales | 20 | 0.2 | <i>0.05</i> | 0.02 | <i>0.00</i> | 3 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 98 | 0.3 | <i>0.03</i> | 0.03 | <i>0.00</i> | 20 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *Australia, Northern Territory | 1 | 0.2 | <i>0.16</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Kaposi sarcoma (C46) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 1 | 0.2 | <i>0.18</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Northern Territory: Indigenous | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Queensland | 34 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> | 5 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Australia, South Australia | 9 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> | 5 | 0.0 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Australia, Tasmania | 1 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Victoria | 76 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> | 25 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *Australia, Western Australia | 15 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> | 3 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *France, New Caledonia | 3 | 0.4 | <i>0.20</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| New Zealand | 21 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> | 3 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *New Zealand: Maori | 3 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *New Zealand: Pacific peoples | 1 | 0.2 | <i>0.18</i> | 0.05 | <i>0.05</i> | 2 | 0.2 | <i>0.15</i> | 0.00 | <i>0.00</i> |
| *New Zealand: Other | 16 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| USA, Hawaii | 20 | 0.4 | <i>0.10</i> | 0.05 | <i>0.01</i> | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| USA, Hawaii: White | 10 | 0.7 | <i>0.25</i> | 0.08 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Japanese | 2 | 0.2 | <i>0.22</i> | 0.02 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Chinese | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 1 | 0.1 | <i>0.12</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Filipino | 2 | 0.3 | <i>0.19</i> | 0.02 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Connective and soft tissue (C47+C49)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 22 | 1.5 | 0.33 | 0.16 | 0.04 | 8 | 0.5 | 0.18 | 0.05 | 0.02 |
| *Algeria, Tizi Ouzou | 24 | 1.3 | 0.27 | 0.13 | 0.04 | 22 | 1.2 | 0.27 | 0.10 | 0.03 |
| *Benin, Cotonou | 3 | 0.3 | 0.19 | 0.03 | 0.02 | 3 | 0.4 | 0.22 | 0.04 | 0.03 |
| *France, La Réunion | 32 | 1.8 | 0.33 | 0.14 | 0.03 | 32 | 1.6 | 0.30 | 0.11 | 0.02 |
| *Kenya, Eldoret | 19 | 0.9 | 0.24 | 0.08 | 0.02 | 22 | 1.3 | 0.32 | 0.11 | 0.04 |
| *Kenya, Nairobi | 90 | 2.0 | 0.29 | 0.20 | 0.04 | 77 | 1.6 | 0.25 | 0.18 | 0.04 |
| Mauritius | 78 | 2.0 | 0.23 | 0.20 | 0.03 | 76 | 2.0 | 0.25 | 0.20 | 0.03 |
| *Morocco, Casablanca | 106 | 1.0 | 0.10 | 0.09 | 0.01 | 104 | 0.9 | 0.09 | 0.08 | 0.01 |
| *Seychelles | 1 | 0.4 | 0.45 | 0.03 | 0.03 | 3 | 1.3 | 0.74 | 0.13 | 0.08 |
| *South Africa, Eastern Cape | 8 | 0.6 | 0.23 | 0.06 | 0.03 | 10 | 0.7 | 0.21 | 0.07 | 0.02 |
| *Uganda, Kyadondo County | 82 | 2.0 | 0.32 | 0.22 | 0.05 | 105 | 2.3 | 0.31 | 0.21 | 0.04 |
| *Uganda, Gulu | 13 | 2.0 | 0.66 | 0.21 | 0.10 | 1 | 0.2 | 0.20 | 0.02 | 0.02 |
| *Zimbabwe, Bulawayo: African | 23 | 1.9 | 0.42 | 0.16 | 0.04 | 28 | 2.1 | 0.44 | 0.22 | 0.06 |
| *Zimbabwe, Harare: African | 74 | 2.7 | 0.36 | 0.23 | 0.04 | 67 | 2.4 | 0.34 | 0.20 | 0.04 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 33 | 1.5 | 0.27 | 0.15 | 0.03 | 20 | 0.8 | 0.19 | 0.08 | 0.02 |
| *Argentina, Mendoza | 116 | 2.4 | 0.23 | 0.25 | 0.03 | 115 | 2.1 | 0.21 | 0.20 | 0.02 |
| Brazil, Aracaju | 20 | 1.7 | 0.39 | 0.18 | 0.05 | 19 | 1.3 | 0.31 | 0.14 | 0.04 |
| *Brazil, Barretos | 18 | 1.4 | 0.35 | 0.11 | 0.03 | 15 | 1.1 | 0.32 | 0.09 | 0.03 |
| Brazil, Belo Horizonte | 136 | 2.0 | 0.18 | 0.21 | 0.02 | 146 | 1.7 | 0.15 | 0.16 | 0.02 |
| *Brazil, Campinas | 42 | 1.8 | 0.28 | 0.18 | 0.04 | 53 | 1.8 | 0.26 | 0.17 | 0.03 |
| *Brazil, Curitiba | 71 | 2.0 | 0.25 | 0.19 | 0.03 | 69 | 1.5 | 0.19 | 0.16 | 0.02 |
| Brazil, Goiânia | 61 | 2.3 | 0.30 | 0.24 | 0.04 | 71 | 2.1 | 0.26 | 0.19 | 0.03 |
| *Brazil, Jaú | 3 | 0.6 | 0.35 | 0.03 | 0.03 | 1 | 0.2 | 0.23 | 0.03 | 0.03 |
| Brazil, João Pessoa | 19 | 1.8 | 0.41 | 0.16 | 0.04 | 25 | 1.8 | 0.37 | 0.21 | 0.05 |
| Brazil, Recife | 42 | 1.9 | 0.31 | 0.17 | 0.03 | 50 | 1.5 | 0.23 | 0.13 | 0.02 |
| Chile, Region of Antofagasta | 14 | 1.4 | 0.38 | 0.12 | 0.04 | 14 | 1.4 | 0.37 | 0.12 | 0.04 |
| Chile, Valdivia | 19 | 1.6 | 0.39 | 0.14 | 0.04 | 23 | 1.6 | 0.36 | 0.17 | 0.04 |
| Colombia, Bucaramanga | 61 | 2.0 | 0.26 | 0.21 | 0.04 | 69 | 1.9 | 0.24 | 0.19 | 0.03 |
| Colombia, Cali | 176 | 2.9 | 0.22 | 0.27 | 0.03 | 176 | 2.4 | 0.19 | 0.23 | 0.02 |
| Colombia, Manizales | 22 | 1.7 | 0.36 | 0.17 | 0.05 | 26 | 1.7 | 0.34 | 0.18 | 0.04 |
| Colombia, Pasto | 15 | 1.5 | 0.39 | 0.16 | 0.05 | 17 | 1.3 | 0.34 | 0.11 | 0.03 |
| Costa Rica | 215 | 2.1 | 0.15 | 0.22 | 0.02 | 203 | 2.0 | 0.14 | 0.20 | 0.02 |
| Ecuador, Guayaquil | 149 | 2.5 | 0.21 | 0.26 | 0.03 | 106 | 1.7 | 0.16 | 0.17 | 0.02 |
| Ecuador, Manabí | 74 | 2.0 | 0.24 | 0.18 | 0.03 | 70 | 1.9 | 0.24 | 0.20 | 0.03 |
| Ecuador, Quito | 149 | 3.5 | 0.29 | 0.37 | 0.04 | 156 | 3.1 | 0.26 | 0.30 | 0.03 |
| *France, Guadeloupe | 12 | 0.7 | 0.23 | 0.06 | 0.02 | 12 | 0.8 | 0.25 | 0.08 | 0.02 |
| *France, Martinique | 11 | 0.6 | 0.22 | 0.07 | 0.03 | 10 | 0.5 | 0.21 | 0.06 | 0.02 |
| *Peru, Lima | 405 | 2.8 | 0.14 | 0.28 | 0.02 | 366 | 2.2 | 0.12 | 0.21 | 0.01 |
| *Trinidad and Tobago | 18 | 0.7 | 0.18 | 0.08 | 0.02 | 34 | 1.4 | 0.26 | 0.13 | 0.03 |
| USA, Puerto Rico | 269 | 2.2 | 0.15 | 0.21 | 0.01 | 212 | 1.4 | 0.11 | 0.14 | 0.01 |
| *Uruguay | 227 | 2.0 | 0.14 | 0.21 | 0.02 | 218 | 1.6 | 0.13 | 0.16 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 397 | 2.9 | 0.16 | 0.27 | 0.02 | 247 | 1.8 | 0.13 | 0.17 | 0.01 |
| Canada, British Columbia | 496 | 2.6 | 0.14 | 0.25 | 0.01 | 341 | 1.8 | 0.12 | 0.17 | 0.01 |
| *Canada, Manitoba | 129 | 2.7 | 0.26 | 0.23 | 0.03 | 101 | 2.1 | 0.25 | 0.20 | 0.02 |
| *Canada, New Brunswick | 78 | 2.7 | 0.37 | 0.25 | 0.03 | 62 | 1.9 | 0.30 | 0.19 | 0.03 |
| *Canada, Newfoundland and Labrador | 61 | 2.9 | 0.44 | 0.24 | 0.04 | 33 | 1.4 | 0.32 | 0.12 | 0.03 |
| Canada, Ontario | 1866 | 3.5 | 0.09 | 0.34 | 0.01 | 1384 | 2.6 | 0.08 | 0.24 | 0.01 |
| *Canada, Prince Edward Island | 21 | 3.3 | 0.86 | 0.32 | 0.09 | 15 | 2.0 | 0.57 | 0.27 | 0.08 |
| Canada, Quebec | 824 | 2.4 | 0.10 | 0.23 | 0.01 | 623 | 2.0 | 0.10 | 0.18 | 0.01 |
| Canada, Saskatchewan | 91 | 1.9 | 0.22 | 0.17 | 0.02 | 69 | 1.6 | 0.23 | 0.14 | 0.02 |
| *Canada, Yukon | 7 | 6.3 | 2.54 | 0.55 | 0.24 | 3 | 2.0 | 1.15 | 0.13 | 0.09 |
| USA | 34738 | 3.0 | 0.02 | 0.29 | 0.00 | 25884 | 2.2 | 0.02 | 0.21 | 0.00 |
| USA: White | 29766 | 3.1 | 0.02 | 0.30 | 0.00 | 21078 | 2.2 | 0.02 | 0.21 | 0.00 |
| USA: Black | 3076 | 2.6 | 0.05 | 0.26 | 0.01 | 3302 | 2.3 | 0.04 | 0.22 | 0.00 |
| USA, NPCR | 33538 | 3.0 | 0.02 | 0.29 | 0.00 | 25040 | 2.2 | 0.02 | 0.21 | 0.00 |
| USA, NPCR: White | 28775 | 3.1 | 0.02 | 0.30 | 0.00 | 20399 | 2.2 | 0.02 | 0.21 | 0.00 |
| USA, NPCR: Black | 3026 | 2.6 | 0.05 | 0.26 | 0.01 | 3272 | 2.3 | 0.04 | 0.22 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 1116 | 2.1 | 0.07 | 0.21 | 0.01 | 976 | 1.6 | 0.06 | 0.15 | 0.01 |
| USA, NPCR: American Indian | 173 | 1.6 | 0.12 | 0.15 | 0.01 | 137 | 1.1 | 0.10 | 0.10 | 0.01 |
| *USA, SEER (18 registries) | 10027 | 3.2 | 0.03 | 0.31 | 0.00 | 7210 | 2.2 | 0.03 | 0.22 | 0.00 |
| *USA, SEER (18 registries): White | 8289 | 3.3 | 0.04 | 0.32 | 0.00 | 5592 | 2.3 | 0.04 | 0.22 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 7046 | 3.4 | 0.05 | 0.33 | 0.01 | 4463 | 2.3 | 0.04 | 0.22 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 1243 | 2.7 | 0.08 | 0.28 | 0.01 | 1129 | 2.3 | 0.07 | 0.23 | 0.01 |
| *USA, SEER (18 registries): Black | 778 | 2.5 | 0.09 | 0.25 | 0.01 | 851 | 2.3 | 0.08 | 0.22 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 694 | 2.3 | 0.09 | 0.23 | 0.01 | 598 | 1.7 | 0.08 | 0.17 | 0.01 |
| *USA, SEER (9 registries) | 3519 | 3.2 | 0.06 | 0.31 | 0.01 | 2471 | 2.2 | 0.05 | 0.21 | 0.01 |
| *USA, SEER (9 registries): White | 2868 | 3.3 | 0.07 | 0.32 | 0.01 | 1865 | 2.3 | 0.06 | 0.21 | 0.01 |
| *USA, SEER (9 registries): Black | 274 | 2.6 | 0.16 | 0.25 | 0.02 | 295 | 2.3 | 0.14 | 0.21 | 0.01 |
| USA, Alabama | 557 | 3.1 | 0.15 | 0.30 | 0.02 | 451 | 2.4 | 0.13 | 0.23 | 0.01 |
| USA, Alabama: White | 454 | 3.3 | 0.18 | 0.31 | 0.02 | 320 | 2.3 | 0.16 | 0.22 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Connective and soft tissue (C47+C49) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 93 | 2.6 | 0.28 | 0.27 | 0.03 | 118 | 2.5 | 0.25 | 0.24 | 0.03 |
| USA, Alaska | 82 | 3.4 | 0.39 | 0.35 | 0.04 | 44 | 2.0 | 0.31 | 0.20 | 0.03 |
| *USA, Alaska: Alaska Natives | 13 | 4.0 | 1.11 | 0.43 | 0.14 | 4 | 1.3 | 0.65 | 0.10 | 0.06 |
| USA, Arizona | 715 | 2.8 | 0.12 | 0.28 | 0.01 | 470 | 1.8 | 0.10 | 0.17 | 0.01 |
| USA, Arizona: White | 649 | 2.8 | 0.13 | 0.28 | 0.01 | 419 | 1.8 | 0.11 | 0.17 | 0.01 |
| USA, Arizona: Black | 24 | 2.6 | 0.54 | 0.26 | 0.07 | 16 | 1.5 | 0.39 | 0.15 | 0.05 |
| *USA, Arizona: Asian and Pacific Islander | 16 | 2.5 | 0.65 | 0.22 | 0.07 | 17 | 2.0 | 0.54 | 0.21 | 0.06 |
| USA, Arizona: American Indian | 23 | 2.4 | 0.50 | 0.20 | 0.05 | 17 | 1.6 | 0.40 | 0.14 | 0.04 |
| USA, Arkansas | 290 | 2.7 | 0.17 | 0.26 | 0.02 | 236 | 2.1 | 0.16 | 0.20 | 0.02 |
| USA, Arkansas: White | 240 | 2.6 | 0.19 | 0.25 | 0.02 | 198 | 2.1 | 0.18 | 0.20 | 0.02 |
| USA, Arkansas: Black | 43 | 3.4 | 0.53 | 0.33 | 0.06 | 34 | 2.3 | 0.41 | 0.21 | 0.04 |
| USA, California | 4515 | 3.3 | 0.05 | 0.33 | 0.01 | 3222 | 2.3 | 0.05 | 0.23 | 0.00 |
| USA, California: White | 3699 | 3.5 | 0.06 | 0.35 | 0.01 | 2527 | 2.4 | 0.05 | 0.24 | 0.01 |
| USA, California: Black | 230 | 2.9 | 0.20 | 0.28 | 0.02 | 236 | 2.6 | 0.18 | 0.26 | 0.02 |
| USA, California: Asian and Pacific Islander | 454 | 2.3 | 0.12 | 0.23 | 0.01 | 391 | 1.7 | 0.10 | 0.16 | 0.01 |
| *USA, California, Los Angeles County | 1042 | 3.1 | 0.10 | 0.31 | 0.01 | 818 | 2.3 | 0.09 | 0.24 | 0.01 |
| *USA, California, Los Angeles County: White | 796 | 3.2 | 0.12 | 0.32 | 0.01 | 590 | 2.4 | 0.11 | 0.24 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 483 | 3.5 | 0.19 | 0.36 | 0.02 | 289 | 2.4 | 0.18 | 0.24 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 313 | 2.7 | 0.15 | 0.27 | 0.02 | 301 | 2.4 | 0.14 | 0.24 | 0.02 |
| *USA, California, Los Angeles County: Black | 78 | 2.8 | 0.34 | 0.28 | 0.04 | 99 | 2.8 | 0.31 | 0.30 | 0.03 |
| *USA, California, Los Angeles County: Chinese | 39 | 2.1 | 0.41 | 0.24 | 0.05 | 19 | 1.1 | 0.32 | 0.10 | 0.03 |
| *USA, California, Los Angeles County: Filipino | 29 | 2.2 | 0.43 | 0.25 | 0.06 | 32 | 1.9 | 0.38 | 0.23 | 0.04 |
| *USA, California, Los Angeles County: Korean | 14 | 1.9 | 0.51 | 0.22 | 0.06 | 13 | 1.3 | 0.38 | 0.16 | 0.05 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 135 | 2.5 | 0.24 | 0.26 | 0.03 | 109 | 1.7 | 0.18 | 0.18 | 0.02 |
| *USA, California, San Francisco Bay Area | 610 | 3.5 | 0.16 | 0.34 | 0.02 | 410 | 2.3 | 0.14 | 0.21 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 459 | 3.9 | 0.20 | 0.39 | 0.02 | 269 | 2.4 | 0.17 | 0.22 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 392 | 4.1 | 0.25 | 0.40 | 0.03 | 212 | 2.5 | 0.22 | 0.22 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 67 | 2.9 | 0.37 | 0.29 | 0.05 | 57 | 2.4 | 0.32 | 0.23 | 0.04 |
| *USA, California, San Francisco Bay Area: Black | 34 | 2.6 | 0.46 | 0.25 | 0.05 | 47 | 3.4 | 0.58 | 0.29 | 0.05 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 96 | 2.3 | 0.26 | 0.21 | 0.03 | 84 | 1.7 | 0.23 | 0.15 | 0.02 |
| USA, Colorado | 517 | 2.8 | 0.13 | 0.28 | 0.01 | 359 | 2.0 | 0.12 | 0.17 | 0.01 |
| USA, Colorado: White | 489 | 2.8 | 0.14 | 0.28 | 0.02 | 332 | 2.0 | 0.13 | 0.17 | 0.01 |
| *USA, Colorado: Black | 16 | 2.1 | 0.54 | 0.22 | 0.07 | 17 | 2.6 | 0.64 | 0.27 | 0.08 |
| *USA, Colorado: Asian and Pacific Islander | 9 | 1.7 | 0.61 | 0.13 | 0.05 | 7 | 0.9 | 0.36 | 0.07 | 0.04 |
| USA, Connecticut | 436 | 3.2 | 0.17 | 0.32 | 0.02 | 316 | 2.1 | 0.14 | 0.21 | 0.01 |
| USA, Connecticut: White | 387 | 3.2 | 0.19 | 0.32 | 0.02 | 269 | 2.1 | 0.16 | 0.20 | 0.02 |
| USA, Connecticut: Black | 32 | 2.8 | 0.49 | 0.30 | 0.06 | 28 | 1.9 | 0.37 | 0.18 | 0.04 |
| USA, District of Columbia | 55 | 2.9 | 0.42 | 0.30 | 0.05 | 49 | 2.2 | 0.37 | 0.19 | 0.03 |
| USA, District of Columbia: White | 23 | 2.6 | 0.58 | 0.35 | 0.08 | 19 | 2.7 | 0.73 | 0.18 | 0.05 |
| USA, District of Columbia: Black | 31 | 3.0 | 0.59 | 0.27 | 0.06 | 29 | 2.1 | 0.43 | 0.22 | 0.05 |
| USA, Florida | 2621 | 3.1 | 0.07 | 0.31 | 0.01 | 1961 | 2.5 | 0.07 | 0.24 | 0.01 |
| USA, Florida: White | 2302 | 3.3 | 0.08 | 0.32 | 0.01 | 1618 | 2.4 | 0.08 | 0.23 | 0.01 |
| USA, Florida: Black | 250 | 2.6 | 0.17 | 0.25 | 0.02 | 270 | 2.5 | 0.16 | 0.23 | 0.02 |
| USA, Florida: Asian and Pacific Islander | 25 | 1.2 | 0.25 | 0.13 | 0.03 | 46 | 2.1 | 0.34 | 0.22 | 0.04 |
| USA, Georgia | 948 | 2.9 | 0.10 | 0.29 | 0.01 | 792 | 2.3 | 0.09 | 0.21 | 0.01 |
| USA, Georgia: White | 720 | 3.2 | 0.13 | 0.31 | 0.01 | 507 | 2.2 | 0.11 | 0.21 | 0.01 |
| USA, Georgia: Black | 197 | 2.3 | 0.17 | 0.25 | 0.02 | 259 | 2.4 | 0.16 | 0.22 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 26 | 2.3 | 0.45 | 0.24 | 0.05 | 16 | 1.4 | 0.38 | 0.13 | 0.04 |
| *USA, Georgia, Atlanta | 320 | 3.1 | 0.18 | 0.29 | 0.02 | 274 | 2.3 | 0.15 | 0.21 | 0.02 |
| *USA, Georgia, Atlanta: White | 215 | 3.6 | 0.27 | 0.33 | 0.03 | 144 | 2.3 | 0.21 | 0.22 | 0.02 |
| *USA, Georgia, Atlanta: Black | 86 | 2.4 | 0.26 | 0.24 | 0.03 | 115 | 2.3 | 0.23 | 0.21 | 0.02 |
| USA, Idaho | 157 | 2.5 | 0.21 | 0.24 | 0.02 | 143 | 2.6 | 0.24 | 0.23 | 0.02 |
| USA, Indiana | 642 | 2.8 | 0.12 | 0.27 | 0.01 | 507 | 2.2 | 0.11 | 0.21 | 0.01 |
| USA, Indiana: White | 597 | 2.8 | 0.13 | 0.28 | 0.01 | 447 | 2.2 | 0.12 | 0.20 | 0.01 |
| USA, Indiana: Black | 38 | 2.3 | 0.37 | 0.22 | 0.04 | 54 | 2.7 | 0.37 | 0.28 | 0.04 |
| *USA, Iowa | 387 | 3.3 | 0.19 | 0.29 | 0.02 | 248 | 2.0 | 0.15 | 0.18 | 0.01 |
| USA, Kentucky | 486 | 3.0 | 0.15 | 0.31 | 0.02 | 308 | 1.8 | 0.12 | 0.17 | 0.01 |
| USA, Louisiana | 556 | 3.3 | 0.15 | 0.32 | 0.02 | 370 | 2.2 | 0.13 | 0.21 | 0.01 |
| USA, Louisiana: White | 456 | 3.7 | 0.20 | 0.36 | 0.02 | 256 | 2.2 | 0.16 | 0.21 | 0.02 |
| USA, Louisiana: Black | 93 | 2.3 | 0.24 | 0.22 | 0.03 | 107 | 2.3 | 0.23 | 0.22 | 0.02 |
| *USA, Louisiana, New Orleans | 91 | 3.0 | 0.33 | 0.33 | 0.04 | 77 | 2.6 | 0.35 | 0.26 | 0.03 |
| *USA, Louisiana, New Orleans: White | 65 | 3.2 | 0.44 | 0.37 | 0.05 | 48 | 2.8 | 0.51 | 0.29 | 0.05 |
| *USA, Louisiana, New Orleans: Black | 20 | 2.1 | 0.48 | 0.23 | 0.06 | 25 | 2.2 | 0.48 | 0.21 | 0.05 |
| USA, Maine | 169 | 2.9 | 0.28 | 0.26 | 0.03 | 133 | 2.4 | 0.26 | 0.22 | 0.02 |
| USA, Maryland | 604 | 3.0 | 0.13 | 0.29 | 0.01 | 478 | 2.2 | 0.12 | 0.21 | 0.01 |
| USA, Maryland: White | 440 | 3.2 | 0.17 | 0.32 | 0.02 | 312 | 2.2 | 0.15 | 0.21 | 0.01 |
| USA, Maryland: Black | 138 | 2.6 | 0.23 | 0.25 | 0.03 | 142 | 2.3 | 0.21 | 0.21 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | 22 | 2.1 | 0.49 | 0.19 | 0.05 | 22 | 1.7 | 0.40 | 0.16 | 0.04 |
| USA, Massachusetts | 716 | 2.9 | 0.12 | 0.28 | 0.01 | 516 | 2.0 | 0.11 | 0.18 | 0.01 |
| USA, Massachusetts: White | 631 | 2.9 | 0.13 | 0.28 | 0.01 | 442 | 2.0 | 0.11 | 0.18 | 0.01 |
| USA, Massachusetts: Black | 37 | 2.2 | 0.37 | 0.20 | 0.04 | 37 | 2.0 | 0.34 | 0.21 | 0.04 |
| USA, Massachusetts: Asian and Pacific Islander | 27 | 2.4 | 0.49 | 0.27 | 0.06 | 23 | 2.0 | 0.46 | 0.18 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Connective and soft tissue (C47+C49) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 1127 | 3.0 | 0.10 | 0.29 | 0.01 | 822 | 2.1 | 0.09 | 0.21 | 0.01 |
| USA, Michigan: White | 957 | 2.9 | 0.11 | 0.28 | 0.01 | 665 | 2.0 | 0.10 | 0.20 | 0.01 |
| USA, Michigan: Black | 114 | 2.8 | 0.27 | 0.27 | 0.03 | 115 | 2.3 | 0.23 | 0.23 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | 18 | 2.0 | 0.48 | 0.15 | 0.04 | 16 | 2.0 | 0.53 | 0.18 | 0.05 |
| *USA, Michigan, Detroit | 402 | 2.9 | 0.16 | 0.28 | 0.02 | 332 | 2.2 | 0.14 | 0.21 | 0.01 |
| *USA, Michigan, Detroit: White | 313 | 3.0 | 0.20 | 0.29 | 0.02 | 235 | 2.2 | 0.18 | 0.21 | 0.02 |
| *USA, Michigan, Detroit: Black | 74 | 2.7 | 0.32 | 0.25 | 0.03 | 85 | 2.3 | 0.27 | 0.24 | 0.03 |
| USA, Minnesota | 674 | 3.4 | 0.15 | 0.31 | 0.02 | 490 | 2.7 | 0.14 | 0.24 | 0.01 |
| USA, Minnesota: White | 627 | 3.4 | 0.16 | 0.31 | 0.02 | 453 | 2.8 | 0.16 | 0.24 | 0.01 |
| USA, Minnesota: Black | 22 | 2.5 | 0.55 | 0.25 | 0.07 | 15 | 1.6 | 0.42 | 0.11 | 0.04 |
| *USA, Minnesota: Asian and Pacific Islander | 12 | 1.7 | 0.52 | 0.16 | 0.07 | 13 | 2.1 | 0.60 | 0.14 | 0.04 |
| USA, Mississippi | 306 | 3.0 | 0.19 | 0.30 | 0.02 | 230 | 2.1 | 0.16 | 0.19 | 0.01 |
| USA, Missouri | 616 | 2.9 | 0.13 | 0.28 | 0.01 | 460 | 2.0 | 0.11 | 0.19 | 0.01 |
| USA, Missouri: White | 554 | 2.9 | 0.14 | 0.28 | 0.01 | 400 | 1.9 | 0.12 | 0.19 | 0.01 |
| USA, Missouri: Black | 53 | 2.7 | 0.38 | 0.29 | 0.05 | 56 | 2.3 | 0.32 | 0.23 | 0.04 |
| USA, Montana | 95 | 2.3 | 0.27 | 0.23 | 0.03 | 92 | 2.4 | 0.29 | 0.22 | 0.03 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 4 | 1.8 | 0.90 | 0.14 | 0.08 |
| USA, Nebraska | 231 | 3.3 | 0.24 | 0.32 | 0.03 | 129 | 1.9 | 0.20 | 0.16 | 0.02 |
| USA, Nebraska: White | 216 | 3.2 | 0.24 | 0.32 | 0.03 | 118 | 1.9 | 0.21 | 0.16 | 0.02 |
| *USA, Nebraska: Black | 7 | 2.9 | 1.10 | 0.34 | 0.15 | 4 | 1.5 | 0.76 | 0.10 | 0.06 |
| USA, Nevada | 306 | 2.9 | 0.18 | 0.30 | 0.02 | 232 | 2.1 | 0.15 | 0.23 | 0.02 |
| USA, Nevada: White | 266 | 3.1 | 0.21 | 0.31 | 0.02 | 176 | 2.0 | 0.17 | 0.22 | 0.02 |
| USA, Nevada: Black | 18 | 2.2 | 0.54 | 0.25 | 0.07 | 23 | 2.6 | 0.54 | 0.28 | 0.06 |
| *USA, Nevada: Asian and Pacific Islander | 19 | 2.1 | 0.56 | 0.20 | 0.06 | 27 | 2.2 | 0.43 | 0.24 | 0.05 |
| USA, New Jersey | 1033 | 3.1 | 0.11 | 0.30 | 0.01 | 800 | 2.3 | 0.09 | 0.23 | 0.01 |
| USA, New Jersey: White | 890 | 3.4 | 0.13 | 0.32 | 0.01 | 653 | 2.4 | 0.11 | 0.24 | 0.01 |
| USA, New Jersey: Black | 86 | 2.3 | 0.25 | 0.23 | 0.03 | 105 | 2.3 | 0.23 | 0.23 | 0.03 |
| USA, New Mexico | 209 | 2.6 | 0.20 | 0.27 | 0.02 | 161 | 2.1 | 0.19 | 0.22 | 0.02 |
| USA, New Mexico: White | 179 | 2.5 | 0.21 | 0.26 | 0.02 | 140 | 2.2 | 0.21 | 0.22 | 0.02 |
| USA, New Mexico: Non-Hispanic White | 108 | 2.4 | 0.30 | 0.25 | 0.03 | 76 | 2.0 | 0.32 | 0.20 | 0.03 |
| USA, New Mexico: Hispanic White | 71 | 2.5 | 0.31 | 0.26 | 0.04 | 64 | 2.3 | 0.29 | 0.23 | 0.03 |
| *USA, New Mexico: American Indian | 17 | 2.8 | 0.70 | 0.23 | 0.08 | 17 | 2.4 | 0.60 | 0.23 | 0.06 |
| USA, New York State | 2303 | 3.2 | 0.07 | 0.32 | 0.01 | 1678 | 2.2 | 0.06 | 0.21 | 0.01 |
| USA, New York State: White | 1885 | 3.4 | 0.09 | 0.33 | 0.01 | 1293 | 2.2 | 0.08 | 0.21 | 0.01 |
| USA, New York State: Black | 266 | 2.7 | 0.17 | 0.26 | 0.02 | 281 | 2.2 | 0.14 | 0.21 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 127 | 2.3 | 0.22 | 0.24 | 0.03 | 90 | 1.5 | 0.17 | 0.13 | 0.02 |
| USA, North Carolina | 1007 | 2.8 | 0.10 | 0.28 | 0.01 | 819 | 2.0 | 0.08 | 0.20 | 0.01 |
| USA, North Carolina: White | 823 | 2.9 | 0.11 | 0.29 | 0.01 | 624 | 2.0 | 0.10 | 0.21 | 0.01 |
| USA, North Carolina: Black | 149 | 2.4 | 0.20 | 0.24 | 0.02 | 165 | 2.0 | 0.16 | 0.20 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | 9 | 1.2 | 0.41 | 0.15 | 0.06 | 15 | 1.7 | 0.44 | 0.16 | 0.05 |
| *USA, North Carolina: American Indian | 10 | 2.3 | 0.74 | 0.24 | 0.10 | 7 | 1.3 | 0.50 | 0.13 | 0.06 |
| USA, North Dakota | 65 | 2.4 | 0.33 | 0.26 | 0.04 | 42 | 1.5 | 0.28 | 0.14 | 0.03 |
| USA, Ohio | 1251 | 2.9 | 0.09 | 0.28 | 0.01 | 980 | 2.2 | 0.09 | 0.21 | 0.01 |
| USA, Ohio: White | 1102 | 2.9 | 0.10 | 0.27 | 0.01 | 833 | 2.2 | 0.09 | 0.21 | 0.01 |
| USA, Ohio: Black | 124 | 2.9 | 0.27 | 0.29 | 0.03 | 123 | 2.4 | 0.23 | 0.23 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 10 | 1.7 | 0.56 | 0.21 | 0.07 | 13 | 1.7 | 0.50 | 0.12 | 0.04 |
| USA, Oklahoma | 348 | 2.6 | 0.15 | 0.25 | 0.02 | 270 | 1.8 | 0.13 | 0.17 | 0.01 |
| USA, Oklahoma: White | 301 | 2.7 | 0.18 | 0.26 | 0.02 | 213 | 1.8 | 0.15 | 0.17 | 0.01 |
| USA, Oklahoma: Black | 16 | 1.8 | 0.47 | 0.19 | 0.06 | 27 | 2.7 | 0.53 | 0.28 | 0.06 |
| USA, Oklahoma: American Indian | 22 | 2.1 | 0.44 | 0.18 | 0.05 | 19 | 1.4 | 0.34 | 0.08 | 0.03 |
| USA, Oregon | 441 | 2.9 | 0.15 | 0.30 | 0.02 | 343 | 2.3 | 0.15 | 0.22 | 0.01 |
| USA, Oregon: White | 412 | 2.9 | 0.16 | 0.30 | 0.02 | 321 | 2.3 | 0.16 | 0.22 | 0.01 |
| *USA, Oregon: Black | 5 | 1.8 | 0.79 | 0.15 | 0.07 | 2 | 1.0 | 0.70 | 0.04 | 0.03 |
| *USA, Oregon: Asian and Pacific Islander | 15 | 2.5 | 0.66 | 0.34 | 0.11 | 12 | 1.6 | 0.50 | 0.14 | 0.05 |
| USA, Rhode Island | 118 | 2.8 | 0.28 | 0.29 | 0.03 | 95 | 2.3 | 0.30 | 0.21 | 0.03 |
| USA, Rhode Island: White | 110 | 2.8 | 0.31 | 0.30 | 0.04 | 91 | 2.6 | 0.35 | 0.22 | 0.03 |
| *USA, Rhode Island: Black | 7 | 3.0 | 1.13 | 0.26 | 0.12 | 2 | 0.9 | 0.63 | 0.17 | 0.13 |
| USA, South Carolina | 534 | 3.1 | 0.15 | 0.30 | 0.02 | 368 | 1.9 | 0.11 | 0.19 | 0.01 |
| USA, South Carolina: White | 432 | 3.3 | 0.18 | 0.32 | 0.02 | 267 | 1.9 | 0.14 | 0.19 | 0.01 |
| USA, South Carolina: Black | 95 | 2.5 | 0.27 | 0.27 | 0.03 | 94 | 1.9 | 0.21 | 0.20 | 0.02 |
| USA, South Dakota | 76 | 2.4 | 0.31 | 0.19 | 0.03 | 63 | 1.7 | 0.26 | 0.16 | 0.03 |
| USA, Tennessee | 712 | 3.1 | 0.13 | 0.30 | 0.01 | 529 | 2.2 | 0.11 | 0.20 | 0.01 |
| USA, Tennessee: White | 610 | 3.0 | 0.14 | 0.30 | 0.01 | 435 | 2.2 | 0.13 | 0.20 | 0.01 |
| USA, Tennessee: Black | 94 | 3.2 | 0.33 | 0.31 | 0.04 | 85 | 2.2 | 0.25 | 0.21 | 0.03 |
| USA, Texas | 2268 | 2.7 | 0.06 | 0.27 | 0.01 | 1724 | 1.9 | 0.05 | 0.18 | 0.01 |
| USA, Texas: White | 1975 | 2.7 | 0.06 | 0.28 | 0.01 | 1434 | 1.9 | 0.06 | 0.18 | 0.01 |
| USA, Texas: Black | 220 | 2.5 | 0.17 | 0.24 | 0.02 | 240 | 2.2 | 0.15 | 0.23 | 0.02 |
| USA, Texas: Asian and Pacific Islander | 57 | 1.6 | 0.22 | 0.13 | 0.02 | 44 | 1.1 | 0.17 | 0.11 | 0.02 |
| USA, Utah | 279 | 3.1 | 0.19 | 0.32 | 0.02 | 214 | 2.5 | 0.18 | 0.24 | 0.02 |
| USA, Vermont | 86 | 3.1 | 0.37 | 0.31 | 0.04 | 53 | 2.7 | 0.43 | 0.22 | 0.03 |
| USA, Washington State | 987 | 3.6 | 0.13 | 0.33 | 0.01 | 584 | 2.2 | 0.11 | 0.22 | 0.01 |
| *USA, Washington, Seattle | 708 | 3.7 | 0.15 | 0.34 | 0.02 | 397 | 2.2 | 0.13 | 0.21 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Connective and soft tissue (C47+C49) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 192 | 2.5 | 0.20 | 0.25 | 0.02 | 145 | 2.0 | 0.20 | 0.18 | 0.02 |
| USA, Wyoming | 60 | 2.8 | 0.39 | 0.27 | 0.04 | 49 | 2.6 | 0.41 | 0.26 | 0.04 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 15 | 1.1 | 0.30 | 0.14 | 0.05 | 19 | 1.3 | 0.32 | 0.13 | 0.04 |
| Brunei Darussalam | 18 | 1.9 | 0.47 | 0.21 | 0.07 | 19 | 2.0 | 0.48 | 0.27 | 0.09 |
| *China, Anfu County | 10 | 1.1 | 0.35 | 0.16 | 0.06 | 3 | 0.2 | 0.13 | 0.03 | 0.02 |
| *China, Anguo City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Anshan City | 46 | 0.9 | 0.19 | 0.08 | 0.02 | 45 | 0.7 | 0.15 | 0.07 | 0.01 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Arongqi | 3 | 0.6 | 0.33 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 16 | 0.4 | 0.10 | 0.04 | 0.01 | 14 | 0.4 | 0.13 | 0.04 | 0.01 |
| *China, Beijing City | 476 | 1.4 | 0.08 | 0.14 | 0.01 | 319 | 1.0 | 0.06 | 0.10 | 0.01 |
| *China, Binhai County | 13 | 0.3 | 0.09 | 0.03 | 0.01 | 16 | 0.4 | 0.09 | 0.04 | 0.01 |
| *China, Cangzhou City | 6 | 0.4 | 0.15 | 0.03 | 0.01 | 4 | 0.2 | 0.12 | 0.03 | 0.01 |
| China, Changfeng County | 10 | 0.6 | 0.20 | 0.07 | 0.03 | 9 | 0.7 | 0.22 | 0.07 | 0.03 |
| China, Changzhou City | 88 | 1.0 | 0.12 | 0.10 | 0.01 | 69 | 0.8 | 0.11 | 0.08 | 0.01 |
| China, Chengdu City | 28 | 0.8 | 0.15 | 0.06 | 0.02 | 28 | 0.8 | 0.18 | 0.08 | 0.02 |
| China, Cixian County | 3 | 0.2 | 0.10 | 0.02 | 0.02 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |
| China, Cixi City | 39 | 1.0 | 0.20 | 0.10 | 0.02 | 32 | 0.7 | 0.15 | 0.08 | 0.02 |
| *China, Dafeng District, Yancheng City | 21 | 0.8 | 0.20 | 0.08 | 0.02 | 11 | 0.6 | 0.26 | 0.04 | 0.02 |
| China, Dalian City | 147 | 1.5 | 0.16 | 0.17 | 0.02 | 136 | 1.5 | 0.17 | 0.15 | 0.02 |
| *China, Dancheng County | 33 | 0.9 | 0.17 | 0.11 | 0.02 | 18 | 0.5 | 0.12 | 0.05 | 0.02 |
| China, Dangtu County | 8 | 1.2 | 0.48 | 0.06 | 0.03 | 6 | 0.5 | 0.23 | 0.08 | 0.04 |
| *China, Danyang City | 12 | 0.5 | 0.18 | 0.04 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Dawukou District, Shizuishan City | 5 | 0.5 | 0.23 | 0.06 | 0.03 | 6 | 0.6 | 0.27 | 0.05 | 0.02 |
| *China, Dehui City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Donggang County | 14 | 0.5 | 0.14 | 0.05 | 0.02 | 16 | 0.8 | 0.23 | 0.07 | 0.02 |
| *China, Dongguan City | 61 | 1.5 | 0.20 | 0.15 | 0.02 | 57 | 1.5 | 0.21 | 0.13 | 0.02 |
| China, Donghai County | 13 | 0.3 | 0.09 | 0.03 | 0.01 | 12 | 0.4 | 0.12 | 0.03 | 0.01 |
| *China, Dongtai City | 18 | 0.6 | 0.19 | 0.05 | 0.01 | 12 | 0.4 | 0.17 | 0.03 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 18 | 1.6 | 0.41 | 0.13 | 0.04 | 9 | 0.9 | 0.34 | 0.11 | 0.04 |
| *China, Evenki Autonomous Banner | 3 | 0.9 | 0.54 | 0.14 | 0.10 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 8 | 0.5 | 0.18 | 0.05 | 0.02 | 14 | 0.7 | 0.20 | 0.09 | 0.03 |
| *China, Fangcheng County | 15 | 0.9 | 0.25 | 0.09 | 0.02 | 23 | 1.3 | 0.31 | 0.12 | 0.03 |
| *China, Feicheng City | 26 | 0.8 | 0.17 | 0.09 | 0.02 | 25 | 0.8 | 0.19 | 0.08 | 0.02 |
| China, Feixi County | 37 | 1.0 | 0.18 | 0.09 | 0.02 | 36 | 1.2 | 0.23 | 0.10 | 0.02 |
| China, Fuqing City | 32 | 1.3 | 0.24 | 0.13 | 0.03 | 25 | 1.0 | 0.20 | 0.09 | 0.02 |
| *China, Ganyu District, Lianyungang City | 12 | 0.3 | 0.09 | 0.04 | 0.01 | 10 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Ganzhou District, Zhangye City | 8 | 0.7 | 0.24 | 0.06 | 0.03 | 11 | 1.2 | 0.38 | 0.18 | 0.06 |
| *China, Gaocheng City | 14 | 0.6 | 0.17 | 0.07 | 0.02 | 5 | 0.3 | 0.13 | 0.02 | 0.01 |
| China, Gaomi City | 9 | 0.3 | 0.11 | 0.04 | 0.01 | 18 | 0.7 | 0.18 | 0.06 | 0.02 |
| China, Gong'an County | 26 | 1.0 | 0.24 | 0.10 | 0.02 | 19 | 0.7 | 0.17 | 0.05 | 0.01 |
| *China, Guang'an District, Guang'an City | 6 | 0.3 | 0.13 | 0.02 | 0.01 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |
| China, Guanghan City | 3 | 0.1 | 0.09 | 0.02 | 0.02 | 4 | 0.2 | 0.11 | 0.04 | 0.02 |
| China, Guangzhou City | 421 | 1.5 | 0.08 | 0.15 | 0.01 | 376 | 1.4 | 0.08 | 0.12 | 0.01 |
| *China, Guanyun County | 13 | 0.4 | 0.10 | 0.04 | 0.01 | 11 | 0.4 | 0.15 | 0.04 | 0.01 |
| China, Guilin City | 29 | 1.4 | 0.28 | 0.14 | 0.03 | 41 | 2.0 | 0.33 | 0.22 | 0.04 |
| *China, Hai'an City | 19 | 0.4 | 0.12 | 0.04 | 0.01 | 13 | 0.5 | 0.21 | 0.04 | 0.01 |
| China, Hailar District, Hulun Buir City | 10 | 1.4 | 0.58 | 0.12 | 0.05 | 7 | 0.6 | 0.25 | 0.04 | 0.02 |
| China, Haimen District, Nantong City | 37 | 1.0 | 0.19 | 0.09 | 0.02 | 36 | 1.0 | 0.22 | 0.10 | 0.02 |
| China, Haining City | 15 | 0.6 | 0.20 | 0.05 | 0.01 | 15 | 0.7 | 0.21 | 0.06 | 0.02 |
| China, Hangzhou City | 236 | 0.9 | 0.07 | 0.09 | 0.01 | 218 | 0.9 | 0.07 | 0.08 | 0.01 |
| China, Hebi City | 8 | 0.5 | 0.19 | 0.05 | 0.02 | 11 | 0.8 | 0.26 | 0.07 | 0.03 |
| China, Hefei City | 60 | 0.7 | 0.10 | 0.06 | 0.01 | 67 | 0.8 | 0.11 | 0.09 | 0.01 |
| China, Hengdong County | 15 | 1.1 | 0.30 | 0.10 | 0.03 | 16 | 1.2 | 0.33 | 0.11 | 0.03 |
| *China, Hengfeng County | 9 | 1.6 | 0.56 | 0.14 | 0.05 | 5 | 0.9 | 0.39 | 0.09 | 0.04 |
| *China, Hepu County | 10 | 0.4 | 0.12 | 0.03 | 0.01 | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Honghu City | 13 | 0.6 | 0.17 | 0.04 | 0.01 | 10 | 0.4 | 0.12 | 0.05 | 0.02 |
| China, Hongshan District, Chifeng City | 10 | 0.8 | 0.25 | 0.10 | 0.04 | 15 | 0.9 | 0.25 | 0.08 | 0.03 |
| *China, Hongta District, Yuxi City | 6 | 0.4 | 0.16 | 0.04 | 0.02 | 10 | 0.9 | 0.32 | 0.06 | 0.02 |
| *China, Huaiyin District, Huai'an City | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Jiange County | 2 | 0.1 | 0.11 | 0.02 | 0.02 | 5 | 0.4 | 0.20 | 0.02 | 0.01 |
| China, Jiangmen City | 27 | 1.4 | 0.29 | 0.16 | 0.04 | 21 | 1.1 | 0.29 | 0.08 | 0.02 |
| *China, Jiangyin City | 41 | 1.0 | 0.19 | 0.09 | 0.02 | 30 | 0.6 | 0.13 | 0.07 | 0.01 |
| *China, Jiashan County | 11 | 0.8 | 0.27 | 0.09 | 0.03 | 8 | 0.4 | 0.15 | 0.05 | 0.02 |
| China, Jiayu County | 5 | 0.6 | 0.28 | 0.09 | 0.05 | 7 | 1.3 | 0.58 | 0.12 | 0.05 |
| *China, Jinan City | 67 | 0.8 | 0.11 | 0.08 | 0.01 | 59 | 0.8 | 0.12 | 0.06 | 0.01 |
| *China, Jingtai County | 8 | 1.0 | 0.37 | 0.09 | 0.04 | 7 | 1.3 | 0.59 | 0.15 | 0.07 |
| *China, Jingxian County | 4 | 0.3 | 0.13 | 0.03 | 0.02 | 3 | 0.3 | 0.19 | 0.04 | 0.02 |
| *China, Jintan District, Changzhou City | 15 | 0.7 | 0.20 | 0.07 | 0.02 | 12 | 0.5 | 0.16 | 0.06 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 37 | 1.4 | 0.27 | 0.15 | 0.03 | 41 | 1.5 | 0.30 | 0.16 | 0.03 |
| *China, Jiyuan City | 4 | 0.2 | 0.10 | 0.03 | 0.02 | 4 | 0.3 | 0.13 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Connective and soft tissue (C47+C49) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 15 | 1.5 | 0.44 | 0.13 | 0.04 | 7 | 0.5 | 0.20 | 0.07 | 0.03 |
| China, Kunshan City | 19 | 0.7 | 0.20 | 0.05 | 0.01 | 16 | 0.6 | 0.16 | 0.06 | 0.02 |
| China, Langzhong City | 7 | 0.3 | 0.13 | 0.04 | 0.01 | 12 | 0.6 | 0.17 | 0.06 | 0.02 |
| *China, Liangshan County | 8 | 0.3 | 0.10 | 0.04 | 0.02 | 6 | 0.3 | 0.15 | 0.03 | 0.01 |
| *China, Lianshui County | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 9 | 0.2 | 0.06 | 0.01 | 0.01 |
| China, Lianyungang City | 31 | 1.0 | 0.19 | 0.10 | 0.02 | 25 | 0.8 | 0.18 | 0.07 | 0.01 |
| China, Linhe District, Bayannur City | 10 | 0.6 | 0.20 | 0.04 | 0.02 | 8 | 0.6 | 0.22 | 0.06 | 0.03 |
| China, Linqu County | 19 | 0.7 | 0.17 | 0.07 | 0.02 | 16 | 0.5 | 0.17 | 0.04 | 0.01 |
| *China, Linzhou City | 27 | 0.8 | 0.17 | 0.08 | 0.02 | 25 | 0.8 | 0.18 | 0.07 | 0.02 |
| China, Liuzhou City | 23 | 0.6 | 0.12 | 0.05 | 0.01 | 28 | 0.7 | 0.14 | 0.08 | 0.02 |
| China, Liyang City | 17 | 0.4 | 0.11 | 0.05 | 0.01 | 11 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Longquan City | 6 | 0.6 | 0.25 | 0.05 | 0.02 | 3 | 0.4 | 0.23 | 0.07 | 0.05 |
| China, Lucheng District, Wenzhou City | 11 | 0.7 | 0.22 | 0.07 | 0.02 | 7 | 0.3 | 0.13 | 0.03 | 0.01 |
| China, Luoding City | 11 | 0.5 | 0.15 | 0.05 | 0.02 | 15 | 0.9 | 0.23 | 0.09 | 0.03 |
| *China, Luohe City | 12 | 0.3 | 0.11 | 0.03 | 0.01 | 8 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Luoyang City | 31 | 0.8 | 0.18 | 0.07 | 0.02 | 21 | 0.6 | 0.13 | 0.05 | 0.01 |
| *China, Luquan City | 3 | 0.3 | 0.18 | 0.04 | 0.02 | 5 | 0.4 | 0.18 | 0.05 | 0.02 |
| China, Ma'anshan City | 21 | 1.1 | 0.27 | 0.11 | 0.03 | 27 | 1.2 | 0.24 | 0.12 | 0.03 |
| *China, Macheng City | 18 | 0.7 | 0.19 | 0.07 | 0.02 | 28 | 1.1 | 0.21 | 0.12 | 0.03 |
| China, Meihekou City | 3 | 0.2 | 0.15 | 0.02 | 0.01 | 4 | 0.2 | 0.16 | 0.02 | 0.01 |
| *China, Mengjin County | 11 | 1.2 | 0.36 | 0.13 | 0.04 | 7 | 0.8 | 0.29 | 0.07 | 0.03 |
| China, Nangang District, Harbin City | 48 | 1.2 | 0.18 | 0.15 | 0.03 | 30 | 0.9 | 0.19 | 0.08 | 0.02 |
| *China, Nanghai District, Foshan City | 36 | 1.5 | 0.26 | 0.14 | 0.03 | 32 | 1.3 | 0.25 | 0.13 | 0.02 |
| China, Nanhu District, Jiaxing City | 20 | 0.8 | 0.20 | 0.09 | 0.02 | 21 | 0.9 | 0.21 | 0.08 | 0.02 |
| *China, Nantong City | 17 | 0.3 | 0.08 | 0.04 | 0.01 | 18 | 0.4 | 0.10 | 0.03 | 0.01 |
| *China, Nanxiong City | 10 | 0.7 | 0.24 | 0.06 | 0.02 | 15 | 1.1 | 0.31 | 0.12 | 0.03 |
| China, Neixiang County | 16 | 0.7 | 0.17 | 0.09 | 0.03 | 16 | 0.6 | 0.16 | 0.06 | 0.02 |
| *China, Qianxi County | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 4 | 0.3 | 0.16 | 0.05 | 0.03 |
| China, Qidong City | 21 | 0.6 | 0.20 | 0.05 | 0.01 | 17 | 0.4 | 0.13 | 0.04 | 0.01 |
| China, Qingzhou City | 37 | 1.5 | 0.29 | 0.15 | 0.03 | 30 | 1.1 | 0.24 | 0.10 | 0.02 |
| *China, Rudong County | 11 | 0.3 | 0.15 | 0.02 | 0.01 | 11 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Rugao City | 29 | 0.4 | 0.08 | 0.04 | 0.01 | 22 | 0.4 | 0.11 | 0.04 | 0.01 |
| *China, Rural areas of Shanghai City | 413 | 1.3 | 0.08 | 0.12 | 0.01 | 353 | 1.1 | 0.08 | 0.10 | 0.01 |
| China, Ruyang County | 8 | 0.7 | 0.25 | 0.08 | 0.03 | 14 | 1.3 | 0.35 | 0.13 | 0.04 |
| *China, Shan County | 7 | 0.4 | 0.15 | 0.02 | 0.01 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Shanghai City | 346 | 1.2 | 0.09 | 0.11 | 0.01 | 296 | 1.2 | 0.11 | 0.10 | 0.01 |
| China, Shangyu District, Shaoxing City | 38 | 1.8 | 0.38 | 0.15 | 0.03 | 21 | 1.0 | 0.34 | 0.08 | 0.02 |
| *China, Shapingba District, Chongqing City | 23 | 0.9 | 0.24 | 0.08 | 0.02 | 27 | 1.0 | 0.24 | 0.11 | 0.02 |
| China, Shexian County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Sheyang County | 13 | 0.5 | 0.20 | 0.03 | 0.01 | 12 | 0.6 | 0.21 | 0.04 | 0.01 |
| *China, Shijiazhuang City | 67 | 1.4 | 0.20 | 0.14 | 0.02 | 58 | 1.2 | 0.18 | 0.11 | 0.02 |
| China, Shunde District, Foshan City | 50 | 1.6 | 0.23 | 0.15 | 0.03 | 29 | 0.8 | 0.16 | 0.07 | 0.01 |
| *China, Song County | 4 | 0.3 | 0.13 | 0.02 | 0.01 | 4 | 0.3 | 0.16 | 0.03 | 0.02 |
| China, Suzhou City | 61 | 0.4 | 0.06 | 0.04 | 0.01 | 52 | 0.4 | 0.06 | 0.04 | 0.01 |
| *China, Tengzhou City | 9 | 0.2 | 0.06 | 0.02 | 0.01 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Wangdu County | 5 | 0.7 | 0.32 | 0.07 | 0.04 | 3 | 0.4 | 0.22 | 0.05 | 0.04 |
| *China, Wanxian County | 4 | 0.4 | 0.19 | 0.04 | 0.02 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Wu'an City | 15 | 0.7 | 0.18 | 0.06 | 0.02 | 9 | 0.5 | 0.18 | 0.03 | 0.01 |
| China, Wuhan City | 300 | 1.7 | 0.12 | 0.16 | 0.01 | 250 | 1.5 | 0.12 | 0.13 | 0.01 |
| *China, Wuhu City | 39 | 0.9 | 0.16 | 0.08 | 0.01 | 32 | 0.7 | 0.15 | 0.08 | 0.01 |
| China, Wuxi City | 68 | 0.7 | 0.10 | 0.07 | 0.01 | 64 | 0.9 | 0.14 | 0.07 | 0.01 |
| China, Wuzhou City | 20 | 1.0 | 0.23 | 0.13 | 0.03 | 12 | 0.6 | 0.18 | 0.06 | 0.02 |
| China, Xiangfu District, Kaifeng City | 27 | 1.5 | 0.29 | 0.14 | 0.03 | 27 | 1.6 | 0.32 | 0.13 | 0.03 |
| China, Xianju County | 15 | 0.8 | 0.21 | 0.09 | 0.03 | 12 | 0.7 | 0.20 | 0.07 | 0.02 |
| *China, Xin'an County | 2 | 0.2 | 0.12 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xining City | 15 | 0.6 | 0.18 | 0.06 | 0.02 | 21 | 0.9 | 0.19 | 0.10 | 0.02 |
| *China, Xinji City | 10 | 0.6 | 0.21 | 0.05 | 0.01 | 11 | 0.5 | 0.18 | 0.05 | 0.02 |
| *China, Xinluo District, Longyan City | 14 | 1.7 | 0.52 | 0.12 | 0.04 | 7 | 0.8 | 0.35 | 0.12 | 0.05 |
| *China, Xinzhou District, Shangrao City | 10 | 0.8 | 0.27 | 0.09 | 0.03 | 9 | 0.6 | 0.20 | 0.04 | 0.02 |
| China, Xiping County | 18 | 0.8 | 0.20 | 0.08 | 0.02 | 22 | 0.9 | 0.21 | 0.09 | 0.02 |
| *China, Xishan District, Kunming City | 6 | 0.8 | 0.38 | 0.07 | 0.03 | 7 | 1.0 | 0.42 | 0.06 | 0.03 |
| *China, Xuyi County | 31 | 1.4 | 0.28 | 0.17 | 0.04 | 23 | 0.9 | 0.20 | 0.08 | 0.02 |
| *China, Ya'an City | 47 | 1.0 | 0.15 | 0.10 | 0.02 | 40 | 0.9 | 0.15 | 0.08 | 0.02 |
| *China, Yakeshi City | 15 | 1.5 | 0.54 | 0.12 | 0.04 | 10 | 0.8 | 0.27 | 0.09 | 0.03 |
| China, Yancheng City | 9 | 0.2 | 0.05 | 0.02 | 0.01 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| *China, Yangquan City | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Yangzhong City | 3 | 0.2 | 0.10 | 0.03 | 0.02 | 4 | 0.3 | 0.17 | 0.03 | 0.02 |
| *China, Yanji City | 15 | 1.1 | 0.36 | 0.09 | 0.03 | 10 | 0.8 | 0.34 | 0.06 | 0.02 |
| *China, Yanshi City | 18 | 0.8 | 0.20 | 0.09 | 0.03 | 20 | 0.9 | 0.22 | 0.10 | 0.03 |
| China, Yanting County | 33 | 1.7 | 0.31 | 0.19 | 0.03 | 24 | 1.4 | 0.28 | 0.14 | 0.03 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.15 | 0.01 | 0.01 |
| *China, Yingdong District, Fuyang City | 24 | 1.3 | 0.28 | 0.09 | 0.02 | 15 | 0.9 | 0.26 | 0.07 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Connective and soft tissue (C47+C49) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 6 | 1.0 | 0.52 | 0.12 | 0.05 | 4 | 0.4 | 0.19 | 0.06 | 0.04 |
| *China, Yiyuan County | 11 | 0.5 | 0.17 | 0.07 | 0.03 | 7 | 0.4 | 0.20 | 0.04 | 0.02 |
| China, Yong'an City | 10 | 0.8 | 0.25 | 0.09 | 0.03 | 7 | 0.6 | 0.22 | 0.07 | 0.03 |
| *China, Yongding District, Longyan City | 13 | 0.8 | 0.22 | 0.08 | 0.03 | 14 | 1.2 | 0.36 | 0.11 | 0.03 |
| China, Yongkang City | 20 | 0.9 | 0.24 | 0.08 | 0.02 | 9 | 0.6 | 0.22 | 0.06 | 0.02 |
| *China, Yucheng County | 7 | 0.4 | 0.13 | 0.04 | 0.02 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Yueyanglou District, Yueyang City | 5 | 0.5 | 0.24 | 0.07 | 0.03 | 2 | 0.2 | 0.14 | 0.03 | 0.02 |
| China, Yunmeng County | 6 | 0.5 | 0.22 | 0.04 | 0.02 | 12 | 0.7 | 0.20 | 0.06 | 0.02 |
| *China, Yunyang District, Shiyuan City | 2 | 0.1 | 0.11 | 0.02 | 0.02 | 8 | 0.8 | 0.29 | 0.13 | 0.05 |
| China, Yuzhong District, Chongqing City | 17 | 0.9 | 0.25 | 0.10 | 0.03 | 14 | 0.8 | 0.33 | 0.07 | 0.02 |
| *China, Zhanhuang County | 4 | 0.5 | 0.25 | 0.05 | 0.03 | 4 | 0.5 | 0.25 | 0.05 | 0.02 |
| *China, Zhangjiagang City | 41 | 1.0 | 0.16 | 0.11 | 0.02 | 31 | 0.9 | 0.23 | 0.10 | 0.02 |
| *China, Zhaoyuan City | 11 | 0.5 | 0.16 | 0.04 | 0.01 | 12 | 0.4 | 0.12 | 0.05 | 0.02 |
| *China, Zhengding County | 10 | 0.9 | 0.32 | 0.07 | 0.02 | 10 | 0.9 | 0.32 | 0.07 | 0.02 |
| *China, Zhongshan City | 50 | 1.1 | 0.16 | 0.11 | 0.02 | 40 | 0.7 | 0.12 | 0.08 | 0.01 |
| China, Zhongxiang City | 27 | 1.0 | 0.22 | 0.08 | 0.02 | 20 | 0.8 | 0.21 | 0.06 | 0.01 |
| *China, Zhuanghe City | 32 | 1.1 | 0.29 | 0.10 | 0.02 | 20 | 0.5 | 0.12 | 0.05 | 0.01 |
| *China, Zhuhai City | 34 | 1.1 | 0.20 | 0.09 | 0.02 | 33 | 1.2 | 0.24 | 0.11 | 0.02 |
| India, Ahmedabad, Urban | 82 | 0.7 | 0.08 | 0.08 | 0.01 | 81 | 0.7 | 0.08 | 0.07 | 0.01 |
| India, Aurangabad | 27 | 0.8 | 0.17 | 0.09 | 0.02 | 17 | 0.5 | 0.13 | 0.05 | 0.02 |
| India, Bangalore | 203 | 1.5 | 0.11 | 0.16 | 0.02 | 149 | 1.2 | 0.11 | 0.14 | 0.01 |
| India, Barshi, Paranda, and Bhum | 3 | 0.2 | 0.13 | 0.02 | 0.01 | 5 | 0.4 | 0.19 | 0.03 | 0.02 |
| *India, Bhopal | 36 | 1.2 | 0.20 | 0.09 | 0.02 | 31 | 1.1 | 0.21 | 0.09 | 0.02 |
| India, Chandigarh | 20 | 0.8 | 0.20 | 0.08 | 0.03 | 15 | 0.6 | 0.15 | 0.05 | 0.02 |
| *India, Chennai | 163 | 1.3 | 0.10 | 0.13 | 0.01 | 149 | 1.2 | 0.10 | 0.11 | 0.01 |
| India, Dibrugarh | 21 | 0.7 | 0.16 | 0.07 | 0.02 | 16 | 0.5 | 0.12 | 0.05 | 0.02 |
| *India, Dindigul, Ambilikai | 32 | 0.5 | 0.09 | 0.05 | 0.01 | 41 | 0.7 | 0.11 | 0.06 | 0.01 |
| India, Kamrup Urban District | 19 | 0.7 | 0.17 | 0.09 | 0.03 | 20 | 0.8 | 0.18 | 0.06 | 0.02 |
| India, Kollam | 97 | 1.7 | 0.18 | 0.16 | 0.02 | 83 | 1.3 | 0.15 | 0.12 | 0.01 |
| *India, Manipur | 45 | 0.8 | 0.13 | 0.09 | 0.02 | 39 | 0.6 | 0.10 | 0.05 | 0.01 |
| India, Meghalaya | 25 | 0.6 | 0.14 | 0.05 | 0.02 | 17 | 0.4 | 0.11 | 0.04 | 0.01 |
| India, Mizoram | 15 | 0.7 | 0.18 | 0.05 | 0.01 | 12 | 0.7 | 0.21 | 0.10 | 0.04 |
| India, Mumbai | 410 | 1.3 | 0.07 | 0.14 | 0.01 | 338 | 1.1 | 0.06 | 0.12 | 0.01 |
| *India, New Delhi | 430 | 1.8 | 0.09 | 0.18 | 0.01 | 333 | 1.5 | 0.08 | 0.14 | 0.01 |
| India, Poona | 135 | 1.1 | 0.09 | 0.12 | 0.01 | 131 | 1.1 | 0.09 | 0.11 | 0.01 |
| *India, Sangrur District | 21 | 0.8 | 0.17 | 0.08 | 0.02 | 12 | 0.5 | 0.16 | 0.06 | 0.02 |
| India, SAS Nagar | 17 | 0.7 | 0.18 | 0.07 | 0.02 | 20 | 0.7 | 0.17 | 0.07 | 0.02 |
| *India, Tamil Nadu | 1804 | 0.9 | 0.02 | 0.09 | 0.00 | 1399 | 0.7 | 0.02 | 0.06 | 0.00 |
| *India, Tripura | 43 | 0.6 | 0.09 | 0.07 | 0.01 | 28 | 0.4 | 0.08 | 0.05 | 0.01 |
| India, Trivandrum | 144 | 2.0 | 0.18 | 0.19 | 0.02 | 119 | 1.4 | 0.14 | 0.13 | 0.01 |
| India, Wardha | 34 | 1.0 | 0.16 | 0.10 | 0.02 | 26 | 0.7 | 0.14 | 0.07 | 0.01 |
| India, West Arunachal | 5 | 0.7 | 0.33 | 0.09 | 0.05 | 10 | 1.2 | 0.42 | 0.17 | 0.07 |
| *Iran (Islamic Republic of), Ardabil Province | 35 | 1.6 | 0.28 | 0.13 | 0.03 | 25 | 1.2 | 0.25 | 0.12 | 0.03 |
| *Iran (Islamic Republic of), Golestan Province | 39 | 1.4 | 0.23 | 0.12 | 0.02 | 44 | 1.5 | 0.23 | 0.13 | 0.02 |
| Israel | 713 | 2.9 | 0.11 | 0.30 | 0.01 | 582 | 2.3 | 0.10 | 0.22 | 0.01 |
| *Israel: Jews | 598 | 3.0 | 0.13 | 0.31 | 0.02 | 470 | 2.3 | 0.11 | 0.23 | 0.01 |
| *Israel: Arabs | 89 | 2.4 | 0.27 | 0.23 | 0.03 | 77 | 2.0 | 0.23 | 0.17 | 0.03 |
| Japan | 5097 | 1.5 | 0.03 | 0.15 | 0.00 | 4019 | 1.1 | 0.03 | 0.11 | 0.00 |
| Japan, Aichi Prefecture | 264 | 1.4 | 0.11 | 0.13 | 0.01 | 179 | 0.9 | 0.09 | 0.09 | 0.01 |
| *Japan, Akita Prefecture | 49 | 1.5 | 0.29 | 0.17 | 0.03 | 36 | 1.3 | 0.45 | 0.09 | 0.02 |
| Japan, Aomori Prefecture | 108 | 2.1 | 0.28 | 0.19 | 0.02 | 83 | 1.1 | 0.17 | 0.12 | 0.02 |
| Japan, Gunma Prefecture | 89 | 1.7 | 0.24 | 0.16 | 0.02 | 56 | 0.8 | 0.15 | 0.09 | 0.02 |
| Japan, Hiroshima Prefecture | 160 | 1.4 | 0.14 | 0.15 | 0.01 | 143 | 1.4 | 0.17 | 0.11 | 0.01 |
| Japan, Miyagi Prefecture | 357 | 3.7 | 0.23 | 0.39 | 0.02 | 330 | 3.3 | 0.22 | 0.36 | 0.02 |
| Japan, Osaka Prefecture | 346 | 1.4 | 0.10 | 0.14 | 0.01 | 278 | 1.2 | 0.10 | 0.11 | 0.01 |
| Kuwait | 85 | 0.9 | 0.12 | 0.08 | 0.01 | 58 | 0.8 | 0.13 | 0.08 | 0.02 |
| *Kuwait: Kuwaitis | 28 | 1.1 | 0.22 | 0.09 | 0.02 | 27 | 1.0 | 0.19 | 0.09 | 0.02 |
| *Kuwait: Non-Kuwaitis | 57 | 0.9 | 0.15 | 0.09 | 0.02 | 31 | 0.8 | 0.20 | 0.09 | 0.04 |
| *Philippines, Manila | 211 | 1.7 | 0.13 | 0.17 | 0.02 | 223 | 1.6 | 0.11 | 0.17 | 0.01 |
| *Qatar: Qatari | 11 | 1.5 | 0.47 | 0.10 | 0.03 | 13 | 2.4 | 0.72 | 0.26 | 0.10 |
| Republic of Korea | 3164 | 1.9 | 0.04 | 0.18 | 0.00 | 2357 | 1.4 | 0.03 | 0.13 | 0.00 |
| *Republic of Korea, Busan | 224 | 1.7 | 0.13 | 0.18 | 0.01 | 177 | 1.4 | 0.13 | 0.14 | 0.01 |
| *Republic of Korea, Daegu | 151 | 2.0 | 0.19 | 0.18 | 0.02 | 105 | 1.2 | 0.14 | 0.11 | 0.01 |
| *Republic of Korea, Daejeon | 87 | 1.8 | 0.21 | 0.16 | 0.02 | 63 | 1.5 | 0.22 | 0.12 | 0.02 |
| *Republic of Korea, Gwangju | 69 | 1.5 | 0.19 | 0.15 | 0.02 | 67 | 1.5 | 0.21 | 0.14 | 0.02 |
| Republic of Korea, Incheon | 184 | 2.1 | 0.17 | 0.20 | 0.02 | 125 | 1.4 | 0.16 | 0.12 | 0.01 |
| Republic of Korea, Jeju | 37 | 1.8 | 0.31 | 0.22 | 0.04 | 30 | 1.7 | 0.38 | 0.14 | 0.03 |
| Republic of Korea, Seoul | 668 | 2.1 | 0.09 | 0.20 | 0.01 | 489 | 1.5 | 0.08 | 0.13 | 0.01 |
| Republic of Korea, Ulsan | 71 | 2.0 | 0.26 | 0.22 | 0.03 | 55 | 1.8 | 0.28 | 0.15 | 0.02 |
| Singapore | 261 | 2.0 | 0.14 | 0.20 | 0.01 | 215 | 1.6 | 0.12 | 0.16 | 0.01 |
| Singapore: Chinese | 197 | 2.0 | 0.16 | 0.20 | 0.02 | 174 | 1.6 | 0.14 | 0.16 | 0.01 |
| Singapore: Indian | 24 | 2.4 | 0.55 | 0.26 | 0.06 | 12 | 1.3 | 0.38 | 0.13 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Connective and soft tissue (C47+C49) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 29 | 1.9 | 0.36 | 0.17 | 0.04 | 22 | 1.5 | 0.33 | 0.19 | 0.05 |
| Thailand, Bangkok | 245 | 1.5 | 0.10 | 0.15 | 0.01 | 212 | 1.0 | 0.07 | 0.10 | 0.01 |
| *Thailand, Chiang Mai | 52 | 1.1 | 0.17 | 0.10 | 0.02 | 51 | 1.1 | 0.17 | 0.10 | 0.02 |
| *Thailand, Khon Kaen | 37 | 0.7 | 0.12 | 0.07 | 0.01 | 41 | 0.8 | 0.13 | 0.08 | 0.01 |
| Thailand, Lampang | 32 | 1.2 | 0.22 | 0.13 | 0.03 | 30 | 1.1 | 0.22 | 0.09 | 0.02 |
| Thailand, Lopburi Province | 55 | 2.6 | 0.37 | 0.24 | 0.04 | 50 | 2.3 | 0.35 | 0.21 | 0.03 |
| *Thailand, Songkhla | 44 | 1.1 | 0.17 | 0.12 | 0.02 | 56 | 1.2 | 0.17 | 0.12 | 0.02 |
| Turkey, Antalya | 117 | 1.9 | 0.18 | 0.21 | 0.02 | 90 | 1.5 | 0.16 | 0.14 | 0.02 |
| Turkey, Bursa | 120 | 1.6 | 0.15 | 0.15 | 0.02 | 114 | 1.4 | 0.14 | 0.13 | 0.01 |
| *Turkey, Edirne | 41 | 3.0 | 0.51 | 0.30 | 0.05 | 23 | 2.0 | 0.49 | 0.18 | 0.04 |
| *Turkey, Erzurum | 36 | 1.9 | 0.32 | 0.20 | 0.04 | 16 | 0.9 | 0.23 | 0.08 | 0.02 |
| Turkey, Eskişehir | 54 | 2.1 | 0.29 | 0.24 | 0.04 | 43 | 1.6 | 0.26 | 0.18 | 0.03 |
| Turkey, Gaziantep | 69 | 1.8 | 0.23 | 0.18 | 0.03 | 48 | 1.1 | 0.17 | 0.11 | 0.02 |
| *Turkey, Izmir | 229 | 1.9 | 0.13 | 0.17 | 0.01 | 206 | 1.8 | 0.13 | 0.15 | 0.01 |
| Turkey, Malatya | 45 | 2.2 | 0.33 | 0.23 | 0.04 | 29 | 1.3 | 0.26 | 0.13 | 0.03 |
| Turkey, Samsun | 81 | 2.3 | 0.27 | 0.22 | 0.03 | 64 | 1.7 | 0.23 | 0.16 | 0.02 |
| Turkey, Trabzon | 55 | 2.4 | 0.33 | 0.26 | 0.04 | 59 | 2.5 | 0.35 | 0.22 | 0.03 |
| Europe | | | | | | | | | | |
| Austria | 838 | 2.4 | 0.10 | 0.23 | 0.01 | 726 | 2.1 | 0.10 | 0.20 | 0.01 |
| Austria, Carinthia | 69 | 2.5 | 0.34 | 0.28 | 0.04 | 39 | 1.6 | 0.35 | 0.14 | 0.03 |
| Austria, Tyrol | 66 | 2.1 | 0.28 | 0.22 | 0.03 | 65 | 2.7 | 0.45 | 0.23 | 0.03 |
| Austria, Vorarlberg | 50 | 3.1 | 0.51 | 0.27 | 0.05 | 14 | 0.7 | 0.25 | 0.07 | 0.03 |
| Belarus | 562 | 2.0 | 0.09 | 0.20 | 0.01 | 690 | 1.7 | 0.08 | 0.17 | 0.01 |
| *Belgium | 992 | 2.2 | 0.08 | 0.22 | 0.01 | 794 | 1.8 | 0.08 | 0.17 | 0.01 |
| Croatia | 378 | 2.6 | 0.16 | 0.24 | 0.01 | 341 | 2.2 | 0.15 | 0.20 | 0.01 |
| Cyprus | 60 | 2.1 | 0.29 | 0.20 | 0.03 | 35 | 1.0 | 0.18 | 0.09 | 0.02 |
| *Czech Republic | 962 | 2.3 | 0.08 | 0.23 | 0.01 | 761 | 1.6 | 0.07 | 0.16 | 0.01 |
| Denmark | 578 | 2.5 | 0.12 | 0.26 | 0.01 | 484 | 2.1 | 0.11 | 0.22 | 0.01 |
| Estonia | 110 | 2.6 | 0.29 | 0.24 | 0.03 | 105 | 1.8 | 0.25 | 0.15 | 0.02 |
| Finland | 553 | 2.4 | 0.12 | 0.23 | 0.01 | 439 | 1.7 | 0.10 | 0.17 | 0.01 |
| *France, Bas-Rhin | 71 | 2.1 | 0.27 | 0.22 | 0.03 | 64 | 2.0 | 0.31 | 0.18 | 0.03 |
| *France, Calvados | 73 | 2.8 | 0.38 | 0.30 | 0.04 | 62 | 2.3 | 0.41 | 0.18 | 0.03 |
| *France, Doubs | 54 | 2.7 | 0.41 | 0.27 | 0.04 | 40 | 1.7 | 0.34 | 0.16 | 0.03 |
| *France, Gironde | 153 | 2.5 | 0.23 | 0.25 | 0.03 | 113 | 1.7 | 0.20 | 0.17 | 0.02 |
| *France, Haut-Rhin | 57 | 1.7 | 0.27 | 0.13 | 0.02 | 64 | 1.9 | 0.29 | 0.19 | 0.03 |
| *France, Hérault | 135 | 3.2 | 0.32 | 0.29 | 0.03 | 92 | 2.1 | 0.28 | 0.19 | 0.02 |
| *France, Isère | 109 | 2.3 | 0.25 | 0.24 | 0.03 | 83 | 1.7 | 0.22 | 0.17 | 0.02 |
| *France, Lille-Métropole | 57 | 2.4 | 0.33 | 0.24 | 0.04 | 38 | 1.2 | 0.21 | 0.12 | 0.02 |
| *France, Limousin | 31 | 1.9 | 0.46 | 0.19 | 0.04 | 36 | 1.7 | 0.38 | 0.18 | 0.04 |
| *France, Loire-Atlantique | 155 | 3.0 | 0.27 | 0.29 | 0.03 | 105 | 1.9 | 0.23 | 0.17 | 0.02 |
| *France, Manche | 58 | 2.4 | 0.42 | 0.22 | 0.04 | 67 | 2.6 | 0.45 | 0.26 | 0.04 |
| *France, Poitou-Charentes | 204 | 2.4 | 0.21 | 0.24 | 0.02 | 148 | 1.9 | 0.21 | 0.17 | 0.02 |
| *France, Somme | 40 | 1.8 | 0.31 | 0.20 | 0.04 | 52 | 1.9 | 0.32 | 0.21 | 0.04 |
| *France, Tarn | 50 | 2.9 | 0.55 | 0.24 | 0.05 | 42 | 2.3 | 0.49 | 0.20 | 0.04 |
| *France, Territoire de Belfort | 11 | 2.8 | 0.92 | 0.25 | 0.08 | 10 | 2.7 | 0.94 | 0.25 | 0.08 |
| *France, Vendée | 92 | 2.7 | 0.35 | 0.28 | 0.04 | 69 | 2.3 | 0.38 | 0.19 | 0.03 |
| Germany, Baden-Württemberg | 803 | 2.5 | 0.10 | 0.27 | 0.01 | 611 | 1.9 | 0.09 | 0.20 | 0.01 |
| Germany, Bavaria | 1409 | 2.6 | 0.09 | 0.25 | 0.01 | 1035 | 1.8 | 0.07 | 0.17 | 0.01 |
| Germany, Bremen | 77 | 2.6 | 0.37 | 0.25 | 0.04 | 65 | 2.4 | 0.39 | 0.23 | 0.03 |
| Germany, Hamburg | 237 | 3.2 | 0.24 | 0.32 | 0.03 | 186 | 2.4 | 0.23 | 0.23 | 0.02 |
| Germany, Lower Saxony | 1118 | 3.1 | 0.12 | 0.28 | 0.01 | 637 | 1.8 | 0.11 | 0.16 | 0.01 |
| Germany, North Rhine-Westphalia | 2314 | 3.1 | 0.08 | 0.28 | 0.01 | 1605 | 2.1 | 0.07 | 0.19 | 0.01 |
| Germany, Rhineland-Palatinate | 666 | 3.3 | 0.16 | 0.32 | 0.02 | 458 | 2.4 | 0.15 | 0.24 | 0.01 |
| Germany, Saarland | 142 | 3.0 | 0.35 | 0.31 | 0.03 | 108 | 2.2 | 0.29 | 0.23 | 0.03 |
| Germany, Schleswig-Holstein | 330 | 2.3 | 0.17 | 0.23 | 0.02 | 258 | 1.8 | 0.16 | 0.17 | 0.01 |
| Iceland | 15 | 1.2 | 0.34 | 0.15 | 0.05 | 23 | 2.1 | 0.49 | 0.20 | 0.05 |
| Ireland | 454 | 2.7 | 0.14 | 0.25 | 0.02 | 286 | 1.8 | 0.12 | 0.17 | 0.01 |
| *Italy, Aosta Valley | 9 | 2.0 | 0.92 | 0.21 | 0.09 | 4 | 0.7 | 0.37 | 0.09 | 0.05 |
| *Italy, Avellino | 14 | 1.1 | 0.34 | 0.12 | 0.04 | 21 | 1.3 | 0.36 | 0.13 | 0.04 |
| Italy, Basilicata | 48 | 1.9 | 0.40 | 0.16 | 0.03 | 44 | 1.6 | 0.29 | 0.15 | 0.03 |
| *Italy, Benevento | 24 | 2.5 | 0.59 | 0.26 | 0.07 | 21 | 1.9 | 0.49 | 0.22 | 0.06 |
| Italy, Bergamo | 127 | 3.1 | 0.34 | 0.29 | 0.03 | 87 | 2.5 | 0.36 | 0.20 | 0.03 |
| *Italy, Brescia | 98 | 2.0 | 0.23 | 0.21 | 0.03 | 82 | 1.6 | 0.21 | 0.16 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 73 | 2.2 | 0.33 | 0.19 | 0.03 | 57 | 2.2 | 0.38 | 0.19 | 0.03 |
| Italy, Calabria | 44 | 2.0 | 0.31 | 0.22 | 0.04 | 27 | 1.4 | 0.30 | 0.14 | 0.03 |
| *Italy, Caserta | 61 | 2.5 | 0.37 | 0.21 | 0.03 | 48 | 1.8 | 0.31 | 0.15 | 0.03 |
| *Italy, Catania, Messina, and Enna | 176 | 2.5 | 0.24 | 0.23 | 0.02 | 144 | 1.7 | 0.17 | 0.19 | 0.02 |
| Italy, Emilia-Romagna | 369 | 2.4 | 0.16 | 0.23 | 0.01 | 314 | 1.8 | 0.14 | 0.17 | 0.01 |
| Italy, Friuli-Venezia Giulia | 137 | 2.5 | 0.30 | 0.24 | 0.03 | 92 | 1.5 | 0.21 | 0.16 | 0.02 |
| Italy, Genova | 85 | 2.6 | 0.37 | 0.26 | 0.04 | 51 | 1.5 | 0.30 | 0.13 | 0.03 |
| *Italy, Lombardy, South, Pavia | 57 | 2.3 | 0.38 | 0.22 | 0.04 | 43 | 1.3 | 0.32 | 0.12 | 0.03 |
| Italy, Mantova and Cremona | 60 | 2.4 | 0.38 | 0.26 | 0.04 | 46 | 1.6 | 0.30 | 0.14 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Connective and soft tissue (C47+C49) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 127 | 2.3 | 0.27 | 0.23 | 0.03 | 102 | 1.5 | 0.19 | 0.16 | 0.02 |
| Italy, Milan | 356 | 2.5 | 0.16 | 0.24 | 0.02 | 272 | 2.1 | 0.17 | 0.19 | 0.01 |
| Italy, Molise | 15 | 1.8 | 0.59 | 0.21 | 0.06 | 13 | 1.3 | 0.40 | 0.15 | 0.05 |
| *Italy, Naples Centre | 42 | 2.0 | 0.34 | 0.20 | 0.04 | 35 | 1.6 | 0.31 | 0.15 | 0.03 |
| *Italy, Naples North | 75 | 3.1 | 0.39 | 0.30 | 0.04 | 49 | 2.2 | 0.38 | 0.17 | 0.03 |
| *Italy, Naples South | 81 | 2.0 | 0.24 | 0.21 | 0.03 | 59 | 1.3 | 0.21 | 0.14 | 0.02 |
| *Italy, Nuoro | 10 | 1.0 | 0.36 | 0.08 | 0.05 | 6 | 1.8 | 0.96 | 0.15 | 0.07 |
| *Italy, Palermo | 109 | 2.2 | 0.24 | 0.21 | 0.02 | 66 | 1.2 | 0.19 | 0.12 | 0.02 |
| Italy, Puglia | 415 | 2.6 | 0.15 | 0.26 | 0.02 | 317 | 1.9 | 0.14 | 0.18 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 57 | 2.5 | 0.37 | 0.25 | 0.04 | 36 | 1.8 | 0.38 | 0.15 | 0.03 |
| *Italy, Salerno | 67 | 2.2 | 0.31 | 0.20 | 0.03 | 73 | 2.3 | 0.36 | 0.19 | 0.03 |
| Italy, Sassari | 16 | 1.7 | 0.55 | 0.14 | 0.05 | 11 | 1.2 | 0.46 | 0.11 | 0.04 |
| *Italy, Sondrio | 28 | 2.9 | 0.59 | 0.33 | 0.07 | 22 | 1.6 | 0.47 | 0.20 | 0.06 |
| Italy, South Tyrol | 37 | 1.6 | 0.30 | 0.18 | 0.04 | 44 | 2.0 | 0.38 | 0.21 | 0.04 |
| *Italy, Syracuse | 31 | 1.5 | 0.30 | 0.19 | 0.04 | 19 | 0.9 | 0.28 | 0.08 | 0.03 |
| Italy, Trento | 51 | 2.4 | 0.40 | 0.22 | 0.04 | 37 | 1.4 | 0.29 | 0.14 | 0.03 |
| Italy, Turin | 247 | 2.6 | 0.21 | 0.24 | 0.02 | 250 | 2.3 | 0.20 | 0.23 | 0.02 |
| *Italy, Tuscany | 282 | 2.9 | 0.23 | 0.30 | 0.02 | 231 | 2.3 | 0.20 | 0.22 | 0.02 |
| Italy, Umbria | 69 | 2.2 | 0.33 | 0.22 | 0.03 | 59 | 1.8 | 0.33 | 0.16 | 0.03 |
| Italy, Varese | 56 | 2.1 | 0.31 | 0.27 | 0.04 | 41 | 1.6 | 0.33 | 0.17 | 0.03 |
| Italy, Veneto | 567 | 2.6 | 0.14 | 0.26 | 0.01 | 355 | 1.6 | 0.11 | 0.15 | 0.01 |
| Latvia | 128 | 1.9 | 0.19 | 0.19 | 0.02 | 162 | 1.7 | 0.18 | 0.17 | 0.02 |
| *Liechtenstein | 2 | 0.8 | 0.61 | 0.12 | 0.12 | 4 | 1.7 | 0.90 | 0.13 | 0.09 |
| *Lithuania | 186 | 1.9 | 0.16 | 0.19 | 0.02 | 221 | 1.6 | 0.14 | 0.16 | 0.01 |
| Malta | 41 | 2.3 | 0.40 | 0.21 | 0.04 | 29 | 1.5 | 0.33 | 0.15 | 0.03 |
| *The Netherlands | 1684 | 2.4 | 0.07 | 0.23 | 0.01 | 1210 | 1.8 | 0.06 | 0.17 | 0.01 |
| Norway | 496 | 2.6 | 0.13 | 0.25 | 0.01 | 370 | 1.9 | 0.12 | 0.18 | 0.01 |
| Poland, Kielce | 76 | 2.0 | 0.28 | 0.17 | 0.02 | 68 | 1.4 | 0.22 | 0.14 | 0.02 |
| *Portugal, Azores | 17 | 2.6 | 0.65 | 0.27 | 0.08 | 6 | 0.6 | 0.28 | 0.05 | 0.03 |
| Russian Federation, Arkhangelsk | 52 | 1.5 | 0.23 | 0.15 | 0.03 | 58 | 1.2 | 0.20 | 0.09 | 0.02 |
| Russian Federation, Kaliningrad | 65 | 2.4 | 0.32 | 0.24 | 0.04 | 49 | 1.7 | 0.30 | 0.12 | 0.02 |
| Russian Federation, Karelia | 29 | 1.5 | 0.30 | 0.16 | 0.04 | 49 | 1.5 | 0.26 | 0.16 | 0.03 |
| *Russian Federation, Komi Republic | 54 | 2.3 | 0.33 | 0.24 | 0.04 | 73 | 2.3 | 0.31 | 0.22 | 0.03 |
| Russian Federation, Murmansk | 41 | 2.0 | 0.33 | 0.22 | 0.05 | 44 | 1.6 | 0.30 | 0.15 | 0.03 |
| *Russian Federation, Orenburg | 105 | 1.8 | 0.19 | 0.16 | 0.02 | 171 | 2.0 | 0.18 | 0.20 | 0.02 |
| Russian Federation, Pskov | 47 | 2.3 | 0.37 | 0.22 | 0.04 | 54 | 1.7 | 0.29 | 0.20 | 0.03 |
| *Russian Federation, Samara | 210 | 2.2 | 0.16 | 0.23 | 0.02 | 239 | 2.0 | 0.17 | 0.17 | 0.01 |
| Russian Federation, Vologda Region | 53 | 1.5 | 0.22 | 0.17 | 0.02 | 81 | 1.5 | 0.20 | 0.16 | 0.02 |
| Slovenia | 152 | 2.0 | 0.19 | 0.19 | 0.02 | 146 | 1.9 | 0.20 | 0.16 | 0.02 |
| Spain, Asturias | 81 | 3.4 | 0.52 | 0.29 | 0.04 | 45 | 1.9 | 0.40 | 0.16 | 0.03 |
| Spain, Basque Country | 158 | 2.0 | 0.20 | 0.20 | 0.02 | 126 | 1.6 | 0.19 | 0.17 | 0.02 |
| Spain, Canary Islands | 110 | 2.1 | 0.22 | 0.19 | 0.02 | 79 | 1.5 | 0.20 | 0.14 | 0.02 |
| Spain, Castellón | 49 | 2.1 | 0.35 | 0.19 | 0.03 | 33 | 1.5 | 0.30 | 0.13 | 0.03 |
| Spain, Girona | 64 | 2.5 | 0.38 | 0.22 | 0.03 | 33 | 1.1 | 0.22 | 0.12 | 0.02 |
| Spain, Granada | 79 | 2.3 | 0.30 | 0.22 | 0.03 | 64 | 2.0 | 0.31 | 0.19 | 0.03 |
| Spain, La Rioja | 26 | 1.8 | 0.41 | 0.19 | 0.05 | 7 | 0.5 | 0.25 | 0.04 | 0.02 |
| Spain, Murcia | 117 | 2.3 | 0.23 | 0.23 | 0.03 | 81 | 1.5 | 0.18 | 0.16 | 0.02 |
| Spain, Navarra | 49 | 2.3 | 0.36 | 0.32 | 0.05 | 43 | 2.0 | 0.41 | 0.19 | 0.04 |
| Spain, Salamanca | 36 | 2.0 | 0.44 | 0.18 | 0.04 | 20 | 0.9 | 0.27 | 0.10 | 0.03 |
| Spain, Tarragona | 57 | 1.7 | 0.24 | 0.19 | 0.03 | 44 | 1.2 | 0.21 | 0.14 | 0.03 |
| *Sweden | 944 | 2.3 | 0.09 | 0.23 | 0.01 | 680 | 1.7 | 0.08 | 0.16 | 0.01 |
| Switzerland, Aargau | 70 | 2.4 | 0.32 | 0.26 | 0.04 | 46 | 2.1 | 0.39 | 0.16 | 0.03 |
| Switzerland, Basel | 70 | 3.5 | 0.52 | 0.33 | 0.05 | 57 | 2.5 | 0.45 | 0.22 | 0.04 |
| Switzerland, Berne Solothurn | 85 | 2.2 | 0.27 | 0.24 | 0.03 | 70 | 1.9 | 0.32 | 0.17 | 0.03 |
| Switzerland, East | 101 | 3.1 | 0.36 | 0.30 | 0.04 | 86 | 2.7 | 0.36 | 0.27 | 0.03 |
| *Switzerland, Fribourg | 28 | 2.7 | 0.56 | 0.27 | 0.06 | 24 | 2.6 | 0.62 | 0.24 | 0.05 |
| Switzerland, Geneva | 59 | 4.0 | 0.62 | 0.33 | 0.05 | 42 | 1.8 | 0.33 | 0.20 | 0.04 |
| *Switzerland, Graubünden and Glarus | 35 | 3.5 | 0.81 | 0.29 | 0.07 | 15 | 1.3 | 0.36 | 0.15 | 0.05 |
| *Switzerland, Lucerne | 41 | 2.2 | 0.42 | 0.19 | 0.04 | 42 | 2.5 | 0.44 | 0.24 | 0.04 |
| *Switzerland, Neuchâtel and Jura | 30 | 3.2 | 0.70 | 0.33 | 0.07 | 18 | 1.8 | 0.57 | 0.16 | 0.05 |
| Switzerland, Ticino | 23 | 1.7 | 0.42 | 0.17 | 0.04 | 31 | 2.0 | 0.51 | 0.18 | 0.04 |
| Switzerland, Valais | 26 | 2.0 | 0.48 | 0.17 | 0.04 | 23 | 1.8 | 0.55 | 0.15 | 0.04 |
| Switzerland, Vaud | 48 | 1.6 | 0.25 | 0.15 | 0.03 | 56 | 1.9 | 0.30 | 0.18 | 0.03 |
| Switzerland, Zurich and Zug | 172 | 3.0 | 0.27 | 0.28 | 0.03 | 91 | 1.7 | 0.22 | 0.14 | 0.02 |
| Ukraine | 2099 | 1.9 | 0.05 | 0.19 | 0.00 | 2307 | 1.5 | 0.04 | 0.15 | 0.00 |
| UK, England | 5938 | 2.7 | 0.04 | 0.25 | 0.00 | 3791 | 1.8 | 0.03 | 0.17 | 0.00 |
| UK, Northern Ireland | 127 | 1.7 | 0.17 | 0.16 | 0.02 | 108 | 1.7 | 0.18 | 0.13 | 0.02 |
| UK, Scotland | 541 | 2.3 | 0.11 | 0.22 | 0.01 | 364 | 1.7 | 0.11 | 0.17 | 0.01 |
| UK, Wales | 398 | 2.8 | 0.18 | 0.24 | 0.02 | 247 | 2.0 | 0.15 | 0.18 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 703 | 2.4 | 0.10 | 0.23 | 0.01 | 574 | 2.0 | 0.10 | 0.19 | 0.01 |
| *Australia, Northern Territory | 20 | 3.1 | 0.72 | 0.34 | 0.10 | 13 | 2.0 | 0.56 | 0.24 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Connective and soft tissue (C47+C49) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 20 | 3.7 | 0.85 | 0.40 | 0.11 | 6 | 1.2 | 0.51 | 0.15 | 0.08 |
| *Australia, Northern Territory: Indigenous | 0 | – | 0.00 | – | 0.00 | 7 | 4.4 | 1.75 | 0.54 | 0.25 |
| *Australia, Queensland | 511 | 2.9 | 0.14 | 0.28 | 0.02 | 350 | 2.0 | 0.12 | 0.18 | 0.01 |
| Australia, South Australia | 218 | 2.8 | 0.22 | 0.28 | 0.03 | 124 | 1.6 | 0.17 | 0.17 | 0.02 |
| Australia, Tasmania | 52 | 2.5 | 0.39 | 0.24 | 0.04 | 38 | 1.9 | 0.37 | 0.19 | 0.03 |
| *Australia, Victoria | 693 | 3.0 | 0.13 | 0.29 | 0.01 | 465 | 2.1 | 0.11 | 0.20 | 0.01 |
| *Australia, Western Australia | 319 | 3.5 | 0.21 | 0.35 | 0.02 | 203 | 2.2 | 0.17 | 0.22 | 0.02 |
| *France, New Caledonia | 11 | 1.4 | 0.42 | 0.15 | 0.06 | 18 | 2.4 | 0.58 | 0.21 | 0.06 |
| New Zealand | 535 | 2.9 | 0.14 | 0.27 | 0.02 | 293 | 1.8 | 0.12 | 0.16 | 0.01 |
| *New Zealand: Maori | 52 | 3.2 | 0.44 | 0.32 | 0.06 | 41 | 2.2 | 0.35 | 0.20 | 0.04 |
| *New Zealand: Pacific peoples | 18 | 2.6 | 0.62 | 0.25 | 0.08 | 25 | 3.3 | 0.66 | 0.30 | 0.08 |
| *New Zealand: Other | 450 | 3.0 | 0.18 | 0.28 | 0.02 | 208 | 1.6 | 0.15 | 0.15 | 0.01 |
| USA, Hawaii | 168 | 3.3 | 0.29 | 0.32 | 0.03 | 119 | 2.1 | 0.22 | 0.23 | 0.02 |
| USA, Hawaii: White | 53 | 3.2 | 0.59 | 0.29 | 0.05 | 28 | 2.5 | 0.66 | 0.21 | 0.05 |
| *USA, Hawaii: Japanese | 22 | 1.7 | 0.57 | 0.19 | 0.05 | 27 | 1.9 | 0.46 | 0.23 | 0.05 |
| *USA, Hawaii: Chinese | 7 | 1.1 | 0.49 | 0.20 | 0.11 | 4 | 0.7 | 0.39 | 0.07 | 0.05 |
| *USA, Hawaii: Hawaiian | 33 | 3.8 | 0.67 | 0.47 | 0.09 | 18 | 1.9 | 0.46 | 0.19 | 0.05 |
| *USA, Hawaii: Filipino | 33 | 4.2 | 0.82 | 0.38 | 0.08 | 25 | 2.2 | 0.46 | 0.27 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Breast (C50)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|---------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 16 | 1.1 | 0.29 | 0.12 | 0.04 | 675 | 44.5 | 1.77 | 4.48 | 0.20 |
| *Algeria, Tizi Ouzou | 18 | 1.2 | 0.29 | 0.15 | 0.04 | 1001 | 58.7 | 1.92 | 5.90 | 0.21 |
| *Benin, Cotonou | 7 | 1.6 | 0.63 | 0.24 | 0.11 | 225 | 25.3 | 1.81 | 2.57 | 0.22 |
| *France, La Réunion | 22 | 1.0 | 0.22 | 0.10 | 0.03 | 1416 | 60.1 | 1.63 | 6.65 | 0.20 |
| *Kenya, Eldoret | 21 | 2.4 | 0.54 | 0.34 | 0.09 | 245 | 20.0 | 1.38 | 2.06 | 0.18 |
| *Kenya, Nairobi | 49 | 2.1 | 0.36 | 0.24 | 0.05 | 1522 | 53.1 | 1.65 | 6.29 | 0.25 |
| Mauritius | 53 | 1.3 | 0.18 | 0.17 | 0.03 | 2600 | 58.8 | 1.17 | 6.62 | 0.15 |
| *Morocco, Casablanca | 112 | 1.0 | 0.10 | 0.11 | 0.01 | 5545 | 45.5 | 0.62 | 4.94 | 0.08 |
| *Seychelles | 2 | 0.7 | 0.51 | 0.08 | 0.06 | 175 | 53.4 | 4.14 | 5.92 | 0.55 |
| *South Africa, Eastern Cape | 21 | 1.9 | 0.43 | 0.28 | 0.07 | 280 | 17.9 | 1.11 | 1.95 | 0.13 |
| *Uganda, Kyadondo County | 70 | 3.5 | 0.50 | 0.41 | 0.07 | 857 | 32.0 | 1.32 | 3.68 | 0.19 |
| *Uganda, Gulu | 15 | 3.2 | 0.88 | 0.32 | 0.10 | 64 | 10.6 | 1.41 | 1.20 | 0.18 |
| *Zimbabwe, Bulawayo: African | 10 | 1.4 | 0.46 | 0.22 | 0.09 | 422 | 37.3 | 1.90 | 4.25 | 0.26 |
| *Zimbabwe, Harare: African | 29 | 1.6 | 0.35 | 0.18 | 0.06 | 838 | 40.3 | 1.52 | 4.51 | 0.21 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 18 | 0.8 | 0.19 | 0.08 | 0.02 | 1508 | 58.6 | 1.59 | 6.72 | 0.20 |
| *Argentina, Mendoza | 56 | 1.1 | 0.15 | 0.13 | 0.02 | 4157 | 71.6 | 1.16 | 8.15 | 0.15 |
| Brazil, Aracaju | 3 | 0.3 | 0.16 | 0.01 | 0.01 | 830 | 53.4 | 1.88 | 5.98 | 0.25 |
| *Brazil, Barretos | 4 | 0.3 | 0.16 | 0.05 | 0.03 | 817 | 55.2 | 1.97 | 6.21 | 0.24 |
| Brazil, Belo Horizonte | 41 | 0.6 | 0.09 | 0.08 | 0.01 | 6378 | 68.7 | 0.88 | 7.65 | 0.11 |
| *Brazil, Campinas | 12 | 0.5 | 0.15 | 0.06 | 0.02 | 2286 | 76.9 | 1.64 | 8.66 | 0.22 |
| *Brazil, Curitiba | 16 | 0.4 | 0.11 | 0.06 | 0.02 | 2754 | 52.6 | 1.02 | 5.83 | 0.13 |
| Brazil, Goiânia | 18 | 0.7 | 0.17 | 0.08 | 0.02 | 1774 | 50.8 | 1.22 | 5.78 | 0.16 |
| *Brazil, Jaú | 3 | 0.7 | 0.38 | 0.05 | 0.03 | 255 | 51.9 | 3.31 | 5.83 | 0.42 |
| Brazil, João Pessoa | 4 | 0.4 | 0.19 | 0.03 | 0.02 | 829 | 55.5 | 1.96 | 6.17 | 0.26 |
| Brazil, Recife | 15 | 0.6 | 0.16 | 0.06 | 0.02 | 2265 | 62.0 | 1.33 | 6.99 | 0.17 |
| Chile, Region of Antofagasta | 8 | 0.7 | 0.25 | 0.08 | 0.03 | 384 | 37.7 | 1.95 | 4.52 | 0.27 |
| Chile, Valdivia | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 526 | 37.0 | 1.66 | 4.40 | 0.22 |
| Colombia, Bucaramanga | 9 | 0.3 | 0.09 | 0.02 | 0.01 | 1650 | 44.7 | 1.11 | 5.01 | 0.14 |
| Colombia, Cali | 64 | 1.1 | 0.14 | 0.12 | 0.02 | 3872 | 50.2 | 0.82 | 5.80 | 0.11 |
| Colombia, Manizales | 19 | 1.4 | 0.32 | 0.14 | 0.04 | 701 | 42.5 | 1.62 | 4.71 | 0.20 |
| Colombia, Pasto | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 423 | 33.6 | 1.65 | 3.70 | 0.21 |
| Costa Rica | 38 | 0.4 | 0.06 | 0.04 | 0.01 | 4824 | 46.1 | 0.67 | 5.41 | 0.09 |
| Ecuador, Guayaquil | 29 | 0.5 | 0.09 | 0.05 | 0.01 | 2404 | 39.4 | 0.82 | 4.54 | 0.11 |
| Ecuador, Manabí | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 785 | 23.0 | 0.83 | 2.55 | 0.11 |
| Ecuador, Quito | 23 | 0.6 | 0.12 | 0.07 | 0.02 | 2055 | 41.8 | 0.93 | 4.82 | 0.13 |
| *France, Guadeloupe | 9 | 0.6 | 0.19 | 0.08 | 0.03 | 1163 | 67.2 | 2.09 | 7.48 | 0.24 |
| *France, Martinique | 16 | 0.9 | 0.24 | 0.11 | 0.03 | 1169 | 66.6 | 2.10 | 7.33 | 0.24 |
| *Peru, Lima | 31 | 0.2 | 0.04 | 0.02 | 0.01 | 7029 | 43.1 | 0.52 | 4.79 | 0.07 |
| *Trinidad and Tobago | 23 | 0.9 | 0.20 | 0.12 | 0.03 | 1329 | 51.4 | 1.43 | 5.98 | 0.19 |
| USA, Puerto Rico | 97 | 0.7 | 0.07 | 0.07 | 0.01 | 10469 | 66.1 | 0.70 | 7.71 | 0.08 |
| *Uruguay | 81 | 0.6 | 0.07 | 0.08 | 0.01 | 9649 | 71.2 | 0.78 | 8.00 | 0.10 |
| North America | | | | | | | | | | |
| Canada, Alberta | 96 | 0.6 | 0.07 | 0.07 | 0.01 | 12103 | 80.4 | 0.75 | 9.55 | 0.10 |
| Canada, British Columbia | 142 | 0.6 | 0.05 | 0.07 | 0.01 | 17202 | 77.2 | 0.63 | 9.14 | 0.08 |
| *Canada, Manitoba | 27 | 0.4 | 0.09 | 0.05 | 0.01 | 4182 | 75.8 | 1.25 | 9.02 | 0.16 |
| *Canada, New Brunswick | 26 | 0.6 | 0.13 | 0.06 | 0.02 | 3017 | 77.4 | 1.53 | 9.12 | 0.19 |
| *Canada, Newfoundland and Labrador | 21 | 0.7 | 0.16 | 0.07 | 0.02 | 2270 | 84.8 | 1.90 | 10.16 | 0.24 |
| Canada, Ontario | 444 | 0.7 | 0.04 | 0.08 | 0.01 | 52335 | 85.5 | 0.40 | 10.04 | 0.05 |
| *Canada, Prince Edward Island | 7 | 0.6 | 0.25 | 0.02 | 0.02 | 575 | 75.7 | 3.44 | 8.96 | 0.44 |
| Canada, Quebec | 312 | 0.8 | 0.05 | 0.09 | 0.01 | 36019 | 92.7 | 0.53 | 10.87 | 0.07 |
| Canada, Saskatchewan | 34 | 0.7 | 0.13 | 0.09 | 0.02 | 3693 | 78.9 | 1.39 | 9.53 | 0.19 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 127 | 86.7 | 7.82 | 10.29 | 1.09 |
| USA | 11067 | 0.8 | 0.01 | 0.10 | 0.00 | 1219770 | 91.0 | 0.09 | 10.67 | 0.01 |
| USA: White | 9124 | 0.8 | 0.01 | 0.09 | 0.00 | 1011600 | 92.1 | 0.10 | 10.83 | 0.01 |
| USA: Black | 1563 | 1.2 | 0.03 | 0.15 | 0.00 | 144185 | 91.1 | 0.25 | 10.57 | 0.03 |
| USA, NPCR | 10714 | 0.8 | 0.01 | 0.10 | 0.00 | 1180666 | 91.0 | 0.09 | 10.68 | 0.01 |
| USA, NPCR: White | 8823 | 0.8 | 0.01 | 0.09 | 0.00 | 979606 | 92.2 | 0.10 | 10.84 | 0.01 |
| USA, NPCR: Black | 1544 | 1.2 | 0.03 | 0.15 | 0.00 | 142629 | 91.2 | 0.25 | 10.59 | 0.03 |
| USA, NPCR: Asian and Pacific Islander | 256 | 0.4 | 0.03 | 0.06 | 0.00 | 46806 | 70.4 | 0.33 | 8.08 | 0.04 |
| USA, NPCR: American Indian | 23 | 0.2 | 0.04 | 0.03 | 0.01 | 5687 | 45.6 | 0.61 | 5.47 | 0.08 |
| *USA, SEER (18 registries) | 2611 | 0.7 | 0.01 | 0.09 | 0.00 | 308543 | 86.4 | 0.16 | 10.11 | 0.02 |
| *USA, SEER (18 registries): White | 2049 | 0.7 | 0.02 | 0.09 | 0.00 | 240625 | 87.6 | 0.19 | 10.29 | 0.02 |
| *USA, SEER (18 registries): Non-Hispanic White | 1854 | 0.8 | 0.02 | 0.09 | 0.00 | 205498 | 91.7 | 0.22 | 10.73 | 0.03 |
| *USA, SEER (18 registries): Hispanic White | 195 | 0.4 | 0.03 | 0.05 | 0.00 | 35127 | 70.8 | 0.38 | 8.29 | 0.05 |
| *USA, SEER (18 registries): Black | 385 | 1.2 | 0.06 | 0.14 | 0.01 | 34875 | 86.1 | 0.47 | 9.98 | 0.06 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 152 | 0.4 | 0.04 | 0.05 | 0.01 | 28283 | 74.4 | 0.45 | 8.61 | 0.06 |
| *USA, SEER (9 registries) | 930 | 0.8 | 0.03 | 0.09 | 0.00 | 109227 | 89.1 | 0.28 | 10.43 | 0.04 |
| *USA, SEER (9 registries): White | 712 | 0.7 | 0.03 | 0.09 | 0.00 | 83987 | 90.6 | 0.33 | 10.62 | 0.04 |
| *USA, SEER (9 registries): Black | 142 | 1.3 | 0.11 | 0.14 | 0.01 | 11928 | 86.3 | 0.80 | 9.97 | 0.11 |
| USA, Alabama | 225 | 1.1 | 0.08 | 0.12 | 0.01 | 18718 | 87.9 | 0.69 | 10.28 | 0.09 |
| USA, Alabama: White | 171 | 1.1 | 0.09 | 0.12 | 0.01 | 13776 | 86.1 | 0.80 | 10.11 | 0.10 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Breast (C50) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|------------|------|----------|------|--------|--------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 52 | 1.3 | 0.18 | 0.16 | 0.03 | 4683 | 93.5 | 1.41 | 10.88 | 0.18 | |
| USA, Alaska | 18 | 0.7 | 0.16 | 0.10 | 0.03 | 2134 | 87.9 | 1.94 | 10.34 | 0.26 | |
| *USA, Alaska: Alaska Natives | 0 | – | 0.00 | – | 0.00 | 343 | 99.4 | 5.45 | 11.65 | 0.72 | |
| USA, Arizona | 238 | 0.8 | 0.06 | 0.11 | 0.01 | 23744 | 82.6 | 0.58 | 9.75 | 0.07 | |
| USA, Arizona: White | 227 | 0.9 | 0.06 | 0.11 | 0.01 | 21958 | 85.6 | 0.63 | 10.11 | 0.08 | |
| USA, Arizona: Black | 6 | 0.6 | 0.24 | 0.04 | 0.02 | 743 | 75.3 | 2.79 | 8.64 | 0.37 | |
| *USA, Arizona: Asian and Pacific Islander | 3 | 0.5 | 0.27 | 0.07 | 0.04 | 579 | 60.5 | 2.53 | 6.73 | 0.32 | |
| USA, Arizona: American Indian | 2 | 0.2 | 0.15 | 0.03 | 0.02 | 391 | 35.8 | 1.84 | 4.17 | 0.24 | |
| USA, Arkansas | 103 | 0.8 | 0.09 | 0.09 | 0.01 | 10962 | 85.7 | 0.88 | 10.07 | 0.11 | |
| USA, Arkansas: White | 78 | 0.7 | 0.09 | 0.08 | 0.01 | 9176 | 83.7 | 0.95 | 9.90 | 0.12 | |
| USA, Arkansas: Black | 21 | 1.5 | 0.34 | 0.14 | 0.04 | 1485 | 90.7 | 2.41 | 10.32 | 0.30 | |
| USA, California | 971 | 0.6 | 0.02 | 0.08 | 0.00 | 132956 | 88.1 | 0.25 | 10.35 | 0.03 | |
| USA, California: White | 789 | 0.7 | 0.02 | 0.08 | 0.00 | 103644 | 91.0 | 0.30 | 10.74 | 0.04 | |
| USA, California: Black | 88 | 1.0 | 0.11 | 0.13 | 0.02 | 8654 | 86.8 | 0.96 | 10.13 | 0.13 | |
| USA, California: Asian and Pacific Islander | 87 | 0.4 | 0.04 | 0.04 | 0.01 | 18907 | 76.3 | 0.57 | 8.80 | 0.07 | |
| *USA, California, Los Angeles County | 221 | 0.6 | 0.04 | 0.07 | 0.01 | 30603 | 79.8 | 0.47 | 9.36 | 0.06 | |
| *USA, California, Los Angeles County: White | 159 | 0.6 | 0.05 | 0.07 | 0.01 | 21672 | 81.1 | 0.57 | 9.55 | 0.07 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 119 | 0.7 | 0.07 | 0.09 | 0.01 | 13296 | 99.2 | 0.95 | 11.63 | 0.12 | |
| *USA, California, Los Angeles County: Hispanic White | 40 | 0.3 | 0.05 | 0.04 | 0.01 | 8376 | 63.9 | 0.71 | 7.45 | 0.09 | |
| *USA, California, Los Angeles County: Black | 30 | 0.9 | 0.18 | 0.13 | 0.03 | 3249 | 80.5 | 1.47 | 9.34 | 0.19 | |
| *USA, California, Los Angeles County: Chinese | 6 | 0.3 | 0.11 | 0.03 | 0.02 | 1066 | 48.1 | 1.55 | 5.45 | 0.19 | |
| *USA, California, Los Angeles County: Filipino | 12 | 1.0 | 0.28 | 0.13 | 0.04 | 1477 | 83.2 | 2.26 | 9.70 | 0.27 | |
| *USA, California, Los Angeles County: Korean | 2 | 0.3 | 0.20 | 0.02 | 0.02 | 513 | 50.6 | 2.34 | 5.68 | 0.27 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 28 | 0.5 | 0.09 | 0.06 | 0.01 | 5161 | 74.1 | 1.07 | 8.56 | 0.13 | |
| *USA, California, San Francisco Bay Area | 124 | 0.6 | 0.06 | 0.07 | 0.01 | 16757 | 87.8 | 0.71 | 10.25 | 0.09 | |
| *USA, California, San Francisco Bay Area: White | 89 | 0.7 | 0.08 | 0.08 | 0.01 | 10992 | 92.2 | 0.93 | 10.81 | 0.12 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 77 | 0.7 | 0.08 | 0.08 | 0.01 | 9247 | 98.1 | 1.11 | 11.41 | 0.14 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 12 | 0.5 | 0.16 | 0.07 | 0.03 | 1745 | 72.3 | 1.77 | 8.59 | 0.25 | |
| *USA, California, San Francisco Bay Area: Black | 14 | 0.9 | 0.25 | 0.11 | 0.04 | 1381 | 83.9 | 2.34 | 9.81 | 0.30 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 18 | 0.4 | 0.09 | 0.04 | 0.01 | 4229 | 78.9 | 1.25 | 9.08 | 0.16 | |
| USA, Colorado | 137 | 0.6 | 0.06 | 0.07 | 0.01 | 19295 | 91.5 | 0.69 | 10.72 | 0.09 | |
| USA, Colorado: White | 130 | 0.6 | 0.06 | 0.08 | 0.01 | 18069 | 93.4 | 0.73 | 10.94 | 0.09 | |
| *USA, Colorado: Black | 4 | 0.5 | 0.26 | 0.07 | 0.05 | 608 | 80.8 | 3.33 | 9.31 | 0.45 | |
| *USA, Colorado: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 413 | 59.6 | 2.96 | 6.70 | 0.38 | |
| USA, Connecticut | 149 | 1.0 | 0.08 | 0.11 | 0.01 | 15103 | 95.1 | 0.83 | 11.07 | 0.10 | |
| USA, Connecticut: White | 127 | 0.9 | 0.09 | 0.11 | 0.01 | 13176 | 95.8 | 0.91 | 11.17 | 0.11 | |
| USA, Connecticut: Black | 18 | 1.5 | 0.35 | 0.16 | 0.05 | 1223 | 79.9 | 2.33 | 9.22 | 0.30 | |
| USA, District of Columbia | 36 | 1.7 | 0.29 | 0.18 | 0.04 | 2415 | 98.7 | 2.11 | 11.38 | 0.27 | |
| USA, District of Columbia: White | 12 | 1.1 | 0.32 | 0.10 | 0.04 | 845 | 97.9 | 3.53 | 11.59 | 0.46 | |
| USA, District of Columbia: Black | 24 | 2.3 | 0.48 | 0.26 | 0.06 | 1476 | 99.3 | 2.78 | 11.29 | 0.35 | |
| USA, Florida | 804 | 0.8 | 0.03 | 0.09 | 0.00 | 82597 | 86.5 | 0.33 | 10.13 | 0.04 | |
| USA, Florida: White | 668 | 0.7 | 0.03 | 0.09 | 0.00 | 69866 | 86.7 | 0.37 | 10.17 | 0.04 | |
| USA, Florida: Black | 103 | 1.0 | 0.10 | 0.11 | 0.01 | 9667 | 80.4 | 0.83 | 9.21 | 0.11 | |
| USA, Florida: Asian and Pacific Islander | 8 | 0.4 | 0.14 | 0.06 | 0.02 | 1510 | 59.8 | 1.55 | 6.91 | 0.20 | |
| USA, Georgia | 342 | 0.9 | 0.05 | 0.11 | 0.01 | 37071 | 91.8 | 0.49 | 10.74 | 0.06 | |
| USA, Georgia: White | 231 | 0.9 | 0.06 | 0.11 | 0.01 | 24981 | 91.7 | 0.61 | 10.79 | 0.08 | |
| USA, Georgia: Black | 104 | 1.2 | 0.12 | 0.14 | 0.02 | 11111 | 94.9 | 0.91 | 10.99 | 0.12 | |
| USA, Georgia: Asian and Pacific Islander | 7 | 0.6 | 0.22 | 0.06 | 0.03 | 905 | 64.6 | 2.16 | 7.25 | 0.28 | |
| *USA, Georgia, Atlanta | 113 | 1.0 | 0.09 | 0.12 | 0.01 | 11989 | 89.6 | 0.83 | 10.48 | 0.11 | |
| *USA, Georgia, Atlanta: White | 60 | 0.9 | 0.11 | 0.11 | 0.02 | 6642 | 93.1 | 1.18 | 10.96 | 0.15 | |
| *USA, Georgia, Atlanta: Black | 48 | 1.3 | 0.19 | 0.14 | 0.03 | 4751 | 89.6 | 1.31 | 10.42 | 0.18 | |
| USA, Idaho | 48 | 0.6 | 0.09 | 0.07 | 0.01 | 5950 | 90.0 | 1.24 | 10.62 | 0.16 | |
| USA, Indiana | 200 | 0.7 | 0.05 | 0.09 | 0.01 | 24747 | 89.1 | 0.60 | 10.53 | 0.08 | |
| USA, Indiana: White | 172 | 0.7 | 0.05 | 0.08 | 0.01 | 22442 | 89.6 | 0.64 | 10.58 | 0.08 | |
| USA, Indiana: Black | 26 | 1.5 | 0.29 | 0.16 | 0.04 | 2003 | 91.0 | 2.08 | 10.80 | 0.28 | |
| *USA, Iowa | 107 | 0.8 | 0.08 | 0.09 | 0.01 | 11567 | 88.0 | 0.89 | 10.34 | 0.11 | |
| USA, Kentucky | 118 | 0.6 | 0.06 | 0.07 | 0.01 | 17488 | 91.8 | 0.74 | 10.85 | 0.09 | |
| USA, Louisiana | 160 | 0.9 | 0.07 | 0.11 | 0.01 | 17390 | 91.0 | 0.73 | 10.67 | 0.09 | |
| USA, Louisiana: White | 98 | 0.7 | 0.07 | 0.09 | 0.01 | 11778 | 89.0 | 0.88 | 10.48 | 0.11 | |
| USA, Louisiana: Black | 59 | 1.3 | 0.18 | 0.16 | 0.02 | 5422 | 98.4 | 1.38 | 11.47 | 0.18 | |
| *USA, Louisiana, New Orleans | 37 | 1.1 | 0.19 | 0.16 | 0.03 | 3332 | 90.6 | 1.66 | 10.55 | 0.21 | |
| *USA, Louisiana, New Orleans: White | 18 | 0.9 | 0.21 | 0.12 | 0.03 | 1968 | 92.7 | 2.27 | 10.85 | 0.28 | |
| *USA, Louisiana, New Orleans: Black | 16 | 1.5 | 0.38 | 0.20 | 0.06 | 1285 | 89.8 | 2.59 | 10.43 | 0.33 | |
| USA, Maine | 66 | 0.9 | 0.11 | 0.13 | 0.02 | 6029 | 92.3 | 1.30 | 10.86 | 0.16 | |
| USA, Maryland | 264 | 1.1 | 0.07 | 0.13 | 0.01 | 24425 | 96.1 | 0.64 | 11.24 | 0.08 | |
| USA, Maryland: White | 159 | 0.9 | 0.08 | 0.11 | 0.01 | 15967 | 97.7 | 0.83 | 11.50 | 0.10 | |
| USA, Maryland: Black | 96 | 1.7 | 0.17 | 0.21 | 0.03 | 7287 | 97.8 | 1.17 | 11.35 | 0.15 | |
| USA, Maryland: Asian and Pacific Islander | 7 | 0.5 | 0.20 | 0.07 | 0.03 | 1077 | 70.5 | 2.17 | 7.75 | 0.26 | |
| USA, Massachusetts | 265 | 0.9 | 0.06 | 0.12 | 0.01 | 29633 | 100.2 | 0.62 | 11.75 | 0.08 | |
| USA, Massachusetts: White | 235 | 0.9 | 0.06 | 0.11 | 0.01 | 26713 | 102.5 | 0.68 | 12.04 | 0.08 | |
| USA, Massachusetts: Black | 19 | 1.3 | 0.29 | 0.19 | 0.05 | 1695 | 84.7 | 2.09 | 9.77 | 0.28 | |
| USA, Massachusetts: Asian and Pacific Islander | 10 | 0.8 | 0.26 | 0.11 | 0.04 | 1007 | 70.2 | 2.24 | 8.03 | 0.30 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Breast (C50) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|--------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 424 | 1.0 | 0.05 | 0.12 | 0.01 | 38541 | 88.2 | 0.48 | 10.25 | 0.06 |
| USA, Michigan: White | 349 | 0.9 | 0.05 | 0.11 | 0.01 | 32688 | 88.7 | 0.53 | 10.31 | 0.07 |
| USA, Michigan: Black | 67 | 1.5 | 0.18 | 0.17 | 0.03 | 4923 | 89.1 | 1.31 | 10.30 | 0.17 |
| USA, Michigan: Asian and Pacific Islander | 4 | 0.4 | 0.20 | 0.03 | 0.02 | 624 | 63.2 | 2.55 | 7.21 | 0.33 |
| *USA, Michigan, Detroit | 159 | 1.0 | 0.08 | 0.11 | 0.01 | 15303 | 90.0 | 0.77 | 10.40 | 0.10 |
| *USA, Michigan, Detroit: White | 108 | 0.8 | 0.08 | 0.10 | 0.01 | 11310 | 92.2 | 0.94 | 10.69 | 0.12 |
| *USA, Michigan, Detroit: Black | 47 | 1.5 | 0.22 | 0.18 | 0.03 | 3557 | 88.1 | 1.53 | 10.08 | 0.19 |
| USA, Minnesota | 157 | 0.7 | 0.06 | 0.08 | 0.01 | 21578 | 95.4 | 0.69 | 11.26 | 0.09 |
| USA, Minnesota: White | 147 | 0.7 | 0.06 | 0.08 | 0.01 | 20331 | 97.0 | 0.73 | 11.46 | 0.09 |
| USA, Minnesota: Black | 7 | 0.9 | 0.36 | 0.12 | 0.05 | 620 | 79.1 | 3.24 | 8.81 | 0.43 |
| *USA, Minnesota: Asian and Pacific Islander | 2 | 0.4 | 0.31 | 0.06 | 0.04 | 409 | 60.8 | 3.07 | 7.14 | 0.42 |
| USA, Mississippi | 99 | 0.8 | 0.09 | 0.10 | 0.01 | 10730 | 86.5 | 0.89 | 10.13 | 0.11 |
| USA, Missouri | 187 | 0.7 | 0.05 | 0.08 | 0.01 | 24725 | 94.6 | 0.65 | 11.10 | 0.08 |
| USA, Missouri: White | 161 | 0.6 | 0.05 | 0.07 | 0.01 | 21724 | 94.6 | 0.70 | 11.13 | 0.09 |
| USA, Missouri: Black | 24 | 1.1 | 0.22 | 0.12 | 0.03 | 2636 | 99.7 | 2.00 | 11.40 | 0.25 |
| USA, Montana | 49 | 0.9 | 0.14 | 0.08 | 0.02 | 4246 | 92.4 | 1.55 | 11.02 | 0.19 |
| *USA, Montana: American Indian | 1 | 0.6 | 0.57 | 0.07 | 0.07 | 157 | 79.2 | 6.40 | 9.83 | 0.91 |
| USA, Nebraska | 81 | 1.1 | 0.12 | 0.15 | 0.02 | 7035 | 92.4 | 1.18 | 10.98 | 0.15 |
| USA, Nebraska: White | 78 | 1.1 | 0.13 | 0.15 | 0.02 | 6708 | 93.9 | 1.24 | 11.15 | 0.16 |
| *USA, Nebraska: Black | 3 | 1.1 | 0.63 | 0.04 | 0.04 | 212 | 80.4 | 5.61 | 9.10 | 0.73 |
| USA, Nevada | 106 | 0.9 | 0.09 | 0.10 | 0.01 | 9458 | 81.5 | 0.87 | 9.59 | 0.11 |
| USA, Nevada: White | 90 | 0.9 | 0.10 | 0.10 | 0.01 | 7709 | 83.3 | 1.00 | 9.85 | 0.13 |
| USA, Nevada: Black | 12 | 1.5 | 0.42 | 0.22 | 0.07 | 737 | 79.7 | 2.97 | 9.16 | 0.38 |
| *USA, Nevada: Asian and Pacific Islander | 3 | 0.3 | 0.19 | 0.03 | 0.02 | 875 | 68.8 | 2.38 | 7.90 | 0.29 |
| USA, New Jersey | 365 | 1.0 | 0.05 | 0.12 | 0.01 | 38222 | 98.3 | 0.53 | 11.46 | 0.07 |
| USA, New Jersey: White | 300 | 1.0 | 0.06 | 0.12 | 0.01 | 30671 | 101.2 | 0.63 | 11.79 | 0.08 |
| USA, New Jersey: Black | 52 | 1.3 | 0.18 | 0.15 | 0.03 | 4911 | 93.3 | 1.37 | 10.86 | 0.18 |
| USA, New Mexico | 57 | 0.6 | 0.09 | 0.07 | 0.01 | 6756 | 76.5 | 1.00 | 9.02 | 0.12 |
| USA, New Mexico: White | 54 | 0.6 | 0.09 | 0.08 | 0.01 | 6148 | 79.3 | 1.10 | 9.32 | 0.13 |
| USA, New Mexico: Non-Hispanic White | 39 | 0.8 | 0.14 | 0.09 | 0.02 | 3823 | 81.4 | 1.53 | 9.58 | 0.18 |
| USA, New Mexico: Hispanic White | 15 | 0.5 | 0.13 | 0.06 | 0.02 | 2325 | 74.9 | 1.60 | 8.80 | 0.21 |
| *USA, New Mexico: American Indian | 1 | 0.1 | 0.11 | 0.00 | 0.00 | 343 | 46.8 | 2.57 | 5.46 | 0.33 |
| USA, New York State | 793 | 1.0 | 0.04 | 0.11 | 0.01 | 80970 | 96.1 | 0.36 | 11.13 | 0.04 |
| USA, New York State: White | 628 | 1.0 | 0.04 | 0.11 | 0.01 | 63026 | 100.4 | 0.43 | 11.64 | 0.05 |
| USA, New York State: Black | 134 | 1.2 | 0.11 | 0.15 | 0.02 | 12626 | 88.3 | 0.81 | 10.17 | 0.10 |
| USA, New York State: Asian and Pacific Islander | 27 | 0.4 | 0.09 | 0.06 | 0.02 | 4859 | 76.0 | 1.10 | 8.65 | 0.14 |
| USA, North Carolina | 324 | 0.8 | 0.05 | 0.09 | 0.01 | 41790 | 96.6 | 0.50 | 11.38 | 0.06 |
| USA, North Carolina: White | 240 | 0.7 | 0.05 | 0.08 | 0.01 | 32079 | 97.3 | 0.58 | 11.47 | 0.07 |
| USA, North Carolina: Black | 77 | 1.1 | 0.13 | 0.12 | 0.02 | 8660 | 97.6 | 1.08 | 11.47 | 0.14 |
| USA, North Carolina: Asian and Pacific Islander | 3 | 0.4 | 0.23 | 0.06 | 0.04 | 558 | 61.2 | 2.62 | 7.10 | 0.35 |
| *USA, North Carolina: American Indian | 2 | 0.4 | 0.29 | 0.02 | 0.02 | 326 | 61.3 | 3.42 | 7.33 | 0.46 |
| USA, North Dakota | 27 | 1.0 | 0.21 | 0.09 | 0.02 | 2634 | 93.0 | 1.97 | 11.13 | 0.25 |
| USA, Ohio | 376 | 0.7 | 0.04 | 0.09 | 0.01 | 47691 | 92.3 | 0.46 | 10.88 | 0.06 |
| USA, Ohio: White | 330 | 0.7 | 0.04 | 0.08 | 0.01 | 41937 | 93.1 | 0.49 | 10.99 | 0.06 |
| USA, Ohio: Black | 43 | 1.0 | 0.15 | 0.13 | 0.02 | 5196 | 92.3 | 1.33 | 10.80 | 0.17 |
| *USA, Ohio: Asian and Pacific Islander | 3 | 0.4 | 0.24 | 0.07 | 0.04 | 484 | 58.1 | 2.66 | 6.39 | 0.33 |
| USA, Oklahoma | 122 | 0.8 | 0.07 | 0.10 | 0.01 | 14065 | 87.9 | 0.79 | 10.41 | 0.10 |
| USA, Oklahoma: White | 104 | 0.8 | 0.08 | 0.10 | 0.01 | 11973 | 88.7 | 0.88 | 10.55 | 0.11 |
| USA, Oklahoma: Black | 12 | 1.4 | 0.42 | 0.23 | 0.08 | 900 | 88.5 | 3.01 | 10.02 | 0.39 |
| USA, Oklahoma: American Indian | 3 | 0.3 | 0.15 | 0.03 | 0.03 | 950 | 77.7 | 2.56 | 9.16 | 0.34 |
| USA, Oregon | 136 | 0.7 | 0.06 | 0.08 | 0.01 | 16249 | 91.8 | 0.77 | 10.88 | 0.10 |
| USA, Oregon: White | 128 | 0.7 | 0.07 | 0.08 | 0.01 | 15257 | 92.7 | 0.81 | 11.00 | 0.10 |
| *USA, Oregon: Black | 5 | 2.0 | 0.92 | 0.29 | 0.16 | 214 | 84.3 | 5.83 | 9.81 | 0.79 |
| *USA, Oregon: Asian and Pacific Islander | 1 | 0.2 | 0.20 | 0.03 | 0.03 | 498 | 66.4 | 3.00 | 7.41 | 0.38 |
| USA, Rhode Island | 51 | 1.1 | 0.17 | 0.15 | 0.02 | 4662 | 98.9 | 1.56 | 11.66 | 0.20 |
| USA, Rhode Island: White | 48 | 1.2 | 0.18 | 0.14 | 0.03 | 4363 | 101.5 | 1.67 | 11.95 | 0.21 |
| *USA, Rhode Island: Black | 2 | 1.1 | 0.76 | 0.22 | 0.16 | 201 | 75.6 | 5.46 | 8.74 | 0.73 |
| USA, South Carolina | 192 | 0.9 | 0.07 | 0.12 | 0.01 | 20433 | 93.7 | 0.70 | 10.94 | 0.09 |
| USA, South Carolina: White | 136 | 0.8 | 0.08 | 0.11 | 0.01 | 15180 | 94.2 | 0.83 | 11.04 | 0.10 |
| USA, South Carolina: Black | 54 | 1.3 | 0.17 | 0.15 | 0.02 | 5038 | 93.9 | 1.37 | 10.88 | 0.17 |
| USA, South Dakota | 25 | 0.6 | 0.13 | 0.08 | 0.02 | 3240 | 92.1 | 1.76 | 10.81 | 0.22 |
| USA, Tennessee | 232 | 0.9 | 0.06 | 0.10 | 0.01 | 25481 | 89.3 | 0.59 | 10.55 | 0.07 |
| USA, Tennessee: White | 191 | 0.8 | 0.06 | 0.09 | 0.01 | 21477 | 89.6 | 0.66 | 10.61 | 0.08 |
| USA, Tennessee: Black | 39 | 1.3 | 0.20 | 0.16 | 0.03 | 3721 | 90.9 | 1.52 | 10.56 | 0.20 |
| USA, Texas | 858 | 0.9 | 0.03 | 0.11 | 0.00 | 81382 | 82.3 | 0.30 | 9.66 | 0.04 |
| USA, Texas: White | 712 | 0.9 | 0.03 | 0.11 | 0.00 | 68206 | 83.1 | 0.33 | 9.78 | 0.04 |
| USA, Texas: Black | 122 | 1.3 | 0.12 | 0.16 | 0.02 | 10049 | 86.7 | 0.88 | 10.07 | 0.12 |
| USA, Texas: Asian and Pacific Islander | 21 | 0.5 | 0.12 | 0.06 | 0.02 | 2650 | 58.3 | 1.14 | 6.70 | 0.15 |
| USA, Utah | 55 | 0.6 | 0.08 | 0.06 | 0.01 | 7156 | 77.5 | 0.95 | 9.03 | 0.12 |
| USA, Vermont | 25 | 0.8 | 0.16 | 0.07 | 0.02 | 2772 | 94.5 | 1.95 | 11.15 | 0.24 |
| USA, Washington State | 199 | 0.7 | 0.05 | 0.08 | 0.01 | 28473 | 96.7 | 0.60 | 11.50 | 0.08 |
| *USA, Washington, Seattle | 126 | 0.6 | 0.06 | 0.07 | 0.01 | 18918 | 94.2 | 0.72 | 11.11 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Breast (C50) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 60 | 0.6 | 0.09 | 0.08 | 0.01 | 7436 | 85.4 | 1.08 | 9.94 | 0.13 |
| USA, Wyoming | 27 | 0.9 | 0.18 | 0.08 | 0.02 | 1879 | 80.7 | 1.99 | 9.52 | 0.25 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 13 | 0.9 | 0.25 | 0.10 | 0.04 | 944 | 67.7 | 2.27 | 7.38 | 0.29 |
| Brunei Darussalam | 2 | 0.2 | 0.17 | 0.03 | 0.03 | 481 | 47.5 | 2.24 | 5.50 | 0.31 |
| *China, Anfu County | 3 | 0.2 | 0.14 | 0.02 | 0.01 | 184 | 17.7 | 1.32 | 1.73 | 0.14 |
| *China, Anguo City | 10 | 0.7 | 0.23 | 0.07 | 0.03 | 583 | 44.2 | 1.85 | 5.08 | 0.24 |
| *China, Anshan City | 40 | 0.5 | 0.09 | 0.05 | 0.01 | 3176 | 43.2 | 0.81 | 4.69 | 0.09 |
| *China, Aohan Banner, Chifeng City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 254 | 12.6 | 0.82 | 1.44 | 0.10 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 289 | 30.2 | 1.82 | 3.22 | 0.22 |
| *China, Baoding City | 15 | 0.4 | 0.11 | 0.04 | 0.01 | 1701 | 44.7 | 1.10 | 4.93 | 0.13 |
| *China, Beijing City | 103 | 0.2 | 0.03 | 0.03 | 0.00 | 16341 | 45.2 | 0.38 | 5.02 | 0.04 |
| *China, Binhai County | 20 | 0.4 | 0.10 | 0.04 | 0.01 | 631 | 15.4 | 0.62 | 1.52 | 0.06 |
| *China, Cangzhou City | 18 | 1.0 | 0.24 | 0.10 | 0.02 | 685 | 38.8 | 1.50 | 4.27 | 0.18 |
| China, Changfeng County | 10 | 0.6 | 0.19 | 0.08 | 0.03 | 300 | 20.0 | 1.18 | 2.05 | 0.13 |
| China, Changzhou City | 33 | 0.3 | 0.06 | 0.03 | 0.01 | 3588 | 36.9 | 0.63 | 4.11 | 0.08 |
| China, Chengdu City | 20 | 0.5 | 0.12 | 0.05 | 0.01 | 1079 | 29.4 | 0.91 | 3.04 | 0.10 |
| China, Cixian County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 408 | 21.2 | 1.06 | 2.26 | 0.13 |
| China, Cixi City | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 1379 | 29.8 | 0.83 | 3.15 | 0.09 |
| *China, Dafeng District, Yancheng City | 7 | 0.3 | 0.13 | 0.03 | 0.01 | 922 | 29.6 | 1.02 | 3.12 | 0.11 |
| China, Dalian City | 40 | 0.4 | 0.06 | 0.04 | 0.01 | 5272 | 50.3 | 0.72 | 5.55 | 0.09 |
| *China, Dancheng County | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 1857 | 49.4 | 1.20 | 5.92 | 0.18 |
| China, Dangtu County | 2 | 0.2 | 0.16 | 0.01 | 0.01 | 258 | 24.4 | 1.56 | 2.46 | 0.16 |
| *China, Danyang City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 826 | 23.3 | 0.83 | 2.42 | 0.09 |
| *China, Dawukou District, Shizuishan City | 4 | 0.4 | 0.20 | 0.04 | 0.03 | 270 | 26.0 | 1.61 | 2.80 | 0.19 |
| *China, Dehui City | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 820 | 25.3 | 0.90 | 2.66 | 0.10 |
| *China, Donggang County | 15 | 0.6 | 0.17 | 0.06 | 0.02 | 684 | 25.6 | 1.00 | 2.72 | 0.12 |
| *China, Dongguan City | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 1450 | 34.3 | 0.91 | 3.61 | 0.10 |
| China, Donghai County | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 868 | 23.6 | 0.82 | 2.46 | 0.09 |
| *China, Dongtai City | 11 | 0.3 | 0.10 | 0.03 | 0.01 | 935 | 23.4 | 0.82 | 2.48 | 0.09 |
| China, Duanzhou District, Zhaoqing City | 6 | 0.4 | 0.18 | 0.07 | 0.04 | 508 | 42.5 | 1.91 | 4.59 | 0.23 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 119 | 34.9 | 3.30 | 3.90 | 0.40 |
| *China, Faku County | 3 | 0.1 | 0.07 | 0.00 | 0.00 | 477 | 25.6 | 1.20 | 2.69 | 0.13 |
| *China, Fangcheng County | 12 | 0.5 | 0.16 | 0.06 | 0.02 | 692 | 33.9 | 1.30 | 3.60 | 0.16 |
| *China, Feicheng City | 15 | 0.4 | 0.11 | 0.06 | 0.02 | 1133 | 29.1 | 0.88 | 3.05 | 0.10 |
| China, Feixi County | 22 | 0.6 | 0.12 | 0.06 | 0.02 | 774 | 21.4 | 0.78 | 2.22 | 0.09 |
| China, Fuqing City | 6 | 0.2 | 0.09 | 0.02 | 0.01 | 578 | 22.1 | 0.92 | 2.31 | 0.10 |
| *China, Ganyu District, Lianyungang City | 17 | 0.4 | 0.10 | 0.04 | 0.01 | 1017 | 27.8 | 0.90 | 2.95 | 0.10 |
| *China, Ganzhou District, Zhangye City | 8 | 0.8 | 0.28 | 0.09 | 0.04 | 251 | 26.0 | 1.82 | 2.64 | 0.19 |
| *China, Gaocheng City | 4 | 0.2 | 0.09 | 0.01 | 0.01 | 517 | 22.5 | 1.01 | 2.46 | 0.12 |
| China, Gaomi City | 10 | 0.3 | 0.11 | 0.04 | 0.01 | 823 | 29.5 | 1.05 | 3.05 | 0.11 |
| China, Gong'an County | 20 | 0.6 | 0.13 | 0.06 | 0.02 | 832 | 24.0 | 0.84 | 2.51 | 0.10 |
| *China, Guang'an District, Guang'an City | 24 | 1.3 | 0.27 | 0.13 | 0.03 | 262 | 14.7 | 0.93 | 1.53 | 0.10 |
| China, Guanghan City | 7 | 0.4 | 0.17 | 0.05 | 0.02 | 285 | 17.5 | 1.08 | 1.88 | 0.12 |
| China, Guangzhou City | 90 | 0.3 | 0.03 | 0.03 | 0.00 | 12292 | 39.1 | 0.36 | 4.22 | 0.04 |
| *China, Guanyun County | 13 | 0.4 | 0.10 | 0.05 | 0.01 | 711 | 22.4 | 0.85 | 2.30 | 0.09 |
| China, Guilin City | 8 | 0.4 | 0.13 | 0.04 | 0.02 | 1197 | 49.6 | 1.46 | 5.61 | 0.19 |
| *China, Hai'an City | 11 | 0.3 | 0.09 | 0.03 | 0.01 | 1133 | 25.8 | 0.81 | 2.73 | 0.09 |
| China, Hailar District, Hulun Buir City | 0 | – | 0.00 | – | 0.00 | 441 | 33.0 | 1.62 | 3.62 | 0.20 |
| China, Haimen District, Nantong City | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 1176 | 25.8 | 0.78 | 2.91 | 0.09 |
| China, Haining City | 10 | 0.3 | 0.11 | 0.04 | 0.01 | 901 | 30.6 | 1.06 | 3.18 | 0.11 |
| China, Hangzhou City | 74 | 0.2 | 0.03 | 0.03 | 0.00 | 9907 | 34.2 | 0.35 | 3.69 | 0.04 |
| China, Hebi City | 0 | – | 0.00 | – | 0.00 | 328 | 25.4 | 1.43 | 2.81 | 0.17 |
| China, Hefei City | 45 | 0.5 | 0.08 | 0.06 | 0.01 | 2505 | 30.6 | 0.62 | 3.32 | 0.08 |
| China, Hengdong County | 4 | 0.2 | 0.12 | 0.03 | 0.02 | 272 | 18.1 | 1.12 | 1.90 | 0.13 |
| *China, Hengfeng County | 1 | 0.1 | 0.13 | 0.03 | 0.03 | 114 | 18.8 | 1.78 | 1.85 | 0.18 |
| *China, Hepu County | 0 | – | 0.00 | – | 0.00 | 586 | 21.9 | 0.92 | 2.30 | 0.11 |
| China, Honghu City | 8 | 0.3 | 0.09 | 0.03 | 0.01 | 678 | 23.2 | 0.91 | 2.42 | 0.10 |
| China, Hongshan District, Chifeng City | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 398 | 25.7 | 1.33 | 2.88 | 0.16 |
| *China, Hongta District, Yuxi City | 9 | 0.6 | 0.19 | 0.07 | 0.03 | 316 | 19.3 | 1.11 | 1.97 | 0.12 |
| *China, Huaiyin District, Huai'an City | 7 | 0.2 | 0.07 | 0.03 | 0.01 | 648 | 20.6 | 0.82 | 2.18 | 0.09 |
| *China, Jiange County | 6 | 0.3 | 0.14 | 0.04 | 0.02 | 122 | 6.9 | 0.63 | 0.70 | 0.07 |
| China, Jiangmen City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 1023 | 40.7 | 1.28 | 4.46 | 0.15 |
| *China, Jiangyin City | 20 | 0.3 | 0.08 | 0.04 | 0.01 | 1333 | 25.6 | 0.72 | 2.73 | 0.08 |
| *China, Jiashan County | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 632 | 36.8 | 1.53 | 3.91 | 0.17 |
| China, Jiayu County | 3 | 0.4 | 0.23 | 0.06 | 0.04 | 160 | 20.7 | 1.65 | 2.12 | 0.18 |
| *China, Jinan City | 30 | 0.3 | 0.06 | 0.04 | 0.01 | 3266 | 35.8 | 0.64 | 3.94 | 0.08 |
| *China, Jingtai County | 2 | 0.3 | 0.21 | 0.02 | 0.02 | 215 | 27.8 | 1.95 | 2.75 | 0.21 |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | 131 | 11.7 | 1.12 | 1.17 | 0.11 |
| *China, Jintan District, Changzhou City | 5 | 0.2 | 0.10 | 0.01 | 0.01 | 587 | 26.4 | 1.12 | 2.87 | 0.13 |
| *China, Jiulongpo District, Chongqing City | 9 | 0.3 | 0.09 | 0.04 | 0.02 | 826 | 27.8 | 1.00 | 2.87 | 0.11 |
| *China, Jiyuan City | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 493 | 27.5 | 1.26 | 3.01 | 0.15 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Breast (C50) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 2 | 0.1 | 0.10 | 0.03 | 0.02 | 297 | 23.7 | 1.42 | 2.61 | 0.18 |
| China, Kunshan City | 13 | 0.4 | 0.11 | 0.04 | 0.01 | 1114 | 35.8 | 1.09 | 3.76 | 0.12 |
| China, Langzhong City | 0 | – | 0.00 | – | 0.00 | 254 | 13.1 | 0.84 | 1.35 | 0.10 |
| *China, Liangshan County | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 1127 | 40.3 | 1.24 | 4.18 | 0.14 |
| *China, Lianshui County | 12 | 0.3 | 0.08 | 0.04 | 0.01 | 610 | 16.1 | 0.67 | 1.70 | 0.07 |
| China, Lianyungang City | 13 | 0.3 | 0.09 | 0.03 | 0.01 | 1184 | 32.5 | 0.96 | 3.44 | 0.11 |
| China, Linhe District, Bayannur City | 9 | 0.6 | 0.20 | 0.05 | 0.02 | 427 | 28.4 | 1.41 | 3.14 | 0.17 |
| China, Linqu County | 9 | 0.2 | 0.08 | 0.02 | 0.01 | 730 | 22.2 | 0.84 | 2.31 | 0.09 |
| *China, Linzhou City | 14 | 0.4 | 0.10 | 0.05 | 0.02 | 814 | 22.2 | 0.79 | 2.25 | 0.08 |
| China, Liuzhou City | 12 | 0.3 | 0.09 | 0.04 | 0.01 | 1543 | 40.1 | 1.04 | 4.34 | 0.12 |
| China, Liyang City | 10 | 0.3 | 0.10 | 0.02 | 0.01 | 765 | 22.0 | 0.83 | 2.33 | 0.09 |
| *China, Longquan City | 1 | 0.1 | 0.12 | 0.03 | 0.03 | 235 | 25.8 | 1.72 | 2.57 | 0.19 |
| China, Lucheng District, Wenzhou City | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 908 | 48.5 | 1.64 | 5.25 | 0.19 |
| China, Luoding City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 384 | 18.0 | 0.93 | 1.87 | 0.10 |
| *China, Luohe City | 21 | 0.5 | 0.11 | 0.05 | 0.01 | 1439 | 35.0 | 0.94 | 3.85 | 0.11 |
| *China, Luoyang City | 25 | 0.5 | 0.11 | 0.07 | 0.02 | 1450 | 33.6 | 0.89 | 3.72 | 0.11 |
| *China, Luquan City | 8 | 0.7 | 0.25 | 0.09 | 0.04 | 258 | 22.4 | 1.43 | 2.55 | 0.18 |
| China, Ma'anshan City | 8 | 0.4 | 0.14 | 0.04 | 0.01 | 702 | 31.5 | 1.21 | 3.43 | 0.15 |
| *China, Macheng City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 469 | 19.5 | 0.91 | 2.11 | 0.11 |
| China, Meihekou City | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 423 | 17.4 | 0.86 | 1.85 | 0.10 |
| *China, Mengjin County | 5 | 0.4 | 0.19 | 0.04 | 0.02 | 337 | 29.9 | 1.66 | 3.13 | 0.19 |
| China, Nangang District, Harbin City | 13 | 0.3 | 0.09 | 0.04 | 0.01 | 2010 | 46.3 | 1.05 | 5.16 | 0.13 |
| *China, Nanhai District, Foshan City | 19 | 0.7 | 0.16 | 0.07 | 0.02 | 1193 | 40.9 | 1.20 | 4.34 | 0.14 |
| China, Nanhu District, Jiaying City | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 802 | 34.7 | 1.26 | 3.80 | 0.15 |
| *China, Nantong City | 10 | 0.2 | 0.06 | 0.02 | 0.01 | 1390 | 27.9 | 0.78 | 3.00 | 0.09 |
| *China, Nanxiong City | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 332 | 21.1 | 1.17 | 2.13 | 0.12 |
| China, Neixiang County | 6 | 0.3 | 0.11 | 0.04 | 0.02 | 604 | 28.6 | 1.20 | 2.87 | 0.12 |
| *China, Qianxi County | 5 | 0.3 | 0.16 | 0.05 | 0.02 | 264 | 19.8 | 1.25 | 2.28 | 0.16 |
| China, Qidong City | 15 | 0.2 | 0.06 | 0.03 | 0.01 | 1433 | 26.1 | 0.75 | 2.82 | 0.08 |
| China, Qingzhou City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 924 | 31.1 | 1.06 | 3.27 | 0.12 |
| *China, Rudong County | 18 | 0.3 | 0.07 | 0.02 | 0.01 | 1170 | 22.5 | 0.72 | 2.44 | 0.08 |
| *China, Rugao City | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 1506 | 24.3 | 0.66 | 2.57 | 0.07 |
| *China, Rural areas of Shanghai City | 119 | 0.3 | 0.02 | 0.03 | 0.00 | 13478 | 34.9 | 0.32 | 3.79 | 0.04 |
| China, Ruyang County | 2 | 0.2 | 0.13 | 0.03 | 0.03 | 285 | 23.9 | 1.43 | 2.43 | 0.16 |
| *China, Shan County | 14 | 0.6 | 0.17 | 0.08 | 0.02 | 589 | 23.7 | 1.00 | 2.65 | 0.12 |
| China, Shanghai City | 95 | 0.2 | 0.03 | 0.02 | 0.00 | 14273 | 46.5 | 0.45 | 5.18 | 0.05 |
| China, Shangyu District, Shaoxing City | 11 | 0.3 | 0.10 | 0.04 | 0.01 | 1061 | 33.4 | 1.05 | 3.59 | 0.12 |
| *China, Shapingba District, Chongqing City | 16 | 0.7 | 0.22 | 0.05 | 0.02 | 1009 | 29.4 | 0.97 | 3.16 | 0.11 |
| China, Shexian County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 236 | 17.2 | 1.13 | 1.81 | 0.13 |
| China, Sheyang County | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 851 | 22.1 | 0.77 | 2.35 | 0.09 |
| *China, Shijiazhuang City | 29 | 0.5 | 0.10 | 0.06 | 0.02 | 1813 | 36.0 | 0.86 | 3.98 | 0.10 |
| China, Shunde District, Foshan City | 15 | 0.5 | 0.13 | 0.07 | 0.02 | 1481 | 37.9 | 0.99 | 4.08 | 0.12 |
| *China, Song County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 248 | 17.2 | 1.10 | 1.82 | 0.13 |
| China, Suzhou City | 62 | 0.4 | 0.05 | 0.04 | 0.01 | 4696 | 33.1 | 0.50 | 3.55 | 0.06 |
| *China, Tengzhou City | 12 | 0.2 | 0.07 | 0.02 | 0.01 | 1780 | 31.6 | 0.76 | 3.42 | 0.09 |
| *China, Wangdu County | 7 | 1.0 | 0.37 | 0.09 | 0.05 | 220 | 31.4 | 2.14 | 3.38 | 0.25 |
| *China, Wanxian County | 2 | 0.2 | 0.11 | 0.04 | 0.03 | 241 | 20.4 | 1.33 | 2.01 | 0.14 |
| *China, Wu'an City | 11 | 0.4 | 0.13 | 0.05 | 0.02 | 363 | 14.2 | 0.76 | 1.60 | 0.10 |
| China, Wuhan City | 48 | 0.2 | 0.03 | 0.02 | 0.00 | 7296 | 35.9 | 0.43 | 3.89 | 0.05 |
| *China, Wuhu City | 15 | 0.3 | 0.07 | 0.03 | 0.01 | 1059 | 22.7 | 0.72 | 2.41 | 0.08 |
| China, Wuxi City | 29 | 0.3 | 0.05 | 0.02 | 0.01 | 2760 | 25.6 | 0.50 | 2.77 | 0.06 |
| China, Wuzhou City | 8 | 0.4 | 0.15 | 0.05 | 0.02 | 622 | 33.7 | 1.38 | 3.71 | 0.17 |
| China, Xiangfu District, Kaifeng City | 18 | 1.0 | 0.24 | 0.13 | 0.04 | 692 | 33.6 | 1.31 | 3.36 | 0.14 |
| China, Xianju County | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 558 | 29.7 | 1.29 | 2.99 | 0.14 |
| *China, Xin'an County | 3 | 0.3 | 0.16 | 0.03 | 0.02 | 230 | 22.2 | 1.48 | 2.23 | 0.16 |
| *China, Xining City | 7 | 0.3 | 0.14 | 0.03 | 0.01 | 652 | 25.6 | 1.04 | 2.57 | 0.11 |
| *China, Xinji City | 10 | 0.3 | 0.11 | 0.04 | 0.01 | 830 | 34.5 | 1.25 | 3.65 | 0.13 |
| *China, Xinluo District, Longyan City | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 336 | 29.1 | 1.61 | 3.10 | 0.19 |
| *China, Xinzhou District, Shangrao City | 4 | 0.3 | 0.15 | 0.03 | 0.02 | 362 | 26.0 | 1.39 | 2.83 | 0.17 |
| China, Xiping County | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 819 | 29.2 | 1.03 | 3.05 | 0.12 |
| *China, Xishan District, Kunming City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 296 | 20.7 | 1.24 | 2.20 | 0.14 |
| *China, Xuyi County | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 405 | 17.3 | 0.89 | 1.85 | 0.10 |
| *China, Ya'an City | 14 | 0.3 | 0.07 | 0.03 | 0.01 | 951 | 18.3 | 0.60 | 1.93 | 0.07 |
| *China, Yakeshi City | 4 | 0.2 | 0.13 | 0.03 | 0.02 | 426 | 27.5 | 1.40 | 2.98 | 0.16 |
| China, Yancheng City | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 1368 | 25.7 | 0.70 | 2.68 | 0.08 |
| *China, Yangquan City | 6 | 0.2 | 0.09 | 0.00 | 0.00 | 524 | 21.9 | 0.97 | 2.45 | 0.12 |
| *China, Yangzhong City | 6 | 0.4 | 0.16 | 0.04 | 0.02 | 313 | 24.1 | 1.42 | 2.55 | 0.15 |
| *China, Yanji City | 4 | 0.2 | 0.10 | 0.02 | 0.02 | 520 | 22.2 | 0.99 | 2.39 | 0.12 |
| *China, Yanshi City | 8 | 0.4 | 0.14 | 0.05 | 0.02 | 633 | 28.9 | 1.17 | 3.07 | 0.13 |
| China, Yanting County | 6 | 0.3 | 0.12 | 0.02 | 0.01 | 230 | 12.5 | 0.82 | 1.20 | 0.08 |
| *China, Yi'an District, Tongling City | 6 | 0.7 | 0.28 | 0.06 | 0.03 | 125 | 13.9 | 1.27 | 1.37 | 0.14 |
| *China, Yingdong District, Fuyang City | 11 | 0.6 | 0.17 | 0.07 | 0.02 | 444 | 21.2 | 1.02 | 2.31 | 0.12 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Breast (C50) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 1 | 0.1 | 0.11 | 0.02 | 0.02 | 337 | 37.5 | 2.08 | 4.06 | 0.24 |
| *China, Yiyuan County | 3 | 0.1 | 0.08 | 0.00 | 0.00 | 455 | 25.0 | 1.21 | 2.70 | 0.14 |
| China, Yong'an City | 0 | – | 0.00 | – | 0.00 | 268 | 21.7 | 1.34 | 2.22 | 0.15 |
| *China, Yongding District, Longyan City | 0 | – | 0.00 | – | 0.00 | 246 | 14.9 | 0.96 | 1.44 | 0.10 |
| China, Yongkang City | 6 | 0.3 | 0.11 | 0.03 | 0.01 | 656 | 29.6 | 1.17 | 3.01 | 0.13 |
| *China, Yucheng County | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 645 | 33.1 | 1.32 | 3.45 | 0.15 |
| China, Yueyanglou District, Yueyang City | 6 | 0.5 | 0.21 | 0.05 | 0.02 | 303 | 26.6 | 1.55 | 2.93 | 0.20 |
| China, Yunmeng County | 5 | 0.3 | 0.14 | 0.03 | 0.01 | 470 | 26.9 | 1.26 | 2.76 | 0.14 |
| *China, Yunyang District, Shiyuan City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 197 | 19.0 | 1.40 | 2.01 | 0.16 |
| China, Yuzhong District, Chongqing City | 11 | 0.5 | 0.16 | 0.06 | 0.02 | 861 | 37.8 | 1.36 | 4.35 | 0.18 |
| *China, Zhanhuang County | 5 | 0.5 | 0.23 | 0.06 | 0.03 | 152 | 18.8 | 1.55 | 2.06 | 0.18 |
| *China, Zhangjiagang City | 13 | 0.3 | 0.08 | 0.03 | 0.01 | 1217 | 29.9 | 0.89 | 3.23 | 0.10 |
| *China, Zhaoyuan City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 799 | 32.9 | 1.21 | 3.40 | 0.13 |
| *China, Zhengding County | 3 | 0.3 | 0.15 | 0.05 | 0.03 | 314 | 22.7 | 1.30 | 2.39 | 0.14 |
| *China, Zhongshan City | 9 | 0.2 | 0.05 | 0.02 | 0.01 | 1737 | 30.8 | 0.74 | 3.24 | 0.09 |
| China, Zhongxiang City | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 902 | 24.5 | 0.84 | 2.67 | 0.10 |
| *China, Zhuanghe City | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 1129 | 29.2 | 0.89 | 3.13 | 0.10 |
| *China, Zhuhai City | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 1420 | 35.7 | 0.97 | 3.73 | 0.12 |
| India, Ahmedabad, Urban | 94 | 0.8 | 0.08 | 0.09 | 0.01 | 2966 | 24.9 | 0.47 | 2.84 | 0.06 |
| India, Aurangabad | 18 | 0.6 | 0.15 | 0.06 | 0.02 | 700 | 25.1 | 0.97 | 2.82 | 0.12 |
| India, Bangalore | 126 | 1.1 | 0.10 | 0.12 | 0.01 | 5186 | 45.1 | 0.64 | 5.26 | 0.09 |
| India, Barshi, Paranda, and Bhum | 4 | 0.2 | 0.13 | 0.05 | 0.02 | 170 | 12.9 | 1.01 | 1.48 | 0.12 |
| *India, Bhopal | 36 | 1.3 | 0.23 | 0.15 | 0.03 | 900 | 34.6 | 1.18 | 4.00 | 0.15 |
| India, Chandigarh | 11 | 0.5 | 0.17 | 0.08 | 0.03 | 713 | 32.2 | 1.25 | 3.90 | 0.18 |
| *India, Chennai | 76 | 0.6 | 0.07 | 0.08 | 0.01 | 5819 | 44.1 | 0.59 | 5.06 | 0.08 |
| India, Dibrugarh | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 484 | 15.3 | 0.72 | 1.70 | 0.09 |
| *India, Dindigul, Ambilikai | 16 | 0.3 | 0.07 | 0.03 | 0.01 | 1135 | 17.2 | 0.51 | 1.85 | 0.06 |
| India, Kamrup Urban District | 18 | 0.7 | 0.18 | 0.08 | 0.02 | 705 | 27.9 | 1.10 | 3.22 | 0.15 |
| India, Kollam | 16 | 0.2 | 0.06 | 0.02 | 0.01 | 2359 | 31.3 | 0.65 | 3.44 | 0.08 |
| *India, Manipur | 9 | 0.2 | 0.07 | 0.03 | 0.01 | 572 | 10.1 | 0.43 | 1.07 | 0.05 |
| India, Meghalaya | 10 | 0.4 | 0.12 | 0.04 | 0.02 | 239 | 7.2 | 0.48 | 0.72 | 0.06 |
| India, Mizoram | 4 | 0.2 | 0.12 | 0.02 | 0.02 | 434 | 22.8 | 1.13 | 2.49 | 0.14 |
| India, Mumbai | 265 | 0.8 | 0.05 | 0.10 | 0.01 | 10588 | 34.2 | 0.34 | 3.92 | 0.05 |
| *India, New Delhi | 305 | 1.4 | 0.08 | 0.17 | 0.01 | 8048 | 37.1 | 0.42 | 4.28 | 0.06 |
| India, Poona | 137 | 1.1 | 0.10 | 0.13 | 0.01 | 3874 | 31.7 | 0.52 | 3.67 | 0.07 |
| *India, Sangrur District | 9 | 0.3 | 0.12 | 0.04 | 0.02 | 476 | 19.1 | 0.88 | 2.19 | 0.11 |
| India, SAS Nagar | 8 | 0.3 | 0.10 | 0.02 | 0.01 | 695 | 30.5 | 1.18 | 3.52 | 0.15 |
| *India, Tamil Nadu | 730 | 0.4 | 0.01 | 0.04 | 0.00 | 46578 | 21.5 | 0.10 | 2.36 | 0.01 |
| *India, Tripura | 21 | 0.3 | 0.07 | 0.04 | 0.01 | 596 | 8.2 | 0.34 | 0.85 | 0.04 |
| India, Trivandrum | 84 | 1.1 | 0.12 | 0.11 | 0.01 | 3412 | 36.8 | 0.63 | 4.18 | 0.08 |
| India, Wardha | 15 | 0.4 | 0.10 | 0.05 | 0.01 | 785 | 21.2 | 0.76 | 2.25 | 0.09 |
| India, West Arunachal | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 106 | 9.1 | 0.99 | 0.95 | 0.13 |
| *Iran (Islamic Republic of), Ardabil Province | 5 | 0.3 | 0.12 | 0.03 | 0.01 | 425 | 21.2 | 1.05 | 2.25 | 0.13 |
| *Iran (Islamic Republic of), Golestan Province | 34 | 1.3 | 0.23 | 0.13 | 0.03 | 1082 | 38.0 | 1.18 | 3.93 | 0.14 |
| Israel | 321 | 1.2 | 0.07 | 0.15 | 0.01 | 23152 | 88.9 | 0.61 | 10.39 | 0.08 |
| *Israel: Jews | 286 | 1.3 | 0.08 | 0.15 | 0.01 | 19802 | 93.6 | 0.71 | 10.95 | 0.09 |
| *Israel: Arabs | 21 | 0.7 | 0.15 | 0.09 | 0.02 | 2143 | 62.9 | 1.39 | 7.30 | 0.19 |
| Japan | 1583 | 0.3 | 0.01 | 0.04 | 0.00 | 237540 | 66.8 | 0.16 | 7.33 | 0.02 |
| Japan, Aichi Prefecture | 90 | 0.3 | 0.04 | 0.04 | 0.01 | 12033 | 61.6 | 0.62 | 6.71 | 0.07 |
| *Japan, Akita Prefecture | 26 | 0.6 | 0.14 | 0.08 | 0.02 | 2083 | 67.8 | 1.81 | 7.34 | 0.19 |
| Japan, Aomori Prefecture | 36 | 0.4 | 0.09 | 0.05 | 0.01 | 4995 | 77.9 | 1.29 | 8.41 | 0.13 |
| Japan, Gunma Prefecture | 22 | 0.3 | 0.08 | 0.04 | 0.01 | 3604 | 65.3 | 1.25 | 7.18 | 0.13 |
| Japan, Hiroshima Prefecture | 67 | 0.4 | 0.06 | 0.05 | 0.01 | 7869 | 72.3 | 0.94 | 8.01 | 0.10 |
| Japan, Miyagi Prefecture | 55 | 0.3 | 0.06 | 0.03 | 0.01 | 7962 | 74.6 | 0.95 | 8.18 | 0.10 |
| Japan, Osaka Prefecture | 123 | 0.4 | 0.04 | 0.05 | 0.01 | 16603 | 66.8 | 0.58 | 7.34 | 0.06 |
| Kuwait | 30 | 0.4 | 0.10 | 0.06 | 0.02 | 2976 | 53.0 | 1.11 | 6.23 | 0.16 |
| *Kuwait: Kuwaitis | 15 | 0.8 | 0.21 | 0.11 | 0.03 | 1568 | 64.0 | 1.65 | 7.37 | 0.22 |
| *Kuwait: Non-Kuwaitis | 15 | 0.4 | 0.15 | 0.05 | 0.03 | 1408 | 45.3 | 1.66 | 5.22 | 0.25 |
| *Philippines, Manila | 97 | 0.9 | 0.10 | 0.11 | 0.01 | 8133 | 56.1 | 0.64 | 6.41 | 0.09 |
| *Qatar: Qatari | 4 | 0.8 | 0.41 | 0.05 | 0.03 | 305 | 61.2 | 3.67 | 7.17 | 0.51 |
| Republic of Korea | 433 | 0.2 | 0.01 | 0.03 | 0.00 | 99706 | 51.2 | 0.17 | 5.33 | 0.02 |
| *Republic of Korea, Busan | 29 | 0.2 | 0.04 | 0.02 | 0.01 | 7174 | 50.5 | 0.62 | 5.25 | 0.07 |
| *Republic of Korea, Daegu | 21 | 0.2 | 0.05 | 0.03 | 0.01 | 4989 | 50.8 | 0.74 | 5.29 | 0.08 |
| *Republic of Korea, Daejeon | 11 | 0.2 | 0.06 | 0.03 | 0.01 | 2901 | 51.2 | 0.96 | 5.36 | 0.11 |
| *Republic of Korea, Gwangju | 13 | 0.3 | 0.08 | 0.03 | 0.01 | 2504 | 46.7 | 0.95 | 4.87 | 0.10 |
| Republic of Korea, Incheon | 29 | 0.3 | 0.06 | 0.04 | 0.01 | 5818 | 51.9 | 0.69 | 5.43 | 0.08 |
| Republic of Korea, Jeju | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 942 | 42.0 | 1.40 | 4.40 | 0.15 |
| Republic of Korea, Seoul | 91 | 0.2 | 0.03 | 0.03 | 0.00 | 22250 | 57.5 | 0.39 | 6.06 | 0.04 |
| Republic of Korea, Ulsan | 5 | 0.1 | 0.07 | 0.02 | 0.01 | 2166 | 50.1 | 1.10 | 5.19 | 0.12 |
| Singapore | 38 | 0.3 | 0.04 | 0.03 | 0.01 | 10741 | 69.3 | 0.68 | 7.74 | 0.08 |
| Singapore: Chinese | 29 | 0.3 | 0.05 | 0.03 | 0.01 | 8604 | 70.2 | 0.78 | 7.82 | 0.09 |
| Singapore: Indian | 6 | 0.5 | 0.21 | 0.04 | 0.02 | 716 | 65.6 | 2.49 | 7.59 | 0.34 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Breast (C50) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 1125 | 64.8 | 1.97 | 7.23 | 0.25 |
| Thailand, Bangkok | 73 | 0.4 | 0.05 | 0.05 | 0.01 | 8219 | 36.3 | 0.41 | 4.13 | 0.05 |
| *Thailand, Chiang Mai | 15 | 0.3 | 0.07 | 0.03 | 0.01 | 2237 | 35.6 | 0.77 | 3.90 | 0.09 |
| *Thailand, Khon Kaen | 19 | 0.3 | 0.07 | 0.03 | 0.01 | 1664 | 25.8 | 0.65 | 2.74 | 0.07 |
| Thailand, Lampang | 11 | 0.4 | 0.11 | 0.04 | 0.01 | 1004 | 31.6 | 1.03 | 3.53 | 0.12 |
| Thailand, Lopburi Province | 22 | 1.0 | 0.21 | 0.10 | 0.02 | 1214 | 47.0 | 1.36 | 4.98 | 0.16 |
| *Thailand, Songkhla | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 1465 | 31.3 | 0.83 | 3.42 | 0.10 |
| Turkey, Antalya | 24 | 0.4 | 0.08 | 0.04 | 0.01 | 2840 | 42.1 | 0.80 | 4.64 | 0.10 |
| Turkey, Bursa | 49 | 0.6 | 0.09 | 0.08 | 0.01 | 3587 | 40.7 | 0.69 | 4.46 | 0.08 |
| *Turkey, Edirne | 12 | 0.7 | 0.22 | 0.08 | 0.03 | 631 | 42.6 | 1.75 | 4.63 | 0.20 |
| *Turkey, Erzurum | 12 | 0.7 | 0.21 | 0.11 | 0.03 | 575 | 30.3 | 1.29 | 3.29 | 0.15 |
| Turkey, Eskişehir | 14 | 0.5 | 0.14 | 0.07 | 0.02 | 1303 | 46.3 | 1.30 | 5.14 | 0.16 |
| Turkey, Gaziantep | 12 | 0.3 | 0.09 | 0.04 | 0.01 | 1352 | 33.3 | 0.93 | 3.62 | 0.12 |
| *Turkey, Izmir | 75 | 0.6 | 0.07 | 0.08 | 0.01 | 7582 | 53.2 | 0.62 | 5.80 | 0.08 |
| Turkey, Malatya | 6 | 0.3 | 0.12 | 0.03 | 0.02 | 776 | 34.8 | 1.27 | 3.62 | 0.14 |
| Turkey, Samsun | 17 | 0.4 | 0.10 | 0.05 | 0.01 | 1724 | 40.7 | 1.00 | 4.44 | 0.12 |
| Turkey, Trabzon | 15 | 0.6 | 0.16 | 0.09 | 0.03 | 957 | 38.3 | 1.27 | 4.07 | 0.14 |
| Europe | | | | | | | | | | |
| Austria | 356 | 0.9 | 0.05 | 0.10 | 0.01 | 27606 | 67.7 | 0.44 | 7.71 | 0.05 |
| Austria, Carinthia | 29 | 1.1 | 0.21 | 0.12 | 0.03 | 2206 | 79.1 | 1.88 | 8.96 | 0.22 |
| Austria, Tyrol | 17 | 0.5 | 0.12 | 0.05 | 0.02 | 2505 | 76.0 | 1.64 | 8.57 | 0.20 |
| Austria, Vorarlberg | 11 | 0.6 | 0.19 | 0.06 | 0.02 | 1208 | 71.8 | 2.21 | 8.10 | 0.27 |
| Belarus | 147 | 0.5 | 0.04 | 0.06 | 0.01 | 21263 | 49.0 | 0.36 | 5.67 | 0.04 |
| *Belgium | 479 | 0.9 | 0.04 | 0.10 | 0.01 | 53933 | 107.9 | 0.51 | 12.36 | 0.06 |
| Croatia | 166 | 0.8 | 0.07 | 0.10 | 0.01 | 13913 | 67.7 | 0.64 | 7.76 | 0.08 |
| Cyprus | 23 | 0.7 | 0.16 | 0.08 | 0.02 | 2967 | 88.2 | 1.69 | 9.84 | 0.20 |
| *Czech Republic | 343 | 0.7 | 0.04 | 0.08 | 0.01 | 35238 | 69.4 | 0.40 | 8.05 | 0.05 |
| Denmark | 190 | 0.7 | 0.05 | 0.08 | 0.01 | 24251 | 94.3 | 0.66 | 10.66 | 0.08 |
| Estonia | 33 | 0.6 | 0.11 | 0.09 | 0.02 | 3773 | 56.9 | 1.05 | 6.42 | 0.12 |
| Finland | 154 | 0.6 | 0.05 | 0.06 | 0.01 | 24286 | 91.0 | 0.65 | 10.56 | 0.08 |
| *France, Bas-Rhin | 25 | 0.7 | 0.14 | 0.08 | 0.02 | 3761 | 98.8 | 1.73 | 11.44 | 0.21 |
| *France, Calvados | 31 | 0.8 | 0.16 | 0.11 | 0.03 | 3153 | 101.6 | 2.01 | 11.58 | 0.24 |
| *France, Doubs | 20 | 0.8 | 0.21 | 0.09 | 0.03 | 2142 | 92.7 | 2.20 | 10.59 | 0.26 |
| *France, Gironde | 40 | 0.6 | 0.10 | 0.07 | 0.01 | 6788 | 100.2 | 1.32 | 11.40 | 0.16 |
| *France, Haut-Rhin | 35 | 0.9 | 0.17 | 0.13 | 0.03 | 3204 | 93.5 | 1.80 | 10.77 | 0.22 |
| *France, Hérault | 54 | 0.9 | 0.13 | 0.11 | 0.02 | 5115 | 100.2 | 1.55 | 11.41 | 0.18 |
| *France, Isère | 42 | 0.7 | 0.12 | 0.09 | 0.02 | 5092 | 96.1 | 1.46 | 11.06 | 0.18 |
| *France, Lille-Métropole | 29 | 1.0 | 0.19 | 0.09 | 0.02 | 3374 | 111.2 | 2.04 | 12.73 | 0.25 |
| *France, Limousin | 14 | 0.6 | 0.18 | 0.09 | 0.03 | 1760 | 98.7 | 2.66 | 11.23 | 0.31 |
| *France, Loire-Atlantique | 65 | 1.1 | 0.14 | 0.13 | 0.02 | 5878 | 101.9 | 1.44 | 11.73 | 0.17 |
| *France, Manche | 20 | 0.6 | 0.15 | 0.07 | 0.02 | 2330 | 97.5 | 2.30 | 11.14 | 0.27 |
| *France, Poitou-Charentes | 78 | 0.8 | 0.10 | 0.08 | 0.01 | 8480 | 97.0 | 1.20 | 11.05 | 0.14 |
| *France, Somme | 22 | 0.8 | 0.18 | 0.10 | 0.03 | 2625 | 104.1 | 2.23 | 12.04 | 0.27 |
| *France, Tarn | 20 | 0.8 | 0.20 | 0.10 | 0.03 | 1756 | 92.0 | 2.52 | 10.49 | 0.29 |
| *France, Territoire de Belfort | 6 | 1.1 | 0.45 | 0.15 | 0.08 | 460 | 90.3 | 4.66 | 9.92 | 0.55 |
| *France, Vendée | 21 | 0.5 | 0.13 | 0.06 | 0.02 | 3091 | 97.2 | 1.99 | 11.17 | 0.23 |
| Germany, Baden-Württemberg | 289 | 0.8 | 0.05 | 0.10 | 0.01 | 30147 | 93.5 | 0.60 | 10.64 | 0.07 |
| Germany, Bavaria | 560 | 0.8 | 0.04 | 0.10 | 0.01 | 51236 | 80.8 | 0.40 | 9.11 | 0.05 |
| Germany, Bremen | 25 | 0.6 | 0.13 | 0.07 | 0.02 | 3079 | 91.2 | 1.88 | 10.23 | 0.22 |
| Germany, Hamburg | 70 | 0.7 | 0.10 | 0.09 | 0.01 | 7870 | 92.8 | 1.15 | 10.57 | 0.14 |
| Germany, Lower Saxony | 342 | 0.7 | 0.04 | 0.08 | 0.01 | 36955 | 89.5 | 0.53 | 10.10 | 0.06 |
| Germany, North Rhine-Westphalia | 731 | 0.7 | 0.03 | 0.08 | 0.00 | 82665 | 91.5 | 0.36 | 10.37 | 0.04 |
| Germany, Rhineland-Palatinate | 147 | 0.6 | 0.06 | 0.07 | 0.01 | 18370 | 88.4 | 0.74 | 9.96 | 0.09 |
| Germany, Saarland | 54 | 0.9 | 0.15 | 0.09 | 0.02 | 4638 | 85.4 | 1.45 | 9.68 | 0.17 |
| Germany, Schleswig-Holstein | 113 | 0.6 | 0.07 | 0.07 | 0.01 | 14383 | 94.9 | 0.90 | 10.73 | 0.11 |
| Iceland | 20 | 1.4 | 0.33 | 0.18 | 0.05 | 1055 | 83.8 | 2.71 | 9.57 | 0.34 |
| Ireland | 139 | 0.8 | 0.07 | 0.09 | 0.01 | 15622 | 90.4 | 0.75 | 10.12 | 0.09 |
| *Italy, Aosta Valley | 5 | 0.8 | 0.39 | 0.10 | 0.06 | 509 | 92.7 | 4.60 | 10.61 | 0.56 |
| *Italy, Avellino | 14 | 1.1 | 0.31 | 0.14 | 0.05 | 784 | 65.6 | 2.59 | 7.29 | 0.30 |
| Italy, Basilicata | 28 | 0.9 | 0.19 | 0.08 | 0.02 | 1923 | 73.2 | 1.83 | 8.02 | 0.21 |
| *Italy, Benevento | 7 | 0.5 | 0.22 | 0.05 | 0.03 | 742 | 71.0 | 2.88 | 8.01 | 0.34 |
| Italy, Bergamo | 48 | 0.7 | 0.11 | 0.09 | 0.02 | 4665 | 88.3 | 1.42 | 9.75 | 0.17 |
| *Italy, Brescia | 49 | 0.8 | 0.12 | 0.09 | 0.02 | 5111 | 90.2 | 1.39 | 10.30 | 0.17 |
| Italy, Brianza (Lecco and Monza e Brianza) | 38 | 1.0 | 0.18 | 0.13 | 0.03 | 3315 | 93.9 | 1.79 | 10.41 | 0.21 |
| Italy, Calabria | 28 | 1.1 | 0.22 | 0.14 | 0.03 | 1833 | 73.1 | 1.87 | 8.23 | 0.22 |
| *Italy, Caserta | 20 | 0.6 | 0.15 | 0.09 | 0.02 | 2477 | 81.7 | 1.72 | 9.13 | 0.20 |
| *Italy, Catania, Messina, and Enna | 63 | 0.8 | 0.11 | 0.08 | 0.01 | 7094 | 78.5 | 1.02 | 8.69 | 0.12 |
| Italy, Emilia-Romagna | 142 | 0.6 | 0.06 | 0.08 | 0.01 | 17569 | 94.8 | 0.80 | 10.95 | 0.10 |
| Italy, Friuli-Venezia Giulia | 67 | 0.8 | 0.11 | 0.10 | 0.02 | 6535 | 98.0 | 1.38 | 11.15 | 0.16 |
| Italy, Genova | 39 | 1.0 | 0.19 | 0.13 | 0.02 | 3637 | 90.2 | 1.78 | 9.94 | 0.20 |
| *Italy, Lombardy, South, Pavia | 25 | 0.8 | 0.17 | 0.10 | 0.03 | 2692 | 93.3 | 2.03 | 10.49 | 0.24 |
| Italy, Mantova and Cremona | 35 | 0.9 | 0.16 | 0.11 | 0.03 | 3113 | 96.7 | 1.97 | 10.82 | 0.23 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Breast (C50) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|--------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 59 | 0.8 | <i>0.12</i> | 0.11 | <i>0.02</i> | 5452 | 85.2 | <i>1.31</i> | 9.51 | <i>0.15</i> |
| Italy, Milan | 186 | 1.0 | <i>0.08</i> | 0.13 | <i>0.01</i> | 18054 | 100.6 | <i>0.84</i> | 11.45 | <i>0.10</i> |
| Italy, Molise | 5 | 0.5 | <i>0.25</i> | 0.07 | <i>0.03</i> | 653 | 73.3 | <i>3.19</i> | 8.02 | <i>0.36</i> |
| *Italy, Naples Centre | 17 | 0.6 | <i>0.16</i> | 0.09 | <i>0.03</i> | 2153 | 77.1 | <i>1.81</i> | 8.60 | <i>0.21</i> |
| *Italy, Naples North | 34 | 1.1 | <i>0.19</i> | 0.14 | <i>0.03</i> | 2431 | 74.1 | <i>1.55</i> | 8.13 | <i>0.19</i> |
| *Italy, Naples South | 33 | 0.7 | <i>0.13</i> | 0.09 | <i>0.02</i> | 3647 | 79.3 | <i>1.39</i> | 8.85 | <i>0.17</i> |
| *Italy, Nuoro | 6 | 0.8 | <i>0.35</i> | 0.11 | <i>0.05</i> | 513 | 84.4 | <i>4.09</i> | 9.57 | <i>0.47</i> |
| *Italy, Palermo | 44 | 0.7 | <i>0.13</i> | 0.08 | <i>0.02</i> | 4474 | 77.6 | <i>1.26</i> | 8.68 | <i>0.15</i> |
| Italy, Puglia | 217 | 1.1 | <i>0.08</i> | 0.13 | <i>0.01</i> | 15387 | 80.6 | <i>0.71</i> | 8.90 | <i>0.08</i> |
| *Italy, Ragusa and Caltanissetta | 19 | 0.7 | <i>0.18</i> | 0.10 | <i>0.03</i> | 1997 | 74.8 | <i>1.83</i> | 8.24 | <i>0.21</i> |
| *Italy, Salerno | 28 | 0.6 | <i>0.12</i> | 0.06 | <i>0.02</i> | 2863 | 71.1 | <i>1.45</i> | 7.77 | <i>0.17</i> |
| Italy, Sassari | 10 | 0.9 | <i>0.31</i> | 0.12 | <i>0.05</i> | 807 | 84.1 | <i>3.23</i> | 9.10 | <i>0.36</i> |
| *Italy, Sondrio | 9 | 0.9 | <i>0.32</i> | 0.12 | <i>0.04</i> | 950 | 91.2 | <i>3.29</i> | 10.08 | <i>0.38</i> |
| Italy, South Tyrol | 21 | 0.8 | <i>0.18</i> | 0.10 | <i>0.03</i> | 1765 | 72.7 | <i>1.90</i> | 8.17 | <i>0.23</i> |
| *Italy, Syracuse | 16 | 0.7 | <i>0.18</i> | 0.09 | <i>0.03</i> | 1393 | 75.2 | <i>2.18</i> | 8.53 | <i>0.26</i> |
| Italy, Trento | 21 | 0.7 | <i>0.17</i> | 0.09 | <i>0.02</i> | 2427 | 92.7 | <i>2.07</i> | 10.46 | <i>0.25</i> |
| Italy, Turin | 174 | 1.3 | <i>0.11</i> | 0.17 | <i>0.02</i> | 10382 | 85.4 | <i>0.95</i> | 9.53 | <i>0.11</i> |
| *Italy, Tuscany | 127 | 1.1 | <i>0.12</i> | 0.13 | <i>0.01</i> | 10344 | 95.7 | <i>1.06</i> | 10.71 | <i>0.12</i> |
| Italy, Umbria | 24 | 0.6 | <i>0.13</i> | 0.07 | <i>0.02</i> | 3335 | 89.7 | <i>1.76</i> | 10.02 | <i>0.20</i> |
| Italy, Varese | 13 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> | 2105 | 78.3 | <i>1.90</i> | 8.85 | <i>0.22</i> |
| Italy, Veneto | 223 | 0.8 | <i>0.06</i> | 0.11 | <i>0.01</i> | 23820 | 96.7 | <i>0.69</i> | 10.96 | <i>0.08</i> |
| Latvia | 41 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> | 5801 | 58.0 | <i>0.85</i> | 6.62 | <i>0.10</i> |
| *Liechtenstein | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 151 | 87.8 | <i>7.57</i> | 9.59 | <i>0.90</i> |
| *Lithuania | 59 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | 7889 | 55.2 | <i>0.69</i> | 6.23 | <i>0.08</i> |
| Malta | 20 | 0.9 | <i>0.21</i> | 0.10 | <i>0.03</i> | 1652 | 78.7 | <i>2.14</i> | 8.89 | <i>0.26</i> |
| *The Netherlands | 579 | 0.7 | <i>0.03</i> | 0.08 | <i>0.00</i> | 73331 | 99.1 | <i>0.39</i> | 11.53 | <i>0.05</i> |
| Norway | 147 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 17740 | 84.7 | <i>0.68</i> | 9.70 | <i>0.08</i> |
| Poland, Kielce | 20 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> | 2725 | 47.8 | <i>1.00</i> | 5.47 | <i>0.12</i> |
| *Portugal, Azores | 3 | 0.4 | <i>0.22</i> | 0.05 | <i>0.04</i> | 519 | 65.9 | <i>3.05</i> | 7.45 | <i>0.38</i> |
| Russian Federation, Arkhangelsk | 18 | 0.5 | <i>0.12</i> | 0.08 | <i>0.02</i> | 2470 | 45.0 | <i>0.97</i> | 5.27 | <i>0.12</i> |
| Russian Federation, Kaliningrad | 16 | 0.5 | <i>0.13</i> | 0.07 | <i>0.02</i> | 2509 | 56.6 | <i>1.20</i> | 6.67 | <i>0.15</i> |
| Russian Federation, Karelia | 12 | 0.6 | <i>0.18</i> | 0.09 | <i>0.03</i> | 1694 | 55.2 | <i>1.44</i> | 6.44 | <i>0.18</i> |
| *Russian Federation, Komi Republic | 16 | 0.7 | <i>0.18</i> | 0.09 | <i>0.03</i> | 2079 | 56.6 | <i>1.29</i> | 6.64 | <i>0.17</i> |
| Russian Federation, Murmansk | 19 | 0.9 | <i>0.22</i> | 0.10 | <i>0.03</i> | 1955 | 58.2 | <i>1.37</i> | 6.73 | <i>0.17</i> |
| *Russian Federation, Orenburg | 65 | 1.0 | <i>0.13</i> | 0.12 | <i>0.02</i> | 5158 | 57.5 | <i>0.85</i> | 6.58 | <i>0.11</i> |
| Russian Federation, Pskov | 10 | 0.4 | <i>0.14</i> | 0.03 | <i>0.01</i> | 1614 | 48.9 | <i>1.33</i> | 5.66 | <i>0.16</i> |
| *Russian Federation, Samara | 64 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 8683 | 55.8 | <i>0.64</i> | 6.50 | <i>0.08</i> |
| Russian Federation, Vologda Region | 18 | 0.5 | <i>0.11</i> | 0.06 | <i>0.01</i> | 2473 | 45.1 | <i>0.97</i> | 5.05 | <i>0.10</i> |
| Slovenia | 59 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> | 6755 | 70.2 | <i>0.93</i> | 7.92 | <i>0.11</i> |
| Spain, Asturias | 20 | 0.6 | <i>0.13</i> | 0.08 | <i>0.02</i> | 2202 | 65.7 | <i>1.58</i> | 7.21 | <i>0.18</i> |
| Spain, Basque Country | 67 | 0.7 | <i>0.10</i> | 0.09 | <i>0.01</i> | 6387 | 77.2 | <i>1.05</i> | 8.39 | <i>0.12</i> |
| Spain, Canary Islands | 33 | 0.6 | <i>0.10</i> | 0.06 | <i>0.01</i> | 3935 | 65.7 | <i>1.10</i> | 7.18 | <i>0.13</i> |
| Spain, Castellón | 24 | 0.9 | <i>0.19</i> | 0.10 | <i>0.02</i> | 1796 | 71.6 | <i>1.81</i> | 7.72 | <i>0.21</i> |
| Spain, Girona | 29 | 0.7 | <i>0.14</i> | 0.08 | <i>0.02</i> | 2304 | 72.1 | <i>1.61</i> | 7.98 | <i>0.19</i> |
| Spain, Granada | 27 | 0.7 | <i>0.14</i> | 0.07 | <i>0.02</i> | 2643 | 68.9 | <i>1.43</i> | 7.56 | <i>0.17</i> |
| Spain, La Rioja | 17 | 1.1 | <i>0.29</i> | 0.13 | <i>0.04</i> | 1052 | 73.7 | <i>2.48</i> | 8.22 | <i>0.29</i> |
| Spain, Murcia | 51 | 0.8 | <i>0.12</i> | 0.09 | <i>0.02</i> | 4113 | 71.6 | <i>1.18</i> | 7.86 | <i>0.14</i> |
| Spain, Navarra | 18 | 0.7 | <i>0.18</i> | 0.10 | <i>0.03</i> | 1542 | 71.0 | <i>1.95</i> | 7.76 | <i>0.22</i> |
| Spain, Salamanca | 14 | 0.7 | <i>0.22</i> | 0.07 | <i>0.03</i> | 1241 | 71.7 | <i>2.34</i> | 7.81 | <i>0.26</i> |
| Spain, Tarragona | 19 | 0.5 | <i>0.12</i> | 0.06 | <i>0.02</i> | 2504 | 73.5 | <i>1.58</i> | 8.04 | <i>0.19</i> |
| *Sweden | 244 | 0.5 | <i>0.04</i> | 0.06 | <i>0.00</i> | 37085 | 84.7 | <i>0.48</i> | 10.09 | <i>0.06</i> |
| Switzerland, Aargau | 15 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> | 2308 | 76.5 | <i>1.71</i> | 8.75 | <i>0.22</i> |
| Switzerland, Basel | 13 | 0.4 | <i>0.14</i> | 0.04 | <i>0.02</i> | 2064 | 86.0 | <i>2.11</i> | 9.99 | <i>0.26</i> |
| Switzerland, Berne Solothurn | 18 | 0.4 | <i>0.09</i> | 0.05 | <i>0.02</i> | 3353 | 81.8 | <i>1.57</i> | 9.59 | <i>0.19</i> |
| Switzerland, East | 15 | 0.4 | <i>0.10</i> | 0.03 | <i>0.01</i> | 2751 | 73.8 | <i>1.52</i> | 8.46 | <i>0.19</i> |
| *Switzerland, Fribourg | 9 | 0.7 | <i>0.24</i> | 0.10 | <i>0.04</i> | 1123 | 89.8 | <i>2.82</i> | 10.43 | <i>0.36</i> |
| Switzerland, Geneva | 14 | 0.6 | <i>0.18</i> | 0.07 | <i>0.03</i> | 1905 | 88.5 | <i>2.18</i> | 10.15 | <i>0.27</i> |
| *Switzerland, Graubünden and Glarus | 6 | 0.5 | <i>0.19</i> | 0.08 | <i>0.04</i> | 783 | 69.4 | <i>2.73</i> | 7.78 | <i>0.32</i> |
| *Switzerland, Lucerne | 22 | 1.0 | <i>0.22</i> | 0.09 | <i>0.02</i> | 1798 | 79.4 | <i>2.02</i> | 9.02 | <i>0.25</i> |
| *Switzerland, Neuchâtel and Jura | 14 | 1.3 | <i>0.36</i> | 0.17 | <i>0.05</i> | 1039 | 88.8 | <i>3.01</i> | 10.53 | <i>0.38</i> |
| Switzerland, Ticino | 19 | 1.0 | <i>0.26</i> | 0.12 | <i>0.03</i> | 1644 | 90.1 | <i>2.49</i> | 10.18 | <i>0.30</i> |
| Switzerland, Valais | 15 | 0.9 | <i>0.25</i> | 0.10 | <i>0.03</i> | 1302 | 86.9 | <i>2.58</i> | 10.15 | <i>0.31</i> |
| Switzerland, Vaud | 26 | 0.7 | <i>0.15</i> | 0.09 | <i>0.02</i> | 3075 | 91.9 | <i>1.77</i> | 10.61 | <i>0.22</i> |
| Switzerland, Zurich and Zug | 43 | 0.6 | <i>0.10</i> | 0.08 | <i>0.01</i> | 5551 | 78.6 | <i>1.13</i> | 9.03 | <i>0.14</i> |
| Ukraine | 561 | 0.4 | <i>0.02</i> | 0.05 | <i>0.00</i> | 71772 | 43.8 | <i>0.17</i> | 5.02 | <i>0.02</i> |
| UK, England | 1573 | 0.6 | <i>0.02</i> | 0.07 | <i>0.00</i> | 221668 | 92.4 | <i>0.21</i> | 10.43 | <i>0.03</i> |
| UK, Northern Ireland | 52 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> | 6519 | 84.6 | <i>1.12</i> | 9.57 | <i>0.14</i> |
| UK, Scotland | 140 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 21558 | 86.2 | <i>0.64</i> | 9.69 | <i>0.08</i> |
| UK, Wales | 85 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> | 13565 | 91.8 | <i>0.87</i> | 10.41 | <i>0.10</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 225 | 0.6 | <i>0.04</i> | 0.07 | <i>0.01</i> | 29503 | 93.2 | <i>0.57</i> | 10.88 | <i>0.07</i> |
| *Australia, Northern Territory | 8 | 1.1 | <i>0.40</i> | 0.17 | <i>0.07</i> | 524 | 80.0 | <i>3.54</i> | 9.26 | <i>0.49</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Breast (C50) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|--------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 8 | 1.3 | <i>0.47</i> | 0.20 | <i>0.08</i> | 431 | 86.0 | <i>4.18</i> | 9.89 | <i>0.57</i> |
| *Australia, Northern Territory: Indigenous | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 89 | 60.0 | <i>6.65</i> | 6.98 | <i>0.96</i> |
| *Australia, Queensland | 161 | 0.8 | <i>0.07</i> | 0.10 | <i>0.01</i> | 18116 | 97.8 | <i>0.76</i> | 11.55 | <i>0.10</i> |
| Australia, South Australia | 54 | 0.7 | <i>0.10</i> | 0.08 | <i>0.01</i> | 6808 | 93.6 | <i>1.21</i> | 11.05 | <i>0.15</i> |
| Australia, Tasmania | 22 | 0.8 | <i>0.19</i> | 0.09 | <i>0.02</i> | 2150 | 93.1 | <i>2.17</i> | 10.89 | <i>0.26</i> |
| *Australia, Victoria | 193 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> | 21384 | 90.7 | <i>0.65</i> | 10.54 | <i>0.08</i> |
| *Australia, Western Australia | 78 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 8667 | 92.5 | <i>1.03</i> | 10.71 | <i>0.13</i> |
| *France, New Caledonia | 9 | 1.1 | <i>0.38</i> | 0.15 | <i>0.06</i> | 679 | 84.1 | <i>3.26</i> | 9.82 | <i>0.43</i> |
| New Zealand | 122 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | 16232 | 89.5 | <i>0.73</i> | 9.87 | <i>0.09</i> |
| *New Zealand: Maori | 8 | 0.6 | <i>0.22</i> | 0.07 | <i>0.03</i> | 2158 | 117.3 | <i>2.55</i> | 12.97 | <i>0.32</i> |
| *New Zealand: Pacific peoples | 7 | 1.1 | <i>0.40</i> | 0.17 | <i>0.07</i> | 848 | 116.1 | <i>4.02</i> | 12.94 | <i>0.51</i> |
| *New Zealand: Other | 102 | 0.7 | <i>0.07</i> | 0.07 | <i>0.01</i> | 12260 | 88.4 | <i>0.86</i> | 9.74 | <i>0.10</i> |
| USA, Hawaii | 40 | 0.6 | <i>0.10</i> | 0.08 | <i>0.01</i> | 5678 | 97.0 | <i>1.38</i> | 11.47 | <i>0.17</i> |
| USA, Hawaii: White | 13 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> | 1456 | 95.4 | <i>2.78</i> | 10.89 | <i>0.32</i> |
| *USA, Hawaii: Japanese | 4 | 0.3 | <i>0.15</i> | 0.04 | <i>0.02</i> | 1473 | 118.7 | <i>3.77</i> | 13.76 | <i>0.43</i> |
| *USA, Hawaii: Chinese | 1 | 0.7 | <i>0.69</i> | 0.06 | <i>0.06</i> | 307 | 76.5 | <i>4.87</i> | 9.04 | <i>0.59</i> |
| *USA, Hawaii: Hawaiian | 10 | 1.1 | <i>0.35</i> | 0.16 | <i>0.06</i> | 1041 | 112.0 | <i>3.54</i> | 13.86 | <i>0.47</i> |
| *USA, Hawaii: Filipino | 7 | 0.8 | <i>0.32</i> | 0.08 | <i>0.03</i> | 902 | 85.9 | <i>2.97</i> | 10.10 | <i>0.37</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Africa | | | | | | |
| *Algeria, Batna | 5 | 0.4 | 0.17 | 0.03 | 0.02 | |
| *Algeria, Tizi Ouzou | 14 | 0.7 | 0.19 | 0.06 | 0.02 | |
| *Benin, Cotonou | 6 | 0.8 | 0.34 | 0.09 | 0.04 | |
| *France, La Réunion | 25 | 1.0 | 0.20 | 0.14 | 0.03 | |
| *Kenya, Eldoret | 12 | 0.7 | 0.23 | 0.08 | 0.04 | |
| *Kenya, Nairobi | 40 | 1.5 | 0.29 | 0.15 | 0.04 | |
| Mauritius | 33 | 0.7 | 0.12 | 0.08 | 0.02 | |
| *Morocco, Casablanca | 77 | 0.6 | 0.07 | 0.07 | 0.01 | |
| *Seychelles | 2 | 0.5 | 0.36 | 0.03 | 0.03 | |
| *South Africa, Eastern Cape | 45 | 3.1 | 0.47 | 0.26 | 0.04 | |
| *Uganda, Kyadondo County | 51 | 1.9 | 0.33 | 0.20 | 0.04 | |
| *Uganda, Gulu | 3 | 0.4 | 0.25 | 0.04 | 0.02 | |
| *Zimbabwe, Bulawayo: African | 45 | 3.1 | 0.49 | 0.25 | 0.05 | |
| *Zimbabwe, Harare: African | 84 | 3.2 | 0.40 | 0.34 | 0.05 | |
| Central and South America and the Caribbean | | | | | | |
| *Argentina, Entre Ríos Province | 34 | 1.1 | 0.21 | 0.11 | 0.03 | |
| *Argentina, Mendoza | 72 | 1.0 | 0.13 | 0.12 | 0.02 | |
| Brazil, Aracaju | 17 | 1.0 | 0.25 | 0.09 | 0.03 | |
| *Brazil, Barretos | 12 | 0.7 | 0.20 | 0.07 | 0.03 | |
| Brazil, Belo Horizonte | 122 | 1.1 | 0.10 | 0.13 | 0.02 | |
| *Brazil, Campinas | 19 | 0.6 | 0.15 | 0.08 | 0.02 | |
| *Brazil, Curitiba | 47 | 0.8 | 0.11 | 0.06 | 0.01 | |
| Brazil, Goiânia | 29 | 0.8 | 0.15 | 0.07 | 0.02 | |
| *Brazil, Jaú | 7 | 1.2 | 0.45 | 0.14 | 0.08 | |
| Brazil, João Pessoa | 16 | 1.1 | 0.27 | 0.11 | 0.03 | |
| Brazil, Recife | 33 | 0.8 | 0.15 | 0.09 | 0.02 | |
| Chile, Region of Antofagasta | 8 | 0.8 | 0.29 | 0.12 | 0.05 | |
| Chile, Valdivia | 15 | 0.8 | 0.22 | 0.07 | 0.03 | |
| Colombia, Bucaramanga | 31 | 0.8 | 0.15 | 0.10 | 0.02 | |
| Colombia, Cali | 57 | 0.6 | 0.09 | 0.07 | 0.01 | |
| Colombia, Manizales | 6 | 0.3 | 0.13 | 0.02 | 0.01 | |
| Colombia, Pasto | 9 | 0.6 | 0.20 | 0.06 | 0.03 | |
| Costa Rica | 86 | 0.7 | 0.08 | 0.07 | 0.01 | |
| Ecuador, Guayaquil | 49 | 0.8 | 0.12 | 0.09 | 0.02 | |
| Ecuador, Manabí | 18 | 0.4 | 0.10 | 0.03 | 0.01 | |
| Ecuador, Quito | 31 | 0.6 | 0.10 | 0.05 | 0.02 | |
| *France, Guadeloupe | 16 | 0.6 | 0.17 | 0.07 | 0.03 | |
| *France, Martinique | 8 | 0.3 | 0.13 | 0.04 | 0.02 | |
| *Peru, Lima | 164 | 0.9 | 0.07 | 0.09 | 0.01 | |
| *Trinidad and Tobago | 13 | 0.5 | 0.13 | 0.06 | 0.02 | |
| USA, Puerto Rico | 256 | 1.2 | 0.09 | 0.14 | 0.01 | |
| *Uruguay | 228 | 1.2 | 0.09 | 0.14 | 0.01 | |
| North America | | | | | | |
| Canada, Alberta | 269 | 1.6 | 0.11 | 0.18 | 0.01 | |
| Canada, British Columbia | 415 | 1.6 | 0.08 | 0.18 | 0.01 | |
| *Canada, Manitoba | 121 | 1.9 | 0.19 | 0.21 | 0.03 | |
| *Canada, New Brunswick | 90 | 2.2 | 0.27 | 0.23 | 0.03 | |
| *Canada, Newfoundland and Labrador | 80 | 3.1 | 0.38 | 0.33 | 0.04 | |
| Canada, Ontario | 1572 | 2.2 | 0.06 | 0.24 | 0.01 | |
| *Canada, Prince Edward Island | 8 | 0.9 | 0.36 | 0.11 | 0.05 | |
| Canada, Quebec | 813 | 1.7 | 0.07 | 0.18 | 0.01 | |
| Canada, Saskatchewan | 98 | 1.7 | 0.19 | 0.18 | 0.03 | |
| *Canada, Yukon | 2 | 1.2 | 0.85 | 0.15 | 0.11 | |
| USA | 26192 | 1.7 | 0.01 | 0.19 | 0.00 | |
| USA: White | 23401 | 1.9 | 0.01 | 0.21 | 0.00 | |
| USA: Black | 2059 | 1.3 | 0.03 | 0.14 | 0.00 | |
| USA, NPCR | 25303 | 1.7 | 0.01 | 0.19 | 0.00 | |
| USA, NPCR: White | 22607 | 1.9 | 0.01 | 0.21 | 0.00 | |
| USA, NPCR: Black | 2027 | 1.3 | 0.03 | 0.14 | 0.00 | |
| USA, NPCR: Asian and Pacific Islander | 380 | 0.5 | 0.03 | 0.05 | 0.00 | |
| USA, NPCR: American Indian | 105 | 0.8 | 0.08 | 0.09 | 0.01 | |
| *USA, SEER (18 registries) | 6272 | 1.5 | 0.02 | 0.17 | 0.00 | |
| *USA, SEER (18 registries): White | 5410 | 1.7 | 0.03 | 0.19 | 0.00 | |
| *USA, SEER (18 registries): Non-Hispanic White | 4854 | 1.9 | 0.03 | 0.21 | 0.00 | |
| *USA, SEER (18 registries): Hispanic White | 556 | 1.0 | 0.04 | 0.11 | 0.01 | |
| *USA, SEER (18 registries): Black | 497 | 1.2 | 0.05 | 0.13 | 0.01 | |
| *USA, SEER (18 registries): Asian and Pacific Islander | 230 | 0.5 | 0.03 | 0.05 | 0.00 | |
| *USA, SEER (9 registries) | 2217 | 1.5 | 0.04 | 0.17 | 0.00 | |
| *USA, SEER (9 registries): White | 1892 | 1.7 | 0.04 | 0.19 | 0.01 | |
| *USA, SEER (9 registries): Black | 186 | 1.3 | 0.10 | 0.15 | 0.01 | |
| USA, Alabama | 420 | 1.9 | 0.10 | 0.20 | 0.01 | |
| USA, Alabama: White | 349 | 2.1 | 0.12 | 0.23 | 0.01 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | |
| USA, Alabama: Black | 66 | 1.4 | 0.18 | 0.15 | 0.02 | |
| USA, Alaska | 48 | 1.9 | 0.28 | 0.22 | 0.04 | |
| *USA, Alaska: Alaska Natives | 7 | 1.6 | 0.64 | 0.11 | 0.09 | |
| USA, Arizona | 361 | 1.1 | 0.06 | 0.12 | 0.01 | |
| USA, Arizona: White | 350 | 1.2 | 0.07 | 0.13 | 0.01 | |
| USA, Arizona: Black | 4 | 0.4 | 0.22 | 0.08 | 0.04 | |
| *USA, Arizona: Asian and Pacific Islander | 3 | 0.3 | 0.19 | 0.04 | 0.02 | |
| USA, Arizona: American Indian | 4 | 0.4 | 0.18 | 0.06 | 0.03 | |
| USA, Arkansas | 273 | 2.2 | 0.14 | 0.24 | 0.02 | |
| USA, Arkansas: White | 244 | 2.3 | 0.16 | 0.26 | 0.02 | |
| USA, Arkansas: Black | 25 | 1.4 | 0.30 | 0.17 | 0.04 | |
| USA, California | 2207 | 1.2 | 0.03 | 0.14 | 0.00 | |
| USA, California: White | 1910 | 1.4 | 0.03 | 0.16 | 0.00 | |
| USA, California: Black | 96 | 0.9 | 0.09 | 0.10 | 0.01 | |
| USA, California: Asian and Pacific Islander | 145 | 0.5 | 0.04 | 0.05 | 0.01 | |
| *USA, California, Los Angeles County | 489 | 1.0 | 0.05 | 0.12 | 0.01 | |
| *USA, California, Los Angeles County: White | 405 | 1.2 | 0.07 | 0.14 | 0.01 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 276 | 1.5 | 0.11 | 0.18 | 0.01 | |
| *USA, California, Los Angeles County: Hispanic White | 129 | 0.9 | 0.08 | 0.10 | 0.01 | |
| *USA, California, Los Angeles County: Black | 36 | 0.8 | 0.15 | 0.09 | 0.02 | |
| *USA, California, Los Angeles County: Chinese | 9 | 0.3 | 0.12 | 0.04 | 0.01 | |
| *USA, California, Los Angeles County: Filipino | 6 | 0.3 | 0.14 | 0.03 | 0.02 | |
| *USA, California, Los Angeles County: Korean | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 30 | 0.4 | 0.07 | 0.04 | 0.01 | |
| *USA, California, San Francisco Bay Area | 234 | 1.0 | 0.07 | 0.11 | 0.01 | |
| *USA, California, San Francisco Bay Area: White | 179 | 1.2 | 0.10 | 0.14 | 0.01 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 155 | 1.2 | 0.11 | 0.15 | 0.02 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 24 | 0.9 | 0.20 | 0.11 | 0.03 | |
| *USA, California, San Francisco Bay Area: Black | 18 | 1.0 | 0.24 | 0.11 | 0.03 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 33 | 0.4 | 0.08 | 0.04 | 0.01 | |
| USA, Colorado | 370 | 1.6 | 0.09 | 0.19 | 0.01 | |
| USA, Colorado: White | 352 | 1.6 | 0.09 | 0.19 | 0.01 | |
| *USA, Colorado: Black | 11 | 1.4 | 0.42 | 0.15 | 0.06 | |
| *USA, Colorado: Asian and Pacific Islander | 2 | 0.3 | 0.22 | 0.06 | 0.04 | |
| USA, Connecticut | 318 | 1.6 | 0.10 | 0.17 | 0.01 | |
| USA, Connecticut: White | 286 | 1.6 | 0.11 | 0.17 | 0.01 | |
| USA, Connecticut: Black | 23 | 1.4 | 0.30 | 0.14 | 0.04 | |
| USA, District of Columbia | 29 | 1.0 | 0.21 | 0.12 | 0.03 | |
| USA, District of Columbia: White | 10 | 0.9 | 0.29 | 0.06 | 0.03 | |
| USA, District of Columbia: Black | 15 | 1.1 | 0.30 | 0.13 | 0.04 | |
| USA, Florida | 1681 | 1.6 | 0.04 | 0.18 | 0.01 | |
| USA, Florida: White | 1479 | 1.6 | 0.05 | 0.18 | 0.01 | |
| USA, Florida: Black | 166 | 1.4 | 0.11 | 0.15 | 0.01 | |
| USA, Florida: Asian and Pacific Islander | 16 | 0.6 | 0.14 | 0.05 | 0.02 | |
| USA, Georgia | 829 | 1.9 | 0.07 | 0.21 | 0.01 | |
| USA, Georgia: White | 661 | 2.3 | 0.10 | 0.25 | 0.01 | |
| USA, Georgia: Black | 153 | 1.3 | 0.11 | 0.15 | 0.01 | |
| USA, Georgia: Asian and Pacific Islander | 12 | 0.9 | 0.26 | 0.10 | 0.04 | |
| *USA, Georgia, Atlanta | 211 | 1.5 | 0.11 | 0.17 | 0.01 | |
| *USA, Georgia, Atlanta: White | 134 | 1.7 | 0.16 | 0.20 | 0.02 | |
| *USA, Georgia, Atlanta: Black | 71 | 1.3 | 0.16 | 0.16 | 0.02 | |
| USA, Idaho | 110 | 1.4 | 0.15 | 0.16 | 0.02 | |
| USA, Indiana | 653 | 2.2 | 0.09 | 0.25 | 0.01 | |
| USA, Indiana: White | 627 | 2.3 | 0.10 | 0.26 | 0.01 | |
| USA, Indiana: Black | 22 | 1.0 | 0.22 | 0.12 | 0.03 | |
| *USA, Iowa | 359 | 2.3 | 0.14 | 0.25 | 0.02 | |
| USA, Kentucky | 593 | 3.0 | 0.13 | 0.33 | 0.02 | |
| USA, Louisiana | 409 | 2.1 | 0.11 | 0.22 | 0.01 | |
| USA, Louisiana: White | 308 | 2.2 | 0.14 | 0.24 | 0.02 | |
| USA, Louisiana: Black | 94 | 1.7 | 0.18 | 0.16 | 0.02 | |
| *USA, Louisiana, New Orleans | 73 | 2.0 | 0.25 | 0.22 | 0.03 | |
| *USA, Louisiana, New Orleans: White | 41 | 1.9 | 0.33 | 0.24 | 0.04 | |
| *USA, Louisiana, New Orleans: Black | 31 | 2.1 | 0.39 | 0.20 | 0.04 | |
| USA, Maine | 197 | 2.6 | 0.21 | 0.28 | 0.03 | |
| USA, Maryland | 500 | 1.8 | 0.09 | 0.20 | 0.01 | |
| USA, Maryland: White | 384 | 2.1 | 0.12 | 0.24 | 0.02 | |
| USA, Maryland: Black | 109 | 1.5 | 0.14 | 0.15 | 0.02 | |
| USA, Maryland: Asian and Pacific Islander | 6 | 0.4 | 0.16 | 0.02 | 0.01 | |
| USA, Massachusetts | 631 | 1.7 | 0.08 | 0.19 | 0.01 | |
| USA, Massachusetts: White | 594 | 1.8 | 0.08 | 0.19 | 0.01 | |
| USA, Massachusetts: Black | 19 | 1.0 | 0.23 | 0.11 | 0.03 | |
| USA, Massachusetts: Asian and Pacific Islander | 11 | 0.8 | 0.24 | 0.09 | 0.04 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51) (contd)

| | Male | | | Female | | | | |
|---|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Michigan | | | | 1047 | 2.1 | 0.07 | 0.24 | 0.01 |
| USA, Michigan: White | | | | 950 | 2.3 | 0.08 | 0.25 | 0.01 |
| USA, Michigan: Black | | | | 76 | 1.3 | 0.16 | 0.14 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | | | | 9 | 0.9 | 0.30 | 0.11 | 0.04 |
| *USA, Michigan, Detroit | | | | 386 | 2.0 | 0.11 | 0.23 | 0.01 |
| *USA, Michigan, Detroit: White | | | | 322 | 2.2 | 0.14 | 0.26 | 0.02 |
| *USA, Michigan, Detroit: Black | | | | 57 | 1.3 | 0.18 | 0.14 | 0.02 |
| USA, Minnesota | | | | 497 | 1.8 | 0.09 | 0.19 | 0.01 |
| USA, Minnesota: White | | | | 476 | 1.8 | 0.10 | 0.19 | 0.01 |
| USA, Minnesota: Black | | | | 6 | 0.7 | 0.29 | 0.06 | 0.03 |
| *USA, Minnesota: Asian and Pacific Islander | | | | 6 | 0.9 | 0.38 | 0.08 | 0.05 |
| USA, Mississippi | | | | 278 | 2.2 | 0.14 | 0.24 | 0.02 |
| USA, Missouri | | | | 550 | 1.9 | 0.09 | 0.20 | 0.01 |
| USA, Missouri: White | | | | 517 | 2.0 | 0.10 | 0.22 | 0.01 |
| USA, Missouri: Black | | | | 29 | 1.0 | 0.19 | 0.10 | 0.02 |
| USA, Montana | | | | 72 | 1.5 | 0.19 | 0.18 | 0.02 |
| *USA, Montana: American Indian | | | | 2 | 1.1 | 0.78 | 0.09 | 0.07 |
| USA, Nebraska | | | | 184 | 2.1 | 0.18 | 0.23 | 0.02 |
| USA, Nebraska: White | | | | 177 | 2.2 | 0.18 | 0.24 | 0.02 |
| *USA, Nebraska: Black | | | | 5 | 1.8 | 0.82 | 0.18 | 0.08 |
| USA, Nevada | | | | 164 | 1.3 | 0.11 | 0.14 | 0.01 |
| USA, Nevada: White | | | | 145 | 1.5 | 0.13 | 0.15 | 0.02 |
| USA, Nevada: Black | | | | 10 | 1.1 | 0.34 | 0.11 | 0.04 |
| *USA, Nevada: Asian and Pacific Islander | | | | 6 | 0.4 | 0.17 | 0.03 | 0.02 |
| USA, New Jersey | | | | 821 | 1.7 | 0.07 | 0.19 | 0.01 |
| USA, New Jersey: White | | | | 726 | 1.9 | 0.08 | 0.21 | 0.01 |
| USA, New Jersey: Black | | | | 67 | 1.2 | 0.16 | 0.13 | 0.02 |
| USA, New Mexico | | | | 132 | 1.3 | 0.13 | 0.15 | 0.02 |
| USA, New Mexico: White | | | | 124 | 1.4 | 0.14 | 0.17 | 0.02 |
| USA, New Mexico: Non-Hispanic White | | | | 76 | 1.6 | 0.22 | 0.19 | 0.02 |
| USA, New Mexico: Hispanic White | | | | 48 | 1.3 | 0.20 | 0.15 | 0.03 |
| *USA, New Mexico: American Indian | | | | 6 | 0.6 | 0.27 | 0.03 | 0.02 |
| USA, New York State | | | | 1674 | 1.7 | 0.04 | 0.18 | 0.01 |
| USA, New York State: White | | | | 1433 | 1.8 | 0.05 | 0.20 | 0.01 |
| USA, New York State: Black | | | | 201 | 1.4 | 0.11 | 0.16 | 0.01 |
| USA, New York State: Asian and Pacific Islander | | | | 34 | 0.5 | 0.08 | 0.05 | 0.01 |
| USA, North Carolina | | | | 916 | 1.9 | 0.07 | 0.21 | 0.01 |
| USA, North Carolina: White | | | | 781 | 2.1 | 0.09 | 0.23 | 0.01 |
| USA, North Carolina: Black | | | | 116 | 1.3 | 0.13 | 0.13 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | | | | 5 | 0.6 | 0.26 | 0.05 | 0.03 |
| *USA, North Carolina: American Indian | | | | 5 | 0.9 | 0.43 | 0.09 | 0.05 |
| USA, North Dakota | | | | 69 | 2.0 | 0.28 | 0.19 | 0.03 |
| USA, Ohio | | | | 1162 | 2.1 | 0.07 | 0.22 | 0.01 |
| USA, Ohio: White | | | | 1068 | 2.2 | 0.07 | 0.24 | 0.01 |
| USA, Ohio: Black | | | | 86 | 1.5 | 0.17 | 0.15 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | | | | 5 | 0.5 | 0.24 | 0.03 | 0.02 |
| USA, Oklahoma | | | | 322 | 1.9 | 0.12 | 0.22 | 0.01 |
| USA, Oklahoma: White | | | | 289 | 2.1 | 0.14 | 0.23 | 0.02 |
| USA, Oklahoma: Black | | | | 8 | 0.8 | 0.29 | 0.12 | 0.05 |
| USA, Oklahoma: American Indian | | | | 21 | 1.7 | 0.36 | 0.21 | 0.05 |
| USA, Oregon | | | | 301 | 1.4 | 0.09 | 0.16 | 0.01 |
| USA, Oregon: White | | | | 289 | 1.5 | 0.10 | 0.16 | 0.01 |
| *USA, Oregon: Black | | | | 4 | 1.6 | 0.80 | 0.15 | 0.09 |
| *USA, Oregon: Asian and Pacific Islander | | | | 4 | 0.5 | 0.25 | 0.05 | 0.03 |
| USA, Rhode Island | | | | 127 | 2.1 | 0.22 | 0.22 | 0.03 |
| USA, Rhode Island: White | | | | 123 | 2.3 | 0.24 | 0.23 | 0.03 |
| *USA, Rhode Island: Black | | | | 2 | 0.7 | 0.49 | 0.03 | 0.03 |
| USA, South Carolina | | | | 459 | 2.1 | 0.11 | 0.22 | 0.01 |
| USA, South Carolina: White | | | | 384 | 2.4 | 0.14 | 0.25 | 0.02 |
| USA, South Carolina: Black | | | | 70 | 1.4 | 0.17 | 0.14 | 0.02 |
| USA, South Dakota | | | | 108 | 2.6 | 0.28 | 0.30 | 0.04 |
| USA, Tennessee | | | | 658 | 2.3 | 0.10 | 0.25 | 0.01 |
| USA, Tennessee: White | | | | 584 | 2.4 | 0.11 | 0.26 | 0.01 |
| USA, Tennessee: Black | | | | 72 | 1.8 | 0.22 | 0.18 | 0.02 |
| USA, Texas | | | | 1427 | 1.3 | 0.04 | 0.15 | 0.00 |
| USA, Texas: White | | | | 1283 | 1.4 | 0.04 | 0.16 | 0.01 |
| USA, Texas: Black | | | | 123 | 1.1 | 0.10 | 0.11 | 0.01 |
| USA, Texas: Asian and Pacific Islander | | | | 19 | 0.4 | 0.10 | 0.05 | 0.01 |
| USA, Utah | | | | 122 | 1.2 | 0.12 | 0.14 | 0.01 |
| USA, Vermont | | | | 61 | 1.7 | 0.25 | 0.21 | 0.03 |
| USA, Washington State | | | | 593 | 1.7 | 0.08 | 0.19 | 0.01 |
| *USA, Washington, Seattle | | | | 375 | 1.6 | 0.09 | 0.17 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | 232 | 2.5 | 0.19 | 0.28 | 0.02 |
| USA, Wyoming | | | | 38 | 1.3 | 0.23 | 0.14 | 0.03 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | 4 | 0.3 | 0.16 | 0.02 | 0.01 |
| Brunei Darussalam | | | | 7 | 0.8 | 0.29 | 0.09 | 0.04 |
| *China, Anfu County | | | | 2 | 0.2 | 0.12 | 0.01 | 0.01 |
| *China, Anguo City | | | | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Anshan City | | | | 37 | 0.5 | 0.11 | 0.06 | 0.01 |
| *China, Aohan Banner, Chifeng City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | | | | 1 | 0.2 | 0.16 | 0.03 | 0.03 |
| *China, Baoding City | | | | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Beijing City | | | | 216 | 0.5 | 0.03 | 0.06 | 0.01 |
| *China, Binhai County | | | | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Cangzhou City | | | | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Changfeng County | | | | 0 | – | 0.00 | – | 0.00 |
| China, Changzhou City | | | | 31 | 0.3 | 0.05 | 0.04 | 0.01 |
| China, Chengdu City | | | | 29 | 0.7 | 0.14 | 0.08 | 0.02 |
| China, Cixian County | | | | 10 | 0.5 | 0.18 | 0.07 | 0.03 |
| China, Cixi City | | | | 8 | 0.2 | 0.06 | 0.01 | 0.01 |
| *China, Dafeng District, Yancheng City | | | | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| China, Dalian City | | | | 56 | 0.5 | 0.06 | 0.05 | 0.01 |
| *China, Dancheng County | | | | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Dangtu County | | | | 2 | 0.2 | 0.11 | 0.03 | 0.02 |
| *China, Danyang City | | | | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Dawukou District, Shizuishan City | | | | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Dehui City | | | | 9 | 0.3 | 0.10 | 0.04 | 0.01 |
| *China, Donggang County | | | | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dongguan City | | | | 25 | 0.5 | 0.13 | 0.06 | 0.02 |
| China, Donghai County | | | | 16 | 0.4 | 0.10 | 0.04 | 0.01 |
| *China, Dongtai City | | | | 13 | 0.3 | 0.07 | 0.03 | 0.01 |
| China, Duanzhou District, Zhaoqing City | | | | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Evenki Autonomous Banner | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | | | | 6 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Fangcheng County | | | | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Feicheng City | | | | 15 | 0.4 | 0.10 | 0.04 | 0.01 |
| China, Feixi County | | | | 20 | 0.6 | 0.16 | 0.08 | 0.02 |
| China, Fuqing City | | | | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Ganyu District, Lianyungang City | | | | 8 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Ganzhou District, Zhangye City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Gaocheng City | | | | 9 | 0.3 | 0.11 | 0.04 | 0.02 |
| China, Gaomi City | | | | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Gong'an County | | | | 6 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Guang'an District, Guang'an City | | | | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Guanghan City | | | | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Guangzhou City | | | | 114 | 0.3 | 0.03 | 0.04 | 0.00 |
| *China, Guanyun County | | | | 5 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Guilin City | | | | 7 | 0.3 | 0.11 | 0.03 | 0.02 |
| *China, Hai'an City | | | | 14 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Hailar District, Hulun Buir City | | | | 6 | 0.5 | 0.22 | 0.07 | 0.04 |
| China, Haimen District, Nantong City | | | | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Haining City | | | | 11 | 0.3 | 0.08 | 0.04 | 0.02 |
| China, Hangzhou City | | | | 100 | 0.3 | 0.03 | 0.03 | 0.00 |
| China, Hebi City | | | | 8 | 0.6 | 0.21 | 0.06 | 0.03 |
| China, Hefei City | | | | 20 | 0.2 | 0.06 | 0.03 | 0.01 |
| China, Hengdong County | | | | 4 | 0.3 | 0.15 | 0.03 | 0.01 |
| *China, Hengfeng County | | | | 1 | 0.2 | 0.17 | 0.00 | 0.00 |
| *China, Hepu County | | | | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Honghu City | | | | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Hongshan District, Chifeng City | | | | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| *China, Hongta District, Yuxi City | | | | 6 | 0.3 | 0.14 | 0.04 | 0.02 |
| *China, Huaiyin District, Huai'an City | | | | 8 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Jiange County | | | | 3 | 0.2 | 0.10 | 0.03 | 0.02 |
| China, Jiangmen City | | | | 5 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Jiangyin City | | | | 7 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Jiashan County | | | | 8 | 0.4 | 0.16 | 0.05 | 0.02 |
| China, Jiayu County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | | | | 23 | 0.2 | 0.05 | 0.02 | 0.01 |
| *China, Jingtai County | | | | 2 | 0.2 | 0.17 | 0.00 | 0.00 |
| *China, Jingxian County | | | | 4 | 0.4 | 0.20 | 0.06 | 0.03 |
| *China, Jintan District, Changzhou City | | | | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Jiulongpo District, Chongqing City | | | | 4 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Jiyuan City | | | | 8 | 0.5 | 0.17 | 0.06 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | | | | 5 | 0.4 | 0.17 | 0.04 | 0.03 |
| China, Kunshan City | | | | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Langzhong City | | | | 9 | 0.4 | 0.14 | 0.03 | 0.02 |
| *China, Liangshan County | | | | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Lianshui County | | | | 7 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Lianyungang City | | | | 6 | 0.2 | 0.07 | 0.01 | 0.01 |
| China, Linhe District, Bayannur City | | | | 6 | 0.5 | 0.19 | 0.04 | 0.03 |
| China, Linqu County | | | | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Linzhou City | | | | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| China, Liuzhou City | | | | 21 | 0.5 | 0.12 | 0.06 | 0.02 |
| China, Liyang City | | | | 5 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Longquan City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Lucheng District, Wenzhou City | | | | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Luoding City | | | | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Luohe City | | | | 10 | 0.3 | 0.08 | 0.02 | 0.01 |
| *China, Luoyang City | | | | 15 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Luquan City | | | | 1 | 0.1 | 0.09 | 0.02 | 0.02 |
| China, Ma'anshan City | | | | 6 | 0.3 | 0.11 | 0.03 | 0.02 |
| *China, Macheng City | | | | 4 | 0.2 | 0.09 | 0.03 | 0.01 |
| China, Meihekou City | | | | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Mengjin County | | | | 5 | 0.4 | 0.21 | 0.03 | 0.01 |
| China, Nangang District, Harbin City | | | | 10 | 0.2 | 0.06 | 0.01 | 0.01 |
| *China, Nanhai District, Foshan City | | | | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Nanhu District, Jiaying City | | | | 17 | 0.5 | 0.12 | 0.02 | 0.01 |
| *China, Nantong City | | | | 13 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Nanxiong City | | | | 3 | 0.2 | 0.13 | 0.03 | 0.02 |
| China, Neixiang County | | | | 4 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Qianxi County | | | | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | | | | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| China, Qingzhou City | | | | 10 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Rudong County | | | | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Rugao City | | | | 22 | 0.2 | 0.05 | 0.02 | 0.01 |
| *China, Rural areas of Shanghai City | | | | 158 | 0.3 | 0.03 | 0.04 | 0.00 |
| China, Ruyang County | | | | 5 | 0.4 | 0.18 | 0.04 | 0.02 |
| *China, Shan County | | | | 0 | – | 0.00 | – | 0.00 |
| China, Shanghai City | | | | 157 | 0.4 | 0.03 | 0.04 | 0.00 |
| China, Shangyu District, Shaoxing City | | | | 15 | 0.4 | 0.10 | 0.04 | 0.01 |
| *China, Shapingba District, Chongqing City | | | | 21 | 0.7 | 0.15 | 0.10 | 0.02 |
| China, Shexian County | | | | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| China, Sheyang County | | | | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Shijiazhuang City | | | | 20 | 0.3 | 0.08 | 0.04 | 0.01 |
| China, Shunde District, Foshan City | | | | 14 | 0.4 | 0.10 | 0.04 | 0.01 |
| *China, Song County | | | | 5 | 0.3 | 0.13 | 0.02 | 0.01 |
| China, Suzhou City | | | | 54 | 0.3 | 0.04 | 0.03 | 0.01 |
| *China, Tengzhou City | | | | 18 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Wangdu County | | | | 2 | 0.3 | 0.21 | 0.05 | 0.04 |
| *China, Wan'ai County | | | | 2 | 0.2 | 0.16 | 0.03 | 0.02 |
| *China, Wu'an City | | | | 8 | 0.4 | 0.13 | 0.04 | 0.02 |
| China, Wuhan City | | | | 56 | 0.2 | 0.03 | 0.03 | 0.00 |
| *China, Wuhu City | | | | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| China, Wuxi City | | | | 28 | 0.2 | 0.04 | 0.02 | 0.01 |
| China, Wuzhou City | | | | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Xiangfu District, Kaifeng City | | | | 7 | 0.3 | 0.13 | 0.04 | 0.02 |
| China, Xianju County | | | | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Xin'an County | | | | 3 | 0.3 | 0.17 | 0.04 | 0.02 |
| *China, Xining City | | | | 12 | 0.5 | 0.17 | 0.05 | 0.02 |
| *China, Xinji City | | | | 21 | 0.9 | 0.22 | 0.09 | 0.02 |
| *China, Xinluo District, Longyan City | | | | 5 | 0.4 | 0.19 | 0.06 | 0.03 |
| *China, Xinzhou District, Shangrao City | | | | 3 | 0.2 | 0.12 | 0.02 | 0.01 |
| China, Xiping County | | | | 10 | 0.4 | 0.12 | 0.05 | 0.02 |
| *China, Xishan District, Kunming City | | | | 5 | 0.3 | 0.16 | 0.04 | 0.02 |
| *China, Xuyi County | | | | 6 | 0.2 | 0.10 | 0.04 | 0.02 |
| *China, Ya'an City | | | | 18 | 0.3 | 0.08 | 0.04 | 0.01 |
| *China, Yakeshi City | | | | 2 | 0.1 | 0.09 | 0.02 | 0.01 |
| China, Yancheng City | | | | 14 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Yangquan City | | | | 11 | 0.5 | 0.15 | 0.07 | 0.02 |
| *China, Yangzhong City | | | | 2 | 0.1 | 0.09 | 0.02 | 0.01 |
| *China, Yanji City | | | | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yanshi City | | | | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Yanting County | | | | 3 | 0.1 | 0.08 | 0.03 | 0.02 |
| *China, Yi'an District, Tongling City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | | | | 3 | 0.1 | 0.07 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| *China, Yinzhou District, Ningbo City | 2 | 0.2 | 0.12 | 0.03 | 0.03 | |
| *China, Yiyuan County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | |
| China, Yong'an City | 3 | 0.3 | 0.16 | 0.04 | 0.03 | |
| *China, Yongding District, Longyan City | 3 | 0.2 | 0.11 | 0.02 | 0.02 | |
| China, Yongkang City | 5 | 0.3 | 0.15 | 0.03 | 0.01 | |
| *China, Yucheng County | 7 | 0.4 | 0.14 | 0.04 | 0.02 | |
| China, Yueyanglou District, Yueyang City | 1 | 0.1 | 0.10 | 0.01 | 0.01 | |
| China, Yunmeng County | 4 | 0.2 | 0.11 | 0.02 | 0.01 | |
| *China, Yunyang District, Shiyang City | 2 | 0.2 | 0.14 | 0.04 | 0.03 | |
| China, Yuzhong District, Chongqing City | 11 | 0.5 | 0.16 | 0.06 | 0.02 | |
| *China, Zhanhuang County | 11 | 1.3 | 0.40 | 0.10 | 0.04 | |
| *China, Zhangjiagang City | 10 | 0.2 | 0.06 | 0.02 | 0.01 | |
| *China, Zhaoyuan City | 11 | 0.3 | 0.10 | 0.04 | 0.02 | |
| *China, Zhengding County | 9 | 0.6 | 0.20 | 0.06 | 0.02 | |
| *China, Zhongshan City | 21 | 0.3 | 0.08 | 0.03 | 0.01 | |
| China, Zhongxiang City | 10 | 0.3 | 0.09 | 0.04 | 0.02 | |
| *China, Zhuanghe City | 9 | 0.2 | 0.08 | 0.04 | 0.01 | |
| *China, Zhuhai City | 17 | 0.5 | 0.12 | 0.07 | 0.02 | |
| India, Ahmedabad, Urban | 42 | 0.4 | 0.06 | 0.04 | 0.01 | |
| India, Aurangabad | 10 | 0.4 | 0.13 | 0.06 | 0.02 | |
| India, Bangalore | 52 | 0.5 | 0.07 | 0.05 | 0.01 | |
| India, Barshi, Paranda, and Bhum | 4 | 0.3 | 0.13 | 0.03 | 0.02 | |
| *India, Bhopal | 9 | 0.3 | 0.12 | 0.03 | 0.01 | |
| India, Chandigarh | 8 | 0.4 | 0.14 | 0.04 | 0.02 | |
| *India, Chennai | 56 | 0.4 | 0.06 | 0.05 | 0.01 | |
| India, Dibrugarh | 14 | 0.5 | 0.15 | 0.08 | 0.03 | |
| *India, Dindigul, Ambilikai | 27 | 0.4 | 0.08 | 0.05 | 0.01 | |
| India, Kamrup Urban District | 10 | 0.4 | 0.13 | 0.03 | 0.01 | |
| India, Kollam | 5 | 0.1 | 0.03 | 0.01 | 0.00 | |
| *India, Manipur | 24 | 0.5 | 0.10 | 0.05 | 0.01 | |
| India, Meghalaya | 16 | 0.5 | 0.13 | 0.06 | 0.02 | |
| India, Mizoram | 7 | 0.4 | 0.16 | 0.05 | 0.03 | |
| India, Mumbai | 101 | 0.3 | 0.03 | 0.04 | 0.00 | |
| *India, New Delhi | 129 | 0.6 | 0.06 | 0.07 | 0.01 | |
| India, Poona | 36 | 0.3 | 0.05 | 0.04 | 0.01 | |
| *India, Sangrur District | 12 | 0.5 | 0.14 | 0.07 | 0.03 | |
| India, SAS Nagar | 9 | 0.4 | 0.13 | 0.05 | 0.02 | |
| *India, Tamil Nadu | 796 | 0.4 | 0.01 | 0.05 | 0.00 | |
| *India, Tripura | 20 | 0.3 | 0.06 | 0.02 | 0.01 | |
| India, Trivandrum | 19 | 0.2 | 0.05 | 0.03 | 0.01 | |
| India, Wardha | 5 | 0.1 | 0.06 | 0.02 | 0.01 | |
| India, West Arunachal | 7 | 0.9 | 0.35 | 0.10 | 0.06 | |
| *Iran (Islamic Republic of), Ardabil Province | 2 | 0.1 | 0.07 | 0.01 | 0.01 | |
| *Iran (Islamic Republic of), Golestan Province | 1 | 0.0 | 0.04 | 0.00 | 0.00 | |
| Israel | 345 | 1.0 | 0.06 | 0.10 | 0.01 | |
| *Israel: Jews | 296 | 1.0 | 0.07 | 0.10 | 0.01 | |
| *Israel: Arabs | 27 | 0.8 | 0.16 | 0.10 | 0.02 | |
| Japan | 2600 | 0.4 | 0.01 | 0.04 | 0.00 | |
| Japan, Aichi Prefecture | 131 | 0.3 | 0.03 | 0.03 | 0.00 | |
| *Japan, Akita Prefecture | 40 | 0.5 | 0.12 | 0.06 | 0.02 | |
| Japan, Aomori Prefecture | 66 | 0.4 | 0.06 | 0.04 | 0.01 | |
| Japan, Gunma Prefecture | 35 | 0.4 | 0.08 | 0.03 | 0.01 | |
| Japan, Hiroshima Prefecture | 78 | 0.3 | 0.05 | 0.04 | 0.01 | |
| Japan, Miyagi Prefecture | 73 | 0.3 | 0.05 | 0.03 | 0.01 | |
| Japan, Osaka Prefecture | 172 | 0.3 | 0.03 | 0.03 | 0.00 | |
| Kuwait | 20 | 0.4 | 0.11 | 0.05 | 0.02 | |
| *Kuwait: Kuwaitis | 13 | 0.5 | 0.16 | 0.06 | 0.02 | |
| *Kuwait: Non-Kuwaitis | 7 | 0.4 | 0.18 | 0.05 | 0.03 | |
| *Philippines, Manila | 56 | 0.4 | 0.06 | 0.04 | 0.01 | |
| *Qatar: Qatari | 1 | 0.3 | 0.26 | 0.03 | 0.03 | |
| Republic of Korea | 784 | 0.3 | 0.01 | 0.04 | 0.00 | |
| *Republic of Korea, Busan | 43 | 0.3 | 0.04 | 0.03 | 0.01 | |
| *Republic of Korea, Daegu | 41 | 0.4 | 0.06 | 0.04 | 0.01 | |
| *Republic of Korea, Daejeon | 23 | 0.4 | 0.08 | 0.04 | 0.01 | |
| *Republic of Korea, Gwangju | 14 | 0.2 | 0.05 | 0.02 | 0.01 | |
| Republic of Korea, Incheon | 47 | 0.4 | 0.07 | 0.05 | 0.01 | |
| Republic of Korea, Jeju | 9 | 0.4 | 0.13 | 0.06 | 0.02 | |
| Republic of Korea, Seoul | 166 | 0.4 | 0.03 | 0.04 | 0.00 | |
| Republic of Korea, Ulsan | 12 | 0.3 | 0.09 | 0.04 | 0.01 | |
| Singapore | 118 | 0.7 | 0.06 | 0.08 | 0.01 | |
| Singapore: Chinese | 102 | 0.7 | 0.07 | 0.08 | 0.01 | |
| Singapore: Indian | 4 | 0.3 | 0.17 | 0.03 | 0.02 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | 10 | 0.6 | 0.19 | 0.07 | 0.02 |
| Thailand, Bangkok | | | | 48 | 0.2 | 0.03 | 0.03 | 0.01 |
| *Thailand, Chiang Mai | | | | 51 | 0.7 | 0.11 | 0.08 | 0.01 |
| *Thailand, Khon Kaen | | | | 17 | 0.2 | 0.06 | 0.03 | 0.01 |
| Thailand, Lampang | | | | 18 | 0.5 | 0.13 | 0.06 | 0.02 |
| Thailand, Lopburi Province | | | | 20 | 0.7 | 0.17 | 0.06 | 0.02 |
| *Thailand, Songkhla | | | | 22 | 0.4 | 0.09 | 0.05 | 0.01 |
| Turkey, Antalya | | | | 32 | 0.5 | 0.09 | 0.06 | 0.01 |
| Turkey, Bursa | | | | 39 | 0.4 | 0.07 | 0.04 | 0.01 |
| *Turkey, Edirne | | | | 13 | 0.8 | 0.23 | 0.09 | 0.03 |
| *Turkey, Erzurum | | | | 11 | 0.5 | 0.16 | 0.06 | 0.02 |
| Turkey, Eskişehir | | | | 19 | 0.6 | 0.14 | 0.07 | 0.02 |
| Turkey, Gaziantep | | | | 16 | 0.4 | 0.10 | 0.04 | 0.01 |
| *Turkey, Izmir | | | | 104 | 0.7 | 0.07 | 0.09 | 0.01 |
| Turkey, Malatya | | | | 8 | 0.4 | 0.13 | 0.04 | 0.02 |
| Turkey, Samsun | | | | 24 | 0.5 | 0.10 | 0.04 | 0.01 |
| Turkey, Trabzon | | | | 5 | 0.2 | 0.08 | 0.01 | 0.01 |
| Europe | | | | | | | | |
| Austria | | | | 802 | 1.4 | 0.06 | 0.16 | 0.01 |
| Austria, Carinthia | | | | 53 | 1.2 | 0.19 | 0.10 | 0.02 |
| Austria, Tyrol | | | | 79 | 2.0 | 0.27 | 0.22 | 0.03 |
| Austria, Vorarlberg | | | | 36 | 1.8 | 0.33 | 0.22 | 0.05 |
| Belarus | | | | 785 | 1.3 | 0.05 | 0.14 | 0.01 |
| *Belgium | | | | 1228 | 1.9 | 0.06 | 0.21 | 0.01 |
| Croatia | | | | 456 | 1.5 | 0.08 | 0.16 | 0.01 |
| Cyprus | | | | 46 | 1.0 | 0.16 | 0.10 | 0.02 |
| *Czech Republic | | | | 1225 | 1.8 | 0.06 | 0.20 | 0.01 |
| Denmark | | | | 695 | 2.2 | 0.10 | 0.24 | 0.01 |
| Estonia | | | | 157 | 1.5 | 0.14 | 0.19 | 0.02 |
| Finland | | | | 579 | 1.6 | 0.08 | 0.17 | 0.01 |
| *France, Bas-Rhin | | | | 56 | 1.1 | 0.17 | 0.14 | 0.03 |
| *France, Calvados | | | | 48 | 1.0 | 0.17 | 0.10 | 0.02 |
| *France, Doubs | | | | 37 | 0.8 | 0.18 | 0.08 | 0.02 |
| *France, Gironde | | | | 95 | 0.9 | 0.12 | 0.09 | 0.01 |
| *France, Haut-Rhin | | | | 53 | 1.1 | 0.20 | 0.09 | 0.02 |
| *France, Hérault | | | | 75 | 1.0 | 0.14 | 0.09 | 0.02 |
| *France, Isère | | | | 70 | 0.9 | 0.13 | 0.11 | 0.02 |
| *France, Lille-Métropole | | | | 43 | 1.0 | 0.18 | 0.10 | 0.02 |
| *France, Limousin | | | | 24 | 0.9 | 0.24 | 0.11 | 0.03 |
| *France, Loire-Atlantique | | | | 72 | 0.8 | 0.11 | 0.08 | 0.01 |
| *France, Manche | | | | 37 | 0.9 | 0.19 | 0.10 | 0.03 |
| *France, Poitou-Charentes | | | | 117 | 0.8 | 0.10 | 0.07 | 0.01 |
| *France, Somme | | | | 29 | 0.8 | 0.18 | 0.09 | 0.02 |
| *France, Tarn | | | | 31 | 0.7 | 0.18 | 0.07 | 0.02 |
| *France, Territoire de Belfort | | | | 7 | 0.9 | 0.40 | 0.10 | 0.06 |
| *France, Vendée | | | | 42 | 0.9 | 0.16 | 0.10 | 0.02 |
| Germany, Baden-Württemberg | | | | 1021 | 2.5 | 0.09 | 0.28 | 0.01 |
| Germany, Bavaria | | | | 1863 | 2.3 | 0.06 | 0.25 | 0.01 |
| Germany, Bremen | | | | 128 | 3.0 | 0.31 | 0.34 | 0.04 |
| Germany, Hamburg | | | | 460 | 4.6 | 0.25 | 0.51 | 0.03 |
| Germany, Lower Saxony | | | | 1605 | 3.3 | 0.10 | 0.35 | 0.01 |
| Germany, North Rhine-Westphalia | | | | 4321 | 4.1 | 0.07 | 0.45 | 0.01 |
| Germany, Rhineland-Palatinate | | | | 877 | 3.5 | 0.14 | 0.37 | 0.02 |
| Germany, Saarland | | | | 343 | 5.5 | 0.36 | 0.61 | 0.04 |
| Germany, Schleswig-Holstein | | | | 770 | 4.5 | 0.19 | 0.49 | 0.02 |
| Iceland | | | | 36 | 2.5 | 0.44 | 0.28 | 0.06 |
| Ireland | | | | 279 | 1.4 | 0.09 | 0.15 | 0.01 |
| *Italy, Aosta Valley | | | | 9 | 1.2 | 0.46 | 0.12 | 0.06 |
| *Italy, Avellino | | | | 19 | 0.9 | 0.25 | 0.14 | 0.05 |
| Italy, Basilicata | | | | 57 | 1.4 | 0.23 | 0.17 | 0.03 |
| *Italy, Benevento | | | | 29 | 1.4 | 0.33 | 0.14 | 0.05 |
| Italy, Bergamo | | | | 99 | 1.3 | 0.15 | 0.14 | 0.02 |
| *Italy, Brescia | | | | 86 | 1.0 | 0.13 | 0.12 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | 82 | 1.7 | 0.22 | 0.18 | 0.03 |
| Italy, Calabria | | | | 46 | 1.3 | 0.21 | 0.15 | 0.03 |
| *Italy, Caserta | | | | 64 | 1.7 | 0.24 | 0.22 | 0.03 |
| *Italy, Catania, Messina, and Enna | | | | 151 | 1.2 | 0.11 | 0.14 | 0.02 |
| Italy, Emilia-Romagna | | | | 394 | 1.3 | 0.08 | 0.13 | 0.01 |
| Italy, Friuli-Venezia Giulia | | | | 187 | 1.6 | 0.15 | 0.17 | 0.02 |
| Italy, Genova | | | | 84 | 1.2 | 0.17 | 0.13 | 0.02 |
| *Italy, Lombardy, South, Pavia | | | | 44 | 1.0 | 0.19 | 0.10 | 0.02 |
| Italy, Mantova and Cremona | | | | 81 | 1.5 | 0.22 | 0.17 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51) (contd)

| | Male | | | Female | | | | |
|-------------------------------------|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | 142 | 1.5 | 0.15 | 0.17 | 0.02 |
| Italy, Milan | | | | 291 | 1.0 | 0.07 | 0.12 | 0.01 |
| Italy, Molise | | | | 13 | 0.7 | 0.26 | 0.05 | 0.03 |
| *Italy, Naples Centre | | | | 64 | 1.5 | 0.22 | 0.19 | 0.03 |
| *Italy, Naples North | | | | 60 | 1.5 | 0.20 | 0.19 | 0.03 |
| *Italy, Naples South | | | | 85 | 1.3 | 0.16 | 0.16 | 0.02 |
| *Italy, Nuoro | | | | 9 | 1.1 | 0.43 | 0.12 | 0.05 |
| *Italy, Palermo | | | | 100 | 1.2 | 0.14 | 0.13 | 0.02 |
| Italy, Puglia | | | | 357 | 1.1 | 0.07 | 0.13 | 0.01 |
| *Italy, Ragusa and Caltanissetta | | | | 48 | 1.3 | 0.21 | 0.16 | 0.03 |
| *Italy, Salerno | | | | 99 | 1.4 | 0.17 | 0.15 | 0.03 |
| Italy, Sassari | | | | 7 | 0.5 | 0.25 | 0.04 | 0.02 |
| *Italy, Sondrio | | | | 23 | 1.2 | 0.31 | 0.15 | 0.05 |
| Italy, South Tyrol | | | | 54 | 1.4 | 0.24 | 0.15 | 0.03 |
| *Italy, Syracuse | | | | 30 | 1.2 | 0.24 | 0.14 | 0.03 |
| Italy, Trento | | | | 49 | 1.3 | 0.22 | 0.15 | 0.03 |
| Italy, Turin | | | | 207 | 1.0 | 0.09 | 0.11 | 0.01 |
| *Italy, Tuscany | | | | 227 | 1.2 | 0.10 | 0.14 | 0.01 |
| Italy, Umbria | | | | 92 | 1.4 | 0.18 | 0.16 | 0.03 |
| Italy, Varese | | | | 50 | 1.1 | 0.21 | 0.11 | 0.02 |
| Italy, Veneto | | | | 571 | 1.4 | 0.08 | 0.16 | 0.01 |
| Latvia | | | | 246 | 1.5 | 0.12 | 0.17 | 0.02 |
| *Liechtenstein | | | | 4 | 2.2 | 1.28 | 0.17 | 0.12 |
| *Lithuania | | | | 271 | 1.2 | 0.09 | 0.13 | 0.01 |
| Malta | | | | 36 | 1.3 | 0.23 | 0.17 | 0.04 |
| *The Netherlands | | | | 2097 | 2.2 | 0.05 | 0.24 | 0.01 |
| Norway | | | | 438 | 1.6 | 0.09 | 0.17 | 0.01 |
| Poland, Kielce | | | | 98 | 1.1 | 0.13 | 0.12 | 0.02 |
| *Portugal, Azores | | | | 12 | 1.3 | 0.41 | 0.17 | 0.06 |
| Russian Federation, Arkhangelsk | | | | 74 | 1.1 | 0.14 | 0.12 | 0.02 |
| Russian Federation, Kaliningrad | | | | 63 | 1.1 | 0.15 | 0.16 | 0.03 |
| Russian Federation, Karelia | | | | 49 | 1.2 | 0.18 | 0.16 | 0.03 |
| *Russian Federation, Komi Republic | | | | 50 | 1.2 | 0.18 | 0.16 | 0.03 |
| Russian Federation, Murmansk | | | | 47 | 1.3 | 0.19 | 0.15 | 0.03 |
| *Russian Federation, Orenburg | | | | 170 | 1.4 | 0.12 | 0.15 | 0.02 |
| Russian Federation, Pskov | | | | 71 | 1.6 | 0.21 | 0.20 | 0.03 |
| *Russian Federation, Samara | | | | 207 | 1.0 | 0.07 | 0.11 | 0.01 |
| Russian Federation, Vologda Region | | | | 77 | 1.1 | 0.14 | 0.14 | 0.02 |
| Slovenia | | | | 264 | 1.8 | 0.13 | 0.20 | 0.02 |
| Spain, Asturias | | | | 71 | 1.0 | 0.16 | 0.11 | 0.02 |
| Spain, Basque Country | | | | 149 | 1.0 | 0.10 | 0.11 | 0.01 |
| Spain, Canary Islands | | | | 118 | 1.5 | 0.15 | 0.14 | 0.02 |
| Spain, Castellón | | | | 49 | 1.1 | 0.19 | 0.09 | 0.02 |
| Spain, Girona | | | | 78 | 1.5 | 0.20 | 0.16 | 0.03 |
| Spain, Granada | | | | 66 | 1.1 | 0.15 | 0.11 | 0.02 |
| Spain, La Rioja | | | | 40 | 1.8 | 0.35 | 0.21 | 0.05 |
| Spain, Murcia | | | | 95 | 1.1 | 0.13 | 0.11 | 0.02 |
| Spain, Navarra | | | | 50 | 1.2 | 0.22 | 0.13 | 0.03 |
| Spain, Salamanca | | | | 26 | 1.3 | 0.35 | 0.14 | 0.04 |
| Spain, Tarragona | | | | 60 | 1.2 | 0.18 | 0.13 | 0.02 |
| *Sweden | | | | 1006 | 1.7 | 0.06 | 0.18 | 0.01 |
| Switzerland, Aargau | | | | 46 | 1.2 | 0.19 | 0.11 | 0.03 |
| Switzerland, Basel | | | | 45 | 1.6 | 0.26 | 0.21 | 0.04 |
| Switzerland, Berne Solothurn | | | | 78 | 1.4 | 0.19 | 0.15 | 0.02 |
| Switzerland, East | | | | 65 | 1.2 | 0.18 | 0.15 | 0.03 |
| *Switzerland, Fribourg | | | | 18 | 1.2 | 0.30 | 0.12 | 0.04 |
| Switzerland, Geneva | | | | 30 | 1.1 | 0.23 | 0.12 | 0.03 |
| *Switzerland, Graubünden and Glarus | | | | 22 | 1.2 | 0.30 | 0.12 | 0.04 |
| *Switzerland, Lucerne | | | | 30 | 1.2 | 0.25 | 0.12 | 0.03 |
| *Switzerland, Neuchâtel and Jura | | | | 31 | 2.1 | 0.45 | 0.18 | 0.05 |
| Switzerland, Ticino | | | | 30 | 1.0 | 0.23 | 0.12 | 0.03 |
| Switzerland, Valais | | | | 26 | 1.6 | 0.35 | 0.18 | 0.04 |
| Switzerland, Vaud | | | | 70 | 1.7 | 0.23 | 0.18 | 0.03 |
| Switzerland, Zurich and Zug | | | | 120 | 1.1 | 0.12 | 0.11 | 0.02 |
| Ukraine | | | | 2562 | 1.1 | 0.02 | 0.13 | 0.00 |
| UK, England | | | | 5422 | 1.8 | 0.03 | 0.20 | 0.00 |
| UK, Northern Ireland | | | | 178 | 1.8 | 0.15 | 0.18 | 0.02 |
| UK, Scotland | | | | 646 | 2.2 | 0.10 | 0.23 | 0.01 |
| UK, Wales | | | | 385 | 2.1 | 0.13 | 0.23 | 0.02 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | 607 | 1.6 | 0.07 | 0.18 | 0.01 |
| *Australia, Northern Territory | | | | 13 | 2.0 | 0.57 | 0.17 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vulva (C51) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | | | | 6 | 1.3 | 0.53 | 0.11 | 0.05 |
| *Australia, Northern Territory: Indigenous | | | | 7 | 3.5 | 1.34 | 0.29 | 0.11 |
| *Australia, Queensland | | | | 393 | 1.9 | 0.10 | 0.21 | 0.01 |
| Australia, South Australia | | | | 161 | 1.6 | 0.15 | 0.19 | 0.02 |
| Australia, Tasmania | | | | 52 | 2.2 | 0.34 | 0.24 | 0.04 |
| *Australia, Victoria | | | | 443 | 1.6 | 0.08 | 0.17 | 0.01 |
| *Australia, Western Australia | | | | 171 | 1.5 | 0.13 | 0.18 | 0.02 |
| *France, New Caledonia | | | | 13 | 1.5 | 0.43 | 0.16 | 0.05 |
| New Zealand | | | | 290 | 1.3 | 0.09 | 0.14 | 0.01 |
| *New Zealand: Maori | | | | 31 | 1.7 | 0.31 | 0.19 | 0.04 |
| *New Zealand: Pacific peoples | | | | 5 | 0.6 | 0.29 | 0.07 | 0.04 |
| *New Zealand: Other | | | | 251 | 1.5 | 0.11 | 0.15 | 0.01 |
| USA, Hawaii | | | | 80 | 1.0 | 0.13 | 0.11 | 0.02 |
| USA, Hawaii: White | | | | 39 | 1.9 | 0.32 | 0.21 | 0.04 |
| *USA, Hawaii: Japanese | | | | 20 | 0.9 | 0.29 | 0.09 | 0.03 |
| *USA, Hawaii: Chinese | | | | 5 | 0.6 | 0.31 | 0.03 | 0.03 |
| *USA, Hawaii: Hawaiian | | | | 2 | 0.2 | 0.17 | 0.03 | 0.02 |
| *USA, Hawaii: Filipino | | | | 10 | 0.6 | 0.23 | 0.05 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | 3 | 0.3 | 0.15 | 0.03 | 0.02 |
| *Algeria, Tizi Ouzou | | | | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Benin, Cotonou | | | | 2 | 0.3 | 0.24 | 0.04 | 0.03 |
| *France, La Réunion | | | | 6 | 0.2 | 0.08 | 0.01 | 0.01 |
| *Kenya, Eldoret | | | | 1 | 0.1 | 0.14 | 0.02 | 0.02 |
| *Kenya, Nairobi | | | | 13 | 0.5 | 0.17 | 0.08 | 0.03 |
| Mauritius | | | | 21 | 0.4 | 0.09 | 0.05 | 0.01 |
| *Morocco, Casablanca | | | | 20 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Seychelles | | | | 1 | 0.3 | 0.27 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | | | | 14 | 0.9 | 0.26 | 0.09 | 0.03 |
| *Uganda, Kyadondo County | | | | 9 | 0.3 | 0.10 | 0.02 | 0.01 |
| *Uganda, Gulu | | | | 3 | 0.6 | 0.34 | 0.09 | 0.06 |
| *Zimbabwe, Bulawayo: African | | | | 25 | 2.0 | 0.41 | 0.17 | 0.04 |
| *Zimbabwe, Harare: African | | | | 23 | 1.2 | 0.27 | 0.16 | 0.05 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | | | | 17 | 0.6 | 0.16 | 0.08 | 0.02 |
| *Argentina, Mendoza | | | | 21 | 0.4 | 0.08 | 0.04 | 0.01 |
| Brazil, Aracaju | | | | 5 | 0.4 | 0.17 | 0.06 | 0.03 |
| *Brazil, Barretos | | | | 6 | 0.5 | 0.19 | 0.05 | 0.02 |
| Brazil, Belo Horizonte | | | | 30 | 0.3 | 0.06 | 0.04 | 0.01 |
| *Brazil, Campinas | | | | 13 | 0.4 | 0.10 | 0.03 | 0.01 |
| *Brazil, Curitiba | | | | 7 | 0.1 | 0.05 | 0.01 | 0.00 |
| Brazil, Goiânia | | | | 11 | 0.4 | 0.12 | 0.05 | 0.02 |
| *Brazil, Jaú | | | | 4 | 0.8 | 0.40 | 0.06 | 0.03 |
| Brazil, João Pessoa | | | | 12 | 0.8 | 0.23 | 0.08 | 0.03 |
| Brazil, Recife | | | | 14 | 0.4 | 0.10 | 0.05 | 0.02 |
| Chile, Region of Antofagasta | | | | 5 | 0.5 | 0.22 | 0.06 | 0.03 |
| Chile, Valdivia | | | | 6 | 0.3 | 0.13 | 0.04 | 0.02 |
| Colombia, Bucaramanga | | | | 15 | 0.3 | 0.09 | 0.03 | 0.01 |
| Colombia, Cali | | | | 40 | 0.5 | 0.08 | 0.05 | 0.01 |
| Colombia, Manizales | | | | 14 | 0.9 | 0.24 | 0.09 | 0.03 |
| Colombia, Pasto | | | | 5 | 0.3 | 0.14 | 0.03 | 0.02 |
| Costa Rica | | | | 58 | 0.5 | 0.07 | 0.06 | 0.01 |
| Ecuador, Guayaquil | | | | 47 | 0.8 | 0.12 | 0.09 | 0.02 |
| Ecuador, Manabí | | | | 10 | 0.3 | 0.10 | 0.04 | 0.01 |
| Ecuador, Quito | | | | 24 | 0.5 | 0.10 | 0.06 | 0.02 |
| *France, Guadeloupe | | | | 9 | 0.4 | 0.15 | 0.04 | 0.02 |
| *France, Martinique | | | | 12 | 0.5 | 0.18 | 0.04 | 0.02 |
| *Peru, Lima | | | | 60 | 0.4 | 0.05 | 0.04 | 0.01 |
| *Trinidad and Tobago | | | | 14 | 0.5 | 0.15 | 0.07 | 0.02 |
| USA, Puerto Rico | | | | 120 | 0.7 | 0.07 | 0.08 | 0.01 |
| *Uruguay | | | | 87 | 0.5 | 0.06 | 0.05 | 0.01 |
| North America | | | | | | | | |
| Canada, Alberta | | | | 84 | 0.5 | 0.06 | 0.06 | 0.01 |
| Canada, British Columbia | | | | 157 | 0.6 | 0.05 | 0.07 | 0.01 |
| *Canada, Manitoba | | | | 14 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Canada, New Brunswick | | | | 18 | 0.4 | 0.11 | 0.06 | 0.02 |
| *Canada, Newfoundland and Labrador | | | | 11 | 0.3 | 0.11 | 0.03 | 0.01 |
| Canada, Ontario | | | | 461 | 0.7 | 0.03 | 0.07 | 0.00 |
| *Canada, Prince Edward Island | | | | 3 | 0.3 | 0.20 | 0.05 | 0.03 |
| Canada, Quebec | | | | 169 | 0.4 | 0.03 | 0.04 | 0.00 |
| Canada, Saskatchewan | | | | 17 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Canada, Yukon | | | | 2 | 1.4 | 1.03 | 0.22 | 0.22 |
| USA | | | | 6617 | 0.4 | 0.01 | 0.05 | 0.00 |
| USA: White | | | | 5314 | 0.4 | 0.01 | 0.05 | 0.00 |
| USA: Black | | | | 1021 | 0.6 | 0.02 | 0.07 | 0.00 |
| USA, NPCR | | | | 6428 | 0.4 | 0.01 | 0.05 | 0.00 |
| USA, NPCR: White | | | | 5156 | 0.4 | 0.01 | 0.05 | 0.00 |
| USA, NPCR: Black | | | | 1006 | 0.6 | 0.02 | 0.07 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | | | | 197 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, NPCR: American Indian | | | | 28 | 0.2 | 0.04 | 0.02 | 0.00 |
| *USA, SEER (18 registries) | | | | 1819 | 0.5 | 0.01 | 0.05 | 0.00 |
| *USA, SEER (18 registries): White | | | | 1388 | 0.4 | 0.01 | 0.05 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | 1153 | 0.5 | 0.02 | 0.05 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | | | | 235 | 0.4 | 0.03 | 0.05 | 0.00 |
| *USA, SEER (18 registries): Black | | | | 280 | 0.7 | 0.04 | 0.08 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | 123 | 0.3 | 0.03 | 0.03 | 0.00 |
| *USA, SEER (9 registries) | | | | 582 | 0.4 | 0.02 | 0.05 | 0.00 |
| *USA, SEER (9 registries): White | | | | 433 | 0.4 | 0.02 | 0.05 | 0.00 |
| *USA, SEER (9 registries): Black | | | | 95 | 0.6 | 0.07 | 0.07 | 0.01 |
| USA, Alabama | | | | 124 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Alabama: White | | | | 82 | 0.4 | 0.05 | 0.05 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | |
| USA, Alabama: Black | 38 | 0.7 | 0.12 | 0.09 | 0.02 | |
| USA, Alaska | 7 | 0.3 | 0.10 | 0.02 | 0.01 | |
| *USA, Alaska: Alaska Natives | 3 | 0.8 | 0.45 | 0.08 | 0.05 | |
| USA, Arizona | 84 | 0.3 | 0.03 | 0.03 | 0.00 | |
| USA, Arizona: White | 77 | 0.3 | 0.03 | 0.03 | 0.00 | |
| USA, Arizona: Black | 3 | 0.3 | 0.16 | 0.03 | 0.02 | |
| *USA, Arizona: Asian and Pacific Islander | 1 | 0.1 | 0.10 | 0.01 | 0.01 | |
| USA, Arizona: American Indian | 3 | 0.3 | 0.17 | 0.05 | 0.03 | |
| USA, Arkansas | 85 | 0.6 | 0.07 | 0.06 | 0.01 | |
| USA, Arkansas: White | 70 | 0.6 | 0.07 | 0.06 | 0.01 | |
| USA, Arkansas: Black | 15 | 0.8 | 0.21 | 0.09 | 0.03 | |
| USA, California | 701 | 0.4 | 0.02 | 0.05 | 0.00 | |
| USA, California: White | 545 | 0.4 | 0.02 | 0.05 | 0.00 | |
| USA, California: Black | 61 | 0.6 | 0.08 | 0.07 | 0.01 | |
| USA, California: Asian and Pacific Islander | 86 | 0.3 | 0.03 | 0.03 | 0.00 | |
| *USA, California, Los Angeles County | 197 | 0.4 | 0.03 | 0.05 | 0.00 | |
| *USA, California, Los Angeles County: White | 144 | 0.5 | 0.04 | 0.06 | 0.01 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 75 | 0.5 | 0.06 | 0.06 | 0.01 | |
| *USA, California, Los Angeles County: Hispanic White | 69 | 0.5 | 0.06 | 0.05 | 0.01 | |
| *USA, California, Los Angeles County: Black | 28 | 0.6 | 0.12 | 0.07 | 0.02 | |
| *USA, California, Los Angeles County: Chinese | 9 | 0.3 | 0.10 | 0.02 | 0.01 | |
| *USA, California, Los Angeles County: Filipino | 4 | 0.2 | 0.09 | 0.03 | 0.01 | |
| *USA, California, Los Angeles County: Korean | 0 | – | 0.00 | – | 0.00 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 24 | 0.2 | 0.05 | 0.03 | 0.01 | |
| *USA, California, San Francisco Bay Area | 70 | 0.3 | 0.04 | 0.03 | 0.01 | |
| *USA, California, San Francisco Bay Area: White | 44 | 0.3 | 0.05 | 0.03 | 0.01 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 38 | 0.3 | 0.06 | 0.04 | 0.01 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 6 | 0.2 | 0.09 | 0.03 | 0.02 | |
| *USA, California, San Francisco Bay Area: Black | 5 | 0.3 | 0.14 | 0.03 | 0.02 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 20 | 0.3 | 0.07 | 0.03 | 0.01 | |
| USA, Colorado | 89 | 0.4 | 0.04 | 0.04 | 0.01 | |
| USA, Colorado: White | 84 | 0.4 | 0.04 | 0.04 | 0.01 | |
| *USA, Colorado: Black | 3 | 0.4 | 0.23 | 0.05 | 0.04 | |
| *USA, Colorado: Asian and Pacific Islander | 2 | 0.3 | 0.21 | 0.05 | 0.04 | |
| USA, Connecticut | 65 | 0.3 | 0.05 | 0.04 | 0.01 | |
| USA, Connecticut: White | 51 | 0.3 | 0.05 | 0.03 | 0.01 | |
| USA, Connecticut: Black | 11 | 0.7 | 0.20 | 0.08 | 0.03 | |
| USA, District of Columbia | 17 | 0.7 | 0.19 | 0.08 | 0.02 | |
| USA, District of Columbia: White | 3 | 0.5 | 0.31 | 0.04 | 0.03 | |
| USA, District of Columbia: Black | 12 | 0.7 | 0.22 | 0.09 | 0.03 | |
| USA, Florida | 467 | 0.4 | 0.02 | 0.05 | 0.00 | |
| USA, Florida: White | 397 | 0.4 | 0.03 | 0.05 | 0.00 | |
| USA, Florida: Black | 63 | 0.5 | 0.07 | 0.06 | 0.01 | |
| USA, Florida: Asian and Pacific Islander | 1 | 0.0 | 0.04 | 0.01 | 0.01 | |
| USA, Georgia | 248 | 0.6 | 0.04 | 0.07 | 0.01 | |
| USA, Georgia: White | 144 | 0.5 | 0.05 | 0.06 | 0.01 | |
| USA, Georgia: Black | 100 | 0.8 | 0.08 | 0.10 | 0.01 | |
| USA, Georgia: Asian and Pacific Islander | 3 | 0.2 | 0.12 | 0.01 | 0.01 | |
| *USA, Georgia, Atlanta | 74 | 0.5 | 0.06 | 0.06 | 0.01 | |
| *USA, Georgia, Atlanta: White | 31 | 0.4 | 0.07 | 0.04 | 0.01 | |
| *USA, Georgia, Atlanta: Black | 42 | 0.8 | 0.12 | 0.10 | 0.02 | |
| USA, Idaho | 32 | 0.4 | 0.08 | 0.06 | 0.01 | |
| USA, Indiana | 164 | 0.5 | 0.05 | 0.06 | 0.01 | |
| USA, Indiana: White | 143 | 0.5 | 0.05 | 0.06 | 0.01 | |
| USA, Indiana: Black | 19 | 0.8 | 0.19 | 0.12 | 0.03 | |
| *USA, Iowa | 68 | 0.4 | 0.06 | 0.05 | 0.01 | |
| USA, Kentucky | 145 | 0.7 | 0.06 | 0.09 | 0.01 | |
| USA, Louisiana | 124 | 0.6 | 0.06 | 0.07 | 0.01 | |
| USA, Louisiana: White | 87 | 0.6 | 0.08 | 0.07 | 0.01 | |
| USA, Louisiana: Black | 34 | 0.6 | 0.11 | 0.07 | 0.01 | |
| *USA, Louisiana, New Orleans | 22 | 0.6 | 0.14 | 0.07 | 0.02 | |
| *USA, Louisiana, New Orleans: White | 11 | 0.5 | 0.16 | 0.06 | 0.02 | |
| *USA, Louisiana, New Orleans: Black | 10 | 0.7 | 0.24 | 0.07 | 0.03 | |
| USA, Maine | 42 | 0.5 | 0.08 | 0.05 | 0.01 | |
| USA, Maryland | 157 | 0.5 | 0.04 | 0.06 | 0.01 | |
| USA, Maryland: White | 92 | 0.4 | 0.05 | 0.05 | 0.01 | |
| USA, Maryland: Black | 60 | 0.8 | 0.10 | 0.09 | 0.01 | |
| USA, Maryland: Asian and Pacific Islander | 5 | 0.3 | 0.13 | 0.03 | 0.02 | |
| USA, Massachusetts | 123 | 0.4 | 0.04 | 0.04 | 0.00 | |
| USA, Massachusetts: White | 105 | 0.4 | 0.04 | 0.04 | 0.00 | |
| USA, Massachusetts: Black | 11 | 0.5 | 0.17 | 0.08 | 0.03 | |
| USA, Massachusetts: Asian and Pacific Islander | 7 | 0.4 | 0.15 | 0.02 | 0.01 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52) (contd)

| | Male | | | Female | | | | |
|---|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Michigan | | | | 217 | 0.4 | 0.03 | 0.05 | 0.00 |
| USA, Michigan: White | | | | 175 | 0.4 | 0.03 | 0.05 | 0.00 |
| USA, Michigan: Black | | | | 37 | 0.6 | 0.10 | 0.06 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | | | | 2 | 0.2 | 0.15 | 0.03 | 0.02 |
| *USA, Michigan, Detroit | | | | 97 | 0.5 | 0.05 | 0.05 | 0.01 |
| *USA, Michigan, Detroit: White | | | | 68 | 0.5 | 0.06 | 0.05 | 0.01 |
| *USA, Michigan, Detroit: Black | | | | 28 | 0.6 | 0.12 | 0.05 | 0.01 |
| USA, Minnesota | | | | 82 | 0.3 | 0.04 | 0.04 | 0.01 |
| USA, Minnesota: White | | | | 75 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, Minnesota: Black | | | | 3 | 0.4 | 0.24 | 0.05 | 0.03 |
| *USA, Minnesota: Asian and Pacific Islander | | | | 0 | – | 0.00 | – | 0.00 |
| USA, Mississippi | | | | 86 | 0.7 | 0.08 | 0.07 | 0.01 |
| USA, Missouri | | | | 146 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Missouri: White | | | | 128 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Missouri: Black | | | | 16 | 0.6 | 0.15 | 0.05 | 0.02 |
| USA, Montana | | | | 20 | 0.4 | 0.10 | 0.05 | 0.01 |
| *USA, Montana: American Indian | | | | 0 | – | 0.00 | – | 0.00 |
| USA, Nebraska | | | | 30 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Nebraska: White | | | | 28 | 0.3 | 0.06 | 0.03 | 0.01 |
| *USA, Nebraska: Black | | | | 2 | 0.6 | 0.46 | 0.10 | 0.10 |
| USA, Nevada | | | | 51 | 0.4 | 0.06 | 0.05 | 0.01 |
| USA, Nevada: White | | | | 42 | 0.4 | 0.07 | 0.05 | 0.01 |
| USA, Nevada: Black | | | | 5 | 0.5 | 0.24 | 0.05 | 0.03 |
| *USA, Nevada: Asian and Pacific Islander | | | | 4 | 0.3 | 0.15 | 0.04 | 0.02 |
| USA, New Jersey | | | | 184 | 0.4 | 0.04 | 0.04 | 0.00 |
| USA, New Jersey: White | | | | 148 | 0.4 | 0.04 | 0.04 | 0.00 |
| USA, New Jersey: Black | | | | 29 | 0.5 | 0.10 | 0.06 | 0.01 |
| USA, New Mexico | | | | 40 | 0.4 | 0.07 | 0.05 | 0.01 |
| USA, New Mexico: White | | | | 37 | 0.4 | 0.07 | 0.05 | 0.01 |
| USA, New Mexico: Non-Hispanic White | | | | 21 | 0.4 | 0.10 | 0.05 | 0.01 |
| USA, New Mexico: Hispanic White | | | | 16 | 0.4 | 0.11 | 0.06 | 0.02 |
| *USA, New Mexico: American Indian | | | | 2 | 0.2 | 0.15 | 0.03 | 0.03 |
| USA, New York State | | | | 385 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, New York State: White | | | | 278 | 0.4 | 0.03 | 0.05 | 0.00 |
| USA, New York State: Black | | | | 86 | 0.6 | 0.07 | 0.06 | 0.01 |
| USA, New York State: Asian and Pacific Islander | | | | 18 | 0.3 | 0.08 | 0.03 | 0.01 |
| USA, North Carolina | | | | 242 | 0.5 | 0.03 | 0.06 | 0.00 |
| USA, North Carolina: White | | | | 175 | 0.5 | 0.04 | 0.05 | 0.01 |
| USA, North Carolina: Black | | | | 65 | 0.7 | 0.09 | 0.08 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | | | | 0 | – | 0.00 | – | 0.00 |
| *USA, North Carolina: American Indian | | | | 1 | 0.2 | 0.17 | 0.02 | 0.02 |
| USA, North Dakota | | | | 13 | 0.4 | 0.13 | 0.05 | 0.02 |
| USA, Ohio | | | | 225 | 0.4 | 0.03 | 0.04 | 0.00 |
| USA, Ohio: White | | | | 190 | 0.4 | 0.03 | 0.04 | 0.00 |
| USA, Ohio: Black | | | | 31 | 0.4 | 0.09 | 0.05 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | | | | 2 | 0.3 | 0.18 | 0.03 | 0.02 |
| USA, Oklahoma | | | | 71 | 0.4 | 0.05 | 0.04 | 0.01 |
| USA, Oklahoma: White | | | | 63 | 0.4 | 0.06 | 0.05 | 0.01 |
| USA, Oklahoma: Black | | | | 5 | 0.5 | 0.21 | 0.08 | 0.04 |
| USA, Oklahoma: American Indian | | | | 3 | 0.2 | 0.10 | 0.01 | 0.01 |
| USA, Oregon | | | | 70 | 0.3 | 0.04 | 0.04 | 0.01 |
| USA, Oregon: White | | | | 68 | 0.3 | 0.04 | 0.04 | 0.01 |
| *USA, Oregon: Black | | | | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | | | | 2 | 0.3 | 0.21 | 0.06 | 0.04 |
| USA, Rhode Island | | | | 18 | 0.3 | 0.08 | 0.03 | 0.01 |
| USA, Rhode Island: White | | | | 18 | 0.3 | 0.09 | 0.04 | 0.01 |
| *USA, Rhode Island: Black | | | | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | | | | 98 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, South Carolina: White | | | | 66 | 0.4 | 0.06 | 0.05 | 0.01 |
| USA, South Carolina: Black | | | | 29 | 0.5 | 0.09 | 0.05 | 0.01 |
| USA, South Dakota | | | | 15 | 0.3 | 0.09 | 0.02 | 0.01 |
| USA, Tennessee | | | | 152 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Tennessee: White | | | | 133 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Tennessee: Black | | | | 17 | 0.4 | 0.10 | 0.04 | 0.01 |
| USA, Texas | | | | 481 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, Texas: White | | | | 404 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, Texas: Black | | | | 68 | 0.6 | 0.07 | 0.07 | 0.01 |
| USA, Texas: Asian and Pacific Islander | | | | 7 | 0.2 | 0.06 | 0.01 | 0.01 |
| USA, Utah | | | | 32 | 0.3 | 0.06 | 0.04 | 0.01 |
| USA, Vermont | | | | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| USA, Washington State | | | | 165 | 0.5 | 0.04 | 0.05 | 0.01 |
| *USA, Washington, Seattle | | | | 120 | 0.5 | 0.05 | 0.06 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | 51 | 0.6 | 0.09 | 0.06 | 0.01 |
| USA, Wyoming | | | | 10 | 0.3 | 0.12 | 0.04 | 0.02 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| Brunei Darussalam | | | | 3 | 0.5 | 0.27 | 0.07 | 0.05 |
| *China, Anfu County | | | | 2 | 0.2 | 0.12 | 0.01 | 0.01 |
| *China, Anguo City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | | | | 22 | 0.3 | 0.06 | 0.03 | 0.01 |
| *China, Aohan Banner, Chifeng City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | | | | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Baoding City | | | | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Beijing City | | | | 57 | 0.2 | 0.03 | 0.02 | 0.00 |
| *China, Binhai County | | | | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Cangzhou City | | | | 2 | 0.1 | 0.08 | 0.02 | 0.01 |
| China, Changfeng County | | | | 4 | 0.3 | 0.16 | 0.03 | 0.02 |
| China, Changzhou City | | | | 19 | 0.2 | 0.04 | 0.02 | 0.01 |
| China, Chengdu City | | | | 11 | 0.3 | 0.09 | 0.04 | 0.01 |
| China, Cixian County | | | | 5 | 0.3 | 0.15 | 0.05 | 0.02 |
| China, Cixi City | | | | 6 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Dafeng District, Yancheng City | | | | 13 | 0.3 | 0.10 | 0.04 | 0.01 |
| China, Dalian City | | | | 21 | 0.2 | 0.04 | 0.02 | 0.01 |
| *China, Dancheng County | | | | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Dangtu County | | | | 2 | 0.2 | 0.11 | 0.02 | 0.02 |
| *China, Danyang City | | | | 5 | 0.1 | 0.05 | 0.02 | 0.01 |
| *China, Dawukou District, Shizuishan City | | | | 2 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Dehui City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Donggang County | | | | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Dongguan City | | | | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Donghai County | | | | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dongtai City | | | | 11 | 0.6 | 0.18 | 0.05 | 0.01 |
| China, Duanzhou District, Zhaoqing City | | | | 1 | 0.4 | 0.35 | 0.01 | 0.01 |
| *China, Evenki Autonomous Banner | | | | 2 | 0.8 | 0.55 | 0.16 | 0.11 |
| *China, Faku County | | | | 3 | 0.2 | 0.09 | 0.02 | 0.02 |
| *China, Fangcheng County | | | | 6 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Feicheng City | | | | 5 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Feixi County | | | | 11 | 0.3 | 0.10 | 0.03 | 0.01 |
| China, Fuqing City | | | | 9 | 0.4 | 0.12 | 0.04 | 0.01 |
| *China, Ganyu District, Lianyungang City | | | | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | | | | 1 | 0.1 | 0.11 | 0.02 | 0.02 |
| *China, Gaocheng City | | | | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Gaomi City | | | | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Gong'an County | | | | 15 | 0.4 | 0.11 | 0.05 | 0.02 |
| *China, Guang'an District, Guang'an City | | | | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Guanghan City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | | | | 55 | 0.2 | 0.02 | 0.02 | 0.00 |
| *China, Guanyun County | | | | 3 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Guilin City | | | | 8 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Hai'an City | | | | 13 | 0.3 | 0.10 | 0.03 | 0.01 |
| China, Hailar District, Hulun Buir City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Haimen District, Nantong City | | | | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Haining City | | | | 6 | 0.2 | 0.07 | 0.01 | 0.01 |
| China, Hangzhou City | | | | 60 | 0.2 | 0.02 | 0.03 | 0.00 |
| China, Hebi City | | | | 6 | 0.5 | 0.20 | 0.07 | 0.03 |
| China, Hefei City | | | | 26 | 0.3 | 0.07 | 0.04 | 0.01 |
| China, Hengdong County | | | | 3 | 0.2 | 0.12 | 0.02 | 0.01 |
| *China, Hengfeng County | | | | 2 | 0.3 | 0.21 | 0.05 | 0.04 |
| *China, Hepu County | | | | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| China, Honghu City | | | | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| China, Hongshan District, Chifeng City | | | | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Hongta District, Yuxi City | | | | 5 | 0.3 | 0.12 | 0.02 | 0.01 |
| *China, Huaiyin District, Huai'an City | | | | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Jiange County | | | | 8 | 0.4 | 0.15 | 0.05 | 0.02 |
| China, Jiangmen City | | | | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Jiangyin City | | | | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Jiashan County | | | | 5 | 0.3 | 0.13 | 0.02 | 0.01 |
| China, Jiayu County | | | | 4 | 0.5 | 0.26 | 0.06 | 0.03 |
| *China, Jinan City | | | | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Jingtai County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | | | | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| *China, Jintan District, Changzhou City | | | | 10 | 0.4 | 0.14 | 0.06 | 0.02 |
| *China, Jiulongpo District, Chongqing City | | | | 9 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Jiyuan City | | | | 5 | 0.3 | 0.12 | 0.02 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| China, Kaihua County | | | | 0 | – | 0.00 |
| China, Kunshan City | | | | 3 | 0.1 | 0.06 |
| China, Langzhong City | | | | 9 | 0.5 | 0.16 |
| *China, Liangshan County | | | | 2 | 0.2 | 0.13 |
| *China, Lianshui County | | | | 4 | 0.1 | 0.05 |
| China, Lianyungang City | | | | 8 | 0.2 | 0.08 |
| China, Linhe District, Bayannur City | | | | 0 | – | 0.00 |
| China, Linqu County | | | | 1 | 0.0 | 0.03 |
| *China, Linzhou City | | | | 4 | 0.1 | 0.05 |
| China, Liuzhou City | | | | 16 | 0.4 | 0.10 |
| China, Liyang City | | | | 3 | 0.1 | 0.05 |
| *China, Longquan City | | | | 2 | 0.3 | 0.18 |
| China, Lucheng District, Wenzhou City | | | | 4 | 0.2 | 0.10 |
| China, Luoding City | | | | 3 | 0.2 | 0.09 |
| *China, Luohe City | | | | 2 | 0.1 | 0.04 |
| *China, Luoyang City | | | | 6 | 0.2 | 0.10 |
| *China, Luquan City | | | | 0 | – | 0.00 |
| China, Ma'anshan City | | | | 6 | 0.2 | 0.10 |
| *China, Macheng City | | | | 2 | 0.1 | 0.06 |
| China, Meihekou City | | | | 3 | 0.1 | 0.06 |
| *China, Mengjin County | | | | 1 | 0.1 | 0.11 |
| China, Nangang District, Harbin City | | | | 5 | 0.1 | 0.05 |
| *China, Nanhai District, Foshan City | | | | 3 | 0.1 | 0.06 |
| China, Nanhu District, Jiaying City | | | | 7 | 0.3 | 0.13 |
| *China, Nantong City | | | | 12 | 0.2 | 0.07 |
| *China, Nanxiong City | | | | 2 | 0.1 | 0.09 |
| China, Neixiang County | | | | 12 | 0.5 | 0.14 |
| *China, Qianxi County | | | | 2 | 0.1 | 0.08 |
| China, Qidong City | | | | 10 | 0.2 | 0.06 |
| China, Qingzhou City | | | | 7 | 0.3 | 0.11 |
| *China, Rudong County | | | | 9 | 0.1 | 0.05 |
| *China, Rugao City | | | | 13 | 0.2 | 0.05 |
| *China, Rural areas of Shanghai City | | | | 86 | 0.2 | 0.02 |
| China, Ruyang County | | | | 2 | 0.2 | 0.11 |
| *China, Shan County | | | | 0 | – | 0.00 |
| China, Shanghai City | | | | 69 | 0.2 | 0.03 |
| China, Shanyu District, Shaoxing City | | | | 5 | 0.1 | 0.06 |
| *China, Shapingba District, Chongqing City | | | | 19 | 0.6 | 0.13 |
| China, Shexian County | | | | 0 | – | 0.00 |
| China, Sheyang County | | | | 6 | 0.1 | 0.06 |
| *China, Shijiazhuang City | | | | 8 | 0.2 | 0.06 |
| China, Shunde District, Foshan City | | | | 8 | 0.2 | 0.07 |
| *China, Song County | | | | 5 | 0.3 | 0.14 |
| China, Suzhou City | | | | 13 | 0.1 | 0.02 |
| *China, Tengzhou City | | | | 2 | 0.0 | 0.02 |
| *China, Wangdu County | | | | 0 | – | 0.00 |
| *China, Wanxian County | | | | 3 | 0.2 | 0.14 |
| *China, Wu'an City | | | | 4 | 0.2 | 0.08 |
| China, Wuhan City | | | | 37 | 0.2 | 0.03 |
| *China, Wuhu City | | | | 4 | 0.1 | 0.04 |
| China, Wuxi City | | | | 40 | 0.3 | 0.06 |
| China, Wuzhou City | | | | 1 | 0.0 | 0.05 |
| China, Xiangfu District, Kaifeng City | | | | 4 | 0.2 | 0.11 |
| China, Xianju County | | | | 6 | 0.3 | 0.13 |
| *China, Xin'an County | | | | 3 | 0.2 | 0.15 |
| *China, Xining City | | | | 9 | 0.3 | 0.10 |
| *China, Xinji City | | | | 4 | 0.2 | 0.08 |
| *China, Xinluo District, Longyan City | | | | 3 | 0.3 | 0.15 |
| *China, Xinzhou District, Shangrao City | | | | 0 | – | 0.00 |
| China, Xiping County | | | | 3 | 0.1 | 0.06 |
| *China, Xishan District, Kunming City | | | | 1 | 0.1 | 0.08 |
| *China, Xuyi County | | | | 6 | 0.2 | 0.11 |
| *China, Ya'an City | | | | 7 | 0.1 | 0.05 |
| *China, Yakeshi City | | | | 1 | 0.0 | 0.03 |
| China, Yancheng City | | | | 3 | 0.1 | 0.03 |
| *China, Yangquan City | | | | 3 | 0.1 | 0.08 |
| *China, Yangzhong City | | | | 7 | 0.5 | 0.22 |
| *China, Yanji City | | | | 3 | 0.1 | 0.08 |
| *China, Yanshi City | | | | 3 | 0.1 | 0.07 |
| China, Yanting County | | | | 10 | 0.5 | 0.17 |
| *China, Yi'an District, Tongling City | | | | 3 | 0.3 | 0.19 |
| *China, Yingdong District, Fuyang City | | | | 1 | 0.0 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| *China, Yinzhou District, Ningbo City | 3 | 0.3 | 0.18 | 0.04 | 0.03 | |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | |
| China, Yong'an City | 0 | – | 0.00 | – | 0.00 | |
| *China, Yongding District, Longyan City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | |
| China, Yongkang City | 7 | 0.4 | 0.16 | 0.04 | 0.02 | |
| *China, Yucheng County | 8 | 0.4 | 0.14 | 0.07 | 0.03 | |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | |
| China, Yunmeng County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | |
| *China, Yunyang District, Shiyang City | 0 | – | 0.00 | – | 0.00 | |
| China, Yuzhong District, Chongqing City | 6 | 0.3 | 0.13 | 0.04 | 0.02 | |
| *China, Zhanhuang County | 3 | 0.3 | 0.20 | 0.04 | 0.03 | |
| *China, Zhangjiagang City | 8 | 0.2 | 0.07 | 0.02 | 0.01 | |
| *China, Zhaoyuan City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | |
| *China, Zhengding County | 1 | 0.1 | 0.07 | 0.02 | 0.02 | |
| *China, Zhongshan City | 12 | 0.2 | 0.06 | 0.02 | 0.01 | |
| China, Zhongxiang City | 3 | 0.1 | 0.05 | 0.02 | 0.01 | |
| *China, Zhuanghe City | 9 | 0.2 | 0.07 | 0.03 | 0.01 | |
| *China, Zhuhai City | 11 | 0.4 | 0.13 | 0.05 | 0.02 | |
| India, Ahmedabad, Urban | 86 | 0.7 | 0.08 | 0.09 | 0.01 | |
| India, Aurangabad | 11 | 0.5 | 0.14 | 0.07 | 0.02 | |
| India, Bangalore | 77 | 0.7 | 0.08 | 0.09 | 0.01 | |
| India, Barshi, Paranda, and Bhum | 9 | 0.7 | 0.25 | 0.08 | 0.03 | |
| *India, Bhopal | 12 | 0.5 | 0.15 | 0.07 | 0.02 | |
| India, Chandigarh | 7 | 0.3 | 0.11 | 0.02 | 0.01 | |
| *India, Chennai | 68 | 0.6 | 0.07 | 0.08 | 0.01 | |
| India, Dibrugarh | 5 | 0.2 | 0.07 | 0.02 | 0.01 | |
| *India, Dindigul, Ambilikai | 39 | 0.6 | 0.10 | 0.07 | 0.01 | |
| India, Kamrup Urban District | 15 | 0.7 | 0.18 | 0.09 | 0.03 | |
| India, Kollam | 11 | 0.1 | 0.04 | 0.01 | 0.01 | |
| *India, Manipur | 2 | 0.0 | 0.03 | 0.00 | 0.00 | |
| India, Meghalaya | 5 | 0.1 | 0.07 | 0.01 | 0.01 | |
| India, Mizoram | 2 | 0.1 | 0.08 | 0.01 | 0.01 | |
| India, Mumbai | 157 | 0.5 | 0.04 | 0.06 | 0.01 | |
| *India, New Delhi | 95 | 0.5 | 0.05 | 0.06 | 0.01 | |
| India, Poona | 53 | 0.5 | 0.06 | 0.06 | 0.01 | |
| *India, Sangrur District | 12 | 0.5 | 0.14 | 0.07 | 0.02 | |
| India, SAS Nagar | 7 | 0.3 | 0.13 | 0.04 | 0.02 | |
| *India, Tamil Nadu | 1230 | 0.6 | 0.02 | 0.07 | 0.00 | |
| *India, Tripura | 12 | 0.2 | 0.06 | 0.02 | 0.01 | |
| India, Trivandrum | 36 | 0.4 | 0.06 | 0.05 | 0.01 | |
| India, Wardha | 11 | 0.3 | 0.08 | 0.04 | 0.01 | |
| India, West Arunachal | 2 | 0.3 | 0.21 | 0.04 | 0.03 | |
| *Iran (Islamic Republic of), Ardabil Province | 3 | 0.2 | 0.10 | 0.02 | 0.01 | |
| *Iran (Islamic Republic of), Golestan Province | 6 | 0.2 | 0.10 | 0.03 | 0.02 | |
| Israel | 86 | 0.3 | 0.03 | 0.03 | 0.00 | |
| *Israel: Jews | 75 | 0.3 | 0.04 | 0.03 | 0.01 | |
| *Israel: Arabs | 5 | 0.1 | 0.07 | 0.02 | 0.01 | |
| Japan | 945 | 0.2 | 0.01 | 0.02 | 0.00 | |
| Japan, Aichi Prefecture | 40 | 0.2 | 0.03 | 0.02 | 0.00 | |
| *Japan, Akita Prefecture | 16 | 0.3 | 0.10 | 0.03 | 0.01 | |
| Japan, Aomori Prefecture | 19 | 0.2 | 0.07 | 0.02 | 0.01 | |
| Japan, Gunma Prefecture | 18 | 0.2 | 0.06 | 0.03 | 0.01 | |
| Japan, Hiroshima Prefecture | 34 | 0.2 | 0.05 | 0.02 | 0.01 | |
| Japan, Miyagi Prefecture | 17 | 0.1 | 0.03 | 0.01 | 0.00 | |
| Japan, Osaka Prefecture | 61 | 0.2 | 0.03 | 0.02 | 0.00 | |
| Kuwait | 6 | 0.1 | 0.05 | 0.01 | 0.01 | |
| *Kuwait: Kuwaitis | 2 | 0.1 | 0.05 | 0.00 | 0.00 | |
| *Kuwait: Non-Kuwaitis | 4 | 0.2 | 0.10 | 0.02 | 0.02 | |
| *Philippines, Manila | 27 | 0.2 | 0.04 | 0.02 | 0.00 | |
| *Qatar: Qatari | 1 | 0.3 | 0.33 | 0.06 | 0.06 | |
| Republic of Korea | 381 | 0.2 | 0.01 | 0.02 | 0.00 | |
| *Republic of Korea, Busan | 25 | 0.2 | 0.05 | 0.02 | 0.00 | |
| *Republic of Korea, Daegu | 21 | 0.2 | 0.04 | 0.02 | 0.01 | |
| *Republic of Korea, Daejeon | 9 | 0.1 | 0.05 | 0.01 | 0.00 | |
| *Republic of Korea, Gwangju | 8 | 0.1 | 0.05 | 0.01 | 0.01 | |
| Republic of Korea, Incheon | 23 | 0.2 | 0.04 | 0.02 | 0.01 | |
| Republic of Korea, Jeju | 6 | 0.2 | 0.09 | 0.03 | 0.01 | |
| Republic of Korea, Seoul | 67 | 0.2 | 0.02 | 0.02 | 0.00 | |
| Republic of Korea, Ulsan | 11 | 0.2 | 0.07 | 0.03 | 0.01 | |
| Singapore | 61 | 0.4 | 0.05 | 0.05 | 0.01 | |
| Singapore: Chinese | 54 | 0.4 | 0.06 | 0.05 | 0.01 | |
| Singapore: Indian | 2 | 0.2 | 0.15 | 0.03 | 0.02 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| Thailand, Bangkok | | | | 33 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Thailand, Chiang Mai | | | | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Thailand, Khon Kaen | | | | 14 | 0.2 | 0.05 | 0.02 | 0.01 |
| Thailand, Lampang | | | | 5 | 0.1 | 0.07 | 0.02 | 0.01 |
| Thailand, Lopburi Province | | | | 9 | 0.4 | 0.13 | 0.05 | 0.02 |
| *Thailand, Songkhla | | | | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| Turkey, Antalya | | | | 7 | 0.1 | 0.04 | 0.01 | 0.01 |
| Turkey, Bursa | | | | 13 | 0.2 | 0.05 | 0.02 | 0.01 |
| *Turkey, Edirne | | | | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Turkey, Erzurum | | | | 5 | 0.3 | 0.12 | 0.02 | 0.01 |
| Turkey, Eskişehir | | | | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| Turkey, Gaziantep | | | | 7 | 0.2 | 0.08 | 0.04 | 0.01 |
| *Turkey, Izmir | | | | 25 | 0.2 | 0.03 | 0.02 | 0.00 |
| Turkey, Malatya | | | | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Turkey, Samsun | | | | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| Turkey, Trabzon | | | | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| Europe | | | | | | | | |
| Austria | | | | 204 | 0.4 | 0.03 | 0.04 | 0.00 |
| Austria, Carinthia | | | | 15 | 0.6 | 0.24 | 0.06 | 0.02 |
| Austria, Tyrol | | | | 11 | 0.2 | 0.07 | 0.01 | 0.01 |
| Austria, Vorarlberg | | | | 6 | 0.2 | 0.10 | 0.02 | 0.02 |
| Belarus | | | | 177 | 0.4 | 0.03 | 0.04 | 0.00 |
| *Belgium | | | | 229 | 0.4 | 0.03 | 0.04 | 0.00 |
| Croatia | | | | 93 | 0.3 | 0.04 | 0.04 | 0.01 |
| Cyprus | | | | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Czech Republic | | | | 288 | 0.5 | 0.03 | 0.06 | 0.00 |
| Denmark | | | | 100 | 0.3 | 0.03 | 0.04 | 0.00 |
| Estonia | | | | 43 | 0.6 | 0.10 | 0.07 | 0.01 |
| Finland | | | | 99 | 0.3 | 0.04 | 0.03 | 0.00 |
| *France, Bas-Rhin | | | | 15 | 0.2 | 0.07 | 0.03 | 0.01 |
| *France, Calvados | | | | 10 | 0.2 | 0.07 | 0.03 | 0.01 |
| *France, Doubs | | | | 9 | 0.3 | 0.11 | 0.02 | 0.01 |
| *France, Gironde | | | | 17 | 0.2 | 0.06 | 0.02 | 0.01 |
| *France, Haut-Rhin | | | | 17 | 0.5 | 0.16 | 0.04 | 0.01 |
| *France, Hérault | | | | 23 | 0.5 | 0.12 | 0.05 | 0.01 |
| *France, Isère | | | | 15 | 0.2 | 0.09 | 0.02 | 0.01 |
| *France, Lille-Métropole | | | | 15 | 0.4 | 0.11 | 0.03 | 0.01 |
| *France, Limousin | | | | 8 | 0.6 | 0.21 | 0.07 | 0.02 |
| *France, Loire-Atlantique | | | | 13 | 0.2 | 0.06 | 0.02 | 0.01 |
| *France, Manche | | | | 7 | 0.2 | 0.09 | 0.01 | 0.01 |
| *France, Poitou-Charentes | | | | 36 | 0.3 | 0.08 | 0.04 | 0.01 |
| *France, Somme | | | | 18 | 0.4 | 0.13 | 0.04 | 0.02 |
| *France, Tarn | | | | 9 | 0.4 | 0.17 | 0.04 | 0.02 |
| *France, Territoire de Belfort | | | | 4 | 0.5 | 0.33 | 0.03 | 0.03 |
| *France, Vendée | | | | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| Germany, Baden-Württemberg | | | | 141 | 0.3 | 0.03 | 0.03 | 0.00 |
| Germany, Bavaria | | | | 286 | 0.4 | 0.03 | 0.04 | 0.00 |
| Germany, Bremen | | | | 28 | 0.7 | 0.15 | 0.08 | 0.02 |
| Germany, Hamburg | | | | 56 | 0.5 | 0.08 | 0.05 | 0.01 |
| Germany, Lower Saxony | | | | 231 | 0.4 | 0.03 | 0.05 | 0.00 |
| Germany, North Rhine-Westphalia | | | | 512 | 0.4 | 0.02 | 0.05 | 0.00 |
| Germany, Rhineland-Palatinate | | | | 107 | 0.4 | 0.05 | 0.05 | 0.01 |
| Germany, Saarland | | | | 18 | 0.3 | 0.07 | 0.04 | 0.01 |
| Germany, Schleswig-Holstein | | | | 72 | 0.4 | 0.06 | 0.05 | 0.01 |
| Iceland | | | | 7 | 0.5 | 0.21 | 0.08 | 0.03 |
| Ireland | | | | 57 | 0.3 | 0.04 | 0.03 | 0.01 |
| *Italy, Aosta Valley | | | | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| *Italy, Avellino | | | | 3 | 0.2 | 0.11 | 0.01 | 0.01 |
| Italy, Basilicata | | | | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| *Italy, Benevento | | | | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| Italy, Bergamo | | | | 17 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Italy, Brescia | | | | 17 | 0.2 | 0.06 | 0.01 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | 4 | 0.1 | 0.10 | 0.01 | 0.01 |
| Italy, Calabria | | | | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Italy, Caserta | | | | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Italy, Catania, Messina, and Enna | | | | 24 | 0.2 | 0.04 | 0.02 | 0.01 |
| Italy, Emilia-Romagna | | | | 81 | 0.3 | 0.04 | 0.04 | 0.01 |
| Italy, Friuli-Venezia Giulia | | | | 32 | 0.3 | 0.07 | 0.04 | 0.01 |
| Italy, Genova | | | | 19 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Italy, Lombardy, South, Pavia | | | | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| Italy, Mantova and Cremona | | | | 15 | 0.3 | 0.10 | 0.04 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52) (contd)

| | Male | | | Female | | |
|-------------------------------------|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Europe (contd) | | | | | | |
| Italy, Marche | 19 | 0.3 | 0.11 | 0.02 | 0.01 | |
| Italy, Milan | 50 | 0.2 | 0.03 | 0.02 | 0.00 | |
| Italy, Molise | 3 | 0.2 | 0.13 | 0.02 | 0.02 | |
| *Italy, Naples Centre | 7 | 0.2 | 0.06 | 0.02 | 0.01 | |
| *Italy, Naples North | 5 | 0.1 | 0.05 | 0.02 | 0.01 | |
| *Italy, Naples South | 10 | 0.2 | 0.07 | 0.02 | 0.01 | |
| *Italy, Nuoro | 0 | – | 0.00 | – | 0.00 | |
| *Italy, Palermo | 8 | 0.1 | 0.04 | 0.01 | 0.01 | |
| Italy, Puglia | 43 | 0.2 | 0.03 | 0.02 | 0.00 | |
| *Italy, Ragusa and Caltanissetta | 8 | 0.2 | 0.09 | 0.02 | 0.01 | |
| *Italy, Salerno | 15 | 0.3 | 0.09 | 0.03 | 0.01 | |
| Italy, Sassari | 3 | 0.3 | 0.18 | 0.03 | 0.02 | |
| *Italy, Sondrio | 9 | 0.4 | 0.14 | 0.01 | 0.01 | |
| Italy, South Tyrol | 13 | 0.3 | 0.11 | 0.05 | 0.02 | |
| *Italy, Syracuse | 12 | 0.4 | 0.15 | 0.05 | 0.02 | |
| Italy, Trento | 8 | 0.1 | 0.07 | 0.01 | 0.01 | |
| Italy, Turin | 65 | 0.5 | 0.07 | 0.06 | 0.01 | |
| *Italy, Tuscany | 65 | 0.4 | 0.06 | 0.04 | 0.01 | |
| Italy, Umbria | 17 | 0.3 | 0.09 | 0.04 | 0.01 | |
| Italy, Varese | 5 | 0.2 | 0.09 | 0.02 | 0.01 | |
| Italy, Veneto | 95 | 0.3 | 0.04 | 0.03 | 0.00 | |
| Latvia | 62 | 0.5 | 0.07 | 0.05 | 0.01 | |
| *Liechtenstein | 2 | 1.0 | 0.71 | 0.06 | 0.06 | |
| *Lithuania | 72 | 0.4 | 0.06 | 0.04 | 0.01 | |
| Malta | 11 | 0.5 | 0.14 | 0.06 | 0.02 | |
| *The Netherlands | 271 | 0.3 | 0.02 | 0.03 | 0.00 | |
| Norway | 100 | 0.4 | 0.04 | 0.05 | 0.01 | |
| Poland, Kielce | 16 | 0.2 | 0.06 | 0.03 | 0.01 | |
| *Portugal, Azores | 5 | 0.7 | 0.34 | 0.07 | 0.03 | |
| Russian Federation, Arkhangelsk | 20 | 0.4 | 0.09 | 0.04 | 0.01 | |
| Russian Federation, Kaliningrad | 16 | 0.4 | 0.13 | 0.05 | 0.01 | |
| Russian Federation, Karelia | 12 | 0.4 | 0.11 | 0.05 | 0.02 | |
| *Russian Federation, Komi Republic | 13 | 0.3 | 0.10 | 0.04 | 0.01 | |
| Russian Federation, Murmansk | 17 | 0.5 | 0.12 | 0.06 | 0.02 | |
| *Russian Federation, Orenburg | 43 | 0.4 | 0.07 | 0.04 | 0.01 | |
| Russian Federation, Pskov | 17 | 0.5 | 0.14 | 0.06 | 0.02 | |
| *Russian Federation, Samara | 56 | 0.3 | 0.05 | 0.04 | 0.01 | |
| Russian Federation, Vologda Region | 11 | 0.2 | 0.06 | 0.02 | 0.01 | |
| Slovenia | 56 | 0.5 | 0.08 | 0.05 | 0.01 | |
| Spain, Asturias | 12 | 0.2 | 0.09 | 0.02 | 0.01 | |
| Spain, Basque Country | 38 | 0.3 | 0.06 | 0.03 | 0.01 | |
| Spain, Canary Islands | 18 | 0.3 | 0.07 | 0.03 | 0.01 | |
| Spain, Castellón | 13 | 0.2 | 0.08 | 0.02 | 0.01 | |
| Spain, Girona | 13 | 0.3 | 0.09 | 0.03 | 0.01 | |
| Spain, Granada | 7 | 0.1 | 0.04 | 0.01 | 0.01 | |
| Spain, La Rioja | 3 | 0.1 | 0.07 | 0.01 | 0.01 | |
| Spain, Murcia | 22 | 0.3 | 0.07 | 0.03 | 0.01 | |
| Spain, Navarra | 9 | 0.2 | 0.08 | 0.01 | 0.01 | |
| Spain, Salamanca | 9 | 0.5 | 0.23 | 0.05 | 0.02 | |
| Spain, Tarragona | 11 | 0.2 | 0.08 | 0.03 | 0.01 | |
| *Sweden | 175 | 0.4 | 0.03 | 0.04 | 0.00 | |
| Switzerland, Aargau | 7 | 0.2 | 0.10 | 0.02 | 0.01 | |
| Switzerland, Basel | 13 | 0.4 | 0.13 | 0.05 | 0.02 | |
| Switzerland, Berne Solothurn | 10 | 0.2 | 0.07 | 0.03 | 0.01 | |
| Switzerland, East | 11 | 0.2 | 0.07 | 0.03 | 0.01 | |
| *Switzerland, Fribourg | 5 | 0.4 | 0.19 | 0.04 | 0.02 | |
| Switzerland, Geneva | 5 | 0.2 | 0.09 | 0.01 | 0.01 | |
| *Switzerland, Graubünden and Glarus | 3 | 0.2 | 0.15 | 0.02 | 0.02 | |
| *Switzerland, Lucerne | 6 | 0.1 | 0.04 | 0.00 | 0.00 | |
| *Switzerland, Neuchâtel and Jura | 4 | 0.1 | 0.06 | 0.00 | 0.00 | |
| Switzerland, Ticino | 12 | 0.9 | 0.38 | 0.06 | 0.02 | |
| Switzerland, Valais | 5 | 0.3 | 0.14 | 0.05 | 0.02 | |
| Switzerland, Vaud | 14 | 0.3 | 0.10 | 0.04 | 0.01 | |
| Switzerland, Zurich and Zug | 27 | 0.3 | 0.07 | 0.03 | 0.01 | |
| Ukraine | 573 | 0.3 | 0.01 | 0.04 | 0.00 | |
| UK, England | 1011 | 0.4 | 0.01 | 0.04 | 0.00 | |
| UK, Northern Ireland | 35 | 0.3 | 0.06 | 0.03 | 0.01 | |
| UK, Scotland | 127 | 0.5 | 0.05 | 0.05 | 0.01 | |
| UK, Wales | 68 | 0.4 | 0.05 | 0.04 | 0.01 | |
| Oceania | | | | | | |
| *Australia, NSW/ACT | 126 | 0.3 | 0.03 | 0.04 | 0.00 | |
| *Australia, Northern Territory | 6 | 0.9 | 0.35 | 0.10 | 0.04 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Vagina (C52) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|------------|-------------|------|-------------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | | | | 5 | 0.9 | <i>0.41</i> | 0.11 | <i>0.05</i> |
| *Australia, Northern Territory: Indigenous | | | | 1 | 0.5 | <i>0.52</i> | 0.04 | <i>0.04</i> |
| *Australia, Queensland | | | | 108 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| Australia, South Australia | | | | 41 | 0.5 | <i>0.08</i> | 0.06 | <i>0.01</i> |
| Australia, Tasmania | | | | 17 | 0.6 | <i>0.17</i> | 0.06 | <i>0.02</i> |
| *Australia, Victoria | | | | 82 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| *Australia, Western Australia | | | | 53 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| *France, New Caledonia | | | | 2 | 0.2 | <i>0.17</i> | 0.04 | <i>0.03</i> |
| New Zealand | | | | 85 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> |
| *New Zealand: Maori | | | | 17 | 0.9 | <i>0.23</i> | 0.09 | <i>0.03</i> |
| *New Zealand: Pacific peoples | | | | 4 | 0.5 | <i>0.28</i> | 0.04 | <i>0.02</i> |
| *New Zealand: Other | | | | 59 | 0.4 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| USA, Hawaii | | | | 16 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| USA, Hawaii: White | | | | 6 | 0.3 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| *USA, Hawaii: Japanese | | | | 3 | 0.4 | <i>0.24</i> | 0.04 | <i>0.02</i> |
| *USA, Hawaii: Chinese | | | | 1 | 0.1 | <i>0.09</i> | 0.00 | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | | | | 1 | 0.1 | <i>0.13</i> | 0.02 | <i>0.02</i> |
| *USA, Hawaii: Filipino | | | | 4 | 0.3 | <i>0.18</i> | 0.04 | <i>0.02</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Cervix uteri (C53)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|-------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | 56 | 4.1 | 0.58 | 0.47 | 0.07 |
| *Algeria, Tizi Ouzou | | | | 138 | 7.9 | 0.70 | 0.99 | 0.10 |
| *Benin, Cotonou | | | | 118 | 16.1 | 1.58 | 1.84 | 0.22 |
| *France, La Réunion | | | | 218 | 9.2 | 0.64 | 0.95 | 0.08 |
| *Kenya, Eldoret | | | | 252 | 22.6 | 1.50 | 2.66 | 0.21 |
| *Kenya, Nairobi | | | | 989 | 33.8 | 1.31 | 3.98 | 0.20 |
| Mauritius | | | | 460 | 10.7 | 0.50 | 1.22 | 0.06 |
| *Morocco, Casablanca | | | | 1188 | 10.0 | 0.30 | 1.13 | 0.04 |
| *Seychelles | | | | 58 | 18.5 | 2.50 | 1.92 | 0.30 |
| *South Africa, Eastern Cape | | | | 915 | 60.8 | 2.08 | 6.36 | 0.23 |
| *Uganda, Kyadondo County | | | | 1219 | 48.0 | 1.62 | 5.54 | 0.23 |
| *Uganda, Gulu | | | | 352 | 56.4 | 3.22 | 5.71 | 0.39 |
| *Zimbabwe, Bulawayo: African | | | | 1043 | 89.9 | 2.93 | 10.22 | 0.41 |
| *Zimbabwe, Harare: African | | | | 1566 | 75.0 | 2.06 | 8.56 | 0.29 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | | | | 326 | 14.3 | 0.81 | 1.42 | 0.09 |
| *Argentina, Mendoza | | | | 656 | 12.7 | 0.50 | 1.28 | 0.05 |
| Brazil, Aracaju | | | | 188 | 11.6 | 0.85 | 1.15 | 0.10 |
| *Brazil, Barretos | | | | 127 | 9.2 | 0.82 | 0.91 | 0.09 |
| Brazil, Belo Horizonte | | | | 906 | 10.0 | 0.34 | 1.03 | 0.04 |
| *Brazil, Campinas | | | | 198 | 6.8 | 0.49 | 0.70 | 0.06 |
| *Brazil, Curitiba | | | | 564 | 11.1 | 0.47 | 1.07 | 0.05 |
| Brazil, Goiânia | | | | 527 | 14.5 | 0.64 | 1.54 | 0.08 |
| *Brazil, Jaú | | | | 26 | 5.7 | 1.15 | 0.65 | 0.14 |
| Brazil, João Pessoa | | | | 188 | 12.5 | 0.92 | 1.32 | 0.11 |
| Brazil, Recife | | | | 434 | 12.3 | 0.60 | 1.27 | 0.07 |
| Chile, Region of Antofagasta | | | | 147 | 14.0 | 1.17 | 1.34 | 0.13 |
| Chile, Valdivia | | | | 162 | 12.2 | 1.00 | 1.21 | 0.11 |
| Colombia, Bucaramanga | | | | 438 | 11.7 | 0.57 | 1.20 | 0.07 |
| Colombia, Cali | | | | 1079 | 14.1 | 0.43 | 1.40 | 0.05 |
| Colombia, Manizales | | | | 172 | 11.2 | 0.85 | 1.06 | 0.09 |
| Colombia, Pasto | | | | 228 | 17.6 | 1.18 | 1.80 | 0.14 |
| Costa Rica | | | | 1275 | 11.7 | 0.33 | 1.14 | 0.04 |
| Ecuador, Guayaquil | | | | 1289 | 20.0 | 0.57 | 2.15 | 0.07 |
| Ecuador, Manabí | | | | 455 | 13.0 | 0.62 | 1.39 | 0.08 |
| Ecuador, Quito | | | | 900 | 17.5 | 0.59 | 1.80 | 0.07 |
| *France, Guadeloupe | | | | 125 | 7.4 | 0.72 | 0.78 | 0.08 |
| *France, Martinique | | | | 106 | 6.3 | 0.72 | 0.64 | 0.07 |
| *Peru, Lima | | | | 3627 | 22.0 | 0.37 | 2.33 | 0.04 |
| *Trinidad and Tobago | | | | 356 | 14.1 | 0.76 | 1.56 | 0.09 |
| USA, Puerto Rico | | | | 1211 | 10.1 | 0.31 | 0.97 | 0.03 |
| *Uruguay | | | | 1550 | 13.7 | 0.36 | 1.34 | 0.04 |
| North America | | | | | | | | |
| Canada, Alberta | | | | 865 | 6.5 | 0.23 | 0.61 | 0.02 |
| Canada, British Columbia | | | | 903 | 5.4 | 0.19 | 0.51 | 0.02 |
| *Canada, Manitoba | | | | 239 | 5.6 | 0.38 | 0.55 | 0.04 |
| *Canada, New Brunswick | | | | 149 | 6.3 | 0.56 | 0.56 | 0.05 |
| *Canada, Newfoundland and Labrador | | | | 156 | 8.5 | 0.74 | 0.82 | 0.07 |
| Canada, Ontario | | | | 2786 | 5.9 | 0.12 | 0.56 | 0.01 |
| *Canada, Prince Edward Island | | | | 37 | 6.9 | 1.21 | 0.71 | 0.12 |
| Canada, Quebec | | | | 1714 | 6.0 | 0.16 | 0.58 | 0.01 |
| Canada, Saskatchewan | | | | 241 | 6.8 | 0.45 | 0.62 | 0.04 |
| *Canada, Yukon | | | | 4 | 3.0 | 1.49 | 0.32 | 0.17 |
| USA | | | | 64070 | 6.0 | 0.02 | 0.59 | 0.00 |
| USA: White | | | | 49535 | 6.0 | 0.03 | 0.58 | 0.00 |
| USA: Black | | | | 9972 | 6.8 | 0.07 | 0.70 | 0.01 |
| USA, NPCR | | | | 62230 | 6.0 | 0.03 | 0.59 | 0.00 |
| USA, NPCR: White | | | | 48095 | 6.0 | 0.03 | 0.58 | 0.00 |
| USA, NPCR: Black | | | | 9878 | 6.8 | 0.07 | 0.70 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | | | | 3123 | 4.7 | 0.09 | 0.49 | 0.01 |
| USA, NPCR: American Indian | | | | 521 | 4.3 | 0.19 | 0.41 | 0.02 |
| *USA, SEER (18 registries) | | | | 17281 | 5.9 | 0.05 | 0.57 | 0.00 |
| *USA, SEER (18 registries): White | | | | 12737 | 5.9 | 0.06 | 0.57 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | 8992 | 5.6 | 0.06 | 0.54 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | | | | 3745 | 7.3 | 0.12 | 0.73 | 0.01 |
| *USA, SEER (18 registries): Black | | | | 2376 | 6.3 | 0.13 | 0.64 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | 1743 | 4.7 | 0.12 | 0.48 | 0.01 |
| *USA, SEER (9 registries) | | | | 5201 | 5.2 | 0.07 | 0.50 | 0.01 |
| *USA, SEER (9 registries): White | | | | 3718 | 5.2 | 0.09 | 0.50 | 0.01 |
| *USA, SEER (9 registries): Black | | | | 714 | 5.4 | 0.20 | 0.55 | 0.02 |
| USA, Alabama | | | | 1192 | 7.3 | 0.22 | 0.69 | 0.02 |
| USA, Alabama: White | | | | 805 | 7.2 | 0.27 | 0.67 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Cervix uteri (C53) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | | | | 358 | 7.8 | 0.43 | 0.77 | 0.05 |
| USA, Alaska | | | | 125 | 5.7 | 0.52 | 0.54 | 0.05 |
| *USA, Alaska: Alaska Natives | | | | 32 | 9.4 | 1.69 | 0.86 | 0.17 |
| USA, Arizona | | | | 1119 | 5.2 | 0.16 | 0.50 | 0.02 |
| USA, Arizona: White | | | | 1012 | 5.5 | 0.18 | 0.53 | 0.02 |
| USA, Arizona: Black | | | | 46 | 4.7 | 0.70 | 0.48 | 0.08 |
| *USA, Arizona: Asian and Pacific Islander | | | | 28 | 3.0 | 0.57 | 0.31 | 0.06 |
| USA, Arizona: American Indian | | | | 29 | 2.8 | 0.52 | 0.26 | 0.05 |
| USA, Arkansas | | | | 730 | 7.5 | 0.29 | 0.73 | 0.03 |
| USA, Arkansas: White | | | | 571 | 7.3 | 0.32 | 0.70 | 0.03 |
| USA, Arkansas: Black | | | | 122 | 8.1 | 0.75 | 0.79 | 0.08 |
| USA, California | | | | 7297 | 5.7 | 0.07 | 0.56 | 0.01 |
| USA, California: White | | | | 5494 | 5.9 | 0.08 | 0.58 | 0.01 |
| USA, California: Black | | | | 483 | 5.4 | 0.25 | 0.55 | 0.03 |
| USA, California: Asian and Pacific Islander | | | | 1174 | 4.9 | 0.15 | 0.50 | 0.02 |
| *USA, California, Los Angeles County | | | | 2027 | 5.9 | 0.14 | 0.59 | 0.01 |
| *USA, California, Los Angeles County: White | | | | 1416 | 6.0 | 0.16 | 0.59 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | | | | 485 | 4.7 | 0.23 | 0.46 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | | | | 931 | 7.0 | 0.23 | 0.71 | 0.03 |
| *USA, California, Los Angeles County: Black | | | | 208 | 6.0 | 0.43 | 0.61 | 0.05 |
| *USA, California, Los Angeles County: Chinese | | | | 82 | 4.1 | 0.47 | 0.41 | 0.05 |
| *USA, California, Los Angeles County: Filipino | | | | 98 | 6.2 | 0.66 | 0.64 | 0.07 |
| *USA, California, Los Angeles County: Korean | | | | 59 | 5.1 | 0.71 | 0.49 | 0.08 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | | | | 354 | 5.4 | 0.30 | 0.54 | 0.03 |
| *USA, California, San Francisco Bay Area | | | | 726 | 4.4 | 0.17 | 0.43 | 0.02 |
| *USA, California, San Francisco Bay Area: White | | | | 457 | 4.8 | 0.23 | 0.46 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | | | | 291 | 4.1 | 0.26 | 0.40 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | | | | 166 | 6.7 | 0.53 | 0.69 | 0.06 |
| *USA, California, San Francisco Bay Area: Black | | | | 58 | 4.1 | 0.56 | 0.42 | 0.06 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | | | | 204 | 3.9 | 0.28 | 0.39 | 0.03 |
| USA, Colorado | | | | 858 | 4.9 | 0.17 | 0.47 | 0.02 |
| USA, Colorado: White | | | | 786 | 5.0 | 0.18 | 0.48 | 0.02 |
| *USA, Colorado: Black | | | | 31 | 4.1 | 0.74 | 0.45 | 0.10 |
| *USA, Colorado: Asian and Pacific Islander | | | | 23 | 3.2 | 0.68 | 0.30 | 0.07 |
| USA, Connecticut | | | | 593 | 4.8 | 0.21 | 0.47 | 0.02 |
| USA, Connecticut: White | | | | 478 | 4.8 | 0.24 | 0.46 | 0.02 |
| USA, Connecticut: Black | | | | 75 | 4.9 | 0.58 | 0.55 | 0.08 |
| USA, District of Columbia | | | | 147 | 6.2 | 0.53 | 0.67 | 0.06 |
| USA, District of Columbia: White | | | | 42 | 4.1 | 0.69 | 0.43 | 0.08 |
| USA, District of Columbia: Black | | | | 96 | 7.4 | 0.81 | 0.79 | 0.09 |
| USA, Florida | | | | 5033 | 7.1 | 0.11 | 0.70 | 0.01 |
| USA, Florida: White | | | | 3917 | 7.1 | 0.12 | 0.69 | 0.01 |
| USA, Florida: Black | | | | 933 | 8.1 | 0.27 | 0.85 | 0.03 |
| USA, Florida: Asian and Pacific Islander | | | | 100 | 4.2 | 0.42 | 0.42 | 0.04 |
| USA, Georgia | | | | 2106 | 6.2 | 0.14 | 0.60 | 0.01 |
| USA, Georgia: White | | | | 1335 | 6.5 | 0.19 | 0.62 | 0.02 |
| USA, Georgia: Black | | | | 681 | 6.1 | 0.24 | 0.62 | 0.03 |
| USA, Georgia: Asian and Pacific Islander | | | | 74 | 5.2 | 0.61 | 0.51 | 0.07 |
| *USA, Georgia, Atlanta | | | | 673 | 5.4 | 0.21 | 0.53 | 0.02 |
| *USA, Georgia, Atlanta: White | | | | 317 | 5.4 | 0.31 | 0.51 | 0.03 |
| *USA, Georgia, Atlanta: Black | | | | 302 | 5.7 | 0.33 | 0.58 | 0.04 |
| USA, Idaho | | | | 256 | 5.1 | 0.33 | 0.50 | 0.03 |
| USA, Indiana | | | | 1382 | 6.5 | 0.18 | 0.63 | 0.02 |
| USA, Indiana: White | | | | 1221 | 6.6 | 0.20 | 0.63 | 0.02 |
| USA, Indiana: Black | | | | 136 | 6.7 | 0.59 | 0.69 | 0.06 |
| *USA, Iowa | | | | 579 | 6.0 | 0.27 | 0.58 | 0.03 |
| USA, Kentucky | | | | 1087 | 7.7 | 0.24 | 0.74 | 0.02 |
| USA, Louisiana | | | | 1080 | 7.2 | 0.23 | 0.69 | 0.02 |
| USA, Louisiana: White | | | | 641 | 6.7 | 0.28 | 0.64 | 0.03 |
| USA, Louisiana: Black | | | | 418 | 8.4 | 0.42 | 0.85 | 0.05 |
| *USA, Louisiana, New Orleans | | | | 212 | 7.4 | 0.52 | 0.73 | 0.05 |
| *USA, Louisiana, New Orleans: White | | | | 99 | 6.8 | 0.71 | 0.65 | 0.07 |
| *USA, Louisiana, New Orleans: Black | | | | 95 | 7.7 | 0.81 | 0.79 | 0.09 |
| USA, Maine | | | | 221 | 4.8 | 0.35 | 0.46 | 0.03 |
| USA, Maryland | | | | 1070 | 5.0 | 0.16 | 0.50 | 0.02 |
| USA, Maryland: White | | | | 646 | 5.2 | 0.22 | 0.50 | 0.02 |
| USA, Maryland: Black | | | | 356 | 5.2 | 0.28 | 0.55 | 0.03 |
| USA, Maryland: Asian and Pacific Islander | | | | 59 | 3.8 | 0.50 | 0.42 | 0.06 |
| USA, Massachusetts | | | | 989 | 4.1 | 0.14 | 0.40 | 0.01 |
| USA, Massachusetts: White | | | | 789 | 3.9 | 0.15 | 0.38 | 0.01 |
| USA, Massachusetts: Black | | | | 112 | 5.5 | 0.54 | 0.61 | 0.07 |
| USA, Massachusetts: Asian and Pacific Islander | | | | 71 | 4.8 | 0.58 | 0.51 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Cervix uteri (C53) (contd)

| | Male | | | Female | | | | |
|---|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Michigan | | | | 1734 | 5.3 | 0.14 | 0.51 | 0.01 |
| USA, Michigan: White | | | | 1387 | 5.3 | 0.15 | 0.50 | 0.01 |
| USA, Michigan: Black | | | | 283 | 5.8 | 0.36 | 0.58 | 0.04 |
| USA, Michigan: Asian and Pacific Islander | | | | 32 | 3.1 | 0.56 | 0.31 | 0.06 |
| *USA, Michigan, Detroit | | | | 708 | 5.3 | 0.21 | 0.51 | 0.02 |
| *USA, Michigan, Detroit: White | | | | 478 | 5.3 | 0.26 | 0.51 | 0.02 |
| *USA, Michigan, Detroit: Black | | | | 211 | 5.9 | 0.42 | 0.59 | 0.04 |
| USA, Minnesota | | | | 767 | 4.4 | 0.17 | 0.42 | 0.02 |
| USA, Minnesota: White | | | | 643 | 4.2 | 0.18 | 0.40 | 0.02 |
| USA, Minnesota: Black | | | | 48 | 6.0 | 0.88 | 0.75 | 0.13 |
| *USA, Minnesota: Asian and Pacific Islander | | | | 52 | 6.9 | 0.98 | 0.69 | 0.11 |
| USA, Mississippi | | | | 740 | 7.5 | 0.29 | 0.74 | 0.03 |
| USA, Missouri | | | | 1257 | 6.4 | 0.19 | 0.61 | 0.02 |
| USA, Missouri: White | | | | 1057 | 6.3 | 0.21 | 0.60 | 0.02 |
| USA, Missouri: Black | | | | 169 | 7.2 | 0.56 | 0.75 | 0.06 |
| USA, Montana | | | | 187 | 5.6 | 0.44 | 0.55 | 0.04 |
| *USA, Montana: American Indian | | | | 11 | 5.4 | 1.66 | 0.56 | 0.17 |
| USA, Nebraska | | | | 357 | 6.1 | 0.34 | 0.58 | 0.03 |
| USA, Nebraska: White | | | | 330 | 6.2 | 0.36 | 0.59 | 0.03 |
| *USA, Nebraska: Black | | | | 20 | 7.8 | 1.78 | 0.73 | 0.19 |
| USA, Nevada | | | | 647 | 7.0 | 0.28 | 0.68 | 0.03 |
| USA, Nevada: White | | | | 516 | 7.2 | 0.33 | 0.70 | 0.03 |
| USA, Nevada: Black | | | | 53 | 6.2 | 0.86 | 0.62 | 0.09 |
| *USA, Nevada: Asian and Pacific Islander | | | | 64 | 5.8 | 0.74 | 0.57 | 0.07 |
| USA, New Jersey | | | | 1908 | 6.0 | 0.15 | 0.60 | 0.01 |
| USA, New Jersey: White | | | | 1410 | 6.1 | 0.18 | 0.60 | 0.02 |
| USA, New Jersey: Black | | | | 374 | 7.4 | 0.40 | 0.77 | 0.05 |
| USA, New Mexico | | | | 421 | 6.7 | 0.34 | 0.62 | 0.03 |
| USA, New Mexico: White | | | | 359 | 6.9 | 0.38 | 0.63 | 0.03 |
| USA, New Mexico: Non-Hispanic White | | | | 159 | 6.2 | 0.55 | 0.57 | 0.05 |
| USA, New Mexico: Hispanic White | | | | 200 | 7.5 | 0.54 | 0.68 | 0.05 |
| *USA, New Mexico: American Indian | | | | 46 | 6.6 | 0.99 | 0.68 | 0.11 |
| USA, New York State | | | | 4264 | 6.0 | 0.10 | 0.60 | 0.01 |
| USA, New York State: White | | | | 2766 | 5.6 | 0.11 | 0.55 | 0.01 |
| USA, New York State: Black | | | | 1023 | 7.6 | 0.25 | 0.80 | 0.03 |
| USA, New York State: Asian and Pacific Islander | | | | 411 | 6.5 | 0.33 | 0.66 | 0.04 |
| USA, North Carolina | | | | 1867 | 5.4 | 0.13 | 0.53 | 0.01 |
| USA, North Carolina: White | | | | 1310 | 5.4 | 0.16 | 0.52 | 0.02 |
| USA, North Carolina: Black | | | | 482 | 5.9 | 0.28 | 0.60 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | | | | 40 | 4.0 | 0.65 | 0.37 | 0.07 |
| *USA, North Carolina: American Indian | | | | 19 | 3.9 | 0.92 | 0.38 | 0.10 |
| USA, North Dakota | | | | 98 | 4.5 | 0.47 | 0.44 | 0.05 |
| USA, Ohio | | | | 2395 | 6.3 | 0.14 | 0.61 | 0.01 |
| USA, Ohio: White | | | | 2044 | 6.4 | 0.15 | 0.62 | 0.01 |
| USA, Ohio: Black | | | | 305 | 6.2 | 0.36 | 0.62 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | | | | 21 | 2.5 | 0.56 | 0.29 | 0.07 |
| USA, Oklahoma | | | | 866 | 7.3 | 0.26 | 0.68 | 0.02 |
| USA, Oklahoma: White | | | | 691 | 7.3 | 0.29 | 0.68 | 0.03 |
| USA, Oklahoma: Black | | | | 49 | 5.2 | 0.75 | 0.55 | 0.09 |
| USA, Oklahoma: American Indian | | | | 99 | 8.7 | 0.89 | 0.78 | 0.08 |
| USA, Oregon | | | | 734 | 5.6 | 0.22 | 0.54 | 0.02 |
| USA, Oregon: White | | | | 668 | 5.7 | 0.23 | 0.54 | 0.02 |
| *USA, Oregon: Black | | | | 7 | 2.8 | 1.08 | 0.23 | 0.10 |
| *USA, Oregon: Asian and Pacific Islander | | | | 34 | 4.3 | 0.74 | 0.41 | 0.08 |
| USA, Rhode Island | | | | 198 | 5.7 | 0.42 | 0.54 | 0.04 |
| USA, Rhode Island: White | | | | 169 | 5.6 | 0.46 | 0.52 | 0.04 |
| *USA, Rhode Island: Black | | | | 11 | 4.0 | 1.26 | 0.44 | 0.16 |
| USA, South Carolina | | | | 1022 | 6.2 | 0.20 | 0.59 | 0.02 |
| USA, South Carolina: White | | | | 667 | 6.0 | 0.25 | 0.57 | 0.02 |
| USA, South Carolina: Black | | | | 333 | 6.8 | 0.39 | 0.69 | 0.04 |
| USA, South Dakota | | | | 153 | 5.8 | 0.50 | 0.55 | 0.05 |
| USA, Tennessee | | | | 1491 | 6.7 | 0.18 | 0.66 | 0.02 |
| USA, Tennessee: White | | | | 1176 | 6.7 | 0.20 | 0.65 | 0.02 |
| USA, Tennessee: Black | | | | 300 | 7.8 | 0.46 | 0.85 | 0.05 |
| USA, Texas | | | | 6283 | 7.4 | 0.09 | 0.71 | 0.01 |
| USA, Texas: White | | | | 5255 | 7.7 | 0.11 | 0.74 | 0.01 |
| USA, Texas: Black | | | | 788 | 7.0 | 0.25 | 0.73 | 0.03 |
| USA, Texas: Asian and Pacific Islander | | | | 191 | 4.1 | 0.30 | 0.45 | 0.04 |
| USA, Utah | | | | 349 | 4.2 | 0.23 | 0.43 | 0.02 |
| USA, Vermont | | | | 72 | 3.5 | 0.45 | 0.33 | 0.04 |
| USA, Washington State | | | | 1237 | 5.3 | 0.16 | 0.51 | 0.02 |
| *USA, Washington, Seattle | | | | 905 | 5.5 | 0.19 | 0.53 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Cervix uteri (C53) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | 440 | 7.3 | 0.37 | 0.69 | 0.03 |
| USA, Wyoming | | | | 94 | 5.2 | 0.56 | 0.50 | 0.05 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | 42 | 2.8 | 0.45 | 0.30 | 0.05 |
| Brunei Darussalam | | | | 179 | 15.7 | 1.20 | 1.50 | 0.13 |
| *China, Anfu County | | | | 148 | 14.2 | 1.19 | 1.44 | 0.13 |
| *China, Anguo City | | | | 125 | 9.3 | 0.85 | 1.05 | 0.11 |
| *China, Anshan City | | | | 1146 | 16.0 | 0.50 | 1.64 | 0.05 |
| *China, Aohan Banner, Chifeng City | | | | 85 | 4.3 | 0.48 | 0.45 | 0.05 |
| *China, Arongqi | | | | 81 | 8.5 | 0.96 | 0.88 | 0.11 |
| *China, Baoding City | | | | 367 | 9.8 | 0.52 | 0.99 | 0.06 |
| *China, Beijing City | | | | 1976 | 6.1 | 0.14 | 0.61 | 0.01 |
| *China, Binhai County | | | | 648 | 15.7 | 0.62 | 1.65 | 0.07 |
| *China, Cangzhou City | | | | 141 | 8.0 | 0.68 | 0.81 | 0.08 |
| China, Changfeng County | | | | 163 | 10.8 | 0.87 | 1.11 | 0.10 |
| China, Changzhou City | | | | 963 | 10.2 | 0.33 | 1.06 | 0.04 |
| China, Chengdu City | | | | 453 | 12.4 | 0.59 | 1.27 | 0.07 |
| China, Cixian County | | | | 193 | 10.2 | 0.75 | 1.21 | 0.10 |
| China, Cixi City | | | | 420 | 9.5 | 0.49 | 0.97 | 0.05 |
| *China, Dafeng District, Yancheng City | | | | 586 | 17.6 | 0.76 | 1.93 | 0.09 |
| China, Dalian City | | | | 1241 | 12.4 | 0.36 | 1.27 | 0.04 |
| *China, Dancheng County | | | | 425 | 10.4 | 0.53 | 1.16 | 0.07 |
| China, Dangtu County | | | | 128 | 11.8 | 1.08 | 1.19 | 0.12 |
| *China, Danyang City | | | | 343 | 9.8 | 0.54 | 1.00 | 0.06 |
| *China, Dawukou District, Shizuishan City | | | | 99 | 9.9 | 1.01 | 1.04 | 0.12 |
| *China, Dehui City | | | | 257 | 7.9 | 0.50 | 0.87 | 0.06 |
| *China, Donggang County | | | | 264 | 9.8 | 0.62 | 1.04 | 0.07 |
| *China, Dongguan City | | | | 484 | 11.3 | 0.52 | 1.27 | 0.06 |
| China, Donghai County | | | | 362 | 9.8 | 0.52 | 1.07 | 0.06 |
| *China, Dongtai City | | | | 416 | 9.2 | 0.49 | 1.00 | 0.06 |
| China, Duanzhou District, Zhaoqing City | | | | 101 | 8.5 | 0.85 | 0.95 | 0.10 |
| *China, Evenki Autonomous Banner | | | | 53 | 15.8 | 2.26 | 1.77 | 0.28 |
| *China, Faku County | | | | 166 | 9.4 | 0.75 | 0.95 | 0.08 |
| *China, Fangcheng County | | | | 364 | 17.3 | 0.91 | 1.74 | 0.10 |
| *China, Feicheng City | | | | 192 | 5.2 | 0.38 | 0.53 | 0.04 |
| China, Feixi County | | | | 630 | 17.4 | 0.71 | 1.69 | 0.07 |
| China, Fuqing City | | | | 431 | 16.5 | 0.80 | 1.77 | 0.09 |
| *China, Ganyu District, Lianyungang City | | | | 348 | 9.4 | 0.52 | 0.96 | 0.06 |
| *China, Ganzhou District, Zhangye City | | | | 113 | 12.6 | 1.28 | 1.45 | 0.15 |
| *China, Gaocheng City | | | | 150 | 6.4 | 0.53 | 0.66 | 0.06 |
| China, Gaomi City | | | | 301 | 10.9 | 0.65 | 1.07 | 0.07 |
| China, Gong'an County | | | | 808 | 23.4 | 0.84 | 2.53 | 0.10 |
| *China, Guang'an District, Guang'an City | | | | 148 | 8.1 | 0.67 | 0.90 | 0.08 |
| China, Guanghan City | | | | 113 | 7.4 | 0.73 | 0.72 | 0.07 |
| China, Guangzhou City | | | | 3110 | 10.1 | 0.18 | 1.08 | 0.02 |
| *China, Guanyun County | | | | 302 | 9.7 | 0.56 | 0.98 | 0.06 |
| China, Guilin City | | | | 380 | 15.8 | 0.83 | 1.72 | 0.10 |
| *China, Hai'an City | | | | 619 | 13.5 | 0.58 | 1.45 | 0.06 |
| China, Hailar District, Hulun Buir City | | | | 109 | 8.4 | 0.83 | 0.90 | 0.10 |
| China, Haimen District, Nantong City | | | | 610 | 14.5 | 0.61 | 1.48 | 0.06 |
| China, Haining City | | | | 244 | 8.9 | 0.60 | 0.88 | 0.06 |
| China, Hangzhou City | | | | 3592 | 12.9 | 0.22 | 1.32 | 0.02 |
| China, Hebi City | | | | 161 | 12.4 | 1.00 | 1.47 | 0.13 |
| China, Hefei City | | | | 1075 | 13.0 | 0.40 | 1.33 | 0.05 |
| China, Hengdong County | | | | 236 | 15.5 | 1.02 | 1.74 | 0.13 |
| *China, Hengfeng County | | | | 130 | 21.6 | 1.91 | 2.26 | 0.22 |
| *China, Hepu County | | | | 596 | 22.1 | 0.93 | 2.54 | 0.12 |
| China, Honghu City | | | | 382 | 12.8 | 0.67 | 1.41 | 0.08 |
| China, Hongshan District, Chifeng City | | | | 101 | 6.8 | 0.70 | 0.76 | 0.08 |
| *China, Hongta District, Yuxi City | | | | 280 | 18.2 | 1.11 | 1.75 | 0.11 |
| *China, Huaiyin District, Huai'an City | | | | 270 | 8.7 | 0.54 | 0.89 | 0.06 |
| *China, Jiange County | | | | 339 | 20.3 | 1.12 | 2.47 | 0.15 |
| China, Jiangmen City | | | | 268 | 10.8 | 0.67 | 1.11 | 0.07 |
| *China, Jiangyin City | | | | 511 | 9.9 | 0.44 | 1.02 | 0.05 |
| *China, Jiashan County | | | | 160 | 9.9 | 0.82 | 0.95 | 0.08 |
| China, Jiayu County | | | | 108 | 13.6 | 1.32 | 1.36 | 0.14 |
| *China, Jinan City | | | | 673 | 7.7 | 0.31 | 0.78 | 0.03 |
| *China, Jingtai County | | | | 99 | 12.9 | 1.32 | 1.50 | 0.17 |
| *China, Jingxian County | | | | 126 | 11.7 | 1.14 | 1.18 | 0.12 |
| *China, Jintan District, Changzhou City | | | | 387 | 17.0 | 0.89 | 1.78 | 0.10 |
| *China, Jiulongpo District, Chongqing City | | | | 412 | 14.1 | 0.71 | 1.47 | 0.08 |
| *China, Jiyuan City | | | | 560 | 31.2 | 1.34 | 3.33 | 0.16 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Cervix uteri (C53) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | | | | 241 | 18.9 | 1.27 | 1.95 | 0.15 |
| China, Kunshan City | | | | 341 | 11.2 | 0.61 | 1.17 | 0.07 |
| China, Langzhong City | | | | 232 | 12.2 | 0.81 | 1.42 | 0.11 |
| *China, Liangshan County | | | | 275 | 10.0 | 0.61 | 1.10 | 0.07 |
| *China, Lianshui County | | | | 345 | 8.9 | 0.49 | 0.93 | 0.06 |
| China, Lianyungang City | | | | 377 | 10.4 | 0.54 | 1.11 | 0.06 |
| China, Linhe District, Bayannur City | | | | 94 | 6.7 | 0.71 | 0.77 | 0.09 |
| China, Linqu County | | | | 232 | 7.4 | 0.50 | 0.74 | 0.05 |
| *China, Linzhou City | | | | 548 | 15.1 | 0.65 | 1.54 | 0.07 |
| China, Liuzhou City | | | | 502 | 13.2 | 0.60 | 1.43 | 0.07 |
| China, Liyang City | | | | 234 | 7.1 | 0.49 | 0.74 | 0.05 |
| *China, Longquan City | | | | 171 | 19.0 | 1.50 | 1.97 | 0.18 |
| China, Lucheng District, Wenzhou City | | | | 245 | 13.1 | 0.85 | 1.46 | 0.10 |
| China, Luoding City | | | | 268 | 12.1 | 0.75 | 1.32 | 0.09 |
| *China, Luohe City | | | | 566 | 13.7 | 0.58 | 1.42 | 0.07 |
| *China, Luoyang City | | | | 441 | 10.3 | 0.50 | 1.08 | 0.06 |
| *China, Luquan City | | | | 86 | 7.1 | 0.78 | 0.78 | 0.09 |
| China, Ma'anshan City | | | | 336 | 15.3 | 0.86 | 1.62 | 0.10 |
| *China, Macheng City | | | | 233 | 9.5 | 0.63 | 1.03 | 0.07 |
| China, Meihekou City | | | | 247 | 10.0 | 0.65 | 1.10 | 0.08 |
| *China, Mengjin County | | | | 158 | 13.7 | 1.10 | 1.51 | 0.13 |
| China, Nangang District, Harbin City | | | | 481 | 11.2 | 0.52 | 1.21 | 0.06 |
| *China, Nanhai District, Foshan City | | | | 301 | 10.4 | 0.61 | 1.12 | 0.07 |
| China, Nanhu District, Jiaying City | | | | 153 | 7.0 | 0.58 | 0.70 | 0.06 |
| *China, Nantong City | | | | 520 | 10.6 | 0.49 | 1.07 | 0.05 |
| *China, Nanxiong City | | | | 144 | 9.1 | 0.76 | 0.93 | 0.08 |
| China, Neixiang County | | | | 172 | 7.8 | 0.62 | 0.82 | 0.07 |
| *China, Qianxi County | | | | 96 | 7.4 | 0.78 | 0.74 | 0.09 |
| China, Qidong City | | | | 686 | 13.8 | 0.57 | 1.37 | 0.06 |
| China, Qingzhou City | | | | 262 | 8.8 | 0.56 | 0.94 | 0.06 |
| *China, Rudong County | | | | 646 | 11.9 | 0.52 | 1.30 | 0.06 |
| *China, Rugao City | | | | 932 | 13.4 | 0.47 | 1.43 | 0.05 |
| *China, Rural areas of Shanghai City | | | | 3137 | 9.4 | 0.18 | 0.92 | 0.02 |
| China, Ruyang County | | | | 246 | 20.9 | 1.36 | 2.26 | 0.17 |
| *China, Shan County | | | | 290 | 11.7 | 0.70 | 1.32 | 0.09 |
| China, Shanghai City | | | | 1861 | 7.8 | 0.20 | 0.76 | 0.02 |
| China, Shangyu District, Shaoxing City | | | | 478 | 16.4 | 0.77 | 1.59 | 0.08 |
| *China, Shapingba District, Chongqing City | | | | 409 | 11.9 | 0.61 | 1.28 | 0.07 |
| China, Shexian County | | | | 340 | 24.4 | 1.34 | 2.73 | 0.16 |
| China, Sheyang County | | | | 612 | 15.6 | 0.64 | 1.68 | 0.07 |
| *China, Shijiazhuang City | | | | 405 | 8.3 | 0.42 | 0.88 | 0.05 |
| China, Shunde District, Foshan City | | | | 383 | 9.9 | 0.51 | 1.08 | 0.06 |
| *China, Song County | | | | 240 | 16.4 | 1.08 | 1.93 | 0.14 |
| China, Suzhou City | | | | 1193 | 8.8 | 0.26 | 0.89 | 0.03 |
| *China, Tengzhou City | | | | 590 | 10.4 | 0.44 | 1.09 | 0.05 |
| *China, Wangdu County | | | | 55 | 8.1 | 1.10 | 0.92 | 0.13 |
| *China, Wanzai County | | | | 191 | 16.3 | 1.20 | 1.65 | 0.14 |
| *China, Wu'an City | | | | 310 | 12.2 | 0.71 | 1.37 | 0.09 |
| China, Wuhan City | | | | 2155 | 11.0 | 0.24 | 1.13 | 0.03 |
| *China, Wuhu City | | | | 646 | 14.0 | 0.57 | 1.43 | 0.06 |
| China, Wuxi City | | | | 1207 | 12.1 | 0.35 | 1.23 | 0.04 |
| China, Wuzhou City | | | | 193 | 10.4 | 0.76 | 1.10 | 0.09 |
| China, Xiangfu District, Kaifeng City | | | | 201 | 9.8 | 0.71 | 1.01 | 0.08 |
| China, Xianju County | | | | 325 | 17.2 | 0.99 | 1.82 | 0.12 |
| *China, Xin'an County | | | | 154 | 14.4 | 1.17 | 1.61 | 0.15 |
| *China, Xining City | | | | 349 | 13.4 | 0.74 | 1.44 | 0.09 |
| *China, Xinji City | | | | 155 | 6.6 | 0.55 | 0.69 | 0.06 |
| *China, Xinluo District, Longyan City | | | | 154 | 12.8 | 1.05 | 1.31 | 0.12 |
| *China, Xinzhou District, Shangrao City | | | | 185 | 13.3 | 0.99 | 1.40 | 0.12 |
| China, Xiping County | | | | 416 | 14.9 | 0.74 | 1.57 | 0.08 |
| *China, Xishan District, Kunming City | | | | 85 | 6.1 | 0.69 | 0.60 | 0.07 |
| *China, Xuyi County | | | | 227 | 9.7 | 0.67 | 1.00 | 0.07 |
| *China, Ya'an City | | | | 554 | 10.7 | 0.46 | 1.13 | 0.05 |
| *China, Yakeshi City | | | | 127 | 8.3 | 0.80 | 0.83 | 0.08 |
| China, Yancheng City | | | | 979 | 17.9 | 0.58 | 1.90 | 0.07 |
| *China, Yangquan City | | | | 351 | 14.9 | 0.81 | 1.73 | 0.11 |
| *China, Yangzhong City | | | | 128 | 10.2 | 0.94 | 1.03 | 0.10 |
| *China, Yanji City | | | | 177 | 7.6 | 0.58 | 0.84 | 0.07 |
| *China, Yanshi City | | | | 234 | 10.7 | 0.71 | 1.12 | 0.08 |
| China, Yanting County | | | | 149 | 8.0 | 0.66 | 0.82 | 0.07 |
| *China, Yi'an District, Tongling City | | | | 69 | 7.7 | 0.95 | 0.77 | 0.10 |
| *China, Yingdong District, Fuyang City | | | | 230 | 11.1 | 0.74 | 1.17 | 0.09 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Cervix uteri (C53) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| *China, Yinzhou District, Ningbo City | 49 | 5.3 | 0.77 | 0.59 | 0.09 | |
| *China, Yiyuan County | 103 | 5.5 | 0.56 | 0.59 | 0.07 | |
| China, Yong'an City | 201 | 16.4 | 1.19 | 1.80 | 0.15 | |
| *China, Yongding District, Longyan City | 184 | 11.3 | 0.84 | 1.18 | 0.09 | |
| China, Yongkang City | 301 | 13.5 | 0.79 | 1.46 | 0.09 | |
| *China, Yucheng County | 268 | 13.3 | 0.83 | 1.42 | 0.10 | |
| China, Yueyanglou District, Yueyang City | 222 | 20.1 | 1.37 | 2.24 | 0.17 | |
| China, Yunmeng County | 278 | 15.6 | 0.95 | 1.63 | 0.11 | |
| *China, Yunyang District, Shiyang City | 108 | 10.5 | 1.04 | 1.14 | 0.13 | |
| China, Yuzhong District, Chongqing City | 262 | 11.1 | 0.72 | 1.21 | 0.09 | |
| *China, Zhanhuang County | 99 | 12.3 | 1.26 | 1.39 | 0.15 | |
| *China, Zhangjiagang City | 579 | 14.7 | 0.63 | 1.52 | 0.07 | |
| *China, Zhaoyuan City | 242 | 10.4 | 0.71 | 1.05 | 0.07 | |
| *China, Zhengding County | 84 | 6.2 | 0.69 | 0.65 | 0.07 | |
| *China, Zhongshan City | 559 | 10.0 | 0.42 | 1.13 | 0.05 | |
| China, Zhongxiang City | 555 | 15.3 | 0.66 | 1.66 | 0.08 | |
| *China, Zhuanghe City | 480 | 12.5 | 0.59 | 1.32 | 0.07 | |
| *China, Zhuhai City | 452 | 12.0 | 0.58 | 1.37 | 0.08 | |
| India, Ahmedabad, Urban | 820 | 6.8 | 0.24 | 0.78 | 0.03 | |
| India, Aurangabad | 399 | 14.6 | 0.75 | 1.73 | 0.10 | |
| India, Bangalore | 2047 | 18.4 | 0.41 | 2.21 | 0.06 | |
| India, Barshi, Paranda, and Bhum | 203 | 14.9 | 1.06 | 1.74 | 0.13 | |
| *India, Bhopal | 327 | 12.9 | 0.72 | 1.55 | 0.10 | |
| India, Chandigarh | 180 | 8.1 | 0.62 | 1.01 | 0.09 | |
| *India, Chennai | 1804 | 14.1 | 0.33 | 1.70 | 0.05 | |
| India, Dibrugarh | 137 | 4.6 | 0.40 | 0.51 | 0.05 | |
| *India, Dindigul, Ambilikai | 1204 | 18.5 | 0.54 | 2.15 | 0.07 | |
| India, Kamrup Urban District | 353 | 14.9 | 0.83 | 1.75 | 0.12 | |
| India, Kollam | 509 | 6.7 | 0.30 | 0.79 | 0.04 | |
| *India, Manipur | 334 | 6.5 | 0.37 | 0.78 | 0.05 | |
| India, Meghalaya | 258 | 7.8 | 0.50 | 0.83 | 0.06 | |
| India, Mizoram | 463 | 23.0 | 1.10 | 2.35 | 0.13 | |
| India, Mumbai | 2426 | 7.9 | 0.16 | 0.93 | 0.02 | |
| *India, New Delhi | 2799 | 13.0 | 0.25 | 1.53 | 0.03 | |
| India, Poona | 1198 | 10.1 | 0.30 | 1.19 | 0.04 | |
| *India, Sangrur District | 235 | 9.4 | 0.62 | 1.01 | 0.07 | |
| India, SAS Nagar | 231 | 10.2 | 0.68 | 1.12 | 0.08 | |
| *India, Tamil Nadu | 38579 | 18.1 | 0.09 | 2.07 | 0.01 | |
| *India, Tripura | 644 | 9.3 | 0.38 | 1.05 | 0.05 | |
| India, Trivandrum | 630 | 6.6 | 0.27 | 0.78 | 0.04 | |
| India, Wardha | 316 | 8.5 | 0.48 | 0.98 | 0.06 | |
| India, West Arunachal | 88 | 8.1 | 0.96 | 0.94 | 0.14 | |
| *Iran (Islamic Republic of), Ardabil Province | 41 | 2.1 | 0.33 | 0.21 | 0.04 | |
| *Iran (Islamic Republic of), Golestan Province | 97 | 3.6 | 0.37 | 0.38 | 0.05 | |
| Israel | 1302 | 5.4 | 0.15 | 0.55 | 0.02 | |
| *Israel: Jews | 1027 | 5.4 | 0.18 | 0.55 | 0.02 | |
| *Israel: Arabs | 121 | 3.3 | 0.31 | 0.35 | 0.04 | |
| Japan | 31924 | 10.8 | 0.07 | 1.05 | 0.01 | |
| Japan, Aichi Prefecture | 1868 | 11.3 | 0.28 | 1.12 | 0.03 | |
| *Japan, Akita Prefecture | 207 | 9.5 | 0.80 | 0.85 | 0.07 | |
| Japan, Aomori Prefecture | 491 | 9.4 | 0.52 | 0.89 | 0.05 | |
| Japan, Gunma Prefecture | 506 | 11.6 | 0.59 | 1.13 | 0.05 | |
| Japan, Hiroshima Prefecture | 865 | 9.9 | 0.38 | 0.96 | 0.04 | |
| Japan, Miyagi Prefecture | 763 | 8.7 | 0.35 | 0.84 | 0.03 | |
| Japan, Osaka Prefecture | 2458 | 11.8 | 0.26 | 1.16 | 0.03 | |
| Kuwait | 257 | 3.5 | 0.25 | 0.35 | 0.03 | |
| *Kuwait: Kuwaitis | 90 | 3.3 | 0.36 | 0.33 | 0.04 | |
| *Kuwait: Non-Kuwaitis | 167 | 3.9 | 0.42 | 0.37 | 0.05 | |
| *Philippines, Manila | 2208 | 14.4 | 0.31 | 1.55 | 0.04 | |
| *Qatar: Qatari | 23 | 5.1 | 1.11 | 0.66 | 0.17 | |
| Republic of Korea | 18109 | 9.3 | 0.07 | 0.93 | 0.01 | |
| *Republic of Korea, Busan | 1491 | 10.7 | 0.29 | 1.05 | 0.03 | |
| *Republic of Korea, Daegu | 997 | 10.2 | 0.34 | 1.03 | 0.04 | |
| *Republic of Korea, Daejeon | 497 | 8.9 | 0.41 | 0.88 | 0.05 | |
| *Republic of Korea, Gwangju | 525 | 10.0 | 0.45 | 0.97 | 0.05 | |
| Republic of Korea, Incheon | 1014 | 9.2 | 0.30 | 0.93 | 0.03 | |
| Republic of Korea, Jeju | 244 | 10.8 | 0.73 | 1.05 | 0.07 | |
| Republic of Korea, Seoul | 3283 | 8.5 | 0.15 | 0.84 | 0.02 | |
| Republic of Korea, Ulsan | 313 | 7.5 | 0.44 | 0.78 | 0.05 | |
| Singapore | 1083 | 7.1 | 0.22 | 0.76 | 0.03 | |
| Singapore: Chinese | 850 | 7.0 | 0.25 | 0.76 | 0.03 | |
| Singapore: Indian | 45 | 4.2 | 0.64 | 0.44 | 0.09 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Cervix uteri (C53) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | 143 | 8.7 | 0.74 | 0.88 | 0.09 |
| Thailand, Bangkok | | | | 2184 | 9.6 | 0.21 | 1.08 | 0.03 |
| *Thailand, Chiang Mai | | | | 854 | 14.2 | 0.50 | 1.44 | 0.06 |
| *Thailand, Khon Kaen | | | | 552 | 8.9 | 0.40 | 0.92 | 0.04 |
| Thailand, Lampang | | | | 392 | 12.4 | 0.65 | 1.32 | 0.07 |
| Thailand, Lopburi Province | | | | 478 | 18.4 | 0.86 | 1.91 | 0.10 |
| *Thailand, Songkhla | | | | 485 | 10.4 | 0.48 | 1.16 | 0.06 |
| Turkey, Antalya | | | | 348 | 5.1 | 0.28 | 0.56 | 0.03 |
| Turkey, Bursa | | | | 394 | 4.5 | 0.23 | 0.49 | 0.03 |
| *Turkey, Edirne | | | | 80 | 5.4 | 0.62 | 0.59 | 0.07 |
| *Turkey, Erzurum | | | | 74 | 3.9 | 0.46 | 0.43 | 0.06 |
| Turkey, Eskişehir | | | | 102 | 3.8 | 0.38 | 0.39 | 0.04 |
| Turkey, Gaziantep | | | | 212 | 5.4 | 0.38 | 0.62 | 0.05 |
| *Turkey, Izmir | | | | 759 | 5.4 | 0.20 | 0.57 | 0.02 |
| Turkey, Malatya | | | | 53 | 2.4 | 0.33 | 0.27 | 0.04 |
| Turkey, Samsun | | | | 140 | 3.4 | 0.29 | 0.37 | 0.03 |
| Turkey, Trabzon | | | | 95 | 3.7 | 0.39 | 0.40 | 0.05 |
| Europe | | | | | | | | |
| Austria | | | | 1989 | 6.0 | 0.15 | 0.60 | 0.01 |
| Austria, Carinthia | | | | 145 | 6.9 | 0.63 | 0.70 | 0.06 |
| Austria, Tyrol | | | | 177 | 6.5 | 0.52 | 0.60 | 0.05 |
| Austria, Vorarlberg | | | | 78 | 6.1 | 0.72 | 0.56 | 0.07 |
| Belarus | | | | 4580 | 12.3 | 0.19 | 1.23 | 0.02 |
| *Belgium | | | | 3235 | 8.0 | 0.15 | 0.79 | 0.02 |
| Croatia | | | | 1639 | 10.0 | 0.27 | 1.01 | 0.03 |
| Cyprus | | | | 188 | 6.1 | 0.46 | 0.62 | 0.05 |
| *Czech Republic | | | | 4211 | 10.2 | 0.17 | 1.03 | 0.02 |
| Denmark | | | | 1873 | 10.1 | 0.25 | 0.93 | 0.02 |
| Estonia | | | | 801 | 15.4 | 0.59 | 1.56 | 0.06 |
| Finland | | | | 874 | 4.6 | 0.17 | 0.44 | 0.02 |
| *France, Bas-Rhin | | | | 153 | 4.3 | 0.38 | 0.43 | 0.04 |
| *France, Calvados | | | | 176 | 6.2 | 0.53 | 0.59 | 0.05 |
| *France, Doubs | | | | 146 | 8.2 | 0.73 | 0.75 | 0.07 |
| *France, Gironde | | | | 439 | 7.5 | 0.38 | 0.76 | 0.04 |
| *France, Haut-Rhin | | | | 188 | 6.5 | 0.52 | 0.65 | 0.05 |
| *France, Hérault | | | | 385 | 8.9 | 0.50 | 0.87 | 0.05 |
| *France, Isère | | | | 245 | 5.4 | 0.37 | 0.52 | 0.04 |
| *France, Lille-Métropole | | | | 209 | 7.6 | 0.55 | 0.78 | 0.06 |
| *France, Limousin | | | | 85 | 5.7 | 0.71 | 0.54 | 0.07 |
| *France, Loire-Atlantique | | | | 253 | 5.1 | 0.34 | 0.50 | 0.03 |
| *France, Manche | | | | 115 | 6.0 | 0.65 | 0.57 | 0.06 |
| *France, Poitou-Charentes | | | | 479 | 6.6 | 0.35 | 0.65 | 0.03 |
| *France, Somme | | | | 155 | 7.4 | 0.64 | 0.75 | 0.07 |
| *France, Tarn | | | | 82 | 5.6 | 0.73 | 0.51 | 0.07 |
| *France, Territoire de Belfort | | | | 15 | 4.2 | 1.14 | 0.41 | 0.11 |
| *France, Vendée | | | | 138 | 5.7 | 0.53 | 0.56 | 0.05 |
| Germany, Baden-Württemberg | | | | 1755 | 7.3 | 0.19 | 0.72 | 0.02 |
| Germany, Bavaria | | | | 3451 | 7.3 | 0.13 | 0.71 | 0.01 |
| Germany, Bremen | | | | 185 | 6.9 | 0.57 | 0.69 | 0.06 |
| Germany, Hamburg | | | | 589 | 8.4 | 0.37 | 0.82 | 0.04 |
| Germany, Lower Saxony | | | | 2186 | 7.0 | 0.17 | 0.69 | 0.02 |
| Germany, North Rhine-Westphalia | | | | 4817 | 7.2 | 0.11 | 0.71 | 0.01 |
| Germany, Rhineland-Palatinate | | | | 1221 | 8.4 | 0.27 | 0.81 | 0.03 |
| Germany, Saarland | | | | 327 | 8.5 | 0.53 | 0.83 | 0.05 |
| Germany, Schleswig-Holstein | | | | 903 | 8.1 | 0.31 | 0.78 | 0.03 |
| Iceland | | | | 88 | 8.9 | 0.97 | 0.78 | 0.09 |
| Ireland | | | | 1404 | 9.2 | 0.25 | 0.86 | 0.02 |
| *Italy, Aosta Valley | | | | 24 | 6.1 | 1.42 | 0.57 | 0.13 |
| *Italy, Avellino | | | | 60 | 5.6 | 0.77 | 0.57 | 0.08 |
| Italy, Basilicata | | | | 95 | 3.8 | 0.43 | 0.39 | 0.05 |
| *Italy, Benevento | | | | 40 | 4.7 | 0.78 | 0.47 | 0.08 |
| Italy, Bergamo | | | | 240 | 5.8 | 0.40 | 0.59 | 0.04 |
| *Italy, Brescia | | | | 222 | 5.1 | 0.37 | 0.49 | 0.04 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | 126 | 4.4 | 0.44 | 0.44 | 0.04 |
| Italy, Calabria | | | | 107 | 5.4 | 0.55 | 0.54 | 0.06 |
| *Italy, Caserta | | | | 134 | 4.7 | 0.43 | 0.47 | 0.05 |
| *Italy, Catania, Messina, and Enna | | | | 352 | 4.6 | 0.26 | 0.47 | 0.03 |
| Italy, Emilia-Romagna | | | | 709 | 4.7 | 0.20 | 0.46 | 0.02 |
| Italy, Friuli-Venezia Giulia | | | | 254 | 5.2 | 0.38 | 0.50 | 0.04 |
| Italy, Genova | | | | 220 | 7.3 | 0.56 | 0.72 | 0.05 |
| *Italy, Lombardy, South, Pavia | | | | 119 | 4.7 | 0.48 | 0.50 | 0.05 |
| Italy, Mantova and Cremona | | | | 107 | 3.9 | 0.41 | 0.40 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Cervix uteri (C53) (contd)

| | Male | | | Female | | | | |
|-------------------------------------|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | 258 | 5.2 | 0.35 | 0.54 | 0.04 |
| Italy, Milan | | | | 714 | 5.0 | 0.21 | 0.50 | 0.02 |
| Italy, Molise | | | | 51 | 6.9 | 1.06 | 0.66 | 0.10 |
| *Italy, Naples Centre | | | | 129 | 5.3 | 0.50 | 0.55 | 0.05 |
| *Italy, Naples North | | | | 115 | 3.7 | 0.36 | 0.39 | 0.04 |
| *Italy, Naples South | | | | 209 | 5.2 | 0.38 | 0.54 | 0.04 |
| *Italy, Nuoro | | | | 10 | 2.2 | 0.70 | 0.22 | 0.07 |
| *Italy, Palermo | | | | 217 | 4.2 | 0.30 | 0.43 | 0.03 |
| Italy, Puglia | | | | 786 | 4.8 | 0.18 | 0.49 | 0.02 |
| *Italy, Ragusa and Caltanissetta | | | | 105 | 4.5 | 0.48 | 0.48 | 0.05 |
| *Italy, Salerno | | | | 183 | 4.9 | 0.39 | 0.52 | 0.04 |
| Italy, Sassari | | | | 28 | 3.6 | 0.71 | 0.35 | 0.07 |
| *Italy, Sondrio | | | | 52 | 5.5 | 0.85 | 0.56 | 0.09 |
| Italy, South Tyrol | | | | 104 | 5.4 | 0.58 | 0.52 | 0.06 |
| *Italy, Syracuse | | | | 82 | 5.1 | 0.60 | 0.55 | 0.06 |
| Italy, Trento | | | | 96 | 4.7 | 0.53 | 0.46 | 0.05 |
| Italy, Turin | | | | 470 | 4.6 | 0.24 | 0.47 | 0.02 |
| *Italy, Tuscany | | | | 585 | 6.9 | 0.32 | 0.68 | 0.03 |
| Italy, Umbria | | | | 183 | 6.3 | 0.52 | 0.61 | 0.05 |
| Italy, Varese | | | | 79 | 3.7 | 0.46 | 0.38 | 0.05 |
| Italy, Veneto | | | | 836 | 4.3 | 0.16 | 0.42 | 0.02 |
| Latvia | | | | 1238 | 16.0 | 0.49 | 1.53 | 0.05 |
| *Liechtenstein | | | | 4 | 2.7 | 1.39 | 0.34 | 0.17 |
| *Lithuania | | | | 1896 | 15.9 | 0.40 | 1.57 | 0.04 |
| Malta | | | | 66 | 4.0 | 0.54 | 0.40 | 0.05 |
| *The Netherlands | | | | 3715 | 6.6 | 0.12 | 0.61 | 0.01 |
| Norway | | | | 1737 | 10.8 | 0.27 | 1.00 | 0.03 |
| Poland, Kielce | | | | 380 | 6.9 | 0.39 | 0.76 | 0.04 |
| *Portugal, Azores | | | | 69 | 10.4 | 1.28 | 1.01 | 0.13 |
| Russian Federation, Arkhangelsk | | | | 764 | 18.1 | 0.69 | 1.71 | 0.06 |
| Russian Federation, Kaliningrad | | | | 618 | 16.4 | 0.70 | 1.66 | 0.07 |
| Russian Federation, Karelia | | | | 511 | 23.3 | 1.10 | 2.13 | 0.10 |
| *Russian Federation, Komi Republic | | | | 623 | 19.3 | 0.80 | 1.86 | 0.08 |
| Russian Federation, Murmansk | | | | 494 | 17.3 | 0.81 | 1.61 | 0.08 |
| *Russian Federation, Orenburg | | | | 1162 | 16.2 | 0.50 | 1.53 | 0.05 |
| Russian Federation, Pskov | | | | 447 | 18.8 | 0.95 | 1.76 | 0.09 |
| *Russian Federation, Samara | | | | 1702 | 13.3 | 0.34 | 1.32 | 0.03 |
| Russian Federation, Vologda Region | | | | 781 | 18.7 | 0.71 | 1.67 | 0.06 |
| Slovenia | | | | 567 | 7.0 | 0.32 | 0.69 | 0.03 |
| Spain, Asturias | | | | 186 | 6.7 | 0.55 | 0.67 | 0.05 |
| Spain, Basque Country | | | | 356 | 4.9 | 0.28 | 0.51 | 0.03 |
| Spain, Canary Islands | | | | 431 | 7.8 | 0.39 | 0.80 | 0.04 |
| Spain, Castellón | | | | 113 | 5.0 | 0.51 | 0.52 | 0.05 |
| Spain, Girona | | | | 146 | 5.0 | 0.45 | 0.51 | 0.05 |
| Spain, Granada | | | | 182 | 5.5 | 0.42 | 0.54 | 0.04 |
| Spain, La Rioja | | | | 68 | 5.1 | 0.67 | 0.52 | 0.07 |
| Spain, Murcia | | | | 344 | 6.7 | 0.37 | 0.66 | 0.04 |
| Spain, Navarra | | | | 77 | 3.9 | 0.48 | 0.40 | 0.05 |
| Spain, Salamanca | | | | 70 | 4.8 | 0.63 | 0.50 | 0.07 |
| Spain, Tarragona | | | | 152 | 4.9 | 0.42 | 0.48 | 0.04 |
| *Sweden | | | | 2745 | 8.7 | 0.18 | 0.78 | 0.02 |
| Switzerland, Aargau | | | | 101 | 4.2 | 0.44 | 0.41 | 0.04 |
| Switzerland, Basel | | | | 67 | 3.5 | 0.46 | 0.36 | 0.05 |
| Switzerland, Berne Solothurn | | | | 144 | 4.7 | 0.43 | 0.45 | 0.04 |
| Switzerland, East | | | | 118 | 4.1 | 0.40 | 0.38 | 0.04 |
| *Switzerland, Fribourg | | | | 37 | 3.6 | 0.62 | 0.33 | 0.06 |
| Switzerland, Geneva | | | | 58 | 2.8 | 0.40 | 0.29 | 0.04 |
| *Switzerland, Graubünden and Glarus | | | | 38 | 4.3 | 0.76 | 0.39 | 0.07 |
| *Switzerland, Lucerne | | | | 95 | 5.1 | 0.56 | 0.50 | 0.06 |
| *Switzerland, Neuchâtel and Jura | | | | 55 | 5.0 | 0.77 | 0.54 | 0.08 |
| Switzerland, Ticino | | | | 73 | 4.8 | 0.64 | 0.47 | 0.06 |
| Switzerland, Valais | | | | 57 | 4.9 | 0.69 | 0.47 | 0.07 |
| Switzerland, Vaud | | | | 98 | 3.4 | 0.37 | 0.34 | 0.04 |
| Switzerland, Zurich and Zug | | | | 243 | 4.2 | 0.28 | 0.40 | 0.03 |
| Ukraine | | | | 20983 | 15.3 | 0.11 | 1.52 | 0.01 |
| UK, England | | | | 13099 | 7.7 | 0.07 | 0.67 | 0.01 |
| UK, Northern Ireland | | | | 416 | 7.3 | 0.37 | 0.65 | 0.03 |
| UK, Scotland | | | | 1710 | 9.8 | 0.25 | 0.88 | 0.02 |
| UK, Wales | | | | 819 | 8.4 | 0.32 | 0.75 | 0.03 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | 1406 | 5.2 | 0.15 | 0.50 | 0.01 |
| *Australia, Northern Territory | | | | 44 | 6.1 | 0.92 | 0.49 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Cervix uteri (C53) (contd)

| | Male | | | Female | | |
|--|-------|-------------|-------------|--------|-------------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 24 | 4.6 | <i>0.95</i> | 0.38 | <i>0.08</i> | |
| *Australia, Northern Territory: Indigenous | 20 | 10.7 | <i>2.41</i> | 0.84 | <i>0.21</i> | |
| *Australia, Queensland | 997 | 6.6 | <i>0.22</i> | 0.60 | <i>0.02</i> | |
| Australia, South Australia | 295 | 5.3 | <i>0.33</i> | 0.49 | <i>0.03</i> | |
| Australia, Tasmania | 124 | 7.6 | <i>0.73</i> | 0.70 | <i>0.07</i> | |
| *Australia, Victoria | 951 | 4.7 | <i>0.16</i> | 0.45 | <i>0.02</i> | |
| *Australia, Western Australia | 455 | 5.6 | <i>0.27</i> | 0.52 | <i>0.03</i> | |
| *France, New Caledonia | 106 | 12.9 | <i>1.27</i> | 1.28 | <i>0.14</i> | |
| New Zealand | 784 | 5.3 | <i>0.20</i> | 0.49 | <i>0.02</i> | |
| *New Zealand: Maori | 183 | 9.7 | <i>0.72</i> | 0.90 | <i>0.08</i> | |
| *New Zealand: Pacific peoples | 47 | 6.3 | <i>0.92</i> | 0.69 | <i>0.11</i> | |
| *New Zealand: Other | 467 | 4.9 | <i>0.25</i> | 0.43 | <i>0.02</i> | |
| USA, Hawaii | 247 | 5.4 | <i>0.36</i> | 0.52 | <i>0.03</i> | |
| USA, Hawaii: White | 62 | 5.7 | <i>0.78</i> | 0.54 | <i>0.07</i> | |
| *USA, Hawaii: Japanese | 37 | 3.8 | <i>0.75</i> | 0.38 | <i>0.07</i> | |
| *USA, Hawaii: Chinese | 10 | 3.2 | <i>1.05</i> | 0.36 | <i>0.11</i> | |
| *USA, Hawaii: Hawaiian | 41 | 4.6 | <i>0.73</i> | 0.45 | <i>0.07</i> | |
| *USA, Hawaii: Filipino | 30 | 3.4 | <i>0.62</i> | 0.32 | <i>0.06</i> | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | 38 | 3.0 | 0.51 | 0.42 | 0.08 |
| *Algeria, Tizi Ouzou | | | | 49 | 2.9 | 0.43 | 0.36 | 0.06 |
| *Benin, Cotonou | | | | 23 | 4.2 | 0.89 | 0.68 | 0.16 |
| *France, La Réunion | | | | 191 | 7.8 | 0.58 | 1.01 | 0.09 |
| *Kenya, Eldoret | | | | 26 | 2.7 | 0.56 | 0.32 | 0.07 |
| *Kenya, Nairobi | | | | 136 | 7.9 | 0.73 | 1.11 | 0.12 |
| Mauritius | | | | 327 | 7.2 | 0.40 | 0.90 | 0.06 |
| *Morocco, Casablanca | | | | 314 | 2.8 | 0.16 | 0.37 | 0.02 |
| *Seychelles | | | | 30 | 9.2 | 1.75 | 1.16 | 0.27 |
| *South Africa, Eastern Cape | | | | 41 | 2.5 | 0.41 | 0.35 | 0.06 |
| *Uganda, Kyadondo County | | | | 92 | 5.2 | 0.60 | 0.71 | 0.10 |
| *Uganda, Gulu | | | | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| *Zimbabwe, Bulawayo: African | | | | 108 | 11.6 | 1.14 | 1.59 | 0.19 |
| *Zimbabwe, Harare: African | | | | 108 | 7.1 | 0.71 | 1.04 | 0.12 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | | | | 191 | 7.3 | 0.55 | 0.87 | 0.07 |
| *Argentina, Mendoza | | | | 565 | 9.3 | 0.41 | 1.16 | 0.06 |
| Brazil, Aracaju | | | | 130 | 8.7 | 0.78 | 1.16 | 0.12 |
| *Brazil, Barretos | | | | 103 | 6.6 | 0.67 | 0.87 | 0.10 |
| Brazil, Belo Horizonte | | | | 754 | 7.7 | 0.29 | 1.00 | 0.04 |
| *Brazil, Campinas | | | | 293 | 10.2 | 0.61 | 1.36 | 0.09 |
| *Brazil, Curitiba | | | | 371 | 6.9 | 0.37 | 0.86 | 0.05 |
| Brazil, Goiânia | | | | 212 | 6.3 | 0.44 | 0.79 | 0.06 |
| *Brazil, Jaú | | | | 74 | 14.6 | 1.73 | 1.97 | 0.27 |
| Brazil, João Pessoa | | | | 111 | 7.6 | 0.73 | 0.94 | 0.10 |
| Brazil, Recife | | | | 329 | 9.0 | 0.50 | 1.14 | 0.07 |
| Chile, Region of Antofagasta | | | | 55 | 5.3 | 0.73 | 0.64 | 0.10 |
| Chile, Valdivia | | | | 108 | 7.8 | 0.76 | 1.03 | 0.11 |
| Colombia, Bucaramanga | | | | 272 | 7.4 | 0.46 | 0.87 | 0.06 |
| Colombia, Cali | | | | 448 | 5.7 | 0.28 | 0.70 | 0.04 |
| Colombia, Manizales | | | | 115 | 7.0 | 0.63 | 0.89 | 0.09 |
| Colombia, Pasto | | | | 73 | 5.9 | 0.70 | 0.72 | 0.10 |
| Costa Rica | | | | 842 | 8.2 | 0.29 | 1.02 | 0.04 |
| Ecuador, Guayaquil | | | | 381 | 6.4 | 0.34 | 0.81 | 0.05 |
| Ecuador, Manabí | | | | 145 | 4.5 | 0.37 | 0.56 | 0.05 |
| Ecuador, Quito | | | | 307 | 6.3 | 0.36 | 0.75 | 0.05 |
| *France, Guadeloupe | | | | 203 | 9.7 | 0.71 | 1.30 | 0.11 |
| *France, Martinique | | | | 211 | 9.2 | 0.68 | 1.22 | 0.10 |
| *Peru, Lima | | | | 928 | 5.8 | 0.19 | 0.70 | 0.03 |
| *Trinidad and Tobago | | | | 431 | 16.7 | 0.82 | 2.18 | 0.12 |
| USA, Puerto Rico | | | | 3128 | 20.9 | 0.40 | 2.46 | 0.05 |
| *Uruguay | | | | 1176 | 8.1 | 0.25 | 1.01 | 0.03 |
| North America | | | | | | | | |
| Canada, Alberta | | | | 3040 | 20.1 | 0.37 | 2.59 | 0.05 |
| Canada, British Columbia | | | | 3831 | 16.7 | 0.28 | 2.12 | 0.04 |
| *Canada, Manitoba | | | | 1393 | 25.8 | 0.72 | 3.23 | 0.10 |
| *Canada, New Brunswick | | | | 769 | 19.4 | 0.73 | 2.50 | 0.10 |
| *Canada, Newfoundland and Labrador | | | | 542 | 20.4 | 0.91 | 2.54 | 0.12 |
| Canada, Ontario | | | | 12880 | 20.7 | 0.19 | 2.62 | 0.03 |
| *Canada, Prince Edward Island | | | | 129 | 17.7 | 1.64 | 2.24 | 0.22 |
| Canada, Quebec | | | | 6959 | 17.1 | 0.22 | 2.20 | 0.03 |
| Canada, Saskatchewan | | | | 876 | 18.9 | 0.67 | 2.43 | 0.09 |
| *Canada, Yukon | | | | 24 | 17.1 | 3.54 | 2.33 | 0.57 |
| USA | | | | 265602 | 19.6 | 0.04 | 2.45 | 0.01 |
| USA: White | | | | 221466 | 20.1 | 0.04 | 2.50 | 0.01 |
| USA: Black | | | | 30349 | 18.7 | 0.11 | 2.43 | 0.02 |
| USA, NPCR | | | | 256121 | 19.6 | 0.04 | 2.44 | 0.01 |
| USA, NPCR: White | | | | 213813 | 20.0 | 0.05 | 2.49 | 0.01 |
| USA, NPCR: Black | | | | 29976 | 18.7 | 0.11 | 2.43 | 0.02 |
| USA, NPCR: Asian and Pacific Islander | | | | 9454 | 14.3 | 0.15 | 1.71 | 0.02 |
| USA, NPCR: American Indian | | | | 1306 | 10.5 | 0.29 | 1.27 | 0.04 |
| *USA, SEER (18 registries) | | | | 70697 | 19.5 | 0.08 | 2.44 | 0.01 |
| *USA, SEER (18 registries): White | | | | 55476 | 19.9 | 0.09 | 2.49 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | 46628 | 20.1 | 0.10 | 2.53 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | | | | 8848 | 18.1 | 0.20 | 2.21 | 0.03 |
| *USA, SEER (18 registries): Black | | | | 7626 | 18.5 | 0.22 | 2.42 | 0.03 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | 6324 | 16.7 | 0.21 | 1.99 | 0.03 |
| *USA, SEER (9 registries) | | | | 25514 | 20.4 | 0.13 | 2.56 | 0.02 |
| *USA, SEER (9 registries): White | | | | 19603 | 20.5 | 0.15 | 2.59 | 0.02 |
| *USA, SEER (9 registries): Black | | | | 2703 | 19.3 | 0.38 | 2.53 | 0.06 |
| USA, Alabama | | | | 3032 | 14.0 | 0.27 | 1.70 | 0.03 |
| USA, Alabama: White | | | | 2217 | 13.9 | 0.32 | 1.67 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | | | | 773 | 14.8 | 0.55 | 1.88 | 0.08 |
| USA, Alaska | | | | 443 | 17.5 | 0.85 | 2.12 | 0.11 |
| *USA, Alaska: Alaska Natives | | | | 45 | 12.6 | 1.90 | 1.45 | 0.24 |
| USA, Arizona | | | | 4617 | 16.5 | 0.26 | 2.01 | 0.03 |
| USA, Arizona: White | | | | 4198 | 16.8 | 0.28 | 2.05 | 0.03 |
| USA, Arizona: Black | | | | 136 | 13.7 | 1.19 | 1.69 | 0.17 |
| *USA, Arizona: Asian and Pacific Islander | | | | 97 | 10.3 | 1.05 | 1.14 | 0.13 |
| USA, Arizona: American Indian | | | | 179 | 16.9 | 1.27 | 1.93 | 0.16 |
| USA, Arkansas | | | | 2206 | 17.8 | 0.40 | 2.15 | 0.05 |
| USA, Arkansas: White | | | | 1839 | 17.8 | 0.44 | 2.12 | 0.05 |
| USA, Arkansas: Black | | | | 308 | 18.1 | 1.05 | 2.42 | 0.16 |
| USA, California | | | | 28371 | 18.7 | 0.11 | 2.33 | 0.02 |
| USA, California: White | | | | 22167 | 19.4 | 0.14 | 2.42 | 0.02 |
| USA, California: Black | | | | 1806 | 17.9 | 0.43 | 2.40 | 0.06 |
| USA, California: Asian and Pacific Islander | | | | 3997 | 16.1 | 0.26 | 1.91 | 0.03 |
| *USA, California, Los Angeles County | | | | 7345 | 19.2 | 0.23 | 2.37 | 0.03 |
| *USA, California, Los Angeles County: White | | | | 5301 | 20.0 | 0.28 | 2.46 | 0.04 |
| *USA, California, Los Angeles County: Non-Hispanic White | | | | 2813 | 20.0 | 0.40 | 2.52 | 0.05 |
| *USA, California, Los Angeles County: Hispanic White | | | | 2488 | 19.2 | 0.39 | 2.33 | 0.05 |
| *USA, California, Los Angeles County: Black | | | | 761 | 18.6 | 0.69 | 2.46 | 0.10 |
| *USA, California, Los Angeles County: Chinese | | | | 216 | 9.7 | 0.69 | 1.06 | 0.08 |
| *USA, California, Los Angeles County: Filipino | | | | 352 | 20.1 | 1.11 | 2.36 | 0.13 |
| *USA, California, Los Angeles County: Korean | | | | 90 | 8.6 | 0.95 | 1.07 | 0.12 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | | | | 1119 | 16.1 | 0.49 | 1.89 | 0.06 |
| *USA, California, San Francisco Bay Area | | | | 3853 | 19.6 | 0.33 | 2.48 | 0.04 |
| *USA, California, San Francisco Bay Area: White | | | | 2504 | 20.3 | 0.42 | 2.59 | 0.06 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | | | | 2030 | 19.8 | 0.47 | 2.58 | 0.06 |
| *USA, California, San Francisco Bay Area: Hispanic White | | | | 474 | 20.0 | 0.94 | 2.42 | 0.13 |
| *USA, California, San Francisco Bay Area: Black | | | | 358 | 20.5 | 1.11 | 2.74 | 0.16 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | | | | 943 | 17.3 | 0.58 | 2.09 | 0.08 |
| USA, Colorado | | | | 3606 | 16.7 | 0.29 | 2.08 | 0.04 |
| USA, Colorado: White | | | | 3361 | 16.9 | 0.30 | 2.11 | 0.04 |
| *USA, Colorado: Black | | | | 120 | 16.0 | 1.49 | 2.07 | 0.22 |
| *USA, Colorado: Asian and Pacific Islander | | | | 82 | 12.2 | 1.35 | 1.47 | 0.18 |
| USA, Connecticut | | | | 3567 | 21.3 | 0.38 | 2.79 | 0.05 |
| USA, Connecticut: White | | | | 3124 | 21.4 | 0.41 | 2.79 | 0.06 |
| USA, Connecticut: Black | | | | 296 | 19.5 | 1.15 | 2.67 | 0.17 |
| USA, District of Columbia | | | | 523 | 21.1 | 0.95 | 2.71 | 0.13 |
| USA, District of Columbia: White | | | | 134 | 15.6 | 1.40 | 1.94 | 0.19 |
| USA, District of Columbia: Black | | | | 354 | 23.1 | 1.28 | 3.05 | 0.18 |
| USA, Florida | | | | 17439 | 17.9 | 0.15 | 2.24 | 0.02 |
| USA, Florida: White | | | | 14450 | 17.7 | 0.16 | 2.20 | 0.02 |
| USA, Florida: Black | | | | 2498 | 20.3 | 0.41 | 2.64 | 0.06 |
| USA, Florida: Asian and Pacific Islander | | | | 284 | 11.2 | 0.67 | 1.38 | 0.09 |
| USA, Georgia | | | | 7118 | 17.6 | 0.21 | 2.19 | 0.03 |
| USA, Georgia: White | | | | 4728 | 17.7 | 0.27 | 2.17 | 0.03 |
| USA, Georgia: Black | | | | 2219 | 18.8 | 0.40 | 2.42 | 0.06 |
| USA, Georgia: Asian and Pacific Islander | | | | 149 | 10.9 | 0.90 | 1.35 | 0.13 |
| *USA, Georgia, Atlanta | | | | 2398 | 17.7 | 0.37 | 2.23 | 0.05 |
| *USA, Georgia, Atlanta: White | | | | 1309 | 18.1 | 0.51 | 2.23 | 0.07 |
| *USA, Georgia, Atlanta: Black | | | | 985 | 18.6 | 0.60 | 2.41 | 0.09 |
| USA, Idaho | | | | 1204 | 18.4 | 0.55 | 2.26 | 0.07 |
| USA, Indiana | | | | 5844 | 21.3 | 0.29 | 2.64 | 0.04 |
| USA, Indiana: White | | | | 5375 | 21.7 | 0.31 | 2.69 | 0.04 |
| USA, Indiana: Black | | | | 411 | 18.8 | 0.94 | 2.44 | 0.13 |
| *USA, Iowa | | | | 2999 | 22.0 | 0.43 | 2.79 | 0.06 |
| USA, Kentucky | | | | 3785 | 20.6 | 0.35 | 2.47 | 0.04 |
| USA, Louisiana | | | | 2855 | 14.9 | 0.29 | 1.87 | 0.04 |
| USA, Louisiana: White | | | | 1902 | 14.8 | 0.36 | 1.82 | 0.05 |
| USA, Louisiana: Black | | | | 912 | 16.0 | 0.54 | 2.05 | 0.08 |
| *USA, Louisiana, New Orleans | | | | 587 | 15.8 | 0.68 | 2.04 | 0.09 |
| *USA, Louisiana, New Orleans: White | | | | 336 | 16.3 | 0.95 | 2.05 | 0.12 |
| *USA, Louisiana, New Orleans: Black | | | | 229 | 15.3 | 1.03 | 2.03 | 0.15 |
| USA, Maine | | | | 1587 | 23.2 | 0.62 | 2.98 | 0.08 |
| USA, Maryland | | | | 5210 | 19.9 | 0.29 | 2.54 | 0.04 |
| USA, Maryland: White | | | | 3471 | 20.6 | 0.37 | 2.62 | 0.05 |
| USA, Maryland: Black | | | | 1506 | 19.6 | 0.51 | 2.53 | 0.07 |
| USA, Maryland: Asian and Pacific Islander | | | | 204 | 13.2 | 0.93 | 1.67 | 0.13 |
| USA, Massachusetts | | | | 6526 | 21.3 | 0.28 | 2.75 | 0.04 |
| USA, Massachusetts: White | | | | 5901 | 21.7 | 0.30 | 2.81 | 0.04 |
| USA, Massachusetts: Black | | | | 379 | 18.8 | 0.98 | 2.49 | 0.15 |
| USA, Massachusetts: Asian and Pacific Islander | | | | 171 | 12.3 | 0.95 | 1.49 | 0.13 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|---|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Michigan | | | | 9405 | 21.1 | 0.23 | 2.64 | 0.03 |
| USA, Michigan: White | | | | 8135 | 21.7 | 0.26 | 2.70 | 0.03 |
| USA, Michigan: Black | | | | 1071 | 18.8 | 0.59 | 2.42 | 0.08 |
| USA, Michigan: Asian and Pacific Islander | | | | 113 | 11.6 | 1.10 | 1.48 | 0.16 |
| *USA, Michigan, Detroit | | | | 3851 | 22.3 | 0.37 | 2.81 | 0.05 |
| *USA, Michigan, Detroit: White | | | | 2920 | 23.5 | 0.46 | 2.94 | 0.06 |
| *USA, Michigan, Detroit: Black | | | | 833 | 20.0 | 0.71 | 2.59 | 0.10 |
| USA, Minnesota | | | | 5270 | 22.7 | 0.33 | 2.86 | 0.04 |
| USA, Minnesota: White | | | | 4946 | 22.8 | 0.34 | 2.88 | 0.05 |
| USA, Minnesota: Black | | | | 165 | 23.9 | 1.89 | 3.21 | 0.29 |
| *USA, Minnesota: Asian and Pacific Islander | | | | 95 | 13.0 | 1.37 | 1.36 | 0.16 |
| USA, Mississippi | | | | 2032 | 16.4 | 0.38 | 2.04 | 0.05 |
| USA, Missouri | | | | 5187 | 19.6 | 0.29 | 2.44 | 0.04 |
| USA, Missouri: White | | | | 4628 | 20.0 | 0.31 | 2.48 | 0.04 |
| USA, Missouri: Black | | | | 495 | 18.4 | 0.85 | 2.34 | 0.12 |
| USA, Montana | | | | 938 | 20.1 | 0.70 | 2.49 | 0.09 |
| *USA, Montana: American Indian | | | | 39 | 19.2 | 3.13 | 2.13 | 0.37 |
| USA, Nebraska | | | | 1544 | 20.5 | 0.55 | 2.58 | 0.07 |
| USA, Nebraska: White | | | | 1477 | 20.9 | 0.57 | 2.63 | 0.08 |
| *USA, Nebraska: Black | | | | 44 | 17.0 | 2.60 | 2.03 | 0.35 |
| USA, Nevada | | | | 1748 | 15.3 | 0.38 | 1.87 | 0.05 |
| USA, Nevada: White | | | | 1458 | 16.0 | 0.44 | 1.97 | 0.06 |
| USA, Nevada: Black | | | | 115 | 12.4 | 1.16 | 1.45 | 0.15 |
| *USA, Nevada: Asian and Pacific Islander | | | | 153 | 12.4 | 1.02 | 1.52 | 0.13 |
| USA, New Jersey | | | | 9117 | 22.7 | 0.25 | 2.90 | 0.03 |
| USA, New Jersey: White | | | | 7511 | 23.9 | 0.29 | 3.05 | 0.04 |
| USA, New Jersey: Black | | | | 1099 | 20.4 | 0.63 | 2.69 | 0.09 |
| USA, New Mexico | | | | 1522 | 17.5 | 0.47 | 2.12 | 0.06 |
| USA, New Mexico: White | | | | 1310 | 17.0 | 0.50 | 2.05 | 0.06 |
| USA, New Mexico: Non-Hispanic White | | | | 827 | 17.8 | 0.70 | 2.18 | 0.08 |
| USA, New Mexico: Hispanic White | | | | 483 | 15.5 | 0.73 | 1.82 | 0.09 |
| *USA, New Mexico: American Indian | | | | 142 | 20.0 | 1.70 | 2.41 | 0.22 |
| USA, New York State | | | | 20078 | 23.1 | 0.17 | 2.94 | 0.02 |
| USA, New York State: White | | | | 15553 | 24.0 | 0.20 | 3.05 | 0.03 |
| USA, New York State: Black | | | | 3346 | 22.6 | 0.40 | 2.99 | 0.06 |
| USA, New York State: Asian and Pacific Islander | | | | 1056 | 16.2 | 0.50 | 1.93 | 0.07 |
| USA, North Carolina | | | | 7970 | 18.2 | 0.21 | 2.26 | 0.03 |
| USA, North Carolina: White | | | | 6107 | 18.4 | 0.25 | 2.27 | 0.03 |
| USA, North Carolina: Black | | | | 1652 | 18.1 | 0.45 | 2.36 | 0.07 |
| USA, North Carolina: Asian and Pacific Islander | | | | 96 | 10.7 | 1.10 | 1.25 | 0.15 |
| *USA, North Carolina: American Indian | | | | 66 | 12.4 | 1.54 | 1.55 | 0.22 |
| USA, North Dakota | | | | 562 | 19.8 | 0.89 | 2.40 | 0.11 |
| USA, Ohio | | | | 11404 | 22.1 | 0.22 | 2.76 | 0.03 |
| USA, Ohio: White | | | | 10246 | 22.9 | 0.24 | 2.85 | 0.03 |
| USA, Ohio: Black | | | | 1027 | 17.9 | 0.58 | 2.28 | 0.08 |
| *USA, Ohio: Asian and Pacific Islander | | | | 97 | 11.9 | 1.22 | 1.46 | 0.16 |
| USA, Oklahoma | | | | 2611 | 16.7 | 0.34 | 2.05 | 0.04 |
| USA, Oklahoma: White | | | | 2195 | 16.9 | 0.38 | 2.07 | 0.05 |
| USA, Oklahoma: Black | | | | 176 | 17.1 | 1.31 | 2.12 | 0.18 |
| USA, Oklahoma: American Indian | | | | 181 | 14.9 | 1.12 | 1.76 | 0.15 |
| USA, Oregon | | | | 3679 | 20.9 | 0.36 | 2.58 | 0.05 |
| USA, Oregon: White | | | | 3471 | 21.1 | 0.38 | 2.61 | 0.05 |
| *USA, Oregon: Black | | | | 44 | 18.4 | 2.79 | 2.49 | 0.42 |
| *USA, Oregon: Asian and Pacific Islander | | | | 89 | 12.1 | 1.29 | 1.32 | 0.15 |
| USA, Rhode Island | | | | 1055 | 21.9 | 0.71 | 2.82 | 0.10 |
| USA, Rhode Island: White | | | | 991 | 22.5 | 0.76 | 2.88 | 0.10 |
| *USA, Rhode Island: Black | | | | 33 | 13.1 | 2.33 | 1.73 | 0.34 |
| USA, South Carolina | | | | 3717 | 16.7 | 0.29 | 2.08 | 0.04 |
| USA, South Carolina: White | | | | 2574 | 16.1 | 0.34 | 1.98 | 0.04 |
| USA, South Carolina: Black | | | | 1074 | 18.7 | 0.58 | 2.40 | 0.08 |
| USA, South Dakota | | | | 744 | 21.2 | 0.83 | 2.59 | 0.11 |
| USA, Tennessee | | | | 5052 | 17.9 | 0.26 | 2.20 | 0.03 |
| USA, Tennessee: White | | | | 4309 | 18.4 | 0.30 | 2.25 | 0.04 |
| USA, Tennessee: Black | | | | 676 | 16.4 | 0.64 | 2.10 | 0.09 |
| USA, Texas | | | | 15883 | 16.4 | 0.13 | 2.01 | 0.02 |
| USA, Texas: White | | | | 13478 | 16.9 | 0.15 | 2.06 | 0.02 |
| USA, Texas: Black | | | | 1839 | 15.8 | 0.37 | 2.08 | 0.06 |
| USA, Texas: Asian and Pacific Islander | | | | 455 | 10.2 | 0.48 | 1.23 | 0.06 |
| USA, Utah | | | | 1827 | 20.0 | 0.48 | 2.41 | 0.06 |
| USA, Vermont | | | | 765 | 24.9 | 0.95 | 3.19 | 0.13 |
| USA, Washington State | | | | 5740 | 19.2 | 0.26 | 2.41 | 0.04 |
| *USA, Washington, Seattle | | | | 4104 | 20.0 | 0.32 | 2.50 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | 1953 | 23.3 | 0.56 | 2.85 | 0.07 |
| USA, Wyoming | | | | 392 | 17.1 | 0.90 | 2.09 | 0.11 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | 134 | 10.6 | 0.95 | 1.40 | 0.15 |
| Brunei Darussalam | | | | 126 | 12.4 | 1.14 | 1.43 | 0.16 |
| *China, Anfu County | | | | 33 | 3.4 | 0.60 | 0.38 | 0.07 |
| *China, Anguo City | | | | 87 | 6.6 | 0.72 | 0.78 | 0.09 |
| *China, Anshan City | | | | 548 | 7.1 | 0.32 | 0.83 | 0.04 |
| *China, Aohan Banner, Chifeng City | | | | 68 | 3.4 | 0.42 | 0.39 | 0.05 |
| *China, Arongqi | | | | 53 | 5.3 | 0.74 | 0.58 | 0.09 |
| *China, Baoding City | | | | 252 | 6.6 | 0.42 | 0.77 | 0.05 |
| *China, Beijing City | | | | 3626 | 9.9 | 0.17 | 1.15 | 0.02 |
| *China, Binhai County | | | | 94 | 2.2 | 0.23 | 0.24 | 0.03 |
| *China, Cangzhou City | | | | 88 | 5.1 | 0.55 | 0.64 | 0.07 |
| China, Changfeng County | | | | 60 | 4.0 | 0.53 | 0.40 | 0.06 |
| China, Changzhou City | | | | 528 | 5.4 | 0.24 | 0.62 | 0.03 |
| China, Chengdu City | | | | 232 | 6.4 | 0.43 | 0.75 | 0.05 |
| China, Cixian County | | | | 110 | 5.7 | 0.55 | 0.64 | 0.07 |
| China, Cixi City | | | | 177 | 3.7 | 0.29 | 0.45 | 0.04 |
| *China, Dafeng District, Yancheng City | | | | 176 | 5.3 | 0.41 | 0.58 | 0.05 |
| China, Dalian City | | | | 829 | 7.7 | 0.28 | 0.87 | 0.03 |
| *China, Dancheng County | | | | 88 | 2.2 | 0.25 | 0.27 | 0.04 |
| China, Dangtu County | | | | 46 | 4.1 | 0.62 | 0.44 | 0.07 |
| *China, Danyang City | | | | 134 | 3.6 | 0.32 | 0.43 | 0.04 |
| *China, Dawukou District, Shizuishan City | | | | 42 | 4.2 | 0.66 | 0.48 | 0.08 |
| *China, Dehui City | | | | 159 | 4.9 | 0.40 | 0.56 | 0.05 |
| *China, Donggang County | | | | 93 | 3.3 | 0.35 | 0.40 | 0.05 |
| *China, Dongguan City | | | | 380 | 9.0 | 0.47 | 0.95 | 0.05 |
| China, Donghai County | | | | 159 | 4.2 | 0.34 | 0.47 | 0.04 |
| *China, Dongtai City | | | | 57 | 1.3 | 0.18 | 0.16 | 0.02 |
| China, Duanzhou District, Zhaoqing City | | | | 80 | 6.8 | 0.77 | 0.77 | 0.09 |
| *China, Evenki Autonomous Banner | | | | 5 | 1.6 | 0.72 | 0.11 | 0.06 |
| *China, Faku County | | | | 88 | 4.5 | 0.49 | 0.52 | 0.06 |
| *China, Fangcheng County | | | | 209 | 10.3 | 0.72 | 1.14 | 0.09 |
| *China, Feicheng City | | | | 159 | 4.0 | 0.33 | 0.46 | 0.04 |
| China, Feixi County | | | | 200 | 5.3 | 0.39 | 0.57 | 0.04 |
| China, Fuqing City | | | | 140 | 5.3 | 0.45 | 0.55 | 0.05 |
| *China, Ganyu District, Lianyungang City | | | | 118 | 2.9 | 0.28 | 0.32 | 0.03 |
| *China, Ganzhou District, Zhangye City | | | | 60 | 6.7 | 0.94 | 0.76 | 0.11 |
| *China, Gaocheng City | | | | 126 | 5.3 | 0.49 | 0.58 | 0.05 |
| China, Gaomi City | | | | 164 | 5.6 | 0.44 | 0.65 | 0.05 |
| China, Gong'an County | | | | 164 | 4.7 | 0.37 | 0.55 | 0.05 |
| *China, Guang'an District, Guang'an City | | | | 42 | 2.3 | 0.36 | 0.24 | 0.04 |
| China, Guanghan City | | | | 83 | 5.3 | 0.60 | 0.64 | 0.08 |
| China, Guangzhou City | | | | 3014 | 9.7 | 0.18 | 1.07 | 0.02 |
| *China, Guanyun County | | | | 125 | 3.9 | 0.35 | 0.42 | 0.04 |
| China, Guilin City | | | | 229 | 9.6 | 0.64 | 1.06 | 0.08 |
| *China, Hai'an City | | | | 205 | 4.4 | 0.32 | 0.49 | 0.04 |
| China, Hailar District, Hulun Buir City | | | | 67 | 5.2 | 0.66 | 0.65 | 0.09 |
| China, Haimen District, Nantong City | | | | 257 | 5.7 | 0.36 | 0.68 | 0.05 |
| China, Haining City | | | | 145 | 4.7 | 0.40 | 0.51 | 0.05 |
| China, Hangzhou City | | | | 1569 | 5.3 | 0.14 | 0.61 | 0.02 |
| China, Hebi City | | | | 45 | 3.4 | 0.52 | 0.40 | 0.07 |
| China, Hefei City | | | | 465 | 5.8 | 0.27 | 0.65 | 0.03 |
| China, Hengdong County | | | | 71 | 4.6 | 0.55 | 0.53 | 0.07 |
| *China, Hengfeng County | | | | 38 | 6.2 | 1.01 | 0.70 | 0.12 |
| *China, Hepu County | | | | 94 | 3.4 | 0.36 | 0.37 | 0.04 |
| China, Honghu City | | | | 37 | 1.3 | 0.21 | 0.14 | 0.02 |
| China, Hongshan District, Chifeng City | | | | 61 | 4.2 | 0.55 | 0.51 | 0.07 |
| *China, Hongta District, Yuxi City | | | | 87 | 5.4 | 0.59 | 0.61 | 0.07 |
| *China, Huaiyin District, Huai'an City | | | | 130 | 4.1 | 0.36 | 0.45 | 0.04 |
| *China, Jiange County | | | | 102 | 6.0 | 0.61 | 0.69 | 0.08 |
| China, Jiangmen City | | | | 215 | 8.6 | 0.59 | 0.94 | 0.07 |
| *China, Jiangyin City | | | | 206 | 3.7 | 0.27 | 0.45 | 0.03 |
| *China, Jiashan County | | | | 85 | 4.6 | 0.51 | 0.53 | 0.06 |
| China, Jiayu County | | | | 29 | 3.8 | 0.70 | 0.46 | 0.09 |
| *China, Jinan City | | | | 602 | 6.3 | 0.26 | 0.74 | 0.03 |
| *China, Jingtai County | | | | 50 | 6.7 | 0.96 | 0.74 | 0.11 |
| *China, Jingxian County | | | | 35 | 3.3 | 0.59 | 0.36 | 0.07 |
| *China, Jintan District, Changzhou City | | | | 98 | 4.4 | 0.45 | 0.51 | 0.06 |
| *China, Jiulongpo District, Chongqing City | | | | 155 | 5.1 | 0.42 | 0.60 | 0.05 |
| *China, Jiyuan City | | | | 123 | 7.1 | 0.64 | 0.84 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| China, Kaihua County | | | | 82 | 6.2 | 0.71 0.70 0.09 |
| China, Kunshan City | | | | 149 | 4.7 | 0.39 0.55 0.05 |
| China, Langzhong City | | | | 56 | 3.0 | 0.40 0.35 0.05 |
| *China, Liangshan County | | | | 162 | 5.5 | 0.44 0.62 0.05 |
| *China, Lianshui County | | | | 92 | 2.4 | 0.25 0.26 0.03 |
| China, Lianyungang City | | | | 181 | 4.9 | 0.37 0.57 0.04 |
| China, Linhe District, Bayannur City | | | | 70 | 5.0 | 0.61 0.61 0.08 |
| China, Linqu County | | | | 193 | 5.5 | 0.40 0.66 0.05 |
| *China, Linzhou City | | | | 208 | 5.5 | 0.39 0.62 0.05 |
| China, Liuzhou City | | | | 354 | 9.4 | 0.51 1.07 0.06 |
| China, Liyang City | | | | 94 | 2.7 | 0.29 0.28 0.03 |
| *China, Longquan City | | | | 48 | 5.2 | 0.77 0.60 0.10 |
| China, Lucheng District, Wenzhou City | | | | 93 | 4.9 | 0.52 0.55 0.06 |
| China, Luoding City | | | | 109 | 5.0 | 0.48 0.56 0.06 |
| *China, Luohe City | | | | 244 | 5.9 | 0.39 0.68 0.05 |
| *China, Luoyang City | | | | 269 | 6.4 | 0.40 0.72 0.05 |
| *China, Luquan City | | | | 102 | 8.7 | 0.88 1.05 0.11 |
| China, Ma'anshan City | | | | 120 | 5.6 | 0.53 0.63 0.06 |
| *China, Macheng City | | | | 106 | 4.4 | 0.43 0.52 0.05 |
| China, Meihekou City | | | | 98 | 3.9 | 0.41 0.46 0.05 |
| *China, Mengjin County | | | | 82 | 7.2 | 0.80 0.81 0.10 |
| China, Nangang District, Harbin City | | | | 252 | 5.8 | 0.37 0.67 0.05 |
| *China, Nanhai District, Foshan City | | | | 308 | 10.7 | 0.62 1.18 0.07 |
| China, Nanhu District, Jiaying City | | | | 141 | 5.9 | 0.52 0.68 0.06 |
| *China, Nantong City | | | | 257 | 5.2 | 0.33 0.56 0.04 |
| *China, Nanxiong City | | | | 107 | 6.9 | 0.67 0.75 0.08 |
| China, Neixiang County | | | | 154 | 7.1 | 0.59 0.76 0.06 |
| *China, Qianxi County | | | | 98 | 6.9 | 0.72 0.80 0.09 |
| China, Qidong City | | | | 252 | 4.4 | 0.29 0.49 0.03 |
| China, Qingzhou City | | | | 250 | 7.9 | 0.51 0.97 0.07 |
| *China, Rudong County | | | | 196 | 3.7 | 0.28 0.41 0.03 |
| *China, Rugao City | | | | 259 | 4.0 | 0.26 0.45 0.03 |
| *China, Rural areas of Shanghai City | | | | 1877 | 4.7 | 0.11 0.52 0.01 |
| China, Ruyang County | | | | 51 | 4.4 | 0.63 0.54 0.09 |
| *China, Shan County | | | | 93 | 4.0 | 0.42 0.41 0.05 |
| China, Shanghai City | | | | 1816 | 5.8 | 0.15 0.66 0.02 |
| China, Shanyu District, Shaoxing City | | | | 155 | 4.6 | 0.38 0.53 0.05 |
| *China, Shapingba District, Chongqing City | | | | 182 | 5.4 | 0.41 0.64 0.05 |
| China, Shexian County | | | | 47 | 3.3 | 0.48 0.35 0.05 |
| China, Sheyang County | | | | 118 | 3.0 | 0.28 0.35 0.03 |
| *China, Shijiazhuang City | | | | 405 | 8.3 | 0.42 0.96 0.05 |
| China, Shunde District, Foshan City | | | | 474 | 12.2 | 0.56 1.32 0.06 |
| *China, Song County | | | | 66 | 4.2 | 0.53 0.47 0.07 |
| China, Suzhou City | | | | 610 | 4.1 | 0.17 0.47 0.02 |
| *China, Tengzhou City | | | | 309 | 5.5 | 0.32 0.61 0.04 |
| *China, Wangdu County | | | | 75 | 10.7 | 1.25 1.18 0.14 |
| *China, Wanzai County | | | | 61 | 5.3 | 0.69 0.58 0.09 |
| *China, Wu'an City | | | | 178 | 6.9 | 0.53 0.76 0.06 |
| China, Wuhan City | | | | 1223 | 5.9 | 0.17 0.68 0.02 |
| *China, Wuhu City | | | | 180 | 3.7 | 0.29 0.41 0.03 |
| China, Wuxi City | | | | 708 | 6.5 | 0.25 0.77 0.03 |
| China, Wuzhou City | | | | 146 | 8.5 | 0.71 0.95 0.08 |
| China, Xiangfu District, Kaifeng City | | | | 134 | 6.6 | 0.58 0.77 0.07 |
| China, Xianju County | | | | 80 | 4.1 | 0.46 0.47 0.06 |
| *China, Xin'an County | | | | 65 | 6.2 | 0.78 0.66 0.09 |
| *China, Xining City | | | | 112 | 4.6 | 0.44 0.48 0.05 |
| *China, Xinji City | | | | 178 | 7.0 | 0.54 0.84 0.07 |
| *China, Xinluo District, Longyan City | | | | 69 | 6.1 | 0.74 0.68 0.09 |
| *China, Xinzhou District, Shangrao City | | | | 68 | 4.9 | 0.60 0.54 0.07 |
| China, Xiping County | | | | 111 | 4.0 | 0.38 0.48 0.05 |
| *China, Xishan District, Kunming City | | | | 46 | 3.0 | 0.46 0.36 0.06 |
| *China, Xuyi County | | | | 69 | 3.0 | 0.36 0.36 0.05 |
| *China, Ya'an City | | | | 276 | 5.4 | 0.33 0.61 0.04 |
| *China, Yakeshi City | | | | 119 | 7.6 | 0.74 0.80 0.08 |
| China, Yancheng City | | | | 118 | 2.1 | 0.20 0.23 0.02 |
| *China, Yangquan City | | | | 132 | 5.8 | 0.51 0.70 0.07 |
| *China, Yangzhong City | | | | 42 | 3.2 | 0.51 0.37 0.06 |
| *China, Yanji City | | | | 69 | 2.9 | 0.35 0.35 0.05 |
| *China, Yanshi City | | | | 168 | 7.2 | 0.56 0.81 0.07 |
| China, Yanting County | | | | 77 | 4.1 | 0.47 0.44 0.06 |
| *China, Yi'an District, Tongling City | | | | 45 | 4.8 | 0.73 0.51 0.08 |
| *China, Yingdong District, Fuyang City | | | | 78 | 3.8 | 0.44 0.41 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | | | | 36 | 3.8 | 0.64 | 0.46 | 0.08 |
| *China, Yiyuan County | | | | 101 | 5.0 | 0.51 | 0.57 | 0.06 |
| China, Yong'an City | | | | 62 | 5.2 | 0.67 | 0.63 | 0.09 |
| *China, Yongding District, Longyan City | | | | 54 | 3.4 | 0.46 | 0.37 | 0.05 |
| China, Yongkang City | | | | 141 | 6.2 | 0.53 | 0.69 | 0.06 |
| *China, Yucheng County | | | | 491 | 25.2 | 1.15 | 2.40 | 0.12 |
| China, Yueyanglou District, Yueyang City | | | | 32 | 2.9 | 0.53 | 0.36 | 0.07 |
| China, Yunmeng County | | | | 160 | 9.2 | 0.73 | 1.00 | 0.09 |
| *China, Yunyang District, Shiyang City | | | | 32 | 3.2 | 0.58 | 0.38 | 0.07 |
| China, Yuzhong District, Chongqing City | | | | 123 | 5.5 | 0.52 | 0.69 | 0.07 |
| *China, Zhanhuang County | | | | 54 | 6.7 | 0.92 | 0.73 | 0.10 |
| *China, Zhangjiagang City | | | | 250 | 5.9 | 0.38 | 0.65 | 0.04 |
| *China, Zhaoyuan City | | | | 198 | 7.6 | 0.56 | 0.88 | 0.07 |
| *China, Zhengding County | | | | 100 | 7.3 | 0.74 | 0.78 | 0.08 |
| *China, Zhongshan City | | | | 951 | 17.0 | 0.55 | 1.84 | 0.06 |
| China, Zhongxiang City | | | | 76 | 2.0 | 0.24 | 0.22 | 0.03 |
| *China, Zhuanghe City | | | | 236 | 5.8 | 0.39 | 0.65 | 0.05 |
| *China, Zhuhai City | | | | 331 | 8.6 | 0.48 | 0.95 | 0.06 |
| India, Ahmedabad, Urban | | | | 253 | 2.3 | 0.15 | 0.30 | 0.02 |
| India, Aurangabad | | | | 61 | 2.4 | 0.31 | 0.33 | 0.05 |
| India, Bangalore | | | | 691 | 6.5 | 0.25 | 0.84 | 0.04 |
| India, Barshi, Paranda, and Bhum | | | | 11 | 0.8 | 0.24 | 0.11 | 0.03 |
| *India, Bhopal | | | | 78 | 3.3 | 0.38 | 0.41 | 0.05 |
| India, Chandigarh | | | | 136 | 6.7 | 0.59 | 0.85 | 0.09 |
| *India, Chennai | | | | 843 | 6.7 | 0.23 | 0.87 | 0.03 |
| India, Dibrugarh | | | | 40 | 1.3 | 0.22 | 0.17 | 0.03 |
| *India, Dindigul, Ambilikai | | | | 157 | 2.5 | 0.20 | 0.30 | 0.03 |
| India, Kamrup Urban District | | | | 96 | 4.2 | 0.45 | 0.49 | 0.06 |
| India, Kollam | | | | 263 | 3.5 | 0.22 | 0.43 | 0.03 |
| *India, Manipur | | | | 29 | 0.6 | 0.11 | 0.07 | 0.02 |
| India, Meghalaya | | | | 24 | 0.8 | 0.17 | 0.10 | 0.02 |
| India, Mizoram | | | | 50 | 2.6 | 0.38 | 0.31 | 0.05 |
| India, Mumbai | | | | 1419 | 4.8 | 0.13 | 0.62 | 0.02 |
| *India, New Delhi | | | | 1203 | 6.1 | 0.18 | 0.79 | 0.03 |
| India, Poona | | | | 499 | 4.4 | 0.20 | 0.57 | 0.03 |
| *India, Sangrur District | | | | 50 | 2.1 | 0.29 | 0.27 | 0.04 |
| India, SAS Nagar | | | | 101 | 4.6 | 0.47 | 0.56 | 0.06 |
| *India, Tamil Nadu | | | | 5744 | 2.7 | 0.04 | 0.34 | 0.00 |
| *India, Tripura | | | | 38 | 0.6 | 0.09 | 0.06 | 0.01 |
| India, Trivandrum | | | | 565 | 6.1 | 0.26 | 0.76 | 0.04 |
| India, Wardha | | | | 60 | 1.6 | 0.21 | 0.20 | 0.03 |
| India, West Arunachal | | | | 3 | 0.5 | 0.27 | 0.08 | 0.05 |
| *Iran (Islamic Republic of), Ardabil Province | | | | 44 | 2.5 | 0.38 | 0.31 | 0.05 |
| *Iran (Islamic Republic of), Golestan Province | | | | 88 | 3.7 | 0.41 | 0.48 | 0.06 |
| Israel | | | | 3912 | 13.9 | 0.23 | 1.82 | 0.03 |
| *Israel: Jews | | | | 3229 | 13.6 | 0.25 | 1.79 | 0.04 |
| *Israel: Arabs | | | | 411 | 13.3 | 0.67 | 1.73 | 0.10 |
| Japan | | | | 42110 | 12.3 | 0.07 | 1.38 | 0.01 |
| Japan, Aichi Prefecture | | | | 2104 | 11.3 | 0.27 | 1.29 | 0.03 |
| *Japan, Akita Prefecture | | | | 436 | 13.8 | 0.79 | 1.54 | 0.08 |
| Japan, Aomori Prefecture | | | | 1013 | 16.0 | 0.58 | 1.74 | 0.06 |
| Japan, Gunma Prefecture | | | | 661 | 12.8 | 0.56 | 1.43 | 0.06 |
| Japan, Hiroshima Prefecture | | | | 1362 | 13.7 | 0.42 | 1.51 | 0.05 |
| Japan, Miyagi Prefecture | | | | 1344 | 13.0 | 0.39 | 1.44 | 0.04 |
| Japan, Osaka Prefecture | | | | 2940 | 12.6 | 0.26 | 1.41 | 0.03 |
| Kuwait | | | | 426 | 10.0 | 0.53 | 1.37 | 0.09 |
| *Kuwait: Kuwaitis | | | | 272 | 12.4 | 0.77 | 1.69 | 0.12 |
| *Kuwait: Non-Kuwaitis | | | | 154 | 6.3 | 0.66 | 0.86 | 0.11 |
| *Philippines, Manila | | | | 1390 | 9.6 | 0.26 | 1.16 | 0.04 |
| *Qatar: Qatari | | | | 59 | 13.7 | 1.85 | 1.70 | 0.26 |
| Republic of Korea | | | | 12774 | 6.5 | 0.06 | 0.70 | 0.01 |
| *Republic of Korea, Busan | | | | 903 | 6.0 | 0.21 | 0.65 | 0.02 |
| *Republic of Korea, Daegu | | | | 601 | 5.9 | 0.25 | 0.65 | 0.03 |
| *Republic of Korea, Daejeon | | | | 348 | 6.1 | 0.34 | 0.67 | 0.04 |
| *Republic of Korea, Gwangju | | | | 345 | 6.3 | 0.35 | 0.69 | 0.04 |
| Republic of Korea, Incheon | | | | 715 | 6.4 | 0.25 | 0.69 | 0.03 |
| Republic of Korea, Jeju | | | | 118 | 4.8 | 0.46 | 0.53 | 0.05 |
| Republic of Korea, Seoul | | | | 2935 | 7.5 | 0.14 | 0.82 | 0.02 |
| Republic of Korea, Ulsan | | | | 267 | 6.2 | 0.39 | 0.68 | 0.05 |
| Singapore | | | | 2609 | 16.9 | 0.34 | 1.91 | 0.04 |
| Singapore: Chinese | | | | 2075 | 17.1 | 0.38 | 1.91 | 0.05 |
| Singapore: Indian | | | | 193 | 17.5 | 1.28 | 2.23 | 0.19 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | 301 | 17.5 | 1.03 | 1.91 | 0.13 |
| Thailand, Bangkok | | | | 1349 | 6.2 | 0.17 | 0.77 | 0.02 |
| *Thailand, Chiang Mai | | | | 363 | 5.5 | 0.30 | 0.64 | 0.04 |
| *Thailand, Khon Kaen | | | | 306 | 4.5 | 0.26 | 0.53 | 0.03 |
| Thailand, Lampang | | | | 169 | 5.1 | 0.40 | 0.63 | 0.05 |
| Thailand, Lopburi Province | | | | 204 | 7.8 | 0.55 | 0.86 | 0.07 |
| *Thailand, Songkhla | | | | 253 | 5.5 | 0.35 | 0.69 | 0.05 |
| Turkey, Antalya | | | | 723 | 11.1 | 0.42 | 1.35 | 0.06 |
| Turkey, Bursa | | | | 1056 | 12.3 | 0.38 | 1.55 | 0.05 |
| *Turkey, Edirne | | | | 200 | 12.9 | 0.93 | 1.70 | 0.13 |
| *Turkey, Erzurum | | | | 98 | 5.1 | 0.52 | 0.65 | 0.07 |
| Turkey, Eskişehir | | | | 447 | 15.4 | 0.74 | 1.91 | 0.10 |
| Turkey, Gaziantep | | | | 312 | 8.5 | 0.49 | 1.08 | 0.07 |
| *Turkey, Izmir | | | | 1642 | 11.5 | 0.29 | 1.45 | 0.04 |
| Turkey, Malatya | | | | 196 | 8.9 | 0.64 | 1.11 | 0.09 |
| Turkey, Samsun | | | | 459 | 10.5 | 0.50 | 1.30 | 0.07 |
| Turkey, Trabzon | | | | 272 | 10.1 | 0.63 | 1.22 | 0.08 |
| Europe | | | | | | | | |
| Austria | | | | 4597 | 10.0 | 0.16 | 1.25 | 0.02 |
| Austria, Carinthia | | | | 374 | 11.1 | 0.64 | 1.38 | 0.09 |
| Austria, Tyrol | | | | 367 | 9.5 | 0.54 | 1.18 | 0.08 |
| Austria, Vorarlberg | | | | 197 | 10.7 | 0.81 | 1.40 | 0.12 |
| Belarus | | | | 10316 | 23.1 | 0.24 | 2.88 | 0.03 |
| *Belgium | | | | 7153 | 11.6 | 0.15 | 1.51 | 0.02 |
| Croatia | | | | 3491 | 15.9 | 0.29 | 1.99 | 0.04 |
| Cyprus | | | | 554 | 15.3 | 0.68 | 1.91 | 0.09 |
| *Czech Republic | | | | 9716 | 17.8 | 0.19 | 2.25 | 0.03 |
| Denmark | | | | 4019 | 13.5 | 0.23 | 1.72 | 0.03 |
| Estonia | | | | 1184 | 16.5 | 0.53 | 2.01 | 0.07 |
| Finland | | | | 4375 | 13.2 | 0.22 | 1.67 | 0.03 |
| *France, Bas-Rhin | | | | 628 | 13.9 | 0.60 | 1.83 | 0.09 |
| *France, Calvados | | | | 460 | 11.2 | 0.58 | 1.52 | 0.09 |
| *France, Doubs | | | | 326 | 11.8 | 0.71 | 1.57 | 0.11 |
| *France, Gironde | | | | 861 | 10.4 | 0.39 | 1.33 | 0.06 |
| *France, Haut-Rhin | | | | 515 | 12.4 | 0.60 | 1.61 | 0.09 |
| *France, Hérault | | | | 638 | 9.4 | 0.42 | 1.18 | 0.06 |
| *France, Isère | | | | 633 | 10.2 | 0.44 | 1.35 | 0.06 |
| *France, Lille-Métropole | | | | 413 | 11.3 | 0.60 | 1.48 | 0.09 |
| *France, Limousin | | | | 225 | 9.4 | 0.71 | 1.26 | 0.10 |
| *France, Loire-Atlantique | | | | 700 | 10.1 | 0.42 | 1.33 | 0.06 |
| *France, Manche | | | | 325 | 10.6 | 0.66 | 1.41 | 0.10 |
| *France, Poitou-Charentes | | | | 1170 | 10.2 | 0.34 | 1.37 | 0.05 |
| *France, Somme | | | | 366 | 12.1 | 0.69 | 1.63 | 0.10 |
| *France, Tarn | | | | 288 | 11.6 | 0.78 | 1.51 | 0.11 |
| *France, Territoire de Belfort | | | | 75 | 12.8 | 1.62 | 1.54 | 0.22 |
| *France, Vendée | | | | 411 | 10.0 | 0.56 | 1.27 | 0.08 |
| Germany, Baden-Württemberg | | | | 4387 | 12.4 | 0.21 | 1.56 | 0.03 |
| Germany, Bavaria | | | | 8611 | 12.0 | 0.14 | 1.49 | 0.02 |
| Germany, Bremen | | | | 442 | 12.0 | 0.65 | 1.53 | 0.09 |
| Germany, Hamburg | | | | 1036 | 11.4 | 0.39 | 1.40 | 0.05 |
| Germany, Lower Saxony | | | | 5206 | 11.3 | 0.18 | 1.40 | 0.02 |
| Germany, North Rhine-Westphalia | | | | 10486 | 10.5 | 0.11 | 1.30 | 0.02 |
| Germany, Rhineland-Palatinate | | | | 2658 | 11.5 | 0.25 | 1.42 | 0.03 |
| Germany, Saarland | | | | 689 | 10.8 | 0.47 | 1.34 | 0.06 |
| Germany, Schleswig-Holstein | | | | 1883 | 10.8 | 0.28 | 1.31 | 0.04 |
| Iceland | | | | 187 | 14.4 | 1.10 | 1.88 | 0.16 |
| Ireland | | | | 2506 | 14.0 | 0.29 | 1.79 | 0.04 |
| *Italy, Aosta Valley | | | | 74 | 12.5 | 1.60 | 1.73 | 0.24 |
| *Italy, Avellino | | | | 161 | 13.1 | 1.11 | 1.66 | 0.15 |
| Italy, Basilicata | | | | 402 | 13.8 | 0.74 | 1.79 | 0.10 |
| *Italy, Benevento | | | | 160 | 14.6 | 1.26 | 1.84 | 0.16 |
| Italy, Bergamo | | | | 602 | 10.8 | 0.48 | 1.36 | 0.06 |
| *Italy, Brescia | | | | 676 | 11.4 | 0.48 | 1.49 | 0.07 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | 495 | 13.1 | 0.65 | 1.65 | 0.09 |
| Italy, Calabria | | | | 309 | 11.7 | 0.71 | 1.50 | 0.10 |
| *Italy, Caserta | | | | 397 | 12.1 | 0.64 | 1.49 | 0.09 |
| *Italy, Catania, Messina, and Enna | | | | 1257 | 13.3 | 0.40 | 1.65 | 0.05 |
| Italy, Emilia-Romagna | | | | 2853 | 14.1 | 0.29 | 1.79 | 0.04 |
| Italy, Friuli-Venezia Giulia | | | | 1081 | 14.9 | 0.51 | 1.94 | 0.07 |
| Italy, Genova | | | | 561 | 12.0 | 0.59 | 1.48 | 0.08 |
| *Italy, Lombardy, South, Pavia | | | | 445 | 14.5 | 0.77 | 1.82 | 0.10 |
| Italy, Mantova and Cremona | | | | 466 | 13.6 | 0.70 | 1.68 | 0.09 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|-------------------------------------|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | 848 | 12.5 | 0.48 | 1.52 | 0.06 |
| Italy, Milan | | | | 2050 | 10.7 | 0.26 | 1.38 | 0.04 |
| Italy, Molise | | | | 128 | 13.7 | 1.33 | 1.77 | 0.18 |
| *Italy, Naples Centre | | | | 321 | 11.2 | 0.67 | 1.38 | 0.09 |
| *Italy, Naples North | | | | 389 | 11.7 | 0.61 | 1.47 | 0.08 |
| *Italy, Naples South | | | | 639 | 13.6 | 0.56 | 1.66 | 0.07 |
| *Italy, Nuoro | | | | 77 | 8.8 | 1.14 | 1.22 | 0.17 |
| *Italy, Palermo | | | | 710 | 11.7 | 0.47 | 1.47 | 0.06 |
| Italy, Puglia | | | | 2618 | 12.6 | 0.27 | 1.58 | 0.04 |
| *Italy, Ragusa and Caltanissetta | | | | 361 | 12.8 | 0.72 | 1.63 | 0.10 |
| *Italy, Salerno | | | | 505 | 11.7 | 0.56 | 1.47 | 0.08 |
| Italy, Sassari | | | | 114 | 10.7 | 1.08 | 1.37 | 0.14 |
| *Italy, Sondrio | | | | 134 | 12.2 | 1.15 | 1.53 | 0.15 |
| Italy, South Tyrol | | | | 310 | 11.6 | 0.72 | 1.49 | 0.10 |
| *Italy, Syracuse | | | | 238 | 12.3 | 0.85 | 1.54 | 0.11 |
| Italy, Trento | | | | 414 | 14.4 | 0.78 | 1.82 | 0.11 |
| Italy, Turin | | | | 1535 | 11.3 | 0.32 | 1.43 | 0.04 |
| *Italy, Tuscany | | | | 1654 | 14.1 | 0.39 | 1.78 | 0.05 |
| Italy, Umbria | | | | 518 | 12.6 | 0.63 | 1.57 | 0.08 |
| Italy, Varese | | | | 301 | 10.1 | 0.64 | 1.33 | 0.09 |
| Italy, Veneto | | | | 3296 | 12.7 | 0.24 | 1.60 | 0.03 |
| Latvia | | | | 1811 | 15.9 | 0.41 | 1.99 | 0.05 |
| *Liechtenstein | | | | 21 | 10.1 | 2.31 | 1.41 | 0.37 |
| *Lithuania | | | | 3130 | 19.8 | 0.39 | 2.43 | 0.05 |
| Malta | | | | 373 | 17.2 | 0.96 | 2.12 | 0.12 |
| *The Netherlands | | | | 10092 | 11.4 | 0.12 | 1.48 | 0.02 |
| Norway | | | | 3779 | 15.8 | 0.28 | 1.99 | 0.04 |
| Poland, Kielce | | | | 1099 | 17.3 | 0.56 | 2.26 | 0.08 |
| *Portugal, Azores | | | | 102 | 12.5 | 1.30 | 1.60 | 0.18 |
| Russian Federation, Arkhangelsk | | | | 952 | 16.5 | 0.56 | 2.04 | 0.08 |
| Russian Federation, Kaliningrad | | | | 811 | 17.1 | 0.63 | 2.19 | 0.09 |
| Russian Federation, Karelia | | | | 592 | 18.7 | 0.81 | 2.26 | 0.10 |
| *Russian Federation, Komi Republic | | | | 620 | 16.2 | 0.68 | 2.01 | 0.09 |
| Russian Federation, Murmansk | | | | 686 | 19.8 | 0.78 | 2.38 | 0.10 |
| *Russian Federation, Orenburg | | | | 2048 | 22.0 | 0.51 | 2.70 | 0.07 |
| Russian Federation, Pskov | | | | 702 | 19.4 | 0.79 | 2.39 | 0.10 |
| *Russian Federation, Samara | | | | 3410 | 20.8 | 0.37 | 2.64 | 0.05 |
| Russian Federation, Vologda Region | | | | 932 | 15.9 | 0.55 | 1.88 | 0.06 |
| Slovenia | | | | 1742 | 15.9 | 0.41 | 1.98 | 0.06 |
| Spain, Asturias | | | | 524 | 13.4 | 0.66 | 1.70 | 0.09 |
| Spain, Basque Country | | | | 1293 | 13.7 | 0.42 | 1.72 | 0.06 |
| Spain, Canary Islands | | | | 783 | 12.2 | 0.46 | 1.50 | 0.06 |
| Spain, Castellón | | | | 351 | 12.1 | 0.70 | 1.53 | 0.10 |
| Spain, Girona | | | | 399 | 11.4 | 0.62 | 1.44 | 0.09 |
| Spain, Granada | | | | 668 | 16.2 | 0.67 | 2.05 | 0.09 |
| Spain, La Rioja | | | | 190 | 11.6 | 0.95 | 1.38 | 0.12 |
| Spain, Murcia | | | | 925 | 15.2 | 0.53 | 1.90 | 0.07 |
| Spain, Navarra | | | | 373 | 14.5 | 0.83 | 1.79 | 0.11 |
| Spain, Salamanca | | | | 273 | 13.7 | 0.95 | 1.68 | 0.13 |
| Spain, Tarragona | | | | 470 | 12.6 | 0.63 | 1.58 | 0.09 |
| *Sweden | | | | 6927 | 12.7 | 0.17 | 1.60 | 0.02 |
| Switzerland, Aargau | | | | 318 | 9.6 | 0.58 | 1.16 | 0.08 |
| Switzerland, Basel | | | | 314 | 12.1 | 0.76 | 1.53 | 0.10 |
| Switzerland, Berne Solothurn | | | | 437 | 9.6 | 0.50 | 1.22 | 0.07 |
| Switzerland, East | | | | 459 | 11.3 | 0.57 | 1.41 | 0.08 |
| *Switzerland, Fribourg | | | | 103 | 7.8 | 0.80 | 0.91 | 0.11 |
| Switzerland, Geneva | | | | 257 | 10.7 | 0.73 | 1.32 | 0.10 |
| *Switzerland, Graubünden and Glarus | | | | 157 | 12.5 | 1.07 | 1.70 | 0.16 |
| *Switzerland, Lucerne | | | | 257 | 10.4 | 0.70 | 1.31 | 0.10 |
| *Switzerland, Neuchâtel and Jura | | | | 159 | 11.7 | 1.04 | 1.40 | 0.14 |
| Switzerland, Ticino | | | | 241 | 12.4 | 0.88 | 1.52 | 0.12 |
| Switzerland, Valais | | | | 208 | 12.2 | 0.90 | 1.55 | 0.13 |
| Switzerland, Vaud | | | | 445 | 11.6 | 0.60 | 1.45 | 0.09 |
| Switzerland, Zurich and Zug | | | | 772 | 10.1 | 0.39 | 1.25 | 0.05 |
| Ukraine | | | | 32768 | 19.3 | 0.11 | 2.39 | 0.01 |
| UK, England | | | | 38079 | 14.5 | 0.08 | 1.83 | 0.01 |
| UK, Northern Ireland | | | | 1228 | 15.1 | 0.46 | 1.89 | 0.06 |
| UK, Scotland | | | | 3913 | 14.0 | 0.24 | 1.78 | 0.03 |
| UK, Wales | | | | 2613 | 16.2 | 0.35 | 2.04 | 0.05 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | 4196 | 12.5 | 0.20 | 1.58 | 0.03 |
| *Australia, Northern Territory | | | | 106 | 16.0 | 1.57 | 1.88 | 0.22 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Corpus uteri (C54) (contd)

| | Male | | | Female | | |
|--|-------|-------------|-------------|--------|-------------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 76 | 14.8 | <i>1.72</i> | 1.71 | <i>0.23</i> | |
| *Australia, Northern Territory: Indigenous | 30 | 19.9 | <i>3.80</i> | 2.51 | <i>0.59</i> | |
| *Australia, Queensland | 2494 | 12.9 | <i>0.27</i> | 1.63 | <i>0.04</i> | |
| Australia, South Australia | 1095 | 13.7 | <i>0.44</i> | 1.73 | <i>0.06</i> | |
| Australia, Tasmania | 271 | 10.4 | <i>0.67</i> | 1.31 | <i>0.09</i> | |
| *Australia, Victoria | 3611 | 14.5 | <i>0.25</i> | 1.80 | <i>0.03</i> | |
| *Australia, Western Australia | 1182 | 12.0 | <i>0.36</i> | 1.49 | <i>0.05</i> | |
| *France, New Caledonia | 168 | 20.9 | <i>1.64</i> | 2.65 | <i>0.23</i> | |
| New Zealand | 2720 | 14.5 | <i>0.29</i> | 1.76 | <i>0.04</i> | |
| *New Zealand: Maori | 410 | 22.7 | <i>1.13</i> | 2.86 | <i>0.16</i> | |
| *New Zealand: Pacific peoples | 382 | 52.5 | <i>2.71</i> | 5.98 | <i>0.35</i> | |
| *New Zealand: Other | 1749 | 11.2 | <i>0.29</i> | 1.41 | <i>0.04</i> | |
| USA, Hawaii | 1393 | 24.8 | <i>0.70</i> | 2.91 | <i>0.08</i> | |
| USA, Hawaii: White | 308 | 18.1 | <i>1.11</i> | 2.27 | <i>0.14</i> | |
| *USA, Hawaii: Japanese | 267 | 23.2 | <i>1.66</i> | 2.70 | <i>0.19</i> | |
| *USA, Hawaii: Chinese | 82 | 21.7 | <i>2.59</i> | 2.42 | <i>0.30</i> | |
| *USA, Hawaii: Hawaiian | 297 | 32.6 | <i>1.92</i> | 3.95 | <i>0.25</i> | |
| *USA, Hawaii: Filipino | 226 | 21.9 | <i>1.51</i> | 2.54 | <i>0.18</i> | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| *Algeria, Tizi Ouzou | | | | 16 | 1.0 | 0.26 | 0.12 | 0.03 |
| *Benin, Cotonou | | | | 5 | 0.6 | 0.29 | 0.07 | 0.03 |
| *France, La Réunion | | | | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Kenya, Eldoret | | | | 9 | 0.8 | 0.27 | 0.07 | 0.03 |
| *Kenya, Nairobi | | | | 31 | 1.4 | 0.31 | 0.19 | 0.05 |
| Mauritius | | | | 102 | 2.3 | 0.23 | 0.24 | 0.03 |
| *Morocco, Casablanca | | | | 142 | 1.2 | 0.11 | 0.15 | 0.01 |
| *Seychelles | | | | 7 | 1.8 | 0.71 | 0.18 | 0.11 |
| *South Africa, Eastern Cape | | | | 13 | 0.8 | 0.24 | 0.07 | 0.02 |
| *Uganda, Kyadondo County | | | | 16 | 0.6 | 0.20 | 0.07 | 0.03 |
| *Uganda, Gulu | | | | 9 | 1.4 | 0.49 | 0.15 | 0.07 |
| *Zimbabwe, Bulawayo: African | | | | 16 | 1.7 | 0.44 | 0.25 | 0.08 |
| *Zimbabwe, Harare: African | | | | 24 | 1.5 | 0.31 | 0.21 | 0.05 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | | | | 51 | 1.8 | 0.27 | 0.19 | 0.03 |
| *Argentina, Mendoza | | | | 116 | 1.8 | 0.18 | 0.19 | 0.02 |
| Brazil, Aracaju | | | | 8 | 0.4 | 0.15 | 0.02 | 0.01 |
| *Brazil, Barretos | | | | 7 | 0.4 | 0.15 | 0.03 | 0.02 |
| Brazil, Belo Horizonte | | | | 59 | 0.5 | 0.07 | 0.05 | 0.01 |
| *Brazil, Campinas | | | | 38 | 1.3 | 0.21 | 0.15 | 0.03 |
| *Brazil, Curitiba | | | | 45 | 0.9 | 0.13 | 0.09 | 0.02 |
| Brazil, Goiânia | | | | 31 | 0.9 | 0.17 | 0.12 | 0.02 |
| *Brazil, Jaú | | | | 2 | 0.5 | 0.34 | 0.06 | 0.04 |
| Brazil, João Pessoa | | | | 71 | 4.6 | 0.55 | 0.46 | 0.07 |
| Brazil, Recife | | | | 58 | 1.4 | 0.19 | 0.15 | 0.03 |
| Chile, Region of Antofagasta | | | | 1 | 0.1 | 0.11 | 0.03 | 0.03 |
| Chile, Valdivia | | | | 3 | 0.2 | 0.11 | 0.02 | 0.02 |
| Colombia, Bucaramanga | | | | 35 | 0.9 | 0.16 | 0.09 | 0.02 |
| Colombia, Cali | | | | 74 | 0.9 | 0.11 | 0.11 | 0.01 |
| Colombia, Manizales | | | | 36 | 2.2 | 0.37 | 0.26 | 0.05 |
| Colombia, Pasto | | | | 4 | 0.2 | 0.11 | 0.01 | 0.01 |
| Costa Rica | | | | 53 | 0.5 | 0.07 | 0.06 | 0.01 |
| Ecuador, Guayaquil | | | | 53 | 0.8 | 0.12 | 0.09 | 0.02 |
| Ecuador, Manabí | | | | 33 | 0.9 | 0.15 | 0.08 | 0.02 |
| Ecuador, Quito | | | | 47 | 0.9 | 0.13 | 0.08 | 0.01 |
| *France, Guadeloupe | | | | 17 | 0.9 | 0.24 | 0.09 | 0.03 |
| *France, Martinique | | | | 6 | 0.3 | 0.13 | 0.04 | 0.02 |
| *Peru, Lima | | | | 162 | 0.9 | 0.08 | 0.09 | 0.01 |
| *Trinidad and Tobago | | | | 30 | 1.1 | 0.20 | 0.13 | 0.03 |
| USA, Puerto Rico | | | | 112 | 0.6 | 0.07 | 0.07 | 0.01 |
| *Uruguay | | | | 211 | 1.2 | 0.09 | 0.12 | 0.01 |
| North America | | | | | | | | |
| Canada, Alberta | | | | 30 | 0.1 | 0.03 | 0.01 | 0.00 |
| Canada, British Columbia | | | | 81 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Canada, Manitoba | | | | 22 | 0.4 | 0.10 | 0.04 | 0.01 |
| *Canada, New Brunswick | | | | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Canada, Newfoundland and Labrador | | | | 14 | 0.6 | 0.16 | 0.06 | 0.02 |
| Canada, Ontario | | | | 289 | 0.4 | 0.03 | 0.04 | 0.00 |
| *Canada, Prince Edward Island | | | | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| Canada, Quebec | | | | 217 | 0.4 | 0.03 | 0.04 | 0.00 |
| Canada, Saskatchewan | | | | 21 | 0.3 | 0.08 | 0.03 | 0.01 |
| *Canada, Yukon | | | | 0 | – | 0.00 | – | 0.00 |
| USA | | | | 9086 | 0.6 | 0.01 | 0.07 | 0.00 |
| USA: White | | | | 6593 | 0.5 | 0.01 | 0.06 | 0.00 |
| USA: Black | | | | 2079 | 1.2 | 0.03 | 0.15 | 0.00 |
| USA, NPCR | | | | 8809 | 0.6 | 0.01 | 0.07 | 0.00 |
| USA, NPCR: White | | | | 6374 | 0.5 | 0.01 | 0.06 | 0.00 |
| USA, NPCR: Black | | | | 2053 | 1.2 | 0.03 | 0.15 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | | | | 290 | 0.4 | 0.02 | 0.04 | 0.00 |
| USA, NPCR: American Indian | | | | 49 | 0.4 | 0.06 | 0.04 | 0.01 |
| *USA, SEER (18 registries) | | | | 2286 | 0.6 | 0.01 | 0.06 | 0.00 |
| *USA, SEER (18 registries): White | | | | 1624 | 0.5 | 0.01 | 0.06 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | 1235 | 0.4 | 0.01 | 0.05 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | | | | 389 | 0.8 | 0.04 | 0.09 | 0.01 |
| *USA, SEER (18 registries): Black | | | | 469 | 1.1 | 0.05 | 0.14 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | 158 | 0.4 | 0.03 | 0.04 | 0.00 |
| *USA, SEER (9 registries) | | | | 620 | 0.4 | 0.02 | 0.05 | 0.00 |
| *USA, SEER (9 registries): White | | | | 420 | 0.4 | 0.02 | 0.04 | 0.00 |
| *USA, SEER (9 registries): Black | | | | 138 | 1.0 | 0.08 | 0.11 | 0.01 |
| USA, Alabama | | | | 167 | 0.8 | 0.07 | 0.08 | 0.01 |
| USA, Alabama: White | | | | 86 | 0.6 | 0.07 | 0.06 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | | | | 79 | 1.5 | 0.17 | 0.18 | 0.02 |
| USA, Alaska | | | | 14 | 0.5 | 0.14 | 0.05 | 0.02 |
| *USA, Alaska: Alaska Natives | | | | 1 | 0.3 | 0.32 | 0.02 | 0.02 |
| USA, Arizona | | | | 233 | 0.8 | 0.06 | 0.08 | 0.01 |
| USA, Arizona: White | | | | 199 | 0.7 | 0.06 | 0.08 | 0.01 |
| USA, Arizona: Black | | | | 15 | 1.6 | 0.41 | 0.20 | 0.06 |
| *USA, Arizona: Asian and Pacific Islander | | | | 6 | 0.6 | 0.25 | 0.06 | 0.03 |
| USA, Arizona: American Indian | | | | 12 | 1.1 | 0.31 | 0.11 | 0.04 |
| USA, Arkansas | | | | 79 | 0.5 | 0.06 | 0.05 | 0.01 |
| USA, Arkansas: White | | | | 58 | 0.4 | 0.06 | 0.04 | 0.01 |
| USA, Arkansas: Black | | | | 19 | 1.0 | 0.25 | 0.11 | 0.03 |
| USA, California | | | | 1057 | 0.6 | 0.02 | 0.07 | 0.00 |
| USA, California: White | | | | 786 | 0.6 | 0.02 | 0.07 | 0.00 |
| USA, California: Black | | | | 146 | 1.4 | 0.12 | 0.18 | 0.02 |
| USA, California: Asian and Pacific Islander | | | | 115 | 0.4 | 0.04 | 0.05 | 0.01 |
| *USA, California, Los Angeles County | | | | 367 | 0.9 | 0.05 | 0.10 | 0.01 |
| *USA, California, Los Angeles County: White | | | | 245 | 0.9 | 0.06 | 0.10 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | | | | 131 | 0.8 | 0.08 | 0.10 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | | | | 114 | 0.8 | 0.08 | 0.10 | 0.01 |
| *USA, California, Los Angeles County: Black | | | | 73 | 1.7 | 0.21 | 0.22 | 0.03 |
| *USA, California, Los Angeles County: Chinese | | | | 11 | 0.4 | 0.13 | 0.04 | 0.01 |
| *USA, California, Los Angeles County: Filipino | | | | 17 | 0.9 | 0.23 | 0.09 | 0.03 |
| *USA, California, Los Angeles County: Korean | | | | 5 | 0.4 | 0.20 | 0.04 | 0.02 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | | | | 45 | 0.6 | 0.09 | 0.06 | 0.01 |
| *USA, California, San Francisco Bay Area | | | | 93 | 0.4 | 0.05 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area: White | | | | 52 | 0.3 | 0.05 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | | | | 40 | 0.3 | 0.06 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | | | | 12 | 0.5 | 0.14 | 0.05 | 0.02 |
| *USA, California, San Francisco Bay Area: Black | | | | 19 | 1.0 | 0.24 | 0.10 | 0.03 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | | | | 20 | 0.3 | 0.07 | 0.04 | 0.01 |
| USA, Colorado | | | | 20 | 0.1 | 0.01 | 0.00 | 0.00 |
| USA, Colorado: White | | | | 18 | 0.1 | 0.01 | 0.00 | 0.00 |
| *USA, Colorado: Black | | | | 2 | 0.2 | 0.12 | 0.00 | 0.00 |
| *USA, Colorado: Asian and Pacific Islander | | | | 0 | – | 0.00 | – | 0.00 |
| USA, Connecticut | | | | 115 | 0.6 | 0.06 | 0.07 | 0.01 |
| USA, Connecticut: White | | | | 91 | 0.5 | 0.06 | 0.07 | 0.01 |
| USA, Connecticut: Black | | | | 20 | 1.3 | 0.30 | 0.13 | 0.03 |
| USA, District of Columbia | | | | 32 | 1.4 | 0.26 | 0.17 | 0.03 |
| USA, District of Columbia: White | | | | 2 | 0.3 | 0.22 | 0.03 | 0.02 |
| USA, District of Columbia: Black | | | | 29 | 2.0 | 0.40 | 0.25 | 0.05 |
| USA, Florida | | | | 703 | 0.7 | 0.03 | 0.08 | 0.00 |
| USA, Florida: White | | | | 520 | 0.6 | 0.03 | 0.07 | 0.00 |
| USA, Florida: Black | | | | 165 | 1.3 | 0.10 | 0.17 | 0.01 |
| USA, Florida: Asian and Pacific Islander | | | | 13 | 0.5 | 0.14 | 0.03 | 0.01 |
| USA, Georgia | | | | 182 | 0.4 | 0.03 | 0.05 | 0.00 |
| USA, Georgia: White | | | | 98 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Georgia: Black | | | | 84 | 0.7 | 0.08 | 0.09 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | | | | 0 | – | 0.00 | – | 0.00 |
| *USA, Georgia, Atlanta | | | | 64 | 0.5 | 0.06 | 0.07 | 0.01 |
| *USA, Georgia, Atlanta: White | | | | 18 | 0.3 | 0.07 | 0.03 | 0.01 |
| *USA, Georgia, Atlanta: Black | | | | 46 | 0.9 | 0.13 | 0.13 | 0.02 |
| USA, Idaho | | | | 37 | 0.5 | 0.09 | 0.07 | 0.01 |
| USA, Indiana | | | | 57 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Indiana: White | | | | 51 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Indiana: Black | | | | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| *USA, Iowa | | | | 75 | 0.4 | 0.06 | 0.04 | 0.01 |
| USA, Kentucky | | | | 84 | 0.4 | 0.05 | 0.04 | 0.01 |
| USA, Louisiana | | | | 100 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Louisiana: White | | | | 41 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Louisiana: Black | | | | 58 | 1.0 | 0.14 | 0.14 | 0.02 |
| *USA, Louisiana, New Orleans | | | | 20 | 0.5 | 0.13 | 0.06 | 0.01 |
| *USA, Louisiana, New Orleans: White | | | | 6 | 0.2 | 0.09 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: Black | | | | 13 | 1.0 | 0.28 | 0.11 | 0.03 |
| USA, Maine | | | | 39 | 0.6 | 0.10 | 0.07 | 0.01 |
| USA, Maryland | | | | 199 | 0.7 | 0.06 | 0.09 | 0.01 |
| USA, Maryland: White | | | | 87 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Maryland: Black | | | | 108 | 1.4 | 0.14 | 0.16 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | | | | 4 | 0.3 | 0.13 | 0.04 | 0.02 |
| USA, Massachusetts | | | | 160 | 0.5 | 0.04 | 0.06 | 0.01 |
| USA, Massachusetts: White | | | | 136 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, Massachusetts: Black | | | | 15 | 0.7 | 0.18 | 0.07 | 0.02 |
| USA, Massachusetts: Asian and Pacific Islander | | | | 5 | 0.4 | 0.18 | 0.06 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55) (contd)

| | Male | | | Female | | | | |
|---|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Michigan | | | | 319 | 0.7 | 0.04 | 0.08 | 0.01 |
| USA, Michigan: White | | | | 239 | 0.6 | 0.04 | 0.07 | 0.01 |
| USA, Michigan: Black | | | | 71 | 1.2 | 0.15 | 0.13 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | | | | 7 | 0.7 | 0.28 | 0.07 | 0.03 |
| *USA, Michigan, Detroit | | | | 117 | 0.6 | 0.06 | 0.07 | 0.01 |
| *USA, Michigan, Detroit: White | | | | 70 | 0.5 | 0.06 | 0.06 | 0.01 |
| *USA, Michigan, Detroit: Black | | | | 45 | 1.0 | 0.16 | 0.11 | 0.02 |
| USA, Minnesota | | | | 82 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Minnesota: White | | | | 73 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Minnesota: Black | | | | 4 | 0.6 | 0.30 | 0.08 | 0.04 |
| *USA, Minnesota: Asian and Pacific Islander | | | | 3 | 0.4 | 0.24 | 0.06 | 0.05 |
| USA, Mississippi | | | | 92 | 0.7 | 0.08 | 0.08 | 0.01 |
| USA, Missouri | | | | 157 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Missouri: White | | | | 123 | 0.5 | 0.05 | 0.05 | 0.01 |
| USA, Missouri: Black | | | | 31 | 1.1 | 0.20 | 0.13 | 0.03 |
| USA, Montana | | | | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| *USA, Montana: American Indian | | | | 0 | – | 0.00 | – | 0.00 |
| USA, Nebraska | | | | 26 | 0.3 | 0.07 | 0.04 | 0.01 |
| USA, Nebraska: White | | | | 25 | 0.3 | 0.07 | 0.04 | 0.01 |
| *USA, Nebraska: Black | | | | 1 | 0.4 | 0.44 | 0.06 | 0.06 |
| USA, Nevada | | | | 78 | 0.6 | 0.07 | 0.07 | 0.01 |
| USA, Nevada: White | | | | 57 | 0.5 | 0.07 | 0.06 | 0.01 |
| USA, Nevada: Black | | | | 9 | 1.0 | 0.34 | 0.13 | 0.05 |
| *USA, Nevada: Asian and Pacific Islander | | | | 11 | 0.9 | 0.28 | 0.10 | 0.03 |
| USA, New Jersey | | | | 393 | 0.9 | 0.05 | 0.10 | 0.01 |
| USA, New Jersey: White | | | | 283 | 0.8 | 0.05 | 0.09 | 0.01 |
| USA, New Jersey: Black | | | | 94 | 1.7 | 0.18 | 0.20 | 0.03 |
| USA, New Mexico | | | | 66 | 0.7 | 0.09 | 0.07 | 0.01 |
| USA, New Mexico: White | | | | 54 | 0.6 | 0.09 | 0.06 | 0.01 |
| USA, New Mexico: Non-Hispanic White | | | | 27 | 0.6 | 0.13 | 0.06 | 0.01 |
| USA, New Mexico: Hispanic White | | | | 27 | 0.7 | 0.15 | 0.07 | 0.02 |
| *USA, New Mexico: American Indian | | | | 9 | 1.2 | 0.39 | 0.09 | 0.04 |
| USA, New York State | | | | 613 | 0.6 | 0.03 | 0.07 | 0.00 |
| USA, New York State: White | | | | 355 | 0.5 | 0.03 | 0.05 | 0.00 |
| USA, New York State: Black | | | | 233 | 1.5 | 0.10 | 0.17 | 0.01 |
| USA, New York State: Asian and Pacific Islander | | | | 23 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, North Carolina | | | | 283 | 0.6 | 0.04 | 0.07 | 0.00 |
| USA, North Carolina: White | | | | 165 | 0.5 | 0.04 | 0.05 | 0.00 |
| USA, North Carolina: Black | | | | 111 | 1.2 | 0.12 | 0.14 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | | | | 4 | 0.5 | 0.24 | 0.07 | 0.04 |
| *USA, North Carolina: American Indian | | | | 3 | 0.5 | 0.30 | 0.08 | 0.06 |
| USA, North Dakota | | | | 9 | 0.2 | 0.09 | 0.02 | 0.01 |
| USA, Ohio | | | | 521 | 0.9 | 0.04 | 0.11 | 0.01 |
| USA, Ohio: White | | | | 451 | 0.9 | 0.05 | 0.11 | 0.01 |
| USA, Ohio: Black | | | | 61 | 1.0 | 0.14 | 0.12 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | | | | 7 | 0.8 | 0.32 | 0.10 | 0.05 |
| USA, Oklahoma | | | | 108 | 0.6 | 0.07 | 0.07 | 0.01 |
| USA, Oklahoma: White | | | | 84 | 0.5 | 0.07 | 0.06 | 0.01 |
| USA, Oklahoma: Black | | | | 13 | 1.3 | 0.37 | 0.14 | 0.05 |
| USA, Oklahoma: American Indian | | | | 7 | 0.6 | 0.24 | 0.07 | 0.03 |
| USA, Oregon | | | | 141 | 0.7 | 0.07 | 0.09 | 0.01 |
| USA, Oregon: White | | | | 130 | 0.7 | 0.07 | 0.09 | 0.01 |
| *USA, Oregon: Black | | | | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | | | | 7 | 0.9 | 0.34 | 0.09 | 0.04 |
| USA, Rhode Island | | | | 43 | 0.8 | 0.13 | 0.10 | 0.02 |
| USA, Rhode Island: White | | | | 39 | 0.7 | 0.13 | 0.10 | 0.02 |
| *USA, Rhode Island: Black | | | | 4 | 1.7 | 0.84 | 0.20 | 0.11 |
| USA, South Carolina | | | | 145 | 0.6 | 0.06 | 0.07 | 0.01 |
| USA, South Carolina: White | | | | 83 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, South Carolina: Black | | | | 59 | 1.0 | 0.14 | 0.12 | 0.02 |
| USA, South Dakota | | | | 10 | 0.2 | 0.08 | 0.03 | 0.01 |
| USA, Tennessee | | | | 203 | 0.7 | 0.05 | 0.07 | 0.01 |
| USA, Tennessee: White | | | | 138 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Tennessee: Black | | | | 65 | 1.5 | 0.19 | 0.16 | 0.03 |
| USA, Texas | | | | 1016 | 1.0 | 0.03 | 0.11 | 0.00 |
| USA, Texas: White | | | | 764 | 0.9 | 0.03 | 0.10 | 0.00 |
| USA, Texas: Black | | | | 211 | 1.7 | 0.12 | 0.21 | 0.02 |
| USA, Texas: Asian and Pacific Islander | | | | 35 | 0.8 | 0.13 | 0.07 | 0.02 |
| USA, Utah | | | | 34 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Vermont | | | | 14 | 0.5 | 0.15 | 0.05 | 0.01 |
| USA, Washington State | | | | 98 | 0.3 | 0.03 | 0.03 | 0.00 |
| *USA, Washington, Seattle | | | | 35 | 0.1 | 0.02 | 0.01 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55) (contd)

| | Male | | | Female | | |
|--|-------|------------|-------------|--------|-------------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | |
| USA, West Virginia | 71 | 0.8 | <i>0.11</i> | 0.09 | <i>0.01</i> | |
| USA, Wyoming | 9 | 0.3 | <i>0.12</i> | 0.04 | <i>0.02</i> | |
| Asia | | | | | | |
| Bahrain: Bahrainis | 25 | 1.9 | <i>0.38</i> | 0.19 | <i>0.05</i> | |
| Brunei Darussalam | 19 | 1.8 | <i>0.41</i> | 0.19 | <i>0.05</i> | |
| *China, Anfu County | 2 | 0.1 | <i>0.10</i> | 0.01 | <i>0.01</i> | |
| *China, Anguo City | 43 | 3.2 | <i>0.50</i> | 0.40 | <i>0.07</i> | |
| *China, Anshan City | 78 | 1.1 | <i>0.13</i> | 0.12 | <i>0.02</i> | |
| *China, Aohan Banner, Chifeng City | 11 | 0.6 | <i>0.19</i> | 0.06 | <i>0.02</i> | |
| *China, Arongqi | 13 | 1.4 | <i>0.40</i> | 0.16 | <i>0.05</i> | |
| *China, Baoding City | 104 | 2.9 | <i>0.28</i> | 0.35 | <i>0.04</i> | |
| *China, Beijing City | 395 | 1.1 | <i>0.06</i> | 0.12 | <i>0.01</i> | |
| *China, Binhai County | 154 | 3.7 | <i>0.30</i> | 0.38 | <i>0.03</i> | |
| *China, Cangzhou City | 29 | 1.7 | <i>0.32</i> | 0.19 | <i>0.04</i> | |
| China, Changfeng County | 11 | 0.6 | <i>0.21</i> | 0.07 | <i>0.03</i> | |
| China, Changzhou City | 37 | 0.3 | <i>0.06</i> | 0.04 | <i>0.01</i> | |
| China, Chengdu City | 20 | 0.5 | <i>0.12</i> | 0.06 | <i>0.01</i> | |
| China, Cixian County | 1 | 0.1 | <i>0.08</i> | 0.00 | <i>0.00</i> | |
| China, Cixi City | 51 | 1.0 | <i>0.15</i> | 0.12 | <i>0.02</i> | |
| *China, Dafeng District, Yancheng City | 24 | 0.7 | <i>0.14</i> | 0.08 | <i>0.02</i> | |
| China, Dalian City | 64 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> | |
| *China, Dancheng County | 140 | 3.8 | <i>0.34</i> | 0.41 | <i>0.04</i> | |
| China, Dangtu County | 6 | 0.6 | <i>0.24</i> | 0.08 | <i>0.04</i> | |
| *China, Danyang City | 11 | 0.3 | <i>0.08</i> | 0.02 | <i>0.01</i> | |
| *China, Dawukou District, Shizuishan City | 11 | 0.9 | <i>0.27</i> | 0.08 | <i>0.03</i> | |
| *China, Dehui City | 15 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> | |
| *China, Donggang County | 42 | 1.5 | <i>0.24</i> | 0.19 | <i>0.03</i> | |
| *China, Dongguan City | 9 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> | |
| China, Donghai County | 71 | 1.8 | <i>0.22</i> | 0.20 | <i>0.03</i> | |
| *China, Dongtai City | 210 | 4.6 | <i>0.34</i> | 0.51 | <i>0.04</i> | |
| China, Duanzhou District, Zhaoqing City | 11 | 0.9 | <i>0.27</i> | 0.10 | <i>0.03</i> | |
| *China, Evenki Autonomous Banner | 0 | – | <i>0.00</i> | – | <i>0.00</i> | |
| *China, Faku County | 29 | 1.5 | <i>0.29</i> | 0.14 | <i>0.03</i> | |
| *China, Fangcheng County | 41 | 2.0 | <i>0.31</i> | 0.21 | <i>0.04</i> | |
| *China, Feicheng City | 55 | 1.3 | <i>0.18</i> | 0.16 | <i>0.02</i> | |
| China, Feixi County | 24 | 0.5 | <i>0.11</i> | 0.05 | <i>0.01</i> | |
| China, Fuqing City | 27 | 1.0 | <i>0.20</i> | 0.14 | <i>0.03</i> | |
| *China, Ganyu District, Lianyungang City | 93 | 2.4 | <i>0.26</i> | 0.25 | <i>0.03</i> | |
| *China, Ganzhou District, Zhangye City | 11 | 1.3 | <i>0.44</i> | 0.13 | <i>0.04</i> | |
| *China, Gaocheng City | 11 | 0.4 | <i>0.13</i> | 0.06 | <i>0.02</i> | |
| China, Gaomi City | 30 | 0.8 | <i>0.16</i> | 0.09 | <i>0.02</i> | |
| China, Gong'an County | 12 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> | |
| *China, Guang'an District, Guang'an City | 29 | 1.7 | <i>0.32</i> | 0.19 | <i>0.04</i> | |
| China, Guanghan City | 9 | 0.5 | <i>0.16</i> | 0.08 | <i>0.03</i> | |
| China, Guangzhou City | 238 | 0.7 | <i>0.05</i> | 0.08 | <i>0.01</i> | |
| *China, Guanyun County | 41 | 1.2 | <i>0.19</i> | 0.11 | <i>0.02</i> | |
| China, Guilin City | 30 | 1.2 | <i>0.23</i> | 0.14 | <i>0.03</i> | |
| *China, Hai'an City | 60 | 1.3 | <i>0.17</i> | 0.13 | <i>0.02</i> | |
| China, Hailar District, Hulun Buir City | 3 | 0.2 | <i>0.11</i> | 0.02 | <i>0.01</i> | |
| China, Haimen District, Nantong City | 27 | 0.5 | <i>0.10</i> | 0.04 | <i>0.01</i> | |
| China, Haining City | 28 | 0.9 | <i>0.19</i> | 0.08 | <i>0.02</i> | |
| China, Hangzhou City | 299 | 1.0 | <i>0.06</i> | 0.12 | <i>0.01</i> | |
| China, Hebi City | 4 | 0.3 | <i>0.15</i> | 0.04 | <i>0.02</i> | |
| China, Hefei City | 66 | 0.8 | <i>0.10</i> | 0.08 | <i>0.01</i> | |
| China, Hengdong County | 19 | 1.2 | <i>0.28</i> | 0.15 | <i>0.04</i> | |
| *China, Hengfeng County | 5 | 0.8 | <i>0.35</i> | 0.13 | <i>0.06</i> | |
| *China, Hepu County | 22 | 0.7 | <i>0.17</i> | 0.10 | <i>0.03</i> | |
| China, Honghu City | 42 | 1.4 | <i>0.22</i> | 0.16 | <i>0.03</i> | |
| China, Hongshan District, Chifeng City | 8 | 0.6 | <i>0.21</i> | 0.06 | <i>0.02</i> | |
| *China, Hongta District, Yuxi City | 20 | 1.2 | <i>0.28</i> | 0.13 | <i>0.04</i> | |
| *China, Huaiyin District, Huai'an City | 51 | 1.5 | <i>0.22</i> | 0.17 | <i>0.03</i> | |
| *China, Jiange County | 87 | 5.1 | <i>0.56</i> | 0.68 | <i>0.09</i> | |
| China, Jiangmen City | 45 | 1.9 | <i>0.31</i> | 0.20 | <i>0.03</i> | |
| *China, Jiangyin City | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> | |
| *China, Jiashan County | 4 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> | |
| China, Jiayu County | 11 | 1.3 | <i>0.39</i> | 0.16 | <i>0.07</i> | |
| *China, Jinan City | 61 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> | |
| *China, Jingtai County | 10 | 1.3 | <i>0.41</i> | 0.14 | <i>0.05</i> | |
| *China, Jingxian County | 17 | 1.3 | <i>0.34</i> | 0.15 | <i>0.04</i> | |
| *China, Jintan District, Changzhou City | 8 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> | |
| *China, Jiulongpo District, Chongqing City | 12 | 0.4 | <i>0.12</i> | 0.04 | <i>0.01</i> | |
| *China, Jiyuan City | 41 | 2.2 | <i>0.34</i> | 0.22 | <i>0.04</i> | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | | | | 4 | 0.3 | 0.16 | 0.04 | 0.02 |
| China, Kunshan City | | | | 13 | 0.4 | 0.11 | 0.05 | 0.02 |
| China, Langzhong City | | | | 22 | 1.3 | 0.27 | 0.15 | 0.03 |
| *China, Liangshan County | | | | 10 | 0.3 | 0.09 | 0.02 | 0.01 |
| *China, Lianshui County | | | | 39 | 1.0 | 0.16 | 0.11 | 0.02 |
| China, Lianyungang City | | | | 26 | 0.6 | 0.12 | 0.05 | 0.01 |
| China, Linhe District, Bayannur City | | | | 29 | 2.1 | 0.39 | 0.26 | 0.06 |
| China, Linqu County | | | | 31 | 0.9 | 0.17 | 0.11 | 0.02 |
| *China, Linzhou City | | | | 29 | 0.8 | 0.15 | 0.08 | 0.02 |
| China, Liuzhou City | | | | 41 | 1.1 | 0.17 | 0.11 | 0.02 |
| China, Liyang City | | | | 13 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Longquan City | | | | 6 | 0.7 | 0.29 | 0.10 | 0.06 |
| China, Lucheng District, Wenzhou City | | | | 18 | 1.0 | 0.23 | 0.12 | 0.03 |
| China, Luoding City | | | | 21 | 1.0 | 0.21 | 0.10 | 0.02 |
| *China, Luohe City | | | | 29 | 0.7 | 0.14 | 0.08 | 0.02 |
| *China, Luoyang City | | | | 41 | 0.9 | 0.15 | 0.10 | 0.02 |
| *China, Luquan City | | | | 12 | 1.1 | 0.32 | 0.14 | 0.05 |
| China, Ma'anshan City | | | | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Macheng City | | | | 24 | 1.0 | 0.20 | 0.12 | 0.03 |
| China, Meihekou City | | | | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Mengjin County | | | | 6 | 0.5 | 0.19 | 0.05 | 0.02 |
| China, Nangang District, Harbin City | | | | 19 | 0.4 | 0.10 | 0.04 | 0.01 |
| *China, Nanhai District, Foshan City | | | | 31 | 1.0 | 0.18 | 0.11 | 0.02 |
| China, Nanhu District, Jiaying City | | | | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Nantong City | | | | 12 | 0.2 | 0.06 | 0.03 | 0.01 |
| *China, Nanxiong City | | | | 4 | 0.2 | 0.13 | 0.03 | 0.02 |
| China, Neixiang County | | | | 16 | 0.6 | 0.17 | 0.08 | 0.02 |
| *China, Qianxi County | | | | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Qidong City | | | | 110 | 1.9 | 0.20 | 0.21 | 0.02 |
| China, Qingzhou City | | | | 25 | 0.8 | 0.17 | 0.10 | 0.02 |
| *China, Rudong County | | | | 179 | 3.2 | 0.27 | 0.34 | 0.03 |
| *China, Rugao City | | | | 81 | 1.1 | 0.13 | 0.11 | 0.02 |
| *China, Rural areas of Shanghai City | | | | 684 | 1.7 | 0.07 | 0.19 | 0.01 |
| China, Ruyang County | | | | 10 | 0.9 | 0.27 | 0.09 | 0.03 |
| *China, Shan County | | | | 28 | 1.0 | 0.20 | 0.12 | 0.03 |
| China, Shanghai City | | | | 781 | 2.5 | 0.10 | 0.27 | 0.01 |
| China, Shanyu District, Shaoxing City | | | | 57 | 1.8 | 0.25 | 0.16 | 0.02 |
| *China, Shapingba District, Chongqing City | | | | 26 | 0.8 | 0.16 | 0.09 | 0.02 |
| China, Shexian County | | | | 13 | 1.0 | 0.27 | 0.11 | 0.03 |
| China, Sheyang County | | | | 81 | 2.0 | 0.23 | 0.22 | 0.03 |
| *China, Shijiazhuang City | | | | 41 | 0.8 | 0.14 | 0.09 | 0.02 |
| China, Shunde District, Foshan City | | | | 63 | 1.6 | 0.21 | 0.17 | 0.02 |
| *China, Song County | | | | 18 | 1.2 | 0.29 | 0.12 | 0.03 |
| China, Suzhou City | | | | 105 | 0.7 | 0.07 | 0.08 | 0.01 |
| *China, Tengzhou City | | | | 14 | 0.3 | 0.07 | 0.03 | 0.01 |
| *China, Wangdu County | | | | 3 | 0.5 | 0.26 | 0.05 | 0.03 |
| *China, Wanzai County | | | | 35 | 3.0 | 0.51 | 0.36 | 0.07 |
| *China, Wu'an City | | | | 14 | 0.5 | 0.13 | 0.05 | 0.01 |
| China, Wuhan City | | | | 58 | 0.3 | 0.03 | 0.03 | 0.00 |
| *China, Wuhu City | | | | 24 | 0.5 | 0.10 | 0.05 | 0.01 |
| China, Wuxi City | | | | 26 | 0.2 | 0.04 | 0.02 | 0.01 |
| China, Wuzhou City | | | | 6 | 0.3 | 0.14 | 0.04 | 0.02 |
| China, Xiangfu District, Kaifeng City | | | | 70 | 3.6 | 0.43 | 0.37 | 0.05 |
| China, Xianju County | | | | 67 | 3.4 | 0.43 | 0.36 | 0.06 |
| *China, Xin'an County | | | | 33 | 3.0 | 0.54 | 0.31 | 0.06 |
| *China, Xining City | | | | 18 | 0.7 | 0.17 | 0.07 | 0.02 |
| *China, Xinji City | | | | 19 | 0.8 | 0.19 | 0.07 | 0.02 |
| *China, Xinluo District, Longyan City | | | | 15 | 1.2 | 0.32 | 0.13 | 0.04 |
| *China, Xinzhou District, Shangrao City | | | | 7 | 0.5 | 0.20 | 0.06 | 0.03 |
| China, Xiping County | | | | 36 | 1.3 | 0.22 | 0.13 | 0.02 |
| *China, Xishan District, Kunming City | | | | 10 | 0.7 | 0.22 | 0.06 | 0.02 |
| *China, Xuyi County | | | | 29 | 1.2 | 0.23 | 0.14 | 0.03 |
| *China, Ya'an City | | | | 36 | 0.7 | 0.12 | 0.07 | 0.01 |
| *China, Yakeshi City | | | | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Yancheng City | | | | 193 | 3.4 | 0.25 | 0.36 | 0.03 |
| *China, Yangquan City | | | | 14 | 0.7 | 0.18 | 0.09 | 0.03 |
| *China, Yangzhong City | | | | 8 | 0.6 | 0.22 | 0.06 | 0.02 |
| *China, Yanji City | | | | 14 | 0.6 | 0.17 | 0.07 | 0.02 |
| *China, Yanshi City | | | | 33 | 1.6 | 0.27 | 0.14 | 0.03 |
| China, Yanting County | | | | 66 | 3.4 | 0.42 | 0.41 | 0.06 |
| *China, Yi'an District, Tongling City | | | | 2 | 0.2 | 0.13 | 0.02 | 0.01 |
| *China, Yingdong District, Fuyang City | | | | 42 | 2.0 | 0.32 | 0.27 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| *China, Yinzhou District, Ningbo City | 6 | 0.6 | 0.24 | 0.05 | 0.03 | |
| *China, Yiyuan County | 2 | 0.1 | 0.06 | 0.00 | 0.00 | |
| China, Yong'an City | 4 | 0.4 | 0.18 | 0.05 | 0.03 | |
| *China, Yongding District, Longyan City | 56 | 3.4 | 0.47 | 0.41 | 0.07 | |
| China, Yongkang City | 14 | 0.6 | 0.17 | 0.07 | 0.02 | |
| *China, Yucheng County | 136 | 7.1 | 0.61 | 0.65 | 0.06 | |
| China, Yueyanglou District, Yueyang City | 12 | 1.2 | 0.36 | 0.18 | 0.06 | |
| China, Yunmeng County | 40 | 2.3 | 0.36 | 0.25 | 0.04 | |
| *China, Yunyang District, Shiyang City | 4 | 0.3 | 0.16 | 0.03 | 0.02 | |
| China, Yuzhong District, Chongqing City | 13 | 0.6 | 0.17 | 0.06 | 0.02 | |
| *China, Zhanhuang County | 7 | 0.9 | 0.35 | 0.08 | 0.03 | |
| *China, Zhangjiagang City | 3 | 0.0 | 0.03 | 0.00 | 0.00 | |
| *China, Zhaoyuan City | 74 | 2.6 | 0.31 | 0.28 | 0.04 | |
| *China, Zhengding County | 7 | 0.5 | 0.20 | 0.05 | 0.02 | |
| *China, Zhongshan City | 4 | 0.1 | 0.04 | 0.01 | 0.00 | |
| China, Zhongxiang City | 0 | – | 0.00 | – | 0.00 | |
| *China, Zhuanghe City | 39 | 0.8 | 0.14 | 0.08 | 0.02 | |
| *China, Zhuhai City | 45 | 1.2 | 0.18 | 0.13 | 0.02 | |
| India, Ahmedabad, Urban | 109 | 0.8 | 0.08 | 0.08 | 0.01 | |
| India, Aurangabad | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| India, Bangalore | 74 | 0.7 | 0.08 | 0.08 | 0.01 | |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | |
| *India, Bhopal | 9 | 0.3 | 0.12 | 0.03 | 0.01 | |
| India, Chandigarh | 16 | 0.7 | 0.19 | 0.08 | 0.03 | |
| *India, Chennai | 80 | 0.6 | 0.07 | 0.07 | 0.01 | |
| India, Dibrugarh | 13 | 0.4 | 0.12 | 0.04 | 0.01 | |
| *India, Dindigul, Ambilikai | 13 | 0.2 | 0.06 | 0.02 | 0.01 | |
| India, Kamrup Urban District | 8 | 0.3 | 0.10 | 0.03 | 0.01 | |
| India, Kollam | 22 | 0.3 | 0.06 | 0.03 | 0.01 | |
| *India, Manipur | 28 | 0.5 | 0.09 | 0.05 | 0.01 | |
| India, Meghalaya | 21 | 0.7 | 0.15 | 0.08 | 0.02 | |
| India, Mizoram | 11 | 0.5 | 0.14 | 0.04 | 0.01 | |
| India, Mumbai | 196 | 0.6 | 0.05 | 0.07 | 0.01 | |
| *India, New Delhi | 92 | 0.4 | 0.05 | 0.05 | 0.01 | |
| India, Poona | 38 | 0.3 | 0.06 | 0.04 | 0.01 | |
| *India, Sangrur District | 9 | 0.4 | 0.12 | 0.04 | 0.01 | |
| India, SAS Nagar | 19 | 0.9 | 0.21 | 0.11 | 0.03 | |
| *India, Tamil Nadu | 544 | 0.3 | 0.01 | 0.03 | 0.00 | |
| *India, Tripura | 31 | 0.4 | 0.07 | 0.03 | 0.01 | |
| India, Trivandrum | 64 | 0.7 | 0.09 | 0.08 | 0.01 | |
| India, Wardha | 3 | 0.1 | 0.04 | 0.01 | 0.00 | |
| India, West Arunachal | 8 | 0.5 | 0.20 | 0.04 | 0.02 | |
| *Iran (Islamic Republic of), Ardabil Province | 18 | 0.8 | 0.20 | 0.07 | 0.02 | |
| *Iran (Islamic Republic of), Golestan Province | 65 | 2.4 | 0.31 | 0.28 | 0.04 | |
| Israel | 167 | 0.6 | 0.05 | 0.06 | 0.01 | |
| *Israel: Jews | 125 | 0.5 | 0.05 | 0.06 | 0.01 | |
| *Israel: Arabs | 23 | 0.7 | 0.15 | 0.08 | 0.02 | |
| Japan | 1992 | 0.3 | 0.01 | 0.02 | 0.00 | |
| Japan, Aichi Prefecture | 80 | 0.2 | 0.03 | 0.02 | 0.00 | |
| *Japan, Akita Prefecture | 22 | 0.6 | 0.16 | 0.05 | 0.02 | |
| Japan, Aomori Prefecture | 37 | 0.2 | 0.05 | 0.02 | 0.01 | |
| Japan, Gunma Prefecture | 21 | 0.2 | 0.05 | 0.02 | 0.01 | |
| Japan, Hiroshima Prefecture | 31 | 0.1 | 0.03 | 0.01 | 0.00 | |
| Japan, Miyagi Prefecture | 63 | 0.3 | 0.06 | 0.04 | 0.01 | |
| Japan, Osaka Prefecture | 104 | 0.2 | 0.02 | 0.01 | 0.00 | |
| Kuwait | 34 | 0.7 | 0.14 | 0.10 | 0.02 | |
| *Kuwait: Kuwaitis | 22 | 1.0 | 0.21 | 0.12 | 0.03 | |
| *Kuwait: Non-Kuwaitis | 12 | 0.5 | 0.21 | 0.09 | 0.05 | |
| *Philippines, Manila | 365 | 2.5 | 0.14 | 0.30 | 0.02 | |
| *Qatar: Qatari | 17 | 4.0 | 1.00 | 0.59 | 0.16 | |
| Republic of Korea | 807 | 0.4 | 0.01 | 0.04 | 0.00 | |
| *Republic of Korea, Busan | 70 | 0.4 | 0.05 | 0.04 | 0.01 | |
| *Republic of Korea, Daegu | 28 | 0.3 | 0.06 | 0.03 | 0.01 | |
| *Republic of Korea, Daejeon | 25 | 0.4 | 0.09 | 0.04 | 0.01 | |
| *Republic of Korea, Gwangju | 13 | 0.2 | 0.06 | 0.02 | 0.01 | |
| Republic of Korea, Incheon | 47 | 0.4 | 0.06 | 0.04 | 0.01 | |
| Republic of Korea, Jeju | 6 | 0.2 | 0.10 | 0.02 | 0.01 | |
| Republic of Korea, Seoul | 154 | 0.4 | 0.03 | 0.04 | 0.00 | |
| Republic of Korea, Ulsan | 11 | 0.2 | 0.07 | 0.03 | 0.01 | |
| Singapore | 7 | 0.0 | 0.02 | 0.00 | 0.00 | |
| Singapore: Chinese | 6 | 0.0 | 0.02 | 0.01 | 0.00 | |
| Singapore: Indian | 1 | 0.1 | 0.09 | 0.01 | 0.01 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| Singapore: Malay | | | | 0 | – | 0.00 |
| Thailand, Bangkok | | | | 60 | 0.3 | 0.04 |
| *Thailand, Chiang Mai | | | | 15 | 0.2 | 0.06 |
| *Thailand, Khon Kaen | | | | 20 | 0.3 | 0.07 |
| Thailand, Lampang | | | | 1 | 0.0 | 0.04 |
| Thailand, Lopburi Province | | | | 21 | 0.8 | 0.18 |
| *Thailand, Songkhla | | | | 30 | 0.7 | 0.12 |
| Turkey, Antalya | | | | 19 | 0.3 | 0.07 |
| Turkey, Bursa | | | | 25 | 0.3 | 0.05 |
| *Turkey, Edirne | | | | 22 | 1.3 | 0.29 |
| *Turkey, Erzurum | | | | 12 | 0.6 | 0.16 |
| Turkey, Eskişehir | | | | 3 | 0.1 | 0.06 |
| Turkey, Gaziantep | | | | 9 | 0.2 | 0.08 |
| *Turkey, Izmir | | | | 53 | 0.4 | 0.05 |
| Turkey, Malatya | | | | 15 | 0.6 | 0.16 |
| Turkey, Samsun | | | | 9 | 0.2 | 0.08 |
| Turkey, Trabzon | | | | 20 | 0.7 | 0.17 |
| Europe | | | | | | |
| Austria | | | | 205 | 0.4 | 0.03 |
| Austria, Carinthia | | | | 10 | 0.2 | 0.08 |
| Austria, Tyrol | | | | 2 | 0.0 | 0.01 |
| Austria, Vorarlberg | | | | 3 | 0.1 | 0.07 |
| Belarus | | | | 27 | 0.0 | 0.01 |
| *Belgium | | | | 52 | 0.1 | 0.01 |
| Croatia | | | | 123 | 0.3 | 0.04 |
| Cyprus | | | | 34 | 0.8 | 0.15 |
| *Czech Republic | | | | 234 | 0.3 | 0.03 |
| Denmark | | | | 105 | 0.3 | 0.04 |
| Estonia | | | | 12 | 0.1 | 0.03 |
| Finland | | | | 25 | 0.0 | 0.01 |
| *France, Bas-Rhin | | | | 12 | 0.1 | 0.05 |
| *France, Calvados | | | | 9 | 0.2 | 0.06 |
| *France, Doubs | | | | 2 | 0.0 | 0.04 |
| *France, Gironde | | | | 24 | 0.2 | 0.05 |
| *France, Haut-Rhin | | | | 9 | 0.1 | 0.06 |
| *France, Hérault | | | | 12 | 0.1 | 0.04 |
| *France, Isère | | | | 13 | 0.2 | 0.06 |
| *France, Lille-Métropole | | | | 0 | – | 0.00 |
| *France, Limousin | | | | 1 | 0.1 | 0.06 |
| *France, Loire-Atlantique | | | | 12 | 0.1 | 0.04 |
| *France, Manche | | | | 11 | 0.2 | 0.09 |
| *France, Poitou-Charentes | | | | 42 | 0.2 | 0.05 |
| *France, Somme | | | | 14 | 0.4 | 0.12 |
| *France, Tarn | | | | 4 | 0.1 | 0.03 |
| *France, Territoire de Belfort | | | | 0 | – | 0.00 |
| *France, Vendée | | | | 5 | 0.1 | 0.05 |
| Germany, Baden-Württemberg | | | | 168 | 0.4 | 0.03 |
| Germany, Bavaria | | | | 209 | 0.2 | 0.02 |
| Germany, Bremen | | | | 9 | 0.1 | 0.06 |
| Germany, Hamburg | | | | 25 | 0.2 | 0.05 |
| Germany, Lower Saxony | | | | 301 | 0.4 | 0.03 |
| Germany, North Rhine-Westphalia | | | | 515 | 0.3 | 0.02 |
| Germany, Rhineland-Palatinate | | | | 183 | 0.6 | 0.06 |
| Germany, Saarland | | | | 79 | 1.1 | 0.14 |
| Germany, Schleswig-Holstein | | | | 105 | 0.4 | 0.05 |
| Iceland | | | | 0 | – | 0.00 |
| Ireland | | | | 117 | 0.6 | 0.06 |
| *Italy, Aosta Valley | | | | 11 | 1.4 | 0.50 |
| *Italy, Avellino | | | | 6 | 0.2 | 0.13 |
| Italy, Basilicata | | | | 11 | 0.2 | 0.06 |
| *Italy, Benevento | | | | 4 | 0.4 | 0.21 |
| Italy, Bergamo | | | | 30 | 0.4 | 0.10 |
| *Italy, Brescia | | | | 85 | 1.2 | 0.15 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | 11 | 0.1 | 0.05 |
| Italy, Calabria | | | | 12 | 0.3 | 0.10 |
| *Italy, Caserta | | | | 22 | 0.5 | 0.12 |
| *Italy, Catania, Messina, and Enna | | | | 86 | 0.6 | 0.08 |
| Italy, Emilia-Romagna | | | | 112 | 0.4 | 0.05 |
| Italy, Friuli-Venezia Giulia | | | | 2 | 0.0 | 0.01 |
| Italy, Genova | | | | 23 | 0.3 | 0.09 |
| *Italy, Lombardy, South, Pavia | | | | 32 | 0.8 | 0.17 |
| Italy, Mantova and Cremona | | | | 31 | 0.7 | 0.15 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55) (contd)

| | Male | | | Female | | | | |
|-------------------------------------|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | 52 | 0.6 | 0.10 | 0.06 | 0.01 |
| Italy, Milan | | | | 189 | 0.8 | 0.07 | 0.09 | 0.01 |
| Italy, Molise | | | | 13 | 1.1 | 0.37 | 0.12 | 0.04 |
| *Italy, Naples Centre | | | | 16 | 0.4 | 0.12 | 0.04 | 0.02 |
| *Italy, Naples North | | | | 49 | 1.3 | 0.19 | 0.13 | 0.02 |
| *Italy, Naples South | | | | 25 | 0.4 | 0.10 | 0.05 | 0.01 |
| *Italy, Nuoro | | | | 4 | 0.2 | 0.09 | 0.00 | 0.00 |
| *Italy, Palermo | | | | 72 | 1.0 | 0.13 | 0.11 | 0.02 |
| Italy, Puglia | | | | 123 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Italy, Ragusa and Caltanissetta | | | | 40 | 1.0 | 0.19 | 0.10 | 0.02 |
| *Italy, Salerno | | | | 23 | 0.5 | 0.11 | 0.05 | 0.01 |
| Italy, Sassari | | | | 12 | 0.8 | 0.28 | 0.09 | 0.04 |
| *Italy, Sondrio | | | | 8 | 0.5 | 0.21 | 0.06 | 0.03 |
| Italy, South Tyrol | | | | 9 | 0.2 | 0.07 | 0.01 | 0.01 |
| *Italy, Syracuse | | | | 23 | 0.6 | 0.16 | 0.06 | 0.02 |
| Italy, Trento | | | | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| Italy, Turin | | | | 41 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Italy, Tuscany | | | | 174 | 1.1 | 0.10 | 0.12 | 0.01 |
| Italy, Umbria | | | | 26 | 0.3 | 0.09 | 0.02 | 0.01 |
| Italy, Varese | | | | 41 | 1.4 | 0.24 | 0.17 | 0.03 |
| Italy, Veneto | | | | 376 | 1.5 | 0.09 | 0.17 | 0.01 |
| Latvia | | | | 58 | 0.4 | 0.08 | 0.05 | 0.01 |
| *Liechtenstein | | | | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | | | | 75 | 0.4 | 0.05 | 0.04 | 0.01 |
| Malta | | | | 8 | 0.4 | 0.16 | 0.05 | 0.02 |
| *The Netherlands | | | | 4 | 0.0 | 0.00 | 0.00 | 0.00 |
| Norway | | | | 44 | 0.1 | 0.03 | 0.01 | 0.00 |
| Poland, Kielce | | | | 12 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Portugal, Azores | | | | 5 | 0.6 | 0.29 | 0.05 | 0.03 |
| Russian Federation, Arkhangelsk | | | | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Kaliningrad | | | | 11 | 0.3 | 0.09 | 0.03 | 0.01 |
| Russian Federation, Karelia | | | | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Russian Federation, Komi Republic | | | | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| Russian Federation, Murmansk | | | | 5 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Russian Federation, Orenburg | | | | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| Russian Federation, Pskov | | | | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Russian Federation, Samara | | | | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Russian Federation, Vologda Region | | | | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| Slovenia | | | | 91 | 0.8 | 0.09 | 0.09 | 0.01 |
| Spain, Asturias | | | | 13 | 0.2 | 0.08 | 0.02 | 0.01 |
| Spain, Basque Country | | | | 62 | 0.6 | 0.09 | 0.06 | 0.01 |
| Spain, Canary Islands | | | | 35 | 0.6 | 0.11 | 0.06 | 0.01 |
| Spain, Castellón | | | | 19 | 0.6 | 0.16 | 0.08 | 0.02 |
| Spain, Girona | | | | 23 | 0.5 | 0.13 | 0.04 | 0.01 |
| Spain, Granada | | | | 8 | 0.1 | 0.06 | 0.01 | 0.01 |
| Spain, La Rioja | | | | 7 | 0.3 | 0.14 | 0.03 | 0.02 |
| Spain, Murcia | | | | 30 | 0.5 | 0.10 | 0.06 | 0.01 |
| Spain, Navarra | | | | 0 | – | 0.00 | – | 0.00 |
| Spain, Salamanca | | | | 7 | 0.2 | 0.10 | 0.04 | 0.02 |
| Spain, Tarragona | | | | 22 | 0.5 | 0.11 | 0.06 | 0.02 |
| *Sweden | | | | 689 | 1.3 | 0.05 | 0.15 | 0.01 |
| Switzerland, Aargau | | | | 14 | 0.4 | 0.11 | 0.03 | 0.01 |
| Switzerland, Basel | | | | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| Switzerland, Berne Solothurn | | | | 5 | 0.1 | 0.03 | 0.00 | 0.00 |
| Switzerland, East | | | | 2 | 0.0 | 0.02 | 0.01 | 0.01 |
| *Switzerland, Fribourg | | | | 10 | 0.6 | 0.21 | 0.07 | 0.03 |
| Switzerland, Geneva | | | | 9 | 0.2 | 0.10 | 0.02 | 0.01 |
| *Switzerland, Graubünden and Glarus | | | | 0 | – | 0.00 | – | 0.00 |
| *Switzerland, Lucerne | | | | 23 | 0.9 | 0.21 | 0.11 | 0.03 |
| *Switzerland, Neuchâtel and Jura | | | | 5 | 0.2 | 0.08 | 0.02 | 0.02 |
| Switzerland, Ticino | | | | 18 | 0.7 | 0.20 | 0.09 | 0.03 |
| Switzerland, Valais | | | | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| Switzerland, Vaud | | | | 8 | 0.1 | 0.05 | 0.01 | 0.01 |
| Switzerland, Zurich and Zug | | | | 21 | 0.2 | 0.05 | 0.02 | 0.01 |
| Ukraine | | | | 577 | 0.3 | 0.02 | 0.04 | 0.00 |
| UK, England | | | | 765 | 0.3 | 0.01 | 0.03 | 0.00 |
| UK, Northern Ireland | | | | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| UK, Scotland | | | | 257 | 0.9 | 0.06 | 0.10 | 0.01 |
| UK, Wales | | | | 35 | 0.2 | 0.04 | 0.02 | 0.00 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | 289 | 0.8 | 0.05 | 0.09 | 0.01 |
| *Australia, Northern Territory | | | | 1 | 0.1 | 0.12 | 0.02 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Uterus unspecified (C55) (contd)

| | Male | | | Female | | |
|--|-------|------------|-------------|--------|-------------|-------------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 1 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> | <i>0.02</i> |
| *Australia, Northern Territory: Indigenous | 0 | – | <i>0.00</i> | – | <i>0.00</i> | <i>0.00</i> |
| *Australia, Queensland | 74 | 0.3 | <i>0.04</i> | 0.04 | <i>0.01</i> | <i>0.01</i> |
| Australia, South Australia | 36 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> | <i>0.01</i> |
| Australia, Tasmania | 20 | 0.8 | <i>0.18</i> | 0.08 | <i>0.02</i> | <i>0.02</i> |
| *Australia, Victoria | 47 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | <i>0.00</i> |
| *Australia, Western Australia | 0 | – | <i>0.00</i> | – | <i>0.00</i> | <i>0.00</i> |
| *France, New Caledonia | 1 | 0.1 | <i>0.13</i> | 0.01 | <i>0.01</i> | <i>0.01</i> |
| New Zealand | 62 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> | <i>0.00</i> |
| *New Zealand: Maori | 11 | 0.6 | <i>0.18</i> | 0.07 | <i>0.03</i> | <i>0.03</i> |
| *New Zealand: Pacific peoples | 8 | 1.1 | <i>0.40</i> | 0.10 | <i>0.05</i> | <i>0.05</i> |
| *New Zealand: Other | 41 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> | <i>0.00</i> |
| USA, Hawaii | 21 | 0.4 | <i>0.09</i> | 0.03 | <i>0.01</i> | <i>0.01</i> |
| USA, Hawaii: White | 5 | 0.3 | <i>0.17</i> | 0.03 | <i>0.02</i> | <i>0.02</i> |
| *USA, Hawaii: Japanese | 7 | 0.5 | <i>0.23</i> | 0.06 | <i>0.03</i> | <i>0.03</i> |
| *USA, Hawaii: Chinese | 2 | 0.4 | <i>0.32</i> | 0.03 | <i>0.03</i> | <i>0.03</i> |
| *USA, Hawaii: Hawaiian | 3 | 0.2 | <i>0.15</i> | 0.01 | <i>0.01</i> | <i>0.01</i> |
| *USA, Hawaii: Filipino | 2 | 0.2 | <i>0.16</i> | 0.02 | <i>0.01</i> | <i>0.01</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | 68 | 4.9 | 0.62 | 0.56 | 0.08 |
| *Algeria, Tizi Ouzou | | | | 104 | 6.3 | 0.64 | 0.71 | 0.08 |
| *Benin, Cotonou | | | | 25 | 3.3 | 0.72 | 0.39 | 0.10 |
| *France, La Réunion | | | | 144 | 6.1 | 0.53 | 0.67 | 0.07 |
| *Kenya, Eldoret | | | | 48 | 4.2 | 0.66 | 0.46 | 0.08 |
| *Kenya, Nairobi | | | | 248 | 10.9 | 0.82 | 1.44 | 0.13 |
| Mauritius | | | | 281 | 6.6 | 0.40 | 0.73 | 0.05 |
| *Morocco, Casablanca | | | | 577 | 4.9 | 0.21 | 0.58 | 0.03 |
| *Seychelles | | | | 19 | 6.2 | 1.54 | 0.54 | 0.16 |
| *South Africa, Eastern Cape | | | | 58 | 3.5 | 0.48 | 0.35 | 0.05 |
| *Uganda, Kyadondo County | | | | 223 | 7.9 | 0.67 | 0.91 | 0.10 |
| *Uganda, Gulu | | | | 17 | 2.8 | 0.71 | 0.27 | 0.09 |
| *Zimbabwe, Bulawayo: African | | | | 95 | 7.8 | 0.87 | 0.91 | 0.13 |
| *Zimbabwe, Harare: African | | | | 190 | 9.6 | 0.78 | 1.23 | 0.12 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | | | | 216 | 8.5 | 0.61 | 0.98 | 0.08 |
| *Argentina, Mendoza | | | | 510 | 9.0 | 0.41 | 1.02 | 0.05 |
| Brazil, Aracaju | | | | 104 | 6.8 | 0.68 | 0.72 | 0.09 |
| *Brazil, Barretos | | | | 45 | 3.1 | 0.48 | 0.35 | 0.06 |
| Brazil, Belo Horizonte | | | | 516 | 5.3 | 0.24 | 0.60 | 0.03 |
| *Brazil, Campinas | | | | 210 | 6.9 | 0.49 | 0.75 | 0.07 |
| *Brazil, Curitiba | | | | 301 | 5.8 | 0.34 | 0.65 | 0.04 |
| Brazil, Goiânia | | | | 226 | 6.7 | 0.45 | 0.70 | 0.06 |
| *Brazil, Jaú | | | | 23 | 4.6 | 0.99 | 0.47 | 0.11 |
| Brazil, João Pessoa | | | | 111 | 7.5 | 0.73 | 0.82 | 0.09 |
| Brazil, Recife | | | | 303 | 8.7 | 0.51 | 0.94 | 0.06 |
| Chile, Region of Antofagasta | | | | 47 | 4.8 | 0.70 | 0.57 | 0.09 |
| Chile, Valdivia | | | | 97 | 6.9 | 0.73 | 0.83 | 0.10 |
| Colombia, Bucaramanga | | | | 258 | 7.0 | 0.44 | 0.79 | 0.06 |
| Colombia, Cali | | | | 550 | 7.1 | 0.31 | 0.80 | 0.04 |
| Colombia, Manizales | | | | 124 | 7.3 | 0.68 | 0.76 | 0.08 |
| Colombia, Pasto | | | | 98 | 7.8 | 0.80 | 0.86 | 0.10 |
| Costa Rica | | | | 508 | 4.9 | 0.22 | 0.54 | 0.03 |
| Ecuador, Guayaquil | | | | 396 | 6.3 | 0.32 | 0.67 | 0.04 |
| Ecuador, Manabí | | | | 151 | 4.3 | 0.36 | 0.44 | 0.04 |
| Ecuador, Quito | | | | 450 | 9.0 | 0.43 | 0.95 | 0.05 |
| *France, Guadeloupe | | | | 76 | 5.2 | 0.66 | 0.50 | 0.06 |
| *France, Martinique | | | | 62 | 3.5 | 0.49 | 0.40 | 0.06 |
| *Peru, Lima | | | | 1271 | 7.8 | 0.22 | 0.83 | 0.03 |
| *Trinidad and Tobago | | | | 266 | 10.1 | 0.63 | 1.19 | 0.09 |
| USA, Puerto Rico | | | | 940 | 6.1 | 0.22 | 0.68 | 0.03 |
| *Uruguay | | | | 1125 | 8.2 | 0.27 | 0.93 | 0.03 |
| North America | | | | | | | | |
| Canada, Alberta | | | | 1098 | 7.2 | 0.23 | 0.79 | 0.03 |
| Canada, British Columbia | | | | 1767 | 7.8 | 0.20 | 0.86 | 0.02 |
| *Canada, Manitoba | | | | 424 | 8.1 | 0.42 | 0.92 | 0.05 |
| *Canada, New Brunswick | | | | 295 | 7.5 | 0.52 | 0.80 | 0.06 |
| *Canada, Newfoundland and Labrador | | | | 197 | 7.6 | 0.60 | 0.86 | 0.07 |
| Canada, Ontario | | | | 5983 | 9.8 | 0.14 | 1.11 | 0.02 |
| *Canada, Prince Edward Island | | | | 54 | 6.8 | 1.05 | 0.67 | 0.12 |
| Canada, Quebec | | | | 3181 | 7.9 | 0.16 | 0.90 | 0.02 |
| Canada, Saskatchewan | | | | 383 | 7.8 | 0.44 | 0.89 | 0.06 |
| *Canada, Yukon | | | | 13 | 10.1 | 2.96 | 0.96 | 0.33 |
| USA | | | | 107319 | 7.9 | 0.03 | 0.88 | 0.00 |
| USA: White | | | | 91028 | 8.2 | 0.03 | 0.92 | 0.00 |
| USA: Black | | | | 10228 | 6.4 | 0.07 | 0.71 | 0.01 |
| USA, NPCR | | | | 103783 | 7.9 | 0.03 | 0.88 | 0.00 |
| USA, NPCR: White | | | | 88052 | 8.2 | 0.03 | 0.92 | 0.00 |
| USA, NPCR: Black | | | | 10106 | 6.4 | 0.07 | 0.71 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | | | | 4613 | 7.0 | 0.11 | 0.76 | 0.01 |
| USA, NPCR: American Indian | | | | 579 | 4.6 | 0.19 | 0.52 | 0.03 |
| *USA, SEER (18 registries) | | | | 29153 | 8.0 | 0.05 | 0.89 | 0.01 |
| *USA, SEER (18 registries): White | | | | 23360 | 8.3 | 0.06 | 0.93 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | 19290 | 8.3 | 0.07 | 0.93 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | | | | 4070 | 8.1 | 0.13 | 0.91 | 0.02 |
| *USA, SEER (18 registries): Black | | | | 2699 | 6.6 | 0.13 | 0.75 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | 2689 | 7.2 | 0.14 | 0.77 | 0.02 |
| *USA, SEER (9 registries) | | | | 9983 | 8.0 | 0.09 | 0.89 | 0.01 |
| *USA, SEER (9 registries): White | | | | 7890 | 8.2 | 0.10 | 0.93 | 0.01 |
| *USA, SEER (9 registries): Black | | | | 935 | 6.7 | 0.22 | 0.75 | 0.03 |
| USA, Alabama | | | | 1770 | 8.1 | 0.21 | 0.90 | 0.03 |
| USA, Alabama: White | | | | 1369 | 8.3 | 0.25 | 0.92 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | | | | 369 | 7.3 | 0.39 | 0.83 | 0.05 |
| USA, Alaska | | | | 177 | 7.4 | 0.57 | 0.81 | 0.07 |
| *USA, Alaska: Alaska Natives | | | | 20 | 5.7 | 1.29 | 0.72 | 0.18 |
| USA, Arizona | | | | 2162 | 7.5 | 0.18 | 0.84 | 0.02 |
| USA, Arizona: White | | | | 1979 | 7.8 | 0.19 | 0.87 | 0.02 |
| USA, Arizona: Black | | | | 57 | 5.6 | 0.76 | 0.61 | 0.10 |
| *USA, Arizona: Asian and Pacific Islander | | | | 51 | 5.3 | 0.76 | 0.59 | 0.09 |
| USA, Arizona: American Indian | | | | 70 | 6.3 | 0.77 | 0.75 | 0.11 |
| USA, Arkansas | | | | 1026 | 8.0 | 0.28 | 0.87 | 0.03 |
| USA, Arkansas: White | | | | 895 | 8.3 | 0.31 | 0.90 | 0.04 |
| USA, Arkansas: Black | | | | 107 | 6.2 | 0.62 | 0.64 | 0.08 |
| USA, California | | | | 12423 | 8.2 | 0.08 | 0.91 | 0.01 |
| USA, California: White | | | | 9930 | 8.7 | 0.09 | 0.96 | 0.01 |
| USA, California: Black | | | | 653 | 6.5 | 0.27 | 0.73 | 0.03 |
| USA, California: Asian and Pacific Islander | | | | 1759 | 7.2 | 0.18 | 0.77 | 0.02 |
| *USA, California, Los Angeles County | | | | 3334 | 8.7 | 0.16 | 0.95 | 0.02 |
| *USA, California, Los Angeles County: White | | | | 2472 | 9.2 | 0.20 | 1.02 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | | | | 1322 | 9.6 | 0.30 | 1.07 | 0.04 |
| *USA, California, Los Angeles County: Hispanic White | | | | 1150 | 8.7 | 0.26 | 0.96 | 0.03 |
| *USA, California, Los Angeles County: Black | | | | 261 | 6.4 | 0.42 | 0.69 | 0.05 |
| *USA, California, Los Angeles County: Chinese | | | | 119 | 5.9 | 0.61 | 0.58 | 0.06 |
| *USA, California, Los Angeles County: Filipino | | | | 146 | 8.6 | 0.75 | 0.94 | 0.08 |
| *USA, California, Los Angeles County: Korean | | | | 69 | 6.0 | 0.78 | 0.65 | 0.09 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | | | | 547 | 7.9 | 0.36 | 0.83 | 0.04 |
| *USA, California, San Francisco Bay Area | | | | 1531 | 7.9 | 0.22 | 0.89 | 0.03 |
| *USA, California, San Francisco Bay Area: White | | | | 1048 | 8.6 | 0.29 | 0.98 | 0.04 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | | | | 856 | 8.7 | 0.33 | 1.00 | 0.04 |
| *USA, California, San Francisco Bay Area: Hispanic White | | | | 192 | 7.8 | 0.58 | 0.86 | 0.08 |
| *USA, California, San Francisco Bay Area: Black | | | | 117 | 6.9 | 0.66 | 0.82 | 0.09 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | | | | 355 | 6.6 | 0.37 | 0.71 | 0.04 |
| USA, Colorado | | | | 1545 | 7.2 | 0.19 | 0.80 | 0.02 |
| USA, Colorado: White | | | | 1457 | 7.5 | 0.21 | 0.82 | 0.03 |
| *USA, Colorado: Black | | | | 37 | 4.8 | 0.81 | 0.61 | 0.13 |
| *USA, Colorado: Asian and Pacific Islander | | | | 42 | 6.1 | 0.95 | 0.66 | 0.12 |
| USA, Connecticut | | | | 1280 | 7.7 | 0.24 | 0.87 | 0.03 |
| USA, Connecticut: White | | | | 1135 | 7.7 | 0.26 | 0.89 | 0.03 |
| USA, Connecticut: Black | | | | 90 | 5.9 | 0.63 | 0.65 | 0.08 |
| USA, District of Columbia | | | | 220 | 9.1 | 0.65 | 1.03 | 0.08 |
| USA, District of Columbia: White | | | | 78 | 9.0 | 1.07 | 1.08 | 0.14 |
| USA, District of Columbia: Black | | | | 127 | 8.8 | 0.84 | 0.97 | 0.10 |
| USA, Florida | | | | 7926 | 8.2 | 0.10 | 0.92 | 0.01 |
| USA, Florida: White | | | | 6848 | 8.4 | 0.12 | 0.95 | 0.01 |
| USA, Florida: Black | | | | 793 | 6.5 | 0.24 | 0.73 | 0.03 |
| USA, Florida: Asian and Pacific Islander | | | | 152 | 6.1 | 0.51 | 0.66 | 0.06 |
| USA, Georgia | | | | 3193 | 7.8 | 0.15 | 0.88 | 0.02 |
| USA, Georgia: White | | | | 2263 | 8.2 | 0.19 | 0.92 | 0.02 |
| USA, Georgia: Black | | | | 818 | 7.0 | 0.25 | 0.81 | 0.03 |
| USA, Georgia: Asian and Pacific Islander | | | | 108 | 8.0 | 0.78 | 0.85 | 0.10 |
| *USA, Georgia, Atlanta | | | | 1089 | 8.1 | 0.25 | 0.92 | 0.03 |
| *USA, Georgia, Atlanta: White | | | | 634 | 8.8 | 0.37 | 0.98 | 0.05 |
| *USA, Georgia, Atlanta: Black | | | | 377 | 7.2 | 0.38 | 0.84 | 0.05 |
| USA, Idaho | | | | 523 | 7.8 | 0.37 | 0.88 | 0.04 |
| USA, Indiana | | | | 2126 | 7.5 | 0.18 | 0.84 | 0.02 |
| USA, Indiana: White | | | | 1970 | 7.7 | 0.19 | 0.87 | 0.02 |
| USA, Indiana: Black | | | | 127 | 5.6 | 0.52 | 0.58 | 0.06 |
| *USA, Iowa | | | | 1062 | 7.7 | 0.26 | 0.89 | 0.03 |
| USA, Kentucky | | | | 1380 | 7.3 | 0.22 | 0.79 | 0.03 |
| USA, Louisiana | | | | 1337 | 6.9 | 0.20 | 0.79 | 0.03 |
| USA, Louisiana: White | | | | 961 | 7.1 | 0.25 | 0.80 | 0.03 |
| USA, Louisiana: Black | | | | 359 | 6.6 | 0.36 | 0.78 | 0.05 |
| *USA, Louisiana, New Orleans | | | | 276 | 7.4 | 0.48 | 0.87 | 0.06 |
| *USA, Louisiana, New Orleans: White | | | | 178 | 8.1 | 0.67 | 0.97 | 0.09 |
| *USA, Louisiana, New Orleans: Black | | | | 92 | 6.4 | 0.70 | 0.75 | 0.09 |
| USA, Maine | | | | 448 | 6.7 | 0.36 | 0.74 | 0.04 |
| USA, Maryland | | | | 2022 | 7.8 | 0.19 | 0.89 | 0.02 |
| USA, Maryland: White | | | | 1411 | 8.5 | 0.25 | 0.96 | 0.03 |
| USA, Maryland: Black | | | | 490 | 6.5 | 0.30 | 0.76 | 0.04 |
| USA, Maryland: Asian and Pacific Islander | | | | 112 | 7.5 | 0.73 | 0.84 | 0.09 |
| USA, Massachusetts | | | | 2338 | 7.6 | 0.17 | 0.86 | 0.02 |
| USA, Massachusetts: White | | | | 2102 | 7.7 | 0.19 | 0.88 | 0.02 |
| USA, Massachusetts: Black | | | | 119 | 5.9 | 0.56 | 0.68 | 0.07 |
| USA, Massachusetts: Asian and Pacific Islander | | | | 83 | 5.7 | 0.64 | 0.61 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56) (contd)

| | Male | | | Female | | | | |
|---|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Michigan | | | | 3468 | 7.9 | 0.15 | 0.87 | 0.02 |
| USA, Michigan: White | | | | 3027 | 8.1 | 0.16 | 0.91 | 0.02 |
| USA, Michigan: Black | | | | 343 | 6.0 | 0.34 | 0.65 | 0.04 |
| USA, Michigan: Asian and Pacific Islander | | | | 59 | 5.9 | 0.78 | 0.61 | 0.09 |
| *USA, Michigan, Detroit | | | | 1463 | 8.4 | 0.24 | 0.92 | 0.03 |
| *USA, Michigan, Detroit: White | | | | 1139 | 8.9 | 0.29 | 0.99 | 0.04 |
| *USA, Michigan, Detroit: Black | | | | 274 | 6.7 | 0.43 | 0.72 | 0.05 |
| USA, Minnesota | | | | 1696 | 7.5 | 0.20 | 0.84 | 0.02 |
| USA, Minnesota: White | | | | 1598 | 7.6 | 0.21 | 0.85 | 0.03 |
| USA, Minnesota: Black | | | | 44 | 5.5 | 0.85 | 0.56 | 0.11 |
| *USA, Minnesota: Asian and Pacific Islander | | | | 30 | 4.4 | 0.82 | 0.39 | 0.08 |
| USA, Mississippi | | | | 868 | 7.0 | 0.26 | 0.78 | 0.03 |
| USA, Missouri | | | | 1872 | 7.2 | 0.18 | 0.80 | 0.02 |
| USA, Missouri: White | | | | 1692 | 7.5 | 0.20 | 0.82 | 0.02 |
| USA, Missouri: Black | | | | 149 | 5.6 | 0.48 | 0.62 | 0.06 |
| USA, Montana | | | | 372 | 8.1 | 0.46 | 0.93 | 0.06 |
| *USA, Montana: American Indian | | | | 14 | 7.0 | 1.89 | 0.77 | 0.24 |
| USA, Nebraska | | | | 583 | 7.7 | 0.35 | 0.84 | 0.04 |
| USA, Nebraska: White | | | | 561 | 8.0 | 0.37 | 0.87 | 0.04 |
| *USA, Nebraska: Black | | | | 11 | 3.7 | 1.16 | 0.42 | 0.18 |
| USA, Nevada | | | | 863 | 7.5 | 0.27 | 0.83 | 0.03 |
| USA, Nevada: White | | | | 700 | 7.6 | 0.31 | 0.84 | 0.04 |
| USA, Nevada: Black | | | | 61 | 6.4 | 0.83 | 0.72 | 0.11 |
| *USA, Nevada: Asian and Pacific Islander | | | | 97 | 8.3 | 0.89 | 0.87 | 0.10 |
| USA, New Jersey | | | | 3406 | 8.6 | 0.16 | 0.98 | 0.02 |
| USA, New Jersey: White | | | | 2793 | 8.9 | 0.19 | 1.03 | 0.02 |
| USA, New Jersey: Black | | | | 363 | 6.9 | 0.38 | 0.77 | 0.05 |
| USA, New Mexico | | | | 768 | 8.6 | 0.34 | 0.98 | 0.04 |
| USA, New Mexico: White | | | | 671 | 8.5 | 0.36 | 0.98 | 0.04 |
| USA, New Mexico: Non-Hispanic White | | | | 413 | 8.8 | 0.52 | 1.02 | 0.06 |
| USA, New Mexico: Hispanic White | | | | 258 | 8.1 | 0.52 | 0.92 | 0.07 |
| *USA, New Mexico: American Indian | | | | 74 | 9.8 | 1.16 | 1.17 | 0.16 |
| USA, New York State | | | | 7484 | 8.8 | 0.11 | 0.97 | 0.01 |
| USA, New York State: White | | | | 5923 | 9.2 | 0.13 | 1.02 | 0.02 |
| USA, New York State: Black | | | | 996 | 7.0 | 0.23 | 0.77 | 0.03 |
| USA, New York State: Asian and Pacific Islander | | | | 513 | 8.2 | 0.37 | 0.88 | 0.04 |
| USA, North Carolina | | | | 3287 | 7.5 | 0.14 | 0.83 | 0.02 |
| USA, North Carolina: White | | | | 2697 | 8.1 | 0.17 | 0.90 | 0.02 |
| USA, North Carolina: Black | | | | 495 | 5.5 | 0.26 | 0.60 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | | | | 57 | 6.6 | 0.88 | 0.77 | 0.12 |
| *USA, North Carolina: American Indian | | | | 26 | 5.0 | 0.99 | 0.59 | 0.13 |
| USA, North Dakota | | | | 209 | 7.0 | 0.54 | 0.78 | 0.07 |
| USA, Ohio | | | | 4003 | 7.6 | 0.13 | 0.87 | 0.02 |
| USA, Ohio: White | | | | 3628 | 7.9 | 0.15 | 0.91 | 0.02 |
| USA, Ohio: Black | | | | 316 | 5.5 | 0.32 | 0.61 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | | | | 52 | 6.5 | 0.91 | 0.71 | 0.11 |
| USA, Oklahoma | | | | 1310 | 8.0 | 0.24 | 0.91 | 0.03 |
| USA, Oklahoma: White | | | | 1105 | 8.0 | 0.27 | 0.91 | 0.03 |
| USA, Oklahoma: Black | | | | 61 | 5.8 | 0.75 | 0.66 | 0.10 |
| USA, Oklahoma: American Indian | | | | 110 | 8.9 | 0.87 | 1.04 | 0.11 |
| USA, Oregon | | | | 1536 | 8.5 | 0.24 | 0.94 | 0.03 |
| USA, Oregon: White | | | | 1431 | 8.5 | 0.25 | 0.94 | 0.03 |
| *USA, Oregon: Black | | | | 14 | 5.8 | 1.56 | 0.62 | 0.19 |
| *USA, Oregon: Asian and Pacific Islander | | | | 50 | 6.7 | 0.96 | 0.69 | 0.12 |
| USA, Rhode Island | | | | 359 | 7.7 | 0.45 | 0.81 | 0.05 |
| USA, Rhode Island: White | | | | 333 | 7.7 | 0.48 | 0.83 | 0.05 |
| *USA, Rhode Island: Black | | | | 7 | 2.8 | 1.10 | 0.30 | 0.14 |
| USA, South Carolina | | | | 1487 | 6.6 | 0.19 | 0.75 | 0.02 |
| USA, South Carolina: White | | | | 1136 | 6.8 | 0.23 | 0.78 | 0.03 |
| USA, South Carolina: Black | | | | 329 | 5.9 | 0.34 | 0.67 | 0.04 |
| USA, South Dakota | | | | 299 | 8.2 | 0.52 | 0.88 | 0.06 |
| USA, Tennessee | | | | 2228 | 7.6 | 0.18 | 0.85 | 0.02 |
| USA, Tennessee: White | | | | 1932 | 7.9 | 0.20 | 0.89 | 0.02 |
| USA, Tennessee: Black | | | | 267 | 6.3 | 0.40 | 0.68 | 0.05 |
| USA, Texas | | | | 7797 | 7.9 | 0.09 | 0.87 | 0.01 |
| USA, Texas: White | | | | 6661 | 8.1 | 0.10 | 0.90 | 0.01 |
| USA, Texas: Black | | | | 791 | 6.8 | 0.25 | 0.75 | 0.03 |
| USA, Texas: Asian and Pacific Islander | | | | 299 | 6.7 | 0.39 | 0.71 | 0.05 |
| USA, Utah | | | | 746 | 8.0 | 0.30 | 0.90 | 0.04 |
| USA, Vermont | | | | 216 | 7.3 | 0.55 | 0.84 | 0.07 |
| USA, Washington State | | | | 2315 | 7.7 | 0.17 | 0.85 | 0.02 |
| *USA, Washington, Seattle | | | | 1618 | 7.8 | 0.21 | 0.86 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | 772 | 8.9 | 0.36 | 0.99 | 0.04 |
| USA, Wyoming | | | | 182 | 8.3 | 0.66 | 0.95 | 0.08 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | 107 | 7.7 | 0.77 | 0.91 | 0.11 |
| Brunei Darussalam | | | | 128 | 12.2 | 1.11 | 1.28 | 0.15 |
| *China, Anfu County | | | | 43 | 4.6 | 0.75 | 0.45 | 0.08 |
| *China, Anguo City | | | | 38 | 2.7 | 0.45 | 0.34 | 0.06 |
| *China, Anshan City | | | | 530 | 7.1 | 0.33 | 0.81 | 0.04 |
| *China, Aohan Banner, Chifeng City | | | | 63 | 3.2 | 0.41 | 0.37 | 0.05 |
| *China, Arongqi | | | | 51 | 6.1 | 0.93 | 0.61 | 0.10 |
| *China, Baoding City | | | | 241 | 6.3 | 0.41 | 0.74 | 0.05 |
| *China, Beijing City | | | | 2720 | 7.5 | 0.16 | 0.84 | 0.02 |
| *China, Binhai County | | | | 145 | 3.7 | 0.32 | 0.39 | 0.03 |
| *China, Cangzhou City | | | | 113 | 6.4 | 0.61 | 0.74 | 0.08 |
| China, Changfeng County | | | | 74 | 5.0 | 0.60 | 0.55 | 0.07 |
| China, Changzhou City | | | | 449 | 4.8 | 0.24 | 0.52 | 0.03 |
| China, Chengdu City | | | | 283 | 7.7 | 0.47 | 0.85 | 0.06 |
| China, Cixian County | | | | 83 | 4.6 | 0.52 | 0.52 | 0.06 |
| China, Cixi City | | | | 209 | 4.6 | 0.34 | 0.51 | 0.04 |
| *China, Dafeng District, Yancheng City | | | | 162 | 5.1 | 0.41 | 0.54 | 0.05 |
| China, Dalian City | | | | 670 | 6.4 | 0.29 | 0.71 | 0.03 |
| *China, Dancheng County | | | | 241 | 6.6 | 0.44 | 0.78 | 0.06 |
| China, Dangtu County | | | | 61 | 5.9 | 0.79 | 0.62 | 0.08 |
| *China, Danyang City | | | | 157 | 4.5 | 0.37 | 0.50 | 0.04 |
| *China, Dawukou District, Shizuishan City | | | | 46 | 4.6 | 0.72 | 0.50 | 0.08 |
| *China, Dehui City | | | | 151 | 4.9 | 0.41 | 0.54 | 0.05 |
| *China, Donggang County | | | | 128 | 4.8 | 0.44 | 0.52 | 0.05 |
| *China, Dongguan City | | | | 226 | 5.5 | 0.38 | 0.61 | 0.04 |
| China, Donghai County | | | | 124 | 3.4 | 0.31 | 0.39 | 0.04 |
| *China, Dongtai City | | | | 153 | 3.8 | 0.34 | 0.43 | 0.04 |
| China, Duanzhou District, Zhaoqing City | | | | 74 | 6.4 | 0.78 | 0.71 | 0.09 |
| *China, Evenki Autonomous Banner | | | | 27 | 9.3 | 1.88 | 1.01 | 0.22 |
| *China, Faku County | | | | 88 | 4.7 | 0.52 | 0.50 | 0.06 |
| *China, Fangcheng County | | | | 164 | 8.5 | 0.70 | 0.83 | 0.08 |
| *China, Feicheng City | | | | 255 | 6.5 | 0.44 | 0.70 | 0.05 |
| China, Feixi County | | | | 209 | 6.1 | 0.44 | 0.65 | 0.05 |
| China, Fuqing City | | | | 90 | 3.4 | 0.37 | 0.34 | 0.04 |
| *China, Ganyu District, Lianyungang City | | | | 152 | 3.9 | 0.33 | 0.43 | 0.04 |
| *China, Ganzhou District, Zhangye City | | | | 50 | 5.7 | 0.91 | 0.64 | 0.11 |
| *China, Gaocheng City | | | | 87 | 3.7 | 0.41 | 0.40 | 0.05 |
| China, Gaomi City | | | | 137 | 4.8 | 0.42 | 0.52 | 0.05 |
| China, Gong'an County | | | | 233 | 7.2 | 0.50 | 0.78 | 0.06 |
| *China, Guang'an District, Guang'an City | | | | 60 | 3.3 | 0.43 | 0.39 | 0.06 |
| China, Guanghan City | | | | 78 | 5.1 | 0.61 | 0.58 | 0.07 |
| China, Guangzhou City | | | | 1679 | 5.5 | 0.14 | 0.58 | 0.02 |
| *China, Guanyun County | | | | 119 | 3.7 | 0.35 | 0.38 | 0.04 |
| China, Guilin City | | | | 182 | 8.1 | 0.63 | 0.90 | 0.08 |
| *China, Hai'an City | | | | 209 | 4.5 | 0.33 | 0.51 | 0.04 |
| China, Hailar District, Hulun Buir City | | | | 87 | 6.7 | 0.74 | 0.82 | 0.10 |
| China, Haimen District, Nantong City | | | | 232 | 5.4 | 0.38 | 0.62 | 0.04 |
| China, Haining City | | | | 156 | 5.1 | 0.44 | 0.53 | 0.05 |
| China, Hangzhou City | | | | 1429 | 5.2 | 0.15 | 0.55 | 0.02 |
| China, Hebi City | | | | 54 | 4.3 | 0.61 | 0.49 | 0.08 |
| China, Hefei City | | | | 525 | 6.7 | 0.31 | 0.70 | 0.03 |
| China, Hengdong County | | | | 62 | 4.2 | 0.54 | 0.48 | 0.07 |
| *China, Hengfeng County | | | | 19 | 4.1 | 1.04 | 0.37 | 0.09 |
| *China, Hepu County | | | | 73 | 2.8 | 0.34 | 0.28 | 0.04 |
| China, Honghu City | | | | 161 | 6.0 | 0.51 | 0.64 | 0.06 |
| China, Hongshan District, Chifeng City | | | | 83 | 5.7 | 0.65 | 0.64 | 0.08 |
| *China, Hongta District, Yuxi City | | | | 75 | 5.3 | 0.64 | 0.57 | 0.07 |
| *China, Huaiyin District, Huai'an City | | | | 140 | 4.5 | 0.40 | 0.49 | 0.05 |
| *China, Jiange County | | | | 42 | 2.5 | 0.39 | 0.28 | 0.05 |
| China, Jiangmen City | | | | 124 | 5.2 | 0.48 | 0.54 | 0.06 |
| *China, Jiangyin City | | | | 255 | 4.9 | 0.32 | 0.52 | 0.04 |
| *China, Jiashan County | | | | 89 | 5.4 | 0.65 | 0.55 | 0.06 |
| China, Jiayu County | | | | 41 | 5.5 | 0.87 | 0.64 | 0.11 |
| *China, Jinan City | | | | 585 | 6.7 | 0.30 | 0.74 | 0.03 |
| *China, Jingtai County | | | | 59 | 8.3 | 1.12 | 0.86 | 0.12 |
| *China, Jingxian County | | | | 39 | 4.4 | 0.80 | 0.42 | 0.07 |
| *China, Jintan District, Changzhou City | | | | 101 | 4.6 | 0.48 | 0.53 | 0.06 |
| *China, Jiulongpo District, Chongqing City | | | | 216 | 7.5 | 0.55 | 0.82 | 0.06 |
| *China, Jiyuan City | | | | 123 | 6.7 | 0.62 | 0.75 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| China, Kaihua County | | | | 80 | 6.5 | 0.75 0.70 0.09 |
| China, Kunshan City | | | | 197 | 6.2 | 0.45 0.70 0.06 |
| China, Langzhong City | | | | 58 | 3.3 | 0.44 0.38 0.05 |
| *China, Liangshan County | | | | 194 | 7.4 | 0.58 0.76 0.06 |
| *China, Lianshui County | | | | 120 | 3.1 | 0.30 0.32 0.03 |
| China, Lianyungang City | | | | 155 | 4.3 | 0.36 0.45 0.04 |
| China, Linhe District, Bayannur City | | | | 99 | 6.8 | 0.70 0.77 0.09 |
| China, Linqu County | | | | 193 | 5.7 | 0.42 0.63 0.05 |
| *China, Linzhou City | | | | 181 | 4.9 | 0.38 0.52 0.04 |
| China, Liuzhou City | | | | 263 | 6.9 | 0.43 0.69 0.05 |
| China, Liyang City | | | | 131 | 3.7 | 0.34 0.42 0.04 |
| *China, Longquan City | | | | 35 | 4.5 | 0.82 0.46 0.09 |
| China, Lucheng District, Wenzhou City | | | | 122 | 7.4 | 0.74 0.76 0.08 |
| China, Luoding City | | | | 87 | 4.0 | 0.43 0.43 0.05 |
| *China, Luohe City | | | | 215 | 5.1 | 0.36 0.55 0.04 |
| *China, Luoyang City | | | | 240 | 5.5 | 0.36 0.62 0.05 |
| *China, Luquan City | | | | 53 | 4.7 | 0.66 0.51 0.08 |
| China, Ma'anshan City | | | | 147 | 6.6 | 0.55 0.77 0.07 |
| *China, Macheng City | | | | 96 | 4.4 | 0.48 0.49 0.05 |
| China, Meihekou City | | | | 122 | 5.2 | 0.50 0.60 0.07 |
| *China, Mengjin County | | | | 76 | 7.1 | 0.83 0.74 0.09 |
| China, Nangang District, Harbin City | | | | 262 | 6.4 | 0.42 0.72 0.05 |
| *China, Nanhai District, Foshan City | | | | 201 | 7.4 | 0.55 0.75 0.06 |
| China, Nanhu District, Jiaying City | | | | 111 | 5.1 | 0.53 0.55 0.06 |
| *China, Nantong City | | | | 259 | 5.2 | 0.35 0.57 0.04 |
| *China, Nanxiong City | | | | 103 | 6.4 | 0.64 0.69 0.08 |
| China, Neixiang County | | | | 103 | 4.9 | 0.50 0.50 0.05 |
| *China, Qianxi County | | | | 41 | 3.2 | 0.51 0.41 0.07 |
| China, Qidong City | | | | 245 | 4.4 | 0.32 0.48 0.03 |
| China, Qingzhou City | | | | 218 | 6.8 | 0.48 0.78 0.06 |
| *China, Rudong County | | | | 240 | 4.7 | 0.35 0.52 0.04 |
| *China, Rugao City | | | | 334 | 5.4 | 0.32 0.56 0.03 |
| *China, Rural areas of Shanghai City | | | | 1891 | 5.0 | 0.14 0.53 0.01 |
| China, Ruyang County | | | | 55 | 5.2 | 0.72 0.58 0.09 |
| *China, Shan County | | | | 116 | 4.7 | 0.45 0.55 0.06 |
| China, Shanghai City | | | | 1811 | 6.3 | 0.18 0.65 0.02 |
| China, Shangyu District, Shaoxing City | | | | 174 | 5.4 | 0.42 0.61 0.05 |
| *China, Shapingba District, Chongqing City | | | | 259 | 8.0 | 0.53 0.79 0.06 |
| China, Shexian County | | | | 61 | 4.6 | 0.62 0.51 0.08 |
| China, Sheyang County | | | | 171 | 4.5 | 0.35 0.50 0.04 |
| *China, Shijiazhuang City | | | | 285 | 5.8 | 0.36 0.70 0.05 |
| China, Shunde District, Foshan City | | | | 246 | 6.5 | 0.44 0.65 0.05 |
| *China, Song County | | | | 68 | 4.6 | 0.57 0.54 0.07 |
| China, Suzhou City | | | | 692 | 4.9 | 0.20 0.54 0.02 |
| *China, Tengzhou City | | | | 261 | 4.8 | 0.30 0.56 0.04 |
| *China, Wangdu County | | | | 21 | 2.8 | 0.63 0.34 0.08 |
| *China, Wanxian County | | | | 31 | 2.7 | 0.50 0.30 0.06 |
| *China, Wu'an City | | | | 91 | 3.6 | 0.39 0.39 0.05 |
| China, Wuhan City | | | | 1288 | 6.5 | 0.20 0.69 0.02 |
| *China, Wuhu City | | | | 267 | 6.0 | 0.40 0.64 0.04 |
| China, Wuxi City | | | | 514 | 4.9 | 0.23 0.54 0.03 |
| China, Wuzhou City | | | | 114 | 6.4 | 0.61 0.68 0.07 |
| China, Xiangfu District, Kaifeng City | | | | 170 | 8.8 | 0.69 0.87 0.08 |
| China, Xianju County | | | | 91 | 4.9 | 0.54 0.54 0.07 |
| *China, Xin'an County | | | | 44 | 4.3 | 0.66 0.46 0.08 |
| *China, Xining City | | | | 179 | 7.3 | 0.56 0.75 0.06 |
| *China, Xinji City | | | | 184 | 7.0 | 0.54 0.75 0.06 |
| *China, Xinluo District, Longyan City | | | | 45 | 4.4 | 0.71 0.49 0.08 |
| *China, Xinzhou District, Shangrao City | | | | 44 | 3.4 | 0.54 0.34 0.06 |
| China, Xiping County | | | | 149 | 5.6 | 0.47 0.57 0.05 |
| *China, Xishan District, Kunming City | | | | 86 | 5.6 | 0.62 0.65 0.08 |
| *China, Xuyi County | | | | 113 | 4.9 | 0.50 0.52 0.05 |
| *China, Ya'an City | | | | 307 | 6.3 | 0.37 0.66 0.04 |
| *China, Yakeshi City | | | | 75 | 5.2 | 0.67 0.55 0.07 |
| China, Yancheng City | | | | 238 | 4.4 | 0.29 0.46 0.03 |
| *China, Yangquan City | | | | 155 | 7.1 | 0.59 0.82 0.08 |
| *China, Yangzhong City | | | | 44 | 3.2 | 0.50 0.37 0.06 |
| *China, Yanji City | | | | 112 | 5.0 | 0.51 0.56 0.06 |
| *China, Yanshi City | | | | 153 | 7.3 | 0.63 0.77 0.07 |
| China, Yanting County | | | | 54 | 2.9 | 0.39 0.28 0.04 |
| *China, Yi'an District, Tongling City | | | | 37 | 3.8 | 0.64 0.43 0.08 |
| *China, Yingdong District, Fuyang City | | | | 78 | 4.1 | 0.48 0.43 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| *China, Yinzhou District, Ningbo City | 46 | 5.1 | 0.77 | 0.57 | 0.09 | |
| *China, Yiyuan County | 111 | 5.9 | 0.62 | 0.67 | 0.08 | |
| China, Yong'an City | 46 | 4.0 | 0.60 | 0.41 | 0.07 | |
| *China, Yongding District, Longyan City | 44 | 3.0 | 0.49 | 0.34 | 0.06 | |
| China, Yongkang City | 89 | 4.1 | 0.46 | 0.43 | 0.05 | |
| *China, Yucheng County | 104 | 5.1 | 0.52 | 0.52 | 0.06 | |
| China, Yueyanglou District, Yueyang City | 66 | 6.5 | 0.82 | 0.84 | 0.12 | |
| China, Yunmeng County | 118 | 7.0 | 0.66 | 0.68 | 0.07 | |
| *China, Yunyang District, Shiyang City | 29 | 2.9 | 0.54 | 0.30 | 0.06 | |
| China, Yuzhong District, Chongqing City | 136 | 6.3 | 0.57 | 0.76 | 0.08 | |
| *China, Zhanhuang County | 52 | 6.4 | 0.90 | 0.71 | 0.12 | |
| *China, Zhangjiagang City | 227 | 5.6 | 0.40 | 0.60 | 0.04 | |
| *China, Zhaoyuan City | 164 | 6.9 | 0.59 | 0.75 | 0.06 | |
| *China, Zhengding County | 79 | 5.6 | 0.65 | 0.65 | 0.08 | |
| *China, Zhongshan City | 298 | 5.5 | 0.33 | 0.57 | 0.04 | |
| China, Zhongxiang City | 190 | 5.5 | 0.41 | 0.55 | 0.05 | |
| *China, Zhuanghe City | 171 | 4.4 | 0.35 | 0.47 | 0.04 | |
| *China, Zhuhai City | 231 | 6.4 | 0.45 | 0.66 | 0.05 | |
| India, Ahmedabad, Urban | 512 | 4.3 | 0.19 | 0.48 | 0.03 | |
| India, Aurangabad | 114 | 4.1 | 0.39 | 0.49 | 0.05 | |
| India, Bangalore | 1206 | 10.7 | 0.31 | 1.31 | 0.05 | |
| India, Barshi, Paranda, and Bhum | 56 | 4.1 | 0.56 | 0.46 | 0.07 | |
| *India, Bhopal | 216 | 8.3 | 0.58 | 0.95 | 0.08 | |
| India, Chandigarh | 145 | 6.5 | 0.56 | 0.82 | 0.09 | |
| *India, Chennai | 1054 | 8.1 | 0.25 | 0.93 | 0.03 | |
| India, Dibrugarh | 229 | 6.9 | 0.47 | 0.68 | 0.05 | |
| *India, Dindigul, Ambilikai | 286 | 4.4 | 0.26 | 0.48 | 0.03 | |
| India, Kamrup Urban District | 238 | 9.6 | 0.65 | 1.07 | 0.09 | |
| India, Kollam | 417 | 5.8 | 0.29 | 0.67 | 0.04 | |
| *India, Manipur | 187 | 3.2 | 0.24 | 0.34 | 0.03 | |
| India, Meghalaya | 75 | 2.2 | 0.27 | 0.25 | 0.04 | |
| India, Mizoram | 114 | 5.6 | 0.55 | 0.63 | 0.08 | |
| India, Mumbai | 2177 | 7.1 | 0.16 | 0.82 | 0.02 | |
| *India, New Delhi | 2012 | 9.2 | 0.21 | 1.04 | 0.03 | |
| India, Poona | 788 | 6.6 | 0.24 | 0.81 | 0.03 | |
| *India, Sangrur District | 130 | 5.2 | 0.46 | 0.60 | 0.06 | |
| India, SAS Nagar | 164 | 7.2 | 0.57 | 0.82 | 0.07 | |
| *India, Tamil Nadu | 9467 | 4.4 | 0.05 | 0.49 | 0.01 | |
| *India, Tripura | 219 | 3.1 | 0.21 | 0.33 | 0.03 | |
| India, Trivandrum | 667 | 7.3 | 0.29 | 0.80 | 0.04 | |
| India, Wardha | 196 | 5.3 | 0.39 | 0.57 | 0.04 | |
| India, West Arunachal | 62 | 5.4 | 0.78 | 0.50 | 0.10 | |
| *Iran (Islamic Republic of), Ardabil Province | 77 | 4.1 | 0.47 | 0.47 | 0.07 | |
| *Iran (Islamic Republic of), Golestan Province | 154 | 5.8 | 0.48 | 0.66 | 0.07 | |
| Israel | 2038 | 7.5 | 0.17 | 0.84 | 0.02 | |
| *Israel: Jews | 1710 | 7.6 | 0.20 | 0.86 | 0.03 | |
| *Israel: Arabs | 178 | 5.1 | 0.40 | 0.55 | 0.05 | |
| Japan | 30949 | 9.2 | 0.06 | 0.97 | 0.01 | |
| Japan, Aichi Prefecture | 1581 | 8.8 | 0.25 | 0.93 | 0.03 | |
| *Japan, Akita Prefecture | 328 | 11.1 | 0.76 | 1.16 | 0.07 | |
| Japan, Aomori Prefecture | 716 | 11.7 | 0.53 | 1.21 | 0.05 | |
| Japan, Gunma Prefecture | 472 | 9.2 | 0.49 | 0.98 | 0.05 | |
| Japan, Hiroshima Prefecture | 892 | 8.8 | 0.35 | 0.93 | 0.04 | |
| Japan, Miyagi Prefecture | 1015 | 10.0 | 0.37 | 1.06 | 0.04 | |
| Japan, Osaka Prefecture | 2015 | 8.6 | 0.22 | 0.91 | 0.02 | |
| Kuwait | 237 | 4.4 | 0.33 | 0.57 | 0.06 | |
| *Kuwait: Kuwaitis | 108 | 4.5 | 0.45 | 0.59 | 0.07 | |
| *Kuwait: Non-Kuwaitis | 129 | 4.4 | 0.54 | 0.52 | 0.09 | |
| *Philippines, Manila | 1698 | 11.4 | 0.28 | 1.27 | 0.04 | |
| *Qatar: Qatari | 37 | 7.8 | 1.36 | 0.94 | 0.20 | |
| Republic of Korea | 12720 | 6.6 | 0.06 | 0.68 | 0.01 | |
| *Republic of Korea, Busan | 987 | 7.2 | 0.25 | 0.73 | 0.02 | |
| *Republic of Korea, Daegu | 661 | 6.8 | 0.28 | 0.69 | 0.03 | |
| *Republic of Korea, Daejeon | 343 | 6.4 | 0.36 | 0.65 | 0.04 | |
| *Republic of Korea, Gwangju | 311 | 5.8 | 0.35 | 0.56 | 0.04 | |
| Republic of Korea, Incheon | 693 | 6.4 | 0.26 | 0.65 | 0.03 | |
| Republic of Korea, Jeju | 142 | 6.2 | 0.56 | 0.65 | 0.06 | |
| Republic of Korea, Seoul | 2670 | 7.1 | 0.15 | 0.74 | 0.02 | |
| Republic of Korea, Ulsan | 281 | 6.8 | 0.43 | 0.69 | 0.05 | |
| Singapore | 1489 | 10.1 | 0.27 | 1.04 | 0.03 | |
| Singapore: Chinese | 1130 | 9.8 | 0.31 | 1.00 | 0.03 | |
| Singapore: Indian | 91 | 8.6 | 0.92 | 0.92 | 0.12 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | 238 | 13.9 | 0.93 | 1.49 | 0.11 |
| Thailand, Bangkok | | | | 1299 | 6.0 | 0.18 | 0.64 | 0.02 |
| *Thailand, Chiang Mai | | | | 333 | 5.6 | 0.32 | 0.57 | 0.04 |
| *Thailand, Khon Kaen | | | | 363 | 5.8 | 0.32 | 0.60 | 0.03 |
| Thailand, Lampang | | | | 152 | 4.8 | 0.42 | 0.50 | 0.05 |
| Thailand, Lopburi Province | | | | 204 | 8.1 | 0.58 | 0.88 | 0.07 |
| *Thailand, Songkhla | | | | 264 | 5.9 | 0.37 | 0.60 | 0.04 |
| Turkey, Antalya | | | | 398 | 6.0 | 0.31 | 0.66 | 0.04 |
| Turkey, Bursa | | | | 576 | 6.6 | 0.28 | 0.73 | 0.04 |
| *Turkey, Edirne | | | | 116 | 7.7 | 0.74 | 0.90 | 0.09 |
| *Turkey, Erzurum | | | | 139 | 7.2 | 0.62 | 0.77 | 0.07 |
| Turkey, Eskişehir | | | | 184 | 6.4 | 0.49 | 0.72 | 0.06 |
| Turkey, Gaziantep | | | | 232 | 5.9 | 0.39 | 0.65 | 0.05 |
| *Turkey, Izmir | | | | 1000 | 7.2 | 0.23 | 0.77 | 0.03 |
| Turkey, Malatya | | | | 127 | 5.6 | 0.51 | 0.63 | 0.06 |
| Turkey, Samsun | | | | 301 | 7.0 | 0.42 | 0.77 | 0.05 |
| Turkey, Trabzon | | | | 205 | 6.8 | 0.51 | 0.73 | 0.06 |
| Europe | | | | | | | | |
| Austria | | | | 3463 | 7.9 | 0.15 | 0.88 | 0.02 |
| Austria, Carinthia | | | | 264 | 8.6 | 0.61 | 1.00 | 0.07 |
| Austria, Tyrol | | | | 300 | 8.0 | 0.52 | 0.91 | 0.07 |
| Austria, Vorarlberg | | | | 148 | 8.3 | 0.75 | 0.97 | 0.09 |
| Belarus | | | | 4298 | 10.7 | 0.17 | 1.16 | 0.02 |
| *Belgium | | | | 3913 | 7.0 | 0.13 | 0.83 | 0.02 |
| Croatia | | | | 2122 | 10.2 | 0.25 | 1.14 | 0.03 |
| Cyprus | | | | 308 | 8.8 | 0.53 | 1.00 | 0.07 |
| *Czech Republic | | | | 5174 | 10.1 | 0.16 | 1.18 | 0.02 |
| Denmark | | | | 2539 | 9.1 | 0.20 | 1.08 | 0.03 |
| Estonia | | | | 749 | 10.6 | 0.45 | 1.21 | 0.05 |
| Finland | | | | 2356 | 7.9 | 0.19 | 0.91 | 0.02 |
| *France, Bas-Rhin | | | | 263 | 6.2 | 0.43 | 0.70 | 0.05 |
| *France, Calvados | | | | 274 | 7.1 | 0.49 | 0.88 | 0.07 |
| *France, Doubs | | | | 176 | 6.7 | 0.56 | 0.82 | 0.07 |
| *France, Gironde | | | | 559 | 7.2 | 0.35 | 0.86 | 0.05 |
| *France, Haut-Rhin | | | | 298 | 7.8 | 0.52 | 0.86 | 0.06 |
| *France, Hérault | | | | 427 | 7.5 | 0.42 | 0.88 | 0.05 |
| *France, Isère | | | | 448 | 7.1 | 0.38 | 0.84 | 0.05 |
| *France, Lille-Métropole | | | | 282 | 8.2 | 0.54 | 0.94 | 0.07 |
| *France, Limousin | | | | 170 | 7.6 | 0.71 | 0.86 | 0.08 |
| *France, Loire-Atlantique | | | | 481 | 7.1 | 0.37 | 0.85 | 0.05 |
| *France, Manche | | | | 282 | 8.8 | 0.67 | 1.01 | 0.08 |
| *France, Poitou-Charentes | | | | 719 | 6.7 | 0.30 | 0.80 | 0.04 |
| *France, Somme | | | | 216 | 7.3 | 0.57 | 0.88 | 0.07 |
| *France, Tarn | | | | 167 | 7.1 | 0.69 | 0.81 | 0.08 |
| *France, Territoire de Belfort | | | | 35 | 7.5 | 1.53 | 0.75 | 0.15 |
| *France, Vendée | | | | 288 | 7.8 | 0.56 | 0.88 | 0.07 |
| Germany, Baden-Württemberg | | | | 3028 | 8.8 | 0.18 | 1.01 | 0.02 |
| Germany, Bavaria | | | | 5751 | 8.0 | 0.12 | 0.92 | 0.02 |
| Germany, Bremen | | | | 310 | 8.5 | 0.56 | 1.00 | 0.07 |
| Germany, Hamburg | | | | 940 | 10.2 | 0.39 | 1.13 | 0.05 |
| Germany, Lower Saxony | | | | 4131 | 9.1 | 0.17 | 1.03 | 0.02 |
| Germany, North Rhine-Westphalia | | | | 8473 | 8.6 | 0.11 | 0.98 | 0.01 |
| Germany, Rhineland-Palatinate | | | | 1861 | 8.2 | 0.22 | 0.93 | 0.03 |
| Germany, Saarland | | | | 511 | 8.6 | 0.46 | 0.99 | 0.05 |
| Germany, Schleswig-Holstein | | | | 1496 | 8.7 | 0.27 | 1.01 | 0.03 |
| Iceland | | | | 81 | 6.0 | 0.71 | 0.71 | 0.10 |
| Ireland | | | | 1988 | 10.8 | 0.26 | 1.24 | 0.03 |
| *Italy, Aosta Valley | | | | 44 | 7.1 | 1.25 | 0.78 | 0.15 |
| *Italy, Avellino | | | | 95 | 7.2 | 0.83 | 0.81 | 0.10 |
| Italy, Basilicata | | | | 265 | 9.1 | 0.67 | 0.99 | 0.08 |
| *Italy, Benevento | | | | 119 | 11.7 | 1.24 | 1.24 | 0.13 |
| Italy, Bergamo | | | | 436 | 7.9 | 0.43 | 0.91 | 0.05 |
| *Italy, Brescia | | | | 430 | 7.3 | 0.41 | 0.83 | 0.05 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | 306 | 8.2 | 0.54 | 0.94 | 0.06 |
| Italy, Calabria | | | | 222 | 9.0 | 0.69 | 0.95 | 0.08 |
| *Italy, Caserta | | | | 254 | 8.0 | 0.55 | 0.91 | 0.07 |
| *Italy, Catania, Messina, and Enna | | | | 775 | 8.6 | 0.34 | 0.96 | 0.04 |
| Italy, Emilia-Romagna | | | | 1619 | 8.2 | 0.24 | 0.94 | 0.03 |
| Italy, Friuli-Venezia Giulia | | | | 538 | 8.7 | 0.45 | 0.98 | 0.05 |
| Italy, Genova | | | | 362 | 8.5 | 0.56 | 0.97 | 0.06 |
| *Italy, Lombardy, South, Pavia | | | | 224 | 7.9 | 0.61 | 0.94 | 0.07 |
| Italy, Mantova and Cremona | | | | 245 | 7.5 | 0.59 | 0.87 | 0.07 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56) (contd)

| | Male | | | Female | | | | |
|-------------------------------------|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | 545 | 8.1 | 0.41 | 0.91 | 0.05 |
| Italy, Milan | | | | 1602 | 8.9 | 0.26 | 1.03 | 0.03 |
| Italy, Molise | | | | 86 | 9.8 | 1.27 | 0.95 | 0.13 |
| *Italy, Naples Centre | | | | 203 | 7.4 | 0.56 | 0.86 | 0.07 |
| *Italy, Naples North | | | | 245 | 7.7 | 0.51 | 0.87 | 0.06 |
| *Italy, Naples South | | | | 367 | 7.8 | 0.44 | 0.87 | 0.05 |
| *Italy, Nuoro | | | | 36 | 6.0 | 1.14 | 0.63 | 0.12 |
| *Italy, Palermo | | | | 510 | 8.5 | 0.41 | 1.01 | 0.05 |
| Italy, Puglia | | | | 1753 | 8.8 | 0.24 | 0.97 | 0.03 |
| *Italy, Ragusa and Caltanissetta | | | | 263 | 9.6 | 0.66 | 1.06 | 0.08 |
| *Italy, Salerno | | | | 316 | 7.5 | 0.47 | 0.86 | 0.06 |
| Italy, Sassari | | | | 68 | 6.2 | 0.85 | 0.66 | 0.10 |
| *Italy, Sondrio | | | | 94 | 8.2 | 0.99 | 0.94 | 0.12 |
| Italy, South Tyrol | | | | 202 | 7.4 | 0.61 | 0.80 | 0.07 |
| *Italy, Syracuse | | | | 160 | 9.0 | 0.79 | 0.98 | 0.09 |
| Italy, Trento | | | | 212 | 7.8 | 0.63 | 0.86 | 0.07 |
| Italy, Turin | | | | 1104 | 8.7 | 0.32 | 0.97 | 0.04 |
| *Italy, Tuscany | | | | 1123 | 9.8 | 0.36 | 1.08 | 0.04 |
| Italy, Umbria | | | | 367 | 8.9 | 0.56 | 0.98 | 0.06 |
| Italy, Varese | | | | 223 | 7.8 | 0.61 | 0.87 | 0.07 |
| Italy, Veneto | | | | 2034 | 7.9 | 0.21 | 0.88 | 0.02 |
| Latvia | | | | 1518 | 15.5 | 0.46 | 1.70 | 0.05 |
| *Liechtenstein | | | | 14 | 8.3 | 2.70 | 0.77 | 0.27 |
| *Lithuania | | | | 1981 | 13.3 | 0.34 | 1.47 | 0.04 |
| Malta | | | | 188 | 9.1 | 0.76 | 1.01 | 0.09 |
| *The Netherlands | | | | 5796 | 6.9 | 0.10 | 0.81 | 0.01 |
| Norway | | | | 1959 | 8.6 | 0.21 | 0.99 | 0.03 |
| Poland, Kielce | | | | 638 | 11.1 | 0.49 | 1.26 | 0.06 |
| *Portugal, Azores | | | | 53 | 7.4 | 1.06 | 0.91 | 0.14 |
| Russian Federation, Arkhangelsk | | | | 549 | 10.5 | 0.49 | 1.18 | 0.06 |
| Russian Federation, Kaliningrad | | | | 474 | 11.1 | 0.55 | 1.23 | 0.06 |
| Russian Federation, Karelia | | | | 330 | 10.9 | 0.66 | 1.26 | 0.08 |
| *Russian Federation, Komi Republic | | | | 508 | 14.4 | 0.68 | 1.57 | 0.08 |
| Russian Federation, Murmansk | | | | 379 | 12.0 | 0.65 | 1.32 | 0.08 |
| *Russian Federation, Orenburg | | | | 1051 | 12.5 | 0.41 | 1.35 | 0.05 |
| Russian Federation, Pskov | | | | 397 | 12.7 | 0.72 | 1.38 | 0.08 |
| *Russian Federation, Samara | | | | 1563 | 10.7 | 0.29 | 1.20 | 0.03 |
| Russian Federation, Vologda Region | | | | 620 | 12.1 | 0.53 | 1.31 | 0.05 |
| Slovenia | | | | 788 | 7.7 | 0.30 | 0.89 | 0.04 |
| Spain, Asturias | | | | 300 | 8.2 | 0.57 | 0.96 | 0.07 |
| Spain, Basque Country | | | | 729 | 8.4 | 0.36 | 0.95 | 0.04 |
| Spain, Canary Islands | | | | 412 | 6.7 | 0.36 | 0.73 | 0.04 |
| Spain, Castellón | | | | 190 | 7.1 | 0.57 | 0.81 | 0.07 |
| Spain, Girona | | | | 245 | 7.6 | 0.55 | 0.87 | 0.07 |
| Spain, Granada | | | | 282 | 7.5 | 0.49 | 0.84 | 0.06 |
| Spain, La Rioja | | | | 114 | 7.6 | 0.81 | 0.88 | 0.10 |
| Spain, Murcia | | | | 411 | 7.3 | 0.38 | 0.82 | 0.05 |
| Spain, Navarra | | | | 163 | 6.3 | 0.57 | 0.68 | 0.07 |
| Spain, Salamanca | | | | 167 | 9.9 | 0.90 | 1.09 | 0.10 |
| Spain, Tarragona | | | | 263 | 7.8 | 0.52 | 0.91 | 0.06 |
| *Sweden | | | | 2990 | 6.9 | 0.14 | 0.81 | 0.02 |
| Switzerland, Aargau | | | | 236 | 7.3 | 0.52 | 0.81 | 0.07 |
| Switzerland, Basel | | | | 240 | 9.3 | 0.71 | 1.08 | 0.09 |
| Switzerland, Berne Solothurn | | | | 350 | 8.0 | 0.50 | 0.90 | 0.06 |
| Switzerland, East | | | | 337 | 8.4 | 0.52 | 0.92 | 0.06 |
| *Switzerland, Fribourg | | | | 94 | 6.8 | 0.76 | 0.81 | 0.10 |
| Switzerland, Geneva | | | | 179 | 7.4 | 0.64 | 0.88 | 0.08 |
| *Switzerland, Graubünden and Glarus | | | | 107 | 7.4 | 0.83 | 0.80 | 0.11 |
| *Switzerland, Lucerne | | | | 189 | 7.9 | 0.63 | 0.92 | 0.08 |
| *Switzerland, Neuchâtel and Jura | | | | 79 | 6.2 | 0.79 | 0.72 | 0.10 |
| Switzerland, Ticino | | | | 151 | 7.8 | 0.77 | 0.87 | 0.09 |
| Switzerland, Valais | | | | 149 | 9.2 | 0.82 | 1.07 | 0.10 |
| Switzerland, Vaud | | | | 243 | 6.7 | 0.49 | 0.74 | 0.06 |
| Switzerland, Zurich and Zug | | | | 544 | 7.4 | 0.35 | 0.86 | 0.04 |
| Ukraine | | | | 17392 | 11.4 | 0.09 | 1.25 | 0.01 |
| UK, England | | | | 24941 | 9.5 | 0.07 | 1.09 | 0.01 |
| UK, Northern Ireland | | | | 616 | 7.5 | 0.33 | 0.81 | 0.04 |
| UK, Scotland | | | | 2584 | 9.2 | 0.20 | 1.05 | 0.03 |
| UK, Wales | | | | 1534 | 9.4 | 0.28 | 1.09 | 0.03 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | 2425 | 7.2 | 0.16 | 0.79 | 0.02 |
| *Australia, Northern Territory | | | | 29 | 4.5 | 0.85 | 0.56 | 0.13 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ovary (C56) (contd)

| | Male | | | Female | | |
|--|-------|-------------|-------------|--------|-------------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 24 | 5.0 | <i>1.02</i> | 0.61 | <i>0.15</i> | |
| *Australia, Northern Territory: Indigenous | 5 | 3.0 | <i>1.41</i> | 0.35 | <i>0.19</i> | |
| *Australia, Queensland | 1390 | 7.0 | <i>0.20</i> | 0.76 | <i>0.03</i> | |
| Australia, South Australia | 533 | 6.6 | <i>0.32</i> | 0.72 | <i>0.04</i> | |
| Australia, Tasmania | 140 | 5.7 | <i>0.56</i> | 0.63 | <i>0.07</i> | |
| *Australia, Victoria | 1606 | 6.5 | <i>0.18</i> | 0.72 | <i>0.02</i> | |
| *Australia, Western Australia | 668 | 6.7 | <i>0.28</i> | 0.73 | <i>0.04</i> | |
| *France, New Caledonia | 70 | 8.8 | <i>1.06</i> | 1.05 | <i>0.14</i> | |
| New Zealand | 1369 | 7.0 | <i>0.21</i> | 0.76 | <i>0.02</i> | |
| *New Zealand: Maori | 159 | 8.7 | <i>0.69</i> | 0.96 | <i>0.10</i> | |
| *New Zealand: Pacific peoples | 98 | 13.5 | <i>1.38</i> | 1.47 | <i>0.18</i> | |
| *New Zealand: Other | 1030 | 6.6 | <i>0.24</i> | 0.71 | <i>0.03</i> | |
| USA, Hawaii | 426 | 7.7 | <i>0.41</i> | 0.79 | <i>0.04</i> | |
| USA, Hawaii: White | 138 | 9.2 | <i>0.91</i> | 0.88 | <i>0.09</i> | |
| *USA, Hawaii: Japanese | 78 | 6.2 | <i>0.82</i> | 0.71 | <i>0.09</i> | |
| *USA, Hawaii: Chinese | 19 | 5.6 | <i>1.47</i> | 0.50 | <i>0.13</i> | |
| *USA, Hawaii: Hawaiian | 63 | 6.7 | <i>0.86</i> | 0.76 | <i>0.11</i> | |
| *USA, Hawaii: Filipino | 68 | 6.9 | <i>0.93</i> | 0.68 | <i>0.09</i> | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | 4 | 0.3 | 0.15 | 0.03 | 0.02 |
| *Algeria, Tizi Ouzou | | | | 5 | 0.3 | 0.12 | 0.04 | 0.02 |
| *Benin, Cotonou | | | | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | | | | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Kenya, Eldoret | | | | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *Kenya, Nairobi | | | | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| Mauritius | | | | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Morocco, Casablanca | | | | 7 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Seychelles | | | | 1 | 0.4 | 0.39 | 0.10 | 0.10 |
| *South Africa, Eastern Cape | | | | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | | | | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Uganda, Gulu | | | | 3 | 0.3 | 0.18 | 0.01 | 0.01 |
| *Zimbabwe, Bulawayo: African | | | | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| *Zimbabwe, Harare: African | | | | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | | | | 8 | 0.3 | 0.10 | 0.03 | 0.01 |
| *Argentina, Mendoza | | | | 18 | 0.3 | 0.07 | 0.02 | 0.01 |
| Brazil, Aracaju | | | | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Brazil, Barretos | | | | 0 | – | 0.00 | – | 0.00 |
| Brazil, Belo Horizonte | | | | 23 | 0.2 | 0.05 | 0.03 | 0.01 |
| *Brazil, Campinas | | | | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Brazil, Curitiba | | | | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| Brazil, Goiânia | | | | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Brazil, Jaú | | | | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | | | | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| Brazil, Recife | | | | 12 | 0.3 | 0.08 | 0.02 | 0.01 |
| Chile, Region of Antofagasta | | | | 3 | 0.3 | 0.16 | 0.03 | 0.02 |
| Chile, Valdivia | | | | 4 | 0.2 | 0.09 | 0.01 | 0.01 |
| Colombia, Bucaramanga | | | | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| Colombia, Cali | | | | 37 | 0.5 | 0.08 | 0.06 | 0.01 |
| Colombia, Manizales | | | | 4 | 0.3 | 0.14 | 0.02 | 0.01 |
| Colombia, Pasto | | | | 0 | – | 0.00 | – | 0.00 |
| Costa Rica | | | | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| Ecuador, Guayaquil | | | | 8 | 0.1 | 0.05 | 0.01 | 0.01 |
| Ecuador, Manabí | | | | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Ecuador, Quito | | | | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Guadeloupe | | | | 13 | 0.6 | 0.18 | 0.07 | 0.03 |
| *France, Martinique | | | | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *Peru, Lima | | | | 43 | 0.3 | 0.04 | 0.03 | 0.01 |
| *Trinidad and Tobago | | | | 8 | 0.3 | 0.11 | 0.05 | 0.02 |
| USA, Puerto Rico | | | | 66 | 0.3 | 0.05 | 0.04 | 0.01 |
| *Uruguay | | | | 83 | 0.4 | 0.05 | 0.04 | 0.01 |
| North America | | | | | | | | |
| Canada, Alberta | | | | 200 | 1.2 | 0.09 | 0.14 | 0.01 |
| Canada, British Columbia | | | | 332 | 1.3 | 0.08 | 0.16 | 0.01 |
| *Canada, Manitoba | | | | 77 | 1.3 | 0.16 | 0.17 | 0.02 |
| *Canada, New Brunswick | | | | 21 | 0.5 | 0.12 | 0.07 | 0.02 |
| *Canada, Newfoundland and Labrador | | | | 45 | 1.2 | 0.20 | 0.11 | 0.03 |
| Canada, Ontario | | | | 426 | 0.6 | 0.03 | 0.08 | 0.00 |
| *Canada, Prince Edward Island | | | | 10 | 1.3 | 0.44 | 0.16 | 0.06 |
| Canada, Quebec | | | | 689 | 1.6 | 0.06 | 0.19 | 0.01 |
| Canada, Saskatchewan | | | | 52 | 0.9 | 0.14 | 0.11 | 0.02 |
| *Canada, Yukon | | | | 1 | 0.7 | 0.74 | 0.12 | 0.12 |
| USA | | | | 14470 | 1.0 | 0.01 | 0.12 | 0.00 |
| USA: White | | | | 12454 | 1.0 | 0.01 | 0.13 | 0.00 |
| USA: Black | | | | 1338 | 0.8 | 0.02 | 0.10 | 0.00 |
| USA, NPCR | | | | 13828 | 1.0 | 0.01 | 0.12 | 0.00 |
| USA, NPCR: White | | | | 11910 | 1.0 | 0.01 | 0.12 | 0.00 |
| USA, NPCR: Black | | | | 1321 | 0.8 | 0.02 | 0.10 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | | | | 474 | 0.7 | 0.03 | 0.09 | 0.00 |
| USA, NPCR: American Indian | | | | 68 | 0.5 | 0.07 | 0.07 | 0.01 |
| *USA, SEER (18 registries) | | | | 4081 | 1.0 | 0.02 | 0.13 | 0.00 |
| *USA, SEER (18 registries): White | | | | 3352 | 1.1 | 0.02 | 0.14 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | 2908 | 1.1 | 0.02 | 0.14 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | | | | 444 | 0.9 | 0.04 | 0.12 | 0.01 |
| *USA, SEER (18 registries): Black | | | | 352 | 0.8 | 0.05 | 0.10 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | 318 | 0.8 | 0.05 | 0.10 | 0.01 |
| *USA, SEER (9 registries) | | | | 1676 | 1.2 | 0.03 | 0.15 | 0.00 |
| *USA, SEER (9 registries): White | | | | 1366 | 1.3 | 0.04 | 0.16 | 0.01 |
| *USA, SEER (9 registries): Black | | | | 125 | 0.9 | 0.08 | 0.11 | 0.01 |
| USA, Alabama | | | | 81 | 0.4 | 0.04 | 0.04 | 0.01 |
| USA, Alabama: White | | | | 63 | 0.4 | 0.05 | 0.04 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | |
| USA, Alabama: Black | 16 | 0.3 | 0.08 | 0.03 | 0.01 | |
| USA, Alaska | 37 | 1.4 | 0.24 | 0.19 | 0.03 | |
| *USA, Alaska: Alaska Natives | 6 | 2.0 | 0.82 | 0.20 | 0.08 | |
| USA, Arizona | 252 | 0.8 | 0.05 | 0.10 | 0.01 | |
| USA, Arizona: White | 236 | 0.8 | 0.06 | 0.10 | 0.01 | |
| USA, Arizona: Black | 7 | 0.7 | 0.27 | 0.12 | 0.05 | |
| *USA, Arizona: Asian and Pacific Islander | 5 | 0.5 | 0.22 | 0.06 | 0.03 | |
| USA, Arizona: American Indian | 4 | 0.4 | 0.19 | 0.04 | 0.02 | |
| USA, Arkansas | 73 | 0.5 | 0.06 | 0.06 | 0.01 | |
| USA, Arkansas: White | 62 | 0.5 | 0.07 | 0.06 | 0.01 | |
| USA, Arkansas: Black | 9 | 0.5 | 0.19 | 0.07 | 0.03 | |
| USA, California | 1520 | 0.9 | 0.02 | 0.11 | 0.00 | |
| USA, California: White | 1233 | 1.0 | 0.03 | 0.12 | 0.00 | |
| USA, California: Black | 87 | 0.8 | 0.09 | 0.10 | 0.01 | |
| USA, California: Asian and Pacific Islander | 185 | 0.7 | 0.05 | 0.08 | 0.01 | |
| *USA, California, Los Angeles County | 361 | 0.9 | 0.05 | 0.11 | 0.01 | |
| *USA, California, Los Angeles County: White | 280 | 1.0 | 0.06 | 0.12 | 0.01 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 172 | 1.1 | 0.09 | 0.14 | 0.01 | |
| *USA, California, Los Angeles County: Hispanic White | 108 | 0.8 | 0.08 | 0.10 | 0.01 | |
| *USA, California, Los Angeles County: Black | 30 | 0.7 | 0.14 | 0.09 | 0.02 | |
| *USA, California, Los Angeles County: Chinese | 10 | 0.4 | 0.13 | 0.03 | 0.01 | |
| *USA, California, Los Angeles County: Filipino | 10 | 0.5 | 0.17 | 0.06 | 0.02 | |
| *USA, California, Los Angeles County: Korean | 6 | 0.5 | 0.22 | 0.07 | 0.03 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 45 | 0.6 | 0.09 | 0.07 | 0.01 | |
| *USA, California, San Francisco Bay Area | 251 | 1.2 | 0.08 | 0.14 | 0.01 | |
| *USA, California, San Francisco Bay Area: White | 172 | 1.2 | 0.10 | 0.15 | 0.01 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 148 | 1.3 | 0.12 | 0.16 | 0.02 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 24 | 0.9 | 0.20 | 0.09 | 0.02 | |
| *USA, California, San Francisco Bay Area: Black | 25 | 1.2 | 0.26 | 0.14 | 0.03 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 52 | 0.9 | 0.13 | 0.11 | 0.02 | |
| USA, Colorado | 252 | 1.1 | 0.07 | 0.15 | 0.01 | |
| USA, Colorado: White | 241 | 1.2 | 0.08 | 0.16 | 0.01 | |
| *USA, Colorado: Black | 8 | 0.9 | 0.32 | 0.09 | 0.05 | |
| *USA, Colorado: Asian and Pacific Islander | 2 | 0.3 | 0.20 | 0.03 | 0.02 | |
| USA, Connecticut | 217 | 1.2 | 0.09 | 0.15 | 0.01 | |
| USA, Connecticut: White | 194 | 1.2 | 0.09 | 0.15 | 0.01 | |
| USA, Connecticut: Black | 13 | 0.8 | 0.23 | 0.09 | 0.03 | |
| USA, District of Columbia | 23 | 0.9 | 0.20 | 0.11 | 0.03 | |
| USA, District of Columbia: White | 8 | 0.9 | 0.33 | 0.10 | 0.05 | |
| USA, District of Columbia: Black | 15 | 1.0 | 0.26 | 0.12 | 0.03 | |
| USA, Florida | 874 | 0.8 | 0.03 | 0.10 | 0.00 | |
| USA, Florida: White | 759 | 0.8 | 0.03 | 0.10 | 0.00 | |
| USA, Florida: Black | 92 | 0.7 | 0.08 | 0.08 | 0.01 | |
| USA, Florida: Asian and Pacific Islander | 13 | 0.5 | 0.14 | 0.06 | 0.02 | |
| USA, Georgia | 303 | 0.7 | 0.04 | 0.09 | 0.01 | |
| USA, Georgia: White | 212 | 0.7 | 0.05 | 0.09 | 0.01 | |
| USA, Georgia: Black | 83 | 0.7 | 0.08 | 0.09 | 0.01 | |
| USA, Georgia: Asian and Pacific Islander | 5 | 0.4 | 0.17 | 0.07 | 0.03 | |
| *USA, Georgia, Atlanta | 101 | 0.7 | 0.07 | 0.09 | 0.01 | |
| *USA, Georgia, Atlanta: White | 61 | 0.8 | 0.10 | 0.10 | 0.01 | |
| *USA, Georgia, Atlanta: Black | 37 | 0.7 | 0.11 | 0.09 | 0.02 | |
| USA, Idaho | 47 | 0.6 | 0.10 | 0.08 | 0.01 | |
| USA, Indiana | 296 | 0.9 | 0.06 | 0.11 | 0.01 | |
| USA, Indiana: White | 269 | 0.9 | 0.06 | 0.12 | 0.01 | |
| USA, Indiana: Black | 24 | 0.9 | 0.19 | 0.11 | 0.03 | |
| *USA, Iowa | 210 | 1.4 | 0.11 | 0.17 | 0.01 | |
| USA, Kentucky | 264 | 1.2 | 0.08 | 0.15 | 0.01 | |
| USA, Louisiana | 165 | 0.8 | 0.06 | 0.10 | 0.01 | |
| USA, Louisiana: White | 121 | 0.8 | 0.08 | 0.10 | 0.01 | |
| USA, Louisiana: Black | 44 | 0.7 | 0.12 | 0.09 | 0.02 | |
| *USA, Louisiana, New Orleans | 34 | 0.9 | 0.17 | 0.11 | 0.02 | |
| *USA, Louisiana, New Orleans: White | 22 | 1.1 | 0.25 | 0.12 | 0.03 | |
| *USA, Louisiana, New Orleans: Black | 12 | 0.8 | 0.25 | 0.11 | 0.03 | |
| USA, Maine | 154 | 2.1 | 0.18 | 0.27 | 0.03 | |
| USA, Maryland | 307 | 1.1 | 0.06 | 0.14 | 0.01 | |
| USA, Maryland: White | 232 | 1.2 | 0.09 | 0.15 | 0.01 | |
| USA, Maryland: Black | 62 | 0.8 | 0.10 | 0.10 | 0.02 | |
| USA, Maryland: Asian and Pacific Islander | 13 | 0.8 | 0.23 | 0.11 | 0.04 | |
| USA, Massachusetts | 457 | 1.3 | 0.07 | 0.17 | 0.01 | |
| USA, Massachusetts: White | 420 | 1.4 | 0.07 | 0.18 | 0.01 | |
| USA, Massachusetts: Black | 24 | 1.1 | 0.23 | 0.14 | 0.04 | |
| USA, Massachusetts: Asian and Pacific Islander | 8 | 0.6 | 0.20 | 0.07 | 0.03 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57) (contd)

| | Male | | | Female | | | | |
|---|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, Michigan | | | | 481 | 1.0 | 0.05 | 0.13 | 0.01 |
| USA, Michigan: White | | | | 420 | 1.0 | 0.05 | 0.13 | 0.01 |
| USA, Michigan: Black | | | | 46 | 0.8 | 0.13 | 0.11 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | | | | 10 | 1.0 | 0.32 | 0.10 | 0.04 |
| *USA, Michigan, Detroit | | | | 213 | 1.1 | 0.08 | 0.15 | 0.01 |
| *USA, Michigan, Detroit: White | | | | 167 | 1.2 | 0.10 | 0.15 | 0.01 |
| *USA, Michigan, Detroit: Black | | | | 38 | 0.9 | 0.16 | 0.12 | 0.02 |
| USA, Minnesota | | | | 507 | 2.0 | 0.09 | 0.26 | 0.01 |
| USA, Minnesota: White | | | | 473 | 2.0 | 0.10 | 0.26 | 0.01 |
| USA, Minnesota: Black | | | | 18 | 2.4 | 0.57 | 0.24 | 0.07 |
| *USA, Minnesota: Asian and Pacific Islander | | | | 11 | 1.7 | 0.52 | 0.20 | 0.08 |
| USA, Mississippi | | | | 78 | 0.6 | 0.07 | 0.07 | 0.01 |
| USA, Missouri | | | | 311 | 1.0 | 0.06 | 0.13 | 0.01 |
| USA, Missouri: White | | | | 286 | 1.1 | 0.07 | 0.14 | 0.01 |
| USA, Missouri: Black | | | | 20 | 0.7 | 0.15 | 0.08 | 0.02 |
| USA, Montana | | | | 39 | 0.8 | 0.14 | 0.11 | 0.02 |
| *USA, Montana: American Indian | | | | 3 | 1.4 | 0.82 | 0.18 | 0.14 |
| USA, Nebraska | | | | 83 | 0.9 | 0.11 | 0.12 | 0.02 |
| USA, Nebraska: White | | | | 79 | 0.9 | 0.11 | 0.12 | 0.02 |
| *USA, Nebraska: Black | | | | 3 | 1.3 | 0.75 | 0.21 | 0.13 |
| USA, Nevada | | | | 71 | 0.5 | 0.07 | 0.08 | 0.01 |
| USA, Nevada: White | | | | 59 | 0.6 | 0.08 | 0.07 | 0.01 |
| USA, Nevada: Black | | | | 4 | 0.4 | 0.21 | 0.08 | 0.04 |
| *USA, Nevada: Asian and Pacific Islander | | | | 5 | 0.4 | 0.17 | 0.06 | 0.03 |
| USA, New Jersey | | | | 516 | 1.2 | 0.06 | 0.15 | 0.01 |
| USA, New Jersey: White | | | | 429 | 1.3 | 0.07 | 0.16 | 0.01 |
| USA, New Jersey: Black | | | | 63 | 1.1 | 0.15 | 0.14 | 0.02 |
| USA, New Mexico | | | | 110 | 1.1 | 0.11 | 0.15 | 0.02 |
| USA, New Mexico: White | | | | 101 | 1.1 | 0.12 | 0.16 | 0.02 |
| USA, New Mexico: Non-Hispanic White | | | | 62 | 1.1 | 0.14 | 0.15 | 0.02 |
| USA, New Mexico: Hispanic White | | | | 39 | 1.2 | 0.20 | 0.15 | 0.03 |
| *USA, New Mexico: American Indian | | | | 8 | 1.2 | 0.41 | 0.16 | 0.06 |
| USA, New York State | | | | 1158 | 1.2 | 0.04 | 0.15 | 0.01 |
| USA, New York State: White | | | | 952 | 1.3 | 0.05 | 0.16 | 0.01 |
| USA, New York State: Black | | | | 148 | 0.9 | 0.08 | 0.11 | 0.01 |
| USA, New York State: Asian and Pacific Islander | | | | 54 | 0.8 | 0.12 | 0.11 | 0.02 |
| USA, North Carolina | | | | 543 | 1.1 | 0.05 | 0.14 | 0.01 |
| USA, North Carolina: White | | | | 448 | 1.2 | 0.06 | 0.15 | 0.01 |
| USA, North Carolina: Black | | | | 86 | 0.9 | 0.10 | 0.11 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | | | | 6 | 0.6 | 0.26 | 0.06 | 0.03 |
| *USA, North Carolina: American Indian | | | | 2 | 0.4 | 0.26 | 0.05 | 0.03 |
| USA, North Dakota | | | | 29 | 0.9 | 0.19 | 0.12 | 0.03 |
| USA, Ohio | | | | 450 | 0.8 | 0.04 | 0.09 | 0.01 |
| USA, Ohio: White | | | | 405 | 0.8 | 0.04 | 0.10 | 0.01 |
| USA, Ohio: Black | | | | 41 | 0.6 | 0.10 | 0.08 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | | | | 4 | 0.5 | 0.25 | 0.08 | 0.04 |
| USA, Oklahoma | | | | 94 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Oklahoma: White | | | | 84 | 0.5 | 0.06 | 0.06 | 0.01 |
| USA, Oklahoma: Black | | | | 4 | 0.4 | 0.19 | 0.04 | 0.02 |
| USA, Oklahoma: American Indian | | | | 6 | 0.5 | 0.19 | 0.07 | 0.03 |
| USA, Oregon | | | | 218 | 1.1 | 0.08 | 0.16 | 0.01 |
| USA, Oregon: White | | | | 205 | 1.1 | 0.08 | 0.15 | 0.01 |
| *USA, Oregon: Black | | | | 2 | 0.8 | 0.57 | 0.07 | 0.05 |
| *USA, Oregon: Asian and Pacific Islander | | | | 6 | 0.8 | 0.34 | 0.12 | 0.06 |
| USA, Rhode Island | | | | 98 | 2.0 | 0.21 | 0.24 | 0.03 |
| USA, Rhode Island: White | | | | 91 | 2.0 | 0.22 | 0.24 | 0.03 |
| *USA, Rhode Island: Black | | | | 6 | 2.5 | 1.01 | 0.39 | 0.18 |
| USA, South Carolina | | | | 187 | 0.8 | 0.06 | 0.09 | 0.01 |
| USA, South Carolina: White | | | | 155 | 0.9 | 0.08 | 0.10 | 0.01 |
| USA, South Carolina: Black | | | | 29 | 0.5 | 0.10 | 0.07 | 0.01 |
| USA, South Dakota | | | | 27 | 0.7 | 0.14 | 0.08 | 0.02 |
| USA, Tennessee | | | | 260 | 0.8 | 0.06 | 0.10 | 0.01 |
| USA, Tennessee: White | | | | 221 | 0.9 | 0.06 | 0.10 | 0.01 |
| USA, Tennessee: Black | | | | 35 | 0.8 | 0.14 | 0.08 | 0.02 |
| USA, Texas | | | | 666 | 0.6 | 0.03 | 0.07 | 0.00 |
| USA, Texas: White | | | | 560 | 0.6 | 0.03 | 0.07 | 0.00 |
| USA, Texas: Black | | | | 76 | 0.6 | 0.07 | 0.08 | 0.01 |
| USA, Texas: Asian and Pacific Islander | | | | 24 | 0.5 | 0.11 | 0.07 | 0.02 |
| USA, Utah | | | | 92 | 0.9 | 0.10 | 0.11 | 0.01 |
| USA, Vermont | | | | 57 | 1.6 | 0.23 | 0.21 | 0.03 |
| USA, Washington State | | | | 520 | 1.6 | 0.07 | 0.21 | 0.01 |
| *USA, Washington, Seattle | | | | 377 | 1.7 | 0.09 | 0.22 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | 65 | 0.7 | 0.10 | 0.10 | 0.01 |
| USA, Wyoming | | | | 16 | 0.6 | 0.16 | 0.08 | 0.02 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | 8 | 0.6 | 0.21 | 0.06 | 0.02 |
| Brunei Darussalam | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | | | | 2 | 0.2 | 0.17 | 0.03 | 0.02 |
| *China, Anguo City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | | | | 30 | 0.5 | 0.11 | 0.05 | 0.01 |
| *China, Aohan Banner, Chifeng City | | | | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Arongqi | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | | | | 21 | 0.6 | 0.16 | 0.05 | 0.01 |
| *China, Beijing City | | | | 240 | 0.6 | 0.04 | 0.07 | 0.01 |
| *China, Binhai County | | | | 10 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Cangzhou City | | | | 6 | 0.4 | 0.15 | 0.05 | 0.02 |
| China, Changfeng County | | | | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Changzhou City | | | | 55 | 0.6 | 0.08 | 0.07 | 0.01 |
| China, Chengdu City | | | | 25 | 0.7 | 0.14 | 0.08 | 0.02 |
| China, Cixian County | | | | 2 | 0.1 | 0.07 | 0.02 | 0.01 |
| China, Cixi City | | | | 22 | 0.4 | 0.09 | 0.06 | 0.01 |
| *China, Dafeng District, Yancheng City | | | | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| China, Dalian City | | | | 68 | 0.6 | 0.08 | 0.08 | 0.01 |
| *China, Dancheng County | | | | 43 | 1.2 | 0.20 | 0.10 | 0.02 |
| China, Dangtu County | | | | 4 | 0.4 | 0.21 | 0.05 | 0.03 |
| *China, Danyang City | | | | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Dawukou District, Shizuishan City | | | | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Dehui City | | | | 6 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Donggang County | | | | 6 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Dongguan City | | | | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Donghai County | | | | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Dongtai City | | | | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Duanzhou District, Zhaoqing City | | | | 8 | 0.7 | 0.26 | 0.09 | 0.03 |
| *China, Evenki Autonomous Banner | | | | 2 | 0.5 | 0.38 | 0.03 | 0.03 |
| *China, Faku County | | | | 6 | 0.3 | 0.13 | 0.03 | 0.02 |
| *China, Fangcheng County | | | | 8 | 0.4 | 0.14 | 0.03 | 0.01 |
| *China, Feicheng City | | | | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Feixi County | | | | 11 | 0.3 | 0.09 | 0.03 | 0.01 |
| China, Fuqing City | | | | 8 | 0.5 | 0.18 | 0.03 | 0.01 |
| *China, Ganyu District, Lianyungang City | | | | 5 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Ganzhou District, Zhangye City | | | | 3 | 0.3 | 0.21 | 0.03 | 0.02 |
| *China, Gaocheng City | | | | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Gaomi City | | | | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Gong'an County | | | | 18 | 0.5 | 0.12 | 0.06 | 0.01 |
| *China, Guang'an District, Guang'an City | | | | 4 | 0.2 | 0.11 | 0.03 | 0.02 |
| China, Guanghan City | | | | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Guangzhou City | | | | 131 | 0.4 | 0.04 | 0.05 | 0.00 |
| *China, Guanyun County | | | | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Guilin City | | | | 7 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Hai'an City | | | | 18 | 0.5 | 0.15 | 0.04 | 0.01 |
| China, Hailar District, Hulun Buir City | | | | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Haimen District, Nantong City | | | | 29 | 0.6 | 0.11 | 0.07 | 0.01 |
| China, Haining City | | | | 15 | 0.6 | 0.18 | 0.06 | 0.02 |
| China, Hangzhou City | | | | 132 | 0.4 | 0.04 | 0.06 | 0.01 |
| China, Hebi City | | | | 9 | 0.6 | 0.22 | 0.05 | 0.02 |
| China, Hefei City | | | | 35 | 0.4 | 0.08 | 0.05 | 0.01 |
| China, Hengdong County | | | | 7 | 0.5 | 0.18 | 0.05 | 0.02 |
| *China, Hengfeng County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | | | | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Honghu City | | | | 8 | 0.3 | 0.09 | 0.03 | 0.01 |
| China, Hongshan District, Chifeng City | | | | 6 | 0.5 | 0.22 | 0.06 | 0.03 |
| *China, Hongta District, Yuxi City | | | | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| *China, Huaiyin District, Huai'an City | | | | 8 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Jiange County | | | | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Jiangmen City | | | | 9 | 0.3 | 0.12 | 0.04 | 0.01 |
| *China, Jiangyin City | | | | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| *China, Jiashan County | | | | 16 | 0.8 | 0.20 | 0.07 | 0.02 |
| China, Jiayu County | | | | 2 | 0.2 | 0.16 | 0.01 | 0.01 |
| *China, Jinan City | | | | 37 | 0.4 | 0.07 | 0.04 | 0.01 |
| *China, Jingtai County | | | | 4 | 0.6 | 0.31 | 0.10 | 0.05 |
| *China, Jingxian County | | | | 4 | 0.5 | 0.24 | 0.05 | 0.03 |
| *China, Jintan District, Changzhou City | | | | 16 | 0.7 | 0.18 | 0.08 | 0.02 |
| *China, Jiulongpo District, Chongqing City | | | | 11 | 0.3 | 0.11 | 0.04 | 0.01 |
| *China, Jiyuan City | | | | 10 | 0.6 | 0.18 | 0.05 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | | | | 5 | 0.4 | 0.19 | 0.04 | 0.02 |
| China, Kunshan City | | | | 15 | 0.5 | 0.12 | 0.06 | 0.02 |
| China, Langzhong City | | | | 6 | 0.3 | 0.13 | 0.03 | 0.01 |
| *China, Liangshan County | | | | 16 | 0.5 | 0.13 | 0.06 | 0.02 |
| *China, Lianshui County | | | | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Lianyungang City | | | | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Linhe District, Bayannur City | | | | 5 | 0.3 | 0.16 | 0.05 | 0.03 |
| China, Linqu County | | | | 12 | 0.3 | 0.10 | 0.04 | 0.01 |
| *China, Linzhou City | | | | 18 | 0.5 | 0.12 | 0.07 | 0.02 |
| China, Liuzhou City | | | | 17 | 0.4 | 0.11 | 0.05 | 0.01 |
| China, Liyang City | | | | 13 | 0.3 | 0.07 | 0.02 | 0.01 |
| *China, Longquan City | | | | 11 | 1.2 | 0.36 | 0.12 | 0.04 |
| China, Lucheng District, Wenzhou City | | | | 7 | 0.4 | 0.14 | 0.05 | 0.02 |
| China, Luoding City | | | | 7 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Luohe City | | | | 12 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Luoyang City | | | | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Luquan City | | | | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Ma'anshan City | | | | 14 | 0.6 | 0.17 | 0.08 | 0.02 |
| *China, Macheng City | | | | 5 | 0.2 | 0.09 | 0.03 | 0.01 |
| China, Meihekou City | | | | 6 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Mengjin County | | | | 7 | 0.6 | 0.22 | 0.06 | 0.02 |
| China, Nangang District, Harbin City | | | | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Nanhai District, Foshan City | | | | 8 | 0.3 | 0.10 | 0.02 | 0.01 |
| China, Nanhu District, Jiaying City | | | | 15 | 0.7 | 0.20 | 0.08 | 0.02 |
| *China, Nantong City | | | | 20 | 0.4 | 0.08 | 0.05 | 0.01 |
| *China, Nanxiong City | | | | 3 | 0.2 | 0.11 | 0.03 | 0.02 |
| China, Neixiang County | | | | 9 | 0.4 | 0.13 | 0.03 | 0.01 |
| *China, Qianxi County | | | | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | | | | 15 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Qingzhou City | | | | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Rudong County | | | | 42 | 1.3 | 0.22 | 0.11 | 0.02 |
| *China, Rugao City | | | | 30 | 0.5 | 0.13 | 0.05 | 0.01 |
| *China, Rural areas of Shanghai City | | | | 201 | 0.5 | 0.04 | 0.06 | 0.00 |
| China, Ruyang County | | | | 10 | 0.9 | 0.29 | 0.11 | 0.04 |
| *China, Shan County | | | | 16 | 0.6 | 0.16 | 0.06 | 0.02 |
| China, Shanghai City | | | | 193 | 0.6 | 0.04 | 0.07 | 0.01 |
| China, Shangyu District, Shaoxing City | | | | 20 | 0.6 | 0.13 | 0.07 | 0.02 |
| *China, Shapingba District, Chongqing City | | | | 10 | 0.3 | 0.10 | 0.03 | 0.01 |
| China, Shexian County | | | | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Sheyang County | | | | 16 | 0.4 | 0.11 | 0.05 | 0.01 |
| *China, Shijiazhuang City | | | | 18 | 0.4 | 0.09 | 0.04 | 0.01 |
| China, Shunde District, Foshan City | | | | 15 | 0.4 | 0.10 | 0.03 | 0.01 |
| *China, Song County | | | | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Suzhou City | | | | 73 | 0.5 | 0.06 | 0.06 | 0.01 |
| *China, Tengzhou City | | | | 16 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Wangdu County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Wanxian County | | | | 5 | 0.4 | 0.18 | 0.06 | 0.03 |
| *China, Wu'an City | | | | 27 | 1.2 | 0.24 | 0.11 | 0.02 |
| China, Wuhan City | | | | 101 | 0.5 | 0.05 | 0.05 | 0.01 |
| *China, Wuhu City | | | | 11 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Wuxi City | | | | 56 | 0.5 | 0.07 | 0.05 | 0.01 |
| China, Wuzhou City | | | | 4 | 0.3 | 0.13 | 0.03 | 0.02 |
| China, Xiangfu District, Kaifeng City | | | | 14 | 0.7 | 0.19 | 0.06 | 0.02 |
| China, Xianju County | | | | 12 | 0.6 | 0.18 | 0.07 | 0.02 |
| *China, Xin'an County | | | | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| *China, Xining City | | | | 12 | 0.5 | 0.14 | 0.05 | 0.02 |
| *China, Xinji City | | | | 5 | 0.2 | 0.12 | 0.02 | 0.01 |
| *China, Xinluo District, Longyan City | | | | 5 | 0.4 | 0.19 | 0.06 | 0.03 |
| *China, Xinzhou District, Shangrao City | | | | 5 | 0.4 | 0.17 | 0.03 | 0.02 |
| China, Xiping County | | | | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Xishan District, Kunming City | | | | 6 | 0.4 | 0.17 | 0.04 | 0.02 |
| *China, Xuyi County | | | | 6 | 0.2 | 0.10 | 0.03 | 0.01 |
| *China, Ya'an City | | | | 15 | 0.3 | 0.07 | 0.03 | 0.01 |
| *China, Yakeshi City | | | | 4 | 0.2 | 0.12 | 0.01 | 0.01 |
| China, Yancheng City | | | | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Yangquan City | | | | 8 | 0.3 | 0.12 | 0.04 | 0.01 |
| *China, Yangzhong City | | | | 7 | 0.4 | 0.17 | 0.04 | 0.02 |
| *China, Yanji City | | | | 6 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Yanshi City | | | | 13 | 0.5 | 0.15 | 0.06 | 0.02 |
| China, Yanting County | | | | 9 | 0.4 | 0.14 | 0.04 | 0.02 |
| *China, Yi'an District, Tongling City | | | | 2 | 0.2 | 0.12 | 0.01 | 0.01 |
| *China, Yingdong District, Fuyang City | | | | 4 | 0.2 | 0.12 | 0.02 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | | | | 3 | 0.3 | 0.19 | 0.03 | 0.02 |
| *China, Yiyuan County | | | | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | | | | 2 | 0.2 | 0.12 | 0.02 | 0.01 |
| *China, Yongding District, Longyan City | | | | 4 | 0.3 | 0.13 | 0.03 | 0.01 |
| China, Yongkang City | | | | 9 | 0.5 | 0.18 | 0.04 | 0.01 |
| *China, Yucheng County | | | | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Yueyanglou District, Yueyang City | | | | 5 | 0.5 | 0.24 | 0.08 | 0.04 |
| China, Yunmeng County | | | | 9 | 0.5 | 0.17 | 0.05 | 0.02 |
| *China, Yunyang District, Shiyuan City | | | | 2 | 0.2 | 0.16 | 0.04 | 0.03 |
| China, Yuzhong District, Chongqing City | | | | 12 | 0.5 | 0.16 | 0.07 | 0.02 |
| *China, Zhanhuang County | | | | 3 | 0.5 | 0.26 | 0.04 | 0.02 |
| *China, Zhangjiagang City | | | | 23 | 0.5 | 0.11 | 0.06 | 0.01 |
| *China, Zhaoyuan City | | | | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Zhengding County | | | | 3 | 0.2 | 0.13 | 0.03 | 0.02 |
| *China, Zhongshan City | | | | 15 | 0.3 | 0.07 | 0.03 | 0.01 |
| China, Zhongxiang City | | | | 10 | 0.3 | 0.10 | 0.04 | 0.01 |
| *China, Zhuanghe City | | | | 23 | 0.5 | 0.12 | 0.05 | 0.01 |
| *China, Zhuhai City | | | | 14 | 0.4 | 0.10 | 0.04 | 0.01 |
| India, Ahmedabad, Urban | | | | 14 | 0.1 | 0.03 | 0.02 | 0.01 |
| India, Aurangabad | | | | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | | | | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Barshi, Paranda, and Bhum | | | | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | | | | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | | | | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *India, Chennai | | | | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Dibrugarh | | | | 8 | 0.2 | 0.08 | 0.02 | 0.01 |
| *India, Dindigul, Ambilikai | | | | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Kamrup Urban District | | | | 4 | 0.2 | 0.09 | 0.01 | 0.01 |
| India, Kollam | | | | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| *India, Manipur | | | | 0 | – | 0.00 | – | 0.00 |
| India, Meghalaya | | | | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, Mizoram | | | | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | | | | 32 | 0.1 | 0.02 | 0.01 | 0.00 |
| *India, New Delhi | | | | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| India, Poona | | | | 0 | – | 0.00 | – | 0.00 |
| *India, Sangrur District | | | | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | | | | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| *India, Tamil Nadu | | | | 135 | 0.1 | 0.01 | 0.01 | 0.00 |
| *India, Tripura | | | | 0 | – | 0.00 | – | 0.00 |
| India, Trivandrum | | | | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Wardha | | | | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| India, West Arunachal | | | | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | | | | 5 | 0.3 | 0.13 | 0.05 | 0.02 |
| *Iran (Islamic Republic of), Golestan Province | | | | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| Israel | | | | 243 | 0.8 | 0.05 | 0.09 | 0.01 |
| *Israel: Jews | | | | 209 | 0.8 | 0.06 | 0.09 | 0.01 |
| *Israel: Arabs | | | | 18 | 0.6 | 0.14 | 0.08 | 0.02 |
| Japan | | | | 1311 | 0.3 | 0.01 | 0.04 | 0.00 |
| Japan, Aichi Prefecture | | | | 46 | 0.2 | 0.03 | 0.03 | 0.00 |
| *Japan, Akita Prefecture | | | | 20 | 0.6 | 0.16 | 0.07 | 0.02 |
| Japan, Aomori Prefecture | | | | 27 | 0.4 | 0.09 | 0.06 | 0.01 |
| Japan, Gunma Prefecture | | | | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| Japan, Hiroshima Prefecture | | | | 42 | 0.3 | 0.06 | 0.04 | 0.01 |
| Japan, Miyagi Prefecture | | | | 37 | 0.3 | 0.06 | 0.04 | 0.01 |
| Japan, Osaka Prefecture | | | | 94 | 0.3 | 0.04 | 0.04 | 0.00 |
| Kuwait | | | | 6 | 0.1 | 0.07 | 0.02 | 0.01 |
| *Kuwait: Kuwaitis | | | | 4 | 0.2 | 0.10 | 0.03 | 0.01 |
| *Kuwait: Non-Kuwaitis | | | | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Philippines, Manila | | | | 18 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Qatar: Qatari | | | | 1 | 0.2 | 0.17 | 0.02 | 0.02 |
| Republic of Korea | | | | 689 | 0.3 | 0.01 | 0.04 | 0.00 |
| *Republic of Korea, Busan | | | | 44 | 0.3 | 0.04 | 0.03 | 0.01 |
| *Republic of Korea, Daegu | | | | 40 | 0.4 | 0.06 | 0.05 | 0.01 |
| *Republic of Korea, Daejeon | | | | 12 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Republic of Korea, Gwangju | | | | 13 | 0.2 | 0.06 | 0.03 | 0.01 |
| Republic of Korea, Incheon | | | | 36 | 0.3 | 0.05 | 0.04 | 0.01 |
| Republic of Korea, Jeju | | | | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| Republic of Korea, Seoul | | | | 153 | 0.4 | 0.03 | 0.04 | 0.00 |
| Republic of Korea, Ulsan | | | | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| Singapore | | | | 48 | 0.3 | 0.04 | 0.04 | 0.01 |
| Singapore: Chinese | | | | 27 | 0.2 | 0.04 | 0.02 | 0.01 |
| Singapore: Indian | | | | 8 | 0.8 | 0.28 | 0.12 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | 12 | 0.6 | 0.18 | 0.07 | 0.02 |
| Thailand, Bangkok | | | | 18 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Thailand, Chiang Mai | | | | 14 | 0.2 | 0.06 | 0.03 | 0.01 |
| *Thailand, Khon Kaen | | | | 7 | 0.1 | 0.04 | 0.01 | 0.00 |
| Thailand, Lampang | | | | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| Thailand, Lopburi Province | | | | 4 | 0.2 | 0.09 | 0.01 | 0.01 |
| *Thailand, Songkhla | | | | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| Turkey, Antalya | | | | 32 | 0.5 | 0.09 | 0.06 | 0.01 |
| Turkey, Bursa | | | | 37 | 0.4 | 0.07 | 0.05 | 0.01 |
| *Turkey, Edirne | | | | 6 | 0.3 | 0.15 | 0.04 | 0.02 |
| *Turkey, Erzurum | | | | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| Turkey, Eskişehir | | | | 21 | 0.7 | 0.16 | 0.08 | 0.02 |
| Turkey, Gaziantep | | | | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Turkey, Izmir | | | | 95 | 0.6 | 0.07 | 0.07 | 0.01 |
| Turkey, Malatya | | | | 9 | 0.5 | 0.15 | 0.05 | 0.02 |
| Turkey, Samsun | | | | 12 | 0.3 | 0.08 | 0.04 | 0.01 |
| Turkey, Trabzon | | | | 9 | 0.4 | 0.13 | 0.04 | 0.01 |
| Europe | | | | | | | | |
| Austria | | | | 348 | 0.8 | 0.05 | 0.09 | 0.01 |
| Austria, Carinthia | | | | 33 | 0.9 | 0.18 | 0.11 | 0.03 |
| Austria, Tyrol | | | | 11 | 0.3 | 0.09 | 0.04 | 0.01 |
| Austria, Vorarlberg | | | | 15 | 0.6 | 0.18 | 0.07 | 0.03 |
| Belarus | | | | 169 | 0.4 | 0.03 | 0.05 | 0.00 |
| *Belgium | | | | 499 | 0.9 | 0.04 | 0.11 | 0.01 |
| Croatia | | | | 241 | 1.1 | 0.08 | 0.13 | 0.01 |
| Cyprus | | | | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| *Czech Republic | | | | 530 | 0.9 | 0.04 | 0.11 | 0.01 |
| Denmark | | | | 260 | 0.9 | 0.06 | 0.11 | 0.01 |
| Estonia | | | | 48 | 0.6 | 0.10 | 0.07 | 0.01 |
| Finland | | | | 684 | 1.9 | 0.08 | 0.24 | 0.01 |
| *France, Bas-Rhin | | | | 79 | 1.6 | 0.20 | 0.19 | 0.03 |
| *France, Calvados | | | | 24 | 0.6 | 0.15 | 0.08 | 0.02 |
| *France, Doubs | | | | 24 | 0.6 | 0.15 | 0.07 | 0.02 |
| *France, Gironde | | | | 48 | 0.5 | 0.08 | 0.06 | 0.01 |
| *France, Haut-Rhin | | | | 17 | 0.4 | 0.10 | 0.04 | 0.01 |
| *France, Hérault | | | | 24 | 0.3 | 0.07 | 0.04 | 0.01 |
| *France, Isère | | | | 39 | 0.6 | 0.11 | 0.09 | 0.02 |
| *France, Lille-Métropole | | | | 26 | 0.7 | 0.15 | 0.08 | 0.02 |
| *France, Limousin | | | | 10 | 0.3 | 0.13 | 0.04 | 0.02 |
| *France, Loire-Atlantique | | | | 37 | 0.5 | 0.09 | 0.07 | 0.01 |
| *France, Manche | | | | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Poitou-Charentes | | | | 52 | 0.4 | 0.07 | 0.05 | 0.01 |
| *France, Somme | | | | 18 | 0.5 | 0.12 | 0.05 | 0.02 |
| *France, Tarn | | | | 13 | 0.7 | 0.21 | 0.10 | 0.03 |
| *France, Territoire de Belfort | | | | 5 | 0.7 | 0.32 | 0.07 | 0.05 |
| *France, Vendée | | | | 7 | 0.2 | 0.08 | 0.01 | 0.01 |
| Germany, Baden-Württemberg | | | | 394 | 1.0 | 0.06 | 0.14 | 0.01 |
| Germany, Bavaria | | | | 570 | 0.7 | 0.04 | 0.09 | 0.00 |
| Germany, Bremen | | | | 32 | 0.8 | 0.16 | 0.10 | 0.02 |
| Germany, Hamburg | | | | 100 | 1.2 | 0.13 | 0.15 | 0.02 |
| Germany, Lower Saxony | | | | 321 | 0.6 | 0.04 | 0.07 | 0.01 |
| Germany, North Rhine-Westphalia | | | | 842 | 0.8 | 0.03 | 0.10 | 0.00 |
| Germany, Rhineland-Palatinate | | | | 195 | 0.8 | 0.06 | 0.09 | 0.01 |
| Germany, Saarland | | | | 66 | 1.0 | 0.14 | 0.13 | 0.02 |
| Germany, Schleswig-Holstein | | | | 162 | 0.9 | 0.08 | 0.11 | 0.01 |
| Iceland | | | | 12 | 0.8 | 0.24 | 0.09 | 0.03 |
| Ireland | | | | 183 | 0.9 | 0.07 | 0.10 | 0.01 |
| *Italy, Aosta Valley | | | | 5 | 0.7 | 0.33 | 0.10 | 0.06 |
| *Italy, Avellino | | | | 6 | 0.3 | 0.16 | 0.02 | 0.02 |
| Italy, Basilicata | | | | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| *Italy, Benevento | | | | 6 | 0.6 | 0.26 | 0.07 | 0.03 |
| Italy, Bergamo | | | | 26 | 0.4 | 0.09 | 0.06 | 0.01 |
| *Italy, Brescia | | | | 84 | 1.5 | 0.20 | 0.16 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | 11 | 0.2 | 0.09 | 0.03 | 0.01 |
| Italy, Calabria | | | | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| *Italy, Caserta | | | | 17 | 0.5 | 0.12 | 0.07 | 0.02 |
| *Italy, Catania, Messina, and Enna | | | | 38 | 0.3 | 0.05 | 0.03 | 0.01 |
| Italy, Emilia-Romagna | | | | 203 | 0.8 | 0.06 | 0.08 | 0.01 |
| Italy, Friuli-Venezia Giulia | | | | 95 | 0.9 | 0.12 | 0.10 | 0.02 |
| Italy, Genova | | | | 36 | 0.6 | 0.13 | 0.08 | 0.02 |
| *Italy, Lombardy, South, Pavia | | | | 40 | 1.4 | 0.26 | 0.16 | 0.03 |
| Italy, Mantova and Cremona | | | | 48 | 1.2 | 0.22 | 0.13 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57) (contd)

| | Male | | | Female | | | | |
|-------------------------------------|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | 32 | 0.3 | 0.07 | 0.04 | 0.01 |
| Italy, Milan | | | | 126 | 0.6 | 0.06 | 0.07 | 0.01 |
| Italy, Molise | | | | 4 | 0.2 | 0.13 | 0.02 | 0.02 |
| *Italy, Naples Centre | | | | 22 | 0.6 | 0.15 | 0.07 | 0.02 |
| *Italy, Naples North | | | | 21 | 0.6 | 0.13 | 0.06 | 0.02 |
| *Italy, Naples South | | | | 26 | 0.6 | 0.12 | 0.06 | 0.01 |
| *Italy, Nuoro | | | | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Italy, Palermo | | | | 33 | 0.4 | 0.08 | 0.05 | 0.01 |
| Italy, Puglia | | | | 120 | 0.5 | 0.06 | 0.06 | 0.01 |
| *Italy, Ragusa and Caltanissetta | | | | 15 | 0.5 | 0.13 | 0.07 | 0.02 |
| *Italy, Salerno | | | | 30 | 0.7 | 0.13 | 0.08 | 0.02 |
| Italy, Sassari | | | | 6 | 0.5 | 0.24 | 0.06 | 0.03 |
| *Italy, Sondrio | | | | 18 | 1.4 | 0.37 | 0.21 | 0.06 |
| Italy, South Tyrol | | | | 24 | 0.8 | 0.19 | 0.10 | 0.03 |
| *Italy, Syracuse | | | | 15 | 0.7 | 0.21 | 0.09 | 0.03 |
| Italy, Trento | | | | 23 | 0.5 | 0.13 | 0.07 | 0.02 |
| Italy, Turin | | | | 39 | 0.3 | 0.06 | 0.03 | 0.01 |
| *Italy, Tuscany | | | | 63 | 0.5 | 0.08 | 0.06 | 0.01 |
| Italy, Umbria | | | | 19 | 0.3 | 0.10 | 0.03 | 0.01 |
| Italy, Varese | | | | 32 | 0.8 | 0.16 | 0.10 | 0.03 |
| Italy, Veneto | | | | 333 | 1.2 | 0.08 | 0.15 | 0.01 |
| Latvia | | | | 55 | 0.6 | 0.08 | 0.06 | 0.01 |
| *Liechtenstein | | | | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | | | | 101 | 0.6 | 0.07 | 0.07 | 0.01 |
| Malta | | | | 5 | 0.2 | 0.12 | 0.02 | 0.01 |
| *The Netherlands | | | | 341 | 0.4 | 0.02 | 0.05 | 0.00 |
| Norway | | | | 578 | 2.6 | 0.11 | 0.34 | 0.02 |
| Poland, Kielce | | | | 12 | 0.2 | 0.05 | 0.02 | 0.01 |
| *Portugal, Azores | | | | 7 | 0.5 | 0.19 | 0.02 | 0.02 |
| Russian Federation, Arkhangelsk | | | | 18 | 0.3 | 0.07 | 0.03 | 0.01 |
| Russian Federation, Kaliningrad | | | | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| Russian Federation, Karelia | | | | 12 | 0.3 | 0.11 | 0.03 | 0.01 |
| *Russian Federation, Komi Republic | | | | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| Russian Federation, Murmansk | | | | 14 | 0.4 | 0.12 | 0.05 | 0.02 |
| *Russian Federation, Orenburg | | | | 39 | 0.4 | 0.08 | 0.04 | 0.01 |
| Russian Federation, Pskov | | | | 7 | 0.3 | 0.10 | 0.03 | 0.01 |
| *Russian Federation, Samara | | | | 55 | 0.3 | 0.05 | 0.04 | 0.01 |
| Russian Federation, Vologda Region | | | | 14 | 0.3 | 0.07 | 0.04 | 0.01 |
| Slovenia | | | | 122 | 1.1 | 0.10 | 0.14 | 0.02 |
| Spain, Asturias | | | | 38 | 0.7 | 0.15 | 0.09 | 0.02 |
| Spain, Basque Country | | | | 62 | 0.5 | 0.08 | 0.07 | 0.01 |
| Spain, Canary Islands | | | | 37 | 0.5 | 0.09 | 0.05 | 0.01 |
| Spain, Castellón | | | | 7 | 0.2 | 0.09 | 0.03 | 0.01 |
| Spain, Girona | | | | 19 | 0.4 | 0.11 | 0.05 | 0.02 |
| Spain, Granada | | | | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| Spain, La Rioja | | | | 11 | 0.5 | 0.18 | 0.04 | 0.02 |
| Spain, Murcia | | | | 67 | 0.9 | 0.12 | 0.09 | 0.02 |
| Spain, Navarra | | | | 12 | 0.3 | 0.10 | 0.03 | 0.01 |
| Spain, Salamanca | | | | 10 | 0.4 | 0.16 | 0.05 | 0.02 |
| Spain, Tarragona | | | | 40 | 1.0 | 0.18 | 0.10 | 0.02 |
| *Sweden | | | | 667 | 1.3 | 0.06 | 0.18 | 0.01 |
| Switzerland, Aargau | | | | 39 | 1.0 | 0.17 | 0.14 | 0.03 |
| Switzerland, Basel | | | | 37 | 1.1 | 0.21 | 0.12 | 0.03 |
| Switzerland, Berne Solothurn | | | | 60 | 1.1 | 0.16 | 0.12 | 0.02 |
| Switzerland, East | | | | 35 | 0.7 | 0.14 | 0.09 | 0.02 |
| *Switzerland, Fribourg | | | | 10 | 0.8 | 0.29 | 0.08 | 0.03 |
| Switzerland, Geneva | | | | 30 | 1.2 | 0.29 | 0.12 | 0.03 |
| *Switzerland, Graubünden and Glarus | | | | 8 | 0.6 | 0.25 | 0.06 | 0.03 |
| *Switzerland, Lucerne | | | | 23 | 1.0 | 0.21 | 0.16 | 0.04 |
| *Switzerland, Neuchâtel and Jura | | | | 17 | 1.1 | 0.31 | 0.12 | 0.04 |
| Switzerland, Ticino | | | | 53 | 2.2 | 0.34 | 0.28 | 0.05 |
| Switzerland, Valais | | | | 22 | 1.0 | 0.24 | 0.15 | 0.04 |
| Switzerland, Vaud | | | | 32 | 0.8 | 0.15 | 0.10 | 0.02 |
| Switzerland, Zurich and Zug | | | | 92 | 1.0 | 0.12 | 0.13 | 0.02 |
| Ukraine | | | | 448 | 0.3 | 0.01 | 0.03 | 0.00 |
| UK, England | | | | 2171 | 0.8 | 0.02 | 0.10 | 0.00 |
| UK, Northern Ireland | | | | 300 | 3.4 | 0.21 | 0.44 | 0.03 |
| UK, Scotland | | | | 251 | 0.8 | 0.06 | 0.09 | 0.01 |
| UK, Wales | | | | 172 | 1.0 | 0.08 | 0.12 | 0.01 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | 351 | 0.9 | 0.05 | 0.11 | 0.01 |
| *Australia, Northern Territory | | | | 7 | 1.1 | 0.41 | 0.12 | 0.06 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other female genital organs (C57) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | | | | 6 | 1.1 | 0.47 | 0.09 | 0.04 |
| *Australia, Northern Territory: Indigenous | | | | 1 | 1.1 | 1.05 | 0.26 | 0.26 |
| *Australia, Queensland | | | | 233 | 1.1 | 0.08 | 0.15 | 0.01 |
| Australia, South Australia | | | | 81 | 1.0 | 0.12 | 0.12 | 0.02 |
| Australia, Tasmania | | | | 59 | 2.0 | 0.28 | 0.24 | 0.04 |
| *Australia, Victoria | | | | 461 | 1.8 | 0.09 | 0.23 | 0.01 |
| *Australia, Western Australia | | | | 138 | 1.4 | 0.12 | 0.18 | 0.02 |
| *France, New Caledonia | | | | 6 | 0.7 | 0.29 | 0.11 | 0.05 |
| New Zealand | | | | 401 | 1.9 | 0.10 | 0.24 | 0.01 |
| *New Zealand: Maori | | | | 43 | 2.4 | 0.37 | 0.28 | 0.05 |
| *New Zealand: Pacific peoples | | | | 31 | 4.3 | 0.77 | 0.45 | 0.10 |
| *New Zealand: Other | | | | 298 | 1.7 | 0.11 | 0.22 | 0.02 |
| USA, Hawaii | | | | 105 | 1.7 | 0.18 | 0.21 | 0.02 |
| USA, Hawaii: White | | | | 43 | 2.5 | 0.42 | 0.31 | 0.06 |
| *USA, Hawaii: Japanese | | | | 13 | 0.9 | 0.32 | 0.10 | 0.04 |
| *USA, Hawaii: Chinese | | | | 5 | 1.1 | 0.58 | 0.13 | 0.07 |
| *USA, Hawaii: Hawaiian | | | | 20 | 2.4 | 0.54 | 0.29 | 0.07 |
| *USA, Hawaii: Filipino | | | | 16 | 1.5 | 0.39 | 0.18 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Placenta (C58)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Africa | | | | | | |
| *Algeria, Batna | | | | 0 | – | 0.00 |
| *Algeria, Tizi Ouzou | | | | 2 | 0.1 | 0.06 |
| *Benin, Cotonou | | | | 0 | – | 0.00 |
| *France, La Réunion | | | | 2 | 0.1 | 0.07 |
| *Kenya, Eldoret | | | | 1 | 0.0 | 0.04 |
| *Kenya, Nairobi | | | | 13 | 0.2 | 0.07 |
| Mauritius | | | | 1 | 0.0 | 0.03 |
| *Morocco, Casablanca | | | | 24 | 0.2 | 0.04 |
| *Seychelles | | | | 0 | – | 0.00 |
| *South Africa, Eastern Cape | | | | 2 | 0.1 | 0.09 |
| *Uganda, Kyadondo County | | | | 51 | 0.7 | 0.12 |
| *Uganda, Gulu | | | | 8 | 0.7 | 0.26 |
| *Zimbabwe, Bulawayo: African | | | | 15 | 0.8 | 0.22 |
| *Zimbabwe, Harare: African | | | | 29 | 0.7 | 0.14 |
| Central and South America and the Caribbean | | | | | | |
| *Argentina, Entre Ríos Province | | | | 1 | 0.0 | 0.04 |
| *Argentina, Mendoza | | | | 16 | 0.3 | 0.08 |
| Brazil, Aracaju | | | | 4 | 0.2 | 0.12 |
| *Brazil, Barretos | | | | 1 | 0.1 | 0.07 |
| Brazil, Belo Horizonte | | | | 3 | 0.0 | 0.02 |
| *Brazil, Campinas | | | | 6 | 0.2 | 0.10 |
| *Brazil, Curitiba | | | | 6 | 0.1 | 0.06 |
| Brazil, Goiânia | | | | 0 | – | 0.00 |
| *Brazil, Jaú | | | | 0 | – | 0.00 |
| Brazil, João Pessoa | | | | 1 | 0.1 | 0.05 |
| Brazil, Recife | | | | 7 | 0.2 | 0.09 |
| Chile, Region of Antofagasta | | | | 1 | 0.1 | 0.11 |
| Chile, Valdivia | | | | 0 | – | 0.00 |
| Colombia, Bucaramanga | | | | 0 | – | 0.00 |
| Colombia, Cali | | | | 2 | 0.0 | 0.02 |
| Colombia, Manizales | | | | 1 | 0.1 | 0.08 |
| Colombia, Pasto | | | | 0 | – | 0.00 |
| Costa Rica | | | | 9 | 0.1 | 0.03 |
| Ecuador, Guayaquil | | | | 5 | 0.1 | 0.03 |
| Ecuador, Manabí | | | | 1 | 0.0 | 0.03 |
| Ecuador, Quito | | | | 11 | 0.2 | 0.07 |
| *France, Guadeloupe | | | | 2 | 0.1 | 0.10 |
| *France, Martinique | | | | 0 | – | 0.00 |
| *Peru, Lima | | | | 87 | 0.5 | 0.05 |
| *Trinidad and Tobago | | | | 0 | – | 0.00 |
| USA, Puerto Rico | | | | 8 | 0.1 | 0.04 |
| *Uruguay | | | | 8 | 0.1 | 0.03 |
| North America | | | | | | |
| Canada, Alberta | | | | 6 | 0.0 | 0.02 |
| Canada, British Columbia | | | | 6 | 0.0 | 0.02 |
| *Canada, Manitoba | | | | 5 | 0.1 | 0.07 |
| *Canada, New Brunswick | | | | 1 | 0.1 | 0.05 |
| *Canada, Newfoundland and Labrador | | | | 1 | 0.1 | 0.08 |
| Canada, Ontario | | | | 22 | 0.1 | 0.01 |
| *Canada, Prince Edward Island | | | | 0 | – | 0.00 |
| Canada, Quebec | | | | 49 | 0.3 | 0.04 |
| Canada, Saskatchewan | | | | 1 | 0.0 | 0.03 |
| *Canada, Yukon | | | | 0 | – | 0.00 |
| USA | | | | 634 | 0.1 | 0.00 |
| USA: White | | | | 417 | 0.1 | 0.00 |
| USA: Black | | | | 130 | 0.1 | 0.01 |
| USA, NPCR | | | | 607 | 0.1 | 0.00 |
| USA, NPCR: White | | | | 404 | 0.1 | 0.00 |
| USA, NPCR: Black | | | | 127 | 0.1 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | | | | 62 | 0.1 | 0.01 |
| USA, NPCR: American Indian | | | | 4 | 0.0 | 0.02 |
| *USA, SEER (18 registries) | | | | 192 | 0.1 | 0.01 |
| *USA, SEER (18 registries): White | | | | 122 | 0.1 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | 62 | 0.1 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | | | | 60 | 0.1 | 0.02 |
| *USA, SEER (18 registries): Black | | | | 33 | 0.1 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | 26 | 0.1 | 0.02 |
| *USA, SEER (9 registries) | | | | 68 | 0.1 | 0.01 |
| *USA, SEER (9 registries): White | | | | 34 | 0.1 | 0.01 |
| *USA, SEER (9 registries): Black | | | | 13 | 0.1 | 0.03 |
| USA, Alabama | | | | 8 | 0.1 | 0.02 |
| USA, Alabama: White | | | | 1 | 0.0 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Placenta (C58) (contd)

| | Male | | | Female | | |
|--|-------|------------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | |
| USA, Alabama: Black | 7 | 0.2 | 0.07 | 0.01 | 0.01 | 0.01 |
| USA, Alaska | 4 | 0.2 | 0.12 | 0.02 | 0.02 | 0.01 |
| *USA, Alaska: Alaska Natives | 2 | 0.6 | 0.44 | 0.04 | 0.04 | 0.03 |
| USA, Arizona | 11 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Arizona: White | 10 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| USA, Arizona: Black | 0 | – | 0.00 | – | – | 0.00 |
| *USA, Arizona: Asian and Pacific Islander | 1 | 0.1 | 0.15 | 0.01 | 0.01 | 0.01 |
| USA, Arizona: American Indian | 0 | – | 0.00 | – | – | 0.00 |
| USA, Arkansas | 11 | 0.1 | 0.05 | 0.01 | 0.01 | 0.00 |
| USA, Arkansas: White | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| USA, Arkansas: Black | 4 | 0.3 | 0.15 | 0.02 | 0.02 | 0.01 |
| USA, California | 79 | 0.1 | 0.01 | 0.01 | 0.01 | 0.00 |
| USA, California: White | 59 | 0.1 | 0.01 | 0.01 | 0.01 | 0.00 |
| USA, California: Black | 5 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| USA, California: Asian and Pacific Islander | 13 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| *USA, California, Los Angeles County | 23 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: White | 18 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 7 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Hispanic White | 11 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Black | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Chinese | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Filipino | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Korean | 0 | – | 0.00 | – | – | 0.00 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area | 10 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: White | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: Hispanic White | 4 | 0.2 | 0.09 | 0.01 | 0.01 | 0.01 |
| *USA, California, San Francisco Bay Area: Black | 0 | – | 0.00 | – | – | 0.00 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 0.00 |
| USA, Colorado | 11 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| USA, Colorado: White | 9 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| *USA, Colorado: Black | 0 | – | 0.00 | – | – | 0.00 |
| *USA, Colorado: Asian and Pacific Islander | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 0.01 |
| USA, Connecticut | 10 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| USA, Connecticut: White | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| USA, Connecticut: Black | 3 | 0.2 | 0.14 | 0.02 | 0.02 | 0.01 |
| USA, District of Columbia | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 0.00 |
| USA, District of Columbia: White | 0 | – | 0.00 | – | – | 0.00 |
| USA, District of Columbia: Black | 2 | 0.2 | 0.14 | 0.01 | 0.01 | 0.01 |
| USA, Florida | 38 | 0.1 | 0.01 | 0.01 | 0.01 | 0.00 |
| USA, Florida: White | 26 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| USA, Florida: Black | 9 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| USA, Florida: Asian and Pacific Islander | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 0.01 |
| USA, Georgia | 18 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| USA, Georgia: White | 8 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Georgia: Black | 9 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| USA, Georgia: Asian and Pacific Islander | 0 | – | 0.00 | – | – | 0.00 |
| *USA, Georgia, Atlanta | 6 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| *USA, Georgia, Atlanta: White | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| *USA, Georgia, Atlanta: Black | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| USA, Idaho | 7 | 0.2 | 0.07 | 0.01 | 0.01 | 0.00 |
| USA, Indiana | 13 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| USA, Indiana: White | 13 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| USA, Indiana: Black | 0 | – | 0.00 | – | – | 0.00 |
| *USA, Iowa | 7 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| USA, Kentucky | 8 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| USA, Louisiana | 5 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Louisiana: White | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Louisiana: Black | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| *USA, Louisiana, New Orleans | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: White | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: Black | 2 | 0.2 | 0.13 | 0.02 | 0.02 | 0.01 |
| USA, Maine | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 0.00 |
| USA, Maryland | 15 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| USA, Maryland: White | 5 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| USA, Maryland: Black | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 0.00 |
| USA, Maryland: Asian and Pacific Islander | 3 | 0.3 | 0.15 | 0.02 | 0.02 | 0.01 |
| USA, Massachusetts | 12 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Massachusetts: White | 7 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Massachusetts: Black | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 0.01 |
| USA, Massachusetts: Asian and Pacific Islander | 0 | – | 0.00 | – | – | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Placenta (C58) (contd)

| | Male | | | Female | | |
|---|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | |
| USA, Michigan | 18 | 0.1 | 0.02 | 0.01 | 0.00 | 0.00 |
| USA, Michigan: White | 11 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Michigan: Black | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 0.00 |
| USA, Michigan: Asian and Pacific Islander | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 0.01 |
| *USA, Michigan, Detroit | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 0.00 |
| *USA, Michigan, Detroit: White | 3 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| *USA, Michigan, Detroit: Black | 5 | 0.2 | 0.08 | 0.01 | 0.01 | 0.01 |
| USA, Minnesota | 10 | 0.1 | 0.02 | 0.01 | 0.00 | 0.00 |
| USA, Minnesota: White | 7 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Minnesota: Black | 2 | 0.2 | 0.13 | 0.01 | 0.01 | 0.01 |
| *USA, Minnesota: Asian and Pacific Islander | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0.01 |
| USA, Mississippi | 9 | 0.1 | 0.04 | 0.01 | 0.00 | 0.00 |
| USA, Missouri | 10 | 0.1 | 0.02 | 0.01 | 0.00 | 0.00 |
| USA, Missouri: White | 7 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Missouri: Black | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 0.01 |
| USA, Montana | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0.00 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | – | – |
| USA, Nebraska | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| USA, Nebraska: White | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| *USA, Nebraska: Black | 0 | – | 0.00 | – | – | – |
| USA, Nevada | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Nevada: White | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Nevada: Black | 0 | – | 0.00 | – | – | – |
| *USA, Nevada: Asian and Pacific Islander | 0 | – | 0.00 | – | – | – |
| USA, New Jersey | 28 | 0.1 | 0.03 | 0.01 | 0.00 | 0.00 |
| USA, New Jersey: White | 18 | 0.1 | 0.03 | 0.01 | 0.00 | 0.00 |
| USA, New Jersey: Black | 7 | 0.2 | 0.07 | 0.01 | 0.01 | 0.01 |
| USA, New Mexico | 5 | 0.1 | 0.04 | 0.01 | 0.00 | 0.00 |
| USA, New Mexico: White | 2 | 0.0 | 0.04 | 0.00 | 0.00 | 0.00 |
| USA, New Mexico: Non-Hispanic White | 0 | – | 0.00 | – | – | – |
| USA, New Mexico: Hispanic White | 2 | 0.1 | 0.06 | 0.01 | 0.00 | 0.00 |
| *USA, New Mexico: American Indian | 3 | 0.5 | 0.27 | 0.04 | 0.02 | 0.02 |
| USA, New York State | 38 | 0.1 | 0.01 | 0.01 | 0.00 | 0.00 |
| USA, New York State: White | 20 | 0.1 | 0.01 | 0.00 | 0.00 | 0.00 |
| USA, New York State: Black | 13 | 0.1 | 0.04 | 0.01 | 0.00 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 5 | 0.1 | 0.04 | 0.01 | 0.00 | 0.00 |
| USA, North Carolina | 14 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, North Carolina: White | 6 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, North Carolina: Black | 7 | 0.1 | 0.04 | 0.01 | 0.00 | 0.00 |
| USA, North Carolina: Asian and Pacific Islander | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 0.01 |
| *USA, North Carolina: American Indian | 0 | – | 0.00 | – | – | – |
| USA, North Dakota | 2 | 0.1 | 0.08 | 0.01 | 0.00 | 0.00 |
| USA, Ohio | 18 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Ohio: White | 12 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, Ohio: Black | 5 | 0.1 | 0.05 | 0.01 | 0.00 | 0.00 |
| *USA, Ohio: Asian and Pacific Islander | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 0.01 |
| USA, Oklahoma | 6 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| USA, Oklahoma: White | 5 | 0.1 | 0.03 | 0.01 | 0.00 | 0.00 |
| USA, Oklahoma: Black | 0 | – | 0.00 | – | – | – |
| USA, Oklahoma: American Indian | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0.01 |
| USA, Oregon | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| USA, Oregon: White | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| *USA, Oregon: Black | 0 | – | 0.00 | – | – | – |
| *USA, Oregon: Asian and Pacific Islander | 0 | – | 0.00 | – | – | – |
| USA, Rhode Island | 3 | 0.1 | 0.07 | 0.01 | 0.00 | 0.00 |
| USA, Rhode Island: White | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0.00 |
| *USA, Rhode Island: Black | 1 | 0.4 | 0.36 | 0.02 | 0.02 | 0.02 |
| USA, South Carolina | 7 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, South Carolina: White | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| USA, South Carolina: Black | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 0.00 |
| USA, South Dakota | 3 | 0.2 | 0.09 | 0.01 | 0.01 | 0.01 |
| USA, Tennessee | 14 | 0.1 | 0.02 | 0.01 | 0.00 | 0.00 |
| USA, Tennessee: White | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 0.00 |
| USA, Tennessee: Black | 3 | 0.1 | 0.05 | 0.01 | 0.00 | 0.00 |
| USA, Texas | 63 | 0.1 | 0.01 | 0.01 | 0.00 | 0.00 |
| USA, Texas: White | 50 | 0.1 | 0.01 | 0.01 | 0.00 | 0.00 |
| USA, Texas: Black | 6 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 7 | 0.2 | 0.06 | 0.01 | 0.00 | 0.00 |
| USA, Utah | 7 | 0.1 | 0.04 | 0.01 | 0.00 | 0.00 |
| USA, Vermont | 0 | – | 0.00 | – | – | – |
| USA, Washington State | 14 | 0.1 | 0.02 | 0.01 | 0.00 | 0.00 |
| *USA, Washington, Seattle | 9 | 0.1 | 0.02 | 0.01 | 0.00 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Placenta (C58) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Wyoming | | | | 0 | – | 0.00 | – | 0.00 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| Brunei Darussalam | | | | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Anfu County | | | | 9 | 0.9 | 0.30 | 0.07 | 0.02 |
| *China, Anguo City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Aohan Banner, Chifeng City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | | | | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Beijing City | | | | 16 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Binhai County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Cangzhou City | | | | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Changfeng County | | | | 2 | 0.2 | 0.11 | 0.01 | 0.01 |
| China, Changzhou City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Chengdu City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Cixian County | | | | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Cixi City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Dafeng District, Yancheng City | | | | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Dalian City | | | | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Dancheng County | | | | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Dangtu County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Dawukou District, Shizuishan City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | | | | 7 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Donggang County | | | | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Dongguan City | | | | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Donghai County | | | | 5 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Dongtai City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Duanzhou District, Zhaoqing City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Evenki Autonomous Banner | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | | | | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Fangcheng County | | | | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Feicheng City | | | | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Feixi County | | | | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Fuqing City | | | | 12 | 0.6 | 0.19 | 0.04 | 0.01 |
| *China, Ganyu District, Lianyungang City | | | | 6 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Ganzhou District, Zhangye City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Gaocheng City | | | | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Gaomi City | | | | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Gong'an County | | | | 7 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Guang'an District, Guang'an City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Guanghan City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | | | | 18 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Guanyun County | | | | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Guilin City | | | | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Hai'an City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Hailar District, Hulun Buir City | | | | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Haimen District, Nantong City | | | | 0 | – | 0.00 | – | 0.00 |
| China, Haining City | | | | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Hangzhou City | | | | 56 | 0.3 | 0.04 | 0.02 | 0.00 |
| China, Hebi City | | | | 2 | 0.2 | 0.17 | 0.01 | 0.01 |
| China, Hefei City | | | | 9 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Hengdong County | | | | 5 | 0.5 | 0.22 | 0.03 | 0.01 |
| *China, Hengfeng County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | | | | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | | | | 20 | 0.9 | 0.20 | 0.07 | 0.02 |
| China, Hongshan District, Chifeng City | | | | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Hongta District, Yuxi City | | | | 5 | 0.4 | 0.17 | 0.03 | 0.01 |
| *China, Huaiyin District, Huai'an City | | | | 2 | 0.1 | 0.06 | 0.01 | 0.00 |
| *China, Jiange County | | | | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Jiangyin City | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Jiashan County | | | | 4 | 0.4 | 0.21 | 0.03 | 0.02 |
| China, Jiayu County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | | | | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Jingtai County | | | | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | | | | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *China, Jintan District, Changzhou City | | | | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Jiulongpo District, Chongqing City | | | | 5 | 0.3 | 0.13 | 0.02 | 0.01 |
| *China, Jiyuan City | | | | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Placenta (C58) (contd)

| | Male | | | Female | | |
|--|-------|--------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| China, Kaihua County | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0.01 |
| China, Kunshan City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| China, Langzhong City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 0.00 |
| *China, Liangshan County | 3 | 0.2 | 0.12 | 0.01 | 0.01 | 0.01 |
| *China, Lianshui County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| China, Lianyungang City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 0.01 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | – | 0.00 |
| China, Linqu County | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 0.01 |
| *China, Linzhou City | 4 | 0.2 | 0.10 | 0.01 | 0.01 | 0.01 |
| China, Liuzhou City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| China, Liyang City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Longquan City | 2 | 0.3 | 0.24 | 0.02 | 0.02 | 0.02 |
| China, Lucheng District, Wenzhou City | 1 | 0.2 | 0.20 | 0.01 | 0.01 | 0.01 |
| China, Luoding City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0.00 |
| *China, Luohe City | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 0.00 |
| *China, Luoyang City | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 0.00 |
| *China, Luquan City | 0 | – | 0.00 | – | – | 0.00 |
| China, Ma'anshan City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Macheng City | 0 | – | 0.00 | – | – | 0.00 |
| China, Meihekou City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Mengjin County | 3 | 0.4 | 0.21 | 0.03 | 0.02 | 0.02 |
| China, Nangang District, Harbin City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Nanhai District, Foshan City | 2 | 0.1 | 0.06 | 0.01 | 0.00 | 0.00 |
| China, Nanhu District, Jiaying City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| *China, Nantong City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Nanxiong City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| China, Neixiang County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| *China, Qianxi County | 0 | – | 0.00 | – | – | 0.00 |
| China, Qidong City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| China, Qingzhou City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Rudong County | 0 | – | 0.00 | – | – | 0.00 |
| *China, Rugao City | 2 | 0.1 | 0.08 | 0.01 | 0.00 | 0.00 |
| *China, Rural areas of Shanghai City | 3 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| China, Ruyang County | 5 | 0.5 | 0.21 | 0.04 | 0.02 | 0.02 |
| *China, Shan County | 0 | – | 0.00 | – | – | 0.00 |
| China, Shanghai City | 3 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| China, Shangyu District, Shaoxing City | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 0.01 |
| *China, Shapingba District, Chongqing City | 9 | 0.3 | 0.10 | 0.02 | 0.01 | 0.01 |
| China, Shexian County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0.01 |
| China, Sheyang County | 2 | 0.1 | 0.06 | 0.01 | 0.00 | 0.00 |
| *China, Shijiazhuang City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| China, Shunde District, Foshan City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| *China, Song County | 0 | – | 0.00 | – | – | 0.00 |
| China, Suzhou City | 7 | 0.1 | 0.03 | 0.01 | 0.00 | 0.00 |
| *China, Tengzhou City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| *China, Wangdu County | 1 | 0.2 | 0.18 | 0.03 | 0.03 | 0.03 |
| *China, Wanxian County | 0 | – | 0.00 | – | – | 0.00 |
| *China, Wu'an City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 0.01 |
| China, Wuhan City | 16 | 0.1 | 0.03 | 0.01 | 0.00 | 0.00 |
| *China, Wuhu City | 0 | – | 0.00 | – | – | 0.00 |
| China, Wuxi City | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| China, Wuzhou City | 0 | – | 0.00 | – | – | 0.00 |
| China, Xiangfu District, Kaifeng City | 0 | – | 0.00 | – | – | 0.00 |
| China, Xianju County | 9 | 0.7 | 0.25 | 0.05 | 0.02 | 0.02 |
| *China, Xin'an County | 0 | – | 0.00 | – | – | 0.00 |
| *China, Xining City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| *China, Xinji City | 3 | 0.2 | 0.12 | 0.01 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 2 | 0.2 | 0.16 | 0.01 | 0.01 | 0.01 |
| *China, Xinzhou District, Shangrao City | 0 | – | 0.00 | – | – | 0.00 |
| China, Xiping County | 17 | 0.7 | 0.18 | 0.05 | 0.01 | 0.01 |
| *China, Xishan District, Kunming City | 1 | 0.2 | 0.18 | 0.01 | 0.01 | 0.01 |
| *China, Xuyi County | 0 | – | 0.00 | – | – | 0.00 |
| *China, Ya'an City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| *China, Yakeshi City | 0 | – | 0.00 | – | – | 0.00 |
| China, Yancheng City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Yangquan City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Yangzhong City | 1 | 0.2 | 0.24 | 0.02 | 0.02 | 0.02 |
| *China, Yanji City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Yanshi City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| China, Yanting County | 0 | – | 0.00 | – | – | 0.00 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | – | 0.00 |
| *China, Yingdong District, Fuyang City | 11 | 0.6 | 0.18 | 0.05 | 0.02 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Placenta (C58) (contd)

| | Male | | | Female | | |
|--|-------|------------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | |
| *China, Yinzhou District, Ningbo City | 0 | – | 0.00 | – | 0.00 | – |
| *China, Yiyuan County | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 0.01 |
| China, Yong'an City | 2 | 0.3 | 0.21 | 0.02 | 0.02 | 0.01 |
| *China, Yongding District, Longyan City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| China, Yongkang City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0.00 |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | – |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | – |
| China, Yunmeng County | 0 | – | 0.00 | – | 0.00 | – |
| *China, Yunyang District, Shiyang City | 0 | – | 0.00 | – | 0.00 | – |
| China, Yuzhong District, Chongqing City | 0 | – | 0.00 | – | 0.00 | – |
| *China, Zhanhuang County | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 0.01 |
| *China, Zhangjiagang City | 0 | – | 0.00 | – | 0.00 | – |
| *China, Zhaoyuan City | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 0.01 |
| *China, Zhengding County | 0 | – | 0.00 | – | 0.00 | – |
| *China, Zhongshan City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| China, Zhongxiang City | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 0.01 |
| *China, Zhuanghe City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| *China, Zhuhai City | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 0.00 |
| India, Ahmedabad, Urban | 7 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| India, Aurangabad | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| India, Bangalore | 10 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | – |
| *India, Bhopal | 11 | 0.3 | 0.09 | 0.02 | 0.02 | 0.01 |
| India, Chandigarh | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| *India, Chennai | 4 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| India, Dibrugarh | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| *India, Dindigul, Ambilikai | 4 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| India, Kamrup Urban District | 0 | – | 0.00 | – | 0.00 | – |
| India, Kollam | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| *India, Manipur | 18 | 0.2 | 0.06 | 0.02 | 0.02 | 0.00 |
| India, Meghalaya | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| India, Mizoram | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 0.00 |
| India, Mumbai | 18 | 0.1 | 0.01 | 0.00 | 0.00 | 0.00 |
| *India, New Delhi | 38 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| India, Poona | 1 | 0.0 | 0.00 | 0.00 | 0.00 | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | – |
| India, SAS Nagar | 0 | – | 0.00 | – | 0.00 | – |
| *India, Tamil Nadu | 95 | 0.0 | 0.00 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 6 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| India, Trivandrum | 0 | – | 0.00 | – | 0.00 | – |
| India, Wardha | 0 | – | 0.00 | – | 0.00 | – |
| India, West Arunachal | 4 | 0.2 | 0.10 | 0.01 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Ardabil Province | 0 | – | 0.00 | – | 0.00 | – |
| *Iran (Islamic Republic of), Golestan Province | 17 | 0.5 | 0.13 | 0.04 | 0.04 | 0.01 |
| Israel | 17 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| *Israel: Jews | 15 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| *Israel: Arabs | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| Japan | 142 | 0.1 | 0.01 | 0.01 | 0.01 | 0.00 |
| Japan, Aichi Prefecture | 7 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| *Japan, Akita Prefecture | 0 | – | 0.00 | – | 0.00 | – |
| Japan, Aomori Prefecture | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 0.00 |
| Japan, Gunma Prefecture | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 0.01 |
| Japan, Hiroshima Prefecture | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 0.00 |
| Japan, Miyagi Prefecture | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| Japan, Osaka Prefecture | 10 | 0.1 | 0.03 | 0.01 | 0.01 | 0.00 |
| Kuwait | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| *Kuwait: Kuwaitis | 0 | – | 0.00 | – | 0.00 | – |
| *Kuwait: Non-Kuwaitis | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| *Philippines, Manila | 17 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| *Qatar: Qatari | 0 | – | 0.00 | – | 0.00 | – |
| Republic of Korea | 179 | 0.1 | 0.01 | 0.01 | 0.01 | 0.00 |
| *Republic of Korea, Busan | 6 | 0.1 | 0.03 | 0.00 | 0.00 | 0.00 |
| *Republic of Korea, Daegu | 9 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| *Republic of Korea, Daejeon | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 0.00 |
| *Republic of Korea, Gwangju | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| Republic of Korea, Incheon | 12 | 0.1 | 0.04 | 0.01 | 0.01 | 0.00 |
| Republic of Korea, Jeju | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 0.01 |
| Republic of Korea, Seoul | 47 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| Republic of Korea, Ulsan | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0.00 |
| Singapore | 18 | 0.2 | 0.04 | 0.01 | 0.01 | 0.00 |
| Singapore: Chinese | 14 | 0.2 | 0.04 | 0.01 | 0.01 | 0.00 |
| Singapore: Indian | 0 | – | 0.00 | – | 0.00 | – |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Placenta (C58) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|----------|--------|--------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | | |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | 4 | 0.3 | 0.14 | 0.02 | 0.01 |
| Thailand, Bangkok | | | | 27 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Thailand, Chiang Mai | | | | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Thailand, Khon Kaen | | | | 10 | 0.3 | 0.09 | 0.02 | 0.01 |
| Thailand, Lampang | | | | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| Thailand, Lopburi Province | | | | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *Thailand, Songkhla | | | | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Antalya | | | | 7 | 0.1 | 0.04 | 0.01 | 0.00 |
| Turkey, Bursa | | | | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Turkey, Edirne | | | | 0 | – | 0.00 | – | 0.00 |
| *Turkey, Erzurum | | | | 0 | – | 0.00 | – | 0.00 |
| Turkey, Erzurum | | | | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| Turkey, Erzurum | | | | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Gaziantep | | | | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Turkey, Izmir | | | | 7 | 0.1 | 0.02 | 0.00 | 0.00 |
| Turkey, Malatya | | | | 0 | – | 0.00 | – | 0.00 |
| Turkey, Samsun | | | | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Trabzon | | | | 0 | – | 0.00 | – | 0.00 |
| Europe | | | | | | | | |
| Austria | | | | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| Austria, Carinthia | | | | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| Austria, Tyrol | | | | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Austria, Vorarlberg | | | | 0 | – | 0.00 | – | 0.00 |
| Belarus | | | | 28 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Belgium | | | | 26 | 0.1 | 0.02 | 0.01 | 0.00 |
| Croatia | | | | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Cyprus | | | | 0 | – | 0.00 | – | 0.00 |
| *Czech Republic | | | | 16 | 0.1 | 0.01 | 0.00 | 0.00 |
| Denmark | | | | 0 | 0.0 | 0.00 | 0.00 | 0.00 |
| Estonia | | | | 3 | 0.1 | 0.08 | 0.01 | 0.00 |
| Finland | | | | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Bas-Rhin | | | | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *France, Calvados | | | | 2 | 0.2 | 0.11 | 0.01 | 0.01 |
| *France, Doubs | | | | 0 | – | 0.00 | – | 0.00 |
| *France, Gironde | | | | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| *France, Haut-Rhin | | | | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Hérault | | | | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *France, Isère | | | | 13 | 0.4 | 0.12 | 0.03 | 0.01 |
| *France, Lille-Métropole | | | | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *France, Limousin | | | | 0 | – | 0.00 | – | 0.00 |
| *France, Loire-Atlantique | | | | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *France, Manche | | | | 1 | 0.1 | 0.13 | 0.01 | 0.01 |
| *France, Poitou-Charentes | | | | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *France, Somme | | | | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Tarn | | | | 0 | – | 0.00 | – | 0.00 |
| *France, Territoire de Belfort | | | | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | | | | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| Germany, Baden-Württemberg | | | | 12 | 0.1 | 0.02 | 0.01 | 0.00 |
| Germany, Bavaria | | | | 21 | 0.1 | 0.01 | 0.00 | 0.00 |
| Germany, Bremen | | | | 0 | – | 0.00 | – | 0.00 |
| Germany, Hamburg | | | | 7 | 0.1 | 0.06 | 0.01 | 0.00 |
| Germany, Lower Saxony | | | | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, North Rhine-Westphalia | | | | 15 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, Rhineland-Palatinate | | | | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Germany, Saarland | | | | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| Germany, Schleswig-Holstein | | | | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Iceland | | | | 0 | – | 0.00 | – | 0.00 |
| Ireland | | | | 7 | 0.1 | 0.02 | 0.00 | 0.00 |
| *Italy, Aosta Valley | | | | 0 | – | 0.00 | – | 0.00 |
| *Italy, Avellino | | | | 0 | – | 0.00 | – | 0.00 |
| Italy, Basilicata | | | | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Italy, Benevento | | | | 0 | – | 0.00 | – | 0.00 |
| Italy, Bergamo | | | | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| *Italy, Brescia | | | | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | 0 | – | 0.00 | – | 0.00 |
| Italy, Calabria | | | | 0 | – | 0.00 | – | 0.00 |
| *Italy, Caserta | | | | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *Italy, Catania, Messina, and Enna | | | | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| Italy, Emilia-Romagna | | | | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Italy, Friuli-Venezia Giulia | | | | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| Italy, Genova | | | | 2 | 0.1 | 0.06 | 0.01 | 0.00 |
| *Italy, Lombardy, South, Pavia | | | | 0 | – | 0.00 | – | 0.00 |
| Italy, Mantova and Cremona | | | | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Placenta (C58) (contd)

| | Male | | | Female | | |
|-------------------------------------|-------|--------|----------|--------|------------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Europe (contd) | | | | | | |
| Italy, Marche | | | | 0 | – | 0.00 |
| Italy, Milan | | | | 3 | 0.0 | 0.02 |
| Italy, Molise | | | | 0 | – | 0.00 |
| *Italy, Naples Centre | | | | 0 | – | 0.00 |
| *Italy, Naples North | | | | 0 | – | 0.00 |
| *Italy, Naples South | | | | 1 | 0.0 | 0.03 |
| *Italy, Nuoro | | | | 0 | – | 0.00 |
| *Italy, Palermo | | | | 1 | 0.0 | 0.03 |
| Italy, Puglia | | | | 3 | 0.0 | 0.01 |
| *Italy, Ragusa and Caltanissetta | | | | 0 | – | 0.00 |
| *Italy, Salerno | | | | 1 | 0.0 | 0.04 |
| Italy, Sassari | | | | 0 | – | 0.00 |
| *Italy, Sondrio | | | | 1 | 0.1 | 0.11 |
| Italy, South Tyrol | | | | 0 | – | 0.00 |
| *Italy, Syracuse | | | | 0 | – | 0.00 |
| Italy, Trento | | | | 0 | – | 0.00 |
| Italy, Turin | | | | 0 | – | 0.00 |
| *Italy, Tuscany | | | | 4 | 0.1 | 0.03 |
| Italy, Umbria | | | | 2 | 0.1 | 0.07 |
| Italy, Varese | | | | 0 | – | 0.00 |
| Italy, Veneto | | | | 5 | 0.0 | 0.02 |
| Latvia | | | | 4 | 0.1 | 0.04 |
| *Liechtenstein | | | | 1 | 0.7 | 0.74 |
| *Lithuania | | | | 3 | 0.0 | 0.02 |
| Malta | | | | 0 | – | 0.00 |
| *The Netherlands | | | | 35 | 0.1 | 0.01 |
| Norway | | | | 9 | 0.1 | 0.02 |
| Poland, Kielce | | | | 0 | – | 0.00 |
| *Portugal, Azores | | | | 1 | 0.2 | 0.16 |
| Russian Federation, Arkhangelsk | | | | 2 | 0.1 | 0.04 |
| Russian Federation, Kaliningrad | | | | 3 | 0.1 | 0.06 |
| Russian Federation, Karelia | | | | 1 | 0.0 | 0.05 |
| *Russian Federation, Komi Republic | | | | 0 | – | 0.00 |
| Russian Federation, Murmansk | | | | 1 | 0.1 | 0.09 |
| *Russian Federation, Orenburg | | | | 12 | 0.2 | 0.06 |
| Russian Federation, Pskov | | | | 3 | 0.2 | 0.11 |
| *Russian Federation, Samara | | | | 12 | 0.1 | 0.04 |
| Russian Federation, Vologda Region | | | | 5 | 0.2 | 0.07 |
| Slovenia | | | | 4 | 0.1 | 0.04 |
| Spain, Asturias | | | | 0 | – | 0.00 |
| Spain, Basque Country | | | | 2 | 0.1 | 0.04 |
| Spain, Canary Islands | | | | 1 | 0.0 | 0.02 |
| Spain, Castellón | | | | 0 | – | 0.00 |
| Spain, Girona | | | | 2 | 0.1 | 0.06 |
| Spain, Granada | | | | 0 | – | 0.00 |
| Spain, La Rioja | | | | 0 | – | 0.00 |
| Spain, Murcia | | | | 7 | 0.2 | 0.07 |
| Spain, Navarra | | | | 0 | – | 0.00 |
| Spain, Salamanca | | | | 0 | – | 0.00 |
| Spain, Tarragona | | | | 0 | – | 0.00 |
| *Sweden | | | | 15 | 0.1 | 0.01 |
| Switzerland, Aargau | | | | 0 | – | 0.00 |
| Switzerland, Basel | | | | 1 | 0.1 | 0.08 |
| Switzerland, Berne Solothurn | | | | 4 | 0.2 | 0.09 |
| Switzerland, East | | | | 1 | 0.0 | 0.04 |
| *Switzerland, Fribourg | | | | 1 | 0.1 | 0.12 |
| Switzerland, Geneva | | | | 2 | 0.1 | 0.09 |
| *Switzerland, Graubünden and Glarus | | | | 1 | 0.2 | 0.15 |
| *Switzerland, Lucerne | | | | 0 | – | 0.00 |
| *Switzerland, Neuchâtel and Jura | | | | 2 | 0.3 | 0.22 |
| Switzerland, Ticino | | | | 1 | 0.1 | 0.12 |
| Switzerland, Valais | | | | 0 | – | 0.00 |
| Switzerland, Vaud | | | | 1 | 0.1 | 0.06 |
| Switzerland, Zurich and Zug | | | | 4 | 0.1 | 0.04 |
| Ukraine | | | | 148 | 0.2 | 0.01 |
| UK, England | | | | 107 | 0.1 | 0.01 |
| UK, Northern Ireland | | | | 1 | 0.0 | 0.03 |
| UK, Scotland | | | | 11 | 0.1 | 0.02 |
| UK, Wales | | | | 8 | 0.1 | 0.05 |
| Oceania | | | | | | |
| *Australia, NSW/ACT | | | | 22 | 0.1 | 0.02 |
| *Australia, Northern Territory | | | | 1 | 0.1 | 0.14 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Placenta (C58) (contd)

| | Male | | | Female | | |
|--|-------|------------|----------|--------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 0 | – | 0.00 | – | – | 0.00 |
| *Australia, Northern Territory: Indigenous | 1 | 0.5 | 0.50 | 0.03 | 0.03 | 0.03 |
| *Australia, Queensland | 8 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| Australia, South Australia | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0.00 |
| Australia, Tasmania | 0 | – | 0.00 | – | – | 0.00 |
| *Australia, Victoria | 12 | 0.1 | 0.02 | 0.01 | 0.01 | 0.00 |
| *Australia, Western Australia | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 0.00 |
| *France, New Caledonia | 1 | 0.2 | 0.16 | 0.01 | 0.01 | 0.01 |
| New Zealand | 7 | 0.1 | 0.02 | 0.00 | 0.00 | 0.00 |
| *New Zealand: Maori | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 0.00 |
| *New Zealand: Pacific peoples | 3 | 0.4 | 0.22 | 0.03 | 0.02 | 0.02 |
| *New Zealand: Other | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0.00 |
| USA, Hawaii | 5 | 0.1 | 0.07 | 0.01 | 0.01 | 0.00 |
| USA, Hawaii: White | 1 | 0.1 | 0.14 | 0.01 | 0.01 | 0.01 |
| *USA, Hawaii: Japanese | 0 | – | 0.00 | – | – | 0.00 |
| *USA, Hawaii: Chinese | 0 | – | 0.00 | – | – | 0.00 |
| *USA, Hawaii: Hawaiian | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0.01 |
| *USA, Hawaii: Filipino | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Penis (C60)

| | Male | | | | | Female | | | |
|--|-------|------------|----------|-------|--------|----------|-------|--------|----------|
| | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Africa | | | | | | | | | |
| *Algeria, Batna | 0 | – | 0.00 | – | 0.00 | | | | |
| *Algeria, Tizi Ouzou | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | | |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | | | | |
| *France, La Réunion | 13 | 0.7 | 0.18 | 0.07 | 0.02 | | | | |
| *Kenya, Eldoret | 3 | 0.4 | 0.24 | 0.07 | 0.04 | | | | |
| *Kenya, Nairobi | 12 | 0.3 | 0.12 | 0.03 | 0.01 | | | | |
| Mauritius | 18 | 0.4 | 0.10 | 0.05 | 0.02 | | | | |
| *Morocco, Casablanca | 2 | 0.0 | 0.01 | 0.00 | 0.00 | | | | |
| *Seychelles | 1 | 0.4 | 0.40 | 0.00 | 0.00 | | | | |
| *South Africa, Eastern Cape | 8 | 1.1 | 0.41 | 0.10 | 0.03 | | | | |
| *Uganda, Kyadondo County | 61 | 2.6 | 0.39 | 0.23 | 0.04 | | | | |
| *Uganda, Gulu | 21 | 5.2 | 1.22 | 0.52 | 0.15 | | | | |
| *Zimbabwe, Bulawayo: African | 56 | 5.9 | 0.83 | 0.56 | 0.10 | | | | |
| *Zimbabwe, Harare: African | 79 | 4.2 | 0.53 | 0.47 | 0.08 | | | | |
| Central and South America and the Caribbean | | | | | | | | | |
| *Argentina, Entre Ríos Province | 37 | 1.7 | 0.28 | 0.18 | 0.04 | | | | |
| *Argentina, Mendoza | 60 | 1.2 | 0.16 | 0.14 | 0.02 | | | | |
| Brazil, Aracaju | 11 | 1.0 | 0.32 | 0.11 | 0.05 | | | | |
| *Brazil, Barretos | 14 | 1.0 | 0.26 | 0.11 | 0.04 | | | | |
| Brazil, Belo Horizonte | 66 | 0.9 | 0.12 | 0.10 | 0.02 | | | | |
| *Brazil, Campinas | 13 | 0.5 | 0.15 | 0.06 | 0.02 | | | | |
| *Brazil, Curitiba | 29 | 0.7 | 0.13 | 0.09 | 0.02 | | | | |
| Brazil, Goiânia | 46 | 1.7 | 0.25 | 0.15 | 0.03 | | | | |
| *Brazil, Jaú | 2 | 0.5 | 0.36 | 0.07 | 0.05 | | | | |
| Brazil, João Pessoa | 16 | 1.5 | 0.37 | 0.11 | 0.04 | | | | |
| Brazil, Recife | 23 | 1.0 | 0.20 | 0.11 | 0.03 | | | | |
| Chile, Region of Antofagasta | 13 | 1.3 | 0.38 | 0.14 | 0.05 | | | | |
| Chile, Valdivia | 9 | 0.7 | 0.23 | 0.10 | 0.04 | | | | |
| Colombia, Bucaramanga | 34 | 1.1 | 0.20 | 0.12 | 0.03 | | | | |
| Colombia, Cali | 68 | 1.1 | 0.14 | 0.11 | 0.02 | | | | |
| Colombia, Manizales | 12 | 0.8 | 0.21 | 0.05 | 0.02 | | | | |
| Colombia, Pasto | 23 | 2.1 | 0.44 | 0.16 | 0.05 | | | | |
| Costa Rica | 102 | 1.0 | 0.10 | 0.11 | 0.01 | | | | |
| Ecuador, Guayaquil | 86 | 1.6 | 0.17 | 0.17 | 0.02 | | | | |
| Ecuador, Manabí | 48 | 1.4 | 0.20 | 0.15 | 0.03 | | | | |
| Ecuador, Quito | 47 | 1.1 | 0.16 | 0.10 | 0.02 | | | | |
| *France, Guadeloupe | 26 | 1.4 | 0.28 | 0.15 | 0.04 | | | | |
| *France, Martinique | 13 | 0.6 | 0.17 | 0.07 | 0.03 | | | | |
| *Peru, Lima | 169 | 1.2 | 0.09 | 0.12 | 0.01 | | | | |
| *Trinidad and Tobago | 21 | 0.9 | 0.19 | 0.11 | 0.03 | | | | |
| USA, Puerto Rico | 249 | 1.6 | 0.11 | 0.18 | 0.01 | | | | |
| *Uruguay | 157 | 1.2 | 0.10 | 0.13 | 0.01 | | | | |
| North America | | | | | | | | | |
| Canada, Alberta | 127 | 0.8 | 0.07 | 0.09 | 0.01 | | | | |
| Canada, British Columbia | 121 | 0.5 | 0.05 | 0.05 | 0.01 | | | | |
| *Canada, Manitoba | 67 | 1.2 | 0.15 | 0.15 | 0.02 | | | | |
| *Canada, New Brunswick | 33 | 0.8 | 0.14 | 0.10 | 0.02 | | | | |
| *Canada, Newfoundland and Labrador | 24 | 1.0 | 0.21 | 0.11 | 0.02 | | | | |
| Canada, Ontario | 477 | 0.7 | 0.03 | 0.08 | 0.01 | | | | |
| *Canada, Prince Edward Island | 1 | 0.1 | 0.15 | 0.02 | 0.02 | | | | |
| Canada, Quebec | 273 | 0.6 | 0.04 | 0.07 | 0.01 | | | | |
| Canada, Saskatchewan | 47 | 0.9 | 0.14 | 0.09 | 0.02 | | | | |
| *Canada, Yukon | 1 | 0.6 | 0.64 | 0.11 | 0.11 | | | | |
| USA | 7252 | 0.5 | 0.01 | 0.06 | 0.00 | | | | |
| USA: White | 6244 | 0.5 | 0.01 | 0.06 | 0.00 | | | | |
| USA: Black | 725 | 0.6 | 0.02 | 0.06 | 0.00 | | | | |
| USA, NPCR | 6998 | 0.5 | 0.01 | 0.06 | 0.00 | | | | |
| USA, NPCR: White | 6026 | 0.5 | 0.01 | 0.06 | 0.00 | | | | |
| USA, NPCR: Black | 714 | 0.6 | 0.02 | 0.06 | 0.00 | | | | |
| USA, NPCR: Asian and Pacific Islander | 163 | 0.3 | 0.02 | 0.03 | 0.00 | | | | |
| USA, NPCR: American Indian | 45 | 0.4 | 0.06 | 0.06 | 0.01 | | | | |
| *USA, SEER (18 registries) | 1903 | 0.5 | 0.01 | 0.06 | 0.00 | | | | |
| *USA, SEER (18 registries): White | 1565 | 0.5 | 0.01 | 0.06 | 0.00 | | | | |
| *USA, SEER (18 registries): Non-Hispanic White | 1163 | 0.5 | 0.01 | 0.05 | 0.00 | | | | |
| *USA, SEER (18 registries): Hispanic White | 402 | 0.9 | 0.05 | 0.10 | 0.01 | | | | |
| *USA, SEER (18 registries): Black | 201 | 0.6 | 0.04 | 0.07 | 0.01 | | | | |
| *USA, SEER (18 registries): Asian and Pacific Islander | 88 | 0.2 | 0.03 | 0.03 | 0.00 | | | | |
| *USA, SEER (9 registries) | 588 | 0.5 | 0.02 | 0.05 | 0.00 | | | | |
| *USA, SEER (9 registries): White | 466 | 0.5 | 0.02 | 0.05 | 0.00 | | | | |
| *USA, SEER (9 registries): Black | 71 | 0.6 | 0.08 | 0.08 | 0.01 | | | | |
| USA, Alabama | 122 | 0.6 | 0.06 | 0.07 | 0.01 | | | | |
| USA, Alabama: White | 104 | 0.7 | 0.07 | 0.07 | 0.01 | | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Penis (C60) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|-------------|----------|-------------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 18 | 0.4 | <i>0.11</i> | 0.05 | <i>0.01</i> | | | |
| USA, Alaska | 11 | 0.4 | <i>0.13</i> | 0.05 | <i>0.02</i> | | | |
| *USA, Alaska: Alaska Natives | 6 | 2.0 | <i>0.81</i> | 0.23 | <i>0.12</i> | | | |
| USA, Arizona | 125 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | | | |
| USA, Arizona: White | 114 | 0.4 | <i>0.04</i> | 0.04 | <i>0.01</i> | | | |
| USA, Arizona: Black | 3 | 0.3 | <i>0.15</i> | 0.02 | <i>0.01</i> | | | |
| *USA, Arizona: Asian and Pacific Islander | 4 | 0.5 | <i>0.23</i> | 0.03 | <i>0.02</i> | | | |
| USA, Arizona: American Indian | 4 | 0.5 | <i>0.23</i> | 0.06 | <i>0.03</i> | | | |
| USA, Arkansas | 88 | 0.7 | <i>0.08</i> | 0.09 | <i>0.01</i> | | | |
| USA, Arkansas: White | 80 | 0.7 | <i>0.09</i> | 0.09 | <i>0.01</i> | | | |
| USA, Arkansas: Black | 8 | 0.6 | <i>0.21</i> | 0.09 | <i>0.04</i> | | | |
| USA, California | 763 | 0.5 | <i>0.02</i> | 0.06 | <i>0.00</i> | | | |
| USA, California: White | 650 | 0.6 | <i>0.02</i> | 0.06 | <i>0.00</i> | | | |
| USA, California: Black | 33 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> | | | |
| USA, California: Asian and Pacific Islander | 58 | 0.2 | <i>0.03</i> | 0.03 | <i>0.01</i> | | | |
| *USA, California, Los Angeles County | 177 | 0.5 | <i>0.04</i> | 0.05 | <i>0.01</i> | | | |
| *USA, California, Los Angeles County: White | 148 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | | | |
| *USA, California, Los Angeles County: Non-Hispanic White | 59 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | | | |
| *USA, California, Los Angeles County: Hispanic White | 89 | 0.8 | <i>0.08</i> | 0.08 | <i>0.01</i> | | | |
| *USA, California, Los Angeles County: Black | 13 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> | | | |
| *USA, California, Los Angeles County: Chinese | 3 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | | | |
| *USA, California, Los Angeles County: Filipino | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| *USA, California, Los Angeles County: Korean | 7 | 0.6 | <i>0.23</i> | 0.09 | <i>0.04</i> | | | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 13 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> | | | |
| *USA, California, San Francisco Bay Area | 75 | 0.4 | <i>0.04</i> | 0.04 | <i>0.01</i> | | | |
| *USA, California, San Francisco Bay Area: White | 55 | 0.4 | <i>0.06</i> | 0.04 | <i>0.01</i> | | | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 38 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> | | | |
| *USA, California, San Francisco Bay Area: Hispanic White | 17 | 0.8 | <i>0.20</i> | 0.08 | <i>0.03</i> | | | |
| *USA, California, San Francisco Bay Area: Black | 6 | 0.4 | <i>0.18</i> | 0.08 | <i>0.03</i> | | | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 12 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> | | | |
| USA, Colorado | 92 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| USA, Colorado: White | 85 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| *USA, Colorado: Black | 3 | 0.4 | <i>0.26</i> | 0.08 | <i>0.05</i> | | | |
| *USA, Colorado: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| USA, Connecticut | 91 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> | | | |
| USA, Connecticut: White | 79 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> | | | |
| USA, Connecticut: Black | 8 | 0.7 | <i>0.25</i> | 0.10 | <i>0.04</i> | | | |
| USA, District of Columbia | 7 | 0.3 | <i>0.11</i> | 0.03 | <i>0.02</i> | | | |
| USA, District of Columbia: White | 3 | 0.3 | <i>0.16</i> | 0.02 | <i>0.02</i> | | | |
| USA, District of Columbia: Black | 3 | 0.3 | <i>0.19</i> | 0.03 | <i>0.02</i> | | | |
| USA, Florida | 511 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> | | | |
| USA, Florida: White | 438 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> | | | |
| USA, Florida: Black | 61 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> | | | |
| USA, Florida: Asian and Pacific Islander | 3 | 0.2 | <i>0.09</i> | 0.02 | <i>0.02</i> | | | |
| USA, Georgia | 208 | 0.6 | <i>0.04</i> | 0.06 | <i>0.01</i> | | | |
| USA, Georgia: White | 150 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | | | |
| USA, Georgia: Black | 57 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> | | | |
| USA, Georgia: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| *USA, Georgia, Atlanta | 64 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> | | | |
| *USA, Georgia, Atlanta: White | 32 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> | | | |
| *USA, Georgia, Atlanta: Black | 32 | 0.9 | <i>0.16</i> | 0.09 | <i>0.02</i> | | | |
| USA, Idaho | 34 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> | | | |
| USA, Indiana | 155 | 0.5 | <i>0.04</i> | 0.05 | <i>0.01</i> | | | |
| USA, Indiana: White | 144 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| USA, Indiana: Black | 10 | 0.6 | <i>0.19</i> | 0.10 | <i>0.04</i> | | | |
| *USA, Iowa | 83 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | | | |
| USA, Kentucky | 178 | 0.9 | <i>0.07</i> | 0.11 | <i>0.01</i> | | | |
| USA, Louisiana | 150 | 0.8 | <i>0.07</i> | 0.10 | <i>0.01</i> | | | |
| USA, Louisiana: White | 93 | 0.6 | <i>0.07</i> | 0.08 | <i>0.01</i> | | | |
| USA, Louisiana: Black | 55 | 1.3 | <i>0.17</i> | 0.16 | <i>0.02</i> | | | |
| *USA, Louisiana, New Orleans | 18 | 0.6 | <i>0.13</i> | 0.06 | <i>0.02</i> | | | |
| *USA, Louisiana, New Orleans: White | 9 | 0.4 | <i>0.14</i> | 0.06 | <i>0.02</i> | | | |
| *USA, Louisiana, New Orleans: Black | 8 | 0.8 | <i>0.28</i> | 0.07 | <i>0.03</i> | | | |
| USA, Maine | 58 | 0.8 | <i>0.12</i> | 0.09 | <i>0.02</i> | | | |
| USA, Maryland | 81 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> | | | |
| USA, Maryland: White | 58 | 0.3 | <i>0.05</i> | 0.04 | <i>0.01</i> | | | |
| USA, Maryland: Black | 20 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> | | | |
| USA, Maryland: Asian and Pacific Islander | 3 | 0.2 | <i>0.10</i> | 0.02 | <i>0.02</i> | | | |
| USA, Massachusetts | 176 | 0.6 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| USA, Massachusetts: White | 150 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| USA, Massachusetts: Black | 14 | 0.9 | <i>0.23</i> | 0.09 | <i>0.03</i> | | | |
| USA, Massachusetts: Asian and Pacific Islander | 9 | 0.6 | <i>0.22</i> | 0.06 | <i>0.03</i> | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Penis (C60) (contd)

| | Male | | | | | Female | | |
|---|-------|------------|-------------|----------|-------------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, Michigan | 192 | 0.4 | <i>0.03</i> | 0.04 | <i>0.00</i> | | | |
| USA, Michigan: White | 164 | 0.4 | <i>0.03</i> | 0.04 | <i>0.00</i> | | | |
| USA, Michigan: Black | 21 | 0.5 | <i>0.10</i> | 0.05 | <i>0.02</i> | | | |
| USA, Michigan: Asian and Pacific Islander | 4 | 0.4 | <i>0.22</i> | 0.08 | <i>0.05</i> | | | |
| *USA, Michigan, Detroit | 70 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | | | |
| *USA, Michigan, Detroit: White | 48 | 0.3 | <i>0.05</i> | 0.03 | <i>0.01</i> | | | |
| *USA, Michigan, Detroit: Black | 18 | 0.5 | <i>0.13</i> | 0.08 | <i>0.02</i> | | | |
| USA, Minnesota | 140 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| USA, Minnesota: White | 136 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| USA, Minnesota: Black | 1 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> | | | |
| *USA, Minnesota: Asian and Pacific Islander | 3 | 0.6 | <i>0.34</i> | 0.10 | <i>0.06</i> | | | |
| USA, Mississippi | 68 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> | | | |
| USA, Missouri | 130 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> | | | |
| USA, Missouri: White | 116 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| USA, Missouri: Black | 13 | 0.6 | <i>0.17</i> | 0.06 | <i>0.02</i> | | | |
| USA, Montana | 30 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | | | |
| *USA, Montana: American Indian | 1 | 0.4 | <i>0.43</i> | 0.05 | <i>0.05</i> | | | |
| USA, Nebraska | 55 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> | | | |
| USA, Nebraska: White | 53 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> | | | |
| *USA, Nebraska: Black | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| USA, Nevada | 61 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> | | | |
| USA, Nevada: White | 57 | 0.5 | <i>0.07</i> | 0.06 | <i>0.01</i> | | | |
| USA, Nevada: Black | 3 | 0.4 | <i>0.20</i> | 0.04 | <i>0.02</i> | | | |
| *USA, Nevada: Asian and Pacific Islander | 1 | 0.1 | <i>0.10</i> | 0.02 | <i>0.02</i> | | | |
| USA, New Jersey | 197 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> | | | |
| USA, New Jersey: White | 166 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> | | | |
| USA, New Jersey: Black | 23 | 0.5 | <i>0.11</i> | 0.06 | <i>0.01</i> | | | |
| USA, New Mexico | 55 | 0.6 | <i>0.09</i> | 0.07 | <i>0.01</i> | | | |
| USA, New Mexico: White | 49 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> | | | |
| USA, New Mexico: Non-Hispanic White | 24 | 0.4 | <i>0.09</i> | 0.05 | <i>0.01</i> | | | |
| USA, New Mexico: Hispanic White | 25 | 0.8 | <i>0.16</i> | 0.09 | <i>0.02</i> | | | |
| *USA, New Mexico: American Indian | 4 | 0.7 | <i>0.34</i> | 0.08 | <i>0.04</i> | | | |
| USA, New York State | 460 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> | | | |
| USA, New York State: White | 358 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> | | | |
| USA, New York State: Black | 74 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> | | | |
| USA, New York State: Asian and Pacific Islander | 26 | 0.4 | <i>0.09</i> | 0.06 | <i>0.01</i> | | | |
| USA, North Carolina | 228 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> | | | |
| USA, North Carolina: White | 188 | 0.6 | <i>0.04</i> | 0.06 | <i>0.01</i> | | | |
| USA, North Carolina: Black | 38 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> | | | |
| USA, North Carolina: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| *USA, North Carolina: American Indian | 1 | 0.2 | <i>0.23</i> | 0.03 | <i>0.03</i> | | | |
| USA, North Dakota | 24 | 0.6 | <i>0.13</i> | 0.07 | <i>0.02</i> | | | |
| USA, Ohio | 287 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> | | | |
| USA, Ohio: White | 262 | 0.6 | <i>0.04</i> | 0.07 | <i>0.01</i> | | | |
| USA, Ohio: Black | 23 | 0.4 | <i>0.09</i> | 0.03 | <i>0.01</i> | | | |
| *USA, Ohio: Asian and Pacific Islander | 1 | 0.2 | <i>0.17</i> | 0.03 | <i>0.03</i> | | | |
| USA, Oklahoma | 92 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | | | |
| USA, Oklahoma: White | 82 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | | | |
| USA, Oklahoma: Black | 3 | 0.4 | <i>0.21</i> | 0.04 | <i>0.03</i> | | | |
| USA, Oklahoma: American Indian | 7 | 0.6 | <i>0.23</i> | 0.10 | <i>0.04</i> | | | |
| USA, Oregon | 90 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| USA, Oregon: White | 82 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| *USA, Oregon: Black | 1 | 0.4 | <i>0.36</i> | 0.04 | <i>0.04</i> | | | |
| *USA, Oregon: Asian and Pacific Islander | 3 | 0.5 | <i>0.29</i> | 0.03 | <i>0.02</i> | | | |
| USA, Rhode Island | 28 | 0.6 | <i>0.12</i> | 0.06 | <i>0.02</i> | | | |
| USA, Rhode Island: White | 27 | 0.6 | <i>0.13</i> | 0.07 | <i>0.02</i> | | | |
| *USA, Rhode Island: Black | 1 | 0.5 | <i>0.46</i> | 0.06 | <i>0.06</i> | | | |
| USA, South Carolina | 111 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | | | |
| USA, South Carolina: White | 75 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> | | | |
| USA, South Carolina: Black | 35 | 0.8 | <i>0.14</i> | 0.11 | <i>0.02</i> | | | |
| USA, South Dakota | 33 | 0.8 | <i>0.16</i> | 0.09 | <i>0.02</i> | | | |
| USA, Tennessee | 193 | 0.7 | <i>0.05</i> | 0.08 | <i>0.01</i> | | | |
| USA, Tennessee: White | 168 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> | | | |
| USA, Tennessee: Black | 24 | 0.7 | <i>0.15</i> | 0.09 | <i>0.02</i> | | | |
| USA, Texas | 582 | 0.6 | <i>0.03</i> | 0.07 | <i>0.00</i> | | | |
| USA, Texas: White | 516 | 0.6 | <i>0.03</i> | 0.07 | <i>0.00</i> | | | |
| USA, Texas: Black | 53 | 0.6 | <i>0.08</i> | 0.07 | <i>0.01</i> | | | |
| USA, Texas: Asian and Pacific Islander | 10 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | | | |
| USA, Utah | 41 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> | | | |
| USA, Vermont | 10 | 0.3 | <i>0.09</i> | 0.04 | <i>0.02</i> | | | |
| USA, Washington State | 129 | 0.4 | <i>0.04</i> | 0.04 | <i>0.00</i> | | | |
| *USA, Washington, Seattle | 84 | 0.4 | <i>0.04</i> | 0.03 | <i>0.01</i> | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Penis (C60) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 75 | 0.8 | 0.10 | 0.10 | 0.01 | | | |
| USA, Wyoming | 12 | 0.5 | 0.14 | 0.05 | 0.02 | | | |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 0 | – | 0.00 | – | 0.00 | | | |
| Brunei Darussalam | 6 | 0.6 | 0.27 | 0.05 | 0.03 | | | |
| *China, Anfu County | 5 | 0.5 | 0.23 | 0.08 | 0.04 | | | |
| *China, Anguo City | 9 | 0.7 | 0.22 | 0.06 | 0.03 | | | |
| *China, Anshan City | 54 | 0.7 | 0.10 | 0.06 | 0.01 | | | |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Arongqi | 5 | 0.7 | 0.32 | 0.08 | 0.04 | | | |
| *China, Baoding City | 20 | 0.6 | 0.13 | 0.09 | 0.02 | | | |
| *China, Beijing City | 194 | 0.5 | 0.04 | 0.05 | 0.00 | | | |
| *China, Binhai County | 18 | 0.4 | 0.09 | 0.03 | 0.01 | | | |
| *China, Cangzhou City | 6 | 0.5 | 0.24 | 0.01 | 0.01 | | | |
| China, Changfeng County | 8 | 0.5 | 0.17 | 0.05 | 0.02 | | | |
| China, Changzhou City | 81 | 0.8 | 0.09 | 0.09 | 0.01 | | | |
| China, Chengdu City | 24 | 0.6 | 0.13 | 0.06 | 0.02 | | | |
| China, Cixian County | 7 | 0.4 | 0.16 | 0.05 | 0.02 | | | |
| China, Cixi City | 42 | 0.7 | 0.12 | 0.09 | 0.02 | | | |
| *China, Dafeng District, Yancheng City | 20 | 0.5 | 0.12 | 0.05 | 0.01 | | | |
| China, Dalian City | 63 | 0.6 | 0.07 | 0.07 | 0.01 | | | |
| *China, Dancheng County | 19 | 0.6 | 0.13 | 0.08 | 0.03 | | | |
| China, Dangtu County | 10 | 0.8 | 0.26 | 0.11 | 0.04 | | | |
| *China, Danyang City | 18 | 0.5 | 0.13 | 0.04 | 0.01 | | | |
| *China, Dawukou District, Shizuishan City | 5 | 0.4 | 0.19 | 0.03 | 0.02 | | | |
| *China, Dehui City | 9 | 0.3 | 0.11 | 0.03 | 0.01 | | | |
| *China, Donggang County | 14 | 0.5 | 0.13 | 0.05 | 0.02 | | | |
| *China, Dongguan City | 31 | 0.7 | 0.14 | 0.07 | 0.02 | | | |
| China, Donghai County | 21 | 0.5 | 0.10 | 0.07 | 0.02 | | | |
| *China, Dongtai City | 22 | 0.4 | 0.10 | 0.04 | 0.01 | | | |
| China, Duanzhou District, Zhaoqing City | 1 | 0.1 | 0.08 | 0.02 | 0.02 | | | |
| *China, Evenki Autonomous Banner | 3 | 0.8 | 0.44 | 0.04 | 0.03 | | | |
| *China, Faku County | 7 | 0.3 | 0.13 | 0.05 | 0.02 | | | |
| *China, Fangcheng County | 16 | 0.8 | 0.19 | 0.06 | 0.02 | | | |
| *China, Feicheng City | 15 | 0.4 | 0.10 | 0.05 | 0.01 | | | |
| China, Feixi County | 32 | 0.8 | 0.14 | 0.07 | 0.02 | | | |
| China, Fuqing City | 11 | 0.3 | 0.11 | 0.04 | 0.02 | | | |
| *China, Ganyu District, Lianyungang City | 29 | 0.7 | 0.13 | 0.08 | 0.02 | | | |
| *China, Ganzhou District, Zhangye City | 6 | 0.6 | 0.27 | 0.10 | 0.05 | | | |
| *China, Gaocheng City | 4 | 0.2 | 0.10 | 0.02 | 0.02 | | | |
| China, Gaomi City | 9 | 0.3 | 0.10 | 0.04 | 0.02 | | | |
| China, Gong'an County | 29 | 0.9 | 0.17 | 0.15 | 0.03 | | | |
| *China, Guang'an District, Guang'an City | 6 | 0.3 | 0.12 | 0.03 | 0.02 | | | |
| China, Guanghan City | 8 | 0.4 | 0.16 | 0.05 | 0.02 | | | |
| China, Guangzhou City | 122 | 0.4 | 0.03 | 0.04 | 0.01 | | | |
| *China, Guanyun County | 19 | 0.5 | 0.12 | 0.07 | 0.02 | | | |
| China, Guilin City | 9 | 0.4 | 0.13 | 0.03 | 0.01 | | | |
| *China, Hai'an City | 49 | 0.9 | 0.14 | 0.11 | 0.02 | | | |
| China, Hailar District, Hulun Buir City | 4 | 0.3 | 0.14 | 0.02 | 0.01 | | | |
| China, Haimen District, Nantong City | 23 | 0.4 | 0.10 | 0.06 | 0.01 | | | |
| China, Haining City | 19 | 0.6 | 0.14 | 0.09 | 0.02 | | | |
| China, Hangzhou City | 142 | 0.4 | 0.04 | 0.04 | 0.00 | | | |
| China, Hebi City | 3 | 0.2 | 0.14 | 0.03 | 0.02 | | | |
| China, Hefei City | 43 | 0.5 | 0.08 | 0.05 | 0.01 | | | |
| China, Hengdong County | 7 | 0.4 | 0.15 | 0.04 | 0.02 | | | |
| *China, Hengfeng County | 2 | 0.3 | 0.23 | 0.03 | 0.02 | | | |
| *China, Hepu County | 23 | 0.8 | 0.16 | 0.08 | 0.02 | | | |
| China, Honghu City | 17 | 0.6 | 0.16 | 0.06 | 0.02 | | | |
| China, Hongshan District, Chifeng City | 3 | 0.3 | 0.18 | 0.04 | 0.03 | | | |
| *China, Hongta District, Yuxi City | 6 | 0.3 | 0.12 | 0.02 | 0.01 | | | |
| *China, Huaiyin District, Huai'an City | 11 | 0.3 | 0.09 | 0.04 | 0.01 | | | |
| *China, Jiange County | 5 | 0.3 | 0.14 | 0.04 | 0.02 | | | |
| China, Jiangmen City | 6 | 0.3 | 0.11 | 0.03 | 0.02 | | | |
| *China, Jiangyin City | 22 | 0.4 | 0.08 | 0.05 | 0.01 | | | |
| *China, Jiashan County | 16 | 0.8 | 0.20 | 0.08 | 0.02 | | | |
| China, Jiayu County | 4 | 0.5 | 0.26 | 0.08 | 0.04 | | | |
| *China, Jinan City | 28 | 0.3 | 0.06 | 0.04 | 0.01 | | | |
| *China, Jingtai County | 6 | 0.8 | 0.31 | 0.06 | 0.03 | | | |
| *China, Jingxian County | 5 | 0.4 | 0.18 | 0.04 | 0.02 | | | |
| *China, Jintan District, Changzhou City | 8 | 0.3 | 0.12 | 0.03 | 0.02 | | | |
| *China, Jiulongpo District, Chongqing City | 27 | 0.8 | 0.15 | 0.08 | 0.02 | | | |
| *China, Jiyuan City | 7 | 0.4 | 0.16 | 0.06 | 0.02 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Penis (C60) (contd)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 14 | 1.1 | 0.29 | 0.16 | 0.05 | | | |
| China, Kunshan City | 23 | 0.6 | 0.13 | 0.07 | 0.02 | | | |
| China, Langzhong City | 17 | 0.9 | 0.22 | 0.08 | 0.02 | | | |
| *China, Liangshan County | 13 | 0.4 | 0.12 | 0.05 | 0.02 | | | |
| *China, Lianshui County | 15 | 0.3 | 0.09 | 0.04 | 0.01 | | | |
| China, Lianyungang City | 12 | 0.3 | 0.09 | 0.03 | 0.01 | | | |
| China, Linhe District, Bayannur City | 8 | 0.6 | 0.23 | 0.08 | 0.03 | | | |
| China, Linqu County | 16 | 0.4 | 0.11 | 0.04 | 0.01 | | | |
| *China, Linzhou City | 15 | 0.5 | 0.13 | 0.06 | 0.02 | | | |
| China, Liuzhou City | 14 | 0.4 | 0.10 | 0.03 | 0.01 | | | |
| China, Liyang City | 23 | 0.6 | 0.12 | 0.05 | 0.01 | | | |
| *China, Longquan City | 5 | 0.3 | 0.15 | 0.01 | 0.01 | | | |
| China, Lucheng District, Wenzhou City | 7 | 0.3 | 0.13 | 0.04 | 0.02 | | | |
| China, Luoding City | 14 | 0.6 | 0.16 | 0.07 | 0.02 | | | |
| *China, Luohe City | 31 | 0.9 | 0.16 | 0.12 | 0.03 | | | |
| *China, Luoyang City | 13 | 0.3 | 0.09 | 0.03 | 0.01 | | | |
| *China, Luquan City | 2 | 0.2 | 0.12 | 0.02 | 0.01 | | | |
| China, Ma'anshan City | 13 | 0.6 | 0.18 | 0.06 | 0.02 | | | |
| *China, Macheng City | 16 | 0.7 | 0.18 | 0.08 | 0.02 | | | |
| China, Meihokou City | 5 | 0.2 | 0.11 | 0.03 | 0.02 | | | |
| *China, Mengjin County | 7 | 0.6 | 0.23 | 0.06 | 0.03 | | | |
| China, Nangang District, Harbin City | 12 | 0.3 | 0.09 | 0.03 | 0.01 | | | |
| *China, Nanghai District, Foshan City | 10 | 0.4 | 0.12 | 0.03 | 0.01 | | | |
| China, Nanhu District, Jiaying City | 20 | 0.8 | 0.18 | 0.10 | 0.03 | | | |
| *China, Nantong City | 26 | 0.5 | 0.09 | 0.07 | 0.01 | | | |
| *China, Nanxiong City | 5 | 0.3 | 0.15 | 0.03 | 0.02 | | | |
| China, Neixiang County | 8 | 0.3 | 0.13 | 0.03 | 0.01 | | | |
| *China, Qianxi County | 1 | 0.0 | 0.05 | 0.01 | 0.01 | | | |
| China, Qidong City | 21 | 0.3 | 0.07 | 0.04 | 0.01 | | | |
| China, Qingzhou City | 18 | 0.6 | 0.13 | 0.08 | 0.02 | | | |
| *China, Rudong County | 45 | 0.7 | 0.11 | 0.09 | 0.02 | | | |
| *China, Rugao City | 58 | 0.7 | 0.10 | 0.09 | 0.01 | | | |
| *China, Rural areas of Shanghai City | 250 | 0.5 | 0.03 | 0.06 | 0.00 | | | |
| China, Ruyang County | 7 | 0.6 | 0.23 | 0.06 | 0.03 | | | |
| *China, Shan County | 8 | 0.3 | 0.10 | 0.03 | 0.01 | | | |
| China, Shanghai City | 117 | 0.3 | 0.03 | 0.04 | 0.00 | | | |
| China, Shangyu District, Shaoxing City | 18 | 0.5 | 0.12 | 0.07 | 0.02 | | | |
| *China, Shapingba District, Chongqing City | 28 | 0.8 | 0.16 | 0.10 | 0.03 | | | |
| China, Shexian County | 9 | 0.7 | 0.23 | 0.08 | 0.03 | | | |
| China, Sheyang County | 27 | 0.6 | 0.12 | 0.07 | 0.02 | | | |
| *China, Shijiazhuang City | 13 | 0.2 | 0.07 | 0.03 | 0.01 | | | |
| China, Shunde District, Foshan City | 7 | 0.2 | 0.08 | 0.02 | 0.01 | | | |
| *China, Song County | 4 | 0.3 | 0.13 | 0.02 | 0.01 | | | |
| China, Suzhou City | 58 | 0.3 | 0.05 | 0.04 | 0.01 | | | |
| *China, Tengzhou City | 32 | 0.6 | 0.10 | 0.08 | 0.02 | | | |
| *China, Wangdu County | 1 | 0.1 | 0.13 | 0.00 | 0.00 | | | |
| *China, Wanxian County | 3 | 0.3 | 0.16 | 0.04 | 0.03 | | | |
| *China, Wu'an City | 7 | 0.4 | 0.16 | 0.04 | 0.02 | | | |
| China, Wuhan City | 53 | 0.2 | 0.03 | 0.03 | 0.00 | | | |
| *China, Wuhu City | 21 | 0.4 | 0.10 | 0.05 | 0.01 | | | |
| China, Wuxi City | 65 | 0.5 | 0.07 | 0.06 | 0.01 | | | |
| China, Wuzhou City | 6 | 0.3 | 0.12 | 0.03 | 0.02 | | | |
| China, Xiangfu District, Kaifeng City | 9 | 0.5 | 0.16 | 0.09 | 0.03 | | | |
| China, Xianju County | 12 | 0.6 | 0.16 | 0.05 | 0.02 | | | |
| *China, Xin'an County | 7 | 0.6 | 0.22 | 0.06 | 0.03 | | | |
| *China, Xining City | 3 | 0.1 | 0.07 | 0.00 | 0.00 | | | |
| *China, Xinji City | 11 | 0.4 | 0.13 | 0.05 | 0.02 | | | |
| *China, Xinluo District, Longyan City | 4 | 0.3 | 0.15 | 0.03 | 0.02 | | | |
| *China, Xinzhou District, Shangrao City | 5 | 0.4 | 0.17 | 0.05 | 0.03 | | | |
| China, Xiping County | 13 | 0.5 | 0.13 | 0.06 | 0.02 | | | |
| *China, Xishan District, Kunming City | 4 | 0.3 | 0.14 | 0.03 | 0.02 | | | |
| *China, Xuyi County | 12 | 0.5 | 0.14 | 0.07 | 0.02 | | | |
| *China, Ya'an City | 30 | 0.5 | 0.10 | 0.05 | 0.01 | | | |
| *China, Yakeshi City | 5 | 0.2 | 0.11 | 0.01 | 0.01 | | | |
| China, Yancheng City | 24 | 0.4 | 0.08 | 0.04 | 0.01 | | | |
| *China, Yangquan City | 20 | 0.9 | 0.22 | 0.08 | 0.02 | | | |
| *China, Yangzhong City | 12 | 0.8 | 0.24 | 0.06 | 0.03 | | | |
| *China, Yanji City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | | | |
| *China, Yanshi City | 10 | 0.4 | 0.13 | 0.06 | 0.02 | | | |
| China, Yanting County | 8 | 0.4 | 0.16 | 0.06 | 0.03 | | | |
| *China, Yi'an District, Tongling City | 5 | 0.5 | 0.22 | 0.05 | 0.03 | | | |
| *China, Yingdong District, Fuyang City | 10 | 0.5 | 0.17 | 0.06 | 0.02 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Penis (C60) (contd)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 3 | 0.2 | 0.13 | 0.00 | 0.00 | | | |
| *China, Yiyuan County | 9 | 0.5 | 0.17 | 0.10 | 0.04 | | | |
| China, Yong'an City | 2 | 0.2 | 0.11 | 0.03 | 0.02 | | | |
| *China, Yongding District, Longyan City | 12 | 0.7 | 0.22 | 0.09 | 0.03 | | | |
| China, Yongkang City | 12 | 0.4 | 0.12 | 0.04 | 0.02 | | | |
| *China, Yucheng County | 16 | 0.8 | 0.21 | 0.10 | 0.03 | | | |
| China, Yueyanglou District, Yueyang City | 3 | 0.3 | 0.18 | 0.03 | 0.02 | | | |
| China, Yunmeng County | 10 | 0.6 | 0.20 | 0.08 | 0.03 | | | |
| *China, Yuyang District, Shiyang City | 3 | 0.3 | 0.18 | 0.05 | 0.03 | | | |
| China, Yuzhong District, Chongqing City | 9 | 0.3 | 0.12 | 0.04 | 0.02 | | | |
| *China, Zhanhuang County | 4 | 0.6 | 0.35 | 0.05 | 0.04 | | | |
| *China, Zhangjiagang City | 33 | 0.7 | 0.12 | 0.09 | 0.02 | | | |
| *China, Zhaoyuan City | 15 | 0.6 | 0.15 | 0.08 | 0.02 | | | |
| *China, Zhengding County | 10 | 0.7 | 0.23 | 0.11 | 0.04 | | | |
| *China, Zhongshan City | 18 | 0.3 | 0.08 | 0.04 | 0.01 | | | |
| China, Zhongxiang City | 14 | 0.4 | 0.11 | 0.05 | 0.01 | | | |
| *China, Zhuanghe City | 22 | 0.5 | 0.10 | 0.06 | 0.02 | | | |
| *China, Zhuhai City | 14 | 0.4 | 0.11 | 0.06 | 0.02 | | | |
| India, Ahmedabad, Urban | 91 | 0.8 | 0.08 | 0.09 | 0.01 | | | |
| India, Aurangabad | 11 | 0.4 | 0.12 | 0.03 | 0.01 | | | |
| India, Bangalore | 109 | 0.9 | 0.09 | 0.11 | 0.01 | | | |
| India, Barshi, Paranda, and Bhum | 18 | 1.3 | 0.31 | 0.14 | 0.04 | | | |
| *India, Bhopal | 18 | 0.7 | 0.16 | 0.08 | 0.02 | | | |
| India, Chandigarh | 16 | 0.7 | 0.17 | 0.07 | 0.02 | | | |
| *India, Chennai | 133 | 1.1 | 0.09 | 0.12 | 0.01 | | | |
| India, Dibrugarh | 31 | 1.0 | 0.19 | 0.12 | 0.03 | | | |
| *India, Dindigul, Ambilikai | 76 | 1.2 | 0.14 | 0.16 | 0.02 | | | |
| India, Kamrup Urban District | 28 | 1.2 | 0.24 | 0.16 | 0.04 | | | |
| India, Kollam | 43 | 0.7 | 0.10 | 0.08 | 0.02 | | | |
| *India, Manipur | 35 | 0.7 | 0.13 | 0.10 | 0.02 | | | |
| India, Meghalaya | 22 | 0.8 | 0.17 | 0.08 | 0.02 | | | |
| India, Mizoram | 22 | 1.2 | 0.27 | 0.15 | 0.04 | | | |
| India, Mumbai | 223 | 0.7 | 0.05 | 0.08 | 0.01 | | | |
| *India, New Delhi | 179 | 0.8 | 0.06 | 0.09 | 0.01 | | | |
| India, Poona | 105 | 0.9 | 0.09 | 0.11 | 0.01 | | | |
| *India, Sangrur District | 23 | 0.9 | 0.18 | 0.10 | 0.02 | | | |
| India, SAS Nagar | 10 | 0.4 | 0.12 | 0.05 | 0.02 | | | |
| *India, Tamil Nadu | 2650 | 1.3 | 0.03 | 0.15 | 0.00 | | | |
| *India, Tripura | 49 | 0.7 | 0.10 | 0.07 | 0.01 | | | |
| India, Trivandrum | 40 | 0.5 | 0.08 | 0.05 | 0.01 | | | |
| India, Wardha | 56 | 1.4 | 0.19 | 0.17 | 0.03 | | | |
| India, West Arunachal | 5 | 0.4 | 0.16 | 0.03 | 0.01 | | | |
| *Iran (Islamic Republic of), Ardabil Province | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *Iran (Islamic Republic of), Golestan Province | 0 | – | 0.00 | – | 0.00 | | | |
| Israel | 47 | 0.2 | 0.03 | 0.03 | 0.00 | | | |
| *Israel: Jews | 30 | 0.1 | 0.03 | 0.02 | 0.00 | | | |
| *Israel: Arabs | 8 | 0.3 | 0.10 | 0.02 | 0.01 | | | |
| Japan | 1368 | 0.2 | 0.01 | 0.03 | 0.00 | | | |
| Japan, Aichi Prefecture | 56 | 0.2 | 0.03 | 0.01 | 0.00 | | | |
| *Japan, Akita Prefecture | 11 | 0.2 | 0.06 | 0.02 | 0.01 | | | |
| Japan, Aomori Prefecture | 28 | 0.2 | 0.05 | 0.03 | 0.01 | | | |
| Japan, Gunma Prefecture | 23 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| Japan, Hiroshima Prefecture | 55 | 0.3 | 0.05 | 0.03 | 0.01 | | | |
| Japan, Miyagi Prefecture | 40 | 0.2 | 0.04 | 0.03 | 0.01 | | | |
| Japan, Osaka Prefecture | 107 | 0.3 | 0.03 | 0.04 | 0.00 | | | |
| Kuwait | 2 | 0.0 | 0.01 | 0.00 | 0.00 | | | |
| *Kuwait: Kuwaitis | 0 | – | 0.00 | – | 0.00 | | | |
| *Kuwait: Non-Kuwaitis | 2 | 0.0 | 0.01 | 0.00 | 0.00 | | | |
| *Philippines, Manila | 35 | 0.3 | 0.06 | 0.03 | 0.01 | | | |
| *Qatar: Qatari | 2 | 0.7 | 0.49 | 0.14 | 0.10 | | | |
| Republic of Korea | 353 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| *Republic of Korea, Busan | 22 | 0.2 | 0.04 | 0.02 | 0.00 | | | |
| *Republic of Korea, Daegu | 22 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| *Republic of Korea, Daejeon | 11 | 0.2 | 0.06 | 0.02 | 0.01 | | | |
| *Republic of Korea, Gwangju | 5 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| Republic of Korea, Incheon | 11 | 0.1 | 0.03 | 0.00 | 0.00 | | | |
| Republic of Korea, Jeju | 5 | 0.2 | 0.09 | 0.03 | 0.02 | | | |
| Republic of Korea, Seoul | 65 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| Republic of Korea, Ulsan | 9 | 0.2 | 0.07 | 0.03 | 0.01 | | | |
| Singapore | 67 | 0.4 | 0.06 | 0.06 | 0.01 | | | |
| Singapore: Chinese | 55 | 0.5 | 0.06 | 0.06 | 0.01 | | | |
| Singapore: Indian | 5 | 0.5 | 0.23 | 0.08 | 0.04 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Penis (C60) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|-------------|----------|-------------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 3 | 0.2 | <i>0.11</i> | 0.00 | <i>0.00</i> | | | |
| Thailand, Bangkok | 73 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | | | |
| *Thailand, Chiang Mai | 71 | 1.3 | <i>0.16</i> | 0.16 | <i>0.02</i> | | | |
| *Thailand, Khon Kaen | 74 | 1.2 | <i>0.15</i> | 0.14 | <i>0.02</i> | | | |
| Thailand, Lampang | 34 | 1.2 | <i>0.21</i> | 0.13 | <i>0.03</i> | | | |
| Thailand, Lopburi Province | 32 | 1.3 | <i>0.24</i> | 0.15 | <i>0.03</i> | | | |
| *Thailand, Songkhla | 67 | 1.5 | <i>0.19</i> | 0.17 | <i>0.03</i> | | | |
| Turkey, Antalya | 4 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | | | |
| Turkey, Bursa | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> | | | |
| *Turkey, Edirne | 2 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> | | | |
| *Turkey, Erzurum | 1 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> | | | |
| Turkey, Eskişehir | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| Turkey, Gaziantep | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| *Turkey, Izmir | 8 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | | | |
| Turkey, Malatya | 1 | 0.0 | <i>0.05</i> | 0.01 | <i>0.01</i> | | | |
| Turkey, Samsun | 1 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> | | | |
| Turkey, Trabzon | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| Europe | | | | | | | | |
| Austria | 355 | 0.8 | <i>0.05</i> | 0.10 | <i>0.01</i> | | | |
| Austria, Carinthia | 32 | 1.1 | <i>0.21</i> | 0.10 | <i>0.02</i> | | | |
| Austria, Tyrol | 37 | 1.0 | <i>0.18</i> | 0.10 | <i>0.02</i> | | | |
| Austria, Vorarlberg | 15 | 0.8 | <i>0.22</i> | 0.10 | <i>0.03</i> | | | |
| Belarus | 328 | 1.0 | <i>0.06</i> | 0.12 | <i>0.01</i> | | | |
| *Belgium | 479 | 0.9 | <i>0.04</i> | 0.10 | <i>0.01</i> | | | |
| Croatia | 166 | 0.9 | <i>0.07</i> | 0.11 | <i>0.01</i> | | | |
| Cyprus | 38 | 1.1 | <i>0.18</i> | 0.11 | <i>0.02</i> | | | |
| *Czech Republic | 554 | 1.2 | <i>0.05</i> | 0.14 | <i>0.01</i> | | | |
| Denmark | 338 | 1.2 | <i>0.07</i> | 0.14 | <i>0.01</i> | | | |
| Estonia | 60 | 1.1 | <i>0.15</i> | 0.15 | <i>0.02</i> | | | |
| Finland | 191 | 0.7 | <i>0.05</i> | 0.08 | <i>0.01</i> | | | |
| *France, Bas-Rhin | 44 | 1.1 | <i>0.18</i> | 0.11 | <i>0.02</i> | | | |
| *France, Calvados | 28 | 0.8 | <i>0.16</i> | 0.08 | <i>0.02</i> | | | |
| *France, Doubs | 13 | 0.6 | <i>0.16</i> | 0.07 | <i>0.02</i> | | | |
| *France, Gironde | 50 | 0.7 | <i>0.10</i> | 0.08 | <i>0.02</i> | | | |
| *France, Haut-Rhin | 27 | 0.6 | <i>0.12</i> | 0.06 | <i>0.02</i> | | | |
| *France, Hérault | 31 | 0.5 | <i>0.10</i> | 0.05 | <i>0.01</i> | | | |
| *France, Isère | 53 | 0.9 | <i>0.13</i> | 0.09 | <i>0.02</i> | | | |
| *France, Lille-Métropole | 22 | 0.7 | <i>0.15</i> | 0.07 | <i>0.02</i> | | | |
| *France, Limousin | 19 | 1.0 | <i>0.26</i> | 0.09 | <i>0.03</i> | | | |
| *France, Loire-Atlantique | 28 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | | | |
| *France, Manche | 21 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> | | | |
| *France, Poitou-Charentes | 78 | 0.7 | <i>0.09</i> | 0.08 | <i>0.01</i> | | | |
| *France, Somme | 11 | 0.4 | <i>0.14</i> | 0.07 | <i>0.02</i> | | | |
| *France, Tarn | 16 | 0.6 | <i>0.18</i> | 0.06 | <i>0.02</i> | | | |
| *France, Territoire de Belfort | 5 | 0.8 | <i>0.44</i> | 0.05 | <i>0.04</i> | | | |
| *France, Vendée | 18 | 0.5 | <i>0.15</i> | 0.05 | <i>0.02</i> | | | |
| Germany, Baden-Württemberg | 322 | 0.9 | <i>0.06</i> | 0.11 | <i>0.01</i> | | | |
| Germany, Bavaria | 515 | 0.8 | <i>0.04</i> | 0.09 | <i>0.01</i> | | | |
| Germany, Bremen | 32 | 0.8 | <i>0.16</i> | 0.09 | <i>0.02</i> | | | |
| Germany, Hamburg | 86 | 1.0 | <i>0.12</i> | 0.13 | <i>0.02</i> | | | |
| Germany, Lower Saxony | 476 | 1.1 | <i>0.05</i> | 0.12 | <i>0.01</i> | | | |
| Germany, North Rhine-Westphalia | 959 | 1.0 | <i>0.04</i> | 0.12 | <i>0.00</i> | | | |
| Germany, Rhineland-Palatinate | 196 | 0.8 | <i>0.07</i> | 0.09 | <i>0.01</i> | | | |
| Germany, Saarland | 70 | 1.2 | <i>0.15</i> | 0.15 | <i>0.02</i> | | | |
| Germany, Schleswig-Holstein | 166 | 1.1 | <i>0.09</i> | 0.12 | <i>0.01</i> | | | |
| Iceland | 16 | 1.2 | <i>0.31</i> | 0.13 | <i>0.04</i> | | | |
| Ireland | 189 | 1.0 | <i>0.08</i> | 0.12 | <i>0.01</i> | | | |
| *Italy, Aosta Valley | 2 | 0.2 | <i>0.13</i> | 0.00 | <i>0.00</i> | | | |
| *Italy, Avellino | 12 | 0.8 | <i>0.25</i> | 0.11 | <i>0.04</i> | | | |
| Italy, Basilicata | 30 | 0.9 | <i>0.18</i> | 0.09 | <i>0.02</i> | | | |
| *Italy, Benevento | 20 | 2.0 | <i>0.47</i> | 0.24 | <i>0.06</i> | | | |
| Italy, Bergamo | 38 | 0.7 | <i>0.12</i> | 0.07 | <i>0.01</i> | | | |
| *Italy, Brescia | 33 | 0.5 | <i>0.10</i> | 0.06 | <i>0.01</i> | | | |
| Italy, Brianza (Lecco and Monza e Brianza) | 25 | 0.6 | <i>0.14</i> | 0.06 | <i>0.02</i> | | | |
| Italy, Calabria | 43 | 1.4 | <i>0.24</i> | 0.19 | <i>0.04</i> | | | |
| *Italy, Caserta | 36 | 1.1 | <i>0.20</i> | 0.13 | <i>0.03</i> | | | |
| *Italy, Catania, Messina, and Enna | 102 | 1.1 | <i>0.12</i> | 0.14 | <i>0.02</i> | | | |
| Italy, Emilia-Romagna | 153 | 0.7 | <i>0.07</i> | 0.08 | <i>0.01</i> | | | |
| Italy, Friuli-Venezia Giulia | 54 | 0.7 | <i>0.10</i> | 0.08 | <i>0.02</i> | | | |
| Italy, Genova | 32 | 0.7 | <i>0.15</i> | 0.08 | <i>0.02</i> | | | |
| *Italy, Lombardy, South, Pavia | 16 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> | | | |
| Italy, Mantova and Cremona | 15 | 0.5 | <i>0.13</i> | 0.05 | <i>0.02</i> | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Penis (C60) (contd)

| | Male | | | | | Female | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 72 | 0.9 | <i>0.12</i> | 0.10 | <i>0.02</i> | | | |
| Italy, Milan | 136 | 0.7 | <i>0.07</i> | 0.08 | <i>0.01</i> | | | |
| Italy, Molise | 15 | 1.6 | <i>0.46</i> | 0.17 | <i>0.05</i> | | | |
| *Italy, Naples Centre | 32 | 1.1 | <i>0.21</i> | 0.13 | <i>0.03</i> | | | |
| *Italy, Naples North | 28 | 0.9 | <i>0.16</i> | 0.10 | <i>0.02</i> | | | |
| *Italy, Naples South | 42 | 1.0 | <i>0.15</i> | 0.11 | <i>0.02</i> | | | |
| *Italy, Nuoro | 3 | 0.4 | <i>0.23</i> | 0.06 | <i>0.04</i> | | | |
| *Italy, Palermo | 65 | 1.0 | <i>0.14</i> | 0.12 | <i>0.02</i> | | | |
| Italy, Puglia | 214 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | | | |
| *Italy, Ragusa and Caltanissetta | 18 | 0.6 | <i>0.16</i> | 0.07 | <i>0.02</i> | | | |
| *Italy, Salerno | 59 | 1.3 | <i>0.18</i> | 0.16 | <i>0.03</i> | | | |
| Italy, Sassari | 8 | 0.7 | <i>0.25</i> | 0.06 | <i>0.03</i> | | | |
| *Italy, Sondrio | 9 | 0.6 | <i>0.23</i> | 0.09 | <i>0.04</i> | | | |
| Italy, South Tyrol | 19 | 0.6 | <i>0.17</i> | 0.06 | <i>0.02</i> | | | |
| *Italy, Syracuse | 15 | 0.7 | <i>0.20</i> | 0.11 | <i>0.03</i> | | | |
| Italy, Trento | 24 | 0.7 | <i>0.16</i> | 0.09 | <i>0.03</i> | | | |
| Italy, Turin | 96 | 0.7 | <i>0.08</i> | 0.07 | <i>0.01</i> | | | |
| *Italy, Tuscany | 112 | 0.8 | <i>0.09</i> | 0.10 | <i>0.01</i> | | | |
| Italy, Umbria | 46 | 1.1 | <i>0.18</i> | 0.11 | <i>0.02</i> | | | |
| Italy, Varese | 19 | 0.6 | <i>0.15</i> | 0.10 | <i>0.03</i> | | | |
| Italy, Veneto | 202 | 0.7 | <i>0.06</i> | 0.08 | <i>0.01</i> | | | |
| Latvia | 88 | 1.2 | <i>0.13</i> | 0.15 | <i>0.02</i> | | | |
| *Liechtenstein | 1 | 0.4 | <i>0.36</i> | 0.00 | <i>0.00</i> | | | |
| *Lithuania | 130 | 1.1 | <i>0.10</i> | 0.13 | <i>0.01</i> | | | |
| Malta | 24 | 1.3 | <i>0.30</i> | 0.14 | <i>0.03</i> | | | |
| *The Netherlands | 762 | 0.9 | <i>0.03</i> | 0.10 | <i>0.00</i> | | | |
| Norway | 276 | 1.1 | <i>0.07</i> | 0.12 | <i>0.01</i> | | | |
| Poland, Kielce | 42 | 0.7 | <i>0.12</i> | 0.08 | <i>0.02</i> | | | |
| *Portugal, Azores | 10 | 1.5 | <i>0.48</i> | 0.22 | <i>0.08</i> | | | |
| Russian Federation, Arkhangelsk | 33 | 0.9 | <i>0.15</i> | 0.09 | <i>0.02</i> | | | |
| Russian Federation, Kaliningrad | 25 | 0.8 | <i>0.16</i> | 0.07 | <i>0.02</i> | | | |
| Russian Federation, Karelia | 16 | 0.8 | <i>0.21</i> | 0.07 | <i>0.03</i> | | | |
| *Russian Federation, Komi Republic | 17 | 0.7 | <i>0.18</i> | 0.11 | <i>0.03</i> | | | |
| Russian Federation, Murmansk | 15 | 0.7 | <i>0.18</i> | 0.08 | <i>0.02</i> | | | |
| *Russian Federation, Orenburg | 50 | 0.8 | <i>0.11</i> | 0.08 | <i>0.01</i> | | | |
| Russian Federation, Pskov | 19 | 0.9 | <i>0.20</i> | 0.10 | <i>0.03</i> | | | |
| *Russian Federation, Samara | 66 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> | | | |
| Russian Federation, Vologda Region | 23 | 0.6 | <i>0.12</i> | 0.07 | <i>0.01</i> | | | |
| Slovenia | 74 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | | | |
| Spain, Asturias | 36 | 1.0 | <i>0.18</i> | 0.11 | <i>0.03</i> | | | |
| Spain, Basque Country | 80 | 0.8 | <i>0.10</i> | 0.10 | <i>0.01</i> | | | |
| Spain, Canary Islands | 72 | 1.1 | <i>0.14</i> | 0.12 | <i>0.02</i> | | | |
| Spain, Castellón | 33 | 1.1 | <i>0.21</i> | 0.12 | <i>0.03</i> | | | |
| Spain, Girona | 42 | 1.0 | <i>0.17</i> | 0.13 | <i>0.03</i> | | | |
| Spain, Granada | 34 | 0.7 | <i>0.13</i> | 0.09 | <i>0.02</i> | | | |
| Spain, La Rioja | 15 | 0.9 | <i>0.24</i> | 0.10 | <i>0.04</i> | | | |
| Spain, Murcia | 60 | 0.9 | <i>0.12</i> | 0.09 | <i>0.02</i> | | | |
| Spain, Navarra | 29 | 1.0 | <i>0.20</i> | 0.13 | <i>0.03</i> | | | |
| Spain, Salamanca | 27 | 1.1 | <i>0.25</i> | 0.16 | <i>0.04</i> | | | |
| Spain, Tarragona | 39 | 0.9 | <i>0.15</i> | 0.09 | <i>0.02</i> | | | |
| *Sweden | 587 | 1.1 | <i>0.05</i> | 0.14 | <i>0.01</i> | | | |
| Switzerland, Aargau | 27 | 0.8 | <i>0.17</i> | 0.09 | <i>0.02</i> | | | |
| Switzerland, Basel | 22 | 0.9 | <i>0.21</i> | 0.10 | <i>0.03</i> | | | |
| Switzerland, Berne Solothurn | 47 | 1.0 | <i>0.16</i> | 0.11 | <i>0.02</i> | | | |
| Switzerland, East | 41 | 1.0 | <i>0.16</i> | 0.14 | <i>0.03</i> | | | |
| *Switzerland, Fribourg | 8 | 0.6 | <i>0.21</i> | 0.07 | <i>0.03</i> | | | |
| Switzerland, Geneva | 10 | 0.3 | <i>0.12</i> | 0.03 | <i>0.02</i> | | | |
| *Switzerland, Graubünden and Glarus | 15 | 1.1 | <i>0.30</i> | 0.13 | <i>0.04</i> | | | |
| *Switzerland, Lucerne | 29 | 1.0 | <i>0.20</i> | 0.11 | <i>0.03</i> | | | |
| *Switzerland, Neuchâtel and Jura | 10 | 0.6 | <i>0.18</i> | 0.03 | <i>0.02</i> | | | |
| Switzerland, Ticino | 15 | 0.7 | <i>0.22</i> | 0.08 | <i>0.03</i> | | | |
| Switzerland, Valais | 17 | 1.0 | <i>0.26</i> | 0.11 | <i>0.03</i> | | | |
| Switzerland, Vaud | 37 | 1.0 | <i>0.17</i> | 0.10 | <i>0.02</i> | | | |
| Switzerland, Zurich and Zug | 63 | 0.7 | <i>0.10</i> | 0.06 | <i>0.01</i> | | | |
| Ukraine | 941 | 0.8 | <i>0.03</i> | 0.09 | <i>0.00</i> | | | |
| UK, England | 2633 | 1.1 | <i>0.02</i> | 0.12 | <i>0.00</i> | | | |
| UK, Northern Ireland | 88 | 1.1 | <i>0.12</i> | 0.11 | <i>0.02</i> | | | |
| UK, Scotland | 366 | 1.5 | <i>0.08</i> | 0.17 | <i>0.01</i> | | | |
| UK, Wales | 177 | 1.2 | <i>0.10</i> | 0.14 | <i>0.01</i> | | | |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 178 | 0.5 | <i>0.04</i> | 0.05 | <i>0.01</i> | | | |
| *Australia, Northern Territory | 3 | 0.4 | <i>0.23</i> | 0.07 | <i>0.05</i> | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Penis (C60) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|-------------|----------|-------------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 2 | 0.3 | <i>0.24</i> | 0.06 | <i>0.05</i> | | | |
| *Australia, Northern Territory: Indigenous | 1 | 0.6 | <i>0.65</i> | 0.08 | <i>0.08</i> | | | |
| *Australia, Queensland | 107 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | | | |
| Australia, South Australia | 52 | 0.7 | <i>0.10</i> | 0.06 | <i>0.01</i> | | | |
| Australia, Tasmania | 16 | 0.5 | <i>0.14</i> | 0.06 | <i>0.02</i> | | | |
| *Australia, Victoria | 152 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | | | |
| *Australia, Western Australia | 51 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> | | | |
| *France, New Caledonia | 2 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> | | | |
| New Zealand | 88 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> | | | |
| *New Zealand: Maori | 6 | 0.4 | <i>0.16</i> | 0.05 | <i>0.02</i> | | | |
| *New Zealand: Pacific peoples | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| *New Zealand: Other | 77 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> | | | |
| USA, Hawaii | 25 | 0.4 | <i>0.08</i> | 0.05 | <i>0.01</i> | | | |
| USA, Hawaii: White | 11 | 0.6 | <i>0.19</i> | 0.08 | <i>0.03</i> | | | |
| *USA, Hawaii: Japanese | 4 | 0.2 | <i>0.13</i> | 0.04 | <i>0.02</i> | | | |
| *USA, Hawaii: Chinese | 0 | – | <i>0.00</i> | – | <i>0.00</i> | | | |
| *USA, Hawaii: Hawaiian | 5 | 0.5 | <i>0.23</i> | 0.05 | <i>0.03</i> | | | |
| *USA, Hawaii: Filipino | 2 | 0.3 | <i>0.21</i> | 0.02 | <i>0.02</i> | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Prostate (C61)

| | Male | | | | | Female | | |
|--|--------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Africa | | | | | | | | |
| *Algeria, Batna | 114 | 8.4 | 0.82 | 0.97 | 0.12 | | | |
| *Algeria, Tizi Ouzou | 386 | 25.2 | 1.33 | 3.27 | 0.21 | | | |
| *Benin, Cotonou | 127 | 32.5 | 2.96 | 3.94 | 0.47 | | | |
| *France, La Réunion | 1445 | 68.0 | 1.81 | 9.35 | 0.30 | | | |
| *Kenya, Eldoret | 167 | 19.6 | 1.55 | 2.62 | 0.27 | | | |
| *Kenya, Nairobi | 769 | 48.8 | 1.85 | 5.55 | 0.28 | | | |
| Mauritius | 711 | 17.2 | 0.65 | 2.02 | 0.10 | | | |
| *Morocco, Casablanca | 1433 | 15.2 | 0.41 | 1.94 | 0.07 | | | |
| *Seychelles | 195 | 76.4 | 5.53 | 9.50 | 0.88 | | | |
| *South Africa, Eastern Cape | 214 | 19.1 | 1.34 | 2.20 | 0.20 | | | |
| *Uganda, Kyadondo County | 594 | 53.0 | 2.26 | 6.78 | 0.39 | | | |
| *Uganda, Gulu | 83 | 23.3 | 2.65 | 3.00 | 0.45 | | | |
| *Zimbabwe, Bulawayo: African | 545 | 80.4 | 3.48 | 7.94 | 0.53 | | | |
| *Zimbabwe, Harare: African | 1395 | 114.7 | 3.12 | 12.03 | 0.49 | | | |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 1061 | 44.0 | 1.38 | 5.65 | 0.22 | | | |
| *Argentina, Mendoza | 2101 | 38.2 | 0.85 | 4.94 | 0.14 | | | |
| Brazil, Aracaju | 883 | 92.9 | 3.15 | 12.07 | 0.50 | | | |
| *Brazil, Barretos | 764 | 56.2 | 2.06 | 7.64 | 0.33 | | | |
| Brazil, Belo Horizonte | 6290 | 90.2 | 1.15 | 12.14 | 0.18 | | | |
| *Brazil, Campinas | 2051 | 91.0 | 2.04 | 12.04 | 0.32 | | | |
| *Brazil, Curitiba | 1699 | 43.8 | 1.08 | 5.63 | 0.17 | | | |
| Brazil, Goiânia | 2009 | 82.7 | 1.86 | 11.00 | 0.31 | | | |
| *Brazil, Jaú | 203 | 48.4 | 3.45 | 6.60 | 0.58 | | | |
| Brazil, João Pessoa | 754 | 77.4 | 2.84 | 9.75 | 0.45 | | | |
| Brazil, Recife | 1371 | 57.9 | 1.58 | 7.19 | 0.25 | | | |
| Chile, Region of Antofagasta | 336 | 36.5 | 2.02 | 4.52 | 0.32 | | | |
| Chile, Valdivia | 748 | 54.4 | 2.03 | 7.50 | 0.34 | | | |
| Colombia, Bucaramanga | 1250 | 42.6 | 1.22 | 5.36 | 0.20 | | | |
| Colombia, Cali | 3380 | 59.0 | 1.02 | 7.40 | 0.16 | | | |
| Colombia, Manizales | 670 | 47.3 | 1.83 | 5.77 | 0.28 | | | |
| Colombia, Pasto | 417 | 38.0 | 1.91 | 4.61 | 0.31 | | | |
| Costa Rica | 3897 | 41.1 | 0.67 | 5.62 | 0.11 | | | |
| Ecuador, Guayaquil | 1428 | 28.2 | 0.76 | 3.33 | 0.12 | | | |
| Ecuador, Manabí | 782 | 20.6 | 0.77 | 2.33 | 0.12 | | | |
| Ecuador, Quito | 2475 | 63.3 | 1.29 | 8.05 | 0.21 | | | |
| *France, Guadeloupe | 2629 | 149.0 | 2.99 | 20.53 | 0.47 | | | |
| *France, Martinique | 2999 | 168.0 | 3.17 | 23.65 | 0.50 | | | |
| *Peru, Lima | 6192 | 45.1 | 0.58 | 5.22 | 0.09 | | | |
| *Trinidad and Tobago | 1376 | 55.4 | 1.50 | 6.39 | 0.24 | | | |
| USA, Puerto Rico | 15031 | 95.9 | 0.82 | 13.06 | 0.12 | | | |
| *Uruguay | 7363 | 57.4 | 0.69 | 7.58 | 0.11 | | | |
| North America | | | | | | | | |
| Canada, Alberta | 11705 | 75.8 | 0.71 | 10.03 | 0.11 | | | |
| Canada, British Columbia | 14225 | 57.4 | 0.50 | 7.61 | 0.08 | | | |
| *Canada, Manitoba | 3543 | 61.1 | 1.06 | 8.07 | 0.17 | | | |
| *Canada, New Brunswick | 2638 | 65.2 | 1.30 | 9.15 | 0.20 | | | |
| *Canada, Newfoundland and Labrador | 2163 | 75.8 | 1.66 | 10.45 | 0.25 | | | |
| Canada, Ontario | 40625 | 64.4 | 0.33 | 8.69 | 0.05 | | | |
| *Canada, Prince Edward Island | 493 | 64.0 | 2.95 | 8.71 | 0.46 | | | |
| Canada, Quebec | 30469 | 72.6 | 0.43 | 9.70 | 0.07 | | | |
| Canada, Saskatchewan | 3362 | 67.6 | 1.21 | 9.05 | 0.19 | | | |
| *Canada, Yukon | 99 | 61.4 | 6.21 | 8.08 | 0.98 | | | |
| USA | 973357 | 73.8 | 0.08 | 10.15 | 0.01 | | | |
| USA: White | 761238 | 67.8 | 0.08 | 9.35 | 0.01 | | | |
| USA: Black | 159124 | 123.9 | 0.31 | 16.85 | 0.05 | | | |
| USA, NPCR | 941491 | 73.9 | 0.08 | 10.16 | 0.01 | | | |
| USA, NPCR: White | 735012 | 67.7 | 0.08 | 9.34 | 0.01 | | | |
| USA, NPCR: Black | 157137 | 123.9 | 0.31 | 16.86 | 0.05 | | | |
| USA, NPCR: Asian and Pacific Islander | 19973 | 34.9 | 0.25 | 4.85 | 0.04 | | | |
| USA, NPCR: American Indian | 3458 | 30.9 | 0.53 | 4.14 | 0.08 | | | |
| *USA, SEER (18 registries) | 261170 | 75.0 | 0.15 | 10.31 | 0.02 | | | |
| *USA, SEER (18 registries): White | 195271 | 70.1 | 0.16 | 9.66 | 0.03 | | | |
| *USA, SEER (18 registries): Non-Hispanic White | 172360 | 72.8 | 0.18 | 10.01 | 0.03 | | | |
| *USA, SEER (18 registries): Hispanic White | 22911 | 56.4 | 0.38 | 7.74 | 0.06 | | | |
| *USA, SEER (18 registries): Black | 41244 | 125.1 | 0.62 | 17.07 | 0.10 | | | |
| *USA, SEER (18 registries): Asian and Pacific Islander | 13000 | 37.6 | 0.34 | 5.16 | 0.05 | | | |
| *USA, SEER (9 registries) | 92168 | 76.6 | 0.26 | 10.55 | 0.04 | | | |
| *USA, SEER (9 registries): White | 69877 | 73.0 | 0.28 | 10.10 | 0.04 | | | |
| *USA, SEER (9 registries): Black | 14020 | 128.8 | 1.10 | 17.50 | 0.17 | | | |
| USA, Alabama | 17423 | 85.1 | 0.66 | 11.49 | 0.10 | | | |
| USA, Alabama: White | 11117 | 68.4 | 0.67 | 9.31 | 0.10 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Prostate (C61) (contd)

| | Male | | | | | Female | | |
|--|-------|--------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 5499 | 134.4 | 1.83 | 17.76 | 0.28 | | | |
| USA, Alaska | 1533 | 56.1 | 1.44 | 7.62 | 0.23 | | | |
| *USA, Alaska: Alaska Natives | 110 | 33.7 | 3.24 | 4.11 | 0.49 | | | |
| USA, Arizona | 16542 | 55.7 | 0.45 | 7.56 | 0.07 | | | |
| USA, Arizona: White | 15097 | 55.6 | 0.47 | 7.53 | 0.07 | | | |
| USA, Arizona: Black | 787 | 84.9 | 3.06 | 11.40 | 0.47 | | | |
| *USA, Arizona: Asian and Pacific Islander | 193 | 27.8 | 2.02 | 3.87 | 0.33 | | | |
| USA, Arizona: American Indian | 231 | 25.6 | 1.70 | 3.31 | 0.28 | | | |
| USA, Arkansas | 10092 | 79.4 | 0.81 | 10.94 | 0.12 | | | |
| USA, Arkansas: White | 7893 | 70.2 | 0.82 | 9.74 | 0.13 | | | |
| USA, Arkansas: Black | 1904 | 136.5 | 3.15 | 18.42 | 0.48 | | | |
| USA, California | 94568 | 64.4 | 0.21 | 8.85 | 0.03 | | | |
| USA, California: White | 71329 | 62.5 | 0.24 | 8.60 | 0.04 | | | |
| USA, California: Black | 8977 | 103.1 | 1.10 | 13.92 | 0.17 | | | |
| USA, California: Asian and Pacific Islander | 7649 | 33.9 | 0.40 | 4.68 | 0.06 | | | |
| *USA, California, Los Angeles County | 22587 | 63.4 | 0.43 | 8.68 | 0.07 | | | |
| *USA, California, Los Angeles County: White | 15013 | 58.9 | 0.49 | 8.11 | 0.08 | | | |
| *USA, California, Los Angeles County: Non-Hispanic White | 9785 | 66.0 | 0.69 | 9.03 | 0.11 | | | |
| *USA, California, Los Angeles County: Hispanic White | 5228 | 49.9 | 0.70 | 6.92 | 0.12 | | | |
| *USA, California, Los Angeles County: Black | 3269 | 100.3 | 1.78 | 13.35 | 0.27 | | | |
| *USA, California, Los Angeles County: Chinese | 353 | 15.4 | 0.86 | 2.17 | 0.15 | | | |
| *USA, California, Los Angeles County: Filipino | 577 | 40.3 | 1.70 | 5.55 | 0.27 | | | |
| *USA, California, Los Angeles County: Korean | 199 | 19.2 | 1.44 | 2.59 | 0.23 | | | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 2036 | 31.0 | 0.70 | 4.25 | 0.11 | | | |
| *USA, California, San Francisco Bay Area | 12245 | 65.4 | 0.60 | 9.00 | 0.09 | | | |
| *USA, California, San Francisco Bay Area: White | 8106 | 65.9 | 0.75 | 9.05 | 0.12 | | | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 6943 | 67.3 | 0.83 | 9.25 | 0.13 | | | |
| *USA, California, San Francisco Bay Area: Hispanic White | 1163 | 59.1 | 1.78 | 8.05 | 0.29 | | | |
| *USA, California, San Francisco Bay Area: Black | 1603 | 108.9 | 2.75 | 14.63 | 0.41 | | | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 1851 | 37.5 | 0.89 | 5.18 | 0.15 | | | |
| USA, Colorado | 13691 | 64.1 | 0.55 | 8.74 | 0.09 | | | |
| USA, Colorado: White | 11961 | 60.0 | 0.55 | 8.19 | 0.09 | | | |
| *USA, Colorado: Black | 716 | 96.6 | 3.67 | 12.59 | 0.56 | | | |
| *USA, Colorado: Asian and Pacific Islander | 133 | 27.3 | 2.39 | 3.66 | 0.38 | | | |
| USA, Connecticut | 12277 | 78.8 | 0.73 | 10.97 | 0.11 | | | |
| USA, Connecticut: White | 10287 | 73.5 | 0.74 | 10.25 | 0.12 | | | |
| USA, Connecticut: Black | 1400 | 120.0 | 3.24 | 16.56 | 0.51 | | | |
| USA, District of Columbia | 1884 | 89.4 | 2.09 | 12.02 | 0.32 | | | |
| USA, District of Columbia: White | 549 | 61.6 | 2.67 | 8.59 | 0.42 | | | |
| USA, District of Columbia: Black | 1190 | 103.1 | 3.05 | 13.62 | 0.46 | | | |
| USA, Florida | 67365 | 68.4 | 0.28 | 9.46 | 0.04 | | | |
| USA, Florida: White | 52632 | 60.9 | 0.28 | 8.48 | 0.04 | | | |
| USA, Florida: Black | 11193 | 110.9 | 1.06 | 15.21 | 0.16 | | | |
| USA, Florida: Asian and Pacific Islander | 590 | 28.1 | 1.17 | 4.00 | 0.19 | | | |
| USA, Georgia | 32629 | 87.9 | 0.49 | 12.05 | 0.08 | | | |
| USA, Georgia: White | 19609 | 71.7 | 0.52 | 9.90 | 0.08 | | | |
| USA, Georgia: Black | 12422 | 139.9 | 1.26 | 19.09 | 0.20 | | | |
| USA, Georgia: Asian and Pacific Islander | 391 | 35.3 | 1.80 | 4.76 | 0.29 | | | |
| *USA, Georgia, Atlanta | 11158 | 98.6 | 0.94 | 13.52 | 0.15 | | | |
| *USA, Georgia, Atlanta: White | 5485 | 79.8 | 1.09 | 11.06 | 0.17 | | | |
| *USA, Georgia, Atlanta: Black | 5328 | 143.6 | 1.99 | 19.45 | 0.31 | | | |
| USA, Idaho | 5100 | 71.4 | 1.03 | 9.68 | 0.16 | | | |
| USA, Indiana | 18121 | 66.5 | 0.50 | 9.04 | 0.08 | | | |
| USA, Indiana: White | 15756 | 62.5 | 0.51 | 8.51 | 0.08 | | | |
| USA, Indiana: Black | 2070 | 117.9 | 2.62 | 15.93 | 0.41 | | | |
| *USA, Iowa | 10413 | 75.8 | 0.76 | 10.43 | 0.12 | | | |
| USA, Kentucky | 13664 | 72.8 | 0.63 | 9.84 | 0.10 | | | |
| USA, Louisiana | 16975 | 92.8 | 0.72 | 12.70 | 0.11 | | | |
| USA, Louisiana: White | 10831 | 80.6 | 0.79 | 11.02 | 0.12 | | | |
| USA, Louisiana: Black | 5996 | 130.8 | 1.70 | 18.03 | 0.27 | | | |
| *USA, Louisiana, New Orleans | 3202 | 93.1 | 1.67 | 12.88 | 0.26 | | | |
| *USA, Louisiana, New Orleans: White | 1616 | 75.0 | 1.90 | 10.47 | 0.30 | | | |
| *USA, Louisiana, New Orleans: Black | 1496 | 126.8 | 3.31 | 17.43 | 0.51 | | | |
| USA, Maine | 4334 | 61.6 | 0.96 | 8.45 | 0.15 | | | |
| USA, Maryland | 21129 | 89.8 | 0.63 | 12.36 | 0.10 | | | |
| USA, Maryland: White | 12446 | 75.2 | 0.69 | 10.47 | 0.11 | | | |
| USA, Maryland: Black | 7952 | 137.5 | 1.55 | 18.69 | 0.24 | | | |
| USA, Maryland: Asian and Pacific Islander | 572 | 43.1 | 1.83 | 6.00 | 0.29 | | | |
| USA, Massachusetts | 21036 | 74.4 | 0.52 | 10.25 | 0.08 | | | |
| USA, Massachusetts: White | 17914 | 70.3 | 0.54 | 9.69 | 0.08 | | | |
| USA, Massachusetts: Black | 1908 | 118.5 | 2.74 | 16.16 | 0.43 | | | |
| USA, Massachusetts: Asian and Pacific Islander | 432 | 37.0 | 1.81 | 5.11 | 0.30 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Prostate (C61) (contd)

| | Male | | | | | Female | | |
|---|-------|--------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, Michigan | 32896 | 75.1 | 0.42 | 10.29 | 0.06 | | | |
| USA, Michigan: White | 26131 | 67.9 | 0.43 | 9.33 | 0.07 | | | |
| USA, Michigan: Black | 5296 | 119.9 | 1.66 | 16.35 | 0.25 | | | |
| USA, Michigan: Asian and Pacific Islander | 302 | 36.2 | 2.11 | 4.85 | 0.33 | | | |
| *USA, Michigan, Detroit | 14557 | 91.3 | 0.77 | 12.51 | 0.12 | | | |
| *USA, Michigan, Detroit: White | 10047 | 81.6 | 0.83 | 11.27 | 0.13 | | | |
| *USA, Michigan, Detroit: Black | 4115 | 132.6 | 2.08 | 17.87 | 0.31 | | | |
| USA, Minnesota | 17763 | 77.0 | 0.59 | 10.70 | 0.09 | | | |
| USA, Minnesota: White | 16437 | 75.5 | 0.60 | 10.51 | 0.09 | | | |
| USA, Minnesota: Black | 786 | 118.8 | 4.39 | 16.29 | 0.70 | | | |
| *USA, Minnesota: Asian and Pacific Islander | 150 | 31.0 | 2.56 | 4.23 | 0.42 | | | |
| USA, Mississippi | 11000 | 93.0 | 0.90 | 12.84 | 0.14 | | | |
| USA, Missouri | 16972 | 65.6 | 0.51 | 9.06 | 0.08 | | | |
| USA, Missouri: White | 14505 | 61.8 | 0.53 | 8.57 | 0.08 | | | |
| USA, Missouri: Black | 2326 | 110.8 | 2.32 | 15.06 | 0.36 | | | |
| USA, Montana | 4291 | 82.9 | 1.30 | 11.63 | 0.20 | | | |
| *USA, Montana: American Indian | 106 | 60.3 | 5.91 | 9.16 | 0.99 | | | |
| USA, Nebraska | 6330 | 81.1 | 1.04 | 11.14 | 0.16 | | | |
| USA, Nebraska: White | 5831 | 78.4 | 1.05 | 10.77 | 0.17 | | | |
| *USA, Nebraska: Black | 344 | 149.2 | 8.18 | 20.91 | 1.33 | | | |
| USA, Nevada | 7331 | 59.0 | 0.70 | 8.12 | 0.11 | | | |
| USA, Nevada: White | 6167 | 59.1 | 0.77 | 8.15 | 0.12 | | | |
| USA, Nevada: Black | 698 | 82.3 | 3.14 | 11.14 | 0.48 | | | |
| *USA, Nevada: Asian and Pacific Islander | 323 | 31.1 | 1.76 | 4.39 | 0.29 | | | |
| USA, New Jersey | 33576 | 91.8 | 0.51 | 12.63 | 0.08 | | | |
| USA, New Jersey: White | 25431 | 85.6 | 0.55 | 11.82 | 0.09 | | | |
| USA, New Jersey: Black | 5515 | 136.9 | 1.86 | 18.65 | 0.29 | | | |
| USA, New Mexico | 5303 | 57.4 | 0.81 | 7.80 | 0.12 | | | |
| USA, New Mexico: White | 4693 | 56.5 | 0.85 | 7.70 | 0.13 | | | |
| USA, New Mexico: Non-Hispanic White | 3221 | 61.7 | 1.14 | 8.44 | 0.17 | | | |
| USA, New Mexico: Hispanic White | 1472 | 48.3 | 1.28 | 6.47 | 0.20 | | | |
| *USA, New Mexico: American Indian | 194 | 30.9 | 2.25 | 3.78 | 0.35 | | | |
| USA, New York State | 69908 | 87.6 | 0.34 | 12.05 | 0.05 | | | |
| USA, New York State: White | 50817 | 81.0 | 0.37 | 11.16 | 0.06 | | | |
| USA, New York State: Black | 15554 | 143.3 | 1.16 | 19.63 | 0.18 | | | |
| USA, New York State: Asian and Pacific Islander | 2622 | 43.6 | 0.86 | 6.22 | 0.14 | | | |
| USA, North Carolina | 34192 | 83.4 | 0.46 | 11.39 | 0.07 | | | |
| USA, North Carolina: White | 23706 | 71.6 | 0.48 | 9.83 | 0.07 | | | |
| USA, North Carolina: Black | 9231 | 129.9 | 1.36 | 17.51 | 0.21 | | | |
| USA, North Carolina: Asian and Pacific Islander | 205 | 31.2 | 2.20 | 4.49 | 0.37 | | | |
| *USA, North Carolina: American Indian | 332 | 70.4 | 3.87 | 10.01 | 0.62 | | | |
| USA, North Dakota | 2448 | 80.3 | 1.66 | 11.24 | 0.26 | | | |
| USA, Ohio | 37192 | 73.8 | 0.39 | 10.17 | 0.06 | | | |
| USA, Ohio: White | 30457 | 67.4 | 0.39 | 9.32 | 0.06 | | | |
| USA, Ohio: Black | 5402 | 117.3 | 1.61 | 15.84 | 0.25 | | | |
| *USA, Ohio: Asian and Pacific Islander | 207 | 31.1 | 2.18 | 4.48 | 0.36 | | | |
| USA, Oklahoma | 10435 | 65.5 | 0.66 | 8.93 | 0.10 | | | |
| USA, Oklahoma: White | 8501 | 61.9 | 0.69 | 8.49 | 0.11 | | | |
| USA, Oklahoma: Black | 1075 | 118.9 | 3.66 | 16.09 | 0.57 | | | |
| USA, Oklahoma: American Indian | 469 | 42.3 | 1.97 | 5.37 | 0.29 | | | |
| USA, Oregon | 12148 | 65.6 | 0.61 | 9.16 | 0.10 | | | |
| USA, Oregon: White | 11181 | 64.0 | 0.62 | 8.96 | 0.10 | | | |
| *USA, Oregon: Black | 309 | 112.5 | 6.48 | 14.20 | 0.97 | | | |
| *USA, Oregon: Asian and Pacific Islander | 187 | 33.7 | 2.49 | 4.48 | 0.40 | | | |
| USA, Rhode Island | 3201 | 70.6 | 1.27 | 9.77 | 0.20 | | | |
| USA, Rhode Island: White | 2918 | 69.4 | 1.31 | 9.63 | 0.21 | | | |
| *USA, Rhode Island: Black | 194 | 84.9 | 6.19 | 11.75 | 0.99 | | | |
| USA, South Carolina | 17488 | 81.7 | 0.63 | 11.27 | 0.10 | | | |
| USA, South Carolina: White | 11577 | 68.7 | 0.66 | 9.55 | 0.10 | | | |
| USA, South Carolina: Black | 5637 | 125.4 | 1.68 | 17.15 | 0.26 | | | |
| USA, South Dakota | 3027 | 80.3 | 1.49 | 11.12 | 0.24 | | | |
| USA, Tennessee | 21932 | 79.1 | 0.54 | 10.90 | 0.08 | | | |
| USA, Tennessee: White | 17591 | 72.5 | 0.56 | 10.06 | 0.09 | | | |
| USA, Tennessee: Black | 4149 | 128.3 | 2.01 | 17.35 | 0.31 | | | |
| USA, Texas | 61946 | 65.5 | 0.27 | 8.90 | 0.04 | | | |
| USA, Texas: White | 49607 | 61.1 | 0.28 | 8.32 | 0.04 | | | |
| USA, Texas: Black | 10344 | 110.8 | 1.10 | 15.03 | 0.17 | | | |
| USA, Texas: Asian and Pacific Islander | 1235 | 33.2 | 0.95 | 4.54 | 0.15 | | | |
| USA, Utah | 7175 | 78.4 | 0.94 | 11.00 | 0.15 | | | |
| USA, Vermont | 1926 | 60.5 | 1.40 | 8.39 | 0.22 | | | |
| USA, Washington State | 20512 | 67.8 | 0.48 | 9.40 | 0.08 | | | |
| *USA, Washington, Seattle | 15167 | 74.5 | 0.61 | 10.31 | 0.10 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Prostate (C61) (contd)

| | Male | | | | | Female | | |
|--|-------|-------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 5946 | 64.1 | 0.85 | 8.80 | 0.13 | | | |
| USA, Wyoming | 1962 | 74.7 | 1.71 | 10.50 | 0.27 | | | |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 182 | 16.2 | 1.22 | 2.02 | 0.20 | | | |
| Brunei Darussalam | 134 | 18.3 | 1.60 | 2.17 | 0.27 | | | |
| *China, Anfu County | 46 | 4.2 | 0.63 | 0.44 | 0.10 | | | |
| *China, Anguo City | 16 | 1.3 | 0.33 | 0.12 | 0.04 | | | |
| *China, Anshan City | 411 | 4.7 | 0.25 | 0.47 | 0.04 | | | |
| *China, Aohan Banner, Chifeng City | 42 | 2.8 | 0.47 | 0.30 | 0.06 | | | |
| *China, Arongqi | 27 | 3.4 | 0.67 | 0.52 | 0.12 | | | |
| *China, Baoding City | 322 | 9.3 | 0.54 | 0.79 | 0.07 | | | |
| *China, Beijing City | 5894 | 11.9 | 0.17 | 1.55 | 0.03 | | | |
| *China, Binhai County | 126 | 2.5 | 0.22 | 0.26 | 0.03 | | | |
| *China, Cangzhou City | 94 | 6.0 | 0.65 | 0.67 | 0.09 | | | |
| China, Changfeng County | 86 | 4.2 | 0.47 | 0.41 | 0.07 | | | |
| China, Changzhou City | 1383 | 13.1 | 0.36 | 1.51 | 0.06 | | | |
| China, Chengdu City | 445 | 10.5 | 0.51 | 1.01 | 0.07 | | | |
| China, Cixian County | 25 | 1.5 | 0.31 | 0.13 | 0.04 | | | |
| China, Cixi City | 567 | 9.9 | 0.43 | 1.19 | 0.07 | | | |
| *China, Dafeng District, Yancheng City | 239 | 5.7 | 0.38 | 0.54 | 0.05 | | | |
| China, Dalian City | 1098 | 8.4 | 0.27 | 0.87 | 0.04 | | | |
| *China, Dancheng County | 66 | 2.3 | 0.29 | 0.25 | 0.04 | | | |
| China, Dangtu County | 85 | 6.1 | 0.70 | 0.71 | 0.10 | | | |
| *China, Danyang City | 239 | 6.3 | 0.42 | 0.56 | 0.05 | | | |
| *China, Dawukou District, Shizuishan City | 69 | 6.0 | 0.77 | 0.71 | 0.12 | | | |
| *China, Dehui City | 54 | 1.9 | 0.26 | 0.23 | 0.04 | | | |
| *China, Donggang County | 86 | 2.7 | 0.30 | 0.30 | 0.05 | | | |
| *China, Dongguan City | 431 | 9.8 | 0.49 | 1.11 | 0.08 | | | |
| China, Donghai County | 119 | 2.4 | 0.22 | 0.22 | 0.03 | | | |
| *China, Dongtai City | 211 | 3.4 | 0.24 | 0.38 | 0.04 | | | |
| China, Duanzhou District, Zhaoqing City | 127 | 8.2 | 0.76 | 0.86 | 0.12 | | | |
| *China, Evenki Autonomous Banner | 10 | 3.8 | 1.36 | 0.16 | 0.12 | | | |
| *China, Faku County | 52 | 2.3 | 0.32 | 0.25 | 0.05 | | | |
| *China, Fangcheng County | 54 | 2.1 | 0.30 | 0.30 | 0.05 | | | |
| *China, Feicheng City | 165 | 4.2 | 0.33 | 0.39 | 0.04 | | | |
| China, Feixi County | 296 | 6.2 | 0.38 | 0.65 | 0.06 | | | |
| China, Fuqing City | 147 | 4.8 | 0.41 | 0.56 | 0.07 | | | |
| *China, Ganyu District, Lianyungang City | 107 | 2.0 | 0.20 | 0.22 | 0.03 | | | |
| *China, Ganzhou District, Zhangye City | 40 | 5.1 | 0.98 | 0.51 | 0.10 | | | |
| *China, Gaocheng City | 41 | 1.8 | 0.29 | 0.18 | 0.04 | | | |
| China, Gaomi City | 145 | 4.1 | 0.35 | 0.42 | 0.06 | | | |
| China, Gong'an County | 177 | 5.1 | 0.39 | 0.65 | 0.07 | | | |
| *China, Guang'an District, Guang'an City | 73 | 3.4 | 0.41 | 0.40 | 0.06 | | | |
| China, Guanghan City | 93 | 4.7 | 0.50 | 0.52 | 0.08 | | | |
| China, Guangzhou City | 3861 | 10.7 | 0.18 | 1.14 | 0.03 | | | |
| *China, Guanyun County | 120 | 3.0 | 0.28 | 0.37 | 0.05 | | | |
| China, Guilin City | 252 | 11.2 | 0.73 | 1.10 | 0.11 | | | |
| *China, Hai'an City | 359 | 5.1 | 0.29 | 0.52 | 0.04 | | | |
| China, Hailar District, Hulun Buir City | 88 | 9.0 | 1.02 | 0.89 | 0.14 | | | |
| China, Haimen District, Nantong City | 567 | 8.9 | 0.39 | 0.91 | 0.06 | | | |
| China, Haining City | 433 | 11.6 | 0.57 | 1.41 | 0.10 | | | |
| China, Hangzhou City | 4703 | 13.3 | 0.20 | 1.71 | 0.04 | | | |
| China, Hebi City | 47 | 3.8 | 0.57 | 0.42 | 0.08 | | | |
| China, Hefei City | 1011 | 11.0 | 0.36 | 1.23 | 0.06 | | | |
| China, Hengdong County | 36 | 2.1 | 0.37 | 0.27 | 0.06 | | | |
| *China, Hengfeng County | 23 | 3.8 | 0.80 | 0.31 | 0.10 | | | |
| *China, Hepu County | 168 | 4.5 | 0.37 | 0.45 | 0.06 | | | |
| China, Honghu City | 128 | 4.2 | 0.39 | 0.48 | 0.06 | | | |
| China, Hongshan District, Chifeng City | 76 | 5.9 | 0.72 | 0.54 | 0.10 | | | |
| *China, Hongta District, Yuxi City | 138 | 6.8 | 0.60 | 0.59 | 0.09 | | | |
| *China, Huaiyin District, Huai'an City | 138 | 3.1 | 0.28 | 0.33 | 0.04 | | | |
| *China, Jiange County | 60 | 3.5 | 0.47 | 0.32 | 0.06 | | | |
| China, Jiangmen City | 195 | 7.6 | 0.56 | 0.80 | 0.09 | | | |
| *China, Jiangyin City | 499 | 7.6 | 0.35 | 0.82 | 0.05 | | | |
| *China, Jiashan County | 299 | 12.7 | 0.75 | 1.47 | 0.12 | | | |
| China, Jiayu County | 28 | 3.8 | 0.74 | 0.45 | 0.11 | | | |
| *China, Jinan City | 731 | 7.3 | 0.28 | 0.83 | 0.05 | | | |
| *China, Jingtai County | 36 | 5.5 | 0.93 | 0.58 | 0.13 | | | |
| *China, Jingxian County | 54 | 3.7 | 0.53 | 0.46 | 0.08 | | | |
| *China, Jintan District, Changzhou City | 232 | 8.9 | 0.61 | 0.88 | 0.09 | | | |
| *China, Jiulongpo District, Chongqing City | 334 | 8.4 | 0.47 | 0.87 | 0.07 | | | |
| *China, Jiyuan City | 57 | 3.3 | 0.44 | 0.31 | 0.06 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Prostate (C61) (contd)

| | Male | | | | | Female | | |
|--|-------|-------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 112 | 9.0 | 0.91 | 0.83 | 0.12 | | | |
| China, Kunshan City | 551 | 14.7 | 0.64 | 1.87 | 0.11 | | | |
| China, Langzhong City | 87 | 4.4 | 0.48 | 0.39 | 0.07 | | | |
| *China, Liangshan County | 95 | 2.8 | 0.29 | 0.29 | 0.04 | | | |
| *China, Lianshui County | 108 | 2.2 | 0.21 | 0.24 | 0.03 | | | |
| China, Lianyungang City | 263 | 5.9 | 0.38 | 0.59 | 0.06 | | | |
| China, Linhe District, Bayannur City | 53 | 3.9 | 0.55 | 0.38 | 0.08 | | | |
| China, Linqu County | 153 | 3.9 | 0.32 | 0.36 | 0.05 | | | |
| *China, Linzhou City | 64 | 2.0 | 0.27 | 0.16 | 0.03 | | | |
| China, Liuzhou City | 363 | 9.2 | 0.50 | 0.83 | 0.07 | | | |
| China, Liyang City | 290 | 6.0 | 0.36 | 0.63 | 0.06 | | | |
| *China, Longquan City | 86 | 6.6 | 0.77 | 0.64 | 0.12 | | | |
| China, Lucheng District, Wenzhou City | 297 | 13.0 | 0.79 | 1.46 | 0.13 | | | |
| China, Luoding City | 116 | 4.4 | 0.42 | 0.49 | 0.07 | | | |
| *China, Luohe City | 146 | 3.8 | 0.33 | 0.35 | 0.05 | | | |
| *China, Luoyang City | 336 | 7.1 | 0.42 | 0.58 | 0.05 | | | |
| *China, Luquan City | 36 | 2.9 | 0.49 | 0.34 | 0.08 | | | |
| China, Ma'anshan City | 271 | 12.0 | 0.77 | 1.09 | 0.10 | | | |
| *China, Macheng City | 78 | 3.3 | 0.38 | 0.43 | 0.06 | | | |
| China, Meihokou City | 60 | 2.8 | 0.37 | 0.27 | 0.05 | | | |
| *China, Mengjin County | 54 | 4.7 | 0.65 | 0.54 | 0.10 | | | |
| China, Nangang District, Harbin City | 246 | 5.5 | 0.37 | 0.60 | 0.06 | | | |
| *China, Nanghai District, Foshan City | 303 | 9.7 | 0.57 | 0.98 | 0.08 | | | |
| China, Nanhu District, Jiaying City | 513 | 17.1 | 0.78 | 2.05 | 0.13 | | | |
| *China, Nantong City | 647 | 9.0 | 0.37 | 0.89 | 0.06 | | | |
| *China, Nanxiong City | 82 | 6.1 | 0.68 | 0.61 | 0.10 | | | |
| China, Neixiang County | 45 | 1.8 | 0.27 | 0.21 | 0.04 | | | |
| *China, Qianxi County | 35 | 2.5 | 0.45 | 0.24 | 0.07 | | | |
| China, Qidong City | 639 | 8.1 | 0.33 | 0.82 | 0.05 | | | |
| China, Qingzhou City | 222 | 6.0 | 0.41 | 0.62 | 0.06 | | | |
| *China, Rudong County | 501 | 6.1 | 0.28 | 0.58 | 0.04 | | | |
| *China, Rugao City | 488 | 5.3 | 0.25 | 0.52 | 0.04 | | | |
| *China, Rural areas of Shanghai City | 7967 | 14.6 | 0.17 | 1.74 | 0.03 | | | |
| China, Ruyang County | 45 | 3.5 | 0.55 | 0.42 | 0.09 | | | |
| *China, Shan County | 107 | 4.0 | 0.40 | 0.40 | 0.06 | | | |
| China, Shanghai City | 7556 | 16.8 | 0.20 | 2.01 | 0.04 | | | |
| China, Shangyu District, Shaoxing City | 351 | 9.1 | 0.50 | 1.00 | 0.08 | | | |
| *China, Shapingba District, Chongqing City | 362 | 10.3 | 0.56 | 1.08 | 0.09 | | | |
| China, Shexian County | 15 | 1.2 | 0.31 | 0.12 | 0.04 | | | |
| China, Sheyang County | 186 | 3.9 | 0.29 | 0.48 | 0.05 | | | |
| *China, Shijiazhuang City | 302 | 5.0 | 0.30 | 0.62 | 0.05 | | | |
| China, Shunde District, Foshan City | 348 | 10.1 | 0.55 | 1.14 | 0.09 | | | |
| *China, Song County | 41 | 2.4 | 0.38 | 0.22 | 0.06 | | | |
| China, Suzhou City | 2106 | 11.2 | 0.25 | 1.22 | 0.04 | | | |
| *China, Tengzhou City | 304 | 5.3 | 0.31 | 0.58 | 0.05 | | | |
| *China, Wangdu County | 12 | 2.0 | 0.58 | 0.29 | 0.10 | | | |
| *China, Wanxian County | 28 | 2.5 | 0.49 | 0.32 | 0.08 | | | |
| *China, Wu'an City | 37 | 1.8 | 0.31 | 0.20 | 0.05 | | | |
| China, Wuhan City | 2112 | 8.6 | 0.19 | 0.91 | 0.03 | | | |
| *China, Wuhu City | 457 | 7.1 | 0.35 | 0.79 | 0.05 | | | |
| China, Wuxi City | 1540 | 10.6 | 0.28 | 1.20 | 0.04 | | | |
| China, Wuzhou City | 161 | 8.0 | 0.66 | 0.75 | 0.09 | | | |
| China, Xiangfu District, Kaifeng City | 56 | 2.7 | 0.37 | 0.29 | 0.06 | | | |
| China, Xianju County | 198 | 8.7 | 0.65 | 0.92 | 0.11 | | | |
| *China, Xin'an County | 55 | 4.6 | 0.63 | 0.47 | 0.09 | | | |
| *China, Xining City | 234 | 11.2 | 0.83 | 0.72 | 0.08 | | | |
| *China, Xinji City | 55 | 2.0 | 0.28 | 0.32 | 0.05 | | | |
| *China, Xinluo District, Longyan City | 130 | 9.2 | 0.84 | 0.87 | 0.12 | | | |
| *China, Xinzhou District, Shangrao City | 89 | 6.5 | 0.72 | 0.65 | 0.10 | | | |
| China, Xiping County | 87 | 3.7 | 0.44 | 0.29 | 0.05 | | | |
| *China, Xishan District, Kunming City | 143 | 6.0 | 0.53 | 0.57 | 0.08 | | | |
| *China, Xuyi County | 109 | 4.0 | 0.40 | 0.49 | 0.07 | | | |
| *China, Ya'an City | 350 | 6.2 | 0.34 | 0.59 | 0.05 | | | |
| *China, Yakeshi City | 77 | 4.8 | 0.61 | 0.58 | 0.10 | | | |
| China, Yancheng City | 308 | 4.8 | 0.28 | 0.47 | 0.04 | | | |
| *China, Yangquan City | 119 | 6.5 | 0.66 | 0.45 | 0.07 | | | |
| *China, Yangzhong City | 56 | 3.6 | 0.49 | 0.36 | 0.07 | | | |
| *China, Yanji City | 85 | 4.7 | 0.54 | 0.47 | 0.08 | | | |
| *China, Yanshi City | 102 | 3.9 | 0.40 | 0.43 | 0.06 | | | |
| China, Yanting County | 14 | 0.9 | 0.24 | 0.03 | 0.01 | | | |
| *China, Yi'an District, Tongling City | 40 | 3.9 | 0.64 | 0.51 | 0.11 | | | |
| *China, Yingdong District, Fuyang City | 81 | 3.1 | 0.35 | 0.37 | 0.06 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Prostate (C61) (contd)

| | Cases | Male | | | Female | | |
|--|--------|-------------|------|----------|--------|--------|----------|
| | | ASR(W) | | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | |
| *China, Yinzhou District, Ningbo City | 166 | 16.4 | 1.31 | 2.38 | | 0.24 | |
| *China, Yiyuan County | 92 | 4.2 | 0.46 | 0.42 | | 0.07 | |
| China, Yong'an City | 94 | 6.0 | 0.65 | 0.68 | | 0.11 | |
| *China, Yongding District, Longyan City | 108 | 6.2 | 0.62 | 0.60 | | 0.09 | |
| China, Yongkang City | 296 | 10.8 | 0.65 | 1.25 | | 0.11 | |
| *China, Yucheng County | 55 | 2.6 | 0.36 | 0.32 | | 0.06 | |
| China, Yueyanglou District, Yueyang City | 60 | 5.5 | 0.73 | 0.76 | | 0.12 | |
| China, Yunmeng County | 66 | 5.1 | 0.78 | 0.40 | | 0.07 | |
| *China, Yunyang District, Shiyuan City | 17 | 1.5 | 0.36 | 0.18 | | 0.07 | |
| China, Yuzhong District, Chongqing City | 337 | 13.6 | 0.80 | 1.51 | | 0.14 | |
| *China, Zhanhuang County | 13 | 1.5 | 0.43 | 0.22 | | 0.08 | |
| *China, Zhangjiagang City | 504 | 9.4 | 0.43 | 0.99 | | 0.07 | |
| *China, Zhaoyuan City | 205 | 6.6 | 0.48 | 0.53 | | 0.06 | |
| *China, Zhengding County | 43 | 3.2 | 0.50 | 0.31 | | 0.07 | |
| *China, Zhongshan City | 560 | 10.2 | 0.44 | 1.10 | | 0.07 | |
| China, Zhongxiang City | 141 | 4.3 | 0.37 | 0.42 | | 0.05 | |
| *China, Zhuanghe City | 208 | 3.8 | 0.27 | 0.35 | | 0.04 | |
| *China, Zhuhai City | 351 | 10.0 | 0.55 | 1.20 | | 0.09 | |
| India, Ahmedabad, Urban | 429 | 4.2 | 0.21 | 0.55 | | 0.03 | |
| India, Aurangabad | 71 | 3.0 | 0.36 | 0.40 | | 0.06 | |
| India, Bangalore | 946 | 9.3 | 0.31 | 1.10 | | 0.05 | |
| India, Barshi, Paranda, and Bhum | 49 | 2.9 | 0.43 | 0.40 | | 0.07 | |
| *India, Bhopal | 121 | 5.1 | 0.47 | 0.64 | | 0.07 | |
| India, Chandigarh | 204 | 10.3 | 0.73 | 1.11 | | 0.11 | |
| *India, Chennai | 981 | 8.5 | 0.27 | 0.92 | | 0.04 | |
| India, Dibrugarh | 53 | 2.2 | 0.30 | 0.25 | | 0.05 | |
| *India, Dindigul, Ambilikai | 104 | 1.7 | 0.17 | 0.21 | | 0.03 | |
| India, Kamrup Urban District | 222 | 11.0 | 0.74 | 1.26 | | 0.11 | |
| India, Kollam | 477 | 7.5 | 0.35 | 1.00 | | 0.06 | |
| *India, Manipur | 52 | 1.2 | 0.18 | 0.17 | | 0.03 | |
| India, Meghalaya | 33 | 1.5 | 0.27 | 0.13 | | 0.04 | |
| India, Mizoram | 63 | 4.0 | 0.51 | 0.41 | | 0.08 | |
| India, Mumbai | 2958 | 10.2 | 0.19 | 1.14 | | 0.03 | |
| *India, New Delhi | 2155 | 12.2 | 0.26 | 1.49 | | 0.04 | |
| India, Poona | 952 | 8.6 | 0.28 | 1.02 | | 0.05 | |
| *India, Sangrur District | 143 | 5.1 | 0.43 | 0.62 | | 0.07 | |
| India, SAS Nagar | 203 | 8.1 | 0.58 | 1.02 | | 0.09 | |
| *India, Tamil Nadu | 5331 | 2.8 | 0.04 | 0.34 | | 0.01 | |
| *India, Tripura | 76 | 1.2 | 0.14 | 0.15 | | 0.02 | |
| India, Trivandrum | 790 | 9.8 | 0.35 | 1.21 | | 0.06 | |
| India, Wardha | 110 | 2.7 | 0.26 | 0.34 | | 0.04 | |
| India, West Arunachal | 10 | 1.4 | 0.47 | 0.22 | | 0.09 | |
| *Iran (Islamic Republic of), Ardabil Province | 250 | 12.9 | 0.86 | 1.47 | | 0.14 | |
| *Iran (Islamic Republic of), Golestan Province | 337 | 16.0 | 0.90 | 1.87 | | 0.15 | |
| Israel | 10956 | 41.7 | 0.41 | 5.86 | | 0.07 | |
| *Israel: Jews | 9711 | 42.9 | 0.45 | 6.03 | | 0.08 | |
| *Israel: Arabs | 638 | 24.4 | 0.97 | 3.35 | | 0.16 | |
| Japan | 227949 | 40.8 | 0.09 | 5.37 | | 0.02 | |
| Japan, Aichi Prefecture | 12364 | 41.4 | 0.40 | 5.53 | | 0.06 | |
| *Japan, Akita Prefecture | 2075 | 39.7 | 0.96 | 5.46 | | 0.16 | |
| Japan, Aomori Prefecture | 4521 | 42.9 | 0.70 | 5.55 | | 0.11 | |
| Japan, Gunma Prefecture | 4201 | 46.6 | 0.78 | 6.10 | | 0.12 | |
| Japan, Hiroshima Prefecture | 7906 | 45.6 | 0.57 | 5.92 | | 0.09 | |
| Japan, Miyagi Prefecture | 6654 | 39.9 | 0.53 | 5.29 | | 0.09 | |
| Japan, Osaka Prefecture | 15607 | 40.5 | 0.35 | 5.31 | | 0.06 | |
| Kuwait | 604 | 14.9 | 0.67 | 1.87 | | 0.11 | |
| *Kuwait: Kuwaitis | 303 | 19.5 | 1.14 | 2.56 | | 0.19 | |
| *Kuwait: Non-Kuwaitis | 301 | 12.8 | 0.96 | 1.50 | | 0.13 | |
| *Philippines, Manila | 1867 | 23.6 | 0.57 | 2.53 | | 0.08 | |
| *Qatar: Qatari | 88 | 25.5 | 2.77 | 3.19 | | 0.42 | |
| Republic of Korea | 55137 | 27.4 | 0.12 | 3.57 | | 0.02 | |
| *Republic of Korea, Busan | 4012 | 26.1 | 0.42 | 3.33 | | 0.07 | |
| *Republic of Korea, Daegu | 2542 | 27.0 | 0.55 | 3.56 | | 0.09 | |
| *Republic of Korea, Daejeon | 1360 | 26.8 | 0.74 | 3.56 | | 0.12 | |
| *Republic of Korea, Gwangju | 1345 | 27.4 | 0.76 | 3.63 | | 0.12 | |
| Republic of Korea, Incheon | 2311 | 22.9 | 0.49 | 2.95 | | 0.08 | |
| Republic of Korea, Jeju | 763 | 31.4 | 1.17 | 4.08 | | 0.19 | |
| Republic of Korea, Seoul | 11555 | 30.2 | 0.29 | 3.93 | | 0.05 | |
| Republic of Korea, Ulsan | 797 | 23.3 | 0.87 | 2.86 | | 0.13 | |
| Singapore | 4908 | 32.3 | 0.47 | 4.28 | | 0.08 | |
| Singapore: Chinese | 4229 | 33.8 | 0.53 | 4.49 | | 0.09 | |
| Singapore: Indian | 205 | 20.6 | 1.49 | 2.73 | | 0.26 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Prostate (C61) (contd)

| | Male | | | | | Female | | |
|--|-------|--------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 323 | 22.6 | 1.30 | 2.68 | 0.22 | | | |
| Thailand, Bangkok | 2146 | 13.7 | 0.30 | 1.74 | 0.05 | | | |
| *Thailand, Chiang Mai | 495 | 8.2 | 0.38 | 1.02 | 0.07 | | | |
| *Thailand, Khon Kaen | 324 | 5.1 | 0.29 | 0.62 | 0.04 | | | |
| Thailand, Lampang | 276 | 8.4 | 0.52 | 1.05 | 0.09 | | | |
| Thailand, Lopburi Province | 342 | 14.8 | 0.83 | 1.44 | 0.11 | | | |
| *Thailand, Songkhla | 443 | 10.0 | 0.50 | 1.27 | 0.09 | | | |
| Turkey, Antalya | 2016 | 34.4 | 0.77 | 4.61 | 0.13 | | | |
| Turkey, Bursa | 2163 | 28.0 | 0.61 | 3.58 | 0.10 | | | |
| *Turkey, Edirne | 485 | 29.7 | 1.37 | 3.95 | 0.23 | | | |
| *Turkey, Erzurum | 645 | 34.6 | 1.39 | 4.54 | 0.22 | | | |
| Turkey, Eskişehir | 869 | 32.0 | 1.09 | 4.37 | 0.18 | | | |
| Turkey, Gaziantep | 767 | 25.2 | 0.92 | 3.20 | 0.15 | | | |
| *Turkey, Izmir | 4991 | 37.9 | 0.54 | 4.91 | 0.09 | | | |
| Turkey, Malatya | 638 | 28.0 | 1.14 | 3.30 | 0.18 | | | |
| Turkey, Samsun | 1611 | 38.5 | 0.97 | 5.14 | 0.16 | | | |
| Turkey, Trabzon | 1065 | 41.6 | 1.30 | 5.39 | 0.21 | | | |
| Europe | | | | | | | | |
| Austria | 25617 | 61.4 | 0.40 | 8.29 | 0.06 | | | |
| Austria, Carinthia | 2393 | 80.3 | 1.72 | 10.91 | 0.27 | | | |
| Austria, Tyrol | 2650 | 79.6 | 1.61 | 11.03 | 0.25 | | | |
| Austria, Vorarlberg | 1081 | 63.4 | 2.00 | 8.67 | 0.31 | | | |
| Belarus | 20486 | 63.9 | 0.46 | 8.73 | 0.08 | | | |
| *Belgium | 43088 | 78.3 | 0.40 | 10.59 | 0.06 | | | |
| Croatia | 11372 | 53.7 | 0.52 | 7.22 | 0.08 | | | |
| Cyprus | 2465 | 63.4 | 1.30 | 8.63 | 0.21 | | | |
| *Czech Republic | 36292 | 71.8 | 0.38 | 9.85 | 0.06 | | | |
| Denmark | 22740 | 76.4 | 0.53 | 10.34 | 0.08 | | | |
| Estonia | 5684 | 104.8 | 1.43 | 14.15 | 0.23 | | | |
| Finland | 25492 | 82.5 | 0.54 | 10.59 | 0.08 | | | |
| *France, Bas-Rhin | 3366 | 83.5 | 1.49 | 11.40 | 0.24 | | | |
| *France, Calvados | 2855 | 83.2 | 1.62 | 11.49 | 0.26 | | | |
| *France, Doubs | 2163 | 85.3 | 1.92 | 11.88 | 0.31 | | | |
| *France, Gironde | 5907 | 81.3 | 1.11 | 11.05 | 0.18 | | | |
| *France, Haut-Rhin | 3352 | 88.9 | 1.59 | 12.05 | 0.25 | | | |
| *France, Hérault | 4757 | 84.0 | 1.29 | 11.94 | 0.20 | | | |
| *France, Isère | 4416 | 78.5 | 1.23 | 11.02 | 0.20 | | | |
| *France, Lille-Métropole | 2328 | 82.7 | 1.76 | 11.54 | 0.29 | | | |
| *France, Limousin | 1986 | 94.0 | 2.26 | 12.82 | 0.35 | | | |
| *France, Loire-Atlantique | 5450 | 92.6 | 1.30 | 12.99 | 0.21 | | | |
| *France, Manche | 2263 | 78.0 | 1.74 | 10.87 | 0.28 | | | |
| *France, Poitou-Charentes | 8710 | 82.5 | 0.94 | 11.47 | 0.15 | | | |
| *France, Somme | 2133 | 78.2 | 1.76 | 10.65 | 0.28 | | | |
| *France, Tarn | 1757 | 77.2 | 1.98 | 10.71 | 0.32 | | | |
| *France, Territoire de Belfort | 420 | 80.6 | 4.08 | 11.25 | 0.65 | | | |
| *France, Vendée | 3219 | 86.1 | 1.60 | 12.03 | 0.25 | | | |
| Germany, Baden-Württemberg | 24542 | 66.7 | 0.46 | 8.92 | 0.07 | | | |
| Germany, Bavaria | 42343 | 60.0 | 0.31 | 8.02 | 0.05 | | | |
| Germany, Bremen | 2433 | 63.1 | 1.39 | 8.43 | 0.22 | | | |
| Germany, Hamburg | 5601 | 62.9 | 0.91 | 8.51 | 0.14 | | | |
| Germany, Lower Saxony | 33323 | 69.2 | 0.41 | 9.07 | 0.07 | | | |
| Germany, North Rhine-Westphalia | 65630 | 65.0 | 0.27 | 8.70 | 0.04 | | | |
| Germany, Rhineland-Palatinate | 15778 | 66.7 | 0.57 | 8.84 | 0.09 | | | |
| Germany, Saarland | 3882 | 60.9 | 1.06 | 8.08 | 0.17 | | | |
| Germany, Schleswig-Holstein | 12094 | 67.9 | 0.67 | 9.02 | 0.10 | | | |
| Iceland | 1065 | 75.6 | 2.39 | 10.13 | 0.39 | | | |
| Ireland | 17253 | 99.1 | 0.77 | 13.64 | 0.12 | | | |
| *Italy, Aosta Valley | 442 | 75.4 | 3.80 | 10.64 | 0.61 | | | |
| *Italy, Avellino | 668 | 47.4 | 1.97 | 6.45 | 0.32 | | | |
| Italy, Basilicata | 1436 | 43.6 | 1.25 | 5.98 | 0.20 | | | |
| *Italy, Benevento | 654 | 49.5 | 2.10 | 6.98 | 0.36 | | | |
| Italy, Bergamo | 3471 | 61.1 | 1.08 | 8.58 | 0.17 | | | |
| *Italy, Brescia | 3186 | 53.5 | 1.00 | 7.55 | 0.16 | | | |
| Italy, Brianza (Lecco and Monza e Brianza) | 2269 | 58.7 | 1.30 | 8.48 | 0.21 | | | |
| Italy, Calabria | 1160 | 39.1 | 1.23 | 5.53 | 0.20 | | | |
| *Italy, Caserta | 1332 | 39.6 | 1.13 | 5.23 | 0.18 | | | |
| *Italy, Catania, Messina, and Enna | 4596 | 45.7 | 0.71 | 6.37 | 0.12 | | | |
| Italy, Emilia-Romagna | 11756 | 57.7 | 0.57 | 8.17 | 0.09 | | | |
| Italy, Friuli-Venezia Giulia | 4790 | 62.4 | 0.97 | 8.83 | 0.15 | | | |
| Italy, Genova | 2131 | 47.5 | 1.13 | 6.71 | 0.18 | | | |
| *Italy, Lombardy, South, Pavia | 1614 | 50.1 | 1.34 | 7.11 | 0.22 | | | |
| Italy, Mantova and Cremona | 1855 | 54.8 | 1.35 | 7.82 | 0.22 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Prostate (C61) (contd)

| | Male | | | | | Female | | |
|-------------------------------------|--------|--------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 4451 | 62.2 | 1.01 | 8.64 | 0.16 | | | |
| Italy, Milan | 10394 | 56.2 | 0.59 | 7.94 | 0.09 | | | |
| Italy, Molise | 562 | 48.7 | 2.23 | 6.84 | 0.38 | | | |
| *Italy, Naples Centre | 1327 | 47.1 | 1.35 | 6.52 | 0.22 | | | |
| *Italy, Naples North | 1340 | 40.3 | 1.12 | 5.50 | 0.18 | | | |
| *Italy, Naples South | 2349 | 46.3 | 0.99 | 6.36 | 0.16 | | | |
| *Italy, Nuoro | 323 | 41.5 | 2.46 | 5.60 | 0.40 | | | |
| *Italy, Palermo | 2730 | 41.4 | 0.84 | 5.69 | 0.14 | | | |
| Italy, Puglia | 10896 | 49.3 | 0.50 | 6.78 | 0.08 | | | |
| *Italy, Ragusa and Caltanissetta | 1204 | 38.0 | 1.18 | 5.06 | 0.19 | | | |
| *Italy, Salerno | 1999 | 42.0 | 1.00 | 5.61 | 0.16 | | | |
| Italy, Sassari | 522 | 45.0 | 2.08 | 5.98 | 0.33 | | | |
| *Italy, Sondrio | 817 | 69.8 | 2.57 | 9.65 | 0.41 | | | |
| Italy, South Tyrol | 1808 | 69.9 | 1.76 | 9.57 | 0.28 | | | |
| *Italy, Syracuse | 968 | 42.4 | 1.45 | 5.98 | 0.24 | | | |
| Italy, Trento | 1881 | 66.1 | 1.60 | 9.60 | 0.26 | | | |
| Italy, Turin | 7821 | 56.7 | 0.70 | 7.93 | 0.11 | | | |
| *Italy, Tuscany | 6864 | 54.6 | 0.72 | 7.53 | 0.11 | | | |
| Italy, Umbria | 2790 | 64.8 | 1.34 | 9.12 | 0.21 | | | |
| Italy, Varese | 1385 | 49.1 | 1.40 | 7.07 | 0.22 | | | |
| Italy, Veneto | 17271 | 65.3 | 0.53 | 9.26 | 0.08 | | | |
| Latvia | 5969 | 72.6 | 0.97 | 10.04 | 0.16 | | | |
| *Liechtenstein | 93 | 50.2 | 5.28 | 7.97 | 0.91 | | | |
| *Lithuania | 14513 | 128.6 | 1.10 | 18.17 | 0.17 | | | |
| Malta | 1117 | 47.2 | 1.45 | 6.27 | 0.23 | | | |
| *The Netherlands | 55805 | 63.9 | 0.28 | 8.83 | 0.05 | | | |
| Norway | 25468 | 106.9 | 0.69 | 14.37 | 0.11 | | | |
| Poland, Kielce | 2950 | 50.4 | 0.95 | 6.89 | 0.16 | | | |
| *Portugal, Azores | 426 | 59.6 | 2.94 | 8.33 | 0.48 | | | |
| Russian Federation, Arkhangelsk | 1762 | 47.7 | 1.17 | 6.21 | 0.20 | | | |
| Russian Federation, Kaliningrad | 1078 | 35.6 | 1.11 | 5.00 | 0.19 | | | |
| Russian Federation, Karelia | 743 | 37.4 | 1.43 | 5.26 | 0.26 | | | |
| *Russian Federation, Komi Republic | 935 | 43.5 | 1.50 | 5.66 | 0.26 | | | |
| Russian Federation, Murmansk | 1173 | 63.9 | 1.95 | 8.65 | 0.34 | | | |
| *Russian Federation, Orenburg | 2485 | 38.7 | 0.80 | 5.14 | 0.14 | | | |
| Russian Federation, Pskov | 855 | 35.9 | 1.27 | 4.71 | 0.22 | | | |
| *Russian Federation, Samara | 6396 | 57.6 | 0.74 | 7.91 | 0.13 | | | |
| Russian Federation, Vologda Region | 1081 | 28.3 | 0.87 | 3.79 | 0.12 | | | |
| Slovenia | 8171 | 79.5 | 0.90 | 11.02 | 0.15 | | | |
| Spain, Asturias | 2199 | 61.9 | 1.40 | 8.88 | 0.23 | | | |
| Spain, Basque Country | 6532 | 73.5 | 0.95 | 10.62 | 0.16 | | | |
| Spain, Canary Islands | 3943 | 69.3 | 1.13 | 9.98 | 0.18 | | | |
| Spain, Castellón | 1878 | 68.2 | 1.66 | 9.61 | 0.27 | | | |
| Spain, Girona | 2087 | 58.1 | 1.34 | 8.03 | 0.22 | | | |
| Spain, Granada | 2161 | 52.9 | 1.20 | 7.45 | 0.19 | | | |
| Spain, La Rioja | 1111 | 69.8 | 2.21 | 9.95 | 0.36 | | | |
| Spain, Murcia | 4008 | 68.3 | 1.13 | 9.51 | 0.18 | | | |
| Spain, Navarra | 1835 | 76.2 | 1.86 | 10.97 | 0.30 | | | |
| Spain, Salamanca | 1632 | 77.2 | 2.15 | 10.56 | 0.34 | | | |
| Spain, Tarragona | 2100 | 54.0 | 1.24 | 7.42 | 0.20 | | | |
| *Sweden | 52565 | 102.9 | 0.47 | 13.95 | 0.07 | | | |
| Switzerland, Aargau | 2635 | 83.5 | 1.67 | 11.49 | 0.26 | | | |
| Switzerland, Basel | 1934 | 77.0 | 1.86 | 10.63 | 0.29 | | | |
| Switzerland, Berne Solothurn | 3772 | 84.0 | 1.44 | 11.42 | 0.23 | | | |
| Switzerland, East | 3373 | 81.9 | 1.46 | 11.38 | 0.24 | | | |
| *Switzerland, Fribourg | 1117 | 83.6 | 2.57 | 11.33 | 0.40 | | | |
| Switzerland, Geneva | 1692 | 82.5 | 2.11 | 11.33 | 0.34 | | | |
| *Switzerland, Graubünden and Glarus | 1039 | 79.6 | 2.57 | 10.77 | 0.40 | | | |
| *Switzerland, Lucerne | 1889 | 75.6 | 1.81 | 10.42 | 0.29 | | | |
| *Switzerland, Neuchâtel and Jura | 816 | 65.7 | 2.42 | 8.79 | 0.38 | | | |
| Switzerland, Ticino | 1205 | 61.3 | 1.88 | 8.20 | 0.29 | | | |
| Switzerland, Valais | 1490 | 86.6 | 2.34 | 11.73 | 0.37 | | | |
| Switzerland, Vaud | 2642 | 80.1 | 1.62 | 11.44 | 0.26 | | | |
| Switzerland, Zurich and Zug | 5623 | 77.2 | 1.08 | 10.62 | 0.17 | | | |
| Ukraine | 35911 | 27.2 | 0.15 | 3.69 | 0.02 | | | |
| UK, England | 208799 | 75.8 | 0.18 | 9.86 | 0.03 | | | |
| UK, Northern Ireland | 5710 | 68.1 | 0.94 | 8.62 | 0.14 | | | |
| UK, Scotland | 17602 | 63.4 | 0.50 | 8.37 | 0.08 | | | |
| UK, Wales | 13549 | 76.8 | 0.70 | 10.03 | 0.11 | | | |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 34362 | 99.5 | 0.56 | 13.36 | 0.09 | | | |
| *Australia, Northern Territory | 446 | 65.1 | 3.11 | 8.93 | 0.49 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Prostate (C61) (contd)

| | Male | | | | | Female | | |
|--|-------|--------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 431 | 73.1 | 3.54 | 10.09 | 0.56 | | | |
| *Australia, Northern Territory: Indigenous | 12 | 12.8 | 3.92 | 0.92 | 0.37 | | | |
| *Australia, Queensland | 20578 | 102.6 | 0.73 | 13.77 | 0.11 | | | |
| Australia, South Australia | 7446 | 90.7 | 1.10 | 12.29 | 0.17 | | | |
| Australia, Tasmania | 2515 | 94.0 | 1.95 | 12.62 | 0.29 | | | |
| *Australia, Victoria | 22668 | 90.9 | 0.63 | 12.19 | 0.10 | | | |
| *Australia, Western Australia | 10102 | 101.5 | 1.03 | 13.57 | 0.16 | | | |
| *France, New Caledonia | 552 | 69.5 | 2.98 | 9.57 | 0.49 | | | |
| New Zealand | 16837 | 88.1 | 0.70 | 12.04 | 0.11 | | | |
| *New Zealand: Maori | 1309 | 89.5 | 2.52 | 11.54 | 0.38 | | | |
| *New Zealand: Pacific peoples | 513 | 86.2 | 3.87 | 12.20 | 0.63 | | | |
| *New Zealand: Other | 14525 | 93.2 | 0.80 | 12.76 | 0.12 | | | |
| USA, Hawaii | 3873 | 58.1 | 0.96 | 7.82 | 0.15 | | | |
| USA, Hawaii: White | 1276 | 58.0 | 1.67 | 7.76 | 0.25 | | | |
| *USA, Hawaii: Japanese | 908 | 55.0 | 2.02 | 7.51 | 0.32 | | | |
| *USA, Hawaii: Chinese | 229 | 49.1 | 3.49 | 6.35 | 0.55 | | | |
| *USA, Hawaii: Hawaiian | 438 | 48.2 | 2.32 | 6.49 | 0.37 | | | |
| *USA, Hawaii: Filipino | 598 | 59.1 | 2.49 | 8.18 | 0.41 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Testis (C62)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Africa | | | | | | | | |
| *Algeria, Batna | 12 | 0.6 | 0.16 | 0.04 | 0.01 | | | |
| *Algeria, Tizi Ouzou | 19 | 1.0 | 0.24 | 0.08 | 0.02 | | | |
| *Benin, Cotonou | 3 | 0.5 | 0.32 | 0.01 | 0.01 | | | |
| *France, La Réunion | 46 | 2.8 | 0.43 | 0.22 | 0.03 | | | |
| *Kenya, Eldoret | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| *Kenya, Nairobi | 17 | 0.2 | 0.05 | 0.01 | 0.00 | | | |
| Mauritius | 78 | 2.5 | 0.27 | 0.18 | 0.02 | | | |
| *Morocco, Casablanca | 67 | 0.6 | 0.07 | 0.04 | 0.01 | | | |
| *Seychelles | 2 | 0.8 | 0.58 | 0.07 | 0.07 | | | |
| *South Africa, Eastern Cape | 2 | 0.1 | 0.08 | 0.00 | 0.00 | | | |
| *Uganda, Kyadondo County | 14 | 0.4 | 0.14 | 0.03 | 0.01 | | | |
| *Uganda, Gulu | 2 | 0.5 | 0.41 | 0.07 | 0.07 | | | |
| *Zimbabwe, Bulawayo: African | 6 | 0.5 | 0.24 | 0.04 | 0.03 | | | |
| *Zimbabwe, Harare: African | 8 | 0.2 | 0.10 | 0.01 | 0.00 | | | |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 128 | 6.3 | 0.56 | 0.49 | 0.05 | | | |
| *Argentina, Mendoza | 358 | 7.7 | 0.41 | 0.60 | 0.03 | | | |
| Brazil, Aracaju | 20 | 1.4 | 0.32 | 0.11 | 0.03 | | | |
| *Brazil, Barretos | 17 | 1.4 | 0.34 | 0.10 | 0.03 | | | |
| Brazil, Belo Horizonte | 166 | 2.4 | 0.19 | 0.18 | 0.01 | | | |
| *Brazil, Campinas | 106 | 3.9 | 0.38 | 0.29 | 0.03 | | | |
| *Brazil, Curitiba | 152 | 3.6 | 0.29 | 0.26 | 0.02 | | | |
| Brazil, Goiânia | 56 | 1.7 | 0.23 | 0.12 | 0.02 | | | |
| *Brazil, Jaú | 22 | 5.2 | 1.13 | 0.38 | 0.08 | | | |
| Brazil, João Pessoa | 14 | 1.2 | 0.34 | 0.10 | 0.03 | | | |
| Brazil, Recife | 19 | 0.7 | 0.17 | 0.05 | 0.01 | | | |
| Chile, Region of Antofagasta | 90 | 8.2 | 0.87 | 0.61 | 0.07 | | | |
| Chile, Valdivia | 157 | 15.5 | 1.24 | 1.19 | 0.10 | | | |
| Colombia, Bucaramanga | 117 | 3.8 | 0.36 | 0.28 | 0.03 | | | |
| Colombia, Cali | 205 | 3.3 | 0.23 | 0.24 | 0.02 | | | |
| Colombia, Manizales | 57 | 5.0 | 0.63 | 0.40 | 0.05 | | | |
| Colombia, Pasto | 70 | 6.7 | 0.81 | 0.52 | 0.07 | | | |
| Costa Rica | 441 | 3.9 | 0.19 | 0.29 | 0.01 | | | |
| Ecuador, Guayaquil | 143 | 2.1 | 0.18 | 0.15 | 0.01 | | | |
| Ecuador, Manabí | 64 | 1.7 | 0.21 | 0.12 | 0.02 | | | |
| Ecuador, Quito | 280 | 5.6 | 0.34 | 0.43 | 0.03 | | | |
| *France, Guadeloupe | 17 | 2.0 | 0.51 | 0.16 | 0.04 | | | |
| *France, Martinique | 17 | 2.6 | 0.66 | 0.18 | 0.05 | | | |
| *Peru, Lima | 606 | 3.8 | 0.16 | 0.29 | 0.01 | | | |
| *Trinidad and Tobago | 18 | 0.8 | 0.18 | 0.06 | 0.01 | | | |
| USA, Puerto Rico | 403 | 4.9 | 0.25 | 0.37 | 0.02 | | | |
| *Uruguay | 663 | 7.4 | 0.29 | 0.57 | 0.02 | | | |
| North America | | | | | | | | |
| Canada, Alberta | 728 | 6.1 | 0.23 | 0.47 | 0.02 | | | |
| Canada, British Columbia | 729 | 5.7 | 0.22 | 0.45 | 0.02 | | | |
| *Canada, Manitoba | 195 | 5.6 | 0.41 | 0.44 | 0.03 | | | |
| *Canada, New Brunswick | 104 | 5.7 | 0.58 | 0.44 | 0.04 | | | |
| *Canada, Newfoundland and Labrador | 53 | 4.2 | 0.60 | 0.32 | 0.04 | | | |
| Canada, Ontario | 2070 | 5.8 | 0.13 | 0.45 | 0.01 | | | |
| *Canada, Prince Edward Island | 11 | 3.2 | 1.04 | 0.22 | 0.07 | | | |
| Canada, Quebec | 1203 | 5.6 | 0.17 | 0.43 | 0.01 | | | |
| Canada, Saskatchewan | 165 | 5.4 | 0.43 | 0.41 | 0.03 | | | |
| *Canada, Yukon | 13 | 13.2 | 3.77 | 0.94 | 0.26 | | | |
| USA | 43726 | 5.3 | 0.03 | 0.41 | 0.00 | | | |
| USA: White | 39962 | 6.3 | 0.03 | 0.48 | 0.00 | | | |
| USA: Black | 1564 | 1.3 | 0.03 | 0.11 | 0.00 | | | |
| USA, NPCR | 42141 | 5.3 | 0.03 | 0.41 | 0.00 | | | |
| USA, NPCR: White | 38631 | 6.3 | 0.03 | 0.48 | 0.00 | | | |
| USA, NPCR: Black | 1538 | 1.3 | 0.03 | 0.11 | 0.00 | | | |
| USA, NPCR: Asian and Pacific Islander | 976 | 1.9 | 0.06 | 0.14 | 0.00 | | | |
| USA, NPCR: American Indian | 330 | 2.8 | 0.15 | 0.22 | 0.01 | | | |
| *USA, SEER (18 registries) | 12865 | 5.5 | 0.05 | 0.42 | 0.00 | | | |
| *USA, SEER (18 registries): White | 11283 | 6.6 | 0.06 | 0.50 | 0.00 | | | |
| *USA, SEER (18 registries): Non-Hispanic White | 8117 | 6.8 | 0.08 | 0.53 | 0.01 | | | |
| *USA, SEER (18 registries): Hispanic White | 3166 | 5.9 | 0.11 | 0.43 | 0.01 | | | |
| *USA, SEER (18 registries): Black | 422 | 1.4 | 0.07 | 0.12 | 0.01 | | | |
| *USA, SEER (18 registries): Asian and Pacific Islander | 613 | 2.3 | 0.09 | 0.17 | 0.01 | | | |
| *USA, SEER (9 registries) | 4525 | 5.7 | 0.09 | 0.44 | 0.01 | | | |
| *USA, SEER (9 registries): White | 3912 | 6.8 | 0.11 | 0.53 | 0.01 | | | |
| *USA, SEER (9 registries): Black | 150 | 1.5 | 0.12 | 0.12 | 0.01 | | | |
| USA, Alabama | 476 | 4.0 | 0.19 | 0.31 | 0.01 | | | |
| USA, Alabama: White | 419 | 5.0 | 0.25 | 0.39 | 0.02 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Testis (C62) (contd)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 40 | 1.2 | 0.20 | 0.09 | 0.02 | | | |
| USA, Alaska | 126 | 5.7 | 0.51 | 0.45 | 0.04 | | | |
| *USA, Alaska: Alaska Natives | 19 | 5.5 | 1.27 | 0.44 | 0.10 | | | |
| USA, Arizona | 865 | 5.0 | 0.17 | 0.38 | 0.01 | | | |
| USA, Arizona: White | 794 | 5.5 | 0.20 | 0.42 | 0.01 | | | |
| USA, Arizona: Black | 9 | 0.8 | 0.28 | 0.06 | 0.02 | | | |
| *USA, Arizona: Asian and Pacific Islander | 10 | 1.2 | 0.39 | 0.09 | 0.03 | | | |
| USA, Arizona: American Indian | 43 | 4.0 | 0.61 | 0.29 | 0.04 | | | |
| USA, Arkansas | 354 | 4.7 | 0.26 | 0.37 | 0.02 | | | |
| USA, Arkansas: White | 333 | 5.6 | 0.31 | 0.44 | 0.02 | | | |
| USA, Arkansas: Black | 14 | 1.2 | 0.31 | 0.09 | 0.02 | | | |
| USA, California | 6081 | 5.8 | 0.08 | 0.44 | 0.01 | | | |
| USA, California: White | 5385 | 7.0 | 0.10 | 0.53 | 0.01 | | | |
| USA, California: Black | 109 | 1.4 | 0.13 | 0.11 | 0.01 | | | |
| USA, California: Asian and Pacific Islander | 362 | 2.2 | 0.12 | 0.16 | 0.01 | | | |
| *USA, California, Los Angeles County | 1538 | 5.6 | 0.15 | 0.42 | 0.01 | | | |
| *USA, California, Los Angeles County: White | 1346 | 6.7 | 0.19 | 0.50 | 0.01 | | | |
| *USA, California, Los Angeles County: Non-Hispanic White | 570 | 7.2 | 0.32 | 0.58 | 0.02 | | | |
| *USA, California, Los Angeles County: Hispanic White | 776 | 6.2 | 0.22 | 0.43 | 0.02 | | | |
| *USA, California, Los Angeles County: Black | 30 | 1.2 | 0.21 | 0.09 | 0.02 | | | |
| *USA, California, Los Angeles County: Chinese | 14 | 1.1 | 0.30 | 0.08 | 0.02 | | | |
| *USA, California, Los Angeles County: Filipino | 8 | 0.9 | 0.35 | 0.07 | 0.02 | | | |
| *USA, California, Los Angeles County: Korean | 7 | 1.3 | 0.49 | 0.09 | 0.03 | | | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 88 | 2.1 | 0.23 | 0.15 | 0.02 | | | |
| *USA, California, San Francisco Bay Area | 710 | 5.6 | 0.22 | 0.43 | 0.02 | | | |
| *USA, California, San Francisco Bay Area: White | 592 | 7.5 | 0.32 | 0.58 | 0.02 | | | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 428 | 8.0 | 0.42 | 0.62 | 0.03 | | | |
| *USA, California, San Francisco Bay Area: Hispanic White | 164 | 6.3 | 0.50 | 0.48 | 0.04 | | | |
| *USA, California, San Francisco Bay Area: Black | 15 | 1.3 | 0.34 | 0.11 | 0.03 | | | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 81 | 2.4 | 0.28 | 0.17 | 0.02 | | | |
| USA, Colorado | 791 | 5.3 | 0.19 | 0.41 | 0.01 | | | |
| USA, Colorado: White | 739 | 5.6 | 0.21 | 0.43 | 0.02 | | | |
| *USA, Colorado: Black | 8 | 0.9 | 0.32 | 0.07 | 0.02 | | | |
| *USA, Colorado: Asian and Pacific Islander | 10 | 1.6 | 0.50 | 0.12 | 0.04 | | | |
| USA, Connecticut | 535 | 5.9 | 0.26 | 0.47 | 0.02 | | | |
| USA, Connecticut: White | 495 | 6.9 | 0.32 | 0.54 | 0.02 | | | |
| USA, Connecticut: Black | 13 | 1.1 | 0.30 | 0.09 | 0.02 | | | |
| USA, District of Columbia | 102 | 4.8 | 0.50 | 0.36 | 0.04 | | | |
| USA, District of Columbia: White | 79 | 7.0 | 0.87 | 0.52 | 0.07 | | | |
| USA, District of Columbia: Black | 17 | 1.9 | 0.48 | 0.16 | 0.04 | | | |
| USA, Florida | 2234 | 4.5 | 0.10 | 0.34 | 0.01 | | | |
| USA, Florida: White | 2022 | 5.3 | 0.12 | 0.40 | 0.01 | | | |
| USA, Florida: Black | 105 | 1.1 | 0.11 | 0.09 | 0.01 | | | |
| USA, Florida: Asian and Pacific Islander | 25 | 1.5 | 0.31 | 0.11 | 0.02 | | | |
| USA, Georgia | 1048 | 4.0 | 0.13 | 0.31 | 0.01 | | | |
| USA, Georgia: White | 905 | 5.6 | 0.19 | 0.43 | 0.01 | | | |
| USA, Georgia: Black | 117 | 1.4 | 0.13 | 0.11 | 0.01 | | | |
| USA, Georgia: Asian and Pacific Islander | 17 | 1.4 | 0.36 | 0.10 | 0.02 | | | |
| *USA, Georgia, Atlanta | 358 | 3.7 | 0.20 | 0.29 | 0.02 | | | |
| *USA, Georgia, Atlanta: White | 288 | 5.9 | 0.36 | 0.46 | 0.03 | | | |
| *USA, Georgia, Atlanta: Black | 57 | 1.5 | 0.20 | 0.12 | 0.02 | | | |
| USA, Idaho | 265 | 6.4 | 0.40 | 0.49 | 0.03 | | | |
| USA, Indiana | 936 | 5.6 | 0.18 | 0.44 | 0.01 | | | |
| USA, Indiana: White | 891 | 6.2 | 0.21 | 0.48 | 0.02 | | | |
| USA, Indiana: Black | 20 | 1.2 | 0.26 | 0.09 | 0.02 | | | |
| *USA, Iowa | 517 | 6.7 | 0.30 | 0.52 | 0.02 | | | |
| USA, Kentucky | 595 | 5.3 | 0.22 | 0.41 | 0.02 | | | |
| USA, Louisiana | 510 | 4.2 | 0.19 | 0.33 | 0.01 | | | |
| USA, Louisiana: White | 449 | 5.8 | 0.28 | 0.45 | 0.02 | | | |
| USA, Louisiana: Black | 55 | 1.4 | 0.19 | 0.12 | 0.02 | | | |
| *USA, Louisiana, New Orleans | 97 | 4.2 | 0.44 | 0.33 | 0.03 | | | |
| *USA, Louisiana, New Orleans: White | 85 | 6.8 | 0.77 | 0.51 | 0.06 | | | |
| *USA, Louisiana, New Orleans: Black | 7 | 0.8 | 0.31 | 0.07 | 0.03 | | | |
| USA, Maine | 207 | 6.5 | 0.47 | 0.51 | 0.04 | | | |
| USA, Maryland | 639 | 4.2 | 0.17 | 0.33 | 0.01 | | | |
| USA, Maryland: White | 557 | 6.0 | 0.26 | 0.46 | 0.02 | | | |
| USA, Maryland: Black | 62 | 1.3 | 0.17 | 0.11 | 0.01 | | | |
| USA, Maryland: Asian and Pacific Islander | 14 | 1.4 | 0.37 | 0.10 | 0.03 | | | |
| USA, Massachusetts | 971 | 5.5 | 0.18 | 0.43 | 0.01 | | | |
| USA, Massachusetts: White | 902 | 6.2 | 0.21 | 0.49 | 0.02 | | | |
| USA, Massachusetts: Black | 19 | 1.2 | 0.27 | 0.09 | 0.02 | | | |
| USA, Massachusetts: Asian and Pacific Islander | 18 | 1.4 | 0.34 | 0.12 | 0.04 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Testis (C62) (contd)

| | Male | | | | | Female | | |
|---|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, Michigan | 1360 | 5.5 | 0.15 | 0.43 | 0.01 | | | |
| USA, Michigan: White | 1266 | 6.4 | 0.19 | 0.50 | 0.01 | | | |
| USA, Michigan: Black | 53 | 1.4 | 0.20 | 0.12 | 0.02 | | | |
| USA, Michigan: Asian and Pacific Islander | 19 | 1.9 | 0.43 | 0.14 | 0.03 | | | |
| *USA, Michigan, Detroit | 494 | 5.1 | 0.23 | 0.40 | 0.02 | | | |
| *USA, Michigan, Detroit: White | 440 | 6.6 | 0.33 | 0.52 | 0.02 | | | |
| *USA, Michigan, Detroit: Black | 39 | 1.7 | 0.27 | 0.14 | 0.02 | | | |
| USA, Minnesota | 907 | 6.4 | 0.22 | 0.50 | 0.02 | | | |
| USA, Minnesota: White | 852 | 7.1 | 0.25 | 0.55 | 0.02 | | | |
| USA, Minnesota: Black | 12 | 1.1 | 0.33 | 0.08 | 0.02 | | | |
| *USA, Minnesota: Asian and Pacific Islander | 17 | 2.2 | 0.54 | 0.14 | 0.03 | | | |
| USA, Mississippi | 271 | 3.6 | 0.22 | 0.29 | 0.02 | | | |
| USA, Missouri | 771 | 5.1 | 0.19 | 0.39 | 0.01 | | | |
| USA, Missouri: White | 733 | 5.8 | 0.22 | 0.44 | 0.02 | | | |
| USA, Missouri: Black | 29 | 1.5 | 0.28 | 0.14 | 0.03 | | | |
| USA, Montana | 170 | 6.5 | 0.51 | 0.50 | 0.04 | | | |
| *USA, Montana: American Indian | 7 | 3.9 | 1.47 | 0.30 | 0.12 | | | |
| USA, Nebraska | 320 | 6.6 | 0.37 | 0.51 | 0.03 | | | |
| USA, Nebraska: White | 315 | 7.3 | 0.42 | 0.56 | 0.03 | | | |
| *USA, Nebraska: Black | 1 | 0.3 | 0.31 | 0.02 | 0.02 | | | |
| USA, Nevada | 385 | 5.1 | 0.27 | 0.39 | 0.02 | | | |
| USA, Nevada: White | 353 | 6.1 | 0.33 | 0.46 | 0.02 | | | |
| USA, Nevada: Black | 7 | 0.9 | 0.33 | 0.06 | 0.02 | | | |
| *USA, Nevada: Asian and Pacific Islander | 12 | 1.5 | 0.44 | 0.12 | 0.04 | | | |
| USA, New Jersey | 1253 | 5.6 | 0.16 | 0.43 | 0.01 | | | |
| USA, New Jersey: White | 1113 | 6.9 | 0.21 | 0.53 | 0.02 | | | |
| USA, New Jersey: Black | 53 | 1.5 | 0.21 | 0.12 | 0.02 | | | |
| USA, New Mexico | 323 | 6.3 | 0.35 | 0.47 | 0.03 | | | |
| USA, New Mexico: White | 269 | 6.4 | 0.40 | 0.47 | 0.03 | | | |
| USA, New Mexico: Non-Hispanic White | 111 | 6.1 | 0.60 | 0.46 | 0.04 | | | |
| USA, New Mexico: Hispanic White | 158 | 6.5 | 0.52 | 0.48 | 0.04 | | | |
| *USA, New Mexico: American Indian | 41 | 6.6 | 1.04 | 0.48 | 0.08 | | | |
| USA, New York State | 2794 | 5.5 | 0.11 | 0.42 | 0.01 | | | |
| USA, New York State: White | 2488 | 6.9 | 0.14 | 0.53 | 0.01 | | | |
| USA, New York State: Black | 172 | 1.8 | 0.14 | 0.14 | 0.01 | | | |
| USA, New York State: Asian and Pacific Islander | 102 | 2.2 | 0.23 | 0.16 | 0.02 | | | |
| USA, North Carolina | 1192 | 4.7 | 0.14 | 0.37 | 0.01 | | | |
| USA, North Carolina: White | 1072 | 5.9 | 0.19 | 0.46 | 0.01 | | | |
| USA, North Carolina: Black | 92 | 1.6 | 0.17 | 0.13 | 0.01 | | | |
| USA, North Carolina: Asian and Pacific Islander | 12 | 1.3 | 0.39 | 0.09 | 0.03 | | | |
| *USA, North Carolina: American Indian | 10 | 2.2 | 0.71 | 0.19 | 0.06 | | | |
| USA, North Dakota | 143 | 6.9 | 0.59 | 0.52 | 0.04 | | | |
| USA, Ohio | 1522 | 5.2 | 0.14 | 0.41 | 0.01 | | | |
| USA, Ohio: White | 1438 | 6.0 | 0.16 | 0.46 | 0.01 | | | |
| USA, Ohio: Black | 49 | 1.3 | 0.18 | 0.11 | 0.02 | | | |
| *USA, Ohio: Asian and Pacific Islander | 14 | 1.7 | 0.47 | 0.13 | 0.04 | | | |
| USA, Oklahoma | 487 | 4.9 | 0.22 | 0.38 | 0.02 | | | |
| USA, Oklahoma: White | 418 | 5.4 | 0.27 | 0.42 | 0.02 | | | |
| USA, Oklahoma: Black | 13 | 1.4 | 0.39 | 0.11 | 0.03 | | | |
| USA, Oklahoma: American Indian | 49 | 4.8 | 0.69 | 0.37 | 0.05 | | | |
| USA, Oregon | 672 | 6.5 | 0.25 | 0.49 | 0.02 | | | |
| USA, Oregon: White | 632 | 6.9 | 0.28 | 0.53 | 0.02 | | | |
| *USA, Oregon: Black | 10 | 3.3 | 1.07 | 0.20 | 0.07 | | | |
| *USA, Oregon: Asian and Pacific Islander | 11 | 1.6 | 0.49 | 0.13 | 0.04 | | | |
| USA, Rhode Island | 148 | 5.4 | 0.46 | 0.43 | 0.04 | | | |
| USA, Rhode Island: White | 143 | 6.2 | 0.54 | 0.49 | 0.04 | | | |
| *USA, Rhode Island: Black | 3 | 1.1 | 0.65 | 0.09 | 0.05 | | | |
| USA, South Carolina | 478 | 3.9 | 0.18 | 0.31 | 0.01 | | | |
| USA, South Carolina: White | 435 | 5.2 | 0.26 | 0.40 | 0.02 | | | |
| USA, South Carolina: Black | 35 | 1.0 | 0.18 | 0.08 | 0.01 | | | |
| USA, South Dakota | 120 | 5.6 | 0.52 | 0.43 | 0.04 | | | |
| USA, Tennessee | 827 | 5.0 | 0.18 | 0.39 | 0.01 | | | |
| USA, Tennessee: White | 768 | 5.9 | 0.22 | 0.45 | 0.02 | | | |
| USA, Tennessee: Black | 44 | 1.5 | 0.23 | 0.11 | 0.02 | | | |
| USA, Texas | 3574 | 5.0 | 0.08 | 0.37 | 0.01 | | | |
| USA, Texas: White | 3383 | 5.9 | 0.10 | 0.44 | 0.01 | | | |
| USA, Texas: Black | 108 | 1.1 | 0.11 | 0.09 | 0.01 | | | |
| USA, Texas: Asian and Pacific Islander | 49 | 1.4 | 0.21 | 0.09 | 0.01 | | | |
| USA, Utah | 535 | 6.6 | 0.29 | 0.51 | 0.02 | | | |
| USA, Vermont | 109 | 7.1 | 0.70 | 0.54 | 0.05 | | | |
| USA, Washington State | 1173 | 6.0 | 0.18 | 0.47 | 0.01 | | | |
| *USA, Washington, Seattle | 843 | 6.1 | 0.21 | 0.48 | 0.02 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Testis (C62) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 226 | 4.9 | 0.34 | 0.39 | 0.03 | | | |
| USA, Wyoming | 115 | 7.6 | 0.73 | 0.57 | 0.05 | | | |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 28 | 1.7 | 0.33 | 0.13 | 0.03 | | | |
| Brunei Darussalam | 25 | 2.0 | 0.41 | 0.13 | 0.03 | | | |
| *China, Anfu County | 3 | 0.3 | 0.17 | 0.03 | 0.02 | | | |
| *China, Anguo City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *China, Anshan City | 26 | 0.5 | 0.11 | 0.05 | 0.01 | | | |
| *China, Aohan Banner, Chifeng City | 4 | 0.2 | 0.10 | 0.03 | 0.02 | | | |
| *China, Arongqi | 2 | 0.2 | 0.14 | 0.02 | 0.01 | | | |
| *China, Baoding City | 10 | 0.3 | 0.08 | 0.02 | 0.01 | | | |
| *China, Beijing City | 140 | 0.6 | 0.06 | 0.05 | 0.00 | | | |
| *China, Binhai County | 6 | 0.1 | 0.05 | 0.01 | 0.00 | | | |
| *China, Cangzhou City | 4 | 0.3 | 0.14 | 0.03 | 0.02 | | | |
| China, Changfeng County | 4 | 0.2 | 0.12 | 0.02 | 0.01 | | | |
| China, Changzhou City | 34 | 0.5 | 0.10 | 0.04 | 0.01 | | | |
| China, Chengdu City | 15 | 0.4 | 0.12 | 0.04 | 0.01 | | | |
| China, Cixian County | 11 | 0.6 | 0.19 | 0.07 | 0.02 | | | |
| China, Cixi City | 17 | 0.7 | 0.22 | 0.05 | 0.01 | | | |
| *China, Dafeng District, Yancheng City | 9 | 0.4 | 0.17 | 0.04 | 0.01 | | | |
| China, Dalian City | 21 | 0.3 | 0.06 | 0.02 | 0.01 | | | |
| *China, Dancheng County | 12 | 0.3 | 0.10 | 0.02 | 0.01 | | | |
| China, Dangtu County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Danyang City | 5 | 0.2 | 0.08 | 0.01 | 0.01 | | | |
| *China, Dawukou District, Shizuishan City | 2 | 0.3 | 0.22 | 0.02 | 0.02 | | | |
| *China, Dehui City | 4 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *China, Donggang County | 5 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| *China, Dongguan City | 34 | 1.1 | 0.22 | 0.07 | 0.01 | | | |
| China, Donghai County | 5 | 0.1 | 0.05 | 0.01 | 0.00 | | | |
| *China, Dongtai City | 10 | 0.4 | 0.17 | 0.04 | 0.01 | | | |
| China, Duanzhou District, Zhaoqing City | 5 | 0.7 | 0.37 | 0.04 | 0.02 | | | |
| *China, Evenki Autonomous Banner | 5 | 1.9 | 0.92 | 0.20 | 0.12 | | | |
| *China, Faku County | 7 | 0.6 | 0.23 | 0.04 | 0.02 | | | |
| *China, Fangcheng County | 10 | 0.5 | 0.16 | 0.06 | 0.02 | | | |
| *China, Feicheng City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| China, Feixi County | 12 | 0.4 | 0.12 | 0.03 | 0.01 | | | |
| China, Fuqing City | 8 | 0.4 | 0.15 | 0.03 | 0.01 | | | |
| *China, Ganyu District, Lianyungang City | 9 | 0.3 | 0.10 | 0.02 | 0.01 | | | |
| *China, Ganzhou District, Zhangye City | 3 | 0.4 | 0.24 | 0.06 | 0.03 | | | |
| *China, Gaocheng City | 5 | 0.2 | 0.09 | 0.02 | 0.01 | | | |
| China, Gaomi City | 6 | 0.2 | 0.10 | 0.03 | 0.01 | | | |
| China, Gong'an County | 7 | 0.2 | 0.08 | 0.03 | 0.01 | | | |
| *China, Guang'an District, Guang'an City | 6 | 0.3 | 0.14 | 0.03 | 0.01 | | | |
| China, Guanghan City | 5 | 0.4 | 0.17 | 0.03 | 0.01 | | | |
| China, Guangzhou City | 207 | 0.9 | 0.07 | 0.06 | 0.00 | | | |
| *China, Guanyun County | 12 | 0.4 | 0.12 | 0.03 | 0.01 | | | |
| China, Guilin City | 13 | 0.5 | 0.15 | 0.04 | 0.01 | | | |
| *China, Hai'an City | 7 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| China, Hailar District, Hulun Buir City | 3 | 0.3 | 0.16 | 0.02 | 0.01 | | | |
| China, Haimen District, Nantong City | 15 | 0.5 | 0.14 | 0.04 | 0.01 | | | |
| China, Haining City | 10 | 0.6 | 0.22 | 0.04 | 0.01 | | | |
| China, Hangzhou City | 106 | 0.5 | 0.06 | 0.04 | 0.00 | | | |
| China, Hebi City | 11 | 0.9 | 0.28 | 0.07 | 0.03 | | | |
| China, Hefei City | 37 | 0.5 | 0.09 | 0.04 | 0.01 | | | |
| China, Hengdong County | 4 | 0.2 | 0.11 | 0.02 | 0.01 | | | |
| *China, Hengfeng County | 2 | 0.4 | 0.26 | 0.03 | 0.02 | | | |
| *China, Hepu County | 19 | 0.7 | 0.16 | 0.04 | 0.01 | | | |
| China, Honghu City | 6 | 0.2 | 0.10 | 0.02 | 0.01 | | | |
| China, Hongshan District, Chifeng City | 2 | 0.1 | 0.10 | 0.02 | 0.02 | | | |
| *China, Hongta District, Yuxi City | 17 | 1.2 | 0.31 | 0.10 | 0.03 | | | |
| *China, Huaiyin District, Huai'an City | 7 | 0.3 | 0.10 | 0.02 | 0.01 | | | |
| *China, Jiange County | 6 | 0.4 | 0.18 | 0.03 | 0.01 | | | |
| China, Jiangmen City | 15 | 0.9 | 0.25 | 0.07 | 0.02 | | | |
| *China, Jiangyin City | 10 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| *China, Jiashan County | 7 | 0.5 | 0.22 | 0.05 | 0.02 | | | |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Jinan City | 20 | 0.3 | 0.08 | 0.03 | 0.01 | | | |
| *China, Jingtai County | 4 | 0.6 | 0.32 | 0.06 | 0.03 | | | |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Jintan District, Changzhou City | 6 | 0.3 | 0.12 | 0.02 | 0.01 | | | |
| *China, Jiulongpo District, Chongqing City | 15 | 0.6 | 0.15 | 0.06 | 0.02 | | | |
| *China, Jiyuan City | 7 | 0.5 | 0.19 | 0.03 | 0.01 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Testis (C62) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 7 | 0.5 | 0.20 | 0.05 | 0.03 | | | |
| China, Kunshan City | 10 | 0.5 | 0.18 | 0.04 | 0.01 | | | |
| China, Langzhong City | 4 | 0.2 | 0.12 | 0.02 | 0.01 | | | |
| *China, Liangshan County | 5 | 0.2 | 0.08 | 0.01 | 0.01 | | | |
| *China, Lianshui County | 11 | 0.4 | 0.12 | 0.03 | 0.01 | | | |
| China, Lianyungang City | 14 | 0.5 | 0.16 | 0.04 | 0.01 | | | |
| China, Linhe District, Bayannur City | 3 | 0.2 | 0.13 | 0.02 | 0.01 | | | |
| China, Linqu County | 5 | 0.2 | 0.07 | 0.01 | 0.01 | | | |
| *China, Linzhou City | 4 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| China, Liuzhou City | 16 | 0.5 | 0.12 | 0.04 | 0.01 | | | |
| China, Liyang City | 9 | 0.3 | 0.10 | 0.02 | 0.01 | | | |
| *China, Longquan City | 2 | 0.2 | 0.17 | 0.02 | 0.01 | | | |
| China, Lucheng District, Wenzhou City | 4 | 0.3 | 0.14 | 0.02 | 0.01 | | | |
| China, Luoding City | 11 | 0.6 | 0.18 | 0.04 | 0.01 | | | |
| *China, Luohe City | 9 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| *China, Luoyang City | 13 | 0.3 | 0.10 | 0.03 | 0.01 | | | |
| *China, Luquan City | 2 | 0.2 | 0.16 | 0.02 | 0.01 | | | |
| China, Ma'anshan City | 10 | 0.5 | 0.16 | 0.05 | 0.02 | | | |
| *China, Macheng City | 6 | 0.3 | 0.11 | 0.03 | 0.01 | | | |
| China, Meihokou City | 8 | 0.3 | 0.12 | 0.03 | 0.01 | | | |
| *China, Mengjin County | 1 | 0.1 | 0.12 | 0.00 | 0.00 | | | |
| China, Nangang District, Harbin City | 7 | 0.2 | 0.09 | 0.02 | 0.01 | | | |
| *China, Nanghai District, Foshan City | 25 | 1.0 | 0.21 | 0.08 | 0.02 | | | |
| China, Nanhu District, Jiaxing City | 12 | 0.7 | 0.23 | 0.05 | 0.02 | | | |
| *China, Nantong City | 16 | 0.6 | 0.18 | 0.04 | 0.01 | | | |
| *China, Nanxiong City | 1 | 0.2 | 0.16 | 0.01 | 0.01 | | | |
| China, Neixiang County | 5 | 0.2 | 0.09 | 0.02 | 0.01 | | | |
| *China, Qianxi County | 1 | 0.1 | 0.13 | 0.01 | 0.01 | | | |
| China, Qidong City | 17 | 0.5 | 0.14 | 0.05 | 0.01 | | | |
| China, Qingzhou City | 12 | 0.6 | 0.19 | 0.03 | 0.01 | | | |
| *China, Rudong County | 13 | 0.5 | 0.19 | 0.03 | 0.01 | | | |
| *China, Rugao City | 20 | 0.4 | 0.09 | 0.04 | 0.01 | | | |
| *China, Rural areas of Shanghai City | 189 | 0.8 | 0.07 | 0.06 | 0.00 | | | |
| China, Ruyang County | 4 | 0.4 | 0.19 | 0.03 | 0.02 | | | |
| *China, Shan County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | | | |
| China, Shanghai City | 150 | 0.9 | 0.09 | 0.07 | 0.01 | | | |
| China, Shangyu District, Shaoxing City | 14 | 0.8 | 0.27 | 0.06 | 0.02 | | | |
| *China, Shapingba District, Chongqing City | 14 | 0.4 | 0.12 | 0.03 | 0.01 | | | |
| China, Shexian County | 7 | 0.5 | 0.18 | 0.03 | 0.02 | | | |
| China, Sheyang County | 7 | 0.2 | 0.06 | 0.01 | 0.01 | | | |
| *China, Shijiazhuang City | 16 | 0.4 | 0.11 | 0.03 | 0.01 | | | |
| China, Shunde District, Foshan City | 24 | 0.9 | 0.20 | 0.07 | 0.01 | | | |
| *China, Song County | 4 | 0.3 | 0.13 | 0.01 | 0.01 | | | |
| China, Suzhou City | 38 | 0.4 | 0.07 | 0.03 | 0.01 | | | |
| *China, Tengzhou City | 14 | 0.3 | 0.09 | 0.03 | 0.01 | | | |
| *China, Wangdu County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Wanxian County | 2 | 0.2 | 0.11 | 0.01 | 0.01 | | | |
| *China, Wu'an City | 2 | 0.1 | 0.05 | 0.01 | 0.00 | | | |
| China, Wuhan City | 55 | 0.4 | 0.06 | 0.03 | 0.00 | | | |
| *China, Wuhu City | 13 | 0.3 | 0.10 | 0.03 | 0.01 | | | |
| China, Wuxi City | 29 | 0.4 | 0.07 | 0.03 | 0.01 | | | |
| China, Wuzhou City | 11 | 0.7 | 0.21 | 0.05 | 0.02 | | | |
| China, Xiangfu District, Kaifeng City | 11 | 0.6 | 0.19 | 0.05 | 0.02 | | | |
| China, Xianju County | 4 | 0.3 | 0.14 | 0.02 | 0.01 | | | |
| *China, Xin'an County | 3 | 0.3 | 0.17 | 0.02 | 0.02 | | | |
| *China, Xining City | 6 | 0.3 | 0.14 | 0.01 | 0.01 | | | |
| *China, Xinji City | 7 | 0.4 | 0.14 | 0.03 | 0.01 | | | |
| *China, Xinluo District, Longyan City | 7 | 0.9 | 0.37 | 0.05 | 0.02 | | | |
| *China, Xinzhou District, Shangrao City | 9 | 0.7 | 0.23 | 0.08 | 0.03 | | | |
| China, Xiping County | 8 | 0.3 | 0.11 | 0.03 | 0.01 | | | |
| *China, Xishan District, Kunming City | 5 | 0.7 | 0.40 | 0.05 | 0.02 | | | |
| *China, Xuyi County | 8 | 0.3 | 0.13 | 0.02 | 0.01 | | | |
| *China, Ya'an City | 24 | 0.5 | 0.11 | 0.04 | 0.01 | | | |
| *China, Yakeshi City | 4 | 0.3 | 0.17 | 0.02 | 0.01 | | | |
| China, Yancheng City | 18 | 0.4 | 0.09 | 0.02 | 0.01 | | | |
| *China, Yangquan City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *China, Yangzhong City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | | | |
| *China, Yanji City | 3 | 0.2 | 0.14 | 0.02 | 0.01 | | | |
| *China, Yanshi City | 8 | 0.5 | 0.17 | 0.03 | 0.01 | | | |
| China, Yanting County | 3 | 0.2 | 0.09 | 0.03 | 0.02 | | | |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Yingdong District, Fuyang City | 12 | 0.6 | 0.20 | 0.05 | 0.01 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Testis (C62) (contd)

| | Cases | Male | | | Female | | |
|--|-------|--------|------|----------|--------|--------|----------|
| | | ASR(W) | | CUM 0–74 | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | |
| *China, Yinzhou District, Ningbo City | 6 | 1.2 | 0.56 | 0.09 | 0.04 | | |
| *China, Yiyuan County | 3 | 0.1 | 0.08 | 0.01 | 0.01 | | |
| China, Yong'an City | 13 | 1.5 | 0.46 | 0.10 | 0.03 | | |
| *China, Yongding District, Longyan City | 3 | 0.2 | 0.09 | 0.01 | 0.01 | | |
| China, Yongkang City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | | |
| *China, Yucheng County | 13 | 0.7 | 0.21 | 0.05 | 0.02 | | |
| China, Yueyanglou District, Yueyang City | 3 | 0.3 | 0.16 | 0.03 | 0.02 | | |
| China, Yunmeng County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | | |
| *China, Yuyang District, Shiyan City | 3 | 0.3 | 0.17 | 0.04 | 0.03 | | |
| China, Yuzhong District, Chongqing City | 8 | 0.3 | 0.12 | 0.03 | 0.01 | | |
| *China, Zhanhuang County | 7 | 1.0 | 0.39 | 0.09 | 0.04 | | |
| *China, Zhangjiagang City | 10 | 0.3 | 0.10 | 0.03 | 0.01 | | |
| *China, Zhaoyuan City | 13 | 0.7 | 0.20 | 0.06 | 0.02 | | |
| *China, Zhengding County | 3 | 0.3 | 0.18 | 0.02 | 0.01 | | |
| *China, Zhongshan City | 31 | 0.7 | 0.12 | 0.05 | 0.01 | | |
| China, Zhongxiang City | 9 | 0.2 | 0.07 | 0.02 | 0.01 | | |
| *China, Zhuanghe City | 10 | 0.3 | 0.10 | 0.02 | 0.01 | | |
| *China, Zhuhai City | 25 | 0.8 | 0.17 | 0.06 | 0.01 | | |
| India, Ahmedabad, Urban | 74 | 0.5 | 0.06 | 0.05 | 0.01 | | |
| India, Aurangabad | 19 | 0.5 | 0.12 | 0.04 | 0.01 | | |
| India, Bangalore | 57 | 0.3 | 0.04 | 0.02 | 0.00 | | |
| India, Barshi, Paranda, and Bhum | 9 | 0.6 | 0.22 | 0.06 | 0.02 | | |
| *India, Bhopal | 25 | 0.8 | 0.16 | 0.06 | 0.01 | | |
| India, Chandigarh | 21 | 0.6 | 0.13 | 0.04 | 0.01 | | |
| *India, Chennai | 69 | 0.5 | 0.06 | 0.04 | 0.00 | | |
| India, Dibrugarh | 31 | 0.8 | 0.15 | 0.07 | 0.02 | | |
| *India, Dindigul, Ambilikai | 21 | 0.3 | 0.07 | 0.03 | 0.01 | | |
| India, Kamrup Urban District | 12 | 0.4 | 0.13 | 0.05 | 0.02 | | |
| India, Kollam | 33 | 0.6 | 0.11 | 0.05 | 0.01 | | |
| *India, Manipur | 10 | 0.2 | 0.06 | 0.02 | 0.01 | | |
| India, Meghalaya | 9 | 0.2 | 0.06 | 0.01 | 0.00 | | |
| India, Mizoram | 6 | 0.2 | 0.10 | 0.01 | 0.01 | | |
| India, Mumbai | 249 | 0.6 | 0.04 | 0.05 | 0.00 | | |
| *India, New Delhi | 232 | 0.7 | 0.05 | 0.06 | 0.00 | | |
| India, Poona | 52 | 0.3 | 0.04 | 0.03 | 0.00 | | |
| *India, Sangrur District | 14 | 0.4 | 0.12 | 0.03 | 0.01 | | |
| India, SAS Nagar | 15 | 0.5 | 0.12 | 0.04 | 0.01 | | |
| *India, Tamil Nadu | 934 | 0.4 | 0.01 | 0.04 | 0.00 | | |
| *India, Tripura | 30 | 0.3 | 0.06 | 0.03 | 0.01 | | |
| India, Trivandrum | 56 | 0.8 | 0.10 | 0.07 | 0.01 | | |
| India, Wardha | 30 | 0.8 | 0.15 | 0.07 | 0.01 | | |
| India, West Arunachal | 3 | 0.2 | 0.11 | 0.01 | 0.01 | | |
| *Iran (Islamic Republic of), Ardabil Province | 27 | 1.2 | 0.25 | 0.10 | 0.03 | | |
| *Iran (Islamic Republic of), Golestan Province | 63 | 1.9 | 0.25 | 0.14 | 0.02 | | |
| Israel | 958 | 4.6 | 0.15 | 0.35 | 0.01 | | |
| *Israel: Jews | 775 | 5.1 | 0.18 | 0.39 | 0.01 | | |
| *Israel: Arabs | 134 | 3.0 | 0.26 | 0.23 | 0.02 | | |
| Japan | 5802 | 2.9 | 0.04 | 0.24 | 0.00 | | |
| Japan, Aichi Prefecture | 344 | 2.8 | 0.16 | 0.22 | 0.01 | | |
| *Japan, Akita Prefecture | 50 | 4.0 | 0.63 | 0.31 | 0.04 | | |
| Japan, Aomori Prefecture | 86 | 3.1 | 0.38 | 0.24 | 0.03 | | |
| Japan, Gunma Prefecture | 116 | 3.9 | 0.40 | 0.31 | 0.03 | | |
| Japan, Hiroshima Prefecture | 158 | 2.8 | 0.24 | 0.22 | 0.02 | | |
| Japan, Miyagi Prefecture | 199 | 3.4 | 0.25 | 0.27 | 0.02 | | |
| Japan, Osaka Prefecture | 369 | 2.8 | 0.15 | 0.22 | 0.01 | | |
| Kuwait | 144 | 0.8 | 0.08 | 0.06 | 0.01 | | |
| *Kuwait: Kuwaitis | 76 | 2.3 | 0.27 | 0.18 | 0.02 | | |
| *Kuwait: Non-Kuwaitis | 68 | 0.5 | 0.08 | 0.03 | 0.00 | | |
| *Philippines, Manila | 143 | 0.9 | 0.08 | 0.07 | 0.01 | | |
| *Qatar: Qatari | 18 | 2.5 | 0.60 | 0.19 | 0.05 | | |
| Republic of Korea | 1360 | 1.0 | 0.03 | 0.07 | 0.00 | | |
| *Republic of Korea, Busan | 114 | 1.3 | 0.14 | 0.10 | 0.01 | | |
| *Republic of Korea, Daegu | 75 | 1.2 | 0.15 | 0.09 | 0.01 | | |
| *Republic of Korea, Daejeon | 35 | 1.1 | 0.20 | 0.07 | 0.01 | | |
| *Republic of Korea, Gwangju | 29 | 0.9 | 0.19 | 0.07 | 0.01 | | |
| Republic of Korea, Incheon | 78 | 0.9 | 0.11 | 0.07 | 0.01 | | |
| Republic of Korea, Jeju | 11 | 0.8 | 0.24 | 0.06 | 0.02 | | |
| Republic of Korea, Seoul | 318 | 1.1 | 0.07 | 0.08 | 0.00 | | |
| Republic of Korea, Ulsan | 33 | 1.0 | 0.18 | 0.08 | 0.01 | | |
| Singapore | 206 | 2.1 | 0.15 | 0.15 | 0.01 | | |
| Singapore: Chinese | 129 | 1.8 | 0.17 | 0.13 | 0.01 | | |
| Singapore: Indian | 25 | 2.9 | 0.61 | 0.20 | 0.04 | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Testis (C62) (contd)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 40 | 2.9 | 0.46 | 0.20 | 0.03 | | | |
| Thailand, Bangkok | 85 | 0.5 | 0.06 | 0.04 | 0.00 | | | |
| *Thailand, Chiang Mai | 22 | 0.5 | 0.12 | 0.04 | 0.01 | | | |
| *Thailand, Khon Kaen | 39 | 1.0 | 0.18 | 0.07 | 0.01 | | | |
| Thailand, Lampang | 11 | 0.5 | 0.17 | 0.04 | 0.01 | | | |
| Thailand, Lopburi Province | 25 | 1.2 | 0.24 | 0.10 | 0.02 | | | |
| *Thailand, Songkhla | 28 | 0.7 | 0.14 | 0.06 | 0.01 | | | |
| Turkey, Antalya | 208 | 3.2 | 0.23 | 0.25 | 0.02 | | | |
| Turkey, Bursa | 331 | 4.3 | 0.24 | 0.30 | 0.02 | | | |
| *Turkey, Edirne | 41 | 3.4 | 0.56 | 0.29 | 0.05 | | | |
| *Turkey, Erzurum | 59 | 3.0 | 0.40 | 0.23 | 0.03 | | | |
| Turkey, Eskişehir | 91 | 3.7 | 0.39 | 0.29 | 0.03 | | | |
| Turkey, Gaziantep | 150 | 2.9 | 0.24 | 0.22 | 0.02 | | | |
| *Turkey, Izmir | 543 | 4.5 | 0.20 | 0.34 | 0.02 | | | |
| Turkey, Malatya | 83 | 3.9 | 0.43 | 0.28 | 0.03 | | | |
| Turkey, Samsun | 154 | 4.7 | 0.38 | 0.34 | 0.03 | | | |
| Turkey, Trabzon | 134 | 6.3 | 0.55 | 0.48 | 0.04 | | | |
| Europe | | | | | | | | |
| Austria | 1929 | 8.1 | 0.19 | 0.65 | 0.01 | | | |
| Austria, Carinthia | 166 | 11.3 | 0.92 | 0.90 | 0.07 | | | |
| Austria, Tyrol | 169 | 8.4 | 0.66 | 0.67 | 0.05 | | | |
| Austria, Vorarlberg | 93 | 9.0 | 0.96 | 0.70 | 0.07 | | | |
| Belarus | 626 | 2.4 | 0.10 | 0.20 | 0.01 | | | |
| *Belgium | 1840 | 6.6 | 0.16 | 0.50 | 0.01 | | | |
| Croatia | 973 | 9.3 | 0.31 | 0.69 | 0.02 | | | |
| Cyprus | 162 | 6.9 | 0.55 | 0.53 | 0.04 | | | |
| *Czech Republic | 2485 | 8.4 | 0.18 | 0.66 | 0.01 | | | |
| Denmark | 1499 | 10.2 | 0.27 | 0.82 | 0.02 | | | |
| Estonia | 127 | 3.8 | 0.35 | 0.29 | 0.03 | | | |
| Finland | 843 | 6.2 | 0.22 | 0.47 | 0.02 | | | |
| *France, Bas-Rhin | 199 | 8.6 | 0.62 | 0.68 | 0.05 | | | |
| *France, Calvados | 140 | 8.6 | 0.74 | 0.67 | 0.06 | | | |
| *France, Doubs | 120 | 8.6 | 0.80 | 0.71 | 0.07 | | | |
| *France, Gironde | 278 | 7.1 | 0.43 | 0.55 | 0.03 | | | |
| *France, Haut-Rhin | 171 | 8.7 | 0.69 | 0.70 | 0.05 | | | |
| *France, Hérault | 201 | 7.7 | 0.55 | 0.59 | 0.04 | | | |
| *France, Isère | 213 | 7.0 | 0.49 | 0.55 | 0.04 | | | |
| *France, Lille-Métropole | 155 | 7.1 | 0.57 | 0.55 | 0.05 | | | |
| *France, Limousin | 58 | 7.0 | 0.96 | 0.54 | 0.07 | | | |
| *France, Loire-Atlantique | 269 | 7.6 | 0.47 | 0.61 | 0.04 | | | |
| *France, Manche | 72 | 6.5 | 0.81 | 0.49 | 0.06 | | | |
| *France, Poitou-Charentes | 338 | 8.4 | 0.48 | 0.66 | 0.04 | | | |
| *France, Somme | 106 | 7.1 | 0.71 | 0.60 | 0.06 | | | |
| *France, Tarn | 59 | 7.2 | 1.01 | 0.54 | 0.07 | | | |
| *France, Territoire de Belfort | 18 | 6.0 | 1.44 | 0.48 | 0.11 | | | |
| *France, Vendée | 125 | 7.9 | 0.75 | 0.62 | 0.06 | | | |
| Germany, Baden-Württemberg | 1613 | 9.0 | 0.23 | 0.73 | 0.02 | | | |
| Germany, Bavaria | 2963 | 8.6 | 0.16 | 0.68 | 0.01 | | | |
| Germany, Bremen | 187 | 10.3 | 0.78 | 0.80 | 0.06 | | | |
| Germany, Hamburg | 538 | 9.7 | 0.44 | 0.79 | 0.03 | | | |
| Germany, Lower Saxony | 2372 | 11.4 | 0.25 | 0.92 | 0.02 | | | |
| Germany, North Rhine-Westphalia | 4527 | 9.7 | 0.15 | 0.77 | 0.01 | | | |
| Germany, Rhineland-Palatinate | 940 | 8.9 | 0.31 | 0.71 | 0.02 | | | |
| Germany, Saarland | 249 | 9.8 | 0.65 | 0.79 | 0.05 | | | |
| Germany, Schleswig-Holstein | 774 | 10.6 | 0.40 | 0.84 | 0.03 | | | |
| Iceland | 62 | 7.0 | 0.90 | 0.55 | 0.07 | | | |
| Ireland | 858 | 6.8 | 0.24 | 0.53 | 0.02 | | | |
| *Italy, Aosta Valley | 17 | 7.2 | 1.86 | 0.53 | 0.13 | | | |
| *Italy, Avellino | 51 | 8.0 | 1.16 | 0.60 | 0.08 | | | |
| Italy, Basilicata | 107 | 7.3 | 0.75 | 0.56 | 0.06 | | | |
| *Italy, Benevento | 38 | 6.5 | 1.09 | 0.50 | 0.08 | | | |
| Italy, Bergamo | 238 | 8.7 | 0.60 | 0.66 | 0.04 | | | |
| *Italy, Brescia | 230 | 7.8 | 0.55 | 0.59 | 0.04 | | | |
| Italy, Brianza (Lecco and Monza e Brianza) | 155 | 8.8 | 0.76 | 0.68 | 0.06 | | | |
| Italy, Calabria | 84 | 6.2 | 0.69 | 0.46 | 0.05 | | | |
| *Italy, Caserta | 138 | 7.5 | 0.65 | 0.55 | 0.05 | | | |
| *Italy, Catania, Messina, and Enna | 378 | 8.0 | 0.42 | 0.60 | 0.03 | | | |
| Italy, Emilia-Romagna | 617 | 7.3 | 0.32 | 0.56 | 0.02 | | | |
| Italy, Friuli-Venezia Giulia | 225 | 8.0 | 0.58 | 0.61 | 0.04 | | | |
| Italy, Genova | 90 | 6.0 | 0.68 | 0.46 | 0.05 | | | |
| *Italy, Lombardy, South, Pavia | 112 | 8.4 | 0.87 | 0.64 | 0.06 | | | |
| Italy, Mantova and Cremona | 118 | 8.3 | 0.83 | 0.63 | 0.06 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Testis (C62) (contd)

| | Male | | | | | Female | | |
|-------------------------------------|-------|-------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 236 | 8.1 | 0.56 | 0.63 | 0.04 | | | |
| Italy, Milan | 633 | 7.4 | 0.32 | 0.57 | 0.02 | | | |
| Italy, Molise | 29 | 6.7 | 1.30 | 0.48 | 0.09 | | | |
| *Italy, Naples Centre | 107 | 7.3 | 0.73 | 0.55 | 0.05 | | | |
| *Italy, Naples North | 162 | 7.4 | 0.59 | 0.57 | 0.05 | | | |
| *Italy, Naples South | 214 | 7.8 | 0.55 | 0.60 | 0.04 | | | |
| *Italy, Nuoro | 20 | 6.1 | 1.40 | 0.47 | 0.10 | | | |
| *Italy, Palermo | 248 | 8.3 | 0.55 | 0.61 | 0.04 | | | |
| Italy, Puglia | 894 | 8.8 | 0.30 | 0.67 | 0.02 | | | |
| *Italy, Ragusa and Caltanissetta | 122 | 8.0 | 0.74 | 0.61 | 0.06 | | | |
| *Italy, Salerno | 166 | 7.4 | 0.59 | 0.56 | 0.04 | | | |
| Italy, Sassari | 47 | 9.6 | 1.48 | 0.71 | 0.11 | | | |
| *Italy, Sondrio | 45 | 8.2 | 1.32 | 0.66 | 0.10 | | | |
| Italy, South Tyrol | 134 | 10.2 | 0.91 | 0.79 | 0.07 | | | |
| *Italy, Syracuse | 76 | 7.5 | 0.89 | 0.56 | 0.06 | | | |
| Italy, Trento | 106 | 7.9 | 0.81 | 0.61 | 0.06 | | | |
| Italy, Turin | 414 | 7.7 | 0.41 | 0.59 | 0.03 | | | |
| *Italy, Tuscany | 349 | 7.4 | 0.43 | 0.56 | 0.03 | | | |
| Italy, Umbria | 118 | 7.1 | 0.70 | 0.55 | 0.05 | | | |
| Italy, Varese | 97 | 7.3 | 0.81 | 0.57 | 0.06 | | | |
| Italy, Veneto | 890 | 7.6 | 0.27 | 0.58 | 0.02 | | | |
| Latvia | 163 | 3.2 | 0.26 | 0.24 | 0.02 | | | |
| *Liechtenstein | 10 | 10.0 | 3.27 | 0.79 | 0.25 | | | |
| *Lithuania | 184 | 2.6 | 0.20 | 0.20 | 0.01 | | | |
| Malta | 87 | 6.8 | 0.76 | 0.56 | 0.06 | | | |
| *The Netherlands | 3871 | 9.3 | 0.15 | 0.71 | 0.01 | | | |
| Norway | 1579 | 11.2 | 0.29 | 0.88 | 0.02 | | | |
| Poland, Kielce | 190 | 5.4 | 0.41 | 0.42 | 0.03 | | | |
| *Portugal, Azores | 22 | 3.8 | 0.83 | 0.30 | 0.06 | | | |
| Russian Federation, Arkhangelsk | 58 | 1.7 | 0.24 | 0.13 | 0.02 | | | |
| Russian Federation, Kaliningrad | 55 | 2.0 | 0.27 | 0.16 | 0.02 | | | |
| Russian Federation, Karelia | 41 | 2.7 | 0.44 | 0.21 | 0.04 | | | |
| *Russian Federation, Komi Republic | 46 | 1.9 | 0.29 | 0.16 | 0.03 | | | |
| Russian Federation, Murmansk | 48 | 2.3 | 0.34 | 0.19 | 0.03 | | | |
| *Russian Federation, Orenburg | 103 | 1.9 | 0.19 | 0.15 | 0.02 | | | |
| Russian Federation, Pskov | 46 | 2.6 | 0.40 | 0.19 | 0.03 | | | |
| *Russian Federation, Samara | 216 | 2.4 | 0.17 | 0.19 | 0.01 | | | |
| Russian Federation, Vologda Region | 77 | 2.4 | 0.29 | 0.20 | 0.02 | | | |
| Slovenia | 587 | 10.6 | 0.46 | 0.81 | 0.03 | | | |
| Spain, Asturias | 93 | 5.7 | 0.65 | 0.44 | 0.05 | | | |
| Spain, Basque Country | 247 | 5.7 | 0.40 | 0.44 | 0.03 | | | |
| Spain, Canary Islands | 176 | 4.4 | 0.36 | 0.33 | 0.03 | | | |
| Spain, Castellón | 75 | 4.9 | 0.61 | 0.37 | 0.04 | | | |
| Spain, Girona | 112 | 5.7 | 0.58 | 0.43 | 0.04 | | | |
| Spain, Granada | 134 | 5.4 | 0.49 | 0.41 | 0.04 | | | |
| Spain, La Rioja | 54 | 6.8 | 0.99 | 0.51 | 0.07 | | | |
| Spain, Murcia | 222 | 5.3 | 0.38 | 0.40 | 0.03 | | | |
| Spain, Navarra | 72 | 5.6 | 0.71 | 0.42 | 0.05 | | | |
| Spain, Salamanca | 45 | 4.9 | 0.77 | 0.40 | 0.06 | | | |
| Spain, Tarragona | 110 | 4.5 | 0.46 | 0.36 | 0.04 | | | |
| *Sweden | 1811 | 7.1 | 0.17 | 0.56 | 0.01 | | | |
| Switzerland, Aargau | 210 | 11.4 | 0.81 | 0.91 | 0.06 | | | |
| Switzerland, Basel | 121 | 9.4 | 0.90 | 0.77 | 0.07 | | | |
| Switzerland, Berne Solothurn | 265 | 12.6 | 0.81 | 0.99 | 0.06 | | | |
| Switzerland, East | 261 | 11.0 | 0.70 | 0.89 | 0.06 | | | |
| *Switzerland, Fribourg | 78 | 9.5 | 1.11 | 0.75 | 0.09 | | | |
| Switzerland, Geneva | 84 | 6.3 | 0.72 | 0.50 | 0.06 | | | |
| *Switzerland, Graubünden and Glarus | 90 | 14.4 | 1.57 | 1.12 | 0.12 | | | |
| *Switzerland, Lucerne | 174 | 12.0 | 0.94 | 0.97 | 0.07 | | | |
| *Switzerland, Neuchâtel and Jura | 58 | 8.5 | 1.16 | 0.72 | 0.10 | | | |
| Switzerland, Ticino | 69 | 7.7 | 0.98 | 0.60 | 0.07 | | | |
| Switzerland, Valais | 93 | 9.9 | 1.05 | 0.80 | 0.08 | | | |
| Switzerland, Vaud | 166 | 7.9 | 0.63 | 0.62 | 0.05 | | | |
| Switzerland, Zurich and Zug | 478 | 10.6 | 0.51 | 0.83 | 0.04 | | | |
| Ukraine | 2261 | 2.3 | 0.05 | 0.18 | 0.00 | | | |
| UK, England | 9758 | 6.8 | 0.07 | 0.54 | 0.01 | | | |
| UK, Northern Ireland | 306 | 6.5 | 0.38 | 0.52 | 0.03 | | | |
| UK, Scotland | 1002 | 7.2 | 0.23 | 0.57 | 0.02 | | | |
| UK, Wales | 513 | 6.5 | 0.30 | 0.53 | 0.02 | | | |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 1338 | 6.3 | 0.18 | 0.49 | 0.01 | | | |
| *Australia, Northern Territory | 32 | 4.0 | 0.71 | 0.32 | 0.06 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Testis (C62) (contd)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 27 | 4.7 | 0.92 | 0.37 | 0.07 | | | |
| *Australia, Northern Territory: Indigenous | 5 | 2.3 | 1.05 | 0.19 | 0.09 | | | |
| *Australia, Queensland | 875 | 7.0 | 0.24 | 0.54 | 0.02 | | | |
| Australia, South Australia | 290 | 6.8 | 0.41 | 0.52 | 0.03 | | | |
| Australia, Tasmania | 125 | 9.9 | 0.92 | 0.79 | 0.07 | | | |
| *Australia, Victoria | 1103 | 6.6 | 0.20 | 0.52 | 0.02 | | | |
| *Australia, Western Australia | 431 | 6.1 | 0.30 | 0.47 | 0.02 | | | |
| *France, New Caledonia | 32 | 4.3 | 0.77 | 0.32 | 0.06 | | | |
| New Zealand | 775 | 6.7 | 0.24 | 0.53 | 0.02 | | | |
| *New Zealand: Maori | 185 | 11.0 | 0.81 | 0.84 | 0.06 | | | |
| *New Zealand: Pacific peoples | 30 | 3.9 | 0.71 | 0.28 | 0.05 | | | |
| *New Zealand: Other | 534 | 7.4 | 0.33 | 0.58 | 0.03 | | | |
| USA, Hawaii | 210 | 5.5 | 0.39 | 0.43 | 0.03 | | | |
| USA, Hawaii: White | 85 | 7.9 | 0.94 | 0.60 | 0.07 | | | |
| *USA, Hawaii: Japanese | 19 | 4.3 | 1.07 | 0.34 | 0.08 | | | |
| *USA, Hawaii: Chinese | 5 | 4.2 | 1.96 | 0.28 | 0.13 | | | |
| *USA, Hawaii: Hawaiian | 56 | 6.6 | 0.88 | 0.52 | 0.07 | | | |
| *USA, Hawaii: Filipino | 13 | 1.9 | 0.53 | 0.14 | 0.04 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other male genital organs (C63)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Africa | | | | | | | | |
| *Algeria, Batna | 3 | 0.2 | 0.11 | 0.03 | 0.02 | | | |
| *Algeria, Tizi Ouzou | 2 | 0.1 | 0.08 | 0.02 | 0.02 | | | |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | | | |
| *France, La Réunion | 0 | – | 0.00 | – | 0.00 | | | |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | | | |
| *Kenya, Nairobi | 4 | 0.1 | 0.09 | 0.01 | 0.00 | | | |
| Mauritius | 5 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| *Morocco, Casablanca | 0 | – | 0.00 | – | 0.00 | | | |
| *Seychelles | 0 | – | 0.00 | – | 0.00 | | | |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | | | |
| *Uganda, Kyadondo County | 1 | 0.0 | 0.01 | 0.00 | 0.00 | | | |
| *Uganda, Gulu | 7 | 1.5 | 0.62 | 0.18 | 0.10 | | | |
| *Zimbabwe, Bulawayo: African | 2 | 0.2 | 0.17 | 0.01 | 0.01 | | | |
| *Zimbabwe, Harare: African | 4 | 0.2 | 0.09 | 0.02 | 0.01 | | | |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 2 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *Argentina, Mendoza | 0 | – | 0.00 | – | 0.00 | | | |
| Brazil, Aracaju | 0 | – | 0.00 | – | 0.00 | | | |
| *Brazil, Barretos | 1 | 0.1 | 0.09 | 0.01 | 0.01 | | | |
| Brazil, Belo Horizonte | 4 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| *Brazil, Campinas | 3 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *Brazil, Curitiba | 2 | 0.1 | 0.04 | 0.00 | 0.00 | | | |
| Brazil, Goiânia | 4 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *Brazil, Jaú | 1 | 0.2 | 0.18 | 0.00 | 0.00 | | | |
| Brazil, João Pessoa | 2 | 0.2 | 0.15 | 0.03 | 0.03 | | | |
| Brazil, Recife | 0 | – | 0.00 | – | 0.00 | | | |
| Chile, Region of Antofagasta | 2 | 0.2 | 0.14 | 0.03 | 0.02 | | | |
| Chile, Valdivia | 1 | 0.0 | 0.05 | 0.00 | 0.00 | | | |
| Colombia, Bucaramanga | 3 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| Colombia, Cali | 7 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| Colombia, Manizales | 0 | – | 0.00 | – | 0.00 | | | |
| Colombia, Pasto | 1 | 0.1 | 0.10 | 0.01 | 0.01 | | | |
| Costa Rica | 3 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| Ecuador, Guayaquil | 6 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| Ecuador, Manabí | 0 | – | 0.00 | – | 0.00 | | | |
| Ecuador, Quito | 3 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *France, Guadeloupe | 2 | 0.1 | 0.09 | 0.01 | 0.01 | | | |
| *France, Martinique | 1 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| *Peru, Lima | 14 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| *Trinidad and Tobago | 2 | 0.1 | 0.05 | 0.00 | 0.00 | | | |
| USA, Puerto Rico | 28 | 0.2 | 0.04 | 0.03 | 0.01 | | | |
| *Uruguay | 15 | 0.1 | 0.04 | 0.02 | 0.01 | | | |
| North America | | | | | | | | |
| Canada, Alberta | 29 | 0.2 | 0.04 | 0.03 | 0.01 | | | |
| Canada, British Columbia | 41 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| *Canada, Manitoba | 11 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| *Canada, New Brunswick | 6 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| *Canada, Newfoundland and Labrador | 2 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| Canada, Ontario | 135 | 0.2 | 0.02 | 0.03 | 0.00 | | | |
| *Canada, Prince Edward Island | 0 | – | 0.00 | – | 0.00 | | | |
| Canada, Quebec | 70 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| Canada, Saskatchewan | 12 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | | | |
| USA | 1941 | 0.2 | 0.00 | 0.02 | 0.00 | | | |
| USA: White | 1559 | 0.1 | 0.00 | 0.02 | 0.00 | | | |
| USA: Black | 217 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| USA, NPCR | 1875 | 0.2 | 0.00 | 0.02 | 0.00 | | | |
| USA, NPCR: White | 1506 | 0.1 | 0.00 | 0.02 | 0.00 | | | |
| USA, NPCR: Black | 214 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| USA, NPCR: Asian and Pacific Islander | 97 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, NPCR: American Indian | 10 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| *USA, SEER (18 registries) | 612 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| *USA, SEER (18 registries): White | 459 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| *USA, SEER (18 registries): Non-Hispanic White | 403 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| *USA, SEER (18 registries): Hispanic White | 56 | 0.1 | 0.02 | 0.02 | 0.00 | | | |
| *USA, SEER (18 registries): Black | 61 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| *USA, SEER (18 registries): Asian and Pacific Islander | 68 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| *USA, SEER (9 registries) | 228 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| *USA, SEER (9 registries): White | 173 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| *USA, SEER (9 registries): Black | 24 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| USA, Alabama | 24 | 0.2 | 0.03 | 0.01 | 0.00 | | | |
| USA, Alabama: White | 17 | 0.1 | 0.04 | 0.01 | 0.00 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other male genital organs (C63) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 6 | 0.2 | 0.08 | 0.01 | 0.01 | | | |
| USA, Alaska | 6 | 0.3 | 0.11 | 0.02 | 0.01 | | | |
| *USA, Alaska: Alaska Natives | 0 | – | 0.00 | – | 0.00 | | | |
| USA, Arizona | 34 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, Arizona: White | 32 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, Arizona: Black | 2 | 0.2 | 0.16 | 0.02 | 0.02 | | | |
| *USA, Arizona: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | | | |
| USA, Arizona: American Indian | 0 | – | 0.00 | – | 0.00 | | | |
| USA, Arkansas | 8 | 0.1 | 0.02 | 0.00 | 0.00 | | | |
| USA, Arkansas: White | 8 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| USA, Arkansas: Black | 0 | – | 0.00 | – | 0.00 | | | |
| USA, California | 259 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| USA, California: White | 187 | 0.2 | 0.01 | 0.02 | 0.00 | | | |
| USA, California: Black | 15 | 0.2 | 0.04 | 0.02 | 0.01 | | | |
| USA, California: Asian and Pacific Islander | 43 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| *USA, California, Los Angeles County | 70 | 0.2 | 0.02 | 0.03 | 0.00 | | | |
| *USA, California, Los Angeles County: White | 42 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| *USA, California, Los Angeles County: Non-Hispanic White | 22 | 0.2 | 0.04 | 0.02 | 0.01 | | | |
| *USA, California, Los Angeles County: Hispanic White | 20 | 0.2 | 0.04 | 0.02 | 0.01 | | | |
| *USA, California, Los Angeles County: Black | 8 | 0.2 | 0.09 | 0.03 | 0.01 | | | |
| *USA, California, Los Angeles County: Chinese | 3 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *USA, California, Los Angeles County: Filipino | 2 | 0.2 | 0.11 | 0.04 | 0.03 | | | |
| *USA, California, Los Angeles County: Korean | 2 | 0.3 | 0.18 | 0.03 | 0.02 | | | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 16 | 0.2 | 0.06 | 0.03 | 0.01 | | | |
| *USA, California, San Francisco Bay Area | 29 | 0.2 | 0.03 | 0.01 | 0.00 | | | |
| *USA, California, San Francisco Bay Area: White | 17 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 15 | 0.2 | 0.05 | 0.01 | 0.00 | | | |
| *USA, California, San Francisco Bay Area: Hispanic White | 2 | 0.1 | 0.08 | 0.02 | 0.02 | | | |
| *USA, California, San Francisco Bay Area: Black | 4 | 0.2 | 0.11 | 0.01 | 0.01 | | | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 7 | 0.2 | 0.07 | 0.01 | 0.01 | | | |
| USA, Colorado | 31 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| USA, Colorado: White | 28 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| *USA, Colorado: Black | 0 | – | 0.00 | – | 0.00 | | | |
| *USA, Colorado: Asian and Pacific Islander | 2 | 0.5 | 0.32 | 0.09 | 0.07 | | | |
| USA, Connecticut | 29 | 0.2 | 0.04 | 0.03 | 0.01 | | | |
| USA, Connecticut: White | 25 | 0.2 | 0.04 | 0.03 | 0.01 | | | |
| USA, Connecticut: Black | 3 | 0.2 | 0.14 | 0.02 | 0.01 | | | |
| USA, District of Columbia | 2 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| USA, District of Columbia: White | 2 | 0.2 | 0.13 | 0.02 | 0.02 | | | |
| USA, District of Columbia: Black | 0 | – | 0.00 | – | 0.00 | | | |
| USA, Florida | 130 | 0.1 | 0.01 | 0.01 | 0.00 | | | |
| USA, Florida: White | 105 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| USA, Florida: Black | 17 | 0.2 | 0.04 | 0.01 | 0.00 | | | |
| USA, Florida: Asian and Pacific Islander | 3 | 0.2 | 0.09 | 0.02 | 0.01 | | | |
| USA, Georgia | 67 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, Georgia: White | 40 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| USA, Georgia: Black | 24 | 0.3 | 0.06 | 0.04 | 0.01 | | | |
| USA, Georgia: Asian and Pacific Islander | 2 | 0.2 | 0.14 | 0.03 | 0.02 | | | |
| *USA, Georgia, Atlanta | 26 | 0.2 | 0.05 | 0.03 | 0.01 | | | |
| *USA, Georgia, Atlanta: White | 12 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| *USA, Georgia, Atlanta: Black | 12 | 0.3 | 0.09 | 0.04 | 0.01 | | | |
| USA, Idaho | 12 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| USA, Indiana | 36 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| USA, Indiana: White | 32 | 0.2 | 0.03 | 0.01 | 0.00 | | | |
| USA, Indiana: Black | 4 | 0.2 | 0.12 | 0.03 | 0.01 | | | |
| *USA, Iowa | 16 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, Kentucky | 11 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| USA, Louisiana | 34 | 0.2 | 0.04 | 0.02 | 0.00 | | | |
| USA, Louisiana: White | 26 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| USA, Louisiana: Black | 8 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| *USA, Louisiana, New Orleans | 4 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| *USA, Louisiana, New Orleans: White | 2 | 0.1 | 0.07 | 0.02 | 0.01 | | | |
| *USA, Louisiana, New Orleans: Black | 2 | 0.2 | 0.12 | 0.02 | 0.02 | | | |
| USA, Maine | 11 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| USA, Maryland | 35 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| USA, Maryland: White | 20 | 0.1 | 0.03 | 0.02 | 0.00 | | | |
| USA, Maryland: Black | 10 | 0.2 | 0.07 | 0.03 | 0.01 | | | |
| USA, Maryland: Asian and Pacific Islander | 5 | 0.4 | 0.17 | 0.05 | 0.03 | | | |
| USA, Massachusetts | 37 | 0.1 | 0.02 | 0.02 | 0.00 | | | |
| USA, Massachusetts: White | 28 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| USA, Massachusetts: Black | 5 | 0.3 | 0.14 | 0.04 | 0.02 | | | |
| USA, Massachusetts: Asian and Pacific Islander | 3 | 0.2 | 0.15 | 0.05 | 0.03 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other male genital organs (C63) (contd)

| | Male | | | | | Female | | |
|---|-------|------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, Michigan | 65 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, Michigan: White | 59 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, Michigan: Black | 5 | 0.1 | 0.06 | 0.01 | 0.00 | | | |
| USA, Michigan: Asian and Pacific Islander | 1 | 0.1 | 0.13 | 0.02 | 0.02 | | | |
| *USA, Michigan, Detroit | 32 | 0.2 | 0.04 | 0.02 | 0.01 | | | |
| *USA, Michigan, Detroit: White | 28 | 0.2 | 0.04 | 0.03 | 0.01 | | | |
| *USA, Michigan, Detroit: Black | 4 | 0.1 | 0.08 | 0.01 | 0.01 | | | |
| USA, Minnesota | 57 | 0.3 | 0.04 | 0.03 | 0.00 | | | |
| USA, Minnesota: White | 48 | 0.2 | 0.04 | 0.03 | 0.00 | | | |
| USA, Minnesota: Black | 5 | 0.5 | 0.24 | 0.05 | 0.02 | | | |
| *USA, Minnesota: Asian and Pacific Islander | 1 | 0.2 | 0.16 | 0.01 | 0.01 | | | |
| USA, Mississippi | 10 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, Missouri | 41 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| USA, Missouri: White | 34 | 0.2 | 0.04 | 0.02 | 0.00 | | | |
| USA, Missouri: Black | 6 | 0.3 | 0.13 | 0.03 | 0.01 | | | |
| USA, Montana | 11 | 0.2 | 0.06 | 0.02 | 0.01 | | | |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | | | |
| USA, Nebraska | 14 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| USA, Nebraska: White | 13 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| *USA, Nebraska: Black | 1 | 0.3 | 0.34 | 0.03 | 0.03 | | | |
| USA, Nevada | 13 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, Nevada: White | 12 | 0.1 | 0.03 | 0.02 | 0.01 | | | |
| USA, Nevada: Black | 1 | 0.1 | 0.12 | 0.03 | 0.03 | | | |
| *USA, Nevada: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | | | |
| USA, New Jersey | 69 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, New Jersey: White | 55 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, New Jersey: Black | 6 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| USA, New Mexico | 8 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| USA, New Mexico: White | 8 | 0.1 | 0.04 | 0.02 | 0.01 | | | |
| USA, New Mexico: Non-Hispanic White | 5 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| USA, New Mexico: Hispanic White | 3 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *USA, New Mexico: American Indian | 0 | – | 0.00 | – | 0.00 | | | |
| USA, New York State | 124 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, New York State: White | 97 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, New York State: Black | 19 | 0.2 | 0.04 | 0.02 | 0.01 | | | |
| USA, New York State: Asian and Pacific Islander | 5 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| USA, North Carolina | 63 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| USA, North Carolina: White | 44 | 0.1 | 0.02 | 0.02 | 0.00 | | | |
| USA, North Carolina: Black | 14 | 0.2 | 0.06 | 0.03 | 0.01 | | | |
| USA, North Carolina: Asian and Pacific Islander | 1 | 0.1 | 0.12 | 0.00 | 0.00 | | | |
| *USA, North Carolina: American Indian | 2 | 0.4 | 0.29 | 0.06 | 0.04 | | | |
| USA, North Dakota | 3 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| USA, Ohio | 62 | 0.1 | 0.02 | 0.02 | 0.00 | | | |
| USA, Ohio: White | 53 | 0.1 | 0.02 | 0.02 | 0.00 | | | |
| USA, Ohio: Black | 4 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *USA, Ohio: Asian and Pacific Islander | 3 | 0.4 | 0.23 | 0.03 | 0.03 | | | |
| USA, Oklahoma | 17 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, Oklahoma: White | 12 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| USA, Oklahoma: Black | 2 | 0.2 | 0.15 | 0.02 | 0.01 | | | |
| USA, Oklahoma: American Indian | 2 | 0.2 | 0.13 | 0.02 | 0.02 | | | |
| USA, Oregon | 28 | 0.1 | 0.03 | 0.02 | 0.00 | | | |
| USA, Oregon: White | 26 | 0.1 | 0.03 | 0.02 | 0.00 | | | |
| *USA, Oregon: Black | 0 | – | 0.00 | – | 0.00 | | | |
| *USA, Oregon: Asian and Pacific Islander | 1 | 0.2 | 0.20 | 0.02 | 0.02 | | | |
| USA, Rhode Island | 7 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| USA, Rhode Island: White | 7 | 0.2 | 0.07 | 0.01 | 0.01 | | | |
| *USA, Rhode Island: Black | 0 | – | 0.00 | – | 0.00 | | | |
| USA, South Carolina | 21 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, South Carolina: White | 14 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, South Carolina: Black | 7 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| USA, South Dakota | 5 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| USA, Tennessee | 33 | 0.1 | 0.02 | 0.02 | 0.00 | | | |
| USA, Tennessee: White | 31 | 0.1 | 0.03 | 0.02 | 0.00 | | | |
| USA, Tennessee: Black | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| USA, Texas | 129 | 0.1 | 0.01 | 0.02 | 0.00 | | | |
| USA, Texas: White | 111 | 0.1 | 0.01 | 0.02 | 0.00 | | | |
| USA, Texas: Black | 14 | 0.1 | 0.04 | 0.02 | 0.01 | | | |
| USA, Texas: Asian and Pacific Islander | 3 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| USA, Utah | 21 | 0.2 | 0.05 | 0.03 | 0.01 | | | |
| USA, Vermont | 4 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| USA, Washington State | 61 | 0.2 | 0.03 | 0.03 | 0.00 | | | |
| *USA, Washington, Seattle | 54 | 0.3 | 0.04 | 0.04 | 0.01 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other male genital organs (C63) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 12 | 0.2 | 0.05 | 0.01 | 0.01 | | | |
| USA, Wyoming | 4 | 0.2 | 0.08 | 0.02 | 0.01 | | | |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 1 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| Brunei Darussalam | 1 | 0.2 | 0.15 | 0.00 | 0.00 | | | |
| *China, Anfu County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Anshan City | 12 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Baoding City | 4 | 0.1 | 0.08 | 0.01 | 0.01 | | | |
| *China, Beijing City | 103 | 0.3 | 0.03 | 0.03 | 0.00 | | | |
| *China, Binhai County | 3 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| *China, Cangzhou City | 1 | 0.1 | 0.08 | 0.01 | 0.01 | | | |
| China, Changfeng County | 1 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| China, Changzhou City | 25 | 0.3 | 0.05 | 0.03 | 0.01 | | | |
| China, Chengdu City | 6 | 0.2 | 0.06 | 0.02 | 0.01 | | | |
| China, Cixian County | 0 | – | 0.00 | – | 0.00 | | | |
| China, Cixi City | 6 | 0.1 | 0.05 | 0.02 | 0.01 | | | |
| *China, Dafeng District, Yancheng City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| China, Dalian City | 31 | 0.3 | 0.06 | 0.04 | 0.01 | | | |
| *China, Dancheng County | 19 | 0.6 | 0.13 | 0.06 | 0.02 | | | |
| China, Dangtu County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Danyang City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Dawukou District, Shizuishan City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | | | |
| *China, Dehui City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| *China, Donggang County | 2 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *China, Dongguan City | 6 | 0.2 | 0.06 | 0.02 | 0.01 | | | |
| China, Donghai County | 2 | 0.0 | 0.03 | 0.01 | 0.00 | | | |
| *China, Dongtai City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| China, Duanzhou District, Zhaoqing City | 2 | 0.3 | 0.19 | 0.02 | 0.02 | | | |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Faku County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Fangcheng County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Feicheng City | 2 | 0.1 | 0.05 | 0.00 | 0.00 | | | |
| China, Feixi County | 5 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| China, Fuqing City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | | | |
| *China, Ganyu District, Lianyungang City | 5 | 0.1 | 0.05 | 0.01 | 0.00 | | | |
| *China, Ganzhou District, Zhangye City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Gaocheng City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| China, Gaomi City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| China, Gong'an County | 2 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *China, Guang'an District, Guang'an City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Guanghan City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Guangzhou City | 58 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| *China, Guanyun County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| China, Guilin City | 7 | 0.3 | 0.11 | 0.03 | 0.02 | | | |
| *China, Hai'an City | 8 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| China, Hailar District, Hulun Buir City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Haimen District, Nantong City | 4 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| China, Haining City | 9 | 0.3 | 0.09 | 0.03 | 0.01 | | | |
| China, Hangzhou City | 65 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| China, Hebi City | 3 | 0.2 | 0.12 | 0.02 | 0.01 | | | |
| China, Hefei City | 9 | 0.1 | 0.04 | 0.02 | 0.01 | | | |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Hepu County | 0 | – | 0.00 | – | 0.00 | | | |
| China, Honghu City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Hongshan District, Chifeng City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Hongta District, Yuxi City | 2 | 0.1 | 0.10 | 0.02 | 0.01 | | | |
| *China, Huaiyin District, Huai'an City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Jiange County | 0 | – | 0.00 | – | 0.00 | | | |
| China, Jiangmen City | 6 | 0.2 | 0.10 | 0.04 | 0.02 | | | |
| *China, Jiangyin City | 5 | 0.1 | 0.04 | 0.02 | 0.01 | | | |
| *China, Jiashan County | 7 | 0.4 | 0.18 | 0.06 | 0.02 | | | |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Jinan City | 9 | 0.1 | 0.03 | 0.01 | 0.01 | | | |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Jintan District, Changzhou City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Jiulongpo District, Chongqing City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| *China, Jiyuan City | 3 | 0.2 | 0.09 | 0.01 | 0.01 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other male genital organs (C63) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 0 | – | 0.00 | – | 0.00 | | | |
| China, Kunshan City | 10 | 0.3 | 0.09 | 0.05 | 0.02 | | | |
| China, Langzhong City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Liangshan County | 2 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| *China, Lianshui County | 1 | 0.1 | 0.07 | 0.00 | 0.00 | | | |
| China, Lianyungang City | 2 | 0.0 | 0.04 | 0.01 | 0.01 | | | |
| China, Linhe District, Bayannur City | 1 | 0.1 | 0.09 | 0.02 | 0.02 | | | |
| China, Linqu County | 7 | 0.2 | 0.08 | 0.03 | 0.01 | | | |
| *China, Linzhou City | 5 | 0.2 | 0.07 | 0.01 | 0.01 | | | |
| China, Liuzhou City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| China, Liyang City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| *China, Longquan City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Lucheng District, Wenzhou City | 4 | 0.2 | 0.12 | 0.05 | 0.03 | | | |
| China, Luoding City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *China, Luohe City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Luoyang City | 6 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *China, Luquan City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Ma'anshan City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | | | |
| *China, Macheng City | 6 | 0.2 | 0.10 | 0.03 | 0.01 | | | |
| China, Meihokou City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| *China, Mengjin County | 4 | 0.4 | 0.19 | 0.07 | 0.04 | | | |
| China, Nangang District, Harbin City | 7 | 0.2 | 0.07 | 0.03 | 0.01 | | | |
| *China, Nanhai District, Foshan City | 6 | 0.3 | 0.13 | 0.02 | 0.01 | | | |
| China, Nanhu District, Jiaying City | 8 | 0.3 | 0.10 | 0.03 | 0.02 | | | |
| *China, Nantong City | 5 | 0.1 | 0.07 | 0.02 | 0.01 | | | |
| *China, Nanxiong City | 3 | 0.2 | 0.14 | 0.03 | 0.02 | | | |
| China, Neixiang County | 5 | 0.2 | 0.10 | 0.02 | 0.01 | | | |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | | | |
| China, Qidong City | 3 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| China, Qingzhou City | 6 | 0.2 | 0.08 | 0.02 | 0.01 | | | |
| *China, Rudong County | 3 | 0.0 | 0.03 | 0.01 | 0.01 | | | |
| *China, Rugao City | 9 | 0.1 | 0.05 | 0.01 | 0.00 | | | |
| *China, Rural areas of Shanghai City | 157 | 0.3 | 0.03 | 0.04 | 0.00 | | | |
| China, Ruyang County | 1 | 0.1 | 0.10 | 0.02 | 0.02 | | | |
| *China, Shan County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| China, Shanghai City | 131 | 0.3 | 0.03 | 0.04 | 0.01 | | | |
| China, Shangyu District, Shaoxing City | 3 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| *China, Shapingba District, Chongqing City | 5 | 0.2 | 0.08 | 0.03 | 0.01 | | | |
| China, Shexian County | 0 | – | 0.00 | – | 0.00 | | | |
| China, Sheyang County | 2 | 0.0 | 0.03 | 0.01 | 0.00 | | | |
| *China, Shijiazhuang City | 9 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| China, Shunde District, Foshan City | 7 | 0.2 | 0.10 | 0.02 | 0.01 | | | |
| *China, Song County | 3 | 0.1 | 0.08 | 0.01 | 0.01 | | | |
| China, Suzhou City | 46 | 0.3 | 0.06 | 0.03 | 0.01 | | | |
| *China, Tengzhou City | 2 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *China, Wangdu County | 2 | 0.3 | 0.21 | 0.07 | 0.05 | | | |
| *China, Wanxian County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *China, Wu'an City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| China, Wuhan City | 26 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| *China, Wuhu City | 6 | 0.1 | 0.04 | 0.00 | 0.00 | | | |
| China, Wuxi City | 15 | 0.1 | 0.03 | 0.02 | 0.01 | | | |
| China, Wuzhou City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Xiangfu District, Kaifeng City | 6 | 0.3 | 0.14 | 0.04 | 0.02 | | | |
| China, Xianju County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Xin'an County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Xining City | 6 | 0.2 | 0.10 | 0.03 | 0.01 | | | |
| *China, Xinji City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *China, Xinluo District, Longyan City | 1 | 0.1 | 0.05 | 0.00 | 0.00 | | | |
| *China, Xinzhou District, Shangrao City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Xiping County | 3 | 0.1 | 0.07 | 0.01 | 0.00 | | | |
| *China, Xishan District, Kunming City | 2 | 0.1 | 0.09 | 0.02 | 0.02 | | | |
| *China, Xuyi County | 1 | 0.1 | 0.05 | 0.00 | 0.00 | | | |
| *China, Ya'an City | 6 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| *China, Yakeshi City | 2 | 0.1 | 0.11 | 0.02 | 0.01 | | | |
| China, Yancheng City | 3 | 0.0 | 0.03 | 0.01 | 0.00 | | | |
| *China, Yangquan City | 2 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| *China, Yangzhong City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | | | |
| *China, Yanji City | 3 | 0.1 | 0.09 | 0.02 | 0.01 | | | |
| *China, Yanshi City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | | | |
| China, Yanting County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Yingdong District, Fuyang City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other male genital organs (C63) (contd)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 1 | 0.1 | 0.11 | 0.01 | 0.01 | | | |
| *China, Yiyuan County | 2 | 0.1 | 0.05 | 0.00 | 0.00 | | | |
| China, Yong'an City | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Yongding District, Longyan City | 1 | 0.1 | 0.05 | 0.00 | 0.00 | | | |
| China, Yongkang City | 3 | 0.1 | 0.08 | 0.02 | 0.01 | | | |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | | | |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Yunmeng County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *China, Yuyang District, Shiyao City | 0 | – | 0.00 | – | 0.00 | | | |
| China, Yuzhong District, Chongqing City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *China, Zhanhuang County | 1 | 0.1 | 0.11 | 0.01 | 0.01 | | | |
| *China, Zhangjiagang City | 4 | 0.2 | 0.11 | 0.01 | 0.01 | | | |
| *China, Zhaoyuan City | 1 | 0.1 | 0.05 | 0.00 | 0.00 | | | |
| *China, Zhengding County | 0 | – | 0.00 | – | 0.00 | | | |
| *China, Zhongshan City | 12 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| China, Zhongxiang City | 5 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| *China, Zhuanghe City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *China, Zhuhai City | 7 | 0.2 | 0.08 | 0.03 | 0.01 | | | |
| India, Ahmedabad, Urban | 3 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | | | |
| India, Bangalore | 3 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | | | |
| *India, Bhopal | 0 | – | 0.00 | – | 0.00 | | | |
| India, Chandigarh | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| *India, Chennai | 3 | 0.0 | 0.01 | 0.00 | 0.00 | | | |
| India, Dibrugarh | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *India, Dindigul, Ambilikai | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| India, Kamrup Urban District | 1 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| India, Kollam | 0 | – | 0.00 | – | 0.00 | | | |
| *India, Manipur | 0 | – | 0.00 | – | 0.00 | | | |
| India, Meghalaya | 0 | – | 0.00 | – | 0.00 | | | |
| India, Mizoram | 5 | 0.2 | 0.11 | 0.03 | 0.02 | | | |
| India, Mumbai | 14 | 0.0 | 0.01 | 0.00 | 0.00 | | | |
| *India, New Delhi | 42 | 0.2 | 0.03 | 0.03 | 0.01 | | | |
| India, Poona | 0 | – | 0.00 | – | 0.00 | | | |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | | | |
| India, SAS Nagar | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| *India, Tamil Nadu | 45 | 0.0 | 0.00 | 0.00 | 0.00 | | | |
| *India, Tripura | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| India, Trivandrum | 4 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| India, Wardha | 0 | – | 0.00 | – | 0.00 | | | |
| India, West Arunachal | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *Iran (Islamic Republic of), Ardabil Province | 3 | 0.1 | 0.06 | 0.00 | 0.00 | | | |
| *Iran (Islamic Republic of), Golestan Province | 2 | 0.1 | 0.07 | 0.02 | 0.02 | | | |
| Israel | 12 | 0.1 | 0.02 | 0.00 | 0.00 | | | |
| *Israel: Jews | 9 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| *Israel: Arabs | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| Japan | 1155 | 0.2 | 0.01 | 0.03 | 0.00 | | | |
| Japan, Aichi Prefecture | 77 | 0.3 | 0.03 | 0.03 | 0.00 | | | |
| *Japan, Akita Prefecture | 7 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| Japan, Aomori Prefecture | 18 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| Japan, Gunma Prefecture | 21 | 0.3 | 0.08 | 0.03 | 0.01 | | | |
| Japan, Hiroshima Prefecture | 41 | 0.2 | 0.04 | 0.03 | 0.01 | | | |
| Japan, Miyagi Prefecture | 35 | 0.2 | 0.05 | 0.03 | 0.01 | | | |
| Japan, Osaka Prefecture | 90 | 0.3 | 0.04 | 0.03 | 0.00 | | | |
| Kuwait | 5 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| *Kuwait: Kuwaitis | 2 | 0.1 | 0.10 | 0.03 | 0.02 | | | |
| *Kuwait: Non-Kuwaitis | 3 | 0.0 | 0.01 | 0.00 | 0.00 | | | |
| *Philippines, Manila | 5 | 0.1 | 0.03 | 0.01 | 0.01 | | | |
| *Qatar: Qatari | 2 | 0.6 | 0.40 | 0.04 | 0.04 | | | |
| Republic of Korea | 448 | 0.2 | 0.01 | 0.03 | 0.00 | | | |
| *Republic of Korea, Busan | 41 | 0.3 | 0.05 | 0.03 | 0.01 | | | |
| *Republic of Korea, Daegu | 22 | 0.2 | 0.05 | 0.03 | 0.01 | | | |
| *Republic of Korea, Daejeon | 15 | 0.3 | 0.07 | 0.01 | 0.01 | | | |
| *Republic of Korea, Gwangju | 8 | 0.2 | 0.06 | 0.03 | 0.01 | | | |
| Republic of Korea, Incheon | 26 | 0.3 | 0.06 | 0.03 | 0.01 | | | |
| Republic of Korea, Jeju | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| Republic of Korea, Seoul | 87 | 0.2 | 0.03 | 0.03 | 0.00 | | | |
| Republic of Korea, Ulsan | 10 | 0.3 | 0.08 | 0.03 | 0.01 | | | |
| Singapore | 70 | 0.4 | 0.05 | 0.05 | 0.01 | | | |
| Singapore: Chinese | 62 | 0.5 | 0.06 | 0.06 | 0.01 | | | |
| Singapore: Indian | 1 | 0.1 | 0.07 | 0.00 | 0.00 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other male genital organs (C63) (contd)

| | Male | | | | | Female | | |
|--|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 6 | 0.3 | 0.13 | 0.02 | 0.01 | | | |
| Thailand, Bangkok | 12 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| *Thailand, Chiang Mai | 2 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| *Thailand, Khon Kaen | 1 | 0.0 | 0.01 | 0.00 | 0.00 | | | |
| Thailand, Lampang | 1 | 0.0 | 0.04 | 0.01 | 0.01 | | | |
| Thailand, Lopburi Province | 7 | 0.4 | 0.14 | 0.02 | 0.01 | | | |
| *Thailand, Songkhla | 7 | 0.2 | 0.07 | 0.03 | 0.01 | | | |
| Turkey, Antalya | 7 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| Turkey, Bursa | 3 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| *Turkey, Edirne | 1 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *Turkey, Erzurum | 1 | 0.1 | 0.05 | 0.00 | 0.00 | | | |
| Turkey, Eskişehir | 0 | – | 0.00 | – | 0.00 | | | |
| Turkey, Gaziantep | 2 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| *Turkey, Izmir | 8 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| Turkey, Malatya | 2 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| Turkey, Samsun | 4 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| Turkey, Trabzon | 1 | 0.0 | 0.05 | 0.00 | 0.00 | | | |
| Europe | | | | | | | | |
| Austria | 40 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| Austria, Carinthia | 4 | 0.2 | 0.09 | 0.02 | 0.01 | | | |
| Austria, Tyrol | 9 | 0.2 | 0.08 | 0.03 | 0.01 | | | |
| Austria, Vorarlberg | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| Belarus | 21 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| *Belgium | 91 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| Croatia | 13 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| Cyprus | 2 | 0.1 | 0.04 | 0.00 | 0.00 | | | |
| *Czech Republic | 65 | 0.1 | 0.02 | 0.02 | 0.00 | | | |
| Denmark | 30 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| Estonia | 5 | 0.1 | 0.05 | 0.01 | 0.00 | | | |
| Finland | 33 | 0.2 | 0.03 | 0.01 | 0.00 | | | |
| *France, Bas-Rhin | 6 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| *France, Calvados | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *France, Doubs | 4 | 0.2 | 0.10 | 0.02 | 0.01 | | | |
| *France, Gironde | 5 | 0.1 | 0.05 | 0.01 | 0.00 | | | |
| *France, Haut-Rhin | 7 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| *France, Hérault | 10 | 0.3 | 0.09 | 0.02 | 0.01 | | | |
| *France, Isère | 7 | 0.2 | 0.06 | 0.02 | 0.01 | | | |
| *France, Lille-Métropole | 2 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| *France, Limousin | 2 | 0.2 | 0.12 | 0.02 | 0.01 | | | |
| *France, Loire-Atlantique | 7 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| *France, Manche | 3 | 0.1 | 0.03 | 0.00 | 0.00 | | | |
| *France, Poitou-Charentes | 15 | 0.2 | 0.06 | 0.02 | 0.01 | | | |
| *France, Somme | 4 | 0.2 | 0.10 | 0.01 | 0.01 | | | |
| *France, Tarn | 4 | 0.3 | 0.17 | 0.03 | 0.01 | | | |
| *France, Territoire de Belfort | 2 | 0.3 | 0.25 | 0.03 | 0.03 | | | |
| *France, Vendée | 4 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| Germany, Baden-Württemberg | 110 | 0.4 | 0.05 | 0.04 | 0.00 | | | |
| Germany, Bavaria | 55 | 0.1 | 0.01 | 0.01 | 0.00 | | | |
| Germany, Bremen | 7 | 0.2 | 0.08 | 0.02 | 0.01 | | | |
| Germany, Hamburg | 11 | 0.2 | 0.06 | 0.01 | 0.01 | | | |
| Germany, Lower Saxony | 87 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| Germany, North Rhine-Westphalia | 163 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| Germany, Rhineland-Palatinate | 42 | 0.3 | 0.05 | 0.03 | 0.01 | | | |
| Germany, Saarland | 17 | 0.4 | 0.14 | 0.03 | 0.01 | | | |
| Germany, Schleswig-Holstein | 31 | 0.2 | 0.04 | 0.02 | 0.00 | | | |
| Iceland | 1 | 0.1 | 0.09 | 0.01 | 0.01 | | | |
| Ireland | 20 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| *Italy, Aosta Valley | 0 | – | 0.00 | – | 0.00 | | | |
| *Italy, Avellino | 2 | 0.2 | 0.15 | 0.03 | 0.02 | | | |
| Italy, Basilicata | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| *Italy, Benevento | 2 | 0.2 | 0.16 | 0.03 | 0.02 | | | |
| Italy, Bergamo | 11 | 0.2 | 0.09 | 0.03 | 0.01 | | | |
| *Italy, Brescia | 10 | 0.2 | 0.09 | 0.03 | 0.01 | | | |
| Italy, Brianza (Lecco and Monza e Brianza) | 5 | 0.2 | 0.12 | 0.03 | 0.01 | | | |
| Italy, Calabria | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| *Italy, Caserta | 3 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *Italy, Catania, Messina, and Enna | 19 | 0.3 | 0.09 | 0.03 | 0.01 | | | |
| Italy, Emilia-Romagna | 39 | 0.2 | 0.05 | 0.02 | 0.00 | | | |
| Italy, Friuli-Venezia Giulia | 9 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| Italy, Genova | 12 | 0.3 | 0.09 | 0.04 | 0.01 | | | |
| *Italy, Lombardy, South, Pavia | 9 | 0.3 | 0.13 | 0.03 | 0.01 | | | |
| Italy, Mantova and Cremona | 12 | 0.4 | 0.12 | 0.05 | 0.02 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other male genital organs (C63) (contd)

| | Male | | | | | Female | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 6 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| Italy, Milan | 19 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| Italy, Molise | 3 | 0.6 | 0.34 | 0.05 | 0.03 | | | |
| *Italy, Naples Centre | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| *Italy, Naples North | 3 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *Italy, Naples South | 5 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *Italy, Nuoro | 3 | 0.4 | 0.25 | 0.06 | 0.04 | | | |
| *Italy, Palermo | 5 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| Italy, Puglia | 14 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| *Italy, Ragusa and Caltanissetta | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| *Italy, Salerno | 3 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| Italy, Sassari | 1 | 0.1 | 0.06 | 0.00 | 0.00 | | | |
| *Italy, Sondrio | 2 | 0.1 | 0.08 | 0.00 | 0.00 | | | |
| Italy, South Tyrol | 4 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *Italy, Syracuse | 3 | 0.1 | 0.07 | 0.02 | 0.02 | | | |
| Italy, Trento | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| Italy, Turin | 16 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| *Italy, Tuscany | 14 | 0.3 | 0.08 | 0.02 | 0.01 | | | |
| Italy, Umbria | 3 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| Italy, Varese | 2 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| Italy, Veneto | 35 | 0.1 | 0.02 | 0.02 | 0.00 | | | |
| Latvia | 10 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| *Liechtenstein | 2 | 1.2 | 0.86 | 0.08 | 0.08 | | | |
| *Lithuania | 14 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| Malta | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *The Netherlands | 102 | 0.2 | 0.02 | 0.02 | 0.00 | | | |
| Norway | 40 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| Poland, Kielce | 3 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| *Portugal, Azores | 1 | 0.2 | 0.16 | 0.03 | 0.03 | | | |
| Russian Federation, Arkhangelsk | 1 | 0.0 | 0.03 | 0.01 | 0.01 | | | |
| Russian Federation, Kaliningrad | 2 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| Russian Federation, Karelia | 1 | 0.1 | 0.08 | 0.02 | 0.02 | | | |
| *Russian Federation, Komi Republic | 4 | 0.2 | 0.10 | 0.02 | 0.01 | | | |
| Russian Federation, Murmansk | 0 | – | 0.00 | – | 0.00 | | | |
| *Russian Federation, Orenburg | 6 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| Russian Federation, Pskov | 1 | 0.0 | 0.04 | 0.00 | 0.00 | | | |
| *Russian Federation, Samara | 3 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| Russian Federation, Vologda Region | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| Slovenia | 11 | 0.1 | 0.05 | 0.01 | 0.00 | | | |
| Spain, Asturias | 4 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| Spain, Basque Country | 17 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| Spain, Canary Islands | 4 | 0.1 | 0.03 | 0.00 | 0.00 | | | |
| Spain, Castellón | 1 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| Spain, Girona | 5 | 0.2 | 0.10 | 0.01 | 0.01 | | | |
| Spain, Granada | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| Spain, La Rioja | 1 | 0.0 | 0.03 | 0.00 | 0.00 | | | |
| Spain, Murcia | 6 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| Spain, Navarra | 7 | 0.3 | 0.11 | 0.04 | 0.02 | | | |
| Spain, Salamanca | 3 | 0.2 | 0.10 | 0.02 | 0.01 | | | |
| Spain, Tarragona | 4 | 0.1 | 0.05 | 0.01 | 0.01 | | | |
| *Sweden | 43 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| Switzerland, Aargau | 3 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| Switzerland, Basel | 5 | 0.2 | 0.09 | 0.02 | 0.01 | | | |
| Switzerland, Berne Solothurn | 6 | 0.1 | 0.06 | 0.02 | 0.01 | | | |
| Switzerland, East | 4 | 0.1 | 0.06 | 0.01 | 0.01 | | | |
| *Switzerland, Fribourg | 3 | 0.2 | 0.14 | 0.02 | 0.01 | | | |
| Switzerland, Geneva | 3 | 0.1 | 0.08 | 0.02 | 0.01 | | | |
| *Switzerland, Graubünden and Glarus | 0 | – | 0.00 | – | 0.00 | | | |
| *Switzerland, Lucerne | 2 | 0.1 | 0.07 | 0.01 | 0.01 | | | |
| *Switzerland, Neuchâtel and Jura | 3 | 0.3 | 0.17 | 0.03 | 0.02 | | | |
| Switzerland, Ticino | 1 | 0.0 | 0.02 | 0.00 | 0.00 | | | |
| Switzerland, Valais | 3 | 0.2 | 0.11 | 0.02 | 0.02 | | | |
| Switzerland, Vaud | 6 | 0.2 | 0.09 | 0.02 | 0.01 | | | |
| Switzerland, Zurich and Zug | 5 | 0.1 | 0.04 | 0.01 | 0.00 | | | |
| Ukraine | 87 | 0.1 | 0.01 | 0.01 | 0.00 | | | |
| UK, England | 319 | 0.1 | 0.01 | 0.01 | 0.00 | | | |
| UK, Northern Ireland | 8 | 0.1 | 0.04 | 0.01 | 0.01 | | | |
| UK, Scotland | 33 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| UK, Wales | 14 | 0.1 | 0.02 | 0.01 | 0.00 | | | |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 59 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| *Australia, Northern Territory | 1 | 0.1 | 0.11 | 0.01 | 0.01 | | | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other male genital organs (C63) (contd)

| | Male | | | | | Female | | |
|--|-------|------------|------|----------|------|--------|--------|----------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | CUM 0–74 |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 0 | – | 0.00 | – | 0.00 | | | |
| *Australia, Northern Territory: Indigenous | 1 | 0.6 | 0.65 | 0.08 | 0.08 | | | |
| *Australia, Queensland | 39 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| Australia, South Australia | 15 | 0.2 | 0.05 | 0.02 | 0.01 | | | |
| Australia, Tasmania | 7 | 0.4 | 0.15 | 0.04 | 0.02 | | | |
| *Australia, Victoria | 46 | 0.2 | 0.03 | 0.02 | 0.00 | | | |
| *Australia, Western Australia | 13 | 0.1 | 0.04 | 0.02 | 0.01 | | | |
| *France, New Caledonia | 0 | – | 0.00 | – | 0.00 | | | |
| New Zealand | 21 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| *New Zealand: Maori | 0 | – | 0.00 | – | 0.00 | | | |
| *New Zealand: Pacific peoples | 2 | 0.3 | 0.19 | 0.03 | 0.02 | | | |
| *New Zealand: Other | 18 | 0.1 | 0.03 | 0.01 | 0.00 | | | |
| USA, Hawaii | 13 | 0.2 | 0.07 | 0.02 | 0.01 | | | |
| USA, Hawaii: White | 4 | 0.4 | 0.32 | 0.04 | 0.02 | | | |
| *USA, Hawaii: Japanese | 0 | – | 0.00 | – | 0.00 | | | |
| *USA, Hawaii: Chinese | 4 | 0.8 | 0.45 | 0.07 | 0.05 | | | |
| *USA, Hawaii: Hawaiian | 1 | 0.1 | 0.12 | 0.01 | 0.01 | | | |
| *USA, Hawaii: Filipino | 3 | 0.2 | 0.14 | 0.02 | 0.02 | | | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kidney (C64)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 32 | 2.2 | 0.40 | 0.25 | 0.05 | 27 | 1.9 | 0.38 | 0.21 | 0.05 |
| *Algeria, Tizi Ouzou | 42 | 2.6 | 0.41 | 0.25 | 0.05 | 40 | 2.6 | 0.42 | 0.32 | 0.06 |
| *Benin, Cotonou | 9 | 1.6 | 0.60 | 0.25 | 0.12 | 6 | 0.8 | 0.34 | 0.11 | 0.06 |
| *France, La Réunion | 136 | 6.5 | 0.57 | 0.73 | 0.07 | 72 | 2.9 | 0.37 | 0.31 | 0.05 |
| *Kenya, Eldoret | 18 | 1.1 | 0.30 | 0.09 | 0.04 | 13 | 0.9 | 0.27 | 0.07 | 0.04 |
| *Kenya, Nairobi | 72 | 1.9 | 0.30 | 0.22 | 0.05 | 61 | 1.7 | 0.30 | 0.19 | 0.05 |
| Mauritius | 82 | 2.2 | 0.27 | 0.25 | 0.03 | 56 | 1.3 | 0.18 | 0.15 | 0.02 |
| *Morocco, Casablanca | 138 | 1.4 | 0.12 | 0.16 | 0.02 | 103 | 1.0 | 0.10 | 0.09 | 0.01 |
| *Seychelles | 3 | 1.4 | 0.81 | 0.12 | 0.07 | 4 | 1.3 | 0.74 | 0.06 | 0.05 |
| *South Africa, Eastern Cape | 5 | 0.4 | 0.17 | 0.03 | 0.02 | 14 | 0.7 | 0.20 | 0.05 | 0.02 |
| *Uganda, Kyadondo County | 54 | 1.2 | 0.26 | 0.12 | 0.04 | 56 | 1.0 | 0.17 | 0.07 | 0.02 |
| *Uganda, Gulu | 8 | 0.5 | 0.20 | 0.03 | 0.01 | 7 | 0.6 | 0.25 | 0.03 | 0.02 |
| *Zimbabwe, Bulawayo: African | 16 | 1.6 | 0.45 | 0.18 | 0.07 | 12 | 0.9 | 0.29 | 0.10 | 0.04 |
| *Zimbabwe, Harare: African | 35 | 1.8 | 0.37 | 0.24 | 0.07 | 51 | 1.9 | 0.32 | 0.22 | 0.05 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 332 | 15.1 | 0.84 | 1.94 | 0.12 | 163 | 5.9 | 0.49 | 0.70 | 0.07 |
| *Argentina, Mendoza | 589 | 12.0 | 0.50 | 1.51 | 0.07 | 302 | 4.9 | 0.30 | 0.59 | 0.04 |
| Brazil, Aracaju | 63 | 6.2 | 0.79 | 0.66 | 0.10 | 49 | 3.5 | 0.52 | 0.38 | 0.07 |
| *Brazil, Barretos | 74 | 5.7 | 0.68 | 0.69 | 0.09 | 40 | 2.7 | 0.45 | 0.31 | 0.06 |
| Brazil, Belo Horizonte | 532 | 7.6 | 0.34 | 0.90 | 0.05 | 327 | 3.8 | 0.23 | 0.41 | 0.03 |
| *Brazil, Campinas | 218 | 9.3 | 0.64 | 1.07 | 0.09 | 113 | 3.8 | 0.36 | 0.42 | 0.05 |
| *Brazil, Curitiba | 274 | 7.1 | 0.44 | 0.81 | 0.06 | 159 | 3.3 | 0.28 | 0.36 | 0.03 |
| Brazil, Goiânia | 175 | 6.7 | 0.51 | 0.77 | 0.07 | 106 | 3.4 | 0.35 | 0.35 | 0.04 |
| *Brazil, Jaú | 28 | 7.0 | 1.36 | 0.91 | 0.19 | 21 | 4.3 | 0.95 | 0.60 | 0.15 |
| Brazil, João Pessoa | 61 | 6.1 | 0.79 | 0.75 | 0.12 | 57 | 4.3 | 0.61 | 0.44 | 0.07 |
| Brazil, Recife | 119 | 5.1 | 0.47 | 0.60 | 0.06 | 105 | 3.1 | 0.34 | 0.29 | 0.04 |
| Chile, Region of Antofagasta | 90 | 9.1 | 0.98 | 0.96 | 0.13 | 62 | 6.0 | 0.77 | 0.64 | 0.11 |
| Chile, Valdivia | 152 | 11.5 | 0.96 | 1.42 | 0.14 | 79 | 5.3 | 0.61 | 0.69 | 0.09 |
| Colombia, Bucaramanga | 140 | 5.1 | 0.44 | 0.56 | 0.05 | 110 | 3.4 | 0.34 | 0.35 | 0.04 |
| Colombia, Cali | 332 | 5.7 | 0.32 | 0.64 | 0.04 | 259 | 3.4 | 0.22 | 0.36 | 0.03 |
| Colombia, Manizales | 60 | 4.6 | 0.60 | 0.53 | 0.08 | 53 | 3.6 | 0.56 | 0.40 | 0.06 |
| Colombia, Pasto | 21 | 2.2 | 0.48 | 0.28 | 0.07 | 18 | 1.5 | 0.39 | 0.14 | 0.04 |
| Costa Rica | 395 | 4.1 | 0.21 | 0.48 | 0.03 | 234 | 2.3 | 0.16 | 0.27 | 0.02 |
| Ecuador, Guayaquil | 282 | 5.4 | 0.33 | 0.67 | 0.05 | 192 | 3.3 | 0.24 | 0.38 | 0.03 |
| Ecuador, Manabí | 76 | 2.2 | 0.26 | 0.24 | 0.03 | 62 | 1.8 | 0.24 | 0.21 | 0.03 |
| Ecuador, Quito | 260 | 6.5 | 0.41 | 0.80 | 0.06 | 182 | 3.8 | 0.29 | 0.42 | 0.04 |
| *France, Guadeloupe | 89 | 6.1 | 0.71 | 0.71 | 0.08 | 46 | 2.6 | 0.43 | 0.29 | 0.05 |
| *France, Martinique | 59 | 3.9 | 0.57 | 0.44 | 0.07 | 43 | 2.3 | 0.44 | 0.22 | 0.04 |
| *Peru, Lima | 1226 | 9.1 | 0.26 | 1.10 | 0.04 | 601 | 3.8 | 0.16 | 0.42 | 0.02 |
| *Trinidad and Tobago | 64 | 2.7 | 0.35 | 0.31 | 0.05 | 32 | 1.4 | 0.27 | 0.12 | 0.03 |
| USA, Puerto Rico | 1154 | 8.5 | 0.27 | 1.01 | 0.03 | 657 | 4.3 | 0.20 | 0.48 | 0.02 |
| *Uruguay | 1977 | 16.9 | 0.39 | 2.07 | 0.05 | 1056 | 7.4 | 0.25 | 0.86 | 0.03 |
| North America | | | | | | | | | | |
| Canada, Alberta | 1892 | 12.8 | 0.30 | 1.52 | 0.04 | 970 | 6.4 | 0.22 | 0.74 | 0.03 |
| Canada, British Columbia | 2225 | 10.2 | 0.23 | 1.23 | 0.03 | 1145 | 5.1 | 0.17 | 0.58 | 0.02 |
| *Canada, Manitoba | 740 | 14.5 | 0.56 | 1.72 | 0.07 | 360 | 6.5 | 0.38 | 0.76 | 0.05 |
| *Canada, New Brunswick | 593 | 15.8 | 0.69 | 1.96 | 0.09 | 344 | 8.9 | 0.54 | 1.06 | 0.07 |
| *Canada, Newfoundland and Labrador | 440 | 16.9 | 0.83 | 2.14 | 0.11 | 254 | 9.5 | 0.66 | 1.10 | 0.08 |
| Canada, Ontario | 7379 | 12.9 | 0.16 | 1.54 | 0.02 | 3969 | 6.3 | 0.11 | 0.73 | 0.01 |
| *Canada, Prince Edward Island | 93 | 13.5 | 1.47 | 1.70 | 0.20 | 61 | 7.6 | 1.07 | 0.79 | 0.13 |
| Canada, Quebec | 5261 | 13.9 | 0.20 | 1.65 | 0.03 | 2867 | 7.0 | 0.15 | 0.82 | 0.02 |
| Canada, Saskatchewan | 589 | 12.9 | 0.56 | 1.64 | 0.08 | 362 | 7.6 | 0.43 | 0.90 | 0.06 |
| *Canada, Yukon | 14 | 10.2 | 2.76 | 0.64 | 0.21 | 10 | 7.0 | 2.25 | 0.97 | 0.34 |
| USA | 189169 | 15.4 | 0.04 | 1.85 | 0.00 | 108612 | 8.0 | 0.03 | 0.93 | 0.00 |
| USA: White | 159253 | 15.5 | 0.04 | 1.86 | 0.01 | 89939 | 8.1 | 0.03 | 0.94 | 0.00 |
| USA: Black | 22970 | 18.2 | 0.12 | 2.22 | 0.02 | 14659 | 9.2 | 0.08 | 1.09 | 0.01 |
| USA, NPCR | 183199 | 15.5 | 0.04 | 1.86 | 0.00 | 105329 | 8.0 | 0.03 | 0.93 | 0.00 |
| USA, NPCR: White | 154291 | 15.6 | 0.04 | 1.86 | 0.01 | 87245 | 8.2 | 0.03 | 0.94 | 0.00 |
| USA, NPCR: Black | 22698 | 18.2 | 0.12 | 2.23 | 0.02 | 14508 | 9.2 | 0.08 | 1.10 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 4090 | 7.3 | 0.12 | 0.87 | 0.02 | 2257 | 3.3 | 0.07 | 0.38 | 0.01 |
| USA, NPCR: American Indian | 1383 | 12.1 | 0.33 | 1.48 | 0.05 | 897 | 7.2 | 0.24 | 0.84 | 0.03 |
| *USA, SEER (18 registries) | 47297 | 14.4 | 0.07 | 1.73 | 0.01 | 26879 | 7.4 | 0.05 | 0.85 | 0.01 |
| *USA, SEER (18 registries): White | 38251 | 14.8 | 0.08 | 1.77 | 0.01 | 21289 | 7.7 | 0.06 | 0.88 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 31552 | 14.8 | 0.09 | 1.76 | 0.01 | 16967 | 7.4 | 0.07 | 0.84 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 6699 | 15.2 | 0.19 | 1.85 | 0.03 | 4322 | 8.8 | 0.14 | 1.04 | 0.02 |
| *USA, SEER (18 registries): Black | 5487 | 16.9 | 0.23 | 2.03 | 0.03 | 3524 | 8.7 | 0.15 | 1.02 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2669 | 8.1 | 0.16 | 0.98 | 0.02 | 1490 | 3.8 | 0.10 | 0.43 | 0.01 |
| *USA, SEER (9 registries) | 15840 | 13.9 | 0.11 | 1.66 | 0.02 | 8597 | 6.9 | 0.08 | 0.78 | 0.01 |
| *USA, SEER (9 registries): White | 12382 | 13.9 | 0.13 | 1.65 | 0.02 | 6583 | 7.0 | 0.10 | 0.78 | 0.01 |
| *USA, SEER (9 registries): Black | 1953 | 18.0 | 0.41 | 2.15 | 0.06 | 1164 | 8.4 | 0.26 | 1.00 | 0.03 |
| USA, Alabama | 3119 | 16.7 | 0.31 | 1.97 | 0.04 | 1917 | 9.2 | 0.23 | 1.06 | 0.03 |
| USA, Alabama: White | 2374 | 16.4 | 0.36 | 1.91 | 0.04 | 1423 | 9.3 | 0.28 | 1.04 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kidney (C64) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 729 | 18.6 | 0.70 | 2.28 | 0.10 | 477 | 9.4 | 0.45 | 1.19 | 0.06 | |
| USA, Alaska | 403 | 15.8 | 0.80 | 1.86 | 0.11 | 229 | 9.5 | 0.65 | 1.12 | 0.09 | |
| *USA, Alaska: Alaska Natives | 77 | 23.7 | 2.73 | 2.75 | 0.37 | 53 | 16.1 | 2.23 | 1.99 | 0.30 | |
| USA, Arizona | 4011 | 15.0 | 0.25 | 1.83 | 0.03 | 2161 | 7.7 | 0.18 | 0.87 | 0.02 | |
| USA, Arizona: White | 3582 | 14.8 | 0.27 | 1.81 | 0.03 | 1947 | 7.8 | 0.20 | 0.88 | 0.02 | |
| USA, Arizona: Black | 164 | 17.3 | 1.36 | 2.08 | 0.19 | 62 | 6.3 | 0.81 | 0.77 | 0.11 | |
| *USA, Arizona: Asian and Pacific Islander | 52 | 7.3 | 1.03 | 0.80 | 0.13 | 21 | 2.2 | 0.49 | 0.19 | 0.05 | |
| USA, Arizona: American Indian | 210 | 22.8 | 1.59 | 2.66 | 0.22 | 129 | 11.8 | 1.06 | 1.29 | 0.13 | |
| USA, Arkansas | 2149 | 18.5 | 0.42 | 2.20 | 0.05 | 1247 | 9.8 | 0.30 | 1.15 | 0.04 | |
| USA, Arkansas: White | 1858 | 18.5 | 0.46 | 2.20 | 0.06 | 1035 | 9.7 | 0.34 | 1.14 | 0.04 | |
| USA, Arkansas: Black | 260 | 19.4 | 1.22 | 2.26 | 0.16 | 188 | 10.9 | 0.82 | 1.31 | 0.11 | |
| USA, California | 18920 | 13.5 | 0.10 | 1.64 | 0.01 | 10343 | 6.7 | 0.07 | 0.78 | 0.01 | |
| USA, California: White | 15590 | 14.5 | 0.12 | 1.76 | 0.02 | 8425 | 7.3 | 0.09 | 0.85 | 0.01 | |
| USA, California: Black | 1432 | 16.7 | 0.45 | 2.04 | 0.06 | 834 | 8.4 | 0.31 | 1.00 | 0.04 | |
| USA, California: Asian and Pacific Islander | 1707 | 8.0 | 0.20 | 0.97 | 0.03 | 952 | 3.6 | 0.13 | 0.42 | 0.02 | |
| *USA, California, Los Angeles County | 4321 | 12.5 | 0.20 | 1.52 | 0.03 | 2476 | 6.4 | 0.14 | 0.75 | 0.02 | |
| *USA, California, Los Angeles County: White | 3294 | 13.2 | 0.24 | 1.62 | 0.03 | 1855 | 6.9 | 0.17 | 0.81 | 0.02 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 1733 | 12.9 | 0.34 | 1.57 | 0.04 | 784 | 5.5 | 0.24 | 0.64 | 0.03 | |
| *USA, California, Los Angeles County: Hispanic White | 1561 | 13.9 | 0.36 | 1.70 | 0.05 | 1071 | 8.2 | 0.26 | 0.98 | 0.04 | |
| *USA, California, Los Angeles County: Black | 460 | 14.7 | 0.70 | 1.79 | 0.10 | 283 | 7.2 | 0.47 | 0.82 | 0.06 | |
| *USA, California, Los Angeles County: Chinese | 116 | 5.7 | 0.58 | 0.67 | 0.08 | 57 | 2.3 | 0.38 | 0.25 | 0.04 | |
| *USA, California, Los Angeles County: Filipino | 128 | 9.8 | 0.89 | 1.26 | 0.13 | 94 | 5.3 | 0.64 | 0.65 | 0.07 | |
| *USA, California, Los Angeles County: Korean | 60 | 6.2 | 0.86 | 0.74 | 0.12 | 39 | 3.4 | 0.58 | 0.35 | 0.07 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 493 | 8.2 | 0.39 | 0.98 | 0.05 | 295 | 4.0 | 0.26 | 0.46 | 0.03 | |
| *USA, California, San Francisco Bay Area | 2228 | 12.2 | 0.27 | 1.46 | 0.04 | 1083 | 5.4 | 0.18 | 0.62 | 0.02 | |
| *USA, California, San Francisco Bay Area: White | 1565 | 13.1 | 0.35 | 1.55 | 0.05 | 701 | 5.6 | 0.23 | 0.63 | 0.03 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1231 | 12.5 | 0.38 | 1.48 | 0.05 | 509 | 4.8 | 0.25 | 0.54 | 0.03 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 334 | 15.7 | 0.89 | 1.89 | 0.13 | 192 | 8.1 | 0.60 | 1.00 | 0.09 | |
| *USA, California, San Francisco Bay Area: Black | 268 | 18.5 | 1.15 | 2.28 | 0.16 | 166 | 9.9 | 0.82 | 1.26 | 0.11 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 379 | 8.1 | 0.43 | 0.97 | 0.06 | 200 | 3.4 | 0.27 | 0.39 | 0.03 | |
| USA, Colorado | 2393 | 11.9 | 0.25 | 1.43 | 0.03 | 1406 | 6.6 | 0.19 | 0.76 | 0.02 | |
| USA, Colorado: White | 2219 | 11.9 | 0.26 | 1.43 | 0.04 | 1312 | 6.7 | 0.20 | 0.77 | 0.02 | |
| *USA, Colorado: Black | 112 | 15.0 | 1.44 | 1.72 | 0.20 | 54 | 7.1 | 0.99 | 0.72 | 0.13 | |
| *USA, Colorado: Asian and Pacific Islander | 31 | 6.2 | 1.12 | 0.84 | 0.18 | 22 | 3.2 | 0.69 | 0.44 | 0.11 | |
| USA, Connecticut | 2089 | 14.5 | 0.33 | 1.76 | 0.04 | 1117 | 7.0 | 0.24 | 0.77 | 0.03 | |
| USA, Connecticut: White | 1811 | 14.1 | 0.35 | 1.71 | 0.05 | 954 | 6.7 | 0.25 | 0.75 | 0.03 | |
| USA, Connecticut: Black | 195 | 16.8 | 1.22 | 2.03 | 0.17 | 97 | 6.7 | 0.72 | 0.73 | 0.09 | |
| USA, District of Columbia | 253 | 12.3 | 0.79 | 1.49 | 0.11 | 158 | 6.5 | 0.55 | 0.74 | 0.07 | |
| USA, District of Columbia: White | 70 | 7.7 | 0.94 | 0.94 | 0.13 | 36 | 3.8 | 0.67 | 0.38 | 0.08 | |
| USA, District of Columbia: Black | 174 | 16.2 | 1.26 | 1.94 | 0.17 | 118 | 8.4 | 0.83 | 0.96 | 0.10 | |
| USA, Florida | 11868 | 13.3 | 0.13 | 1.60 | 0.02 | 6570 | 6.7 | 0.10 | 0.76 | 0.01 | |
| USA, Florida: White | 10281 | 13.4 | 0.15 | 1.61 | 0.02 | 5559 | 6.8 | 0.11 | 0.76 | 0.01 | |
| USA, Florida: Black | 1324 | 13.3 | 0.37 | 1.65 | 0.05 | 871 | 7.2 | 0.25 | 0.82 | 0.03 | |
| USA, Florida: Asian and Pacific Islander | 121 | 6.0 | 0.56 | 0.72 | 0.08 | 62 | 2.4 | 0.32 | 0.26 | 0.04 | |
| USA, Georgia | 5605 | 15.8 | 0.22 | 1.88 | 0.03 | 3322 | 8.2 | 0.15 | 0.94 | 0.02 | |
| USA, Georgia: White | 3897 | 15.3 | 0.25 | 1.81 | 0.03 | 2215 | 8.1 | 0.19 | 0.93 | 0.02 | |
| USA, Georgia: Black | 1618 | 18.3 | 0.46 | 2.21 | 0.06 | 1060 | 9.2 | 0.29 | 1.07 | 0.04 | |
| USA, Georgia: Asian and Pacific Islander | 72 | 6.2 | 0.74 | 0.79 | 0.11 | 39 | 3.0 | 0.50 | 0.34 | 0.07 | |
| *USA, Georgia, Atlanta | 1600 | 14.2 | 0.36 | 1.68 | 0.05 | 903 | 6.7 | 0.23 | 0.77 | 0.03 | |
| *USA, Georgia, Atlanta: White | 860 | 12.7 | 0.44 | 1.50 | 0.06 | 465 | 6.3 | 0.32 | 0.72 | 0.04 | |
| *USA, Georgia, Atlanta: Black | 685 | 18.1 | 0.70 | 2.14 | 0.10 | 411 | 8.0 | 0.40 | 0.91 | 0.06 | |
| USA, Idaho | 950 | 14.3 | 0.49 | 1.73 | 0.07 | 526 | 7.6 | 0.36 | 0.86 | 0.04 | |
| USA, Indiana | 4329 | 17.2 | 0.27 | 2.03 | 0.04 | 2553 | 9.4 | 0.20 | 1.07 | 0.02 | |
| USA, Indiana: White | 3918 | 17.0 | 0.28 | 2.02 | 0.04 | 2334 | 9.5 | 0.22 | 1.09 | 0.03 | |
| USA, Indiana: Black | 384 | 21.8 | 1.12 | 2.55 | 0.15 | 206 | 9.5 | 0.68 | 1.13 | 0.09 | |
| *USA, Iowa | 2092 | 16.9 | 0.39 | 1.95 | 0.05 | 1157 | 8.7 | 0.29 | 1.00 | 0.03 | |
| USA, Kentucky | 3231 | 19.0 | 0.35 | 2.24 | 0.04 | 2000 | 10.8 | 0.26 | 1.23 | 0.03 | |
| USA, Louisiana | 3481 | 20.5 | 0.36 | 2.47 | 0.05 | 2125 | 10.9 | 0.25 | 1.28 | 0.03 | |
| USA, Louisiana: White | 2576 | 21.1 | 0.44 | 2.56 | 0.06 | 1505 | 11.2 | 0.32 | 1.31 | 0.04 | |
| USA, Louisiana: Black | 875 | 19.8 | 0.68 | 2.37 | 0.09 | 603 | 10.9 | 0.46 | 1.27 | 0.06 | |
| *USA, Louisiana, New Orleans | 586 | 18.2 | 0.78 | 2.19 | 0.10 | 384 | 10.1 | 0.57 | 1.21 | 0.07 | |
| *USA, Louisiana, New Orleans: White | 363 | 18.5 | 1.03 | 2.26 | 0.13 | 206 | 9.1 | 0.72 | 1.11 | 0.09 | |
| *USA, Louisiana, New Orleans: Black | 207 | 18.5 | 1.31 | 2.13 | 0.17 | 169 | 11.7 | 0.95 | 1.37 | 0.12 | |
| USA, Maine | 907 | 14.4 | 0.51 | 1.77 | 0.07 | 571 | 8.6 | 0.41 | 0.97 | 0.05 | |
| USA, Maryland | 3089 | 13.7 | 0.25 | 1.66 | 0.03 | 1876 | 7.3 | 0.18 | 0.85 | 0.02 | |
| USA, Maryland: White | 2086 | 13.4 | 0.31 | 1.62 | 0.04 | 1200 | 7.1 | 0.23 | 0.84 | 0.03 | |
| USA, Maryland: Black | 914 | 16.1 | 0.54 | 1.98 | 0.08 | 620 | 8.4 | 0.36 | 0.98 | 0.05 | |
| USA, Maryland: Asian and Pacific Islander | 81 | 6.2 | 0.70 | 0.71 | 0.09 | 50 | 3.2 | 0.48 | 0.32 | 0.05 | |
| USA, Massachusetts | 4015 | 15.3 | 0.25 | 1.83 | 0.03 | 2131 | 7.1 | 0.17 | 0.82 | 0.02 | |
| USA, Massachusetts: White | 3662 | 15.7 | 0.28 | 1.88 | 0.04 | 1898 | 7.2 | 0.18 | 0.83 | 0.02 | |
| USA, Massachusetts: Black | 216 | 13.3 | 0.91 | 1.62 | 0.13 | 154 | 7.7 | 0.64 | 0.95 | 0.09 | |
| USA, Massachusetts: Asian and Pacific Islander | 79 | 6.6 | 0.75 | 0.82 | 0.11 | 40 | 2.6 | 0.42 | 0.30 | 0.06 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kidney (C64) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 6058 | 15.2 | 0.21 | 1.80 | 0.03 | 3406 | 7.7 | 0.15 | 0.89 | 0.02 |
| USA, Michigan: White | 5063 | 14.6 | 0.22 | 1.73 | 0.03 | 2824 | 7.6 | 0.16 | 0.87 | 0.02 |
| USA, Michigan: Black | 871 | 20.4 | 0.70 | 2.46 | 0.09 | 521 | 9.2 | 0.42 | 1.13 | 0.06 |
| USA, Michigan: Asian and Pacific Islander | 64 | 7.5 | 0.96 | 0.92 | 0.14 | 18 | 2.0 | 0.49 | 0.22 | 0.06 |
| *USA, Michigan, Detroit | 2383 | 16.1 | 0.34 | 1.92 | 0.05 | 1299 | 7.5 | 0.23 | 0.86 | 0.03 |
| *USA, Michigan, Detroit: White | 1749 | 15.5 | 0.39 | 1.85 | 0.05 | 919 | 7.4 | 0.28 | 0.83 | 0.03 |
| *USA, Michigan, Detroit: Black | 569 | 19.3 | 0.82 | 2.29 | 0.11 | 360 | 8.7 | 0.48 | 1.05 | 0.06 |
| USA, Minnesota | 3439 | 16.0 | 0.29 | 1.89 | 0.04 | 1713 | 7.5 | 0.20 | 0.89 | 0.03 |
| USA, Minnesota: White | 3185 | 16.0 | 0.30 | 1.89 | 0.04 | 1587 | 7.5 | 0.21 | 0.89 | 0.03 |
| USA, Minnesota: Black | 144 | 19.7 | 1.71 | 2.22 | 0.24 | 68 | 9.1 | 1.13 | 1.14 | 0.16 |
| *USA, Minnesota: Asian and Pacific Islander | 29 | 5.1 | 0.97 | 0.49 | 0.11 | 21 | 3.2 | 0.72 | 0.36 | 0.10 |
| USA, Mississippi | 2165 | 19.8 | 0.44 | 2.36 | 0.06 | 1410 | 11.3 | 0.33 | 1.30 | 0.04 |
| USA, Missouri | 4085 | 17.2 | 0.28 | 2.04 | 0.04 | 2521 | 9.4 | 0.21 | 1.10 | 0.03 |
| USA, Missouri: White | 3638 | 17.1 | 0.30 | 2.03 | 0.04 | 2191 | 9.3 | 0.22 | 1.08 | 0.03 |
| USA, Missouri: Black | 409 | 19.9 | 1.00 | 2.45 | 0.14 | 315 | 11.7 | 0.68 | 1.40 | 0.09 |
| USA, Montana | 684 | 14.9 | 0.62 | 1.80 | 0.08 | 368 | 8.3 | 0.49 | 0.96 | 0.06 |
| *USA, Montana: American Indian | 48 | 26.6 | 3.90 | 2.97 | 0.52 | 30 | 14.9 | 2.75 | 1.89 | 0.41 |
| USA, Nebraska | 1172 | 16.3 | 0.49 | 2.03 | 0.07 | 640 | 8.5 | 0.37 | 0.94 | 0.04 |
| USA, Nebraska: White | 1084 | 16.0 | 0.51 | 1.98 | 0.07 | 590 | 8.4 | 0.38 | 0.93 | 0.05 |
| *USA, Nebraska: Black | 72 | 29.5 | 3.54 | 3.92 | 0.56 | 30 | 10.8 | 2.02 | 1.06 | 0.24 |
| USA, Nevada | 1399 | 12.4 | 0.35 | 1.48 | 0.04 | 829 | 7.1 | 0.27 | 0.83 | 0.03 |
| USA, Nevada: White | 1169 | 12.5 | 0.39 | 1.49 | 0.05 | 680 | 7.4 | 0.31 | 0.86 | 0.04 |
| USA, Nevada: Black | 127 | 15.3 | 1.37 | 1.95 | 0.20 | 78 | 8.3 | 0.95 | 0.98 | 0.13 |
| *USA, Nevada: Asian and Pacific Islander | 80 | 8.3 | 0.95 | 1.00 | 0.13 | 56 | 4.2 | 0.58 | 0.51 | 0.08 |
| USA, New Jersey | 5202 | 15.1 | 0.22 | 1.83 | 0.03 | 2908 | 7.3 | 0.15 | 0.85 | 0.02 |
| USA, New Jersey: White | 4334 | 15.7 | 0.25 | 1.91 | 0.03 | 2382 | 7.7 | 0.18 | 0.89 | 0.02 |
| USA, New Jersey: Black | 652 | 16.4 | 0.65 | 2.00 | 0.09 | 402 | 7.6 | 0.40 | 0.91 | 0.05 |
| USA, New Mexico | 1070 | 13.4 | 0.43 | 1.56 | 0.05 | 664 | 7.7 | 0.33 | 0.84 | 0.04 |
| USA, New Mexico: White | 889 | 12.6 | 0.45 | 1.46 | 0.06 | 557 | 7.3 | 0.35 | 0.81 | 0.04 |
| USA, New Mexico: Non-Hispanic White | 467 | 10.7 | 0.56 | 1.26 | 0.07 | 254 | 5.8 | 0.50 | 0.61 | 0.05 |
| USA, New Mexico: Hispanic White | 422 | 14.9 | 0.74 | 1.74 | 0.10 | 303 | 9.6 | 0.57 | 1.12 | 0.07 |
| *USA, New Mexico: American Indian | 144 | 23.5 | 1.98 | 2.88 | 0.28 | 74 | 9.7 | 1.16 | 0.96 | 0.13 |
| USA, New York State | 11721 | 15.8 | 0.15 | 1.89 | 0.02 | 6397 | 7.4 | 0.10 | 0.86 | 0.01 |
| USA, New York State: White | 9361 | 16.4 | 0.18 | 1.95 | 0.02 | 5065 | 7.8 | 0.12 | 0.90 | 0.02 |
| USA, New York State: Black | 1767 | 16.5 | 0.40 | 2.00 | 0.05 | 1037 | 7.2 | 0.24 | 0.86 | 0.03 |
| USA, New York State: Asian and Pacific Islander | 504 | 8.8 | 0.40 | 1.03 | 0.05 | 258 | 4.0 | 0.27 | 0.43 | 0.03 |
| USA, North Carolina | 6098 | 16.1 | 0.21 | 1.93 | 0.03 | 3595 | 8.3 | 0.15 | 0.97 | 0.02 |
| USA, North Carolina: White | 4694 | 15.7 | 0.24 | 1.87 | 0.03 | 2616 | 7.9 | 0.17 | 0.92 | 0.02 |
| USA, North Carolina: Black | 1293 | 18.9 | 0.53 | 2.33 | 0.07 | 904 | 10.3 | 0.36 | 1.23 | 0.05 |
| USA, North Carolina: Asian and Pacific Islander | 24 | 3.4 | 0.70 | 0.35 | 0.09 | 22 | 2.5 | 0.55 | 0.34 | 0.08 |
| *USA, North Carolina: American Indian | 59 | 12.7 | 1.67 | 1.54 | 0.22 | 42 | 7.8 | 1.21 | 0.90 | 0.16 |
| USA, North Dakota | 458 | 16.3 | 0.80 | 1.96 | 0.11 | 219 | 7.1 | 0.52 | 0.87 | 0.07 |
| USA, Ohio | 7223 | 15.7 | 0.19 | 1.87 | 0.03 | 4458 | 8.7 | 0.14 | 1.00 | 0.02 |
| USA, Ohio: White | 6326 | 15.6 | 0.21 | 1.84 | 0.03 | 3913 | 8.8 | 0.16 | 1.00 | 0.02 |
| USA, Ohio: Black | 852 | 19.0 | 0.66 | 2.35 | 0.09 | 523 | 9.3 | 0.43 | 1.10 | 0.06 |
| *USA, Ohio: Asian and Pacific Islander | 33 | 4.8 | 0.85 | 0.55 | 0.12 | 14 | 1.8 | 0.51 | 0.22 | 0.07 |
| USA, Oklahoma | 2572 | 17.8 | 0.36 | 2.14 | 0.05 | 1643 | 10.5 | 0.28 | 1.25 | 0.03 |
| USA, Oklahoma: White | 2107 | 17.2 | 0.40 | 2.08 | 0.05 | 1361 | 10.4 | 0.32 | 1.23 | 0.04 |
| USA, Oklahoma: Black | 170 | 19.1 | 1.48 | 2.29 | 0.21 | 98 | 9.5 | 0.98 | 1.17 | 0.14 |
| USA, Oklahoma: American Indian | 262 | 24.2 | 1.51 | 2.91 | 0.20 | 174 | 14.1 | 1.09 | 1.67 | 0.14 |
| USA, Oregon | 2433 | 14.5 | 0.31 | 1.73 | 0.04 | 1262 | 7.2 | 0.23 | 0.83 | 0.03 |
| USA, Oregon: White | 2300 | 14.7 | 0.33 | 1.74 | 0.04 | 1191 | 7.4 | 0.24 | 0.85 | 0.03 |
| *USA, Oregon: Black | 57 | 20.9 | 2.83 | 3.08 | 0.49 | 16 | 6.4 | 1.61 | 0.76 | 0.24 |
| *USA, Oregon: Asian and Pacific Islander | 29 | 4.9 | 0.94 | 0.42 | 0.09 | 25 | 3.4 | 0.69 | 0.37 | 0.09 |
| USA, Rhode Island | 605 | 14.3 | 0.61 | 1.70 | 0.08 | 380 | 7.9 | 0.46 | 0.93 | 0.06 |
| USA, Rhode Island: White | 566 | 14.6 | 0.65 | 1.73 | 0.08 | 356 | 8.2 | 0.49 | 0.96 | 0.06 |
| *USA, Rhode Island: Black | 30 | 12.6 | 2.32 | 1.50 | 0.34 | 16 | 5.9 | 1.54 | 0.60 | 0.21 |
| USA, South Carolina | 3195 | 16.5 | 0.31 | 1.98 | 0.04 | 1823 | 8.3 | 0.22 | 0.96 | 0.03 |
| USA, South Carolina: White | 2393 | 16.1 | 0.35 | 1.91 | 0.04 | 1312 | 8.2 | 0.26 | 0.94 | 0.03 |
| USA, South Carolina: Black | 786 | 18.5 | 0.67 | 2.34 | 0.09 | 494 | 9.0 | 0.43 | 1.06 | 0.05 |
| USA, South Dakota | 548 | 15.8 | 0.72 | 1.88 | 0.09 | 289 | 8.3 | 0.53 | 0.98 | 0.07 |
| USA, Tennessee | 4446 | 17.6 | 0.27 | 2.10 | 0.04 | 2623 | 9.2 | 0.20 | 1.05 | 0.02 |
| USA, Tennessee: White | 3792 | 17.5 | 0.30 | 2.09 | 0.04 | 2112 | 8.9 | 0.21 | 1.01 | 0.03 |
| USA, Tennessee: Black | 635 | 20.0 | 0.80 | 2.36 | 0.11 | 488 | 11.8 | 0.55 | 1.38 | 0.07 |
| USA, Texas | 15620 | 17.2 | 0.14 | 2.07 | 0.02 | 9639 | 9.6 | 0.10 | 1.12 | 0.01 |
| USA, Texas: White | 13594 | 17.7 | 0.16 | 2.14 | 0.02 | 8330 | 10.0 | 0.12 | 1.17 | 0.01 |
| USA, Texas: Black | 1727 | 18.4 | 0.45 | 2.23 | 0.06 | 1155 | 9.9 | 0.30 | 1.16 | 0.04 |
| USA, Texas: Asian and Pacific Islander | 234 | 6.1 | 0.40 | 0.75 | 0.06 | 117 | 2.7 | 0.26 | 0.31 | 0.03 |
| USA, Utah | 1104 | 12.4 | 0.38 | 1.51 | 0.05 | 590 | 6.4 | 0.27 | 0.72 | 0.03 |
| USA, Vermont | 356 | 12.9 | 0.73 | 1.52 | 0.09 | 194 | 6.6 | 0.56 | 0.76 | 0.06 |
| USA, Washington State | 3778 | 13.4 | 0.23 | 1.60 | 0.03 | 2167 | 7.3 | 0.17 | 0.85 | 0.02 |
| *USA, Washington, Seattle | 2555 | 13.2 | 0.27 | 1.56 | 0.04 | 1439 | 7.0 | 0.20 | 0.79 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Kidney (C64) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 1405 | 17.9 | 0.51 | 2.09 | 0.06 | 947 | 11.0 | 0.40 | 1.28 | 0.05 |
| USA, Wyoming | 292 | 12.8 | 0.80 | 1.46 | 0.10 | 158 | 6.8 | 0.58 | 0.77 | 0.07 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 59 | 4.4 | 0.59 | 0.57 | 0.09 | 36 | 2.7 | 0.47 | 0.30 | 0.07 |
| Brunei Darussalam | 44 | 5.1 | 0.81 | 0.74 | 0.14 | 16 | 1.8 | 0.47 | 0.25 | 0.08 |
| *China, Anfu County | 16 | 1.7 | 0.43 | 0.21 | 0.06 | 12 | 1.1 | 0.34 | 0.11 | 0.04 |
| *China, Anguo City | 24 | 2.1 | 0.46 | 0.31 | 0.07 | 12 | 1.0 | 0.28 | 0.11 | 0.04 |
| *China, Anshan City | 435 | 6.0 | 0.32 | 0.69 | 0.04 | 208 | 2.6 | 0.19 | 0.29 | 0.03 |
| *China, Aohan Banner, Chifeng City | 27 | 1.4 | 0.29 | 0.20 | 0.04 | 15 | 0.7 | 0.20 | 0.10 | 0.03 |
| *China, Arongqi | 43 | 4.9 | 0.76 | 0.63 | 0.11 | 29 | 3.5 | 0.67 | 0.36 | 0.08 |
| *China, Baoding City | 192 | 5.5 | 0.41 | 0.59 | 0.05 | 78 | 2.2 | 0.27 | 0.27 | 0.03 |
| *China, Beijing City | 3274 | 8.7 | 0.16 | 1.03 | 0.02 | 1639 | 4.1 | 0.12 | 0.47 | 0.01 |
| *China, Binhai County | 78 | 1.8 | 0.21 | 0.22 | 0.03 | 42 | 1.0 | 0.15 | 0.12 | 0.02 |
| *China, Cangzhou City | 104 | 6.3 | 0.64 | 0.72 | 0.08 | 48 | 2.9 | 0.45 | 0.36 | 0.06 |
| China, Changfeng County | 44 | 2.9 | 0.48 | 0.32 | 0.06 | 19 | 1.3 | 0.29 | 0.16 | 0.04 |
| China, Changzhou City | 465 | 4.9 | 0.23 | 0.58 | 0.03 | 252 | 2.6 | 0.17 | 0.30 | 0.02 |
| China, Chengdu City | 91 | 2.4 | 0.26 | 0.26 | 0.03 | 81 | 2.2 | 0.26 | 0.24 | 0.03 |
| China, Cixian County | 33 | 2.0 | 0.35 | 0.22 | 0.04 | 21 | 1.1 | 0.24 | 0.13 | 0.03 |
| China, Cixi City | 141 | 3.1 | 0.29 | 0.35 | 0.03 | 66 | 1.4 | 0.20 | 0.16 | 0.02 |
| *China, Dafeng District, Yancheng City | 88 | 2.7 | 0.34 | 0.30 | 0.04 | 70 | 2.1 | 0.33 | 0.24 | 0.03 |
| China, Dalian City | 1135 | 10.5 | 0.33 | 1.24 | 0.04 | 471 | 4.1 | 0.21 | 0.49 | 0.03 |
| *China, Dancheng County | 52 | 1.6 | 0.23 | 0.16 | 0.03 | 34 | 0.9 | 0.16 | 0.08 | 0.02 |
| China, Dangtu County | 27 | 2.4 | 0.49 | 0.27 | 0.06 | 25 | 2.1 | 0.43 | 0.25 | 0.06 |
| *China, Danyang City | 51 | 1.4 | 0.21 | 0.16 | 0.03 | 35 | 1.1 | 0.22 | 0.12 | 0.02 |
| *China, Dawukou District, Shizuishan City | 36 | 3.6 | 0.62 | 0.47 | 0.09 | 31 | 3.0 | 0.56 | 0.34 | 0.07 |
| *China, Dehui City | 55 | 1.9 | 0.27 | 0.23 | 0.04 | 51 | 1.7 | 0.25 | 0.23 | 0.04 |
| *China, Donggang County | 88 | 3.0 | 0.32 | 0.35 | 0.05 | 60 | 2.8 | 0.54 | 0.30 | 0.05 |
| *China, Dongguan City | 173 | 4.5 | 0.36 | 0.48 | 0.04 | 89 | 2.1 | 0.25 | 0.24 | 0.03 |
| China, Donghai County | 70 | 1.8 | 0.22 | 0.20 | 0.03 | 31 | 0.9 | 0.18 | 0.08 | 0.02 |
| *China, Dongtai City | 66 | 1.3 | 0.17 | 0.17 | 0.02 | 44 | 0.9 | 0.16 | 0.09 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 32 | 2.6 | 0.47 | 0.28 | 0.06 | 14 | 1.2 | 0.31 | 0.13 | 0.04 |
| *China, Evenki Autonomous Banner | 15 | 5.0 | 1.47 | 0.44 | 0.15 | 14 | 4.3 | 1.17 | 0.37 | 0.13 |
| *China, Faku County | 55 | 2.8 | 0.38 | 0.32 | 0.05 | 27 | 1.3 | 0.26 | 0.15 | 0.03 |
| *China, Fangcheng County | 28 | 1.2 | 0.24 | 0.13 | 0.03 | 23 | 1.2 | 0.25 | 0.13 | 0.03 |
| *China, Feicheng City | 162 | 4.1 | 0.33 | 0.47 | 0.04 | 92 | 2.3 | 0.26 | 0.28 | 0.03 |
| China, Feixi County | 151 | 3.9 | 0.34 | 0.42 | 0.04 | 107 | 2.8 | 0.31 | 0.31 | 0.04 |
| China, Fuqing City | 70 | 2.6 | 0.32 | 0.31 | 0.04 | 39 | 1.6 | 0.27 | 0.16 | 0.03 |
| *China, Ganyu District, Lianyungang City | 96 | 2.3 | 0.25 | 0.27 | 0.03 | 47 | 1.3 | 0.20 | 0.13 | 0.02 |
| *China, Ganzhou District, Zhangye City | 18 | 2.0 | 0.49 | 0.26 | 0.07 | 13 | 1.8 | 0.58 | 0.16 | 0.05 |
| *China, Gaocheng City | 60 | 2.7 | 0.36 | 0.32 | 0.05 | 29 | 1.5 | 0.30 | 0.12 | 0.03 |
| China, Gaomi City | 48 | 1.6 | 0.23 | 0.21 | 0.04 | 43 | 1.4 | 0.23 | 0.16 | 0.03 |
| China, Gong'an County | 76 | 2.2 | 0.26 | 0.27 | 0.04 | 61 | 1.9 | 0.26 | 0.23 | 0.03 |
| *China, Guang'an District, Guang'an City | 15 | 0.9 | 0.24 | 0.11 | 0.03 | 12 | 0.7 | 0.20 | 0.07 | 0.02 |
| China, Guanghan City | 30 | 1.7 | 0.31 | 0.24 | 0.05 | 9 | 0.6 | 0.21 | 0.04 | 0.02 |
| China, Guangzhou City | 1043 | 3.5 | 0.11 | 0.38 | 0.01 | 544 | 1.7 | 0.08 | 0.18 | 0.01 |
| *China, Guanyun County | 77 | 2.3 | 0.27 | 0.25 | 0.03 | 50 | 1.7 | 0.26 | 0.17 | 0.03 |
| China, Guilin City | 96 | 4.4 | 0.46 | 0.50 | 0.06 | 35 | 1.5 | 0.26 | 0.15 | 0.03 |
| *China, Hai'an City | 78 | 1.7 | 0.23 | 0.17 | 0.02 | 44 | 0.9 | 0.14 | 0.11 | 0.02 |
| China, Hailar District, Hulun Buir City | 95 | 7.8 | 0.85 | 1.01 | 0.13 | 53 | 4.6 | 0.77 | 0.50 | 0.09 |
| China, Haimen District, Nantong City | 158 | 3.2 | 0.26 | 0.40 | 0.04 | 115 | 2.4 | 0.24 | 0.27 | 0.03 |
| China, Haining City | 120 | 3.9 | 0.37 | 0.45 | 0.05 | 63 | 2.1 | 0.32 | 0.23 | 0.03 |
| China, Hangzhou City | 1163 | 3.9 | 0.12 | 0.45 | 0.02 | 654 | 2.2 | 0.10 | 0.24 | 0.01 |
| China, Hebi City | 33 | 2.7 | 0.48 | 0.34 | 0.07 | 28 | 2.1 | 0.41 | 0.26 | 0.06 |
| China, Hefei City | 407 | 5.0 | 0.26 | 0.56 | 0.03 | 200 | 2.4 | 0.18 | 0.27 | 0.02 |
| China, Hengdong County | 26 | 1.6 | 0.32 | 0.20 | 0.04 | 17 | 1.4 | 0.36 | 0.15 | 0.04 |
| *China, Hengfeng County | 4 | 0.6 | 0.32 | 0.10 | 0.05 | 6 | 1.1 | 0.48 | 0.12 | 0.05 |
| *China, Hepu County | 55 | 1.8 | 0.25 | 0.20 | 0.03 | 38 | 1.4 | 0.23 | 0.17 | 0.03 |
| China, Honghu City | 82 | 3.0 | 0.35 | 0.36 | 0.05 | 38 | 1.3 | 0.22 | 0.18 | 0.03 |
| China, Hongshan District, Chifeng City | 66 | 5.0 | 0.66 | 0.58 | 0.09 | 30 | 2.1 | 0.39 | 0.27 | 0.06 |
| *China, Hongta District, Yuxi City | 15 | 0.9 | 0.25 | 0.11 | 0.03 | 11 | 0.6 | 0.18 | 0.06 | 0.02 |
| *China, Huaiyin District, Huai'an City | 55 | 1.5 | 0.21 | 0.17 | 0.03 | 23 | 0.6 | 0.14 | 0.07 | 0.02 |
| *China, Jiange County | 24 | 1.4 | 0.30 | 0.17 | 0.04 | 11 | 0.8 | 0.26 | 0.09 | 0.03 |
| China, Jiangmen City | 86 | 3.8 | 0.43 | 0.39 | 0.05 | 45 | 1.9 | 0.30 | 0.21 | 0.04 |
| *China, Jiayang County | 159 | 3.0 | 0.25 | 0.34 | 0.03 | 85 | 1.6 | 0.21 | 0.17 | 0.02 |
| *China, Jiashan County | 92 | 5.7 | 0.76 | 0.63 | 0.07 | 46 | 2.4 | 0.37 | 0.30 | 0.05 |
| China, Jiayu County | 13 | 2.0 | 0.60 | 0.28 | 0.09 | 7 | 0.9 | 0.33 | 0.10 | 0.05 |
| *China, Jinan City | 449 | 5.2 | 0.26 | 0.58 | 0.03 | 237 | 2.5 | 0.18 | 0.27 | 0.02 |
| *China, Jingtai County | 22 | 3.1 | 0.67 | 0.32 | 0.08 | 20 | 3.1 | 0.78 | 0.36 | 0.09 |
| *China, Jingxian County | 20 | 2.0 | 0.54 | 0.19 | 0.05 | 15 | 1.1 | 0.31 | 0.15 | 0.05 |
| *China, Jintan District, Changzhou City | 48 | 2.1 | 0.30 | 0.28 | 0.05 | 31 | 1.4 | 0.25 | 0.17 | 0.04 |
| *China, Jiulongpo District, Chongqing City | 155 | 4.8 | 0.40 | 0.57 | 0.05 | 91 | 2.7 | 0.29 | 0.35 | 0.04 |
| *China, Jiyuan City | 72 | 4.3 | 0.52 | 0.46 | 0.06 | 45 | 2.6 | 0.40 | 0.31 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kidney (C64) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 37 | 3.2 | 0.56 | 0.41 | 0.08 | 24 | 1.9 | 0.42 | 0.28 | 0.07 |
| China, Kunshan City | 181 | 5.6 | 0.42 | 0.64 | 0.05 | 91 | 2.7 | 0.29 | 0.32 | 0.04 |
| China, Langzhong City | 25 | 1.2 | 0.25 | 0.17 | 0.04 | 16 | 0.9 | 0.22 | 0.09 | 0.03 |
| *China, Liangshan County | 75 | 2.5 | 0.30 | 0.32 | 0.04 | 42 | 1.4 | 0.24 | 0.17 | 0.03 |
| *China, Lianshui County | 48 | 1.2 | 0.18 | 0.11 | 0.02 | 27 | 0.7 | 0.15 | 0.09 | 0.02 |
| China, Lianyungang City | 117 | 3.1 | 0.29 | 0.43 | 0.05 | 68 | 2.0 | 0.26 | 0.23 | 0.03 |
| China, Linhe District, Bayannur City | 42 | 3.4 | 0.55 | 0.41 | 0.08 | 29 | 2.1 | 0.40 | 0.20 | 0.05 |
| China, Linqu County | 119 | 3.6 | 0.36 | 0.39 | 0.04 | 76 | 2.2 | 0.25 | 0.28 | 0.04 |
| *China, Linzhou City | 47 | 1.3 | 0.20 | 0.18 | 0.03 | 26 | 0.7 | 0.14 | 0.08 | 0.02 |
| China, Liuzhou City | 106 | 2.8 | 0.28 | 0.32 | 0.04 | 53 | 1.6 | 0.24 | 0.16 | 0.03 |
| China, Liyang City | 60 | 1.5 | 0.20 | 0.17 | 0.03 | 39 | 1.0 | 0.17 | 0.11 | 0.02 |
| *China, Longquan City | 27 | 2.7 | 0.54 | 0.28 | 0.06 | 16 | 1.9 | 0.47 | 0.25 | 0.07 |
| China, Lucheng District, Wenzhou City | 85 | 4.4 | 0.49 | 0.55 | 0.07 | 70 | 3.4 | 0.47 | 0.38 | 0.06 |
| China, Luoding City | 25 | 1.1 | 0.23 | 0.12 | 0.03 | 16 | 0.8 | 0.19 | 0.11 | 0.03 |
| *China, Luohe City | 81 | 2.1 | 0.24 | 0.25 | 0.03 | 40 | 1.0 | 0.17 | 0.11 | 0.02 |
| *China, Luoyang City | 213 | 5.1 | 0.38 | 0.58 | 0.05 | 107 | 2.7 | 0.30 | 0.28 | 0.03 |
| *China, Luquan City | 23 | 2.0 | 0.44 | 0.26 | 0.06 | 17 | 1.4 | 0.34 | 0.16 | 0.04 |
| China, Ma'anshan City | 97 | 4.5 | 0.46 | 0.55 | 0.06 | 60 | 2.6 | 0.34 | 0.29 | 0.05 |
| *China, Macheng City | 63 | 2.9 | 0.42 | 0.31 | 0.05 | 31 | 1.3 | 0.24 | 0.17 | 0.03 |
| China, Meihekou City | 37 | 1.6 | 0.27 | 0.20 | 0.04 | 31 | 1.3 | 0.23 | 0.14 | 0.03 |
| *China, Mengjin County | 32 | 2.9 | 0.52 | 0.32 | 0.06 | 25 | 2.1 | 0.42 | 0.29 | 0.06 |
| China, Nangang District, Harbin City | 240 | 5.8 | 0.39 | 0.70 | 0.06 | 126 | 2.9 | 0.28 | 0.32 | 0.03 |
| *China, Nanhai District, Foshan City | 70 | 2.7 | 0.34 | 0.33 | 0.04 | 56 | 1.7 | 0.24 | 0.21 | 0.03 |
| China, Nanhu District, Jiaying City | 136 | 5.8 | 0.56 | 0.68 | 0.07 | 83 | 3.1 | 0.37 | 0.33 | 0.05 |
| *China, Nantong City | 143 | 2.7 | 0.23 | 0.32 | 0.03 | 99 | 1.8 | 0.20 | 0.22 | 0.03 |
| *China, Nanxiong City | 34 | 2.4 | 0.41 | 0.27 | 0.05 | 17 | 1.2 | 0.32 | 0.15 | 0.04 |
| China, Neixiang County | 30 | 1.3 | 0.26 | 0.15 | 0.03 | 21 | 1.1 | 0.26 | 0.10 | 0.02 |
| *China, Qianxi County | 19 | 1.5 | 0.36 | 0.16 | 0.04 | 17 | 1.3 | 0.32 | 0.14 | 0.05 |
| China, Qidong City | 154 | 2.5 | 0.23 | 0.29 | 0.03 | 102 | 1.7 | 0.22 | 0.18 | 0.02 |
| China, Qingzhou City | 140 | 4.5 | 0.40 | 0.51 | 0.05 | 70 | 2.1 | 0.25 | 0.27 | 0.04 |
| *China, Rudong County | 115 | 1.8 | 0.18 | 0.23 | 0.03 | 82 | 1.4 | 0.18 | 0.16 | 0.02 |
| *China, Rugao City | 144 | 2.1 | 0.20 | 0.22 | 0.02 | 90 | 1.5 | 0.18 | 0.15 | 0.02 |
| *China, Rural areas of Shanghai City | 2828 | 6.9 | 0.14 | 0.79 | 0.02 | 1375 | 3.2 | 0.10 | 0.36 | 0.01 |
| China, Ruyang County | 15 | 1.2 | 0.32 | 0.14 | 0.04 | 17 | 1.4 | 0.35 | 0.17 | 0.05 |
| *China, Shan County | 54 | 2.3 | 0.32 | 0.25 | 0.04 | 27 | 1.1 | 0.22 | 0.12 | 0.03 |
| China, Shanghai City | 2693 | 8.2 | 0.18 | 0.95 | 0.02 | 1300 | 3.8 | 0.13 | 0.42 | 0.01 |
| China, Shangyu District, Shaoxing City | 132 | 4.0 | 0.40 | 0.45 | 0.05 | 71 | 2.0 | 0.25 | 0.23 | 0.03 |
| *China, Shapingba District, Chongqing City | 160 | 5.1 | 0.47 | 0.60 | 0.06 | 111 | 3.5 | 0.38 | 0.41 | 0.05 |
| China, Shexian County | 38 | 2.8 | 0.46 | 0.37 | 0.07 | 18 | 1.3 | 0.31 | 0.15 | 0.04 |
| China, Sheyang County | 103 | 2.7 | 0.31 | 0.27 | 0.03 | 71 | 1.8 | 0.25 | 0.20 | 0.03 |
| *China, Shijiazhuang City | 331 | 6.7 | 0.38 | 0.76 | 0.05 | 154 | 3.2 | 0.28 | 0.37 | 0.03 |
| China, Shunde District, Foshan City | 94 | 2.7 | 0.29 | 0.29 | 0.03 | 67 | 1.6 | 0.21 | 0.17 | 0.03 |
| *China, Song County | 22 | 1.5 | 0.32 | 0.18 | 0.05 | 9 | 0.6 | 0.21 | 0.09 | 0.03 |
| China, Suzhou City | 615 | 4.1 | 0.18 | 0.47 | 0.02 | 336 | 2.1 | 0.12 | 0.24 | 0.02 |
| *China, Tengzhou City | 197 | 3.7 | 0.27 | 0.44 | 0.04 | 97 | 1.7 | 0.18 | 0.21 | 0.02 |
| *China, Wangdu County | 20 | 3.0 | 0.70 | 0.27 | 0.08 | 10 | 1.5 | 0.49 | 0.28 | 0.09 |
| *China, Wanxian County | 12 | 1.0 | 0.28 | 0.12 | 0.04 | 11 | 1.0 | 0.33 | 0.11 | 0.04 |
| *China, Wu'an City | 36 | 1.5 | 0.26 | 0.17 | 0.04 | 23 | 0.9 | 0.20 | 0.09 | 0.02 |
| China, Wuhan City | 921 | 4.4 | 0.15 | 0.52 | 0.02 | 520 | 2.5 | 0.12 | 0.28 | 0.01 |
| *China, Wuhu City | 170 | 3.3 | 0.26 | 0.41 | 0.04 | 93 | 1.8 | 0.21 | 0.22 | 0.03 |
| China, Wuxi City | 558 | 4.9 | 0.22 | 0.57 | 0.03 | 316 | 2.7 | 0.16 | 0.32 | 0.02 |
| China, Wuzhou City | 42 | 2.2 | 0.34 | 0.27 | 0.05 | 25 | 1.5 | 0.32 | 0.18 | 0.04 |
| China, Xiangfu District, Kaifeng City | 70 | 3.7 | 0.45 | 0.43 | 0.06 | 29 | 1.5 | 0.29 | 0.13 | 0.03 |
| China, Xianju County | 31 | 1.6 | 0.28 | 0.16 | 0.03 | 26 | 1.6 | 0.33 | 0.15 | 0.03 |
| *China, Xin'an County | 29 | 2.6 | 0.48 | 0.29 | 0.06 | 20 | 1.8 | 0.40 | 0.22 | 0.06 |
| *China, Xining City | 146 | 6.9 | 0.60 | 0.76 | 0.08 | 72 | 2.8 | 0.35 | 0.27 | 0.04 |
| *China, Xinji City | 92 | 3.6 | 0.39 | 0.41 | 0.05 | 48 | 2.0 | 0.33 | 0.20 | 0.03 |
| *China, Xinluo District, Longyan City | 33 | 2.9 | 0.52 | 0.34 | 0.07 | 14 | 1.1 | 0.31 | 0.13 | 0.04 |
| *China, Xinzhou District, Shangrao City | 32 | 2.4 | 0.43 | 0.23 | 0.05 | 28 | 2.1 | 0.41 | 0.26 | 0.06 |
| China, Xiping County | 53 | 2.1 | 0.32 | 0.23 | 0.04 | 36 | 1.3 | 0.23 | 0.13 | 0.03 |
| *China, Xishan District, Kunming City | 27 | 1.6 | 0.33 | 0.19 | 0.04 | 10 | 0.5 | 0.17 | 0.05 | 0.02 |
| *China, Xuyi County | 37 | 1.6 | 0.30 | 0.18 | 0.04 | 31 | 1.2 | 0.23 | 0.15 | 0.03 |
| *China, Ya'an City | 111 | 2.1 | 0.20 | 0.26 | 0.03 | 62 | 1.2 | 0.16 | 0.12 | 0.02 |
| *China, Yakeshi City | 98 | 6.4 | 0.69 | 0.81 | 0.10 | 54 | 3.2 | 0.45 | 0.35 | 0.06 |
| China, Yancheng City | 161 | 2.9 | 0.25 | 0.32 | 0.03 | 84 | 1.5 | 0.18 | 0.19 | 0.02 |
| *China, Yangquan City | 113 | 4.8 | 0.46 | 0.63 | 0.07 | 63 | 3.0 | 0.39 | 0.42 | 0.06 |
| *China, Yangzhong City | 24 | 1.7 | 0.36 | 0.21 | 0.05 | 25 | 2.2 | 0.60 | 0.20 | 0.05 |
| *China, Yanji City | 88 | 4.4 | 0.51 | 0.53 | 0.07 | 44 | 2.0 | 0.35 | 0.21 | 0.04 |
| *China, Yanshi City | 59 | 2.7 | 0.37 | 0.31 | 0.05 | 40 | 1.8 | 0.29 | 0.19 | 0.04 |
| China, Yanting County | 14 | 0.8 | 0.20 | 0.07 | 0.02 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 19 | 1.9 | 0.45 | 0.24 | 0.06 | 5 | 0.6 | 0.25 | 0.07 | 0.04 |
| *China, Yingdong District, Fuyang City | 42 | 2.0 | 0.32 | 0.23 | 0.04 | 19 | 1.0 | 0.25 | 0.10 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Kidney (C64) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 54 | 5.7 | 0.79 | 0.69 | 0.11 | 32 | 3.1 | 0.56 | 0.36 | 0.08 |
| *China, Yiyuan County | 56 | 3.3 | 0.49 | 0.46 | 0.07 | 34 | 1.7 | 0.30 | 0.20 | 0.04 |
| China, Yong'an City | 43 | 3.6 | 0.57 | 0.46 | 0.08 | 19 | 1.6 | 0.38 | 0.20 | 0.05 |
| *China, Yongding District, Longyan City | 35 | 2.0 | 0.34 | 0.20 | 0.04 | 15 | 1.0 | 0.29 | 0.09 | 0.03 |
| China, Yongkang City | 73 | 3.3 | 0.40 | 0.37 | 0.05 | 39 | 1.9 | 0.34 | 0.20 | 0.04 |
| *China, Yucheng County | 36 | 1.8 | 0.31 | 0.23 | 0.05 | 21 | 1.1 | 0.25 | 0.12 | 0.03 |
| China, Yueyanglou District, Yueyang City | 39 | 3.4 | 0.56 | 0.37 | 0.08 | 34 | 3.4 | 0.59 | 0.45 | 0.09 |
| China, Yunmeng County | 25 | 1.8 | 0.43 | 0.17 | 0.04 | 13 | 0.7 | 0.20 | 0.09 | 0.03 |
| *China, Yunyang District, Shiyuan City | 7 | 0.7 | 0.25 | 0.06 | 0.02 | 9 | 1.0 | 0.33 | 0.12 | 0.04 |
| China, Yuzhong District, Chongqing City | 149 | 6.2 | 0.54 | 0.74 | 0.08 | 110 | 5.2 | 0.58 | 0.65 | 0.08 |
| *China, Zhanhuang County | 39 | 4.5 | 0.74 | 0.48 | 0.09 | 22 | 2.8 | 0.61 | 0.29 | 0.07 |
| *China, Zhangjiagang City | 225 | 5.4 | 0.38 | 0.66 | 0.05 | 98 | 2.1 | 0.22 | 0.26 | 0.03 |
| *China, Zhaoyuan City | 131 | 4.7 | 0.42 | 0.55 | 0.06 | 65 | 2.1 | 0.29 | 0.23 | 0.04 |
| *China, Zhengding County | 41 | 3.1 | 0.49 | 0.35 | 0.06 | 23 | 1.6 | 0.33 | 0.19 | 0.04 |
| *China, Zhongshan City | 165 | 3.2 | 0.25 | 0.35 | 0.03 | 100 | 1.8 | 0.20 | 0.20 | 0.03 |
| China, Zhongxiang City | 58 | 1.8 | 0.25 | 0.21 | 0.03 | 33 | 1.1 | 0.20 | 0.13 | 0.03 |
| *China, Zhuanghe City | 170 | 4.1 | 0.32 | 0.47 | 0.04 | 72 | 2.2 | 0.33 | 0.24 | 0.03 |
| *China, Zhuhai City | 146 | 4.3 | 0.38 | 0.47 | 0.05 | 69 | 2.1 | 0.27 | 0.25 | 0.04 |
| India, Ahmedabad, Urban | 165 | 1.5 | 0.12 | 0.18 | 0.02 | 89 | 0.8 | 0.09 | 0.08 | 0.01 |
| India, Aurangabad | 17 | 0.7 | 0.17 | 0.10 | 0.03 | 7 | 0.3 | 0.10 | 0.03 | 0.01 |
| India, Bangalore | 276 | 2.5 | 0.15 | 0.28 | 0.02 | 127 | 1.2 | 0.11 | 0.14 | 0.02 |
| India, Barshi, Paranda, and Bhum | 3 | 0.2 | 0.10 | 0.03 | 0.02 | 7 | 0.6 | 0.25 | 0.04 | 0.02 |
| *India, Bhopal | 36 | 1.4 | 0.24 | 0.13 | 0.03 | 20 | 0.8 | 0.18 | 0.07 | 0.02 |
| India, Chandigarh | 43 | 1.8 | 0.29 | 0.21 | 0.04 | 34 | 1.7 | 0.29 | 0.20 | 0.04 |
| *India, Chennai | 229 | 1.9 | 0.13 | 0.23 | 0.02 | 137 | 1.1 | 0.10 | 0.14 | 0.01 |
| India, Dibrugarh | 22 | 0.7 | 0.16 | 0.09 | 0.02 | 14 | 0.5 | 0.14 | 0.07 | 0.02 |
| *India, Dindigul, Ambilikkai | 54 | 0.9 | 0.12 | 0.10 | 0.01 | 19 | 0.3 | 0.08 | 0.04 | 0.01 |
| India, Kamrup Urban District | 61 | 2.6 | 0.35 | 0.30 | 0.05 | 27 | 1.3 | 0.26 | 0.18 | 0.04 |
| India, Kollam | 152 | 2.5 | 0.20 | 0.30 | 0.03 | 48 | 0.8 | 0.12 | 0.08 | 0.01 |
| *India, Manipur | 31 | 0.7 | 0.13 | 0.08 | 0.02 | 21 | 0.5 | 0.10 | 0.05 | 0.01 |
| India, Meghalaya | 6 | 0.2 | 0.09 | 0.02 | 0.01 | 13 | 0.4 | 0.13 | 0.05 | 0.02 |
| India, Mizoram | 19 | 1.1 | 0.25 | 0.11 | 0.04 | 7 | 0.4 | 0.14 | 0.03 | 0.02 |
| India, Mumbai | 845 | 2.7 | 0.10 | 0.32 | 0.01 | 377 | 1.3 | 0.07 | 0.14 | 0.01 |
| *India, New Delhi | 551 | 2.6 | 0.11 | 0.31 | 0.02 | 256 | 1.2 | 0.08 | 0.13 | 0.01 |
| India, Poona | 286 | 2.4 | 0.14 | 0.29 | 0.02 | 118 | 1.0 | 0.09 | 0.12 | 0.01 |
| *India, Sangrur District | 36 | 1.4 | 0.23 | 0.15 | 0.03 | 28 | 1.1 | 0.22 | 0.11 | 0.02 |
| India, SAS Nagar | 50 | 2.1 | 0.30 | 0.25 | 0.04 | 28 | 1.2 | 0.23 | 0.13 | 0.03 |
| *India, Tamil Nadu | 1994 | 1.0 | 0.02 | 0.12 | 0.00 | 912 | 0.5 | 0.02 | 0.05 | 0.00 |
| *India, Tripura | 58 | 0.9 | 0.12 | 0.10 | 0.02 | 16 | 0.2 | 0.06 | 0.02 | 0.01 |
| India, Trivandrum | 245 | 3.1 | 0.20 | 0.38 | 0.03 | 84 | 1.0 | 0.12 | 0.09 | 0.01 |
| India, Wardha | 45 | 1.2 | 0.19 | 0.15 | 0.03 | 16 | 0.4 | 0.11 | 0.05 | 0.01 |
| India, West Arunachal | 4 | 0.4 | 0.23 | 0.05 | 0.03 | 6 | 0.7 | 0.31 | 0.09 | 0.04 |
| *Iran (Islamic Republic of), Ardabil Province | 76 | 4.2 | 0.50 | 0.56 | 0.08 | 43 | 2.3 | 0.36 | 0.26 | 0.05 |
| *Iran (Islamic Republic of), Golestan Province | 59 | 2.6 | 0.36 | 0.34 | 0.06 | 54 | 2.2 | 0.30 | 0.25 | 0.04 |
| Israel | 2521 | 10.5 | 0.21 | 1.27 | 0.03 | 1323 | 4.8 | 0.14 | 0.55 | 0.02 |
| *Israel: Jews | 2174 | 10.9 | 0.24 | 1.32 | 0.03 | 1104 | 4.9 | 0.16 | 0.56 | 0.02 |
| *Israel: Arabs | 182 | 5.6 | 0.43 | 0.67 | 0.06 | 103 | 2.9 | 0.30 | 0.31 | 0.04 |
| Japan | 35520 | 8.6 | 0.05 | 1.01 | 0.01 | 15966 | 3.2 | 0.03 | 0.36 | 0.00 |
| Japan, Aichi Prefecture | 1867 | 8.6 | 0.22 | 0.99 | 0.03 | 752 | 2.9 | 0.13 | 0.34 | 0.02 |
| *Japan, Akita Prefecture | 350 | 9.1 | 0.62 | 1.03 | 0.07 | 158 | 3.1 | 0.35 | 0.34 | 0.04 |
| Japan, Aomori Prefecture | 727 | 9.5 | 0.44 | 1.10 | 0.05 | 388 | 3.4 | 0.23 | 0.39 | 0.03 |
| Japan, Gunma Prefecture | 476 | 7.2 | 0.37 | 0.87 | 0.05 | 265 | 3.5 | 0.27 | 0.40 | 0.03 |
| Japan, Hiroshima Prefecture | 1257 | 10.3 | 0.33 | 1.24 | 0.04 | 578 | 4.0 | 0.23 | 0.45 | 0.02 |
| Japan, Miyagi Prefecture | 1226 | 9.9 | 0.31 | 1.17 | 0.04 | 528 | 3.4 | 0.18 | 0.40 | 0.02 |
| Japan, Osaka Prefecture | 2522 | 9.0 | 0.20 | 1.06 | 0.03 | 1131 | 3.4 | 0.13 | 0.38 | 0.01 |
| Kuwait | 206 | 2.6 | 0.23 | 0.33 | 0.04 | 95 | 1.9 | 0.22 | 0.23 | 0.03 |
| *Kuwait: Kuwaitis | 99 | 5.2 | 0.55 | 0.63 | 0.08 | 59 | 2.4 | 0.32 | 0.29 | 0.05 |
| *Kuwait: Non-Kuwaitis | 107 | 1.6 | 0.23 | 0.20 | 0.04 | 36 | 1.5 | 0.33 | 0.18 | 0.06 |
| *Philippines, Manila | 445 | 4.1 | 0.20 | 0.50 | 0.03 | 254 | 1.9 | 0.12 | 0.22 | 0.02 |
| *Qatar: Qatari | 15 | 3.3 | 0.89 | 0.32 | 0.10 | 18 | 3.5 | 0.88 | 0.42 | 0.13 |
| Republic of Korea | 16516 | 8.6 | 0.07 | 0.99 | 0.01 | 7581 | 3.6 | 0.05 | 0.40 | 0.01 |
| *Republic of Korea, Busan | 1262 | 8.8 | 0.26 | 1.02 | 0.03 | 600 | 3.8 | 0.18 | 0.44 | 0.02 |
| *Republic of Korea, Daegu | 840 | 9.1 | 0.33 | 1.04 | 0.04 | 400 | 3.7 | 0.20 | 0.44 | 0.03 |
| *Republic of Korea, Daejeon | 488 | 9.3 | 0.43 | 1.12 | 0.06 | 217 | 3.7 | 0.26 | 0.40 | 0.03 |
| *Republic of Korea, Gwangju | 385 | 7.7 | 0.40 | 0.91 | 0.05 | 182 | 3.1 | 0.24 | 0.36 | 0.03 |
| Republic of Korea, Incheon | 867 | 8.3 | 0.30 | 0.94 | 0.04 | 424 | 3.7 | 0.20 | 0.41 | 0.02 |
| Republic of Korea, Jeju | 210 | 9.0 | 0.65 | 1.07 | 0.09 | 91 | 3.9 | 0.51 | 0.37 | 0.05 |
| Republic of Korea, Seoul | 3196 | 8.7 | 0.16 | 0.97 | 0.02 | 1501 | 3.7 | 0.10 | 0.42 | 0.01 |
| Republic of Korea, Ulsan | 377 | 9.5 | 0.51 | 1.12 | 0.07 | 161 | 3.8 | 0.31 | 0.41 | 0.04 |
| Singapore | 1250 | 8.5 | 0.25 | 1.01 | 0.03 | 625 | 4.0 | 0.17 | 0.46 | 0.02 |
| Singapore: Chinese | 1063 | 9.1 | 0.29 | 1.07 | 0.04 | 518 | 4.2 | 0.21 | 0.47 | 0.02 |
| Singapore: Indian | 71 | 6.2 | 0.76 | 0.74 | 0.11 | 31 | 2.9 | 0.54 | 0.41 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kidney (C64) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 98 | 6.4 | 0.67 | 0.85 | 0.11 | 65 | 3.8 | 0.48 | 0.47 | 0.07 |
| Thailand, Bangkok | 379 | 2.2 | 0.12 | 0.26 | 0.02 | 199 | 1.0 | 0.07 | 0.10 | 0.01 |
| *Thailand, Chiang Mai | 141 | 2.6 | 0.22 | 0.32 | 0.03 | 73 | 1.2 | 0.16 | 0.14 | 0.02 |
| *Thailand, Khon Kaen | 70 | 1.2 | 0.15 | 0.13 | 0.02 | 40 | 0.6 | 0.11 | 0.07 | 0.01 |
| Thailand, Lampang | 64 | 2.3 | 0.35 | 0.27 | 0.04 | 23 | 0.7 | 0.15 | 0.10 | 0.03 |
| Thailand, Lopburi Province | 39 | 1.8 | 0.30 | 0.20 | 0.04 | 23 | 0.8 | 0.18 | 0.10 | 0.03 |
| *Thailand, Songkhla | 69 | 1.7 | 0.21 | 0.22 | 0.03 | 40 | 0.8 | 0.14 | 0.08 | 0.02 |
| Turkey, Antalya | 408 | 6.6 | 0.33 | 0.81 | 0.05 | 200 | 3.1 | 0.23 | 0.35 | 0.03 |
| Turkey, Bursa | 461 | 5.8 | 0.28 | 0.69 | 0.04 | 268 | 3.1 | 0.20 | 0.36 | 0.03 |
| *Turkey, Edirne | 97 | 6.9 | 0.75 | 0.76 | 0.09 | 51 | 3.4 | 0.52 | 0.39 | 0.06 |
| *Turkey, Erzurum | 122 | 6.8 | 0.62 | 0.81 | 0.09 | 82 | 4.3 | 0.48 | 0.51 | 0.06 |
| Turkey, Eskişehir | 172 | 6.7 | 0.52 | 0.83 | 0.07 | 90 | 3.3 | 0.37 | 0.38 | 0.04 |
| Turkey, Gaziantep | 204 | 5.6 | 0.40 | 0.63 | 0.06 | 125 | 3.1 | 0.28 | 0.35 | 0.04 |
| *Turkey, Izmir | 1066 | 8.1 | 0.25 | 0.95 | 0.03 | 553 | 3.9 | 0.17 | 0.44 | 0.02 |
| Turkey, Malatya | 114 | 5.5 | 0.52 | 0.63 | 0.07 | 84 | 3.5 | 0.40 | 0.37 | 0.05 |
| Turkey, Samsun | 360 | 8.9 | 0.47 | 1.04 | 0.06 | 196 | 4.7 | 0.35 | 0.51 | 0.04 |
| Turkey, Trabzon | 245 | 10.3 | 0.67 | 1.32 | 0.10 | 125 | 4.7 | 0.44 | 0.54 | 0.06 |
| Europe | | | | | | | | | | |
| Austria | 4246 | 11.1 | 0.18 | 1.34 | 0.02 | 2435 | 5.2 | 0.13 | 0.59 | 0.02 |
| Austria, Carinthia | 355 | 12.9 | 0.73 | 1.65 | 0.10 | 225 | 7.3 | 0.58 | 0.81 | 0.07 |
| Austria, Tyrol | 369 | 12.0 | 0.67 | 1.34 | 0.08 | 196 | 5.6 | 0.49 | 0.63 | 0.06 |
| Austria, Vorarlberg | 162 | 9.7 | 0.79 | 1.22 | 0.11 | 89 | 4.2 | 0.49 | 0.50 | 0.07 |
| Belarus | 6202 | 19.8 | 0.26 | 2.40 | 0.04 | 4277 | 9.5 | 0.16 | 1.15 | 0.02 |
| *Belgium | 5458 | 11.0 | 0.16 | 1.34 | 0.02 | 3050 | 5.3 | 0.11 | 0.63 | 0.01 |
| Croatia | 2544 | 14.0 | 0.30 | 1.66 | 0.04 | 1411 | 6.1 | 0.20 | 0.70 | 0.02 |
| Cyprus | 224 | 6.5 | 0.46 | 0.81 | 0.06 | 125 | 3.4 | 0.34 | 0.40 | 0.04 |
| *Czech Republic | 9873 | 21.1 | 0.22 | 2.65 | 0.03 | 5683 | 9.5 | 0.14 | 1.18 | 0.02 |
| Denmark | 3114 | 12.2 | 0.23 | 1.54 | 0.03 | 1607 | 5.7 | 0.16 | 0.69 | 0.02 |
| Estonia | 878 | 16.9 | 0.60 | 2.06 | 0.08 | 737 | 8.2 | 0.37 | 0.97 | 0.05 |
| Finland | 2847 | 10.7 | 0.22 | 1.25 | 0.03 | 2009 | 6.1 | 0.17 | 0.69 | 0.02 |
| *France, Bas-Rhin | 623 | 16.4 | 0.69 | 1.95 | 0.09 | 342 | 7.7 | 0.49 | 0.88 | 0.06 |
| *France, Calvados | 437 | 14.8 | 0.77 | 1.76 | 0.10 | 224 | 5.9 | 0.45 | 0.72 | 0.06 |
| *France, Doubs | 290 | 12.8 | 0.81 | 1.62 | 0.11 | 147 | 5.1 | 0.49 | 0.60 | 0.07 |
| *France, Gironde | 1084 | 16.9 | 0.54 | 2.02 | 0.07 | 529 | 7.1 | 0.36 | 0.78 | 0.04 |
| *France, Haut-Rhin | 463 | 13.4 | 0.67 | 1.64 | 0.09 | 270 | 6.4 | 0.47 | 0.67 | 0.06 |
| *France, Hérault | 768 | 15.7 | 0.62 | 1.85 | 0.08 | 329 | 5.3 | 0.35 | 0.57 | 0.04 |
| *France, Isère | 654 | 12.8 | 0.53 | 1.52 | 0.07 | 271 | 5.0 | 0.35 | 0.55 | 0.04 |
| *France, Lille-Métropole | 314 | 11.8 | 0.69 | 1.42 | 0.10 | 203 | 6.1 | 0.48 | 0.69 | 0.06 |
| *France, Limousin | 314 | 16.5 | 1.03 | 1.95 | 0.14 | 113 | 5.0 | 0.59 | 0.56 | 0.07 |
| *France, Loire-Atlantique | 765 | 13.8 | 0.53 | 1.64 | 0.07 | 390 | 5.5 | 0.32 | 0.64 | 0.04 |
| *France, Manche | 348 | 13.5 | 0.81 | 1.65 | 0.11 | 175 | 5.6 | 0.54 | 0.66 | 0.07 |
| *France, Poitou-Charentes | 1375 | 15.4 | 0.46 | 1.87 | 0.06 | 653 | 6.4 | 0.32 | 0.69 | 0.04 |
| *France, Somme | 305 | 13.1 | 0.79 | 1.57 | 0.10 | 157 | 6.3 | 0.60 | 0.71 | 0.07 |
| *France, Tarn | 283 | 13.0 | 0.86 | 1.60 | 0.12 | 123 | 4.8 | 0.56 | 0.55 | 0.07 |
| *France, Territoire de Belfort | 82 | 17.2 | 2.01 | 2.08 | 0.28 | 33 | 5.0 | 0.97 | 0.59 | 0.13 |
| *France, Vendée | 457 | 13.9 | 0.71 | 1.73 | 0.09 | 209 | 5.9 | 0.51 | 0.61 | 0.05 |
| Germany, Baden-Württemberg | 3352 | 10.2 | 0.19 | 1.24 | 0.03 | 1782 | 4.5 | 0.12 | 0.53 | 0.02 |
| Germany, Bavaria | 6750 | 10.7 | 0.14 | 1.30 | 0.02 | 3635 | 4.7 | 0.10 | 0.52 | 0.01 |
| Germany, Bremen | 348 | 10.6 | 0.61 | 1.28 | 0.08 | 192 | 5.0 | 0.47 | 0.59 | 0.05 |
| Germany, Hamburg | 780 | 9.5 | 0.37 | 1.17 | 0.05 | 451 | 4.7 | 0.27 | 0.54 | 0.03 |
| Germany, Lower Saxony | 4779 | 11.7 | 0.19 | 1.39 | 0.02 | 2731 | 5.5 | 0.13 | 0.62 | 0.02 |
| Germany, North Rhine-Westphalia | 9732 | 11.0 | 0.12 | 1.32 | 0.02 | 5701 | 5.3 | 0.09 | 0.61 | 0.01 |
| Germany, Rhineland-Palatinate | 2460 | 11.8 | 0.27 | 1.40 | 0.03 | 1388 | 5.8 | 0.20 | 0.65 | 0.02 |
| Germany, Saarland | 614 | 11.9 | 0.53 | 1.43 | 0.07 | 374 | 6.2 | 0.43 | 0.69 | 0.05 |
| Germany, Schleswig-Holstein | 1609 | 10.5 | 0.30 | 1.25 | 0.04 | 860 | 5.0 | 0.23 | 0.55 | 0.02 |
| Iceland | 167 | 13.0 | 1.04 | 1.69 | 0.15 | 105 | 7.5 | 0.78 | 0.88 | 0.11 |
| Ireland | 2057 | 12.0 | 0.28 | 1.39 | 0.04 | 1148 | 6.1 | 0.20 | 0.69 | 0.03 |
| *Italy, Aosta Valley | 73 | 14.4 | 2.01 | 1.58 | 0.23 | 25 | 3.9 | 1.20 | 0.29 | 0.10 |
| *Italy, Avellino | 99 | 8.5 | 1.02 | 0.95 | 0.12 | 55 | 4.1 | 0.63 | 0.50 | 0.08 |
| Italy, Basilicata | 221 | 7.8 | 0.57 | 0.95 | 0.08 | 118 | 3.6 | 0.41 | 0.42 | 0.05 |
| *Italy, Benevento | 98 | 10.6 | 1.20 | 1.26 | 0.14 | 41 | 3.2 | 0.56 | 0.42 | 0.08 |
| Italy, Bergamo | 754 | 14.5 | 0.58 | 1.76 | 0.08 | 347 | 5.8 | 0.39 | 0.63 | 0.04 |
| *Italy, Brescia | 735 | 13.6 | 0.54 | 1.62 | 0.07 | 417 | 5.9 | 0.35 | 0.68 | 0.04 |
| Italy, Brianza (Lecco and Monza e Brianza) | 433 | 12.4 | 0.67 | 1.43 | 0.08 | 236 | 5.6 | 0.43 | 0.68 | 0.06 |
| Italy, Calabria | 212 | 9.1 | 0.68 | 1.03 | 0.08 | 123 | 4.6 | 0.47 | 0.53 | 0.06 |
| *Italy, Caserta | 287 | 10.1 | 0.63 | 1.20 | 0.08 | 158 | 5.0 | 0.49 | 0.55 | 0.05 |
| *Italy, Catania, Messina, and Enna | 733 | 9.1 | 0.37 | 1.07 | 0.05 | 372 | 4.2 | 0.26 | 0.48 | 0.03 |
| Italy, Emilia-Romagna | 2900 | 15.6 | 0.33 | 1.84 | 0.04 | 1496 | 6.5 | 0.21 | 0.75 | 0.03 |
| Italy, Friuli-Venezia Giulia | 910 | 13.6 | 0.52 | 1.60 | 0.06 | 457 | 5.4 | 0.34 | 0.62 | 0.04 |
| Italy, Genova | 450 | 12.2 | 0.69 | 1.44 | 0.08 | 225 | 4.6 | 0.37 | 0.58 | 0.05 |
| *Italy, Lombardy, South, Pavia | 394 | 13.4 | 0.75 | 1.63 | 0.10 | 215 | 6.4 | 0.60 | 0.73 | 0.07 |
| Italy, Mantova and Cremona | 461 | 14.6 | 0.74 | 1.80 | 0.10 | 247 | 5.8 | 0.44 | 0.69 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Kidney (C64) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 795 | 12.4 | 0.50 | 1.52 | 0.07 | 461 | 6.2 | 0.35 | 0.74 | 0.04 |
| Italy, Milan | 2050 | 12.2 | 0.30 | 1.44 | 0.04 | 1027 | 4.9 | 0.19 | 0.57 | 0.02 |
| Italy, Molise | 96 | 10.9 | 1.28 | 1.24 | 0.15 | 42 | 3.4 | 0.64 | 0.38 | 0.08 |
| *Italy, Naples Centre | 260 | 11.0 | 0.73 | 1.29 | 0.09 | 151 | 5.3 | 0.51 | 0.56 | 0.05 |
| *Italy, Naples North | 303 | 10.2 | 0.60 | 1.19 | 0.08 | 185 | 5.5 | 0.42 | 0.64 | 0.05 |
| *Italy, Naples South | 387 | 9.7 | 0.53 | 1.11 | 0.06 | 215 | 4.6 | 0.36 | 0.56 | 0.04 |
| *Italy, Nuoro | 59 | 8.7 | 1.20 | 1.12 | 0.17 | 29 | 4.8 | 1.27 | 0.50 | 0.11 |
| *Italy, Palermo | 540 | 10.0 | 0.46 | 1.22 | 0.06 | 268 | 4.4 | 0.31 | 0.50 | 0.04 |
| Italy, Puglia | 1561 | 8.6 | 0.24 | 1.00 | 0.03 | 895 | 4.3 | 0.18 | 0.49 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 214 | 8.8 | 0.67 | 1.02 | 0.08 | 113 | 4.3 | 0.52 | 0.44 | 0.05 |
| *Italy, Salerno | 326 | 8.8 | 0.53 | 1.00 | 0.06 | 182 | 4.4 | 0.40 | 0.52 | 0.05 |
| Italy, Sassari | 110 | 10.9 | 1.11 | 1.26 | 0.14 | 50 | 4.2 | 0.67 | 0.45 | 0.08 |
| *Italy, Sondrio | 167 | 15.2 | 1.27 | 1.75 | 0.17 | 78 | 6.4 | 0.95 | 0.71 | 0.11 |
| Italy, South Tyrol | 254 | 10.5 | 0.73 | 1.26 | 0.10 | 147 | 5.0 | 0.48 | 0.58 | 0.06 |
| *Italy, Syracuse | 178 | 9.8 | 0.82 | 1.18 | 0.10 | 77 | 3.4 | 0.44 | 0.36 | 0.05 |
| Italy, Trento | 291 | 11.2 | 0.73 | 1.36 | 0.10 | 169 | 5.9 | 0.56 | 0.67 | 0.06 |
| Italy, Turin | 1234 | 10.4 | 0.33 | 1.26 | 0.04 | 613 | 4.6 | 0.24 | 0.51 | 0.03 |
| *Italy, Tuscany | 1680 | 16.0 | 0.45 | 1.91 | 0.06 | 920 | 6.9 | 0.28 | 0.80 | 0.03 |
| Italy, Umbria | 554 | 14.5 | 0.70 | 1.72 | 0.09 | 256 | 5.4 | 0.42 | 0.63 | 0.05 |
| Italy, Varese | 314 | 11.4 | 0.69 | 1.40 | 0.10 | 170 | 4.8 | 0.43 | 0.56 | 0.06 |
| Italy, Veneto | 3303 | 13.7 | 0.26 | 1.67 | 0.03 | 1658 | 5.7 | 0.17 | 0.68 | 0.02 |
| Latvia | 1332 | 17.8 | 0.51 | 2.17 | 0.07 | 1112 | 9.1 | 0.32 | 1.11 | 0.04 |
| *Liechtenstein | 18 | 10.5 | 2.52 | 1.36 | 0.35 | 9 | 3.8 | 1.40 | 0.37 | 0.19 |
| *Lithuania | 2029 | 18.3 | 0.43 | 2.30 | 0.06 | 1379 | 7.9 | 0.26 | 0.93 | 0.03 |
| Malta | 240 | 12.2 | 0.84 | 1.47 | 0.11 | 135 | 6.8 | 0.74 | 0.78 | 0.08 |
| *The Netherlands | 7985 | 10.3 | 0.12 | 1.25 | 0.02 | 4610 | 5.4 | 0.09 | 0.64 | 0.01 |
| Norway | 2945 | 13.7 | 0.26 | 1.67 | 0.04 | 1385 | 6.0 | 0.18 | 0.71 | 0.02 |
| Poland, Kielce | 543 | 10.5 | 0.48 | 1.27 | 0.06 | 388 | 6.2 | 0.38 | 0.76 | 0.05 |
| *Portugal, Azores | 75 | 10.8 | 1.31 | 1.31 | 0.18 | 46 | 5.5 | 0.85 | 0.66 | 0.12 |
| Russian Federation, Arkhangelsk | 635 | 16.9 | 0.69 | 2.03 | 0.10 | 614 | 10.0 | 0.44 | 1.24 | 0.06 |
| Russian Federation, Kaliningrad | 399 | 12.9 | 0.66 | 1.51 | 0.09 | 299 | 6.5 | 0.42 | 0.78 | 0.05 |
| Russian Federation, Karelia | 327 | 16.0 | 0.91 | 1.94 | 0.13 | 292 | 8.9 | 0.59 | 1.11 | 0.08 |
| *Russian Federation, Komi Republic | 523 | 21.1 | 0.97 | 2.47 | 0.14 | 423 | 10.7 | 0.55 | 1.29 | 0.08 |
| Russian Federation, Murmansk | 534 | 24.6 | 1.11 | 3.13 | 0.17 | 400 | 11.6 | 0.63 | 1.47 | 0.09 |
| *Russian Federation, Orenburg | 1091 | 17.1 | 0.53 | 2.06 | 0.08 | 909 | 9.7 | 0.34 | 1.18 | 0.05 |
| Russian Federation, Pskov | 315 | 14.2 | 0.83 | 1.76 | 0.12 | 258 | 7.2 | 0.54 | 0.83 | 0.06 |
| *Russian Federation, Samara | 1578 | 15.0 | 0.39 | 1.87 | 0.05 | 1204 | 7.7 | 0.25 | 0.94 | 0.03 |
| Russian Federation, Vologda Region | 512 | 13.3 | 0.60 | 1.61 | 0.07 | 436 | 7.6 | 0.41 | 0.88 | 0.04 |
| Slovenia | 1207 | 12.6 | 0.38 | 1.57 | 0.05 | 612 | 5.1 | 0.24 | 0.61 | 0.03 |
| Spain, Asturias | 479 | 14.6 | 0.74 | 1.76 | 0.10 | 237 | 5.0 | 0.39 | 0.60 | 0.05 |
| Spain, Basque Country | 1271 | 15.5 | 0.47 | 1.84 | 0.06 | 563 | 5.6 | 0.28 | 0.64 | 0.03 |
| Spain, Canary Islands | 443 | 7.9 | 0.39 | 0.96 | 0.05 | 180 | 2.7 | 0.23 | 0.32 | 0.03 |
| Spain, Castellón | 230 | 9.1 | 0.64 | 1.05 | 0.08 | 110 | 3.7 | 0.40 | 0.46 | 0.05 |
| Spain, Girona | 340 | 10.3 | 0.60 | 1.16 | 0.08 | 174 | 4.8 | 0.41 | 0.57 | 0.05 |
| Spain, Granada | 333 | 8.7 | 0.51 | 1.07 | 0.07 | 175 | 4.0 | 0.35 | 0.48 | 0.04 |
| Spain, La Rioja | 142 | 9.2 | 0.84 | 1.11 | 0.11 | 68 | 3.7 | 0.53 | 0.42 | 0.07 |
| Spain, Murcia | 473 | 8.6 | 0.42 | 1.02 | 0.06 | 238 | 4.1 | 0.30 | 0.46 | 0.04 |
| Spain, Navarra | 275 | 11.9 | 0.77 | 1.42 | 0.10 | 111 | 4.1 | 0.47 | 0.49 | 0.06 |
| Spain, Salamanca | 176 | 10.0 | 0.89 | 1.22 | 0.11 | 89 | 4.5 | 0.57 | 0.50 | 0.07 |
| Spain, Tarragona | 316 | 9.2 | 0.56 | 1.10 | 0.07 | 156 | 4.2 | 0.39 | 0.49 | 0.05 |
| *Sweden | 4068 | 9.0 | 0.15 | 1.11 | 0.02 | 2289 | 4.8 | 0.12 | 0.56 | 0.01 |
| Switzerland, Aargau | 263 | 8.9 | 0.61 | 1.01 | 0.08 | 120 | 3.6 | 0.39 | 0.38 | 0.05 |
| Switzerland, Basel | 205 | 9.0 | 0.71 | 1.13 | 0.09 | 113 | 3.9 | 0.43 | 0.45 | 0.06 |
| Switzerland, Berne Solothurn | 381 | 9.3 | 0.54 | 1.09 | 0.07 | 155 | 3.1 | 0.28 | 0.38 | 0.04 |
| Switzerland, East | 350 | 9.0 | 0.52 | 1.10 | 0.07 | 148 | 3.5 | 0.33 | 0.41 | 0.04 |
| *Switzerland, Fribourg | 110 | 8.8 | 0.87 | 1.04 | 0.12 | 57 | 5.2 | 0.83 | 0.53 | 0.08 |
| Switzerland, Geneva | 171 | 9.1 | 0.75 | 1.06 | 0.10 | 88 | 4.3 | 0.52 | 0.51 | 0.06 |
| *Switzerland, Graubünden and Glarus | 95 | 8.2 | 0.96 | 0.94 | 0.11 | 41 | 4.0 | 0.85 | 0.47 | 0.08 |
| *Switzerland, Lucerne | 226 | 9.2 | 0.64 | 1.09 | 0.09 | 104 | 4.2 | 0.49 | 0.51 | 0.06 |
| *Switzerland, Neuchâtel and Jura | 109 | 10.3 | 1.10 | 1.24 | 0.14 | 47 | 3.4 | 0.56 | 0.40 | 0.07 |
| Switzerland, Ticino | 209 | 11.8 | 0.90 | 1.44 | 0.12 | 89 | 4.1 | 0.51 | 0.52 | 0.07 |
| Switzerland, Valais | 138 | 8.7 | 0.78 | 1.15 | 0.11 | 59 | 3.6 | 0.64 | 0.36 | 0.06 |
| Switzerland, Vaud | 309 | 9.5 | 0.58 | 1.13 | 0.08 | 127 | 3.6 | 0.37 | 0.43 | 0.05 |
| Switzerland, Zurich and Zug | 608 | 8.7 | 0.38 | 1.03 | 0.05 | 283 | 3.8 | 0.27 | 0.42 | 0.03 |
| Ukraine | 13798 | 11.6 | 0.10 | 1.43 | 0.01 | 9801 | 5.9 | 0.07 | 0.70 | 0.01 |
| UK, England | 29193 | 12.0 | 0.08 | 1.38 | 0.01 | 17438 | 6.3 | 0.06 | 0.71 | 0.01 |
| UK, Northern Ireland | 1016 | 13.5 | 0.45 | 1.51 | 0.06 | 586 | 6.9 | 0.32 | 0.77 | 0.04 |
| UK, Scotland | 3061 | 12.6 | 0.25 | 1.43 | 0.03 | 1899 | 6.7 | 0.18 | 0.76 | 0.02 |
| UK, Wales | 1705 | 11.2 | 0.30 | 1.27 | 0.04 | 1013 | 6.1 | 0.23 | 0.69 | 0.03 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 3783 | 12.1 | 0.21 | 1.45 | 0.03 | 2016 | 6.0 | 0.15 | 0.68 | 0.02 |
| *Australia, Northern Territory | 80 | 11.3 | 1.28 | 1.27 | 0.16 | 27 | 4.3 | 0.85 | 0.48 | 0.11 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Kidney (C64) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 75 | 12.9 | <i>1.51</i> | 1.42 | <i>0.19</i> | 20 | 4.2 | <i>0.96</i> | 0.47 | <i>0.13</i> |
| *Australia, Northern Territory: Indigenous | 4 | 2.8 | <i>1.42</i> | 0.33 | <i>0.17</i> | 7 | 5.1 | <i>2.06</i> | 0.52 | <i>0.25</i> |
| *Australia, Queensland | 2434 | 13.4 | <i>0.28</i> | 1.57 | <i>0.04</i> | 1246 | 6.6 | <i>0.20</i> | 0.74 | <i>0.02</i> |
| Australia, South Australia | 982 | 13.6 | <i>0.47</i> | 1.63 | <i>0.06</i> | 484 | 6.1 | <i>0.31</i> | 0.72 | <i>0.04</i> |
| Australia, Tasmania | 360 | 15.6 | <i>0.88</i> | 1.88 | <i>0.11</i> | 174 | 7.2 | <i>0.61</i> | 0.84 | <i>0.07</i> |
| *Australia, Victoria | 2858 | 12.5 | <i>0.25</i> | 1.47 | <i>0.03</i> | 1520 | 6.1 | <i>0.17</i> | 0.70 | <i>0.02</i> |
| *Australia, Western Australia | 1181 | 12.7 | <i>0.38</i> | 1.48 | <i>0.05</i> | 613 | 6.3 | <i>0.27</i> | 0.72 | <i>0.03</i> |
| *France, New Caledonia | 64 | 8.1 | <i>1.01</i> | 1.02 | <i>0.15</i> | 30 | 3.8 | <i>0.72</i> | 0.39 | <i>0.08</i> |
| New Zealand | 1878 | 10.4 | <i>0.25</i> | 1.26 | <i>0.03</i> | 987 | 5.2 | <i>0.18</i> | 0.60 | <i>0.02</i> |
| *New Zealand: Maori | 198 | 12.6 | <i>0.91</i> | 1.67 | <i>0.14</i> | 137 | 7.5 | <i>0.65</i> | 0.89 | <i>0.09</i> |
| *New Zealand: Pacific peoples | 59 | 8.7 | <i>1.16</i> | 0.91 | <i>0.14</i> | 42 | 5.9 | <i>0.92</i> | 0.74 | <i>0.14</i> |
| *New Zealand: Other | 1550 | 10.6 | <i>0.29</i> | 1.29 | <i>0.04</i> | 761 | 5.1 | <i>0.22</i> | 0.59 | <i>0.03</i> |
| USA, Hawaii | 719 | 12.4 | <i>0.49</i> | 1.51 | <i>0.06</i> | 345 | 5.6 | <i>0.33</i> | 0.66 | <i>0.04</i> |
| USA, Hawaii: White | 238 | 12.3 | <i>0.94</i> | 1.47 | <i>0.11</i> | 83 | 5.0 | <i>0.61</i> | 0.55 | <i>0.07</i> |
| *USA, Hawaii: Japanese | 150 | 13.1 | <i>1.27</i> | 1.52 | <i>0.15</i> | 74 | 4.5 | <i>0.65</i> | 0.60 | <i>0.09</i> |
| *USA, Hawaii: Chinese | 38 | 10.1 | <i>1.98</i> | 1.41 | <i>0.27</i> | 21 | 5.7 | <i>1.69</i> | 0.62 | <i>0.15</i> |
| *USA, Hawaii: Hawaiian | 123 | 14.0 | <i>1.27</i> | 1.76 | <i>0.18</i> | 57 | 5.9 | <i>0.81</i> | 0.66 | <i>0.10</i> |
| *USA, Hawaii: Filipino | 111 | 11.9 | <i>1.16</i> | 1.46 | <i>0.16</i> | 70 | 6.3 | <i>0.82</i> | 0.83 | <i>0.11</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Renal pelvis (C65)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Algeria, Tizi Ouzou | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Kenya, Nairobi | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| Mauritius | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Morocco, Casablanca | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Seychelles | 0 | – | 0.00 | – | 0.00 | 1 | 0.4 | 0.37 | 0.05 | 0.05 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 1 | 0.1 | 0.10 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Argentina, Mendoza | 6 | 0.1 | 0.05 | 0.02 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| Brazil, Aracaju | 3 | 0.3 | 0.17 | 0.02 | 0.02 | 3 | 0.2 | 0.10 | 0.01 | 0.01 |
| *Brazil, Barretos | 5 | 0.3 | 0.14 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Belo Horizonte | 21 | 0.3 | 0.06 | 0.03 | 0.01 | 19 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Brazil, Campinas | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Brazil, Curitiba | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| Brazil, Goiânia | 2 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Brazil, Jaú | 3 | 0.7 | 0.43 | 0.10 | 0.08 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Recife | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Chile, Region of Antofagasta | 6 | 0.7 | 0.28 | 0.03 | 0.02 | 4 | 0.4 | 0.20 | 0.06 | 0.04 |
| Chile, Valdivia | 4 | 0.2 | 0.12 | 0.02 | 0.02 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| Colombia, Bucaramanga | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Colombia, Cali | 3 | 0.0 | 0.03 | 0.00 | 0.00 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| Colombia, Manizales | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Colombia, Pasto | 1 | 0.1 | 0.08 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Costa Rica | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| Ecuador, Guayaquil | 1 | 0.0 | 0.02 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Manabí | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Quito | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *France, Guadeloupe | 6 | 0.3 | 0.14 | 0.02 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *France, Martinique | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Peru, Lima | 53 | 0.4 | 0.05 | 0.04 | 0.01 | 37 | 0.2 | 0.04 | 0.03 | 0.01 |
| *Trinidad and Tobago | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Puerto Rico | 43 | 0.2 | 0.04 | 0.02 | 0.01 | 37 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Uruguay | 55 | 0.4 | 0.06 | 0.06 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 108 | 0.6 | 0.06 | 0.07 | 0.01 | 84 | 0.4 | 0.05 | 0.05 | 0.01 |
| Canada, British Columbia | 162 | 0.6 | 0.05 | 0.06 | 0.01 | 108 | 0.3 | 0.03 | 0.03 | 0.00 |
| *Canada, Manitoba | 34 | 0.6 | 0.10 | 0.07 | 0.02 | 20 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Canada, New Brunswick | 22 | 0.5 | 0.11 | 0.05 | 0.02 | 19 | 0.3 | 0.08 | 0.03 | 0.01 |
| *Canada, Newfoundland and Labrador | 19 | 0.6 | 0.15 | 0.07 | 0.02 | 17 | 0.5 | 0.12 | 0.04 | 0.01 |
| Canada, Ontario | 298 | 0.4 | 0.03 | 0.05 | 0.00 | 227 | 0.3 | 0.02 | 0.03 | 0.00 |
| *Canada, Prince Edward Island | 5 | 0.4 | 0.20 | 0.00 | 0.00 | 5 | 0.5 | 0.23 | 0.08 | 0.05 |
| Canada, Quebec | 295 | 0.7 | 0.04 | 0.08 | 0.01 | 206 | 0.4 | 0.03 | 0.04 | 0.00 |
| Canada, Saskatchewan | 40 | 0.8 | 0.13 | 0.08 | 0.02 | 32 | 0.5 | 0.11 | 0.05 | 0.01 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA | 9562 | 0.6 | 0.01 | 0.07 | 0.00 | 6839 | 0.4 | 0.00 | 0.04 | 0.00 |
| USA: White | 8781 | 0.7 | 0.01 | 0.08 | 0.00 | 6107 | 0.4 | 0.01 | 0.04 | 0.00 |
| USA: Black | 466 | 0.4 | 0.02 | 0.04 | 0.00 | 448 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, NPCR | 9298 | 0.6 | 0.01 | 0.07 | 0.00 | 6591 | 0.4 | 0.00 | 0.04 | 0.00 |
| USA, NPCR: White | 8555 | 0.7 | 0.01 | 0.08 | 0.00 | 5890 | 0.4 | 0.01 | 0.04 | 0.00 |
| USA, NPCR: Black | 458 | 0.4 | 0.02 | 0.04 | 0.00 | 445 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 225 | 0.4 | 0.02 | 0.04 | 0.00 | 226 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, NPCR: American Indian | 31 | 0.3 | 0.05 | 0.03 | 0.01 | 19 | 0.2 | 0.04 | 0.03 | 0.01 |
| *USA, SEER (18 registries) | 2079 | 0.5 | 0.01 | 0.06 | 0.00 | 1713 | 0.3 | 0.01 | 0.04 | 0.00 |
| *USA, SEER (18 registries): White | 1822 | 0.6 | 0.01 | 0.07 | 0.00 | 1452 | 0.4 | 0.01 | 0.04 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 1614 | 0.6 | 0.02 | 0.07 | 0.00 | 1299 | 0.4 | 0.01 | 0.04 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 208 | 0.5 | 0.03 | 0.05 | 0.01 | 153 | 0.3 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Black | 105 | 0.3 | 0.03 | 0.04 | 0.00 | 117 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 138 | 0.4 | 0.03 | 0.04 | 0.00 | 137 | 0.3 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (9 registries) | 727 | 0.5 | 0.02 | 0.06 | 0.00 | 613 | 0.3 | 0.02 | 0.04 | 0.00 |
| *USA, SEER (9 registries): White | 633 | 0.6 | 0.02 | 0.07 | 0.00 | 511 | 0.4 | 0.02 | 0.04 | 0.00 |
| *USA, SEER (9 registries): Black | 39 | 0.4 | 0.06 | 0.04 | 0.01 | 43 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, Alabama | 92 | 0.4 | 0.04 | 0.04 | 0.01 | 83 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, Alabama: White | 81 | 0.4 | 0.05 | 0.05 | 0.01 | 72 | 0.3 | 0.04 | 0.03 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Renal pelvis (C65) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Alaska | 14 | 0.6 | 0.15 | 0.06 | 0.02 | 17 | 0.6 | 0.16 | 0.06 | 0.02 |
| *USA, Alaska: Alaska Natives | 1 | 0.3 | 0.31 | 0.04 | 0.04 | 1 | 0.2 | 0.23 | 0.00 | 0.00 |
| USA, Arizona | 154 | 0.4 | 0.04 | 0.04 | 0.01 | 125 | 0.3 | 0.03 | 0.04 | 0.00 |
| USA, Arizona: White | 151 | 0.4 | 0.04 | 0.05 | 0.01 | 120 | 0.3 | 0.03 | 0.04 | 0.00 |
| USA, Arizona: Black | 2 | 0.2 | 0.16 | 0.03 | 0.02 | 1 | 0.1 | 0.11 | 0.02 | 0.02 |
| *USA, Arizona: Asian and Pacific Islander | 1 | 0.1 | 0.14 | 0.00 | 0.00 | 3 | 0.3 | 0.16 | 0.01 | 0.01 |
| USA, Arizona: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| USA, Arkansas | 96 | 0.7 | 0.07 | 0.08 | 0.01 | 60 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Arkansas: White | 88 | 0.7 | 0.08 | 0.08 | 0.01 | 56 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Arkansas: Black | 7 | 0.5 | 0.19 | 0.06 | 0.03 | 4 | 0.2 | 0.11 | 0.02 | 0.02 |
| USA, California | 915 | 0.6 | 0.02 | 0.06 | 0.00 | 686 | 0.3 | 0.01 | 0.03 | 0.00 |
| USA, California: White | 778 | 0.6 | 0.02 | 0.07 | 0.00 | 551 | 0.3 | 0.02 | 0.04 | 0.00 |
| USA, California: Black | 31 | 0.3 | 0.06 | 0.04 | 0.01 | 35 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, California: Asian and Pacific Islander | 103 | 0.4 | 0.04 | 0.04 | 0.01 | 98 | 0.3 | 0.03 | 0.03 | 0.00 |
| *USA, California, Los Angeles County | 190 | 0.5 | 0.04 | 0.05 | 0.01 | 173 | 0.3 | 0.03 | 0.04 | 0.00 |
| *USA, California, Los Angeles County: White | 141 | 0.5 | 0.04 | 0.06 | 0.01 | 129 | 0.4 | 0.03 | 0.04 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 88 | 0.5 | 0.06 | 0.06 | 0.01 | 87 | 0.4 | 0.05 | 0.05 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 53 | 0.5 | 0.07 | 0.05 | 0.01 | 42 | 0.3 | 0.05 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Black | 11 | 0.3 | 0.09 | 0.04 | 0.02 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Chinese | 10 | 0.3 | 0.11 | 0.03 | 0.02 | 10 | 0.4 | 0.12 | 0.05 | 0.02 |
| *USA, California, Los Angeles County: Filipino | 3 | 0.1 | 0.09 | 0.00 | 0.00 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Korean | 7 | 0.5 | 0.21 | 0.06 | 0.03 | 6 | 0.5 | 0.21 | 0.05 | 0.02 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 37 | 0.5 | 0.08 | 0.05 | 0.01 | 30 | 0.3 | 0.06 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area | 100 | 0.5 | 0.05 | 0.05 | 0.01 | 80 | 0.3 | 0.03 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 80 | 0.6 | 0.07 | 0.07 | 0.01 | 55 | 0.3 | 0.05 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 66 | 0.6 | 0.07 | 0.06 | 0.01 | 49 | 0.3 | 0.05 | 0.04 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 14 | 0.7 | 0.20 | 0.08 | 0.03 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *USA, California, San Francisco Bay Area: Black | 4 | 0.3 | 0.13 | 0.03 | 0.02 | 5 | 0.2 | 0.10 | 0.03 | 0.02 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 16 | 0.3 | 0.08 | 0.02 | 0.01 | 20 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Colorado | 151 | 0.7 | 0.05 | 0.07 | 0.01 | 105 | 0.4 | 0.04 | 0.04 | 0.01 |
| USA, Colorado: White | 142 | 0.7 | 0.06 | 0.07 | 0.01 | 103 | 0.4 | 0.04 | 0.04 | 0.01 |
| *USA, Colorado: Black | 4 | 0.5 | 0.25 | 0.06 | 0.03 | 2 | 0.2 | 0.15 | 0.01 | 0.01 |
| *USA, Colorado: Asian and Pacific Islander | 3 | 0.5 | 0.32 | 0.08 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| USA, Connecticut | 98 | 0.6 | 0.06 | 0.06 | 0.01 | 104 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, Connecticut: White | 86 | 0.6 | 0.06 | 0.06 | 0.01 | 101 | 0.5 | 0.05 | 0.06 | 0.01 |
| USA, Connecticut: Black | 7 | 0.6 | 0.22 | 0.06 | 0.03 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| USA, District of Columbia | 8 | 0.3 | 0.12 | 0.03 | 0.02 | 11 | 0.3 | 0.09 | 0.02 | 0.01 |
| USA, District of Columbia: White | 2 | 0.2 | 0.14 | 0.03 | 0.03 | 6 | 0.6 | 0.24 | 0.04 | 0.03 |
| USA, District of Columbia: Black | 6 | 0.5 | 0.21 | 0.03 | 0.02 | 5 | 0.1 | 0.08 | 0.02 | 0.02 |
| USA, Florida | 808 | 0.7 | 0.03 | 0.08 | 0.00 | 580 | 0.4 | 0.02 | 0.04 | 0.00 |
| USA, Florida: White | 749 | 0.7 | 0.03 | 0.08 | 0.00 | 529 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, Florida: Black | 41 | 0.4 | 0.06 | 0.04 | 0.01 | 37 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 8 | 0.4 | 0.14 | 0.04 | 0.02 | 10 | 0.3 | 0.11 | 0.04 | 0.02 |
| USA, Georgia | 244 | 0.6 | 0.04 | 0.07 | 0.01 | 163 | 0.3 | 0.03 | 0.04 | 0.00 |
| USA, Georgia: White | 217 | 0.7 | 0.05 | 0.08 | 0.01 | 130 | 0.3 | 0.03 | 0.04 | 0.01 |
| USA, Georgia: Black | 24 | 0.3 | 0.06 | 0.04 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 4 | 0.3 | 0.15 | 0.02 | 0.02 |
| *USA, Georgia, Atlanta | 60 | 0.5 | 0.07 | 0.06 | 0.01 | 45 | 0.3 | 0.04 | 0.03 | 0.01 |
| *USA, Georgia, Atlanta: White | 48 | 0.7 | 0.10 | 0.08 | 0.02 | 29 | 0.3 | 0.05 | 0.03 | 0.01 |
| *USA, Georgia, Atlanta: Black | 11 | 0.3 | 0.09 | 0.03 | 0.01 | 15 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, Idaho | 50 | 0.7 | 0.10 | 0.07 | 0.01 | 35 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Indiana | 247 | 0.8 | 0.05 | 0.09 | 0.01 | 155 | 0.4 | 0.03 | 0.04 | 0.01 |
| USA, Indiana: White | 236 | 0.8 | 0.06 | 0.10 | 0.01 | 147 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, Indiana: Black | 10 | 0.5 | 0.17 | 0.04 | 0.02 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *USA, Iowa | 94 | 0.6 | 0.07 | 0.08 | 0.01 | 80 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, Kentucky | 147 | 0.8 | 0.06 | 0.09 | 0.01 | 107 | 0.4 | 0.04 | 0.04 | 0.01 |
| USA, Louisiana | 130 | 0.6 | 0.06 | 0.07 | 0.01 | 86 | 0.3 | 0.04 | 0.04 | 0.01 |
| USA, Louisiana: White | 111 | 0.7 | 0.07 | 0.08 | 0.01 | 74 | 0.4 | 0.05 | 0.04 | 0.01 |
| USA, Louisiana: Black | 19 | 0.4 | 0.10 | 0.05 | 0.01 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| *USA, Louisiana, New Orleans | 23 | 0.6 | 0.13 | 0.07 | 0.02 | 18 | 0.3 | 0.08 | 0.03 | 0.01 |
| *USA, Louisiana, New Orleans: White | 21 | 0.8 | 0.18 | 0.09 | 0.03 | 14 | 0.4 | 0.12 | 0.03 | 0.02 |
| *USA, Louisiana, New Orleans: Black | 2 | 0.3 | 0.18 | 0.02 | 0.01 | 4 | 0.2 | 0.12 | 0.04 | 0.02 |
| USA, Maine | 44 | 0.6 | 0.09 | 0.08 | 0.01 | 36 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Maryland | 131 | 0.5 | 0.04 | 0.06 | 0.01 | 108 | 0.3 | 0.03 | 0.04 | 0.01 |
| USA, Maryland: White | 117 | 0.6 | 0.06 | 0.08 | 0.01 | 84 | 0.4 | 0.05 | 0.04 | 0.01 |
| USA, Maryland: Black | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 18 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 3 | 0.2 | 0.12 | 0.02 | 0.02 | 6 | 0.4 | 0.15 | 0.04 | 0.02 |
| USA, Massachusetts | 233 | 0.8 | 0.05 | 0.09 | 0.01 | 163 | 0.4 | 0.03 | 0.04 | 0.01 |
| USA, Massachusetts: White | 217 | 0.8 | 0.05 | 0.09 | 0.01 | 149 | 0.4 | 0.03 | 0.04 | 0.01 |
| USA, Massachusetts: Black | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 8 | 0.4 | 0.14 | 0.05 | 0.02 |
| USA, Massachusetts: Asian and Pacific Islander | 7 | 0.5 | 0.20 | 0.05 | 0.03 | 5 | 0.3 | 0.13 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Renal pelvis (C65) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 303 | 0.6 | 0.04 | 0.07 | 0.01 | 230 | 0.4 | 0.03 | 0.04 | 0.00 |
| USA, Michigan: White | 278 | 0.7 | 0.04 | 0.07 | 0.01 | 204 | 0.4 | 0.03 | 0.04 | 0.00 |
| USA, Michigan: Black | 18 | 0.4 | 0.09 | 0.05 | 0.01 | 22 | 0.3 | 0.07 | 0.04 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 5 | 0.6 | 0.26 | 0.08 | 0.05 | 2 | 0.2 | 0.13 | 0.02 | 0.02 |
| *USA, Michigan, Detroit | 110 | 0.6 | 0.06 | 0.07 | 0.01 | 99 | 0.4 | 0.04 | 0.05 | 0.01 |
| *USA, Michigan, Detroit: White | 95 | 0.7 | 0.08 | 0.09 | 0.01 | 79 | 0.4 | 0.05 | 0.05 | 0.01 |
| *USA, Michigan, Detroit: Black | 15 | 0.4 | 0.12 | 0.05 | 0.02 | 19 | 0.4 | 0.09 | 0.05 | 0.02 |
| USA, Minnesota | 203 | 0.7 | 0.05 | 0.08 | 0.01 | 148 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, Minnesota: White | 197 | 0.8 | 0.06 | 0.08 | 0.01 | 141 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, Minnesota: Black | 3 | 0.5 | 0.29 | 0.08 | 0.06 | 5 | 0.8 | 0.34 | 0.11 | 0.06 |
| *USA, Minnesota: Asian and Pacific Islander | 2 | 0.4 | 0.28 | 0.04 | 0.04 | 1 | 0.1 | 0.14 | 0.00 | 0.00 |
| USA, Mississippi | 82 | 0.6 | 0.07 | 0.07 | 0.01 | 58 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, Missouri | 214 | 0.7 | 0.05 | 0.08 | 0.01 | 129 | 0.4 | 0.04 | 0.04 | 0.01 |
| USA, Missouri: White | 200 | 0.7 | 0.05 | 0.08 | 0.01 | 118 | 0.4 | 0.04 | 0.04 | 0.01 |
| USA, Missouri: Black | 11 | 0.5 | 0.16 | 0.05 | 0.02 | 8 | 0.2 | 0.09 | 0.02 | 0.01 |
| USA, Montana | 43 | 0.8 | 0.12 | 0.09 | 0.02 | 25 | 0.4 | 0.09 | 0.06 | 0.02 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Nebraska | 62 | 0.7 | 0.10 | 0.08 | 0.01 | 35 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Nebraska: White | 58 | 0.7 | 0.10 | 0.08 | 0.01 | 31 | 0.3 | 0.06 | 0.02 | 0.01 |
| *USA, Nebraska: Black | 4 | 1.3 | 0.66 | 0.16 | 0.08 | 3 | 0.7 | 0.44 | 0.04 | 0.04 |
| USA, Nevada | 77 | 0.5 | 0.06 | 0.06 | 0.01 | 58 | 0.4 | 0.05 | 0.05 | 0.01 |
| USA, Nevada: White | 70 | 0.6 | 0.07 | 0.06 | 0.01 | 49 | 0.4 | 0.06 | 0.05 | 0.01 |
| USA, Nevada: Black | 5 | 0.6 | 0.26 | 0.10 | 0.05 | 4 | 0.4 | 0.20 | 0.09 | 0.05 |
| *USA, Nevada: Asian and Pacific Islander | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| USA, New Jersey | 288 | 0.7 | 0.04 | 0.09 | 0.01 | 259 | 0.5 | 0.03 | 0.05 | 0.00 |
| USA, New Jersey: White | 261 | 0.8 | 0.05 | 0.10 | 0.01 | 232 | 0.5 | 0.04 | 0.05 | 0.01 |
| USA, New Jersey: Black | 14 | 0.3 | 0.09 | 0.04 | 0.01 | 18 | 0.3 | 0.06 | 0.02 | 0.01 |
| USA, New Mexico | 32 | 0.3 | 0.06 | 0.03 | 0.01 | 32 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, New Mexico: White | 31 | 0.3 | 0.06 | 0.03 | 0.01 | 32 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 23 | 0.4 | 0.09 | 0.04 | 0.01 | 21 | 0.3 | 0.06 | 0.04 | 0.01 |
| USA, New Mexico: Hispanic White | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 11 | 0.3 | 0.09 | 0.05 | 0.02 |
| *USA, New Mexico: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, New York State | 748 | 0.8 | 0.03 | 0.09 | 0.00 | 519 | 0.4 | 0.02 | 0.05 | 0.00 |
| USA, New York State: White | 672 | 0.9 | 0.04 | 0.10 | 0.01 | 445 | 0.5 | 0.03 | 0.05 | 0.00 |
| USA, New York State: Black | 44 | 0.4 | 0.06 | 0.05 | 0.01 | 44 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 32 | 0.5 | 0.09 | 0.04 | 0.01 | 29 | 0.4 | 0.07 | 0.04 | 0.01 |
| USA, North Carolina | 312 | 0.7 | 0.04 | 0.08 | 0.01 | 219 | 0.4 | 0.03 | 0.05 | 0.00 |
| USA, North Carolina: White | 272 | 0.8 | 0.05 | 0.09 | 0.01 | 184 | 0.4 | 0.03 | 0.05 | 0.01 |
| USA, North Carolina: Black | 35 | 0.5 | 0.08 | 0.05 | 0.01 | 28 | 0.3 | 0.05 | 0.04 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 1 | 0.1 | 0.12 | 0.00 | 0.00 | 5 | 0.5 | 0.25 | 0.05 | 0.03 |
| *USA, North Carolina: American Indian | 3 | 0.8 | 0.44 | 0.05 | 0.03 | 2 | 0.3 | 0.22 | 0.03 | 0.03 |
| USA, North Dakota | 27 | 0.8 | 0.17 | 0.07 | 0.02 | 17 | 0.4 | 0.11 | 0.05 | 0.02 |
| USA, Ohio | 361 | 0.7 | 0.04 | 0.08 | 0.01 | 253 | 0.3 | 0.02 | 0.04 | 0.00 |
| USA, Ohio: White | 337 | 0.7 | 0.04 | 0.08 | 0.01 | 232 | 0.4 | 0.03 | 0.04 | 0.00 |
| USA, Ohio: Black | 21 | 0.4 | 0.09 | 0.03 | 0.01 | 20 | 0.3 | 0.07 | 0.03 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 3 | 0.4 | 0.26 | 0.06 | 0.04 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| USA, Oklahoma | 72 | 0.4 | 0.05 | 0.05 | 0.01 | 59 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, Oklahoma: White | 58 | 0.4 | 0.05 | 0.04 | 0.01 | 51 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, Oklahoma: Black | 3 | 0.4 | 0.21 | 0.05 | 0.04 | 5 | 0.5 | 0.22 | 0.05 | 0.03 |
| USA, Oklahoma: American Indian | 9 | 0.8 | 0.27 | 0.12 | 0.04 | 2 | 0.2 | 0.12 | 0.02 | 0.02 |
| USA, Oregon | 154 | 0.7 | 0.06 | 0.09 | 0.01 | 93 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, Oregon: White | 147 | 0.7 | 0.06 | 0.08 | 0.01 | 91 | 0.4 | 0.04 | 0.05 | 0.01 |
| *USA, Oregon: Black | 3 | 0.9 | 0.55 | 0.10 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 3 | 0.6 | 0.32 | 0.08 | 0.05 | 2 | 0.2 | 0.17 | 0.02 | 0.02 |
| USA, Rhode Island | 41 | 0.8 | 0.13 | 0.08 | 0.02 | 32 | 0.6 | 0.11 | 0.08 | 0.02 |
| USA, Rhode Island: White | 40 | 0.8 | 0.14 | 0.08 | 0.02 | 30 | 0.6 | 0.11 | 0.08 | 0.02 |
| *USA, Rhode Island: Black | 1 | 0.5 | 0.46 | 0.06 | 0.06 | 2 | 0.7 | 0.54 | 0.12 | 0.12 |
| USA, South Carolina | 166 | 0.7 | 0.06 | 0.08 | 0.01 | 114 | 0.4 | 0.04 | 0.04 | 0.01 |
| USA, South Carolina: White | 155 | 0.8 | 0.07 | 0.09 | 0.01 | 97 | 0.4 | 0.04 | 0.05 | 0.01 |
| USA, South Carolina: Black | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 16 | 0.2 | 0.06 | 0.03 | 0.01 |
| USA, South Dakota | 30 | 0.6 | 0.12 | 0.06 | 0.02 | 14 | 0.2 | 0.06 | 0.01 | 0.01 |
| USA, Tennessee | 192 | 0.6 | 0.05 | 0.08 | 0.01 | 121 | 0.3 | 0.03 | 0.04 | 0.00 |
| USA, Tennessee: White | 180 | 0.7 | 0.05 | 0.08 | 0.01 | 111 | 0.3 | 0.03 | 0.04 | 0.01 |
| USA, Tennessee: Black | 12 | 0.4 | 0.11 | 0.04 | 0.01 | 8 | 0.2 | 0.07 | 0.03 | 0.01 |
| USA, Texas | 483 | 0.5 | 0.02 | 0.05 | 0.00 | 316 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, Texas: White | 450 | 0.5 | 0.02 | 0.05 | 0.00 | 288 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, Texas: Black | 22 | 0.3 | 0.05 | 0.04 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 8 | 0.2 | 0.08 | 0.03 | 0.01 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Utah | 52 | 0.5 | 0.07 | 0.07 | 0.01 | 29 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Vermont | 27 | 0.7 | 0.15 | 0.10 | 0.03 | 16 | 0.4 | 0.12 | 0.04 | 0.02 |
| USA, Washington State | 226 | 0.7 | 0.04 | 0.07 | 0.01 | 171 | 0.4 | 0.03 | 0.05 | 0.01 |
| *USA, Washington, Seattle | 141 | 0.6 | 0.05 | 0.07 | 0.01 | 112 | 0.4 | 0.04 | 0.04 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Renal pelvis (C65) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 69 | 0.7 | 0.09 | 0.08 | 0.01 | 44 | 0.3 | 0.05 | 0.02 | 0.01 |
| USA, Wyoming | 15 | 0.5 | 0.14 | 0.07 | 0.02 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Brunei Darussalam | 2 | 0.2 | 0.12 | 0.02 | 0.02 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| *China, Anfu County | 4 | 0.4 | 0.21 | 0.05 | 0.03 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| *China, Anguo City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 43 | 0.6 | 0.09 | 0.06 | 0.01 | 42 | 0.4 | 0.07 | 0.06 | 0.01 |
| *China, Aohan Banner, Chifeng City | 3 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.16 | 0.03 | 0.03 |
| *China, Baoding City | 14 | 0.4 | 0.10 | 0.05 | 0.01 | 8 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Beijing City | 357 | 0.7 | 0.04 | 0.08 | 0.01 | 507 | 0.9 | 0.05 | 0.12 | 0.01 |
| *China, Binhai County | 13 | 0.3 | 0.07 | 0.03 | 0.01 | 11 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Cangzhou City | 10 | 0.6 | 0.21 | 0.06 | 0.02 | 5 | 0.3 | 0.12 | 0.03 | 0.02 |
| China, Changfeng County | 4 | 0.3 | 0.15 | 0.04 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Changzhou City | 46 | 0.5 | 0.07 | 0.06 | 0.01 | 30 | 0.2 | 0.05 | 0.03 | 0.01 |
| China, Chengdu City | 8 | 0.2 | 0.08 | 0.03 | 0.01 | 12 | 0.3 | 0.07 | 0.01 | 0.01 |
| China, Cixian County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Cixi City | 21 | 0.4 | 0.10 | 0.06 | 0.01 | 11 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Dafeng District, Yancheng City | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Dalian City | 109 | 0.9 | 0.09 | 0.11 | 0.01 | 90 | 0.6 | 0.07 | 0.06 | 0.01 |
| *China, Dancheng County | 8 | 0.2 | 0.10 | 0.01 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Dangtu County | 3 | 0.3 | 0.16 | 0.04 | 0.02 | 3 | 0.3 | 0.18 | 0.03 | 0.02 |
| *China, Danyang City | 10 | 0.3 | 0.09 | 0.04 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dawukou District, Shizuishan City | 4 | 0.3 | 0.17 | 0.02 | 0.02 | 4 | 0.3 | 0.17 | 0.02 | 0.02 |
| *China, Dehui City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Donggang County | 14 | 0.5 | 0.13 | 0.07 | 0.02 | 5 | 0.2 | 0.08 | 0.01 | 0.01 |
| *China, Dongguan City | 22 | 0.5 | 0.11 | 0.06 | 0.02 | 13 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Donghai County | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongtai City | 4 | 0.1 | 0.04 | 0.01 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 6 | 0.5 | 0.19 | 0.05 | 0.03 | 5 | 0.4 | 0.18 | 0.06 | 0.04 |
| *China, Evenki Autonomous Banner | 4 | 1.3 | 0.65 | 0.13 | 0.07 | 1 | 0.2 | 0.22 | 0.03 | 0.03 |
| *China, Faku County | 6 | 0.3 | 0.11 | 0.02 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Fangcheng County | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Feicheng City | 12 | 0.3 | 0.08 | 0.03 | 0.01 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Feixi County | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Fuqing City | 5 | 0.2 | 0.09 | 0.03 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Ganyu District, Lianyungang City | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Ganzhou District, Zhangye City | 1 | 0.1 | 0.11 | 0.03 | 0.03 | 2 | 0.2 | 0.16 | 0.05 | 0.03 |
| *China, Gaocheng City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Gaomi City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Gong'an County | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Guanghan City | 3 | 0.2 | 0.11 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | 156 | 0.5 | 0.04 | 0.05 | 0.01 | 81 | 0.2 | 0.02 | 0.02 | 0.00 |
| *China, Guanyun County | 3 | 0.1 | 0.05 | 0.02 | 0.01 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Guilin City | 10 | 0.5 | 0.15 | 0.06 | 0.02 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Hai'an City | 11 | 0.2 | 0.08 | 0.02 | 0.01 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Hailar District, Hulun Buir City | 2 | 0.3 | 0.18 | 0.03 | 0.03 | 3 | 0.2 | 0.11 | 0.02 | 0.02 |
| China, Haimen District, Nantong City | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Haining City | 12 | 0.4 | 0.11 | 0.05 | 0.02 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Hangzhou City | 150 | 0.4 | 0.04 | 0.05 | 0.01 | 101 | 0.3 | 0.03 | 0.04 | 0.01 |
| China, Hebi City | 4 | 0.3 | 0.14 | 0.03 | 0.02 | 10 | 0.7 | 0.24 | 0.09 | 0.04 |
| China, Hefei City | 29 | 0.3 | 0.06 | 0.04 | 0.01 | 21 | 0.2 | 0.05 | 0.03 | 0.01 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 3 | 0.3 | 0.15 | 0.03 | 0.02 |
| *China, Hengfeng County | 4 | 0.7 | 0.34 | 0.04 | 0.03 | 3 | 0.5 | 0.29 | 0.06 | 0.03 |
| *China, Hepu County | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Honghu City | 8 | 0.3 | 0.09 | 0.04 | 0.01 | 6 | 0.2 | 0.07 | 0.01 | 0.01 |
| China, Hongshan District, Chifeng City | 1 | 0.1 | 0.07 | 0.02 | 0.02 | 11 | 0.8 | 0.24 | 0.11 | 0.04 |
| *China, Hongta District, Yuxi City | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Huaiyin District, Huai'an City | 9 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Jiange County | 1 | 0.1 | 0.06 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Jiangmen City | 12 | 0.5 | 0.15 | 0.05 | 0.01 | 6 | 0.2 | 0.09 | 0.03 | 0.02 |
| *China, Jiangyin City | 27 | 0.5 | 0.09 | 0.05 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Jiashan County | 11 | 0.5 | 0.16 | 0.08 | 0.03 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| China, Jiayu County | 2 | 0.2 | 0.17 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 44 | 0.5 | 0.08 | 0.05 | 0.01 | 39 | 0.3 | 0.06 | 0.03 | 0.01 |
| *China, Jingtai County | 1 | 0.2 | 0.17 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 2 | 0.1 | 0.06 | 0.02 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Jiulongpo District, Chongqing City | 10 | 0.3 | 0.08 | 0.04 | 0.02 | 7 | 0.2 | 0.06 | 0.01 | 0.01 |
| *China, Jiyuan City | 5 | 0.3 | 0.13 | 0.03 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Renal pelvis (C65) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 8 | 0.6 | 0.23 | 0.05 | 0.03 | 6 | 0.4 | 0.20 | 0.02 | 0.02 |
| China, Kunshan City | 10 | 0.3 | 0.10 | 0.04 | 0.02 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Langzhong City | 3 | 0.2 | 0.09 | 0.02 | 0.01 | 7 | 0.3 | 0.13 | 0.03 | 0.02 |
| *China, Liangshan County | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Lianshui County | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Lianyungang City | 14 | 0.3 | 0.09 | 0.04 | 0.01 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Linqu County | 16 | 0.4 | 0.10 | 0.04 | 0.01 | 15 | 0.4 | 0.10 | 0.04 | 0.02 |
| *China, Linzhou City | 4 | 0.1 | 0.07 | 0.03 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Liuzhou City | 14 | 0.4 | 0.10 | 0.04 | 0.01 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Liyang City | 11 | 0.3 | 0.08 | 0.03 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Longquan City | 15 | 1.4 | 0.38 | 0.16 | 0.05 | 10 | 1.0 | 0.32 | 0.09 | 0.04 |
| China, Lucheng District, Wenzhou City | 27 | 1.3 | 0.27 | 0.17 | 0.04 | 17 | 0.6 | 0.16 | 0.07 | 0.03 |
| China, Luoding City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Luohe City | 13 | 0.3 | 0.09 | 0.04 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Luoyang City | 21 | 0.5 | 0.11 | 0.05 | 0.01 | 15 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Luquan City | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 2 | 0.2 | 0.11 | 0.03 | 0.02 |
| China, Ma'anshan City | 13 | 0.6 | 0.18 | 0.08 | 0.03 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Macheng City | 10 | 0.4 | 0.12 | 0.04 | 0.01 | 4 | 0.2 | 0.09 | 0.03 | 0.01 |
| China, Meihekou City | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 16 | 0.7 | 0.18 | 0.10 | 0.03 |
| *China, Mengjin County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Nangang District, Harbin City | 22 | 0.5 | 0.12 | 0.07 | 0.02 | 36 | 0.7 | 0.12 | 0.09 | 0.02 |
| *China, Nanhai District, Foshan City | 16 | 0.5 | 0.14 | 0.06 | 0.02 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Nanhu District, Jiaxing City | 16 | 0.6 | 0.15 | 0.08 | 0.02 | 13 | 0.5 | 0.13 | 0.07 | 0.02 |
| *China, Nantong City | 30 | 0.5 | 0.10 | 0.07 | 0.02 | 11 | 0.1 | 0.05 | 0.02 | 0.01 |
| *China, Nanxiong City | 5 | 0.3 | 0.15 | 0.05 | 0.03 | 4 | 0.3 | 0.13 | 0.04 | 0.02 |
| China, Neixiang County | 5 | 0.2 | 0.11 | 0.03 | 0.01 | 9 | 0.4 | 0.13 | 0.04 | 0.02 |
| *China, Qianxi County | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 18 | 0.3 | 0.07 | 0.03 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Qingzhou City | 13 | 0.4 | 0.11 | 0.06 | 0.02 | 15 | 0.4 | 0.10 | 0.05 | 0.02 |
| *China, Rudong County | 12 | 0.2 | 0.05 | 0.02 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Rugao City | 18 | 0.2 | 0.06 | 0.03 | 0.01 | 8 | 0.1 | 0.04 | 0.02 | 0.01 |
| *China, Rural areas of Shanghai City | 183 | 0.4 | 0.03 | 0.05 | 0.00 | 137 | 0.2 | 0.02 | 0.03 | 0.00 |
| China, Ruyang County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Shan County | 8 | 0.4 | 0.14 | 0.04 | 0.01 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Shanghai City | 174 | 0.4 | 0.04 | 0.05 | 0.01 | 124 | 0.2 | 0.03 | 0.03 | 0.00 |
| China, Shangyu District, Shaoxing City | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Shapingba District, Chongqing City | 9 | 0.3 | 0.10 | 0.04 | 0.02 | 17 | 0.4 | 0.10 | 0.04 | 0.02 |
| China, Shexian County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Sheyang County | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 22 | 0.4 | 0.09 | 0.05 | 0.01 | 13 | 0.3 | 0.07 | 0.04 | 0.01 |
| China, Shunde District, Foshan City | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Song County | 3 | 0.2 | 0.11 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 65 | 0.4 | 0.05 | 0.04 | 0.01 | 41 | 0.2 | 0.03 | 0.02 | 0.01 |
| *China, Tengzhou City | 23 | 0.4 | 0.09 | 0.06 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Wangdu County | 2 | 0.3 | 0.19 | 0.01 | 0.01 | 1 | 0.1 | 0.15 | 0.04 | 0.04 |
| *China, Wanxian County | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 3 | 0.3 | 0.18 | 0.04 | 0.03 |
| *China, Wu'an City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuhan City | 124 | 0.5 | 0.05 | 0.07 | 0.01 | 78 | 0.3 | 0.03 | 0.03 | 0.01 |
| *China, Wuhu City | 21 | 0.3 | 0.08 | 0.05 | 0.01 | 9 | 0.2 | 0.06 | 0.03 | 0.01 |
| China, Wuxi City | 78 | 0.6 | 0.07 | 0.06 | 0.01 | 36 | 0.3 | 0.05 | 0.03 | 0.01 |
| China, Wuzhou City | 6 | 0.3 | 0.13 | 0.04 | 0.02 | 11 | 0.6 | 0.17 | 0.05 | 0.02 |
| China, Xiangfu District, Kaifeng City | 8 | 0.4 | 0.15 | 0.05 | 0.02 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| China, Xianju County | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Xin'an County | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.15 | 0.02 | 0.01 |
| *China, Xining City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 10 | 0.6 | 0.21 | 0.03 | 0.01 |
| *China, Xinji City | 5 | 0.2 | 0.09 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinluo District, Longyan City | 6 | 0.5 | 0.21 | 0.04 | 0.02 | 3 | 0.2 | 0.11 | 0.02 | 0.02 |
| *China, Xinzhou District, Shangrao City | 4 | 0.3 | 0.15 | 0.05 | 0.03 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Xiping County | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 5 | 0.2 | 0.09 | 0.03 | 0.01 |
| *China, Xishan District, Kunming City | 3 | 0.1 | 0.09 | 0.01 | 0.01 | 4 | 0.2 | 0.11 | 0.04 | 0.02 |
| *China, Xuyi County | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Ya'an City | 11 | 0.2 | 0.07 | 0.02 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Yakeshi City | 7 | 0.5 | 0.21 | 0.06 | 0.03 | 6 | 0.3 | 0.15 | 0.04 | 0.02 |
| China, Yancheng City | 5 | 0.1 | 0.03 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangquan City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 9 | 0.4 | 0.14 | 0.06 | 0.03 |
| *China, Yangzhong City | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Yanji City | 16 | 0.8 | 0.20 | 0.11 | 0.03 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Yanshi City | 7 | 0.3 | 0.11 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Yanting County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yi'an District, Tongling City | 2 | 0.2 | 0.14 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Renal pelvis (C65) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 3 | 0.2 | 0.13 | 0.01 | 0.01 | 4 | 0.3 | 0.17 | 0.04 | 0.03 |
| *China, Yiyuan County | 7 | 0.4 | 0.14 | 0.02 | 0.01 | 2 | 0.1 | 0.08 | 0.02 | 0.02 |
| China, Yong'an City | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 2 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Yongding District, Longyan City | 3 | 0.2 | 0.10 | 0.02 | 0.02 | 5 | 0.3 | 0.12 | 0.02 | 0.01 |
| China, Yongkang City | 15 | 0.6 | 0.16 | 0.06 | 0.02 | 6 | 0.3 | 0.15 | 0.02 | 0.01 |
| *China, Yucheng County | 4 | 0.3 | 0.14 | 0.03 | 0.01 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Yueyanglou District, Yueyang City | 2 | 0.2 | 0.13 | 0.03 | 0.03 | 2 | 0.2 | 0.16 | 0.06 | 0.04 |
| China, Yunmeng County | 7 | 0.4 | 0.15 | 0.05 | 0.02 | 3 | 0.2 | 0.15 | 0.02 | 0.01 |
| *China, Yunyang District, Shiyan City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| China, Yuzhong District, Chongqing City | 14 | 0.6 | 0.16 | 0.06 | 0.02 | 14 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Zhanhuang County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| *China, Zhangjiagang City | 23 | 0.6 | 0.12 | 0.08 | 0.02 | 14 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Zhaoyuan City | 12 | 0.4 | 0.12 | 0.06 | 0.02 | 5 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Zhengding County | 1 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 28 | 0.5 | 0.10 | 0.05 | 0.01 | 15 | 0.2 | 0.07 | 0.03 | 0.01 |
| China, Zhongxiang City | 8 | 0.3 | 0.09 | 0.03 | 0.01 | 5 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Zhuanghe City | 25 | 0.5 | 0.11 | 0.07 | 0.02 | 19 | 0.4 | 0.09 | 0.04 | 0.01 |
| *China, Zhuhai City | 8 | 0.2 | 0.08 | 0.03 | 0.01 | 7 | 0.2 | 0.06 | 0.01 | 0.01 |
| India, Ahmedabad, Urban | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 6 | 0.1 | 0.02 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Chennai | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Dibrugarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Dindigul, Amblikkai | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.02 | 0.01 | 0.00 |
| India, Kamrup Urban District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kollam | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Manipur | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Meghalaya | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mizoram | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | 4 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, New Delhi | 1 | 0.0 | 0.00 | 0.00 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Poona | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, SAS Nagar | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Tamil Nadu | 14 | 0.0 | 0.00 | 0.00 | 0.00 | 15 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| India, Trivandrum | 4 | 0.0 | 0.02 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Wardha | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, West Arunachal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 6 | 0.3 | 0.14 | 0.04 | 0.02 | 5 | 0.2 | 0.10 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Israel | 175 | 0.6 | 0.05 | 0.08 | 0.01 | 108 | 0.3 | 0.03 | 0.04 | 0.00 |
| *Israel: Jews | 145 | 0.6 | 0.05 | 0.07 | 0.01 | 94 | 0.3 | 0.04 | 0.03 | 0.01 |
| *Israel: Arabs | 22 | 0.8 | 0.18 | 0.12 | 0.03 | 14 | 0.4 | 0.12 | 0.06 | 0.02 |
| Japan | 7737 | 1.4 | 0.02 | 0.16 | 0.00 | 3895 | 0.5 | 0.01 | 0.05 | 0.00 |
| Japan, Aichi Prefecture | 411 | 1.4 | 0.07 | 0.16 | 0.01 | 211 | 0.6 | 0.05 | 0.08 | 0.01 |
| *Japan, Akita Prefecture | 63 | 1.3 | 0.18 | 0.16 | 0.03 | 41 | 0.5 | 0.11 | 0.07 | 0.02 |
| Japan, Aomori Prefecture | 164 | 1.6 | 0.14 | 0.18 | 0.02 | 78 | 0.4 | 0.07 | 0.04 | 0.01 |
| Japan, Gunma Prefecture | 87 | 0.9 | 0.11 | 0.12 | 0.02 | 75 | 0.6 | 0.08 | 0.07 | 0.01 |
| Japan, Hiroshima Prefecture | 356 | 2.1 | 0.13 | 0.25 | 0.02 | 133 | 0.5 | 0.06 | 0.06 | 0.01 |
| Japan, Miyagi Prefecture | 227 | 1.4 | 0.10 | 0.17 | 0.02 | 110 | 0.5 | 0.06 | 0.05 | 0.01 |
| Japan, Osaka Prefecture | 527 | 1.5 | 0.07 | 0.18 | 0.01 | 258 | 0.5 | 0.03 | 0.05 | 0.01 |
| Kuwait | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Kuwait: Kuwaitis | 2 | 0.1 | 0.09 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Kuwait: Non-Kuwaitis | 1 | 0.1 | 0.07 | 0.02 | 0.02 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| *Philippines, Manila | 1 | 0.0 | 0.00 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Qatar: Qatari | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 1782 | 0.9 | 0.02 | 0.11 | 0.00 | 770 | 0.3 | 0.01 | 0.03 | 0.00 |
| *Republic of Korea, Busan | 162 | 1.1 | 0.09 | 0.12 | 0.01 | 77 | 0.4 | 0.05 | 0.05 | 0.01 |
| *Republic of Korea, Daegu | 72 | 0.7 | 0.09 | 0.09 | 0.01 | 30 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Republic of Korea, Daejeon | 40 | 0.8 | 0.12 | 0.10 | 0.02 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Republic of Korea, Gwangju | 45 | 0.9 | 0.13 | 0.09 | 0.02 | 20 | 0.3 | 0.06 | 0.02 | 0.01 |
| Republic of Korea, Incheon | 86 | 0.8 | 0.09 | 0.09 | 0.01 | 51 | 0.4 | 0.05 | 0.05 | 0.01 |
| Republic of Korea, Jeju | 19 | 0.8 | 0.18 | 0.13 | 0.03 | 19 | 0.5 | 0.14 | 0.04 | 0.02 |
| Republic of Korea, Seoul | 382 | 1.0 | 0.05 | 0.12 | 0.01 | 159 | 0.3 | 0.03 | 0.03 | 0.00 |
| Republic of Korea, Ulsan | 27 | 0.7 | 0.14 | 0.09 | 0.02 | 12 | 0.3 | 0.09 | 0.04 | 0.02 |
| Singapore | 98 | 0.6 | 0.07 | 0.08 | 0.01 | 63 | 0.3 | 0.04 | 0.03 | 0.01 |
| Singapore: Chinese | 87 | 0.7 | 0.08 | 0.09 | 0.01 | 55 | 0.3 | 0.05 | 0.03 | 0.01 |
| Singapore: Indian | 3 | 0.3 | 0.15 | 0.03 | 0.02 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Renal pelvis (C65) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 5 | 0.3 | <i>0.13</i> | 0.02 | <i>0.01</i> | 6 | 0.4 | <i>0.15</i> | 0.04 | <i>0.02</i> |
| Thailand, Bangkok | 25 | 0.2 | <i>0.03</i> | 0.02 | <i>0.01</i> | 23 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *Thailand, Chiang Mai | 13 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 5 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *Thailand, Khon Kaen | 5 | 0.1 | <i>0.03</i> | 0.01 | <i>0.01</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Thailand, Lampang | 19 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> | 5 | 0.1 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| Thailand, Lopburi Province | 3 | 0.2 | <i>0.09</i> | 0.01 | <i>0.01</i> | 1 | 0.1 | <i>0.12</i> | 0.00 | <i>0.00</i> |
| *Thailand, Songkhla | 11 | 0.3 | <i>0.08</i> | 0.02 | <i>0.01</i> | 8 | 0.2 | <i>0.06</i> | 0.02 | <i>0.01</i> |
| Turkey, Antalya | 28 | 0.5 | <i>0.09</i> | 0.06 | <i>0.01</i> | 11 | 0.2 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| Turkey, Bursa | 21 | 0.3 | <i>0.06</i> | 0.04 | <i>0.01</i> | 6 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *Turkey, Edirne | 5 | 0.3 | <i>0.15</i> | 0.04 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Turkey, Erzurum | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Turkey, Eskişehir | 11 | 0.4 | <i>0.12</i> | 0.06 | <i>0.02</i> | 5 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| Turkey, Gaziantep | 5 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *Turkey, Izmir | 62 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> | 23 | 0.2 | <i>0.03</i> | 0.02 | <i>0.01</i> |
| Turkey, Malatya | 6 | 0.3 | <i>0.11</i> | 0.02 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Turkey, Samsun | 14 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> | 7 | 0.1 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| Turkey, Trabzon | 5 | 0.2 | <i>0.09</i> | 0.03 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| Europe | | | | | | | | | | |
| Austria | 215 | 0.5 | <i>0.03</i> | 0.06 | <i>0.01</i> | 156 | 0.3 | <i>0.02</i> | 0.03 | <i>0.00</i> |
| Austria, Carinthia | 22 | 0.7 | <i>0.16</i> | 0.08 | <i>0.02</i> | 22 | 0.5 | <i>0.12</i> | 0.06 | <i>0.02</i> |
| Austria, Tyrol | 18 | 0.4 | <i>0.11</i> | 0.04 | <i>0.01</i> | 15 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| Austria, Vorarlberg | 15 | 0.8 | <i>0.23</i> | 0.10 | <i>0.03</i> | 5 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| Belarus | 151 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> | 91 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| *Belgium | 583 | 1.0 | <i>0.04</i> | 0.11 | <i>0.01</i> | 365 | 0.4 | <i>0.03</i> | 0.05 | <i>0.00</i> |
| Croatia | 129 | 0.6 | <i>0.06</i> | 0.07 | <i>0.01</i> | 115 | 0.4 | <i>0.04</i> | 0.05 | <i>0.01</i> |
| Cyprus | 19 | 0.5 | <i>0.12</i> | 0.06 | <i>0.02</i> | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *Czech Republic | 453 | 0.9 | <i>0.04</i> | 0.11 | <i>0.01</i> | 379 | 0.5 | <i>0.03</i> | 0.07 | <i>0.00</i> |
| Denmark | 272 | 0.9 | <i>0.06</i> | 0.11 | <i>0.01</i> | 214 | 0.6 | <i>0.04</i> | 0.07 | <i>0.01</i> |
| Estonia | 48 | 0.8 | <i>0.13</i> | 0.11 | <i>0.02</i> | 38 | 0.2 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| Finland | 137 | 0.4 | <i>0.04</i> | 0.05 | <i>0.01</i> | 90 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> |
| *France, Bas-Rhin | 35 | 0.8 | <i>0.15</i> | 0.10 | <i>0.02</i> | 23 | 0.3 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| *France, Calvados | 28 | 0.7 | <i>0.16</i> | 0.07 | <i>0.02</i> | 29 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| *France, Doubs | 26 | 0.9 | <i>0.20</i> | 0.12 | <i>0.03</i> | 11 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| *France, Gironde | 62 | 0.8 | <i>0.11</i> | 0.08 | <i>0.01</i> | 30 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| *France, Haut-Rhin | 28 | 0.7 | <i>0.13</i> | 0.09 | <i>0.02</i> | 9 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| *France, Hérault | 50 | 0.8 | <i>0.12</i> | 0.09 | <i>0.02</i> | 36 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| *France, Isère | 52 | 0.8 | <i>0.12</i> | 0.07 | <i>0.02</i> | 20 | 0.2 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| *France, Lille-Métropole | 33 | 1.1 | <i>0.20</i> | 0.14 | <i>0.03</i> | 16 | 0.4 | <i>0.10</i> | 0.06 | <i>0.02</i> |
| *France, Limousin | 27 | 1.3 | <i>0.28</i> | 0.15 | <i>0.04</i> | 7 | 0.1 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *France, Loire-Atlantique | 62 | 0.9 | <i>0.13</i> | 0.11 | <i>0.02</i> | 27 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| *France, Manche | 22 | 0.7 | <i>0.18</i> | 0.07 | <i>0.02</i> | 18 | 0.4 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| *France, Poitou-Charentes | 85 | 0.7 | <i>0.09</i> | 0.09 | <i>0.01</i> | 44 | 0.2 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| *France, Somme | 31 | 1.2 | <i>0.23</i> | 0.17 | <i>0.04</i> | 10 | 0.3 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| *France, Tarn | 20 | 0.7 | <i>0.18</i> | 0.07 | <i>0.03</i> | 17 | 0.4 | <i>0.11</i> | 0.05 | <i>0.02</i> |
| *France, Territoire de Belfort | 7 | 0.9 | <i>0.38</i> | 0.06 | <i>0.04</i> | 2 | 0.2 | <i>0.13</i> | 0.00 | <i>0.00</i> |
| *France, Vendée | 42 | 1.0 | <i>0.17</i> | 0.12 | <i>0.03</i> | 20 | 0.3 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| Germany, Baden-Württemberg | 287 | 0.8 | <i>0.05</i> | 0.09 | <i>0.01</i> | 171 | 0.3 | <i>0.03</i> | 0.04 | <i>0.00</i> |
| Germany, Bavaria | 511 | 0.7 | <i>0.03</i> | 0.08 | <i>0.00</i> | 378 | 0.4 | <i>0.02</i> | 0.05 | <i>0.00</i> |
| Germany, Bremen | 34 | 0.9 | <i>0.18</i> | 0.10 | <i>0.02</i> | 27 | 0.6 | <i>0.14</i> | 0.06 | <i>0.02</i> |
| Germany, Hamburg | 68 | 0.6 | <i>0.08</i> | 0.08 | <i>0.01</i> | 51 | 0.4 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| Germany, Lower Saxony | 465 | 0.9 | <i>0.05</i> | 0.11 | <i>0.01</i> | 307 | 0.5 | <i>0.03</i> | 0.06 | <i>0.00</i> |
| Germany, North Rhine-Westphalia | 974 | 0.9 | <i>0.03</i> | 0.10 | <i>0.00</i> | 680 | 0.5 | <i>0.02</i> | 0.06 | <i>0.00</i> |
| Germany, Rhineland-Palatinate | 219 | 0.9 | <i>0.06</i> | 0.11 | <i>0.01</i> | 145 | 0.5 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| Germany, Saarland | 53 | 0.8 | <i>0.12</i> | 0.08 | <i>0.02</i> | 47 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| Germany, Schleswig-Holstein | 125 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> | 83 | 0.4 | <i>0.05</i> | 0.05 | <i>0.01</i> |
| Iceland | 8 | 0.5 | <i>0.18</i> | 0.03 | <i>0.02</i> | 7 | 0.5 | <i>0.20</i> | 0.07 | <i>0.03</i> |
| Ireland | 81 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 39 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *Italy, Aosta Valley | 2 | 0.2 | <i>0.12</i> | 0.00 | <i>0.00</i> | 1 | 0.0 | <i>0.05</i> | 0.00 | <i>0.00</i> |
| *Italy, Avellino | 8 | 0.6 | <i>0.23</i> | 0.07 | <i>0.03</i> | 2 | 0.2 | <i>0.14</i> | 0.02 | <i>0.02</i> |
| Italy, Basilicata | 17 | 0.4 | <i>0.11</i> | 0.06 | <i>0.02</i> | 15 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| *Italy, Benevento | 11 | 1.0 | <i>0.31</i> | 0.13 | <i>0.05</i> | 3 | 0.2 | <i>0.14</i> | 0.03 | <i>0.02</i> |
| Italy, Bergamo | 35 | 0.5 | <i>0.09</i> | 0.06 | <i>0.01</i> | 25 | 0.4 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| *Italy, Brescia | 27 | 0.5 | <i>0.09</i> | 0.06 | <i>0.01</i> | 22 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> |
| Italy, Brianza (Lecco and Monza e Brianza) | 31 | 0.6 | <i>0.12</i> | 0.08 | <i>0.02</i> | 13 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| Italy, Calabria | 27 | 0.9 | <i>0.18</i> | 0.11 | <i>0.03</i> | 11 | 0.3 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| *Italy, Caserta | 31 | 1.0 | <i>0.19</i> | 0.13 | <i>0.03</i> | 13 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| *Italy, Catania, Messina, and Enna | 76 | 0.7 | <i>0.09</i> | 0.10 | <i>0.01</i> | 33 | 0.2 | <i>0.05</i> | 0.03 | <i>0.01</i> |
| Italy, Emilia-Romagna | 187 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 94 | 0.3 | <i>0.04</i> | 0.04 | <i>0.01</i> |
| Italy, Friuli-Venezia Giulia | 37 | 0.5 | <i>0.09</i> | 0.06 | <i>0.01</i> | 15 | 0.1 | <i>0.04</i> | 0.02 | <i>0.01</i> |
| Italy, Genova | 35 | 0.7 | <i>0.13</i> | 0.07 | <i>0.02</i> | 25 | 0.4 | <i>0.10</i> | 0.05 | <i>0.01</i> |
| *Italy, Lombardy, South, Pavia | 22 | 0.6 | <i>0.15</i> | 0.09 | <i>0.02</i> | 9 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Italy, Mantova and Cremona | 24 | 0.7 | <i>0.15</i> | 0.08 | <i>0.02</i> | 13 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Renal pelvis (C65) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 59 | 0.7 | 0.10 | 0.08 | 0.02 | 32 | 0.3 | 0.06 | 0.04 | 0.01 |
| Italy, Milan | 215 | 1.1 | 0.08 | 0.13 | 0.01 | 118 | 0.4 | 0.05 | 0.06 | 0.01 |
| Italy, Molise | 5 | 0.6 | 0.28 | 0.06 | 0.03 | 1 | 0.1 | 0.08 | 0.02 | 0.02 |
| *Italy, Naples Centre | 23 | 0.8 | 0.18 | 0.10 | 0.03 | 18 | 0.6 | 0.15 | 0.09 | 0.02 |
| *Italy, Naples North | 24 | 0.8 | 0.16 | 0.10 | 0.02 | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Italy, Naples South | 40 | 0.8 | 0.13 | 0.09 | 0.02 | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Italy, Nuoro | 6 | 0.7 | 0.31 | 0.09 | 0.05 | 3 | 0.5 | 0.31 | 0.04 | 0.03 |
| *Italy, Palermo | 60 | 0.9 | 0.12 | 0.11 | 0.02 | 31 | 0.3 | 0.06 | 0.04 | 0.01 |
| Italy, Puglia | 184 | 0.8 | 0.07 | 0.10 | 0.01 | 85 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 17 | 0.6 | 0.15 | 0.08 | 0.02 | 6 | 0.1 | 0.05 | 0.02 | 0.01 |
| *Italy, Salerno | 43 | 1.0 | 0.16 | 0.11 | 0.02 | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| Italy, Sassari | 6 | 0.4 | 0.18 | 0.06 | 0.03 | 7 | 0.6 | 0.23 | 0.06 | 0.03 |
| *Italy, Sondrio | 8 | 0.5 | 0.19 | 0.06 | 0.03 | 4 | 0.3 | 0.19 | 0.02 | 0.02 |
| Italy, South Tyrol | 20 | 0.8 | 0.19 | 0.10 | 0.03 | 13 | 0.3 | 0.10 | 0.04 | 0.02 |
| *Italy, Syracuse | 12 | 0.6 | 0.18 | 0.07 | 0.03 | 6 | 0.2 | 0.11 | 0.02 | 0.01 |
| Italy, Trento | 15 | 0.5 | 0.13 | 0.07 | 0.02 | 15 | 0.4 | 0.11 | 0.04 | 0.02 |
| Italy, Turin | 102 | 0.7 | 0.07 | 0.08 | 0.01 | 55 | 0.3 | 0.05 | 0.03 | 0.01 |
| *Italy, Tuscany | 97 | 0.8 | 0.09 | 0.09 | 0.01 | 49 | 0.3 | 0.05 | 0.04 | 0.01 |
| Italy, Umbria | 42 | 0.9 | 0.16 | 0.11 | 0.02 | 20 | 0.3 | 0.08 | 0.04 | 0.01 |
| Italy, Varese | 32 | 0.9 | 0.17 | 0.12 | 0.03 | 9 | 0.2 | 0.09 | 0.02 | 0.01 |
| Italy, Veneto | 149 | 0.5 | 0.05 | 0.07 | 0.01 | 94 | 0.2 | 0.03 | 0.03 | 0.00 |
| Latvia | 64 | 0.8 | 0.10 | 0.10 | 0.02 | 30 | 0.2 | 0.05 | 0.03 | 0.01 |
| *Liechtenstein | 2 | 0.9 | 0.62 | 0.12 | 0.12 | 2 | 1.1 | 0.81 | 0.06 | 0.06 |
| *Lithuania | 69 | 0.5 | 0.07 | 0.07 | 0.01 | 71 | 0.3 | 0.04 | 0.03 | 0.01 |
| Malta | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *The Netherlands | 770 | 0.9 | 0.03 | 0.10 | 0.00 | 485 | 0.5 | 0.02 | 0.06 | 0.00 |
| Norway | 201 | 0.7 | 0.05 | 0.08 | 0.01 | 144 | 0.5 | 0.04 | 0.06 | 0.01 |
| Poland, Kielce | 40 | 0.7 | 0.12 | 0.09 | 0.02 | 28 | 0.4 | 0.09 | 0.06 | 0.01 |
| *Portugal, Azores | 2 | 0.2 | 0.18 | 0.03 | 0.03 | 1 | 0.1 | 0.11 | 0.03 | 0.03 |
| Russian Federation, Arkhangelsk | 12 | 0.3 | 0.09 | 0.03 | 0.01 | 13 | 0.2 | 0.06 | 0.02 | 0.01 |
| Russian Federation, Kaliningrad | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 14 | 0.3 | 0.08 | 0.03 | 0.01 |
| Russian Federation, Karelia | 10 | 0.5 | 0.16 | 0.05 | 0.02 | 5 | 0.2 | 0.09 | 0.03 | 0.01 |
| *Russian Federation, Komi Republic | 9 | 0.4 | 0.16 | 0.06 | 0.02 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| Russian Federation, Murmansk | 11 | 0.5 | 0.15 | 0.05 | 0.02 | 10 | 0.3 | 0.09 | 0.04 | 0.01 |
| *Russian Federation, Orenburg | 25 | 0.4 | 0.08 | 0.05 | 0.01 | 13 | 0.1 | 0.04 | 0.02 | 0.01 |
| Russian Federation, Pskov | 5 | 0.2 | 0.11 | 0.05 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Russian Federation, Samara | 71 | 0.7 | 0.08 | 0.09 | 0.01 | 41 | 0.2 | 0.03 | 0.02 | 0.00 |
| Russian Federation, Vologda Region | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Slovenia | 82 | 0.8 | 0.09 | 0.08 | 0.01 | 75 | 0.5 | 0.07 | 0.05 | 0.01 |
| Spain, Asturias | 20 | 0.6 | 0.15 | 0.09 | 0.02 | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| Spain, Basque Country | 115 | 1.2 | 0.12 | 0.15 | 0.02 | 40 | 0.3 | 0.06 | 0.04 | 0.01 |
| Spain, Canary Islands | 52 | 0.8 | 0.12 | 0.09 | 0.02 | 26 | 0.3 | 0.07 | 0.04 | 0.01 |
| Spain, Castellón | 7 | 0.3 | 0.12 | 0.04 | 0.02 | 6 | 0.2 | 0.09 | 0.03 | 0.01 |
| Spain, Girona | 30 | 0.8 | 0.15 | 0.11 | 0.03 | 10 | 0.3 | 0.09 | 0.04 | 0.02 |
| Spain, Granada | 62 | 1.4 | 0.18 | 0.17 | 0.03 | 27 | 0.5 | 0.11 | 0.07 | 0.02 |
| Spain, La Rioja | 12 | 0.7 | 0.22 | 0.08 | 0.03 | 7 | 0.3 | 0.13 | 0.02 | 0.02 |
| Spain, Murcia | 72 | 1.0 | 0.13 | 0.12 | 0.02 | 31 | 0.3 | 0.07 | 0.04 | 0.01 |
| Spain, Navarra | 25 | 0.9 | 0.20 | 0.09 | 0.03 | 16 | 0.4 | 0.12 | 0.05 | 0.02 |
| Spain, Salamanca | 30 | 1.2 | 0.26 | 0.12 | 0.03 | 14 | 0.4 | 0.14 | 0.06 | 0.02 |
| Spain, Tarragona | 37 | 0.9 | 0.15 | 0.11 | 0.02 | 21 | 0.4 | 0.11 | 0.06 | 0.02 |
| *Sweden | 350 | 0.6 | 0.04 | 0.08 | 0.01 | 237 | 0.4 | 0.03 | 0.04 | 0.00 |
| Switzerland, Aargau | 23 | 0.7 | 0.15 | 0.09 | 0.02 | 16 | 0.4 | 0.11 | 0.05 | 0.02 |
| Switzerland, Basel | 18 | 0.5 | 0.13 | 0.06 | 0.02 | 11 | 0.3 | 0.09 | 0.04 | 0.02 |
| Switzerland, Berne Solothurn | 39 | 0.8 | 0.13 | 0.09 | 0.02 | 23 | 0.3 | 0.08 | 0.04 | 0.01 |
| Switzerland, East | 23 | 0.5 | 0.11 | 0.06 | 0.02 | 23 | 0.4 | 0.10 | 0.05 | 0.01 |
| *Switzerland, Fribourg | 8 | 0.6 | 0.21 | 0.06 | 0.03 | 11 | 0.9 | 0.28 | 0.12 | 0.04 |
| Switzerland, Geneva | 9 | 0.4 | 0.14 | 0.05 | 0.02 | 11 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Switzerland, Graubünden and Glarus | 6 | 0.4 | 0.17 | 0.06 | 0.03 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |
| *Switzerland, Lucerne | 9 | 0.3 | 0.11 | 0.04 | 0.02 | 9 | 0.3 | 0.11 | 0.04 | 0.02 |
| *Switzerland, Neuchâtel and Jura | 15 | 1.1 | 0.30 | 0.17 | 0.06 | 5 | 0.4 | 0.19 | 0.04 | 0.02 |
| Switzerland, Ticino | 25 | 1.0 | 0.23 | 0.11 | 0.03 | 17 | 0.4 | 0.13 | 0.04 | 0.02 |
| Switzerland, Valais | 12 | 0.6 | 0.19 | 0.08 | 0.03 | 6 | 0.3 | 0.13 | 0.05 | 0.02 |
| Switzerland, Vaud | 20 | 0.6 | 0.13 | 0.07 | 0.02 | 13 | 0.2 | 0.08 | 0.02 | 0.01 |
| Switzerland, Zurich and Zug | 60 | 0.8 | 0.10 | 0.09 | 0.02 | 51 | 0.4 | 0.07 | 0.04 | 0.01 |
| Ukraine | 320 | 0.3 | 0.01 | 0.03 | 0.00 | 179 | 0.1 | 0.01 | 0.01 | 0.00 |
| UK, England | 1933 | 0.7 | 0.02 | 0.08 | 0.00 | 1364 | 0.4 | 0.01 | 0.04 | 0.00 |
| UK, Northern Ireland | 57 | 0.6 | 0.08 | 0.07 | 0.01 | 32 | 0.3 | 0.05 | 0.03 | 0.01 |
| UK, Scotland | 183 | 0.6 | 0.05 | 0.07 | 0.01 | 142 | 0.4 | 0.04 | 0.05 | 0.01 |
| UK, Wales | 82 | 0.5 | 0.06 | 0.05 | 0.01 | 71 | 0.3 | 0.04 | 0.04 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 334 | 0.8 | 0.05 | 0.10 | 0.01 | 284 | 0.6 | 0.04 | 0.06 | 0.01 |
| *Australia, Northern Territory | 6 | 0.8 | 0.34 | 0.12 | 0.06 | 6 | 1.1 | 0.44 | 0.17 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Renal pelvis (C65) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 3 | 0.5 | <i>0.29</i> | 0.06 | <i>0.04</i> | 5 | 1.2 | <i>0.52</i> | 0.19 | <i>0.10</i> |
| *Australia, Northern Territory: Indigenous | 3 | 2.9 | <i>1.79</i> | 0.53 | <i>0.37</i> | 1 | 0.5 | <i>0.55</i> | 0.07 | <i>0.07</i> |
| *Australia, Queensland | 157 | 0.7 | <i>0.06</i> | 0.07 | <i>0.01</i> | 135 | 0.5 | <i>0.05</i> | 0.05 | <i>0.01</i> |
| Australia, South Australia | 59 | 0.6 | <i>0.08</i> | 0.06 | <i>0.01</i> | 64 | 0.5 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| Australia, Tasmania | 25 | 0.8 | <i>0.17</i> | 0.08 | <i>0.02</i> | 16 | 0.4 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| *Australia, Victoria | 183 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 119 | 0.3 | <i>0.03</i> | 0.04 | <i>0.01</i> |
| *Australia, Western Australia | 86 | 0.8 | <i>0.08</i> | 0.08 | <i>0.01</i> | 52 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| *France, New Caledonia | 2 | 0.3 | <i>0.18</i> | 0.04 | <i>0.03</i> | 4 | 0.5 | <i>0.23</i> | 0.05 | <i>0.03</i> |
| New Zealand | 106 | 0.5 | <i>0.05</i> | 0.06 | <i>0.01</i> | 78 | 0.3 | <i>0.03</i> | 0.03 | <i>0.01</i> |
| *New Zealand: Maori | 5 | 0.3 | <i>0.15</i> | 0.03 | <i>0.02</i> | 4 | 0.2 | <i>0.09</i> | 0.01 | <i>0.01</i> |
| *New Zealand: Pacific peoples | 3 | 0.5 | <i>0.29</i> | 0.07 | <i>0.05</i> | 1 | 0.1 | <i>0.13</i> | 0.02 | <i>0.02</i> |
| *New Zealand: Other | 92 | 0.6 | <i>0.06</i> | 0.06 | <i>0.01</i> | 67 | 0.3 | <i>0.04</i> | 0.03 | <i>0.01</i> |
| USA, Hawaii | 40 | 0.5 | <i>0.09</i> | 0.05 | <i>0.01</i> | 32 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> |
| USA, Hawaii: White | 17 | 0.7 | <i>0.18</i> | 0.08 | <i>0.03</i> | 5 | 0.2 | <i>0.11</i> | 0.03 | <i>0.02</i> |
| *USA, Hawaii: Japanese | 17 | 0.7 | <i>0.20</i> | 0.07 | <i>0.03</i> | 16 | 0.7 | <i>0.28</i> | 0.07 | <i>0.03</i> |
| *USA, Hawaii: Chinese | 2 | 0.4 | <i>0.33</i> | 0.04 | <i>0.04</i> | 3 | 0.3 | <i>0.18</i> | 0.00 | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 1 | 0.1 | <i>0.12</i> | 0.01 | <i>0.01</i> | 4 | 0.4 | <i>0.18</i> | 0.05 | <i>0.03</i> |
| *USA, Hawaii: Filipino | 3 | 0.3 | <i>0.17</i> | 0.02 | <i>0.02</i> | 2 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ureter (C66)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Algeria, Tizi Ouzou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Nairobi | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| Mauritius | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Morocco, Casablanca | 8 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Seychelles | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Argentina, Mendoza | 4 | 0.1 | 0.03 | 0.00 | 0.00 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| Brazil, Aracaju | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Brazil, Barretos | 2 | 0.2 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Belo Horizonte | 9 | 0.1 | 0.04 | 0.01 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Brazil, Campinas | 7 | 0.3 | 0.11 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Brazil, Curitiba | 2 | 0.0 | 0.03 | 0.01 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| Brazil, Goiânia | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Brazil, Jaú | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.23 | 0.03 | 0.03 |
| Brazil, João Pessoa | 1 | 0.1 | 0.08 | 0.00 | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| Brazil, Recife | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| Chile, Region of Antofagasta | 14 | 1.5 | 0.40 | 0.19 | 0.07 | 7 | 0.7 | 0.27 | 0.10 | 0.04 |
| Chile, Valdivia | 3 | 0.2 | 0.13 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Bucaramanga | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Cali | 4 | 0.1 | 0.04 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.00 |
| Colombia, Manizales | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Colombia, Pasto | 1 | 0.1 | 0.11 | 0.02 | 0.02 | 2 | 0.1 | 0.09 | 0.02 | 0.02 |
| Costa Rica | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Ecuador, Guayaquil | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Manabí | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Quito | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *France, Guadeloupe | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Martinique | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Peru, Lima | 8 | 0.1 | 0.02 | 0.01 | 0.00 | 8 | 0.0 | 0.02 | 0.01 | 0.00 |
| *Trinidad and Tobago | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Puerto Rico | 40 | 0.2 | 0.03 | 0.02 | 0.00 | 26 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Uruguay | 18 | 0.1 | 0.03 | 0.02 | 0.01 | 16 | 0.1 | 0.02 | 0.01 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 69 | 0.4 | 0.05 | 0.06 | 0.01 | 42 | 0.2 | 0.03 | 0.02 | 0.01 |
| Canada, British Columbia | 123 | 0.4 | 0.04 | 0.04 | 0.01 | 75 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Canada, Manitoba | 27 | 0.4 | 0.08 | 0.05 | 0.01 | 21 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Canada, New Brunswick | 25 | 0.5 | 0.11 | 0.04 | 0.01 | 16 | 0.3 | 0.08 | 0.03 | 0.01 |
| *Canada, Newfoundland and Labrador | 19 | 0.7 | 0.15 | 0.09 | 0.02 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| Canada, Ontario | 181 | 0.2 | 0.02 | 0.03 | 0.00 | 128 | 0.1 | 0.01 | 0.02 | 0.00 |
| *Canada, Prince Edward Island | 1 | 0.1 | 0.09 | 0.00 | 0.00 | 6 | 0.6 | 0.27 | 0.05 | 0.03 |
| Canada, Quebec | 251 | 0.5 | 0.03 | 0.06 | 0.01 | 136 | 0.2 | 0.02 | 0.03 | 0.00 |
| Canada, Saskatchewan | 17 | 0.3 | 0.08 | 0.05 | 0.02 | 12 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA | 6398 | 0.4 | 0.01 | 0.05 | 0.00 | 4014 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA: White | 5953 | 0.5 | 0.01 | 0.05 | 0.00 | 3606 | 0.2 | 0.00 | 0.03 | 0.00 |
| USA: Black | 215 | 0.2 | 0.01 | 0.02 | 0.00 | 199 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR | 6227 | 0.4 | 0.01 | 0.05 | 0.00 | 3882 | 0.2 | 0.00 | 0.02 | 0.00 |
| USA, NPCR: White | 5807 | 0.5 | 0.01 | 0.05 | 0.00 | 3492 | 0.2 | 0.00 | 0.03 | 0.00 |
| USA, NPCR: Black | 212 | 0.2 | 0.01 | 0.02 | 0.00 | 195 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 175 | 0.3 | 0.02 | 0.03 | 0.00 | 167 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, NPCR: American Indian | 15 | 0.1 | 0.03 | 0.01 | 0.00 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, SEER (18 registries) | 1201 | 0.3 | 0.01 | 0.03 | 0.00 | 925 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): White | 1032 | 0.3 | 0.01 | 0.04 | 0.00 | 771 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 928 | 0.3 | 0.01 | 0.04 | 0.00 | 693 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 104 | 0.2 | 0.02 | 0.02 | 0.00 | 78 | 0.1 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Black | 46 | 0.1 | 0.02 | 0.02 | 0.00 | 44 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 114 | 0.3 | 0.03 | 0.03 | 0.00 | 103 | 0.2 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (9 registries) | 409 | 0.3 | 0.01 | 0.03 | 0.00 | 324 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (9 registries): White | 346 | 0.3 | 0.02 | 0.04 | 0.00 | 265 | 0.2 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (9 registries): Black | 21 | 0.2 | 0.04 | 0.02 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, Alabama | 97 | 0.4 | 0.04 | 0.05 | 0.01 | 65 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Alabama: White | 91 | 0.5 | 0.05 | 0.06 | 0.01 | 55 | 0.3 | 0.04 | 0.03 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ureter (C66) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 9 | 0.2 | 0.06 | 0.03 | 0.01 |
| USA, Alaska | 11 | 0.4 | 0.13 | 0.01 | 0.01 | 3 | 0.1 | 0.07 | 0.03 | 0.02 |
| *USA, Alaska: Alaska Natives | 2 | 0.5 | 0.37 | 0.03 | 0.03 | 1 | 0.3 | 0.31 | 0.08 | 0.08 |
| USA, Arizona | 139 | 0.4 | 0.03 | 0.04 | 0.01 | 78 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Arizona: White | 136 | 0.4 | 0.04 | 0.05 | 0.01 | 75 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Arizona: Black | 2 | 0.2 | 0.18 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, Arizona: Asian and Pacific Islander | 1 | 0.1 | 0.09 | 0.00 | 0.00 | 3 | 0.2 | 0.14 | 0.01 | 0.01 |
| USA, Arizona: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Arkansas | 73 | 0.5 | 0.06 | 0.06 | 0.01 | 31 | 0.2 | 0.03 | 0.02 | 0.01 |
| USA, Arkansas: White | 72 | 0.5 | 0.07 | 0.06 | 0.01 | 31 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Arkansas: Black | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, California | 543 | 0.3 | 0.01 | 0.03 | 0.00 | 353 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, California: White | 449 | 0.3 | 0.02 | 0.03 | 0.00 | 267 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, California: Black | 8 | 0.1 | 0.03 | 0.01 | 0.00 | 14 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, California: Asian and Pacific Islander | 83 | 0.3 | 0.04 | 0.04 | 0.01 | 67 | 0.2 | 0.03 | 0.03 | 0.00 |
| *USA, California, Los Angeles County | 79 | 0.2 | 0.02 | 0.02 | 0.00 | 79 | 0.1 | 0.02 | 0.02 | 0.00 |
| *USA, California, Los Angeles County: White | 51 | 0.2 | 0.03 | 0.02 | 0.00 | 50 | 0.1 | 0.02 | 0.02 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 33 | 0.2 | 0.04 | 0.02 | 0.01 | 33 | 0.1 | 0.03 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 18 | 0.2 | 0.04 | 0.02 | 0.01 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Black | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Chinese | 9 | 0.3 | 0.11 | 0.03 | 0.02 | 10 | 0.2 | 0.08 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Filipino | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Korean | 4 | 0.4 | 0.20 | 0.04 | 0.03 | 6 | 0.4 | 0.17 | 0.05 | 0.03 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 24 | 0.3 | 0.07 | 0.04 | 0.01 | 23 | 0.2 | 0.05 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area | 58 | 0.3 | 0.04 | 0.03 | 0.01 | 45 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, California, San Francisco Bay Area: White | 43 | 0.3 | 0.05 | 0.03 | 0.01 | 26 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 34 | 0.3 | 0.05 | 0.03 | 0.01 | 23 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: Hispanic White | 9 | 0.4 | 0.15 | 0.06 | 0.03 | 3 | 0.1 | 0.05 | 0.00 | 0.00 |
| *USA, California, San Francisco Bay Area: Black | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 3 | 0.2 | 0.10 | 0.04 | 0.02 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 13 | 0.2 | 0.06 | 0.02 | 0.01 | 16 | 0.2 | 0.06 | 0.03 | 0.01 |
| USA, Colorado | 94 | 0.4 | 0.04 | 0.04 | 0.01 | 46 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Colorado: White | 89 | 0.4 | 0.04 | 0.04 | 0.01 | 43 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Colorado: Black | 3 | 0.4 | 0.23 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *USA, Colorado: Asian and Pacific Islander | 1 | 0.2 | 0.23 | 0.06 | 0.06 | 3 | 0.4 | 0.24 | 0.05 | 0.04 |
| USA, Connecticut | 58 | 0.3 | 0.04 | 0.03 | 0.01 | 63 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, Connecticut: White | 55 | 0.3 | 0.04 | 0.03 | 0.01 | 59 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, Connecticut: Black | 3 | 0.2 | 0.13 | 0.02 | 0.02 | 4 | 0.2 | 0.13 | 0.04 | 0.03 |
| USA, District of Columbia | 5 | 0.2 | 0.11 | 0.04 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, District of Columbia: White | 3 | 0.3 | 0.19 | 0.07 | 0.04 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| USA, District of Columbia: Black | 2 | 0.1 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Florida | 526 | 0.4 | 0.02 | 0.05 | 0.00 | 289 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, Florida: White | 502 | 0.5 | 0.02 | 0.05 | 0.00 | 271 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, Florida: Black | 14 | 0.1 | 0.04 | 0.02 | 0.01 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Florida: Asian and Pacific Islander | 5 | 0.2 | 0.11 | 0.04 | 0.02 | 4 | 0.1 | 0.06 | 0.00 | 0.00 |
| USA, Georgia | 149 | 0.4 | 0.03 | 0.04 | 0.00 | 107 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Georgia: White | 130 | 0.4 | 0.04 | 0.05 | 0.01 | 91 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Georgia: Black | 14 | 0.2 | 0.04 | 0.02 | 0.01 | 10 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Georgia: Asian and Pacific Islander | 4 | 0.3 | 0.18 | 0.01 | 0.01 | 6 | 0.4 | 0.17 | 0.03 | 0.02 |
| *USA, Georgia, Atlanta | 29 | 0.2 | 0.05 | 0.02 | 0.01 | 30 | 0.2 | 0.03 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: White | 22 | 0.3 | 0.06 | 0.03 | 0.01 | 21 | 0.2 | 0.05 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: Black | 5 | 0.1 | 0.07 | 0.02 | 0.01 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| USA, Idaho | 42 | 0.5 | 0.08 | 0.04 | 0.01 | 19 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Indiana | 173 | 0.6 | 0.04 | 0.06 | 0.01 | 91 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Indiana: White | 171 | 0.6 | 0.05 | 0.07 | 0.01 | 89 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Indiana: Black | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *USA, Iowa | 50 | 0.3 | 0.05 | 0.04 | 0.01 | 33 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Kentucky | 99 | 0.5 | 0.05 | 0.06 | 0.01 | 71 | 0.2 | 0.03 | 0.03 | 0.01 |
| USA, Louisiana | 100 | 0.5 | 0.05 | 0.05 | 0.01 | 54 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana: White | 95 | 0.6 | 0.07 | 0.07 | 0.01 | 47 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Louisiana: Black | 4 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.1 | 0.04 | 0.02 | 0.01 |
| *USA, Louisiana, New Orleans | 11 | 0.3 | 0.08 | 0.03 | 0.01 | 11 | 0.2 | 0.08 | 0.03 | 0.01 |
| *USA, Louisiana, New Orleans: White | 10 | 0.4 | 0.12 | 0.04 | 0.02 | 7 | 0.2 | 0.10 | 0.03 | 0.02 |
| *USA, Louisiana, New Orleans: Black | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 3 | 0.2 | 0.11 | 0.03 | 0.02 |
| USA, Maine | 33 | 0.4 | 0.08 | 0.05 | 0.01 | 18 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Maryland | 117 | 0.4 | 0.04 | 0.05 | 0.01 | 68 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Maryland: White | 98 | 0.5 | 0.05 | 0.06 | 0.01 | 54 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Maryland: Black | 12 | 0.2 | 0.06 | 0.02 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Maryland: Asian and Pacific Islander | 7 | 0.5 | 0.19 | 0.06 | 0.03 | 3 | 0.2 | 0.10 | 0.02 | 0.02 |
| USA, Massachusetts | 153 | 0.5 | 0.04 | 0.05 | 0.01 | 96 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Massachusetts: White | 145 | 0.5 | 0.04 | 0.05 | 0.01 | 91 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Massachusetts: Black | 1 | 0.1 | 0.07 | 0.02 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, Massachusetts: Asian and Pacific Islander | 4 | 0.3 | 0.17 | 0.03 | 0.02 | 3 | 0.2 | 0.13 | 0.03 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Ureter (C66) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 225 | 0.4 | 0.03 | 0.05 | 0.00 | 151 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, Michigan: White | 210 | 0.5 | 0.03 | 0.06 | 0.01 | 144 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, Michigan: Black | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 3 | 0.3 | 0.20 | 0.03 | 0.02 | 1 | 0.1 | 0.10 | 0.03 | 0.03 |
| *USA, Michigan, Detroit | 60 | 0.3 | 0.04 | 0.04 | 0.01 | 41 | 0.2 | 0.03 | 0.02 | 0.00 |
| *USA, Michigan, Detroit: White | 52 | 0.4 | 0.05 | 0.05 | 0.01 | 37 | 0.2 | 0.04 | 0.02 | 0.01 |
| *USA, Michigan, Detroit: Black | 7 | 0.2 | 0.08 | 0.03 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Minnesota | 101 | 0.4 | 0.04 | 0.04 | 0.01 | 70 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Minnesota: White | 96 | 0.4 | 0.04 | 0.04 | 0.01 | 64 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Minnesota: Black | 2 | 0.3 | 0.24 | 0.06 | 0.05 | 3 | 0.5 | 0.28 | 0.09 | 0.06 |
| *USA, Minnesota: Asian and Pacific Islander | 1 | 0.2 | 0.15 | 0.00 | 0.00 | 3 | 0.4 | 0.26 | 0.05 | 0.05 |
| USA, Mississippi | 50 | 0.4 | 0.05 | 0.03 | 0.01 | 27 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Missouri | 145 | 0.5 | 0.04 | 0.06 | 0.01 | 115 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, Missouri: White | 138 | 0.5 | 0.05 | 0.06 | 0.01 | 108 | 0.3 | 0.03 | 0.03 | 0.01 |
| USA, Missouri: Black | 6 | 0.3 | 0.12 | 0.04 | 0.02 | 5 | 0.1 | 0.07 | 0.01 | 0.01 |
| USA, Montana | 29 | 0.5 | 0.09 | 0.05 | 0.01 | 7 | 0.1 | 0.04 | 0.01 | 0.01 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.5 | 0.46 | 0.00 | 0.00 |
| USA, Nebraska | 40 | 0.4 | 0.07 | 0.03 | 0.01 | 21 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Nebraska: White | 40 | 0.4 | 0.07 | 0.03 | 0.01 | 20 | 0.2 | 0.05 | 0.02 | 0.01 |
| *USA, Nebraska: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.5 | 0.47 | 0.04 | 0.04 |
| USA, Nevada | 36 | 0.3 | 0.04 | 0.03 | 0.01 | 38 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Nevada: White | 36 | 0.3 | 0.05 | 0.03 | 0.01 | 36 | 0.3 | 0.05 | 0.03 | 0.01 |
| USA, Nevada: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Nevada: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| USA, New Jersey | 194 | 0.4 | 0.03 | 0.05 | 0.01 | 144 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, New Jersey: White | 180 | 0.5 | 0.04 | 0.06 | 0.01 | 128 | 0.3 | 0.03 | 0.02 | 0.00 |
| USA, New Jersey: Black | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.02 | 0.01 |
| USA, New Mexico | 33 | 0.3 | 0.06 | 0.04 | 0.01 | 21 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, New Mexico: White | 33 | 0.4 | 0.06 | 0.05 | 0.01 | 20 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 23 | 0.4 | 0.09 | 0.06 | 0.01 | 13 | 0.2 | 0.05 | 0.01 | 0.01 |
| USA, New Mexico: Hispanic White | 10 | 0.3 | 0.10 | 0.03 | 0.01 | 7 | 0.2 | 0.07 | 0.03 | 0.01 |
| *USA, New Mexico: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, New York State | 428 | 0.4 | 0.02 | 0.05 | 0.00 | 271 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, New York State: White | 395 | 0.5 | 0.03 | 0.05 | 0.00 | 236 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, New York State: Black | 17 | 0.1 | 0.04 | 0.02 | 0.01 | 19 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 16 | 0.2 | 0.06 | 0.04 | 0.01 | 16 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, North Carolina | 236 | 0.5 | 0.03 | 0.05 | 0.01 | 132 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, North Carolina: White | 217 | 0.6 | 0.04 | 0.06 | 0.01 | 114 | 0.2 | 0.02 | 0.03 | 0.00 |
| USA, North Carolina: Black | 14 | 0.2 | 0.05 | 0.02 | 0.01 | 13 | 0.1 | 0.04 | 0.02 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 3 | 0.4 | 0.25 | 0.01 | 0.01 | 4 | 0.5 | 0.25 | 0.09 | 0.05 |
| *USA, North Carolina: American Indian | 2 | 0.4 | 0.30 | 0.06 | 0.06 | 1 | 0.2 | 0.19 | 0.03 | 0.03 |
| USA, North Dakota | 18 | 0.5 | 0.12 | 0.04 | 0.02 | 14 | 0.3 | 0.09 | 0.03 | 0.01 |
| USA, Ohio | 276 | 0.5 | 0.03 | 0.06 | 0.00 | 164 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Ohio: White | 264 | 0.5 | 0.03 | 0.06 | 0.01 | 150 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Ohio: Black | 10 | 0.2 | 0.07 | 0.03 | 0.01 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 2 | 0.3 | 0.18 | 0.02 | 0.02 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| USA, Oklahoma | 66 | 0.3 | 0.04 | 0.03 | 0.01 | 51 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Oklahoma: White | 61 | 0.3 | 0.05 | 0.04 | 0.01 | 45 | 0.2 | 0.03 | 0.02 | 0.01 |
| USA, Oklahoma: Black | 3 | 0.4 | 0.21 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| USA, Oklahoma: American Indian | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 3 | 0.2 | 0.13 | 0.02 | 0.02 |
| USA, Oregon | 99 | 0.5 | 0.05 | 0.05 | 0.01 | 54 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Oregon: White | 93 | 0.5 | 0.05 | 0.05 | 0.01 | 52 | 0.2 | 0.04 | 0.03 | 0.01 |
| *USA, Oregon: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 5 | 0.9 | 0.40 | 0.11 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| USA, Rhode Island | 33 | 0.6 | 0.12 | 0.08 | 0.02 | 20 | 0.3 | 0.06 | 0.02 | 0.01 |
| USA, Rhode Island: White | 32 | 0.7 | 0.12 | 0.08 | 0.02 | 18 | 0.2 | 0.06 | 0.02 | 0.01 |
| *USA, Rhode Island: Black | 1 | 0.5 | 0.52 | 0.09 | 0.09 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 94 | 0.4 | 0.04 | 0.05 | 0.01 | 74 | 0.3 | 0.03 | 0.03 | 0.00 |
| USA, South Carolina: White | 92 | 0.5 | 0.05 | 0.06 | 0.01 | 61 | 0.3 | 0.04 | 0.03 | 0.01 |
| USA, South Carolina: Black | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 12 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, South Dakota | 17 | 0.4 | 0.10 | 0.05 | 0.02 | 13 | 0.2 | 0.07 | 0.01 | 0.01 |
| USA, Tennessee | 155 | 0.5 | 0.04 | 0.07 | 0.01 | 98 | 0.2 | 0.03 | 0.03 | 0.00 |
| USA, Tennessee: White | 148 | 0.6 | 0.05 | 0.07 | 0.01 | 94 | 0.3 | 0.03 | 0.04 | 0.01 |
| USA, Tennessee: Black | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Texas | 337 | 0.3 | 0.02 | 0.04 | 0.00 | 226 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, Texas: White | 321 | 0.4 | 0.02 | 0.04 | 0.00 | 211 | 0.2 | 0.01 | 0.02 | 0.00 |
| USA, Texas: Black | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 9 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| USA, Utah | 23 | 0.2 | 0.05 | 0.02 | 0.01 | 16 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Vermont | 15 | 0.5 | 0.13 | 0.04 | 0.01 | 15 | 0.3 | 0.08 | 0.02 | 0.01 |
| USA, Washington State | 128 | 0.4 | 0.03 | 0.05 | 0.01 | 91 | 0.2 | 0.03 | 0.03 | 0.00 |
| *USA, Washington, Seattle | 68 | 0.3 | 0.04 | 0.04 | 0.01 | 60 | 0.2 | 0.03 | 0.02 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Ureter (C66) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 57 | 0.5 | 0.07 | 0.07 | 0.01 | 22 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Wyoming | 14 | 0.5 | 0.14 | 0.06 | 0.02 | 5 | 0.1 | 0.05 | 0.00 | 0.00 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 3 | 0.3 | 0.15 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Brunei Darussalam | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.16 | 0.04 | 0.04 |
| *China, Anfu County | 2 | 0.2 | 0.15 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 3 | 0.2 | 0.14 | 0.04 | 0.02 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Anshan City | 60 | 0.7 | 0.10 | 0.09 | 0.02 | 47 | 0.5 | 0.08 | 0.06 | 0.01 |
| *China, Aohan Banner, Chifeng City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Arongqi | 4 | 0.5 | 0.23 | 0.05 | 0.03 | 3 | 0.4 | 0.25 | 0.06 | 0.05 |
| *China, Baoding City | 28 | 0.8 | 0.15 | 0.12 | 0.03 | 19 | 0.5 | 0.11 | 0.06 | 0.02 |
| *China, Beijing City | 386 | 0.8 | 0.05 | 0.11 | 0.01 | 515 | 0.9 | 0.04 | 0.10 | 0.01 |
| *China, Binhai County | 1 | 0.0 | 0.02 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Cangzhou City | 8 | 0.6 | 0.21 | 0.08 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Changfeng County | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Changzhou City | 50 | 0.5 | 0.07 | 0.05 | 0.01 | 40 | 0.4 | 0.06 | 0.05 | 0.01 |
| China, Chengdu City | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Cixian County | 9 | 0.5 | 0.17 | 0.07 | 0.03 | 12 | 0.6 | 0.19 | 0.08 | 0.03 |
| China, Cixi City | 22 | 0.4 | 0.09 | 0.06 | 0.02 | 10 | 0.2 | 0.06 | 0.03 | 0.01 |
| *China, Dafeng District, Yancheng City | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Dalian City | 134 | 1.0 | 0.09 | 0.10 | 0.01 | 100 | 0.7 | 0.07 | 0.08 | 0.01 |
| *China, Dancheng County | 25 | 0.8 | 0.16 | 0.08 | 0.02 | 8 | 0.2 | 0.09 | 0.04 | 0.02 |
| China, Dangtu County | 5 | 0.4 | 0.16 | 0.06 | 0.03 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Danyang City | 10 | 0.2 | 0.08 | 0.03 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Dawukou District, Shizuishan City | 9 | 0.8 | 0.27 | 0.11 | 0.05 | 5 | 0.4 | 0.19 | 0.08 | 0.04 |
| *China, Dehui City | 5 | 0.2 | 0.07 | 0.01 | 0.01 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Donggang County | 20 | 0.7 | 0.15 | 0.07 | 0.02 | 18 | 0.6 | 0.15 | 0.09 | 0.03 |
| *China, Dongguan City | 13 | 0.3 | 0.10 | 0.05 | 0.02 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| China, Donghai County | 2 | 0.0 | 0.03 | 0.01 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Dongtai City | 9 | 0.2 | 0.06 | 0.03 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 6 | 0.4 | 0.18 | 0.03 | 0.02 | 4 | 0.3 | 0.17 | 0.05 | 0.03 |
| *China, Evenki Autonomous Banner | 2 | 0.5 | 0.35 | 0.02 | 0.02 | 1 | 0.2 | 0.25 | 0.02 | 0.02 |
| *China, Faku County | 5 | 0.3 | 0.12 | 0.05 | 0.03 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Fangcheng County | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 5 | 0.3 | 0.11 | 0.04 | 0.02 |
| *China, Feicheng City | 14 | 0.4 | 0.10 | 0.06 | 0.02 | 12 | 0.3 | 0.08 | 0.05 | 0.02 |
| China, Feixi County | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 7 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Fuqing City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Ganyu District, Lianyungang City | 8 | 0.2 | 0.07 | 0.03 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 2 | 0.2 | 0.14 | 0.03 | 0.02 | 4 | 0.5 | 0.25 | 0.05 | 0.03 |
| *China, Gaocheng City | 6 | 0.2 | 0.10 | 0.03 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Gaomi City | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 7 | 0.2 | 0.07 | 0.01 | 0.01 |
| China, Gong'an County | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Guang'an District, Guang'an City | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.08 | 0.02 | 0.02 |
| China, Guanghan City | 4 | 0.2 | 0.11 | 0.03 | 0.02 | 4 | 0.1 | 0.07 | 0.00 | 0.00 |
| China, Guangzhou City | 119 | 0.4 | 0.03 | 0.04 | 0.01 | 87 | 0.2 | 0.03 | 0.03 | 0.00 |
| *China, Guanyun County | 9 | 0.3 | 0.08 | 0.03 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Guilin City | 10 | 0.5 | 0.16 | 0.06 | 0.02 | 11 | 0.4 | 0.13 | 0.05 | 0.02 |
| *China, Hai'an City | 12 | 0.2 | 0.05 | 0.02 | 0.01 | 13 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Hailar District, Hulun Buir City | 7 | 0.7 | 0.27 | 0.05 | 0.03 | 11 | 0.7 | 0.22 | 0.05 | 0.03 |
| China, Haimen District, Nantong City | 16 | 0.3 | 0.08 | 0.04 | 0.01 | 10 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Haining City | 11 | 0.3 | 0.09 | 0.03 | 0.01 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Hangzhou City | 114 | 0.3 | 0.03 | 0.04 | 0.01 | 103 | 0.3 | 0.03 | 0.04 | 0.01 |
| China, Hebi City | 6 | 0.5 | 0.19 | 0.07 | 0.03 | 8 | 0.7 | 0.25 | 0.09 | 0.04 |
| China, Hefei City | 46 | 0.5 | 0.08 | 0.06 | 0.01 | 29 | 0.4 | 0.07 | 0.05 | 0.01 |
| China, Hengdong County | 4 | 0.3 | 0.13 | 0.04 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.20 | 0.03 | 0.03 |
| *China, Hepu County | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Honghu City | 6 | 0.3 | 0.11 | 0.03 | 0.02 | 5 | 0.1 | 0.07 | 0.02 | 0.01 |
| China, Hongshan District, Chifeng City | 11 | 1.0 | 0.32 | 0.13 | 0.05 | 15 | 1.1 | 0.30 | 0.14 | 0.04 |
| *China, Hongta District, Yuxi City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Huaiyin District, Huai'an City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Jiange County | 2 | 0.1 | 0.09 | 0.03 | 0.02 | 2 | 0.1 | 0.10 | 0.02 | 0.02 |
| China, Jiangmen City | 15 | 0.7 | 0.17 | 0.11 | 0.03 | 6 | 0.2 | 0.10 | 0.04 | 0.02 |
| *China, Jianguyin City | 26 | 0.4 | 0.09 | 0.06 | 0.01 | 16 | 0.2 | 0.06 | 0.03 | 0.01 |
| *China, Jiashan County | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 7 | 0.3 | 0.12 | 0.04 | 0.02 |
| China, Jiayu County | 1 | 0.1 | 0.13 | 0.02 | 0.02 | 2 | 0.2 | 0.16 | 0.03 | 0.03 |
| *China, Jinan City | 58 | 0.6 | 0.08 | 0.08 | 0.01 | 50 | 0.4 | 0.06 | 0.05 | 0.01 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 2 | 0.3 | 0.20 | 0.04 | 0.03 |
| *China, Jingxian County | 1 | 0.1 | 0.06 | 0.02 | 0.02 | 2 | 0.2 | 0.13 | 0.02 | 0.02 |
| *China, Jintan District, Changzhou City | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Jiulongpo District, Chongqing City | 11 | 0.3 | 0.08 | 0.03 | 0.01 | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Jiyuan City | 2 | 0.1 | 0.08 | 0.02 | 0.02 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Ureter (C66) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 6 | 0.5 | 0.22 | 0.07 | 0.03 | 6 | 0.5 | 0.23 | 0.05 | 0.03 |
| China, Kunshan City | 16 | 0.4 | 0.11 | 0.05 | 0.02 | 16 | 0.4 | 0.11 | 0.07 | 0.02 |
| China, Langzhong City | 4 | 0.2 | 0.09 | 0.04 | 0.02 | 10 | 0.5 | 0.17 | 0.06 | 0.02 |
| *China, Liangshan County | 7 | 0.2 | 0.09 | 0.02 | 0.01 | 7 | 0.3 | 0.10 | 0.05 | 0.02 |
| *China, Lianshui County | 8 | 0.2 | 0.07 | 0.03 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Lianyungang City | 13 | 0.3 | 0.09 | 0.03 | 0.01 | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| China, Linhe District, Bayannur City | 10 | 0.7 | 0.24 | 0.05 | 0.02 | 7 | 0.6 | 0.21 | 0.07 | 0.03 |
| China, Linqu County | 16 | 0.4 | 0.10 | 0.04 | 0.01 | 14 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Linzhou City | 12 | 0.3 | 0.10 | 0.04 | 0.02 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Liuzhou City | 20 | 0.5 | 0.12 | 0.06 | 0.02 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Liyang City | 10 | 0.2 | 0.07 | 0.02 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Longquan City | 8 | 0.8 | 0.30 | 0.13 | 0.06 | 4 | 0.6 | 0.29 | 0.11 | 0.06 |
| China, Lucheng District, Wenzhou City | 18 | 0.7 | 0.18 | 0.07 | 0.03 | 14 | 0.5 | 0.15 | 0.06 | 0.03 |
| China, Luoding City | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Luohe City | 17 | 0.4 | 0.11 | 0.06 | 0.02 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Luoyang City | 21 | 0.5 | 0.12 | 0.06 | 0.01 | 24 | 0.5 | 0.11 | 0.05 | 0.02 |
| *China, Luquan City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Ma'anshan City | 17 | 0.8 | 0.20 | 0.08 | 0.03 | 7 | 0.3 | 0.10 | 0.03 | 0.02 |
| *China, Macheng City | 12 | 0.5 | 0.15 | 0.06 | 0.02 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| China, Meihekou City | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 13 | 0.5 | 0.15 | 0.06 | 0.02 |
| *China, Mengjin County | 5 | 0.4 | 0.19 | 0.05 | 0.03 | 5 | 0.4 | 0.20 | 0.07 | 0.03 |
| China, Nangang District, Harbin City | 26 | 0.6 | 0.12 | 0.07 | 0.02 | 33 | 0.6 | 0.10 | 0.06 | 0.02 |
| *China, Nanhai District, Foshan City | 16 | 0.5 | 0.14 | 0.08 | 0.02 | 11 | 0.3 | 0.10 | 0.03 | 0.01 |
| China, Nanhu District, Jiaying City | 14 | 0.5 | 0.13 | 0.05 | 0.02 | 10 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Nantong City | 18 | 0.3 | 0.08 | 0.03 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Nanxiong City | 4 | 0.3 | 0.15 | 0.06 | 0.03 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Neixiang County | 5 | 0.2 | 0.09 | 0.03 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Qianxi County | 2 | 0.2 | 0.14 | 0.03 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Qidong City | 12 | 0.2 | 0.05 | 0.03 | 0.01 | 12 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Qingzhou City | 17 | 0.5 | 0.12 | 0.05 | 0.02 | 20 | 0.5 | 0.12 | 0.08 | 0.02 |
| *China, Rudong County | 8 | 0.1 | 0.05 | 0.01 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Rugao City | 21 | 0.2 | 0.06 | 0.03 | 0.01 | 14 | 0.2 | 0.05 | 0.03 | 0.01 |
| *China, Rural areas of Shanghai City | 230 | 0.4 | 0.03 | 0.06 | 0.00 | 191 | 0.3 | 0.02 | 0.04 | 0.00 |
| China, Ruyang County | 4 | 0.3 | 0.17 | 0.05 | 0.03 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| *China, Shan County | 3 | 0.1 | 0.05 | 0.00 | 0.00 | 4 | 0.1 | 0.06 | 0.01 | 0.00 |
| China, Shanghai City | 233 | 0.5 | 0.04 | 0.06 | 0.01 | 201 | 0.4 | 0.03 | 0.05 | 0.01 |
| China, Shangyu District, Shaoxing City | 9 | 0.2 | 0.08 | 0.03 | 0.01 | 12 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Shapingba District, Chongqing City | 10 | 0.3 | 0.10 | 0.05 | 0.02 | 16 | 0.4 | 0.11 | 0.06 | 0.02 |
| China, Shexian County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Sheyang County | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 32 | 0.6 | 0.11 | 0.07 | 0.02 | 21 | 0.3 | 0.08 | 0.04 | 0.01 |
| China, Shunde District, Foshan City | 17 | 0.5 | 0.12 | 0.05 | 0.02 | 14 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Song County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.2 | 0.11 | 0.03 | 0.02 |
| China, Suzhou City | 66 | 0.4 | 0.05 | 0.04 | 0.01 | 57 | 0.3 | 0.04 | 0.03 | 0.01 |
| *China, Tengzhou City | 25 | 0.4 | 0.09 | 0.06 | 0.02 | 13 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Wangdu County | 1 | 0.1 | 0.14 | 0.01 | 0.01 | 3 | 0.4 | 0.22 | 0.03 | 0.02 |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Wuhan City | 107 | 0.5 | 0.05 | 0.06 | 0.01 | 106 | 0.4 | 0.04 | 0.05 | 0.01 |
| *China, Wuhu City | 11 | 0.2 | 0.05 | 0.03 | 0.01 | 22 | 0.4 | 0.08 | 0.05 | 0.01 |
| China, Wuxi City | 51 | 0.4 | 0.05 | 0.04 | 0.01 | 38 | 0.3 | 0.05 | 0.03 | 0.01 |
| China, Wuzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Xiangfu District, Kaifeng City | 21 | 1.1 | 0.25 | 0.13 | 0.04 | 5 | 0.2 | 0.11 | 0.03 | 0.02 |
| China, Xianju County | 3 | 0.1 | 0.06 | 0.00 | 0.00 | 6 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Xin'an County | 2 | 0.1 | 0.08 | 0.00 | 0.00 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| *China, Xining City | 9 | 0.5 | 0.19 | 0.02 | 0.01 | 11 | 0.5 | 0.15 | 0.04 | 0.02 |
| *China, Xinji City | 4 | 0.2 | 0.08 | 0.03 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 7 | 0.4 | 0.17 | 0.03 | 0.02 | 3 | 0.2 | 0.12 | 0.02 | 0.02 |
| *China, Xinzhou District, Shangrao City | 5 | 0.4 | 0.16 | 0.03 | 0.02 | 2 | 0.2 | 0.15 | 0.04 | 0.02 |
| China, Xiping County | 6 | 0.2 | 0.09 | 0.02 | 0.01 | 5 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Xishan District, Kunming City | 3 | 0.1 | 0.09 | 0.01 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Xuyi County | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *China, Ya'an City | 17 | 0.3 | 0.08 | 0.03 | 0.01 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Yakeshi City | 5 | 0.3 | 0.17 | 0.05 | 0.02 | 8 | 0.4 | 0.13 | 0.02 | 0.01 |
| China, Yancheng City | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Yangquan City | 11 | 0.6 | 0.18 | 0.06 | 0.02 | 16 | 0.8 | 0.20 | 0.10 | 0.03 |
| *China, Yangzhong City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Yanji City | 9 | 0.5 | 0.16 | 0.08 | 0.03 | 14 | 0.6 | 0.15 | 0.09 | 0.03 |
| *China, Yanshi City | 7 | 0.3 | 0.11 | 0.03 | 0.01 | 5 | 0.2 | 0.09 | 0.04 | 0.02 |
| China, Yanting County | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yi'an District, Tongling City | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.2 | 0.09 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Ureter (C66) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 6 | 0.6 | 0.26 | 0.07 | 0.03 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Yiyuan County | 7 | 0.4 | 0.14 | 0.06 | 0.02 | 4 | 0.2 | 0.09 | 0.02 | 0.02 |
| China, Yong'an City | 5 | 0.3 | 0.16 | 0.04 | 0.03 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Yongding District, Longyan City | 7 | 0.4 | 0.16 | 0.05 | 0.02 | 5 | 0.4 | 0.16 | 0.06 | 0.03 |
| China, Yongkang City | 9 | 0.3 | 0.11 | 0.03 | 0.02 | 9 | 0.3 | 0.09 | 0.01 | 0.01 |
| *China, Yucheng County | 5 | 0.2 | 0.10 | 0.02 | 0.02 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Yueyanglou District, Yueyang City | 4 | 0.4 | 0.19 | 0.04 | 0.02 | 4 | 0.3 | 0.18 | 0.03 | 0.02 |
| China, Yunmeng County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yunyang District, Shiyuan City | 3 | 0.3 | 0.16 | 0.05 | 0.03 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Yuzhong District, Chongqing City | 10 | 0.4 | 0.12 | 0.02 | 0.01 | 13 | 0.5 | 0.16 | 0.07 | 0.03 |
| *China, Zhanhuang County | 2 | 0.2 | 0.17 | 0.03 | 0.02 | 1 | 0.1 | 0.13 | 0.03 | 0.03 |
| *China, Zhangjiagang City | 23 | 0.5 | 0.10 | 0.07 | 0.02 | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Zhaoyuan City | 14 | 0.5 | 0.14 | 0.07 | 0.02 | 8 | 0.3 | 0.09 | 0.04 | 0.02 |
| *China, Zhengding County | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 6 | 0.4 | 0.17 | 0.06 | 0.02 |
| *China, Zhongshan City | 36 | 0.7 | 0.11 | 0.06 | 0.02 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Zhongxiang City | 13 | 0.4 | 0.11 | 0.06 | 0.02 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Zhuanghe City | 25 | 0.5 | 0.10 | 0.05 | 0.01 | 28 | 0.6 | 0.12 | 0.08 | 0.02 |
| *China, Zhuhai City | 14 | 0.4 | 0.11 | 0.06 | 0.02 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| India, Ahmedabad, Urban | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 4 | 0.0 | 0.02 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Chennai | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Dibrugarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Dindigul, Ambilikai | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kamrup Urban District | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kollam | 3 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *India, Manipur | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| India, Meghalaya | 0 | – | 0.00 | – | 0.00 | 6 | 0.3 | 0.10 | 0.04 | 0.02 |
| India, Mizoram | 2 | 0.1 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | 11 | 0.0 | 0.01 | 0.01 | 0.00 | 12 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, New Delhi | 8 | 0.0 | 0.01 | 0.00 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Poona | 5 | 0.0 | 0.02 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *India, Tamil Nadu | 58 | 0.0 | 0.00 | 0.00 | 0.00 | 27 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Trivandrum | 5 | 0.1 | 0.03 | 0.01 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Wardha | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, West Arunachal | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Ardabil Province | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Golestan Province | 4 | 0.2 | 0.11 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Israel | 106 | 0.4 | 0.04 | 0.05 | 0.01 | 46 | 0.1 | 0.02 | 0.02 | 0.00 |
| *Israel: Jews | 96 | 0.4 | 0.04 | 0.06 | 0.01 | 43 | 0.1 | 0.02 | 0.02 | 0.00 |
| *Israel: Arabs | 7 | 0.2 | 0.10 | 0.03 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Japan | 6992 | 1.2 | 0.02 | 0.13 | 0.00 | 4109 | 0.5 | 0.01 | 0.05 | 0.00 |
| Japan, Aichi Prefecture | 382 | 1.3 | 0.07 | 0.14 | 0.01 | 190 | 0.4 | 0.04 | 0.05 | 0.01 |
| *Japan, Akita Prefecture | 78 | 1.4 | 0.19 | 0.17 | 0.03 | 58 | 0.6 | 0.12 | 0.06 | 0.02 |
| Japan, Aomori Prefecture | 187 | 1.7 | 0.14 | 0.18 | 0.02 | 115 | 0.7 | 0.08 | 0.08 | 0.01 |
| Japan, Gunma Prefecture | 105 | 1.1 | 0.12 | 0.14 | 0.02 | 47 | 0.3 | 0.05 | 0.03 | 0.01 |
| Japan, Hiroshima Prefecture | 287 | 1.5 | 0.10 | 0.15 | 0.01 | 183 | 0.6 | 0.05 | 0.05 | 0.01 |
| Japan, Miyagi Prefecture | 193 | 1.1 | 0.09 | 0.12 | 0.01 | 140 | 0.5 | 0.05 | 0.06 | 0.01 |
| Japan, Osaka Prefecture | 458 | 1.2 | 0.06 | 0.13 | 0.01 | 278 | 0.5 | 0.03 | 0.05 | 0.01 |
| Kuwait | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Kuwait: Kuwaitis | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Kuwait: Non-Kuwaitis | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Philippines, Manila | 0 | – | 0.00 | – | 0.00 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Qatar: Qatari | 1 | 0.3 | 0.29 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 1784 | 0.9 | 0.02 | 0.10 | 0.00 | 1082 | 0.4 | 0.01 | 0.05 | 0.00 |
| *Republic of Korea, Busan | 144 | 0.9 | 0.08 | 0.12 | 0.01 | 65 | 0.3 | 0.04 | 0.04 | 0.01 |
| *Republic of Korea, Daegu | 110 | 1.2 | 0.11 | 0.14 | 0.02 | 71 | 0.6 | 0.07 | 0.07 | 0.01 |
| *Republic of Korea, Daejeon | 46 | 0.9 | 0.14 | 0.11 | 0.02 | 31 | 0.5 | 0.09 | 0.06 | 0.01 |
| *Republic of Korea, Gwangju | 41 | 0.8 | 0.13 | 0.10 | 0.02 | 25 | 0.4 | 0.08 | 0.05 | 0.01 |
| Republic of Korea, Incheon | 86 | 0.8 | 0.09 | 0.10 | 0.01 | 53 | 0.4 | 0.06 | 0.06 | 0.01 |
| Republic of Korea, Jeju | 14 | 0.5 | 0.14 | 0.05 | 0.02 | 11 | 0.4 | 0.12 | 0.06 | 0.02 |
| Republic of Korea, Seoul | 379 | 1.0 | 0.05 | 0.11 | 0.01 | 203 | 0.4 | 0.03 | 0.05 | 0.00 |
| Republic of Korea, Ulsan | 36 | 1.1 | 0.19 | 0.13 | 0.03 | 24 | 0.5 | 0.11 | 0.05 | 0.02 |
| Singapore | 82 | 0.5 | 0.06 | 0.06 | 0.01 | 66 | 0.3 | 0.04 | 0.04 | 0.01 |
| Singapore: Chinese | 73 | 0.6 | 0.07 | 0.06 | 0.01 | 57 | 0.4 | 0.05 | 0.04 | 0.01 |
| Singapore: Indian | 3 | 0.2 | 0.14 | 0.00 | 0.00 | 4 | 0.4 | 0.19 | 0.04 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Ureter (C66) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 5 | 0.3 | 0.14 | 0.04 | 0.02 | 5 | 0.3 | 0.14 | 0.02 | 0.02 |
| Thailand, Bangkok | 31 | 0.2 | 0.03 | 0.02 | 0.01 | 43 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Thailand, Chiang Mai | 10 | 0.2 | 0.05 | 0.02 | 0.01 | 11 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Thailand, Khon Kaen | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Thailand, Lampang | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| Thailand, Lopburi Province | 2 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Thailand, Songkhla | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Antalya | 11 | 0.2 | 0.05 | 0.01 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Turkey, Bursa | 14 | 0.2 | 0.05 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Turkey, Edirne | 4 | 0.3 | 0.15 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Turkey, Erzurum | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Eskişehir | 4 | 0.2 | 0.08 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Gaziantep | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Turkey, Izmir | 32 | 0.2 | 0.04 | 0.03 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| Turkey, Malatya | 4 | 0.2 | 0.10 | 0.04 | 0.02 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| Turkey, Samsun | 12 | 0.3 | 0.08 | 0.03 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Turkey, Trabzon | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Europe | | | | | | | | | | |
| Austria | 171 | 0.4 | 0.03 | 0.05 | 0.00 | 97 | 0.2 | 0.02 | 0.02 | 0.00 |
| Austria, Carinthia | 10 | 0.3 | 0.09 | 0.04 | 0.02 | 17 | 0.3 | 0.10 | 0.05 | 0.02 |
| Austria, Tyrol | 18 | 0.5 | 0.13 | 0.06 | 0.02 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| Austria, Vorarlberg | 9 | 0.5 | 0.19 | 0.06 | 0.03 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| Belarus | 82 | 0.3 | 0.03 | 0.03 | 0.00 | 46 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Belgium | 345 | 0.6 | 0.03 | 0.07 | 0.01 | 198 | 0.2 | 0.02 | 0.03 | 0.00 |
| Croatia | 81 | 0.4 | 0.05 | 0.05 | 0.01 | 61 | 0.2 | 0.03 | 0.03 | 0.00 |
| Cyprus | 19 | 0.5 | 0.13 | 0.07 | 0.02 | 5 | 0.1 | 0.05 | 0.02 | 0.01 |
| *Czech Republic | 224 | 0.4 | 0.03 | 0.05 | 0.00 | 153 | 0.2 | 0.02 | 0.03 | 0.00 |
| Denmark | 125 | 0.4 | 0.04 | 0.04 | 0.01 | 60 | 0.2 | 0.02 | 0.02 | 0.00 |
| Estonia | 16 | 0.3 | 0.07 | 0.02 | 0.01 | 25 | 0.3 | 0.06 | 0.04 | 0.01 |
| Finland | 59 | 0.2 | 0.03 | 0.02 | 0.00 | 44 | 0.1 | 0.02 | 0.01 | 0.00 |
| *France, Bas-Rhin | 37 | 0.8 | 0.13 | 0.06 | 0.02 | 19 | 0.3 | 0.08 | 0.04 | 0.01 |
| *France, Calvados | 23 | 0.7 | 0.14 | 0.10 | 0.03 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| *France, Doubs | 11 | 0.4 | 0.13 | 0.06 | 0.02 | 10 | 0.1 | 0.04 | 0.00 | 0.00 |
| *France, Gironde | 53 | 0.6 | 0.10 | 0.07 | 0.01 | 28 | 0.3 | 0.05 | 0.03 | 0.01 |
| *France, Haut-Rhin | 20 | 0.5 | 0.11 | 0.04 | 0.02 | 16 | 0.4 | 0.11 | 0.04 | 0.01 |
| *France, Hérault | 41 | 0.6 | 0.10 | 0.06 | 0.01 | 20 | 0.2 | 0.06 | 0.02 | 0.01 |
| *France, Isère | 44 | 0.6 | 0.10 | 0.07 | 0.02 | 19 | 0.2 | 0.06 | 0.03 | 0.01 |
| *France, Lille-Métropole | 35 | 1.1 | 0.20 | 0.14 | 0.03 | 14 | 0.3 | 0.10 | 0.04 | 0.01 |
| *France, Limousin | 13 | 0.4 | 0.13 | 0.06 | 0.03 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| *France, Loire-Atlantique | 41 | 0.6 | 0.10 | 0.08 | 0.02 | 28 | 0.3 | 0.07 | 0.03 | 0.01 |
| *France, Manche | 15 | 0.5 | 0.14 | 0.06 | 0.02 | 7 | 0.2 | 0.10 | 0.02 | 0.01 |
| *France, Poitou-Charentes | 68 | 0.6 | 0.07 | 0.06 | 0.01 | 53 | 0.3 | 0.05 | 0.04 | 0.01 |
| *France, Somme | 16 | 0.6 | 0.17 | 0.09 | 0.03 | 10 | 0.3 | 0.10 | 0.04 | 0.02 |
| *France, Tarn | 18 | 0.7 | 0.20 | 0.09 | 0.03 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Territoire de Belfort | 4 | 0.5 | 0.29 | 0.03 | 0.03 | 2 | 0.3 | 0.20 | 0.04 | 0.04 |
| *France, Vendée | 24 | 0.5 | 0.12 | 0.05 | 0.02 | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| Germany, Baden-Württemberg | 136 | 0.4 | 0.03 | 0.05 | 0.01 | 71 | 0.1 | 0.02 | 0.02 | 0.00 |
| Germany, Bavaria | 281 | 0.4 | 0.02 | 0.04 | 0.00 | 172 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, Bremen | 21 | 0.6 | 0.13 | 0.07 | 0.02 | 7 | 0.2 | 0.07 | 0.01 | 0.01 |
| Germany, Hamburg | 42 | 0.4 | 0.07 | 0.05 | 0.01 | 18 | 0.1 | 0.03 | 0.02 | 0.01 |
| Germany, Lower Saxony | 286 | 0.6 | 0.04 | 0.07 | 0.01 | 142 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, North Rhine-Westphalia | 606 | 0.5 | 0.02 | 0.07 | 0.00 | 315 | 0.2 | 0.01 | 0.03 | 0.00 |
| Germany, Rhineland-Palatinate | 114 | 0.4 | 0.05 | 0.05 | 0.01 | 57 | 0.2 | 0.03 | 0.03 | 0.00 |
| Germany, Saarland | 40 | 0.6 | 0.10 | 0.08 | 0.02 | 15 | 0.1 | 0.04 | 0.01 | 0.00 |
| Germany, Schleswig-Holstein | 98 | 0.5 | 0.06 | 0.05 | 0.01 | 54 | 0.2 | 0.04 | 0.03 | 0.01 |
| Iceland | 6 | 0.4 | 0.19 | 0.04 | 0.02 | 5 | 0.2 | 0.13 | 0.03 | 0.02 |
| Ireland | 90 | 0.5 | 0.05 | 0.05 | 0.01 | 45 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Italy, Aosta Valley | 3 | 0.6 | 0.36 | 0.06 | 0.04 | 2 | 0.2 | 0.11 | 0.00 | 0.00 |
| *Italy, Avellino | 7 | 0.3 | 0.14 | 0.01 | 0.01 | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| Italy, Basilicata | 14 | 0.3 | 0.10 | 0.03 | 0.01 | 4 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Italy, Benevento | 8 | 0.7 | 0.26 | 0.08 | 0.04 | 5 | 0.1 | 0.05 | 0.00 | 0.00 |
| Italy, Bergamo | 27 | 0.5 | 0.10 | 0.07 | 0.02 | 12 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Italy, Brescia | 33 | 0.5 | 0.10 | 0.06 | 0.01 | 16 | 0.1 | 0.05 | 0.01 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 20 | 0.4 | 0.10 | 0.04 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| Italy, Calabria | 14 | 0.6 | 0.16 | 0.07 | 0.02 | 5 | 0.3 | 0.15 | 0.03 | 0.01 |
| *Italy, Caserta | 16 | 0.5 | 0.13 | 0.06 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Catania, Messina, and Enna | 37 | 0.4 | 0.06 | 0.05 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| Italy, Emilia-Romagna | 181 | 0.7 | 0.06 | 0.09 | 0.01 | 69 | 0.2 | 0.03 | 0.03 | 0.00 |
| Italy, Friuli-Venezia Giulia | 49 | 0.6 | 0.10 | 0.08 | 0.01 | 32 | 0.4 | 0.07 | 0.05 | 0.01 |
| Italy, Genova | 39 | 0.8 | 0.14 | 0.09 | 0.02 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Italy, Lombardy, South, Pavia | 19 | 0.4 | 0.11 | 0.05 | 0.02 | 13 | 0.3 | 0.09 | 0.04 | 0.02 |
| Italy, Mantova and Cremona | 29 | 0.7 | 0.14 | 0.08 | 0.02 | 11 | 0.3 | 0.10 | 0.04 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ureter (C66) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 30 | 0.4 | 0.08 | 0.04 | 0.01 | 16 | 0.2 | 0.05 | 0.02 | 0.01 |
| Italy, Milan | 139 | 0.7 | 0.06 | 0.09 | 0.01 | 86 | 0.3 | 0.04 | 0.03 | 0.01 |
| Italy, Molise | 4 | 0.3 | 0.14 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Naples Centre | 24 | 0.8 | 0.17 | 0.12 | 0.03 | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Italy, Naples North | 29 | 0.9 | 0.18 | 0.12 | 0.03 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Italy, Naples South | 19 | 0.4 | 0.09 | 0.05 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.01 |
| *Italy, Nuoro | 5 | 0.7 | 0.33 | 0.12 | 0.06 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Italy, Palermo | 38 | 0.5 | 0.09 | 0.08 | 0.02 | 16 | 0.2 | 0.04 | 0.02 | 0.01 |
| Italy, Puglia | 102 | 0.4 | 0.05 | 0.06 | 0.01 | 34 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Italy, Ragusa and Caltanissetta | 13 | 0.4 | 0.13 | 0.06 | 0.02 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Italy, Salerno | 15 | 0.3 | 0.08 | 0.04 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| Italy, Sassari | 8 | 0.8 | 0.28 | 0.12 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Sondrio | 14 | 1.1 | 0.32 | 0.15 | 0.05 | 4 | 0.2 | 0.11 | 0.04 | 0.03 |
| Italy, South Tyrol | 17 | 0.6 | 0.16 | 0.08 | 0.03 | 8 | 0.3 | 0.11 | 0.04 | 0.02 |
| *Italy, Syracuse | 7 | 0.3 | 0.10 | 0.03 | 0.01 | 6 | 0.2 | 0.11 | 0.02 | 0.01 |
| Italy, Trento | 18 | 0.6 | 0.15 | 0.08 | 0.02 | 6 | 0.2 | 0.07 | 0.03 | 0.01 |
| Italy, Turin | 101 | 0.7 | 0.07 | 0.09 | 0.01 | 45 | 0.3 | 0.05 | 0.03 | 0.01 |
| *Italy, Tuscany | 130 | 0.9 | 0.09 | 0.12 | 0.01 | 47 | 0.3 | 0.05 | 0.04 | 0.01 |
| Italy, Umbria | 41 | 0.9 | 0.15 | 0.10 | 0.02 | 21 | 0.3 | 0.08 | 0.04 | 0.01 |
| Italy, Varese | 18 | 0.6 | 0.16 | 0.08 | 0.02 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| Italy, Veneto | 190 | 0.6 | 0.05 | 0.08 | 0.01 | 87 | 0.2 | 0.03 | 0.02 | 0.00 |
| Latvia | 48 | 0.6 | 0.09 | 0.07 | 0.01 | 37 | 0.3 | 0.05 | 0.04 | 0.01 |
| *Liechtenstein | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | 32 | 0.3 | 0.05 | 0.03 | 0.01 | 18 | 0.1 | 0.02 | 0.01 | 0.00 |
| Malta | 6 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| *The Netherlands | 536 | 0.6 | 0.03 | 0.06 | 0.00 | 279 | 0.3 | 0.02 | 0.03 | 0.00 |
| Norway | 96 | 0.4 | 0.04 | 0.04 | 0.01 | 44 | 0.2 | 0.03 | 0.02 | 0.00 |
| Poland, Kielce | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 10 | 0.1 | 0.04 | 0.02 | 0.01 |
| *Portugal, Azores | 3 | 0.4 | 0.24 | 0.06 | 0.05 | 1 | 0.1 | 0.11 | 0.03 | 0.03 |
| Russian Federation, Arkhangelsk | 9 | 0.2 | 0.08 | 0.03 | 0.01 | 8 | 0.1 | 0.04 | 0.02 | 0.01 |
| Russian Federation, Kaliningrad | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.02 | 0.01 |
| Russian Federation, Karelia | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| *Russian Federation, Komi Republic | 10 | 0.5 | 0.16 | 0.05 | 0.02 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| Russian Federation, Murmansk | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Russian Federation, Orenburg | 10 | 0.1 | 0.05 | 0.02 | 0.01 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| Russian Federation, Pskov | 4 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Russian Federation, Samara | 26 | 0.2 | 0.05 | 0.03 | 0.01 | 18 | 0.1 | 0.02 | 0.01 | 0.00 |
| Russian Federation, Vologda Region | 8 | 0.2 | 0.07 | 0.03 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Slovenia | 28 | 0.2 | 0.05 | 0.03 | 0.01 | 24 | 0.2 | 0.04 | 0.02 | 0.01 |
| Spain, Asturias | 13 | 0.3 | 0.10 | 0.02 | 0.01 | 16 | 0.3 | 0.10 | 0.04 | 0.01 |
| Spain, Basque Country | 67 | 0.6 | 0.09 | 0.09 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| Spain, Canary Islands | 27 | 0.4 | 0.08 | 0.04 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| Spain, Castellón | 12 | 0.4 | 0.12 | 0.04 | 0.02 | 7 | 0.2 | 0.11 | 0.01 | 0.01 |
| Spain, Girona | 23 | 0.5 | 0.12 | 0.05 | 0.02 | 9 | 0.2 | 0.08 | 0.04 | 0.01 |
| Spain, Granada | 28 | 0.6 | 0.12 | 0.08 | 0.02 | 9 | 0.1 | 0.05 | 0.01 | 0.01 |
| Spain, La Rioja | 10 | 0.6 | 0.20 | 0.11 | 0.04 | 3 | 0.1 | 0.10 | 0.02 | 0.02 |
| Spain, Murcia | 39 | 0.5 | 0.09 | 0.06 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| Spain, Navarra | 15 | 0.6 | 0.15 | 0.06 | 0.02 | 8 | 0.3 | 0.11 | 0.04 | 0.02 |
| Spain, Salamanca | 15 | 0.7 | 0.19 | 0.07 | 0.03 | 5 | 0.2 | 0.11 | 0.02 | 0.01 |
| Spain, Tarragona | 30 | 0.7 | 0.15 | 0.09 | 0.02 | 10 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Sweden | 114 | 0.2 | 0.02 | 0.03 | 0.00 | 101 | 0.2 | 0.02 | 0.02 | 0.00 |
| Switzerland, Aargau | 13 | 0.3 | 0.10 | 0.04 | 0.02 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| Switzerland, Basel | 8 | 0.2 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Switzerland, Berne Solothurn | 22 | 0.5 | 0.11 | 0.07 | 0.02 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| Switzerland, East | 21 | 0.4 | 0.10 | 0.03 | 0.01 | 11 | 0.2 | 0.06 | 0.01 | 0.01 |
| *Switzerland, Fribourg | 7 | 0.5 | 0.18 | 0.06 | 0.03 | 7 | 0.4 | 0.18 | 0.05 | 0.03 |
| Switzerland, Geneva | 9 | 0.4 | 0.14 | 0.04 | 0.02 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Switzerland, Graubünden and Glarus | 3 | 0.3 | 0.19 | 0.04 | 0.03 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *Switzerland, Lucerne | 10 | 0.3 | 0.11 | 0.04 | 0.02 | 8 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Switzerland, Neuchâtel and Jura | 4 | 0.3 | 0.15 | 0.05 | 0.03 | 3 | 0.3 | 0.15 | 0.04 | 0.03 |
| Switzerland, Ticino | 16 | 0.6 | 0.16 | 0.04 | 0.02 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| Switzerland, Valais | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| Switzerland, Vaud | 13 | 0.4 | 0.11 | 0.05 | 0.02 | 17 | 0.4 | 0.10 | 0.04 | 0.01 |
| Switzerland, Zurich and Zug | 29 | 0.3 | 0.06 | 0.03 | 0.01 | 23 | 0.3 | 0.07 | 0.04 | 0.01 |
| Ukraine | 256 | 0.2 | 0.01 | 0.03 | 0.00 | 117 | 0.1 | 0.01 | 0.01 | 0.00 |
| UK, England | 1618 | 0.5 | 0.01 | 0.06 | 0.00 | 1019 | 0.3 | 0.01 | 0.03 | 0.00 |
| UK, Northern Ireland | 33 | 0.3 | 0.06 | 0.04 | 0.01 | 33 | 0.3 | 0.05 | 0.03 | 0.01 |
| UK, Scotland | 197 | 0.6 | 0.05 | 0.08 | 0.01 | 122 | 0.3 | 0.03 | 0.04 | 0.01 |
| UK, Wales | 61 | 0.3 | 0.04 | 0.03 | 0.01 | 49 | 0.2 | 0.04 | 0.03 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 161 | 0.4 | 0.03 | 0.04 | 0.00 | 94 | 0.2 | 0.02 | 0.02 | 0.00 |
| *Australia, Northern Territory | 3 | 0.5 | 0.28 | 0.07 | 0.05 | 2 | 0.3 | 0.24 | 0.02 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Ureter (C66) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 3 | 0.6 | 0.32 | 0.08 | 0.06 | 1 | 0.2 | 0.23 | 0.00 | 0.00 |
| *Australia, Northern Territory: Indigenous | 0 | – | 0.00 | – | 0.00 | 1 | 0.8 | 0.78 | 0.10 | 0.10 |
| *Australia, Queensland | 104 | 0.5 | 0.05 | 0.05 | 0.01 | 75 | 0.3 | 0.03 | 0.02 | 0.00 |
| Australia, South Australia | 40 | 0.4 | 0.07 | 0.04 | 0.01 | 27 | 0.2 | 0.05 | 0.02 | 0.01 |
| Australia, Tasmania | 13 | 0.4 | 0.11 | 0.03 | 0.01 | 8 | 0.3 | 0.11 | 0.02 | 0.01 |
| *Australia, Victoria | 87 | 0.3 | 0.03 | 0.03 | 0.00 | 73 | 0.2 | 0.02 | 0.02 | 0.00 |
| *Australia, Western Australia | 39 | 0.3 | 0.06 | 0.03 | 0.01 | 20 | 0.2 | 0.04 | 0.01 | 0.00 |
| *France, New Caledonia | 1 | 0.1 | 0.14 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| New Zealand | 91 | 0.4 | 0.05 | 0.05 | 0.01 | 51 | 0.2 | 0.03 | 0.02 | 0.00 |
| *New Zealand: Maori | 3 | 0.2 | 0.11 | 0.02 | 0.01 | 2 | 0.1 | 0.10 | 0.02 | 0.02 |
| *New Zealand: Pacific peoples | 4 | 0.7 | 0.33 | 0.10 | 0.05 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| *New Zealand: Other | 76 | 0.4 | 0.05 | 0.05 | 0.01 | 45 | 0.2 | 0.03 | 0.03 | 0.01 |
| USA, Hawaii | 30 | 0.4 | 0.07 | 0.04 | 0.01 | 15 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, Hawaii: White | 8 | 0.3 | 0.11 | 0.03 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *USA, Hawaii: Japanese | 10 | 0.5 | 0.17 | 0.04 | 0.02 | 7 | 0.1 | 0.09 | 0.01 | 0.01 |
| *USA, Hawaii: Chinese | 3 | 0.7 | 0.46 | 0.08 | 0.06 | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| *USA, Hawaii: Hawaiian | 5 | 0.5 | 0.22 | 0.05 | 0.03 | 2 | 0.2 | 0.17 | 0.01 | 0.01 |
| *USA, Hawaii: Filipino | 2 | 0.2 | 0.12 | 0.03 | 0.03 | 2 | 0.2 | 0.14 | 0.03 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Bladder (C67)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 96 | 7.1 | 0.76 | 0.81 | 0.11 | 8 | 0.6 | 0.21 | 0.05 | 0.02 |
| †*Algeria, Tizi Ouzou | 319 | 20.6 | 1.20 | 2.73 | 0.19 | 66 | 3.3 | 0.43 | 0.37 | 0.06 |
| *Benin, Cotonou | 10 | 1.7 | 0.58 | 0.25 | 0.10 | 2 | 0.3 | 0.19 | 0.03 | 0.02 |
| *France, La Réunion | 157 | 7.2 | 0.58 | 0.90 | 0.09 | 49 | 1.5 | 0.24 | 0.15 | 0.04 |
| *Kenya, Eldoret | 10 | 0.9 | 0.32 | 0.11 | 0.05 | 8 | 0.9 | 0.32 | 0.13 | 0.06 |
| *Kenya, Nairobi | 68 | 3.6 | 0.49 | 0.40 | 0.07 | 41 | 2.1 | 0.36 | 0.23 | 0.06 |
| Mauritius | 235 | 5.6 | 0.37 | 0.65 | 0.05 | 67 | 1.3 | 0.16 | 0.11 | 0.02 |
| *Morocco, Casablanca | 589 | 5.8 | 0.24 | 0.72 | 0.04 | 84 | 0.7 | 0.08 | 0.09 | 0.01 |
| *Seychelles | 13 | 4.5 | 1.27 | 0.37 | 0.13 | 6 | 1.7 | 0.73 | 0.20 | 0.12 |
| *South Africa, Eastern Cape | 14 | 1.5 | 0.42 | 0.13 | 0.04 | 8 | 0.5 | 0.18 | 0.04 | 0.02 |
| *Uganda, Kyadondo County | 41 | 2.7 | 0.48 | 0.34 | 0.08 | 32 | 1.4 | 0.29 | 0.14 | 0.04 |
| *Uganda, Gulu | 4 | 0.9 | 0.46 | 0.09 | 0.08 | 1 | 0.2 | 0.15 | 0.00 | 0.00 |
| *Zimbabwe, Bulawayo: African | 23 | 2.9 | 0.63 | 0.24 | 0.09 | 17 | 1.7 | 0.42 | 0.19 | 0.07 |
| *Zimbabwe, Harare: African | 79 | 5.7 | 0.68 | 0.66 | 0.11 | 74 | 4.5 | 0.55 | 0.55 | 0.08 |
| Central and South America and the Caribbean | | | | | | | | | | |
| †*Argentina, Entre Ríos Province | 247 | 10.5 | 0.68 | 1.22 | 0.10 | 89 | 2.7 | 0.31 | 0.30 | 0.04 |
| †*Argentina, Mendoza | 558 | 10.6 | 0.46 | 1.37 | 0.07 | 144 | 2.0 | 0.18 | 0.21 | 0.02 |
| Brazil, Aracaju | 71 | 7.3 | 0.87 | 0.82 | 0.13 | 24 | 1.5 | 0.32 | 0.19 | 0.05 |
| †*Brazil, Barretos | 141 | 10.1 | 0.86 | 1.30 | 0.14 | 42 | 2.3 | 0.38 | 0.26 | 0.05 |
| † Brazil, Belo Horizonte | 683 | 9.4 | 0.37 | 1.09 | 0.06 | 346 | 3.2 | 0.18 | 0.38 | 0.03 |
| *Brazil, Campinas | 315 | 13.5 | 0.78 | 1.48 | 0.11 | 130 | 4.0 | 0.36 | 0.42 | 0.05 |
| *Brazil, Curitiba | 340 | 8.6 | 0.47 | 0.97 | 0.07 | 146 | 2.5 | 0.22 | 0.27 | 0.03 |
| † Brazil, Goiânia | 207 | 8.2 | 0.57 | 0.84 | 0.09 | 99 | 2.8 | 0.29 | 0.33 | 0.04 |
| *Brazil, Jaú | 26 | 6.2 | 1.24 | 0.87 | 0.21 | 8 | 1.4 | 0.52 | 0.20 | 0.09 |
| Brazil, João Pessoa | 48 | 4.9 | 0.71 | 0.62 | 0.11 | 31 | 1.8 | 0.34 | 0.22 | 0.06 |
| Brazil, Recife | 133 | 5.5 | 0.48 | 0.57 | 0.07 | 95 | 2.1 | 0.23 | 0.22 | 0.03 |
| Chile, Region of Antofagasta | 153 | 15.7 | 1.29 | 1.79 | 0.19 | 69 | 6.3 | 0.77 | 0.64 | 0.11 |
| Chile, Valdivia | 47 | 3.2 | 0.48 | 0.37 | 0.08 | 27 | 1.3 | 0.27 | 0.14 | 0.04 |
| Colombia, Bucaramanga | 79 | 2.6 | 0.30 | 0.30 | 0.05 | 41 | 1.0 | 0.17 | 0.11 | 0.03 |
| Colombia, Cali | 335 | 5.7 | 0.32 | 0.61 | 0.05 | 137 | 1.6 | 0.14 | 0.15 | 0.02 |
| † Colombia, Manizales | 77 | 5.4 | 0.62 | 0.62 | 0.10 | 40 | 2.1 | 0.34 | 0.23 | 0.05 |
| † Colombia, Pasto | 41 | 3.9 | 0.62 | 0.48 | 0.09 | 25 | 1.8 | 0.37 | 0.23 | 0.06 |
| † Costa Rica | 543 | 5.3 | 0.23 | 0.58 | 0.04 | 153 | 1.4 | 0.12 | 0.17 | 0.02 |
| † Ecuador, Guayaquil | 180 | 3.4 | 0.26 | 0.38 | 0.04 | 70 | 1.1 | 0.14 | 0.12 | 0.02 |
| † Ecuador, Manabí | 80 | 2.2 | 0.25 | 0.25 | 0.04 | 24 | 0.6 | 0.14 | 0.06 | 0.02 |
| † Ecuador, Quito | 273 | 6.7 | 0.41 | 0.73 | 0.07 | 98 | 1.8 | 0.19 | 0.19 | 0.03 |
| *France, Guadeloupe | 72 | 3.5 | 0.45 | 0.38 | 0.06 | 33 | 1.2 | 0.25 | 0.11 | 0.03 |
| *France, Martinique | 94 | 4.7 | 0.55 | 0.51 | 0.07 | 38 | 1.3 | 0.24 | 0.14 | 0.04 |
| *Peru, Lima | 744 | 5.2 | 0.20 | 0.52 | 0.03 | 367 | 2.0 | 0.11 | 0.19 | 0.02 |
| †*Trinidad and Tobago | 96 | 3.9 | 0.40 | 0.45 | 0.06 | 35 | 1.3 | 0.23 | 0.19 | 0.04 |
| † USA, Puerto Rico | 1620 | 9.0 | 0.24 | 1.01 | 0.03 | 564 | 2.6 | 0.12 | 0.30 | 0.02 |
| †*Uruguay | 2150 | 16.3 | 0.37 | 2.00 | 0.06 | 673 | 3.6 | 0.16 | 0.42 | 0.02 |
| North America | | | | | | | | | | |
| † Canada, Alberta | 3457 | 21.2 | 0.37 | 2.45 | 0.06 | 1036 | 5.7 | 0.19 | 0.68 | 0.03 |
| † Canada, British Columbia | 5526 | 20.7 | 0.29 | 2.27 | 0.04 | 1621 | 5.5 | 0.15 | 0.60 | 0.02 |
| †*Canada, Manitoba | 1206 | 19.3 | 0.58 | 2.18 | 0.09 | 418 | 5.9 | 0.32 | 0.67 | 0.05 |
| †*Canada, New Brunswick | 1018 | 23.5 | 0.77 | 2.87 | 0.11 | 319 | 6.7 | 0.43 | 0.82 | 0.06 |
| †*Canada, Newfoundland and Labrador | 637 | 20.8 | 0.85 | 2.39 | 0.12 | 230 | 7.2 | 0.50 | 0.94 | 0.08 |
| † Canada, Ontario | 14798 | 21.5 | 0.19 | 2.42 | 0.03 | 4715 | 5.9 | 0.10 | 0.69 | 0.01 |
| *Canada, Prince Edward Island | 171 | 20.0 | 1.57 | 2.51 | 0.26 | 65 | 7.1 | 0.97 | 0.91 | 0.15 |
| † Canada, Quebec | 10167 | 22.8 | 0.24 | 2.63 | 0.04 | 3531 | 7.1 | 0.13 | 0.84 | 0.02 |
| † Canada, Saskatchewan | 1166 | 21.0 | 0.65 | 2.36 | 0.10 | 405 | 6.4 | 0.36 | 0.73 | 0.05 |
| †*Canada, Yukon | 40 | 25.8 | 4.11 | 3.15 | 0.61 | 6 | 4.9 | 2.01 | 0.80 | 0.41 |
| USA | 285975 | 19.4 | 0.04 | 2.22 | 0.01 | 89415 | 5.1 | 0.02 | 0.59 | 0.00 |
| USA: White | 261457 | 20.7 | 0.04 | 2.38 | 0.01 | 79155 | 5.4 | 0.02 | 0.63 | 0.00 |
| USA: Black | 14832 | 11.3 | 0.09 | 1.32 | 0.01 | 7117 | 3.7 | 0.05 | 0.43 | 0.01 |
| † USA, NPCR | 276419 | 19.4 | 0.04 | 2.23 | 0.01 | 86379 | 5.1 | 0.02 | 0.59 | 0.00 |
| † USA, NPCR: White | 252788 | 20.8 | 0.04 | 2.38 | 0.01 | 76456 | 5.4 | 0.02 | 0.63 | 0.00 |
| † USA, NPCR: Black | 14635 | 11.3 | 0.09 | 1.32 | 0.01 | 7024 | 3.7 | 0.05 | 0.43 | 0.01 |
| † USA, NPCR: Asian and Pacific Islander | 4920 | 8.0 | 0.12 | 0.86 | 0.02 | 1574 | 2.0 | 0.05 | 0.21 | 0.01 |
| † USA, NPCR: American Indian | 867 | 7.7 | 0.26 | 0.87 | 0.04 | 278 | 2.1 | 0.13 | 0.23 | 0.02 |
| *USA, SEER (18 registries) | 68159 | 17.7 | 0.07 | 2.03 | 0.01 | 21295 | 4.5 | 0.03 | 0.52 | 0.01 |
| *USA, SEER (18 registries): White | 59999 | 19.4 | 0.08 | 2.22 | 0.01 | 18121 | 4.9 | 0.04 | 0.58 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 55731 | 21.1 | 0.09 | 2.42 | 0.01 | 16663 | 5.4 | 0.05 | 0.63 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 4268 | 9.8 | 0.15 | 1.08 | 0.02 | 1458 | 2.7 | 0.07 | 0.31 | 0.01 |
| *USA, SEER (18 registries): Black | 3735 | 11.1 | 0.18 | 1.30 | 0.03 | 1740 | 3.6 | 0.09 | 0.39 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 3088 | 8.1 | 0.15 | 0.87 | 0.02 | 1024 | 2.0 | 0.07 | 0.23 | 0.01 |
| *USA, SEER (9 registries) | 24390 | 18.3 | 0.12 | 2.07 | 0.02 | 7614 | 4.7 | 0.06 | 0.55 | 0.01 |
| *USA, SEER (9 registries): White | 21436 | 20.2 | 0.14 | 2.29 | 0.02 | 6404 | 5.1 | 0.07 | 0.60 | 0.01 |
| *USA, SEER (9 registries): Black | 1290 | 11.7 | 0.33 | 1.37 | 0.05 | 647 | 4.0 | 0.16 | 0.43 | 0.02 |
| USA, Alabama | 4174 | 18.6 | 0.30 | 2.17 | 0.04 | 1230 | 4.5 | 0.14 | 0.53 | 0.02 |
| USA, Alabama: White | 3655 | 20.4 | 0.35 | 2.39 | 0.05 | 989 | 4.8 | 0.17 | 0.57 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bladder (C67) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 454 | 11.0 | <i>0.52</i> | 1.30 | <i>0.08</i> | 226 | 3.6 | <i>0.25</i> | 0.39 | <i>0.04</i> |
| USA, Alaska | 513 | 19.2 | <i>0.86</i> | 2.18 | <i>0.12</i> | 148 | 5.5 | <i>0.46</i> | 0.66 | <i>0.07</i> |
| *USA, Alaska: Alaska Natives | 40 | 12.7 | <i>2.02</i> | 1.53 | <i>0.31</i> | 14 | 3.5 | <i>0.95</i> | 0.43 | <i>0.16</i> |
| USA, Arizona | 6194 | 17.8 | <i>0.24</i> | 2.05 | <i>0.04</i> | 1714 | 4.5 | <i>0.12</i> | 0.53 | <i>0.02</i> |
| USA, Arizona: White | 6019 | 18.7 | <i>0.26</i> | 2.17 | <i>0.04</i> | 1635 | 4.7 | <i>0.13</i> | 0.56 | <i>0.02</i> |
| USA, Arizona: Black | 77 | 8.4 | <i>0.97</i> | 0.87 | <i>0.13</i> | 41 | 3.8 | <i>0.61</i> | 0.39 | <i>0.08</i> |
| *USA, Arizona: Asian and Pacific Islander | 52 | 7.0 | <i>0.99</i> | 0.84 | <i>0.16</i> | 17 | 1.5 | <i>0.38</i> | 0.14 | <i>0.05</i> |
| USA, Arizona: American Indian | 27 | 2.9 | <i>0.57</i> | 0.34 | <i>0.09</i> | 11 | 1.0 | <i>0.29</i> | 0.10 | <i>0.04</i> |
| USA, Arkansas | 2831 | 20.0 | <i>0.39</i> | 2.29 | <i>0.06</i> | 803 | 4.9 | <i>0.19</i> | 0.56 | <i>0.03</i> |
| USA, Arkansas: White | 2646 | 21.2 | <i>0.44</i> | 2.43 | <i>0.06</i> | 710 | 4.9 | <i>0.21</i> | 0.57 | <i>0.03</i> |
| USA, Arkansas: Black | 157 | 11.2 | <i>0.90</i> | 1.35 | <i>0.14</i> | 75 | 3.9 | <i>0.47</i> | 0.46 | <i>0.07</i> |
| USA, California | 26530 | 16.1 | <i>0.10</i> | 1.80 | <i>0.02</i> | 7868 | 3.9 | <i>0.05</i> | 0.44 | <i>0.01</i> |
| USA, California: White | 22819 | 17.7 | <i>0.12</i> | 1.98 | <i>0.02</i> | 6616 | 4.3 | <i>0.06</i> | 0.49 | <i>0.01</i> |
| USA, California: Black | 1067 | 11.7 | <i>0.37</i> | 1.35 | <i>0.06</i> | 415 | 3.4 | <i>0.17</i> | 0.38 | <i>0.03</i> |
| USA, California: Asian and Pacific Islander | 2062 | 8.1 | <i>0.19</i> | 0.88 | <i>0.03</i> | 686 | 2.1 | <i>0.09</i> | 0.23 | <i>0.01</i> |
| *USA, California, Los Angeles County | 5614 | 14.0 | <i>0.19</i> | 1.60 | <i>0.03</i> | 1759 | 3.4 | <i>0.09</i> | 0.39 | <i>0.01</i> |
| *USA, California, Los Angeles County: White | 4463 | 15.6 | <i>0.24</i> | 1.79 | <i>0.04</i> | 1358 | 3.8 | <i>0.11</i> | 0.44 | <i>0.02</i> |
| *USA, California, Los Angeles County: Non-Hispanic White | 3554 | 20.9 | <i>0.38</i> | 2.44 | <i>0.06</i> | 1030 | 5.1 | <i>0.18</i> | 0.59 | <i>0.03</i> |
| *USA, California, Los Angeles County: Hispanic White | 909 | 8.0 | <i>0.27</i> | 0.89 | <i>0.04</i> | 328 | 2.2 | <i>0.13</i> | 0.26 | <i>0.02</i> |
| *USA, California, Los Angeles County: Black | 402 | 11.2 | <i>0.57</i> | 1.25 | <i>0.09</i> | 160 | 3.0 | <i>0.25</i> | 0.33 | <i>0.04</i> |
| *USA, California, Los Angeles County: Chinese | 158 | 5.6 | <i>0.49</i> | 0.59 | <i>0.08</i> | 57 | 1.8 | <i>0.27</i> | 0.22 | <i>0.04</i> |
| *USA, California, Los Angeles County: Filipino | 86 | 5.7 | <i>0.62</i> | 0.59 | <i>0.09</i> | 29 | 1.4 | <i>0.28</i> | 0.17 | <i>0.04</i> |
| *USA, California, Los Angeles County: Korean | 101 | 8.7 | <i>0.93</i> | 0.94 | <i>0.14</i> | 34 | 2.5 | <i>0.46</i> | 0.30 | <i>0.07</i> |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 613 | 8.0 | <i>0.34</i> | 0.88 | <i>0.05</i> | 209 | 2.2 | <i>0.16</i> | 0.24 | <i>0.02</i> |
| *USA, California, San Francisco Bay Area | 3243 | 15.4 | <i>0.28</i> | 1.71 | <i>0.04</i> | 989 | 3.8 | <i>0.13</i> | 0.44 | <i>0.02</i> |
| *USA, California, San Francisco Bay Area: White | 2513 | 18.1 | <i>0.38</i> | 2.02 | <i>0.06</i> | 739 | 4.5 | <i>0.18</i> | 0.52 | <i>0.03</i> |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 2253 | 19.3 | <i>0.43</i> | 2.15 | <i>0.06</i> | 653 | 4.8 | <i>0.21</i> | 0.55 | <i>0.03</i> |
| *USA, California, San Francisco Bay Area: Hispanic White | 260 | 12.2 | <i>0.78</i> | 1.33 | <i>0.12</i> | 86 | 3.1 | <i>0.36</i> | 0.38 | <i>0.06</i> |
| *USA, California, San Francisco Bay Area: Black | 179 | 11.7 | <i>0.90</i> | 1.38 | <i>0.14</i> | 76 | 3.4 | <i>0.42</i> | 0.37 | <i>0.06</i> |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 486 | 8.6 | <i>0.41</i> | 0.91 | <i>0.06</i> | 153 | 2.1 | <i>0.18</i> | 0.24 | <i>0.03</i> |
| USA, Colorado | 4020 | 17.7 | <i>0.29</i> | 2.05 | <i>0.04</i> | 1178 | 4.5 | <i>0.14</i> | 0.51 | <i>0.02</i> |
| USA, Colorado: White | 3786 | 17.8 | <i>0.30</i> | 2.06 | <i>0.04</i> | 1094 | 4.4 | <i>0.14</i> | 0.51 | <i>0.02</i> |
| *USA, Colorado: Black | 82 | 11.2 | <i>1.25</i> | 1.29 | <i>0.19</i> | 22 | 2.8 | <i>0.62</i> | 0.31 | <i>0.09</i> |
| *USA, Colorado: Asian and Pacific Islander | 35 | 6.8 | <i>1.18</i> | 0.84 | <i>0.19</i> | 17 | 2.1 | <i>0.53</i> | 0.24 | <i>0.09</i> |
| USA, Connecticut | 4105 | 23.3 | <i>0.38</i> | 2.66 | <i>0.06</i> | 1405 | 6.5 | <i>0.19</i> | 0.78 | <i>0.03</i> |
| USA, Connecticut: White | 3880 | 24.5 | <i>0.42</i> | 2.81 | <i>0.06</i> | 1306 | 6.7 | <i>0.21</i> | 0.82 | <i>0.03</i> |
| USA, Connecticut: Black | 132 | 10.9 | <i>0.96</i> | 1.19 | <i>0.14</i> | 74 | 4.3 | <i>0.53</i> | 0.48 | <i>0.07</i> |
| USA, District of Columbia | 283 | 12.3 | <i>0.75</i> | 1.49 | <i>0.12</i> | 136 | 4.4 | <i>0.41</i> | 0.54 | <i>0.06</i> |
| USA, District of Columbia: White | 131 | 13.3 | <i>1.20</i> | 1.61 | <i>0.19</i> | 35 | 3.4 | <i>0.60</i> | 0.42 | <i>0.09</i> |
| USA, District of Columbia: Black | 136 | 10.8 | <i>0.96</i> | 1.33 | <i>0.15</i> | 98 | 5.0 | <i>0.56</i> | 0.61 | <i>0.09</i> |
| USA, Florida | 22350 | 18.8 | <i>0.14</i> | 2.20 | <i>0.02</i> | 6774 | 5.0 | <i>0.07</i> | 0.59 | <i>0.01</i> |
| USA, Florida: White | 20319 | 19.5 | <i>0.15</i> | 2.28 | <i>0.02</i> | 5982 | 5.1 | <i>0.08</i> | 0.60 | <i>0.01</i> |
| USA, Florida: Black | 894 | 8.4 | <i>0.28</i> | 0.94 | <i>0.04</i> | 402 | 2.8 | <i>0.15</i> | 0.31 | <i>0.02</i> |
| USA, Florida: Asian and Pacific Islander | 131 | 5.9 | <i>0.53</i> | 0.63 | <i>0.07</i> | 38 | 1.2 | <i>0.20</i> | 0.10 | <i>0.03</i> |
| USA, Georgia | 7177 | 18.1 | <i>0.22</i> | 2.09 | <i>0.03</i> | 2232 | 4.5 | <i>0.10</i> | 0.53 | <i>0.01</i> |
| USA, Georgia: White | 6128 | 20.8 | <i>0.27</i> | 2.41 | <i>0.04</i> | 1702 | 5.0 | <i>0.13</i> | 0.60 | <i>0.02</i> |
| USA, Georgia: Black | 930 | 10.7 | <i>0.35</i> | 1.23 | <i>0.05</i> | 496 | 3.7 | <i>0.17</i> | 0.41 | <i>0.03</i> |
| USA, Georgia: Asian and Pacific Islander | 94 | 8.3 | <i>0.86</i> | 0.89 | <i>0.12</i> | 25 | 1.8 | <i>0.36</i> | 0.17 | <i>0.05</i> |
| *USA, Georgia, Atlanta | 1780 | 15.3 | <i>0.37</i> | 1.71 | <i>0.05</i> | 639 | 4.1 | <i>0.17</i> | 0.47 | <i>0.03</i> |
| *USA, Georgia, Atlanta: White | 1299 | 17.7 | <i>0.50</i> | 1.99 | <i>0.08</i> | 410 | 4.6 | <i>0.24</i> | 0.55 | <i>0.04</i> |
| *USA, Georgia, Atlanta: Black | 403 | 11.4 | <i>0.57</i> | 1.32 | <i>0.09</i> | 206 | 3.7 | <i>0.26</i> | 0.38 | <i>0.04</i> |
| USA, Idaho | 1595 | 20.4 | <i>0.53</i> | 2.35 | <i>0.08</i> | 447 | 5.4 | <i>0.27</i> | 0.63 | <i>0.04</i> |
| USA, Indiana | 6443 | 21.8 | <i>0.28</i> | 2.50 | <i>0.04</i> | 1947 | 5.5 | <i>0.14</i> | 0.64 | <i>0.02</i> |
| USA, Indiana: White | 6110 | 22.4 | <i>0.30</i> | 2.56 | <i>0.04</i> | 1814 | 5.6 | <i>0.15</i> | 0.66 | <i>0.02</i> |
| USA, Indiana: Black | 238 | 13.3 | <i>0.87</i> | 1.50 | <i>0.13</i> | 106 | 3.9 | <i>0.40</i> | 0.41 | <i>0.06</i> |
| *USA, Iowa | 3121 | 20.2 | <i>0.38</i> | 2.35 | <i>0.06</i> | 929 | 5.0 | <i>0.19</i> | 0.60 | <i>0.03</i> |
| USA, Kentucky | 4493 | 22.3 | <i>0.34</i> | 2.58 | <i>0.05</i> | 1440 | 6.0 | <i>0.17</i> | 0.71 | <i>0.02</i> |
| USA, Louisiana | 3699 | 18.9 | <i>0.32</i> | 2.28 | <i>0.05</i> | 1083 | 4.5 | <i>0.15</i> | 0.53 | <i>0.02</i> |
| USA, Louisiana: White | 3164 | 21.8 | <i>0.40</i> | 2.62 | <i>0.06</i> | 837 | 5.0 | <i>0.19</i> | 0.60 | <i>0.03</i> |
| USA, Louisiana: Black | 508 | 11.0 | <i>0.49</i> | 1.41 | <i>0.08</i> | 237 | 3.5 | <i>0.24</i> | 0.37 | <i>0.03</i> |
| *USA, Louisiana, New Orleans | 625 | 17.2 | <i>0.70</i> | 2.02 | <i>0.11</i> | 210 | 4.4 | <i>0.33</i> | 0.53 | <i>0.05</i> |
| *USA, Louisiana, New Orleans: White | 466 | 19.9 | <i>0.96</i> | 2.33 | <i>0.14</i> | 141 | 5.0 | <i>0.46</i> | 0.63 | <i>0.07</i> |
| *USA, Louisiana, New Orleans: Black | 143 | 12.2 | <i>1.03</i> | 1.54 | <i>0.16</i> | 66 | 3.7 | <i>0.47</i> | 0.39 | <i>0.07</i> |
| USA, Maine | 1986 | 26.1 | <i>0.62</i> | 3.08 | <i>0.09</i> | 618 | 6.9 | <i>0.31</i> | 0.78 | <i>0.04</i> |
| USA, Maryland | 4970 | 18.9 | <i>0.28</i> | 2.12 | <i>0.04</i> | 1644 | 5.0 | <i>0.13</i> | 0.59 | <i>0.02</i> |
| USA, Maryland: White | 4116 | 22.0 | <i>0.36</i> | 2.46 | <i>0.05</i> | 1229 | 5.6 | <i>0.18</i> | 0.66 | <i>0.03</i> |
| USA, Maryland: Black | 713 | 12.1 | <i>0.46</i> | 1.43 | <i>0.07</i> | 366 | 4.3 | <i>0.23</i> | 0.48 | <i>0.03</i> |
| USA, Maryland: Asian and Pacific Islander | 126 | 8.7 | <i>0.79</i> | 0.89 | <i>0.11</i> | 44 | 2.4 | <i>0.38</i> | 0.25 | <i>0.05</i> |
| USA, Massachusetts | 6943 | 21.8 | <i>0.27</i> | 2.49 | <i>0.04</i> | 2475 | 6.3 | <i>0.14</i> | 0.75 | <i>0.02</i> |
| USA, Massachusetts: White | 6604 | 22.9 | <i>0.30</i> | 2.62 | <i>0.04</i> | 2340 | 6.7 | <i>0.15</i> | 0.80 | <i>0.02</i> |
| USA, Massachusetts: Black | 157 | 9.9 | <i>0.80</i> | 1.30 | <i>0.13</i> | 77 | 3.3 | <i>0.39</i> | 0.39 | <i>0.06</i> |
| USA, Massachusetts: Asian and Pacific Islander | 99 | 7.6 | <i>0.79</i> | 0.78 | <i>0.12</i> | 21 | 1.5 | <i>0.33</i> | 0.18 | <i>0.05</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Bladder (C67) (contd)

| | Male | | | | | Female | | | | |
|---|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 10364 | 21.4 | 0.22 | 2.43 | 0.03 | 3287 | 5.6 | 0.11 | 0.66 | 0.02 |
| USA, Michigan: White | 9577 | 22.5 | 0.24 | 2.54 | 0.04 | 2932 | 5.9 | 0.12 | 0.69 | 0.02 |
| USA, Michigan: Black | 597 | 12.8 | 0.53 | 1.56 | 0.08 | 304 | 4.4 | 0.27 | 0.47 | 0.04 |
| USA, Michigan: Asian and Pacific Islander | 59 | 6.7 | 0.88 | 0.77 | 0.14 | 16 | 1.4 | 0.35 | 0.11 | 0.05 |
| *USA, Michigan, Detroit | 3754 | 21.4 | 0.36 | 2.44 | 0.05 | 1290 | 5.6 | 0.17 | 0.64 | 0.03 |
| *USA, Michigan, Detroit: White | 3277 | 24.3 | 0.44 | 2.76 | 0.07 | 1032 | 6.1 | 0.21 | 0.71 | 0.03 |
| *USA, Michigan, Detroit: Black | 408 | 12.3 | 0.62 | 1.46 | 0.09 | 232 | 4.6 | 0.32 | 0.50 | 0.05 |
| USA, Minnesota | 5340 | 20.7 | 0.30 | 2.40 | 0.05 | 1627 | 5.5 | 0.15 | 0.65 | 0.02 |
| USA, Minnesota: White | 5161 | 21.1 | 0.31 | 2.45 | 0.05 | 1550 | 5.6 | 0.16 | 0.65 | 0.02 |
| USA, Minnesota: Black | 83 | 13.8 | 1.56 | 1.68 | 0.24 | 27 | 3.9 | 0.76 | 0.52 | 0.12 |
| *USA, Minnesota: Asian and Pacific Islander | 37 | 7.1 | 1.19 | 0.81 | 0.19 | 17 | 2.6 | 0.64 | 0.27 | 0.09 |
| USA, Mississippi | 2303 | 17.8 | 0.38 | 2.05 | 0.06 | 678 | 4.3 | 0.18 | 0.52 | 0.03 |
| USA, Missouri | 5746 | 19.8 | 0.27 | 2.28 | 0.04 | 1732 | 4.9 | 0.13 | 0.57 | 0.02 |
| USA, Missouri: White | 5403 | 20.5 | 0.29 | 2.37 | 0.04 | 1553 | 4.9 | 0.14 | 0.57 | 0.02 |
| USA, Missouri: Black | 274 | 12.7 | 0.78 | 1.44 | 0.12 | 152 | 4.8 | 0.41 | 0.58 | 0.06 |
| USA, Montana | 1168 | 21.0 | 0.65 | 2.52 | 0.10 | 367 | 6.3 | 0.36 | 0.76 | 0.05 |
| *USA, Montana: American Indian | 16 | 9.6 | 2.44 | 0.82 | 0.28 | 6 | 3.1 | 1.27 | 0.56 | 0.24 |
| USA, Nebraska | 1721 | 19.6 | 0.50 | 2.32 | 0.08 | 548 | 5.1 | 0.24 | 0.58 | 0.04 |
| USA, Nebraska: White | 1679 | 20.1 | 0.52 | 2.39 | 0.08 | 526 | 5.1 | 0.25 | 0.58 | 0.04 |
| *USA, Nebraska: Black | 28 | 11.6 | 2.24 | 1.24 | 0.34 | 18 | 6.6 | 1.58 | 0.82 | 0.26 |
| USA, Nevada | 2416 | 17.9 | 0.38 | 2.05 | 0.06 | 767 | 5.3 | 0.20 | 0.63 | 0.03 |
| USA, Nevada: White | 2234 | 19.7 | 0.43 | 2.26 | 0.06 | 693 | 6.0 | 0.24 | 0.71 | 0.04 |
| USA, Nevada: Black | 101 | 11.1 | 1.13 | 1.14 | 0.16 | 34 | 3.2 | 0.57 | 0.39 | 0.08 |
| *USA, Nevada: Asian and Pacific Islander | 55 | 5.2 | 0.72 | 0.62 | 0.10 | 29 | 1.8 | 0.34 | 0.22 | 0.06 |
| USA, New Jersey | 9234 | 22.3 | 0.24 | 2.58 | 0.04 | 3224 | 6.1 | 0.12 | 0.70 | 0.02 |
| USA, New Jersey: White | 8261 | 24.2 | 0.28 | 2.81 | 0.04 | 2840 | 6.7 | 0.14 | 0.78 | 0.02 |
| USA, New Jersey: Black | 510 | 12.2 | 0.55 | 1.43 | 0.08 | 241 | 3.7 | 0.25 | 0.38 | 0.04 |
| USA, New Mexico | 1367 | 13.2 | 0.37 | 1.52 | 0.06 | 436 | 3.8 | 0.20 | 0.45 | 0.03 |
| USA, New Mexico: White | 1291 | 13.8 | 0.40 | 1.59 | 0.06 | 401 | 3.9 | 0.21 | 0.47 | 0.03 |
| USA, New Mexico: Non-Hispanic White | 984 | 16.4 | 0.57 | 1.90 | 0.08 | 290 | 4.5 | 0.30 | 0.57 | 0.04 |
| USA, New Mexico: Hispanic White | 307 | 9.2 | 0.54 | 1.05 | 0.08 | 111 | 2.7 | 0.28 | 0.29 | 0.04 |
| *USA, New Mexico: American Indian | 31 | 4.8 | 0.87 | 0.45 | 0.12 | 19 | 2.4 | 0.59 | 0.22 | 0.06 |
| USA, New York State | 20150 | 22.3 | 0.16 | 2.53 | 0.02 | 6909 | 6.0 | 0.08 | 0.70 | 0.01 |
| USA, New York State: White | 18100 | 25.2 | 0.20 | 2.89 | 0.03 | 6039 | 6.9 | 0.10 | 0.81 | 0.01 |
| USA, New York State: Black | 1294 | 11.3 | 0.32 | 1.30 | 0.05 | 653 | 3.5 | 0.15 | 0.40 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 672 | 10.6 | 0.42 | 1.14 | 0.06 | 187 | 2.5 | 0.19 | 0.28 | 0.03 |
| USA, North Carolina | 8849 | 19.6 | 0.21 | 2.25 | 0.03 | 2909 | 5.3 | 0.11 | 0.63 | 0.02 |
| USA, North Carolina: White | 7858 | 21.4 | 0.25 | 2.45 | 0.04 | 2415 | 5.7 | 0.13 | 0.68 | 0.02 |
| USA, North Carolina: Black | 844 | 11.7 | 0.41 | 1.38 | 0.06 | 452 | 4.3 | 0.21 | 0.53 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 44 | 6.3 | 0.97 | 0.68 | 0.14 | 15 | 1.6 | 0.43 | 0.13 | 0.05 |
| *USA, North Carolina: American Indian | 50 | 10.7 | 1.53 | 1.52 | 0.26 | 12 | 2.0 | 0.60 | 0.22 | 0.09 |
| USA, North Dakota | 667 | 19.1 | 0.79 | 2.10 | 0.12 | 184 | 4.7 | 0.39 | 0.54 | 0.06 |
| USA, Ohio | 12072 | 21.6 | 0.21 | 2.52 | 0.03 | 3836 | 5.6 | 0.10 | 0.65 | 0.01 |
| USA, Ohio: White | 11291 | 22.6 | 0.22 | 2.62 | 0.03 | 3486 | 5.7 | 0.11 | 0.67 | 0.02 |
| USA, Ohio: Black | 591 | 12.2 | 0.51 | 1.47 | 0.08 | 286 | 4.3 | 0.27 | 0.50 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | 46 | 6.2 | 0.93 | 0.60 | 0.14 | 16 | 1.8 | 0.45 | 0.20 | 0.07 |
| USA, Oklahoma | 3384 | 19.1 | 0.34 | 2.19 | 0.05 | 940 | 4.7 | 0.17 | 0.56 | 0.02 |
| USA, Oklahoma: White | 3095 | 20.1 | 0.38 | 2.31 | 0.06 | 838 | 4.9 | 0.19 | 0.59 | 0.03 |
| USA, Oklahoma: Black | 111 | 12.3 | 1.18 | 1.43 | 0.18 | 51 | 4.2 | 0.60 | 0.46 | 0.09 |
| USA, Oklahoma: American Indian | 147 | 13.3 | 1.11 | 1.39 | 0.16 | 39 | 3.0 | 0.49 | 0.39 | 0.07 |
| USA, Oregon | 4221 | 20.7 | 0.33 | 2.36 | 0.05 | 1203 | 5.1 | 0.16 | 0.59 | 0.02 |
| USA, Oregon: White | 4016 | 20.8 | 0.34 | 2.38 | 0.05 | 1130 | 5.0 | 0.16 | 0.58 | 0.02 |
| *USA, Oregon: Black | 24 | 9.0 | 1.86 | 1.14 | 0.29 | 18 | 6.7 | 1.63 | 0.71 | 0.23 |
| *USA, Oregon: Asian and Pacific Islander | 46 | 7.6 | 1.14 | 0.79 | 0.17 | 12 | 1.5 | 0.44 | 0.17 | 0.06 |
| USA, Rhode Island | 1311 | 25.6 | 0.74 | 2.99 | 0.11 | 475 | 7.4 | 0.38 | 0.89 | 0.06 |
| USA, Rhode Island: White | 1279 | 27.0 | 0.80 | 3.13 | 0.12 | 460 | 7.8 | 0.41 | 0.93 | 0.06 |
| *USA, Rhode Island: Black | 20 | 9.1 | 2.06 | 1.18 | 0.35 | 10 | 3.5 | 1.20 | 0.39 | 0.17 |
| USA, South Carolina | 4253 | 18.0 | 0.29 | 1.99 | 0.04 | 1392 | 4.9 | 0.14 | 0.56 | 0.02 |
| USA, South Carolina: White | 3796 | 20.5 | 0.35 | 2.28 | 0.05 | 1116 | 5.3 | 0.17 | 0.61 | 0.02 |
| USA, South Carolina: Black | 423 | 9.2 | 0.45 | 1.01 | 0.06 | 264 | 3.8 | 0.25 | 0.40 | 0.04 |
| USA, South Dakota | 804 | 18.8 | 0.70 | 2.19 | 0.11 | 234 | 5.2 | 0.39 | 0.64 | 0.06 |
| USA, Tennessee | 5973 | 19.8 | 0.26 | 2.32 | 0.04 | 1879 | 5.2 | 0.13 | 0.64 | 0.02 |
| USA, Tennessee: White | 5591 | 21.1 | 0.29 | 2.49 | 0.04 | 1707 | 5.6 | 0.15 | 0.68 | 0.02 |
| USA, Tennessee: Black | 343 | 10.7 | 0.58 | 1.29 | 0.09 | 160 | 3.3 | 0.27 | 0.39 | 0.04 |
| USA, Texas | 15177 | 14.8 | 0.12 | 1.69 | 0.02 | 4438 | 3.6 | 0.06 | 0.42 | 0.01 |
| USA, Texas: White | 13946 | 15.8 | 0.14 | 1.81 | 0.02 | 3947 | 3.8 | 0.06 | 0.43 | 0.01 |
| USA, Texas: Black | 897 | 9.7 | 0.33 | 1.14 | 0.05 | 399 | 3.2 | 0.17 | 0.40 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 274 | 7.1 | 0.43 | 0.75 | 0.06 | 72 | 1.5 | 0.18 | 0.16 | 0.03 |
| USA, Utah | 1606 | 15.9 | 0.41 | 1.85 | 0.06 | 359 | 3.3 | 0.18 | 0.37 | 0.03 |
| USA, Vermont | 745 | 22.3 | 0.86 | 2.58 | 0.12 | 255 | 6.5 | 0.44 | 0.79 | 0.07 |
| USA, Washington State | 6714 | 20.3 | 0.26 | 2.23 | 0.04 | 1946 | 5.2 | 0.13 | 0.60 | 0.02 |
| *USA, Washington, Seattle | 4451 | 20.1 | 0.31 | 2.20 | 0.05 | 1301 | 5.1 | 0.15 | 0.59 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bladder (C67) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 2201 | 22.2 | 0.50 | 2.63 | 0.07 | 697 | 6.4 | 0.27 | 0.79 | 0.04 |
| USA, Wyoming | 540 | 19.1 | 0.85 | 2.21 | 0.13 | 143 | 5.2 | 0.46 | 0.64 | 0.07 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 160 | 13.5 | 1.09 | 1.30 | 0.15 | 34 | 2.6 | 0.46 | 0.24 | 0.06 |
| † Brunei Darussalam | 38 | 4.8 | 0.80 | 0.56 | 0.14 | 14 | 1.5 | 0.42 | 0.15 | 0.05 |
| *China, Anfu County | 53 | 4.9 | 0.69 | 0.55 | 0.10 | 13 | 1.1 | 0.32 | 0.11 | 0.04 |
| *China, Anguo City | 67 | 5.0 | 0.63 | 0.54 | 0.08 | 18 | 1.3 | 0.31 | 0.17 | 0.05 |
| *China, Anshan City | 776 | 9.7 | 0.36 | 1.14 | 0.06 | 195 | 2.1 | 0.16 | 0.23 | 0.02 |
| *China, Aohan Banner, Chifeng City | 82 | 4.5 | 0.52 | 0.52 | 0.08 | 41 | 1.9 | 0.32 | 0.19 | 0.04 |
| *China, Arongqi | 87 | 10.1 | 1.10 | 1.38 | 0.18 | 27 | 3.3 | 0.65 | 0.32 | 0.08 |
| *China, Baoding City | 274 | 7.6 | 0.47 | 0.78 | 0.06 | 58 | 1.5 | 0.20 | 0.14 | 0.03 |
| *China, Beijing City | 4147 | 8.5 | 0.15 | 1.00 | 0.02 | 1445 | 2.8 | 0.08 | 0.33 | 0.01 |
| *China, Binhai County | 160 | 3.3 | 0.26 | 0.39 | 0.04 | 61 | 1.3 | 0.17 | 0.13 | 0.02 |
| *China, Cangzhou City | 120 | 7.5 | 0.71 | 0.89 | 0.10 | 29 | 1.7 | 0.32 | 0.18 | 0.04 |
| China, Changfeng County | 70 | 3.7 | 0.46 | 0.45 | 0.07 | 23 | 1.3 | 0.28 | 0.16 | 0.04 |
| China, Changzhou City | 671 | 6.6 | 0.26 | 0.74 | 0.04 | 160 | 1.3 | 0.11 | 0.14 | 0.02 |
| China, Chengdu City | 304 | 7.6 | 0.45 | 0.83 | 0.07 | 126 | 3.0 | 0.27 | 0.33 | 0.04 |
| China, Cixian County | 42 | 2.8 | 0.46 | 0.27 | 0.05 | 20 | 1.1 | 0.24 | 0.15 | 0.04 |
| China, Cixi City | 329 | 6.2 | 0.36 | 0.75 | 0.05 | 78 | 1.3 | 0.17 | 0.14 | 0.02 |
| *China, Dafeng District, Yancheng City | 213 | 5.6 | 0.40 | 0.61 | 0.05 | 72 | 1.7 | 0.20 | 0.17 | 0.03 |
| China, Dalian City | 1380 | 11.5 | 0.32 | 1.30 | 0.05 | 341 | 2.5 | 0.14 | 0.28 | 0.02 |
| *China, Dancheng County | 59 | 2.0 | 0.26 | 0.25 | 0.04 | 40 | 1.2 | 0.19 | 0.13 | 0.03 |
| China, Dangtu County | 63 | 5.0 | 0.65 | 0.62 | 0.09 | 6 | 0.4 | 0.16 | 0.04 | 0.02 |
| *China, Danyang City | 205 | 5.5 | 0.40 | 0.55 | 0.05 | 46 | 1.1 | 0.17 | 0.11 | 0.02 |
| *China, Dawukou District, Shizuishan City | 59 | 5.3 | 0.72 | 0.67 | 0.12 | 21 | 2.0 | 0.46 | 0.25 | 0.07 |
| *China, Dehui City | 187 | 6.3 | 0.47 | 0.75 | 0.07 | 72 | 2.5 | 0.30 | 0.31 | 0.05 |
| †*China, Donggang County | 214 | 7.1 | 0.49 | 0.74 | 0.07 | 64 | 2.1 | 0.29 | 0.25 | 0.04 |
| *China, Dongguan City | 245 | 5.8 | 0.38 | 0.62 | 0.05 | 64 | 1.3 | 0.16 | 0.15 | 0.03 |
| China, Donghai County | 215 | 4.7 | 0.33 | 0.54 | 0.05 | 35 | 0.9 | 0.17 | 0.10 | 0.02 |
| *China, Dongtai City | 169 | 3.0 | 0.24 | 0.36 | 0.04 | 66 | 1.0 | 0.14 | 0.13 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 60 | 4.4 | 0.59 | 0.44 | 0.08 | 15 | 1.2 | 0.32 | 0.14 | 0.05 |
| *China, Evenki Autonomous Banner | 16 | 5.1 | 1.35 | 0.55 | 0.19 | 9 | 3.2 | 1.11 | 0.33 | 0.15 |
| *China, Faku County | 116 | 5.6 | 0.54 | 0.67 | 0.08 | 42 | 2.0 | 0.32 | 0.31 | 0.06 |
| *China, Fangcheng County | 80 | 3.4 | 0.39 | 0.39 | 0.05 | 29 | 1.4 | 0.26 | 0.18 | 0.04 |
| *China, Feicheng City | 231 | 6.1 | 0.41 | 0.66 | 0.06 | 63 | 1.4 | 0.18 | 0.16 | 0.03 |
| China, Feixi County | 216 | 4.7 | 0.33 | 0.52 | 0.05 | 41 | 0.9 | 0.15 | 0.08 | 0.02 |
| China, Fuqing City | 104 | 3.4 | 0.34 | 0.37 | 0.05 | 23 | 0.7 | 0.15 | 0.06 | 0.02 |
| *China, Ganyu District, Lianyungang City | 250 | 5.3 | 0.35 | 0.60 | 0.05 | 45 | 0.9 | 0.14 | 0.10 | 0.02 |
| *China, Ganzhou District, Zhangye City | 47 | 6.0 | 1.05 | 0.57 | 0.10 | 11 | 1.5 | 0.47 | 0.14 | 0.05 |
| †*China, Gaocheng City | 71 | 3.1 | 0.37 | 0.36 | 0.05 | 25 | 0.9 | 0.19 | 0.09 | 0.03 |
| China, Gaomi City | 213 | 6.4 | 0.45 | 0.67 | 0.06 | 48 | 1.2 | 0.18 | 0.11 | 0.03 |
| China, Gong'an County | 253 | 7.4 | 0.48 | 0.91 | 0.07 | 73 | 1.9 | 0.23 | 0.21 | 0.03 |
| *China, Guang'an District, Guang'an City | 50 | 2.5 | 0.36 | 0.29 | 0.05 | 22 | 0.9 | 0.21 | 0.08 | 0.03 |
| China, Guanghan City | 97 | 5.4 | 0.56 | 0.59 | 0.08 | 30 | 1.4 | 0.27 | 0.17 | 0.04 |
| China, Guangzhou City | 1872 | 5.5 | 0.13 | 0.61 | 0.02 | 503 | 1.3 | 0.06 | 0.14 | 0.01 |
| *China, Guanyun County | 172 | 4.6 | 0.35 | 0.51 | 0.05 | 39 | 1.1 | 0.18 | 0.13 | 0.03 |
| China, Guilin City | 166 | 7.5 | 0.60 | 0.83 | 0.09 | 40 | 1.7 | 0.27 | 0.18 | 0.04 |
| *China, Hai'an City | 288 | 4.8 | 0.30 | 0.54 | 0.04 | 75 | 1.2 | 0.15 | 0.14 | 0.02 |
| China, Hailar District, Hulun Buir City | 99 | 9.4 | 1.01 | 1.01 | 0.14 | 25 | 2.0 | 0.41 | 0.20 | 0.06 |
| China, Haimen District, Nantong City | 411 | 7.1 | 0.37 | 0.83 | 0.05 | 107 | 1.8 | 0.20 | 0.26 | 0.03 |
| China, Haining City | 176 | 5.0 | 0.38 | 0.58 | 0.06 | 45 | 1.2 | 0.18 | 0.14 | 0.03 |
| † China, Hangzhou City | 1889 | 5.3 | 0.13 | 0.59 | 0.02 | 546 | 1.4 | 0.06 | 0.15 | 0.01 |
| China, Hebi City | 40 | 3.1 | 0.50 | 0.33 | 0.07 | 14 | 1.1 | 0.32 | 0.14 | 0.05 |
| China, Hefei City | 521 | 5.9 | 0.27 | 0.62 | 0.04 | 126 | 1.3 | 0.12 | 0.13 | 0.02 |
| China, Hengdong County | 43 | 2.5 | 0.39 | 0.30 | 0.06 | 13 | 0.6 | 0.18 | 0.04 | 0.02 |
| *China, Hengfeng County | 30 | 4.8 | 0.89 | 0.43 | 0.10 | 2 | 0.3 | 0.21 | 0.05 | 0.04 |
| *China, Hepu County | 139 | 4.3 | 0.38 | 0.48 | 0.05 | 39 | 1.3 | 0.22 | 0.14 | 0.03 |
| China, Honghu City | 177 | 5.7 | 0.45 | 0.67 | 0.07 | 34 | 1.1 | 0.19 | 0.13 | 0.03 |
| China, Hongshan District, Chifeng City | 91 | 7.1 | 0.80 | 0.71 | 0.10 | 44 | 2.7 | 0.43 | 0.24 | 0.05 |
| *China, Hongta District, Yuxi City | 108 | 6.0 | 0.60 | 0.50 | 0.07 | 29 | 1.5 | 0.29 | 0.15 | 0.04 |
| *China, Huaiyin District, Huai'an City | 140 | 3.6 | 0.31 | 0.46 | 0.05 | 24 | 0.6 | 0.12 | 0.06 | 0.02 |
| *China, Jiange County | 49 | 2.9 | 0.42 | 0.35 | 0.07 | 12 | 0.7 | 0.20 | 0.11 | 0.04 |
| China, Jiangmen City | 189 | 7.7 | 0.57 | 0.84 | 0.08 | 38 | 1.2 | 0.21 | 0.13 | 0.03 |
| *China, Jiangyin City | 379 | 6.4 | 0.34 | 0.67 | 0.04 | 89 | 1.3 | 0.14 | 0.15 | 0.02 |
| *China, Jiashan County | 169 | 7.8 | 0.64 | 0.82 | 0.08 | 27 | 1.2 | 0.28 | 0.14 | 0.04 |
| China, Jiayu County | 35 | 4.6 | 0.79 | 0.61 | 0.13 | 6 | 0.9 | 0.37 | 0.10 | 0.05 |
| †*China, Jinan City | 591 | 6.1 | 0.26 | 0.69 | 0.04 | 190 | 1.6 | 0.13 | 0.18 | 0.02 |
| *China, Jingtai County | 38 | 5.8 | 0.96 | 0.56 | 0.12 | 17 | 2.7 | 0.66 | 0.31 | 0.09 |
| *China, Jingxian County | 40 | 2.7 | 0.44 | 0.31 | 0.06 | 10 | 0.8 | 0.28 | 0.10 | 0.04 |
| *China, Jintan District, Changzhou City | 122 | 4.8 | 0.45 | 0.50 | 0.06 | 47 | 1.8 | 0.28 | 0.23 | 0.04 |
| *China, Jiulongpo District, Chongqing City | 229 | 6.4 | 0.44 | 0.77 | 0.07 | 62 | 1.5 | 0.20 | 0.16 | 0.03 |
| *China, Jiyuan City | 92 | 5.6 | 0.61 | 0.57 | 0.07 | 36 | 2.0 | 0.34 | 0.23 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Bladder (C67) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 84 | 6.6 | 0.76 | 0.77 | 0.11 | 24 | 1.8 | 0.39 | 0.18 | 0.06 |
| China, Kunshan City | 269 | 7.5 | 0.47 | 0.81 | 0.06 | 52 | 1.4 | 0.21 | 0.16 | 0.03 |
| China, Langzhong City | 95 | 4.8 | 0.50 | 0.47 | 0.07 | 25 | 1.4 | 0.28 | 0.18 | 0.04 |
| †*China, Liangshan County | 141 | 4.4 | 0.38 | 0.51 | 0.05 | 31 | 0.9 | 0.17 | 0.11 | 0.03 |
| *China, Lianshui County | 175 | 3.8 | 0.29 | 0.44 | 0.04 | 57 | 1.3 | 0.18 | 0.16 | 0.03 |
| China, Lianyungang City | 264 | 6.5 | 0.41 | 0.82 | 0.06 | 59 | 1.3 | 0.18 | 0.13 | 0.02 |
| China, Linhe District, Bayannur City | 83 | 6.6 | 0.75 | 0.89 | 0.12 | 23 | 1.8 | 0.37 | 0.23 | 0.06 |
| China, Linqu County | 189 | 5.0 | 0.37 | 0.49 | 0.05 | 54 | 1.3 | 0.19 | 0.14 | 0.03 |
| *China, Linzhou City | 79 | 2.4 | 0.29 | 0.27 | 0.04 | 45 | 1.1 | 0.17 | 0.13 | 0.02 |
| China, Liuzhou City | 244 | 6.4 | 0.42 | 0.70 | 0.06 | 53 | 1.4 | 0.19 | 0.16 | 0.03 |
| China, Liyang City | 151 | 3.6 | 0.30 | 0.44 | 0.04 | 38 | 0.9 | 0.15 | 0.09 | 0.02 |
| *China, Longquan City | 83 | 7.5 | 0.91 | 0.78 | 0.12 | 20 | 2.4 | 0.57 | 0.30 | 0.08 |
| China, Lucheng District, Wenzhou City | 188 | 8.7 | 0.66 | 0.96 | 0.10 | 43 | 1.9 | 0.30 | 0.23 | 0.05 |
| China, Luoding City | 75 | 3.1 | 0.37 | 0.36 | 0.05 | 8 | 0.4 | 0.13 | 0.04 | 0.02 |
| *China, Luohe City | 157 | 4.0 | 0.33 | 0.47 | 0.05 | 49 | 1.1 | 0.17 | 0.14 | 0.03 |
| *China, Luoyang City | 330 | 7.3 | 0.42 | 0.74 | 0.06 | 101 | 2.2 | 0.24 | 0.22 | 0.03 |
| *China, Luquan City | 50 | 4.1 | 0.59 | 0.54 | 0.10 | 20 | 1.3 | 0.31 | 0.12 | 0.04 |
| China, Ma'anshan City | 188 | 8.6 | 0.65 | 0.97 | 0.09 | 43 | 1.9 | 0.29 | 0.25 | 0.05 |
| *China, Macheng City | 117 | 4.9 | 0.46 | 0.63 | 0.07 | 29 | 1.2 | 0.22 | 0.14 | 0.03 |
| China, Meihokou City | 136 | 6.0 | 0.53 | 0.71 | 0.08 | 50 | 2.2 | 0.32 | 0.26 | 0.05 |
| *China, Mengjin County | 53 | 4.6 | 0.63 | 0.51 | 0.10 | 24 | 1.9 | 0.40 | 0.19 | 0.05 |
| China, Nangang District, Harbin City | 292 | 6.9 | 0.43 | 0.80 | 0.06 | 91 | 1.8 | 0.19 | 0.24 | 0.03 |
| *China, Nanhai District, Foshan City | 188 | 6.4 | 0.47 | 0.66 | 0.07 | 53 | 1.5 | 0.21 | 0.15 | 0.03 |
| China, Nanhu District, Jiaying City | 189 | 6.6 | 0.50 | 0.69 | 0.07 | 44 | 1.4 | 0.22 | 0.15 | 0.03 |
| *China, Nantong City | 398 | 6.4 | 0.34 | 0.74 | 0.05 | 120 | 1.6 | 0.16 | 0.17 | 0.02 |
| *China, Nanxiong City | 62 | 4.5 | 0.58 | 0.53 | 0.09 | 16 | 1.0 | 0.26 | 0.13 | 0.04 |
| China, Neixiang County | 56 | 2.3 | 0.32 | 0.26 | 0.04 | 12 | 0.4 | 0.13 | 0.03 | 0.01 |
| *China, Qianxi County | 73 | 5.5 | 0.68 | 0.46 | 0.08 | 10 | 0.6 | 0.20 | 0.05 | 0.03 |
| China, Qidong City | 517 | 7.3 | 0.34 | 0.81 | 0.05 | 148 | 1.8 | 0.16 | 0.20 | 0.02 |
| China, Qingzhou City | 272 | 7.9 | 0.50 | 0.93 | 0.07 | 64 | 1.6 | 0.21 | 0.19 | 0.03 |
| *China, Rudong County | 369 | 5.3 | 0.29 | 0.59 | 0.04 | 125 | 1.7 | 0.24 | 0.18 | 0.02 |
| *China, Rugao City | 378 | 4.8 | 0.26 | 0.55 | 0.04 | 111 | 1.1 | 0.12 | 0.12 | 0.02 |
| *China, Rural areas of Shanghai City | 3671 | 7.4 | 0.13 | 0.83 | 0.02 | 861 | 1.5 | 0.06 | 0.16 | 0.01 |
| China, Ruyang County | 60 | 4.9 | 0.65 | 0.64 | 0.10 | 19 | 1.5 | 0.36 | 0.14 | 0.04 |
| †*China, Shan County | 114 | 4.5 | 0.44 | 0.55 | 0.07 | 23 | 0.7 | 0.16 | 0.07 | 0.02 |
| China, Shanghai City | 3233 | 7.7 | 0.15 | 0.83 | 0.02 | 984 | 2.1 | 0.08 | 0.22 | 0.01 |
| China, Shangyu District, Shaoxing City | 200 | 5.6 | 0.45 | 0.62 | 0.06 | 57 | 1.7 | 0.30 | 0.17 | 0.03 |
| *China, Shapingba District, Chongqing City | 221 | 6.5 | 0.45 | 0.79 | 0.07 | 53 | 1.4 | 0.20 | 0.16 | 0.03 |
| China, Shexian County | 2 | 0.1 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Sheyang County | 200 | 4.4 | 0.32 | 0.47 | 0.04 | 66 | 1.5 | 0.22 | 0.18 | 0.03 |
| *China, Shijiazhuang City | 329 | 5.9 | 0.33 | 0.70 | 0.05 | 82 | 1.5 | 0.17 | 0.19 | 0.03 |
| China, Shunde District, Foshan City | 231 | 6.5 | 0.44 | 0.71 | 0.07 | 67 | 1.4 | 0.17 | 0.15 | 0.03 |
| *China, Song County | 49 | 3.0 | 0.43 | 0.38 | 0.07 | 10 | 0.5 | 0.17 | 0.04 | 0.02 |
| China, Suzhou City | 1010 | 5.9 | 0.19 | 0.65 | 0.03 | 235 | 1.2 | 0.09 | 0.14 | 0.01 |
| *China, Tengzhou City | 378 | 6.7 | 0.36 | 0.74 | 0.05 | 86 | 1.4 | 0.15 | 0.17 | 0.02 |
| *China, Wangdu County | 22 | 3.3 | 0.74 | 0.29 | 0.08 | 9 | 1.3 | 0.45 | 0.15 | 0.06 |
| *China, Wanzai County | 48 | 4.1 | 0.60 | 0.52 | 0.09 | 11 | 0.9 | 0.28 | 0.09 | 0.04 |
| *China, Wu'an City | 63 | 2.7 | 0.35 | 0.36 | 0.06 | 13 | 0.6 | 0.16 | 0.09 | 0.03 |
| China, Wuhan City | 1705 | 7.3 | 0.18 | 0.83 | 0.03 | 453 | 1.7 | 0.09 | 0.18 | 0.01 |
| *China, Wuhu City | 252 | 4.5 | 0.29 | 0.54 | 0.04 | 69 | 1.2 | 0.15 | 0.12 | 0.02 |
| China, Wuxi City | 882 | 6.8 | 0.24 | 0.79 | 0.03 | 226 | 1.6 | 0.11 | 0.17 | 0.02 |
| China, Wuzhou City | 149 | 7.4 | 0.63 | 0.87 | 0.09 | 40 | 2.0 | 0.33 | 0.24 | 0.05 |
| China, Xiangfu District, Kaifeng City | 98 | 4.8 | 0.50 | 0.50 | 0.07 | 21 | 1.0 | 0.23 | 0.15 | 0.04 |
| China, Xianju County | 89 | 4.2 | 0.46 | 0.45 | 0.07 | 24 | 1.1 | 0.23 | 0.12 | 0.04 |
| *China, Xin'an County | 53 | 4.6 | 0.64 | 0.54 | 0.10 | 9 | 0.8 | 0.27 | 0.10 | 0.04 |
| *China, Xining City | 165 | 7.9 | 0.67 | 0.69 | 0.07 | 45 | 1.9 | 0.30 | 0.12 | 0.03 |
| *China, Xinji City | 97 | 3.5 | 0.36 | 0.40 | 0.05 | 30 | 1.0 | 0.18 | 0.12 | 0.03 |
| *China, Xinluo District, Longyan City | 48 | 3.5 | 0.52 | 0.38 | 0.08 | 22 | 1.7 | 0.39 | 0.24 | 0.07 |
| *China, Xinzhou District, Shangrao City | 70 | 5.1 | 0.63 | 0.49 | 0.08 | 20 | 1.4 | 0.33 | 0.13 | 0.04 |
| China, Xiping County | 116 | 4.5 | 0.44 | 0.46 | 0.06 | 41 | 1.3 | 0.22 | 0.14 | 0.03 |
| *China, Xishan District, Kunming City | 71 | 4.0 | 0.50 | 0.48 | 0.07 | 17 | 0.8 | 0.20 | 0.10 | 0.04 |
| *China, Xuyi County | 120 | 4.4 | 0.41 | 0.47 | 0.06 | 23 | 0.9 | 0.19 | 0.10 | 0.03 |
| *China, Ya'an City | 498 | 9.1 | 0.42 | 1.01 | 0.06 | 113 | 2.0 | 0.19 | 0.24 | 0.03 |
| *China, Yakeshi City | 112 | 6.8 | 0.71 | 0.72 | 0.10 | 25 | 1.5 | 0.31 | 0.16 | 0.04 |
| China, Yancheng City | 251 | 4.2 | 0.27 | 0.42 | 0.04 | 69 | 1.1 | 0.13 | 0.11 | 0.02 |
| *China, Yangquan City | 186 | 9.3 | 0.72 | 1.12 | 0.10 | 57 | 2.8 | 0.39 | 0.31 | 0.06 |
| *China, Yangzhong City | 66 | 4.5 | 0.57 | 0.49 | 0.08 | 13 | 0.6 | 0.16 | 0.04 | 0.02 |
| *China, Yanji City | 143 | 7.1 | 0.61 | 0.76 | 0.09 | 49 | 1.9 | 0.28 | 0.19 | 0.04 |
| *China, Yanshi City | 96 | 4.0 | 0.43 | 0.51 | 0.07 | 33 | 1.2 | 0.21 | 0.13 | 0.03 |
| † China, Yanting County | 41 | 2.2 | 0.34 | 0.25 | 0.05 | 13 | 0.6 | 0.18 | 0.08 | 0.03 |
| *China, Yi'an District, Tongling City | 46 | 4.4 | 0.67 | 0.43 | 0.09 | 13 | 1.4 | 0.42 | 0.15 | 0.05 |
| *China, Yingdong District, Fuyang City | 89 | 3.9 | 0.43 | 0.42 | 0.06 | 24 | 1.1 | 0.23 | 0.13 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Bladder (C67) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 72 | 6.8 | 0.82 | 0.71 | 0.12 | 16 | 1.5 | 0.39 | 0.20 | 0.06 |
| *China, Yiyuan County | 108 | 5.4 | 0.54 | 0.52 | 0.08 | 27 | 1.2 | 0.26 | 0.12 | 0.03 |
| China, Yong'an City | 55 | 3.5 | 0.50 | 0.35 | 0.07 | 13 | 1.1 | 0.31 | 0.14 | 0.05 |
| *China, Yongding District, Longyan City | 57 | 3.2 | 0.43 | 0.33 | 0.06 | 19 | 0.9 | 0.22 | 0.09 | 0.03 |
| China, Yongkang City | 141 | 5.4 | 0.47 | 0.53 | 0.06 | 41 | 1.4 | 0.23 | 0.10 | 0.02 |
| *China, Yucheng County | 69 | 3.5 | 0.43 | 0.41 | 0.06 | 23 | 1.0 | 0.22 | 0.12 | 0.03 |
| China, Yueyanglou District, Yueyang City | 80 | 7.0 | 0.80 | 0.87 | 0.13 | 9 | 0.8 | 0.28 | 0.11 | 0.05 |
| China, Yunmeng County | 91 | 5.5 | 0.61 | 0.59 | 0.08 | 17 | 1.0 | 0.25 | 0.10 | 0.03 |
| *China, Yuyang District, Shiyan City | 13 | 1.1 | 0.32 | 0.16 | 0.05 | 16 | 1.6 | 0.41 | 0.22 | 0.07 |
| China, Yuzhong District, Chongqing City | 209 | 9.1 | 0.68 | 1.15 | 0.11 | 52 | 1.9 | 0.30 | 0.21 | 0.04 |
| *China, Zanhuan County | 26 | 3.1 | 0.62 | 0.35 | 0.09 | 10 | 1.1 | 0.37 | 0.16 | 0.06 |
| *China, Zhangjiagang City | 346 | 7.2 | 0.40 | 0.88 | 0.06 | 76 | 1.5 | 0.19 | 0.17 | 0.02 |
| *China, Zhaoyuan City | 235 | 8.1 | 0.55 | 0.89 | 0.08 | 55 | 1.6 | 0.24 | 0.17 | 0.03 |
| *China, Zhengding County | 56 | 4.2 | 0.57 | 0.47 | 0.08 | 16 | 1.1 | 0.27 | 0.13 | 0.04 |
| †*China, Zhongshan City | 402 | 7.7 | 0.39 | 0.95 | 0.06 | 96 | 1.5 | 0.16 | 0.18 | 0.03 |
| China, Zhongxiang City | 174 | 5.1 | 0.39 | 0.57 | 0.06 | 48 | 1.3 | 0.20 | 0.15 | 0.03 |
| *China, Zhuanghe City | 410 | 8.6 | 0.44 | 1.01 | 0.07 | 91 | 1.9 | 0.21 | 0.21 | 0.03 |
| *China, Zhuhai City | 220 | 6.2 | 0.43 | 0.72 | 0.07 | 57 | 1.5 | 0.21 | 0.16 | 0.03 |
| India, Ahmedabad, Urban | 199 | 1.8 | 0.13 | 0.22 | 0.02 | 63 | 0.6 | 0.07 | 0.06 | 0.01 |
| India, Aurangabad | 42 | 1.7 | 0.26 | 0.22 | 0.04 | 24 | 0.9 | 0.19 | 0.12 | 0.03 |
| India, Bangalore | 369 | 3.4 | 0.18 | 0.38 | 0.03 | 96 | 0.9 | 0.09 | 0.11 | 0.01 |
| India, Barshi, Paranda, and Bhum | 23 | 1.4 | 0.31 | 0.18 | 0.04 | 4 | 0.3 | 0.13 | 0.03 | 0.02 |
| *India, Bhopal | 57 | 2.3 | 0.31 | 0.26 | 0.04 | 19 | 0.8 | 0.18 | 0.08 | 0.02 |
| India, Chandigarh | 127 | 5.6 | 0.52 | 0.78 | 0.09 | 24 | 1.1 | 0.24 | 0.15 | 0.04 |
| *India, Chennai | 423 | 3.6 | 0.18 | 0.42 | 0.03 | 131 | 1.0 | 0.09 | 0.11 | 0.01 |
| India, Dibrugarh | 28 | 1.0 | 0.19 | 0.10 | 0.03 | 9 | 0.3 | 0.11 | 0.04 | 0.02 |
| *India, Dindigul, Ambalikkai | 95 | 1.5 | 0.16 | 0.19 | 0.02 | 42 | 0.7 | 0.10 | 0.09 | 0.02 |
| India, Kamrup Urban District | 79 | 3.6 | 0.41 | 0.43 | 0.06 | 24 | 1.1 | 0.24 | 0.13 | 0.04 |
| India, Kollam | 251 | 3.9 | 0.25 | 0.50 | 0.04 | 42 | 0.5 | 0.08 | 0.08 | 0.01 |
| *India, Manipur | 68 | 1.5 | 0.19 | 0.20 | 0.03 | 17 | 0.4 | 0.10 | 0.05 | 0.01 |
| India, Meghalaya | 34 | 1.4 | 0.25 | 0.19 | 0.04 | 21 | 0.8 | 0.18 | 0.10 | 0.03 |
| India, Mizoram | 50 | 3.1 | 0.45 | 0.31 | 0.06 | 20 | 1.2 | 0.28 | 0.16 | 0.05 |
| India, Mumbai | 1209 | 4.0 | 0.12 | 0.46 | 0.02 | 360 | 1.2 | 0.06 | 0.13 | 0.01 |
| *India, New Delhi | 1355 | 6.9 | 0.19 | 0.84 | 0.03 | 290 | 1.5 | 0.09 | 0.18 | 0.01 |
| India, Poona | 383 | 3.3 | 0.17 | 0.41 | 0.03 | 117 | 1.0 | 0.09 | 0.11 | 0.01 |
| *India, Sangrur District | 65 | 2.5 | 0.31 | 0.31 | 0.04 | 16 | 0.6 | 0.15 | 0.07 | 0.02 |
| India, SAS Nagar | 122 | 5.1 | 0.47 | 0.65 | 0.07 | 22 | 1.0 | 0.21 | 0.17 | 0.04 |
| *India, Tamil Nadu | 3288 | 1.7 | 0.03 | 0.20 | 0.00 | 1063 | 0.5 | 0.02 | 0.06 | 0.00 |
| *India, Tripura | 102 | 1.6 | 0.16 | 0.19 | 0.02 | 13 | 0.2 | 0.06 | 0.02 | 0.01 |
| India, Trivandrum | 398 | 4.9 | 0.25 | 0.64 | 0.04 | 89 | 0.9 | 0.10 | 0.11 | 0.01 |
| India, Wardha | 64 | 1.7 | 0.21 | 0.22 | 0.03 | 18 | 0.5 | 0.11 | 0.05 | 0.01 |
| India, West Arunachal | 8 | 0.8 | 0.31 | 0.07 | 0.03 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| †*Iran (Islamic Republic of), Ardabil Province | 190 | 10.2 | 0.77 | 1.16 | 0.11 | 53 | 2.8 | 0.39 | 0.29 | 0.06 |
| *Iran (Islamic Republic of), Golestan Province | 201 | 9.1 | 0.66 | 1.13 | 0.10 | 66 | 2.8 | 0.35 | 0.34 | 0.05 |
| † Israel | 6704 | 24.7 | 0.31 | 2.97 | 0.05 | 1498 | 4.5 | 0.12 | 0.52 | 0.02 |
| †*Israel: Jews | 5797 | 24.7 | 0.34 | 2.97 | 0.05 | 1354 | 4.8 | 0.14 | 0.56 | 0.02 |
| †*Israel: Arabs | 661 | 23.6 | 0.94 | 2.98 | 0.14 | 86 | 2.7 | 0.29 | 0.29 | 0.04 |
| † Japan | 46885 | 8.3 | 0.04 | 0.92 | 0.01 | 15561 | 1.9 | 0.02 | 0.20 | 0.00 |
| † Japan, Aichi Prefecture | 4560 | 15.8 | 0.26 | 1.82 | 0.04 | 1154 | 3.2 | 0.11 | 0.35 | 0.02 |
| †*Japan, Akita Prefecture | 788 | 15.1 | 0.65 | 1.74 | 0.09 | 224 | 2.7 | 0.27 | 0.31 | 0.04 |
| † Japan, Aomori Prefecture | 1539 | 15.4 | 0.45 | 1.78 | 0.06 | 556 | 3.7 | 0.21 | 0.42 | 0.03 |
| † Japan, Gunma Prefecture | 1222 | 13.9 | 0.45 | 1.59 | 0.06 | 356 | 3.1 | 0.22 | 0.34 | 0.03 |
| † Japan, Hiroshima Prefecture | 3654 | 22.0 | 0.42 | 2.58 | 0.06 | 938 | 4.0 | 0.17 | 0.46 | 0.02 |
| † Japan, Miyagi Prefecture | 2518 | 15.6 | 0.35 | 1.80 | 0.05 | 771 | 3.7 | 0.18 | 0.38 | 0.02 |
| † Japan, Osaka Prefecture | 6269 | 17.5 | 0.25 | 2.07 | 0.04 | 1605 | 3.5 | 0.11 | 0.39 | 0.01 |
| † Kuwait | 383 | 6.9 | 0.42 | 0.76 | 0.06 | 74 | 2.1 | 0.26 | 0.25 | 0.04 |
| †*Kuwait: Kuwaitis | 148 | 8.2 | 0.70 | 0.89 | 0.10 | 45 | 2.1 | 0.31 | 0.26 | 0.05 |
| †*Kuwait: Non-Kuwaitis | 235 | 7.0 | 0.67 | 0.76 | 0.09 | 29 | 2.3 | 0.48 | 0.24 | 0.07 |
| †*Philippines, Manila | 275 | 3.0 | 0.19 | 0.32 | 0.03 | 169 | 1.3 | 0.10 | 0.13 | 0.01 |
| †*Qatar: Qatari | 35 | 9.6 | 1.67 | 1.14 | 0.27 | 9 | 2.3 | 0.78 | 0.28 | 0.13 |
| Republic of Korea | 16890 | 8.4 | 0.07 | 0.95 | 0.01 | 4126 | 1.5 | 0.03 | 0.16 | 0.00 |
| *Republic of Korea, Busan | 1391 | 9.3 | 0.26 | 1.04 | 0.04 | 344 | 1.8 | 0.10 | 0.20 | 0.01 |
| *Republic of Korea, Daegu | 685 | 7.3 | 0.29 | 0.81 | 0.04 | 185 | 1.4 | 0.11 | 0.16 | 0.02 |
| *Republic of Korea, Daejeon | 320 | 6.1 | 0.35 | 0.63 | 0.05 | 92 | 1.3 | 0.14 | 0.14 | 0.02 |
| *Republic of Korea, Gwangju | 333 | 6.6 | 0.37 | 0.71 | 0.05 | 72 | 0.9 | 0.12 | 0.07 | 0.02 |
| † Republic of Korea, Incheon | 1192 | 11.6 | 0.34 | 1.35 | 0.05 | 263 | 2.0 | 0.13 | 0.23 | 0.02 |
| Republic of Korea, Jeju | 188 | 7.8 | 0.59 | 0.86 | 0.08 | 43 | 1.1 | 0.19 | 0.11 | 0.03 |
| Republic of Korea, Seoul | 3480 | 9.2 | 0.16 | 1.03 | 0.02 | 825 | 1.7 | 0.06 | 0.19 | 0.01 |
| Republic of Korea, Ulsan | 267 | 7.4 | 0.49 | 0.80 | 0.06 | 69 | 1.5 | 0.19 | 0.17 | 0.03 |
| † Singapore | 1214 | 7.9 | 0.23 | 0.87 | 0.03 | 349 | 1.9 | 0.11 | 0.21 | 0.02 |
| † Singapore: Chinese | 973 | 7.8 | 0.25 | 0.86 | 0.04 | 292 | 1.9 | 0.12 | 0.20 | 0.02 |
| † Singapore: Indian | 69 | 6.6 | 0.82 | 0.78 | 0.13 | 27 | 2.6 | 0.50 | 0.36 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bladder (C67) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| † Singapore: Malay | 131 | 8.7 | <i>0.78</i> | 0.94 | <i>0.12</i> | 21 | 1.2 | <i>0.27</i> | 0.14 | <i>0.04</i> |
| Thailand, Bangkok | 729 | 4.5 | <i>0.17</i> | 0.53 | <i>0.03</i> | 294 | 1.3 | <i>0.08</i> | 0.14 | <i>0.01</i> |
| *Thailand, Chiang Mai | 349 | 6.0 | <i>0.33</i> | 0.73 | <i>0.05</i> | 132 | 1.8 | <i>0.17</i> | 0.23 | <i>0.03</i> |
| *Thailand, Khon Kaen | 203 | 3.2 | <i>0.23</i> | 0.39 | <i>0.03</i> | 51 | 0.7 | <i>0.10</i> | 0.08 | <i>0.01</i> |
| Thailand, Lampang | 139 | 4.1 | <i>0.37</i> | 0.38 | <i>0.05</i> | 62 | 1.7 | <i>0.22</i> | 0.20 | <i>0.03</i> |
| Thailand, Lopburi Province | 142 | 6.1 | <i>0.53</i> | 0.61 | <i>0.07</i> | 42 | 1.4 | <i>0.23</i> | 0.14 | <i>0.03</i> |
| *Thailand, Songkhla | 223 | 5.2 | <i>0.36</i> | 0.62 | <i>0.06</i> | 37 | 0.6 | <i>0.11</i> | 0.07 | <i>0.02</i> |
| Turkey, Antalya | 1204 | 19.9 | <i>0.58</i> | 2.50 | <i>0.09</i> | 158 | 2.3 | <i>0.19</i> | 0.25 | <i>0.03</i> |
| † Turkey, Bursa | 1685 | 21.5 | <i>0.53</i> | 2.73 | <i>0.08</i> | 211 | 2.3 | <i>0.16</i> | 0.27 | <i>0.02</i> |
| †*Turkey, Edirne | 397 | 24.1 | <i>1.23</i> | 2.82 | <i>0.18</i> | 48 | 2.6 | <i>0.40</i> | 0.29 | <i>0.05</i> |
| †*Turkey, Erzurum | 362 | 19.7 | <i>1.05</i> | 2.49 | <i>0.16</i> | 51 | 2.3 | <i>0.33</i> | 0.25 | <i>0.05</i> |
| † Turkey, Eskişehir | 633 | 23.4 | <i>0.94</i> | 3.03 | <i>0.15</i> | 124 | 3.8 | <i>0.35</i> | 0.47 | <i>0.05</i> |
| † Turkey, Gaziantep | 633 | 19.3 | <i>0.78</i> | 2.42 | <i>0.12</i> | 84 | 2.1 | <i>0.24</i> | 0.26 | <i>0.04</i> |
| †*Turkey, Izmir | 3415 | 25.7 | <i>0.44</i> | 3.18 | <i>0.07</i> | 605 | 3.8 | <i>0.16</i> | 0.45 | <i>0.02</i> |
| † Turkey, Malatya | 398 | 17.6 | <i>0.90</i> | 2.08 | <i>0.13</i> | 51 | 1.8 | <i>0.27</i> | 0.19 | <i>0.04</i> |
| † Turkey, Samsun | 819 | 19.6 | <i>0.69</i> | 2.37 | <i>0.10</i> | 125 | 2.6 | <i>0.24</i> | 0.29 | <i>0.03</i> |
| † Turkey, Trabzon | 744 | 28.8 | <i>1.07</i> | 3.51 | <i>0.17</i> | 114 | 3.2 | <i>0.32</i> | 0.35 | <i>0.05</i> |
| Europe | | | | | | | | | | |
| Austria | 5907 | 13.0 | <i>0.18</i> | 1.53 | <i>0.03</i> | 1955 | 3.4 | <i>0.09</i> | 0.40 | <i>0.01</i> |
| † Austria, Carinthia | 673 | 20.9 | <i>0.87</i> | 2.44 | <i>0.13</i> | 247 | 6.2 | <i>0.47</i> | 0.69 | <i>0.06</i> |
| † Austria, Tyrol | 938 | 25.3 | <i>0.88</i> | 2.98 | <i>0.13</i> | 263 | 6.2 | <i>0.43</i> | 0.76 | <i>0.06</i> |
| † Austria, Vorarlberg | 419 | 21.7 | <i>1.12</i> | 2.47 | <i>0.17</i> | 111 | 5.1 | <i>0.54</i> | 0.61 | <i>0.08</i> |
| † Belarus | 5052 | 15.6 | <i>0.23</i> | 1.89 | <i>0.04</i> | 1346 | 2.4 | <i>0.07</i> | 0.28 | <i>0.01</i> |
| †*Belgium | 17276 | 29.1 | <i>0.24</i> | 3.45 | <i>0.04</i> | 4376 | 6.1 | <i>0.11</i> | 0.73 | <i>0.02</i> |
| † Croatia | 4359 | 20.8 | <i>0.33</i> | 2.47 | <i>0.05</i> | 1490 | 5.5 | <i>0.16</i> | 0.62 | <i>0.02</i> |
| † Cyprus | 956 | 24.8 | <i>0.83</i> | 3.02 | <i>0.13</i> | 173 | 4.0 | <i>0.32</i> | 0.43 | <i>0.04</i> |
| †*Czech Republic | 10687 | 20.7 | <i>0.21</i> | 2.50 | <i>0.03</i> | 3864 | 5.8 | <i>0.10</i> | 0.72 | <i>0.01</i> |
| † Denmark | 8019 | 26.3 | <i>0.31</i> | 3.09 | <i>0.04</i> | 2657 | 7.9 | <i>0.17</i> | 0.97 | <i>0.02</i> |
| † Estonia | 971 | 16.9 | <i>0.56</i> | 1.99 | <i>0.09</i> | 355 | 3.5 | <i>0.22</i> | 0.42 | <i>0.03</i> |
| Finland | 4521 | 14.2 | <i>0.22</i> | 1.56 | <i>0.03</i> | 1220 | 3.1 | <i>0.11</i> | 0.34 | <i>0.01</i> |
| *France, Bas-Rhin | 683 | 15.5 | <i>0.63</i> | 1.86 | <i>0.10</i> | 167 | 2.3 | <i>0.22</i> | 0.22 | <i>0.03</i> |
| *France, Calvados | 531 | 13.7 | <i>0.64</i> | 1.61 | <i>0.10</i> | 168 | 2.9 | <i>0.28</i> | 0.29 | <i>0.04</i> |
| *France, Doubs | 421 | 14.4 | <i>0.76</i> | 1.58 | <i>0.11</i> | 97 | 2.7 | <i>0.32</i> | 0.31 | <i>0.05</i> |
| *France, Gironde | 1307 | 16.0 | <i>0.48</i> | 1.85 | <i>0.07</i> | 290 | 2.6 | <i>0.18</i> | 0.27 | <i>0.03</i> |
| *France, Haut-Rhin | 532 | 12.5 | <i>0.57</i> | 1.38 | <i>0.09</i> | 142 | 2.3 | <i>0.24</i> | 0.23 | <i>0.03</i> |
| *France, Hérault | 995 | 14.8 | <i>0.51</i> | 1.75 | <i>0.08</i> | 240 | 2.7 | <i>0.21</i> | 0.29 | <i>0.03</i> |
| *France, Isère | 969 | 15.2 | <i>0.52</i> | 1.76 | <i>0.08</i> | 213 | 2.4 | <i>0.19</i> | 0.26 | <i>0.03</i> |
| *France, Lille-Métropole | 532 | 16.9 | <i>0.77</i> | 1.86 | <i>0.11</i> | 122 | 2.6 | <i>0.27</i> | 0.30 | <i>0.04</i> |
| *France, Limousin | 397 | 16.1 | <i>0.91</i> | 1.81 | <i>0.13</i> | 86 | 2.8 | <i>0.36</i> | 0.37 | <i>0.06</i> |
| *France, Loire-Atlantique | 865 | 12.9 | <i>0.47</i> | 1.51 | <i>0.07</i> | 224 | 2.0 | <i>0.16</i> | 0.17 | <i>0.02</i> |
| *France, Manche | 400 | 12.4 | <i>0.68</i> | 1.43 | <i>0.10</i> | 100 | 2.0 | <i>0.26</i> | 0.18 | <i>0.03</i> |
| *France, Poitou-Charentes | 1658 | 13.9 | <i>0.38</i> | 1.65 | <i>0.06</i> | 348 | 2.2 | <i>0.15</i> | 0.23 | <i>0.02</i> |
| *France, Somme | 438 | 14.7 | <i>0.75</i> | 1.79 | <i>0.12</i> | 90 | 1.9 | <i>0.24</i> | 0.19 | <i>0.04</i> |
| *France, Tarn | 388 | 14.0 | <i>0.81</i> | 1.62 | <i>0.12</i> | 86 | 2.4 | <i>0.40</i> | 0.22 | <i>0.04</i> |
| *France, Territoire de Belfort | 77 | 12.1 | <i>1.47</i> | 1.38 | <i>0.23</i> | 21 | 2.3 | <i>0.61</i> | 0.21 | <i>0.08</i> |
| *France, Vendée | 597 | 14.1 | <i>0.63</i> | 1.68 | <i>0.10</i> | 119 | 1.9 | <i>0.22</i> | 0.18 | <i>0.03</i> |
| † Germany, Baden-Württemberg | 7912 | 20.6 | <i>0.26</i> | 2.40 | <i>0.04</i> | 2329 | 5.1 | <i>0.12</i> | 0.60 | <i>0.02</i> |
| † Germany, Bavaria | 13839 | 18.7 | <i>0.17</i> | 2.17 | <i>0.03</i> | 4427 | 4.9 | <i>0.09</i> | 0.58 | <i>0.01</i> |
| † Germany, Bremen | 997 | 25.4 | <i>0.88</i> | 3.15 | <i>0.13</i> | 333 | 7.0 | <i>0.46</i> | 0.83 | <i>0.06</i> |
| † Germany, Hamburg | 2298 | 23.6 | <i>0.54</i> | 2.76 | <i>0.08</i> | 838 | 7.0 | <i>0.29</i> | 0.83 | <i>0.04</i> |
| † Germany, Lower Saxony | 13018 | 26.3 | <i>0.25</i> | 2.97 | <i>0.04</i> | 4033 | 6.9 | <i>0.13</i> | 0.79 | <i>0.02</i> |
| Germany, North Rhine-Westphalia | 27556 | 26.3 | <i>0.17</i> | 3.07 | <i>0.03</i> | 9013 | 7.1 | <i>0.09</i> | 0.84 | <i>0.01</i> |
| † Germany, Rhineland-Palatinate | 5178 | 21.0 | <i>0.32</i> | 2.41 | <i>0.05</i> | 1578 | 5.4 | <i>0.16</i> | 0.64 | <i>0.02</i> |
| Germany, Saarland | 971 | 14.1 | <i>0.49</i> | 1.61 | <i>0.08</i> | 319 | 3.4 | <i>0.23</i> | 0.36 | <i>0.03</i> |
| † Germany, Schleswig-Holstein | 4655 | 25.4 | <i>0.41</i> | 3.00 | <i>0.06</i> | 1494 | 6.9 | <i>0.21</i> | 0.81 | <i>0.03</i> |
| † Iceland | 301 | 20.9 | <i>1.26</i> | 2.40 | <i>0.18</i> | 72 | 4.9 | <i>0.62</i> | 0.62 | <i>0.09</i> |
| † Ireland | 2892 | 15.0 | <i>0.29</i> | 1.69 | <i>0.04</i> | 1094 | 5.0 | <i>0.16</i> | 0.56 | <i>0.02</i> |
| †*Italy, Aosta Valley | 175 | 28.5 | <i>2.33</i> | 3.41 | <i>0.34</i> | 50 | 6.8 | <i>1.11</i> | 0.82 | <i>0.16</i> |
| †*Italy, Avellino | 448 | 32.0 | <i>1.66</i> | 3.92 | <i>0.24</i> | 96 | 4.9 | <i>0.63</i> | 0.55 | <i>0.09</i> |
| † Italy, Basilicata | 945 | 27.9 | <i>1.02</i> | 3.30 | <i>0.15</i> | 217 | 5.8 | <i>0.48</i> | 0.69 | <i>0.06</i> |
| †*Italy, Benevento | 426 | 32.9 | <i>1.76</i> | 4.21 | <i>0.27</i> | 91 | 5.9 | <i>0.73</i> | 0.69 | <i>0.10</i> |
| † Italy, Bergamo | 1714 | 28.1 | <i>0.73</i> | 3.36 | <i>0.11</i> | 435 | 6.1 | <i>0.34</i> | 0.73 | <i>0.05</i> |
| †*Italy, Brescia | 1746 | 27.3 | <i>0.71</i> | 3.25 | <i>0.10</i> | 439 | 5.5 | <i>0.31</i> | 0.67 | <i>0.04</i> |
| † Italy, Brianza (Lecco and Monza e Brianza) | 1283 | 31.1 | <i>0.94</i> | 3.72 | <i>0.14</i> | 314 | 6.6 | <i>0.44</i> | 0.78 | <i>0.06</i> |
| † Italy, Calabria | 926 | 30.8 | <i>1.11</i> | 3.74 | <i>0.16</i> | 168 | 4.6 | <i>0.43</i> | 0.49 | <i>0.06</i> |
| †*Italy, Caserta | 1302 | 39.7 | <i>1.15</i> | 5.05 | <i>0.18</i> | 268 | 7.0 | <i>0.47</i> | 0.84 | <i>0.07</i> |
| †*Italy, Catania, Messina, and Enna | 3439 | 33.9 | <i>0.63</i> | 4.13 | <i>0.09</i> | 749 | 6.3 | <i>0.27</i> | 0.76 | <i>0.04</i> |
| † Italy, Emilia-Romagna | 6878 | 30.5 | <i>0.41</i> | 3.77 | <i>0.06</i> | 1924 | 7.3 | <i>0.20</i> | 0.90 | <i>0.03</i> |
| † Italy, Friuli-Venezia Giulia | 2107 | 25.2 | <i>0.61</i> | 2.98 | <i>0.09</i> | 669 | 6.6 | <i>0.32</i> | 0.79 | <i>0.04</i> |
| Italy, Genova | 1583 | 32.5 | <i>0.94</i> | 3.92 | <i>0.14</i> | 417 | 7.0 | <i>0.46</i> | 0.85 | <i>0.06</i> |
| †*Italy, Lombardy, South, Pavia | 997 | 29.7 | <i>1.05</i> | 3.70 | <i>0.16</i> | 248 | 6.2 | <i>0.46</i> | 0.78 | <i>0.07</i> |
| † Italy, Mantova and Cremona | 1018 | 27.2 | <i>0.93</i> | 3.36 | <i>0.14</i> | 275 | 6.2 | <i>0.45</i> | 0.80 | <i>0.07</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Bladder (C67) (contd)

| | Male | | | | | Female | | | | | |
|-------------------------------------|-------|-------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| Europe (contd) | | | | | | | | | | | |
| † Italy, Marche | 2285 | 29.1 | <i>0.70</i> | 3.52 | <i>0.10</i> | 614 | 6.6 | <i>0.33</i> | 0.78 | <i>0.05</i> | |
| † Italy, Milan | 6417 | 31.8 | <i>0.44</i> | 3.84 | <i>0.07</i> | 1709 | 6.5 | <i>0.19</i> | 0.76 | <i>0.03</i> | |
| † Italy, Molise | 320 | 27.2 | <i>1.69</i> | 3.36 | <i>0.26</i> | 75 | 5.4 | <i>0.80</i> | 0.54 | <i>0.10</i> | |
| †*Italy, Naples Centre | 1171 | 42.2 | <i>1.29</i> | 5.38 | <i>0.20</i> | 285 | 7.9 | <i>0.52</i> | 0.95 | <i>0.07</i> | |
| †*Italy, Naples North | 1361 | 41.6 | <i>1.15</i> | 5.16 | <i>0.17</i> | 306 | 8.2 | <i>0.49</i> | 0.97 | <i>0.07</i> | |
| †*Italy, Naples South | 2053 | 41.5 | <i>0.96</i> | 5.15 | <i>0.14</i> | 434 | 7.8 | <i>0.42</i> | 0.90 | <i>0.05</i> | |
| †*Italy, Nuoro | 160 | 20.5 | <i>1.79</i> | 2.24 | <i>0.25</i> | 42 | 5.0 | <i>0.87</i> | 0.65 | <i>0.13</i> | |
| †*Italy, Palermo | 2322 | 35.7 | <i>0.80</i> | 4.42 | <i>0.12</i> | 554 | 7.4 | <i>0.36</i> | 0.87 | <i>0.05</i> | |
| † Italy, Puglia | 7741 | 33.9 | <i>0.42</i> | 4.05 | <i>0.06</i> | 1500 | 5.6 | <i>0.17</i> | 0.66 | <i>0.02</i> | |
| †*Italy, Ragusa and Caltanissetta | 956 | 30.9 | <i>1.09</i> | 3.85 | <i>0.16</i> | 199 | 6.0 | <i>0.51</i> | 0.71 | <i>0.07</i> | |
| †*Italy, Salerno | 1430 | 30.2 | <i>0.87</i> | 3.61 | <i>0.13</i> | 309 | 5.9 | <i>0.39</i> | 0.72 | <i>0.05</i> | |
| † Italy, Sassari | 320 | 27.0 | <i>1.63</i> | 3.13 | <i>0.23</i> | 85 | 6.4 | <i>0.78</i> | 0.81 | <i>0.11</i> | |
| †*Italy, Sondrio | 399 | 31.8 | <i>1.70</i> | 3.77 | <i>0.25</i> | 139 | 9.8 | <i>0.97</i> | 1.15 | <i>0.13</i> | |
| † Italy, South Tyrol | 810 | 27.7 | <i>1.06</i> | 3.29 | <i>0.16</i> | 212 | 6.7 | <i>0.54</i> | 0.87 | <i>0.08</i> | |
| †*Italy, Syracuse | 746 | 34.8 | <i>1.38</i> | 4.37 | <i>0.20</i> | 156 | 6.5 | <i>0.62</i> | 0.73 | <i>0.08</i> | |
| † Italy, Trento | 890 | 28.9 | <i>1.05</i> | 3.57 | <i>0.16</i> | 276 | 6.9 | <i>0.50</i> | 0.84 | <i>0.07</i> | |
| † Italy, Turin | 4628 | 31.3 | <i>0.52</i> | 3.79 | <i>0.08</i> | 1091 | 6.3 | <i>0.23</i> | 0.78 | <i>0.03</i> | |
| †*Italy, Tuscany | 4624 | 34.7 | <i>0.58</i> | 4.23 | <i>0.09</i> | 1149 | 7.5 | <i>0.28</i> | 0.91 | <i>0.04</i> | |
| † Italy, Umbria | 1496 | 32.7 | <i>0.96</i> | 4.06 | <i>0.14</i> | 373 | 6.8 | <i>0.43</i> | 0.79 | <i>0.06</i> | |
| † Italy, Varese | 1120 | 35.9 | <i>1.18</i> | 4.25 | <i>0.17</i> | 245 | 6.6 | <i>0.51</i> | 0.80 | <i>0.07</i> | |
| † Italy, Veneto | 7865 | 27.4 | <i>0.34</i> | 3.26 | <i>0.05</i> | 2193 | 6.2 | <i>0.16</i> | 0.70 | <i>0.02</i> | |
| † Latvia | 1686 | 19.9 | <i>0.51</i> | 2.47 | <i>0.08</i> | 573 | 3.6 | <i>0.18</i> | 0.40 | <i>0.02</i> | |
| †*Liechtenstein | 35 | 17.5 | <i>3.03</i> | 2.23 | <i>0.49</i> | 18 | 8.0 | <i>2.01</i> | 1.03 | <i>0.32</i> | |
| †*Lithuania | 2052 | 16.2 | <i>0.38</i> | 1.92 | <i>0.06</i> | 624 | 2.8 | <i>0.14</i> | 0.30 | <i>0.02</i> | |
| † Malta | 446 | 18.9 | <i>0.93</i> | 2.25 | <i>0.14</i> | 131 | 4.6 | <i>0.44</i> | 0.59 | <i>0.07</i> | |
| †*The Netherlands | 24098 | 26.9 | <i>0.18</i> | 3.13 | <i>0.03</i> | 7330 | 7.5 | <i>0.10</i> | 0.91 | <i>0.01</i> | |
| † Norway | 5278 | 20.4 | <i>0.29</i> | 2.34 | <i>0.04</i> | 1769 | 6.0 | <i>0.16</i> | 0.71 | <i>0.02</i> | |
| † Poland, Kielce | 1116 | 19.1 | <i>0.59</i> | 2.36 | <i>0.09</i> | 302 | 4.2 | <i>0.27</i> | 0.54 | <i>0.04</i> | |
| †*Portugal, Azores | 150 | 19.6 | <i>1.64</i> | 2.29 | <i>0.25</i> | 48 | 5.1 | <i>0.80</i> | 0.64 | <i>0.12</i> | |
| † Russian Federation, Arkhangelsk | 518 | 13.7 | <i>0.62</i> | 1.70 | <i>0.10</i> | 183 | 2.6 | <i>0.22</i> | 0.28 | <i>0.03</i> | |
| † Russian Federation, Kaliningrad | 443 | 14.1 | <i>0.68</i> | 1.70 | <i>0.10</i> | 118 | 2.2 | <i>0.21</i> | 0.27 | <i>0.03</i> | |
| † Russian Federation, Karelia | 292 | 14.8 | <i>0.90</i> | 1.88 | <i>0.15</i> | 89 | 2.1 | <i>0.25</i> | 0.23 | <i>0.04</i> | |
| *Russian Federation, Komi Republic | 377 | 16.7 | <i>0.92</i> | 2.00 | <i>0.15</i> | 138 | 3.3 | <i>0.29</i> | 0.39 | <i>0.04</i> | |
| † Russian Federation, Murmansk | 372 | 18.3 | <i>0.99</i> | 2.27 | <i>0.16</i> | 108 | 2.9 | <i>0.31</i> | 0.35 | <i>0.04</i> | |
| †*Russian Federation, Orenburg | 1147 | 17.9 | <i>0.55</i> | 2.23 | <i>0.09</i> | 238 | 2.1 | <i>0.15</i> | 0.23 | <i>0.02</i> | |
| Russian Federation, Pskov | 308 | 13.3 | <i>0.78</i> | 1.63 | <i>0.12</i> | 104 | 2.2 | <i>0.24</i> | 0.26 | <i>0.04</i> | |
| *Russian Federation, Samara | 1621 | 14.8 | <i>0.37</i> | 1.92 | <i>0.06</i> | 484 | 2.5 | <i>0.12</i> | 0.29 | <i>0.02</i> | |
| Russian Federation, Vologda Region | 498 | 12.9 | <i>0.58</i> | 1.64 | <i>0.08</i> | 151 | 2.1 | <i>0.19</i> | 0.26 | <i>0.02</i> | |
| † Slovenia | 1974 | 18.5 | <i>0.43</i> | 2.16 | <i>0.06</i> | 706 | 5.2 | <i>0.22</i> | 0.63 | <i>0.03</i> | |
| † Spain, Asturias | 1366 | 35.7 | <i>1.07</i> | 4.26 | <i>0.16</i> | 301 | 6.5 | <i>0.45</i> | 0.79 | <i>0.06</i> | |
| † Spain, Basque Country | 3428 | 36.1 | <i>0.67</i> | 4.50 | <i>0.10</i> | 824 | 7.2 | <i>0.30</i> | 0.85 | <i>0.04</i> | |
| † Spain, Canary Islands | 1729 | 27.3 | <i>0.69</i> | 3.17 | <i>0.10</i> | 397 | 5.4 | <i>0.30</i> | 0.64 | <i>0.04</i> | |
| † Spain, Castellón | 1074 | 36.7 | <i>1.21</i> | 4.57 | <i>0.18</i> | 181 | 5.0 | <i>0.44</i> | 0.58 | <i>0.06</i> | |
| † Spain, Girona | 1287 | 33.9 | <i>1.01</i> | 4.08 | <i>0.15</i> | 267 | 6.1 | <i>0.44</i> | 0.66 | <i>0.06</i> | |
| † Spain, Granada | 1347 | 29.8 | <i>0.88</i> | 3.56 | <i>0.13</i> | 272 | 5.2 | <i>0.35</i> | 0.65 | <i>0.05</i> | |
| † Spain, La Rioja | 581 | 34.1 | <i>1.55</i> | 4.13 | <i>0.23</i> | 151 | 7.0 | <i>0.69</i> | 0.78 | <i>0.09</i> | |
| † Spain, Murcia | 2294 | 36.9 | <i>0.82</i> | 4.56 | <i>0.13</i> | 432 | 5.7 | <i>0.31</i> | 0.62 | <i>0.04</i> | |
| † Spain, Navarra | 1056 | 39.2 | <i>1.31</i> | 4.68 | <i>0.19</i> | 262 | 9.3 | <i>0.65</i> | 1.14 | <i>0.09</i> | |
| Spain, Salamanca | 553 | 23.8 | <i>1.17</i> | 3.00 | <i>0.18</i> | 117 | 4.5 | <i>0.54</i> | 0.47 | <i>0.07</i> | |
| † Spain, Tarragona | 1509 | 36.4 | <i>1.00</i> | 4.37 | <i>0.15</i> | 259 | 5.4 | <i>0.39</i> | 0.63 | <i>0.05</i> | |
| *Sweden | 10571 | 18.2 | <i>0.19</i> | 2.13 | <i>0.03</i> | 3520 | 5.5 | <i>0.11</i> | 0.66 | <i>0.02</i> | |
| † Switzerland, Aargau | 771 | 22.5 | <i>0.85</i> | 2.57 | <i>0.12</i> | 208 | 5.6 | <i>0.43</i> | 0.69 | <i>0.06</i> | |
| † Switzerland, Basel | 695 | 24.9 | <i>1.03</i> | 3.08 | <i>0.16</i> | 203 | 5.9 | <i>0.49</i> | 0.68 | <i>0.07</i> | |
| † Switzerland, Berne Solothurn | 1160 | 25.3 | <i>0.79</i> | 3.08 | <i>0.12</i> | 336 | 6.1 | <i>0.38</i> | 0.71 | <i>0.05</i> | |
| † Switzerland, East | 1089 | 25.5 | <i>0.81</i> | 3.12 | <i>0.12</i> | 275 | 5.7 | <i>0.38</i> | 0.68 | <i>0.06</i> | |
| †*Switzerland, Fribourg | 326 | 24.0 | <i>1.37</i> | 2.96 | <i>0.21</i> | 91 | 6.1 | <i>0.69</i> | 0.80 | <i>0.10</i> | |
| † Switzerland, Geneva | 633 | 26.9 | <i>1.15</i> | 3.08 | <i>0.18</i> | 173 | 5.9 | <i>0.52</i> | 0.67 | <i>0.07</i> | |
| *Switzerland, Graubünden and Glarus | 343 | 23.7 | <i>1.35</i> | 2.76 | <i>0.21</i> | 91 | 5.4 | <i>0.64</i> | 0.69 | <i>0.10</i> | |
| †*Switzerland, Lucerne | 578 | 21.1 | <i>0.94</i> | 2.48 | <i>0.14</i> | 177 | 6.3 | <i>0.55</i> | 0.74 | <i>0.07</i> | |
| *Switzerland, Neuchâtel and Jura | 371 | 27.5 | <i>1.52</i> | 3.31 | <i>0.23</i> | 109 | 7.4 | <i>0.87</i> | 0.91 | <i>0.12</i> | |
| † Switzerland, Ticino | 335 | 14.8 | <i>0.88</i> | 1.66 | <i>0.13</i> | 112 | 3.8 | <i>0.44</i> | 0.46 | <i>0.07</i> | |
| † Switzerland, Valais | 477 | 26.4 | <i>1.28</i> | 3.17 | <i>0.19</i> | 148 | 7.3 | <i>0.66</i> | 0.86 | <i>0.09</i> | |
| † Switzerland, Vaud | 990 | 27.7 | <i>0.93</i> | 3.40 | <i>0.14</i> | 285 | 6.7 | <i>0.44</i> | 0.83 | <i>0.07</i> | |
| Switzerland, Zurich and Zug | 1947 | 25.1 | <i>0.61</i> | 2.96 | <i>0.09</i> | 578 | 6.1 | <i>0.29</i> | 0.72 | <i>0.04</i> | |
| Ukraine | 17750 | 13.8 | <i>0.11</i> | 1.74 | <i>0.02</i> | 3855 | 1.8 | <i>0.03</i> | 0.22 | <i>0.00</i> | |
| † UK, England | 65535 | 22.1 | <i>0.09</i> | 2.49 | <i>0.01</i> | 22953 | 6.6 | <i>0.05</i> | 0.76 | <i>0.01</i> | |
| † UK, Northern Ireland | 1604 | 18.2 | <i>0.48</i> | 2.04 | <i>0.07</i> | 629 | 6.0 | <i>0.27</i> | 0.68 | <i>0.04</i> | |
| † UK, Scotland | 5649 | 19.4 | <i>0.28</i> | 2.17 | <i>0.04</i> | 2577 | 7.2 | <i>0.16</i> | 0.83 | <i>0.02</i> | |
| † UK, Wales | 3919 | 21.1 | <i>0.37</i> | 2.35 | <i>0.05</i> | 1504 | 7.5 | <i>0.23</i> | 0.87 | <i>0.03</i> | |
| Oceania | | | | | | | | | | | |
| *Australia, NSW/ACT | 3453 | 8.5 | <i>0.15</i> | 0.91 | <i>0.02</i> | 1101 | 2.2 | <i>0.08</i> | 0.23 | <i>0.01</i> | |
| †*Australia, Northern Territory | 117 | 17.2 | <i>1.62</i> | 2.07 | <i>0.24</i> | 28 | 4.6 | <i>0.89</i> | 0.45 | <i>0.12</i> | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Bladder (C67) (contd)

| | Male | | | | | Female | | | | |
|---|-------|-------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| †*Australia, Northern Territory: Non-Indigenous | 110 | 19.1 | <i>1.85</i> | 2.29 | <i>0.27</i> | 25 | 5.2 | <i>1.05</i> | 0.44 | <i>0.14</i> |
| †*Australia, Northern Territory: Indigenous | 7 | 5.0 | <i>2.01</i> | 0.60 | <i>0.27</i> | 3 | 2.8 | <i>1.62</i> | 0.52 | <i>0.32</i> |
| †*Australia, Queensland | 5077 | 23.1 | <i>0.34</i> | 2.58 | <i>0.05</i> | 1465 | 6.0 | <i>0.17</i> | 0.68 | <i>0.02</i> |
| Australia, South Australia | 871 | 8.6 | <i>0.32</i> | 0.82 | <i>0.04</i> | 267 | 2.2 | <i>0.15</i> | 0.24 | <i>0.02</i> |
| † Australia, Tasmania | 656 | 22.3 | <i>0.93</i> | 2.46 | <i>0.13</i> | 186 | 5.8 | <i>0.48</i> | 0.65 | <i>0.07</i> |
| †*Australia, Victoria | 6241 | 21.8 | <i>0.29</i> | 2.44 | <i>0.04</i> | 1884 | 5.7 | <i>0.15</i> | 0.64 | <i>0.02</i> |
| *Australia, Western Australia | 973 | 8.4 | <i>0.28</i> | 0.85 | <i>0.04</i> | 291 | 2.1 | <i>0.13</i> | 0.21 | <i>0.02</i> |
| †*France, New Caledonia | 120 | 14.7 | <i>1.35</i> | 1.67 | <i>0.20</i> | 27 | 2.9 | <i>0.59</i> | 0.32 | <i>0.09</i> |
| New Zealand | 1532 | 6.8 | <i>0.18</i> | 0.73 | <i>0.03</i> | 551 | 2.1 | <i>0.10</i> | 0.23 | <i>0.01</i> |
| *New Zealand: Maori | 85 | 6.0 | <i>0.68</i> | 0.58 | <i>0.09</i> | 49 | 2.7 | <i>0.39</i> | 0.31 | <i>0.06</i> |
| *New Zealand: Pacific peoples | 18 | 3.2 | <i>0.78</i> | 0.30 | <i>0.10</i> | 13 | 1.8 | <i>0.50</i> | 0.19 | <i>0.07</i> |
| *New Zealand: Other | 1396 | 7.3 | <i>0.21</i> | 0.79 | <i>0.03</i> | 479 | 2.1 | <i>0.11</i> | 0.24 | <i>0.02</i> |
| USA, Hawaii | 963 | 13.3 | <i>0.46</i> | 1.52 | <i>0.07</i> | 266 | 3.2 | <i>0.22</i> | 0.38 | <i>0.03</i> |
| USA, Hawaii: White | 444 | 20.2 | <i>1.01</i> | 2.31 | <i>0.14</i> | 90 | 4.4 | <i>0.51</i> | 0.49 | <i>0.07</i> |
| *USA, Hawaii: Japanese | 207 | 9.9 | <i>0.87</i> | 1.10 | <i>0.12</i> | 74 | 3.6 | <i>0.55</i> | 0.46 | <i>0.08</i> |
| *USA, Hawaii: Chinese | 52 | 9.0 | <i>1.39</i> | 1.04 | <i>0.23</i> | 19 | 2.3 | <i>0.62</i> | 0.24 | <i>0.10</i> |
| *USA, Hawaii: Hawaiian | 89 | 9.4 | <i>1.01</i> | 0.98 | <i>0.14</i> | 38 | 3.5 | <i>0.59</i> | 0.41 | <i>0.09</i> |
| *USA, Hawaii: Filipino | 94 | 8.5 | <i>0.92</i> | 0.94 | <i>0.14</i> | 26 | 1.5 | <i>0.33</i> | 0.15 | <i>0.05</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other urinary organs (C68)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.12 | 0.01 | 0.01 |
| *Algeria, Tizi Ouzou | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.22 | 0.06 | 0.06 |
| *France, La Réunion | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Nairobi | 0 | – | 0.00 | – | 0.00 | 4 | 0.2 | 0.13 | 0.04 | 0.03 |
| Mauritius | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Morocco, Casablanca | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Seychelles | 1 | 0.3 | 0.26 | 0.03 | 0.03 | 1 | 0.3 | 0.27 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 1 | 0.1 | 0.13 | 0.02 | 0.02 | 1 | 0.1 | 0.11 | 0.02 | 0.02 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.2 | 0.11 | 0.02 | 0.02 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Argentina, Mendoza | 4 | 0.1 | 0.04 | 0.01 | 0.00 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| Brazil, Aracaju | 2 | 0.2 | 0.17 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *Brazil, Barretos | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Belo Horizonte | 10 | 0.1 | 0.04 | 0.01 | 0.00 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Brazil, Campinas | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Brazil, Curitiba | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.1 | 0.03 | 0.00 | 0.00 |
| Brazil, Goiânia | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Brazil, Jaú | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Brazil, Recife | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| Chile, Region of Antofagasta | 10 | 1.0 | 0.31 | 0.12 | 0.04 | 5 | 0.4 | 0.20 | 0.03 | 0.02 |
| Chile, Valdivia | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Colombia, Bucaramanga | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Colombia, Cali | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Manizales | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Pasto | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Costa Rica | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Ecuador, Guayaquil | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| Ecuador, Manabí | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Quito | 4 | 0.1 | 0.05 | 0.02 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *France, Guadeloupe | 4 | 0.2 | 0.08 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *France, Martinique | 3 | 0.2 | 0.09 | 0.02 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Peru, Lima | 10 | 0.1 | 0.02 | 0.01 | 0.00 | 7 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Trinidad and Tobago | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Puerto Rico | 40 | 0.2 | 0.04 | 0.03 | 0.01 | 15 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Uruguay | 33 | 0.2 | 0.04 | 0.02 | 0.01 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 43 | 0.2 | 0.04 | 0.03 | 0.01 | 31 | 0.1 | 0.03 | 0.01 | 0.00 |
| Canada, British Columbia | 62 | 0.2 | 0.03 | 0.02 | 0.00 | 33 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Canada, Manitoba | 28 | 0.4 | 0.08 | 0.04 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Canada, New Brunswick | 14 | 0.3 | 0.07 | 0.01 | 0.01 | 6 | 0.1 | 0.04 | 0.02 | 0.01 |
| *Canada, Newfoundland and Labrador | 3 | 0.1 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| Canada, Ontario | 1121 | 1.6 | 0.05 | 0.18 | 0.01 | 510 | 0.6 | 0.03 | 0.07 | 0.00 |
| *Canada, Prince Edward Island | 2 | 0.3 | 0.18 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Canada, Quebec | 282 | 0.6 | 0.04 | 0.06 | 0.01 | 129 | 0.2 | 0.02 | 0.02 | 0.00 |
| Canada, Saskatchewan | 20 | 0.3 | 0.08 | 0.04 | 0.01 | 7 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 1 | 0.7 | 0.73 | 0.00 | 0.00 |
| USA | 4344 | 0.3 | 0.00 | 0.03 | 0.00 | 2022 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA: White | 3766 | 0.3 | 0.00 | 0.03 | 0.00 | 1578 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA: Black | 367 | 0.3 | 0.01 | 0.03 | 0.00 | 345 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, NPCR | 4168 | 0.3 | 0.00 | 0.03 | 0.00 | 1946 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA, NPCR: White | 3624 | 0.3 | 0.01 | 0.03 | 0.00 | 1511 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA, NPCR: Black | 355 | 0.3 | 0.01 | 0.03 | 0.00 | 342 | 0.2 | 0.01 | 0.03 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 98 | 0.2 | 0.02 | 0.02 | 0.00 | 67 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: American Indian | 15 | 0.1 | 0.04 | 0.01 | 0.01 | 7 | 0.0 | 0.02 | 0.00 | 0.00 |
| *USA, SEER (18 registries) | 1152 | 0.3 | 0.01 | 0.03 | 0.00 | 580 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): White | 928 | 0.3 | 0.01 | 0.03 | 0.00 | 436 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 847 | 0.3 | 0.01 | 0.03 | 0.00 | 379 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 81 | 0.2 | 0.02 | 0.02 | 0.00 | 57 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Black | 119 | 0.4 | 0.03 | 0.04 | 0.00 | 96 | 0.2 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 62 | 0.2 | 0.02 | 0.02 | 0.00 | 37 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries) | 449 | 0.3 | 0.02 | 0.03 | 0.00 | 207 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): White | 353 | 0.3 | 0.02 | 0.03 | 0.00 | 159 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): Black | 51 | 0.5 | 0.07 | 0.06 | 0.01 | 32 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Alabama | 36 | 0.2 | 0.03 | 0.02 | 0.00 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Alabama: White | 30 | 0.2 | 0.03 | 0.02 | 0.00 | 12 | 0.1 | 0.02 | 0.01 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other urinary organs (C68) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 10 | 0.2 | 0.06 | 0.03 | 0.01 |
| USA, Alaska | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *USA, Alaska: Alaska Natives | 2 | 0.6 | 0.43 | 0.06 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona | 67 | 0.2 | 0.02 | 0.02 | 0.00 | 26 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Arizona: White | 66 | 0.2 | 0.02 | 0.02 | 0.00 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Arizona: Black | 0 | – | 0.00 | – | 0.00 | 4 | 0.4 | 0.20 | 0.04 | 0.03 |
| *USA, Arizona: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Arizona: American Indian | 1 | 0.1 | 0.09 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Arkansas | 36 | 0.3 | 0.05 | 0.02 | 0.01 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Arkansas: White | 33 | 0.3 | 0.05 | 0.02 | 0.01 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Arkansas: Black | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.02 | 0.02 |
| USA, California | 450 | 0.3 | 0.01 | 0.03 | 0.00 | 207 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, California: White | 371 | 0.3 | 0.01 | 0.03 | 0.00 | 156 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, California: Black | 27 | 0.3 | 0.06 | 0.02 | 0.01 | 22 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, California: Asian and Pacific Islander | 38 | 0.1 | 0.03 | 0.02 | 0.00 | 26 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, Los Angeles County | 98 | 0.2 | 0.02 | 0.02 | 0.00 | 46 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: White | 70 | 0.2 | 0.03 | 0.02 | 0.00 | 30 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 50 | 0.3 | 0.04 | 0.03 | 0.01 | 18 | 0.1 | 0.02 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Hispanic White | 20 | 0.2 | 0.04 | 0.02 | 0.01 | 12 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, Los Angeles County: Black | 10 | 0.3 | 0.08 | 0.02 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Chinese | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *USA, California, Los Angeles County: Filipino | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Korean | 4 | 0.3 | 0.13 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 14 | 0.2 | 0.05 | 0.02 | 0.01 | 8 | 0.1 | 0.04 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area | 34 | 0.2 | 0.03 | 0.02 | 0.00 | 28 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area: White | 23 | 0.1 | 0.03 | 0.01 | 0.00 | 18 | 0.1 | 0.03 | 0.02 | 0.00 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 21 | 0.2 | 0.04 | 0.02 | 0.01 | 15 | 0.1 | 0.04 | 0.02 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *USA, California, San Francisco Bay Area: Black | 5 | 0.3 | 0.13 | 0.03 | 0.02 | 6 | 0.3 | 0.12 | 0.04 | 0.02 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 5 | 0.1 | 0.05 | 0.02 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Colorado | 57 | 0.2 | 0.03 | 0.03 | 0.00 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Colorado: White | 56 | 0.3 | 0.04 | 0.03 | 0.00 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, Colorado: Black | 1 | 0.1 | 0.14 | 0.02 | 0.02 | 1 | 0.2 | 0.16 | 0.03 | 0.03 |
| *USA, Colorado: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Connecticut | 76 | 0.4 | 0.05 | 0.04 | 0.01 | 40 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Connecticut: White | 63 | 0.4 | 0.05 | 0.03 | 0.01 | 35 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Connecticut: Black | 8 | 0.7 | 0.24 | 0.08 | 0.03 | 3 | 0.2 | 0.09 | 0.02 | 0.02 |
| USA, District of Columbia | 10 | 0.5 | 0.16 | 0.06 | 0.02 | 7 | 0.3 | 0.11 | 0.04 | 0.02 |
| USA, District of Columbia: White | 7 | 0.7 | 0.29 | 0.09 | 0.04 | 2 | 0.1 | 0.11 | 0.03 | 0.03 |
| USA, District of Columbia: Black | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 5 | 0.4 | 0.18 | 0.05 | 0.03 |
| USA, Florida | 249 | 0.2 | 0.02 | 0.02 | 0.00 | 123 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Florida: White | 221 | 0.2 | 0.02 | 0.02 | 0.00 | 108 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Florida: Black | 20 | 0.2 | 0.04 | 0.03 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Florida: Asian and Pacific Islander | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Georgia | 180 | 0.4 | 0.03 | 0.04 | 0.00 | 77 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, Georgia: White | 145 | 0.5 | 0.04 | 0.05 | 0.01 | 48 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Georgia: Black | 35 | 0.4 | 0.07 | 0.04 | 0.01 | 28 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *USA, Georgia, Atlanta | 52 | 0.4 | 0.06 | 0.04 | 0.01 | 24 | 0.2 | 0.04 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: White | 35 | 0.4 | 0.07 | 0.04 | 0.01 | 11 | 0.1 | 0.04 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: Black | 17 | 0.5 | 0.11 | 0.06 | 0.02 | 13 | 0.3 | 0.07 | 0.04 | 0.01 |
| USA, Idaho | 38 | 0.5 | 0.09 | 0.06 | 0.01 | 12 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Indiana | 93 | 0.3 | 0.03 | 0.03 | 0.00 | 45 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Indiana: White | 91 | 0.3 | 0.03 | 0.03 | 0.01 | 39 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Indiana: Black | 2 | 0.1 | 0.09 | 0.03 | 0.02 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *USA, Iowa | 59 | 0.4 | 0.05 | 0.04 | 0.01 | 25 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Kentucky | 74 | 0.4 | 0.04 | 0.05 | 0.01 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Louisiana | 78 | 0.4 | 0.05 | 0.04 | 0.01 | 55 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana: White | 60 | 0.4 | 0.05 | 0.04 | 0.01 | 34 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Louisiana: Black | 18 | 0.4 | 0.09 | 0.04 | 0.01 | 21 | 0.3 | 0.07 | 0.04 | 0.01 |
| *USA, Louisiana, New Orleans | 9 | 0.2 | 0.08 | 0.03 | 0.01 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *USA, Louisiana, New Orleans: White | 8 | 0.4 | 0.13 | 0.05 | 0.02 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: Black | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 4 | 0.3 | 0.13 | 0.04 | 0.02 |
| USA, Maine | 29 | 0.4 | 0.07 | 0.04 | 0.01 | 9 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, Maryland | 104 | 0.4 | 0.04 | 0.04 | 0.01 | 38 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Maryland: White | 84 | 0.4 | 0.05 | 0.04 | 0.01 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Maryland: Black | 17 | 0.3 | 0.07 | 0.03 | 0.01 | 11 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, Maryland: Asian and Pacific Islander | 2 | 0.2 | 0.11 | 0.03 | 0.02 | 2 | 0.1 | 0.07 | 0.02 | 0.02 |
| USA, Massachusetts | 110 | 0.3 | 0.03 | 0.04 | 0.01 | 60 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Massachusetts: White | 103 | 0.4 | 0.04 | 0.04 | 0.01 | 50 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, Massachusetts: Black | 4 | 0.2 | 0.13 | 0.03 | 0.02 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| USA, Massachusetts: Asian and Pacific Islander | 3 | 0.2 | 0.14 | 0.02 | 0.01 | 4 | 0.3 | 0.16 | 0.05 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other urinary organs (C68) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 208 | 0.4 | 0.03 | 0.05 | 0.00 | 72 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Michigan: White | 179 | 0.4 | 0.03 | 0.05 | 0.00 | 55 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Michigan: Black | 19 | 0.4 | 0.10 | 0.06 | 0.02 | 16 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 2 | 0.2 | 0.16 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *USA, Michigan, Detroit | 69 | 0.4 | 0.05 | 0.05 | 0.01 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, Michigan, Detroit: White | 52 | 0.4 | 0.06 | 0.04 | 0.01 | 15 | 0.1 | 0.02 | 0.00 | 0.00 |
| *USA, Michigan, Detroit: Black | 12 | 0.4 | 0.12 | 0.06 | 0.02 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| USA, Minnesota | 98 | 0.4 | 0.04 | 0.04 | 0.01 | 38 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Minnesota: White | 90 | 0.3 | 0.04 | 0.03 | 0.01 | 35 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Minnesota: Black | 6 | 1.0 | 0.43 | 0.17 | 0.08 | 2 | 0.2 | 0.16 | 0.01 | 0.01 |
| *USA, Minnesota: Asian and Pacific Islander | 1 | 0.2 | 0.23 | 0.06 | 0.06 | 0 | – | 0.00 | – | 0.00 |
| USA, Mississippi | 21 | 0.1 | 0.03 | 0.01 | 0.00 | 25 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Missouri | 73 | 0.2 | 0.03 | 0.02 | 0.00 | 39 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Missouri: White | 66 | 0.2 | 0.03 | 0.02 | 0.00 | 32 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Missouri: Black | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| USA, Montana | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 9 | 0.2 | 0.05 | 0.02 | 0.01 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.5 | 0.53 | 0.09 | 0.09 |
| USA, Nebraska | 32 | 0.4 | 0.07 | 0.03 | 0.01 | 11 | 0.1 | 0.04 | 0.01 | 0.01 |
| USA, Nebraska: White | 32 | 0.4 | 0.07 | 0.04 | 0.01 | 11 | 0.1 | 0.04 | 0.01 | 0.01 |
| *USA, Nebraska: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Nevada | 35 | 0.3 | 0.05 | 0.03 | 0.01 | 13 | 0.1 | 0.02 | 0.02 | 0.01 |
| USA, Nevada: White | 34 | 0.3 | 0.05 | 0.03 | 0.01 | 13 | 0.1 | 0.03 | 0.02 | 0.01 |
| USA, Nevada: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Nevada: Asian and Pacific Islander | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, New Jersey | 166 | 0.4 | 0.03 | 0.05 | 0.00 | 88 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, New Jersey: White | 133 | 0.4 | 0.03 | 0.04 | 0.01 | 68 | 0.2 | 0.02 | 0.02 | 0.00 |
| USA, New Jersey: Black | 14 | 0.3 | 0.09 | 0.04 | 0.01 | 13 | 0.2 | 0.07 | 0.03 | 0.01 |
| USA, New Mexico | 18 | 0.1 | 0.03 | 0.01 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, New Mexico: White | 17 | 0.2 | 0.04 | 0.01 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, New Mexico: Non-Hispanic White | 10 | 0.1 | 0.04 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| USA, New Mexico: Hispanic White | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *USA, New Mexico: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, New York State | 305 | 0.3 | 0.02 | 0.04 | 0.00 | 161 | 0.1 | 0.01 | 0.02 | 0.00 |
| USA, New York State: White | 250 | 0.3 | 0.02 | 0.04 | 0.00 | 113 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, New York State: Black | 34 | 0.3 | 0.05 | 0.04 | 0.01 | 40 | 0.2 | 0.04 | 0.03 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 15 | 0.2 | 0.06 | 0.03 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.01 |
| USA, North Carolina | 131 | 0.3 | 0.03 | 0.03 | 0.00 | 66 | 0.1 | 0.02 | 0.02 | 0.00 |
| USA, North Carolina: White | 112 | 0.3 | 0.03 | 0.03 | 0.00 | 43 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, North Carolina: Black | 19 | 0.3 | 0.06 | 0.03 | 0.01 | 21 | 0.2 | 0.05 | 0.03 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.17 | 0.03 | 0.03 |
| *USA, North Carolina: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, North Dakota | 14 | 0.4 | 0.10 | 0.02 | 0.01 | 8 | 0.1 | 0.06 | 0.01 | 0.01 |
| USA, Ohio | 156 | 0.3 | 0.02 | 0.03 | 0.00 | 66 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Ohio: White | 134 | 0.3 | 0.02 | 0.03 | 0.00 | 56 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Ohio: Black | 15 | 0.3 | 0.08 | 0.04 | 0.01 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 1 | 0.2 | 0.15 | 0.00 | 0.00 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| USA, Oklahoma | 36 | 0.2 | 0.04 | 0.02 | 0.00 | 17 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Oklahoma: White | 32 | 0.2 | 0.04 | 0.02 | 0.01 | 16 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Oklahoma: Black | 2 | 0.3 | 0.18 | 0.03 | 0.03 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| USA, Oklahoma: American Indian | 1 | 0.1 | 0.11 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Oregon | 51 | 0.2 | 0.04 | 0.03 | 0.01 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Oregon: White | 47 | 0.2 | 0.04 | 0.03 | 0.01 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, Oregon: Black | 2 | 0.7 | 0.51 | 0.04 | 0.04 | 1 | 0.4 | 0.43 | 0.05 | 0.05 |
| *USA, Oregon: Asian and Pacific Islander | 2 | 0.3 | 0.24 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| USA, Rhode Island | 13 | 0.3 | 0.07 | 0.03 | 0.01 | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| USA, Rhode Island: White | 11 | 0.2 | 0.07 | 0.03 | 0.01 | 10 | 0.2 | 0.08 | 0.02 | 0.01 |
| *USA, Rhode Island: Black | 2 | 0.7 | 0.51 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 51 | 0.2 | 0.03 | 0.02 | 0.00 | 30 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, South Carolina: White | 40 | 0.2 | 0.03 | 0.02 | 0.00 | 18 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, South Carolina: Black | 11 | 0.2 | 0.08 | 0.03 | 0.01 | 12 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, South Dakota | 13 | 0.3 | 0.08 | 0.02 | 0.01 | 5 | 0.1 | 0.03 | 0.00 | 0.00 |
| USA, Tennessee | 97 | 0.3 | 0.03 | 0.04 | 0.01 | 32 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Tennessee: White | 80 | 0.3 | 0.04 | 0.04 | 0.01 | 24 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Tennessee: Black | 16 | 0.5 | 0.13 | 0.06 | 0.02 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| USA, Texas | 208 | 0.2 | 0.01 | 0.02 | 0.00 | 113 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Texas: White | 186 | 0.2 | 0.02 | 0.02 | 0.00 | 87 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, Texas: Black | 19 | 0.2 | 0.05 | 0.03 | 0.01 | 21 | 0.2 | 0.04 | 0.02 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| USA, Utah | 21 | 0.2 | 0.05 | 0.02 | 0.01 | 12 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, Vermont | 14 | 0.4 | 0.11 | 0.03 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| USA, Washington State | 155 | 0.5 | 0.04 | 0.04 | 0.01 | 59 | 0.1 | 0.02 | 0.02 | 0.00 |
| *USA, Washington, Seattle | 97 | 0.4 | 0.04 | 0.04 | 0.01 | 42 | 0.2 | 0.03 | 0.02 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other urinary organs (C68) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 24 | 0.2 | 0.05 | 0.02 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| USA, Wyoming | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 2 | 0.2 | 0.14 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Brunei Darussalam | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 9 | 0.1 | 0.04 | 0.02 | 0.01 | 7 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Beijing City | 92 | 0.2 | 0.02 | 0.02 | 0.00 | 83 | 0.2 | 0.02 | 0.02 | 0.00 |
| *China, Binhai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Cangzhou City | 0 | – | 0.00 | – | 0.00 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Changfeng County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Changzhou City | 4 | 0.0 | 0.02 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Chengdu City | 1 | 0.0 | 0.03 | 0.01 | 0.01 | 6 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Cixian County | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |
| China, Cixi City | 6 | 0.1 | 0.05 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Dafeng District, Yancheng City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| China, Dalian City | 28 | 0.2 | 0.04 | 0.02 | 0.01 | 16 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Dancheng County | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 6 | 0.2 | 0.08 | 0.03 | 0.02 |
| China, Dangtu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 4 | 0.1 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Donggang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongguan City | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Donghai County | 1 | 0.0 | 0.03 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongtai City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 2 | 0.2 | 0.12 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Fangcheng County | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Feicheng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Feixi County | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Fuqing City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Ganyu District, Lianyungang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganzhou District, Zhangye City | 3 | 0.3 | 0.18 | 0.04 | 0.03 | 1 | 0.1 | 0.11 | 0.03 | 0.03 |
| *China, Gaocheng City | 1 | 0.1 | 0.08 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| China, Gaomi City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Gong'an County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Guang'an District, Guang'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Guanghan City | 2 | 0.1 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | 66 | 0.2 | 0.02 | 0.02 | 0.00 | 24 | 0.1 | 0.01 | 0.01 | 0.00 |
| *China, Guanyun County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Guilin City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Hai'an City | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Haimen District, Nantong City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Haining City | 2 | 0.1 | 0.04 | 0.01 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Hangzhou City | 52 | 0.1 | 0.02 | 0.01 | 0.00 | 10 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Hebi City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Hefei City | 8 | 0.1 | 0.03 | 0.01 | 0.01 | 7 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| *China, Hepu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Hongshan District, Chifeng City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| *China, Hongta District, Yuxi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiange County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Jiangyin City | 6 | 0.1 | 0.04 | 0.02 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Jiashan County | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiulongpo District, Chongqing City | 4 | 0.1 | 0.06 | 0.03 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Jiyuan City | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 3 | 0.2 | 0.11 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other urinary organs (C68) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| Asia (contd) | | | | | | | | | | | |
| China, Kaihua County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| China, Kunshan City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| China, Langzhong City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 | |
| *China, Liangshan County | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *China, Lianshui County | 5 | 0.1 | 0.05 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 | |
| China, Lianyungang City | 4 | 0.1 | 0.05 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 | |
| China, Linhe District, Bayannur City | 2 | 0.2 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| China, Linqu County | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *China, Linzhou City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 | |
| China, Liuzhou City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| China, Liyang City | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 | |
| *China, Longquan City | 0 | – | 0.00 | – | 0.00 | 3 | 0.4 | 0.22 | 0.06 | 0.04 | |
| China, Lucheng District, Wenzhou City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.1 | 0.08 | 0.02 | 0.02 | |
| China, Luoding City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *China, Luohe City | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 | |
| *China, Luoyang City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.01 | 0.01 | |
| *China, Luquan City | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| China, Ma'anshan City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *China, Macheng City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| China, Meihekou City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| *China, Mengjin County | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 3 | 0.2 | 0.12 | 0.01 | 0.01 | |
| China, Nangang District, Harbin City | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 | |
| *China, Nanhai District, Foshan City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 | |
| China, Nanhu District, Jiaying City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *China, Nantong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *China, Nanxiong City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 | |
| China, Neixiang County | 4 | 0.1 | 0.07 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 | |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| China, Qidong City | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.01 | 0.00 | |
| China, Qingzhou City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| *China, Rudong County | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 | |
| *China, Rugao City | 3 | 0.0 | 0.02 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 | |
| *China, Rural areas of Shanghai City | 50 | 0.1 | 0.01 | 0.01 | 0.00 | 21 | 0.0 | 0.01 | 0.01 | 0.00 | |
| China, Ruyang County | 2 | 0.2 | 0.13 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *China, Shan County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 | |
| China, Shanghai City | 46 | 0.1 | 0.02 | 0.01 | 0.00 | 30 | 0.1 | 0.01 | 0.01 | 0.00 | |
| China, Shangyu District, Shaoxing City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| *China, Shapingba District, Chongqing City | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 | |
| China, Shexian County | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| China, Sheyang County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 | |
| *China, Shijiazhuang City | 0 | – | 0.00 | – | 0.00 | 4 | 0.1 | 0.03 | 0.00 | 0.00 | |
| China, Shunde District, Foshan City | 6 | 0.2 | 0.06 | 0.01 | 0.01 | 7 | 0.2 | 0.06 | 0.02 | 0.01 | |
| *China, Song County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 | |
| China, Suzhou City | 61 | 0.4 | 0.05 | 0.04 | 0.01 | 12 | 0.1 | 0.02 | 0.01 | 0.00 | |
| *China, Tengzhou City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.03 | 0.01 | 0.01 | |
| *China, Wangdu County | 2 | 0.3 | 0.23 | 0.05 | 0.03 | 1 | 0.2 | 0.15 | 0.02 | 0.02 | |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *China, Wu'an City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 | |
| China, Wuhan City | 21 | 0.1 | 0.02 | 0.01 | 0.00 | 11 | 0.0 | 0.01 | 0.01 | 0.00 | |
| *China, Wuhu City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.01 | |
| China, Wuxi City | 12 | 0.1 | 0.02 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 | |
| China, Wuzhou City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| China, Xiangfu District, Kaifeng City | 6 | 0.3 | 0.14 | 0.05 | 0.02 | 10 | 0.5 | 0.16 | 0.07 | 0.02 | |
| China, Xianju County | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 1 | 0.1 | 0.05 | 0.00 | 0.00 | |
| *China, Xin'an County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *China, Xining City | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 | |
| *China, Xinji City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *China, Xinluo District, Longyan City | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *China, Xinzhou District, Shangrao City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.10 | 0.01 | 0.01 | |
| China, Xiping County | 4 | 0.2 | 0.10 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 | |
| *China, Xishui District, Kunming City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *China, Xuyi County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 | |
| *China, Ya'an City | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.00 | |
| *China, Yakeshi City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| China, Yancheng City | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 | |
| *China, Yangquan City | 2 | 0.1 | 0.11 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 | |
| *China, Yangzhong City | 2 | 0.2 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *China, Yanji City | 1 | 0.1 | 0.06 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 | |
| *China, Yanshi City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 | |
| China, Yanting County | 3 | 0.2 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *China, Yingdong District, Fuyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other urinary organs (C68) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 1 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 2 | 0.1 | 0.09 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Yongkang City | 8 | 0.3 | 0.12 | 0.05 | 0.02 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Yueyanglou District, Yueyang City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yunyang District, Shiyang City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.2 | 0.11 | 0.01 | 0.01 |
| China, Yuzhong District, Chongqing City | 3 | 0.1 | 0.09 | 0.03 | 0.02 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Zhanhuang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhaoyuan City | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Zhengding County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Zhongshan City | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Zhongxiang City | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Zhuanghe City | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Zhuhai City | 12 | 0.4 | 0.11 | 0.05 | 0.02 | 5 | 0.1 | 0.07 | 0.02 | 0.01 |
| India, Ahmedabad, Urban | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 7 | 0.1 | 0.03 | 0.01 | 0.01 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 7 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Chennai | 13 | 0.1 | 0.03 | 0.02 | 0.01 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Dibrugarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Dindigul, Ambilikai | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kamrup Urban District | 3 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, Kollam | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.00 |
| *India, Manipur | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Meghalaya | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Mizoram | 1 | 0.1 | 0.07 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| India, Mumbai | 9 | 0.0 | 0.01 | 0.00 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, New Delhi | 49 | 0.3 | 0.04 | 0.03 | 0.01 | 10 | 0.0 | 0.02 | 0.01 | 0.00 |
| India, Poona | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *India, Tamil Nadu | 56 | 0.0 | 0.00 | 0.00 | 0.00 | 41 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Trivandrum | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Wardha | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, West Arunachal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Golestan Province | 4 | 0.2 | 0.10 | 0.03 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Israel | 139 | 0.5 | 0.04 | 0.05 | 0.01 | 34 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Israel: Jews | 117 | 0.4 | 0.04 | 0.05 | 0.01 | 32 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Israel: Arabs | 17 | 0.6 | 0.15 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Japan | 511 | 0.1 | 0.00 | 0.01 | 0.00 | 415 | 0.1 | 0.00 | 0.01 | 0.00 |
| Japan, Aichi Prefecture | 20 | 0.1 | 0.01 | 0.01 | 0.00 | 13 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Japan, Akita Prefecture | 7 | 0.1 | 0.05 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| Japan, Aomori Prefecture | 15 | 0.2 | 0.07 | 0.03 | 0.01 | 11 | 0.0 | 0.02 | 0.00 | 0.00 |
| Japan, Gunma Prefecture | 6 | 0.1 | 0.02 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| Japan, Hiroshima Prefecture | 22 | 0.1 | 0.04 | 0.01 | 0.00 | 13 | 0.0 | 0.02 | 0.00 | 0.00 |
| Japan, Miyagi Prefecture | 13 | 0.1 | 0.02 | 0.01 | 0.00 | 6 | 0.0 | 0.01 | 0.00 | 0.00 |
| Japan, Osaka Prefecture | 32 | 0.1 | 0.02 | 0.01 | 0.00 | 32 | 0.1 | 0.01 | 0.00 | 0.00 |
| Kuwait | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Kuwait: Kuwaitis | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Kuwait: Non-Kuwaitis | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Philippines, Manila | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Qatar: Qatari | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 428 | 0.2 | 0.01 | 0.03 | 0.00 | 276 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Republic of Korea, Busan | 49 | 0.3 | 0.05 | 0.04 | 0.01 | 28 | 0.1 | 0.03 | 0.02 | 0.00 |
| *Republic of Korea, Daegu | 14 | 0.1 | 0.04 | 0.02 | 0.01 | 17 | 0.1 | 0.04 | 0.02 | 0.01 |
| *Republic of Korea, Daejeon | 7 | 0.1 | 0.05 | 0.02 | 0.01 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Republic of Korea, Gwangju | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| Republic of Korea, Incheon | 17 | 0.1 | 0.04 | 0.02 | 0.01 | 7 | 0.0 | 0.02 | 0.00 | 0.00 |
| Republic of Korea, Jeju | 4 | 0.2 | 0.09 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea, Seoul | 76 | 0.2 | 0.02 | 0.02 | 0.00 | 52 | 0.1 | 0.02 | 0.02 | 0.00 |
| Republic of Korea, Ulsan | 15 | 0.4 | 0.10 | 0.06 | 0.02 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| Singapore | 5 | 0.0 | 0.01 | 0.00 | 0.00 | 9 | 0.1 | 0.02 | 0.01 | 0.00 |
| Singapore: Chinese | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 8 | 0.1 | 0.02 | 0.01 | 0.00 |
| Singapore: Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other urinary organs (C68) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Thailand, Bangkok | 7 | 0.0 | 0.02 | 0.01 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Thailand, Chiang Mai | 4 | 0.1 | 0.04 | 0.02 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.01 |
| *Thailand, Khon Kaen | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Thailand, Lampang | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| Thailand, Lopburi Province | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Thailand, Songkhla | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Turkey, Antalya | 13 | 0.2 | 0.06 | 0.03 | 0.01 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| Turkey, Bursa | 7 | 0.1 | 0.03 | 0.01 | 0.00 | 6 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Turkey, Edirne | 4 | 0.3 | 0.14 | 0.05 | 0.03 | 2 | 0.1 | 0.07 | 0.02 | 0.02 |
| *Turkey, Erzurum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Eskişehir | 5 | 0.2 | 0.08 | 0.03 | 0.02 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| Turkey, Gaziantep | 5 | 0.2 | 0.08 | 0.03 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Turkey, Izmir | 38 | 0.3 | 0.05 | 0.04 | 0.01 | 8 | 0.1 | 0.02 | 0.01 | 0.00 |
| Turkey, Malatya | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Samsun | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Turkey, Trabzon | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| Europe | | | | | | | | | | |
| Austria | 183 | 0.4 | 0.03 | 0.05 | 0.00 | 103 | 0.2 | 0.02 | 0.02 | 0.00 |
| Austria, Carinthia | 13 | 0.4 | 0.12 | 0.04 | 0.02 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| Austria, Tyrol | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.04 | 0.01 | 0.01 |
| Austria, Vorarlberg | 5 | 0.3 | 0.14 | 0.04 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Belarus | 22 | 0.1 | 0.01 | 0.01 | 0.00 | 17 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Belgium | 107 | 0.2 | 0.02 | 0.02 | 0.00 | 38 | 0.1 | 0.01 | 0.01 | 0.00 |
| Croatia | 43 | 0.2 | 0.03 | 0.03 | 0.01 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| Cyprus | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Czech Republic | 54 | 0.1 | 0.02 | 0.01 | 0.00 | 23 | 0.0 | 0.01 | 0.00 | 0.00 |
| Denmark | 359 | 1.2 | 0.06 | 0.15 | 0.01 | 222 | 0.6 | 0.05 | 0.08 | 0.01 |
| Estonia | 7 | 0.1 | 0.04 | 0.01 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| Finland | 132 | 0.4 | 0.03 | 0.04 | 0.01 | 67 | 0.2 | 0.02 | 0.02 | 0.00 |
| *France, Bas-Rhin | 10 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *France, Calvados | 7 | 0.2 | 0.08 | 0.03 | 0.02 | 6 | 0.2 | 0.08 | 0.03 | 0.01 |
| *France, Doubs | 11 | 0.4 | 0.12 | 0.06 | 0.02 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Gironde | 52 | 0.7 | 0.10 | 0.09 | 0.02 | 17 | 0.1 | 0.04 | 0.01 | 0.01 |
| *France, Haut-Rhin | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 5 | 0.1 | 0.05 | 0.02 | 0.01 |
| *France, Hérault | 16 | 0.2 | 0.06 | 0.02 | 0.01 | 7 | 0.1 | 0.04 | 0.02 | 0.01 |
| *France, Isère | 11 | 0.2 | 0.05 | 0.01 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.01 |
| *France, Lille-Métropole | 18 | 0.6 | 0.15 | 0.08 | 0.02 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Limousin | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 4 | 0.1 | 0.09 | 0.01 | 0.01 |
| *France, Loire-Atlantique | 10 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.1 | 0.04 | 0.01 | 0.00 |
| *France, Manche | 4 | 0.1 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Poitou-Charentes | 29 | 0.2 | 0.05 | 0.04 | 0.01 | 7 | 0.1 | 0.03 | 0.01 | 0.00 |
| *France, Somme | 9 | 0.4 | 0.12 | 0.05 | 0.02 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *France, Tarn | 12 | 0.4 | 0.14 | 0.04 | 0.02 | 6 | 0.1 | 0.09 | 0.01 | 0.01 |
| *France, Territoire de Belfort | 0 | – | 0.00 | – | 0.00 | 3 | 0.6 | 0.33 | 0.12 | 0.07 |
| *France, Vendée | 5 | 0.1 | 0.04 | 0.00 | 0.00 | 5 | 0.1 | 0.03 | 0.01 | 0.01 |
| Germany, Baden-Württemberg | 658 | 1.7 | 0.07 | 0.19 | 0.01 | 217 | 0.4 | 0.04 | 0.05 | 0.01 |
| Germany, Bavaria | 218 | 0.3 | 0.02 | 0.03 | 0.00 | 93 | 0.1 | 0.01 | 0.01 | 0.00 |
| Germany, Bremen | 21 | 0.4 | 0.10 | 0.03 | 0.01 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| Germany, Hamburg | 110 | 1.1 | 0.11 | 0.12 | 0.02 | 46 | 0.4 | 0.06 | 0.04 | 0.01 |
| Germany, Lower Saxony | 248 | 0.4 | 0.03 | 0.04 | 0.00 | 120 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, North Rhine-Westphalia | 686 | 0.6 | 0.03 | 0.06 | 0.00 | 362 | 0.2 | 0.01 | 0.02 | 0.00 |
| Germany, Rhineland-Palatinate | 167 | 0.6 | 0.05 | 0.06 | 0.01 | 81 | 0.2 | 0.03 | 0.02 | 0.00 |
| Germany, Saarland | 55 | 0.8 | 0.12 | 0.11 | 0.02 | 21 | 0.2 | 0.06 | 0.03 | 0.01 |
| Germany, Schleswig-Holstein | 143 | 0.7 | 0.07 | 0.07 | 0.01 | 64 | 0.2 | 0.04 | 0.02 | 0.01 |
| Iceland | 2 | 0.2 | 0.13 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Ireland | 22 | 0.1 | 0.03 | 0.01 | 0.00 | 17 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Italy, Aosta Valley | 3 | 0.5 | 0.29 | 0.03 | 0.03 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| *Italy, Avellino | 2 | 0.1 | 0.08 | 0.02 | 0.02 | 2 | 0.2 | 0.11 | 0.03 | 0.02 |
| Italy, Basilicata | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Benevento | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| Italy, Bergamo | 34 | 0.5 | 0.09 | 0.04 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Italy, Brescia | 67 | 1.1 | 0.15 | 0.14 | 0.02 | 38 | 0.5 | 0.09 | 0.05 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 1 | 0.0 | 0.03 | 0.01 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Italy, Calabria | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Italy, Caserta | 19 | 0.6 | 0.14 | 0.08 | 0.02 | 5 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Italy, Catania, Messina, and Enna | 35 | 0.3 | 0.06 | 0.04 | 0.01 | 16 | 0.1 | 0.03 | 0.01 | 0.00 |
| Italy, Emilia-Romagna | 103 | 0.4 | 0.05 | 0.05 | 0.01 | 44 | 0.1 | 0.03 | 0.02 | 0.00 |
| Italy, Friuli-Venezia Giulia | 14 | 0.1 | 0.04 | 0.02 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Italy, Genova | 21 | 0.4 | 0.09 | 0.05 | 0.02 | 6 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Italy, Lombardy, South, Pavia | 30 | 1.0 | 0.19 | 0.13 | 0.03 | 7 | 0.2 | 0.10 | 0.03 | 0.01 |
| Italy, Mantova and Cremona | 15 | 0.4 | 0.11 | 0.04 | 0.01 | 7 | 0.1 | 0.06 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other urinary organs (C68) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 14 | 0.2 | 0.05 | 0.02 | 0.01 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| Italy, Milan | 70 | 0.3 | 0.04 | 0.03 | 0.01 | 20 | 0.0 | 0.01 | 0.00 | 0.00 |
| Italy, Molise | 15 | 1.0 | 0.30 | 0.07 | 0.04 | 5 | 0.3 | 0.19 | 0.03 | 0.03 |
| *Italy, Naples Centre | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Italy, Naples North | 6 | 0.2 | 0.08 | 0.03 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Italy, Naples South | 17 | 0.3 | 0.09 | 0.03 | 0.01 | 6 | 0.1 | 0.02 | 0.00 | 0.00 |
| *Italy, Nuoro | 1 | 0.2 | 0.19 | 0.02 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Italy, Palermo | 29 | 0.4 | 0.08 | 0.05 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.01 |
| Italy, Puglia | 66 | 0.3 | 0.04 | 0.03 | 0.01 | 24 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Italy, Ragusa and Caltanissetta | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Italy, Salerno | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Italy, Sassari | 1 | 0.1 | 0.08 | 0.02 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Italy, Sondrio | 5 | 0.4 | 0.21 | 0.04 | 0.03 | 5 | 0.2 | 0.11 | 0.02 | 0.02 |
| Italy, South Tyrol | 5 | 0.2 | 0.08 | 0.03 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Italy, Syracuse | 11 | 0.5 | 0.17 | 0.07 | 0.02 | 3 | 0.1 | 0.06 | 0.02 | 0.01 |
| Italy, Trento | 9 | 0.3 | 0.10 | 0.04 | 0.02 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| Italy, Turin | 45 | 0.2 | 0.04 | 0.02 | 0.01 | 21 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Italy, Tuscany | 13 | 0.1 | 0.03 | 0.01 | 0.00 | 10 | 0.1 | 0.02 | 0.01 | 0.00 |
| Italy, Umbria | 19 | 0.4 | 0.10 | 0.04 | 0.01 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| Italy, Varese | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Italy, Veneto | 260 | 0.9 | 0.06 | 0.10 | 0.01 | 95 | 0.2 | 0.03 | 0.03 | 0.00 |
| Latvia | 15 | 0.2 | 0.05 | 0.01 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Liechtenstein | 2 | 0.8 | 0.53 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | 15 | 0.1 | 0.03 | 0.01 | 0.01 | 14 | 0.0 | 0.02 | 0.01 | 0.00 |
| Malta | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *The Netherlands | 85 | 0.1 | 0.01 | 0.01 | 0.00 | 44 | 0.1 | 0.01 | 0.01 | 0.00 |
| Norway | 32 | 0.1 | 0.02 | 0.02 | 0.00 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| Poland, Kielce | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Portugal, Azores | 2 | 0.2 | 0.15 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Arkhangelsk | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.1 | 0.03 | 0.01 | 0.01 |
| Russian Federation, Kaliningrad | 3 | 0.1 | 0.06 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Karelia | 2 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Russian Federation, Komi Republic | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| Russian Federation, Murmansk | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Russian Federation, Orenburg | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Russian Federation, Pskov | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Russian Federation, Samara | 6 | 0.1 | 0.02 | 0.01 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| Russian Federation, Vologda Region | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Slovenia | 10 | 0.1 | 0.03 | 0.01 | 0.01 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| Spain, Asturias | 15 | 0.3 | 0.08 | 0.01 | 0.01 | 11 | 0.3 | 0.09 | 0.03 | 0.01 |
| Spain, Basque Country | 53 | 0.5 | 0.08 | 0.07 | 0.01 | 16 | 0.1 | 0.04 | 0.01 | 0.00 |
| Spain, Canary Islands | 52 | 0.8 | 0.11 | 0.11 | 0.02 | 14 | 0.2 | 0.05 | 0.02 | 0.01 |
| Spain, Castellón | 10 | 0.4 | 0.12 | 0.04 | 0.02 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| Spain, Girona | 18 | 0.4 | 0.10 | 0.06 | 0.02 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| Spain, Granada | 7 | 0.1 | 0.06 | 0.02 | 0.01 | 3 | 0.0 | 0.02 | 0.01 | 0.01 |
| Spain, La Rioja | 7 | 0.4 | 0.15 | 0.05 | 0.03 | 4 | 0.2 | 0.10 | 0.01 | 0.01 |
| Spain, Murcia | 43 | 0.7 | 0.11 | 0.09 | 0.02 | 18 | 0.2 | 0.04 | 0.01 | 0.01 |
| Spain, Navarra | 20 | 0.5 | 0.13 | 0.03 | 0.02 | 8 | 0.1 | 0.06 | 0.01 | 0.01 |
| Spain, Salamanca | 3 | 0.2 | 0.10 | 0.04 | 0.02 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| Spain, Tarragona | 20 | 0.4 | 0.11 | 0.05 | 0.02 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Sweden | 72 | 0.1 | 0.02 | 0.01 | 0.00 | 50 | 0.1 | 0.01 | 0.01 | 0.00 |
| Switzerland, Aargau | 11 | 0.3 | 0.08 | 0.02 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| Switzerland, Basel | 16 | 0.5 | 0.14 | 0.09 | 0.03 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| Switzerland, Berne Solothurn | 18 | 0.3 | 0.07 | 0.02 | 0.01 | 8 | 0.2 | 0.06 | 0.02 | 0.01 |
| Switzerland, East | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.01 |
| *Switzerland, Fribourg | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Switzerland, Geneva | 7 | 0.3 | 0.10 | 0.03 | 0.02 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Switzerland, Graubünden and Glarus | 4 | 0.2 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Switzerland, Lucerne | 8 | 0.2 | 0.09 | 0.02 | 0.01 | 4 | 0.1 | 0.06 | 0.02 | 0.01 |
| *Switzerland, Neuchâtel and Jura | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| Switzerland, Ticino | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 2 | 0.4 | 0.33 | 0.01 | 0.01 |
| Switzerland, Valais | 5 | 0.2 | 0.11 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Switzerland, Vaud | 11 | 0.3 | 0.08 | 0.03 | 0.01 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| Switzerland, Zurich and Zug | 14 | 0.2 | 0.05 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.00 | 0.00 |
| Ukraine | 37 | 0.0 | 0.00 | 0.00 | 0.00 | 66 | 0.0 | 0.00 | 0.00 | 0.00 |
| UK, England | 497 | 0.2 | 0.01 | 0.02 | 0.00 | 175 | 0.1 | 0.00 | 0.01 | 0.00 |
| UK, Northern Ireland | 16 | 0.2 | 0.04 | 0.01 | 0.00 | 8 | 0.1 | 0.03 | 0.01 | 0.01 |
| UK, Scotland | 53 | 0.2 | 0.03 | 0.02 | 0.00 | 35 | 0.1 | 0.02 | 0.01 | 0.00 |
| UK, Wales | 21 | 0.1 | 0.03 | 0.01 | 0.00 | 8 | 0.0 | 0.01 | 0.01 | 0.00 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 81 | 0.2 | 0.02 | 0.02 | 0.00 | 36 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Australia, Northern Territory | 4 | 0.7 | 0.36 | 0.07 | 0.05 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other urinary organs (C68) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 3 | 0.6 | <i>0.39</i> | 0.06 | <i>0.05</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Northern Territory: Indigenous | 1 | 0.5 | <i>0.50</i> | 0.04 | <i>0.04</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Queensland | 53 | 0.2 | <i>0.03</i> | 0.03 | <i>0.01</i> | 17 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Australia, South Australia | 11 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> | 4 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| Australia, Tasmania | 8 | 0.3 | <i>0.10</i> | 0.02 | <i>0.01</i> | 1 | 0.0 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Australia, Victoria | 35 | 0.1 | <i>0.02</i> | 0.02 | <i>0.00</i> | 20 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| *Australia, Western Australia | 27 | 0.2 | <i>0.05</i> | 0.03 | <i>0.01</i> | 9 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *France, New Caledonia | 1 | 0.1 | <i>0.10</i> | 0.00 | <i>0.00</i> | 1 | 0.1 | <i>0.09</i> | 0.00 | <i>0.00</i> |
| New Zealand | 84 | 0.4 | <i>0.04</i> | 0.04 | <i>0.01</i> | 26 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *New Zealand: Maori | 6 | 0.4 | <i>0.18</i> | 0.08 | <i>0.04</i> | 2 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| *New Zealand: Pacific peoples | 2 | 0.3 | <i>0.23</i> | 0.06 | <i>0.05</i> | 1 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> |
| *New Zealand: Other | 75 | 0.4 | <i>0.05</i> | 0.04 | <i>0.01</i> | 22 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Hawaii | 23 | 0.3 | <i>0.07</i> | 0.04 | <i>0.01</i> | 6 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Hawaii: White | 8 | 0.4 | <i>0.15</i> | 0.07 | <i>0.03</i> | 2 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *USA, Hawaii: Japanese | 5 | 0.2 | <i>0.10</i> | 0.01 | <i>0.01</i> | 3 | 0.2 | <i>0.11</i> | 0.03 | <i>0.02</i> |
| *USA, Hawaii: Chinese | 2 | 0.3 | <i>0.20</i> | 0.00 | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 3 | 0.3 | <i>0.18</i> | 0.02 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Filipino | 2 | 0.2 | <i>0.12</i> | 0.01 | <i>0.01</i> | 1 | 0.0 | <i>0.03</i> | 0.00 | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Eye (C69)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 2 | 0.1 | 0.09 | 0.01 | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *Algeria, Tizi Ouzou | 3 | 0.2 | 0.14 | 0.02 | 0.01 | 7 | 0.5 | 0.22 | 0.02 | 0.01 |
| *Benin, Cotonou | 2 | 0.4 | 0.34 | 0.08 | 0.08 | 10 | 0.9 | 0.32 | 0.08 | 0.03 |
| *France, La Réunion | 10 | 0.5 | 0.17 | 0.06 | 0.02 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Kenya, Eldoret | 11 | 0.7 | 0.26 | 0.08 | 0.04 | 10 | 0.7 | 0.26 | 0.07 | 0.03 |
| *Kenya, Nairobi | 58 | 1.2 | 0.22 | 0.08 | 0.02 | 36 | 0.5 | 0.09 | 0.03 | 0.01 |
| Mauritius | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 8 | 0.2 | 0.08 | 0.01 | 0.00 |
| *Morocco, Casablanca | 30 | 0.3 | 0.06 | 0.02 | 0.01 | 23 | 0.3 | 0.05 | 0.02 | 0.00 |
| *Seychelles | 1 | 0.6 | 0.61 | 0.03 | 0.03 | 1 | 0.3 | 0.32 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | 25 | 2.4 | 0.51 | 0.20 | 0.05 | 24 | 1.5 | 0.32 | 0.13 | 0.03 |
| *Uganda, Kyadondo County | 54 | 1.5 | 0.27 | 0.14 | 0.03 | 68 | 1.3 | 0.22 | 0.14 | 0.03 |
| *Uganda, Gulu | 17 | 2.0 | 0.51 | 0.15 | 0.04 | 9 | 1.2 | 0.42 | 0.10 | 0.04 |
| *Zimbabwe, Bulawayo: African | 64 | 5.2 | 0.70 | 0.47 | 0.08 | 58 | 3.8 | 0.53 | 0.32 | 0.05 |
| *Zimbabwe, Harare: African | 93 | 3.6 | 0.44 | 0.36 | 0.06 | 82 | 2.9 | 0.36 | 0.27 | 0.04 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 4 | 0.2 | 0.10 | 0.01 | 0.01 |
| *Argentina, Mendoza | 20 | 0.5 | 0.11 | 0.04 | 0.01 | 14 | 0.3 | 0.08 | 0.03 | 0.01 |
| Brazil, Aracaju | 7 | 0.6 | 0.22 | 0.04 | 0.02 | 4 | 0.2 | 0.11 | 0.01 | 0.01 |
| *Brazil, Barretos | 7 | 0.8 | 0.31 | 0.06 | 0.02 | 2 | 0.3 | 0.19 | 0.01 | 0.01 |
| Brazil, Belo Horizonte | 47 | 0.8 | 0.14 | 0.07 | 0.01 | 33 | 0.5 | 0.10 | 0.03 | 0.01 |
| *Brazil, Campinas | 14 | 0.6 | 0.16 | 0.07 | 0.02 | 6 | 0.3 | 0.13 | 0.03 | 0.01 |
| *Brazil, Curitiba | 22 | 0.6 | 0.14 | 0.07 | 0.02 | 18 | 0.4 | 0.10 | 0.04 | 0.01 |
| Brazil, Goiânia | 17 | 0.8 | 0.20 | 0.07 | 0.02 | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| *Brazil, Jaú | 0 | – | 0.00 | – | 0.00 | 2 | 0.4 | 0.26 | 0.05 | 0.03 |
| Brazil, João Pessoa | 6 | 0.6 | 0.26 | 0.08 | 0.04 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| Brazil, Recife | 3 | 0.2 | 0.12 | 0.01 | 0.01 | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| Chile, Region of Antofagasta | 2 | 0.2 | 0.14 | 0.03 | 0.02 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| Chile, Valdivia | 8 | 0.8 | 0.32 | 0.07 | 0.03 | 3 | 0.2 | 0.14 | 0.03 | 0.02 |
| Colombia, Bucaramanga | 24 | 0.9 | 0.19 | 0.10 | 0.02 | 17 | 0.6 | 0.16 | 0.06 | 0.02 |
| Colombia, Cali | 84 | 1.4 | 0.16 | 0.14 | 0.02 | 76 | 1.1 | 0.13 | 0.10 | 0.01 |
| Colombia, Manizales | 8 | 0.7 | 0.28 | 0.06 | 0.02 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| Colombia, Pasto | 6 | 0.6 | 0.27 | 0.06 | 0.02 | 7 | 0.6 | 0.25 | 0.04 | 0.02 |
| Costa Rica | 70 | 0.7 | 0.09 | 0.07 | 0.01 | 45 | 0.5 | 0.08 | 0.04 | 0.01 |
| Ecuador, Guayaquil | 36 | 0.6 | 0.10 | 0.04 | 0.01 | 27 | 0.5 | 0.09 | 0.03 | 0.01 |
| Ecuador, Manabí | 16 | 0.4 | 0.11 | 0.05 | 0.02 | 18 | 0.5 | 0.11 | 0.04 | 0.01 |
| Ecuador, Quito | 32 | 0.8 | 0.15 | 0.07 | 0.02 | 29 | 0.6 | 0.12 | 0.04 | 0.01 |
| *France, Guadeloupe | 4 | 0.4 | 0.22 | 0.03 | 0.02 | 4 | 0.4 | 0.24 | 0.02 | 0.01 |
| *France, Martinique | 3 | 0.4 | 0.26 | 0.03 | 0.02 | 1 | 0.3 | 0.26 | 0.01 | 0.01 |
| *Peru, Lima | 106 | 0.9 | 0.09 | 0.07 | 0.01 | 98 | 0.7 | 0.07 | 0.05 | 0.01 |
| *Trinidad and Tobago | 6 | 0.4 | 0.16 | 0.02 | 0.01 | 7 | 0.5 | 0.18 | 0.03 | 0.01 |
| USA, Puerto Rico | 102 | 0.8 | 0.10 | 0.08 | 0.01 | 49 | 0.5 | 0.09 | 0.03 | 0.01 |
| *Uruguay | 46 | 0.4 | 0.07 | 0.03 | 0.01 | 35 | 0.3 | 0.06 | 0.03 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 111 | 0.9 | 0.09 | 0.09 | 0.01 | 116 | 0.9 | 0.09 | 0.09 | 0.01 |
| Canada, British Columbia | 122 | 0.7 | 0.07 | 0.07 | 0.01 | 100 | 0.5 | 0.06 | 0.05 | 0.01 |
| *Canada, Manitoba | 23 | 0.5 | 0.10 | 0.05 | 0.01 | 23 | 0.5 | 0.12 | 0.04 | 0.01 |
| *Canada, New Brunswick | 11 | 0.3 | 0.10 | 0.04 | 0.01 | 9 | 0.3 | 0.15 | 0.02 | 0.01 |
| *Canada, Newfoundland and Labrador | 17 | 0.7 | 0.16 | 0.08 | 0.02 | 10 | 0.4 | 0.13 | 0.03 | 0.01 |
| Canada, Ontario | 449 | 0.9 | 0.05 | 0.09 | 0.00 | 369 | 0.7 | 0.04 | 0.07 | 0.00 |
| *Canada, Prince Edward Island | 3 | 0.4 | 0.23 | 0.06 | 0.04 | 5 | 0.7 | 0.34 | 0.09 | 0.04 |
| Canada, Quebec | 242 | 0.7 | 0.06 | 0.07 | 0.01 | 218 | 0.7 | 0.06 | 0.06 | 0.01 |
| Canada, Saskatchewan | 18 | 0.4 | 0.13 | 0.03 | 0.01 | 25 | 0.6 | 0.12 | 0.06 | 0.01 |
| *Canada, Yukon | 4 | 3.7 | 2.27 | 0.28 | 0.14 | 0 | – | 0.00 | – | 0.00 |
| USA | 8237 | 0.8 | 0.01 | 0.08 | 0.00 | 7085 | 0.6 | 0.01 | 0.06 | 0.00 |
| USA: White | 7541 | 0.8 | 0.01 | 0.08 | 0.00 | 6491 | 0.7 | 0.01 | 0.07 | 0.00 |
| USA: Black | 296 | 0.3 | 0.02 | 0.02 | 0.00 | 269 | 0.3 | 0.02 | 0.02 | 0.00 |
| USA, NPCR | 7952 | 0.8 | 0.01 | 0.08 | 0.00 | 6826 | 0.6 | 0.01 | 0.06 | 0.00 |
| USA, NPCR: White | 7283 | 0.8 | 0.01 | 0.08 | 0.00 | 6246 | 0.7 | 0.01 | 0.07 | 0.00 |
| USA, NPCR: Black | 291 | 0.3 | 0.02 | 0.02 | 0.00 | 265 | 0.3 | 0.02 | 0.02 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 146 | 0.4 | 0.03 | 0.03 | 0.00 | 127 | 0.3 | 0.03 | 0.02 | 0.00 |
| USA, NPCR: American Indian | 23 | 0.2 | 0.05 | 0.02 | 0.01 | 29 | 0.3 | 0.05 | 0.03 | 0.01 |
| *USA, SEER (18 registries) | 2220 | 0.8 | 0.02 | 0.08 | 0.00 | 1888 | 0.6 | 0.02 | 0.06 | 0.00 |
| *USA, SEER (18 registries): White | 2007 | 0.9 | 0.02 | 0.09 | 0.00 | 1709 | 0.7 | 0.02 | 0.07 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 1806 | 1.0 | 0.03 | 0.10 | 0.00 | 1494 | 0.8 | 0.03 | 0.08 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 201 | 0.5 | 0.04 | 0.05 | 0.00 | 215 | 0.5 | 0.03 | 0.04 | 0.00 |
| *USA, SEER (18 registries): Black | 70 | 0.3 | 0.03 | 0.02 | 0.00 | 79 | 0.3 | 0.04 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 86 | 0.4 | 0.05 | 0.03 | 0.00 | 67 | 0.3 | 0.05 | 0.02 | 0.00 |
| *USA, SEER (9 registries) | 798 | 0.8 | 0.03 | 0.08 | 0.00 | 675 | 0.7 | 0.03 | 0.06 | 0.00 |
| *USA, SEER (9 registries): White | 713 | 0.9 | 0.04 | 0.09 | 0.00 | 618 | 0.8 | 0.04 | 0.08 | 0.00 |
| *USA, SEER (9 registries): Black | 35 | 0.4 | 0.07 | 0.03 | 0.01 | 27 | 0.3 | 0.06 | 0.02 | 0.00 |
| USA, Alabama | 143 | 0.9 | 0.08 | 0.09 | 0.01 | 103 | 0.6 | 0.07 | 0.06 | 0.01 |
| USA, Alabama: White | 130 | 1.0 | 0.10 | 0.10 | 0.01 | 94 | 0.7 | 0.08 | 0.07 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Eye (C69) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 12 | 0.4 | 0.12 | 0.03 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.01 | |
| USA, Alaska | 8 | 0.3 | 0.12 | 0.04 | 0.01 | 22 | 1.0 | 0.22 | 0.09 | 0.02 | |
| *USA, Alaska: Alaska Natives | 0 | – | 0.00 | – | 0.00 | 3 | 0.9 | 0.52 | 0.05 | 0.04 | |
| USA, Arizona | 136 | 0.6 | 0.06 | 0.05 | 0.01 | 142 | 0.6 | 0.06 | 0.05 | 0.01 | |
| USA, Arizona: White | 134 | 0.7 | 0.07 | 0.06 | 0.01 | 138 | 0.6 | 0.06 | 0.06 | 0.01 | |
| USA, Arizona: Black | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 | |
| *USA, Arizona: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.01 | 0.01 | |
| USA, Arizona: American Indian | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 3 | 0.3 | 0.20 | 0.02 | 0.01 | |
| USA, Arkansas | 69 | 0.7 | 0.10 | 0.06 | 0.01 | 54 | 0.5 | 0.09 | 0.05 | 0.01 | |
| USA, Arkansas: White | 65 | 0.8 | 0.11 | 0.07 | 0.01 | 53 | 0.6 | 0.11 | 0.06 | 0.01 | |
| USA, Arkansas: Black | 3 | 0.3 | 0.17 | 0.01 | 0.01 | 1 | 0.1 | 0.13 | 0.01 | 0.01 | |
| USA, California | 960 | 0.8 | 0.03 | 0.08 | 0.00 | 808 | 0.6 | 0.03 | 0.06 | 0.00 | |
| USA, California: White | 861 | 0.9 | 0.03 | 0.09 | 0.00 | 736 | 0.8 | 0.03 | 0.07 | 0.00 | |
| USA, California: Black | 14 | 0.2 | 0.06 | 0.01 | 0.00 | 21 | 0.3 | 0.07 | 0.02 | 0.01 | |
| USA, California: Asian and Pacific Islander | 56 | 0.4 | 0.06 | 0.03 | 0.00 | 42 | 0.3 | 0.06 | 0.02 | 0.00 | |
| *USA, California, Los Angeles County | 172 | 0.6 | 0.05 | 0.06 | 0.01 | 193 | 0.6 | 0.05 | 0.06 | 0.00 | |
| *USA, California, Los Angeles County: White | 146 | 0.6 | 0.06 | 0.06 | 0.01 | 169 | 0.7 | 0.07 | 0.07 | 0.01 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 106 | 0.8 | 0.10 | 0.09 | 0.01 | 116 | 0.9 | 0.11 | 0.10 | 0.01 | |
| *USA, California, Los Angeles County: Hispanic White | 40 | 0.4 | 0.06 | 0.04 | 0.01 | 53 | 0.5 | 0.07 | 0.04 | 0.01 | |
| *USA, California, Los Angeles County: Black | 3 | 0.1 | 0.09 | 0.00 | 0.00 | 8 | 0.4 | 0.16 | 0.02 | 0.01 | |
| *USA, California, Los Angeles County: Chinese | 7 | 0.8 | 0.36 | 0.07 | 0.03 | 3 | 0.3 | 0.24 | 0.02 | 0.01 | |
| *USA, California, Los Angeles County: Filipino | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.4 | 0.29 | 0.02 | 0.01 | |
| *USA, California, Los Angeles County: Korean | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.02 | 0.02 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 16 | 0.4 | 0.13 | 0.04 | 0.01 | 12 | 0.3 | 0.12 | 0.02 | 0.01 | |
| *USA, California, San Francisco Bay Area | 121 | 0.8 | 0.08 | 0.08 | 0.01 | 115 | 0.7 | 0.08 | 0.07 | 0.01 | |
| *USA, California, San Francisco Bay Area: White | 105 | 1.0 | 0.11 | 0.11 | 0.01 | 103 | 1.0 | 0.12 | 0.10 | 0.01 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 93 | 1.1 | 0.13 | 0.12 | 0.01 | 91 | 1.1 | 0.15 | 0.11 | 0.01 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 12 | 0.6 | 0.19 | 0.07 | 0.03 | 12 | 0.6 | 0.17 | 0.04 | 0.01 | |
| *USA, California, San Francisco Bay Area: Black | 3 | 0.3 | 0.21 | 0.02 | 0.01 | 4 | 0.2 | 0.11 | 0.02 | 0.01 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 13 | 0.4 | 0.12 | 0.03 | 0.01 | 8 | 0.3 | 0.11 | 0.02 | 0.01 | |
| USA, Colorado | 158 | 0.9 | 0.08 | 0.09 | 0.01 | 137 | 0.8 | 0.08 | 0.07 | 0.01 | |
| USA, Colorado: White | 148 | 0.9 | 0.09 | 0.09 | 0.01 | 132 | 0.8 | 0.08 | 0.08 | 0.01 | |
| *USA, Colorado: Black | 1 | 0.1 | 0.13 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *USA, Colorado: Asian and Pacific Islander | 4 | 0.8 | 0.46 | 0.04 | 0.02 | 2 | 0.7 | 0.51 | 0.03 | 0.02 | |
| USA, Connecticut | 87 | 0.7 | 0.09 | 0.07 | 0.01 | 98 | 0.7 | 0.09 | 0.08 | 0.01 | |
| USA, Connecticut: White | 82 | 0.7 | 0.10 | 0.08 | 0.01 | 93 | 0.8 | 0.11 | 0.09 | 0.01 | |
| USA, Connecticut: Black | 1 | 0.1 | 0.10 | 0.02 | 0.02 | 4 | 0.4 | 0.21 | 0.04 | 0.02 | |
| USA, District of Columbia | 5 | 0.4 | 0.17 | 0.02 | 0.01 | 7 | 0.4 | 0.18 | 0.03 | 0.01 | |
| USA, District of Columbia: White | 2 | 0.2 | 0.16 | 0.02 | 0.02 | 6 | 0.9 | 0.39 | 0.08 | 0.04 | |
| USA, District of Columbia: Black | 2 | 0.3 | 0.22 | 0.02 | 0.01 | 1 | 0.2 | 0.20 | 0.01 | 0.01 | |
| USA, Florida | 557 | 0.7 | 0.04 | 0.07 | 0.00 | 468 | 0.6 | 0.04 | 0.06 | 0.00 | |
| USA, Florida: White | 506 | 0.8 | 0.04 | 0.08 | 0.00 | 423 | 0.7 | 0.04 | 0.06 | 0.00 | |
| USA, Florida: Black | 31 | 0.4 | 0.08 | 0.03 | 0.01 | 30 | 0.3 | 0.07 | 0.03 | 0.01 | |
| USA, Florida: Asian and Pacific Islander | 3 | 0.2 | 0.16 | 0.02 | 0.01 | 4 | 0.3 | 0.16 | 0.02 | 0.01 | |
| USA, Georgia | 220 | 0.7 | 0.05 | 0.07 | 0.01 | 205 | 0.6 | 0.05 | 0.06 | 0.00 | |
| USA, Georgia: White | 192 | 0.9 | 0.07 | 0.09 | 0.01 | 180 | 0.8 | 0.07 | 0.08 | 0.01 | |
| USA, Georgia: Black | 22 | 0.3 | 0.07 | 0.02 | 0.01 | 22 | 0.3 | 0.07 | 0.02 | 0.01 | |
| USA, Georgia: Asian and Pacific Islander | 5 | 0.6 | 0.27 | 0.05 | 0.03 | 2 | 0.1 | 0.10 | 0.01 | 0.01 | |
| *USA, Georgia, Atlanta | 66 | 0.7 | 0.09 | 0.06 | 0.01 | 52 | 0.5 | 0.07 | 0.05 | 0.01 | |
| *USA, Georgia, Atlanta: White | 48 | 0.9 | 0.15 | 0.08 | 0.01 | 42 | 0.6 | 0.11 | 0.07 | 0.01 | |
| *USA, Georgia, Atlanta: Black | 14 | 0.4 | 0.11 | 0.04 | 0.01 | 9 | 0.3 | 0.11 | 0.02 | 0.01 | |
| USA, Idaho | 54 | 0.9 | 0.13 | 0.11 | 0.02 | 29 | 0.5 | 0.10 | 0.04 | 0.01 | |
| USA, Indiana | 179 | 0.8 | 0.07 | 0.07 | 0.01 | 148 | 0.6 | 0.06 | 0.06 | 0.01 | |
| USA, Indiana: White | 171 | 0.9 | 0.08 | 0.08 | 0.01 | 145 | 0.7 | 0.07 | 0.07 | 0.01 | |
| USA, Indiana: Black | 5 | 0.3 | 0.16 | 0.03 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 | |
| *USA, Iowa | 122 | 1.2 | 0.12 | 0.13 | 0.01 | 106 | 0.9 | 0.10 | 0.09 | 0.01 | |
| USA, Kentucky | 179 | 1.1 | 0.10 | 0.12 | 0.01 | 121 | 0.8 | 0.08 | 0.07 | 0.01 | |
| USA, Louisiana | 96 | 0.6 | 0.07 | 0.06 | 0.01 | 75 | 0.5 | 0.07 | 0.05 | 0.01 | |
| USA, Louisiana: White | 87 | 0.8 | 0.10 | 0.08 | 0.01 | 65 | 0.7 | 0.10 | 0.06 | 0.01 | |
| USA, Louisiana: Black | 8 | 0.2 | 0.09 | 0.02 | 0.01 | 9 | 0.3 | 0.10 | 0.02 | 0.01 | |
| *USA, Louisiana, New Orleans | 11 | 0.4 | 0.13 | 0.04 | 0.01 | 11 | 0.4 | 0.16 | 0.04 | 0.01 | |
| *USA, Louisiana, New Orleans: White | 7 | 0.3 | 0.13 | 0.04 | 0.02 | 10 | 0.9 | 0.33 | 0.07 | 0.02 | |
| *USA, Louisiana, New Orleans: Black | 3 | 0.3 | 0.20 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| USA, Maine | 61 | 1.1 | 0.17 | 0.11 | 0.02 | 41 | 0.8 | 0.17 | 0.08 | 0.01 | |
| USA, Maryland | 107 | 0.6 | 0.07 | 0.05 | 0.01 | 88 | 0.5 | 0.06 | 0.04 | 0.00 | |
| USA, Maryland: White | 92 | 0.8 | 0.10 | 0.07 | 0.01 | 76 | 0.6 | 0.08 | 0.05 | 0.01 | |
| USA, Maryland: Black | 13 | 0.3 | 0.09 | 0.02 | 0.01 | 6 | 0.2 | 0.09 | 0.01 | 0.00 | |
| USA, Maryland: Asian and Pacific Islander | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 6 | 0.6 | 0.30 | 0.05 | 0.02 | |
| USA, Massachusetts | 188 | 0.8 | 0.07 | 0.08 | 0.01 | 159 | 0.6 | 0.06 | 0.06 | 0.01 | |
| USA, Massachusetts: White | 173 | 0.8 | 0.07 | 0.09 | 0.01 | 148 | 0.7 | 0.07 | 0.07 | 0.01 | |
| USA, Massachusetts: Black | 3 | 0.2 | 0.15 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| USA, Massachusetts: Asian and Pacific Islander | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Eye (C69) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 268 | 0.8 | 0.05 | 0.08 | 0.01 | 204 | 0.6 | 0.06 | 0.05 | 0.00 |
| USA, Michigan: White | 253 | 0.8 | 0.06 | 0.08 | 0.01 | 190 | 0.7 | 0.07 | 0.06 | 0.01 |
| USA, Michigan: Black | 11 | 0.3 | 0.10 | 0.03 | 0.01 | 9 | 0.2 | 0.08 | 0.01 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 3 | 0.6 | 0.36 | 0.04 | 0.02 |
| *USA, Michigan, Detroit | 98 | 0.7 | 0.08 | 0.08 | 0.01 | 69 | 0.5 | 0.08 | 0.05 | 0.01 |
| *USA, Michigan, Detroit: White | 86 | 0.8 | 0.10 | 0.09 | 0.01 | 59 | 0.6 | 0.10 | 0.06 | 0.01 |
| *USA, Michigan, Detroit: Black | 11 | 0.5 | 0.15 | 0.04 | 0.01 | 9 | 0.4 | 0.14 | 0.02 | 0.01 |
| USA, Minnesota | 129 | 0.7 | 0.07 | 0.07 | 0.01 | 127 | 0.6 | 0.06 | 0.06 | 0.01 |
| USA, Minnesota: White | 123 | 0.7 | 0.07 | 0.07 | 0.01 | 120 | 0.6 | 0.06 | 0.06 | 0.01 |
| USA, Minnesota: Black | 2 | 0.2 | 0.15 | 0.01 | 0.01 | 4 | 0.5 | 0.25 | 0.04 | 0.03 |
| *USA, Minnesota: Asian and Pacific Islander | 2 | 0.3 | 0.23 | 0.02 | 0.01 | 1 | 0.2 | 0.20 | 0.01 | 0.01 |
| USA, Mississippi | 86 | 0.8 | 0.10 | 0.09 | 0.01 | 78 | 0.7 | 0.09 | 0.07 | 0.01 |
| USA, Missouri | 183 | 0.9 | 0.08 | 0.09 | 0.01 | 124 | 0.6 | 0.06 | 0.05 | 0.01 |
| USA, Missouri: White | 171 | 0.9 | 0.08 | 0.09 | 0.01 | 115 | 0.6 | 0.07 | 0.06 | 0.01 |
| USA, Missouri: Black | 10 | 0.6 | 0.19 | 0.04 | 0.01 | 6 | 0.4 | 0.17 | 0.02 | 0.01 |
| USA, Montana | 33 | 0.9 | 0.18 | 0.08 | 0.02 | 33 | 0.8 | 0.15 | 0.08 | 0.02 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Nebraska | 61 | 1.0 | 0.14 | 0.10 | 0.01 | 47 | 0.8 | 0.13 | 0.07 | 0.01 |
| USA, Nebraska: White | 57 | 1.0 | 0.15 | 0.10 | 0.01 | 46 | 0.8 | 0.14 | 0.07 | 0.01 |
| *USA, Nebraska: Black | 3 | 1.2 | 0.67 | 0.07 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, Nevada | 77 | 0.8 | 0.11 | 0.07 | 0.01 | 47 | 0.5 | 0.09 | 0.05 | 0.01 |
| USA, Nevada: White | 72 | 1.0 | 0.13 | 0.08 | 0.01 | 43 | 0.6 | 0.11 | 0.05 | 0.01 |
| USA, Nevada: Black | 1 | 0.2 | 0.19 | 0.01 | 0.01 | 3 | 0.5 | 0.30 | 0.03 | 0.02 |
| *USA, Nevada: Asian and Pacific Islander | 2 | 0.2 | 0.15 | 0.03 | 0.02 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| USA, New Jersey | 172 | 0.6 | 0.05 | 0.05 | 0.00 | 173 | 0.6 | 0.06 | 0.05 | 0.00 |
| USA, New Jersey: White | 155 | 0.7 | 0.07 | 0.06 | 0.01 | 150 | 0.6 | 0.07 | 0.06 | 0.01 |
| USA, New Jersey: Black | 6 | 0.2 | 0.07 | 0.01 | 0.01 | 11 | 0.4 | 0.13 | 0.02 | 0.01 |
| USA, New Mexico | 42 | 0.6 | 0.11 | 0.06 | 0.01 | 36 | 0.5 | 0.10 | 0.04 | 0.01 |
| USA, New Mexico: White | 35 | 0.6 | 0.12 | 0.06 | 0.01 | 34 | 0.5 | 0.11 | 0.04 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 26 | 0.9 | 0.24 | 0.08 | 0.02 | 23 | 0.4 | 0.10 | 0.04 | 0.01 |
| USA, New Mexico: Hispanic White | 9 | 0.3 | 0.12 | 0.04 | 0.02 | 11 | 0.5 | 0.16 | 0.04 | 0.01 |
| *USA, New Mexico: American Indian | 5 | 0.9 | 0.42 | 0.12 | 0.07 | 1 | 0.2 | 0.22 | 0.01 | 0.01 |
| USA, New York State | 483 | 0.8 | 0.04 | 0.08 | 0.00 | 474 | 0.7 | 0.04 | 0.07 | 0.00 |
| USA, New York State: White | 427 | 0.9 | 0.05 | 0.09 | 0.00 | 427 | 0.8 | 0.05 | 0.08 | 0.00 |
| USA, New York State: Black | 27 | 0.4 | 0.07 | 0.02 | 0.00 | 26 | 0.3 | 0.06 | 0.02 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 21 | 0.4 | 0.10 | 0.04 | 0.01 | 17 | 0.4 | 0.12 | 0.03 | 0.01 |
| USA, North Carolina | 240 | 0.7 | 0.05 | 0.07 | 0.01 | 254 | 0.7 | 0.05 | 0.07 | 0.00 |
| USA, North Carolina: White | 214 | 0.8 | 0.06 | 0.08 | 0.01 | 230 | 0.9 | 0.07 | 0.08 | 0.01 |
| USA, North Carolina: Black | 19 | 0.3 | 0.08 | 0.03 | 0.01 | 17 | 0.3 | 0.08 | 0.03 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 2 | 0.3 | 0.20 | 0.01 | 0.01 | 3 | 0.3 | 0.17 | 0.02 | 0.01 |
| *USA, North Carolina: American Indian | 1 | 0.3 | 0.31 | 0.01 | 0.01 | 1 | 0.2 | 0.17 | 0.02 | 0.02 |
| USA, North Dakota | 14 | 0.6 | 0.19 | 0.05 | 0.02 | 10 | 0.3 | 0.13 | 0.02 | 0.01 |
| USA, Ohio | 372 | 0.9 | 0.05 | 0.09 | 0.01 | 321 | 0.8 | 0.05 | 0.07 | 0.00 |
| USA, Ohio: White | 362 | 1.0 | 0.06 | 0.10 | 0.01 | 303 | 0.8 | 0.06 | 0.08 | 0.01 |
| USA, Ohio: Black | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 14 | 0.4 | 0.11 | 0.03 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 1 | 0.3 | 0.25 | 0.01 | 0.01 | 2 | 0.2 | 0.16 | 0.04 | 0.03 |
| USA, Oklahoma | 93 | 0.8 | 0.09 | 0.07 | 0.01 | 68 | 0.5 | 0.07 | 0.05 | 0.01 |
| USA, Oklahoma: White | 82 | 0.7 | 0.09 | 0.07 | 0.01 | 65 | 0.6 | 0.09 | 0.06 | 0.01 |
| USA, Oklahoma: Black | 3 | 0.4 | 0.25 | 0.02 | 0.01 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |
| USA, Oklahoma: American Indian | 5 | 0.5 | 0.23 | 0.04 | 0.03 | 2 | 0.2 | 0.12 | 0.02 | 0.02 |
| USA, Oregon | 164 | 1.1 | 0.10 | 0.12 | 0.01 | 131 | 0.8 | 0.08 | 0.08 | 0.01 |
| USA, Oregon: White | 156 | 1.1 | 0.11 | 0.13 | 0.01 | 128 | 0.8 | 0.09 | 0.09 | 0.01 |
| *USA, Oregon: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.5 | 0.48 | 0.04 | 0.04 |
| *USA, Oregon: Asian and Pacific Islander | 3 | 0.7 | 0.44 | 0.07 | 0.05 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| USA, Rhode Island | 23 | 0.8 | 0.20 | 0.08 | 0.02 | 18 | 0.3 | 0.11 | 0.04 | 0.01 |
| USA, Rhode Island: White | 23 | 1.0 | 0.25 | 0.09 | 0.02 | 18 | 0.4 | 0.14 | 0.04 | 0.01 |
| *USA, Rhode Island: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 103 | 0.7 | 0.07 | 0.06 | 0.01 | 100 | 0.6 | 0.07 | 0.05 | 0.01 |
| USA, South Carolina: White | 90 | 0.7 | 0.09 | 0.08 | 0.01 | 91 | 0.7 | 0.10 | 0.07 | 0.01 |
| USA, South Carolina: Black | 11 | 0.4 | 0.13 | 0.03 | 0.01 | 7 | 0.2 | 0.10 | 0.02 | 0.01 |
| USA, South Dakota | 27 | 1.0 | 0.21 | 0.11 | 0.02 | 19 | 0.6 | 0.17 | 0.07 | 0.02 |
| USA, Tennessee | 205 | 1.0 | 0.08 | 0.10 | 0.01 | 190 | 0.7 | 0.06 | 0.08 | 0.01 |
| USA, Tennessee: White | 192 | 1.1 | 0.09 | 0.11 | 0.01 | 183 | 0.8 | 0.07 | 0.09 | 0.01 |
| USA, Tennessee: Black | 9 | 0.4 | 0.15 | 0.02 | 0.01 | 7 | 0.3 | 0.12 | 0.02 | 0.01 |
| USA, Texas | 550 | 0.7 | 0.03 | 0.06 | 0.00 | 487 | 0.6 | 0.03 | 0.05 | 0.00 |
| USA, Texas: White | 522 | 0.8 | 0.04 | 0.07 | 0.00 | 454 | 0.6 | 0.03 | 0.06 | 0.00 |
| USA, Texas: Black | 15 | 0.2 | 0.05 | 0.02 | 0.00 | 19 | 0.3 | 0.07 | 0.02 | 0.00 |
| USA, Texas: Asian and Pacific Islander | 5 | 0.1 | 0.07 | 0.01 | 0.01 | 10 | 0.4 | 0.14 | 0.03 | 0.01 |
| USA, Utah | 72 | 0.8 | 0.10 | 0.08 | 0.01 | 64 | 0.8 | 0.10 | 0.08 | 0.01 |
| USA, Vermont | 17 | 0.7 | 0.22 | 0.08 | 0.02 | 15 | 0.5 | 0.17 | 0.06 | 0.02 |
| USA, Washington State | 231 | 0.9 | 0.07 | 0.10 | 0.01 | 173 | 0.7 | 0.06 | 0.07 | 0.01 |
| *USA, Washington, Seattle | 156 | 0.9 | 0.08 | 0.09 | 0.01 | 116 | 0.8 | 0.08 | 0.07 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Eye (C69) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 77 | 1.1 | 0.16 | 0.10 | 0.01 | 55 | 0.9 | 0.16 | 0.08 | 0.01 |
| USA, Wyoming | 21 | 1.0 | 0.25 | 0.11 | 0.03 | 11 | 0.7 | 0.26 | 0.05 | 0.02 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| Brunei Darussalam | 2 | 0.3 | 0.23 | 0.01 | 0.01 | 6 | 0.9 | 0.39 | 0.08 | 0.04 |
| *China, Anfu County | 4 | 0.4 | 0.18 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.2 | 0.18 | 0.01 | 0.01 |
| *China, Anshan City | 5 | 0.3 | 0.17 | 0.01 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.19 | 0.02 | 0.01 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 5 | 0.3 | 0.13 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Beijing City | 40 | 0.3 | 0.06 | 0.02 | 0.00 | 45 | 0.4 | 0.06 | 0.02 | 0.00 |
| *China, Binhai County | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Cangzhou City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| China, Changfeng County | 3 | 0.4 | 0.26 | 0.03 | 0.02 | 4 | 0.6 | 0.35 | 0.02 | 0.01 |
| China, Changzhou City | 6 | 0.1 | 0.05 | 0.01 | 0.00 | 7 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Chengdu City | 5 | 0.2 | 0.12 | 0.02 | 0.01 | 2 | 0.1 | 0.11 | 0.01 | 0.01 |
| China, Cixian County | 3 | 0.3 | 0.17 | 0.01 | 0.01 | 2 | 0.2 | 0.17 | 0.01 | 0.01 |
| China, Cixi City | 3 | 0.2 | 0.14 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Dafeng District, Yancheng City | 3 | 0.4 | 0.27 | 0.02 | 0.01 | 6 | 0.8 | 0.40 | 0.04 | 0.02 |
| China, Dalian City | 9 | 0.1 | 0.07 | 0.01 | 0.00 | 6 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Dancheng County | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Dangtu County | 2 | 0.2 | 0.12 | 0.03 | 0.02 | 2 | 0.4 | 0.38 | 0.02 | 0.02 |
| *China, Danyang City | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 6 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Donggang County | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Dongguan City | 5 | 0.3 | 0.13 | 0.01 | 0.01 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| China, Donghai County | 4 | 0.1 | 0.07 | 0.01 | 0.00 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Dongtai City | 3 | 0.1 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 5 | 1.4 | 0.62 | 0.06 | 0.03 | 2 | 0.1 | 0.10 | 0.02 | 0.02 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 3 | 0.7 | 0.49 | 0.03 | 0.02 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Fangcheng County | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Feicheng City | 5 | 0.3 | 0.13 | 0.02 | 0.01 | 3 | 0.2 | 0.13 | 0.01 | 0.01 |
| China, Feixi County | 4 | 0.2 | 0.09 | 0.01 | 0.01 | 3 | 0.2 | 0.11 | 0.01 | 0.01 |
| China, Fuqing City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Ganyu District, Lianyungang City | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 1 | 0.3 | 0.28 | 0.01 | 0.01 | 1 | 0.2 | 0.18 | 0.02 | 0.02 |
| *China, Gaocheng City | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Gaomi City | 0 | – | 0.00 | – | 0.00 | 2 | 0.3 | 0.19 | 0.01 | 0.01 |
| China, Gong'an County | 6 | 0.3 | 0.14 | 0.03 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 0 | – | 0.00 | – | 0.00 | 6 | 0.5 | 0.23 | 0.04 | 0.02 |
| China, Guanghan City | 2 | 0.7 | 0.47 | 0.03 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Guangzhou City | 61 | 0.3 | 0.05 | 0.02 | 0.00 | 50 | 0.3 | 0.05 | 0.02 | 0.00 |
| *China, Guanyun County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.3 | 0.14 | 0.01 | 0.01 |
| China, Guilin City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Hai'an City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Haimen District, Nantong City | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 5 | 0.2 | 0.16 | 0.02 | 0.01 |
| China, Haining City | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Hangzhou City | 19 | 0.1 | 0.03 | 0.01 | 0.00 | 22 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Hebi City | 9 | 0.8 | 0.29 | 0.07 | 0.03 | 2 | 0.1 | 0.11 | 0.02 | 0.01 |
| China, Hefei City | 9 | 0.2 | 0.06 | 0.01 | 0.00 | 11 | 0.2 | 0.07 | 0.01 | 0.00 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.24 | 0.01 | 0.01 |
| *China, Hepu County | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Honghu City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| China, Hongshan District, Chifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 4 | 0.4 | 0.23 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 1 | 0.0 | 0.03 | 0.01 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Jiange County | 2 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Jiangyin City | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Jiashan County | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.4 | 0.38 | 0.02 | 0.02 |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 14 | 0.3 | 0.08 | 0.02 | 0.01 | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Jingtai County | 3 | 0.4 | 0.22 | 0.03 | 0.02 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Jingxian County | 1 | 0.3 | 0.35 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Jiulongpo District, Chongqing City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Jiyuan City | 3 | 0.2 | 0.10 | 0.03 | 0.02 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Eye (C69) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Kunshan City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Langzhong City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Liangshan County | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.3 | 0.18 | 0.02 | 0.01 |
| *China, Lianshui County | 4 | 0.1 | 0.08 | 0.01 | 0.00 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Lianyungang City | 3 | 0.1 | 0.05 | 0.02 | 0.01 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.14 | 0.02 | 0.02 |
| China, Linqu County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| *China, Linzhou City | 9 | 0.4 | 0.13 | 0.02 | 0.01 | 8 | 0.3 | 0.12 | 0.02 | 0.01 |
| China, Liuzhou City | 2 | 0.1 | 0.09 | 0.01 | 0.00 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Liyang City | 2 | 0.0 | 0.04 | 0.01 | 0.01 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Longquan City | 0 | – | 0.00 | – | 0.00 | 1 | 0.4 | 0.45 | 0.02 | 0.02 |
| China, Lucheng District, Wenzhou City | 1 | 0.2 | 0.23 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Luoding City | 2 | 0.1 | 0.08 | 0.01 | 0.00 | 3 | 0.2 | 0.14 | 0.01 | 0.01 |
| *China, Luohe City | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Luoyang City | 8 | 0.2 | 0.07 | 0.01 | 0.01 | 7 | 0.3 | 0.13 | 0.01 | 0.01 |
| *China, Luquan City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.4 | 0.24 | 0.03 | 0.02 |
| China, Ma'anshan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Macheng City | 3 | 0.4 | 0.21 | 0.01 | 0.01 | 3 | 0.3 | 0.22 | 0.02 | 0.01 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Mengjin County | 2 | 0.3 | 0.26 | 0.02 | 0.01 | 4 | 0.3 | 0.17 | 0.03 | 0.02 |
| China, Nangang District, Harbin City | 3 | 0.1 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Nanhai District, Foshan City | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Nanhu District, Jiaying City | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 6 | 0.4 | 0.22 | 0.02 | 0.01 |
| *China, Nantong City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| *China, Nanxiong City | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 3 | 0.3 | 0.22 | 0.02 | 0.01 |
| China, Neixiang County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Qianxi County | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 4 | 0.1 | 0.03 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.01 |
| China, Qingzhou City | 3 | 0.3 | 0.16 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Rudong County | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Rugao City | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Rural areas of Shanghai City | 48 | 0.3 | 0.06 | 0.02 | 0.00 | 45 | 0.2 | 0.05 | 0.01 | 0.00 |
| China, Ruyang County | 3 | 0.3 | 0.17 | 0.01 | 0.01 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *China, Shan County | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Shanghai City | 29 | 0.2 | 0.05 | 0.01 | 0.00 | 25 | 0.2 | 0.06 | 0.01 | 0.00 |
| China, Shangyu District, Shaoxing City | 5 | 0.5 | 0.29 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Shapingba District, Chongqing City | 3 | 0.2 | 0.16 | 0.01 | 0.01 | 1 | 0.2 | 0.17 | 0.01 | 0.01 |
| China, Shexian County | 2 | 0.2 | 0.15 | 0.01 | 0.01 | 1 | 0.1 | 0.15 | 0.01 | 0.01 |
| China, Sheyang County | 4 | 0.2 | 0.10 | 0.01 | 0.01 | 4 | 0.2 | 0.13 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 4 | 0.2 | 0.10 | 0.01 | 0.00 | 9 | 0.3 | 0.11 | 0.02 | 0.01 |
| China, Shunde District, Foshan City | 4 | 0.2 | 0.13 | 0.01 | 0.01 | 4 | 0.1 | 0.09 | 0.01 | 0.00 |
| *China, Song County | 3 | 0.3 | 0.16 | 0.02 | 0.01 | 3 | 0.2 | 0.12 | 0.03 | 0.02 |
| China, Suzhou City | 12 | 0.1 | 0.02 | 0.01 | 0.00 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Tengzhou City | 4 | 0.1 | 0.06 | 0.01 | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.00 |
| *China, Wangdu County | 1 | 0.1 | 0.14 | 0.02 | 0.02 | 3 | 0.7 | 0.48 | 0.02 | 0.02 |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *China, Wu'an City | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Wuhan City | 10 | 0.1 | 0.04 | 0.00 | 0.00 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Wuhu City | 6 | 0.1 | 0.05 | 0.01 | 0.00 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| China, Wuxi City | 13 | 0.1 | 0.05 | 0.01 | 0.00 | 10 | 0.2 | 0.10 | 0.01 | 0.00 |
| China, Wuzhou City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Xiangfu District, Kaifeng City | 7 | 0.4 | 0.15 | 0.03 | 0.01 | 6 | 0.4 | 0.17 | 0.04 | 0.02 |
| China, Xianju County | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Xin'an County | 1 | 0.1 | 0.10 | 0.02 | 0.02 | 2 | 0.2 | 0.14 | 0.03 | 0.02 |
| *China, Xining City | 5 | 0.2 | 0.11 | 0.01 | 0.01 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Xinji City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 3 | 0.3 | 0.16 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 0 | – | 0.00 | – | 0.00 | 2 | 0.3 | 0.23 | 0.03 | 0.02 |
| China, Xiping County | 2 | 0.1 | 0.11 | 0.00 | 0.00 | 2 | 0.1 | 0.12 | 0.01 | 0.01 |
| *China, Xishan District, Kunming City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xuyi County | 3 | 0.1 | 0.06 | 0.01 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Ya'an City | 11 | 0.2 | 0.08 | 0.03 | 0.01 | 11 | 0.3 | 0.12 | 0.03 | 0.01 |
| *China, Yakeshi City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Yancheng City | 5 | 0.2 | 0.11 | 0.01 | 0.01 | 6 | 0.2 | 0.12 | 0.02 | 0.01 |
| *China, Yangquan City | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 2 | 0.2 | 0.21 | 0.01 | 0.01 | 3 | 0.3 | 0.22 | 0.03 | 0.02 |
| *China, Yanshi City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Yanting County | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 4 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.13 | 0.02 | 0.01 |
| *China, Yingdong District, Fuyang City | 5 | 0.2 | 0.11 | 0.04 | 0.02 | 5 | 0.4 | 0.19 | 0.03 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Eye (C69) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Yong'an City | 1 | 0.2 | 0.17 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 1 | 0.1 | 0.07 | 0.02 | 0.02 |
| China, Yongkang City | 4 | 0.3 | 0.15 | 0.02 | 0.01 | 6 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Yucheng County | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.2 | 0.13 | 0.02 | 0.01 |
| China, Yueyanglou District, Yueyang City | 2 | 0.4 | 0.28 | 0.04 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 6 | 0.3 | 0.14 | 0.03 | 0.02 |
| *China, Yunyang District, Shiyan City | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Yuzhong District, Chongqing City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Zanzhuang County | 4 | 0.4 | 0.20 | 0.03 | 0.02 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Zhangjiagang City | 2 | 0.0 | 0.03 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Zhaoyuan City | 0 | – | 0.00 | – | 0.00 | 3 | 0.3 | 0.23 | 0.01 | 0.01 |
| *China, Zhengding County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 8 | 0.3 | 0.10 | 0.02 | 0.01 | 5 | 0.2 | 0.09 | 0.00 | 0.00 |
| China, Zhongxiang City | 6 | 0.2 | 0.06 | 0.01 | 0.01 | 15 | 0.6 | 0.20 | 0.05 | 0.01 |
| *China, Zhuanghe City | 5 | 0.3 | 0.17 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Zhuhai City | 5 | 0.3 | 0.13 | 0.02 | 0.01 | 12 | 0.7 | 0.23 | 0.04 | 0.01 |
| India, Ahmedabad, Urban | 13 | 0.1 | 0.03 | 0.01 | 0.00 | 11 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, Aurangabad | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| India, Bangalore | 14 | 0.1 | 0.04 | 0.01 | 0.00 | 21 | 0.2 | 0.05 | 0.02 | 0.00 |
| India, Barshi, Paranda, and Bhum | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.2 | 0.17 | 0.01 | 0.01 |
| *India, Bhopal | 6 | 0.3 | 0.11 | 0.01 | 0.00 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| India, Chandigarh | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 4 | 0.2 | 0.11 | 0.01 | 0.01 |
| *India, Chennai | 36 | 0.5 | 0.08 | 0.03 | 0.00 | 19 | 0.2 | 0.05 | 0.02 | 0.00 |
| India, Dibrugarh | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *India, Dindigul, Ambilikai | 2 | 0.0 | 0.04 | 0.00 | 0.00 | 5 | 0.1 | 0.05 | 0.01 | 0.00 |
| India, Kamrup Urban District | 3 | 0.2 | 0.09 | 0.01 | 0.00 | 3 | 0.2 | 0.12 | 0.02 | 0.02 |
| India, Kollam | 6 | 0.2 | 0.08 | 0.01 | 0.00 | 7 | 0.2 | 0.08 | 0.01 | 0.01 |
| *India, Manipur | 12 | 0.2 | 0.07 | 0.01 | 0.00 | 7 | 0.1 | 0.06 | 0.01 | 0.00 |
| India, Meghalaya | 10 | 0.3 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Mizoram | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.1 | 0.08 | 0.00 | 0.00 |
| India, Mumbai | 28 | 0.1 | 0.02 | 0.01 | 0.00 | 27 | 0.1 | 0.03 | 0.01 | 0.00 |
| *India, New Delhi | 113 | 0.5 | 0.05 | 0.03 | 0.00 | 68 | 0.4 | 0.04 | 0.02 | 0.00 |
| India, Poona | 5 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *India, Sangrur District | 3 | 0.1 | 0.07 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| India, SAS Nagar | 7 | 0.3 | 0.11 | 0.01 | 0.00 | 2 | 0.1 | 0.07 | 0.00 | 0.00 |
| *India, Tamil Nadu | 205 | 0.1 | 0.01 | 0.01 | 0.00 | 174 | 0.1 | 0.01 | 0.01 | 0.00 |
| *India, Tripura | 5 | 0.1 | 0.03 | 0.00 | 0.00 | 5 | 0.1 | 0.04 | 0.00 | 0.00 |
| India, Trivandrum | 11 | 0.2 | 0.05 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, Wardha | 7 | 0.2 | 0.09 | 0.02 | 0.01 | 4 | 0.2 | 0.10 | 0.01 | 0.01 |
| India, West Arunachal | 4 | 0.3 | 0.15 | 0.01 | 0.01 | 6 | 0.5 | 0.23 | 0.04 | 0.02 |
| *Iran (Islamic Republic of), Ardabil Province | 4 | 0.2 | 0.10 | 0.02 | 0.02 | 4 | 0.3 | 0.13 | 0.03 | 0.02 |
| *Iran (Islamic Republic of), Golestan Province | 9 | 0.4 | 0.12 | 0.02 | 0.01 | 11 | 0.4 | 0.13 | 0.03 | 0.01 |
| Israel | 96 | 0.4 | 0.04 | 0.04 | 0.00 | 82 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Israel: Jews | 79 | 0.4 | 0.05 | 0.04 | 0.01 | 69 | 0.3 | 0.04 | 0.03 | 0.00 |
| *Israel: Arabs | 13 | 0.4 | 0.11 | 0.03 | 0.01 | 8 | 0.2 | 0.08 | 0.02 | 0.01 |
| Japan | 434 | 0.2 | 0.02 | 0.02 | 0.00 | 396 | 0.2 | 0.02 | 0.01 | 0.00 |
| Japan, Aichi Prefecture | 23 | 0.3 | 0.07 | 0.02 | 0.00 | 28 | 0.3 | 0.08 | 0.02 | 0.00 |
| *Japan, Akita Prefecture | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.6 | 0.36 | 0.03 | 0.02 |
| Japan, Aomori Prefecture | 10 | 0.3 | 0.12 | 0.02 | 0.01 | 9 | 0.2 | 0.12 | 0.02 | 0.01 |
| Japan, Gunma Prefecture | 2 | 0.2 | 0.14 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Japan, Hiroshima Prefecture | 17 | 0.3 | 0.11 | 0.02 | 0.01 | 19 | 0.3 | 0.10 | 0.01 | 0.00 |
| Japan, Miyagi Prefecture | 12 | 0.2 | 0.08 | 0.01 | 0.00 | 11 | 0.3 | 0.10 | 0.02 | 0.01 |
| Japan, Osaka Prefecture | 28 | 0.2 | 0.06 | 0.02 | 0.00 | 19 | 0.2 | 0.05 | 0.01 | 0.00 |
| Kuwait | 5 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Kuwait: Kuwaitis | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.00 |
| *Kuwait: Non-Kuwaitis | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Philippines, Manila | 39 | 0.3 | 0.05 | 0.02 | 0.00 | 38 | 0.3 | 0.05 | 0.02 | 0.00 |
| *Qatar: Qatari | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Republic of Korea | 331 | 0.3 | 0.02 | 0.02 | 0.00 | 281 | 0.3 | 0.02 | 0.02 | 0.00 |
| *Republic of Korea, Busan | 26 | 0.3 | 0.09 | 0.02 | 0.00 | 16 | 0.2 | 0.07 | 0.02 | 0.00 |
| *Republic of Korea, Daegu | 14 | 0.2 | 0.08 | 0.02 | 0.01 | 11 | 0.3 | 0.11 | 0.02 | 0.01 |
| *Republic of Korea, Daejeon | 14 | 0.5 | 0.14 | 0.05 | 0.01 | 12 | 0.4 | 0.15 | 0.03 | 0.01 |
| *Republic of Korea, Gwangju | 9 | 0.4 | 0.14 | 0.02 | 0.01 | 11 | 0.5 | 0.18 | 0.03 | 0.01 |
| Republic of Korea, Incheon | 13 | 0.3 | 0.09 | 0.02 | 0.00 | 11 | 0.1 | 0.05 | 0.01 | 0.00 |
| Republic of Korea, Jeju | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 5 | 0.4 | 0.24 | 0.02 | 0.01 |
| Republic of Korea, Seoul | 42 | 0.2 | 0.04 | 0.02 | 0.00 | 50 | 0.3 | 0.06 | 0.02 | 0.00 |
| Republic of Korea, Ulsan | 9 | 0.3 | 0.11 | 0.02 | 0.01 | 6 | 0.2 | 0.10 | 0.01 | 0.01 |
| Singapore | 27 | 0.3 | 0.08 | 0.02 | 0.00 | 25 | 0.3 | 0.08 | 0.02 | 0.01 |
| Singapore: Chinese | 21 | 0.3 | 0.09 | 0.02 | 0.00 | 20 | 0.3 | 0.09 | 0.02 | 0.01 |
| Singapore: Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.27 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Eye (C69) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 4 | 0.3 | <i>0.18</i> | 0.02 | <i>0.01</i> | 3 | 0.3 | <i>0.18</i> | 0.02 | <i>0.01</i> |
| Thailand, Bangkok | 15 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> | 18 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| *Thailand, Chiang Mai | 20 | 0.7 | <i>0.17</i> | 0.05 | <i>0.01</i> | 9 | 0.2 | <i>0.10</i> | 0.01 | <i>0.01</i> |
| *Thailand, Khon Kaen | 7 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | 15 | 0.5 | <i>0.16</i> | 0.03 | <i>0.01</i> |
| Thailand, Lampang | 7 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> | 7 | 0.7 | <i>0.34</i> | 0.04 | <i>0.02</i> |
| Thailand, Lopburi Province | 10 | 0.5 | <i>0.17</i> | 0.04 | <i>0.01</i> | 11 | 0.5 | <i>0.16</i> | 0.04 | <i>0.01</i> |
| *Thailand, Songkhla | 9 | 0.3 | <i>0.09</i> | 0.02 | <i>0.01</i> | 8 | 0.3 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| Turkey, Antalya | 28 | 0.5 | <i>0.10</i> | 0.04 | <i>0.01</i> | 16 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> |
| Turkey, Bursa | 17 | 0.3 | <i>0.07</i> | 0.03 | <i>0.01</i> | 15 | 0.2 | <i>0.06</i> | 0.01 | <i>0.00</i> |
| *Turkey, Edirne | 5 | 0.3 | <i>0.15</i> | 0.04 | <i>0.02</i> | 5 | 0.3 | <i>0.13</i> | 0.02 | <i>0.01</i> |
| *Turkey, Erzurum | 4 | 0.2 | <i>0.11</i> | 0.01 | <i>0.00</i> | 5 | 0.3 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| Turkey, Eskişehir | 5 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> | 10 | 0.4 | <i>0.15</i> | 0.04 | <i>0.01</i> |
| Turkey, Gaziantep | 14 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> | 7 | 0.2 | <i>0.06</i> | 0.01 | <i>0.01</i> |
| *Turkey, Izmir | 37 | 0.4 | <i>0.07</i> | 0.03 | <i>0.01</i> | 37 | 0.3 | <i>0.06</i> | 0.03 | <i>0.01</i> |
| Turkey, Malatya | 7 | 0.3 | <i>0.12</i> | 0.02 | <i>0.01</i> | 4 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| Turkey, Samsun | 8 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> | 11 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| Turkey, Trabzon | 5 | 0.3 | <i>0.12</i> | 0.02 | <i>0.01</i> | 4 | 0.2 | <i>0.12</i> | 0.02 | <i>0.01</i> |
| Europe | | | | | | | | | | |
| Austria | 205 | 0.7 | <i>0.06</i> | 0.06 | <i>0.01</i> | 203 | 0.7 | <i>0.06</i> | 0.06 | <i>0.00</i> |
| Austria, Carinthia | 10 | 0.3 | <i>0.10</i> | 0.02 | <i>0.01</i> | 7 | 0.2 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Austria, Tyrol | 18 | 0.5 | <i>0.14</i> | 0.07 | <i>0.02</i> | 17 | 0.6 | <i>0.18</i> | 0.06 | <i>0.02</i> |
| Austria, Vorarlberg | 8 | 0.7 | <i>0.29</i> | 0.07 | <i>0.03</i> | 5 | 0.5 | <i>0.27</i> | 0.04 | <i>0.02</i> |
| Belarus | 283 | 1.0 | <i>0.07</i> | 0.11 | <i>0.01</i> | 355 | 0.9 | <i>0.06</i> | 0.09 | <i>0.01</i> |
| *Belgium | 367 | 0.9 | <i>0.05</i> | 0.09 | <i>0.01</i> | 313 | 0.7 | <i>0.05</i> | 0.07 | <i>0.00</i> |
| Croatia | 106 | 0.6 | <i>0.07</i> | 0.06 | <i>0.01</i> | 89 | 0.5 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| Cyprus | 14 | 0.5 | <i>0.13</i> | 0.05 | <i>0.02</i> | 8 | 0.3 | <i>0.16</i> | 0.02 | <i>0.01</i> |
| *Czech Republic | 220 | 0.5 | <i>0.04</i> | 0.06 | <i>0.00</i> | 221 | 0.4 | <i>0.03</i> | 0.05 | <i>0.00</i> |
| Denmark | 235 | 1.1 | <i>0.09</i> | 0.12 | <i>0.01</i> | 235 | 1.0 | <i>0.08</i> | 0.11 | <i>0.01</i> |
| Estonia | 42 | 1.0 | <i>0.18</i> | 0.08 | <i>0.02</i> | 59 | 0.8 | <i>0.13</i> | 0.09 | <i>0.02</i> |
| Finland | 174 | 0.9 | <i>0.08</i> | 0.08 | <i>0.01</i> | 133 | 0.6 | <i>0.07</i> | 0.05 | <i>0.01</i> |
| *France, Bas-Rhin | 19 | 0.6 | <i>0.15</i> | 0.06 | <i>0.02</i> | 24 | 0.8 | <i>0.19</i> | 0.08 | <i>0.02</i> |
| *France, Calvados | 15 | 0.7 | <i>0.18</i> | 0.07 | <i>0.02</i> | 17 | 0.8 | <i>0.25</i> | 0.06 | <i>0.02</i> |
| *France, Doubs | 26 | 1.3 | <i>0.31</i> | 0.13 | <i>0.03</i> | 10 | 0.4 | <i>0.13</i> | 0.04 | <i>0.02</i> |
| *France, Gironde | 49 | 0.9 | <i>0.16</i> | 0.09 | <i>0.02</i> | 30 | 0.4 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| *France, Haut-Rhin | 15 | 0.5 | <i>0.12</i> | 0.06 | <i>0.02</i> | 22 | 0.8 | <i>0.23</i> | 0.06 | <i>0.02</i> |
| *France, Hérault | 14 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 28 | 0.5 | <i>0.12</i> | 0.05 | <i>0.01</i> |
| *France, Isère | 32 | 0.7 | <i>0.13</i> | 0.08 | <i>0.02</i> | 33 | 0.8 | <i>0.17</i> | 0.08 | <i>0.01</i> |
| *France, Lille-Métropole | 18 | 0.7 | <i>0.17</i> | 0.08 | <i>0.02</i> | 21 | 0.8 | <i>0.17</i> | 0.08 | <i>0.02</i> |
| *France, Limousin | 5 | 0.3 | <i>0.14</i> | 0.03 | <i>0.02</i> | 5 | 0.4 | <i>0.20</i> | 0.04 | <i>0.02</i> |
| *France, Loire-Atlantique | 46 | 0.9 | <i>0.16</i> | 0.11 | <i>0.02</i> | 38 | 0.8 | <i>0.15</i> | 0.08 | <i>0.01</i> |
| *France, Manche | 16 | 1.3 | <i>0.43</i> | 0.08 | <i>0.02</i> | 31 | 1.7 | <i>0.41</i> | 0.15 | <i>0.03</i> |
| *France, Poitou-Charentes | 72 | 0.8 | <i>0.12</i> | 0.09 | <i>0.01</i> | 58 | 0.7 | <i>0.12</i> | 0.06 | <i>0.01</i> |
| *France, Somme | 12 | 0.5 | <i>0.17</i> | 0.04 | <i>0.01</i> | 10 | 0.3 | <i>0.10</i> | 0.03 | <i>0.02</i> |
| *France, Tarn | 6 | 0.2 | <i>0.08</i> | 0.02 | <i>0.02</i> | 11 | 0.7 | <i>0.29</i> | 0.06 | <i>0.02</i> |
| *France, Territoire de Belfort | 4 | 1.7 | <i>1.00</i> | 0.08 | <i>0.05</i> | 3 | 0.5 | <i>0.30</i> | 0.06 | <i>0.04</i> |
| *France, Vendée | 26 | 0.8 | <i>0.21</i> | 0.09 | <i>0.02</i> | 23 | 0.6 | <i>0.15</i> | 0.06 | <i>0.02</i> |
| Germany, Baden-Württemberg | 156 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> | 148 | 0.4 | <i>0.04</i> | 0.05 | <i>0.00</i> |
| Germany, Bavaria | 364 | 0.6 | <i>0.04</i> | 0.07 | <i>0.00</i> | 299 | 0.5 | <i>0.04</i> | 0.06 | <i>0.00</i> |
| Germany, Bremen | 18 | 0.5 | <i>0.13</i> | 0.05 | <i>0.01</i> | 12 | 0.3 | <i>0.10</i> | 0.04 | <i>0.01</i> |
| Germany, Hamburg | 47 | 0.7 | <i>0.12</i> | 0.08 | <i>0.01</i> | 51 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| Germany, Lower Saxony | 212 | 0.7 | <i>0.06</i> | 0.06 | <i>0.01</i> | 191 | 0.6 | <i>0.06</i> | 0.06 | <i>0.00</i> |
| Germany, North Rhine-Westphalia | 427 | 0.7 | <i>0.04</i> | 0.06 | <i>0.00</i> | 359 | 0.6 | <i>0.04</i> | 0.05 | <i>0.00</i> |
| Germany, Rhineland-Palatinate | 111 | 0.7 | <i>0.08</i> | 0.06 | <i>0.01</i> | 103 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> |
| Germany, Saarland | 22 | 0.5 | <i>0.13</i> | 0.04 | <i>0.01</i> | 27 | 0.7 | <i>0.18</i> | 0.07 | <i>0.02</i> |
| Germany, Schleswig-Holstein | 134 | 1.1 | <i>0.11</i> | 0.12 | <i>0.01</i> | 132 | 0.9 | <i>0.10</i> | 0.10 | <i>0.01</i> |
| Iceland | 8 | 1.0 | <i>0.40</i> | 0.08 | <i>0.03</i> | 8 | 0.7 | <i>0.29</i> | 0.06 | <i>0.03</i> |
| Ireland | 177 | 1.2 | <i>0.10</i> | 0.12 | <i>0.01</i> | 135 | 0.8 | <i>0.08</i> | 0.09 | <i>0.01</i> |
| *Italy, Aosta Valley | 2 | 0.2 | <i>0.14</i> | 0.00 | <i>0.00</i> | 3 | 0.6 | <i>0.38</i> | 0.05 | <i>0.04</i> |
| *Italy, Avellino | 6 | 0.5 | <i>0.23</i> | 0.06 | <i>0.03</i> | 6 | 0.5 | <i>0.23</i> | 0.05 | <i>0.02</i> |
| Italy, Basilicata | 12 | 0.4 | <i>0.13</i> | 0.05 | <i>0.02</i> | 15 | 0.8 | <i>0.29</i> | 0.07 | <i>0.02</i> |
| *Italy, Benevento | 6 | 0.5 | <i>0.21</i> | 0.05 | <i>0.03</i> | 3 | 0.1 | <i>0.10</i> | 0.02 | <i>0.02</i> |
| Italy, Bergamo | 15 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> | 18 | 0.4 | <i>0.13</i> | 0.03 | <i>0.01</i> |
| *Italy, Brescia | 17 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 24 | 0.6 | <i>0.15</i> | 0.05 | <i>0.01</i> |
| Italy, Brianza (Lecco and Monza e Brianza) | 9 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> | 9 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| Italy, Calabria | 9 | 0.4 | <i>0.15</i> | 0.04 | <i>0.01</i> | 7 | 0.6 | <i>0.26</i> | 0.04 | <i>0.02</i> |
| *Italy, Caserta | 17 | 0.6 | <i>0.18</i> | 0.06 | <i>0.02</i> | 23 | 1.0 | <i>0.23</i> | 0.08 | <i>0.02</i> |
| *Italy, Catania, Messina, and Enna | 25 | 0.3 | <i>0.06</i> | 0.04 | <i>0.01</i> | 21 | 0.3 | <i>0.09</i> | 0.03 | <i>0.01</i> |
| Italy, Emilia-Romagna | 82 | 0.6 | <i>0.08</i> | 0.05 | <i>0.01</i> | 62 | 0.5 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| Italy, Friuli-Venezia Giulia | 32 | 0.6 | <i>0.14</i> | 0.07 | <i>0.01</i> | 25 | 0.5 | <i>0.14</i> | 0.04 | <i>0.01</i> |
| Italy, Genova | 26 | 1.0 | <i>0.32</i> | 0.07 | <i>0.02</i> | 32 | 0.7 | <i>0.18</i> | 0.08 | <i>0.02</i> |
| *Italy, Lombardy, South, Pavia | 15 | 0.9 | <i>0.38</i> | 0.07 | <i>0.02</i> | 15 | 0.6 | <i>0.17</i> | 0.07 | <i>0.02</i> |
| Italy, Mantova and Cremona | 14 | 0.4 | <i>0.12</i> | 0.06 | <i>0.02</i> | 13 | 0.4 | <i>0.12</i> | 0.05 | <i>0.02</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Eye (C69) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 20 | 0.3 | 0.07 | 0.04 | 0.01 | 20 | 0.3 | 0.08 | 0.04 | 0.01 |
| Italy, Milan | 54 | 0.5 | 0.08 | 0.04 | 0.01 | 67 | 0.6 | 0.10 | 0.05 | 0.01 |
| Italy, Molise | 9 | 1.1 | 0.48 | 0.09 | 0.04 | 5 | 0.2 | 0.14 | 0.02 | 0.02 |
| *Italy, Naples Centre | 16 | 0.7 | 0.21 | 0.08 | 0.02 | 21 | 0.7 | 0.16 | 0.10 | 0.02 |
| *Italy, Naples North | 14 | 0.7 | 0.21 | 0.05 | 0.02 | 23 | 0.7 | 0.14 | 0.09 | 0.02 |
| *Italy, Naples South | 24 | 0.6 | 0.14 | 0.06 | 0.01 | 31 | 0.9 | 0.20 | 0.08 | 0.02 |
| *Italy, Nuoro | 2 | 1.2 | 0.95 | 0.06 | 0.04 | 1 | 1.0 | 0.99 | 0.04 | 0.04 |
| *Italy, Palermo | 24 | 0.6 | 0.17 | 0.05 | 0.01 | 18 | 0.4 | 0.13 | 0.04 | 0.01 |
| Italy, Puglia | 96 | 0.6 | 0.08 | 0.06 | 0.01 | 76 | 0.5 | 0.08 | 0.04 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 8 | 0.3 | 0.14 | 0.03 | 0.01 | 9 | 0.5 | 0.22 | 0.03 | 0.01 |
| *Italy, Salerno | 16 | 0.6 | 0.21 | 0.04 | 0.01 | 13 | 0.4 | 0.11 | 0.04 | 0.01 |
| Italy, Sassari | 5 | 0.5 | 0.22 | 0.07 | 0.03 | 3 | 0.4 | 0.33 | 0.04 | 0.03 |
| *Italy, Sondrio | 4 | 0.7 | 0.41 | 0.05 | 0.03 | 2 | 0.1 | 0.12 | 0.01 | 0.01 |
| Italy, South Tyrol | 14 | 0.7 | 0.24 | 0.08 | 0.02 | 9 | 0.6 | 0.28 | 0.05 | 0.02 |
| *Italy, Syracuse | 7 | 0.6 | 0.30 | 0.04 | 0.02 | 8 | 0.6 | 0.31 | 0.06 | 0.02 |
| Italy, Trento | 21 | 1.1 | 0.33 | 0.11 | 0.03 | 9 | 0.3 | 0.12 | 0.04 | 0.02 |
| Italy, Turin | 12 | 0.1 | 0.03 | 0.01 | 0.00 | 6 | 0.1 | 0.04 | 0.00 | 0.00 |
| *Italy, Tuscany | 54 | 0.6 | 0.12 | 0.07 | 0.01 | 52 | 0.8 | 0.16 | 0.07 | 0.01 |
| Italy, Umbria | 13 | 0.7 | 0.29 | 0.05 | 0.02 | 15 | 0.5 | 0.14 | 0.05 | 0.01 |
| Italy, Varese | 7 | 0.3 | 0.11 | 0.03 | 0.01 | 4 | 0.2 | 0.16 | 0.01 | 0.01 |
| Italy, Veneto | 133 | 0.7 | 0.07 | 0.07 | 0.01 | 113 | 0.6 | 0.08 | 0.06 | 0.01 |
| Latvia | 29 | 0.5 | 0.10 | 0.05 | 0.01 | 38 | 0.3 | 0.08 | 0.03 | 0.01 |
| *Liechtenstein | 2 | 1.1 | 0.84 | 0.06 | 0.06 | 2 | 1.2 | 0.87 | 0.15 | 0.11 |
| *Lithuania | 75 | 0.8 | 0.11 | 0.08 | 0.01 | 88 | 0.6 | 0.07 | 0.07 | 0.01 |
| Malta | 11 | 0.8 | 0.33 | 0.07 | 0.03 | 8 | 0.9 | 0.41 | 0.06 | 0.02 |
| *The Netherlands | 592 | 0.9 | 0.05 | 0.09 | 0.00 | 561 | 0.8 | 0.04 | 0.09 | 0.00 |
| Norway | 201 | 1.0 | 0.08 | 0.11 | 0.01 | 197 | 1.0 | 0.08 | 0.11 | 0.01 |
| Poland, Kielce | 31 | 0.8 | 0.17 | 0.07 | 0.02 | 50 | 0.9 | 0.18 | 0.09 | 0.02 |
| *Portugal, Azores | 1 | 0.2 | 0.16 | 0.03 | 0.03 | 3 | 0.3 | 0.21 | 0.04 | 0.03 |
| Russian Federation, Arkhangelsk | 29 | 0.8 | 0.16 | 0.08 | 0.02 | 32 | 0.5 | 0.10 | 0.06 | 0.01 |
| Russian Federation, Kaliningrad | 20 | 0.6 | 0.14 | 0.06 | 0.02 | 25 | 0.6 | 0.13 | 0.07 | 0.02 |
| Russian Federation, Karelia | 13 | 0.7 | 0.21 | 0.10 | 0.03 | 12 | 0.3 | 0.11 | 0.04 | 0.01 |
| *Russian Federation, Komi Republic | 18 | 0.8 | 0.19 | 0.09 | 0.03 | 19 | 0.7 | 0.18 | 0.07 | 0.02 |
| Russian Federation, Murmansk | 7 | 0.3 | 0.13 | 0.04 | 0.02 | 22 | 0.6 | 0.13 | 0.07 | 0.02 |
| *Russian Federation, Orenburg | 37 | 0.6 | 0.11 | 0.08 | 0.02 | 40 | 0.5 | 0.09 | 0.05 | 0.01 |
| Russian Federation, Pskov | 15 | 0.9 | 0.25 | 0.09 | 0.02 | 19 | 0.9 | 0.26 | 0.09 | 0.02 |
| *Russian Federation, Samara | 67 | 0.7 | 0.09 | 0.07 | 0.01 | 94 | 0.7 | 0.09 | 0.08 | 0.01 |
| Russian Federation, Vologda Region | 30 | 1.0 | 0.19 | 0.08 | 0.02 | 21 | 0.6 | 0.17 | 0.04 | 0.01 |
| Slovenia | 50 | 0.6 | 0.10 | 0.05 | 0.01 | 62 | 0.8 | 0.14 | 0.07 | 0.01 |
| Spain, Asturias | 12 | 0.5 | 0.23 | 0.06 | 0.02 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| Spain, Basque Country | 43 | 0.6 | 0.11 | 0.05 | 0.01 | 27 | 0.3 | 0.08 | 0.03 | 0.01 |
| Spain, Canary Islands | 12 | 0.3 | 0.09 | 0.02 | 0.01 | 17 | 0.3 | 0.10 | 0.03 | 0.01 |
| Spain, Castellón | 8 | 0.5 | 0.21 | 0.04 | 0.01 | 6 | 0.5 | 0.26 | 0.04 | 0.02 |
| Spain, Girona | 12 | 0.5 | 0.20 | 0.04 | 0.01 | 8 | 0.3 | 0.12 | 0.03 | 0.01 |
| Spain, Granada | 13 | 0.5 | 0.18 | 0.04 | 0.01 | 10 | 0.4 | 0.17 | 0.04 | 0.01 |
| Spain, La Rioja | 1 | 0.3 | 0.31 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Spain, Murcia | 20 | 0.4 | 0.10 | 0.04 | 0.01 | 31 | 0.6 | 0.13 | 0.06 | 0.01 |
| Spain, Navarra | 15 | 0.8 | 0.25 | 0.10 | 0.03 | 6 | 0.3 | 0.12 | 0.02 | 0.01 |
| Spain, Salamanca | 10 | 0.5 | 0.17 | 0.05 | 0.02 | 4 | 0.5 | 0.32 | 0.04 | 0.02 |
| Spain, Tarragona | 19 | 0.6 | 0.16 | 0.06 | 0.02 | 12 | 0.3 | 0.10 | 0.04 | 0.01 |
| *Sweden | 368 | 0.9 | 0.06 | 0.10 | 0.01 | 308 | 0.8 | 0.05 | 0.08 | 0.01 |
| Switzerland, Aargau | 9 | 0.4 | 0.17 | 0.05 | 0.02 | 9 | 0.6 | 0.26 | 0.03 | 0.01 |
| Switzerland, Basel | 11 | 0.5 | 0.15 | 0.05 | 0.02 | 11 | 0.6 | 0.26 | 0.06 | 0.02 |
| Switzerland, Berne Solothurn | 19 | 0.4 | 0.09 | 0.05 | 0.01 | 16 | 0.6 | 0.20 | 0.04 | 0.01 |
| Switzerland, East | 18 | 0.4 | 0.11 | 0.04 | 0.01 | 11 | 0.3 | 0.10 | 0.03 | 0.01 |
| *Switzerland, Fribourg | 5 | 0.4 | 0.19 | 0.06 | 0.03 | 4 | 0.2 | 0.11 | 0.01 | 0.01 |
| Switzerland, Geneva | 7 | 0.3 | 0.13 | 0.03 | 0.02 | 15 | 0.8 | 0.30 | 0.07 | 0.02 |
| *Switzerland, Graubünden and Glarus | 6 | 0.9 | 0.49 | 0.09 | 0.04 | 2 | 0.2 | 0.14 | 0.01 | 0.01 |
| *Switzerland, Lucerne | 11 | 0.4 | 0.13 | 0.05 | 0.02 | 6 | 0.2 | 0.11 | 0.04 | 0.02 |
| *Switzerland, Neuchâtel and Jura | 5 | 0.5 | 0.24 | 0.06 | 0.03 | 3 | 0.4 | 0.24 | 0.04 | 0.03 |
| Switzerland, Ticino | 7 | 0.7 | 0.35 | 0.05 | 0.02 | 5 | 0.3 | 0.16 | 0.04 | 0.02 |
| Switzerland, Valais | 7 | 0.6 | 0.33 | 0.05 | 0.02 | 8 | 0.4 | 0.14 | 0.05 | 0.02 |
| Switzerland, Vaud | 16 | 0.6 | 0.17 | 0.06 | 0.02 | 10 | 0.4 | 0.14 | 0.04 | 0.01 |
| Switzerland, Zurich and Zug | 32 | 0.5 | 0.11 | 0.06 | 0.01 | 28 | 0.4 | 0.09 | 0.04 | 0.01 |
| Ukraine | 591 | 0.6 | 0.03 | 0.06 | 0.00 | 685 | 0.5 | 0.03 | 0.05 | 0.00 |
| UK, England | 1854 | 0.9 | 0.02 | 0.10 | 0.00 | 1594 | 0.8 | 0.02 | 0.08 | 0.00 |
| UK, Northern Ireland | 42 | 0.6 | 0.10 | 0.06 | 0.01 | 62 | 0.9 | 0.12 | 0.10 | 0.01 |
| UK, Scotland | 172 | 0.9 | 0.08 | 0.09 | 0.01 | 181 | 0.9 | 0.08 | 0.08 | 0.01 |
| UK, Wales | 132 | 1.0 | 0.11 | 0.10 | 0.01 | 117 | 1.0 | 0.11 | 0.08 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 289 | 1.0 | 0.06 | 0.11 | 0.01 | 212 | 0.7 | 0.06 | 0.07 | 0.01 |
| *Australia, Northern Territory | 3 | 0.4 | 0.24 | 0.06 | 0.04 | 5 | 0.8 | 0.38 | 0.08 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Eye (C69) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 3 | 0.5 | <i>0.29</i> | 0.08 | <i>0.05</i> | 5 | 1.1 | <i>0.55</i> | 0.10 | <i>0.05</i> |
| *Australia, Northern Territory: Indigenous | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Queensland | 250 | 1.4 | <i>0.10</i> | 0.16 | <i>0.01</i> | 172 | 1.0 | <i>0.09</i> | 0.10 | <i>0.01</i> |
| Australia, South Australia | 82 | 1.3 | <i>0.17</i> | 0.13 | <i>0.02</i> | 85 | 1.1 | <i>0.14</i> | 0.12 | <i>0.02</i> |
| Australia, Tasmania | 15 | 0.7 | <i>0.20</i> | 0.09 | <i>0.02</i> | 18 | 0.9 | <i>0.30</i> | 0.07 | <i>0.02</i> |
| *Australia, Victoria | 201 | 0.9 | <i>0.07</i> | 0.09 | <i>0.01</i> | 177 | 0.8 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| *Australia, Western Australia | 83 | 1.0 | <i>0.12</i> | 0.10 | <i>0.01</i> | 82 | 0.9 | <i>0.11</i> | 0.09 | <i>0.01</i> |
| *France, New Caledonia | 2 | 0.2 | <i>0.17</i> | 0.02 | <i>0.02</i> | 5 | 0.6 | <i>0.28</i> | 0.08 | <i>0.04</i> |
| New Zealand | 158 | 1.0 | <i>0.09</i> | 0.11 | <i>0.01</i> | 139 | 0.9 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| *New Zealand: Maori | 10 | 0.6 | <i>0.19</i> | 0.06 | <i>0.03</i> | 7 | 0.4 | <i>0.14</i> | 0.04 | <i>0.02</i> |
| *New Zealand: Pacific peoples | 2 | 0.3 | <i>0.22</i> | 0.04 | <i>0.03</i> | 1 | 0.2 | <i>0.17</i> | 0.01 | <i>0.01</i> |
| *New Zealand: Other | 144 | 1.1 | <i>0.11</i> | 0.12 | <i>0.01</i> | 126 | 1.1 | <i>0.12</i> | 0.10 | <i>0.01</i> |
| USA, Hawaii | 34 | 0.7 | <i>0.13</i> | 0.06 | <i>0.01</i> | 19 | 0.5 | <i>0.12</i> | 0.04 | <i>0.01</i> |
| USA, Hawaii: White | 23 | 1.2 | <i>0.27</i> | 0.12 | <i>0.03</i> | 12 | 0.9 | <i>0.29</i> | 0.10 | <i>0.03</i> |
| *USA, Hawaii: Japanese | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Chinese | 1 | 0.3 | <i>0.28</i> | 0.03 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 5 | 0.6 | <i>0.26</i> | 0.03 | <i>0.02</i> | 3 | 0.4 | <i>0.21</i> | 0.04 | <i>0.02</i> |
| *USA, Hawaii: Filipino | 1 | 0.1 | <i>0.11</i> | 0.02 | <i>0.02</i> | 2 | 0.2 | <i>0.17</i> | 0.02 | <i>0.02</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Brain and nervous system (C70–72)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 66 | 4.2 | 0.54 | 0.42 | 0.07 | 88 | 5.6 | 0.62 | 0.54 | 0.07 |
| *Algeria, Tizi Ouzou | 114 | 7.9 | 0.77 | 0.87 | 0.09 | 85 | 5.0 | 0.56 | 0.54 | 0.07 |
| *Benin, Cotonou | 12 | 2.2 | 0.75 | 0.39 | 0.15 | 8 | 0.9 | 0.33 | 0.08 | 0.03 |
| *France, La Réunion | 90 | 4.9 | 0.53 | 0.48 | 0.06 | 82 | 3.6 | 0.43 | 0.33 | 0.04 |
| *Kenya, Eldoret | 16 | 1.1 | 0.31 | 0.14 | 0.06 | 11 | 0.7 | 0.25 | 0.07 | 0.03 |
| *Kenya, Nairobi | 101 | 2.7 | 0.35 | 0.31 | 0.05 | 134 | 4.1 | 0.46 | 0.48 | 0.07 |
| Mauritius | 102 | 2.9 | 0.30 | 0.25 | 0.03 | 90 | 2.3 | 0.24 | 0.22 | 0.02 |
| *Morocco, Casablanca | 244 | 2.3 | 0.15 | 0.23 | 0.02 | 213 | 1.9 | 0.13 | 0.19 | 0.02 |
| *Seychelles | 8 | 2.8 | 1.01 | 0.23 | 0.09 | 9 | 3.2 | 1.12 | 0.35 | 0.13 |
| *South Africa, Eastern Cape | 3 | 0.2 | 0.17 | 0.02 | 0.01 | 6 | 0.3 | 0.14 | 0.03 | 0.01 |
| *Uganda, Kyadondo County | 50 | 1.7 | 0.33 | 0.20 | 0.05 | 51 | 1.6 | 0.30 | 0.16 | 0.04 |
| *Uganda, Gulu | 4 | 0.8 | 0.41 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 15 | 1.1 | 0.31 | 0.10 | 0.03 | 11 | 0.7 | 0.21 | 0.04 | 0.02 |
| *Zimbabwe, Harare: African | 92 | 3.6 | 0.44 | 0.36 | 0.06 | 134 | 5.6 | 0.55 | 0.59 | 0.08 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 106 | 5.0 | 0.49 | 0.54 | 0.06 | 101 | 4.1 | 0.43 | 0.48 | 0.05 |
| *Argentina, Mendoza | 340 | 7.1 | 0.39 | 0.76 | 0.05 | 313 | 5.6 | 0.33 | 0.58 | 0.04 |
| Brazil, Aracaju | 42 | 4.0 | 0.63 | 0.42 | 0.08 | 61 | 4.4 | 0.58 | 0.53 | 0.08 |
| *Brazil, Barretos | 62 | 5.2 | 0.68 | 0.57 | 0.08 | 52 | 3.9 | 0.59 | 0.38 | 0.06 |
| Brazil, Belo Horizonte | 413 | 6.2 | 0.31 | 0.63 | 0.04 | 337 | 4.0 | 0.25 | 0.40 | 0.03 |
| *Brazil, Campinas | 163 | 7.0 | 0.57 | 0.73 | 0.07 | 145 | 5.3 | 0.47 | 0.55 | 0.06 |
| *Brazil, Curitiba | 245 | 6.4 | 0.42 | 0.68 | 0.05 | 207 | 4.4 | 0.33 | 0.45 | 0.04 |
| Brazil, Goiânia | 175 | 6.7 | 0.52 | 0.69 | 0.06 | 147 | 4.7 | 0.40 | 0.46 | 0.05 |
| *Brazil, Jaú | 16 | 4.0 | 1.05 | 0.35 | 0.11 | 15 | 2.9 | 0.81 | 0.22 | 0.07 |
| Brazil, João Pessoa | 45 | 4.2 | 0.64 | 0.47 | 0.08 | 64 | 4.6 | 0.60 | 0.44 | 0.07 |
| Brazil, Recife | 140 | 6.0 | 0.52 | 0.59 | 0.06 | 126 | 3.9 | 0.37 | 0.40 | 0.04 |
| Chile, Region of Antofagasta | 32 | 3.4 | 0.62 | 0.30 | 0.07 | 21 | 2.2 | 0.49 | 0.23 | 0.06 |
| Chile, Valdivia | 43 | 3.9 | 0.62 | 0.36 | 0.06 | 40 | 3.2 | 0.56 | 0.31 | 0.06 |
| Colombia, Bucaramanga | 147 | 5.2 | 0.43 | 0.50 | 0.05 | 115 | 3.5 | 0.35 | 0.33 | 0.04 |
| Colombia, Cali | 323 | 5.6 | 0.32 | 0.52 | 0.04 | 313 | 4.3 | 0.25 | 0.41 | 0.03 |
| Colombia, Manizales | 57 | 4.9 | 0.69 | 0.49 | 0.07 | 58 | 3.9 | 0.54 | 0.38 | 0.06 |
| Colombia, Pasto | 36 | 3.6 | 0.63 | 0.28 | 0.06 | 45 | 3.5 | 0.54 | 0.34 | 0.06 |
| Costa Rica | 264 | 2.8 | 0.17 | 0.29 | 0.02 | 206 | 2.2 | 0.16 | 0.19 | 0.02 |
| Ecuador, Guayaquil | 284 | 4.8 | 0.29 | 0.46 | 0.04 | 228 | 3.6 | 0.24 | 0.33 | 0.03 |
| Ecuador, Manabí | 119 | 3.3 | 0.31 | 0.32 | 0.04 | 91 | 2.5 | 0.27 | 0.25 | 0.03 |
| Ecuador, Quito | 259 | 5.9 | 0.38 | 0.56 | 0.05 | 251 | 5.2 | 0.34 | 0.50 | 0.04 |
| *France, Guadeloupe | 32 | 2.6 | 0.54 | 0.27 | 0.05 | 35 | 2.6 | 0.55 | 0.24 | 0.05 |
| *France, Martinique | 42 | 2.7 | 0.47 | 0.30 | 0.05 | 30 | 2.2 | 0.50 | 0.21 | 0.04 |
| *Peru, Lima | 729 | 5.2 | 0.20 | 0.50 | 0.02 | 576 | 3.7 | 0.16 | 0.34 | 0.02 |
| *Trinidad and Tobago | 68 | 3.2 | 0.40 | 0.31 | 0.04 | 60 | 2.3 | 0.31 | 0.28 | 0.04 |
| USA, Puerto Rico | 445 | 4.2 | 0.23 | 0.39 | 0.02 | 391 | 3.1 | 0.20 | 0.27 | 0.02 |
| *Uruguay | 628 | 6.0 | 0.25 | 0.62 | 0.03 | 550 | 4.1 | 0.20 | 0.40 | 0.02 |
| North America | | | | | | | | | | |
| Canada, Alberta | 776 | 6.0 | 0.23 | 0.58 | 0.02 | 566 | 4.4 | 0.21 | 0.42 | 0.02 |
| Canada, British Columbia | 1079 | 6.3 | 0.23 | 0.61 | 0.02 | 744 | 4.3 | 0.19 | 0.40 | 0.02 |
| *Canada, Manitoba | 245 | 5.8 | 0.40 | 0.58 | 0.04 | 193 | 4.5 | 0.38 | 0.41 | 0.03 |
| *Canada, New Brunswick | 188 | 6.1 | 0.53 | 0.66 | 0.05 | 137 | 5.2 | 0.58 | 0.45 | 0.04 |
| *Canada, Newfoundland and Labrador | 117 | 5.6 | 0.61 | 0.57 | 0.06 | 103 | 4.8 | 0.59 | 0.47 | 0.05 |
| Canada, Ontario | 3016 | 6.4 | 0.13 | 0.63 | 0.01 | 2336 | 4.7 | 0.12 | 0.45 | 0.01 |
| *Canada, Prince Edward Island | 34 | 6.4 | 1.25 | 0.60 | 0.11 | 20 | 3.5 | 0.97 | 0.36 | 0.09 |
| Canada, Quebec | 2104 | 6.8 | 0.17 | 0.68 | 0.02 | 1626 | 4.9 | 0.15 | 0.47 | 0.01 |
| Canada, Saskatchewan | 223 | 5.9 | 0.43 | 0.59 | 0.04 | 158 | 4.0 | 0.35 | 0.40 | 0.04 |
| *Canada, Yukon | 2 | 2.8 | 2.19 | 0.26 | 0.19 | 7 | 6.2 | 2.82 | 0.45 | 0.19 |
| USA | 63504 | 6.2 | 0.03 | 0.60 | 0.00 | 50496 | 4.7 | 0.02 | 0.43 | 0.00 |
| USA: White | 56356 | 6.7 | 0.03 | 0.65 | 0.00 | 44362 | 5.1 | 0.03 | 0.47 | 0.00 |
| USA: Black | 4589 | 4.0 | 0.06 | 0.38 | 0.01 | 4025 | 3.1 | 0.05 | 0.27 | 0.00 |
| USA, NPCR | 61490 | 6.2 | 0.03 | 0.60 | 0.00 | 48891 | 4.7 | 0.02 | 0.43 | 0.00 |
| USA, NPCR: White | 54559 | 6.7 | 0.03 | 0.65 | 0.00 | 42975 | 5.1 | 0.03 | 0.47 | 0.00 |
| USA, NPCR: Black | 4527 | 4.0 | 0.06 | 0.38 | 0.01 | 3973 | 3.1 | 0.05 | 0.27 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 1841 | 3.8 | 0.09 | 0.34 | 0.01 | 1508 | 2.8 | 0.08 | 0.24 | 0.01 |
| USA, NPCR: American Indian | 298 | 2.7 | 0.16 | 0.25 | 0.02 | 219 | 1.9 | 0.13 | 0.17 | 0.01 |
| *USA, SEER (18 registries) | 16674 | 6.0 | 0.05 | 0.58 | 0.01 | 13156 | 4.5 | 0.04 | 0.41 | 0.00 |
| *USA, SEER (18 registries): White | 14292 | 6.6 | 0.06 | 0.64 | 0.01 | 11132 | 5.0 | 0.05 | 0.46 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 12111 | 7.2 | 0.08 | 0.69 | 0.01 | 9281 | 5.4 | 0.07 | 0.49 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 2181 | 4.8 | 0.10 | 0.48 | 0.01 | 1851 | 3.9 | 0.09 | 0.36 | 0.01 |
| *USA, SEER (18 registries): Black | 1143 | 3.9 | 0.12 | 0.36 | 0.01 | 995 | 3.0 | 0.10 | 0.26 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 1010 | 3.7 | 0.13 | 0.33 | 0.01 | 829 | 2.7 | 0.11 | 0.23 | 0.01 |
| *USA, SEER (9 registries) | 5881 | 6.1 | 0.09 | 0.60 | 0.01 | 4501 | 4.5 | 0.08 | 0.41 | 0.01 |
| *USA, SEER (9 registries): White | 5010 | 6.8 | 0.11 | 0.66 | 0.01 | 3774 | 5.1 | 0.10 | 0.46 | 0.01 |
| *USA, SEER (9 registries): Black | 384 | 3.9 | 0.20 | 0.37 | 0.02 | 327 | 2.9 | 0.17 | 0.24 | 0.02 |
| USA, Alabama | 912 | 5.8 | 0.21 | 0.56 | 0.02 | 779 | 4.6 | 0.19 | 0.41 | 0.02 |
| USA, Alabama: White | 751 | 6.3 | 0.27 | 0.61 | 0.03 | 634 | 5.1 | 0.25 | 0.46 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Brain and nervous system (C70–72) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 150 | 4.4 | 0.37 | 0.42 | 0.04 | 134 | 3.3 | 0.32 | 0.28 | 0.03 |
| USA, Alaska | 137 | 6.1 | 0.55 | 0.57 | 0.05 | 100 | 4.6 | 0.48 | 0.43 | 0.05 |
| *USA, Alaska: Alaska Natives | 17 | 5.3 | 1.28 | 0.35 | 0.10 | 10 | 3.0 | 0.96 | 0.25 | 0.08 |
| USA, Arizona | 1298 | 5.7 | 0.17 | 0.54 | 0.02 | 994 | 4.1 | 0.15 | 0.38 | 0.01 |
| USA, Arizona: White | 1220 | 6.0 | 0.20 | 0.57 | 0.02 | 929 | 4.4 | 0.17 | 0.41 | 0.02 |
| USA, Arizona: Black | 30 | 3.1 | 0.58 | 0.30 | 0.07 | 22 | 2.2 | 0.48 | 0.23 | 0.06 |
| *USA, Arizona: Asian and Pacific Islander | 20 | 2.7 | 0.62 | 0.29 | 0.08 | 21 | 2.3 | 0.50 | 0.25 | 0.06 |
| USA, Arizona: American Indian | 21 | 2.4 | 0.52 | 0.16 | 0.04 | 20 | 1.9 | 0.42 | 0.15 | 0.04 |
| USA, Arkansas | 651 | 6.8 | 0.29 | 0.66 | 0.03 | 487 | 4.6 | 0.24 | 0.44 | 0.02 |
| USA, Arkansas: White | 587 | 7.3 | 0.34 | 0.71 | 0.03 | 445 | 5.2 | 0.29 | 0.48 | 0.03 |
| USA, Arkansas: Black | 57 | 4.5 | 0.61 | 0.42 | 0.06 | 35 | 2.4 | 0.43 | 0.23 | 0.05 |
| USA, California | 6845 | 5.7 | 0.07 | 0.56 | 0.01 | 5289 | 4.2 | 0.06 | 0.39 | 0.01 |
| USA, California: White | 5839 | 6.3 | 0.09 | 0.62 | 0.01 | 4518 | 4.7 | 0.08 | 0.44 | 0.01 |
| USA, California: Black | 315 | 4.1 | 0.24 | 0.39 | 0.03 | 212 | 2.5 | 0.19 | 0.24 | 0.02 |
| USA, California: Asian and Pacific Islander | 639 | 3.7 | 0.16 | 0.33 | 0.02 | 514 | 2.6 | 0.14 | 0.22 | 0.01 |
| *USA, California, Los Angeles County | 1529 | 5.0 | 0.14 | 0.50 | 0.02 | 1244 | 3.9 | 0.12 | 0.35 | 0.01 |
| *USA, California, Los Angeles County: White | 1264 | 5.6 | 0.17 | 0.57 | 0.02 | 1013 | 4.4 | 0.15 | 0.41 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 772 | 7.1 | 0.31 | 0.70 | 0.03 | 569 | 5.6 | 0.31 | 0.50 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 492 | 4.4 | 0.20 | 0.45 | 0.03 | 444 | 3.7 | 0.18 | 0.34 | 0.02 |
| *USA, California, Los Angeles County: Black | 105 | 3.9 | 0.41 | 0.37 | 0.04 | 81 | 2.4 | 0.30 | 0.24 | 0.03 |
| *USA, California, Los Angeles County: Chinese | 37 | 2.3 | 0.46 | 0.19 | 0.04 | 29 | 1.2 | 0.25 | 0.11 | 0.03 |
| *USA, California, Los Angeles County: Filipino | 29 | 2.8 | 0.58 | 0.27 | 0.06 | 41 | 2.9 | 0.55 | 0.25 | 0.04 |
| *USA, California, Los Angeles County: Korean | 13 | 1.8 | 0.58 | 0.15 | 0.05 | 13 | 1.8 | 0.66 | 0.13 | 0.05 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 141 | 2.9 | 0.28 | 0.26 | 0.03 | 130 | 2.4 | 0.26 | 0.19 | 0.02 |
| *USA, California, San Francisco Bay Area | 872 | 5.9 | 0.22 | 0.58 | 0.02 | 627 | 4.0 | 0.19 | 0.37 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 668 | 6.7 | 0.29 | 0.68 | 0.03 | 475 | 4.8 | 0.26 | 0.45 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 558 | 7.5 | 0.38 | 0.74 | 0.04 | 391 | 5.3 | 0.35 | 0.48 | 0.03 |
| *USA, California, San Francisco Bay Area: Hispanic White | 110 | 5.0 | 0.50 | 0.51 | 0.07 | 84 | 3.6 | 0.41 | 0.37 | 0.05 |
| *USA, California, San Francisco Bay Area: Black | 46 | 3.8 | 0.59 | 0.35 | 0.06 | 31 | 2.3 | 0.45 | 0.20 | 0.04 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 150 | 4.4 | 0.40 | 0.38 | 0.04 | 111 | 2.5 | 0.29 | 0.23 | 0.03 |
| USA, Colorado | 1031 | 6.1 | 0.20 | 0.58 | 0.02 | 808 | 4.8 | 0.19 | 0.44 | 0.02 |
| USA, Colorado: White | 979 | 6.3 | 0.22 | 0.61 | 0.02 | 765 | 4.9 | 0.20 | 0.46 | 0.02 |
| *USA, Colorado: Black | 25 | 3.4 | 0.69 | 0.30 | 0.08 | 17 | 2.7 | 0.67 | 0.18 | 0.05 |
| *USA, Colorado: Asian and Pacific Islander | 22 | 4.6 | 1.03 | 0.40 | 0.11 | 21 | 4.0 | 0.93 | 0.36 | 0.09 |
| USA, Connecticut | 787 | 6.5 | 0.26 | 0.64 | 0.03 | 617 | 4.9 | 0.24 | 0.44 | 0.02 |
| USA, Connecticut: White | 708 | 6.7 | 0.29 | 0.67 | 0.03 | 542 | 4.9 | 0.26 | 0.45 | 0.02 |
| USA, Connecticut: Black | 47 | 4.4 | 0.66 | 0.46 | 0.08 | 36 | 2.6 | 0.47 | 0.23 | 0.05 |
| USA, District of Columbia | 89 | 5.1 | 0.59 | 0.50 | 0.06 | 66 | 3.3 | 0.46 | 0.33 | 0.05 |
| USA, District of Columbia: White | 49 | 6.7 | 1.14 | 0.64 | 0.11 | 23 | 3.1 | 0.73 | 0.35 | 0.08 |
| USA, District of Columbia: Black | 37 | 4.2 | 0.73 | 0.41 | 0.08 | 37 | 3.4 | 0.63 | 0.33 | 0.06 |
| USA, Florida | 4384 | 6.4 | 0.11 | 0.60 | 0.01 | 3440 | 4.6 | 0.10 | 0.42 | 0.01 |
| USA, Florida: White | 3926 | 6.9 | 0.13 | 0.65 | 0.01 | 3040 | 5.0 | 0.12 | 0.45 | 0.01 |
| USA, Florida: Black | 364 | 4.0 | 0.22 | 0.36 | 0.02 | 317 | 3.1 | 0.19 | 0.27 | 0.02 |
| USA, Florida: Asian and Pacific Islander | 40 | 2.3 | 0.38 | 0.19 | 0.03 | 46 | 2.4 | 0.40 | 0.23 | 0.04 |
| USA, Georgia | 1732 | 5.7 | 0.15 | 0.55 | 0.02 | 1455 | 4.5 | 0.13 | 0.41 | 0.01 |
| USA, Georgia: White | 1380 | 6.7 | 0.20 | 0.64 | 0.02 | 1122 | 5.3 | 0.18 | 0.49 | 0.02 |
| USA, Georgia: Black | 307 | 3.8 | 0.22 | 0.36 | 0.02 | 300 | 3.2 | 0.20 | 0.28 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 40 | 3.7 | 0.61 | 0.34 | 0.06 | 32 | 2.9 | 0.55 | 0.24 | 0.05 |
| *USA, Georgia, Atlanta | 567 | 5.7 | 0.25 | 0.56 | 0.03 | 445 | 4.1 | 0.21 | 0.38 | 0.02 |
| *USA, Georgia, Atlanta: White | 389 | 6.8 | 0.37 | 0.67 | 0.04 | 316 | 5.5 | 0.35 | 0.53 | 0.03 |
| *USA, Georgia, Atlanta: Black | 150 | 4.3 | 0.36 | 0.41 | 0.04 | 110 | 2.7 | 0.27 | 0.22 | 0.02 |
| USA, Idaho | 392 | 7.0 | 0.38 | 0.68 | 0.04 | 257 | 4.9 | 0.34 | 0.43 | 0.03 |
| USA, Indiana | 1339 | 6.4 | 0.19 | 0.61 | 0.02 | 1034 | 4.6 | 0.16 | 0.43 | 0.02 |
| USA, Indiana: White | 1254 | 6.6 | 0.21 | 0.64 | 0.02 | 952 | 4.7 | 0.18 | 0.44 | 0.02 |
| USA, Indiana: Black | 68 | 4.1 | 0.51 | 0.42 | 0.06 | 67 | 3.4 | 0.43 | 0.29 | 0.04 |
| *USA, Iowa | 690 | 6.7 | 0.28 | 0.66 | 0.03 | 556 | 5.2 | 0.25 | 0.48 | 0.02 |
| USA, Kentucky | 1021 | 7.4 | 0.26 | 0.69 | 0.02 | 827 | 5.5 | 0.22 | 0.51 | 0.02 |
| USA, Louisiana | 835 | 5.8 | 0.22 | 0.55 | 0.02 | 649 | 4.1 | 0.18 | 0.39 | 0.02 |
| USA, Louisiana: White | 681 | 6.8 | 0.29 | 0.65 | 0.03 | 523 | 5.0 | 0.26 | 0.47 | 0.02 |
| USA, Louisiana: Black | 145 | 3.7 | 0.32 | 0.33 | 0.03 | 115 | 2.5 | 0.25 | 0.22 | 0.02 |
| *USA, Louisiana, New Orleans | 147 | 5.5 | 0.50 | 0.49 | 0.05 | 129 | 4.0 | 0.40 | 0.42 | 0.04 |
| *USA, Louisiana, New Orleans: White | 97 | 5.7 | 0.68 | 0.54 | 0.07 | 98 | 5.5 | 0.68 | 0.59 | 0.07 |
| *USA, Louisiana, New Orleans: Black | 43 | 4.7 | 0.75 | 0.37 | 0.06 | 27 | 2.2 | 0.45 | 0.20 | 0.05 |
| USA, Maine | 355 | 7.5 | 0.48 | 0.73 | 0.04 | 275 | 5.7 | 0.43 | 0.49 | 0.03 |
| USA, Maryland | 1087 | 5.8 | 0.19 | 0.56 | 0.02 | 885 | 4.3 | 0.17 | 0.39 | 0.02 |
| USA, Maryland: White | 831 | 6.8 | 0.26 | 0.65 | 0.03 | 680 | 5.2 | 0.24 | 0.48 | 0.02 |
| USA, Maryland: Black | 192 | 3.8 | 0.29 | 0.36 | 0.03 | 161 | 2.7 | 0.24 | 0.23 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | 62 | 5.3 | 0.72 | 0.48 | 0.07 | 38 | 3.0 | 0.52 | 0.24 | 0.04 |
| USA, Massachusetts | 1445 | 6.6 | 0.19 | 0.65 | 0.02 | 1209 | 5.0 | 0.17 | 0.47 | 0.02 |
| USA, Massachusetts: White | 1338 | 7.0 | 0.22 | 0.69 | 0.02 | 1091 | 5.2 | 0.19 | 0.48 | 0.02 |
| USA, Massachusetts: Black | 41 | 2.7 | 0.43 | 0.23 | 0.04 | 58 | 3.4 | 0.47 | 0.31 | 0.05 |
| USA, Massachusetts: Asian and Pacific Islander | 45 | 4.2 | 0.67 | 0.38 | 0.06 | 43 | 3.7 | 0.61 | 0.34 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Brain and nervous system (C70–72) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 2057 | 6.3 | 0.15 | 0.60 | 0.01 | 1565 | 4.5 | 0.13 | 0.42 | 0.01 |
| USA, Michigan: White | 1884 | 6.8 | 0.18 | 0.65 | 0.02 | 1391 | 4.8 | 0.15 | 0.44 | 0.01 |
| USA, Michigan: Black | 136 | 3.6 | 0.32 | 0.32 | 0.03 | 133 | 3.2 | 0.29 | 0.27 | 0.03 |
| USA, Michigan: Asian and Pacific Islander | 20 | 2.5 | 0.58 | 0.22 | 0.07 | 31 | 3.5 | 0.64 | 0.38 | 0.08 |
| *USA, Michigan, Detroit | 747 | 5.8 | 0.23 | 0.57 | 0.02 | 596 | 4.4 | 0.21 | 0.39 | 0.02 |
| *USA, Michigan, Detroit: White | 627 | 6.5 | 0.29 | 0.65 | 0.03 | 463 | 4.6 | 0.27 | 0.42 | 0.02 |
| *USA, Michigan, Detroit: Black | 92 | 3.6 | 0.39 | 0.32 | 0.04 | 109 | 3.7 | 0.38 | 0.30 | 0.03 |
| USA, Minnesota | 1203 | 6.8 | 0.21 | 0.65 | 0.02 | 924 | 5.2 | 0.20 | 0.47 | 0.02 |
| USA, Minnesota: White | 1124 | 7.0 | 0.24 | 0.67 | 0.02 | 860 | 5.4 | 0.22 | 0.48 | 0.02 |
| USA, Minnesota: Black | 39 | 4.7 | 0.79 | 0.50 | 0.12 | 31 | 3.5 | 0.65 | 0.30 | 0.07 |
| *USA, Minnesota: Asian and Pacific Islander | 27 | 4.1 | 0.82 | 0.34 | 0.07 | 21 | 3.0 | 0.69 | 0.26 | 0.07 |
| USA, Mississippi | 536 | 5.5 | 0.26 | 0.55 | 0.03 | 442 | 4.3 | 0.23 | 0.41 | 0.02 |
| USA, Missouri | 1263 | 6.5 | 0.20 | 0.61 | 0.02 | 1028 | 5.0 | 0.18 | 0.46 | 0.02 |
| USA, Missouri: White | 1166 | 6.9 | 0.23 | 0.64 | 0.02 | 945 | 5.3 | 0.21 | 0.49 | 0.02 |
| USA, Missouri: Black | 81 | 4.2 | 0.48 | 0.37 | 0.05 | 69 | 3.2 | 0.40 | 0.27 | 0.04 |
| USA, Montana | 257 | 6.6 | 0.47 | 0.66 | 0.05 | 193 | 5.4 | 0.45 | 0.53 | 0.04 |
| *USA, Montana: American Indian | 9 | 4.9 | 1.64 | 0.45 | 0.18 | 7 | 3.6 | 1.36 | 0.31 | 0.13 |
| USA, Nebraska | 411 | 6.7 | 0.36 | 0.67 | 0.04 | 313 | 5.2 | 0.34 | 0.46 | 0.03 |
| USA, Nebraska: White | 394 | 7.0 | 0.39 | 0.69 | 0.04 | 298 | 5.4 | 0.36 | 0.48 | 0.03 |
| *USA, Nebraska: Black | 7 | 2.6 | 1.00 | 0.19 | 0.08 | 10 | 3.8 | 1.22 | 0.39 | 0.14 |
| USA, Nevada | 571 | 6.1 | 0.28 | 0.60 | 0.03 | 433 | 4.6 | 0.25 | 0.44 | 0.02 |
| USA, Nevada: White | 504 | 6.6 | 0.33 | 0.65 | 0.03 | 380 | 5.1 | 0.30 | 0.49 | 0.03 |
| USA, Nevada: Black | 37 | 4.7 | 0.79 | 0.37 | 0.07 | 30 | 3.6 | 0.69 | 0.35 | 0.07 |
| *USA, Nevada: Asian and Pacific Islander | 21 | 2.5 | 0.57 | 0.27 | 0.06 | 19 | 2.3 | 0.61 | 0.18 | 0.05 |
| USA, New Jersey | 1845 | 6.5 | 0.17 | 0.61 | 0.02 | 1519 | 4.9 | 0.15 | 0.45 | 0.01 |
| USA, New Jersey: White | 1560 | 7.0 | 0.20 | 0.66 | 0.02 | 1283 | 5.4 | 0.18 | 0.50 | 0.02 |
| USA, New Jersey: Black | 155 | 4.3 | 0.35 | 0.39 | 0.04 | 143 | 3.4 | 0.30 | 0.30 | 0.03 |
| USA, New Mexico | 346 | 4.7 | 0.28 | 0.49 | 0.03 | 282 | 3.8 | 0.26 | 0.37 | 0.02 |
| USA, New Mexico: White | 323 | 5.0 | 0.32 | 0.52 | 0.03 | 254 | 4.0 | 0.30 | 0.38 | 0.03 |
| USA, New Mexico: Non-Hispanic White | 214 | 5.9 | 0.50 | 0.61 | 0.05 | 164 | 4.9 | 0.54 | 0.45 | 0.04 |
| USA, New Mexico: Hispanic White | 109 | 4.0 | 0.41 | 0.42 | 0.05 | 90 | 3.3 | 0.37 | 0.31 | 0.04 |
| *USA, New Mexico: American Indian | 15 | 2.6 | 0.68 | 0.22 | 0.08 | 19 | 2.8 | 0.67 | 0.24 | 0.07 |
| USA, New York State | 3985 | 6.6 | 0.12 | 0.62 | 0.01 | 3211 | 4.8 | 0.10 | 0.43 | 0.01 |
| USA, New York State: White | 3380 | 7.4 | 0.14 | 0.70 | 0.01 | 2692 | 5.5 | 0.13 | 0.50 | 0.01 |
| USA, New York State: Black | 378 | 4.1 | 0.22 | 0.36 | 0.02 | 322 | 2.9 | 0.18 | 0.25 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 207 | 4.5 | 0.34 | 0.40 | 0.03 | 181 | 3.4 | 0.28 | 0.29 | 0.03 |
| USA, North Carolina | 1884 | 5.9 | 0.15 | 0.56 | 0.01 | 1590 | 4.5 | 0.13 | 0.41 | 0.01 |
| USA, North Carolina: White | 1584 | 6.5 | 0.18 | 0.61 | 0.02 | 1322 | 5.0 | 0.17 | 0.46 | 0.01 |
| USA, North Carolina: Black | 246 | 4.1 | 0.27 | 0.38 | 0.03 | 237 | 3.3 | 0.23 | 0.27 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | 35 | 4.8 | 0.83 | 0.41 | 0.09 | 16 | 2.0 | 0.50 | 0.18 | 0.06 |
| *USA, North Carolina: American Indian | 9 | 2.1 | 0.72 | 0.28 | 0.11 | 9 | 2.2 | 0.73 | 0.16 | 0.06 |
| USA, North Dakota | 157 | 6.6 | 0.57 | 0.67 | 0.06 | 101 | 4.4 | 0.49 | 0.40 | 0.05 |
| USA, Ohio | 2583 | 7.0 | 0.15 | 0.66 | 0.01 | 2048 | 5.1 | 0.13 | 0.47 | 0.01 |
| USA, Ohio: White | 2356 | 7.3 | 0.17 | 0.69 | 0.02 | 1863 | 5.4 | 0.15 | 0.50 | 0.01 |
| USA, Ohio: Black | 198 | 5.0 | 0.36 | 0.47 | 0.04 | 163 | 3.6 | 0.30 | 0.32 | 0.03 |
| *USA, Ohio: Asian and Pacific Islander | 20 | 2.9 | 0.67 | 0.21 | 0.06 | 12 | 1.9 | 0.58 | 0.14 | 0.05 |
| USA, Oklahoma | 762 | 6.3 | 0.25 | 0.60 | 0.02 | 626 | 4.8 | 0.21 | 0.45 | 0.02 |
| USA, Oklahoma: White | 661 | 6.7 | 0.29 | 0.64 | 0.03 | 554 | 5.3 | 0.26 | 0.49 | 0.02 |
| USA, Oklahoma: Black | 33 | 3.9 | 0.68 | 0.39 | 0.08 | 25 | 2.6 | 0.54 | 0.25 | 0.06 |
| USA, Oklahoma: American Indian | 56 | 5.2 | 0.70 | 0.44 | 0.07 | 36 | 3.1 | 0.53 | 0.30 | 0.06 |
| USA, Oregon | 969 | 7.1 | 0.25 | 0.69 | 0.02 | 707 | 5.2 | 0.23 | 0.46 | 0.02 |
| USA, Oregon: White | 908 | 7.2 | 0.27 | 0.70 | 0.03 | 677 | 5.5 | 0.25 | 0.48 | 0.02 |
| *USA, Oregon: Black | 16 | 5.3 | 1.34 | 0.51 | 0.14 | 8 | 3.6 | 1.27 | 0.41 | 0.16 |
| *USA, Oregon: Asian and Pacific Islander | 28 | 5.7 | 1.11 | 0.57 | 0.13 | 14 | 2.5 | 0.71 | 0.23 | 0.07 |
| USA, Rhode Island | 201 | 5.7 | 0.46 | 0.55 | 0.04 | 205 | 5.0 | 0.41 | 0.50 | 0.04 |
| USA, Rhode Island: White | 189 | 5.8 | 0.50 | 0.57 | 0.05 | 195 | 5.3 | 0.47 | 0.53 | 0.05 |
| *USA, Rhode Island: Black | 9 | 4.6 | 1.54 | 0.41 | 0.18 | 8 | 3.3 | 1.16 | 0.32 | 0.12 |
| USA, South Carolina | 983 | 6.0 | 0.21 | 0.59 | 0.02 | 797 | 4.4 | 0.18 | 0.41 | 0.02 |
| USA, South Carolina: White | 838 | 6.8 | 0.27 | 0.67 | 0.03 | 652 | 5.0 | 0.24 | 0.46 | 0.02 |
| USA, South Carolina: Black | 136 | 3.7 | 0.33 | 0.35 | 0.03 | 137 | 3.0 | 0.28 | 0.28 | 0.03 |
| USA, South Dakota | 189 | 6.6 | 0.53 | 0.62 | 0.05 | 129 | 4.2 | 0.43 | 0.43 | 0.04 |
| USA, Tennessee | 1314 | 6.2 | 0.19 | 0.59 | 0.02 | 1048 | 4.6 | 0.17 | 0.42 | 0.01 |
| USA, Tennessee: White | 1182 | 6.7 | 0.22 | 0.63 | 0.02 | 939 | 5.0 | 0.20 | 0.46 | 0.02 |
| USA, Tennessee: Black | 121 | 4.2 | 0.39 | 0.41 | 0.04 | 93 | 2.7 | 0.30 | 0.25 | 0.03 |
| USA, Texas | 4660 | 5.9 | 0.09 | 0.56 | 0.01 | 3928 | 4.7 | 0.08 | 0.44 | 0.01 |
| USA, Texas: White | 4163 | 6.3 | 0.10 | 0.61 | 0.01 | 3457 | 5.1 | 0.09 | 0.47 | 0.01 |
| USA, Texas: Black | 347 | 4.0 | 0.22 | 0.39 | 0.03 | 333 | 3.4 | 0.19 | 0.31 | 0.02 |
| USA, Texas: Asian and Pacific Islander | 129 | 3.7 | 0.33 | 0.29 | 0.03 | 116 | 3.1 | 0.31 | 0.26 | 0.03 |
| USA, Utah | 541 | 6.6 | 0.29 | 0.65 | 0.03 | 391 | 4.7 | 0.25 | 0.43 | 0.03 |
| USA, Vermont | 144 | 6.6 | 0.65 | 0.59 | 0.06 | 119 | 5.7 | 0.64 | 0.54 | 0.05 |
| USA, Washington State | 1621 | 7.1 | 0.19 | 0.67 | 0.02 | 1175 | 5.1 | 0.17 | 0.46 | 0.02 |
| *USA, Washington, Seattle | 1140 | 7.3 | 0.24 | 0.68 | 0.02 | 837 | 5.4 | 0.21 | 0.48 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Brain and nervous system (C70–72) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 432 | 6.9 | 0.38 | 0.64 | 0.03 | 334 | 5.2 | 0.34 | 0.47 | 0.03 |
| USA, Wyoming | 111 | 5.7 | 0.59 | 0.53 | 0.06 | 97 | 4.7 | 0.53 | 0.45 | 0.05 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 50 | 3.5 | 0.50 | 0.34 | 0.07 | 30 | 2.1 | 0.39 | 0.18 | 0.04 |
| Brunei Darussalam | 21 | 2.2 | 0.51 | 0.20 | 0.06 | 14 | 1.6 | 0.46 | 0.13 | 0.05 |
| *China, Anfu County | 51 | 5.0 | 0.71 | 0.62 | 0.10 | 36 | 3.8 | 0.67 | 0.42 | 0.08 |
| *China, Anguo City | 66 | 5.5 | 0.72 | 0.65 | 0.09 | 58 | 4.5 | 0.60 | 0.47 | 0.07 |
| *China, Anshan City | 344 | 5.9 | 0.42 | 0.56 | 0.04 | 359 | 5.3 | 0.38 | 0.54 | 0.04 |
| *China, Aohan Banner, Chifeng City | 65 | 3.6 | 0.49 | 0.35 | 0.05 | 88 | 5.2 | 0.61 | 0.58 | 0.07 |
| *China, Arongqi | 27 | 3.2 | 0.66 | 0.40 | 0.09 | 41 | 5.0 | 0.84 | 0.57 | 0.11 |
| *China, Baoding City | 164 | 4.9 | 0.40 | 0.51 | 0.05 | 165 | 4.5 | 0.36 | 0.48 | 0.04 |
| *China, Beijing City | 1075 | 3.5 | 0.14 | 0.33 | 0.01 | 924 | 2.9 | 0.13 | 0.27 | 0.01 |
| *China, Binhai County | 170 | 4.0 | 0.32 | 0.43 | 0.04 | 134 | 3.4 | 0.32 | 0.35 | 0.03 |
| *China, Cangzhou City | 45 | 2.9 | 0.46 | 0.28 | 0.05 | 36 | 2.2 | 0.40 | 0.25 | 0.05 |
| China, Changfeng County | 57 | 4.0 | 0.56 | 0.42 | 0.06 | 68 | 5.0 | 0.67 | 0.52 | 0.07 |
| China, Changzhou City | 338 | 4.1 | 0.27 | 0.40 | 0.03 | 266 | 2.9 | 0.21 | 0.32 | 0.02 |
| China, Chengdu City | 148 | 4.5 | 0.41 | 0.45 | 0.04 | 146 | 4.4 | 0.42 | 0.41 | 0.04 |
| China, Cixian County | 59 | 3.4 | 0.46 | 0.42 | 0.06 | 83 | 4.6 | 0.52 | 0.55 | 0.07 |
| China, Cixi City | 143 | 3.6 | 0.35 | 0.39 | 0.04 | 137 | 3.4 | 0.38 | 0.36 | 0.04 |
| *China, Dafeng District, Yancheng City | 162 | 5.5 | 0.54 | 0.52 | 0.05 | 151 | 5.2 | 0.57 | 0.51 | 0.05 |
| China, Dalian City | 371 | 4.0 | 0.26 | 0.38 | 0.02 | 322 | 3.3 | 0.24 | 0.33 | 0.02 |
| *China, Dancheng County | 192 | 5.3 | 0.42 | 0.49 | 0.05 | 169 | 5.0 | 0.41 | 0.53 | 0.05 |
| China, Dangtu County | 37 | 3.4 | 0.60 | 0.36 | 0.07 | 46 | 4.7 | 0.79 | 0.51 | 0.09 |
| *China, Danyang City | 157 | 4.5 | 0.40 | 0.46 | 0.04 | 120 | 3.4 | 0.37 | 0.39 | 0.04 |
| *China, Dawukou District, Shizuishan City | 29 | 3.5 | 0.78 | 0.30 | 0.07 | 24 | 2.7 | 0.66 | 0.29 | 0.07 |
| *China, Dehui City | 148 | 5.0 | 0.45 | 0.49 | 0.05 | 204 | 6.8 | 0.49 | 0.78 | 0.06 |
| *China, Donggang County | 147 | 5.7 | 0.56 | 0.57 | 0.06 | 139 | 5.3 | 0.49 | 0.60 | 0.06 |
| *China, Dongguan City | 116 | 3.5 | 0.36 | 0.33 | 0.04 | 98 | 2.5 | 0.29 | 0.21 | 0.03 |
| China, Donghai County | 114 | 3.1 | 0.31 | 0.32 | 0.03 | 115 | 3.2 | 0.31 | 0.36 | 0.04 |
| *China, Dongtai City | 167 | 4.4 | 0.43 | 0.46 | 0.04 | 138 | 3.0 | 0.28 | 0.35 | 0.03 |
| China, Duanzhou District, Zhaoqing City | 43 | 4.4 | 0.75 | 0.47 | 0.08 | 37 | 3.1 | 0.55 | 0.32 | 0.06 |
| *China, Evenki Autonomous Banner | 8 | 4.4 | 2.02 | 0.39 | 0.18 | 29 | 8.6 | 1.65 | 0.91 | 0.20 |
| *China, Faku County | 145 | 8.3 | 0.82 | 0.85 | 0.09 | 103 | 5.1 | 0.52 | 0.61 | 0.07 |
| *China, Fangcheng County | 121 | 5.6 | 0.52 | 0.58 | 0.06 | 122 | 6.4 | 0.61 | 0.66 | 0.07 |
| *China, Feicheng City | 151 | 4.4 | 0.40 | 0.41 | 0.04 | 152 | 3.8 | 0.35 | 0.40 | 0.04 |
| China, Feixi County | 171 | 4.9 | 0.42 | 0.48 | 0.04 | 163 | 4.5 | 0.40 | 0.45 | 0.04 |
| China, Fuqing City | 164 | 6.5 | 0.54 | 0.68 | 0.06 | 175 | 7.1 | 0.58 | 0.71 | 0.06 |
| *China, Ganyu District, Lianyungang City | 141 | 3.6 | 0.31 | 0.38 | 0.04 | 113 | 2.8 | 0.28 | 0.34 | 0.04 |
| *China, Ganzhou District, Zhangye City | 75 | 9.0 | 1.12 | 0.98 | 0.12 | 54 | 6.8 | 1.04 | 0.75 | 0.11 |
| *China, Gaocheng City | 51 | 2.3 | 0.33 | 0.23 | 0.04 | 45 | 2.0 | 0.31 | 0.20 | 0.03 |
| China, Gaomi City | 70 | 2.6 | 0.34 | 0.29 | 0.04 | 66 | 2.4 | 0.33 | 0.25 | 0.04 |
| China, Gong'an County | 190 | 6.1 | 0.49 | 0.67 | 0.06 | 211 | 6.8 | 0.51 | 0.75 | 0.06 |
| *China, Guang'an District, Guang'an City | 94 | 5.0 | 0.54 | 0.55 | 0.07 | 42 | 2.2 | 0.35 | 0.26 | 0.05 |
| China, Guanghan City | 74 | 5.9 | 0.88 | 0.54 | 0.07 | 52 | 3.1 | 0.49 | 0.34 | 0.06 |
| China, Guangzhou City | 781 | 3.1 | 0.12 | 0.29 | 0.01 | 655 | 2.5 | 0.12 | 0.23 | 0.01 |
| *China, Guanyun County | 145 | 4.3 | 0.36 | 0.45 | 0.04 | 141 | 4.5 | 0.41 | 0.42 | 0.04 |
| China, Guilin City | 105 | 5.1 | 0.54 | 0.53 | 0.06 | 116 | 5.1 | 0.52 | 0.59 | 0.07 |
| *China, Hai'an City | 141 | 3.5 | 0.42 | 0.35 | 0.04 | 143 | 3.7 | 0.45 | 0.33 | 0.03 |
| China, Hailar District, Hulun Buir City | 39 | 3.7 | 0.73 | 0.38 | 0.08 | 35 | 2.9 | 0.53 | 0.32 | 0.07 |
| China, Haimen District, Nantong City | 185 | 4.6 | 0.40 | 0.48 | 0.04 | 175 | 4.1 | 0.38 | 0.43 | 0.04 |
| China, Haining City | 94 | 3.9 | 0.51 | 0.34 | 0.04 | 83 | 3.1 | 0.44 | 0.29 | 0.04 |
| China, Hangzhou City | 1039 | 4.2 | 0.15 | 0.40 | 0.01 | 1132 | 4.1 | 0.14 | 0.42 | 0.01 |
| China, Hebi City | 64 | 5.5 | 0.72 | 0.62 | 0.10 | 62 | 5.4 | 0.72 | 0.64 | 0.09 |
| China, Hefei City | 422 | 5.4 | 0.28 | 0.55 | 0.03 | 441 | 5.7 | 0.29 | 0.63 | 0.04 |
| China, Hengdong County | 46 | 3.3 | 0.51 | 0.35 | 0.06 | 41 | 2.8 | 0.45 | 0.28 | 0.05 |
| *China, Hengfeng County | 29 | 5.4 | 1.04 | 0.42 | 0.09 | 29 | 5.3 | 1.05 | 0.55 | 0.11 |
| *China, Hepu County | 94 | 3.4 | 0.36 | 0.34 | 0.04 | 59 | 2.1 | 0.30 | 0.22 | 0.04 |
| China, Honghu City | 137 | 5.0 | 0.46 | 0.49 | 0.05 | 117 | 4.3 | 0.43 | 0.45 | 0.05 |
| China, Hongshan District, Chifeng City | 46 | 3.3 | 0.55 | 0.31 | 0.06 | 41 | 3.1 | 0.53 | 0.28 | 0.05 |
| *China, Hongta District, Yuxi City | 70 | 5.3 | 0.71 | 0.48 | 0.07 | 82 | 5.9 | 0.73 | 0.59 | 0.07 |
| *China, Huaiyin District, Huai'an City | 105 | 3.3 | 0.34 | 0.31 | 0.04 | 100 | 3.1 | 0.34 | 0.35 | 0.04 |
| *China, Jiange County | 57 | 3.5 | 0.49 | 0.42 | 0.07 | 70 | 4.2 | 0.53 | 0.45 | 0.06 |
| China, Jiangmen City | 59 | 2.9 | 0.41 | 0.30 | 0.05 | 63 | 2.8 | 0.39 | 0.26 | 0.04 |
| *China, Jiangyin City | 147 | 3.0 | 0.29 | 0.30 | 0.03 | 133 | 2.6 | 0.29 | 0.24 | 0.03 |
| *China, Jiashan County | 89 | 5.2 | 0.63 | 0.53 | 0.07 | 129 | 7.1 | 0.83 | 0.72 | 0.08 |
| China, Jiayu County | 30 | 4.6 | 0.91 | 0.47 | 0.10 | 23 | 3.0 | 0.64 | 0.34 | 0.08 |
| *China, Jinan City | 340 | 4.4 | 0.26 | 0.44 | 0.03 | 351 | 4.2 | 0.26 | 0.42 | 0.03 |
| *China, Jingtai County | 74 | 10.9 | 1.33 | 1.03 | 0.14 | 51 | 7.0 | 0.99 | 0.86 | 0.14 |
| *China, Jingxian County | 79 | 7.7 | 1.05 | 0.75 | 0.10 | 70 | 7.2 | 1.01 | 0.77 | 0.10 |
| *China, Jintan District, Changzhou City | 71 | 2.9 | 0.36 | 0.30 | 0.05 | 72 | 3.5 | 0.47 | 0.38 | 0.05 |
| *China, Jiulongpo District, Chongqing City | 144 | 5.0 | 0.46 | 0.52 | 0.05 | 127 | 4.1 | 0.39 | 0.41 | 0.04 |
| *China, Jiyuan City | 108 | 6.0 | 0.60 | 0.64 | 0.07 | 106 | 6.0 | 0.60 | 0.62 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Brain and nervous system (C70–72) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 56 | 5.0 | 0.74 | 0.46 | 0.08 | 62 | 6.0 | 0.84 | 0.66 | 0.10 |
| China, Kunshan City | 91 | 3.2 | 0.38 | 0.31 | 0.04 | 88 | 2.8 | 0.35 | 0.27 | 0.04 |
| China, Langzhong City | 74 | 3.9 | 0.50 | 0.44 | 0.06 | 63 | 3.6 | 0.51 | 0.41 | 0.06 |
| *China, Liangshan County | 151 | 5.5 | 0.47 | 0.55 | 0.05 | 159 | 5.8 | 0.50 | 0.60 | 0.05 |
| *China, Lianshui County | 165 | 4.2 | 0.34 | 0.45 | 0.04 | 145 | 3.7 | 0.32 | 0.42 | 0.04 |
| China, Lianyungang City | 112 | 3.3 | 0.34 | 0.34 | 0.04 | 96 | 2.7 | 0.30 | 0.27 | 0.03 |
| China, Linhe District, Bayannur City | 53 | 4.2 | 0.63 | 0.51 | 0.08 | 29 | 2.2 | 0.45 | 0.23 | 0.05 |
| China, Linqu County | 116 | 3.5 | 0.34 | 0.36 | 0.04 | 99 | 2.9 | 0.31 | 0.35 | 0.04 |
| *China, Linzhou City | 218 | 6.6 | 0.46 | 0.64 | 0.05 | 237 | 6.7 | 0.46 | 0.67 | 0.05 |
| China, Liuzhou City | 82 | 2.3 | 0.27 | 0.24 | 0.03 | 83 | 2.4 | 0.29 | 0.26 | 0.03 |
| China, Liyang City | 124 | 3.8 | 0.41 | 0.38 | 0.04 | 95 | 3.1 | 0.42 | 0.30 | 0.04 |
| *China, Longquan City | 33 | 3.3 | 0.62 | 0.32 | 0.07 | 30 | 3.8 | 0.79 | 0.39 | 0.09 |
| China, Lucheng District, Wenzhou City | 47 | 2.9 | 0.49 | 0.30 | 0.05 | 43 | 2.4 | 0.42 | 0.21 | 0.04 |
| China, Luoding City | 42 | 1.9 | 0.30 | 0.20 | 0.04 | 31 | 1.6 | 0.30 | 0.15 | 0.03 |
| *China, Luohe City | 190 | 5.1 | 0.38 | 0.55 | 0.05 | 131 | 3.3 | 0.31 | 0.37 | 0.04 |
| *China, Luoyang City | 170 | 4.3 | 0.36 | 0.42 | 0.04 | 184 | 4.5 | 0.35 | 0.48 | 0.04 |
| *China, Luquan City | 32 | 2.9 | 0.55 | 0.29 | 0.06 | 29 | 2.9 | 0.58 | 0.26 | 0.05 |
| China, Ma'anshan City | 80 | 3.9 | 0.47 | 0.39 | 0.05 | 79 | 3.7 | 0.46 | 0.38 | 0.05 |
| *China, Macheng City | 119 | 5.5 | 0.55 | 0.62 | 0.06 | 103 | 5.0 | 0.55 | 0.57 | 0.06 |
| China, Meihekou City | 68 | 3.2 | 0.42 | 0.37 | 0.05 | 52 | 2.8 | 0.50 | 0.27 | 0.05 |
| *China, Mengjin County | 66 | 6.7 | 0.88 | 0.81 | 0.11 | 66 | 5.8 | 0.75 | 0.63 | 0.09 |
| China, Nangang District, Harbin City | 102 | 2.7 | 0.28 | 0.31 | 0.04 | 72 | 1.8 | 0.23 | 0.20 | 0.03 |
| *China, Nanghai District, Foshan City | 92 | 3.7 | 0.42 | 0.38 | 0.05 | 93 | 3.3 | 0.38 | 0.33 | 0.04 |
| China, Nanhu District, Jiaying City | 152 | 6.5 | 0.59 | 0.69 | 0.07 | 178 | 7.5 | 0.65 | 0.82 | 0.07 |
| *China, Nantong City | 206 | 4.4 | 0.36 | 0.48 | 0.04 | 171 | 3.5 | 0.31 | 0.38 | 0.03 |
| *China, Nanxiong City | 50 | 3.9 | 0.58 | 0.37 | 0.06 | 41 | 2.9 | 0.52 | 0.21 | 0.04 |
| China, Neixiang County | 74 | 3.4 | 0.41 | 0.34 | 0.04 | 67 | 3.0 | 0.39 | 0.32 | 0.04 |
| *China, Qianxi County | 74 | 6.1 | 0.77 | 0.62 | 0.09 | 73 | 5.7 | 0.70 | 0.58 | 0.09 |
| China, Qidong City | 268 | 5.1 | 0.39 | 0.50 | 0.04 | 263 | 4.6 | 0.36 | 0.48 | 0.03 |
| China, Qingzhou City | 99 | 3.9 | 0.44 | 0.37 | 0.04 | 78 | 3.2 | 0.45 | 0.28 | 0.04 |
| *China, Rudong County | 263 | 5.5 | 0.47 | 0.56 | 0.04 | 192 | 3.8 | 0.40 | 0.40 | 0.03 |
| *China, Rugao City | 208 | 3.7 | 0.32 | 0.36 | 0.03 | 183 | 3.0 | 0.28 | 0.30 | 0.03 |
| *China, Rural areas of Shanghai City | 1589 | 4.7 | 0.16 | 0.44 | 0.01 | 1734 | 4.4 | 0.14 | 0.44 | 0.01 |
| China, Ruyang County | 71 | 6.0 | 0.72 | 0.65 | 0.09 | 80 | 7.1 | 0.81 | 0.78 | 0.10 |
| *China, Shan County | 100 | 4.5 | 0.46 | 0.51 | 0.06 | 98 | 4.0 | 0.42 | 0.43 | 0.05 |
| China, Shanghai City | 1269 | 4.7 | 0.19 | 0.45 | 0.02 | 1394 | 4.5 | 0.18 | 0.43 | 0.02 |
| China, Shangyu District, Shaoxing City | 123 | 4.3 | 0.46 | 0.43 | 0.04 | 122 | 4.5 | 0.57 | 0.43 | 0.05 |
| *China, Shapingba District, Chongqing City | 82 | 3.0 | 0.42 | 0.27 | 0.04 | 89 | 3.3 | 0.44 | 0.29 | 0.04 |
| China, Shexian County | 83 | 6.4 | 0.72 | 0.68 | 0.09 | 48 | 3.8 | 0.57 | 0.37 | 0.06 |
| China, Sheyang County | 160 | 4.4 | 0.40 | 0.46 | 0.04 | 186 | 4.9 | 0.42 | 0.50 | 0.04 |
| *China, Shijiazhuang City | 208 | 4.8 | 0.37 | 0.48 | 0.04 | 182 | 4.1 | 0.34 | 0.42 | 0.03 |
| China, Shunde District, Foshan City | 114 | 3.6 | 0.35 | 0.34 | 0.04 | 104 | 3.0 | 0.33 | 0.26 | 0.03 |
| *China, Song County | 61 | 4.0 | 0.52 | 0.40 | 0.06 | 48 | 3.4 | 0.51 | 0.34 | 0.06 |
| China, Suzhou City | 452 | 3.5 | 0.19 | 0.35 | 0.02 | 385 | 2.8 | 0.17 | 0.27 | 0.02 |
| *China, Tengzhou City | 214 | 4.3 | 0.31 | 0.43 | 0.03 | 166 | 3.0 | 0.26 | 0.31 | 0.03 |
| *China, Wangdu County | 39 | 6.2 | 1.05 | 0.74 | 0.14 | 30 | 5.2 | 1.07 | 0.48 | 0.10 |
| *China, Wanxian County | 51 | 4.6 | 0.67 | 0.43 | 0.07 | 38 | 3.2 | 0.53 | 0.33 | 0.06 |
| *China, Wu'an City | 71 | 3.1 | 0.38 | 0.34 | 0.05 | 50 | 2.2 | 0.33 | 0.22 | 0.04 |
| China, Wuhan City | 908 | 5.1 | 0.20 | 0.51 | 0.02 | 1130 | 5.6 | 0.20 | 0.58 | 0.02 |
| *China, Wuhu City | 175 | 3.8 | 0.31 | 0.39 | 0.03 | 172 | 3.8 | 0.32 | 0.39 | 0.03 |
| China, Wuxi City | 361 | 3.8 | 0.25 | 0.38 | 0.02 | 374 | 3.5 | 0.21 | 0.37 | 0.02 |
| China, Wuzhou City | 71 | 4.1 | 0.50 | 0.42 | 0.06 | 45 | 2.5 | 0.40 | 0.26 | 0.04 |
| China, Xiangfu District, Kaifeng City | 65 | 3.5 | 0.45 | 0.38 | 0.06 | 64 | 3.3 | 0.43 | 0.32 | 0.05 |
| China, Xianju County | 62 | 3.2 | 0.43 | 0.32 | 0.05 | 44 | 2.4 | 0.38 | 0.24 | 0.04 |
| *China, Xin'an County | 58 | 5.6 | 0.77 | 0.60 | 0.09 | 50 | 4.8 | 0.69 | 0.57 | 0.09 |
| *China, Xining City | 151 | 7.2 | 0.64 | 0.69 | 0.07 | 142 | 5.6 | 0.49 | 0.60 | 0.06 |
| *China, Xinji City | 77 | 3.4 | 0.44 | 0.35 | 0.05 | 56 | 2.7 | 0.44 | 0.25 | 0.04 |
| *China, Xinluo District, Longyan City | 40 | 3.9 | 0.68 | 0.40 | 0.08 | 30 | 3.3 | 0.70 | 0.26 | 0.05 |
| *China, Xinzhou District, Shangrao City | 54 | 4.2 | 0.59 | 0.52 | 0.08 | 62 | 4.7 | 0.64 | 0.44 | 0.07 |
| China, Xiping County | 107 | 4.6 | 0.48 | 0.46 | 0.05 | 102 | 3.9 | 0.43 | 0.40 | 0.05 |
| *China, Xishan District, Kunming City | 45 | 4.2 | 0.82 | 0.38 | 0.06 | 71 | 5.6 | 0.87 | 0.58 | 0.08 |
| *China, Xuyi County | 82 | 3.6 | 0.44 | 0.36 | 0.05 | 104 | 4.5 | 0.49 | 0.47 | 0.06 |
| *China, Ya'an City | 305 | 6.2 | 0.37 | 0.65 | 0.04 | 346 | 7.0 | 0.39 | 0.77 | 0.05 |
| *China, Yakeshi City | 91 | 6.6 | 0.83 | 0.64 | 0.09 | 111 | 7.8 | 1.04 | 0.83 | 0.09 |
| China, Yancheng City | 269 | 5.4 | 0.36 | 0.55 | 0.04 | 242 | 4.7 | 0.35 | 0.50 | 0.04 |
| *China, Yangquan City | 95 | 4.6 | 0.50 | 0.53 | 0.07 | 65 | 3.0 | 0.41 | 0.30 | 0.05 |
| *China, Yangzhong City | 25 | 1.8 | 0.39 | 0.23 | 0.05 | 20 | 1.2 | 0.28 | 0.11 | 0.03 |
| *China, Yanji City | 44 | 2.1 | 0.32 | 0.23 | 0.04 | 39 | 2.4 | 0.52 | 0.20 | 0.04 |
| *China, Yanshi City | 127 | 6.1 | 0.57 | 0.66 | 0.07 | 152 | 6.8 | 0.60 | 0.78 | 0.07 |
| China, Yanting County | 102 | 5.5 | 0.57 | 0.56 | 0.06 | 40 | 2.5 | 0.42 | 0.23 | 0.04 |
| *China, Yi'an District, Tongling City | 33 | 3.9 | 0.74 | 0.46 | 0.09 | 17 | 1.7 | 0.42 | 0.21 | 0.06 |
| *China, Yingdong District, Fuyang City | 116 | 5.8 | 0.57 | 0.56 | 0.06 | 131 | 6.7 | 0.62 | 0.68 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Brain and nervous system (C70–72) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 39 | 5.3 | 1.01 | 0.57 | 0.10 | 51 | 5.6 | 0.89 | 0.66 | 0.11 |
| *China, Yiyuan County | 54 | 2.8 | 0.40 | 0.30 | 0.05 | 54 | 3.5 | 0.58 | 0.32 | 0.05 |
| China, Yong'an City | 50 | 4.3 | 0.67 | 0.43 | 0.07 | 38 | 2.7 | 0.45 | 0.25 | 0.06 |
| *China, Yongding District, Longyan City | 58 | 3.8 | 0.52 | 0.40 | 0.07 | 63 | 4.2 | 0.59 | 0.48 | 0.07 |
| China, Yongkang City | 66 | 3.4 | 0.44 | 0.37 | 0.05 | 67 | 3.6 | 0.50 | 0.34 | 0.05 |
| *China, Yucheng County | 100 | 5.2 | 0.53 | 0.57 | 0.07 | 88 | 4.6 | 0.51 | 0.51 | 0.06 |
| China, Yueyanglou District, Yueyang City | 22 | 2.1 | 0.48 | 0.21 | 0.05 | 29 | 3.3 | 0.68 | 0.37 | 0.08 |
| China, Yunmeng County | 74 | 4.7 | 0.57 | 0.52 | 0.07 | 57 | 3.2 | 0.44 | 0.35 | 0.05 |
| *China, Yunyang District, Shiyao City | 36 | 3.5 | 0.60 | 0.48 | 0.10 | 30 | 2.9 | 0.55 | 0.32 | 0.07 |
| China, Yuzhong District, Chongqing City | 58 | 3.1 | 0.47 | 0.33 | 0.06 | 59 | 2.8 | 0.52 | 0.25 | 0.04 |
| *China, Zhanhuang County | 35 | 4.0 | 0.70 | 0.43 | 0.09 | 41 | 5.1 | 0.83 | 0.54 | 0.10 |
| *China, Zhangjiagang City | 140 | 4.2 | 0.45 | 0.41 | 0.04 | 146 | 3.8 | 0.42 | 0.36 | 0.04 |
| *China, Zhaoyuan City | 131 | 6.5 | 0.71 | 0.56 | 0.06 | 165 | 6.5 | 0.63 | 0.66 | 0.06 |
| *China, Zhengding County | 27 | 2.0 | 0.39 | 0.22 | 0.05 | 35 | 2.5 | 0.45 | 0.27 | 0.05 |
| *China, Zhongshan City | 109 | 2.4 | 0.25 | 0.22 | 0.02 | 78 | 1.7 | 0.22 | 0.16 | 0.02 |
| China, Zhongxiang City | 180 | 5.8 | 0.48 | 0.62 | 0.05 | 222 | 7.1 | 0.53 | 0.75 | 0.06 |
| *China, Zhuanghe City | 138 | 4.3 | 0.45 | 0.41 | 0.04 | 120 | 3.2 | 0.34 | 0.35 | 0.04 |
| *China, Zhuhai City | 140 | 4.6 | 0.42 | 0.46 | 0.05 | 143 | 4.5 | 0.42 | 0.45 | 0.05 |
| India, Ahmedabad, Urban | 237 | 1.8 | 0.12 | 0.18 | 0.01 | 141 | 1.2 | 0.10 | 0.11 | 0.01 |
| India, Aurangabad | 56 | 1.7 | 0.24 | 0.15 | 0.03 | 34 | 1.0 | 0.18 | 0.10 | 0.02 |
| India, Bangalore | 494 | 4.1 | 0.19 | 0.44 | 0.03 | 348 | 3.0 | 0.16 | 0.31 | 0.02 |
| India, Barshi, Paranda, and Bhum | 39 | 2.9 | 0.47 | 0.29 | 0.05 | 15 | 1.2 | 0.31 | 0.11 | 0.03 |
| *India, Bhopal | 67 | 2.3 | 0.29 | 0.26 | 0.04 | 31 | 1.1 | 0.21 | 0.11 | 0.02 |
| India, Chandigarh | 64 | 2.3 | 0.30 | 0.26 | 0.04 | 44 | 1.9 | 0.29 | 0.22 | 0.04 |
| *India, Chennai | 370 | 3.0 | 0.16 | 0.30 | 0.02 | 267 | 2.2 | 0.14 | 0.20 | 0.01 |
| India, Dibrugarh | 36 | 1.2 | 0.20 | 0.13 | 0.03 | 21 | 0.6 | 0.14 | 0.06 | 0.02 |
| *India, Dindigul, Ambalikkai | 113 | 1.9 | 0.18 | 0.17 | 0.02 | 71 | 1.2 | 0.14 | 0.11 | 0.01 |
| India, Kamrup Urban District | 86 | 3.3 | 0.37 | 0.35 | 0.05 | 66 | 2.8 | 0.36 | 0.28 | 0.04 |
| India, Kollam | 183 | 3.2 | 0.25 | 0.32 | 0.03 | 123 | 2.0 | 0.19 | 0.19 | 0.02 |
| *India, Manipur | 43 | 0.8 | 0.13 | 0.09 | 0.02 | 34 | 0.6 | 0.11 | 0.07 | 0.01 |
| India, Meghalaya | 26 | 0.5 | 0.12 | 0.04 | 0.01 | 24 | 0.6 | 0.12 | 0.05 | 0.01 |
| India, Mizoram | 38 | 1.9 | 0.32 | 0.19 | 0.04 | 40 | 2.4 | 0.39 | 0.34 | 0.07 |
| India, Mumbai | 1136 | 3.6 | 0.11 | 0.36 | 0.01 | 768 | 2.6 | 0.10 | 0.28 | 0.01 |
| *India, New Delhi | 1095 | 4.3 | 0.14 | 0.42 | 0.02 | 641 | 2.8 | 0.11 | 0.26 | 0.01 |
| India, Poona | 472 | 3.5 | 0.17 | 0.36 | 0.02 | 258 | 2.1 | 0.14 | 0.21 | 0.02 |
| *India, Sangrur District | 35 | 1.3 | 0.22 | 0.14 | 0.03 | 42 | 1.7 | 0.27 | 0.15 | 0.02 |
| India, SAS Nagar | 85 | 3.1 | 0.35 | 0.30 | 0.04 | 34 | 1.3 | 0.24 | 0.13 | 0.03 |
| *India, Tamil Nadu | 3502 | 1.7 | 0.03 | 0.16 | 0.00 | 2390 | 1.2 | 0.03 | 0.10 | 0.00 |
| *India, Tripura | 99 | 1.4 | 0.14 | 0.15 | 0.02 | 79 | 1.1 | 0.13 | 0.12 | 0.02 |
| India, Trivandrum | 204 | 2.9 | 0.21 | 0.29 | 0.02 | 173 | 2.2 | 0.18 | 0.20 | 0.02 |
| India, Wardha | 121 | 3.2 | 0.29 | 0.33 | 0.03 | 57 | 1.7 | 0.24 | 0.15 | 0.02 |
| India, West Arunachal | 8 | 0.4 | 0.15 | 0.03 | 0.01 | 9 | 0.8 | 0.30 | 0.09 | 0.04 |
| *Iran (Islamic Republic of), Ardabil Province | 132 | 7.0 | 0.63 | 0.75 | 0.08 | 80 | 4.2 | 0.48 | 0.40 | 0.06 |
| *Iran (Islamic Republic of), Golestan Province | 179 | 6.8 | 0.53 | 0.64 | 0.06 | 142 | 5.5 | 0.47 | 0.53 | 0.06 |
| Israel | 1448 | 6.3 | 0.17 | 0.65 | 0.02 | 1182 | 4.6 | 0.14 | 0.45 | 0.02 |
| *Israel: Jews | 1203 | 6.5 | 0.20 | 0.67 | 0.02 | 954 | 4.6 | 0.16 | 0.46 | 0.02 |
| *Israel: Arabs | 164 | 4.5 | 0.36 | 0.45 | 0.05 | 151 | 4.1 | 0.34 | 0.39 | 0.04 |
| Japan | 9037 | 3.1 | 0.04 | 0.28 | 0.00 | 7880 | 2.4 | 0.04 | 0.21 | 0.00 |
| Japan, Aichi Prefecture | 472 | 2.9 | 0.17 | 0.27 | 0.01 | 359 | 2.3 | 0.17 | 0.19 | 0.01 |
| *Japan, Akita Prefecture | 93 | 3.7 | 0.61 | 0.30 | 0.04 | 86 | 2.7 | 0.54 | 0.23 | 0.04 |
| Japan, Aomori Prefecture | 179 | 3.5 | 0.36 | 0.32 | 0.03 | 159 | 2.8 | 0.35 | 0.24 | 0.02 |
| Japan, Gunma Prefecture | 149 | 3.2 | 0.35 | 0.29 | 0.03 | 122 | 2.6 | 0.37 | 0.22 | 0.03 |
| Japan, Hiroshima Prefecture | 285 | 3.7 | 0.28 | 0.31 | 0.02 | 255 | 2.6 | 0.23 | 0.22 | 0.02 |
| Japan, Miyagi Prefecture | 278 | 3.1 | 0.24 | 0.29 | 0.02 | 232 | 2.8 | 0.26 | 0.23 | 0.02 |
| Japan, Osaka Prefecture | 585 | 3.0 | 0.16 | 0.27 | 0.01 | 468 | 2.0 | 0.13 | 0.18 | 0.01 |
| Kuwait | 203 | 1.9 | 0.18 | 0.17 | 0.02 | 96 | 1.7 | 0.20 | 0.18 | 0.03 |
| *Kuwait: Kuwaitis | 71 | 3.0 | 0.37 | 0.29 | 0.04 | 53 | 2.0 | 0.28 | 0.21 | 0.04 |
| *Kuwait: Non-Kuwaitis | 132 | 1.9 | 0.31 | 0.15 | 0.02 | 43 | 1.5 | 0.30 | 0.16 | 0.05 |
| *Philippines, Manila | 300 | 2.3 | 0.14 | 0.24 | 0.02 | 262 | 1.7 | 0.11 | 0.16 | 0.01 |
| *Qatar: Qatari | 33 | 6.9 | 1.30 | 0.93 | 0.22 | 19 | 3.2 | 0.77 | 0.29 | 0.08 |
| Republic of Korea | 5048 | 3.2 | 0.05 | 0.29 | 0.00 | 4450 | 2.7 | 0.05 | 0.24 | 0.00 |
| *Republic of Korea, Busan | 367 | 3.2 | 0.20 | 0.30 | 0.02 | 404 | 3.3 | 0.22 | 0.30 | 0.02 |
| *Republic of Korea, Daegu | 253 | 3.4 | 0.24 | 0.31 | 0.02 | 192 | 2.5 | 0.23 | 0.21 | 0.02 |
| *Republic of Korea, Daejeon | 156 | 3.3 | 0.29 | 0.33 | 0.03 | 151 | 3.5 | 0.33 | 0.30 | 0.03 |
| *Republic of Korea, Gwangju | 120 | 3.0 | 0.31 | 0.25 | 0.03 | 111 | 2.3 | 0.27 | 0.24 | 0.03 |
| Republic of Korea, Incheon | 254 | 2.9 | 0.20 | 0.26 | 0.02 | 245 | 2.7 | 0.20 | 0.25 | 0.02 |
| Republic of Korea, Jeju | 73 | 4.1 | 0.53 | 0.35 | 0.05 | 58 | 2.8 | 0.45 | 0.23 | 0.04 |
| Republic of Korea, Seoul | 956 | 3.3 | 0.12 | 0.29 | 0.01 | 856 | 2.6 | 0.11 | 0.23 | 0.01 |
| Republic of Korea, Ulsan | 109 | 3.2 | 0.34 | 0.27 | 0.03 | 95 | 2.9 | 0.34 | 0.25 | 0.03 |
| Singapore | 360 | 3.0 | 0.18 | 0.28 | 0.02 | 284 | 2.4 | 0.17 | 0.21 | 0.01 |
| Singapore: Chinese | 274 | 3.0 | 0.21 | 0.28 | 0.02 | 219 | 2.3 | 0.19 | 0.20 | 0.02 |
| Singapore: Indian | 32 | 3.1 | 0.61 | 0.30 | 0.07 | 23 | 3.0 | 0.73 | 0.19 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Brain and nervous system (C70–72) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 40 | 3.0 | 0.50 | 0.28 | 0.06 | 35 | 2.6 | 0.47 | 0.19 | 0.04 |
| Thailand, Bangkok | 288 | 2.0 | 0.13 | 0.17 | 0.01 | 241 | 1.4 | 0.11 | 0.13 | 0.01 |
| *Thailand, Chiang Mai | 115 | 2.5 | 0.26 | 0.22 | 0.02 | 104 | 2.2 | 0.25 | 0.20 | 0.02 |
| *Thailand, Khon Kaen | 80 | 1.8 | 0.22 | 0.15 | 0.02 | 62 | 1.5 | 0.23 | 0.12 | 0.02 |
| Thailand, Lampang | 63 | 2.5 | 0.36 | 0.28 | 0.04 | 65 | 2.4 | 0.35 | 0.23 | 0.03 |
| Thailand, Lopburi Province | 74 | 3.4 | 0.41 | 0.31 | 0.04 | 98 | 4.0 | 0.42 | 0.40 | 0.05 |
| *Thailand, Songkhla | 113 | 3.1 | 0.30 | 0.29 | 0.03 | 70 | 1.6 | 0.20 | 0.17 | 0.02 |
| Turkey, Antalya | 352 | 5.8 | 0.32 | 0.61 | 0.04 | 299 | 4.9 | 0.29 | 0.50 | 0.03 |
| Turkey, Bursa | 474 | 6.2 | 0.29 | 0.64 | 0.04 | 326 | 4.0 | 0.23 | 0.41 | 0.03 |
| *Turkey, Edirne | 85 | 6.2 | 0.73 | 0.58 | 0.08 | 70 | 4.9 | 0.66 | 0.52 | 0.07 |
| *Turkey, Erzurum | 122 | 6.4 | 0.59 | 0.60 | 0.07 | 114 | 5.6 | 0.54 | 0.55 | 0.06 |
| Turkey, Eskişehir | 132 | 5.4 | 0.49 | 0.58 | 0.06 | 91 | 3.5 | 0.40 | 0.33 | 0.04 |
| Turkey, Gaziantep | 248 | 6.0 | 0.40 | 0.63 | 0.05 | 252 | 5.9 | 0.38 | 0.61 | 0.05 |
| *Turkey, Izmir | 810 | 6.6 | 0.24 | 0.67 | 0.03 | 654 | 5.0 | 0.21 | 0.49 | 0.02 |
| Turkey, Malatya | 99 | 4.5 | 0.46 | 0.45 | 0.05 | 66 | 2.9 | 0.37 | 0.26 | 0.04 |
| Turkey, Samsun | 221 | 5.8 | 0.40 | 0.60 | 0.05 | 173 | 4.2 | 0.34 | 0.44 | 0.04 |
| Turkey, Trabzon | 142 | 6.2 | 0.54 | 0.62 | 0.06 | 115 | 4.8 | 0.47 | 0.47 | 0.05 |
| Europe | | | | | | | | | | |
| Austria | 1996 | 6.5 | 0.17 | 0.66 | 0.02 | 1583 | 4.8 | 0.15 | 0.46 | 0.01 |
| Austria, Carinthia | 141 | 6.5 | 0.65 | 0.68 | 0.06 | 108 | 4.0 | 0.50 | 0.39 | 0.05 |
| Austria, Tyrol | 158 | 6.0 | 0.57 | 0.59 | 0.06 | 132 | 5.3 | 0.58 | 0.46 | 0.05 |
| Austria, Vorarlberg | 79 | 5.2 | 0.65 | 0.53 | 0.07 | 68 | 4.8 | 0.70 | 0.50 | 0.07 |
| Belarus | 1484 | 5.6 | 0.15 | 0.56 | 0.02 | 1530 | 4.4 | 0.13 | 0.44 | 0.01 |
| *Belgium | 2614 | 6.7 | 0.15 | 0.68 | 0.01 | 1770 | 4.2 | 0.12 | 0.43 | 0.01 |
| Croatia | 1100 | 7.2 | 0.25 | 0.72 | 0.02 | 1020 | 5.2 | 0.21 | 0.52 | 0.02 |
| Cyprus | 154 | 5.8 | 0.52 | 0.60 | 0.05 | 120 | 3.8 | 0.40 | 0.39 | 0.04 |
| *Czech Republic | 2373 | 6.0 | 0.14 | 0.62 | 0.01 | 2051 | 4.4 | 0.12 | 0.45 | 0.01 |
| Denmark | 1467 | 6.5 | 0.19 | 0.69 | 0.02 | 1079 | 4.8 | 0.17 | 0.49 | 0.02 |
| Estonia | 286 | 7.0 | 0.47 | 0.66 | 0.04 | 281 | 5.4 | 0.42 | 0.50 | 0.03 |
| Finland | 1165 | 5.9 | 0.20 | 0.56 | 0.02 | 906 | 4.1 | 0.17 | 0.40 | 0.02 |
| *France, Bas-Rhin | 177 | 5.7 | 0.48 | 0.58 | 0.05 | 142 | 3.8 | 0.39 | 0.37 | 0.04 |
| *France, Calvados | 142 | 5.2 | 0.48 | 0.56 | 0.06 | 119 | 4.1 | 0.47 | 0.39 | 0.04 |
| *France, Doubs | 136 | 7.1 | 0.68 | 0.75 | 0.07 | 94 | 3.8 | 0.47 | 0.38 | 0.05 |
| *France, Gironde | 401 | 7.0 | 0.38 | 0.77 | 0.04 | 326 | 5.2 | 0.34 | 0.53 | 0.03 |
| *France, Haut-Rhin | 180 | 6.9 | 0.59 | 0.65 | 0.06 | 147 | 4.3 | 0.44 | 0.47 | 0.05 |
| *France, Hérault | 253 | 5.9 | 0.42 | 0.62 | 0.04 | 221 | 4.9 | 0.41 | 0.46 | 0.04 |
| *France, Isère | 276 | 6.3 | 0.42 | 0.67 | 0.05 | 215 | 4.3 | 0.35 | 0.44 | 0.04 |
| *France, Lille-Métropole | 150 | 6.1 | 0.53 | 0.58 | 0.06 | 115 | 4.4 | 0.47 | 0.45 | 0.05 |
| *France, Limousin | 99 | 6.4 | 0.78 | 0.63 | 0.08 | 76 | 4.5 | 0.63 | 0.44 | 0.06 |
| *France, Loire-Atlantique | 323 | 6.9 | 0.42 | 0.71 | 0.05 | 226 | 4.1 | 0.32 | 0.42 | 0.03 |
| *France, Manche | 112 | 5.5 | 0.61 | 0.59 | 0.06 | 119 | 4.8 | 0.60 | 0.46 | 0.06 |
| *France, Poitou-Charentes | 428 | 6.0 | 0.36 | 0.61 | 0.03 | 374 | 4.6 | 0.30 | 0.48 | 0.03 |
| *France, Somme | 113 | 6.2 | 0.65 | 0.55 | 0.06 | 78 | 3.6 | 0.48 | 0.38 | 0.05 |
| *France, Tarn | 89 | 5.9 | 0.77 | 0.60 | 0.07 | 81 | 4.3 | 0.68 | 0.38 | 0.06 |
| *France, Territoire de Belfort | 28 | 7.0 | 1.46 | 0.68 | 0.15 | 22 | 5.1 | 1.30 | 0.54 | 0.13 |
| *France, Vendée | 190 | 7.5 | 0.64 | 0.76 | 0.06 | 126 | 3.5 | 0.40 | 0.37 | 0.04 |
| Germany, Baden-Württemberg | 1504 | 5.4 | 0.15 | 0.59 | 0.02 | 1178 | 3.9 | 0.13 | 0.42 | 0.01 |
| Germany, Bavaria | 2861 | 5.6 | 0.12 | 0.59 | 0.01 | 2321 | 4.1 | 0.11 | 0.42 | 0.01 |
| Germany, Bremen | 130 | 4.5 | 0.43 | 0.48 | 0.05 | 149 | 5.0 | 0.54 | 0.52 | 0.05 |
| Germany, Hamburg | 406 | 6.0 | 0.35 | 0.61 | 0.04 | 358 | 5.1 | 0.35 | 0.50 | 0.03 |
| Germany, Lower Saxony | 2035 | 6.4 | 0.18 | 0.65 | 0.02 | 1662 | 4.8 | 0.16 | 0.48 | 0.01 |
| Germany, North Rhine-Westphalia | 4622 | 6.7 | 0.12 | 0.68 | 0.01 | 3747 | 4.8 | 0.10 | 0.47 | 0.01 |
| Germany, Rhineland-Palatinate | 1009 | 6.3 | 0.23 | 0.65 | 0.02 | 745 | 4.3 | 0.20 | 0.43 | 0.02 |
| Germany, Saarland | 291 | 6.8 | 0.50 | 0.71 | 0.05 | 216 | 4.6 | 0.44 | 0.48 | 0.04 |
| Germany, Schleswig-Holstein | 768 | 6.4 | 0.28 | 0.68 | 0.03 | 653 | 5.2 | 0.26 | 0.52 | 0.02 |
| Iceland | 69 | 5.9 | 0.74 | 0.63 | 0.09 | 57 | 5.0 | 0.72 | 0.54 | 0.08 |
| Ireland | 1100 | 7.2 | 0.23 | 0.75 | 0.03 | 826 | 5.2 | 0.20 | 0.50 | 0.02 |
| *Italy, Aosta Valley | 29 | 6.6 | 1.60 | 0.60 | 0.14 | 22 | 3.3 | 0.84 | 0.37 | 0.11 |
| *Italy, Avellino | 67 | 6.9 | 1.06 | 0.66 | 0.10 | 50 | 4.5 | 0.85 | 0.42 | 0.08 |
| Italy, Basilicata | 156 | 6.8 | 0.70 | 0.67 | 0.07 | 110 | 4.0 | 0.58 | 0.36 | 0.05 |
| *Italy, Benevento | 55 | 5.6 | 0.85 | 0.58 | 0.09 | 52 | 5.1 | 0.82 | 0.57 | 0.09 |
| Italy, Bergamo | 278 | 6.4 | 0.46 | 0.65 | 0.05 | 204 | 4.2 | 0.37 | 0.46 | 0.04 |
| *Italy, Brescia | 250 | 5.4 | 0.41 | 0.57 | 0.04 | 190 | 3.3 | 0.32 | 0.34 | 0.03 |
| Italy, Brianza (Lecco and Monza e Brianza) | 204 | 7.3 | 0.59 | 0.80 | 0.06 | 154 | 4.5 | 0.47 | 0.45 | 0.05 |
| Italy, Calabria | 127 | 6.0 | 0.62 | 0.63 | 0.07 | 106 | 5.6 | 0.71 | 0.51 | 0.06 |
| *Italy, Caserta | 171 | 7.1 | 0.62 | 0.72 | 0.06 | 116 | 4.1 | 0.46 | 0.44 | 0.05 |
| *Italy, Catania, Messina, and Enna | 459 | 6.2 | 0.34 | 0.65 | 0.04 | 370 | 4.2 | 0.28 | 0.42 | 0.03 |
| Italy, Emilia-Romagna | 1062 | 7.2 | 0.28 | 0.73 | 0.03 | 818 | 4.4 | 0.21 | 0.45 | 0.02 |
| Italy, Friuli-Venezia Giulia | 397 | 7.1 | 0.44 | 0.73 | 0.04 | 282 | 4.3 | 0.36 | 0.44 | 0.03 |
| Italy, Genova | 204 | 6.9 | 0.66 | 0.67 | 0.06 | 182 | 4.9 | 0.56 | 0.46 | 0.05 |
| *Italy, Lombardy, South, Pavia | 151 | 6.8 | 0.68 | 0.71 | 0.07 | 118 | 5.0 | 0.62 | 0.50 | 0.06 |
| Italy, Mantova and Cremona | 186 | 7.3 | 0.63 | 0.73 | 0.06 | 146 | 5.1 | 0.58 | 0.51 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Brain and nervous system (C70–72) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 350 | 6.4 | 0.42 | 0.68 | 0.04 | 273 | 4.4 | 0.36 | 0.46 | 0.04 |
| Italy, Milan | 945 | 6.8 | 0.27 | 0.69 | 0.03 | 753 | 4.6 | 0.24 | 0.44 | 0.02 |
| Italy, Molise | 45 | 6.0 | 1.15 | 0.57 | 0.10 | 46 | 7.0 | 1.49 | 0.59 | 0.11 |
| *Italy, Naples Centre | 140 | 6.5 | 0.62 | 0.66 | 0.07 | 112 | 4.6 | 0.55 | 0.42 | 0.05 |
| *Italy, Naples North | 185 | 6.6 | 0.52 | 0.71 | 0.06 | 116 | 3.7 | 0.40 | 0.36 | 0.04 |
| *Italy, Naples South | 230 | 6.0 | 0.44 | 0.62 | 0.05 | 170 | 3.8 | 0.37 | 0.38 | 0.04 |
| *Italy, Nuoro | 34 | 6.2 | 1.23 | 0.75 | 0.14 | 15 | 2.1 | 0.62 | 0.23 | 0.07 |
| *Italy, Palermo | 288 | 6.3 | 0.42 | 0.66 | 0.04 | 234 | 4.6 | 0.38 | 0.45 | 0.03 |
| Italy, Puglia | 1056 | 6.7 | 0.24 | 0.70 | 0.02 | 830 | 4.4 | 0.20 | 0.46 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 144 | 6.8 | 0.68 | 0.64 | 0.06 | 79 | 3.8 | 0.56 | 0.34 | 0.04 |
| *Italy, Salerno | 175 | 5.3 | 0.45 | 0.56 | 0.05 | 192 | 5.2 | 0.49 | 0.51 | 0.05 |
| Italy, Sassari | 56 | 8.0 | 1.41 | 0.75 | 0.12 | 39 | 3.0 | 0.55 | 0.35 | 0.07 |
| *Italy, Sondrio | 59 | 6.7 | 0.99 | 0.71 | 0.11 | 53 | 5.1 | 0.91 | 0.58 | 0.10 |
| Italy, South Tyrol | 150 | 7.3 | 0.68 | 0.80 | 0.08 | 89 | 3.7 | 0.48 | 0.38 | 0.05 |
| *Italy, Syracuse | 120 | 8.1 | 0.91 | 0.80 | 0.08 | 91 | 5.5 | 0.69 | 0.56 | 0.07 |
| Italy, Trento | 141 | 6.6 | 0.67 | 0.68 | 0.07 | 92 | 4.2 | 0.57 | 0.39 | 0.05 |
| Italy, Turin | 659 | 7.3 | 0.37 | 0.71 | 0.03 | 503 | 5.0 | 0.32 | 0.48 | 0.03 |
| *Italy, Tuscany | 709 | 7.8 | 0.39 | 0.79 | 0.04 | 562 | 5.7 | 0.35 | 0.56 | 0.03 |
| Italy, Umbria | 204 | 6.7 | 0.58 | 0.71 | 0.06 | 170 | 4.2 | 0.41 | 0.45 | 0.04 |
| Italy, Varese | 138 | 6.5 | 0.65 | 0.71 | 0.07 | 99 | 4.0 | 0.54 | 0.41 | 0.05 |
| Italy, Veneto | 1452 | 7.1 | 0.22 | 0.74 | 0.02 | 1117 | 4.9 | 0.20 | 0.49 | 0.02 |
| Latvia | 505 | 8.2 | 0.40 | 0.82 | 0.04 | 600 | 6.5 | 0.33 | 0.70 | 0.03 |
| *Liechtenstein | 10 | 6.1 | 1.95 | 0.68 | 0.24 | 10 | 7.3 | 2.65 | 0.72 | 0.26 |
| *Lithuania | 799 | 8.4 | 0.33 | 0.84 | 0.03 | 931 | 6.4 | 0.28 | 0.64 | 0.03 |
| Malta | 99 | 5.6 | 0.63 | 0.55 | 0.06 | 80 | 4.4 | 0.58 | 0.46 | 0.06 |
| *The Netherlands | 3879 | 6.3 | 0.11 | 0.65 | 0.01 | 2710 | 4.2 | 0.09 | 0.43 | 0.01 |
| Norway | 1569 | 8.4 | 0.23 | 0.84 | 0.02 | 1317 | 6.7 | 0.21 | 0.68 | 0.02 |
| Poland, Kielce | 310 | 6.7 | 0.42 | 0.72 | 0.05 | 264 | 4.5 | 0.35 | 0.48 | 0.04 |
| *Portugal, Azores | 28 | 4.9 | 0.99 | 0.50 | 0.10 | 22 | 2.7 | 0.65 | 0.30 | 0.08 |
| Russian Federation, Arkhangelsk | 205 | 6.1 | 0.46 | 0.66 | 0.06 | 266 | 5.2 | 0.38 | 0.55 | 0.04 |
| Russian Federation, Kaliningrad | 100 | 3.8 | 0.41 | 0.37 | 0.04 | 101 | 2.8 | 0.33 | 0.27 | 0.03 |
| Russian Federation, Karelia | 101 | 5.6 | 0.60 | 0.51 | 0.06 | 85 | 3.1 | 0.41 | 0.32 | 0.04 |
| *Russian Federation, Komi Republic | 143 | 5.9 | 0.52 | 0.66 | 0.07 | 113 | 4.0 | 0.43 | 0.37 | 0.04 |
| Russian Federation, Murmansk | 102 | 5.3 | 0.55 | 0.54 | 0.07 | 75 | 2.8 | 0.37 | 0.30 | 0.04 |
| *Russian Federation, Orenburg | 310 | 5.3 | 0.32 | 0.56 | 0.04 | 315 | 4.2 | 0.27 | 0.43 | 0.03 |
| Russian Federation, Pskov | 114 | 5.5 | 0.56 | 0.63 | 0.07 | 121 | 4.3 | 0.49 | 0.45 | 0.05 |
| *Russian Federation, Samara | 488 | 5.2 | 0.25 | 0.54 | 0.03 | 490 | 4.4 | 0.24 | 0.40 | 0.02 |
| Russian Federation, Vologda Region | 180 | 5.4 | 0.43 | 0.53 | 0.04 | 196 | 4.2 | 0.35 | 0.40 | 0.03 |
| Slovenia | 506 | 6.5 | 0.33 | 0.65 | 0.03 | 366 | 4.3 | 0.28 | 0.42 | 0.03 |
| Spain, Asturias | 169 | 5.7 | 0.53 | 0.58 | 0.06 | 165 | 5.4 | 0.64 | 0.53 | 0.05 |
| Spain, Basque Country | 505 | 7.2 | 0.38 | 0.78 | 0.04 | 413 | 5.1 | 0.34 | 0.51 | 0.03 |
| Spain, Canary Islands | 279 | 6.1 | 0.43 | 0.64 | 0.04 | 238 | 4.8 | 0.41 | 0.42 | 0.03 |
| Spain, Castellón | 124 | 5.0 | 0.51 | 0.57 | 0.06 | 109 | 4.4 | 0.52 | 0.47 | 0.05 |
| Spain, Girona | 186 | 6.5 | 0.55 | 0.70 | 0.06 | 125 | 4.3 | 0.48 | 0.42 | 0.05 |
| Spain, Granada | 174 | 5.8 | 0.49 | 0.58 | 0.05 | 158 | 4.3 | 0.42 | 0.41 | 0.04 |
| Spain, La Rioja | 71 | 5.3 | 0.69 | 0.65 | 0.09 | 56 | 4.1 | 0.69 | 0.43 | 0.07 |
| Spain, Murcia | 282 | 5.3 | 0.35 | 0.54 | 0.04 | 236 | 4.6 | 0.35 | 0.50 | 0.04 |
| Spain, Navarra | 149 | 7.3 | 0.67 | 0.85 | 0.08 | 118 | 5.0 | 0.58 | 0.56 | 0.06 |
| Spain, Salamanca | 88 | 7.3 | 1.06 | 0.67 | 0.09 | 86 | 5.2 | 0.78 | 0.59 | 0.08 |
| Spain, Tarragona | 175 | 6.0 | 0.53 | 0.61 | 0.05 | 129 | 4.1 | 0.45 | 0.43 | 0.05 |
| *Sweden | 2218 | 6.1 | 0.15 | 0.64 | 0.01 | 1538 | 4.4 | 0.13 | 0.44 | 0.01 |
| Switzerland, Aargau | 163 | 6.6 | 0.60 | 0.71 | 0.06 | 97 | 4.5 | 0.54 | 0.44 | 0.05 |
| Switzerland, Basel | 121 | 6.6 | 0.70 | 0.67 | 0.07 | 95 | 4.9 | 0.68 | 0.49 | 0.06 |
| Switzerland, Berne Solothurn | 195 | 6.2 | 0.51 | 0.64 | 0.05 | 125 | 4.2 | 0.48 | 0.37 | 0.04 |
| Switzerland, East | 196 | 6.1 | 0.50 | 0.63 | 0.05 | 138 | 4.7 | 0.49 | 0.45 | 0.04 |
| *Switzerland, Fribourg | 64 | 6.2 | 0.86 | 0.61 | 0.09 | 49 | 4.5 | 0.77 | 0.39 | 0.07 |
| Switzerland, Geneva | 106 | 6.5 | 0.69 | 0.74 | 0.08 | 61 | 3.2 | 0.49 | 0.32 | 0.05 |
| *Switzerland, Graubünden and Glarus | 51 | 6.0 | 1.00 | 0.56 | 0.09 | 35 | 3.5 | 0.78 | 0.37 | 0.07 |
| *Switzerland, Lucerne | 125 | 6.8 | 0.70 | 0.65 | 0.07 | 93 | 5.2 | 0.64 | 0.51 | 0.06 |
| *Switzerland, Neuchâtel and Jura | 51 | 5.2 | 0.80 | 0.56 | 0.09 | 38 | 4.4 | 0.88 | 0.41 | 0.08 |
| Switzerland, Ticino | 94 | 6.6 | 0.81 | 0.66 | 0.08 | 61 | 4.3 | 0.76 | 0.37 | 0.06 |
| Switzerland, Valais | 76 | 5.7 | 0.76 | 0.55 | 0.08 | 45 | 3.8 | 0.71 | 0.37 | 0.06 |
| Switzerland, Vaud | 160 | 5.6 | 0.48 | 0.60 | 0.06 | 118 | 4.0 | 0.44 | 0.40 | 0.04 |
| Switzerland, Zurich and Zug | 343 | 5.8 | 0.35 | 0.61 | 0.04 | 262 | 4.0 | 0.30 | 0.41 | 0.03 |
| Ukraine | 5173 | 5.0 | 0.08 | 0.50 | 0.01 | 4968 | 3.9 | 0.06 | 0.38 | 0.01 |
| UK, England | 13248 | 6.6 | 0.06 | 0.68 | 0.01 | 9827 | 4.6 | 0.05 | 0.46 | 0.01 |
| UK, Northern Ireland | 407 | 6.3 | 0.34 | 0.65 | 0.04 | 295 | 4.2 | 0.27 | 0.44 | 0.03 |
| UK, Scotland | 1241 | 6.2 | 0.20 | 0.64 | 0.02 | 956 | 4.4 | 0.17 | 0.44 | 0.02 |
| UK, Wales | 820 | 6.7 | 0.27 | 0.69 | 0.03 | 621 | 4.7 | 0.23 | 0.49 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1849 | 6.7 | 0.17 | 0.68 | 0.02 | 1239 | 4.4 | 0.14 | 0.43 | 0.01 |
| *Australia, Northern Territory | 44 | 6.6 | 1.03 | 0.59 | 0.10 | 18 | 2.8 | 0.68 | 0.39 | 0.11 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Brain and nervous system (C70–72) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 35 | 6.9 | 1.27 | 0.61 | 0.12 | 15 | 3.1 | 0.81 | 0.46 | 0.14 |
| *Australia, Northern Territory: Indigenous | 9 | 5.4 | 1.88 | 0.48 | 0.19 | 3 | 1.5 | 0.89 | 0.13 | 0.08 |
| *Australia, Queensland | 1011 | 6.2 | 0.21 | 0.64 | 0.02 | 762 | 4.6 | 0.19 | 0.46 | 0.02 |
| Australia, South Australia | 420 | 6.9 | 0.38 | 0.70 | 0.04 | 310 | 4.4 | 0.29 | 0.45 | 0.03 |
| Australia, Tasmania | 151 | 7.8 | 0.71 | 0.81 | 0.07 | 98 | 4.7 | 0.57 | 0.42 | 0.05 |
| *Australia, Victoria | 1420 | 7.0 | 0.20 | 0.70 | 0.02 | 1004 | 4.6 | 0.16 | 0.45 | 0.02 |
| *Australia, Western Australia | 587 | 6.8 | 0.30 | 0.71 | 0.03 | 378 | 4.3 | 0.25 | 0.42 | 0.03 |
| *France, New Caledonia | 31 | 4.0 | 0.73 | 0.38 | 0.08 | 19 | 2.6 | 0.61 | 0.23 | 0.06 |
| New Zealand | 963 | 6.4 | 0.22 | 0.65 | 0.02 | 718 | 4.4 | 0.19 | 0.43 | 0.02 |
| *New Zealand: Maori | 103 | 6.1 | 0.61 | 0.59 | 0.08 | 88 | 4.7 | 0.51 | 0.43 | 0.06 |
| *New Zealand: Pacific peoples | 40 | 5.7 | 0.91 | 0.50 | 0.10 | 33 | 4.5 | 0.80 | 0.39 | 0.08 |
| *New Zealand: Other | 782 | 6.6 | 0.27 | 0.70 | 0.03 | 567 | 4.7 | 0.24 | 0.46 | 0.02 |
| USA, Hawaii | 191 | 4.0 | 0.32 | 0.38 | 0.03 | 150 | 3.1 | 0.29 | 0.31 | 0.03 |
| USA, Hawaii: White | 93 | 6.7 | 0.91 | 0.62 | 0.07 | 57 | 4.9 | 0.85 | 0.48 | 0.07 |
| *USA, Hawaii: Japanese | 16 | 1.8 | 0.55 | 0.18 | 0.05 | 23 | 2.1 | 0.55 | 0.23 | 0.06 |
| *USA, Hawaii: Chinese | 9 | 3.2 | 1.25 | 0.33 | 0.13 | 2 | 0.1 | 0.10 | 0.00 | 0.00 |
| *USA, Hawaii: Hawaiian | 26 | 3.0 | 0.59 | 0.28 | 0.07 | 34 | 3.7 | 0.65 | 0.40 | 0.08 |
| *USA, Hawaii: Filipino | 28 | 3.6 | 0.72 | 0.37 | 0.08 | 16 | 1.4 | 0.38 | 0.18 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Thyroid (C73)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 20 | 1.3 | 0.31 | 0.15 | 0.04 | 176 | 10.7 | 0.85 | 1.07 | 0.10 |
| *Algeria, Tizi Ouzou | 35 | 2.1 | 0.38 | 0.23 | 0.05 | 175 | 10.0 | 0.79 | 0.98 | 0.08 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 9 | 1.0 | 0.35 | 0.11 | 0.05 |
| *France, La Réunion | 36 | 1.8 | 0.31 | 0.19 | 0.03 | 162 | 7.9 | 0.64 | 0.74 | 0.06 |
| *Kenya, Eldoret | 4 | 0.5 | 0.24 | 0.06 | 0.04 | 17 | 1.4 | 0.36 | 0.13 | 0.04 |
| *Kenya, Nairobi | 26 | 0.9 | 0.21 | 0.10 | 0.03 | 82 | 2.9 | 0.41 | 0.36 | 0.06 |
| Mauritius | 34 | 0.8 | 0.14 | 0.08 | 0.02 | 100 | 2.4 | 0.25 | 0.25 | 0.03 |
| *Morocco, Casablanca | 275 | 2.4 | 0.15 | 0.26 | 0.02 | 1654 | 13.5 | 0.34 | 1.35 | 0.04 |
| *Seychelles | 2 | 0.6 | 0.44 | 0.06 | 0.04 | 7 | 2.1 | 0.83 | 0.23 | 0.10 |
| *South Africa, Eastern Cape | 2 | 0.2 | 0.14 | 0.02 | 0.02 | 13 | 0.8 | 0.23 | 0.10 | 0.03 |
| *Uganda, Kyadondo County | 18 | 0.7 | 0.20 | 0.08 | 0.03 | 63 | 2.4 | 0.37 | 0.34 | 0.07 |
| *Uganda, Gulu | 4 | 1.0 | 0.56 | 0.17 | 0.11 | 10 | 1.7 | 0.56 | 0.17 | 0.06 |
| *Zimbabwe, Bulawayo: African | 6 | 0.9 | 0.37 | 0.11 | 0.06 | 31 | 3.2 | 0.59 | 0.40 | 0.10 |
| *Zimbabwe, Harare: African | 19 | 1.0 | 0.26 | 0.13 | 0.05 | 77 | 4.8 | 0.57 | 0.69 | 0.10 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 45 | 2.2 | 0.33 | 0.23 | 0.04 | 238 | 10.9 | 0.72 | 1.03 | 0.07 |
| *Argentina, Mendoza | 69 | 1.4 | 0.18 | 0.15 | 0.02 | 351 | 6.7 | 0.37 | 0.68 | 0.04 |
| Brazil, Aracaju | 131 | 10.4 | 0.93 | 1.12 | 0.12 | 692 | 43.7 | 1.68 | 4.46 | 0.19 |
| *Brazil, Barretos | 34 | 2.6 | 0.45 | 0.26 | 0.05 | 143 | 10.8 | 0.92 | 0.98 | 0.09 |
| Brazil, Belo Horizonte | 267 | 3.8 | 0.23 | 0.39 | 0.03 | 1094 | 12.9 | 0.39 | 1.27 | 0.04 |
| *Brazil, Campinas | 121 | 4.8 | 0.44 | 0.49 | 0.05 | 520 | 18.1 | 0.80 | 1.78 | 0.09 |
| *Brazil, Curitiba | 70 | 1.7 | 0.21 | 0.17 | 0.02 | 287 | 5.8 | 0.35 | 0.58 | 0.04 |
| Brazil, Goiânia | 102 | 3.4 | 0.34 | 0.33 | 0.04 | 515 | 14.5 | 0.64 | 1.41 | 0.07 |
| *Brazil, Jaú | 5 | 1.2 | 0.53 | 0.11 | 0.05 | 46 | 10.1 | 1.51 | 0.99 | 0.16 |
| Brazil, João Pessoa | 40 | 3.6 | 0.57 | 0.35 | 0.07 | 196 | 13.2 | 0.95 | 1.38 | 0.11 |
| Brazil, Recife | 51 | 2.0 | 0.29 | 0.22 | 0.04 | 255 | 7.6 | 0.48 | 0.73 | 0.05 |
| Chile, Region of Antofagasta | 43 | 3.7 | 0.57 | 0.37 | 0.06 | 206 | 20.3 | 1.43 | 1.95 | 0.15 |
| Chile, Valdivia | 36 | 3.2 | 0.54 | 0.30 | 0.06 | 197 | 16.7 | 1.22 | 1.48 | 0.11 |
| Colombia, Bucaramanga | 148 | 5.1 | 0.42 | 0.54 | 0.05 | 833 | 23.5 | 0.82 | 2.43 | 0.09 |
| Colombia, Cali | 265 | 4.4 | 0.27 | 0.48 | 0.03 | 1419 | 19.2 | 0.51 | 2.03 | 0.06 |
| Colombia, Manizales | 93 | 7.6 | 0.78 | 0.76 | 0.09 | 451 | 30.0 | 1.37 | 3.02 | 0.15 |
| Colombia, Pasto | 30 | 3.0 | 0.55 | 0.31 | 0.06 | 262 | 21.3 | 1.33 | 2.09 | 0.14 |
| Costa Rica | 424 | 4.1 | 0.20 | 0.43 | 0.02 | 2393 | 22.4 | 0.46 | 2.22 | 0.05 |
| Ecuador, Guayaquil | 163 | 2.9 | 0.23 | 0.33 | 0.03 | 692 | 10.6 | 0.41 | 1.07 | 0.05 |
| Ecuador, Manabí | 77 | 2.1 | 0.25 | 0.21 | 0.03 | 514 | 14.6 | 0.65 | 1.40 | 0.07 |
| Ecuador, Quito | 445 | 10.2 | 0.49 | 1.11 | 0.06 | 2400 | 47.0 | 0.97 | 4.76 | 0.11 |
| *France, Guadeloupe | 23 | 1.6 | 0.37 | 0.18 | 0.04 | 81 | 5.5 | 0.66 | 0.56 | 0.07 |
| *France, Martinique | 27 | 1.8 | 0.38 | 0.19 | 0.04 | 117 | 8.0 | 0.81 | 0.83 | 0.08 |
| *Peru, Lima | 406 | 2.9 | 0.14 | 0.31 | 0.02 | 2240 | 13.5 | 0.29 | 1.35 | 0.03 |
| *Trinidad and Tobago | 18 | 0.7 | 0.17 | 0.07 | 0.02 | 61 | 2.4 | 0.31 | 0.26 | 0.04 |
| USA, Puerto Rico | 1047 | 9.4 | 0.30 | 0.99 | 0.03 | 4284 | 36.5 | 0.59 | 3.56 | 0.06 |
| *Uruguay | 301 | 3.0 | 0.18 | 0.31 | 0.02 | 1405 | 13.3 | 0.36 | 1.27 | 0.04 |
| North America | | | | | | | | | | |
| Canada, Alberta | 702 | 5.1 | 0.20 | 0.53 | 0.02 | 1873 | 14.5 | 0.35 | 1.37 | 0.03 |
| Canada, British Columbia | 634 | 3.7 | 0.16 | 0.37 | 0.02 | 1634 | 9.7 | 0.26 | 0.93 | 0.02 |
| *Canada, Manitoba | 201 | 4.5 | 0.33 | 0.48 | 0.04 | 549 | 13.0 | 0.58 | 1.27 | 0.06 |
| *Canada, New Brunswick | 174 | 5.7 | 0.46 | 0.61 | 0.05 | 402 | 14.6 | 0.80 | 1.45 | 0.08 |
| *Canada, Newfoundland and Labrador | 149 | 6.6 | 0.58 | 0.75 | 0.07 | 464 | 23.0 | 1.17 | 2.32 | 0.11 |
| Canada, Ontario | 3865 | 8.2 | 0.14 | 0.86 | 0.01 | 11690 | 25.1 | 0.24 | 2.44 | 0.02 |
| *Canada, Prince Edward Island | 18 | 3.4 | 0.88 | 0.31 | 0.08 | 36 | 6.8 | 1.25 | 0.68 | 0.12 |
| Canada, Quebec | 1972 | 6.2 | 0.15 | 0.67 | 0.02 | 5549 | 19.5 | 0.28 | 1.91 | 0.03 |
| Canada, Saskatchewan | 159 | 4.0 | 0.33 | 0.41 | 0.04 | 336 | 9.2 | 0.53 | 0.91 | 0.05 |
| *Canada, Yukon | 2 | 1.9 | 1.41 | 0.08 | 0.08 | 9 | 7.3 | 2.46 | 0.81 | 0.31 |
| USA | 61167 | 5.7 | 0.02 | 0.61 | 0.00 | 178852 | 17.4 | 0.04 | 1.68 | 0.00 |
| USA: White | 53315 | 6.1 | 0.03 | 0.65 | 0.00 | 148432 | 18.5 | 0.05 | 1.77 | 0.00 |
| USA: Black | 3636 | 2.9 | 0.05 | 0.33 | 0.01 | 15523 | 10.8 | 0.09 | 1.12 | 0.01 |
| USA, NPCR | 58898 | 5.7 | 0.02 | 0.60 | 0.00 | 172420 | 17.3 | 0.04 | 1.67 | 0.00 |
| USA, NPCR: White | 51405 | 6.1 | 0.03 | 0.64 | 0.00 | 143291 | 18.5 | 0.05 | 1.77 | 0.00 |
| USA, NPCR: Black | 3581 | 2.9 | 0.05 | 0.33 | 0.01 | 15295 | 10.8 | 0.09 | 1.12 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 3198 | 5.8 | 0.10 | 0.60 | 0.01 | 11326 | 18.1 | 0.17 | 1.77 | 0.02 |
| USA, NPCR: American Indian | 263 | 2.3 | 0.14 | 0.24 | 0.02 | 940 | 7.9 | 0.26 | 0.77 | 0.03 |
| *USA, SEER (18 registries) | 16929 | 5.8 | 0.05 | 0.62 | 0.01 | 50424 | 17.7 | 0.08 | 1.72 | 0.01 |
| *USA, SEER (18 registries): White | 13961 | 6.2 | 0.05 | 0.66 | 0.01 | 39488 | 18.9 | 0.10 | 1.82 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 11797 | 6.8 | 0.07 | 0.72 | 0.01 | 30439 | 19.5 | 0.12 | 1.86 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 2164 | 4.5 | 0.10 | 0.48 | 0.01 | 9049 | 18.0 | 0.19 | 1.79 | 0.02 |
| *USA, SEER (18 registries): Black | 937 | 2.9 | 0.10 | 0.32 | 0.01 | 3913 | 10.6 | 0.17 | 1.09 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 1673 | 5.5 | 0.14 | 0.57 | 0.02 | 5711 | 16.8 | 0.23 | 1.65 | 0.02 |
| *USA, SEER (9 registries) | 5981 | 6.0 | 0.08 | 0.63 | 0.01 | 17347 | 18.0 | 0.14 | 1.72 | 0.01 |
| *USA, SEER (9 registries): White | 4897 | 6.5 | 0.10 | 0.68 | 0.01 | 13386 | 19.5 | 0.18 | 1.84 | 0.02 |
| *USA, SEER (9 registries): Black | 329 | 3.0 | 0.17 | 0.33 | 0.02 | 1356 | 10.6 | 0.29 | 1.09 | 0.03 |
| USA, Alabama | 640 | 3.8 | 0.16 | 0.41 | 0.02 | 1887 | 11.7 | 0.28 | 1.13 | 0.03 |
| USA, Alabama: White | 544 | 4.4 | 0.20 | 0.46 | 0.02 | 1494 | 13.3 | 0.37 | 1.26 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Thyroid (C73) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 81 | 2.1 | 0.24 | 0.23 | 0.03 | 337 | 7.6 | 0.42 | 0.81 | 0.05 |
| USA, Alaska | 125 | 5.0 | 0.45 | 0.55 | 0.06 | 342 | 16.2 | 0.89 | 1.52 | 0.09 |
| *USA, Alaska: Alaska Natives | 18 | 5.4 | 1.27 | 0.53 | 0.16 | 56 | 16.8 | 2.28 | 1.59 | 0.24 |
| USA, Arizona | 1175 | 5.1 | 0.16 | 0.54 | 0.02 | 3661 | 17.3 | 0.30 | 1.65 | 0.03 |
| USA, Arizona: White | 1095 | 5.4 | 0.17 | 0.57 | 0.02 | 3306 | 18.4 | 0.34 | 1.74 | 0.03 |
| USA, Arizona: Black | 30 | 3.0 | 0.56 | 0.35 | 0.08 | 100 | 10.4 | 1.05 | 1.10 | 0.12 |
| *USA, Arizona: Asian and Pacific Islander | 27 | 3.6 | 0.70 | 0.36 | 0.08 | 135 | 14.3 | 1.25 | 1.38 | 0.13 |
| USA, Arizona: American Indian | 23 | 2.5 | 0.53 | 0.33 | 0.08 | 117 | 11.1 | 1.04 | 1.16 | 0.12 |
| USA, Arkansas | 495 | 4.9 | 0.23 | 0.52 | 0.03 | 1379 | 14.5 | 0.41 | 1.40 | 0.04 |
| USA, Arkansas: White | 449 | 5.2 | 0.26 | 0.56 | 0.03 | 1183 | 15.3 | 0.48 | 1.47 | 0.04 |
| USA, Arkansas: Black | 39 | 3.0 | 0.49 | 0.32 | 0.06 | 142 | 9.5 | 0.82 | 0.97 | 0.09 |
| USA, California | 6524 | 5.1 | 0.07 | 0.55 | 0.01 | 19725 | 16.0 | 0.12 | 1.57 | 0.01 |
| USA, California: White | 5180 | 5.4 | 0.08 | 0.58 | 0.01 | 15112 | 16.8 | 0.14 | 1.63 | 0.01 |
| USA, California: Black | 223 | 2.6 | 0.18 | 0.31 | 0.02 | 703 | 7.9 | 0.31 | 0.81 | 0.03 |
| USA, California: Asian and Pacific Islander | 1034 | 5.3 | 0.17 | 0.55 | 0.02 | 3603 | 16.3 | 0.28 | 1.63 | 0.03 |
| *USA, California, Los Angeles County | 1741 | 5.4 | 0.13 | 0.59 | 0.02 | 5342 | 16.4 | 0.23 | 1.62 | 0.02 |
| *USA, California, Los Angeles County: White | 1312 | 5.6 | 0.16 | 0.61 | 0.02 | 3898 | 17.2 | 0.28 | 1.70 | 0.03 |
| *USA, California, Los Angeles County: Non-Hispanic White | 804 | 7.3 | 0.28 | 0.78 | 0.03 | 1836 | 19.4 | 0.49 | 1.87 | 0.05 |
| *USA, California, Los Angeles County: Hispanic White | 508 | 4.2 | 0.19 | 0.45 | 0.02 | 2062 | 16.1 | 0.36 | 1.62 | 0.04 |
| *USA, California, Los Angeles County: Black | 88 | 2.8 | 0.30 | 0.32 | 0.04 | 305 | 9.0 | 0.53 | 0.88 | 0.05 |
| *USA, California, Los Angeles County: Chinese | 62 | 3.9 | 0.53 | 0.38 | 0.05 | 218 | 11.6 | 0.84 | 1.13 | 0.08 |
| *USA, California, Los Angeles County: Filipino | 94 | 7.6 | 0.82 | 0.80 | 0.09 | 306 | 19.7 | 1.19 | 2.06 | 0.12 |
| *USA, California, Los Angeles County: Korean | 46 | 6.3 | 0.98 | 0.68 | 0.11 | 142 | 14.9 | 1.36 | 1.50 | 0.14 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 310 | 5.9 | 0.35 | 0.62 | 0.04 | 1041 | 17.1 | 0.56 | 1.72 | 0.06 |
| *USA, California, San Francisco Bay Area | 845 | 5.3 | 0.19 | 0.56 | 0.02 | 2177 | 14.1 | 0.32 | 1.34 | 0.03 |
| *USA, California, San Francisco Bay Area: White | 588 | 5.8 | 0.25 | 0.60 | 0.03 | 1369 | 15.0 | 0.43 | 1.41 | 0.04 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 460 | 5.9 | 0.29 | 0.62 | 0.03 | 984 | 14.8 | 0.52 | 1.38 | 0.05 |
| *USA, California, San Francisco Bay Area: Hispanic White | 128 | 5.2 | 0.48 | 0.51 | 0.06 | 385 | 15.9 | 0.82 | 1.53 | 0.09 |
| *USA, California, San Francisco Bay Area: Black | 29 | 2.2 | 0.41 | 0.27 | 0.06 | 80 | 5.6 | 0.65 | 0.54 | 0.06 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 215 | 5.1 | 0.36 | 0.53 | 0.04 | 697 | 14.7 | 0.58 | 1.43 | 0.06 |
| USA, Colorado | 1101 | 6.0 | 0.19 | 0.64 | 0.02 | 3085 | 18.2 | 0.34 | 1.74 | 0.03 |
| USA, Colorado: White | 1037 | 6.2 | 0.20 | 0.66 | 0.02 | 2859 | 18.8 | 0.37 | 1.79 | 0.03 |
| *USA, Colorado: Black | 23 | 2.9 | 0.61 | 0.28 | 0.07 | 79 | 11.2 | 1.27 | 1.19 | 0.15 |
| *USA, Colorado: Asian and Pacific Islander | 28 | 5.4 | 1.05 | 0.53 | 0.11 | 113 | 16.3 | 1.56 | 1.56 | 0.16 |
| USA, Connecticut | 935 | 7.8 | 0.27 | 0.83 | 0.03 | 2659 | 22.9 | 0.47 | 2.18 | 0.04 |
| USA, Connecticut: White | 828 | 8.1 | 0.30 | 0.85 | 0.03 | 2225 | 23.4 | 0.54 | 2.21 | 0.05 |
| USA, Connecticut: Black | 42 | 3.6 | 0.56 | 0.44 | 0.08 | 183 | 12.8 | 0.96 | 1.37 | 0.11 |
| USA, District of Columbia | 120 | 5.8 | 0.55 | 0.62 | 0.06 | 353 | 15.8 | 0.88 | 1.57 | 0.09 |
| USA, District of Columbia: White | 69 | 7.0 | 0.96 | 0.68 | 0.10 | 178 | 19.6 | 1.64 | 1.82 | 0.16 |
| USA, District of Columbia: Black | 43 | 4.0 | 0.62 | 0.50 | 0.09 | 151 | 12.0 | 1.02 | 1.30 | 0.11 |
| USA, Florida | 3547 | 4.9 | 0.09 | 0.52 | 0.01 | 10251 | 15.1 | 0.16 | 1.46 | 0.02 |
| USA, Florida: White | 3196 | 5.4 | 0.11 | 0.56 | 0.01 | 8760 | 16.4 | 0.19 | 1.56 | 0.02 |
| USA, Florida: Black | 239 | 2.4 | 0.16 | 0.26 | 0.02 | 1079 | 9.7 | 0.30 | 1.00 | 0.03 |
| USA, Florida: Asian and Pacific Islander | 64 | 3.4 | 0.43 | 0.37 | 0.05 | 289 | 12.5 | 0.76 | 1.22 | 0.08 |
| USA, Georgia | 1554 | 4.8 | 0.12 | 0.51 | 0.01 | 4914 | 14.8 | 0.22 | 1.45 | 0.02 |
| USA, Georgia: White | 1247 | 5.6 | 0.17 | 0.60 | 0.02 | 3563 | 17.5 | 0.31 | 1.68 | 0.03 |
| USA, Georgia: Black | 222 | 2.5 | 0.17 | 0.28 | 0.02 | 1108 | 10.1 | 0.31 | 1.03 | 0.03 |
| USA, Georgia: Asian and Pacific Islander | 79 | 6.4 | 0.73 | 0.67 | 0.09 | 220 | 16.0 | 1.11 | 1.56 | 0.12 |
| *USA, Georgia, Atlanta | 486 | 4.4 | 0.20 | 0.46 | 0.02 | 1688 | 14.1 | 0.35 | 1.39 | 0.04 |
| *USA, Georgia, Atlanta: White | 327 | 5.4 | 0.31 | 0.54 | 0.03 | 1006 | 17.6 | 0.58 | 1.67 | 0.06 |
| *USA, Georgia, Atlanta: Black | 101 | 2.6 | 0.26 | 0.28 | 0.03 | 514 | 10.0 | 0.44 | 1.04 | 0.05 |
| USA, Idaho | 333 | 6.1 | 0.35 | 0.66 | 0.04 | 912 | 18.3 | 0.63 | 1.77 | 0.06 |
| USA, Indiana | 1091 | 5.0 | 0.16 | 0.51 | 0.02 | 3149 | 15.3 | 0.28 | 1.46 | 0.03 |
| USA, Indiana: White | 1005 | 5.1 | 0.17 | 0.53 | 0.02 | 2899 | 16.1 | 0.32 | 1.52 | 0.03 |
| USA, Indiana: Black | 49 | 2.8 | 0.40 | 0.28 | 0.05 | 172 | 8.6 | 0.66 | 0.89 | 0.07 |
| *USA, Iowa | 637 | 6.1 | 0.25 | 0.65 | 0.03 | 1688 | 17.9 | 0.46 | 1.67 | 0.04 |
| USA, Kentucky | 973 | 6.5 | 0.22 | 0.70 | 0.02 | 2743 | 19.3 | 0.39 | 1.88 | 0.04 |
| USA, Louisiana | 873 | 5.6 | 0.20 | 0.62 | 0.02 | 2598 | 17.0 | 0.35 | 1.69 | 0.03 |
| USA, Louisiana: White | 710 | 6.6 | 0.26 | 0.72 | 0.03 | 1963 | 19.9 | 0.48 | 1.95 | 0.05 |
| USA, Louisiana: Black | 142 | 3.3 | 0.28 | 0.35 | 0.03 | 573 | 11.6 | 0.50 | 1.20 | 0.05 |
| *USA, Louisiana, New Orleans | 134 | 4.6 | 0.41 | 0.51 | 0.05 | 427 | 14.1 | 0.71 | 1.48 | 0.08 |
| *USA, Louisiana, New Orleans: White | 89 | 5.1 | 0.57 | 0.59 | 0.07 | 267 | 16.2 | 1.06 | 1.69 | 0.11 |
| *USA, Louisiana, New Orleans: Black | 31 | 2.9 | 0.53 | 0.29 | 0.06 | 129 | 10.2 | 0.93 | 1.09 | 0.10 |
| USA, Maine | 349 | 7.2 | 0.42 | 0.75 | 0.04 | 842 | 18.5 | 0.70 | 1.76 | 0.06 |
| USA, Maryland | 1073 | 5.5 | 0.17 | 0.58 | 0.02 | 3411 | 17.0 | 0.30 | 1.66 | 0.03 |
| USA, Maryland: White | 789 | 6.2 | 0.23 | 0.65 | 0.03 | 2317 | 19.6 | 0.43 | 1.87 | 0.04 |
| USA, Maryland: Black | 198 | 3.6 | 0.26 | 0.41 | 0.03 | 764 | 11.5 | 0.43 | 1.18 | 0.05 |
| USA, Maryland: Asian and Pacific Islander | 79 | 6.4 | 0.74 | 0.62 | 0.08 | 319 | 22.3 | 1.28 | 2.24 | 0.14 |
| USA, Massachusetts | 1839 | 8.1 | 0.20 | 0.84 | 0.02 | 5143 | 22.6 | 0.33 | 2.19 | 0.03 |
| USA, Massachusetts: White | 1626 | 8.3 | 0.22 | 0.87 | 0.02 | 4366 | 23.0 | 0.37 | 2.21 | 0.04 |
| USA, Massachusetts: Black | 56 | 3.5 | 0.46 | 0.39 | 0.06 | 299 | 15.5 | 0.91 | 1.59 | 0.10 |
| USA, Massachusetts: Asian and Pacific Islander | 114 | 8.3 | 0.79 | 0.77 | 0.09 | 314 | 21.1 | 1.21 | 2.11 | 0.14 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Thyroid (C73) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 1735 | 5.1 | 0.13 | 0.54 | 0.01 | 5083 | 16.0 | 0.24 | 1.53 | 0.02 |
| USA, Michigan: White | 1551 | 5.5 | 0.15 | 0.57 | 0.02 | 4375 | 17.1 | 0.28 | 1.62 | 0.03 |
| USA, Michigan: Black | 125 | 2.9 | 0.26 | 0.31 | 0.03 | 526 | 11.0 | 0.49 | 1.13 | 0.05 |
| USA, Michigan: Asian and Pacific Islander | 48 | 5.5 | 0.80 | 0.60 | 0.10 | 131 | 13.3 | 1.17 | 1.33 | 0.13 |
| *USA, Michigan, Detroit | 830 | 6.5 | 0.24 | 0.67 | 0.03 | 2507 | 19.6 | 0.41 | 1.87 | 0.04 |
| *USA, Michigan, Detroit: White | 686 | 7.5 | 0.30 | 0.77 | 0.03 | 1968 | 23.0 | 0.56 | 2.14 | 0.05 |
| *USA, Michigan, Detroit: Black | 111 | 3.7 | 0.36 | 0.39 | 0.04 | 426 | 12.2 | 0.61 | 1.25 | 0.07 |
| USA, Minnesota | 1017 | 5.4 | 0.18 | 0.57 | 0.02 | 2686 | 15.9 | 0.32 | 1.49 | 0.03 |
| USA, Minnesota: White | 950 | 5.6 | 0.19 | 0.59 | 0.02 | 2410 | 16.2 | 0.35 | 1.51 | 0.03 |
| USA, Minnesota: Black | 35 | 4.5 | 0.80 | 0.49 | 0.10 | 112 | 12.9 | 1.25 | 1.29 | 0.15 |
| *USA, Minnesota: Asian and Pacific Islander | 21 | 2.9 | 0.67 | 0.33 | 0.09 | 123 | 15.5 | 1.45 | 1.46 | 0.16 |
| USA, Mississippi | 392 | 4.0 | 0.21 | 0.42 | 0.02 | 1254 | 12.9 | 0.38 | 1.26 | 0.04 |
| USA, Missouri | 1007 | 4.8 | 0.16 | 0.51 | 0.02 | 2828 | 14.2 | 0.28 | 1.40 | 0.03 |
| USA, Missouri: White | 935 | 5.1 | 0.18 | 0.53 | 0.02 | 2533 | 15.1 | 0.32 | 1.47 | 0.03 |
| USA, Missouri: Black | 53 | 2.6 | 0.36 | 0.30 | 0.05 | 230 | 9.6 | 0.64 | 1.00 | 0.07 |
| USA, Montana | 224 | 6.0 | 0.43 | 0.62 | 0.04 | 545 | 17.1 | 0.78 | 1.62 | 0.07 |
| *USA, Montana: American Indian | 8 | 4.5 | 1.60 | 0.48 | 0.18 | 17 | 9.0 | 2.20 | 0.84 | 0.21 |
| USA, Nebraska | 358 | 5.9 | 0.32 | 0.62 | 0.04 | 1045 | 18.3 | 0.59 | 1.76 | 0.06 |
| USA, Nebraska: White | 338 | 6.0 | 0.34 | 0.63 | 0.04 | 974 | 18.7 | 0.63 | 1.78 | 0.06 |
| *USA, Nebraska: Black | 10 | 4.4 | 1.42 | 0.67 | 0.27 | 30 | 11.2 | 2.08 | 1.24 | 0.27 |
| USA, Nevada | 552 | 5.4 | 0.24 | 0.59 | 0.03 | 1730 | 19.0 | 0.47 | 1.85 | 0.05 |
| USA, Nevada: White | 482 | 5.9 | 0.28 | 0.63 | 0.03 | 1397 | 20.1 | 0.56 | 1.95 | 0.05 |
| USA, Nevada: Black | 12 | 1.4 | 0.41 | 0.13 | 0.04 | 66 | 7.4 | 0.92 | 0.84 | 0.11 |
| *USA, Nevada: Asian and Pacific Islander | 48 | 5.2 | 0.77 | 0.53 | 0.09 | 240 | 21.8 | 1.45 | 2.11 | 0.14 |
| USA, New Jersey | 2313 | 7.9 | 0.17 | 0.82 | 0.02 | 6761 | 23.1 | 0.30 | 2.22 | 0.03 |
| USA, New Jersey: White | 1979 | 8.8 | 0.21 | 0.92 | 0.02 | 5527 | 25.8 | 0.37 | 2.46 | 0.03 |
| USA, New Jersey: Black | 127 | 3.2 | 0.28 | 0.34 | 0.03 | 592 | 12.6 | 0.53 | 1.29 | 0.06 |
| USA, New Mexico | 433 | 6.1 | 0.31 | 0.66 | 0.03 | 1276 | 19.7 | 0.58 | 1.90 | 0.06 |
| USA, New Mexico: White | 385 | 6.3 | 0.34 | 0.67 | 0.04 | 1129 | 20.8 | 0.66 | 1.99 | 0.06 |
| USA, New Mexico: Non-Hispanic White | 219 | 6.6 | 0.51 | 0.70 | 0.05 | 563 | 20.9 | 1.01 | 1.96 | 0.09 |
| USA, New Mexico: Hispanic White | 166 | 6.1 | 0.48 | 0.66 | 0.06 | 566 | 21.1 | 0.90 | 2.09 | 0.09 |
| *USA, New Mexico: American Indian | 25 | 4.3 | 0.87 | 0.51 | 0.11 | 89 | 12.6 | 1.35 | 1.29 | 0.15 |
| USA, New York State | 5222 | 8.2 | 0.12 | 0.85 | 0.01 | 15299 | 23.9 | 0.20 | 2.29 | 0.02 |
| USA, New York State: White | 4263 | 9.0 | 0.14 | 0.93 | 0.02 | 11591 | 25.8 | 0.25 | 2.44 | 0.02 |
| USA, New York State: Black | 345 | 3.4 | 0.18 | 0.36 | 0.02 | 1687 | 13.4 | 0.33 | 1.38 | 0.04 |
| USA, New York State: Asian and Pacific Islander | 567 | 10.4 | 0.44 | 1.08 | 0.05 | 1814 | 30.3 | 0.73 | 2.94 | 0.07 |
| USA, North Carolina | 1616 | 4.8 | 0.12 | 0.51 | 0.01 | 4828 | 14.5 | 0.22 | 1.41 | 0.02 |
| USA, North Carolina: White | 1398 | 5.5 | 0.16 | 0.58 | 0.02 | 3745 | 15.8 | 0.27 | 1.49 | 0.03 |
| USA, North Carolina: Black | 181 | 2.8 | 0.21 | 0.31 | 0.03 | 856 | 10.9 | 0.38 | 1.15 | 0.04 |
| USA, North Carolina: Asian and Pacific Islander | 24 | 2.6 | 0.54 | 0.19 | 0.05 | 140 | 14.6 | 1.26 | 1.52 | 0.15 |
| *USA, North Carolina: American Indian | 8 | 1.8 | 0.65 | 0.24 | 0.09 | 47 | 9.4 | 1.39 | 1.02 | 0.17 |
| USA, North Dakota | 166 | 6.8 | 0.55 | 0.76 | 0.06 | 481 | 22.4 | 1.07 | 2.22 | 0.11 |
| USA, Ohio | 2266 | 5.8 | 0.13 | 0.62 | 0.01 | 7026 | 18.8 | 0.24 | 1.81 | 0.02 |
| USA, Ohio: White | 2068 | 6.1 | 0.14 | 0.65 | 0.02 | 6234 | 20.0 | 0.27 | 1.90 | 0.03 |
| USA, Ohio: Black | 154 | 3.5 | 0.29 | 0.43 | 0.04 | 646 | 13.1 | 0.53 | 1.36 | 0.06 |
| *USA, Ohio: Asian and Pacific Islander | 34 | 4.6 | 0.80 | 0.50 | 0.10 | 123 | 14.2 | 1.29 | 1.42 | 0.14 |
| USA, Oklahoma | 643 | 5.0 | 0.21 | 0.53 | 0.02 | 1936 | 15.7 | 0.38 | 1.55 | 0.04 |
| USA, Oklahoma: White | 572 | 5.5 | 0.24 | 0.57 | 0.03 | 1667 | 17.0 | 0.44 | 1.65 | 0.04 |
| USA, Oklahoma: Black | 24 | 2.6 | 0.53 | 0.25 | 0.06 | 97 | 10.2 | 1.05 | 1.19 | 0.13 |
| USA, Oklahoma: American Indian | 29 | 2.6 | 0.49 | 0.28 | 0.06 | 115 | 10.1 | 0.96 | 0.96 | 0.10 |
| USA, Oregon | 789 | 5.6 | 0.21 | 0.58 | 0.02 | 2182 | 16.9 | 0.38 | 1.61 | 0.04 |
| USA, Oregon: White | 737 | 5.8 | 0.23 | 0.59 | 0.02 | 1953 | 16.7 | 0.40 | 1.59 | 0.04 |
| *USA, Oregon: Black | 8 | 2.6 | 0.93 | 0.25 | 0.10 | 38 | 15.0 | 2.45 | 1.50 | 0.29 |
| *USA, Oregon: Asian and Pacific Islander | 32 | 5.4 | 0.96 | 0.52 | 0.12 | 142 | 19.6 | 1.68 | 1.85 | 0.17 |
| USA, Rhode Island | 269 | 7.4 | 0.47 | 0.80 | 0.05 | 745 | 21.8 | 0.84 | 2.08 | 0.08 |
| USA, Rhode Island: White | 250 | 7.7 | 0.51 | 0.82 | 0.06 | 687 | 23.1 | 0.94 | 2.19 | 0.09 |
| *USA, Rhode Island: Black | 11 | 4.5 | 1.38 | 0.63 | 0.23 | 31 | 12.4 | 2.23 | 1.22 | 0.24 |
| USA, South Carolina | 803 | 4.7 | 0.17 | 0.51 | 0.02 | 2187 | 13.1 | 0.30 | 1.30 | 0.03 |
| USA, South Carolina: White | 675 | 5.4 | 0.22 | 0.58 | 0.02 | 1660 | 14.7 | 0.39 | 1.42 | 0.04 |
| USA, South Carolina: Black | 115 | 2.8 | 0.27 | 0.33 | 0.03 | 474 | 9.8 | 0.46 | 1.03 | 0.05 |
| USA, South Dakota | 170 | 5.9 | 0.47 | 0.60 | 0.05 | 411 | 16.2 | 0.85 | 1.54 | 0.08 |
| USA, Tennessee | 1155 | 5.1 | 0.16 | 0.54 | 0.02 | 3206 | 15.0 | 0.28 | 1.44 | 0.03 |
| USA, Tennessee: White | 1075 | 5.7 | 0.18 | 0.60 | 0.02 | 2819 | 16.6 | 0.33 | 1.57 | 0.03 |
| USA, Tennessee: Black | 58 | 1.9 | 0.25 | 0.22 | 0.03 | 326 | 8.9 | 0.50 | 0.92 | 0.06 |
| USA, Texas | 4165 | 4.9 | 0.08 | 0.53 | 0.01 | 12224 | 14.6 | 0.13 | 1.42 | 0.01 |
| USA, Texas: White | 3675 | 5.2 | 0.09 | 0.56 | 0.01 | 10418 | 15.5 | 0.16 | 1.51 | 0.02 |
| USA, Texas: Black | 270 | 2.8 | 0.17 | 0.33 | 0.02 | 1040 | 9.3 | 0.29 | 0.98 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 183 | 4.6 | 0.34 | 0.47 | 0.04 | 662 | 14.7 | 0.58 | 1.38 | 0.06 |
| USA, Utah | 566 | 6.7 | 0.29 | 0.69 | 0.03 | 1859 | 22.7 | 0.54 | 2.14 | 0.05 |
| USA, Vermont | 142 | 6.2 | 0.56 | 0.67 | 0.06 | 345 | 17.3 | 1.00 | 1.63 | 0.09 |
| USA, Washington State | 1341 | 5.5 | 0.15 | 0.58 | 0.02 | 3734 | 16.5 | 0.28 | 1.58 | 0.03 |
| *USA, Washington, Seattle | 985 | 5.8 | 0.19 | 0.62 | 0.02 | 2684 | 16.9 | 0.34 | 1.62 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Thyroid (C73) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 398 | 5.8 | 0.31 | 0.61 | 0.03 | 1292 | 22.0 | 0.66 | 2.06 | 0.06 |
| USA, Wyoming | 122 | 5.8 | 0.56 | 0.64 | 0.06 | 330 | 19.6 | 1.13 | 1.81 | 0.10 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 39 | 2.6 | 0.43 | 0.23 | 0.05 | 148 | 9.7 | 0.82 | 0.91 | 0.09 |
| Brunei Darussalam | 24 | 2.4 | 0.52 | 0.31 | 0.09 | 77 | 7.4 | 0.87 | 0.80 | 0.12 |
| *China, Anfu County | 7 | 0.6 | 0.24 | 0.08 | 0.03 | 19 | 1.9 | 0.45 | 0.19 | 0.05 |
| *China, Anguo City | 18 | 1.4 | 0.34 | 0.16 | 0.04 | 31 | 2.5 | 0.46 | 0.26 | 0.05 |
| *China, Anshan City | 148 | 2.5 | 0.22 | 0.23 | 0.02 | 524 | 8.6 | 0.42 | 0.83 | 0.04 |
| *China, Aohan Banner, Chifeng City | 22 | 1.1 | 0.25 | 0.12 | 0.03 | 54 | 2.9 | 0.41 | 0.30 | 0.05 |
| *China, Arongqi | 22 | 2.6 | 0.65 | 0.23 | 0.05 | 122 | 12.8 | 1.23 | 1.18 | 0.12 |
| *China, Baoding City | 141 | 3.8 | 0.32 | 0.38 | 0.04 | 345 | 9.3 | 0.51 | 0.89 | 0.05 |
| *China, Beijing City | 3625 | 12.9 | 0.23 | 1.13 | 0.02 | 9696 | 34.3 | 0.37 | 3.13 | 0.03 |
| *China, Binhai County | 31 | 0.7 | 0.13 | 0.07 | 0.01 | 166 | 4.2 | 0.33 | 0.41 | 0.03 |
| *China, Cangzhou City | 174 | 10.1 | 0.78 | 1.00 | 0.08 | 461 | 26.2 | 1.23 | 2.75 | 0.14 |
| China, Changfeng County | 31 | 2.0 | 0.36 | 0.18 | 0.04 | 170 | 11.9 | 0.95 | 1.15 | 0.10 |
| China, Changzhou City | 526 | 6.5 | 0.29 | 0.61 | 0.03 | 1857 | 21.7 | 0.52 | 2.06 | 0.05 |
| China, Chengdu City | 149 | 4.2 | 0.35 | 0.39 | 0.04 | 349 | 9.8 | 0.53 | 0.94 | 0.05 |
| China, Cixian County | 14 | 0.8 | 0.20 | 0.08 | 0.03 | 54 | 2.8 | 0.40 | 0.29 | 0.04 |
| China, Cixi City | 295 | 8.0 | 0.50 | 0.76 | 0.05 | 1158 | 29.0 | 0.91 | 2.77 | 0.08 |
| *China, Dafeng District, Yancheng City | 53 | 1.9 | 0.29 | 0.18 | 0.03 | 176 | 6.2 | 0.52 | 0.63 | 0.05 |
| China, Dalian City | 1421 | 16.8 | 0.47 | 1.53 | 0.04 | 4372 | 48.0 | 0.78 | 4.68 | 0.07 |
| *China, Dancheng County | 50 | 1.3 | 0.20 | 0.17 | 0.03 | 85 | 2.2 | 0.24 | 0.22 | 0.03 |
| China, Dangtu County | 17 | 1.7 | 0.42 | 0.17 | 0.04 | 92 | 10.1 | 1.11 | 0.91 | 0.10 |
| *China, Danyang City | 29 | 1.0 | 0.20 | 0.11 | 0.02 | 162 | 5.2 | 0.44 | 0.50 | 0.04 |
| *China, Dawukou District, Shizuishan City | 37 | 3.7 | 0.62 | 0.41 | 0.07 | 110 | 11.0 | 1.07 | 1.20 | 0.13 |
| *China, Dehui City | 138 | 4.3 | 0.37 | 0.42 | 0.04 | 823 | 25.6 | 0.91 | 2.36 | 0.09 |
| *China, Donggang County | 66 | 2.7 | 0.36 | 0.26 | 0.04 | 143 | 6.1 | 0.55 | 0.60 | 0.05 |
| *China, Dongguan City | 271 | 7.0 | 0.43 | 0.70 | 0.05 | 797 | 19.8 | 0.72 | 1.90 | 0.07 |
| China, Donghai County | 43 | 1.1 | 0.17 | 0.12 | 0.02 | 130 | 3.7 | 0.34 | 0.38 | 0.04 |
| *China, Dongtai City | 19 | 0.4 | 0.11 | 0.05 | 0.01 | 86 | 2.2 | 0.27 | 0.23 | 0.03 |
| China, Duanzhou District, Zhaoqing City | 43 | 4.5 | 0.71 | 0.44 | 0.07 | 100 | 9.8 | 1.04 | 0.83 | 0.09 |
| *China, Evenki Autonomous Banner | 14 | 4.2 | 1.16 | 0.35 | 0.10 | 73 | 21.1 | 2.55 | 2.11 | 0.27 |
| *China, Faku County | 26 | 1.7 | 0.37 | 0.17 | 0.03 | 66 | 3.9 | 0.51 | 0.38 | 0.05 |
| *China, Fangcheng County | 35 | 1.5 | 0.26 | 0.19 | 0.04 | 90 | 4.5 | 0.49 | 0.46 | 0.06 |
| *China, Feicheng City | 74 | 1.9 | 0.22 | 0.20 | 0.02 | 313 | 9.0 | 0.56 | 0.86 | 0.05 |
| China, Feixi County | 95 | 2.6 | 0.27 | 0.24 | 0.03 | 345 | 10.2 | 0.57 | 0.99 | 0.06 |
| China, Fuqing City | 327 | 12.6 | 0.70 | 1.25 | 0.07 | 1039 | 40.4 | 1.27 | 4.06 | 0.14 |
| *China, Ganyu District, Lianyungang City | 45 | 1.1 | 0.17 | 0.11 | 0.02 | 190 | 5.4 | 0.40 | 0.50 | 0.04 |
| *China, Ganzhou District, Zhangye City | 5 | 0.5 | 0.23 | 0.06 | 0.03 | 42 | 4.5 | 0.76 | 0.43 | 0.08 |
| *China, Gaocheng City | 40 | 1.9 | 0.33 | 0.19 | 0.03 | 136 | 6.4 | 0.58 | 0.62 | 0.06 |
| China, Gaomi City | 34 | 1.2 | 0.22 | 0.12 | 0.02 | 111 | 4.4 | 0.44 | 0.41 | 0.04 |
| China, Gong'an County | 79 | 2.6 | 0.30 | 0.27 | 0.03 | 358 | 11.0 | 0.60 | 1.10 | 0.06 |
| *China, Guang'an District, Guang'an City | 10 | 0.5 | 0.16 | 0.05 | 0.02 | 24 | 1.4 | 0.30 | 0.12 | 0.03 |
| China, Guanghan City | 8 | 0.6 | 0.24 | 0.05 | 0.02 | 35 | 2.9 | 0.56 | 0.29 | 0.05 |
| China, Guangzhou City | 2145 | 7.6 | 0.17 | 0.69 | 0.02 | 5965 | 20.8 | 0.28 | 1.93 | 0.03 |
| *China, Guanyun County | 30 | 0.9 | 0.16 | 0.09 | 0.02 | 204 | 6.5 | 0.46 | 0.66 | 0.05 |
| China, Guilin City | 55 | 2.1 | 0.29 | 0.22 | 0.03 | 255 | 10.2 | 0.65 | 1.02 | 0.07 |
| *China, Hai'an City | 36 | 1.0 | 0.19 | 0.10 | 0.02 | 102 | 2.8 | 0.32 | 0.27 | 0.03 |
| China, Hailar District, Hulun Buir City | 63 | 4.7 | 0.63 | 0.48 | 0.07 | 202 | 15.8 | 1.16 | 1.61 | 0.13 |
| China, Haimen District, Nantong City | 146 | 4.4 | 0.41 | 0.41 | 0.04 | 514 | 13.4 | 0.64 | 1.33 | 0.06 |
| China, Haining City | 224 | 9.3 | 0.67 | 0.89 | 0.06 | 861 | 34.6 | 1.25 | 3.30 | 0.12 |
| China, Hangzhou City | 4383 | 18.0 | 0.28 | 1.65 | 0.03 | 14682 | 57.0 | 0.49 | 5.43 | 0.05 |
| China, Hebi City | 45 | 3.6 | 0.55 | 0.46 | 0.08 | 79 | 6.4 | 0.75 | 0.59 | 0.08 |
| China, Hefei City | 505 | 5.9 | 0.27 | 0.56 | 0.03 | 1196 | 14.8 | 0.44 | 1.42 | 0.05 |
| China, Hengdong County | 16 | 1.0 | 0.26 | 0.11 | 0.03 | 62 | 4.7 | 0.62 | 0.42 | 0.06 |
| *China, Hengfeng County | 4 | 0.7 | 0.37 | 0.07 | 0.03 | 14 | 2.6 | 0.72 | 0.26 | 0.08 |
| *China, Hepu County | 52 | 1.8 | 0.26 | 0.19 | 0.03 | 113 | 4.5 | 0.44 | 0.43 | 0.05 |
| China, Honghu City | 71 | 2.5 | 0.30 | 0.23 | 0.03 | 354 | 13.0 | 0.74 | 1.23 | 0.07 |
| China, Hongshan District, Chifeng City | 64 | 4.2 | 0.54 | 0.39 | 0.05 | 250 | 15.9 | 1.02 | 1.54 | 0.11 |
| *China, Hongta District, Yuxi City | 47 | 3.1 | 0.47 | 0.29 | 0.04 | 151 | 9.9 | 0.82 | 0.93 | 0.08 |
| *China, Huaiyin District, Huai'an City | 59 | 1.8 | 0.25 | 0.18 | 0.03 | 203 | 7.0 | 0.50 | 0.64 | 0.05 |
| *China, Jiange County | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 21 | 1.4 | 0.31 | 0.12 | 0.03 |
| China, Jiangmen City | 111 | 5.1 | 0.49 | 0.47 | 0.05 | 390 | 17.7 | 0.93 | 1.64 | 0.09 |
| *China, Jiangyin City | 144 | 3.2 | 0.28 | 0.32 | 0.03 | 448 | 9.9 | 0.49 | 0.92 | 0.05 |
| *China, Jiashan County | 235 | 17.6 | 1.25 | 1.65 | 0.11 | 789 | 53.5 | 2.05 | 5.16 | 0.19 |
| China, Jiayu County | 21 | 2.8 | 0.61 | 0.26 | 0.06 | 93 | 12.6 | 1.33 | 1.16 | 0.13 |
| *China, Jinan City | 674 | 9.2 | 0.38 | 0.83 | 0.03 | 2079 | 27.3 | 0.64 | 2.47 | 0.06 |
| *China, Jingtai County | 14 | 1.9 | 0.53 | 0.21 | 0.07 | 55 | 7.5 | 1.03 | 0.73 | 0.11 |
| *China, Jingxian County | 13 | 1.1 | 0.34 | 0.10 | 0.03 | 33 | 3.5 | 0.69 | 0.33 | 0.06 |
| *China, Jintan District, Changzhou City | 47 | 2.4 | 0.37 | 0.24 | 0.04 | 241 | 12.5 | 0.86 | 1.17 | 0.08 |
| *China, Jiulongpo District, Chongqing City | 83 | 3.2 | 0.36 | 0.29 | 0.03 | 246 | 9.9 | 0.69 | 0.88 | 0.06 |
| *China, Jiyuan City | 62 | 3.4 | 0.46 | 0.34 | 0.05 | 220 | 12.0 | 0.82 | 1.25 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Thyroid (C73) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 67 | 5.2 | 0.66 | 0.47 | 0.06 | 165 | 13.9 | 1.14 | 1.24 | 0.11 |
| China, Kunshan City | 307 | 11.4 | 0.68 | 1.06 | 0.06 | 1078 | 38.5 | 1.23 | 3.66 | 0.12 |
| China, Langzhong City | 11 | 0.6 | 0.18 | 0.04 | 0.02 | 33 | 1.7 | 0.30 | 0.19 | 0.04 |
| *China, Liangshan County | 106 | 4.0 | 0.40 | 0.43 | 0.05 | 434 | 16.7 | 0.84 | 1.62 | 0.08 |
| *China, Lianshui County | 21 | 0.6 | 0.12 | 0.06 | 0.01 | 106 | 3.1 | 0.32 | 0.29 | 0.03 |
| China, Lianyungang City | 148 | 4.5 | 0.38 | 0.44 | 0.04 | 389 | 11.4 | 0.61 | 1.07 | 0.06 |
| China, Linhe District, Bayannur City | 92 | 6.3 | 0.68 | 0.73 | 0.09 | 412 | 26.7 | 1.35 | 2.74 | 0.15 |
| China, Linqu County | 65 | 2.0 | 0.25 | 0.21 | 0.03 | 254 | 8.2 | 0.53 | 0.79 | 0.05 |
| *China, Linzhou City | 47 | 1.4 | 0.22 | 0.15 | 0.02 | 173 | 4.8 | 0.37 | 0.49 | 0.04 |
| China, Liuzhou City | 103 | 2.8 | 0.28 | 0.25 | 0.03 | 397 | 10.8 | 0.55 | 1.04 | 0.06 |
| China, Liyang City | 55 | 1.9 | 0.28 | 0.17 | 0.02 | 286 | 10.1 | 0.65 | 0.94 | 0.06 |
| *China, Longquan City | 82 | 10.1 | 1.17 | 0.95 | 0.11 | 323 | 41.2 | 2.41 | 3.84 | 0.23 |
| China, Lucheng District, Wenzhou City | 339 | 21.0 | 1.17 | 2.02 | 0.11 | 822 | 50.0 | 1.84 | 4.73 | 0.17 |
| China, Luoding City | 26 | 1.1 | 0.22 | 0.11 | 0.02 | 110 | 5.5 | 0.53 | 0.49 | 0.05 |
| *China, Luohe City | 69 | 1.8 | 0.22 | 0.19 | 0.03 | 222 | 5.6 | 0.38 | 0.56 | 0.04 |
| *China, Luoyang City | 189 | 4.6 | 0.34 | 0.45 | 0.04 | 462 | 11.5 | 0.55 | 1.15 | 0.06 |
| *China, Luquan City | 20 | 1.9 | 0.43 | 0.17 | 0.04 | 66 | 6.1 | 0.80 | 0.58 | 0.08 |
| China, Ma'anshan City | 71 | 3.4 | 0.42 | 0.31 | 0.04 | 244 | 11.9 | 0.78 | 1.13 | 0.08 |
| *China, Macheng City | 35 | 1.3 | 0.23 | 0.14 | 0.03 | 145 | 6.2 | 0.53 | 0.63 | 0.06 |
| China, Meihekou City | 42 | 1.7 | 0.26 | 0.16 | 0.02 | 224 | 9.8 | 0.70 | 0.94 | 0.07 |
| *China, Mengjin County | 36 | 3.3 | 0.56 | 0.31 | 0.05 | 125 | 11.6 | 1.05 | 1.23 | 0.12 |
| China, Nangang District, Harbin City | 426 | 11.6 | 0.58 | 1.07 | 0.06 | 1333 | 33.5 | 0.95 | 3.15 | 0.09 |
| *China, Nanghai District, Foshan City | 173 | 6.8 | 0.52 | 0.65 | 0.05 | 553 | 20.7 | 0.91 | 1.88 | 0.08 |
| China, Nanhu District, Jiaxing City | 255 | 14.4 | 0.95 | 1.31 | 0.08 | 986 | 50.2 | 1.68 | 4.86 | 0.16 |
| *China, Nantong City | 172 | 4.6 | 0.38 | 0.44 | 0.04 | 527 | 13.8 | 0.64 | 1.25 | 0.06 |
| *China, Nanxiong City | 15 | 1.1 | 0.28 | 0.09 | 0.03 | 68 | 4.5 | 0.56 | 0.41 | 0.05 |
| China, Neixiang County | 26 | 1.2 | 0.23 | 0.11 | 0.02 | 108 | 5.2 | 0.52 | 0.52 | 0.05 |
| *China, Qianxi County | 14 | 1.0 | 0.26 | 0.11 | 0.04 | 36 | 2.8 | 0.48 | 0.26 | 0.04 |
| China, Qidong City | 125 | 2.7 | 0.28 | 0.28 | 0.03 | 515 | 12.2 | 0.61 | 1.13 | 0.05 |
| China, Qingzhou City | 97 | 3.3 | 0.34 | 0.32 | 0.03 | 298 | 10.6 | 0.65 | 1.06 | 0.06 |
| *China, Rudong County | 94 | 2.3 | 0.28 | 0.23 | 0.03 | 343 | 8.4 | 0.52 | 0.80 | 0.05 |
| *China, Rugao City | 60 | 1.2 | 0.17 | 0.12 | 0.02 | 235 | 4.3 | 0.31 | 0.41 | 0.03 |
| *China, Rural areas of Shanghai City | 5968 | 21.1 | 0.30 | 1.88 | 0.03 | 17242 | 58.3 | 0.49 | 5.43 | 0.04 |
| China, Ruyang County | 34 | 2.9 | 0.50 | 0.30 | 0.06 | 130 | 11.4 | 1.02 | 1.21 | 0.12 |
| *China, Shan County | 65 | 2.8 | 0.35 | 0.29 | 0.04 | 235 | 9.7 | 0.65 | 0.96 | 0.07 |
| China, Shanghai City | 3567 | 17.5 | 0.33 | 1.58 | 0.03 | 9797 | 44.1 | 0.51 | 4.15 | 0.04 |
| China, Shangyu District, Shaoxing City | 330 | 13.0 | 0.76 | 1.23 | 0.07 | 1331 | 49.2 | 1.42 | 4.67 | 0.13 |
| *China, Shapingba District, Chongqing City | 154 | 4.7 | 0.40 | 0.45 | 0.04 | 378 | 12.0 | 0.66 | 1.14 | 0.07 |
| China, Shexian County | 20 | 1.5 | 0.34 | 0.15 | 0.04 | 72 | 5.6 | 0.67 | 0.56 | 0.07 |
| China, Sheyang County | 51 | 1.4 | 0.20 | 0.13 | 0.02 | 403 | 11.4 | 0.59 | 1.14 | 0.06 |
| *China, Shijiazhuang City | 347 | 7.6 | 0.42 | 0.73 | 0.04 | 943 | 20.4 | 0.69 | 1.94 | 0.07 |
| China, Shunde District, Foshan City | 150 | 4.4 | 0.36 | 0.44 | 0.04 | 485 | 13.6 | 0.63 | 1.24 | 0.06 |
| *China, Song County | 11 | 0.8 | 0.24 | 0.09 | 0.03 | 57 | 4.0 | 0.53 | 0.36 | 0.05 |
| China, Suzhou City | 559 | 4.9 | 0.22 | 0.44 | 0.02 | 2016 | 16.8 | 0.40 | 1.54 | 0.04 |
| *China, Tengzhou City | 100 | 1.9 | 0.19 | 0.19 | 0.02 | 393 | 7.4 | 0.38 | 0.71 | 0.04 |
| *China, Wangdu County | 4 | 0.6 | 0.29 | 0.07 | 0.04 | 18 | 2.7 | 0.63 | 0.33 | 0.09 |
| *China, Wanxian County | 10 | 1.0 | 0.33 | 0.06 | 0.02 | 19 | 1.8 | 0.44 | 0.15 | 0.04 |
| *China, Wu'an City | 23 | 1.0 | 0.23 | 0.09 | 0.02 | 67 | 2.7 | 0.34 | 0.26 | 0.03 |
| China, Wuhan City | 2245 | 12.7 | 0.28 | 1.15 | 0.03 | 7321 | 41.2 | 0.50 | 3.89 | 0.05 |
| *China, Wuhu City | 195 | 5.0 | 0.38 | 0.45 | 0.03 | 541 | 13.9 | 0.64 | 1.24 | 0.06 |
| China, Wuxi City | 248 | 3.0 | 0.21 | 0.27 | 0.02 | 641 | 7.0 | 0.29 | 0.66 | 0.03 |
| China, Wuzhou City | 22 | 1.2 | 0.26 | 0.12 | 0.03 | 85 | 4.7 | 0.52 | 0.44 | 0.05 |
| China, Xiangfu District, Kaifeng City | 79 | 4.2 | 0.48 | 0.47 | 0.06 | 299 | 14.8 | 0.87 | 1.53 | 0.10 |
| China, Xianju County | 102 | 6.1 | 0.64 | 0.55 | 0.06 | 401 | 23.6 | 1.24 | 2.23 | 0.12 |
| *China, Xin'an County | 17 | 1.5 | 0.36 | 0.16 | 0.04 | 58 | 5.6 | 0.74 | 0.58 | 0.08 |
| *China, Xining City | 56 | 2.4 | 0.33 | 0.21 | 0.03 | 201 | 7.7 | 0.56 | 0.79 | 0.06 |
| *China, Xinji City | 36 | 1.7 | 0.30 | 0.17 | 0.03 | 113 | 4.7 | 0.46 | 0.50 | 0.05 |
| *China, Xinluo District, Longyan City | 86 | 7.8 | 0.87 | 0.77 | 0.09 | 297 | 27.6 | 1.66 | 2.59 | 0.16 |
| *China, Xinzhou District, Shangrao City | 18 | 1.3 | 0.31 | 0.11 | 0.03 | 82 | 6.0 | 0.67 | 0.61 | 0.07 |
| China, Xiping County | 34 | 1.2 | 0.20 | 0.12 | 0.02 | 161 | 5.9 | 0.48 | 0.60 | 0.05 |
| *China, Xishan District, Kunming City | 76 | 6.9 | 0.86 | 0.62 | 0.07 | 227 | 19.7 | 1.39 | 1.77 | 0.12 |
| *China, Xuyi County | 48 | 2.2 | 0.32 | 0.23 | 0.04 | 89 | 4.0 | 0.44 | 0.40 | 0.05 |
| *China, Ya'an City | 86 | 1.7 | 0.19 | 0.16 | 0.02 | 285 | 5.8 | 0.35 | 0.59 | 0.04 |
| *China, Yakeshi City | 119 | 7.8 | 0.78 | 0.75 | 0.08 | 473 | 32.5 | 1.60 | 3.12 | 0.15 |
| China, Yancheng City | 81 | 1.6 | 0.18 | 0.16 | 0.02 | 243 | 4.7 | 0.31 | 0.47 | 0.03 |
| *China, Yangquan City | 20 | 0.9 | 0.20 | 0.09 | 0.03 | 64 | 2.8 | 0.36 | 0.25 | 0.04 |
| *China, Yangzhong City | 9 | 0.8 | 0.29 | 0.08 | 0.03 | 35 | 3.0 | 0.53 | 0.30 | 0.05 |
| *China, Yanji City | 78 | 3.8 | 0.45 | 0.36 | 0.04 | 237 | 10.6 | 0.73 | 1.07 | 0.08 |
| *China, Yanshi City | 63 | 2.9 | 0.37 | 0.31 | 0.04 | 176 | 8.3 | 0.64 | 0.90 | 0.07 |
| China, Yanting County | 7 | 0.3 | 0.13 | 0.03 | 0.01 | 7 | 0.3 | 0.12 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 3 | 0.3 | 0.15 | 0.02 | 0.02 | 41 | 4.9 | 0.78 | 0.48 | 0.08 |
| *China, Yingdong District, Fuyang City | 31 | 1.4 | 0.26 | 0.15 | 0.03 | 80 | 4.3 | 0.51 | 0.41 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Thyroid (C73) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| Asia (contd) | | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 140 | 18.9 | 1.71 | 1.82 | 0.16 | 442 | 57.9 | 2.97 | 5.33 | 0.26 | |
| *China, Yiyuan County | 48 | 2.8 | 0.41 | 0.27 | 0.04 | 135 | 8.7 | 0.81 | 0.80 | 0.07 | |
| China, Yong'an City | 18 | 1.8 | 0.45 | 0.15 | 0.04 | 58 | 5.3 | 0.75 | 0.48 | 0.07 | |
| *China, Yongding District, Longyan City | 43 | 2.5 | 0.38 | 0.22 | 0.04 | 171 | 10.8 | 0.85 | 1.01 | 0.08 | |
| China, Yongkang City | 196 | 9.8 | 0.71 | 0.90 | 0.07 | 626 | 30.3 | 1.24 | 2.83 | 0.12 | |
| *China, Yucheng County | 53 | 2.7 | 0.38 | 0.32 | 0.05 | 147 | 7.8 | 0.65 | 0.77 | 0.07 | |
| China, Yueyanglou District, Yueyang City | 43 | 4.0 | 0.62 | 0.40 | 0.07 | 95 | 9.5 | 1.03 | 0.87 | 0.10 | |
| China, Yunmeng County | 30 | 1.8 | 0.33 | 0.20 | 0.04 | 168 | 9.7 | 0.76 | 0.97 | 0.08 | |
| *China, Yunyang District, Shiyao City | 9 | 0.9 | 0.29 | 0.08 | 0.03 | 22 | 2.3 | 0.50 | 0.22 | 0.05 | |
| China, Yuzhong District, Chongqing City | 141 | 6.6 | 0.58 | 0.65 | 0.07 | 335 | 15.6 | 0.89 | 1.60 | 0.10 | |
| *China, Zhanhuang County | 9 | 1.0 | 0.33 | 0.11 | 0.04 | 36 | 4.5 | 0.76 | 0.43 | 0.08 | |
| *China, Zhangjiagang City | 186 | 6.0 | 0.47 | 0.54 | 0.04 | 637 | 19.3 | 0.81 | 1.79 | 0.07 | |
| *China, Zhaoyuan City | 53 | 2.6 | 0.37 | 0.25 | 0.04 | 164 | 7.9 | 0.65 | 0.75 | 0.06 | |
| *China, Zhengding County | 32 | 2.5 | 0.45 | 0.24 | 0.05 | 91 | 7.0 | 0.75 | 0.74 | 0.08 | |
| *China, Zhongshan City | 268 | 5.2 | 0.32 | 0.50 | 0.03 | 826 | 15.6 | 0.56 | 1.45 | 0.05 | |
| China, Zhongxiang City | 76 | 2.3 | 0.27 | 0.25 | 0.03 | 321 | 9.0 | 0.52 | 0.89 | 0.05 | |
| *China, Zhuanghe City | 220 | 6.6 | 0.48 | 0.63 | 0.04 | 1099 | 32.4 | 1.03 | 3.03 | 0.09 | |
| *China, Zhuhai City | 223 | 5.9 | 0.40 | 0.53 | 0.04 | 665 | 17.5 | 0.70 | 1.62 | 0.07 | |
| India, Ahmedabad, Urban | 73 | 0.5 | 0.06 | 0.05 | 0.01 | 172 | 1.3 | 0.10 | 0.13 | 0.01 | |
| India, Aurangabad | 9 | 0.4 | 0.12 | 0.05 | 0.02 | 11 | 0.3 | 0.11 | 0.04 | 0.02 | |
| India, Bangalore | 305 | 2.3 | 0.14 | 0.27 | 0.02 | 711 | 5.3 | 0.21 | 0.54 | 0.03 | |
| India, Barshi, Paranda, and Bhum | 5 | 0.4 | 0.17 | 0.04 | 0.02 | 28 | 2.1 | 0.41 | 0.23 | 0.05 | |
| *India, Bhopal | 14 | 0.5 | 0.14 | 0.05 | 0.02 | 38 | 1.3 | 0.22 | 0.15 | 0.03 | |
| India, Chandigarh | 16 | 0.6 | 0.15 | 0.06 | 0.02 | 51 | 1.9 | 0.28 | 0.21 | 0.04 | |
| *India, Chennai | 165 | 1.3 | 0.10 | 0.14 | 0.01 | 378 | 2.7 | 0.14 | 0.28 | 0.02 | |
| India, Dibrugarh | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 32 | 1.0 | 0.19 | 0.12 | 0.03 | |
| *India, Dindigul, Ambilikkai | 48 | 0.8 | 0.11 | 0.09 | 0.01 | 111 | 1.6 | 0.16 | 0.16 | 0.02 | |
| India, Kamrup Urban District | 41 | 1.5 | 0.24 | 0.16 | 0.03 | 123 | 4.4 | 0.42 | 0.41 | 0.05 | |
| India, Kollam | 205 | 3.6 | 0.25 | 0.34 | 0.03 | 904 | 13.2 | 0.45 | 1.15 | 0.04 | |
| *India, Manipur | 68 | 1.2 | 0.15 | 0.12 | 0.02 | 282 | 4.7 | 0.29 | 0.49 | 0.04 | |
| India, Meghalaya | 27 | 0.8 | 0.17 | 0.09 | 0.03 | 55 | 1.4 | 0.20 | 0.14 | 0.03 | |
| India, Mizoram | 25 | 1.5 | 0.30 | 0.19 | 0.05 | 70 | 3.5 | 0.44 | 0.37 | 0.06 | |
| India, Mumbai | 317 | 0.9 | 0.05 | 0.10 | 0.01 | 728 | 2.2 | 0.08 | 0.22 | 0.01 | |
| *India, New Delhi | 259 | 1.0 | 0.07 | 0.10 | 0.01 | 509 | 2.1 | 0.10 | 0.22 | 0.01 | |
| India, Poona | 107 | 0.8 | 0.08 | 0.09 | 0.01 | 205 | 1.5 | 0.11 | 0.16 | 0.01 | |
| *India, Sangrur District | 13 | 0.5 | 0.13 | 0.07 | 0.02 | 49 | 1.9 | 0.27 | 0.18 | 0.03 | |
| India, SAS Nagar | 12 | 0.4 | 0.13 | 0.04 | 0.02 | 37 | 1.5 | 0.25 | 0.15 | 0.03 | |
| *India, Tamil Nadu | 1893 | 0.9 | 0.02 | 0.10 | 0.00 | 4899 | 2.2 | 0.03 | 0.22 | 0.00 | |
| *India, Tripura | 42 | 0.6 | 0.09 | 0.07 | 0.01 | 72 | 1.0 | 0.12 | 0.11 | 0.02 | |
| India, Trivandrum | 305 | 4.1 | 0.24 | 0.38 | 0.02 | 1289 | 15.1 | 0.43 | 1.34 | 0.04 | |
| India, Wardha | 30 | 0.8 | 0.15 | 0.10 | 0.02 | 91 | 2.4 | 0.25 | 0.23 | 0.03 | |
| India, West Arunachal | 13 | 1.0 | 0.31 | 0.10 | 0.04 | 72 | 6.3 | 0.83 | 0.63 | 0.10 | |
| *Iran (Islamic Republic of), Ardabil Province | 38 | 1.8 | 0.31 | 0.17 | 0.04 | 133 | 6.6 | 0.58 | 0.72 | 0.08 | |
| *Iran (Islamic Republic of), Golestan Province | 51 | 2.0 | 0.29 | 0.21 | 0.04 | 200 | 6.6 | 0.48 | 0.60 | 0.05 | |
| Israel | 1326 | 5.9 | 0.16 | 0.63 | 0.02 | 3859 | 16.7 | 0.28 | 1.66 | 0.03 | |
| *Israel: Jews | 1151 | 6.4 | 0.19 | 0.69 | 0.02 | 3178 | 17.7 | 0.33 | 1.77 | 0.03 | |
| *Israel: Arabs | 144 | 4.0 | 0.35 | 0.42 | 0.04 | 503 | 12.6 | 0.57 | 1.16 | 0.06 | |
| Japan | 11460 | 3.5 | 0.04 | 0.37 | 0.00 | 32153 | 9.9 | 0.07 | 1.02 | 0.01 | |
| Japan, Aichi Prefecture | 617 | 3.3 | 0.15 | 0.36 | 0.02 | 1635 | 8.9 | 0.25 | 0.95 | 0.03 | |
| *Japan, Akita Prefecture | 87 | 3.0 | 0.40 | 0.32 | 0.04 | 336 | 13.4 | 0.93 | 1.30 | 0.08 | |
| Japan, Aomori Prefecture | 210 | 3.4 | 0.28 | 0.37 | 0.03 | 649 | 11.3 | 0.56 | 1.12 | 0.05 | |
| Japan, Gunma Prefecture | 118 | 2.5 | 0.27 | 0.24 | 0.03 | 413 | 8.9 | 0.51 | 0.88 | 0.05 | |
| Japan, Hiroshima Prefecture | 546 | 5.7 | 0.28 | 0.62 | 0.03 | 1607 | 16.8 | 0.49 | 1.78 | 0.05 | |
| Japan, Miyagi Prefecture | 413 | 4.2 | 0.23 | 0.45 | 0.02 | 1291 | 14.6 | 0.46 | 1.46 | 0.04 | |
| Japan, Osaka Prefecture | 784 | 3.3 | 0.13 | 0.35 | 0.01 | 2043 | 8.2 | 0.21 | 0.88 | 0.02 | |
| Kuwait | 271 | 2.4 | 0.20 | 0.25 | 0.03 | 798 | 9.5 | 0.39 | 0.90 | 0.05 | |
| *Kuwait: Kuwaitis | 110 | 4.8 | 0.49 | 0.49 | 0.06 | 448 | 15.2 | 0.73 | 1.40 | 0.08 | |
| *Kuwait: Non-Kuwaitis | 161 | 1.7 | 0.22 | 0.20 | 0.03 | 350 | 6.3 | 0.46 | 0.61 | 0.06 | |
| *Philippines, Manila | 464 | 3.5 | 0.18 | 0.39 | 0.02 | 2033 | 12.7 | 0.29 | 1.34 | 0.04 | |
| *Qatar: Qatari | 13 | 2.7 | 0.80 | 0.26 | 0.11 | 66 | 11.8 | 1.54 | 1.32 | 0.21 | |
| Republic of Korea | 32129 | 18.0 | 0.10 | 1.75 | 0.01 | 121217 | 68.5 | 0.20 | 6.61 | 0.02 | |
| *Republic of Korea, Busan | 2210 | 17.8 | 0.39 | 1.75 | 0.04 | 11004 | 85.1 | 0.85 | 8.29 | 0.08 | |
| *Republic of Korea, Daegu | 1668 | 19.5 | 0.49 | 1.88 | 0.05 | 7666 | 87.3 | 1.04 | 8.28 | 0.10 | |
| *Republic of Korea, Daejeon | 964 | 18.6 | 0.61 | 1.83 | 0.06 | 3753 | 72.0 | 1.21 | 6.89 | 0.12 | |
| *Republic of Korea, Gwangju | 1009 | 20.5 | 0.66 | 1.97 | 0.07 | 3715 | 74.7 | 1.26 | 7.17 | 0.12 | |
| Republic of Korea, Incheon | 1694 | 16.4 | 0.41 | 1.59 | 0.04 | 6747 | 65.1 | 0.82 | 6.44 | 0.08 | |
| Republic of Korea, Jeju | 295 | 13.7 | 0.83 | 1.38 | 0.09 | 1042 | 51.5 | 1.68 | 5.01 | 0.16 | |
| Republic of Korea, Seoul | 7027 | 20.2 | 0.25 | 1.94 | 0.02 | 23189 | 64.7 | 0.44 | 6.22 | 0.04 | |
| Republic of Korea, Ulsan | 739 | 17.3 | 0.65 | 1.67 | 0.07 | 3287 | 81.6 | 1.48 | 8.03 | 0.15 | |
| Singapore | 505 | 3.7 | 0.17 | 0.39 | 0.02 | 1434 | 10.3 | 0.28 | 1.01 | 0.03 | |
| Singapore: Chinese | 394 | 3.7 | 0.19 | 0.40 | 0.02 | 1123 | 10.4 | 0.32 | 1.03 | 0.03 | |
| Singapore: Indian | 28 | 2.5 | 0.50 | 0.29 | 0.07 | 104 | 9.9 | 1.00 | 1.04 | 0.12 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Thyroid (C73) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 69 | 4.4 | 0.55 | 0.45 | 0.07 | 153 | 9.5 | 0.78 | 0.82 | 0.08 |
| Thailand, Bangkok | 311 | 1.7 | 0.10 | 0.17 | 0.01 | 1361 | 6.1 | 0.17 | 0.60 | 0.02 |
| *Thailand, Chiang Mai | 95 | 1.9 | 0.20 | 0.20 | 0.03 | 316 | 5.8 | 0.35 | 0.57 | 0.04 |
| *Thailand, Khon Kaen | 63 | 1.2 | 0.16 | 0.12 | 0.02 | 322 | 5.8 | 0.34 | 0.54 | 0.03 |
| Thailand, Lampang | 34 | 1.3 | 0.25 | 0.13 | 0.03 | 164 | 6.1 | 0.51 | 0.57 | 0.05 |
| Thailand, Lopburi Province | 48 | 2.1 | 0.30 | 0.24 | 0.04 | 157 | 6.6 | 0.55 | 0.64 | 0.06 |
| *Thailand, Songkhla | 73 | 1.8 | 0.21 | 0.19 | 0.03 | 340 | 8.0 | 0.44 | 0.73 | 0.04 |
| Turkey, Antalya | 252 | 3.8 | 0.25 | 0.42 | 0.03 | 1008 | 15.0 | 0.48 | 1.44 | 0.05 |
| Turkey, Bursa | 262 | 3.1 | 0.19 | 0.31 | 0.02 | 970 | 11.4 | 0.37 | 1.06 | 0.04 |
| *Turkey, Edirne | 122 | 8.9 | 0.82 | 0.96 | 0.10 | 514 | 38.5 | 1.74 | 3.86 | 0.18 |
| *Turkey, Erzurum | 139 | 7.7 | 0.66 | 0.86 | 0.08 | 689 | 36.9 | 1.42 | 3.62 | 0.15 |
| Turkey, Eskişehir | 214 | 8.3 | 0.57 | 0.89 | 0.07 | 941 | 35.5 | 1.17 | 3.52 | 0.12 |
| Turkey, Gaziantep | 287 | 7.0 | 0.43 | 0.76 | 0.05 | 986 | 22.7 | 0.74 | 2.23 | 0.08 |
| *Turkey, Izmir | 1064 | 8.2 | 0.25 | 0.86 | 0.03 | 3948 | 30.1 | 0.49 | 2.89 | 0.05 |
| Turkey, Malatya | 96 | 4.4 | 0.45 | 0.41 | 0.05 | 438 | 19.9 | 0.96 | 2.00 | 0.10 |
| Turkey, Samsun | 215 | 5.6 | 0.39 | 0.59 | 0.04 | 868 | 22.2 | 0.76 | 2.19 | 0.08 |
| Turkey, Trabzon | 307 | 13.2 | 0.76 | 1.46 | 0.09 | 1297 | 55.2 | 1.55 | 5.46 | 0.16 |
| Europe | | | | | | | | | | |
| Austria | 1219 | 4.0 | 0.12 | 0.42 | 0.01 | 3007 | 10.1 | 0.20 | 0.98 | 0.02 |
| Austria, Carinthia | 151 | 7.6 | 0.65 | 0.79 | 0.07 | 334 | 17.1 | 1.01 | 1.64 | 0.09 |
| Austria, Tyrol | 199 | 8.0 | 0.59 | 0.83 | 0.06 | 541 | 22.0 | 1.00 | 2.14 | 0.10 |
| Austria, Vorarlberg | 31 | 2.5 | 0.46 | 0.25 | 0.05 | 74 | 5.9 | 0.73 | 0.56 | 0.07 |
| Belarus | 1162 | 4.3 | 0.13 | 0.40 | 0.01 | 4977 | 15.2 | 0.23 | 1.43 | 0.02 |
| *Belgium | 1359 | 3.4 | 0.10 | 0.37 | 0.01 | 3779 | 10.1 | 0.18 | 0.98 | 0.02 |
| Croatia | 739 | 5.2 | 0.20 | 0.53 | 0.02 | 2672 | 18.4 | 0.39 | 1.80 | 0.04 |
| Cyprus | 313 | 11.6 | 0.68 | 1.20 | 0.07 | 1338 | 48.2 | 1.35 | 4.66 | 0.13 |
| *Czech Republic | 1263 | 3.3 | 0.10 | 0.36 | 0.01 | 4388 | 12.0 | 0.20 | 1.17 | 0.02 |
| Denmark | 550 | 2.6 | 0.12 | 0.27 | 0.01 | 1330 | 6.9 | 0.20 | 0.66 | 0.02 |
| Estonia | 80 | 1.7 | 0.20 | 0.20 | 0.03 | 326 | 5.6 | 0.36 | 0.58 | 0.04 |
| Finland | 668 | 3.2 | 0.13 | 0.34 | 0.01 | 1991 | 10.2 | 0.25 | 1.00 | 0.02 |
| *France, Bas-Rhin | 137 | 4.5 | 0.41 | 0.50 | 0.05 | 363 | 11.8 | 0.66 | 1.16 | 0.07 |
| *France, Calvados | 77 | 3.0 | 0.37 | 0.34 | 0.04 | 252 | 11.0 | 0.75 | 1.06 | 0.07 |
| *France, Doubs | 67 | 3.7 | 0.48 | 0.39 | 0.05 | 237 | 13.6 | 0.96 | 1.29 | 0.09 |
| *France, Gironde | 396 | 7.6 | 0.40 | 0.83 | 0.04 | 1201 | 23.0 | 0.70 | 2.27 | 0.07 |
| *France, Haut-Rhin | 92 | 3.1 | 0.34 | 0.36 | 0.04 | 212 | 8.0 | 0.58 | 0.83 | 0.06 |
| *France, Hérault | 157 | 3.9 | 0.33 | 0.42 | 0.04 | 480 | 13.4 | 0.65 | 1.25 | 0.06 |
| *France, Isère | 358 | 8.5 | 0.47 | 0.93 | 0.05 | 1135 | 27.5 | 0.86 | 2.80 | 0.09 |
| *France, Lille-Métropole | 112 | 4.5 | 0.43 | 0.52 | 0.05 | 315 | 12.3 | 0.72 | 1.22 | 0.07 |
| *France, Limousin | 76 | 5.6 | 0.70 | 0.62 | 0.08 | 190 | 15.3 | 1.22 | 1.47 | 0.11 |
| *France, Loire-Atlantique | 195 | 4.4 | 0.33 | 0.43 | 0.03 | 561 | 12.7 | 0.57 | 1.26 | 0.06 |
| *France, Manche | 46 | 2.6 | 0.42 | 0.26 | 0.04 | 137 | 8.0 | 0.78 | 0.80 | 0.07 |
| *France, Poitou-Charentes | 408 | 6.1 | 0.33 | 0.69 | 0.04 | 1206 | 19.4 | 0.62 | 1.96 | 0.06 |
| *France, Somme | 78 | 3.9 | 0.46 | 0.44 | 0.05 | 269 | 14.7 | 0.95 | 1.43 | 0.09 |
| *France, Tarn | 73 | 5.7 | 0.75 | 0.61 | 0.07 | 218 | 18.8 | 1.41 | 1.72 | 0.12 |
| *France, Territoire de Belfort | 13 | 3.4 | 0.97 | 0.38 | 0.10 | 36 | 9.5 | 1.78 | 0.82 | 0.15 |
| *France, Vendée | 143 | 5.8 | 0.54 | 0.63 | 0.06 | 437 | 19.4 | 1.04 | 1.90 | 0.10 |
| Germany, Baden-Württemberg | 676 | 2.8 | 0.11 | 0.29 | 0.01 | 1573 | 6.9 | 0.19 | 0.66 | 0.02 |
| Germany, Bavaria | 1883 | 4.1 | 0.10 | 0.42 | 0.01 | 4159 | 9.6 | 0.16 | 0.91 | 0.01 |
| Germany, Bremen | 55 | 2.2 | 0.32 | 0.20 | 0.03 | 144 | 6.0 | 0.56 | 0.59 | 0.05 |
| Germany, Hamburg | 198 | 3.0 | 0.23 | 0.31 | 0.02 | 497 | 7.9 | 0.38 | 0.75 | 0.04 |
| Germany, Lower Saxony | 787 | 2.6 | 0.10 | 0.27 | 0.01 | 1808 | 6.5 | 0.17 | 0.62 | 0.02 |
| Germany, North Rhine-Westphalia | 2417 | 3.8 | 0.08 | 0.38 | 0.01 | 5493 | 9.2 | 0.14 | 0.86 | 0.01 |
| Germany, Rhineland-Palatinate | 433 | 2.9 | 0.15 | 0.28 | 0.02 | 1008 | 7.4 | 0.26 | 0.69 | 0.02 |
| Germany, Saarland | 122 | 3.6 | 0.37 | 0.33 | 0.03 | 261 | 7.6 | 0.54 | 0.71 | 0.05 |
| Germany, Schleswig-Holstein | 245 | 2.2 | 0.16 | 0.23 | 0.02 | 583 | 5.7 | 0.27 | 0.55 | 0.02 |
| Iceland | 43 | 3.5 | 0.56 | 0.41 | 0.07 | 101 | 9.7 | 1.00 | 0.89 | 0.10 |
| Ireland | 374 | 2.4 | 0.13 | 0.25 | 0.01 | 991 | 6.6 | 0.22 | 0.64 | 0.02 |
| *Italy, Aosta Valley | 11 | 3.0 | 1.11 | 0.23 | 0.09 | 29 | 7.4 | 1.61 | 0.66 | 0.14 |
| *Italy, Avellino | 87 | 11.5 | 1.30 | 1.01 | 0.11 | 264 | 33.9 | 2.19 | 2.92 | 0.18 |
| Italy, Basilicata | 174 | 9.1 | 0.73 | 0.88 | 0.07 | 489 | 25.9 | 1.26 | 2.41 | 0.11 |
| *Italy, Benevento | 29 | 4.5 | 0.87 | 0.39 | 0.07 | 119 | 16.5 | 1.61 | 1.46 | 0.14 |
| Italy, Bergamo | 267 | 6.6 | 0.44 | 0.70 | 0.05 | 692 | 18.0 | 0.74 | 1.81 | 0.07 |
| *Italy, Brescia | 282 | 6.8 | 0.43 | 0.74 | 0.05 | 1021 | 25.0 | 0.85 | 2.48 | 0.08 |
| Italy, Brianza (Lecco and Monza e Brianza) | 161 | 6.1 | 0.52 | 0.62 | 0.05 | 442 | 17.4 | 0.91 | 1.73 | 0.09 |
| Italy, Calabria | 156 | 9.1 | 0.76 | 0.83 | 0.07 | 385 | 21.8 | 1.17 | 2.00 | 0.11 |
| *Italy, Caserta | 161 | 7.3 | 0.60 | 0.65 | 0.05 | 512 | 22.6 | 1.04 | 1.95 | 0.09 |
| *Italy, Catania, Messina, and Enna | 533 | 8.5 | 0.38 | 0.84 | 0.04 | 1636 | 26.2 | 0.69 | 2.44 | 0.06 |
| Italy, Emilia-Romagna | 1216 | 9.4 | 0.30 | 0.97 | 0.03 | 3262 | 26.7 | 0.52 | 2.57 | 0.05 |
| Italy, Friuli-Venezia Giulia | 257 | 5.8 | 0.42 | 0.57 | 0.04 | 701 | 16.6 | 0.73 | 1.61 | 0.06 |
| Italy, Genova | 155 | 6.5 | 0.61 | 0.66 | 0.06 | 378 | 15.3 | 0.93 | 1.46 | 0.08 |
| *Italy, Lombardy, South, Pavia | 122 | 6.1 | 0.60 | 0.63 | 0.06 | 314 | 15.5 | 0.96 | 1.56 | 0.09 |
| Italy, Mantova and Cremona | 164 | 7.3 | 0.62 | 0.80 | 0.07 | 465 | 21.0 | 1.08 | 2.08 | 0.10 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Thyroid (C73) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 273 | 6.2 | 0.42 | 0.64 | 0.04 | 814 | 19.4 | 0.74 | 1.85 | 0.07 |
| Italy, Milan | 575 | 4.9 | 0.22 | 0.48 | 0.02 | 1581 | 12.9 | 0.37 | 1.24 | 0.03 |
| Italy, Molise | 59 | 9.0 | 1.25 | 0.91 | 0.12 | 159 | 26.5 | 2.25 | 2.50 | 0.20 |
| *Italy, Naples Centre | 103 | 5.9 | 0.61 | 0.56 | 0.06 | 394 | 21.3 | 1.15 | 1.91 | 0.10 |
| *Italy, Naples North | 191 | 7.6 | 0.56 | 0.71 | 0.05 | 565 | 22.0 | 0.96 | 1.94 | 0.08 |
| *Italy, Naples South | 245 | 7.8 | 0.52 | 0.70 | 0.05 | 755 | 23.1 | 0.88 | 2.07 | 0.08 |
| *Italy, Nuoro | 44 | 11.5 | 1.96 | 1.07 | 0.17 | 154 | 34.3 | 3.03 | 3.24 | 0.28 |
| *Italy, Palermo | 272 | 6.4 | 0.41 | 0.67 | 0.04 | 751 | 17.7 | 0.68 | 1.72 | 0.06 |
| Italy, Puglia | 1069 | 8.1 | 0.26 | 0.79 | 0.03 | 3049 | 23.1 | 0.45 | 2.14 | 0.04 |
| *Italy, Ragusa and Caltanissetta | 108 | 5.6 | 0.56 | 0.57 | 0.06 | 379 | 20.1 | 1.08 | 1.87 | 0.10 |
| *Italy, Salerno | 214 | 7.7 | 0.56 | 0.73 | 0.05 | 631 | 23.1 | 0.98 | 2.06 | 0.08 |
| Italy, Sassari | 53 | 6.8 | 1.01 | 0.77 | 0.11 | 149 | 21.8 | 2.08 | 2.05 | 0.18 |
| *Italy, Sondrio | 41 | 5.4 | 0.90 | 0.61 | 0.10 | 113 | 15.7 | 1.66 | 1.56 | 0.15 |
| Italy, South Tyrol | 91 | 5.1 | 0.57 | 0.54 | 0.06 | 220 | 12.0 | 0.87 | 1.18 | 0.08 |
| *Italy, Syracuse | 93 | 7.0 | 0.76 | 0.68 | 0.07 | 241 | 18.3 | 1.26 | 1.72 | 0.11 |
| Italy, Trento | 89 | 5.0 | 0.58 | 0.51 | 0.06 | 325 | 18.7 | 1.14 | 1.77 | 0.10 |
| Italy, Turin | 377 | 4.4 | 0.25 | 0.45 | 0.03 | 956 | 12.0 | 0.45 | 1.13 | 0.04 |
| *Italy, Tuscany | 762 | 10.5 | 0.43 | 1.08 | 0.04 | 1987 | 27.6 | 0.70 | 2.68 | 0.06 |
| Italy, Umbria | 215 | 8.2 | 0.62 | 0.88 | 0.06 | 595 | 23.8 | 1.10 | 2.31 | 0.10 |
| Italy, Varese | 79 | 4.0 | 0.49 | 0.44 | 0.05 | 235 | 12.3 | 0.92 | 1.21 | 0.08 |
| Italy, Veneto | 1315 | 7.4 | 0.23 | 0.77 | 0.02 | 3995 | 23.5 | 0.41 | 2.32 | 0.04 |
| Latvia | 208 | 3.2 | 0.23 | 0.35 | 0.03 | 1036 | 12.7 | 0.43 | 1.33 | 0.04 |
| *Liechtenstein | 4 | 2.4 | 1.20 | 0.32 | 0.16 | 15 | 10.1 | 2.81 | 1.14 | 0.31 |
| *Lithuania | 289 | 3.1 | 0.19 | 0.32 | 0.02 | 1460 | 13.2 | 0.38 | 1.34 | 0.04 |
| Malta | 86 | 5.3 | 0.61 | 0.55 | 0.06 | 231 | 15.2 | 1.06 | 1.48 | 0.10 |
| *The Netherlands | 1080 | 1.8 | 0.06 | 0.18 | 0.01 | 2577 | 4.4 | 0.10 | 0.43 | 0.01 |
| Norway | 603 | 3.2 | 0.14 | 0.33 | 0.02 | 1404 | 8.1 | 0.23 | 0.82 | 0.02 |
| Poland, Kielce | 137 | 3.1 | 0.28 | 0.33 | 0.03 | 705 | 16.6 | 0.67 | 1.62 | 0.06 |
| *Portugal, Azores | 21 | 3.2 | 0.72 | 0.41 | 0.10 | 108 | 16.3 | 1.61 | 1.66 | 0.17 |
| Russian Federation, Arkhangelsk | 74 | 2.1 | 0.26 | 0.21 | 0.03 | 453 | 9.9 | 0.51 | 1.00 | 0.05 |
| Russian Federation, Kaliningrad | 43 | 1.4 | 0.22 | 0.16 | 0.03 | 187 | 4.9 | 0.40 | 0.50 | 0.04 |
| Russian Federation, Karelia | 43 | 2.3 | 0.37 | 0.26 | 0.05 | 200 | 8.2 | 0.63 | 0.87 | 0.07 |
| *Russian Federation, Komi Republic | 73 | 3.0 | 0.37 | 0.34 | 0.05 | 542 | 16.3 | 0.74 | 1.77 | 0.08 |
| Russian Federation, Murmansk | 79 | 3.5 | 0.40 | 0.37 | 0.05 | 328 | 10.9 | 0.64 | 1.10 | 0.07 |
| *Russian Federation, Orenburg | 120 | 1.9 | 0.18 | 0.20 | 0.02 | 588 | 7.6 | 0.34 | 0.81 | 0.04 |
| Russian Federation, Pskov | 25 | 1.4 | 0.28 | 0.14 | 0.03 | 205 | 7.7 | 0.59 | 0.81 | 0.06 |
| *Russian Federation, Samara | 214 | 2.2 | 0.15 | 0.24 | 0.02 | 1341 | 10.1 | 0.30 | 1.08 | 0.03 |
| Russian Federation, Vologda Region | 71 | 2.0 | 0.26 | 0.21 | 0.03 | 334 | 6.9 | 0.41 | 0.70 | 0.04 |
| Slovenia | 220 | 2.9 | 0.22 | 0.30 | 0.02 | 748 | 10.3 | 0.42 | 1.02 | 0.04 |
| Spain, Asturias | 58 | 2.4 | 0.38 | 0.21 | 0.03 | 160 | 6.1 | 0.57 | 0.60 | 0.05 |
| Spain, Basque Country | 259 | 3.9 | 0.26 | 0.42 | 0.03 | 776 | 11.8 | 0.47 | 1.18 | 0.05 |
| Spain, Canary Islands | 173 | 3.4 | 0.27 | 0.35 | 0.03 | 573 | 11.1 | 0.48 | 1.13 | 0.05 |
| Spain, Castellón | 60 | 3.0 | 0.44 | 0.31 | 0.04 | 151 | 7.8 | 0.69 | 0.73 | 0.06 |
| Spain, Girona | 67 | 2.5 | 0.33 | 0.26 | 0.03 | 230 | 9.4 | 0.66 | 0.92 | 0.06 |
| Spain, Granada | 119 | 3.8 | 0.36 | 0.40 | 0.04 | 397 | 12.5 | 0.67 | 1.24 | 0.07 |
| Spain, La Rioja | 25 | 2.0 | 0.42 | 0.24 | 0.05 | 73 | 6.3 | 0.80 | 0.64 | 0.08 |
| Spain, Murcia | 208 | 4.3 | 0.31 | 0.45 | 0.03 | 729 | 15.3 | 0.59 | 1.52 | 0.06 |
| Spain, Navarra | 76 | 4.4 | 0.56 | 0.45 | 0.06 | 247 | 14.5 | 0.99 | 1.42 | 0.10 |
| Spain, Salamanca | 53 | 3.5 | 0.53 | 0.36 | 0.06 | 142 | 11.8 | 1.14 | 1.15 | 0.10 |
| Spain, Tarragona | 78 | 2.6 | 0.30 | 0.28 | 0.03 | 213 | 8.2 | 0.61 | 0.80 | 0.06 |
| *Sweden | 801 | 2.2 | 0.08 | 0.22 | 0.01 | 2149 | 6.8 | 0.16 | 0.64 | 0.01 |
| Switzerland, Aargau | 73 | 3.0 | 0.38 | 0.32 | 0.04 | 176 | 8.1 | 0.65 | 0.75 | 0.06 |
| Switzerland, Basel | 72 | 4.1 | 0.52 | 0.44 | 0.06 | 145 | 8.4 | 0.76 | 0.82 | 0.07 |
| Switzerland, Berne Solothurn | 101 | 3.3 | 0.35 | 0.36 | 0.04 | 263 | 8.9 | 0.60 | 0.86 | 0.06 |
| Switzerland, East | 94 | 3.0 | 0.33 | 0.30 | 0.03 | 216 | 7.7 | 0.56 | 0.74 | 0.05 |
| *Switzerland, Fribourg | 51 | 4.5 | 0.66 | 0.48 | 0.08 | 119 | 11.0 | 1.05 | 1.11 | 0.11 |
| Switzerland, Geneva | 92 | 5.5 | 0.60 | 0.59 | 0.07 | 299 | 17.2 | 1.04 | 1.72 | 0.11 |
| *Switzerland, Graubünden and Glarus | 37 | 4.3 | 0.76 | 0.42 | 0.07 | 62 | 7.0 | 0.95 | 0.74 | 0.10 |
| *Switzerland, Lucerne | 88 | 4.7 | 0.52 | 0.50 | 0.06 | 187 | 10.2 | 0.79 | 1.03 | 0.08 |
| *Switzerland, Neuchâtel and Jura | 44 | 5.0 | 0.80 | 0.52 | 0.08 | 96 | 11.1 | 1.21 | 1.07 | 0.12 |
| Switzerland, Ticino | 59 | 4.9 | 0.71 | 0.48 | 0.07 | 116 | 10.1 | 1.05 | 0.93 | 0.09 |
| Switzerland, Valais | 54 | 4.5 | 0.68 | 0.49 | 0.07 | 126 | 10.7 | 1.03 | 1.02 | 0.10 |
| Switzerland, Vaud | 103 | 3.8 | 0.39 | 0.41 | 0.04 | 311 | 11.8 | 0.70 | 1.19 | 0.07 |
| Switzerland, Zurich and Zug | 212 | 3.7 | 0.27 | 0.39 | 0.03 | 500 | 9.3 | 0.45 | 0.88 | 0.04 |
| Ukraine | 2750 | 2.5 | 0.05 | 0.25 | 0.01 | 12668 | 9.9 | 0.09 | 0.95 | 0.01 |
| UK, England | 4181 | 2.2 | 0.04 | 0.22 | 0.00 | 11118 | 6.2 | 0.06 | 0.58 | 0.01 |
| UK, Northern Ireland | 126 | 2.0 | 0.19 | 0.20 | 0.02 | 324 | 5.5 | 0.33 | 0.51 | 0.03 |
| UK, Scotland | 421 | 2.2 | 0.11 | 0.24 | 0.01 | 1003 | 5.5 | 0.19 | 0.51 | 0.02 |
| UK, Wales | 183 | 1.6 | 0.13 | 0.16 | 0.01 | 436 | 4.2 | 0.23 | 0.38 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1579 | 5.8 | 0.15 | 0.62 | 0.02 | 4448 | 17.0 | 0.27 | 1.71 | 0.03 |
| *Australia, Northern Territory | 36 | 5.0 | 0.85 | 0.56 | 0.11 | 68 | 10.0 | 1.23 | 1.00 | 0.14 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Thyroid (C73) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 27 | 4.9 | 1.00 | 0.58 | 0.12 | 46 | 8.9 | 1.33 | 0.90 | 0.15 |
| *Australia, Northern Territory: Indigenous | 9 | 5.8 | 2.07 | 0.41 | 0.15 | 22 | 12.8 | 2.83 | 1.34 | 0.38 |
| *Australia, Queensland | 847 | 5.3 | 0.19 | 0.57 | 0.02 | 2263 | 14.7 | 0.32 | 1.46 | 0.03 |
| Australia, South Australia | 214 | 3.6 | 0.26 | 0.37 | 0.03 | 522 | 9.3 | 0.43 | 0.92 | 0.04 |
| Australia, Tasmania | 88 | 4.5 | 0.52 | 0.49 | 0.06 | 150 | 8.7 | 0.78 | 0.83 | 0.07 |
| *Australia, Victoria | 809 | 4.0 | 0.15 | 0.42 | 0.02 | 2283 | 11.4 | 0.25 | 1.13 | 0.03 |
| *Australia, Western Australia | 431 | 5.1 | 0.25 | 0.56 | 0.03 | 1089 | 13.4 | 0.42 | 1.36 | 0.04 |
| *France, New Caledonia | 40 | 5.2 | 0.82 | 0.61 | 0.11 | 135 | 17.5 | 1.52 | 2.01 | 0.19 |
| New Zealand | 480 | 3.2 | 0.15 | 0.32 | 0.02 | 1120 | 7.5 | 0.23 | 0.72 | 0.02 |
| *New Zealand: Maori | 72 | 4.4 | 0.52 | 0.47 | 0.07 | 186 | 9.8 | 0.72 | 0.94 | 0.08 |
| *New Zealand: Pacific peoples | 34 | 5.0 | 0.87 | 0.64 | 0.13 | 99 | 12.8 | 1.29 | 1.18 | 0.14 |
| *New Zealand: Other | 320 | 2.9 | 0.18 | 0.29 | 0.02 | 633 | 6.0 | 0.26 | 0.58 | 0.02 |
| USA, Hawaii | 264 | 5.5 | 0.35 | 0.57 | 0.04 | 809 | 18.3 | 0.68 | 1.72 | 0.06 |
| USA, Hawaii: White | 80 | 5.4 | 0.64 | 0.56 | 0.07 | 177 | 16.7 | 1.38 | 1.51 | 0.12 |
| *USA, Hawaii: Japanese | 31 | 3.6 | 0.80 | 0.35 | 0.07 | 97 | 13.9 | 1.69 | 1.28 | 0.14 |
| *USA, Hawaii: Chinese | 16 | 8.0 | 2.24 | 0.79 | 0.21 | 43 | 15.2 | 2.54 | 1.45 | 0.23 |
| *USA, Hawaii: Hawaiian | 41 | 4.8 | 0.76 | 0.51 | 0.09 | 162 | 19.0 | 1.52 | 1.78 | 0.15 |
| *USA, Hawaii: Filipino | 63 | 7.4 | 0.95 | 0.83 | 0.12 | 224 | 26.0 | 1.82 | 2.48 | 0.17 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Adrenal gland (C74)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 2 | 0.2 | 0.13 | 0.02 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Algeria, Tizi Ouzou | 6 | 0.5 | 0.21 | 0.03 | 0.01 | 1 | 0.1 | 0.10 | 0.00 | 0.00 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 3 | 0.2 | 0.14 | 0.01 | 0.01 | 8 | 0.4 | 0.17 | 0.02 | 0.01 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Kenya, Nairobi | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| Mauritius | 3 | 0.2 | 0.11 | 0.01 | 0.00 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *Morocco, Casablanca | 29 | 0.3 | 0.06 | 0.02 | 0.01 | 22 | 0.2 | 0.05 | 0.02 | 0.00 |
| *Seychelles | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Uganda, Kyadondo County | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 1 | 0.1 | 0.13 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 3 | 0.2 | 0.09 | 0.02 | 0.01 | 8 | 0.5 | 0.16 | 0.03 | 0.01 |
| *Argentina, Mendoza | 10 | 0.2 | 0.07 | 0.02 | 0.01 | 12 | 0.3 | 0.08 | 0.02 | 0.01 |
| Brazil, Aracaju | 6 | 0.6 | 0.26 | 0.04 | 0.02 | 3 | 0.5 | 0.26 | 0.02 | 0.01 |
| *Brazil, Barretos | 2 | 0.2 | 0.18 | 0.01 | 0.01 | 5 | 0.6 | 0.30 | 0.04 | 0.02 |
| Brazil, Belo Horizonte | 9 | 0.2 | 0.06 | 0.01 | 0.01 | 25 | 0.4 | 0.11 | 0.03 | 0.01 |
| *Brazil, Campinas | 8 | 0.4 | 0.16 | 0.03 | 0.01 | 9 | 0.4 | 0.16 | 0.04 | 0.02 |
| *Brazil, Curitiba | 12 | 0.4 | 0.13 | 0.02 | 0.01 | 21 | 0.8 | 0.18 | 0.05 | 0.01 |
| Brazil, Goiânia | 6 | 0.3 | 0.12 | 0.02 | 0.01 | 10 | 0.4 | 0.13 | 0.03 | 0.01 |
| *Brazil, Jaú | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.21 | 0.02 | 0.02 |
| Brazil, João Pessoa | 1 | 0.2 | 0.17 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| Brazil, Recife | 8 | 0.5 | 0.17 | 0.03 | 0.01 | 5 | 0.1 | 0.07 | 0.02 | 0.01 |
| Chile, Region of Antofagasta | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Chile, Valdivia | 3 | 0.2 | 0.13 | 0.03 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| Colombia, Bucaramanga | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| Colombia, Cali | 7 | 0.2 | 0.06 | 0.01 | 0.01 | 12 | 0.2 | 0.07 | 0.01 | 0.00 |
| Colombia, Manizales | 6 | 0.5 | 0.17 | 0.06 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Pasto | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| Costa Rica | 18 | 0.2 | 0.06 | 0.01 | 0.00 | 15 | 0.2 | 0.05 | 0.01 | 0.00 |
| Ecuador, Guayaquil | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.1 | 0.03 | 0.00 | 0.00 |
| Ecuador, Manabí | 5 | 0.2 | 0.07 | 0.01 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| Ecuador, Quito | 8 | 0.2 | 0.06 | 0.01 | 0.01 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| *France, Guadeloupe | 3 | 0.4 | 0.24 | 0.03 | 0.02 | 2 | 0.2 | 0.22 | 0.01 | 0.01 |
| *France, Martinique | 2 | 0.2 | 0.17 | 0.02 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Peru, Lima | 17 | 0.1 | 0.03 | 0.01 | 0.00 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Trinidad and Tobago | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| USA, Puerto Rico | 32 | 0.4 | 0.09 | 0.03 | 0.01 | 22 | 0.3 | 0.09 | 0.02 | 0.00 |
| *Uruguay | 19 | 0.3 | 0.07 | 0.02 | 0.00 | 33 | 0.5 | 0.09 | 0.03 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 30 | 0.3 | 0.06 | 0.02 | 0.00 | 27 | 0.3 | 0.07 | 0.02 | 0.00 |
| Canada, British Columbia | 31 | 0.2 | 0.06 | 0.02 | 0.00 | 41 | 0.4 | 0.07 | 0.02 | 0.00 |
| *Canada, Manitoba | 16 | 0.7 | 0.18 | 0.04 | 0.01 | 16 | 0.5 | 0.16 | 0.03 | 0.01 |
| *Canada, New Brunswick | 4 | 0.3 | 0.19 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.02 | 0.01 |
| *Canada, Newfoundland and Labrador | 5 | 0.5 | 0.29 | 0.04 | 0.02 | 5 | 0.8 | 0.39 | 0.04 | 0.02 |
| Canada, Ontario | 163 | 0.4 | 0.04 | 0.03 | 0.00 | 155 | 0.4 | 0.04 | 0.03 | 0.00 |
| *Canada, Prince Edward Island | 2 | 0.7 | 0.66 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Canada, Quebec | 90 | 0.5 | 0.06 | 0.03 | 0.00 | 104 | 0.5 | 0.06 | 0.04 | 0.00 |
| Canada, Saskatchewan | 7 | 0.3 | 0.13 | 0.02 | 0.01 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA | 2468 | 0.4 | 0.01 | 0.02 | 0.00 | 2737 | 0.4 | 0.01 | 0.03 | 0.00 |
| USA: White | 2024 | 0.4 | 0.01 | 0.02 | 0.00 | 2201 | 0.4 | 0.01 | 0.03 | 0.00 |
| USA: Black | 311 | 0.3 | 0.02 | 0.02 | 0.00 | 394 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, NPCR | 2390 | 0.4 | 0.01 | 0.02 | 0.00 | 2670 | 0.4 | 0.01 | 0.03 | 0.00 |
| USA, NPCR: White | 1963 | 0.4 | 0.01 | 0.02 | 0.00 | 2149 | 0.4 | 0.01 | 0.03 | 0.00 |
| USA, NPCR: Black | 303 | 0.3 | 0.02 | 0.02 | 0.00 | 391 | 0.3 | 0.02 | 0.03 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 86 | 0.3 | 0.03 | 0.02 | 0.00 | 102 | 0.3 | 0.03 | 0.02 | 0.00 |
| USA, NPCR: American Indian | 21 | 0.2 | 0.05 | 0.02 | 0.00 | 17 | 0.2 | 0.04 | 0.01 | 0.00 |
| *USA, SEER (18 registries) | 626 | 0.3 | 0.01 | 0.02 | 0.00 | 688 | 0.3 | 0.01 | 0.02 | 0.00 |
| *USA, SEER (18 registries): White | 479 | 0.3 | 0.02 | 0.02 | 0.00 | 525 | 0.3 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 392 | 0.4 | 0.02 | 0.02 | 0.00 | 411 | 0.4 | 0.02 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 87 | 0.2 | 0.02 | 0.01 | 0.00 | 114 | 0.3 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Black | 81 | 0.3 | 0.04 | 0.02 | 0.00 | 96 | 0.3 | 0.04 | 0.03 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 52 | 0.3 | 0.04 | 0.02 | 0.00 | 56 | 0.3 | 0.04 | 0.02 | 0.00 |
| *USA, SEER (9 registries) | 218 | 0.3 | 0.03 | 0.02 | 0.00 | 215 | 0.3 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (9 registries): White | 159 | 0.3 | 0.03 | 0.02 | 0.00 | 166 | 0.3 | 0.03 | 0.02 | 0.00 |
| *USA, SEER (9 registries): Black | 32 | 0.4 | 0.07 | 0.03 | 0.01 | 24 | 0.3 | 0.06 | 0.02 | 0.01 |
| USA, Alabama | 54 | 0.5 | 0.08 | 0.04 | 0.01 | 70 | 0.6 | 0.09 | 0.04 | 0.01 |
| USA, Alabama: White | 40 | 0.5 | 0.10 | 0.04 | 0.01 | 44 | 0.5 | 0.10 | 0.03 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Adrenal gland (C74) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 14 | 0.5 | 0.15 | 0.04 | 0.01 | 26 | 0.9 | 0.19 | 0.05 | 0.01 |
| USA, Alaska | 9 | 0.5 | 0.19 | 0.04 | 0.01 | 7 | 0.5 | 0.20 | 0.03 | 0.01 |
| *USA, Alaska: Alaska Natives | 4 | 1.2 | 0.62 | 0.08 | 0.04 | 1 | 0.4 | 0.36 | 0.01 | 0.01 |
| USA, Arizona | 63 | 0.4 | 0.06 | 0.03 | 0.00 | 54 | 0.3 | 0.05 | 0.02 | 0.00 |
| USA, Arizona: White | 59 | 0.4 | 0.06 | 0.03 | 0.00 | 48 | 0.3 | 0.06 | 0.02 | 0.00 |
| USA, Arizona: Black | 3 | 0.4 | 0.22 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *USA, Arizona: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 2 | 0.3 | 0.25 | 0.02 | 0.01 |
| USA, Arizona: American Indian | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 4 | 0.4 | 0.20 | 0.03 | 0.02 |
| USA, Arkansas | 35 | 0.5 | 0.10 | 0.04 | 0.01 | 36 | 0.5 | 0.09 | 0.03 | 0.01 |
| USA, Arkansas: White | 30 | 0.6 | 0.12 | 0.04 | 0.01 | 29 | 0.5 | 0.11 | 0.04 | 0.01 |
| USA, Arkansas: Black | 4 | 0.3 | 0.17 | 0.03 | 0.02 | 7 | 0.5 | 0.21 | 0.04 | 0.02 |
| USA, California | 229 | 0.3 | 0.02 | 0.02 | 0.00 | 276 | 0.3 | 0.02 | 0.02 | 0.00 |
| USA, California: White | 178 | 0.3 | 0.02 | 0.02 | 0.00 | 218 | 0.3 | 0.02 | 0.02 | 0.00 |
| USA, California: Black | 19 | 0.3 | 0.07 | 0.02 | 0.00 | 22 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, California: Asian and Pacific Islander | 29 | 0.3 | 0.05 | 0.02 | 0.00 | 35 | 0.3 | 0.06 | 0.02 | 0.00 |
| *USA, California, Los Angeles County | 57 | 0.3 | 0.04 | 0.02 | 0.00 | 64 | 0.3 | 0.04 | 0.02 | 0.00 |
| *USA, California, Los Angeles County: White | 38 | 0.2 | 0.04 | 0.01 | 0.00 | 51 | 0.3 | 0.04 | 0.02 | 0.00 |
| *USA, California, Los Angeles County: Non-Hispanic White | 21 | 0.4 | 0.11 | 0.02 | 0.01 | 28 | 0.4 | 0.10 | 0.03 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 17 | 0.2 | 0.04 | 0.01 | 0.00 | 23 | 0.2 | 0.05 | 0.02 | 0.00 |
| *USA, California, Los Angeles County: Black | 7 | 0.4 | 0.15 | 0.02 | 0.01 | 6 | 0.3 | 0.14 | 0.02 | 0.01 |
| *USA, California, Los Angeles County: Chinese | 6 | 0.6 | 0.31 | 0.04 | 0.02 | 2 | 0.3 | 0.23 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Filipino | 2 | 0.3 | 0.24 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *USA, California, Los Angeles County: Korean | 0 | – | 0.00 | – | 0.00 | 2 | 0.5 | 0.42 | 0.03 | 0.02 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 11 | 0.4 | 0.13 | 0.02 | 0.01 | 6 | 0.2 | 0.09 | 0.01 | 0.00 |
| *USA, California, San Francisco Bay Area | 34 | 0.4 | 0.07 | 0.02 | 0.00 | 34 | 0.3 | 0.07 | 0.02 | 0.00 |
| *USA, California, San Francisco Bay Area: White | 25 | 0.5 | 0.11 | 0.03 | 0.01 | 21 | 0.3 | 0.07 | 0.02 | 0.00 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 15 | 0.4 | 0.13 | 0.02 | 0.01 | 14 | 0.3 | 0.10 | 0.02 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 10 | 0.6 | 0.18 | 0.03 | 0.01 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| *USA, California, San Francisco Bay Area: Black | 3 | 0.3 | 0.22 | 0.02 | 0.01 | 4 | 0.3 | 0.16 | 0.03 | 0.02 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 6 | 0.2 | 0.10 | 0.01 | 0.00 | 9 | 0.5 | 0.19 | 0.02 | 0.01 |
| USA, Colorado | 38 | 0.3 | 0.05 | 0.02 | 0.00 | 35 | 0.3 | 0.05 | 0.02 | 0.00 |
| USA, Colorado: White | 34 | 0.3 | 0.06 | 0.02 | 0.00 | 32 | 0.3 | 0.05 | 0.02 | 0.00 |
| *USA, Colorado: Black | 3 | 0.6 | 0.34 | 0.06 | 0.05 | 1 | 0.2 | 0.15 | 0.01 | 0.01 |
| *USA, Colorado: Asian and Pacific Islander | 1 | 0.2 | 0.18 | 0.02 | 0.02 | 1 | 0.4 | 0.36 | 0.01 | 0.01 |
| USA, Connecticut | 28 | 0.4 | 0.10 | 0.02 | 0.00 | 21 | 0.2 | 0.06 | 0.02 | 0.00 |
| USA, Connecticut: White | 22 | 0.4 | 0.11 | 0.02 | 0.01 | 18 | 0.3 | 0.08 | 0.02 | 0.00 |
| USA, Connecticut: Black | 5 | 0.7 | 0.31 | 0.04 | 0.02 | 2 | 0.1 | 0.09 | 0.03 | 0.02 |
| USA, District of Columbia | 3 | 0.3 | 0.16 | 0.01 | 0.01 | 4 | 0.3 | 0.17 | 0.03 | 0.01 |
| USA, District of Columbia: White | 2 | 0.3 | 0.29 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, District of Columbia: Black | 1 | 0.2 | 0.19 | 0.01 | 0.01 | 3 | 0.3 | 0.22 | 0.04 | 0.02 |
| USA, Florida | 182 | 0.4 | 0.04 | 0.03 | 0.00 | 171 | 0.3 | 0.03 | 0.02 | 0.00 |
| USA, Florida: White | 137 | 0.4 | 0.04 | 0.02 | 0.00 | 137 | 0.4 | 0.04 | 0.02 | 0.00 |
| USA, Florida: Black | 40 | 0.5 | 0.09 | 0.04 | 0.01 | 29 | 0.3 | 0.06 | 0.02 | 0.00 |
| USA, Florida: Asian and Pacific Islander | 2 | 0.2 | 0.14 | 0.01 | 0.01 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| USA, Georgia | 87 | 0.4 | 0.05 | 0.03 | 0.00 | 100 | 0.4 | 0.04 | 0.03 | 0.00 |
| USA, Georgia: White | 61 | 0.4 | 0.06 | 0.03 | 0.00 | 69 | 0.4 | 0.06 | 0.03 | 0.00 |
| USA, Georgia: Black | 23 | 0.4 | 0.08 | 0.02 | 0.01 | 27 | 0.3 | 0.06 | 0.03 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 3 | 0.4 | 0.23 | 0.01 | 0.01 | 3 | 0.3 | 0.19 | 0.03 | 0.02 |
| *USA, Georgia, Atlanta | 31 | 0.4 | 0.08 | 0.03 | 0.01 | 24 | 0.3 | 0.07 | 0.02 | 0.00 |
| *USA, Georgia, Atlanta: White | 18 | 0.5 | 0.13 | 0.04 | 0.01 | 14 | 0.3 | 0.11 | 0.02 | 0.01 |
| *USA, Georgia, Atlanta: Black | 10 | 0.3 | 0.11 | 0.02 | 0.01 | 8 | 0.2 | 0.09 | 0.01 | 0.01 |
| USA, Idaho | 14 | 0.4 | 0.13 | 0.02 | 0.01 | 7 | 0.2 | 0.08 | 0.01 | 0.01 |
| USA, Indiana | 56 | 0.4 | 0.06 | 0.03 | 0.00 | 70 | 0.4 | 0.06 | 0.03 | 0.00 |
| USA, Indiana: White | 50 | 0.4 | 0.07 | 0.03 | 0.00 | 63 | 0.5 | 0.07 | 0.03 | 0.00 |
| USA, Indiana: Black | 4 | 0.3 | 0.14 | 0.02 | 0.01 | 6 | 0.3 | 0.12 | 0.02 | 0.01 |
| *USA, Iowa | 26 | 0.4 | 0.08 | 0.02 | 0.01 | 21 | 0.3 | 0.09 | 0.02 | 0.00 |
| USA, Kentucky | 45 | 0.5 | 0.08 | 0.03 | 0.00 | 32 | 0.3 | 0.07 | 0.02 | 0.00 |
| USA, Louisiana | 38 | 0.3 | 0.06 | 0.02 | 0.00 | 35 | 0.3 | 0.05 | 0.02 | 0.00 |
| USA, Louisiana: White | 28 | 0.4 | 0.08 | 0.03 | 0.01 | 22 | 0.2 | 0.06 | 0.02 | 0.00 |
| USA, Louisiana: Black | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 13 | 0.3 | 0.10 | 0.02 | 0.01 |
| *USA, Louisiana, New Orleans | 4 | 0.2 | 0.10 | 0.01 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: White | 4 | 0.3 | 0.20 | 0.02 | 0.01 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| *USA, Louisiana, New Orleans: Black | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| USA, Maine | 12 | 0.5 | 0.17 | 0.03 | 0.01 | 18 | 0.7 | 0.20 | 0.04 | 0.01 |
| USA, Maryland | 39 | 0.3 | 0.06 | 0.02 | 0.00 | 56 | 0.3 | 0.05 | 0.03 | 0.00 |
| USA, Maryland: White | 28 | 0.4 | 0.08 | 0.03 | 0.01 | 35 | 0.3 | 0.07 | 0.02 | 0.00 |
| USA, Maryland: Black | 9 | 0.2 | 0.08 | 0.01 | 0.00 | 16 | 0.3 | 0.08 | 0.03 | 0.01 |
| USA, Maryland: Asian and Pacific Islander | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 4 | 0.3 | 0.19 | 0.03 | 0.02 |
| USA, Massachusetts | 58 | 0.5 | 0.07 | 0.03 | 0.00 | 56 | 0.4 | 0.06 | 0.03 | 0.00 |
| USA, Massachusetts: White | 49 | 0.5 | 0.08 | 0.03 | 0.00 | 48 | 0.4 | 0.07 | 0.03 | 0.00 |
| USA, Massachusetts: Black | 5 | 0.4 | 0.18 | 0.02 | 0.01 | 3 | 0.2 | 0.12 | 0.02 | 0.01 |
| USA, Massachusetts: Asian and Pacific Islander | 2 | 0.3 | 0.23 | 0.01 | 0.01 | 4 | 0.6 | 0.31 | 0.03 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Adrenal gland (C74) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 72 | 0.3 | 0.05 | 0.02 | 0.00 | 90 | 0.4 | 0.05 | 0.03 | 0.00 |
| USA, Michigan: White | 59 | 0.4 | 0.05 | 0.02 | 0.00 | 79 | 0.5 | 0.06 | 0.03 | 0.00 |
| USA, Michigan: Black | 7 | 0.2 | 0.10 | 0.02 | 0.01 | 10 | 0.3 | 0.09 | 0.02 | 0.01 |
| USA, Michigan: Asian and Pacific Islander | 5 | 0.7 | 0.33 | 0.08 | 0.04 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *USA, Michigan, Detroit | 24 | 0.3 | 0.08 | 0.02 | 0.00 | 37 | 0.4 | 0.08 | 0.03 | 0.00 |
| *USA, Michigan, Detroit: White | 13 | 0.3 | 0.09 | 0.01 | 0.00 | 29 | 0.6 | 0.12 | 0.03 | 0.01 |
| *USA, Michigan, Detroit: Black | 7 | 0.4 | 0.15 | 0.03 | 0.01 | 7 | 0.3 | 0.11 | 0.02 | 0.01 |
| USA, Minnesota | 42 | 0.3 | 0.06 | 0.02 | 0.00 | 48 | 0.3 | 0.05 | 0.03 | 0.00 |
| USA, Minnesota: White | 35 | 0.3 | 0.06 | 0.02 | 0.00 | 47 | 0.4 | 0.07 | 0.03 | 0.00 |
| USA, Minnesota: Black | 5 | 0.6 | 0.26 | 0.05 | 0.02 | 1 | 0.2 | 0.16 | 0.02 | 0.02 |
| *USA, Minnesota: Asian and Pacific Islander | 2 | 0.4 | 0.28 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| USA, Mississippi | 18 | 0.3 | 0.07 | 0.02 | 0.00 | 27 | 0.4 | 0.09 | 0.03 | 0.01 |
| USA, Missouri | 43 | 0.3 | 0.05 | 0.02 | 0.00 | 38 | 0.3 | 0.06 | 0.02 | 0.00 |
| USA, Missouri: White | 39 | 0.3 | 0.06 | 0.02 | 0.00 | 35 | 0.4 | 0.07 | 0.02 | 0.00 |
| USA, Missouri: Black | 4 | 0.3 | 0.13 | 0.02 | 0.01 | 3 | 0.2 | 0.12 | 0.01 | 0.01 |
| USA, Montana | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 13 | 0.5 | 0.17 | 0.04 | 0.01 |
| *USA, Montana: American Indian | 1 | 0.6 | 0.64 | 0.05 | 0.05 | 1 | 0.4 | 0.39 | 0.05 | 0.05 |
| USA, Nebraska | 22 | 0.6 | 0.13 | 0.03 | 0.01 | 23 | 0.5 | 0.11 | 0.04 | 0.01 |
| USA, Nebraska: White | 22 | 0.7 | 0.16 | 0.04 | 0.01 | 20 | 0.5 | 0.13 | 0.04 | 0.01 |
| *USA, Nebraska: Black | 0 | – | 0.00 | – | 0.00 | 2 | 0.8 | 0.59 | 0.14 | 0.11 |
| USA, Nevada | 24 | 0.4 | 0.08 | 0.03 | 0.01 | 30 | 0.4 | 0.09 | 0.03 | 0.01 |
| USA, Nevada: White | 21 | 0.4 | 0.09 | 0.03 | 0.01 | 29 | 0.6 | 0.12 | 0.04 | 0.01 |
| USA, Nevada: Black | 3 | 0.5 | 0.31 | 0.02 | 0.01 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| *USA, Nevada: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, New Jersey | 70 | 0.4 | 0.05 | 0.02 | 0.00 | 90 | 0.4 | 0.05 | 0.03 | 0.00 |
| USA, New Jersey: White | 56 | 0.4 | 0.06 | 0.03 | 0.00 | 59 | 0.3 | 0.05 | 0.03 | 0.00 |
| USA, New Jersey: Black | 9 | 0.3 | 0.09 | 0.02 | 0.01 | 22 | 0.6 | 0.14 | 0.05 | 0.01 |
| USA, New Mexico | 17 | 0.2 | 0.06 | 0.02 | 0.01 | 14 | 0.1 | 0.04 | 0.02 | 0.01 |
| USA, New Mexico: White | 16 | 0.2 | 0.06 | 0.03 | 0.01 | 13 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 14 | 0.3 | 0.09 | 0.04 | 0.01 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| USA, New Mexico: Hispanic White | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| *USA, New Mexico: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| USA, New York State | 160 | 0.4 | 0.03 | 0.02 | 0.00 | 177 | 0.4 | 0.03 | 0.02 | 0.00 |
| USA, New York State: White | 128 | 0.4 | 0.05 | 0.03 | 0.00 | 133 | 0.4 | 0.04 | 0.03 | 0.00 |
| USA, New York State: Black | 21 | 0.3 | 0.07 | 0.02 | 0.01 | 35 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 8 | 0.2 | 0.08 | 0.01 | 0.00 | 9 | 0.3 | 0.11 | 0.01 | 0.01 |
| USA, North Carolina | 57 | 0.3 | 0.04 | 0.02 | 0.00 | 82 | 0.3 | 0.04 | 0.02 | 0.00 |
| USA, North Carolina: White | 41 | 0.3 | 0.05 | 0.02 | 0.00 | 55 | 0.3 | 0.05 | 0.02 | 0.00 |
| USA, North Carolina: Black | 15 | 0.3 | 0.08 | 0.03 | 0.01 | 22 | 0.4 | 0.09 | 0.03 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 2 | 0.4 | 0.27 | 0.02 | 0.01 |
| *USA, North Carolina: American Indian | 0 | – | 0.00 | – | 0.00 | 3 | 0.6 | 0.39 | 0.05 | 0.03 |
| USA, North Dakota | 3 | 0.2 | 0.13 | 0.01 | 0.01 | 9 | 0.4 | 0.15 | 0.03 | 0.01 |
| USA, Ohio | 95 | 0.4 | 0.05 | 0.02 | 0.00 | 118 | 0.5 | 0.05 | 0.03 | 0.00 |
| USA, Ohio: White | 83 | 0.4 | 0.06 | 0.03 | 0.00 | 95 | 0.5 | 0.05 | 0.03 | 0.00 |
| USA, Ohio: Black | 10 | 0.3 | 0.09 | 0.02 | 0.01 | 23 | 0.6 | 0.13 | 0.04 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 1 | 0.2 | 0.15 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| USA, Oklahoma | 27 | 0.3 | 0.06 | 0.02 | 0.00 | 35 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, Oklahoma: White | 23 | 0.3 | 0.08 | 0.02 | 0.00 | 30 | 0.4 | 0.08 | 0.03 | 0.01 |
| USA, Oklahoma: Black | 0 | – | 0.00 | – | 0.00 | 2 | 0.3 | 0.22 | 0.01 | 0.01 |
| USA, Oklahoma: American Indian | 4 | 0.4 | 0.22 | 0.05 | 0.03 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| USA, Oregon | 32 | 0.3 | 0.06 | 0.02 | 0.00 | 24 | 0.3 | 0.07 | 0.02 | 0.00 |
| USA, Oregon: White | 31 | 0.3 | 0.07 | 0.03 | 0.00 | 24 | 0.3 | 0.08 | 0.02 | 0.00 |
| *USA, Oregon: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, Rhode Island | 13 | 0.7 | 0.23 | 0.04 | 0.01 | 6 | 0.3 | 0.12 | 0.02 | 0.01 |
| USA, Rhode Island: White | 12 | 0.8 | 0.27 | 0.05 | 0.01 | 6 | 0.3 | 0.15 | 0.02 | 0.01 |
| *USA, Rhode Island: Black | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, South Carolina | 35 | 0.3 | 0.06 | 0.02 | 0.00 | 47 | 0.4 | 0.08 | 0.03 | 0.00 |
| USA, South Carolina: White | 24 | 0.3 | 0.07 | 0.02 | 0.00 | 29 | 0.5 | 0.10 | 0.03 | 0.01 |
| USA, South Carolina: Black | 10 | 0.4 | 0.13 | 0.02 | 0.01 | 18 | 0.5 | 0.13 | 0.04 | 0.01 |
| USA, South Dakota | 11 | 0.4 | 0.15 | 0.04 | 0.01 | 10 | 0.5 | 0.17 | 0.03 | 0.01 |
| USA, Tennessee | 54 | 0.4 | 0.06 | 0.02 | 0.00 | 46 | 0.3 | 0.05 | 0.02 | 0.00 |
| USA, Tennessee: White | 46 | 0.4 | 0.07 | 0.03 | 0.00 | 40 | 0.3 | 0.06 | 0.02 | 0.00 |
| USA, Tennessee: Black | 5 | 0.2 | 0.10 | 0.01 | 0.00 | 5 | 0.2 | 0.09 | 0.01 | 0.01 |
| USA, Texas | 209 | 0.3 | 0.03 | 0.02 | 0.00 | 249 | 0.4 | 0.03 | 0.03 | 0.00 |
| USA, Texas: White | 175 | 0.3 | 0.03 | 0.02 | 0.00 | 204 | 0.4 | 0.03 | 0.03 | 0.00 |
| USA, Texas: Black | 25 | 0.3 | 0.07 | 0.03 | 0.01 | 31 | 0.3 | 0.07 | 0.03 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 8 | 0.3 | 0.12 | 0.02 | 0.01 | 11 | 0.3 | 0.11 | 0.02 | 0.01 |
| USA, Utah | 21 | 0.3 | 0.07 | 0.02 | 0.00 | 13 | 0.2 | 0.05 | 0.01 | 0.00 |
| USA, Vermont | 5 | 0.4 | 0.22 | 0.02 | 0.01 | 5 | 0.4 | 0.19 | 0.03 | 0.01 |
| USA, Washington State | 51 | 0.3 | 0.05 | 0.02 | 0.00 | 67 | 0.4 | 0.06 | 0.03 | 0.00 |
| *USA, Washington, Seattle | 30 | 0.3 | 0.06 | 0.02 | 0.00 | 40 | 0.3 | 0.06 | 0.02 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Adrenal gland (C74) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 18 | 0.4 | 0.12 | 0.03 | 0.01 | 11 | 0.2 | 0.08 | 0.02 | 0.01 |
| USA, Wyoming | 5 | 0.3 | 0.15 | 0.03 | 0.01 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 4 | 0.3 | 0.15 | 0.02 | 0.01 | 3 | 0.2 | 0.15 | 0.03 | 0.02 |
| Brunei Darussalam | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.3 | 0.18 | 0.04 | 0.02 |
| *China, Anguo City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Anshan City | 20 | 0.3 | 0.11 | 0.04 | 0.01 | 7 | 0.1 | 0.03 | 0.02 | 0.01 |
| *China, Aohan Banner, Chifeng City | 2 | 0.2 | 0.12 | 0.03 | 0.02 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 5 | 0.5 | 0.23 | 0.06 | 0.03 |
| *China, Baoding City | 10 | 0.3 | 0.12 | 0.03 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Beijing City | 60 | 0.3 | 0.05 | 0.02 | 0.00 | 65 | 0.3 | 0.05 | 0.02 | 0.00 |
| *China, Binhai County | 6 | 0.1 | 0.05 | 0.01 | 0.00 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Cangzhou City | 2 | 0.2 | 0.16 | 0.01 | 0.01 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Changfeng County | 4 | 0.3 | 0.19 | 0.03 | 0.02 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Changzhou City | 16 | 0.2 | 0.04 | 0.01 | 0.00 | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Chengdu City | 12 | 0.3 | 0.09 | 0.04 | 0.01 | 11 | 0.3 | 0.09 | 0.05 | 0.01 |
| China, Cixian County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 4 | 0.3 | 0.17 | 0.03 | 0.01 |
| China, Cixi City | 9 | 0.2 | 0.05 | 0.01 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Dafeng District, Yancheng City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.2 | 0.13 | 0.02 | 0.01 |
| China, Dalian City | 18 | 0.2 | 0.04 | 0.02 | 0.01 | 11 | 0.1 | 0.06 | 0.01 | 0.00 |
| *China, Dancheng County | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Dangtu County | 3 | 0.2 | 0.12 | 0.01 | 0.01 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| *China, Danyang City | 11 | 0.3 | 0.10 | 0.03 | 0.01 | 11 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Dawukou District, Shizuishan City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 2 | 0.2 | 0.14 | 0.02 | 0.02 |
| *China, Dehui City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Donggang County | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.27 | 0.01 | 0.01 |
| *China, Dongguan City | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 9 | 0.3 | 0.13 | 0.03 | 0.01 |
| China, Donghai County | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Dongtai City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Duanzhou District, Zhaoqing City | 3 | 0.2 | 0.15 | 0.02 | 0.01 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.26 | 0.03 | 0.03 |
| *China, Faku County | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Fangcheng County | 12 | 0.5 | 0.15 | 0.06 | 0.02 | 9 | 0.5 | 0.18 | 0.04 | 0.01 |
| *China, Feicheng City | 5 | 0.1 | 0.06 | 0.01 | 0.00 | 6 | 0.1 | 0.06 | 0.02 | 0.01 |
| China, Feixi County | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Fuqing City | 8 | 0.3 | 0.11 | 0.02 | 0.01 | 10 | 0.5 | 0.16 | 0.04 | 0.02 |
| *China, Ganyu District, Lianyungang City | 5 | 0.2 | 0.08 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 3 | 0.3 | 0.16 | 0.03 | 0.02 |
| *China, Gaocheng City | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Gaomi City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Gong'an County | 9 | 0.3 | 0.09 | 0.04 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Guang'an District, Guang'an City | 4 | 0.2 | 0.10 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Guanghan City | 3 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Guangzhou City | 57 | 0.3 | 0.05 | 0.02 | 0.00 | 59 | 0.3 | 0.04 | 0.02 | 0.00 |
| *China, Guanyun County | 7 | 0.2 | 0.10 | 0.02 | 0.01 | 5 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Guilin City | 7 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Hai'an City | 5 | 0.2 | 0.15 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Haimen District, Nantong City | 10 | 0.2 | 0.07 | 0.02 | 0.01 | 12 | 0.3 | 0.10 | 0.04 | 0.01 |
| China, Haining City | 6 | 0.6 | 0.28 | 0.03 | 0.01 | 7 | 0.3 | 0.16 | 0.02 | 0.01 |
| China, Hangzhou City | 48 | 0.3 | 0.05 | 0.02 | 0.00 | 34 | 0.2 | 0.04 | 0.01 | 0.00 |
| China, Hebi City | 16 | 1.3 | 0.32 | 0.16 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| China, Hefei City | 23 | 0.3 | 0.06 | 0.03 | 0.01 | 17 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Hengdong County | 6 | 0.4 | 0.14 | 0.03 | 0.01 | 3 | 0.2 | 0.10 | 0.01 | 0.01 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 6 | 0.2 | 0.10 | 0.02 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| China, Hongshan District, Chifeng City | 2 | 0.2 | 0.13 | 0.02 | 0.02 | 1 | 0.2 | 0.19 | 0.01 | 0.01 |
| *China, Hongta District, Yuxi City | 3 | 0.2 | 0.14 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Huaiyin District, Huai'an City | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Jiange County | 1 | 0.1 | 0.06 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Jiangyin City | 7 | 0.1 | 0.04 | 0.00 | 0.00 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| *China, Jiashan County | 7 | 0.3 | 0.13 | 0.04 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Jiayu County | 2 | 0.2 | 0.17 | 0.00 | 0.00 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *China, Jinan City | 13 | 0.1 | 0.04 | 0.01 | 0.00 | 9 | 0.1 | 0.06 | 0.01 | 0.00 |
| *China, Jingtai County | 2 | 0.3 | 0.19 | 0.05 | 0.04 | 1 | 0.5 | 0.49 | 0.02 | 0.02 |
| *China, Jingxian County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 7 | 0.3 | 0.10 | 0.04 | 0.02 | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Jiulongpo District, Chongqing City | 12 | 0.3 | 0.10 | 0.04 | 0.02 | 3 | 0.2 | 0.13 | 0.01 | 0.01 |
| *China, Jiyuan City | 6 | 0.4 | 0.16 | 0.04 | 0.02 | 4 | 0.3 | 0.17 | 0.03 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Adrenal gland (C74) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 4 | 0.4 | 0.23 | 0.03 | 0.02 | 2 | 0.4 | 0.32 | 0.04 | 0.03 |
| China, Kunshan City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Langzhong City | 3 | 0.1 | 0.09 | 0.02 | 0.01 | 7 | 0.5 | 0.20 | 0.04 | 0.02 |
| *China, Liangshan County | 9 | 0.3 | 0.09 | 0.03 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Lianshui County | 9 | 0.2 | 0.07 | 0.03 | 0.01 | 8 | 0.3 | 0.11 | 0.02 | 0.01 |
| China, Lianyungang City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Linhe District, Bayannur City | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Linqu County | 10 | 0.3 | 0.08 | 0.02 | 0.01 | 7 | 0.2 | 0.06 | 0.01 | 0.01 |
| *China, Linzhou City | 6 | 0.2 | 0.07 | 0.01 | 0.01 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Liuzhou City | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Liyang City | 10 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Longquan City | 0 | – | 0.00 | – | 0.00 | 2 | 0.6 | 0.47 | 0.03 | 0.02 |
| China, Lucheng District, Wenzhou City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.2 | 0.17 | 0.02 | 0.01 |
| China, Luoding City | 2 | 0.1 | 0.07 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Luohe City | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 14 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Luoyang City | 9 | 0.2 | 0.06 | 0.02 | 0.01 | 11 | 0.3 | 0.11 | 0.02 | 0.01 |
| *China, Luquan City | 2 | 0.2 | 0.14 | 0.03 | 0.02 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Ma'anshan City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *China, Macheng City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.15 | 0.01 | 0.01 |
| China, Meihekou City | 7 | 0.3 | 0.11 | 0.03 | 0.02 | 7 | 0.5 | 0.25 | 0.06 | 0.03 |
| *China, Mengjin County | 3 | 0.3 | 0.16 | 0.02 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Nangang District, Harbin City | 6 | 0.2 | 0.13 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Nanhai District, Foshan City | 14 | 0.6 | 0.18 | 0.07 | 0.02 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| China, Nanhu District, Jiaxing City | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Nantong City | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Nanxiong City | 3 | 0.4 | 0.22 | 0.02 | 0.01 | 6 | 0.4 | 0.15 | 0.04 | 0.02 |
| China, Neixiang County | 5 | 0.3 | 0.12 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Qidong City | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Qingzhou City | 3 | 0.1 | 0.06 | 0.01 | 0.00 | 7 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Rudong County | 7 | 0.3 | 0.17 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Rugao City | 9 | 0.3 | 0.12 | 0.02 | 0.01 | 12 | 0.2 | 0.05 | 0.02 | 0.01 |
| *China, Rural areas of Shanghai City | 69 | 0.2 | 0.03 | 0.02 | 0.00 | 64 | 0.2 | 0.04 | 0.02 | 0.00 |
| China, Ruyang County | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 2 | 0.2 | 0.12 | 0.02 | 0.02 |
| *China, Shan County | 32 | 1.2 | 0.22 | 0.14 | 0.03 | 20 | 0.7 | 0.16 | 0.06 | 0.02 |
| China, Shanghai City | 74 | 0.3 | 0.04 | 0.02 | 0.00 | 54 | 0.2 | 0.04 | 0.02 | 0.00 |
| China, Shangyu District, Shaoxing City | 7 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Shapingba District, Chongqing City | 11 | 0.3 | 0.09 | 0.04 | 0.02 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Shexian County | 2 | 0.1 | 0.10 | 0.02 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Sheyang County | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 12 | 0.3 | 0.09 | 0.04 | 0.01 |
| *China, Shijiazhuang City | 28 | 0.7 | 0.15 | 0.06 | 0.01 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Shunde District, Foshan City | 9 | 0.3 | 0.08 | 0.03 | 0.01 | 10 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Song County | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 3 | 0.2 | 0.14 | 0.05 | 0.03 |
| China, Suzhou City | 39 | 0.3 | 0.05 | 0.03 | 0.01 | 37 | 0.3 | 0.06 | 0.02 | 0.00 |
| *China, Tengzhou City | 3 | 0.1 | 0.06 | 0.01 | 0.00 | 7 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Wangdu County | 3 | 0.4 | 0.23 | 0.03 | 0.02 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Wan'ai County | 1 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Wuhan City | 46 | 0.2 | 0.03 | 0.03 | 0.00 | 38 | 0.2 | 0.04 | 0.02 | 0.00 |
| *China, Wuhu City | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Wuxi City | 21 | 0.2 | 0.06 | 0.03 | 0.01 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Wuzhou City | 4 | 0.3 | 0.14 | 0.03 | 0.02 | 4 | 0.4 | 0.20 | 0.02 | 0.01 |
| China, Xiangfu District, Kaifeng City | 7 | 0.4 | 0.15 | 0.04 | 0.02 | 7 | 0.4 | 0.16 | 0.05 | 0.02 |
| China, Xianju County | 3 | 0.3 | 0.21 | 0.02 | 0.01 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Xin'an County | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Xining City | 1 | 0.1 | 0.15 | 0.01 | 0.01 | 7 | 0.4 | 0.17 | 0.04 | 0.02 |
| *China, Xinji City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.2 | 0.13 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Xinzhou District, Shangrao City | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Xiping County | 7 | 0.3 | 0.14 | 0.03 | 0.01 | 7 | 0.3 | 0.10 | 0.03 | 0.01 |
| *China, Xishan District, Kunming City | 2 | 0.2 | 0.13 | 0.02 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Xuyi County | 9 | 0.3 | 0.12 | 0.03 | 0.02 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Ya'an City | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Yakeshi City | 7 | 0.3 | 0.13 | 0.03 | 0.01 | 6 | 0.3 | 0.13 | 0.03 | 0.02 |
| China, Yancheng City | 9 | 0.2 | 0.05 | 0.02 | 0.01 | 8 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Yangquan City | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.3 | 0.21 | 0.02 | 0.01 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 3 | 0.3 | 0.21 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Yanshi City | 10 | 0.6 | 0.20 | 0.05 | 0.02 | 6 | 0.2 | 0.10 | 0.03 | 0.01 |
| China, Yanting County | 3 | 0.1 | 0.09 | 0.02 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Yi'an District, Tongling City | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Yingdong District, Fuyang City | 5 | 0.3 | 0.11 | 0.02 | 0.01 | 3 | 0.2 | 0.09 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Adrenal gland (C74) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | 3 | 0.2 | 0.09 | 0.02 | 0.02 |
| China, Yong'an City | 5 | 0.4 | 0.19 | 0.04 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Yongding District, Longyan City | 3 | 0.2 | 0.11 | 0.02 | 0.01 | 3 | 0.3 | 0.15 | 0.03 | 0.02 |
| China, Yongkang City | 5 | 0.4 | 0.22 | 0.02 | 0.01 | 8 | 0.5 | 0.21 | 0.05 | 0.02 |
| *China, Yucheng County | 11 | 0.6 | 0.18 | 0.07 | 0.02 | 5 | 0.3 | 0.14 | 0.02 | 0.01 |
| China, Yueyanglou District, Yueyang City | 3 | 0.3 | 0.17 | 0.04 | 0.02 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Yunmeng County | 2 | 0.1 | 0.08 | 0.02 | 0.02 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |
| *China, Yunyang District, Shiyang City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 5 | 0.2 | 0.10 | 0.03 | 0.01 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Zhanhuang County | 4 | 0.5 | 0.25 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 8 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Zhaoyuan City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhengding County | 2 | 0.2 | 0.15 | 0.02 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Zhongshan City | 11 | 0.3 | 0.09 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Zhongxiang City | 3 | 0.1 | 0.05 | 0.01 | 0.00 | 3 | 0.2 | 0.12 | 0.01 | 0.01 |
| *China, Zhuanghe City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 3 | 0.2 | 0.17 | 0.01 | 0.01 |
| *China, Zhuhai City | 9 | 0.3 | 0.12 | 0.03 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| India, Ahmedabad, Urban | 12 | 0.1 | 0.04 | 0.01 | 0.00 | 9 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 6 | 0.0 | 0.02 | 0.00 | 0.00 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| *India, Bhopal | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *India, Chennai | 21 | 0.2 | 0.05 | 0.02 | 0.00 | 25 | 0.3 | 0.06 | 0.02 | 0.00 |
| India, Dibrugarh | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| *India, Dindigul, Ambilikai | 8 | 0.2 | 0.06 | 0.01 | 0.00 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| India, Kamrup Urban District | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| India, Kollam | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| *India, Manipur | 4 | 0.1 | 0.04 | 0.01 | 0.00 | 9 | 0.2 | 0.06 | 0.01 | 0.01 |
| India, Meghalaya | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| India, Mizoram | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | 34 | 0.1 | 0.02 | 0.01 | 0.00 | 26 | 0.1 | 0.02 | 0.01 | 0.00 |
| *India, New Delhi | 52 | 0.2 | 0.03 | 0.01 | 0.00 | 38 | 0.2 | 0.03 | 0.01 | 0.00 |
| India, Poona | 6 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *India, Sangrur District | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| *India, Tamil Nadu | 206 | 0.1 | 0.01 | 0.01 | 0.00 | 186 | 0.1 | 0.01 | 0.01 | 0.00 |
| *India, Tripura | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| India, Trivandrum | 7 | 0.1 | 0.06 | 0.01 | 0.00 | 7 | 0.1 | 0.06 | 0.01 | 0.00 |
| India, Wardha | 2 | 0.1 | 0.06 | 0.01 | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| India, West Arunachal | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 5 | 0.3 | 0.14 | 0.02 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 11 | 0.4 | 0.12 | 0.03 | 0.01 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| Israel | 87 | 0.4 | 0.05 | 0.03 | 0.00 | 85 | 0.4 | 0.04 | 0.03 | 0.00 |
| *Israel: Jews | 66 | 0.4 | 0.05 | 0.03 | 0.00 | 64 | 0.4 | 0.05 | 0.03 | 0.00 |
| *Israel: Arabs | 14 | 0.3 | 0.10 | 0.03 | 0.01 | 16 | 0.4 | 0.10 | 0.02 | 0.01 |
| Japan | 571 | 0.3 | 0.02 | 0.02 | 0.00 | 523 | 0.3 | 0.02 | 0.02 | 0.00 |
| Japan, Aichi Prefecture | 23 | 0.2 | 0.06 | 0.01 | 0.00 | 26 | 0.3 | 0.08 | 0.02 | 0.00 |
| *Japan, Akita Prefecture | 6 | 0.2 | 0.15 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| Japan, Aomori Prefecture | 11 | 0.1 | 0.05 | 0.01 | 0.01 | 19 | 0.5 | 0.21 | 0.03 | 0.01 |
| Japan, Gunma Prefecture | 5 | 0.1 | 0.03 | 0.00 | 0.00 | 6 | 0.2 | 0.11 | 0.01 | 0.01 |
| Japan, Hiroshima Prefecture | 17 | 0.3 | 0.10 | 0.02 | 0.01 | 18 | 0.4 | 0.13 | 0.02 | 0.01 |
| Japan, Miyagi Prefecture | 15 | 0.3 | 0.10 | 0.02 | 0.01 | 15 | 0.2 | 0.09 | 0.02 | 0.01 |
| Japan, Osaka Prefecture | 31 | 0.3 | 0.07 | 0.02 | 0.00 | 31 | 0.3 | 0.08 | 0.02 | 0.00 |
| Kuwait | 8 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Kuwait: Kuwaitis | 3 | 0.2 | 0.10 | 0.02 | 0.02 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Kuwait: Non-Kuwaitis | 5 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Philippines, Manila | 7 | 0.0 | 0.02 | 0.00 | 0.00 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Qatar: Qatari | 4 | 0.5 | 0.26 | 0.03 | 0.02 | 3 | 0.4 | 0.24 | 0.03 | 0.02 |
| Republic of Korea | 421 | 0.4 | 0.02 | 0.03 | 0.00 | 365 | 0.3 | 0.02 | 0.02 | 0.00 |
| *Republic of Korea, Busan | 21 | 0.2 | 0.06 | 0.02 | 0.01 | 29 | 0.3 | 0.07 | 0.02 | 0.00 |
| *Republic of Korea, Daegu | 20 | 0.5 | 0.14 | 0.03 | 0.01 | 15 | 0.3 | 0.10 | 0.02 | 0.01 |
| *Republic of Korea, Daejeon | 15 | 0.4 | 0.14 | 0.03 | 0.01 | 15 | 0.4 | 0.13 | 0.04 | 0.01 |
| *Republic of Korea, Gwangju | 9 | 0.3 | 0.13 | 0.02 | 0.01 | 8 | 0.4 | 0.17 | 0.02 | 0.01 |
| Republic of Korea, Incheon | 24 | 0.4 | 0.11 | 0.03 | 0.01 | 21 | 0.2 | 0.06 | 0.02 | 0.00 |
| Republic of Korea, Jeju | 8 | 0.4 | 0.14 | 0.05 | 0.02 | 7 | 0.3 | 0.12 | 0.02 | 0.01 |
| Republic of Korea, Seoul | 68 | 0.4 | 0.06 | 0.02 | 0.00 | 65 | 0.3 | 0.05 | 0.02 | 0.00 |
| Republic of Korea, Ulsan | 9 | 0.4 | 0.14 | 0.03 | 0.01 | 9 | 0.4 | 0.16 | 0.02 | 0.01 |
| Singapore | 26 | 0.3 | 0.08 | 0.02 | 0.00 | 23 | 0.3 | 0.08 | 0.02 | 0.00 |
| Singapore: Chinese | 20 | 0.3 | 0.09 | 0.02 | 0.01 | 19 | 0.3 | 0.09 | 0.02 | 0.01 |
| Singapore: Indian | 0 | – | 0.00 | – | 0.00 | 2 | 0.3 | 0.28 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Adrenal gland (C74) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 5 | 0.5 | 0.24 | 0.03 | 0.01 | 2 | 0.3 | 0.22 | 0.01 | 0.01 |
| Thailand, Bangkok | 20 | 0.2 | 0.04 | 0.01 | 0.00 | 18 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Thailand, Chiang Mai | 9 | 0.2 | 0.09 | 0.02 | 0.01 | 9 | 0.3 | 0.11 | 0.02 | 0.01 |
| *Thailand, Khon Kaen | 6 | 0.3 | 0.13 | 0.01 | 0.01 | 8 | 0.3 | 0.13 | 0.02 | 0.01 |
| Thailand, Lampang | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 8 | 0.6 | 0.26 | 0.04 | 0.01 |
| Thailand, Lopburi Province | 2 | 0.1 | 0.06 | 0.01 | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Thailand, Songkhla | 5 | 0.2 | 0.08 | 0.01 | 0.01 | 5 | 0.1 | 0.07 | 0.01 | 0.01 |
| Turkey, Antalya | 18 | 0.3 | 0.08 | 0.02 | 0.00 | 19 | 0.4 | 0.10 | 0.03 | 0.01 |
| Turkey, Bursa | 22 | 0.4 | 0.10 | 0.03 | 0.01 | 21 | 0.4 | 0.10 | 0.02 | 0.00 |
| *Turkey, Edirne | 3 | 0.3 | 0.15 | 0.02 | 0.01 | 3 | 0.4 | 0.23 | 0.02 | 0.01 |
| *Turkey, Erzurum | 2 | 0.1 | 0.08 | 0.01 | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Turkey, Eskişehir | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 9 | 0.5 | 0.17 | 0.03 | 0.01 |
| Turkey, Gaziantep | 11 | 0.2 | 0.07 | 0.02 | 0.01 | 13 | 0.3 | 0.08 | 0.02 | 0.01 |
| *Turkey, Izmir | 32 | 0.4 | 0.08 | 0.03 | 0.01 | 36 | 0.3 | 0.06 | 0.03 | 0.00 |
| Turkey, Malatya | 5 | 0.3 | 0.14 | 0.02 | 0.01 | 7 | 0.4 | 0.17 | 0.02 | 0.01 |
| Turkey, Samsun | 8 | 0.3 | 0.11 | 0.02 | 0.01 | 4 | 0.2 | 0.08 | 0.01 | 0.00 |
| Turkey, Trabzon | 11 | 0.7 | 0.23 | 0.04 | 0.01 | 6 | 0.3 | 0.15 | 0.02 | 0.01 |
| Europe | | | | | | | | | | |
| Austria | 82 | 0.5 | 0.07 | 0.03 | 0.00 | 98 | 0.4 | 0.06 | 0.03 | 0.00 |
| Austria, Carinthia | 2 | 0.2 | 0.20 | 0.01 | 0.01 | 7 | 0.2 | 0.09 | 0.02 | 0.01 |
| Austria, Tyrol | 6 | 0.5 | 0.24 | 0.02 | 0.01 | 4 | 0.2 | 0.15 | 0.01 | 0.01 |
| Austria, Vorarlberg | 3 | 0.5 | 0.33 | 0.03 | 0.02 | 3 | 0.4 | 0.26 | 0.03 | 0.02 |
| Belarus | 98 | 0.4 | 0.04 | 0.04 | 0.00 | 108 | 0.4 | 0.05 | 0.03 | 0.00 |
| *Belgium | 196 | 0.6 | 0.05 | 0.06 | 0.00 | 234 | 0.7 | 0.06 | 0.06 | 0.00 |
| Croatia | 56 | 0.4 | 0.06 | 0.04 | 0.01 | 83 | 0.6 | 0.09 | 0.05 | 0.01 |
| Cyprus | 11 | 0.7 | 0.22 | 0.04 | 0.01 | 4 | 0.2 | 0.11 | 0.01 | 0.01 |
| *Czech Republic | 71 | 0.2 | 0.02 | 0.02 | 0.00 | 76 | 0.2 | 0.02 | 0.02 | 0.00 |
| Denmark | 35 | 0.3 | 0.06 | 0.02 | 0.00 | 40 | 0.3 | 0.06 | 0.02 | 0.00 |
| Estonia | 9 | 0.2 | 0.06 | 0.02 | 0.01 | 10 | 0.2 | 0.08 | 0.02 | 0.01 |
| Finland | 73 | 0.4 | 0.06 | 0.04 | 0.00 | 95 | 0.7 | 0.08 | 0.05 | 0.01 |
| *France, Bas-Rhin | 7 | 0.4 | 0.16 | 0.02 | 0.01 | 9 | 0.3 | 0.14 | 0.02 | 0.01 |
| *France, Calvados | 6 | 0.5 | 0.23 | 0.02 | 0.01 | 5 | 0.3 | 0.16 | 0.02 | 0.01 |
| *France, Doubs | 6 | 0.4 | 0.18 | 0.04 | 0.02 | 6 | 0.4 | 0.18 | 0.03 | 0.01 |
| *France, Gironde | 6 | 0.2 | 0.09 | 0.01 | 0.00 | 16 | 0.4 | 0.11 | 0.03 | 0.01 |
| *France, Haut-Rhin | 10 | 0.7 | 0.24 | 0.04 | 0.01 | 8 | 0.5 | 0.20 | 0.03 | 0.01 |
| *France, Hérault | 8 | 0.3 | 0.13 | 0.02 | 0.01 | 7 | 0.2 | 0.10 | 0.02 | 0.01 |
| *France, Isère | 11 | 0.4 | 0.13 | 0.02 | 0.01 | 16 | 0.7 | 0.19 | 0.04 | 0.01 |
| *France, Lille-Métropole | 6 | 0.4 | 0.17 | 0.02 | 0.01 | 11 | 0.7 | 0.22 | 0.04 | 0.01 |
| *France, Limousin | 3 | 0.2 | 0.13 | 0.02 | 0.02 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *France, Loire-Atlantique | 12 | 0.4 | 0.12 | 0.02 | 0.01 | 16 | 0.5 | 0.14 | 0.04 | 0.01 |
| *France, Manche | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 6 | 0.2 | 0.10 | 0.03 | 0.01 |
| *France, Poitou-Charentes | 15 | 0.4 | 0.11 | 0.02 | 0.01 | 11 | 0.2 | 0.09 | 0.02 | 0.01 |
| *France, Somme | 4 | 0.4 | 0.23 | 0.02 | 0.01 | 4 | 0.5 | 0.27 | 0.02 | 0.01 |
| *France, Tarn | 3 | 0.3 | 0.24 | 0.02 | 0.01 | 3 | 0.4 | 0.27 | 0.03 | 0.01 |
| *France, Territoire de Belfort | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | 14 | 0.6 | 0.21 | 0.05 | 0.02 | 15 | 0.8 | 0.26 | 0.06 | 0.02 |
| Germany, Baden-Württemberg | 39 | 0.1 | 0.02 | 0.02 | 0.00 | 40 | 0.1 | 0.02 | 0.01 | 0.00 |
| Germany, Bavaria | 93 | 0.2 | 0.03 | 0.02 | 0.00 | 127 | 0.3 | 0.03 | 0.02 | 0.00 |
| Germany, Bremen | 3 | 0.5 | 0.27 | 0.02 | 0.01 | 8 | 0.3 | 0.11 | 0.02 | 0.01 |
| Germany, Hamburg | 19 | 0.5 | 0.13 | 0.04 | 0.01 | 12 | 0.3 | 0.09 | 0.02 | 0.01 |
| Germany, Lower Saxony | 69 | 0.3 | 0.05 | 0.03 | 0.00 | 92 | 0.4 | 0.06 | 0.03 | 0.00 |
| Germany, North Rhine-Westphalia | 145 | 0.3 | 0.04 | 0.03 | 0.00 | 168 | 0.3 | 0.04 | 0.03 | 0.00 |
| Germany, Rhineland-Palatinate | 39 | 0.4 | 0.09 | 0.03 | 0.00 | 42 | 0.3 | 0.07 | 0.03 | 0.00 |
| Germany, Saarland | 15 | 0.7 | 0.24 | 0.05 | 0.01 | 9 | 0.1 | 0.06 | 0.02 | 0.01 |
| Germany, Schleswig-Holstein | 25 | 0.3 | 0.09 | 0.02 | 0.01 | 31 | 0.4 | 0.09 | 0.03 | 0.01 |
| Iceland | 0 | – | 0.00 | – | 0.00 | 7 | 0.7 | 0.30 | 0.06 | 0.03 |
| Ireland | 41 | 0.3 | 0.06 | 0.03 | 0.00 | 48 | 0.4 | 0.07 | 0.03 | 0.01 |
| *Italy, Aosta Valley | 1 | 0.7 | 0.73 | 0.04 | 0.04 | 1 | 1.0 | 1.05 | 0.04 | 0.04 |
| *Italy, Avellino | 5 | 1.0 | 0.58 | 0.06 | 0.03 | 5 | 0.9 | 0.53 | 0.08 | 0.04 |
| Italy, Basilicata | 6 | 0.3 | 0.13 | 0.03 | 0.01 | 5 | 0.6 | 0.33 | 0.03 | 0.02 |
| *Italy, Benevento | 4 | 0.3 | 0.17 | 0.03 | 0.02 | 1 | 0.6 | 0.57 | 0.02 | 0.02 |
| Italy, Bergamo | 13 | 0.4 | 0.11 | 0.03 | 0.01 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Italy, Brescia | 14 | 0.5 | 0.18 | 0.04 | 0.01 | 12 | 0.4 | 0.16 | 0.03 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 6 | 0.3 | 0.15 | 0.02 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Italy, Calabria | 13 | 1.1 | 0.36 | 0.09 | 0.02 | 7 | 0.4 | 0.17 | 0.03 | 0.01 |
| *Italy, Caserta | 6 | 0.5 | 0.22 | 0.03 | 0.01 | 9 | 0.7 | 0.26 | 0.04 | 0.01 |
| *Italy, Catania, Messina, and Enna | 15 | 0.5 | 0.14 | 0.03 | 0.01 | 20 | 0.5 | 0.13 | 0.03 | 0.01 |
| Italy, Emilia-Romagna | 38 | 0.4 | 0.09 | 0.03 | 0.01 | 32 | 0.2 | 0.05 | 0.02 | 0.00 |
| Italy, Friuli-Venezia Giulia | 14 | 0.7 | 0.25 | 0.04 | 0.01 | 11 | 0.2 | 0.12 | 0.02 | 0.01 |
| Italy, Genova | 10 | 0.6 | 0.31 | 0.04 | 0.02 | 11 | 0.4 | 0.21 | 0.04 | 0.01 |
| *Italy, Lombardy, South, Pavia | 4 | 0.5 | 0.30 | 0.02 | 0.01 | 8 | 0.4 | 0.16 | 0.04 | 0.02 |
| Italy, Mantova and Cremona | 9 | 0.4 | 0.20 | 0.04 | 0.01 | 7 | 0.7 | 0.32 | 0.04 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Adrenal gland (C74) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 21 | 1.3 | 0.31 | 0.07 | 0.02 | 15 | 0.8 | 0.26 | 0.04 | 0.01 |
| Italy, Milan | 31 | 0.4 | 0.10 | 0.03 | 0.01 | 44 | 0.6 | 0.12 | 0.04 | 0.01 |
| Italy, Molise | 4 | 1.0 | 0.69 | 0.06 | 0.04 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |
| *Italy, Naples Centre | 5 | 0.3 | 0.14 | 0.03 | 0.02 | 10 | 0.7 | 0.27 | 0.06 | 0.02 |
| *Italy, Naples North | 12 | 0.5 | 0.14 | 0.04 | 0.01 | 2 | 0.1 | 0.12 | 0.01 | 0.01 |
| *Italy, Naples South | 16 | 0.7 | 0.22 | 0.05 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Italy, Nuoro | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.16 | 0.03 | 0.03 |
| *Italy, Palermo | 14 | 0.6 | 0.19 | 0.04 | 0.01 | 8 | 0.2 | 0.10 | 0.02 | 0.01 |
| Italy, Puglia | 56 | 0.6 | 0.10 | 0.04 | 0.01 | 47 | 0.7 | 0.12 | 0.04 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 2 | 0.2 | 0.18 | 0.01 | 0.01 | 5 | 0.4 | 0.21 | 0.03 | 0.01 |
| *Italy, Salerno | 11 | 0.8 | 0.28 | 0.05 | 0.01 | 11 | 0.5 | 0.21 | 0.03 | 0.01 |
| Italy, Sassari | 3 | 0.3 | 0.19 | 0.05 | 0.03 | 5 | 1.0 | 0.68 | 0.09 | 0.04 |
| *Italy, Sondrio | 4 | 0.7 | 0.54 | 0.04 | 0.03 | 5 | 1.5 | 0.82 | 0.09 | 0.04 |
| Italy, South Tyrol | 4 | 0.2 | 0.08 | 0.01 | 0.01 | 3 | 0.2 | 0.19 | 0.01 | 0.01 |
| *Italy, Syracuse | 5 | 0.6 | 0.35 | 0.03 | 0.02 | 3 | 0.5 | 0.32 | 0.03 | 0.02 |
| Italy, Trento | 7 | 0.5 | 0.22 | 0.03 | 0.01 | 6 | 0.5 | 0.28 | 0.03 | 0.01 |
| Italy, Turin | 40 | 0.5 | 0.10 | 0.04 | 0.01 | 34 | 0.5 | 0.14 | 0.04 | 0.01 |
| *Italy, Tuscany | 13 | 0.3 | 0.10 | 0.02 | 0.01 | 18 | 0.5 | 0.15 | 0.03 | 0.01 |
| Italy, Umbria | 10 | 0.6 | 0.26 | 0.04 | 0.01 | 5 | 0.1 | 0.07 | 0.02 | 0.01 |
| Italy, Varese | 5 | 0.3 | 0.13 | 0.03 | 0.01 | 2 | 0.3 | 0.21 | 0.01 | 0.01 |
| Italy, Veneto | 40 | 0.4 | 0.07 | 0.02 | 0.00 | 52 | 0.3 | 0.06 | 0.03 | 0.00 |
| Latvia | 26 | 0.5 | 0.11 | 0.05 | 0.01 | 43 | 0.6 | 0.12 | 0.05 | 0.01 |
| *Liechtenstein | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | 41 | 0.5 | 0.08 | 0.05 | 0.01 | 33 | 0.3 | 0.06 | 0.03 | 0.01 |
| Malta | 3 | 0.1 | 0.09 | 0.02 | 0.01 | 6 | 0.4 | 0.25 | 0.04 | 0.02 |
| *The Netherlands | 142 | 0.4 | 0.04 | 0.02 | 0.00 | 143 | 0.3 | 0.03 | 0.03 | 0.00 |
| Norway | 43 | 0.4 | 0.06 | 0.03 | 0.00 | 33 | 0.2 | 0.04 | 0.02 | 0.00 |
| Poland, Kielce | 7 | 0.3 | 0.13 | 0.02 | 0.01 | 7 | 0.4 | 0.16 | 0.02 | 0.01 |
| *Portugal, Azores | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.23 | 0.01 | 0.01 |
| Russian Federation, Arkhangelsk | 8 | 0.2 | 0.09 | 0.02 | 0.01 | 12 | 0.2 | 0.07 | 0.02 | 0.01 |
| Russian Federation, Kaliningrad | 10 | 0.4 | 0.15 | 0.06 | 0.02 | 9 | 0.2 | 0.09 | 0.02 | 0.01 |
| Russian Federation, Karelia | 9 | 0.6 | 0.23 | 0.06 | 0.02 | 12 | 0.5 | 0.18 | 0.06 | 0.02 |
| *Russian Federation, Komi Republic | 30 | 1.8 | 0.35 | 0.14 | 0.03 | 22 | 0.7 | 0.16 | 0.07 | 0.02 |
| Russian Federation, Murmansk | 6 | 0.5 | 0.20 | 0.03 | 0.01 | 7 | 0.4 | 0.16 | 0.03 | 0.01 |
| *Russian Federation, Orenburg | 21 | 0.4 | 0.09 | 0.03 | 0.01 | 22 | 0.3 | 0.06 | 0.03 | 0.01 |
| Russian Federation, Pskov | 4 | 0.2 | 0.10 | 0.05 | 0.02 | 6 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Russian Federation, Samara | 42 | 0.5 | 0.08 | 0.06 | 0.01 | 47 | 0.4 | 0.08 | 0.04 | 0.01 |
| Russian Federation, Vologda Region | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 4 | 0.2 | 0.09 | 0.01 | 0.00 |
| Slovenia | 20 | 0.4 | 0.10 | 0.02 | 0.01 | 21 | 0.3 | 0.09 | 0.03 | 0.01 |
| Spain, Asturias | 8 | 0.9 | 0.40 | 0.05 | 0.02 | 15 | 1.3 | 0.45 | 0.09 | 0.02 |
| Spain, Basque Country | 18 | 0.5 | 0.14 | 0.04 | 0.01 | 18 | 0.3 | 0.10 | 0.03 | 0.01 |
| Spain, Canary Islands | 12 | 0.3 | 0.10 | 0.03 | 0.01 | 11 | 0.4 | 0.16 | 0.02 | 0.01 |
| Spain, Castellón | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 5 | 0.3 | 0.15 | 0.03 | 0.01 |
| Spain, Girona | 15 | 0.8 | 0.26 | 0.06 | 0.02 | 10 | 0.5 | 0.18 | 0.04 | 0.01 |
| Spain, Granada | 7 | 0.3 | 0.12 | 0.03 | 0.01 | 17 | 1.0 | 0.29 | 0.06 | 0.02 |
| Spain, La Rioja | 2 | 0.2 | 0.12 | 0.02 | 0.02 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Spain, Murcia | 14 | 0.4 | 0.14 | 0.04 | 0.01 | 16 | 0.4 | 0.13 | 0.03 | 0.01 |
| Spain, Navarra | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 5 | 0.3 | 0.16 | 0.02 | 0.01 |
| Spain, Salamanca | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.4 | 0.30 | 0.02 | 0.02 |
| Spain, Tarragona | 8 | 0.6 | 0.23 | 0.04 | 0.01 | 13 | 0.6 | 0.20 | 0.04 | 0.01 |
| *Sweden | 50 | 0.2 | 0.04 | 0.02 | 0.00 | 65 | 0.2 | 0.04 | 0.02 | 0.00 |
| Switzerland, Aargau | 6 | 0.5 | 0.24 | 0.03 | 0.01 | 3 | 0.2 | 0.12 | 0.01 | 0.01 |
| Switzerland, Basel | 2 | 0.3 | 0.22 | 0.01 | 0.01 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| Switzerland, Berne Solothurn | 2 | 0.1 | 0.12 | 0.00 | 0.00 | 6 | 0.4 | 0.22 | 0.02 | 0.01 |
| Switzerland, East | 6 | 0.2 | 0.12 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Switzerland, Fribourg | 2 | 0.2 | 0.11 | 0.03 | 0.02 | 5 | 0.6 | 0.34 | 0.06 | 0.03 |
| Switzerland, Geneva | 5 | 0.6 | 0.30 | 0.03 | 0.02 | 4 | 0.4 | 0.22 | 0.03 | 0.01 |
| *Switzerland, Graubünden and Glarus | 5 | 0.7 | 0.48 | 0.03 | 0.02 | 2 | 0.2 | 0.15 | 0.02 | 0.02 |
| *Switzerland, Lucerne | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 10 | 1.0 | 0.37 | 0.06 | 0.02 |
| *Switzerland, Neuchâtel and Jura | 4 | 1.0 | 0.55 | 0.06 | 0.03 | 6 | 0.7 | 0.39 | 0.05 | 0.03 |
| Switzerland, Ticino | 2 | 0.4 | 0.32 | 0.02 | 0.02 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| Switzerland, Valais | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Switzerland, Vaud | 7 | 0.4 | 0.18 | 0.03 | 0.01 | 13 | 0.7 | 0.24 | 0.04 | 0.01 |
| Switzerland, Zurich and Zug | 7 | 0.2 | 0.10 | 0.02 | 0.01 | 8 | 0.1 | 0.07 | 0.01 | 0.01 |
| Ukraine | 430 | 0.4 | 0.02 | 0.04 | 0.00 | 385 | 0.3 | 0.02 | 0.03 | 0.00 |
| UK, England | 460 | 0.3 | 0.02 | 0.02 | 0.00 | 498 | 0.3 | 0.02 | 0.02 | 0.00 |
| UK, Northern Ireland | 8 | 0.2 | 0.07 | 0.01 | 0.01 | 18 | 0.3 | 0.09 | 0.03 | 0.01 |
| UK, Scotland | 52 | 0.4 | 0.07 | 0.03 | 0.00 | 51 | 0.3 | 0.06 | 0.03 | 0.00 |
| UK, Wales | 22 | 0.3 | 0.07 | 0.02 | 0.00 | 28 | 0.3 | 0.08 | 0.02 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 102 | 0.5 | 0.06 | 0.04 | 0.00 | 91 | 0.5 | 0.06 | 0.03 | 0.00 |
| *Australia, Northern Territory | 2 | 0.2 | 0.17 | 0.02 | 0.01 | 2 | 0.5 | 0.36 | 0.02 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Adrenal gland (C74) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 1 | 0.2 | 0.17 | 0.01 | 0.01 | 1 | 0.4 | 0.41 | 0.02 | 0.02 |
| *Australia, Northern Territory: Indigenous | 1 | 0.5 | 0.47 | 0.04 | 0.04 | 1 | 0.7 | 0.68 | 0.03 | 0.03 |
| *Australia, Queensland | 33 | 0.3 | 0.05 | 0.02 | 0.00 | 50 | 0.4 | 0.06 | 0.03 | 0.00 |
| Australia, South Australia | 13 | 0.3 | 0.09 | 0.02 | 0.01 | 13 | 0.3 | 0.11 | 0.03 | 0.01 |
| Australia, Tasmania | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 7 | 0.5 | 0.23 | 0.03 | 0.01 |
| *Australia, Victoria | 45 | 0.4 | 0.06 | 0.02 | 0.00 | 40 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Australia, Western Australia | 19 | 0.4 | 0.10 | 0.02 | 0.01 | 22 | 0.4 | 0.10 | 0.03 | 0.01 |
| *France, New Caledonia | 3 | 0.4 | 0.23 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| New Zealand | 37 | 0.3 | 0.06 | 0.02 | 0.00 | 45 | 0.4 | 0.07 | 0.03 | 0.00 |
| *New Zealand: Maori | 12 | 0.7 | 0.21 | 0.07 | 0.03 | 8 | 0.4 | 0.16 | 0.04 | 0.02 |
| *New Zealand: Pacific peoples | 5 | 0.8 | 0.34 | 0.05 | 0.03 | 6 | 0.8 | 0.32 | 0.06 | 0.03 |
| *New Zealand: Other | 18 | 0.3 | 0.08 | 0.02 | 0.00 | 29 | 0.4 | 0.10 | 0.03 | 0.01 |
| USA, Hawaii | 7 | 0.2 | 0.10 | 0.02 | 0.01 | 11 | 0.3 | 0.09 | 0.02 | 0.01 |
| USA, Hawaii: White | 2 | 0.4 | 0.31 | 0.02 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *USA, Hawaii: Japanese | 4 | 1.2 | 0.69 | 0.08 | 0.04 | 2 | 0.3 | 0.23 | 0.03 | 0.02 |
| *USA, Hawaii: Chinese | 0 | – | 0.00 | – | 0.00 | 2 | 0.4 | 0.29 | 0.03 | 0.03 |
| *USA, Hawaii: Hawaiian | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 2 | 0.3 | 0.18 | 0.02 | 0.01 |
| *USA, Hawaii: Filipino | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other endocrine (C75)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 4 | 0.3 | 0.14 | 0.02 | 0.02 | 4 | 0.3 | 0.15 | 0.04 | 0.02 |
| *Algeria, Tizi Ouzou | 2 | 0.2 | 0.12 | 0.02 | 0.02 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 4 | 0.2 | 0.13 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Nairobi | 5 | 0.1 | 0.09 | 0.03 | 0.02 | 7 | 0.2 | 0.11 | 0.03 | 0.02 |
| Mauritius | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Morocco, Casablanca | 11 | 0.1 | 0.03 | 0.01 | 0.00 | 11 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Seychelles | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |
| *Uganda, Gulu | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 9 | 0.5 | 0.17 | 0.04 | 0.02 | 12 | 0.5 | 0.15 | 0.04 | 0.01 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 6 | 0.3 | 0.12 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Argentina, Mendoza | 16 | 0.3 | 0.08 | 0.03 | 0.01 | 9 | 0.2 | 0.05 | 0.02 | 0.01 |
| Brazil, Aracaju | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 3 | 0.3 | 0.16 | 0.02 | 0.01 |
| *Brazil, Barretos | 3 | 0.2 | 0.14 | 0.01 | 0.01 | 5 | 0.3 | 0.15 | 0.02 | 0.01 |
| Brazil, Belo Horizonte | 14 | 0.2 | 0.06 | 0.02 | 0.01 | 16 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Brazil, Campinas | 2 | 0.1 | 0.08 | 0.01 | 0.00 | 4 | 0.2 | 0.10 | 0.01 | 0.01 |
| *Brazil, Curitiba | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| Brazil, Goiânia | 12 | 0.5 | 0.14 | 0.07 | 0.02 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Brazil, Jaú | 1 | 0.3 | 0.26 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 3 | 0.3 | 0.16 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| Brazil, Recife | 12 | 0.5 | 0.16 | 0.07 | 0.02 | 8 | 0.2 | 0.07 | 0.03 | 0.01 |
| Chile, Region of Antofagasta | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Chile, Valdivia | 2 | 0.2 | 0.14 | 0.01 | 0.01 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| Colombia, Bucaramanga | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 5 | 0.2 | 0.07 | 0.02 | 0.01 |
| Colombia, Cali | 12 | 0.2 | 0.06 | 0.02 | 0.01 | 9 | 0.1 | 0.04 | 0.01 | 0.00 |
| Colombia, Manizales | 2 | 0.2 | 0.13 | 0.02 | 0.01 | 4 | 0.3 | 0.14 | 0.02 | 0.01 |
| Colombia, Pasto | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Costa Rica | 11 | 0.1 | 0.04 | 0.01 | 0.00 | 15 | 0.1 | 0.04 | 0.01 | 0.00 |
| Ecuador, Guayaquil | 3 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Manabí | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Quito | 11 | 0.2 | 0.07 | 0.02 | 0.01 | 7 | 0.2 | 0.06 | 0.01 | 0.00 |
| *France, Guadeloupe | 1 | 0.2 | 0.16 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *France, Martinique | 3 | 0.5 | 0.28 | 0.03 | 0.02 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Peru, Lima | 16 | 0.1 | 0.03 | 0.01 | 0.00 | 16 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Trinidad and Tobago | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| USA, Puerto Rico | 15 | 0.1 | 0.04 | 0.01 | 0.00 | 17 | 0.1 | 0.04 | 0.02 | 0.00 |
| *Uruguay | 6 | 0.1 | 0.03 | 0.00 | 0.00 | 7 | 0.0 | 0.02 | 0.01 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 8 | 0.1 | 0.03 | 0.01 | 0.00 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| Canada, British Columbia | 30 | 0.3 | 0.06 | 0.02 | 0.00 | 8 | 0.1 | 0.03 | 0.00 | 0.00 |
| *Canada, Manitoba | 7 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| *Canada, New Brunswick | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Canada, Newfoundland and Labrador | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Canada, Ontario | 59 | 0.2 | 0.02 | 0.01 | 0.00 | 52 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Canada, Prince Edward Island | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Canada, Quebec | 32 | 0.2 | 0.03 | 0.01 | 0.00 | 27 | 0.1 | 0.03 | 0.01 | 0.00 |
| Canada, Saskatchewan | 3 | 0.1 | 0.06 | 0.01 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 1 | 2.0 | 1.98 | 0.10 | 0.10 |
| USA | 1405 | 0.2 | 0.01 | 0.01 | 0.00 | 919 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA: White | 1082 | 0.2 | 0.01 | 0.01 | 0.00 | 672 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA: Black | 206 | 0.2 | 0.01 | 0.01 | 0.00 | 194 | 0.2 | 0.01 | 0.01 | 0.00 |
| USA, NPCR | 1355 | 0.2 | 0.01 | 0.01 | 0.00 | 893 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA, NPCR: White | 1045 | 0.2 | 0.01 | 0.01 | 0.00 | 654 | 0.1 | 0.00 | 0.01 | 0.00 |
| USA, NPCR: Black | 204 | 0.2 | 0.01 | 0.01 | 0.00 | 189 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 86 | 0.2 | 0.02 | 0.01 | 0.00 | 40 | 0.1 | 0.01 | 0.01 | 0.00 |
| USA, NPCR: American Indian | 8 | 0.1 | 0.03 | 0.01 | 0.00 | 8 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, SEER (18 registries) | 423 | 0.2 | 0.01 | 0.01 | 0.00 | 257 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): White | 312 | 0.2 | 0.01 | 0.01 | 0.00 | 174 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 237 | 0.2 | 0.01 | 0.01 | 0.00 | 128 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 75 | 0.2 | 0.02 | 0.01 | 0.00 | 46 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Black | 48 | 0.2 | 0.02 | 0.01 | 0.00 | 57 | 0.2 | 0.02 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 57 | 0.3 | 0.04 | 0.02 | 0.00 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, SEER (9 registries) | 146 | 0.2 | 0.02 | 0.01 | 0.00 | 85 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): White | 103 | 0.2 | 0.02 | 0.01 | 0.00 | 55 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): Black | 12 | 0.1 | 0.04 | 0.01 | 0.00 | 21 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Alabama | 14 | 0.1 | 0.03 | 0.01 | 0.00 | 8 | 0.1 | 0.03 | 0.00 | 0.00 |
| USA, Alabama: White | 8 | 0.1 | 0.04 | 0.01 | 0.00 | 5 | 0.1 | 0.04 | 0.00 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other endocrine (C75) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.04 | 0.00 | 0.00 | |
| USA, Alaska | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.2 | 0.13 | 0.01 | 0.01 | |
| *USA, Alaska: Alaska Natives | 1 | 0.3 | 0.34 | 0.09 | 0.09 | 1 | 0.3 | 0.30 | 0.04 | 0.04 | |
| USA, Arizona | 22 | 0.1 | 0.03 | 0.01 | 0.00 | 12 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Arizona: White | 21 | 0.2 | 0.04 | 0.01 | 0.00 | 11 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Arizona: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.13 | 0.01 | 0.01 | |
| *USA, Arizona: Asian and Pacific Islander | 1 | 0.2 | 0.19 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| USA, Arizona: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| USA, Arkansas | 14 | 0.2 | 0.05 | 0.01 | 0.00 | 12 | 0.1 | 0.04 | 0.01 | 0.00 | |
| USA, Arkansas: White | 10 | 0.2 | 0.05 | 0.01 | 0.00 | 10 | 0.1 | 0.05 | 0.01 | 0.00 | |
| USA, Arkansas: Black | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 2 | 0.1 | 0.10 | 0.01 | 0.01 | |
| USA, California | 184 | 0.2 | 0.02 | 0.01 | 0.00 | 106 | 0.1 | 0.01 | 0.01 | 0.00 | |
| USA, California: White | 140 | 0.2 | 0.02 | 0.01 | 0.00 | 80 | 0.1 | 0.01 | 0.01 | 0.00 | |
| USA, California: Black | 11 | 0.2 | 0.05 | 0.01 | 0.00 | 12 | 0.2 | 0.05 | 0.01 | 0.00 | |
| USA, California: Asian and Pacific Islander | 32 | 0.3 | 0.05 | 0.01 | 0.00 | 14 | 0.1 | 0.03 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County | 43 | 0.2 | 0.03 | 0.01 | 0.00 | 28 | 0.1 | 0.02 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: White | 33 | 0.2 | 0.03 | 0.01 | 0.00 | 22 | 0.1 | 0.03 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 13 | 0.2 | 0.07 | 0.02 | 0.00 | 9 | 0.1 | 0.05 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: Hispanic White | 20 | 0.2 | 0.04 | 0.01 | 0.00 | 13 | 0.1 | 0.03 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: Black | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: Chinese | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *USA, California, Los Angeles County: Filipino | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 1 | 0.2 | 0.18 | 0.01 | 0.01 | |
| *USA, California, Los Angeles County: Korean | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 6 | 0.2 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 | |
| *USA, California, San Francisco Bay Area | 26 | 0.3 | 0.05 | 0.02 | 0.00 | 15 | 0.1 | 0.04 | 0.01 | 0.00 | |
| *USA, California, San Francisco Bay Area: White | 17 | 0.2 | 0.07 | 0.02 | 0.00 | 9 | 0.1 | 0.05 | 0.01 | 0.00 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 15 | 0.3 | 0.09 | 0.02 | 0.01 | 6 | 0.1 | 0.03 | 0.01 | 0.00 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 2 | 0.1 | 0.08 | 0.01 | 0.00 | 3 | 0.2 | 0.10 | 0.01 | 0.01 | |
| *USA, California, San Francisco Bay Area: Black | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 8 | 0.4 | 0.13 | 0.02 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.00 | |
| USA, Colorado | 20 | 0.1 | 0.03 | 0.01 | 0.00 | 17 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Colorado: White | 18 | 0.2 | 0.04 | 0.01 | 0.00 | 14 | 0.1 | 0.03 | 0.01 | 0.00 | |
| *USA, Colorado: Black | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 3 | 0.4 | 0.25 | 0.05 | 0.03 | |
| *USA, Colorado: Asian and Pacific Islander | 1 | 0.2 | 0.23 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 | |
| USA, Connecticut | 18 | 0.2 | 0.05 | 0.01 | 0.00 | 10 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Connecticut: White | 13 | 0.2 | 0.05 | 0.01 | 0.00 | 6 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Connecticut: Black | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 4 | 0.3 | 0.14 | 0.03 | 0.02 | |
| USA, District of Columbia | 4 | 0.3 | 0.16 | 0.03 | 0.02 | 4 | – | 0.00 | – | 0.00 | |
| USA, District of Columbia: White | 1 | 0.5 | 0.47 | 0.03 | 0.03 | 0 | – | 0.00 | – | 0.00 | |
| USA, District of Columbia: Black | 3 | 0.3 | 0.16 | 0.05 | 0.03 | 0 | – | 0.00 | – | 0.00 | |
| USA, Florida | 83 | 0.2 | 0.02 | 0.01 | 0.00 | 69 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Florida: White | 68 | 0.2 | 0.03 | 0.01 | 0.00 | 51 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Florida: Black | 12 | 0.1 | 0.04 | 0.01 | 0.00 | 16 | 0.1 | 0.04 | 0.01 | 0.00 | |
| USA, Florida: Asian and Pacific Islander | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 | |
| USA, Georgia | 56 | 0.2 | 0.03 | 0.02 | 0.00 | 37 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Georgia: White | 40 | 0.2 | 0.04 | 0.02 | 0.00 | 21 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Georgia: Black | 14 | 0.2 | 0.05 | 0.02 | 0.01 | 16 | 0.2 | 0.04 | 0.01 | 0.00 | |
| USA, Georgia: Asian and Pacific Islander | 2 | 0.2 | 0.14 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *USA, Georgia, Atlanta | 13 | 0.2 | 0.04 | 0.01 | 0.00 | 11 | 0.1 | 0.03 | 0.01 | 0.00 | |
| *USA, Georgia, Atlanta: White | 8 | 0.2 | 0.07 | 0.01 | 0.00 | 3 | 0.1 | 0.04 | 0.00 | 0.00 | |
| *USA, Georgia, Atlanta: Black | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 8 | 0.2 | 0.06 | 0.01 | 0.00 | |
| USA, Idaho | 8 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.00 | |
| USA, Indiana | 28 | 0.2 | 0.04 | 0.01 | 0.00 | 18 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Indiana: White | 25 | 0.2 | 0.04 | 0.01 | 0.00 | 17 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Indiana: Black | 3 | 0.2 | 0.11 | 0.01 | 0.00 | 1 | 0.1 | 0.06 | 0.00 | 0.00 | |
| *USA, Iowa | 16 | 0.2 | 0.05 | 0.02 | 0.00 | 6 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Kentucky | 17 | 0.2 | 0.04 | 0.01 | 0.00 | 8 | 0.1 | 0.03 | 0.00 | 0.00 | |
| USA, Louisiana | 18 | 0.2 | 0.04 | 0.01 | 0.00 | 18 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Louisiana: White | 11 | 0.2 | 0.05 | 0.01 | 0.00 | 8 | 0.1 | 0.04 | 0.01 | 0.00 | |
| USA, Louisiana: Black | 6 | 0.2 | 0.07 | 0.01 | 0.00 | 10 | 0.2 | 0.07 | 0.02 | 0.01 | |
| *USA, Louisiana, New Orleans | 4 | 0.2 | 0.11 | 0.01 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 | |
| *USA, Louisiana, New Orleans: White | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 | |
| *USA, Louisiana, New Orleans: Black | 2 | 0.3 | 0.18 | 0.02 | 0.01 | 3 | 0.2 | 0.10 | 0.02 | 0.02 | |
| USA, Maine | 6 | 0.2 | 0.08 | 0.01 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 | |
| USA, Maryland | 22 | 0.1 | 0.02 | 0.01 | 0.00 | 16 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Maryland: White | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 9 | 0.1 | 0.04 | 0.01 | 0.00 | |
| USA, Maryland: Black | 11 | 0.2 | 0.06 | 0.02 | 0.01 | 7 | 0.1 | 0.05 | 0.01 | 0.00 | |
| USA, Maryland: Asian and Pacific Islander | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| USA, Massachusetts | 31 | 0.2 | 0.04 | 0.01 | 0.00 | 11 | 0.0 | 0.02 | 0.00 | 0.00 | |
| USA, Massachusetts: White | 23 | 0.2 | 0.04 | 0.01 | 0.00 | 10 | 0.1 | 0.02 | 0.00 | 0.00 | |
| USA, Massachusetts: Black | 1 | 0.1 | 0.10 | 0.00 | 0.00 | 1 | 0.1 | 0.05 | 0.01 | 0.01 | |
| USA, Massachusetts: Asian and Pacific Islander | 5 | 0.5 | 0.22 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other endocrine (C75) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 46 | 0.2 | <i>0.03</i> | 0.01 | <i>0.00</i> | 25 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Michigan: White | 36 | 0.2 | <i>0.03</i> | 0.01 | <i>0.00</i> | 15 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Michigan: Black | 5 | 0.1 | <i>0.06</i> | 0.01 | <i>0.00</i> | 10 | 0.3 | <i>0.09</i> | 0.02 | <i>0.01</i> |
| USA, Michigan: Asian and Pacific Islander | 5 | 0.7 | <i>0.30</i> | 0.03 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Michigan, Detroit | 17 | 0.2 | <i>0.05</i> | 0.01 | <i>0.00</i> | 9 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *USA, Michigan, Detroit: White | 12 | 0.2 | <i>0.06</i> | 0.01 | <i>0.00</i> | 3 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *USA, Michigan, Detroit: Black | 3 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> | 6 | 0.3 | <i>0.11</i> | 0.02 | <i>0.01</i> |
| USA, Minnesota | 22 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 14 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Minnesota: White | 21 | 0.2 | <i>0.05</i> | 0.01 | <i>0.00</i> | 12 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Minnesota: Black | 1 | 0.1 | <i>0.11</i> | 0.01 | <i>0.01</i> | 2 | 0.3 | <i>0.20</i> | 0.03 | <i>0.03</i> |
| *USA, Minnesota: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Mississippi | 10 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> | 7 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Missouri | 23 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 18 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Missouri: White | 19 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 13 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Missouri: Black | 2 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> | 5 | 0.2 | <i>0.10</i> | 0.03 | <i>0.01</i> |
| USA, Montana | 9 | 0.4 | <i>0.13</i> | 0.03 | <i>0.01</i> | 2 | 0.1 | <i>0.08</i> | 0.01 | <i>0.00</i> |
| *USA, Montana: American Indian | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Nebraska | 7 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> | 9 | 0.2 | <i>0.07</i> | 0.01 | <i>0.00</i> |
| USA, Nebraska: White | 7 | 0.2 | <i>0.06</i> | 0.01 | <i>0.00</i> | 9 | 0.2 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| *USA, Nebraska: Black | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Nevada | 6 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | 4 | 0.1 | <i>0.04</i> | 0.00 | <i>0.00</i> |
| USA, Nevada: White | 6 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> | 3 | 0.1 | <i>0.04</i> | 0.00 | <i>0.00</i> |
| USA, Nevada: Black | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Nevada: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 1 | 0.1 | <i>0.10</i> | 0.01 | <i>0.01</i> |
| USA, New Jersey | 40 | 0.2 | <i>0.03</i> | 0.01 | <i>0.00</i> | 30 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, New Jersey: White | 32 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> | 17 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, New Jersey: Black | 4 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> | 9 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| USA, New Mexico | 10 | 0.2 | <i>0.06</i> | 0.01 | <i>0.00</i> | 8 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, New Mexico: White | 8 | 0.2 | <i>0.06</i> | 0.01 | <i>0.01</i> | 5 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, New Mexico: Non-Hispanic White | 6 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> | 3 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| USA, New Mexico: Hispanic White | 2 | 0.1 | <i>0.07</i> | 0.01 | <i>0.00</i> | 2 | 0.1 | <i>0.05</i> | 0.00 | <i>0.00</i> |
| *USA, New Mexico: American Indian | 2 | 0.4 | <i>0.26</i> | 0.02 | <i>0.02</i> | 2 | 0.3 | <i>0.22</i> | 0.03 | <i>0.02</i> |
| USA, New York State | 109 | 0.2 | <i>0.02</i> | 0.02 | <i>0.00</i> | 65 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| USA, New York State: White | 75 | 0.2 | <i>0.03</i> | 0.02 | <i>0.00</i> | 44 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, New York State: Black | 23 | 0.3 | <i>0.06</i> | 0.02 | <i>0.00</i> | 17 | 0.1 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| USA, New York State: Asian and Pacific Islander | 10 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> | 4 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> |
| USA, North Carolina | 47 | 0.2 | <i>0.03</i> | 0.01 | <i>0.00</i> | 32 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, North Carolina: White | 34 | 0.2 | <i>0.03</i> | 0.01 | <i>0.00</i> | 21 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, North Carolina: Black | 13 | 0.3 | <i>0.07</i> | 0.02 | <i>0.00</i> | 10 | 0.2 | <i>0.05</i> | 0.01 | <i>0.00</i> |
| USA, North Carolina: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, North Carolina: American Indian | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 1 | 0.2 | <i>0.17</i> | 0.02 | <i>0.02</i> |
| USA, North Dakota | 2 | 0.1 | <i>0.10</i> | 0.01 | <i>0.01</i> | 3 | 0.1 | <i>0.05</i> | 0.00 | <i>0.00</i> |
| USA, Ohio | 48 | 0.2 | <i>0.02</i> | 0.01 | <i>0.00</i> | 28 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Ohio: White | 37 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | 25 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| USA, Ohio: Black | 10 | 0.3 | <i>0.08</i> | 0.02 | <i>0.01</i> | 3 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| *USA, Ohio: Asian and Pacific Islander | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Oklahoma | 20 | 0.2 | <i>0.05</i> | 0.01 | <i>0.00</i> | 14 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Oklahoma: White | 13 | 0.2 | <i>0.06</i> | 0.01 | <i>0.00</i> | 11 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, Oklahoma: Black | 2 | 0.2 | <i>0.13</i> | 0.01 | <i>0.01</i> | 1 | 0.1 | <i>0.07</i> | 0.00 | <i>0.00</i> |
| USA, Oklahoma: American Indian | 5 | 0.5 | <i>0.22</i> | 0.03 | <i>0.01</i> | 2 | 0.2 | <i>0.12</i> | 0.01 | <i>0.01</i> |
| USA, Oregon | 20 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 6 | 0.1 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| USA, Oregon: White | 17 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 5 | 0.1 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| *USA, Oregon: Black | 2 | 0.8 | <i>0.61</i> | 0.15 | <i>0.13</i> | 1 | 0.4 | <i>0.36</i> | 0.05 | <i>0.05</i> |
| *USA, Oregon: Asian and Pacific Islander | 1 | 0.2 | <i>0.20</i> | 0.03 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| USA, Rhode Island | 2 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> | 2 | 0.1 | <i>0.06</i> | 0.00 | <i>0.00</i> |
| USA, Rhode Island: White | 1 | 0.0 | <i>0.04</i> | 0.00 | <i>0.00</i> | 1 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *USA, Rhode Island: Black | 1 | 0.6 | <i>0.55</i> | 0.14 | <i>0.14</i> | 1 | 0.5 | <i>0.48</i> | 0.03 | <i>0.03</i> |
| USA, South Carolina | 11 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | 14 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, South Carolina: White | 7 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> | 8 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, South Carolina: Black | 4 | 0.1 | <i>0.06</i> | 0.01 | <i>0.00</i> | 6 | 0.2 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| USA, South Dakota | 4 | 0.2 | <i>0.10</i> | 0.01 | <i>0.01</i> | 1 | 0.1 | <i>0.06</i> | 0.00 | <i>0.00</i> |
| USA, Tennessee | 30 | 0.2 | <i>0.03</i> | 0.01 | <i>0.00</i> | 22 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Tennessee: White | 23 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 13 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| USA, Tennessee: Black | 7 | 0.2 | <i>0.09</i> | 0.02 | <i>0.01</i> | 6 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> |
| USA, Texas | 119 | 0.2 | <i>0.02</i> | 0.01 | <i>0.00</i> | 95 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| USA, Texas: White | 98 | 0.2 | <i>0.02</i> | 0.01 | <i>0.00</i> | 63 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| USA, Texas: Black | 15 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 23 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> |
| USA, Texas: Asian and Pacific Islander | 5 | 0.1 | <i>0.07</i> | 0.01 | <i>0.00</i> | 7 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| USA, Utah | 14 | 0.2 | <i>0.05</i> | 0.01 | <i>0.00</i> | 11 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, Vermont | 1 | 0.1 | <i>0.09</i> | 0.01 | <i>0.01</i> | 2 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| USA, Washington State | 33 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 17 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *USA, Washington, Seattle | 26 | 0.2 | <i>0.05</i> | 0.02 | <i>0.00</i> | 13 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other endocrine (C75) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 4 | 0.1 | 0.06 | 0.01 | 0.00 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| USA, Wyoming | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.3 | 0.16 | 0.02 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| Brunei Darussalam | 2 | 0.2 | 0.12 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anfu County | 7 | 0.6 | 0.23 | 0.08 | 0.04 | 5 | 0.5 | 0.21 | 0.05 | 0.03 |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 34 | 0.5 | 0.09 | 0.05 | 0.01 | 41 | 0.6 | 0.11 | 0.06 | 0.01 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Arongqi | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 1 | 0.2 | 0.16 | 0.03 | 0.03 |
| *China, Baoding City | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Beijing City | 33 | 0.1 | 0.04 | 0.01 | 0.00 | 18 | 0.0 | 0.01 | 0.01 | 0.00 |
| *China, Binhai County | 5 | 0.1 | 0.05 | 0.01 | 0.00 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Cangzhou City | 5 | 0.3 | 0.14 | 0.03 | 0.02 | 12 | 0.7 | 0.19 | 0.07 | 0.02 |
| China, Changfeng County | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 2 | 0.2 | 0.11 | 0.01 | 0.01 |
| China, Changzhou City | 7 | 0.1 | 0.05 | 0.01 | 0.00 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Chengdu City | 6 | 0.2 | 0.10 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Cixian County | 2 | 0.1 | 0.09 | 0.02 | 0.02 | 3 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Cixi City | 12 | 0.4 | 0.12 | 0.04 | 0.01 | 9 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Dafeng District, Yancheng City | 8 | 0.3 | 0.11 | 0.03 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Dalian City | 36 | 0.5 | 0.10 | 0.05 | 0.01 | 43 | 0.5 | 0.10 | 0.05 | 0.01 |
| *China, Dancheng County | 3 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Dangtu County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Danyang City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dawukou District, Shizuishan City | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 3 | 0.3 | 0.18 | 0.03 | 0.02 |
| *China, Dehui City | 14 | 0.4 | 0.12 | 0.04 | 0.01 | 24 | 0.9 | 0.18 | 0.09 | 0.02 |
| *China, Donggang County | 4 | 0.1 | 0.08 | 0.02 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Dongguan City | 10 | 0.4 | 0.12 | 0.03 | 0.01 | 8 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Donghai County | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Dongtai City | 6 | 0.2 | 0.07 | 0.02 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 2 | 0.3 | 0.21 | 0.02 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Evenki Autonomous Banner | 3 | 1.1 | 0.65 | 0.10 | 0.06 | 1 | 0.6 | 0.56 | 0.04 | 0.04 |
| *China, Faku County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Fangcheng County | 5 | 0.3 | 0.12 | 0.02 | 0.01 | 10 | 0.6 | 0.20 | 0.05 | 0.02 |
| *China, Feicheng City | 6 | 0.2 | 0.06 | 0.02 | 0.01 | 10 | 0.3 | 0.11 | 0.03 | 0.01 |
| China, Feixi County | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 17 | 0.5 | 0.13 | 0.05 | 0.01 |
| China, Fuqing City | 6 | 0.2 | 0.10 | 0.03 | 0.01 | 8 | 0.4 | 0.14 | 0.03 | 0.01 |
| *China, Ganyu District, Lianyungang City | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.15 | 0.01 | 0.01 |
| *China, Gaocheng City | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| China, Gaomi City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Gong'an County | 23 | 0.8 | 0.16 | 0.07 | 0.02 | 21 | 0.6 | 0.14 | 0.07 | 0.02 |
| *China, Guang'an District, Guang'an City | 3 | 0.1 | 0.09 | 0.02 | 0.01 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Guanghan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | 46 | 0.2 | 0.04 | 0.02 | 0.00 | 25 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Guanyun County | 16 | 0.4 | 0.11 | 0.05 | 0.02 | 14 | 0.5 | 0.13 | 0.04 | 0.01 |
| China, Guilin City | 9 | 0.4 | 0.12 | 0.03 | 0.01 | 12 | 0.5 | 0.15 | 0.04 | 0.01 |
| *China, Hai'an City | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 4 | 0.3 | 0.17 | 0.02 | 0.01 | 3 | 0.3 | 0.15 | 0.03 | 0.02 |
| China, Haimen District, Nantong City | 4 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.2 | 0.07 | 0.01 | 0.01 |
| China, Haining City | 2 | 0.2 | 0.13 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Hangzhou City | 34 | 0.2 | 0.03 | 0.02 | 0.00 | 53 | 0.2 | 0.03 | 0.02 | 0.00 |
| China, Hebi City | 5 | 0.4 | 0.18 | 0.06 | 0.03 | 9 | 0.6 | 0.22 | 0.07 | 0.02 |
| China, Hefei City | 39 | 0.6 | 0.11 | 0.05 | 0.01 | 22 | 0.3 | 0.06 | 0.03 | 0.01 |
| China, Hengdong County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 4 | 0.3 | 0.16 | 0.03 | 0.02 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Honghu City | 6 | 0.4 | 0.18 | 0.03 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Hongshan District, Chifeng City | 5 | 0.4 | 0.20 | 0.05 | 0.03 | 6 | 0.4 | 0.19 | 0.03 | 0.02 |
| *China, Hongta District, Yuxi City | 6 | 0.3 | 0.14 | 0.04 | 0.02 | 9 | 0.7 | 0.25 | 0.05 | 0.02 |
| *China, Huaiyin District, Huai'an City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Jiange County | 3 | 0.2 | 0.10 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 3 | 0.2 | 0.13 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiangyin City | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.01 | 0.00 |
| *China, Jiashan County | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |
| China, Jiayu County | 2 | 0.2 | 0.15 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 12 | 0.2 | 0.05 | 0.02 | 0.01 | 15 | 0.2 | 0.04 | 0.02 | 0.00 |
| *China, Jingtai County | 4 | 0.6 | 0.29 | 0.08 | 0.04 | 1 | 0.1 | 0.12 | 0.02 | 0.02 |
| *China, Jingxian County | 9 | 0.7 | 0.26 | 0.08 | 0.03 | 3 | 0.3 | 0.18 | 0.02 | 0.02 |
| *China, Jintan District, Changzhou City | 4 | 0.2 | 0.09 | 0.03 | 0.01 | 7 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 12 | 0.4 | 0.12 | 0.05 | 0.02 | 12 | 0.7 | 0.23 | 0.05 | 0.02 |
| *China, Jiyuan City | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other endocrine (C75) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 2 | 0.3 | 0.21 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Kunshan City | 0 | – | 0.00 | – | 0.00 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Langzhong City | 5 | 0.3 | 0.12 | 0.03 | 0.01 | 4 | 0.2 | 0.13 | 0.02 | 0.01 |
| *China, Liangshan County | 6 | 0.2 | 0.10 | 0.03 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Lianshui County | 2 | 0.0 | 0.03 | 0.01 | 0.01 | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Lianyungang City | 10 | 0.3 | 0.11 | 0.03 | 0.01 | 6 | 0.2 | 0.10 | 0.01 | 0.01 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Linqu County | 14 | 0.4 | 0.11 | 0.05 | 0.02 | 10 | 0.3 | 0.10 | 0.04 | 0.02 |
| *China, Linzhou City | 16 | 0.5 | 0.12 | 0.04 | 0.01 | 9 | 0.3 | 0.10 | 0.03 | 0.01 |
| China, Liuzhou City | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 7 | 0.3 | 0.11 | 0.02 | 0.01 |
| China, Liyang City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Longquan City | 5 | 0.6 | 0.27 | 0.08 | 0.04 | 2 | 0.3 | 0.19 | 0.02 | 0.02 |
| China, Lucheng District, Wenzhou City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.07 | 0.02 | 0.01 |
| China, Luoding City | 2 | 0.1 | 0.08 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Luohe City | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Luoyang City | 11 | 0.2 | 0.07 | 0.01 | 0.01 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Luquan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Ma'anshan City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Macheng City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.1 | 0.15 | 0.01 | 0.01 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Mengjin County | 7 | 0.7 | 0.26 | 0.06 | 0.02 | 8 | 0.8 | 0.32 | 0.08 | 0.03 |
| China, Nangang District, Harbin City | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Nanhai District, Foshan City | 7 | 0.3 | 0.11 | 0.02 | 0.01 | 4 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Nanhu District, Jiaying City | 26 | 1.2 | 0.25 | 0.14 | 0.03 | 28 | 1.6 | 0.33 | 0.13 | 0.03 |
| *China, Nantong City | 11 | 0.2 | 0.07 | 0.03 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Nanxiong City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Neixiang County | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Qidong City | 3 | 0.1 | 0.05 | 0.01 | 0.00 | 4 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Qingzhou City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Rudong County | 3 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.00 |
| *China, Rugao City | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Rural areas of Shanghai City | 150 | 0.5 | 0.05 | 0.04 | 0.00 | 157 | 0.5 | 0.05 | 0.05 | 0.00 |
| China, Ruyang County | 8 | 0.7 | 0.24 | 0.07 | 0.03 | 3 | 0.3 | 0.18 | 0.02 | 0.01 |
| *China, Shan County | 21 | 0.8 | 0.19 | 0.09 | 0.03 | 21 | 0.7 | 0.17 | 0.07 | 0.02 |
| China, Shanghai City | 160 | 0.6 | 0.07 | 0.06 | 0.01 | 136 | 0.6 | 0.06 | 0.05 | 0.01 |
| China, Shangyu District, Shaoxing City | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 4 | 0.3 | 0.15 | 0.02 | 0.01 |
| *China, Shapingba District, Chongqing City | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 8 | 0.3 | 0.10 | 0.03 | 0.01 |
| China, Shexian County | 3 | 0.3 | 0.16 | 0.02 | 0.01 | 3 | 0.2 | 0.14 | 0.02 | 0.01 |
| China, Sheyang County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Shunde District, Foshan City | 11 | 0.4 | 0.12 | 0.04 | 0.01 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Song County | 0 | – | 0.00 | – | 0.00 | 5 | 0.4 | 0.17 | 0.03 | 0.02 |
| China, Suzhou City | 23 | 0.2 | 0.06 | 0.02 | 0.01 | 20 | 0.2 | 0.04 | 0.01 | 0.00 |
| *China, Tengzhou City | 10 | 0.2 | 0.06 | 0.02 | 0.01 | 10 | 0.2 | 0.05 | 0.01 | 0.01 |
| *China, Wangdu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wan'ai County | 2 | 0.2 | 0.15 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Wuhan City | 135 | 0.8 | 0.08 | 0.08 | 0.01 | 169 | 0.9 | 0.07 | 0.09 | 0.01 |
| *China, Wuhu City | 21 | 0.5 | 0.11 | 0.05 | 0.01 | 24 | 0.8 | 0.19 | 0.06 | 0.01 |
| China, Wuxi City | 27 | 0.3 | 0.06 | 0.03 | 0.01 | 17 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Wuzhou City | 2 | 0.1 | 0.09 | 0.01 | 0.00 | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| China, Xiangfu District, Kaifeng City | 8 | 0.4 | 0.13 | 0.04 | 0.02 | 7 | 0.4 | 0.14 | 0.04 | 0.02 |
| China, Xianju County | 7 | 0.4 | 0.16 | 0.04 | 0.01 | 6 | 0.6 | 0.30 | 0.04 | 0.02 |
| *China, Xin'an County | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Xining City | 18 | 0.7 | 0.18 | 0.07 | 0.02 | 20 | 0.9 | 0.20 | 0.09 | 0.02 |
| *China, Xinji City | 5 | 0.3 | 0.11 | 0.02 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 2 | 0.2 | 0.11 | 0.01 | 0.01 |
| *China, Xinzhou District, Shangrao City | 4 | 0.4 | 0.20 | 0.04 | 0.02 | 2 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Xiping County | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.2 | 0.10 | 0.03 | 0.01 |
| *China, Xishan District, Kunming City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Xuyi County | 11 | 0.4 | 0.13 | 0.05 | 0.02 | 8 | 0.4 | 0.16 | 0.04 | 0.02 |
| *China, Ya'an City | 19 | 0.4 | 0.09 | 0.04 | 0.01 | 22 | 0.4 | 0.10 | 0.05 | 0.01 |
| *China, Yakeshi City | 15 | 1.3 | 0.38 | 0.15 | 0.05 | 6 | 0.4 | 0.17 | 0.05 | 0.02 |
| China, Yancheng City | 10 | 0.2 | 0.08 | 0.03 | 0.01 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Yangquan City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 3 | 0.3 | 0.17 | 0.02 | 0.01 |
| *China, Yanshi City | 24 | 1.1 | 0.21 | 0.12 | 0.03 | 31 | 1.4 | 0.25 | 0.14 | 0.03 |
| China, Yanting County | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 3 | 0.4 | 0.22 | 0.02 | 0.01 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 11 | 0.6 | 0.18 | 0.06 | 0.02 | 13 | 0.7 | 0.19 | 0.06 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other endocrine (C75) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 0 | – | 0.00 | – | 0.00 | 4 | 0.4 | 0.18 | 0.04 | 0.02 |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.2 | 0.11 | 0.02 | 0.01 |
| *China, Yongding District, Longyan City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Yongkang City | 5 | 0.3 | 0.14 | 0.02 | 0.01 | 7 | 0.3 | 0.12 | 0.04 | 0.02 |
| *China, Yucheng County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Yunyang District, Shiyao City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 3 | 0.5 | 0.37 | 0.02 | 0.02 | 5 | 0.2 | 0.11 | 0.02 | 0.01 |
| *China, Zhanhuang County | 5 | 0.6 | 0.29 | 0.07 | 0.03 | 5 | 0.5 | 0.25 | 0.07 | 0.04 |
| *China, Zhangjiagang City | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Zhaoyuan City | 22 | 0.9 | 0.20 | 0.11 | 0.02 | 21 | 0.9 | 0.21 | 0.09 | 0.02 |
| *China, Zhengding County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 5 | 0.1 | 0.06 | 0.01 | 0.00 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Zhongxiang City | 11 | 0.4 | 0.13 | 0.04 | 0.01 | 12 | 0.4 | 0.14 | 0.04 | 0.01 |
| *China, Zhuanghe City | 6 | 0.2 | 0.11 | 0.02 | 0.01 | 6 | 0.2 | 0.11 | 0.02 | 0.01 |
| *China, Zhuhai City | 10 | 0.5 | 0.16 | 0.03 | 0.01 | 7 | 0.2 | 0.11 | 0.02 | 0.01 |
| India, Ahmedabad, Urban | 9 | 0.1 | 0.02 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| India, Bangalore | 35 | 0.3 | 0.05 | 0.04 | 0.01 | 21 | 0.2 | 0.04 | 0.02 | 0.01 |
| India, Barshi, Paranda, and Bhum | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Chennai | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Dibrugarh | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *India, Dindigul, Ambilikai | 8 | 0.1 | 0.04 | 0.01 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Kamrup Urban District | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kollam | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, Manipur | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Meghalaya | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Mizoram | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| India, Mumbai | 19 | 0.1 | 0.01 | 0.00 | 0.00 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| *India, New Delhi | 23 | 0.1 | 0.02 | 0.01 | 0.00 | 16 | 0.1 | 0.02 | 0.01 | 0.00 |
| India, Poona | 4 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, Sangrur District | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| India, SAS Nagar | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Tamil Nadu | 102 | 0.0 | 0.00 | 0.01 | 0.00 | 83 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 3 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| India, Trivandrum | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| India, Wardha | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, West Arunachal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Golestan Province | 10 | 0.3 | 0.11 | 0.03 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| Israel | 18 | 0.1 | 0.02 | 0.01 | 0.00 | 21 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Israel: Jews | 15 | 0.1 | 0.02 | 0.01 | 0.00 | 17 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Israel: Arabs | 3 | 0.1 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| Japan | 528 | 0.3 | 0.02 | 0.02 | 0.00 | 313 | 0.1 | 0.01 | 0.01 | 0.00 |
| Japan, Aichi Prefecture | 30 | 0.3 | 0.06 | 0.02 | 0.00 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Japan, Akita Prefecture | 6 | 0.4 | 0.18 | 0.03 | 0.01 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| Japan, Aomori Prefecture | 4 | 0.1 | 0.08 | 0.01 | 0.01 | 5 | 0.2 | 0.10 | 0.01 | 0.01 |
| Japan, Gunma Prefecture | 11 | 0.5 | 0.16 | 0.03 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.00 |
| Japan, Hiroshima Prefecture | 20 | 0.5 | 0.11 | 0.03 | 0.01 | 7 | 0.1 | 0.05 | 0.01 | 0.00 |
| Japan, Miyagi Prefecture | 22 | 0.5 | 0.13 | 0.03 | 0.01 | 7 | 0.0 | 0.02 | 0.01 | 0.00 |
| Japan, Osaka Prefecture | 45 | 0.4 | 0.07 | 0.03 | 0.00 | 21 | 0.1 | 0.03 | 0.01 | 0.00 |
| Kuwait | 6 | 0.1 | 0.03 | 0.00 | 0.00 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Kuwait: Kuwaitis | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Kuwait: Non-Kuwaitis | 4 | 0.1 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Philippines, Manila | 11 | 0.1 | 0.02 | 0.00 | 0.00 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Qatar: Qatari | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.17 | 0.02 | 0.02 |
| Republic of Korea | 300 | 0.3 | 0.02 | 0.02 | 0.00 | 211 | 0.1 | 0.01 | 0.01 | 0.00 |
| *Republic of Korea, Busan | 31 | 0.4 | 0.09 | 0.03 | 0.01 | 19 | 0.2 | 0.05 | 0.01 | 0.00 |
| *Republic of Korea, Daegu | 17 | 0.3 | 0.09 | 0.02 | 0.01 | 6 | 0.1 | 0.03 | 0.00 | 0.00 |
| *Republic of Korea, Daejeon | 14 | 0.4 | 0.12 | 0.03 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Republic of Korea, Gwangju | 5 | 0.2 | 0.08 | 0.01 | 0.00 | 4 | 0.1 | 0.06 | 0.01 | 0.00 |
| Republic of Korea, Incheon | 25 | 0.4 | 0.09 | 0.03 | 0.01 | 11 | 0.1 | 0.03 | 0.01 | 0.00 |
| Republic of Korea, Jeju | 5 | 0.4 | 0.19 | 0.03 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| Republic of Korea, Seoul | 45 | 0.2 | 0.04 | 0.01 | 0.00 | 45 | 0.1 | 0.02 | 0.01 | 0.00 |
| Republic of Korea, Ulsan | 7 | 0.2 | 0.09 | 0.02 | 0.01 | 5 | 0.1 | 0.07 | 0.01 | 0.00 |
| Singapore | 29 | 0.3 | 0.06 | 0.02 | 0.00 | 20 | 0.1 | 0.04 | 0.01 | 0.00 |
| Singapore: Chinese | 25 | 0.4 | 0.08 | 0.03 | 0.01 | 16 | 0.1 | 0.04 | 0.01 | 0.00 |
| Singapore: Indian | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other endocrine (C75) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.2 | 0.12 | 0.01 | 0.01 |
| Thailand, Bangkok | 22 | 0.2 | 0.04 | 0.01 | 0.00 | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Thailand, Chiang Mai | 6 | 0.2 | 0.07 | 0.01 | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.00 |
| *Thailand, Khon Kaen | 3 | 0.1 | 0.05 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Thailand, Lampang | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.06 | 0.00 | 0.00 |
| Thailand, Lopburi Province | 3 | 0.2 | 0.10 | 0.01 | 0.01 | 7 | 0.3 | 0.12 | 0.03 | 0.01 |
| *Thailand, Songkhla | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| Turkey, Antalya | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 8 | 0.1 | 0.05 | 0.01 | 0.01 |
| Turkey, Bursa | 5 | 0.1 | 0.03 | 0.01 | 0.00 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Turkey, Edirne | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.2 | 0.13 | 0.01 | 0.01 |
| *Turkey, Erzurum | 3 | 0.2 | 0.10 | 0.02 | 0.02 | 10 | 0.5 | 0.16 | 0.05 | 0.02 |
| Turkey, Eskişehir | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 8 | 0.3 | 0.13 | 0.03 | 0.01 |
| Turkey, Gaziantep | 12 | 0.3 | 0.08 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| *Turkey, Izmir | 15 | 0.1 | 0.03 | 0.01 | 0.00 | 32 | 0.3 | 0.05 | 0.02 | 0.00 |
| Turkey, Malatya | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 5 | 0.3 | 0.12 | 0.03 | 0.01 |
| Turkey, Samsun | 5 | 0.1 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| Turkey, Trabzon | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Europe | | | | | | | | | | |
| Austria | 39 | 0.1 | 0.02 | 0.01 | 0.00 | 42 | 0.1 | 0.02 | 0.01 | 0.00 |
| Austria, Carinthia | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Austria, Tyrol | 3 | 0.2 | 0.12 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Austria, Vorarlberg | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| Belarus | 14 | 0.1 | 0.02 | 0.01 | 0.00 | 14 | 0.1 | 0.02 | 0.00 | 0.00 |
| *Belgium | 69 | 0.2 | 0.03 | 0.02 | 0.00 | 120 | 0.3 | 0.03 | 0.03 | 0.00 |
| Croatia | 22 | 0.2 | 0.04 | 0.01 | 0.00 | 22 | 0.1 | 0.03 | 0.01 | 0.00 |
| Cyprus | 2 | 0.1 | 0.05 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Czech Republic | 28 | 0.1 | 0.02 | 0.01 | 0.00 | 23 | 0.0 | 0.01 | 0.00 | 0.00 |
| Denmark | 10 | 0.1 | 0.04 | 0.01 | 0.00 | 15 | 0.1 | 0.01 | 0.01 | 0.00 |
| Estonia | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Finland | 25 | 0.2 | 0.04 | 0.01 | 0.00 | 26 | 0.1 | 0.03 | 0.01 | 0.00 |
| *France, Bas-Rhin | 4 | 0.2 | 0.12 | 0.01 | 0.01 | 3 | 0.2 | 0.13 | 0.01 | 0.01 |
| *France, Calvados | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *France, Doubs | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| *France, Gironde | 3 | 0.1 | 0.06 | 0.01 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Haut-Rhin | 3 | 0.1 | 0.09 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *France, Hérault | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.08 | 0.00 | 0.00 |
| *France, Isère | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.00 |
| *France, Lille-Métropole | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 3 | 0.2 | 0.09 | 0.01 | 0.01 |
| *France, Limousin | 1 | 0.2 | 0.17 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *France, Loire-Atlantique | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 7 | 0.2 | 0.07 | 0.01 | 0.01 |
| *France, Manche | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Poitou-Charentes | 5 | 0.1 | 0.06 | 0.01 | 0.00 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *France, Somme | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| *France, Tarn | 2 | 0.2 | 0.16 | 0.02 | 0.01 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| *France, Territoire de Belfort | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| Germany, Baden-Württemberg | 67 | 0.2 | 0.03 | 0.03 | 0.00 | 81 | 0.2 | 0.03 | 0.03 | 0.00 |
| Germany, Bavaria | 49 | 0.1 | 0.03 | 0.01 | 0.00 | 35 | 0.1 | 0.01 | 0.01 | 0.00 |
| Germany, Bremen | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Germany, Hamburg | 20 | 0.3 | 0.08 | 0.03 | 0.01 | 5 | 0.1 | 0.03 | 0.01 | 0.00 |
| Germany, Lower Saxony | 24 | 0.1 | 0.02 | 0.01 | 0.00 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| Germany, North Rhine-Westphalia | 92 | 0.2 | 0.02 | 0.01 | 0.00 | 93 | 0.1 | 0.01 | 0.01 | 0.00 |
| Germany, Rhineland-Palatinate | 42 | 0.3 | 0.05 | 0.03 | 0.00 | 58 | 0.3 | 0.05 | 0.03 | 0.01 |
| Germany, Saarland | 5 | 0.1 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| Germany, Schleswig-Holstein | 9 | 0.1 | 0.05 | 0.01 | 0.00 | 17 | 0.1 | 0.03 | 0.01 | 0.00 |
| Iceland | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ireland | 37 | 0.3 | 0.05 | 0.02 | 0.00 | 30 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Italy, Aosta Valley | 1 | 0.3 | 0.29 | 0.02 | 0.02 | 1 | 0.2 | 0.20 | 0.03 | 0.03 |
| *Italy, Avellino | 2 | 0.3 | 0.26 | 0.01 | 0.01 | 2 | 0.2 | 0.16 | 0.01 | 0.01 |
| Italy, Basilicata | 1 | 0.2 | 0.16 | 0.01 | 0.01 | 3 | 0.4 | 0.26 | 0.02 | 0.01 |
| *Italy, Benevento | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Italy, Bergamo | 0 | – | 0.00 | – | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.01 |
| *Italy, Brescia | 8 | 0.1 | 0.05 | 0.02 | 0.01 | 6 | 0.2 | 0.08 | 0.02 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| Italy, Calabria | 3 | 0.3 | 0.19 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Italy, Caserta | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Italy, Catania, Messina, and Enna | 5 | 0.1 | 0.04 | 0.00 | 0.00 | 11 | 0.1 | 0.05 | 0.01 | 0.00 |
| Italy, Emilia-Romagna | 14 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.0 | 0.03 | 0.00 | 0.00 |
| Italy, Friuli-Venezia Giulia | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.00 |
| Italy, Genova | 4 | 0.4 | 0.23 | 0.02 | 0.01 | 4 | 0.1 | 0.09 | 0.01 | 0.01 |
| *Italy, Lombardy, South, Pavia | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 2 | 0.2 | 0.15 | 0.01 | 0.01 |
| Italy, Mantova and Cremona | 6 | 0.3 | 0.14 | 0.03 | 0.01 | 1 | 0.1 | 0.14 | 0.01 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other endocrine (C75) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 7 | 0.2 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Italy, Milan | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 15 | 0.1 | 0.05 | 0.01 | 0.00 |
| Italy, Molise | 1 | 0.1 | 0.10 | 0.02 | 0.02 | 2 | 0.2 | 0.16 | 0.04 | 0.03 |
| *Italy, Naples Centre | 0 | – | 0.00 | – | 0.00 | 4 | 0.1 | 0.08 | 0.02 | 0.01 |
| *Italy, Naples North | 5 | 0.2 | 0.11 | 0.02 | 0.01 | 5 | 0.2 | 0.08 | 0.01 | 0.01 |
| *Italy, Naples South | 4 | 0.1 | 0.08 | 0.01 | 0.00 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Italy, Nuoro | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.20 | 0.02 | 0.02 |
| *Italy, Palermo | 5 | 0.2 | 0.11 | 0.01 | 0.01 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| Italy, Puglia | 25 | 0.2 | 0.06 | 0.02 | 0.00 | 18 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Italy, Ragusa and Caltanissetta | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Italy, Salerno | 0 | – | 0.00 | – | 0.00 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| Italy, Sassari | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Sondrio | 2 | 0.1 | 0.10 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Italy, South Tyrol | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.13 | 0.01 | 0.01 |
| *Italy, Syracuse | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| Italy, Trento | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 7 | 0.4 | 0.21 | 0.03 | 0.01 |
| Italy, Turin | 21 | 0.2 | 0.04 | 0.02 | 0.01 | 18 | 0.1 | 0.04 | 0.02 | 0.00 |
| *Italy, Tuscany | 16 | 0.2 | 0.06 | 0.01 | 0.01 | 12 | 0.2 | 0.09 | 0.01 | 0.00 |
| Italy, Umbria | 4 | 0.3 | 0.19 | 0.02 | 0.01 | 5 | 0.2 | 0.14 | 0.02 | 0.01 |
| Italy, Varese | 3 | 0.2 | 0.13 | 0.01 | 0.01 | 4 | 0.1 | 0.07 | 0.02 | 0.01 |
| Italy, Veneto | 36 | 0.2 | 0.05 | 0.02 | 0.00 | 18 | 0.1 | 0.04 | 0.01 | 0.00 |
| Latvia | 8 | 0.1 | 0.06 | 0.01 | 0.00 | 12 | 0.1 | 0.05 | 0.01 | 0.00 |
| *Liechtenstein | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | 8 | 0.1 | 0.04 | 0.01 | 0.00 | 11 | 0.1 | 0.03 | 0.01 | 0.00 |
| Malta | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| *The Netherlands | 50 | 0.1 | 0.02 | 0.01 | 0.00 | 23 | 0.0 | 0.01 | 0.00 | 0.00 |
| Norway | 131 | 0.7 | 0.07 | 0.07 | 0.01 | 174 | 1.1 | 0.09 | 0.10 | 0.01 |
| Poland, Kielce | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Portugal, Azores | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Arkhangelsk | 4 | 0.1 | 0.06 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Russian Federation, Kaliningrad | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Russian Federation, Karelia | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Russian Federation, Komi Republic | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Russian Federation, Murmansk | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *Russian Federation, Orenburg | 2 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Pskov | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Russian Federation, Samara | 3 | 0.0 | 0.03 | 0.00 | 0.00 | 7 | 0.0 | 0.02 | 0.00 | 0.00 |
| Russian Federation, Vologda Region | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Slovenia | 6 | 0.1 | 0.06 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Spain, Asturias | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Spain, Basque Country | 5 | 0.1 | 0.07 | 0.01 | 0.00 | 4 | 0.1 | 0.05 | 0.00 | 0.00 |
| Spain, Canary Islands | 4 | 0.2 | 0.09 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Spain, Castellón | 2 | 0.2 | 0.13 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| Spain, Girona | 5 | 0.2 | 0.12 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Spain, Granada | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Spain, La Rioja | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Spain, Murcia | 8 | 0.2 | 0.08 | 0.01 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.00 |
| Spain, Navarra | 1 | 0.1 | 0.14 | 0.01 | 0.01 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| Spain, Salamanca | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 2 | 0.4 | 0.30 | 0.02 | 0.02 |
| Spain, Tarragona | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 6 | 0.3 | 0.14 | 0.01 | 0.01 |
| *Sweden | 25 | 0.1 | 0.02 | 0.01 | 0.00 | 12 | 0.0 | 0.01 | 0.00 | 0.00 |
| Switzerland, Aargau | 2 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| Switzerland, Basel | 1 | 0.2 | 0.16 | 0.01 | 0.01 | 1 | 0.2 | 0.19 | 0.01 | 0.01 |
| Switzerland, Berne Solothurn | 4 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Switzerland, East | 4 | 0.2 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| *Switzerland, Fribourg | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Switzerland, Geneva | 3 | 0.4 | 0.25 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Switzerland, Graubünden and Glarus | 2 | 0.3 | 0.18 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Switzerland, Lucerne | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.04 | 0.01 | 0.01 |
| *Switzerland, Neuchâtel and Jura | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| Switzerland, Ticino | 1 | 0.2 | 0.20 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Switzerland, Valais | 2 | 0.2 | 0.11 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| Switzerland, Vaud | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Switzerland, Zurich and Zug | 2 | 0.0 | 0.02 | 0.01 | 0.00 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| Ukraine | 50 | 0.1 | 0.01 | 0.00 | 0.00 | 62 | 0.1 | 0.01 | 0.00 | 0.00 |
| UK, England | 283 | 0.2 | 0.01 | 0.02 | 0.00 | 214 | 0.1 | 0.01 | 0.01 | 0.00 |
| UK, Northern Ireland | 7 | 0.2 | 0.06 | 0.01 | 0.00 | 8 | 0.1 | 0.05 | 0.01 | 0.00 |
| UK, Scotland | 20 | 0.1 | 0.03 | 0.01 | 0.00 | 20 | 0.1 | 0.02 | 0.01 | 0.00 |
| UK, Wales | 10 | 0.1 | 0.04 | 0.01 | 0.00 | 14 | 0.1 | 0.04 | 0.01 | 0.00 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 51 | 0.3 | 0.04 | 0.02 | 0.00 | 33 | 0.2 | 0.03 | 0.01 | 0.00 |
| *Australia, Northern Territory | 1 | 0.1 | 0.14 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other endocrine (C75) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 1 | 0.2 | <i>0.17</i> | 0.02 | <i>0.02</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Northern Territory: Indigenous | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *Australia, Queensland | 48 | 0.4 | <i>0.06</i> | 0.03 | <i>0.00</i> | 46 | 0.3 | <i>0.04</i> | 0.03 | <i>0.00</i> |
| Australia, South Australia | 7 | 0.1 | <i>0.06</i> | 0.01 | <i>0.00</i> | 6 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> |
| Australia, Tasmania | 9 | 0.6 | <i>0.24</i> | 0.05 | <i>0.02</i> | 8 | 0.6 | <i>0.22</i> | 0.05 | <i>0.02</i> |
| *Australia, Victoria | 31 | 0.2 | <i>0.04</i> | 0.02 | <i>0.00</i> | 28 | 0.1 | <i>0.03</i> | 0.02 | <i>0.00</i> |
| *Australia, Western Australia | 13 | 0.2 | <i>0.06</i> | 0.01 | <i>0.00</i> | 8 | 0.1 | <i>0.05</i> | 0.01 | <i>0.00</i> |
| *France, New Caledonia | 1 | 0.1 | <i>0.13</i> | 0.01 | <i>0.01</i> | 3 | 0.4 | <i>0.22</i> | 0.04 | <i>0.03</i> |
| New Zealand | 20 | 0.2 | <i>0.04</i> | 0.01 | <i>0.00</i> | 14 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *New Zealand: Maori | 6 | 0.3 | <i>0.13</i> | 0.02 | <i>0.01</i> | 3 | 0.2 | <i>0.10</i> | 0.02 | <i>0.01</i> |
| *New Zealand: Pacific peoples | 3 | 0.4 | <i>0.24</i> | 0.03 | <i>0.02</i> | 4 | 0.5 | <i>0.25</i> | 0.03 | <i>0.02</i> |
| *New Zealand: Other | 11 | 0.2 | <i>0.05</i> | 0.01 | <i>0.00</i> | 7 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| USA, Hawaii | 6 | 0.2 | <i>0.08</i> | 0.02 | <i>0.01</i> | 2 | 0.0 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| USA, Hawaii: White | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 1 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> |
| *USA, Hawaii: Japanese | 2 | 0.4 | <i>0.34</i> | 0.04 | <i>0.03</i> | 1 | 0.2 | <i>0.19</i> | 0.02 | <i>0.02</i> |
| *USA, Hawaii: Chinese | 1 | 1.1 | <i>1.06</i> | 0.06 | <i>0.06</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 1 | 0.1 | <i>0.11</i> | 0.03 | <i>0.03</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Filipino | 1 | 0.2 | <i>0.22</i> | 0.01 | <i>0.01</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hodgkin lymphoma (C81)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 23 | 1.2 | 0.27 | 0.11 | 0.03 | 37 | 1.7 | 0.30 | 0.13 | 0.03 |
| *Algeria, Tizi Ouzou | 38 | 2.2 | 0.38 | 0.17 | 0.03 | 53 | 2.5 | 0.36 | 0.20 | 0.03 |
| *Benin, Cotonou | 5 | 0.4 | 0.18 | 0.03 | 0.01 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *France, La Réunion | 35 | 2.1 | 0.37 | 0.16 | 0.03 | 30 | 1.8 | 0.33 | 0.13 | 0.03 |
| *Kenya, Eldoret | 20 | 1.0 | 0.24 | 0.08 | 0.02 | 14 | 0.8 | 0.24 | 0.07 | 0.02 |
| *Kenya, Nairobi | 69 | 1.1 | 0.17 | 0.09 | 0.02 | 44 | 0.7 | 0.14 | 0.06 | 0.01 |
| Mauritius | 27 | 0.8 | 0.16 | 0.06 | 0.01 | 37 | 1.1 | 0.19 | 0.08 | 0.01 |
| *Morocco, Casablanca | 155 | 1.4 | 0.11 | 0.11 | 0.01 | 175 | 1.5 | 0.12 | 0.12 | 0.01 |
| *Seychelles | 4 | 1.8 | 0.96 | 0.24 | 0.14 | 6 | 2.5 | 1.08 | 0.25 | 0.12 |
| *South Africa, Eastern Cape | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| *Uganda, Kyadondo County | 53 | 1.1 | 0.21 | 0.10 | 0.03 | 51 | 1.3 | 0.24 | 0.14 | 0.04 |
| *Uganda, Gulu | 6 | 0.7 | 0.32 | 0.06 | 0.03 | 10 | 1.4 | 0.47 | 0.13 | 0.06 |
| *Zimbabwe, Bulawayo: African | 16 | 1.1 | 0.30 | 0.09 | 0.03 | 15 | 1.0 | 0.27 | 0.09 | 0.03 |
| *Zimbabwe, Harare: African | 32 | 0.9 | 0.20 | 0.09 | 0.03 | 23 | 0.7 | 0.16 | 0.06 | 0.01 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 30 | 1.5 | 0.27 | 0.13 | 0.03 | 18 | 0.7 | 0.18 | 0.06 | 0.02 |
| *Argentina, Mendoza | 99 | 2.1 | 0.21 | 0.21 | 0.02 | 76 | 1.5 | 0.17 | 0.12 | 0.02 |
| Brazil, Aracaju | 21 | 1.7 | 0.38 | 0.15 | 0.04 | 11 | 0.8 | 0.25 | 0.07 | 0.03 |
| *Brazil, Barretos | 19 | 1.5 | 0.35 | 0.14 | 0.04 | 16 | 1.6 | 0.42 | 0.10 | 0.03 |
| Brazil, Belo Horizonte | 134 | 2.1 | 0.18 | 0.17 | 0.02 | 116 | 1.5 | 0.14 | 0.12 | 0.01 |
| *Brazil, Campinas | 54 | 2.2 | 0.31 | 0.20 | 0.03 | 49 | 1.8 | 0.27 | 0.15 | 0.02 |
| *Brazil, Curitiba | 70 | 1.7 | 0.21 | 0.15 | 0.02 | 59 | 1.5 | 0.21 | 0.11 | 0.02 |
| Brazil, Goiânia | 57 | 2.0 | 0.27 | 0.16 | 0.03 | 50 | 1.6 | 0.23 | 0.14 | 0.02 |
| *Brazil, Jaú | 7 | 1.6 | 0.62 | 0.15 | 0.06 | 5 | 1.1 | 0.50 | 0.10 | 0.05 |
| Brazil, João Pessoa | 12 | 1.1 | 0.32 | 0.06 | 0.02 | 14 | 1.1 | 0.29 | 0.11 | 0.03 |
| Brazil, Recife | 28 | 1.1 | 0.22 | 0.09 | 0.02 | 31 | 1.0 | 0.19 | 0.08 | 0.02 |
| Chile, Region of Antofagasta | 8 | 0.7 | 0.27 | 0.09 | 0.04 | 7 | 0.7 | 0.26 | 0.06 | 0.03 |
| Chile, Valdivia | 13 | 1.3 | 0.38 | 0.11 | 0.03 | 19 | 1.4 | 0.35 | 0.12 | 0.03 |
| Colombia, Bucaramanga | 67 | 2.4 | 0.29 | 0.21 | 0.03 | 41 | 1.2 | 0.20 | 0.11 | 0.02 |
| Colombia, Cali | 116 | 2.0 | 0.18 | 0.18 | 0.02 | 83 | 1.2 | 0.13 | 0.10 | 0.01 |
| Colombia, Manizales | 24 | 2.1 | 0.43 | 0.16 | 0.04 | 14 | 1.0 | 0.25 | 0.07 | 0.02 |
| Colombia, Pasto | 10 | 1.0 | 0.32 | 0.10 | 0.04 | 8 | 0.8 | 0.27 | 0.07 | 0.03 |
| Costa Rica | 156 | 1.5 | 0.12 | 0.13 | 0.01 | 139 | 1.4 | 0.12 | 0.11 | 0.01 |
| Ecuador, Guayaquil | 81 | 1.4 | 0.15 | 0.12 | 0.02 | 82 | 1.2 | 0.14 | 0.10 | 0.01 |
| Ecuador, Manabí | 39 | 1.1 | 0.17 | 0.09 | 0.02 | 25 | 0.6 | 0.13 | 0.05 | 0.01 |
| Ecuador, Quito | 65 | 1.5 | 0.19 | 0.15 | 0.03 | 50 | 1.0 | 0.15 | 0.08 | 0.01 |
| *France, Guadeloupe | 16 | 1.5 | 0.40 | 0.12 | 0.03 | 15 | 1.4 | 0.40 | 0.10 | 0.03 |
| *France, Martinique | 10 | 1.1 | 0.38 | 0.09 | 0.03 | 10 | 1.3 | 0.43 | 0.09 | 0.03 |
| *Peru, Lima | 171 | 1.2 | 0.09 | 0.11 | 0.01 | 109 | 0.6 | 0.06 | 0.05 | 0.01 |
| *Trinidad and Tobago | 20 | 0.9 | 0.20 | 0.08 | 0.02 | 19 | 0.9 | 0.20 | 0.06 | 0.02 |
| USA, Puerto Rico | 240 | 2.5 | 0.17 | 0.22 | 0.01 | 220 | 2.2 | 0.16 | 0.17 | 0.01 |
| *Uruguay | 238 | 2.6 | 0.17 | 0.21 | 0.01 | 196 | 2.0 | 0.15 | 0.17 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 314 | 2.7 | 0.16 | 0.22 | 0.01 | 219 | 2.0 | 0.14 | 0.16 | 0.01 |
| Canada, British Columbia | 346 | 2.5 | 0.15 | 0.21 | 0.01 | 242 | 1.9 | 0.13 | 0.14 | 0.01 |
| *Canada, Manitoba | 116 | 3.0 | 0.29 | 0.26 | 0.03 | 73 | 2.0 | 0.25 | 0.16 | 0.02 |
| *Canada, New Brunswick | 66 | 3.2 | 0.45 | 0.26 | 0.03 | 47 | 2.0 | 0.34 | 0.16 | 0.03 |
| *Canada, Newfoundland and Labrador | 33 | 2.2 | 0.42 | 0.20 | 0.03 | 33 | 2.4 | 0.47 | 0.20 | 0.04 |
| Canada, Ontario | 1066 | 2.8 | 0.09 | 0.23 | 0.01 | 919 | 2.4 | 0.09 | 0.19 | 0.01 |
| *Canada, Prince Edward Island | 13 | 3.2 | 1.00 | 0.30 | 0.09 | 9 | 1.8 | 0.71 | 0.14 | 0.05 |
| Canada, Quebec | 736 | 3.0 | 0.12 | 0.26 | 0.01 | 628 | 2.9 | 0.13 | 0.22 | 0.01 |
| Canada, Saskatchewan | 73 | 2.1 | 0.26 | 0.19 | 0.02 | 61 | 1.8 | 0.25 | 0.15 | 0.02 |
| *Canada, Yukon | 3 | 3.5 | 2.11 | 0.17 | 0.12 | 0 | – | 0.00 | – | 0.00 |
| USA | 23888 | 2.6 | 0.02 | 0.22 | 0.00 | 19276 | 2.1 | 0.02 | 0.17 | 0.00 |
| USA: White | 19647 | 2.7 | 0.02 | 0.23 | 0.00 | 15710 | 2.3 | 0.02 | 0.18 | 0.00 |
| USA: Black | 3146 | 2.7 | 0.05 | 0.23 | 0.00 | 2676 | 2.1 | 0.04 | 0.18 | 0.00 |
| USA, NPCR | 23052 | 2.6 | 0.02 | 0.22 | 0.00 | 18671 | 2.1 | 0.02 | 0.17 | 0.00 |
| USA, NPCR: White | 18944 | 2.7 | 0.02 | 0.23 | 0.00 | 15206 | 2.3 | 0.02 | 0.18 | 0.00 |
| USA, NPCR: Black | 3092 | 2.7 | 0.05 | 0.23 | 0.00 | 2634 | 2.1 | 0.04 | 0.18 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 691 | 1.4 | 0.06 | 0.11 | 0.00 | 545 | 1.1 | 0.05 | 0.08 | 0.00 |
| USA, NPCR: American Indian | 93 | 0.8 | 0.08 | 0.08 | 0.01 | 86 | 0.7 | 0.08 | 0.07 | 0.01 |
| *USA, SEER (18 registries) | 6313 | 2.5 | 0.03 | 0.21 | 0.00 | 5026 | 2.0 | 0.03 | 0.16 | 0.00 |
| *USA, SEER (18 registries): White | 4993 | 2.6 | 0.04 | 0.22 | 0.00 | 3980 | 2.2 | 0.04 | 0.18 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 3956 | 2.9 | 0.05 | 0.24 | 0.00 | 3113 | 2.4 | 0.05 | 0.19 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 1037 | 2.1 | 0.07 | 0.19 | 0.01 | 867 | 1.8 | 0.06 | 0.15 | 0.01 |
| *USA, SEER (18 registries): Black | 811 | 2.7 | 0.10 | 0.23 | 0.01 | 651 | 2.0 | 0.08 | 0.17 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 352 | 1.4 | 0.08 | 0.10 | 0.01 | 284 | 1.0 | 0.06 | 0.08 | 0.00 |
| *USA, SEER (9 registries) | 2268 | 2.7 | 0.06 | 0.22 | 0.01 | 1750 | 2.1 | 0.05 | 0.17 | 0.00 |
| *USA, SEER (9 registries): White | 1758 | 2.8 | 0.07 | 0.24 | 0.01 | 1345 | 2.3 | 0.07 | 0.18 | 0.01 |
| *USA, SEER (9 registries): Black | 316 | 3.1 | 0.17 | 0.26 | 0.02 | 249 | 2.2 | 0.14 | 0.18 | 0.01 |
| USA, Alabama | 320 | 2.4 | 0.14 | 0.20 | 0.01 | 269 | 2.0 | 0.13 | 0.16 | 0.01 |
| USA, Alabama: White | 225 | 2.3 | 0.17 | 0.20 | 0.01 | 179 | 1.9 | 0.16 | 0.15 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hodgkin lymphoma (C81) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 88 | 2.6 | 0.28 | 0.22 | 0.02 | 81 | 2.1 | 0.24 | 0.17 | 0.02 |
| USA, Alaska | 42 | 2.0 | 0.31 | 0.15 | 0.02 | 28 | 1.4 | 0.28 | 0.12 | 0.02 |
| *USA, Alaska: Alaska Natives | 3 | 1.0 | 0.55 | 0.06 | 0.04 | 4 | 1.2 | 0.59 | 0.17 | 0.10 |
| USA, Arizona | 427 | 2.1 | 0.11 | 0.18 | 0.01 | 337 | 1.7 | 0.10 | 0.14 | 0.01 |
| USA, Arizona: White | 375 | 2.2 | 0.12 | 0.18 | 0.01 | 306 | 1.8 | 0.11 | 0.15 | 0.01 |
| USA, Arizona: Black | 36 | 3.5 | 0.59 | 0.27 | 0.05 | 17 | 1.8 | 0.44 | 0.13 | 0.04 |
| *USA, Arizona: Asian and Pacific Islander | 12 | 1.6 | 0.46 | 0.13 | 0.04 | 9 | 1.2 | 0.42 | 0.09 | 0.03 |
| USA, Arizona: American Indian | 4 | 0.4 | 0.20 | 0.03 | 0.02 | 5 | 0.4 | 0.20 | 0.03 | 0.02 |
| USA, Arkansas | 222 | 2.7 | 0.19 | 0.23 | 0.02 | 184 | 2.2 | 0.17 | 0.17 | 0.01 |
| USA, Arkansas: White | 180 | 2.6 | 0.21 | 0.22 | 0.02 | 148 | 2.1 | 0.19 | 0.17 | 0.01 |
| USA, Arkansas: Black | 39 | 3.4 | 0.54 | 0.27 | 0.04 | 30 | 2.2 | 0.41 | 0.18 | 0.04 |
| USA, California | 2423 | 2.2 | 0.05 | 0.19 | 0.00 | 1958 | 1.8 | 0.04 | 0.15 | 0.00 |
| USA, California: White | 1993 | 2.4 | 0.06 | 0.20 | 0.00 | 1616 | 2.0 | 0.05 | 0.16 | 0.00 |
| USA, California: Black | 165 | 2.2 | 0.17 | 0.18 | 0.02 | 134 | 1.7 | 0.15 | 0.15 | 0.01 |
| USA, California: Asian and Pacific Islander | 224 | 1.4 | 0.10 | 0.11 | 0.01 | 169 | 0.9 | 0.08 | 0.07 | 0.01 |
| *USA, California, Los Angeles County | 588 | 2.0 | 0.09 | 0.17 | 0.01 | 480 | 1.7 | 0.08 | 0.14 | 0.01 |
| *USA, California, Los Angeles County: White | 473 | 2.2 | 0.11 | 0.19 | 0.01 | 371 | 1.8 | 0.10 | 0.15 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 246 | 2.9 | 0.22 | 0.24 | 0.02 | 185 | 2.4 | 0.20 | 0.19 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 227 | 1.9 | 0.13 | 0.16 | 0.01 | 186 | 1.5 | 0.11 | 0.13 | 0.01 |
| *USA, California, Los Angeles County: Black | 51 | 1.9 | 0.28 | 0.16 | 0.02 | 50 | 1.7 | 0.26 | 0.14 | 0.02 |
| *USA, California, Los Angeles County: Chinese | 9 | 0.7 | 0.29 | 0.05 | 0.02 | 7 | 0.7 | 0.30 | 0.05 | 0.02 |
| *USA, California, Los Angeles County: Filipino | 10 | 1.0 | 0.34 | 0.08 | 0.03 | 16 | 1.2 | 0.33 | 0.10 | 0.03 |
| *USA, California, Los Angeles County: Korean | 4 | 0.5 | 0.28 | 0.04 | 0.03 | 2 | 0.2 | 0.13 | 0.03 | 0.02 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 45 | 1.1 | 0.17 | 0.08 | 0.01 | 43 | 0.9 | 0.15 | 0.07 | 0.01 |
| *USA, California, San Francisco Bay Area | 301 | 2.3 | 0.14 | 0.19 | 0.01 | 247 | 1.9 | 0.13 | 0.15 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 216 | 2.6 | 0.19 | 0.22 | 0.02 | 177 | 2.3 | 0.19 | 0.18 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 160 | 2.9 | 0.26 | 0.24 | 0.02 | 130 | 2.6 | 0.26 | 0.20 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 56 | 2.4 | 0.33 | 0.21 | 0.04 | 47 | 2.0 | 0.30 | 0.16 | 0.03 |
| *USA, California, San Francisco Bay Area: Black | 27 | 2.4 | 0.47 | 0.20 | 0.04 | 25 | 2.0 | 0.42 | 0.18 | 0.04 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 55 | 1.6 | 0.23 | 0.12 | 0.02 | 39 | 1.0 | 0.18 | 0.08 | 0.01 |
| USA, Colorado | 379 | 2.4 | 0.13 | 0.21 | 0.01 | 272 | 1.8 | 0.12 | 0.14 | 0.01 |
| USA, Colorado: White | 346 | 2.4 | 0.13 | 0.21 | 0.01 | 246 | 1.8 | 0.13 | 0.15 | 0.01 |
| *USA, Colorado: Black | 17 | 2.2 | 0.54 | 0.20 | 0.06 | 11 | 1.6 | 0.48 | 0.12 | 0.04 |
| *USA, Colorado: Asian and Pacific Islander | 9 | 1.7 | 0.62 | 0.12 | 0.05 | 8 | 1.5 | 0.54 | 0.10 | 0.03 |
| USA, Connecticut | 338 | 3.3 | 0.19 | 0.28 | 0.02 | 256 | 2.6 | 0.17 | 0.20 | 0.01 |
| USA, Connecticut: White | 274 | 3.3 | 0.21 | 0.27 | 0.02 | 208 | 2.6 | 0.20 | 0.20 | 0.01 |
| USA, Connecticut: Black | 37 | 3.1 | 0.52 | 0.24 | 0.05 | 26 | 2.1 | 0.42 | 0.16 | 0.03 |
| USA, District of Columbia | 45 | 2.3 | 0.36 | 0.20 | 0.03 | 52 | 2.4 | 0.35 | 0.20 | 0.03 |
| USA, District of Columbia: White | 24 | 2.5 | 0.56 | 0.21 | 0.05 | 22 | 2.2 | 0.56 | 0.15 | 0.04 |
| USA, District of Columbia: Black | 18 | 1.9 | 0.46 | 0.19 | 0.05 | 26 | 2.3 | 0.47 | 0.22 | 0.05 |
| USA, Florida | 1890 | 3.1 | 0.08 | 0.27 | 0.01 | 1554 | 2.6 | 0.07 | 0.22 | 0.01 |
| USA, Florida: White | 1554 | 3.2 | 0.09 | 0.28 | 0.01 | 1225 | 2.7 | 0.09 | 0.22 | 0.01 |
| USA, Florida: Black | 243 | 2.6 | 0.17 | 0.24 | 0.02 | 218 | 2.1 | 0.15 | 0.18 | 0.01 |
| USA, Florida: Asian and Pacific Islander | 24 | 1.3 | 0.28 | 0.11 | 0.03 | 16 | 0.9 | 0.25 | 0.07 | 0.02 |
| USA, Georgia | 677 | 2.4 | 0.10 | 0.21 | 0.01 | 567 | 2.0 | 0.09 | 0.16 | 0.01 |
| USA, Georgia: White | 433 | 2.4 | 0.12 | 0.20 | 0.01 | 359 | 2.1 | 0.12 | 0.17 | 0.01 |
| USA, Georgia: Black | 231 | 2.7 | 0.18 | 0.24 | 0.02 | 193 | 1.9 | 0.14 | 0.16 | 0.01 |
| USA, Georgia: Asian and Pacific Islander | 12 | 1.1 | 0.34 | 0.08 | 0.02 | 12 | 1.0 | 0.31 | 0.07 | 0.02 |
| *USA, Georgia, Atlanta | 252 | 2.6 | 0.16 | 0.21 | 0.01 | 219 | 2.1 | 0.15 | 0.17 | 0.01 |
| *USA, Georgia, Atlanta: White | 125 | 2.4 | 0.23 | 0.20 | 0.02 | 97 | 2.1 | 0.22 | 0.16 | 0.02 |
| *USA, Georgia, Atlanta: Black | 121 | 3.2 | 0.29 | 0.27 | 0.03 | 112 | 2.4 | 0.24 | 0.19 | 0.02 |
| USA, Idaho | 108 | 2.4 | 0.24 | 0.19 | 0.02 | 90 | 2.0 | 0.22 | 0.16 | 0.02 |
| USA, Indiana | 526 | 2.9 | 0.13 | 0.25 | 0.01 | 368 | 2.0 | 0.11 | 0.16 | 0.01 |
| USA, Indiana: White | 477 | 2.9 | 0.14 | 0.25 | 0.01 | 332 | 2.1 | 0.12 | 0.17 | 0.01 |
| USA, Indiana: Black | 41 | 2.5 | 0.39 | 0.22 | 0.04 | 27 | 1.5 | 0.29 | 0.12 | 0.03 |
| *USA, Iowa | 268 | 3.0 | 0.19 | 0.26 | 0.02 | 207 | 2.4 | 0.18 | 0.20 | 0.01 |
| USA, Kentucky | 331 | 2.6 | 0.15 | 0.22 | 0.01 | 247 | 2.1 | 0.14 | 0.17 | 0.01 |
| USA, Louisiana | 355 | 2.8 | 0.15 | 0.24 | 0.01 | 299 | 2.2 | 0.14 | 0.19 | 0.01 |
| USA, Louisiana: White | 236 | 2.8 | 0.19 | 0.24 | 0.02 | 207 | 2.4 | 0.18 | 0.20 | 0.01 |
| USA, Louisiana: Black | 113 | 2.9 | 0.27 | 0.25 | 0.03 | 86 | 1.9 | 0.21 | 0.16 | 0.02 |
| *USA, Louisiana, New Orleans | 64 | 2.7 | 0.35 | 0.21 | 0.03 | 59 | 2.3 | 0.32 | 0.20 | 0.03 |
| *USA, Louisiana, New Orleans: White | 40 | 3.2 | 0.56 | 0.24 | 0.04 | 31 | 2.3 | 0.47 | 0.21 | 0.04 |
| *USA, Louisiana, New Orleans: Black | 21 | 2.2 | 0.50 | 0.18 | 0.04 | 24 | 2.0 | 0.43 | 0.18 | 0.04 |
| USA, Maine | 115 | 3.2 | 0.33 | 0.26 | 0.03 | 99 | 2.7 | 0.31 | 0.22 | 0.02 |
| USA, Maryland | 431 | 2.6 | 0.13 | 0.21 | 0.01 | 375 | 2.3 | 0.13 | 0.17 | 0.01 |
| USA, Maryland: White | 276 | 2.6 | 0.17 | 0.21 | 0.01 | 230 | 2.4 | 0.18 | 0.18 | 0.01 |
| USA, Maryland: Black | 134 | 2.8 | 0.24 | 0.23 | 0.02 | 131 | 2.3 | 0.21 | 0.18 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | 20 | 1.9 | 0.45 | 0.16 | 0.04 | 13 | 1.1 | 0.34 | 0.08 | 0.02 |
| USA, Massachusetts | 518 | 2.7 | 0.13 | 0.23 | 0.01 | 464 | 2.4 | 0.12 | 0.19 | 0.01 |
| USA, Massachusetts: White | 456 | 2.9 | 0.14 | 0.24 | 0.01 | 418 | 2.6 | 0.14 | 0.21 | 0.01 |
| USA, Massachusetts: Black | 43 | 2.6 | 0.40 | 0.24 | 0.04 | 27 | 1.4 | 0.28 | 0.12 | 0.02 |
| USA, Massachusetts: Asian and Pacific Islander | 15 | 1.1 | 0.30 | 0.09 | 0.03 | 15 | 1.1 | 0.29 | 0.08 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Hodgkin lymphoma (C81) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 742 | 2.7 | 0.10 | 0.22 | 0.01 | 586 | 2.1 | 0.09 | 0.17 | 0.01 |
| USA, Michigan: White | 625 | 2.7 | 0.12 | 0.23 | 0.01 | 489 | 2.3 | 0.11 | 0.18 | 0.01 |
| USA, Michigan: Black | 104 | 2.8 | 0.28 | 0.23 | 0.02 | 80 | 1.9 | 0.21 | 0.15 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | 7 | 0.7 | 0.28 | 0.06 | 0.02 | 10 | 1.1 | 0.35 | 0.08 | 0.03 |
| *USA, Michigan, Detroit | 329 | 3.2 | 0.18 | 0.26 | 0.01 | 244 | 2.3 | 0.16 | 0.18 | 0.01 |
| *USA, Michigan, Detroit: White | 242 | 3.4 | 0.23 | 0.27 | 0.02 | 183 | 2.6 | 0.21 | 0.20 | 0.02 |
| *USA, Michigan, Detroit: Black | 81 | 3.4 | 0.38 | 0.28 | 0.03 | 53 | 1.8 | 0.25 | 0.15 | 0.02 |
| USA, Minnesota | 468 | 3.0 | 0.15 | 0.26 | 0.01 | 327 | 2.1 | 0.13 | 0.18 | 0.01 |
| USA, Minnesota: White | 427 | 3.1 | 0.16 | 0.27 | 0.01 | 304 | 2.3 | 0.14 | 0.19 | 0.01 |
| USA, Minnesota: Black | 22 | 2.3 | 0.50 | 0.20 | 0.04 | 12 | 1.3 | 0.39 | 0.08 | 0.03 |
| *USA, Minnesota: Asian and Pacific Islander | 9 | 1.2 | 0.41 | 0.09 | 0.03 | 7 | 0.8 | 0.32 | 0.05 | 0.02 |
| USA, Mississippi | 201 | 2.4 | 0.18 | 0.21 | 0.02 | 165 | 1.9 | 0.16 | 0.16 | 0.01 |
| USA, Missouri | 458 | 2.6 | 0.13 | 0.22 | 0.01 | 380 | 2.2 | 0.12 | 0.18 | 0.01 |
| USA, Missouri: White | 405 | 2.7 | 0.15 | 0.23 | 0.01 | 329 | 2.3 | 0.14 | 0.19 | 0.01 |
| USA, Missouri: Black | 48 | 2.5 | 0.36 | 0.22 | 0.03 | 49 | 2.2 | 0.33 | 0.20 | 0.03 |
| USA, Montana | 68 | 2.4 | 0.31 | 0.21 | 0.03 | 57 | 1.9 | 0.28 | 0.15 | 0.02 |
| *USA, Montana: American Indian | 0 | – | 0.00 | – | 0.00 | 3 | 1.6 | 0.96 | 0.13 | 0.07 |
| USA, Nebraska | 166 | 3.1 | 0.25 | 0.26 | 0.02 | 121 | 2.4 | 0.23 | 0.19 | 0.02 |
| USA, Nebraska: White | 156 | 3.1 | 0.27 | 0.27 | 0.02 | 103 | 2.2 | 0.23 | 0.18 | 0.02 |
| *USA, Nebraska: Black | 3 | 1.2 | 0.71 | 0.12 | 0.07 | 15 | 5.8 | 1.50 | 0.42 | 0.11 |
| USA, Nevada | 138 | 1.7 | 0.15 | 0.14 | 0.01 | 128 | 1.7 | 0.16 | 0.13 | 0.01 |
| USA, Nevada: White | 119 | 1.8 | 0.18 | 0.15 | 0.01 | 100 | 1.7 | 0.18 | 0.13 | 0.01 |
| USA, Nevada: Black | 13 | 1.6 | 0.45 | 0.16 | 0.05 | 16 | 1.9 | 0.48 | 0.18 | 0.05 |
| *USA, Nevada: Asian and Pacific Islander | 3 | 0.4 | 0.27 | 0.02 | 0.02 | 7 | 1.0 | 0.41 | 0.06 | 0.02 |
| USA, New Jersey | 780 | 3.2 | 0.12 | 0.27 | 0.01 | 654 | 2.7 | 0.11 | 0.22 | 0.01 |
| USA, New Jersey: White | 633 | 3.4 | 0.15 | 0.29 | 0.01 | 513 | 2.9 | 0.14 | 0.23 | 0.01 |
| USA, New Jersey: Black | 102 | 2.8 | 0.28 | 0.24 | 0.03 | 108 | 2.7 | 0.27 | 0.22 | 0.02 |
| USA, New Mexico | 160 | 2.5 | 0.21 | 0.23 | 0.02 | 97 | 1.6 | 0.18 | 0.14 | 0.01 |
| USA, New Mexico: White | 146 | 2.6 | 0.23 | 0.24 | 0.02 | 88 | 1.8 | 0.21 | 0.15 | 0.02 |
| USA, New Mexico: Non-Hispanic White | 80 | 3.2 | 0.41 | 0.27 | 0.03 | 44 | 2.0 | 0.35 | 0.16 | 0.03 |
| USA, New Mexico: Hispanic White | 66 | 2.4 | 0.30 | 0.24 | 0.03 | 44 | 1.7 | 0.26 | 0.15 | 0.03 |
| *USA, New Mexico: American Indian | 7 | 1.2 | 0.45 | 0.12 | 0.05 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| USA, New York State | 1713 | 3.1 | 0.08 | 0.27 | 0.01 | 1546 | 2.8 | 0.08 | 0.22 | 0.01 |
| USA, New York State: White | 1337 | 3.4 | 0.10 | 0.29 | 0.01 | 1191 | 3.1 | 0.10 | 0.24 | 0.01 |
| USA, New York State: Black | 279 | 2.9 | 0.18 | 0.26 | 0.02 | 281 | 2.6 | 0.16 | 0.22 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 82 | 1.7 | 0.19 | 0.14 | 0.02 | 63 | 1.2 | 0.17 | 0.09 | 0.01 |
| USA, North Carolina | 733 | 2.7 | 0.10 | 0.23 | 0.01 | 564 | 2.0 | 0.09 | 0.16 | 0.01 |
| USA, North Carolina: White | 540 | 2.6 | 0.12 | 0.22 | 0.01 | 410 | 2.1 | 0.11 | 0.16 | 0.01 |
| USA, North Carolina: Black | 169 | 2.9 | 0.23 | 0.25 | 0.02 | 141 | 2.1 | 0.18 | 0.18 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | 12 | 1.3 | 0.40 | 0.12 | 0.04 | 6 | 0.8 | 0.34 | 0.05 | 0.02 |
| *USA, North Carolina: American Indian | 7 | 1.5 | 0.57 | 0.15 | 0.06 | 2 | 0.5 | 0.35 | 0.03 | 0.02 |
| USA, North Dakota | 73 | 3.2 | 0.39 | 0.29 | 0.04 | 36 | 1.9 | 0.33 | 0.16 | 0.03 |
| USA, Ohio | 903 | 2.8 | 0.10 | 0.24 | 0.01 | 718 | 2.2 | 0.09 | 0.17 | 0.01 |
| USA, Ohio: White | 787 | 2.9 | 0.11 | 0.24 | 0.01 | 610 | 2.3 | 0.10 | 0.18 | 0.01 |
| USA, Ohio: Black | 106 | 2.6 | 0.26 | 0.23 | 0.02 | 97 | 2.2 | 0.22 | 0.19 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 7 | 1.0 | 0.38 | 0.07 | 0.03 | 6 | 0.8 | 0.34 | 0.05 | 0.02 |
| USA, Oklahoma | 243 | 2.2 | 0.15 | 0.19 | 0.01 | 206 | 1.9 | 0.14 | 0.16 | 0.01 |
| USA, Oklahoma: White | 204 | 2.4 | 0.18 | 0.20 | 0.01 | 173 | 2.1 | 0.17 | 0.17 | 0.01 |
| USA, Oklahoma: Black | 21 | 2.4 | 0.52 | 0.22 | 0.06 | 19 | 2.1 | 0.48 | 0.18 | 0.04 |
| USA, Oklahoma: American Indian | 15 | 1.3 | 0.34 | 0.10 | 0.03 | 11 | 1.0 | 0.30 | 0.09 | 0.03 |
| USA, Oregon | 258 | 2.2 | 0.15 | 0.19 | 0.01 | 232 | 2.0 | 0.15 | 0.16 | 0.01 |
| USA, Oregon: White | 238 | 2.3 | 0.16 | 0.20 | 0.01 | 215 | 2.1 | 0.16 | 0.16 | 0.01 |
| *USA, Oregon: Black | 4 | 1.4 | 0.68 | 0.14 | 0.07 | 4 | 1.5 | 0.75 | 0.11 | 0.06 |
| *USA, Oregon: Asian and Pacific Islander | 7 | 1.2 | 0.45 | 0.08 | 0.03 | 7 | 1.2 | 0.45 | 0.08 | 0.03 |
| USA, Rhode Island | 94 | 3.1 | 0.35 | 0.26 | 0.03 | 94 | 3.1 | 0.35 | 0.26 | 0.03 |
| USA, Rhode Island: White | 87 | 3.3 | 0.38 | 0.28 | 0.03 | 85 | 3.3 | 0.39 | 0.28 | 0.03 |
| *USA, Rhode Island: Black | 6 | 2.6 | 1.06 | 0.19 | 0.08 | 6 | 2.3 | 0.94 | 0.18 | 0.07 |
| USA, South Carolina | 342 | 2.5 | 0.14 | 0.21 | 0.01 | 280 | 1.9 | 0.13 | 0.16 | 0.01 |
| USA, South Carolina: White | 238 | 2.4 | 0.17 | 0.20 | 0.01 | 195 | 1.9 | 0.15 | 0.16 | 0.01 |
| USA, South Carolina: Black | 98 | 2.8 | 0.29 | 0.24 | 0.03 | 82 | 2.0 | 0.23 | 0.17 | 0.02 |
| USA, South Dakota | 59 | 2.3 | 0.32 | 0.22 | 0.03 | 43 | 2.1 | 0.34 | 0.15 | 0.02 |
| USA, Tennessee | 475 | 2.7 | 0.13 | 0.22 | 0.01 | 380 | 2.1 | 0.12 | 0.17 | 0.01 |
| USA, Tennessee: White | 384 | 2.6 | 0.14 | 0.22 | 0.01 | 315 | 2.2 | 0.14 | 0.18 | 0.01 |
| USA, Tennessee: Black | 81 | 2.8 | 0.31 | 0.23 | 0.03 | 59 | 1.9 | 0.25 | 0.14 | 0.02 |
| USA, Texas | 1744 | 2.3 | 0.06 | 0.20 | 0.01 | 1433 | 1.9 | 0.05 | 0.15 | 0.00 |
| USA, Texas: White | 1436 | 2.3 | 0.06 | 0.20 | 0.01 | 1186 | 1.9 | 0.06 | 0.16 | 0.00 |
| USA, Texas: Black | 254 | 2.7 | 0.17 | 0.23 | 0.02 | 205 | 2.0 | 0.14 | 0.18 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 47 | 1.3 | 0.20 | 0.10 | 0.02 | 39 | 1.0 | 0.17 | 0.07 | 0.01 |
| USA, Utah | 181 | 2.3 | 0.17 | 0.19 | 0.02 | 167 | 2.1 | 0.17 | 0.16 | 0.01 |
| USA, Vermont | 49 | 2.9 | 0.45 | 0.22 | 0.03 | 42 | 2.3 | 0.39 | 0.17 | 0.03 |
| USA, Washington State | 517 | 2.5 | 0.12 | 0.22 | 0.01 | 386 | 2.0 | 0.11 | 0.16 | 0.01 |
| *USA, Washington, Seattle | 369 | 2.6 | 0.15 | 0.22 | 0.01 | 268 | 2.0 | 0.13 | 0.16 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hodgkin lymphoma (C81) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 137 | 2.6 | 0.24 | 0.22 | 0.02 | 105 | 2.2 | 0.23 | 0.18 | 0.02 |
| USA, Wyoming | 40 | 2.2 | 0.39 | 0.18 | 0.03 | 24 | 1.4 | 0.31 | 0.12 | 0.03 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 51 | 3.1 | 0.44 | 0.25 | 0.04 | 36 | 2.3 | 0.39 | 0.21 | 0.04 |
| Brunei Darussalam | 21 | 1.8 | 0.42 | 0.18 | 0.06 | 5 | 0.5 | 0.21 | 0.04 | 0.02 |
| *China, Anfu County | 5 | 0.4 | 0.20 | 0.06 | 0.03 | 3 | 0.5 | 0.35 | 0.04 | 0.02 |
| *China, Anguo City | 6 | 0.5 | 0.19 | 0.06 | 0.03 | 4 | 0.3 | 0.15 | 0.03 | 0.01 |
| *China, Anshan City | 22 | 0.3 | 0.08 | 0.03 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Aohan Banner, Chifeng City | 7 | 0.6 | 0.23 | 0.05 | 0.02 | 2 | 0.1 | 0.09 | 0.02 | 0.01 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 2 | 0.3 | 0.20 | 0.04 | 0.03 |
| *China, Baoding City | 18 | 0.5 | 0.13 | 0.04 | 0.01 | 10 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Beijing City | 149 | 0.5 | 0.06 | 0.05 | 0.00 | 95 | 0.4 | 0.05 | 0.03 | 0.00 |
| *China, Binhai County | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Cangzhou City | 4 | 0.2 | 0.12 | 0.02 | 0.02 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Changfeng County | 0 | – | 0.00 | – | 0.00 | 4 | 0.3 | 0.15 | 0.04 | 0.02 |
| China, Changzhou City | 38 | 0.4 | 0.07 | 0.04 | 0.01 | 13 | 0.2 | 0.06 | 0.01 | 0.01 |
| China, Chengdu City | 22 | 0.6 | 0.12 | 0.06 | 0.02 | 14 | 0.5 | 0.17 | 0.06 | 0.02 |
| China, Cixian County | 8 | 0.5 | 0.17 | 0.06 | 0.03 | 9 | 0.5 | 0.17 | 0.06 | 0.03 |
| China, Cixi City | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 9 | 0.3 | 0.16 | 0.02 | 0.01 |
| *China, Dafeng District, Yancheng City | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.2 | 0.13 | 0.01 | 0.01 |
| China, Dalian City | 37 | 0.5 | 0.10 | 0.05 | 0.01 | 16 | 0.2 | 0.05 | 0.02 | 0.01 |
| *China, Dancheng County | 10 | 0.3 | 0.11 | 0.03 | 0.01 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Dangtu County | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 8 | 0.2 | 0.07 | 0.03 | 0.01 | 6 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Dawukou District, Shizuishan City | 2 | 0.2 | 0.15 | 0.01 | 0.01 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Dehui City | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Donggang County | 16 | 0.7 | 0.20 | 0.07 | 0.02 | 18 | 0.7 | 0.17 | 0.07 | 0.02 |
| *China, Dongguan City | 12 | 0.4 | 0.11 | 0.04 | 0.01 | 13 | 0.3 | 0.09 | 0.03 | 0.01 |
| China, Donghai County | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Dongtai City | 12 | 0.2 | 0.07 | 0.03 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Duanzhou District, Zhaoqing City | 3 | 0.3 | 0.21 | 0.04 | 0.02 | 3 | 0.4 | 0.22 | 0.03 | 0.02 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.33 | 0.03 | 0.03 |
| *China, Faku County | 2 | 0.3 | 0.18 | 0.01 | 0.01 | 4 | 0.3 | 0.16 | 0.02 | 0.01 |
| *China, Fangcheng County | 10 | 0.5 | 0.18 | 0.06 | 0.02 | 16 | 0.7 | 0.19 | 0.08 | 0.02 |
| *China, Feicheng City | 7 | 0.3 | 0.12 | 0.02 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Feixi County | 15 | 0.4 | 0.10 | 0.05 | 0.01 | 10 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Fuqing City | 8 | 0.3 | 0.11 | 0.02 | 0.01 | 4 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Ganyu District, Lianyungang City | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 3 | 0.3 | 0.20 | 0.03 | 0.02 | 1 | 0.1 | 0.15 | 0.01 | 0.01 |
| *China, Gaocheng City | 5 | 0.2 | 0.12 | 0.02 | 0.01 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Gaomi City | 14 | 0.5 | 0.15 | 0.06 | 0.02 | 8 | 0.3 | 0.10 | 0.04 | 0.02 |
| China, Gong'an County | 7 | 0.2 | 0.09 | 0.03 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.00 |
| *China, Guang'an District, Guang'an City | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Guanghan City | 2 | 0.2 | 0.14 | 0.01 | 0.01 | 2 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Guangzhou City | 95 | 0.4 | 0.04 | 0.03 | 0.00 | 78 | 0.3 | 0.04 | 0.03 | 0.00 |
| *China, Guanyun County | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Guilin City | 10 | 0.4 | 0.13 | 0.04 | 0.02 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Hai'an City | 10 | 0.2 | 0.06 | 0.02 | 0.01 | 13 | 0.4 | 0.13 | 0.04 | 0.01 |
| China, Hailar District, Hulun Buir City | 4 | 0.3 | 0.18 | 0.06 | 0.03 | 3 | 0.3 | 0.16 | 0.03 | 0.02 |
| China, Haimen District, Nantong City | 4 | 0.1 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Haining City | 7 | 0.2 | 0.11 | 0.02 | 0.01 | 2 | 0.2 | 0.12 | 0.01 | 0.01 |
| China, Hangzhou City | 84 | 0.4 | 0.05 | 0.04 | 0.00 | 53 | 0.2 | 0.04 | 0.02 | 0.00 |
| China, Hebi City | 35 | 2.8 | 0.49 | 0.30 | 0.07 | 18 | 1.5 | 0.40 | 0.12 | 0.03 |
| China, Hefei City | 29 | 0.4 | 0.08 | 0.03 | 0.01 | 15 | 0.2 | 0.05 | 0.02 | 0.01 |
| China, Hengdong County | 3 | 0.2 | 0.11 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Hengfeng County | 7 | 1.4 | 0.55 | 0.06 | 0.04 | 2 | 0.3 | 0.21 | 0.01 | 0.01 |
| *China, Hepu County | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Honghu City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Hongshan District, Chifeng City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.3 | 0.22 | 0.03 | 0.02 |
| *China, Hongta District, Yuxi City | 2 | 0.3 | 0.20 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 3 | 0.1 | 0.08 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Jiange County | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 4 | 0.2 | 0.12 | 0.05 | 0.03 |
| China, Jiangmen City | 7 | 0.4 | 0.17 | 0.04 | 0.02 | 8 | 0.6 | 0.23 | 0.03 | 0.01 |
| *China, Jiangyin City | 9 | 0.2 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Jiashan County | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 2 | 0.2 | 0.16 | 0.02 | 0.01 |
| China, Jiayu County | 2 | 0.5 | 0.43 | 0.03 | 0.02 | 1 | 0.1 | 0.14 | 0.02 | 0.02 |
| *China, Jinan City | 23 | 0.4 | 0.08 | 0.03 | 0.01 | 18 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Jingtai County | 3 | 0.6 | 0.37 | 0.05 | 0.03 | 2 | 0.3 | 0.24 | 0.02 | 0.01 |
| *China, Jingxian County | 10 | 1.2 | 0.47 | 0.10 | 0.03 | 2 | 0.2 | 0.11 | 0.02 | 0.01 |
| *China, Jintan District, Changzhou City | 6 | 0.3 | 0.12 | 0.04 | 0.02 | 5 | 0.2 | 0.09 | 0.03 | 0.02 |
| *China, Jiulongpo District, Chongqing City | 7 | 0.4 | 0.18 | 0.03 | 0.01 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| *China, Jiyuan City | 5 | 0.2 | 0.11 | 0.03 | 0.01 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hodgkin lymphoma (C81) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 5 | 0.6 | 0.26 | 0.05 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Kunshan City | 9 | 0.6 | 0.24 | 0.04 | 0.02 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Langzhong City | 2 | 0.1 | 0.07 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Liangshan County | 6 | 0.3 | 0.11 | 0.02 | 0.01 | 5 | 0.3 | 0.13 | 0.02 | 0.01 |
| *China, Lianshui County | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Lianyungang City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Linhe District, Bayannur City | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 5 | 0.4 | 0.18 | 0.06 | 0.03 |
| China, Linqu County | 14 | 0.4 | 0.11 | 0.04 | 0.01 | 7 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Linzhou City | 11 | 0.3 | 0.09 | 0.03 | 0.01 | 4 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Liuzhou City | 18 | 0.5 | 0.12 | 0.05 | 0.01 | 6 | 0.2 | 0.08 | 0.01 | 0.00 |
| China, Liyang City | 8 | 0.3 | 0.15 | 0.03 | 0.01 | 9 | 0.2 | 0.10 | 0.03 | 0.01 |
| *China, Longquan City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| China, Lucheng District, Wenzhou City | 4 | 0.4 | 0.22 | 0.03 | 0.02 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Luoding City | 3 | 0.1 | 0.08 | 0.02 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| *China, Luohe City | 19 | 0.5 | 0.11 | 0.06 | 0.02 | 14 | 0.4 | 0.11 | 0.04 | 0.01 |
| *China, Luoyang City | 15 | 0.4 | 0.12 | 0.05 | 0.01 | 10 | 0.2 | 0.08 | 0.03 | 0.01 |
| *China, Luquan City | 4 | 0.3 | 0.16 | 0.04 | 0.03 | 4 | 0.3 | 0.15 | 0.03 | 0.02 |
| China, Ma'anshan City | 4 | 0.2 | 0.10 | 0.01 | 0.01 | 3 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Macheng City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.2 | 0.16 | 0.02 | 0.01 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Mengjin County | 2 | 0.2 | 0.12 | 0.03 | 0.03 | 2 | 0.3 | 0.19 | 0.02 | 0.01 |
| China, Nangang District, Harbin City | 6 | 0.2 | 0.10 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Nanhai District, Foshan City | 10 | 0.5 | 0.15 | 0.04 | 0.01 | 8 | 0.3 | 0.12 | 0.03 | 0.01 |
| China, Nanhu District, Jiaying City | 5 | 0.2 | 0.10 | 0.03 | 0.02 | 6 | 0.4 | 0.23 | 0.03 | 0.02 |
| *China, Nantong City | 20 | 0.4 | 0.11 | 0.04 | 0.01 | 13 | 0.2 | 0.06 | 0.03 | 0.01 |
| *China, Nanxiong City | 3 | 0.3 | 0.18 | 0.02 | 0.01 | 3 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Neixiang County | 14 | 0.7 | 0.18 | 0.06 | 0.02 | 10 | 0.5 | 0.15 | 0.06 | 0.02 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 5 | 0.2 | 0.09 | 0.01 | 0.01 | 9 | 0.3 | 0.11 | 0.02 | 0.01 |
| China, Qingzhou City | 9 | 0.4 | 0.13 | 0.04 | 0.01 | 5 | 0.3 | 0.16 | 0.02 | 0.01 |
| *China, Rudong County | 38 | 0.6 | 0.11 | 0.06 | 0.01 | 17 | 0.3 | 0.14 | 0.03 | 0.01 |
| *China, Rugao City | 30 | 0.4 | 0.08 | 0.04 | 0.01 | 20 | 0.4 | 0.13 | 0.03 | 0.01 |
| *China, Rural areas of Shanghai City | 127 | 0.5 | 0.06 | 0.04 | 0.00 | 56 | 0.3 | 0.05 | 0.02 | 0.00 |
| China, Ruyang County | 3 | 0.2 | 0.15 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Shan County | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Shanghai City | 94 | 0.6 | 0.08 | 0.04 | 0.01 | 57 | 0.4 | 0.08 | 0.03 | 0.00 |
| China, Shangyu District, Shaoxing City | 8 | 0.3 | 0.11 | 0.02 | 0.01 | 3 | 0.2 | 0.13 | 0.01 | 0.01 |
| *China, Shapingba District, Chongqing City | 13 | 0.5 | 0.14 | 0.05 | 0.01 | 6 | 0.3 | 0.19 | 0.02 | 0.01 |
| China, Shexian County | 5 | 0.4 | 0.16 | 0.04 | 0.02 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Sheyang County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Shijiazhuang City | 22 | 0.5 | 0.14 | 0.05 | 0.01 | 14 | 0.4 | 0.13 | 0.03 | 0.01 |
| China, Shunde District, Foshan City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.2 | 0.07 | 0.01 | 0.01 |
| *China, Song County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.02 | 0.02 |
| China, Suzhou City | 43 | 0.4 | 0.07 | 0.04 | 0.01 | 32 | 0.3 | 0.07 | 0.02 | 0.01 |
| *China, Tengzhou City | 11 | 0.2 | 0.07 | 0.02 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Wangdu County | 10 | 1.7 | 0.57 | 0.19 | 0.06 | 9 | 1.3 | 0.43 | 0.12 | 0.05 |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuhan City | 72 | 0.5 | 0.07 | 0.04 | 0.01 | 61 | 0.5 | 0.07 | 0.04 | 0.01 |
| *China, Wuhu City | 8 | 0.3 | 0.12 | 0.01 | 0.01 | 5 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Wuxi City | 24 | 0.3 | 0.07 | 0.03 | 0.01 | 22 | 0.2 | 0.05 | 0.02 | 0.01 |
| China, Wuzhou City | 5 | 0.3 | 0.13 | 0.04 | 0.02 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Xiangfu District, Kaifeng City | 7 | 0.4 | 0.15 | 0.05 | 0.02 | 7 | 0.3 | 0.13 | 0.03 | 0.01 |
| China, Xianju County | 5 | 0.3 | 0.15 | 0.03 | 0.01 | 2 | 0.1 | 0.09 | 0.03 | 0.02 |
| *China, Xin'an County | 3 | 0.3 | 0.18 | 0.02 | 0.01 | 1 | 0.1 | 0.10 | 0.02 | 0.02 |
| *China, Xining City | 5 | 0.2 | 0.09 | 0.03 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Xinji City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 4 | 0.3 | 0.17 | 0.03 | 0.01 |
| *China, Xinluo District, Longyan City | 3 | 0.4 | 0.27 | 0.03 | 0.02 | 2 | 0.3 | 0.26 | 0.02 | 0.02 |
| *China, Xinzhou District, Shangrao City | 6 | 0.4 | 0.18 | 0.04 | 0.02 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Xiping County | 9 | 0.3 | 0.12 | 0.03 | 0.01 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Xishan District, Kunming City | 6 | 0.7 | 0.38 | 0.04 | 0.02 | 4 | 0.3 | 0.14 | 0.03 | 0.02 |
| *China, Xuyi County | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ya'an City | 21 | 0.4 | 0.10 | 0.05 | 0.01 | 10 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Yakeshi City | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Yancheng City | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Yangquan City | 5 | 0.2 | 0.11 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.2 | 0.09 | 0.01 | 0.01 |
| *China, Yanshi City | 4 | 0.2 | 0.11 | 0.02 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Yanting County | 19 | 1.7 | 0.45 | 0.11 | 0.03 | 11 | 0.7 | 0.23 | 0.06 | 0.02 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hodgkin lymphoma (C81) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 3 | 0.3 | 0.19 | 0.05 | 0.03 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | 2 | 0.2 | 0.11 | 0.02 | 0.02 |
| China, Yong'an City | 4 | 0.3 | 0.16 | 0.04 | 0.02 | 2 | 0.2 | 0.16 | 0.02 | 0.01 |
| *China, Yongding District, Longyan City | 8 | 0.6 | 0.20 | 0.07 | 0.03 | 6 | 0.6 | 0.25 | 0.04 | 0.02 |
| China, Yongkang City | 7 | 0.4 | 0.15 | 0.03 | 0.01 | 4 | 0.3 | 0.15 | 0.02 | 0.01 |
| *China, Yucheng County | 8 | 0.4 | 0.15 | 0.04 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Yueyanglou District, Yueyang City | 3 | 0.3 | 0.17 | 0.02 | 0.01 | 3 | 0.6 | 0.36 | 0.04 | 0.02 |
| China, Yunmeng County | 49 | 3.1 | 0.45 | 0.39 | 0.06 | 24 | 1.4 | 0.28 | 0.15 | 0.04 |
| *China, Yunyang District, Shiyuan City | 3 | 0.2 | 0.13 | 0.04 | 0.02 | 4 | 0.4 | 0.22 | 0.03 | 0.02 |
| China, Yuzhong District, Chongqing City | 14 | 0.7 | 0.20 | 0.09 | 0.03 | 9 | 0.5 | 0.17 | 0.06 | 0.02 |
| *China, Zhanhuang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 4 | 0.1 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Zhaoyuan City | 1 | 0.2 | 0.18 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Zhengding County | 5 | 0.4 | 0.17 | 0.05 | 0.03 | 6 | 0.4 | 0.18 | 0.04 | 0.02 |
| *China, Zhongshan City | 19 | 0.4 | 0.10 | 0.04 | 0.01 | 13 | 0.3 | 0.09 | 0.02 | 0.01 |
| China, Zhongxiang City | 16 | 0.6 | 0.16 | 0.06 | 0.02 | 11 | 0.4 | 0.16 | 0.04 | 0.01 |
| *China, Zhuanghe City | 5 | 0.3 | 0.14 | 0.02 | 0.01 | 6 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Zhuhai City | 12 | 0.4 | 0.12 | 0.03 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| India, Ahmedabad, Urban | 117 | 0.9 | 0.08 | 0.07 | 0.01 | 67 | 0.5 | 0.07 | 0.05 | 0.01 |
| India, Aurangabad | 21 | 0.6 | 0.14 | 0.07 | 0.02 | 14 | 0.4 | 0.11 | 0.03 | 0.01 |
| India, Bangalore | 205 | 1.6 | 0.12 | 0.15 | 0.01 | 113 | 0.9 | 0.09 | 0.11 | 0.01 |
| India, Barshi, Paranda, and Bhum | 4 | 0.3 | 0.14 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *India, Bhopal | 24 | 0.7 | 0.15 | 0.05 | 0.01 | 11 | 0.3 | 0.09 | 0.02 | 0.01 |
| India, Chandigarh | 25 | 0.8 | 0.17 | 0.08 | 0.02 | 10 | 0.4 | 0.13 | 0.04 | 0.02 |
| *India, Chennai | 146 | 1.2 | 0.11 | 0.10 | 0.01 | 107 | 0.9 | 0.09 | 0.08 | 0.01 |
| India, Dibrugarh | 11 | 0.3 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.02 | 0.01 |
| *India, Dindigul, Ambilikai | 32 | 0.6 | 0.10 | 0.05 | 0.01 | 20 | 0.3 | 0.08 | 0.03 | 0.01 |
| India, Kamrup Urban District | 21 | 0.8 | 0.19 | 0.08 | 0.02 | 19 | 0.7 | 0.17 | 0.06 | 0.02 |
| India, Kollam | 64 | 1.3 | 0.16 | 0.10 | 0.01 | 34 | 0.6 | 0.11 | 0.04 | 0.01 |
| *India, Manipur | 15 | 0.3 | 0.08 | 0.04 | 0.01 | 11 | 0.2 | 0.07 | 0.02 | 0.01 |
| India, Meghalaya | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, Mizoram | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, Mumbai | 320 | 1.0 | 0.06 | 0.08 | 0.01 | 196 | 0.6 | 0.05 | 0.06 | 0.01 |
| *India, New Delhi | 467 | 1.7 | 0.08 | 0.14 | 0.01 | 227 | 1.0 | 0.07 | 0.10 | 0.01 |
| India, Poona | 103 | 0.7 | 0.08 | 0.07 | 0.01 | 59 | 0.4 | 0.06 | 0.04 | 0.01 |
| *India, Sangrur District | 9 | 0.3 | 0.10 | 0.02 | 0.01 | 12 | 0.5 | 0.13 | 0.05 | 0.02 |
| India, SAS Nagar | 25 | 0.8 | 0.17 | 0.06 | 0.02 | 13 | 0.5 | 0.13 | 0.03 | 0.01 |
| *India, Tamil Nadu | 1333 | 0.7 | 0.02 | 0.06 | 0.00 | 672 | 0.3 | 0.01 | 0.03 | 0.00 |
| *India, Tripura | 30 | 0.4 | 0.07 | 0.03 | 0.01 | 17 | 0.2 | 0.06 | 0.02 | 0.01 |
| India, Trivandrum | 114 | 1.7 | 0.16 | 0.14 | 0.01 | 68 | 0.9 | 0.11 | 0.07 | 0.01 |
| India, Wardha | 24 | 0.7 | 0.15 | 0.05 | 0.01 | 13 | 0.3 | 0.10 | 0.04 | 0.01 |
| India, West Arunachal | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 36 | 1.7 | 0.29 | 0.15 | 0.03 | 24 | 1.2 | 0.25 | 0.12 | 0.03 |
| *Iran (Islamic Republic of), Golestan Province | 47 | 1.8 | 0.27 | 0.15 | 0.03 | 46 | 1.6 | 0.24 | 0.12 | 0.02 |
| Israel | 776 | 3.6 | 0.13 | 0.31 | 0.01 | 691 | 3.2 | 0.12 | 0.25 | 0.01 |
| *Israel: Jews | 602 | 3.7 | 0.16 | 0.31 | 0.01 | 509 | 3.1 | 0.14 | 0.25 | 0.01 |
| *Israel: Arabs | 144 | 3.3 | 0.28 | 0.27 | 0.03 | 150 | 3.5 | 0.29 | 0.28 | 0.03 |
| Japan | 2293 | 0.8 | 0.02 | 0.08 | 0.00 | 1512 | 0.6 | 0.02 | 0.05 | 0.00 |
| Japan, Aichi Prefecture | 135 | 0.8 | 0.09 | 0.08 | 0.01 | 102 | 0.7 | 0.08 | 0.06 | 0.01 |
| *Japan, Akita Prefecture | 13 | 0.8 | 0.30 | 0.06 | 0.02 | 10 | 0.2 | 0.10 | 0.02 | 0.01 |
| Japan, Aomori Prefecture | 53 | 1.3 | 0.21 | 0.11 | 0.02 | 29 | 0.6 | 0.16 | 0.05 | 0.01 |
| Japan, Gunma Prefecture | 32 | 0.5 | 0.12 | 0.06 | 0.01 | 20 | 0.5 | 0.13 | 0.04 | 0.01 |
| Japan, Hiroshima Prefecture | 71 | 0.7 | 0.10 | 0.06 | 0.01 | 35 | 0.5 | 0.11 | 0.04 | 0.01 |
| Japan, Miyagi Prefecture | 74 | 0.9 | 0.12 | 0.08 | 0.01 | 38 | 0.5 | 0.10 | 0.04 | 0.01 |
| Japan, Osaka Prefecture | 168 | 0.8 | 0.08 | 0.09 | 0.01 | 127 | 0.6 | 0.07 | 0.05 | 0.01 |
| Kuwait | 217 | 2.0 | 0.16 | 0.15 | 0.02 | 153 | 2.1 | 0.19 | 0.17 | 0.02 |
| *Kuwait: Kuwaitis | 109 | 3.6 | 0.36 | 0.29 | 0.04 | 91 | 2.8 | 0.30 | 0.23 | 0.03 |
| *Kuwait: Non-Kuwaitis | 108 | 1.6 | 0.24 | 0.12 | 0.02 | 62 | 1.6 | 0.25 | 0.13 | 0.02 |
| *Philippines, Manila | 102 | 0.6 | 0.06 | 0.05 | 0.01 | 96 | 0.5 | 0.06 | 0.04 | 0.01 |
| *Qatar: Qatari | 30 | 4.6 | 0.86 | 0.32 | 0.06 | 17 | 2.5 | 0.61 | 0.18 | 0.05 |
| Republic of Korea | 893 | 0.6 | 0.02 | 0.05 | 0.00 | 530 | 0.4 | 0.02 | 0.03 | 0.00 |
| *Republic of Korea, Busan | 66 | 0.6 | 0.08 | 0.05 | 0.01 | 36 | 0.3 | 0.06 | 0.03 | 0.01 |
| *Republic of Korea, Daegu | 44 | 0.6 | 0.10 | 0.05 | 0.01 | 26 | 0.4 | 0.08 | 0.03 | 0.01 |
| *Republic of Korea, Daejeon | 23 | 0.5 | 0.11 | 0.05 | 0.01 | 14 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Republic of Korea, Gwangju | 26 | 0.7 | 0.14 | 0.05 | 0.01 | 14 | 0.3 | 0.10 | 0.03 | 0.01 |
| Republic of Korea, Incheon | 43 | 0.6 | 0.09 | 0.05 | 0.01 | 34 | 0.4 | 0.07 | 0.03 | 0.01 |
| Republic of Korea, Jeju | 6 | 0.3 | 0.14 | 0.03 | 0.01 | 3 | 0.2 | 0.12 | 0.01 | 0.01 |
| Republic of Korea, Seoul | 200 | 0.7 | 0.05 | 0.06 | 0.00 | 132 | 0.5 | 0.05 | 0.04 | 0.00 |
| Republic of Korea, Ulsan | 19 | 0.6 | 0.13 | 0.05 | 0.01 | 7 | 0.2 | 0.10 | 0.02 | 0.01 |
| Singapore | 99 | 1.0 | 0.10 | 0.08 | 0.01 | 93 | 1.0 | 0.11 | 0.07 | 0.01 |
| Singapore: Chinese | 61 | 0.8 | 0.11 | 0.06 | 0.01 | 57 | 0.9 | 0.12 | 0.06 | 0.01 |
| Singapore: Indian | 15 | 1.5 | 0.40 | 0.14 | 0.04 | 7 | 0.9 | 0.34 | 0.06 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Hodgkin lymphoma (C81) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 21 | 1.5 | 0.34 | 0.13 | 0.03 | 27 | 1.9 | 0.38 | 0.13 | 0.03 |
| Thailand, Bangkok | 65 | 0.4 | 0.06 | 0.03 | 0.00 | 61 | 0.3 | 0.05 | 0.03 | 0.00 |
| *Thailand, Chiang Mai | 35 | 0.7 | 0.12 | 0.08 | 0.02 | 21 | 0.4 | 0.10 | 0.04 | 0.01 |
| *Thailand, Khon Kaen | 18 | 0.4 | 0.09 | 0.03 | 0.01 | 15 | 0.3 | 0.08 | 0.03 | 0.01 |
| Thailand, Lampang | 17 | 1.0 | 0.27 | 0.07 | 0.02 | 8 | 0.3 | 0.12 | 0.03 | 0.01 |
| Thailand, Lopburi Province | 7 | 0.3 | 0.13 | 0.03 | 0.01 | 4 | 0.2 | 0.12 | 0.02 | 0.01 |
| *Thailand, Songkhla | 27 | 0.7 | 0.15 | 0.05 | 0.01 | 23 | 0.6 | 0.13 | 0.06 | 0.01 |
| Turkey, Antalya | 106 | 1.8 | 0.18 | 0.16 | 0.02 | 81 | 1.4 | 0.16 | 0.11 | 0.01 |
| Turkey, Bursa | 133 | 1.8 | 0.16 | 0.15 | 0.02 | 101 | 1.4 | 0.15 | 0.11 | 0.01 |
| *Turkey, Edirne | 22 | 2.0 | 0.47 | 0.17 | 0.04 | 14 | 1.2 | 0.32 | 0.10 | 0.03 |
| *Turkey, Erzurum | 42 | 2.3 | 0.35 | 0.19 | 0.03 | 21 | 1.1 | 0.24 | 0.11 | 0.03 |
| Turkey, Eskişehir | 52 | 2.3 | 0.32 | 0.21 | 0.03 | 31 | 1.3 | 0.25 | 0.10 | 0.02 |
| Turkey, Gaziantep | 109 | 2.4 | 0.23 | 0.19 | 0.02 | 45 | 1.0 | 0.15 | 0.08 | 0.02 |
| *Turkey, Izmir | 282 | 2.4 | 0.15 | 0.21 | 0.01 | 182 | 1.6 | 0.12 | 0.13 | 0.01 |
| Turkey, Malatya | 53 | 2.6 | 0.36 | 0.22 | 0.04 | 28 | 1.3 | 0.26 | 0.12 | 0.03 |
| Turkey, Samsun | 64 | 1.8 | 0.23 | 0.15 | 0.02 | 60 | 1.7 | 0.22 | 0.13 | 0.02 |
| Turkey, Trabzon | 48 | 2.3 | 0.33 | 0.20 | 0.03 | 32 | 1.5 | 0.27 | 0.11 | 0.02 |
| Europe | | | | | | | | | | |
| Austria | 503 | 2.0 | 0.10 | 0.16 | 0.01 | 389 | 1.6 | 0.09 | 0.13 | 0.01 |
| Austria, Carinthia | 40 | 2.6 | 0.46 | 0.21 | 0.04 | 26 | 1.7 | 0.38 | 0.14 | 0.03 |
| Austria, Tyrol | 63 | 2.9 | 0.42 | 0.25 | 0.03 | 49 | 2.4 | 0.38 | 0.19 | 0.03 |
| Austria, Vorarlberg | 35 | 2.8 | 0.53 | 0.24 | 0.05 | 20 | 1.9 | 0.48 | 0.13 | 0.03 |
| Belarus | 583 | 2.4 | 0.11 | 0.20 | 0.01 | 679 | 2.7 | 0.11 | 0.20 | 0.01 |
| *Belgium | 1021 | 3.4 | 0.11 | 0.27 | 0.01 | 707 | 2.5 | 0.10 | 0.19 | 0.01 |
| Croatia | 261 | 2.4 | 0.16 | 0.19 | 0.01 | 273 | 2.5 | 0.17 | 0.19 | 0.01 |
| Cyprus | 100 | 4.3 | 0.45 | 0.35 | 0.04 | 91 | 3.7 | 0.40 | 0.29 | 0.03 |
| *Czech Republic | 780 | 2.4 | 0.10 | 0.22 | 0.01 | 606 | 2.0 | 0.09 | 0.16 | 0.01 |
| Denmark | 452 | 2.8 | 0.14 | 0.24 | 0.01 | 318 | 2.1 | 0.13 | 0.16 | 0.01 |
| Estonia | 89 | 2.5 | 0.29 | 0.19 | 0.02 | 101 | 2.7 | 0.31 | 0.22 | 0.02 |
| Finland | 482 | 3.0 | 0.15 | 0.25 | 0.01 | 351 | 2.4 | 0.14 | 0.18 | 0.01 |
| *France, Bas-Rhin | 77 | 3.1 | 0.38 | 0.25 | 0.03 | 63 | 2.6 | 0.35 | 0.20 | 0.03 |
| *France, Calvados | 51 | 3.1 | 0.45 | 0.23 | 0.03 | 41 | 2.5 | 0.41 | 0.19 | 0.03 |
| *France, Doubs | 47 | 3.2 | 0.49 | 0.27 | 0.04 | 36 | 3.1 | 0.54 | 0.21 | 0.04 |
| *France, Gironde | 168 | 4.1 | 0.34 | 0.32 | 0.03 | 109 | 2.5 | 0.26 | 0.19 | 0.02 |
| *France, Haut-Rhin | 83 | 4.1 | 0.50 | 0.32 | 0.04 | 52 | 2.8 | 0.42 | 0.21 | 0.03 |
| *France, Hérault | 117 | 4.1 | 0.40 | 0.32 | 0.03 | 79 | 2.7 | 0.33 | 0.20 | 0.02 |
| *France, Isère | 110 | 3.4 | 0.34 | 0.25 | 0.03 | 91 | 2.8 | 0.33 | 0.21 | 0.02 |
| *France, Lille-Métropole | 78 | 3.6 | 0.42 | 0.28 | 0.03 | 56 | 2.5 | 0.35 | 0.19 | 0.03 |
| *France, Limousin | 36 | 3.5 | 0.65 | 0.32 | 0.06 | 30 | 2.8 | 0.60 | 0.22 | 0.04 |
| *France, Loire-Atlantique | 119 | 3.5 | 0.34 | 0.26 | 0.03 | 84 | 2.4 | 0.29 | 0.17 | 0.02 |
| *France, Manche | 37 | 2.9 | 0.54 | 0.23 | 0.04 | 42 | 4.2 | 0.72 | 0.29 | 0.05 |
| *France, Poitou-Charentes | 178 | 3.8 | 0.31 | 0.30 | 0.02 | 137 | 3.1 | 0.30 | 0.24 | 0.02 |
| *France, Somme | 38 | 2.5 | 0.42 | 0.21 | 0.04 | 37 | 2.6 | 0.45 | 0.19 | 0.03 |
| *France, Tarn | 30 | 2.6 | 0.58 | 0.21 | 0.04 | 34 | 3.9 | 0.75 | 0.28 | 0.05 |
| *France, Territoire de Belfort | 10 | 2.9 | 1.02 | 0.24 | 0.09 | 9 | 2.4 | 0.96 | 0.18 | 0.07 |
| *France, Vendée | 50 | 3.1 | 0.51 | 0.23 | 0.04 | 67 | 4.5 | 0.64 | 0.34 | 0.05 |
| Germany, Baden-Württemberg | 507 | 2.4 | 0.12 | 0.21 | 0.01 | 419 | 2.0 | 0.11 | 0.17 | 0.01 |
| Germany, Bavaria | 1017 | 2.7 | 0.09 | 0.22 | 0.01 | 742 | 2.1 | 0.09 | 0.17 | 0.01 |
| Germany, Bremen | 64 | 3.3 | 0.46 | 0.28 | 0.04 | 57 | 2.8 | 0.43 | 0.24 | 0.03 |
| Germany, Hamburg | 184 | 3.3 | 0.27 | 0.29 | 0.02 | 136 | 2.5 | 0.25 | 0.20 | 0.02 |
| Germany, Lower Saxony | 642 | 2.8 | 0.12 | 0.23 | 0.01 | 498 | 2.3 | 0.12 | 0.18 | 0.01 |
| Germany, North Rhine-Westphalia | 1576 | 3.0 | 0.09 | 0.25 | 0.01 | 1104 | 2.2 | 0.08 | 0.17 | 0.01 |
| Germany, Rhineland-Palatinate | 295 | 2.6 | 0.17 | 0.21 | 0.01 | 257 | 2.3 | 0.16 | 0.18 | 0.01 |
| Germany, Saarland | 68 | 2.5 | 0.35 | 0.20 | 0.03 | 69 | 2.6 | 0.37 | 0.20 | 0.03 |
| Germany, Schleswig-Holstein | 316 | 3.7 | 0.25 | 0.31 | 0.02 | 197 | 2.3 | 0.20 | 0.18 | 0.01 |
| Iceland | 29 | 3.1 | 0.59 | 0.26 | 0.05 | 26 | 3.0 | 0.61 | 0.24 | 0.05 |
| Ireland | 437 | 3.4 | 0.17 | 0.29 | 0.02 | 334 | 2.7 | 0.16 | 0.22 | 0.01 |
| *Italy, Aosta Valley | 8 | 2.1 | 0.77 | 0.26 | 0.09 | 7 | 3.8 | 1.63 | 0.24 | 0.10 |
| *Italy, Avellino | 38 | 5.9 | 1.09 | 0.46 | 0.08 | 33 | 4.8 | 0.93 | 0.38 | 0.07 |
| Italy, Basilicata | 67 | 4.7 | 0.64 | 0.34 | 0.04 | 52 | 4.2 | 0.65 | 0.31 | 0.04 |
| *Italy, Benevento | 32 | 5.1 | 0.98 | 0.43 | 0.08 | 28 | 5.2 | 1.07 | 0.37 | 0.07 |
| Italy, Bergamo | 125 | 4.2 | 0.43 | 0.34 | 0.03 | 96 | 3.8 | 0.44 | 0.28 | 0.03 |
| *Italy, Brescia | 122 | 3.7 | 0.38 | 0.32 | 0.03 | 92 | 3.0 | 0.36 | 0.23 | 0.03 |
| Italy, Brianza (Lecco and Monza e Brianza) | 71 | 4.1 | 0.55 | 0.32 | 0.04 | 70 | 4.0 | 0.55 | 0.30 | 0.04 |
| Italy, Calabria | 67 | 4.6 | 0.62 | 0.36 | 0.05 | 48 | 3.1 | 0.51 | 0.26 | 0.04 |
| *Italy, Caserta | 86 | 4.8 | 0.54 | 0.37 | 0.04 | 89 | 5.2 | 0.58 | 0.37 | 0.04 |
| *Italy, Catania, Messina, and Enna | 220 | 4.6 | 0.34 | 0.34 | 0.02 | 147 | 3.3 | 0.30 | 0.24 | 0.02 |
| Italy, Emilia-Romagna | 376 | 3.9 | 0.24 | 0.33 | 0.02 | 302 | 3.6 | 0.25 | 0.27 | 0.02 |
| Italy, Friuli-Venezia Giulia | 137 | 4.3 | 0.43 | 0.35 | 0.03 | 108 | 4.1 | 0.46 | 0.30 | 0.03 |
| Italy, Genova | 94 | 5.1 | 0.64 | 0.39 | 0.05 | 58 | 3.8 | 0.61 | 0.27 | 0.04 |
| *Italy, Lombardy, South, Pavia | 43 | 3.0 | 0.54 | 0.24 | 0.04 | 33 | 2.6 | 0.53 | 0.20 | 0.04 |
| Italy, Mantova and Cremona | 54 | 3.5 | 0.56 | 0.25 | 0.04 | 64 | 4.7 | 0.68 | 0.33 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Hodgkin lymphoma (C81) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 135 | 3.9 | 0.39 | 0.32 | 0.03 | 114 | 3.7 | 0.42 | 0.28 | 0.03 |
| Italy, Milan | 350 | 3.9 | 0.24 | 0.31 | 0.02 | 284 | 3.3 | 0.23 | 0.25 | 0.02 |
| Italy, Molise | 17 | 2.6 | 0.72 | 0.25 | 0.07 | 13 | 2.8 | 0.85 | 0.20 | 0.06 |
| *Italy, Naples Centre | 56 | 3.7 | 0.53 | 0.33 | 0.05 | 76 | 5.0 | 0.62 | 0.39 | 0.05 |
| *Italy, Naples North | 84 | 3.9 | 0.44 | 0.32 | 0.04 | 74 | 3.4 | 0.41 | 0.26 | 0.03 |
| *Italy, Naples South | 116 | 4.2 | 0.41 | 0.32 | 0.03 | 110 | 4.1 | 0.42 | 0.32 | 0.03 |
| *Italy, Nuoro | 10 | 3.8 | 1.34 | 0.23 | 0.08 | 11 | 3.4 | 1.08 | 0.27 | 0.08 |
| *Italy, Palermo | 125 | 3.6 | 0.35 | 0.30 | 0.03 | 113 | 3.4 | 0.35 | 0.26 | 0.03 |
| Italy, Puglia | 420 | 4.1 | 0.22 | 0.31 | 0.02 | 360 | 3.7 | 0.21 | 0.27 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 52 | 3.4 | 0.52 | 0.28 | 0.04 | 48 | 3.2 | 0.51 | 0.24 | 0.04 |
| *Italy, Salerno | 80 | 3.6 | 0.43 | 0.28 | 0.03 | 99 | 4.4 | 0.48 | 0.33 | 0.03 |
| Italy, Sassari | 24 | 3.8 | 0.87 | 0.32 | 0.07 | 22 | 4.3 | 1.07 | 0.34 | 0.08 |
| *Italy, Sondrio | 13 | 2.2 | 0.69 | 0.19 | 0.05 | 13 | 2.3 | 0.74 | 0.20 | 0.06 |
| Italy, South Tyrol | 46 | 3.2 | 0.52 | 0.28 | 0.04 | 34 | 2.5 | 0.47 | 0.19 | 0.04 |
| *Italy, Syracuse | 32 | 3.0 | 0.57 | 0.22 | 0.04 | 29 | 3.3 | 0.65 | 0.24 | 0.04 |
| Italy, Trento | 59 | 4.4 | 0.65 | 0.34 | 0.05 | 44 | 3.4 | 0.59 | 0.25 | 0.04 |
| Italy, Turin | 200 | 3.5 | 0.29 | 0.28 | 0.02 | 177 | 3.6 | 0.31 | 0.26 | 0.02 |
| *Italy, Tuscany | 240 | 5.0 | 0.37 | 0.39 | 0.03 | 179 | 3.7 | 0.33 | 0.28 | 0.02 |
| Italy, Umbria | 62 | 3.3 | 0.49 | 0.26 | 0.04 | 65 | 3.5 | 0.52 | 0.27 | 0.04 |
| Italy, Varese | 57 | 4.3 | 0.66 | 0.33 | 0.05 | 42 | 3.5 | 0.62 | 0.26 | 0.04 |
| Italy, Veneto | 506 | 4.0 | 0.21 | 0.32 | 0.02 | 463 | 3.9 | 0.21 | 0.30 | 0.01 |
| Latvia | 132 | 2.7 | 0.26 | 0.20 | 0.02 | 126 | 2.2 | 0.23 | 0.17 | 0.02 |
| *Liechtenstein | 3 | 2.8 | 1.70 | 0.23 | 0.14 | 2 | 1.8 | 1.48 | 0.09 | 0.09 |
| *Lithuania | 124 | 1.8 | 0.17 | 0.13 | 0.01 | 137 | 1.9 | 0.18 | 0.14 | 0.01 |
| Malta | 47 | 3.4 | 0.52 | 0.27 | 0.04 | 40 | 3.4 | 0.61 | 0.26 | 0.04 |
| *The Netherlands | 1356 | 2.9 | 0.09 | 0.24 | 0.01 | 1006 | 2.3 | 0.08 | 0.18 | 0.01 |
| Norway | 446 | 3.0 | 0.15 | 0.26 | 0.01 | 292 | 2.1 | 0.13 | 0.16 | 0.01 |
| Poland, Kielce | 71 | 2.1 | 0.27 | 0.17 | 0.02 | 67 | 1.9 | 0.26 | 0.15 | 0.02 |
| *Portugal, Azores | 27 | 4.5 | 0.90 | 0.35 | 0.07 | 15 | 2.6 | 0.73 | 0.21 | 0.06 |
| Russian Federation, Arkhangelsk | 71 | 2.3 | 0.30 | 0.18 | 0.02 | 56 | 1.6 | 0.24 | 0.12 | 0.02 |
| Russian Federation, Kaliningrad | 49 | 1.9 | 0.28 | 0.16 | 0.03 | 69 | 3.0 | 0.40 | 0.21 | 0.03 |
| Russian Federation, Karelia | 30 | 1.7 | 0.33 | 0.15 | 0.03 | 36 | 2.2 | 0.41 | 0.17 | 0.03 |
| *Russian Federation, Komi Republic | 62 | 2.8 | 0.38 | 0.23 | 0.03 | 58 | 2.4 | 0.35 | 0.18 | 0.03 |
| Russian Federation, Murmansk | 57 | 3.0 | 0.43 | 0.23 | 0.04 | 39 | 2.0 | 0.37 | 0.14 | 0.02 |
| *Russian Federation, Orenburg | 122 | 2.3 | 0.22 | 0.20 | 0.02 | 114 | 2.0 | 0.20 | 0.16 | 0.02 |
| Russian Federation, Pskov | 54 | 2.9 | 0.41 | 0.26 | 0.04 | 62 | 3.3 | 0.47 | 0.26 | 0.04 |
| *Russian Federation, Samara | 200 | 2.3 | 0.18 | 0.19 | 0.01 | 245 | 2.6 | 0.19 | 0.21 | 0.01 |
| Russian Federation, Vologda Region | 79 | 2.7 | 0.32 | 0.22 | 0.03 | 76 | 2.6 | 0.34 | 0.19 | 0.02 |
| Slovenia | 139 | 2.6 | 0.25 | 0.19 | 0.02 | 127 | 2.5 | 0.26 | 0.19 | 0.02 |
| Spain, Asturias | 41 | 2.3 | 0.44 | 0.18 | 0.03 | 42 | 2.2 | 0.43 | 0.19 | 0.03 |
| Spain, Basque Country | 207 | 4.2 | 0.34 | 0.35 | 0.03 | 122 | 3.2 | 0.34 | 0.23 | 0.02 |
| Spain, Canary Islands | 83 | 2.1 | 0.25 | 0.18 | 0.02 | 68 | 1.8 | 0.24 | 0.14 | 0.02 |
| Spain, Castellón | 44 | 2.6 | 0.44 | 0.21 | 0.03 | 35 | 2.0 | 0.38 | 0.15 | 0.03 |
| Spain, Girona | 58 | 3.0 | 0.44 | 0.22 | 0.03 | 42 | 2.2 | 0.39 | 0.17 | 0.03 |
| Spain, Granada | 61 | 2.6 | 0.36 | 0.19 | 0.03 | 47 | 2.0 | 0.33 | 0.16 | 0.03 |
| Spain, La Rioja | 27 | 2.5 | 0.54 | 0.22 | 0.05 | 30 | 4.0 | 0.83 | 0.30 | 0.06 |
| Spain, Murcia | 129 | 3.4 | 0.32 | 0.29 | 0.03 | 112 | 2.8 | 0.29 | 0.21 | 0.02 |
| Spain, Navarra | 48 | 3.5 | 0.56 | 0.28 | 0.04 | 38 | 2.5 | 0.49 | 0.20 | 0.04 |
| Spain, Salamanca | 38 | 3.8 | 0.70 | 0.33 | 0.06 | 40 | 4.3 | 0.82 | 0.35 | 0.06 |
| Spain, Tarragona | 68 | 2.9 | 0.40 | 0.24 | 0.03 | 51 | 2.4 | 0.39 | 0.18 | 0.03 |
| *Sweden | 622 | 2.2 | 0.10 | 0.18 | 0.01 | 491 | 1.8 | 0.09 | 0.15 | 0.01 |
| Switzerland, Aargau | 48 | 2.4 | 0.38 | 0.21 | 0.03 | 36 | 2.0 | 0.38 | 0.16 | 0.03 |
| Switzerland, Basel | 33 | 2.6 | 0.51 | 0.22 | 0.04 | 28 | 2.2 | 0.50 | 0.16 | 0.03 |
| Switzerland, Berne Solothurn | 86 | 3.7 | 0.46 | 0.29 | 0.03 | 52 | 2.3 | 0.35 | 0.18 | 0.03 |
| Switzerland, East | 72 | 3.1 | 0.41 | 0.23 | 0.03 | 59 | 2.8 | 0.40 | 0.20 | 0.03 |
| *Switzerland, Fribourg | 35 | 3.8 | 0.68 | 0.32 | 0.06 | 21 | 2.3 | 0.56 | 0.18 | 0.05 |
| Switzerland, Geneva | 53 | 3.7 | 0.55 | 0.29 | 0.05 | 40 | 3.2 | 0.55 | 0.25 | 0.04 |
| *Switzerland, Graubünden and Glarus | 31 | 4.1 | 0.81 | 0.34 | 0.07 | 21 | 2.5 | 0.65 | 0.22 | 0.06 |
| *Switzerland, Lucerne | 43 | 2.8 | 0.47 | 0.23 | 0.04 | 34 | 2.7 | 0.49 | 0.21 | 0.04 |
| *Switzerland, Neuchâtel and Jura | 29 | 5.4 | 1.04 | 0.37 | 0.07 | 16 | 2.3 | 0.65 | 0.19 | 0.05 |
| Switzerland, Ticino | 48 | 4.7 | 0.77 | 0.39 | 0.06 | 33 | 3.2 | 0.67 | 0.25 | 0.05 |
| Switzerland, Valais | 25 | 2.7 | 0.59 | 0.21 | 0.05 | 29 | 3.4 | 0.70 | 0.26 | 0.05 |
| Switzerland, Vaud | 69 | 3.3 | 0.42 | 0.27 | 0.03 | 54 | 2.5 | 0.38 | 0.21 | 0.03 |
| Switzerland, Zurich and Zug | 166 | 3.9 | 0.34 | 0.29 | 0.02 | 100 | 2.4 | 0.26 | 0.19 | 0.02 |
| Ukraine | 2118 | 2.3 | 0.05 | 0.18 | 0.00 | 2455 | 2.5 | 0.06 | 0.19 | 0.00 |
| UK, England | 5038 | 3.2 | 0.05 | 0.27 | 0.00 | 3771 | 2.4 | 0.04 | 0.19 | 0.00 |
| UK, Northern Ireland | 182 | 3.3 | 0.26 | 0.30 | 0.02 | 127 | 2.5 | 0.24 | 0.20 | 0.02 |
| UK, Scotland | 466 | 3.0 | 0.15 | 0.25 | 0.01 | 373 | 2.3 | 0.13 | 0.18 | 0.01 |
| UK, Wales | 284 | 3.1 | 0.20 | 0.27 | 0.02 | 210 | 2.4 | 0.19 | 0.19 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 599 | 2.6 | 0.11 | 0.22 | 0.01 | 517 | 2.4 | 0.11 | 0.18 | 0.01 |
| *Australia, Northern Territory | 9 | 1.2 | 0.42 | 0.13 | 0.05 | 10 | 1.6 | 0.54 | 0.11 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Hodgkin lymphoma (C81) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 7 | 1.2 | 0.45 | 0.13 | 0.06 | 8 | 2.2 | 0.81 | 0.14 | 0.05 |
| *Australia, Northern Territory: Indigenous | 2 | 1.1 | 0.80 | 0.11 | 0.09 | 2 | 1.1 | 0.74 | 0.09 | 0.06 |
| *Australia, Queensland | 365 | 2.6 | 0.15 | 0.22 | 0.01 | 311 | 2.3 | 0.14 | 0.19 | 0.01 |
| Australia, South Australia | 122 | 2.4 | 0.24 | 0.20 | 0.02 | 115 | 2.4 | 0.24 | 0.19 | 0.02 |
| Australia, Tasmania | 50 | 3.5 | 0.53 | 0.29 | 0.04 | 29 | 2.1 | 0.44 | 0.17 | 0.03 |
| *Australia, Victoria | 541 | 3.1 | 0.14 | 0.27 | 0.01 | 421 | 2.6 | 0.13 | 0.20 | 0.01 |
| *Australia, Western Australia | 160 | 2.3 | 0.19 | 0.19 | 0.02 | 132 | 1.9 | 0.18 | 0.16 | 0.01 |
| *France, New Caledonia | 20 | 2.6 | 0.58 | 0.26 | 0.07 | 7 | 1.0 | 0.40 | 0.06 | 0.02 |
| New Zealand | 294 | 2.3 | 0.14 | 0.19 | 0.01 | 238 | 1.9 | 0.13 | 0.15 | 0.01 |
| *New Zealand: Maori | 36 | 2.1 | 0.35 | 0.18 | 0.04 | 31 | 1.6 | 0.29 | 0.14 | 0.03 |
| *New Zealand: Pacific peoples | 18 | 2.4 | 0.57 | 0.19 | 0.05 | 16 | 2.1 | 0.53 | 0.16 | 0.05 |
| *New Zealand: Other | 216 | 2.6 | 0.20 | 0.21 | 0.02 | 179 | 2.3 | 0.19 | 0.18 | 0.01 |
| USA, Hawaii | 70 | 1.6 | 0.21 | 0.13 | 0.02 | 45 | 1.1 | 0.18 | 0.09 | 0.02 |
| USA, Hawaii: White | 34 | 2.3 | 0.43 | 0.20 | 0.04 | 17 | 2.0 | 0.60 | 0.15 | 0.04 |
| *USA, Hawaii: Japanese | 8 | 0.9 | 0.43 | 0.08 | 0.04 | 5 | 0.8 | 0.50 | 0.06 | 0.03 |
| *USA, Hawaii: Chinese | 2 | 0.5 | 0.38 | 0.04 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *USA, Hawaii: Hawaiian | 13 | 1.5 | 0.42 | 0.10 | 0.03 | 11 | 1.2 | 0.38 | 0.14 | 0.05 |
| *USA, Hawaii: Filipino | 6 | 0.8 | 0.34 | 0.08 | 0.04 | 9 | 1.3 | 0.45 | 0.11 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Non-Hodgkin lymphoma (C82–86,C96)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 64 | 4.1 | 0.54 | 0.43 | 0.07 | 55 | 3.8 | 0.54 | 0.39 | 0.07 |
| *Algeria, Tizi Ouzou | 67 | 4.4 | 0.55 | 0.56 | 0.08 | 71 | 4.0 | 0.49 | 0.42 | 0.06 |
| *Benin, Cotonou | 15 | 2.0 | 0.60 | 0.23 | 0.08 | 14 | 1.6 | 0.46 | 0.18 | 0.07 |
| *France, La Réunion | 158 | 7.9 | 0.65 | 0.78 | 0.08 | 107 | 4.5 | 0.46 | 0.48 | 0.06 |
| *Kenya, Eldoret | 51 | 3.0 | 0.46 | 0.26 | 0.06 | 41 | 3.2 | 0.56 | 0.38 | 0.08 |
| *Kenya, Nairobi | 219 | 5.9 | 0.52 | 0.66 | 0.08 | 169 | 5.0 | 0.49 | 0.52 | 0.07 |
| Mauritius | 121 | 3.3 | 0.31 | 0.31 | 0.03 | 82 | 2.1 | 0.24 | 0.22 | 0.03 |
| *Morocco, Casablanca | 467 | 4.4 | 0.21 | 0.48 | 0.03 | 364 | 3.2 | 0.17 | 0.39 | 0.03 |
| *Seychelles | 9 | 3.2 | 1.09 | 0.42 | 0.16 | 11 | 4.3 | 1.37 | 0.44 | 0.15 |
| *South Africa, Eastern Cape | 17 | 1.5 | 0.39 | 0.16 | 0.05 | 18 | 1.2 | 0.29 | 0.13 | 0.03 |
| *Uganda, Kyadondo County | 219 | 6.0 | 0.56 | 0.59 | 0.08 | 137 | 3.4 | 0.37 | 0.30 | 0.04 |
| *Uganda, Gulu | 91 | 11.5 | 1.52 | 1.11 | 0.20 | 83 | 9.8 | 1.23 | 1.00 | 0.16 |
| *Zimbabwe, Bulawayo: African | 167 | 15.4 | 1.28 | 1.46 | 0.15 | 173 | 12.2 | 1.00 | 1.23 | 0.13 |
| *Zimbabwe, Harare: African | 347 | 13.7 | 0.86 | 1.44 | 0.12 | 288 | 10.6 | 0.72 | 1.08 | 0.09 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 121 | 5.4 | 0.50 | 0.63 | 0.07 | 78 | 2.8 | 0.33 | 0.34 | 0.05 |
| *Argentina, Mendoza | 391 | 8.0 | 0.41 | 0.87 | 0.05 | 292 | 5.1 | 0.31 | 0.54 | 0.04 |
| Brazil, Aracaju | 76 | 7.4 | 0.86 | 0.75 | 0.12 | 72 | 4.8 | 0.59 | 0.50 | 0.07 |
| *Brazil, Barretos | 63 | 4.9 | 0.64 | 0.52 | 0.08 | 35 | 2.5 | 0.45 | 0.26 | 0.05 |
| Brazil, Belo Horizonte | 474 | 6.8 | 0.32 | 0.72 | 0.04 | 421 | 4.4 | 0.23 | 0.50 | 0.03 |
| *Brazil, Campinas | 198 | 8.6 | 0.62 | 0.85 | 0.08 | 201 | 6.9 | 0.50 | 0.82 | 0.07 |
| *Brazil, Curitiba | 298 | 7.5 | 0.44 | 0.82 | 0.06 | 265 | 5.2 | 0.33 | 0.56 | 0.04 |
| Brazil, Goiânia | 190 | 7.2 | 0.53 | 0.79 | 0.07 | 150 | 4.5 | 0.37 | 0.48 | 0.05 |
| *Brazil, Jaú | 28 | 6.8 | 1.32 | 0.71 | 0.16 | 16 | 3.3 | 0.86 | 0.37 | 0.12 |
| Brazil, João Pessoa | 62 | 6.1 | 0.79 | 0.64 | 0.10 | 68 | 4.5 | 0.56 | 0.54 | 0.08 |
| Brazil, Recife | 119 | 4.9 | 0.46 | 0.51 | 0.06 | 150 | 3.9 | 0.34 | 0.44 | 0.05 |
| Chile, Region of Antofagasta | 66 | 6.5 | 0.82 | 0.72 | 0.11 | 50 | 4.8 | 0.69 | 0.56 | 0.10 |
| Chile, Valdivia | 77 | 5.9 | 0.69 | 0.61 | 0.09 | 68 | 5.3 | 0.69 | 0.61 | 0.08 |
| Colombia, Bucaramanga | 238 | 8.2 | 0.54 | 0.86 | 0.07 | 230 | 6.2 | 0.43 | 0.64 | 0.05 |
| Colombia, Cali | 623 | 10.5 | 0.43 | 1.13 | 0.06 | 586 | 7.5 | 0.32 | 0.82 | 0.04 |
| Colombia, Manizales | 97 | 7.4 | 0.74 | 0.70 | 0.09 | 95 | 5.8 | 0.58 | 0.62 | 0.07 |
| Colombia, Pasto | 71 | 6.9 | 0.83 | 0.80 | 0.12 | 72 | 5.5 | 0.67 | 0.67 | 0.10 |
| Costa Rica | 454 | 4.6 | 0.22 | 0.49 | 0.03 | 358 | 3.4 | 0.18 | 0.40 | 0.03 |
| Ecuador, Guayaquil | 445 | 8.1 | 0.39 | 0.92 | 0.06 | 380 | 6.2 | 0.33 | 0.71 | 0.05 |
| Ecuador, Manabí | 236 | 6.5 | 0.43 | 0.68 | 0.06 | 185 | 5.1 | 0.38 | 0.50 | 0.05 |
| Ecuador, Quito | 631 | 15.0 | 0.61 | 1.59 | 0.09 | 587 | 11.7 | 0.49 | 1.31 | 0.07 |
| *France, Guadeloupe | 79 | 5.5 | 0.68 | 0.59 | 0.08 | 56 | 2.5 | 0.37 | 0.30 | 0.05 |
| *France, Martinique | 62 | 4.0 | 0.59 | 0.42 | 0.06 | 55 | 3.2 | 0.49 | 0.33 | 0.05 |
| *Peru, Lima | 1826 | 12.9 | 0.31 | 1.34 | 0.04 | 1568 | 9.4 | 0.24 | 1.03 | 0.03 |
| *Trinidad and Tobago | 97 | 4.1 | 0.43 | 0.47 | 0.06 | 78 | 3.0 | 0.35 | 0.32 | 0.04 |
| USA, Puerto Rico | 1510 | 10.9 | 0.31 | 1.17 | 0.04 | 1336 | 7.9 | 0.25 | 0.88 | 0.03 |
| *Uruguay | 1249 | 10.9 | 0.33 | 1.19 | 0.04 | 1133 | 7.6 | 0.25 | 0.89 | 0.03 |
| North America | | | | | | | | | | |
| Canada, Alberta | 1938 | 12.9 | 0.31 | 1.43 | 0.04 | 1458 | 9.1 | 0.26 | 1.01 | 0.03 |
| Canada, British Columbia | 2900 | 12.9 | 0.26 | 1.44 | 0.03 | 2311 | 9.3 | 0.22 | 1.04 | 0.03 |
| *Canada, Manitoba | 781 | 14.8 | 0.56 | 1.72 | 0.08 | 634 | 10.3 | 0.45 | 1.18 | 0.06 |
| *Canada, New Brunswick | 553 | 14.3 | 0.66 | 1.63 | 0.08 | 472 | 12.0 | 0.66 | 1.31 | 0.07 |
| *Canada, Newfoundland and Labrador | 385 | 15.4 | 0.87 | 1.82 | 0.11 | 325 | 11.6 | 0.72 | 1.30 | 0.09 |
| Canada, Ontario | 8650 | 14.9 | 0.17 | 1.63 | 0.02 | 6859 | 10.3 | 0.14 | 1.16 | 0.02 |
| *Canada, Prince Edward Island | 97 | 15.4 | 1.68 | 1.75 | 0.20 | 59 | 9.2 | 1.38 | 1.04 | 0.15 |
| Canada, Quebec | 5761 | 15.1 | 0.22 | 1.66 | 0.03 | 4440 | 10.4 | 0.18 | 1.15 | 0.02 |
| Canada, Saskatchewan | 573 | 12.5 | 0.55 | 1.38 | 0.07 | 496 | 9.2 | 0.47 | 1.02 | 0.06 |
| *Canada, Yukon | 14 | 8.8 | 2.39 | 0.87 | 0.29 | 12 | 8.2 | 2.39 | 0.78 | 0.27 |
| USA | 176804 | 14.0 | 0.04 | 1.54 | 0.00 | 142556 | 9.6 | 0.03 | 1.07 | 0.00 |
| USA: White | 154616 | 14.5 | 0.04 | 1.59 | 0.01 | 123154 | 10.0 | 0.03 | 1.11 | 0.00 |
| USA: Black | 13546 | 10.8 | 0.09 | 1.17 | 0.01 | 11897 | 7.5 | 0.07 | 0.82 | 0.01 |
| USA, NPCR | 171153 | 14.0 | 0.04 | 1.54 | 0.00 | 138039 | 9.6 | 0.03 | 1.07 | 0.00 |
| USA, NPCR: White | 149762 | 14.5 | 0.04 | 1.60 | 0.01 | 119299 | 10.0 | 0.03 | 1.12 | 0.00 |
| USA, NPCR: Black | 13377 | 10.9 | 0.10 | 1.17 | 0.01 | 11788 | 7.5 | 0.07 | 0.82 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 5468 | 9.7 | 0.14 | 1.03 | 0.02 | 4601 | 6.7 | 0.10 | 0.73 | 0.01 |
| USA, NPCR: American Indian | 706 | 6.2 | 0.24 | 0.70 | 0.03 | 639 | 5.1 | 0.20 | 0.59 | 0.03 |
| *USA, SEER (18 registries) | 44928 | 13.5 | 0.07 | 1.46 | 0.01 | 35782 | 9.1 | 0.05 | 1.01 | 0.01 |
| *USA, SEER (18 registries): White | 37302 | 14.0 | 0.08 | 1.53 | 0.01 | 29362 | 9.6 | 0.06 | 1.06 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 31640 | 14.4 | 0.09 | 1.57 | 0.01 | 24491 | 9.6 | 0.07 | 1.07 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 5662 | 12.6 | 0.17 | 1.37 | 0.02 | 4871 | 9.6 | 0.14 | 1.06 | 0.02 |
| *USA, SEER (18 registries): Black | 3451 | 10.7 | 0.18 | 1.16 | 0.02 | 2865 | 7.1 | 0.14 | 0.78 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 3282 | 9.9 | 0.18 | 1.06 | 0.02 | 2752 | 6.7 | 0.14 | 0.72 | 0.02 |
| *USA, SEER (9 registries) | 15913 | 13.8 | 0.12 | 1.49 | 0.01 | 12507 | 9.2 | 0.09 | 1.02 | 0.01 |
| *USA, SEER (9 registries): White | 13006 | 14.3 | 0.13 | 1.54 | 0.02 | 10153 | 9.8 | 0.11 | 1.09 | 0.01 |
| *USA, SEER (9 registries): Black | 1281 | 12.0 | 0.34 | 1.31 | 0.04 | 1017 | 7.3 | 0.23 | 0.79 | 0.03 |
| USA, Alabama | 2290 | 11.7 | 0.26 | 1.28 | 0.03 | 1930 | 8.0 | 0.20 | 0.90 | 0.03 |
| USA, Alabama: White | 1885 | 12.1 | 0.31 | 1.34 | 0.04 | 1553 | 8.3 | 0.24 | 0.93 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Non-Hodgkin lymphoma (C82–86,C96) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 353 | 9.3 | 0.50 | 0.98 | 0.06 | 319 | 6.3 | 0.36 | 0.72 | 0.05 |
| USA, Alaska | 325 | 12.8 | 0.73 | 1.41 | 0.09 | 202 | 8.1 | 0.59 | 0.90 | 0.08 |
| *USA, Alaska: Alaska Natives | 29 | 8.4 | 1.57 | 0.69 | 0.17 | 29 | 8.5 | 1.59 | 0.94 | 0.21 |
| USA, Arizona | 3212 | 11.3 | 0.22 | 1.24 | 0.03 | 2521 | 7.9 | 0.18 | 0.86 | 0.02 |
| USA, Arizona: White | 2993 | 11.7 | 0.24 | 1.27 | 0.03 | 2336 | 8.1 | 0.20 | 0.88 | 0.02 |
| USA, Arizona: Black | 93 | 9.5 | 0.99 | 0.95 | 0.13 | 50 | 5.0 | 0.72 | 0.57 | 0.10 |
| *USA, Arizona: Asian and Pacific Islander | 50 | 6.6 | 0.95 | 0.81 | 0.15 | 56 | 5.7 | 0.77 | 0.63 | 0.11 |
| USA, Arizona: American Indian | 66 | 7.2 | 0.89 | 0.78 | 0.12 | 71 | 6.2 | 0.75 | 0.73 | 0.11 |
| USA, Arkansas | 1635 | 13.3 | 0.35 | 1.49 | 0.05 | 1323 | 9.2 | 0.29 | 1.04 | 0.04 |
| USA, Arkansas: White | 1455 | 13.5 | 0.39 | 1.51 | 0.05 | 1168 | 9.4 | 0.32 | 1.06 | 0.04 |
| USA, Arkansas: Black | 141 | 10.8 | 0.92 | 1.24 | 0.12 | 114 | 6.7 | 0.65 | 0.78 | 0.09 |
| USA, California | 19179 | 13.4 | 0.10 | 1.47 | 0.01 | 14876 | 9.0 | 0.08 | 1.00 | 0.01 |
| USA, California: White | 15670 | 14.1 | 0.12 | 1.54 | 0.02 | 11973 | 9.6 | 0.10 | 1.06 | 0.01 |
| USA, California: Black | 877 | 10.3 | 0.35 | 1.13 | 0.05 | 722 | 7.2 | 0.28 | 0.80 | 0.04 |
| USA, California: Asian and Pacific Islander | 2230 | 10.4 | 0.23 | 1.11 | 0.03 | 1867 | 6.9 | 0.18 | 0.74 | 0.02 |
| *USA, California, Los Angeles County | 4414 | 12.5 | 0.20 | 1.39 | 0.03 | 3646 | 8.6 | 0.16 | 0.96 | 0.02 |
| *USA, California, Los Angeles County: White | 3389 | 13.3 | 0.24 | 1.48 | 0.03 | 2751 | 9.3 | 0.19 | 1.04 | 0.03 |
| *USA, California, Los Angeles County: Non-Hispanic White | 2000 | 14.7 | 0.38 | 1.60 | 0.04 | 1515 | 9.7 | 0.30 | 1.08 | 0.04 |
| *USA, California, Los Angeles County: Hispanic White | 1389 | 12.2 | 0.33 | 1.37 | 0.05 | 1236 | 9.0 | 0.26 | 1.00 | 0.04 |
| *USA, California, Los Angeles County: Black | 315 | 10.0 | 0.58 | 1.05 | 0.07 | 279 | 7.0 | 0.45 | 0.78 | 0.06 |
| *USA, California, Los Angeles County: Chinese | 152 | 7.1 | 0.62 | 0.78 | 0.08 | 111 | 4.3 | 0.53 | 0.38 | 0.05 |
| *USA, California, Los Angeles County: Filipino | 141 | 10.4 | 0.92 | 1.09 | 0.11 | 147 | 6.8 | 0.61 | 0.78 | 0.08 |
| *USA, California, Los Angeles County: Korean | 55 | 5.3 | 0.75 | 0.65 | 0.11 | 44 | 3.6 | 0.58 | 0.40 | 0.07 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 598 | 9.4 | 0.42 | 1.03 | 0.05 | 507 | 6.1 | 0.31 | 0.65 | 0.04 |
| *USA, California, San Francisco Bay Area | 2500 | 14.0 | 0.30 | 1.48 | 0.04 | 1896 | 9.1 | 0.23 | 1.01 | 0.03 |
| *USA, California, San Francisco Bay Area: White | 1781 | 15.1 | 0.39 | 1.59 | 0.05 | 1337 | 10.3 | 0.32 | 1.13 | 0.04 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1472 | 15.4 | 0.46 | 1.61 | 0.05 | 1050 | 9.9 | 0.37 | 1.09 | 0.04 |
| *USA, California, San Francisco Bay Area: Hispanic White | 309 | 14.4 | 0.85 | 1.60 | 0.13 | 287 | 11.7 | 0.71 | 1.29 | 0.10 |
| *USA, California, San Francisco Bay Area: Black | 157 | 11.7 | 0.96 | 1.35 | 0.13 | 136 | 8.0 | 0.73 | 0.90 | 0.09 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 508 | 11.2 | 0.54 | 1.16 | 0.06 | 386 | 6.5 | 0.37 | 0.74 | 0.05 |
| USA, Colorado | 2499 | 12.4 | 0.26 | 1.36 | 0.03 | 1875 | 8.2 | 0.20 | 0.92 | 0.03 |
| USA, Colorado: White | 2338 | 12.5 | 0.27 | 1.37 | 0.03 | 1777 | 8.4 | 0.22 | 0.94 | 0.03 |
| *USA, Colorado: Black | 76 | 10.1 | 1.17 | 1.13 | 0.16 | 50 | 6.6 | 0.95 | 0.80 | 0.14 |
| *USA, Colorado: Asian and Pacific Islander | 53 | 10.1 | 1.42 | 1.08 | 0.20 | 26 | 3.8 | 0.80 | 0.51 | 0.13 |
| USA, Connecticut | 2210 | 14.8 | 0.34 | 1.59 | 0.04 | 1733 | 9.4 | 0.26 | 1.05 | 0.03 |
| USA, Connecticut: White | 1993 | 15.0 | 0.38 | 1.61 | 0.05 | 1567 | 9.7 | 0.29 | 1.09 | 0.04 |
| USA, Connecticut: Black | 115 | 9.7 | 0.91 | 1.08 | 0.12 | 83 | 5.1 | 0.59 | 0.50 | 0.07 |
| USA, District of Columbia | 247 | 12.2 | 0.81 | 1.25 | 0.10 | 197 | 7.6 | 0.59 | 0.85 | 0.07 |
| USA, District of Columbia: White | 114 | 12.2 | 1.27 | 1.09 | 0.14 | 73 | 7.4 | 0.93 | 0.81 | 0.12 |
| USA, District of Columbia: Black | 126 | 12.8 | 1.18 | 1.43 | 0.14 | 112 | 7.9 | 0.83 | 0.87 | 0.10 |
| USA, Florida | 16599 | 17.7 | 0.15 | 1.96 | 0.02 | 13653 | 12.8 | 0.13 | 1.41 | 0.02 |
| USA, Florida: White | 14635 | 17.9 | 0.17 | 2.00 | 0.02 | 11652 | 12.7 | 0.14 | 1.40 | 0.02 |
| USA, Florida: Black | 1244 | 12.6 | 0.36 | 1.35 | 0.05 | 1147 | 9.5 | 0.29 | 1.01 | 0.04 |
| USA, Florida: Asian and Pacific Islander | 178 | 9.1 | 0.71 | 0.95 | 0.09 | 203 | 7.8 | 0.58 | 0.86 | 0.07 |
| USA, Georgia | 4795 | 13.7 | 0.20 | 1.50 | 0.03 | 3840 | 9.0 | 0.16 | 1.00 | 0.02 |
| USA, Georgia: White | 3630 | 14.3 | 0.25 | 1.58 | 0.03 | 2880 | 9.6 | 0.20 | 1.08 | 0.03 |
| USA, Georgia: Black | 1047 | 12.0 | 0.37 | 1.28 | 0.05 | 859 | 7.5 | 0.26 | 0.81 | 0.03 |
| USA, Georgia: Asian and Pacific Islander | 102 | 9.0 | 0.91 | 0.92 | 0.11 | 86 | 6.3 | 0.70 | 0.62 | 0.09 |
| *USA, Georgia, Atlanta | 1542 | 14.0 | 0.36 | 1.52 | 0.05 | 1239 | 9.0 | 0.27 | 0.96 | 0.03 |
| *USA, Georgia, Atlanta: White | 955 | 14.7 | 0.50 | 1.60 | 0.06 | 787 | 10.1 | 0.39 | 1.10 | 0.05 |
| *USA, Georgia, Atlanta: Black | 509 | 13.3 | 0.60 | 1.45 | 0.08 | 390 | 7.5 | 0.39 | 0.81 | 0.05 |
| USA, Idaho | 908 | 13.2 | 0.46 | 1.46 | 0.06 | 710 | 9.6 | 0.39 | 1.05 | 0.05 |
| USA, Indiana | 3504 | 13.6 | 0.24 | 1.52 | 0.03 | 2887 | 9.3 | 0.19 | 1.05 | 0.02 |
| USA, Indiana: White | 3285 | 13.9 | 0.26 | 1.55 | 0.03 | 2699 | 9.6 | 0.21 | 1.09 | 0.03 |
| USA, Indiana: Black | 182 | 10.3 | 0.77 | 1.13 | 0.10 | 150 | 6.4 | 0.54 | 0.71 | 0.07 |
| *USA, Iowa | 1873 | 14.2 | 0.36 | 1.56 | 0.05 | 1490 | 9.9 | 0.29 | 1.11 | 0.04 |
| USA, Kentucky | 2586 | 14.7 | 0.31 | 1.61 | 0.04 | 2121 | 10.1 | 0.25 | 1.11 | 0.03 |
| USA, Louisiana | 2438 | 13.9 | 0.30 | 1.54 | 0.04 | 1962 | 9.4 | 0.23 | 1.04 | 0.03 |
| USA, Louisiana: White | 1931 | 15.1 | 0.37 | 1.67 | 0.05 | 1514 | 10.1 | 0.30 | 1.12 | 0.04 |
| USA, Louisiana: Black | 477 | 10.8 | 0.50 | 1.18 | 0.06 | 417 | 7.6 | 0.39 | 0.84 | 0.05 |
| *USA, Louisiana, New Orleans | 454 | 14.2 | 0.70 | 1.47 | 0.08 | 338 | 8.9 | 0.54 | 0.97 | 0.07 |
| *USA, Louisiana, New Orleans: White | 298 | 15.3 | 0.99 | 1.54 | 0.11 | 218 | 9.4 | 0.76 | 1.02 | 0.09 |
| *USA, Louisiana, New Orleans: Black | 141 | 12.9 | 1.12 | 1.38 | 0.13 | 113 | 8.4 | 0.83 | 0.93 | 0.10 |
| USA, Maine | 978 | 15.0 | 0.54 | 1.67 | 0.07 | 753 | 10.0 | 0.42 | 1.13 | 0.05 |
| USA, Maryland | 2930 | 12.8 | 0.25 | 1.40 | 0.03 | 2495 | 9.1 | 0.20 | 1.02 | 0.03 |
| USA, Maryland: White | 2240 | 13.9 | 0.32 | 1.54 | 0.04 | 1817 | 9.9 | 0.26 | 1.12 | 0.03 |
| USA, Maryland: Black | 556 | 10.1 | 0.43 | 1.06 | 0.05 | 562 | 7.5 | 0.33 | 0.83 | 0.04 |
| USA, Maryland: Asian and Pacific Islander | 118 | 9.0 | 0.87 | 0.99 | 0.12 | 98 | 6.1 | 0.65 | 0.70 | 0.09 |
| USA, Massachusetts | 3774 | 13.8 | 0.24 | 1.52 | 0.03 | 3038 | 9.1 | 0.19 | 1.01 | 0.02 |
| USA, Massachusetts: White | 3466 | 14.3 | 0.26 | 1.56 | 0.03 | 2770 | 9.3 | 0.20 | 1.04 | 0.03 |
| USA, Massachusetts: Black | 165 | 10.0 | 0.78 | 1.01 | 0.10 | 137 | 6.6 | 0.58 | 0.71 | 0.07 |
| USA, Massachusetts: Asian and Pacific Islander | 102 | 8.3 | 0.85 | 0.88 | 0.11 | 88 | 6.1 | 0.67 | 0.65 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Non-Hodgkin lymphoma (C82–86,C96) (contd)

| | Male | | | | | Female | | | | |
|---|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 5721 | 13.8 | 0.20 | 1.49 | 0.02 | 4723 | 9.7 | 0.16 | 1.10 | 0.02 |
| USA, Michigan: White | 5077 | 13.9 | 0.21 | 1.52 | 0.03 | 4149 | 10.0 | 0.18 | 1.14 | 0.02 |
| USA, Michigan: Black | 483 | 11.4 | 0.53 | 1.19 | 0.06 | 431 | 7.7 | 0.39 | 0.84 | 0.05 |
| USA, Michigan: Asian and Pacific Islander | 77 | 9.3 | 1.09 | 0.89 | 0.13 | 63 | 6.3 | 0.81 | 0.76 | 0.12 |
| *USA, Michigan, Detroit | 2169 | 14.2 | 0.33 | 1.52 | 0.04 | 1881 | 10.1 | 0.26 | 1.12 | 0.03 |
| *USA, Michigan, Detroit: White | 1769 | 14.9 | 0.39 | 1.61 | 0.05 | 1497 | 10.9 | 0.33 | 1.22 | 0.04 |
| *USA, Michigan, Detroit: Black | 338 | 11.8 | 0.66 | 1.24 | 0.08 | 324 | 7.8 | 0.46 | 0.84 | 0.06 |
| USA, Minnesota | 3539 | 15.9 | 0.29 | 1.75 | 0.04 | 2642 | 10.3 | 0.22 | 1.21 | 0.03 |
| USA, Minnesota: White | 3331 | 16.0 | 0.30 | 1.75 | 0.04 | 2485 | 10.4 | 0.24 | 1.21 | 0.03 |
| USA, Minnesota: Black | 97 | 13.4 | 1.44 | 1.59 | 0.22 | 67 | 8.9 | 1.11 | 1.10 | 0.18 |
| *USA, Minnesota: Asian and Pacific Islander | 68 | 12.4 | 1.55 | 1.59 | 0.25 | 42 | 6.3 | 1.00 | 0.78 | 0.15 |
| USA, Mississippi | 1370 | 12.0 | 0.34 | 1.35 | 0.04 | 1167 | 8.5 | 0.28 | 0.94 | 0.03 |
| USA, Missouri | 3435 | 13.8 | 0.25 | 1.54 | 0.03 | 2737 | 9.2 | 0.20 | 1.06 | 0.03 |
| USA, Missouri: White | 3170 | 14.1 | 0.27 | 1.59 | 0.03 | 2488 | 9.4 | 0.22 | 1.08 | 0.03 |
| USA, Missouri: Black | 225 | 11.0 | 0.75 | 1.16 | 0.09 | 216 | 8.1 | 0.57 | 0.97 | 0.08 |
| USA, Montana | 652 | 14.0 | 0.61 | 1.55 | 0.07 | 465 | 9.2 | 0.48 | 1.06 | 0.06 |
| *USA, Montana: American Indian | 19 | 10.4 | 2.41 | 0.83 | 0.26 | 13 | 6.4 | 1.81 | 0.69 | 0.26 |
| USA, Nebraska | 1080 | 14.1 | 0.46 | 1.58 | 0.06 | 850 | 9.7 | 0.37 | 1.12 | 0.05 |
| USA, Nebraska: White | 1036 | 14.3 | 0.48 | 1.60 | 0.06 | 820 | 10.0 | 0.39 | 1.15 | 0.05 |
| *USA, Nebraska: Black | 28 | 11.1 | 2.13 | 1.19 | 0.28 | 20 | 7.0 | 1.58 | 0.71 | 0.20 |
| USA, Nevada | 1274 | 11.0 | 0.32 | 1.19 | 0.04 | 1010 | 8.0 | 0.27 | 0.89 | 0.03 |
| USA, Nevada: White | 1110 | 11.5 | 0.37 | 1.26 | 0.05 | 856 | 8.4 | 0.32 | 0.94 | 0.04 |
| USA, Nevada: Black | 72 | 8.3 | 0.99 | 0.77 | 0.12 | 59 | 6.1 | 0.81 | 0.62 | 0.10 |
| *USA, Nevada: Asian and Pacific Islander | 71 | 7.7 | 0.99 | 0.79 | 0.11 | 80 | 6.0 | 0.71 | 0.70 | 0.09 |
| USA, New Jersey | 5457 | 15.5 | 0.22 | 1.66 | 0.03 | 4600 | 10.7 | 0.18 | 1.19 | 0.02 |
| USA, New Jersey: White | 4720 | 16.7 | 0.27 | 1.79 | 0.03 | 3944 | 11.4 | 0.21 | 1.28 | 0.03 |
| USA, New Jersey: Black | 420 | 10.6 | 0.53 | 1.18 | 0.07 | 389 | 7.5 | 0.40 | 0.82 | 0.05 |
| USA, New Mexico | 870 | 10.2 | 0.37 | 1.12 | 0.05 | 761 | 7.7 | 0.31 | 0.90 | 0.04 |
| USA, New Mexico: White | 799 | 10.4 | 0.40 | 1.14 | 0.05 | 670 | 7.7 | 0.34 | 0.90 | 0.04 |
| USA, New Mexico: Non-Hispanic White | 503 | 10.9 | 0.60 | 1.18 | 0.07 | 415 | 8.0 | 0.49 | 0.93 | 0.06 |
| USA, New Mexico: Hispanic White | 296 | 9.9 | 0.59 | 1.10 | 0.08 | 255 | 7.5 | 0.50 | 0.88 | 0.07 |
| *USA, New Mexico: American Indian | 35 | 6.0 | 1.02 | 0.66 | 0.13 | 57 | 7.2 | 0.99 | 0.76 | 0.13 |
| USA, New York State | 12100 | 15.9 | 0.15 | 1.72 | 0.02 | 10163 | 11.0 | 0.12 | 1.22 | 0.02 |
| USA, New York State: White | 10116 | 17.0 | 0.18 | 1.85 | 0.02 | 8409 | 11.9 | 0.15 | 1.32 | 0.02 |
| USA, New York State: Black | 1241 | 11.9 | 0.34 | 1.32 | 0.04 | 1213 | 8.7 | 0.26 | 0.94 | 0.03 |
| USA, New York State: Asian and Pacific Islander | 637 | 11.2 | 0.46 | 1.18 | 0.06 | 467 | 7.2 | 0.35 | 0.76 | 0.04 |
| USA, North Carolina | 5049 | 12.9 | 0.19 | 1.44 | 0.02 | 4142 | 8.7 | 0.15 | 0.99 | 0.02 |
| USA, North Carolina: White | 4221 | 13.4 | 0.22 | 1.51 | 0.03 | 3364 | 9.0 | 0.18 | 1.03 | 0.02 |
| USA, North Carolina: Black | 709 | 10.6 | 0.40 | 1.11 | 0.05 | 661 | 7.4 | 0.30 | 0.82 | 0.04 |
| USA, North Carolina: Asian and Pacific Islander | 51 | 7.3 | 1.04 | 0.87 | 0.16 | 60 | 6.8 | 0.90 | 0.87 | 0.14 |
| *USA, North Carolina: American Indian | 23 | 4.8 | 1.01 | 0.60 | 0.15 | 31 | 6.0 | 1.10 | 0.74 | 0.15 |
| USA, North Dakota | 406 | 13.3 | 0.71 | 1.47 | 0.09 | 325 | 9.5 | 0.61 | 1.06 | 0.08 |
| USA, Ohio | 6722 | 14.0 | 0.18 | 1.54 | 0.02 | 5368 | 9.3 | 0.14 | 1.06 | 0.02 |
| USA, Ohio: White | 6151 | 14.4 | 0.20 | 1.59 | 0.03 | 4902 | 9.7 | 0.16 | 1.11 | 0.02 |
| USA, Ohio: Black | 464 | 10.5 | 0.50 | 1.08 | 0.06 | 378 | 6.5 | 0.35 | 0.71 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | 47 | 6.7 | 0.99 | 0.72 | 0.14 | 47 | 5.5 | 0.81 | 0.53 | 0.10 |
| USA, Oklahoma | 1938 | 12.7 | 0.31 | 1.42 | 0.04 | 1687 | 9.3 | 0.25 | 1.06 | 0.03 |
| USA, Oklahoma: White | 1684 | 12.9 | 0.34 | 1.45 | 0.04 | 1468 | 9.4 | 0.28 | 1.08 | 0.04 |
| USA, Oklahoma: Black | 98 | 11.0 | 1.12 | 1.23 | 0.15 | 71 | 6.9 | 0.84 | 0.80 | 0.11 |
| USA, Oklahoma: American Indian | 124 | 11.2 | 1.01 | 1.11 | 0.13 | 113 | 8.8 | 0.84 | 1.11 | 0.13 |
| USA, Oregon | 2373 | 13.7 | 0.30 | 1.51 | 0.04 | 1887 | 9.7 | 0.25 | 1.07 | 0.03 |
| USA, Oregon: White | 2230 | 13.8 | 0.32 | 1.52 | 0.04 | 1784 | 9.9 | 0.27 | 1.08 | 0.03 |
| *USA, Oregon: Black | 34 | 12.3 | 2.15 | 1.58 | 0.34 | 15 | 5.3 | 1.42 | 0.62 | 0.22 |
| *USA, Oregon: Asian and Pacific Islander | 63 | 10.6 | 1.37 | 0.93 | 0.17 | 50 | 6.6 | 0.97 | 0.66 | 0.12 |
| USA, Rhode Island | 664 | 14.6 | 0.61 | 1.61 | 0.08 | 526 | 9.8 | 0.48 | 1.11 | 0.06 |
| USA, Rhode Island: White | 624 | 14.9 | 0.65 | 1.65 | 0.08 | 503 | 10.3 | 0.52 | 1.16 | 0.07 |
| *USA, Rhode Island: Black | 24 | 9.7 | 2.00 | 1.00 | 0.25 | 13 | 4.8 | 1.35 | 0.55 | 0.20 |
| USA, South Carolina | 2476 | 12.5 | 0.27 | 1.38 | 0.03 | 2015 | 8.3 | 0.21 | 0.90 | 0.03 |
| USA, South Carolina: White | 2025 | 13.1 | 0.32 | 1.46 | 0.04 | 1656 | 9.0 | 0.25 | 0.99 | 0.03 |
| USA, South Carolina: Black | 405 | 10.0 | 0.50 | 1.03 | 0.06 | 324 | 5.8 | 0.34 | 0.60 | 0.04 |
| USA, South Dakota | 491 | 13.8 | 0.67 | 1.52 | 0.09 | 381 | 9.5 | 0.56 | 1.02 | 0.07 |
| USA, Tennessee | 3499 | 13.3 | 0.24 | 1.48 | 0.03 | 2718 | 8.6 | 0.18 | 0.96 | 0.02 |
| USA, Tennessee: White | 3131 | 13.7 | 0.26 | 1.53 | 0.03 | 2399 | 8.9 | 0.21 | 1.00 | 0.03 |
| USA, Tennessee: Black | 324 | 10.3 | 0.58 | 1.11 | 0.07 | 279 | 6.7 | 0.42 | 0.73 | 0.05 |
| USA, Texas | 11912 | 13.0 | 0.12 | 1.43 | 0.02 | 9468 | 9.0 | 0.10 | 0.99 | 0.01 |
| USA, Texas: White | 10478 | 13.4 | 0.14 | 1.48 | 0.02 | 8247 | 9.2 | 0.11 | 1.03 | 0.01 |
| USA, Texas: Black | 1005 | 10.6 | 0.34 | 1.12 | 0.04 | 880 | 7.7 | 0.26 | 0.84 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 360 | 9.4 | 0.51 | 1.01 | 0.07 | 279 | 6.3 | 0.39 | 0.67 | 0.05 |
| USA, Utah | 1228 | 13.2 | 0.39 | 1.43 | 0.05 | 866 | 8.6 | 0.31 | 0.93 | 0.04 |
| USA, Vermont | 439 | 14.9 | 0.78 | 1.60 | 0.10 | 313 | 9.8 | 0.64 | 1.08 | 0.08 |
| USA, Washington State | 4109 | 14.3 | 0.24 | 1.57 | 0.03 | 3112 | 9.6 | 0.19 | 1.09 | 0.02 |
| *USA, Washington, Seattle | 2823 | 14.6 | 0.29 | 1.58 | 0.04 | 2108 | 9.6 | 0.23 | 1.06 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Non-Hodgkin lymphoma (C82–86,C96) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 1160 | 13.8 | 0.45 | 1.56 | 0.05 | 966 | 9.9 | 0.36 | 1.14 | 0.05 |
| USA, Wyoming | 291 | 11.8 | 0.74 | 1.30 | 0.09 | 212 | 8.4 | 0.65 | 0.89 | 0.08 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 99 | 7.2 | 0.75 | 0.80 | 0.11 | 87 | 6.1 | 0.68 | 0.55 | 0.08 |
| Brunei Darussalam | 98 | 10.7 | 1.13 | 1.14 | 0.16 | 78 | 8.9 | 1.06 | 1.11 | 0.17 |
| *China, Anfu County | 54 | 5.4 | 0.76 | 0.57 | 0.09 | 39 | 4.0 | 0.68 | 0.41 | 0.08 |
| *China, Anguo City | 24 | 1.9 | 0.41 | 0.20 | 0.05 | 17 | 1.3 | 0.32 | 0.16 | 0.05 |
| *China, Anshan City | 284 | 4.3 | 0.30 | 0.49 | 0.04 | 204 | 2.7 | 0.20 | 0.32 | 0.03 |
| *China, Aohan Banner, Chifeng City | 79 | 5.1 | 0.61 | 0.64 | 0.08 | 44 | 2.6 | 0.40 | 0.32 | 0.06 |
| *China, Arongqi | 14 | 1.7 | 0.46 | 0.17 | 0.05 | 7 | 1.0 | 0.40 | 0.12 | 0.05 |
| *China, Baoding City | 133 | 3.6 | 0.32 | 0.45 | 0.05 | 114 | 3.0 | 0.29 | 0.36 | 0.04 |
| *China, Beijing City | 1959 | 4.9 | 0.13 | 0.54 | 0.02 | 1590 | 3.8 | 0.11 | 0.43 | 0.01 |
| *China, Binhai County | 116 | 2.5 | 0.24 | 0.27 | 0.03 | 73 | 1.7 | 0.21 | 0.21 | 0.03 |
| *China, Cangzhou City | 53 | 3.5 | 0.51 | 0.32 | 0.05 | 31 | 2.1 | 0.41 | 0.23 | 0.05 |
| China, Changfeng County | 65 | 4.3 | 0.58 | 0.48 | 0.07 | 39 | 2.4 | 0.43 | 0.26 | 0.05 |
| China, Changzhou City | 529 | 5.7 | 0.26 | 0.67 | 0.03 | 379 | 3.7 | 0.20 | 0.45 | 0.03 |
| China, Chengdu City | 169 | 4.6 | 0.37 | 0.48 | 0.05 | 140 | 3.7 | 0.33 | 0.40 | 0.04 |
| China, Cixian County | 43 | 2.7 | 0.43 | 0.34 | 0.06 | 23 | 1.2 | 0.27 | 0.12 | 0.03 |
| China, Cixi City | 217 | 4.7 | 0.35 | 0.55 | 0.04 | 142 | 3.0 | 0.28 | 0.35 | 0.03 |
| *China, Dafeng District, Yancheng City | 141 | 4.2 | 0.37 | 0.47 | 0.05 | 110 | 3.4 | 0.36 | 0.38 | 0.04 |
| China, Dalian City | 447 | 4.3 | 0.24 | 0.47 | 0.03 | 394 | 3.4 | 0.18 | 0.42 | 0.03 |
| *China, Dancheng County | 61 | 1.9 | 0.26 | 0.24 | 0.04 | 33 | 0.9 | 0.17 | 0.10 | 0.02 |
| China, Dangtu County | 51 | 4.4 | 0.68 | 0.47 | 0.08 | 26 | 2.5 | 0.52 | 0.30 | 0.06 |
| *China, Danyang City | 112 | 3.2 | 0.31 | 0.37 | 0.04 | 76 | 1.9 | 0.23 | 0.22 | 0.03 |
| *China, Dawukou District, Shizuishan City | 38 | 4.5 | 0.82 | 0.43 | 0.08 | 26 | 2.6 | 0.52 | 0.32 | 0.07 |
| *China, Dehui City | 62 | 2.2 | 0.30 | 0.25 | 0.04 | 33 | 1.2 | 0.22 | 0.16 | 0.03 |
| *China, Donggang County | 21 | 1.0 | 0.31 | 0.09 | 0.02 | 20 | 0.8 | 0.19 | 0.08 | 0.02 |
| *China, Dongguan City | 238 | 6.2 | 0.41 | 0.71 | 0.06 | 184 | 4.4 | 0.34 | 0.47 | 0.04 |
| China, Donghai County | 151 | 3.7 | 0.31 | 0.41 | 0.04 | 95 | 2.5 | 0.28 | 0.27 | 0.04 |
| *China, Dongtai City | 103 | 2.1 | 0.22 | 0.28 | 0.03 | 70 | 1.3 | 0.17 | 0.15 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 39 | 3.0 | 0.50 | 0.32 | 0.07 | 37 | 3.6 | 0.72 | 0.38 | 0.08 |
| *China, Evenki Autonomous Banner | 6 | 2.9 | 1.77 | 0.16 | 0.08 | 6 | 2.0 | 0.83 | 0.31 | 0.14 |
| *China, Faku County | 40 | 2.1 | 0.36 | 0.24 | 0.04 | 27 | 1.9 | 0.52 | 0.17 | 0.04 |
| *China, Fangcheng County | 21 | 0.9 | 0.21 | 0.09 | 0.02 | 18 | 0.8 | 0.20 | 0.10 | 0.03 |
| *China, Feicheng City | 82 | 2.4 | 0.29 | 0.24 | 0.03 | 44 | 1.1 | 0.17 | 0.12 | 0.02 |
| China, Feixi County | 187 | 4.7 | 0.36 | 0.55 | 0.05 | 134 | 3.4 | 0.34 | 0.37 | 0.04 |
| China, Fuqing City | 101 | 3.8 | 0.39 | 0.40 | 0.05 | 61 | 2.3 | 0.31 | 0.26 | 0.04 |
| *China, Ganyu District, Lianyungang City | 143 | 3.5 | 0.30 | 0.38 | 0.04 | 77 | 1.9 | 0.22 | 0.23 | 0.03 |
| *China, Ganzhou District, Zhangye City | 15 | 1.6 | 0.43 | 0.16 | 0.05 | 8 | 0.7 | 0.27 | 0.09 | 0.04 |
| *China, Gaocheng City | 72 | 3.4 | 0.42 | 0.36 | 0.05 | 49 | 2.4 | 0.37 | 0.25 | 0.04 |
| China, Gaomi City | 100 | 3.7 | 0.40 | 0.41 | 0.05 | 52 | 1.8 | 0.29 | 0.18 | 0.03 |
| China, Gong'an County | 193 | 6.2 | 0.48 | 0.68 | 0.06 | 118 | 3.7 | 0.38 | 0.44 | 0.05 |
| *China, Guang'an District, Guang'an City | 60 | 3.2 | 0.42 | 0.39 | 0.06 | 50 | 2.6 | 0.39 | 0.29 | 0.05 |
| China, Guanghan City | 45 | 2.8 | 0.44 | 0.33 | 0.06 | 20 | 1.1 | 0.25 | 0.15 | 0.04 |
| China, Guangzhou City | 1747 | 5.9 | 0.15 | 0.64 | 0.02 | 1317 | 4.1 | 0.12 | 0.44 | 0.02 |
| *China, Guanyun County | 130 | 3.8 | 0.35 | 0.40 | 0.04 | 74 | 2.3 | 0.28 | 0.22 | 0.03 |
| China, Guilin City | 160 | 7.4 | 0.60 | 0.80 | 0.08 | 104 | 4.3 | 0.43 | 0.49 | 0.06 |
| *China, Hai'an City | 193 | 3.7 | 0.31 | 0.42 | 0.04 | 159 | 3.0 | 0.27 | 0.32 | 0.03 |
| China, Hailar District, Hulun Buir City | 44 | 4.2 | 0.68 | 0.51 | 0.10 | 37 | 2.9 | 0.50 | 0.34 | 0.07 |
| China, Haimen District, Nantong City | 253 | 5.4 | 0.38 | 0.63 | 0.05 | 209 | 4.3 | 0.33 | 0.51 | 0.04 |
| China, Haining City | 151 | 5.0 | 0.47 | 0.56 | 0.06 | 98 | 3.4 | 0.39 | 0.35 | 0.04 |
| China, Hangzhou City | 1496 | 5.2 | 0.15 | 0.56 | 0.02 | 1060 | 3.5 | 0.12 | 0.38 | 0.01 |
| China, Hebi City | 22 | 2.0 | 0.45 | 0.20 | 0.05 | 17 | 1.3 | 0.34 | 0.13 | 0.04 |
| China, Hefei City | 386 | 4.6 | 0.25 | 0.50 | 0.03 | 298 | 3.5 | 0.21 | 0.41 | 0.03 |
| China, Hengdong County | 45 | 3.1 | 0.50 | 0.36 | 0.07 | 44 | 3.0 | 0.47 | 0.37 | 0.06 |
| *China, Hengfeng County | 21 | 3.8 | 0.87 | 0.36 | 0.09 | 17 | 3.1 | 0.82 | 0.31 | 0.08 |
| *China, Hepu County | 64 | 2.3 | 0.30 | 0.28 | 0.04 | 36 | 1.3 | 0.24 | 0.15 | 0.03 |
| China, Honghu City | 182 | 6.2 | 0.48 | 0.74 | 0.07 | 106 | 3.6 | 0.38 | 0.44 | 0.05 |
| China, Hongshan District, Chifeng City | 55 | 3.8 | 0.53 | 0.39 | 0.07 | 46 | 3.4 | 0.59 | 0.39 | 0.07 |
| *China, Hongta District, Yuxi City | 64 | 4.3 | 0.59 | 0.44 | 0.07 | 56 | 3.6 | 0.52 | 0.37 | 0.06 |
| *China, Huaiyin District, Huai'an City | 49 | 1.5 | 0.22 | 0.17 | 0.03 | 44 | 1.4 | 0.23 | 0.14 | 0.03 |
| *China, Jiange County | 48 | 3.1 | 0.46 | 0.39 | 0.06 | 39 | 2.4 | 0.41 | 0.28 | 0.05 |
| China, Jiangmen City | 122 | 5.7 | 0.55 | 0.62 | 0.07 | 97 | 3.9 | 0.43 | 0.42 | 0.05 |
| *China, Jiangyin City | 232 | 4.3 | 0.30 | 0.50 | 0.04 | 140 | 2.4 | 0.22 | 0.28 | 0.03 |
| *China, Jiashan County | 99 | 5.3 | 0.57 | 0.71 | 0.08 | 73 | 3.6 | 0.47 | 0.43 | 0.06 |
| China, Jiayu County | 33 | 4.2 | 0.75 | 0.43 | 0.08 | 22 | 3.3 | 0.79 | 0.42 | 0.10 |
| *China, Jinan City | 228 | 2.6 | 0.19 | 0.29 | 0.02 | 149 | 1.5 | 0.13 | 0.16 | 0.02 |
| *China, Jingtai County | 15 | 2.4 | 0.65 | 0.27 | 0.08 | 15 | 2.2 | 0.57 | 0.37 | 0.10 |
| *China, Jingxian County | 40 | 3.2 | 0.59 | 0.37 | 0.07 | 21 | 1.7 | 0.40 | 0.20 | 0.05 |
| *China, Jintan District, Changzhou City | 84 | 3.6 | 0.41 | 0.38 | 0.05 | 51 | 2.4 | 0.38 | 0.27 | 0.04 |
| *China, Jiulongpo District, Chongqing City | 178 | 6.0 | 0.48 | 0.68 | 0.06 | 128 | 4.1 | 0.38 | 0.49 | 0.05 |
| *China, Jiyuan City | 45 | 2.7 | 0.43 | 0.27 | 0.05 | 35 | 2.0 | 0.34 | 0.21 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Non-Hodgkin lymphoma (C82–86,C96) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 50 | 4.2 | 0.63 | 0.50 | 0.09 | 43 | 4.0 | 0.66 | 0.47 | 0.09 |
| China, Kunshan City | 177 | 5.5 | 0.44 | 0.56 | 0.05 | 138 | 4.1 | 0.37 | 0.45 | 0.05 |
| China, Langzhong City | 65 | 3.5 | 0.45 | 0.42 | 0.06 | 40 | 2.4 | 0.41 | 0.27 | 0.05 |
| *China, Liangshan County | 75 | 2.7 | 0.33 | 0.30 | 0.04 | 67 | 2.4 | 0.30 | 0.31 | 0.04 |
| *China, Lianshui County | 73 | 1.8 | 0.23 | 0.22 | 0.03 | 55 | 1.4 | 0.21 | 0.13 | 0.02 |
| China, Lianyungang City | 143 | 3.9 | 0.34 | 0.39 | 0.04 | 70 | 1.7 | 0.21 | 0.17 | 0.03 |
| China, Linhe District, Bayannur City | 46 | 3.6 | 0.54 | 0.39 | 0.07 | 27 | 2.0 | 0.40 | 0.23 | 0.05 |
| China, Linqu County | 93 | 3.0 | 0.33 | 0.35 | 0.04 | 61 | 1.7 | 0.22 | 0.20 | 0.03 |
| *China, Linzhou City | 91 | 2.7 | 0.29 | 0.30 | 0.04 | 65 | 1.8 | 0.24 | 0.17 | 0.02 |
| China, Liuzhou City | 142 | 3.8 | 0.33 | 0.39 | 0.04 | 141 | 3.7 | 0.32 | 0.43 | 0.04 |
| China, Liyang City | 134 | 3.5 | 0.31 | 0.43 | 0.04 | 105 | 2.9 | 0.33 | 0.32 | 0.04 |
| *China, Longquan City | 58 | 7.6 | 1.22 | 0.65 | 0.10 | 36 | 4.6 | 0.83 | 0.56 | 0.12 |
| China, Lucheng District, Wenzhou City | 102 | 5.7 | 0.64 | 0.62 | 0.08 | 68 | 3.2 | 0.42 | 0.32 | 0.05 |
| China, Luoding City | 80 | 3.6 | 0.41 | 0.39 | 0.05 | 53 | 2.6 | 0.37 | 0.27 | 0.04 |
| *China, Luohe City | 70 | 2.0 | 0.24 | 0.23 | 0.03 | 38 | 1.0 | 0.16 | 0.11 | 0.02 |
| *China, Luoyang City | 128 | 3.1 | 0.30 | 0.31 | 0.03 | 88 | 2.1 | 0.24 | 0.24 | 0.03 |
| *China, Luquan City | 36 | 3.1 | 0.54 | 0.42 | 0.08 | 26 | 2.3 | 0.47 | 0.28 | 0.06 |
| China, Ma'anshan City | 127 | 6.0 | 0.55 | 0.69 | 0.07 | 103 | 4.6 | 0.46 | 0.53 | 0.06 |
| *China, Macheng City | 118 | 5.3 | 0.53 | 0.60 | 0.06 | 69 | 3.1 | 0.41 | 0.33 | 0.05 |
| China, Meihekou City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| *China, Mengjin County | 41 | 4.1 | 0.66 | 0.45 | 0.08 | 34 | 3.0 | 0.53 | 0.34 | 0.07 |
| China, Nangang District, Harbin City | 109 | 2.8 | 0.29 | 0.31 | 0.04 | 89 | 2.1 | 0.26 | 0.23 | 0.03 |
| *China, Nanghai District, Foshan City | 142 | 5.3 | 0.46 | 0.59 | 0.06 | 123 | 4.2 | 0.40 | 0.45 | 0.05 |
| China, Nanhu District, Jiaying City | 121 | 5.3 | 0.55 | 0.56 | 0.06 | 100 | 4.0 | 0.42 | 0.46 | 0.05 |
| *China, Nantong City | 224 | 4.6 | 0.36 | 0.51 | 0.04 | 154 | 2.7 | 0.25 | 0.29 | 0.03 |
| *China, Nanxiong City | 61 | 4.6 | 0.61 | 0.48 | 0.07 | 45 | 2.9 | 0.46 | 0.30 | 0.05 |
| China, Neixiang County | 74 | 3.2 | 0.39 | 0.36 | 0.05 | 59 | 2.5 | 0.34 | 0.27 | 0.04 |
| *China, Qianxi County | 46 | 3.4 | 0.54 | 0.35 | 0.06 | 26 | 2.0 | 0.40 | 0.30 | 0.07 |
| China, Qidong City | 320 | 5.4 | 0.35 | 0.58 | 0.04 | 224 | 3.5 | 0.31 | 0.39 | 0.03 |
| China, Qingzhou City | 96 | 3.2 | 0.35 | 0.35 | 0.04 | 78 | 2.6 | 0.32 | 0.28 | 0.04 |
| *China, Rudong County | 257 | 4.4 | 0.34 | 0.49 | 0.04 | 218 | 3.4 | 0.25 | 0.42 | 0.03 |
| *China, Rugao City | 266 | 3.9 | 0.27 | 0.42 | 0.03 | 196 | 2.6 | 0.22 | 0.28 | 0.03 |
| *China, Rural areas of Shanghai City | 2241 | 5.5 | 0.14 | 0.61 | 0.02 | 1728 | 4.0 | 0.12 | 0.44 | 0.01 |
| China, Ruyang County | 26 | 2.3 | 0.46 | 0.27 | 0.07 | 19 | 1.5 | 0.36 | 0.19 | 0.06 |
| *China, Shan County | 75 | 3.2 | 0.38 | 0.40 | 0.06 | 44 | 1.8 | 0.31 | 0.17 | 0.03 |
| China, Shanghai City | 1835 | 6.0 | 0.19 | 0.61 | 0.02 | 1370 | 4.0 | 0.14 | 0.43 | 0.02 |
| China, Shangyu District, Shaoxing City | 149 | 4.5 | 0.41 | 0.54 | 0.05 | 113 | 3.3 | 0.32 | 0.37 | 0.04 |
| *China, Shapingba District, Chongqing City | 165 | 5.2 | 0.45 | 0.57 | 0.05 | 168 | 5.2 | 0.47 | 0.57 | 0.05 |
| China, Shexian County | 60 | 4.6 | 0.61 | 0.47 | 0.07 | 24 | 1.9 | 0.40 | 0.23 | 0.05 |
| China, Sheyang County | 157 | 4.1 | 0.37 | 0.46 | 0.04 | 135 | 3.4 | 0.33 | 0.38 | 0.04 |
| *China, Shijiazhuang City | 247 | 5.1 | 0.36 | 0.57 | 0.04 | 194 | 3.8 | 0.30 | 0.42 | 0.04 |
| China, Shunde District, Foshan City | 191 | 5.6 | 0.41 | 0.66 | 0.06 | 170 | 4.4 | 0.36 | 0.49 | 0.04 |
| *China, Song County | 17 | 1.0 | 0.25 | 0.13 | 0.03 | 17 | 1.2 | 0.31 | 0.14 | 0.04 |
| China, Suzhou City | 619 | 4.2 | 0.19 | 0.46 | 0.02 | 440 | 3.0 | 0.17 | 0.32 | 0.02 |
| *China, Tengzhou City | 168 | 3.2 | 0.25 | 0.37 | 0.03 | 108 | 2.0 | 0.21 | 0.21 | 0.02 |
| *China, Wangdu County | 17 | 2.8 | 0.75 | 0.33 | 0.10 | 14 | 2.0 | 0.53 | 0.22 | 0.06 |
| *China, Wanxian County | 14 | 1.2 | 0.34 | 0.13 | 0.04 | 8 | 0.8 | 0.32 | 0.09 | 0.04 |
| *China, Wu'an City | 44 | 1.9 | 0.30 | 0.23 | 0.04 | 28 | 1.1 | 0.21 | 0.13 | 0.03 |
| China, Wuhan City | 1080 | 5.4 | 0.19 | 0.60 | 0.02 | 872 | 4.0 | 0.15 | 0.43 | 0.02 |
| *China, Wuhu City | 200 | 4.0 | 0.31 | 0.45 | 0.04 | 141 | 2.9 | 0.27 | 0.34 | 0.03 |
| China, Wuxi City | 402 | 3.5 | 0.19 | 0.41 | 0.02 | 332 | 2.7 | 0.16 | 0.32 | 0.02 |
| China, Wuzhou City | 57 | 3.2 | 0.43 | 0.34 | 0.05 | 50 | 2.7 | 0.40 | 0.32 | 0.05 |
| China, Xiangfu District, Kaifeng City | 72 | 3.9 | 0.47 | 0.42 | 0.06 | 60 | 3.0 | 0.41 | 0.30 | 0.05 |
| China, Xianju County | 69 | 3.7 | 0.47 | 0.38 | 0.05 | 51 | 2.7 | 0.40 | 0.30 | 0.05 |
| *China, Xin'an County | 18 | 1.7 | 0.41 | 0.22 | 0.06 | 11 | 1.3 | 0.42 | 0.11 | 0.04 |
| *China, Xining City | 65 | 3.0 | 0.40 | 0.28 | 0.04 | 47 | 1.8 | 0.27 | 0.24 | 0.04 |
| *China, Xinji City | 78 | 3.3 | 0.40 | 0.39 | 0.05 | 52 | 2.1 | 0.32 | 0.26 | 0.04 |
| *China, Xinluo District, Longyan City | 36 | 2.9 | 0.49 | 0.31 | 0.07 | 26 | 2.8 | 0.63 | 0.29 | 0.07 |
| *China, Xinzhou District, Shangrao City | 48 | 3.7 | 0.55 | 0.38 | 0.07 | 38 | 2.8 | 0.46 | 0.30 | 0.06 |
| China, Xiping County | 154 | 6.0 | 0.51 | 0.60 | 0.06 | 99 | 3.4 | 0.36 | 0.36 | 0.05 |
| *China, Xishan District, Kunming City | 77 | 5.6 | 0.75 | 0.62 | 0.08 | 54 | 3.6 | 0.54 | 0.42 | 0.06 |
| *China, Xuyi County | 39 | 1.7 | 0.27 | 0.21 | 0.04 | 10 | 0.4 | 0.13 | 0.04 | 0.02 |
| *China, Ya'an City | 197 | 3.9 | 0.29 | 0.45 | 0.04 | 123 | 2.4 | 0.23 | 0.29 | 0.03 |
| *China, Yakeshi City | 43 | 3.1 | 0.53 | 0.39 | 0.07 | 37 | 2.3 | 0.42 | 0.23 | 0.05 |
| China, Yancheng City | 158 | 2.8 | 0.23 | 0.29 | 0.03 | 105 | 1.8 | 0.18 | 0.19 | 0.02 |
| *China, Yangquan City | 89 | 4.4 | 0.52 | 0.46 | 0.06 | 71 | 3.1 | 0.38 | 0.37 | 0.05 |
| *China, Yangzhong City | 18 | 1.4 | 0.34 | 0.12 | 0.04 | 11 | 1.0 | 0.40 | 0.08 | 0.03 |
| *China, Yanji City | 40 | 2.5 | 0.46 | 0.27 | 0.05 | 39 | 1.6 | 0.27 | 0.22 | 0.04 |
| *China, Yanshi City | 81 | 4.0 | 0.48 | 0.45 | 0.06 | 73 | 3.3 | 0.42 | 0.38 | 0.05 |
| China, Yanting County | 75 | 4.9 | 0.63 | 0.40 | 0.05 | 47 | 3.1 | 0.51 | 0.30 | 0.05 |
| *China, Yi'an District, Tongling City | 41 | 4.4 | 0.74 | 0.52 | 0.09 | 34 | 4.0 | 0.75 | 0.42 | 0.08 |
| *China, Yingdong District, Fuyang City | 68 | 3.4 | 0.43 | 0.38 | 0.05 | 42 | 2.1 | 0.34 | 0.24 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Non-Hodgkin lymphoma (C82–86,C96) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 60 | 7.2 | 1.08 | 0.83 | 0.13 | 38 | 4.0 | 0.70 | 0.40 | 0.07 |
| *China, Yiyuan County | 48 | 2.7 | 0.43 | 0.30 | 0.05 | 44 | 2.4 | 0.43 | 0.22 | 0.04 |
| China, Yong'an City | 39 | 3.2 | 0.55 | 0.37 | 0.07 | 38 | 3.1 | 0.52 | 0.40 | 0.08 |
| *China, Yongding District, Longyan City | 60 | 3.9 | 0.54 | 0.43 | 0.07 | 38 | 2.4 | 0.40 | 0.27 | 0.05 |
| China, Yongkang City | 115 | 5.2 | 0.52 | 0.58 | 0.07 | 75 | 3.6 | 0.46 | 0.41 | 0.05 |
| *China, Yucheng County | 24 | 1.3 | 0.28 | 0.12 | 0.03 | 16 | 0.9 | 0.22 | 0.08 | 0.03 |
| China, Yueyanglou District, Yueyang City | 58 | 5.2 | 0.70 | 0.58 | 0.09 | 40 | 4.1 | 0.71 | 0.43 | 0.08 |
| China, Yunmeng County | 43 | 2.6 | 0.41 | 0.33 | 0.06 | 34 | 2.0 | 0.35 | 0.22 | 0.04 |
| *China, Yunyang District, Shiyuan City | 20 | 2.2 | 0.56 | 0.19 | 0.05 | 6 | 0.5 | 0.22 | 0.05 | 0.02 |
| China, Yuzhong District, Chongqing City | 185 | 8.4 | 0.67 | 0.97 | 0.10 | 105 | 4.5 | 0.54 | 0.51 | 0.07 |
| *China, Zhanhuang County | 21 | 2.5 | 0.56 | 0.32 | 0.08 | 20 | 2.5 | 0.56 | 0.29 | 0.07 |
| *China, Zhangjiagang City | 253 | 6.2 | 0.43 | 0.72 | 0.05 | 180 | 4.0 | 0.33 | 0.45 | 0.04 |
| *China, Zhaoyuan City | 97 | 4.1 | 0.49 | 0.44 | 0.05 | 68 | 2.6 | 0.36 | 0.29 | 0.04 |
| *China, Zhengding County | 38 | 3.1 | 0.54 | 0.34 | 0.07 | 60 | 4.4 | 0.58 | 0.46 | 0.07 |
| *China, Zhongshan City | 243 | 5.1 | 0.35 | 0.56 | 0.04 | 170 | 3.1 | 0.25 | 0.35 | 0.03 |
| China, Zhongxiang City | 147 | 4.6 | 0.41 | 0.51 | 0.05 | 114 | 3.6 | 0.36 | 0.42 | 0.05 |
| *China, Zhuanghe City | 93 | 2.5 | 0.29 | 0.28 | 0.03 | 60 | 1.5 | 0.20 | 0.18 | 0.03 |
| *China, Zhuhai City | 189 | 5.5 | 0.42 | 0.61 | 0.06 | 144 | 4.2 | 0.36 | 0.44 | 0.04 |
| India, Ahmedabad, Urban | 413 | 3.5 | 0.17 | 0.39 | 0.02 | 232 | 2.0 | 0.14 | 0.22 | 0.02 |
| India, Aurangabad | 68 | 2.2 | 0.28 | 0.25 | 0.04 | 41 | 1.4 | 0.23 | 0.15 | 0.03 |
| India, Bangalore | 707 | 6.0 | 0.23 | 0.69 | 0.03 | 447 | 4.0 | 0.19 | 0.46 | 0.03 |
| India, Barshi, Paranda, and Bhum | 29 | 1.9 | 0.36 | 0.23 | 0.05 | 13 | 0.9 | 0.26 | 0.13 | 0.04 |
| *India, Bhopal | 94 | 3.6 | 0.38 | 0.46 | 0.06 | 49 | 1.9 | 0.28 | 0.22 | 0.04 |
| India, Chandigarh | 106 | 4.4 | 0.45 | 0.48 | 0.06 | 83 | 4.0 | 0.45 | 0.47 | 0.06 |
| *India, Chennai | 553 | 4.6 | 0.20 | 0.48 | 0.03 | 381 | 3.1 | 0.16 | 0.34 | 0.02 |
| India, Dibrugarh | 47 | 1.5 | 0.23 | 0.17 | 0.03 | 34 | 1.2 | 0.21 | 0.17 | 0.03 |
| *India, Dindigul, Ambilikkai | 95 | 1.5 | 0.16 | 0.17 | 0.02 | 64 | 1.1 | 0.14 | 0.11 | 0.01 |
| India, Kamrup Urban District | 135 | 5.5 | 0.49 | 0.65 | 0.07 | 72 | 3.1 | 0.38 | 0.35 | 0.05 |
| India, Kollam | 288 | 4.7 | 0.28 | 0.49 | 0.03 | 200 | 2.8 | 0.20 | 0.32 | 0.03 |
| *India, Manipur | 167 | 3.3 | 0.26 | 0.37 | 0.04 | 152 | 3.0 | 0.25 | 0.33 | 0.03 |
| India, Meghalaya | 40 | 1.2 | 0.21 | 0.13 | 0.03 | 29 | 1.0 | 0.19 | 0.11 | 0.03 |
| India, Mizoram | 62 | 3.4 | 0.45 | 0.39 | 0.06 | 39 | 2.1 | 0.35 | 0.27 | 0.06 |
| India, Mumbai | 1498 | 4.7 | 0.12 | 0.52 | 0.02 | 1031 | 3.4 | 0.11 | 0.39 | 0.02 |
| *India, New Delhi | 1326 | 5.8 | 0.17 | 0.64 | 0.02 | 732 | 3.6 | 0.14 | 0.43 | 0.02 |
| India, Poona | 500 | 4.0 | 0.18 | 0.45 | 0.03 | 330 | 2.8 | 0.16 | 0.34 | 0.02 |
| *India, Sangrur District | 52 | 2.0 | 0.28 | 0.21 | 0.03 | 31 | 1.2 | 0.22 | 0.13 | 0.03 |
| India, SAS Nagar | 74 | 3.0 | 0.36 | 0.37 | 0.05 | 75 | 3.2 | 0.38 | 0.42 | 0.06 |
| *India, Tamil Nadu | 4233 | 2.1 | 0.03 | 0.22 | 0.00 | 2526 | 1.2 | 0.02 | 0.13 | 0.00 |
| *India, Tripura | 189 | 2.7 | 0.20 | 0.31 | 0.03 | 76 | 1.1 | 0.13 | 0.12 | 0.02 |
| India, Trivandrum | 405 | 5.1 | 0.25 | 0.58 | 0.03 | 283 | 3.1 | 0.19 | 0.36 | 0.02 |
| India, Wardha | 82 | 2.2 | 0.25 | 0.25 | 0.03 | 47 | 1.2 | 0.18 | 0.15 | 0.02 |
| India, West Arunachal | 29 | 2.9 | 0.60 | 0.37 | 0.09 | 16 | 1.3 | 0.36 | 0.13 | 0.04 |
| *Iran (Islamic Republic of), Ardabil Province | 94 | 4.9 | 0.53 | 0.56 | 0.08 | 49 | 2.5 | 0.37 | 0.28 | 0.05 |
| *Iran (Islamic Republic of), Golestan Province | 179 | 7.3 | 0.57 | 0.85 | 0.08 | 103 | 3.9 | 0.39 | 0.37 | 0.05 |
| Israel | 4337 | 17.6 | 0.28 | 1.93 | 0.04 | 3754 | 13.1 | 0.23 | 1.48 | 0.03 |
| *Israel: Jews | 3814 | 18.8 | 0.32 | 2.06 | 0.04 | 3272 | 13.8 | 0.26 | 1.56 | 0.03 |
| *Israel: Arabs | 368 | 11.1 | 0.60 | 1.17 | 0.08 | 344 | 10.2 | 0.56 | 1.20 | 0.08 |
| Japan | 42010 | 9.4 | 0.06 | 1.02 | 0.01 | 35875 | 6.8 | 0.05 | 0.76 | 0.01 |
| Japan, Aichi Prefecture | 2350 | 9.5 | 0.23 | 1.02 | 0.03 | 1907 | 6.9 | 0.20 | 0.77 | 0.02 |
| *Japan, Akita Prefecture | 329 | 8.1 | 0.59 | 0.89 | 0.07 | 340 | 7.3 | 0.63 | 0.75 | 0.06 |
| Japan, Aomori Prefecture | 678 | 8.5 | 0.41 | 0.94 | 0.05 | 673 | 6.3 | 0.34 | 0.73 | 0.04 |
| Japan, Gunma Prefecture | 598 | 8.2 | 0.41 | 0.90 | 0.05 | 483 | 5.7 | 0.34 | 0.64 | 0.04 |
| Japan, Hiroshima Prefecture | 1586 | 11.7 | 0.38 | 1.26 | 0.04 | 1374 | 8.2 | 0.31 | 0.89 | 0.03 |
| Japan, Miyagi Prefecture | 1286 | 9.7 | 0.33 | 1.07 | 0.04 | 1077 | 7.3 | 0.29 | 0.83 | 0.03 |
| Japan, Osaka Prefecture | 2812 | 9.6 | 0.22 | 1.03 | 0.02 | 2424 | 7.0 | 0.18 | 0.79 | 0.02 |
| Kuwait | 387 | 4.6 | 0.31 | 0.47 | 0.04 | 266 | 4.9 | 0.34 | 0.59 | 0.05 |
| *Kuwait: Kuwaitis | 187 | 8.7 | 0.68 | 0.90 | 0.09 | 157 | 6.1 | 0.50 | 0.70 | 0.07 |
| *Kuwait: Non-Kuwaitis | 200 | 2.9 | 0.31 | 0.31 | 0.04 | 109 | 4.0 | 0.51 | 0.50 | 0.08 |
| *Philippines, Manila | 583 | 4.8 | 0.22 | 0.48 | 0.03 | 539 | 3.8 | 0.17 | 0.43 | 0.02 |
| *Qatar: Qatari | 40 | 8.3 | 1.39 | 0.89 | 0.20 | 20 | 3.7 | 0.87 | 0.35 | 0.10 |
| Republic of Korea | 12818 | 7.4 | 0.07 | 0.75 | 0.01 | 9391 | 4.7 | 0.06 | 0.48 | 0.01 |
| *Republic of Korea, Busan | 900 | 7.0 | 0.26 | 0.72 | 0.03 | 680 | 4.6 | 0.22 | 0.48 | 0.02 |
| *Republic of Korea, Daegu | 589 | 7.1 | 0.32 | 0.74 | 0.04 | 439 | 4.7 | 0.27 | 0.47 | 0.03 |
| *Republic of Korea, Daejeon | 346 | 7.3 | 0.42 | 0.78 | 0.05 | 271 | 4.9 | 0.33 | 0.53 | 0.04 |
| *Republic of Korea, Gwangju | 345 | 8.0 | 0.47 | 0.82 | 0.05 | 247 | 4.6 | 0.32 | 0.50 | 0.04 |
| Republic of Korea, Incheon | 679 | 7.3 | 0.31 | 0.73 | 0.03 | 483 | 4.4 | 0.23 | 0.45 | 0.03 |
| Republic of Korea, Jeju | 114 | 5.3 | 0.53 | 0.63 | 0.07 | 103 | 4.3 | 0.47 | 0.46 | 0.05 |
| Republic of Korea, Seoul | 2604 | 8.0 | 0.18 | 0.81 | 0.02 | 1861 | 4.8 | 0.13 | 0.50 | 0.01 |
| Republic of Korea, Ulsan | 272 | 7.8 | 0.52 | 0.74 | 0.05 | 184 | 4.8 | 0.39 | 0.53 | 0.05 |
| Singapore | 1351 | 10.0 | 0.29 | 1.08 | 0.04 | 991 | 6.7 | 0.23 | 0.72 | 0.03 |
| Singapore: Chinese | 997 | 9.3 | 0.32 | 1.01 | 0.04 | 747 | 6.2 | 0.25 | 0.66 | 0.03 |
| Singapore: Indian | 74 | 7.3 | 0.94 | 0.80 | 0.13 | 54 | 5.8 | 0.84 | 0.58 | 0.10 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Non-Hodgkin lymphoma (C82–86,C96) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 234 | 15.8 | 1.08 | 1.77 | 0.15 | 169 | 10.4 | 0.83 | 1.17 | 0.11 |
| Thailand, Bangkok | 873 | 5.1 | 0.18 | 0.56 | 0.02 | 849 | 4.0 | 0.15 | 0.45 | 0.02 |
| *Thailand, Chiang Mai | 372 | 7.0 | 0.39 | 0.72 | 0.05 | 338 | 5.4 | 0.32 | 0.59 | 0.04 |
| *Thailand, Khon Kaen | 348 | 6.2 | 0.35 | 0.68 | 0.04 | 250 | 3.7 | 0.25 | 0.41 | 0.03 |
| Thailand, Lampang | 234 | 8.3 | 0.61 | 0.97 | 0.08 | 183 | 5.8 | 0.48 | 0.60 | 0.06 |
| Thailand, Lopburi Province | 262 | 12.5 | 0.81 | 1.20 | 0.09 | 226 | 9.7 | 0.69 | 0.94 | 0.07 |
| *Thailand, Songkhla | 267 | 6.4 | 0.40 | 0.68 | 0.05 | 217 | 4.6 | 0.33 | 0.50 | 0.04 |
| Turkey, Antalya | 504 | 8.3 | 0.37 | 0.90 | 0.05 | 365 | 5.6 | 0.30 | 0.63 | 0.04 |
| Turkey, Bursa | 458 | 5.8 | 0.28 | 0.64 | 0.04 | 344 | 3.9 | 0.22 | 0.43 | 0.03 |
| *Turkey, Edirne | 86 | 6.1 | 0.69 | 0.73 | 0.09 | 68 | 4.2 | 0.60 | 0.42 | 0.06 |
| *Turkey, Erzurum | 174 | 9.2 | 0.71 | 0.92 | 0.09 | 120 | 6.0 | 0.56 | 0.63 | 0.07 |
| Turkey, Eskişehir | 188 | 7.5 | 0.56 | 0.83 | 0.07 | 171 | 5.8 | 0.46 | 0.65 | 0.06 |
| Turkey, Gaziantep | 310 | 8.4 | 0.50 | 0.94 | 0.07 | 226 | 5.6 | 0.38 | 0.63 | 0.05 |
| *Turkey, Izmir | 998 | 8.0 | 0.26 | 0.88 | 0.03 | 837 | 5.9 | 0.22 | 0.65 | 0.03 |
| Turkey, Malatya | 166 | 7.7 | 0.61 | 0.84 | 0.08 | 96 | 3.9 | 0.41 | 0.44 | 0.06 |
| Turkey, Samsun | 340 | 8.6 | 0.48 | 0.95 | 0.06 | 278 | 6.2 | 0.39 | 0.66 | 0.05 |
| Turkey, Trabzon | 252 | 10.9 | 0.71 | 1.15 | 0.09 | 185 | 6.5 | 0.51 | 0.73 | 0.07 |
| Europe | | | | | | | | | | |
| Austria | 3653 | 9.7 | 0.18 | 1.06 | 0.02 | 3123 | 6.9 | 0.15 | 0.76 | 0.02 |
| Austria, Carinthia | 304 | 11.0 | 0.71 | 1.24 | 0.09 | 250 | 7.5 | 0.55 | 0.93 | 0.07 |
| Austria, Tyrol | 294 | 9.1 | 0.57 | 1.05 | 0.07 | 271 | 7.5 | 0.53 | 0.83 | 0.06 |
| Austria, Vorarlberg | 177 | 10.7 | 0.88 | 1.15 | 0.11 | 160 | 8.5 | 0.77 | 0.92 | 0.09 |
| Belarus | 1877 | 6.4 | 0.15 | 0.72 | 0.02 | 1979 | 4.4 | 0.11 | 0.50 | 0.01 |
| *Belgium | 5779 | 11.8 | 0.17 | 1.27 | 0.02 | 4552 | 7.8 | 0.14 | 0.87 | 0.02 |
| Croatia | 1651 | 9.4 | 0.26 | 1.04 | 0.03 | 1599 | 7.2 | 0.22 | 0.80 | 0.02 |
| Cyprus | 391 | 12.6 | 0.69 | 1.32 | 0.08 | 327 | 9.0 | 0.54 | 1.01 | 0.07 |
| *Czech Republic | 3765 | 8.3 | 0.15 | 0.95 | 0.02 | 3550 | 6.4 | 0.12 | 0.74 | 0.01 |
| Denmark | 3936 | 15.1 | 0.27 | 1.70 | 0.03 | 3078 | 10.2 | 0.21 | 1.18 | 0.03 |
| Estonia | 497 | 10.1 | 0.49 | 1.10 | 0.06 | 551 | 7.0 | 0.38 | 0.75 | 0.04 |
| Finland | 3342 | 12.8 | 0.25 | 1.42 | 0.03 | 2891 | 8.9 | 0.20 | 1.02 | 0.02 |
| *France, Bas-Rhin | 508 | 13.1 | 0.63 | 1.42 | 0.08 | 422 | 8.8 | 0.51 | 0.97 | 0.06 |
| *France, Calvados | 405 | 12.3 | 0.68 | 1.32 | 0.09 | 317 | 8.0 | 0.56 | 0.89 | 0.07 |
| *France, Doubs | 325 | 13.2 | 0.80 | 1.56 | 0.11 | 250 | 8.9 | 0.66 | 0.99 | 0.08 |
| *France, Gironde | 930 | 14.4 | 0.51 | 1.60 | 0.07 | 734 | 9.0 | 0.39 | 1.01 | 0.05 |
| *France, Haut-Rhin | 386 | 11.2 | 0.64 | 1.22 | 0.08 | 344 | 7.8 | 0.50 | 0.84 | 0.06 |
| *France, Hérault | 675 | 13.4 | 0.58 | 1.51 | 0.07 | 539 | 8.4 | 0.44 | 0.92 | 0.05 |
| *France, Isère | 705 | 13.7 | 0.56 | 1.54 | 0.07 | 524 | 8.2 | 0.42 | 0.90 | 0.05 |
| *France, Lille-Métropole | 297 | 11.0 | 0.68 | 1.17 | 0.09 | 278 | 7.7 | 0.53 | 0.81 | 0.07 |
| *France, Limousin | 208 | 10.9 | 0.90 | 1.13 | 0.10 | 166 | 6.7 | 0.67 | 0.73 | 0.08 |
| *France, Loire-Atlantique | 880 | 15.5 | 0.57 | 1.72 | 0.07 | 722 | 9.9 | 0.44 | 1.08 | 0.05 |
| *France, Manche | 301 | 11.5 | 0.78 | 1.27 | 0.10 | 236 | 7.5 | 0.65 | 0.79 | 0.07 |
| *France, Poitou-Charentes | 1478 | 15.3 | 0.48 | 1.65 | 0.06 | 1064 | 9.3 | 0.38 | 0.96 | 0.04 |
| *France, Somme | 256 | 10.9 | 0.76 | 1.13 | 0.09 | 235 | 8.2 | 0.66 | 0.88 | 0.08 |
| *France, Tarn | 260 | 12.7 | 0.95 | 1.37 | 0.11 | 204 | 7.9 | 0.74 | 0.86 | 0.09 |
| *France, Territoire de Belfort | 57 | 10.7 | 1.59 | 1.08 | 0.19 | 42 | 6.2 | 1.10 | 0.82 | 0.17 |
| *France, Vendée | 499 | 14.8 | 0.79 | 1.66 | 0.09 | 378 | 9.0 | 0.61 | 0.93 | 0.07 |
| Germany, Baden-Württemberg | 3450 | 10.5 | 0.20 | 1.18 | 0.03 | 2934 | 7.6 | 0.17 | 0.86 | 0.02 |
| Germany, Bavaria | 6238 | 10.0 | 0.14 | 1.10 | 0.02 | 5006 | 6.8 | 0.12 | 0.77 | 0.01 |
| Germany, Bremen | 424 | 13.3 | 0.74 | 1.49 | 0.09 | 328 | 7.6 | 0.52 | 0.88 | 0.07 |
| Germany, Hamburg | 894 | 10.9 | 0.41 | 1.23 | 0.05 | 825 | 8.2 | 0.34 | 0.93 | 0.04 |
| Germany, Lower Saxony | 4818 | 11.7 | 0.20 | 1.25 | 0.02 | 3775 | 7.8 | 0.16 | 0.87 | 0.02 |
| Germany, North Rhine-Westphalia | 9863 | 11.4 | 0.13 | 1.23 | 0.02 | 7930 | 7.3 | 0.10 | 0.82 | 0.01 |
| Germany, Rhineland-Palatinate | 2362 | 11.3 | 0.27 | 1.21 | 0.03 | 1881 | 7.6 | 0.22 | 0.83 | 0.03 |
| Germany, Saarland | 660 | 12.4 | 0.59 | 1.34 | 0.07 | 601 | 9.1 | 0.48 | 1.01 | 0.06 |
| Germany, Schleswig-Holstein | 1869 | 12.3 | 0.33 | 1.38 | 0.04 | 1504 | 8.0 | 0.26 | 0.90 | 0.03 |
| Iceland | 127 | 9.9 | 0.93 | 1.17 | 0.13 | 121 | 9.1 | 0.89 | 1.01 | 0.11 |
| Ireland | 2237 | 13.1 | 0.29 | 1.44 | 0.04 | 1787 | 9.6 | 0.24 | 1.11 | 0.03 |
| *Italy, Aosta Valley | 48 | 9.3 | 1.51 | 1.05 | 0.18 | 37 | 7.5 | 1.66 | 0.71 | 0.15 |
| *Italy, Avellino | 157 | 14.5 | 1.34 | 1.58 | 0.15 | 108 | 8.3 | 0.92 | 0.92 | 0.11 |
| Italy, Basilicata | 256 | 9.8 | 0.74 | 1.07 | 0.08 | 216 | 7.2 | 0.60 | 0.77 | 0.07 |
| *Italy, Benevento | 133 | 13.2 | 1.26 | 1.52 | 0.16 | 102 | 8.6 | 1.04 | 0.92 | 0.12 |
| Italy, Bergamo | 690 | 13.6 | 0.58 | 1.52 | 0.07 | 587 | 9.8 | 0.49 | 1.12 | 0.06 |
| *Italy, Brescia | 638 | 12.4 | 0.55 | 1.36 | 0.06 | 548 | 9.5 | 0.51 | 1.01 | 0.05 |
| Italy, Brianza (Lecco and Monza e Brianza) | 392 | 12.2 | 0.73 | 1.37 | 0.08 | 306 | 7.4 | 0.53 | 0.84 | 0.06 |
| Italy, Calabria | 248 | 11.1 | 0.81 | 1.19 | 0.09 | 217 | 8.3 | 0.64 | 1.01 | 0.08 |
| *Italy, Caserta | 311 | 11.7 | 0.72 | 1.31 | 0.08 | 259 | 7.8 | 0.55 | 0.88 | 0.07 |
| *Italy, Catania, Messina, and Enna | 920 | 11.3 | 0.42 | 1.26 | 0.05 | 676 | 6.9 | 0.32 | 0.76 | 0.04 |
| Italy, Emilia-Romagna | 2441 | 13.7 | 0.34 | 1.48 | 0.04 | 1959 | 9.3 | 0.27 | 1.03 | 0.03 |
| Italy, Friuli-Venezia Giulia | 771 | 12.1 | 0.52 | 1.41 | 0.06 | 667 | 9.1 | 0.46 | 1.00 | 0.05 |
| Italy, Genova | 494 | 12.9 | 0.73 | 1.47 | 0.08 | 440 | 8.8 | 0.58 | 1.00 | 0.07 |
| *Italy, Lombardy, South, Pavia | 351 | 12.6 | 0.80 | 1.42 | 0.10 | 326 | 9.7 | 0.68 | 1.05 | 0.08 |
| Italy, Mantova and Cremona | 403 | 13.5 | 0.78 | 1.50 | 0.09 | 326 | 8.6 | 0.63 | 0.95 | 0.07 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Non-Hodgkin lymphoma (C82–86,C96) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 880 | 14.0 | 0.57 | 1.60 | 0.07 | 679 | 9.5 | 0.47 | 1.07 | 0.05 |
| Italy, Milan | 2070 | 13.3 | 0.34 | 1.46 | 0.04 | 1803 | 9.5 | 0.29 | 1.03 | 0.03 |
| Italy, Molise | 108 | 14.4 | 1.70 | 1.45 | 0.17 | 104 | 11.1 | 1.33 | 1.23 | 0.15 |
| *Italy, Naples Centre | 283 | 12.6 | 0.82 | 1.37 | 0.09 | 229 | 8.1 | 0.63 | 0.90 | 0.07 |
| *Italy, Naples North | 347 | 12.3 | 0.70 | 1.34 | 0.08 | 265 | 8.3 | 0.54 | 0.96 | 0.07 |
| *Italy, Naples South | 460 | 11.0 | 0.55 | 1.27 | 0.07 | 431 | 8.8 | 0.48 | 1.01 | 0.06 |
| *Italy, Nuoro | 80 | 13.8 | 1.80 | 1.55 | 0.21 | 81 | 12.0 | 1.58 | 1.37 | 0.18 |
| *Italy, Palermo | 553 | 10.9 | 0.50 | 1.26 | 0.06 | 411 | 7.1 | 0.42 | 0.77 | 0.05 |
| Italy, Puglia | 1835 | 10.2 | 0.27 | 1.18 | 0.03 | 1646 | 8.2 | 0.24 | 0.90 | 0.03 |
| *Italy, Ragusa and Caltanissetta | 269 | 11.1 | 0.76 | 1.28 | 0.09 | 172 | 6.4 | 0.57 | 0.71 | 0.06 |
| *Italy, Salerno | 402 | 11.1 | 0.62 | 1.19 | 0.07 | 336 | 8.1 | 0.53 | 0.87 | 0.06 |
| Italy, Sassari | 106 | 11.5 | 1.23 | 1.32 | 0.15 | 92 | 7.3 | 0.87 | 0.82 | 0.11 |
| *Italy, Sondrio | 125 | 13.0 | 1.36 | 1.38 | 0.15 | 99 | 9.2 | 1.15 | 1.00 | 0.13 |
| Italy, South Tyrol | 264 | 10.7 | 0.72 | 1.29 | 0.10 | 216 | 8.4 | 0.69 | 0.92 | 0.08 |
| *Italy, Syracuse | 172 | 10.2 | 0.86 | 1.06 | 0.09 | 130 | 6.4 | 0.65 | 0.73 | 0.08 |
| Italy, Trento | 291 | 11.9 | 0.80 | 1.30 | 0.09 | 254 | 8.1 | 0.61 | 0.93 | 0.08 |
| Italy, Turin | 1611 | 14.9 | 0.45 | 1.66 | 0.05 | 1300 | 10.1 | 0.35 | 1.14 | 0.04 |
| *Italy, Tuscany | 1479 | 14.9 | 0.48 | 1.63 | 0.05 | 1243 | 10.2 | 0.37 | 1.16 | 0.04 |
| Italy, Umbria | 436 | 12.2 | 0.70 | 1.30 | 0.08 | 374 | 8.3 | 0.55 | 0.91 | 0.06 |
| Italy, Varese | 277 | 10.0 | 0.69 | 1.09 | 0.08 | 237 | 7.3 | 0.62 | 0.77 | 0.07 |
| Italy, Veneto | 2967 | 12.9 | 0.28 | 1.39 | 0.03 | 2601 | 9.5 | 0.23 | 1.08 | 0.03 |
| Latvia | 540 | 7.6 | 0.35 | 0.83 | 0.04 | 559 | 5.0 | 0.27 | 0.54 | 0.03 |
| *Liechtenstein | 13 | 6.7 | 1.90 | 0.75 | 0.27 | 12 | 6.7 | 1.97 | 1.03 | 0.31 |
| *Lithuania | 806 | 7.6 | 0.29 | 0.81 | 0.03 | 931 | 5.5 | 0.22 | 0.61 | 0.03 |
| Malta | 243 | 13.1 | 0.93 | 1.36 | 0.10 | 204 | 9.5 | 0.77 | 1.06 | 0.09 |
| *The Netherlands | 9997 | 13.2 | 0.14 | 1.49 | 0.02 | 7039 | 8.3 | 0.11 | 0.96 | 0.01 |
| Norway | 2643 | 12.2 | 0.26 | 1.37 | 0.03 | 2050 | 8.3 | 0.21 | 0.99 | 0.03 |
| Poland, Kielce | 325 | 6.7 | 0.41 | 0.70 | 0.05 | 274 | 4.2 | 0.31 | 0.44 | 0.03 |
| *Portugal, Azores | 92 | 12.8 | 1.37 | 1.43 | 0.18 | 66 | 8.2 | 1.05 | 1.08 | 0.15 |
| Russian Federation, Arkhangelsk | 34 | 1.0 | 0.19 | 0.12 | 0.02 | 39 | 0.8 | 0.16 | 0.07 | 0.01 |
| Russian Federation, Kaliningrad | 46 | 1.6 | 0.25 | 0.20 | 0.04 | 54 | 1.2 | 0.19 | 0.12 | 0.02 |
| Russian Federation, Karelia | 48 | 2.6 | 0.39 | 0.29 | 0.05 | 73 | 2.3 | 0.31 | 0.25 | 0.04 |
| *Russian Federation, Komi Republic | 53 | 2.1 | 0.31 | 0.28 | 0.05 | 55 | 1.4 | 0.20 | 0.15 | 0.03 |
| Russian Federation, Murmansk | 22 | 1.1 | 0.26 | 0.09 | 0.03 | 33 | 1.0 | 0.19 | 0.08 | 0.02 |
| *Russian Federation, Orenburg | 345 | 5.7 | 0.32 | 0.67 | 0.04 | 381 | 4.4 | 0.25 | 0.49 | 0.03 |
| Russian Federation, Pskov | 27 | 1.3 | 0.28 | 0.12 | 0.03 | 36 | 1.0 | 0.22 | 0.11 | 0.02 |
| *Russian Federation, Samara | 545 | 5.6 | 0.25 | 0.59 | 0.03 | 642 | 4.5 | 0.21 | 0.45 | 0.02 |
| Russian Federation, Vologda Region | 29 | 0.7 | 0.14 | 0.08 | 0.02 | 41 | 0.7 | 0.11 | 0.08 | 0.01 |
| Slovenia | 934 | 10.2 | 0.37 | 1.11 | 0.05 | 852 | 7.4 | 0.30 | 0.84 | 0.04 |
| Spain, Asturias | 412 | 13.7 | 0.83 | 1.42 | 0.09 | 368 | 9.1 | 0.61 | 1.00 | 0.07 |
| Spain, Basque Country | 1029 | 12.8 | 0.46 | 1.39 | 0.05 | 861 | 8.7 | 0.36 | 0.97 | 0.04 |
| Spain, Canary Islands | 730 | 13.3 | 0.54 | 1.47 | 0.07 | 641 | 10.1 | 0.45 | 1.16 | 0.06 |
| Spain, Castellón | 220 | 9.2 | 0.70 | 1.04 | 0.08 | 180 | 6.5 | 0.56 | 0.74 | 0.07 |
| Spain, Girona | 353 | 12.0 | 0.72 | 1.24 | 0.08 | 275 | 7.5 | 0.52 | 0.88 | 0.07 |
| Spain, Granada | 335 | 9.6 | 0.59 | 1.02 | 0.07 | 311 | 7.9 | 0.51 | 0.88 | 0.06 |
| Spain, La Rioja | 129 | 9.6 | 0.97 | 1.03 | 0.11 | 117 | 7.0 | 0.80 | 0.76 | 0.09 |
| Spain, Murcia | 649 | 12.3 | 0.53 | 1.31 | 0.06 | 511 | 8.4 | 0.42 | 0.95 | 0.05 |
| Spain, Navarra | 256 | 11.7 | 0.83 | 1.21 | 0.09 | 184 | 6.9 | 0.60 | 0.73 | 0.07 |
| Spain, Salamanca | 181 | 12.1 | 1.18 | 1.31 | 0.12 | 209 | 9.4 | 0.81 | 1.16 | 0.11 |
| Spain, Tarragona | 388 | 11.1 | 0.63 | 1.27 | 0.08 | 290 | 7.7 | 0.53 | 0.82 | 0.06 |
| *Sweden | 5053 | 10.4 | 0.17 | 1.15 | 0.02 | 3813 | 7.1 | 0.14 | 0.80 | 0.02 |
| Switzerland, Aargau | 315 | 11.0 | 0.68 | 1.23 | 0.08 | 269 | 7.9 | 0.53 | 0.92 | 0.07 |
| Switzerland, Basel | 286 | 13.1 | 0.94 | 1.31 | 0.10 | 221 | 7.9 | 0.65 | 0.94 | 0.08 |
| Switzerland, Berne Solothurn | 501 | 12.7 | 0.63 | 1.46 | 0.08 | 402 | 8.6 | 0.50 | 1.01 | 0.06 |
| Switzerland, East | 440 | 11.7 | 0.62 | 1.27 | 0.08 | 301 | 7.0 | 0.46 | 0.79 | 0.06 |
| *Switzerland, Fribourg | 164 | 13.3 | 1.10 | 1.51 | 0.14 | 118 | 9.2 | 0.94 | 1.06 | 0.12 |
| Switzerland, Geneva | 245 | 13.1 | 0.91 | 1.45 | 0.11 | 222 | 9.2 | 0.72 | 1.06 | 0.09 |
| *Switzerland, Graubünden and Glarus | 126 | 10.3 | 1.02 | 1.11 | 0.12 | 115 | 8.3 | 0.94 | 0.93 | 0.12 |
| *Switzerland, Lucerne | 259 | 11.6 | 0.81 | 1.28 | 0.10 | 207 | 8.0 | 0.67 | 0.91 | 0.08 |
| *Switzerland, Neuchâtel and Jura | 152 | 13.8 | 1.32 | 1.37 | 0.15 | 119 | 8.9 | 1.03 | 0.87 | 0.11 |
| Switzerland, Ticino | 276 | 15.8 | 1.11 | 1.68 | 0.13 | 195 | 9.0 | 0.78 | 0.98 | 0.09 |
| Switzerland, Valais | 179 | 11.7 | 0.97 | 1.20 | 0.11 | 144 | 8.0 | 0.79 | 0.90 | 0.10 |
| Switzerland, Vaud | 364 | 11.7 | 0.65 | 1.30 | 0.08 | 283 | 7.7 | 0.52 | 0.92 | 0.07 |
| Switzerland, Zurich and Zug | 874 | 12.9 | 0.49 | 1.40 | 0.06 | 660 | 8.4 | 0.38 | 0.93 | 0.05 |
| Ukraine | 5443 | 5.0 | 0.07 | 0.53 | 0.01 | 5295 | 3.4 | 0.05 | 0.37 | 0.01 |
| UK, England | 31813 | 13.1 | 0.08 | 1.45 | 0.01 | 25477 | 9.1 | 0.07 | 1.03 | 0.01 |
| UK, Northern Ireland | 920 | 11.9 | 0.42 | 1.35 | 0.06 | 759 | 8.1 | 0.33 | 0.93 | 0.04 |
| UK, Scotland | 2895 | 12.1 | 0.25 | 1.37 | 0.03 | 2534 | 8.6 | 0.20 | 1.01 | 0.03 |
| UK, Wales | 1665 | 11.3 | 0.32 | 1.24 | 0.04 | 1372 | 8.1 | 0.26 | 0.98 | 0.03 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 4990 | 15.1 | 0.23 | 1.66 | 0.03 | 3756 | 10.3 | 0.19 | 1.16 | 0.02 |
| *Australia, Northern Territory | 61 | 9.0 | 1.19 | 1.12 | 0.17 | 42 | 6.8 | 1.07 | 0.76 | 0.15 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Non-Hodgkin lymphoma (C82–86,C96) (contd)

| | Male | | | | | Female | | | | |
|--|-------|-------------|-------------|----------|-------------|--------|-------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 60 | 10.8 | <i>1.45</i> | 1.32 | <i>0.20</i> | 40 | 8.4 | <i>1.36</i> | 0.93 | <i>0.18</i> |
| *Australia, Northern Territory: Indigenous | 1 | 0.5 | <i>0.47</i> | 0.04 | <i>0.04</i> | 2 | 1.6 | <i>1.11</i> | 0.20 | <i>0.14</i> |
| *Australia, Queensland | 2929 | 15.4 | <i>0.30</i> | 1.72 | <i>0.04</i> | 2180 | 10.6 | <i>0.25</i> | 1.18 | <i>0.03</i> |
| Australia, South Australia | 1360 | 18.1 | <i>0.54</i> | 2.01 | <i>0.07</i> | 996 | 11.5 | <i>0.41</i> | 1.31 | <i>0.05</i> |
| Australia, Tasmania | 334 | 14.0 | <i>0.83</i> | 1.52 | <i>0.10</i> | 281 | 10.5 | <i>0.70</i> | 1.23 | <i>0.09</i> |
| *Australia, Victoria | 4016 | 16.2 | <i>0.27</i> | 1.79 | <i>0.04</i> | 3067 | 11.1 | <i>0.22</i> | 1.29 | <i>0.03</i> |
| *Australia, Western Australia | 1495 | 15.7 | <i>0.42</i> | 1.76 | <i>0.06</i> | 1092 | 10.6 | <i>0.34</i> | 1.21 | <i>0.05</i> |
| *France, New Caledonia | 75 | 9.8 | <i>1.15</i> | 1.25 | <i>0.17</i> | 54 | 6.2 | <i>0.87</i> | 0.54 | <i>0.09</i> |
| New Zealand | 2456 | 13.5 | <i>0.29</i> | 1.45 | <i>0.04</i> | 1915 | 9.1 | <i>0.23</i> | 1.03 | <i>0.03</i> |
| *New Zealand: Maori | 224 | 14.2 | <i>0.97</i> | 1.58 | <i>0.13</i> | 166 | 9.4 | <i>0.73</i> | 1.15 | <i>0.11</i> |
| *New Zealand: Pacific peoples | 93 | 14.0 | <i>1.48</i> | 1.29 | <i>0.18</i> | 84 | 11.7 | <i>1.29</i> | 1.44 | <i>0.19</i> |
| *New Zealand: Other | 2018 | 13.8 | <i>0.35</i> | 1.48 | <i>0.04</i> | 1570 | 9.3 | <i>0.27</i> | 1.04 | <i>0.03</i> |
| USA, Hawaii | 698 | 11.7 | <i>0.48</i> | 1.31 | <i>0.06</i> | 533 | 8.2 | <i>0.42</i> | 0.85 | <i>0.05</i> |
| USA, Hawaii: White | 244 | 13.1 | <i>0.96</i> | 1.51 | <i>0.11</i> | 159 | 9.5 | <i>0.91</i> | 1.03 | <i>0.10</i> |
| *USA, Hawaii: Japanese | 138 | 9.1 | <i>1.07</i> | 1.01 | <i>0.12</i> | 135 | 9.5 | <i>1.42</i> | 0.94 | <i>0.12</i> |
| *USA, Hawaii: Chinese | 49 | 14.8 | <i>2.68</i> | 1.59 | <i>0.29</i> | 34 | 7.3 | <i>1.79</i> | 0.73 | <i>0.17</i> |
| *USA, Hawaii: Hawaiian | 87 | 9.4 | <i>1.01</i> | 1.04 | <i>0.14</i> | 73 | 7.6 | <i>0.92</i> | 0.77 | <i>0.11</i> |
| *USA, Hawaii: Filipino | 115 | 12.3 | <i>1.22</i> | 1.38 | <i>0.16</i> | 80 | 6.6 | <i>0.87</i> | 0.64 | <i>0.09</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Immunoproliferative diseases (C88)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 3 | 0.2 | 0.14 | 0.02 | 0.02 | 3 | 0.3 | 0.15 | 0.04 | 0.02 |
| *Algeria, Tizi Ouzou | 5 | 0.3 | 0.14 | 0.03 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 17 | 0.8 | 0.19 | 0.06 | 0.02 | 15 | 0.6 | 0.16 | 0.08 | 0.03 |
| *Kenya, Eldoret | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Nairobi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Mauritius | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Morocco, Casablanca | 12 | 0.1 | 0.03 | 0.01 | 0.00 | 17 | 0.1 | 0.04 | 0.02 | 0.00 |
| *Seychelles | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 4 | 0.2 | 0.11 | 0.04 | 0.03 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 5 | 0.2 | 0.11 | 0.03 | 0.01 |
| *Argentina, Mendoza | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Brazil, Aracaju | 6 | 0.6 | 0.24 | 0.03 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Brazil, Barretos | 4 | 0.3 | 0.15 | 0.03 | 0.02 | 11 | 0.7 | 0.23 | 0.09 | 0.03 |
| Brazil, Belo Horizonte | 18 | 0.3 | 0.06 | 0.03 | 0.01 | 18 | 0.2 | 0.04 | 0.02 | 0.01 |
| *Brazil, Campinas | 8 | 0.4 | 0.13 | 0.05 | 0.02 | 11 | 0.4 | 0.11 | 0.04 | 0.02 |
| *Brazil, Curitiba | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 10 | 0.2 | 0.06 | 0.02 | 0.01 |
| Brazil, Goiânia | 10 | 0.4 | 0.13 | 0.05 | 0.02 | 11 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Brazil, Jaú | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Brazil, Recife | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| Chile, Region of Antofagasta | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 4 | 0.4 | 0.21 | 0.07 | 0.04 |
| Chile, Valdivia | 4 | 0.3 | 0.16 | 0.04 | 0.02 | 9 | 0.6 | 0.21 | 0.09 | 0.03 |
| Colombia, Bucaramanga | 7 | 0.2 | 0.09 | 0.03 | 0.01 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| Colombia, Cali | 9 | 0.1 | 0.05 | 0.01 | 0.01 | 23 | 0.3 | 0.06 | 0.04 | 0.01 |
| Colombia, Manizales | 4 | 0.3 | 0.16 | 0.04 | 0.02 | 7 | 0.4 | 0.15 | 0.05 | 0.02 |
| Colombia, Pasto | 3 | 0.3 | 0.17 | 0.03 | 0.02 | 3 | 0.3 | 0.15 | 0.02 | 0.01 |
| Costa Rica | 9 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Ecuador, Guayaquil | 15 | 0.3 | 0.08 | 0.04 | 0.01 | 22 | 0.3 | 0.07 | 0.04 | 0.01 |
| Ecuador, Manabí | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| Ecuador, Quito | 12 | 0.3 | 0.09 | 0.04 | 0.02 | 9 | 0.2 | 0.06 | 0.03 | 0.01 |
| *France, Guadeloupe | 8 | 0.4 | 0.16 | 0.04 | 0.02 | 9 | 0.6 | 0.24 | 0.04 | 0.02 |
| *France, Martinique | 6 | 0.4 | 0.17 | 0.03 | 0.02 | 5 | 0.2 | 0.11 | 0.02 | 0.01 |
| *Peru, Lima | 40 | 0.3 | 0.05 | 0.03 | 0.01 | 57 | 0.3 | 0.05 | 0.04 | 0.01 |
| *Trinidad and Tobago | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| USA, Puerto Rico | 106 | 0.7 | 0.07 | 0.08 | 0.01 | 108 | 0.6 | 0.06 | 0.08 | 0.01 |
| *Uruguay | 33 | 0.3 | 0.05 | 0.02 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.00 |
| North America | | | | | | | | | | |
| Canada, Alberta | 193 | 1.2 | 0.09 | 0.13 | 0.01 | 146 | 0.9 | 0.08 | 0.10 | 0.01 |
| Canada, British Columbia | 186 | 0.9 | 0.07 | 0.10 | 0.01 | 157 | 0.7 | 0.06 | 0.08 | 0.01 |
| *Canada, Manitoba | 85 | 1.4 | 0.16 | 0.17 | 0.02 | 66 | 1.1 | 0.15 | 0.13 | 0.02 |
| *Canada, New Brunswick | 32 | 0.8 | 0.14 | 0.11 | 0.02 | 34 | 0.8 | 0.16 | 0.10 | 0.02 |
| *Canada, Newfoundland and Labrador | 36 | 1.5 | 0.27 | 0.17 | 0.03 | 25 | 0.8 | 0.18 | 0.09 | 0.02 |
| Canada, Ontario | 609 | 1.0 | 0.04 | 0.12 | 0.01 | 586 | 0.9 | 0.04 | 0.10 | 0.01 |
| *Canada, Prince Edward Island | 3 | 0.4 | 0.22 | 0.05 | 0.04 | 3 | 0.3 | 0.16 | 0.02 | 0.02 |
| Canada, Quebec | 563 | 1.4 | 0.06 | 0.15 | 0.01 | 501 | 1.1 | 0.06 | 0.14 | 0.01 |
| Canada, Saskatchewan | 58 | 1.2 | 0.17 | 0.16 | 0.03 | 64 | 1.3 | 0.18 | 0.15 | 0.02 |
| *Canada, Yukon | 3 | 2.1 | 1.24 | 0.18 | 0.13 | 0 | – | 0.00 | – | 0.00 |
| USA | 13153 | 1.0 | 0.01 | 0.11 | 0.00 | 13813 | 0.9 | 0.01 | 0.11 | 0.00 |
| USA: White | 11372 | 1.0 | 0.01 | 0.12 | 0.00 | 11718 | 0.9 | 0.01 | 0.11 | 0.00 |
| USA: Black | 991 | 0.8 | 0.03 | 0.09 | 0.00 | 1321 | 0.8 | 0.02 | 0.10 | 0.00 |
| USA, NPCR | 12639 | 1.0 | 0.01 | 0.11 | 0.00 | 13310 | 0.9 | 0.01 | 0.11 | 0.00 |
| USA, NPCR: White | 10939 | 1.0 | 0.01 | 0.12 | 0.00 | 11297 | 0.9 | 0.01 | 0.11 | 0.00 |
| USA, NPCR: Black | 973 | 0.8 | 0.03 | 0.09 | 0.00 | 1299 | 0.8 | 0.02 | 0.09 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 488 | 0.8 | 0.04 | 0.10 | 0.01 | 450 | 0.7 | 0.03 | 0.08 | 0.00 |
| USA, NPCR: American Indian | 37 | 0.3 | 0.05 | 0.04 | 0.01 | 62 | 0.5 | 0.06 | 0.06 | 0.01 |
| *USA, SEER (18 registries) | 3556 | 1.0 | 0.02 | 0.12 | 0.00 | 3671 | 0.9 | 0.02 | 0.11 | 0.00 |
| *USA, SEER (18 registries): White | 2914 | 1.0 | 0.02 | 0.12 | 0.00 | 2921 | 0.9 | 0.02 | 0.11 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 2564 | 1.1 | 0.02 | 0.13 | 0.00 | 2480 | 1.0 | 0.02 | 0.11 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 350 | 0.8 | 0.04 | 0.10 | 0.01 | 441 | 0.9 | 0.04 | 0.10 | 0.01 |
| *USA, SEER (18 registries): Black | 248 | 0.8 | 0.05 | 0.09 | 0.01 | 338 | 0.8 | 0.05 | 0.10 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 300 | 0.9 | 0.05 | 0.10 | 0.01 | 293 | 0.7 | 0.05 | 0.09 | 0.01 |
| *USA, SEER (9 registries) | 1328 | 1.1 | 0.03 | 0.13 | 0.00 | 1286 | 0.9 | 0.03 | 0.11 | 0.00 |
| *USA, SEER (9 registries): White | 1089 | 1.1 | 0.04 | 0.13 | 0.01 | 1022 | 1.0 | 0.03 | 0.11 | 0.00 |
| *USA, SEER (9 registries): Black | 91 | 0.9 | 0.09 | 0.10 | 0.01 | 126 | 0.9 | 0.08 | 0.11 | 0.01 |
| USA, Alabama | 107 | 0.5 | 0.05 | 0.07 | 0.01 | 129 | 0.6 | 0.05 | 0.06 | 0.01 |
| USA, Alabama: White | 77 | 0.5 | 0.06 | 0.06 | 0.01 | 105 | 0.6 | 0.07 | 0.07 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Immunoproliferative diseases (C88) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 28 | 0.7 | <i>0.14</i> | 0.08 | <i>0.02</i> | 22 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| USA, Alaska | 20 | 0.8 | <i>0.17</i> | 0.07 | <i>0.02</i> | 27 | 1.1 | <i>0.22</i> | 0.14 | <i>0.03</i> |
| *USA, Alaska: Alaska Natives | 1 | 0.3 | <i>0.27</i> | 0.03 | <i>0.03</i> | 3 | 0.7 | <i>0.40</i> | 0.05 | <i>0.04</i> |
| USA, Arizona | 190 | 0.6 | <i>0.05</i> | 0.06 | <i>0.01</i> | 205 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| USA, Arizona: White | 179 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 192 | 0.6 | <i>0.05</i> | 0.08 | <i>0.01</i> |
| USA, Arizona: Black | 4 | 0.4 | <i>0.21</i> | 0.02 | <i>0.01</i> | 4 | 0.4 | <i>0.19</i> | 0.07 | <i>0.04</i> |
| *USA, Arizona: Asian and Pacific Islander | 4 | 0.6 | <i>0.31</i> | 0.11 | <i>0.06</i> | 3 | 0.2 | <i>0.13</i> | 0.00 | <i>0.00</i> |
| USA, Arizona: American Indian | 2 | 0.2 | <i>0.12</i> | 0.00 | <i>0.00</i> | 6 | 0.5 | <i>0.21</i> | 0.04 | <i>0.02</i> |
| USA, Arkansas | 81 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> | 103 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| USA, Arkansas: White | 73 | 0.7 | <i>0.09</i> | 0.09 | <i>0.01</i> | 91 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| USA, Arkansas: Black | 7 | 0.5 | <i>0.19</i> | 0.06 | <i>0.02</i> | 9 | 0.5 | <i>0.18</i> | 0.07 | <i>0.03</i> |
| USA, California | 1565 | 1.1 | <i>0.03</i> | 0.13 | <i>0.00</i> | 1536 | 0.9 | <i>0.03</i> | 0.11 | <i>0.00</i> |
| USA, California: White | 1246 | 1.1 | <i>0.03</i> | 0.13 | <i>0.00</i> | 1191 | 0.9 | <i>0.03</i> | 0.11 | <i>0.00</i> |
| USA, California: Black | 66 | 0.8 | <i>0.09</i> | 0.09 | <i>0.01</i> | 84 | 0.8 | <i>0.10</i> | 0.10 | <i>0.01</i> |
| USA, California: Asian and Pacific Islander | 201 | 0.9 | <i>0.07</i> | 0.11 | <i>0.01</i> | 204 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> |
| *USA, California, Los Angeles County | 345 | 0.9 | <i>0.05</i> | 0.11 | <i>0.01</i> | 366 | 0.9 | <i>0.05</i> | 0.11 | <i>0.01</i> |
| *USA, California, Los Angeles County: White | 258 | 1.0 | <i>0.06</i> | 0.11 | <i>0.01</i> | 275 | 0.9 | <i>0.06</i> | 0.11 | <i>0.01</i> |
| *USA, California, Los Angeles County: Non-Hispanic White | 185 | 1.3 | <i>0.11</i> | 0.14 | <i>0.01</i> | 162 | 1.0 | <i>0.09</i> | 0.12 | <i>0.01</i> |
| *USA, California, Los Angeles County: Hispanic White | 73 | 0.7 | <i>0.08</i> | 0.09 | <i>0.01</i> | 113 | 0.8 | <i>0.08</i> | 0.10 | <i>0.01</i> |
| *USA, California, Los Angeles County: Black | 24 | 0.7 | <i>0.15</i> | 0.09 | <i>0.02</i> | 26 | 0.6 | <i>0.13</i> | 0.08 | <i>0.02</i> |
| *USA, California, Los Angeles County: Chinese | 10 | 0.5 | <i>0.17</i> | 0.06 | <i>0.02</i> | 7 | 0.3 | <i>0.11</i> | 0.04 | <i>0.02</i> |
| *USA, California, Los Angeles County: Filipino | 9 | 0.7 | <i>0.23</i> | 0.08 | <i>0.03</i> | 11 | 0.6 | <i>0.18</i> | 0.07 | <i>0.02</i> |
| *USA, California, Los Angeles County: Korean | 3 | 0.4 | <i>0.22</i> | 0.05 | <i>0.03</i> | 6 | 0.6 | <i>0.27</i> | 0.07 | <i>0.03</i> |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 47 | 0.7 | <i>0.11</i> | 0.08 | <i>0.01</i> | 52 | 0.7 | <i>0.10</i> | 0.09 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area | 223 | 1.2 | <i>0.09</i> | 0.13 | <i>0.01</i> | 208 | 1.0 | <i>0.07</i> | 0.11 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: White | 168 | 1.4 | <i>0.11</i> | 0.15 | <i>0.01</i> | 136 | 1.0 | <i>0.09</i> | 0.11 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 147 | 1.4 | <i>0.13</i> | 0.15 | <i>0.02</i> | 114 | 1.0 | <i>0.11</i> | 0.11 | <i>0.01</i> |
| *USA, California, San Francisco Bay Area: Hispanic White | 21 | 1.0 | <i>0.22</i> | 0.11 | <i>0.03</i> | 22 | 0.9 | <i>0.20</i> | 0.10 | <i>0.03</i> |
| *USA, California, San Francisco Bay Area: Black | 11 | 0.8 | <i>0.24</i> | 0.08 | <i>0.03</i> | 23 | 1.4 | <i>0.31</i> | 0.16 | <i>0.04</i> |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 42 | 0.9 | <i>0.15</i> | 0.11 | <i>0.02</i> | 47 | 0.9 | <i>0.14</i> | 0.09 | <i>0.02</i> |
| USA, Colorado | 204 | 1.0 | <i>0.07</i> | 0.10 | <i>0.01</i> | 186 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> |
| USA, Colorado: White | 190 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 172 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> |
| *USA, Colorado: Black | 10 | 1.3 | <i>0.40</i> | 0.12 | <i>0.04</i> | 5 | 0.6 | <i>0.30</i> | 0.09 | <i>0.05</i> |
| *USA, Colorado: Asian and Pacific Islander | 4 | 0.8 | <i>0.42</i> | 0.12 | <i>0.07</i> | 6 | 0.8 | <i>0.33</i> | 0.08 | <i>0.05</i> |
| USA, Connecticut | 236 | 1.5 | <i>0.11</i> | 0.18 | <i>0.01</i> | 240 | 1.3 | <i>0.09</i> | 0.16 | <i>0.01</i> |
| USA, Connecticut: White | 217 | 1.6 | <i>0.12</i> | 0.18 | <i>0.02</i> | 210 | 1.3 | <i>0.10</i> | 0.16 | <i>0.01</i> |
| USA, Connecticut: Black | 8 | 0.7 | <i>0.26</i> | 0.09 | <i>0.04</i> | 16 | 1.0 | <i>0.26</i> | 0.12 | <i>0.04</i> |
| USA, District of Columbia | 23 | 1.1 | <i>0.23</i> | 0.14 | <i>0.03</i> | 17 | 0.7 | <i>0.18</i> | 0.09 | <i>0.02</i> |
| USA, District of Columbia: White | 7 | 0.6 | <i>0.23</i> | 0.06 | <i>0.03</i> | 5 | 0.5 | <i>0.24</i> | 0.07 | <i>0.04</i> |
| USA, District of Columbia: Black | 12 | 1.2 | <i>0.34</i> | 0.16 | <i>0.05</i> | 10 | 0.7 | <i>0.24</i> | 0.08 | <i>0.03</i> |
| USA, Florida | 1237 | 1.2 | <i>0.04</i> | 0.14 | <i>0.01</i> | 1181 | 1.0 | <i>0.03</i> | 0.12 | <i>0.00</i> |
| USA, Florida: White | 1090 | 1.2 | <i>0.04</i> | 0.14 | <i>0.01</i> | 1041 | 1.0 | <i>0.04</i> | 0.12 | <i>0.00</i> |
| USA, Florida: Black | 76 | 0.7 | <i>0.09</i> | 0.08 | <i>0.01</i> | 78 | 0.6 | <i>0.07</i> | 0.08 | <i>0.01</i> |
| USA, Florida: Asian and Pacific Islander | 17 | 0.7 | <i>0.19</i> | 0.06 | <i>0.02</i> | 11 | 0.4 | <i>0.12</i> | 0.06 | <i>0.02</i> |
| USA, Georgia | 268 | 0.7 | <i>0.05</i> | 0.09 | <i>0.01</i> | 338 | 0.8 | <i>0.04</i> | 0.09 | <i>0.01</i> |
| USA, Georgia: White | 216 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> | 249 | 0.8 | <i>0.05</i> | 0.09 | <i>0.01</i> |
| USA, Georgia: Black | 45 | 0.5 | <i>0.08</i> | 0.05 | <i>0.01</i> | 79 | 0.7 | <i>0.08</i> | 0.08 | <i>0.01</i> |
| USA, Georgia: Asian and Pacific Islander | 7 | 0.7 | <i>0.25</i> | 0.10 | <i>0.04</i> | 7 | 0.5 | <i>0.20</i> | 0.05 | <i>0.03</i> |
| *USA, Georgia, Atlanta | 91 | 0.8 | <i>0.09</i> | 0.10 | <i>0.01</i> | 95 | 0.7 | <i>0.07</i> | 0.08 | <i>0.01</i> |
| *USA, Georgia, Atlanta: White | 62 | 0.9 | <i>0.11</i> | 0.11 | <i>0.02</i> | 62 | 0.8 | <i>0.11</i> | 0.09 | <i>0.01</i> |
| *USA, Georgia, Atlanta: Black | 23 | 0.6 | <i>0.13</i> | 0.07 | <i>0.02</i> | 28 | 0.6 | <i>0.10</i> | 0.08 | <i>0.02</i> |
| USA, Idaho | 70 | 1.0 | <i>0.13</i> | 0.12 | <i>0.02</i> | 51 | 0.7 | <i>0.10</i> | 0.09 | <i>0.01</i> |
| USA, Indiana | 212 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> | 263 | 0.8 | <i>0.06</i> | 0.10 | <i>0.01</i> |
| USA, Indiana: White | 194 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> | 240 | 0.9 | <i>0.06</i> | 0.10 | <i>0.01</i> |
| USA, Indiana: Black | 13 | 0.8 | <i>0.22</i> | 0.12 | <i>0.04</i> | 20 | 0.9 | <i>0.19</i> | 0.10 | <i>0.03</i> |
| *USA, Iowa | 156 | 1.1 | <i>0.09</i> | 0.14 | <i>0.01</i> | 138 | 0.9 | <i>0.09</i> | 0.10 | <i>0.01</i> |
| USA, Kentucky | 186 | 1.0 | <i>0.07</i> | 0.11 | <i>0.01</i> | 193 | 1.0 | <i>0.08</i> | 0.11 | <i>0.01</i> |
| USA, Louisiana | 164 | 0.9 | <i>0.08</i> | 0.11 | <i>0.01</i> | 170 | 0.8 | <i>0.07</i> | 0.10 | <i>0.01</i> |
| USA, Louisiana: White | 121 | 0.9 | <i>0.09</i> | 0.11 | <i>0.01</i> | 124 | 0.8 | <i>0.08</i> | 0.10 | <i>0.01</i> |
| USA, Louisiana: Black | 42 | 1.0 | <i>0.15</i> | 0.12 | <i>0.02</i> | 42 | 0.8 | <i>0.12</i> | 0.09 | <i>0.01</i> |
| *USA, Louisiana, New Orleans | 27 | 0.9 | <i>0.18</i> | 0.10 | <i>0.02</i> | 37 | 0.9 | <i>0.16</i> | 0.11 | <i>0.02</i> |
| *USA, Louisiana, New Orleans: White | 18 | 0.9 | <i>0.26</i> | 0.11 | <i>0.03</i> | 25 | 1.0 | <i>0.23</i> | 0.14 | <i>0.03</i> |
| *USA, Louisiana, New Orleans: Black | 8 | 0.8 | <i>0.29</i> | 0.09 | <i>0.03</i> | 10 | 0.6 | <i>0.21</i> | 0.06 | <i>0.03</i> |
| USA, Maine | 88 | 1.2 | <i>0.13</i> | 0.13 | <i>0.02</i> | 79 | 1.1 | <i>0.15</i> | 0.13 | <i>0.02</i> |
| USA, Maryland | 239 | 1.0 | <i>0.07</i> | 0.12 | <i>0.01</i> | 283 | 1.0 | <i>0.07</i> | 0.12 | <i>0.01</i> |
| USA, Maryland: White | 176 | 1.1 | <i>0.08</i> | 0.13 | <i>0.01</i> | 192 | 1.1 | <i>0.09</i> | 0.13 | <i>0.01</i> |
| USA, Maryland: Black | 50 | 0.9 | <i>0.12</i> | 0.10 | <i>0.02</i> | 79 | 1.0 | <i>0.12</i> | 0.12 | <i>0.02</i> |
| USA, Maryland: Asian and Pacific Islander | 8 | 0.6 | <i>0.21</i> | 0.09 | <i>0.04</i> | 10 | 0.7 | <i>0.21</i> | 0.07 | <i>0.02</i> |
| USA, Massachusetts | 399 | 1.4 | <i>0.07</i> | 0.16 | <i>0.01</i> | 423 | 1.2 | <i>0.07</i> | 0.15 | <i>0.01</i> |
| USA, Massachusetts: White | 362 | 1.4 | <i>0.08</i> | 0.16 | <i>0.01</i> | 381 | 1.2 | <i>0.07</i> | 0.15 | <i>0.01</i> |
| USA, Massachusetts: Black | 16 | 1.0 | <i>0.25</i> | 0.11 | <i>0.03</i> | 24 | 1.2 | <i>0.25</i> | 0.15 | <i>0.03</i> |
| USA, Massachusetts: Asian and Pacific Islander | 14 | 1.1 | <i>0.29</i> | 0.11 | <i>0.04</i> | 10 | 0.7 | <i>0.23</i> | 0.08 | <i>0.03</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Immunoproliferative diseases (C88) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 450 | 1.0 | 0.05 | 0.12 | 0.01 | 493 | 1.0 | 0.05 | 0.12 | 0.01 |
| USA, Michigan: White | 390 | 1.0 | 0.06 | 0.12 | 0.01 | 425 | 1.1 | 0.06 | 0.12 | 0.01 |
| USA, Michigan: Black | 42 | 1.0 | 0.16 | 0.11 | 0.02 | 59 | 1.0 | 0.14 | 0.12 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | 15 | 1.8 | 0.47 | 0.23 | 0.07 | 6 | 0.6 | 0.25 | 0.05 | 0.03 |
| *USA, Michigan, Detroit | 173 | 1.1 | 0.09 | 0.13 | 0.01 | 207 | 1.1 | 0.08 | 0.13 | 0.01 |
| *USA, Michigan, Detroit: White | 138 | 1.1 | 0.10 | 0.13 | 0.01 | 163 | 1.2 | 0.11 | 0.14 | 0.01 |
| *USA, Michigan, Detroit: Black | 28 | 1.0 | 0.18 | 0.12 | 0.02 | 43 | 1.0 | 0.16 | 0.12 | 0.02 |
| USA, Minnesota | 271 | 1.2 | 0.07 | 0.14 | 0.01 | 289 | 1.1 | 0.07 | 0.13 | 0.01 |
| USA, Minnesota: White | 256 | 1.2 | 0.08 | 0.14 | 0.01 | 265 | 1.1 | 0.07 | 0.13 | 0.01 |
| USA, Minnesota: Black | 8 | 1.3 | 0.48 | 0.19 | 0.09 | 8 | 1.1 | 0.38 | 0.12 | 0.05 |
| *USA, Minnesota: Asian and Pacific Islander | 2 | 0.3 | 0.20 | 0.02 | 0.02 | 8 | 1.2 | 0.44 | 0.15 | 0.06 |
| USA, Mississippi | 80 | 0.7 | 0.08 | 0.07 | 0.01 | 87 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, Missouri | 243 | 0.9 | 0.06 | 0.11 | 0.01 | 270 | 0.9 | 0.06 | 0.11 | 0.01 |
| USA, Missouri: White | 216 | 0.9 | 0.06 | 0.10 | 0.01 | 237 | 0.9 | 0.06 | 0.11 | 0.01 |
| USA, Missouri: Black | 22 | 1.0 | 0.22 | 0.12 | 0.03 | 29 | 1.2 | 0.23 | 0.13 | 0.03 |
| USA, Montana | 46 | 0.9 | 0.13 | 0.10 | 0.02 | 48 | 1.0 | 0.16 | 0.11 | 0.02 |
| *USA, Montana: American Indian | 1 | 0.4 | 0.43 | 0.05 | 0.05 | 1 | 0.6 | 0.57 | 0.05 | 0.05 |
| USA, Nebraska | 90 | 1.2 | 0.13 | 0.14 | 0.02 | 109 | 1.3 | 0.14 | 0.16 | 0.02 |
| USA, Nebraska: White | 87 | 1.2 | 0.14 | 0.15 | 0.02 | 101 | 1.3 | 0.15 | 0.16 | 0.02 |
| *USA, Nebraska: Black | 1 | 0.3 | 0.33 | 0.03 | 0.03 | 5 | 1.8 | 0.84 | 0.27 | 0.14 |
| USA, Nevada | 81 | 0.7 | 0.08 | 0.08 | 0.01 | 45 | 0.3 | 0.06 | 0.04 | 0.01 |
| USA, Nevada: White | 69 | 0.7 | 0.09 | 0.08 | 0.01 | 39 | 0.4 | 0.06 | 0.04 | 0.01 |
| USA, Nevada: Black | 4 | 0.5 | 0.24 | 0.08 | 0.05 | 3 | 0.3 | 0.19 | 0.04 | 0.02 |
| *USA, Nevada: Asian and Pacific Islander | 7 | 0.6 | 0.25 | 0.06 | 0.03 | 3 | 0.3 | 0.16 | 0.03 | 0.02 |
| USA, New Jersey | 446 | 1.2 | 0.06 | 0.14 | 0.01 | 517 | 1.2 | 0.06 | 0.15 | 0.01 |
| USA, New Jersey: White | 389 | 1.3 | 0.07 | 0.15 | 0.01 | 436 | 1.3 | 0.07 | 0.15 | 0.01 |
| USA, New Jersey: Black | 28 | 0.7 | 0.13 | 0.07 | 0.02 | 50 | 1.0 | 0.15 | 0.12 | 0.02 |
| USA, New Mexico | 53 | 0.6 | 0.08 | 0.08 | 0.01 | 77 | 0.9 | 0.11 | 0.10 | 0.01 |
| USA, New Mexico: White | 49 | 0.6 | 0.09 | 0.08 | 0.01 | 67 | 0.8 | 0.11 | 0.09 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 36 | 0.6 | 0.12 | 0.09 | 0.02 | 36 | 0.8 | 0.15 | 0.09 | 0.02 |
| USA, New Mexico: Hispanic White | 13 | 0.4 | 0.12 | 0.04 | 0.02 | 31 | 0.9 | 0.18 | 0.10 | 0.02 |
| *USA, New Mexico: American Indian | 0 | – | 0.00 | – | 0.00 | 3 | 0.4 | 0.24 | 0.05 | 0.03 |
| USA, New York State | 1167 | 1.4 | 0.04 | 0.17 | 0.01 | 1239 | 1.3 | 0.04 | 0.16 | 0.01 |
| USA, New York State: White | 976 | 1.5 | 0.05 | 0.18 | 0.01 | 1038 | 1.5 | 0.05 | 0.17 | 0.01 |
| USA, New York State: Black | 114 | 1.0 | 0.10 | 0.13 | 0.01 | 148 | 1.0 | 0.09 | 0.12 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 66 | 1.1 | 0.14 | 0.12 | 0.02 | 46 | 0.7 | 0.10 | 0.07 | 0.01 |
| USA, North Carolina | 363 | 0.9 | 0.05 | 0.10 | 0.01 | 389 | 0.8 | 0.04 | 0.10 | 0.01 |
| USA, North Carolina: White | 293 | 0.9 | 0.05 | 0.10 | 0.01 | 296 | 0.8 | 0.05 | 0.10 | 0.01 |
| USA, North Carolina: Black | 59 | 0.8 | 0.11 | 0.10 | 0.02 | 83 | 0.9 | 0.10 | 0.11 | 0.01 |
| USA, North Carolina: Asian and Pacific Islander | 4 | 0.5 | 0.23 | 0.01 | 0.01 | 7 | 0.8 | 0.32 | 0.11 | 0.05 |
| *USA, North Carolina: American Indian | 4 | 0.9 | 0.43 | 0.16 | 0.09 | 3 | 0.5 | 0.26 | 0.02 | 0.02 |
| USA, North Dakota | 36 | 1.1 | 0.20 | 0.12 | 0.03 | 29 | 0.9 | 0.19 | 0.11 | 0.03 |
| USA, Ohio | 471 | 1.0 | 0.05 | 0.11 | 0.01 | 468 | 0.9 | 0.04 | 0.10 | 0.01 |
| USA, Ohio: White | 410 | 0.9 | 0.05 | 0.11 | 0.01 | 401 | 0.8 | 0.05 | 0.10 | 0.01 |
| USA, Ohio: Black | 43 | 1.0 | 0.15 | 0.11 | 0.02 | 57 | 1.0 | 0.13 | 0.10 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 4 | 0.5 | 0.28 | 0.06 | 0.03 | 3 | 0.3 | 0.19 | 0.03 | 0.02 |
| USA, Oklahoma | 84 | 0.5 | 0.06 | 0.07 | 0.01 | 127 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, Oklahoma: White | 75 | 0.6 | 0.07 | 0.07 | 0.01 | 110 | 0.7 | 0.08 | 0.09 | 0.01 |
| USA, Oklahoma: Black | 4 | 0.5 | 0.23 | 0.06 | 0.03 | 5 | 0.5 | 0.23 | 0.04 | 0.02 |
| USA, Oklahoma: American Indian | 4 | 0.4 | 0.19 | 0.05 | 0.03 | 6 | 0.5 | 0.20 | 0.07 | 0.03 |
| USA, Oregon | 171 | 0.9 | 0.07 | 0.11 | 0.01 | 157 | 0.8 | 0.07 | 0.09 | 0.01 |
| USA, Oregon: White | 159 | 0.9 | 0.08 | 0.11 | 0.01 | 143 | 0.8 | 0.07 | 0.09 | 0.01 |
| *USA, Oregon: Black | 6 | 2.3 | 0.95 | 0.36 | 0.16 | 3 | 1.0 | 0.62 | 0.14 | 0.12 |
| *USA, Oregon: Asian and Pacific Islander | 4 | 0.7 | 0.35 | 0.08 | 0.06 | 7 | 0.9 | 0.34 | 0.07 | 0.04 |
| USA, Rhode Island | 54 | 1.3 | 0.18 | 0.15 | 0.02 | 63 | 1.1 | 0.15 | 0.13 | 0.02 |
| USA, Rhode Island: White | 47 | 1.2 | 0.19 | 0.14 | 0.02 | 57 | 1.0 | 0.15 | 0.11 | 0.02 |
| *USA, Rhode Island: Black | 2 | 0.9 | 0.65 | 0.12 | 0.09 | 1 | 0.4 | 0.37 | 0.04 | 0.04 |
| USA, South Carolina | 141 | 0.6 | 0.06 | 0.07 | 0.01 | 157 | 0.6 | 0.05 | 0.07 | 0.01 |
| USA, South Carolina: White | 122 | 0.7 | 0.07 | 0.08 | 0.01 | 121 | 0.7 | 0.07 | 0.08 | 0.01 |
| USA, South Carolina: Black | 17 | 0.4 | 0.09 | 0.05 | 0.01 | 34 | 0.6 | 0.10 | 0.08 | 0.02 |
| USA, South Dakota | 31 | 0.8 | 0.14 | 0.10 | 0.02 | 46 | 1.1 | 0.17 | 0.13 | 0.03 |
| USA, Tennessee | 189 | 0.7 | 0.05 | 0.08 | 0.01 | 235 | 0.7 | 0.05 | 0.09 | 0.01 |
| USA, Tennessee: White | 164 | 0.7 | 0.06 | 0.08 | 0.01 | 209 | 0.8 | 0.06 | 0.09 | 0.01 |
| USA, Tennessee: Black | 21 | 0.7 | 0.15 | 0.07 | 0.02 | 24 | 0.6 | 0.12 | 0.07 | 0.02 |
| USA, Texas | 680 | 0.7 | 0.03 | 0.08 | 0.00 | 713 | 0.7 | 0.03 | 0.08 | 0.00 |
| USA, Texas: White | 595 | 0.7 | 0.03 | 0.08 | 0.00 | 616 | 0.7 | 0.03 | 0.08 | 0.00 |
| USA, Texas: Black | 48 | 0.5 | 0.08 | 0.07 | 0.01 | 73 | 0.6 | 0.07 | 0.06 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 31 | 0.8 | 0.14 | 0.09 | 0.02 | 15 | 0.3 | 0.08 | 0.04 | 0.01 |
| USA, Utah | 64 | 0.7 | 0.09 | 0.08 | 0.01 | 50 | 0.5 | 0.07 | 0.05 | 0.01 |
| USA, Vermont | 42 | 1.4 | 0.23 | 0.16 | 0.03 | 48 | 1.3 | 0.21 | 0.16 | 0.03 |
| USA, Washington State | 322 | 1.0 | 0.06 | 0.12 | 0.01 | 315 | 0.9 | 0.06 | 0.11 | 0.01 |
| *USA, Washington, Seattle | 263 | 1.2 | 0.08 | 0.13 | 0.01 | 223 | 1.0 | 0.07 | 0.11 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Immunoproliferative diseases (C88) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 43 | 0.4 | 0.07 | 0.04 | 0.01 | 85 | 0.9 | 0.11 | 0.12 | 0.01 |
| USA, Wyoming | 18 | 0.6 | 0.15 | 0.07 | 0.02 | 11 | 0.4 | 0.12 | 0.05 | 0.02 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 4 | 0.3 | 0.16 | 0.04 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| Brunei Darussalam | 5 | 0.5 | 0.21 | 0.05 | 0.03 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Anfu County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Beijing City | 31 | 0.1 | 0.01 | 0.01 | 0.00 | 20 | 0.0 | 0.01 | 0.01 | 0.00 |
| *China, Binhai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Cangzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Changfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Changzhou City | 16 | 0.2 | 0.04 | 0.02 | 0.01 | 5 | 0.0 | 0.02 | 0.01 | 0.00 |
| China, Chengdu City | 2 | 0.0 | 0.03 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Cixian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Cixi City | 5 | 0.1 | 0.04 | 0.01 | 0.00 | 3 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Dafeng District, Yancheng City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Dalian City | 7 | 0.1 | 0.02 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Dancheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Dangtu County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.2 | 0.13 | 0.02 | 0.02 |
| *China, Danyang City | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Donggang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongguan City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Donghai County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongtai City | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Faku County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Fangcheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Feicheng City | 2 | 0.0 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Feixi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Fuqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganyu District, Lianyungang City | 4 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.01 | 0.01 |
| *China, Ganzhou District, Zhangye City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Gaocheng City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Gaomi City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Gong'an County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Guang'an District, Guang'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Guanghan City | 3 | 0.2 | 0.10 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Guangzhou City | 25 | 0.1 | 0.02 | 0.01 | 0.00 | 9 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Guanyun County | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.01 | 0.00 |
| China, Guilin City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hai'an City | 3 | 0.1 | 0.03 | 0.01 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hailar District, Hulun Buir City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Haimen District, Nantong City | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| China, Haining City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Hangzhou City | 35 | 0.1 | 0.02 | 0.02 | 0.00 | 22 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Hebi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Hefei City | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Hengdong County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hengfeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Hepu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Hongshan District, Chifeng City | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Hongta District, Yuxi City | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Huaiyin District, Huai'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiange County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiangyin City | 13 | 0.2 | 0.07 | 0.03 | 0.01 | 14 | 0.2 | 0.07 | 0.03 | 0.01 |
| *China, Jiashan County | 5 | 0.3 | 0.12 | 0.03 | 0.01 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 5 | 0.1 | 0.02 | 0.01 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Jiulongpo District, Chongqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiyuan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Immunoproliferative diseases (C88) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|----------|------|------|--------|------------|----------|------|------|
| | Cases | ASR(W) | CUM 0–74 | SE | SE | Cases | ASR(W) | CUM 0–74 | SE | SE |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Kunshan City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Langzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Liangshan County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Lianshui County | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Lianyungang City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Linqu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Linzhou City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Liuzhou City | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Liyang City | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Longquan City | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| China, Lucheng District, Wenzhou City | 3 | 0.1 | 0.08 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Luoding City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Luohe City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Luoyang City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *China, Luquan City | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Ma'anshan City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *China, Macheng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Mengjin County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Nangang District, Harbin City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Nanhai District, Foshan City | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Nanhu District, Jiaying City | 3 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Nantong City | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Nanxiong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Neixiang County | 2 | 0.1 | 0.11 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 6 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Qingzhou City | 2 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.1 | 0.04 | 0.02 | 0.01 |
| *China, Rudong County | 3 | 0.0 | 0.02 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Rugao City | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Rural areas of Shanghai City | 89 | 0.2 | 0.02 | 0.02 | 0.00 | 62 | 0.2 | 0.02 | 0.02 | 0.00 |
| China, Ruyang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Shanghai City | 41 | 0.1 | 0.02 | 0.01 | 0.00 | 34 | 0.1 | 0.02 | 0.01 | 0.00 |
| China, Shangyu District, Shaoxing City | 6 | 0.2 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Shapingba District, Chongqing City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Shexian County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Sheyang County | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shijiazhuang City | 7 | 0.1 | 0.05 | 0.02 | 0.01 | 7 | 0.1 | 0.05 | 0.02 | 0.01 |
| China, Shunde District, Foshan City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 3 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Song County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 26 | 0.2 | 0.03 | 0.02 | 0.01 | 11 | 0.1 | 0.02 | 0.01 | 0.00 |
| *China, Tengzhou City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.0 | 0.02 | 0.01 | 0.00 |
| *China, Wangdu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuhan City | 8 | 0.0 | 0.01 | 0.01 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Wuhu City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuxi City | 8 | 0.1 | 0.02 | 0.01 | 0.00 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| China, Wuzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Xiangfu District, Kaifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Xianju County | 1 | 0.1 | 0.09 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xin'an County | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xining City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Xinji City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinluo District, Longyan City | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Xiping County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xishan District, Kunming City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xuyi County | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Ya'an City | 3 | 0.1 | 0.03 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Yakeshi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yancheng City | 4 | 0.1 | 0.03 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangquan City | 1 | 0.1 | 0.11 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *China, Yanshi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yanting County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yingdong District, Fuyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Immunoproliferative diseases (C88) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 1 | 0.1 | 0.12 | 0.03 | 0.03 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Yiyuan County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yongkang City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yunyang District, Shiyuan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhanhuang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| *China, Zhaoyuan City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Zhengding County | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.10 | 0.03 | 0.02 |
| *China, Zhongshan City | 15 | 0.3 | 0.07 | 0.04 | 0.01 | 10 | 0.2 | 0.06 | 0.03 | 0.01 |
| China, Zhongxiang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhuanghe City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhuhai City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Ahmedabad, Urban | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Chennai | 4 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Dibrugarh | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *India, Dindigul, Ambilikkai | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kamrup Urban District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kollam | 8 | 0.1 | 0.04 | 0.01 | 0.00 | 4 | 0.1 | 0.03 | 0.01 | 0.00 |
| *India, Manipur | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Meghalaya | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mizoram | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.08 | 0.02 | 0.02 |
| India, Mumbai | 1 | 0.0 | 0.00 | 0.00 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, New Delhi | 8 | 0.0 | 0.01 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Poona | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Tamil Nadu | 2 | 0.0 | 0.00 | 0.00 | 0.00 | 2 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Trivandrum | 4 | 0.1 | 0.03 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Wardha | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, West Arunachal | 2 | 0.1 | 0.09 | 0.01 | 0.01 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| *Iran (Islamic Republic of), Ardabil Province | 5 | 0.2 | 0.12 | 0.02 | 0.01 | 4 | 0.3 | 0.13 | 0.05 | 0.03 |
| *Iran (Islamic Republic of), Golestan Province | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| Israel | 291 | 1.2 | 0.07 | 0.12 | 0.01 | 329 | 1.2 | 0.07 | 0.15 | 0.01 |
| *Israel: Jews | 255 | 1.2 | 0.08 | 0.13 | 0.01 | 293 | 1.3 | 0.08 | 0.17 | 0.01 |
| *Israel: Arabs | 31 | 0.9 | 0.17 | 0.08 | 0.02 | 24 | 0.7 | 0.15 | 0.08 | 0.02 |
| Japan | 3971 | 0.9 | 0.02 | 0.11 | 0.00 | 4208 | 0.9 | 0.02 | 0.11 | 0.00 |
| Japan, Aichi Prefecture | 190 | 0.8 | 0.06 | 0.09 | 0.01 | 175 | 0.8 | 0.07 | 0.09 | 0.01 |
| *Japan, Akita Prefecture | 39 | 1.1 | 0.21 | 0.14 | 0.03 | 33 | 1.2 | 0.31 | 0.11 | 0.03 |
| Japan, Aomori Prefecture | 53 | 0.6 | 0.10 | 0.07 | 0.01 | 63 | 0.8 | 0.13 | 0.09 | 0.01 |
| Japan, Gunma Prefecture | 48 | 0.6 | 0.11 | 0.07 | 0.01 | 73 | 1.0 | 0.15 | 0.11 | 0.02 |
| Japan, Hiroshima Prefecture | 220 | 1.8 | 0.14 | 0.20 | 0.02 | 234 | 1.8 | 0.14 | 0.23 | 0.02 |
| Japan, Miyagi Prefecture | 98 | 0.7 | 0.08 | 0.08 | 0.01 | 149 | 1.1 | 0.11 | 0.14 | 0.01 |
| Japan, Osaka Prefecture | 263 | 0.8 | 0.06 | 0.10 | 0.01 | 265 | 0.9 | 0.06 | 0.11 | 0.01 |
| Kuwait | 12 | 0.1 | 0.05 | 0.01 | 0.00 | 18 | 0.3 | 0.09 | 0.04 | 0.01 |
| *Kuwait: Kuwaitis | 6 | 0.3 | 0.13 | 0.03 | 0.01 | 13 | 0.5 | 0.14 | 0.06 | 0.02 |
| *Kuwait: Non-Kuwaitis | 6 | 0.1 | 0.08 | 0.01 | 0.00 | 5 | 0.2 | 0.11 | 0.03 | 0.01 |
| *Philippines, Manila | 6 | 0.1 | 0.03 | 0.01 | 0.00 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Qatar: Qatari | 1 | 0.2 | 0.20 | 0.02 | 0.02 | 3 | 0.5 | 0.30 | 0.06 | 0.04 |
| Republic of Korea | 2477 | 1.3 | 0.03 | 0.15 | 0.00 | 2727 | 1.4 | 0.03 | 0.15 | 0.00 |
| *Republic of Korea, Busan | 156 | 1.1 | 0.09 | 0.13 | 0.01 | 197 | 1.4 | 0.10 | 0.14 | 0.01 |
| *Republic of Korea, Daegu | 130 | 1.4 | 0.13 | 0.17 | 0.02 | 130 | 1.3 | 0.12 | 0.15 | 0.01 |
| *Republic of Korea, Daejeon | 87 | 1.6 | 0.18 | 0.19 | 0.02 | 104 | 1.8 | 0.18 | 0.22 | 0.02 |
| *Republic of Korea, Gwangju | 64 | 1.3 | 0.16 | 0.15 | 0.02 | 70 | 1.3 | 0.16 | 0.14 | 0.02 |
| Republic of Korea, Incheon | 103 | 1.0 | 0.10 | 0.11 | 0.01 | 127 | 1.1 | 0.10 | 0.13 | 0.01 |
| Republic of Korea, Jeju | 17 | 0.8 | 0.19 | 0.09 | 0.02 | 20 | 0.8 | 0.19 | 0.08 | 0.02 |
| Republic of Korea, Seoul | 549 | 1.5 | 0.07 | 0.17 | 0.01 | 675 | 1.7 | 0.07 | 0.20 | 0.01 |
| Republic of Korea, Ulsan | 65 | 1.5 | 0.19 | 0.16 | 0.02 | 72 | 1.8 | 0.23 | 0.20 | 0.03 |
| Singapore | 124 | 0.8 | 0.08 | 0.10 | 0.01 | 116 | 0.7 | 0.07 | 0.08 | 0.01 |
| Singapore: Chinese | 98 | 0.8 | 0.08 | 0.10 | 0.01 | 99 | 0.8 | 0.08 | 0.08 | 0.01 |
| Singapore: Indian | 7 | 0.5 | 0.21 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Immunoproliferative diseases (C88) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 18 | 1.1 | 0.28 | 0.15 | 0.04 | 11 | 0.7 | 0.22 | 0.11 | 0.04 |
| Thailand, Bangkok | 26 | 0.1 | 0.03 | 0.02 | 0.00 | 15 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Thailand, Chiang Mai | 28 | 0.5 | 0.10 | 0.06 | 0.01 | 27 | 0.5 | 0.10 | 0.06 | 0.01 |
| *Thailand, Khon Kaen | 4 | 0.1 | 0.03 | 0.01 | 0.01 | 6 | 0.1 | 0.04 | 0.01 | 0.01 |
| Thailand, Lampang | 9 | 0.3 | 0.10 | 0.04 | 0.02 | 10 | 0.3 | 0.12 | 0.04 | 0.01 |
| Thailand, Lopburi Province | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Thailand, Songkhla | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| Turkey, Antalya | 18 | 0.3 | 0.07 | 0.03 | 0.01 | 22 | 0.3 | 0.08 | 0.04 | 0.01 |
| Turkey, Bursa | 12 | 0.1 | 0.04 | 0.02 | 0.01 | 10 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Turkey, Edirne | 3 | 0.2 | 0.10 | 0.02 | 0.02 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| *Turkey, Erzurum | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 3 | 0.2 | 0.10 | 0.02 | 0.01 |
| Turkey, Eskişehir | 8 | 0.3 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| Turkey, Gaziantep | 3 | 0.1 | 0.06 | 0.02 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.00 |
| *Turkey, Izmir | 59 | 0.4 | 0.06 | 0.05 | 0.01 | 67 | 0.5 | 0.06 | 0.06 | 0.01 |
| Turkey, Malatya | 11 | 0.5 | 0.15 | 0.05 | 0.02 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| Turkey, Samsun | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| Turkey, Trabzon | 8 | 0.3 | 0.11 | 0.03 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| Europe | | | | | | | | | | |
| Austria | 274 | 0.6 | 0.04 | 0.08 | 0.01 | 255 | 0.6 | 0.04 | 0.07 | 0.01 |
| Austria, Carinthia | 32 | 1.1 | 0.20 | 0.14 | 0.03 | 34 | 1.2 | 0.22 | 0.15 | 0.03 |
| Austria, Tyrol | 28 | 0.8 | 0.15 | 0.09 | 0.02 | 21 | 0.6 | 0.13 | 0.07 | 0.02 |
| Austria, Vorarlberg | 19 | 1.0 | 0.25 | 0.11 | 0.04 | 13 | 0.8 | 0.22 | 0.11 | 0.03 |
| Belarus | 30 | 0.1 | 0.02 | 0.01 | 0.00 | 26 | 0.0 | 0.01 | 0.01 | 0.00 |
| *Belgium | 842 | 1.7 | 0.06 | 0.19 | 0.01 | 641 | 1.1 | 0.05 | 0.13 | 0.01 |
| Croatia | 91 | 0.4 | 0.05 | 0.05 | 0.01 | 87 | 0.4 | 0.05 | 0.04 | 0.01 |
| Cyprus | 17 | 0.6 | 0.15 | 0.07 | 0.02 | 24 | 0.7 | 0.14 | 0.08 | 0.02 |
| *Czech Republic | 227 | 0.5 | 0.03 | 0.06 | 0.00 | 223 | 0.4 | 0.03 | 0.04 | 0.00 |
| Denmark | 0 | 0.0 | 0.00 | 0.00 | 0.00 | 5 | 0.0 | 0.00 | 0.00 | 0.00 |
| Estonia | 20 | 0.4 | 0.09 | 0.05 | 0.01 | 20 | 0.2 | 0.05 | 0.02 | 0.01 |
| Finland | 178 | 0.6 | 0.05 | 0.07 | 0.01 | 200 | 0.6 | 0.05 | 0.07 | 0.01 |
| *France, Bas-Rhin | 77 | 1.8 | 0.22 | 0.20 | 0.03 | 47 | 1.0 | 0.17 | 0.12 | 0.02 |
| *France, Calvados | 44 | 1.2 | 0.20 | 0.13 | 0.03 | 41 | 0.9 | 0.17 | 0.10 | 0.02 |
| *France, Doubs | 40 | 1.4 | 0.25 | 0.13 | 0.03 | 28 | 0.8 | 0.18 | 0.10 | 0.03 |
| *France, Gironde | 153 | 2.2 | 0.19 | 0.28 | 0.03 | 111 | 1.5 | 0.16 | 0.18 | 0.02 |
| *France, Haut-Rhin | 52 | 1.4 | 0.20 | 0.17 | 0.03 | 41 | 0.8 | 0.15 | 0.08 | 0.02 |
| *France, Hérault | 64 | 1.0 | 0.13 | 0.10 | 0.02 | 61 | 1.0 | 0.15 | 0.12 | 0.02 |
| *France, Isère | 86 | 1.5 | 0.17 | 0.17 | 0.02 | 64 | 1.0 | 0.15 | 0.11 | 0.02 |
| *France, Lille-Métropole | 54 | 1.8 | 0.26 | 0.23 | 0.04 | 43 | 1.2 | 0.20 | 0.13 | 0.03 |
| *France, Limousin | 32 | 1.3 | 0.26 | 0.15 | 0.04 | 28 | 1.0 | 0.27 | 0.10 | 0.03 |
| *France, Loire-Atlantique | 243 | 3.7 | 0.25 | 0.43 | 0.04 | 155 | 2.0 | 0.18 | 0.23 | 0.03 |
| *France, Manche | 49 | 1.4 | 0.22 | 0.16 | 0.03 | 29 | 0.8 | 0.16 | 0.10 | 0.03 |
| *France, Poitou-Charentes | 274 | 2.6 | 0.17 | 0.30 | 0.02 | 166 | 1.4 | 0.13 | 0.15 | 0.02 |
| *France, Somme | 35 | 1.3 | 0.22 | 0.18 | 0.04 | 14 | 0.5 | 0.14 | 0.06 | 0.02 |
| *France, Tarn | 25 | 1.2 | 0.31 | 0.11 | 0.03 | 23 | 1.1 | 0.26 | 0.12 | 0.03 |
| *France, Territoire de Belfort | 7 | 1.2 | 0.50 | 0.11 | 0.07 | 6 | 1.0 | 0.44 | 0.13 | 0.07 |
| *France, Vendée | 105 | 2.6 | 0.27 | 0.32 | 0.04 | 58 | 1.2 | 0.19 | 0.15 | 0.03 |
| Germany, Baden-Württemberg | 280 | 0.9 | 0.06 | 0.11 | 0.01 | 251 | 0.7 | 0.05 | 0.08 | 0.01 |
| Germany, Bavaria | 582 | 0.9 | 0.04 | 0.11 | 0.01 | 482 | 0.7 | 0.04 | 0.08 | 0.00 |
| Germany, Bremen | 40 | 1.1 | 0.20 | 0.13 | 0.03 | 28 | 0.6 | 0.13 | 0.07 | 0.02 |
| Germany, Hamburg | 68 | 0.8 | 0.11 | 0.10 | 0.01 | 64 | 0.6 | 0.08 | 0.09 | 0.01 |
| Germany, Lower Saxony | 334 | 0.8 | 0.05 | 0.09 | 0.01 | 307 | 0.6 | 0.04 | 0.07 | 0.01 |
| Germany, North Rhine-Westphalia | 850 | 0.9 | 0.04 | 0.10 | 0.00 | 821 | 0.8 | 0.03 | 0.09 | 0.00 |
| Germany, Rhineland-Palatinate | 188 | 0.9 | 0.07 | 0.10 | 0.01 | 172 | 0.7 | 0.06 | 0.08 | 0.01 |
| Germany, Saarland | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| Germany, Schleswig-Holstein | 142 | 0.9 | 0.08 | 0.09 | 0.01 | 143 | 0.8 | 0.07 | 0.09 | 0.01 |
| Iceland | 28 | 1.9 | 0.39 | 0.18 | 0.05 | 16 | 1.1 | 0.29 | 0.12 | 0.04 |
| Ireland | 99 | 0.5 | 0.05 | 0.06 | 0.01 | 100 | 0.5 | 0.05 | 0.06 | 0.01 |
| *Italy, Aosta Valley | 2 | 0.5 | 0.34 | 0.05 | 0.04 | 5 | 1.0 | 0.50 | 0.11 | 0.06 |
| *Italy, Avellino | 12 | 1.1 | 0.34 | 0.11 | 0.04 | 5 | 0.4 | 0.19 | 0.05 | 0.03 |
| Italy, Basilicata | 25 | 0.8 | 0.17 | 0.08 | 0.02 | 28 | 1.0 | 0.21 | 0.11 | 0.02 |
| *Italy, Benevento | 10 | 1.2 | 0.43 | 0.12 | 0.04 | 5 | 0.5 | 0.22 | 0.06 | 0.03 |
| Italy, Bergamo | 47 | 0.9 | 0.13 | 0.10 | 0.02 | 48 | 0.8 | 0.15 | 0.10 | 0.02 |
| *Italy, Brescia | 30 | 0.5 | 0.11 | 0.06 | 0.01 | 31 | 0.5 | 0.10 | 0.06 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 11 | 0.2 | 0.08 | 0.03 | 0.01 | 9 | 0.2 | 0.06 | 0.02 | 0.01 |
| Italy, Calabria | 8 | 0.3 | 0.12 | 0.03 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Italy, Caserta | 22 | 0.6 | 0.15 | 0.08 | 0.02 | 31 | 0.8 | 0.16 | 0.09 | 0.02 |
| *Italy, Catania, Messina, and Enna | 46 | 0.5 | 0.08 | 0.06 | 0.01 | 49 | 0.5 | 0.08 | 0.06 | 0.01 |
| Italy, Emilia-Romagna | 205 | 1.1 | 0.09 | 0.13 | 0.01 | 174 | 0.8 | 0.08 | 0.10 | 0.01 |
| Italy, Friuli-Venezia Giulia | 60 | 0.9 | 0.13 | 0.11 | 0.02 | 72 | 1.1 | 0.16 | 0.12 | 0.02 |
| Italy, Genova | 31 | 0.7 | 0.14 | 0.09 | 0.02 | 34 | 0.5 | 0.12 | 0.06 | 0.02 |
| *Italy, Lombardy, South, Pavia | 18 | 0.6 | 0.14 | 0.08 | 0.02 | 17 | 0.5 | 0.15 | 0.05 | 0.02 |
| Italy, Mantova and Cremona | 30 | 0.8 | 0.16 | 0.11 | 0.03 | 29 | 0.7 | 0.15 | 0.08 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Immunoproliferative diseases (C88) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 40 | 0.8 | <i>0.14</i> | 0.08 | <i>0.01</i> | 45 | 0.7 | <i>0.12</i> | 0.07 | <i>0.01</i> |
| Italy, Milan | 92 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> | 102 | 0.6 | <i>0.07</i> | 0.07 | <i>0.01</i> |
| Italy, Molise | 9 | 0.9 | <i>0.33</i> | 0.11 | <i>0.04</i> | 1 | 0.1 | <i>0.11</i> | 0.02 | <i>0.02</i> |
| *Italy, Naples Centre | 20 | 0.8 | <i>0.18</i> | 0.09 | <i>0.02</i> | 16 | 0.5 | <i>0.15</i> | 0.06 | <i>0.02</i> |
| *Italy, Naples North | 4 | 0.1 | <i>0.06</i> | 0.02 | <i>0.01</i> | 5 | 0.1 | <i>0.07</i> | 0.01 | <i>0.01</i> |
| *Italy, Naples South | 34 | 0.8 | <i>0.14</i> | 0.09 | <i>0.02</i> | 37 | 0.7 | <i>0.12</i> | 0.08 | <i>0.02</i> |
| *Italy, Nuoro | 4 | 0.4 | <i>0.22</i> | 0.03 | <i>0.03</i> | 4 | 0.3 | <i>0.14</i> | 0.03 | <i>0.03</i> |
| *Italy, Palermo | 23 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> | 21 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> |
| Italy, Puglia | 171 | 0.9 | <i>0.07</i> | 0.10 | <i>0.01</i> | 117 | 0.5 | <i>0.06</i> | 0.06 | <i>0.01</i> |
| *Italy, Ragusa and Caltanissetta | 27 | 1.0 | <i>0.21</i> | 0.12 | <i>0.03</i> | 18 | 0.7 | <i>0.17</i> | 0.07 | <i>0.02</i> |
| *Italy, Salerno | 32 | 0.8 | <i>0.14</i> | 0.10 | <i>0.02</i> | 24 | 0.6 | <i>0.14</i> | 0.07 | <i>0.02</i> |
| Italy, Sassari | 5 | 0.6 | <i>0.29</i> | 0.08 | <i>0.04</i> | 3 | 0.1 | <i>0.09</i> | 0.02 | <i>0.02</i> |
| *Italy, Sondrio | 11 | 1.0 | <i>0.33</i> | 0.17 | <i>0.05</i> | 8 | 0.5 | <i>0.21</i> | 0.05 | <i>0.03</i> |
| Italy, South Tyrol | 27 | 1.1 | <i>0.23</i> | 0.13 | <i>0.03</i> | 22 | 0.7 | <i>0.19</i> | 0.08 | <i>0.02</i> |
| *Italy, Syracuse | 8 | 0.5 | <i>0.18</i> | 0.07 | <i>0.02</i> | 11 | 0.6 | <i>0.19</i> | 0.07 | <i>0.02</i> |
| Italy, Trento | 90 | 3.7 | <i>0.44</i> | 0.41 | <i>0.05</i> | 93 | 3.7 | <i>0.43</i> | 0.44 | <i>0.05</i> |
| Italy, Turin | 44 | 0.4 | <i>0.08</i> | 0.04 | <i>0.01</i> | 52 | 0.4 | <i>0.06</i> | 0.05 | <i>0.01</i> |
| *Italy, Tuscany | 120 | 1.2 | <i>0.13</i> | 0.13 | <i>0.01</i> | 104 | 0.8 | <i>0.10</i> | 0.10 | <i>0.01</i> |
| Italy, Umbria | 24 | 0.6 | <i>0.16</i> | 0.07 | <i>0.02</i> | 27 | 0.8 | <i>0.18</i> | 0.09 | <i>0.02</i> |
| Italy, Varese | 14 | 0.4 | <i>0.10</i> | 0.04 | <i>0.02</i> | 16 | 0.5 | <i>0.14</i> | 0.07 | <i>0.02</i> |
| Italy, Veneto | 194 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> | 171 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> |
| Latvia | 15 | 0.2 | <i>0.05</i> | 0.02 | <i>0.01</i> | 16 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *Liechtenstein | 1 | 0.6 | <i>0.65</i> | 0.06 | <i>0.06</i> | 1 | 0.5 | <i>0.47</i> | 0.12 | <i>0.12</i> |
| *Lithuania | 60 | 0.5 | <i>0.07</i> | 0.05 | <i>0.01</i> | 100 | 0.6 | <i>0.07</i> | 0.08 | <i>0.01</i> |
| Malta | 13 | 0.7 | <i>0.20</i> | 0.08 | <i>0.02</i> | 15 | 0.5 | <i>0.14</i> | 0.08 | <i>0.02</i> |
| *The Netherlands | 655 | 0.9 | <i>0.04</i> | 0.10 | <i>0.00</i> | 660 | 0.8 | <i>0.04</i> | 0.09 | <i>0.00</i> |
| Norway | 353 | 1.5 | <i>0.08</i> | 0.18 | <i>0.01</i> | 292 | 1.1 | <i>0.07</i> | 0.12 | <i>0.01</i> |
| Poland, Kielce | 15 | 0.3 | <i>0.08</i> | 0.03 | <i>0.01</i> | 7 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Portugal, Azores | 8 | 1.2 | <i>0.44</i> | 0.12 | <i>0.05</i> | 4 | 0.5 | <i>0.26</i> | 0.03 | <i>0.02</i> |
| Russian Federation, Arkhangelsk | 9 | 0.2 | <i>0.08</i> | 0.03 | <i>0.01</i> | 4 | 0.1 | <i>0.03</i> | 0.01 | <i>0.01</i> |
| Russian Federation, Kaliningrad | 2 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> | 2 | 0.0 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Karelia | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 4 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Russian Federation, Komi Republic | 4 | 0.2 | <i>0.10</i> | 0.03 | <i>0.02</i> | 4 | 0.1 | <i>0.04</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Murmansk | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 3 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> |
| *Russian Federation, Orenburg | 6 | 0.1 | <i>0.04</i> | 0.01 | <i>0.01</i> | 4 | 0.0 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Russian Federation, Pskov | 1 | 0.0 | <i>0.05</i> | 0.01 | <i>0.01</i> | 2 | 0.1 | <i>0.08</i> | 0.01 | <i>0.01</i> |
| *Russian Federation, Samara | 8 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | 15 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Russian Federation, Vologda Region | 3 | 0.1 | <i>0.05</i> | 0.01 | <i>0.01</i> | 3 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| Slovenia | 64 | 0.7 | <i>0.09</i> | 0.07 | <i>0.01</i> | 83 | 0.9 | <i>0.11</i> | 0.09 | <i>0.01</i> |
| Spain, Asturias | 41 | 1.5 | <i>0.30</i> | 0.14 | <i>0.03</i> | 48 | 1.1 | <i>0.18</i> | 0.13 | <i>0.02</i> |
| Spain, Basque Country | 93 | 1.1 | <i>0.14</i> | 0.12 | <i>0.02</i> | 83 | 0.9 | <i>0.11</i> | 0.11 | <i>0.01</i> |
| Spain, Canary Islands | 33 | 0.6 | <i>0.12</i> | 0.07 | <i>0.01</i> | 47 | 0.8 | <i>0.13</i> | 0.09 | <i>0.02</i> |
| Spain, Castellón | 16 | 0.6 | <i>0.16</i> | 0.07 | <i>0.02</i> | 17 | 0.7 | <i>0.17</i> | 0.08 | <i>0.02</i> |
| Spain, Girona | 50 | 1.5 | <i>0.22</i> | 0.20 | <i>0.03</i> | 31 | 0.8 | <i>0.16</i> | 0.09 | <i>0.02</i> |
| Spain, Granada | 39 | 1.0 | <i>0.17</i> | 0.12 | <i>0.02</i> | 45 | 1.1 | <i>0.19</i> | 0.13 | <i>0.02</i> |
| Spain, La Rioja | 20 | 1.4 | <i>0.36</i> | 0.14 | <i>0.04</i> | 11 | 0.6 | <i>0.21</i> | 0.06 | <i>0.03</i> |
| Spain, Murcia | 63 | 1.0 | <i>0.14</i> | 0.13 | <i>0.02</i> | 45 | 0.7 | <i>0.12</i> | 0.08 | <i>0.01</i> |
| Spain, Navarra | 29 | 1.2 | <i>0.26</i> | 0.13 | <i>0.03</i> | 17 | 0.9 | <i>0.21</i> | 0.10 | <i>0.03</i> |
| Spain, Salamanca | 35 | 1.9 | <i>0.38</i> | 0.22 | <i>0.05</i> | 18 | 0.9 | <i>0.24</i> | 0.13 | <i>0.04</i> |
| Spain, Tarragona | 44 | 1.3 | <i>0.21</i> | 0.17 | <i>0.03</i> | 30 | 0.7 | <i>0.15</i> | 0.09 | <i>0.02</i> |
| *Sweden | 544 | 1.0 | <i>0.05</i> | 0.13 | <i>0.01</i> | 417 | 0.8 | <i>0.04</i> | 0.09 | <i>0.01</i> |
| Switzerland, Aargau | 42 | 1.4 | <i>0.22</i> | 0.17 | <i>0.03</i> | 30 | 0.9 | <i>0.17</i> | 0.11 | <i>0.03</i> |
| Switzerland, Basel | 43 | 1.6 | <i>0.28</i> | 0.15 | <i>0.03</i> | 42 | 1.6 | <i>0.28</i> | 0.16 | <i>0.03</i> |
| Switzerland, Berne Solothurn | 64 | 1.5 | <i>0.20</i> | 0.19 | <i>0.03</i> | 73 | 1.7 | <i>0.23</i> | 0.22 | <i>0.03</i> |
| Switzerland, East | 53 | 1.4 | <i>0.20</i> | 0.14 | <i>0.03</i> | 49 | 1.2 | <i>0.19</i> | 0.13 | <i>0.02</i> |
| *Switzerland, Fribourg | 14 | 1.1 | <i>0.31</i> | 0.08 | <i>0.03</i> | 18 | 1.3 | <i>0.33</i> | 0.17 | <i>0.05</i> |
| Switzerland, Geneva | 22 | 0.9 | <i>0.21</i> | 0.11 | <i>0.03</i> | 24 | 1.1 | <i>0.24</i> | 0.13 | <i>0.03</i> |
| *Switzerland, Graubünden and Glarus | 16 | 1.4 | <i>0.37</i> | 0.16 | <i>0.05</i> | 15 | 1.1 | <i>0.31</i> | 0.14 | <i>0.04</i> |
| *Switzerland, Lucerne | 39 | 1.5 | <i>0.26</i> | 0.20 | <i>0.04</i> | 45 | 1.9 | <i>0.31</i> | 0.25 | <i>0.04</i> |
| *Switzerland, Neuchâtel and Jura | 23 | 2.0 | <i>0.45</i> | 0.20 | <i>0.05</i> | 15 | 1.0 | <i>0.29</i> | 0.09 | <i>0.04</i> |
| Switzerland, Ticino | 26 | 1.6 | <i>0.34</i> | 0.18 | <i>0.04</i> | 31 | 1.9 | <i>0.39</i> | 0.24 | <i>0.05</i> |
| Switzerland, Valais | 44 | 2.7 | <i>0.43</i> | 0.33 | <i>0.06</i> | 25 | 1.3 | <i>0.28</i> | 0.15 | <i>0.04</i> |
| Switzerland, Vaud | 45 | 1.4 | <i>0.22</i> | 0.16 | <i>0.03</i> | 51 | 1.5 | <i>0.22</i> | 0.20 | <i>0.03</i> |
| Switzerland, Zurich and Zug | 129 | 1.7 | <i>0.16</i> | 0.18 | <i>0.02</i> | 95 | 1.2 | <i>0.14</i> | 0.15 | <i>0.02</i> |
| Ukraine | 159 | 0.1 | <i>0.01</i> | 0.02 | <i>0.00</i> | 162 | 0.1 | <i>0.01</i> | 0.01 | <i>0.00</i> |
| UK, England | 2271 | 0.9 | <i>0.02</i> | 0.10 | <i>0.00</i> | 2111 | 0.7 | <i>0.02</i> | 0.09 | <i>0.00</i> |
| UK, Northern Ireland | 49 | 0.6 | <i>0.09</i> | 0.06 | <i>0.01</i> | 42 | 0.4 | <i>0.07</i> | 0.04 | <i>0.01</i> |
| UK, Scotland | 219 | 0.8 | <i>0.06</i> | 0.09 | <i>0.01</i> | 145 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> |
| UK, Wales | 168 | 1.0 | <i>0.08</i> | 0.10 | <i>0.01</i> | 142 | 0.8 | <i>0.07</i> | 0.09 | <i>0.01</i> |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 225 | 0.6 | <i>0.05</i> | 0.07 | <i>0.01</i> | 202 | 0.5 | <i>0.04</i> | 0.06 | <i>0.01</i> |
| *Australia, Northern Territory | 3 | 0.4 | <i>0.24</i> | 0.05 | <i>0.03</i> | 9 | 1.3 | <i>0.45</i> | 0.11 | <i>0.04</i> |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Immunoproliferative diseases (C88) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 3 | 0.5 | 0.29 | 0.06 | 0.04 | 8 | 1.6 | 0.57 | 0.12 | 0.05 |
| *Australia, Northern Territory: Indigenous | 0 | – | 0.00 | – | 0.00 | 1 | 0.5 | 0.55 | 0.05 | 0.05 |
| *Australia, Queensland | 150 | 0.8 | 0.07 | 0.09 | 0.01 | 172 | 0.9 | 0.07 | 0.10 | 0.01 |
| Australia, South Australia | 57 | 0.7 | 0.10 | 0.07 | 0.01 | 59 | 0.7 | 0.10 | 0.09 | 0.01 |
| Australia, Tasmania | 27 | 1.0 | 0.20 | 0.11 | 0.03 | 12 | 0.4 | 0.13 | 0.06 | 0.02 |
| *Australia, Victoria | 299 | 1.1 | 0.07 | 0.13 | 0.01 | 238 | 0.9 | 0.06 | 0.10 | 0.01 |
| *Australia, Western Australia | 74 | 0.7 | 0.09 | 0.08 | 0.01 | 60 | 0.6 | 0.08 | 0.07 | 0.01 |
| *France, New Caledonia | 5 | 0.6 | 0.27 | 0.08 | 0.04 | 3 | 0.3 | 0.20 | 0.03 | 0.02 |
| New Zealand | 83 | 0.4 | 0.05 | 0.04 | 0.01 | 38 | 0.2 | 0.03 | 0.02 | 0.00 |
| *New Zealand: Maori | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *New Zealand: Pacific peoples | 1 | 0.2 | 0.18 | 0.05 | 0.05 | 0 | – | 0.00 | – | 0.00 |
| *New Zealand: Other | 74 | 0.4 | 0.05 | 0.05 | 0.01 | 36 | 0.2 | 0.03 | 0.02 | 0.01 |
| USA, Hawaii | 69 | 1.1 | 0.13 | 0.13 | 0.02 | 48 | 0.7 | 0.12 | 0.08 | 0.01 |
| USA, Hawaii: White | 19 | 1.0 | 0.24 | 0.12 | 0.03 | 16 | 0.9 | 0.23 | 0.09 | 0.03 |
| *USA, Hawaii: Japanese | 15 | 0.9 | 0.25 | 0.11 | 0.04 | 13 | 0.9 | 0.34 | 0.09 | 0.03 |
| *USA, Hawaii: Chinese | 9 | 1.9 | 0.93 | 0.13 | 0.07 | 1 | 0.2 | 0.21 | 0.04 | 0.04 |
| *USA, Hawaii: Hawaiian | 6 | 0.6 | 0.25 | 0.05 | 0.03 | 5 | 0.5 | 0.25 | 0.05 | 0.03 |
| *USA, Hawaii: Filipino | 14 | 1.5 | 0.40 | 0.20 | 0.06 | 8 | 0.6 | 0.23 | 0.07 | 0.03 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Multiple myeloma (C90)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 22 | 1.9 | 0.41 | 0.23 | 0.06 | 24 | 1.8 | 0.37 | 0.22 | 0.05 |
| *Algeria, Tizi Ouzou | 52 | 3.4 | 0.48 | 0.38 | 0.07 | 68 | 3.8 | 0.49 | 0.46 | 0.07 |
| *Benin, Cotonou | 6 | 0.9 | 0.41 | 0.11 | 0.05 | 5 | 0.7 | 0.31 | 0.08 | 0.04 |
| *France, La Réunion | 79 | 3.6 | 0.41 | 0.43 | 0.06 | 91 | 3.2 | 0.35 | 0.38 | 0.06 |
| *Kenya, Eldoret | 23 | 2.3 | 0.49 | 0.30 | 0.08 | 22 | 1.9 | 0.43 | 0.20 | 0.06 |
| *Kenya, Nairobi | 83 | 3.5 | 0.44 | 0.48 | 0.08 | 91 | 4.8 | 0.55 | 0.56 | 0.08 |
| Mauritius | 83 | 2.0 | 0.22 | 0.25 | 0.03 | 70 | 1.5 | 0.18 | 0.18 | 0.03 |
| *Morocco, Casablanca | 165 | 1.5 | 0.12 | 0.19 | 0.02 | 151 | 1.3 | 0.11 | 0.17 | 0.02 |
| *Seychelles | 7 | 2.7 | 1.02 | 0.40 | 0.17 | 7 | 2.1 | 0.82 | 0.27 | 0.11 |
| *South Africa, Eastern Cape | 4 | 0.4 | 0.22 | 0.07 | 0.04 | 8 | 0.5 | 0.18 | 0.07 | 0.03 |
| *Uganda, Kyadondo County | 38 | 2.7 | 0.49 | 0.36 | 0.09 | 35 | 1.7 | 0.33 | 0.22 | 0.05 |
| *Uganda, Gulu | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 2 | 0.2 | 0.18 | 0.01 | 0.01 |
| *Zimbabwe, Bulawayo: African | 50 | 5.8 | 0.87 | 0.77 | 0.14 | 53 | 5.4 | 0.76 | 0.54 | 0.10 |
| *Zimbabwe, Harare: African | 60 | 4.2 | 0.58 | 0.52 | 0.10 | 81 | 5.0 | 0.59 | 0.67 | 0.10 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 24 | 1.1 | 0.23 | 0.17 | 0.04 | 36 | 1.2 | 0.21 | 0.15 | 0.03 |
| *Argentina, Mendoza | 127 | 2.6 | 0.23 | 0.32 | 0.03 | 102 | 1.5 | 0.16 | 0.20 | 0.02 |
| Brazil, Aracaju | 37 | 3.8 | 0.63 | 0.47 | 0.10 | 32 | 2.2 | 0.40 | 0.32 | 0.07 |
| *Brazil, Barretos | 46 | 3.5 | 0.52 | 0.49 | 0.08 | 32 | 2.0 | 0.36 | 0.23 | 0.05 |
| Brazil, Belo Horizonte | 220 | 3.1 | 0.21 | 0.36 | 0.03 | 252 | 2.3 | 0.15 | 0.26 | 0.02 |
| *Brazil, Campinas | 83 | 3.8 | 0.42 | 0.49 | 0.07 | 93 | 3.1 | 0.33 | 0.39 | 0.05 |
| *Brazil, Curitiba | 110 | 2.7 | 0.26 | 0.31 | 0.04 | 98 | 1.8 | 0.19 | 0.22 | 0.03 |
| Brazil, Goiânia | 84 | 3.4 | 0.37 | 0.41 | 0.05 | 78 | 2.3 | 0.26 | 0.28 | 0.04 |
| *Brazil, Jaú | 14 | 3.3 | 0.89 | 0.47 | 0.15 | 13 | 2.4 | 0.69 | 0.27 | 0.10 |
| Brazil, João Pessoa | 20 | 1.9 | 0.44 | 0.25 | 0.07 | 17 | 1.1 | 0.28 | 0.16 | 0.05 |
| Brazil, Recife | 79 | 3.2 | 0.37 | 0.41 | 0.06 | 91 | 2.4 | 0.26 | 0.31 | 0.04 |
| Chile, Region of Antofagasta | 18 | 1.9 | 0.46 | 0.26 | 0.08 | 6 | 0.6 | 0.24 | 0.07 | 0.04 |
| Chile, Valdivia | 45 | 3.1 | 0.48 | 0.30 | 0.06 | 45 | 2.9 | 0.45 | 0.36 | 0.06 |
| Colombia, Bucaramanga | 76 | 2.6 | 0.31 | 0.33 | 0.05 | 87 | 2.2 | 0.24 | 0.27 | 0.04 |
| Colombia, Cali | 251 | 4.3 | 0.27 | 0.52 | 0.04 | 220 | 2.7 | 0.18 | 0.33 | 0.03 |
| Colombia, Manizales | 25 | 1.8 | 0.36 | 0.23 | 0.06 | 27 | 1.4 | 0.28 | 0.14 | 0.04 |
| Colombia, Pasto | 22 | 2.2 | 0.47 | 0.25 | 0.06 | 20 | 1.6 | 0.37 | 0.20 | 0.05 |
| Costa Rica | 71 | 0.7 | 0.09 | 0.09 | 0.01 | 60 | 0.6 | 0.07 | 0.06 | 0.01 |
| Ecuador, Guayaquil | 155 | 2.9 | 0.24 | 0.34 | 0.03 | 110 | 1.8 | 0.18 | 0.21 | 0.03 |
| Ecuador, Manabí | 48 | 1.4 | 0.21 | 0.17 | 0.03 | 31 | 0.9 | 0.16 | 0.09 | 0.02 |
| Ecuador, Quito | 147 | 3.6 | 0.30 | 0.43 | 0.05 | 105 | 2.1 | 0.21 | 0.26 | 0.03 |
| *France, Guadeloupe | 109 | 5.8 | 0.58 | 0.63 | 0.08 | 111 | 4.5 | 0.47 | 0.52 | 0.07 |
| *France, Martinique | 130 | 6.6 | 0.64 | 0.74 | 0.09 | 119 | 4.7 | 0.50 | 0.56 | 0.07 |
| *Peru, Lima | 508 | 3.7 | 0.17 | 0.44 | 0.02 | 327 | 2.0 | 0.11 | 0.24 | 0.02 |
| *Trinidad and Tobago | 108 | 4.5 | 0.43 | 0.61 | 0.07 | 103 | 3.9 | 0.39 | 0.58 | 0.07 |
| USA, Puerto Rico | 735 | 4.5 | 0.18 | 0.53 | 0.02 | 678 | 3.5 | 0.15 | 0.43 | 0.02 |
| *Uruguay | 421 | 3.3 | 0.17 | 0.39 | 0.02 | 384 | 2.2 | 0.13 | 0.27 | 0.02 |
| North America | | | | | | | | | | |
| Canada, Alberta | 726 | 4.5 | 0.17 | 0.50 | 0.03 | 467 | 2.6 | 0.13 | 0.32 | 0.02 |
| Canada, British Columbia | 1042 | 4.2 | 0.14 | 0.48 | 0.02 | 714 | 2.5 | 0.10 | 0.28 | 0.01 |
| *Canada, Manitoba | 284 | 4.9 | 0.30 | 0.61 | 0.05 | 206 | 3.1 | 0.23 | 0.38 | 0.03 |
| *Canada, New Brunswick | 184 | 4.4 | 0.34 | 0.52 | 0.05 | 138 | 2.8 | 0.26 | 0.32 | 0.04 |
| *Canada, Newfoundland and Labrador | 109 | 3.8 | 0.37 | 0.45 | 0.05 | 94 | 2.9 | 0.31 | 0.39 | 0.05 |
| Canada, Ontario | 3733 | 5.6 | 0.10 | 0.65 | 0.01 | 2866 | 3.7 | 0.08 | 0.44 | 0.01 |
| *Canada, Prince Edward Island | 43 | 5.8 | 0.94 | 0.73 | 0.13 | 30 | 3.0 | 0.58 | 0.38 | 0.10 |
| Canada, Quebec | 2265 | 5.2 | 0.11 | 0.61 | 0.02 | 1712 | 3.4 | 0.09 | 0.41 | 0.01 |
| Canada, Saskatchewan | 252 | 4.9 | 0.33 | 0.57 | 0.05 | 164 | 2.9 | 0.25 | 0.36 | 0.04 |
| *Canada, Yukon | 4 | 2.4 | 1.19 | 0.33 | 0.17 | 2 | 1.5 | 1.04 | 0.12 | 0.12 |
| USA | 73272 | 5.4 | 0.02 | 0.64 | 0.00 | 57965 | 3.6 | 0.02 | 0.44 | 0.00 |
| USA: White | 56774 | 4.8 | 0.02 | 0.58 | 0.00 | 41910 | 3.1 | 0.02 | 0.37 | 0.00 |
| USA: Black | 13560 | 10.4 | 0.09 | 1.27 | 0.01 | 13650 | 7.9 | 0.07 | 0.96 | 0.01 |
| USA, NPCR | 70887 | 5.4 | 0.02 | 0.64 | 0.00 | 56184 | 3.6 | 0.02 | 0.44 | 0.00 |
| USA, NPCR: White | 54815 | 4.8 | 0.02 | 0.58 | 0.00 | 40525 | 3.1 | 0.02 | 0.37 | 0.00 |
| USA, NPCR: Black | 13368 | 10.4 | 0.09 | 1.26 | 0.01 | 13480 | 7.9 | 0.07 | 0.96 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 1816 | 3.1 | 0.07 | 0.37 | 0.01 | 1414 | 1.9 | 0.05 | 0.24 | 0.01 |
| USA, NPCR: American Indian | 373 | 3.3 | 0.17 | 0.38 | 0.02 | 300 | 2.3 | 0.14 | 0.29 | 0.02 |
| *USA, SEER (18 registries) | 18715 | 5.2 | 0.04 | 0.62 | 0.01 | 14589 | 3.5 | 0.03 | 0.42 | 0.00 |
| *USA, SEER (18 registries): White | 13907 | 4.8 | 0.04 | 0.57 | 0.01 | 10083 | 3.0 | 0.03 | 0.36 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 11805 | 4.7 | 0.05 | 0.56 | 0.01 | 8338 | 2.9 | 0.04 | 0.35 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 2102 | 4.8 | 0.11 | 0.58 | 0.02 | 1745 | 3.4 | 0.08 | 0.42 | 0.01 |
| *USA, SEER (18 registries): Black | 3437 | 10.3 | 0.18 | 1.26 | 0.03 | 3353 | 7.6 | 0.14 | 0.93 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 1074 | 3.0 | 0.09 | 0.35 | 0.01 | 899 | 2.0 | 0.07 | 0.25 | 0.01 |
| *USA, SEER (9 registries) | 6619 | 5.3 | 0.07 | 0.64 | 0.01 | 5129 | 3.5 | 0.05 | 0.42 | 0.01 |
| *USA, SEER (9 registries): White | 4887 | 4.9 | 0.07 | 0.58 | 0.01 | 3458 | 3.0 | 0.06 | 0.36 | 0.01 |
| *USA, SEER (9 registries): Black | 1158 | 10.6 | 0.31 | 1.32 | 0.05 | 1164 | 7.9 | 0.24 | 0.95 | 0.03 |
| USA, Alabama | 1131 | 5.5 | 0.17 | 0.66 | 0.02 | 1002 | 4.0 | 0.14 | 0.49 | 0.02 |
| USA, Alabama: White | 719 | 4.4 | 0.17 | 0.53 | 0.02 | 545 | 2.7 | 0.13 | 0.34 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Multiple myeloma (C90) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|-------------|------|----------|------|--------|------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 397 | 9.8 | 0.50 | 1.16 | 0.07 | 446 | 8.1 | 0.40 | 0.99 | 0.06 | |
| USA, Alaska | 104 | 4.0 | 0.40 | 0.53 | 0.06 | 64 | 2.5 | 0.32 | 0.32 | 0.05 | |
| *USA, Alaska: Alaska Natives | 11 | 3.7 | 1.13 | 0.45 | 0.18 | 9 | 2.5 | 0.86 | 0.32 | 0.13 | |
| USA, Arizona | 1260 | 4.1 | 0.12 | 0.50 | 0.02 | 888 | 2.6 | 0.09 | 0.31 | 0.01 | |
| USA, Arizona: White | 1115 | 4.0 | 0.13 | 0.48 | 0.02 | 770 | 2.4 | 0.10 | 0.29 | 0.01 | |
| USA, Arizona: Black | 83 | 8.9 | 0.98 | 1.16 | 0.15 | 61 | 6.0 | 0.78 | 0.70 | 0.11 | |
| *USA, Arizona: Asian and Pacific Islander | 9 | 1.4 | 0.48 | 0.21 | 0.08 | 11 | 1.1 | 0.33 | 0.12 | 0.04 | |
| USA, Arizona: American Indian | 50 | 5.5 | 0.78 | 0.65 | 0.11 | 45 | 3.9 | 0.59 | 0.53 | 0.10 | |
| USA, Arkansas | 691 | 5.1 | 0.20 | 0.61 | 0.03 | 561 | 3.6 | 0.17 | 0.44 | 0.02 | |
| USA, Arkansas: White | 531 | 4.4 | 0.20 | 0.52 | 0.03 | 405 | 2.9 | 0.16 | 0.35 | 0.02 | |
| USA, Arkansas: Black | 145 | 10.4 | 0.87 | 1.28 | 0.13 | 142 | 8.1 | 0.69 | 1.00 | 0.10 | |
| USA, California | 7177 | 4.7 | 0.06 | 0.56 | 0.01 | 5330 | 3.0 | 0.04 | 0.36 | 0.01 | |
| USA, California: White | 5551 | 4.7 | 0.07 | 0.56 | 0.01 | 4021 | 3.0 | 0.05 | 0.36 | 0.01 | |
| USA, California: Black | 861 | 9.6 | 0.33 | 1.13 | 0.05 | 674 | 6.1 | 0.24 | 0.74 | 0.04 | |
| USA, California: Asian and Pacific Islander | 681 | 2.9 | 0.12 | 0.34 | 0.02 | 563 | 1.9 | 0.09 | 0.23 | 0.01 | |
| *USA, California, Los Angeles County | 1662 | 4.4 | 0.11 | 0.52 | 0.02 | 1303 | 2.9 | 0.09 | 0.35 | 0.01 | |
| *USA, California, Los Angeles County: White | 1151 | 4.3 | 0.13 | 0.51 | 0.02 | 886 | 2.9 | 0.10 | 0.34 | 0.01 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 672 | 4.3 | 0.18 | 0.52 | 0.03 | 456 | 2.6 | 0.14 | 0.31 | 0.02 | |
| *USA, California, Los Angeles County: Hispanic White | 479 | 4.2 | 0.20 | 0.49 | 0.03 | 430 | 3.1 | 0.15 | 0.37 | 0.02 | |
| *USA, California, Los Angeles County: Black | 319 | 9.3 | 0.53 | 1.09 | 0.08 | 267 | 5.7 | 0.37 | 0.69 | 0.05 | |
| *USA, California, Los Angeles County: Chinese | 42 | 1.8 | 0.29 | 0.19 | 0.04 | 23 | 0.9 | 0.19 | 0.11 | 0.03 | |
| *USA, California, Los Angeles County: Filipino | 32 | 2.3 | 0.43 | 0.23 | 0.05 | 52 | 2.4 | 0.34 | 0.32 | 0.05 | |
| *USA, California, Los Angeles County: Korean | 19 | 1.7 | 0.43 | 0.22 | 0.07 | 10 | 0.6 | 0.21 | 0.04 | 0.02 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 165 | 2.4 | 0.20 | 0.27 | 0.03 | 134 | 1.6 | 0.15 | 0.21 | 0.02 | |
| *USA, California, San Francisco Bay Area | 922 | 4.6 | 0.16 | 0.57 | 0.02 | 682 | 2.9 | 0.12 | 0.35 | 0.02 | |
| *USA, California, San Francisco Bay Area: White | 587 | 4.5 | 0.19 | 0.54 | 0.03 | 415 | 2.8 | 0.15 | 0.34 | 0.02 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 482 | 4.3 | 0.21 | 0.52 | 0.03 | 338 | 2.8 | 0.17 | 0.33 | 0.02 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 105 | 4.9 | 0.49 | 0.59 | 0.08 | 77 | 3.1 | 0.36 | 0.39 | 0.06 | |
| *USA, California, San Francisco Bay Area: Black | 155 | 10.2 | 0.84 | 1.26 | 0.13 | 115 | 6.0 | 0.59 | 0.69 | 0.08 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 170 | 3.3 | 0.27 | 0.41 | 0.04 | 143 | 2.1 | 0.19 | 0.24 | 0.03 | |
| USA, Colorado | 1086 | 5.0 | 0.16 | 0.62 | 0.02 | 708 | 2.9 | 0.11 | 0.36 | 0.02 | |
| USA, Colorado: White | 980 | 4.9 | 0.16 | 0.60 | 0.02 | 634 | 2.8 | 0.12 | 0.34 | 0.02 | |
| *USA, Colorado: Black | 81 | 10.9 | 1.23 | 1.26 | 0.19 | 54 | 6.8 | 0.95 | 0.86 | 0.14 | |
| *USA, Colorado: Asian and Pacific Islander | 17 | 3.2 | 0.79 | 0.37 | 0.11 | 13 | 2.0 | 0.55 | 0.36 | 0.11 | |
| USA, Connecticut | 930 | 5.7 | 0.20 | 0.69 | 0.03 | 706 | 3.7 | 0.15 | 0.44 | 0.02 | |
| USA, Connecticut: White | 751 | 5.1 | 0.20 | 0.61 | 0.03 | 553 | 3.3 | 0.15 | 0.38 | 0.02 | |
| USA, Connecticut: Black | 146 | 12.1 | 1.02 | 1.54 | 0.16 | 123 | 7.4 | 0.69 | 0.94 | 0.11 | |
| USA, District of Columbia | 145 | 6.6 | 0.56 | 0.77 | 0.08 | 149 | 5.4 | 0.47 | 0.65 | 0.07 | |
| USA, District of Columbia: White | 40 | 4.3 | 0.70 | 0.55 | 0.10 | 26 | 2.7 | 0.57 | 0.32 | 0.08 | |
| USA, District of Columbia: Black | 103 | 8.8 | 0.90 | 1.00 | 0.12 | 121 | 7.1 | 0.69 | 0.88 | 0.10 | |
| USA, Florida | 6646 | 6.4 | 0.08 | 0.76 | 0.01 | 5215 | 4.4 | 0.07 | 0.53 | 0.01 | |
| USA, Florida: White | 5202 | 5.6 | 0.09 | 0.67 | 0.01 | 3788 | 3.6 | 0.07 | 0.44 | 0.01 | |
| USA, Florida: Black | 1176 | 11.3 | 0.33 | 1.32 | 0.05 | 1169 | 8.9 | 0.27 | 1.09 | 0.04 | |
| USA, Florida: Asian and Pacific Islander | 75 | 3.5 | 0.41 | 0.36 | 0.05 | 66 | 2.4 | 0.30 | 0.31 | 0.05 | |
| USA, Georgia | 2466 | 6.5 | 0.13 | 0.79 | 0.02 | 2187 | 4.8 | 0.11 | 0.58 | 0.02 | |
| USA, Georgia: White | 1396 | 4.9 | 0.14 | 0.60 | 0.02 | 1040 | 3.2 | 0.11 | 0.38 | 0.02 | |
| USA, Georgia: Black | 1024 | 11.6 | 0.36 | 1.40 | 0.05 | 1119 | 9.1 | 0.28 | 1.09 | 0.04 | |
| USA, Georgia: Asian and Pacific Islander | 40 | 3.4 | 0.54 | 0.36 | 0.08 | 24 | 1.8 | 0.37 | 0.25 | 0.06 | |
| *USA, Georgia, Atlanta | 775 | 6.8 | 0.24 | 0.84 | 0.04 | 725 | 5.0 | 0.19 | 0.59 | 0.03 | |
| *USA, Georgia, Atlanta: White | 359 | 5.1 | 0.27 | 0.62 | 0.04 | 259 | 3.1 | 0.20 | 0.35 | 0.03 | |
| *USA, Georgia, Atlanta: Black | 387 | 10.6 | 0.54 | 1.33 | 0.08 | 447 | 8.3 | 0.40 | 0.97 | 0.06 | |
| USA, Idaho | 366 | 4.9 | 0.26 | 0.61 | 0.04 | 253 | 3.0 | 0.20 | 0.34 | 0.03 | |
| USA, Indiana | 1449 | 5.2 | 0.14 | 0.61 | 0.02 | 1163 | 3.5 | 0.11 | 0.42 | 0.02 | |
| USA, Indiana: White | 1252 | 4.8 | 0.14 | 0.56 | 0.02 | 964 | 3.1 | 0.11 | 0.38 | 0.02 | |
| USA, Indiana: Black | 186 | 10.6 | 0.78 | 1.34 | 0.12 | 189 | 8.0 | 0.60 | 1.01 | 0.09 | |
| *USA, Iowa | 770 | 5.3 | 0.20 | 0.62 | 0.03 | 578 | 3.4 | 0.16 | 0.43 | 0.02 | |
| USA, Kentucky | 1108 | 5.8 | 0.18 | 0.68 | 0.03 | 779 | 3.4 | 0.13 | 0.41 | 0.02 | |
| USA, Louisiana | 1168 | 6.2 | 0.19 | 0.74 | 0.03 | 962 | 4.3 | 0.15 | 0.52 | 0.02 | |
| USA, Louisiana: White | 683 | 4.8 | 0.19 | 0.56 | 0.03 | 483 | 3.0 | 0.15 | 0.36 | 0.02 | |
| USA, Louisiana: Black | 476 | 10.5 | 0.49 | 1.32 | 0.07 | 468 | 7.6 | 0.36 | 0.93 | 0.05 | |
| *USA, Louisiana, New Orleans | 240 | 6.9 | 0.46 | 0.86 | 0.07 | 187 | 4.5 | 0.35 | 0.58 | 0.05 | |
| *USA, Louisiana, New Orleans: White | 114 | 5.0 | 0.49 | 0.60 | 0.07 | 72 | 2.8 | 0.36 | 0.37 | 0.05 | |
| *USA, Louisiana, New Orleans: Black | 120 | 10.5 | 0.98 | 1.38 | 0.15 | 107 | 6.8 | 0.68 | 0.87 | 0.10 | |
| USA, Maine | 320 | 4.5 | 0.27 | 0.54 | 0.04 | 277 | 3.3 | 0.21 | 0.40 | 0.03 | |
| USA, Maryland | 1400 | 5.7 | 0.16 | 0.67 | 0.02 | 1308 | 4.4 | 0.13 | 0.55 | 0.02 | |
| USA, Maryland: White | 784 | 4.5 | 0.17 | 0.51 | 0.02 | 627 | 3.1 | 0.13 | 0.38 | 0.02 | |
| USA, Maryland: Black | 577 | 9.9 | 0.42 | 1.18 | 0.06 | 648 | 8.0 | 0.32 | 1.00 | 0.05 | |
| USA, Maryland: Asian and Pacific Islander | 34 | 2.5 | 0.43 | 0.33 | 0.07 | 29 | 1.8 | 0.34 | 0.26 | 0.06 | |
| USA, Massachusetts | 1535 | 5.3 | 0.14 | 0.64 | 0.02 | 1213 | 3.4 | 0.10 | 0.40 | 0.01 | |
| USA, Massachusetts: White | 1313 | 5.0 | 0.14 | 0.61 | 0.02 | 986 | 3.0 | 0.11 | 0.36 | 0.01 | |
| USA, Massachusetts: Black | 161 | 10.0 | 0.80 | 1.31 | 0.12 | 176 | 8.2 | 0.63 | 0.98 | 0.09 | |
| USA, Massachusetts: Asian and Pacific Islander | 32 | 2.5 | 0.45 | 0.29 | 0.07 | 30 | 2.1 | 0.38 | 0.27 | 0.06 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Multiple myeloma (C90) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 2402 | 5.3 | 0.11 | 0.62 | 0.02 | 1869 | 3.5 | 0.09 | 0.42 | 0.01 |
| USA, Michigan: White | 1879 | 4.7 | 0.11 | 0.54 | 0.02 | 1346 | 2.9 | 0.09 | 0.35 | 0.01 |
| USA, Michigan: Black | 456 | 10.2 | 0.48 | 1.26 | 0.07 | 482 | 7.7 | 0.37 | 0.93 | 0.05 |
| USA, Michigan: Asian and Pacific Islander | 28 | 3.1 | 0.60 | 0.32 | 0.09 | 14 | 1.5 | 0.39 | 0.19 | 0.06 |
| *USA, Michigan, Detroit | 1020 | 6.2 | 0.20 | 0.72 | 0.03 | 886 | 4.3 | 0.16 | 0.52 | 0.02 |
| *USA, Michigan, Detroit: White | 652 | 5.0 | 0.21 | 0.58 | 0.03 | 501 | 3.2 | 0.16 | 0.37 | 0.02 |
| *USA, Michigan, Detroit: Black | 338 | 10.7 | 0.59 | 1.32 | 0.09 | 372 | 8.2 | 0.44 | 1.01 | 0.07 |
| USA, Minnesota | 1285 | 5.4 | 0.16 | 0.63 | 0.02 | 909 | 3.3 | 0.12 | 0.40 | 0.02 |
| USA, Minnesota: White | 1181 | 5.2 | 0.16 | 0.61 | 0.02 | 835 | 3.2 | 0.12 | 0.38 | 0.02 |
| USA, Minnesota: Black | 60 | 8.9 | 1.19 | 1.16 | 0.19 | 36 | 4.9 | 0.83 | 0.50 | 0.11 |
| *USA, Minnesota: Asian and Pacific Islander | 19 | 3.5 | 0.82 | 0.47 | 0.14 | 23 | 3.7 | 0.79 | 0.57 | 0.14 |
| USA, Mississippi | 734 | 6.1 | 0.23 | 0.75 | 0.03 | 625 | 4.3 | 0.18 | 0.54 | 0.03 |
| USA, Missouri | 1417 | 5.2 | 0.15 | 0.62 | 0.02 | 1055 | 3.3 | 0.11 | 0.40 | 0.02 |
| USA, Missouri: White | 1187 | 4.8 | 0.15 | 0.57 | 0.02 | 823 | 2.8 | 0.11 | 0.35 | 0.02 |
| USA, Missouri: Black | 217 | 10.3 | 0.71 | 1.21 | 0.10 | 228 | 7.7 | 0.53 | 0.95 | 0.08 |
| USA, Montana | 282 | 5.4 | 0.34 | 0.66 | 0.05 | 188 | 3.2 | 0.25 | 0.38 | 0.04 |
| *USA, Montana: American Indian | 9 | 5.2 | 1.74 | 0.78 | 0.30 | 6 | 2.9 | 1.18 | 0.35 | 0.17 |
| USA, Nebraska | 407 | 5.1 | 0.27 | 0.62 | 0.04 | 280 | 3.0 | 0.20 | 0.38 | 0.03 |
| USA, Nebraska: White | 379 | 5.0 | 0.27 | 0.61 | 0.04 | 249 | 2.8 | 0.19 | 0.36 | 0.03 |
| *USA, Nebraska: Black | 22 | 9.4 | 2.05 | 1.34 | 0.35 | 29 | 10.4 | 1.97 | 1.12 | 0.27 |
| USA, Nevada | 462 | 3.7 | 0.18 | 0.45 | 0.03 | 345 | 2.6 | 0.15 | 0.31 | 0.02 |
| USA, Nevada: White | 386 | 3.7 | 0.20 | 0.46 | 0.03 | 261 | 2.4 | 0.16 | 0.28 | 0.02 |
| USA, Nevada: Black | 57 | 6.5 | 0.87 | 0.73 | 0.12 | 44 | 4.5 | 0.69 | 0.56 | 0.10 |
| *USA, Nevada: Asian and Pacific Islander | 13 | 1.2 | 0.34 | 0.16 | 0.05 | 32 | 2.2 | 0.40 | 0.31 | 0.06 |
| USA, New Jersey | 2208 | 5.7 | 0.13 | 0.68 | 0.02 | 1824 | 3.9 | 0.10 | 0.49 | 0.01 |
| USA, New Jersey: White | 1681 | 5.3 | 0.13 | 0.63 | 0.02 | 1289 | 3.4 | 0.10 | 0.43 | 0.02 |
| USA, New Jersey: Black | 404 | 9.8 | 0.49 | 1.20 | 0.07 | 446 | 7.8 | 0.38 | 0.97 | 0.06 |
| USA, New Mexico | 414 | 4.4 | 0.23 | 0.53 | 0.03 | 288 | 2.8 | 0.18 | 0.32 | 0.02 |
| USA, New Mexico: White | 364 | 4.3 | 0.24 | 0.52 | 0.03 | 237 | 2.5 | 0.18 | 0.29 | 0.02 |
| USA, New Mexico: Non-Hispanic White | 234 | 4.2 | 0.30 | 0.52 | 0.04 | 125 | 2.2 | 0.24 | 0.25 | 0.03 |
| USA, New Mexico: Hispanic White | 130 | 4.2 | 0.38 | 0.52 | 0.06 | 112 | 3.1 | 0.30 | 0.35 | 0.04 |
| *USA, New Mexico: American Indian | 33 | 5.3 | 0.92 | 0.55 | 0.13 | 29 | 3.6 | 0.68 | 0.46 | 0.11 |
| USA, New York State | 5375 | 6.5 | 0.09 | 0.78 | 0.01 | 4488 | 4.4 | 0.07 | 0.53 | 0.01 |
| USA, New York State: White | 3870 | 5.8 | 0.10 | 0.70 | 0.01 | 2996 | 3.8 | 0.08 | 0.45 | 0.01 |
| USA, New York State: Black | 1237 | 11.2 | 0.32 | 1.34 | 0.05 | 1309 | 8.1 | 0.23 | 0.98 | 0.03 |
| USA, New York State: Asian and Pacific Islander | 232 | 3.8 | 0.25 | 0.50 | 0.04 | 149 | 2.1 | 0.18 | 0.26 | 0.03 |
| USA, North Carolina | 2495 | 5.9 | 0.12 | 0.73 | 0.02 | 2180 | 4.2 | 0.10 | 0.51 | 0.01 |
| USA, North Carolina: White | 1613 | 4.7 | 0.12 | 0.57 | 0.02 | 1297 | 3.2 | 0.10 | 0.38 | 0.01 |
| USA, North Carolina: Black | 846 | 12.0 | 0.42 | 1.50 | 0.06 | 827 | 8.3 | 0.30 | 0.99 | 0.04 |
| USA, North Carolina: Asian and Pacific Islander | 15 | 2.2 | 0.58 | 0.31 | 0.10 | 24 | 2.8 | 0.57 | 0.37 | 0.10 |
| *USA, North Carolina: American Indian | 12 | 2.5 | 0.71 | 0.21 | 0.08 | 20 | 3.6 | 0.81 | 0.49 | 0.14 |
| USA, North Dakota | 152 | 4.7 | 0.40 | 0.56 | 0.06 | 111 | 2.9 | 0.31 | 0.34 | 0.05 |
| USA, Ohio | 2526 | 4.8 | 0.10 | 0.57 | 0.01 | 1955 | 3.1 | 0.08 | 0.38 | 0.01 |
| USA, Ohio: White | 2015 | 4.3 | 0.10 | 0.51 | 0.01 | 1507 | 2.7 | 0.08 | 0.33 | 0.01 |
| USA, Ohio: Black | 468 | 9.9 | 0.47 | 1.18 | 0.07 | 422 | 6.9 | 0.35 | 0.83 | 0.05 |
| *USA, Ohio: Asian and Pacific Islander | 20 | 2.6 | 0.60 | 0.21 | 0.07 | 8 | 0.9 | 0.31 | 0.06 | 0.04 |
| USA, Oklahoma | 817 | 4.9 | 0.18 | 0.59 | 0.03 | 606 | 3.2 | 0.14 | 0.38 | 0.02 |
| USA, Oklahoma: White | 655 | 4.5 | 0.18 | 0.54 | 0.03 | 465 | 2.8 | 0.14 | 0.34 | 0.02 |
| USA, Oklahoma: Black | 90 | 9.8 | 1.05 | 1.11 | 0.14 | 88 | 8.1 | 0.88 | 1.06 | 0.14 |
| USA, Oklahoma: American Indian | 61 | 5.5 | 0.71 | 0.59 | 0.10 | 47 | 3.5 | 0.52 | 0.43 | 0.08 |
| USA, Oregon | 825 | 4.3 | 0.16 | 0.51 | 0.02 | 606 | 2.8 | 0.12 | 0.33 | 0.02 |
| USA, Oregon: White | 782 | 4.3 | 0.16 | 0.51 | 0.02 | 573 | 2.8 | 0.13 | 0.33 | 0.02 |
| *USA, Oregon: Black | 20 | 8.0 | 1.82 | 1.09 | 0.31 | 11 | 4.3 | 1.32 | 0.54 | 0.20 |
| *USA, Oregon: Asian and Pacific Islander | 13 | 2.2 | 0.61 | 0.27 | 0.10 | 14 | 1.8 | 0.48 | 0.19 | 0.06 |
| USA, Rhode Island | 216 | 4.8 | 0.34 | 0.58 | 0.05 | 159 | 2.7 | 0.23 | 0.35 | 0.04 |
| USA, Rhode Island: White | 185 | 4.4 | 0.34 | 0.54 | 0.05 | 140 | 2.6 | 0.24 | 0.34 | 0.04 |
| *USA, Rhode Island: Black | 28 | 11.6 | 2.21 | 1.32 | 0.29 | 16 | 5.4 | 1.42 | 0.65 | 0.24 |
| USA, South Carolina | 1343 | 6.1 | 0.17 | 0.70 | 0.02 | 1136 | 4.4 | 0.14 | 0.53 | 0.02 |
| USA, South Carolina: White | 800 | 4.6 | 0.17 | 0.52 | 0.02 | 604 | 3.1 | 0.14 | 0.37 | 0.02 |
| USA, South Carolina: Black | 525 | 11.6 | 0.51 | 1.38 | 0.07 | 520 | 8.6 | 0.39 | 1.04 | 0.06 |
| USA, South Dakota | 213 | 5.2 | 0.38 | 0.59 | 0.05 | 124 | 2.9 | 0.29 | 0.35 | 0.04 |
| USA, Tennessee | 1498 | 5.3 | 0.14 | 0.65 | 0.02 | 1187 | 3.5 | 0.11 | 0.42 | 0.02 |
| USA, Tennessee: White | 1164 | 4.6 | 0.14 | 0.57 | 0.02 | 833 | 2.8 | 0.11 | 0.34 | 0.01 |
| USA, Tennessee: Black | 320 | 10.0 | 0.56 | 1.26 | 0.09 | 341 | 7.7 | 0.43 | 0.96 | 0.07 |
| USA, Texas | 5340 | 5.5 | 0.08 | 0.65 | 0.01 | 4357 | 3.8 | 0.06 | 0.45 | 0.01 |
| USA, Texas: White | 4198 | 5.0 | 0.08 | 0.60 | 0.01 | 3258 | 3.3 | 0.06 | 0.39 | 0.01 |
| USA, Texas: Black | 968 | 10.4 | 0.34 | 1.25 | 0.05 | 995 | 8.2 | 0.26 | 0.99 | 0.04 |
| USA, Texas: Asian and Pacific Islander | 144 | 3.7 | 0.31 | 0.43 | 0.05 | 89 | 2.0 | 0.21 | 0.26 | 0.03 |
| USA, Utah | 450 | 4.6 | 0.23 | 0.56 | 0.03 | 313 | 3.0 | 0.18 | 0.34 | 0.02 |
| USA, Vermont | 154 | 5.0 | 0.43 | 0.58 | 0.06 | 96 | 2.6 | 0.29 | 0.35 | 0.04 |
| USA, Washington State | 1507 | 4.8 | 0.13 | 0.58 | 0.02 | 1056 | 3.1 | 0.10 | 0.36 | 0.01 |
| *USA, Washington, Seattle | 1067 | 5.0 | 0.16 | 0.60 | 0.02 | 742 | 3.1 | 0.12 | 0.37 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Multiple myeloma (C90) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 444 | 4.8 | 0.24 | 0.63 | 0.04 | 320 | 2.9 | 0.18 | 0.38 | 0.03 |
| USA, Wyoming | 104 | 3.9 | 0.39 | 0.53 | 0.06 | 83 | 2.9 | 0.33 | 0.39 | 0.06 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 24 | 1.7 | 0.35 | 0.18 | 0.04 | 19 | 1.5 | 0.36 | 0.16 | 0.05 |
| Brunei Darussalam | 16 | 2.0 | 0.50 | 0.29 | 0.09 | 12 | 1.4 | 0.42 | 0.20 | 0.07 |
| *China, Anfu County | 7 | 0.7 | 0.25 | 0.09 | 0.04 | 6 | 0.6 | 0.26 | 0.07 | 0.03 |
| *China, Anguo City | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 84 | 1.1 | 0.13 | 0.14 | 0.02 | 66 | 0.8 | 0.10 | 0.09 | 0.01 |
| *China, Aohan Banner, Chifeng City | 4 | 0.2 | 0.11 | 0.04 | 0.02 | 5 | 0.2 | 0.11 | 0.03 | 0.02 |
| *China, Arongqi | 2 | 0.3 | 0.21 | 0.05 | 0.03 | 2 | 0.2 | 0.15 | 0.02 | 0.01 |
| *China, Baoding City | 50 | 1.4 | 0.21 | 0.14 | 0.03 | 16 | 0.4 | 0.11 | 0.05 | 0.02 |
| *China, Beijing City | 682 | 1.5 | 0.06 | 0.20 | 0.01 | 524 | 1.1 | 0.05 | 0.14 | 0.01 |
| *China, Binhai County | 24 | 0.5 | 0.11 | 0.09 | 0.02 | 22 | 0.5 | 0.11 | 0.06 | 0.01 |
| *China, Cangzhou City | 5 | 0.3 | 0.12 | 0.02 | 0.01 | 4 | 0.2 | 0.12 | 0.03 | 0.02 |
| China, Changfeng County | 15 | 1.0 | 0.27 | 0.12 | 0.03 | 17 | 1.1 | 0.29 | 0.17 | 0.04 |
| China, Changzhou City | 140 | 1.4 | 0.12 | 0.17 | 0.02 | 126 | 1.1 | 0.11 | 0.15 | 0.02 |
| China, Chengdu City | 91 | 2.2 | 0.24 | 0.24 | 0.03 | 66 | 1.6 | 0.21 | 0.22 | 0.03 |
| China, Cixian County | 14 | 0.7 | 0.20 | 0.08 | 0.03 | 5 | 0.3 | 0.13 | 0.04 | 0.02 |
| China, Cixi City | 82 | 1.6 | 0.19 | 0.21 | 0.03 | 69 | 1.3 | 0.16 | 0.18 | 0.03 |
| *China, Dafeng District, Yancheng City | 26 | 0.7 | 0.14 | 0.11 | 0.02 | 24 | 0.7 | 0.13 | 0.09 | 0.02 |
| China, Dalian City | 116 | 1.0 | 0.10 | 0.12 | 0.01 | 89 | 0.7 | 0.08 | 0.10 | 0.01 |
| *China, Dancheng County | 42 | 1.2 | 0.19 | 0.14 | 0.03 | 35 | 1.0 | 0.17 | 0.12 | 0.03 |
| China, Dangtu County | 14 | 1.1 | 0.31 | 0.12 | 0.04 | 17 | 1.6 | 0.40 | 0.21 | 0.06 |
| *China, Danyang City | 39 | 1.1 | 0.17 | 0.13 | 0.03 | 32 | 0.8 | 0.15 | 0.09 | 0.02 |
| *China, Dawukou District, Shizuishan City | 12 | 1.0 | 0.30 | 0.11 | 0.04 | 6 | 0.6 | 0.24 | 0.06 | 0.03 |
| *China, Dehui City | 16 | 0.5 | 0.13 | 0.07 | 0.02 | 21 | 0.7 | 0.15 | 0.08 | 0.02 |
| *China, Donggang County | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongguan City | 70 | 1.8 | 0.21 | 0.24 | 0.04 | 55 | 1.2 | 0.17 | 0.15 | 0.02 |
| China, Donghai County | 30 | 0.7 | 0.13 | 0.09 | 0.02 | 30 | 0.9 | 0.16 | 0.12 | 0.02 |
| *China, Dongtai City | 37 | 0.8 | 0.16 | 0.10 | 0.02 | 34 | 0.7 | 0.12 | 0.10 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 15 | 1.1 | 0.30 | 0.12 | 0.04 | 8 | 0.6 | 0.23 | 0.08 | 0.03 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.33 | 0.08 | 0.08 |
| *China, Faku County | 6 | 0.3 | 0.13 | 0.03 | 0.01 | 4 | 0.2 | 0.10 | 0.03 | 0.01 |
| *China, Fangcheng County | 23 | 1.2 | 0.27 | 0.10 | 0.03 | 16 | 0.9 | 0.23 | 0.09 | 0.03 |
| *China, Feicheng City | 35 | 0.9 | 0.16 | 0.14 | 0.03 | 35 | 0.9 | 0.17 | 0.11 | 0.02 |
| China, Feixi County | 49 | 1.2 | 0.19 | 0.16 | 0.03 | 29 | 0.7 | 0.14 | 0.09 | 0.02 |
| China, Fuqing City | 19 | 0.7 | 0.16 | 0.10 | 0.03 | 10 | 0.4 | 0.12 | 0.05 | 0.02 |
| *China, Ganyu District, Lianyungang City | 20 | 0.5 | 0.11 | 0.06 | 0.02 | 16 | 0.4 | 0.10 | 0.05 | 0.02 |
| *China, Ganzhou District, Zhangye City | 2 | 0.3 | 0.22 | 0.03 | 0.02 | 4 | 0.3 | 0.13 | 0.03 | 0.01 |
| *China, Gaocheng City | 23 | 1.0 | 0.22 | 0.14 | 0.03 | 13 | 0.5 | 0.15 | 0.06 | 0.02 |
| China, Gaomi City | 29 | 0.9 | 0.17 | 0.10 | 0.02 | 21 | 0.7 | 0.15 | 0.08 | 0.02 |
| China, Gong'an County | 60 | 1.9 | 0.27 | 0.25 | 0.04 | 43 | 1.3 | 0.20 | 0.18 | 0.03 |
| *China, Guang'an District, Guang'an City | 11 | 0.8 | 0.27 | 0.07 | 0.02 | 5 | 0.3 | 0.11 | 0.02 | 0.01 |
| China, Guanghan City | 16 | 0.9 | 0.23 | 0.13 | 0.04 | 9 | 0.5 | 0.18 | 0.10 | 0.03 |
| China, Guangzhou City | 470 | 1.5 | 0.07 | 0.18 | 0.01 | 410 | 1.2 | 0.06 | 0.16 | 0.01 |
| *China, Guanyun County | 32 | 0.9 | 0.17 | 0.13 | 0.03 | 19 | 0.5 | 0.12 | 0.07 | 0.02 |
| China, Guilin City | 34 | 1.6 | 0.28 | 0.24 | 0.05 | 33 | 1.5 | 0.29 | 0.18 | 0.04 |
| *China, Hai'an City | 45 | 0.8 | 0.12 | 0.10 | 0.02 | 44 | 0.8 | 0.12 | 0.09 | 0.02 |
| China, Hailar District, Hulun Buir City | 11 | 1.1 | 0.34 | 0.14 | 0.05 | 7 | 0.5 | 0.20 | 0.07 | 0.03 |
| China, Haimen District, Nantong City | 84 | 1.5 | 0.17 | 0.19 | 0.03 | 64 | 1.3 | 0.22 | 0.16 | 0.02 |
| China, Haining City | 68 | 1.9 | 0.23 | 0.24 | 0.04 | 45 | 1.3 | 0.20 | 0.19 | 0.03 |
| China, Hangzhou City | 516 | 1.5 | 0.07 | 0.19 | 0.01 | 393 | 1.2 | 0.06 | 0.15 | 0.01 |
| China, Hebi City | 11 | 0.8 | 0.25 | 0.08 | 0.03 | 7 | 0.5 | 0.21 | 0.09 | 0.04 |
| China, Hefei City | 121 | 1.4 | 0.14 | 0.19 | 0.02 | 77 | 0.9 | 0.10 | 0.12 | 0.02 |
| China, Hengdong County | 18 | 1.1 | 0.27 | 0.15 | 0.04 | 6 | 0.5 | 0.25 | 0.05 | 0.02 |
| *China, Hengfeng County | 1 | 0.2 | 0.16 | 0.01 | 0.01 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| *China, Hepu County | 19 | 0.7 | 0.16 | 0.10 | 0.03 | 9 | 0.4 | 0.12 | 0.04 | 0.02 |
| China, Honghu City | 38 | 1.3 | 0.23 | 0.19 | 0.03 | 38 | 1.2 | 0.21 | 0.17 | 0.03 |
| China, Hongshan District, Chifeng City | 20 | 1.6 | 0.39 | 0.17 | 0.05 | 12 | 0.9 | 0.26 | 0.11 | 0.04 |
| *China, Hongta District, Yuxi City | 18 | 1.0 | 0.25 | 0.11 | 0.03 | 11 | 0.6 | 0.19 | 0.08 | 0.03 |
| *China, Huaiyin District, Huai'an City | 23 | 0.7 | 0.14 | 0.09 | 0.02 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Jiange County | 9 | 0.5 | 0.18 | 0.09 | 0.03 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Jiangmen City | 38 | 1.6 | 0.26 | 0.22 | 0.04 | 30 | 1.2 | 0.22 | 0.18 | 0.04 |
| *China, Jiangyin City | 81 | 1.5 | 0.18 | 0.17 | 0.02 | 65 | 1.2 | 0.19 | 0.14 | 0.02 |
| *China, Jiashan County | 22 | 1.1 | 0.23 | 0.13 | 0.03 | 23 | 1.1 | 0.24 | 0.16 | 0.04 |
| China, Jiayu County | 5 | 0.7 | 0.29 | 0.08 | 0.04 | 3 | 0.4 | 0.24 | 0.04 | 0.02 |
| *China, Jinan City | 96 | 1.0 | 0.10 | 0.12 | 0.02 | 80 | 0.8 | 0.09 | 0.11 | 0.01 |
| *China, Jingtai County | 3 | 0.4 | 0.26 | 0.07 | 0.04 | 6 | 0.8 | 0.33 | 0.11 | 0.05 |
| *China, Jingxian County | 4 | 0.4 | 0.19 | 0.05 | 0.02 | 4 | 0.3 | 0.17 | 0.05 | 0.03 |
| *China, Jintan District, Changzhou City | 29 | 1.3 | 0.24 | 0.18 | 0.04 | 22 | 0.9 | 0.21 | 0.14 | 0.03 |
| *China, Jiulongpo District, Chongqing City | 52 | 1.6 | 0.22 | 0.22 | 0.04 | 49 | 1.6 | 0.28 | 0.19 | 0.03 |
| *China, Jiyuan City | 8 | 0.4 | 0.15 | 0.06 | 0.02 | 11 | 0.6 | 0.18 | 0.07 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Multiple myeloma (C90) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 24 | 1.9 | 0.40 | 0.26 | 0.06 | 19 | 1.5 | 0.38 | 0.16 | 0.05 |
| China, Kunshan City | 45 | 1.2 | 0.19 | 0.14 | 0.03 | 46 | 1.2 | 0.19 | 0.15 | 0.03 |
| China, Langzhong City | 23 | 1.2 | 0.25 | 0.15 | 0.04 | 12 | 0.6 | 0.19 | 0.10 | 0.03 |
| *China, Liangshan County | 32 | 1.2 | 0.22 | 0.14 | 0.03 | 26 | 0.9 | 0.18 | 0.12 | 0.03 |
| *China, Lianshui County | 28 | 0.6 | 0.12 | 0.07 | 0.02 | 16 | 0.4 | 0.11 | 0.05 | 0.01 |
| China, Lianyungang City | 58 | 1.5 | 0.20 | 0.21 | 0.03 | 24 | 0.6 | 0.12 | 0.08 | 0.02 |
| China, Linhe District, Bayannur City | 2 | 0.2 | 0.12 | 0.02 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Linqu County | 34 | 0.9 | 0.16 | 0.12 | 0.02 | 26 | 0.7 | 0.14 | 0.10 | 0.02 |
| *China, Linzhou City | 38 | 1.0 | 0.16 | 0.12 | 0.02 | 28 | 0.7 | 0.13 | 0.09 | 0.02 |
| China, Liuzhou City | 95 | 2.6 | 0.27 | 0.31 | 0.04 | 60 | 1.6 | 0.22 | 0.22 | 0.03 |
| China, Liyang City | 40 | 1.0 | 0.16 | 0.12 | 0.02 | 19 | 0.5 | 0.12 | 0.07 | 0.02 |
| *China, Longquan City | 9 | 1.0 | 0.33 | 0.16 | 0.06 | 16 | 2.0 | 0.52 | 0.34 | 0.10 |
| China, Lucheng District, Wenzhou City | 47 | 2.2 | 0.34 | 0.25 | 0.05 | 26 | 1.2 | 0.24 | 0.17 | 0.04 |
| China, Luoding City | 29 | 1.3 | 0.24 | 0.18 | 0.04 | 19 | 1.0 | 0.22 | 0.14 | 0.04 |
| *China, Luohe City | 47 | 1.3 | 0.19 | 0.16 | 0.03 | 36 | 1.0 | 0.18 | 0.15 | 0.03 |
| *China, Luoyang City | 57 | 1.3 | 0.18 | 0.15 | 0.03 | 32 | 0.7 | 0.13 | 0.08 | 0.02 |
| *China, Luquan City | 17 | 1.6 | 0.39 | 0.26 | 0.07 | 13 | 1.0 | 0.28 | 0.15 | 0.05 |
| China, Ma'anshan City | 42 | 1.8 | 0.29 | 0.16 | 0.04 | 30 | 1.3 | 0.24 | 0.14 | 0.03 |
| *China, Macheng City | 22 | 0.9 | 0.19 | 0.11 | 0.03 | 24 | 1.1 | 0.22 | 0.16 | 0.03 |
| China, Meihekou City | 23 | 1.0 | 0.21 | 0.10 | 0.03 | 10 | 0.4 | 0.13 | 0.04 | 0.02 |
| *China, Mengjin County | 13 | 1.2 | 0.33 | 0.16 | 0.05 | 8 | 0.6 | 0.23 | 0.08 | 0.03 |
| China, Nangang District, Harbin City | 39 | 0.9 | 0.15 | 0.11 | 0.02 | 35 | 0.8 | 0.14 | 0.08 | 0.02 |
| *China, Nanhai District, Foshan City | 66 | 2.4 | 0.29 | 0.32 | 0.04 | 43 | 1.3 | 0.20 | 0.16 | 0.03 |
| China, Nanhu District, Jiaying City | 62 | 2.3 | 0.30 | 0.28 | 0.04 | 31 | 1.1 | 0.20 | 0.14 | 0.03 |
| *China, Nantong City | 56 | 1.0 | 0.14 | 0.13 | 0.02 | 51 | 0.8 | 0.11 | 0.11 | 0.02 |
| *China, Nanxiong City | 19 | 1.3 | 0.31 | 0.13 | 0.04 | 18 | 1.1 | 0.27 | 0.13 | 0.03 |
| China, Neixiang County | 15 | 0.6 | 0.17 | 0.07 | 0.02 | 11 | 0.5 | 0.15 | 0.05 | 0.02 |
| *China, Qianxi County | 5 | 0.5 | 0.22 | 0.05 | 0.02 | 9 | 0.9 | 0.32 | 0.08 | 0.03 |
| China, Qidong City | 117 | 1.8 | 0.19 | 0.19 | 0.02 | 112 | 1.5 | 0.15 | 0.21 | 0.02 |
| China, Qingzhou City | 48 | 1.5 | 0.22 | 0.18 | 0.03 | 39 | 1.1 | 0.18 | 0.15 | 0.03 |
| *China, Rudong County | 51 | 0.8 | 0.12 | 0.13 | 0.02 | 51 | 0.8 | 0.12 | 0.09 | 0.02 |
| *China, Rugao City | 83 | 1.2 | 0.14 | 0.15 | 0.02 | 63 | 0.8 | 0.11 | 0.09 | 0.01 |
| *China, Rural areas of Shanghai City | 695 | 1.4 | 0.06 | 0.18 | 0.01 | 528 | 1.0 | 0.05 | 0.13 | 0.01 |
| China, Ruyang County | 14 | 1.2 | 0.32 | 0.16 | 0.05 | 8 | 0.7 | 0.27 | 0.11 | 0.05 |
| *China, Shan County | 24 | 1.0 | 0.21 | 0.09 | 0.02 | 15 | 0.6 | 0.17 | 0.09 | 0.03 |
| China, Shanghai City | 593 | 1.4 | 0.06 | 0.17 | 0.01 | 395 | 0.9 | 0.05 | 0.11 | 0.01 |
| China, Shangyu District, Shaoxing City | 69 | 2.0 | 0.24 | 0.26 | 0.04 | 56 | 1.6 | 0.22 | 0.21 | 0.03 |
| *China, Shapingba District, Chongqing City | 76 | 2.4 | 0.28 | 0.36 | 0.05 | 49 | 1.5 | 0.22 | 0.21 | 0.04 |
| China, Shexian County | 3 | 0.2 | 0.12 | 0.02 | 0.01 | 2 | 0.1 | 0.11 | 0.03 | 0.02 |
| China, Sheyang County | 34 | 0.7 | 0.13 | 0.09 | 0.02 | 34 | 0.8 | 0.14 | 0.11 | 0.02 |
| *China, Shijiazhuang City | 107 | 2.1 | 0.22 | 0.27 | 0.03 | 75 | 1.5 | 0.17 | 0.19 | 0.03 |
| China, Shunde District, Foshan City | 43 | 1.2 | 0.19 | 0.17 | 0.03 | 50 | 1.2 | 0.17 | 0.17 | 0.03 |
| *China, Song County | 4 | 0.3 | 0.13 | 0.03 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Suzhou City | 269 | 1.6 | 0.10 | 0.19 | 0.01 | 155 | 0.9 | 0.08 | 0.12 | 0.01 |
| *China, Tengzhou City | 82 | 1.5 | 0.17 | 0.16 | 0.02 | 46 | 0.8 | 0.12 | 0.11 | 0.02 |
| *China, Wangdu County | 2 | 0.5 | 0.40 | 0.03 | 0.02 | 1 | 0.1 | 0.14 | 0.02 | 0.02 |
| *China, Wanxian County | 34 | 3.6 | 0.63 | 0.25 | 0.05 | 24 | 2.5 | 0.52 | 0.19 | 0.05 |
| *China, Wu'an City | 3 | 0.1 | 0.09 | 0.02 | 0.01 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| China, Wuhan City | 341 | 1.5 | 0.08 | 0.18 | 0.01 | 271 | 1.1 | 0.07 | 0.13 | 0.01 |
| *China, Wuhu City | 56 | 1.1 | 0.15 | 0.13 | 0.02 | 32 | 0.6 | 0.10 | 0.07 | 0.02 |
| China, Wuxi City | 159 | 1.2 | 0.10 | 0.15 | 0.01 | 97 | 0.7 | 0.08 | 0.09 | 0.01 |
| China, Wuzhou City | 35 | 1.7 | 0.30 | 0.19 | 0.04 | 36 | 1.7 | 0.30 | 0.17 | 0.04 |
| China, Xiangfu District, Kaifeng City | 46 | 2.4 | 0.36 | 0.30 | 0.05 | 33 | 1.5 | 0.26 | 0.19 | 0.04 |
| China, Xianju County | 29 | 1.4 | 0.27 | 0.20 | 0.05 | 17 | 0.9 | 0.23 | 0.11 | 0.03 |
| *China, Xin'an County | 4 | 0.4 | 0.18 | 0.05 | 0.02 | 2 | 0.2 | 0.12 | 0.01 | 0.01 |
| *China, Xining City | 32 | 1.7 | 0.32 | 0.20 | 0.04 | 20 | 0.8 | 0.17 | 0.09 | 0.02 |
| *China, Xinji City | 28 | 1.1 | 0.20 | 0.13 | 0.03 | 20 | 0.7 | 0.17 | 0.11 | 0.03 |
| *China, Xinluo District, Longyan City | 10 | 0.8 | 0.27 | 0.11 | 0.04 | 8 | 0.6 | 0.22 | 0.06 | 0.03 |
| *China, Xinzhou District, Shangrao City | 10 | 0.8 | 0.26 | 0.10 | 0.04 | 14 | 0.9 | 0.25 | 0.09 | 0.03 |
| China, Xiping County | 38 | 1.3 | 0.22 | 0.16 | 0.03 | 32 | 1.2 | 0.21 | 0.15 | 0.03 |
| *China, Xishan District, Kunming City | 17 | 0.9 | 0.22 | 0.10 | 0.03 | 9 | 0.6 | 0.19 | 0.07 | 0.03 |
| *China, Xuyi County | 27 | 1.0 | 0.20 | 0.12 | 0.03 | 10 | 0.4 | 0.13 | 0.04 | 0.02 |
| *China, Ya'an City | 83 | 1.6 | 0.18 | 0.21 | 0.03 | 52 | 1.0 | 0.14 | 0.12 | 0.02 |
| *China, Yakeshi City | 3 | 0.3 | 0.16 | 0.04 | 0.02 | 6 | 0.3 | 0.13 | 0.05 | 0.02 |
| China, Yancheng City | 62 | 1.1 | 0.16 | 0.11 | 0.02 | 32 | 0.6 | 0.10 | 0.07 | 0.01 |
| *China, Yangquan City | 39 | 1.7 | 0.29 | 0.22 | 0.04 | 27 | 1.4 | 0.28 | 0.18 | 0.04 |
| *China, Yangzhong City | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yanji City | 21 | 1.1 | 0.25 | 0.15 | 0.04 | 13 | 0.5 | 0.15 | 0.06 | 0.02 |
| *China, Yanshi City | 29 | 1.3 | 0.27 | 0.12 | 0.03 | 18 | 0.7 | 0.17 | 0.08 | 0.02 |
| China, Yanting County | 11 | 0.7 | 0.24 | 0.05 | 0.02 | 6 | 0.4 | 0.21 | 0.04 | 0.02 |
| *China, Yi'an District, Tongling City | 11 | 1.1 | 0.33 | 0.13 | 0.04 | 4 | 0.4 | 0.21 | 0.05 | 0.03 |
| *China, Yingdong District, Fuyang City | 21 | 0.9 | 0.21 | 0.13 | 0.03 | 13 | 0.7 | 0.18 | 0.09 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Multiple myeloma (C90) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| Asia (contd) | | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 21 | 2.1 | 0.47 | 0.32 | 0.09 | 11 | 1.0 | 0.31 | 0.14 | 0.06 | |
| *China, Yiyuan County | 6 | 0.3 | 0.12 | 0.03 | 0.01 | 11 | 0.5 | 0.16 | 0.06 | 0.02 | |
| China, Yong'an City | 17 | 1.2 | 0.29 | 0.16 | 0.05 | 7 | 0.6 | 0.22 | 0.08 | 0.03 | |
| *China, Yongding District, Longyan City | 24 | 1.5 | 0.31 | 0.18 | 0.05 | 16 | 0.9 | 0.23 | 0.09 | 0.03 | |
| China, Yongkang City | 43 | 1.8 | 0.28 | 0.23 | 0.04 | 28 | 1.2 | 0.23 | 0.15 | 0.03 | |
| *China, Yucheng County | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 7 | 0.4 | 0.14 | 0.07 | 0.03 | |
| China, Yueyanglou District, Yueyang City | 18 | 1.6 | 0.38 | 0.19 | 0.05 | 20 | 1.8 | 0.42 | 0.23 | 0.06 | |
| China, Yunmeng County | 10 | 0.6 | 0.20 | 0.09 | 0.03 | 4 | 0.2 | 0.11 | 0.02 | 0.01 | |
| *China, Yunyang District, Shiyuan City | 3 | 0.2 | 0.14 | 0.03 | 0.02 | 4 | 0.5 | 0.25 | 0.06 | 0.04 | |
| China, Yuzhong District, Chongqing City | 55 | 2.6 | 0.37 | 0.39 | 0.07 | 60 | 2.4 | 0.35 | 0.34 | 0.06 | |
| *China, Zanzhuang County | 3 | 0.3 | 0.19 | 0.03 | 0.02 | 4 | 0.5 | 0.28 | 0.06 | 0.03 | |
| *China, Zhangjiagang City | 84 | 1.8 | 0.20 | 0.22 | 0.03 | 69 | 1.5 | 0.18 | 0.20 | 0.03 | |
| *China, Zhaoyuan City | 22 | 0.8 | 0.17 | 0.09 | 0.02 | 35 | 1.3 | 0.23 | 0.16 | 0.03 | |
| *China, Zhengding County | 16 | 1.2 | 0.31 | 0.20 | 0.05 | 15 | 1.0 | 0.26 | 0.14 | 0.04 | |
| *China, Zhongshan City | 82 | 1.5 | 0.17 | 0.19 | 0.03 | 59 | 1.0 | 0.13 | 0.12 | 0.02 | |
| China, Zhongxiang City | 51 | 1.5 | 0.22 | 0.18 | 0.03 | 37 | 1.2 | 0.19 | 0.16 | 0.03 | |
| *China, Zhuanghe City | 23 | 0.5 | 0.12 | 0.07 | 0.02 | 18 | 0.4 | 0.09 | 0.05 | 0.01 | |
| *China, Zhuhai City | 66 | 1.8 | 0.23 | 0.21 | 0.03 | 31 | 0.9 | 0.16 | 0.11 | 0.02 | |
| India, Ahmedabad, Urban | 122 | 1.1 | 0.10 | 0.13 | 0.01 | 89 | 0.8 | 0.09 | 0.09 | 0.01 | |
| India, Aurangabad | 22 | 0.8 | 0.18 | 0.12 | 0.03 | 4 | 0.1 | 0.07 | 0.02 | 0.01 | |
| India, Bangalore | 241 | 2.3 | 0.15 | 0.29 | 0.02 | 171 | 1.6 | 0.12 | 0.20 | 0.02 | |
| India, Barshi, Paranda, and Bhum | 10 | 0.7 | 0.23 | 0.09 | 0.03 | 4 | 0.3 | 0.14 | 0.03 | 0.02 | |
| *India, Bhopal | 40 | 1.6 | 0.26 | 0.23 | 0.04 | 31 | 1.3 | 0.24 | 0.18 | 0.04 | |
| India, Chandigarh | 45 | 2.1 | 0.33 | 0.26 | 0.05 | 39 | 2.0 | 0.33 | 0.28 | 0.05 | |
| *India, Chennai | 216 | 1.8 | 0.12 | 0.20 | 0.02 | 149 | 1.2 | 0.10 | 0.14 | 0.01 | |
| India, Dibrugarh | 18 | 0.7 | 0.17 | 0.10 | 0.03 | 23 | 0.9 | 0.19 | 0.10 | 0.02 | |
| *India, Dindigul, Ambilikkai | 43 | 0.7 | 0.11 | 0.09 | 0.02 | 21 | 0.3 | 0.07 | 0.04 | 0.01 | |
| India, Kamrup Urban District | 49 | 2.2 | 0.32 | 0.31 | 0.05 | 32 | 1.4 | 0.25 | 0.18 | 0.04 | |
| India, Kollam | 237 | 3.7 | 0.24 | 0.49 | 0.04 | 203 | 2.7 | 0.19 | 0.34 | 0.03 | |
| *India, Manipur | 31 | 0.7 | 0.12 | 0.10 | 0.02 | 30 | 0.6 | 0.12 | 0.08 | 0.02 | |
| India, Meghalaya | 10 | 0.4 | 0.14 | 0.07 | 0.02 | 7 | 0.2 | 0.09 | 0.04 | 0.02 | |
| India, Mizoram | 4 | 0.3 | 0.13 | 0.03 | 0.02 | 2 | 0.1 | 0.09 | 0.02 | 0.02 | |
| India, Mumbai | 512 | 1.7 | 0.08 | 0.21 | 0.01 | 398 | 1.4 | 0.07 | 0.17 | 0.01 | |
| *India, New Delhi | 585 | 2.9 | 0.12 | 0.34 | 0.02 | 356 | 1.8 | 0.10 | 0.24 | 0.02 | |
| India, Poona | 140 | 1.2 | 0.10 | 0.15 | 0.02 | 80 | 0.7 | 0.08 | 0.10 | 0.01 | |
| *India, Sangrur District | 22 | 0.9 | 0.19 | 0.10 | 0.02 | 7 | 0.3 | 0.11 | 0.03 | 0.01 | |
| India, SAS Nagar | 48 | 2.0 | 0.29 | 0.26 | 0.04 | 32 | 1.4 | 0.25 | 0.18 | 0.03 | |
| *India, Tamil Nadu | 1708 | 0.9 | 0.02 | 0.10 | 0.00 | 1155 | 0.6 | 0.02 | 0.07 | 0.00 | |
| *India, Tripura | 44 | 0.7 | 0.11 | 0.10 | 0.02 | 23 | 0.4 | 0.08 | 0.04 | 0.01 | |
| India, Trivandrum | 282 | 3.5 | 0.21 | 0.47 | 0.03 | 212 | 2.3 | 0.16 | 0.32 | 0.03 | |
| India, Wardha | 19 | 0.5 | 0.12 | 0.06 | 0.01 | 14 | 0.4 | 0.10 | 0.05 | 0.01 | |
| India, West Arunachal | 2 | 0.3 | 0.19 | 0.01 | 0.01 | 2 | 0.4 | 0.25 | 0.07 | 0.05 | |
| *Iran (Islamic Republic of), Ardabil Province | 48 | 2.7 | 0.40 | 0.32 | 0.06 | 35 | 1.9 | 0.33 | 0.26 | 0.05 | |
| *Iran (Islamic Republic of), Golestan Province | 61 | 2.7 | 0.36 | 0.37 | 0.06 | 45 | 1.8 | 0.28 | 0.18 | 0.04 | |
| Israel | 1385 | 5.2 | 0.15 | 0.63 | 0.02 | 1103 | 3.6 | 0.11 | 0.44 | 0.02 | |
| *Israel: Jews | 1188 | 5.2 | 0.16 | 0.64 | 0.02 | 946 | 3.6 | 0.13 | 0.44 | 0.02 | |
| *Israel: Arabs | 152 | 5.3 | 0.44 | 0.63 | 0.06 | 118 | 3.7 | 0.35 | 0.47 | 0.05 | |
| Japan | 10283 | 2.0 | 0.02 | 0.22 | 0.00 | 9756 | 1.4 | 0.02 | 0.17 | 0.00 | |
| Japan, Aichi Prefecture | 541 | 1.9 | 0.09 | 0.22 | 0.01 | 508 | 1.4 | 0.08 | 0.17 | 0.01 | |
| *Japan, Akita Prefecture | 95 | 1.9 | 0.23 | 0.23 | 0.03 | 94 | 1.4 | 0.19 | 0.16 | 0.03 | |
| Japan, Aomori Prefecture | 162 | 1.6 | 0.14 | 0.18 | 0.02 | 192 | 1.3 | 0.13 | 0.14 | 0.02 | |
| Japan, Gunma Prefecture | 180 | 2.3 | 0.19 | 0.26 | 0.03 | 155 | 1.5 | 0.15 | 0.18 | 0.02 | |
| Japan, Hiroshima Prefecture | 367 | 2.3 | 0.14 | 0.25 | 0.02 | 389 | 1.8 | 0.12 | 0.20 | 0.02 | |
| Japan, Miyagi Prefecture | 313 | 2.0 | 0.13 | 0.24 | 0.02 | 287 | 1.4 | 0.11 | 0.16 | 0.01 | |
| Japan, Osaka Prefecture | 602 | 1.8 | 0.08 | 0.20 | 0.01 | 573 | 1.3 | 0.07 | 0.16 | 0.01 | |
| Kuwait | 137 | 2.1 | 0.23 | 0.28 | 0.04 | 86 | 2.0 | 0.24 | 0.28 | 0.04 | |
| *Kuwait: Kuwaitis | 61 | 3.5 | 0.47 | 0.47 | 0.07 | 47 | 2.0 | 0.30 | 0.26 | 0.05 | |
| *Kuwait: Non-Kuwaitis | 76 | 1.8 | 0.31 | 0.20 | 0.05 | 39 | 2.2 | 0.43 | 0.35 | 0.08 | |
| *Philippines, Manila | 92 | 1.0 | 0.11 | 0.12 | 0.02 | 125 | 1.0 | 0.09 | 0.11 | 0.01 | |
| *Qatar: Qatari | 7 | 1.5 | 0.59 | 0.07 | 0.04 | 5 | 1.0 | 0.48 | 0.12 | 0.06 | |
| Republic of Korea | 3963 | 2.0 | 0.03 | 0.24 | 0.00 | 3495 | 1.4 | 0.03 | 0.18 | 0.00 | |
| *Republic of Korea, Busan | 235 | 1.6 | 0.10 | 0.21 | 0.02 | 258 | 1.4 | 0.09 | 0.19 | 0.01 | |
| *Republic of Korea, Daegu | 177 | 1.9 | 0.14 | 0.24 | 0.02 | 172 | 1.4 | 0.11 | 0.17 | 0.02 | |
| *Republic of Korea, Daejeon | 114 | 2.2 | 0.21 | 0.26 | 0.03 | 83 | 1.3 | 0.15 | 0.15 | 0.02 | |
| *Republic of Korea, Gwangju | 97 | 2.0 | 0.20 | 0.27 | 0.03 | 91 | 1.5 | 0.17 | 0.21 | 0.03 | |
| Republic of Korea, Incheon | 187 | 1.8 | 0.13 | 0.21 | 0.02 | 184 | 1.5 | 0.12 | 0.18 | 0.02 | |
| Republic of Korea, Jeju | 61 | 2.4 | 0.31 | 0.25 | 0.04 | 38 | 1.2 | 0.21 | 0.14 | 0.03 | |
| Republic of Korea, Seoul | 787 | 2.1 | 0.08 | 0.25 | 0.01 | 642 | 1.4 | 0.06 | 0.18 | 0.01 | |
| Republic of Korea, Ulsan | 74 | 1.9 | 0.24 | 0.20 | 0.03 | 53 | 1.3 | 0.18 | 0.16 | 0.03 | |
| Singapore | 301 | 2.0 | 0.12 | 0.25 | 0.02 | 257 | 1.5 | 0.09 | 0.16 | 0.01 | |
| Singapore: Chinese | 211 | 1.7 | 0.12 | 0.22 | 0.02 | 168 | 1.1 | 0.09 | 0.13 | 0.01 | |
| Singapore: Indian | 26 | 2.2 | 0.44 | 0.22 | 0.06 | 23 | 2.2 | 0.46 | 0.21 | 0.06 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Multiple myeloma (C90) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 55 | 3.6 | 0.51 | 0.47 | 0.08 | 57 | 3.2 | 0.43 | 0.35 | 0.06 |
| Thailand, Bangkok | 189 | 1.1 | 0.08 | 0.13 | 0.01 | 197 | 0.9 | 0.07 | 0.12 | 0.01 |
| *Thailand, Chiang Mai | 64 | 1.1 | 0.14 | 0.15 | 0.02 | 64 | 1.0 | 0.13 | 0.13 | 0.02 |
| *Thailand, Khon Kaen | 89 | 1.4 | 0.15 | 0.18 | 0.02 | 66 | 0.9 | 0.11 | 0.12 | 0.02 |
| Thailand, Lampang | 54 | 1.7 | 0.24 | 0.19 | 0.03 | 28 | 0.8 | 0.16 | 0.10 | 0.02 |
| Thailand, Lopburi Province | 26 | 1.1 | 0.23 | 0.12 | 0.03 | 18 | 0.6 | 0.16 | 0.07 | 0.02 |
| *Thailand, Songkhla | 71 | 1.7 | 0.20 | 0.20 | 0.03 | 63 | 1.3 | 0.17 | 0.19 | 0.03 |
| Turkey, Antalya | 199 | 3.3 | 0.24 | 0.40 | 0.04 | 151 | 2.3 | 0.19 | 0.29 | 0.03 |
| Turkey, Bursa | 145 | 1.8 | 0.15 | 0.24 | 0.02 | 143 | 1.5 | 0.13 | 0.18 | 0.02 |
| *Turkey, Edirne | 45 | 2.8 | 0.42 | 0.31 | 0.06 | 54 | 3.0 | 0.43 | 0.36 | 0.06 |
| *Turkey, Erzurum | 50 | 2.9 | 0.41 | 0.37 | 0.06 | 37 | 1.9 | 0.32 | 0.27 | 0.05 |
| Turkey, Eskişehir | 84 | 3.0 | 0.33 | 0.36 | 0.05 | 97 | 3.2 | 0.33 | 0.41 | 0.05 |
| Turkey, Gaziantep | 110 | 3.4 | 0.33 | 0.44 | 0.05 | 83 | 2.2 | 0.24 | 0.25 | 0.03 |
| *Turkey, Izmir | 450 | 3.4 | 0.16 | 0.44 | 0.02 | 390 | 2.6 | 0.13 | 0.34 | 0.02 |
| Turkey, Malatya | 66 | 3.0 | 0.37 | 0.38 | 0.06 | 40 | 1.6 | 0.27 | 0.19 | 0.04 |
| Turkey, Samsun | 146 | 3.5 | 0.30 | 0.46 | 0.04 | 119 | 2.6 | 0.25 | 0.36 | 0.04 |
| Turkey, Trabzon | 107 | 4.2 | 0.41 | 0.56 | 0.07 | 77 | 2.5 | 0.30 | 0.36 | 0.05 |
| Europe | | | | | | | | | | |
| Austria | 1233 | 2.8 | 0.08 | 0.34 | 0.01 | 1086 | 1.9 | 0.07 | 0.23 | 0.01 |
| Austria, Carinthia | 112 | 3.6 | 0.36 | 0.41 | 0.05 | 109 | 3.1 | 0.33 | 0.37 | 0.05 |
| Austria, Tyrol | 150 | 4.1 | 0.36 | 0.50 | 0.05 | 112 | 2.5 | 0.27 | 0.28 | 0.04 |
| Austria, Vorarlberg | 72 | 3.7 | 0.46 | 0.37 | 0.06 | 69 | 3.0 | 0.41 | 0.36 | 0.06 |
| Belarus | 668 | 2.1 | 0.08 | 0.26 | 0.01 | 928 | 1.8 | 0.06 | 0.23 | 0.01 |
| *Belgium | 2391 | 4.3 | 0.09 | 0.52 | 0.01 | 1914 | 2.9 | 0.07 | 0.36 | 0.01 |
| Croatia | 698 | 3.4 | 0.14 | 0.42 | 0.02 | 661 | 2.4 | 0.10 | 0.29 | 0.02 |
| Cyprus | 125 | 3.4 | 0.32 | 0.37 | 0.04 | 120 | 3.2 | 0.30 | 0.42 | 0.04 |
| *Czech Republic | 1422 | 2.9 | 0.08 | 0.35 | 0.01 | 1285 | 2.1 | 0.06 | 0.26 | 0.01 |
| Denmark | 1358 | 4.6 | 0.13 | 0.55 | 0.02 | 1061 | 3.2 | 0.11 | 0.40 | 0.02 |
| Estonia | 208 | 3.8 | 0.27 | 0.48 | 0.04 | 283 | 3.0 | 0.21 | 0.36 | 0.03 |
| Finland | 1079 | 3.5 | 0.11 | 0.41 | 0.02 | 993 | 2.6 | 0.09 | 0.32 | 0.01 |
| *France, Bas-Rhin | 206 | 4.7 | 0.35 | 0.53 | 0.05 | 192 | 3.5 | 0.29 | 0.40 | 0.04 |
| *France, Calvados | 132 | 3.7 | 0.35 | 0.44 | 0.05 | 120 | 2.4 | 0.26 | 0.30 | 0.04 |
| *France, Doubs | 106 | 4.0 | 0.42 | 0.48 | 0.06 | 86 | 2.5 | 0.32 | 0.29 | 0.05 |
| *France, Gironde | 332 | 4.5 | 0.27 | 0.52 | 0.04 | 287 | 2.8 | 0.19 | 0.32 | 0.03 |
| *France, Haut-Rhin | 182 | 4.6 | 0.36 | 0.49 | 0.05 | 165 | 3.5 | 0.31 | 0.39 | 0.04 |
| *France, Hérault | 245 | 4.1 | 0.29 | 0.47 | 0.04 | 194 | 2.7 | 0.22 | 0.32 | 0.03 |
| *France, Isère | 246 | 4.2 | 0.29 | 0.50 | 0.04 | 225 | 3.0 | 0.22 | 0.37 | 0.03 |
| *France, Lille-Métropole | 133 | 4.5 | 0.40 | 0.52 | 0.06 | 161 | 3.6 | 0.33 | 0.36 | 0.04 |
| *France, Limousin | 115 | 5.0 | 0.53 | 0.56 | 0.07 | 99 | 3.0 | 0.37 | 0.35 | 0.06 |
| *France, Loire-Atlantique | 277 | 4.5 | 0.29 | 0.53 | 0.04 | 253 | 3.0 | 0.21 | 0.35 | 0.03 |
| *France, Manche | 101 | 3.7 | 0.40 | 0.48 | 0.06 | 99 | 2.6 | 0.32 | 0.34 | 0.05 |
| *France, Poitou-Charentes | 449 | 4.1 | 0.22 | 0.48 | 0.03 | 408 | 3.0 | 0.18 | 0.37 | 0.03 |
| *France, Somme | 88 | 3.1 | 0.35 | 0.35 | 0.05 | 93 | 2.6 | 0.31 | 0.33 | 0.05 |
| *France, Tarn | 88 | 3.6 | 0.45 | 0.41 | 0.06 | 77 | 2.7 | 0.37 | 0.34 | 0.05 |
| *France, Territoire de Belfort | 25 | 4.0 | 0.86 | 0.51 | 0.15 | 16 | 2.0 | 0.58 | 0.29 | 0.11 |
| *France, Vendée | 166 | 4.5 | 0.38 | 0.59 | 0.06 | 155 | 3.0 | 0.29 | 0.33 | 0.04 |
| Germany, Baden-Württemberg | 1394 | 3.8 | 0.11 | 0.47 | 0.02 | 1101 | 2.5 | 0.09 | 0.30 | 0.01 |
| Germany, Bavaria | 2467 | 3.5 | 0.08 | 0.40 | 0.01 | 1869 | 2.2 | 0.06 | 0.27 | 0.01 |
| Germany, Bremen | 164 | 4.5 | 0.38 | 0.57 | 0.06 | 123 | 2.6 | 0.27 | 0.32 | 0.04 |
| Germany, Hamburg | 472 | 5.1 | 0.25 | 0.61 | 0.04 | 406 | 3.4 | 0.20 | 0.42 | 0.03 |
| Germany, Lower Saxony | 2176 | 4.6 | 0.11 | 0.53 | 0.02 | 1747 | 3.0 | 0.08 | 0.36 | 0.01 |
| Germany, North Rhine-Westphalia | 4099 | 4.1 | 0.07 | 0.49 | 0.01 | 3371 | 2.7 | 0.05 | 0.32 | 0.01 |
| Germany, Rhineland-Palatinate | 1030 | 4.4 | 0.15 | 0.52 | 0.02 | 808 | 2.8 | 0.11 | 0.33 | 0.02 |
| Germany, Saarland | 262 | 4.4 | 0.30 | 0.51 | 0.04 | 226 | 3.3 | 0.25 | 0.42 | 0.04 |
| Germany, Schleswig-Holstein | 898 | 5.2 | 0.19 | 0.61 | 0.03 | 700 | 3.3 | 0.15 | 0.38 | 0.02 |
| Iceland | 63 | 4.3 | 0.56 | 0.56 | 0.09 | 65 | 4.4 | 0.59 | 0.57 | 0.09 |
| Ireland | 955 | 5.1 | 0.17 | 0.59 | 0.02 | 659 | 3.2 | 0.13 | 0.37 | 0.02 |
| *Italy, Aosta Valley | 22 | 3.8 | 0.87 | 0.50 | 0.13 | 23 | 2.7 | 0.69 | 0.28 | 0.10 |
| *Italy, Avellino | 58 | 4.2 | 0.60 | 0.48 | 0.08 | 47 | 2.9 | 0.50 | 0.31 | 0.07 |
| Italy, Basilicata | 105 | 3.0 | 0.34 | 0.30 | 0.04 | 111 | 2.9 | 0.32 | 0.35 | 0.05 |
| *Italy, Benevento | 39 | 3.2 | 0.55 | 0.39 | 0.08 | 44 | 2.7 | 0.49 | 0.32 | 0.07 |
| Italy, Bergamo | 230 | 3.9 | 0.27 | 0.46 | 0.04 | 188 | 2.8 | 0.23 | 0.33 | 0.03 |
| *Italy, Brescia | 159 | 2.7 | 0.23 | 0.33 | 0.03 | 158 | 2.2 | 0.20 | 0.29 | 0.03 |
| Italy, Brianza (Lecco and Monza e Brianza) | 146 | 3.7 | 0.32 | 0.42 | 0.05 | 133 | 2.7 | 0.27 | 0.33 | 0.04 |
| Italy, Calabria | 108 | 3.7 | 0.39 | 0.44 | 0.06 | 80 | 2.5 | 0.31 | 0.32 | 0.05 |
| *Italy, Caserta | 107 | 3.3 | 0.34 | 0.38 | 0.05 | 116 | 2.9 | 0.30 | 0.36 | 0.04 |
| *Italy, Catania, Messina, and Enna | 424 | 4.4 | 0.23 | 0.56 | 0.03 | 348 | 2.9 | 0.18 | 0.36 | 0.03 |
| Italy, Emilia-Romagna | 942 | 4.4 | 0.16 | 0.53 | 0.02 | 770 | 2.9 | 0.12 | 0.36 | 0.02 |
| Italy, Friuli-Venezia Giulia | 303 | 4.0 | 0.26 | 0.48 | 0.04 | 277 | 2.9 | 0.21 | 0.36 | 0.03 |
| Italy, Genova | 170 | 3.8 | 0.33 | 0.48 | 0.05 | 167 | 2.9 | 0.28 | 0.35 | 0.04 |
| *Italy, Lombardy, South, Pavia | 141 | 4.3 | 0.39 | 0.55 | 0.06 | 114 | 2.7 | 0.30 | 0.33 | 0.04 |
| Italy, Mantova and Cremona | 204 | 5.3 | 0.41 | 0.62 | 0.06 | 170 | 3.8 | 0.36 | 0.49 | 0.05 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Multiple myeloma (C90) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 318 | 4.2 | 0.27 | 0.52 | 0.04 | 302 | 3.4 | 0.23 | 0.43 | 0.03 |
| Italy, Milan | 759 | 4.0 | 0.16 | 0.48 | 0.02 | 745 | 3.1 | 0.13 | 0.39 | 0.02 |
| Italy, Molise | 52 | 4.7 | 0.72 | 0.56 | 0.10 | 41 | 3.3 | 0.59 | 0.42 | 0.09 |
| *Italy, Naples Centre | 102 | 3.7 | 0.38 | 0.45 | 0.06 | 88 | 2.4 | 0.30 | 0.27 | 0.04 |
| *Italy, Naples North | 99 | 3.1 | 0.32 | 0.38 | 0.04 | 87 | 2.3 | 0.26 | 0.30 | 0.04 |
| *Italy, Naples South | 173 | 3.5 | 0.28 | 0.40 | 0.04 | 146 | 2.4 | 0.22 | 0.30 | 0.03 |
| *Italy, Nuoro | 29 | 4.2 | 0.82 | 0.53 | 0.12 | 29 | 3.6 | 0.75 | 0.47 | 0.11 |
| *Italy, Palermo | 228 | 3.7 | 0.27 | 0.43 | 0.04 | 190 | 2.4 | 0.20 | 0.28 | 0.03 |
| Italy, Puglia | 983 | 4.5 | 0.15 | 0.54 | 0.02 | 927 | 3.6 | 0.14 | 0.45 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 125 | 4.1 | 0.40 | 0.46 | 0.06 | 86 | 2.3 | 0.29 | 0.27 | 0.04 |
| *Italy, Salerno | 169 | 3.9 | 0.32 | 0.51 | 0.05 | 159 | 2.8 | 0.25 | 0.36 | 0.04 |
| Italy, Sassari | 45 | 4.0 | 0.63 | 0.46 | 0.09 | 48 | 3.8 | 0.61 | 0.44 | 0.08 |
| *Italy, Sondrio | 41 | 3.2 | 0.53 | 0.38 | 0.08 | 39 | 2.6 | 0.48 | 0.33 | 0.07 |
| Italy, South Tyrol | 98 | 3.6 | 0.39 | 0.44 | 0.06 | 99 | 3.4 | 0.38 | 0.40 | 0.05 |
| *Italy, Syracuse | 83 | 4.1 | 0.48 | 0.51 | 0.07 | 62 | 3.0 | 0.41 | 0.35 | 0.05 |
| Italy, Trento | 114 | 3.7 | 0.37 | 0.41 | 0.05 | 115 | 3.0 | 0.34 | 0.35 | 0.05 |
| Italy, Turin | 608 | 4.2 | 0.19 | 0.50 | 0.03 | 522 | 2.9 | 0.15 | 0.35 | 0.02 |
| *Italy, Tuscany | 682 | 5.4 | 0.23 | 0.63 | 0.03 | 611 | 4.0 | 0.19 | 0.49 | 0.03 |
| Italy, Umbria | 185 | 4.1 | 0.34 | 0.49 | 0.05 | 144 | 2.4 | 0.25 | 0.29 | 0.04 |
| Italy, Varese | 106 | 3.7 | 0.39 | 0.42 | 0.05 | 93 | 2.4 | 0.28 | 0.31 | 0.04 |
| Italy, Veneto | 1165 | 4.3 | 0.14 | 0.51 | 0.02 | 1054 | 3.1 | 0.11 | 0.38 | 0.02 |
| Latvia | 218 | 2.7 | 0.19 | 0.33 | 0.03 | 285 | 2.1 | 0.14 | 0.27 | 0.02 |
| *Liechtenstein | 8 | 3.5 | 1.26 | 0.61 | 0.27 | 7 | 3.1 | 1.26 | 0.32 | 0.16 |
| *Lithuania | 371 | 3.0 | 0.17 | 0.37 | 0.02 | 399 | 2.1 | 0.12 | 0.28 | 0.02 |
| Malta | 82 | 3.6 | 0.42 | 0.42 | 0.06 | 58 | 2.1 | 0.32 | 0.24 | 0.04 |
| *The Netherlands | 3784 | 4.4 | 0.08 | 0.53 | 0.01 | 2815 | 3.0 | 0.06 | 0.37 | 0.01 |
| Norway | 1278 | 5.2 | 0.15 | 0.61 | 0.02 | 991 | 3.5 | 0.12 | 0.40 | 0.02 |
| Poland, Kielce | 138 | 2.4 | 0.21 | 0.28 | 0.03 | 146 | 2.1 | 0.19 | 0.26 | 0.03 |
| *Portugal, Azores | 23 | 3.0 | 0.64 | 0.34 | 0.09 | 21 | 2.6 | 0.59 | 0.32 | 0.08 |
| Russian Federation, Arkhangelsk | 66 | 1.8 | 0.22 | 0.24 | 0.04 | 76 | 1.3 | 0.16 | 0.18 | 0.02 |
| Russian Federation, Kaliningrad | 39 | 1.3 | 0.21 | 0.17 | 0.03 | 57 | 1.2 | 0.17 | 0.17 | 0.03 |
| Russian Federation, Karelia | 33 | 1.5 | 0.27 | 0.17 | 0.04 | 60 | 1.6 | 0.22 | 0.20 | 0.04 |
| *Russian Federation, Komi Republic | 32 | 1.3 | 0.25 | 0.20 | 0.04 | 40 | 1.1 | 0.18 | 0.13 | 0.02 |
| Russian Federation, Murmansk | 33 | 1.6 | 0.28 | 0.22 | 0.05 | 48 | 1.2 | 0.18 | 0.16 | 0.03 |
| *Russian Federation, Orenburg | 79 | 1.2 | 0.14 | 0.14 | 0.02 | 132 | 1.5 | 0.13 | 0.20 | 0.02 |
| Russian Federation, Pskov | 35 | 1.4 | 0.25 | 0.18 | 0.04 | 64 | 1.6 | 0.22 | 0.22 | 0.03 |
| *Russian Federation, Samara | 199 | 1.8 | 0.13 | 0.23 | 0.02 | 298 | 1.8 | 0.11 | 0.25 | 0.02 |
| Russian Federation, Vologda Region | 50 | 1.3 | 0.19 | 0.16 | 0.02 | 87 | 1.4 | 0.15 | 0.17 | 0.02 |
| Slovenia | 367 | 3.6 | 0.20 | 0.42 | 0.03 | 322 | 2.4 | 0.15 | 0.28 | 0.02 |
| Spain, Asturias | 153 | 3.6 | 0.33 | 0.38 | 0.05 | 149 | 3.0 | 0.29 | 0.33 | 0.04 |
| Spain, Basque Country | 341 | 3.4 | 0.20 | 0.40 | 0.03 | 322 | 2.6 | 0.17 | 0.31 | 0.02 |
| Spain, Canary Islands | 226 | 3.6 | 0.25 | 0.43 | 0.04 | 162 | 2.2 | 0.19 | 0.28 | 0.03 |
| Spain, Castellón | 84 | 3.0 | 0.34 | 0.38 | 0.05 | 85 | 2.2 | 0.28 | 0.26 | 0.04 |
| Spain, Girona | 139 | 3.8 | 0.34 | 0.44 | 0.05 | 92 | 2.1 | 0.25 | 0.26 | 0.04 |
| Spain, Granada | 142 | 3.3 | 0.29 | 0.39 | 0.04 | 125 | 2.4 | 0.24 | 0.29 | 0.04 |
| Spain, La Rioja | 60 | 3.6 | 0.51 | 0.43 | 0.07 | 59 | 2.9 | 0.44 | 0.37 | 0.07 |
| Spain, Murcia | 202 | 3.1 | 0.23 | 0.34 | 0.03 | 181 | 2.4 | 0.20 | 0.31 | 0.03 |
| Spain, Navarra | 69 | 2.4 | 0.32 | 0.29 | 0.05 | 66 | 1.6 | 0.24 | 0.13 | 0.03 |
| Spain, Salamanca | 66 | 2.8 | 0.40 | 0.36 | 0.06 | 59 | 2.0 | 0.31 | 0.30 | 0.05 |
| Spain, Tarragona | 119 | 2.9 | 0.29 | 0.33 | 0.04 | 101 | 2.3 | 0.25 | 0.29 | 0.04 |
| *Sweden | 2157 | 4.1 | 0.10 | 0.49 | 0.01 | 1565 | 2.7 | 0.08 | 0.32 | 0.01 |
| Switzerland, Aargau | 137 | 4.1 | 0.37 | 0.48 | 0.05 | 104 | 2.7 | 0.30 | 0.30 | 0.04 |
| Switzerland, Basel | 117 | 4.4 | 0.44 | 0.51 | 0.06 | 110 | 3.1 | 0.34 | 0.39 | 0.05 |
| Switzerland, Berne Solothurn | 228 | 5.2 | 0.36 | 0.60 | 0.05 | 158 | 2.7 | 0.25 | 0.33 | 0.04 |
| Switzerland, East | 184 | 4.3 | 0.34 | 0.51 | 0.05 | 155 | 3.1 | 0.28 | 0.39 | 0.04 |
| *Switzerland, Fribourg | 57 | 4.3 | 0.59 | 0.53 | 0.09 | 50 | 3.2 | 0.49 | 0.38 | 0.07 |
| Switzerland, Geneva | 79 | 3.6 | 0.43 | 0.41 | 0.06 | 83 | 2.8 | 0.35 | 0.31 | 0.05 |
| *Switzerland, Graubünden and Glarus | 53 | 4.0 | 0.58 | 0.51 | 0.09 | 40 | 2.4 | 0.41 | 0.29 | 0.07 |
| *Switzerland, Lucerne | 112 | 4.2 | 0.42 | 0.53 | 0.06 | 74 | 2.4 | 0.31 | 0.27 | 0.04 |
| *Switzerland, Neuchâtel and Jura | 64 | 4.9 | 0.64 | 0.64 | 0.10 | 55 | 3.7 | 0.57 | 0.49 | 0.08 |
| Switzerland, Ticino | 100 | 5.0 | 0.53 | 0.62 | 0.08 | 92 | 3.3 | 0.40 | 0.43 | 0.06 |
| Switzerland, Valais | 73 | 4.4 | 0.54 | 0.50 | 0.07 | 43 | 2.3 | 0.39 | 0.30 | 0.05 |
| Switzerland, Vaud | 112 | 3.2 | 0.31 | 0.37 | 0.05 | 92 | 2.0 | 0.24 | 0.23 | 0.03 |
| Switzerland, Zurich and Zug | 360 | 4.8 | 0.27 | 0.59 | 0.04 | 270 | 3.2 | 0.21 | 0.41 | 0.03 |
| Ukraine | 1815 | 1.5 | 0.04 | 0.19 | 0.01 | 2130 | 1.2 | 0.03 | 0.15 | 0.00 |
| UK, England | 14300 | 5.1 | 0.05 | 0.59 | 0.01 | 10666 | 3.3 | 0.04 | 0.38 | 0.01 |
| UK, Northern Ireland | 422 | 5.0 | 0.26 | 0.62 | 0.04 | 316 | 3.1 | 0.20 | 0.37 | 0.03 |
| UK, Scotland | 1310 | 4.6 | 0.13 | 0.54 | 0.02 | 993 | 2.8 | 0.10 | 0.33 | 0.01 |
| UK, Wales | 768 | 4.5 | 0.18 | 0.53 | 0.02 | 630 | 3.1 | 0.14 | 0.36 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1834 | 5.0 | 0.12 | 0.60 | 0.02 | 1333 | 3.3 | 0.10 | 0.40 | 0.01 |
| *Australia, Northern Territory | 31 | 4.3 | 0.79 | 0.56 | 0.12 | 10 | 1.7 | 0.53 | 0.23 | 0.09 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Multiple myeloma (C90) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 28 | 4.6 | 0.88 | 0.58 | 0.13 | 7 | 1.5 | 0.58 | 0.23 | 0.10 |
| *Australia, Northern Territory: Indigenous | 3 | 2.6 | 1.63 | 0.46 | 0.36 | 3 | 2.3 | 1.38 | 0.23 | 0.17 |
| *Australia, Queensland | 1260 | 6.0 | 0.18 | 0.71 | 0.03 | 891 | 3.9 | 0.14 | 0.46 | 0.02 |
| Australia, South Australia | 450 | 5.4 | 0.27 | 0.65 | 0.04 | 323 | 3.4 | 0.21 | 0.42 | 0.03 |
| Australia, Tasmania | 139 | 5.0 | 0.46 | 0.54 | 0.06 | 105 | 3.5 | 0.38 | 0.38 | 0.05 |
| *Australia, Victoria | 1540 | 5.7 | 0.15 | 0.67 | 0.02 | 1123 | 3.6 | 0.12 | 0.42 | 0.02 |
| *Australia, Western Australia | 539 | 5.1 | 0.23 | 0.58 | 0.03 | 401 | 3.5 | 0.19 | 0.41 | 0.03 |
| *France, New Caledonia | 41 | 5.2 | 0.82 | 0.69 | 0.13 | 25 | 3.0 | 0.61 | 0.40 | 0.10 |
| New Zealand | 1166 | 5.8 | 0.18 | 0.68 | 0.03 | 804 | 3.5 | 0.13 | 0.41 | 0.02 |
| *New Zealand: Maori | 118 | 7.9 | 0.75 | 0.99 | 0.11 | 102 | 5.6 | 0.56 | 0.64 | 0.08 |
| *New Zealand: Pacific peoples | 60 | 9.8 | 1.29 | 1.36 | 0.20 | 60 | 8.3 | 1.09 | 0.99 | 0.16 |
| *New Zealand: Other | 947 | 5.6 | 0.20 | 0.66 | 0.03 | 597 | 3.1 | 0.14 | 0.37 | 0.02 |
| USA, Hawaii | 271 | 4.2 | 0.26 | 0.52 | 0.04 | 209 | 2.7 | 0.20 | 0.36 | 0.03 |
| USA, Hawaii: White | 103 | 4.9 | 0.50 | 0.56 | 0.07 | 50 | 2.5 | 0.38 | 0.31 | 0.06 |
| *USA, Hawaii: Japanese | 31 | 1.8 | 0.36 | 0.23 | 0.06 | 31 | 1.4 | 0.34 | 0.16 | 0.05 |
| *USA, Hawaii: Chinese | 10 | 2.4 | 0.78 | 0.38 | 0.14 | 10 | 1.8 | 0.64 | 0.26 | 0.10 |
| *USA, Hawaii: Hawaiian | 40 | 4.4 | 0.70 | 0.57 | 0.11 | 45 | 4.2 | 0.65 | 0.53 | 0.10 |
| *USA, Hawaii: Filipino | 47 | 4.7 | 0.71 | 0.55 | 0.10 | 49 | 3.4 | 0.53 | 0.48 | 0.09 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Leukaemia (C91–95)

| | Male | | | | | Female | | | | |
|--|--------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 84 | 5.0 | 0.57 | 0.49 | 0.07 | 67 | 4.0 | 0.51 | 0.32 | 0.05 |
| *Algeria, Tizi Ouzou | 43 | 2.6 | 0.42 | 0.25 | 0.05 | 56 | 3.3 | 0.48 | 0.30 | 0.05 |
| *Benin, Cotonou | 46 | 6.4 | 1.11 | 0.48 | 0.12 | 27 | 3.0 | 0.63 | 0.31 | 0.08 |
| *France, La Réunion | 169 | 8.8 | 0.71 | 0.83 | 0.08 | 114 | 5.0 | 0.51 | 0.46 | 0.05 |
| *Kenya, Eldoret | 82 | 5.9 | 0.75 | 0.64 | 0.11 | 75 | 5.0 | 0.66 | 0.51 | 0.09 |
| *Kenya, Nairobi | 236 | 5.5 | 0.50 | 0.56 | 0.07 | 183 | 4.6 | 0.46 | 0.42 | 0.06 |
| Mauritius | 193 | 5.9 | 0.45 | 0.50 | 0.04 | 162 | 4.9 | 0.43 | 0.41 | 0.04 |
| *Morocco, Casablanca | 333 | 3.2 | 0.18 | 0.30 | 0.02 | 271 | 2.5 | 0.15 | 0.24 | 0.02 |
| *Seychelles | 18 | 7.7 | 1.86 | 0.73 | 0.23 | 17 | 6.0 | 1.58 | 0.45 | 0.14 |
| *South Africa, Eastern Cape | 17 | 1.1 | 0.29 | 0.14 | 0.05 | 18 | 1.0 | 0.25 | 0.09 | 0.02 |
| *Uganda, Kyadondo County | 139 | 3.6 | 0.46 | 0.36 | 0.07 | 101 | 2.1 | 0.31 | 0.21 | 0.05 |
| *Uganda, Gulu | 15 | 2.0 | 0.58 | 0.22 | 0.09 | 14 | 1.9 | 0.58 | 0.18 | 0.08 |
| *Zimbabwe, Bulawayo: African | 48 | 4.0 | 0.65 | 0.41 | 0.10 | 43 | 3.2 | 0.53 | 0.22 | 0.05 |
| *Zimbabwe, Harare: African | 109 | 4.2 | 0.49 | 0.41 | 0.08 | 89 | 2.9 | 0.37 | 0.26 | 0.05 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 79 | 3.8 | 0.44 | 0.37 | 0.05 | 74 | 3.2 | 0.42 | 0.24 | 0.04 |
| *Argentina, Mendoza | 301 | 6.2 | 0.37 | 0.56 | 0.04 | 271 | 5.0 | 0.32 | 0.46 | 0.03 |
| Brazil, Aracaju | 62 | 5.9 | 0.77 | 0.43 | 0.08 | 56 | 3.8 | 0.56 | 0.31 | 0.06 |
| *Brazil, Barretos | 71 | 6.3 | 0.79 | 0.54 | 0.08 | 67 | 5.4 | 0.75 | 0.37 | 0.06 |
| Brazil, Belo Horizonte | 349 | 5.7 | 0.33 | 0.52 | 0.04 | 293 | 3.3 | 0.22 | 0.28 | 0.02 |
| *Brazil, Campinas | 178 | 8.1 | 0.63 | 0.71 | 0.07 | 154 | 5.5 | 0.48 | 0.51 | 0.06 |
| *Brazil, Curitiba | 231 | 6.4 | 0.44 | 0.52 | 0.04 | 215 | 5.1 | 0.39 | 0.43 | 0.03 |
| Brazil, Goiânia | 129 | 5.3 | 0.48 | 0.47 | 0.05 | 100 | 3.4 | 0.37 | 0.30 | 0.04 |
| *Brazil, Jaú | 19 | 5.3 | 1.32 | 0.39 | 0.13 | 19 | 4.3 | 1.10 | 0.49 | 0.14 |
| Brazil, João Pessoa | 81 | 8.0 | 0.92 | 0.66 | 0.09 | 72 | 5.2 | 0.65 | 0.44 | 0.07 |
| Brazil, Recife | 148 | 6.9 | 0.59 | 0.59 | 0.06 | 177 | 5.9 | 0.51 | 0.47 | 0.04 |
| Chile, Region of Antofagasta | 42 | 4.6 | 0.73 | 0.34 | 0.07 | 41 | 4.7 | 0.76 | 0.32 | 0.06 |
| Chile, Valdivia | 78 | 7.1 | 0.87 | 0.62 | 0.08 | 61 | 5.2 | 0.76 | 0.49 | 0.07 |
| Colombia, Bucaramanga | 246 | 9.2 | 0.61 | 0.73 | 0.06 | 218 | 6.8 | 0.49 | 0.59 | 0.05 |
| Colombia, Cali | 691 | 12.1 | 0.47 | 1.08 | 0.05 | 528 | 7.6 | 0.35 | 0.69 | 0.04 |
| Colombia, Manizales | 72 | 6.4 | 0.82 | 0.60 | 0.08 | 52 | 3.8 | 0.59 | 0.34 | 0.06 |
| Colombia, Pasto | 61 | 6.2 | 0.82 | 0.55 | 0.09 | 62 | 5.6 | 0.77 | 0.48 | 0.07 |
| Costa Rica | 528 | 5.8 | 0.26 | 0.49 | 0.03 | 393 | 4.1 | 0.22 | 0.36 | 0.02 |
| Ecuador, Guayaquil | 425 | 7.2 | 0.36 | 0.58 | 0.04 | 407 | 6.5 | 0.33 | 0.57 | 0.04 |
| Ecuador, Manabí | 197 | 5.2 | 0.37 | 0.37 | 0.03 | 177 | 4.7 | 0.36 | 0.35 | 0.03 |
| Ecuador, Quito | 424 | 10.0 | 0.49 | 0.81 | 0.05 | 394 | 8.4 | 0.43 | 0.71 | 0.05 |
| *France, Guadeloupe | 109 | 8.0 | 0.90 | 0.79 | 0.09 | 81 | 5.3 | 0.68 | 0.58 | 0.07 |
| *France, Martinique | 128 | 8.2 | 0.87 | 0.79 | 0.09 | 108 | 5.0 | 0.55 | 0.58 | 0.07 |
| *Peru, Lima | 1063 | 7.8 | 0.24 | 0.63 | 0.03 | 984 | 6.5 | 0.22 | 0.52 | 0.02 |
| *Trinidad and Tobago | 111 | 5.0 | 0.49 | 0.52 | 0.06 | 72 | 3.0 | 0.38 | 0.33 | 0.05 |
| USA, Puerto Rico | 1144 | 8.8 | 0.30 | 0.87 | 0.03 | 969 | 6.9 | 0.28 | 0.65 | 0.02 |
| *Uruguay | 789 | 7.1 | 0.28 | 0.64 | 0.03 | 662 | 5.1 | 0.24 | 0.45 | 0.02 |
| North America | | | | | | | | | | |
| Canada, Alberta | 1898 | 13.3 | 0.33 | 1.43 | 0.04 | 1208 | 8.3 | 0.27 | 0.82 | 0.03 |
| Canada, British Columbia | 2234 | 10.8 | 0.28 | 1.08 | 0.03 | 1498 | 7.3 | 0.25 | 0.70 | 0.02 |
| *Canada, Manitoba | 675 | 13.4 | 0.57 | 1.40 | 0.07 | 432 | 8.2 | 0.48 | 0.77 | 0.05 |
| *Canada, New Brunswick | 511 | 13.7 | 0.72 | 1.48 | 0.08 | 370 | 9.6 | 0.66 | 0.99 | 0.07 |
| *Canada, Newfoundland and Labrador | 202 | 9.8 | 0.90 | 0.87 | 0.07 | 147 | 6.4 | 0.67 | 0.67 | 0.06 |
| Canada, Ontario | 8271 | 15.2 | 0.20 | 1.51 | 0.02 | 5859 | 9.6 | 0.16 | 0.95 | 0.02 |
| *Canada, Prince Edward Island | 69 | 11.4 | 1.71 | 1.07 | 0.16 | 49 | 7.1 | 1.38 | 0.72 | 0.13 |
| Canada, Quebec | 4445 | 12.4 | 0.22 | 1.24 | 0.02 | 3121 | 7.9 | 0.18 | 0.77 | 0.02 |
| Canada, Saskatchewan | 676 | 14.8 | 0.63 | 1.61 | 0.08 | 425 | 8.9 | 0.52 | 0.89 | 0.06 |
| *Canada, Yukon | 13 | 12.5 | 3.92 | 1.06 | 0.33 | 5 | 4.6 | 2.15 | 0.51 | 0.28 |
| USA | 162708 | 13.6 | 0.04 | 1.38 | 0.00 | 116163 | 8.8 | 0.03 | 0.86 | 0.00 |
| USA: White | 142383 | 14.2 | 0.04 | 1.44 | 0.00 | 99369 | 9.2 | 0.04 | 0.89 | 0.00 |
| USA: Black | 12992 | 10.6 | 0.09 | 1.11 | 0.01 | 11221 | 7.3 | 0.07 | 0.75 | 0.01 |
| USA, NPCR | 157462 | 13.6 | 0.04 | 1.38 | 0.00 | 112299 | 8.8 | 0.03 | 0.86 | 0.00 |
| USA, NPCR: White | 137853 | 14.3 | 0.04 | 1.44 | 0.00 | 96026 | 9.2 | 0.04 | 0.89 | 0.00 |
| USA, NPCR: Black | 12825 | 10.6 | 0.10 | 1.11 | 0.01 | 11083 | 7.3 | 0.07 | 0.75 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 4022 | 8.0 | 0.14 | 0.74 | 0.01 | 3111 | 5.5 | 0.11 | 0.48 | 0.01 |
| USA, NPCR: American Indian | 689 | 6.4 | 0.25 | 0.64 | 0.03 | 503 | 4.2 | 0.19 | 0.41 | 0.02 |
| *USA, SEER (18 registries) | 40562 | 13.0 | 0.07 | 1.30 | 0.01 | 29373 | 8.5 | 0.06 | 0.82 | 0.01 |
| *USA, SEER (18 registries): White | 34008 | 13.9 | 0.08 | 1.38 | 0.01 | 24151 | 9.0 | 0.07 | 0.87 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 29156 | 14.1 | 0.10 | 1.44 | 0.01 | 20353 | 9.1 | 0.08 | 0.89 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 4852 | 10.8 | 0.16 | 0.94 | 0.02 | 3798 | 8.0 | 0.13 | 0.72 | 0.01 |
| *USA, SEER (18 registries): Black | 3292 | 10.5 | 0.19 | 1.09 | 0.02 | 2791 | 7.2 | 0.15 | 0.72 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2223 | 7.7 | 0.18 | 0.71 | 0.02 | 1749 | 5.5 | 0.16 | 0.47 | 0.01 |
| *USA, SEER (9 registries) | 14590 | 13.4 | 0.12 | 1.37 | 0.01 | 10251 | 8.6 | 0.10 | 0.84 | 0.01 |
| *USA, SEER (9 registries): White | 12182 | 14.3 | 0.15 | 1.46 | 0.02 | 8419 | 9.1 | 0.12 | 0.90 | 0.01 |
| *USA, SEER (9 registries): Black | 1146 | 10.9 | 0.33 | 1.15 | 0.04 | 952 | 7.2 | 0.25 | 0.71 | 0.03 |
| USA, Alabama | 2166 | 12.0 | 0.29 | 1.23 | 0.03 | 1585 | 7.7 | 0.23 | 0.75 | 0.02 |
| USA, Alabama: White | 1709 | 12.4 | 0.35 | 1.24 | 0.04 | 1212 | 8.1 | 0.30 | 0.77 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia (C91–95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 344 | 9.2 | 0.51 | 0.96 | 0.06 | 293 | 6.0 | 0.38 | 0.63 | 0.04 |
| USA, Alaska | 274 | 11.6 | 0.74 | 1.20 | 0.09 | 165 | 7.5 | 0.63 | 0.70 | 0.07 |
| *USA, Alaska: Alaska Natives | 45 | 13.9 | 2.08 | 1.38 | 0.26 | 22 | 6.7 | 1.46 | 0.53 | 0.13 |
| USA, Arizona | 2823 | 10.9 | 0.23 | 1.07 | 0.02 | 1878 | 7.2 | 0.20 | 0.66 | 0.02 |
| USA, Arizona: White | 2637 | 11.4 | 0.26 | 1.11 | 0.03 | 1736 | 7.6 | 0.22 | 0.69 | 0.02 |
| USA, Arizona: Black | 68 | 7.1 | 0.87 | 0.68 | 0.11 | 53 | 5.3 | 0.74 | 0.55 | 0.10 |
| *USA, Arizona: Asian and Pacific Islander | 58 | 8.6 | 1.20 | 0.78 | 0.13 | 41 | 5.4 | 0.95 | 0.47 | 0.08 |
| USA, Arizona: American Indian | 54 | 6.0 | 0.83 | 0.63 | 0.11 | 48 | 4.6 | 0.67 | 0.38 | 0.07 |
| USA, Arkansas | 1591 | 13.7 | 0.38 | 1.42 | 0.04 | 1108 | 8.8 | 0.32 | 0.88 | 0.03 |
| USA, Arkansas: White | 1390 | 13.8 | 0.42 | 1.44 | 0.05 | 939 | 8.9 | 0.36 | 0.88 | 0.04 |
| USA, Arkansas: Black | 151 | 11.7 | 0.97 | 1.19 | 0.12 | 123 | 7.4 | 0.70 | 0.77 | 0.08 |
| USA, California | 16164 | 12.5 | 0.11 | 1.21 | 0.01 | 11409 | 8.1 | 0.09 | 0.76 | 0.01 |
| USA, California: White | 13568 | 13.6 | 0.13 | 1.31 | 0.01 | 9389 | 8.7 | 0.11 | 0.82 | 0.01 |
| USA, California: Black | 847 | 10.2 | 0.36 | 1.05 | 0.05 | 648 | 6.9 | 0.29 | 0.69 | 0.03 |
| USA, California: Asian and Pacific Islander | 1403 | 7.6 | 0.23 | 0.70 | 0.02 | 1147 | 5.5 | 0.20 | 0.47 | 0.02 |
| *USA, California, Los Angeles County | 3510 | 11.3 | 0.21 | 1.06 | 0.02 | 2700 | 7.7 | 0.17 | 0.71 | 0.02 |
| *USA, California, Los Angeles County: White | 2812 | 12.5 | 0.26 | 1.17 | 0.03 | 2053 | 8.3 | 0.21 | 0.75 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | 1690 | 13.5 | 0.43 | 1.35 | 0.04 | 1168 | 8.7 | 0.36 | 0.82 | 0.03 |
| *USA, California, Los Angeles County: Hispanic White | 1122 | 10.2 | 0.31 | 0.86 | 0.03 | 885 | 7.5 | 0.26 | 0.66 | 0.03 |
| *USA, California, Los Angeles County: Black | 281 | 9.5 | 0.60 | 0.93 | 0.07 | 270 | 7.5 | 0.53 | 0.75 | 0.05 |
| *USA, California, Los Angeles County: Chinese | 79 | 4.3 | 0.63 | 0.36 | 0.06 | 75 | 3.7 | 0.55 | 0.31 | 0.05 |
| *USA, California, Los Angeles County: Filipino | 76 | 6.7 | 0.85 | 0.62 | 0.09 | 88 | 5.9 | 0.85 | 0.53 | 0.07 |
| *USA, California, Los Angeles County: Korean | 36 | 4.2 | 0.78 | 0.39 | 0.08 | 33 | 4.0 | 0.97 | 0.33 | 0.07 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 333 | 6.5 | 0.41 | 0.58 | 0.04 | 305 | 5.1 | 0.38 | 0.45 | 0.03 |
| *USA, California, San Francisco Bay Area | 1945 | 11.9 | 0.31 | 1.15 | 0.03 | 1258 | 7.1 | 0.24 | 0.68 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 1447 | 13.3 | 0.40 | 1.30 | 0.04 | 922 | 7.9 | 0.32 | 0.80 | 0.03 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1222 | 13.4 | 0.47 | 1.35 | 0.05 | 752 | 7.7 | 0.37 | 0.80 | 0.04 |
| *USA, California, San Francisco Bay Area: Hispanic White | 225 | 10.6 | 0.73 | 0.90 | 0.08 | 170 | 7.4 | 0.59 | 0.70 | 0.07 |
| *USA, California, San Francisco Bay Area: Black | 142 | 10.7 | 0.97 | 1.14 | 0.12 | 101 | 6.3 | 0.70 | 0.60 | 0.07 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 326 | 8.2 | 0.52 | 0.75 | 0.05 | 216 | 5.2 | 0.44 | 0.41 | 0.03 |
| USA, Colorado | 2424 | 12.6 | 0.28 | 1.26 | 0.03 | 1644 | 8.2 | 0.23 | 0.80 | 0.02 |
| USA, Colorado: White | 2271 | 12.8 | 0.29 | 1.29 | 0.03 | 1554 | 8.5 | 0.25 | 0.82 | 0.03 |
| *USA, Colorado: Black | 70 | 9.3 | 1.14 | 0.84 | 0.14 | 40 | 5.5 | 0.89 | 0.59 | 0.12 |
| *USA, Colorado: Asian and Pacific Islander | 41 | 9.3 | 1.53 | 0.62 | 0.13 | 26 | 4.3 | 0.89 | 0.42 | 0.09 |
| USA, Connecticut | 1805 | 12.9 | 0.35 | 1.33 | 0.04 | 1479 | 8.9 | 0.29 | 0.91 | 0.03 |
| USA, Connecticut: White | 1605 | 12.9 | 0.38 | 1.34 | 0.04 | 1327 | 9.1 | 0.32 | 0.92 | 0.03 |
| USA, Connecticut: Black | 109 | 9.3 | 0.91 | 0.92 | 0.11 | 99 | 6.5 | 0.70 | 0.74 | 0.09 |
| USA, District of Columbia | 178 | 9.4 | 0.78 | 0.85 | 0.08 | 120 | 5.1 | 0.54 | 0.56 | 0.06 |
| USA, District of Columbia: White | 83 | 11.6 | 1.53 | 1.01 | 0.13 | 39 | 4.9 | 1.01 | 0.51 | 0.10 |
| USA, District of Columbia: Black | 88 | 8.1 | 0.93 | 0.75 | 0.10 | 76 | 5.7 | 0.75 | 0.60 | 0.08 |
| USA, Florida | 15427 | 17.0 | 0.16 | 1.77 | 0.02 | 11325 | 11.5 | 0.14 | 1.15 | 0.01 |
| USA, Florida: White | 13624 | 17.4 | 0.19 | 1.81 | 0.02 | 9674 | 11.7 | 0.16 | 1.16 | 0.02 |
| USA, Florida: Black | 1198 | 12.3 | 0.36 | 1.25 | 0.04 | 1052 | 8.9 | 0.29 | 0.90 | 0.03 |
| USA, Florida: Asian and Pacific Islander | 149 | 8.3 | 0.74 | 0.71 | 0.07 | 136 | 5.8 | 0.56 | 0.61 | 0.06 |
| USA, Georgia | 4756 | 13.9 | 0.21 | 1.41 | 0.03 | 3559 | 9.1 | 0.17 | 0.89 | 0.02 |
| USA, Georgia: White | 3640 | 14.9 | 0.27 | 1.50 | 0.03 | 2603 | 9.7 | 0.23 | 0.95 | 0.02 |
| USA, Georgia: Black | 1000 | 11.9 | 0.38 | 1.24 | 0.05 | 860 | 7.8 | 0.28 | 0.79 | 0.03 |
| USA, Georgia: Asian and Pacific Islander | 100 | 9.2 | 0.94 | 0.94 | 0.12 | 78 | 7.1 | 0.87 | 0.52 | 0.07 |
| *USA, Georgia, Atlanta | 1407 | 13.3 | 0.37 | 1.36 | 0.05 | 1048 | 8.3 | 0.28 | 0.81 | 0.03 |
| *USA, Georgia, Atlanta: White | 911 | 14.8 | 0.53 | 1.47 | 0.06 | 654 | 9.5 | 0.43 | 0.93 | 0.05 |
| *USA, Georgia, Atlanta: Black | 430 | 12.0 | 0.59 | 1.27 | 0.08 | 348 | 7.1 | 0.40 | 0.70 | 0.05 |
| USA, Idaho | 960 | 14.9 | 0.53 | 1.52 | 0.06 | 646 | 9.4 | 0.43 | 0.88 | 0.05 |
| USA, Indiana | 3253 | 13.2 | 0.25 | 1.31 | 0.03 | 2300 | 8.3 | 0.21 | 0.82 | 0.02 |
| USA, Indiana: White | 3001 | 13.4 | 0.27 | 1.32 | 0.03 | 2127 | 8.7 | 0.23 | 0.84 | 0.02 |
| USA, Indiana: Black | 202 | 11.5 | 0.82 | 1.25 | 0.11 | 143 | 6.3 | 0.55 | 0.65 | 0.07 |
| *USA, Iowa | 1945 | 15.5 | 0.40 | 1.61 | 0.05 | 1279 | 9.4 | 0.33 | 0.91 | 0.03 |
| USA, Kentucky | 2558 | 15.4 | 0.34 | 1.58 | 0.04 | 1902 | 10.0 | 0.27 | 0.99 | 0.03 |
| USA, Louisiana | 2208 | 13.2 | 0.30 | 1.35 | 0.04 | 1652 | 8.6 | 0.25 | 0.88 | 0.03 |
| USA, Louisiana: White | 1704 | 14.1 | 0.39 | 1.43 | 0.04 | 1242 | 9.5 | 0.33 | 0.95 | 0.03 |
| USA, Louisiana: Black | 482 | 11.3 | 0.52 | 1.17 | 0.06 | 394 | 7.3 | 0.39 | 0.74 | 0.05 |
| *USA, Louisiana, New Orleans | 337 | 11.2 | 0.67 | 1.17 | 0.08 | 303 | 8.2 | 0.55 | 0.87 | 0.06 |
| *USA, Louisiana, New Orleans: White | 216 | 12.4 | 1.01 | 1.23 | 0.10 | 187 | 8.5 | 0.78 | 0.90 | 0.08 |
| *USA, Louisiana, New Orleans: Black | 107 | 9.8 | 0.98 | 1.11 | 0.13 | 106 | 7.8 | 0.82 | 0.84 | 0.10 |
| USA, Maine | 835 | 14.0 | 0.57 | 1.49 | 0.06 | 588 | 9.4 | 0.53 | 0.93 | 0.05 |
| USA, Maryland | 2560 | 12.1 | 0.26 | 1.19 | 0.03 | 1971 | 7.8 | 0.21 | 0.79 | 0.02 |
| USA, Maryland: White | 1938 | 13.3 | 0.35 | 1.30 | 0.04 | 1403 | 8.5 | 0.28 | 0.84 | 0.03 |
| USA, Maryland: Black | 513 | 9.7 | 0.44 | 1.01 | 0.05 | 486 | 6.9 | 0.34 | 0.73 | 0.04 |
| USA, Maryland: Asian and Pacific Islander | 80 | 6.6 | 0.79 | 0.67 | 0.09 | 64 | 4.8 | 0.66 | 0.46 | 0.07 |
| USA, Massachusetts | 3156 | 12.3 | 0.25 | 1.24 | 0.03 | 2371 | 8.0 | 0.20 | 0.79 | 0.02 |
| USA, Massachusetts: White | 2869 | 12.5 | 0.27 | 1.27 | 0.03 | 2114 | 8.0 | 0.22 | 0.79 | 0.02 |
| USA, Massachusetts: Black | 146 | 9.2 | 0.77 | 0.92 | 0.10 | 140 | 7.4 | 0.65 | 0.78 | 0.08 |
| USA, Massachusetts: Asian and Pacific Islander | 88 | 8.0 | 0.89 | 0.71 | 0.10 | 77 | 6.3 | 0.77 | 0.64 | 0.09 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia (C91–95) (contd)

| | Male | | | | | Female | | | | |
|---|-------|-------------|------|----------|------|--------|-------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 5242 | 13.3 | 0.21 | 1.34 | 0.02 | 3711 | 8.6 | 0.17 | 0.85 | 0.02 |
| USA, Michigan: White | 4656 | 13.8 | 0.24 | 1.38 | 0.03 | 3165 | 8.6 | 0.19 | 0.85 | 0.02 |
| USA, Michigan: Black | 417 | 9.9 | 0.50 | 0.98 | 0.06 | 391 | 7.3 | 0.40 | 0.71 | 0.04 |
| USA, Michigan: Asian and Pacific Islander | 56 | 6.7 | 0.93 | 0.58 | 0.10 | 50 | 5.6 | 0.85 | 0.47 | 0.08 |
| *USA, Michigan, Detroit | 2149 | 14.8 | 0.35 | 1.51 | 0.04 | 1550 | 9.1 | 0.28 | 0.89 | 0.03 |
| *USA, Michigan, Detroit: White | 1779 | 16.3 | 0.45 | 1.66 | 0.05 | 1207 | 9.7 | 0.36 | 0.96 | 0.04 |
| *USA, Michigan, Detroit: Black | 312 | 10.6 | 0.62 | 1.08 | 0.08 | 298 | 7.6 | 0.50 | 0.73 | 0.05 |
| USA, Minnesota | 3393 | 15.6 | 0.29 | 1.64 | 0.04 | 2146 | 9.3 | 0.24 | 0.93 | 0.03 |
| USA, Minnesota: White | 3214 | 15.9 | 0.32 | 1.67 | 0.04 | 1980 | 9.2 | 0.25 | 0.92 | 0.03 |
| USA, Minnesota: Black | 70 | 10.1 | 1.26 | 1.21 | 0.20 | 50 | 6.3 | 0.91 | 0.66 | 0.12 |
| *USA, Minnesota: Asian and Pacific Islander | 47 | 7.8 | 1.17 | 0.73 | 0.15 | 54 | 8.1 | 1.15 | 0.73 | 0.13 |
| USA, Mississippi | 1294 | 12.2 | 0.37 | 1.28 | 0.04 | 932 | 7.8 | 0.30 | 0.75 | 0.03 |
| USA, Missouri | 3156 | 13.2 | 0.26 | 1.36 | 0.03 | 2199 | 8.5 | 0.22 | 0.86 | 0.02 |
| USA, Missouri: White | 2900 | 13.6 | 0.29 | 1.39 | 0.03 | 1977 | 8.7 | 0.24 | 0.88 | 0.02 |
| USA, Missouri: Black | 232 | 11.4 | 0.76 | 1.25 | 0.10 | 193 | 7.4 | 0.56 | 0.81 | 0.07 |
| USA, Montana | 676 | 14.6 | 0.64 | 1.54 | 0.07 | 396 | 8.5 | 0.53 | 0.83 | 0.05 |
| *USA, Montana: American Indian | 12 | 6.7 | 1.95 | 0.82 | 0.29 | 17 | 7.9 | 1.94 | 0.73 | 0.22 |
| USA, Nebraska | 1002 | 14.0 | 0.48 | 1.48 | 0.06 | 686 | 9.1 | 0.41 | 0.89 | 0.04 |
| USA, Nebraska: White | 945 | 14.0 | 0.51 | 1.49 | 0.06 | 651 | 9.1 | 0.44 | 0.90 | 0.05 |
| *USA, Nebraska: Black | 26 | 10.2 | 2.03 | 1.20 | 0.31 | 20 | 8.0 | 1.82 | 0.64 | 0.16 |
| USA, Nevada | 1255 | 12.1 | 0.38 | 1.17 | 0.04 | 833 | 7.8 | 0.32 | 0.70 | 0.03 |
| USA, Nevada: White | 1107 | 13.2 | 0.45 | 1.26 | 0.05 | 711 | 8.5 | 0.38 | 0.75 | 0.03 |
| USA, Nevada: Black | 78 | 9.1 | 1.05 | 0.92 | 0.13 | 52 | 5.9 | 0.85 | 0.53 | 0.09 |
| *USA, Nevada: Asian and Pacific Islander | 46 | 5.7 | 0.96 | 0.48 | 0.09 | 55 | 5.1 | 0.82 | 0.53 | 0.08 |
| USA, New Jersey | 4976 | 14.5 | 0.23 | 1.48 | 0.03 | 3786 | 9.7 | 0.19 | 0.94 | 0.02 |
| USA, New Jersey: White | 4177 | 15.2 | 0.27 | 1.54 | 0.03 | 3128 | 10.1 | 0.23 | 0.98 | 0.02 |
| USA, New Jersey: Black | 407 | 10.5 | 0.53 | 1.12 | 0.07 | 383 | 8.0 | 0.45 | 0.76 | 0.05 |
| USA, New Mexico | 938 | 12.2 | 0.45 | 1.19 | 0.05 | 730 | 8.8 | 0.39 | 0.84 | 0.04 |
| USA, New Mexico: White | 841 | 12.5 | 0.50 | 1.21 | 0.05 | 647 | 9.1 | 0.44 | 0.85 | 0.04 |
| USA, New Mexico: Non-Hispanic White | 546 | 12.8 | 0.75 | 1.29 | 0.07 | 411 | 9.9 | 0.73 | 0.93 | 0.06 |
| USA, New Mexico: Hispanic White | 295 | 11.0 | 0.67 | 1.02 | 0.07 | 236 | 8.0 | 0.57 | 0.73 | 0.06 |
| *USA, New Mexico: American Indian | 45 | 7.4 | 1.11 | 0.63 | 0.12 | 44 | 6.3 | 0.99 | 0.56 | 0.10 |
| USA, New York State | 11724 | 15.7 | 0.16 | 1.63 | 0.02 | 8610 | 9.9 | 0.13 | 1.00 | 0.01 |
| USA, New York State: White | 9985 | 17.2 | 0.20 | 1.78 | 0.02 | 7092 | 10.7 | 0.16 | 1.08 | 0.02 |
| USA, New York State: Black | 1113 | 10.8 | 0.33 | 1.14 | 0.04 | 1094 | 8.0 | 0.27 | 0.81 | 0.03 |
| USA, New York State: Asian and Pacific Islander | 501 | 9.7 | 0.47 | 0.94 | 0.05 | 339 | 6.0 | 0.36 | 0.54 | 0.04 |
| USA, North Carolina | 5147 | 14.0 | 0.22 | 1.42 | 0.02 | 3658 | 8.5 | 0.17 | 0.86 | 0.02 |
| USA, North Carolina: White | 4221 | 14.5 | 0.26 | 1.47 | 0.03 | 2909 | 8.9 | 0.20 | 0.89 | 0.02 |
| USA, North Carolina: Black | 767 | 11.8 | 0.44 | 1.18 | 0.05 | 628 | 7.3 | 0.32 | 0.76 | 0.04 |
| USA, North Carolina: Asian and Pacific Islander | 51 | 7.4 | 1.06 | 0.70 | 0.13 | 30 | 3.8 | 0.72 | 0.33 | 0.08 |
| *USA, North Carolina: American Indian | 32 | 7.1 | 1.26 | 0.74 | 0.15 | 22 | 3.7 | 0.81 | 0.36 | 0.11 |
| USA, North Dakota | 415 | 15.2 | 0.82 | 1.59 | 0.10 | 279 | 8.4 | 0.60 | 0.85 | 0.07 |
| USA, Ohio | 5396 | 12.0 | 0.18 | 1.21 | 0.02 | 3890 | 7.7 | 0.15 | 0.75 | 0.02 |
| USA, Ohio: White | 4840 | 12.3 | 0.20 | 1.22 | 0.02 | 3427 | 7.9 | 0.17 | 0.76 | 0.02 |
| USA, Ohio: Black | 401 | 9.0 | 0.46 | 0.92 | 0.06 | 372 | 6.6 | 0.37 | 0.66 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | 55 | 8.3 | 1.16 | 0.77 | 0.12 | 36 | 5.3 | 0.95 | 0.44 | 0.09 |
| USA, Oklahoma | 1936 | 13.0 | 0.32 | 1.36 | 0.04 | 1343 | 8.4 | 0.27 | 0.83 | 0.03 |
| USA, Oklahoma: White | 1667 | 13.2 | 0.36 | 1.37 | 0.04 | 1159 | 8.6 | 0.31 | 0.84 | 0.03 |
| USA, Oklahoma: Black | 118 | 13.3 | 1.23 | 1.65 | 0.19 | 72 | 6.9 | 0.85 | 0.78 | 0.11 |
| USA, Oklahoma: American Indian | 110 | 10.3 | 0.99 | 1.05 | 0.13 | 83 | 7.2 | 0.81 | 0.72 | 0.10 |
| USA, Oregon | 2050 | 13.0 | 0.33 | 1.31 | 0.04 | 1399 | 8.2 | 0.27 | 0.79 | 0.03 |
| USA, Oregon: White | 1931 | 13.1 | 0.35 | 1.33 | 0.04 | 1330 | 8.4 | 0.29 | 0.81 | 0.03 |
| *USA, Oregon: Black | 31 | 12.1 | 2.19 | 1.38 | 0.33 | 19 | 7.6 | 1.77 | 0.90 | 0.23 |
| *USA, Oregon: Asian and Pacific Islander | 46 | 9.4 | 1.49 | 0.66 | 0.13 | 34 | 5.1 | 0.93 | 0.45 | 0.09 |
| USA, Rhode Island | 554 | 13.2 | 0.63 | 1.39 | 0.07 | 409 | 9.2 | 0.59 | 0.84 | 0.05 |
| USA, Rhode Island: White | 522 | 13.7 | 0.70 | 1.43 | 0.08 | 385 | 9.7 | 0.67 | 0.87 | 0.06 |
| *USA, Rhode Island: Black | 21 | 9.3 | 2.06 | 1.18 | 0.31 | 15 | 6.4 | 1.72 | 0.60 | 0.19 |
| USA, South Carolina | 2404 | 12.5 | 0.28 | 1.31 | 0.03 | 1707 | 8.1 | 0.24 | 0.79 | 0.02 |
| USA, South Carolina: White | 1982 | 13.4 | 0.35 | 1.40 | 0.04 | 1318 | 8.5 | 0.30 | 0.83 | 0.03 |
| USA, South Carolina: Black | 376 | 9.2 | 0.49 | 0.94 | 0.06 | 358 | 6.9 | 0.40 | 0.66 | 0.04 |
| USA, South Dakota | 508 | 14.2 | 0.70 | 1.41 | 0.08 | 369 | 11.0 | 0.69 | 1.05 | 0.07 |
| USA, Tennessee | 3281 | 13.4 | 0.26 | 1.38 | 0.03 | 2317 | 8.6 | 0.21 | 0.83 | 0.02 |
| USA, Tennessee: White | 2937 | 14.1 | 0.30 | 1.43 | 0.03 | 1996 | 8.9 | 0.25 | 0.84 | 0.02 |
| USA, Tennessee: Black | 294 | 9.6 | 0.57 | 1.04 | 0.08 | 280 | 7.3 | 0.46 | 0.77 | 0.06 |
| USA, Texas | 11619 | 13.3 | 0.13 | 1.32 | 0.02 | 8276 | 8.6 | 0.11 | 0.81 | 0.01 |
| USA, Texas: White | 10285 | 14.0 | 0.15 | 1.37 | 0.02 | 7225 | 9.1 | 0.12 | 0.85 | 0.01 |
| USA, Texas: Black | 975 | 10.8 | 0.35 | 1.19 | 0.05 | 808 | 7.2 | 0.27 | 0.71 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 294 | 8.6 | 0.52 | 0.80 | 0.06 | 188 | 4.9 | 0.38 | 0.41 | 0.04 |
| USA, Utah | 1205 | 13.4 | 0.40 | 1.37 | 0.05 | 801 | 8.8 | 0.33 | 0.86 | 0.04 |
| USA, Vermont | 324 | 12.1 | 0.80 | 1.16 | 0.08 | 213 | 7.8 | 0.71 | 0.77 | 0.06 |
| USA, Washington State | 3752 | 14.0 | 0.25 | 1.45 | 0.03 | 2492 | 8.8 | 0.21 | 0.88 | 0.02 |
| *USA, Washington, Seattle | 2638 | 14.6 | 0.31 | 1.51 | 0.04 | 1730 | 8.8 | 0.25 | 0.90 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia (C91–95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 1146 | 14.5 | 0.49 | 1.52 | 0.05 | 819 | 9.5 | 0.41 | 0.97 | 0.04 |
| USA, Wyoming | 277 | 12.1 | 0.80 | 1.21 | 0.09 | 181 | 8.0 | 0.69 | 0.82 | 0.07 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 89 | 6.1 | 0.67 | 0.55 | 0.09 | 60 | 4.2 | 0.57 | 0.44 | 0.08 |
| Brunei Darussalam | 69 | 7.9 | 0.98 | 0.75 | 0.12 | 43 | 4.8 | 0.76 | 0.38 | 0.08 |
| *China, Anfu County | 52 | 5.6 | 0.83 | 0.64 | 0.10 | 29 | 3.6 | 0.74 | 0.33 | 0.07 |
| *China, Anguo City | 52 | 5.1 | 0.77 | 0.48 | 0.08 | 44 | 4.0 | 0.67 | 0.44 | 0.07 |
| *China, Anshan City | 307 | 6.0 | 0.48 | 0.55 | 0.04 | 223 | 3.5 | 0.34 | 0.37 | 0.03 |
| *China, Aohan Banner, Chifeng City | 60 | 4.0 | 0.57 | 0.36 | 0.05 | 62 | 3.9 | 0.56 | 0.37 | 0.05 |
| *China, Arongqi | 27 | 3.3 | 0.73 | 0.29 | 0.07 | 21 | 2.7 | 0.64 | 0.24 | 0.06 |
| *China, Baoding City | 222 | 7.0 | 0.52 | 0.63 | 0.05 | 175 | 5.2 | 0.45 | 0.50 | 0.05 |
| *China, Beijing City | 1559 | 5.4 | 0.19 | 0.46 | 0.02 | 1119 | 3.9 | 0.17 | 0.33 | 0.01 |
| *China, Binhai County | 160 | 4.2 | 0.36 | 0.39 | 0.04 | 116 | 3.3 | 0.35 | 0.33 | 0.04 |
| *China, Cangzhou City | 76 | 5.8 | 0.76 | 0.47 | 0.06 | 73 | 5.6 | 0.76 | 0.50 | 0.07 |
| China, Changfeng County | 82 | 5.9 | 0.73 | 0.53 | 0.07 | 63 | 5.6 | 0.81 | 0.45 | 0.06 |
| China, Changzhou City | 515 | 6.4 | 0.33 | 0.62 | 0.03 | 390 | 4.4 | 0.27 | 0.46 | 0.03 |
| China, Chengdu City | 221 | 7.2 | 0.57 | 0.65 | 0.06 | 148 | 5.2 | 0.53 | 0.43 | 0.04 |
| China, Cixian County | 111 | 7.2 | 0.72 | 0.58 | 0.07 | 51 | 3.3 | 0.49 | 0.29 | 0.04 |
| China, Cixi City | 181 | 5.6 | 0.56 | 0.47 | 0.04 | 143 | 4.3 | 0.49 | 0.38 | 0.04 |
| *China, Dafeng District, Yancheng City | 154 | 5.7 | 0.64 | 0.53 | 0.05 | 128 | 4.7 | 0.58 | 0.43 | 0.05 |
| China, Dalian City | 553 | 6.7 | 0.38 | 0.60 | 0.03 | 421 | 4.9 | 0.33 | 0.44 | 0.03 |
| *China, Dancheng County | 302 | 10.8 | 0.67 | 0.75 | 0.06 | 215 | 7.4 | 0.55 | 0.70 | 0.06 |
| China, Dangtu County | 55 | 5.5 | 0.85 | 0.50 | 0.08 | 36 | 3.6 | 0.70 | 0.36 | 0.07 |
| *China, Danyang City | 169 | 5.9 | 0.56 | 0.55 | 0.05 | 121 | 3.8 | 0.42 | 0.34 | 0.04 |
| *China, Dawukou District, Shizuishan City | 33 | 4.2 | 0.87 | 0.40 | 0.08 | 23 | 3.6 | 0.98 | 0.27 | 0.07 |
| *China, Dehui City | 127 | 5.2 | 0.51 | 0.46 | 0.05 | 135 | 5.5 | 0.54 | 0.50 | 0.05 |
| *China, Donggang County | 129 | 5.8 | 0.68 | 0.60 | 0.07 | 94 | 4.5 | 0.64 | 0.46 | 0.05 |
| *China, Dongguan City | 206 | 6.5 | 0.50 | 0.57 | 0.05 | 175 | 5.5 | 0.51 | 0.44 | 0.04 |
| China, Donghai County | 204 | 5.8 | 0.43 | 0.56 | 0.05 | 140 | 4.3 | 0.40 | 0.37 | 0.04 |
| *China, Dongtai City | 156 | 4.2 | 0.47 | 0.43 | 0.04 | 106 | 3.9 | 0.57 | 0.32 | 0.04 |
| China, Duanzhou District, Zhaoqing City | 68 | 7.8 | 1.10 | 0.62 | 0.09 | 44 | 4.6 | 0.85 | 0.46 | 0.08 |
| *China, Evenki Autonomous Banner | 12 | 5.3 | 1.68 | 0.49 | 0.18 | 9 | 2.9 | 1.00 | 0.44 | 0.16 |
| *China, Faku County | 66 | 5.7 | 0.91 | 0.47 | 0.06 | 50 | 3.0 | 0.49 | 0.29 | 0.05 |
| *China, Fangcheng County | 105 | 5.2 | 0.53 | 0.43 | 0.05 | 67 | 3.6 | 0.47 | 0.33 | 0.05 |
| *China, Feicheng City | 186 | 6.1 | 0.52 | 0.59 | 0.05 | 136 | 4.8 | 0.50 | 0.41 | 0.04 |
| China, Feixi County | 219 | 7.4 | 0.57 | 0.61 | 0.05 | 164 | 4.9 | 0.44 | 0.45 | 0.04 |
| China, Fuqing City | 150 | 7.0 | 0.62 | 0.62 | 0.06 | 85 | 4.4 | 0.53 | 0.41 | 0.05 |
| *China, Ganyu District, Lianyungang City | 187 | 5.3 | 0.42 | 0.52 | 0.04 | 117 | 3.7 | 0.39 | 0.31 | 0.03 |
| *China, Ganzhou District, Zhangye City | 26 | 2.9 | 0.62 | 0.30 | 0.07 | 18 | 3.5 | 1.00 | 0.25 | 0.06 |
| *China, Gaocheng City | 80 | 4.4 | 0.53 | 0.36 | 0.04 | 79 | 5.3 | 0.66 | 0.34 | 0.04 |
| China, Gaomi City | 130 | 5.7 | 0.57 | 0.57 | 0.06 | 98 | 4.5 | 0.56 | 0.38 | 0.04 |
| China, Gong'an County | 169 | 6.1 | 0.54 | 0.60 | 0.05 | 122 | 4.8 | 0.51 | 0.46 | 0.05 |
| *China, Guang'an District, Guang'an City | 79 | 4.5 | 0.54 | 0.46 | 0.06 | 63 | 3.7 | 0.51 | 0.43 | 0.06 |
| China, Guanghan City | 57 | 4.9 | 0.79 | 0.54 | 0.08 | 61 | 4.3 | 0.69 | 0.47 | 0.07 |
| China, Guangzhou City | 1627 | 6.5 | 0.18 | 0.58 | 0.02 | 1222 | 5.0 | 0.17 | 0.43 | 0.01 |
| *China, Guanyun County | 159 | 5.2 | 0.44 | 0.45 | 0.04 | 129 | 4.2 | 0.39 | 0.39 | 0.04 |
| China, Guilin City | 160 | 8.0 | 0.69 | 0.86 | 0.08 | 124 | 5.5 | 0.53 | 0.67 | 0.07 |
| *China, Hai'an City | 167 | 4.4 | 0.47 | 0.40 | 0.04 | 158 | 3.6 | 0.38 | 0.37 | 0.04 |
| China, Hailar District, Hulun Buir City | 50 | 4.4 | 0.69 | 0.48 | 0.09 | 35 | 3.6 | 0.71 | 0.32 | 0.06 |
| China, Haimen District, Nantong City | 196 | 5.0 | 0.46 | 0.46 | 0.04 | 157 | 4.7 | 0.53 | 0.45 | 0.04 |
| China, Haining City | 139 | 6.6 | 0.73 | 0.60 | 0.06 | 131 | 5.1 | 0.59 | 0.51 | 0.05 |
| China, Hangzhou City | 1239 | 5.6 | 0.20 | 0.48 | 0.02 | 850 | 4.0 | 0.17 | 0.34 | 0.01 |
| China, Hebi City | 63 | 6.1 | 0.82 | 0.46 | 0.07 | 47 | 5.6 | 0.88 | 0.46 | 0.07 |
| China, Hefei City | 488 | 7.0 | 0.35 | 0.63 | 0.03 | 360 | 5.2 | 0.31 | 0.50 | 0.03 |
| China, Hengdong County | 78 | 6.3 | 0.76 | 0.50 | 0.06 | 45 | 4.0 | 0.64 | 0.34 | 0.06 |
| *China, Hengfeng County | 36 | 7.5 | 1.30 | 0.50 | 0.10 | 21 | 4.2 | 1.00 | 0.40 | 0.10 |
| *China, Hepu County | 237 | 9.0 | 0.61 | 0.87 | 0.07 | 126 | 5.2 | 0.49 | 0.48 | 0.05 |
| China, Honghu City | 128 | 5.7 | 0.56 | 0.48 | 0.05 | 88 | 4.3 | 0.59 | 0.39 | 0.05 |
| China, Hongshan District, Chifeng City | 57 | 5.8 | 0.90 | 0.52 | 0.08 | 47 | 4.4 | 0.79 | 0.39 | 0.07 |
| *China, Hongta District, Yuxi City | 77 | 6.5 | 0.83 | 0.65 | 0.08 | 75 | 6.6 | 0.88 | 0.50 | 0.07 |
| *China, Huaiyin District, Huai'an City | 168 | 5.8 | 0.48 | 0.57 | 0.05 | 98 | 4.0 | 0.46 | 0.33 | 0.04 |
| *China, Jiange County | 75 | 5.5 | 0.69 | 0.47 | 0.06 | 41 | 3.3 | 0.57 | 0.30 | 0.05 |
| China, Jiangmen City | 128 | 7.3 | 0.74 | 0.66 | 0.07 | 93 | 5.2 | 0.66 | 0.41 | 0.05 |
| *China, Jiangyin City | 223 | 5.3 | 0.43 | 0.47 | 0.04 | 170 | 3.7 | 0.35 | 0.36 | 0.03 |
| *China, Jiashan County | 85 | 6.4 | 0.92 | 0.60 | 0.07 | 61 | 4.2 | 0.69 | 0.37 | 0.06 |
| China, Jiayu County | 32 | 4.8 | 0.94 | 0.50 | 0.10 | 31 | 4.9 | 0.97 | 0.48 | 0.10 |
| *China, Jinan City | 391 | 5.7 | 0.34 | 0.48 | 0.03 | 310 | 4.3 | 0.30 | 0.37 | 0.02 |
| *China, Jingtai County | 39 | 6.2 | 1.04 | 0.73 | 0.14 | 32 | 5.8 | 1.17 | 0.44 | 0.09 |
| *China, Jingxian County | 54 | 4.8 | 0.81 | 0.48 | 0.08 | 32 | 3.5 | 0.79 | 0.32 | 0.07 |
| *China, Jintan District, Changzhou City | 111 | 6.2 | 0.73 | 0.57 | 0.06 | 90 | 5.2 | 0.71 | 0.54 | 0.07 |
| *China, Jiulongpo District, Chongqing City | 163 | 6.2 | 0.58 | 0.59 | 0.05 | 124 | 5.4 | 0.59 | 0.52 | 0.05 |
| *China, Jiyuan City | 93 | 5.7 | 0.63 | 0.53 | 0.06 | 69 | 4.2 | 0.52 | 0.41 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia (C91–95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 77 | 7.1 | 0.90 | 0.67 | 0.09 | 46 | 5.1 | 0.86 | 0.49 | 0.08 |
| China, Kunshan City | 201 | 8.3 | 0.69 | 0.73 | 0.06 | 124 | 4.3 | 0.44 | 0.44 | 0.05 |
| China, Langzhong City | 67 | 3.5 | 0.44 | 0.42 | 0.06 | 58 | 3.7 | 0.57 | 0.37 | 0.06 |
| *China, Liangshan County | 185 | 7.9 | 0.63 | 0.67 | 0.06 | 155 | 6.4 | 0.58 | 0.64 | 0.06 |
| *China, Lianshui County | 146 | 4.3 | 0.38 | 0.41 | 0.04 | 93 | 3.0 | 0.35 | 0.26 | 0.03 |
| China, Lianyungang City | 158 | 4.8 | 0.42 | 0.43 | 0.04 | 150 | 4.8 | 0.45 | 0.44 | 0.04 |
| China, Linhe District, Bayannur City | 74 | 5.8 | 0.71 | 0.56 | 0.08 | 26 | 2.2 | 0.55 | 0.17 | 0.04 |
| China, Linqu County | 140 | 5.2 | 0.50 | 0.46 | 0.05 | 111 | 4.6 | 0.51 | 0.37 | 0.04 |
| *China, Linzhou City | 157 | 5.2 | 0.43 | 0.48 | 0.05 | 152 | 4.9 | 0.43 | 0.45 | 0.04 |
| China, Liuzhou City | 234 | 7.1 | 0.50 | 0.68 | 0.05 | 182 | 5.6 | 0.45 | 0.57 | 0.05 |
| China, Liyang City | 103 | 2.9 | 0.34 | 0.29 | 0.04 | 113 | 3.3 | 0.37 | 0.33 | 0.04 |
| *China, Longquan City | 39 | 5.3 | 1.03 | 0.52 | 0.10 | 35 | 5.4 | 1.10 | 0.45 | 0.10 |
| China, Lucheng District, Wenzhou City | 89 | 6.3 | 0.83 | 0.50 | 0.07 | 58 | 5.0 | 0.84 | 0.40 | 0.06 |
| China, Luoding City | 124 | 6.0 | 0.56 | 0.58 | 0.06 | 67 | 3.8 | 0.49 | 0.32 | 0.05 |
| *China, Luohe City | 211 | 6.0 | 0.43 | 0.61 | 0.05 | 194 | 5.4 | 0.43 | 0.50 | 0.04 |
| *China, Luoyang City | 242 | 6.7 | 0.51 | 0.63 | 0.05 | 154 | 4.5 | 0.44 | 0.43 | 0.04 |
| *China, Luquan City | 38 | 3.7 | 0.62 | 0.37 | 0.07 | 42 | 5.0 | 0.86 | 0.39 | 0.07 |
| China, Ma'anshan City | 127 | 6.3 | 0.60 | 0.62 | 0.07 | 69 | 3.4 | 0.48 | 0.30 | 0.05 |
| *China, Macheng City | 100 | 5.5 | 0.62 | 0.47 | 0.05 | 75 | 4.4 | 0.60 | 0.42 | 0.05 |
| China, Meihekou City | 62 | 3.5 | 0.54 | 0.32 | 0.05 | 52 | 2.9 | 0.48 | 0.30 | 0.05 |
| *China, Mengjin County | 58 | 5.8 | 0.80 | 0.52 | 0.08 | 64 | 6.6 | 0.91 | 0.65 | 0.09 |
| China, Nangang District, Harbin City | 138 | 4.6 | 0.49 | 0.41 | 0.04 | 93 | 2.9 | 0.39 | 0.29 | 0.03 |
| *China, Nanghai District, Foshan City | 205 | 8.7 | 0.65 | 0.78 | 0.07 | 142 | 5.6 | 0.54 | 0.50 | 0.05 |
| China, Nanhu District, Jiaying City | 112 | 6.1 | 0.73 | 0.47 | 0.06 | 95 | 5.2 | 0.71 | 0.47 | 0.06 |
| *China, Nantong City | 201 | 4.9 | 0.45 | 0.47 | 0.04 | 163 | 3.7 | 0.40 | 0.32 | 0.03 |
| *China, Nanxiong City | 75 | 6.1 | 0.76 | 0.49 | 0.07 | 50 | 3.8 | 0.59 | 0.36 | 0.06 |
| China, Neixiang County | 87 | 4.6 | 0.52 | 0.37 | 0.04 | 60 | 3.5 | 0.48 | 0.30 | 0.04 |
| *China, Qianxi County | 65 | 5.9 | 0.81 | 0.53 | 0.08 | 56 | 5.8 | 0.84 | 0.40 | 0.07 |
| China, Qidong City | 241 | 6.0 | 0.56 | 0.54 | 0.04 | 246 | 5.3 | 0.50 | 0.48 | 0.04 |
| China, Qingzhou City | 157 | 6.2 | 0.57 | 0.58 | 0.06 | 109 | 4.7 | 0.56 | 0.44 | 0.05 |
| *China, Rudong County | 234 | 5.9 | 0.62 | 0.51 | 0.04 | 181 | 4.5 | 0.52 | 0.41 | 0.04 |
| *China, Rugao City | 242 | 4.4 | 0.37 | 0.43 | 0.03 | 198 | 3.5 | 0.32 | 0.37 | 0.03 |
| *China, Rural areas of Shanghai City | 1590 | 5.4 | 0.19 | 0.47 | 0.01 | 1189 | 3.8 | 0.16 | 0.32 | 0.01 |
| China, Ruyang County | 82 | 7.3 | 0.82 | 0.64 | 0.09 | 64 | 6.0 | 0.79 | 0.58 | 0.09 |
| *China, Shan County | 85 | 3.9 | 0.45 | 0.35 | 0.05 | 71 | 3.6 | 0.48 | 0.34 | 0.04 |
| China, Shanghai City | 1250 | 5.2 | 0.23 | 0.44 | 0.02 | 932 | 4.1 | 0.22 | 0.34 | 0.02 |
| China, Shangyu District, Shaoxing City | 168 | 7.0 | 0.74 | 0.62 | 0.06 | 110 | 3.9 | 0.45 | 0.38 | 0.04 |
| *China, Shapingba District, Chongqing City | 100 | 4.1 | 0.53 | 0.33 | 0.04 | 79 | 2.8 | 0.40 | 0.28 | 0.04 |
| China, Shexian County | 60 | 5.2 | 0.71 | 0.47 | 0.07 | 53 | 4.5 | 0.65 | 0.43 | 0.07 |
| China, Sheyang County | 148 | 5.1 | 0.51 | 0.46 | 0.04 | 132 | 4.3 | 0.47 | 0.39 | 0.04 |
| *China, Shijiazhuang City | 272 | 7.0 | 0.50 | 0.60 | 0.04 | 229 | 6.1 | 0.47 | 0.50 | 0.04 |
| China, Shunde District, Foshan City | 210 | 7.1 | 0.52 | 0.69 | 0.06 | 173 | 5.8 | 0.52 | 0.46 | 0.04 |
| *China, Song County | 51 | 3.5 | 0.50 | 0.29 | 0.05 | 21 | 1.7 | 0.37 | 0.18 | 0.04 |
| China, Suzhou City | 722 | 6.9 | 0.32 | 0.56 | 0.02 | 518 | 4.9 | 0.28 | 0.42 | 0.02 |
| *China, Tengzhou City | 284 | 6.3 | 0.40 | 0.57 | 0.04 | 196 | 4.2 | 0.35 | 0.40 | 0.03 |
| *China, Wangdu County | 20 | 3.3 | 0.79 | 0.35 | 0.09 | 6 | 0.7 | 0.29 | 0.06 | 0.03 |
| *China, Wanxian County | 30 | 3.2 | 0.61 | 0.27 | 0.06 | 15 | 1.8 | 0.48 | 0.14 | 0.04 |
| *China, Wu'an City | 86 | 4.4 | 0.49 | 0.38 | 0.05 | 72 | 3.7 | 0.47 | 0.32 | 0.04 |
| China, Wuhan City | 902 | 6.0 | 0.25 | 0.53 | 0.02 | 741 | 5.3 | 0.26 | 0.44 | 0.02 |
| *China, Wuhu City | 181 | 4.7 | 0.42 | 0.43 | 0.04 | 150 | 4.1 | 0.41 | 0.38 | 0.04 |
| China, Wuxi City | 422 | 5.1 | 0.33 | 0.45 | 0.03 | 348 | 3.8 | 0.27 | 0.36 | 0.02 |
| China, Wuzhou City | 101 | 5.9 | 0.61 | 0.56 | 0.07 | 86 | 5.0 | 0.58 | 0.47 | 0.06 |
| China, Xiangfu District, Kaifeng City | 120 | 6.7 | 0.63 | 0.69 | 0.08 | 122 | 6.4 | 0.61 | 0.67 | 0.07 |
| China, Xianju County | 103 | 7.2 | 0.84 | 0.62 | 0.07 | 65 | 5.9 | 0.93 | 0.45 | 0.07 |
| *China, Xin'an County | 49 | 5.4 | 0.82 | 0.48 | 0.08 | 36 | 3.9 | 0.73 | 0.36 | 0.07 |
| *China, Xining City | 102 | 5.2 | 0.57 | 0.50 | 0.06 | 69 | 3.2 | 0.45 | 0.26 | 0.04 |
| *China, Xinji City | 78 | 4.4 | 0.59 | 0.37 | 0.05 | 75 | 4.7 | 0.66 | 0.36 | 0.04 |
| *China, Xinluo District, Longyan City | 61 | 5.6 | 0.79 | 0.51 | 0.08 | 42 | 5.4 | 0.98 | 0.43 | 0.08 |
| *China, Xinzhou District, Shangrao City | 73 | 6.3 | 0.78 | 0.62 | 0.08 | 68 | 5.3 | 0.67 | 0.46 | 0.07 |
| China, Xiping County | 125 | 5.3 | 0.52 | 0.48 | 0.05 | 109 | 4.6 | 0.48 | 0.44 | 0.05 |
| *China, Xishan District, Kunming City | 115 | 12.6 | 1.55 | 1.05 | 0.11 | 83 | 8.4 | 1.25 | 0.67 | 0.09 |
| *China, Xuyi County | 71 | 3.4 | 0.45 | 0.33 | 0.05 | 50 | 2.2 | 0.35 | 0.25 | 0.04 |
| *China, Ya'an City | 266 | 5.8 | 0.38 | 0.53 | 0.04 | 186 | 4.3 | 0.35 | 0.42 | 0.04 |
| *China, Yakeshi City | 67 | 5.7 | 0.98 | 0.54 | 0.08 | 47 | 3.1 | 0.51 | 0.35 | 0.06 |
| China, Yancheng City | 245 | 5.8 | 0.43 | 0.50 | 0.04 | 188 | 4.1 | 0.36 | 0.42 | 0.03 |
| *China, Yangquan City | 93 | 4.8 | 0.55 | 0.50 | 0.06 | 71 | 4.1 | 0.56 | 0.42 | 0.06 |
| *China, Yangzhong City | 25 | 2.7 | 0.68 | 0.24 | 0.05 | 19 | 2.4 | 0.83 | 0.19 | 0.05 |
| *China, Yanji City | 61 | 5.2 | 0.82 | 0.39 | 0.06 | 51 | 3.9 | 0.73 | 0.24 | 0.04 |
| *China, Yanshi City | 101 | 5.5 | 0.60 | 0.48 | 0.05 | 85 | 4.7 | 0.60 | 0.41 | 0.05 |
| China, Yanting County | 131 | 8.3 | 0.79 | 0.80 | 0.08 | 106 | 7.1 | 0.76 | 0.63 | 0.07 |
| *China, Yi'an District, Tongling City | 39 | 4.5 | 0.80 | 0.52 | 0.09 | 13 | 1.6 | 0.51 | 0.13 | 0.05 |
| *China, Yingdong District, Fuyang City | 92 | 5.2 | 0.56 | 0.50 | 0.06 | 63 | 4.0 | 0.55 | 0.39 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia (C91–95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 36 | 4.9 | 1.02 | 0.40 | 0.09 | 33 | 3.9 | 0.88 | 0.37 | 0.08 |
| *China, Yiyuan County | 48 | 3.2 | 0.55 | 0.29 | 0.05 | 40 | 2.7 | 0.49 | 0.24 | 0.04 |
| China, Yong'an City | 55 | 5.6 | 0.86 | 0.55 | 0.08 | 56 | 5.8 | 0.89 | 0.52 | 0.08 |
| *China, Yongding District, Longyan City | 97 | 6.8 | 0.73 | 0.65 | 0.08 | 69 | 5.5 | 0.74 | 0.46 | 0.07 |
| China, Yongkang City | 131 | 7.6 | 0.76 | 0.68 | 0.07 | 95 | 4.8 | 0.56 | 0.51 | 0.06 |
| *China, Yucheng County | 95 | 5.5 | 0.59 | 0.47 | 0.05 | 94 | 5.4 | 0.60 | 0.44 | 0.05 |
| China, Yueyanglou District, Yueyang City | 57 | 6.7 | 0.99 | 0.59 | 0.09 | 40 | 5.3 | 0.96 | 0.49 | 0.09 |
| China, Yunmeng County | 60 | 4.2 | 0.59 | 0.38 | 0.05 | 39 | 2.6 | 0.47 | 0.24 | 0.04 |
| *China, Yunyang District, Shiyuan City | 44 | 5.0 | 0.84 | 0.46 | 0.08 | 43 | 4.4 | 0.71 | 0.38 | 0.06 |
| China, Yuzhong District, Chongqing City | 153 | 7.8 | 0.79 | 0.78 | 0.09 | 133 | 6.7 | 0.73 | 0.75 | 0.08 |
| *China, Zhanhuang County | 39 | 5.4 | 0.90 | 0.39 | 0.07 | 32 | 5.5 | 1.05 | 0.37 | 0.07 |
| *China, Zhangjiagang City | 224 | 6.9 | 0.59 | 0.67 | 0.05 | 140 | 3.3 | 0.37 | 0.33 | 0.04 |
| *China, Zhaoyuan City | 115 | 5.5 | 0.62 | 0.49 | 0.05 | 84 | 4.4 | 0.66 | 0.38 | 0.05 |
| *China, Zhengding County | 43 | 4.1 | 0.69 | 0.43 | 0.07 | 41 | 4.6 | 0.77 | 0.32 | 0.05 |
| *China, Zhongshan City | 222 | 5.4 | 0.40 | 0.45 | 0.04 | 177 | 4.1 | 0.36 | 0.35 | 0.03 |
| China, Zhongxiang City | 188 | 6.9 | 0.59 | 0.68 | 0.06 | 122 | 4.5 | 0.47 | 0.44 | 0.05 |
| *China, Zhuanghe City | 200 | 6.7 | 0.67 | 0.59 | 0.05 | 134 | 4.6 | 0.53 | 0.42 | 0.04 |
| *China, Zhuhai City | 188 | 6.4 | 0.52 | 0.50 | 0.04 | 162 | 6.1 | 0.55 | 0.50 | 0.05 |
| India, Ahmedabad, Urban | 696 | 5.6 | 0.22 | 0.55 | 0.03 | 368 | 3.2 | 0.17 | 0.31 | 0.02 |
| India, Aurangabad | 126 | 3.9 | 0.36 | 0.32 | 0.04 | 71 | 2.2 | 0.27 | 0.17 | 0.03 |
| India, Bangalore | 783 | 6.5 | 0.24 | 0.63 | 0.03 | 516 | 4.4 | 0.20 | 0.40 | 0.02 |
| India, Barshi, Paranda, and Bhum | 37 | 2.7 | 0.46 | 0.26 | 0.05 | 22 | 2.0 | 0.43 | 0.13 | 0.03 |
| *India, Bhopal | 127 | 4.3 | 0.40 | 0.40 | 0.05 | 65 | 2.1 | 0.27 | 0.20 | 0.03 |
| India, Chandigarh | 125 | 4.7 | 0.45 | 0.46 | 0.06 | 80 | 3.3 | 0.39 | 0.32 | 0.04 |
| *India, Chennai | 616 | 5.4 | 0.23 | 0.46 | 0.02 | 472 | 4.1 | 0.20 | 0.37 | 0.02 |
| India, Dibrugarh | 51 | 1.5 | 0.22 | 0.12 | 0.02 | 31 | 1.0 | 0.18 | 0.06 | 0.01 |
| *India, Dindigul, Ambilikkai | 177 | 3.1 | 0.24 | 0.26 | 0.02 | 113 | 2.0 | 0.20 | 0.17 | 0.02 |
| India, Kamrup Urban District | 84 | 3.4 | 0.39 | 0.29 | 0.04 | 53 | 2.3 | 0.33 | 0.22 | 0.04 |
| India, Kollam | 265 | 5.0 | 0.32 | 0.47 | 0.03 | 215 | 3.5 | 0.25 | 0.34 | 0.03 |
| *India, Manipur | 125 | 2.3 | 0.21 | 0.23 | 0.03 | 123 | 2.2 | 0.20 | 0.20 | 0.03 |
| India, Meghalaya | 59 | 1.3 | 0.20 | 0.12 | 0.03 | 34 | 0.9 | 0.17 | 0.09 | 0.02 |
| India, Mizoram | 93 | 4.6 | 0.50 | 0.47 | 0.07 | 64 | 3.0 | 0.39 | 0.27 | 0.05 |
| India, Mumbai | 1569 | 5.1 | 0.13 | 0.43 | 0.01 | 1048 | 3.6 | 0.12 | 0.32 | 0.01 |
| *India, New Delhi | 2086 | 8.5 | 0.19 | 0.74 | 0.02 | 1148 | 5.1 | 0.16 | 0.45 | 0.02 |
| India, Poona | 348 | 2.7 | 0.15 | 0.23 | 0.02 | 250 | 2.1 | 0.14 | 0.17 | 0.01 |
| *India, Sangrur District | 125 | 4.6 | 0.42 | 0.41 | 0.04 | 56 | 2.2 | 0.30 | 0.22 | 0.03 |
| India, SAS Nagar | 130 | 4.9 | 0.44 | 0.48 | 0.05 | 95 | 3.8 | 0.40 | 0.33 | 0.04 |
| *India, Tamil Nadu | 6280 | 3.4 | 0.04 | 0.27 | 0.00 | 4178 | 2.3 | 0.04 | 0.18 | 0.00 |
| *India, Tripura | 168 | 2.3 | 0.18 | 0.19 | 0.02 | 109 | 1.5 | 0.15 | 0.14 | 0.02 |
| India, Trivandrum | 350 | 5.5 | 0.31 | 0.46 | 0.03 | 305 | 4.0 | 0.25 | 0.36 | 0.02 |
| India, Wardha | 138 | 4.2 | 0.37 | 0.35 | 0.03 | 91 | 2.9 | 0.32 | 0.23 | 0.03 |
| India, West Arunachal | 24 | 1.3 | 0.29 | 0.10 | 0.03 | 26 | 2.2 | 0.47 | 0.21 | 0.05 |
| *Iran (Islamic Republic of), Ardabil Province | 159 | 8.7 | 0.72 | 0.97 | 0.10 | 95 | 5.2 | 0.55 | 0.54 | 0.07 |
| *Iran (Islamic Republic of), Golestan Province | 296 | 12.0 | 0.72 | 1.08 | 0.09 | 229 | 8.8 | 0.60 | 0.86 | 0.08 |
| Israel | 2220 | 8.9 | 0.20 | 0.88 | 0.02 | 1732 | 6.0 | 0.16 | 0.58 | 0.02 |
| *Israel: Jews | 1829 | 8.8 | 0.22 | 0.88 | 0.03 | 1428 | 5.9 | 0.18 | 0.57 | 0.02 |
| *Israel: Arabs | 315 | 8.9 | 0.53 | 0.88 | 0.07 | 224 | 6.2 | 0.42 | 0.62 | 0.06 |
| Japan | 22456 | 7.2 | 0.07 | 0.65 | 0.01 | 15934 | 4.7 | 0.06 | 0.41 | 0.00 |
| Japan, Aichi Prefecture | 1291 | 7.7 | 0.28 | 0.67 | 0.02 | 807 | 4.8 | 0.23 | 0.41 | 0.02 |
| *Japan, Akita Prefecture | 177 | 7.7 | 0.88 | 0.64 | 0.06 | 143 | 4.6 | 0.71 | 0.38 | 0.05 |
| Japan, Aomori Prefecture | 370 | 6.5 | 0.48 | 0.61 | 0.04 | 287 | 4.8 | 0.49 | 0.39 | 0.03 |
| Japan, Gunma Prefecture | 298 | 5.7 | 0.46 | 0.51 | 0.04 | 217 | 4.2 | 0.43 | 0.37 | 0.03 |
| Japan, Hiroshima Prefecture | 748 | 8.3 | 0.42 | 0.73 | 0.03 | 522 | 5.1 | 0.33 | 0.44 | 0.03 |
| Japan, Miyagi Prefecture | 616 | 6.9 | 0.38 | 0.62 | 0.03 | 464 | 5.3 | 0.38 | 0.42 | 0.03 |
| Japan, Osaka Prefecture | 1546 | 7.3 | 0.25 | 0.68 | 0.02 | 1109 | 4.9 | 0.22 | 0.42 | 0.02 |
| Kuwait | 528 | 6.2 | 0.35 | 0.55 | 0.04 | 297 | 4.9 | 0.32 | 0.41 | 0.04 |
| *Kuwait: Kuwaitis | 194 | 7.8 | 0.61 | 0.74 | 0.08 | 151 | 5.3 | 0.45 | 0.45 | 0.05 |
| *Kuwait: Non-Kuwaitis | 334 | 5.9 | 0.50 | 0.47 | 0.05 | 146 | 4.7 | 0.50 | 0.36 | 0.06 |
| *Philippines, Manila | 910 | 6.6 | 0.24 | 0.51 | 0.03 | 805 | 5.4 | 0.19 | 0.47 | 0.02 |
| *Qatar: Qatari | 43 | 7.6 | 1.27 | 0.69 | 0.17 | 27 | 4.5 | 0.93 | 0.45 | 0.13 |
| Republic of Korea | 9334 | 6.3 | 0.08 | 0.55 | 0.01 | 6969 | 4.4 | 0.07 | 0.38 | 0.01 |
| *Republic of Korea, Busan | 661 | 6.5 | 0.31 | 0.55 | 0.02 | 522 | 4.7 | 0.27 | 0.40 | 0.02 |
| *Republic of Korea, Daegu | 455 | 6.4 | 0.35 | 0.55 | 0.03 | 337 | 4.5 | 0.31 | 0.39 | 0.02 |
| *Republic of Korea, Daejeon | 271 | 6.3 | 0.42 | 0.56 | 0.04 | 191 | 4.2 | 0.35 | 0.39 | 0.03 |
| *Republic of Korea, Gwangju | 252 | 6.5 | 0.47 | 0.54 | 0.04 | 172 | 4.2 | 0.39 | 0.35 | 0.03 |
| Republic of Korea, Incheon | 483 | 5.9 | 0.31 | 0.51 | 0.03 | 362 | 4.1 | 0.26 | 0.36 | 0.02 |
| Republic of Korea, Jeju | 110 | 6.1 | 0.68 | 0.52 | 0.06 | 94 | 5.1 | 0.65 | 0.43 | 0.05 |
| Republic of Korea, Seoul | 1798 | 6.3 | 0.17 | 0.56 | 0.02 | 1295 | 4.4 | 0.16 | 0.37 | 0.01 |
| Republic of Korea, Ulsan | 187 | 5.7 | 0.46 | 0.50 | 0.04 | 137 | 4.4 | 0.43 | 0.44 | 0.04 |
| Singapore | 750 | 6.9 | 0.29 | 0.58 | 0.03 | 556 | 4.7 | 0.24 | 0.39 | 0.02 |
| Singapore: Chinese | 576 | 6.8 | 0.34 | 0.57 | 0.03 | 432 | 4.5 | 0.27 | 0.38 | 0.02 |
| Singapore: Indian | 52 | 5.9 | 0.91 | 0.46 | 0.08 | 39 | 4.9 | 0.88 | 0.39 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia (C91–95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 99 | 7.8 | 0.83 | 0.68 | 0.09 | 73 | 5.6 | 0.73 | 0.45 | 0.07 |
| Thailand, Bangkok | 647 | 4.5 | 0.19 | 0.39 | 0.02 | 593 | 3.5 | 0.17 | 0.30 | 0.02 |
| *Thailand, Chiang Mai | 243 | 5.8 | 0.43 | 0.48 | 0.04 | 214 | 4.7 | 0.39 | 0.39 | 0.03 |
| *Thailand, Khon Kaen | 234 | 5.4 | 0.40 | 0.44 | 0.03 | 203 | 4.3 | 0.36 | 0.33 | 0.03 |
| Thailand, Lampang | 114 | 5.7 | 0.66 | 0.47 | 0.05 | 105 | 5.1 | 0.64 | 0.39 | 0.05 |
| Thailand, Lopburi Province | 137 | 7.2 | 0.66 | 0.64 | 0.06 | 107 | 5.0 | 0.54 | 0.45 | 0.05 |
| *Thailand, Songkhla | 225 | 6.2 | 0.44 | 0.55 | 0.05 | 170 | 4.4 | 0.36 | 0.40 | 0.04 |
| Turkey, Antalya | 467 | 8.4 | 0.40 | 0.75 | 0.04 | 351 | 6.1 | 0.34 | 0.55 | 0.04 |
| Turkey, Bursa | 476 | 6.9 | 0.33 | 0.57 | 0.03 | 361 | 5.1 | 0.28 | 0.43 | 0.03 |
| *Turkey, Edirne | 80 | 6.2 | 0.78 | 0.59 | 0.08 | 68 | 5.0 | 0.70 | 0.57 | 0.08 |
| *Turkey, Erzurum | 149 | 8.1 | 0.67 | 0.78 | 0.08 | 93 | 4.6 | 0.49 | 0.41 | 0.05 |
| Turkey, Eskişehir | 165 | 6.9 | 0.57 | 0.73 | 0.07 | 160 | 6.7 | 0.59 | 0.61 | 0.06 |
| Turkey, Gaziantep | 355 | 8.9 | 0.49 | 0.90 | 0.07 | 260 | 6.0 | 0.38 | 0.61 | 0.05 |
| *Turkey, Izmir | 1053 | 9.1 | 0.30 | 0.86 | 0.03 | 824 | 6.8 | 0.26 | 0.63 | 0.03 |
| Turkey, Malatya | 174 | 8.4 | 0.66 | 0.79 | 0.08 | 129 | 6.1 | 0.57 | 0.54 | 0.06 |
| Turkey, Samsun | 279 | 8.0 | 0.50 | 0.75 | 0.05 | 240 | 6.2 | 0.44 | 0.56 | 0.04 |
| Turkey, Trabzon | 229 | 10.8 | 0.76 | 0.92 | 0.07 | 172 | 7.2 | 0.61 | 0.60 | 0.06 |
| Europe | | | | | | | | | | |
| Austria | 3047 | 8.8 | 0.20 | 0.85 | 0.02 | 2438 | 6.2 | 0.18 | 0.57 | 0.02 |
| Austria, Carinthia | 223 | 8.3 | 0.64 | 0.89 | 0.08 | 189 | 5.3 | 0.48 | 0.55 | 0.06 |
| Austria, Tyrol | 235 | 7.7 | 0.60 | 0.74 | 0.06 | 181 | 6.4 | 0.65 | 0.59 | 0.05 |
| Austria, Vorarlberg | 127 | 8.7 | 0.92 | 0.87 | 0.10 | 117 | 8.0 | 0.97 | 0.75 | 0.09 |
| Belarus | 2889 | 10.4 | 0.21 | 1.09 | 0.03 | 2597 | 6.4 | 0.16 | 0.65 | 0.02 |
| *Belgium | 5822 | 12.7 | 0.19 | 1.32 | 0.02 | 4241 | 8.3 | 0.16 | 0.85 | 0.02 |
| Croatia | 1550 | 9.3 | 0.29 | 0.89 | 0.03 | 1295 | 6.4 | 0.26 | 0.58 | 0.02 |
| Cyprus | 320 | 10.8 | 0.70 | 1.01 | 0.07 | 191 | 6.2 | 0.55 | 0.53 | 0.05 |
| *Czech Republic | 4287 | 9.6 | 0.16 | 1.04 | 0.02 | 3202 | 5.8 | 0.13 | 0.60 | 0.01 |
| Denmark | 2988 | 12.0 | 0.26 | 1.25 | 0.03 | 1985 | 7.5 | 0.21 | 0.78 | 0.02 |
| Estonia | 553 | 11.2 | 0.53 | 1.15 | 0.06 | 535 | 7.3 | 0.44 | 0.70 | 0.04 |
| Finland | 2109 | 9.2 | 0.25 | 0.87 | 0.02 | 1526 | 5.9 | 0.21 | 0.51 | 0.02 |
| *France, Bas-Rhin | 505 | 13.6 | 0.69 | 1.38 | 0.08 | 352 | 8.4 | 0.58 | 0.83 | 0.06 |
| *France, Calvados | 382 | 13.3 | 0.81 | 1.37 | 0.09 | 299 | 7.7 | 0.61 | 0.74 | 0.06 |
| *France, Doubs | 313 | 13.2 | 0.87 | 1.35 | 0.10 | 237 | 8.5 | 0.72 | 0.81 | 0.07 |
| *France, Gironde | 842 | 13.2 | 0.53 | 1.43 | 0.06 | 695 | 8.7 | 0.44 | 0.87 | 0.05 |
| *France, Haut-Rhin | 435 | 13.0 | 0.71 | 1.35 | 0.08 | 308 | 8.6 | 0.62 | 0.84 | 0.06 |
| *France, Hérault | 637 | 13.2 | 0.63 | 1.35 | 0.07 | 426 | 7.3 | 0.46 | 0.75 | 0.05 |
| *France, Isère | 625 | 12.6 | 0.58 | 1.23 | 0.06 | 408 | 7.1 | 0.43 | 0.70 | 0.05 |
| *France, Lille-Métropole | 367 | 13.6 | 0.78 | 1.23 | 0.09 | 290 | 8.6 | 0.61 | 0.86 | 0.07 |
| *France, Limousin | 205 | 11.1 | 0.94 | 1.05 | 0.10 | 157 | 6.5 | 0.74 | 0.67 | 0.08 |
| *France, Loire-Atlantique | 707 | 13.5 | 0.57 | 1.35 | 0.06 | 532 | 8.2 | 0.44 | 0.81 | 0.05 |
| *France, Manche | 275 | 10.7 | 0.80 | 1.12 | 0.09 | 203 | 7.1 | 0.69 | 0.71 | 0.07 |
| *France, Poitou-Charentes | 1112 | 11.8 | 0.45 | 1.19 | 0.05 | 742 | 7.4 | 0.40 | 0.70 | 0.04 |
| *France, Somme | 263 | 11.2 | 0.79 | 1.13 | 0.09 | 206 | 7.7 | 0.69 | 0.72 | 0.07 |
| *France, Tarn | 196 | 10.0 | 0.94 | 0.98 | 0.10 | 156 | 6.9 | 0.76 | 0.72 | 0.08 |
| *France, Territoire de Belfort | 51 | 10.0 | 1.58 | 1.04 | 0.20 | 45 | 6.2 | 1.14 | 0.64 | 0.15 |
| *France, Vendée | 433 | 13.3 | 0.79 | 1.35 | 0.08 | 328 | 8.8 | 0.68 | 0.82 | 0.06 |
| Germany, Baden-Württemberg | 3026 | 8.7 | 0.18 | 0.97 | 0.02 | 2203 | 5.3 | 0.14 | 0.60 | 0.02 |
| Germany, Bavaria | 5535 | 9.0 | 0.15 | 0.94 | 0.02 | 4048 | 5.6 | 0.12 | 0.56 | 0.01 |
| Germany, Bremen | 277 | 8.3 | 0.59 | 0.84 | 0.07 | 214 | 4.6 | 0.39 | 0.52 | 0.05 |
| Germany, Hamburg | 924 | 11.8 | 0.46 | 1.25 | 0.05 | 706 | 7.3 | 0.34 | 0.80 | 0.04 |
| Germany, Lower Saxony | 4434 | 11.3 | 0.22 | 1.13 | 0.02 | 3385 | 7.6 | 0.19 | 0.72 | 0.02 |
| Germany, North Rhine-Westphalia | 8103 | 9.7 | 0.14 | 0.99 | 0.01 | 6330 | 6.4 | 0.11 | 0.62 | 0.01 |
| Germany, Rhineland-Palatinate | 2113 | 10.9 | 0.31 | 1.09 | 0.03 | 1583 | 6.6 | 0.24 | 0.65 | 0.02 |
| Germany, Saarland | 550 | 10.9 | 0.58 | 1.12 | 0.06 | 392 | 7.0 | 0.53 | 0.71 | 0.05 |
| Germany, Schleswig-Holstein | 1641 | 11.7 | 0.38 | 1.15 | 0.04 | 1230 | 7.4 | 0.30 | 0.71 | 0.03 |
| Iceland | 106 | 8.9 | 0.98 | 0.81 | 0.10 | 65 | 6.1 | 0.87 | 0.55 | 0.08 |
| Ireland | 1698 | 10.3 | 0.27 | 1.03 | 0.03 | 1072 | 6.4 | 0.23 | 0.60 | 0.02 |
| *Italy, Aosta Valley | 33 | 8.5 | 1.83 | 0.84 | 0.17 | 16 | 4.1 | 1.40 | 0.36 | 0.11 |
| *Italy, Avellino | 111 | 11.0 | 1.43 | 0.92 | 0.12 | 80 | 5.3 | 0.74 | 0.60 | 0.09 |
| Italy, Basilicata | 251 | 10.3 | 0.92 | 0.90 | 0.08 | 191 | 6.1 | 0.61 | 0.60 | 0.06 |
| *Italy, Benevento | 89 | 8.5 | 1.20 | 0.80 | 0.11 | 72 | 5.3 | 0.80 | 0.57 | 0.09 |
| Italy, Bergamo | 451 | 10.0 | 0.57 | 0.99 | 0.06 | 304 | 6.5 | 0.50 | 0.61 | 0.04 |
| *Italy, Brescia | 360 | 7.6 | 0.52 | 0.66 | 0.05 | 258 | 4.9 | 0.44 | 0.42 | 0.04 |
| Italy, Brianza (Lecco and Monza e Brianza) | 294 | 10.1 | 0.76 | 0.94 | 0.07 | 197 | 5.9 | 0.60 | 0.53 | 0.05 |
| Italy, Calabria | 260 | 11.1 | 0.86 | 1.06 | 0.09 | 180 | 7.9 | 0.82 | 0.73 | 0.07 |
| *Italy, Caserta | 294 | 10.9 | 0.73 | 1.07 | 0.08 | 244 | 8.3 | 0.70 | 0.72 | 0.06 |
| *Italy, Catania, Messina, and Enna | 767 | 10.0 | 0.46 | 0.92 | 0.04 | 601 | 6.6 | 0.38 | 0.61 | 0.03 |
| Italy, Emilia-Romagna | 1561 | 9.6 | 0.34 | 0.87 | 0.03 | 1264 | 6.7 | 0.29 | 0.59 | 0.02 |
| Italy, Friuli-Venezia Giulia | 499 | 8.9 | 0.57 | 0.85 | 0.05 | 348 | 5.7 | 0.50 | 0.50 | 0.04 |
| Italy, Genova | 420 | 11.1 | 0.77 | 1.09 | 0.07 | 317 | 6.4 | 0.56 | 0.65 | 0.05 |
| *Italy, Lombardy, South, Pavia | 251 | 10.5 | 0.94 | 1.00 | 0.08 | 194 | 6.4 | 0.69 | 0.61 | 0.06 |
| Italy, Mantova and Cremona | 233 | 8.0 | 0.70 | 0.83 | 0.07 | 188 | 6.2 | 0.70 | 0.53 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia (C91–95) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 548 | 9.7 | 0.54 | 1.00 | 0.05 | 380 | 6.4 | 0.49 | 0.60 | 0.04 |
| Italy, Milan | 1430 | 9.8 | 0.33 | 0.94 | 0.03 | 1017 | 6.4 | 0.30 | 0.55 | 0.02 |
| Italy, Molise | 95 | 11.9 | 1.71 | 1.17 | 0.15 | 65 | 8.6 | 1.74 | 0.67 | 0.12 |
| *Italy, Naples Centre | 183 | 8.6 | 0.77 | 0.83 | 0.08 | 156 | 6.0 | 0.66 | 0.54 | 0.06 |
| *Italy, Naples North | 234 | 9.4 | 0.68 | 0.84 | 0.06 | 189 | 6.3 | 0.54 | 0.56 | 0.05 |
| *Italy, Naples South | 396 | 10.6 | 0.63 | 0.98 | 0.06 | 289 | 6.8 | 0.51 | 0.62 | 0.05 |
| *Italy, Nuoro | 59 | 9.8 | 1.63 | 1.01 | 0.17 | 33 | 5.7 | 1.63 | 0.48 | 0.11 |
| *Italy, Palermo | 468 | 9.5 | 0.55 | 0.90 | 0.05 | 344 | 6.0 | 0.44 | 0.56 | 0.04 |
| Italy, Puglia | 1709 | 10.1 | 0.31 | 0.96 | 0.03 | 1241 | 6.5 | 0.26 | 0.61 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 181 | 7.1 | 0.64 | 0.74 | 0.07 | 128 | 4.6 | 0.59 | 0.42 | 0.05 |
| *Italy, Salerno | 343 | 10.2 | 0.71 | 0.92 | 0.06 | 272 | 7.4 | 0.61 | 0.69 | 0.05 |
| Italy, Sassari | 86 | 9.7 | 1.33 | 1.03 | 0.14 | 53 | 5.6 | 1.09 | 0.46 | 0.09 |
| *Italy, Sondrio | 93 | 10.5 | 1.48 | 0.78 | 0.11 | 71 | 7.3 | 1.50 | 0.52 | 0.10 |
| Italy, South Tyrol | 191 | 9.2 | 0.89 | 0.76 | 0.08 | 156 | 6.3 | 0.72 | 0.52 | 0.06 |
| *Italy, Syracuse | 154 | 8.8 | 0.88 | 0.80 | 0.09 | 108 | 5.3 | 0.65 | 0.53 | 0.07 |
| Italy, Trento | 217 | 9.7 | 0.84 | 0.90 | 0.08 | 163 | 5.2 | 0.58 | 0.50 | 0.06 |
| Italy, Turin | 1120 | 10.5 | 0.42 | 1.04 | 0.04 | 786 | 6.4 | 0.34 | 0.60 | 0.03 |
| *Italy, Tuscany | 1074 | 10.9 | 0.47 | 1.06 | 0.04 | 810 | 6.4 | 0.37 | 0.59 | 0.03 |
| Italy, Umbria | 385 | 10.0 | 0.70 | 0.92 | 0.07 | 307 | 6.7 | 0.61 | 0.62 | 0.05 |
| Italy, Varese | 168 | 7.8 | 0.80 | 0.73 | 0.07 | 145 | 5.7 | 0.69 | 0.55 | 0.06 |
| Italy, Veneto | 1778 | 8.7 | 0.27 | 0.79 | 0.02 | 1370 | 5.5 | 0.23 | 0.50 | 0.02 |
| Latvia | 711 | 10.1 | 0.44 | 1.07 | 0.05 | 790 | 6.9 | 0.35 | 0.71 | 0.03 |
| *Liechtenstein | 16 | 11.0 | 3.33 | 1.05 | 0.31 | 7 | 3.0 | 1.23 | 0.26 | 0.15 |
| *Lithuania | 1371 | 12.7 | 0.40 | 1.28 | 0.05 | 1375 | 7.7 | 0.29 | 0.76 | 0.03 |
| Malta | 144 | 8.6 | 0.85 | 0.79 | 0.08 | 92 | 5.5 | 0.76 | 0.46 | 0.06 |
| *The Netherlands | 7623 | 11.0 | 0.15 | 1.14 | 0.02 | 5036 | 7.1 | 0.13 | 0.71 | 0.01 |
| Norway | 2217 | 11.1 | 0.27 | 1.13 | 0.03 | 1585 | 7.5 | 0.23 | 0.73 | 0.02 |
| Poland, Kielce | 436 | 9.3 | 0.52 | 0.96 | 0.06 | 345 | 5.4 | 0.39 | 0.56 | 0.04 |
| *Portugal, Azores | 45 | 7.3 | 1.21 | 0.66 | 0.13 | 30 | 4.2 | 0.91 | 0.43 | 0.10 |
| Russian Federation, Arkhangelsk | 137 | 4.3 | 0.40 | 0.36 | 0.04 | 164 | 3.6 | 0.34 | 0.33 | 0.03 |
| Russian Federation, Kaliningrad | 68 | 2.9 | 0.39 | 0.29 | 0.04 | 73 | 2.2 | 0.31 | 0.24 | 0.03 |
| Russian Federation, Karelia | 82 | 4.5 | 0.54 | 0.43 | 0.06 | 97 | 3.7 | 0.48 | 0.34 | 0.04 |
| *Russian Federation, Komi Republic | 170 | 7.6 | 0.62 | 0.80 | 0.08 | 173 | 4.9 | 0.43 | 0.53 | 0.05 |
| Russian Federation, Murmansk | 119 | 6.1 | 0.60 | 0.62 | 0.07 | 201 | 6.2 | 0.48 | 0.63 | 0.05 |
| *Russian Federation, Orenburg | 422 | 7.6 | 0.39 | 0.78 | 0.05 | 411 | 5.5 | 0.32 | 0.54 | 0.03 |
| Russian Federation, Pskov | 88 | 4.4 | 0.53 | 0.42 | 0.05 | 88 | 2.9 | 0.38 | 0.32 | 0.04 |
| *Russian Federation, Samara | 693 | 7.4 | 0.31 | 0.78 | 0.04 | 992 | 7.3 | 0.30 | 0.73 | 0.03 |
| Russian Federation, Vologda Region | 198 | 5.9 | 0.45 | 0.61 | 0.04 | 210 | 4.1 | 0.35 | 0.41 | 0.03 |
| Slovenia | 822 | 9.6 | 0.40 | 0.93 | 0.04 | 617 | 6.3 | 0.34 | 0.63 | 0.03 |
| Spain, Asturias | 270 | 10.0 | 0.88 | 0.89 | 0.07 | 193 | 5.7 | 0.66 | 0.51 | 0.05 |
| Spain, Basque Country | 876 | 11.4 | 0.50 | 1.08 | 0.05 | 698 | 7.8 | 0.43 | 0.76 | 0.04 |
| Spain, Canary Islands | 329 | 6.8 | 0.45 | 0.66 | 0.04 | 245 | 4.3 | 0.36 | 0.42 | 0.03 |
| Spain, Castellón | 188 | 8.1 | 0.75 | 0.70 | 0.07 | 126 | 5.4 | 0.64 | 0.51 | 0.06 |
| Spain, Girona | 276 | 9.1 | 0.67 | 0.91 | 0.07 | 207 | 5.8 | 0.50 | 0.59 | 0.06 |
| Spain, Granada | 211 | 6.2 | 0.52 | 0.56 | 0.05 | 153 | 4.3 | 0.48 | 0.36 | 0.04 |
| Spain, La Rioja | 157 | 10.0 | 1.02 | 0.94 | 0.11 | 107 | 5.4 | 0.70 | 0.56 | 0.08 |
| Spain, Murcia | 409 | 7.9 | 0.45 | 0.75 | 0.05 | 276 | 4.6 | 0.35 | 0.43 | 0.03 |
| Spain, Navarra | 183 | 8.4 | 0.79 | 0.78 | 0.08 | 162 | 7.0 | 0.74 | 0.68 | 0.07 |
| Spain, Salamanca | 147 | 9.0 | 1.10 | 0.83 | 0.10 | 95 | 5.2 | 0.81 | 0.48 | 0.07 |
| Spain, Tarragona | 301 | 8.6 | 0.62 | 0.77 | 0.06 | 213 | 6.5 | 0.61 | 0.59 | 0.05 |
| *Sweden | 4029 | 9.7 | 0.18 | 0.97 | 0.02 | 2801 | 6.4 | 0.15 | 0.62 | 0.01 |
| Switzerland, Aargau | 276 | 10.7 | 0.77 | 1.12 | 0.08 | 184 | 7.2 | 0.68 | 0.72 | 0.06 |
| Switzerland, Basel | 206 | 10.8 | 0.98 | 0.97 | 0.09 | 140 | 5.1 | 0.64 | 0.48 | 0.06 |
| Switzerland, Berne Solothurn | 375 | 10.0 | 0.63 | 1.06 | 0.07 | 257 | 6.8 | 0.58 | 0.65 | 0.05 |
| Switzerland, East | 331 | 9.7 | 0.63 | 1.02 | 0.07 | 204 | 5.7 | 0.50 | 0.53 | 0.05 |
| *Switzerland, Fribourg | 155 | 14.5 | 1.35 | 1.37 | 0.13 | 72 | 7.1 | 1.01 | 0.70 | 0.09 |
| Switzerland, Geneva | 188 | 10.1 | 0.89 | 0.96 | 0.09 | 148 | 6.1 | 0.63 | 0.60 | 0.07 |
| *Switzerland, Graubünden and Glarus | 107 | 10.2 | 1.26 | 0.94 | 0.12 | 54 | 4.1 | 0.64 | 0.47 | 0.08 |
| *Switzerland, Lucerne | 223 | 10.0 | 0.82 | 0.97 | 0.09 | 139 | 6.2 | 0.69 | 0.55 | 0.06 |
| *Switzerland, Neuchâtel and Jura | 107 | 11.2 | 1.33 | 1.07 | 0.13 | 90 | 6.9 | 1.02 | 0.66 | 0.10 |
| Switzerland, Ticino | 181 | 10.7 | 0.97 | 1.12 | 0.11 | 128 | 8.3 | 1.09 | 0.77 | 0.09 |
| Switzerland, Valais | 169 | 13.0 | 1.24 | 1.30 | 0.12 | 108 | 7.2 | 0.86 | 0.74 | 0.09 |
| Switzerland, Vaud | 261 | 9.0 | 0.65 | 0.88 | 0.07 | 178 | 5.0 | 0.49 | 0.47 | 0.05 |
| Switzerland, Zurich and Zug | 626 | 10.1 | 0.48 | 1.03 | 0.05 | 426 | 6.5 | 0.41 | 0.61 | 0.04 |
| Ukraine | 7914 | 7.7 | 0.10 | 0.79 | 0.01 | 6929 | 5.0 | 0.08 | 0.49 | 0.01 |
| UK, England | 26426 | 11.4 | 0.08 | 1.15 | 0.01 | 17764 | 7.1 | 0.07 | 0.68 | 0.01 |
| UK, Northern Ireland | 689 | 10.2 | 0.44 | 0.94 | 0.04 | 519 | 6.5 | 0.35 | 0.61 | 0.04 |
| UK, Scotland | 2198 | 9.9 | 0.25 | 0.99 | 0.03 | 1499 | 6.2 | 0.21 | 0.57 | 0.02 |
| UK, Wales | 1749 | 12.1 | 0.35 | 1.24 | 0.04 | 1128 | 7.1 | 0.28 | 0.68 | 0.03 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 4211 | 13.4 | 0.23 | 1.35 | 0.03 | 2816 | 8.6 | 0.19 | 0.83 | 0.02 |
| *Australia, Northern Territory | 52 | 8.1 | 1.15 | 0.91 | 0.15 | 45 | 7.5 | 1.15 | 0.73 | 0.13 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia (C91–95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 38 | 7.4 | 1.27 | 0.84 | 0.16 | 33 | 7.3 | 1.33 | 0.68 | 0.14 |
| *Australia, Northern Territory: Indigenous | 14 | 9.8 | 2.89 | 1.22 | 0.48 | 12 | 8.0 | 2.40 | 0.90 | 0.35 |
| *Australia, Queensland | 2842 | 15.2 | 0.31 | 1.61 | 0.04 | 1805 | 9.4 | 0.26 | 0.92 | 0.03 |
| Australia, South Australia | 998 | 14.0 | 0.52 | 1.40 | 0.06 | 650 | 8.4 | 0.42 | 0.79 | 0.04 |
| Australia, Tasmania | 309 | 12.1 | 0.81 | 1.21 | 0.09 | 195 | 7.5 | 0.67 | 0.77 | 0.07 |
| *Australia, Victoria | 3434 | 14.7 | 0.28 | 1.47 | 0.03 | 2260 | 9.1 | 0.23 | 0.90 | 0.02 |
| *Australia, Western Australia | 1067 | 11.6 | 0.39 | 1.16 | 0.05 | 660 | 7.0 | 0.31 | 0.68 | 0.03 |
| *France, New Caledonia | 92 | 12.0 | 1.28 | 1.12 | 0.15 | 40 | 5.2 | 0.88 | 0.40 | 0.08 |
| New Zealand | 2135 | 12.6 | 0.30 | 1.22 | 0.03 | 1313 | 7.2 | 0.23 | 0.69 | 0.02 |
| *New Zealand: Maori | 237 | 15.0 | 1.00 | 1.39 | 0.12 | 163 | 9.0 | 0.71 | 0.92 | 0.09 |
| *New Zealand: Pacific peoples | 82 | 12.4 | 1.41 | 1.22 | 0.18 | 62 | 8.7 | 1.12 | 0.90 | 0.14 |
| *New Zealand: Other | 1713 | 12.7 | 0.38 | 1.24 | 0.04 | 1021 | 7.0 | 0.30 | 0.67 | 0.03 |
| USA, Hawaii | 558 | 10.6 | 0.51 | 1.07 | 0.05 | 376 | 7.4 | 0.47 | 0.67 | 0.04 |
| USA, Hawaii: White | 206 | 11.3 | 0.97 | 1.22 | 0.10 | 127 | 9.6 | 1.13 | 0.95 | 0.10 |
| *USA, Hawaii: Japanese | 83 | 7.4 | 1.18 | 0.74 | 0.11 | 59 | 3.8 | 0.89 | 0.39 | 0.08 |
| *USA, Hawaii: Chinese | 32 | 9.1 | 2.11 | 0.99 | 0.23 | 27 | 6.9 | 2.02 | 0.55 | 0.15 |
| *USA, Hawaii: Hawaiian | 93 | 10.8 | 1.13 | 1.12 | 0.14 | 64 | 6.9 | 0.90 | 0.58 | 0.09 |
| *USA, Hawaii: Filipino | 84 | 10.6 | 1.28 | 0.83 | 0.11 | 50 | 5.5 | 0.99 | 0.44 | 0.08 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Lymphoid leukaemia (C91)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 30 | 1.7 | 0.32 | 0.14 | 0.04 | 27 | 1.6 | 0.30 | 0.10 | 0.03 |
| *Algeria, Tizi Ouzou | 18 | 1.1 | 0.27 | 0.08 | 0.03 | 23 | 1.5 | 0.34 | 0.10 | 0.03 |
| *Benin, Cotonou | 16 | 3.2 | 0.89 | 0.20 | 0.10 | 2 | 0.3 | 0.25 | 0.04 | 0.03 |
| *France, La Réunion | 83 | 4.6 | 0.52 | 0.48 | 0.06 | 44 | 2.2 | 0.35 | 0.21 | 0.04 |
| *Kenya, Eldoret | 41 | 3.3 | 0.58 | 0.38 | 0.09 | 25 | 2.1 | 0.47 | 0.26 | 0.08 |
| *Kenya, Nairobi | 79 | 2.1 | 0.32 | 0.20 | 0.04 | 49 | 1.3 | 0.24 | 0.11 | 0.03 |
| Mauritius | 26 | 0.8 | 0.16 | 0.06 | 0.02 | 24 | 0.7 | 0.17 | 0.06 | 0.01 |
| *Morocco, Casablanca | 131 | 1.3 | 0.12 | 0.12 | 0.01 | 86 | 0.8 | 0.09 | 0.08 | 0.01 |
| *Seychelles | 5 | 2.0 | 0.93 | 0.10 | 0.06 | 2 | 0.6 | 0.45 | 0.07 | 0.07 |
| *South Africa, Eastern Cape | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *Uganda, Kyadondo County | 36 | 0.9 | 0.24 | 0.08 | 0.03 | 19 | 0.4 | 0.15 | 0.04 | 0.02 |
| *Uganda, Gulu | 2 | 0.2 | 0.16 | 0.02 | 0.01 | 3 | 0.5 | 0.30 | 0.05 | 0.05 |
| *Zimbabwe, Bulawayo: African | 16 | 1.3 | 0.38 | 0.13 | 0.06 | 12 | 0.9 | 0.28 | 0.05 | 0.03 |
| *Zimbabwe, Harare: African | 45 | 1.7 | 0.31 | 0.16 | 0.05 | 22 | 0.6 | 0.16 | 0.04 | 0.02 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 25 | 1.4 | 0.29 | 0.10 | 0.02 | 23 | 1.4 | 0.30 | 0.07 | 0.01 |
| *Argentina, Mendoza | 137 | 2.9 | 0.26 | 0.22 | 0.02 | 102 | 2.1 | 0.22 | 0.16 | 0.02 |
| Brazil, Aracaju | 27 | 2.7 | 0.53 | 0.17 | 0.05 | 16 | 1.3 | 0.37 | 0.09 | 0.03 |
| *Brazil, Barretos | 28 | 2.9 | 0.57 | 0.25 | 0.06 | 26 | 2.5 | 0.56 | 0.14 | 0.03 |
| Brazil, Belo Horizonte | 128 | 2.3 | 0.22 | 0.19 | 0.02 | 105 | 1.3 | 0.16 | 0.10 | 0.01 |
| *Brazil, Campinas | 49 | 2.5 | 0.37 | 0.20 | 0.03 | 47 | 2.0 | 0.33 | 0.13 | 0.02 |
| *Brazil, Curitiba | 91 | 2.8 | 0.31 | 0.19 | 0.03 | 77 | 2.3 | 0.30 | 0.16 | 0.02 |
| Brazil, Goiânia | 68 | 2.9 | 0.36 | 0.19 | 0.03 | 37 | 1.5 | 0.26 | 0.12 | 0.02 |
| *Brazil, Jaú | 8 | 2.4 | 0.91 | 0.16 | 0.08 | 8 | 2.3 | 0.91 | 0.22 | 0.09 |
| Brazil, João Pessoa | 29 | 3.0 | 0.59 | 0.20 | 0.04 | 16 | 1.4 | 0.39 | 0.09 | 0.03 |
| Brazil, Recife | 64 | 3.4 | 0.44 | 0.22 | 0.03 | 63 | 2.8 | 0.41 | 0.18 | 0.03 |
| Chile, Region of Antofagasta | 19 | 2.2 | 0.51 | 0.13 | 0.03 | 24 | 2.9 | 0.61 | 0.17 | 0.04 |
| Chile, Valdivia | 46 | 4.5 | 0.72 | 0.38 | 0.07 | 23 | 2.6 | 0.59 | 0.21 | 0.05 |
| Colombia, Bucaramanga | 112 | 4.6 | 0.45 | 0.30 | 0.03 | 95 | 3.5 | 0.38 | 0.26 | 0.03 |
| Colombia, Cali | 310 | 5.8 | 0.34 | 0.47 | 0.03 | 245 | 3.9 | 0.26 | 0.33 | 0.02 |
| Colombia, Manizales | 29 | 2.9 | 0.59 | 0.20 | 0.04 | 23 | 1.8 | 0.43 | 0.15 | 0.04 |
| Colombia, Pasto | 32 | 3.5 | 0.64 | 0.30 | 0.07 | 25 | 2.5 | 0.55 | 0.18 | 0.04 |
| Costa Rica | 192 | 2.4 | 0.18 | 0.16 | 0.01 | 122 | 1.5 | 0.14 | 0.10 | 0.01 |
| Ecuador, Guayaquil | 227 | 3.8 | 0.26 | 0.25 | 0.02 | 204 | 3.3 | 0.23 | 0.24 | 0.02 |
| Ecuador, Manabí | 103 | 2.7 | 0.27 | 0.16 | 0.02 | 90 | 2.4 | 0.26 | 0.18 | 0.02 |
| Ecuador, Quito | 216 | 5.2 | 0.36 | 0.34 | 0.03 | 161 | 3.7 | 0.30 | 0.26 | 0.03 |
| *France, Guadeloupe | 50 | 3.5 | 0.60 | 0.35 | 0.06 | 40 | 2.6 | 0.47 | 0.28 | 0.05 |
| *France, Martinique | 74 | 4.9 | 0.69 | 0.47 | 0.07 | 76 | 3.5 | 0.46 | 0.41 | 0.06 |
| *Peru, Lima | 453 | 3.4 | 0.16 | 0.24 | 0.01 | 437 | 3.2 | 0.16 | 0.23 | 0.01 |
| *Trinidad and Tobago | 44 | 2.0 | 0.31 | 0.19 | 0.04 | 26 | 1.3 | 0.27 | 0.13 | 0.03 |
| USA, Puerto Rico | 541 | 4.5 | 0.23 | 0.44 | 0.02 | 428 | 3.5 | 0.22 | 0.30 | 0.02 |
| *Uruguay | 383 | 3.6 | 0.20 | 0.29 | 0.02 | 277 | 2.5 | 0.18 | 0.19 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 1215 | 8.7 | 0.27 | 0.96 | 0.03 | 710 | 5.0 | 0.22 | 0.51 | 0.02 |
| Canada, British Columbia | 1231 | 6.3 | 0.22 | 0.64 | 0.02 | 767 | 4.2 | 0.20 | 0.39 | 0.02 |
| *Canada, Manitoba | 431 | 8.7 | 0.47 | 0.92 | 0.05 | 266 | 5.2 | 0.39 | 0.48 | 0.04 |
| *Canada, New Brunswick | 323 | 8.7 | 0.57 | 0.96 | 0.07 | 230 | 5.7 | 0.50 | 0.60 | 0.05 |
| *Canada, Newfoundland and Labrador | 95 | 5.3 | 0.72 | 0.43 | 0.05 | 57 | 2.8 | 0.50 | 0.29 | 0.04 |
| Canada, Ontario | 5220 | 10.0 | 0.16 | 1.01 | 0.02 | 3423 | 5.9 | 0.13 | 0.58 | 0.01 |
| *Canada, Prince Edward Island | 42 | 6.9 | 1.32 | 0.66 | 0.12 | 29 | 4.3 | 1.06 | 0.44 | 0.10 |
| Canada, Quebec | 2632 | 7.7 | 0.18 | 0.79 | 0.02 | 1605 | 4.4 | 0.15 | 0.43 | 0.01 |
| Canada, Saskatchewan | 470 | 10.5 | 0.54 | 1.12 | 0.07 | 264 | 5.8 | 0.43 | 0.57 | 0.05 |
| *Canada, Yukon | 7 | 8.2 | 3.50 | 0.64 | 0.25 | 2 | 1.6 | 1.12 | 0.19 | 0.14 |
| USA | 91169 | 7.9 | 0.03 | 0.80 | 0.00 | 60241 | 4.7 | 0.02 | 0.45 | 0.00 |
| USA: White | 80559 | 8.4 | 0.03 | 0.84 | 0.00 | 52340 | 5.1 | 0.03 | 0.48 | 0.00 |
| USA: Black | 6749 | 5.6 | 0.07 | 0.59 | 0.01 | 5226 | 3.5 | 0.05 | 0.36 | 0.01 |
| USA, NPCR | 88112 | 7.9 | 0.03 | 0.80 | 0.00 | 58105 | 4.7 | 0.02 | 0.45 | 0.00 |
| USA, NPCR: White | 77841 | 8.4 | 0.03 | 0.84 | 0.00 | 50458 | 5.1 | 0.03 | 0.48 | 0.00 |
| USA, NPCR: Black | 6665 | 5.6 | 0.07 | 0.59 | 0.01 | 5156 | 3.5 | 0.05 | 0.36 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 1690 | 3.8 | 0.10 | 0.32 | 0.01 | 1147 | 2.4 | 0.08 | 0.18 | 0.01 |
| USA, NPCR: American Indian | 355 | 3.4 | 0.18 | 0.30 | 0.02 | 239 | 2.1 | 0.14 | 0.18 | 0.01 |
| *USA, SEER (18 registries) | 23801 | 7.9 | 0.06 | 0.78 | 0.01 | 15986 | 4.8 | 0.05 | 0.46 | 0.00 |
| *USA, SEER (18 registries): White | 20349 | 8.6 | 0.07 | 0.85 | 0.01 | 13474 | 5.3 | 0.06 | 0.50 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 17623 | 8.8 | 0.08 | 0.89 | 0.01 | 11457 | 5.3 | 0.07 | 0.51 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 2726 | 6.2 | 0.12 | 0.51 | 0.01 | 2017 | 4.4 | 0.10 | 0.37 | 0.01 |
| *USA, SEER (18 registries): Black | 1792 | 5.7 | 0.14 | 0.61 | 0.02 | 1354 | 3.6 | 0.10 | 0.36 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 916 | 3.6 | 0.13 | 0.31 | 0.01 | 679 | 2.7 | 0.12 | 0.19 | 0.01 |
| *USA, SEER (9 registries) | 8756 | 8.3 | 0.10 | 0.84 | 0.01 | 5654 | 4.9 | 0.08 | 0.47 | 0.01 |
| *USA, SEER (9 registries): White | 7549 | 9.1 | 0.12 | 0.93 | 0.01 | 4781 | 5.3 | 0.10 | 0.52 | 0.01 |
| *USA, SEER (9 registries): Black | 633 | 6.1 | 0.25 | 0.65 | 0.03 | 461 | 3.6 | 0.18 | 0.35 | 0.02 |
| USA, Alabama | 1167 | 6.8 | 0.22 | 0.68 | 0.02 | 763 | 3.8 | 0.17 | 0.36 | 0.02 |
| USA, Alabama: White | 901 | 7.0 | 0.28 | 0.68 | 0.03 | 587 | 4.1 | 0.22 | 0.37 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lymphoid leukaemia (C91) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 191 | 5.1 | 0.38 | 0.55 | 0.05 | 136 | 2.7 | 0.26 | 0.29 | 0.03 |
| USA, Alaska | 141 | 6.1 | 0.55 | 0.62 | 0.06 | 83 | 4.0 | 0.48 | 0.36 | 0.05 |
| *USA, Alaska: Alaska Natives | 23 | 7.2 | 1.52 | 0.67 | 0.18 | 15 | 4.6 | 1.22 | 0.32 | 0.10 |
| USA, Arizona | 1415 | 5.8 | 0.18 | 0.55 | 0.02 | 856 | 3.7 | 0.15 | 0.30 | 0.01 |
| USA, Arizona: White | 1342 | 6.2 | 0.20 | 0.59 | 0.02 | 805 | 3.9 | 0.17 | 0.32 | 0.01 |
| USA, Arizona: Black | 25 | 2.7 | 0.55 | 0.33 | 0.08 | 17 | 1.8 | 0.44 | 0.22 | 0.07 |
| *USA, Arizona: Asian and Pacific Islander | 20 | 3.2 | 0.77 | 0.24 | 0.06 | 15 | 2.8 | 0.79 | 0.18 | 0.05 |
| USA, Arizona: American Indian | 23 | 2.6 | 0.55 | 0.21 | 0.06 | 19 | 1.9 | 0.44 | 0.13 | 0.04 |
| USA, Arkansas | 904 | 8.1 | 0.30 | 0.84 | 0.03 | 563 | 4.6 | 0.23 | 0.46 | 0.02 |
| USA, Arkansas: White | 790 | 8.3 | 0.34 | 0.85 | 0.04 | 474 | 4.7 | 0.28 | 0.45 | 0.03 |
| USA, Arkansas: Black | 87 | 6.9 | 0.75 | 0.74 | 0.10 | 67 | 4.0 | 0.51 | 0.46 | 0.07 |
| USA, California | 8995 | 7.3 | 0.09 | 0.70 | 0.01 | 5886 | 4.5 | 0.07 | 0.40 | 0.01 |
| USA, California: White | 7731 | 8.2 | 0.10 | 0.77 | 0.01 | 5010 | 5.0 | 0.08 | 0.45 | 0.01 |
| USA, California: Black | 448 | 5.5 | 0.27 | 0.56 | 0.03 | 317 | 3.4 | 0.21 | 0.34 | 0.02 |
| USA, California: Asian and Pacific Islander | 546 | 3.4 | 0.16 | 0.29 | 0.01 | 390 | 2.4 | 0.15 | 0.18 | 0.01 |
| *USA, California, Los Angeles County | 1953 | 6.7 | 0.17 | 0.61 | 0.02 | 1367 | 4.3 | 0.14 | 0.37 | 0.01 |
| *USA, California, Los Angeles County: White | 1601 | 7.6 | 0.21 | 0.69 | 0.02 | 1097 | 4.8 | 0.17 | 0.41 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | 972 | 8.3 | 0.35 | 0.82 | 0.03 | 647 | 5.1 | 0.29 | 0.47 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 629 | 6.0 | 0.24 | 0.47 | 0.02 | 450 | 4.1 | 0.20 | 0.31 | 0.02 |
| *USA, California, Los Angeles County: Black | 157 | 5.3 | 0.46 | 0.53 | 0.05 | 135 | 3.9 | 0.40 | 0.38 | 0.04 |
| *USA, California, Los Angeles County: Chinese | 22 | 1.7 | 0.46 | 0.11 | 0.03 | 20 | 1.1 | 0.33 | 0.08 | 0.02 |
| *USA, California, Los Angeles County: Filipino | 28 | 2.9 | 0.61 | 0.28 | 0.06 | 22 | 2.0 | 0.60 | 0.15 | 0.04 |
| *USA, California, Los Angeles County: Korean | 8 | 1.0 | 0.36 | 0.10 | 0.04 | 7 | 1.3 | 0.68 | 0.11 | 0.04 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 122 | 2.8 | 0.29 | 0.23 | 0.02 | 87 | 1.9 | 0.27 | 0.14 | 0.02 |
| *USA, California, San Francisco Bay Area | 1150 | 7.4 | 0.25 | 0.71 | 0.03 | 692 | 4.2 | 0.20 | 0.39 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 921 | 8.8 | 0.33 | 0.86 | 0.03 | 536 | 4.8 | 0.26 | 0.47 | 0.03 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 789 | 8.9 | 0.40 | 0.91 | 0.04 | 443 | 4.7 | 0.31 | 0.48 | 0.03 |
| *USA, California, San Francisco Bay Area: Hispanic White | 132 | 6.4 | 0.57 | 0.52 | 0.06 | 93 | 4.3 | 0.46 | 0.35 | 0.05 |
| *USA, California, San Francisco Bay Area: Black | 78 | 6.2 | 0.77 | 0.63 | 0.09 | 52 | 3.1 | 0.48 | 0.33 | 0.05 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 133 | 3.9 | 0.39 | 0.33 | 0.03 | 88 | 2.7 | 0.35 | 0.18 | 0.02 |
| USA, Colorado | 1387 | 7.5 | 0.22 | 0.75 | 0.02 | 861 | 4.5 | 0.18 | 0.43 | 0.02 |
| USA, Colorado: White | 1313 | 7.7 | 0.24 | 0.77 | 0.03 | 814 | 4.7 | 0.20 | 0.44 | 0.02 |
| *USA, Colorado: Black | 29 | 4.1 | 0.78 | 0.47 | 0.11 | 19 | 2.8 | 0.66 | 0.33 | 0.09 |
| *USA, Colorado: Asian and Pacific Islander | 16 | 4.6 | 1.20 | 0.23 | 0.07 | 9 | 1.7 | 0.60 | 0.14 | 0.06 |
| USA, Connecticut | 1105 | 8.1 | 0.28 | 0.83 | 0.03 | 858 | 5.3 | 0.23 | 0.53 | 0.02 |
| USA, Connecticut: White | 989 | 8.1 | 0.30 | 0.84 | 0.03 | 778 | 5.3 | 0.25 | 0.53 | 0.03 |
| USA, Connecticut: Black | 56 | 4.8 | 0.65 | 0.50 | 0.09 | 47 | 3.3 | 0.53 | 0.42 | 0.07 |
| USA, District of Columbia | 90 | 5.4 | 0.65 | 0.43 | 0.05 | 57 | 2.5 | 0.39 | 0.29 | 0.05 |
| USA, District of Columbia: White | 44 | 7.4 | 1.34 | 0.59 | 0.10 | 22 | 2.9 | 0.78 | 0.33 | 0.08 |
| USA, District of Columbia: Black | 43 | 4.3 | 0.73 | 0.34 | 0.06 | 33 | 2.6 | 0.52 | 0.28 | 0.06 |
| USA, Florida | 8520 | 9.7 | 0.13 | 0.99 | 0.01 | 5892 | 6.0 | 0.10 | 0.59 | 0.01 |
| USA, Florida: White | 7527 | 10.1 | 0.15 | 1.03 | 0.01 | 5078 | 6.3 | 0.12 | 0.61 | 0.01 |
| USA, Florida: Black | 613 | 6.4 | 0.26 | 0.65 | 0.03 | 488 | 4.2 | 0.20 | 0.43 | 0.02 |
| USA, Florida: Asian and Pacific Islander | 76 | 4.7 | 0.59 | 0.34 | 0.05 | 46 | 2.0 | 0.34 | 0.20 | 0.03 |
| USA, Georgia | 2658 | 8.0 | 0.17 | 0.80 | 0.02 | 1853 | 4.8 | 0.13 | 0.47 | 0.01 |
| USA, Georgia: White | 2060 | 8.8 | 0.22 | 0.86 | 0.02 | 1415 | 5.4 | 0.18 | 0.53 | 0.02 |
| USA, Georgia: Black | 547 | 6.5 | 0.28 | 0.69 | 0.04 | 384 | 3.5 | 0.19 | 0.35 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 45 | 4.3 | 0.66 | 0.40 | 0.08 | 42 | 4.2 | 0.71 | 0.30 | 0.05 |
| *USA, Georgia, Atlanta | 838 | 8.0 | 0.29 | 0.82 | 0.04 | 547 | 4.5 | 0.21 | 0.43 | 0.02 |
| *USA, Georgia, Atlanta: White | 574 | 9.5 | 0.43 | 0.95 | 0.05 | 366 | 5.6 | 0.34 | 0.55 | 0.04 |
| *USA, Georgia, Atlanta: Black | 239 | 6.7 | 0.44 | 0.71 | 0.06 | 157 | 3.2 | 0.27 | 0.31 | 0.03 |
| USA, Idaho | 550 | 8.9 | 0.42 | 0.89 | 0.05 | 360 | 5.5 | 0.34 | 0.51 | 0.03 |
| USA, Indiana | 1761 | 7.5 | 0.20 | 0.72 | 0.02 | 1124 | 4.2 | 0.15 | 0.40 | 0.02 |
| USA, Indiana: White | 1629 | 7.6 | 0.21 | 0.73 | 0.02 | 1050 | 4.4 | 0.17 | 0.41 | 0.02 |
| USA, Indiana: Black | 104 | 6.0 | 0.59 | 0.66 | 0.08 | 58 | 2.6 | 0.36 | 0.28 | 0.05 |
| *USA, Iowa | 1174 | 9.6 | 0.32 | 0.97 | 0.04 | 713 | 5.5 | 0.26 | 0.53 | 0.03 |
| USA, Kentucky | 1457 | 9.0 | 0.26 | 0.91 | 0.03 | 1006 | 5.5 | 0.21 | 0.54 | 0.02 |
| USA, Louisiana | 1234 | 7.4 | 0.23 | 0.76 | 0.03 | 859 | 4.5 | 0.18 | 0.46 | 0.02 |
| USA, Louisiana: White | 971 | 8.2 | 0.30 | 0.83 | 0.03 | 682 | 5.3 | 0.26 | 0.52 | 0.03 |
| USA, Louisiana: Black | 254 | 6.0 | 0.38 | 0.63 | 0.05 | 170 | 3.2 | 0.26 | 0.36 | 0.03 |
| *USA, Louisiana, New Orleans | 184 | 6.2 | 0.51 | 0.66 | 0.06 | 154 | 4.1 | 0.40 | 0.43 | 0.04 |
| *USA, Louisiana, New Orleans: White | 122 | 7.5 | 0.84 | 0.73 | 0.08 | 105 | 5.0 | 0.63 | 0.52 | 0.06 |
| *USA, Louisiana, New Orleans: Black | 58 | 5.2 | 0.70 | 0.62 | 0.10 | 44 | 3.2 | 0.53 | 0.33 | 0.06 |
| USA, Maine | 504 | 9.0 | 0.48 | 0.95 | 0.05 | 349 | 6.1 | 0.45 | 0.58 | 0.04 |
| USA, Maryland | 1390 | 6.8 | 0.20 | 0.64 | 0.02 | 976 | 4.0 | 0.15 | 0.38 | 0.02 |
| USA, Maryland: White | 1082 | 7.8 | 0.28 | 0.73 | 0.03 | 729 | 4.6 | 0.22 | 0.43 | 0.02 |
| USA, Maryland: Black | 257 | 4.9 | 0.32 | 0.50 | 0.04 | 218 | 3.1 | 0.23 | 0.34 | 0.03 |
| USA, Maryland: Asian and Pacific Islander | 29 | 2.7 | 0.55 | 0.24 | 0.05 | 17 | 1.5 | 0.43 | 0.11 | 0.03 |
| USA, Massachusetts | 1729 | 7.0 | 0.19 | 0.70 | 0.02 | 1227 | 4.5 | 0.16 | 0.43 | 0.02 |
| USA, Massachusetts: White | 1578 | 7.1 | 0.21 | 0.72 | 0.02 | 1103 | 4.5 | 0.18 | 0.43 | 0.02 |
| USA, Massachusetts: Black | 75 | 4.9 | 0.58 | 0.52 | 0.07 | 64 | 3.6 | 0.47 | 0.38 | 0.06 |
| USA, Massachusetts: Asian and Pacific Islander | 39 | 4.0 | 0.67 | 0.36 | 0.07 | 33 | 3.1 | 0.58 | 0.29 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Lymphoid leukaemia (C91) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 2900 | 7.7 | 0.16 | 0.77 | 0.02 | 1851 | 4.4 | 0.13 | 0.43 | 0.01 |
| USA, Michigan: White | 2578 | 8.1 | 0.19 | 0.80 | 0.02 | 1581 | 4.5 | 0.15 | 0.44 | 0.01 |
| USA, Michigan: Black | 219 | 5.2 | 0.36 | 0.52 | 0.04 | 178 | 3.5 | 0.29 | 0.33 | 0.03 |
| USA, Michigan: Asian and Pacific Islander | 28 | 3.6 | 0.71 | 0.30 | 0.07 | 21 | 2.8 | 0.65 | 0.19 | 0.05 |
| *USA, Michigan, Detroit | 1302 | 9.2 | 0.28 | 0.95 | 0.03 | 820 | 4.9 | 0.21 | 0.49 | 0.02 |
| *USA, Michigan, Detroit: White | 1091 | 10.4 | 0.37 | 1.06 | 0.04 | 649 | 5.2 | 0.27 | 0.53 | 0.03 |
| *USA, Michigan, Detroit: Black | 176 | 6.0 | 0.47 | 0.62 | 0.06 | 148 | 3.9 | 0.37 | 0.37 | 0.04 |
| USA, Minnesota | 1997 | 9.4 | 0.23 | 1.00 | 0.03 | 1135 | 5.1 | 0.18 | 0.49 | 0.02 |
| USA, Minnesota: White | 1883 | 9.6 | 0.25 | 1.02 | 0.03 | 1041 | 5.1 | 0.20 | 0.49 | 0.02 |
| USA, Minnesota: Black | 38 | 5.5 | 0.93 | 0.60 | 0.13 | 27 | 3.5 | 0.69 | 0.41 | 0.11 |
| *USA, Minnesota: Asian and Pacific Islander | 27 | 4.8 | 0.93 | 0.38 | 0.10 | 18 | 2.9 | 0.70 | 0.19 | 0.05 |
| USA, Mississippi | 691 | 6.8 | 0.28 | 0.71 | 0.03 | 450 | 3.9 | 0.22 | 0.37 | 0.02 |
| USA, Missouri | 1656 | 7.2 | 0.20 | 0.76 | 0.02 | 1072 | 4.3 | 0.16 | 0.44 | 0.02 |
| USA, Missouri: White | 1516 | 7.5 | 0.22 | 0.78 | 0.02 | 968 | 4.4 | 0.18 | 0.45 | 0.02 |
| USA, Missouri: Black | 126 | 6.2 | 0.56 | 0.69 | 0.08 | 93 | 3.6 | 0.40 | 0.42 | 0.05 |
| USA, Montana | 438 | 9.5 | 0.52 | 1.00 | 0.06 | 237 | 5.0 | 0.41 | 0.48 | 0.04 |
| *USA, Montana: American Indian | 5 | 2.5 | 1.15 | 0.30 | 0.14 | 5 | 2.4 | 1.10 | 0.23 | 0.11 |
| USA, Nebraska | 549 | 7.8 | 0.37 | 0.82 | 0.04 | 348 | 4.8 | 0.31 | 0.45 | 0.03 |
| USA, Nebraska: White | 519 | 7.9 | 0.39 | 0.82 | 0.04 | 332 | 5.0 | 0.34 | 0.46 | 0.03 |
| *USA, Nebraska: Black | 15 | 5.9 | 1.55 | 0.73 | 0.22 | 8 | 2.9 | 1.06 | 0.18 | 0.08 |
| USA, Nevada | 662 | 6.8 | 0.30 | 0.64 | 0.03 | 418 | 4.2 | 0.25 | 0.35 | 0.02 |
| USA, Nevada: White | 594 | 7.5 | 0.36 | 0.71 | 0.03 | 369 | 4.7 | 0.30 | 0.39 | 0.03 |
| USA, Nevada: Black | 39 | 4.6 | 0.75 | 0.41 | 0.08 | 20 | 2.2 | 0.53 | 0.15 | 0.04 |
| *USA, Nevada: Asian and Pacific Islander | 14 | 2.2 | 0.68 | 0.19 | 0.06 | 18 | 2.2 | 0.63 | 0.18 | 0.05 |
| USA, New Jersey | 2892 | 8.7 | 0.18 | 0.89 | 0.02 | 2088 | 5.6 | 0.15 | 0.54 | 0.01 |
| USA, New Jersey: White | 2437 | 9.2 | 0.22 | 0.93 | 0.02 | 1721 | 5.8 | 0.18 | 0.56 | 0.02 |
| USA, New Jersey: Black | 196 | 5.1 | 0.38 | 0.58 | 0.05 | 192 | 4.2 | 0.34 | 0.39 | 0.03 |
| USA, New Mexico | 535 | 7.3 | 0.36 | 0.70 | 0.04 | 391 | 4.9 | 0.30 | 0.43 | 0.03 |
| USA, New Mexico: White | 476 | 7.5 | 0.41 | 0.71 | 0.04 | 343 | 5.1 | 0.35 | 0.43 | 0.03 |
| USA, New Mexico: Non-Hispanic White | 322 | 7.9 | 0.62 | 0.78 | 0.05 | 216 | 5.7 | 0.61 | 0.47 | 0.04 |
| USA, New Mexico: Hispanic White | 154 | 6.2 | 0.53 | 0.54 | 0.05 | 127 | 4.5 | 0.44 | 0.39 | 0.04 |
| *USA, New Mexico: American Indian | 25 | 4.2 | 0.85 | 0.38 | 0.10 | 24 | 3.3 | 0.71 | 0.27 | 0.07 |
| USA, New York State | 6982 | 9.6 | 0.13 | 0.99 | 0.01 | 4791 | 5.5 | 0.10 | 0.56 | 0.01 |
| USA, New York State: White | 6092 | 10.8 | 0.16 | 1.11 | 0.02 | 4071 | 6.2 | 0.12 | 0.63 | 0.01 |
| USA, New York State: Black | 580 | 5.7 | 0.25 | 0.61 | 0.03 | 539 | 3.9 | 0.19 | 0.41 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 215 | 4.6 | 0.35 | 0.43 | 0.03 | 126 | 2.5 | 0.26 | 0.23 | 0.02 |
| USA, North Carolina | 2931 | 8.2 | 0.17 | 0.83 | 0.02 | 1951 | 4.6 | 0.12 | 0.46 | 0.01 |
| USA, North Carolina: White | 2448 | 8.7 | 0.20 | 0.88 | 0.02 | 1579 | 4.9 | 0.16 | 0.48 | 0.02 |
| USA, North Carolina: Black | 388 | 6.0 | 0.32 | 0.60 | 0.04 | 301 | 3.5 | 0.22 | 0.38 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 25 | 3.9 | 0.79 | 0.35 | 0.09 | 18 | 2.4 | 0.59 | 0.17 | 0.05 |
| *USA, North Carolina: American Indian | 16 | 3.6 | 0.92 | 0.38 | 0.11 | 10 | 1.7 | 0.53 | 0.14 | 0.07 |
| USA, North Dakota | 249 | 9.8 | 0.69 | 1.00 | 0.08 | 154 | 4.8 | 0.47 | 0.50 | 0.06 |
| USA, Ohio | 2845 | 6.6 | 0.14 | 0.65 | 0.01 | 1864 | 4.0 | 0.11 | 0.37 | 0.01 |
| USA, Ohio: White | 2522 | 6.8 | 0.16 | 0.66 | 0.02 | 1632 | 4.1 | 0.13 | 0.38 | 0.01 |
| USA, Ohio: Black | 214 | 4.8 | 0.34 | 0.51 | 0.04 | 171 | 3.0 | 0.25 | 0.33 | 0.03 |
| *USA, Ohio: Asian and Pacific Islander | 23 | 3.9 | 0.84 | 0.29 | 0.07 | 14 | 2.4 | 0.68 | 0.18 | 0.06 |
| USA, Oklahoma | 1065 | 7.4 | 0.25 | 0.77 | 0.03 | 703 | 4.6 | 0.20 | 0.44 | 0.02 |
| USA, Oklahoma: White | 927 | 7.6 | 0.28 | 0.80 | 0.03 | 616 | 4.8 | 0.24 | 0.45 | 0.02 |
| USA, Oklahoma: Black | 59 | 6.4 | 0.85 | 0.76 | 0.12 | 38 | 3.7 | 0.63 | 0.39 | 0.08 |
| USA, Oklahoma: American Indian | 57 | 5.5 | 0.73 | 0.50 | 0.08 | 36 | 3.3 | 0.56 | 0.32 | 0.06 |
| USA, Oregon | 1179 | 7.9 | 0.27 | 0.79 | 0.03 | 745 | 4.5 | 0.21 | 0.43 | 0.02 |
| USA, Oregon: White | 1111 | 7.9 | 0.28 | 0.80 | 0.03 | 717 | 4.7 | 0.23 | 0.44 | 0.02 |
| *USA, Oregon: Black | 18 | 7.2 | 1.72 | 0.94 | 0.29 | 8 | 3.5 | 1.25 | 0.45 | 0.17 |
| *USA, Oregon: Asian and Pacific Islander | 22 | 5.4 | 1.24 | 0.29 | 0.07 | 9 | 1.7 | 0.63 | 0.13 | 0.05 |
| USA, Rhode Island | 301 | 7.2 | 0.48 | 0.82 | 0.06 | 204 | 4.7 | 0.43 | 0.44 | 0.04 |
| USA, Rhode Island: White | 291 | 7.8 | 0.55 | 0.86 | 0.06 | 198 | 5.1 | 0.49 | 0.47 | 0.04 |
| *USA, Rhode Island: Black | 6 | 2.6 | 1.10 | 0.42 | 0.21 | 5 | 2.6 | 1.16 | 0.25 | 0.14 |
| USA, South Carolina | 1234 | 6.6 | 0.21 | 0.69 | 0.02 | 850 | 4.2 | 0.18 | 0.40 | 0.02 |
| USA, South Carolina: White | 1022 | 7.2 | 0.27 | 0.75 | 0.03 | 682 | 4.7 | 0.24 | 0.44 | 0.02 |
| USA, South Carolina: Black | 182 | 4.5 | 0.35 | 0.48 | 0.04 | 154 | 3.0 | 0.28 | 0.29 | 0.03 |
| USA, South Dakota | 279 | 8.0 | 0.54 | 0.79 | 0.06 | 191 | 5.9 | 0.52 | 0.54 | 0.05 |
| USA, Tennessee | 1819 | 7.6 | 0.20 | 0.78 | 0.02 | 1145 | 4.4 | 0.16 | 0.42 | 0.02 |
| USA, Tennessee: White | 1640 | 8.1 | 0.23 | 0.82 | 0.02 | 1007 | 4.7 | 0.19 | 0.43 | 0.02 |
| USA, Tennessee: Black | 147 | 4.9 | 0.41 | 0.54 | 0.06 | 120 | 3.2 | 0.31 | 0.34 | 0.04 |
| USA, Texas | 6469 | 7.7 | 0.10 | 0.75 | 0.01 | 4330 | 4.7 | 0.08 | 0.42 | 0.01 |
| USA, Texas: White | 5764 | 8.2 | 0.12 | 0.78 | 0.01 | 3850 | 5.0 | 0.09 | 0.45 | 0.01 |
| USA, Texas: Black | 533 | 6.0 | 0.26 | 0.67 | 0.04 | 374 | 3.4 | 0.19 | 0.35 | 0.02 |
| USA, Texas: Asian and Pacific Islander | 131 | 4.1 | 0.38 | 0.36 | 0.04 | 78 | 2.3 | 0.28 | 0.17 | 0.02 |
| USA, Utah | 731 | 8.3 | 0.32 | 0.83 | 0.04 | 449 | 5.1 | 0.26 | 0.49 | 0.03 |
| USA, Vermont | 183 | 7.5 | 0.67 | 0.72 | 0.06 | 118 | 4.4 | 0.56 | 0.41 | 0.05 |
| USA, Washington State | 2219 | 8.5 | 0.20 | 0.89 | 0.02 | 1379 | 5.1 | 0.16 | 0.49 | 0.02 |
| *USA, Washington, Seattle | 1678 | 9.5 | 0.26 | 1.00 | 0.03 | 1010 | 5.2 | 0.20 | 0.53 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Lymphoid leukaemia (C91) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 647 | 8.1 | 0.37 | 0.88 | 0.04 | 384 | 4.4 | 0.29 | 0.45 | 0.03 |
| USA, Wyoming | 159 | 7.3 | 0.64 | 0.76 | 0.07 | 97 | 4.8 | 0.58 | 0.44 | 0.05 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 43 | 2.9 | 0.45 | 0.23 | 0.06 | 15 | 1.2 | 0.31 | 0.14 | 0.05 |
| Brunei Darussalam | 22 | 2.6 | 0.56 | 0.23 | 0.07 | 11 | 1.3 | 0.42 | 0.09 | 0.03 |
| *China, Anfu County | 9 | 1.4 | 0.50 | 0.13 | 0.05 | 2 | 0.3 | 0.20 | 0.01 | 0.01 |
| *China, Anguo City | 3 | 0.2 | 0.13 | 0.03 | 0.02 | 2 | 0.4 | 0.28 | 0.03 | 0.02 |
| *China, Anshan City | 41 | 0.9 | 0.21 | 0.08 | 0.02 | 34 | 0.6 | 0.14 | 0.06 | 0.01 |
| *China, Aohan Banner, Chifeng City | 3 | 0.4 | 0.23 | 0.02 | 0.01 | 3 | 0.3 | 0.18 | 0.02 | 0.01 |
| *China, Arongqi | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.2 | 0.15 | 0.02 | 0.01 |
| *China, Baoding City | 27 | 1.0 | 0.22 | 0.08 | 0.02 | 14 | 0.6 | 0.19 | 0.04 | 0.01 |
| *China, Beijing City | 422 | 2.1 | 0.14 | 0.15 | 0.01 | 283 | 1.4 | 0.12 | 0.10 | 0.01 |
| *China, Binhai County | 37 | 1.0 | 0.19 | 0.09 | 0.02 | 31 | 1.0 | 0.20 | 0.11 | 0.02 |
| *China, Cangzhou City | 13 | 1.4 | 0.44 | 0.08 | 0.03 | 11 | 1.3 | 0.44 | 0.09 | 0.03 |
| China, Changfeng County | 19 | 1.8 | 0.47 | 0.12 | 0.03 | 16 | 1.5 | 0.45 | 0.13 | 0.04 |
| China, Changzhou City | 127 | 1.8 | 0.20 | 0.17 | 0.02 | 86 | 1.2 | 0.17 | 0.11 | 0.01 |
| China, Chengdu City | 61 | 2.1 | 0.32 | 0.17 | 0.03 | 42 | 1.6 | 0.30 | 0.13 | 0.02 |
| China, Cixian County | 31 | 2.6 | 0.48 | 0.12 | 0.02 | 12 | 1.0 | 0.30 | 0.08 | 0.02 |
| China, Cixi City | 43 | 2.0 | 0.41 | 0.12 | 0.02 | 39 | 1.2 | 0.26 | 0.11 | 0.02 |
| *China, Dafeng District, Yancheng City | 23 | 0.7 | 0.22 | 0.08 | 0.02 | 13 | 0.5 | 0.19 | 0.04 | 0.01 |
| China, Dalian City | 133 | 2.3 | 0.27 | 0.17 | 0.02 | 87 | 1.4 | 0.22 | 0.11 | 0.01 |
| *China, Dancheng County | 58 | 1.8 | 0.26 | 0.18 | 0.03 | 49 | 1.6 | 0.23 | 0.18 | 0.03 |
| China, Dangtu County | 22 | 2.4 | 0.63 | 0.24 | 0.06 | 7 | 0.6 | 0.22 | 0.07 | 0.03 |
| *China, Danyang City | 48 | 1.9 | 0.36 | 0.16 | 0.03 | 43 | 1.2 | 0.24 | 0.11 | 0.02 |
| *China, Dawukou District, Shizuishan City | 3 | 0.2 | 0.15 | 0.05 | 0.03 | 5 | 1.1 | 0.58 | 0.08 | 0.04 |
| *China, Dehui City | 20 | 1.2 | 0.29 | 0.09 | 0.02 | 21 | 1.1 | 0.28 | 0.09 | 0.02 |
| *China, Donggang County | 3 | 0.1 | 0.06 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dongguan City | 62 | 2.5 | 0.36 | 0.17 | 0.03 | 55 | 2.5 | 0.40 | 0.16 | 0.02 |
| China, Donghai County | 47 | 1.4 | 0.22 | 0.12 | 0.02 | 28 | 0.9 | 0.19 | 0.06 | 0.01 |
| *China, Dongtai City | 28 | 0.9 | 0.22 | 0.08 | 0.02 | 20 | 1.0 | 0.31 | 0.07 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 11 | 1.6 | 0.56 | 0.10 | 0.03 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| *China, Evenki Autonomous Banner | 4 | 2.0 | 1.14 | 0.13 | 0.11 | 2 | 0.7 | 0.47 | 0.07 | 0.06 |
| *China, Faku County | 7 | 0.9 | 0.44 | 0.05 | 0.02 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Fangcheng County | 25 | 1.2 | 0.25 | 0.10 | 0.02 | 13 | 0.6 | 0.16 | 0.05 | 0.02 |
| *China, Feicheng City | 27 | 1.2 | 0.26 | 0.09 | 0.02 | 27 | 1.2 | 0.29 | 0.08 | 0.02 |
| China, Feixi County | 56 | 2.3 | 0.35 | 0.16 | 0.02 | 30 | 1.1 | 0.24 | 0.09 | 0.02 |
| China, Fuqing City | 35 | 2.1 | 0.38 | 0.14 | 0.03 | 18 | 1.3 | 0.34 | 0.08 | 0.02 |
| *China, Ganyu District, Lianyungang City | 33 | 1.1 | 0.20 | 0.08 | 0.02 | 29 | 1.0 | 0.22 | 0.07 | 0.01 |
| *China, Ganzhou District, Zhangye City | 0 | – | 0.00 | – | 0.00 | 2 | 0.5 | 0.42 | 0.03 | 0.02 |
| *China, Gaocheng City | 25 | 1.7 | 0.36 | 0.09 | 0.02 | 35 | 2.8 | 0.50 | 0.15 | 0.03 |
| China, Gaomi City | 28 | 1.3 | 0.29 | 0.13 | 0.03 | 25 | 1.5 | 0.36 | 0.12 | 0.03 |
| China, Gong'an County | 25 | 1.2 | 0.28 | 0.08 | 0.02 | 18 | 0.8 | 0.23 | 0.06 | 0.02 |
| *China, Guang'an District, Guang'an City | 9 | 0.5 | 0.17 | 0.07 | 0.03 | 11 | 0.6 | 0.18 | 0.07 | 0.02 |
| China, Guanghan City | 10 | 1.4 | 0.53 | 0.11 | 0.04 | 10 | 1.2 | 0.52 | 0.09 | 0.03 |
| China, Guangzhou City | 442 | 2.3 | 0.12 | 0.17 | 0.01 | 338 | 1.8 | 0.12 | 0.13 | 0.01 |
| *China, Guanyun County | 33 | 1.2 | 0.23 | 0.10 | 0.02 | 27 | 1.0 | 0.20 | 0.09 | 0.02 |
| China, Guilin City | 23 | 1.2 | 0.26 | 0.13 | 0.03 | 21 | 1.0 | 0.24 | 0.11 | 0.03 |
| *China, Hai'an City | 40 | 0.9 | 0.20 | 0.09 | 0.02 | 40 | 0.7 | 0.13 | 0.09 | 0.02 |
| China, Hailar District, Hulun Buir City | 9 | 0.7 | 0.25 | 0.07 | 0.03 | 8 | 1.2 | 0.49 | 0.10 | 0.04 |
| China, Haimen District, Nantong City | 38 | 1.2 | 0.26 | 0.10 | 0.02 | 30 | 1.0 | 0.26 | 0.09 | 0.02 |
| China, Haining City | 35 | 2.6 | 0.54 | 0.17 | 0.03 | 22 | 1.5 | 0.43 | 0.10 | 0.02 |
| China, Hangzhou City | 351 | 2.1 | 0.14 | 0.15 | 0.01 | 235 | 1.5 | 0.12 | 0.10 | 0.01 |
| China, Hebi City | 19 | 1.9 | 0.46 | 0.15 | 0.04 | 14 | 1.9 | 0.52 | 0.13 | 0.04 |
| China, Hefei City | 113 | 2.0 | 0.21 | 0.14 | 0.02 | 79 | 1.4 | 0.18 | 0.12 | 0.02 |
| China, Hengdong County | 32 | 2.7 | 0.51 | 0.21 | 0.04 | 11 | 1.3 | 0.42 | 0.10 | 0.03 |
| *China, Hengfeng County | 3 | 0.6 | 0.35 | 0.03 | 0.02 | 3 | 0.9 | 0.57 | 0.08 | 0.05 |
| *China, Hepu County | 8 | 0.3 | 0.11 | 0.04 | 0.02 | 5 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Honghu City | 15 | 0.8 | 0.23 | 0.06 | 0.02 | 10 | 0.6 | 0.26 | 0.05 | 0.02 |
| China, Hongshan District, Chifeng City | 17 | 2.3 | 0.64 | 0.19 | 0.05 | 14 | 1.4 | 0.47 | 0.09 | 0.03 |
| *China, Hongta District, Yuxi City | 22 | 2.5 | 0.59 | 0.18 | 0.04 | 16 | 1.5 | 0.44 | 0.12 | 0.03 |
| *China, Huaiyin District, Huai'an City | 39 | 1.3 | 0.24 | 0.13 | 0.02 | 26 | 1.1 | 0.23 | 0.08 | 0.02 |
| *China, Jiange County | 9 | 0.8 | 0.28 | 0.06 | 0.02 | 3 | 0.4 | 0.22 | 0.02 | 0.01 |
| China, Jiangmen City | 41 | 3.1 | 0.54 | 0.23 | 0.04 | 22 | 1.9 | 0.46 | 0.12 | 0.03 |
| *China, Jiangyin City | 60 | 1.6 | 0.25 | 0.13 | 0.02 | 38 | 1.1 | 0.23 | 0.09 | 0.02 |
| *China, Jiashan County | 25 | 2.3 | 0.67 | 0.19 | 0.04 | 15 | 1.1 | 0.44 | 0.08 | 0.03 |
| China, Jiayu County | 3 | 0.4 | 0.23 | 0.04 | 0.02 | 1 | 0.1 | 0.14 | 0.03 | 0.03 |
| *China, Jinan City | 83 | 1.6 | 0.21 | 0.11 | 0.01 | 68 | 1.4 | 0.20 | 0.09 | 0.01 |
| *China, Jingtai County | 7 | 1.3 | 0.52 | 0.13 | 0.05 | 6 | 1.2 | 0.58 | 0.05 | 0.03 |
| *China, Jingxian County | 2 | 0.1 | 0.08 | 0.01 | 0.01 | 3 | 0.3 | 0.16 | 0.02 | 0.02 |
| *China, Jintan District, Changzhou City | 44 | 2.3 | 0.41 | 0.21 | 0.04 | 39 | 2.0 | 0.42 | 0.19 | 0.04 |
| *China, Jiulongpo District, Chongqing City | 44 | 2.0 | 0.36 | 0.17 | 0.03 | 33 | 1.5 | 0.32 | 0.15 | 0.03 |
| *China, Jiyuan City | 14 | 0.7 | 0.20 | 0.09 | 0.03 | 13 | 0.8 | 0.24 | 0.06 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Lymphoid leukaemia (C91) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 29 | 3.1 | 0.62 | 0.24 | 0.05 | 15 | 1.9 | 0.56 | 0.17 | 0.05 |
| China, Kunshan City | 68 | 3.3 | 0.49 | 0.28 | 0.04 | 30 | 1.1 | 0.26 | 0.11 | 0.02 |
| China, Langzhong City | 13 | 0.7 | 0.22 | 0.08 | 0.03 | 13 | 0.8 | 0.23 | 0.09 | 0.03 |
| *China, Liangshan County | 33 | 1.5 | 0.28 | 0.11 | 0.02 | 20 | 0.8 | 0.20 | 0.07 | 0.02 |
| *China, Lianshui County | 33 | 1.0 | 0.19 | 0.09 | 0.02 | 24 | 0.8 | 0.19 | 0.06 | 0.01 |
| China, Lianyungang City | 41 | 1.5 | 0.27 | 0.12 | 0.02 | 38 | 1.4 | 0.26 | 0.13 | 0.02 |
| China, Linhe District, Bayannur City | 57 | 4.5 | 0.63 | 0.42 | 0.07 | 13 | 0.9 | 0.26 | 0.08 | 0.03 |
| China, Linqu County | 32 | 1.6 | 0.32 | 0.11 | 0.02 | 27 | 1.4 | 0.32 | 0.10 | 0.02 |
| *China, Linzhou City | 15 | 0.5 | 0.15 | 0.04 | 0.01 | 10 | 0.4 | 0.13 | 0.03 | 0.01 |
| China, Liuzhou City | 64 | 2.2 | 0.31 | 0.17 | 0.03 | 36 | 1.4 | 0.26 | 0.11 | 0.02 |
| China, Liyang City | 46 | 1.5 | 0.27 | 0.14 | 0.02 | 48 | 1.5 | 0.27 | 0.14 | 0.02 |
| *China, Longquan City | 5 | 0.7 | 0.38 | 0.06 | 0.03 | 10 | 2.6 | 0.93 | 0.17 | 0.06 |
| China, Lucheng District, Wenzhou City | 22 | 2.1 | 0.58 | 0.14 | 0.04 | 21 | 2.5 | 0.65 | 0.18 | 0.04 |
| China, Luoding City | 41 | 2.2 | 0.35 | 0.16 | 0.03 | 18 | 1.2 | 0.30 | 0.08 | 0.02 |
| *China, Luohe City | 73 | 2.0 | 0.24 | 0.19 | 0.03 | 67 | 1.8 | 0.24 | 0.16 | 0.02 |
| *China, Luoyang City | 30 | 0.7 | 0.15 | 0.07 | 0.02 | 24 | 0.9 | 0.22 | 0.06 | 0.02 |
| *China, Luquan City | 11 | 1.1 | 0.34 | 0.09 | 0.03 | 19 | 2.8 | 0.70 | 0.17 | 0.05 |
| China, Ma'anshan City | 26 | 1.3 | 0.26 | 0.15 | 0.04 | 15 | 1.0 | 0.29 | 0.09 | 0.03 |
| *China, Macheng City | 8 | 0.5 | 0.20 | 0.04 | 0.02 | 4 | 0.2 | 0.10 | 0.02 | 0.01 |
| China, Meihekou City | 40 | 2.4 | 0.46 | 0.23 | 0.04 | 35 | 2.0 | 0.41 | 0.20 | 0.04 |
| *China, Mengjin County | 8 | 0.9 | 0.32 | 0.06 | 0.02 | 14 | 1.5 | 0.41 | 0.11 | 0.03 |
| China, Nangang District, Harbin City | 40 | 1.5 | 0.30 | 0.14 | 0.03 | 17 | 0.6 | 0.18 | 0.05 | 0.02 |
| *China, Nanghai District, Foshan City | 57 | 2.6 | 0.38 | 0.21 | 0.03 | 41 | 2.1 | 0.37 | 0.14 | 0.03 |
| China, Nanhu District, Jiaying City | 28 | 1.6 | 0.39 | 0.12 | 0.03 | 12 | 1.0 | 0.37 | 0.07 | 0.02 |
| *China, Nantong City | 49 | 1.4 | 0.29 | 0.12 | 0.02 | 38 | 1.2 | 0.29 | 0.08 | 0.02 |
| *China, Nanxiong City | 23 | 2.1 | 0.47 | 0.13 | 0.03 | 10 | 0.7 | 0.27 | 0.07 | 0.03 |
| China, Neixiang County | 20 | 1.2 | 0.27 | 0.09 | 0.02 | 14 | 0.9 | 0.25 | 0.07 | 0.02 |
| *China, Qianxi County | 59 | 5.2 | 0.76 | 0.48 | 0.08 | 50 | 5.0 | 0.77 | 0.36 | 0.06 |
| China, Qidong City | 61 | 1.6 | 0.29 | 0.13 | 0.02 | 67 | 1.6 | 0.30 | 0.15 | 0.02 |
| China, Qingzhou City | 27 | 1.4 | 0.32 | 0.12 | 0.03 | 33 | 2.1 | 0.45 | 0.15 | 0.03 |
| *China, Rudong County | 27 | 0.4 | 0.10 | 0.06 | 0.01 | 23 | 0.6 | 0.19 | 0.05 | 0.01 |
| *China, Rugao City | 52 | 1.2 | 0.23 | 0.10 | 0.02 | 41 | 0.8 | 0.17 | 0.08 | 0.01 |
| *China, Rural areas of Shanghai City | 400 | 2.0 | 0.14 | 0.14 | 0.01 | 278 | 1.3 | 0.11 | 0.09 | 0.01 |
| China, Ruyang County | 16 | 1.5 | 0.39 | 0.12 | 0.04 | 8 | 0.8 | 0.29 | 0.10 | 0.04 |
| *China, Shan County | 13 | 0.8 | 0.22 | 0.05 | 0.01 | 3 | 0.3 | 0.16 | 0.02 | 0.01 |
| China, Shanghai City | 357 | 2.1 | 0.17 | 0.15 | 0.01 | 256 | 1.7 | 0.17 | 0.12 | 0.01 |
| China, Shangyu District, Shaoxing City | 42 | 2.5 | 0.55 | 0.18 | 0.03 | 22 | 0.8 | 0.20 | 0.08 | 0.02 |
| *China, Shapingba District, Chongqing City | 26 | 1.5 | 0.39 | 0.10 | 0.02 | 16 | 0.7 | 0.25 | 0.07 | 0.02 |
| China, Shexian County | 27 | 2.2 | 0.45 | 0.22 | 0.05 | 14 | 1.2 | 0.35 | 0.13 | 0.04 |
| China, Sheyang County | 36 | 1.5 | 0.32 | 0.12 | 0.02 | 28 | 1.1 | 0.26 | 0.08 | 0.02 |
| *China, Shijiazhuang City | 72 | 2.4 | 0.33 | 0.17 | 0.02 | 65 | 2.2 | 0.32 | 0.16 | 0.02 |
| China, Shunde District, Foshan City | 70 | 2.7 | 0.34 | 0.23 | 0.03 | 48 | 1.9 | 0.32 | 0.13 | 0.02 |
| *China, Song County | 6 | 0.4 | 0.18 | 0.04 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 226 | 2.7 | 0.23 | 0.19 | 0.01 | 168 | 1.9 | 0.19 | 0.14 | 0.01 |
| *China, Tengzhou City | 81 | 2.1 | 0.25 | 0.17 | 0.02 | 43 | 1.2 | 0.23 | 0.10 | 0.02 |
| *China, Wangdu County | 1 | 0.2 | 0.18 | 0.03 | 0.03 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| *China, Wanxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 19 | 1.1 | 0.26 | 0.06 | 0.01 | 10 | 0.7 | 0.22 | 0.04 | 0.01 |
| China, Wuhan City | 306 | 2.6 | 0.19 | 0.19 | 0.01 | 242 | 2.3 | 0.19 | 0.17 | 0.01 |
| *China, Wuhu City | 41 | 1.4 | 0.27 | 0.10 | 0.02 | 28 | 1.1 | 0.25 | 0.09 | 0.02 |
| China, Wuxi City | 116 | 1.9 | 0.23 | 0.14 | 0.02 | 83 | 1.1 | 0.16 | 0.09 | 0.01 |
| China, Wuzhou City | 29 | 1.9 | 0.38 | 0.14 | 0.03 | 20 | 1.3 | 0.31 | 0.13 | 0.03 |
| China, Xiangfu District, Kaifeng City | 50 | 3.0 | 0.42 | 0.27 | 0.05 | 65 | 3.5 | 0.46 | 0.34 | 0.05 |
| China, Xianju County | 18 | 1.1 | 0.31 | 0.11 | 0.03 | 13 | 0.8 | 0.24 | 0.06 | 0.02 |
| *China, Xin'an County | 4 | 0.4 | 0.18 | 0.05 | 0.03 | 5 | 0.6 | 0.33 | 0.04 | 0.02 |
| *China, Xining City | 12 | 0.8 | 0.27 | 0.07 | 0.02 | 7 | 0.4 | 0.17 | 0.02 | 0.01 |
| *China, Xinji City | 18 | 1.3 | 0.36 | 0.08 | 0.02 | 23 | 2.1 | 0.50 | 0.11 | 0.03 |
| *China, Xinluo District, Longyan City | 5 | 0.7 | 0.35 | 0.04 | 0.02 | 7 | 1.1 | 0.46 | 0.10 | 0.04 |
| *China, Xinzhou District, Shangrao City | 7 | 0.5 | 0.22 | 0.05 | 0.02 | 2 | 0.3 | 0.21 | 0.01 | 0.01 |
| China, Xiping County | 35 | 1.6 | 0.29 | 0.12 | 0.02 | 27 | 1.5 | 0.33 | 0.11 | 0.02 |
| *China, Xishan District, Kunming City | 38 | 4.6 | 0.96 | 0.40 | 0.07 | 17 | 1.2 | 0.37 | 0.11 | 0.03 |
| *China, Xuyi County | 8 | 0.5 | 0.19 | 0.04 | 0.02 | 7 | 0.3 | 0.12 | 0.02 | 0.01 |
| *China, Ya'an City | 39 | 1.0 | 0.17 | 0.07 | 0.01 | 28 | 0.8 | 0.16 | 0.06 | 0.01 |
| *China, Yakeshi City | 9 | 1.1 | 0.67 | 0.08 | 0.04 | 10 | 0.7 | 0.27 | 0.07 | 0.03 |
| China, Yancheng City | 61 | 1.6 | 0.24 | 0.13 | 0.02 | 42 | 1.0 | 0.20 | 0.09 | 0.02 |
| *China, Yangquan City | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.3 | 0.17 | 0.02 | 0.01 |
| *China, Yangzhong City | 3 | 0.3 | 0.16 | 0.04 | 0.02 | 3 | 0.7 | 0.49 | 0.04 | 0.02 |
| *China, Yanji City | 16 | 2.0 | 0.59 | 0.12 | 0.03 | 11 | 1.6 | 0.54 | 0.08 | 0.03 |
| *China, Yanshi City | 11 | 0.8 | 0.25 | 0.05 | 0.02 | 16 | 1.2 | 0.36 | 0.09 | 0.02 |
| China, Yanting County | 42 | 2.7 | 0.45 | 0.29 | 0.05 | 36 | 2.4 | 0.44 | 0.19 | 0.04 |
| *China, Yi'an District, Tongling City | 9 | 1.2 | 0.45 | 0.14 | 0.05 | 3 | 0.6 | 0.40 | 0.03 | 0.02 |
| *China, Yingdong District, Fuyang City | 13 | 0.9 | 0.25 | 0.07 | 0.02 | 9 | 0.8 | 0.28 | 0.05 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Lymphoid leukaemia (C91) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 15 | 2.5 | 0.84 | 0.18 | 0.06 | 6 | 0.9 | 0.53 | 0.06 | 0.04 |
| *China, Yiyuan County | 13 | 1.2 | 0.40 | 0.10 | 0.03 | 12 | 0.8 | 0.25 | 0.07 | 0.02 |
| China, Yong'an City | 19 | 2.4 | 0.61 | 0.22 | 0.05 | 15 | 1.9 | 0.55 | 0.15 | 0.04 |
| *China, Yongding District, Longyan City | 12 | 1.1 | 0.34 | 0.06 | 0.02 | 14 | 1.4 | 0.39 | 0.10 | 0.03 |
| China, Yongkang City | 40 | 2.9 | 0.53 | 0.19 | 0.04 | 19 | 1.0 | 0.28 | 0.09 | 0.02 |
| *China, Yucheng County | 11 | 0.6 | 0.19 | 0.05 | 0.02 | 7 | 0.6 | 0.23 | 0.03 | 0.01 |
| China, Yueyanglou District, Yueyang City | 21 | 2.9 | 0.71 | 0.20 | 0.05 | 22 | 3.2 | 0.76 | 0.27 | 0.06 |
| China, Yunmeng County | 17 | 1.2 | 0.30 | 0.10 | 0.03 | 14 | 1.1 | 0.34 | 0.08 | 0.02 |
| *China, Yunyang District, Shiyuan City | 4 | 0.6 | 0.38 | 0.04 | 0.02 | 8 | 0.9 | 0.33 | 0.07 | 0.03 |
| China, Yuzhong District, Chongqing City | 55 | 3.3 | 0.62 | 0.31 | 0.06 | 34 | 2.1 | 0.47 | 0.22 | 0.05 |
| *China, Zhanhuang County | 13 | 2.1 | 0.58 | 0.11 | 0.03 | 17 | 3.1 | 0.83 | 0.20 | 0.05 |
| *China, Zhangjiagang City | 51 | 1.6 | 0.31 | 0.17 | 0.03 | 33 | 0.9 | 0.20 | 0.09 | 0.02 |
| *China, Zhaoyuan City | 18 | 1.0 | 0.30 | 0.09 | 0.03 | 13 | 1.0 | 0.38 | 0.07 | 0.02 |
| *China, Zhengding County | 12 | 1.2 | 0.38 | 0.13 | 0.04 | 17 | 2.3 | 0.58 | 0.12 | 0.03 |
| *China, Zhongshan City | 79 | 2.4 | 0.30 | 0.17 | 0.02 | 61 | 1.8 | 0.27 | 0.11 | 0.02 |
| China, Zhongxiang City | 53 | 2.0 | 0.32 | 0.19 | 0.03 | 36 | 1.4 | 0.27 | 0.11 | 0.02 |
| *China, Zhuanghe City | 33 | 1.2 | 0.30 | 0.12 | 0.02 | 21 | 1.6 | 0.42 | 0.10 | 0.02 |
| *China, Zhuhai City | 80 | 3.1 | 0.38 | 0.23 | 0.03 | 56 | 2.5 | 0.39 | 0.16 | 0.02 |
| India, Ahmedabad, Urban | 289 | 2.5 | 0.15 | 0.24 | 0.02 | 129 | 1.2 | 0.11 | 0.11 | 0.01 |
| India, Aurangabad | 71 | 2.3 | 0.28 | 0.17 | 0.03 | 35 | 1.1 | 0.20 | 0.08 | 0.02 |
| India, Bangalore | 329 | 2.9 | 0.17 | 0.29 | 0.02 | 189 | 1.7 | 0.13 | 0.14 | 0.01 |
| India, Barshi, Paranda, and Bhum | 10 | 0.7 | 0.22 | 0.09 | 0.03 | 5 | 0.5 | 0.23 | 0.02 | 0.01 |
| *India, Bhopal | 58 | 2.1 | 0.29 | 0.19 | 0.03 | 20 | 0.7 | 0.16 | 0.06 | 0.02 |
| India, Chandigarh | 54 | 2.1 | 0.29 | 0.17 | 0.03 | 29 | 1.3 | 0.25 | 0.11 | 0.03 |
| *India, Chennai | 236 | 2.4 | 0.16 | 0.17 | 0.01 | 154 | 1.6 | 0.13 | 0.11 | 0.01 |
| India, Dibrugarh | 20 | 0.6 | 0.14 | 0.04 | 0.01 | 14 | 0.5 | 0.13 | 0.02 | 0.01 |
| *India, Dindigul, Ambilikkai | 75 | 1.4 | 0.17 | 0.11 | 0.01 | 38 | 0.8 | 0.13 | 0.05 | 0.01 |
| India, Kamrup Urban District | 25 | 1.1 | 0.24 | 0.08 | 0.02 | 16 | 0.7 | 0.19 | 0.05 | 0.01 |
| India, Kollam | 85 | 1.9 | 0.22 | 0.13 | 0.02 | 62 | 1.3 | 0.17 | 0.09 | 0.01 |
| *India, Manipur | 42 | 0.7 | 0.12 | 0.07 | 0.01 | 37 | 0.7 | 0.11 | 0.05 | 0.01 |
| India, Meghalaya | 21 | 0.4 | 0.09 | 0.03 | 0.01 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| India, Mizoram | 25 | 1.2 | 0.25 | 0.10 | 0.03 | 19 | 0.9 | 0.21 | 0.07 | 0.03 |
| India, Mumbai | 569 | 2.0 | 0.09 | 0.14 | 0.01 | 297 | 1.1 | 0.07 | 0.08 | 0.01 |
| *India, New Delhi | 899 | 3.9 | 0.13 | 0.30 | 0.01 | 418 | 2.0 | 0.10 | 0.15 | 0.01 |
| India, Poona | 140 | 1.2 | 0.10 | 0.09 | 0.01 | 88 | 0.8 | 0.09 | 0.06 | 0.01 |
| *India, Sangrur District | 45 | 1.8 | 0.27 | 0.14 | 0.02 | 12 | 0.5 | 0.16 | 0.05 | 0.02 |
| India, SAS Nagar | 54 | 2.1 | 0.29 | 0.19 | 0.03 | 31 | 1.3 | 0.23 | 0.10 | 0.02 |
| *India, Tamil Nadu | 2630 | 1.6 | 0.03 | 0.11 | 0.00 | 1517 | 1.0 | 0.03 | 0.06 | 0.00 |
| *India, Tripura | 53 | 0.8 | 0.11 | 0.07 | 0.01 | 29 | 0.4 | 0.08 | 0.03 | 0.01 |
| India, Trivandrum | 139 | 2.4 | 0.22 | 0.18 | 0.02 | 70 | 1.2 | 0.16 | 0.09 | 0.01 |
| India, Wardha | 41 | 1.6 | 0.25 | 0.10 | 0.02 | 26 | 1.0 | 0.21 | 0.07 | 0.01 |
| India, West Arunachal | 6 | 0.3 | 0.12 | 0.02 | 0.01 | 11 | 0.9 | 0.29 | 0.08 | 0.03 |
| *Iran (Islamic Republic of), Ardabil Province | 65 | 3.8 | 0.49 | 0.50 | 0.08 | 42 | 2.4 | 0.38 | 0.28 | 0.05 |
| *Iran (Islamic Republic of), Golestan Province | 132 | 5.6 | 0.50 | 0.46 | 0.06 | 82 | 3.4 | 0.38 | 0.31 | 0.05 |
| Israel | 1180 | 4.8 | 0.14 | 0.47 | 0.02 | 840 | 2.9 | 0.11 | 0.27 | 0.01 |
| *Israel: Jews | 993 | 4.8 | 0.16 | 0.48 | 0.02 | 709 | 2.9 | 0.12 | 0.28 | 0.01 |
| *Israel: Arabs | 145 | 3.9 | 0.34 | 0.37 | 0.04 | 101 | 2.7 | 0.28 | 0.26 | 0.04 |
| Japan | 6392 | 2.7 | 0.05 | 0.21 | 0.00 | 5268 | 2.0 | 0.04 | 0.16 | 0.00 |
| Japan, Aichi Prefecture | 346 | 2.7 | 0.19 | 0.21 | 0.01 | 239 | 1.9 | 0.17 | 0.15 | 0.01 |
| *Japan, Akita Prefecture | 38 | 2.5 | 0.58 | 0.18 | 0.04 | 33 | 1.6 | 0.50 | 0.11 | 0.03 |
| Japan, Aomori Prefecture | 83 | 2.0 | 0.32 | 0.16 | 0.02 | 70 | 1.9 | 0.37 | 0.13 | 0.02 |
| Japan, Gunma Prefecture | 62 | 1.8 | 0.31 | 0.12 | 0.02 | 48 | 1.3 | 0.29 | 0.10 | 0.02 |
| Japan, Hiroshima Prefecture | 183 | 2.8 | 0.28 | 0.21 | 0.02 | 136 | 1.9 | 0.23 | 0.14 | 0.02 |
| Japan, Miyagi Prefecture | 194 | 2.9 | 0.29 | 0.23 | 0.02 | 161 | 2.4 | 0.28 | 0.18 | 0.02 |
| Japan, Osaka Prefecture | 458 | 2.8 | 0.18 | 0.23 | 0.01 | 412 | 2.3 | 0.17 | 0.18 | 0.01 |
| Kuwait | 243 | 3.2 | 0.24 | 0.27 | 0.03 | 120 | 2.0 | 0.20 | 0.14 | 0.02 |
| *Kuwait: Kuwaitis | 108 | 4.1 | 0.43 | 0.39 | 0.06 | 59 | 1.9 | 0.26 | 0.13 | 0.03 |
| *Kuwait: Non-Kuwaitis | 135 | 2.9 | 0.37 | 0.22 | 0.03 | 61 | 2.2 | 0.34 | 0.16 | 0.04 |
| *Philippines, Manila | 350 | 2.3 | 0.13 | 0.15 | 0.01 | 227 | 1.6 | 0.10 | 0.10 | 0.01 |
| *Qatar: Qatari | 26 | 4.7 | 1.03 | 0.51 | 0.16 | 13 | 2.1 | 0.62 | 0.17 | 0.07 |
| Republic of Korea | 2203 | 2.1 | 0.05 | 0.14 | 0.00 | 1743 | 1.6 | 0.05 | 0.11 | 0.00 |
| *Republic of Korea, Busan | 158 | 2.2 | 0.22 | 0.15 | 0.01 | 127 | 1.7 | 0.19 | 0.11 | 0.01 |
| *Republic of Korea, Daegu | 102 | 1.9 | 0.23 | 0.13 | 0.01 | 78 | 1.6 | 0.23 | 0.11 | 0.01 |
| *Republic of Korea, Daejeon | 58 | 1.6 | 0.24 | 0.13 | 0.02 | 54 | 1.4 | 0.23 | 0.12 | 0.02 |
| *Republic of Korea, Gwangju | 77 | 2.7 | 0.34 | 0.16 | 0.02 | 44 | 1.5 | 0.27 | 0.10 | 0.02 |
| Republic of Korea, Incheon | 133 | 2.2 | 0.22 | 0.16 | 0.02 | 89 | 1.5 | 0.19 | 0.11 | 0.01 |
| Republic of Korea, Jeju | 30 | 2.4 | 0.51 | 0.15 | 0.03 | 26 | 2.1 | 0.50 | 0.15 | 0.03 |
| Republic of Korea, Seoul | 414 | 2.0 | 0.12 | 0.14 | 0.01 | 336 | 1.7 | 0.12 | 0.12 | 0.01 |
| Republic of Korea, Ulsan | 44 | 1.5 | 0.26 | 0.11 | 0.02 | 28 | 1.1 | 0.25 | 0.07 | 0.02 |
| Singapore | 270 | 3.1 | 0.22 | 0.22 | 0.02 | 176 | 1.9 | 0.18 | 0.14 | 0.01 |
| Singapore: Chinese | 203 | 3.0 | 0.25 | 0.22 | 0.02 | 131 | 1.7 | 0.19 | 0.14 | 0.01 |
| Singapore: Indian | 27 | 3.7 | 0.79 | 0.25 | 0.06 | 16 | 2.6 | 0.72 | 0.18 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Lymphoid leukaemia (C91) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 32 | 3.0 | 0.57 | 0.21 | 0.04 | 23 | 2.3 | 0.53 | 0.13 | 0.03 |
| Thailand, Bangkok | 208 | 1.6 | 0.12 | 0.13 | 0.01 | 179 | 1.2 | 0.11 | 0.10 | 0.01 |
| *Thailand, Chiang Mai | 60 | 2.0 | 0.29 | 0.12 | 0.02 | 52 | 1.6 | 0.27 | 0.11 | 0.02 |
| *Thailand, Khon Kaen | 52 | 1.6 | 0.25 | 0.10 | 0.01 | 52 | 1.6 | 0.26 | 0.10 | 0.01 |
| Thailand, Lampang | 29 | 2.0 | 0.43 | 0.15 | 0.03 | 25 | 1.7 | 0.43 | 0.11 | 0.03 |
| Thailand, Lopburi Province | 18 | 1.1 | 0.28 | 0.06 | 0.02 | 13 | 0.7 | 0.19 | 0.07 | 0.02 |
| *Thailand, Songkhla | 72 | 2.2 | 0.27 | 0.19 | 0.03 | 41 | 1.5 | 0.24 | 0.10 | 0.02 |
| Turkey, Antalya | 238 | 4.5 | 0.30 | 0.38 | 0.03 | 162 | 3.1 | 0.26 | 0.24 | 0.02 |
| Turkey, Bursa | 232 | 3.6 | 0.25 | 0.26 | 0.02 | 149 | 2.4 | 0.21 | 0.18 | 0.02 |
| *Turkey, Edirne | 36 | 3.2 | 0.61 | 0.26 | 0.05 | 24 | 2.1 | 0.51 | 0.20 | 0.05 |
| *Turkey, Erzurum | 82 | 4.5 | 0.51 | 0.45 | 0.06 | 50 | 2.5 | 0.36 | 0.19 | 0.04 |
| Turkey, Eskişehir | 64 | 2.9 | 0.40 | 0.31 | 0.05 | 73 | 3.5 | 0.47 | 0.30 | 0.04 |
| Turkey, Gaziantep | 194 | 4.9 | 0.36 | 0.49 | 0.05 | 115 | 2.7 | 0.26 | 0.26 | 0.03 |
| *Turkey, Izmir | 526 | 4.9 | 0.23 | 0.43 | 0.02 | 356 | 3.2 | 0.19 | 0.28 | 0.02 |
| Turkey, Malatya | 78 | 4.1 | 0.48 | 0.37 | 0.05 | 54 | 2.8 | 0.41 | 0.23 | 0.04 |
| Turkey, Samsun | 126 | 4.0 | 0.38 | 0.33 | 0.03 | 90 | 2.7 | 0.31 | 0.21 | 0.03 |
| Turkey, Trabzon | 110 | 5.7 | 0.59 | 0.45 | 0.05 | 84 | 3.8 | 0.48 | 0.28 | 0.04 |
| Europe | | | | | | | | | | |
| Austria | 1377 | 4.4 | 0.15 | 0.40 | 0.01 | 992 | 2.9 | 0.14 | 0.24 | 0.01 |
| Austria, Carinthia | 99 | 3.5 | 0.40 | 0.42 | 0.05 | 75 | 2.2 | 0.33 | 0.24 | 0.04 |
| Austria, Tyrol | 96 | 3.6 | 0.46 | 0.32 | 0.04 | 55 | 2.5 | 0.48 | 0.18 | 0.03 |
| Austria, Vorarlberg | 63 | 4.9 | 0.75 | 0.47 | 0.07 | 54 | 4.5 | 0.82 | 0.38 | 0.06 |
| Belarus | 1816 | 6.7 | 0.17 | 0.69 | 0.02 | 1494 | 3.9 | 0.13 | 0.39 | 0.01 |
| *Belgium | 3464 | 7.9 | 0.16 | 0.82 | 0.02 | 2348 | 4.7 | 0.12 | 0.49 | 0.01 |
| Croatia | 797 | 5.1 | 0.23 | 0.47 | 0.02 | 656 | 3.4 | 0.20 | 0.28 | 0.02 |
| Cyprus | 161 | 6.2 | 0.57 | 0.54 | 0.05 | 84 | 3.2 | 0.45 | 0.25 | 0.03 |
| *Czech Republic | 2066 | 4.8 | 0.12 | 0.53 | 0.01 | 1295 | 2.6 | 0.10 | 0.26 | 0.01 |
| Denmark | 1940 | 8.0 | 0.21 | 0.84 | 0.02 | 1157 | 4.5 | 0.17 | 0.47 | 0.02 |
| Estonia | 362 | 7.5 | 0.44 | 0.78 | 0.05 | 318 | 4.2 | 0.33 | 0.41 | 0.03 |
| Finland | 1309 | 6.1 | 0.21 | 0.56 | 0.02 | 830 | 3.6 | 0.18 | 0.30 | 0.01 |
| *France, Bas-Rhin | 312 | 9.1 | 0.59 | 0.92 | 0.06 | 190 | 5.2 | 0.50 | 0.48 | 0.05 |
| *France, Calvados | 224 | 8.2 | 0.67 | 0.80 | 0.07 | 145 | 3.9 | 0.45 | 0.37 | 0.04 |
| *France, Doubs | 163 | 7.3 | 0.67 | 0.74 | 0.08 | 113 | 3.9 | 0.49 | 0.38 | 0.05 |
| *France, Gironde | 469 | 7.5 | 0.40 | 0.85 | 0.05 | 372 | 5.0 | 0.35 | 0.49 | 0.03 |
| *France, Haut-Rhin | 258 | 7.6 | 0.54 | 0.81 | 0.06 | 159 | 4.5 | 0.47 | 0.43 | 0.04 |
| *France, Hérault | 353 | 7.8 | 0.51 | 0.80 | 0.05 | 240 | 4.2 | 0.35 | 0.46 | 0.04 |
| *France, Isère | 353 | 7.5 | 0.46 | 0.71 | 0.05 | 199 | 3.7 | 0.33 | 0.35 | 0.03 |
| *France, Lille-Métropole | 192 | 7.5 | 0.60 | 0.67 | 0.06 | 145 | 4.6 | 0.47 | 0.43 | 0.05 |
| *France, Limousin | 107 | 6.2 | 0.74 | 0.59 | 0.07 | 72 | 3.3 | 0.54 | 0.34 | 0.05 |
| *France, Loire-Atlantique | 440 | 8.8 | 0.47 | 0.87 | 0.05 | 300 | 4.8 | 0.35 | 0.48 | 0.04 |
| *France, Manche | 144 | 6.4 | 0.66 | 0.68 | 0.07 | 105 | 4.0 | 0.55 | 0.40 | 0.05 |
| *France, Poitou-Charentes | 664 | 7.2 | 0.35 | 0.73 | 0.04 | 410 | 4.5 | 0.33 | 0.40 | 0.03 |
| *France, Somme | 133 | 6.1 | 0.61 | 0.64 | 0.07 | 96 | 3.8 | 0.50 | 0.37 | 0.05 |
| *France, Tarn | 116 | 6.4 | 0.78 | 0.64 | 0.08 | 87 | 3.9 | 0.56 | 0.41 | 0.06 |
| *France, Territoire de Belfort | 29 | 6.3 | 1.32 | 0.62 | 0.15 | 18 | 2.5 | 0.70 | 0.30 | 0.10 |
| *France, Vendée | 266 | 8.4 | 0.63 | 0.85 | 0.07 | 192 | 5.9 | 0.59 | 0.57 | 0.05 |
| Germany, Baden-Württemberg | 1544 | 4.5 | 0.13 | 0.51 | 0.02 | 981 | 2.3 | 0.09 | 0.28 | 0.01 |
| Germany, Bavaria | 2794 | 4.8 | 0.11 | 0.50 | 0.01 | 1788 | 2.7 | 0.09 | 0.26 | 0.01 |
| Germany, Bremen | 134 | 4.1 | 0.43 | 0.42 | 0.05 | 76 | 1.6 | 0.22 | 0.18 | 0.03 |
| Germany, Hamburg | 533 | 7.0 | 0.37 | 0.77 | 0.04 | 403 | 4.4 | 0.28 | 0.47 | 0.03 |
| Germany, Lower Saxony | 2293 | 6.4 | 0.18 | 0.62 | 0.02 | 1540 | 4.0 | 0.16 | 0.36 | 0.01 |
| Germany, North Rhine-Westphalia | 3822 | 4.9 | 0.10 | 0.49 | 0.01 | 2649 | 2.9 | 0.08 | 0.27 | 0.01 |
| Germany, Rhineland-Palatinate | 1106 | 6.3 | 0.25 | 0.63 | 0.02 | 751 | 3.5 | 0.19 | 0.32 | 0.02 |
| Germany, Saarland | 233 | 5.0 | 0.41 | 0.54 | 0.04 | 158 | 3.0 | 0.38 | 0.30 | 0.03 |
| Germany, Schleswig-Holstein | 892 | 6.5 | 0.29 | 0.64 | 0.03 | 591 | 3.7 | 0.22 | 0.36 | 0.02 |
| Iceland | 72 | 6.4 | 0.85 | 0.57 | 0.08 | 40 | 4.2 | 0.77 | 0.34 | 0.06 |
| Ireland | 1012 | 6.5 | 0.22 | 0.65 | 0.02 | 567 | 3.7 | 0.18 | 0.33 | 0.02 |
| *Italy, Aosta Valley | 15 | 3.9 | 1.26 | 0.36 | 0.11 | 11 | 3.3 | 1.34 | 0.27 | 0.10 |
| *Italy, Avellino | 39 | 5.0 | 1.13 | 0.39 | 0.08 | 24 | 2.2 | 0.54 | 0.23 | 0.06 |
| Italy, Basilicata | 101 | 4.2 | 0.58 | 0.41 | 0.05 | 61 | 2.1 | 0.36 | 0.20 | 0.04 |
| *Italy, Benevento | 38 | 4.5 | 0.97 | 0.41 | 0.08 | 29 | 2.2 | 0.52 | 0.22 | 0.06 |
| Italy, Bergamo | 248 | 6.0 | 0.48 | 0.57 | 0.04 | 145 | 3.2 | 0.37 | 0.30 | 0.03 |
| *Italy, Brescia | 133 | 3.0 | 0.34 | 0.26 | 0.03 | 75 | 1.8 | 0.27 | 0.16 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 130 | 5.2 | 0.60 | 0.46 | 0.05 | 76 | 2.9 | 0.47 | 0.24 | 0.03 |
| Italy, Calabria | 130 | 5.9 | 0.65 | 0.58 | 0.06 | 87 | 4.5 | 0.69 | 0.37 | 0.05 |
| *Italy, Caserta | 122 | 5.0 | 0.53 | 0.48 | 0.05 | 94 | 3.9 | 0.53 | 0.32 | 0.04 |
| *Italy, Catania, Messina, and Enna | 345 | 5.3 | 0.37 | 0.46 | 0.03 | 235 | 3.3 | 0.30 | 0.28 | 0.02 |
| Italy, Emilia-Romagna | 754 | 5.3 | 0.27 | 0.46 | 0.02 | 523 | 3.3 | 0.23 | 0.25 | 0.02 |
| Italy, Friuli-Venezia Giulia | 200 | 4.6 | 0.48 | 0.39 | 0.03 | 145 | 2.7 | 0.39 | 0.21 | 0.02 |
| Italy, Genova | 231 | 6.3 | 0.59 | 0.64 | 0.06 | 150 | 2.8 | 0.35 | 0.31 | 0.04 |
| *Italy, Lombardy, South, Pavia | 88 | 4.6 | 0.70 | 0.40 | 0.05 | 66 | 2.4 | 0.51 | 0.20 | 0.04 |
| Italy, Mantova and Cremona | 111 | 4.1 | 0.54 | 0.41 | 0.05 | 76 | 2.9 | 0.54 | 0.20 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Lymphoid leukaemia (C91) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 252 | 4.5 | 0.37 | 0.48 | 0.04 | 166 | 3.1 | 0.36 | 0.28 | 0.03 |
| Italy, Milan | 546 | 4.5 | 0.26 | 0.40 | 0.02 | 388 | 3.2 | 0.24 | 0.25 | 0.02 |
| Italy, Molise | 42 | 6.9 | 1.49 | 0.62 | 0.11 | 29 | 4.3 | 1.29 | 0.30 | 0.08 |
| *Italy, Naples Centre | 57 | 3.2 | 0.52 | 0.31 | 0.05 | 33 | 1.8 | 0.44 | 0.13 | 0.03 |
| *Italy, Naples North | 81 | 3.9 | 0.48 | 0.30 | 0.04 | 48 | 2.0 | 0.36 | 0.16 | 0.03 |
| *Italy, Naples South | 154 | 4.7 | 0.46 | 0.43 | 0.04 | 111 | 3.0 | 0.38 | 0.25 | 0.03 |
| *Italy, Nuoro | 23 | 4.2 | 1.21 | 0.46 | 0.12 | 8 | 2.2 | 1.11 | 0.18 | 0.07 |
| *Italy, Palermo | 183 | 4.4 | 0.41 | 0.38 | 0.03 | 125 | 2.7 | 0.34 | 0.23 | 0.03 |
| Italy, Puglia | 793 | 5.2 | 0.25 | 0.48 | 0.02 | 525 | 3.3 | 0.21 | 0.29 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 82 | 3.6 | 0.51 | 0.33 | 0.05 | 52 | 2.3 | 0.46 | 0.19 | 0.03 |
| *Italy, Salerno | 159 | 5.3 | 0.56 | 0.45 | 0.04 | 89 | 3.4 | 0.49 | 0.27 | 0.03 |
| Italy, Sassari | 35 | 4.8 | 1.06 | 0.52 | 0.10 | 25 | 3.2 | 0.95 | 0.23 | 0.07 |
| *Italy, Sondrio | 25 | 3.6 | 0.98 | 0.26 | 0.07 | 17 | 1.2 | 0.59 | 0.09 | 0.04 |
| Italy, South Tyrol | 95 | 5.4 | 0.73 | 0.43 | 0.06 | 57 | 3.0 | 0.55 | 0.24 | 0.04 |
| *Italy, Syracuse | 55 | 3.9 | 0.63 | 0.39 | 0.06 | 26 | 1.5 | 0.38 | 0.14 | 0.03 |
| Italy, Trento | 85 | 4.4 | 0.63 | 0.40 | 0.05 | 65 | 2.1 | 0.38 | 0.20 | 0.04 |
| Italy, Turin | 509 | 5.4 | 0.33 | 0.51 | 0.03 | 348 | 3.2 | 0.27 | 0.29 | 0.02 |
| *Italy, Tuscany | 455 | 5.4 | 0.37 | 0.50 | 0.03 | 307 | 2.9 | 0.29 | 0.24 | 0.02 |
| Italy, Umbria | 151 | 4.7 | 0.55 | 0.40 | 0.04 | 100 | 2.6 | 0.46 | 0.21 | 0.03 |
| Italy, Varese | 63 | 3.7 | 0.62 | 0.30 | 0.05 | 53 | 2.6 | 0.57 | 0.18 | 0.04 |
| Italy, Veneto | 820 | 4.5 | 0.21 | 0.39 | 0.02 | 605 | 2.9 | 0.18 | 0.23 | 0.01 |
| Latvia | 376 | 5.4 | 0.33 | 0.56 | 0.04 | 433 | 3.9 | 0.27 | 0.39 | 0.02 |
| *Liechtenstein | 8 | 6.0 | 2.82 | 0.43 | 0.19 | 5 | 2.1 | 1.06 | 0.17 | 0.12 |
| *Lithuania | 596 | 6.1 | 0.29 | 0.61 | 0.03 | 526 | 3.6 | 0.22 | 0.36 | 0.02 |
| Malta | 65 | 4.3 | 0.67 | 0.38 | 0.05 | 39 | 2.7 | 0.58 | 0.22 | 0.04 |
| *The Netherlands | 4597 | 6.9 | 0.12 | 0.71 | 0.01 | 2787 | 4.0 | 0.10 | 0.40 | 0.01 |
| Norway | 1379 | 7.1 | 0.22 | 0.73 | 0.02 | 914 | 4.5 | 0.19 | 0.44 | 0.02 |
| Poland, Kielce | 280 | 6.2 | 0.44 | 0.63 | 0.05 | 209 | 3.2 | 0.30 | 0.34 | 0.03 |
| *Portugal, Azores | 22 | 3.9 | 0.92 | 0.41 | 0.10 | 10 | 1.6 | 0.65 | 0.15 | 0.06 |
| Russian Federation, Arkhangelsk | 38 | 1.4 | 0.25 | 0.10 | 0.02 | 32 | 1.1 | 0.22 | 0.08 | 0.01 |
| Russian Federation, Kaliningrad | 19 | 1.0 | 0.26 | 0.07 | 0.02 | 16 | 0.9 | 0.25 | 0.06 | 0.01 |
| Russian Federation, Karelia | 20 | 1.3 | 0.32 | 0.11 | 0.02 | 20 | 1.3 | 0.35 | 0.09 | 0.02 |
| *Russian Federation, Komi Republic | 20 | 1.1 | 0.26 | 0.08 | 0.02 | 17 | 0.7 | 0.20 | 0.06 | 0.02 |
| Russian Federation, Murmansk | 18 | 1.0 | 0.24 | 0.08 | 0.02 | 13 | 0.5 | 0.16 | 0.04 | 0.01 |
| *Russian Federation, Orenburg | 227 | 4.1 | 0.30 | 0.41 | 0.03 | 210 | 2.8 | 0.23 | 0.26 | 0.02 |
| Russian Federation, Pskov | 17 | 1.1 | 0.31 | 0.08 | 0.02 | 15 | 0.8 | 0.23 | 0.07 | 0.02 |
| *Russian Federation, Samara | 347 | 4.0 | 0.24 | 0.38 | 0.02 | 470 | 3.8 | 0.23 | 0.35 | 0.02 |
| Russian Federation, Vologda Region | 60 | 1.8 | 0.25 | 0.19 | 0.02 | 48 | 1.2 | 0.21 | 0.10 | 0.01 |
| Slovenia | 484 | 6.0 | 0.34 | 0.58 | 0.03 | 320 | 3.2 | 0.25 | 0.32 | 0.02 |
| Spain, Asturias | 130 | 5.1 | 0.68 | 0.44 | 0.05 | 94 | 3.0 | 0.51 | 0.28 | 0.04 |
| Spain, Basque Country | 484 | 6.7 | 0.40 | 0.63 | 0.04 | 385 | 4.7 | 0.36 | 0.44 | 0.03 |
| Spain, Canary Islands | 123 | 3.0 | 0.34 | 0.27 | 0.03 | 86 | 1.8 | 0.27 | 0.16 | 0.02 |
| Spain, Castellón | 75 | 3.5 | 0.53 | 0.26 | 0.04 | 50 | 2.7 | 0.52 | 0.21 | 0.04 |
| Spain, Girona | 152 | 5.3 | 0.54 | 0.50 | 0.05 | 109 | 3.2 | 0.39 | 0.34 | 0.04 |
| Spain, Granada | 92 | 3.0 | 0.40 | 0.25 | 0.03 | 70 | 2.4 | 0.42 | 0.16 | 0.03 |
| Spain, La Rioja | 87 | 5.7 | 0.79 | 0.53 | 0.08 | 59 | 3.0 | 0.53 | 0.32 | 0.06 |
| Spain, Murcia | 182 | 3.8 | 0.33 | 0.36 | 0.03 | 127 | 2.3 | 0.26 | 0.22 | 0.03 |
| Spain, Navarra | 100 | 5.0 | 0.65 | 0.45 | 0.06 | 79 | 3.7 | 0.56 | 0.37 | 0.05 |
| Spain, Salamanca | 70 | 4.9 | 0.91 | 0.41 | 0.07 | 37 | 1.9 | 0.56 | 0.16 | 0.04 |
| Spain, Tarragona | 159 | 5.0 | 0.49 | 0.46 | 0.05 | 97 | 3.2 | 0.44 | 0.32 | 0.04 |
| *Sweden | 2526 | 6.2 | 0.15 | 0.62 | 0.01 | 1518 | 3.6 | 0.12 | 0.35 | 0.01 |
| Switzerland, Aargau | 159 | 6.7 | 0.64 | 0.68 | 0.06 | 99 | 4.2 | 0.55 | 0.41 | 0.05 |
| Switzerland, Basel | 121 | 6.8 | 0.83 | 0.55 | 0.06 | 63 | 2.9 | 0.56 | 0.26 | 0.04 |
| Switzerland, Berne Solothurn | 214 | 6.0 | 0.52 | 0.61 | 0.05 | 122 | 3.6 | 0.46 | 0.35 | 0.04 |
| Switzerland, East | 171 | 5.0 | 0.46 | 0.53 | 0.05 | 98 | 2.9 | 0.39 | 0.25 | 0.03 |
| *Switzerland, Fribourg | 88 | 8.6 | 1.09 | 0.78 | 0.10 | 41 | 4.2 | 0.82 | 0.44 | 0.08 |
| Switzerland, Geneva | 127 | 7.4 | 0.81 | 0.67 | 0.08 | 72 | 2.8 | 0.43 | 0.25 | 0.04 |
| *Switzerland, Graubünden and Glarus | 62 | 5.8 | 0.96 | 0.57 | 0.09 | 24 | 1.8 | 0.42 | 0.21 | 0.05 |
| *Switzerland, Lucerne | 108 | 5.1 | 0.59 | 0.51 | 0.06 | 57 | 2.5 | 0.47 | 0.18 | 0.04 |
| *Switzerland, Neuchâtel and Jura | 55 | 6.7 | 1.12 | 0.62 | 0.10 | 45 | 4.1 | 0.88 | 0.39 | 0.08 |
| Switzerland, Ticino | 102 | 6.1 | 0.75 | 0.65 | 0.08 | 68 | 4.9 | 0.93 | 0.42 | 0.07 |
| Switzerland, Valais | 98 | 8.1 | 1.03 | 0.83 | 0.10 | 66 | 4.3 | 0.69 | 0.45 | 0.07 |
| Switzerland, Vaud | 124 | 4.7 | 0.51 | 0.41 | 0.05 | 81 | 2.8 | 0.40 | 0.25 | 0.03 |
| Switzerland, Zurich and Zug | 371 | 6.2 | 0.39 | 0.63 | 0.04 | 220 | 3.7 | 0.34 | 0.34 | 0.03 |
| Ukraine | 4510 | 4.6 | 0.08 | 0.45 | 0.01 | 3552 | 2.7 | 0.06 | 0.25 | 0.00 |
| UK, England | 14579 | 6.6 | 0.06 | 0.66 | 0.01 | 8982 | 3.8 | 0.05 | 0.36 | 0.00 |
| UK, Northern Ireland | 374 | 5.8 | 0.34 | 0.53 | 0.03 | 247 | 3.3 | 0.26 | 0.32 | 0.03 |
| UK, Scotland | 1218 | 5.9 | 0.21 | 0.58 | 0.02 | 733 | 3.3 | 0.17 | 0.29 | 0.01 |
| UK, Wales | 916 | 6.8 | 0.28 | 0.67 | 0.03 | 578 | 4.0 | 0.23 | 0.36 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 2416 | 8.1 | 0.19 | 0.85 | 0.02 | 1497 | 4.8 | 0.15 | 0.46 | 0.02 |
| *Australia, Northern Territory | 25 | 3.9 | 0.80 | 0.47 | 0.11 | 21 | 3.8 | 0.85 | 0.36 | 0.10 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Lymphoid leukaemia (C91) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 19 | 3.7 | 0.90 | 0.42 | 0.11 | 17 | 4.2 | 1.07 | 0.36 | 0.11 |
| *Australia, Northern Territory: Indigenous | 6 | 5.7 | 2.48 | 0.90 | 0.47 | 4 | 3.0 | 1.55 | 0.43 | 0.29 |
| *Australia, Queensland | 1653 | 9.4 | 0.25 | 1.00 | 0.03 | 989 | 5.5 | 0.20 | 0.54 | 0.02 |
| Australia, South Australia | 578 | 8.6 | 0.41 | 0.89 | 0.04 | 347 | 4.8 | 0.33 | 0.46 | 0.03 |
| Australia, Tasmania | 179 | 7.5 | 0.67 | 0.73 | 0.07 | 93 | 3.7 | 0.48 | 0.40 | 0.05 |
| *Australia, Victoria | 1972 | 8.8 | 0.22 | 0.89 | 0.03 | 1274 | 5.5 | 0.19 | 0.54 | 0.02 |
| *Australia, Western Australia | 603 | 6.9 | 0.31 | 0.69 | 0.04 | 351 | 3.9 | 0.24 | 0.38 | 0.03 |
| *France, New Caledonia | 31 | 4.3 | 0.80 | 0.36 | 0.08 | 11 | 1.5 | 0.48 | 0.12 | 0.04 |
| New Zealand | 1190 | 7.3 | 0.24 | 0.68 | 0.02 | 662 | 3.9 | 0.18 | 0.38 | 0.02 |
| *New Zealand: Maori | 128 | 7.9 | 0.72 | 0.73 | 0.09 | 77 | 4.3 | 0.49 | 0.43 | 0.06 |
| *New Zealand: Pacific peoples | 33 | 4.9 | 0.86 | 0.41 | 0.09 | 27 | 3.9 | 0.76 | 0.41 | 0.10 |
| *New Zealand: Other | 986 | 7.7 | 0.31 | 0.72 | 0.03 | 526 | 4.0 | 0.24 | 0.38 | 0.02 |
| USA, Hawaii | 243 | 4.9 | 0.36 | 0.50 | 0.04 | 174 | 3.9 | 0.37 | 0.32 | 0.03 |
| USA, Hawaii: White | 116 | 6.2 | 0.70 | 0.73 | 0.08 | 67 | 5.1 | 0.86 | 0.51 | 0.07 |
| *USA, Hawaii: Japanese | 18 | 1.5 | 0.62 | 0.14 | 0.05 | 20 | 1.4 | 0.58 | 0.13 | 0.04 |
| *USA, Hawaii: Chinese | 12 | 4.1 | 1.49 | 0.43 | 0.16 | 8 | 1.4 | 0.79 | 0.12 | 0.07 |
| *USA, Hawaii: Hawaiian | 41 | 4.9 | 0.77 | 0.43 | 0.08 | 31 | 3.5 | 0.65 | 0.26 | 0.06 |
| *USA, Hawaii: Filipino | 26 | 4.0 | 0.85 | 0.31 | 0.07 | 21 | 3.0 | 0.81 | 0.20 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloid leukaemia (C92–94)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 51 | 3.1 | 0.46 | 0.34 | 0.06 | 37 | 2.3 | 0.39 | 0.20 | 0.04 |
| *Algeria, Tizi Ouzou | 16 | 0.9 | 0.24 | 0.09 | 0.03 | 21 | 1.2 | 0.26 | 0.14 | 0.03 |
| *Benin, Cotonou | 18 | 2.0 | 0.56 | 0.19 | 0.06 | 20 | 2.2 | 0.55 | 0.24 | 0.08 |
| *France, La Réunion | 86 | 4.2 | 0.48 | 0.35 | 0.05 | 70 | 2.8 | 0.36 | 0.25 | 0.04 |
| *Kenya, Eldoret | 33 | 1.9 | 0.39 | 0.18 | 0.05 | 42 | 2.5 | 0.44 | 0.22 | 0.05 |
| *Kenya, Nairobi | 128 | 2.6 | 0.32 | 0.26 | 0.04 | 106 | 2.6 | 0.34 | 0.26 | 0.05 |
| Mauritius | 68 | 1.8 | 0.23 | 0.18 | 0.03 | 75 | 2.0 | 0.24 | 0.21 | 0.03 |
| *Morocco, Casablanca | 147 | 1.4 | 0.12 | 0.13 | 0.01 | 138 | 1.2 | 0.11 | 0.13 | 0.01 |
| *Seychelles | 9 | 3.9 | 1.33 | 0.55 | 0.22 | 6 | 2.1 | 0.92 | 0.15 | 0.08 |
| *South Africa, Eastern Cape | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 54 | 1.4 | 0.26 | 0.12 | 0.03 | 58 | 1.1 | 0.22 | 0.11 | 0.03 |
| *Uganda, Gulu | 5 | 1.0 | 0.49 | 0.15 | 0.09 | 2 | 0.3 | 0.18 | 0.02 | 0.02 |
| *Zimbabwe, Bulawayo: African | 18 | 1.3 | 0.34 | 0.11 | 0.03 | 16 | 1.2 | 0.32 | 0.09 | 0.03 |
| *Zimbabwe, Harare: African | 48 | 2.0 | 0.34 | 0.19 | 0.05 | 49 | 1.6 | 0.28 | 0.15 | 0.04 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 18 | 0.9 | 0.21 | 0.10 | 0.03 | 21 | 0.8 | 0.20 | 0.07 | 0.02 |
| *Argentina, Mendoza | 125 | 2.6 | 0.24 | 0.28 | 0.03 | 133 | 2.5 | 0.22 | 0.26 | 0.03 |
| Brazil, Aracaju | 26 | 2.4 | 0.47 | 0.18 | 0.04 | 28 | 1.9 | 0.37 | 0.17 | 0.04 |
| *Brazil, Barretos | 39 | 3.2 | 0.53 | 0.29 | 0.06 | 33 | 2.4 | 0.44 | 0.20 | 0.04 |
| Brazil, Belo Horizonte | 181 | 2.7 | 0.21 | 0.27 | 0.03 | 161 | 1.7 | 0.15 | 0.16 | 0.02 |
| *Brazil, Campinas | 88 | 3.9 | 0.43 | 0.39 | 0.05 | 62 | 2.1 | 0.29 | 0.24 | 0.04 |
| *Brazil, Curitiba | 124 | 3.2 | 0.30 | 0.30 | 0.04 | 123 | 2.5 | 0.25 | 0.24 | 0.03 |
| Brazil, Goiânia | 49 | 1.9 | 0.28 | 0.22 | 0.04 | 53 | 1.7 | 0.24 | 0.16 | 0.03 |
| *Brazil, Jaú | 9 | 2.5 | 0.92 | 0.23 | 0.11 | 11 | 2.0 | 0.63 | 0.27 | 0.10 |
| Brazil, João Pessoa | 23 | 2.0 | 0.42 | 0.17 | 0.04 | 28 | 1.9 | 0.36 | 0.14 | 0.03 |
| Brazil, Recife | 70 | 3.0 | 0.37 | 0.31 | 0.05 | 91 | 2.6 | 0.29 | 0.25 | 0.03 |
| Chile, Region of Antofagasta | 16 | 1.7 | 0.44 | 0.11 | 0.03 | 14 | 1.5 | 0.40 | 0.13 | 0.04 |
| Chile, Valdivia | 25 | 2.0 | 0.40 | 0.19 | 0.05 | 32 | 2.3 | 0.44 | 0.26 | 0.05 |
| Colombia, Bucaramanga | 89 | 3.0 | 0.32 | 0.29 | 0.04 | 90 | 2.5 | 0.27 | 0.23 | 0.03 |
| Colombia, Cali | 296 | 4.9 | 0.29 | 0.48 | 0.04 | 213 | 2.9 | 0.20 | 0.29 | 0.02 |
| Colombia, Manizales | 39 | 3.1 | 0.53 | 0.37 | 0.07 | 23 | 1.5 | 0.34 | 0.15 | 0.04 |
| Colombia, Pasto | 18 | 1.7 | 0.40 | 0.15 | 0.04 | 24 | 2.1 | 0.47 | 0.20 | 0.05 |
| Costa Rica | 100 | 1.0 | 0.11 | 0.08 | 0.01 | 57 | 0.6 | 0.08 | 0.05 | 0.01 |
| Ecuador, Guayaquil | 137 | 2.4 | 0.21 | 0.24 | 0.03 | 153 | 2.4 | 0.20 | 0.24 | 0.03 |
| Ecuador, Manabí | 73 | 2.0 | 0.23 | 0.17 | 0.02 | 61 | 1.6 | 0.21 | 0.13 | 0.02 |
| Ecuador, Quito | 179 | 4.2 | 0.32 | 0.43 | 0.04 | 175 | 3.6 | 0.28 | 0.35 | 0.03 |
| *France, Guadeloupe | 56 | 4.3 | 0.66 | 0.42 | 0.06 | 40 | 2.7 | 0.50 | 0.29 | 0.05 |
| *France, Martinique | 53 | 3.3 | 0.53 | 0.32 | 0.06 | 32 | 1.5 | 0.31 | 0.17 | 0.04 |
| *Peru, Lima | 441 | 3.1 | 0.15 | 0.29 | 0.02 | 370 | 2.3 | 0.12 | 0.21 | 0.01 |
| *Trinidad and Tobago | 59 | 2.7 | 0.36 | 0.31 | 0.05 | 37 | 1.4 | 0.24 | 0.16 | 0.03 |
| USA, Puerto Rico | 542 | 4.0 | 0.19 | 0.40 | 0.02 | 482 | 3.2 | 0.17 | 0.33 | 0.02 |
| *Uruguay | 318 | 2.9 | 0.17 | 0.28 | 0.02 | 295 | 2.2 | 0.15 | 0.22 | 0.02 |
| North America | | | | | | | | | | |
| Canada, Alberta | 659 | 4.5 | 0.19 | 0.46 | 0.02 | 475 | 3.2 | 0.16 | 0.30 | 0.02 |
| Canada, British Columbia | 953 | 4.2 | 0.16 | 0.42 | 0.02 | 693 | 3.1 | 0.14 | 0.30 | 0.01 |
| *Canada, Manitoba | 234 | 4.5 | 0.32 | 0.47 | 0.04 | 162 | 3.0 | 0.27 | 0.29 | 0.03 |
| *Canada, New Brunswick | 186 | 5.0 | 0.44 | 0.52 | 0.05 | 136 | 3.8 | 0.44 | 0.38 | 0.04 |
| *Canada, Newfoundland and Labrador | 99 | 4.2 | 0.51 | 0.43 | 0.05 | 82 | 3.4 | 0.44 | 0.37 | 0.05 |
| Canada, Ontario | 2716 | 4.6 | 0.10 | 0.46 | 0.01 | 2065 | 3.3 | 0.09 | 0.33 | 0.01 |
| *Canada, Prince Edward Island | 25 | 4.2 | 1.08 | 0.40 | 0.10 | 18 | 2.8 | 0.89 | 0.28 | 0.08 |
| Canada, Quebec | 1604 | 4.2 | 0.12 | 0.41 | 0.01 | 1309 | 3.1 | 0.11 | 0.31 | 0.01 |
| Canada, Saskatchewan | 189 | 4.1 | 0.32 | 0.48 | 0.04 | 145 | 2.9 | 0.27 | 0.30 | 0.03 |
| *Canada, Yukon | 6 | 4.3 | 1.76 | 0.42 | 0.23 | 3 | 3.0 | 1.84 | 0.32 | 0.24 |
| USA | 66718 | 5.3 | 0.02 | 0.55 | 0.00 | 51539 | 3.8 | 0.02 | 0.39 | 0.00 |
| USA: White | 57631 | 5.5 | 0.03 | 0.57 | 0.00 | 43319 | 3.9 | 0.02 | 0.39 | 0.00 |
| USA: Black | 5840 | 4.7 | 0.06 | 0.49 | 0.01 | 5548 | 3.6 | 0.05 | 0.37 | 0.01 |
| USA, NPCR | 64638 | 5.4 | 0.02 | 0.56 | 0.00 | 49900 | 3.8 | 0.02 | 0.39 | 0.00 |
| USA, NPCR: White | 55907 | 5.5 | 0.03 | 0.57 | 0.00 | 41936 | 3.9 | 0.02 | 0.39 | 0.00 |
| USA, NPCR: Black | 5760 | 4.7 | 0.06 | 0.49 | 0.01 | 5481 | 3.6 | 0.05 | 0.37 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 2224 | 4.1 | 0.09 | 0.40 | 0.01 | 1861 | 2.9 | 0.07 | 0.29 | 0.01 |
| USA, NPCR: American Indian | 312 | 2.8 | 0.16 | 0.31 | 0.02 | 235 | 1.9 | 0.13 | 0.21 | 0.02 |
| *USA, SEER (18 registries) | 15847 | 4.9 | 0.04 | 0.50 | 0.00 | 12551 | 3.5 | 0.04 | 0.35 | 0.00 |
| *USA, SEER (18 registries): White | 12901 | 5.0 | 0.05 | 0.51 | 0.01 | 9998 | 3.6 | 0.04 | 0.36 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 10908 | 5.0 | 0.06 | 0.52 | 0.01 | 8341 | 3.6 | 0.05 | 0.36 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 1993 | 4.3 | 0.10 | 0.41 | 0.01 | 1657 | 3.3 | 0.08 | 0.33 | 0.01 |
| *USA, SEER (18 registries): Black | 1422 | 4.5 | 0.12 | 0.46 | 0.02 | 1347 | 3.5 | 0.10 | 0.34 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 1250 | 4.0 | 0.12 | 0.39 | 0.01 | 1015 | 2.7 | 0.10 | 0.27 | 0.01 |
| *USA, SEER (9 registries) | 5572 | 4.9 | 0.07 | 0.51 | 0.01 | 4375 | 3.5 | 0.06 | 0.36 | 0.01 |
| *USA, SEER (9 registries): White | 4427 | 5.0 | 0.08 | 0.51 | 0.01 | 3463 | 3.6 | 0.07 | 0.37 | 0.01 |
| *USA, SEER (9 registries): Black | 489 | 4.6 | 0.21 | 0.48 | 0.03 | 471 | 3.5 | 0.17 | 0.35 | 0.02 |
| USA, Alabama | 890 | 4.8 | 0.17 | 0.50 | 0.02 | 728 | 3.6 | 0.15 | 0.38 | 0.02 |
| USA, Alabama: White | 723 | 4.9 | 0.21 | 0.51 | 0.02 | 555 | 3.7 | 0.19 | 0.38 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloid leukaemia (C92–94) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 134 | 3.6 | 0.31 | 0.37 | 0.04 | 142 | 3.0 | 0.26 | 0.32 | 0.03 |
| USA, Alaska | 119 | 4.9 | 0.46 | 0.53 | 0.06 | 78 | 3.4 | 0.40 | 0.33 | 0.05 |
| *USA, Alaska: Alaska Natives | 18 | 5.3 | 1.27 | 0.63 | 0.18 | 6 | 1.9 | 0.76 | 0.21 | 0.09 |
| USA, Arizona | 1278 | 4.6 | 0.14 | 0.48 | 0.02 | 905 | 3.2 | 0.12 | 0.33 | 0.01 |
| USA, Arizona: White | 1174 | 4.7 | 0.16 | 0.49 | 0.02 | 825 | 3.2 | 0.13 | 0.33 | 0.01 |
| USA, Arizona: Black | 41 | 4.2 | 0.67 | 0.34 | 0.07 | 33 | 3.3 | 0.58 | 0.32 | 0.07 |
| *USA, Arizona: Asian and Pacific Islander | 34 | 4.8 | 0.86 | 0.49 | 0.11 | 26 | 2.6 | 0.52 | 0.29 | 0.07 |
| USA, Arizona: American Indian | 28 | 3.1 | 0.59 | 0.39 | 0.09 | 21 | 2.0 | 0.44 | 0.18 | 0.05 |
| USA, Arkansas | 632 | 5.2 | 0.23 | 0.55 | 0.03 | 502 | 4.0 | 0.21 | 0.40 | 0.02 |
| USA, Arkansas: White | 551 | 5.2 | 0.24 | 0.55 | 0.03 | 431 | 4.0 | 0.23 | 0.41 | 0.02 |
| USA, Arkansas: Black | 60 | 4.6 | 0.60 | 0.42 | 0.07 | 50 | 3.1 | 0.46 | 0.30 | 0.05 |
| USA, California | 6769 | 4.9 | 0.06 | 0.49 | 0.01 | 5169 | 3.4 | 0.05 | 0.34 | 0.01 |
| USA, California: White | 5488 | 5.1 | 0.07 | 0.52 | 0.01 | 4092 | 3.5 | 0.06 | 0.35 | 0.01 |
| USA, California: Black | 382 | 4.5 | 0.24 | 0.47 | 0.03 | 306 | 3.2 | 0.20 | 0.33 | 0.02 |
| USA, California: Asian and Pacific Islander | 827 | 4.0 | 0.15 | 0.40 | 0.02 | 719 | 2.9 | 0.12 | 0.28 | 0.01 |
| *USA, California, Los Angeles County | 1478 | 4.3 | 0.12 | 0.43 | 0.01 | 1268 | 3.3 | 0.10 | 0.33 | 0.01 |
| *USA, California, Los Angeles County: White | 1143 | 4.6 | 0.14 | 0.46 | 0.02 | 902 | 3.4 | 0.12 | 0.33 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 682 | 5.0 | 0.23 | 0.51 | 0.03 | 491 | 3.5 | 0.21 | 0.34 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 461 | 3.9 | 0.19 | 0.38 | 0.02 | 411 | 3.2 | 0.16 | 0.33 | 0.02 |
| *USA, California, Los Angeles County: Black | 121 | 4.0 | 0.39 | 0.39 | 0.04 | 130 | 3.4 | 0.33 | 0.35 | 0.04 |
| *USA, California, Los Angeles County: Chinese | 55 | 2.6 | 0.42 | 0.23 | 0.05 | 52 | 2.5 | 0.44 | 0.23 | 0.04 |
| *USA, California, Los Angeles County: Filipino | 45 | 3.5 | 0.58 | 0.34 | 0.07 | 65 | 3.9 | 0.60 | 0.38 | 0.06 |
| *USA, California, Los Angeles County: Korean | 26 | 3.1 | 0.69 | 0.29 | 0.07 | 25 | 2.6 | 0.69 | 0.22 | 0.06 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 203 | 3.6 | 0.28 | 0.34 | 0.03 | 212 | 3.1 | 0.26 | 0.30 | 0.03 |
| *USA, California, San Francisco Bay Area | 762 | 4.3 | 0.17 | 0.43 | 0.02 | 538 | 2.7 | 0.14 | 0.29 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 502 | 4.3 | 0.21 | 0.42 | 0.02 | 370 | 2.9 | 0.17 | 0.32 | 0.02 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 416 | 4.3 | 0.25 | 0.43 | 0.03 | 296 | 2.9 | 0.21 | 0.31 | 0.02 |
| *USA, California, San Francisco Bay Area: Hispanic White | 86 | 3.9 | 0.43 | 0.35 | 0.05 | 74 | 3.0 | 0.36 | 0.34 | 0.05 |
| *USA, California, San Francisco Bay Area: Black | 61 | 4.3 | 0.58 | 0.50 | 0.08 | 46 | 3.0 | 0.49 | 0.27 | 0.05 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 188 | 4.2 | 0.34 | 0.42 | 0.04 | 119 | 2.3 | 0.25 | 0.22 | 0.02 |
| USA, Colorado | 992 | 4.9 | 0.17 | 0.49 | 0.02 | 748 | 3.6 | 0.14 | 0.36 | 0.02 |
| USA, Colorado: White | 917 | 4.9 | 0.17 | 0.50 | 0.02 | 707 | 3.7 | 0.16 | 0.37 | 0.02 |
| *USA, Colorado: Black | 40 | 5.1 | 0.82 | 0.36 | 0.08 | 19 | 2.5 | 0.59 | 0.25 | 0.08 |
| *USA, Colorado: Asian and Pacific Islander | 22 | 4.1 | 0.89 | 0.33 | 0.10 | 17 | 2.7 | 0.66 | 0.27 | 0.07 |
| USA, Connecticut | 663 | 4.5 | 0.19 | 0.47 | 0.02 | 595 | 3.5 | 0.17 | 0.36 | 0.02 |
| USA, Connecticut: White | 581 | 4.4 | 0.21 | 0.47 | 0.02 | 525 | 3.6 | 0.19 | 0.37 | 0.02 |
| USA, Connecticut: Black | 51 | 4.4 | 0.63 | 0.40 | 0.08 | 51 | 3.1 | 0.45 | 0.32 | 0.06 |
| USA, District of Columbia | 77 | 3.5 | 0.42 | 0.40 | 0.06 | 60 | 2.5 | 0.37 | 0.26 | 0.04 |
| USA, District of Columbia: White | 38 | 4.1 | 0.73 | 0.42 | 0.09 | 15 | 1.8 | 0.62 | 0.16 | 0.06 |
| USA, District of Columbia: Black | 36 | 3.1 | 0.53 | 0.37 | 0.08 | 42 | 3.0 | 0.53 | 0.32 | 0.06 |
| USA, Florida | 6142 | 6.6 | 0.10 | 0.70 | 0.01 | 4638 | 4.8 | 0.08 | 0.48 | 0.01 |
| USA, Florida: White | 5440 | 6.6 | 0.11 | 0.71 | 0.01 | 3948 | 4.7 | 0.10 | 0.48 | 0.01 |
| USA, Florida: Black | 530 | 5.4 | 0.24 | 0.55 | 0.03 | 490 | 4.2 | 0.20 | 0.42 | 0.02 |
| USA, Florida: Asian and Pacific Islander | 70 | 3.5 | 0.43 | 0.37 | 0.05 | 82 | 3.5 | 0.43 | 0.38 | 0.05 |
| USA, Georgia | 1947 | 5.5 | 0.13 | 0.58 | 0.02 | 1570 | 4.0 | 0.11 | 0.40 | 0.01 |
| USA, Georgia: White | 1462 | 5.7 | 0.16 | 0.60 | 0.02 | 1084 | 4.0 | 0.14 | 0.40 | 0.01 |
| USA, Georgia: Black | 424 | 5.0 | 0.24 | 0.52 | 0.03 | 444 | 4.0 | 0.20 | 0.41 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 53 | 4.6 | 0.64 | 0.53 | 0.09 | 36 | 2.8 | 0.50 | 0.23 | 0.04 |
| *USA, Georgia, Atlanta | 534 | 4.9 | 0.22 | 0.51 | 0.03 | 467 | 3.6 | 0.18 | 0.36 | 0.02 |
| *USA, Georgia, Atlanta: White | 316 | 5.0 | 0.30 | 0.50 | 0.04 | 262 | 3.6 | 0.25 | 0.35 | 0.03 |
| *USA, Georgia, Atlanta: Black | 179 | 4.9 | 0.37 | 0.54 | 0.05 | 183 | 3.7 | 0.28 | 0.38 | 0.03 |
| USA, Idaho | 389 | 5.7 | 0.31 | 0.61 | 0.04 | 257 | 3.7 | 0.26 | 0.36 | 0.03 |
| USA, Indiana | 1431 | 5.5 | 0.16 | 0.57 | 0.02 | 1129 | 4.0 | 0.14 | 0.41 | 0.02 |
| USA, Indiana: White | 1316 | 5.5 | 0.17 | 0.57 | 0.02 | 1032 | 4.1 | 0.15 | 0.42 | 0.02 |
| USA, Indiana: Black | 94 | 5.3 | 0.55 | 0.57 | 0.07 | 83 | 3.6 | 0.41 | 0.37 | 0.05 |
| *USA, Iowa | 747 | 5.8 | 0.23 | 0.62 | 0.03 | 535 | 3.8 | 0.20 | 0.37 | 0.02 |
| USA, Kentucky | 1051 | 6.2 | 0.21 | 0.65 | 0.02 | 840 | 4.4 | 0.17 | 0.44 | 0.02 |
| USA, Louisiana | 924 | 5.5 | 0.19 | 0.56 | 0.02 | 752 | 4.0 | 0.16 | 0.40 | 0.02 |
| USA, Louisiana: White | 699 | 5.6 | 0.23 | 0.58 | 0.03 | 534 | 4.0 | 0.20 | 0.42 | 0.02 |
| USA, Louisiana: Black | 214 | 5.0 | 0.35 | 0.52 | 0.04 | 209 | 3.9 | 0.29 | 0.36 | 0.03 |
| *USA, Louisiana, New Orleans | 142 | 4.7 | 0.42 | 0.49 | 0.05 | 138 | 3.8 | 0.37 | 0.41 | 0.04 |
| *USA, Louisiana, New Orleans: White | 89 | 4.6 | 0.55 | 0.48 | 0.06 | 77 | 3.5 | 0.46 | 0.38 | 0.05 |
| *USA, Louisiana, New Orleans: Black | 44 | 4.2 | 0.66 | 0.48 | 0.08 | 56 | 4.2 | 0.62 | 0.46 | 0.07 |
| USA, Maine | 313 | 4.7 | 0.30 | 0.52 | 0.04 | 227 | 3.3 | 0.27 | 0.34 | 0.03 |
| USA, Maryland | 1068 | 4.8 | 0.16 | 0.51 | 0.02 | 908 | 3.6 | 0.13 | 0.38 | 0.02 |
| USA, Maryland: White | 785 | 5.1 | 0.20 | 0.54 | 0.02 | 615 | 3.6 | 0.17 | 0.38 | 0.02 |
| USA, Maryland: Black | 227 | 4.2 | 0.29 | 0.46 | 0.04 | 243 | 3.5 | 0.23 | 0.36 | 0.03 |
| USA, Maryland: Asian and Pacific Islander | 49 | 3.8 | 0.55 | 0.43 | 0.07 | 44 | 3.1 | 0.49 | 0.31 | 0.05 |
| USA, Massachusetts | 1357 | 5.1 | 0.15 | 0.52 | 0.02 | 1070 | 3.4 | 0.12 | 0.35 | 0.01 |
| USA, Massachusetts: White | 1226 | 5.1 | 0.16 | 0.53 | 0.02 | 941 | 3.3 | 0.13 | 0.34 | 0.01 |
| USA, Massachusetts: Black | 68 | 4.1 | 0.51 | 0.40 | 0.06 | 73 | 3.7 | 0.45 | 0.40 | 0.06 |
| USA, Massachusetts: Asian and Pacific Islander | 48 | 3.9 | 0.58 | 0.35 | 0.07 | 43 | 3.2 | 0.51 | 0.34 | 0.06 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Myeloid leukaemia (C92–94) (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 2231 | 5.4 | 0.13 | 0.55 | 0.01 | 1774 | 4.0 | 0.11 | 0.40 | 0.01 |
| USA, Michigan: White | 1978 | 5.5 | 0.14 | 0.56 | 0.02 | 1515 | 4.0 | 0.12 | 0.41 | 0.01 |
| USA, Michigan: Black | 189 | 4.5 | 0.33 | 0.45 | 0.04 | 202 | 3.6 | 0.27 | 0.37 | 0.03 |
| USA, Michigan: Asian and Pacific Islander | 27 | 3.0 | 0.58 | 0.27 | 0.08 | 27 | 2.6 | 0.50 | 0.26 | 0.06 |
| *USA, Michigan, Detroit | 821 | 5.4 | 0.21 | 0.55 | 0.02 | 704 | 4.1 | 0.18 | 0.40 | 0.02 |
| *USA, Michigan, Detroit: White | 669 | 5.8 | 0.25 | 0.59 | 0.03 | 541 | 4.4 | 0.23 | 0.42 | 0.02 |
| *USA, Michigan, Detroit: Black | 131 | 4.5 | 0.40 | 0.45 | 0.05 | 143 | 3.5 | 0.32 | 0.35 | 0.04 |
| USA, Minnesota | 1357 | 6.1 | 0.18 | 0.64 | 0.02 | 963 | 4.0 | 0.15 | 0.42 | 0.02 |
| USA, Minnesota: White | 1293 | 6.2 | 0.19 | 0.65 | 0.02 | 893 | 4.0 | 0.16 | 0.42 | 0.02 |
| USA, Minnesota: Black | 31 | 4.4 | 0.84 | 0.60 | 0.15 | 22 | 2.7 | 0.59 | 0.25 | 0.06 |
| *USA, Minnesota: Asian and Pacific Islander | 20 | 3.0 | 0.71 | 0.36 | 0.11 | 35 | 5.1 | 0.90 | 0.53 | 0.12 |
| USA, Mississippi | 572 | 5.2 | 0.23 | 0.54 | 0.03 | 449 | 3.7 | 0.20 | 0.37 | 0.02 |
| USA, Missouri | 1342 | 5.5 | 0.16 | 0.56 | 0.02 | 1006 | 3.9 | 0.14 | 0.40 | 0.02 |
| USA, Missouri: White | 1235 | 5.6 | 0.18 | 0.57 | 0.02 | 895 | 3.9 | 0.16 | 0.40 | 0.02 |
| USA, Missouri: Black | 99 | 4.9 | 0.50 | 0.53 | 0.07 | 94 | 3.6 | 0.39 | 0.38 | 0.05 |
| USA, Montana | 223 | 4.8 | 0.36 | 0.52 | 0.04 | 154 | 3.4 | 0.32 | 0.35 | 0.03 |
| *USA, Montana: American Indian | 6 | 3.6 | 1.47 | 0.45 | 0.25 | 10 | 4.6 | 1.47 | 0.48 | 0.19 |
| USA, Nebraska | 431 | 5.9 | 0.31 | 0.64 | 0.04 | 316 | 4.1 | 0.26 | 0.43 | 0.03 |
| USA, Nebraska: White | 404 | 5.8 | 0.32 | 0.64 | 0.04 | 299 | 4.0 | 0.27 | 0.43 | 0.03 |
| *USA, Nebraska: Black | 11 | 4.2 | 1.31 | 0.47 | 0.21 | 11 | 4.7 | 1.43 | 0.43 | 0.14 |
| USA, Nevada | 513 | 4.6 | 0.22 | 0.46 | 0.03 | 365 | 3.2 | 0.18 | 0.32 | 0.02 |
| USA, Nevada: White | 443 | 4.9 | 0.26 | 0.49 | 0.03 | 298 | 3.3 | 0.21 | 0.32 | 0.02 |
| USA, Nevada: Black | 32 | 3.6 | 0.65 | 0.44 | 0.09 | 28 | 3.1 | 0.60 | 0.35 | 0.08 |
| *USA, Nevada: Asian and Pacific Islander | 29 | 3.2 | 0.67 | 0.25 | 0.07 | 36 | 2.9 | 0.52 | 0.34 | 0.06 |
| USA, New Jersey | 1971 | 5.5 | 0.14 | 0.56 | 0.02 | 1561 | 3.8 | 0.11 | 0.38 | 0.01 |
| USA, New Jersey: White | 1650 | 5.7 | 0.16 | 0.58 | 0.02 | 1294 | 4.0 | 0.14 | 0.40 | 0.01 |
| USA, New Jersey: Black | 198 | 5.0 | 0.36 | 0.50 | 0.04 | 173 | 3.4 | 0.28 | 0.34 | 0.03 |
| USA, New Mexico | 377 | 4.7 | 0.26 | 0.48 | 0.03 | 320 | 3.8 | 0.24 | 0.40 | 0.03 |
| USA, New Mexico: White | 340 | 4.7 | 0.28 | 0.48 | 0.03 | 286 | 3.8 | 0.26 | 0.40 | 0.03 |
| USA, New Mexico: Non-Hispanic White | 209 | 4.7 | 0.41 | 0.50 | 0.04 | 184 | 4.2 | 0.41 | 0.46 | 0.04 |
| USA, New Mexico: Hispanic White | 131 | 4.5 | 0.41 | 0.45 | 0.05 | 102 | 3.3 | 0.35 | 0.32 | 0.04 |
| *USA, New Mexico: American Indian | 20 | 3.2 | 0.73 | 0.25 | 0.07 | 19 | 2.9 | 0.68 | 0.28 | 0.07 |
| USA, New York State | 4545 | 5.9 | 0.09 | 0.61 | 0.01 | 3607 | 4.1 | 0.08 | 0.42 | 0.01 |
| USA, New York State: White | 3733 | 6.2 | 0.11 | 0.64 | 0.01 | 2848 | 4.3 | 0.10 | 0.44 | 0.01 |
| USA, New York State: Black | 510 | 4.8 | 0.22 | 0.51 | 0.03 | 528 | 3.9 | 0.18 | 0.39 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 274 | 4.9 | 0.31 | 0.48 | 0.04 | 202 | 3.2 | 0.25 | 0.30 | 0.03 |
| USA, North Carolina | 2114 | 5.6 | 0.13 | 0.57 | 0.02 | 1616 | 3.8 | 0.11 | 0.39 | 0.01 |
| USA, North Carolina: White | 1684 | 5.6 | 0.15 | 0.57 | 0.02 | 1252 | 3.8 | 0.13 | 0.39 | 0.01 |
| USA, North Carolina: Black | 366 | 5.6 | 0.30 | 0.57 | 0.04 | 315 | 3.7 | 0.22 | 0.37 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 26 | 3.5 | 0.71 | 0.35 | 0.09 | 11 | 1.3 | 0.39 | 0.14 | 0.05 |
| *USA, North Carolina: American Indian | 16 | 3.4 | 0.87 | 0.36 | 0.11 | 12 | 2.1 | 0.61 | 0.23 | 0.09 |
| USA, North Dakota | 158 | 5.2 | 0.44 | 0.58 | 0.06 | 122 | 3.5 | 0.37 | 0.35 | 0.05 |
| USA, Ohio | 2366 | 5.0 | 0.11 | 0.53 | 0.01 | 1851 | 3.6 | 0.10 | 0.37 | 0.01 |
| USA, Ohio: White | 2146 | 5.1 | 0.12 | 0.54 | 0.01 | 1632 | 3.6 | 0.10 | 0.37 | 0.01 |
| USA, Ohio: Black | 175 | 3.9 | 0.30 | 0.39 | 0.04 | 191 | 3.4 | 0.27 | 0.33 | 0.03 |
| *USA, Ohio: Asian and Pacific Islander | 32 | 4.4 | 0.80 | 0.48 | 0.10 | 21 | 2.9 | 0.66 | 0.26 | 0.07 |
| USA, Oklahoma | 807 | 5.3 | 0.20 | 0.55 | 0.02 | 583 | 3.6 | 0.17 | 0.37 | 0.02 |
| USA, Oklahoma: White | 684 | 5.3 | 0.22 | 0.54 | 0.03 | 493 | 3.6 | 0.19 | 0.37 | 0.02 |
| USA, Oklahoma: Black | 55 | 6.3 | 0.86 | 0.80 | 0.14 | 30 | 2.9 | 0.55 | 0.38 | 0.08 |
| USA, Oklahoma: American Indian | 49 | 4.4 | 0.63 | 0.50 | 0.09 | 44 | 3.7 | 0.57 | 0.39 | 0.07 |
| USA, Oregon | 827 | 4.9 | 0.19 | 0.51 | 0.02 | 629 | 3.6 | 0.17 | 0.36 | 0.02 |
| USA, Oregon: White | 777 | 5.0 | 0.20 | 0.52 | 0.02 | 589 | 3.7 | 0.18 | 0.36 | 0.02 |
| *USA, Oregon: Black | 13 | 4.9 | 1.37 | 0.44 | 0.17 | 10 | 3.6 | 1.17 | 0.38 | 0.14 |
| *USA, Oregon: Asian and Pacific Islander | 23 | 3.8 | 0.80 | 0.35 | 0.10 | 25 | 3.3 | 0.68 | 0.32 | 0.07 |
| USA, Rhode Island | 237 | 5.5 | 0.40 | 0.53 | 0.05 | 189 | 4.0 | 0.36 | 0.37 | 0.04 |
| USA, Rhode Island: White | 217 | 5.5 | 0.42 | 0.53 | 0.05 | 173 | 4.1 | 0.41 | 0.37 | 0.04 |
| *USA, Rhode Island: Black | 15 | 6.7 | 1.74 | 0.77 | 0.23 | 9 | 3.2 | 1.10 | 0.32 | 0.13 |
| USA, South Carolina | 1078 | 5.4 | 0.18 | 0.58 | 0.02 | 798 | 3.7 | 0.15 | 0.38 | 0.02 |
| USA, South Carolina: White | 889 | 5.8 | 0.21 | 0.62 | 0.03 | 597 | 3.7 | 0.18 | 0.38 | 0.02 |
| USA, South Carolina: Black | 176 | 4.3 | 0.33 | 0.43 | 0.04 | 185 | 3.6 | 0.29 | 0.36 | 0.03 |
| USA, South Dakota | 217 | 5.9 | 0.44 | 0.59 | 0.05 | 164 | 4.9 | 0.44 | 0.50 | 0.05 |
| USA, Tennessee | 1374 | 5.5 | 0.16 | 0.57 | 0.02 | 1093 | 4.0 | 0.14 | 0.40 | 0.01 |
| USA, Tennessee: White | 1218 | 5.7 | 0.18 | 0.59 | 0.02 | 922 | 4.0 | 0.15 | 0.39 | 0.02 |
| USA, Tennessee: Black | 139 | 4.5 | 0.38 | 0.48 | 0.05 | 148 | 3.9 | 0.33 | 0.42 | 0.04 |
| USA, Texas | 4544 | 5.0 | 0.08 | 0.51 | 0.01 | 3419 | 3.5 | 0.06 | 0.35 | 0.01 |
| USA, Texas: White | 3980 | 5.1 | 0.09 | 0.53 | 0.01 | 2924 | 3.5 | 0.07 | 0.36 | 0.01 |
| USA, Texas: Black | 397 | 4.3 | 0.22 | 0.46 | 0.03 | 376 | 3.3 | 0.18 | 0.32 | 0.02 |
| USA, Texas: Asian and Pacific Islander | 146 | 4.0 | 0.34 | 0.40 | 0.04 | 95 | 2.3 | 0.25 | 0.21 | 0.03 |
| USA, Utah | 447 | 4.9 | 0.24 | 0.52 | 0.03 | 334 | 3.5 | 0.20 | 0.35 | 0.02 |
| USA, Vermont | 135 | 4.5 | 0.42 | 0.43 | 0.05 | 90 | 3.4 | 0.43 | 0.36 | 0.04 |
| USA, Washington State | 1464 | 5.3 | 0.15 | 0.54 | 0.02 | 1062 | 3.6 | 0.12 | 0.38 | 0.01 |
| *USA, Washington, Seattle | 928 | 5.0 | 0.18 | 0.50 | 0.02 | 693 | 3.5 | 0.15 | 0.36 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloid leukaemia (C92–94) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 472 | 6.0 | 0.31 | 0.61 | 0.03 | 412 | 4.8 | 0.28 | 0.50 | 0.03 |
| USA, Wyoming | 111 | 4.6 | 0.48 | 0.43 | 0.05 | 77 | 3.0 | 0.37 | 0.35 | 0.05 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 32 | 2.1 | 0.39 | 0.20 | 0.05 | 27 | 1.8 | 0.36 | 0.19 | 0.05 |
| Brunei Darussalam | 37 | 4.0 | 0.69 | 0.40 | 0.09 | 29 | 3.0 | 0.58 | 0.27 | 0.07 |
| *China, Anfu County | 17 | 1.7 | 0.42 | 0.20 | 0.06 | 10 | 1.2 | 0.41 | 0.12 | 0.04 |
| *China, Anguo City | 9 | 1.1 | 0.41 | 0.10 | 0.04 | 5 | 0.5 | 0.23 | 0.06 | 0.03 |
| *China, Anshan City | 82 | 1.3 | 0.18 | 0.15 | 0.02 | 58 | 0.9 | 0.13 | 0.09 | 0.01 |
| *China, Aohan Banner, Chifeng City | 4 | 0.4 | 0.20 | 0.03 | 0.02 | 11 | 0.7 | 0.24 | 0.07 | 0.02 |
| *China, Arongqi | 3 | 0.3 | 0.16 | 0.02 | 0.01 | 2 | 0.2 | 0.17 | 0.03 | 0.02 |
| *China, Baoding City | 79 | 2.3 | 0.27 | 0.24 | 0.03 | 51 | 1.4 | 0.20 | 0.16 | 0.03 |
| *China, Beijing City | 899 | 2.7 | 0.11 | 0.26 | 0.01 | 682 | 2.2 | 0.12 | 0.20 | 0.01 |
| *China, Binhai County | 18 | 0.4 | 0.10 | 0.05 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Cangzhou City | 23 | 1.7 | 0.39 | 0.13 | 0.03 | 23 | 1.4 | 0.32 | 0.15 | 0.04 |
| China, Changfeng County | 39 | 2.5 | 0.43 | 0.23 | 0.05 | 25 | 2.0 | 0.44 | 0.19 | 0.04 |
| China, Changzhou City | 300 | 3.5 | 0.22 | 0.35 | 0.02 | 227 | 2.5 | 0.19 | 0.26 | 0.02 |
| China, Chengdu City | 84 | 2.5 | 0.31 | 0.27 | 0.04 | 61 | 1.8 | 0.27 | 0.17 | 0.03 |
| China, Cixian County | 56 | 3.2 | 0.44 | 0.29 | 0.04 | 26 | 1.6 | 0.33 | 0.13 | 0.03 |
| China, Cixi City | 89 | 2.3 | 0.30 | 0.23 | 0.03 | 70 | 2.0 | 0.33 | 0.17 | 0.02 |
| *China, Dafeng District, Yancheng City | 25 | 1.0 | 0.27 | 0.09 | 0.02 | 23 | 0.8 | 0.20 | 0.07 | 0.02 |
| China, Dalian City | 250 | 2.7 | 0.20 | 0.29 | 0.02 | 213 | 2.2 | 0.18 | 0.22 | 0.02 |
| *China, Dancheng County | 98 | 2.9 | 0.31 | 0.24 | 0.04 | 61 | 1.8 | 0.26 | 0.15 | 0.02 |
| China, Dangtu County | 24 | 2.3 | 0.52 | 0.22 | 0.05 | 15 | 1.6 | 0.45 | 0.16 | 0.04 |
| *China, Danyang City | 55 | 1.6 | 0.23 | 0.18 | 0.03 | 34 | 1.1 | 0.21 | 0.12 | 0.02 |
| *China, Dawukou District, Shizuishan City | 10 | 1.2 | 0.47 | 0.09 | 0.03 | 4 | 0.4 | 0.20 | 0.06 | 0.03 |
| *China, Dehui City | 29 | 1.0 | 0.20 | 0.09 | 0.02 | 35 | 1.6 | 0.32 | 0.12 | 0.02 |
| *China, Donggang County | 7 | 0.2 | 0.09 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Dongguan City | 106 | 2.9 | 0.30 | 0.31 | 0.03 | 90 | 2.3 | 0.27 | 0.22 | 0.03 |
| China, Donghai County | 87 | 2.3 | 0.26 | 0.25 | 0.03 | 69 | 2.0 | 0.25 | 0.18 | 0.03 |
| *China, Dongtai City | 42 | 1.1 | 0.19 | 0.11 | 0.02 | 28 | 1.0 | 0.28 | 0.09 | 0.02 |
| China, Duanzhou District, Zhaoqing City | 23 | 2.5 | 0.58 | 0.22 | 0.05 | 22 | 2.3 | 0.59 | 0.21 | 0.06 |
| *China, Evenki Autonomous Banner | 4 | 1.6 | 0.80 | 0.14 | 0.07 | 4 | 1.3 | 0.65 | 0.24 | 0.13 |
| *China, Faku County | 12 | 1.4 | 0.52 | 0.11 | 0.03 | 13 | 0.9 | 0.30 | 0.10 | 0.03 |
| *China, Fangcheng County | 22 | 1.0 | 0.22 | 0.09 | 0.02 | 10 | 0.5 | 0.17 | 0.05 | 0.02 |
| *China, Feicheng City | 47 | 1.5 | 0.25 | 0.15 | 0.02 | 30 | 0.9 | 0.17 | 0.08 | 0.02 |
| China, Feixi County | 83 | 2.7 | 0.33 | 0.22 | 0.03 | 69 | 2.0 | 0.25 | 0.19 | 0.03 |
| China, Fuqing City | 38 | 1.6 | 0.27 | 0.14 | 0.03 | 30 | 1.2 | 0.22 | 0.14 | 0.03 |
| *China, Ganyu District, Lianyungang City | 58 | 1.5 | 0.21 | 0.16 | 0.02 | 28 | 0.9 | 0.18 | 0.07 | 0.01 |
| *China, Ganzhou District, Zhangye City | 8 | 0.7 | 0.25 | 0.06 | 0.02 | 5 | 0.9 | 0.50 | 0.07 | 0.03 |
| *China, Gaocheng City | 17 | 0.9 | 0.23 | 0.07 | 0.02 | 19 | 1.3 | 0.34 | 0.10 | 0.02 |
| China, Gaomi City | 49 | 2.0 | 0.31 | 0.23 | 0.04 | 49 | 1.7 | 0.27 | 0.17 | 0.03 |
| China, Gong'an County | 87 | 3.1 | 0.38 | 0.31 | 0.04 | 71 | 2.6 | 0.36 | 0.26 | 0.03 |
| *China, Guang'an District, Guang'an City | 12 | 0.6 | 0.19 | 0.05 | 0.02 | 7 | 0.4 | 0.15 | 0.04 | 0.02 |
| China, Guanghan City | 24 | 2.1 | 0.51 | 0.22 | 0.05 | 21 | 1.2 | 0.28 | 0.15 | 0.04 |
| China, Guangzhou City | 938 | 3.3 | 0.12 | 0.33 | 0.01 | 712 | 2.5 | 0.11 | 0.24 | 0.01 |
| *China, Guanyun County | 75 | 2.3 | 0.28 | 0.20 | 0.03 | 61 | 2.0 | 0.26 | 0.20 | 0.03 |
| China, Guilin City | 57 | 2.8 | 0.39 | 0.36 | 0.05 | 46 | 2.0 | 0.30 | 0.21 | 0.04 |
| *China, Hai'an City | 87 | 2.3 | 0.33 | 0.19 | 0.03 | 80 | 1.9 | 0.25 | 0.20 | 0.03 |
| China, Hailar District, Hulun Buir City | 22 | 1.9 | 0.43 | 0.23 | 0.06 | 13 | 1.0 | 0.30 | 0.12 | 0.04 |
| China, Haimen District, Nantong City | 84 | 2.0 | 0.26 | 0.20 | 0.03 | 85 | 2.3 | 0.32 | 0.25 | 0.03 |
| China, Haining City | 44 | 1.8 | 0.31 | 0.20 | 0.03 | 50 | 1.9 | 0.31 | 0.21 | 0.03 |
| China, Hangzhou City | 698 | 2.8 | 0.13 | 0.26 | 0.01 | 476 | 2.0 | 0.11 | 0.18 | 0.01 |
| China, Hebi City | 17 | 1.3 | 0.33 | 0.12 | 0.03 | 12 | 1.5 | 0.45 | 0.12 | 0.03 |
| China, Hefei City | 202 | 2.7 | 0.20 | 0.28 | 0.02 | 156 | 2.0 | 0.18 | 0.22 | 0.02 |
| China, Hengdong County | 19 | 1.5 | 0.37 | 0.12 | 0.03 | 8 | 0.7 | 0.25 | 0.05 | 0.02 |
| *China, Hengfeng County | 12 | 2.7 | 0.80 | 0.16 | 0.05 | 6 | 1.1 | 0.44 | 0.13 | 0.06 |
| *China, Hepu County | 103 | 3.8 | 0.39 | 0.38 | 0.04 | 58 | 2.4 | 0.33 | 0.25 | 0.04 |
| China, Honghu City | 105 | 4.5 | 0.49 | 0.38 | 0.04 | 70 | 3.4 | 0.52 | 0.29 | 0.04 |
| China, Hongshan District, Chifeng City | 28 | 2.1 | 0.43 | 0.22 | 0.05 | 20 | 1.7 | 0.46 | 0.17 | 0.05 |
| *China, Hongta District, Yuxi City | 22 | 1.5 | 0.33 | 0.20 | 0.05 | 21 | 1.6 | 0.40 | 0.12 | 0.03 |
| *China, Huaiyin District, Huai'an City | 25 | 0.9 | 0.20 | 0.09 | 0.02 | 12 | 0.5 | 0.15 | 0.05 | 0.02 |
| *China, Jiange County | 8 | 0.6 | 0.24 | 0.06 | 0.03 | 9 | 0.6 | 0.21 | 0.06 | 0.02 |
| China, Jiangmen City | 71 | 3.3 | 0.41 | 0.35 | 0.05 | 59 | 2.9 | 0.44 | 0.26 | 0.04 |
| *China, Jiangyin City | 140 | 3.2 | 0.33 | 0.31 | 0.03 | 108 | 2.3 | 0.25 | 0.23 | 0.02 |
| *China, Jiashan County | 53 | 3.7 | 0.61 | 0.37 | 0.06 | 41 | 2.6 | 0.45 | 0.25 | 0.04 |
| China, Jiayu County | 12 | 1.7 | 0.52 | 0.15 | 0.04 | 19 | 2.8 | 0.66 | 0.24 | 0.06 |
| *China, Jinan City | 153 | 2.1 | 0.20 | 0.19 | 0.02 | 111 | 1.5 | 0.16 | 0.14 | 0.02 |
| *China, Jingtai County | 10 | 1.6 | 0.50 | 0.21 | 0.07 | 3 | 0.4 | 0.25 | 0.03 | 0.02 |
| *China, Jingxian County | 6 | 0.5 | 0.26 | 0.03 | 0.02 | 9 | 0.8 | 0.32 | 0.09 | 0.04 |
| *China, Jintan District, Changzhou City | 40 | 2.3 | 0.48 | 0.22 | 0.04 | 36 | 2.1 | 0.43 | 0.24 | 0.04 |
| *China, Jiulongpo District, Chongqing City | 75 | 2.7 | 0.36 | 0.29 | 0.04 | 52 | 2.1 | 0.32 | 0.22 | 0.03 |
| *China, Jiyuan City | 6 | 0.4 | 0.19 | 0.03 | 0.01 | 6 | 0.4 | 0.15 | 0.05 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloid leukaemia (C92–94) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 27 | 2.4 | 0.54 | 0.23 | 0.05 | 25 | 2.5 | 0.55 | 0.29 | 0.07 |
| China, Kunshan City | 96 | 3.5 | 0.41 | 0.33 | 0.04 | 73 | 2.4 | 0.29 | 0.26 | 0.03 |
| China, Langzhong City | 23 | 1.2 | 0.25 | 0.15 | 0.04 | 17 | 0.9 | 0.25 | 0.10 | 0.03 |
| *China, Liangshan County | 59 | 2.3 | 0.32 | 0.26 | 0.04 | 65 | 2.6 | 0.35 | 0.25 | 0.03 |
| *China, Lianshui County | 25 | 0.6 | 0.13 | 0.07 | 0.01 | 21 | 0.8 | 0.18 | 0.06 | 0.01 |
| China, Lianyungang City | 90 | 2.6 | 0.29 | 0.25 | 0.03 | 76 | 2.5 | 0.33 | 0.23 | 0.03 |
| China, Linhe District, Bayannur City | 9 | 0.6 | 0.22 | 0.05 | 0.02 | 5 | 0.3 | 0.16 | 0.02 | 0.01 |
| China, Linqu County | 81 | 2.6 | 0.33 | 0.27 | 0.04 | 57 | 2.2 | 0.33 | 0.19 | 0.03 |
| *China, Linzhou City | 41 | 1.3 | 0.20 | 0.14 | 0.03 | 45 | 1.5 | 0.24 | 0.15 | 0.02 |
| China, Liuzhou City | 120 | 3.4 | 0.33 | 0.37 | 0.04 | 86 | 2.5 | 0.28 | 0.27 | 0.03 |
| China, Liyang City | 41 | 1.1 | 0.19 | 0.11 | 0.02 | 43 | 1.3 | 0.21 | 0.14 | 0.02 |
| *China, Longquan City | 26 | 3.4 | 0.78 | 0.35 | 0.08 | 19 | 2.1 | 0.50 | 0.18 | 0.05 |
| China, Lucheng District, Wenzhou City | 44 | 3.0 | 0.51 | 0.26 | 0.05 | 23 | 1.4 | 0.36 | 0.13 | 0.03 |
| China, Luoding City | 47 | 2.2 | 0.32 | 0.23 | 0.04 | 36 | 1.9 | 0.32 | 0.19 | 0.04 |
| *China, Luohe City | 71 | 1.9 | 0.24 | 0.22 | 0.03 | 51 | 1.4 | 0.21 | 0.15 | 0.02 |
| *China, Luoyang City | 45 | 1.3 | 0.22 | 0.12 | 0.02 | 36 | 1.0 | 0.20 | 0.10 | 0.02 |
| *China, Luquan City | 19 | 1.9 | 0.46 | 0.20 | 0.05 | 16 | 1.6 | 0.44 | 0.13 | 0.04 |
| China, Ma'anshan City | 83 | 4.0 | 0.48 | 0.41 | 0.05 | 42 | 1.9 | 0.31 | 0.17 | 0.03 |
| *China, Macheng City | 32 | 1.6 | 0.32 | 0.15 | 0.03 | 20 | 1.2 | 0.31 | 0.11 | 0.03 |
| China, Meihekou City | 18 | 0.9 | 0.27 | 0.08 | 0.02 | 16 | 0.9 | 0.24 | 0.09 | 0.02 |
| *China, Mengjin County | 15 | 1.5 | 0.39 | 0.13 | 0.04 | 11 | 1.1 | 0.33 | 0.13 | 0.04 |
| China, Nangang District, Harbin City | 66 | 2.1 | 0.32 | 0.19 | 0.03 | 42 | 1.3 | 0.26 | 0.14 | 0.02 |
| *China, Nanghai District, Foshan City | 87 | 3.6 | 0.40 | 0.33 | 0.04 | 63 | 2.3 | 0.32 | 0.24 | 0.04 |
| China, Nanhu District, Jiaying City | 66 | 3.4 | 0.51 | 0.28 | 0.04 | 64 | 3.4 | 0.55 | 0.31 | 0.05 |
| *China, Nantong City | 74 | 1.6 | 0.22 | 0.17 | 0.02 | 66 | 1.6 | 0.24 | 0.16 | 0.02 |
| *China, Nanxiong City | 32 | 2.2 | 0.39 | 0.23 | 0.05 | 28 | 2.1 | 0.43 | 0.20 | 0.04 |
| China, Neixiang County | 34 | 1.8 | 0.33 | 0.14 | 0.03 | 21 | 1.2 | 0.28 | 0.10 | 0.02 |
| *China, Qianxi County | 3 | 0.4 | 0.26 | 0.02 | 0.01 | 3 | 0.5 | 0.29 | 0.03 | 0.02 |
| China, Qidong City | 74 | 1.6 | 0.25 | 0.15 | 0.02 | 67 | 1.3 | 0.19 | 0.12 | 0.02 |
| China, Qingzhou City | 109 | 4.1 | 0.43 | 0.39 | 0.04 | 62 | 2.1 | 0.30 | 0.23 | 0.03 |
| *China, Rudong County | 47 | 1.2 | 0.27 | 0.11 | 0.02 | 28 | 0.7 | 0.16 | 0.07 | 0.01 |
| *China, Rugao City | 109 | 1.6 | 0.18 | 0.17 | 0.02 | 93 | 1.7 | 0.22 | 0.18 | 0.02 |
| *China, Rural areas of Shanghai City | 848 | 2.6 | 0.12 | 0.24 | 0.01 | 605 | 1.8 | 0.10 | 0.17 | 0.01 |
| China, Ruyang County | 35 | 3.1 | 0.53 | 0.23 | 0.04 | 21 | 1.9 | 0.43 | 0.19 | 0.05 |
| *China, Shan County | 27 | 1.2 | 0.24 | 0.11 | 0.02 | 24 | 1.1 | 0.25 | 0.11 | 0.02 |
| China, Shanghai City | 612 | 2.2 | 0.12 | 0.22 | 0.01 | 465 | 1.8 | 0.13 | 0.17 | 0.01 |
| China, Shangyu District, Shaoxing City | 81 | 2.8 | 0.38 | 0.30 | 0.04 | 59 | 2.1 | 0.31 | 0.20 | 0.03 |
| *China, Shapingba District, Chongqing City | 56 | 2.1 | 0.33 | 0.18 | 0.03 | 49 | 1.5 | 0.26 | 0.16 | 0.03 |
| China, Shexian County | 22 | 1.9 | 0.43 | 0.18 | 0.04 | 17 | 1.4 | 0.36 | 0.15 | 0.04 |
| China, Sheyang County | 46 | 1.4 | 0.23 | 0.14 | 0.02 | 49 | 1.6 | 0.27 | 0.14 | 0.02 |
| *China, Shijiazhuang City | 124 | 3.1 | 0.32 | 0.27 | 0.03 | 112 | 2.5 | 0.27 | 0.24 | 0.03 |
| China, Shunde District, Foshan City | 97 | 3.2 | 0.34 | 0.32 | 0.04 | 95 | 2.9 | 0.34 | 0.27 | 0.03 |
| *China, Song County | 6 | 0.4 | 0.16 | 0.03 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Suzhou City | 264 | 2.4 | 0.18 | 0.21 | 0.01 | 183 | 1.8 | 0.17 | 0.15 | 0.01 |
| *China, Tengzhou City | 126 | 2.5 | 0.24 | 0.26 | 0.03 | 108 | 2.1 | 0.22 | 0.21 | 0.02 |
| *China, Wangdu County | 3 | 0.4 | 0.25 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| *China, Wanxian County | 1 | 0.1 | 0.13 | 0.01 | 0.01 | 1 | 0.1 | 0.15 | 0.01 | 0.01 |
| *China, Wu'an City | 13 | 0.7 | 0.21 | 0.04 | 0.01 | 14 | 0.7 | 0.20 | 0.08 | 0.02 |
| China, Wuhan City | 458 | 2.7 | 0.15 | 0.27 | 0.02 | 392 | 2.4 | 0.15 | 0.22 | 0.01 |
| *China, Wuhu City | 96 | 2.3 | 0.28 | 0.23 | 0.03 | 83 | 2.0 | 0.26 | 0.20 | 0.03 |
| China, Wuxi City | 197 | 2.2 | 0.20 | 0.21 | 0.02 | 179 | 2.0 | 0.19 | 0.19 | 0.02 |
| China, Wuzhou City | 52 | 2.8 | 0.40 | 0.33 | 0.05 | 46 | 2.5 | 0.39 | 0.25 | 0.04 |
| China, Xiangfu District, Kaifeng City | 30 | 1.7 | 0.31 | 0.18 | 0.04 | 35 | 1.7 | 0.30 | 0.20 | 0.04 |
| China, Xianju County | 50 | 3.6 | 0.61 | 0.31 | 0.05 | 31 | 3.0 | 0.67 | 0.23 | 0.05 |
| *China, Xin'an County | 9 | 1.1 | 0.36 | 0.10 | 0.04 | 4 | 0.3 | 0.17 | 0.03 | 0.02 |
| *China, Xining City | 48 | 2.3 | 0.34 | 0.23 | 0.04 | 31 | 1.2 | 0.22 | 0.11 | 0.03 |
| *China, Xinji City | 19 | 1.0 | 0.27 | 0.09 | 0.02 | 19 | 1.1 | 0.32 | 0.11 | 0.03 |
| *China, Xinluo District, Longyan City | 21 | 2.0 | 0.45 | 0.20 | 0.05 | 14 | 2.2 | 0.68 | 0.18 | 0.05 |
| *China, Xinzhou District, Shangrao City | 24 | 2.1 | 0.44 | 0.20 | 0.04 | 34 | 2.6 | 0.45 | 0.22 | 0.04 |
| China, Xiping County | 51 | 2.0 | 0.30 | 0.20 | 0.03 | 42 | 1.5 | 0.24 | 0.17 | 0.03 |
| *China, Xishan District, Kunming City | 48 | 4.1 | 0.76 | 0.38 | 0.06 | 35 | 4.0 | 0.90 | 0.30 | 0.06 |
| *China, Xuyi County | 11 | 0.5 | 0.16 | 0.06 | 0.02 | 8 | 0.4 | 0.16 | 0.05 | 0.02 |
| *China, Ya'an City | 79 | 1.6 | 0.18 | 0.17 | 0.02 | 69 | 1.5 | 0.20 | 0.14 | 0.02 |
| *China, Yakeshi City | 14 | 1.4 | 0.40 | 0.14 | 0.04 | 10 | 0.6 | 0.21 | 0.08 | 0.03 |
| China, Yancheng City | 74 | 1.8 | 0.24 | 0.15 | 0.02 | 50 | 1.0 | 0.15 | 0.11 | 0.02 |
| *China, Yangquan City | 18 | 0.8 | 0.20 | 0.09 | 0.02 | 12 | 0.7 | 0.23 | 0.07 | 0.02 |
| *China, Yangzhong City | 6 | 1.2 | 0.58 | 0.08 | 0.03 | 3 | 0.5 | 0.41 | 0.04 | 0.02 |
| *China, Yanji City | 30 | 1.8 | 0.38 | 0.17 | 0.04 | 24 | 1.6 | 0.41 | 0.12 | 0.03 |
| *China, Yanshi City | 27 | 1.4 | 0.29 | 0.14 | 0.03 | 28 | 1.4 | 0.30 | 0.14 | 0.03 |
| China, Yanting County | 30 | 2.0 | 0.40 | 0.17 | 0.04 | 26 | 2.0 | 0.46 | 0.16 | 0.03 |
| *China, Yi'an District, Tongling City | 10 | 1.0 | 0.34 | 0.09 | 0.03 | 7 | 0.7 | 0.26 | 0.05 | 0.03 |
| *China, Yingdong District, Fuyang City | 11 | 0.6 | 0.21 | 0.05 | 0.02 | 16 | 0.9 | 0.23 | 0.09 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloid leukaemia (C92–94) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 19 | 2.2 | 0.57 | 0.19 | 0.06 | 22 | 2.5 | 0.66 | 0.26 | 0.07 |
| *China, Yiyuan County | 18 | 1.0 | 0.26 | 0.11 | 0.03 | 16 | 1.1 | 0.34 | 0.10 | 0.03 |
| China, Yong'an City | 25 | 1.9 | 0.40 | 0.23 | 0.05 | 26 | 2.1 | 0.43 | 0.21 | 0.05 |
| *China, Yongding District, Longyan City | 37 | 2.4 | 0.41 | 0.30 | 0.06 | 27 | 2.2 | 0.48 | 0.18 | 0.04 |
| China, Yongkang City | 61 | 3.0 | 0.39 | 0.35 | 0.05 | 52 | 2.7 | 0.42 | 0.28 | 0.05 |
| *China, Yucheng County | 20 | 1.0 | 0.22 | 0.09 | 0.02 | 13 | 0.7 | 0.19 | 0.04 | 0.01 |
| China, Yueyanglou District, Yueyang City | 12 | 1.3 | 0.38 | 0.17 | 0.05 | 10 | 1.1 | 0.39 | 0.14 | 0.06 |
| China, Yunmeng County | 12 | 0.7 | 0.22 | 0.10 | 0.03 | 8 | 0.4 | 0.16 | 0.06 | 0.02 |
| *China, Yunyang District, Shiyao City | 18 | 2.0 | 0.54 | 0.18 | 0.05 | 13 | 1.3 | 0.38 | 0.10 | 0.03 |
| China, Yuzhong District, Chongqing City | 79 | 3.6 | 0.44 | 0.34 | 0.05 | 83 | 3.7 | 0.43 | 0.46 | 0.06 |
| *China, Zhanhuang County | 12 | 1.5 | 0.44 | 0.12 | 0.03 | 10 | 1.7 | 0.56 | 0.11 | 0.04 |
| *China, Zhangjiagang City | 123 | 3.8 | 0.43 | 0.38 | 0.04 | 68 | 1.6 | 0.25 | 0.16 | 0.02 |
| *China, Zhaoyuan City | 35 | 1.8 | 0.36 | 0.15 | 0.03 | 24 | 0.9 | 0.20 | 0.10 | 0.03 |
| *China, Zhengding County | 18 | 1.6 | 0.42 | 0.18 | 0.05 | 16 | 1.4 | 0.37 | 0.13 | 0.03 |
| *China, Zhongshan City | 132 | 2.7 | 0.25 | 0.28 | 0.03 | 105 | 2.2 | 0.24 | 0.22 | 0.03 |
| China, Zhongxiang City | 75 | 2.8 | 0.38 | 0.26 | 0.03 | 48 | 1.8 | 0.31 | 0.16 | 0.03 |
| *China, Zhuanghe City | 70 | 2.8 | 0.44 | 0.23 | 0.03 | 59 | 1.7 | 0.25 | 0.17 | 0.02 |
| *China, Zhuhai City | 78 | 2.4 | 0.29 | 0.20 | 0.03 | 77 | 2.6 | 0.33 | 0.26 | 0.04 |
| India, Ahmedabad, Urban | 341 | 2.6 | 0.14 | 0.27 | 0.02 | 209 | 1.7 | 0.12 | 0.17 | 0.01 |
| India, Aurangabad | 38 | 1.2 | 0.19 | 0.12 | 0.03 | 26 | 0.8 | 0.16 | 0.06 | 0.01 |
| India, Bangalore | 376 | 2.9 | 0.16 | 0.29 | 0.02 | 289 | 2.4 | 0.14 | 0.23 | 0.02 |
| India, Barshi, Paranda, and Bhum | 18 | 1.3 | 0.32 | 0.13 | 0.03 | 11 | 0.8 | 0.26 | 0.07 | 0.02 |
| *India, Bhopal | 66 | 2.1 | 0.27 | 0.20 | 0.03 | 45 | 1.5 | 0.22 | 0.15 | 0.03 |
| India, Chandigarh | 62 | 2.3 | 0.31 | 0.24 | 0.04 | 47 | 1.8 | 0.28 | 0.19 | 0.03 |
| *India, Chennai | 321 | 2.5 | 0.15 | 0.23 | 0.02 | 255 | 2.0 | 0.13 | 0.21 | 0.02 |
| India, Dibrugarh | 27 | 0.8 | 0.16 | 0.07 | 0.02 | 15 | 0.4 | 0.11 | 0.03 | 0.01 |
| *India, Dindigul, Ambilikkai | 90 | 1.5 | 0.16 | 0.13 | 0.02 | 66 | 1.0 | 0.13 | 0.10 | 0.01 |
| India, Kamrup Urban District | 28 | 1.0 | 0.20 | 0.07 | 0.02 | 23 | 0.9 | 0.21 | 0.11 | 0.03 |
| India, Kollam | 153 | 2.7 | 0.22 | 0.28 | 0.03 | 131 | 1.9 | 0.17 | 0.22 | 0.02 |
| *India, Manipur | 79 | 1.5 | 0.17 | 0.15 | 0.02 | 85 | 1.5 | 0.17 | 0.15 | 0.02 |
| India, Meghalaya | 32 | 0.8 | 0.15 | 0.07 | 0.02 | 21 | 0.6 | 0.14 | 0.06 | 0.02 |
| India, Mizoram | 45 | 2.2 | 0.34 | 0.23 | 0.04 | 28 | 1.4 | 0.27 | 0.14 | 0.04 |
| India, Mumbai | 717 | 2.2 | 0.08 | 0.21 | 0.01 | 528 | 1.7 | 0.08 | 0.17 | 0.01 |
| *India, New Delhi | 733 | 2.9 | 0.11 | 0.28 | 0.01 | 468 | 2.0 | 0.10 | 0.21 | 0.01 |
| India, Poona | 159 | 1.2 | 0.10 | 0.11 | 0.01 | 129 | 1.0 | 0.09 | 0.09 | 0.01 |
| *India, Sangrur District | 45 | 1.6 | 0.24 | 0.16 | 0.03 | 32 | 1.3 | 0.22 | 0.13 | 0.03 |
| India, SAS Nagar | 64 | 2.3 | 0.30 | 0.25 | 0.04 | 51 | 2.0 | 0.29 | 0.18 | 0.03 |
| *India, Tamil Nadu | 3199 | 1.6 | 0.03 | 0.14 | 0.00 | 2321 | 1.1 | 0.02 | 0.10 | 0.00 |
| *India, Tripura | 109 | 1.4 | 0.14 | 0.12 | 0.01 | 74 | 1.0 | 0.12 | 0.09 | 0.01 |
| India, Trivandrum | 166 | 2.4 | 0.19 | 0.23 | 0.02 | 194 | 2.3 | 0.17 | 0.22 | 0.02 |
| India, Wardha | 73 | 1.9 | 0.23 | 0.19 | 0.03 | 49 | 1.3 | 0.19 | 0.13 | 0.02 |
| India, West Arunachal | 15 | 0.9 | 0.26 | 0.08 | 0.02 | 10 | 1.0 | 0.34 | 0.11 | 0.04 |
| *Iran (Islamic Republic of), Ardabil Province | 38 | 2.0 | 0.33 | 0.19 | 0.04 | 23 | 1.2 | 0.26 | 0.13 | 0.03 |
| *Iran (Islamic Republic of), Golestan Province | 86 | 3.2 | 0.36 | 0.32 | 0.05 | 62 | 2.4 | 0.31 | 0.27 | 0.04 |
| Israel | 906 | 3.6 | 0.12 | 0.37 | 0.02 | 757 | 2.7 | 0.10 | 0.28 | 0.01 |
| *Israel: Jews | 725 | 3.4 | 0.13 | 0.35 | 0.02 | 605 | 2.6 | 0.12 | 0.27 | 0.01 |
| *Israel: Arabs | 152 | 4.5 | 0.38 | 0.47 | 0.05 | 106 | 3.1 | 0.31 | 0.34 | 0.04 |
| Japan | 14809 | 4.2 | 0.04 | 0.42 | 0.00 | 9484 | 2.5 | 0.04 | 0.24 | 0.00 |
| Japan, Aichi Prefecture | 879 | 4.7 | 0.20 | 0.44 | 0.02 | 513 | 2.6 | 0.15 | 0.24 | 0.01 |
| *Japan, Akita Prefecture | 113 | 4.4 | 0.57 | 0.41 | 0.05 | 84 | 2.5 | 0.43 | 0.24 | 0.04 |
| Japan, Aomori Prefecture | 264 | 4.2 | 0.35 | 0.43 | 0.03 | 182 | 2.6 | 0.31 | 0.24 | 0.02 |
| Japan, Gunma Prefecture | 219 | 3.5 | 0.30 | 0.35 | 0.03 | 153 | 2.6 | 0.29 | 0.26 | 0.03 |
| Japan, Hiroshima Prefecture | 540 | 5.3 | 0.30 | 0.51 | 0.03 | 362 | 3.1 | 0.24 | 0.29 | 0.02 |
| Japan, Miyagi Prefecture | 395 | 3.8 | 0.24 | 0.38 | 0.02 | 274 | 2.8 | 0.25 | 0.23 | 0.02 |
| Japan, Osaka Prefecture | 1017 | 4.3 | 0.17 | 0.43 | 0.02 | 640 | 2.5 | 0.14 | 0.23 | 0.01 |
| Kuwait | 257 | 2.5 | 0.20 | 0.24 | 0.03 | 159 | 2.5 | 0.23 | 0.23 | 0.03 |
| *Kuwait: Kuwaitis | 74 | 3.0 | 0.38 | 0.30 | 0.05 | 82 | 2.9 | 0.34 | 0.27 | 0.04 |
| *Kuwait: Non-Kuwaitis | 183 | 2.6 | 0.30 | 0.23 | 0.03 | 77 | 2.2 | 0.34 | 0.19 | 0.04 |
| *Philippines, Manila | 349 | 2.7 | 0.16 | 0.24 | 0.02 | 359 | 2.4 | 0.13 | 0.24 | 0.02 |
| *Qatar: Qatari | 17 | 2.9 | 0.73 | 0.19 | 0.06 | 13 | 2.1 | 0.61 | 0.23 | 0.09 |
| Republic of Korea | 6496 | 3.8 | 0.05 | 0.38 | 0.01 | 4594 | 2.5 | 0.04 | 0.25 | 0.00 |
| *Republic of Korea, Busan | 440 | 3.7 | 0.20 | 0.36 | 0.02 | 332 | 2.7 | 0.18 | 0.25 | 0.02 |
| *Republic of Korea, Daegu | 330 | 4.2 | 0.26 | 0.40 | 0.03 | 238 | 2.7 | 0.21 | 0.27 | 0.02 |
| *Republic of Korea, Daejeon | 198 | 4.3 | 0.33 | 0.41 | 0.03 | 129 | 2.7 | 0.27 | 0.26 | 0.03 |
| *Republic of Korea, Gwangju | 166 | 3.6 | 0.31 | 0.36 | 0.03 | 121 | 2.4 | 0.25 | 0.23 | 0.02 |
| Republic of Korea, Incheon | 327 | 3.5 | 0.21 | 0.33 | 0.02 | 253 | 2.5 | 0.18 | 0.24 | 0.02 |
| Republic of Korea, Jeju | 74 | 3.5 | 0.43 | 0.34 | 0.05 | 56 | 2.7 | 0.41 | 0.26 | 0.04 |
| Republic of Korea, Seoul | 1291 | 3.9 | 0.12 | 0.39 | 0.01 | 851 | 2.4 | 0.10 | 0.23 | 0.01 |
| Republic of Korea, Ulsan | 136 | 4.0 | 0.37 | 0.36 | 0.04 | 100 | 2.9 | 0.31 | 0.34 | 0.04 |
| Singapore | 454 | 3.5 | 0.18 | 0.34 | 0.02 | 358 | 2.6 | 0.16 | 0.24 | 0.02 |
| Singapore: Chinese | 351 | 3.5 | 0.22 | 0.33 | 0.02 | 285 | 2.6 | 0.19 | 0.24 | 0.02 |
| Singapore: Indian | 24 | 2.1 | 0.44 | 0.20 | 0.06 | 21 | 2.1 | 0.48 | 0.20 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloid leukaemia (C92–94) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 64 | 4.6 | 0.59 | 0.45 | 0.07 | 46 | 3.1 | 0.48 | 0.32 | 0.06 |
| Thailand, Bangkok | 273 | 1.7 | 0.11 | 0.16 | 0.01 | 241 | 1.2 | 0.09 | 0.11 | 0.01 |
| *Thailand, Chiang Mai | 173 | 3.6 | 0.31 | 0.35 | 0.03 | 145 | 2.8 | 0.27 | 0.25 | 0.02 |
| *Thailand, Khon Kaen | 152 | 3.0 | 0.27 | 0.28 | 0.03 | 132 | 2.3 | 0.22 | 0.20 | 0.02 |
| Thailand, Lampang | 74 | 3.4 | 0.49 | 0.28 | 0.04 | 73 | 3.1 | 0.47 | 0.27 | 0.04 |
| Thailand, Lopburi Province | 56 | 2.7 | 0.38 | 0.29 | 0.04 | 39 | 1.8 | 0.32 | 0.20 | 0.04 |
| *Thailand, Songkhla | 107 | 2.8 | 0.28 | 0.26 | 0.03 | 94 | 2.2 | 0.24 | 0.22 | 0.03 |
| Turkey, Antalya | 221 | 3.7 | 0.25 | 0.36 | 0.03 | 183 | 2.9 | 0.22 | 0.30 | 0.03 |
| Turkey, Bursa | 219 | 2.9 | 0.20 | 0.28 | 0.02 | 192 | 2.4 | 0.18 | 0.24 | 0.02 |
| *Turkey, Edirne | 40 | 2.6 | 0.42 | 0.31 | 0.06 | 40 | 2.5 | 0.42 | 0.31 | 0.06 |
| *Turkey, Erzurum | 62 | 3.3 | 0.42 | 0.31 | 0.05 | 41 | 2.1 | 0.33 | 0.20 | 0.04 |
| Turkey, Eskişehir | 87 | 3.3 | 0.37 | 0.35 | 0.05 | 80 | 2.9 | 0.33 | 0.27 | 0.03 |
| Turkey, Gaziantep | 151 | 3.8 | 0.32 | 0.39 | 0.04 | 136 | 3.1 | 0.28 | 0.34 | 0.04 |
| *Turkey, Izmir | 468 | 3.8 | 0.18 | 0.38 | 0.02 | 408 | 3.1 | 0.16 | 0.31 | 0.02 |
| Turkey, Malatya | 76 | 3.6 | 0.42 | 0.36 | 0.05 | 66 | 3.0 | 0.38 | 0.29 | 0.04 |
| Turkey, Samsun | 138 | 3.6 | 0.31 | 0.38 | 0.04 | 145 | 3.5 | 0.30 | 0.35 | 0.03 |
| Turkey, Trabzon | 102 | 4.4 | 0.45 | 0.41 | 0.05 | 74 | 2.9 | 0.36 | 0.27 | 0.04 |
| Europe | | | | | | | | | | |
| Austria | 1592 | 4.2 | 0.12 | 0.44 | 0.01 | 1357 | 3.1 | 0.11 | 0.32 | 0.01 |
| Austria, Carinthia | 123 | 4.7 | 0.50 | 0.47 | 0.05 | 109 | 3.0 | 0.35 | 0.30 | 0.04 |
| Austria, Tyrol | 137 | 4.1 | 0.39 | 0.42 | 0.05 | 124 | 3.9 | 0.44 | 0.41 | 0.04 |
| Austria, Vorarlberg | 64 | 3.8 | 0.53 | 0.40 | 0.07 | 60 | 3.4 | 0.52 | 0.36 | 0.06 |
| Belarus | 1005 | 3.5 | 0.12 | 0.37 | 0.01 | 1031 | 2.4 | 0.09 | 0.25 | 0.01 |
| *Belgium | 2321 | 4.7 | 0.11 | 0.50 | 0.01 | 1860 | 3.5 | 0.10 | 0.36 | 0.01 |
| Croatia | 707 | 3.9 | 0.17 | 0.41 | 0.02 | 589 | 2.9 | 0.16 | 0.28 | 0.01 |
| Cyprus | 136 | 4.2 | 0.39 | 0.44 | 0.05 | 88 | 2.6 | 0.31 | 0.26 | 0.03 |
| *Czech Republic | 1261 | 2.8 | 0.09 | 0.32 | 0.01 | 1109 | 2.1 | 0.08 | 0.23 | 0.01 |
| Denmark | 1043 | 4.0 | 0.14 | 0.41 | 0.02 | 818 | 3.0 | 0.13 | 0.30 | 0.01 |
| Estonia | 183 | 3.6 | 0.29 | 0.35 | 0.03 | 211 | 3.1 | 0.29 | 0.29 | 0.03 |
| Finland | 733 | 2.9 | 0.13 | 0.29 | 0.01 | 641 | 2.2 | 0.11 | 0.21 | 0.01 |
| *France, Bas-Rhin | 190 | 4.4 | 0.35 | 0.45 | 0.05 | 161 | 3.2 | 0.30 | 0.35 | 0.04 |
| *France, Calvados | 151 | 4.8 | 0.43 | 0.53 | 0.05 | 147 | 3.7 | 0.40 | 0.36 | 0.04 |
| *France, Doubs | 149 | 5.8 | 0.54 | 0.60 | 0.07 | 124 | 4.6 | 0.53 | 0.43 | 0.05 |
| *France, Gironde | 367 | 5.6 | 0.34 | 0.58 | 0.04 | 317 | 3.7 | 0.26 | 0.38 | 0.03 |
| *France, Haut-Rhin | 172 | 5.2 | 0.44 | 0.53 | 0.05 | 141 | 4.0 | 0.40 | 0.41 | 0.04 |
| *France, Hérault | 279 | 5.3 | 0.38 | 0.55 | 0.04 | 182 | 3.0 | 0.29 | 0.28 | 0.03 |
| *France, Isère | 268 | 5.0 | 0.34 | 0.51 | 0.04 | 208 | 3.4 | 0.28 | 0.35 | 0.03 |
| *France, Lille-Métropole | 175 | 6.1 | 0.50 | 0.56 | 0.06 | 144 | 4.0 | 0.39 | 0.42 | 0.05 |
| *France, Limousin | 96 | 4.8 | 0.58 | 0.45 | 0.07 | 81 | 3.2 | 0.50 | 0.34 | 0.06 |
| *France, Loire-Atlantique | 262 | 4.6 | 0.32 | 0.47 | 0.04 | 218 | 3.3 | 0.27 | 0.33 | 0.03 |
| *France, Manche | 130 | 4.2 | 0.44 | 0.44 | 0.06 | 96 | 3.0 | 0.42 | 0.30 | 0.04 |
| *France, Poitou-Charentes | 434 | 4.4 | 0.26 | 0.46 | 0.03 | 316 | 2.8 | 0.21 | 0.28 | 0.02 |
| *France, Somme | 128 | 5.0 | 0.49 | 0.48 | 0.06 | 107 | 3.9 | 0.48 | 0.35 | 0.05 |
| *France, Tarn | 78 | 3.6 | 0.53 | 0.34 | 0.06 | 68 | 3.0 | 0.52 | 0.30 | 0.05 |
| *France, Territoire de Belfort | 22 | 3.7 | 0.86 | 0.42 | 0.13 | 27 | 3.8 | 0.89 | 0.34 | 0.10 |
| *France, Vendée | 160 | 4.6 | 0.45 | 0.48 | 0.05 | 131 | 2.9 | 0.35 | 0.25 | 0.03 |
| Germany, Baden-Württemberg | 1317 | 3.8 | 0.12 | 0.43 | 0.02 | 1081 | 2.7 | 0.10 | 0.31 | 0.01 |
| Germany, Bavaria | 2469 | 3.9 | 0.09 | 0.41 | 0.01 | 2017 | 2.8 | 0.08 | 0.29 | 0.01 |
| Germany, Bremen | 129 | 3.9 | 0.40 | 0.41 | 0.05 | 125 | 2.9 | 0.32 | 0.32 | 0.04 |
| Germany, Hamburg | 383 | 4.7 | 0.28 | 0.48 | 0.03 | 288 | 2.8 | 0.20 | 0.33 | 0.03 |
| Germany, Lower Saxony | 1821 | 4.3 | 0.12 | 0.45 | 0.01 | 1489 | 3.2 | 0.11 | 0.33 | 0.01 |
| Germany, North Rhine-Westphalia | 3914 | 4.5 | 0.09 | 0.47 | 0.01 | 3248 | 3.3 | 0.08 | 0.33 | 0.01 |
| Germany, Rhineland-Palatinate | 874 | 4.1 | 0.17 | 0.43 | 0.02 | 678 | 2.8 | 0.14 | 0.30 | 0.02 |
| Germany, Saarland | 289 | 5.3 | 0.38 | 0.55 | 0.04 | 209 | 3.8 | 0.35 | 0.39 | 0.04 |
| Germany, Schleswig-Holstein | 677 | 4.8 | 0.24 | 0.47 | 0.02 | 553 | 3.4 | 0.20 | 0.33 | 0.02 |
| Iceland | 34 | 2.5 | 0.49 | 0.24 | 0.06 | 25 | 1.9 | 0.41 | 0.21 | 0.05 |
| Ireland | 582 | 3.4 | 0.15 | 0.35 | 0.02 | 421 | 2.5 | 0.13 | 0.25 | 0.02 |
| *Italy, Aosta Valley | 13 | 3.3 | 1.16 | 0.31 | 0.11 | 5 | 0.8 | 0.41 | 0.09 | 0.05 |
| *Italy, Avellino | 47 | 4.1 | 0.71 | 0.39 | 0.07 | 32 | 2.1 | 0.43 | 0.27 | 0.06 |
| Italy, Basilicata | 80 | 2.9 | 0.41 | 0.30 | 0.04 | 71 | 2.2 | 0.32 | 0.23 | 0.04 |
| *Italy, Benevento | 43 | 3.6 | 0.69 | 0.35 | 0.07 | 34 | 2.6 | 0.57 | 0.31 | 0.07 |
| Italy, Bergamo | 199 | 3.9 | 0.31 | 0.42 | 0.04 | 154 | 3.3 | 0.34 | 0.31 | 0.03 |
| *Italy, Brescia | 128 | 2.5 | 0.26 | 0.28 | 0.03 | 82 | 1.5 | 0.21 | 0.16 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 128 | 3.9 | 0.42 | 0.40 | 0.04 | 91 | 2.4 | 0.34 | 0.24 | 0.03 |
| Italy, Calabria | 127 | 5.1 | 0.56 | 0.48 | 0.06 | 92 | 3.4 | 0.44 | 0.37 | 0.05 |
| *Italy, Caserta | 130 | 4.7 | 0.46 | 0.49 | 0.05 | 112 | 3.8 | 0.43 | 0.36 | 0.04 |
| *Italy, Catania, Messina, and Enna | 381 | 4.3 | 0.27 | 0.43 | 0.03 | 323 | 3.1 | 0.22 | 0.31 | 0.02 |
| Italy, Emilia-Romagna | 768 | 4.1 | 0.19 | 0.40 | 0.02 | 705 | 3.3 | 0.18 | 0.34 | 0.02 |
| Italy, Friuli-Venezia Giulia | 286 | 4.1 | 0.30 | 0.45 | 0.03 | 195 | 2.8 | 0.29 | 0.28 | 0.03 |
| Italy, Genova | 167 | 4.1 | 0.43 | 0.41 | 0.05 | 151 | 3.2 | 0.38 | 0.32 | 0.04 |
| *Italy, Lombardy, South, Pavia | 123 | 4.7 | 0.59 | 0.49 | 0.06 | 87 | 2.9 | 0.41 | 0.29 | 0.04 |
| Italy, Mantova and Cremona | 119 | 3.8 | 0.45 | 0.41 | 0.05 | 109 | 3.3 | 0.44 | 0.33 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Myeloid leukaemia (C92–94) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 269 | 4.4 | 0.33 | 0.48 | 0.04 | 192 | 2.8 | 0.27 | 0.30 | 0.03 |
| Italy, Milan | 738 | 4.5 | 0.20 | 0.47 | 0.02 | 515 | 2.7 | 0.17 | 0.27 | 0.02 |
| Italy, Molise | 48 | 4.7 | 0.81 | 0.53 | 0.10 | 33 | 3.5 | 0.92 | 0.33 | 0.08 |
| *Italy, Naples Centre | 71 | 2.9 | 0.40 | 0.32 | 0.05 | 72 | 2.8 | 0.41 | 0.28 | 0.04 |
| *Italy, Naples North | 107 | 3.9 | 0.41 | 0.41 | 0.05 | 100 | 3.2 | 0.35 | 0.30 | 0.04 |
| *Italy, Naples South | 196 | 5.1 | 0.41 | 0.47 | 0.04 | 138 | 3.2 | 0.33 | 0.33 | 0.03 |
| *Italy, Nuoro | 27 | 4.3 | 0.94 | 0.47 | 0.11 | 19 | 2.1 | 0.61 | 0.21 | 0.07 |
| *Italy, Palermo | 235 | 4.5 | 0.35 | 0.46 | 0.04 | 200 | 3.2 | 0.27 | 0.32 | 0.03 |
| Italy, Puglia | 873 | 4.7 | 0.19 | 0.47 | 0.02 | 665 | 3.1 | 0.15 | 0.31 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 83 | 3.0 | 0.36 | 0.32 | 0.05 | 65 | 2.2 | 0.37 | 0.21 | 0.04 |
| *Italy, Salerno | 138 | 4.0 | 0.41 | 0.37 | 0.04 | 126 | 3.2 | 0.35 | 0.34 | 0.04 |
| Italy, Sassari | 42 | 4.0 | 0.65 | 0.46 | 0.09 | 21 | 2.0 | 0.51 | 0.20 | 0.05 |
| *Italy, Sondrio | 38 | 3.4 | 0.66 | 0.31 | 0.07 | 30 | 2.7 | 0.87 | 0.20 | 0.06 |
| Italy, South Tyrol | 76 | 3.3 | 0.48 | 0.29 | 0.05 | 72 | 2.9 | 0.44 | 0.27 | 0.04 |
| *Italy, Syracuse | 62 | 3.4 | 0.55 | 0.33 | 0.05 | 59 | 3.1 | 0.50 | 0.33 | 0.05 |
| Italy, Trento | 117 | 5.0 | 0.55 | 0.49 | 0.06 | 90 | 3.1 | 0.44 | 0.30 | 0.04 |
| Italy, Turin | 561 | 4.7 | 0.25 | 0.49 | 0.03 | 400 | 3.0 | 0.20 | 0.30 | 0.02 |
| *Italy, Tuscany | 486 | 4.5 | 0.27 | 0.46 | 0.03 | 395 | 2.8 | 0.20 | 0.28 | 0.02 |
| Italy, Umbria | 200 | 4.7 | 0.42 | 0.47 | 0.05 | 161 | 3.5 | 0.37 | 0.37 | 0.04 |
| Italy, Varese | 102 | 4.0 | 0.49 | 0.42 | 0.05 | 90 | 3.1 | 0.39 | 0.36 | 0.05 |
| Italy, Veneto | 910 | 4.0 | 0.16 | 0.39 | 0.02 | 706 | 2.5 | 0.13 | 0.26 | 0.01 |
| Latvia | 193 | 2.8 | 0.22 | 0.31 | 0.03 | 215 | 1.9 | 0.17 | 0.21 | 0.02 |
| *Liechtenstein | 8 | 5.0 | 1.78 | 0.63 | 0.24 | 2 | 0.8 | 0.62 | 0.10 | 0.10 |
| *Lithuania | 385 | 3.9 | 0.23 | 0.40 | 0.02 | 359 | 2.4 | 0.16 | 0.24 | 0.02 |
| Malta | 71 | 3.9 | 0.52 | 0.38 | 0.05 | 45 | 2.4 | 0.46 | 0.21 | 0.04 |
| *The Netherlands | 2952 | 4.0 | 0.08 | 0.42 | 0.01 | 2203 | 3.0 | 0.08 | 0.31 | 0.01 |
| Norway | 786 | 3.7 | 0.15 | 0.39 | 0.02 | 609 | 2.8 | 0.13 | 0.28 | 0.01 |
| Poland, Kielce | 151 | 3.0 | 0.27 | 0.31 | 0.03 | 126 | 2.1 | 0.25 | 0.21 | 0.02 |
| *Portugal, Azores | 20 | 3.0 | 0.76 | 0.22 | 0.07 | 20 | 2.6 | 0.63 | 0.28 | 0.08 |
| Russian Federation, Arkhangelsk | 62 | 1.9 | 0.26 | 0.17 | 0.03 | 79 | 1.8 | 0.24 | 0.16 | 0.02 |
| Russian Federation, Kaliningrad | 31 | 1.2 | 0.24 | 0.14 | 0.03 | 45 | 1.1 | 0.17 | 0.15 | 0.02 |
| Russian Federation, Karelia | 56 | 2.9 | 0.42 | 0.29 | 0.05 | 68 | 2.2 | 0.32 | 0.22 | 0.03 |
| *Russian Federation, Komi Republic | 53 | 2.4 | 0.35 | 0.23 | 0.04 | 57 | 1.8 | 0.27 | 0.20 | 0.03 |
| Russian Federation, Murmansk | 85 | 4.4 | 0.51 | 0.47 | 0.07 | 164 | 5.0 | 0.43 | 0.55 | 0.05 |
| *Russian Federation, Orenburg | 188 | 3.3 | 0.26 | 0.37 | 0.03 | 185 | 2.6 | 0.22 | 0.26 | 0.02 |
| Russian Federation, Pskov | 29 | 1.4 | 0.29 | 0.14 | 0.03 | 34 | 1.0 | 0.21 | 0.11 | 0.02 |
| *Russian Federation, Samara | 326 | 3.2 | 0.19 | 0.38 | 0.03 | 503 | 3.4 | 0.18 | 0.37 | 0.02 |
| Russian Federation, Vologda Region | 117 | 3.5 | 0.35 | 0.36 | 0.03 | 121 | 2.3 | 0.25 | 0.24 | 0.02 |
| Slovenia | 328 | 3.4 | 0.22 | 0.34 | 0.03 | 291 | 3.0 | 0.23 | 0.31 | 0.02 |
| Spain, Asturias | 128 | 4.6 | 0.55 | 0.44 | 0.05 | 93 | 2.6 | 0.42 | 0.23 | 0.03 |
| Spain, Basque Country | 367 | 4.6 | 0.30 | 0.44 | 0.03 | 283 | 2.9 | 0.23 | 0.30 | 0.02 |
| Spain, Canary Islands | 191 | 3.6 | 0.30 | 0.38 | 0.03 | 147 | 2.4 | 0.23 | 0.25 | 0.03 |
| Spain, Castellón | 108 | 4.6 | 0.53 | 0.45 | 0.06 | 75 | 2.7 | 0.38 | 0.30 | 0.04 |
| Spain, Girona | 120 | 3.6 | 0.39 | 0.38 | 0.05 | 96 | 2.4 | 0.29 | 0.24 | 0.03 |
| Spain, Granada | 113 | 3.1 | 0.33 | 0.31 | 0.04 | 79 | 1.8 | 0.24 | 0.19 | 0.03 |
| Spain, La Rioja | 69 | 4.3 | 0.64 | 0.41 | 0.07 | 44 | 2.3 | 0.45 | 0.24 | 0.05 |
| Spain, Murcia | 223 | 4.0 | 0.30 | 0.38 | 0.03 | 139 | 2.2 | 0.23 | 0.20 | 0.02 |
| Spain, Navarra | 79 | 3.4 | 0.46 | 0.33 | 0.05 | 77 | 3.2 | 0.48 | 0.31 | 0.05 |
| Spain, Salamanca | 75 | 4.0 | 0.62 | 0.43 | 0.07 | 58 | 3.3 | 0.58 | 0.32 | 0.06 |
| Spain, Tarragona | 130 | 3.4 | 0.36 | 0.30 | 0.04 | 103 | 3.1 | 0.42 | 0.27 | 0.04 |
| *Sweden | 1462 | 3.4 | 0.10 | 0.34 | 0.01 | 1261 | 2.7 | 0.10 | 0.27 | 0.01 |
| Switzerland, Aargau | 108 | 3.5 | 0.37 | 0.40 | 0.05 | 81 | 2.9 | 0.39 | 0.31 | 0.04 |
| Switzerland, Basel | 78 | 3.7 | 0.52 | 0.39 | 0.05 | 75 | 2.2 | 0.31 | 0.22 | 0.04 |
| Switzerland, Berne Solothurn | 155 | 3.9 | 0.35 | 0.44 | 0.04 | 126 | 2.9 | 0.33 | 0.28 | 0.03 |
| Switzerland, East | 150 | 4.5 | 0.42 | 0.48 | 0.05 | 100 | 2.6 | 0.30 | 0.27 | 0.03 |
| *Switzerland, Fribourg | 62 | 5.6 | 0.79 | 0.57 | 0.09 | 27 | 2.7 | 0.58 | 0.24 | 0.05 |
| Switzerland, Geneva | 59 | 2.6 | 0.36 | 0.28 | 0.05 | 70 | 3.1 | 0.46 | 0.34 | 0.05 |
| *Switzerland, Graubünden and Glarus | 42 | 4.1 | 0.79 | 0.36 | 0.07 | 30 | 2.3 | 0.48 | 0.26 | 0.06 |
| *Switzerland, Lucerne | 91 | 4.1 | 0.51 | 0.42 | 0.06 | 67 | 3.2 | 0.47 | 0.33 | 0.05 |
| *Switzerland, Neuchâtel and Jura | 51 | 4.4 | 0.71 | 0.43 | 0.08 | 41 | 2.7 | 0.50 | 0.27 | 0.06 |
| Switzerland, Ticino | 78 | 4.6 | 0.62 | 0.47 | 0.07 | 59 | 3.4 | 0.57 | 0.36 | 0.06 |
| Switzerland, Valais | 69 | 4.8 | 0.68 | 0.48 | 0.07 | 40 | 2.7 | 0.52 | 0.28 | 0.05 |
| Switzerland, Vaud | 127 | 4.1 | 0.40 | 0.46 | 0.05 | 80 | 2.0 | 0.27 | 0.22 | 0.03 |
| Switzerland, Zurich and Zug | 248 | 3.8 | 0.28 | 0.39 | 0.03 | 198 | 2.7 | 0.24 | 0.27 | 0.03 |
| Ukraine | 2741 | 2.5 | 0.05 | 0.27 | 0.01 | 2732 | 1.9 | 0.04 | 0.20 | 0.00 |
| UK, England | 11486 | 4.7 | 0.05 | 0.47 | 0.01 | 8471 | 3.2 | 0.04 | 0.32 | 0.00 |
| UK, Northern Ireland | 264 | 3.7 | 0.25 | 0.36 | 0.03 | 209 | 2.6 | 0.21 | 0.23 | 0.02 |
| UK, Scotland | 964 | 3.9 | 0.14 | 0.40 | 0.02 | 748 | 2.8 | 0.13 | 0.28 | 0.01 |
| UK, Wales | 803 | 5.2 | 0.21 | 0.56 | 0.03 | 537 | 3.1 | 0.16 | 0.32 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1716 | 5.1 | 0.14 | 0.49 | 0.02 | 1249 | 3.6 | 0.12 | 0.36 | 0.01 |
| *Australia, Northern Territory | 23 | 3.5 | 0.76 | 0.37 | 0.10 | 22 | 3.5 | 0.75 | 0.33 | 0.09 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Myeloid leukaemia (C92–94) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 17 | 3.4 | 0.87 | 0.37 | 0.11 | 15 | 2.9 | 0.77 | 0.30 | 0.09 |
| *Australia, Northern Territory: Indigenous | 6 | 3.2 | 1.32 | 0.26 | 0.11 | 7 | 4.5 | 1.74 | 0.40 | 0.20 |
| *Australia, Queensland | 1163 | 5.8 | 0.18 | 0.60 | 0.02 | 795 | 3.8 | 0.16 | 0.37 | 0.02 |
| Australia, South Australia | 402 | 5.1 | 0.30 | 0.48 | 0.03 | 287 | 3.6 | 0.26 | 0.32 | 0.03 |
| Australia, Tasmania | 125 | 4.6 | 0.46 | 0.47 | 0.06 | 95 | 3.4 | 0.43 | 0.35 | 0.05 |
| *Australia, Victoria | 1430 | 5.7 | 0.17 | 0.57 | 0.02 | 953 | 3.6 | 0.13 | 0.35 | 0.02 |
| *Australia, Western Australia | 449 | 4.6 | 0.24 | 0.46 | 0.03 | 303 | 3.1 | 0.20 | 0.30 | 0.02 |
| *France, New Caledonia | 58 | 7.4 | 0.99 | 0.75 | 0.12 | 25 | 3.2 | 0.69 | 0.24 | 0.06 |
| New Zealand | 929 | 5.2 | 0.19 | 0.54 | 0.02 | 623 | 3.1 | 0.14 | 0.31 | 0.02 |
| *New Zealand: Maori | 107 | 6.9 | 0.69 | 0.66 | 0.09 | 82 | 4.5 | 0.50 | 0.46 | 0.07 |
| *New Zealand: Pacific peoples | 49 | 7.5 | 1.11 | 0.82 | 0.15 | 33 | 4.5 | 0.78 | 0.47 | 0.10 |
| *New Zealand: Other | 714 | 5.0 | 0.22 | 0.51 | 0.02 | 474 | 2.9 | 0.17 | 0.28 | 0.02 |
| USA, Hawaii | 293 | 5.3 | 0.35 | 0.53 | 0.04 | 189 | 3.3 | 0.28 | 0.33 | 0.03 |
| USA, Hawaii: White | 86 | 5.0 | 0.67 | 0.49 | 0.06 | 55 | 4.3 | 0.73 | 0.41 | 0.07 |
| *USA, Hawaii: Japanese | 57 | 5.2 | 0.94 | 0.53 | 0.09 | 37 | 2.3 | 0.67 | 0.25 | 0.06 |
| *USA, Hawaii: Chinese | 19 | 4.8 | 1.47 | 0.50 | 0.15 | 19 | 5.5 | 1.87 | 0.43 | 0.14 |
| *USA, Hawaii: Hawaiian | 49 | 5.6 | 0.80 | 0.64 | 0.11 | 30 | 3.2 | 0.59 | 0.32 | 0.07 |
| *USA, Hawaii: Filipino | 55 | 6.2 | 0.93 | 0.49 | 0.09 | 28 | 2.5 | 0.56 | 0.24 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia unspecified (C95)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 3 | 0.1 | 0.08 | 0.01 | 0.00 | 3 | 0.2 | 0.09 | 0.01 | 0.01 |
| *Algeria, Tizi Ouzou | 9 | 0.6 | 0.22 | 0.07 | 0.03 | 12 | 0.7 | 0.21 | 0.06 | 0.02 |
| *Benin, Cotonou | 12 | 1.2 | 0.36 | 0.09 | 0.04 | 5 | 0.4 | 0.20 | 0.03 | 0.02 |
| *France, La Réunion | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Kenya, Eldoret | 8 | 0.7 | 0.27 | 0.09 | 0.04 | 8 | 0.4 | 0.14 | 0.03 | 0.01 |
| *Kenya, Nairobi | 29 | 0.8 | 0.20 | 0.10 | 0.03 | 28 | 0.7 | 0.17 | 0.06 | 0.02 |
| Mauritius | 99 | 3.3 | 0.35 | 0.26 | 0.03 | 63 | 2.2 | 0.31 | 0.15 | 0.02 |
| *Morocco, Casablanca | 55 | 0.5 | 0.07 | 0.05 | 0.01 | 47 | 0.4 | 0.06 | 0.03 | 0.01 |
| *Seychelles | 4 | 1.8 | 0.92 | 0.08 | 0.05 | 9 | 3.4 | 1.20 | 0.24 | 0.09 |
| *South Africa, Eastern Cape | 15 | 0.9 | 0.25 | 0.10 | 0.04 | 17 | 1.0 | 0.24 | 0.08 | 0.02 |
| *Uganda, Kyadondo County | 49 | 1.4 | 0.29 | 0.16 | 0.05 | 24 | 0.5 | 0.16 | 0.06 | 0.03 |
| *Uganda, Gulu | 8 | 0.7 | 0.27 | 0.05 | 0.02 | 9 | 1.2 | 0.47 | 0.11 | 0.06 |
| *Zimbabwe, Bulawayo: African | 14 | 1.3 | 0.40 | 0.18 | 0.08 | 15 | 1.1 | 0.31 | 0.08 | 0.03 |
| *Zimbabwe, Harare: African | 16 | 0.5 | 0.17 | 0.05 | 0.03 | 18 | 0.6 | 0.18 | 0.06 | 0.03 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 36 | 1.5 | 0.25 | 0.16 | 0.04 | 30 | 1.0 | 0.20 | 0.10 | 0.02 |
| *Argentina, Mendoza | 39 | 0.7 | 0.12 | 0.06 | 0.01 | 36 | 0.5 | 0.09 | 0.04 | 0.01 |
| Brazil, Aracaju | 9 | 0.9 | 0.32 | 0.08 | 0.04 | 12 | 0.7 | 0.20 | 0.06 | 0.03 |
| *Brazil, Barretos | 4 | 0.2 | 0.12 | 0.01 | 0.01 | 8 | 0.6 | 0.25 | 0.03 | 0.02 |
| Brazil, Belo Horizonte | 40 | 0.7 | 0.11 | 0.06 | 0.01 | 27 | 0.2 | 0.05 | 0.02 | 0.00 |
| *Brazil, Campinas | 41 | 1.7 | 0.27 | 0.12 | 0.03 | 45 | 1.3 | 0.21 | 0.14 | 0.03 |
| *Brazil, Curitiba | 16 | 0.4 | 0.10 | 0.03 | 0.01 | 15 | 0.3 | 0.07 | 0.02 | 0.01 |
| Brazil, Goiânia | 12 | 0.5 | 0.14 | 0.06 | 0.02 | 10 | 0.3 | 0.08 | 0.02 | 0.01 |
| *Brazil, Jaú | 2 | 0.4 | 0.26 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Brazil, João Pessoa | 29 | 3.0 | 0.57 | 0.29 | 0.07 | 28 | 1.9 | 0.38 | 0.20 | 0.05 |
| Brazil, Recife | 14 | 0.6 | 0.15 | 0.06 | 0.02 | 23 | 0.6 | 0.12 | 0.04 | 0.01 |
| Chile, Region of Antofagasta | 7 | 0.7 | 0.29 | 0.10 | 0.05 | 3 | 0.4 | 0.22 | 0.01 | 0.01 |
| Chile, Valdivia | 7 | 0.6 | 0.26 | 0.05 | 0.02 | 6 | 0.4 | 0.21 | 0.02 | 0.02 |
| Colombia, Bucaramanga | 45 | 1.6 | 0.25 | 0.14 | 0.03 | 33 | 0.9 | 0.16 | 0.10 | 0.02 |
| Colombia, Cali | 85 | 1.4 | 0.16 | 0.14 | 0.02 | 70 | 0.9 | 0.11 | 0.08 | 0.01 |
| Colombia, Manizales | 4 | 0.4 | 0.20 | 0.03 | 0.02 | 6 | 0.5 | 0.22 | 0.04 | 0.02 |
| Colombia, Pasto | 11 | 1.0 | 0.31 | 0.11 | 0.04 | 13 | 1.0 | 0.28 | 0.10 | 0.03 |
| Costa Rica | 236 | 2.4 | 0.16 | 0.26 | 0.02 | 214 | 2.0 | 0.14 | 0.21 | 0.02 |
| Ecuador, Guayaquil | 61 | 1.1 | 0.14 | 0.09 | 0.02 | 50 | 0.8 | 0.12 | 0.09 | 0.02 |
| Ecuador, Manabí | 21 | 0.5 | 0.11 | 0.04 | 0.01 | 26 | 0.6 | 0.13 | 0.04 | 0.01 |
| Ecuador, Quito | 29 | 0.7 | 0.12 | 0.04 | 0.01 | 58 | 1.1 | 0.15 | 0.10 | 0.02 |
| *France, Guadeloupe | 3 | 0.2 | 0.13 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *France, Martinique | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Peru, Lima | 169 | 1.2 | 0.09 | 0.10 | 0.01 | 177 | 1.1 | 0.08 | 0.08 | 0.01 |
| *Trinidad and Tobago | 8 | 0.3 | 0.11 | 0.02 | 0.01 | 9 | 0.3 | 0.11 | 0.03 | 0.01 |
| USA, Puerto Rico | 61 | 0.3 | 0.04 | 0.03 | 0.01 | 59 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Uruguay | 88 | 0.6 | 0.07 | 0.06 | 0.01 | 90 | 0.4 | 0.05 | 0.03 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 24 | 0.1 | 0.03 | 0.01 | 0.00 | 23 | 0.1 | 0.02 | 0.01 | 0.00 |
| Canada, British Columbia | 50 | 0.2 | 0.04 | 0.02 | 0.00 | 38 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Canada, Manitoba | 10 | 0.1 | 0.05 | 0.01 | 0.00 | 4 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Canada, New Brunswick | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Canada, Newfoundland and Labrador | 8 | 0.3 | 0.16 | 0.02 | 0.01 | 8 | 0.2 | 0.06 | 0.00 | 0.00 |
| Canada, Ontario | 335 | 0.5 | 0.03 | 0.04 | 0.00 | 371 | 0.5 | 0.03 | 0.03 | 0.00 |
| *Canada, Prince Edward Island | 2 | 0.2 | 0.14 | 0.00 | 0.00 | 2 | 0.1 | 0.07 | 0.00 | 0.00 |
| Canada, Quebec | 209 | 0.5 | 0.04 | 0.04 | 0.00 | 207 | 0.3 | 0.03 | 0.02 | 0.00 |
| Canada, Saskatchewan | 17 | 0.2 | 0.05 | 0.01 | 0.01 | 16 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Canada, Yukon | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA | 4821 | 0.4 | 0.01 | 0.03 | 0.00 | 4383 | 0.3 | 0.01 | 0.02 | 0.00 |
| USA: White | 4193 | 0.4 | 0.01 | 0.03 | 0.00 | 3710 | 0.3 | 0.01 | 0.02 | 0.00 |
| USA: Black | 403 | 0.3 | 0.02 | 0.03 | 0.00 | 447 | 0.3 | 0.01 | 0.02 | 0.00 |
| USA, NPCR | 4712 | 0.4 | 0.01 | 0.03 | 0.00 | 4294 | 0.3 | 0.01 | 0.02 | 0.00 |
| USA, NPCR: White | 4105 | 0.4 | 0.01 | 0.03 | 0.00 | 3632 | 0.3 | 0.01 | 0.02 | 0.00 |
| USA, NPCR: Black | 400 | 0.3 | 0.02 | 0.03 | 0.00 | 446 | 0.3 | 0.01 | 0.02 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 108 | 0.2 | 0.02 | 0.02 | 0.00 | 103 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, NPCR: American Indian | 22 | 0.2 | 0.04 | 0.02 | 0.01 | 29 | 0.2 | 0.04 | 0.02 | 0.00 |
| *USA, SEER (18 registries) | 914 | 0.3 | 0.01 | 0.02 | 0.00 | 836 | 0.2 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): White | 758 | 0.3 | 0.01 | 0.02 | 0.00 | 679 | 0.2 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 625 | 0.3 | 0.01 | 0.02 | 0.00 | 555 | 0.2 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 133 | 0.3 | 0.03 | 0.03 | 0.00 | 124 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Black | 78 | 0.2 | 0.03 | 0.02 | 0.00 | 90 | 0.2 | 0.02 | 0.02 | 0.00 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 57 | 0.2 | 0.03 | 0.01 | 0.00 | 55 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, SEER (9 registries) | 262 | 0.2 | 0.02 | 0.02 | 0.00 | 222 | 0.2 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): White | 206 | 0.2 | 0.02 | 0.02 | 0.00 | 175 | 0.1 | 0.01 | 0.01 | 0.00 |
| *USA, SEER (9 registries): Black | 24 | 0.2 | 0.05 | 0.01 | 0.00 | 20 | 0.2 | 0.04 | 0.01 | 0.00 |
| USA, Alabama | 109 | 0.5 | 0.05 | 0.05 | 0.01 | 94 | 0.3 | 0.05 | 0.02 | 0.00 |
| USA, Alabama: White | 85 | 0.5 | 0.05 | 0.04 | 0.01 | 70 | 0.3 | 0.05 | 0.02 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia unspecified (C95) (contd)

| | Male | | | | | Female | | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 19 | 0.5 | 0.11 | 0.04 | 0.01 | 15 | 0.3 | 0.08 | 0.02 | 0.01 | |
| USA, Alaska | 14 | 0.6 | 0.17 | 0.05 | 0.01 | 4 | 0.1 | 0.07 | 0.01 | 0.01 | |
| *USA, Alaska: Alaska Natives | 4 | 1.3 | 0.66 | 0.08 | 0.05 | 1 | 0.2 | 0.23 | 0.00 | 0.00 | |
| USA, Arizona | 130 | 0.4 | 0.05 | 0.04 | 0.00 | 117 | 0.4 | 0.04 | 0.03 | 0.00 | |
| USA, Arizona: White | 121 | 0.5 | 0.05 | 0.04 | 0.01 | 106 | 0.4 | 0.05 | 0.03 | 0.00 | |
| USA, Arizona: Black | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 3 | 0.2 | 0.14 | 0.01 | 0.01 | |
| *USA, Arizona: Asian and Pacific Islander | 4 | 0.6 | 0.30 | 0.05 | 0.04 | 0 | – | 0.00 | – | 0.00 | |
| USA, Arizona: American Indian | 3 | 0.3 | 0.18 | 0.04 | 0.03 | 8 | 0.7 | 0.25 | 0.07 | 0.03 | |
| USA, Arkansas | 55 | 0.4 | 0.05 | 0.03 | 0.01 | 43 | 0.2 | 0.05 | 0.02 | 0.00 | |
| USA, Arkansas: White | 49 | 0.4 | 0.05 | 0.03 | 0.01 | 34 | 0.2 | 0.04 | 0.02 | 0.01 | |
| USA, Arkansas: Black | 4 | 0.3 | 0.13 | 0.03 | 0.02 | 6 | 0.3 | 0.14 | 0.02 | 0.01 | |
| USA, California | 400 | 0.3 | 0.02 | 0.02 | 0.00 | 354 | 0.2 | 0.01 | 0.01 | 0.00 | |
| USA, California: White | 349 | 0.3 | 0.02 | 0.02 | 0.00 | 287 | 0.2 | 0.02 | 0.02 | 0.00 | |
| USA, California: Black | 17 | 0.2 | 0.05 | 0.02 | 0.01 | 25 | 0.2 | 0.05 | 0.02 | 0.01 | |
| USA, California: Asian and Pacific Islander | 30 | 0.1 | 0.03 | 0.01 | 0.00 | 38 | 0.1 | 0.02 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County | 79 | 0.2 | 0.03 | 0.01 | 0.00 | 65 | 0.1 | 0.02 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: White | 68 | 0.3 | 0.04 | 0.02 | 0.00 | 54 | 0.2 | 0.02 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 36 | 0.3 | 0.08 | 0.02 | 0.00 | 30 | 0.2 | 0.05 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: Hispanic White | 32 | 0.3 | 0.05 | 0.02 | 0.00 | 24 | 0.2 | 0.03 | 0.01 | 0.00 | |
| *USA, California, Los Angeles County: Black | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 5 | 0.2 | 0.11 | 0.01 | 0.01 | |
| *USA, California, Los Angeles County: Chinese | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 3 | 0.1 | 0.03 | 0.00 | 0.00 | |
| *USA, California, Los Angeles County: Filipino | 3 | 0.2 | 0.14 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 | |
| *USA, California, Los Angeles County: Korean | 2 | 0.1 | 0.08 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 8 | 0.1 | 0.06 | 0.01 | 0.00 | 6 | 0.0 | 0.02 | 0.00 | 0.00 | |
| *USA, California, San Francisco Bay Area | 33 | 0.2 | 0.04 | 0.01 | 0.00 | 28 | 0.1 | 0.03 | 0.01 | 0.00 | |
| *USA, California, San Francisco Bay Area: White | 24 | 0.2 | 0.05 | 0.02 | 0.01 | 16 | 0.1 | 0.04 | 0.01 | 0.00 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 17 | 0.2 | 0.07 | 0.02 | 0.01 | 13 | 0.1 | 0.05 | 0.01 | 0.00 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 7 | 0.3 | 0.13 | 0.03 | 0.02 | 3 | 0.1 | 0.07 | 0.01 | 0.00 | |
| *USA, California, San Francisco Bay Area: Black | 3 | 0.2 | 0.11 | 0.01 | 0.01 | 3 | 0.2 | 0.12 | 0.01 | 0.01 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 5 | 0.1 | 0.04 | 0.00 | 0.00 | 9 | 0.2 | 0.06 | 0.01 | 0.01 | |
| USA, Colorado | 45 | 0.2 | 0.03 | 0.02 | 0.00 | 35 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Colorado: White | 41 | 0.2 | 0.03 | 0.02 | 0.00 | 33 | 0.1 | 0.02 | 0.01 | 0.00 | |
| *USA, Colorado: Black | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.2 | 0.15 | 0.01 | 0.01 | |
| *USA, Colorado: Asian and Pacific Islander | 3 | 0.6 | 0.33 | 0.06 | 0.06 | 0 | – | 0.00 | – | 0.00 | |
| USA, Connecticut | 37 | 0.3 | 0.06 | 0.03 | 0.01 | 26 | 0.2 | 0.04 | 0.02 | 0.00 | |
| USA, Connecticut: White | 35 | 0.4 | 0.08 | 0.03 | 0.01 | 24 | 0.2 | 0.05 | 0.02 | 0.00 | |
| USA, Connecticut: Black | 2 | 0.2 | 0.12 | 0.02 | 0.02 | 1 | 0.1 | 0.06 | 0.01 | 0.01 | |
| USA, District of Columbia | 11 | 0.4 | 0.12 | 0.02 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 | |
| USA, District of Columbia: White | 1 | 0.1 | 0.07 | 0.00 | 0.00 | 2 | 0.2 | 0.14 | 0.02 | 0.02 | |
| USA, District of Columbia: Black | 9 | 0.6 | 0.22 | 0.04 | 0.02 | 1 | 0.0 | 0.04 | 0.00 | 0.00 | |
| USA, Florida | 765 | 0.7 | 0.03 | 0.07 | 0.00 | 795 | 0.7 | 0.03 | 0.07 | 0.00 | |
| USA, Florida: White | 657 | 0.7 | 0.03 | 0.07 | 0.00 | 648 | 0.7 | 0.03 | 0.07 | 0.00 | |
| USA, Florida: Black | 55 | 0.5 | 0.07 | 0.05 | 0.01 | 74 | 0.6 | 0.07 | 0.06 | 0.01 | |
| USA, Florida: Asian and Pacific Islander | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 8 | 0.3 | 0.10 | 0.02 | 0.01 | |
| USA, Georgia | 151 | 0.4 | 0.04 | 0.03 | 0.00 | 136 | 0.3 | 0.03 | 0.02 | 0.00 | |
| USA, Georgia: White | 118 | 0.5 | 0.05 | 0.04 | 0.00 | 104 | 0.3 | 0.04 | 0.02 | 0.00 | |
| USA, Georgia: Black | 29 | 0.4 | 0.07 | 0.02 | 0.01 | 32 | 0.3 | 0.05 | 0.02 | 0.01 | |
| USA, Georgia: Asian and Pacific Islander | 2 | 0.3 | 0.20 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 | |
| *USA, Georgia, Atlanta | 35 | 0.4 | 0.06 | 0.02 | 0.00 | 34 | 0.3 | 0.05 | 0.02 | 0.00 | |
| *USA, Georgia, Atlanta: White | 21 | 0.4 | 0.09 | 0.02 | 0.01 | 26 | 0.3 | 0.08 | 0.03 | 0.01 | |
| *USA, Georgia, Atlanta: Black | 12 | 0.4 | 0.11 | 0.02 | 0.01 | 8 | 0.2 | 0.07 | 0.01 | 0.01 | |
| USA, Idaho | 21 | 0.2 | 0.06 | 0.02 | 0.01 | 29 | 0.3 | 0.06 | 0.01 | 0.01 | |
| USA, Indiana | 61 | 0.2 | 0.03 | 0.02 | 0.00 | 47 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Indiana: White | 56 | 0.2 | 0.03 | 0.01 | 0.00 | 45 | 0.1 | 0.03 | 0.01 | 0.00 | |
| USA, Indiana: Black | 4 | 0.2 | 0.12 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.00 | 0.00 | |
| *USA, Iowa | 24 | 0.2 | 0.03 | 0.01 | 0.00 | 31 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Kentucky | 50 | 0.3 | 0.04 | 0.02 | 0.00 | 56 | 0.2 | 0.03 | 0.01 | 0.00 | |
| USA, Louisiana | 50 | 0.3 | 0.05 | 0.02 | 0.00 | 41 | 0.2 | 0.03 | 0.01 | 0.00 | |
| USA, Louisiana: White | 34 | 0.3 | 0.06 | 0.02 | 0.01 | 26 | 0.1 | 0.04 | 0.01 | 0.00 | |
| USA, Louisiana: Black | 14 | 0.3 | 0.09 | 0.03 | 0.01 | 15 | 0.2 | 0.06 | 0.02 | 0.01 | |
| *USA, Louisiana, New Orleans | 11 | 0.3 | 0.09 | 0.02 | 0.01 | 11 | 0.2 | 0.06 | 0.02 | 0.01 | |
| *USA, Louisiana, New Orleans: White | 5 | 0.2 | 0.08 | 0.02 | 0.02 | 5 | 0.1 | 0.05 | 0.01 | 0.01 | |
| *USA, Louisiana, New Orleans: Black | 5 | 0.4 | 0.18 | 0.01 | 0.01 | 6 | 0.3 | 0.15 | 0.04 | 0.02 | |
| USA, Maine | 18 | 0.3 | 0.07 | 0.03 | 0.01 | 12 | 0.1 | 0.03 | 0.01 | 0.01 | |
| USA, Maryland | 102 | 0.5 | 0.05 | 0.03 | 0.00 | 87 | 0.3 | 0.04 | 0.03 | 0.00 | |
| USA, Maryland: White | 71 | 0.5 | 0.07 | 0.03 | 0.01 | 59 | 0.3 | 0.06 | 0.02 | 0.01 | |
| USA, Maryland: Black | 29 | 0.6 | 0.11 | 0.04 | 0.01 | 25 | 0.3 | 0.08 | 0.03 | 0.01 | |
| USA, Maryland: Asian and Pacific Islander | 2 | 0.1 | 0.08 | 0.00 | 0.00 | 3 | 0.2 | 0.10 | 0.03 | 0.02 | |
| USA, Massachusetts | 70 | 0.2 | 0.03 | 0.02 | 0.00 | 74 | 0.1 | 0.02 | 0.01 | 0.00 | |
| USA, Massachusetts: White | 65 | 0.3 | 0.04 | 0.02 | 0.00 | 70 | 0.2 | 0.02 | 0.01 | 0.00 | |
| USA, Massachusetts: Black | 3 | 0.2 | 0.10 | 0.00 | 0.00 | 3 | 0.1 | 0.06 | 0.00 | 0.00 | |
| USA, Massachusetts: Asian and Pacific Islander | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.07 | 0.01 | 0.01 | |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia unspecified (C95) (contd)

| | Male | | | | | Female | | | | |
|---|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 111 | 0.2 | 0.02 | 0.02 | 0.00 | 86 | 0.2 | 0.02 | 0.01 | 0.00 |
| USA, Michigan: White | 100 | 0.2 | 0.03 | 0.02 | 0.00 | 69 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Michigan: Black | 9 | 0.2 | 0.06 | 0.01 | 0.01 | 11 | 0.2 | 0.05 | 0.01 | 0.00 |
| USA, Michigan: Asian and Pacific Islander | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.3 | 0.20 | 0.02 | 0.02 |
| *USA, Michigan, Detroit | 26 | 0.1 | 0.03 | 0.01 | 0.00 | 26 | 0.1 | 0.03 | 0.01 | 0.00 |
| *USA, Michigan, Detroit: White | 19 | 0.1 | 0.04 | 0.01 | 0.00 | 17 | 0.1 | 0.04 | 0.01 | 0.00 |
| *USA, Michigan, Detroit: Black | 5 | 0.1 | 0.06 | 0.01 | 0.01 | 7 | 0.1 | 0.06 | 0.01 | 0.00 |
| USA, Minnesota | 39 | 0.1 | 0.02 | 0.00 | 0.00 | 48 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Minnesota: White | 38 | 0.1 | 0.02 | 0.00 | 0.00 | 46 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Minnesota: Black | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *USA, Minnesota: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.11 | 0.01 | 0.01 |
| USA, Mississippi | 31 | 0.3 | 0.05 | 0.02 | 0.01 | 33 | 0.2 | 0.03 | 0.01 | 0.00 |
| USA, Missouri | 158 | 0.5 | 0.05 | 0.05 | 0.01 | 121 | 0.3 | 0.03 | 0.02 | 0.00 |
| USA, Missouri: White | 149 | 0.6 | 0.05 | 0.05 | 0.01 | 114 | 0.3 | 0.04 | 0.02 | 0.00 |
| USA, Missouri: Black | 7 | 0.3 | 0.12 | 0.03 | 0.02 | 6 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, Montana | 15 | 0.2 | 0.06 | 0.01 | 0.01 | 5 | 0.1 | 0.06 | 0.01 | 0.00 |
| *USA, Montana: American Indian | 1 | 0.6 | 0.57 | 0.07 | 0.07 | 2 | 0.9 | 0.64 | 0.03 | 0.03 |
| USA, Nebraska | 22 | 0.3 | 0.06 | 0.03 | 0.01 | 22 | 0.2 | 0.05 | 0.02 | 0.01 |
| USA, Nebraska: White | 22 | 0.3 | 0.06 | 0.03 | 0.01 | 20 | 0.2 | 0.05 | 0.01 | 0.01 |
| *USA, Nebraska: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.4 | 0.38 | 0.04 | 0.04 |
| USA, Nevada | 80 | 0.7 | 0.09 | 0.06 | 0.01 | 50 | 0.5 | 0.09 | 0.03 | 0.01 |
| USA, Nevada: White | 70 | 0.8 | 0.11 | 0.06 | 0.01 | 44 | 0.5 | 0.11 | 0.04 | 0.01 |
| USA, Nevada: Black | 7 | 0.8 | 0.33 | 0.08 | 0.04 | 4 | 0.5 | 0.27 | 0.03 | 0.02 |
| *USA, Nevada: Asian and Pacific Islander | 3 | 0.3 | 0.15 | 0.04 | 0.03 | 1 | 0.1 | 0.08 | 0.01 | 0.01 |
| USA, New Jersey | 113 | 0.3 | 0.03 | 0.02 | 0.00 | 137 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, New Jersey: White | 90 | 0.3 | 0.03 | 0.02 | 0.00 | 113 | 0.3 | 0.04 | 0.03 | 0.00 |
| USA, New Jersey: Black | 13 | 0.3 | 0.10 | 0.04 | 0.01 | 18 | 0.4 | 0.10 | 0.04 | 0.01 |
| USA, New Mexico | 26 | 0.2 | 0.05 | 0.02 | 0.01 | 19 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, New Mexico: White | 25 | 0.2 | 0.06 | 0.02 | 0.01 | 18 | 0.2 | 0.05 | 0.01 | 0.00 |
| USA, New Mexico: Non-Hispanic White | 15 | 0.2 | 0.06 | 0.01 | 0.01 | 11 | 0.1 | 0.03 | 0.00 | 0.00 |
| USA, New Mexico: Hispanic White | 10 | 0.3 | 0.10 | 0.02 | 0.01 | 7 | 0.2 | 0.08 | 0.02 | 0.01 |
| *USA, New Mexico: American Indian | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| USA, New York State | 197 | 0.2 | 0.02 | 0.02 | 0.00 | 212 | 0.2 | 0.02 | 0.01 | 0.00 |
| USA, New York State: White | 160 | 0.2 | 0.02 | 0.02 | 0.00 | 173 | 0.2 | 0.02 | 0.01 | 0.00 |
| USA, New York State: Black | 23 | 0.2 | 0.04 | 0.02 | 0.01 | 27 | 0.2 | 0.04 | 0.01 | 0.00 |
| USA, New York State: Asian and Pacific Islander | 12 | 0.2 | 0.06 | 0.03 | 0.01 | 11 | 0.2 | 0.06 | 0.01 | 0.00 |
| USA, North Carolina | 102 | 0.3 | 0.03 | 0.02 | 0.00 | 91 | 0.2 | 0.02 | 0.01 | 0.00 |
| USA, North Carolina: White | 89 | 0.3 | 0.03 | 0.02 | 0.00 | 78 | 0.2 | 0.03 | 0.01 | 0.00 |
| USA, North Carolina: Black | 13 | 0.2 | 0.06 | 0.01 | 0.01 | 12 | 0.1 | 0.04 | 0.01 | 0.00 |
| USA, North Carolina: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.13 | 0.02 | 0.02 |
| *USA, North Carolina: American Indian | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| USA, North Dakota | 8 | 0.2 | 0.07 | 0.01 | 0.01 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| USA, Ohio | 185 | 0.3 | 0.03 | 0.03 | 0.00 | 175 | 0.2 | 0.02 | 0.01 | 0.00 |
| USA, Ohio: White | 172 | 0.3 | 0.03 | 0.03 | 0.00 | 163 | 0.2 | 0.02 | 0.01 | 0.00 |
| USA, Ohio: Black | 12 | 0.2 | 0.07 | 0.02 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.01 |
| *USA, Ohio: Asian and Pacific Islander | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.00 | 0.00 |
| USA, Oklahoma | 64 | 0.4 | 0.05 | 0.04 | 0.01 | 57 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Oklahoma: White | 56 | 0.4 | 0.06 | 0.03 | 0.01 | 50 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Oklahoma: Black | 4 | 0.5 | 0.25 | 0.09 | 0.05 | 4 | 0.3 | 0.15 | 0.01 | 0.01 |
| USA, Oklahoma: American Indian | 4 | 0.4 | 0.20 | 0.04 | 0.02 | 3 | 0.2 | 0.12 | 0.01 | 0.01 |
| USA, Oregon | 44 | 0.2 | 0.03 | 0.02 | 0.00 | 25 | 0.1 | 0.02 | 0.01 | 0.00 |
| USA, Oregon: White | 43 | 0.2 | 0.03 | 0.02 | 0.00 | 24 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, Oregon: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.4 | 0.44 | 0.07 | 0.07 |
| *USA, Oregon: Asian and Pacific Islander | 1 | 0.2 | 0.17 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| USA, Rhode Island | 16 | 0.4 | 0.12 | 0.03 | 0.01 | 16 | 0.5 | 0.18 | 0.03 | 0.01 |
| USA, Rhode Island: White | 14 | 0.4 | 0.12 | 0.03 | 0.01 | 14 | 0.5 | 0.20 | 0.03 | 0.01 |
| *USA, Rhode Island: Black | 0 | – | 0.00 | – | 0.00 | 1 | 0.6 | 0.63 | 0.03 | 0.03 |
| USA, South Carolina | 92 | 0.4 | 0.05 | 0.03 | 0.01 | 59 | 0.2 | 0.03 | 0.01 | 0.00 |
| USA, South Carolina: White | 71 | 0.4 | 0.06 | 0.03 | 0.01 | 39 | 0.2 | 0.04 | 0.01 | 0.00 |
| USA, South Carolina: Black | 18 | 0.4 | 0.10 | 0.02 | 0.01 | 19 | 0.2 | 0.06 | 0.01 | 0.01 |
| USA, South Dakota | 12 | 0.3 | 0.09 | 0.03 | 0.01 | 14 | 0.2 | 0.07 | 0.01 | 0.01 |
| USA, Tennessee | 88 | 0.3 | 0.04 | 0.03 | 0.00 | 79 | 0.2 | 0.03 | 0.02 | 0.00 |
| USA, Tennessee: White | 79 | 0.3 | 0.04 | 0.03 | 0.00 | 67 | 0.2 | 0.04 | 0.02 | 0.00 |
| USA, Tennessee: Black | 8 | 0.3 | 0.09 | 0.03 | 0.01 | 12 | 0.3 | 0.09 | 0.02 | 0.01 |
| USA, Texas | 606 | 0.7 | 0.03 | 0.06 | 0.00 | 527 | 0.5 | 0.03 | 0.04 | 0.00 |
| USA, Texas: White | 541 | 0.7 | 0.03 | 0.06 | 0.00 | 451 | 0.5 | 0.03 | 0.04 | 0.00 |
| USA, Texas: Black | 45 | 0.5 | 0.07 | 0.05 | 0.01 | 58 | 0.5 | 0.07 | 0.04 | 0.01 |
| USA, Texas: Asian and Pacific Islander | 17 | 0.5 | 0.13 | 0.04 | 0.01 | 15 | 0.3 | 0.09 | 0.03 | 0.01 |
| USA, Utah | 27 | 0.3 | 0.05 | 0.02 | 0.01 | 18 | 0.2 | 0.04 | 0.01 | 0.00 |
| USA, Vermont | 6 | 0.2 | 0.06 | 0.01 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| USA, Washington State | 69 | 0.2 | 0.03 | 0.02 | 0.00 | 51 | 0.1 | 0.02 | 0.01 | 0.00 |
| *USA, Washington, Seattle | 32 | 0.2 | 0.04 | 0.01 | 0.00 | 27 | 0.1 | 0.03 | 0.01 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Leukaemia unspecified (C95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 27 | 0.3 | 0.08 | 0.03 | 0.01 | 23 | 0.2 | 0.06 | 0.02 | 0.01 |
| USA, Wyoming | 7 | 0.2 | 0.09 | 0.03 | 0.01 | 7 | 0.2 | 0.11 | 0.03 | 0.01 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 14 | 1.1 | 0.30 | 0.13 | 0.05 | 18 | 1.3 | 0.31 | 0.11 | 0.04 |
| Brunei Darussalam | 10 | 1.3 | 0.42 | 0.12 | 0.06 | 3 | 0.4 | 0.25 | 0.02 | 0.01 |
| *China, Anfu County | 26 | 2.6 | 0.51 | 0.31 | 0.07 | 17 | 2.1 | 0.58 | 0.19 | 0.05 |
| *China, Anguo City | 40 | 3.7 | 0.63 | 0.35 | 0.06 | 37 | 3.2 | 0.56 | 0.35 | 0.06 |
| *China, Anshan City | 184 | 3.7 | 0.40 | 0.32 | 0.03 | 131 | 2.1 | 0.28 | 0.21 | 0.02 |
| *China, Aohan Banner, Chifeng City | 53 | 3.3 | 0.48 | 0.31 | 0.05 | 48 | 2.9 | 0.47 | 0.27 | 0.05 |
| *China, Arongqi | 23 | 2.9 | 0.71 | 0.26 | 0.07 | 17 | 2.2 | 0.60 | 0.19 | 0.05 |
| *China, Baoding City | 116 | 3.7 | 0.39 | 0.31 | 0.04 | 110 | 3.2 | 0.35 | 0.31 | 0.04 |
| *China, Beijing City | 238 | 0.6 | 0.06 | 0.05 | 0.00 | 154 | 0.3 | 0.04 | 0.03 | 0.00 |
| *China, Binhai County | 105 | 2.8 | 0.30 | 0.26 | 0.03 | 81 | 2.3 | 0.28 | 0.21 | 0.03 |
| *China, Cangzhou City | 40 | 2.7 | 0.47 | 0.26 | 0.05 | 39 | 2.9 | 0.53 | 0.26 | 0.05 |
| China, Changfeng County | 24 | 1.6 | 0.36 | 0.18 | 0.04 | 22 | 2.0 | 0.51 | 0.13 | 0.03 |
| China, Changzhou City | 88 | 1.1 | 0.14 | 0.10 | 0.01 | 77 | 0.7 | 0.09 | 0.09 | 0.01 |
| China, Chengdu City | 76 | 2.5 | 0.35 | 0.21 | 0.03 | 45 | 1.8 | 0.34 | 0.13 | 0.03 |
| China, Cixian County | 24 | 1.4 | 0.30 | 0.17 | 0.04 | 13 | 0.7 | 0.20 | 0.08 | 0.02 |
| China, Cixi City | 49 | 1.3 | 0.24 | 0.12 | 0.02 | 34 | 1.1 | 0.26 | 0.10 | 0.02 |
| *China, Dafeng District, Yancheng City | 106 | 4.0 | 0.54 | 0.36 | 0.04 | 92 | 3.5 | 0.51 | 0.32 | 0.04 |
| China, Dalian City | 170 | 1.7 | 0.16 | 0.15 | 0.02 | 121 | 1.3 | 0.17 | 0.11 | 0.01 |
| *China, Dancheng County | 146 | 6.1 | 0.53 | 0.33 | 0.04 | 105 | 4.0 | 0.42 | 0.37 | 0.05 |
| China, Dangtu County | 9 | 0.7 | 0.25 | 0.05 | 0.02 | 14 | 1.4 | 0.48 | 0.13 | 0.04 |
| *China, Danyang City | 66 | 2.4 | 0.36 | 0.21 | 0.03 | 44 | 1.4 | 0.28 | 0.12 | 0.02 |
| *China, Dawukou District, Shizuishan City | 20 | 2.8 | 0.71 | 0.26 | 0.06 | 14 | 2.1 | 0.77 | 0.13 | 0.05 |
| *China, Dehui City | 78 | 3.0 | 0.37 | 0.28 | 0.04 | 79 | 2.7 | 0.33 | 0.29 | 0.04 |
| *China, Donggang County | 119 | 5.4 | 0.67 | 0.57 | 0.06 | 89 | 4.4 | 0.63 | 0.44 | 0.05 |
| *China, Dongguan City | 38 | 1.0 | 0.18 | 0.09 | 0.02 | 30 | 0.7 | 0.17 | 0.06 | 0.02 |
| China, Donghai County | 70 | 2.0 | 0.26 | 0.19 | 0.03 | 43 | 1.4 | 0.24 | 0.13 | 0.03 |
| *China, Dongtai City | 86 | 2.3 | 0.37 | 0.23 | 0.03 | 58 | 1.9 | 0.39 | 0.16 | 0.03 |
| China, Duanzhou District, Zhaoqing City | 34 | 3.7 | 0.75 | 0.29 | 0.06 | 19 | 2.1 | 0.59 | 0.22 | 0.06 |
| *China, Evenki Autonomous Banner | 4 | 1.8 | 0.93 | 0.22 | 0.13 | 3 | 1.0 | 0.60 | 0.13 | 0.07 |
| *China, Faku County | 47 | 3.4 | 0.61 | 0.30 | 0.05 | 36 | 2.0 | 0.38 | 0.18 | 0.04 |
| *China, Fangcheng County | 58 | 3.0 | 0.41 | 0.25 | 0.04 | 44 | 2.5 | 0.41 | 0.23 | 0.04 |
| *China, Feicheng City | 112 | 3.4 | 0.37 | 0.35 | 0.04 | 79 | 2.7 | 0.37 | 0.24 | 0.03 |
| China, Feixi County | 80 | 2.5 | 0.31 | 0.23 | 0.03 | 65 | 1.8 | 0.27 | 0.17 | 0.03 |
| China, Fuqing City | 77 | 3.4 | 0.41 | 0.34 | 0.05 | 37 | 1.9 | 0.34 | 0.20 | 0.04 |
| *China, Ganyu District, Lianyungang City | 96 | 2.7 | 0.30 | 0.28 | 0.03 | 60 | 1.8 | 0.27 | 0.17 | 0.02 |
| *China, Ganzhou District, Zhangye City | 18 | 2.2 | 0.57 | 0.24 | 0.07 | 11 | 2.0 | 0.76 | 0.16 | 0.05 |
| *China, Gaocheng City | 38 | 1.8 | 0.32 | 0.20 | 0.04 | 25 | 1.2 | 0.26 | 0.09 | 0.02 |
| China, Gaomi City | 53 | 2.4 | 0.38 | 0.22 | 0.03 | 24 | 1.3 | 0.33 | 0.08 | 0.02 |
| China, Gong'an County | 57 | 1.9 | 0.27 | 0.21 | 0.03 | 33 | 1.3 | 0.27 | 0.14 | 0.03 |
| *China, Guang'an District, Guang'an City | 58 | 3.4 | 0.48 | 0.34 | 0.05 | 45 | 2.8 | 0.45 | 0.32 | 0.05 |
| China, Guanghan City | 23 | 1.5 | 0.31 | 0.21 | 0.05 | 30 | 1.8 | 0.35 | 0.23 | 0.05 |
| China, Guangzhou City | 247 | 0.9 | 0.07 | 0.08 | 0.01 | 172 | 0.6 | 0.06 | 0.05 | 0.01 |
| *China, Guanyun County | 51 | 1.7 | 0.25 | 0.15 | 0.03 | 41 | 1.3 | 0.21 | 0.10 | 0.02 |
| China, Guilin City | 80 | 4.0 | 0.50 | 0.38 | 0.06 | 57 | 2.6 | 0.37 | 0.35 | 0.06 |
| *China, Hai'an City | 40 | 1.2 | 0.27 | 0.12 | 0.02 | 38 | 1.1 | 0.26 | 0.08 | 0.02 |
| China, Hailar District, Hulun Buir City | 19 | 1.7 | 0.48 | 0.17 | 0.05 | 14 | 1.4 | 0.41 | 0.11 | 0.04 |
| China, Haimen District, Nantong City | 74 | 1.8 | 0.28 | 0.15 | 0.02 | 42 | 1.4 | 0.33 | 0.11 | 0.02 |
| China, Haining City | 60 | 2.2 | 0.37 | 0.22 | 0.04 | 59 | 1.7 | 0.24 | 0.20 | 0.03 |
| China, Hangzhou City | 190 | 0.7 | 0.06 | 0.07 | 0.01 | 139 | 0.5 | 0.06 | 0.05 | 0.01 |
| China, Hebi City | 27 | 2.9 | 0.60 | 0.19 | 0.05 | 21 | 2.3 | 0.55 | 0.21 | 0.05 |
| China, Hefei City | 173 | 2.3 | 0.19 | 0.22 | 0.02 | 125 | 1.7 | 0.17 | 0.17 | 0.02 |
| China, Hengdong County | 27 | 2.1 | 0.43 | 0.17 | 0.04 | 26 | 2.0 | 0.42 | 0.19 | 0.04 |
| *China, Hengfeng County | 21 | 4.2 | 0.96 | 0.31 | 0.08 | 12 | 2.3 | 0.70 | 0.18 | 0.06 |
| *China, Hepu County | 126 | 4.9 | 0.45 | 0.45 | 0.05 | 63 | 2.6 | 0.35 | 0.21 | 0.03 |
| China, Honghu City | 8 | 0.3 | 0.12 | 0.04 | 0.02 | 8 | 0.3 | 0.11 | 0.05 | 0.02 |
| China, Hongshan District, Chifeng City | 12 | 1.4 | 0.47 | 0.11 | 0.04 | 13 | 1.3 | 0.44 | 0.13 | 0.04 |
| *China, Hongta District, Yuxi City | 33 | 2.5 | 0.48 | 0.28 | 0.05 | 38 | 3.5 | 0.65 | 0.26 | 0.05 |
| *China, Huaiyin District, Huai'an City | 104 | 3.5 | 0.37 | 0.35 | 0.04 | 60 | 2.4 | 0.37 | 0.19 | 0.03 |
| *China, Jiange County | 58 | 4.1 | 0.59 | 0.35 | 0.05 | 29 | 2.3 | 0.48 | 0.23 | 0.05 |
| China, Jiangmen City | 16 | 0.9 | 0.28 | 0.07 | 0.02 | 12 | 0.5 | 0.19 | 0.03 | 0.01 |
| *China, Jiangyin City | 23 | 0.5 | 0.13 | 0.04 | 0.01 | 24 | 0.3 | 0.07 | 0.04 | 0.01 |
| *China, Jiashan County | 7 | 0.4 | 0.17 | 0.04 | 0.02 | 5 | 0.4 | 0.29 | 0.04 | 0.02 |
| China, Jiayu County | 17 | 2.7 | 0.75 | 0.31 | 0.09 | 11 | 1.9 | 0.69 | 0.20 | 0.07 |
| *China, Jinan City | 155 | 2.0 | 0.18 | 0.18 | 0.02 | 131 | 1.4 | 0.14 | 0.14 | 0.02 |
| *China, Jingtai County | 22 | 3.4 | 0.75 | 0.40 | 0.10 | 23 | 4.1 | 0.98 | 0.35 | 0.08 |
| *China, Jingxian County | 46 | 4.2 | 0.76 | 0.44 | 0.07 | 20 | 2.4 | 0.71 | 0.21 | 0.05 |
| *China, Jintan District, Changzhou City | 27 | 1.6 | 0.37 | 0.15 | 0.03 | 15 | 1.1 | 0.37 | 0.11 | 0.03 |
| *China, Jiulongpo District, Chongqing City | 44 | 1.5 | 0.28 | 0.13 | 0.03 | 39 | 1.8 | 0.38 | 0.14 | 0.03 |
| *China, Jiyuan City | 73 | 4.5 | 0.56 | 0.41 | 0.05 | 50 | 3.0 | 0.44 | 0.30 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia unspecified (C95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 21 | 1.6 | 0.38 | 0.19 | 0.06 | 6 | 0.7 | 0.36 | 0.04 | 0.02 |
| China, Kunshan City | 37 | 1.4 | 0.27 | 0.12 | 0.02 | 21 | 0.8 | 0.22 | 0.07 | 0.02 |
| China, Langzhong City | 31 | 1.6 | 0.28 | 0.18 | 0.04 | 28 | 2.0 | 0.46 | 0.18 | 0.04 |
| *China, Liangshan County | 93 | 4.0 | 0.46 | 0.31 | 0.04 | 70 | 3.0 | 0.42 | 0.31 | 0.04 |
| *China, Lianshui County | 88 | 2.6 | 0.30 | 0.25 | 0.03 | 48 | 1.4 | 0.24 | 0.14 | 0.02 |
| China, Lianyungang City | 27 | 0.7 | 0.16 | 0.06 | 0.02 | 36 | 0.9 | 0.16 | 0.08 | 0.02 |
| China, Linhe District, Bayannur City | 8 | 0.7 | 0.24 | 0.08 | 0.03 | 8 | 1.0 | 0.46 | 0.06 | 0.03 |
| China, Linqu County | 27 | 0.9 | 0.20 | 0.08 | 0.02 | 27 | 1.0 | 0.22 | 0.09 | 0.02 |
| *China, Linzhou City | 101 | 3.4 | 0.35 | 0.29 | 0.03 | 97 | 3.0 | 0.34 | 0.27 | 0.03 |
| China, Liuzhou City | 50 | 1.4 | 0.22 | 0.14 | 0.03 | 60 | 1.7 | 0.24 | 0.18 | 0.03 |
| China, Liyang City | 16 | 0.4 | 0.10 | 0.04 | 0.01 | 22 | 0.6 | 0.14 | 0.06 | 0.02 |
| *China, Longquan City | 8 | 1.2 | 0.56 | 0.11 | 0.05 | 6 | 0.7 | 0.31 | 0.10 | 0.06 |
| China, Lucheng District, Wenzhou City | 23 | 1.2 | 0.31 | 0.10 | 0.03 | 14 | 1.1 | 0.39 | 0.09 | 0.03 |
| China, Luoding City | 36 | 1.6 | 0.29 | 0.18 | 0.04 | 13 | 0.7 | 0.21 | 0.06 | 0.02 |
| *China, Luohe City | 67 | 2.1 | 0.27 | 0.20 | 0.03 | 76 | 2.2 | 0.28 | 0.19 | 0.03 |
| *China, Luoyang City | 167 | 4.7 | 0.43 | 0.44 | 0.04 | 94 | 2.7 | 0.32 | 0.26 | 0.03 |
| *China, Luquan City | 8 | 0.7 | 0.25 | 0.08 | 0.03 | 7 | 0.6 | 0.23 | 0.08 | 0.03 |
| China, Ma'anshan City | 18 | 1.0 | 0.26 | 0.06 | 0.02 | 12 | 0.6 | 0.23 | 0.04 | 0.02 |
| *China, Macheng City | 60 | 3.4 | 0.49 | 0.28 | 0.04 | 51 | 3.0 | 0.50 | 0.30 | 0.04 |
| China, Meihekou City | 4 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Mengjin County | 35 | 3.4 | 0.62 | 0.33 | 0.06 | 39 | 4.1 | 0.75 | 0.40 | 0.07 |
| China, Nangang District, Harbin City | 32 | 1.0 | 0.21 | 0.08 | 0.02 | 34 | 1.0 | 0.23 | 0.09 | 0.02 |
| *China, Nanghai District, Foshan City | 61 | 2.5 | 0.34 | 0.24 | 0.04 | 38 | 1.2 | 0.21 | 0.12 | 0.02 |
| China, Nanhu District, Jiaying City | 18 | 1.1 | 0.35 | 0.07 | 0.02 | 19 | 0.8 | 0.26 | 0.08 | 0.03 |
| *China, Nantong City | 78 | 1.8 | 0.26 | 0.18 | 0.03 | 59 | 0.9 | 0.14 | 0.08 | 0.02 |
| *China, Nanxiong City | 20 | 1.9 | 0.45 | 0.13 | 0.04 | 12 | 0.9 | 0.30 | 0.09 | 0.03 |
| China, Neixiang County | 33 | 1.7 | 0.30 | 0.14 | 0.03 | 25 | 1.4 | 0.30 | 0.13 | 0.03 |
| *China, Qianxi County | 3 | 0.2 | 0.13 | 0.02 | 0.01 | 3 | 0.3 | 0.20 | 0.02 | 0.01 |
| China, Qidong City | 106 | 2.8 | 0.41 | 0.26 | 0.03 | 112 | 2.4 | 0.35 | 0.21 | 0.03 |
| China, Qingzhou City | 21 | 0.8 | 0.18 | 0.08 | 0.02 | 14 | 0.5 | 0.16 | 0.05 | 0.02 |
| *China, Rudong County | 160 | 4.2 | 0.55 | 0.35 | 0.04 | 130 | 3.3 | 0.45 | 0.29 | 0.03 |
| *China, Rugao City | 81 | 1.6 | 0.23 | 0.15 | 0.02 | 64 | 1.0 | 0.15 | 0.10 | 0.02 |
| *China, Rural areas of Shanghai City | 342 | 0.8 | 0.06 | 0.08 | 0.01 | 306 | 0.7 | 0.06 | 0.06 | 0.00 |
| China, Ruyang County | 31 | 2.7 | 0.49 | 0.29 | 0.07 | 35 | 3.3 | 0.59 | 0.29 | 0.06 |
| *China, Shan County | 45 | 2.0 | 0.31 | 0.20 | 0.04 | 44 | 2.2 | 0.38 | 0.22 | 0.04 |
| China, Shanghai City | 281 | 0.9 | 0.08 | 0.08 | 0.01 | 211 | 0.6 | 0.07 | 0.05 | 0.01 |
| China, Shangyu District, Shaoxing City | 45 | 1.6 | 0.33 | 0.15 | 0.03 | 29 | 1.0 | 0.27 | 0.10 | 0.02 |
| *China, Shapingba District, Chongqing City | 18 | 0.5 | 0.13 | 0.05 | 0.02 | 14 | 0.6 | 0.18 | 0.06 | 0.02 |
| China, Shexian County | 11 | 1.1 | 0.34 | 0.07 | 0.02 | 22 | 1.8 | 0.42 | 0.15 | 0.03 |
| China, Sheyang County | 66 | 2.2 | 0.32 | 0.20 | 0.03 | 55 | 1.7 | 0.29 | 0.16 | 0.03 |
| *China, Shijiazhuang City | 76 | 1.5 | 0.19 | 0.16 | 0.02 | 52 | 1.3 | 0.22 | 0.10 | 0.02 |
| China, Shunde District, Foshan City | 43 | 1.2 | 0.19 | 0.13 | 0.03 | 30 | 1.0 | 0.23 | 0.07 | 0.02 |
| *China, Song County | 39 | 2.7 | 0.44 | 0.22 | 0.04 | 21 | 1.7 | 0.37 | 0.18 | 0.04 |
| China, Suzhou City | 232 | 1.8 | 0.14 | 0.17 | 0.01 | 167 | 1.2 | 0.12 | 0.12 | 0.01 |
| *China, Tengzhou City | 77 | 1.7 | 0.20 | 0.14 | 0.02 | 45 | 0.8 | 0.14 | 0.09 | 0.02 |
| *China, Wangdu County | 16 | 2.6 | 0.72 | 0.26 | 0.07 | 5 | 0.6 | 0.27 | 0.04 | 0.03 |
| *China, Wanxian County | 29 | 3.1 | 0.60 | 0.26 | 0.05 | 14 | 1.6 | 0.46 | 0.13 | 0.04 |
| *China, Wu'an City | 54 | 2.6 | 0.36 | 0.28 | 0.05 | 48 | 2.3 | 0.36 | 0.20 | 0.03 |
| China, Wuhan City | 138 | 0.7 | 0.07 | 0.07 | 0.01 | 107 | 0.6 | 0.08 | 0.05 | 0.01 |
| *China, Wuhu City | 44 | 1.0 | 0.17 | 0.10 | 0.02 | 39 | 1.0 | 0.20 | 0.09 | 0.02 |
| China, Wuxi City | 109 | 1.0 | 0.12 | 0.10 | 0.01 | 86 | 0.7 | 0.09 | 0.07 | 0.01 |
| China, Wuzhou City | 20 | 1.1 | 0.27 | 0.09 | 0.03 | 20 | 1.2 | 0.30 | 0.10 | 0.03 |
| China, Xiangfu District, Kaifeng City | 40 | 2.1 | 0.34 | 0.24 | 0.05 | 22 | 1.1 | 0.26 | 0.13 | 0.03 |
| China, Xianju County | 35 | 2.5 | 0.50 | 0.20 | 0.04 | 21 | 2.1 | 0.59 | 0.16 | 0.04 |
| *China, Xin'an County | 36 | 4.0 | 0.71 | 0.33 | 0.06 | 27 | 3.0 | 0.62 | 0.28 | 0.06 |
| *China, Xining City | 42 | 2.1 | 0.37 | 0.20 | 0.04 | 31 | 1.7 | 0.35 | 0.13 | 0.03 |
| *China, Xinji City | 41 | 2.1 | 0.38 | 0.20 | 0.04 | 33 | 1.4 | 0.29 | 0.14 | 0.03 |
| *China, Xinluo District, Longyan City | 35 | 2.9 | 0.54 | 0.27 | 0.06 | 21 | 2.1 | 0.54 | 0.16 | 0.05 |
| *China, Xinzhou District, Shangrao City | 42 | 3.7 | 0.60 | 0.38 | 0.07 | 32 | 2.5 | 0.45 | 0.24 | 0.05 |
| China, Xiping County | 39 | 1.7 | 0.31 | 0.16 | 0.03 | 40 | 1.5 | 0.24 | 0.16 | 0.03 |
| *China, Xishan District, Kunming City | 29 | 3.9 | 0.96 | 0.27 | 0.06 | 31 | 3.2 | 0.78 | 0.27 | 0.06 |
| *China, Xuyi County | 52 | 2.5 | 0.38 | 0.22 | 0.04 | 35 | 1.5 | 0.28 | 0.18 | 0.03 |
| *China, Ya'an City | 148 | 3.2 | 0.28 | 0.29 | 0.03 | 89 | 2.0 | 0.24 | 0.22 | 0.03 |
| *China, Yakeshi City | 44 | 3.2 | 0.60 | 0.33 | 0.06 | 27 | 1.8 | 0.39 | 0.20 | 0.04 |
| China, Yancheng City | 110 | 2.4 | 0.26 | 0.21 | 0.02 | 96 | 2.1 | 0.26 | 0.21 | 0.02 |
| *China, Yangquan City | 70 | 3.8 | 0.50 | 0.39 | 0.06 | 56 | 3.1 | 0.48 | 0.33 | 0.05 |
| *China, Yangzhong City | 16 | 1.2 | 0.31 | 0.12 | 0.04 | 13 | 1.2 | 0.52 | 0.11 | 0.04 |
| *China, Yanji City | 15 | 1.4 | 0.43 | 0.10 | 0.03 | 16 | 0.8 | 0.27 | 0.05 | 0.02 |
| *China, Yanshi City | 63 | 3.3 | 0.46 | 0.29 | 0.04 | 41 | 2.0 | 0.37 | 0.18 | 0.03 |
| China, Yanting County | 59 | 3.7 | 0.52 | 0.34 | 0.05 | 44 | 2.7 | 0.42 | 0.28 | 0.05 |
| *China, Yi'an District, Tongling City | 20 | 2.3 | 0.56 | 0.29 | 0.07 | 3 | 0.3 | 0.18 | 0.05 | 0.03 |
| *China, Yingdong District, Fuyang City | 68 | 3.6 | 0.46 | 0.39 | 0.05 | 38 | 2.3 | 0.41 | 0.24 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia unspecified (C95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 2 | 0.2 | 0.13 | 0.03 | 0.03 | 5 | 0.5 | 0.23 | 0.05 | 0.02 |
| *China, Yiyuan County | 17 | 1.0 | 0.28 | 0.09 | 0.02 | 12 | 0.8 | 0.25 | 0.08 | 0.03 |
| China, Yong'an City | 11 | 1.3 | 0.46 | 0.11 | 0.04 | 15 | 1.8 | 0.56 | 0.16 | 0.05 |
| *China, Yongding District, Longyan City | 48 | 3.3 | 0.50 | 0.29 | 0.05 | 28 | 1.9 | 0.40 | 0.18 | 0.04 |
| China, Yongkang City | 30 | 1.8 | 0.38 | 0.14 | 0.03 | 24 | 1.1 | 0.26 | 0.14 | 0.04 |
| *China, Yucheng County | 64 | 3.9 | 0.51 | 0.32 | 0.04 | 74 | 4.2 | 0.52 | 0.37 | 0.05 |
| China, Yueyanglou District, Yueyang City | 24 | 2.6 | 0.58 | 0.21 | 0.06 | 8 | 1.1 | 0.45 | 0.08 | 0.03 |
| China, Yunmeng County | 31 | 2.3 | 0.46 | 0.18 | 0.03 | 17 | 1.1 | 0.28 | 0.10 | 0.03 |
| *China, Yunyang District, Shiyuan City | 22 | 2.3 | 0.53 | 0.24 | 0.06 | 22 | 2.2 | 0.49 | 0.21 | 0.05 |
| China, Yuzhong District, Chongqing City | 19 | 0.9 | 0.21 | 0.13 | 0.04 | 16 | 0.9 | 0.35 | 0.07 | 0.02 |
| *China, Zanzhuang County | 14 | 1.9 | 0.53 | 0.16 | 0.05 | 5 | 0.7 | 0.31 | 0.06 | 0.03 |
| *China, Zhangjiagang City | 50 | 1.4 | 0.26 | 0.12 | 0.02 | 39 | 0.8 | 0.18 | 0.08 | 0.02 |
| *China, Zhaoyuan City | 62 | 2.7 | 0.41 | 0.25 | 0.04 | 47 | 2.5 | 0.50 | 0.21 | 0.04 |
| *China, Zhengding County | 13 | 1.3 | 0.40 | 0.13 | 0.04 | 8 | 0.9 | 0.36 | 0.07 | 0.02 |
| *China, Zhongshan City | 11 | 0.2 | 0.08 | 0.01 | 0.01 | 11 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Zhongxiang City | 60 | 2.1 | 0.31 | 0.24 | 0.04 | 38 | 1.3 | 0.22 | 0.17 | 0.03 |
| *China, Zhuanghe City | 97 | 2.7 | 0.40 | 0.23 | 0.03 | 54 | 1.3 | 0.20 | 0.16 | 0.03 |
| *China, Zhuhai City | 30 | 0.9 | 0.19 | 0.07 | 0.02 | 29 | 1.0 | 0.21 | 0.08 | 0.02 |
| India, Ahmedabad, Urban | 66 | 0.6 | 0.07 | 0.05 | 0.01 | 30 | 0.3 | 0.05 | 0.03 | 0.01 |
| India, Aurangabad | 17 | 0.5 | 0.13 | 0.04 | 0.01 | 10 | 0.3 | 0.10 | 0.03 | 0.01 |
| India, Bangalore | 78 | 0.6 | 0.07 | 0.06 | 0.01 | 38 | 0.3 | 0.05 | 0.03 | 0.01 |
| India, Barshi, Paranda, and Bhum | 9 | 0.7 | 0.24 | 0.05 | 0.02 | 6 | 0.6 | 0.26 | 0.04 | 0.02 |
| *India, Bhopal | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 9 | 0.3 | 0.13 | 0.05 | 0.02 | 4 | 0.2 | 0.08 | 0.02 | 0.01 |
| *India, Chennai | 59 | 0.5 | 0.07 | 0.05 | 0.01 | 63 | 0.5 | 0.07 | 0.05 | 0.01 |
| India, Dibrugarh | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.00 | 0.00 |
| *India, Dindigul, Ambalikkai | 12 | 0.2 | 0.06 | 0.01 | 0.00 | 9 | 0.2 | 0.07 | 0.01 | 0.01 |
| India, Kamrup Urban District | 31 | 1.3 | 0.24 | 0.14 | 0.03 | 14 | 0.6 | 0.18 | 0.06 | 0.02 |
| India, Kollam | 27 | 0.5 | 0.09 | 0.05 | 0.01 | 22 | 0.4 | 0.08 | 0.03 | 0.01 |
| *India, Manipur | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Meghalaya | 6 | 0.2 | 0.08 | 0.02 | 0.02 | 6 | 0.2 | 0.06 | 0.02 | 0.01 |
| India, Mizoram | 23 | 1.2 | 0.27 | 0.14 | 0.04 | 17 | 0.8 | 0.20 | 0.06 | 0.02 |
| India, Mumbai | 283 | 0.9 | 0.06 | 0.08 | 0.01 | 223 | 0.8 | 0.05 | 0.07 | 0.01 |
| *India, New Delhi | 454 | 1.8 | 0.09 | 0.16 | 0.01 | 262 | 1.1 | 0.07 | 0.10 | 0.01 |
| India, Poona | 49 | 0.4 | 0.06 | 0.03 | 0.01 | 33 | 0.3 | 0.05 | 0.02 | 0.00 |
| *India, Sangrur District | 35 | 1.3 | 0.21 | 0.12 | 0.02 | 12 | 0.4 | 0.13 | 0.04 | 0.01 |
| India, SAS Nagar | 12 | 0.5 | 0.14 | 0.04 | 0.02 | 13 | 0.6 | 0.16 | 0.05 | 0.02 |
| *India, Tamil Nadu | 451 | 0.2 | 0.01 | 0.02 | 0.00 | 340 | 0.2 | 0.01 | 0.01 | 0.00 |
| *India, Tripura | 6 | 0.1 | 0.04 | 0.01 | 0.00 | 6 | 0.1 | 0.04 | 0.01 | 0.00 |
| India, Trivandrum | 45 | 0.7 | 0.12 | 0.05 | 0.01 | 41 | 0.5 | 0.09 | 0.05 | 0.01 |
| India, Wardha | 24 | 0.7 | 0.15 | 0.06 | 0.01 | 16 | 0.5 | 0.15 | 0.03 | 0.01 |
| India, West Arunachal | 3 | 0.1 | 0.08 | 0.01 | 0.00 | 5 | 0.3 | 0.16 | 0.03 | 0.02 |
| *Iran (Islamic Republic of), Ardabil Province | 56 | 2.9 | 0.41 | 0.28 | 0.05 | 30 | 1.6 | 0.29 | 0.13 | 0.03 |
| *Iran (Islamic Republic of), Golestan Province | 78 | 3.1 | 0.37 | 0.30 | 0.05 | 85 | 3.0 | 0.34 | 0.28 | 0.04 |
| Israel | 134 | 0.5 | 0.05 | 0.05 | 0.01 | 135 | 0.4 | 0.04 | 0.03 | 0.00 |
| *Israel: Jews | 111 | 0.5 | 0.06 | 0.05 | 0.01 | 114 | 0.4 | 0.04 | 0.03 | 0.00 |
| *Israel: Arabs | 18 | 0.5 | 0.12 | 0.04 | 0.01 | 17 | 0.4 | 0.11 | 0.02 | 0.01 |
| Japan | 1255 | 0.3 | 0.01 | 0.02 | 0.00 | 1182 | 0.2 | 0.01 | 0.01 | 0.00 |
| Japan, Aichi Prefecture | 66 | 0.3 | 0.05 | 0.02 | 0.00 | 55 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Japan, Akita Prefecture | 26 | 0.9 | 0.33 | 0.05 | 0.02 | 26 | 0.5 | 0.26 | 0.03 | 0.01 |
| Japan, Aomori Prefecture | 23 | 0.3 | 0.08 | 0.02 | 0.01 | 35 | 0.2 | 0.06 | 0.02 | 0.01 |
| Japan, Gunma Prefecture | 17 | 0.4 | 0.15 | 0.03 | 0.01 | 16 | 0.3 | 0.12 | 0.02 | 0.01 |
| Japan, Hiroshima Prefecture | 25 | 0.3 | 0.09 | 0.01 | 0.00 | 24 | 0.1 | 0.04 | 0.01 | 0.00 |
| Japan, Miyagi Prefecture | 27 | 0.2 | 0.04 | 0.02 | 0.00 | 29 | 0.1 | 0.03 | 0.01 | 0.00 |
| Japan, Osaka Prefecture | 71 | 0.3 | 0.04 | 0.02 | 0.00 | 57 | 0.1 | 0.01 | 0.00 | 0.00 |
| Kuwait | 28 | 0.6 | 0.14 | 0.04 | 0.01 | 18 | 0.4 | 0.11 | 0.03 | 0.01 |
| *Kuwait: Kuwaitis | 12 | 0.7 | 0.21 | 0.05 | 0.03 | 10 | 0.5 | 0.15 | 0.04 | 0.02 |
| *Kuwait: Non-Kuwaitis | 16 | 0.3 | 0.14 | 0.02 | 0.01 | 8 | 0.3 | 0.12 | 0.01 | 0.01 |
| *Philippines, Manila | 211 | 1.6 | 0.12 | 0.13 | 0.01 | 219 | 1.4 | 0.10 | 0.13 | 0.01 |
| *Qatar: Qatari | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.33 | 0.06 | 0.06 |
| Republic of Korea | 635 | 0.4 | 0.02 | 0.03 | 0.00 | 632 | 0.3 | 0.01 | 0.02 | 0.00 |
| *Republic of Korea, Busan | 63 | 0.5 | 0.07 | 0.04 | 0.01 | 63 | 0.4 | 0.06 | 0.04 | 0.01 |
| *Republic of Korea, Daegu | 23 | 0.3 | 0.09 | 0.02 | 0.01 | 21 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Republic of Korea, Daejeon | 15 | 0.3 | 0.09 | 0.01 | 0.01 | 8 | 0.1 | 0.04 | 0.01 | 0.00 |
| *Republic of Korea, Gwangju | 9 | 0.2 | 0.08 | 0.01 | 0.01 | 7 | 0.3 | 0.11 | 0.02 | 0.01 |
| Republic of Korea, Incheon | 23 | 0.2 | 0.05 | 0.02 | 0.01 | 20 | 0.2 | 0.05 | 0.01 | 0.00 |
| Republic of Korea, Jeju | 6 | 0.2 | 0.10 | 0.03 | 0.01 | 12 | 0.3 | 0.09 | 0.02 | 0.01 |
| Republic of Korea, Seoul | 93 | 0.3 | 0.04 | 0.03 | 0.00 | 108 | 0.3 | 0.03 | 0.02 | 0.00 |
| Republic of Korea, Ulsan | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 9 | 0.4 | 0.16 | 0.03 | 0.01 |
| Singapore | 26 | 0.2 | 0.05 | 0.02 | 0.01 | 22 | 0.2 | 0.04 | 0.01 | 0.00 |
| Singapore: Chinese | 22 | 0.2 | 0.06 | 0.02 | 0.01 | 16 | 0.1 | 0.04 | 0.01 | 0.00 |
| Singapore: Indian | 1 | 0.1 | 0.14 | 0.01 | 0.01 | 2 | 0.2 | 0.16 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Leukaemia unspecified (C95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 3 | 0.2 | 0.14 | 0.02 | 0.01 | 4 | 0.2 | 0.11 | 0.01 | 0.01 |
| Thailand, Bangkok | 166 | 1.2 | 0.10 | 0.10 | 0.01 | 173 | 1.1 | 0.10 | 0.09 | 0.01 |
| *Thailand, Chiang Mai | 10 | 0.2 | 0.08 | 0.02 | 0.01 | 17 | 0.3 | 0.07 | 0.03 | 0.01 |
| *Thailand, Khon Kaen | 30 | 0.8 | 0.18 | 0.06 | 0.01 | 19 | 0.4 | 0.10 | 0.04 | 0.01 |
| Thailand, Lampang | 11 | 0.4 | 0.14 | 0.04 | 0.02 | 7 | 0.2 | 0.10 | 0.01 | 0.01 |
| Thailand, Lopburi Province | 63 | 3.4 | 0.46 | 0.29 | 0.04 | 55 | 2.5 | 0.39 | 0.18 | 0.03 |
| *Thailand, Songkhla | 46 | 1.2 | 0.19 | 0.10 | 0.02 | 35 | 0.7 | 0.12 | 0.08 | 0.02 |
| Turkey, Antalya | 8 | 0.2 | 0.06 | 0.02 | 0.01 | 6 | 0.1 | 0.05 | 0.01 | 0.00 |
| Turkey, Bursa | 25 | 0.4 | 0.08 | 0.03 | 0.01 | 20 | 0.3 | 0.06 | 0.02 | 0.00 |
| *Turkey, Edirne | 4 | 0.4 | 0.25 | 0.02 | 0.01 | 4 | 0.4 | 0.23 | 0.05 | 0.03 |
| *Turkey, Erzurum | 5 | 0.3 | 0.12 | 0.02 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| Turkey, Eskişehir | 14 | 0.6 | 0.17 | 0.07 | 0.02 | 7 | 0.3 | 0.14 | 0.04 | 0.02 |
| Turkey, Gaziantep | 10 | 0.3 | 0.08 | 0.03 | 0.01 | 9 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Turkey, Izmir | 59 | 0.5 | 0.07 | 0.04 | 0.01 | 60 | 0.4 | 0.06 | 0.04 | 0.01 |
| Turkey, Malatya | 20 | 0.8 | 0.18 | 0.06 | 0.02 | 9 | 0.3 | 0.11 | 0.02 | 0.01 |
| Turkey, Samsun | 15 | 0.4 | 0.11 | 0.04 | 0.01 | 5 | 0.1 | 0.04 | 0.00 | 0.00 |
| Turkey, Trabzon | 17 | 0.6 | 0.15 | 0.05 | 0.02 | 14 | 0.5 | 0.14 | 0.05 | 0.02 |
| Europe | | | | | | | | | | |
| Austria | 78 | 0.2 | 0.02 | 0.01 | 0.00 | 89 | 0.1 | 0.03 | 0.01 | 0.00 |
| Austria, Carinthia | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| Austria, Tyrol | 2 | 0.0 | 0.03 | 0.01 | 0.01 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| Austria, Vorarlberg | 0 | – | 0.00 | – | 0.00 | 3 | 0.1 | 0.03 | 0.00 | 0.00 |
| Belarus | 68 | 0.2 | 0.03 | 0.02 | 0.00 | 72 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Belgium | 37 | 0.1 | 0.02 | 0.01 | 0.00 | 33 | 0.1 | 0.02 | 0.01 | 0.00 |
| Croatia | 46 | 0.2 | 0.04 | 0.02 | 0.00 | 50 | 0.1 | 0.03 | 0.01 | 0.00 |
| Cyprus | 23 | 0.5 | 0.11 | 0.03 | 0.01 | 19 | 0.4 | 0.10 | 0.02 | 0.01 |
| *Czech Republic | 960 | 1.9 | 0.07 | 0.19 | 0.01 | 798 | 1.1 | 0.05 | 0.11 | 0.01 |
| Denmark | 5 | 0.0 | 0.01 | 0.00 | 0.00 | 10 | 0.0 | 0.00 | 0.00 | 0.00 |
| Estonia | 8 | 0.2 | 0.08 | 0.02 | 0.01 | 6 | 0.0 | 0.02 | 0.01 | 0.00 |
| Finland | 67 | 0.3 | 0.04 | 0.02 | 0.00 | 55 | 0.1 | 0.03 | 0.01 | 0.00 |
| *France, Bas-Rhin | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *France, Calvados | 7 | 0.3 | 0.12 | 0.03 | 0.01 | 7 | 0.2 | 0.08 | 0.01 | 0.01 |
| *France, Doubs | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *France, Gironde | 6 | 0.1 | 0.02 | 0.00 | 0.00 | 6 | 0.0 | 0.02 | 0.00 | 0.00 |
| *France, Haut-Rhin | 5 | 0.2 | 0.11 | 0.01 | 0.01 | 8 | 0.1 | 0.04 | 0.00 | 0.00 |
| *France, Hérault | 5 | 0.1 | 0.03 | 0.00 | 0.00 | 4 | 0.1 | 0.07 | 0.01 | 0.00 |
| *France, Isère | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| *France, Lille-Métropole | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *France, Limousin | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| *France, Loire-Atlantique | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 14 | 0.1 | 0.05 | 0.00 | 0.00 |
| *France, Manche | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.01 | 0.00 | 0.00 |
| *France, Poitou-Charentes | 14 | 0.2 | 0.08 | 0.01 | 0.00 | 16 | 0.1 | 0.04 | 0.01 | 0.00 |
| *France, Somme | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *France, Tarn | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.05 | 0.01 | 0.01 |
| *France, Territoire de Belfort | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, Vendée | 7 | 0.3 | 0.15 | 0.02 | 0.01 | 5 | 0.0 | 0.02 | 0.00 | 0.00 |
| Germany, Baden-Württemberg | 165 | 0.4 | 0.04 | 0.03 | 0.00 | 141 | 0.3 | 0.03 | 0.02 | 0.00 |
| Germany, Bavaria | 272 | 0.4 | 0.03 | 0.03 | 0.00 | 243 | 0.2 | 0.02 | 0.01 | 0.00 |
| Germany, Bremen | 14 | 0.3 | 0.09 | 0.02 | 0.01 | 13 | 0.1 | 0.05 | 0.01 | 0.01 |
| Germany, Hamburg | 8 | 0.1 | 0.03 | 0.01 | 0.00 | 15 | 0.1 | 0.03 | 0.01 | 0.00 |
| Germany, Lower Saxony | 320 | 0.6 | 0.04 | 0.05 | 0.00 | 356 | 0.5 | 0.03 | 0.04 | 0.00 |
| Germany, North Rhine-Westphalia | 367 | 0.3 | 0.02 | 0.02 | 0.00 | 433 | 0.2 | 0.02 | 0.02 | 0.00 |
| Germany, Rhineland-Palatinate | 133 | 0.5 | 0.05 | 0.03 | 0.01 | 154 | 0.4 | 0.05 | 0.03 | 0.00 |
| Germany, Saarland | 28 | 0.5 | 0.17 | 0.03 | 0.01 | 25 | 0.3 | 0.10 | 0.02 | 0.01 |
| Germany, Schleswig-Holstein | 72 | 0.4 | 0.06 | 0.04 | 0.01 | 86 | 0.3 | 0.05 | 0.02 | 0.00 |
| Iceland | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ireland | 104 | 0.5 | 0.05 | 0.03 | 0.01 | 84 | 0.3 | 0.04 | 0.02 | 0.00 |
| *Italy, Aosta Valley | 5 | 1.3 | 0.64 | 0.16 | 0.07 | 0 | – | 0.00 | – | 0.00 |
| *Italy, Avellino | 25 | 1.9 | 0.52 | 0.14 | 0.05 | 24 | 1.1 | 0.28 | 0.10 | 0.04 |
| Italy, Basilicata | 70 | 3.2 | 0.59 | 0.19 | 0.04 | 59 | 1.8 | 0.38 | 0.16 | 0.03 |
| *Italy, Benevento | 8 | 0.4 | 0.16 | 0.04 | 0.03 | 9 | 0.5 | 0.21 | 0.04 | 0.02 |
| Italy, Bergamo | 4 | 0.1 | 0.03 | 0.00 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Italy, Brescia | 99 | 2.1 | 0.31 | 0.12 | 0.02 | 101 | 1.6 | 0.28 | 0.10 | 0.02 |
| Italy, Brianza (Lecco and Monza e Brianza) | 36 | 1.0 | 0.21 | 0.09 | 0.02 | 30 | 0.6 | 0.18 | 0.05 | 0.02 |
| Italy, Calabria | 3 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *Italy, Caserta | 42 | 1.1 | 0.19 | 0.10 | 0.03 | 38 | 0.6 | 0.13 | 0.03 | 0.01 |
| *Italy, Catania, Messina, and Enna | 41 | 0.3 | 0.06 | 0.03 | 0.01 | 43 | 0.2 | 0.05 | 0.02 | 0.01 |
| Italy, Emilia-Romagna | 39 | 0.2 | 0.03 | 0.01 | 0.00 | 36 | 0.1 | 0.04 | 0.01 | 0.00 |
| Italy, Friuli-Venezia Giulia | 13 | 0.2 | 0.11 | 0.01 | 0.01 | 8 | 0.2 | 0.09 | 0.02 | 0.01 |
| Italy, Genova | 22 | 0.7 | 0.27 | 0.04 | 0.02 | 16 | 0.3 | 0.20 | 0.02 | 0.01 |
| *Italy, Lombardy, South, Pavia | 40 | 1.2 | 0.21 | 0.11 | 0.03 | 41 | 1.1 | 0.21 | 0.12 | 0.03 |
| Italy, Mantova and Cremona | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.05 | 0.00 | 0.00 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Leukaemia unspecified (C95) (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 27 | 0.8 | 0.21 | 0.04 | 0.01 | 22 | 0.5 | 0.18 | 0.02 | 0.01 |
| Italy, Milan | 146 | 0.8 | 0.08 | 0.06 | 0.01 | 114 | 0.4 | 0.06 | 0.03 | 0.01 |
| Italy, Molise | 5 | 0.3 | 0.20 | 0.01 | 0.01 | 3 | 0.9 | 0.72 | 0.05 | 0.03 |
| *Italy, Naples Centre | 55 | 2.5 | 0.40 | 0.21 | 0.04 | 51 | 1.4 | 0.27 | 0.13 | 0.03 |
| *Italy, Naples North | 46 | 1.6 | 0.26 | 0.13 | 0.03 | 41 | 1.1 | 0.20 | 0.09 | 0.02 |
| *Italy, Naples South | 46 | 0.8 | 0.13 | 0.08 | 0.02 | 40 | 0.5 | 0.10 | 0.04 | 0.01 |
| *Italy, Nuoro | 9 | 1.3 | 0.56 | 0.08 | 0.04 | 6 | 1.4 | 1.02 | 0.09 | 0.05 |
| *Italy, Palermo | 50 | 0.6 | 0.10 | 0.06 | 0.01 | 19 | 0.2 | 0.07 | 0.01 | 0.01 |
| Italy, Puglia | 43 | 0.2 | 0.03 | 0.01 | 0.00 | 51 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Italy, Ragusa and Caltanissetta | 16 | 0.6 | 0.15 | 0.08 | 0.02 | 11 | 0.2 | 0.07 | 0.02 | 0.01 |
| *Italy, Salerno | 46 | 1.0 | 0.16 | 0.09 | 0.02 | 57 | 0.8 | 0.12 | 0.09 | 0.02 |
| Italy, Sassari | 9 | 1.0 | 0.47 | 0.05 | 0.03 | 7 | 0.4 | 0.18 | 0.03 | 0.02 |
| *Italy, Sondrio | 30 | 3.5 | 0.89 | 0.21 | 0.06 | 24 | 3.4 | 1.07 | 0.23 | 0.07 |
| Italy, South Tyrol | 20 | 0.5 | 0.13 | 0.04 | 0.02 | 27 | 0.4 | 0.15 | 0.01 | 0.01 |
| *Italy, Syracuse | 37 | 1.4 | 0.26 | 0.09 | 0.03 | 23 | 0.7 | 0.19 | 0.06 | 0.02 |
| Italy, Trento | 15 | 0.4 | 0.11 | 0.01 | 0.01 | 8 | 0.1 | 0.03 | 0.00 | 0.00 |
| Italy, Turin | 50 | 0.4 | 0.08 | 0.03 | 0.01 | 38 | 0.2 | 0.06 | 0.02 | 0.01 |
| *Italy, Tuscany | 133 | 1.0 | 0.10 | 0.10 | 0.01 | 108 | 0.6 | 0.09 | 0.07 | 0.01 |
| Italy, Umbria | 34 | 0.6 | 0.12 | 0.05 | 0.02 | 46 | 0.6 | 0.16 | 0.04 | 0.01 |
| Italy, Varese | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 2 | 0.1 | 0.08 | 0.01 | 0.01 |
| Italy, Veneto | 48 | 0.2 | 0.03 | 0.01 | 0.00 | 59 | 0.1 | 0.02 | 0.01 | 0.00 |
| Latvia | 142 | 2.0 | 0.19 | 0.20 | 0.02 | 142 | 1.1 | 0.12 | 0.11 | 0.01 |
| *Liechtenstein | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Lithuania | 390 | 2.8 | 0.15 | 0.27 | 0.02 | 490 | 1.6 | 0.09 | 0.16 | 0.01 |
| Malta | 8 | 0.3 | 0.13 | 0.04 | 0.02 | 8 | 0.4 | 0.17 | 0.04 | 0.02 |
| *The Netherlands | 74 | 0.1 | 0.01 | 0.01 | 0.00 | 46 | 0.1 | 0.01 | 0.01 | 0.00 |
| Norway | 52 | 0.2 | 0.03 | 0.01 | 0.00 | 62 | 0.2 | 0.03 | 0.01 | 0.00 |
| Poland, Kielce | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 10 | 0.1 | 0.04 | 0.02 | 0.01 |
| *Portugal, Azores | 3 | 0.4 | 0.24 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Arkhangelsk | 37 | 1.0 | 0.17 | 0.09 | 0.02 | 53 | 0.7 | 0.11 | 0.08 | 0.02 |
| Russian Federation, Kaliningrad | 18 | 0.7 | 0.17 | 0.07 | 0.02 | 12 | 0.3 | 0.09 | 0.04 | 0.01 |
| Russian Federation, Karelia | 6 | 0.3 | 0.12 | 0.04 | 0.02 | 9 | 0.3 | 0.10 | 0.03 | 0.01 |
| *Russian Federation, Komi Republic | 97 | 4.2 | 0.44 | 0.49 | 0.07 | 99 | 2.4 | 0.26 | 0.27 | 0.04 |
| Russian Federation, Murmansk | 16 | 0.7 | 0.19 | 0.07 | 0.02 | 24 | 0.7 | 0.17 | 0.05 | 0.01 |
| *Russian Federation, Orenburg | 7 | 0.1 | 0.04 | 0.01 | 0.00 | 16 | 0.1 | 0.04 | 0.01 | 0.00 |
| Russian Federation, Pskov | 42 | 1.9 | 0.31 | 0.20 | 0.04 | 39 | 1.1 | 0.21 | 0.14 | 0.03 |
| *Russian Federation, Samara | 20 | 0.2 | 0.05 | 0.02 | 0.00 | 19 | 0.1 | 0.03 | 0.01 | 0.00 |
| Russian Federation, Vologda Region | 21 | 0.6 | 0.14 | 0.07 | 0.02 | 41 | 0.7 | 0.12 | 0.08 | 0.01 |
| Slovenia | 10 | 0.1 | 0.03 | 0.01 | 0.00 | 6 | 0.0 | 0.02 | 0.01 | 0.00 |
| Spain, Asturias | 12 | 0.2 | 0.07 | 0.01 | 0.01 | 6 | 0.1 | 0.04 | 0.00 | 0.00 |
| Spain, Basque Country | 25 | 0.2 | 0.05 | 0.02 | 0.01 | 30 | 0.2 | 0.06 | 0.02 | 0.01 |
| Spain, Canary Islands | 15 | 0.2 | 0.05 | 0.01 | 0.01 | 12 | 0.1 | 0.04 | 0.01 | 0.00 |
| Spain, Castellón | 5 | 0.1 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| Spain, Girona | 4 | 0.2 | 0.10 | 0.02 | 0.01 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| Spain, Granada | 6 | 0.1 | 0.04 | 0.01 | 0.01 | 4 | 0.0 | 0.03 | 0.00 | 0.00 |
| Spain, La Rioja | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 4 | 0.1 | 0.05 | 0.00 | 0.00 |
| Spain, Murcia | 4 | 0.0 | 0.03 | 0.00 | 0.00 | 10 | 0.1 | 0.03 | 0.00 | 0.00 |
| Spain, Navarra | 4 | 0.1 | 0.03 | 0.00 | 0.00 | 6 | 0.1 | 0.02 | 0.00 | 0.00 |
| Spain, Salamanca | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Spain, Tarragona | 12 | 0.2 | 0.07 | 0.02 | 0.01 | 13 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Sweden | 41 | 0.1 | 0.02 | 0.01 | 0.00 | 22 | 0.0 | 0.01 | 0.00 | 0.00 |
| Switzerland, Aargau | 9 | 0.5 | 0.21 | 0.04 | 0.01 | 4 | 0.1 | 0.03 | 0.00 | 0.00 |
| Switzerland, Basel | 7 | 0.2 | 0.09 | 0.04 | 0.02 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| Switzerland, Berne Solothurn | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 9 | 0.2 | 0.14 | 0.01 | 0.01 |
| Switzerland, East | 10 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.2 | 0.08 | 0.01 | 0.01 |
| *Switzerland, Fribourg | 5 | 0.3 | 0.13 | 0.01 | 0.01 | 4 | 0.2 | 0.09 | 0.02 | 0.02 |
| Switzerland, Geneva | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| *Switzerland, Graubünden and Glarus | 3 | 0.3 | 0.21 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Switzerland, Lucerne | 24 | 0.9 | 0.24 | 0.04 | 0.02 | 15 | 0.5 | 0.17 | 0.04 | 0.02 |
| *Switzerland, Neuchâtel and Jura | 1 | 0.1 | 0.08 | 0.02 | 0.02 | 4 | 0.1 | 0.04 | 0.00 | 0.00 |
| Switzerland, Ticino | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Switzerland, Valais | 2 | 0.1 | 0.06 | 0.00 | 0.00 | 2 | 0.1 | 0.06 | 0.01 | 0.01 |
| Switzerland, Vaud | 10 | 0.2 | 0.06 | 0.00 | 0.00 | 17 | 0.2 | 0.05 | 0.01 | 0.01 |
| Switzerland, Zurich and Zug | 7 | 0.2 | 0.07 | 0.01 | 0.00 | 8 | 0.0 | 0.01 | 0.00 | 0.00 |
| Ukraine | 663 | 0.6 | 0.03 | 0.07 | 0.00 | 645 | 0.4 | 0.02 | 0.04 | 0.00 |
| UK, England | 361 | 0.2 | 0.01 | 0.01 | 0.00 | 311 | 0.1 | 0.01 | 0.01 | 0.00 |
| UK, Northern Ireland | 51 | 0.7 | 0.11 | 0.05 | 0.01 | 63 | 0.6 | 0.10 | 0.05 | 0.01 |
| UK, Scotland | 16 | 0.0 | 0.01 | 0.00 | 0.00 | 18 | 0.1 | 0.02 | 0.00 | 0.00 |
| UK, Wales | 30 | 0.2 | 0.05 | 0.02 | 0.00 | 13 | 0.0 | 0.02 | 0.00 | 0.00 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 79 | 0.2 | 0.03 | 0.01 | 0.00 | 70 | 0.1 | 0.02 | 0.01 | 0.00 |
| *Australia, Northern Territory | 4 | 0.7 | 0.33 | 0.06 | 0.03 | 2 | 0.2 | 0.18 | 0.03 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Leukaemia unspecified (C95) (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|-------------|----------|-------------|--------|------------|-------------|----------|-------------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 2 | 0.3 | <i>0.24</i> | 0.05 | <i>0.03</i> | 1 | 0.2 | <i>0.16</i> | 0.02 | <i>0.02</i> |
| *Australia, Northern Territory: Indigenous | 2 | 0.9 | <i>0.65</i> | 0.05 | <i>0.04</i> | 1 | 0.5 | <i>0.55</i> | 0.07 | <i>0.07</i> |
| *Australia, Queensland | 26 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | 21 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| Australia, South Australia | 18 | 0.3 | <i>0.08</i> | 0.02 | <i>0.01</i> | 16 | 0.1 | <i>0.02</i> | 0.00 | <i>0.00</i> |
| Australia, Tasmania | 5 | 0.1 | <i>0.05</i> | 0.00 | <i>0.00</i> | 7 | 0.4 | <i>0.19</i> | 0.02 | <i>0.01</i> |
| *Australia, Victoria | 32 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | 33 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> |
| *Australia, Western Australia | 15 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | 6 | 0.0 | <i>0.01</i> | 0.00 | <i>0.00</i> |
| *France, New Caledonia | 3 | 0.3 | <i>0.18</i> | 0.02 | <i>0.02</i> | 4 | 0.5 | <i>0.25</i> | 0.04 | <i>0.03</i> |
| New Zealand | 16 | 0.1 | <i>0.02</i> | 0.01 | <i>0.00</i> | 28 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> |
| *New Zealand: Maori | 2 | 0.1 | <i>0.09</i> | 0.00 | <i>0.00</i> | 4 | 0.2 | <i>0.12</i> | 0.02 | <i>0.02</i> |
| *New Zealand: Pacific peoples | 0 | – | <i>0.00</i> | – | <i>0.00</i> | 2 | 0.3 | <i>0.22</i> | 0.03 | <i>0.03</i> |
| *New Zealand: Other | 13 | 0.1 | <i>0.03</i> | 0.01 | <i>0.00</i> | 21 | 0.1 | <i>0.03</i> | 0.00 | <i>0.00</i> |
| USA, Hawaii | 22 | 0.4 | <i>0.09</i> | 0.04 | <i>0.01</i> | 13 | 0.2 | <i>0.07</i> | 0.02 | <i>0.01</i> |
| USA, Hawaii: White | 4 | 0.2 | <i>0.10</i> | 0.01 | <i>0.01</i> | 5 | 0.2 | <i>0.10</i> | 0.03 | <i>0.02</i> |
| *USA, Hawaii: Japanese | 8 | 0.6 | <i>0.36</i> | 0.06 | <i>0.03</i> | 2 | 0.2 | <i>0.13</i> | 0.01 | <i>0.01</i> |
| *USA, Hawaii: Chinese | 1 | 0.3 | <i>0.26</i> | 0.07 | <i>0.07</i> | 0 | – | <i>0.00</i> | – | <i>0.00</i> |
| *USA, Hawaii: Hawaiian | 3 | 0.4 | <i>0.20</i> | 0.05 | <i>0.03</i> | 3 | 0.3 | <i>0.18</i> | 0.01 | <i>0.01</i> |
| *USA, Hawaii: Filipino | 3 | 0.4 | <i>0.25</i> | 0.03 | <i>0.02</i> | 1 | 0.0 | <i>0.03</i> | 0.00 | <i>0.00</i> |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myelodysplastic syndromes

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| *Algeria, Tizi Ouzou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 58 | 2.6 | 0.34 | 0.28 | 0.05 | 64 | 2.0 | 0.27 | 0.18 | 0.04 |
| *Kenya, Eldoret | 2 | 0.2 | 0.11 | 0.01 | 0.01 | 2 | 0.2 | 0.18 | 0.03 | 0.03 |
| *Kenya, Nairobi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Mauritius | 17 | 0.4 | 0.10 | 0.05 | 0.02 | 13 | 0.3 | 0.08 | 0.03 | 0.01 |
| *Morocco, Casablanca | 42 | 0.4 | 0.07 | 0.05 | 0.01 | 75 | 0.6 | 0.08 | 0.07 | 0.01 |
| *Seychelles | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.27 | 0.03 | 0.03 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 2 | 0.1 | 0.12 | 0.03 | 0.03 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Harare: African | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 4 | 0.1 | 0.07 | 0.01 | 0.01 |
| *Argentina, Mendoza | 74 | 1.4 | 0.16 | 0.16 | 0.02 | 44 | 0.6 | 0.10 | 0.07 | 0.01 |
| Brazil, Aracaju | 22 | 2.2 | 0.47 | 0.22 | 0.06 | 29 | 1.8 | 0.33 | 0.17 | 0.04 |
| *Brazil, Barretos | 3 | 0.2 | 0.09 | 0.00 | 0.00 | 5 | 0.3 | 0.18 | 0.04 | 0.02 |
| Brazil, Belo Horizonte | 68 | 0.9 | 0.11 | 0.10 | 0.02 | 55 | 0.4 | 0.06 | 0.03 | 0.01 |
| *Brazil, Campinas | 35 | 1.5 | 0.27 | 0.13 | 0.03 | 36 | 1.1 | 0.20 | 0.08 | 0.02 |
| *Brazil, Curitiba | 30 | 0.8 | 0.14 | 0.06 | 0.02 | 26 | 0.4 | 0.09 | 0.04 | 0.01 |
| Brazil, Goiânia | 26 | 1.0 | 0.20 | 0.08 | 0.02 | 30 | 0.8 | 0.15 | 0.09 | 0.02 |
| *Brazil, Jaú | 6 | 1.5 | 0.61 | 0.17 | 0.09 | 8 | 1.2 | 0.45 | 0.09 | 0.05 |
| Brazil, João Pessoa | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| Brazil, Recife | 28 | 1.1 | 0.21 | 0.09 | 0.03 | 19 | 0.4 | 0.09 | 0.02 | 0.01 |
| Chile, Region of Antofagasta | 5 | 0.5 | 0.23 | 0.05 | 0.03 | 1 | 0.1 | 0.11 | 0.03 | 0.03 |
| Chile, Valdivia | 21 | 1.5 | 0.35 | 0.16 | 0.05 | 20 | 1.3 | 0.31 | 0.17 | 0.05 |
| Colombia, Bucaramanga | 26 | 0.8 | 0.16 | 0.07 | 0.02 | 27 | 0.6 | 0.13 | 0.08 | 0.02 |
| Colombia, Cali | 30 | 0.5 | 0.10 | 0.05 | 0.01 | 38 | 0.4 | 0.07 | 0.03 | 0.01 |
| Colombia, Manizales | 9 | 0.7 | 0.23 | 0.08 | 0.03 | 10 | 0.5 | 0.16 | 0.03 | 0.02 |
| Colombia, Pasto | 13 | 1.1 | 0.32 | 0.09 | 0.04 | 13 | 0.9 | 0.26 | 0.09 | 0.03 |
| Costa Rica | 14 | 0.1 | 0.04 | 0.01 | 0.00 | 13 | 0.1 | 0.03 | 0.01 | 0.00 |
| Ecuador, Guayaquil | 76 | 1.4 | 0.17 | 0.16 | 0.03 | 90 | 1.5 | 0.16 | 0.17 | 0.02 |
| Ecuador, Manabí | 20 | 0.5 | 0.13 | 0.07 | 0.02 | 22 | 0.6 | 0.13 | 0.08 | 0.02 |
| Ecuador, Quito | 34 | 0.8 | 0.14 | 0.08 | 0.02 | 45 | 0.8 | 0.13 | 0.07 | 0.01 |
| *France, Guadeloupe | 27 | 1.3 | 0.27 | 0.13 | 0.04 | 34 | 1.4 | 0.29 | 0.14 | 0.04 |
| *France, Martinique | 10 | 0.4 | 0.12 | 0.04 | 0.02 | 10 | 0.4 | 0.14 | 0.06 | 0.02 |
| *Peru, Lima | 216 | 1.5 | 0.10 | 0.12 | 0.01 | 211 | 1.2 | 0.09 | 0.13 | 0.01 |
| *Trinidad and Tobago | 6 | 0.3 | 0.10 | 0.03 | 0.02 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| USA, Puerto Rico | 402 | 2.1 | 0.11 | 0.21 | 0.02 | 442 | 2.0 | 0.12 | 0.22 | 0.01 |
| *Uruguay | 223 | 1.5 | 0.11 | 0.15 | 0.02 | 252 | 1.3 | 0.10 | 0.14 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 358 | 2.0 | 0.11 | 0.19 | 0.02 | 229 | 1.1 | 0.08 | 0.11 | 0.01 |
| Canada, British Columbia | 591 | 2.0 | 0.09 | 0.19 | 0.01 | 339 | 1.0 | 0.07 | 0.08 | 0.01 |
| *Canada, Manitoba | 146 | 2.2 | 0.19 | 0.24 | 0.03 | 83 | 1.0 | 0.12 | 0.09 | 0.02 |
| *Canada, New Brunswick | 106 | 2.2 | 0.23 | 0.23 | 0.03 | 86 | 1.5 | 0.18 | 0.18 | 0.03 |
| *Canada, Newfoundland and Labrador | 48 | 1.5 | 0.23 | 0.16 | 0.03 | 33 | 1.1 | 0.22 | 0.14 | 0.03 |
| Canada, Ontario | 2901 | 3.7 | 0.07 | 0.33 | 0.01 | 1944 | 2.0 | 0.05 | 0.20 | 0.01 |
| *Canada, Prince Edward Island | 18 | 1.9 | 0.45 | 0.14 | 0.06 | 6 | 0.5 | 0.28 | 0.02 | 0.02 |
| Canada, Quebec | 1604 | 3.3 | 0.09 | 0.29 | 0.01 | 1141 | 1.7 | 0.06 | 0.15 | 0.01 |
| Canada, Saskatchewan | 92 | 1.6 | 0.18 | 0.18 | 0.03 | 58 | 0.9 | 0.13 | 0.09 | 0.02 |
| *Canada, Yukon | 2 | 1.3 | 0.90 | 0.11 | 0.11 | 1 | 0.9 | 0.90 | 0.22 | 0.22 |
| USA | 47029 | 3.0 | 0.01 | 0.29 | 0.00 | 34222 | 1.7 | 0.01 | 0.18 | 0.00 |
| USA: White | 42039 | 3.0 | 0.02 | 0.30 | 0.00 | 29459 | 1.7 | 0.01 | 0.18 | 0.00 |
| USA: Black | 2970 | 2.2 | 0.04 | 0.23 | 0.01 | 2989 | 1.6 | 0.03 | 0.17 | 0.00 |
| USA, NPCR | 45631 | 3.0 | 0.01 | 0.29 | 0.00 | 33313 | 1.7 | 0.01 | 0.18 | 0.00 |
| USA, NPCR: White | 40826 | 3.1 | 0.02 | 0.30 | 0.00 | 28682 | 1.8 | 0.01 | 0.18 | 0.00 |
| USA, NPCR: Black | 2938 | 2.2 | 0.04 | 0.23 | 0.01 | 2953 | 1.6 | 0.03 | 0.17 | 0.00 |
| USA, NPCR: Asian and Pacific Islander | 1166 | 1.8 | 0.06 | 0.17 | 0.01 | 934 | 1.1 | 0.04 | 0.10 | 0.01 |
| USA, NPCR: American Indian | 142 | 1.3 | 0.11 | 0.15 | 0.02 | 121 | 0.9 | 0.08 | 0.09 | 0.01 |
| *USA, SEER (18 registries) | 11419 | 2.7 | 0.03 | 0.26 | 0.00 | 8405 | 1.6 | 0.02 | 0.16 | 0.00 |
| *USA, SEER (18 registries): White | 9724 | 2.9 | 0.03 | 0.27 | 0.00 | 6900 | 1.6 | 0.02 | 0.16 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 8927 | 3.0 | 0.03 | 0.28 | 0.00 | 6156 | 1.7 | 0.03 | 0.17 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 797 | 1.8 | 0.06 | 0.17 | 0.01 | 744 | 1.3 | 0.05 | 0.13 | 0.01 |
| *USA, SEER (18 registries): Black | 792 | 2.3 | 0.08 | 0.23 | 0.01 | 786 | 1.6 | 0.06 | 0.17 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 751 | 1.8 | 0.07 | 0.17 | 0.01 | 605 | 1.1 | 0.05 | 0.10 | 0.01 |
| *USA, SEER (9 registries) | 3939 | 2.7 | 0.05 | 0.25 | 0.01 | 2684 | 1.4 | 0.03 | 0.14 | 0.00 |
| *USA, SEER (9 registries): White | 3310 | 2.8 | 0.05 | 0.26 | 0.01 | 2156 | 1.4 | 0.04 | 0.14 | 0.01 |
| *USA, SEER (9 registries): Black | 249 | 2.3 | 0.14 | 0.24 | 0.02 | 244 | 1.5 | 0.10 | 0.15 | 0.01 |
| USA, Alabama | 480 | 2.1 | 0.10 | 0.24 | 0.01 | 357 | 1.3 | 0.08 | 0.15 | 0.01 |
| USA, Alabama: White | 410 | 2.3 | 0.12 | 0.25 | 0.02 | 291 | 1.4 | 0.09 | 0.16 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myelodysplastic syndromes (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 62 | 1.6 | 0.20 | 0.18 | 0.03 | 62 | 1.1 | 0.14 | 0.12 | 0.02 |
| USA, Alaska | 41 | 1.6 | 0.25 | 0.14 | 0.03 | 28 | 1.1 | 0.21 | 0.13 | 0.03 |
| *USA, Alaska: Alaska Natives | 4 | 1.2 | 0.61 | 0.14 | 0.10 | 6 | 1.4 | 0.58 | 0.13 | 0.09 |
| USA, Arizona | 800 | 2.1 | 0.08 | 0.21 | 0.01 | 527 | 1.2 | 0.06 | 0.12 | 0.01 |
| USA, Arizona: White | 767 | 2.2 | 0.09 | 0.21 | 0.01 | 489 | 1.2 | 0.06 | 0.12 | 0.01 |
| USA, Arizona: Black | 18 | 2.1 | 0.49 | 0.31 | 0.09 | 13 | 1.3 | 0.37 | 0.14 | 0.05 |
| *USA, Arizona: Asian and Pacific Islander | 5 | 0.6 | 0.29 | 0.07 | 0.05 | 11 | 1.2 | 0.44 | 0.06 | 0.03 |
| USA, Arizona: American Indian | 8 | 0.9 | 0.32 | 0.12 | 0.05 | 12 | 1.0 | 0.29 | 0.08 | 0.04 |
| USA, Arkansas | 412 | 2.7 | 0.14 | 0.27 | 0.02 | 314 | 1.8 | 0.11 | 0.20 | 0.02 |
| USA, Arkansas: White | 365 | 2.6 | 0.15 | 0.26 | 0.02 | 266 | 1.7 | 0.12 | 0.19 | 0.02 |
| USA, Arkansas: Black | 41 | 2.9 | 0.46 | 0.33 | 0.07 | 37 | 2.0 | 0.34 | 0.24 | 0.05 |
| USA, California | 4593 | 2.6 | 0.04 | 0.25 | 0.01 | 3319 | 1.5 | 0.03 | 0.15 | 0.00 |
| USA, California: White | 3822 | 2.8 | 0.05 | 0.26 | 0.01 | 2677 | 1.5 | 0.03 | 0.15 | 0.00 |
| USA, California: Black | 221 | 2.4 | 0.17 | 0.24 | 0.02 | 184 | 1.5 | 0.12 | 0.17 | 0.02 |
| USA, California: Asian and Pacific Islander | 497 | 1.8 | 0.09 | 0.17 | 0.01 | 419 | 1.2 | 0.06 | 0.11 | 0.01 |
| *USA, California, Los Angeles County | 922 | 2.2 | 0.07 | 0.22 | 0.01 | 697 | 1.2 | 0.05 | 0.12 | 0.01 |
| *USA, California, Los Angeles County: White | 723 | 2.4 | 0.09 | 0.25 | 0.01 | 524 | 1.3 | 0.06 | 0.12 | 0.01 |
| *USA, California, Los Angeles County: Non-Hispanic White | 542 | 2.8 | 0.13 | 0.30 | 0.02 | 359 | 1.4 | 0.09 | 0.13 | 0.01 |
| *USA, California, Los Angeles County: Hispanic White | 181 | 1.6 | 0.12 | 0.17 | 0.02 | 165 | 1.1 | 0.09 | 0.11 | 0.01 |
| *USA, California, Los Angeles County: Black | 58 | 1.5 | 0.20 | 0.11 | 0.02 | 62 | 1.3 | 0.17 | 0.14 | 0.02 |
| *USA, California, Los Angeles County: Chinese | 43 | 2.0 | 0.38 | 0.18 | 0.04 | 27 | 0.7 | 0.16 | 0.08 | 0.02 |
| *USA, California, Los Angeles County: Filipino | 24 | 1.7 | 0.36 | 0.25 | 0.07 | 18 | 0.7 | 0.19 | 0.08 | 0.03 |
| *USA, California, Los Angeles County: Korean | 15 | 1.1 | 0.30 | 0.04 | 0.03 | 15 | 1.0 | 0.29 | 0.13 | 0.04 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 126 | 1.7 | 0.17 | 0.16 | 0.02 | 102 | 0.9 | 0.10 | 0.09 | 0.01 |
| *USA, California, San Francisco Bay Area | 503 | 2.1 | 0.10 | 0.20 | 0.02 | 402 | 1.3 | 0.08 | 0.12 | 0.01 |
| *USA, California, San Francisco Bay Area: White | 354 | 2.3 | 0.13 | 0.21 | 0.02 | 270 | 1.3 | 0.09 | 0.12 | 0.01 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 314 | 2.3 | 0.14 | 0.20 | 0.02 | 228 | 1.3 | 0.10 | 0.12 | 0.01 |
| *USA, California, San Francisco Bay Area: Hispanic White | 40 | 1.9 | 0.32 | 0.20 | 0.05 | 42 | 1.3 | 0.21 | 0.10 | 0.03 |
| *USA, California, San Francisco Bay Area: Black | 25 | 1.7 | 0.37 | 0.19 | 0.05 | 30 | 1.4 | 0.28 | 0.18 | 0.05 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 118 | 1.9 | 0.18 | 0.18 | 0.03 | 100 | 1.2 | 0.14 | 0.12 | 0.02 |
| USA, Colorado | 524 | 2.2 | 0.10 | 0.21 | 0.01 | 360 | 1.2 | 0.07 | 0.13 | 0.01 |
| USA, Colorado: White | 503 | 2.2 | 0.10 | 0.21 | 0.01 | 348 | 1.3 | 0.08 | 0.14 | 0.01 |
| *USA, Colorado: Black | 9 | 1.1 | 0.38 | 0.03 | 0.02 | 4 | 0.5 | 0.26 | 0.07 | 0.04 |
| *USA, Colorado: Asian and Pacific Islander | 10 | 1.8 | 0.59 | 0.13 | 0.06 | 5 | 0.5 | 0.24 | 0.01 | 0.01 |
| USA, Connecticut | 560 | 2.8 | 0.13 | 0.25 | 0.02 | 377 | 1.5 | 0.09 | 0.15 | 0.01 |
| USA, Connecticut: White | 524 | 2.8 | 0.14 | 0.25 | 0.02 | 343 | 1.5 | 0.09 | 0.15 | 0.01 |
| USA, Connecticut: Black | 20 | 1.6 | 0.37 | 0.19 | 0.06 | 25 | 1.5 | 0.31 | 0.14 | 0.04 |
| USA, District of Columbia | 35 | 1.6 | 0.29 | 0.17 | 0.04 | 14 | 0.5 | 0.13 | 0.07 | 0.02 |
| USA, District of Columbia: White | 12 | 1.3 | 0.38 | 0.18 | 0.06 | 5 | 0.4 | 0.17 | 0.05 | 0.04 |
| USA, District of Columbia: Black | 21 | 1.8 | 0.42 | 0.18 | 0.06 | 8 | 0.5 | 0.19 | 0.07 | 0.03 |
| USA, Florida | 7877 | 5.8 | 0.07 | 0.57 | 0.01 | 6405 | 4.2 | 0.06 | 0.44 | 0.01 |
| USA, Florida: White | 7031 | 5.7 | 0.08 | 0.56 | 0.01 | 5345 | 3.9 | 0.06 | 0.41 | 0.01 |
| USA, Florida: Black | 412 | 3.8 | 0.19 | 0.42 | 0.03 | 535 | 3.8 | 0.17 | 0.41 | 0.02 |
| USA, Florida: Asian and Pacific Islander | 65 | 2.9 | 0.37 | 0.31 | 0.05 | 67 | 2.2 | 0.28 | 0.24 | 0.04 |
| USA, Georgia | 1442 | 3.5 | 0.10 | 0.35 | 0.01 | 1103 | 2.1 | 0.07 | 0.22 | 0.01 |
| USA, Georgia: White | 1174 | 3.8 | 0.11 | 0.37 | 0.02 | 855 | 2.3 | 0.09 | 0.25 | 0.01 |
| USA, Georgia: Black | 239 | 2.8 | 0.18 | 0.29 | 0.03 | 237 | 1.8 | 0.12 | 0.19 | 0.02 |
| USA, Georgia: Asian and Pacific Islander | 27 | 2.3 | 0.46 | 0.19 | 0.05 | 10 | 0.7 | 0.22 | 0.05 | 0.03 |
| *USA, Georgia, Atlanta | 354 | 3.0 | 0.16 | 0.27 | 0.02 | 284 | 1.7 | 0.10 | 0.14 | 0.01 |
| *USA, Georgia, Atlanta: White | 255 | 3.3 | 0.21 | 0.30 | 0.03 | 198 | 1.9 | 0.15 | 0.17 | 0.02 |
| *USA, Georgia, Atlanta: Black | 82 | 2.4 | 0.27 | 0.23 | 0.04 | 81 | 1.4 | 0.16 | 0.13 | 0.02 |
| USA, Idaho | 210 | 2.4 | 0.17 | 0.23 | 0.03 | 146 | 1.6 | 0.14 | 0.16 | 0.02 |
| USA, Indiana | 799 | 2.5 | 0.09 | 0.25 | 0.01 | 555 | 1.4 | 0.06 | 0.16 | 0.01 |
| USA, Indiana: White | 750 | 2.6 | 0.10 | 0.25 | 0.01 | 521 | 1.4 | 0.07 | 0.16 | 0.01 |
| USA, Indiana: Black | 38 | 2.2 | 0.36 | 0.29 | 0.06 | 33 | 1.2 | 0.22 | 0.12 | 0.03 |
| *USA, Iowa | 502 | 2.9 | 0.14 | 0.27 | 0.02 | 310 | 1.4 | 0.09 | 0.15 | 0.01 |
| USA, Kentucky | 726 | 3.4 | 0.13 | 0.33 | 0.02 | 609 | 2.2 | 0.10 | 0.23 | 0.01 |
| USA, Louisiana | 606 | 2.9 | 0.12 | 0.28 | 0.02 | 465 | 1.7 | 0.09 | 0.17 | 0.01 |
| USA, Louisiana: White | 499 | 3.1 | 0.15 | 0.30 | 0.02 | 361 | 1.9 | 0.11 | 0.18 | 0.02 |
| USA, Louisiana: Black | 100 | 2.1 | 0.22 | 0.22 | 0.03 | 100 | 1.5 | 0.16 | 0.15 | 0.02 |
| *USA, Louisiana, New Orleans | 94 | 2.4 | 0.26 | 0.18 | 0.03 | 72 | 1.3 | 0.17 | 0.13 | 0.02 |
| *USA, Louisiana, New Orleans: White | 74 | 2.7 | 0.33 | 0.22 | 0.04 | 50 | 1.5 | 0.23 | 0.16 | 0.04 |
| *USA, Louisiana, New Orleans: Black | 15 | 1.3 | 0.35 | 0.07 | 0.03 | 20 | 1.1 | 0.26 | 0.08 | 0.03 |
| USA, Maine | 229 | 2.8 | 0.20 | 0.32 | 0.03 | 148 | 1.5 | 0.14 | 0.15 | 0.02 |
| USA, Maryland | 697 | 2.5 | 0.10 | 0.23 | 0.01 | 536 | 1.4 | 0.07 | 0.15 | 0.01 |
| USA, Maryland: White | 569 | 2.8 | 0.12 | 0.26 | 0.02 | 410 | 1.6 | 0.09 | 0.17 | 0.01 |
| USA, Maryland: Black | 104 | 1.8 | 0.18 | 0.17 | 0.02 | 107 | 1.1 | 0.11 | 0.12 | 0.02 |
| USA, Maryland: Asian and Pacific Islander | 23 | 1.5 | 0.33 | 0.12 | 0.04 | 18 | 0.9 | 0.21 | 0.05 | 0.03 |
| USA, Massachusetts | 895 | 2.6 | 0.09 | 0.25 | 0.01 | 546 | 1.2 | 0.06 | 0.13 | 0.01 |
| USA, Massachusetts: White | 837 | 2.7 | 0.10 | 0.26 | 0.01 | 498 | 1.2 | 0.06 | 0.13 | 0.01 |
| USA, Massachusetts: Black | 25 | 1.5 | 0.31 | 0.15 | 0.04 | 27 | 1.2 | 0.24 | 0.14 | 0.04 |
| USA, Massachusetts: Asian and Pacific Islander | 20 | 1.5 | 0.34 | 0.14 | 0.05 | 16 | 1.1 | 0.28 | 0.13 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myelodysplastic syndromes (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 1399 | 2.7 | 0.08 | 0.27 | 0.01 | 920 | 1.4 | 0.05 | 0.14 | 0.01 |
| USA, Michigan: White | 1247 | 2.7 | 0.08 | 0.27 | 0.01 | 797 | 1.4 | 0.06 | 0.14 | 0.01 |
| USA, Michigan: Black | 119 | 2.5 | 0.24 | 0.27 | 0.03 | 95 | 1.4 | 0.15 | 0.14 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | 9 | 1.0 | 0.35 | 0.10 | 0.05 | 9 | 0.8 | 0.27 | 0.09 | 0.04 |
| *USA, Michigan, Detroit | 642 | 3.4 | 0.14 | 0.34 | 0.02 | 449 | 1.7 | 0.09 | 0.15 | 0.01 |
| *USA, Michigan, Detroit: White | 542 | 3.6 | 0.16 | 0.36 | 0.02 | 350 | 1.7 | 0.10 | 0.14 | 0.01 |
| *USA, Michigan, Detroit: Black | 94 | 2.8 | 0.30 | 0.30 | 0.04 | 84 | 1.6 | 0.20 | 0.16 | 0.03 |
| USA, Minnesota | 940 | 3.2 | 0.11 | 0.31 | 0.02 | 530 | 1.4 | 0.07 | 0.13 | 0.01 |
| USA, Minnesota: White | 911 | 3.3 | 0.11 | 0.32 | 0.02 | 517 | 1.4 | 0.07 | 0.13 | 0.01 |
| USA, Minnesota: Black | 11 | 1.7 | 0.52 | 0.19 | 0.07 | 2 | 0.3 | 0.21 | 0.06 | 0.05 |
| *USA, Minnesota: Asian and Pacific Islander | 11 | 2.1 | 0.64 | 0.23 | 0.10 | 6 | 0.7 | 0.31 | 0.03 | 0.03 |
| USA, Mississippi | 336 | 2.4 | 0.14 | 0.24 | 0.02 | 253 | 1.5 | 0.11 | 0.15 | 0.01 |
| USA, Missouri | 811 | 2.6 | 0.10 | 0.26 | 0.01 | 598 | 1.5 | 0.07 | 0.15 | 0.01 |
| USA, Missouri: White | 767 | 2.7 | 0.10 | 0.27 | 0.02 | 545 | 1.5 | 0.08 | 0.15 | 0.01 |
| USA, Missouri: Black | 36 | 1.7 | 0.29 | 0.18 | 0.04 | 47 | 1.3 | 0.20 | 0.12 | 0.03 |
| USA, Montana | 205 | 3.4 | 0.25 | 0.35 | 0.04 | 112 | 1.7 | 0.17 | 0.19 | 0.03 |
| *USA, Montana: American Indian | 7 | 4.1 | 1.54 | 0.58 | 0.29 | 5 | 2.4 | 1.08 | 0.36 | 0.21 |
| USA, Nebraska | 241 | 2.9 | 0.20 | 0.32 | 0.03 | 151 | 1.3 | 0.13 | 0.14 | 0.02 |
| USA, Nebraska: White | 232 | 2.9 | 0.21 | 0.33 | 0.03 | 147 | 1.4 | 0.13 | 0.14 | 0.02 |
| *USA, Nebraska: Black | 4 | 1.6 | 0.79 | 0.06 | 0.06 | 1 | 0.4 | 0.42 | 0.03 | 0.03 |
| USA, Nevada | 229 | 1.6 | 0.11 | 0.16 | 0.02 | 150 | 1.0 | 0.09 | 0.11 | 0.01 |
| USA, Nevada: White | 207 | 1.7 | 0.12 | 0.17 | 0.02 | 134 | 1.1 | 0.10 | 0.12 | 0.01 |
| USA, Nevada: Black | 5 | 0.6 | 0.25 | 0.03 | 0.02 | 10 | 1.0 | 0.35 | 0.09 | 0.04 |
| *USA, Nevada: Asian and Pacific Islander | 14 | 1.3 | 0.34 | 0.18 | 0.06 | 5 | 0.3 | 0.14 | 0.03 | 0.02 |
| USA, New Jersey | 1668 | 3.6 | 0.09 | 0.34 | 0.01 | 1298 | 2.2 | 0.07 | 0.21 | 0.01 |
| USA, New Jersey: White | 1475 | 3.9 | 0.11 | 0.36 | 0.02 | 1099 | 2.2 | 0.08 | 0.22 | 0.01 |
| USA, New Jersey: Black | 124 | 2.9 | 0.26 | 0.26 | 0.03 | 136 | 2.2 | 0.20 | 0.24 | 0.03 |
| USA, New Mexico | 181 | 1.7 | 0.14 | 0.17 | 0.02 | 117 | 0.9 | 0.09 | 0.09 | 0.01 |
| USA, New Mexico: White | 164 | 1.6 | 0.14 | 0.16 | 0.02 | 109 | 0.9 | 0.10 | 0.09 | 0.01 |
| USA, New Mexico: Non-Hispanic White | 128 | 2.1 | 0.22 | 0.20 | 0.03 | 70 | 1.0 | 0.14 | 0.09 | 0.02 |
| USA, New Mexico: Hispanic White | 36 | 1.0 | 0.17 | 0.10 | 0.03 | 39 | 0.9 | 0.15 | 0.09 | 0.02 |
| *USA, New Mexico: American Indian | 10 | 1.7 | 0.53 | 0.25 | 0.09 | 0 | – | 0.00 | – | 0.00 |
| USA, New York State | 3378 | 3.4 | 0.06 | 0.31 | 0.01 | 2582 | 1.9 | 0.04 | 0.18 | 0.01 |
| USA, New York State: White | 2963 | 3.6 | 0.07 | 0.33 | 0.01 | 2187 | 2.0 | 0.05 | 0.20 | 0.01 |
| USA, New York State: Black | 257 | 2.2 | 0.14 | 0.22 | 0.02 | 272 | 1.5 | 0.10 | 0.15 | 0.01 |
| USA, New York State: Asian and Pacific Islander | 149 | 2.2 | 0.18 | 0.21 | 0.03 | 97 | 1.3 | 0.15 | 0.10 | 0.02 |
| USA, North Carolina | 1406 | 2.9 | 0.08 | 0.29 | 0.01 | 960 | 1.5 | 0.05 | 0.16 | 0.01 |
| USA, North Carolina: White | 1231 | 3.1 | 0.09 | 0.31 | 0.01 | 780 | 1.5 | 0.06 | 0.15 | 0.01 |
| USA, North Carolina: Black | 151 | 2.1 | 0.17 | 0.21 | 0.02 | 159 | 1.5 | 0.13 | 0.17 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | 13 | 1.9 | 0.53 | 0.15 | 0.07 | 9 | 1.0 | 0.33 | 0.11 | 0.05 |
| *USA, North Carolina: American Indian | 5 | 1.0 | 0.45 | 0.06 | 0.06 | 2 | 0.4 | 0.26 | 0.07 | 0.05 |
| USA, North Dakota | 102 | 2.5 | 0.26 | 0.23 | 0.04 | 62 | 1.5 | 0.22 | 0.18 | 0.04 |
| USA, Ohio | 1229 | 2.1 | 0.06 | 0.20 | 0.01 | 921 | 1.2 | 0.05 | 0.12 | 0.01 |
| USA, Ohio: White | 1132 | 2.1 | 0.07 | 0.20 | 0.01 | 835 | 1.2 | 0.05 | 0.12 | 0.01 |
| USA, Ohio: Black | 73 | 1.4 | 0.17 | 0.12 | 0.02 | 70 | 1.0 | 0.13 | 0.10 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 7 | 1.0 | 0.40 | 0.07 | 0.05 | 8 | 0.9 | 0.31 | 0.07 | 0.04 |
| USA, Oklahoma | 374 | 2.0 | 0.11 | 0.21 | 0.02 | 276 | 1.2 | 0.08 | 0.13 | 0.01 |
| USA, Oklahoma: White | 332 | 2.1 | 0.12 | 0.22 | 0.02 | 240 | 1.3 | 0.09 | 0.13 | 0.01 |
| USA, Oklahoma: Black | 13 | 1.5 | 0.41 | 0.15 | 0.07 | 11 | 1.0 | 0.29 | 0.11 | 0.05 |
| USA, Oklahoma: American Indian | 22 | 1.9 | 0.42 | 0.21 | 0.06 | 20 | 1.4 | 0.32 | 0.11 | 0.04 |
| USA, Oregon | 446 | 2.1 | 0.11 | 0.22 | 0.02 | 312 | 1.3 | 0.08 | 0.13 | 0.01 |
| USA, Oregon: White | 430 | 2.2 | 0.11 | 0.23 | 0.02 | 294 | 1.3 | 0.09 | 0.13 | 0.01 |
| *USA, Oregon: Black | 4 | 1.6 | 0.79 | 0.25 | 0.13 | 2 | 0.6 | 0.39 | 0.00 | 0.00 |
| *USA, Oregon: Asian and Pacific Islander | 9 | 1.5 | 0.52 | 0.12 | 0.06 | 10 | 1.2 | 0.40 | 0.10 | 0.05 |
| USA, Rhode Island | 144 | 2.6 | 0.23 | 0.27 | 0.03 | 105 | 1.4 | 0.16 | 0.15 | 0.02 |
| USA, Rhode Island: White | 141 | 2.8 | 0.25 | 0.29 | 0.04 | 104 | 1.5 | 0.18 | 0.16 | 0.03 |
| *USA, Rhode Island: Black | 1 | 0.4 | 0.39 | 0.04 | 0.04 | 1 | 0.2 | 0.17 | 0.00 | 0.00 |
| USA, South Carolina | 671 | 2.7 | 0.11 | 0.26 | 0.02 | 453 | 1.5 | 0.07 | 0.16 | 0.01 |
| USA, South Carolina: White | 565 | 2.8 | 0.13 | 0.27 | 0.02 | 345 | 1.5 | 0.09 | 0.15 | 0.01 |
| USA, South Carolina: Black | 98 | 2.2 | 0.22 | 0.23 | 0.03 | 98 | 1.4 | 0.15 | 0.15 | 0.02 |
| USA, South Dakota | 151 | 3.2 | 0.27 | 0.31 | 0.04 | 113 | 2.1 | 0.24 | 0.24 | 0.04 |
| USA, Tennessee | 775 | 2.5 | 0.09 | 0.26 | 0.01 | 530 | 1.3 | 0.07 | 0.13 | 0.01 |
| USA, Tennessee: White | 705 | 2.5 | 0.10 | 0.26 | 0.01 | 460 | 1.3 | 0.07 | 0.13 | 0.01 |
| USA, Tennessee: Black | 64 | 2.1 | 0.26 | 0.24 | 0.04 | 67 | 1.4 | 0.18 | 0.16 | 0.03 |
| USA, Texas | 3019 | 2.8 | 0.05 | 0.27 | 0.01 | 2290 | 1.7 | 0.04 | 0.17 | 0.01 |
| USA, Texas: White | 2748 | 2.9 | 0.06 | 0.28 | 0.01 | 2022 | 1.7 | 0.04 | 0.18 | 0.01 |
| USA, Texas: Black | 205 | 2.2 | 0.15 | 0.21 | 0.02 | 206 | 1.6 | 0.11 | 0.17 | 0.02 |
| USA, Texas: Asian and Pacific Islander | 53 | 1.4 | 0.20 | 0.14 | 0.03 | 51 | 1.0 | 0.15 | 0.07 | 0.02 |
| USA, Utah | 273 | 2.5 | 0.16 | 0.24 | 0.02 | 141 | 1.1 | 0.10 | 0.13 | 0.02 |
| USA, Vermont | 81 | 2.4 | 0.29 | 0.25 | 0.04 | 41 | 1.0 | 0.17 | 0.13 | 0.03 |
| USA, Washington State | 1009 | 2.9 | 0.09 | 0.27 | 0.01 | 640 | 1.5 | 0.07 | 0.15 | 0.01 |
| *USA, Washington, Seattle | 769 | 3.2 | 0.12 | 0.29 | 0.02 | 499 | 1.7 | 0.09 | 0.17 | 0.01 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Myelodysplastic syndromes (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 269 | 2.6 | 0.17 | 0.27 | 0.02 | 230 | 1.9 | 0.15 | 0.22 | 0.02 |
| USA, Wyoming | 35 | 1.3 | 0.22 | 0.16 | 0.04 | 31 | 0.9 | 0.17 | 0.09 | 0.03 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 9 | 0.7 | 0.23 | 0.05 | 0.02 | 9 | 0.8 | 0.26 | 0.10 | 0.04 |
| Brunei Darussalam | 9 | 1.0 | 0.36 | 0.13 | 0.06 | 8 | 1.1 | 0.39 | 0.11 | 0.06 |
| *China, Anfu County | 2 | 0.2 | 0.13 | 0.04 | 0.03 | 1 | 0.1 | 0.08 | 0.00 | 0.00 |
| *China, Anguo City | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 25 | 0.3 | 0.07 | 0.04 | 0.01 | 22 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Aohan Banner, Chifeng City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 5 | 0.2 | 0.09 | 0.02 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Beijing City | 653 | 1.4 | 0.07 | 0.15 | 0.01 | 427 | 1.0 | 0.06 | 0.11 | 0.01 |
| *China, Binhai County | 0 | – | 0.00 | – | 0.00 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Cangzhou City | 3 | 0.2 | 0.12 | 0.03 | 0.02 | 1 | 0.2 | 0.18 | 0.01 | 0.01 |
| China, Changfeng County | 10 | 0.5 | 0.18 | 0.06 | 0.02 | 7 | 0.4 | 0.17 | 0.07 | 0.03 |
| China, Changzhou City | 18 | 0.2 | 0.04 | 0.02 | 0.01 | 18 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Chengdu City | 11 | 0.3 | 0.08 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| China, Cixian County | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Cixi City | 25 | 0.5 | 0.11 | 0.07 | 0.02 | 12 | 0.3 | 0.08 | 0.03 | 0.01 |
| *China, Dafeng District, Yancheng City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Dalian City | 103 | 0.9 | 0.09 | 0.10 | 0.01 | 62 | 0.5 | 0.06 | 0.06 | 0.01 |
| *China, Dancheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Dangtu County | 5 | 0.4 | 0.17 | 0.04 | 0.02 | 2 | 0.2 | 0.12 | 0.02 | 0.01 |
| *China, Danyang City | 2 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 5 | 0.2 | 0.07 | 0.02 | 0.01 | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| *China, Donggang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dongguan City | 4 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.04 | 0.00 | 0.00 |
| China, Donghai County | 15 | 0.3 | 0.09 | 0.04 | 0.01 | 22 | 0.6 | 0.12 | 0.04 | 0.01 |
| *China, Dongtai City | 3 | 0.1 | 0.11 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 20 | 1.7 | 0.40 | 0.22 | 0.06 | 3 | 0.1 | 0.08 | 0.00 | 0.00 |
| *China, Evenki Autonomous Banner | 0 | – | 0.00 | – | 0.00 | 1 | 0.3 | 0.33 | 0.08 | 0.08 |
| *China, Faku County | 5 | 0.3 | 0.12 | 0.03 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Fangcheng County | 2 | 0.1 | 0.09 | 0.01 | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Feicheng City | 9 | 0.2 | 0.08 | 0.04 | 0.01 | 4 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Feixi County | 25 | 0.6 | 0.13 | 0.09 | 0.02 | 16 | 0.4 | 0.10 | 0.05 | 0.02 |
| China, Fuqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganyu District, Lianyungang City | 11 | 0.3 | 0.08 | 0.03 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Ganzhou District, Zhangye City | 1 | 0.2 | 0.15 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Gaocheng City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Gaomi City | 30 | 1.0 | 0.18 | 0.12 | 0.03 | 27 | 0.9 | 0.19 | 0.08 | 0.02 |
| China, Gong'an County | 3 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Guang'an District, Guang'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Guanghan City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Guangzhou City | 141 | 0.4 | 0.04 | 0.04 | 0.00 | 94 | 0.2 | 0.03 | 0.03 | 0.00 |
| *China, Guanyun County | 9 | 0.2 | 0.08 | 0.03 | 0.01 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| China, Guilin City | 4 | 0.2 | 0.08 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Hai'an City | 32 | 0.6 | 0.11 | 0.09 | 0.02 | 16 | 0.3 | 0.09 | 0.03 | 0.01 |
| China, Hailar District, Hulun Buir City | 1 | 0.1 | 0.15 | 0.02 | 0.02 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Haimen District, Nantong City | 54 | 0.9 | 0.14 | 0.09 | 0.02 | 47 | 1.0 | 0.21 | 0.10 | 0.02 |
| China, Haining City | 10 | 0.3 | 0.12 | 0.03 | 0.01 | 8 | 0.2 | 0.08 | 0.03 | 0.01 |
| China, Hangzhou City | 238 | 0.7 | 0.05 | 0.09 | 0.01 | 167 | 0.5 | 0.05 | 0.06 | 0.01 |
| China, Hebi City | 4 | 0.3 | 0.14 | 0.03 | 0.01 | 2 | 0.2 | 0.16 | 0.01 | 0.01 |
| China, Hefei City | 59 | 0.7 | 0.10 | 0.06 | 0.01 | 45 | 0.6 | 0.09 | 0.06 | 0.01 |
| China, Hengdong County | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 2 | 0.1 | 0.10 | 0.02 | 0.01 |
| *China, Hengfeng County | 4 | 0.6 | 0.32 | 0.07 | 0.04 | 2 | 0.3 | 0.23 | 0.01 | 0.01 |
| *China, Hepu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Honghu City | 13 | 0.6 | 0.19 | 0.06 | 0.02 | 10 | 0.5 | 0.20 | 0.04 | 0.02 |
| China, Hongshan District, Chifeng City | 15 | 1.0 | 0.26 | 0.14 | 0.05 | 12 | 1.1 | 0.39 | 0.11 | 0.04 |
| *China, Hongta District, Yuxi City | 14 | 0.7 | 0.20 | 0.06 | 0.03 | 5 | 0.3 | 0.13 | 0.03 | 0.02 |
| *China, Huaiyin District, Huai'an City | 8 | 0.2 | 0.09 | 0.03 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Jiange County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 17 | 0.7 | 0.18 | 0.06 | 0.02 | 12 | 0.4 | 0.13 | 0.06 | 0.02 |
| *China, Jiangyin City | 51 | 0.9 | 0.13 | 0.10 | 0.02 | 21 | 0.4 | 0.08 | 0.05 | 0.01 |
| *China, Jiashan County | 8 | 0.4 | 0.13 | 0.03 | 0.01 | 6 | 0.2 | 0.11 | 0.03 | 0.02 |
| China, Jiayu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 11 | 0.1 | 0.05 | 0.01 | 0.00 | 8 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiulongpo District, Chongqing City | 17 | 0.5 | 0.12 | 0.06 | 0.02 | 8 | 0.2 | 0.07 | 0.02 | 0.01 |
| *China, Jiyuan City | 6 | 0.4 | 0.18 | 0.03 | 0.02 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myelodysplastic syndromes (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 11 | 1.0 | 0.30 | 0.11 | 0.04 | 16 | 1.4 | 0.37 | 0.18 | 0.05 |
| China, Kunshan City | 47 | 1.6 | 0.27 | 0.17 | 0.03 | 34 | 1.1 | 0.20 | 0.10 | 0.02 |
| China, Langzhong City | 4 | 0.2 | 0.10 | 0.03 | 0.01 | 5 | 0.3 | 0.12 | 0.05 | 0.02 |
| *China, Liangshan County | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Lianshui County | 10 | 0.2 | 0.08 | 0.03 | 0.01 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Lianyungang City | 36 | 0.9 | 0.16 | 0.10 | 0.02 | 12 | 0.3 | 0.09 | 0.04 | 0.01 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Linqu County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Linzhou City | 4 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| China, Liuzhou City | 22 | 0.6 | 0.12 | 0.06 | 0.02 | 22 | 0.5 | 0.12 | 0.05 | 0.02 |
| China, Liyang City | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Longquan City | 16 | 1.7 | 0.50 | 0.16 | 0.05 | 9 | 0.9 | 0.31 | 0.10 | 0.04 |
| China, Lucheng District, Wenzhou City | 9 | 0.4 | 0.14 | 0.05 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Luoding City | 19 | 0.8 | 0.19 | 0.09 | 0.03 | 8 | 0.4 | 0.13 | 0.04 | 0.02 |
| *China, Luohe City | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 5 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Luoyang City | 38 | 1.0 | 0.17 | 0.09 | 0.02 | 33 | 0.7 | 0.13 | 0.06 | 0.02 |
| *China, Luquan City | 3 | 0.3 | 0.16 | 0.06 | 0.04 | 0 | – | 0.00 | – | 0.00 |
| China, Ma'anshan City | 9 | 0.4 | 0.16 | 0.03 | 0.01 | 5 | 0.2 | 0.10 | 0.03 | 0.02 |
| *China, Macheng City | 7 | 0.3 | 0.10 | 0.03 | 0.01 | 8 | 0.4 | 0.13 | 0.04 | 0.02 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Mengjin County | 7 | 0.7 | 0.29 | 0.05 | 0.02 | 14 | 1.1 | 0.30 | 0.13 | 0.05 |
| China, Nangang District, Harbin City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Nanghai District, Foshan City | 42 | 1.5 | 0.23 | 0.15 | 0.03 | 33 | 0.9 | 0.16 | 0.09 | 0.02 |
| China, Nanhu District, Jiaxing City | 17 | 0.6 | 0.15 | 0.06 | 0.02 | 3 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Nantong City | 59 | 1.1 | 0.15 | 0.12 | 0.02 | 31 | 0.5 | 0.10 | 0.06 | 0.01 |
| *China, Nanxiong City | 12 | 0.9 | 0.27 | 0.13 | 0.04 | 15 | 0.9 | 0.24 | 0.12 | 0.03 |
| China, Neixiang County | 18 | 0.8 | 0.19 | 0.07 | 0.02 | 13 | 0.6 | 0.16 | 0.05 | 0.01 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 1 | 0.2 | 0.16 | 0.01 | 0.01 |
| China, Qidong City | 37 | 0.5 | 0.09 | 0.07 | 0.01 | 28 | 0.4 | 0.08 | 0.05 | 0.01 |
| China, Qingzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Rudong County | 31 | 0.5 | 0.10 | 0.06 | 0.01 | 25 | 0.3 | 0.07 | 0.05 | 0.01 |
| *China, Rugao City | 29 | 0.4 | 0.08 | 0.05 | 0.01 | 24 | 0.3 | 0.07 | 0.04 | 0.01 |
| *China, Rural areas of Shanghai City | 505 | 1.1 | 0.06 | 0.11 | 0.01 | 378 | 0.8 | 0.05 | 0.08 | 0.01 |
| China, Ruyang County | 9 | 0.8 | 0.27 | 0.13 | 0.05 | 3 | 0.3 | 0.15 | 0.03 | 0.02 |
| *China, Shan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Shanghai City | 415 | 1.0 | 0.07 | 0.10 | 0.01 | 286 | 0.7 | 0.05 | 0.07 | 0.01 |
| China, Shangyu District, Shaoxing City | 15 | 0.4 | 0.10 | 0.04 | 0.02 | 12 | 0.4 | 0.11 | 0.04 | 0.01 |
| *China, Shapingba District, Chongqing City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Shexian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Sheyang County | 6 | 0.1 | 0.06 | 0.02 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Shijiazhuang City | 6 | 0.1 | 0.05 | 0.01 | 0.01 | 3 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Shunde District, Foshan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Song County | 1 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.12 | 0.01 | 0.01 |
| China, Suzhou City | 85 | 0.5 | 0.06 | 0.06 | 0.01 | 91 | 0.6 | 0.07 | 0.06 | 0.01 |
| *China, Tengzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wangdu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wan'ai County | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Wu'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuhan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wuhu City | 4 | 0.1 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Wuxi City | 41 | 0.3 | 0.05 | 0.03 | 0.01 | 42 | 0.3 | 0.05 | 0.04 | 0.01 |
| China, Wuzhou City | 18 | 0.8 | 0.21 | 0.09 | 0.03 | 11 | 0.5 | 0.17 | 0.06 | 0.03 |
| China, Xiangfu District, Kaifeng City | 4 | 0.1 | 0.07 | 0.00 | 0.00 | 11 | 0.6 | 0.18 | 0.06 | 0.02 |
| China, Xianju County | 13 | 0.6 | 0.16 | 0.06 | 0.02 | 5 | 0.3 | 0.13 | 0.02 | 0.01 |
| *China, Xin'an County | 7 | 0.8 | 0.34 | 0.06 | 0.02 | 10 | 1.1 | 0.35 | 0.14 | 0.05 |
| *China, Xining City | 12 | 0.6 | 0.17 | 0.07 | 0.02 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Xinji City | 7 | 0.4 | 0.15 | 0.03 | 0.01 | 2 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Xinluo District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 5 | 0.3 | 0.15 | 0.02 | 0.02 | 3 | 0.2 | 0.13 | 0.02 | 0.01 |
| China, Xiping County | 36 | 1.4 | 0.24 | 0.15 | 0.03 | 40 | 1.5 | 0.24 | 0.16 | 0.03 |
| *China, Xishan District, Kunming City | 2 | 0.1 | 0.09 | 0.02 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Xuyi County | 2 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.0 | 0.04 | 0.01 | 0.01 |
| *China, Ya'an City | 3 | 0.1 | 0.04 | 0.00 | 0.00 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Yakeshi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yancheng City | 6 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Yangquan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Yanshi City | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 7 | 0.3 | 0.11 | 0.03 | 0.01 |
| China, Yanting County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yi'an District, Tongling City | 3 | 0.3 | 0.17 | 0.04 | 0.02 | 3 | 0.3 | 0.16 | 0.02 | 0.02 |
| *China, Yingdong District, Fuyang City | 12 | 0.5 | 0.17 | 0.05 | 0.02 | 10 | 0.5 | 0.15 | 0.05 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Myelodysplastic syndromes (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 6 | 0.5 | 0.22 | 0.02 | 0.02 | 1 | 0.1 | 0.11 | 0.03 | 0.03 |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yongkang City | 24 | 1.0 | 0.21 | 0.09 | 0.02 | 21 | 1.0 | 0.24 | 0.09 | 0.02 |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yueyanglou District, Yueyang City | 2 | 0.2 | 0.13 | 0.02 | 0.02 | 2 | 0.2 | 0.15 | 0.03 | 0.02 |
| China, Yunmeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yunyang District, Shiyuan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 5 | 0.2 | 0.10 | 0.02 | 0.01 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Zanzhou County | 2 | 0.2 | 0.16 | 0.02 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 40 | 0.9 | 0.18 | 0.11 | 0.02 | 40 | 1.0 | 0.19 | 0.09 | 0.02 |
| *China, Zhaoyuan City | 35 | 1.3 | 0.23 | 0.12 | 0.03 | 14 | 0.4 | 0.13 | 0.04 | 0.01 |
| *China, Zhengding County | 5 | 0.4 | 0.17 | 0.04 | 0.02 | 4 | 0.3 | 0.14 | 0.04 | 0.02 |
| *China, Zhongshan City | 61 | 1.2 | 0.15 | 0.13 | 0.02 | 32 | 0.5 | 0.10 | 0.06 | 0.02 |
| China, Zhongxiang City | 19 | 0.7 | 0.18 | 0.06 | 0.02 | 8 | 0.3 | 0.13 | 0.02 | 0.01 |
| *China, Zhuanghe City | 30 | 0.7 | 0.14 | 0.09 | 0.02 | 18 | 0.6 | 0.19 | 0.06 | 0.02 |
| *China, Zhuhai City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Ahmedabad, Urban | 7 | 0.1 | 0.02 | 0.01 | 0.00 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 5 | 0.0 | 0.02 | 0.01 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Chennai | 7 | 0.1 | 0.02 | 0.01 | 0.00 | 5 | 0.0 | 0.02 | 0.01 | 0.00 |
| India, Dibrugarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Dindigul, Ambilikai | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kamrup Urban District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kollam | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Manipur | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Meghalaya | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mizoram | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | 7 | 0.0 | 0.01 | 0.00 | 0.00 | 4 | 0.0 | 0.01 | 0.00 | 0.00 |
| *India, New Delhi | 5 | 0.0 | 0.01 | 0.00 | 0.00 | 5 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Poona | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Tamil Nadu | 48 | 0.0 | 0.00 | 0.00 | 0.00 | 29 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 3 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.0 | 0.02 | 0.00 | 0.00 |
| India, Trivandrum | 5 | 0.1 | 0.03 | 0.01 | 0.00 | 9 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Wardha | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, West Arunachal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *Iran (Islamic Republic of), Golestan Province | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Israel | 549 | 1.7 | 0.08 | 0.14 | 0.01 | 442 | 1.1 | 0.06 | 0.09 | 0.01 |
| *Israel: Jews | 493 | 1.8 | 0.08 | 0.15 | 0.01 | 396 | 1.1 | 0.06 | 0.10 | 0.01 |
| *Israel: Arabs | 38 | 1.3 | 0.21 | 0.10 | 0.03 | 29 | 0.8 | 0.15 | 0.05 | 0.02 |
| Japan | 15879 | 2.8 | 0.03 | 0.28 | 0.00 | 9427 | 1.3 | 0.02 | 0.13 | 0.00 |
| Japan, Aichi Prefecture | 820 | 2.8 | 0.12 | 0.27 | 0.01 | 425 | 1.2 | 0.08 | 0.12 | 0.01 |
| *Japan, Akita Prefecture | 122 | 2.5 | 0.34 | 0.28 | 0.04 | 97 | 1.2 | 0.22 | 0.12 | 0.02 |
| Japan, Aomori Prefecture | 305 | 3.1 | 0.22 | 0.32 | 0.03 | 199 | 1.5 | 0.15 | 0.17 | 0.02 |
| Japan, Gunma Prefecture | 277 | 3.1 | 0.22 | 0.33 | 0.03 | 143 | 1.4 | 0.19 | 0.12 | 0.02 |
| Japan, Hiroshima Prefecture | 737 | 4.1 | 0.18 | 0.41 | 0.02 | 448 | 1.9 | 0.14 | 0.18 | 0.02 |
| Japan, Miyagi Prefecture | 463 | 2.8 | 0.16 | 0.30 | 0.02 | 296 | 1.4 | 0.13 | 0.12 | 0.01 |
| Japan, Osaka Prefecture | 1004 | 2.7 | 0.10 | 0.26 | 0.01 | 513 | 1.2 | 0.09 | 0.11 | 0.01 |
| Kuwait | 13 | 0.4 | 0.11 | 0.05 | 0.02 | 9 | 0.2 | 0.08 | 0.02 | 0.01 |
| *Kuwait: Kuwaitis | 5 | 0.3 | 0.14 | 0.05 | 0.03 | 5 | 0.2 | 0.10 | 0.02 | 0.01 |
| *Kuwait: Non-Kuwaitis | 8 | 0.5 | 0.24 | 0.05 | 0.03 | 4 | 0.2 | 0.15 | 0.02 | 0.02 |
| *Philippines, Manila | 23 | 0.3 | 0.06 | 0.02 | 0.01 | 21 | 0.2 | 0.03 | 0.01 | 0.00 |
| *Qatar: Qatari | 2 | 0.6 | 0.41 | 0.07 | 0.05 | 1 | 0.3 | 0.33 | 0.06 | 0.06 |
| Republic of Korea | 3231 | 1.7 | 0.03 | 0.19 | 0.00 | 2076 | 0.9 | 0.02 | 0.10 | 0.00 |
| *Republic of Korea, Busan | 201 | 1.4 | 0.11 | 0.16 | 0.01 | 150 | 1.0 | 0.10 | 0.11 | 0.01 |
| *Republic of Korea, Daegu | 159 | 1.8 | 0.15 | 0.19 | 0.02 | 93 | 0.9 | 0.11 | 0.10 | 0.01 |
| *Republic of Korea, Daejeon | 100 | 2.0 | 0.20 | 0.21 | 0.03 | 52 | 0.9 | 0.15 | 0.10 | 0.02 |
| *Republic of Korea, Gwangju | 89 | 1.8 | 0.19 | 0.22 | 0.03 | 75 | 1.3 | 0.15 | 0.15 | 0.02 |
| Republic of Korea, Incheon | 162 | 1.6 | 0.13 | 0.18 | 0.02 | 93 | 0.8 | 0.10 | 0.09 | 0.01 |
| Republic of Korea, Jeju | 29 | 1.3 | 0.27 | 0.14 | 0.03 | 28 | 1.1 | 0.22 | 0.14 | 0.03 |
| Republic of Korea, Seoul | 573 | 1.6 | 0.07 | 0.18 | 0.01 | 355 | 0.9 | 0.05 | 0.09 | 0.01 |
| Republic of Korea, Ulsan | 84 | 2.4 | 0.28 | 0.23 | 0.03 | 59 | 1.5 | 0.20 | 0.14 | 0.02 |
| Singapore | 306 | 2.0 | 0.12 | 0.20 | 0.02 | 231 | 1.2 | 0.09 | 0.12 | 0.01 |
| Singapore: Chinese | 252 | 2.0 | 0.13 | 0.21 | 0.02 | 198 | 1.3 | 0.10 | 0.13 | 0.01 |
| Singapore: Indian | 18 | 1.6 | 0.40 | 0.15 | 0.06 | 10 | 0.9 | 0.28 | 0.08 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myelodysplastic syndromes (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 30 | 2.0 | 0.37 | 0.15 | 0.04 | 18 | 1.0 | 0.25 | 0.10 | 0.04 |
| Thailand, Bangkok | 48 | 0.3 | 0.04 | 0.02 | 0.01 | 47 | 0.2 | 0.03 | 0.03 | 0.01 |
| *Thailand, Chiang Mai | 119 | 2.1 | 0.20 | 0.23 | 0.03 | 151 | 2.1 | 0.18 | 0.23 | 0.03 |
| *Thailand, Khon Kaen | 96 | 1.5 | 0.16 | 0.16 | 0.02 | 116 | 1.5 | 0.14 | 0.20 | 0.02 |
| Thailand, Lampang | 15 | 0.5 | 0.13 | 0.06 | 0.02 | 15 | 0.4 | 0.10 | 0.05 | 0.02 |
| Thailand, Lopburi Province | 26 | 1.2 | 0.23 | 0.12 | 0.03 | 31 | 1.3 | 0.26 | 0.10 | 0.03 |
| *Thailand, Songkhla | 7 | 0.2 | 0.06 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| Turkey, Antalya | 200 | 3.3 | 0.24 | 0.40 | 0.04 | 204 | 3.1 | 0.22 | 0.36 | 0.03 |
| Turkey, Bursa | 80 | 1.0 | 0.12 | 0.12 | 0.02 | 72 | 0.7 | 0.09 | 0.08 | 0.01 |
| *Turkey, Edirne | 14 | 0.8 | 0.23 | 0.10 | 0.04 | 21 | 1.3 | 0.29 | 0.17 | 0.04 |
| *Turkey, Erzurum | 13 | 0.6 | 0.17 | 0.04 | 0.02 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |
| Turkey, Eskişehir | 31 | 1.1 | 0.20 | 0.14 | 0.03 | 19 | 0.7 | 0.17 | 0.08 | 0.02 |
| Turkey, Gaziantep | 45 | 1.4 | 0.21 | 0.15 | 0.03 | 46 | 1.1 | 0.17 | 0.12 | 0.02 |
| *Turkey, Izmir | 299 | 2.2 | 0.13 | 0.23 | 0.02 | 327 | 2.0 | 0.11 | 0.23 | 0.02 |
| Turkey, Malatya | 10 | 0.4 | 0.13 | 0.05 | 0.02 | 7 | 0.3 | 0.10 | 0.03 | 0.01 |
| Turkey, Samsun | 43 | 1.0 | 0.15 | 0.10 | 0.02 | 32 | 0.6 | 0.11 | 0.08 | 0.02 |
| Turkey, Trabzon | 43 | 1.6 | 0.25 | 0.21 | 0.04 | 32 | 0.8 | 0.15 | 0.08 | 0.02 |
| Europe | | | | | | | | | | |
| Austria | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Austria, Carinthia | 91 | 2.6 | 0.31 | 0.24 | 0.04 | 56 | 1.2 | 0.20 | 0.12 | 0.03 |
| Austria, Tyrol | 81 | 2.1 | 0.25 | 0.21 | 0.03 | 60 | 1.2 | 0.20 | 0.12 | 0.02 |
| Austria, Vorarlberg | 26 | 1.2 | 0.26 | 0.12 | 0.04 | 29 | 1.0 | 0.25 | 0.08 | 0.03 |
| Belarus | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Belgium | 2390 | 3.8 | 0.09 | 0.40 | 0.01 | 1739 | 2.2 | 0.07 | 0.23 | 0.01 |
| Croatia | 392 | 1.7 | 0.09 | 0.14 | 0.01 | 329 | 0.9 | 0.06 | 0.09 | 0.01 |
| Cyprus | 87 | 2.0 | 0.22 | 0.20 | 0.03 | 45 | 0.9 | 0.14 | 0.08 | 0.02 |
| *Czech Republic | 626 | 1.2 | 0.05 | 0.13 | 0.01 | 606 | 0.9 | 0.04 | 0.10 | 0.01 |
| Denmark | 910 | 3.0 | 0.11 | 0.30 | 0.01 | 581 | 1.7 | 0.09 | 0.16 | 0.01 |
| Estonia | 100 | 1.6 | 0.17 | 0.16 | 0.02 | 102 | 0.8 | 0.09 | 0.09 | 0.01 |
| Finland | 355 | 1.0 | 0.06 | 0.07 | 0.01 | 326 | 0.6 | 0.05 | 0.05 | 0.01 |
| *France, Bas-Rhin | 179 | 3.5 | 0.28 | 0.29 | 0.04 | 136 | 1.8 | 0.18 | 0.18 | 0.03 |
| *France, Calvados | 170 | 3.9 | 0.32 | 0.40 | 0.05 | 139 | 1.8 | 0.20 | 0.15 | 0.03 |
| *France, Doubs | 119 | 3.4 | 0.35 | 0.34 | 0.05 | 82 | 1.6 | 0.22 | 0.15 | 0.03 |
| *France, Gironde | 348 | 3.6 | 0.22 | 0.33 | 0.03 | 317 | 2.4 | 0.17 | 0.23 | 0.02 |
| *France, Haut-Rhin | 122 | 2.9 | 0.29 | 0.33 | 0.04 | 80 | 1.3 | 0.19 | 0.15 | 0.03 |
| *France, Hérault | 272 | 3.5 | 0.24 | 0.33 | 0.03 | 196 | 1.9 | 0.16 | 0.19 | 0.02 |
| *France, Isère | 205 | 2.8 | 0.21 | 0.30 | 0.03 | 130 | 1.4 | 0.14 | 0.13 | 0.02 |
| *France, Lille-Métropole | 135 | 3.8 | 0.34 | 0.33 | 0.05 | 113 | 2.0 | 0.23 | 0.18 | 0.03 |
| *France, Limousin | 120 | 3.7 | 0.39 | 0.36 | 0.06 | 110 | 2.1 | 0.27 | 0.14 | 0.04 |
| *France, Loire-Atlantique | 215 | 2.8 | 0.21 | 0.25 | 0.03 | 147 | 1.3 | 0.14 | 0.13 | 0.02 |
| *France, Manche | 158 | 3.8 | 0.34 | 0.34 | 0.05 | 127 | 2.6 | 0.31 | 0.28 | 0.05 |
| *France, Poitou-Charentes | 526 | 3.9 | 0.19 | 0.41 | 0.03 | 312 | 1.7 | 0.13 | 0.16 | 0.02 |
| *France, Somme | 68 | 2.1 | 0.28 | 0.22 | 0.04 | 66 | 1.3 | 0.19 | 0.12 | 0.03 |
| *France, Tarn | 117 | 3.5 | 0.37 | 0.31 | 0.06 | 91 | 2.4 | 0.34 | 0.25 | 0.05 |
| *France, Territoire de Belfort | 35 | 4.5 | 0.80 | 0.34 | 0.12 | 31 | 2.9 | 0.64 | 0.26 | 0.10 |
| *France, Vendée | 99 | 2.1 | 0.25 | 0.25 | 0.04 | 82 | 1.4 | 0.20 | 0.15 | 0.03 |
| Germany, Baden-Württemberg | 740 | 1.6 | 0.07 | 0.16 | 0.01 | 608 | 1.1 | 0.05 | 0.11 | 0.01 |
| Germany, Bavaria | 1492 | 1.8 | 0.05 | 0.17 | 0.01 | 1183 | 1.1 | 0.04 | 0.11 | 0.01 |
| Germany, Bremen | 67 | 1.5 | 0.20 | 0.16 | 0.03 | 41 | 0.6 | 0.12 | 0.05 | 0.02 |
| Germany, Hamburg | 170 | 1.5 | 0.13 | 0.14 | 0.02 | 116 | 0.8 | 0.09 | 0.10 | 0.01 |
| Germany, Lower Saxony | 1270 | 2.3 | 0.08 | 0.20 | 0.01 | 992 | 1.3 | 0.06 | 0.11 | 0.01 |
| Germany, North Rhine-Westphalia | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| Germany, Rhineland-Palatinate | 655 | 2.3 | 0.10 | 0.22 | 0.01 | 488 | 1.4 | 0.09 | 0.14 | 0.01 |
| Germany, Saarland | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Germany, Schleswig-Holstein | 461 | 2.4 | 0.14 | 0.21 | 0.02 | 395 | 1.5 | 0.12 | 0.14 | 0.01 |
| Iceland | 45 | 3.3 | 0.53 | 0.38 | 0.07 | 21 | 1.1 | 0.27 | 0.10 | 0.04 |
| Ireland | 547 | 2.6 | 0.12 | 0.27 | 0.02 | 338 | 1.5 | 0.09 | 0.16 | 0.01 |
| *Italy, Aosta Valley | 18 | 2.1 | 0.52 | 0.19 | 0.08 | 18 | 1.8 | 0.54 | 0.15 | 0.07 |
| *Italy, Avellino | 36 | 2.2 | 0.41 | 0.24 | 0.06 | 20 | 1.3 | 0.34 | 0.16 | 0.05 |
| Italy, Basilicata | 148 | 3.7 | 0.36 | 0.36 | 0.05 | 103 | 2.6 | 0.32 | 0.28 | 0.04 |
| *Italy, Benevento | 47 | 3.0 | 0.50 | 0.36 | 0.08 | 41 | 2.2 | 0.45 | 0.24 | 0.06 |
| Italy, Bergamo | 179 | 2.8 | 0.25 | 0.27 | 0.03 | 154 | 1.8 | 0.20 | 0.18 | 0.02 |
| *Italy, Brescia | 51 | 0.7 | 0.10 | 0.08 | 0.02 | 28 | 0.3 | 0.07 | 0.04 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 30 | 0.6 | 0.13 | 0.07 | 0.02 | 13 | 0.2 | 0.07 | 0.02 | 0.01 |
| Italy, Calabria | 100 | 3.3 | 0.42 | 0.31 | 0.05 | 70 | 2.4 | 0.37 | 0.24 | 0.04 |
| *Italy, Caserta | 124 | 3.5 | 0.35 | 0.33 | 0.05 | 140 | 2.7 | 0.26 | 0.30 | 0.04 |
| *Italy, Catania, Messina, and Enna | 296 | 2.6 | 0.17 | 0.28 | 0.02 | 255 | 2.0 | 0.16 | 0.20 | 0.02 |
| Italy, Emilia-Romagna | 774 | 2.7 | 0.11 | 0.27 | 0.02 | 653 | 1.6 | 0.09 | 0.15 | 0.01 |
| Italy, Friuli-Venezia Giulia | 62 | 0.6 | 0.08 | 0.06 | 0.01 | 37 | 0.4 | 0.10 | 0.03 | 0.01 |
| Italy, Genova | 152 | 2.4 | 0.23 | 0.23 | 0.03 | 130 | 1.2 | 0.14 | 0.12 | 0.02 |
| *Italy, Lombardy, South, Pavia | 76 | 1.8 | 0.22 | 0.19 | 0.04 | 52 | 0.8 | 0.14 | 0.07 | 0.02 |
| Italy, Mantova and Cremona | 73 | 1.6 | 0.21 | 0.17 | 0.03 | 55 | 0.9 | 0.16 | 0.09 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myelodysplastic syndromes (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 232 | 2.7 | 0.22 | 0.27 | 0.03 | 175 | 1.7 | 0.18 | 0.19 | 0.02 |
| Italy, Milan | 259 | 1.1 | 0.08 | 0.12 | 0.01 | 177 | 0.6 | 0.07 | 0.06 | 0.01 |
| Italy, Molise | 62 | 5.0 | 0.71 | 0.58 | 0.11 | 37 | 2.2 | 0.45 | 0.23 | 0.06 |
| *Italy, Naples Centre | 101 | 3.4 | 0.37 | 0.34 | 0.05 | 94 | 2.2 | 0.28 | 0.26 | 0.04 |
| *Italy, Naples North | 99 | 3.0 | 0.31 | 0.34 | 0.04 | 93 | 2.1 | 0.23 | 0.20 | 0.03 |
| *Italy, Naples South | 152 | 2.9 | 0.25 | 0.35 | 0.04 | 115 | 1.9 | 0.21 | 0.21 | 0.03 |
| *Italy, Nuoro | 11 | 0.9 | 0.30 | 0.06 | 0.04 | 17 | 1.3 | 0.43 | 0.11 | 0.05 |
| *Italy, Palermo | 132 | 1.8 | 0.18 | 0.18 | 0.02 | 92 | 1.2 | 0.15 | 0.13 | 0.02 |
| Italy, Puglia | 929 | 3.4 | 0.13 | 0.36 | 0.02 | 751 | 2.4 | 0.11 | 0.25 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 66 | 1.9 | 0.25 | 0.23 | 0.04 | 51 | 1.5 | 0.28 | 0.14 | 0.03 |
| *Italy, Salerno | 162 | 3.3 | 0.29 | 0.38 | 0.04 | 120 | 2.1 | 0.25 | 0.24 | 0.03 |
| Italy, Sassari | 31 | 2.4 | 0.47 | 0.22 | 0.06 | 30 | 1.4 | 0.33 | 0.06 | 0.03 |
| *Italy, Sondrio | 21 | 1.5 | 0.34 | 0.13 | 0.05 | 18 | 0.8 | 0.24 | 0.08 | 0.04 |
| Italy, South Tyrol | 58 | 1.7 | 0.24 | 0.17 | 0.04 | 27 | 0.8 | 0.18 | 0.09 | 0.03 |
| *Italy, Syracuse | 55 | 2.2 | 0.32 | 0.24 | 0.05 | 48 | 1.9 | 0.31 | 0.26 | 0.05 |
| Italy, Trento | 66 | 2.2 | 0.30 | 0.26 | 0.04 | 61 | 1.0 | 0.17 | 0.11 | 0.03 |
| Italy, Turin | 340 | 2.0 | 0.12 | 0.21 | 0.02 | 200 | 1.0 | 0.10 | 0.11 | 0.01 |
| *Italy, Tuscany | 425 | 3.0 | 0.18 | 0.31 | 0.02 | 306 | 1.6 | 0.13 | 0.16 | 0.02 |
| Italy, Umbria | 187 | 3.1 | 0.29 | 0.27 | 0.04 | 147 | 1.5 | 0.16 | 0.13 | 0.02 |
| Italy, Varese | 45 | 1.2 | 0.20 | 0.13 | 0.03 | 29 | 0.7 | 0.16 | 0.08 | 0.02 |
| Italy, Veneto | 648 | 1.9 | 0.08 | 0.17 | 0.01 | 474 | 1.0 | 0.06 | 0.11 | 0.01 |
| Latvia | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Liechtenstein | 6 | 3.2 | 1.32 | 0.37 | 0.19 | 2 | 1.1 | 0.79 | 0.14 | 0.10 |
| *Lithuania | 249 | 1.9 | 0.13 | 0.19 | 0.02 | 249 | 1.1 | 0.10 | 0.12 | 0.01 |
| Malta | 64 | 2.8 | 0.41 | 0.29 | 0.05 | 73 | 2.9 | 0.44 | 0.28 | 0.05 |
| *The Netherlands | 2396 | 2.5 | 0.06 | 0.27 | 0.01 | 1346 | 1.3 | 0.04 | 0.15 | 0.01 |
| Norway | 535 | 2.0 | 0.09 | 0.19 | 0.01 | 337 | 1.0 | 0.07 | 0.11 | 0.01 |
| Poland, Kielce | 5 | 0.1 | 0.04 | 0.00 | 0.00 | 7 | 0.1 | 0.04 | 0.02 | 0.01 |
| *Portugal, Azores | 10 | 1.3 | 0.42 | 0.12 | 0.05 | 25 | 2.6 | 0.62 | 0.20 | 0.06 |
| Russian Federation, Arkhangelsk | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Kaliningrad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Karelia | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Russian Federation, Komi Republic | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Murmansk | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Russian Federation, Orenburg | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Pskov | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Russian Federation, Samara | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Russian Federation, Vologda Region | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Slovenia | 288 | 2.5 | 0.17 | 0.25 | 0.02 | 217 | 1.2 | 0.11 | 0.10 | 0.01 |
| Spain, Asturias | 125 | 2.6 | 0.26 | 0.25 | 0.04 | 96 | 1.3 | 0.17 | 0.12 | 0.02 |
| Spain, Basque Country | 329 | 2.6 | 0.16 | 0.24 | 0.02 | 212 | 1.4 | 0.13 | 0.14 | 0.02 |
| Spain, Canary Islands | 82 | 1.1 | 0.13 | 0.11 | 0.02 | 59 | 0.7 | 0.10 | 0.07 | 0.01 |
| Spain, Castellón | 75 | 2.1 | 0.28 | 0.19 | 0.04 | 35 | 0.7 | 0.14 | 0.07 | 0.02 |
| Spain, Girona | 127 | 2.8 | 0.27 | 0.26 | 0.04 | 78 | 1.4 | 0.21 | 0.16 | 0.03 |
| Spain, Granada | 84 | 1.8 | 0.21 | 0.18 | 0.03 | 53 | 0.8 | 0.13 | 0.08 | 0.02 |
| Spain, La Rioja | 84 | 3.8 | 0.47 | 0.43 | 0.08 | 30 | 1.2 | 0.27 | 0.14 | 0.04 |
| Spain, Murcia | 121 | 1.7 | 0.17 | 0.18 | 0.03 | 106 | 1.2 | 0.14 | 0.12 | 0.02 |
| Spain, Navarra | 67 | 1.9 | 0.25 | 0.15 | 0.04 | 51 | 1.0 | 0.17 | 0.08 | 0.03 |
| Spain, Salamanca | 73 | 2.3 | 0.33 | 0.18 | 0.04 | 44 | 0.9 | 0.18 | 0.05 | 0.02 |
| Spain, Tarragona | 99 | 1.8 | 0.20 | 0.16 | 0.03 | 77 | 1.3 | 0.18 | 0.14 | 0.03 |
| *Sweden | 956 | 1.6 | 0.06 | 0.17 | 0.01 | 660 | 1.0 | 0.05 | 0.11 | 0.01 |
| Switzerland, Aargau | 63 | 1.7 | 0.22 | 0.17 | 0.03 | 42 | 0.8 | 0.15 | 0.06 | 0.02 |
| Switzerland, Basel | 77 | 2.4 | 0.30 | 0.27 | 0.05 | 59 | 1.3 | 0.20 | 0.15 | 0.03 |
| Switzerland, Berne Solothurn | 120 | 2.3 | 0.24 | 0.23 | 0.03 | 61 | 1.0 | 0.17 | 0.10 | 0.02 |
| Switzerland, East | 113 | 2.6 | 0.29 | 0.26 | 0.04 | 76 | 1.3 | 0.20 | 0.13 | 0.02 |
| *Switzerland, Fribourg | 45 | 3.2 | 0.50 | 0.35 | 0.07 | 31 | 1.4 | 0.29 | 0.10 | 0.04 |
| Switzerland, Geneva | 90 | 3.4 | 0.39 | 0.32 | 0.06 | 63 | 1.4 | 0.20 | 0.12 | 0.03 |
| *Switzerland, Graubünden and Glarus | 31 | 1.9 | 0.36 | 0.22 | 0.06 | 18 | 1.2 | 0.42 | 0.09 | 0.04 |
| *Switzerland, Lucerne | 56 | 1.9 | 0.26 | 0.20 | 0.04 | 44 | 1.0 | 0.18 | 0.12 | 0.03 |
| *Switzerland, Neuchâtel and Jura | 59 | 4.1 | 0.58 | 0.45 | 0.08 | 31 | 1.6 | 0.36 | 0.17 | 0.05 |
| Switzerland, Ticino | 58 | 2.3 | 0.33 | 0.24 | 0.05 | 41 | 1.4 | 0.30 | 0.17 | 0.04 |
| Switzerland, Valais | 74 | 4.1 | 0.55 | 0.45 | 0.07 | 40 | 1.6 | 0.30 | 0.15 | 0.04 |
| Switzerland, Vaud | 60 | 1.6 | 0.24 | 0.15 | 0.03 | 55 | 1.0 | 0.17 | 0.10 | 0.02 |
| Switzerland, Zurich and Zug | 208 | 2.2 | 0.17 | 0.19 | 0.02 | 163 | 1.5 | 0.14 | 0.15 | 0.02 |
| Ukraine | 254 | 0.2 | 0.02 | 0.03 | 0.00 | 227 | 0.1 | 0.01 | 0.02 | 0.00 |
| UK, England | 8259 | 2.4 | 0.03 | 0.22 | 0.00 | 5012 | 1.2 | 0.02 | 0.12 | 0.00 |
| UK, Northern Ireland | 263 | 2.7 | 0.18 | 0.22 | 0.02 | 185 | 1.4 | 0.12 | 0.13 | 0.02 |
| UK, Scotland | 934 | 2.9 | 0.10 | 0.27 | 0.01 | 662 | 1.5 | 0.07 | 0.15 | 0.01 |
| UK, Wales | 597 | 2.7 | 0.13 | 0.22 | 0.02 | 399 | 1.5 | 0.09 | 0.13 | 0.01 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1668 | 3.7 | 0.10 | 0.33 | 0.01 | 982 | 1.9 | 0.07 | 0.20 | 0.01 |
| *Australia, Northern Territory | 14 | 2.1 | 0.58 | 0.25 | 0.09 | 11 | 1.8 | 0.57 | 0.17 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Myelodysplastic syndromes (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 13 | 2.3 | 0.64 | 0.28 | 0.10 | 10 | 2.2 | 0.69 | 0.20 | 0.10 |
| *Australia, Northern Territory: Indigenous | 1 | 0.5 | 0.50 | 0.04 | 0.04 | 1 | 0.5 | 0.49 | 0.04 | 0.04 |
| *Australia, Queensland | 997 | 4.1 | 0.14 | 0.40 | 0.02 | 584 | 2.1 | 0.10 | 0.21 | 0.01 |
| Australia, South Australia | 324 | 3.1 | 0.19 | 0.32 | 0.03 | 208 | 1.8 | 0.14 | 0.19 | 0.02 |
| Australia, Tasmania | 94 | 2.9 | 0.32 | 0.26 | 0.04 | 61 | 1.6 | 0.24 | 0.13 | 0.03 |
| *Australia, Victoria | 1133 | 3.4 | 0.11 | 0.30 | 0.02 | 804 | 2.1 | 0.09 | 0.20 | 0.01 |
| *Australia, Western Australia | 308 | 2.5 | 0.15 | 0.20 | 0.02 | 180 | 1.2 | 0.10 | 0.11 | 0.01 |
| *France, New Caledonia | 29 | 3.3 | 0.61 | 0.22 | 0.07 | 24 | 2.7 | 0.58 | 0.26 | 0.08 |
| New Zealand | 700 | 3.0 | 0.12 | 0.28 | 0.02 | 394 | 1.4 | 0.08 | 0.13 | 0.01 |
| *New Zealand: Maori | 65 | 4.7 | 0.60 | 0.38 | 0.07 | 32 | 1.8 | 0.33 | 0.17 | 0.05 |
| *New Zealand: Pacific peoples | 9 | 1.4 | 0.49 | 0.16 | 0.07 | 18 | 2.5 | 0.60 | 0.34 | 0.10 |
| *New Zealand: Other | 604 | 3.0 | 0.13 | 0.29 | 0.02 | 329 | 1.4 | 0.09 | 0.12 | 0.01 |
| USA, Hawaii | 155 | 1.9 | 0.16 | 0.16 | 0.02 | 105 | 1.0 | 0.12 | 0.10 | 0.02 |
| USA, Hawaii: White | 33 | 1.5 | 0.27 | 0.12 | 0.03 | 22 | 0.8 | 0.18 | 0.07 | 0.02 |
| *USA, Hawaii: Japanese | 44 | 1.4 | 0.25 | 0.09 | 0.04 | 30 | 0.7 | 0.20 | 0.06 | 0.03 |
| *USA, Hawaii: Chinese | 9 | 1.4 | 0.55 | 0.21 | 0.11 | 7 | 0.9 | 0.41 | 0.08 | 0.06 |
| *USA, Hawaii: Hawaiian | 27 | 2.8 | 0.54 | 0.24 | 0.07 | 16 | 1.4 | 0.36 | 0.19 | 0.06 |
| *USA, Hawaii: Filipino | 26 | 2.2 | 0.45 | 0.20 | 0.06 | 19 | 1.1 | 0.29 | 0.13 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloproliferative disorders

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 5 | 0.3 | 0.16 | 0.02 | 0.02 | 7 | 0.4 | 0.17 | 0.05 | 0.02 |
| *Algeria, Tizi Ouzou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Benin, Cotonou | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *France, La Réunion | 86 | 4.2 | 0.46 | 0.49 | 0.06 | 53 | 2.2 | 0.32 | 0.21 | 0.04 |
| *Kenya, Eldoret | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 5 | 0.5 | 0.24 | 0.06 | 0.03 |
| *Kenya, Nairobi | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Mauritius | 25 | 0.6 | 0.13 | 0.05 | 0.01 | 9 | 0.2 | 0.07 | 0.03 | 0.01 |
| *Morocco, Casablanca | 11 | 0.1 | 0.03 | 0.01 | 0.00 | 14 | 0.1 | 0.03 | 0.01 | 0.00 |
| *Seychelles | 3 | 1.2 | 0.67 | 0.09 | 0.07 | 3 | 0.8 | 0.51 | 0.13 | 0.10 |
| *South Africa, Eastern Cape | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Uganda, Kyadondo County | 2 | 0.1 | 0.08 | 0.00 | 0.00 | 2 | 0.0 | 0.04 | 0.00 | 0.00 |
| *Uganda, Gulu | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Zimbabwe, Bulawayo: African | 1 | 0.2 | 0.16 | 0.03 | 0.03 | 1 | 0.1 | 0.09 | 0.00 | 0.00 |
| *Zimbabwe, Harare: African | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 2 | 0.1 | 0.05 | 0.01 | 0.01 |
| *Argentina, Mendoza | 59 | 1.2 | 0.16 | 0.14 | 0.02 | 59 | 1.0 | 0.14 | 0.11 | 0.02 |
| Brazil, Aracaju | 9 | 0.9 | 0.29 | 0.06 | 0.03 | 20 | 1.4 | 0.31 | 0.19 | 0.05 |
| *Brazil, Barretos | 10 | 0.7 | 0.23 | 0.07 | 0.03 | 7 | 0.5 | 0.18 | 0.06 | 0.02 |
| Brazil, Belo Horizonte | 65 | 0.9 | 0.11 | 0.10 | 0.02 | 74 | 0.8 | 0.09 | 0.09 | 0.01 |
| *Brazil, Campinas | 32 | 1.3 | 0.23 | 0.12 | 0.03 | 25 | 0.8 | 0.17 | 0.10 | 0.02 |
| *Brazil, Curitiba | 9 | 0.2 | 0.07 | 0.02 | 0.01 | 8 | 0.1 | 0.05 | 0.02 | 0.01 |
| Brazil, Goiânia | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *Brazil, Jaú | 4 | 1.0 | 0.50 | 0.14 | 0.07 | 6 | 1.3 | 0.55 | 0.18 | 0.08 |
| Brazil, João Pessoa | 7 | 0.7 | 0.26 | 0.05 | 0.03 | 14 | 0.9 | 0.24 | 0.08 | 0.03 |
| Brazil, Recife | 8 | 0.4 | 0.13 | 0.06 | 0.02 | 12 | 0.3 | 0.10 | 0.04 | 0.01 |
| Chile, Region of Antofagasta | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| Chile, Valdivia | 31 | 2.4 | 0.44 | 0.33 | 0.07 | 35 | 2.2 | 0.39 | 0.27 | 0.06 |
| Colombia, Bucaramanga | 21 | 0.7 | 0.15 | 0.08 | 0.02 | 32 | 0.8 | 0.14 | 0.08 | 0.02 |
| Colombia, Cali | 46 | 0.7 | 0.11 | 0.07 | 0.01 | 28 | 0.4 | 0.07 | 0.05 | 0.01 |
| Colombia, Manizales | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| Colombia, Pasto | 4 | 0.4 | 0.22 | 0.06 | 0.03 | 3 | 0.3 | 0.21 | 0.02 | 0.01 |
| Costa Rica | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Ecuador, Guayaquil | 26 | 0.5 | 0.10 | 0.07 | 0.02 | 37 | 0.6 | 0.10 | 0.07 | 0.01 |
| Ecuador, Manabí | 10 | 0.3 | 0.09 | 0.03 | 0.01 | 7 | 0.2 | 0.07 | 0.02 | 0.01 |
| Ecuador, Quito | 22 | 0.6 | 0.13 | 0.04 | 0.01 | 35 | 1.0 | 0.17 | 0.05 | 0.01 |
| *France, Guadeloupe | 28 | 1.9 | 0.40 | 0.18 | 0.04 | 39 | 2.2 | 0.40 | 0.23 | 0.04 |
| *France, Martinique | 28 | 1.9 | 0.40 | 0.20 | 0.04 | 29 | 1.3 | 0.28 | 0.13 | 0.03 |
| *Peru, Lima | 154 | 1.1 | 0.09 | 0.11 | 0.01 | 156 | 1.0 | 0.08 | 0.10 | 0.01 |
| *Trinidad and Tobago | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 8 | 0.3 | 0.11 | 0.03 | 0.01 |
| USA, Puerto Rico | 397 | 2.6 | 0.14 | 0.31 | 0.02 | 397 | 2.3 | 0.13 | 0.24 | 0.02 |
| *Uruguay | 133 | 1.1 | 0.10 | 0.14 | 0.01 | 117 | 0.7 | 0.08 | 0.09 | 0.01 |
| North America | | | | | | | | | | |
| Canada, Alberta | 535 | 3.5 | 0.16 | 0.38 | 0.02 | 517 | 3.1 | 0.15 | 0.35 | 0.02 |
| Canada, British Columbia | 648 | 2.7 | 0.11 | 0.29 | 0.02 | 657 | 2.5 | 0.11 | 0.27 | 0.01 |
| *Canada, Manitoba | 136 | 2.5 | 0.23 | 0.28 | 0.03 | 149 | 2.2 | 0.21 | 0.26 | 0.03 |
| *Canada, New Brunswick | 86 | 2.0 | 0.23 | 0.22 | 0.03 | 70 | 1.5 | 0.20 | 0.18 | 0.03 |
| *Canada, Newfoundland and Labrador | 28 | 1.0 | 0.20 | 0.13 | 0.03 | 26 | 1.0 | 0.21 | 0.11 | 0.03 |
| Canada, Ontario | 2965 | 5.0 | 0.10 | 0.51 | 0.01 | 3307 | 4.8 | 0.10 | 0.50 | 0.01 |
| *Canada, Prince Edward Island | 21 | 2.6 | 0.61 | 0.31 | 0.09 | 20 | 2.3 | 0.56 | 0.26 | 0.08 |
| Canada, Quebec | 1068 | 2.6 | 0.09 | 0.28 | 0.01 | 1065 | 2.2 | 0.08 | 0.24 | 0.01 |
| Canada, Saskatchewan | 130 | 2.5 | 0.23 | 0.31 | 0.04 | 149 | 2.4 | 0.22 | 0.28 | 0.03 |
| *Canada, Yukon | 4 | 2.6 | 1.33 | 0.31 | 0.16 | 1 | 0.9 | 0.90 | 0.22 | 0.22 |
| USA | 37771 | 2.9 | 0.02 | 0.32 | 0.00 | 39746 | 2.7 | 0.01 | 0.29 | 0.00 |
| USA: White | 32097 | 3.0 | 0.02 | 0.33 | 0.00 | 33053 | 2.6 | 0.02 | 0.29 | 0.00 |
| USA: Black | 3319 | 2.6 | 0.05 | 0.30 | 0.01 | 4019 | 2.5 | 0.04 | 0.27 | 0.01 |
| USA, NPCR | 36669 | 3.0 | 0.02 | 0.33 | 0.00 | 38602 | 2.7 | 0.02 | 0.29 | 0.00 |
| USA, NPCR: White | 31187 | 3.0 | 0.02 | 0.33 | 0.00 | 32070 | 2.7 | 0.02 | 0.29 | 0.00 |
| USA, NPCR: Black | 3274 | 2.6 | 0.05 | 0.30 | 0.01 | 3973 | 2.5 | 0.04 | 0.27 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 1038 | 1.8 | 0.06 | 0.20 | 0.01 | 1101 | 1.6 | 0.05 | 0.17 | 0.01 |
| USA, NPCR: American Indian | 142 | 1.3 | 0.11 | 0.13 | 0.01 | 132 | 1.0 | 0.09 | 0.11 | 0.01 |
| *USA, SEER (18 registries) | 8882 | 2.6 | 0.03 | 0.29 | 0.00 | 9341 | 2.3 | 0.03 | 0.25 | 0.00 |
| *USA, SEER (18 registries): White | 7182 | 2.6 | 0.03 | 0.29 | 0.00 | 7426 | 2.3 | 0.03 | 0.25 | 0.00 |
| *USA, SEER (18 registries): Non-Hispanic White | 6463 | 2.8 | 0.04 | 0.31 | 0.00 | 6728 | 2.6 | 0.04 | 0.28 | 0.00 |
| *USA, SEER (18 registries): Hispanic White | 719 | 1.6 | 0.06 | 0.17 | 0.01 | 698 | 1.4 | 0.05 | 0.15 | 0.01 |
| *USA, SEER (18 registries): Black | 871 | 2.7 | 0.09 | 0.30 | 0.01 | 1027 | 2.5 | 0.08 | 0.28 | 0.01 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 602 | 1.8 | 0.08 | 0.20 | 0.01 | 625 | 1.5 | 0.07 | 0.17 | 0.01 |
| *USA, SEER (9 registries) | 3212 | 2.7 | 0.05 | 0.30 | 0.01 | 3496 | 2.5 | 0.05 | 0.27 | 0.01 |
| *USA, SEER (9 registries): White | 2552 | 2.7 | 0.06 | 0.30 | 0.01 | 2756 | 2.5 | 0.05 | 0.27 | 0.01 |
| *USA, SEER (9 registries): Black | 318 | 3.0 | 0.17 | 0.34 | 0.02 | 405 | 2.9 | 0.15 | 0.32 | 0.02 |
| USA, Alabama | 410 | 2.6 | 0.15 | 0.26 | 0.01 | 434 | 2.3 | 0.13 | 0.22 | 0.01 |
| USA, Alabama: White | 321 | 2.7 | 0.18 | 0.26 | 0.02 | 338 | 2.4 | 0.16 | 0.23 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloproliferative disorders (contd)

| | Male | | | | | Female | | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|--|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | | |
| North America (contd) | | | | | | | | | | | |
| USA, Alabama: Black | 80 | 2.4 | 0.28 | 0.23 | 0.03 | 87 | 2.0 | 0.23 | 0.19 | 0.02 | |
| USA, Alaska | 53 | 2.0 | 0.28 | 0.26 | 0.04 | 40 | 1.6 | 0.25 | 0.18 | 0.04 | |
| *USA, Alaska: Alaska Natives | 3 | 1.0 | 0.58 | 0.21 | 0.13 | 9 | 2.8 | 0.93 | 0.32 | 0.13 | |
| USA, Arizona | 484 | 1.6 | 0.08 | 0.19 | 0.01 | 383 | 1.2 | 0.07 | 0.13 | 0.01 | |
| USA, Arizona: White | 455 | 1.6 | 0.08 | 0.19 | 0.01 | 356 | 1.3 | 0.08 | 0.14 | 0.01 | |
| USA, Arizona: Black | 15 | 1.6 | 0.43 | 0.22 | 0.07 | 9 | 0.8 | 0.28 | 0.06 | 0.03 | |
| *USA, Arizona: Asian and Pacific Islander | 5 | 0.8 | 0.38 | 0.05 | 0.03 | 10 | 1.0 | 0.32 | 0.14 | 0.05 | |
| USA, Arizona: American Indian | 7 | 0.7 | 0.28 | 0.10 | 0.04 | 8 | 0.8 | 0.28 | 0.09 | 0.04 | |
| USA, Arkansas | 390 | 3.4 | 0.18 | 0.35 | 0.02 | 343 | 2.5 | 0.15 | 0.29 | 0.02 | |
| USA, Arkansas: White | 328 | 3.3 | 0.20 | 0.34 | 0.02 | 298 | 2.6 | 0.17 | 0.30 | 0.02 | |
| USA, Arkansas: Black | 45 | 3.5 | 0.52 | 0.40 | 0.07 | 36 | 2.1 | 0.36 | 0.24 | 0.05 | |
| USA, California | 3091 | 2.1 | 0.04 | 0.23 | 0.01 | 3173 | 1.8 | 0.04 | 0.20 | 0.00 | |
| USA, California: White | 2482 | 2.2 | 0.05 | 0.24 | 0.01 | 2459 | 1.8 | 0.04 | 0.20 | 0.01 | |
| USA, California: Black | 191 | 2.2 | 0.16 | 0.28 | 0.02 | 205 | 2.0 | 0.15 | 0.22 | 0.02 | |
| USA, California: Asian and Pacific Islander | 346 | 1.6 | 0.09 | 0.18 | 0.01 | 416 | 1.5 | 0.08 | 0.17 | 0.01 | |
| *USA, California, Los Angeles County | 657 | 1.8 | 0.07 | 0.20 | 0.01 | 708 | 1.6 | 0.07 | 0.18 | 0.01 | |
| *USA, California, Los Angeles County: White | 495 | 1.9 | 0.09 | 0.21 | 0.01 | 488 | 1.5 | 0.08 | 0.17 | 0.01 | |
| *USA, California, Los Angeles County: Non-Hispanic White | 366 | 2.5 | 0.14 | 0.28 | 0.02 | 379 | 2.3 | 0.14 | 0.26 | 0.02 | |
| *USA, California, Los Angeles County: Hispanic White | 129 | 1.1 | 0.10 | 0.12 | 0.01 | 109 | 0.8 | 0.08 | 0.08 | 0.01 | |
| *USA, California, Los Angeles County: Black | 62 | 1.9 | 0.26 | 0.20 | 0.03 | 87 | 2.1 | 0.24 | 0.22 | 0.03 | |
| *USA, California, Los Angeles County: Chinese | 18 | 0.8 | 0.20 | 0.09 | 0.02 | 21 | 0.7 | 0.16 | 0.09 | 0.03 | |
| *USA, California, Los Angeles County: Filipino | 24 | 1.9 | 0.39 | 0.24 | 0.06 | 39 | 1.9 | 0.32 | 0.20 | 0.04 | |
| *USA, California, Los Angeles County: Korean | 6 | 0.5 | 0.21 | 0.06 | 0.03 | 9 | 0.7 | 0.27 | 0.11 | 0.04 | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 80 | 1.3 | 0.15 | 0.15 | 0.02 | 110 | 1.3 | 0.14 | 0.16 | 0.02 | |
| *USA, California, San Francisco Bay Area | 405 | 2.1 | 0.11 | 0.24 | 0.02 | 483 | 2.1 | 0.11 | 0.22 | 0.01 | |
| *USA, California, San Francisco Bay Area: White | 286 | 2.2 | 0.14 | 0.26 | 0.02 | 339 | 2.3 | 0.15 | 0.23 | 0.02 | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 254 | 2.5 | 0.17 | 0.28 | 0.02 | 286 | 2.4 | 0.16 | 0.23 | 0.02 | |
| *USA, California, San Francisco Bay Area: Hispanic White | 32 | 1.4 | 0.25 | 0.13 | 0.04 | 53 | 2.1 | 0.30 | 0.26 | 0.05 | |
| *USA, California, San Francisco Bay Area: Black | 31 | 2.3 | 0.41 | 0.31 | 0.07 | 41 | 2.3 | 0.39 | 0.24 | 0.05 | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 84 | 1.7 | 0.19 | 0.19 | 0.03 | 94 | 1.5 | 0.17 | 0.17 | 0.02 | |
| USA, Colorado | 473 | 2.2 | 0.11 | 0.25 | 0.01 | 443 | 1.9 | 0.09 | 0.20 | 0.01 | |
| USA, Colorado: White | 432 | 2.2 | 0.11 | 0.24 | 0.01 | 413 | 1.9 | 0.10 | 0.20 | 0.01 | |
| *USA, Colorado: Black | 27 | 3.4 | 0.67 | 0.35 | 0.09 | 16 | 2.0 | 0.52 | 0.26 | 0.08 | |
| *USA, Colorado: Asian and Pacific Islander | 8 | 1.5 | 0.56 | 0.17 | 0.07 | 10 | 1.4 | 0.44 | 0.15 | 0.06 | |
| USA, Connecticut | 420 | 2.7 | 0.14 | 0.30 | 0.02 | 506 | 2.8 | 0.14 | 0.29 | 0.02 | |
| USA, Connecticut: White | 351 | 2.5 | 0.14 | 0.28 | 0.02 | 440 | 2.6 | 0.15 | 0.29 | 0.02 | |
| USA, Connecticut: Black | 36 | 3.1 | 0.51 | 0.31 | 0.06 | 39 | 2.8 | 0.47 | 0.31 | 0.06 | |
| USA, District of Columbia | 32 | 1.5 | 0.28 | 0.15 | 0.03 | 29 | 1.1 | 0.22 | 0.11 | 0.03 | |
| USA, District of Columbia: White | 15 | 1.4 | 0.39 | 0.15 | 0.05 | 9 | 0.9 | 0.33 | 0.09 | 0.04 | |
| USA, District of Columbia: Black | 15 | 1.5 | 0.41 | 0.15 | 0.04 | 20 | 1.3 | 0.31 | 0.14 | 0.04 | |
| USA, Florida | 6949 | 7.5 | 0.10 | 0.85 | 0.01 | 7745 | 7.6 | 0.10 | 0.82 | 0.01 | |
| USA, Florida: White | 5814 | 7.2 | 0.11 | 0.82 | 0.01 | 6165 | 7.0 | 0.11 | 0.76 | 0.01 | |
| USA, Florida: Black | 431 | 4.3 | 0.21 | 0.52 | 0.03 | 610 | 5.1 | 0.21 | 0.55 | 0.03 | |
| USA, Florida: Asian and Pacific Islander | 71 | 3.5 | 0.42 | 0.34 | 0.05 | 89 | 3.5 | 0.38 | 0.33 | 0.04 | |
| USA, Georgia | 1250 | 3.5 | 0.10 | 0.38 | 0.01 | 1358 | 3.3 | 0.09 | 0.36 | 0.01 | |
| USA, Georgia: White | 920 | 3.6 | 0.13 | 0.39 | 0.02 | 937 | 3.2 | 0.12 | 0.35 | 0.01 | |
| USA, Georgia: Black | 293 | 3.4 | 0.20 | 0.38 | 0.03 | 389 | 3.4 | 0.17 | 0.39 | 0.02 | |
| USA, Georgia: Asian and Pacific Islander | 32 | 2.7 | 0.49 | 0.29 | 0.06 | 22 | 1.5 | 0.33 | 0.17 | 0.05 | |
| *USA, Georgia, Atlanta | 385 | 3.5 | 0.18 | 0.38 | 0.02 | 453 | 3.3 | 0.16 | 0.37 | 0.02 | |
| *USA, Georgia, Atlanta: White | 236 | 3.6 | 0.24 | 0.39 | 0.03 | 238 | 3.0 | 0.21 | 0.35 | 0.03 | |
| *USA, Georgia, Atlanta: Black | 133 | 3.7 | 0.32 | 0.43 | 0.04 | 199 | 3.8 | 0.27 | 0.43 | 0.04 | |
| USA, Idaho | 197 | 2.9 | 0.21 | 0.33 | 0.03 | 191 | 2.5 | 0.20 | 0.26 | 0.02 | |
| USA, Indiana | 476 | 1.8 | 0.09 | 0.20 | 0.01 | 501 | 1.6 | 0.08 | 0.17 | 0.01 | |
| USA, Indiana: White | 420 | 1.7 | 0.09 | 0.19 | 0.01 | 455 | 1.5 | 0.08 | 0.17 | 0.01 | |
| USA, Indiana: Black | 42 | 2.3 | 0.37 | 0.24 | 0.05 | 43 | 1.9 | 0.31 | 0.20 | 0.04 | |
| *USA, Iowa | 363 | 2.7 | 0.15 | 0.28 | 0.02 | 363 | 2.3 | 0.14 | 0.24 | 0.02 | |
| USA, Kentucky | 518 | 2.8 | 0.13 | 0.33 | 0.02 | 587 | 2.9 | 0.13 | 0.33 | 0.02 | |
| USA, Louisiana | 542 | 3.1 | 0.14 | 0.33 | 0.02 | 535 | 2.5 | 0.12 | 0.28 | 0.02 | |
| USA, Louisiana: White | 420 | 3.4 | 0.18 | 0.35 | 0.02 | 397 | 2.7 | 0.15 | 0.30 | 0.02 | |
| USA, Louisiana: Black | 118 | 2.6 | 0.24 | 0.30 | 0.03 | 133 | 2.2 | 0.20 | 0.24 | 0.03 | |
| *USA, Louisiana, New Orleans | 65 | 2.0 | 0.26 | 0.21 | 0.03 | 66 | 1.6 | 0.22 | 0.16 | 0.03 | |
| *USA, Louisiana, New Orleans: White | 42 | 2.1 | 0.39 | 0.23 | 0.04 | 42 | 1.6 | 0.28 | 0.17 | 0.04 | |
| *USA, Louisiana, New Orleans: Black | 20 | 1.7 | 0.39 | 0.17 | 0.05 | 24 | 1.6 | 0.35 | 0.15 | 0.04 | |
| USA, Maine | 159 | 2.3 | 0.19 | 0.25 | 0.03 | 171 | 2.5 | 0.23 | 0.25 | 0.02 | |
| USA, Maryland | 501 | 2.1 | 0.10 | 0.22 | 0.01 | 577 | 1.9 | 0.09 | 0.21 | 0.01 | |
| USA, Maryland: White | 371 | 2.3 | 0.13 | 0.23 | 0.02 | 422 | 2.1 | 0.11 | 0.23 | 0.02 | |
| USA, Maryland: Black | 108 | 1.9 | 0.18 | 0.21 | 0.03 | 136 | 1.7 | 0.15 | 0.19 | 0.02 | |
| USA, Maryland: Asian and Pacific Islander | 18 | 1.4 | 0.33 | 0.14 | 0.04 | 16 | 1.0 | 0.24 | 0.12 | 0.04 | |
| USA, Massachusetts | 610 | 2.2 | 0.09 | 0.23 | 0.01 | 736 | 2.1 | 0.09 | 0.23 | 0.01 | |
| USA, Massachusetts: White | 536 | 2.1 | 0.10 | 0.22 | 0.01 | 655 | 2.1 | 0.10 | 0.23 | 0.01 | |
| USA, Massachusetts: Black | 36 | 2.2 | 0.38 | 0.28 | 0.06 | 35 | 1.6 | 0.29 | 0.16 | 0.04 | |
| USA, Massachusetts: Asian and Pacific Islander | 23 | 1.8 | 0.38 | 0.19 | 0.05 | 30 | 2.1 | 0.40 | 0.26 | 0.06 | |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Myeloproliferative disorders (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 997 | 2.3 | 0.08 | 0.26 | 0.01 | 979 | 2.0 | 0.07 | 0.21 | 0.01 |
| USA, Michigan: White | 856 | 2.3 | 0.09 | 0.26 | 0.01 | 833 | 1.9 | 0.08 | 0.21 | 0.01 |
| USA, Michigan: Black | 102 | 2.3 | 0.23 | 0.25 | 0.03 | 102 | 1.8 | 0.18 | 0.19 | 0.02 |
| USA, Michigan: Asian and Pacific Islander | 12 | 1.4 | 0.41 | 0.19 | 0.07 | 16 | 1.5 | 0.39 | 0.13 | 0.04 |
| *USA, Michigan, Detroit | 463 | 2.9 | 0.14 | 0.31 | 0.02 | 480 | 2.5 | 0.13 | 0.27 | 0.02 |
| *USA, Michigan, Detroit: White | 371 | 3.1 | 0.17 | 0.33 | 0.02 | 379 | 2.7 | 0.16 | 0.29 | 0.02 |
| *USA, Michigan, Detroit: Black | 81 | 2.6 | 0.29 | 0.27 | 0.04 | 88 | 2.1 | 0.24 | 0.23 | 0.03 |
| USA, Minnesota | 685 | 2.8 | 0.11 | 0.30 | 0.02 | 711 | 2.5 | 0.11 | 0.28 | 0.01 |
| USA, Minnesota: White | 632 | 2.7 | 0.12 | 0.30 | 0.02 | 666 | 2.5 | 0.11 | 0.28 | 0.01 |
| USA, Minnesota: Black | 26 | 3.5 | 0.72 | 0.33 | 0.09 | 23 | 3.3 | 0.70 | 0.44 | 0.11 |
| *USA, Minnesota: Asian and Pacific Islander | 6 | 1.1 | 0.45 | 0.11 | 0.05 | 6 | 0.9 | 0.38 | 0.13 | 0.07 |
| USA, Mississippi | 205 | 1.8 | 0.13 | 0.20 | 0.02 | 217 | 1.7 | 0.13 | 0.18 | 0.01 |
| USA, Missouri | 546 | 2.1 | 0.10 | 0.24 | 0.01 | 576 | 1.9 | 0.09 | 0.20 | 0.01 |
| USA, Missouri: White | 495 | 2.2 | 0.10 | 0.24 | 0.01 | 509 | 1.9 | 0.10 | 0.20 | 0.01 |
| USA, Missouri: Black | 44 | 2.1 | 0.32 | 0.23 | 0.04 | 55 | 1.9 | 0.27 | 0.24 | 0.04 |
| USA, Montana | 153 | 3.2 | 0.28 | 0.36 | 0.04 | 194 | 3.7 | 0.31 | 0.44 | 0.04 |
| *USA, Montana: American Indian | 5 | 2.6 | 1.17 | 0.21 | 0.12 | 5 | 2.8 | 1.24 | 0.22 | 0.10 |
| USA, Nebraska | 138 | 1.8 | 0.16 | 0.19 | 0.02 | 125 | 1.5 | 0.15 | 0.17 | 0.02 |
| USA, Nebraska: White | 131 | 1.7 | 0.16 | 0.19 | 0.02 | 116 | 1.4 | 0.15 | 0.16 | 0.02 |
| *USA, Nebraska: Black | 4 | 1.7 | 0.88 | 0.29 | 0.17 | 6 | 2.3 | 0.95 | 0.20 | 0.10 |
| USA, Nevada | 155 | 1.3 | 0.11 | 0.14 | 0.01 | 121 | 1.0 | 0.09 | 0.11 | 0.01 |
| USA, Nevada: White | 134 | 1.4 | 0.13 | 0.15 | 0.02 | 102 | 1.0 | 0.11 | 0.12 | 0.01 |
| USA, Nevada: Black | 9 | 1.0 | 0.34 | 0.08 | 0.04 | 10 | 1.1 | 0.34 | 0.15 | 0.05 |
| *USA, Nevada: Asian and Pacific Islander | 6 | 0.6 | 0.26 | 0.05 | 0.03 | 8 | 0.6 | 0.22 | 0.08 | 0.03 |
| USA, New Jersey | 1226 | 3.3 | 0.10 | 0.37 | 0.01 | 1272 | 2.8 | 0.09 | 0.31 | 0.01 |
| USA, New Jersey: White | 1032 | 3.4 | 0.12 | 0.38 | 0.02 | 1070 | 2.9 | 0.10 | 0.32 | 0.01 |
| USA, New Jersey: Black | 101 | 2.5 | 0.26 | 0.27 | 0.03 | 120 | 2.3 | 0.22 | 0.24 | 0.03 |
| USA, New Mexico | 180 | 2.1 | 0.17 | 0.22 | 0.02 | 169 | 1.8 | 0.15 | 0.20 | 0.02 |
| USA, New Mexico: White | 158 | 2.1 | 0.18 | 0.23 | 0.02 | 155 | 1.9 | 0.17 | 0.21 | 0.02 |
| USA, New Mexico: Non-Hispanic White | 101 | 2.3 | 0.27 | 0.24 | 0.03 | 104 | 2.0 | 0.23 | 0.22 | 0.03 |
| USA, New Mexico: Hispanic White | 57 | 1.9 | 0.26 | 0.21 | 0.03 | 51 | 1.6 | 0.23 | 0.18 | 0.03 |
| *USA, New Mexico: American Indian | 10 | 1.6 | 0.51 | 0.11 | 0.04 | 7 | 0.9 | 0.35 | 0.14 | 0.06 |
| USA, New York State | 3377 | 4.4 | 0.08 | 0.47 | 0.01 | 3585 | 3.7 | 0.07 | 0.39 | 0.01 |
| USA, New York State: White | 2786 | 4.7 | 0.10 | 0.50 | 0.01 | 2944 | 3.9 | 0.08 | 0.42 | 0.01 |
| USA, New York State: Black | 385 | 3.7 | 0.19 | 0.41 | 0.02 | 470 | 3.3 | 0.16 | 0.35 | 0.02 |
| USA, New York State: Asian and Pacific Islander | 155 | 2.7 | 0.22 | 0.30 | 0.03 | 108 | 1.7 | 0.18 | 0.18 | 0.02 |
| USA, North Carolina | 1218 | 3.1 | 0.09 | 0.34 | 0.01 | 1418 | 2.9 | 0.09 | 0.32 | 0.01 |
| USA, North Carolina: White | 972 | 3.1 | 0.11 | 0.35 | 0.01 | 1100 | 2.9 | 0.10 | 0.32 | 0.01 |
| USA, North Carolina: Black | 183 | 2.6 | 0.20 | 0.27 | 0.03 | 243 | 2.6 | 0.18 | 0.30 | 0.02 |
| USA, North Carolina: Asian and Pacific Islander | 20 | 2.7 | 0.62 | 0.28 | 0.08 | 21 | 2.5 | 0.56 | 0.33 | 0.09 |
| *USA, North Carolina: American Indian | 8 | 1.8 | 0.62 | 0.10 | 0.05 | 13 | 2.3 | 0.63 | 0.21 | 0.08 |
| USA, North Dakota | 97 | 3.3 | 0.35 | 0.36 | 0.05 | 91 | 2.8 | 0.33 | 0.31 | 0.04 |
| USA, Ohio | 773 | 1.6 | 0.06 | 0.17 | 0.01 | 787 | 1.3 | 0.05 | 0.14 | 0.01 |
| USA, Ohio: White | 675 | 1.5 | 0.06 | 0.16 | 0.01 | 688 | 1.3 | 0.06 | 0.14 | 0.01 |
| USA, Ohio: Black | 74 | 1.7 | 0.20 | 0.18 | 0.03 | 74 | 1.2 | 0.15 | 0.13 | 0.02 |
| *USA, Ohio: Asian and Pacific Islander | 8 | 1.1 | 0.40 | 0.15 | 0.06 | 8 | 0.9 | 0.31 | 0.12 | 0.06 |
| USA, Oklahoma | 376 | 2.5 | 0.13 | 0.26 | 0.02 | 323 | 1.9 | 0.12 | 0.22 | 0.01 |
| USA, Oklahoma: White | 333 | 2.6 | 0.15 | 0.27 | 0.02 | 277 | 1.9 | 0.13 | 0.22 | 0.02 |
| USA, Oklahoma: Black | 21 | 2.2 | 0.48 | 0.19 | 0.05 | 28 | 2.6 | 0.51 | 0.32 | 0.07 |
| USA, Oklahoma: American Indian | 18 | 1.7 | 0.40 | 0.17 | 0.05 | 14 | 1.1 | 0.30 | 0.09 | 0.03 |
| USA, Oregon | 297 | 1.7 | 0.10 | 0.19 | 0.01 | 287 | 1.5 | 0.10 | 0.16 | 0.01 |
| USA, Oregon: White | 277 | 1.6 | 0.11 | 0.18 | 0.01 | 263 | 1.4 | 0.10 | 0.16 | 0.01 |
| *USA, Oregon: Black | 8 | 3.0 | 1.07 | 0.36 | 0.16 | 4 | 1.6 | 0.82 | 0.18 | 0.09 |
| *USA, Oregon: Asian and Pacific Islander | 9 | 1.7 | 0.60 | 0.16 | 0.06 | 14 | 1.9 | 0.51 | 0.23 | 0.08 |
| USA, Rhode Island | 75 | 1.5 | 0.19 | 0.16 | 0.03 | 97 | 1.9 | 0.22 | 0.21 | 0.03 |
| USA, Rhode Island: White | 71 | 1.5 | 0.19 | 0.16 | 0.03 | 92 | 1.9 | 0.25 | 0.21 | 0.03 |
| *USA, Rhode Island: Black | 1 | 0.3 | 0.33 | 0.04 | 0.04 | 3 | 1.1 | 0.65 | 0.17 | 0.13 |
| USA, South Carolina | 458 | 2.3 | 0.12 | 0.26 | 0.01 | 474 | 2.0 | 0.10 | 0.22 | 0.01 |
| USA, South Carolina: White | 362 | 2.4 | 0.14 | 0.26 | 0.02 | 345 | 2.0 | 0.12 | 0.21 | 0.01 |
| USA, South Carolina: Black | 74 | 1.7 | 0.20 | 0.20 | 0.03 | 102 | 1.8 | 0.19 | 0.20 | 0.02 |
| USA, South Dakota | 103 | 2.7 | 0.28 | 0.32 | 0.04 | 121 | 2.6 | 0.26 | 0.29 | 0.04 |
| USA, Tennessee | 586 | 2.2 | 0.10 | 0.25 | 0.01 | 638 | 2.1 | 0.09 | 0.22 | 0.01 |
| USA, Tennessee: White | 517 | 2.3 | 0.11 | 0.26 | 0.01 | 550 | 2.2 | 0.11 | 0.23 | 0.01 |
| USA, Tennessee: Black | 60 | 1.9 | 0.24 | 0.19 | 0.03 | 82 | 1.9 | 0.22 | 0.20 | 0.03 |
| USA, Texas | 3234 | 3.6 | 0.06 | 0.40 | 0.01 | 3009 | 2.9 | 0.06 | 0.31 | 0.01 |
| USA, Texas: White | 2840 | 3.7 | 0.07 | 0.41 | 0.01 | 2547 | 3.0 | 0.06 | 0.32 | 0.01 |
| USA, Texas: Black | 286 | 3.1 | 0.18 | 0.35 | 0.03 | 364 | 3.3 | 0.18 | 0.35 | 0.02 |
| USA, Texas: Asian and Pacific Islander | 75 | 1.9 | 0.23 | 0.23 | 0.03 | 83 | 1.8 | 0.21 | 0.18 | 0.02 |
| USA, Utah | 190 | 2.0 | 0.15 | 0.23 | 0.02 | 165 | 1.6 | 0.13 | 0.18 | 0.02 |
| USA, Vermont | 59 | 2.0 | 0.28 | 0.25 | 0.04 | 70 | 2.2 | 0.29 | 0.25 | 0.04 |
| USA, Washington State | 803 | 2.7 | 0.10 | 0.29 | 0.01 | 902 | 2.7 | 0.10 | 0.28 | 0.01 |
| *USA, Washington, Seattle | 667 | 3.3 | 0.13 | 0.36 | 0.02 | 771 | 3.4 | 0.13 | 0.34 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloproliferative disorders (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 169 | 2.0 | 0.16 | 0.21 | 0.02 | 191 | 2.0 | 0.16 | 0.22 | 0.02 |
| USA, Wyoming | 44 | 1.8 | 0.28 | 0.20 | 0.03 | 51 | 1.9 | 0.29 | 0.22 | 0.04 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 7 | 0.5 | 0.20 | 0.03 | 0.01 | 5 | 0.4 | 0.20 | 0.05 | 0.03 |
| Brunei Darussalam | 3 | 0.4 | 0.23 | 0.07 | 0.05 | 8 | 1.0 | 0.38 | 0.11 | 0.06 |
| *China, Anfu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anguo City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Anshan City | 19 | 0.3 | 0.06 | 0.03 | 0.01 | 18 | 0.2 | 0.06 | 0.03 | 0.01 |
| *China, Aohan Banner, Chifeng City | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Arongqi | 1 | 0.1 | 0.11 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Baoding City | 11 | 0.4 | 0.15 | 0.04 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Beijing City | 271 | 0.6 | 0.04 | 0.07 | 0.01 | 210 | 0.5 | 0.04 | 0.06 | 0.01 |
| *China, Binhai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Cangzhou City | 1 | 0.0 | 0.05 | 0.01 | 0.01 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Changfeng County | 1 | 0.1 | 0.06 | 0.00 | 0.00 | 3 | 0.1 | 0.08 | 0.01 | 0.01 |
| China, Changzhou City | 24 | 0.2 | 0.05 | 0.03 | 0.01 | 12 | 0.1 | 0.03 | 0.02 | 0.01 |
| China, Chengdu City | 3 | 0.1 | 0.05 | 0.02 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Cixian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Cixi City | 5 | 0.1 | 0.08 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.01 | 0.01 |
| *China, Dafeng District, Yancheng City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Dalian City | 44 | 0.4 | 0.06 | 0.04 | 0.01 | 44 | 0.4 | 0.06 | 0.04 | 0.01 |
| *China, Dancheng County | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Dangtu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Danyang City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dawukou District, Shizuishan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Dehui City | 5 | 0.2 | 0.08 | 0.02 | 0.01 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Donggang County | 2 | 0.1 | 0.06 | 0.02 | 0.01 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *China, Dongguan City | 32 | 0.9 | 0.16 | 0.08 | 0.02 | 25 | 0.5 | 0.11 | 0.06 | 0.02 |
| China, Donghai County | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 5 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Dongtai City | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.02 | 0.00 | 0.00 |
| China, Duanzhou District, Zhaoqing City | 6 | 0.5 | 0.22 | 0.05 | 0.02 | 7 | 0.5 | 0.19 | 0.04 | 0.02 |
| *China, Evenki Autonomous Banner | 1 | 0.4 | 0.39 | 0.05 | 0.05 | 2 | 0.5 | 0.38 | 0.04 | 0.03 |
| *China, Faku County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Fangcheng County | 2 | 0.1 | 0.10 | 0.01 | 0.00 | 2 | 0.2 | 0.14 | 0.01 | 0.01 |
| *China, Feicheng City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Feixi County | 5 | 0.1 | 0.04 | 0.01 | 0.01 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Fuqing City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Ganyu District, Lianyungang City | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Ganzhou District, Zhangye City | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Gaocheng City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Gaomi City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| China, Gong'an County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Guang'an District, Guang'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Guanghan City | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.00 | 0.00 |
| China, Guangzhou City | 83 | 0.3 | 0.03 | 0.03 | 0.00 | 81 | 0.2 | 0.03 | 0.03 | 0.00 |
| *China, Guanyun County | 7 | 0.2 | 0.08 | 0.02 | 0.01 | 9 | 0.3 | 0.09 | 0.04 | 0.01 |
| China, Guilin City | 9 | 0.4 | 0.14 | 0.06 | 0.02 | 3 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Hai'an City | 7 | 0.1 | 0.05 | 0.02 | 0.01 | 6 | 0.2 | 0.17 | 0.02 | 0.01 |
| China, Hailar District, Hulun Buir City | 4 | 0.4 | 0.22 | 0.06 | 0.04 | 4 | 0.3 | 0.16 | 0.04 | 0.02 |
| China, Haimen District, Nantong City | 18 | 0.4 | 0.09 | 0.03 | 0.01 | 12 | 0.3 | 0.08 | 0.04 | 0.01 |
| China, Haining City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Hangzhou City | 76 | 0.3 | 0.03 | 0.03 | 0.00 | 57 | 0.2 | 0.02 | 0.02 | 0.00 |
| China, Hebi City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Hefei City | 27 | 0.3 | 0.06 | 0.04 | 0.01 | 23 | 0.3 | 0.06 | 0.04 | 0.01 |
| China, Hengdong County | 1 | 0.2 | 0.16 | 0.01 | 0.01 | 1 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Hengfeng County | 1 | 0.2 | 0.15 | 0.02 | 0.02 | 1 | 0.1 | 0.15 | 0.02 | 0.02 |
| *China, Hepu County | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 4 | 0.2 | 0.09 | 0.02 | 0.01 |
| China, Honghu City | 2 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Hongshan District, Chifeng City | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.01 | 0.01 |
| *China, Hongta District, Yuxi City | 8 | 0.5 | 0.17 | 0.05 | 0.02 | 8 | 0.5 | 0.20 | 0.05 | 0.02 |
| *China, Huaiyin District, Huai'an City | 1 | 0.0 | 0.03 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiange County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Jiangmen City | 6 | 0.3 | 0.11 | 0.03 | 0.02 | 8 | 0.3 | 0.10 | 0.04 | 0.01 |
| *China, Jiangyin City | 4 | 0.1 | 0.03 | 0.01 | 0.01 | 3 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Jiashan County | 5 | 0.2 | 0.11 | 0.03 | 0.01 | 4 | 0.1 | 0.08 | 0.02 | 0.01 |
| China, Jiayu County | 1 | 0.1 | 0.12 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Jinan City | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Jingtai County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jingxian County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jintan District, Changzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Jiulongpo District, Chongqing City | 4 | 0.1 | 0.07 | 0.02 | 0.01 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Jiyuan City | 2 | 0.2 | 0.12 | 0.01 | 0.01 | 3 | 0.2 | 0.10 | 0.03 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloproliferative disorders (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 4 | 0.3 | 0.14 | 0.04 | 0.02 | 4 | 0.4 | 0.19 | 0.04 | 0.03 |
| China, Kunshan City | 11 | 0.3 | 0.10 | 0.04 | 0.01 | 6 | 0.2 | 0.07 | 0.02 | 0.01 |
| China, Langzhong City | 1 | 0.1 | 0.05 | 0.00 | 0.00 | 1 | 0.0 | 0.05 | 0.00 | 0.00 |
| *China, Liangshan County | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 5 | 0.2 | 0.08 | 0.02 | 0.01 |
| *China, Lianshui County | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| China, Lianyungang City | 15 | 0.4 | 0.11 | 0.05 | 0.01 | 13 | 0.3 | 0.09 | 0.06 | 0.02 |
| China, Linhe District, Bayannur City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Linqu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Linzhou City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 6 | 0.2 | 0.06 | 0.02 | 0.01 |
| China, Liuzhou City | 4 | 0.1 | 0.05 | 0.01 | 0.00 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Liyang City | 3 | 0.1 | 0.04 | 0.01 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Longquan City | 1 | 0.1 | 0.12 | 0.02 | 0.02 | 2 | 0.2 | 0.11 | 0.00 | 0.00 |
| China, Lucheng District, Wenzhou City | 3 | 0.2 | 0.10 | 0.03 | 0.02 | 0 | – | 0.00 | – | 0.00 |
| China, Luoding City | 7 | 0.3 | 0.11 | 0.02 | 0.01 | 11 | 0.5 | 0.15 | 0.05 | 0.02 |
| *China, Luohe City | 3 | 0.1 | 0.04 | 0.01 | 0.01 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| *China, Luoyang City | 10 | 0.2 | 0.07 | 0.01 | 0.00 | 6 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Luquan City | 2 | 0.1 | 0.10 | 0.01 | 0.01 | 1 | 0.1 | 0.09 | 0.02 | 0.02 |
| China, Ma'anshan City | 1 | 0.0 | 0.04 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Macheng City | 6 | 0.2 | 0.10 | 0.02 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Meihekou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Mengjin County | 1 | 0.1 | 0.09 | 0.01 | 0.01 | 3 | 0.3 | 0.17 | 0.03 | 0.02 |
| China, Nangang District, Harbin City | 5 | 0.1 | 0.05 | 0.01 | 0.01 | 2 | 0.0 | 0.03 | 0.00 | 0.00 |
| *China, Nanghai District, Foshan City | 39 | 1.5 | 0.25 | 0.19 | 0.03 | 32 | 1.1 | 0.20 | 0.12 | 0.02 |
| China, Nanhu District, Jiaxing City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| *China, Nantong City | 12 | 0.2 | 0.07 | 0.03 | 0.01 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Nanxiong City | 8 | 0.5 | 0.19 | 0.06 | 0.03 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| China, Neixiang County | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Qianxi County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Qidong City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 4 | 0.1 | 0.05 | 0.01 | 0.00 |
| China, Qingzhou City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Rudong County | 9 | 0.2 | 0.08 | 0.02 | 0.01 | 10 | 0.2 | 0.05 | 0.02 | 0.01 |
| *China, Rugao City | 6 | 0.1 | 0.03 | 0.01 | 0.00 | 4 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Rural areas of Shanghai City | 169 | 0.4 | 0.03 | 0.04 | 0.00 | 131 | 0.3 | 0.03 | 0.03 | 0.00 |
| China, Ruyang County | 2 | 0.2 | 0.12 | 0.02 | 0.01 | 4 | 0.4 | 0.18 | 0.05 | 0.03 |
| *China, Shan County | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| China, Shanghai City | 123 | 0.4 | 0.04 | 0.04 | 0.00 | 94 | 0.2 | 0.03 | 0.03 | 0.00 |
| China, Shangyu District, Shaoxing City | 18 | 0.6 | 0.15 | 0.08 | 0.02 | 14 | 0.4 | 0.10 | 0.05 | 0.02 |
| *China, Shapingba District, Chongqing City | 2 | 0.0 | 0.03 | 0.00 | 0.00 | 1 | 0.0 | 0.04 | 0.00 | 0.00 |
| China, Shexian County | 1 | 0.1 | 0.09 | 0.02 | 0.02 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| China, Sheyang County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Shijiazhuang City | 2 | 0.0 | 0.02 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Shunde District, Foshan City | 7 | 0.2 | 0.07 | 0.02 | 0.01 | 5 | 0.1 | 0.06 | 0.02 | 0.01 |
| *China, Song County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| China, Suzhou City | 23 | 0.2 | 0.04 | 0.02 | 0.00 | 23 | 0.1 | 0.03 | 0.01 | 0.00 |
| *China, Tengzhou City | 0 | – | 0.00 | – | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Wangdu County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Wan'ai County | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Wu'an City | 3 | 0.1 | 0.06 | 0.01 | 0.01 | 1 | 0.0 | 0.03 | 0.00 | 0.00 |
| China, Wuhan City | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.02 | 0.00 | 0.00 |
| *China, Wuhu City | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| China, Wuxi City | 12 | 0.1 | 0.03 | 0.01 | 0.00 | 11 | 0.1 | 0.03 | 0.01 | 0.00 |
| China, Wuzhou City | 6 | 0.3 | 0.13 | 0.03 | 0.02 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Xiangfu District, Kaifeng City | 8 | 0.4 | 0.15 | 0.04 | 0.01 | 5 | 0.3 | 0.13 | 0.04 | 0.02 |
| China, Xianju County | 3 | 0.1 | 0.08 | 0.01 | 0.01 | 5 | 0.3 | 0.11 | 0.03 | 0.01 |
| *China, Xin'an County | 3 | 0.3 | 0.17 | 0.04 | 0.03 | 1 | 0.1 | 0.10 | 0.01 | 0.01 |
| *China, Xining City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 2 | 0.1 | 0.07 | 0.01 | 0.01 |
| *China, Xinji City | 4 | 0.1 | 0.07 | 0.03 | 0.02 | 2 | 0.1 | 0.04 | 0.01 | 0.01 |
| *China, Xinluo District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Xinzhou District, Shangrao City | 0 | – | 0.00 | – | 0.00 | 2 | 0.1 | 0.09 | 0.01 | 0.01 |
| China, Xiping County | 2 | 0.1 | 0.06 | 0.01 | 0.01 | 8 | 0.3 | 0.11 | 0.04 | 0.02 |
| *China, Xishan District, Kunming City | 3 | 0.1 | 0.07 | 0.01 | 0.01 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Xuyi County | 41 | 1.7 | 0.27 | 0.21 | 0.04 | 24 | 1.0 | 0.21 | 0.12 | 0.03 |
| *China, Ya'an City | 7 | 0.1 | 0.05 | 0.01 | 0.01 | 5 | 0.1 | 0.04 | 0.01 | 0.00 |
| *China, Yakeshi City | 3 | 0.2 | 0.12 | 0.02 | 0.01 | 5 | 0.3 | 0.15 | 0.04 | 0.02 |
| China, Yancheng City | 4 | 0.1 | 0.03 | 0.01 | 0.00 | 3 | 0.1 | 0.03 | 0.01 | 0.01 |
| *China, Yangquan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yangzhong City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yanji City | 8 | 0.5 | 0.24 | 0.05 | 0.02 | 2 | 0.1 | 0.07 | 0.02 | 0.01 |
| *China, Yanshi City | 1 | 0.0 | 0.04 | 0.01 | 0.01 | 5 | 0.2 | 0.09 | 0.03 | 0.01 |
| China, Yanting County | 1 | 0.0 | 0.05 | 0.00 | 0.00 | 1 | 0.1 | 0.06 | 0.01 | 0.01 |
| *China, Yi'an District, Tongling City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.05 | 0.00 | 0.00 |
| *China, Yingdong District, Fuyang City | 1 | 0.1 | 0.09 | 0.00 | 0.00 | 3 | 0.1 | 0.08 | 0.02 | 0.01 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloproliferative disorders (contd)

| | Male | | | | | Female | | | | |
|--|-------|------------|------|----------|------|--------|------------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 0 | – | 0.00 | – | 0.00 | 1 | 0.1 | 0.07 | 0.00 | 0.00 |
| *China, Yiyuan County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yong'an City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yongding District, Longyan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yongkang City | 8 | 0.4 | 0.15 | 0.04 | 0.02 | 5 | 0.2 | 0.10 | 0.04 | 0.02 |
| *China, Yucheng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yueyanglou District, Yueyang City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yunmeng County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Yunyang District, Shiyuan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| China, Yuzhong District, Chongqing City | 1 | 0.1 | 0.05 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zanzhou County | 1 | 0.1 | 0.10 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhangjiagang City | 16 | 0.6 | 0.22 | 0.06 | 0.02 | 32 | 0.8 | 0.22 | 0.07 | 0.02 |
| *China, Zhaoyuan City | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhengding County | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *China, Zhongshan City | 33 | 0.6 | 0.11 | 0.08 | 0.02 | 30 | 0.5 | 0.10 | 0.07 | 0.02 |
| China, Zhongxiang City | 1 | 0.0 | 0.03 | 0.00 | 0.00 | 3 | 0.1 | 0.05 | 0.01 | 0.01 |
| *China, Zhuanghe City | 11 | 0.2 | 0.08 | 0.03 | 0.01 | 7 | 0.2 | 0.06 | 0.02 | 0.01 |
| *China, Zhuhai City | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 3 | 0.1 | 0.06 | 0.01 | 0.01 |
| India, Ahmedabad, Urban | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 4 | 0.0 | 0.02 | 0.01 | 0.00 |
| India, Aurangabad | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Bangalore | 6 | 0.1 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Barshi, Paranda, and Bhum | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Bhopal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Chandigarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Chennai | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Dibrugarh | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Dindigul, Ambilikai | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kamrup Urban District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Kollam | 15 | 0.2 | 0.06 | 0.03 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.01 |
| *India, Manipur | 1 | 0.0 | 0.02 | 0.00 | 0.00 | 1 | 0.0 | 0.03 | 0.01 | 0.01 |
| India, Meghalaya | 1 | 0.1 | 0.06 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| India, Mizoram | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, Mumbai | 9 | 0.0 | 0.01 | 0.00 | 0.00 | 2 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, New Delhi | 2 | 0.0 | 0.01 | 0.00 | 0.00 | 3 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Poona | 1 | 0.0 | 0.01 | 0.00 | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Sangrur District | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, SAS Nagar | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *India, Tamil Nadu | 16 | 0.0 | 0.00 | 0.00 | 0.00 | 5 | 0.0 | 0.00 | 0.00 | 0.00 |
| *India, Tripura | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.01 | 0.00 | 0.00 |
| India, Trivandrum | 26 | 0.3 | 0.07 | 0.04 | 0.01 | 7 | 0.1 | 0.03 | 0.01 | 0.00 |
| India, Wardha | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| India, West Arunachal | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Ardabil Province | 1 | 0.1 | 0.08 | 0.01 | 0.01 | 0 | – | 0.00 | – | 0.00 |
| *Iran (Islamic Republic of), Golestan Province | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Israel | 409 | 1.6 | 0.08 | 0.19 | 0.01 | 341 | 1.1 | 0.06 | 0.12 | 0.01 |
| *Israel: Jews | 343 | 1.6 | 0.09 | 0.19 | 0.01 | 297 | 1.1 | 0.07 | 0.12 | 0.01 |
| *Israel: Arabs | 45 | 1.6 | 0.24 | 0.21 | 0.04 | 30 | 0.9 | 0.17 | 0.10 | 0.02 |
| Japan | 4089 | 1.0 | 0.02 | 0.11 | 0.00 | 3412 | 0.7 | 0.02 | 0.08 | 0.00 |
| Japan, Aichi Prefecture | 182 | 0.8 | 0.06 | 0.09 | 0.01 | 144 | 0.6 | 0.06 | 0.06 | 0.01 |
| *Japan, Akita Prefecture | 24 | 0.7 | 0.21 | 0.08 | 0.02 | 25 | 0.4 | 0.12 | 0.05 | 0.02 |
| Japan, Aomori Prefecture | 87 | 1.2 | 0.15 | 0.13 | 0.02 | 90 | 1.1 | 0.16 | 0.13 | 0.02 |
| Japan, Gunma Prefecture | 80 | 1.2 | 0.16 | 0.14 | 0.02 | 54 | 0.7 | 0.12 | 0.08 | 0.01 |
| Japan, Hiroshima Prefecture | 224 | 1.8 | 0.14 | 0.20 | 0.02 | 170 | 1.4 | 0.13 | 0.15 | 0.01 |
| Japan, Miyagi Prefecture | 169 | 1.3 | 0.12 | 0.15 | 0.01 | 130 | 0.9 | 0.09 | 0.10 | 0.01 |
| Japan, Osaka Prefecture | 254 | 0.8 | 0.06 | 0.10 | 0.01 | 209 | 0.7 | 0.06 | 0.08 | 0.01 |
| Kuwait | 20 | 0.3 | 0.07 | 0.03 | 0.01 | 15 | 0.3 | 0.09 | 0.03 | 0.01 |
| *Kuwait: Kuwaitis | 3 | 0.1 | 0.06 | 0.01 | 0.00 | 11 | 0.4 | 0.13 | 0.05 | 0.02 |
| *Kuwait: Non-Kuwaitis | 17 | 0.4 | 0.14 | 0.05 | 0.03 | 4 | 0.2 | 0.15 | 0.02 | 0.02 |
| *Philippines, Manila | 32 | 0.3 | 0.05 | 0.02 | 0.01 | 28 | 0.2 | 0.04 | 0.02 | 0.00 |
| *Qatar: Qatari | 15 | 3.0 | 0.82 | 0.39 | 0.13 | 7 | 1.1 | 0.44 | 0.08 | 0.04 |
| Republic of Korea | 3111 | 1.7 | 0.03 | 0.19 | 0.00 | 2683 | 1.3 | 0.03 | 0.14 | 0.00 |
| *Republic of Korea, Busan | 194 | 1.4 | 0.11 | 0.16 | 0.01 | 182 | 1.2 | 0.09 | 0.13 | 0.01 |
| *Republic of Korea, Daegu | 139 | 1.6 | 0.15 | 0.18 | 0.02 | 116 | 1.2 | 0.14 | 0.12 | 0.01 |
| *Republic of Korea, Daejeon | 99 | 1.9 | 0.20 | 0.24 | 0.03 | 79 | 1.4 | 0.18 | 0.15 | 0.02 |
| *Republic of Korea, Gwangju | 99 | 2.1 | 0.21 | 0.23 | 0.03 | 87 | 1.5 | 0.17 | 0.16 | 0.02 |
| Republic of Korea, Incheon | 197 | 2.0 | 0.14 | 0.21 | 0.02 | 126 | 1.1 | 0.11 | 0.13 | 0.01 |
| Republic of Korea, Jeju | 37 | 1.8 | 0.31 | 0.20 | 0.04 | 47 | 1.9 | 0.32 | 0.17 | 0.03 |
| Republic of Korea, Seoul | 591 | 1.7 | 0.08 | 0.18 | 0.01 | 506 | 1.3 | 0.06 | 0.13 | 0.01 |
| Republic of Korea, Ulsan | 70 | 1.8 | 0.22 | 0.25 | 0.04 | 53 | 1.4 | 0.20 | 0.15 | 0.02 |
| Singapore | 381 | 2.6 | 0.14 | 0.30 | 0.02 | 270 | 1.7 | 0.10 | 0.19 | 0.01 |
| Singapore: Chinese | 282 | 2.4 | 0.14 | 0.27 | 0.02 | 202 | 1.5 | 0.11 | 0.17 | 0.02 |
| Singapore: Indian | 18 | 1.6 | 0.39 | 0.18 | 0.06 | 13 | 1.2 | 0.35 | 0.17 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloproliferative disorders (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 70 | 4.6 | 0.56 | 0.55 | 0.09 | 45 | 2.7 | 0.41 | 0.29 | 0.05 |
| Thailand, Bangkok | 60 | 0.3 | 0.05 | 0.04 | 0.01 | 39 | 0.2 | 0.03 | 0.02 | 0.00 |
| *Thailand, Chiang Mai | 107 | 2.0 | 0.21 | 0.20 | 0.02 | 75 | 1.3 | 0.18 | 0.12 | 0.02 |
| *Thailand, Khon Kaen | 52 | 0.9 | 0.14 | 0.11 | 0.02 | 49 | 0.7 | 0.10 | 0.08 | 0.01 |
| Thailand, Lampang | 6 | 0.2 | 0.08 | 0.03 | 0.02 | 9 | 0.3 | 0.09 | 0.03 | 0.01 |
| Thailand, Lopburi Province | 66 | 3.2 | 0.42 | 0.33 | 0.05 | 64 | 2.9 | 0.40 | 0.26 | 0.04 |
| *Thailand, Songkhla | 18 | 0.4 | 0.10 | 0.05 | 0.02 | 12 | 0.2 | 0.07 | 0.03 | 0.01 |
| Turkey, Antalya | 193 | 3.1 | 0.22 | 0.35 | 0.03 | 174 | 2.6 | 0.20 | 0.30 | 0.03 |
| Turkey, Bursa | 127 | 1.6 | 0.15 | 0.18 | 0.02 | 85 | 1.0 | 0.11 | 0.11 | 0.01 |
| *Turkey, Edirne | 51 | 3.7 | 0.53 | 0.37 | 0.06 | 31 | 1.9 | 0.36 | 0.22 | 0.05 |
| *Turkey, Erzurum | 57 | 3.1 | 0.42 | 0.36 | 0.06 | 52 | 2.7 | 0.38 | 0.28 | 0.04 |
| Turkey, Eskişehir | 61 | 2.5 | 0.33 | 0.25 | 0.04 | 42 | 1.4 | 0.23 | 0.15 | 0.03 |
| Turkey, Gaziantep | 238 | 5.9 | 0.39 | 0.63 | 0.05 | 131 | 3.1 | 0.28 | 0.33 | 0.04 |
| *Turkey, Izmir | 799 | 6.3 | 0.23 | 0.66 | 0.03 | 471 | 3.3 | 0.16 | 0.35 | 0.02 |
| Turkey, Malatya | 14 | 0.7 | 0.19 | 0.10 | 0.03 | 19 | 0.8 | 0.19 | 0.09 | 0.02 |
| Turkey, Samsun | 66 | 1.7 | 0.21 | 0.20 | 0.03 | 50 | 1.2 | 0.17 | 0.15 | 0.02 |
| Turkey, Trabzon | 119 | 5.0 | 0.46 | 0.55 | 0.06 | 84 | 3.3 | 0.38 | 0.36 | 0.04 |
| Europe | | | | | | | | | | |
| Austria | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Austria, Carinthia | 80 | 2.8 | 0.35 | 0.29 | 0.04 | 87 | 2.4 | 0.32 | 0.27 | 0.04 |
| Austria, Tyrol | 94 | 2.8 | 0.31 | 0.31 | 0.04 | 67 | 1.9 | 0.25 | 0.26 | 0.04 |
| Austria, Vorarlberg | 39 | 2.3 | 0.40 | 0.24 | 0.05 | 32 | 1.7 | 0.34 | 0.18 | 0.04 |
| Belarus | 162 | 0.5 | 0.04 | 0.06 | 0.01 | 182 | 0.4 | 0.03 | 0.05 | 0.00 |
| *Belgium | 1876 | 3.6 | 0.09 | 0.41 | 0.01 | 1925 | 3.1 | 0.08 | 0.36 | 0.01 |
| Croatia | 365 | 1.8 | 0.10 | 0.19 | 0.01 | 344 | 1.2 | 0.08 | 0.12 | 0.01 |
| Cyprus | 28 | 0.9 | 0.19 | 0.10 | 0.02 | 27 | 0.8 | 0.18 | 0.08 | 0.02 |
| *Czech Republic | 577 | 1.3 | 0.06 | 0.15 | 0.01 | 666 | 1.2 | 0.05 | 0.14 | 0.01 |
| Denmark | 1475 | 5.7 | 0.16 | 0.65 | 0.02 | 1596 | 5.3 | 0.15 | 0.59 | 0.02 |
| Estonia | 170 | 3.3 | 0.26 | 0.38 | 0.04 | 279 | 3.4 | 0.25 | 0.37 | 0.03 |
| Finland | 763 | 2.9 | 0.12 | 0.32 | 0.01 | 914 | 2.8 | 0.11 | 0.30 | 0.01 |
| *France, Bas-Rhin | 131 | 3.1 | 0.29 | 0.37 | 0.04 | 108 | 2.3 | 0.26 | 0.23 | 0.03 |
| *France, Calvados | 129 | 3.8 | 0.37 | 0.42 | 0.05 | 151 | 3.4 | 0.35 | 0.36 | 0.04 |
| *France, Doubs | 106 | 4.1 | 0.43 | 0.49 | 0.06 | 94 | 2.7 | 0.34 | 0.25 | 0.04 |
| *France, Gironde | 283 | 4.0 | 0.26 | 0.46 | 0.04 | 263 | 2.6 | 0.20 | 0.29 | 0.03 |
| *France, Haut-Rhin | 145 | 4.0 | 0.36 | 0.46 | 0.05 | 141 | 3.2 | 0.32 | 0.36 | 0.04 |
| *France, Hérault | 236 | 4.3 | 0.31 | 0.51 | 0.04 | 203 | 3.3 | 0.28 | 0.37 | 0.03 |
| *France, Isère | 183 | 3.4 | 0.27 | 0.37 | 0.03 | 184 | 2.8 | 0.24 | 0.30 | 0.03 |
| *France, Lille-Métropole | 107 | 3.7 | 0.37 | 0.41 | 0.05 | 147 | 3.3 | 0.32 | 0.33 | 0.04 |
| *France, Limousin | 64 | 3.3 | 0.47 | 0.35 | 0.06 | 57 | 2.1 | 0.35 | 0.24 | 0.05 |
| *France, Loire-Atlantique | 236 | 3.9 | 0.27 | 0.41 | 0.04 | 222 | 2.7 | 0.22 | 0.29 | 0.03 |
| *France, Manche | 88 | 3.2 | 0.39 | 0.36 | 0.05 | 118 | 3.4 | 0.39 | 0.40 | 0.05 |
| *France, Poitou-Charentes | 276 | 2.9 | 0.20 | 0.33 | 0.03 | 225 | 2.1 | 0.18 | 0.25 | 0.02 |
| *France, Somme | 94 | 3.6 | 0.40 | 0.44 | 0.06 | 104 | 3.3 | 0.38 | 0.35 | 0.05 |
| *France, Tarn | 64 | 2.7 | 0.37 | 0.36 | 0.06 | 60 | 2.2 | 0.38 | 0.25 | 0.05 |
| *France, Territoire de Belfort | 21 | 4.1 | 0.97 | 0.56 | 0.15 | 19 | 2.7 | 0.72 | 0.29 | 0.10 |
| *France, Vendée | 131 | 3.4 | 0.33 | 0.39 | 0.05 | 96 | 2.1 | 0.26 | 0.25 | 0.04 |
| Germany, Baden-Württemberg | 952 | 2.9 | 0.10 | 0.33 | 0.01 | 1052 | 2.7 | 0.10 | 0.30 | 0.01 |
| Germany, Bavaria | 1360 | 2.1 | 0.06 | 0.24 | 0.01 | 1368 | 1.8 | 0.06 | 0.21 | 0.01 |
| Germany, Bremen | 69 | 2.0 | 0.26 | 0.23 | 0.04 | 61 | 1.2 | 0.19 | 0.15 | 0.03 |
| Germany, Hamburg | 160 | 2.0 | 0.17 | 0.25 | 0.02 | 190 | 1.9 | 0.16 | 0.24 | 0.02 |
| Germany, Lower Saxony | 1084 | 2.5 | 0.08 | 0.28 | 0.01 | 1201 | 2.5 | 0.09 | 0.27 | 0.01 |
| Germany, North Rhine-Westphalia | 0 | – | 0.00 | – | 0.00 | 1 | 0.0 | 0.00 | 0.00 | 0.00 |
| Germany, Rhineland-Palatinate | 556 | 2.6 | 0.12 | 0.30 | 0.02 | 616 | 2.5 | 0.12 | 0.28 | 0.02 |
| Germany, Saarland | 0 | – | 0.00 | – | 0.00 | 0 | – | 0.00 | – | 0.00 |
| Germany, Schleswig-Holstein | 427 | 2.8 | 0.16 | 0.31 | 0.02 | 450 | 2.5 | 0.15 | 0.29 | 0.02 |
| Iceland | 38 | 3.0 | 0.50 | 0.42 | 0.08 | 27 | 2.3 | 0.47 | 0.25 | 0.06 |
| Ireland | 510 | 2.9 | 0.14 | 0.32 | 0.02 | 446 | 2.3 | 0.12 | 0.26 | 0.02 |
| *Italy, Aosta Valley | 10 | 2.1 | 0.71 | 0.24 | 0.09 | 15 | 2.8 | 0.91 | 0.28 | 0.10 |
| *Italy, Avellino | 25 | 2.2 | 0.52 | 0.19 | 0.05 | 20 | 1.6 | 0.39 | 0.18 | 0.05 |
| Italy, Basilicata | 95 | 3.6 | 0.41 | 0.40 | 0.05 | 70 | 2.1 | 0.31 | 0.21 | 0.03 |
| *Italy, Benevento | 27 | 3.0 | 0.67 | 0.33 | 0.07 | 25 | 2.9 | 0.81 | 0.28 | 0.07 |
| Italy, Bergamo | 101 | 2.0 | 0.21 | 0.25 | 0.03 | 74 | 1.2 | 0.16 | 0.12 | 0.02 |
| *Italy, Brescia | 25 | 0.4 | 0.09 | 0.04 | 0.01 | 15 | 0.2 | 0.06 | 0.02 | 0.01 |
| Italy, Brianza (Lecco and Monza e Brianza) | 16 | 0.4 | 0.12 | 0.05 | 0.02 | 9 | 0.2 | 0.08 | 0.03 | 0.01 |
| Italy, Calabria | 89 | 3.5 | 0.41 | 0.40 | 0.05 | 113 | 4.5 | 0.48 | 0.49 | 0.06 |
| *Italy, Caserta | 84 | 2.9 | 0.34 | 0.31 | 0.04 | 72 | 2.3 | 0.31 | 0.24 | 0.03 |
| *Italy, Catania, Messina, and Enna | 289 | 3.2 | 0.21 | 0.38 | 0.03 | 224 | 2.3 | 0.18 | 0.26 | 0.02 |
| Italy, Emilia-Romagna | 655 | 3.5 | 0.16 | 0.40 | 0.02 | 612 | 3.0 | 0.15 | 0.33 | 0.02 |
| Italy, Friuli-Venezia Giulia | 31 | 0.4 | 0.08 | 0.04 | 0.01 | 10 | 0.1 | 0.04 | 0.01 | 0.01 |
| Italy, Genova | 131 | 3.5 | 0.38 | 0.38 | 0.04 | 113 | 2.3 | 0.32 | 0.22 | 0.03 |
| *Italy, Lombardy, South, Pavia | 87 | 3.0 | 0.38 | 0.36 | 0.05 | 107 | 3.4 | 0.41 | 0.39 | 0.05 |
| Italy, Mantova and Cremona | 82 | 2.3 | 0.29 | 0.25 | 0.04 | 65 | 1.6 | 0.26 | 0.18 | 0.03 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Myeloproliferative disorders (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 219 | 3.7 | 0.30 | 0.41 | 0.03 | 220 | 3.4 | 0.28 | 0.38 | 0.03 |
| Italy, Milan | 222 | 1.3 | 0.11 | 0.13 | 0.01 | 192 | 0.8 | 0.09 | 0.08 | 0.01 |
| Italy, Molise | 23 | 2.1 | 0.48 | 0.24 | 0.07 | 24 | 2.8 | 0.73 | 0.26 | 0.07 |
| *Italy, Naples Centre | 86 | 3.8 | 0.43 | 0.43 | 0.05 | 69 | 2.5 | 0.36 | 0.27 | 0.04 |
| *Italy, Naples North | 59 | 2.1 | 0.28 | 0.20 | 0.03 | 31 | 1.0 | 0.21 | 0.09 | 0.02 |
| *Italy, Naples South | 143 | 3.5 | 0.31 | 0.42 | 0.04 | 113 | 2.4 | 0.25 | 0.24 | 0.03 |
| *Italy, Nuoro | 22 | 3.2 | 0.74 | 0.38 | 0.10 | 27 | 3.5 | 0.77 | 0.48 | 0.11 |
| *Italy, Palermo | 103 | 2.0 | 0.21 | 0.22 | 0.03 | 104 | 1.8 | 0.20 | 0.18 | 0.02 |
| Italy, Puglia | 844 | 4.4 | 0.16 | 0.50 | 0.02 | 783 | 3.6 | 0.15 | 0.40 | 0.02 |
| *Italy, Ragusa and Caltanissetta | 92 | 4.0 | 0.45 | 0.45 | 0.05 | 65 | 2.6 | 0.35 | 0.30 | 0.04 |
| *Italy, Salerno | 112 | 2.7 | 0.29 | 0.30 | 0.04 | 94 | 2.2 | 0.26 | 0.22 | 0.03 |
| Italy, Sassari | 16 | 1.4 | 0.37 | 0.15 | 0.05 | 18 | 1.2 | 0.37 | 0.11 | 0.04 |
| *Italy, Sondrio | 14 | 1.4 | 0.38 | 0.16 | 0.05 | 15 | 1.3 | 0.37 | 0.16 | 0.05 |
| Italy, South Tyrol | 67 | 2.7 | 0.38 | 0.28 | 0.04 | 55 | 1.8 | 0.28 | 0.23 | 0.04 |
| *Italy, Syracuse | 30 | 1.7 | 0.34 | 0.18 | 0.04 | 36 | 2.0 | 0.36 | 0.21 | 0.04 |
| Italy, Trento | 52 | 1.9 | 0.28 | 0.20 | 0.04 | 50 | 1.8 | 0.29 | 0.19 | 0.03 |
| Italy, Turin | 393 | 3.3 | 0.19 | 0.40 | 0.02 | 356 | 2.9 | 0.19 | 0.32 | 0.02 |
| *Italy, Tuscany | 233 | 2.2 | 0.16 | 0.26 | 0.02 | 205 | 1.7 | 0.17 | 0.17 | 0.02 |
| Italy, Umbria | 132 | 3.2 | 0.32 | 0.34 | 0.04 | 114 | 2.2 | 0.29 | 0.25 | 0.03 |
| Italy, Varese | 16 | 0.6 | 0.15 | 0.08 | 0.02 | 10 | 0.4 | 0.18 | 0.04 | 0.02 |
| Italy, Veneto | 600 | 2.5 | 0.12 | 0.29 | 0.01 | 627 | 2.5 | 0.12 | 0.29 | 0.01 |
| Latvia | 39 | 0.5 | 0.09 | 0.07 | 0.01 | 38 | 0.4 | 0.07 | 0.05 | 0.01 |
| *Liechtenstein | 2 | 1.2 | 0.83 | 0.21 | 0.15 | 4 | 2.3 | 1.21 | 0.25 | 0.15 |
| *Lithuania | 411 | 3.6 | 0.19 | 0.41 | 0.03 | 580 | 3.6 | 0.18 | 0.41 | 0.02 |
| Malta | 26 | 1.2 | 0.24 | 0.12 | 0.03 | 19 | 1.1 | 0.29 | 0.09 | 0.02 |
| *The Netherlands | 2636 | 3.3 | 0.07 | 0.39 | 0.01 | 2915 | 3.4 | 0.07 | 0.40 | 0.01 |
| Norway | 793 | 3.6 | 0.14 | 0.41 | 0.02 | 881 | 3.6 | 0.13 | 0.41 | 0.02 |
| Poland, Kielce | 36 | 0.7 | 0.11 | 0.08 | 0.02 | 56 | 0.7 | 0.11 | 0.09 | 0.02 |
| *Portugal, Azores | 23 | 3.0 | 0.65 | 0.38 | 0.10 | 23 | 2.8 | 0.65 | 0.30 | 0.08 |
| Russian Federation, Arkhangelsk | 17 | 1.0 | 0.24 | 0.04 | 0.01 | 10 | 0.6 | 0.20 | 0.03 | 0.01 |
| Russian Federation, Kaliningrad | 11 | 0.8 | 0.26 | 0.04 | 0.01 | 5 | 0.4 | 0.19 | 0.02 | 0.01 |
| Russian Federation, Karelia | 6 | 0.7 | 0.30 | 0.03 | 0.01 | 8 | 1.0 | 0.36 | 0.04 | 0.02 |
| *Russian Federation, Komi Republic | 7 | 0.6 | 0.21 | 0.02 | 0.01 | 2 | 0.2 | 0.12 | 0.01 | 0.00 |
| Russian Federation, Murmansk | 4 | 0.4 | 0.18 | 0.02 | 0.01 | 4 | 0.4 | 0.21 | 0.02 | 0.01 |
| *Russian Federation, Orenburg | 15 | 0.2 | 0.06 | 0.03 | 0.01 | 11 | 0.1 | 0.03 | 0.01 | 0.00 |
| Russian Federation, Pskov | 3 | 0.4 | 0.23 | 0.02 | 0.01 | 8 | 1.1 | 0.40 | 0.05 | 0.02 |
| *Russian Federation, Samara | 40 | 0.4 | 0.06 | 0.04 | 0.01 | 49 | 0.3 | 0.05 | 0.04 | 0.01 |
| Russian Federation, Vologda Region | 8 | 0.4 | 0.16 | 0.02 | 0.01 | 8 | 0.5 | 0.18 | 0.02 | 0.01 |
| Slovenia | 267 | 2.8 | 0.18 | 0.31 | 0.02 | 329 | 2.7 | 0.18 | 0.31 | 0.02 |
| Spain, Asturias | 125 | 3.8 | 0.44 | 0.38 | 0.05 | 120 | 3.4 | 0.55 | 0.30 | 0.04 |
| Spain, Basque Country | 320 | 3.6 | 0.23 | 0.41 | 0.03 | 333 | 2.9 | 0.19 | 0.32 | 0.02 |
| Spain, Canary Islands | 140 | 2.4 | 0.21 | 0.27 | 0.03 | 141 | 2.3 | 0.23 | 0.25 | 0.03 |
| Spain, Castellón | 54 | 1.9 | 0.29 | 0.21 | 0.04 | 52 | 2.0 | 0.30 | 0.24 | 0.04 |
| Spain, Girona | 111 | 3.2 | 0.34 | 0.34 | 0.04 | 103 | 2.5 | 0.30 | 0.25 | 0.04 |
| Spain, Granada | 61 | 1.7 | 0.23 | 0.20 | 0.03 | 61 | 1.5 | 0.21 | 0.18 | 0.03 |
| Spain, La Rioja | 45 | 2.7 | 0.45 | 0.31 | 0.06 | 33 | 2.1 | 0.42 | 0.20 | 0.05 |
| Spain, Murcia | 128 | 2.2 | 0.20 | 0.25 | 0.03 | 122 | 1.9 | 0.19 | 0.21 | 0.02 |
| Spain, Navarra | 75 | 3.3 | 0.41 | 0.37 | 0.05 | 55 | 2.1 | 0.36 | 0.24 | 0.04 |
| Spain, Salamanca | 20 | 0.7 | 0.19 | 0.08 | 0.03 | 21 | 0.8 | 0.22 | 0.09 | 0.03 |
| Spain, Tarragona | 61 | 1.6 | 0.24 | 0.16 | 0.03 | 49 | 1.2 | 0.22 | 0.11 | 0.02 |
| *Sweden | 1328 | 2.9 | 0.09 | 0.32 | 0.01 | 1416 | 2.7 | 0.08 | 0.32 | 0.01 |
| Switzerland, Aargau | 72 | 2.4 | 0.29 | 0.28 | 0.04 | 83 | 2.6 | 0.32 | 0.30 | 0.04 |
| Switzerland, Basel | 49 | 2.1 | 0.32 | 0.24 | 0.04 | 61 | 1.9 | 0.32 | 0.16 | 0.03 |
| Switzerland, Berne Solothurn | 118 | 2.8 | 0.28 | 0.32 | 0.04 | 109 | 2.2 | 0.28 | 0.25 | 0.03 |
| Switzerland, East | 98 | 2.6 | 0.28 | 0.29 | 0.04 | 95 | 2.3 | 0.27 | 0.25 | 0.03 |
| *Switzerland, Fribourg | 48 | 3.6 | 0.54 | 0.46 | 0.08 | 35 | 2.7 | 0.47 | 0.38 | 0.07 |
| Switzerland, Geneva | 53 | 2.7 | 0.40 | 0.31 | 0.05 | 50 | 1.9 | 0.32 | 0.18 | 0.04 |
| *Switzerland, Graubünden and Glarus | 31 | 2.5 | 0.46 | 0.37 | 0.07 | 31 | 2.0 | 0.43 | 0.23 | 0.06 |
| *Switzerland, Lucerne | 50 | 2.0 | 0.30 | 0.22 | 0.04 | 72 | 2.5 | 0.34 | 0.27 | 0.04 |
| *Switzerland, Neuchâtel and Jura | 24 | 2.2 | 0.48 | 0.22 | 0.06 | 12 | 0.9 | 0.28 | 0.10 | 0.04 |
| Switzerland, Ticino | 49 | 2.9 | 0.46 | 0.32 | 0.06 | 57 | 2.3 | 0.38 | 0.25 | 0.05 |
| Switzerland, Valais | 64 | 4.3 | 0.58 | 0.47 | 0.07 | 63 | 3.4 | 0.50 | 0.38 | 0.06 |
| Switzerland, Vaud | 60 | 2.0 | 0.27 | 0.24 | 0.04 | 39 | 0.9 | 0.16 | 0.10 | 0.02 |
| Switzerland, Zurich and Zug | 183 | 2.5 | 0.20 | 0.27 | 0.03 | 189 | 2.2 | 0.18 | 0.24 | 0.02 |
| Ukraine | 793 | 0.7 | 0.03 | 0.08 | 0.00 | 729 | 0.5 | 0.02 | 0.06 | 0.00 |
| UK, England | 7947 | 3.1 | 0.04 | 0.35 | 0.01 | 7940 | 2.6 | 0.03 | 0.29 | 0.00 |
| UK, Northern Ireland | 229 | 3.0 | 0.21 | 0.36 | 0.03 | 271 | 3.2 | 0.22 | 0.31 | 0.03 |
| UK, Scotland | 929 | 3.5 | 0.12 | 0.41 | 0.02 | 987 | 3.1 | 0.11 | 0.35 | 0.01 |
| UK, Wales | 641 | 4.5 | 0.21 | 0.48 | 0.02 | 682 | 4.1 | 0.19 | 0.43 | 0.02 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 1004 | 2.9 | 0.10 | 0.32 | 0.01 | 1047 | 2.7 | 0.10 | 0.29 | 0.01 |
| *Australia, Northern Territory | 27 | 4.0 | 0.78 | 0.45 | 0.11 | 14 | 2.1 | 0.58 | 0.27 | 0.08 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Myeloproliferative disorders (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 25 | 4.4 | 0.89 | 0.50 | 0.12 | 10 | 1.9 | 0.60 | 0.20 | 0.07 |
| *Australia, Northern Territory: Indigenous | 2 | 1.0 | 0.69 | 0.08 | 0.06 | 4 | 3.3 | 1.71 | 0.59 | 0.33 |
| *Australia, Queensland | 892 | 4.6 | 0.16 | 0.53 | 0.02 | 706 | 3.4 | 0.14 | 0.38 | 0.02 |
| Australia, South Australia | 220 | 2.6 | 0.19 | 0.30 | 0.03 | 205 | 2.3 | 0.18 | 0.27 | 0.02 |
| Australia, Tasmania | 40 | 1.8 | 0.32 | 0.19 | 0.04 | 39 | 1.7 | 0.31 | 0.19 | 0.04 |
| *Australia, Victoria | 1018 | 4.1 | 0.14 | 0.45 | 0.02 | 875 | 3.1 | 0.12 | 0.33 | 0.02 |
| *Australia, Western Australia | 234 | 2.3 | 0.16 | 0.23 | 0.02 | 221 | 2.1 | 0.16 | 0.22 | 0.02 |
| *France, New Caledonia | 31 | 3.8 | 0.69 | 0.43 | 0.10 | 25 | 2.9 | 0.60 | 0.30 | 0.08 |
| New Zealand | 421 | 2.1 | 0.11 | 0.24 | 0.02 | 341 | 1.6 | 0.09 | 0.17 | 0.01 |
| *New Zealand: Maori | 48 | 3.4 | 0.51 | 0.31 | 0.06 | 44 | 2.5 | 0.38 | 0.29 | 0.05 |
| *New Zealand: Pacific peoples | 23 | 3.5 | 0.73 | 0.40 | 0.11 | 15 | 2.1 | 0.55 | 0.27 | 0.08 |
| *New Zealand: Other | 337 | 2.0 | 0.12 | 0.24 | 0.02 | 266 | 1.5 | 0.11 | 0.16 | 0.01 |
| USA, Hawaii | 139 | 2.3 | 0.21 | 0.27 | 0.03 | 106 | 1.6 | 0.17 | 0.19 | 0.02 |
| USA, Hawaii: White | 46 | 2.3 | 0.37 | 0.27 | 0.05 | 34 | 1.7 | 0.30 | 0.17 | 0.04 |
| *USA, Hawaii: Japanese | 17 | 1.0 | 0.26 | 0.13 | 0.04 | 14 | 1.1 | 0.58 | 0.09 | 0.04 |
| *USA, Hawaii: Chinese | 4 | 1.2 | 0.76 | 0.12 | 0.09 | 7 | 1.2 | 0.48 | 0.12 | 0.07 |
| *USA, Hawaii: Hawaiian | 22 | 2.4 | 0.51 | 0.27 | 0.07 | 15 | 1.7 | 0.44 | 0.24 | 0.06 |
| *USA, Hawaii: Filipino | 32 | 3.2 | 0.59 | 0.35 | 0.08 | 23 | 2.0 | 0.44 | 0.26 | 0.06 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other and unspecified

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Africa | | | | | | | | | | |
| *Algeria, Batna | 24 | 1.9 | 0.40 | 0.25 | 0.06 | 20 | 1.5 | 0.35 | 0.17 | 0.05 |
| *Algeria, Tizi Ouzou | 52 | 3.4 | 0.50 | 0.43 | 0.07 | 48 | 2.7 | 0.40 | 0.30 | 0.05 |
| *Benin, Cotonou | 8 | 1.2 | 0.47 | 0.08 | 0.04 | 16 | 1.8 | 0.50 | 0.21 | 0.07 |
| *France, La Réunion | 173 | 8.2 | 0.63 | 0.99 | 0.09 | 135 | 4.7 | 0.43 | 0.47 | 0.06 |
| *Kenya, Eldoret | 28 | 2.3 | 0.50 | 0.29 | 0.08 | 30 | 2.7 | 0.53 | 0.33 | 0.08 |
| *Kenya, Nairobi | 89 | 3.3 | 0.44 | 0.38 | 0.07 | 89 | 3.8 | 0.48 | 0.51 | 0.08 |
| Mauritius | 460 | 11.4 | 0.54 | 1.28 | 0.07 | 468 | 10.7 | 0.50 | 1.23 | 0.07 |
| *Morocco, Casablanca | 361 | 3.5 | 0.19 | 0.42 | 0.03 | 282 | 2.4 | 0.15 | 0.26 | 0.02 |
| *Seychelles | 27 | 10.0 | 1.96 | 1.22 | 0.29 | 20 | 5.3 | 1.26 | 0.47 | 0.18 |
| *South Africa, Eastern Cape | 42 | 3.7 | 0.59 | 0.46 | 0.08 | 41 | 2.4 | 0.39 | 0.24 | 0.05 |
| *Uganda, Kyadondo County | 104 | 4.4 | 0.55 | 0.44 | 0.08 | 149 | 6.2 | 0.61 | 0.72 | 0.09 |
| *Uganda, Gulu | 28 | 5.5 | 1.20 | 0.62 | 0.16 | 7 | 1.2 | 0.50 | 0.13 | 0.06 |
| *Zimbabwe, Bulawayo: African | 92 | 11.0 | 1.20 | 1.25 | 0.18 | 100 | 9.2 | 0.97 | 1.00 | 0.14 |
| *Zimbabwe, Harare: African | 173 | 10.6 | 0.90 | 1.25 | 0.14 | 191 | 10.3 | 0.80 | 1.27 | 0.13 |
| Central and South America and the Caribbean | | | | | | | | | | |
| *Argentina, Entre Ríos Province | 264 | 11.7 | 0.73 | 1.28 | 0.10 | 237 | 7.5 | 0.53 | 0.80 | 0.07 |
| *Argentina, Mendoza | 481 | 9.0 | 0.42 | 1.01 | 0.06 | 476 | 7.0 | 0.35 | 0.71 | 0.04 |
| Brazil, Aracaju | 45 | 4.6 | 0.69 | 0.54 | 0.10 | 49 | 3.1 | 0.45 | 0.34 | 0.07 |
| *Brazil, Barretos | 113 | 7.8 | 0.74 | 0.81 | 0.11 | 100 | 5.9 | 0.63 | 0.60 | 0.08 |
| Brazil, Belo Horizonte | 825 | 11.5 | 0.41 | 1.25 | 0.06 | 951 | 9.1 | 0.31 | 0.99 | 0.04 |
| *Brazil, Campinas | 162 | 7.1 | 0.57 | 0.74 | 0.08 | 186 | 5.6 | 0.43 | 0.57 | 0.06 |
| *Brazil, Curitiba | 293 | 7.4 | 0.43 | 0.83 | 0.06 | 345 | 6.0 | 0.34 | 0.63 | 0.05 |
| Brazil, Goiânia | 176 | 6.7 | 0.52 | 0.75 | 0.07 | 178 | 5.0 | 0.38 | 0.57 | 0.06 |
| *Brazil, Jaú | 45 | 10.7 | 1.62 | 1.39 | 0.26 | 37 | 6.3 | 1.10 | 0.63 | 0.15 |
| Brazil, João Pessoa | 136 | 13.2 | 1.15 | 1.30 | 0.15 | 209 | 13.4 | 0.95 | 1.45 | 0.13 |
| Brazil, Recife | 172 | 7.0 | 0.54 | 0.80 | 0.08 | 271 | 6.7 | 0.42 | 0.77 | 0.06 |
| Chile, Region of Antofagasta | 52 | 5.5 | 0.77 | 0.59 | 0.11 | 58 | 5.4 | 0.73 | 0.59 | 0.11 |
| Chile, Valdivia | 114 | 7.7 | 0.75 | 0.74 | 0.10 | 123 | 6.5 | 0.65 | 0.71 | 0.09 |
| Colombia, Bucaramanga | 226 | 7.6 | 0.51 | 0.88 | 0.08 | 273 | 6.8 | 0.43 | 0.73 | 0.06 |
| Colombia, Cali | 577 | 9.7 | 0.41 | 1.05 | 0.06 | 679 | 8.3 | 0.33 | 0.91 | 0.05 |
| Colombia, Manizales | 130 | 9.4 | 0.83 | 0.95 | 0.11 | 151 | 8.0 | 0.68 | 0.83 | 0.09 |
| Colombia, Pasto | 74 | 6.6 | 0.78 | 0.74 | 0.12 | 97 | 6.8 | 0.72 | 0.66 | 0.09 |
| Costa Rica | 503 | 5.0 | 0.23 | 0.53 | 0.03 | 497 | 4.6 | 0.21 | 0.49 | 0.03 |
| Ecuador, Guayaquil | 336 | 6.4 | 0.36 | 0.75 | 0.05 | 348 | 5.8 | 0.32 | 0.66 | 0.05 |
| Ecuador, Manabí | 106 | 3.0 | 0.30 | 0.34 | 0.04 | 114 | 3.2 | 0.30 | 0.36 | 0.04 |
| Ecuador, Quito | 144 | 3.4 | 0.29 | 0.36 | 0.04 | 227 | 4.5 | 0.30 | 0.52 | 0.05 |
| *France, Guadeloupe | 40 | 2.3 | 0.38 | 0.25 | 0.05 | 46 | 2.1 | 0.32 | 0.23 | 0.04 |
| *France, Martinique | 43 | 2.4 | 0.40 | 0.31 | 0.06 | 64 | 2.7 | 0.44 | 0.30 | 0.05 |
| *Peru, Lima | 763 | 5.4 | 0.20 | 0.54 | 0.03 | 1003 | 5.8 | 0.19 | 0.59 | 0.03 |
| *Trinidad and Tobago | 140 | 5.7 | 0.49 | 0.65 | 0.07 | 142 | 5.1 | 0.44 | 0.59 | 0.07 |
| USA, Puerto Rico | 631 | 3.9 | 0.17 | 0.43 | 0.02 | 569 | 2.8 | 0.14 | 0.28 | 0.02 |
| *Uruguay | 1267 | 9.2 | 0.27 | 0.93 | 0.04 | 1285 | 6.0 | 0.20 | 0.61 | 0.03 |
| North America | | | | | | | | | | |
| Canada, Alberta | 701 | 4.2 | 0.17 | 0.41 | 0.02 | 795 | 4.0 | 0.16 | 0.39 | 0.02 |
| Canada, British Columbia | 1004 | 4.0 | 0.14 | 0.42 | 0.02 | 1102 | 3.6 | 0.13 | 0.36 | 0.02 |
| *Canada, Manitoba | 360 | 5.9 | 0.33 | 0.67 | 0.05 | 392 | 5.0 | 0.29 | 0.53 | 0.04 |
| *Canada, New Brunswick | 194 | 4.3 | 0.33 | 0.40 | 0.04 | 209 | 3.4 | 0.26 | 0.36 | 0.04 |
| *Canada, Newfoundland and Labrador | 143 | 5.1 | 0.50 | 0.44 | 0.05 | 186 | 5.3 | 0.46 | 0.50 | 0.06 |
| Canada, Ontario | 950 | 1.6 | 0.06 | 0.17 | 0.01 | 1025 | 1.4 | 0.05 | 0.15 | 0.01 |
| *Canada, Prince Edward Island | 54 | 6.2 | 0.87 | 0.56 | 0.12 | 50 | 5.2 | 1.00 | 0.43 | 0.10 |
| Canada, Quebec | 2981 | 6.5 | 0.13 | 0.62 | 0.02 | 3420 | 5.5 | 0.11 | 0.52 | 0.01 |
| Canada, Saskatchewan | 229 | 4.0 | 0.28 | 0.44 | 0.04 | 262 | 3.5 | 0.25 | 0.35 | 0.04 |
| *Canada, Yukon | 11 | 7.6 | 2.40 | 0.92 | 0.31 | 3 | 1.8 | 1.08 | 0.18 | 0.14 |
| USA | 82377 | 5.8 | 0.02 | 0.64 | 0.00 | 86486 | 4.8 | 0.02 | 0.52 | 0.00 |
| USA: White | 70397 | 5.8 | 0.02 | 0.64 | 0.00 | 72562 | 4.8 | 0.02 | 0.51 | 0.00 |
| USA: Black | 8812 | 6.8 | 0.07 | 0.78 | 0.01 | 10271 | 5.6 | 0.06 | 0.61 | 0.01 |
| USA, NPCR | 79818 | 5.8 | 0.02 | 0.64 | 0.00 | 83880 | 4.9 | 0.02 | 0.52 | 0.00 |
| USA, NPCR: White | 68229 | 5.8 | 0.02 | 0.64 | 0.00 | 70369 | 4.8 | 0.02 | 0.52 | 0.00 |
| USA, NPCR: Black | 8723 | 6.8 | 0.07 | 0.78 | 0.01 | 10167 | 5.6 | 0.06 | 0.61 | 0.01 |
| USA, NPCR: Asian and Pacific Islander | 1911 | 3.2 | 0.07 | 0.33 | 0.01 | 2383 | 3.1 | 0.07 | 0.30 | 0.01 |
| USA, NPCR: American Indian | 527 | 4.7 | 0.20 | 0.54 | 0.03 | 537 | 4.0 | 0.18 | 0.42 | 0.02 |
| *USA, SEER (18 registries) | 20291 | 5.4 | 0.04 | 0.59 | 0.01 | 21643 | 4.5 | 0.03 | 0.49 | 0.00 |
| *USA, SEER (18 registries): White | 16538 | 5.4 | 0.04 | 0.59 | 0.01 | 17291 | 4.6 | 0.04 | 0.49 | 0.01 |
| *USA, SEER (18 registries): Non-Hispanic White | 14272 | 5.5 | 0.05 | 0.60 | 0.01 | 14715 | 4.6 | 0.04 | 0.49 | 0.01 |
| *USA, SEER (18 registries): Hispanic White | 2266 | 5.1 | 0.11 | 0.53 | 0.02 | 2576 | 4.7 | 0.10 | 0.51 | 0.01 |
| *USA, SEER (18 registries): Black | 2178 | 6.5 | 0.14 | 0.72 | 0.02 | 2479 | 5.4 | 0.11 | 0.59 | 0.02 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 1231 | 3.3 | 0.10 | 0.35 | 0.01 | 1549 | 3.2 | 0.09 | 0.31 | 0.01 |
| *USA, SEER (9 registries) | 6274 | 4.8 | 0.06 | 0.51 | 0.01 | 6670 | 4.0 | 0.06 | 0.43 | 0.01 |
| *USA, SEER (9 registries): White | 5033 | 4.8 | 0.07 | 0.51 | 0.01 | 5234 | 4.0 | 0.06 | 0.43 | 0.01 |
| *USA, SEER (9 registries): Black | 637 | 5.7 | 0.23 | 0.62 | 0.03 | 721 | 4.6 | 0.18 | 0.51 | 0.03 |
| USA, Alabama | 1586 | 7.5 | 0.20 | 0.85 | 0.03 | 1546 | 5.9 | 0.17 | 0.63 | 0.02 |
| USA, Alabama: White | 1251 | 7.5 | 0.23 | 0.85 | 0.03 | 1131 | 5.6 | 0.20 | 0.61 | 0.02 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other and unspecified (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Alabama: Black | 299 | 7.3 | 0.42 | 0.86 | 0.06 | 390 | 6.7 | 0.36 | 0.72 | 0.05 |
| USA, Alaska | 185 | 7.0 | 0.52 | 0.77 | 0.07 | 132 | 4.8 | 0.43 | 0.52 | 0.06 |
| *USA, Alaska: Alaska Natives | 36 | 10.8 | 1.81 | 1.29 | 0.28 | 25 | 6.4 | 1.32 | 0.64 | 0.18 |
| USA, Arizona | 2195 | 6.9 | 0.16 | 0.79 | 0.02 | 1998 | 5.4 | 0.14 | 0.59 | 0.02 |
| USA, Arizona: White | 2041 | 7.0 | 0.17 | 0.80 | 0.02 | 1822 | 5.4 | 0.15 | 0.59 | 0.02 |
| USA, Arizona: Black | 74 | 8.0 | 0.93 | 0.99 | 0.15 | 63 | 5.9 | 0.76 | 0.65 | 0.11 |
| *USA, Arizona: Asian and Pacific Islander | 17 | 2.4 | 0.59 | 0.27 | 0.08 | 36 | 3.4 | 0.58 | 0.30 | 0.07 |
| USA, Arizona: American Indian | 54 | 5.6 | 0.78 | 0.48 | 0.10 | 73 | 6.0 | 0.72 | 0.64 | 0.10 |
| USA, Arkansas | 897 | 6.9 | 0.24 | 0.82 | 0.03 | 782 | 4.8 | 0.19 | 0.53 | 0.03 |
| USA, Arkansas: White | 768 | 6.8 | 0.26 | 0.79 | 0.04 | 658 | 4.7 | 0.21 | 0.52 | 0.03 |
| USA, Arkansas: Black | 110 | 8.0 | 0.77 | 1.02 | 0.12 | 114 | 6.1 | 0.39 | 0.69 | 0.09 |
| USA, California | 8631 | 5.4 | 0.06 | 0.59 | 0.01 | 9498 | 4.8 | 0.05 | 0.52 | 0.01 |
| USA, California: White | 7116 | 5.7 | 0.07 | 0.62 | 0.01 | 7649 | 5.0 | 0.06 | 0.55 | 0.01 |
| USA, California: Black | 634 | 7.1 | 0.29 | 0.83 | 0.04 | 693 | 6.0 | 0.24 | 0.67 | 0.03 |
| USA, California: Asian and Pacific Islander | 789 | 3.2 | 0.12 | 0.35 | 0.02 | 1065 | 3.3 | 0.11 | 0.33 | 0.01 |
| *USA, California, Los Angeles County | 1971 | 5.0 | 0.12 | 0.55 | 0.02 | 2219 | 4.4 | 0.10 | 0.49 | 0.01 |
| *USA, California, Los Angeles County: White | 1467 | 5.2 | 0.14 | 0.55 | 0.02 | 1612 | 4.6 | 0.13 | 0.50 | 0.02 |
| *USA, California, Los Angeles County: Non-Hispanic White | 931 | 5.6 | 0.20 | 0.60 | 0.03 | 943 | 4.6 | 0.18 | 0.50 | 0.02 |
| *USA, California, Los Angeles County: Hispanic White | 536 | 4.7 | 0.21 | 0.49 | 0.03 | 669 | 4.5 | 0.18 | 0.49 | 0.03 |
| *USA, California, Los Angeles County: Black | 228 | 6.6 | 0.45 | 0.78 | 0.07 | 268 | 5.6 | 0.37 | 0.62 | 0.05 |
| *USA, California, Los Angeles County: Chinese | 67 | 2.4 | 0.34 | 0.21 | 0.04 | 75 | 2.4 | 0.32 | 0.24 | 0.04 |
| *USA, California, Los Angeles County: Filipino | 52 | 3.6 | 0.51 | 0.49 | 0.09 | 73 | 3.0 | 0.38 | 0.37 | 0.06 |
| *USA, California, Los Angeles County: Korean | 32 | 2.9 | 0.56 | 0.35 | 0.08 | 39 | 2.6 | 0.45 | 0.30 | 0.07 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 244 | 3.5 | 0.24 | 0.40 | 0.03 | 308 | 3.2 | 0.21 | 0.36 | 0.03 |
| *USA, California, San Francisco Bay Area | 915 | 4.3 | 0.15 | 0.46 | 0.02 | 1073 | 4.1 | 0.14 | 0.43 | 0.02 |
| *USA, California, San Francisco Bay Area: White | 630 | 4.5 | 0.19 | 0.47 | 0.03 | 716 | 4.3 | 0.18 | 0.47 | 0.03 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 544 | 4.6 | 0.22 | 0.48 | 0.03 | 593 | 4.3 | 0.21 | 0.47 | 0.03 |
| *USA, California, San Francisco Bay Area: Hispanic White | 86 | 4.0 | 0.45 | 0.45 | 0.07 | 123 | 4.4 | 0.42 | 0.46 | 0.06 |
| *USA, California, San Francisco Bay Area: Black | 123 | 8.0 | 0.73 | 0.91 | 0.11 | 133 | 6.2 | 0.58 | 0.65 | 0.08 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 157 | 2.8 | 0.25 | 0.30 | 0.04 | 215 | 2.9 | 0.23 | 0.28 | 0.03 |
| USA, Colorado | 997 | 4.4 | 0.14 | 0.42 | 0.02 | 1125 | 4.1 | 0.14 | 0.41 | 0.02 |
| USA, Colorado: White | 940 | 4.4 | 0.15 | 0.43 | 0.02 | 1056 | 4.1 | 0.14 | 0.41 | 0.02 |
| *USA, Colorado: Black | 35 | 4.8 | 0.82 | 0.45 | 0.11 | 39 | 4.5 | 0.75 | 0.48 | 0.11 |
| *USA, Colorado: Asian and Pacific Islander | 11 | 2.1 | 0.65 | 0.19 | 0.07 | 24 | 3.1 | 0.69 | 0.19 | 0.06 |
| USA, Connecticut | 761 | 4.5 | 0.18 | 0.47 | 0.02 | 897 | 3.9 | 0.16 | 0.43 | 0.02 |
| USA, Connecticut: White | 681 | 4.4 | 0.18 | 0.47 | 0.03 | 794 | 3.9 | 0.17 | 0.43 | 0.02 |
| USA, Connecticut: Black | 55 | 4.7 | 0.64 | 0.51 | 0.09 | 75 | 4.2 | 0.51 | 0.43 | 0.07 |
| USA, District of Columbia | 154 | 7.2 | 0.60 | 0.87 | 0.08 | 208 | 6.9 | 0.53 | 0.76 | 0.07 |
| USA, District of Columbia: White | 42 | 4.1 | 0.69 | 0.43 | 0.09 | 52 | 4.7 | 0.77 | 0.52 | 0.10 |
| USA, District of Columbia: Black | 109 | 9.7 | 0.96 | 1.25 | 0.14 | 151 | 8.3 | 0.74 | 0.91 | 0.10 |
| USA, Florida | 7347 | 7.0 | 0.09 | 0.80 | 0.01 | 7115 | 5.6 | 0.08 | 0.61 | 0.01 |
| USA, Florida: White | 6405 | 6.9 | 0.10 | 0.80 | 0.01 | 6026 | 5.4 | 0.09 | 0.60 | 0.01 |
| USA, Florida: Black | 763 | 7.4 | 0.27 | 0.86 | 0.04 | 907 | 6.6 | 0.23 | 0.71 | 0.03 |
| USA, Florida: Asian and Pacific Islander | 77 | 3.7 | 0.43 | 0.36 | 0.05 | 68 | 2.7 | 0.37 | 0.28 | 0.04 |
| USA, Georgia | 1970 | 5.1 | 0.12 | 0.54 | 0.02 | 2029 | 4.1 | 0.10 | 0.44 | 0.01 |
| USA, Georgia: White | 1429 | 5.0 | 0.14 | 0.53 | 0.02 | 1428 | 4.1 | 0.12 | 0.43 | 0.02 |
| USA, Georgia: Black | 503 | 5.7 | 0.26 | 0.60 | 0.03 | 565 | 4.4 | 0.19 | 0.47 | 0.03 |
| USA, Georgia: Asian and Pacific Islander | 28 | 2.5 | 0.48 | 0.24 | 0.06 | 32 | 2.4 | 0.43 | 0.24 | 0.06 |
| *USA, Georgia, Atlanta | 506 | 4.3 | 0.19 | 0.43 | 0.03 | 587 | 3.8 | 0.16 | 0.39 | 0.02 |
| *USA, Georgia, Atlanta: White | 291 | 3.9 | 0.24 | 0.39 | 0.03 | 344 | 3.6 | 0.21 | 0.37 | 0.03 |
| *USA, Georgia, Atlanta: Black | 192 | 5.3 | 0.39 | 0.53 | 0.05 | 218 | 4.0 | 0.28 | 0.43 | 0.04 |
| USA, Idaho | 344 | 4.3 | 0.25 | 0.44 | 0.03 | 367 | 4.2 | 0.24 | 0.41 | 0.03 |
| USA, Indiana | 1696 | 5.9 | 0.15 | 0.64 | 0.02 | 1818 | 5.0 | 0.13 | 0.54 | 0.02 |
| USA, Indiana: White | 1576 | 6.0 | 0.16 | 0.65 | 0.02 | 1670 | 5.1 | 0.14 | 0.55 | 0.02 |
| USA, Indiana: Black | 102 | 5.7 | 0.57 | 0.62 | 0.08 | 136 | 5.1 | 0.46 | 0.47 | 0.06 |
| *USA, Iowa | 847 | 5.6 | 0.21 | 0.61 | 0.03 | 873 | 4.6 | 0.19 | 0.49 | 0.03 |
| USA, Kentucky | 1297 | 6.6 | 0.19 | 0.73 | 0.03 | 1299 | 5.2 | 0.16 | 0.56 | 0.02 |
| USA, Louisiana | 1345 | 7.1 | 0.20 | 0.81 | 0.03 | 1299 | 5.6 | 0.17 | 0.63 | 0.02 |
| USA, Louisiana: White | 918 | 6.5 | 0.23 | 0.75 | 0.03 | 853 | 5.1 | 0.19 | 0.58 | 0.03 |
| USA, Louisiana: Black | 408 | 8.8 | 0.44 | 0.99 | 0.06 | 435 | 6.9 | 0.35 | 0.78 | 0.05 |
| *USA, Louisiana, New Orleans | 266 | 7.5 | 0.47 | 0.83 | 0.07 | 290 | 6.5 | 0.41 | 0.75 | 0.06 |
| *USA, Louisiana, New Orleans: White | 156 | 6.6 | 0.55 | 0.73 | 0.08 | 165 | 6.3 | 0.55 | 0.70 | 0.07 |
| *USA, Louisiana, New Orleans: Black | 99 | 8.7 | 0.88 | 0.98 | 0.12 | 120 | 7.2 | 0.68 | 0.89 | 0.10 |
| USA, Maine | 468 | 6.2 | 0.31 | 0.66 | 0.04 | 537 | 5.6 | 0.28 | 0.59 | 0.04 |
| USA, Maryland | 1529 | 6.0 | 0.16 | 0.66 | 0.02 | 1703 | 5.0 | 0.13 | 0.50 | 0.02 |
| USA, Maryland: White | 1047 | 5.7 | 0.19 | 0.61 | 0.03 | 1128 | 4.7 | 0.16 | 0.48 | 0.02 |
| USA, Maryland: Black | 436 | 7.6 | 0.36 | 0.87 | 0.05 | 512 | 5.9 | 0.27 | 0.59 | 0.04 |
| USA, Maryland: Asian and Pacific Islander | 43 | 3.2 | 0.51 | 0.33 | 0.07 | 60 | 3.4 | 0.46 | 0.33 | 0.06 |
| USA, Massachusetts | 1357 | 4.3 | 0.13 | 0.42 | 0.02 | 1641 | 3.9 | 0.12 | 0.39 | 0.02 |
| USA, Massachusetts: White | 1245 | 4.3 | 0.14 | 0.42 | 0.02 | 1498 | 3.9 | 0.13 | 0.39 | 0.02 |
| USA, Massachusetts: Black | 81 | 5.1 | 0.57 | 0.64 | 0.09 | 90 | 4.0 | 0.44 | 0.42 | 0.06 |
| USA, Massachusetts: Asian and Pacific Islander | 27 | 2.1 | 0.40 | 0.19 | 0.05 | 38 | 2.5 | 0.42 | 0.24 | 0.05 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other and unspecified (contd)

| | Male | | | | | Female | | | | |
|---|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, Michigan | 2617 | 5.6 | 0.12 | 0.62 | 0.02 | 2643 | 4.6 | 0.10 | 0.49 | 0.01 |
| USA, Michigan: White | 2274 | 5.6 | 0.12 | 0.61 | 0.02 | 2251 | 4.4 | 0.11 | 0.48 | 0.01 |
| USA, Michigan: Black | 274 | 5.9 | 0.36 | 0.69 | 0.05 | 333 | 5.3 | 0.31 | 0.62 | 0.04 |
| USA, Michigan: Asian and Pacific Islander | 25 | 2.9 | 0.59 | 0.26 | 0.07 | 22 | 2.0 | 0.44 | 0.17 | 0.05 |
| *USA, Michigan, Detroit | 879 | 5.1 | 0.18 | 0.55 | 0.02 | 935 | 4.1 | 0.15 | 0.44 | 0.02 |
| *USA, Michigan, Detroit: White | 661 | 4.9 | 0.20 | 0.52 | 0.03 | 678 | 3.8 | 0.17 | 0.41 | 0.02 |
| *USA, Michigan, Detroit: Black | 196 | 6.0 | 0.44 | 0.68 | 0.06 | 236 | 5.0 | 0.34 | 0.57 | 0.05 |
| USA, Minnesota | 1172 | 4.5 | 0.14 | 0.47 | 0.02 | 1300 | 3.9 | 0.12 | 0.40 | 0.02 |
| USA, Minnesota: White | 1093 | 4.5 | 0.15 | 0.46 | 0.02 | 1204 | 3.8 | 0.13 | 0.38 | 0.02 |
| USA, Minnesota: Black | 43 | 6.7 | 1.07 | 0.99 | 0.20 | 41 | 5.4 | 0.86 | 0.54 | 0.12 |
| *USA, Minnesota: Asian and Pacific Islander | 17 | 3.1 | 0.76 | 0.14 | 0.06 | 32 | 4.6 | 0.84 | 0.47 | 0.12 |
| USA, Mississippi | 799 | 6.4 | 0.24 | 0.74 | 0.03 | 767 | 5.0 | 0.20 | 0.54 | 0.03 |
| USA, Missouri | 1707 | 6.1 | 0.16 | 0.67 | 0.02 | 1850 | 5.1 | 0.14 | 0.55 | 0.02 |
| USA, Missouri: White | 1545 | 6.1 | 0.17 | 0.67 | 0.02 | 1658 | 5.1 | 0.14 | 0.55 | 0.02 |
| USA, Missouri: Black | 142 | 6.8 | 0.57 | 0.78 | 0.08 | 166 | 5.2 | 0.43 | 0.52 | 0.06 |
| USA, Montana | 333 | 6.1 | 0.36 | 0.69 | 0.05 | 357 | 6.2 | 0.39 | 0.67 | 0.05 |
| *USA, Montana: American Indian | 12 | 7.2 | 2.11 | 1.15 | 0.39 | 15 | 6.8 | 1.80 | 0.77 | 0.26 |
| USA, Nebraska | 525 | 6.2 | 0.29 | 0.70 | 0.04 | 607 | 5.6 | 0.27 | 0.59 | 0.04 |
| USA, Nebraska: White | 508 | 6.4 | 0.30 | 0.72 | 0.04 | 573 | 5.5 | 0.27 | 0.59 | 0.04 |
| *USA, Nebraska: Black | 12 | 5.0 | 1.46 | 0.44 | 0.21 | 17 | 5.9 | 1.49 | 0.50 | 0.17 |
| USA, Nevada | 1049 | 8.3 | 0.26 | 0.95 | 0.04 | 968 | 6.8 | 0.23 | 0.75 | 0.03 |
| USA, Nevada: White | 919 | 8.6 | 0.30 | 1.00 | 0.04 | 799 | 6.9 | 0.26 | 0.76 | 0.04 |
| USA, Nevada: Black | 78 | 9.0 | 1.03 | 0.97 | 0.14 | 83 | 8.2 | 0.91 | 0.90 | 0.13 |
| *USA, Nevada: Asian and Pacific Islander | 36 | 3.5 | 0.60 | 0.36 | 0.08 | 64 | 4.4 | 0.57 | 0.52 | 0.08 |
| USA, New Jersey | 2109 | 5.2 | 0.12 | 0.55 | 0.02 | 2455 | 4.4 | 0.10 | 0.46 | 0.01 |
| USA, New Jersey: White | 1757 | 5.2 | 0.13 | 0.55 | 0.02 | 2007 | 4.3 | 0.12 | 0.45 | 0.02 |
| USA, New Jersey: Black | 257 | 6.2 | 0.39 | 0.68 | 0.06 | 341 | 5.6 | 0.32 | 0.60 | 0.04 |
| USA, New Mexico | 562 | 5.7 | 0.25 | 0.63 | 0.04 | 524 | 4.4 | 0.21 | 0.49 | 0.03 |
| USA, New Mexico: White | 509 | 5.6 | 0.26 | 0.62 | 0.04 | 459 | 4.3 | 0.22 | 0.47 | 0.03 |
| USA, New Mexico: Non-Hispanic White | 329 | 5.7 | 0.35 | 0.63 | 0.05 | 258 | 3.8 | 0.28 | 0.43 | 0.04 |
| USA, New Mexico: Hispanic White | 180 | 5.5 | 0.42 | 0.61 | 0.06 | 201 | 5.1 | 0.38 | 0.53 | 0.05 |
| *USA, New Mexico: American Indian | 33 | 5.3 | 0.94 | 0.62 | 0.13 | 43 | 5.2 | 0.81 | 0.58 | 0.12 |
| USA, New York State | 4583 | 5.1 | 0.08 | 0.54 | 0.01 | 5398 | 4.4 | 0.07 | 0.46 | 0.01 |
| USA, New York State: White | 3695 | 5.2 | 0.09 | 0.54 | 0.01 | 4252 | 4.4 | 0.08 | 0.46 | 0.01 |
| USA, New York State: Black | 629 | 5.6 | 0.23 | 0.64 | 0.03 | 899 | 5.2 | 0.19 | 0.57 | 0.03 |
| USA, New York State: Asian and Pacific Islander | 230 | 3.6 | 0.25 | 0.34 | 0.03 | 216 | 2.9 | 0.22 | 0.31 | 0.03 |
| USA, North Carolina | 2417 | 5.6 | 0.12 | 0.60 | 0.02 | 2643 | 4.7 | 0.10 | 0.50 | 0.01 |
| USA, North Carolina: White | 1892 | 5.3 | 0.13 | 0.56 | 0.02 | 2055 | 4.6 | 0.12 | 0.48 | 0.02 |
| USA, North Carolina: Black | 477 | 6.8 | 0.31 | 0.80 | 0.05 | 526 | 5.0 | 0.23 | 0.56 | 0.03 |
| USA, North Carolina: Asian and Pacific Islander | 15 | 2.2 | 0.57 | 0.23 | 0.08 | 26 | 3.0 | 0.59 | 0.28 | 0.07 |
| *USA, North Carolina: American Indian | 20 | 4.3 | 0.97 | 0.69 | 0.17 | 21 | 3.7 | 0.82 | 0.44 | 0.11 |
| USA, North Dakota | 159 | 4.5 | 0.38 | 0.48 | 0.05 | 183 | 4.2 | 0.35 | 0.49 | 0.06 |
| USA, Ohio | 3256 | 6.1 | 0.11 | 0.66 | 0.02 | 3631 | 5.2 | 0.10 | 0.58 | 0.01 |
| USA, Ohio: White | 2916 | 6.1 | 0.12 | 0.66 | 0.02 | 3237 | 5.3 | 0.11 | 0.58 | 0.01 |
| USA, Ohio: Black | 321 | 6.6 | 0.38 | 0.71 | 0.05 | 374 | 5.5 | 0.30 | 0.61 | 0.04 |
| *USA, Ohio: Asian and Pacific Islander | 16 | 2.5 | 0.64 | 0.24 | 0.08 | 13 | 1.5 | 0.42 | 0.19 | 0.06 |
| USA, Oklahoma | 1453 | 8.8 | 0.24 | 1.00 | 0.03 | 1292 | 6.7 | 0.21 | 0.76 | 0.03 |
| USA, Oklahoma: White | 1251 | 8.8 | 0.27 | 0.99 | 0.04 | 1084 | 6.5 | 0.23 | 0.74 | 0.03 |
| USA, Oklahoma: Black | 70 | 8.0 | 0.96 | 1.04 | 0.15 | 76 | 6.9 | 0.82 | 0.82 | 0.12 |
| USA, Oklahoma: American Indian | 113 | 10.1 | 0.96 | 1.20 | 0.14 | 111 | 8.4 | 0.82 | 0.88 | 0.11 |
| USA, Oregon | 1106 | 5.6 | 0.18 | 0.61 | 0.02 | 1122 | 4.6 | 0.16 | 0.50 | 0.02 |
| USA, Oregon: White | 1028 | 5.5 | 0.18 | 0.60 | 0.02 | 1066 | 4.7 | 0.16 | 0.50 | 0.02 |
| *USA, Oregon: Black | 20 | 7.6 | 1.73 | 0.65 | 0.21 | 16 | 5.5 | 1.41 | 0.50 | 0.17 |
| *USA, Oregon: Asian and Pacific Islander | 32 | 5.4 | 0.98 | 0.62 | 0.15 | 24 | 2.7 | 0.57 | 0.24 | 0.08 |
| USA, Rhode Island | 269 | 5.2 | 0.34 | 0.55 | 0.05 | 307 | 4.4 | 0.30 | 0.45 | 0.04 |
| USA, Rhode Island: White | 256 | 5.4 | 0.36 | 0.56 | 0.05 | 290 | 4.5 | 0.32 | 0.44 | 0.04 |
| *USA, Rhode Island: Black | 9 | 4.0 | 1.35 | 0.56 | 0.23 | 9 | 3.9 | 1.35 | 0.75 | 0.27 |
| USA, South Carolina | 1450 | 6.6 | 0.18 | 0.74 | 0.02 | 1442 | 5.3 | 0.15 | 0.60 | 0.02 |
| USA, South Carolina: White | 1114 | 6.5 | 0.21 | 0.73 | 0.03 | 1052 | 5.1 | 0.18 | 0.57 | 0.02 |
| USA, South Carolina: Black | 323 | 7.2 | 0.41 | 0.81 | 0.06 | 375 | 6.0 | 0.33 | 0.68 | 0.05 |
| USA, South Dakota | 227 | 5.7 | 0.40 | 0.63 | 0.06 | 250 | 4.9 | 0.36 | 0.49 | 0.05 |
| USA, Tennessee | 2244 | 7.8 | 0.17 | 0.88 | 0.02 | 2183 | 6.2 | 0.15 | 0.67 | 0.02 |
| USA, Tennessee: White | 1930 | 7.7 | 0.18 | 0.87 | 0.02 | 1841 | 6.1 | 0.16 | 0.66 | 0.02 |
| USA, Tennessee: Black | 298 | 9.3 | 0.54 | 1.05 | 0.08 | 318 | 6.8 | 0.40 | 0.70 | 0.05 |
| USA, Texas | 5484 | 5.6 | 0.08 | 0.62 | 0.01 | 5447 | 4.5 | 0.07 | 0.47 | 0.01 |
| USA, Texas: White | 4744 | 5.6 | 0.08 | 0.63 | 0.01 | 4615 | 4.4 | 0.07 | 0.47 | 0.01 |
| USA, Texas: Black | 604 | 6.5 | 0.27 | 0.74 | 0.04 | 670 | 5.2 | 0.21 | 0.57 | 0.03 |
| USA, Texas: Asian and Pacific Islander | 108 | 2.9 | 0.28 | 0.35 | 0.04 | 135 | 3.0 | 0.26 | 0.28 | 0.03 |
| USA, Utah | 411 | 4.1 | 0.21 | 0.48 | 0.03 | 444 | 3.8 | 0.19 | 0.38 | 0.03 |
| USA, Vermont | 210 | 6.3 | 0.48 | 0.65 | 0.06 | 199 | 4.8 | 0.40 | 0.51 | 0.05 |
| USA, Washington State | 1586 | 5.0 | 0.13 | 0.53 | 0.02 | 1635 | 4.2 | 0.12 | 0.44 | 0.02 |
| *USA, Washington, Seattle | 1004 | 4.6 | 0.15 | 0.48 | 0.02 | 1025 | 3.8 | 0.13 | 0.39 | 0.02 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other and unspecified (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| North America (contd) | | | | | | | | | | |
| USA, West Virginia | 618 | 6.6 | 0.29 | 0.71 | 0.04 | 588 | 5.0 | 0.24 | 0.55 | 0.03 |
| USA, Wyoming | 181 | 7.2 | 0.58 | 0.76 | 0.07 | 173 | 6.1 | 0.52 | 0.68 | 0.07 |
| Asia | | | | | | | | | | |
| Bahrain: Bahrainis | 43 | 3.5 | 0.55 | 0.37 | 0.08 | 57 | 4.8 | 0.66 | 0.53 | 0.10 |
| Brunei Darussalam | 19 | 2.6 | 0.61 | 0.32 | 0.10 | 32 | 3.6 | 0.66 | 0.30 | 0.08 |
| *China, Anfu County | 14 | 1.3 | 0.36 | 0.23 | 0.07 | 7 | 0.7 | 0.26 | 0.07 | 0.03 |
| *China, Anguo City | 24 | 2.5 | 0.57 | 0.22 | 0.05 | 15 | 1.2 | 0.33 | 0.14 | 0.04 |
| *China, Anshan City | 213 | 2.8 | 0.22 | 0.30 | 0.03 | 202 | 2.4 | 0.22 | 0.26 | 0.02 |
| *China, Aohan Banner, Chifeng City | 26 | 1.5 | 0.31 | 0.18 | 0.04 | 20 | 1.4 | 0.36 | 0.12 | 0.03 |
| *China, Arongqi | 30 | 3.8 | 0.79 | 0.38 | 0.08 | 22 | 2.5 | 0.55 | 0.30 | 0.08 |
| *China, Baoding City | 151 | 4.2 | 0.35 | 0.43 | 0.05 | 119 | 3.1 | 0.29 | 0.33 | 0.04 |
| *China, Beijing City | 1190 | 2.9 | 0.11 | 0.27 | 0.01 | 1312 | 2.9 | 0.10 | 0.26 | 0.01 |
| *China, Binhai County | 46 | 1.0 | 0.15 | 0.12 | 0.02 | 48 | 1.1 | 0.16 | 0.10 | 0.02 |
| *China, Cangzhou City | 33 | 2.2 | 0.38 | 0.26 | 0.05 | 36 | 2.4 | 0.46 | 0.22 | 0.05 |
| China, Changfeng County | 98 | 5.7 | 0.60 | 0.66 | 0.08 | 84 | 5.2 | 0.60 | 0.57 | 0.07 |
| China, Changzhou City | 291 | 3.1 | 0.19 | 0.33 | 0.03 | 227 | 2.2 | 0.17 | 0.22 | 0.02 |
| China, Chengdu City | 207 | 5.5 | 0.40 | 0.60 | 0.05 | 163 | 4.3 | 0.37 | 0.43 | 0.04 |
| China, Cixian County | 6 | 0.4 | 0.19 | 0.04 | 0.02 | 5 | 0.2 | 0.11 | 0.02 | 0.01 |
| China, Cixi City | 74 | 1.5 | 0.22 | 0.16 | 0.02 | 76 | 1.4 | 0.16 | 0.15 | 0.02 |
| *China, Dafeng District, Yancheng City | 25 | 0.7 | 0.15 | 0.07 | 0.02 | 18 | 0.5 | 0.12 | 0.06 | 0.02 |
| China, Dalian City | 364 | 3.1 | 0.19 | 0.31 | 0.02 | 342 | 2.5 | 0.17 | 0.22 | 0.02 |
| *China, Dancheng County | 82 | 2.2 | 0.26 | 0.26 | 0.04 | 62 | 1.9 | 0.25 | 0.22 | 0.04 |
| China, Dangtu County | 14 | 0.9 | 0.26 | 0.11 | 0.04 | 20 | 1.5 | 0.40 | 0.15 | 0.05 |
| *China, Danyang City | 108 | 3.1 | 0.31 | 0.33 | 0.04 | 68 | 1.8 | 0.24 | 0.20 | 0.03 |
| *China, Dawukou District, Shizuishan City | 37 | 3.5 | 0.60 | 0.43 | 0.09 | 26 | 2.1 | 0.42 | 0.30 | 0.08 |
| *China, Dehui City | 37 | 1.4 | 0.24 | 0.16 | 0.03 | 43 | 1.3 | 0.21 | 0.16 | 0.03 |
| *China, Donggang County | 93 | 3.3 | 0.35 | 0.38 | 0.05 | 70 | 2.7 | 0.41 | 0.27 | 0.04 |
| *China, Dongguan City | 132 | 3.1 | 0.27 | 0.29 | 0.04 | 157 | 3.3 | 0.29 | 0.33 | 0.04 |
| China, Donghai County | 50 | 1.3 | 0.19 | 0.14 | 0.02 | 63 | 1.7 | 0.21 | 0.18 | 0.03 |
| *China, Dongtai City | 198 | 3.8 | 0.31 | 0.41 | 0.04 | 180 | 3.3 | 0.27 | 0.37 | 0.04 |
| China, Duanzhou District, Zhaoqing City | 72 | 5.6 | 0.68 | 0.66 | 0.10 | 51 | 4.4 | 0.65 | 0.57 | 0.10 |
| *China, Evenki Autonomous Banner | 3 | 0.8 | 0.45 | 0.08 | 0.04 | 4 | 2.7 | 1.57 | 0.27 | 0.14 |
| *China, Faku County | 56 | 3.1 | 0.51 | 0.38 | 0.06 | 45 | 2.5 | 0.41 | 0.28 | 0.05 |
| *China, Fangcheng County | 238 | 10.9 | 0.73 | 1.15 | 0.09 | 219 | 10.9 | 0.76 | 1.11 | 0.09 |
| *China, Feicheng City | 141 | 3.6 | 0.31 | 0.46 | 0.04 | 157 | 3.6 | 0.31 | 0.39 | 0.04 |
| China, Feixi County | 235 | 5.7 | 0.40 | 0.58 | 0.05 | 257 | 7.0 | 0.50 | 0.67 | 0.05 |
| China, Fuqing City | 121 | 4.5 | 0.42 | 0.50 | 0.06 | 118 | 4.3 | 0.42 | 0.46 | 0.05 |
| *China, Ganyu District, Lianyungang City | 51 | 1.3 | 0.19 | 0.13 | 0.02 | 42 | 1.0 | 0.16 | 0.12 | 0.02 |
| *China, Ganzhou District, Zhangye City | 34 | 3.7 | 0.68 | 0.43 | 0.08 | 37 | 4.0 | 0.69 | 0.51 | 0.09 |
| *China, Gaocheng City | 300 | 13.0 | 0.77 | 1.44 | 0.10 | 146 | 5.8 | 0.51 | 0.67 | 0.07 |
| China, Gaomi City | 17 | 0.5 | 0.12 | 0.06 | 0.02 | 20 | 0.5 | 0.11 | 0.05 | 0.02 |
| China, Gong'an County | 36 | 1.1 | 0.19 | 0.14 | 0.03 | 31 | 1.1 | 0.24 | 0.11 | 0.02 |
| *China, Guang'an District, Guang'an City | 39 | 2.3 | 0.39 | 0.26 | 0.05 | 22 | 1.3 | 0.30 | 0.12 | 0.03 |
| China, Guanghan City | 64 | 3.8 | 0.51 | 0.42 | 0.07 | 44 | 2.6 | 0.49 | 0.28 | 0.05 |
| China, Guangzhou City | 1423 | 4.5 | 0.13 | 0.47 | 0.02 | 1166 | 3.2 | 0.10 | 0.33 | 0.01 |
| *China, Guanyun County | 42 | 1.2 | 0.19 | 0.10 | 0.02 | 24 | 0.7 | 0.15 | 0.05 | 0.01 |
| China, Guilin City | 79 | 3.6 | 0.42 | 0.34 | 0.05 | 81 | 3.3 | 0.40 | 0.30 | 0.05 |
| *China, Hai'an City | 46 | 0.8 | 0.12 | 0.10 | 0.02 | 39 | 0.7 | 0.12 | 0.08 | 0.02 |
| China, Hailar District, Hulun Buir City | 18 | 1.4 | 0.34 | 0.11 | 0.04 | 13 | 1.0 | 0.28 | 0.07 | 0.03 |
| China, Haimen District, Nantong City | 60 | 1.2 | 0.17 | 0.14 | 0.02 | 69 | 1.4 | 0.22 | 0.16 | 0.03 |
| China, Haining City | 29 | 0.9 | 0.17 | 0.10 | 0.02 | 21 | 0.6 | 0.14 | 0.05 | 0.02 |
| China, Hangzhou City | 628 | 1.9 | 0.08 | 0.20 | 0.01 | 614 | 1.9 | 0.09 | 0.20 | 0.01 |
| China, Hebi City | 5 | 0.5 | 0.26 | 0.04 | 0.02 | 18 | 1.5 | 0.38 | 0.18 | 0.05 |
| China, Hefei City | 437 | 5.4 | 0.27 | 0.60 | 0.04 | 393 | 4.8 | 0.25 | 0.51 | 0.03 |
| China, Hengdong County | 96 | 5.8 | 0.60 | 0.66 | 0.08 | 56 | 3.5 | 0.48 | 0.40 | 0.07 |
| *China, Hengfeng County | 10 | 1.6 | 0.52 | 0.15 | 0.06 | 8 | 1.5 | 0.54 | 0.19 | 0.07 |
| *China, Hepu County | 136 | 4.4 | 0.39 | 0.50 | 0.05 | 84 | 2.8 | 0.32 | 0.31 | 0.05 |
| China, Honghu City | 19 | 0.6 | 0.15 | 0.07 | 0.02 | 24 | 0.8 | 0.18 | 0.10 | 0.02 |
| China, Hongshan District, Chifeng City | 39 | 3.0 | 0.54 | 0.28 | 0.06 | 22 | 1.5 | 0.33 | 0.17 | 0.05 |
| *China, Hongta District, Yuxi City | 34 | 2.2 | 0.41 | 0.23 | 0.05 | 19 | 1.1 | 0.31 | 0.07 | 0.03 |
| *China, Huaiyin District, Huai'an City | 63 | 1.7 | 0.22 | 0.22 | 0.03 | 44 | 1.2 | 0.20 | 0.13 | 0.02 |
| *China, Jiange County | 28 | 1.8 | 0.34 | 0.20 | 0.05 | 21 | 1.3 | 0.30 | 0.10 | 0.03 |
| China, Jiangmen City | 74 | 3.1 | 0.37 | 0.37 | 0.05 | 73 | 3.1 | 0.42 | 0.32 | 0.05 |
| *China, Jiangyin City | 76 | 1.3 | 0.15 | 0.14 | 0.02 | 65 | 1.0 | 0.13 | 0.09 | 0.02 |
| *China, Jiashan County | 33 | 1.4 | 0.25 | 0.12 | 0.03 | 31 | 1.3 | 0.24 | 0.15 | 0.04 |
| China, Jiayu County | 14 | 2.1 | 0.62 | 0.29 | 0.09 | 11 | 2.2 | 0.84 | 0.18 | 0.06 |
| *China, Jinan City | 201 | 2.2 | 0.17 | 0.22 | 0.02 | 160 | 1.5 | 0.14 | 0.17 | 0.02 |
| *China, Jingtai County | 26 | 3.7 | 0.76 | 0.39 | 0.09 | 12 | 1.9 | 0.56 | 0.27 | 0.09 |
| *China, Jingxian County | 30 | 2.4 | 0.46 | 0.28 | 0.06 | 19 | 2.0 | 0.54 | 0.22 | 0.06 |
| *China, Jintan District, Changzhou City | 116 | 5.1 | 0.51 | 0.61 | 0.07 | 88 | 3.9 | 0.44 | 0.44 | 0.06 |
| *China, Jiulongpo District, Chongqing City | 119 | 4.2 | 0.44 | 0.48 | 0.05 | 91 | 2.6 | 0.30 | 0.26 | 0.04 |
| *China, Jiyuan City | 97 | 5.8 | 0.61 | 0.64 | 0.08 | 101 | 5.6 | 0.57 | 0.62 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other and unspecified (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| China, Kaihua County | 27 | 2.2 | 0.43 | 0.26 | 0.06 | 18 | 1.5 | 0.37 | 0.20 | 0.06 |
| China, Kunshan City | 78 | 2.3 | 0.29 | 0.20 | 0.03 | 82 | 2.2 | 0.29 | 0.20 | 0.03 |
| China, Langzhong City | 56 | 2.9 | 0.39 | 0.35 | 0.05 | 43 | 2.3 | 0.36 | 0.24 | 0.05 |
| *China, Liangshan County | 34 | 1.1 | 0.21 | 0.13 | 0.03 | 32 | 1.1 | 0.23 | 0.10 | 0.02 |
| *China, Lianshui County | 52 | 1.2 | 0.17 | 0.14 | 0.02 | 69 | 1.6 | 0.20 | 0.20 | 0.03 |
| China, Lianyungang City | 71 | 1.8 | 0.22 | 0.18 | 0.03 | 68 | 1.6 | 0.21 | 0.17 | 0.03 |
| China, Linhe District, Bayannur City | 24 | 1.7 | 0.35 | 0.16 | 0.04 | 10 | 0.7 | 0.23 | 0.09 | 0.03 |
| China, Linqu County | 34 | 1.0 | 0.17 | 0.11 | 0.02 | 28 | 0.8 | 0.16 | 0.07 | 0.02 |
| *China, Linzhou City | 102 | 3.0 | 0.31 | 0.33 | 0.04 | 126 | 3.5 | 0.33 | 0.34 | 0.04 |
| China, Liuzhou City | 171 | 4.5 | 0.36 | 0.48 | 0.05 | 122 | 3.0 | 0.29 | 0.29 | 0.04 |
| China, Liyang City | 69 | 1.7 | 0.22 | 0.20 | 0.03 | 68 | 1.5 | 0.23 | 0.12 | 0.02 |
| *China, Longquan City | 14 | 1.6 | 0.55 | 0.15 | 0.05 | 11 | 1.1 | 0.37 | 0.15 | 0.07 |
| China, Lucheng District, Wenzhou City | 32 | 1.5 | 0.28 | 0.19 | 0.04 | 23 | 1.0 | 0.21 | 0.09 | 0.03 |
| China, Luoding City | 135 | 5.5 | 0.49 | 0.57 | 0.07 | 90 | 3.8 | 0.42 | 0.40 | 0.06 |
| *China, Luohe City | 107 | 2.9 | 0.29 | 0.33 | 0.04 | 101 | 2.6 | 0.28 | 0.24 | 0.03 |
| *China, Luoyang City | 113 | 2.7 | 0.27 | 0.25 | 0.03 | 118 | 2.9 | 0.30 | 0.26 | 0.03 |
| *China, Luquan City | 19 | 1.6 | 0.39 | 0.18 | 0.05 | 16 | 1.5 | 0.43 | 0.15 | 0.04 |
| China, Ma'anshan City | 32 | 1.6 | 0.30 | 0.12 | 0.03 | 52 | 2.1 | 0.31 | 0.18 | 0.04 |
| *China, Macheng City | 31 | 1.4 | 0.27 | 0.14 | 0.03 | 26 | 1.0 | 0.20 | 0.08 | 0.03 |
| China, Meihekou City | 67 | 3.1 | 0.43 | 0.32 | 0.05 | 36 | 1.5 | 0.26 | 0.18 | 0.04 |
| *China, Mengjin County | 21 | 2.2 | 0.52 | 0.22 | 0.06 | 24 | 2.3 | 0.54 | 0.25 | 0.06 |
| China, Nangang District, Harbin City | 60 | 1.5 | 0.21 | 0.15 | 0.03 | 81 | 1.9 | 0.25 | 0.21 | 0.03 |
| *China, Nanhai District, Foshan City | 91 | 3.4 | 0.37 | 0.35 | 0.04 | 68 | 1.8 | 0.23 | 0.16 | 0.03 |
| China, Nanhu District, Jiaying City | 61 | 2.5 | 0.38 | 0.24 | 0.04 | 41 | 1.3 | 0.22 | 0.15 | 0.03 |
| *China, Nantong City | 190 | 3.6 | 0.31 | 0.40 | 0.04 | 193 | 3.3 | 0.25 | 0.39 | 0.03 |
| *China, Nanxiong City | 56 | 4.1 | 0.56 | 0.41 | 0.07 | 57 | 3.5 | 0.53 | 0.34 | 0.06 |
| China, Neixiang County | 35 | 1.5 | 0.27 | 0.16 | 0.03 | 22 | 0.9 | 0.19 | 0.09 | 0.03 |
| *China, Qianxi County | 13 | 0.8 | 0.24 | 0.09 | 0.04 | 14 | 0.9 | 0.26 | 0.10 | 0.04 |
| China, Qidong City | 35 | 0.5 | 0.10 | 0.06 | 0.01 | 34 | 0.5 | 0.09 | 0.06 | 0.01 |
| China, Qingzhou City | 72 | 2.2 | 0.28 | 0.25 | 0.04 | 47 | 1.3 | 0.19 | 0.15 | 0.03 |
| *China, Rudong County | 135 | 2.0 | 0.19 | 0.19 | 0.02 | 105 | 1.6 | 0.19 | 0.18 | 0.02 |
| *China, Rugao City | 95 | 1.4 | 0.16 | 0.15 | 0.02 | 98 | 1.3 | 0.16 | 0.14 | 0.02 |
| *China, Rural areas of Shanghai City | 1575 | 3.3 | 0.10 | 0.32 | 0.01 | 1549 | 2.7 | 0.09 | 0.25 | 0.01 |
| China, Ruyang County | 40 | 3.1 | 0.49 | 0.30 | 0.07 | 36 | 2.9 | 0.50 | 0.23 | 0.05 |
| *China, Shan County | 30 | 1.3 | 0.24 | 0.16 | 0.04 | 28 | 1.0 | 0.20 | 0.12 | 0.03 |
| China, Shanghai City | 1479 | 3.7 | 0.12 | 0.36 | 0.01 | 1603 | 3.3 | 0.12 | 0.30 | 0.01 |
| China, Shangyu District, Shaoxing City | 24 | 0.9 | 0.26 | 0.08 | 0.02 | 36 | 1.3 | 0.33 | 0.10 | 0.02 |
| *China, Shapingba District, Chongqing City | 67 | 2.1 | 0.29 | 0.22 | 0.03 | 71 | 2.1 | 0.33 | 0.20 | 0.03 |
| China, Shexian County | 9 | 0.6 | 0.21 | 0.06 | 0.02 | 25 | 1.9 | 0.39 | 0.19 | 0.05 |
| China, Sheyang County | 18 | 0.5 | 0.13 | 0.05 | 0.01 | 22 | 0.5 | 0.11 | 0.05 | 0.01 |
| *China, Shijiazhuang City | 318 | 6.2 | 0.37 | 0.72 | 0.05 | 329 | 6.3 | 0.38 | 0.69 | 0.05 |
| China, Shunde District, Foshan City | 359 | 10.4 | 0.56 | 1.22 | 0.08 | 292 | 6.8 | 0.42 | 0.72 | 0.05 |
| *China, Song County | 19 | 1.3 | 0.31 | 0.13 | 0.03 | 13 | 1.1 | 0.31 | 0.12 | 0.04 |
| China, Suzhou City | 625 | 3.9 | 0.17 | 0.43 | 0.02 | 531 | 3.1 | 0.15 | 0.32 | 0.02 |
| *China, Tengzhou City | 32 | 0.6 | 0.11 | 0.05 | 0.01 | 30 | 0.5 | 0.09 | 0.06 | 0.01 |
| *China, Wangdu County | 33 | 5.2 | 0.95 | 0.65 | 0.13 | 23 | 4.1 | 0.97 | 0.45 | 0.11 |
| *China, Wanxian County | 36 | 3.2 | 0.54 | 0.35 | 0.07 | 18 | 1.7 | 0.42 | 0.21 | 0.06 |
| *China, Wu'an City | 85 | 3.6 | 0.42 | 0.44 | 0.06 | 64 | 2.9 | 0.38 | 0.35 | 0.05 |
| China, Wuhan City | 690 | 3.0 | 0.12 | 0.31 | 0.02 | 697 | 2.8 | 0.11 | 0.29 | 0.02 |
| *China, Wuhu City | 194 | 3.6 | 0.28 | 0.42 | 0.04 | 145 | 2.6 | 0.23 | 0.33 | 0.03 |
| China, Wuxi City | 220 | 1.7 | 0.13 | 0.18 | 0.02 | 253 | 2.1 | 0.17 | 0.20 | 0.02 |
| China, Wuzhou City | 34 | 1.7 | 0.31 | 0.18 | 0.04 | 31 | 1.6 | 0.32 | 0.14 | 0.03 |
| China, Xiangfu District, Kaifeng City | 19 | 1.0 | 0.22 | 0.11 | 0.03 | 19 | 1.0 | 0.22 | 0.14 | 0.04 |
| China, Xianju County | 50 | 2.5 | 0.36 | 0.32 | 0.06 | 30 | 1.4 | 0.26 | 0.14 | 0.03 |
| *China, Xin'an County | 40 | 3.8 | 0.61 | 0.43 | 0.08 | 26 | 2.1 | 0.42 | 0.17 | 0.05 |
| *China, Xining City | 124 | 6.0 | 0.58 | 0.56 | 0.06 | 102 | 4.0 | 0.42 | 0.37 | 0.05 |
| *China, Xinji City | 86 | 3.1 | 0.35 | 0.39 | 0.05 | 82 | 3.4 | 0.43 | 0.34 | 0.04 |
| *China, Xinluo District, Longyan City | 69 | 6.1 | 0.80 | 0.64 | 0.10 | 64 | 5.6 | 0.80 | 0.50 | 0.08 |
| *China, Xinzhou District, Shangrao City | 37 | 2.9 | 0.51 | 0.26 | 0.06 | 33 | 2.4 | 0.42 | 0.22 | 0.05 |
| China, Xiping County | 46 | 2.0 | 0.31 | 0.18 | 0.03 | 44 | 1.6 | 0.27 | 0.15 | 0.03 |
| *China, Xishui District, Kunming City | 9 | 0.5 | 0.18 | 0.05 | 0.02 | 18 | 1.3 | 0.38 | 0.15 | 0.04 |
| *China, Xuyi County | 29 | 1.2 | 0.22 | 0.15 | 0.03 | 19 | 0.7 | 0.17 | 0.08 | 0.03 |
| *China, Ya'an City | 144 | 2.9 | 0.25 | 0.31 | 0.03 | 135 | 2.6 | 0.23 | 0.28 | 0.03 |
| *China, Yakeshi City | 26 | 1.7 | 0.37 | 0.18 | 0.05 | 30 | 1.9 | 0.35 | 0.20 | 0.04 |
| China, Yancheng City | 145 | 2.5 | 0.22 | 0.27 | 0.03 | 119 | 2.0 | 0.20 | 0.23 | 0.03 |
| *China, Yangquan City | 65 | 2.8 | 0.36 | 0.32 | 0.05 | 34 | 1.5 | 0.27 | 0.14 | 0.03 |
| *China, Yangzhong City | 5 | 0.5 | 0.27 | 0.05 | 0.02 | 4 | 0.3 | 0.16 | 0.03 | 0.02 |
| *China, Yanji City | 39 | 1.9 | 0.30 | 0.20 | 0.04 | 30 | 1.5 | 0.34 | 0.16 | 0.04 |
| *China, Yanshi City | 28 | 1.3 | 0.24 | 0.13 | 0.03 | 40 | 1.8 | 0.31 | 0.19 | 0.04 |
| China, Yanting County | 63 | 3.3 | 0.43 | 0.37 | 0.05 | 39 | 2.2 | 0.38 | 0.21 | 0.04 |
| *China, Yi'an District, Tongling City | 51 | 5.4 | 0.77 | 0.66 | 0.10 | 51 | 5.8 | 0.89 | 0.68 | 0.11 |
| *China, Yingdong District, Fuyang City | 30 | 1.4 | 0.27 | 0.14 | 0.03 | 39 | 2.0 | 0.32 | 0.20 | 0.04 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other and unspecified (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 6 | 0.6 | 0.25 | 0.06 | 0.03 | 10 | 1.0 | 0.31 | 0.13 | 0.05 |
| *China, Yiyuan County | 15 | 0.8 | 0.21 | 0.10 | 0.04 | 24 | 1.2 | 0.26 | 0.12 | 0.03 |
| China, Yong'an City | 72 | 5.0 | 0.61 | 0.57 | 0.09 | 45 | 3.7 | 0.61 | 0.41 | 0.08 |
| *China, Yongding District, Longyan City | 53 | 3.2 | 0.45 | 0.35 | 0.06 | 36 | 2.1 | 0.37 | 0.22 | 0.05 |
| China, Yongkang City | 67 | 2.9 | 0.39 | 0.30 | 0.05 | 56 | 2.0 | 0.28 | 0.18 | 0.04 |
| *China, Yucheng County | 83 | 4.6 | 0.52 | 0.50 | 0.06 | 100 | 5.2 | 0.54 | 0.55 | 0.07 |
| China, Yueyanglou District, Yueyang City | 8 | 0.7 | 0.24 | 0.07 | 0.03 | 7 | 0.9 | 0.39 | 0.06 | 0.02 |
| China, Yunmeng County | 31 | 2.1 | 0.41 | 0.17 | 0.04 | 34 | 2.2 | 0.40 | 0.22 | 0.04 |
| *China, Yunyang District, Shiyuan City | 20 | 2.0 | 0.45 | 0.31 | 0.08 | 21 | 2.0 | 0.45 | 0.24 | 0.06 |
| China, Yuzhong District, Chongqing City | 63 | 2.7 | 0.36 | 0.29 | 0.05 | 83 | 3.2 | 0.43 | 0.34 | 0.06 |
| *China, Zhanhuang County | 10 | 1.4 | 0.46 | 0.12 | 0.05 | 14 | 1.7 | 0.46 | 0.23 | 0.07 |
| *China, Zhangjiagang City | 58 | 1.3 | 0.19 | 0.12 | 0.02 | 51 | 0.8 | 0.12 | 0.09 | 0.02 |
| *China, Zhaoyuan City | 37 | 1.4 | 0.27 | 0.14 | 0.03 | 36 | 1.1 | 0.19 | 0.10 | 0.02 |
| *China, Zhengding County | 52 | 3.9 | 0.56 | 0.52 | 0.09 | 39 | 2.5 | 0.40 | 0.23 | 0.05 |
| *China, Zhongshan City | 193 | 3.8 | 0.28 | 0.49 | 0.04 | 126 | 2.1 | 0.20 | 0.23 | 0.03 |
| China, Zhongxiang City | 62 | 1.9 | 0.24 | 0.19 | 0.03 | 47 | 1.4 | 0.22 | 0.16 | 0.03 |
| *China, Zhuanghe City | 131 | 2.9 | 0.27 | 0.32 | 0.04 | 102 | 2.3 | 0.24 | 0.25 | 0.03 |
| *China, Zhuhai City | 101 | 2.9 | 0.30 | 0.35 | 0.05 | 89 | 2.5 | 0.29 | 0.22 | 0.04 |
| India, Ahmedabad, Urban | 716 | 6.2 | 0.24 | 0.75 | 0.03 | 376 | 3.3 | 0.17 | 0.38 | 0.02 |
| India, Aurangabad | 58 | 2.2 | 0.29 | 0.26 | 0.04 | 33 | 1.2 | 0.21 | 0.13 | 0.03 |
| India, Bangalore | 1163 | 10.1 | 0.31 | 1.17 | 0.04 | 896 | 8.0 | 0.27 | 0.89 | 0.04 |
| India, Barshi, Paranda, and Bhum | 59 | 3.9 | 0.52 | 0.45 | 0.07 | 38 | 2.8 | 0.47 | 0.33 | 0.06 |
| *India, Bhopal | 122 | 4.7 | 0.43 | 0.53 | 0.06 | 64 | 2.6 | 0.32 | 0.29 | 0.05 |
| India, Chandigarh | 90 | 3.9 | 0.42 | 0.54 | 0.07 | 51 | 2.4 | 0.35 | 0.26 | 0.05 |
| *India, Chennai | 774 | 6.3 | 0.23 | 0.70 | 0.03 | 679 | 5.3 | 0.21 | 0.62 | 0.03 |
| India, Dibrugarh | 129 | 4.5 | 0.41 | 0.51 | 0.06 | 76 | 2.6 | 0.31 | 0.28 | 0.04 |
| *India, Dindigul, Ambilikai | 419 | 6.8 | 0.33 | 0.74 | 0.04 | 401 | 6.3 | 0.31 | 0.66 | 0.04 |
| India, Kamrup Urban District | 307 | 12.5 | 0.73 | 1.44 | 0.10 | 167 | 7.6 | 0.61 | 1.00 | 0.10 |
| India, Kollam | 569 | 8.9 | 0.38 | 1.08 | 0.06 | 445 | 5.7 | 0.28 | 0.70 | 0.04 |
| *India, Manipur | 158 | 3.4 | 0.28 | 0.44 | 0.05 | 117 | 2.3 | 0.22 | 0.29 | 0.03 |
| India, Meghalaya | 362 | 13.1 | 0.73 | 1.51 | 0.10 | 184 | 5.9 | 0.46 | 0.70 | 0.07 |
| India, Mizoram | 336 | 20.0 | 1.12 | 2.22 | 0.16 | 273 | 16.4 | 1.02 | 1.90 | 0.15 |
| India, Mumbai | 1684 | 5.4 | 0.13 | 0.64 | 0.02 | 1475 | 4.9 | 0.13 | 0.57 | 0.02 |
| *India, New Delhi | 1598 | 7.5 | 0.19 | 0.92 | 0.03 | 1077 | 5.2 | 0.16 | 0.60 | 0.02 |
| India, Poona | 454 | 3.7 | 0.18 | 0.42 | 0.03 | 424 | 3.6 | 0.18 | 0.41 | 0.02 |
| *India, Sangrur District | 201 | 7.6 | 0.54 | 0.93 | 0.08 | 113 | 4.5 | 0.42 | 0.52 | 0.06 |
| India, SAS Nagar | 119 | 4.9 | 0.46 | 0.60 | 0.06 | 88 | 3.8 | 0.41 | 0.43 | 0.05 |
| *India, Tamil Nadu | 11511 | 5.8 | 0.05 | 0.66 | 0.01 | 9002 | 4.3 | 0.05 | 0.48 | 0.01 |
| *India, Tripura | 392 | 6.1 | 0.31 | 0.79 | 0.05 | 189 | 2.8 | 0.21 | 0.33 | 0.03 |
| India, Trivandrum | 1115 | 13.9 | 0.42 | 1.60 | 0.06 | 967 | 10.1 | 0.33 | 1.17 | 0.05 |
| India, Wardha | 56 | 1.5 | 0.21 | 0.18 | 0.03 | 30 | 0.8 | 0.14 | 0.11 | 0.02 |
| India, West Arunachal | 10 | 0.9 | 0.33 | 0.12 | 0.06 | 3 | 0.3 | 0.23 | 0.04 | 0.03 |
| *Iran (Islamic Republic of), Ardabil Province | 77 | 4.2 | 0.49 | 0.44 | 0.07 | 79 | 4.2 | 0.48 | 0.46 | 0.07 |
| *Iran (Islamic Republic of), Golestan Province | 120 | 5.1 | 0.48 | 0.52 | 0.06 | 95 | 3.8 | 0.40 | 0.42 | 0.05 |
| Israel | 2242 | 7.7 | 0.17 | 0.77 | 0.02 | 2270 | 6.1 | 0.14 | 0.58 | 0.02 |
| *Israel: Jews | 1877 | 7.3 | 0.18 | 0.73 | 0.03 | 1983 | 6.2 | 0.16 | 0.57 | 0.02 |
| *Israel: Arabs | 250 | 8.6 | 0.56 | 0.95 | 0.08 | 189 | 5.6 | 0.41 | 0.58 | 0.06 |
| Japan | 13393 | 2.6 | 0.03 | 0.26 | 0.00 | 16042 | 2.4 | 0.03 | 0.24 | 0.00 |
| Japan, Aichi Prefecture | 687 | 2.5 | 0.11 | 0.24 | 0.01 | 756 | 2.1 | 0.11 | 0.19 | 0.01 |
| *Japan, Akita Prefecture | 164 | 3.1 | 0.37 | 0.30 | 0.04 | 176 | 2.6 | 0.37 | 0.25 | 0.03 |
| Japan, Aomori Prefecture | 273 | 3.0 | 0.24 | 0.30 | 0.03 | 356 | 2.6 | 0.19 | 0.29 | 0.02 |
| Japan, Gunma Prefecture | 184 | 2.0 | 0.17 | 0.20 | 0.02 | 215 | 2.0 | 0.19 | 0.20 | 0.02 |
| Japan, Hiroshima Prefecture | 337 | 2.3 | 0.17 | 0.24 | 0.02 | 466 | 2.4 | 0.16 | 0.26 | 0.02 |
| Japan, Miyagi Prefecture | 402 | 2.4 | 0.14 | 0.23 | 0.02 | 419 | 1.8 | 0.13 | 0.19 | 0.02 |
| Japan, Osaka Prefecture | 872 | 2.6 | 0.11 | 0.26 | 0.01 | 1032 | 2.3 | 0.10 | 0.23 | 0.01 |
| Kuwait | 144 | 2.1 | 0.22 | 0.23 | 0.03 | 146 | 3.5 | 0.31 | 0.41 | 0.05 |
| *Kuwait: Kuwaitis | 61 | 3.1 | 0.42 | 0.36 | 0.06 | 82 | 3.6 | 0.40 | 0.39 | 0.06 |
| *Kuwait: Non-Kuwaitis | 83 | 1.9 | 0.34 | 0.16 | 0.03 | 64 | 3.5 | 0.54 | 0.47 | 0.09 |
| *Philippines, Manila | 864 | 8.4 | 0.31 | 0.99 | 0.05 | 1022 | 7.3 | 0.23 | 0.83 | 0.03 |
| *Qatar: Qatari | 6 | 1.1 | 0.51 | 0.09 | 0.06 | 9 | 2.2 | 0.77 | 0.27 | 0.12 |
| Republic of Korea | 4205 | 2.2 | 0.04 | 0.21 | 0.00 | 4407 | 1.8 | 0.03 | 0.17 | 0.00 |
| *Republic of Korea, Busan | 347 | 2.5 | 0.16 | 0.26 | 0.02 | 326 | 1.8 | 0.11 | 0.19 | 0.01 |
| *Republic of Korea, Daegu | 213 | 2.4 | 0.18 | 0.25 | 0.02 | 221 | 1.7 | 0.13 | 0.16 | 0.02 |
| *Republic of Korea, Daejeon | 91 | 1.9 | 0.21 | 0.16 | 0.02 | 102 | 1.6 | 0.18 | 0.17 | 0.02 |
| *Republic of Korea, Gwangju | 100 | 2.1 | 0.23 | 0.22 | 0.03 | 126 | 1.9 | 0.19 | 0.18 | 0.02 |
| Republic of Korea, Incheon | 220 | 2.2 | 0.15 | 0.24 | 0.02 | 262 | 2.0 | 0.14 | 0.22 | 0.02 |
| Republic of Korea, Jeju | 57 | 2.5 | 0.35 | 0.23 | 0.04 | 38 | 1.0 | 0.19 | 0.11 | 0.03 |
| Republic of Korea, Seoul | 688 | 2.0 | 0.08 | 0.18 | 0.01 | 723 | 1.8 | 0.08 | 0.17 | 0.01 |
| Republic of Korea, Ulsan | 58 | 1.6 | 0.23 | 0.17 | 0.03 | 70 | 1.6 | 0.22 | 0.14 | 0.02 |
| Singapore | 433 | 2.9 | 0.14 | 0.27 | 0.02 | 464 | 2.5 | 0.12 | 0.24 | 0.02 |
| Singapore: Chinese | 360 | 3.0 | 0.17 | 0.29 | 0.02 | 390 | 2.5 | 0.14 | 0.23 | 0.02 |
| Singapore: Indian | 30 | 2.6 | 0.49 | 0.23 | 0.06 | 18 | 1.8 | 0.42 | 0.21 | 0.07 |

*Important. See note on population page.

Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%) rates and standard errors

Other and unspecified (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Asia (contd) | | | | | | | | | | |
| Singapore: Malay | 38 | 2.7 | 0.44 | 0.22 | 0.06 | 46 | 2.6 | 0.40 | 0.30 | 0.06 |
| Thailand, Bangkok | 731 | 4.3 | 0.16 | 0.50 | 0.02 | 685 | 3.2 | 0.13 | 0.35 | 0.02 |
| *Thailand, Chiang Mai | 301 | 5.4 | 0.32 | 0.65 | 0.05 | 243 | 3.6 | 0.24 | 0.43 | 0.04 |
| *Thailand, Khon Kaen | 329 | 5.5 | 0.31 | 0.63 | 0.04 | 225 | 3.1 | 0.21 | 0.36 | 0.03 |
| Thailand, Lampang | 123 | 4.2 | 0.42 | 0.50 | 0.06 | 113 | 3.2 | 0.31 | 0.41 | 0.05 |
| Thailand, Lopburi Province | 135 | 5.8 | 0.51 | 0.60 | 0.07 | 111 | 4.2 | 0.41 | 0.43 | 0.05 |
| *Thailand, Songkhla | 231 | 5.5 | 0.37 | 0.68 | 0.06 | 154 | 2.9 | 0.25 | 0.33 | 0.03 |
| Turkey, Antalya | 213 | 3.5 | 0.24 | 0.40 | 0.04 | 166 | 2.4 | 0.19 | 0.27 | 0.03 |
| Turkey, Bursa | 447 | 5.6 | 0.27 | 0.68 | 0.04 | 295 | 3.0 | 0.18 | 0.32 | 0.03 |
| *Turkey, Edirne | 132 | 8.3 | 0.75 | 1.01 | 0.11 | 77 | 4.2 | 0.51 | 0.50 | 0.07 |
| *Turkey, Erzurum | 67 | 3.5 | 0.43 | 0.39 | 0.06 | 77 | 3.5 | 0.41 | 0.39 | 0.06 |
| Turkey, Eskişehir | 126 | 4.6 | 0.41 | 0.58 | 0.07 | 93 | 2.9 | 0.31 | 0.34 | 0.04 |
| Turkey, Gaziantep | 171 | 5.0 | 0.39 | 0.56 | 0.06 | 150 | 3.7 | 0.31 | 0.41 | 0.05 |
| *Turkey, Izmir | 791 | 5.9 | 0.21 | 0.64 | 0.03 | 665 | 4.0 | 0.16 | 0.46 | 0.02 |
| Turkey, Malatya | 75 | 3.2 | 0.38 | 0.34 | 0.05 | 72 | 2.7 | 0.34 | 0.30 | 0.05 |
| Turkey, Samsun | 247 | 5.8 | 0.37 | 0.67 | 0.06 | 164 | 3.2 | 0.26 | 0.33 | 0.04 |
| Turkey, Trabzon | 126 | 4.8 | 0.43 | 0.49 | 0.06 | 99 | 2.7 | 0.29 | 0.29 | 0.04 |
| Europe | | | | | | | | | | |
| Austria | 2630 | 6.1 | 0.13 | 0.68 | 0.02 | 2692 | 4.8 | 0.11 | 0.49 | 0.01 |
| Austria, Carinthia | 131 | 4.0 | 0.38 | 0.43 | 0.05 | 91 | 2.1 | 0.27 | 0.22 | 0.03 |
| Austria, Tyrol | 119 | 3.2 | 0.33 | 0.35 | 0.04 | 147 | 2.9 | 0.28 | 0.29 | 0.04 |
| Austria, Vorarlberg | 74 | 3.7 | 0.46 | 0.32 | 0.06 | 95 | 3.3 | 0.46 | 0.25 | 0.05 |
| Belarus | 2231 | 7.0 | 0.15 | 0.83 | 0.02 | 2002 | 3.9 | 0.10 | 0.44 | 0.01 |
| *Belgium | 2465 | 4.4 | 0.10 | 0.51 | 0.01 | 2367 | 3.4 | 0.08 | 0.37 | 0.01 |
| Croatia | 1415 | 6.9 | 0.20 | 0.77 | 0.03 | 1553 | 4.8 | 0.14 | 0.50 | 0.02 |
| Cyprus | 145 | 3.6 | 0.31 | 0.38 | 0.05 | 151 | 3.3 | 0.30 | 0.34 | 0.04 |
| *Czech Republic | 3954 | 8.0 | 0.13 | 0.92 | 0.02 | 3926 | 5.7 | 0.11 | 0.63 | 0.01 |
| Denmark | 2258 | 7.8 | 0.17 | 0.88 | 0.02 | 2720 | 8.0 | 0.17 | 0.93 | 0.02 |
| Estonia | 368 | 6.6 | 0.36 | 0.75 | 0.05 | 430 | 3.9 | 0.25 | 0.41 | 0.03 |
| Finland | 1642 | 5.2 | 0.14 | 0.55 | 0.02 | 2046 | 4.3 | 0.12 | 0.42 | 0.02 |
| *France, Bas-Rhin | 237 | 5.4 | 0.38 | 0.56 | 0.05 | 271 | 4.5 | 0.34 | 0.46 | 0.05 |
| *France, Calvados | 217 | 5.8 | 0.43 | 0.65 | 0.06 | 208 | 3.9 | 0.38 | 0.38 | 0.04 |
| *France, Doubs | 120 | 4.2 | 0.42 | 0.46 | 0.06 | 106 | 2.6 | 0.32 | 0.24 | 0.04 |
| *France, Gironde | 367 | 4.9 | 0.28 | 0.53 | 0.04 | 317 | 2.9 | 0.20 | 0.31 | 0.03 |
| *France, Haut-Rhin | 179 | 4.5 | 0.37 | 0.52 | 0.05 | 168 | 3.0 | 0.30 | 0.28 | 0.04 |
| *France, Hérault | 261 | 4.4 | 0.31 | 0.47 | 0.04 | 231 | 2.7 | 0.25 | 0.25 | 0.03 |
| *France, Isère | 286 | 4.7 | 0.30 | 0.51 | 0.04 | 243 | 2.7 | 0.22 | 0.28 | 0.03 |
| *France, Lille-Métropole | 195 | 6.5 | 0.49 | 0.66 | 0.06 | 150 | 3.4 | 0.34 | 0.35 | 0.04 |
| *France, Limousin | 166 | 7.3 | 0.67 | 0.75 | 0.08 | 131 | 3.7 | 0.44 | 0.40 | 0.06 |
| *France, Loire-Atlantique | 324 | 4.9 | 0.29 | 0.55 | 0.04 | 319 | 3.0 | 0.22 | 0.30 | 0.03 |
| *France, Manche | 132 | 4.3 | 0.43 | 0.50 | 0.06 | 112 | 2.5 | 0.31 | 0.25 | 0.04 |
| *France, Poitou-Charentes | 508 | 4.8 | 0.25 | 0.54 | 0.03 | 403 | 2.7 | 0.18 | 0.29 | 0.02 |
| *France, Somme | 172 | 6.1 | 0.50 | 0.69 | 0.07 | 187 | 4.8 | 0.46 | 0.46 | 0.05 |
| *France, Tarn | 169 | 6.2 | 0.59 | 0.71 | 0.08 | 154 | 3.8 | 0.41 | 0.38 | 0.06 |
| *France, Territoire de Belfort | 36 | 6.9 | 1.32 | 0.67 | 0.15 | 32 | 4.3 | 0.91 | 0.44 | 0.12 |
| *France, Vendée | 219 | 5.7 | 0.45 | 0.62 | 0.06 | 176 | 3.2 | 0.33 | 0.30 | 0.04 |
| Germany, Baden-Württemberg | 2124 | 5.6 | 0.13 | 0.63 | 0.02 | 2409 | 4.9 | 0.12 | 0.52 | 0.02 |
| Germany, Bavaria | 3858 | 5.3 | 0.09 | 0.58 | 0.01 | 4186 | 4.1 | 0.08 | 0.43 | 0.01 |
| Germany, Bremen | 224 | 6.0 | 0.44 | 0.69 | 0.06 | 253 | 4.8 | 0.37 | 0.54 | 0.05 |
| Germany, Hamburg | 625 | 6.7 | 0.29 | 0.76 | 0.04 | 681 | 5.4 | 0.25 | 0.59 | 0.03 |
| Germany, Lower Saxony | 3049 | 6.4 | 0.13 | 0.69 | 0.02 | 3208 | 4.9 | 0.11 | 0.50 | 0.01 |
| Germany, North Rhine-Westphalia | 7518 | 7.5 | 0.10 | 0.83 | 0.01 | 7955 | 5.8 | 0.08 | 0.62 | 0.01 |
| Germany, Rhineland-Palatinate | 1702 | 7.2 | 0.19 | 0.82 | 0.03 | 1814 | 5.9 | 0.17 | 0.64 | 0.02 |
| Germany, Saarland | 847 | 13.9 | 0.53 | 1.68 | 0.08 | 748 | 10.3 | 0.45 | 1.20 | 0.06 |
| Germany, Schleswig-Holstein | 1093 | 6.0 | 0.20 | 0.67 | 0.03 | 1148 | 4.8 | 0.18 | 0.50 | 0.02 |
| Iceland | 52 | 3.4 | 0.52 | 0.28 | 0.06 | 89 | 5.3 | 0.61 | 0.56 | 0.09 |
| Ireland | 1159 | 5.9 | 0.18 | 0.58 | 0.02 | 1237 | 5.0 | 0.16 | 0.48 | 0.02 |
| *Italy, Aosta Valley | 17 | 2.3 | 0.60 | 0.24 | 0.09 | 15 | 2.7 | 1.18 | 0.19 | 0.08 |
| *Italy, Avellino | 46 | 2.6 | 0.43 | 0.25 | 0.06 | 56 | 2.5 | 0.43 | 0.30 | 0.07 |
| Italy, Basilicata | 154 | 4.2 | 0.40 | 0.41 | 0.05 | 136 | 2.6 | 0.29 | 0.26 | 0.04 |
| *Italy, Benevento | 34 | 2.8 | 0.55 | 0.28 | 0.06 | 47 | 2.7 | 0.49 | 0.28 | 0.07 |
| Italy, Bergamo | 271 | 4.2 | 0.27 | 0.41 | 0.04 | 315 | 3.3 | 0.23 | 0.30 | 0.03 |
| *Italy, Brescia | 258 | 3.9 | 0.27 | 0.40 | 0.04 | 306 | 2.9 | 0.22 | 0.25 | 0.03 |
| Italy, Brianza (Lecco and Monza e Brianza) | 141 | 3.4 | 0.37 | 0.27 | 0.04 | 182 | 2.6 | 0.26 | 0.21 | 0.03 |
| Italy, Calabria | 84 | 2.4 | 0.29 | 0.27 | 0.04 | 80 | 1.7 | 0.24 | 0.16 | 0.03 |
| *Italy, Caserta | 130 | 3.9 | 0.36 | 0.42 | 0.05 | 144 | 3.0 | 0.28 | 0.33 | 0.04 |
| *Italy, Catania, Messina, and Enna | 436 | 4.2 | 0.23 | 0.45 | 0.03 | 526 | 3.2 | 0.18 | 0.29 | 0.02 |
| Italy, Emilia-Romagna | 1057 | 4.1 | 0.15 | 0.39 | 0.02 | 1230 | 3.5 | 0.14 | 0.32 | 0.02 |
| Italy, Friuli-Venezia Giulia | 406 | 4.7 | 0.29 | 0.48 | 0.04 | 469 | 3.3 | 0.21 | 0.33 | 0.03 |
| Italy, Genova | 231 | 4.7 | 0.40 | 0.48 | 0.05 | 279 | 4.0 | 0.44 | 0.38 | 0.04 |
| *Italy, Lombardy, South, Pavia | 164 | 4.6 | 0.40 | 0.49 | 0.06 | 211 | 4.1 | 0.52 | 0.34 | 0.05 |
| Italy, Mantova and Cremona | 146 | 3.4 | 0.32 | 0.36 | 0.05 | 178 | 3.2 | 0.34 | 0.32 | 0.04 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other and unspecified (contd)

| | Male | | | | | Female | | | | |
|-------------------------------------|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Europe (contd) | | | | | | | | | | |
| Italy, Marche | 225 | 2.6 | 0.22 | 0.24 | 0.03 | 278 | 2.0 | 0.18 | 0.18 | 0.02 |
| Italy, Milan | 731 | 3.6 | 0.15 | 0.38 | 0.02 | 891 | 2.8 | 0.13 | 0.24 | 0.02 |
| Italy, Molise | 44 | 4.5 | 1.05 | 0.33 | 0.08 | 62 | 5.4 | 1.24 | 0.42 | 0.09 |
| *Italy, Naples Centre | 144 | 4.9 | 0.44 | 0.56 | 0.06 | 121 | 3.1 | 0.36 | 0.29 | 0.04 |
| *Italy, Naples North | 82 | 2.4 | 0.27 | 0.24 | 0.04 | 80 | 1.8 | 0.22 | 0.18 | 0.03 |
| *Italy, Naples South | 185 | 3.7 | 0.30 | 0.40 | 0.04 | 198 | 3.0 | 0.24 | 0.31 | 0.03 |
| *Italy, Nuoro | 21 | 2.3 | 0.56 | 0.19 | 0.07 | 21 | 2.1 | 0.55 | 0.21 | 0.07 |
| *Italy, Palermo | 331 | 5.0 | 0.33 | 0.55 | 0.04 | 331 | 3.3 | 0.26 | 0.32 | 0.03 |
| Italy, Puglia | 740 | 3.0 | 0.12 | 0.30 | 0.02 | 851 | 2.6 | 0.12 | 0.23 | 0.01 |
| *Italy, Ragusa and Caltanissetta | 108 | 3.1 | 0.33 | 0.36 | 0.05 | 114 | 2.4 | 0.27 | 0.27 | 0.04 |
| *Italy, Salerno | 128 | 2.6 | 0.25 | 0.26 | 0.03 | 153 | 2.2 | 0.24 | 0.22 | 0.03 |
| Italy, Sassari | 35 | 2.5 | 0.47 | 0.22 | 0.06 | 43 | 2.2 | 0.42 | 0.18 | 0.05 |
| *Italy, Sondrio | 68 | 6.0 | 0.91 | 0.59 | 0.10 | 86 | 3.8 | 0.62 | 0.33 | 0.07 |
| Italy, South Tyrol | 96 | 3.0 | 0.35 | 0.28 | 0.05 | 141 | 3.2 | 0.37 | 0.29 | 0.04 |
| *Italy, Syracuse | 126 | 5.2 | 0.55 | 0.51 | 0.07 | 97 | 3.4 | 0.47 | 0.33 | 0.05 |
| Italy, Trento | 114 | 3.4 | 0.35 | 0.38 | 0.05 | 143 | 2.8 | 0.30 | 0.28 | 0.04 |
| Italy, Turin | 523 | 3.4 | 0.17 | 0.34 | 0.02 | 714 | 3.4 | 0.17 | 0.33 | 0.02 |
| *Italy, Tuscany | 577 | 4.0 | 0.20 | 0.40 | 0.03 | 697 | 3.3 | 0.20 | 0.30 | 0.02 |
| Italy, Umbria | 191 | 4.0 | 0.40 | 0.37 | 0.04 | 198 | 2.4 | 0.24 | 0.18 | 0.03 |
| Italy, Varese | 88 | 2.5 | 0.30 | 0.24 | 0.04 | 91 | 2.0 | 0.28 | 0.20 | 0.03 |
| Italy, Veneto | 1250 | 4.0 | 0.13 | 0.39 | 0.02 | 1399 | 3.1 | 0.13 | 0.27 | 0.01 |
| Latvia | 889 | 10.8 | 0.38 | 1.24 | 0.05 | 936 | 6.3 | 0.25 | 0.71 | 0.03 |
| *Liechtenstein | 4 | 2.4 | 1.28 | 0.08 | 0.08 | 4 | 4.1 | 2.92 | 0.20 | 0.14 |
| *Lithuania | 1204 | 9.9 | 0.31 | 1.18 | 0.04 | 1064 | 4.9 | 0.20 | 0.49 | 0.02 |
| Malta | 267 | 11.6 | 0.74 | 1.23 | 0.10 | 279 | 9.7 | 0.65 | 1.12 | 0.09 |
| *The Netherlands | 3887 | 4.3 | 0.07 | 0.47 | 0.01 | 4444 | 4.2 | 0.07 | 0.47 | 0.01 |
| Norway | 1108 | 4.3 | 0.14 | 0.44 | 0.02 | 1445 | 4.5 | 0.14 | 0.47 | 0.02 |
| Poland, Kielce | 265 | 4.6 | 0.29 | 0.53 | 0.04 | 252 | 2.9 | 0.23 | 0.33 | 0.03 |
| *Portugal, Azores | 59 | 8.0 | 1.07 | 0.93 | 0.15 | 43 | 4.3 | 0.74 | 0.50 | 0.10 |
| Russian Federation, Arkhangelsk | 281 | 7.7 | 0.48 | 0.96 | 0.07 | 303 | 4.7 | 0.30 | 0.53 | 0.04 |
| Russian Federation, Kaliningrad | 205 | 6.9 | 0.50 | 0.94 | 0.08 | 210 | 4.1 | 0.31 | 0.49 | 0.04 |
| Russian Federation, Karelia | 146 | 7.2 | 0.62 | 0.87 | 0.10 | 117 | 3.0 | 0.32 | 0.33 | 0.05 |
| *Russian Federation, Komi Republic | 218 | 9.4 | 0.68 | 1.13 | 0.11 | 202 | 5.0 | 0.39 | 0.52 | 0.05 |
| Russian Federation, Murmansk | 139 | 6.8 | 0.61 | 0.92 | 0.10 | 152 | 4.2 | 0.38 | 0.46 | 0.05 |
| *Russian Federation, Orenburg | 1010 | 16.0 | 0.52 | 1.84 | 0.07 | 2126 | 28.5 | 0.67 | 2.80 | 0.07 |
| Russian Federation, Pskov | 180 | 7.8 | 0.61 | 0.94 | 0.09 | 191 | 4.4 | 0.40 | 0.51 | 0.05 |
| *Russian Federation, Samara | 615 | 5.7 | 0.24 | 0.69 | 0.03 | 552 | 3.1 | 0.15 | 0.34 | 0.02 |
| Russian Federation, Vologda Region | 362 | 9.4 | 0.51 | 1.14 | 0.06 | 335 | 5.1 | 0.31 | 0.60 | 0.03 |
| Slovenia | 620 | 5.9 | 0.25 | 0.65 | 0.03 | 796 | 5.2 | 0.22 | 0.53 | 0.03 |
| Spain, Asturias | 273 | 6.4 | 0.49 | 0.68 | 0.06 | 268 | 3.9 | 0.38 | 0.37 | 0.04 |
| Spain, Basque Country | 583 | 5.9 | 0.28 | 0.61 | 0.04 | 504 | 3.5 | 0.22 | 0.34 | 0.03 |
| Spain, Canary Islands | 332 | 5.4 | 0.33 | 0.61 | 0.04 | 293 | 3.5 | 0.24 | 0.32 | 0.03 |
| Spain, Castellón | 94 | 3.4 | 0.39 | 0.41 | 0.05 | 93 | 2.4 | 0.36 | 0.21 | 0.04 |
| Spain, Girona | 209 | 4.6 | 0.35 | 0.45 | 0.05 | 199 | 3.2 | 0.31 | 0.28 | 0.04 |
| Spain, Granada | 281 | 5.6 | 0.37 | 0.62 | 0.06 | 268 | 3.9 | 0.29 | 0.37 | 0.04 |
| Spain, La Rioja | 118 | 5.9 | 0.61 | 0.61 | 0.09 | 95 | 3.0 | 0.41 | 0.26 | 0.05 |
| Spain, Murcia | 388 | 6.0 | 0.33 | 0.67 | 0.05 | 291 | 3.1 | 0.22 | 0.30 | 0.03 |
| Spain, Navarra | 113 | 3.6 | 0.37 | 0.39 | 0.06 | 142 | 3.1 | 0.39 | 0.26 | 0.04 |
| Spain, Salamanca | 75 | 3.1 | 0.43 | 0.37 | 0.06 | 85 | 2.3 | 0.35 | 0.21 | 0.04 |
| Spain, Tarragona | 258 | 5.7 | 0.39 | 0.63 | 0.06 | 197 | 3.3 | 0.30 | 0.32 | 0.04 |
| *Sweden | 2112 | 4.0 | 0.09 | 0.46 | 0.01 | 3530 | 5.6 | 0.11 | 0.65 | 0.02 |
| Switzerland, Aargau | 135 | 3.9 | 0.37 | 0.38 | 0.05 | 179 | 4.2 | 0.36 | 0.47 | 0.05 |
| Switzerland, Basel | 79 | 2.8 | 0.36 | 0.31 | 0.05 | 98 | 2.4 | 0.29 | 0.26 | 0.04 |
| Switzerland, Berne Solothurn | 201 | 3.8 | 0.30 | 0.34 | 0.04 | 217 | 3.0 | 0.27 | 0.28 | 0.03 |
| Switzerland, East | 107 | 2.5 | 0.26 | 0.23 | 0.03 | 121 | 2.5 | 0.29 | 0.25 | 0.03 |
| *Switzerland, Fribourg | 68 | 5.2 | 0.70 | 0.53 | 0.09 | 50 | 2.7 | 0.44 | 0.25 | 0.06 |
| Switzerland, Geneva | 89 | 3.9 | 0.44 | 0.41 | 0.06 | 93 | 2.3 | 0.31 | 0.21 | 0.04 |
| *Switzerland, Graubünden and Glarus | 52 | 3.5 | 0.53 | 0.33 | 0.07 | 53 | 2.8 | 0.46 | 0.28 | 0.06 |
| *Switzerland, Lucerne | 155 | 5.2 | 0.45 | 0.55 | 0.07 | 153 | 4.1 | 0.42 | 0.37 | 0.05 |
| *Switzerland, Neuchâtel and Jura | 66 | 4.8 | 0.63 | 0.65 | 0.10 | 74 | 3.7 | 0.54 | 0.38 | 0.07 |
| Switzerland, Ticino | 55 | 2.7 | 0.48 | 0.24 | 0.05 | 80 | 2.8 | 0.47 | 0.28 | 0.05 |
| Switzerland, Valais | 94 | 5.0 | 0.55 | 0.56 | 0.08 | 88 | 3.5 | 0.44 | 0.34 | 0.06 |
| Switzerland, Vaud | 143 | 4.1 | 0.38 | 0.43 | 0.05 | 151 | 2.7 | 0.29 | 0.25 | 0.04 |
| Switzerland, Zurich and Zug | 215 | 2.6 | 0.20 | 0.27 | 0.03 | 306 | 2.7 | 0.18 | 0.29 | 0.03 |
| Ukraine | 10842 | 8.8 | 0.09 | 1.09 | 0.01 | 8396 | 4.3 | 0.06 | 0.51 | 0.01 |
| UK, England | 18227 | 6.2 | 0.05 | 0.63 | 0.01 | 22333 | 5.9 | 0.05 | 0.59 | 0.01 |
| UK, Northern Ireland | 593 | 6.6 | 0.29 | 0.66 | 0.04 | 733 | 6.2 | 0.27 | 0.61 | 0.04 |
| UK, Scotland | 2232 | 7.5 | 0.17 | 0.74 | 0.02 | 2894 | 7.1 | 0.16 | 0.68 | 0.02 |
| UK, Wales | 1398 | 7.5 | 0.22 | 0.77 | 0.03 | 1652 | 7.0 | 0.21 | 0.70 | 0.03 |
| Oceania | | | | | | | | | | |
| *Australia, NSW/ACT | 2688 | 6.7 | 0.14 | 0.65 | 0.02 | 2601 | 5.1 | 0.12 | 0.48 | 0.02 |
| *Australia, Northern Territory | 62 | 9.2 | 1.21 | 1.08 | 0.17 | 54 | 8.8 | 1.22 | 0.81 | 0.16 |

*Important. See note on population page.

**Age-standardized (world) incidence (per 100 000) and cumulative (0–74) incidence (%)
rates and standard errors**

Other and unspecified (contd)

| | Male | | | | | Female | | | | |
|--|-------|--------|------|----------|------|--------|--------|------|----------|------|
| | Cases | ASR(W) | | CUM 0–74 | | Cases | ASR(W) | | CUM 0–74 | |
| Oceania (contd) | | | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 37 | 6.7 | 1.13 | 0.83 | 0.17 | 31 | 6.6 | 1.19 | 0.56 | 0.15 |
| *Australia, Northern Territory: Indigenous | 24 | 20.8 | 4.68 | 2.15 | 0.61 | 23 | 17.5 | 3.77 | 1.81 | 0.51 |
| *Australia, Queensland | 1779 | 8.0 | 0.20 | 0.78 | 0.03 | 1535 | 5.7 | 0.16 | 0.56 | 0.02 |
| Australia, South Australia | 689 | 7.5 | 0.32 | 0.76 | 0.04 | 713 | 6.2 | 0.27 | 0.62 | 0.04 |
| Australia, Tasmania | 264 | 8.8 | 0.58 | 0.94 | 0.08 | 269 | 7.1 | 0.50 | 0.64 | 0.07 |
| *Australia, Victoria | 3448 | 12.1 | 0.22 | 1.26 | 0.03 | 3018 | 8.8 | 0.18 | 0.90 | 0.03 |
| *Australia, Western Australia | 753 | 6.8 | 0.26 | 0.69 | 0.04 | 647 | 4.6 | 0.20 | 0.40 | 0.03 |
| *France, New Caledonia | 59 | 7.3 | 0.96 | 0.77 | 0.13 | 54 | 6.3 | 0.88 | 0.66 | 0.12 |
| New Zealand | 1393 | 6.3 | 0.18 | 0.60 | 0.02 | 1677 | 6.2 | 0.17 | 0.62 | 0.02 |
| *New Zealand: Maori | 149 | 10.1 | 0.85 | 0.98 | 0.11 | 218 | 12.7 | 0.87 | 1.52 | 0.14 |
| *New Zealand: Pacific peoples | 52 | 8.9 | 1.26 | 1.04 | 0.19 | 69 | 9.3 | 1.13 | 1.02 | 0.16 |
| *New Zealand: Other | 1151 | 6.1 | 0.20 | 0.57 | 0.03 | 1330 | 5.6 | 0.19 | 0.53 | 0.02 |
| USA, Hawaii | 389 | 5.5 | 0.30 | 0.62 | 0.04 | 312 | 3.7 | 0.25 | 0.38 | 0.03 |
| USA, Hawaii: White | 162 | 7.7 | 0.73 | 0.82 | 0.08 | 88 | 4.2 | 0.51 | 0.46 | 0.07 |
| *USA, Hawaii: Japanese | 80 | 3.4 | 0.47 | 0.39 | 0.07 | 78 | 3.2 | 0.90 | 0.25 | 0.06 |
| *USA, Hawaii: Chinese | 20 | 4.1 | 1.24 | 0.51 | 0.17 | 19 | 2.8 | 0.83 | 0.27 | 0.11 |
| *USA, Hawaii: Hawaiian | 56 | 5.9 | 0.80 | 0.60 | 0.11 | 50 | 4.9 | 0.73 | 0.52 | 0.09 |
| *USA, Hawaii: Filipino | 41 | 3.9 | 0.63 | 0.53 | 0.10 | 43 | 2.3 | 0.39 | 0.21 | 0.06 |

*Important. See note on population page.

Indices of data quality

Indices of data quality All sites except non-melanoma skin (C00–96 excl C44)

| | Male | | | | Female | | | |
|--|---------|--------|---------|--------------|---------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 1450 | 89.3 | – | 102.5 | 1936 | 91.0 | – | 130.4 |
| *Algeria, Tizi Ouzou | 2405 | 93.5 | – | 156.3 | 2792 | 93.9 | – | 158.7 |
| *Benin, Cotonou | 502 | 59.0 | – | 94.3 | 687 | 72.6 | – | 86.9 |
| *France, La Réunion | 5624 | 95.1 | – | 267.2 | 4609 | 95.5 | – | 187.1 |
| *Kenya, Eldoret | 1023 | 83.6 | 0.4 | 93.1 | 1272 | 88.7 | 0.4 | 109.2 |
| *Kenya, Nairobi | 3951 | 79.3 | 5.7 | 158.5 | 5543 | 78.3 | 5.3 | 210.0 |
| Mauritius | 4694 | 86.7 | 4.6 | 116.3 | 6766 | 88.6 | 5.4 | 153.5 |
| *Morocco, Casablanca | 10349 | 93.3 | 3.1 | 100.0 | 14375 | 97.2 | 1.5 | 121.3 |
| *Seychelles | 557 | 83.1 | 5.7 | 211.4 | 518 | 89.0 | 5.2 | 161.0 |
| *South Africa, Eastern Cape | 899 | 77.4 | – | 84.3 | 2103 | 88.2 | – | 132.5 |
| *Uganda, Kyadondo County | 3715 | 66.4 | 0.6 | 177.7 | 4830 | 63.9 | 0.5 | 175.0 |
| *Uganda, Gulu | 579 | 58.5 | 1.7 | 107.8 | 741 | 54.7 | 1.3 | 113.0 |
| *Zimbabwe, Bulawayo: African | 1962 | 63.2 | 9.4 | 230.2 | 2975 | 72.4 | 7.2 | 258.8 |
| *Zimbabwe, Harare: African | 4930 | 71.5 | 10.6 | 306.0 | 5828 | 79.0 | 8.6 | 282.3 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 5392 | 76.5 | 15.9 | 236.2 | 5316 | 81.8 | 12.9 | 198.3 |
| *Argentina, Mendoza | 10988 | 83.7 | 12.6 | 212.0 | 12294 | 87.4 | 9.9 | 204.8 |
| Brazil, Aracaju | 2457 | 93.2 | 3.9 | 243.9 | 3193 | 94.0 | 3.2 | 204.8 |
| *Brazil, Barretos | 2967 | 83.2 | 14.3 | 221.2 | 2573 | 84.8 | 13.6 | 171.3 |
| Brazil, Belo Horizonte | 18066 | 91.7 | 8.1 | 257.3 | 19167 | 91.8 | 8.1 | 200.3 |
| *Brazil, Campinas | 6974 | 85.6 | 12.2 | 301.2 | 7101 | 87.5 | 10.4 | 236.8 |
| *Brazil, Curitiba | 7940 | 77.9 | 12.7 | 202.6 | 9090 | 81.4 | 11.8 | 172.8 |
| Brazil, Goiânia | 6245 | 94.8 | 4.7 | 244.9 | 6351 | 95.4 | 4.3 | 183.3 |
| *Brazil, Jaú | 905 | 94.9 | 0.0 | 214.6 | 866 | 96.5 | 0.1 | 171.3 |
| Brazil, João Pessoa | 2179 | 84.4 | 6.1 | 216.3 | 2875 | 87.2 | 5.3 | 190.8 |
| Brazil, Recife | 4899 | 74.2 | 9.7 | 204.6 | 6999 | 75.1 | 8.9 | 188.0 |
| Chile, Region of Antofagasta | 1987 | 76.8 | 5.3 | 206.9 | 1917 | 81.2 | 3.9 | 184.9 |
| Chile, Valdivia | 2935 | 80.3 | 5.0 | 218.3 | 2822 | 77.4 | 5.3 | 187.3 |
| Colombia, Bucaramanga | 5135 | 80.4 | 5.7 | 175.0 | 6717 | 86.2 | 4.4 | 180.2 |
| Colombia, Cali | 12734 | 86.5 | 2.0 | 217.5 | 15533 | 89.1 | 1.6 | 198.0 |
| Colombia, Manizales | 2523 | 79.5 | 0.5 | 185.2 | 3141 | 82.6 | 0.3 | 187.7 |
| Colombia, Pasto | 1601 | 83.9 | 4.3 | 150.5 | 2136 | 83.8 | 5.0 | 163.5 |
| Costa Rica | 13811 | 79.8 | 2.3 | 140.0 | 16875 | 80.4 | 1.9 | 159.5 |
| Ecuador, Guayaquil | 7620 | 87.8 | 5.2 | 141.7 | 10142 | 91.7 | 3.0 | 163.1 |
| Ecuador, Manabí | 3750 | 79.6 | 10.9 | 103.3 | 4192 | 85.4 | 7.4 | 117.9 |
| Ecuador, Quito | 8737 | 89.0 | 5.4 | 212.7 | 11467 | 89.9 | 4.9 | 227.7 |
| *France, Guadeloupe | 4986 | 96.5 | – | 291.8 | 3285 | 95.6 | – | 171.7 |
| *France, Martinique | 5295 | 96.6 | – | 297.9 | 3391 | 96.0 | – | 170.4 |
| *Peru, Lima | 26612 | 78.4 | 9.1 | 190.5 | 33128 | 82.1 | 8.0 | 198.6 |
| *Trinidad and Tobago | 3779 | 78.6 | 11.1 | 155.1 | 4096 | 84.4 | 7.2 | 157.0 |
| USA, Puerto Rico | 40715 | 91.2 | 3.5 | 271.4 | 37226 | 92.5 | 2.8 | 234.8 |
| *Uruguay | 36025 | 76.4 | 12.8 | 292.5 | 34230 | 81.0 | 10.7 | 231.6 |
| North America | | | | | | | | |
| Canada, Alberta | 46732 | 91.9 | 0.1 | 304.1 | 43162 | 93.4 | 0.2 | 275.0 |
| Canada, British Columbia | 65543 | 90.2 | 0.6 | 277.8 | 61619 | 91.5 | 0.8 | 257.6 |
| *Canada, Manitoba | 16779 | 89.8 | 0.0 | 301.0 | 16519 | 90.9 | 0.0 | 283.1 |
| *Canada, New Brunswick | 12922 | 92.3 | 0.1 | 323.0 | 11782 | 92.1 | 0.3 | 287.9 |
| *Canada, Newfoundland and Labrador | 9383 | 92.2 | 0.7 | 340.1 | 8696 | 91.9 | 1.1 | 316.6 |
| Canada, Ontario | 194186 | 89.6 | 1.3 | 316.0 | 195266 | 90.0 | 1.7 | 303.4 |
| *Canada, Prince Edward Island | 2415 | 83.1 | 0.2 | 323.8 | 2226 | 83.7 | 0.3 | 281.9 |
| Canada, Quebec | 139859 | 88.6 | 5.0 | 341.4 | 134062 | 88.8 | 5.3 | 319.3 |
| Canada, Saskatchewan | 14662 | 90.8 | 0.6 | 297.2 | 13769 | 90.7 | 0.8 | 271.7 |
| *Canada, Yukon | 431 | 93.5 | – | 292.6 | 360 | 97.2 | – | 253.6 |
| USA | 4218065 | 92.4 | 3.1 | 324.0 | 4140350 | 93.7 | 2.6 | 295.0 |
| USA: White | 3553843 | 92.6 | 3.0 | 323.2 | 3472235 | 93.6 | 2.6 | 301.9 |
| USA: Black | 465525 | 91.7 | 3.4 | 363.3 | 458206 | 93.7 | 2.5 | 281.0 |
| USA, NPCR | 4081944 | 92.4 | 3.1 | 324.5 | 4006135 | 93.6 | 2.6 | 295.2 |
| USA, NPCR: White | 3439032 | 92.5 | 3.0 | 323.6 | 3360624 | 93.6 | 2.6 | 302.1 |
| USA, NPCR: Black | 459797 | 91.7 | 3.4 | 363.7 | 452991 | 93.6 | 2.5 | 281.3 |
| USA, NPCR: Asian and Pacific Islander | 108691 | 91.8 | 2.6 | 190.0 | 140046 | 95.1 | 1.8 | 205.6 |
| USA, NPCR: American Indian | 19481 | 88.9 | 4.4 | 172.4 | 20935 | 92.8 | 2.9 | 166.1 |
| *USA, SEER (18 registries) | 1072722 | 92.8 | 1.2 | 311.6 | 1055348 | 94.0 | 1.1 | 282.0 |
| *USA, SEER (18 registries): White | 859673 | 92.9 | 1.2 | 314.2 | 838338 | 93.9 | 1.1 | 291.0 |
| *USA, SEER (18 registries): Non-Hispanic White | 754668 | 93.1 | 1.2 | 330.0 | 716490 | 93.7 | 1.2 | 303.4 |
| *USA, SEER (18 registries): Hispanic White | 105005 | 91.7 | 1.2 | 240.9 | 121848 | 94.9 | 0.9 | 241.7 |
| *USA, SEER (18 registries): Black | 118105 | 92.2 | 1.4 | 359.0 | 112852 | 94.1 | 0.9 | 271.6 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 67150 | 91.7 | 1.2 | 196.6 | 84485 | 94.9 | 0.9 | 212.5 |
| *USA, SEER (9 registries) | 371908 | 93.2 | 1.0 | 312.9 | 366718 | 94.3 | 1.0 | 285.2 |
| *USA, SEER (9 registries): White | 295686 | 93.5 | 1.0 | 315.6 | 286805 | 94.3 | 1.0 | 294.7 |
| *USA, SEER (9 registries): Black | 40188 | 92.5 | 1.1 | 369.7 | 38712 | 94.3 | 0.8 | 274.0 |
| USA, Alabama | 69583 | 91.0 | 6.0 | 348.3 | 62599 | 91.3 | 5.7 | 284.5 |
| USA, Alabama: White | 52813 | 91.2 | 5.8 | 337.6 | 47496 | 91.5 | 5.5 | 290.1 |

* Important. See note on population page.

Indices of data quality All sites except non-melanoma skin (C00–96 excl C44) (contd)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 15214 | 89.9 | 6.7 | 378.0 | 14110 | 90.4 | 6.4 | 272.9 |
| USA, Alaska | 7522 | 89.2 | 4.4 | 287.0 | 6971 | 93.0 | 2.2 | 284.4 |
| *USA, Alaska: Alaska Natives | 1100 | 89.4 | 1.7 | 335.9 | 1291 | 92.5 | 0.9 | 363.1 |
| USA, Arizona | 80262 | 90.2 | 6.2 | 273.2 | 77416 | 92.7 | 4.8 | 258.3 |
| USA, Arizona: White | 74647 | 90.3 | 6.2 | 279.5 | 71423 | 92.8 | 4.8 | 267.3 |
| USA, Arizona: Black | 2501 | 90.7 | 6.2 | 266.6 | 2263 | 93.0 | 4.6 | 226.0 |
| *USA, Arizona: Asian and Pacific Islander | 1042 | 91.1 | 5.2 | 144.9 | 1657 | 93.1 | 4.7 | 170.7 |
| USA, Arizona: American Indian | 1525 | 86.0 | 5.8 | 165.3 | 1809 | 91.3 | 4.4 | 162.9 |
| USA, Arkansas | 44935 | 93.1 | 3.2 | 360.5 | 39755 | 93.8 | 3.3 | 300.0 |
| USA, Arkansas: White | 38329 | 93.4 | 2.9 | 352.0 | 33848 | 93.8 | 3.2 | 300.3 |
| USA, Arkansas: Black | 5681 | 92.6 | 3.5 | 412.8 | 4913 | 94.1 | 3.4 | 289.0 |
| USA, California | 415128 | 92.1 | 2.8 | 283.7 | 426267 | 94.1 | 2.2 | 269.2 |
| USA, California: White | 331940 | 92.2 | 2.8 | 292.9 | 336806 | 94.0 | 2.3 | 281.9 |
| USA, California: Black | 27310 | 90.9 | 3.1 | 313.2 | 26688 | 94.0 | 2.0 | 259.6 |
| USA, California: Asian and Pacific Islander | 42755 | 91.1 | 2.7 | 191.6 | 55591 | 94.8 | 1.8 | 212.9 |
| *USA, California, Los Angeles County | 93737 | 93.3 | 1.2 | 261.5 | 100345 | 95.0 | 0.9 | 249.8 |
| *USA, California, Los Angeles County: White | 67992 | 93.5 | 1.1 | 264.1 | 72254 | 95.0 | 0.9 | 258.0 |
| *USA, California, Los Angeles County: Non-Hispanic White | 43547 | 93.9 | 1.1 | 300.8 | 42465 | 94.6 | 1.1 | 293.9 |
| *USA, California, Los Angeles County: Hispanic White | 24445 | 92.8 | 1.0 | 219.7 | 29789 | 95.5 | 0.6 | 223.0 |
| *USA, California, Los Angeles County: Black | 9868 | 91.7 | 2.1 | 302.3 | 10490 | 94.1 | 0.9 | 250.9 |
| *USA, California, Los Angeles County: Chinese | 3018 | 90.7 | 2.2 | 136.2 | 3619 | 94.3 | 1.4 | 148.6 |
| *USA, California, Los Angeles County: Filipino | 2506 | 93.4 | 0.8 | 182.3 | 4047 | 96.4 | 0.8 | 219.9 |
| *USA, California, Los Angeles County: Korean | 1766 | 91.4 | 1.4 | 175.1 | 1896 | 94.6 | 1.1 | 164.3 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 11977 | 92.4 | 1.3 | 185.9 | 15601 | 95.6 | 0.9 | 209.1 |
| *USA, California, San Francisco Bay Area | 52143 | 92.3 | 1.1 | 280.0 | 53242 | 94.1 | 0.9 | 262.3 |
| *USA, California, San Francisco Bay Area: White | 36062 | 93.1 | 1.0 | 296.0 | 35630 | 94.2 | 1.0 | 281.2 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 30674 | 93.3 | 1.0 | 306.3 | 29508 | 94.1 | 1.0 | 291.1 |
| *USA, California, San Francisco Bay Area: Hispanic White | 5388 | 91.8 | 0.7 | 254.4 | 6122 | 94.4 | 0.8 | 246.5 |
| *USA, California, San Francisco Bay Area: Black | 4958 | 89.7 | 1.8 | 338.7 | 4671 | 93.3 | 1.1 | 267.7 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 9737 | 90.3 | 1.1 | 200.5 | 12237 | 94.2 | 0.7 | 214.4 |
| USA, Colorado | 57136 | 91.7 | 2.9 | 273.8 | 58228 | 93.2 | 2.5 | 267.9 |
| USA, Colorado: White | 52612 | 91.7 | 2.9 | 271.9 | 54517 | 93.2 | 2.6 | 273.2 |
| *USA, Colorado: Black | 2170 | 90.4 | 2.1 | 290.8 | 1779 | 92.9 | 1.7 | 235.1 |
| *USA, Colorado: Asian and Pacific Islander | 889 | 88.2 | 2.8 | 176.2 | 1304 | 93.4 | 2.4 | 186.6 |
| USA, Connecticut | 50203 | 95.2 | 0.6 | 325.2 | 51282 | 95.7 | 0.6 | 302.6 |
| USA, Connecticut: White | 44186 | 95.2 | 0.6 | 321.1 | 45056 | 95.6 | 0.6 | 304.4 |
| USA, Connecticut: Black | 4005 | 95.3 | 0.5 | 340.0 | 3994 | 96.5 | 0.4 | 255.3 |
| USA, District of Columbia | 6619 | 92.6 | 4.1 | 315.0 | 7474 | 94.5 | 3.2 | 294.2 |
| USA, District of Columbia: White | 2190 | 94.9 | 3.5 | 236.8 | 2304 | 95.3 | 3.2 | 250.6 |
| USA, District of Columbia: Black | 4042 | 90.9 | 4.8 | 360.9 | 4830 | 94.0 | 3.2 | 315.2 |
| USA, Florida | 330353 | 93.3 | 3.5 | 338.9 | 307575 | 94.7 | 2.4 | 301.1 |
| USA, Florida: White | 284561 | 94.1 | 2.7 | 336.6 | 262804 | 94.9 | 2.1 | 304.6 |
| USA, Florida: Black | 32953 | 94.0 | 2.5 | 325.8 | 32921 | 95.1 | 1.8 | 265.6 |
| USA, Florida: Asian and Pacific Islander | 3180 | 95.6 | 1.0 | 155.8 | 4449 | 97.4 | 0.4 | 174.3 |
| USA, Georgia | 129874 | 92.1 | 2.5 | 354.7 | 122435 | 93.3 | 2.1 | 295.7 |
| USA, Georgia: White | 93084 | 92.2 | 2.5 | 350.7 | 86328 | 93.1 | 2.2 | 309.8 |
| USA, Georgia: Black | 34111 | 91.6 | 2.7 | 386.7 | 33122 | 93.5 | 1.8 | 280.2 |
| USA, Georgia: Asian and Pacific Islander | 2183 | 92.2 | 1.6 | 191.1 | 2633 | 95.9 | 0.6 | 193.5 |
| *USA, Georgia, Atlanta | 38195 | 92.9 | 0.9 | 339.1 | 37803 | 94.2 | 0.8 | 278.3 |
| *USA, Georgia, Atlanta: White | 22386 | 93.6 | 0.8 | 331.3 | 21844 | 94.4 | 0.9 | 299.0 |
| *USA, Georgia, Atlanta: Black | 14130 | 91.8 | 1.1 | 380.9 | 14127 | 93.8 | 0.7 | 267.7 |
| USA, Idaho | 21326 | 90.2 | 2.8 | 307.0 | 19741 | 91.7 | 1.9 | 288.5 |
| USA, Indiana | 89184 | 93.6 | 1.8 | 334.8 | 87339 | 94.6 | 1.2 | 303.1 |
| USA, Indiana: White | 81461 | 93.6 | 1.8 | 333.4 | 79778 | 94.6 | 1.2 | 307.3 |
| USA, Indiana: Black | 6521 | 92.7 | 2.1 | 370.4 | 6429 | 94.7 | 1.4 | 283.0 |
| *USA, Iowa | 45482 | 93.4 | 1.4 | 338.2 | 42594 | 93.8 | 1.3 | 304.4 |
| USA, Kentucky | 69709 | 91.1 | 3.2 | 382.6 | 66880 | 92.4 | 2.7 | 341.2 |
| USA, Louisiana | 67112 | 93.5 | 1.4 | 373.3 | 59072 | 94.2 | 1.4 | 299.1 |
| USA, Louisiana: White | 47691 | 93.9 | 1.3 | 365.1 | 41527 | 94.2 | 1.4 | 305.5 |
| USA, Louisiana: Black | 18703 | 92.6 | 1.6 | 411.8 | 16848 | 94.4 | 1.4 | 297.2 |
| *USA, Louisiana, New Orleans | 11901 | 93.2 | 1.6 | 353.8 | 10972 | 94.7 | 1.6 | 288.5 |
| *USA, Louisiana, New Orleans: White | 7029 | 93.5 | 1.5 | 337.1 | 6556 | 94.5 | 1.8 | 298.8 |
| *USA, Louisiana, New Orleans: Black | 4482 | 92.7 | 1.6 | 387.8 | 4116 | 95.0 | 1.4 | 279.2 |
| USA, Maine | 22030 | 91.3 | 3.0 | 329.3 | 22092 | 92.9 | 2.1 | 320.7 |
| USA, Maryland | 76706 | 91.9 | 4.1 | 326.7 | 78809 | 93.3 | 3.2 | 296.1 |
| USA, Maryland: White | 53448 | 92.5 | 3.6 | 327.6 | 53677 | 93.4 | 3.0 | 312.0 |
| USA, Maryland: Black | 20455 | 90.2 | 5.5 | 356.6 | 21658 | 93.1 | 3.6 | 283.2 |
| USA, Maryland: Asian and Pacific Islander | 2407 | 93.0 | 3.4 | 181.0 | 3122 | 94.7 | 3.6 | 201.6 |
| USA, Massachusetts | 90572 | 93.3 | 2.4 | 321.8 | 97587 | 94.2 | 2.5 | 310.6 |
| USA, Massachusetts: White | 80916 | 93.3 | 2.4 | 321.3 | 87771 | 94.1 | 2.6 | 316.0 |
| USA, Massachusetts: Black | 5181 | 93.2 | 2.0 | 319.9 | 5325 | 95.1 | 1.9 | 260.9 |
| USA, Massachusetts: Asian and Pacific Islander | 2486 | 92.5 | 2.1 | 202.6 | 3027 | 95.6 | 1.6 | 210.1 |

* Important. See note on population page.

**Indices of data quality
All sites except non-melanoma skin (C00–96 excl C44) (contd)**

| | Male | | | | Female | | | |
|---|--------|--------|---------|--------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 138702 | 92.9 | 3.4 | 323.1 | 134785 | 93.8 | 2.8 | 294.2 |
| USA, Michigan: White | 117893 | 92.8 | 3.6 | 315.4 | 114678 | 93.7 | 2.9 | 296.7 |
| USA, Michigan: Black | 16672 | 92.7 | 2.7 | 377.9 | 16600 | 94.1 | 2.0 | 290.1 |
| USA, Michigan: Asian and Pacific Islander | 1403 | 94.6 | 2.1 | 163.6 | 1780 | 95.7 | 2.0 | 179.2 |
| *USA, Michigan, Detroit | 55647 | 94.8 | 1.3 | 352.5 | 54917 | 95.1 | 1.3 | 305.9 |
| *USA, Michigan, Detroit: White | 41867 | 95.1 | 1.3 | 345.9 | 41019 | 95.2 | 1.4 | 315.9 |
| *USA, Michigan, Detroit: Black | 12395 | 93.8 | 1.2 | 402.2 | 12454 | 94.7 | 1.0 | 296.2 |
| USA, Minnesota | 75600 | 94.5 | 1.7 | 331.5 | 73031 | 95.2 | 1.8 | 307.7 |
| USA, Minnesota: White | 70573 | 94.6 | 1.8 | 330.5 | 68223 | 95.2 | 1.8 | 310.2 |
| USA, Minnesota: Black | 2572 | 92.3 | 1.6 | 377.1 | 2174 | 95.4 | 1.1 | 286.5 |
| *USA, Minnesota: Asian and Pacific Islander | 1098 | 92.3 | 1.9 | 203.5 | 1442 | 95.8 | 1.0 | 210.5 |
| USA, Mississippi | 43529 | 93.8 | 1.5 | 373.1 | 38096 | 94.7 | 1.1 | 295.2 |
| USA, Missouri | 83471 | 91.8 | 3.9 | 326.8 | 83415 | 93.1 | 3.2 | 302.5 |
| USA, Missouri: White | 74609 | 92.0 | 4.0 | 324.9 | 73819 | 93.1 | 3.3 | 304.9 |
| USA, Missouri: Black | 7953 | 90.6 | 3.6 | 378.8 | 8463 | 93.4 | 2.1 | 308.5 |
| USA, Montana | 16031 | 92.0 | 2.5 | 324.6 | 14464 | 92.9 | 2.1 | 304.0 |
| *USA, Montana: American Indian | 535 | 89.5 | 3.7 | 298.5 | 597 | 92.8 | 2.2 | 290.7 |
| USA, Nebraska | 25472 | 94.7 | 2.0 | 332.1 | 24227 | 94.9 | 2.1 | 304.8 |
| USA, Nebraska: White | 23970 | 94.7 | 2.0 | 330.1 | 22938 | 94.9 | 2.1 | 307.3 |
| *USA, Nebraska: Black | 962 | 94.6 | 1.5 | 406.1 | 804 | 95.4 | 2.2 | 299.7 |
| USA, Nevada | 32481 | 92.4 | 4.3 | 270.0 | 31992 | 94.3 | 3.3 | 267.5 |
| USA, Nevada: White | 28123 | 92.4 | 4.3 | 280.9 | 26682 | 94.1 | 3.4 | 279.8 |
| USA, Nevada: Black | 2272 | 92.1 | 4.0 | 265.7 | 2272 | 94.5 | 3.1 | 239.1 |
| *USA, Nevada: Asian and Pacific Islander | 1580 | 93.4 | 3.7 | 159.6 | 2581 | 95.9 | 2.4 | 202.1 |
| USA, New Jersey | 126971 | 94.3 | 2.2 | 346.6 | 130674 | 94.4 | 2.3 | 317.8 |
| USA, New Jersey: White | 104716 | 94.3 | 2.1 | 353.8 | 107381 | 94.2 | 2.4 | 332.8 |
| USA, New Jersey: Black | 14401 | 93.2 | 2.7 | 356.2 | 15610 | 94.4 | 2.1 | 289.0 |
| USA, New Mexico | 22763 | 91.3 | 2.5 | 256.9 | 22881 | 93.3 | 2.3 | 251.8 |
| USA, New Mexico: White | 20452 | 91.2 | 2.6 | 257.9 | 20462 | 93.2 | 2.4 | 256.8 |
| USA, New Mexico: Non-Hispanic White | 13348 | 91.9 | 2.5 | 271.7 | 12510 | 93.1 | 2.6 | 264.9 |
| USA, New Mexico: Hispanic White | 7104 | 89.9 | 2.7 | 236.7 | 7952 | 93.4 | 2.2 | 246.4 |
| *USA, New Mexico: American Indian | 1210 | 89.9 | 1.5 | 196.1 | 1486 | 93.1 | 1.4 | 196.4 |
| USA, New York State | 278635 | 94.0 | 1.4 | 350.4 | 284730 | 94.3 | 1.5 | 318.5 |
| USA, New York State: White | 221836 | 94.0 | 1.5 | 357.0 | 225258 | 94.1 | 1.6 | 335.6 |
| USA, New York State: Black | 40231 | 94.1 | 1.3 | 370.8 | 41599 | 94.9 | 1.1 | 280.5 |
| USA, New York State: Asian and Pacific Islander | 14337 | 94.5 | 1.1 | 242.5 | 16002 | 96.2 | 0.9 | 245.2 |
| USA, North Carolina | 140099 | 92.7 | 2.7 | 347.3 | 135503 | 93.8 | 2.2 | 301.2 |
| USA, North Carolina: White | 109546 | 92.7 | 2.6 | 340.0 | 105813 | 93.8 | 2.3 | 308.6 |
| USA, North Carolina: Black | 26738 | 92.2 | 3.3 | 382.2 | 26105 | 94.0 | 2.1 | 285.8 |
| USA, North Carolina: Asian and Pacific Islander | 1095 | 91.7 | 2.1 | 156.1 | 1668 | 94.7 | 2.0 | 186.0 |
| *USA, North Carolina: American Indian | 1181 | 92.5 | 3.4 | 252.3 | 1047 | 93.1 | 2.5 | 194.9 |
| USA, North Dakota | 9844 | 94.6 | 2.1 | 325.2 | 9039 | 95.2 | 1.6 | 299.9 |
| USA, Ohio | 165219 | 92.7 | 4.5 | 335.0 | 165295 | 93.8 | 3.7 | 309.3 |
| USA, Ohio: White | 144762 | 92.8 | 4.4 | 330.1 | 145740 | 93.8 | 3.8 | 313.3 |
| USA, Ohio: Black | 16655 | 90.9 | 5.4 | 361.1 | 16800 | 93.7 | 3.5 | 288.8 |
| *USA, Ohio: Asian and Pacific Islander | 1055 | 92.0 | 4.2 | 153.2 | 1398 | 95.6 | 2.7 | 167.2 |
| USA, Oklahoma | 50812 | 90.7 | 4.6 | 325.4 | 48769 | 92.7 | 3.3 | 294.7 |
| USA, Oklahoma: White | 43177 | 90.7 | 4.7 | 323.1 | 41403 | 92.7 | 3.4 | 298.1 |
| USA, Oklahoma: Black | 3224 | 91.7 | 3.9 | 358.4 | 2873 | 93.5 | 2.7 | 274.7 |
| USA, Oklahoma: American Indian | 3356 | 88.2 | 5.8 | 305.0 | 3517 | 92.5 | 3.4 | 279.9 |
| USA, Oregon | 54788 | 90.6 | 4.3 | 307.6 | 54170 | 92.1 | 4.2 | 294.4 |
| USA, Oregon: White | 51212 | 90.7 | 4.4 | 306.7 | 50804 | 92.1 | 4.3 | 297.2 |
| *USA, Oregon: Black | 965 | 89.2 | 2.9 | 354.8 | 678 | 92.2 | 3.2 | 261.9 |
| *USA, Oregon: Asian and Pacific Islander | 1194 | 88.1 | 4.1 | 208.7 | 1640 | 92.2 | 3.6 | 215.3 |
| USA, Rhode Island | 14963 | 93.3 | 3.0 | 330.4 | 16049 | 94.4 | 2.8 | 321.3 |
| USA, Rhode Island: White | 13963 | 93.2 | 3.1 | 334.8 | 15039 | 94.4 | 2.8 | 330.0 |
| *USA, Rhode Island: Black | 645 | 95.5 | 1.9 | 281.1 | 600 | 94.3 | 2.0 | 225.6 |
| USA, South Carolina | 71096 | 91.5 | 4.5 | 342.2 | 65519 | 93.2 | 3.4 | 289.5 |
| USA, South Carolina: White | 53864 | 91.7 | 4.3 | 335.4 | 49332 | 93.2 | 3.5 | 297.6 |
| USA, South Carolina: Black | 16402 | 90.6 | 5.2 | 371.9 | 15345 | 93.2 | 3.4 | 273.6 |
| USA, South Dakota | 12100 | 92.5 | 2.3 | 324.6 | 11178 | 93.5 | 1.8 | 301.3 |
| USA, Tennessee | 95075 | 91.9 | 4.0 | 352.1 | 88204 | 93.5 | 2.6 | 299.8 |
| USA, Tennessee: White | 81931 | 92.2 | 3.8 | 350.8 | 75374 | 93.5 | 2.6 | 306.1 |
| USA, Tennessee: Black | 12258 | 90.2 | 5.1 | 382.1 | 11850 | 93.3 | 2.3 | 283.0 |
| USA, Texas | 281641 | 88.3 | 5.8 | 300.6 | 272179 | 90.9 | 4.5 | 266.8 |
| USA, Texas: White | 239970 | 88.4 | 5.7 | 300.9 | 230428 | 90.9 | 4.6 | 271.8 |
| USA, Texas: Black | 33095 | 87.4 | 6.0 | 354.5 | 32122 | 90.4 | 4.5 | 273.4 |
| USA, Texas: Asian and Pacific Islander | 6580 | 88.0 | 5.7 | 173.5 | 7969 | 92.6 | 3.6 | 177.0 |
| USA, Utah | 26203 | 93.5 | 0.5 | 284.3 | 24337 | 94.6 | 0.5 | 259.0 |
| USA, Vermont | 9434 | 92.5 | 2.2 | 315.6 | 9451 | 93.4 | 1.7 | 309.8 |
| USA, Washington State | 90820 | 91.2 | 2.5 | 308.6 | 90950 | 93.2 | 2.0 | 297.8 |
| *USA, Washington, Seattle | 63599 | 91.8 | 0.5 | 319.3 | 62204 | 93.3 | 0.4 | 297.2 |

* Important. See note on population page.

Indices of data quality All sites except non-melanoma skin (C00–96 excl C44) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 30269 | 92.3 | 1.7 | 345.4 | 29126 | 92.9 | 1.4 | 325.9 |
| USA, Wyoming | 7164 | 93.4 | 1.2 | 285.9 | 6286 | 94.5 | 1.1 | 264.6 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 1677 | 94.0 | 1.6 | 132.3 | 2283 | 96.2 | 1.0 | 167.5 |
| Brunei Darussalam | 1408 | 88.4 | 2.3 | 162.0 | 1912 | 93.0 | 1.6 | 197.5 |
| *China, Anfu County | 1773 | 62.3 | 0.2 | 171.5 | 1273 | 69.0 | 0.4 | 123.0 |
| *China, Anguo City | 2702 | 76.4 | 4.1 | 211.8 | 2270 | 83.2 | 3.0 | 169.8 |
| *China, Anshan City | 16331 | 66.4 | 0.7 | 215.9 | 14820 | 74.3 | 0.9 | 184.9 |
| *China, Aohan Banner, Chifeng City | 3808 | 64.0 | 3.7 | 213.3 | 2189 | 63.0 | 3.9 | 115.8 |
| *China, Arongqi | 2318 | 59.5 | 3.4 | 261.6 | 1713 | 56.8 | 3.2 | 200.6 |
| *China, Baoding City | 7027 | 68.5 | 8.3 | 198.5 | 6475 | 75.6 | 4.8 | 169.4 |
| *China, Beijing City | 77804 | 72.3 | 1.6 | 182.8 | 79070 | 80.6 | 1.1 | 199.7 |
| *China, Binhai County | 8627 | 66.0 | 0.2 | 181.8 | 6331 | 71.1 | 0.2 | 140.1 |
| *China, Cangzhou City | 2745 | 72.4 | 3.9 | 173.0 | 2996 | 81.3 | 1.6 | 175.9 |
| China, Changfeng County | 3578 | 53.8 | 0.9 | 201.6 | 2385 | 57.3 | 0.3 | 146.2 |
| China, Changzhou City | 25883 | 70.8 | 0.4 | 262.0 | 19865 | 77.0 | 0.2 | 191.5 |
| China, Chengdu City | 10211 | 66.2 | 4.1 | 269.9 | 7241 | 69.2 | 3.5 | 188.3 |
| China, Cixian County | 5072 | 83.0 | 0.8 | 307.9 | 3796 | 81.9 | 1.3 | 206.3 |
| China, Cixi City | 10687 | 64.8 | 9.0 | 212.9 | 8563 | 73.4 | 7.1 | 175.7 |
| *China, Dafeng District, Yancheng City | 7919 | 67.7 | 0.4 | 219.3 | 6317 | 75.2 | 0.2 | 175.2 |
| China, Dalian City | 28841 | 72.3 | 1.4 | 256.9 | 27949 | 82.4 | 0.9 | 249.4 |
| *China, Dancheng County | 9156 | 63.4 | 1.1 | 290.5 | 8782 | 71.7 | 1.2 | 256.5 |
| China, Dantu County | 2709 | 62.3 | 2.1 | 213.4 | 1785 | 68.0 | 0.8 | 154.0 |
| *China, Danyang City | 10326 | 66.7 | 0.8 | 280.7 | 6935 | 67.2 | 0.9 | 174.0 |
| *China, Dawukou District, Shizuishan City | 1827 | 72.0 | 1.6 | 176.1 | 1484 | 76.9 | 1.1 | 142.1 |
| *China, Dehui City | 5071 | 64.0 | 2.9 | 169.5 | 5242 | 73.4 | 1.6 | 171.7 |
| *China, Donggang County | 5642 | 46.6 | 3.2 | 195.9 | 4529 | 54.4 | 2.3 | 161.3 |
| *China, Dongguan City | 8412 | 69.9 | 0.8 | 210.5 | 7888 | 80.0 | 0.7 | 178.4 |
| China, Donghai County | 6984 | 59.9 | 3.4 | 161.5 | 5161 | 67.5 | 2.7 | 130.9 |
| *China, Dongtai City | 9170 | 69.7 | 0.1 | 175.9 | 6818 | 76.5 | 0.1 | 134.9 |
| China, Duanzhou District, Zhaoqing City | 2648 | 59.6 | 2.9 | 216.9 | 2159 | 71.3 | 2.1 | 179.4 |
| *China, Evenki Autonomous Banner | 647 | 70.9 | 2.2 | 237.0 | 623 | 82.5 | 0.8 | 195.3 |
| *China, Faku County | 3843 | 57.5 | 1.1 | 192.4 | 2882 | 67.9 | 0.9 | 144.8 |
| *China, Fangcheng County | 4493 | 72.2 | 1.5 | 192.4 | 3834 | 69.3 | 0.9 | 185.5 |
| *China, Feicheng City | 10958 | 69.3 | 1.2 | 276.0 | 7146 | 71.3 | 0.9 | 168.0 |
| China, Feixi County | 10725 | 58.7 | 0.5 | 252.7 | 7207 | 56.3 | 0.3 | 178.1 |
| China, Fuqing City | 6297 | 70.5 | 7.7 | 227.6 | 5335 | 77.4 | 5.3 | 199.4 |
| *China, Ganyu District, Lianyungang City | 8118 | 56.5 | 1.8 | 182.7 | 5341 | 58.4 | 1.5 | 127.7 |
| *China, Ganzhou District, Zhangye City | 2760 | 68.7 | 0.3 | 301.3 | 1705 | 72.6 | 0.2 | 194.2 |
| *China, Gaocheng City | 4026 | 68.2 | 2.0 | 175.9 | 2852 | 78.8 | 1.1 | 117.6 |
| China, Gaomi City | 6322 | 69.7 | 1.4 | 204.9 | 4446 | 76.0 | 1.0 | 141.0 |
| China, Gong'an County | 7199 | 77.5 | 0.4 | 215.5 | 5596 | 86.6 | 0.2 | 162.9 |
| *China, Guang'an District, Guang'an City | 5107 | 69.0 | 4.1 | 262.4 | 2603 | 68.3 | 4.7 | 134.4 |
| China, Guanghan City | 3795 | 66.8 | 0.4 | 226.7 | 2054 | 70.2 | 0.2 | 116.7 |
| China, Guangzhou City | 67925 | 71.1 | 0.9 | 214.9 | 58957 | 81.9 | 0.5 | 180.3 |
| *China, Guanyun County | 6078 | 57.1 | 1.1 | 166.6 | 4625 | 68.6 | 0.6 | 136.3 |
| China, Guilin City | 5897 | 62.7 | 0.7 | 266.4 | 5022 | 75.9 | 0.3 | 208.3 |
| *China, Hai'an City | 10517 | 65.1 | 0.2 | 185.7 | 8101 | 67.1 | 0.2 | 150.2 |
| China, Hailar District, Hulun Buir City | 2718 | 62.7 | 2.2 | 248.2 | 2237 | 71.9 | 1.3 | 175.4 |
| China, Haimen District, Nantong City | 11395 | 56.2 | 0.2 | 219.2 | 9016 | 68.6 | 0.1 | 180.2 |
| China, Haining City | 6111 | 67.0 | 1.3 | 185.4 | 5576 | 73.2 | 0.9 | 176.8 |
| China, Hangzhou City | 67010 | 76.8 | 1.2 | 210.7 | 63199 | 84.7 | 0.8 | 211.7 |
| China, Hebi City | 2830 | 64.9 | 1.2 | 226.6 | 2262 | 69.5 | 1.1 | 173.0 |
| China, Hefei City | 21500 | 58.6 | 3.4 | 254.6 | 16190 | 64.3 | 2.4 | 191.6 |
| China, Hengdong County | 2575 | 69.4 | 1.5 | 160.3 | 1801 | 81.5 | 1.6 | 118.5 |
| *China, Hengfeng County | 1107 | 63.1 | 2.0 | 181.5 | 858 | 77.2 | 2.0 | 145.5 |
| *China, Hefu County | 7198 | 43.2 | 3.3 | 238.1 | 4094 | 60.4 | 2.1 | 143.5 |
| China, Honghu City | 5525 | 69.8 | 0.1 | 188.9 | 4237 | 82.9 | 0.1 | 142.5 |
| China, Hongshan District, Chifeng City | 2528 | 54.0 | 0.0 | 196.5 | 2268 | 63.4 | 0.0 | 153.6 |
| *China, Hongta District, Yuxi City | 2487 | 63.5 | 3.5 | 150.1 | 2290 | 69.5 | 2.5 | 142.1 |
| *China, Huaiyin District, Huai'an City | 7350 | 64.3 | 1.9 | 196.1 | 4875 | 73.5 | 1.2 | 136.4 |
| *China, Jiange County | 4192 | 66.8 | 0.4 | 251.5 | 2704 | 67.5 | 0.1 | 156.5 |
| China, Jiangmen City | 5367 | 66.7 | 0.8 | 225.6 | 4784 | 81.4 | 0.5 | 189.0 |
| *China, Jiangyin City | 13315 | 72.5 | 0.3 | 228.0 | 8774 | 76.6 | 0.3 | 149.2 |
| *China, Jiashan County | 4990 | 73.9 | 0.2 | 242.9 | 4468 | 82.1 | 0.3 | 236.1 |
| China, Jiayu County | 1374 | 60.2 | 6.6 | 182.8 | 1037 | 73.5 | 4.3 | 136.0 |
| *China, Jinan City | 20566 | 70.0 | 3.0 | 222.5 | 16687 | 75.6 | 2.1 | 172.0 |
| *China, Jingtai County | 1647 | 65.0 | 2.7 | 238.3 | 1280 | 73.7 | 2.3 | 181.1 |
| *China, Jingxian County | 2358 | 79.3 | 2.0 | 172.1 | 1490 | 82.1 | 1.9 | 129.5 |
| *China, Jintan District, Changzhou City | 6431 | 70.4 | 1.2 | 265.1 | 4583 | 72.9 | 1.0 | 194.4 |
| *China, Jiulongpo District, Chongqing City | 8216 | 57.8 | 1.0 | 248.6 | 5360 | 66.7 | 0.8 | 165.7 |
| *China, Jiyuan City | 4697 | 65.1 | 1.5 | 281.7 | 4226 | 70.0 | 0.8 | 234.6 |

* Important. See note on population page.

Indices of data quality
All sites except non-melanoma skin (C00–96 excl C44) (contd)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 2890 | 66.4 | 0.3 | 234.9 | 2144 | 75.0 | 0.0 | 174.1 |
| China, Kunshan City | 8481 | 68.3 | 0.8 | 248.0 | 7359 | 77.6 | 0.7 | 216.1 |
| China, Langzhong City | 5084 | 66.6 | 0.4 | 259.3 | 3154 | 69.1 | 0.4 | 168.6 |
| *China, Liangshan County | 6207 | 70.8 | 3.3 | 204.6 | 5140 | 77.8 | 1.9 | 174.3 |
| *China, Lianshui County | 8175 | 66.9 | 0.5 | 187.7 | 5583 | 72.9 | 0.4 | 129.8 |
| China, Lianyungang City | 6905 | 59.4 | 2.5 | 176.2 | 5527 | 70.3 | 2.1 | 141.5 |
| China, Linhe District, Bayannur City | 2785 | 77.4 | 4.4 | 213.0 | 2268 | 86.1 | 2.4 | 160.7 |
| China, Linqu County | 8095 | 72.3 | 1.4 | 224.1 | 5600 | 75.8 | 1.0 | 153.7 |
| *China, Linzhou City | 8792 | 81.3 | 1.5 | 249.6 | 7872 | 81.9 | 0.9 | 204.0 |
| China, Liuzhou City | 8225 | 61.8 | 0.3 | 217.5 | 6970 | 75.7 | 0.2 | 181.1 |
| China, Liyang City | 7192 | 70.8 | 0.1 | 173.1 | 4757 | 75.2 | 0.0 | 123.6 |
| *China, Longquan City | 2272 | 65.7 | 0.9 | 222.2 | 1815 | 79.2 | 0.6 | 205.9 |
| China, Lucheng District, Wenzhou City | 4724 | 73.5 | 3.3 | 241.3 | 4406 | 80.4 | 2.2 | 228.7 |
| China, Luding City | 4104 | 53.1 | 6.3 | 177.0 | 2759 | 67.6 | 4.7 | 125.2 |
| *China, Luohe City | 8199 | 63.2 | 3.0 | 214.6 | 7188 | 70.6 | 2.4 | 167.4 |
| *China, Luoyang City | 8274 | 69.3 | 2.7 | 191.5 | 7150 | 74.3 | 1.8 | 163.3 |
| *China, Luquan City | 1802 | 62.3 | 2.2 | 153.4 | 1533 | 69.4 | 1.3 | 125.1 |
| China, Ma'anshan City | 6166 | 74.9 | 0.4 | 282.6 | 4338 | 79.8 | 0.4 | 187.3 |
| *China, Macheng City | 5368 | 73.2 | 0.4 | 224.3 | 3450 | 78.5 | 0.3 | 145.9 |
| China, Meihekou City | 3723 | 66.0 | 1.3 | 158.9 | 3186 | 71.6 | 1.0 | 138.9 |
| *China, Mengjin County | 2396 | 63.1 | 1.9 | 216.4 | 2262 | 67.6 | 1.4 | 189.5 |
| China, Nangang District, Harbin City | 7262 | 66.0 | 3.2 | 178.8 | 8092 | 77.4 | 1.9 | 182.3 |
| *China, Nanhai District, Foshan City | 7552 | 55.2 | – | 273.1 | 6297 | 65.7 | – | 205.5 |
| China, Nanhu District, Jiaying City | 6030 | 66.2 | 1.0 | 230.3 | 5585 | 75.8 | 0.8 | 228.7 |
| *China, Nantong City | 11661 | 59.8 | 1.1 | 205.2 | 9139 | 68.3 | 0.9 | 159.6 |
| *China, Nanxiong City | 3275 | 49.7 | 1.4 | 233.6 | 2203 | 60.3 | 1.3 | 135.1 |
| China, Neixiang County | 5521 | 70.6 | 1.4 | 228.4 | 3726 | 74.8 | 0.9 | 157.3 |
| *China, Qianxi County | 2619 | 70.8 | 3.1 | 189.8 | 1784 | 74.4 | 4.9 | 134.4 |
| China, Qidong City | 13676 | 53.9 | 0.0 | 213.7 | 10843 | 67.3 | 0.0 | 167.3 |
| China, Qingzhou City | 6976 | 63.0 | 0.6 | 210.4 | 5264 | 69.9 | 0.3 | 158.7 |
| *China, Rudong County | 11752 | 65.4 | 0.3 | 181.9 | 9204 | 72.4 | 0.2 | 149.8 |
| *China, Rugao City | 15692 | 67.1 | 0.2 | 209.8 | 11811 | 70.7 | 0.2 | 155.3 |
| *China, Rural areas of Shanghai City | 105904 | 73.8 | 0.4 | 233.1 | 93380 | 80.3 | 0.3 | 225.8 |
| China, Ruyang County | 2675 | 74.5 | 2.4 | 219.3 | 2217 | 75.1 | 1.4 | 181.9 |
| *China, Shan County | 5726 | 52.9 | 0.3 | 232.7 | 4216 | 60.1 | 0.4 | 150.1 |
| China, Shanghai City | 81735 | 72.4 | 0.3 | 220.8 | 76628 | 78.6 | 0.3 | 228.3 |
| China, Shangyu District, Shaoxing City | 9206 | 67.9 | 1.9 | 265.9 | 7478 | 76.2 | 1.2 | 229.0 |
| *China, Shapingba District, Chongqing City | 7796 | 62.3 | 1.0 | 233.5 | 5912 | 69.4 | 0.7 | 172.9 |
| China, Shexian County | 3814 | 73.4 | 0.8 | 283.3 | 2653 | 76.7 | 0.7 | 193.8 |
| China, Sheyang County | 8897 | 61.5 | 0.1 | 206.1 | 7516 | 68.8 | 0.1 | 179.5 |
| *China, Shijiazhuang City | 9814 | 74.8 | 3.5 | 187.4 | 8971 | 82.1 | 2.3 | 173.1 |
| China, Shunde District, Foshan City | 10494 | 49.3 | 0.0 | 303.9 | 7947 | 64.3 | 0.0 | 193.7 |
| *China, Song County | 3442 | 70.0 | 1.4 | 212.2 | 2481 | 69.9 | 1.5 | 159.6 |
| China, Suzhou City | 34647 | 68.9 | 3.6 | 211.8 | 27295 | 73.7 | 2.6 | 172.2 |
| *China, Tengzhou City | 12891 | 66.2 | 2.4 | 232.2 | 9625 | 73.6 | 2.5 | 160.5 |
| *China, Wangdu County | 1189 | 74.5 | 2.4 | 176.0 | 929 | 77.5 | 1.4 | 134.9 |
| *China, Wanzai County | 2280 | 59.9 | 1.9 | 196.6 | 1631 | 66.7 | 1.7 | 138.8 |
| *China, Wu'an City | 5189 | 68.9 | 3.7 | 228.3 | 3557 | 71.2 | 3.9 | 147.4 |
| China, Wuhan City | 44404 | 82.3 | 0.1 | 205.1 | 41307 | 89.0 | 0.1 | 195.7 |
| *China, Wuhu City | 10510 | 61.0 | 1.1 | 193.3 | 7258 | 70.0 | 0.9 | 145.9 |
| China, Wuxi City | 25448 | 66.6 | 0.5 | 205.9 | 18699 | 72.7 | 0.4 | 155.6 |
| China, Wuzhou City | 4402 | 54.1 | 2.6 | 228.4 | 3100 | 69.1 | 2.2 | 160.8 |
| China, Xiangfu District, Kaifeng City | 4221 | 69.7 | 0.6 | 219.2 | 3836 | 81.1 | 0.3 | 184.2 |
| China, Xianju County | 5409 | 67.7 | 2.6 | 264.9 | 4080 | 74.5 | 2.5 | 212.3 |
| *China, Xin'an County | 2370 | 67.7 | 0.8 | 207.0 | 1806 | 67.9 | 0.3 | 159.4 |
| *China, Xining City | 5820 | 72.4 | 1.4 | 274.2 | 4522 | 74.6 | 1.0 | 184.5 |
| *China, Xinji City | 3509 | 67.1 | 3.5 | 131.6 | 3447 | 74.8 | 2.1 | 132.4 |
| *China, Xinluo District, Longyan City | 2464 | 54.1 | – | 200.9 | 2016 | 62.5 | – | 173.9 |
| *China, Xinzhou District, Shangrao City | 2654 | 63.2 | 3.7 | 196.0 | 2089 | 72.9 | 3.5 | 151.1 |
| China, Xiping County | 5575 | 64.4 | 3.0 | 214.1 | 4866 | 76.4 | 1.9 | 168.7 |
| *China, Xishan District, Kunming City | 2353 | 68.8 | 1.0 | 145.2 | 1951 | 75.2 | 0.7 | 130.9 |
| *China, Xuyi County | 4865 | 67.4 | 0.7 | 190.3 | 3094 | 72.0 | 0.6 | 119.7 |
| *China, Ya'an City | 10067 | 67.5 | 2.0 | 189.7 | 7657 | 73.3 | 1.4 | 145.9 |
| *China, Yakeshi City | 3556 | 65.4 | 6.4 | 233.3 | 2960 | 75.8 | 4.0 | 182.2 |
| China, Yancheng City | 13821 | 67.7 | 0.9 | 234.1 | 10227 | 73.0 | 0.7 | 174.1 |
| *China, Yangquan City | 4800 | 78.2 | 6.6 | 227.2 | 3519 | 82.9 | 5.6 | 160.8 |
| *China, Yangzhong City | 3193 | 60.2 | 0.3 | 220.3 | 2371 | 61.1 | 0.2 | 153.4 |
| *China, Yanji City | 3790 | 45.3 | 4.7 | 189.3 | 2979 | 60.3 | 3.4 | 127.6 |
| *China, Yanshi City | 3852 | 66.2 | 3.3 | 164.8 | 3858 | 73.6 | 2.2 | 158.4 |
| China, Yanting County | 7133 | 78.2 | 1.4 | 379.3 | 4326 | 79.3 | 1.5 | 227.0 |
| *China, Yi'an District, Tongling City | 2319 | 63.7 | 3.5 | 230.4 | 1303 | 65.9 | 2.5 | 134.1 |
| *China, Yingdong District, Fuyang City | 4230 | 44.5 | 0.5 | 188.7 | 3072 | 57.8 | 0.4 | 141.0 |

* Important. See note on population page.

Indices of data quality All sites except non-melanoma skin (C00–96 excl C44) (contd)

| | Male | | | | Female | | | |
|--|---------|--------|---------|--------------|---------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 2358 | 76.7 | 0.7 | 248.5 | 2140 | 84.2 | 0.3 | 229.9 |
| *China, Yiyuan County | 4317 | 67.5 | 1.1 | 215.4 | 2750 | 70.9 | 1.2 | 138.1 |
| China, Yong'an City | 2510 | 56.8 | 0.3 | 188.5 | 1728 | 69.8 | 0.3 | 138.8 |
| *China, Yongding District, Longyan City | 3656 | 72.0 | 0.2 | 224.6 | 2212 | 75.7 | 0.3 | 131.6 |
| China, Yongkang City | 5835 | 73.7 | 5.2 | 241.3 | 4493 | 81.0 | 3.8 | 192.4 |
| *China, Yucheng County | 3498 | 74.2 | 0.2 | 179.4 | 4246 | 75.3 | 0.2 | 209.2 |
| China, Yueyanglou District, Yueyang City | 2093 | 72.6 | 3.6 | 192.1 | 1564 | 83.9 | 3.0 | 147.2 |
| China, Yunmeng County | 4045 | 60.1 | 0.1 | 258.8 | 3538 | 69.1 | 0.1 | 204.5 |
| *China, Yunyang District, Shiyan City | 2385 | 68.1 | 1.2 | 215.6 | 1494 | 68.3 | 1.5 | 140.9 |
| China, Yuzhong District, Chongqing City | 5880 | 60.5 | 2.2 | 263.7 | 4536 | 66.1 | 1.8 | 188.4 |
| *China, Zhanhuang County | 1875 | 65.5 | 3.7 | 219.6 | 1337 | 65.7 | 2.8 | 158.8 |
| *China, Zhangjiagang City | 11088 | 64.1 | 1.4 | 242.4 | 8531 | 72.0 | 0.8 | 185.7 |
| *China, Zhaoyuan City | 6954 | 51.7 | 1.0 | 251.3 | 4908 | 60.7 | 0.7 | 176.9 |
| *China, Zhengding County | 2441 | 65.1 | 4.6 | 184.8 | 1842 | 75.5 | 3.3 | 127.3 |
| *China, Zhongshan City | 13313 | 73.5 | — | 255.1 | 10163 | 84.8 | — | 178.6 |
| China, Zhongxiang City | 5859 | 72.1 | 0.3 | 175.8 | 4939 | 83.4 | 0.2 | 142.4 |
| *China, Zhuanghe City | 8801 | 66.1 | 0.1 | 198.6 | 7648 | 75.7 | 0.1 | 186.3 |
| *China, Zhuhai City | 7785 | 56.7 | 2.9 | 219.8 | 6907 | 68.6 | 2.4 | 188.8 |
| India, Ahmedabad, Urban | 12147 | 97.3 | 0.2 | 100.3 | 9228 | 96.5 | 0.2 | 78.5 |
| India, Aurangabad | 2028 | 94.7 | 2.8 | 71.8 | 2101 | 96.1 | 2.3 | 75.7 |
| India, Bangalore | 14585 | 88.3 | 8.0 | 128.9 | 17906 | 92.0 | 5.4 | 158.7 |
| India, Barshi, Paranda, and Bhum | 719 | 84.0 | 1.0 | 49.3 | 812 | 83.9 | 1.0 | 60.1 |
| *India, Bhopal | 2794 | 95.7 | 0.9 | 103.5 | 2800 | 97.0 | 1.1 | 108.9 |
| India, Chandigarh | 2175 | 94.2 | 1.2 | 93.1 | 2185 | 96.7 | 0.8 | 99.9 |
| *India, Chennai | 14893 | 80.2 | 6.3 | 121.3 | 17519 | 83.2 | 5.5 | 136.0 |
| India, Dibrugarh | 2503 | 76.0 | 11.9 | 88.6 | 2303 | 80.2 | 7.3 | 77.1 |
| *India, Dindigul, Ambilikkai | 3726 | 77.3 | 9.7 | 60.6 | 4893 | 77.9 | 8.3 | 76.0 |
| India, Kamrup Urban District | 5118 | 81.5 | 9.4 | 215.0 | 3962 | 83.4 | 5.7 | 171.7 |
| India, Kollam | 8105 | 77.7 | 4.8 | 129.7 | 7978 | 85.9 | 4.1 | 108.3 |
| *India, Manipur | 2907 | 92.9 | 0.8 | 61.0 | 3545 | 92.7 | 0.6 | 68.7 |
| India, Meghalaya | 4839 | 87.0 | 8.6 | 178.4 | 2918 | 85.1 | 9.9 | 96.7 |
| India, Mizoram | 3514 | 85.1 | 5.3 | 207.8 | 3029 | 84.5 | 5.4 | 172.6 |
| India, Mumbai | 33960 | 87.2 | 8.5 | 109.1 | 35207 | 88.0 | 8.1 | 115.5 |
| *India, New Delhi | 31930 | 84.8 | 6.9 | 147.2 | 29315 | 86.0 | 5.5 | 137.7 |
| India, Poona | 10322 | 89.2 | 4.1 | 84.9 | 11699 | 89.6 | 3.5 | 97.7 |
| *India, Sangrur District | 1750 | 76.5 | 3.4 | 65.9 | 1830 | 83.1 | 2.5 | 73.3 |
| India, SAS Nagar | 1997 | 92.1 | 0.5 | 81.8 | 2211 | 95.2 | 0.4 | 96.3 |
| *India, Tamil Nadu | 138158 | 83.8 | 4.5 | 69.2 | 175422 | 85.8 | 3.4 | 82.8 |
| *India, Tripura | 5317 | 93.3 | 0.1 | 81.2 | 3996 | 93.3 | 0.2 | 58.4 |
| India, Trivandrum | 10876 | 78.6 | 9.6 | 137.7 | 11680 | 85.4 | 7.9 | 128.6 |
| India, Wardha | 2451 | 84.5 | 9.0 | 65.0 | 2611 | 87.7 | 7.0 | 70.6 |
| India, West Arunachal | 959 | 92.0 | 0.1 | 99.0 | 893 | 93.7 | 0.1 | 90.8 |
| *Iran (Islamic Republic of), Ardabil Province | 3083 | 72.6 | 11.7 | 165.5 | 2426 | 76.6 | 8.4 | 127.3 |
| *Iran (Islamic Republic of), Golestan Province | 3879 | 78.7 | 4.8 | 168.0 | 3977 | 79.9 | 3.8 | 152.7 |
| Israel | 67420 | 92.6 | 5.2 | 260.8 | 73052 | 92.7 | 5.5 | 259.1 |
| *Israel: Jews | 57200 | 92.5 | 5.3 | 261.3 | 62377 | 92.4 | 5.7 | 268.4 |
| *Israel: Arabs | 6773 | 93.2 | 4.4 | 227.1 | 6648 | 94.8 | 3.5 | 193.5 |
| Japan | 1525811 | 82.8 | 5.8 | 306.5 | 1116845 | 81.8 | 7.1 | 230.7 |
| Japan, Aichi Prefecture | 79390 | 87.0 | 3.0 | 296.0 | 55414 | 86.0 | 4.0 | 220.2 |
| *Japan, Akita Prefecture | 16423 | 86.0 | 0.3 | 352.8 | 11851 | 84.0 | 0.6 | 251.9 |
| Japan, Aomori Prefecture | 32482 | 82.8 | 1.5 | 355.3 | 24735 | 81.6 | 2.1 | 261.2 |
| Japan, Gunma Prefecture | 24307 | 84.3 | 2.3 | 297.8 | 17044 | 82.3 | 3.3 | 224.6 |
| Japan, Hiroshima Prefecture | 54392 | 89.4 | 1.5 | 358.4 | 38849 | 87.8 | 2.7 | 260.9 |
| Japan, Miyagi Prefecture | 49783 | 86.0 | 3.5 | 333.2 | 36654 | 84.7 | 4.8 | 254.5 |
| Japan, Osaka Prefecture | 112323 | 86.4 | 4.5 | 334.9 | 79075 | 85.5 | 5.7 | 239.0 |
| Kuwait | 6069 | 92.8 | 3.6 | 92.7 | 7497 | 95.3 | 2.8 | 138.7 |
| *Kuwait: Kuwaitis | 2601 | 91.3 | 4.5 | 136.7 | 4093 | 94.9 | 2.9 | 165.5 |
| *Kuwait: Non-Kuwaitis | 3468 | 93.8 | 2.8 | 75.9 | 3404 | 95.7 | 2.6 | 119.8 |
| *Philippines, Manila | 16533 | 72.9 | 6.6 | 162.8 | 26172 | 81.2 | 4.0 | 182.2 |
| *Qatar: Qatari | 664 | 89.5 | 2.7 | 155.2 | 862 | 93.6 | 2.1 | 176.9 |
| Republic of Korea | 581065 | 88.6 | 0.9 | 299.1 | 530917 | 92.1 | 1.1 | 256.1 |
| *Republic of Korea, Busan | 44703 | 86.1 | 1.1 | 307.8 | 42102 | 90.8 | 1.3 | 278.3 |
| *Republic of Korea, Daegu | 27567 | 89.8 | 1.0 | 300.6 | 27719 | 92.6 | 1.2 | 273.6 |
| *Republic of Korea, Daejeon | 15355 | 89.8 | 0.7 | 297.8 | 15165 | 93.5 | 0.8 | 264.6 |
| *Republic of Korea, Gwangju | 14159 | 86.8 | 0.7 | 290.7 | 14268 | 91.4 | 1.2 | 257.2 |
| Republic of Korea, Incheon | 29258 | 91.1 | 0.5 | 283.6 | 28439 | 94.3 | 0.6 | 250.1 |
| Republic of Korea, Jeju | 6902 | 86.5 | 0.3 | 296.8 | 5774 | 88.8 | 0.5 | 228.7 |
| Republic of Korea, Seoul | 107971 | 90.7 | 0.7 | 293.6 | 102981 | 94.2 | 0.8 | 258.6 |
| Republic of Korea, Ulsan | 11181 | 88.8 | 0.7 | 300.0 | 11472 | 93.3 | 1.0 | 275.0 |
| Singapore | 33052 | 88.8 | 0.2 | 224.3 | 34777 | 93.0 | 0.3 | 217.0 |
| Singapore: Chinese | 27596 | 88.9 | 0.2 | 231.6 | 28384 | 92.8 | 0.3 | 219.7 |
| Singapore: Indian | 1590 | 89.1 | 0.1 | 151.8 | 1938 | 95.5 | 0.3 | 182.5 |

* Important. See note on population page.

Indices of data quality
All sites except non-melanoma skin (C00–96 excl C44) (contd)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 3093 | 87.0 | 0.1 | 205.6 | 3659 | 93.1 | 0.1 | 214.7 |
| Thailand, Bangkok | 21198 | 75.5 | 5.5 | 125.1 | 26856 | 81.9 | 3.3 | 122.5 |
| *Thailand, Chiang Mai | 9402 | 65.2 | 1.4 | 167.6 | 9948 | 80.7 | 1.1 | 156.2 |
| *Thailand, Khon Kaen | 7990 | 52.9 | 2.7 | 133.2 | 7572 | 73.6 | 1.5 | 114.1 |
| Thailand, Lampang | 5085 | 59.0 | 1.4 | 169.5 | 4944 | 75.1 | 1.1 | 152.5 |
| Thailand, Lopburi Province | 4949 | 70.7 | 3.5 | 216.2 | 5115 | 79.8 | 1.3 | 198.7 |
| *Thailand, Songkhla | 5900 | 77.4 | 3.6 | 143.1 | 5701 | 86.8 | 2.3 | 120.0 |
| Turkey, Antalya | 13435 | 95.1 | 0.7 | 221.7 | 10544 | 96.5 | 0.4 | 159.6 |
| Turkey, Bursa | 18749 | 92.3 | 4.3 | 239.3 | 13167 | 93.8 | 3.7 | 150.2 |
| *Turkey, Edirne | 4475 | 84.8 | 2.9 | 287.5 | 2951 | 89.5 | 1.9 | 191.2 |
| *Turkey, Erzurum | 4702 | 84.8 | 6.0 | 255.2 | 3699 | 86.1 | 4.9 | 183.4 |
| Turkey, Eskişehir | 6486 | 96.5 | 0.5 | 245.0 | 5351 | 96.9 | 0.5 | 188.0 |
| Turkey, Gaziantep | 7255 | 89.5 | 1.8 | 208.7 | 6081 | 91.9 | 1.2 | 149.2 |
| *Turkey, Izmir | 37274 | 90.6 | 2.3 | 285.4 | 29207 | 92.8 | 2.0 | 203.9 |
| Turkey, Malatya | 4095 | 88.1 | 8.1 | 187.0 | 3141 | 91.1 | 5.9 | 134.6 |
| Turkey, Samsun | 10293 | 95.2 | 1.8 | 253.9 | 7135 | 96.0 | 1.5 | 164.1 |
| Turkey, Trabzon | 7113 | 88.0 | 3.7 | 288.2 | 5404 | 91.3 | 2.8 | 200.0 |
| Europe | | | | | | | | |
| Austria | 110046 | 86.9 | 5.4 | 276.0 | 97026 | 86.1 | 6.0 | 221.2 |
| Austria, Carinthia | 9342 | 93.1 | 1.1 | 329.6 | 7917 | 92.4 | 1.4 | 258.3 |
| Austria, Tyrol | 10757 | 95.6 | 0.3 | 331.9 | 9175 | 95.1 | 0.7 | 273.3 |
| Austria, Vorarlberg | 4868 | 94.1 | 1.6 | 286.7 | 4147 | 93.3 | 2.5 | 229.3 |
| Belarus | 104426 | 94.4 | 0.0 | 332.0 | 94542 | 96.3 | 0.1 | 211.2 |
| *Belgium | 186841 | 96.7 | – | 356.1 | 160584 | 97.5 | – | 297.8 |
| Croatia | 65552 | 79.0 | 4.4 | 338.2 | 56605 | 79.8 | 4.9 | 252.0 |
| Cyprus | 9570 | 91.7 | 7.4 | 270.4 | 8951 | 93.7 | 5.9 | 260.9 |
| *Czech Republic | 161203 | 89.9 | 0.6 | 334.9 | 138896 | 89.6 | 0.7 | 254.6 |
| Denmark | 99640 | 94.8 | 0.4 | 359.7 | 91897 | 94.9 | 0.4 | 329.1 |
| Estonia | 19706 | 90.3 | 1.2 | 369.4 | 18170 | 89.8 | 1.3 | 237.8 |
| Finland | 81031 | 91.7 | 1.4 | 284.3 | 75304 | 91.1 | 1.6 | 251.8 |
| *France, Bas-Rhin | 14035 | 95.7 | – | 355.7 | 11657 | 95.4 | – | 274.1 |
| *France, Calvados | 11569 | 91.7 | – | 352.6 | 9553 | 92.7 | – | 266.7 |
| *France, Doubs | 8536 | 94.8 | – | 346.2 | 6789 | 95.3 | – | 261.6 |
| *France, Gironde | 25030 | 95.2 | – | 366.5 | 21685 | 96.0 | – | 289.6 |
| *France, Haut-Rhin | 12384 | 94.6 | – | 342.2 | 9963 | 94.5 | – | 261.1 |
| *France, Hérault | 18916 | 94.6 | – | 354.7 | 15705 | 95.0 | – | 274.9 |
| *France, Isère | 18550 | 94.8 | – | 340.9 | 15889 | 95.8 | – | 279.4 |
| *France, Lille-Métropole | 10875 | 91.9 | – | 389.9 | 9701 | 94.1 | – | 289.3 |
| *France, Limousin | 7258 | 94.9 | – | 362.6 | 5369 | 95.4 | – | 258.1 |
| *France, Loire-Atlantique | 21908 | 93.2 | – | 381.9 | 17529 | 95.1 | – | 271.2 |
| *France, Manche | 9104 | 91.8 | – | 333.1 | 7217 | 90.9 | – | 256.7 |
| *France, Poitou-Charentes | 34383 | 94.6 | – | 353.7 | 26493 | 95.1 | – | 270.2 |
| *France, Somme | 8926 | 95.7 | – | 350.0 | 7410 | 96.5 | – | 271.9 |
| *France, Tarn | 7001 | 93.7 | – | 321.8 | 5799 | 93.7 | – | 262.8 |
| *France, Territoire de Belfort | 1788 | 93.7 | – | 342.8 | 1435 | 94.0 | – | 251.5 |
| *France, Vendée | 13135 | 93.6 | – | 372.2 | 9648 | 95.1 | – | 271.1 |
| Germany, Baden-Württemberg | 101425 | 78.6 | 6.1 | 295.1 | 91984 | 78.0 | 6.9 | 258.5 |
| Germany, Bavaria | 188963 | 89.2 | 7.9 | 287.1 | 168746 | 88.4 | 9.1 | 242.6 |
| Germany, Bremen | 11469 | 89.5 | 8.2 | 325.6 | 10287 | 88.9 | 8.7 | 268.7 |
| Germany, Hamburg | 26952 | 86.4 | 3.6 | 312.2 | 26778 | 87.5 | 3.6 | 285.3 |
| Germany, Lower Saxony | 144508 | 88.6 | 6.9 | 329.8 | 124716 | 87.6 | 7.7 | 273.0 |
| Germany, North Rhine-Westphalia | 301611 | 82.0 | 9.0 | 323.8 | 276804 | 81.1 | 10.5 | 280.5 |
| Germany, Rhineland-Palatinate | 70245 | 82.9 | 11.6 | 320.2 | 61838 | 82.8 | 12.1 | 272.4 |
| Germany, Saarland | 18406 | 85.3 | 7.0 | 323.0 | 16478 | 84.7 | 7.9 | 275.6 |
| Germany, Schleswig-Holstein | 53541 | 85.3 | 2.5 | 330.2 | 47781 | 84.3 | 2.8 | 283.7 |
| Iceland | 3828 | 94.6 | 0.2 | 281.5 | 3636 | 95.1 | 0.2 | 270.1 |
| Ireland | 60166 | 91.6 | 0.5 | 339.6 | 52288 | 91.8 | 0.7 | 282.5 |
| *Italy, Aosta Valley | 1773 | 78.2 | 0.9 | 313.6 | 1519 | 79.6 | 1.0 | 252.3 |
| *Italy, Avellino | 3941 | 81.8 | 1.9 | 307.4 | 2997 | 82.9 | 2.4 | 232.1 |
| Italy, Basilicata | 8644 | 78.5 | 0.4 | 282.1 | 7179 | 78.4 | 0.7 | 239.4 |
| *Italy, Benevento | 3563 | 88.7 | 1.1 | 301.3 | 2819 | 90.3 | 1.3 | 237.8 |
| Italy, Bergamo | 18331 | 89.9 | 0.9 | 329.2 | 15662 | 89.3 | 1.6 | 268.5 |
| *Italy, Brescia | 17298 | 84.9 | 1.4 | 296.0 | 15941 | 86.3 | 2.1 | 257.9 |
| Italy, Brianza (Lecco and Monza e Brianza) | 11088 | 88.6 | 1.4 | 298.3 | 9960 | 88.3 | 2.3 | 251.9 |
| Italy, Calabria | 7442 | 81.3 | 1.4 | 275.5 | 6265 | 83.9 | 1.6 | 235.4 |
| *Italy, Caserta | 10114 | 86.1 | 1.9 | 326.2 | 8560 | 88.5 | 1.4 | 262.3 |
| *Italy, Catania, Messina, and Enna | 26530 | 87.2 | 1.4 | 286.0 | 23615 | 89.2 | 1.9 | 245.3 |
| Italy, Emilia-Romagna | 65202 | 87.2 | 0.5 | 324.0 | 60126 | 88.3 | 0.7 | 289.8 |
| Italy, Friuli-Venezia Giulia | 22839 | 90.6 | 0.1 | 314.5 | 20606 | 90.6 | 0.2 | 275.8 |
| Italy, Genova | 13620 | 83.4 | 0.9 | 317.8 | 12645 | 85.1 | 1.3 | 271.1 |
| *Italy, Lombardy, South, Pavia | 9870 | 80.4 | 0.4 | 317.4 | 8960 | 83.6 | 1.1 | 270.1 |
| Italy, Mantova and Cremona | 10800 | 85.9 | 0.3 | 318.7 | 10014 | 88.0 | 0.5 | 277.1 |

* Important. See note on population page.

Indices of data quality All sites except non-melanoma skin (C00–96 excl C44) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|--------|--------|---------|--------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 21883 | 91.1 | 1.1 | 314.5 | 18799 | 90.8 | 1.1 | 264.6 |
| Italy, Milan | 55871 | 85.7 | 0.5 | 308.5 | 52903 | 86.8 | 1.2 | 266.3 |
| Italy, Molise | 3044 | 80.4 | 1.3 | 295.1 | 2469 | 79.6 | 1.7 | 251.1 |
| *Italy, Naples Centre | 8829 | 81.0 | 2.5 | 338.6 | 7881 | 81.3 | 3.0 | 265.0 |
| *Italy, Naples North | 10342 | 88.1 | 2.1 | 329.7 | 8532 | 89.1 | 2.8 | 254.2 |
| *Italy, Naples South | 15244 | 86.1 | 1.2 | 329.3 | 12680 | 88.7 | 1.2 | 261.6 |
| *Italy, Nuoro | 1988 | 79.7 | 2.3 | 286.8 | 1721 | 85.5 | 1.9 | 249.9 |
| *Italy, Palermo | 17245 | 82.2 | 3.5 | 287.1 | 15169 | 84.6 | 3.6 | 239.9 |
| Italy, Puglia | 61592 | 84.5 | 1.1 | 298.1 | 51940 | 85.5 | 1.4 | 249.2 |
| *Italy, Ragusa and Caltanissetta | 7735 | 83.3 | 1.6 | 270.2 | 6611 | 87.1 | 1.7 | 229.9 |
| *Italy, Salerno | 11753 | 84.0 | 1.4 | 276.9 | 10032 | 85.8 | 1.7 | 237.4 |
| Italy, Sassari | 3184 | 81.4 | 1.4 | 299.4 | 2654 | 83.6 | 1.6 | 242.4 |
| *Italy, Sondrio | 4067 | 80.0 | 2.4 | 359.2 | 3336 | 80.7 | 3.7 | 276.3 |
| Italy, South Tyrol | 8022 | 91.5 | 0.7 | 313.4 | 6462 | 91.2 | 0.9 | 237.6 |
| *Italy, Syracuse | 5680 | 81.3 | 1.5 | 277.0 | 4671 | 86.2 | 1.7 | 233.6 |
| Italy, Trento | 8678 | 87.0 | 0.1 | 311.6 | 7863 | 88.3 | 0.4 | 267.7 |
| Italy, Turin | 39714 | 87.0 | 1.7 | 304.6 | 33146 | 89.8 | 2.0 | 245.3 |
| *Italy, Tuscany | 41076 | 81.6 | 1.1 | 349.8 | 37029 | 82.8 | 1.4 | 307.8 |
| Italy, Umbria | 13500 | 86.6 | 0.9 | 325.8 | 11630 | 86.6 | 1.0 | 271.7 |
| Italy, Varese | 7822 | 91.2 | 0.3 | 272.7 | 6628 | 91.3 | 0.7 | 217.7 |
| Italy, Veneto | 82924 | 88.2 | 0.8 | 319.7 | 75120 | 89.2 | 1.2 | 278.2 |
| Latvia | 25488 | 78.8 | 3.4 | 324.7 | 25632 | 82.1 | 2.9 | 228.5 |
| *Liechtenstein | 475 | 94.9 | – | 270.8 | 466 | 95.5 | – | 258.7 |
| *Lithuania | 43949 | 78.2 | 14.9 | 386.1 | 36438 | 79.3 | 14.4 | 226.0 |
| Malta | 5736 | 88.4 | 1.8 | 266.7 | 5304 | 89.9 | 2.2 | 243.8 |
| *The Netherlands | 270246 | 94.4 | – | 331.4 | 242139 | 95.4 | – | 300.2 |
| Norway | 83220 | 93.4 | 1.4 | 359.8 | 71116 | 92.8 | 1.7 | 303.3 |
| Poland, Kielce | 14295 | 95.1 | 0.0 | 260.8 | 12137 | 95.2 | 0.0 | 195.8 |
| *Portugal, Azores | 2471 | 92.6 | 1.7 | 348.2 | 1832 | 93.2 | 2.1 | 225.0 |
| Russian Federation, Arkhangelsk | 11570 | 84.2 | 8.5 | 309.6 | 12526 | 86.3 | 7.3 | 214.2 |
| Russian Federation, Kaliningrad | 7107 | 81.8 | 2.5 | 232.6 | 8884 | 86.7 | 1.9 | 194.8 |
| Russian Federation, Karelia | 5985 | 83.0 | 5.2 | 297.4 | 7020 | 89.0 | 3.6 | 220.7 |
| *Russian Federation, Komi Republic | 7965 | 78.4 | 8.8 | 340.2 | 9023 | 85.6 | 6.3 | 241.0 |
| Russian Federation, Murmansk | 6868 | 88.6 | 7.2 | 341.4 | 8048 | 92.2 | 4.7 | 235.7 |
| *Russian Federation, Orenburg | 19900 | 91.5 | 2.0 | 311.9 | 22413 | 87.9 | 4.0 | 247.4 |
| Russian Federation, Pskov | 6347 | 78.5 | 8.4 | 276.3 | 7112 | 86.0 | 5.8 | 202.9 |
| *Russian Federation, Samara | 30632 | 92.2 | 3.2 | 284.7 | 34054 | 94.6 | 2.4 | 214.3 |
| Russian Federation, Vologda Region | 9680 | 89.9 | 2.8 | 252.4 | 10979 | 93.4 | 1.9 | 193.1 |
| Slovenia | 33230 | 93.7 | 0.2 | 340.7 | 26694 | 93.3 | 0.3 | 247.5 |
| Spain, Asturias | 12535 | 89.7 | 0.7 | 356.9 | 8841 | 88.9 | 1.1 | 223.6 |
| Spain, Basque Country | 33643 | 91.4 | 0.4 | 382.6 | 23636 | 91.5 | 0.6 | 250.6 |
| Spain, Canary Islands | 18247 | 91.2 | 0.4 | 312.8 | 13812 | 92.8 | 0.4 | 218.1 |
| Spain, Castellón | 8780 | 93.3 | 0.2 | 322.6 | 5863 | 93.7 | 0.2 | 207.6 |
| Spain, Girona | 11298 | 90.2 | 0.8 | 324.4 | 7925 | 91.3 | 0.9 | 223.1 |
| Spain, Granada | 11652 | 89.1 | 0.4 | 286.6 | 9075 | 91.2 | 0.6 | 216.4 |
| Spain, La Rioja | 5269 | 89.5 | 1.3 | 323.6 | 3595 | 90.1 | 1.5 | 214.9 |
| Spain, Murcia | 19593 | 93.2 | 0.6 | 333.5 | 13995 | 94.4 | 0.8 | 226.5 |
| Spain, Navarra | 8934 | 90.3 | 0.4 | 363.3 | 5963 | 90.6 | 0.6 | 235.0 |
| Spain, Salamanca | 6602 | 90.8 | 0.4 | 322.7 | 4687 | 90.8 | 0.9 | 230.8 |
| Spain, Tarragona | 12311 | 90.5 | 0.8 | 322.6 | 8360 | 91.1 | 1.2 | 221.6 |
| *Sweden | 146260 | 97.0 | – | 295.0 | 125516 | 97.5 | – | 259.6 |
| Switzerland, Aargau | 9243 | 95.1 | 2.8 | 301.4 | 7284 | 93.9 | 3.2 | 231.2 |
| Switzerland, Basel | 7389 | 94.2 | 4.2 | 302.9 | 6598 | 93.6 | 4.9 | 246.6 |
| Switzerland, Berne Solothurn | 13876 | 93.0 | 1.6 | 332.2 | 10839 | 93.2 | 1.8 | 247.8 |
| Switzerland, East | 12246 | 95.1 | 0.4 | 311.5 | 9306 | 94.9 | 0.7 | 233.1 |
| *Switzerland, Fribourg | 4350 | 96.6 | 0.3 | 341.0 | 3347 | 96.6 | 0.6 | 259.7 |
| Switzerland, Geneva | 6774 | 92.5 | 0.8 | 335.3 | 6204 | 93.5 | 1.3 | 264.8 |
| *Switzerland, Graubünden and Glarus | 3940 | 93.6 | 0.5 | 316.9 | 2867 | 94.4 | 0.7 | 225.5 |
| *Switzerland, Lucerne | 7249 | 90.3 | 3.2 | 297.8 | 5960 | 91.1 | 3.9 | 244.8 |
| *Switzerland, Neuchâtel and Jura | 3924 | 93.7 | 0.5 | 333.1 | 3411 | 94.6 | 0.9 | 265.3 |
| Switzerland, Ticino | 6068 | 92.6 | 0.5 | 324.4 | 5422 | 94.2 | 1.1 | 274.3 |
| Switzerland, Valais | 5593 | 94.3 | 0.1 | 343.3 | 4286 | 95.1 | 0.2 | 260.5 |
| Switzerland, Vaud | 10721 | 93.2 | 2.3 | 331.6 | 9202 | 93.1 | 2.8 | 257.6 |
| Switzerland, Zurich and Zug | 21959 | 95.0 | 0.6 | 309.0 | 18558 | 95.4 | 0.8 | 244.6 |
| Ukraine | 298268 | 78.7 | 0.5 | 243.3 | 312090 | 86.1 | 0.3 | 186.0 |
| UK, England | 831867 | 82.8 | 0.9 | 315.5 | 755198 | 85.4 | 1.1 | 280.2 |
| UK, Northern Ireland | 24723 | 83.3 | 0.4 | 306.4 | 23626 | 85.6 | 0.6 | 276.1 |
| UK, Scotland | 83996 | 81.4 | 0.2 | 318.3 | 82621 | 84.0 | 0.3 | 289.8 |
| UK, Wales | 53315 | 79.8 | 1.2 | 322.1 | 47575 | 82.2 | 1.5 | 285.8 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 125107 | 92.3 | 1.3 | 365.9 | 103139 | 92.5 | 1.8 | 298.1 |
| *Australia, Northern Territory | 2371 | 96.3 | 0.2 | 344.9 | 1802 | 96.8 | 0.1 | 281.9 |

* Important. See note on population page.

**Indices of data quality
All sites except non-melanoma skin (C00–96 excl C44) (contd)**

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 2026 | 97.3 | 0.1 | 352.6 | 1379 | 98.2 | 0.0 | 282.9 |
| *Australia, Northern Territory: Indigenous | 335 | 90.1 | 0.6 | 287.9 | 412 | 92.0 | 0.5 | 277.7 |
| *Australia, Queensland | 83954 | 91.4 | 1.0 | 426.3 | 65668 | 92.3 | 1.3 | 333.7 |
| Australia, South Australia | 27613 | 91.6 | 1.0 | 346.9 | 23039 | 91.7 | 1.3 | 282.9 |
| Australia, Tasmania | 9844 | 91.8 | 0.9 | 382.9 | 7949 | 91.2 | 1.5 | 311.5 |
| *Australia, Victoria | 90199 | 92.3 | 2.0 | 357.8 | 75479 | 92.5 | 2.6 | 289.6 |
| *Australia, Western Australia | 35715 | 93.1 | 0.9 | 360.1 | 28679 | 93.3 | 1.2 | 286.0 |
| *France, New Caledonia | 2470 | 93.5 | – | 310.5 | 2218 | 96.1 | – | 270.6 |
| New Zealand | 61374 | 89.6 | 3.5 | 322.5 | 56327 | 90.5 | 3.5 | 282.9 |
| *New Zealand: Maori | 5756 | 85.8 | 4.4 | 377.8 | 6976 | 89.3 | 3.6 | 385.7 |
| *New Zealand: Pacific peoples | 2097 | 87.1 | 2.8 | 335.3 | 2670 | 93.2 | 1.5 | 365.4 |
| *New Zealand: Other | 51308 | 90.1 | 3.5 | 332.1 | 43840 | 90.3 | 3.8 | 278.9 |
| USA, Hawaii | 17673 | 93.1 | 1.3 | 281.7 | 17458 | 94.7 | 1.2 | 282.1 |
| USA, Hawaii: White | 6360 | 94.1 | 1.1 | 319.7 | 4914 | 94.9 | 1.0 | 304.7 |
| *USA, Hawaii: Japanese | 3631 | 90.8 | 1.9 | 238.1 | 3922 | 92.9 | 1.8 | 269.7 |
| *USA, Hawaii: Chinese | 982 | 94.6 | 1.3 | 235.5 | 1020 | 93.3 | 1.9 | 223.2 |
| *USA, Hawaii: Hawaiian | 2451 | 92.9 | 1.3 | 271.9 | 2993 | 95.8 | 1.0 | 314.7 |
| *USA, Hawaii: Filipino | 2524 | 93.5 | 1.1 | 257.0 | 2740 | 95.8 | 0.9 | 246.1 |

* Important. See note on population page.

Indices of data quality Lip, oral cavity, and pharynx (C00–14)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 95 | 100.0 | – | 6.5 | 47 | 100.0 | – | 3.0 |
| *Algeria, Tizi Ouzou | 84 | 97.6 | – | 5.3 | 58 | 98.3 | – | 3.4 |
| *Benin, Cotonou | 29 | 44.8 | – | 4.1 | 34 | 52.9 | – | 4.1 |
| *France, La Réunion | 387 | 99.0 | – | 18.0 | 77 | 98.7 | – | 3.1 |
| *Kenya, Eldoret | 74 | 90.5 | – | 6.3 | 37 | 94.6 | – | 2.8 |
| *Kenya, Nairobi | 331 | 85.5 | 5.1 | 9.9 | 200 | 85.0 | 6.0 | 7.6 |
| Mauritius | 270 | 91.1 | 3.7 | 6.3 | 166 | 88.0 | 7.2 | 3.6 |
| *Morocco, Casablanca | 477 | 99.8 | 0.2 | 4.3 | 339 | 99.7 | 0.0 | 2.8 |
| *Seychelles | 58 | 86.2 | 3.4 | 20.2 | 11 | 100.0 | 0.0 | 3.5 |
| *South Africa, Eastern Cape | 44 | 95.5 | – | 4.2 | 39 | 92.3 | – | 2.1 |
| *Uganda, Kyadondo County | 236 | 78.4 | 0.8 | 10.2 | 121 | 71.9 | 0.0 | 4.3 |
| *Uganda, Gulu | 17 | 58.8 | – | 4.3 | 11 | 45.5 | – | 1.5 |
| *Zimbabwe, Bulawayo: African | 32 | 93.8 | 3.1 | 3.6 | 18 | 100.0 | 0.0 | 1.6 |
| *Zimbabwe, Harare: African | 124 | 93.5 | 3.2 | 7.4 | 83 | 92.8 | 3.6 | 3.8 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 189 | 82.0 | 12.7 | 8.7 | 56 | 87.5 | 8.9 | 2.2 |
| *Argentina, Mendoza | 237 | 90.3 | 7.6 | 4.7 | 117 | 93.2 | 4.3 | 1.9 |
| Brazil, Aracaju | 128 | 95.3 | 2.3 | 12.2 | 54 | 96.3 | 0.0 | 3.3 |
| *Brazil, Barretos | 290 | 94.1 | 5.2 | 21.8 | 83 | 94.0 | 6.0 | 5.0 |
| Brazil, Belo Horizonte | 998 | 95.7 | 4.0 | 14.2 | 370 | 98.4 | 1.6 | 3.9 |
| *Brazil, Campinas | 401 | 91.3 | 8.2 | 17.0 | 149 | 94.6 | 4.7 | 4.8 |
| *Brazil, Curitiba | 498 | 91.6 | 1.8 | 12.4 | 142 | 91.5 | 4.2 | 2.6 |
| Brazil, Goiânia | 415 | 99.5 | 0.5 | 15.5 | 134 | 100.0 | 0.0 | 3.9 |
| *Brazil, Jaú | 82 | 98.8 | – | 19.6 | 21 | 95.2 | – | 3.7 |
| Brazil, João Pessoa | 142 | 92.3 | 3.5 | 13.6 | 78 | 92.3 | 2.6 | 4.7 |
| Brazil, Recife | 314 | 86.9 | 5.4 | 12.6 | 87 | 83.9 | 3.4 | 2.2 |
| Chile, Region of Antofagasta | 27 | 92.6 | – | 2.6 | 23 | 100.0 | – | 2.4 |
| Chile, Valdivia | 30 | 86.7 | 10.0 | 2.2 | 16 | 93.8 | 0.0 | 1.0 |
| Colombia, Bucaramanga | 149 | 87.2 | 2.7 | 5.1 | 103 | 94.2 | 1.0 | 2.7 |
| Colombia, Cali | 343 | 94.2 | 0.9 | 5.8 | 265 | 92.5 | 1.1 | 3.4 |
| Colombia, Manizales | 52 | 80.8 | – | 4.0 | 32 | 84.4 | – | 1.8 |
| Colombia, Pasto | 16 | 81.2 | 12.5 | 1.5 | 30 | 96.7 | 0.0 | 2.1 |
| Costa Rica | 368 | 81.2 | 2.4 | 3.7 | 235 | 78.3 | 2.1 | 2.2 |
| Ecuador, Guayaquil | 182 | 94.0 | 0.5 | 3.3 | 140 | 92.9 | 0.7 | 2.2 |
| Ecuador, Manabí | 83 | 90.4 | 2.4 | 2.4 | 62 | 93.5 | 3.2 | 1.7 |
| Ecuador, Quito | 92 | 90.2 | 2.2 | 2.2 | 112 | 89.3 | 4.5 | 2.2 |
| *France, Guadeloupe | 201 | 98.0 | – | 12.6 | 37 | 97.3 | – | 2.3 |
| *France, Martinique | 157 | 99.4 | – | 9.9 | 61 | 98.4 | – | 3.1 |
| *Peru, Lima | 531 | 90.8 | 3.6 | 3.8 | 507 | 88.6 | 3.7 | 3.1 |
| *Trinidad and Tobago | 121 | 91.7 | 2.5 | 5.0 | 46 | 87.0 | 4.3 | 1.7 |
| USA, Puerto Rico | 1612 | 96.3 | 1.6 | 11.3 | 570 | 97.4 | 0.7 | 3.1 |
| *Uruguay | 1129 | 91.8 | 4.6 | 9.8 | 398 | 91.7 | 6.0 | 2.5 |
| North America | | | | | | | | |
| Canada, Alberta | 1406 | 98.9 | 0.0 | 9.4 | 619 | 98.7 | 0.2 | 4.0 |
| Canada, British Columbia | 2319 | 97.1 | 0.7 | 10.9 | 1009 | 96.4 | 0.6 | 4.3 |
| *Canada, Manitoba | 608 | 99.2 | – | 11.6 | 290 | 98.3 | – | 4.8 |
| *Canada, New Brunswick | 425 | 98.8 | 0.0 | 11.3 | 166 | 97.6 | 0.6 | 4.0 |
| *Canada, Newfoundland and Labrador | 310 | 98.4 | – | 11.8 | 103 | 100.0 | – | 4.0 |
| Canada, Ontario | 6922 | 96.0 | 1.0 | 11.9 | 3106 | 95.4 | 1.8 | 4.7 |
| *Canada, Prince Edward Island | 101 | 99.0 | – | 14.4 | 43 | 100.0 | – | 5.9 |
| Canada, Quebec | 4458 | 95.7 | 1.7 | 11.5 | 2033 | 94.5 | 3.3 | 4.9 |
| Canada, Saskatchewan | 426 | 97.7 | 0.2 | 9.3 | 182 | 99.5 | 0.0 | 3.4 |
| *Canada, Yukon | 24 | 100.0 | – | 14.7 | 7 | 100.0 | – | 4.7 |
| USA | 160753 | 97.5 | 1.7 | 13.0 | 64069 | 97.3 | 1.8 | 4.5 |
| USA: White | 140548 | 97.7 | 1.6 | 13.5 | 54548 | 97.3 | 1.8 | 4.6 |
| USA: Black | 13097 | 96.8 | 2.2 | 10.2 | 5874 | 97.3 | 1.6 | 3.7 |
| USA, NPCR | 155672 | 97.5 | 1.8 | 13.0 | 61918 | 97.3 | 1.8 | 4.5 |
| USA, NPCR: White | 136160 | 97.6 | 1.7 | 13.6 | 52781 | 97.3 | 1.9 | 4.6 |
| USA, NPCR: Black | 12943 | 96.8 | 2.2 | 10.3 | 5809 | 97.3 | 1.6 | 3.7 |
| USA, NPCR: Asian and Pacific Islander | 4609 | 98.1 | 1.4 | 8.2 | 2444 | 98.6 | 0.9 | 3.6 |
| USA, NPCR: American Indian | 793 | 97.1 | 2.0 | 6.8 | 322 | 97.2 | 1.2 | 2.5 |
| *USA, SEER (18 registries) | 40073 | 98.1 | 0.7 | 12.1 | 16085 | 97.9 | 0.7 | 4.2 |
| *USA, SEER (18 registries): White | 33428 | 98.1 | 0.6 | 12.7 | 12851 | 97.9 | 0.7 | 4.3 |
| *USA, SEER (18 registries): Non-Hispanic White | 30555 | 98.2 | 0.6 | 14.1 | 11474 | 97.9 | 0.7 | 4.7 |
| *USA, SEER (18 registries): Hispanic White | 2873 | 97.9 | 0.8 | 6.5 | 1377 | 97.9 | 0.7 | 2.7 |
| *USA, SEER (18 registries): Black | 3310 | 97.5 | 0.7 | 10.0 | 1462 | 97.5 | 0.6 | 3.6 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2637 | 98.2 | 0.7 | 8.1 | 1460 | 98.5 | 0.5 | 3.7 |
| *USA, SEER (9 registries) | 13873 | 98.6 | 0.4 | 12.1 | 5753 | 98.5 | 0.6 | 4.4 |
| *USA, SEER (9 registries): White | 11430 | 98.7 | 0.4 | 12.7 | 4473 | 98.6 | 0.6 | 4.4 |
| *USA, SEER (9 registries): Black | 1115 | 98.1 | 0.3 | 10.2 | 498 | 98.0 | 0.8 | 3.6 |
| USA, Alabama | 2794 | 96.0 | 3.7 | 14.6 | 1092 | 94.7 | 4.6 | 4.9 |
| USA, Alabama: White | 2324 | 96.2 | 3.5 | 15.7 | 883 | 95.0 | 4.2 | 5.3 |

* Important. See note on population page.

Indices of data quality Lip, oral cavity, and pharynx (C00–14) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 414 | 94.4 | 5.1 | 10.4 | 185 | 94.1 | 5.4 | 3.6 |
| USA, Alaska | 310 | 97.1 | 1.9 | 11.6 | 103 | 94.2 | 4.9 | 4.1 |
| *USA, Alaska: Alaska Natives | 51 | 96.1 | 2.0 | 15.1 | 30 | 96.7 | 0.0 | 8.2 |
| USA, Arizona | 2797 | 95.2 | 3.7 | 10.3 | 1024 | 95.1 | 4.1 | 3.4 |
| USA, Arizona: White | 2659 | 95.4 | 3.5 | 10.9 | 954 | 95.2 | 4.1 | 3.5 |
| USA, Arizona: Black | 51 | 92.2 | 7.8 | 5.4 | 16 | 93.8 | 6.2 | 1.6 |
| *USA, Arizona: Asian and Pacific Islander | 39 | 89.7 | 10.3 | 5.2 | 29 | 96.6 | 3.4 | 3.2 |
| USA, Arizona: American Indian | 40 | 92.5 | 5.0 | 4.5 | 19 | 89.5 | 5.3 | 1.8 |
| USA, Arkansas | 1787 | 97.8 | 1.5 | 15.3 | 694 | 96.4 | 3.3 | 5.1 |
| USA, Arkansas: White | 1587 | 97.9 | 1.3 | 15.7 | 599 | 96.5 | 3.2 | 5.1 |
| USA, Arkansas: Black | 166 | 97.6 | 1.8 | 12.1 | 80 | 96.2 | 3.8 | 4.9 |
| USA, California | 15513 | 97.9 | 1.5 | 11.0 | 6223 | 98.0 | 1.4 | 3.8 |
| USA, California: White | 12858 | 97.9 | 1.5 | 11.7 | 4889 | 98.1 | 1.4 | 3.9 |
| USA, California: Black | 748 | 98.1 | 1.2 | 8.7 | 326 | 96.6 | 1.5 | 3.2 |
| USA, California: Asian and Pacific Islander | 1631 | 98.3 | 1.4 | 7.8 | 900 | 98.4 | 0.9 | 3.5 |
| *USA, California, Los Angeles County | 3230 | 98.1 | 0.9 | 9.3 | 1345 | 98.0 | 0.5 | 3.3 |
| *USA, California, Los Angeles County: White | 2411 | 98.3 | 0.8 | 9.5 | 989 | 98.3 | 0.5 | 3.4 |
| *USA, California, Los Angeles County: Non-Hispanic White | 1740 | 98.2 | 0.7 | 12.7 | 666 | 98.0 | 0.6 | 4.5 |
| *USA, California, Los Angeles County: Hispanic White | 671 | 98.4 | 0.9 | 6.0 | 323 | 98.8 | 0.3 | 2.4 |
| *USA, California, Los Angeles County: Black | 296 | 98.0 | 1.0 | 9.4 | 131 | 93.9 | 1.5 | 3.2 |
| *USA, California, Los Angeles County: Chinese | 129 | 94.6 | 3.1 | 6.7 | 53 | 98.1 | 0.0 | 2.2 |
| *USA, California, Los Angeles County: Filipino | 76 | 100.0 | – | 5.9 | 37 | 100.0 | – | 2.2 |
| *USA, California, Los Angeles County: Korean | 44 | 95.5 | 2.3 | 5.0 | 15 | 100.0 | 0.0 | 1.8 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 451 | 97.1 | 1.8 | 7.8 | 194 | 99.0 | 0.0 | 2.7 |
| *USA, California, San Francisco Bay Area | 1927 | 99.1 | 0.3 | 10.8 | 836 | 98.6 | 0.7 | 4.1 |
| *USA, California, San Francisco Bay Area: White | 1376 | 99.1 | 0.4 | 11.6 | 515 | 98.6 | 0.6 | 3.8 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1223 | 99.2 | 0.3 | 12.6 | 449 | 98.7 | 0.4 | 4.2 |
| *USA, California, San Francisco Bay Area: Hispanic White | 153 | 98.0 | 0.7 | 7.1 | 66 | 98.5 | 1.5 | 2.5 |
| *USA, California, San Francisco Bay Area: Black | 142 | 97.9 | 0.0 | 10.0 | 54 | 98.1 | 1.9 | 3.5 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 387 | 99.5 | 0.3 | 8.6 | 263 | 98.5 | 0.8 | 4.7 |
| USA, Colorado | 2311 | 98.0 | 1.2 | 11.3 | 895 | 97.1 | 1.9 | 4.0 |
| USA, Colorado: White | 2166 | 98.2 | 1.1 | 11.4 | 840 | 97.0 | 1.9 | 4.0 |
| *USA, Colorado: Black | 75 | 97.3 | 1.3 | 10.0 | 17 | 94.1 | 5.9 | 2.3 |
| *USA, Colorado: Asian and Pacific Islander | 36 | 97.2 | 2.8 | 6.9 | 27 | 100.0 | 0.0 | 4.1 |
| USA, Connecticut | 1770 | 99.4 | 0.1 | 12.0 | 822 | 99.1 | 0.4 | 4.8 |
| USA, Connecticut: White | 1591 | 99.5 | 0.1 | 12.2 | 733 | 99.5 | 0.1 | 5.0 |
| USA, Connecticut: Black | 112 | 99.1 | 0.0 | 9.4 | 50 | 96.0 | 2.0 | 3.1 |
| USA, District of Columbia | 245 | 95.1 | 4.9 | 11.9 | 105 | 100.0 | 0.0 | 4.1 |
| USA, District of Columbia: White | 101 | 97.0 | 3.0 | 10.8 | 38 | 100.0 | 0.0 | 3.9 |
| USA, District of Columbia: Black | 134 | 93.3 | 6.7 | 12.4 | 63 | 100.0 | 0.0 | 4.4 |
| USA, Florida | 14192 | 95.8 | 3.3 | 16.3 | 5013 | 96.5 | 2.5 | 5.0 |
| USA, Florida: White | 12759 | 96.6 | 2.5 | 17.2 | 4432 | 96.9 | 2.2 | 5.2 |
| USA, Florida: Black | 1018 | 96.6 | 2.3 | 10.1 | 429 | 97.7 | 0.9 | 3.5 |
| USA, Florida: Asian and Pacific Islander | 164 | 99.4 | 0.0 | 8.3 | 74 | 97.3 | 2.7 | 2.9 |
| USA, Georgia | 5035 | 97.7 | 1.1 | 14.1 | 2011 | 96.9 | 1.5 | 4.8 |
| USA, Georgia: White | 3978 | 97.8 | 1.2 | 15.6 | 1482 | 96.7 | 1.6 | 5.1 |
| USA, Georgia: Black | 920 | 97.3 | 0.9 | 10.2 | 469 | 97.0 | 1.5 | 4.0 |
| USA, Georgia: Asian and Pacific Islander | 128 | 97.7 | 1.6 | 10.9 | 57 | 100.0 | 0.0 | 4.1 |
| *USA, Georgia, Atlanta | 1328 | 97.7 | 0.7 | 11.7 | 539 | 97.6 | 0.7 | 3.9 |
| *USA, Georgia, Atlanta: White | 899 | 97.9 | 0.8 | 13.3 | 334 | 97.9 | 0.6 | 4.4 |
| *USA, Georgia, Atlanta: Black | 351 | 97.2 | 0.3 | 9.1 | 172 | 96.5 | 1.2 | 3.2 |
| USA, Idaho | 820 | 97.7 | 1.3 | 12.5 | 339 | 98.5 | 0.6 | 4.9 |
| USA, Indiana | 3592 | 98.6 | 0.9 | 14.2 | 1354 | 97.9 | 1.0 | 4.6 |
| USA, Indiana: White | 3330 | 98.5 | 0.9 | 14.4 | 1226 | 97.8 | 1.1 | 4.6 |
| USA, Indiana: Black | 192 | 98.4 | 1.6 | 10.9 | 90 | 98.9 | 0.0 | 4.1 |
| *USA, Iowa | 1745 | 98.7 | 0.6 | 13.9 | 699 | 99.0 | 0.6 | 4.8 |
| USA, Kentucky | 2737 | 98.0 | 1.4 | 15.7 | 1065 | 97.3 | 1.7 | 5.4 |
| USA, Louisiana | 2566 | 98.1 | 0.9 | 14.9 | 977 | 98.9 | 0.3 | 4.9 |
| USA, Louisiana: White | 1975 | 98.4 | 0.7 | 15.9 | 749 | 98.9 | 0.4 | 5.4 |
| USA, Louisiana: Black | 566 | 96.8 | 1.6 | 12.6 | 211 | 98.6 | 0.0 | 3.8 |
| *USA, Louisiana, New Orleans | 423 | 98.1 | 0.9 | 13.0 | 167 | 98.8 | 0.6 | 4.2 |
| *USA, Louisiana, New Orleans: White | 310 | 98.1 | 1.0 | 15.5 | 107 | 99.1 | 0.9 | 4.5 |
| *USA, Louisiana, New Orleans: Black | 100 | 98.0 | 1.0 | 8.9 | 55 | 98.2 | 0.0 | 3.8 |
| USA, Maine | 904 | 98.3 | 0.9 | 14.4 | 348 | 97.4 | 1.4 | 4.9 |
| USA, Maryland | 2751 | 97.7 | 2.0 | 12.1 | 1161 | 97.7 | 1.9 | 4.3 |
| USA, Maryland: White | 2138 | 98.5 | 1.2 | 13.9 | 845 | 98.1 | 1.5 | 4.7 |
| USA, Maryland: Black | 514 | 94.4 | 5.4 | 8.9 | 256 | 96.1 | 3.1 | 3.4 |
| USA, Maryland: Asian and Pacific Islander | 92 | 98.9 | 1.1 | 7.0 | 57 | 98.2 | 1.8 | 3.7 |
| USA, Massachusetts | 3465 | 98.6 | 0.9 | 12.9 | 1575 | 97.7 | 1.7 | 4.9 |
| USA, Massachusetts: White | 3160 | 98.8 | 0.8 | 13.2 | 1426 | 97.5 | 1.8 | 5.0 |
| USA, Massachusetts: Black | 147 | 96.6 | 2.0 | 9.0 | 64 | 98.4 | 1.6 | 3.2 |
| USA, Massachusetts: Asian and Pacific Islander | 126 | 97.6 | 2.4 | 10.1 | 68 | 100.0 | 0.0 | 4.7 |

* Important. See note on population page.

Indices of data quality Lip, oral cavity, and pharynx (C00–14) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 5174 | 97.7 | 1.8 | 12.8 | 2118 | 97.8 | 1.6 | 4.5 |
| USA, Michigan: White | 4547 | 97.7 | 1.9 | 12.9 | 1811 | 97.6 | 1.8 | 4.5 |
| USA, Michigan: Black | 507 | 98.0 | 1.2 | 11.7 | 238 | 99.2 | 0.0 | 4.5 |
| USA, Michigan: Asian and Pacific Islander | 60 | 100.0 | – | 6.8 | 34 | 100.0 | – | 3.6 |
| *USA, Michigan, Detroit | 2098 | 98.7 | 0.7 | 13.8 | 823 | 99.3 | 0.6 | 4.5 |
| *USA, Michigan, Detroit: White | 1655 | 98.6 | 0.8 | 14.3 | 616 | 99.2 | 0.8 | 4.5 |
| *USA, Michigan, Detroit: Black | 386 | 99.0 | 0.3 | 12.9 | 186 | 99.5 | 0.0 | 4.7 |
| USA, Minnesota | 2737 | 99.3 | 0.5 | 12.6 | 1229 | 98.5 | 0.9 | 5.0 |
| USA, Minnesota: White | 2544 | 99.3 | 0.5 | 12.5 | 1139 | 98.4 | 0.9 | 5.0 |
| USA, Minnesota: Black | 76 | 98.7 | 1.3 | 10.5 | 40 | 100.0 | 0.0 | 5.1 |
| *USA, Minnesota: Asian and Pacific Islander | 59 | 98.3 | 1.7 | 10.2 | 28 | 100.0 | 0.0 | 4.2 |
| USA, Mississippi | 1702 | 97.8 | 1.0 | 15.4 | 651 | 98.0 | 0.6 | 5.0 |
| USA, Missouri | 3452 | 97.8 | 1.9 | 14.4 | 1285 | 97.4 | 2.0 | 4.6 |
| USA, Missouri: White | 3171 | 97.9 | 1.9 | 14.8 | 1161 | 97.6 | 2.0 | 4.7 |
| USA, Missouri: Black | 251 | 96.0 | 2.0 | 12.0 | 103 | 95.1 | 2.9 | 3.9 |
| USA, Montana | 564 | 97.9 | 1.4 | 12.4 | 207 | 96.6 | 1.9 | 4.3 |
| *USA, Montana: American Indian | 14 | 92.9 | 7.1 | 8.0 | 10 | 90.0 | 10.0 | 5.0 |
| USA, Nebraska | 969 | 98.5 | 0.9 | 13.3 | 381 | 99.0 | 0.3 | 4.7 |
| USA, Nebraska: White | 916 | 98.4 | 1.0 | 13.3 | 365 | 98.9 | 0.3 | 4.8 |
| *USA, Nebraska: Black | 30 | 100.0 | – | 12.2 | 9 | 100.0 | – | 3.8 |
| USA, Nevada | 1285 | 97.0 | 2.2 | 11.0 | 510 | 97.5 | 2.2 | 4.3 |
| USA, Nevada: White | 1146 | 96.9 | 2.4 | 11.8 | 435 | 97.0 | 2.5 | 4.5 |
| USA, Nevada: Black | 77 | 100.0 | – | 9.1 | 33 | 100.0 | – | 3.6 |
| *USA, Nevada: Asian and Pacific Islander | 47 | 97.9 | – | 5.0 | 35 | 100.0 | – | 2.8 |
| USA, New Jersey | 4202 | 97.9 | 1.5 | 11.9 | 1808 | 97.5 | 1.4 | 4.3 |
| USA, New Jersey: White | 3526 | 98.0 | 1.4 | 12.5 | 1489 | 97.3 | 1.5 | 4.5 |
| USA, New Jersey: Black | 380 | 96.3 | 3.2 | 9.4 | 180 | 97.2 | 1.7 | 3.4 |
| USA, New Mexico | 800 | 97.2 | 0.8 | 9.3 | 282 | 95.0 | 2.1 | 2.9 |
| USA, New Mexico: White | 748 | 97.5 | 0.7 | 9.7 | 264 | 94.7 | 2.3 | 3.0 |
| USA, New Mexico: Non-Hispanic White | 544 | 97.1 | 0.7 | 11.7 | 166 | 95.2 | 2.4 | 3.0 |
| USA, New Mexico: Hispanic White | 204 | 98.5 | 0.5 | 6.8 | 98 | 93.9 | 2.0 | 3.0 |
| *USA, New Mexico: American Indian | 29 | 93.1 | 3.4 | 4.7 | 9 | 100.0 | 0.0 | 1.2 |
| USA, New York State | 8968 | 98.7 | 0.6 | 11.8 | 4099 | 98.4 | 0.9 | 4.5 |
| USA, New York State: White | 7340 | 98.7 | 0.5 | 12.4 | 3236 | 98.4 | 0.8 | 4.7 |
| USA, New York State: Black | 930 | 98.8 | 0.6 | 8.7 | 513 | 98.1 | 1.4 | 3.5 |
| USA, New York State: Asian and Pacific Islander | 650 | 99.1 | 0.8 | 11.3 | 329 | 99.4 | 0.3 | 5.0 |
| USA, North Carolina | 5393 | 97.6 | 1.7 | 14.1 | 2136 | 97.6 | 1.6 | 4.6 |
| USA, North Carolina: White | 4460 | 97.9 | 1.5 | 14.8 | 1734 | 97.8 | 1.6 | 4.9 |
| USA, North Carolina: Black | 802 | 96.1 | 2.5 | 11.5 | 343 | 96.5 | 1.7 | 3.8 |
| USA, North Carolina: Asian and Pacific Islander | 60 | 96.7 | 1.7 | 8.0 | 26 | 100.0 | 0.0 | 2.8 |
| *USA, North Carolina: American Indian | 32 | 96.9 | – | 6.7 | 20 | 100.0 | – | 3.7 |
| USA, North Dakota | 380 | 98.9 | 0.8 | 13.0 | 158 | 97.5 | 0.6 | 5.0 |
| USA, Ohio | 6181 | 97.5 | 2.1 | 13.3 | 2538 | 97.6 | 2.0 | 4.8 |
| USA, Ohio: White | 5662 | 97.7 | 1.9 | 13.8 | 2278 | 97.7 | 2.0 | 4.9 |
| USA, Ohio: Black | 447 | 95.3 | 4.7 | 9.9 | 218 | 95.9 | 2.8 | 3.8 |
| *USA, Ohio: Asian and Pacific Islander | 44 | 95.5 | 2.3 | 6.4 | 30 | 100.0 | 0.0 | 3.7 |
| USA, Oklahoma | 2036 | 96.3 | 2.7 | 13.8 | 759 | 96.3 | 2.9 | 4.5 |
| USA, Oklahoma: White | 1798 | 96.3 | 2.8 | 14.4 | 662 | 95.9 | 3.2 | 4.7 |
| USA, Oklahoma: Black | 84 | 98.8 | 0.0 | 9.3 | 28 | 96.4 | 3.6 | 2.8 |
| USA, Oklahoma: American Indian | 120 | 95.8 | 2.5 | 11.0 | 47 | 100.0 | 0.0 | 3.7 |
| USA, Oregon | 2234 | 97.9 | 1.7 | 13.4 | 904 | 96.5 | 2.8 | 4.8 |
| USA, Oregon: White | 2108 | 97.9 | 1.8 | 13.5 | 852 | 96.6 | 2.8 | 4.9 |
| *USA, Oregon: Black | 19 | 89.5 | 5.3 | 6.9 | 9 | 88.9 | 0.0 | 3.4 |
| *USA, Oregon: Asian and Pacific Islander | 55 | 100.0 | 0.0 | 9.2 | 28 | 92.9 | 3.6 | 3.7 |
| USA, Rhode Island | 500 | 98.6 | 1.0 | 11.7 | 272 | 98.2 | 1.1 | 5.0 |
| USA, Rhode Island: White | 471 | 98.7 | 1.1 | 12.1 | 253 | 98.0 | 1.2 | 5.1 |
| *USA, Rhode Island: Black | 16 | 100.0 | – | 7.2 | 13 | 100.0 | – | 5.0 |
| USA, South Carolina | 2873 | 97.5 | 1.9 | 14.8 | 1022 | 96.6 | 2.3 | 4.5 |
| USA, South Carolina: White | 2320 | 97.7 | 1.8 | 15.7 | 821 | 96.3 | 2.7 | 4.9 |
| USA, South Carolina: Black | 523 | 96.7 | 2.3 | 12.2 | 192 | 97.4 | 1.0 | 3.5 |
| USA, South Dakota | 466 | 98.7 | 0.4 | 13.3 | 169 | 98.8 | 0.6 | 4.3 |
| USA, Tennessee | 3821 | 97.6 | 1.8 | 14.8 | 1391 | 96.7 | 2.0 | 4.6 |
| USA, Tennessee: White | 3443 | 97.7 | 1.7 | 15.6 | 1236 | 96.4 | 2.2 | 4.9 |
| USA, Tennessee: Black | 330 | 95.8 | 3.0 | 10.2 | 136 | 99.3 | 0.0 | 3.3 |
| USA, Texas | 11281 | 94.7 | 3.9 | 12.3 | 4161 | 94.3 | 3.9 | 4.0 |
| USA, Texas: White | 10099 | 94.8 | 3.8 | 13.1 | 3589 | 94.3 | 3.9 | 4.1 |
| USA, Texas: Black | 849 | 94.0 | 4.8 | 8.8 | 399 | 94.2 | 4.0 | 3.4 |
| USA, Texas: Asian and Pacific Islander | 276 | 95.3 | 3.3 | 6.9 | 145 | 95.9 | 2.1 | 3.2 |
| USA, Utah | 846 | 98.1 | 0.1 | 9.6 | 367 | 98.9 | 0.3 | 3.8 |
| USA, Vermont | 374 | 97.6 | 1.1 | 13.4 | 132 | 98.5 | 0.8 | 4.5 |
| USA, Washington State | 3651 | 97.9 | 1.2 | 12.9 | 1495 | 97.9 | 1.1 | 4.7 |
| *USA, Washington, Seattle | 2593 | 98.8 | 0.1 | 13.4 | 1037 | 98.6 | 0.3 | 4.8 |

* Important. See note on population page.

Indices of data quality Lip, oral cavity, and pharynx (C00–14) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 1211 | 97.8 | 0.9 | 15.2 | 469 | 97.4 | 1.1 | 5.2 |
| USA, Wyoming | 251 | 99.2 | 0.4 | 10.5 | 100 | 99.0 | 1.0 | 4.1 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 65 | 100.0 | 0.0 | 4.9 | 30 | 96.7 | 3.3 | 2.3 |
| Brunei Darussalam | 110 | 96.4 | 2.7 | 11.3 | 62 | 98.4 | 0.0 | 6.3 |
| *China, Anfu County | 101 | 77.2 | – | 9.8 | 31 | 64.5 | – | 3.2 |
| *China, Anguo City | 29 | 58.6 | 10.3 | 2.3 | 16 | 50.0 | 12.5 | 1.2 |
| *China, Anshan City | 482 | 88.0 | 0.2 | 6.6 | 140 | 79.3 | 1.4 | 1.8 |
| *China, Aohan Banner, Chifeng City | 44 | 38.6 | 4.5 | 2.2 | 23 | 8.7 | 0.0 | 1.2 |
| *China, Arongqi | 67 | 43.3 | 6.0 | 7.6 | 21 | 42.9 | 0.0 | 2.7 |
| *China, Baoding City | 149 | 79.9 | 0.7 | 4.1 | 66 | 75.8 | 3.0 | 1.8 |
| *China, Beijing City | 1500 | 77.2 | 0.9 | 3.9 | 877 | 81.8 | 0.7 | 2.1 |
| *China, Binhai County | 181 | 87.8 | – | 3.9 | 98 | 94.9 | – | 2.2 |
| *China, Cangzhou City | 67 | 82.1 | 1.5 | 4.1 | 28 | 85.7 | 0.0 | 1.6 |
| China, Changfeng County | 63 | 76.2 | – | 4.0 | 25 | 80.0 | – | 1.5 |
| China, Changzhou City | 578 | 78.5 | – | 6.2 | 262 | 78.6 | – | 2.5 |
| China, Chengdu City | 390 | 66.7 | 2.1 | 10.6 | 154 | 61.7 | 3.2 | 4.0 |
| China, Cixian County | 42 | 100.0 | – | 2.6 | 47 | 100.0 | – | 2.6 |
| China, Cixi City | 393 | 85.0 | 0.8 | 8.2 | 144 | 84.0 | 1.4 | 3.0 |
| *China, Dafeng District, Yancheng City | 193 | 95.3 | – | 5.9 | 104 | 98.1 | – | 3.0 |
| China, Dalian City | 624 | 87.5 | 2.1 | 5.9 | 213 | 89.7 | 0.5 | 1.9 |
| *China, Dancheng County | 230 | 77.4 | 0.4 | 7.0 | 210 | 74.8 | 1.0 | 6.6 |
| China, Dangtu County | 68 | 82.4 | 1.5 | 6.0 | 30 | 80.0 | 0.0 | 2.7 |
| *China, Danyang City | 172 | 66.9 | 0.6 | 4.8 | 92 | 65.2 | 0.0 | 2.3 |
| *China, Dawukou District, Shizuishan City | 15 | 73.3 | 6.7 | 1.6 | 5 | 80.0 | 0.0 | 0.5 |
| *China, Dehui City | 109 | 74.3 | – | 3.6 | 58 | 74.1 | – | 1.9 |
| *China, Donggang County | 84 | 75.0 | 2.4 | 3.1 | 43 | 67.4 | 0.0 | 1.5 |
| *China, Dongguan City | 788 | 82.0 | – | 20.0 | 332 | 78.9 | – | 7.7 |
| China, Donghai County | 157 | 88.5 | 0.6 | 3.9 | 74 | 85.1 | 1.4 | 1.9 |
| *China, Dongtai City | 190 | 84.2 | – | 3.9 | 87 | 89.7 | – | 2.0 |
| China, Duanzhou District, Zhaoqing City | 251 | 74.5 | 2.0 | 22.0 | 93 | 76.3 | 2.2 | 7.6 |
| *China, Evenki Autonomous Banner | 20 | 90.0 | 5.0 | 6.0 | 5 | 100.0 | 0.0 | 1.6 |
| *China, Faku County | 93 | 75.3 | 1.1 | 5.2 | 38 | 76.3 | 2.6 | 1.9 |
| *China, Fangcheng County | 79 | 62.0 | 7.6 | 3.4 | 43 | 53.5 | 0.0 | 2.0 |
| *China, Feicheng City | 243 | 77.4 | 0.4 | 6.2 | 60 | 68.3 | 0.0 | 1.4 |
| China, Feixi County | 181 | 67.4 | – | 4.6 | 124 | 55.6 | – | 3.4 |
| China, Fuqing City | 291 | 77.0 | 7.2 | 10.7 | 162 | 75.9 | 11.1 | 5.9 |
| *China, Ganyu District, Lianyungang City | 155 | 58.1 | 0.6 | 3.8 | 68 | 60.3 | 0.0 | 1.6 |
| *China, Ganzhou District, Zhangye City | 36 | 80.6 | – | 3.8 | 31 | 83.9 | – | 3.7 |
| *China, Gaocheng City | 55 | 78.2 | 1.8 | 2.6 | 35 | 91.4 | 0.0 | 1.5 |
| China, Gaomi City | 125 | 87.2 | – | 4.3 | 48 | 83.3 | – | 1.5 |
| China, Gong'an County | 305 | 99.7 | – | 9.2 | 125 | 96.8 | – | 3.6 |
| *China, Guang'an District, Guang'an City | 188 | 87.2 | 2.7 | 10.0 | 80 | 87.5 | 2.5 | 4.4 |
| China, Guanghan City | 171 | 62.0 | – | 10.0 | 40 | 50.0 | – | 2.4 |
| China, Guangzhou City | 5558 | 84.0 | 0.6 | 18.4 | 2100 | 82.7 | 0.4 | 6.7 |
| *China, Guanyun County | 145 | 89.0 | – | 4.1 | 55 | 85.5 | – | 1.7 |
| China, Guilin City | 363 | 75.2 | 0.8 | 15.8 | 143 | 77.6 | 0.7 | 5.8 |
| *China, Hai'an City | 180 | 77.2 | – | 3.7 | 112 | 80.4 | – | 2.1 |
| China, Hailar District, Hulun Buir City | 84 | 77.4 | 1.2 | 6.6 | 21 | 71.4 | 0.0 | 1.8 |
| China, Haimen District, Nantong City | 229 | 82.5 | – | 5.1 | 138 | 81.9 | – | 3.0 |
| China, Haining City | 184 | 79.9 | – | 6.1 | 97 | 76.3 | – | 2.9 |
| China, Hangzhou City | 1968 | 85.7 | 0.6 | 6.6 | 788 | 87.1 | 0.1 | 2.6 |
| China, Hebi City | 108 | 50.9 | 1.9 | 8.8 | 56 | 51.8 | 0.0 | 4.1 |
| China, Hefei City | 486 | 67.3 | 3.1 | 5.9 | 301 | 63.5 | 1.0 | 3.5 |
| China, Hengdong County | 129 | 96.9 | 3.1 | 8.2 | 60 | 98.3 | 1.7 | 4.0 |
| *China, Hengfeng County | 52 | 92.3 | – | 8.4 | 22 | 81.8 | – | 3.6 |
| *China, Hepu County | 566 | 84.6 | 0.4 | 20.5 | 172 | 82.6 | 0.6 | 6.5 |
| China, Honghu City | 226 | 98.2 | – | 7.8 | 84 | 98.8 | – | 2.9 |
| China, Hongshan District, Chifeng City | 59 | 66.1 | – | 4.2 | 19 | 42.1 | – | 1.3 |
| *China, Hongta District, Yuxi City | 83 | 72.3 | 6.0 | 5.5 | 23 | 52.2 | 0.0 | 1.4 |
| *China, Huaiyin District, Huai'an City | 136 | 66.2 | 1.5 | 3.7 | 54 | 61.1 | 1.9 | 1.6 |
| *China, Jiange County | 103 | 88.3 | – | 6.2 | 57 | 86.0 | – | 3.3 |
| China, Jiangmen City | 489 | 86.9 | 0.6 | 20.8 | 207 | 83.6 | 0.5 | 8.6 |
| *China, Jiangyin City | 342 | 85.1 | 0.3 | 6.6 | 128 | 80.5 | 0.0 | 2.2 |
| *China, Jiashan County | 190 | 91.1 | – | 9.8 | 71 | 90.1 | – | 4.2 |
| China, Jiayu County | 69 | 84.1 | 4.3 | 9.1 | 23 | 78.3 | 4.3 | 3.3 |
| *China, Jinan City | 522 | 61.1 | 3.1 | 5.8 | 180 | 62.2 | 4.4 | 1.7 |
| *China, Jingtai County | 31 | 77.4 | – | 4.5 | 23 | 78.3 | – | 3.2 |
| *China, Jingxian County | 52 | 86.5 | 1.9 | 3.9 | 26 | 92.3 | 0.0 | 3.0 |
| *China, Jintan District, Changzhou City | 144 | 79.2 | 0.0 | 6.0 | 88 | 84.1 | 1.1 | 3.8 |
| *China, Jiulongpo District, Chongqing City | 297 | 65.0 | 1.7 | 9.4 | 128 | 75.0 | 0.0 | 4.0 |
| *China, Jiyuan City | 59 | 45.8 | 1.7 | 3.3 | 42 | 35.7 | 2.4 | 2.4 |

* Important. See note on population page.

Indices of data quality Lip, oral cavity, and pharynx (C00–14) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 72 | 77.8 | – | 5.9 | 39 | 69.2 | – | 3.3 |
| China, Kunshan City | 232 | 81.9 | 0.4 | 7.7 | 117 | 88.0 | 0.9 | 4.0 |
| China, Langzhong City | 104 | 68.3 | 1.0 | 5.4 | 48 | 58.3 | 2.1 | 2.6 |
| *China, Liangshan County | 125 | 55.2 | – | 4.3 | 46 | 58.7 | – | 1.6 |
| *China, Lianshui County | 157 | 88.5 | 0.0 | 3.8 | 95 | 94.7 | 1.1 | 2.3 |
| China, Lianyungang City | 163 | 73.6 | 1.2 | 4.2 | 69 | 68.1 | 1.4 | 1.9 |
| China, Linhe District, Bayannur City | 32 | 62.5 | 0.0 | 2.4 | 27 | 74.1 | 3.7 | 2.0 |
| China, Linqu County | 103 | 92.2 | – | 3.0 | 32 | 84.4 | – | 1.0 |
| *China, Linzhou City | 111 | 89.2 | – | 3.2 | 89 | 86.5 | – | 2.4 |
| China, Liuzhou City | 534 | 79.4 | 0.0 | 13.8 | 225 | 75.6 | 0.4 | 5.9 |
| China, Liyang City | 141 | 79.4 | – | 3.7 | 61 | 77.0 | – | 1.6 |
| *China, Longquan City | 80 | 76.2 | – | 8.2 | 37 | 75.7 | – | 4.6 |
| China, Lucheng District, Wenzhou City | 179 | 78.8 | 1.7 | 9.6 | 62 | 77.4 | 1.6 | 3.1 |
| China, Luoding City | 509 | 77.0 | 2.6 | 22.6 | 203 | 75.4 | 3.0 | 9.5 |
| *China, Luohe City | 104 | 64.4 | 1.9 | 2.6 | 80 | 66.2 | 2.5 | 1.8 |
| *China, Luoyang City | 158 | 70.9 | 2.5 | 3.6 | 79 | 79.7 | 2.5 | 1.8 |
| *China, Luquan City | 30 | 63.3 | 3.3 | 2.6 | 14 | 50.0 | 0.0 | 1.1 |
| China, Ma'anshan City | 157 | 89.8 | – | 7.5 | 65 | 90.8 | – | 2.7 |
| *China, Macheng City | 183 | 97.8 | – | 7.2 | 98 | 98.0 | – | 4.2 |
| China, Meihekou City | 68 | 64.7 | 2.9 | 2.7 | 33 | 60.6 | 0.0 | 1.4 |
| *China, Mengjin County | 51 | 58.8 | 2.0 | 4.7 | 24 | 33.3 | 0.0 | 2.2 |
| China, Nangang District, Harbin City | 178 | 74.7 | 0.6 | 4.4 | 62 | 66.1 | 3.2 | 1.3 |
| *China, Nanhai District, Foshan City | 811 | 54.0 | – | 30.6 | 326 | 50.0 | – | 10.8 |
| China, Nanhu District, Jiaying City | 171 | 83.0 | 0.6 | 7.1 | 63 | 73.0 | 1.6 | 2.6 |
| *China, Nantong City | 280 | 80.0 | 0.7 | 5.5 | 143 | 78.3 | 0.7 | 2.5 |
| *China, Nanxiong City | 293 | 67.2 | – | 19.6 | 113 | 62.8 | – | 7.2 |
| China, Neixiang County | 80 | 98.8 | – | 3.5 | 42 | 97.6 | – | 1.8 |
| *China, Qianxi County | 48 | 64.6 | 6.2 | 3.5 | 14 | 85.7 | 0.0 | 1.0 |
| China, Qidong City | 262 | 83.2 | – | 5.0 | 157 | 87.3 | – | 2.7 |
| China, Qingzhou City | 132 | 90.9 | – | 4.2 | 41 | 80.5 | – | 1.4 |
| *China, Rudong County | 231 | 84.0 | 0.4 | 4.3 | 149 | 79.9 | 0.7 | 2.7 |
| *China, Rugao City | 342 | 77.8 | 0.3 | 5.2 | 150 | 73.3 | 0.0 | 2.0 |
| *China, Rural areas of Shanghai City | 2783 | 88.2 | 0.3 | 6.9 | 1215 | 85.8 | 0.2 | 3.0 |
| China, Ruyang County | 34 | 67.6 | – | 2.9 | 30 | 56.7 | – | 2.5 |
| *China, Shan County | 133 | 36.8 | – | 5.6 | 68 | 36.8 | – | 2.2 |
| China, Shanghai City | 2107 | 86.5 | 0.3 | 6.8 | 980 | 82.9 | 0.3 | 2.9 |
| China, Shangyu District, Shaoxing City | 322 | 82.3 | 0.6 | 9.7 | 132 | 81.1 | 0.8 | 3.9 |
| *China, Shapingba District, Chongqing City | 268 | 70.5 | 0.7 | 8.1 | 149 | 67.1 | 0.0 | 4.4 |
| China, Shexian County | 38 | 76.3 | – | 2.8 | 34 | 88.2 | – | 2.4 |
| China, Sheyang County | 175 | 66.9 | 0.0 | 4.4 | 121 | 62.0 | 0.8 | 2.9 |
| *China, Shijiazhuang City | 176 | 84.1 | 2.3 | 3.5 | 101 | 84.2 | 4.0 | 1.8 |
| China, Shunde District, Foshan City | 975 | 60.1 | – | 28.0 | 360 | 61.1 | – | 9.2 |
| *China, Song County | 46 | 32.6 | – | 3.0 | 21 | 23.8 | – | 1.3 |
| China, Suzhou City | 805 | 76.4 | 3.7 | 5.5 | 381 | 74.8 | 3.4 | 2.5 |
| *China, Tengzhou City | 222 | 96.8 | 0.0 | 4.0 | 96 | 93.8 | 1.0 | 1.8 |
| *China, Wangdu County | 41 | 80.5 | – | 5.8 | 28 | 78.6 | – | 3.9 |
| *China, Wanzai County | 121 | 67.8 | 3.3 | 10.5 | 42 | 71.4 | 2.4 | 3.6 |
| *China, Wu'an City | 45 | 62.2 | – | 1.9 | 30 | 53.3 | – | 1.3 |
| China, Wuhan City | 1371 | 89.7 | 0.1 | 6.7 | 658 | 91.3 | 0.0 | 3.0 |
| *China, Wuhu City | 246 | 78.0 | 1.2 | 4.7 | 103 | 78.6 | 1.0 | 2.1 |
| China, Wuxi City | 609 | 77.0 | – | 5.6 | 308 | 81.8 | – | 2.7 |
| China, Wuzhou City | 531 | 95.3 | 1.1 | 27.7 | 205 | 93.2 | 0.5 | 10.9 |
| China, Xiangfu District, Kaifeng City | 106 | 93.4 | – | 5.5 | 62 | 91.9 | – | 3.1 |
| China, Xianju County | 139 | 70.5 | 2.2 | 7.1 | 70 | 71.4 | 0.0 | 3.7 |
| *China, Xin'an County | 32 | 87.5 | – | 2.9 | 23 | 87.0 | – | 2.0 |
| *China, Xining City | 75 | 81.3 | 2.7 | 3.4 | 48 | 72.9 | 4.2 | 1.9 |
| *China, Xinji City | 73 | 74.0 | 9.6 | 3.0 | 41 | 70.7 | 7.3 | 1.7 |
| *China, Xinluo District, Longyan City | 99 | 54.5 | – | 8.7 | 43 | 48.8 | – | 3.5 |
| *China, Xinzhou District, Shangrao City | 88 | 72.7 | 5.7 | 6.4 | 39 | 84.6 | 2.6 | 2.9 |
| China, Xiping County | 89 | 98.9 | 1.1 | 3.4 | 45 | 95.6 | 4.4 | 1.6 |
| *China, Xishan District, Kunming City | 80 | 67.5 | – | 4.9 | 18 | 77.8 | – | 1.5 |
| *China, Xuyi County | 115 | 84.3 | 0.0 | 4.6 | 58 | 84.5 | 1.7 | 2.2 |
| *China, Ya'an City | 395 | 83.5 | 1.5 | 7.4 | 183 | 80.9 | 3.8 | 3.6 |
| *China, Yakeshi City | 104 | 74.0 | 7.7 | 6.8 | 31 | 83.9 | 3.2 | 1.9 |
| China, Yancheng City | 275 | 68.7 | 0.0 | 4.9 | 150 | 62.7 | 2.0 | 2.7 |
| *China, Yangquan City | 79 | 89.9 | 1.3 | 3.6 | 53 | 84.9 | 3.8 | 2.4 |
| *China, Yangzhong City | 72 | 37.5 | – | 5.4 | 40 | 50.0 | – | 2.5 |
| *China, Yanji City | 113 | 71.7 | 3.5 | 5.3 | 22 | 63.6 | 9.1 | 0.9 |
| *China, Yanshi City | 55 | 60.0 | 1.8 | 2.3 | 55 | 43.6 | 5.5 | 2.2 |
| China, Yanting County | 145 | 84.1 | 2.1 | 7.5 | 67 | 89.6 | 1.5 | 3.5 |
| *China, Yi'an District, Tongling City | 53 | 84.9 | 0.0 | 5.4 | 24 | 75.0 | 4.2 | 2.8 |
| *China, Yingdong District, Fuyang City | 82 | 75.6 | – | 3.8 | 52 | 84.6 | – | 2.3 |

* Important. See note on population page.

Indices of data quality Lip, oral cavity, and pharynx (C00–14) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 84 | 84.5 | 0.0 | 9.3 | 26 | 73.1 | 3.8 | 2.8 |
| *China, Yiyuan County | 68 | 63.2 | – | 3.5 | 30 | 56.7 | – | 1.8 |
| China, Yong'an City | 122 | 79.5 | 0.8 | 9.9 | 37 | 83.8 | 0.0 | 3.5 |
| *China, Yongding District, Longyan City | 179 | 79.9 | 0.0 | 11.0 | 69 | 73.9 | 1.4 | 4.4 |
| China, Yongkang City | 147 | 85.0 | 4.1 | 6.4 | 67 | 91.0 | 1.5 | 3.0 |
| *China, Yucheng County | 76 | 38.2 | – | 3.8 | 61 | 36.1 | – | 3.2 |
| China, Yueyanglou District, Yueyang City | 133 | 97.7 | 2.3 | 11.8 | 28 | 100.0 | 0.0 | 2.4 |
| China, Yunmeng County | 124 | 62.1 | – | 8.3 | 74 | 66.2 | – | 4.4 |
| *China, Yunyang District, Shiyuan City | 40 | 50.0 | – | 3.6 | 21 | 52.4 | – | 2.0 |
| China, Yuzhong District, Chongqing City | 207 | 62.3 | 0.5 | 9.1 | 87 | 56.3 | 3.4 | 3.7 |
| *China, Zhanhuang County | 21 | 85.7 | – | 2.6 | 14 | 50.0 | – | 1.8 |
| *China, Zhangjiagang City | 283 | 73.9 | – | 6.6 | 106 | 75.5 | – | 2.4 |
| *China, Zhaoyuan City | 116 | 66.4 | – | 4.7 | 32 | 53.1 | – | 1.1 |
| *China, Zhengding County | 25 | 76.0 | 4.0 | 2.1 | 19 | 78.9 | 0.0 | 1.2 |
| *China, Zhongshan City | 1525 | 98.3 | – | 29.0 | 496 | 97.6 | – | 8.9 |
| China, Zhongxiang City | 199 | 81.4 | – | 5.9 | 103 | 84.5 | – | 2.9 |
| *China, Zhuanghe City | 137 | 88.3 | – | 3.3 | 59 | 88.1 | – | 1.6 |
| *China, Zhuhai City | 834 | 51.0 | 2.6 | 21.9 | 354 | 52.8 | 2.5 | 9.6 |
| India, Ahmedabad, Urban | 4986 | 98.0 | 0.1 | 38.9 | 1080 | 98.1 | 0.1 | 9.1 |
| India, Aurangabad | 691 | 98.1 | 0.9 | 23.1 | 181 | 95.6 | 1.7 | 6.6 |
| India, Bangalore | 2267 | 95.3 | 2.9 | 19.4 | 1228 | 96.5 | 2.4 | 11.2 |
| India, Barshi, Paranda, and Bhum | 133 | 92.5 | 0.0 | 9.3 | 48 | 91.7 | 2.1 | 3.5 |
| *India, Bhopal | 993 | 98.2 | 0.8 | 34.7 | 297 | 100.0 | 0.0 | 11.6 |
| India, Chandigarh | 336 | 98.8 | 0.6 | 13.7 | 82 | 100.0 | 0.0 | 3.7 |
| *India, Chennai | 3423 | 86.8 | 3.7 | 26.2 | 1253 | 83.9 | 5.7 | 9.6 |
| India, Dibrugarh | 741 | 93.0 | 4.7 | 26.6 | 236 | 90.7 | 7.6 | 8.5 |
| *India, Dindigul, Ambalikkai | 764 | 87.6 | 1.4 | 12.3 | 326 | 86.5 | 2.5 | 5.1 |
| India, Kamrup Urban District | 1450 | 88.3 | 5.8 | 59.5 | 443 | 87.6 | 6.1 | 20.4 |
| India, Kollam | 1190 | 90.7 | 0.5 | 18.5 | 585 | 87.5 | 0.0 | 7.4 |
| *India, Manipur | 472 | 95.8 | 0.6 | 9.7 | 207 | 97.6 | 0.0 | 4.0 |
| India, Meghalaya | 1442 | 92.0 | 4.2 | 52.3 | 510 | 94.5 | 3.1 | 17.9 |
| India, Mizoram | 501 | 96.8 | – | 28.1 | 159 | 98.7 | – | 9.2 |
| India, Mumbai | 6822 | 90.3 | 6.0 | 20.6 | 2425 | 88.3 | 7.4 | 7.9 |
| *India, New Delhi | 6456 | 89.1 | 4.3 | 28.1 | 1673 | 79.6 | 12.3 | 8.1 |
| India, Poona | 2117 | 89.5 | 3.9 | 16.4 | 813 | 86.6 | 4.1 | 6.8 |
| *India, Sangrur District | 280 | 93.9 | – | 10.7 | 72 | 95.8 | – | 2.8 |
| India, SAS Nagar | 294 | 97.6 | 0.7 | 12.4 | 86 | 97.7 | 0.0 | 3.7 |
| *India, Tamil Nadu | 31162 | 91.0 | 0.6 | 15.3 | 14205 | 89.8 | 0.7 | 6.7 |
| *India, Tripura | 1250 | 99.4 | – | 19.0 | 435 | 98.2 | – | 6.5 |
| India, Trivandrum | 1661 | 93.2 | – | 20.6 | 653 | 91.9 | – | 7.0 |
| India, Wardha | 676 | 94.1 | 5.5 | 17.5 | 270 | 94.8 | 4.1 | 7.1 |
| India, West Arunachal | 120 | 95.8 | – | 11.9 | 56 | 89.3 | – | 5.9 |
| *Iran (Islamic Republic of), Ardabil Province | 43 | 86.0 | 2.3 | 2.4 | 34 | 79.4 | 5.9 | 1.7 |
| *Iran (Islamic Republic of), Golestan Province | 76 | 86.8 | 3.9 | 3.0 | 61 | 85.2 | 3.3 | 2.5 |
| Israel | 1275 | 97.4 | 1.8 | 5.1 | 816 | 96.4 | 2.1 | 2.7 |
| *Israel: Jews | 1055 | 97.4 | 1.9 | 5.0 | 699 | 95.9 | 2.4 | 2.7 |
| *Israel: Arabs | 131 | 97.7 | 0.8 | 4.3 | 66 | 100.0 | 0.0 | 1.9 |
| Japan | 40077 | 91.9 | 4.0 | 9.4 | 16964 | 89.3 | 5.2 | 3.3 |
| Japan, Aichi Prefecture | 1826 | 96.1 | 1.4 | 8.0 | 817 | 94.6 | 2.2 | 3.2 |
| *Japan, Akita Prefecture | 451 | 94.7 | 0.4 | 11.6 | 186 | 94.6 | 0.5 | 3.7 |
| Japan, Aomori Prefecture | 787 | 94.3 | 1.0 | 10.2 | 345 | 90.1 | 2.6 | 3.3 |
| Japan, Gunma Prefecture | 554 | 94.8 | 1.3 | 7.9 | 277 | 90.6 | 1.4 | 3.4 |
| Japan, Hiroshima Prefecture | 1317 | 96.9 | 0.9 | 10.3 | 586 | 93.7 | 2.2 | 3.8 |
| Japan, Miyagi Prefecture | 1251 | 96.1 | 1.1 | 9.7 | 601 | 94.2 | 2.8 | 4.1 |
| Japan, Osaka Prefecture | 2897 | 95.0 | 2.7 | 10.1 | 1229 | 92.8 | 3.7 | 3.8 |
| Kuwait | 257 | 98.4 | 1.2 | 2.9 | 90 | 96.7 | 3.3 | 1.6 |
| *Kuwait: Kuwaitis | 77 | 97.4 | 2.6 | 4.0 | 45 | 97.8 | 2.2 | 1.7 |
| *Kuwait: Non-Kuwaitis | 180 | 98.9 | 0.6 | 2.5 | 45 | 95.6 | 4.4 | 1.8 |
| *Philippines, Manila | 998 | 81.8 | 2.8 | 8.3 | 562 | 80.4 | 2.8 | 3.9 |
| *Qatar: Qatari | 34 | 97.1 | – | 7.9 | 11 | 100.0 | – | 2.3 |
| Republic of Korea | 12217 | 97.6 | 0.5 | 6.3 | 4870 | 96.9 | 1.0 | 2.3 |
| *Republic of Korea, Busan | 941 | 97.0 | 1.0 | 6.5 | 366 | 95.1 | 0.8 | 2.4 |
| *Republic of Korea, Daegu | 592 | 98.6 | 0.3 | 6.5 | 235 | 97.9 | 0.4 | 2.3 |
| *Republic of Korea, Daejeon | 291 | 98.3 | 1.0 | 5.7 | 120 | 97.5 | 2.5 | 2.1 |
| *Republic of Korea, Gwangju | 294 | 97.3 | 0.0 | 6.2 | 141 | 95.0 | 1.4 | 2.4 |
| Republic of Korea, Incheon | 610 | 97.5 | 0.7 | 5.8 | 250 | 98.4 | 0.0 | 2.2 |
| Republic of Korea, Jeju | 170 | 98.2 | – | 7.4 | 57 | 100.0 | – | 2.3 |
| Republic of Korea, Seoul | 2475 | 97.8 | 0.4 | 6.7 | 960 | 97.3 | 0.9 | 2.4 |
| Republic of Korea, Ulsan | 252 | 98.4 | 0.4 | 6.4 | 119 | 98.3 | 1.7 | 2.8 |
| Singapore | 1897 | 98.7 | 0.1 | 13.0 | 783 | 99.1 | 0.0 | 5.1 |
| Singapore: Chinese | 1641 | 98.7 | 0.1 | 14.5 | 632 | 99.1 | 0.0 | 5.2 |
| Singapore: Indian | 87 | 97.7 | – | 7.9 | 63 | 100.0 | – | 5.5 |

* Important. See note on population page.

Indices of data quality Lip, oral cavity, and pharynx (C00–14) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 132 | 99.2 | – | 8.3 | 71 | 100.0 | – | 4.1 |
| Thailand, Bangkok | 1715 | 85.2 | 0.7 | 9.2 | 737 | 84.0 | 0.4 | 3.3 |
| *Thailand, Chiang Mai | 509 | 96.5 | 0.2 | 9.2 | 243 | 96.3 | 0.8 | 3.7 |
| *Thailand, Khon Kaen | 467 | 89.7 | 1.1 | 7.9 | 276 | 94.2 | 1.1 | 3.8 |
| Thailand, Lampang | 257 | 92.6 | 1.9 | 8.8 | 147 | 94.6 | 1.4 | 4.4 |
| Thailand, Lopburi Province | 470 | 87.9 | 0.4 | 20.2 | 326 | 75.2 | 0.3 | 12.8 |
| *Thailand, Songkhla | 635 | 96.2 | 1.4 | 15.4 | 154 | 94.2 | 0.0 | 3.1 |
| Turkey, Antalya | 369 | 100.0 | – | 5.9 | 180 | 98.3 | – | 2.7 |
| Turkey, Bursa | 407 | 97.1 | 1.7 | 5.1 | 217 | 98.6 | 0.5 | 2.5 |
| *Turkey, Edirne | 90 | 94.4 | 1.1 | 6.2 | 26 | 92.3 | 0.0 | 1.6 |
| *Turkey, Erzurum | 89 | 94.4 | 0.0 | 4.8 | 38 | 89.5 | 5.3 | 1.8 |
| Turkey, Eskişehir | 128 | 99.2 | – | 4.8 | 70 | 95.7 | – | 2.4 |
| Turkey, Gaziantep | 162 | 97.5 | 0.6 | 4.6 | 82 | 97.6 | 0.0 | 2.1 |
| *Turkey, Izmir | 808 | 97.6 | 0.5 | 6.1 | 388 | 95.4 | 1.5 | 2.6 |
| Turkey, Malatya | 76 | 97.4 | 2.6 | 3.5 | 47 | 97.9 | 2.1 | 2.0 |
| Turkey, Samsun | 266 | 99.2 | – | 6.6 | 113 | 100.0 | – | 2.4 |
| Turkey, Trabzon | 76 | 94.7 | 1.3 | 3.2 | 67 | 95.5 | 1.5 | 2.3 |
| Europe | | | | | | | | |
| Austria | 4477 | 90.1 | 2.6 | 12.1 | 1681 | 89.0 | 4.0 | 3.8 |
| Austria, Carinthia | 351 | 96.3 | 0.3 | 13.6 | 137 | 99.3 | 0.7 | 4.7 |
| Austria, Tyrol | 383 | 98.4 | – | 12.4 | 148 | 100.0 | – | 3.9 |
| Austria, Vorarlberg | 215 | 98.1 | 0.9 | 13.8 | 69 | 98.6 | 0.0 | 3.4 |
| Belarus | 6979 | 99.6 | 0.0 | 22.0 | 1227 | 99.0 | 0.1 | 2.6 |
| *Belgium | 6910 | 99.2 | – | 14.9 | 2827 | 99.0 | – | 5.4 |
| Croatia | 2556 | 83.7 | 2.9 | 14.1 | 748 | 80.6 | 4.0 | 3.2 |
| Cyprus | 169 | 97.6 | 2.4 | 5.4 | 102 | 98.0 | 2.0 | 2.8 |
| *Czech Republic | 5814 | 97.7 | 0.3 | 13.3 | 2346 | 97.6 | 0.3 | 4.5 |
| Denmark | 3348 | 98.6 | – | 13.5 | 1496 | 98.3 | – | 5.6 |
| Estonia | 669 | 97.0 | 0.1 | 13.9 | 257 | 98.1 | 0.0 | 3.8 |
| Finland | 2056 | 98.6 | 0.2 | 8.0 | 1300 | 97.6 | 0.7 | 4.1 |
| *France, Bas-Rhin | 601 | 99.5 | – | 16.5 | 203 | 98.5 | – | 5.1 |
| *France, Calvados | 626 | 98.9 | – | 21.2 | 194 | 99.0 | – | 5.4 |
| *France, Doubs | 316 | 99.7 | – | 14.5 | 146 | 98.6 | – | 6.2 |
| *France, Gironde | 1054 | 98.7 | – | 17.7 | 434 | 98.2 | – | 5.9 |
| *France, Haut-Rhin | 488 | 99.0 | – | 14.8 | 157 | 99.4 | – | 4.4 |
| *France, Hérault | 877 | 99.5 | – | 19.0 | 303 | 99.7 | – | 5.5 |
| *France, Isère | 698 | 99.1 | – | 13.9 | 293 | 99.3 | – | 5.2 |
| *France, Lille-Métropole | 714 | 97.3 | – | 27.4 | 219 | 97.3 | – | 6.8 |
| *France, Limousin | 320 | 99.4 | – | 19.5 | 84 | 97.6 | – | 3.9 |
| *France, Loire-Atlantique | 1187 | 98.9 | – | 22.6 | 358 | 98.9 | – | 5.6 |
| *France, Manche | 470 | 98.9 | – | 20.6 | 139 | 99.3 | – | 5.2 |
| *France, Poitou-Charentes | 1591 | 99.1 | – | 19.6 | 506 | 98.4 | – | 5.2 |
| *France, Somme | 539 | 99.1 | – | 23.6 | 153 | 100.0 | – | 6.1 |
| *France, Tarn | 268 | 97.8 | – | 14.1 | 126 | 99.2 | – | 5.7 |
| *France, Territoire de Belfort | 76 | 100.0 | – | 16.1 | 19 | 100.0 | – | 3.8 |
| *France, Vendée | 616 | 99.0 | – | 19.5 | 197 | 99.0 | – | 5.6 |
| Germany, Baden-Württemberg | 3194 | 86.5 | 5.3 | 10.6 | 1405 | 86.3 | 4.9 | 4.0 |
| Germany, Bavaria | 6891 | 95.6 | 3.1 | 11.9 | 2726 | 95.2 | 3.9 | 4.1 |
| Germany, Bremen | 423 | 95.3 | 4.0 | 13.9 | 211 | 95.3 | 3.8 | 5.8 |
| Germany, Hamburg | 916 | 90.6 | 2.5 | 11.8 | 474 | 90.1 | 2.7 | 5.5 |
| Germany, Lower Saxony | 4504 | 94.3 | 3.9 | 11.7 | 2086 | 94.6 | 3.6 | 4.8 |
| Germany, North Rhine-Westphalia | 9468 | 89.7 | 4.1 | 11.5 | 4648 | 88.1 | 5.3 | 4.8 |
| Germany, Rhineland-Palatinate | 2418 | 87.5 | 6.1 | 12.4 | 986 | 88.8 | 5.6 | 4.6 |
| Germany, Saarland | 849 | 88.1 | 2.4 | 16.5 | 375 | 88.5 | 2.7 | 6.6 |
| Germany, Schleswig-Holstein | 1847 | 93.0 | 1.1 | 13.4 | 828 | 93.6 | 1.2 | 5.1 |
| Iceland | 87 | 100.0 | – | 7.2 | 39 | 100.0 | – | 2.7 |
| Ireland | 1724 | 98.1 | 0.2 | 10.4 | 688 | 96.9 | 1.2 | 3.9 |
| *Italy, Aosta Valley | 75 | 90.7 | – | 13.0 | 25 | 88.0 | – | 3.8 |
| *Italy, Avellino | 77 | 84.4 | 1.3 | 6.6 | 31 | 80.6 | 3.2 | 2.3 |
| Italy, Basilicata | 234 | 90.2 | 0.4 | 8.2 | 76 | 81.6 | 0.0 | 2.2 |
| *Italy, Benevento | 82 | 97.6 | – | 8.1 | 41 | 100.0 | – | 3.1 |
| Italy, Bergamo | 453 | 97.8 | 0.0 | 8.7 | 221 | 98.2 | 0.5 | 3.6 |
| *Italy, Brescia | 443 | 94.8 | 1.1 | 8.1 | 226 | 92.9 | 1.8 | 3.7 |
| Italy, Brianza (Lecco and Monza e Brianza) | 272 | 97.1 | 0.0 | 8.5 | 116 | 95.7 | 1.7 | 2.8 |
| Italy, Calabria | 187 | 82.9 | 1.1 | 8.5 | 91 | 86.8 | 0.0 | 3.2 |
| *Italy, Caserta | 186 | 97.8 | 0.5 | 6.6 | 86 | 95.3 | 0.0 | 2.6 |
| *Italy, Catania, Messina, and Enna | 576 | 97.4 | 0.7 | 6.9 | 279 | 95.7 | 1.4 | 2.8 |
| Italy, Emilia-Romagna | 1457 | 95.1 | 0.2 | 8.0 | 806 | 94.2 | 0.9 | 3.8 |
| Italy, Friuli-Venezia Giulia | 763 | 99.9 | – | 11.4 | 381 | 99.0 | – | 4.6 |
| Italy, Genova | 298 | 95.3 | 0.3 | 8.3 | 176 | 92.0 | 1.7 | 3.6 |
| *Italy, Lombardy, South, Pavia | 231 | 97.0 | 0.4 | 8.6 | 154 | 89.6 | 1.3 | 4.6 |
| Italy, Mantova and Cremona | 256 | 96.1 | 0.0 | 8.6 | 141 | 96.5 | 0.7 | 3.2 |

* Important. See note on population page.

Indices of data quality Lip, oral cavity, and pharynx (C00–14) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 365 | 95.9 | 0.3 | 5.9 | 191 | 94.8 | 0.0 | 2.6 |
| Italy, Milan | 1362 | 92.0 | 0.4 | 8.6 | 711 | 92.4 | 0.8 | 3.5 |
| Italy, Molise | 73 | 90.4 | 1.4 | 7.8 | 35 | 85.7 | 0.0 | 3.1 |
| *Italy, Naples Centre | 162 | 93.8 | 1.2 | 6.8 | 101 | 95.0 | 2.0 | 3.1 |
| *Italy, Naples North | 194 | 97.9 | 0.0 | 6.5 | 122 | 94.3 | 4.9 | 3.5 |
| *Italy, Naples South | 234 | 96.6 | 0.4 | 5.5 | 161 | 97.5 | 0.0 | 3.2 |
| *Italy, Nuoro | 84 | 97.6 | 0.0 | 14.0 | 20 | 85.0 | 5.0 | 3.5 |
| *Italy, Palermo | 427 | 89.5 | 0.9 | 8.0 | 193 | 88.6 | 2.1 | 3.0 |
| Italy, Puglia | 1361 | 95.2 | 0.4 | 7.3 | 603 | 92.4 | 1.2 | 2.7 |
| *Italy, Ragusa and Caltanissetta | 156 | 93.6 | 0.6 | 6.4 | 77 | 92.2 | 1.3 | 2.5 |
| *Italy, Salerno | 237 | 94.9 | 0.8 | 6.0 | 115 | 92.2 | 2.6 | 2.6 |
| Italy, Sassari | 91 | 92.3 | 0.0 | 9.7 | 36 | 97.2 | 2.8 | 3.6 |
| *Italy, Sondrio | 146 | 87.7 | 2.1 | 14.0 | 57 | 70.2 | 5.3 | 4.4 |
| Italy, South Tyrol | 274 | 98.2 | 0.7 | 11.4 | 102 | 98.0 | 1.0 | 3.6 |
| *Italy, Syracuse | 87 | 95.4 | – | 5.0 | 54 | 94.4 | – | 2.6 |
| Italy, Trento | 244 | 97.1 | – | 9.3 | 103 | 98.1 | – | 3.0 |
| Italy, Turin | 1045 | 95.2 | 0.4 | 9.1 | 569 | 94.4 | 1.1 | 4.0 |
| *Italy, Tuscany | 874 | 93.4 | 0.6 | 8.6 | 492 | 92.1 | 0.6 | 4.1 |
| Italy, Umbria | 257 | 93.4 | 0.0 | 6.7 | 123 | 96.7 | 0.8 | 2.9 |
| Italy, Varese | 187 | 99.5 | 0.0 | 7.4 | 97 | 97.9 | 2.1 | 3.1 |
| Italy, Veneto | 2289 | 97.1 | 0.7 | 9.3 | 1154 | 95.4 | 1.1 | 3.9 |
| Latvia | 1015 | 80.1 | 4.7 | 13.8 | 298 | 82.6 | 3.7 | 2.7 |
| *Liechtenstein | 23 | 100.0 | – | 13.6 | 4 | 75.0 | – | 1.9 |
| *Lithuania | 1585 | 76.0 | 20.5 | 15.3 | 437 | 80.3 | 16.2 | 2.7 |
| Malta | 147 | 96.6 | 1.4 | 7.4 | 94 | 100.0 | 0.0 | 3.9 |
| *The Netherlands | 6940 | 99.3 | – | 9.1 | 4284 | 99.1 | – | 5.0 |
| Norway | 1971 | 99.3 | 0.3 | 9.0 | 1147 | 99.5 | 0.2 | 4.7 |
| Poland, Kielce | 547 | 98.2 | – | 10.5 | 175 | 98.3 | – | 2.6 |
| *Portugal, Azores | 199 | 99.5 | 0.5 | 29.2 | 27 | 96.3 | 3.7 | 3.0 |
| Russian Federation, Arkhangelsk | 559 | 96.2 | 3.2 | 14.6 | 207 | 95.7 | 3.4 | 3.5 |
| Russian Federation, Kaliningrad | 442 | 96.2 | 1.8 | 14.1 | 156 | 94.9 | 0.6 | 3.6 |
| Russian Federation, Karelia | 325 | 96.6 | 1.2 | 15.8 | 152 | 96.1 | 1.3 | 4.6 |
| *Russian Federation, Komi Republic | 431 | 94.4 | 3.9 | 16.9 | 163 | 98.8 | 0.6 | 4.4 |
| Russian Federation, Murmansk | 369 | 96.2 | 3.5 | 16.4 | 144 | 97.9 | 2.1 | 4.2 |
| *Russian Federation, Orenburg | 1001 | 97.0 | 0.4 | 15.4 | 294 | 96.3 | 0.7 | 3.0 |
| Russian Federation, Pskov | 352 | 98.6 | 1.4 | 15.2 | 102 | 96.1 | 2.0 | 2.5 |
| *Russian Federation, Samara | 1422 | 99.2 | 0.8 | 13.3 | 477 | 98.3 | 1.7 | 2.9 |
| Russian Federation, Vologda Region | 497 | 97.4 | 0.6 | 12.6 | 165 | 97.6 | 0.6 | 2.8 |
| Slovenia | 1340 | 99.6 | 0.0 | 14.9 | 394 | 99.2 | 0.3 | 3.9 |
| Spain, Asturias | 421 | 98.8 | 0.2 | 13.1 | 145 | 97.2 | 0.7 | 3.3 |
| Spain, Basque Country | 1189 | 99.1 | 0.1 | 14.5 | 459 | 98.5 | 0.2 | 4.7 |
| Spain, Canary Islands | 919 | 98.3 | 0.3 | 16.1 | 258 | 98.1 | 0.0 | 3.8 |
| Spain, Castellón | 276 | 98.9 | – | 10.7 | 108 | 99.1 | – | 3.4 |
| Spain, Girona | 365 | 98.4 | 0.0 | 11.1 | 148 | 97.3 | 1.4 | 3.8 |
| Spain, Granada | 491 | 99.0 | 0.2 | 12.5 | 143 | 97.9 | 0.7 | 2.9 |
| Spain, La Rioja | 154 | 98.7 | 0.6 | 10.5 | 60 | 98.3 | 0.0 | 3.7 |
| Spain, Murcia | 645 | 98.8 | 0.5 | 11.7 | 230 | 99.6 | 0.4 | 3.6 |
| Spain, Navarra | 284 | 98.2 | 0.0 | 11.8 | 107 | 95.3 | 0.9 | 4.0 |
| Spain, Salamanca | 196 | 96.4 | – | 10.7 | 72 | 97.2 | – | 3.3 |
| Spain, Tarragona | 403 | 98.3 | – | 11.8 | 144 | 98.6 | – | 3.7 |
| *Sweden | 3593 | 99.8 | – | 8.0 | 2275 | 99.9 | – | 4.5 |
| Switzerland, Aargau | 231 | 96.5 | 1.7 | 8.1 | 110 | 98.2 | 0.9 | 3.6 |
| Switzerland, Basel | 225 | 97.8 | 1.3 | 9.9 | 118 | 99.2 | 0.8 | 4.3 |
| Switzerland, Berne Solothurn | 418 | 97.6 | 0.5 | 10.9 | 200 | 99.0 | 0.5 | 4.7 |
| Switzerland, East | 360 | 99.2 | – | 9.8 | 164 | 99.4 | – | 4.5 |
| *Switzerland, Fribourg | 160 | 99.4 | 0.0 | 12.8 | 52 | 98.1 | 1.9 | 4.3 |
| Switzerland, Geneva | 260 | 99.6 | 0.0 | 14.0 | 122 | 96.7 | 0.8 | 5.1 |
| *Switzerland, Graubünden and Glarus | 118 | 99.2 | 0.0 | 10.1 | 62 | 96.8 | 1.6 | 5.7 |
| *Switzerland, Lucerne | 227 | 97.4 | 0.4 | 10.0 | 107 | 94.4 | 4.7 | 4.3 |
| *Switzerland, Neuchâtel and Jura | 107 | 99.1 | – | 10.3 | 72 | 98.6 | – | 5.2 |
| Switzerland, Ticino | 188 | 99.5 | 0.0 | 10.9 | 103 | 98.1 | 1.9 | 5.4 |
| Switzerland, Valais | 213 | 100.0 | – | 14.5 | 73 | 98.6 | – | 4.2 |
| Switzerland, Vaud | 452 | 97.3 | 1.1 | 15.2 | 184 | 98.4 | 0.5 | 5.1 |
| Switzerland, Zurich and Zug | 682 | 98.7 | 0.1 | 10.1 | 337 | 97.6 | 1.5 | 4.3 |
| Ukraine | 21331 | 95.7 | 0.3 | 17.8 | 4620 | 95.6 | 0.2 | 2.5 |
| UK, England | 24311 | 97.7 | 0.3 | 11.1 | 12301 | 97.1 | 0.4 | 4.9 |
| UK, Northern Ireland | 763 | 98.3 | 0.0 | 10.6 | 355 | 94.9 | 0.6 | 4.4 |
| UK, Scotland | 3054 | 97.2 | – | 13.3 | 1452 | 96.1 | – | 5.4 |
| UK, Wales | 1750 | 97.4 | 0.3 | 12.8 | 822 | 95.9 | 0.6 | 5.5 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 4702 | 97.0 | 0.6 | 15.3 | 1890 | 96.5 | 1.0 | 5.4 |
| *Australia, Northern Territory | 160 | 98.8 | – | 22.1 | 47 | 97.9 | – | 7.3 |

* Important. See note on population page.

**Indices of data quality
Lip, oral cavity, and pharynx (C00–14) (contd)**

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 114 | 99.1 | – | 19.3 | 24 | 100.0 | – | 4.7 |
| *Australia, Northern Territory: Indigenous | 46 | 97.8 | – | 33.2 | 23 | 95.7 | – | 15.8 |
| *Australia, Queensland | 3044 | 97.3 | 0.4 | 17.1 | 1119 | 96.1 | 0.7 | 5.7 |
| Australia, South Australia | 1015 | 97.6 | 0.3 | 14.5 | 408 | 97.5 | 0.2 | 5.0 |
| Australia, Tasmania | 347 | 99.4 | 0.0 | 15.4 | 156 | 96.8 | 1.9 | 6.2 |
| *Australia, Victoria | 2820 | 97.9 | 0.3 | 12.3 | 1258 | 96.4 | 1.7 | 4.7 |
| *Australia, Western Australia | 1383 | 97.0 | 0.1 | 15.0 | 572 | 97.9 | 0.2 | 5.5 |
| *France, New Caledonia | 115 | 99.1 | – | 14.6 | 41 | 100.0 | – | 5.1 |
| New Zealand | 1647 | 97.6 | 0.8 | 9.6 | 821 | 97.9 | 1.5 | 4.1 |
| *New Zealand: Maori | 166 | 96.4 | 1.2 | 10.2 | 77 | 97.4 | 2.6 | 4.1 |
| *New Zealand: Pacific peoples | 75 | 97.3 | – | 11.4 | 49 | 100.0 | – | 7.0 |
| *New Zealand: Other | 1322 | 97.7 | 0.8 | 9.7 | 639 | 97.8 | 1.4 | 4.0 |
| USA, Hawaii | 766 | 97.7 | 0.7 | 13.2 | 348 | 98.0 | 0.3 | 5.6 |
| USA, Hawaii: White | 366 | 98.1 | 0.5 | 19.0 | 100 | 99.0 | 1.0 | 6.0 |
| *USA, Hawaii: Japanese | 106 | 97.2 | – | 8.8 | 73 | 97.3 | – | 4.7 |
| *USA, Hawaii: Chinese | 45 | 97.8 | – | 11.9 | 26 | 100.0 | – | 5.4 |
| *USA, Hawaii: Hawaiian | 103 | 99.0 | 1.0 | 11.7 | 56 | 96.4 | 0.0 | 6.3 |
| *USA, Hawaii: Filipino | 73 | 95.9 | – | 8.0 | 58 | 96.6 | – | 5.4 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 15 | 100.0 | – | 1.1 | 11 | 100.0 | – | 0.8 |
| *Algeria, Tizi Ouzou | 22 | 95.5 | – | 1.6 | 22 | 100.0 | – | 1.1 |
| *Benin, Cotonou | 16 | 75.0 | – | 3.4 | 19 | 68.4 | – | 3.2 |
| *France, La Réunion | 192 | 100.0 | – | 8.9 | 25 | 96.0 | – | 0.9 |
| *Kenya, Eldoret | 155 | 66.5 | 0.0 | 16.0 | 111 | 79.3 | 0.9 | 11.9 |
| *Kenya, Nairobi | 354 | 70.1 | 8.8 | 16.1 | 281 | 74.0 | 7.1 | 14.3 |
| Mauritius | 119 | 89.1 | 2.5 | 2.9 | 74 | 82.4 | 6.8 | 1.5 |
| *Morocco, Casablanca | 66 | 98.5 | 1.5 | 0.6 | 54 | 96.3 | 0.0 | 0.4 |
| *Seychelles | 14 | 85.7 | 7.1 | 5.0 | 1 | 100.0 | 0.0 | 0.3 |
| *South Africa, Eastern Cape | 196 | 80.6 | – | 18.4 | 298 | 79.9 | – | 16.1 |
| *Uganda, Kyadondo County | 348 | 62.6 | 0.6 | 23.4 | 244 | 57.0 | 0.0 | 13.0 |
| *Uganda, Gulu | 31 | 58.1 | – | 7.8 | 7 | 0.0 | – | 1.2 |
| *Zimbabwe, Bulawayo: African | 183 | 40.4 | 14.2 | 23.3 | 160 | 51.9 | 14.4 | 16.3 |
| *Zimbabwe, Harare: African | 259 | 57.1 | 15.8 | 17.9 | 261 | 67.8 | 11.5 | 15.2 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 168 | 73.2 | 17.3 | 7.3 | 81 | 80.2 | 13.6 | 2.6 |
| *Argentina, Mendoza | 246 | 78.0 | 14.2 | 4.6 | 120 | 81.7 | 15.0 | 1.6 |
| Brazil, Aracaju | 47 | 91.5 | 2.1 | 4.4 | 17 | 82.4 | 11.8 | 1.0 |
| *Brazil, Barretos | 99 | 81.8 | 17.2 | 7.6 | 18 | 50.0 | 44.4 | 1.1 |
| Brazil, Belo Horizonte | 621 | 94.2 | 5.6 | 8.9 | 218 | 93.1 | 6.9 | 2.1 |
| *Brazil, Campinas | 145 | 75.2 | 21.4 | 6.3 | 42 | 66.7 | 31.0 | 1.4 |
| *Brazil, Curitiba | 299 | 80.3 | 7.7 | 7.6 | 82 | 68.3 | 14.6 | 1.4 |
| Brazil, Goiânia | 147 | 95.9 | 4.1 | 5.7 | 46 | 93.5 | 6.5 | 1.3 |
| *Brazil, Jaú | 39 | 100.0 | – | 8.8 | 3 | 100.0 | – | 0.5 |
| Brazil, João Pessoa | 43 | 79.1 | 4.7 | 4.2 | 13 | 69.2 | 15.4 | 0.8 |
| Brazil, Recife | 147 | 81.0 | 8.2 | 6.0 | 54 | 72.2 | 9.3 | 1.3 |
| Chile, Region of Antofagasta | 26 | 80.8 | 15.4 | 2.7 | 14 | 100.0 | 0.0 | 1.3 |
| Chile, Valdivia | 74 | 93.2 | 2.7 | 4.9 | 46 | 80.4 | 6.5 | 2.1 |
| Colombia, Bucaramanga | 86 | 76.7 | 4.7 | 2.7 | 34 | 82.4 | 5.9 | 0.8 |
| Colombia, Cali | 132 | 78.8 | 1.5 | 2.2 | 62 | 88.7 | 3.2 | 0.7 |
| Colombia, Manizales | 32 | 81.2 | 3.1 | 2.2 | 26 | 73.1 | 0.0 | 1.4 |
| Colombia, Pasto | 21 | 81.0 | 4.8 | 1.8 | 10 | 60.0 | 30.0 | 0.7 |
| Costa Rica | 118 | 79.7 | 0.8 | 1.2 | 36 | 83.3 | 5.6 | 0.3 |
| Ecuador, Guayaquil | 111 | 93.7 | 3.6 | 2.1 | 33 | 87.9 | 6.1 | 0.6 |
| Ecuador, Manabí | 47 | 91.5 | 4.3 | 1.4 | 9 | 88.9 | 11.1 | 0.3 |
| Ecuador, Quito | 72 | 93.1 | 4.2 | 1.7 | 31 | 80.6 | 12.9 | 0.6 |
| *France, Guadeloupe | 114 | 98.2 | – | 6.8 | 19 | 100.0 | – | 1.0 |
| *France, Martinique | 50 | 98.0 | – | 2.9 | 9 | 100.0 | – | 0.4 |
| *Peru, Lima | 238 | 77.3 | 10.9 | 1.7 | 122 | 75.4 | 10.7 | 0.7 |
| *Trinidad and Tobago | 77 | 70.1 | 15.6 | 3.2 | 22 | 86.4 | 9.1 | 0.9 |
| USA, Puerto Rico | 591 | 91.5 | 4.1 | 3.7 | 128 | 83.6 | 9.4 | 0.5 |
| *Uruguay | 792 | 76.0 | 14.1 | 6.1 | 410 | 74.1 | 16.1 | 2.1 |
| North America | | | | | | | | |
| Canada, Alberta | 779 | 99.0 | 0.0 | 4.9 | 203 | 96.6 | 0.5 | 1.2 |
| Canada, British Columbia | 1188 | 96.7 | 0.2 | 4.9 | 396 | 93.2 | 1.0 | 1.4 |
| *Canada, Manitoba | 249 | 97.2 | – | 4.2 | 79 | 98.7 | – | 1.2 |
| *Canada, New Brunswick | 179 | 95.5 | 0.6 | 4.4 | 48 | 95.8 | 2.1 | 0.9 |
| *Canada, Newfoundland and Labrador | 156 | 97.4 | 1.3 | 5.5 | 33 | 90.9 | 0.0 | 1.0 |
| Canada, Ontario | 2879 | 94.5 | 1.4 | 4.6 | 988 | 90.4 | 2.8 | 1.2 |
| *Canada, Prince Edward Island | 45 | 95.6 | – | 6.2 | 12 | 83.3 | – | 1.4 |
| Canada, Quebec | 1774 | 93.5 | 3.0 | 4.2 | 577 | 86.1 | 6.2 | 1.1 |
| Canada, Saskatchewan | 214 | 97.2 | 0.5 | 4.4 | 59 | 94.9 | 0.0 | 1.0 |
| *Canada, Yukon | 9 | 100.0 | – | 6.2 | 7 | 100.0 | – | 4.7 |
| USA | 68905 | 95.0 | 3.9 | 5.1 | 18386 | 94.2 | 4.0 | 1.1 |
| USA: White | 61339 | 95.1 | 3.7 | 5.4 | 15255 | 94.1 | 4.1 | 1.1 |
| USA: Black | 5458 | 94.2 | 4.9 | 4.2 | 2475 | 95.4 | 2.9 | 1.4 |
| USA, NPCR | 66459 | 95.0 | 4.0 | 5.1 | 17790 | 94.2 | 4.0 | 1.1 |
| USA, NPCR: White | 59166 | 95.1 | 3.8 | 5.4 | 14738 | 94.0 | 4.1 | 1.1 |
| USA, NPCR: Black | 5386 | 94.2 | 4.9 | 4.2 | 2449 | 95.3 | 2.9 | 1.4 |
| USA, NPCR: Asian and Pacific Islander | 1289 | 96.3 | 2.9 | 2.2 | 433 | 94.7 | 3.7 | 0.6 |
| USA, NPCR: American Indian | 378 | 94.4 | 4.5 | 3.4 | 105 | 95.2 | 3.8 | 0.8 |
| *USA, SEER (18 registries) | 16162 | 96.0 | 1.5 | 4.6 | 4532 | 94.6 | 1.9 | 1.0 |
| *USA, SEER (18 registries): White | 13795 | 96.0 | 1.5 | 4.9 | 3601 | 94.3 | 2.0 | 1.0 |
| *USA, SEER (18 registries): Non-Hispanic White | 12488 | 96.1 | 1.4 | 5.2 | 3266 | 94.3 | 2.1 | 1.1 |
| *USA, SEER (18 registries): Hispanic White | 1307 | 95.0 | 2.1 | 3.0 | 335 | 94.3 | 1.2 | 0.6 |
| *USA, SEER (18 registries): Black | 1394 | 95.8 | 2.1 | 4.2 | 606 | 96.0 | 1.5 | 1.4 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 788 | 96.7 | 1.3 | 2.3 | 261 | 95.8 | 0.8 | 0.6 |
| *USA, SEER (9 registries) | 5914 | 96.6 | 1.3 | 4.8 | 1629 | 95.6 | 1.5 | 1.1 |
| *USA, SEER (9 registries): White | 5011 | 96.6 | 1.3 | 5.1 | 1295 | 95.7 | 1.5 | 1.1 |
| *USA, SEER (9 registries): Black | 463 | 96.3 | 1.5 | 4.2 | 213 | 95.8 | 1.9 | 1.4 |
| USA, Alabama | 1112 | 93.6 | 5.5 | 5.6 | 268 | 90.3 | 6.7 | 1.1 |
| USA, Alabama: White | 875 | 94.2 | 4.8 | 5.6 | 186 | 90.9 | 7.5 | 1.0 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 229 | 92.1 | 7.4 | 5.6 | 78 | 88.5 | 5.1 | 1.4 |
| USA, Alaska | 151 | 95.4 | 3.3 | 5.6 | 51 | 94.1 | 0.0 | 1.9 |
| *USA, Alaska: Alaska Natives | 33 | 97.0 | 3.0 | 10.0 | 17 | 94.1 | 0.0 | 4.6 |
| USA, Arizona | 1441 | 89.7 | 9.7 | 4.7 | 371 | 90.3 | 8.4 | 1.1 |
| USA, Arizona: White | 1361 | 90.0 | 9.6 | 4.8 | 344 | 90.4 | 8.1 | 1.1 |
| USA, Arizona: Black | 21 | 95.2 | 4.8 | 2.2 | 12 | 100.0 | 0.0 | 1.2 |
| *USA, Arizona: Asian and Pacific Islander | 18 | 83.3 | 11.1 | 2.4 | 6 | 66.7 | 33.3 | 0.6 |
| USA, Arizona: American Indian | 38 | 81.6 | 15.8 | 4.3 | 8 | 100.0 | 0.0 | 0.7 |
| USA, Arkansas | 675 | 93.9 | 5.3 | 5.4 | 147 | 93.2 | 6.8 | 1.0 |
| USA, Arkansas: White | 601 | 94.2 | 5.0 | 5.5 | 119 | 91.6 | 8.4 | 0.9 |
| USA, Arkansas: Black | 65 | 93.8 | 6.2 | 4.7 | 27 | 100.0 | 0.0 | 1.6 |
| USA, California | 5625 | 95.7 | 3.2 | 3.7 | 1702 | 94.9 | 2.7 | 0.9 |
| USA, California: White | 4888 | 95.6 | 3.3 | 4.2 | 1408 | 94.7 | 2.7 | 0.9 |
| USA, California: Black | 233 | 96.1 | 3.0 | 2.7 | 119 | 95.8 | 3.4 | 1.1 |
| USA, California: Asian and Pacific Islander | 457 | 96.5 | 2.4 | 2.0 | 158 | 97.5 | 1.3 | 0.5 |
| *USA, California, Los Angeles County | 1107 | 95.1 | 1.6 | 3.0 | 338 | 96.2 | 1.2 | 0.7 |
| *USA, California, Los Angeles County: White | 879 | 95.2 | 1.6 | 3.3 | 239 | 95.4 | 1.7 | 0.7 |
| *USA, California, Los Angeles County: Non-Hispanic White | 566 | 95.8 | 1.8 | 3.6 | 176 | 95.5 | 1.1 | 0.8 |
| *USA, California, Los Angeles County: Hispanic White | 313 | 94.2 | 1.3 | 2.8 | 63 | 95.2 | 3.2 | 0.4 |
| *USA, California, Los Angeles County: Black | 87 | 93.1 | 1.1 | 2.7 | 46 | 100.0 | 0.0 | 1.0 |
| *USA, California, Los Angeles County: Chinese | 36 | 91.7 | 2.8 | 1.5 | 12 | 100.0 | 0.0 | 0.4 |
| *USA, California, Los Angeles County: Filipino | 24 | 100.0 | - | 1.7 | 8 | 100.0 | - | 0.3 |
| *USA, California, Los Angeles County: Korean | 13 | 76.9 | 15.4 | 1.3 | 4 | 100.0 | 0.0 | 0.3 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 124 | 95.2 | 2.4 | 1.8 | 47 | 95.7 | 0.0 | 0.5 |
| *USA, California, San Francisco Bay Area | 689 | 96.2 | 0.7 | 3.5 | 239 | 96.2 | 2.1 | 0.9 |
| *USA, California, San Francisco Bay Area: White | 507 | 96.3 | 0.6 | 4.0 | 176 | 96.6 | 1.7 | 1.1 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 446 | 96.6 | 0.7 | 4.1 | 154 | 96.1 | 1.9 | 1.2 |
| *USA, California, San Francisco Bay Area: Hispanic White | 61 | 93.4 | - | 2.8 | 22 | 100.0 | - | 0.7 |
| *USA, California, San Francisco Bay Area: Black | 55 | 94.5 | 3.6 | 3.7 | 27 | 96.3 | 3.7 | 1.5 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 122 | 97.5 | 0.0 | 2.4 | 35 | 94.3 | 2.9 | 0.5 |
| USA, Colorado | 1060 | 94.4 | 4.5 | 4.9 | 216 | 94.0 | 3.2 | 0.9 |
| USA, Colorado: White | 1021 | 94.3 | 4.7 | 5.1 | 200 | 94.5 | 3.5 | 0.9 |
| *USA, Colorado: Black | 20 | 95.0 | - | 2.9 | 9 | 88.9 | - | 1.2 |
| *USA, Colorado: Asian and Pacific Islander | 11 | 100.0 | - | 2.2 | 6 | 83.3 | - | 0.8 |
| USA, Connecticut | 839 | 97.6 | 0.8 | 5.2 | 248 | 96.0 | 0.8 | 1.2 |
| USA, Connecticut: White | 774 | 97.8 | 0.8 | 5.4 | 221 | 95.5 | 0.9 | 1.2 |
| USA, Connecticut: Black | 55 | 94.5 | 1.8 | 4.7 | 21 | 100.0 | 0.0 | 1.5 |
| USA, District of Columbia | 80 | 92.5 | 7.5 | 3.8 | 43 | 90.7 | 7.0 | 1.5 |
| USA, District of Columbia: White | 23 | 91.3 | 8.7 | 2.4 | 9 | 88.9 | 11.1 | 0.8 |
| USA, District of Columbia: Black | 53 | 92.5 | 7.5 | 4.7 | 33 | 90.9 | 6.1 | 1.8 |
| USA, Florida | 5138 | 94.1 | 4.9 | 5.1 | 1385 | 94.9 | 4.2 | 1.1 |
| USA, Florida: White | 4681 | 95.0 | 4.0 | 5.4 | 1176 | 95.5 | 3.7 | 1.1 |
| USA, Florida: Black | 335 | 93.4 | 5.7 | 3.3 | 171 | 98.2 | 0.6 | 1.3 |
| USA, Florida: Asian and Pacific Islander | 35 | 100.0 | 0.0 | 1.6 | 17 | 88.2 | 5.9 | 0.6 |
| USA, Georgia | 1899 | 95.3 | 3.1 | 5.1 | 515 | 94.2 | 3.7 | 1.1 |
| USA, Georgia: White | 1406 | 95.5 | 2.9 | 5.2 | 343 | 92.7 | 5.0 | 1.0 |
| USA, Georgia: Black | 460 | 94.6 | 3.5 | 5.1 | 159 | 96.9 | 1.3 | 1.3 |
| USA, Georgia: Asian and Pacific Islander | 28 | 96.4 | 3.6 | 2.4 | 12 | 100.0 | 0.0 | 0.9 |
| *USA, Georgia, Atlanta | 481 | 95.8 | 1.0 | 4.2 | 154 | 96.8 | 0.6 | 1.0 |
| *USA, Georgia, Atlanta: White | 314 | 96.5 | 1.0 | 4.5 | 86 | 96.5 | 0.0 | 1.0 |
| *USA, Georgia, Atlanta: Black | 143 | 94.4 | 1.4 | 3.8 | 63 | 96.8 | 1.6 | 1.2 |
| USA, Idaho | 390 | 93.8 | 4.9 | 5.6 | 82 | 92.7 | 4.9 | 1.0 |
| USA, Indiana | 1766 | 97.1 | 2.3 | 6.6 | 402 | 95.5 | 2.0 | 1.2 |
| USA, Indiana: White | 1676 | 97.1 | 2.3 | 6.8 | 354 | 95.8 | 2.0 | 1.2 |
| USA, Indiana: Black | 83 | 97.6 | 2.4 | 4.7 | 43 | 93.0 | 2.3 | 1.8 |
| *USA, Iowa | 931 | 97.2 | 1.2 | 6.8 | 207 | 94.2 | 2.4 | 1.2 |
| USA, Kentucky | 1143 | 95.2 | 2.8 | 6.2 | 270 | 94.4 | 3.7 | 1.3 |
| USA, Louisiana | 955 | 97.6 | 1.3 | 5.2 | 256 | 94.1 | 4.3 | 1.2 |
| USA, Louisiana: White | 708 | 97.5 | 1.3 | 5.3 | 158 | 95.6 | 3.2 | 1.0 |
| USA, Louisiana: Black | 238 | 97.9 | 1.3 | 5.2 | 97 | 92.8 | 5.2 | 1.6 |
| *USA, Louisiana, New Orleans | 159 | 97.5 | 1.3 | 4.5 | 41 | 92.7 | 2.4 | 1.0 |
| *USA, Louisiana, New Orleans: White | 107 | 97.2 | 0.9 | 4.8 | 27 | 92.6 | 3.7 | 1.0 |
| *USA, Louisiana, New Orleans: Black | 49 | 98.0 | 2.0 | 4.1 | 14 | 92.9 | 0.0 | 0.9 |
| USA, Maine | 528 | 97.0 | 2.5 | 7.5 | 128 | 93.8 | 3.9 | 1.6 |
| USA, Maryland | 1114 | 93.9 | 5.2 | 4.5 | 359 | 96.7 | 2.8 | 1.1 |
| USA, Maryland: White | 893 | 94.8 | 4.0 | 5.2 | 251 | 97.2 | 2.4 | 1.2 |
| USA, Maryland: Black | 196 | 89.8 | 10.2 | 3.3 | 101 | 97.0 | 2.0 | 1.2 |
| USA, Maryland: Asian and Pacific Islander | 23 | 91.3 | 8.7 | 1.7 | 7 | 71.4 | 28.6 | 0.4 |
| USA, Massachusetts | 1741 | 97.1 | 2.3 | 5.9 | 527 | 96.6 | 1.5 | 1.4 |
| USA, Massachusetts: White | 1633 | 97.1 | 2.3 | 6.2 | 486 | 96.5 | 1.6 | 1.4 |
| USA, Massachusetts: Black | 60 | 98.3 | 1.7 | 3.6 | 27 | 96.3 | 0.0 | 1.2 |
| USA, Massachusetts: Asian and Pacific Islander | 41 | 100.0 | - | 3.3 | 11 | 100.0 | - | 0.8 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 2663 | 93.5 | 5.0 | 6.0 | 715 | 94.3 | 3.6 | 1.3 |
| USA, Michigan: White | 2391 | 93.1 | 5.3 | 6.1 | 600 | 94.8 | 3.7 | 1.3 |
| USA, Michigan: Black | 220 | 97.7 | 2.3 | 4.9 | 106 | 91.5 | 2.8 | 1.7 |
| USA, Michigan: Asian and Pacific Islander | 20 | 95.0 | — | 2.4 | 5 | 100.0 | — | 0.5 |
| *USA, Michigan, Detroit | 959 | 97.6 | 1.8 | 5.9 | 291 | 94.5 | 2.7 | 1.4 |
| *USA, Michigan, Detroit: White | 780 | 97.2 | 2.1 | 6.2 | 201 | 95.0 | 3.0 | 1.3 |
| *USA, Michigan, Detroit: Black | 162 | 100.0 | 0.0 | 5.1 | 85 | 92.9 | 2.4 | 1.9 |
| USA, Minnesota | 1249 | 97.9 | 1.8 | 5.2 | 332 | 96.4 | 3.0 | 1.2 |
| USA, Minnesota: White | 1197 | 97.8 | 1.9 | 5.3 | 298 | 96.6 | 2.7 | 1.1 |
| USA, Minnesota: Black | 24 | 100.0 | — | 3.5 | 25 | 100.0 | — | 3.4 |
| *USA, Minnesota: Asian and Pacific Islander | 15 | 100.0 | — | 3.1 | 4 | 100.0 | — | 0.6 |
| USA, Mississippi | 650 | 96.6 | 1.8 | 5.5 | 174 | 95.4 | 0.6 | 1.3 |
| USA, Missouri | 1535 | 93.0 | 6.3 | 5.8 | 408 | 94.4 | 4.7 | 1.3 |
| USA, Missouri: White | 1441 | 92.8 | 6.5 | 6.1 | 348 | 93.4 | 5.5 | 1.2 |
| USA, Missouri: Black | 87 | 96.6 | 3.4 | 4.1 | 57 | 100.0 | 0.0 | 2.0 |
| USA, Montana | 284 | 95.4 | 2.5 | 5.7 | 64 | 92.2 | 4.7 | 1.1 |
| *USA, Montana: American Indian | 14 | 100.0 | — | 8.2 | 3 | 100.0 | — | 1.5 |
| USA, Nebraska | 419 | 95.2 | 2.4 | 5.2 | 102 | 92.2 | 3.9 | 1.0 |
| USA, Nebraska: White | 407 | 95.3 | 2.5 | 5.3 | 98 | 91.8 | 4.1 | 1.0 |
| *USA, Nebraska: Black | 4 | 100.0 | — | 1.6 | 3 | 100.0 | — | 1.0 |
| USA, Nevada | 609 | 93.4 | 5.9 | 4.9 | 142 | 97.2 | 2.1 | 1.0 |
| USA, Nevada: White | 547 | 93.6 | 5.7 | 5.2 | 129 | 96.9 | 2.3 | 1.1 |
| USA, Nevada: Black | 28 | 96.4 | 3.6 | 3.3 | 6 | 100.0 | 0.0 | 0.6 |
| *USA, Nevada: Asian and Pacific Islander | 24 | 87.5 | 12.5 | 2.3 | 4 | 100.0 | 0.0 | 0.2 |
| USA, New Jersey | 1802 | 95.3 | 4.0 | 4.8 | 550 | 92.4 | 5.3 | 1.1 |
| USA, New Jersey: White | 1581 | 95.6 | 3.7 | 5.2 | 440 | 91.1 | 6.4 | 1.0 |
| USA, New Jersey: Black | 154 | 92.9 | 7.1 | 3.7 | 84 | 100.0 | 0.0 | 1.4 |
| USA, New Mexico | 419 | 91.4 | 4.5 | 4.4 | 77 | 93.5 | 2.6 | 0.7 |
| USA, New Mexico: White | 395 | 91.1 | 4.6 | 4.6 | 71 | 93.0 | 2.8 | 0.8 |
| USA, New Mexico: Non-Hispanic White | 271 | 91.5 | 4.1 | 5.0 | 51 | 92.2 | 2.0 | 0.9 |
| USA, New Mexico: Hispanic White | 124 | 90.3 | 5.6 | 3.9 | 20 | 95.0 | 5.0 | 0.6 |
| *USA, New Mexico: American Indian | 13 | 100.0 | — | 2.2 | 4 | 100.0 | — | 0.5 |
| USA, New York State | 4079 | 97.3 | 1.3 | 4.9 | 1342 | 96.1 | 1.9 | 1.3 |
| USA, New York State: White | 3440 | 97.7 | 1.2 | 5.4 | 1068 | 96.2 | 1.7 | 1.3 |
| USA, New York State: Black | 438 | 94.3 | 2.1 | 3.9 | 217 | 94.9 | 2.8 | 1.3 |
| USA, New York State: Asian and Pacific Islander | 187 | 97.9 | 1.1 | 3.1 | 52 | 98.1 | 1.9 | 0.7 |
| USA, North Carolina | 2065 | 95.4 | 3.4 | 5.0 | 509 | 95.7 | 3.5 | 1.0 |
| USA, North Carolina: White | 1714 | 95.8 | 3.0 | 5.2 | 360 | 95.6 | 3.9 | 0.9 |
| USA, North Carolina: Black | 323 | 93.5 | 5.3 | 4.5 | 142 | 95.8 | 2.8 | 1.4 |
| USA, North Carolina: Asian and Pacific Islander | 12 | 91.7 | 8.3 | 1.7 | 5 | 100.0 | 0.0 | 0.6 |
| *USA, North Carolina: American Indian | 11 | 100.0 | — | 2.4 | 1 | 100.0 | — | 0.2 |
| USA, North Dakota | 170 | 97.6 | 1.8 | 5.7 | 42 | 97.6 | 2.4 | 1.2 |
| USA, Ohio | 3131 | 94.3 | 5.1 | 6.2 | 784 | 94.1 | 4.8 | 1.2 |
| USA, Ohio: White | 2935 | 94.5 | 4.8 | 6.5 | 682 | 94.1 | 4.7 | 1.2 |
| USA, Ohio: Black | 169 | 90.5 | 9.5 | 3.7 | 95 | 94.7 | 5.3 | 1.5 |
| *USA, Ohio: Asian and Pacific Islander | 14 | 85.7 | 14.3 | 2.1 | 6 | 83.3 | 16.7 | 0.7 |
| USA, Oklahoma | 824 | 93.3 | 5.9 | 5.3 | 195 | 91.3 | 7.7 | 1.0 |
| USA, Oklahoma: White | 724 | 93.2 | 6.1 | 5.5 | 163 | 90.2 | 8.6 | 1.0 |
| USA, Oklahoma: Black | 29 | 93.1 | 6.9 | 3.3 | 16 | 100.0 | 0.0 | 1.4 |
| USA, Oklahoma: American Indian | 60 | 95.0 | 5.0 | 5.6 | 14 | 100.0 | 0.0 | 1.0 |
| USA, Oregon | 1019 | 92.8 | 6.5 | 5.5 | 264 | 89.8 | 8.3 | 1.2 |
| USA, Oregon: White | 981 | 92.7 | 6.6 | 5.6 | 253 | 89.3 | 8.7 | 1.2 |
| *USA, Oregon: Black | 8 | 87.5 | 12.5 | 2.9 | 3 | 100.0 | 0.0 | 1.2 |
| *USA, Oregon: Asian and Pacific Islander | 14 | 100.0 | — | 2.4 | 3 | 100.0 | — | 0.3 |
| USA, Rhode Island | 239 | 96.2 | 2.9 | 5.3 | 75 | 97.3 | 1.3 | 1.3 |
| USA, Rhode Island: White | 223 | 96.4 | 2.7 | 5.3 | 70 | 97.1 | 1.4 | 1.3 |
| *USA, Rhode Island: Black | 11 | 90.9 | 9.1 | 4.6 | 4 | 100.0 | 0.0 | 1.4 |
| USA, South Carolina | 1145 | 93.6 | 5.5 | 5.5 | 306 | 93.8 | 3.9 | 1.1 |
| USA, South Carolina: White | 861 | 94.1 | 4.9 | 5.3 | 216 | 93.5 | 4.2 | 1.0 |
| USA, South Carolina: Black | 274 | 92.0 | 7.7 | 6.2 | 89 | 94.4 | 3.4 | 1.5 |
| USA, South Dakota | 196 | 93.9 | 4.6 | 5.1 | 45 | 88.9 | 8.9 | 1.1 |
| USA, Tennessee | 1555 | 93.6 | 5.1 | 5.7 | 345 | 94.2 | 4.3 | 1.0 |
| USA, Tennessee: White | 1383 | 93.9 | 4.7 | 5.9 | 281 | 94.7 | 3.9 | 1.0 |
| USA, Tennessee: Black | 159 | 91.8 | 8.2 | 4.9 | 61 | 93.4 | 4.9 | 1.4 |
| USA, Texas | 4336 | 90.7 | 7.3 | 4.5 | 1084 | 87.8 | 8.9 | 0.9 |
| USA, Texas: White | 3900 | 90.8 | 7.1 | 4.8 | 911 | 87.2 | 9.2 | 0.9 |
| USA, Texas: Black | 332 | 89.5 | 9.9 | 3.5 | 143 | 89.5 | 8.4 | 1.2 |
| USA, Texas: Asian and Pacific Islander | 85 | 92.9 | 4.7 | 2.3 | 24 | 100.0 | 0.0 | 0.5 |
| USA, Utah | 334 | 97.3 | 0.3 | 3.5 | 69 | 94.2 | 0.0 | 0.7 |
| USA, Vermont | 205 | 95.6 | 2.9 | 6.4 | 50 | 98.0 | 2.0 | 1.4 |
| USA, Washington State | 1605 | 94.6 | 4.0 | 5.2 | 418 | 94.5 | 3.8 | 1.2 |
| *USA, Washington, Seattle | 1005 | 96.7 | 0.8 | 4.8 | 280 | 98.2 | 0.0 | 1.1 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 577 | 97.4 | 1.6 | 6.5 | 132 | 94.7 | 2.3 | 1.3 |
| USA, Wyoming | 114 | 97.4 | 0.9 | 4.3 | 25 | 100.0 | 0.0 | 0.9 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 19 | 89.5 | 0.0 | 1.6 | 9 | 88.9 | 11.1 | 0.8 |
| Brunei Darussalam | 12 | 83.3 | 8.3 | 1.4 | 3 | 100.0 | 0.0 | 0.4 |
| *China, Anfu County | 58 | 82.8 | 1.7 | 5.9 | 11 | 72.7 | 0.0 | 1.1 |
| *China, Anguo City | 280 | 86.1 | 4.3 | 22.3 | 104 | 89.4 | 3.8 | 7.4 |
| *China, Anshan City | 680 | 81.2 | 0.6 | 8.5 | 109 | 70.6 | 0.0 | 1.0 |
| *China, Aohan Banner, Chifeng City | 498 | 95.6 | — | 28.1 | 38 | 97.4 | — | 2.0 |
| *China, Arongqi | 185 | 68.6 | 2.7 | 20.3 | 19 | 63.2 | 15.8 | 2.6 |
| *China, Baoding City | 355 | 79.2 | 7.3 | 10.1 | 113 | 65.5 | 7.1 | 2.9 |
| *China, Beijing City | 2595 | 66.7 | 1.3 | 5.7 | 723 | 49.5 | 1.7 | 1.1 |
| *China, Binhai County | 1791 | 84.0 | 0.1 | 36.9 | 883 | 83.7 | 0.1 | 17.9 |
| *China, Cangzhou City | 116 | 81.9 | 0.9 | 7.1 | 54 | 77.8 | 0.0 | 3.4 |
| China, Changfeng County | 562 | 64.9 | 0.2 | 31.2 | 179 | 49.7 | 1.1 | 9.0 |
| China, Changzhou City | 2325 | 73.5 | 0.5 | 23.1 | 876 | 64.3 | 0.7 | 7.3 |
| China, Chengdu City | 1190 | 71.3 | 3.1 | 32.3 | 201 | 66.7 | 3.0 | 4.9 |
| China, Cixian County | 1555 | 90.4 | 0.8 | 95.1 | 1021 | 82.6 | 1.7 | 55.9 |
| China, Cixi City | 622 | 73.5 | 8.5 | 11.8 | 67 | 56.7 | 20.9 | 1.0 |
| *China, Dafeng District, Yancheng City | 1173 | 86.8 | 0.2 | 30.5 | 552 | 88.2 | 0.0 | 12.0 |
| China, Dalian City | 909 | 84.6 | 1.2 | 7.8 | 80 | 52.5 | 3.8 | 0.5 |
| *China, Dancheng County | 1352 | 89.6 | 0.9 | 45.9 | 1067 | 88.6 | 0.4 | 34.7 |
| China, Dangu County | 205 | 65.4 | 2.0 | 15.4 | 60 | 51.7 | 0.0 | 4.1 |
| *China, Danyang City | 1733 | 83.9 | 0.7 | 46.4 | 890 | 78.5 | 1.2 | 20.0 |
| *China, Dawukou District, Shizuishan City | 103 | 93.2 | — | 9.9 | 42 | 83.3 | — | 3.8 |
| *China, Dehui City | 132 | 65.9 | 0.8 | 4.3 | 15 | 53.3 | 20.0 | 0.5 |
| *China, Donggang County | 149 | 61.1 | 6.0 | 5.0 | 29 | 44.8 | 3.4 | 1.0 |
| *China, Dongguan City | 162 | 82.1 | 1.2 | 3.9 | 44 | 68.2 | 4.5 | 0.7 |
| China, Donghai County | 766 | 77.4 | 3.5 | 17.1 | 235 | 73.2 | 2.6 | 5.2 |
| *China, Dongtai City | 1835 | 93.1 | — | 32.7 | 938 | 93.7 | — | 14.2 |
| China, Duanzhou District, Zhaoqing City | 83 | 69.9 | 7.2 | 7.0 | 12 | 66.7 | 0.0 | 1.0 |
| *China, Evenki Autonomous Banner | 65 | 89.2 | — | 21.2 | 9 | 88.9 | — | 3.3 |
| *China, Faku County | 533 | 78.6 | 0.6 | 25.6 | 49 | 67.3 | 0.0 | 2.1 |
| *China, Fangcheng County | 520 | 80.8 | 3.1 | 21.3 | 203 | 77.8 | 2.5 | 9.3 |
| *China, Feicheng City | 2705 | 84.1 | 0.7 | 66.8 | 1259 | 78.2 | 0.4 | 26.3 |
| China, Feixi County | 1603 | 68.2 | 0.5 | 36.9 | 553 | 58.8 | 1.1 | 11.1 |
| China, Fuqing City | 475 | 73.3 | 7.8 | 16.1 | 304 | 69.4 | 8.2 | 10.2 |
| *China, Ganyu District, Lianyungang City | 1719 | 65.8 | 1.5 | 36.8 | 326 | 52.5 | 1.5 | 6.5 |
| *China, Ganzhou District, Zhangye City | 407 | 78.4 | 0.2 | 43.5 | 169 | 76.9 | 0.0 | 20.6 |
| *China, Gaocheng City | 321 | 91.0 | 0.3 | 13.8 | 185 | 84.3 | 0.5 | 6.6 |
| China, Gaomi City | 437 | 86.0 | 0.9 | 14.0 | 53 | 71.7 | 1.9 | 1.3 |
| China, Gong'an County | 490 | 99.4 | — | 14.3 | 50 | 94.0 | — | 1.3 |
| *China, Guang'an District, Guang'an City | 647 | 80.8 | 0.9 | 32.9 | 219 | 74.0 | 3.7 | 10.9 |
| China, Guanghan City | 769 | 69.7 | 0.4 | 45.2 | 67 | 68.7 | 0.0 | 3.3 |
| China, Guangzhou City | 2072 | 80.2 | 0.9 | 6.5 | 352 | 70.5 | 0.6 | 0.9 |
| *China, Guanyun County | 832 | 65.6 | 0.6 | 21.7 | 358 | 60.9 | 1.4 | 9.1 |
| China, Guilin City | 193 | 71.5 | 0.5 | 8.7 | 21 | 57.1 | 0.0 | 0.9 |
| *China, Hai'an City | 2325 | 75.4 | 0.0 | 38.1 | 1305 | 71.7 | 0.1 | 19.2 |
| China, Hailar District, Hulun Buir City | 246 | 74.8 | 4.1 | 22.2 | 24 | 62.5 | 0.0 | 2.0 |
| China, Haimen District, Nantong City | 591 | 83.9 | 0.3 | 10.6 | 273 | 72.2 | 0.4 | 4.1 |
| China, Haining City | 275 | 71.3 | 2.9 | 7.4 | 83 | 63.9 | 1.2 | 1.9 |
| China, Hangzhou City | 3376 | 85.2 | 0.7 | 10.0 | 477 | 76.9 | 0.8 | 1.2 |
| China, Hebi City | 458 | 79.7 | 1.3 | 36.8 | 268 | 79.9 | 1.1 | 19.8 |
| China, Hefei City | 2338 | 61.2 | 2.7 | 28.1 | 765 | 57.5 | 3.7 | 8.2 |
| China, Hengdong County | 61 | 95.1 | 4.9 | 3.7 | 13 | 92.3 | 0.0 | 0.8 |
| *China, Hengfeng County | 56 | 83.9 | 5.4 | 8.8 | 13 | 84.6 | 0.0 | 2.3 |
| *China, Hefu County | 284 | 67.6 | 1.1 | 9.8 | 32 | 53.1 | 6.2 | 0.8 |
| China, Honghu City | 129 | 93.8 | — | 4.4 | 24 | 91.7 | — | 0.7 |
| China, Hongshan District, Chifeng City | 141 | 58.2 | — | 11.2 | 21 | 33.3 | — | 1.5 |
| *China, Hongta District, Yuxi City | 53 | 79.2 | 5.7 | 3.3 | 9 | 22.2 | 0.0 | 0.5 |
| *China, Huaiyin District, Huai'an City | 1725 | 90.4 | 2.1 | 44.4 | 960 | 86.4 | 0.8 | 22.9 |
| *China, Jiange County | 934 | 88.9 | 0.1 | 55.4 | 484 | 80.2 | 0.0 | 27.7 |
| China, Jiangmen City | 230 | 80.9 | 0.4 | 9.4 | 16 | 68.8 | 6.2 | 0.5 |
| *China, Jiangyin City | 1135 | 81.2 | 0.5 | 18.8 | 393 | 73.3 | 0.5 | 5.3 |
| *China, Jiashan County | 204 | 85.8 | 1.0 | 9.1 | 68 | 83.8 | 0.0 | 2.5 |
| China, Jiayu County | 72 | 75.0 | 2.8 | 9.5 | 12 | 75.0 | 0.0 | 1.4 |
| *China, Jinan City | 1932 | 72.5 | 2.4 | 20.1 | 577 | 67.9 | 3.1 | 4.7 |
| *China, Jingtai County | 87 | 96.6 | 1.1 | 12.9 | 33 | 93.9 | 0.0 | 5.2 |
| *China, Jingxian County | 202 | 91.6 | 2.0 | 13.5 | 32 | 93.8 | 3.1 | 2.1 |
| *China, Jintan District, Changzhou City | 1064 | 87.1 | 0.8 | 43.4 | 420 | 84.8 | 1.0 | 16.0 |
| *China, Jiulongpo District, Chongqing City | 504 | 64.1 | 0.8 | 14.9 | 97 | 61.9 | 0.0 | 2.5 |
| *China, Jiyuan City | 572 | 81.1 | 0.7 | 35.6 | 380 | 81.6 | 0.5 | 20.8 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 213 | 81.7 | – | 18.3 | 67 | 74.6 | – | 4.7 |
| China, Kunshan City | 384 | 72.1 | 0.8 | 10.7 | 162 | 72.8 | 1.9 | 3.5 |
| China, Langzhong City | 1684 | 75.7 | 0.2 | 85.9 | 890 | 74.4 | 0.3 | 47.0 |
| *China, Liangshan County | 859 | 80.6 | 2.1 | 26.7 | 322 | 79.2 | 2.2 | 9.4 |
| *China, Lianshui County | 2474 | 83.1 | 0.7 | 55.7 | 1519 | 83.4 | 0.3 | 31.9 |
| China, Lianyungang City | 584 | 63.7 | 3.1 | 14.2 | 222 | 54.1 | 4.1 | 4.6 |
| China, Linhe District, Bayannur City | 172 | 87.2 | 2.3 | 13.1 | 38 | 92.1 | 0.0 | 2.8 |
| China, Linqu County | 521 | 92.1 | 0.0 | 14.0 | 114 | 78.9 | 3.5 | 2.6 |
| *China, Linzhou City | 2317 | 93.4 | 0.9 | 65.8 | 1772 | 93.2 | 0.9 | 43.4 |
| China, Liuzhou City | 241 | 77.6 | 0.0 | 6.4 | 61 | 65.6 | 1.6 | 1.4 |
| China, Liyang City | 794 | 78.8 | – | 18.3 | 173 | 74.0 | – | 3.7 |
| *China, Longquan City | 109 | 70.6 | 2.8 | 10.1 | 16 | 56.2 | 0.0 | 1.5 |
| China, Lucheng District, Wenzhou City | 189 | 84.7 | 3.7 | 9.6 | 21 | 81.0 | 4.8 | 0.7 |
| China, Luoding City | 273 | 59.0 | 7.7 | 11.5 | 118 | 48.3 | 11.9 | 4.5 |
| *China, Luohe City | 852 | 83.3 | 1.5 | 22.3 | 542 | 79.5 | 3.5 | 11.6 |
| *China, Luoyang City | 650 | 71.4 | 1.5 | 15.2 | 355 | 71.3 | 2.5 | 7.6 |
| *China, Luquan City | 190 | 67.4 | 1.1 | 15.9 | 103 | 69.9 | 0.0 | 7.5 |
| China, Ma'anshan City | 516 | 86.6 | 0.0 | 23.5 | 152 | 78.9 | 2.0 | 5.7 |
| *China, Macheng City | 465 | 78.7 | 0.4 | 19.3 | 233 | 77.7 | 0.4 | 9.5 |
| China, Meihekou City | 129 | 74.4 | 2.3 | 5.4 | 17 | 76.5 | 5.9 | 0.7 |
| *China, Mengjin County | 331 | 75.8 | 1.5 | 29.2 | 289 | 68.9 | 1.0 | 22.2 |
| China, Nangang District, Harbin City | 224 | 69.6 | 1.3 | 5.2 | 19 | 47.4 | 5.3 | 0.3 |
| *China, Nanhai District, Foshan City | 261 | 56.7 | – | 9.3 | 53 | 41.5 | – | 1.5 |
| China, Nanhu District, Jiaying City | 254 | 76.4 | 1.6 | 9.2 | 57 | 63.2 | 3.5 | 1.7 |
| *China, Nantong City | 915 | 77.3 | 1.2 | 15.4 | 338 | 76.6 | 0.0 | 4.2 |
| *China, Nanxiong City | 105 | 62.9 | 1.9 | 7.8 | 13 | 23.1 | 7.7 | 0.5 |
| China, Neixiang County | 1401 | 79.5 | 1.4 | 56.8 | 728 | 66.8 | 1.1 | 27.2 |
| *China, Qianxi County | 337 | 81.9 | 1.5 | 24.1 | 68 | 80.9 | 1.5 | 5.0 |
| China, Qidong City | 494 | 81.2 | – | 6.9 | 181 | 69.6 | – | 1.7 |
| China, Qingzhou City | 416 | 69.2 | 1.2 | 12.1 | 121 | 48.8 | 0.0 | 2.9 |
| *China, Rudong County | 1213 | 71.1 | 0.2 | 17.1 | 592 | 58.4 | 0.2 | 7.2 |
| *China, Rugao City | 3787 | 76.9 | 0.2 | 47.5 | 2262 | 74.8 | 0.0 | 24.3 |
| *China, Rural areas of Shanghai City | 3567 | 77.8 | 0.8 | 7.0 | 941 | 64.4 | 0.9 | 1.3 |
| China, Ruyang County | 505 | 90.5 | 1.2 | 41.8 | 319 | 90.3 | 0.9 | 23.7 |
| *China, Shan County | 504 | 60.7 | – | 19.9 | 309 | 65.4 | – | 9.1 |
| China, Shanghai City | 2023 | 74.9 | 0.5 | 4.9 | 642 | 66.4 | 0.3 | 1.1 |
| China, Shangyu District, Shaoxing City | 637 | 75.0 | 2.4 | 17.6 | 72 | 73.6 | 2.8 | 1.7 |
| *China, Shapingba District, Chongqing City | 530 | 54.3 | 1.7 | 15.9 | 128 | 43.8 | 2.3 | 3.5 |
| China, Shexian County | 743 | 79.9 | 2.6 | 55.0 | 413 | 84.0 | 1.0 | 29.8 |
| China, Sheyang County | 1228 | 92.1 | – | 27.2 | 792 | 92.9 | – | 16.6 |
| *China, Shijiazhuang City | 540 | 80.7 | 5.6 | 10.0 | 268 | 74.3 | 6.0 | 4.2 |
| China, Shunde District, Foshan City | 659 | 58.1 | – | 18.9 | 56 | 39.3 | – | 1.1 |
| *China, Song County | 1100 | 81.5 | 0.7 | 67.4 | 606 | 76.2 | 0.8 | 37.5 |
| China, Suzhou City | 2032 | 69.6 | 3.9 | 11.7 | 676 | 67.0 | 3.8 | 3.1 |
| *China, Tengzhou City | 2217 | 86.3 | 3.2 | 39.6 | 1153 | 78.4 | 5.3 | 17.4 |
| *China, Wangdu County | 84 | 71.4 | 1.2 | 12.7 | 34 | 58.8 | 2.9 | 4.8 |
| *China, Wanzai County | 55 | 85.5 | 0.0 | 4.6 | 8 | 75.0 | 25.0 | 0.6 |
| *China, Wu'an City | 1086 | 83.4 | 1.3 | 48.5 | 503 | 83.5 | 1.6 | 21.0 |
| China, Wuhan City | 1768 | 89.4 | 0.1 | 7.8 | 530 | 80.6 | 0.0 | 1.9 |
| *China, Wuhu City | 831 | 63.8 | 0.8 | 14.7 | 210 | 56.2 | 1.9 | 3.3 |
| China, Wuxi City | 1838 | 74.8 | 0.3 | 14.3 | 607 | 71.7 | 0.2 | 4.1 |
| China, Wuzhou City | 204 | 74.5 | 2.0 | 10.9 | 47 | 61.7 | 6.4 | 1.9 |
| China, Xiangfu District, Kaifeng City | 331 | 77.0 | 1.2 | 16.9 | 157 | 73.2 | 0.0 | 6.7 |
| China, Xianju County | 555 | 76.4 | 2.3 | 25.9 | 336 | 74.7 | 1.8 | 16.0 |
| *China, Xin'an County | 286 | 85.7 | 0.7 | 24.6 | 174 | 79.3 | 0.0 | 13.9 |
| *China, Xining City | 326 | 77.6 | 2.5 | 16.2 | 115 | 72.2 | 0.0 | 4.5 |
| *China, Xinji City | 364 | 78.0 | 3.0 | 12.8 | 198 | 76.3 | 1.5 | 6.4 |
| *China, Xinluo District, Longyan City | 73 | 61.6 | – | 5.9 | 27 | 51.9 | – | 2.0 |
| *China, Xinzhou District, Shangrao City | 178 | 68.5 | 5.6 | 13.4 | 59 | 59.3 | 6.8 | 4.3 |
| China, Xiping County | 710 | 85.9 | 2.7 | 28.0 | 421 | 81.0 | 1.9 | 13.5 |
| *China, Xishan District, Kunming City | 65 | 64.6 | – | 3.8 | 16 | 43.8 | – | 0.8 |
| *China, Xuyi County | 914 | 87.9 | 0.3 | 34.8 | 420 | 86.7 | 0.5 | 14.2 |
| *China, Ya'an City | 756 | 80.7 | 2.0 | 14.2 | 132 | 73.5 | 2.3 | 2.3 |
| *China, Yakeshi City | 312 | 75.6 | 5.1 | 19.9 | 44 | 72.7 | 2.3 | 2.2 |
| China, Yancheng City | 2330 | 86.4 | 0.5 | 38.0 | 1226 | 87.8 | 0.5 | 18.5 |
| *China, Yangquan City | 586 | 80.9 | 6.5 | 28.4 | 306 | 82.4 | 6.5 | 15.0 |
| *China, Yangzhong City | 665 | 71.3 | – | 45.0 | 440 | 59.5 | – | 23.8 |
| *China, Yanji City | 153 | 56.9 | 4.6 | 7.3 | 12 | 41.7 | 33.3 | 0.5 |
| *China, Yanshi City | 619 | 85.3 | 2.1 | 25.0 | 431 | 79.4 | 2.3 | 14.7 |
| China, Yanting County | 1736 | 89.3 | 0.6 | 91.7 | 1128 | 85.0 | 1.0 | 58.2 |
| *China, Yi'an District, Tongling City | 333 | 76.9 | 1.8 | 32.8 | 68 | 73.5 | 4.4 | 6.3 |
| *China, Yingdong District, Fuyang City | 523 | 59.7 | – | 21.9 | 256 | 55.5 | – | 10.3 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 113 | 77.9 | — | 11.6 | 18 | 72.2 | — | 1.7 |
| *China, Yiyuan County | 395 | 74.4 | 0.8 | 19.0 | 52 | 55.8 | 0.0 | 2.2 |
| China, Yong'an City | 161 | 68.3 | 0.6 | 12.0 | 44 | 68.2 | 2.3 | 3.4 |
| *China, Yongding District, Longyan City | 247 | 80.2 | — | 15.3 | 31 | 64.5 | — | 1.4 |
| China, Yongkang City | 183 | 83.6 | 6.6 | 7.4 | 80 | 78.8 | 8.8 | 2.7 |
| *China, Yucheng County | 425 | 85.4 | 0.0 | 21.5 | 355 | 76.1 | 0.3 | 16.3 |
| China, Yueyanglou District, Yueyang City | 82 | 95.1 | 0.0 | 7.7 | 8 | 87.5 | 12.5 | 0.7 |
| China, Yunmeng County | 225 | 77.8 | — | 14.0 | 70 | 75.7 | — | 3.8 |
| *China, Yunyang District, Shiyan City | 529 | 91.7 | 0.6 | 47.8 | 246 | 88.6 | 0.8 | 23.2 |
| China, Yuzhong District, Chongqing City | 232 | 75.0 | 1.7 | 10.3 | 44 | 56.8 | 2.3 | 1.5 |
| *China, Zanzhuang County | 194 | 79.4 | 2.1 | 22.2 | 128 | 70.3 | 2.3 | 14.1 |
| *China, Zhangjiagang City | 796 | 73.1 | 1.3 | 16.7 | 265 | 63.4 | 0.4 | 4.4 |
| *China, Zhaoyuan City | 234 | 58.5 | 0.4 | 8.1 | 27 | 25.9 | 3.7 | 0.7 |
| *China, Zhengding County | 191 | 82.7 | 2.1 | 14.4 | 100 | 74.0 | 4.0 | 6.1 |
| *China, Zhongshan City | 817 | 93.8 | — | 15.5 | 49 | 85.7 | — | 0.8 |
| China, Zhongxiang City | 431 | 81.7 | 0.0 | 12.9 | 142 | 80.3 | 0.7 | 3.9 |
| *China, Zhuanghe City | 284 | 69.7 | — | 6.1 | 44 | 43.2 | — | 0.8 |
| *China, Zhuhai City | 234 | 59.0 | 3.4 | 6.7 | 62 | 54.8 | 1.6 | 1.8 |
| India, Ahmedabad, Urban | 617 | 97.7 | 0.3 | 5.4 | 350 | 95.1 | 0.0 | 3.1 |
| India, Aurangabad | 144 | 91.7 | 5.6 | 5.6 | 79 | 98.7 | 0.0 | 3.1 |
| India, Bangalore | 758 | 93.8 | 4.5 | 7.2 | 577 | 93.8 | 4.2 | 5.5 |
| India, Barshi, Paranda, and Bhum | 53 | 79.2 | — | 3.4 | 40 | 82.5 | — | 2.6 |
| *India, Bhopal | 122 | 94.3 | 3.3 | 4.8 | 95 | 94.7 | 5.3 | 3.8 |
| India, Chandigarh | 135 | 95.6 | 0.7 | 5.9 | 46 | 97.8 | 0.0 | 2.3 |
| *India, Chennai | 534 | 78.8 | 6.9 | 4.3 | 424 | 80.2 | 7.5 | 3.2 |
| India, Dibrugarh | 393 | 85.2 | 13.0 | 14.4 | 214 | 92.5 | 4.2 | 7.9 |
| *India, Dindigul, Ambilikka | 192 | 85.4 | 3.1 | 3.1 | 114 | 86.8 | 5.3 | 1.8 |
| India, Kamrup Urban District | 733 | 86.5 | 9.5 | 30.8 | 371 | 88.4 | 6.5 | 17.6 |
| India, Kollam | 284 | 84.9 | 0.7 | 4.4 | 119 | 79.0 | 0.0 | 1.5 |
| *India, Manipur | 168 | 95.8 | — | 3.7 | 53 | 94.3 | — | 1.2 |
| India, Meghalaya | 1518 | 90.0 | 6.9 | 55.6 | 680 | 89.6 | 6.6 | 24.1 |
| India, Mizoram | 548 | 94.5 | 0.4 | 30.7 | 109 | 89.9 | 0.0 | 6.9 |
| India, Mumbai | 1179 | 73.8 | 18.9 | 3.9 | 949 | 74.5 | 20.1 | 3.1 |
| *India, New Delhi | 1301 | 83.8 | 9.9 | 6.3 | 746 | 79.9 | 11.9 | 3.8 |
| India, Poona | 409 | 77.0 | 11.0 | 3.6 | 333 | 79.0 | 9.3 | 2.8 |
| *India, Sangrur District | 162 | 79.0 | 4.3 | 6.1 | 132 | 84.8 | 3.8 | 5.4 |
| India, SAS Nagar | 138 | 80.4 | 2.9 | 6.1 | 95 | 88.4 | 1.1 | 4.1 |
| *India, Tamil Nadu | 6941 | 88.8 | 0.8 | 3.5 | 4291 | 89.0 | 1.1 | 2.0 |
| *India, Tripura | 405 | 96.5 | — | 6.2 | 197 | 96.4 | — | 3.2 |
| India, Trivandrum | 328 | 90.5 | — | 4.0 | 85 | 92.9 | — | 0.9 |
| India, Wardha | 160 | 80.6 | 15.6 | 4.2 | 117 | 84.6 | 9.4 | 3.1 |
| India, West Arunachal | 83 | 92.8 | — | 9.5 | 30 | 96.7 | — | 4.2 |
| *Iran (Islamic Republic of), Ardabil Province | 200 | 78.0 | 11.5 | 10.9 | 181 | 86.7 | 10.5 | 9.9 |
| *Iran (Islamic Republic of), Golestan Province | 291 | 78.4 | 5.2 | 13.0 | 244 | 84.0 | 2.5 | 10.6 |
| Israel | 416 | 95.0 | 4.1 | 1.6 | 295 | 87.8 | 9.2 | 0.8 |
| *Israel: Jews | 356 | 94.4 | 4.5 | 1.6 | 262 | 86.6 | 9.9 | 0.9 |
| *Israel: Arabs | 24 | 100.0 | 0.0 | 0.9 | 17 | 94.1 | 5.9 | 0.5 |
| Japan | 57783 | 90.9 | 4.8 | 12.0 | 11254 | 86.9 | 7.2 | 2.0 |
| Japan, Aichi Prefecture | 2462 | 95.5 | 2.2 | 9.4 | 465 | 91.4 | 3.4 | 1.6 |
| *Japan, Akita Prefecture | 806 | 94.5 | 0.4 | 16.7 | 115 | 94.8 | 0.0 | 1.9 |
| Japan, Aomori Prefecture | 1097 | 94.7 | 1.3 | 12.3 | 179 | 91.1 | 1.1 | 1.7 |
| Japan, Gunma Prefecture | 742 | 93.0 | 1.8 | 8.9 | 172 | 86.0 | 2.9 | 1.8 |
| Japan, Hiroshima Prefecture | 1800 | 95.8 | 1.3 | 12.4 | 355 | 93.0 | 2.0 | 2.1 |
| Japan, Miyagi Prefecture | 2156 | 95.5 | 1.9 | 14.0 | 427 | 92.0 | 4.7 | 2.2 |
| Japan, Osaka Prefecture | 4341 | 94.1 | 3.3 | 13.7 | 963 | 91.7 | 4.5 | 2.8 |
| Kuwait | 53 | 94.3 | 1.9 | 1.1 | 23 | 87.0 | 4.3 | 0.6 |
| *Kuwait: Kuwaitis | 32 | 93.8 | 3.1 | 2.0 | 15 | 80.0 | 6.7 | 0.7 |
| *Kuwait: Non-Kuwaitis | 21 | 95.2 | — | 0.5 | 8 | 100.0 | — | 0.4 |
| *Philippines, Manila | 218 | 65.1 | 6.9 | 2.2 | 69 | 60.9 | 0.0 | 0.5 |
| *Qatar: Qatari | 2 | 100.0 | — | 0.5 | 3 | 100.0 | — | 0.8 |
| Republic of Korea | 11160 | 96.7 | 0.7 | 5.6 | 1143 | 91.2 | 3.5 | 0.5 |
| *Republic of Korea, Busan | 946 | 96.1 | 1.0 | 6.1 | 100 | 88.0 | 6.0 | 0.5 |
| *Republic of Korea, Daegu | 499 | 97.8 | 1.0 | 5.3 | 52 | 94.2 | 0.0 | 0.4 |
| *Republic of Korea, Daejeon | 251 | 97.6 | 1.2 | 4.8 | 26 | 92.3 | 3.8 | 0.4 |
| *Republic of Korea, Gwangju | 224 | 96.9 | 0.4 | 4.5 | 19 | 94.7 | 0.0 | 0.3 |
| Republic of Korea, Incheon | 520 | 97.5 | 0.2 | 5.0 | 65 | 93.8 | 0.0 | 0.5 |
| Republic of Korea, Jeju | 177 | 97.7 | — | 7.6 | 9 | 88.9 | — | 0.4 |
| Republic of Korea, Seoul | 1976 | 97.4 | 0.6 | 5.2 | 220 | 93.6 | 3.2 | 0.5 |
| Republic of Korea, Ulsan | 202 | 96.5 | 0.5 | 5.5 | 23 | 82.6 | 0.0 | 0.5 |
| Singapore | 472 | 97.2 | 0.0 | 3.1 | 96 | 94.8 | 1.0 | 0.5 |
| Singapore: Chinese | 418 | 97.6 | 0.0 | 3.4 | 85 | 94.1 | 1.2 | 0.5 |
| Singapore: Indian | 25 | 96.0 | — | 2.3 | 5 | 100.0 | — | 0.5 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 25 | 92.0 | – | 1.6 | 4 | 100.0 | – | 0.2 |
| Thailand, Bangkok | 533 | 82.7 | 1.9 | 3.0 | 96 | 75.0 | 4.2 | 0.4 |
| *Thailand, Chiang Mai | 120 | 86.7 | 2.5 | 2.1 | 28 | 85.7 | 3.6 | 0.4 |
| *Thailand, Khon Kaen | 100 | 82.0 | 2.0 | 1.6 | 15 | 73.3 | 0.0 | 0.2 |
| Thailand, Lampang | 61 | 83.6 | 6.6 | 2.0 | 11 | 72.7 | 0.0 | 0.3 |
| Thailand, Lopburi Province | 185 | 88.1 | 2.2 | 7.9 | 30 | 80.0 | 0.0 | 1.1 |
| *Thailand, Songkhla | 344 | 89.2 | 3.2 | 8.4 | 36 | 86.1 | 2.8 | 0.7 |
| Turkey, Antalya | 80 | 98.8 | 1.2 | 1.3 | 49 | 100.0 | 0.0 | 0.7 |
| Turkey, Bursa | 160 | 96.9 | 1.9 | 2.0 | 117 | 89.7 | 6.8 | 1.3 |
| *Turkey, Edirne | 34 | 88.2 | 0.0 | 2.1 | 9 | 77.8 | 11.1 | 0.5 |
| *Turkey, Erzurum | 184 | 88.0 | 3.8 | 9.6 | 219 | 89.0 | 1.8 | 10.3 |
| Turkey, Eskişehir | 48 | 97.9 | – | 1.8 | 18 | 100.0 | – | 0.5 |
| Turkey, Gaziantep | 36 | 100.0 | 0.0 | 1.1 | 22 | 86.4 | 4.5 | 0.5 |
| *Turkey, Izmir | 288 | 89.2 | 4.2 | 2.2 | 179 | 90.5 | 1.7 | 1.2 |
| Turkey, Malatya | 21 | 81.0 | 19.0 | 1.0 | 10 | 100.0 | 0.0 | 0.4 |
| Turkey, Samsun | 113 | 95.6 | 1.8 | 2.7 | 53 | 94.3 | 1.9 | 1.2 |
| Turkey, Trabzon | 31 | 83.9 | 6.5 | 1.2 | 17 | 88.2 | 5.9 | 0.5 |
| Europe | | | | | | | | |
| Austria | 1772 | 84.3 | 6.8 | 4.5 | 480 | 80.0 | 8.3 | 1.0 |
| Austria, Carinthia | 136 | 97.8 | 1.5 | 5.2 | 45 | 93.3 | 2.2 | 1.3 |
| Austria, Tyrol | 115 | 96.5 | 0.0 | 3.6 | 31 | 87.1 | 6.5 | 0.8 |
| Austria, Vorarlberg | 67 | 97.0 | 3.0 | 3.6 | 17 | 94.1 | 5.9 | 0.7 |
| Belarus | 2509 | 98.3 | – | 7.9 | 302 | 96.7 | – | 0.6 |
| *Belgium | 3706 | 99.4 | – | 7.1 | 1366 | 99.5 | – | 2.1 |
| Croatia | 816 | 73.7 | 4.0 | 4.3 | 179 | 66.5 | 4.5 | 0.7 |
| Cyprus | 43 | 81.4 | 18.6 | 1.1 | 8 | 87.5 | 12.5 | 0.2 |
| *Czech Republic | 2678 | 94.2 | 0.8 | 5.8 | 591 | 90.7 | 1.4 | 1.0 |
| Denmark | 1947 | 96.7 | – | 6.8 | 708 | 96.6 | – | 2.1 |
| Estonia | 326 | 94.2 | 1.8 | 6.3 | 83 | 88.0 | 3.6 | 1.0 |
| Finland | 1179 | 94.0 | 0.8 | 4.1 | 475 | 91.8 | 0.6 | 1.2 |
| *France, Bas-Rhin | 258 | 99.2 | – | 6.3 | 63 | 96.8 | – | 1.3 |
| *France, Calvados | 256 | 98.4 | – | 7.8 | 58 | 89.7 | – | 1.3 |
| *France, Doubs | 114 | 100.0 | – | 4.5 | 39 | 100.0 | – | 1.2 |
| *France, Gironde | 382 | 99.2 | – | 5.7 | 138 | 97.8 | – | 1.5 |
| *France, Haut-Rhin | 225 | 99.1 | – | 6.1 | 51 | 98.0 | – | 1.0 |
| *France, Hérault | 282 | 98.6 | – | 5.5 | 95 | 93.7 | – | 1.4 |
| *France, Isère | 270 | 97.8 | – | 4.9 | 89 | 95.5 | – | 1.2 |
| *France, Lille-Métropole | 286 | 95.5 | – | 10.3 | 93 | 96.8 | – | 2.3 |
| *France, Limousin | 139 | 100.0 | – | 7.1 | 35 | 97.1 | – | 1.5 |
| *France, Loire-Atlantique | 519 | 98.7 | – | 9.0 | 135 | 97.8 | – | 1.7 |
| *France, Manche | 231 | 98.7 | – | 8.4 | 54 | 100.0 | – | 1.6 |
| *France, Poitou-Charentes | 640 | 98.6 | – | 6.6 | 173 | 97.1 | – | 1.4 |
| *France, Somme | 249 | 98.8 | – | 9.6 | 64 | 100.0 | – | 2.2 |
| *France, Tarn | 109 | 100.0 | – | 5.3 | 38 | 100.0 | – | 1.3 |
| *France, Territoire de Belfort | 31 | 100.0 | – | 5.7 | 4 | 100.0 | – | 0.6 |
| *France, Vendée | 294 | 98.6 | – | 8.0 | 61 | 98.4 | – | 1.5 |
| Germany, Baden-Württemberg | 1773 | 77.0 | 6.0 | 5.3 | 526 | 73.2 | 5.9 | 1.3 |
| Germany, Bavaria | 3593 | 93.4 | 4.7 | 5.7 | 925 | 89.2 | 8.6 | 1.2 |
| Germany, Bremen | 305 | 97.4 | 2.6 | 9.1 | 93 | 95.7 | 3.2 | 2.2 |
| Germany, Hamburg | 635 | 88.7 | 4.1 | 7.5 | 228 | 86.0 | 3.1 | 2.2 |
| Germany, Lower Saxony | 2818 | 92.7 | 4.4 | 6.7 | 812 | 87.8 | 7.5 | 1.6 |
| Germany, North Rhine-Westphalia | 6231 | 86.2 | 8.3 | 6.9 | 2134 | 77.8 | 15.5 | 1.8 |
| Germany, Rhineland-Palatinate | 1432 | 84.4 | 8.6 | 6.6 | 386 | 79.3 | 14.8 | 1.5 |
| Germany, Saarland | 346 | 89.3 | 5.8 | 6.1 | 105 | 79.0 | 9.5 | 1.6 |
| Germany, Schleswig-Holstein | 1226 | 91.4 | 1.7 | 7.9 | 373 | 85.8 | 2.1 | 2.0 |
| Iceland | 77 | 100.0 | – | 5.6 | 27 | 96.3 | – | 1.6 |
| Ireland | 1410 | 96.6 | 0.6 | 7.7 | 701 | 92.3 | 1.1 | 3.1 |
| *Italy, Aosta Valley | 28 | 85.7 | – | 4.7 | 15 | 93.3 | – | 2.3 |
| *Italy, Avellino | 21 | 76.2 | 4.8 | 1.5 | 4 | 50.0 | 0.0 | 0.2 |
| Italy, Basilicata | 53 | 88.7 | 1.9 | 1.9 | 10 | 90.0 | 0.0 | 0.3 |
| *Italy, Benevento | 23 | 95.7 | 0.0 | 1.9 | 7 | 71.4 | 28.6 | 0.3 |
| Italy, Bergamo | 161 | 90.1 | – | 2.7 | 65 | 90.8 | – | 0.8 |
| *Italy, Brescia | 187 | 89.8 | 1.6 | 3.0 | 71 | 84.5 | 0.0 | 0.8 |
| Italy, Brianza (Lecco and Monza e Brianza) | 84 | 89.3 | 0.0 | 2.1 | 34 | 85.3 | 2.9 | 0.7 |
| Italy, Calabria | 38 | 76.3 | 2.6 | 1.3 | 12 | 66.7 | 0.0 | 0.4 |
| *Italy, Caserta | 36 | 97.2 | 2.8 | 1.2 | 12 | 83.3 | 0.0 | 0.3 |
| *Italy, Catania, Messina, and Enna | 128 | 83.6 | 0.0 | 1.3 | 40 | 70.0 | 7.5 | 0.3 |
| Italy, Emilia-Romagna | 466 | 93.1 | 0.0 | 2.4 | 178 | 86.5 | 1.7 | 0.7 |
| Italy, Friuli-Venezia Giulia | 323 | 95.4 | – | 4.5 | 113 | 94.7 | – | 1.0 |
| Italy, Genova | 117 | 85.5 | 1.7 | 2.6 | 46 | 80.4 | 4.3 | 0.6 |
| *Italy, Lombardy, South, Pavia | 117 | 81.2 | 1.7 | 3.6 | 40 | 80.0 | 0.0 | 0.9 |
| Italy, Mantova and Cremona | 111 | 87.4 | – | 2.9 | 30 | 80.0 | – | 0.6 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 116 | 91.4 | 1.7 | 1.7 | 47 | 85.1 | 0.0 | 0.5 |
| Italy, Milan | 491 | 82.1 | 0.2 | 2.7 | 212 | 72.2 | 1.9 | 0.7 |
| Italy, Molise | 17 | 88.2 | — | 1.7 | 7 | 57.1 | — | 0.5 |
| *Italy, Naples Centre | 41 | 80.5 | 2.4 | 1.6 | 22 | 72.7 | 4.5 | 0.6 |
| *Italy, Naples North | 51 | 94.1 | — | 1.5 | 22 | 90.9 | — | 0.6 |
| *Italy, Naples South | 64 | 92.2 | 3.1 | 1.3 | 17 | 94.1 | 0.0 | 0.3 |
| *Italy, Nuoro | 42 | 97.6 | — | 6.5 | 8 | 75.0 | — | 0.7 |
| *Italy, Palermo | 94 | 85.1 | 3.2 | 1.6 | 29 | 62.1 | 6.9 | 0.3 |
| Italy, Puglia | 291 | 84.5 | 1.0 | 1.5 | 104 | 74.0 | 1.0 | 0.4 |
| *Italy, Ragusa and Caltanissetta | 35 | 91.4 | — | 1.1 | 8 | 100.0 | — | 0.2 |
| *Italy, Salerno | 60 | 78.3 | 3.3 | 1.4 | 28 | 78.6 | 3.6 | 0.5 |
| Italy, Sassari | 35 | 97.1 | — | 3.4 | 5 | 80.0 | — | 0.4 |
| *Italy, Sondrio | 59 | 88.1 | 1.7 | 5.4 | 16 | 81.2 | 18.8 | 0.9 |
| Italy, South Tyrol | 110 | 96.4 | 0.9 | 4.1 | 32 | 93.8 | 0.0 | 0.8 |
| *Italy, Syracuse | 26 | 61.5 | 0.0 | 1.2 | 12 | 75.0 | 8.3 | 0.6 |
| Italy, Trento | 122 | 96.7 | — | 4.2 | 47 | 87.2 | — | 1.4 |
| Italy, Turin | 390 | 89.2 | 1.5 | 3.0 | 139 | 89.2 | 0.7 | 0.7 |
| *Italy, Tuscany | 324 | 80.9 | 0.0 | 2.8 | 123 | 75.6 | 1.6 | 0.7 |
| Italy, Umbria | 57 | 86.0 | 1.8 | 1.3 | 39 | 79.5 | 0.0 | 0.8 |
| Italy, Varese | 70 | 97.1 | — | 2.2 | 19 | 94.7 | — | 0.5 |
| Italy, Veneto | 1080 | 92.1 | 0.6 | 3.9 | 384 | 88.0 | 1.3 | 1.0 |
| Latvia | 546 | 77.5 | 3.8 | 7.3 | 134 | 70.1 | 3.7 | 1.1 |
| *Liechtenstein | 10 | 100.0 | — | 5.4 | 2 | 100.0 | — | 1.0 |
| *Lithuania | 896 | 67.7 | 26.5 | 8.2 | 174 | 56.3 | 35.6 | 0.9 |
| Malta | 55 | 92.7 | 1.8 | 2.4 | 30 | 86.7 | 3.3 | 1.1 |
| *The Netherlands | 8646 | 98.9 | — | 10.4 | 3045 | 98.5 | — | 3.1 |
| Norway | 1070 | 95.8 | 0.7 | 4.5 | 358 | 92.7 | 2.2 | 1.2 |
| Poland, Kielce | 190 | 96.8 | — | 3.6 | 41 | 97.6 | — | 0.5 |
| *Portugal, Azores | 45 | 100.0 | 0.0 | 6.6 | 6 | 83.3 | 16.7 | 0.7 |
| Russian Federation, Arkhangelsk | 511 | 88.5 | 7.4 | 13.1 | 202 | 81.7 | 12.9 | 2.8 |
| Russian Federation, Kaliningrad | 175 | 80.0 | 4.6 | 5.6 | 39 | 74.4 | 2.6 | 0.7 |
| Russian Federation, Karelia | 227 | 82.8 | 5.3 | 10.7 | 106 | 83.0 | 2.8 | 2.4 |
| *Russian Federation, Komi Republic | 344 | 86.3 | 8.4 | 13.5 | 103 | 77.7 | 13.6 | 2.5 |
| Russian Federation, Murmansk | 223 | 91.9 | 5.4 | 10.2 | 78 | 92.3 | 5.1 | 2.0 |
| *Russian Federation, Orenburg | 488 | 96.3 | 1.6 | 7.4 | 159 | 94.3 | 2.5 | 1.4 |
| Russian Federation, Pskov | 201 | 86.6 | 8.0 | 8.7 | 48 | 87.5 | 6.2 | 1.0 |
| *Russian Federation, Samara | 644 | 94.6 | 3.3 | 5.8 | 137 | 96.4 | 2.9 | 0.7 |
| Russian Federation, Vologda Region | 312 | 87.8 | 2.2 | 7.9 | 124 | 91.1 | 0.8 | 1.7 |
| Slovenia | 351 | 95.2 | 0.3 | 3.7 | 83 | 91.6 | 0.0 | 0.7 |
| Spain, Asturias | 172 | 94.2 | 0.6 | 5.0 | 27 | 88.9 | 0.0 | 0.5 |
| Spain, Basque Country | 475 | 98.3 | 0.4 | 5.4 | 101 | 93.1 | 0.0 | 1.0 |
| Spain, Canary Islands | 281 | 95.0 | 1.1 | 4.7 | 63 | 90.5 | 1.6 | 0.8 |
| Spain, Castellón | 103 | 96.1 | — | 4.0 | 19 | 94.7 | — | 0.5 |
| Spain, Girona | 179 | 95.0 | 0.6 | 5.3 | 32 | 90.6 | 3.1 | 0.8 |
| Spain, Granada | 110 | 97.3 | 0.9 | 2.8 | 16 | 93.8 | 0.0 | 0.3 |
| Spain, La Rioja | 78 | 94.9 | 3.8 | 4.9 | 12 | 100.0 | 0.0 | 0.6 |
| Spain, Murcia | 241 | 93.8 | 0.8 | 4.2 | 34 | 91.2 | 8.8 | 0.5 |
| Spain, Navarra | 123 | 94.3 | 0.0 | 4.8 | 28 | 78.6 | 3.6 | 0.9 |
| Spain, Salamanca | 67 | 95.5 | 1.5 | 3.3 | 19 | 73.7 | 0.0 | 0.6 |
| Spain, Tarragona | 189 | 96.3 | 1.1 | 5.4 | 28 | 92.9 | 0.0 | 0.6 |
| *Sweden | 1808 | 99.4 | — | 3.4 | 671 | 99.7 | — | 1.1 |
| Switzerland, Aargau | 172 | 94.8 | 2.9 | 5.3 | 52 | 98.1 | 0.0 | 1.4 |
| Switzerland, Basel | 134 | 95.5 | 4.5 | 5.3 | 58 | 86.2 | 13.8 | 1.9 |
| Switzerland, Berne Solothurn | 220 | 96.4 | 2.3 | 5.0 | 74 | 95.9 | 1.4 | 1.4 |
| Switzerland, East | 232 | 99.1 | 0.4 | 5.7 | 54 | 98.1 | 0.0 | 1.2 |
| *Switzerland, Fribourg | 73 | 98.6 | — | 5.6 | 25 | 96.0 | — | 1.8 |
| Switzerland, Geneva | 110 | 96.4 | 0.9 | 5.5 | 42 | 100.0 | 0.0 | 1.6 |
| *Switzerland, Graubünden and Glarus | 85 | 97.6 | 1.2 | 6.4 | 26 | 88.5 | 3.8 | 1.8 |
| *Switzerland, Lucerne | 134 | 94.8 | 3.0 | 5.2 | 42 | 100.0 | 0.0 | 1.4 |
| *Switzerland, Neuchâtel and Jura | 71 | 98.6 | — | 5.9 | 23 | 100.0 | — | 1.5 |
| Switzerland, Ticino | 146 | 98.6 | — | 7.6 | 40 | 97.5 | — | 1.6 |
| Switzerland, Valais | 102 | 98.0 | — | 6.4 | 27 | 100.0 | — | 1.5 |
| Switzerland, Vaud | 236 | 94.9 | 2.5 | 7.2 | 74 | 89.2 | 4.1 | 1.7 |
| Switzerland, Zurich and Zug | 345 | 98.3 | 0.0 | 4.6 | 128 | 96.9 | 0.8 | 1.4 |
| Ukraine | 7328 | 84.5 | 0.5 | 6.0 | 954 | 74.6 | 0.4 | 0.5 |
| UK, England | 25750 | 95.1 | 0.5 | 9.6 | 11866 | 91.3 | 1.1 | 3.4 |
| UK, Northern Ireland | 754 | 93.6 | 0.3 | 9.7 | 332 | 89.8 | 0.9 | 3.2 |
| UK, Scotland | 3024 | 94.4 | 0.1 | 11.2 | 1595 | 91.9 | 0.3 | 4.3 |
| UK, Wales | 1486 | 92.5 | 1.1 | 8.9 | 756 | 89.3 | 0.7 | 3.5 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 1774 | 95.0 | 1.4 | 5.0 | 737 | 88.9 | 3.1 | 1.6 |
| *Australia, Northern Territory | 52 | 100.0 | — | 7.5 | 9 | 100.0 | — | 1.5 |

* Important. See note on population page.

Indices of data quality Oesophagus (C15) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 37 | 100.0 | – | 6.3 | 7 | 100.0 | – | 1.5 |
| *Australia, Northern Territory: Indigenous | 15 | 100.0 | – | 14.9 | 2 | 100.0 | – | 1.1 |
| *Australia, Queensland | 1074 | 93.3 | 0.9 | 5.3 | 380 | 91.3 | 1.8 | 1.5 |
| Australia, South Australia | 450 | 97.1 | 0.4 | 5.3 | 139 | 92.8 | 2.2 | 1.2 |
| Australia, Tasmania | 212 | 97.6 | 0.0 | 8.0 | 85 | 91.8 | 2.4 | 2.5 |
| *Australia, Victoria | 1243 | 95.3 | 1.4 | 4.7 | 568 | 88.6 | 4.2 | 1.7 |
| *Australia, Western Australia | 536 | 94.4 | 0.7 | 5.3 | 198 | 87.4 | 4.0 | 1.6 |
| *France, New Caledonia | 47 | 95.7 | – | 5.9 | 7 | 100.0 | – | 0.8 |
| New Zealand | 1004 | 91.5 | 2.5 | 4.9 | 456 | 90.6 | 2.9 | 1.8 |
| *New Zealand: Maori | 97 | 89.7 | 3.1 | 6.9 | 49 | 93.9 | 0.0 | 2.8 |
| *New Zealand: Pacific peoples | 32 | 93.8 | 3.1 | 5.5 | 4 | 75.0 | 0.0 | 0.5 |
| *New Zealand: Other | 848 | 91.6 | 2.4 | 5.0 | 395 | 90.6 | 3.0 | 1.8 |
| USA, Hawaii | 257 | 97.7 | 0.4 | 3.9 | 64 | 92.2 | 3.1 | 0.8 |
| USA, Hawaii: White | 91 | 98.9 | 0.0 | 4.1 | 27 | 92.6 | 3.7 | 1.4 |
| *USA, Hawaii: Japanese | 59 | 93.2 | 1.7 | 4.0 | 13 | 92.3 | 0.0 | 0.8 |
| *USA, Hawaii: Chinese | 16 | 100.0 | – | 3.8 | 3 | 100.0 | – | 0.1 |
| *USA, Hawaii: Hawaiian | 34 | 100.0 | – | 3.7 | 11 | 90.9 | – | 1.0 |
| *USA, Hawaii: Filipino | 35 | 97.1 | – | 3.9 | 2 | 100.0 | – | 0.2 |

* Important. See note on population page.

Indices of data quality Stomach (C16)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 92 | 95.7 | — | 6.5 | 57 | 87.7 | — | 3.9 |
| *Algeria, Tizi Ouzou | 88 | 95.5 | — | 5.6 | 89 | 92.1 | — | 4.6 |
| *Benin, Cotonou | 24 | 79.2 | — | 4.6 | 21 | 90.5 | — | 3.1 |
| *France, La Réunion | 244 | 99.2 | — | 11.3 | 163 | 98.2 | — | 5.8 |
| *Kenya, Eldoret | 54 | 83.3 | 1.9 | 5.6 | 35 | 82.9 | 0.0 | 3.4 |
| *Kenya, Nairobi | 229 | 79.0 | 6.6 | 9.5 | 189 | 73.0 | 10.1 | 9.6 |
| Mauritius | 299 | 87.6 | 7.0 | 7.2 | 198 | 76.3 | 17.7 | 4.2 |
| *Morocco, Casablanca | 454 | 96.9 | 2.0 | 4.3 | 328 | 97.3 | 2.1 | 2.8 |
| *Seychelles | 12 | 75.0 | 8.3 | 4.6 | 10 | 90.0 | 10.0 | 3.1 |
| *South Africa, Eastern Cape | 8 | 100.0 | — | 0.7 | 15 | 86.7 | — | 0.8 |
| *Uganda, Kyadondo County | 100 | 61.0 | 0.0 | 6.1 | 95 | 55.8 | 1.1 | 4.6 |
| *Uganda, Gulu | 6 | 33.3 | — | 1.5 | 4 | 25.0 | — | 0.8 |
| *Zimbabwe, Bulawayo: African | 46 | 56.5 | 8.7 | 5.8 | 61 | 52.5 | 16.4 | 6.4 |
| *Zimbabwe, Harare: African | 252 | 80.2 | 9.9 | 18.0 | 307 | 78.2 | 9.4 | 18.4 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 242 | 70.2 | 21.9 | 10.5 | 146 | 78.8 | 15.8 | 5.1 |
| *Argentina, Mendoza | 609 | 80.8 | 15.6 | 11.4 | 340 | 77.6 | 17.6 | 5.0 |
| Brazil, Aracaju | 105 | 98.1 | 1.9 | 10.2 | 88 | 98.9 | 1.1 | 5.5 |
| *Brazil, Barretos | 157 | 85.4 | 14.0 | 11.3 | 78 | 87.2 | 12.8 | 4.8 |
| Brazil, Belo Horizonte | 864 | 90.4 | 9.4 | 12.0 | 656 | 89.9 | 10.1 | 6.2 |
| *Brazil, Campinas | 391 | 80.3 | 17.9 | 16.7 | 239 | 84.5 | 14.6 | 7.5 |
| *Brazil, Curitiba | 519 | 76.1 | 11.8 | 13.1 | 316 | 75.3 | 14.9 | 5.6 |
| Brazil, Goiânia | 306 | 97.4 | 2.6 | 11.9 | 227 | 96.5 | 2.6 | 6.4 |
| *Brazil, Jaú | 58 | 100.0 | — | 13.5 | 31 | 96.8 | — | 5.9 |
| Brazil, João Pessoa | 134 | 76.1 | 8.2 | 13.4 | 87 | 81.6 | 6.9 | 5.5 |
| Brazil, Recife | 278 | 70.1 | 11.5 | 11.3 | 211 | 69.2 | 16.6 | 5.3 |
| Chile, Region of Antofagasta | 163 | 87.7 | 2.5 | 17.0 | 86 | 82.6 | 4.7 | 7.7 |
| Chile, Valdivia | 452 | 86.5 | 6.4 | 31.2 | 199 | 81.9 | 8.5 | 11.7 |
| Colombia, Bucaramanga | 597 | 87.6 | 4.7 | 19.9 | 390 | 80.5 | 8.2 | 9.8 |
| Colombia, Cali | 1224 | 82.4 | 2.5 | 20.5 | 924 | 81.3 | 4.5 | 11.0 |
| Colombia, Manizales | 284 | 83.1 | 0.4 | 20.4 | 178 | 83.7 | 0.6 | 9.6 |
| Colombia, Pasto | 266 | 91.0 | 2.6 | 24.6 | 158 | 78.5 | 8.2 | 11.3 |
| Costa Rica | 1623 | 80.2 | 1.8 | 16.1 | 1111 | 77.2 | 1.9 | 10.1 |
| Ecuador, Guayaquil | 884 | 86.0 | 7.8 | 16.7 | 598 | 80.4 | 13.0 | 9.4 |
| Ecuador, Manabí | 660 | 77.0 | 15.6 | 18.5 | 349 | 72.2 | 20.1 | 9.5 |
| Ecuador, Quito | 804 | 88.3 | 7.7 | 19.6 | 707 | 83.0 | 12.0 | 13.6 |
| *France, Guadeloupe | 242 | 98.8 | — | 12.9 | 162 | 97.5 | — | 6.2 |
| *France, Martinique | 265 | 95.8 | — | 13.1 | 176 | 93.2 | — | 6.2 |
| *Peru, Lima | 2707 | 80.6 | 10.6 | 19.4 | 2510 | 76.7 | 13.4 | 14.4 |
| *Trinidad and Tobago | 99 | 76.8 | 16.2 | 4.0 | 73 | 78.1 | 15.1 | 2.5 |
| USA, Puerto Rico | 948 | 91.2 | 4.6 | 5.7 | 775 | 90.7 | 4.9 | 3.8 |
| *Uruguay | 1598 | 80.4 | 13.1 | 12.7 | 1012 | 75.6 | 14.6 | 5.6 |
| North America | | | | | | | | |
| Canada, Alberta | 886 | 97.7 | 0.1 | 5.5 | 451 | 96.2 | 0.2 | 2.6 |
| Canada, British Columbia | 1344 | 96.6 | 0.8 | 5.4 | 633 | 91.9 | 1.4 | 2.3 |
| *Canada, Manitoba | 392 | 98.2 | — | 6.8 | 195 | 96.4 | — | 3.0 |
| *Canada, New Brunswick | 326 | 98.8 | 0.0 | 7.8 | 148 | 91.9 | 1.4 | 2.9 |
| *Canada, Newfoundland and Labrador | 261 | 96.6 | 0.8 | 8.8 | 135 | 94.8 | 2.2 | 4.4 |
| Canada, Ontario | 4711 | 94.4 | 0.9 | 7.3 | 2728 | 91.0 | 2.1 | 3.6 |
| *Canada, Prince Edward Island | 56 | 96.4 | — | 7.4 | 23 | 95.7 | — | 2.5 |
| Canada, Quebec | 2734 | 93.7 | 3.1 | 6.3 | 1566 | 87.9 | 7.1 | 3.0 |
| Canada, Saskatchewan | 325 | 96.9 | 0.6 | 6.3 | 154 | 94.8 | 1.3 | 2.5 |
| *Canada, Yukon | 2 | 100.0 | — | 1.5 | 4 | 100.0 | — | 2.4 |
| USA | 74704 | 96.7 | 2.4 | 5.6 | 46073 | 95.6 | 3.0 | 3.0 |
| USA: White | 57709 | 96.8 | 2.3 | 5.1 | 33340 | 95.6 | 3.0 | 2.6 |
| USA: Black | 10949 | 96.1 | 3.0 | 8.4 | 8163 | 95.8 | 3.0 | 4.6 |
| USA, NPCR | 72106 | 96.7 | 2.5 | 5.6 | 44478 | 95.6 | 3.0 | 3.0 |
| USA, NPCR: White | 55764 | 96.8 | 2.4 | 5.1 | 32241 | 95.6 | 3.0 | 2.6 |
| USA, NPCR: Black | 10796 | 96.1 | 3.1 | 8.4 | 8046 | 95.8 | 3.0 | 4.6 |
| USA, NPCR: Asian and Pacific Islander | 4702 | 97.7 | 1.7 | 7.9 | 3551 | 96.2 | 2.7 | 4.7 |
| USA, NPCR: American Indian | 477 | 94.5 | 3.8 | 4.2 | 358 | 93.6 | 4.2 | 2.8 |
| *USA, SEER (18 registries) | 20887 | 97.2 | 1.1 | 5.8 | 13606 | 96.0 | 1.4 | 3.3 |
| *USA, SEER (18 registries): White | 15065 | 97.3 | 1.1 | 5.3 | 9190 | 95.9 | 1.4 | 2.9 |
| *USA, SEER (18 registries): Non-Hispanic White | 11485 | 97.4 | 1.1 | 4.7 | 6267 | 95.6 | 1.5 | 2.2 |
| *USA, SEER (18 registries): Hispanic White | 3580 | 97.0 | 1.0 | 8.0 | 2923 | 96.6 | 1.4 | 5.6 |
| *USA, SEER (18 registries): Black | 2733 | 96.2 | 1.9 | 8.2 | 2015 | 96.4 | 1.2 | 4.5 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2733 | 97.9 | 0.8 | 7.5 | 2104 | 95.9 | 1.8 | 4.5 |
| *USA, SEER (9 registries) | 6807 | 97.4 | 1.0 | 5.5 | 4305 | 96.0 | 1.2 | 2.9 |
| *USA, SEER (9 registries): White | 4746 | 97.5 | 0.9 | 4.8 | 2703 | 96.3 | 1.1 | 2.4 |
| *USA, SEER (9 registries): Black | 888 | 96.2 | 1.7 | 8.1 | 689 | 96.2 | 1.0 | 4.5 |
| USA, Alabama | 1156 | 94.9 | 4.6 | 5.6 | 814 | 94.2 | 5.3 | 3.3 |
| USA, Alabama: White | 775 | 95.0 | 4.4 | 4.7 | 497 | 95.2 | 4.4 | 2.6 |

* Important. See note on population page.

Indices of data quality Stomach (C16) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 356 | 95.2 | 4.5 | 8.7 | 290 | 92.1 | 7.2 | 5.1 |
| USA, Alaska | 176 | 96.6 | 1.1 | 6.7 | 88 | 97.7 | 0.0 | 3.5 |
| *USA, Alaska: Alaska Natives | 62 | 98.4 | — | 19.0 | 32 | 93.8 | — | 8.7 |
| USA, Arizona | 1363 | 93.7 | 5.2 | 4.5 | 807 | 92.7 | 6.7 | 2.5 |
| USA, Arizona: White | 1198 | 94.2 | 4.8 | 4.3 | 681 | 92.8 | 6.6 | 2.4 |
| USA, Arizona: Black | 62 | 91.9 | 8.1 | 6.7 | 38 | 94.7 | 5.3 | 3.7 |
| *USA, Arizona: Asian and Pacific Islander | 37 | 91.9 | 8.1 | 5.1 | 33 | 97.0 | 0.0 | 3.2 |
| USA, Arizona: American Indian | 64 | 89.1 | 6.2 | 6.7 | 53 | 90.6 | 9.4 | 4.5 |
| USA, Arkansas | 730 | 95.8 | 3.4 | 5.8 | 409 | 95.1 | 4.2 | 2.8 |
| USA, Arkansas: White | 575 | 96.0 | 3.1 | 5.2 | 317 | 95.0 | 4.7 | 2.5 |
| USA, Arkansas: Black | 140 | 94.3 | 5.0 | 10.4 | 81 | 96.3 | 2.5 | 4.5 |
| USA, California | 9088 | 97.2 | 2.1 | 6.0 | 6176 | 96.1 | 2.8 | 3.6 |
| USA, California: White | 6579 | 97.2 | 2.0 | 5.7 | 4268 | 96.1 | 2.8 | 3.3 |
| USA, California: Black | 652 | 94.6 | 4.6 | 7.2 | 448 | 96.2 | 2.2 | 4.0 |
| USA, California: Asian and Pacific Islander | 1776 | 98.0 | 1.6 | 7.4 | 1382 | 96.4 | 2.9 | 4.5 |
| *USA, California, Los Angeles County | 2756 | 97.5 | 1.0 | 7.4 | 1924 | 96.4 | 0.9 | 4.3 |
| *USA, California, Los Angeles County: White | 1842 | 97.7 | 0.8 | 7.0 | 1271 | 96.1 | 0.9 | 4.2 |
| *USA, California, Los Angeles County: Non-Hispanic White | 829 | 98.1 | 1.0 | 5.3 | 430 | 94.4 | 1.2 | 2.4 |
| *USA, California, Los Angeles County: Hispanic White | 1013 | 97.3 | 0.6 | 8.8 | 841 | 96.9 | 0.8 | 6.0 |
| *USA, California, Los Angeles County: Black | 254 | 95.7 | 2.4 | 7.4 | 178 | 97.8 | 0.6 | 3.6 |
| *USA, California, Los Angeles County: Chinese | 171 | 98.2 | 1.2 | 7.2 | 129 | 96.9 | 0.8 | 4.3 |
| *USA, California, Los Angeles County: Filipino | 56 | 98.2 | 1.8 | 4.0 | 48 | 97.9 | 0.0 | 2.1 |
| *USA, California, Los Angeles County: Korean | 189 | 97.4 | 1.1 | 18.3 | 130 | 96.9 | 0.8 | 8.8 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 631 | 97.5 | 1.1 | 9.2 | 441 | 96.6 | 1.1 | 4.7 |
| *USA, California, San Francisco Bay Area | 1129 | 97.5 | 1.2 | 5.7 | 787 | 96.7 | 1.4 | 3.4 |
| *USA, California, San Francisco Bay Area: White | 643 | 98.6 | 0.6 | 5.0 | 420 | 97.1 | 1.2 | 2.9 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 453 | 98.2 | 0.9 | 4.1 | 255 | 96.5 | 1.2 | 1.9 |
| *USA, California, San Francisco Bay Area: Hispanic White | 190 | 99.5 | 0.0 | 8.9 | 165 | 98.2 | 1.2 | 6.6 |
| *USA, California, San Francisco Bay Area: Black | 119 | 91.6 | 4.2 | 7.6 | 86 | 97.7 | 0.0 | 4.4 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 361 | 97.5 | 1.4 | 6.8 | 274 | 96.4 | 2.2 | 4.2 |
| USA, Colorado | 1005 | 96.1 | 2.5 | 4.7 | 503 | 95.8 | 3.0 | 2.2 |
| USA, Colorado: White | 910 | 95.9 | 2.6 | 4.6 | 429 | 95.8 | 3.0 | 2.0 |
| *USA, Colorado: Black | 49 | 100.0 | — | 6.8 | 20 | 100.0 | — | 2.5 |
| *USA, Colorado: Asian and Pacific Islander | 36 | 94.4 | 2.8 | 7.4 | 48 | 93.8 | 4.2 | 6.5 |
| USA, Connecticut | 1116 | 98.9 | 0.5 | 6.8 | 644 | 97.5 | 0.5 | 3.3 |
| USA, Connecticut: White | 935 | 98.7 | 0.6 | 6.4 | 515 | 97.3 | 0.6 | 2.9 |
| USA, Connecticut: Black | 121 | 100.0 | — | 9.9 | 90 | 98.9 | — | 5.1 |
| USA, District of Columbia | 170 | 95.3 | 4.7 | 7.7 | 108 | 96.3 | 2.8 | 3.9 |
| USA, District of Columbia: White | 53 | 98.1 | 1.9 | 5.6 | 22 | 100.0 | 0.0 | 2.2 |
| USA, District of Columbia: Black | 108 | 94.4 | 5.6 | 9.3 | 82 | 95.1 | 3.7 | 4.9 |
| USA, Florida | 5029 | 96.6 | 2.7 | 5.1 | 3026 | 96.3 | 2.9 | 2.6 |
| USA, Florida: White | 3999 | 97.0 | 2.2 | 4.6 | 2296 | 96.0 | 3.0 | 2.3 |
| USA, Florida: Black | 841 | 97.4 | 2.1 | 8.1 | 595 | 98.2 | 1.3 | 4.4 |
| USA, Florida: Asian and Pacific Islander | 99 | 100.0 | 0.0 | 4.8 | 82 | 97.6 | 1.2 | 3.0 |
| USA, Georgia | 2093 | 96.1 | 2.8 | 5.6 | 1349 | 94.8 | 3.0 | 3.0 |
| USA, Georgia: White | 1240 | 95.8 | 3.0 | 4.5 | 763 | 95.2 | 3.1 | 2.5 |
| USA, Georgia: Black | 746 | 96.0 | 2.8 | 8.4 | 520 | 94.4 | 3.3 | 4.1 |
| USA, Georgia: Asian and Pacific Islander | 104 | 100.0 | — | 8.8 | 64 | 93.8 | — | 4.6 |
| *USA, Georgia, Atlanta | 696 | 96.1 | 1.4 | 6.0 | 447 | 94.9 | 1.1 | 3.0 |
| *USA, Georgia, Atlanta: White | 333 | 96.1 | 0.9 | 4.7 | 178 | 95.5 | 0.0 | 2.2 |
| *USA, Georgia, Atlanta: Black | 287 | 95.1 | 2.4 | 7.8 | 223 | 94.6 | 2.2 | 4.1 |
| USA, Idaho | 321 | 96.3 | 3.1 | 4.5 | 167 | 92.8 | 2.4 | 2.1 |
| USA, Indiana | 1478 | 98.5 | 0.9 | 5.4 | 783 | 96.0 | 1.1 | 2.4 |
| USA, Indiana: White | 1310 | 98.4 | 1.0 | 5.3 | 663 | 96.1 | 0.9 | 2.3 |
| USA, Indiana: Black | 145 | 99.3 | 0.0 | 8.2 | 94 | 96.8 | 2.1 | 3.9 |
| *USA, Iowa | 560 | 98.8 | 0.9 | 4.0 | 315 | 96.2 | 0.6 | 2.0 |
| USA, Kentucky | 1052 | 96.9 | 2.3 | 5.6 | 709 | 96.2 | 2.4 | 3.2 |
| USA, Louisiana | 1196 | 98.4 | 0.8 | 6.5 | 670 | 98.1 | 1.2 | 3.1 |
| USA, Louisiana: White | 709 | 99.3 | 0.1 | 5.3 | 354 | 97.7 | 1.1 | 2.3 |
| USA, Louisiana: Black | 460 | 97.0 | 1.7 | 10.0 | 305 | 98.4 | 1.3 | 5.0 |
| *USA, Louisiana, New Orleans | 216 | 98.1 | 0.0 | 6.3 | 129 | 98.4 | 0.8 | 3.3 |
| *USA, Louisiana, New Orleans: White | 110 | 99.1 | — | 5.3 | 58 | 98.3 | — | 2.7 |
| *USA, Louisiana, New Orleans: Black | 86 | 96.5 | 0.0 | 7.1 | 66 | 98.5 | 1.5 | 4.2 |
| USA, Maine | 313 | 97.4 | 1.6 | 4.5 | 205 | 97.6 | 1.5 | 2.5 |
| USA, Maryland | 1349 | 95.3 | 3.9 | 5.6 | 937 | 95.2 | 3.7 | 3.2 |
| USA, Maryland: White | 827 | 95.8 | 3.3 | 4.9 | 470 | 96.2 | 3.0 | 2.4 |
| USA, Maryland: Black | 397 | 94.5 | 4.8 | 6.9 | 380 | 93.9 | 4.5 | 4.7 |
| USA, Maryland: Asian and Pacific Islander | 109 | 96.3 | 3.7 | 7.7 | 81 | 96.3 | 3.7 | 5.0 |
| USA, Massachusetts | 1714 | 97.2 | 2.2 | 5.8 | 1011 | 96.3 | 2.9 | 2.8 |
| USA, Massachusetts: White | 1425 | 97.3 | 2.1 | 5.4 | 808 | 96.5 | 2.7 | 2.5 |
| USA, Massachusetts: Black | 167 | 95.2 | 3.6 | 9.9 | 118 | 94.9 | 4.2 | 5.2 |
| USA, Massachusetts: Asian and Pacific Islander | 99 | 99.0 | 0.0 | 7.6 | 67 | 95.5 | 3.0 | 4.5 |

* Important. See note on population page.

Indices of data quality Stomach (C16) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 2297 | 96.3 | 2.6 | 5.1 | 1307 | 95.6 | 2.8 | 2.4 |
| USA, Michigan: White | 1832 | 96.0 | 2.8 | 4.6 | 953 | 95.1 | 3.1 | 2.1 |
| USA, Michigan: Black | 382 | 97.4 | 1.6 | 8.5 | 295 | 97.6 | 1.7 | 4.6 |
| USA, Michigan: Asian and Pacific Islander | 62 | 98.4 | 1.6 | 7.1 | 45 | 95.6 | 4.4 | 4.2 |
| *USA, Michigan, Detroit | 979 | 97.4 | 1.0 | 5.9 | 641 | 96.9 | 1.4 | 3.0 |
| *USA, Michigan, Detroit: White | 671 | 97.2 | 1.3 | 5.1 | 393 | 96.7 | 2.0 | 2.4 |
| *USA, Michigan, Detroit: Black | 265 | 97.7 | 0.4 | 8.5 | 217 | 97.2 | 0.5 | 4.5 |
| USA, Minnesota | 1165 | 98.5 | 0.9 | 5.0 | 617 | 96.3 | 1.9 | 2.4 |
| USA, Minnesota: White | 1030 | 98.4 | 1.0 | 4.7 | 525 | 96.0 | 2.1 | 2.2 |
| USA, Minnesota: Black | 60 | 100.0 | – | 8.8 | 29 | 96.6 | – | 4.0 |
| *USA, Minnesota: Asian and Pacific Islander | 50 | 98.0 | 2.0 | 9.3 | 49 | 100.0 | 0.0 | 6.6 |
| USA, Mississippi | 701 | 98.6 | 0.9 | 6.1 | 476 | 96.4 | 1.9 | 3.4 |
| USA, Missouri | 1292 | 96.7 | 2.9 | 4.9 | 684 | 96.5 | 2.5 | 2.2 |
| USA, Missouri: White | 1097 | 96.7 | 2.8 | 4.6 | 541 | 96.1 | 2.8 | 2.0 |
| USA, Missouri: Black | 167 | 96.4 | 3.0 | 7.7 | 123 | 97.6 | 1.6 | 4.0 |
| USA, Montana | 216 | 97.7 | 0.9 | 4.3 | 114 | 96.5 | 1.8 | 2.2 |
| *USA, Montana: American Indian | 16 | 100.0 | – | 8.8 | 9 | 100.0 | – | 4.3 |
| USA, Nebraska | 372 | 97.3 | 1.9 | 4.7 | 185 | 96.8 | 2.2 | 2.1 |
| USA, Nebraska: White | 340 | 97.4 | 1.8 | 4.5 | 166 | 97.0 | 2.4 | 1.9 |
| *USA, Nebraska: Black | 22 | 100.0 | – | 8.7 | 11 | 90.9 | – | 3.9 |
| USA, Nevada | 512 | 96.3 | 3.5 | 4.1 | 339 | 96.2 | 2.7 | 2.7 |
| USA, Nevada: White | 398 | 97.0 | 3.0 | 3.8 | 249 | 96.0 | 2.8 | 2.6 |
| USA, Nevada: Black | 43 | 93.0 | 7.0 | 4.7 | 35 | 97.1 | 2.9 | 3.3 |
| *USA, Nevada: Asian and Pacific Islander | 59 | 94.9 | 3.4 | 5.8 | 51 | 96.1 | 2.0 | 3.7 |
| USA, New Jersey | 2506 | 97.2 | 2.2 | 6.5 | 1709 | 95.6 | 2.9 | 3.8 |
| USA, New Jersey: White | 1921 | 97.6 | 1.9 | 6.2 | 1205 | 94.8 | 3.3 | 3.3 |
| USA, New Jersey: Black | 336 | 96.1 | 3.6 | 8.1 | 311 | 97.4 | 1.6 | 5.3 |
| USA, New Mexico | 471 | 95.1 | 1.9 | 5.1 | 322 | 94.7 | 2.2 | 3.1 |
| USA, New Mexico: White | 400 | 95.0 | 2.0 | 4.8 | 259 | 95.0 | 1.5 | 2.8 |
| USA, New Mexico: Non-Hispanic White | 184 | 96.2 | 1.6 | 3.4 | 91 | 92.3 | 2.2 | 1.7 |
| USA, New Mexico: Hispanic White | 216 | 94.0 | 2.3 | 6.9 | 168 | 96.4 | 1.2 | 4.6 |
| *USA, New Mexico: American Indian | 52 | 96.2 | 0.0 | 8.5 | 43 | 93.0 | 4.7 | 5.3 |
| USA, New York State | 6106 | 98.2 | 0.9 | 7.4 | 4079 | 96.8 | 1.3 | 4.1 |
| USA, New York State: White | 4183 | 98.2 | 0.9 | 6.5 | 2661 | 96.5 | 1.3 | 3.5 |
| USA, New York State: Black | 1051 | 98.3 | 0.7 | 9.3 | 904 | 97.7 | 1.2 | 5.4 |
| USA, New York State: Asian and Pacific Islander | 847 | 98.5 | 0.9 | 14.0 | 492 | 96.7 | 1.4 | 6.9 |
| USA, North Carolina | 2258 | 97.0 | 2.0 | 5.5 | 1467 | 95.9 | 2.9 | 2.9 |
| USA, North Carolina: White | 1564 | 96.8 | 2.0 | 4.7 | 939 | 96.0 | 2.8 | 2.4 |
| USA, North Carolina: Black | 600 | 97.2 | 2.5 | 8.5 | 468 | 96.4 | 2.8 | 4.7 |
| USA, North Carolina: Asian and Pacific Islander | 53 | 100.0 | 0.0 | 7.9 | 39 | 92.3 | 7.7 | 4.3 |
| *USA, North Carolina: American Indian | 27 | 96.3 | – | 5.8 | 17 | 88.2 | – | 3.1 |
| USA, North Dakota | 155 | 97.4 | 1.3 | 4.9 | 78 | 97.4 | 2.6 | 2.2 |
| USA, Ohio | 2858 | 95.6 | 3.9 | 5.5 | 1626 | 95.4 | 3.8 | 2.6 |
| USA, Ohio: White | 2391 | 96.1 | 3.5 | 5.2 | 1271 | 95.8 | 3.5 | 2.3 |
| USA, Ohio: Black | 408 | 92.6 | 6.6 | 8.7 | 303 | 94.7 | 4.3 | 4.8 |
| *USA, Ohio: Asian and Pacific Islander | 45 | 100.0 | 0.0 | 6.3 | 32 | 90.6 | 9.4 | 3.8 |
| USA, Oklahoma | 767 | 95.8 | 3.7 | 4.8 | 473 | 93.2 | 5.5 | 2.6 |
| USA, Oklahoma: White | 607 | 96.7 | 2.8 | 4.4 | 356 | 92.7 | 5.9 | 2.3 |
| USA, Oklahoma: Black | 75 | 89.3 | 9.3 | 8.2 | 43 | 100.0 | 0.0 | 4.1 |
| USA, Oklahoma: American Indian | 61 | 95.1 | 4.9 | 5.4 | 54 | 90.7 | 9.3 | 4.2 |
| USA, Oregon | 872 | 95.4 | 3.4 | 4.8 | 463 | 95.5 | 3.2 | 2.4 |
| USA, Oregon: White | 785 | 95.7 | 3.2 | 4.6 | 396 | 95.5 | 3.0 | 2.2 |
| *USA, Oregon: Black | 26 | 92.3 | 3.8 | 9.5 | 10 | 100.0 | 0.0 | 3.6 |
| *USA, Oregon: Asian and Pacific Islander | 48 | 93.8 | 6.2 | 8.1 | 48 | 93.8 | 6.2 | 6.1 |
| USA, Rhode Island | 328 | 97.9 | 1.5 | 6.9 | 179 | 96.1 | 3.4 | 3.1 |
| USA, Rhode Island: White | 298 | 98.0 | 1.3 | 6.8 | 158 | 96.2 | 3.2 | 2.8 |
| *USA, Rhode Island: Black | 17 | 100.0 | – | 7.5 | 12 | 100.0 | – | 4.1 |
| USA, South Carolina | 1268 | 94.2 | 5.0 | 6.0 | 739 | 93.6 | 5.0 | 3.0 |
| USA, South Carolina: White | 815 | 95.1 | 4.4 | 5.0 | 415 | 94.2 | 4.3 | 2.2 |
| USA, South Carolina: Black | 435 | 92.4 | 6.2 | 9.7 | 304 | 92.4 | 6.2 | 5.1 |
| USA, South Dakota | 163 | 96.9 | 1.2 | 4.3 | 83 | 94.0 | 4.8 | 1.9 |
| USA, Tennessee | 1404 | 95.5 | 3.7 | 5.1 | 849 | 96.6 | 2.9 | 2.7 |
| USA, Tennessee: White | 1135 | 95.7 | 3.5 | 4.8 | 650 | 96.3 | 3.2 | 2.4 |
| USA, Tennessee: Black | 251 | 94.8 | 4.4 | 7.8 | 182 | 97.3 | 2.2 | 4.2 |
| USA, Texas | 5306 | 93.7 | 4.7 | 5.5 | 3549 | 92.6 | 5.5 | 3.3 |
| USA, Texas: White | 4234 | 93.5 | 4.8 | 5.2 | 2784 | 92.8 | 5.2 | 3.1 |
| USA, Texas: Black | 805 | 94.3 | 4.1 | 8.6 | 552 | 91.5 | 6.7 | 4.4 |
| USA, Texas: Asian and Pacific Islander | 249 | 95.6 | 3.6 | 6.4 | 188 | 95.2 | 4.8 | 4.0 |
| USA, Utah | 360 | 94.7 | 0.6 | 3.9 | 231 | 94.8 | 1.7 | 2.3 |
| USA, Vermont | 144 | 100.0 | 0.0 | 4.8 | 87 | 96.6 | 1.1 | 2.6 |
| USA, Washington State | 1465 | 96.5 | 2.7 | 4.8 | 818 | 94.7 | 3.2 | 2.5 |
| *USA, Washington, Seattle | 1045 | 97.4 | 0.8 | 5.1 | 604 | 95.7 | 0.7 | 2.6 |

* Important. See note on population page.

Indices of data quality Stomach (C16) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 448 | 98.0 | 0.7 | 4.8 | 275 | 95.6 | 2.5 | 2.6 |
| USA, Wyoming | 105 | 98.1 | 0.0 | 4.1 | 43 | 93.0 | 4.7 | 1.7 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 52 | 98.1 | 1.9 | 4.2 | 33 | 100.0 | 0.0 | 2.7 |
| Brunei Darussalam | 60 | 93.3 | 3.3 | 7.3 | 48 | 93.8 | 6.2 | 5.6 |
| *China, Anfu County | 221 | 79.6 | 0.5 | 21.1 | 110 | 70.9 | 0.0 | 10.4 |
| *China, Anguo City | 518 | 89.0 | 3.9 | 40.9 | 171 | 85.4 | 4.1 | 12.6 |
| *China, Anshan City | 1309 | 82.7 | 0.6 | 16.7 | 597 | 78.6 | 0.8 | 6.8 |
| *China, Aohan Banner, Chifeng City | 497 | 92.0 | 0.8 | 27.3 | 163 | 95.1 | 0.6 | 8.0 |
| *China, Arongqi | 266 | 66.9 | 5.6 | 30.4 | 88 | 58.0 | 2.3 | 10.9 |
| *China, Baoding City | 617 | 79.3 | 7.9 | 17.4 | 266 | 75.9 | 6.0 | 6.8 |
| *China, Beijing City | 5798 | 75.1 | 1.4 | 12.4 | 2799 | 73.8 | 1.0 | 6.0 |
| *China, Binhai County | 1609 | 76.8 | 0.2 | 33.2 | 723 | 71.6 | 0.3 | 14.6 |
| *China, Cangzhou City | 260 | 79.2 | 3.1 | 16.6 | 135 | 72.6 | 0.7 | 7.9 |
| China, Changfeng County | 598 | 56.0 | 0.3 | 32.1 | 220 | 41.4 | 0.0 | 11.8 |
| China, Changzhou City | 5654 | 81.2 | 0.4 | 56.2 | 2324 | 78.5 | 0.3 | 20.6 |
| China, Chengdu City | 850 | 70.8 | 3.6 | 22.2 | 384 | 69.5 | 4.2 | 9.5 |
| China, Cixian County | 1218 | 91.5 | 0.5 | 74.3 | 544 | 85.1 | 0.9 | 29.8 |
| China, Cixi City | 1037 | 73.8 | 7.2 | 19.6 | 492 | 69.1 | 10.6 | 8.8 |
| *China, Dafeng District, Yancheng City | 1257 | 90.1 | 0.2 | 33.6 | 527 | 86.5 | 0.0 | 13.0 |
| China, Dalian City | 3261 | 87.2 | 1.1 | 27.6 | 1485 | 83.2 | 0.9 | 11.3 |
| *China, Dancheng County | 1329 | 89.8 | 0.8 | 43.4 | 1000 | 88.1 | 0.5 | 31.4 |
| China, Dangtu County | 615 | 71.7 | 1.6 | 47.2 | 239 | 69.0 | 0.0 | 18.7 |
| *China, Danyang City | 3063 | 78.6 | 0.8 | 81.4 | 1415 | 74.8 | 0.8 | 33.4 |
| *China, Dawukou District, Shizuishan City | 309 | 87.4 | 1.3 | 29.8 | 99 | 82.8 | 2.0 | 9.0 |
| *China, Dehui City | 702 | 70.2 | 3.3 | 23.5 | 316 | 72.8 | 2.8 | 10.7 |
| *China, Donggang County | 911 | 68.9 | 2.4 | 30.7 | 369 | 69.4 | 3.0 | 12.4 |
| *China, Dongguan City | 394 | 86.3 | 0.8 | 9.6 | 272 | 83.1 | 0.7 | 5.8 |
| China, Donghai County | 819 | 79.2 | 2.3 | 18.5 | 363 | 69.4 | 3.9 | 8.2 |
| *China, Dongtai City | 1565 | 89.6 | 0.1 | 28.6 | 663 | 88.7 | 0.0 | 11.7 |
| China, Duanzhou District, Zhaoqing City | 100 | 64.0 | 4.0 | 7.8 | 63 | 79.4 | 1.6 | 5.1 |
| *China, Evenki Autonomous Banner | 57 | 84.2 | 0.0 | 20.6 | 28 | 89.3 | 3.6 | 8.5 |
| *China, Faku County | 335 | 63.0 | 1.2 | 16.3 | 133 | 54.9 | 1.5 | 6.0 |
| *China, Fangcheng County | 975 | 72.6 | – | 41.5 | 343 | 72.3 | – | 16.0 |
| *China, Feicheng City | 2177 | 83.1 | 0.6 | 54.1 | 750 | 80.1 | 0.5 | 16.1 |
| China, Feixi County | 2346 | 64.3 | 0.3 | 53.6 | 952 | 57.7 | 0.4 | 20.7 |
| China, Fuqing City | 939 | 75.0 | 8.2 | 32.4 | 377 | 68.2 | 12.5 | 13.0 |
| *China, Ganyu District, Lianyungang City | 969 | 62.3 | 1.5 | 21.4 | 380 | 53.7 | 3.2 | 7.9 |
| *China, Ganzhou District, Zhangye City | 1016 | 80.1 | 0.4 | 109.3 | 282 | 79.4 | 0.7 | 31.6 |
| *China, Gaocheng City | 922 | 87.9 | 0.2 | 39.8 | 328 | 90.2 | 0.3 | 12.2 |
| China, Gaomi City | 1033 | 81.0 | 0.9 | 33.4 | 419 | 73.0 | 1.0 | 11.9 |
| China, Gong'an County | 430 | 97.4 | 0.5 | 12.5 | 197 | 95.9 | 0.0 | 5.5 |
| *China, Guang'an District, Guang'an City | 685 | 79.0 | 1.6 | 34.6 | 302 | 72.5 | 4.6 | 14.4 |
| China, Guanghan City | 438 | 68.9 | 0.5 | 25.7 | 149 | 67.1 | 0.0 | 7.8 |
| China, Guangzhou City | 3162 | 83.1 | 0.7 | 9.7 | 1867 | 83.0 | 0.5 | 5.3 |
| *China, Guanyun County | 725 | 70.3 | 1.0 | 19.4 | 327 | 64.5 | 1.5 | 8.9 |
| China, Guilin City | 475 | 68.2 | 0.2 | 21.5 | 235 | 66.8 | 1.3 | 9.3 |
| *China, Hai'an City | 1491 | 84.4 | – | 24.4 | 654 | 80.3 | – | 10.5 |
| China, Hailar District, Hulun Buir City | 303 | 82.8 | 1.0 | 28.5 | 112 | 75.0 | 2.7 | 8.4 |
| China, Haimen District, Nantong City | 1370 | 89.5 | 0.1 | 25.3 | 762 | 87.1 | 0.4 | 13.9 |
| China, Haining City | 555 | 78.6 | 0.9 | 16.1 | 294 | 73.8 | 1.0 | 8.3 |
| China, Hangzhou City | 7235 | 87.3 | 0.7 | 21.5 | 3357 | 84.9 | 1.2 | 9.9 |
| China, Hebi City | 488 | 78.3 | 1.2 | 38.5 | 212 | 75.5 | 1.4 | 15.5 |
| China, Hefei City | 3446 | 61.6 | 2.6 | 40.6 | 1491 | 56.6 | 3.9 | 16.7 |
| China, Hengdong County | 269 | 95.2 | 1.9 | 16.5 | 115 | 93.0 | 0.0 | 6.8 |
| *China, Hengfeng County | 166 | 91.0 | 1.8 | 26.7 | 79 | 82.3 | 3.8 | 12.9 |
| *China, Hepu County | 466 | 65.0 | 6.4 | 14.8 | 242 | 66.5 | 3.7 | 8.0 |
| China, Honghu City | 467 | 96.8 | – | 15.8 | 296 | 96.6 | – | 9.3 |
| China, Hongshan District, Chifeng City | 297 | 58.2 | – | 23.4 | 94 | 50.0 | – | 6.4 |
| *China, Hongta District, Yuxi City | 150 | 80.7 | 2.0 | 9.1 | 79 | 78.5 | 1.3 | 4.6 |
| *China, Huaiyin District, Huai'an City | 1067 | 93.9 | 1.1 | 27.5 | 457 | 86.4 | 2.6 | 11.2 |
| *China, Jiange County | 970 | 87.8 | 0.1 | 57.6 | 364 | 80.5 | 0.3 | 20.1 |
| China, Jiangmen City | 215 | 87.0 | 1.4 | 8.9 | 153 | 77.8 | 1.3 | 5.6 |
| *China, Jiangyin City | 3070 | 86.0 | 0.2 | 50.9 | 1148 | 82.8 | 0.2 | 17.7 |
| *China, Jiashan County | 481 | 92.9 | 0.4 | 22.1 | 198 | 84.8 | 0.5 | 8.7 |
| China, Jiayu County | 115 | 60.9 | 5.2 | 15.1 | 80 | 55.0 | 12.5 | 10.2 |
| *China, Jinan City | 3220 | 73.9 | 3.0 | 34.0 | 1163 | 70.9 | 3.4 | 10.6 |
| *China, Jingtai County | 374 | 93.3 | 1.1 | 54.1 | 114 | 94.7 | 2.6 | 16.2 |
| *China, Jingxian County | 467 | 94.6 | 0.0 | 33.5 | 195 | 89.2 | 1.5 | 16.0 |
| *China, Jintan District, Changzhou City | 1653 | 83.7 | 1.1 | 67.3 | 665 | 82.0 | 1.1 | 26.8 |
| *China, Jiulongpo District, Chongqing City | 455 | 64.6 | 0.9 | 13.7 | 187 | 69.0 | 1.6 | 5.6 |
| *China, Jiyuan City | 1620 | 81.7 | 1.2 | 97.1 | 635 | 80.2 | 0.9 | 34.8 |

* Important. See note on population page.

Indices of data quality Stomach (C16) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 325 | 84.6 | – | 26.0 | 134 | 83.6 | – | 10.5 |
| China, Kunshan City | 1376 | 78.2 | 0.6 | 38.8 | 610 | 79.3 | 0.5 | 15.6 |
| China, Langzhong City | 841 | 72.9 | 0.5 | 42.5 | 284 | 68.0 | 0.0 | 15.1 |
| *China, Liangshan County | 647 | 68.9 | 5.1 | 20.5 | 271 | 67.5 | 7.0 | 8.3 |
| *China, Lianshui County | 1164 | 82.8 | 0.4 | 26.0 | 489 | 84.5 | 0.2 | 10.6 |
| China, Lianyungang City | 772 | 72.3 | 1.9 | 19.3 | 343 | 72.0 | 2.6 | 8.0 |
| China, Linhe District, Bayannur City | 482 | 89.2 | 3.1 | 36.9 | 153 | 87.6 | 3.3 | 11.2 |
| China, Linqu County | 1903 | 94.6 | 0.4 | 52.4 | 700 | 91.7 | 0.1 | 18.0 |
| *China, Linzhou City | 2993 | 94.8 | 0.9 | 82.8 | 1428 | 93.2 | 0.6 | 35.2 |
| China, Liuzhou City | 590 | 73.6 | 0.2 | 15.2 | 311 | 75.9 | 0.3 | 7.8 |
| China, Liyang City | 1541 | 87.7 | – | 36.1 | 556 | 84.2 | – | 13.2 |
| *China, Longquan City | 255 | 78.0 | 0.0 | 24.0 | 84 | 76.2 | 1.2 | 8.8 |
| China, Lucheng District, Wenzhou City | 485 | 87.2 | 2.5 | 23.4 | 244 | 83.6 | 3.7 | 10.9 |
| China, Luoding City | 302 | 74.8 | 5.0 | 12.8 | 137 | 62.0 | 7.3 | 5.7 |
| *China, Luohe City | 1113 | 82.6 | 3.1 | 29.2 | 571 | 77.2 | 3.0 | 12.5 |
| *China, Luoyang City | 1008 | 73.6 | 2.7 | 22.9 | 400 | 72.5 | 3.2 | 8.6 |
| *China, Luquan City | 317 | 80.8 | 3.8 | 27.0 | 107 | 78.5 | 1.9 | 7.8 |
| China, Ma'anshan City | 1177 | 86.9 | 0.1 | 52.9 | 460 | 81.5 | 0.4 | 19.1 |
| *China, Macheng City | 1069 | 85.2 | 0.5 | 44.5 | 420 | 77.9 | 0.5 | 17.2 |
| China, Meihekou City | 428 | 74.3 | 1.6 | 17.9 | 156 | 71.2 | 2.6 | 6.8 |
| *China, Mengjin County | 492 | 74.8 | 1.8 | 43.9 | 187 | 62.6 | 2.7 | 14.5 |
| China, Nangang District, Harbin City | 743 | 74.3 | 1.1 | 18.1 | 286 | 76.2 | 2.1 | 5.8 |
| *China, Nantai District, Foshan City | 278 | 60.1 | – | 9.9 | 202 | 59.9 | – | 6.3 |
| China, Nanhu District, Jiaxing City | 461 | 77.0 | 1.3 | 16.7 | 224 | 77.7 | 2.2 | 8.2 |
| *China, Nantong City | 1515 | 77.0 | 0.9 | 25.3 | 762 | 78.3 | 0.4 | 11.5 |
| *China, Nanxiong City | 309 | 67.0 | 1.3 | 22.5 | 152 | 60.5 | 2.6 | 8.4 |
| China, Neixiang County | 1533 | 78.7 | 1.5 | 61.7 | 498 | 67.1 | 1.8 | 19.3 |
| *China, Qianxi County | 537 | 84.2 | 0.9 | 39.1 | 212 | 82.5 | 2.4 | 15.6 |
| China, Qidong City | 1661 | 88.5 | – | 24.7 | 959 | 86.8 | – | 12.9 |
| China, Qingzhou City | 1237 | 72.0 | 0.6 | 36.2 | 387 | 63.0 | 0.3 | 10.6 |
| *China, Rudong County | 1654 | 71.8 | 0.1 | 23.9 | 766 | 65.1 | 0.1 | 10.6 |
| *China, Rugao City | 1693 | 75.4 | 0.1 | 21.1 | 814 | 71.3 | 0.4 | 9.3 |
| *China, Rural areas of Shanghai City | 11153 | 83.6 | 0.5 | 22.7 | 5778 | 79.0 | 0.5 | 11.1 |
| China, Ruyang County | 633 | 89.9 | 3.0 | 50.7 | 203 | 80.3 | 6.4 | 15.2 |
| *China, Shan County | 641 | 56.9 | 0.3 | 25.5 | 422 | 53.6 | 0.7 | 12.8 |
| China, Shanghai City | 8468 | 79.5 | 0.3 | 20.8 | 4555 | 77.6 | 0.2 | 10.9 |
| China, Shangyu District, Shaoxing City | 1517 | 76.7 | 2.5 | 41.7 | 620 | 73.5 | 1.9 | 17.0 |
| *China, Shapingba District, Chongqing City | 507 | 68.6 | 1.0 | 14.8 | 267 | 68.9 | 0.4 | 7.6 |
| China, Shexian County | 1633 | 77.4 | 0.3 | 120.3 | 619 | 75.8 | 1.3 | 44.7 |
| China, Sheyang County | 1702 | 94.7 | 0.2 | 38.0 | 818 | 95.2 | 0.0 | 18.0 |
| *China, Shijiazhuang City | 1378 | 83.9 | 2.3 | 25.4 | 466 | 79.8 | 4.7 | 8.0 |
| China, Shunde District, Foshan City | 423 | 53.2 | – | 12.2 | 217 | 60.4 | – | 5.0 |
| *China, Song County | 979 | 78.7 | 0.7 | 60.2 | 381 | 73.2 | 1.8 | 23.3 |
| China, Suzhou City | 6054 | 74.9 | 2.9 | 35.5 | 2666 | 74.4 | 2.5 | 14.6 |
| *China, Tengzhou City | 1378 | 86.4 | 2.8 | 24.4 | 612 | 73.0 | 7.8 | 9.4 |
| *China, Wangdu County | 207 | 72.5 | 3.4 | 30.2 | 75 | 70.7 | 4.0 | 10.8 |
| *China, Wanzai County | 192 | 81.2 | 2.6 | 16.1 | 104 | 79.8 | 1.9 | 8.7 |
| *China, Wu'an City | 1882 | 79.2 | 2.2 | 82.9 | 777 | 77.5 | 4.4 | 33.1 |
| China, Wuhan City | 4078 | 88.6 | 0.1 | 18.2 | 2130 | 88.2 | 0.0 | 9.0 |
| *China, Wuhu City | 2253 | 66.4 | 1.3 | 40.7 | 823 | 66.7 | 1.9 | 15.3 |
| China, Wuxi City | 5300 | 81.0 | 0.3 | 41.5 | 2119 | 77.2 | 0.6 | 15.8 |
| China, Wuzhou City | 216 | 75.0 | 1.4 | 11.3 | 90 | 57.8 | 6.7 | 4.5 |
| China, Xiangfu District, Kaifeng City | 369 | 81.3 | 1.1 | 19.0 | 168 | 74.4 | 1.8 | 7.6 |
| China, Xianju County | 1408 | 81.0 | 1.8 | 67.3 | 621 | 80.2 | 3.9 | 30.5 |
| *China, Xin'an County | 506 | 86.6 | 0.6 | 43.2 | 199 | 73.4 | 1.5 | 16.1 |
| *China, Xining City | 1115 | 80.4 | 1.4 | 53.5 | 422 | 78.0 | 1.4 | 17.7 |
| *China, Xinji City | 475 | 80.0 | 2.1 | 17.1 | 219 | 79.0 | 3.2 | 7.4 |
| *China, Xinluo District, Longyan City | 285 | 61.4 | – | 22.3 | 145 | 60.7 | – | 11.5 |
| *China, Xinzhou District, Shangrao City | 406 | 83.0 | 2.2 | 29.9 | 184 | 79.9 | 5.4 | 13.3 |
| China, Xiping County | 665 | 88.3 | 2.4 | 25.6 | 293 | 83.6 | 2.7 | 9.6 |
| *China, Xishan District, Kunming City | 163 | 62.6 | 0.6 | 9.1 | 103 | 68.0 | 1.0 | 5.7 |
| *China, Xuyi County | 745 | 88.9 | 1.1 | 28.3 | 250 | 87.6 | 0.4 | 9.1 |
| *China, Ya'an City | 885 | 81.0 | 2.0 | 16.7 | 457 | 74.4 | 1.3 | 8.2 |
| *China, Yakeshi City | 371 | 78.4 | 5.9 | 23.8 | 121 | 83.5 | 6.6 | 7.2 |
| China, Yancheng City | 2965 | 87.0 | 0.5 | 48.5 | 1312 | 85.1 | 0.5 | 20.7 |
| *China, Yangquan City | 878 | 80.9 | 6.2 | 41.5 | 253 | 81.0 | 8.3 | 12.0 |
| *China, Yangzhong City | 1022 | 85.1 | 0.1 | 69.8 | 500 | 84.6 | 0.0 | 29.8 |
| *China, Yanji City | 345 | 60.6 | 3.2 | 17.1 | 141 | 51.1 | 3.5 | 5.8 |
| *China, Yanshi City | 703 | 80.8 | 5.5 | 28.9 | 280 | 82.5 | 4.6 | 10.2 |
| China, Yanting County | 2388 | 88.8 | 0.6 | 126.7 | 1174 | 85.7 | 0.7 | 59.6 |
| *China, Yi'an District, Tongling City | 574 | 78.2 | 3.5 | 57.1 | 195 | 73.8 | 3.1 | 19.0 |
| *China, Yingdong District, Fuyang City | 441 | 56.7 | 0.2 | 19.2 | 169 | 50.9 | 1.8 | 6.8 |

* Important. See note on population page.

Indices of data quality Stomach (C16) (contd)

| | Male | | | | Female | | | |
|--|--------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 308 | 79.2 | 1.3 | 30.9 | 122 | 73.8 | 1.6 | 11.7 |
| *China, Yiyuan County | 952 | 81.3 | 0.6 | 46.7 | 294 | 72.8 | 2.0 | 13.7 |
| China, Yong'an City | 319 | 72.4 | — | 22.9 | 147 | 57.8 | — | 10.8 |
| *China, Yongding District, Longyan City | 308 | 70.5 | 0.6 | 19.0 | 141 | 70.9 | 0.0 | 7.9 |
| China, Yongkang City | 679 | 82.2 | 5.6 | 26.4 | 297 | 74.4 | 8.4 | 11.4 |
| *China, Yucheng County | 464 | 84.9 | — | 23.7 | 353 | 81.3 | — | 16.3 |
| China, Yueyanglou District, Yueyang City | 146 | 89.0 | 2.1 | 13.3 | 73 | 93.2 | 1.4 | 7.0 |
| China, Yunmeng County | 502 | 82.7 | 0.0 | 31.8 | 326 | 80.4 | 0.3 | 18.1 |
| *China, Yunyang District, Shiyang City | 514 | 91.1 | 1.2 | 46.2 | 210 | 89.0 | 3.3 | 19.0 |
| China, Yuzhong District, Chongqing City | 344 | 66.3 | 2.0 | 15.1 | 205 | 65.4 | 0.0 | 8.7 |
| *China, Zhanhuang County | 779 | 79.2 | 3.1 | 90.5 | 270 | 73.3 | 3.3 | 30.0 |
| *China, Zhangjiagang City | 1832 | 74.8 | 0.9 | 38.3 | 768 | 72.3 | 0.5 | 14.1 |
| *China, Zhaoyuan City | 1375 | 67.3 | 0.7 | 47.9 | 572 | 56.5 | 0.9 | 18.0 |
| *China, Zhengding County | 532 | 80.3 | 2.6 | 39.8 | 140 | 78.6 | 4.3 | 9.0 |
| *China, Zhongshan City | 495 | 92.9 | — | 9.4 | 255 | 93.3 | — | 4.3 |
| China, Zhongxiang City | 345 | 83.5 | 0.3 | 10.3 | 163 | 84.7 | 0.0 | 4.7 |
| *China, Zhuanghe City | 1616 | 78.8 | — | 35.0 | 578 | 74.9 | — | 12.4 |
| *China, Zhuhai City | 387 | 64.6 | 2.3 | 10.8 | 207 | 63.8 | 3.9 | 5.6 |
| India, Ahmedabad, Urban | 209 | 96.2 | 1.4 | 1.8 | 128 | 96.1 | 0.8 | 1.1 |
| India, Aurangabad | 70 | 95.7 | 1.4 | 2.6 | 35 | 91.4 | 5.7 | 1.3 |
| India, Bangalore | 977 | 92.5 | 5.7 | 8.8 | 589 | 93.4 | 5.4 | 5.3 |
| India, Barshi, Paranda, and Bhum | 31 | 87.1 | 3.2 | 2.3 | 22 | 81.8 | 0.0 | 1.5 |
| *India, Bhopal | 55 | 94.5 | — | 2.1 | 24 | 100.0 | — | 1.0 |
| India, Chandigarh | 52 | 88.5 | 1.9 | 2.1 | 18 | 88.9 | 11.1 | 0.7 |
| *India, Chennai | 1267 | 76.8 | 8.4 | 10.3 | 676 | 75.4 | 10.2 | 5.2 |
| India, Dibrugarh | 170 | 72.4 | 12.4 | 6.3 | 122 | 81.1 | 10.7 | 4.2 |
| *India, Dindigul, Ambilikkaai | 335 | 80.3 | 3.3 | 5.3 | 195 | 75.9 | 7.7 | 3.0 |
| India, Kamrup Urban District | 325 | 75.4 | 8.0 | 13.8 | 183 | 71.0 | 8.7 | 8.0 |
| India, Kollam | 392 | 77.0 | 0.3 | 6.1 | 156 | 71.8 | 0.0 | 2.0 |
| *India, Manipur | 192 | 96.4 | 1.0 | 4.0 | 133 | 95.5 | 1.5 | 2.8 |
| India, Meghalaya | 295 | 90.8 | 5.4 | 12.1 | 206 | 84.5 | 10.7 | 6.7 |
| India, Mizoram | 624 | 90.7 | 0.6 | 38.8 | 294 | 90.5 | 1.0 | 18.1 |
| India, Mumbai | 1413 | 84.6 | 10.0 | 4.6 | 842 | 79.3 | 15.6 | 2.8 |
| *India, New Delhi | 822 | 80.2 | 11.4 | 3.8 | 522 | 81.8 | 9.8 | 2.5 |
| India, Poona | 408 | 83.1 | 6.9 | 3.4 | 202 | 82.7 | 9.9 | 1.7 |
| *India, Sangrur District | 31 | 64.5 | 3.2 | 1.2 | 24 | 58.3 | 12.5 | 0.9 |
| India, SAS Nagar | 40 | 95.0 | — | 1.7 | 12 | 91.7 | — | 0.5 |
| *India, Tamil Nadu | 12821 | 85.4 | 1.2 | 6.4 | 6134 | 84.6 | 1.6 | 2.9 |
| *India, Tripura | 323 | 94.4 | — | 5.0 | 147 | 94.6 | — | 2.1 |
| India, Trivandrum | 407 | 87.0 | — | 5.1 | 156 | 82.7 | — | 1.7 |
| India, Wardha | 57 | 66.7 | 28.1 | 1.5 | 50 | 62.0 | 28.0 | 1.3 |
| India, West Arunachal | 229 | 92.1 | 0.4 | 24.7 | 142 | 96.5 | 0.0 | 15.9 |
| *Iran (Islamic Republic of), Ardabil Province | 680 | 82.9 | 10.7 | 36.4 | 371 | 75.7 | 13.2 | 20.0 |
| *Iran (Islamic Republic of), Golestan Province | 530 | 79.4 | 3.4 | 24.4 | 282 | 70.9 | 5.3 | 11.7 |
| Israel | 2312 | 94.6 | 4.1 | 8.5 | 1563 | 93.0 | 5.6 | 4.9 |
| *Israel: Jews | 1903 | 94.7 | 3.8 | 8.1 | 1248 | 92.5 | 6.1 | 4.6 |
| *Israel: Arabs | 222 | 93.7 | 4.5 | 7.4 | 176 | 94.9 | 2.3 | 5.2 |
| Japan | 263846 | 91.2 | 5.3 | 50.2 | 120749 | 87.3 | 7.7 | 18.5 |
| Japan, Aichi Prefecture | 12335 | 94.7 | 3.0 | 43.9 | 5414 | 90.9 | 5.1 | 16.7 |
| *Japan, Akita Prefecture | 3507 | 95.6 | 0.3 | 72.2 | 1696 | 93.5 | 0.4 | 25.3 |
| Japan, Aomori Prefecture | 5674 | 93.7 | 1.4 | 59.4 | 2766 | 91.0 | 2.1 | 20.6 |
| Japan, Gunma Prefecture | 4015 | 93.5 | 2.6 | 46.2 | 1748 | 89.1 | 4.5 | 17.3 |
| Japan, Hiroshima Prefecture | 9257 | 97.2 | 1.3 | 58.0 | 4345 | 94.3 | 2.7 | 21.0 |
| Japan, Miyagi Prefecture | 9649 | 95.0 | 2.8 | 61.3 | 4261 | 92.1 | 4.6 | 21.7 |
| Japan, Osaka Prefecture | 19828 | 94.0 | 4.2 | 56.2 | 8808 | 91.0 | 6.0 | 20.7 |
| Kuwait | 201 | 93.5 | 6.0 | 3.3 | 117 | 92.3 | 5.1 | 2.4 |
| *Kuwait: Kuwaitis | 78 | 93.6 | 6.4 | 4.4 | 63 | 90.5 | 4.8 | 2.7 |
| *Kuwait: Non-Kuwaitis | 123 | 93.5 | 5.7 | 3.0 | 54 | 94.4 | 5.6 | 2.4 |
| *Philippines, Manila | 434 | 72.6 | 3.0 | 4.5 | 368 | 69.8 | 3.8 | 2.8 |
| *Qatar: Qatari | 19 | 89.5 | 5.3 | 4.7 | 18 | 88.9 | 5.6 | 3.8 |
| Republic of Korea | 101421 | 98.6 | 0.4 | 51.1 | 49580 | 97.0 | 1.1 | 21.0 |
| *Republic of Korea, Busan | 7933 | 98.2 | 0.5 | 52.8 | 3921 | 96.4 | 1.4 | 22.8 |
| *Republic of Korea, Daegu | 4599 | 98.8 | 0.6 | 48.6 | 2398 | 97.1 | 1.2 | 20.8 |
| *Republic of Korea, Daejeon | 3119 | 98.9 | 0.3 | 59.1 | 1483 | 98.0 | 0.6 | 24.0 |
| *Republic of Korea, Gwangju | 2442 | 98.4 | 0.4 | 48.9 | 1397 | 96.4 | 1.6 | 23.0 |
| Republic of Korea, Incheon | 5240 | 99.2 | 0.3 | 49.2 | 2381 | 98.3 | 0.4 | 19.3 |
| Republic of Korea, Jeju | 1000 | 99.0 | 0.2 | 42.7 | 561 | 96.3 | 0.4 | 18.7 |
| Republic of Korea, Seoul | 17407 | 98.9 | 0.4 | 46.3 | 8421 | 97.7 | 0.8 | 19.3 |
| Republic of Korea, Ulsan | 2015 | 98.9 | 0.2 | 51.9 | 962 | 97.9 | 1.0 | 22.1 |
| Singapore | 1515 | 97.0 | 0.1 | 9.9 | 1102 | 95.3 | 0.3 | 5.9 |
| Singapore: Chinese | 1333 | 97.0 | 0.0 | 10.7 | 989 | 95.7 | 0.2 | 6.4 |
| Singapore: Indian | 77 | 97.4 | 0.0 | 6.7 | 43 | 97.7 | 2.3 | 3.9 |

* Important. See note on population page.

Indices of data quality Stomach (C16) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 90 | 98.9 | 1.1 | 5.9 | 51 | 88.2 | 0.0 | 2.8 |
| Thailand, Bangkok | 433 | 82.2 | 2.5 | 2.5 | 483 | 81.8 | 2.1 | 2.2 |
| *Thailand, Chiang Mai | 358 | 90.8 | 0.8 | 6.1 | 299 | 87.6 | 3.3 | 4.5 |
| *Thailand, Khon Kaen | 168 | 88.1 | 1.2 | 2.7 | 140 | 84.3 | 0.7 | 2.2 |
| Thailand, Lampang | 158 | 84.8 | 0.6 | 5.0 | 130 | 87.7 | 0.0 | 3.8 |
| Thailand, Lopburi Province | 117 | 74.4 | 1.7 | 5.0 | 100 | 78.0 | 2.0 | 3.7 |
| *Thailand, Songkhla | 104 | 88.5 | 3.8 | 2.5 | 80 | 83.8 | 7.5 | 1.6 |
| Turkey, Antalya | 672 | 97.8 | 0.6 | 10.8 | 365 | 97.8 | 0.3 | 5.3 |
| Turkey, Bursa | 1339 | 94.7 | 3.8 | 16.8 | 685 | 93.0 | 5.0 | 7.5 |
| *Turkey, Edirne | 245 | 91.8 | 2.0 | 15.5 | 116 | 91.4 | 4.3 | 6.6 |
| *Turkey, Erzurum | 721 | 87.9 | 5.0 | 39.2 | 393 | 86.5 | 6.9 | 17.9 |
| Turkey, Eskişehir | 335 | 97.6 | – | 12.4 | 178 | 99.4 | – | 5.8 |
| Turkey, Gaziantep | 361 | 96.1 | 1.4 | 10.5 | 211 | 93.8 | 2.8 | 5.2 |
| *Turkey, Izmir | 1760 | 93.1 | 3.4 | 13.2 | 971 | 91.0 | 4.6 | 6.2 |
| Turkey, Malatya | 295 | 92.2 | 6.1 | 13.2 | 127 | 93.7 | 5.5 | 4.7 |
| Turkey, Samsun | 709 | 96.3 | 2.5 | 17.2 | 326 | 94.2 | 3.4 | 6.6 |
| Turkey, Trabzon | 590 | 95.1 | 2.0 | 23.5 | 301 | 90.7 | 6.0 | 9.1 |
| Europe | | | | | | | | |
| Austria | 3635 | 88.3 | 6.0 | 8.3 | 2576 | 84.9 | 8.7 | 4.5 |
| Austria, Carinthia | 288 | 97.2 | 1.7 | 9.1 | 249 | 92.8 | 3.2 | 6.1 |
| Austria, Tyrol | 391 | 98.7 | 0.3 | 10.5 | 234 | 95.3 | 1.7 | 5.2 |
| Austria, Vorarlberg | 163 | 96.9 | 2.5 | 8.8 | 106 | 94.3 | 2.8 | 4.6 |
| Belarus | 8271 | 99.0 | 0.0 | 25.8 | 5900 | 98.8 | 0.0 | 10.8 |
| *Belgium | 4570 | 99.6 | – | 8.3 | 2742 | 99.2 | – | 4.1 |
| Croatia | 2840 | 76.2 | 4.0 | 13.6 | 1925 | 73.3 | 6.6 | 6.3 |
| Cyprus | 260 | 92.7 | 6.5 | 7.1 | 166 | 89.8 | 9.0 | 4.0 |
| *Czech Republic | 4319 | 94.7 | 0.6 | 8.6 | 2951 | 91.7 | 1.1 | 4.6 |
| Denmark | 2019 | 98.0 | – | 7.1 | 1054 | 96.1 | – | 3.3 |
| Estonia | 1075 | 91.6 | 0.7 | 19.4 | 928 | 91.2 | 0.9 | 10.2 |
| Finland | 1776 | 95.6 | 1.1 | 6.0 | 1326 | 93.1 | 1.5 | 3.6 |
| *France, Bas-Rhin | 317 | 99.7 | – | 7.7 | 180 | 96.7 | – | 3.4 |
| *France, Calvados | 202 | 96.5 | – | 5.6 | 120 | 90.0 | – | 2.5 |
| *France, Doubs | 200 | 99.0 | – | 7.6 | 104 | 98.1 | – | 3.2 |
| *France, Gironde | 468 | 99.1 | – | 6.6 | 230 | 99.1 | – | 2.3 |
| *France, Haut-Rhin | 305 | 99.3 | – | 7.6 | 167 | 97.0 | – | 3.3 |
| *France, Hérault | 371 | 98.9 | – | 6.6 | 244 | 93.4 | – | 3.4 |
| *France, Isère | 431 | 98.6 | – | 7.3 | 230 | 96.5 | – | 3.2 |
| *France, Lille-Métropole | 210 | 99.0 | – | 7.2 | 119 | 96.6 | – | 3.0 |
| *France, Limousin | 154 | 98.1 | – | 6.3 | 63 | 100.0 | – | 2.0 |
| *France, Loire-Atlantique | 446 | 98.4 | – | 7.3 | 243 | 97.5 | – | 2.8 |
| *France, Manche | 264 | 97.7 | – | 8.5 | 145 | 96.6 | – | 2.8 |
| *France, Poitou-Charentes | 667 | 99.6 | – | 6.3 | 313 | 97.8 | – | 2.2 |
| *France, Somme | 209 | 99.0 | – | 7.6 | 105 | 96.2 | – | 2.8 |
| *France, Tarn | 123 | 98.4 | – | 4.9 | 77 | 94.8 | – | 2.6 |
| *France, Territoire de Belfort | 42 | 97.6 | – | 8.0 | 21 | 95.2 | – | 2.6 |
| *France, Vendée | 294 | 99.0 | – | 6.9 | 130 | 95.4 | – | 2.6 |
| Germany, Baden-Württemberg | 3504 | 84.6 | 5.5 | 10.0 | 2116 | 81.2 | 8.1 | 5.0 |
| Germany, Bavaria | 6920 | 92.6 | 6.1 | 9.8 | 4850 | 88.1 | 10.2 | 5.4 |
| Germany, Bremen | 349 | 94.0 | 4.9 | 9.5 | 251 | 90.4 | 8.0 | 5.2 |
| Germany, Hamburg | 921 | 91.3 | 2.6 | 10.1 | 581 | 88.0 | 3.6 | 5.3 |
| Germany, Lower Saxony | 5004 | 93.3 | 4.8 | 11.1 | 3063 | 87.4 | 9.2 | 5.3 |
| Germany, North Rhine-Westphalia | 9955 | 88.1 | 7.2 | 10.1 | 6585 | 82.6 | 12.2 | 5.3 |
| Germany, Rhineland-Palatinate | 2226 | 85.3 | 11.2 | 9.7 | 1426 | 79.3 | 16.8 | 4.9 |
| Germany, Saarland | 575 | 91.3 | 4.7 | 9.3 | 376 | 85.1 | 10.1 | 4.8 |
| Germany, Schleswig-Holstein | 1813 | 88.7 | 1.9 | 10.6 | 1114 | 83.8 | 3.5 | 5.3 |
| Iceland | 75 | 97.3 | – | 5.1 | 59 | 94.9 | – | 3.4 |
| Ireland | 1828 | 96.8 | 0.3 | 9.6 | 999 | 93.2 | 1.0 | 4.7 |
| *Italy, Aosta Valley | 59 | 89.8 | – | 9.9 | 50 | 92.0 | – | 6.7 |
| *Italy, Avellino | 169 | 89.9 | 0.6 | 11.4 | 99 | 85.9 | 6.1 | 5.0 |
| Italy, Basilicata | 412 | 91.3 | 0.5 | 12.1 | 293 | 85.3 | 0.7 | 6.4 |
| *Italy, Benevento | 140 | 97.1 | 1.4 | 9.9 | 110 | 87.3 | 3.6 | 6.1 |
| Italy, Bergamo | 957 | 95.6 | 1.0 | 14.6 | 658 | 92.6 | 2.6 | 8.2 |
| *Italy, Brescia | 954 | 93.3 | 0.7 | 14.4 | 678 | 87.8 | 3.5 | 7.4 |
| Italy, Brianza (Lecco and Monza e Brianza) | 563 | 90.2 | 2.1 | 13.2 | 380 | 88.9 | 3.2 | 6.6 |
| Italy, Calabria | 293 | 91.1 | 0.7 | 10.0 | 219 | 79.5 | 4.6 | 6.1 |
| *Italy, Caserta | 454 | 93.0 | 1.8 | 13.5 | 292 | 86.6 | 3.1 | 6.8 |
| *Italy, Catania, Messina, and Enna | 864 | 92.1 | 1.4 | 8.4 | 589 | 88.5 | 3.2 | 4.8 |
| Italy, Emilia-Romagna | 2920 | 94.0 | 0.5 | 12.0 | 2028 | 91.0 | 0.9 | 6.2 |
| Italy, Friuli-Venezia Giulia | 911 | 95.3 | 0.0 | 10.9 | 610 | 91.8 | 0.7 | 5.4 |
| Italy, Genova | 429 | 89.7 | 0.7 | 8.5 | 280 | 87.1 | 2.1 | 3.7 |
| *Italy, Lombardy, South, Pavia | 417 | 89.0 | 0.5 | 12.0 | 303 | 85.1 | 2.3 | 6.3 |
| Italy, Mantova and Cremona | 600 | 91.0 | 0.3 | 15.2 | 413 | 85.0 | 1.0 | 7.5 |

* Important. See note on population page.

Indices of data quality Stomach (C16) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 1181 | 95.6 | 1.2 | 14.5 | 863 | 93.7 | 2.0 | 8.0 |
| Italy, Milan | 2227 | 88.7 | 0.4 | 10.9 | 1595 | 87.5 | 1.8 | 5.4 |
| Italy, Molise | 150 | 91.3 | 0.0 | 12.4 | 109 | 84.4 | 1.8 | 7.6 |
| *Italy, Naples Centre | 254 | 89.8 | 1.6 | 9.1 | 221 | 82.4 | 5.9 | 5.8 |
| *Italy, Naples North | 439 | 94.5 | 1.8 | 13.2 | 282 | 90.1 | 1.8 | 7.2 |
| *Italy, Naples South | 529 | 91.7 | 1.7 | 10.6 | 365 | 87.4 | 2.5 | 5.9 |
| *Italy, Nuoro | 64 | 98.4 | 0.0 | 8.3 | 69 | 84.1 | 4.3 | 6.2 |
| *Italy, Palermo | 531 | 86.8 | 4.5 | 8.3 | 324 | 82.4 | 7.4 | 4.2 |
| Italy, Puglia | 2037 | 91.8 | 0.9 | 9.0 | 1390 | 88.2 | 1.6 | 4.9 |
| *Italy, Ragusa and Caltanissetta | 247 | 93.1 | 0.4 | 7.3 | 162 | 86.4 | 3.1 | 4.2 |
| *Italy, Salerno | 389 | 90.0 | 1.0 | 8.5 | 301 | 87.4 | 2.0 | 5.5 |
| Italy, Sassari | 89 | 93.3 | 0.0 | 7.5 | 58 | 89.7 | 1.7 | 4.5 |
| *Italy, Sondrio | 199 | 85.4 | 4.5 | 16.2 | 153 | 83.0 | 6.5 | 8.9 |
| Italy, South Tyrol | 287 | 97.9 | 0.3 | 9.7 | 220 | 95.5 | 0.9 | 5.5 |
| *Italy, Syracuse | 154 | 83.1 | 0.6 | 6.6 | 99 | 78.8 | 2.0 | 3.5 |
| Italy, Trento | 294 | 95.6 | 0.0 | 9.6 | 249 | 90.4 | 2.0 | 5.8 |
| Italy, Turin | 1310 | 90.8 | 1.6 | 9.0 | 839 | 87.6 | 2.4 | 4.6 |
| *Italy, Tuscany | 1925 | 87.9 | 0.9 | 13.4 | 1353 | 82.9 | 1.9 | 7.0 |
| Italy, Umbria | 674 | 93.6 | 0.7 | 13.3 | 544 | 88.1 | 0.9 | 7.9 |
| Italy, Varese | 297 | 98.0 | 0.0 | 9.5 | 225 | 91.6 | 0.9 | 5.1 |
| Italy, Veneto | 2699 | 93.2 | 0.9 | 9.1 | 1859 | 90.8 | 1.2 | 4.6 |
| Latvia | 1574 | 82.1 | 4.9 | 19.7 | 1217 | 80.0 | 4.9 | 8.8 |
| *Liechtenstein | 13 | 100.0 | – | 7.4 | 5 | 100.0 | – | 2.8 |
| *Lithuania | 2451 | 71.8 | 22.5 | 20.2 | 1704 | 71.0 | 22.3 | 8.3 |
| Malta | 193 | 95.3 | 1.0 | 8.1 | 103 | 92.2 | 2.9 | 3.4 |
| *The Netherlands | 5693 | 98.5 | – | 6.5 | 3316 | 97.8 | – | 3.4 |
| Norway | 1504 | 96.9 | 1.1 | 6.1 | 862 | 94.1 | 2.3 | 3.0 |
| Poland, Kielce | 642 | 95.8 | 0.2 | 11.4 | 340 | 96.2 | 0.0 | 4.3 |
| *Portugal, Azores | 154 | 94.8 | 1.3 | 21.0 | 80 | 100.0 | 0.0 | 8.3 |
| Russian Federation, Arkhangelsk | 1289 | 88.4 | 7.8 | 34.1 | 1059 | 84.0 | 10.9 | 14.4 |
| Russian Federation, Kaliningrad | 650 | 88.8 | 2.3 | 21.0 | 516 | 81.4 | 2.5 | 9.4 |
| Russian Federation, Karelia | 660 | 88.5 | 4.5 | 32.7 | 501 | 84.4 | 5.8 | 13.2 |
| *Russian Federation, Komi Republic | 778 | 83.9 | 9.0 | 33.1 | 522 | 82.2 | 10.0 | 12.2 |
| Russian Federation, Murmansk | 591 | 91.5 | 6.6 | 29.5 | 506 | 90.3 | 6.3 | 13.1 |
| *Russian Federation, Orenburg | 1746 | 97.1 | 0.8 | 27.1 | 1214 | 97.4 | 0.7 | 11.3 |
| Russian Federation, Pskov | 673 | 83.4 | 9.7 | 28.9 | 483 | 83.9 | 8.9 | 10.9 |
| *Russian Federation, Samara | 2402 | 93.7 | 4.0 | 21.9 | 1837 | 93.2 | 4.1 | 9.5 |
| Russian Federation, Vologda Region | 1160 | 88.4 | 4.5 | 29.8 | 795 | 89.3 | 3.6 | 11.2 |
| Slovenia | 1424 | 97.6 | 0.3 | 13.5 | 863 | 95.8 | 0.2 | 6.2 |
| Spain, Asturias | 417 | 95.9 | 0.5 | 10.3 | 287 | 88.2 | 1.0 | 5.0 |
| Spain, Basque Country | 1294 | 95.0 | 0.4 | 13.2 | 718 | 90.3 | 1.0 | 5.8 |
| Spain, Canary Islands | 487 | 97.9 | 0.2 | 7.5 | 316 | 92.1 | 0.6 | 4.1 |
| Spain, Castellón | 267 | 94.8 | – | 8.5 | 133 | 94.7 | – | 3.6 |
| Spain, Girona | 341 | 93.5 | 1.2 | 8.9 | 223 | 93.3 | 1.3 | 4.9 |
| Spain, Granada | 382 | 95.5 | 0.5 | 8.6 | 239 | 88.7 | 2.5 | 4.5 |
| Spain, La Rioja | 219 | 97.7 | 1.4 | 12.3 | 122 | 94.3 | 0.8 | 4.9 |
| Spain, Murcia | 535 | 96.8 | 1.1 | 8.1 | 384 | 93.2 | 0.5 | 5.0 |
| Spain, Navarra | 288 | 95.1 | 0.7 | 10.2 | 200 | 93.0 | 1.5 | 5.9 |
| Spain, Salamanca | 270 | 96.3 | 0.0 | 10.9 | 185 | 93.5 | 0.5 | 5.8 |
| Spain, Tarragona | 327 | 93.0 | 3.1 | 7.9 | 178 | 91.0 | 2.8 | 3.8 |
| *Sweden | 2654 | 99.6 | – | 5.0 | 1562 | 99.5 | – | 2.7 |
| Switzerland, Aargau | 191 | 98.4 | 1.6 | 5.9 | 101 | 96.0 | 2.0 | 3.0 |
| Switzerland, Basel | 215 | 96.7 | 2.8 | 8.2 | 145 | 97.2 | 1.4 | 4.6 |
| Switzerland, Berne Solothurn | 334 | 98.5 | 0.9 | 7.7 | 182 | 96.7 | 0.5 | 3.4 |
| Switzerland, East | 303 | 98.0 | 0.7 | 7.3 | 153 | 96.7 | 0.7 | 3.1 |
| *Switzerland, Fribourg | 111 | 100.0 | 0.0 | 8.2 | 45 | 93.3 | 2.2 | 2.9 |
| Switzerland, Geneva | 161 | 96.9 | 0.6 | 7.8 | 98 | 98.0 | 0.0 | 3.7 |
| *Switzerland, Graubünden and Glarus | 104 | 97.1 | – | 7.7 | 59 | 94.9 | – | 3.1 |
| *Switzerland, Lucerne | 197 | 94.4 | 4.1 | 7.5 | 97 | 90.7 | 6.2 | 3.1 |
| *Switzerland, Neuchâtel and Jura | 95 | 98.9 | – | 8.0 | 52 | 98.1 | – | 3.3 |
| Switzerland, Ticino | 187 | 95.2 | 1.6 | 8.9 | 128 | 92.2 | 2.3 | 4.7 |
| Switzerland, Valais | 146 | 97.9 | – | 8.3 | 90 | 96.7 | – | 4.3 |
| Switzerland, Vaud | 207 | 94.7 | 2.4 | 6.2 | 130 | 95.4 | 2.3 | 3.5 |
| Switzerland, Zurich and Zug | 532 | 98.7 | 0.4 | 7.4 | 264 | 97.0 | 1.1 | 3.0 |
| Ukraine | 24960 | 83.4 | 0.6 | 19.8 | 16064 | 80.7 | 0.5 | 7.9 |
| UK, England | 17811 | 92.5 | 0.7 | 6.1 | 9487 | 87.5 | 1.5 | 2.7 |
| UK, Northern Ireland | 685 | 94.2 | 0.4 | 7.9 | 400 | 89.2 | 0.8 | 3.8 |
| UK, Scotland | 2020 | 92.4 | 0.4 | 7.0 | 1255 | 87.9 | 0.6 | 3.4 |
| UK, Wales | 1470 | 91.2 | 1.5 | 8.1 | 702 | 83.8 | 3.0 | 3.0 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 2600 | 96.8 | 0.7 | 7.2 | 1379 | 92.4 | 2.2 | 3.4 |
| *Australia, Northern Territory | 34 | 100.0 | – | 4.9 | 11 | 100.0 | – | 1.8 |

* Important. See note on population page.

Indices of data quality Stomach (C16) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 27 | 100.0 | – | 4.6 | 5 | 100.0 | – | 1.1 |
| *Australia, Northern Territory: Indigenous | 7 | 100.0 | – | 6.4 | 6 | 100.0 | – | 4.5 |
| *Australia, Queensland | 1473 | 94.0 | 0.8 | 7.2 | 870 | 88.3 | 1.6 | 3.9 |
| Australia, South Australia | 533 | 95.9 | 0.4 | 6.4 | 295 | 92.5 | 2.7 | 3.1 |
| Australia, Tasmania | 196 | 94.9 | 0.0 | 7.6 | 92 | 90.2 | 2.2 | 3.3 |
| *Australia, Victoria | 1909 | 96.2 | 1.4 | 7.1 | 1025 | 92.1 | 2.3 | 3.4 |
| *Australia, Western Australia | 654 | 93.7 | 0.8 | 6.2 | 319 | 90.9 | 3.1 | 2.7 |
| *France, New Caledonia | 83 | 97.6 | – | 10.5 | 50 | 96.0 | – | 5.5 |
| New Zealand | 1268 | 94.0 | 2.2 | 6.5 | 709 | 88.7 | 4.7 | 3.3 |
| *New Zealand: Maori | 212 | 94.8 | 2.4 | 13.5 | 148 | 93.9 | 3.4 | 8.2 |
| *New Zealand: Pacific peoples | 90 | 96.7 | 2.2 | 14.1 | 86 | 89.5 | 3.5 | 11.8 |
| *New Zealand: Other | 858 | 93.2 | 2.4 | 5.1 | 411 | 85.2 | 5.8 | 2.1 |
| USA, Hawaii | 451 | 97.6 | 0.9 | 6.4 | 314 | 93.6 | 1.9 | 3.8 |
| USA, Hawaii: White | 79 | 96.2 | 2.5 | 3.6 | 38 | 92.1 | 2.6 | 1.9 |
| *USA, Hawaii: Japanese | 147 | 97.3 | 1.4 | 7.7 | 116 | 93.1 | 0.9 | 4.4 |
| *USA, Hawaii: Chinese | 31 | 100.0 | – | 6.7 | 21 | 95.2 | – | 4.2 |
| *USA, Hawaii: Hawaiian | 73 | 97.3 | 0.0 | 7.9 | 43 | 95.3 | 4.7 | 4.1 |
| *USA, Hawaii: Filipino | 57 | 96.5 | 0.0 | 5.1 | 42 | 90.5 | 4.8 | 2.6 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 190 | 97.4 | – | 13.7 | 199 | 94.0 | – | 14.2 |
| *Algeria, Tizi Ouzou | 377 | 96.8 | – | 24.6 | 329 | 95.4 | – | 18.2 |
| *Benin, Cotonou | 54 | 75.9 | – | 10.0 | 30 | 76.7 | – | 4.0 |
| *France, La Réunion | 667 | 97.9 | – | 31.2 | 625 | 97.1 | – | 23.4 |
| *Kenya, Eldoret | 62 | 82.3 | – | 6.1 | 75 | 90.7 | – | 6.9 |
| *Kenya, Nairobi | 372 | 81.5 | 4.0 | 14.8 | 319 | 77.1 | 6.3 | 13.9 |
| Mauritius | 675 | 93.6 | 3.7 | 16.0 | 637 | 87.1 | 8.8 | 13.7 |
| *Morocco, Casablanca | 977 | 98.7 | 0.8 | 9.3 | 1034 | 98.5 | 1.0 | 9.0 |
| *Seychelles | 69 | 91.3 | 4.3 | 25.7 | 69 | 92.8 | 2.9 | 20.9 |
| *South Africa, Eastern Cape | 40 | 87.5 | – | 3.8 | 49 | 85.7 | – | 3.1 |
| *Uganda, Kyadondo County | 219 | 59.8 | 0.0 | 12.6 | 184 | 53.8 | 1.1 | 9.5 |
| *Uganda, Gulu | 14 | 21.4 | – | 2.6 | 7 | 57.1 | – | 1.5 |
| *Zimbabwe, Bulawayo: African | 96 | 79.2 | 4.2 | 11.5 | 112 | 74.1 | 3.6 | 10.3 |
| *Zimbabwe, Harare: African | 279 | 81.4 | 11.1 | 17.0 | 246 | 80.5 | 8.1 | 12.5 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 811 | 85.2 | 13.2 | 35.3 | 771 | 84.4 | 12.5 | 26.3 |
| *Argentina, Mendoza | 1535 | 87.6 | 10.7 | 29.4 | 1235 | 86.6 | 11.7 | 18.8 |
| Brazil, Aracaju | 184 | 98.4 | 1.1 | 17.8 | 273 | 97.8 | 1.8 | 17.4 |
| *Brazil, Barretos | 323 | 87.0 | 11.5 | 23.9 | 290 | 87.9 | 11.0 | 18.4 |
| Brazil, Belo Horizonte | 1772 | 94.4 | 5.4 | 24.7 | 2222 | 93.4 | 6.4 | 22.2 |
| *Brazil, Campinas | 839 | 92.0 | 7.4 | 35.7 | 835 | 89.6 | 8.7 | 26.9 |
| *Brazil, Curitiba | 914 | 82.9 | 11.8 | 23.1 | 995 | 82.5 | 11.7 | 18.0 |
| Brazil, Goiânia | 698 | 98.0 | 2.0 | 26.7 | 720 | 97.4 | 2.6 | 20.6 |
| *Brazil, Jaú | 127 | 96.1 | 0.0 | 29.6 | 116 | 96.6 | 0.9 | 21.8 |
| Brazil, João Pessoa | 123 | 89.4 | 1.6 | 11.7 | 189 | 91.5 | 3.2 | 11.8 |
| Brazil, Recife | 398 | 71.4 | 8.0 | 16.2 | 565 | 75.4 | 4.8 | 14.3 |
| Chile, Region of Antofagasta | 169 | 88.8 | 1.8 | 17.3 | 175 | 84.0 | 4.6 | 16.2 |
| Chile, Valdivia | 276 | 87.7 | 3.6 | 20.0 | 285 | 84.6 | 4.6 | 17.7 |
| Colombia, Bucaramanga | 461 | 88.5 | 3.3 | 15.6 | 578 | 89.6 | 3.8 | 14.4 |
| Colombia, Cali | 1153 | 88.4 | 1.4 | 19.4 | 1407 | 88.7 | 1.3 | 17.1 |
| Colombia, Manizales | 238 | 89.5 | 0.0 | 17.2 | 304 | 83.2 | 0.7 | 16.7 |
| Colombia, Pasto | 113 | 91.2 | 0.9 | 11.0 | 142 | 84.5 | 6.3 | 10.3 |
| Costa Rica | 1563 | 80.7 | 1.9 | 15.7 | 1682 | 77.3 | 2.3 | 15.5 |
| Ecuador, Guayaquil | 734 | 91.8 | 3.1 | 13.7 | 863 | 92.7 | 2.4 | 14.0 |
| Ecuador, Manabí | 314 | 85.0 | 9.2 | 8.9 | 324 | 82.7 | 8.3 | 8.8 |
| Ecuador, Quito | 615 | 92.2 | 3.6 | 14.8 | 691 | 91.3 | 4.9 | 13.5 |
| *France, Guadeloupe | 444 | 98.2 | – | 26.4 | 466 | 97.9 | – | 20.4 |
| *France, Martinique | 539 | 97.0 | – | 28.3 | 482 | 97.5 | – | 21.6 |
| *Peru, Lima | 2311 | 86.5 | 5.8 | 16.5 | 2738 | 82.9 | 7.9 | 15.7 |
| *Trinidad and Tobago | 436 | 81.2 | 9.2 | 17.8 | 409 | 81.4 | 8.1 | 15.1 |
| USA, Puerto Rico | 5108 | 95.2 | 2.2 | 34.0 | 4433 | 93.3 | 3.1 | 23.8 |
| *Uruguay | 4836 | 88.7 | 6.7 | 37.7 | 4707 | 84.6 | 9.0 | 27.1 |
| North America | | | | | | | | |
| Canada, Alberta | 5787 | 97.8 | 0.2 | 37.0 | 4586 | 95.4 | 0.2 | 26.8 |
| Canada, British Columbia | 8996 | 96.3 | 0.5 | 37.4 | 7343 | 93.8 | 0.9 | 27.2 |
| *Canada, Manitoba | 2313 | 96.2 | – | 40.8 | 1888 | 95.1 | – | 28.6 |
| *Canada, New Brunswick | 1680 | 96.4 | 0.1 | 41.1 | 1361 | 92.4 | 0.1 | 28.1 |
| *Canada, Newfoundland and Labrador | 1698 | 96.6 | 0.5 | 59.5 | 1342 | 95.3 | 0.7 | 43.3 |
| Canada, Ontario | 23017 | 95.1 | 1.2 | 36.3 | 19839 | 92.6 | 2.5 | 26.6 |
| *Canada, Prince Edward Island | 346 | 96.0 | 0.0 | 44.8 | 272 | 90.8 | 0.7 | 30.6 |
| Canada, Quebec | 18550 | 94.6 | 2.4 | 43.8 | 15260 | 89.7 | 5.3 | 30.8 |
| Canada, Saskatchewan | 2216 | 96.7 | 0.5 | 44.1 | 1681 | 93.6 | 0.5 | 29.5 |
| *Canada, Yukon | 67 | 97.0 | – | 43.1 | 33 | 100.0 | – | 21.4 |
| USA | 386240 | 96.5 | 2.1 | 29.8 | 360587 | 95.7 | 2.3 | 23.4 |
| USA: White | 319308 | 96.6 | 2.0 | 29.2 | 296650 | 95.7 | 2.3 | 23.1 |
| USA: Black | 46518 | 96.1 | 2.6 | 36.0 | 45837 | 96.1 | 2.1 | 27.0 |
| USA, NPCR | 373766 | 96.5 | 2.1 | 29.8 | 348767 | 95.7 | 2.3 | 23.4 |
| USA, NPCR: White | 309199 | 96.6 | 2.0 | 29.2 | 286954 | 95.7 | 2.3 | 23.2 |
| USA, NPCR: Black | 46010 | 96.0 | 2.6 | 36.1 | 45359 | 96.0 | 2.2 | 27.1 |
| USA, NPCR: Asian and Pacific Islander | 13487 | 97.6 | 1.3 | 23.4 | 12068 | 96.8 | 1.7 | 16.6 |
| USA, NPCR: American Indian | 2272 | 95.4 | 3.0 | 19.9 | 2106 | 96.0 | 2.2 | 16.3 |
| *USA, SEER (18 registries) | 99951 | 97.1 | 0.9 | 29.1 | 93474 | 96.1 | 1.1 | 22.9 |
| *USA, SEER (18 registries): White | 77501 | 97.1 | 0.9 | 28.4 | 72350 | 95.9 | 1.2 | 22.8 |
| *USA, SEER (18 registries): Non-Hispanic White | 65669 | 97.0 | 0.9 | 29.1 | 61704 | 95.7 | 1.2 | 23.4 |
| *USA, SEER (18 registries): Hispanic White | 11832 | 97.5 | 0.8 | 26.6 | 10646 | 97.1 | 0.9 | 20.7 |
| *USA, SEER (18 registries): Black | 11880 | 96.7 | 1.3 | 35.7 | 11735 | 96.8 | 0.9 | 27.3 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 8611 | 97.7 | 0.5 | 25.3 | 7624 | 96.5 | 1.0 | 17.5 |
| *USA, SEER (9 registries) | 33379 | 97.2 | 0.9 | 28.2 | 31503 | 96.0 | 1.0 | 22.4 |
| *USA, SEER (9 registries): White | 25177 | 97.1 | 0.9 | 27.0 | 23900 | 95.8 | 1.1 | 22.1 |
| *USA, SEER (9 registries): Black | 3973 | 97.2 | 1.1 | 35.9 | 3898 | 96.9 | 0.7 | 26.7 |
| USA, Alabama | 6842 | 95.4 | 3.7 | 34.8 | 6342 | 94.5 | 4.2 | 26.9 |
| USA, Alabama: White | 5139 | 95.9 | 3.2 | 33.5 | 4571 | 94.9 | 3.8 | 25.7 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 1586 | 93.8 | 5.7 | 39.7 | 1645 | 92.9 | 5.5 | 30.2 |
| USA, Alaska | 814 | 95.2 | 2.2 | 30.6 | 711 | 95.2 | 2.0 | 28.3 |
| *USA, Alaska: Alaska Natives | 192 | 96.4 | 0.5 | 58.5 | 226 | 95.6 | 1.3 | 62.2 |
| USA, Arizona | 7315 | 94.2 | 4.8 | 25.2 | 6414 | 94.1 | 4.8 | 19.2 |
| USA, Arizona: White | 6790 | 94.2 | 4.7 | 25.8 | 5896 | 94.1 | 4.8 | 19.6 |
| USA, Arizona: Black | 207 | 95.2 | 4.8 | 21.5 | 221 | 94.1 | 3.6 | 21.5 |
| *USA, Arizona: Asian and Pacific Islander | 114 | 93.0 | 7.0 | 15.5 | 128 | 95.3 | 4.7 | 12.2 |
| USA, Arizona: American Indian | 190 | 94.7 | 3.7 | 20.5 | 159 | 95.6 | 3.1 | 13.8 |
| USA, Arkansas | 4322 | 96.1 | 2.4 | 35.6 | 3876 | 95.6 | 3.0 | 27.1 |
| USA, Arkansas: White | 3650 | 96.3 | 2.1 | 34.6 | 3232 | 95.6 | 2.9 | 26.3 |
| USA, Arkansas: Black | 580 | 94.8 | 3.8 | 42.2 | 549 | 94.5 | 4.0 | 31.0 |
| USA, California | 39726 | 97.1 | 1.5 | 27.1 | 37056 | 96.0 | 1.9 | 21.4 |
| USA, California: White | 30757 | 97.2 | 1.5 | 27.1 | 28772 | 95.9 | 2.0 | 21.9 |
| USA, California: Black | 2712 | 96.1 | 2.3 | 30.6 | 2696 | 96.5 | 1.7 | 24.9 |
| USA, California: Asian and Pacific Islander | 5615 | 97.6 | 1.2 | 25.2 | 5081 | 96.4 | 1.8 | 17.6 |
| *USA, California, Los Angeles County | 9821 | 97.5 | 0.8 | 27.0 | 9212 | 96.7 | 0.8 | 21.0 |
| *USA, California, Los Angeles County: White | 6943 | 97.8 | 0.7 | 26.5 | 6432 | 96.7 | 0.8 | 21.0 |
| *USA, California, Los Angeles County: Non-Hispanic White | 4005 | 97.6 | 0.8 | 27.5 | 3765 | 96.2 | 0.9 | 22.8 |
| *USA, California, Los Angeles County: Hispanic White | 2938 | 98.1 | 0.6 | 25.8 | 2667 | 97.5 | 0.6 | 19.4 |
| *USA, California, Los Angeles County: Black | 1004 | 95.6 | 2.2 | 30.7 | 1060 | 95.8 | 0.9 | 23.9 |
| *USA, California, Los Angeles County: Chinese | 475 | 96.6 | 0.8 | 20.8 | 401 | 96.3 | 1.0 | 13.9 |
| *USA, California, Los Angeles County: Filipino | 287 | 99.0 | 0.0 | 21.1 | 306 | 98.0 | 1.6 | 14.8 |
| *USA, California, Los Angeles County: Korean | 286 | 96.2 | 1.0 | 29.5 | 236 | 96.6 | 0.8 | 18.3 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 1684 | 97.4 | 0.5 | 26.1 | 1566 | 97.0 | 1.1 | 18.5 |
| *USA, California, San Francisco Bay Area | 4919 | 97.3 | 0.8 | 26.2 | 4571 | 95.8 | 1.1 | 20.3 |
| *USA, California, San Francisco Bay Area: White | 3180 | 97.3 | 0.8 | 25.8 | 2932 | 95.9 | 1.1 | 20.7 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 2616 | 97.2 | 0.8 | 26.1 | 2398 | 95.6 | 1.2 | 20.9 |
| *USA, California, San Francisco Bay Area: Hispanic White | 564 | 97.3 | 1.2 | 25.4 | 534 | 97.0 | 0.9 | 20.4 |
| *USA, California, San Francisco Bay Area: Black | 463 | 96.8 | 1.3 | 31.3 | 506 | 96.6 | 0.4 | 27.1 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 1204 | 97.5 | 0.4 | 24.9 | 1083 | 95.3 | 1.1 | 17.1 |
| USA, Colorado | 5093 | 96.2 | 2.0 | 24.5 | 4783 | 95.1 | 2.0 | 20.2 |
| USA, Colorado: White | 4666 | 96.2 | 2.0 | 24.2 | 4422 | 95.1 | 2.0 | 20.2 |
| *USA, Colorado: Black | 226 | 95.6 | 2.2 | 29.8 | 175 | 94.9 | 1.1 | 22.6 |
| *USA, Colorado: Asian and Pacific Islander | 123 | 95.9 | 1.6 | 24.0 | 122 | 92.6 | 3.3 | 16.6 |
| USA, Connecticut | 4081 | 97.9 | 0.5 | 26.4 | 4038 | 97.0 | 0.7 | 21.2 |
| USA, Connecticut: White | 3531 | 97.8 | 0.5 | 25.7 | 3507 | 96.8 | 0.8 | 20.7 |
| USA, Connecticut: Black | 353 | 98.3 | 0.6 | 29.0 | 364 | 98.6 | 0.0 | 22.3 |
| USA, District of Columbia | 642 | 95.5 | 3.3 | 30.2 | 707 | 96.9 | 2.4 | 26.6 |
| USA, District of Columbia: White | 181 | 97.2 | 2.8 | 19.3 | 173 | 95.4 | 3.5 | 18.1 |
| USA, District of Columbia: Black | 430 | 94.4 | 3.7 | 38.9 | 506 | 97.2 | 2.2 | 31.3 |
| USA, Florida | 28116 | 96.4 | 2.6 | 29.5 | 25886 | 96.0 | 2.4 | 22.9 |
| USA, Florida: White | 23830 | 97.0 | 2.0 | 28.9 | 21925 | 96.3 | 2.0 | 22.7 |
| USA, Florida: Black | 3378 | 97.5 | 1.8 | 33.1 | 3168 | 96.5 | 2.2 | 24.4 |
| USA, Florida: Asian and Pacific Islander | 395 | 98.5 | 1.0 | 19.0 | 339 | 97.1 | 0.0 | 12.7 |
| USA, Georgia | 12323 | 96.3 | 2.0 | 33.8 | 11018 | 96.0 | 1.8 | 25.2 |
| USA, Georgia: White | 8434 | 96.3 | 1.9 | 32.2 | 7305 | 95.7 | 1.9 | 24.3 |
| USA, Georgia: Black | 3530 | 96.3 | 2.1 | 39.4 | 3452 | 96.6 | 1.6 | 28.4 |
| USA, Georgia: Asian and Pacific Islander | 313 | 97.4 | 1.9 | 27.0 | 238 | 98.7 | 0.0 | 17.3 |
| *USA, Georgia, Atlanta | 3674 | 96.9 | 1.1 | 32.0 | 3279 | 96.6 | 0.9 | 23.1 |
| *USA, Georgia, Atlanta: White | 2004 | 96.9 | 1.1 | 29.3 | 1700 | 96.3 | 1.1 | 21.6 |
| *USA, Georgia, Atlanta: Black | 1428 | 96.9 | 1.1 | 37.3 | 1408 | 96.8 | 0.8 | 26.1 |
| USA, Idaho | 1779 | 95.5 | 1.6 | 26.1 | 1641 | 95.0 | 1.7 | 22.4 |
| USA, Indiana | 8720 | 97.3 | 1.1 | 32.8 | 8291 | 96.7 | 1.0 | 25.8 |
| USA, Indiana: White | 7958 | 97.4 | 1.0 | 32.6 | 7556 | 96.7 | 1.0 | 26.0 |
| USA, Indiana: Black | 651 | 96.0 | 2.5 | 36.7 | 649 | 96.5 | 0.8 | 27.3 |
| *USA, Iowa | 4261 | 96.7 | 1.2 | 31.4 | 4109 | 94.5 | 1.5 | 25.1 |
| USA, Kentucky | 6974 | 97.2 | 1.5 | 38.7 | 6289 | 96.3 | 1.9 | 29.6 |
| USA, Louisiana | 6584 | 98.1 | 0.8 | 36.9 | 5734 | 97.2 | 1.0 | 27.8 |
| USA, Louisiana: White | 4468 | 98.1 | 0.7 | 34.6 | 3776 | 97.1 | 1.0 | 26.2 |
| USA, Louisiana: Black | 2023 | 97.9 | 1.0 | 44.5 | 1897 | 97.4 | 1.2 | 32.7 |
| *USA, Louisiana, New Orleans | 1137 | 97.9 | 1.3 | 33.7 | 953 | 97.1 | 1.4 | 23.5 |
| *USA, Louisiana, New Orleans: White | 638 | 97.6 | 1.6 | 30.5 | 511 | 96.5 | 2.0 | 21.1 |
| *USA, Louisiana, New Orleans: Black | 459 | 98.3 | 1.1 | 39.5 | 421 | 97.6 | 0.7 | 27.7 |
| USA, Maine | 1805 | 96.6 | 2.3 | 27.3 | 1798 | 95.3 | 2.1 | 23.5 |
| USA, Maryland | 6378 | 95.1 | 3.7 | 27.1 | 6524 | 95.0 | 3.2 | 22.5 |
| USA, Maryland: White | 4221 | 95.7 | 2.9 | 25.9 | 4290 | 95.1 | 2.9 | 22.3 |
| USA, Maryland: Black | 1868 | 93.6 | 5.5 | 32.3 | 1960 | 94.8 | 3.6 | 24.5 |
| USA, Maryland: Asian and Pacific Islander | 264 | 96.2 | 3.4 | 19.8 | 239 | 95.4 | 4.6 | 14.6 |
| USA, Massachusetts | 7598 | 97.4 | 1.5 | 26.8 | 7614 | 95.6 | 2.5 | 21.5 |
| USA, Massachusetts: White | 6732 | 97.3 | 1.5 | 26.5 | 6833 | 95.4 | 2.6 | 21.6 |
| USA, Massachusetts: Black | 514 | 98.2 | 1.0 | 31.0 | 467 | 96.1 | 2.8 | 22.2 |
| USA, Massachusetts: Asian and Pacific Islander | 264 | 97.7 | 1.5 | 21.0 | 237 | 97.9 | 1.7 | 15.8 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 12077 | 96.2 | 2.5 | 28.3 | 11711 | 95.6 | 2.5 | 23.1 |
| USA, Michigan: White | 10052 | 96.2 | 2.6 | 27.0 | 9775 | 95.4 | 2.7 | 22.5 |
| USA, Michigan: Black | 1717 | 96.8 | 1.9 | 38.8 | 1686 | 96.3 | 1.8 | 28.5 |
| USA, Michigan: Asian and Pacific Islander | 165 | 96.4 | 1.8 | 18.9 | 135 | 96.3 | 1.5 | 13.1 |
| *USA, Michigan, Detroit | 4887 | 97.5 | 1.0 | 30.9 | 4912 | 96.5 | 1.2 | 24.9 |
| *USA, Michigan, Detroit: White | 3472 | 97.7 | 0.9 | 28.5 | 3513 | 96.4 | 1.3 | 23.9 |
| *USA, Michigan, Detroit: Black | 1288 | 97.0 | 1.2 | 42.0 | 1294 | 96.5 | 1.0 | 29.6 |
| USA, Minnesota | 6395 | 97.2 | 1.3 | 28.1 | 6112 | 95.4 | 2.3 | 22.5 |
| USA, Minnesota: White | 5921 | 97.2 | 1.3 | 27.8 | 5689 | 95.1 | 2.4 | 22.2 |
| USA, Minnesota: Black | 231 | 97.0 | 1.3 | 31.9 | 200 | 99.0 | 0.5 | 26.1 |
| *USA, Minnesota: Asian and Pacific Islander | 140 | 99.3 | 0.0 | 24.8 | 127 | 96.9 | 0.8 | 18.4 |
| USA, Mississippi | 4565 | 97.3 | 1.2 | 39.9 | 4096 | 97.4 | 0.8 | 29.6 |
| USA, Missouri | 8038 | 96.6 | 2.4 | 31.6 | 7493 | 95.8 | 2.4 | 24.4 |
| USA, Missouri: White | 7157 | 96.6 | 2.3 | 31.3 | 6564 | 95.7 | 2.5 | 24.1 |
| USA, Missouri: Black | 768 | 96.6 | 2.7 | 36.5 | 833 | 96.2 | 1.4 | 29.2 |
| USA, Montana | 1458 | 96.7 | 1.3 | 30.3 | 1193 | 94.8 | 1.7 | 23.0 |
| *USA, Montana: American Indian | 84 | 96.4 | 1.2 | 47.0 | 65 | 95.4 | 1.5 | 31.2 |
| USA, Nebraska | 2456 | 97.5 | 1.3 | 31.8 | 2342 | 96.2 | 1.8 | 25.5 |
| USA, Nebraska: White | 2313 | 97.5 | 1.4 | 31.5 | 2221 | 96.2 | 1.6 | 25.5 |
| *USA, Nebraska: Black | 97 | 97.9 | 0.0 | 40.7 | 76 | 94.7 | 5.3 | 28.5 |
| USA, Nevada | 3291 | 95.1 | 3.4 | 27.4 | 2772 | 95.5 | 3.0 | 21.7 |
| USA, Nevada: White | 2738 | 95.3 | 3.3 | 27.4 | 2293 | 95.4 | 3.0 | 22.4 |
| USA, Nevada: Black | 253 | 92.5 | 5.5 | 29.0 | 220 | 96.4 | 2.3 | 22.6 |
| *USA, Nevada: Asian and Pacific Islander | 251 | 96.0 | 2.4 | 25.7 | 221 | 95.0 | 3.2 | 16.0 |
| USA, New Jersey | 11438 | 97.3 | 1.5 | 30.8 | 11241 | 96.4 | 1.9 | 24.1 |
| USA, New Jersey: White | 9308 | 97.3 | 1.5 | 30.9 | 9086 | 96.2 | 1.9 | 24.3 |
| USA, New Jersey: Black | 1409 | 96.5 | 2.3 | 34.3 | 1547 | 96.8 | 1.7 | 27.0 |
| USA, New Mexico | 2192 | 95.9 | 1.9 | 25.3 | 2015 | 95.2 | 2.3 | 20.8 |
| USA, New Mexico: White | 1935 | 96.0 | 2.0 | 25.0 | 1766 | 94.9 | 2.6 | 20.6 |
| USA, New Mexico: Non-Hispanic White | 1094 | 95.7 | 2.1 | 23.6 | 1012 | 94.3 | 2.5 | 19.9 |
| USA, New Mexico: Hispanic White | 841 | 96.3 | 1.9 | 27.8 | 754 | 95.8 | 2.8 | 22.1 |
| *USA, New Mexico: American Indian | 182 | 95.1 | 1.1 | 29.6 | 174 | 97.1 | 0.6 | 22.2 |
| USA, New York State | 24017 | 97.6 | 1.0 | 29.9 | 23512 | 96.1 | 1.2 | 23.4 |
| USA, New York State: White | 18514 | 97.5 | 1.0 | 29.4 | 18138 | 95.7 | 1.3 | 23.5 |
| USA, New York State: Black | 3743 | 97.5 | 1.1 | 33.9 | 3933 | 97.3 | 0.9 | 25.0 |
| USA, New York State: Asian and Pacific Islander | 1626 | 98.6 | 0.9 | 27.1 | 1293 | 97.4 | 1.0 | 18.6 |
| USA, North Carolina | 11624 | 96.4 | 2.2 | 29.4 | 11105 | 95.9 | 2.0 | 23.3 |
| USA, North Carolina: White | 8844 | 96.4 | 2.2 | 28.0 | 8363 | 95.9 | 2.0 | 22.8 |
| USA, North Carolina: Black | 2449 | 96.2 | 2.4 | 35.3 | 2436 | 96.0 | 1.7 | 25.7 |
| USA, North Carolina: Asian and Pacific Islander | 116 | 99.1 | 0.0 | 16.2 | 138 | 94.9 | 5.1 | 15.5 |
| *USA, North Carolina: American Indian | 118 | 95.8 | 4.2 | 25.1 | 89 | 96.6 | 2.2 | 16.2 |
| USA, North Dakota | 974 | 97.8 | 1.4 | 32.1 | 890 | 96.0 | 1.6 | 25.7 |
| USA, Ohio | 15599 | 96.2 | 3.1 | 31.5 | 15095 | 95.9 | 3.1 | 25.1 |
| USA, Ohio: White | 13635 | 96.6 | 2.7 | 30.9 | 13236 | 95.8 | 3.1 | 24.9 |
| USA, Ohio: Black | 1526 | 94.8 | 4.3 | 32.7 | 1576 | 96.5 | 2.5 | 26.4 |
| *USA, Ohio: Asian and Pacific Islander | 124 | 96.8 | 2.4 | 18.0 | 104 | 100.0 | 0.0 | 12.1 |
| USA, Oklahoma | 5043 | 95.4 | 3.3 | 33.0 | 4594 | 95.9 | 2.6 | 25.8 |
| USA, Oklahoma: White | 4213 | 95.3 | 3.3 | 32.1 | 3854 | 95.7 | 2.8 | 25.5 |
| USA, Oklahoma: Black | 330 | 95.8 | 3.3 | 36.7 | 295 | 96.6 | 1.7 | 27.6 |
| USA, Oklahoma: American Indian | 418 | 95.9 | 3.1 | 38.5 | 354 | 96.6 | 2.3 | 27.3 |
| USA, Oregon | 4678 | 95.4 | 3.2 | 26.7 | 4420 | 94.3 | 4.2 | 21.6 |
| USA, Oregon: White | 4357 | 95.4 | 3.3 | 26.6 | 4122 | 94.3 | 4.1 | 21.5 |
| *USA, Oregon: Black | 69 | 94.2 | 1.4 | 25.2 | 56 | 92.9 | 5.4 | 21.0 |
| *USA, Oregon: Asian and Pacific Islander | 147 | 95.9 | 2.0 | 25.6 | 159 | 96.9 | 3.1 | 20.3 |
| USA, Rhode Island | 1149 | 97.0 | 1.7 | 25.0 | 1188 | 96.1 | 2.4 | 20.9 |
| USA, Rhode Island: White | 1071 | 97.0 | 1.7 | 25.2 | 1104 | 96.3 | 2.3 | 21.2 |
| *USA, Rhode Island: Black | 50 | 98.0 | 2.0 | 21.0 | 50 | 98.0 | 0.0 | 17.2 |
| USA, South Carolina | 6112 | 94.8 | 3.8 | 30.5 | 5618 | 95.1 | 3.5 | 23.5 |
| USA, South Carolina: White | 4414 | 94.9 | 3.7 | 28.8 | 4018 | 95.1 | 3.6 | 22.7 |
| USA, South Carolina: Black | 1625 | 94.5 | 4.1 | 37.2 | 1519 | 94.9 | 3.6 | 26.1 |
| USA, South Dakota | 1151 | 96.8 | 1.7 | 30.7 | 1039 | 94.4 | 2.0 | 23.8 |
| USA, Tennessee | 8491 | 96.0 | 2.5 | 31.9 | 8045 | 96.3 | 1.9 | 25.4 |
| USA, Tennessee: White | 7184 | 96.2 | 2.4 | 31.4 | 6722 | 96.3 | 2.0 | 25.1 |
| USA, Tennessee: Black | 1228 | 94.6 | 3.7 | 37.9 | 1243 | 96.2 | 1.2 | 28.8 |
| USA, Texas | 28871 | 95.0 | 3.3 | 30.8 | 24089 | 94.5 | 3.4 | 22.2 |
| USA, Texas: White | 24309 | 95.1 | 3.2 | 30.6 | 19917 | 94.4 | 3.5 | 21.9 |
| USA, Texas: Black | 3684 | 94.5 | 3.7 | 38.8 | 3369 | 94.7 | 3.1 | 27.9 |
| USA, Texas: Asian and Pacific Islander | 747 | 94.9 | 3.1 | 19.3 | 681 | 96.5 | 2.2 | 14.8 |
| USA, Utah | 1998 | 97.2 | 0.3 | 21.8 | 1882 | 96.4 | 0.5 | 19.1 |
| USA, Vermont | 747 | 94.9 | 2.0 | 25.5 | 780 | 94.0 | 1.0 | 22.7 |
| USA, Washington State | 7750 | 96.3 | 1.7 | 26.9 | 7369 | 95.8 | 2.0 | 22.4 |
| *USA, Washington, Seattle | 5427 | 97.1 | 0.5 | 27.9 | 5039 | 96.1 | 0.3 | 22.5 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 3109 | 97.3 | 1.0 | 35.9 | 2907 | 96.0 | 1.4 | 28.7 |
| USA, Wyoming | 604 | 98.5 | 0.5 | 24.4 | 517 | 95.4 | 1.2 | 19.7 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 235 | 98.7 | 1.3 | 19.0 | 198 | 98.0 | 1.5 | 15.0 |
| Brunei Darussalam | 286 | 93.0 | 1.4 | 32.1 | 228 | 95.6 | 0.9 | 24.0 |
| *China, Anfu County | 196 | 77.6 | 0.0 | 18.7 | 141 | 72.3 | 0.7 | 12.9 |
| *China, Anguo City | 226 | 96.0 | 3.5 | 17.3 | 187 | 96.8 | 1.1 | 13.7 |
| *China, Anshan City | 2559 | 90.5 | 0.1 | 33.0 | 1751 | 87.5 | 0.3 | 19.8 |
| *China, Aohan Banner, Chifeng City | 240 | 90.0 | 0.4 | 13.4 | 138 | 89.9 | 0.7 | 7.5 |
| *China, Arongqi | 225 | 61.8 | 2.2 | 24.0 | 148 | 60.1 | 4.7 | 17.5 |
| *China, Baoding City | 759 | 81.4 | 6.2 | 21.1 | 482 | 79.7 | 4.4 | 12.4 |
| *China, Beijing City | 11283 | 84.8 | 0.8 | 25.3 | 8740 | 82.0 | 0.7 | 17.8 |
| *China, Binhai County | 515 | 76.5 | – | 11.0 | 379 | 71.5 | – | 8.0 |
| *China, Cangzhou City | 265 | 86.4 | 0.0 | 16.5 | 171 | 88.9 | 1.2 | 9.9 |
| China, Changfeng County | 289 | 62.3 | 0.3 | 16.7 | 182 | 67.0 | 0.0 | 10.7 |
| China, Changzhou City | 2927 | 84.7 | 0.1 | 29.2 | 2139 | 83.5 | 0.2 | 19.0 |
| China, Chengdu City | 1229 | 71.0 | 3.1 | 31.8 | 860 | 70.1 | 2.7 | 20.7 |
| China, Cixian County | 232 | 91.8 | – | 13.8 | 220 | 87.7 | – | 11.9 |
| China, Cixi City | 1041 | 81.7 | 3.5 | 20.1 | 807 | 82.7 | 4.3 | 14.5 |
| *China, Dafeng District, Yancheng City | 756 | 92.2 | 0.5 | 21.1 | 504 | 89.5 | 0.2 | 13.0 |
| China, Dalian City | 3736 | 90.3 | 1.0 | 32.2 | 2671 | 87.7 | 0.6 | 20.4 |
| *China, Dancheng County | 672 | 82.1 | 0.4 | 20.3 | 633 | 79.6 | 0.8 | 18.1 |
| China, Dantu County | 290 | 74.8 | 0.7 | 24.1 | 202 | 79.2 | 0.0 | 16.6 |
| *China, Danyang City | 791 | 75.2 | 0.8 | 21.9 | 612 | 75.8 | 0.7 | 14.9 |
| *China, Dawukou District, Shizuishan City | 187 | 88.8 | 0.5 | 17.8 | 132 | 88.6 | 0.8 | 12.6 |
| *China, Dehui City | 381 | 69.6 | 1.6 | 12.5 | 265 | 70.2 | 1.9 | 8.9 |
| *China, Donggang County | 590 | 74.7 | 2.7 | 20.1 | 460 | 71.3 | 3.5 | 15.6 |
| *China, Dongguan City | 1234 | 87.5 | 0.5 | 30.1 | 1092 | 87.5 | 0.4 | 22.9 |
| China, Donghai County | 495 | 84.8 | 0.4 | 11.6 | 311 | 83.3 | 1.3 | 7.6 |
| *China, Dongtai City | 514 | 91.6 | 0.2 | 10.1 | 388 | 91.5 | 0.0 | 7.4 |
| China, Duanzhou District, Zhaoqing City | 384 | 78.6 | 2.1 | 29.9 | 287 | 79.8 | 2.8 | 22.3 |
| *China, Evenki Autonomous Banner | 82 | 87.8 | 2.4 | 34.3 | 50 | 88.0 | 0.0 | 15.5 |
| *China, Faku County | 309 | 81.2 | 0.6 | 15.0 | 210 | 77.6 | 0.0 | 10.0 |
| *China, Fangcheng County | 308 | 76.0 | 0.3 | 13.0 | 212 | 63.7 | 0.0 | 10.0 |
| *China, Feicheng City | 714 | 82.6 | 0.4 | 17.9 | 508 | 80.5 | 0.8 | 11.5 |
| China, Feixi County | 826 | 69.2 | 0.5 | 19.3 | 548 | 67.0 | 0.4 | 12.7 |
| China, Fuqing City | 429 | 79.3 | 3.3 | 15.2 | 328 | 77.4 | 3.4 | 11.5 |
| *China, Ganyu District, Lianyungang City | 590 | 66.6 | 1.4 | 13.0 | 394 | 66.5 | 1.5 | 8.7 |
| *China, Ganzhou District, Zhangye City | 179 | 77.1 | – | 19.1 | 143 | 69.9 | – | 16.8 |
| *China, Gaocheng City | 238 | 78.6 | 0.4 | 10.4 | 161 | 83.9 | 0.0 | 6.4 |
| China, Gaomi City | 541 | 87.2 | 0.6 | 17.4 | 354 | 86.4 | 0.3 | 10.3 |
| China, Gong'an County | 585 | 99.8 | 0.0 | 17.0 | 440 | 99.8 | 0.2 | 12.4 |
| *China, Guang'an District, Guang'an City | 357 | 73.4 | 9.8 | 18.3 | 227 | 71.4 | 8.4 | 11.4 |
| China, Guanghan City | 354 | 69.2 | – | 20.3 | 228 | 73.2 | – | 12.3 |
| China, Guangzhou City | 10182 | 87.2 | 0.4 | 31.2 | 7703 | 85.0 | 0.5 | 21.0 |
| *China, Guanyun County | 376 | 87.0 | 0.3 | 10.3 | 306 | 83.0 | 0.3 | 8.7 |
| China, Guilin City | 874 | 78.6 | 0.2 | 39.4 | 623 | 78.7 | 0.2 | 25.6 |
| *China, Hai'an City | 889 | 74.9 | 0.2 | 16.0 | 672 | 75.9 | 0.1 | 11.4 |
| China, Hailar District, Hulun Buir City | 337 | 88.7 | 1.2 | 31.4 | 257 | 86.8 | 0.4 | 21.0 |
| China, Haimen District, Nantong City | 1151 | 91.7 | 0.2 | 21.9 | 863 | 86.4 | 0.0 | 15.1 |
| China, Haining City | 662 | 83.2 | 0.5 | 19.6 | 503 | 85.1 | 0.6 | 13.7 |
| China, Hangzhou City | 8274 | 88.1 | 0.4 | 24.9 | 5753 | 84.5 | 0.6 | 16.6 |
| China, Hebi City | 198 | 77.3 | 1.5 | 15.6 | 148 | 80.4 | 2.0 | 11.0 |
| China, Hefei City | 2268 | 67.9 | 2.5 | 26.9 | 1560 | 66.1 | 2.2 | 18.0 |
| China, Hengdong County | 264 | 98.5 | 0.4 | 16.2 | 165 | 96.4 | 1.8 | 10.4 |
| *China, Hengfeng County | 106 | 89.6 | 0.9 | 17.2 | 97 | 85.6 | 1.0 | 17.0 |
| *China, Hepu County | 719 | 74.5 | 1.3 | 22.9 | 424 | 73.6 | 2.1 | 13.8 |
| China, Honghu City | 469 | 99.4 | 0.0 | 15.9 | 345 | 99.7 | 0.3 | 11.0 |
| China, Hongshan District, Chifeng City | 375 | 71.5 | – | 29.5 | 277 | 69.0 | – | 18.5 |
| *China, Hongta District, Yuxi City | 360 | 79.7 | 1.9 | 21.1 | 277 | 78.3 | 2.9 | 16.1 |
| *China, Huaiyin District, Huai'an City | 419 | 93.3 | 0.7 | 11.2 | 293 | 93.2 | 1.4 | 8.2 |
| *China, Jiange County | 191 | 78.0 | – | 11.1 | 147 | 75.5 | – | 8.4 |
| China, Jiangmen City | 778 | 86.6 | 0.3 | 31.9 | 628 | 89.5 | 0.3 | 22.7 |
| *China, Jiangyin City | 1505 | 87.9 | 0.1 | 25.8 | 996 | 85.9 | 0.3 | 15.9 |
| *China, Jiashan County | 610 | 93.8 | 0.2 | 29.3 | 515 | 88.3 | 0.2 | 22.7 |
| China, Jiayu County | 121 | 77.7 | 5.0 | 15.8 | 94 | 71.3 | 4.3 | 12.0 |
| *China, Jinan City | 2411 | 77.9 | 1.4 | 25.4 | 1495 | 76.6 | 1.8 | 13.5 |
| *China, Jingtai County | 133 | 93.2 | 0.8 | 19.2 | 102 | 94.1 | 1.0 | 14.4 |
| *China, Jingxian County | 235 | 91.5 | 1.7 | 17.9 | 155 | 91.6 | 1.3 | 13.0 |
| *China, Jintan District, Changzhou City | 589 | 86.8 | 0.5 | 24.3 | 417 | 87.8 | 1.0 | 16.9 |
| *China, Jiulongpo District, Chongqing City | 938 | 74.5 | 0.6 | 27.8 | 599 | 74.8 | 0.8 | 16.7 |
| *China, Jiyuan City | 286 | 67.8 | 1.7 | 17.0 | 269 | 70.6 | 0.4 | 14.9 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 246 | 82.9 | – | 19.5 | 151 | 86.1 | – | 11.7 |
| China, Kunshan City | 858 | 80.1 | 0.6 | 25.1 | 770 | 79.0 | 0.1 | 20.5 |
| China, Langzhong City | 324 | 81.8 | – | 16.5 | 249 | 76.3 | – | 13.1 |
| *China, Liangshan County | 454 | 77.1 | 3.5 | 14.7 | 319 | 77.1 | 1.9 | 10.2 |
| *China, Lianshui County | 435 | 83.4 | 0.0 | 9.8 | 293 | 82.6 | 0.7 | 6.5 |
| China, Lianyungang City | 718 | 79.0 | 0.4 | 18.2 | 467 | 76.7 | 1.1 | 11.2 |
| China, Linhe District, Bayannur City | 401 | 96.0 | 1.5 | 31.3 | 282 | 91.5 | 1.8 | 21.4 |
| China, Linqu County | 587 | 91.5 | 0.5 | 16.2 | 438 | 88.1 | 0.7 | 11.2 |
| *China, Linzhou City | 506 | 91.9 | 0.8 | 14.3 | 522 | 95.0 | 0.2 | 13.2 |
| China, Liuzhou City | 1231 | 81.4 | 0.0 | 32.3 | 865 | 81.8 | 0.1 | 21.8 |
| China, Liyang City | 859 | 85.1 | 0.1 | 21.2 | 561 | 82.0 | 0.0 | 13.4 |
| *China, Longquan City | 288 | 80.9 | 0.3 | 28.1 | 206 | 75.2 | 0.0 | 20.7 |
| China, Lucheng District, Wenzhou City | 721 | 86.0 | 2.9 | 35.4 | 452 | 80.3 | 3.1 | 20.6 |
| China, Luoding City | 412 | 79.1 | 3.9 | 17.6 | 291 | 77.0 | 2.1 | 13.0 |
| *China, Luohe City | 599 | 80.6 | 2.8 | 15.4 | 473 | 79.3 | 2.1 | 11.0 |
| *China, Luoyang City | 835 | 81.9 | 2.2 | 18.8 | 641 | 81.9 | 0.9 | 13.9 |
| *China, Luquan City | 120 | 70.0 | 0.8 | 10.5 | 104 | 66.3 | 1.9 | 7.9 |
| China, Ma'anshan City | 775 | 91.6 | 0.5 | 35.4 | 543 | 89.5 | 0.2 | 22.8 |
| *China, Macheng City | 369 | 93.8 | 0.3 | 15.5 | 276 | 90.9 | 0.0 | 11.7 |
| China, Meihekou City | 394 | 78.4 | 0.5 | 16.6 | 304 | 81.2 | 0.3 | 13.3 |
| *China, Mengjin County | 155 | 82.6 | 2.6 | 14.1 | 158 | 75.9 | 0.6 | 12.9 |
| China, Nangang District, Harbin City | 1138 | 80.6 | 1.5 | 27.5 | 796 | 81.0 | 1.3 | 16.6 |
| *China, Nanhai District, Foshan City | 949 | 66.6 | – | 33.3 | 677 | 69.7 | – | 20.1 |
| China, Nanhu District, Jiaying City | 807 | 84.0 | 0.4 | 30.5 | 593 | 81.5 | 1.7 | 21.4 |
| *China, Nantong City | 1240 | 79.2 | 0.7 | 21.1 | 896 | 77.3 | 0.7 | 13.2 |
| *China, Nanxiong City | 284 | 68.3 | 0.4 | 20.2 | 211 | 74.9 | 0.9 | 12.6 |
| China, Neixiang County | 272 | 93.8 | 0.0 | 11.7 | 232 | 90.9 | 0.4 | 9.4 |
| *China, Qianxi County | 183 | 84.7 | 1.6 | 13.6 | 121 | 91.7 | 0.8 | 9.1 |
| China, Qidong City | 1409 | 90.8 | – | 21.3 | 1221 | 89.4 | – | 15.3 |
| China, Qingzhou City | 678 | 81.9 | 0.1 | 20.2 | 486 | 80.9 | 0.2 | 13.6 |
| *China, Rudong County | 923 | 81.3 | 0.3 | 14.5 | 725 | 75.3 | 0.4 | 10.5 |
| *China, Rugao City | 1109 | 82.0 | 0.0 | 14.9 | 867 | 77.7 | 0.1 | 10.7 |
| *China, Rural areas of Shanghai City | 14268 | 86.1 | 0.2 | 29.7 | 10264 | 83.6 | 0.2 | 19.4 |
| China, Ruyang County | 144 | 93.8 | – | 11.6 | 125 | 91.2 | – | 10.2 |
| *China, Shan County | 396 | 55.8 | 0.5 | 16.1 | 254 | 54.3 | 0.0 | 8.6 |
| China, Shanghai City | 12765 | 82.5 | 0.2 | 31.8 | 9806 | 80.8 | 0.3 | 22.4 |
| China, Shangyu District, Shaoxing City | 918 | 82.2 | 1.0 | 26.0 | 657 | 82.5 | 0.6 | 17.9 |
| *China, Shapingba District, Chongqing City | 898 | 76.5 | 0.3 | 26.5 | 654 | 74.0 | 0.6 | 18.3 |
| China, Shexian County | 243 | 79.8 | 2.9 | 17.9 | 186 | 69.9 | 0.0 | 13.5 |
| China, Sheyang County | 609 | 76.8 | 0.0 | 13.9 | 563 | 75.7 | 0.2 | 12.8 |
| *China, Shijiazhuang City | 968 | 88.3 | 1.5 | 17.9 | 745 | 88.7 | 0.9 | 12.9 |
| China, Shunde District, Foshan City | 1114 | 71.7 | 0.0 | 32.3 | 978 | 72.6 | 0.1 | 21.9 |
| *China, Song County | 178 | 74.7 | 1.1 | 11.0 | 160 | 73.8 | 1.2 | 10.2 |
| China, Suzhou City | 4149 | 78.0 | 2.1 | 25.4 | 3186 | 75.6 | 2.2 | 18.1 |
| *China, Tengzhou City | 896 | 96.1 | 1.0 | 16.1 | 639 | 95.6 | 0.9 | 10.4 |
| *China, Wangdu County | 100 | 83.0 | 2.0 | 14.3 | 47 | 87.2 | 2.1 | 6.6 |
| *China, Wanzai County | 213 | 80.8 | 0.5 | 18.2 | 171 | 78.4 | 0.6 | 14.5 |
| *China, Wu'an City | 265 | 83.4 | 1.1 | 10.9 | 242 | 76.0 | 2.1 | 9.8 |
| China, Wuhan City | 5251 | 92.7 | 0.0 | 23.5 | 3960 | 92.0 | 0.1 | 16.4 |
| *China, Wuhu City | 1137 | 75.4 | 1.0 | 21.2 | 752 | 77.7 | 0.9 | 14.0 |
| China, Wuxi City | 3409 | 81.9 | 0.2 | 27.4 | 2615 | 80.2 | 0.4 | 19.6 |
| China, Wuzhou City | 565 | 79.3 | 1.2 | 29.4 | 411 | 78.6 | 1.2 | 19.8 |
| China, Xiangfu District, Kaifeng City | 357 | 90.2 | 0.0 | 18.7 | 271 | 87.1 | 0.7 | 12.3 |
| China, Xianju County | 379 | 78.9 | 1.8 | 18.1 | 309 | 79.0 | 1.6 | 15.2 |
| *China, Xin'an County | 151 | 74.2 | – | 13.1 | 111 | 78.4 | – | 9.6 |
| *China, Xining City | 609 | 84.1 | 1.1 | 28.8 | 437 | 75.3 | 0.2 | 18.2 |
| *China, Xinji City | 283 | 80.9 | 2.8 | 10.6 | 219 | 83.6 | 1.8 | 7.7 |
| *China, Xinluo District, Longyan City | 371 | 68.7 | – | 29.3 | 256 | 66.0 | – | 21.0 |
| *China, Xinzhou District, Shangrao City | 301 | 84.7 | 3.3 | 21.8 | 212 | 86.3 | 1.4 | 15.2 |
| China, Xiping County | 377 | 94.2 | 1.6 | 14.1 | 331 | 91.2 | 2.4 | 11.2 |
| *China, Xishan District, Kunming City | 356 | 79.5 | 0.6 | 20.7 | 262 | 77.9 | 0.0 | 15.1 |
| *China, Xuyi County | 392 | 86.5 | 0.3 | 15.3 | 263 | 88.6 | 0.0 | 10.1 |
| *China, Ya'an City | 1420 | 86.2 | 1.1 | 26.5 | 1055 | 86.1 | 0.9 | 19.5 |
| *China, Yakeshi City | 401 | 87.5 | 2.7 | 26.3 | 267 | 81.6 | 4.5 | 15.4 |
| China, Yancheng City | 1066 | 84.5 | 1.1 | 18.1 | 715 | 81.8 | 0.7 | 11.8 |
| *China, Yangquan City | 432 | 86.8 | 4.4 | 20.5 | 304 | 88.2 | 3.6 | 13.8 |
| *China, Yangzhong City | 335 | 79.4 | – | 24.2 | 256 | 77.3 | – | 16.7 |
| *China, Yanji City | 460 | 66.7 | 2.6 | 22.3 | 325 | 72.9 | 2.2 | 12.9 |
| *China, Yanshi City | 276 | 88.4 | 1.8 | 11.9 | 267 | 86.1 | 2.2 | 10.0 |
| China, Yanting County | 217 | 88.0 | 0.9 | 11.1 | 146 | 86.3 | 0.7 | 7.2 |
| *China, Yi'an District, Tongling City | 186 | 76.9 | 2.7 | 18.1 | 150 | 80.7 | 0.7 | 15.3 |
| *China, Yingdong District, Fuyang City | 285 | 79.3 | 0.7 | 12.8 | 216 | 73.1 | 0.9 | 9.3 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21) (contd)

| | Male | | | | Female | | | |
|--|--------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 319 | 83.7 | – | 32.0 | 203 | 82.3 | – | 18.4 |
| *China, Yiyuan County | 379 | 78.9 | 1.8 | 19.3 | 228 | 80.3 | 1.3 | 10.1 |
| China, Yong'an City | 365 | 75.3 | 0.0 | 26.6 | 212 | 74.1 | 0.9 | 16.1 |
| *China, Yongding District, Longyan City | 540 | 83.7 | – | 32.4 | 297 | 79.8 | – | 16.3 |
| China, Yongkang City | 684 | 84.4 | 3.8 | 27.9 | 487 | 83.0 | 3.5 | 19.3 |
| *China, Yucheng County | 271 | 79.7 | 0.7 | 13.7 | 233 | 79.4 | 0.0 | 11.1 |
| China, Yueyanglou District, Yueyang City | 252 | 90.5 | 4.8 | 22.9 | 132 | 88.6 | 3.0 | 12.0 |
| China, Yunmeng County | 338 | 75.1 | – | 21.3 | 302 | 76.2 | – | 17.2 |
| *China, Yunyang District, Shiyuan City | 189 | 89.4 | 1.1 | 16.8 | 102 | 78.4 | 3.9 | 9.7 |
| China, Yuzhong District, Chongqing City | 838 | 67.5 | 0.6 | 37.3 | 568 | 68.3 | 0.9 | 21.6 |
| *China, Zanzhuang County | 112 | 78.6 | 4.5 | 13.1 | 90 | 83.3 | 3.3 | 10.4 |
| *China, Zhangjiagang City | 1153 | 89.8 | 0.2 | 24.8 | 823 | 91.4 | 0.4 | 15.8 |
| *China, Zhaoyuan City | 746 | 72.7 | 0.7 | 26.1 | 510 | 72.0 | 0.6 | 17.0 |
| *China, Zhengding County | 150 | 83.3 | 0.7 | 11.0 | 121 | 83.5 | 0.8 | 7.8 |
| *China, Zhongshan City | 1567 | 95.2 | – | 29.6 | 1149 | 93.6 | – | 19.2 |
| China, Zhongxiang City | 553 | 90.4 | 0.2 | 16.3 | 376 | 94.1 | 0.0 | 11.0 |
| *China, Zhuanghe City | 985 | 87.1 | 0.0 | 21.4 | 661 | 81.7 | 0.2 | 14.5 |
| *China, Zhuhai City | 1070 | 72.9 | 1.9 | 29.9 | 718 | 73.0 | 1.7 | 19.7 |
| India, Ahmedabad, Urban | 622 | 95.2 | 0.3 | 5.2 | 310 | 97.4 | 0.0 | 2.7 |
| India, Aurangabad | 126 | 95.2 | 4.8 | 4.4 | 85 | 88.2 | 9.4 | 2.9 |
| India, Bangalore | 1069 | 94.9 | 3.4 | 9.3 | 823 | 95.3 | 3.6 | 7.4 |
| India, Barshi, Paranda, and Bhum | 49 | 87.8 | 0.0 | 3.5 | 42 | 85.7 | 2.4 | 2.9 |
| *India, Bhopal | 138 | 97.8 | – | 5.0 | 109 | 98.2 | – | 4.3 |
| India, Chandigarh | 132 | 99.2 | 0.8 | 5.6 | 80 | 96.2 | 0.0 | 3.7 |
| *India, Chennai | 1181 | 79.2 | 3.6 | 9.6 | 984 | 81.5 | 4.5 | 7.6 |
| India, Dibrugarh | 200 | 80.0 | 11.0 | 6.7 | 123 | 83.7 | 4.1 | 3.9 |
| *India, Dindigul, Ambilikkaik | 265 | 84.5 | 1.9 | 4.2 | 141 | 87.2 | 1.4 | 2.2 |
| India, Kamrup Urban District | 298 | 90.3 | 5.0 | 12.0 | 206 | 85.0 | 5.3 | 9.1 |
| India, Kollam | 659 | 86.2 | 0.2 | 10.4 | 522 | 86.4 | 0.0 | 6.9 |
| *India, Manipur | 208 | 97.1 | 0.0 | 4.2 | 185 | 98.9 | 0.5 | 3.7 |
| India, Meghalaya | 84 | 88.1 | 9.5 | 3.1 | 85 | 85.9 | 4.7 | 2.7 |
| India, Mizoram | 200 | 94.0 | 0.0 | 12.1 | 156 | 90.4 | 0.6 | 9.3 |
| India, Mumbai | 2401 | 86.4 | 7.5 | 7.6 | 1839 | 85.5 | 8.8 | 6.0 |
| *India, New Delhi | 1683 | 88.2 | 3.3 | 7.5 | 1093 | 86.4 | 3.3 | 5.1 |
| India, Poona | 919 | 86.7 | 4.1 | 7.5 | 638 | 89.2 | 4.7 | 5.4 |
| *India, Sangrur District | 68 | 83.8 | 1.5 | 2.5 | 41 | 87.8 | 0.0 | 1.6 |
| India, SAS Nagar | 97 | 97.9 | – | 4.0 | 76 | 100.0 | – | 3.2 |
| *India, Tamil Nadu | 9914 | 86.0 | 0.7 | 4.9 | 6992 | 86.8 | 0.9 | 3.3 |
| *India, Tripura | 227 | 96.9 | – | 3.3 | 150 | 95.3 | – | 2.1 |
| India, Trivandrum | 899 | 91.2 | – | 11.2 | 692 | 89.9 | – | 7.5 |
| India, Wardha | 153 | 81.7 | 7.8 | 4.0 | 94 | 85.1 | 8.5 | 2.5 |
| India, West Arunachal | 33 | 97.0 | – | 2.8 | 33 | 97.0 | – | 3.9 |
| *Iran (Islamic Republic of), Ardabil Province | 345 | 84.1 | 4.9 | 19.2 | 264 | 83.3 | 4.2 | 14.1 |
| *Iran (Islamic Republic of), Golestan Province | 406 | 83.5 | 3.4 | 17.7 | 346 | 80.9 | 3.2 | 14.1 |
| Israel | 8140 | 95.1 | 3.0 | 30.7 | 7857 | 93.1 | 4.9 | 24.9 |
| *Israel: Jews | 6832 | 95.1 | 3.1 | 30.1 | 6647 | 92.6 | 5.3 | 24.8 |
| *Israel: Arabs | 858 | 95.5 | 2.1 | 29.3 | 742 | 96.1 | 3.1 | 22.3 |
| Japan | 237184 | 89.4 | 5.5 | 49.7 | 181308 | 84.8 | 7.5 | 30.2 |
| Japan, Aichi Prefecture | 12480 | 93.7 | 2.9 | 47.9 | 9569 | 89.9 | 4.1 | 31.4 |
| *Japan, Akita Prefecture | 2795 | 93.1 | 0.2 | 64.6 | 2226 | 89.0 | 0.4 | 36.8 |
| Japan, Aomori Prefecture | 5901 | 92.0 | 1.3 | 67.2 | 4523 | 87.2 | 1.9 | 36.7 |
| Japan, Gunma Prefecture | 3902 | 91.6 | 2.0 | 50.1 | 2888 | 85.8 | 3.3 | 29.9 |
| Japan, Hiroshima Prefecture | 7733 | 95.7 | 1.1 | 53.8 | 6192 | 91.4 | 2.4 | 33.7 |
| Japan, Miyagi Prefecture | 7527 | 93.2 | 2.8 | 52.7 | 6162 | 87.7 | 5.4 | 33.2 |
| Japan, Osaka Prefecture | 16686 | 92.8 | 4.3 | 51.6 | 12752 | 89.1 | 6.3 | 31.9 |
| Kuwait | 800 | 96.4 | 2.8 | 12.4 | 613 | 96.2 | 2.9 | 13.6 |
| *Kuwait: Kuwaitis | 343 | 95.3 | 3.2 | 19.3 | 384 | 95.1 | 3.6 | 16.8 |
| *Kuwait: Non-Kuwaitis | 457 | 97.2 | 2.4 | 9.6 | 229 | 98.3 | 1.7 | 10.7 |
| *Philippines, Manila | 2672 | 76.8 | 4.3 | 26.5 | 2237 | 76.1 | 5.9 | 16.6 |
| *Qatar: Qatari | 91 | 92.3 | 3.3 | 23.0 | 89 | 96.6 | 2.2 | 19.3 |
| Republic of Korea | 84052 | 97.2 | 0.5 | 42.4 | 57396 | 95.0 | 1.2 | 23.5 |
| *Republic of Korea, Busan | 6584 | 96.3 | 0.5 | 44.5 | 4319 | 94.8 | 1.4 | 24.1 |
| *Republic of Korea, Daegu | 4028 | 97.2 | 0.5 | 43.0 | 2840 | 94.7 | 1.4 | 23.7 |
| *Republic of Korea, Daejeon | 2204 | 97.8 | 0.5 | 42.1 | 1530 | 95.3 | 0.9 | 24.0 |
| *Republic of Korea, Gwangju | 1941 | 96.6 | 0.3 | 39.1 | 1394 | 94.2 | 1.3 | 21.8 |
| Republic of Korea, Incheon | 4461 | 98.3 | 0.3 | 42.3 | 2996 | 96.7 | 0.7 | 23.7 |
| Republic of Korea, Jeju | 1046 | 97.9 | 0.0 | 44.3 | 702 | 93.6 | 0.3 | 23.4 |
| Republic of Korea, Seoul | 16120 | 97.7 | 0.4 | 43.0 | 10740 | 96.0 | 0.8 | 23.9 |
| Republic of Korea, Ulsan | 1504 | 97.5 | 0.5 | 39.4 | 1089 | 96.2 | 1.7 | 25.0 |
| Singapore | 5900 | 96.9 | 0.1 | 38.9 | 4882 | 93.6 | 0.3 | 27.5 |
| Singapore: Chinese | 5057 | 97.1 | 0.1 | 41.3 | 4161 | 93.4 | 0.4 | 28.5 |
| Singapore: Indian | 227 | 95.6 | – | 21.3 | 173 | 95.4 | – | 15.8 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 514 | 94.7 | – | 32.8 | 455 | 93.6 | – | 25.6 |
| Thailand, Bangkok | 3365 | 83.8 | 1.7 | 19.8 | 2849 | 83.9 | 1.2 | 12.9 |
| *Thailand, Chiang Mai | 1129 | 87.8 | 0.4 | 19.7 | 876 | 90.3 | 0.7 | 12.9 |
| *Thailand, Khon Kaen | 830 | 85.8 | 0.4 | 13.5 | 765 | 83.8 | 0.9 | 10.6 |
| Thailand, Lampang | 588 | 88.8 | 0.2 | 19.4 | 486 | 90.7 | 0.2 | 14.3 |
| Thailand, Lopburi Province | 653 | 92.0 | 2.1 | 27.9 | 525 | 92.4 | 0.2 | 19.6 |
| *Thailand, Songkhla | 784 | 91.2 | 3.3 | 18.7 | 644 | 91.1 | 2.3 | 12.6 |
| Turkey, Antalya | 1349 | 98.4 | 0.4 | 21.9 | 844 | 97.5 | 0.6 | 12.6 |
| Turkey, Bursa | 2087 | 95.5 | 3.3 | 26.2 | 1322 | 93.9 | 4.5 | 14.5 |
| *Turkey, Edirne | 390 | 90.5 | 3.1 | 24.0 | 277 | 92.4 | 2.5 | 15.4 |
| *Turkey, Erzurum | 256 | 82.4 | 8.2 | 13.7 | 251 | 86.1 | 6.0 | 11.9 |
| Turkey, Eskişehir | 708 | 97.5 | 0.7 | 26.5 | 457 | 96.9 | 0.7 | 14.9 |
| Turkey, Gaziantep | 498 | 96.4 | 1.0 | 14.2 | 370 | 96.8 | 1.4 | 9.2 |
| *Turkey, Izmir | 3464 | 95.6 | 1.6 | 26.2 | 2490 | 93.1 | 3.4 | 16.1 |
| Turkey, Malatya | 346 | 92.2 | 6.1 | 16.0 | 258 | 92.2 | 7.4 | 10.2 |
| Turkey, Samsun | 969 | 97.3 | 1.8 | 23.5 | 704 | 97.2 | 1.3 | 14.9 |
| Turkey, Trabzon | 596 | 94.3 | 2.3 | 23.9 | 466 | 89.3 | 4.1 | 14.7 |
| Europe | | | | | | | | |
| Austria | 13308 | 91.0 | 3.5 | 30.9 | 10003 | 89.3 | 5.1 | 18.9 |
| Austria, Carinthia | 849 | 97.2 | 0.7 | 28.3 | 667 | 94.6 | 1.9 | 17.7 |
| Austria, Tyrol | 1056 | 98.5 | 0.1 | 30.2 | 820 | 97.1 | 0.7 | 20.4 |
| Austria, Vorarlberg | 528 | 97.0 | 1.1 | 29.2 | 429 | 95.6 | 2.6 | 20.7 |
| Belarus | 12139 | 98.8 | 0.0 | 37.7 | 12826 | 98.5 | 0.0 | 23.7 |
| *Belgium | 24518 | 99.2 | – | 44.2 | 19473 | 98.7 | – | 29.1 |
| Croatia | 10512 | 83.3 | 2.6 | 51.1 | 7472 | 80.9 | 3.9 | 27.2 |
| Cyprus | 1125 | 94.1 | 5.6 | 29.7 | 788 | 93.4 | 6.5 | 18.9 |
| *Czech Republic | 23610 | 96.5 | 0.4 | 47.4 | 16319 | 94.3 | 0.5 | 25.9 |
| Denmark | 14563 | 97.0 | 0.1 | 49.4 | 12417 | 95.9 | 0.3 | 37.2 |
| Estonia | 2223 | 94.1 | 0.8 | 38.9 | 2562 | 92.9 | 0.6 | 26.0 |
| Finland | 8624 | 96.6 | 0.5 | 29.0 | 7837 | 94.8 | 0.9 | 21.6 |
| *France, Bas-Rhin | 1538 | 98.4 | – | 36.3 | 1219 | 96.4 | – | 23.5 |
| *France, Calvados | 1249 | 95.5 | – | 35.4 | 1090 | 92.0 | – | 23.7 |
| *France, Doubs | 904 | 97.0 | – | 33.9 | 759 | 95.5 | – | 23.6 |
| *France, Gironde | 2819 | 97.9 | – | 38.5 | 2486 | 96.3 | – | 25.7 |
| *France, Haut-Rhin | 1370 | 98.4 | – | 35.0 | 1147 | 97.1 | – | 24.6 |
| *France, Hérault | 2048 | 97.4 | – | 35.0 | 1959 | 95.0 | – | 26.8 |
| *France, Isère | 2041 | 98.1 | – | 34.6 | 1760 | 95.3 | – | 25.0 |
| *France, Lille-Métropole | 1238 | 96.0 | – | 42.5 | 1131 | 93.5 | – | 27.5 |
| *France, Limousin | 896 | 96.9 | – | 40.6 | 645 | 96.1 | – | 22.6 |
| *France, Loire-Atlantique | 2349 | 97.4 | – | 38.0 | 2035 | 95.3 | – | 25.7 |
| *France, Manche | 1091 | 97.2 | – | 36.4 | 873 | 94.0 | – | 23.9 |
| *France, Poitou-Charentes | 4010 | 97.8 | – | 36.6 | 3206 | 95.9 | – | 24.5 |
| *France, Somme | 1024 | 99.1 | – | 37.7 | 835 | 97.8 | – | 24.1 |
| *France, Tarn | 932 | 96.4 | – | 37.7 | 761 | 92.2 | – | 25.0 |
| *France, Territoire de Belfort | 210 | 97.6 | – | 38.6 | 170 | 93.5 | – | 24.9 |
| *France, Vendée | 1649 | 97.5 | – | 43.1 | 1194 | 96.1 | – | 25.9 |
| Germany, Baden-Württemberg | 12676 | 85.6 | 3.9 | 35.6 | 10242 | 82.5 | 6.0 | 23.4 |
| Germany, Bavaria | 25371 | 93.7 | 5.0 | 36.6 | 19414 | 90.9 | 7.7 | 22.8 |
| Germany, Bremen | 1348 | 95.2 | 3.9 | 35.6 | 1225 | 92.7 | 6.0 | 24.3 |
| Germany, Hamburg | 3108 | 90.9 | 2.2 | 34.5 | 3082 | 90.3 | 3.2 | 27.4 |
| Germany, Lower Saxony | 17162 | 94.0 | 4.1 | 37.0 | 15148 | 90.5 | 6.6 | 25.8 |
| Germany, North Rhine-Westphalia | 36582 | 91.5 | 5.3 | 36.6 | 33616 | 88.1 | 8.5 | 26.5 |
| Germany, Rhineland-Palatinate | 8493 | 89.8 | 6.6 | 36.6 | 7101 | 85.6 | 10.0 | 24.8 |
| Germany, Saarland | 2537 | 90.8 | 3.7 | 41.8 | 2070 | 88.9 | 5.9 | 27.3 |
| Germany, Schleswig-Holstein | 6236 | 91.9 | 1.2 | 36.5 | 5606 | 88.8 | 2.1 | 26.7 |
| Iceland | 460 | 97.2 | 0.2 | 33.0 | 436 | 95.9 | 0.5 | 27.2 |
| Ireland | 7749 | 95.9 | 0.6 | 41.9 | 5504 | 92.6 | 0.9 | 27.0 |
| *Italy, Aosta Valley | 189 | 91.0 | 0.0 | 30.8 | 159 | 83.6 | 1.3 | 19.5 |
| *Italy, Avellino | 539 | 92.6 | 1.1 | 38.1 | 352 | 87.5 | 2.3 | 21.4 |
| Italy, Basilicata | 1263 | 91.4 | 0.4 | 38.5 | 959 | 86.5 | 0.6 | 24.4 |
| *Italy, Benevento | 517 | 97.7 | 0.6 | 40.9 | 427 | 94.1 | 1.2 | 29.2 |
| Italy, Bergamo | 1909 | 96.1 | 0.4 | 31.0 | 1510 | 93.5 | 1.6 | 20.3 |
| *Italy, Brescia | 1834 | 94.4 | 0.8 | 28.3 | 1532 | 89.8 | 1.8 | 19.2 |
| Italy, Brianza (Lecco and Monza e Brianza) | 1279 | 96.0 | 0.3 | 31.1 | 1108 | 93.1 | 2.0 | 21.6 |
| Italy, Calabria | 1148 | 89.9 | 0.6 | 39.0 | 829 | 88.2 | 1.4 | 24.0 |
| *Italy, Caserta | 1420 | 97.1 | 0.6 | 43.1 | 1123 | 93.9 | 1.5 | 28.6 |
| *Italy, Catania, Messina, and Enna | 3579 | 94.7 | 0.8 | 35.1 | 2941 | 92.2 | 1.7 | 24.2 |
| Italy, Emilia-Romagna | 7433 | 94.1 | 0.2 | 32.9 | 6494 | 90.4 | 0.6 | 23.7 |
| Italy, Friuli-Venezia Giulia | 2718 | 97.0 | 0.1 | 34.3 | 2276 | 94.2 | 0.3 | 23.3 |
| Italy, Genova | 1868 | 92.6 | 0.5 | 38.4 | 1743 | 88.1 | 1.1 | 27.6 |
| *Italy, Lombardy, South, Pavia | 1231 | 95.7 | 0.4 | 36.4 | 1059 | 92.5 | 0.9 | 24.8 |
| Italy, Mantova and Cremona | 1314 | 95.1 | 0.1 | 35.5 | 1133 | 89.6 | 0.4 | 23.9 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 3219 | 96.3 | 0.6 | 41.9 | 2534 | 93.7 | 0.8 | 26.7 |
| Italy, Milan | 6527 | 92.2 | 0.4 | 32.7 | 5740 | 89.8 | 0.9 | 22.1 |
| Italy, Molise | 435 | 89.0 | 0.5 | 38.0 | 304 | 86.5 | 1.0 | 21.8 |
| *Italy, Naples Centre | 1037 | 92.2 | 1.4 | 37.4 | 927 | 88.8 | 2.2 | 24.5 |
| *Italy, Naples North | 1284 | 97.0 | 0.6 | 38.7 | 946 | 93.4 | 2.0 | 24.5 |
| *Italy, Naples South | 1833 | 96.6 | 0.4 | 37.9 | 1422 | 95.1 | 0.6 | 24.2 |
| *Italy, Nuoro | 289 | 93.1 | 0.7 | 40.3 | 214 | 89.7 | 1.9 | 23.6 |
| *Italy, Palermo | 2286 | 90.2 | 2.1 | 35.0 | 2090 | 88.5 | 2.9 | 26.5 |
| Italy, Puglia | 7858 | 92.8 | 0.6 | 35.0 | 6411 | 90.0 | 1.0 | 23.9 |
| *Italy, Ragusa and Caltanissetta | 1089 | 93.8 | 0.3 | 34.8 | 920 | 91.6 | 1.4 | 24.8 |
| *Italy, Salerno | 1532 | 93.1 | 1.0 | 33.1 | 1121 | 91.6 | 1.2 | 20.4 |
| Italy, Sassari | 430 | 93.5 | 0.9 | 37.7 | 355 | 90.4 | 0.8 | 24.9 |
| *Italy, Sondrio | 367 | 93.7 | 0.5 | 29.3 | 337 | 85.2 | 3.9 | 22.0 |
| Italy, South Tyrol | 1028 | 96.3 | 0.5 | 38.3 | 757 | 94.1 | 0.8 | 23.6 |
| *Italy, Syracuse | 687 | 92.7 | 1.0 | 31.1 | 565 | 91.5 | 1.4 | 23.4 |
| Italy, Trento | 928 | 95.5 | 0.1 | 30.0 | 794 | 91.1 | 0.8 | 20.7 |
| Italy, Turin | 5136 | 91.7 | 1.0 | 35.6 | 4194 | 88.9 | 1.7 | 23.9 |
| *Italy, Tuscany | 5067 | 92.0 | 0.5 | 38.0 | 4399 | 88.2 | 1.3 | 27.8 |
| Italy, Umbria | 1628 | 94.5 | 0.6 | 35.8 | 1379 | 90.4 | 0.7 | 24.1 |
| Italy, Varese | 895 | 96.9 | 0.1 | 28.0 | 806 | 94.3 | 0.2 | 20.8 |
| Italy, Veneto | 9922 | 95.4 | 0.4 | 34.7 | 8037 | 91.9 | 1.1 | 22.6 |
| Latvia | 2641 | 86.6 | 1.7 | 31.5 | 2938 | 84.3 | 2.6 | 19.8 |
| *Liechtenstein | 59 | 100.0 | – | 33.5 | 43 | 95.3 | – | 20.2 |
| *Lithuania | 3995 | 77.8 | 17.2 | 32.4 | 3959 | 77.1 | 17.6 | 19.5 |
| Malta | 798 | 94.9 | 1.9 | 35.3 | 602 | 92.2 | 3.2 | 23.2 |
| *The Netherlands | 43125 | 98.5 | – | 50.7 | 33619 | 97.4 | – | 35.7 |
| Norway | 11344 | 96.9 | 0.5 | 46.5 | 11053 | 95.0 | 1.3 | 39.0 |
| Poland, Kielce | 1811 | 97.9 | – | 31.4 | 1324 | 97.7 | – | 17.8 |
| *Portugal, Azores | 280 | 96.8 | 0.4 | 37.8 | 228 | 96.1 | 2.2 | 24.4 |
| Russian Federation, Arkhangelsk | 1496 | 88.3 | 6.7 | 40.2 | 2043 | 84.8 | 8.2 | 29.5 |
| Russian Federation, Kaliningrad | 988 | 86.2 | 1.5 | 32.0 | 1217 | 84.6 | 1.8 | 22.7 |
| Russian Federation, Karelia | 841 | 87.0 | 3.2 | 41.0 | 1026 | 85.8 | 4.8 | 26.3 |
| *Russian Federation, Komi Republic | 998 | 83.8 | 7.9 | 44.4 | 1228 | 83.6 | 8.1 | 29.6 |
| Russian Federation, Murmansk | 873 | 91.3 | 7.1 | 45.1 | 1157 | 92.9 | 5.3 | 30.1 |
| *Russian Federation, Orenburg | 2294 | 97.6 | 0.7 | 35.6 | 2744 | 96.6 | 0.9 | 25.7 |
| Russian Federation, Pskov | 770 | 86.0 | 6.6 | 32.8 | 1042 | 85.0 | 6.3 | 23.8 |
| *Russian Federation, Samara | 4077 | 96.5 | 2.0 | 37.0 | 4886 | 95.0 | 2.8 | 26.3 |
| Russian Federation, Vologda Region | 1307 | 95.3 | 1.5 | 33.9 | 1612 | 92.9 | 2.5 | 23.7 |
| Slovenia | 4162 | 97.8 | 0.1 | 40.6 | 2906 | 94.8 | 0.4 | 22.2 |
| Spain, Asturias | 1995 | 95.1 | 0.8 | 51.0 | 1240 | 91.5 | 1.2 | 25.2 |
| Spain, Basque Country | 5159 | 95.4 | 0.3 | 54.5 | 3228 | 91.6 | 0.5 | 28.4 |
| Spain, Canary Islands | 2579 | 97.3 | 0.2 | 41.9 | 1826 | 95.3 | 0.2 | 25.4 |
| Spain, Castellón | 1438 | 96.9 | 0.1 | 49.3 | 960 | 94.7 | 0.2 | 27.6 |
| Spain, Girona | 1806 | 96.3 | 0.6 | 50.0 | 1170 | 92.8 | 0.9 | 28.6 |
| Spain, Granada | 1782 | 95.8 | 0.2 | 41.0 | 1223 | 92.8 | 0.7 | 24.1 |
| Spain, La Rioja | 845 | 93.7 | 1.5 | 46.8 | 496 | 89.9 | 2.0 | 23.4 |
| Spain, Murcia | 2894 | 97.2 | 0.4 | 45.8 | 1763 | 94.7 | 1.0 | 23.6 |
| Spain, Navarra | 1475 | 95.1 | 0.3 | 57.3 | 829 | 89.7 | 0.5 | 27.6 |
| Spain, Salamanca | 1187 | 96.0 | 0.3 | 52.9 | 829 | 91.8 | 0.8 | 33.2 |
| Spain, Tarragona | 2142 | 94.7 | 0.8 | 52.7 | 1303 | 91.0 | 1.9 | 28.6 |
| *Sweden | 17298 | 98.5 | – | 32.3 | 15778 | 98.1 | – | 26.3 |
| Switzerland, Aargau | 1008 | 98.2 | 1.4 | 31.2 | 726 | 94.6 | 3.4 | 19.3 |
| Switzerland, Basel | 814 | 96.6 | 2.9 | 30.6 | 696 | 95.4 | 3.3 | 21.8 |
| Switzerland, Berne Solothurn | 1484 | 96.7 | 1.4 | 34.4 | 1148 | 94.6 | 1.8 | 22.5 |
| Switzerland, East | 1273 | 97.8 | 0.5 | 31.7 | 996 | 96.5 | 0.3 | 21.4 |
| *Switzerland, Fribourg | 456 | 98.5 | 0.2 | 34.6 | 320 | 96.9 | 0.9 | 22.0 |
| Switzerland, Geneva | 612 | 97.4 | 0.7 | 29.2 | 636 | 95.3 | 1.4 | 24.2 |
| *Switzerland, Graubünden and Glarus | 391 | 97.7 | 0.5 | 28.9 | 306 | 95.4 | 0.7 | 21.9 |
| *Switzerland, Lucerne | 718 | 95.8 | 2.5 | 27.9 | 558 | 90.5 | 5.9 | 19.6 |
| *Switzerland, Neuchâtel and Jura | 463 | 97.0 | 0.2 | 36.0 | 379 | 94.5 | 1.1 | 24.6 |
| Switzerland, Ticino | 701 | 98.3 | 0.3 | 35.1 | 638 | 96.4 | 0.9 | 26.5 |
| Switzerland, Valais | 539 | 96.8 | 0.2 | 31.4 | 432 | 94.7 | 0.0 | 22.1 |
| Switzerland, Vaud | 1175 | 94.6 | 1.9 | 34.6 | 909 | 95.0 | 2.4 | 21.9 |
| Switzerland, Zurich and Zug | 2211 | 97.9 | 0.4 | 29.4 | 1935 | 96.3 | 0.9 | 22.6 |
| Ukraine | 41428 | 87.2 | 0.4 | 32.5 | 41256 | 85.4 | 0.4 | 20.5 |
| UK, England | 98226 | 90.2 | 0.6 | 36.1 | 81238 | 85.7 | 1.0 | 25.7 |
| UK, Northern Ireland | 3241 | 91.4 | 0.3 | 39.0 | 2683 | 86.7 | 0.7 | 27.5 |
| UK, Scotland | 10289 | 89.3 | 0.1 | 37.8 | 8805 | 85.6 | 0.2 | 27.0 |
| UK, Wales | 6808 | 89.2 | 0.8 | 40.0 | 5222 | 86.2 | 1.2 | 26.7 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 14411 | 96.3 | 0.5 | 40.8 | 12493 | 94.7 | 1.2 | 31.3 |
| *Australia, Northern Territory | 270 | 97.4 | – | 39.2 | 195 | 97.4 | – | 31.0 |

* Important. See note on population page.

Indices of data quality Large bowel (C18–21) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 248 | 97.2 | – | 43.2 | 171 | 98.2 | – | 35.5 |
| *Australia, Northern Territory: Indigenous | 22 | 100.0 | – | 16.1 | 22 | 90.9 | – | 13.5 |
| *Australia, Queensland | 8920 | 94.8 | 0.8 | 43.9 | 7561 | 92.6 | 1.5 | 33.6 |
| Australia, South Australia | 3398 | 96.5 | 0.5 | 41.5 | 2895 | 95.1 | 1.0 | 31.1 |
| Australia, Tasmania | 1227 | 97.1 | 0.3 | 45.6 | 1042 | 94.3 | 1.0 | 34.9 |
| *Australia, Victoria | 10246 | 95.7 | 1.5 | 39.5 | 8862 | 93.7 | 2.6 | 30.1 |
| *Australia, Western Australia | 3742 | 95.5 | 0.6 | 36.9 | 3056 | 93.0 | 1.1 | 27.7 |
| *France, New Caledonia | 192 | 99.0 | – | 23.8 | 172 | 98.8 | – | 20.2 |
| New Zealand | 8299 | 94.2 | 1.7 | 41.2 | 7571 | 91.5 | 2.2 | 32.2 |
| *New Zealand: Maori | 565 | 93.8 | 1.4 | 37.2 | 497 | 92.8 | 2.2 | 27.8 |
| *New Zealand: Pacific peoples | 226 | 93.4 | 0.4 | 35.8 | 163 | 91.4 | 1.8 | 22.3 |
| *New Zealand: Other | 7155 | 94.2 | 1.8 | 43.1 | 6618 | 91.3 | 2.3 | 34.3 |
| USA, Hawaii | 1940 | 97.5 | 0.6 | 32.8 | 1658 | 95.4 | 1.1 | 24.2 |
| USA, Hawaii: White | 539 | 98.1 | 0.9 | 29.1 | 446 | 93.9 | 1.3 | 25.1 |
| *USA, Hawaii: Japanese | 487 | 96.7 | 0.6 | 39.1 | 440 | 93.6 | 1.6 | 25.0 |
| *USA, Hawaii: Chinese | 98 | 95.9 | 0.0 | 25.3 | 113 | 93.8 | 1.8 | 22.6 |
| *USA, Hawaii: Hawaiian | 296 | 98.0 | 0.0 | 33.7 | 223 | 96.4 | 0.9 | 23.0 |
| *USA, Hawaii: Filipino | 334 | 97.6 | 0.9 | 35.0 | 272 | 98.9 | 0.4 | 22.4 |

* Important. See note on population page.

Indices of data quality Liver (C22)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 38 | 26.3 | — | 2.7 | 41 | 22.0 | — | 3.1 |
| *Algeria, Tizi Ouzou | 30 | 83.3 | — | 1.9 | 31 | 83.9 | — | 1.6 |
| *Benin, Cotonou | 68 | 11.8 | — | 10.6 | 24 | 4.2 | — | 3.4 |
| *France, La Réunion | 163 | 60.1 | — | 7.7 | 69 | 68.1 | — | 2.6 |
| *Kenya, Eldoret | 38 | 81.6 | 0.0 | 3.2 | 30 | 76.7 | 3.3 | 2.8 |
| *Kenya, Nairobi | 134 | 81.3 | 9.0 | 3.5 | 87 | 65.5 | 18.4 | 3.6 |
| Mauritius | 139 | 43.2 | 26.6 | 3.4 | 128 | 35.9 | 33.6 | 2.9 |
| *Morocco, Casablanca | 123 | 81.3 | 10.6 | 1.2 | 125 | 83.2 | 12.0 | 1.1 |
| *Seychelles | 17 | 52.9 | 23.5 | 6.2 | 6 | 66.7 | 33.3 | 1.7 |
| *South Africa, Eastern Cape | 32 | 62.5 | — | 3.3 | 22 | 59.1 | — | 1.2 |
| *Uganda, Kyadondo County | 194 | 38.1 | 2.1 | 8.9 | 152 | 44.1 | 2.0 | 5.8 |
| *Uganda, Gulu | 78 | 78.2 | 1.3 | 13.8 | 38 | 52.6 | 2.6 | 6.9 |
| *Zimbabwe, Bulawayo: African | 122 | 69.7 | 13.9 | 13.4 | 81 | 59.3 | 24.7 | 7.8 |
| *Zimbabwe, Harare: African | 298 | 45.3 | 20.1 | 15.4 | 176 | 41.5 | 29.5 | 9.6 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 96 | 41.7 | 25.0 | 4.2 | 59 | 33.9 | 28.8 | 1.7 |
| *Argentina, Mendoza | 311 | 68.5 | 23.8 | 5.8 | 231 | 67.5 | 27.7 | 3.3 |
| Brazil, Aracaju | 63 | 54.0 | 17.5 | 6.3 | 36 | 38.9 | 22.2 | 2.1 |
| *Brazil, Barretos | 93 | 44.1 | 50.5 | 6.9 | 46 | 41.3 | 52.2 | 2.9 |
| Brazil, Belo Horizonte | 372 | 67.7 | 29.3 | 5.3 | 231 | 68.0 | 30.7 | 2.2 |
| *Brazil, Campinas | 237 | 46.4 | 35.4 | 10.0 | 110 | 53.6 | 32.7 | 3.5 |
| *Brazil, Curitiba | 242 | 56.2 | 29.8 | 6.2 | 142 | 47.2 | 36.6 | 2.6 |
| Brazil, Goiânia | 121 | 69.4 | 27.3 | 4.8 | 64 | 59.4 | 37.5 | 1.9 |
| *Brazil, Jaú | 24 | 62.5 | — | 5.6 | 8 | 75.0 | — | 1.4 |
| Brazil, João Pessoa | 59 | 57.6 | 18.6 | 5.9 | 58 | 67.2 | 8.6 | 3.7 |
| Brazil, Recife | 196 | 55.6 | 21.4 | 8.2 | 198 | 54.0 | 25.3 | 4.8 |
| Chile, Region of Antofagasta | 46 | 10.9 | 28.3 | 4.9 | 43 | 23.3 | 16.3 | 4.0 |
| Chile, Valdivia | 82 | 9.8 | 8.5 | 5.9 | 55 | 7.3 | 9.1 | 3.0 |
| Colombia, Bucaramanga | 132 | 41.7 | 20.5 | 4.6 | 116 | 44.0 | 22.4 | 2.8 |
| Colombia, Cali | 301 | 75.1 | 3.7 | 5.2 | 324 | 72.2 | 7.4 | 3.7 |
| Colombia, Manizales | 43 | 48.8 | — | 2.9 | 39 | 46.2 | — | 2.2 |
| Colombia, Pasto | 34 | 50.0 | 11.8 | 3.3 | 38 | 52.6 | 13.2 | 2.3 |
| Costa Rica | 343 | 59.8 | 6.7 | 3.5 | 238 | 57.1 | 5.0 | 2.3 |
| Ecuador, Guayaquil | 255 | 48.2 | 34.9 | 5.0 | 205 | 50.2 | 28.3 | 3.3 |
| Ecuador, Manabí | 168 | 40.5 | 23.2 | 4.7 | 146 | 34.2 | 35.6 | 4.0 |
| Ecuador, Quito | 234 | 55.1 | 19.2 | 5.9 | 253 | 44.3 | 28.5 | 4.9 |
| *France, Guadeloupe | 86 | 47.7 | — | 5.1 | 25 | 56.0 | — | 0.9 |
| *France, Martinique | 52 | 46.2 | — | 2.9 | 32 | 59.4 | — | 1.3 |
| *Peru, Lima | 773 | 34.5 | 26.3 | 5.5 | 754 | 26.5 | 32.2 | 4.2 |
| *Trinidad and Tobago | 63 | 90.5 | 6.3 | 2.6 | 36 | 97.2 | 0.0 | 1.3 |
| USA, Puerto Rico | 1383 | 57.0 | 12.4 | 8.9 | 597 | 54.1 | 18.3 | 2.7 |
| *Uruguay | 490 | 45.9 | 29.0 | 4.0 | 201 | 50.2 | 33.8 | 1.1 |
| North America | | | | | | | | |
| Canada, Alberta | 1069 | 58.7 | 0.0 | 7.0 | 452 | 63.7 | 0.4 | 2.8 |
| Canada, British Columbia | 1946 | 38.2 | 0.8 | 8.5 | 777 | 46.1 | 1.8 | 2.8 |
| *Canada, Manitoba | 310 | 36.8 | 0.3 | 5.7 | 152 | 46.1 | 0.0 | 2.4 |
| *Canada, New Brunswick | 176 | 65.3 | 0.6 | 4.0 | 103 | 73.8 | 1.0 | 2.2 |
| *Canada, Newfoundland and Labrador | 125 | 47.2 | 0.0 | 4.3 | 79 | 48.1 | 5.1 | 2.4 |
| Canada, Ontario | 4480 | 60.0 | 3.6 | 7.2 | 1996 | 53.4 | 6.6 | 2.5 |
| *Canada, Prince Edward Island | 41 | 53.7 | — | 5.5 | 19 | 63.2 | — | 1.9 |
| Canada, Quebec | 2855 | 47.0 | 13.9 | 6.8 | 1284 | 45.5 | 21.6 | 2.5 |
| Canada, Saskatchewan | 211 | 68.2 | 1.4 | 4.5 | 106 | 62.3 | 0.0 | 1.8 |
| *Canada, Yukon | 15 | 73.3 | — | 10.2 | 4 | 50.0 | — | 2.8 |
| USA | 120158 | 56.7 | 8.2 | 9.4 | 47818 | 62.1 | 8.9 | 3.1 |
| USA: White | 92260 | 57.2 | 8.3 | 8.6 | 36838 | 63.1 | 9.2 | 2.9 |
| USA: Black | 17929 | 54.0 | 8.4 | 14.0 | 6680 | 60.0 | 7.6 | 4.0 |
| USA, NPCR | 116096 | 56.5 | 8.4 | 9.4 | 46196 | 61.9 | 9.1 | 3.1 |
| USA, NPCR: White | 89198 | 57.1 | 8.5 | 8.6 | 35668 | 62.9 | 9.4 | 2.9 |
| USA, NPCR: Black | 17698 | 53.9 | 8.5 | 14.0 | 6594 | 60.0 | 7.6 | 4.0 |
| USA, NPCR: Asian and Pacific Islander | 7588 | 57.7 | 5.9 | 13.3 | 3290 | 56.6 | 7.5 | 4.4 |
| USA, NPCR: American Indian | 1250 | 49.4 | 10.6 | 10.9 | 503 | 53.3 | 9.7 | 3.9 |
| *USA, SEER (18 registries) | 34009 | 53.2 | 3.7 | 10.0 | 13676 | 58.7 | 4.7 | 3.3 |
| *USA, SEER (18 registries): White | 24366 | 52.9 | 3.8 | 9.1 | 9800 | 60.0 | 5.1 | 3.1 |
| *USA, SEER (18 registries): Non-Hispanic White | 18046 | 54.3 | 3.9 | 8.0 | 7066 | 61.8 | 5.2 | 2.6 |
| *USA, SEER (18 registries): Hispanic White | 6320 | 48.8 | 3.6 | 14.9 | 2734 | 55.4 | 4.6 | 5.4 |
| *USA, SEER (18 registries): Black | 4512 | 52.9 | 3.5 | 13.8 | 1618 | 57.6 | 3.3 | 3.8 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 4463 | 55.9 | 3.2 | 13.1 | 1974 | 54.8 | 4.4 | 4.3 |
| *USA, SEER (9 registries) | 11456 | 53.9 | 2.9 | 9.7 | 4608 | 59.8 | 3.7 | 3.2 |
| *USA, SEER (9 registries): White | 7712 | 54.4 | 3.1 | 8.3 | 3039 | 62.4 | 3.8 | 2.8 |
| *USA, SEER (9 registries): Black | 1656 | 50.7 | 2.3 | 15.4 | 633 | 57.7 | 2.8 | 4.5 |
| USA, Alabama | 1732 | 56.5 | 18.7 | 8.8 | 696 | 59.1 | 23.4 | 2.9 |
| USA, Alabama: White | 1260 | 57.8 | 18.3 | 8.2 | 518 | 59.1 | 22.8 | 2.9 |

* Important. See note on population page.

Indices of data quality Liver (C22) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 439 | 53.5 | 19.6 | 10.8 | 159 | 61.0 | 25.8 | 2.9 |
| USA, Alaska | 255 | 56.5 | 7.8 | 9.4 | 96 | 53.1 | 7.3 | 3.9 |
| *USA, Alaska: Alaska Natives | 38 | 65.8 | 5.3 | 11.8 | 29 | 48.3 | 3.4 | 7.9 |
| USA, Arizona | 2459 | 55.6 | 15.2 | 9.1 | 987 | 60.9 | 16.0 | 3.1 |
| USA, Arizona: White | 2146 | 55.6 | 15.5 | 8.7 | 848 | 61.0 | 16.3 | 3.0 |
| USA, Arizona: Black | 94 | 55.3 | 16.0 | 10.3 | 34 | 67.6 | 14.7 | 3.4 |
| *USA, Arizona: Asian and Pacific Islander | 72 | 66.7 | 9.7 | 9.8 | 40 | 67.5 | 15.0 | 3.9 |
| USA, Arizona: American Indian | 141 | 51.1 | 11.3 | 15.2 | 64 | 53.1 | 12.5 | 5.6 |
| USA, Arkansas | 1073 | 64.1 | 8.0 | 8.8 | 397 | 69.5 | 12.6 | 2.8 |
| USA, Arkansas: White | 875 | 65.1 | 8.3 | 8.3 | 333 | 68.5 | 12.6 | 2.7 |
| USA, Arkansas: Black | 167 | 60.5 | 6.6 | 11.9 | 51 | 74.5 | 13.7 | 3.0 |
| USA, California | 15405 | 49.1 | 8.0 | 10.8 | 6400 | 54.8 | 9.4 | 3.7 |
| USA, California: White | 11037 | 48.0 | 8.2 | 10.1 | 4583 | 55.3 | 9.6 | 3.5 |
| USA, California: Black | 1175 | 48.4 | 9.1 | 13.8 | 434 | 53.2 | 9.7 | 4.2 |
| USA, California: Asian and Pacific Islander | 3004 | 54.3 | 6.4 | 13.5 | 1316 | 53.6 | 8.4 | 4.2 |
| *USA, California, Los Angeles County | 3481 | 55.1 | 3.9 | 9.8 | 1684 | 60.9 | 4.6 | 3.8 |
| *USA, California, Los Angeles County: White | 2300 | 52.8 | 3.8 | 9.1 | 1117 | 61.7 | 4.5 | 3.7 |
| *USA, California, Los Angeles County: Non-Hispanic White | 956 | 54.9 | 4.2 | 6.8 | 426 | 64.3 | 5.4 | 2.6 |
| *USA, California, Los Angeles County: Hispanic White | 1344 | 51.3 | 3.5 | 12.4 | 691 | 60.1 | 3.9 | 5.0 |
| *USA, California, Los Angeles County: Black | 369 | 54.2 | 6.0 | 11.6 | 179 | 57.5 | 2.8 | 4.1 |
| *USA, California, Los Angeles County: Chinese | 212 | 58.0 | 7.5 | 9.8 | 101 | 57.4 | 6.9 | 3.2 |
| *USA, California, Los Angeles County: Filipino | 137 | 70.1 | 0.0 | 9.9 | 75 | 62.7 | 8.0 | 3.2 |
| *USA, California, Los Angeles County: Korean | 136 | 64.0 | 2.9 | 14.7 | 65 | 60.0 | 4.6 | 4.7 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 765 | 62.9 | 3.5 | 11.9 | 369 | 60.7 | 6.0 | 4.0 |
| *USA, California, San Francisco Bay Area | 2149 | 47.6 | 3.9 | 11.7 | 833 | 54.1 | 3.6 | 3.6 |
| *USA, California, San Francisco Bay Area: White | 1174 | 46.6 | 4.0 | 9.8 | 466 | 57.9 | 3.4 | 3.2 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 849 | 48.1 | 4.6 | 8.5 | 316 | 60.8 | 3.5 | 2.6 |
| *USA, California, San Francisco Bay Area: Hispanic White | 325 | 42.8 | 2.5 | 16.1 | 150 | 52.0 | 3.3 | 6.1 |
| *USA, California, San Francisco Bay Area: Black | 258 | 42.2 | 5.4 | 17.8 | 74 | 51.4 | 6.8 | 4.4 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 691 | 51.2 | 2.9 | 14.2 | 286 | 49.3 | 3.1 | 4.1 |
| USA, Colorado | 1671 | 47.7 | 6.8 | 8.1 | 607 | 55.7 | 7.1 | 2.5 |
| USA, Colorado: White | 1469 | 47.6 | 7.3 | 7.6 | 527 | 56.7 | 7.8 | 2.3 |
| *USA, Colorado: Black | 96 | 44.8 | 3.1 | 13.3 | 33 | 45.5 | 0.0 | 4.3 |
| *USA, Colorado: Asian and Pacific Islander | 75 | 53.3 | 2.7 | 14.8 | 37 | 54.1 | 2.7 | 5.1 |
| USA, Connecticut | 1387 | 70.2 | 1.3 | 9.0 | 507 | 77.1 | 1.4 | 2.6 |
| USA, Connecticut: White | 1166 | 69.7 | 1.4 | 8.4 | 408 | 79.2 | 1.2 | 2.4 |
| USA, Connecticut: Black | 142 | 73.2 | 1.4 | 12.4 | 63 | 69.8 | 1.6 | 4.0 |
| USA, District of Columbia | 303 | 59.7 | 9.6 | 15.1 | 124 | 62.1 | 9.7 | 4.8 |
| USA, District of Columbia: White | 43 | 60.5 | 11.6 | 5.1 | 17 | 76.5 | 11.8 | 1.8 |
| USA, District of Columbia: Black | 253 | 59.3 | 9.5 | 23.0 | 101 | 60.4 | 7.9 | 6.4 |
| USA, Florida | 8190 | 71.4 | 6.7 | 9.0 | 3196 | 74.6 | 6.8 | 2.9 |
| USA, Florida: White | 6951 | 71.5 | 6.6 | 8.8 | 2606 | 74.4 | 7.0 | 2.8 |
| USA, Florida: Black | 987 | 71.4 | 6.6 | 9.9 | 461 | 75.9 | 6.1 | 3.6 |
| USA, Florida: Asian and Pacific Islander | 165 | 75.2 | 1.2 | 7.9 | 88 | 77.3 | 0.0 | 3.2 |
| USA, Georgia | 3368 | 54.9 | 5.0 | 9.3 | 1346 | 59.2 | 6.9 | 3.0 |
| USA, Georgia: White | 2217 | 56.0 | 5.2 | 8.5 | 885 | 60.0 | 8.8 | 2.8 |
| USA, Georgia: Black | 990 | 52.2 | 4.7 | 11.1 | 388 | 58.2 | 3.6 | 3.2 |
| USA, Georgia: Asian and Pacific Islander | 155 | 54.2 | 3.9 | 13.7 | 72 | 55.6 | 1.4 | 5.7 |
| *USA, Georgia, Atlanta | 1108 | 49.9 | 1.8 | 9.8 | 462 | 56.3 | 2.6 | 3.3 |
| *USA, Georgia, Atlanta: White | 496 | 54.0 | 1.8 | 7.3 | 207 | 58.9 | 3.4 | 2.5 |
| *USA, Georgia, Atlanta: Black | 497 | 45.1 | 1.4 | 13.3 | 205 | 53.7 | 2.0 | 3.8 |
| USA, Idaho | 538 | 50.2 | 8.2 | 7.9 | 200 | 61.0 | 4.0 | 2.6 |
| USA, Indiana | 2138 | 62.1 | 6.0 | 8.1 | 858 | 68.2 | 4.9 | 2.7 |
| USA, Indiana: White | 1817 | 63.2 | 5.8 | 7.5 | 749 | 68.8 | 5.3 | 2.6 |
| USA, Indiana: Black | 281 | 55.5 | 7.8 | 15.9 | 97 | 63.9 | 2.1 | 4.3 |
| *USA, Iowa | 936 | 51.8 | 4.8 | 7.0 | 426 | 58.9 | 5.6 | 2.6 |
| USA, Kentucky | 1700 | 49.9 | 11.2 | 9.4 | 678 | 62.7 | 10.8 | 3.2 |
| USA, Louisiana | 2198 | 57.6 | 4.3 | 12.4 | 663 | 61.5 | 6.5 | 3.2 |
| USA, Louisiana: White | 1285 | 59.2 | 4.4 | 10.1 | 432 | 62.5 | 6.2 | 2.9 |
| USA, Louisiana: Black | 838 | 55.0 | 3.6 | 18.1 | 209 | 59.3 | 7.2 | 3.6 |
| *USA, Louisiana, New Orleans | 563 | 50.1 | 4.8 | 16.6 | 162 | 59.3 | 6.2 | 4.0 |
| *USA, Louisiana, New Orleans: White | 277 | 51.6 | 5.4 | 13.3 | 86 | 57.0 | 8.1 | 3.6 |
| *USA, Louisiana, New Orleans: Black | 249 | 47.0 | 3.6 | 20.9 | 65 | 60.0 | 4.6 | 4.2 |
| USA, Maine | 438 | 61.9 | 12.8 | 6.3 | 122 | 72.1 | 8.2 | 1.5 |
| USA, Maryland | 2298 | 55.4 | 10.5 | 9.9 | 930 | 63.4 | 10.8 | 3.2 |
| USA, Maryland: White | 1278 | 57.7 | 9.0 | 7.8 | 538 | 66.4 | 10.2 | 2.8 |
| USA, Maryland: Black | 879 | 50.2 | 13.3 | 15.3 | 322 | 56.2 | 12.4 | 4.1 |
| USA, Maryland: Asian and Pacific Islander | 134 | 67.2 | 6.0 | 10.0 | 64 | 75.0 | 7.8 | 3.6 |
| USA, Massachusetts | 2635 | 58.0 | 7.6 | 9.4 | 943 | 64.5 | 8.7 | 2.7 |
| USA, Massachusetts: White | 2159 | 58.8 | 8.0 | 8.5 | 774 | 65.2 | 9.4 | 2.5 |
| USA, Massachusetts: Black | 225 | 54.7 | 4.9 | 14.1 | 82 | 67.1 | 6.1 | 4.0 |
| USA, Massachusetts: Asian and Pacific Islander | 207 | 55.1 | 8.2 | 17.1 | 77 | 57.1 | 5.2 | 5.3 |

* Important. See note on population page.

Indices of data quality Liver (C22) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 3271 | 62.0 | 10.3 | 7.7 | 1420 | 64.1 | 11.6 | 2.8 |
| USA, Michigan: White | 2499 | 63.4 | 11.0 | 6.7 | 1087 | 63.8 | 13.7 | 2.4 |
| USA, Michigan: Black | 670 | 56.7 | 7.5 | 15.4 | 279 | 66.3 | 3.9 | 4.8 |
| USA, Michigan: Asian and Pacific Islander | 56 | 66.1 | 7.1 | 6.6 | 32 | 56.2 | 0.0 | 3.0 |
| *USA, Michigan, Detroit | 1472 | 61.9 | 3.8 | 9.4 | 617 | 61.9 | 5.8 | 3.1 |
| *USA, Michigan, Detroit: White | 935 | 64.5 | 4.3 | 7.7 | 377 | 61.5 | 7.4 | 2.4 |
| *USA, Michigan, Detroit: Black | 501 | 57.1 | 2.8 | 16.4 | 215 | 65.1 | 2.8 | 4.9 |
| USA, Minnesota | 1758 | 60.2 | 5.6 | 7.7 | 718 | 68.4 | 4.5 | 2.9 |
| USA, Minnesota: White | 1410 | 61.3 | 6.0 | 6.5 | 591 | 71.4 | 3.9 | 2.5 |
| USA, Minnesota: Black | 188 | 56.4 | 3.2 | 28.4 | 63 | 54.0 | 7.9 | 9.1 |
| *USA, Minnesota: Asian and Pacific Islander | 116 | 55.2 | 6.0 | 22.6 | 43 | 53.5 | 2.3 | 6.7 |
| USA, Mississippi | 1166 | 63.5 | 3.4 | 10.2 | 435 | 70.1 | 1.6 | 3.2 |
| USA, Missouri | 2165 | 57.3 | 9.7 | 8.6 | 864 | 61.0 | 11.2 | 2.9 |
| USA, Missouri: White | 1727 | 59.7 | 9.8 | 7.6 | 699 | 62.8 | 12.6 | 2.6 |
| USA, Missouri: Black | 381 | 47.2 | 10.0 | 18.2 | 136 | 53.7 | 4.4 | 4.7 |
| USA, Montana | 344 | 55.5 | 7.0 | 7.3 | 123 | 67.5 | 8.9 | 2.2 |
| *USA, Montana: American Indian | 29 | 55.2 | 6.9 | 14.9 | 9 | 88.9 | 0.0 | 4.2 |
| USA, Nebraska | 465 | 66.7 | 6.5 | 6.2 | 180 | 69.4 | 12.2 | 2.1 |
| USA, Nebraska: White | 376 | 66.5 | 6.9 | 5.3 | 157 | 71.3 | 11.5 | 1.9 |
| *USA, Nebraska: Black | 43 | 60.5 | 4.7 | 17.9 | 11 | 63.6 | 0.0 | 4.1 |
| USA, Nevada | 860 | 62.9 | 14.1 | 7.4 | 340 | 65.0 | 12.1 | 2.7 |
| USA, Nevada: White | 691 | 60.3 | 15.1 | 7.1 | 256 | 62.9 | 12.1 | 2.5 |
| USA, Nevada: Black | 74 | 74.3 | 8.1 | 9.1 | 31 | 71.0 | 6.5 | 3.3 |
| *USA, Nevada: Asian and Pacific Islander | 75 | 76.0 | 12.0 | 7.3 | 45 | 68.9 | 17.8 | 3.4 |
| USA, New Jersey | 3138 | 62.4 | 7.7 | 8.6 | 1245 | 68.2 | 8.2 | 2.7 |
| USA, New Jersey: White | 2405 | 62.9 | 7.6 | 8.2 | 972 | 70.1 | 9.2 | 2.6 |
| USA, New Jersey: Black | 472 | 55.7 | 10.0 | 12.0 | 183 | 59.6 | 4.4 | 3.4 |
| USA, New Mexico | 1010 | 60.2 | 5.1 | 12.1 | 375 | 62.4 | 6.4 | 3.7 |
| USA, New Mexico: White | 863 | 58.9 | 5.8 | 11.7 | 307 | 63.5 | 6.8 | 3.4 |
| USA, New Mexico: Non-Hispanic White | 332 | 59.9 | 5.4 | 6.9 | 132 | 62.9 | 9.8 | 2.5 |
| USA, New Mexico: Hispanic White | 531 | 58.2 | 6.0 | 18.5 | 175 | 64.0 | 4.6 | 4.8 |
| *USA, New Mexico: American Indian | 102 | 67.6 | 1.0 | 16.6 | 53 | 56.6 | 1.9 | 6.7 |
| USA, New York State | 7919 | 63.1 | 3.2 | 10.2 | 3226 | 64.0 | 5.0 | 3.2 |
| USA, New York State: White | 5361 | 63.2 | 3.2 | 8.7 | 2182 | 64.7 | 5.5 | 2.8 |
| USA, New York State: Black | 1544 | 59.1 | 3.6 | 14.6 | 641 | 60.4 | 4.2 | 4.2 |
| USA, New York State: Asian and Pacific Islander | 956 | 69.7 | 2.3 | 16.4 | 385 | 67.3 | 3.4 | 5.3 |
| USA, North Carolina | 3842 | 58.8 | 7.9 | 9.7 | 1491 | 65.4 | 7.0 | 3.1 |
| USA, North Carolina: White | 2819 | 59.8 | 7.7 | 8.9 | 1090 | 65.7 | 6.9 | 2.9 |
| USA, North Carolina: Black | 871 | 56.1 | 8.7 | 12.3 | 341 | 64.5 | 7.6 | 3.6 |
| USA, North Carolina: Asian and Pacific Islander | 79 | 49.4 | 3.8 | 11.3 | 39 | 69.2 | 7.7 | 4.6 |
| *USA, North Carolina: American Indian | 60 | 68.3 | 10.0 | 12.5 | 17 | 64.7 | 5.9 | 3.0 |
| USA, North Dakota | 141 | 68.1 | 5.0 | 4.8 | 59 | 71.2 | 5.1 | 1.7 |
| USA, Ohio | 3773 | 59.0 | 14.6 | 7.6 | 1654 | 65.5 | 14.0 | 2.8 |
| USA, Ohio: White | 3007 | 60.7 | 14.8 | 6.8 | 1362 | 66.4 | 14.5 | 2.6 |
| USA, Ohio: Black | 685 | 51.8 | 13.3 | 14.9 | 263 | 63.5 | 10.3 | 4.3 |
| *USA, Ohio: Asian and Pacific Islander | 68 | 60.3 | 14.7 | 10.1 | 24 | 37.5 | 20.8 | 2.9 |
| USA, Oklahoma | 1403 | 52.5 | 12.5 | 9.4 | 558 | 53.9 | 12.0 | 3.2 |
| USA, Oklahoma: White | 1044 | 53.2 | 12.0 | 8.2 | 413 | 54.7 | 11.4 | 2.8 |
| USA, Oklahoma: Black | 107 | 52.3 | 13.1 | 11.5 | 40 | 62.5 | 0.0 | 3.6 |
| USA, Oklahoma: American Indian | 205 | 49.3 | 16.6 | 18.6 | 89 | 50.6 | 16.9 | 6.7 |
| USA, Oregon | 1866 | 44.3 | 11.5 | 10.8 | 689 | 50.8 | 12.2 | 3.4 |
| USA, Oregon: White | 1625 | 44.1 | 12.1 | 10.0 | 598 | 51.7 | 12.7 | 3.2 |
| *USA, Oregon: Black | 68 | 44.1 | 7.4 | 25.6 | 16 | 43.8 | 12.5 | 6.1 |
| *USA, Oregon: Asian and Pacific Islander | 108 | 49.1 | 7.4 | 19.4 | 56 | 44.6 | 10.7 | 6.9 |
| USA, Rhode Island | 429 | 62.9 | 7.7 | 9.9 | 167 | 69.5 | 9.0 | 3.1 |
| USA, Rhode Island: White | 381 | 62.5 | 7.6 | 9.6 | 148 | 71.6 | 9.5 | 3.0 |
| *USA, Rhode Island: Black | 20 | 75.0 | 5.0 | 8.8 | 10 | 40.0 | 10.0 | 3.5 |
| USA, South Carolina | 1898 | 60.2 | 9.0 | 9.5 | 686 | 67.1 | 9.5 | 2.7 |
| USA, South Carolina: White | 1400 | 60.1 | 9.4 | 9.1 | 508 | 66.5 | 9.6 | 2.7 |
| USA, South Carolina: Black | 477 | 60.0 | 8.0 | 10.8 | 162 | 69.1 | 9.3 | 2.7 |
| USA, South Dakota | 265 | 54.7 | 10.2 | 7.6 | 94 | 56.4 | 7.4 | 2.3 |
| USA, Tennessee | 2581 | 59.2 | 12.4 | 9.8 | 975 | 64.9 | 8.4 | 3.1 |
| USA, Tennessee: White | 2056 | 59.7 | 11.9 | 9.0 | 770 | 67.4 | 8.1 | 2.9 |
| USA, Tennessee: Black | 472 | 56.8 | 14.4 | 14.3 | 186 | 55.4 | 9.1 | 4.3 |
| USA, Texas | 12158 | 49.9 | 11.0 | 13.2 | 4825 | 55.0 | 11.0 | 4.4 |
| USA, Texas: White | 9832 | 50.1 | 10.9 | 12.6 | 3981 | 55.4 | 11.4 | 4.3 |
| USA, Texas: Black | 1742 | 48.0 | 11.7 | 18.3 | 598 | 53.5 | 8.4 | 5.0 |
| USA, Texas: Asian and Pacific Islander | 528 | 53.6 | 8.9 | 13.7 | 212 | 51.4 | 9.4 | 4.6 |
| USA, Utah | 568 | 50.5 | 1.1 | 6.3 | 261 | 64.4 | 3.4 | 2.6 |
| USA, Vermont | 182 | 48.9 | 8.2 | 6.0 | 61 | 67.2 | 8.2 | 1.8 |
| USA, Washington State | 2877 | 39.1 | 6.5 | 10.0 | 1149 | 51.3 | 5.7 | 3.5 |
| *USA, Washington, Seattle | 2097 | 41.8 | 1.0 | 10.7 | 813 | 51.2 | 1.5 | 3.6 |

* Important. See note on population page.

Indices of data quality Liver (C22) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 715 | 66.2 | 5.0 | 8.2 | 286 | 67.1 | 6.6 | 2.7 |
| USA, Wyoming | 172 | 61.0 | 5.8 | 6.7 | 62 | 59.7 | 1.6 | 2.2 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 73 | 68.5 | 8.2 | 6.0 | 40 | 82.5 | 2.5 | 3.4 |
| Brunei Darussalam | 102 | 68.6 | 2.0 | 12.1 | 46 | 60.9 | 4.3 | 5.3 |
| *China, Anfu County | 241 | 23.7 | – | 22.9 | 83 | 22.9 | – | 7.7 |
| *China, Anguo City | 324 | 66.7 | 5.2 | 24.3 | 106 | 68.9 | 12.3 | 7.6 |
| *China, Anshan City | 1731 | 25.4 | 1.1 | 22.8 | 616 | 26.1 | 3.2 | 6.9 |
| *China, Aohan Banner, Chifeng City | 1098 | 60.8 | 2.7 | 61.1 | 404 | 58.4 | 2.0 | 21.4 |
| *China, Arongqi | 607 | 60.5 | 3.6 | 67.1 | 200 | 56.0 | 3.0 | 24.5 |
| *China, Baoding City | 637 | 40.7 | 10.5 | 17.6 | 294 | 33.7 | 11.9 | 7.6 |
| *China, Beijing City | 5732 | 36.5 | 3.7 | 13.8 | 2273 | 36.2 | 4.3 | 4.5 |
| *China, Binhai County | 1042 | 37.3 | 0.5 | 22.4 | 532 | 51.9 | 0.4 | 11.4 |
| *China, Cangzhou City | 328 | 39.3 | 22.6 | 20.1 | 110 | 35.5 | 24.5 | 6.5 |
| China, Changfeng County | 337 | 24.0 | 1.5 | 19.7 | 111 | 25.2 | 0.9 | 6.3 |
| China, Changzhou City | 2493 | 31.0 | 0.6 | 25.4 | 922 | 25.3 | 0.7 | 7.8 |
| China, Chengdu City | 1217 | 53.0 | 4.8 | 32.6 | 448 | 48.2 | 4.5 | 11.3 |
| China, Cixian County | 453 | 43.9 | 0.9 | 26.2 | 188 | 38.3 | 2.7 | 10.1 |
| China, Cixi City | 1342 | 34.2 | 14.2 | 27.7 | 458 | 34.3 | 15.9 | 8.4 |
| *China, Dafeng District, Yancheng City | 1032 | 29.5 | 0.6 | 30.0 | 438 | 30.6 | 0.7 | 11.1 |
| China, Dalian City | 2821 | 24.1 | 2.3 | 25.3 | 989 | 22.3 | 3.1 | 7.4 |
| *China, Dancheng County | 1347 | 39.6 | 0.7 | 41.7 | 909 | 38.7 | 2.8 | 26.8 |
| China, Dangtu County | 250 | 24.0 | 6.0 | 20.0 | 121 | 19.8 | 2.5 | 9.3 |
| *China, Danyang City | 975 | 39.7 | 0.7 | 27.1 | 433 | 40.2 | 1.6 | 10.2 |
| *China, Dawukou District, Shizuishan City | 247 | 46.6 | 2.0 | 24.7 | 116 | 41.4 | 0.9 | 10.7 |
| *China, Dehui City | 958 | 50.6 | 5.6 | 30.7 | 355 | 41.4 | 5.1 | 12.0 |
| *China, Donggang County | 1108 | 10.1 | 4.7 | 38.8 | 475 | 13.5 | 2.9 | 15.7 |
| *China, Dongguan City | 1375 | 38.8 | 1.4 | 34.7 | 358 | 36.0 | 3.1 | 7.3 |
| China, Donghai County | 1037 | 33.3 | 4.2 | 24.4 | 428 | 28.7 | 4.9 | 10.5 |
| *China, Dongtai City | 1213 | 30.6 | 0.2 | 25.5 | 527 | 32.3 | 0.4 | 9.9 |
| China, Duanzhou District, Zhaoqing City | 434 | 45.6 | 3.0 | 36.8 | 134 | 43.3 | 2.2 | 10.9 |
| *China, Evenki Autonomous Banner | 88 | 11.4 | 3.4 | 29.8 | 37 | 21.6 | 5.4 | 12.2 |
| *China, Faku County | 475 | 15.2 | 1.3 | 23.2 | 150 | 12.7 | 3.3 | 6.9 |
| *China, Fangcheng County | 548 | 66.4 | – | 23.3 | 221 | 60.6 | – | 10.2 |
| *China, Feicheng City | 969 | 11.6 | 3.0 | 24.1 | 319 | 9.4 | 3.4 | 7.0 |
| China, Feixi County | 932 | 31.0 | 0.9 | 22.8 | 329 | 29.5 | 0.6 | 7.4 |
| China, Fuqing City | 1348 | 57.4 | 10.3 | 49.5 | 370 | 61.4 | 11.4 | 13.5 |
| *China, Ganyu District, Lianyungang City | 967 | 25.5 | 3.1 | 22.8 | 313 | 25.6 | 5.1 | 6.9 |
| *China, Ganzhou District, Zhangye City | 335 | 46.9 | 0.3 | 35.4 | 135 | 48.9 | 0.7 | 15.0 |
| *China, Gaocheng City | 555 | 25.4 | 5.4 | 24.2 | 160 | 21.2 | 5.0 | 6.1 |
| China, Gaomi City | 904 | 27.5 | 2.8 | 29.9 | 316 | 29.1 | 4.7 | 9.0 |
| China, Gong'an County | 1086 | 70.0 | 0.9 | 32.0 | 380 | 68.9 | 1.1 | 10.6 |
| *China, Guang'an District, Guang'an City | 913 | 57.8 | 7.0 | 47.5 | 234 | 56.8 | 7.3 | 11.9 |
| China, Guanghan City | 517 | 65.2 | 1.0 | 31.2 | 163 | 65.6 | 0.6 | 8.3 |
| China, Guangzhou City | 10023 | 36.4 | 1.6 | 32.1 | 2603 | 34.7 | 2.1 | 7.1 |
| *China, Guanyun County | 1222 | 22.4 | 1.7 | 34.5 | 425 | 20.7 | 0.7 | 12.1 |
| China, Guilin City | 841 | 32.8 | 0.8 | 36.8 | 244 | 39.8 | 0.8 | 10.0 |
| *China, Hai'an City | 1237 | 31.9 | 0.0 | 25.3 | 459 | 28.1 | 0.4 | 8.1 |
| China, Hailar District, Hulun Buir City | 299 | 20.1 | 4.0 | 26.3 | 111 | 22.5 | 3.6 | 8.8 |
| China, Haimen District, Nantong City | 1633 | 23.3 | 0.4 | 35.9 | 675 | 18.5 | 0.1 | 12.4 |
| China, Haining City | 546 | 39.4 | 2.7 | 16.8 | 244 | 32.0 | 6.6 | 6.6 |
| China, Hangzhou City | 6094 | 30.7 | 4.3 | 19.2 | 2095 | 29.4 | 4.6 | 5.9 |
| China, Hebi City | 326 | 44.2 | 0.9 | 25.6 | 160 | 48.8 | 1.9 | 11.5 |
| China, Hefei City | 1691 | 34.9 | 5.4 | 19.9 | 640 | 32.2 | 7.8 | 7.2 |
| China, Hengdong County | 444 | 38.5 | 1.6 | 27.7 | 89 | 20.2 | 1.1 | 5.8 |
| *China, Hengfeng County | 217 | 24.9 | 0.9 | 34.4 | 90 | 32.2 | 3.3 | 14.7 |
| *China, Hepu County | 1701 | 20.0 | 5.2 | 59.1 | 338 | 17.2 | 6.2 | 11.5 |
| China, Honghu City | 1024 | 38.3 | 0.1 | 34.5 | 386 | 36.3 | 0.3 | 11.7 |
| China, Hongshan District, Chifeng City | 330 | 31.5 | – | 25.0 | 139 | 33.8 | – | 9.5 |
| *China, Hongta District, Yuxi City | 229 | 62.9 | 3.9 | 13.9 | 135 | 59.3 | 3.7 | 7.6 |
| *China, Huaiyin District, Huai'an City | 1020 | 31.4 | 3.3 | 29.0 | 348 | 25.9 | 2.9 | 9.6 |
| *China, Jiange County | 548 | 20.8 | 0.9 | 32.5 | 214 | 21.0 | 0.0 | 12.1 |
| China, Jiangmen City | 920 | 17.9 | 1.5 | 38.7 | 194 | 12.9 | 0.0 | 7.0 |
| *China, Jiangyin City | 1212 | 27.8 | 0.7 | 21.7 | 449 | 27.2 | 0.0 | 6.8 |
| *China, Jiashan County | 494 | 30.6 | 0.2 | 22.7 | 235 | 29.8 | 2.6 | 9.3 |
| China, Jiayu County | 233 | 37.8 | 8.2 | 30.2 | 77 | 36.4 | 7.8 | 10.0 |
| *China, Jinan City | 2283 | 59.2 | 5.5 | 24.8 | 789 | 58.9 | 4.3 | 7.2 |
| *China, Jingtai County | 291 | 34.7 | 3.8 | 40.2 | 106 | 24.5 | 11.3 | 15.5 |
| *China, Jingxian County | 255 | 44.7 | 3.9 | 17.8 | 108 | 45.4 | 4.6 | 8.6 |
| *China, Jintan District, Changzhou City | 509 | 27.1 | 1.6 | 21.3 | 260 | 30.0 | 1.5 | 10.1 |
| *China, Jiulongpo District, Chongqing City | 1041 | 33.6 | 1.1 | 33.1 | 327 | 33.9 | 0.6 | 9.3 |
| *China, Jiyuan City | 498 | 28.3 | 2.4 | 29.6 | 263 | 30.8 | 2.3 | 14.4 |

* Important. See note on population page.

Indices of data quality Liver (C22) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 344 | 30.5 | 0.6 | 26.6 | 105 | 24.8 | 0.0 | 8.1 |
| China, Kunshan City | 755 | 40.4 | 1.3 | 21.6 | 401 | 31.4 | 1.5 | 9.1 |
| China, Langzhong City | 447 | 31.5 | 0.2 | 22.4 | 167 | 24.0 | 0.6 | 8.7 |
| *China, Liangshan County | 847 | 60.7 | 4.7 | 28.9 | 288 | 63.2 | 4.5 | 8.9 |
| *China, Lianshui County | 876 | 38.9 | 0.2 | 20.8 | 375 | 38.9 | 0.3 | 8.6 |
| China, Lianyungang City | 875 | 19.1 | 2.7 | 22.9 | 272 | 15.4 | 5.1 | 6.5 |
| China, Linhe District, Bayannur City | 307 | 36.5 | 3.6 | 23.0 | 107 | 31.8 | 3.7 | 7.6 |
| China, Linqu County | 863 | 33.7 | 2.2 | 24.3 | 384 | 35.4 | 3.1 | 9.9 |
| *China, Linzhou City | 630 | 39.0 | 3.8 | 17.8 | 341 | 38.4 | 2.6 | 8.6 |
| China, Liuzhou City | 1446 | 25.0 | 0.8 | 38.0 | 382 | 20.7 | 0.5 | 9.7 |
| China, Liyang City | 636 | 34.0 | 0.2 | 16.3 | 240 | 35.8 | 0.4 | 5.4 |
| *China, Longquan City | 336 | 28.0 | 1.8 | 33.5 | 108 | 33.3 | 0.9 | 11.0 |
| China, Lucheng District, Wenzhou City | 637 | 31.1 | 6.6 | 33.3 | 174 | 35.1 | 9.2 | 7.9 |
| China, Luoding City | 853 | 19.2 | 9.4 | 37.6 | 200 | 17.0 | 13.0 | 8.9 |
| *China, Luohe City | 1380 | 38.5 | 4.8 | 35.2 | 618 | 32.4 | 3.9 | 13.6 |
| *China, Luoyang City | 907 | 41.9 | 4.1 | 21.3 | 404 | 36.4 | 3.7 | 8.9 |
| *China, Luquan City | 218 | 28.4 | 6.4 | 18.7 | 96 | 30.2 | 2.1 | 7.2 |
| China, Ma'anshan City | 509 | 22.8 | 1.0 | 23.6 | 193 | 26.4 | 0.5 | 7.7 |
| *China, Macheng City | 749 | 34.3 | 0.4 | 29.9 | 234 | 21.8 | 0.9 | 9.8 |
| China, Meihekou City | 624 | 55.4 | 2.7 | 25.8 | 270 | 55.6 | 2.6 | 12.3 |
| *China, Mengjin County | 233 | 41.2 | 3.0 | 20.8 | 106 | 45.3 | 2.8 | 7.6 |
| China, Nangang District, Harbin City | 840 | 29.9 | 9.9 | 20.6 | 311 | 29.9 | 11.6 | 6.2 |
| *China, Nanhai District, Foshan City | 1301 | 44.0 | — | 47.7 | 350 | 47.7 | — | 10.6 |
| China, Nanhu District, Jiaxing City | 631 | 20.3 | 1.7 | 22.8 | 287 | 18.1 | 1.4 | 9.0 |
| *China, Nantong City | 1555 | 28.2 | 1.2 | 30.4 | 609 | 28.9 | 1.1 | 9.3 |
| *China, Nanxiong City | 918 | 23.4 | 2.1 | 62.5 | 191 | 21.5 | 6.3 | 11.3 |
| China, Neixiang County | 452 | 12.8 | 1.1 | 19.0 | 191 | 9.4 | 1.6 | 7.7 |
| *China, Qianxi County | 503 | 40.8 | 2.2 | 34.8 | 210 | 33.3 | 4.8 | 15.3 |
| China, Qidong City | 2734 | 29.7 | 0.0 | 47.5 | 1202 | 27.0 | 0.0 | 16.7 |
| China, Qingzhou City | 643 | 7.5 | 1.4 | 19.8 | 229 | 12.2 | 2.6 | 6.1 |
| *China, Rudong County | 1537 | 14.5 | 0.8 | 26.5 | 637 | 13.5 | 0.5 | 9.7 |
| *China, Rugao City | 2438 | 38.2 | 0.3 | 36.5 | 873 | 39.3 | 0.2 | 11.6 |
| *China, Rural areas of Shanghai City | 8138 | 36.2 | 0.5 | 18.0 | 3457 | 30.4 | 0.8 | 6.2 |
| China, Ruyang County | 171 | 30.4 | 4.7 | 14.2 | 86 | 36.0 | 0.0 | 6.8 |
| *China, Shan County | 1023 | 35.9 | 0.2 | 42.1 | 399 | 38.8 | 0.3 | 12.7 |
| China, Shanghai City | 5731 | 36.0 | 0.3 | 15.5 | 2536 | 34.0 | 0.7 | 5.3 |
| China, Shangyu District, Shaoxing City | 972 | 25.1 | 0.3 | 28.1 | 352 | 26.7 | 0.0 | 9.6 |
| *China, Shapingba District, Chongqing City | 872 | 34.4 | 1.1 | 25.5 | 314 | 24.2 | 2.2 | 8.4 |
| China, Shexian County | 282 | 35.1 | 0.0 | 21.0 | 124 | 40.3 | 3.2 | 9.1 |
| China, Sheyang County | 1357 | 13.0 | 0.3 | 32.6 | 564 | 23.4 | 0.0 | 13.1 |
| *China, Shijiazhuang City | 990 | 34.9 | 8.2 | 19.2 | 361 | 33.0 | 8.6 | 6.4 |
| China, Shunde District, Foshan City | 2380 | 32.4 | — | 68.0 | 478 | 30.1 | — | 10.4 |
| *China, Song County | 315 | 35.2 | 2.5 | 19.1 | 161 | 37.3 | 1.9 | 9.6 |
| China, Suzhou City | 2718 | 43.0 | 5.0 | 16.9 | 1326 | 41.0 | 5.9 | 6.8 |
| *China, Tengzhou City | 1374 | 40.3 | 1.9 | 24.5 | 438 | 34.0 | 3.2 | 7.1 |
| *China, Wangdu County | 133 | 56.4 | 3.0 | 19.6 | 47 | 53.2 | 4.3 | 6.8 |
| *China, Wanzai County | 611 | 42.4 | 3.3 | 52.3 | 211 | 28.4 | 2.8 | 17.6 |
| *China, Wu'an City | 407 | 42.3 | 24.8 | 17.3 | 195 | 39.0 | 32.3 | 8.3 |
| China, Wuhan City | 4752 | 69.4 | 0.1 | 22.1 | 1680 | 70.3 | 0.1 | 6.7 |
| *China, Wuhu City | 760 | 23.2 | 1.1 | 14.4 | 317 | 22.4 | 2.5 | 5.4 |
| China, Wuxi City | 2189 | 25.3 | 0.8 | 18.7 | 931 | 21.6 | 0.9 | 6.7 |
| China, Wuzhou City | 938 | 14.4 | 4.6 | 48.2 | 220 | 13.2 | 6.8 | 11.1 |
| China, Xiangfu District, Kaifeng City | 617 | 52.4 | 0.3 | 32.0 | 222 | 49.5 | 0.0 | 10.8 |
| China, Xianju County | 834 | 34.7 | 3.4 | 41.5 | 235 | 40.0 | 6.8 | 11.8 |
| *China, Xin'an County | 294 | 36.4 | 1.4 | 25.3 | 138 | 29.7 | 0.7 | 11.1 |
| *China, Xining City | 793 | 50.9 | 1.6 | 36.4 | 331 | 43.2 | 1.8 | 13.5 |
| *China, Xinji City | 342 | 34.5 | 7.0 | 12.9 | 160 | 33.8 | 8.1 | 5.2 |
| *China, Xinluo District, Longyan City | 282 | 30.5 | — | 23.4 | 79 | 36.7 | — | 6.0 |
| *China, Xinzhou District, Shangrao City | 319 | 25.1 | 2.2 | 23.9 | 125 | 18.4 | 8.0 | 9.1 |
| China, Xiping County | 918 | 29.5 | 4.1 | 33.8 | 405 | 23.5 | 4.7 | 13.3 |
| *China, Xishan District, Kunming City | 262 | 54.6 | 1.9 | 15.9 | 109 | 50.5 | 3.7 | 6.1 |
| *China, Xuyi County | 622 | 29.7 | 1.0 | 25.0 | 215 | 31.2 | 1.9 | 7.7 |
| *China, Ya'an City | 1610 | 35.7 | 3.0 | 30.1 | 565 | 33.6 | 3.0 | 10.5 |
| *China, Yakeshi City | 454 | 26.7 | 8.8 | 29.1 | 145 | 31.0 | 8.3 | 8.9 |
| China, Yancheng City | 1529 | 37.7 | 1.3 | 26.6 | 614 | 36.8 | 1.0 | 10.1 |
| *China, Yangquan City | 363 | 77.4 | 11.6 | 16.6 | 151 | 78.8 | 14.6 | 7.2 |
| *China, Yangzhong City | 216 | 31.5 | 1.4 | 15.2 | 123 | 31.7 | 0.0 | 7.5 |
| *China, Yanji City | 991 | 11.3 | 7.4 | 47.7 | 392 | 10.5 | 6.4 | 15.7 |
| *China, Yanshi City | 467 | 37.9 | 4.3 | 20.4 | 221 | 27.1 | 3.2 | 8.4 |
| China, Yanting County | 1052 | 52.9 | 3.4 | 54.9 | 512 | 56.4 | 3.3 | 27.0 |
| *China, Yi'an District, Tongling City | 233 | 24.5 | 6.0 | 22.8 | 84 | 25.0 | 4.8 | 7.9 |
| *China, Yingdong District, Fuyang City | 800 | 20.1 | 0.8 | 36.2 | 246 | 16.7 | 1.2 | 10.7 |

* Important. See note on population page.

Indices of data quality Liver (C22) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 194 | 26.8 | 0.5 | 20.3 | 67 | 28.4 | 0.0 | 6.1 |
| *China, Yiyuan County | 442 | 36.9 | 0.9 | 22.3 | 176 | 31.8 | 1.7 | 8.2 |
| China, Yong'an City | 326 | 17.2 | 1.2 | 24.8 | 91 | 26.4 | 0.0 | 6.9 |
| *China, Yongding District, Longyan City | 608 | 51.8 | 0.3 | 36.8 | 163 | 50.3 | 1.8 | 9.6 |
| China, Yongkang City | 817 | 32.7 | 8.3 | 34.8 | 246 | 33.7 | 10.2 | 9.5 |
| *China, Yucheng County | 576 | 70.8 | 0.3 | 29.5 | 336 | 59.5 | 0.3 | 15.9 |
| China, Yueyanglou District, Yueyang City | 281 | 35.2 | 5.0 | 25.0 | 86 | 29.1 | 5.8 | 8.0 |
| China, Yunmeng County | 1015 | 64.7 | 0.0 | 62.7 | 603 | 60.4 | 0.2 | 34.4 |
| *China, Yunyang District, Shiyang City | 364 | 45.1 | 1.4 | 32.1 | 119 | 32.8 | 1.7 | 11.0 |
| China, Yuzhong District, Chongqing City | 633 | 42.8 | 1.4 | 27.4 | 183 | 47.0 | 1.1 | 7.1 |
| *China, Zhanhuang County | 159 | 30.8 | 5.0 | 18.9 | 72 | 38.9 | 5.6 | 8.8 |
| *China, Zhangjiagang City | 1040 | 22.9 | 3.7 | 24.0 | 441 | 32.7 | 2.7 | 8.6 |
| *China, Zhaoyuan City | 1078 | 18.4 | 1.7 | 41.4 | 365 | 17.0 | 1.6 | 12.2 |
| *China, Zhengding County | 398 | 22.9 | 9.5 | 29.9 | 97 | 20.6 | 11.3 | 6.1 |
| *China, Zhongshan City | 2289 | 26.5 | — | 43.4 | 440 | 25.9 | — | 7.4 |
| China, Zhongxiang City | 1054 | 62.2 | 0.6 | 29.9 | 354 | 56.5 | 1.1 | 9.8 |
| *China, Zhuanghe City | 1307 | 45.8 | 0.1 | 29.9 | 439 | 35.5 | 0.0 | 9.4 |
| *China, Zhuhai City | 1317 | 39.3 | 3.8 | 35.9 | 288 | 34.4 | 5.9 | 8.2 |
| India, Ahmedabad, Urban | 198 | 95.5 | 0.5 | 1.8 | 57 | 93.0 | 1.8 | 0.5 |
| India, Aurangabad | 30 | 93.3 | 3.3 | 1.2 | 15 | 86.7 | 13.3 | 0.6 |
| India, Bangalore | 651 | 87.4 | 9.1 | 6.1 | 244 | 88.5 | 9.0 | 2.3 |
| India, Barshi, Paranda, and Bhum | 52 | 67.3 | 1.9 | 3.6 | 8 | 75.0 | 0.0 | 0.7 |
| *India, Bhopal | 54 | 83.3 | — | 2.1 | 31 | 90.3 | — | 1.3 |
| India, Chandigarh | 62 | 43.5 | 9.7 | 2.7 | 21 | 61.9 | 4.8 | 1.2 |
| *India, Chennai | 577 | 74.5 | 10.6 | 4.8 | 209 | 70.8 | 14.4 | 1.7 |
| India, Dibrugarh | 103 | 24.3 | 28.2 | 3.5 | 55 | 27.3 | 14.5 | 1.9 |
| *India, Dindigul, Ambalikkai | 107 | 71.0 | 4.7 | 1.8 | 41 | 85.4 | 7.3 | 0.6 |
| India, Kamrup Urban District | 155 | 50.3 | 27.1 | 6.8 | 82 | 42.7 | 20.7 | 3.5 |
| India, Kollam | 409 | 23.7 | 1.0 | 6.4 | 105 | 29.5 | 1.9 | 1.4 |
| *India, Manipur | 110 | 83.6 | 1.8 | 2.3 | 54 | 75.9 | 0.0 | 1.1 |
| India, Meghalaya | 84 | 71.4 | 21.4 | 3.5 | 42 | 66.7 | 23.8 | 1.4 |
| India, Mizoram | 174 | 81.0 | — | 10.2 | 96 | 78.1 | — | 5.7 |
| India, Mumbai | 2060 | 82.3 | 13.2 | 6.8 | 999 | 81.2 | 15.4 | 3.3 |
| *India, New Delhi | 988 | 80.1 | 14.6 | 4.7 | 480 | 83.5 | 10.6 | 2.3 |
| India, Poona | 433 | 94.2 | 3.7 | 3.8 | 184 | 91.3 | 3.8 | 1.6 |
| *India, Sangrur District | 139 | 49.6 | 1.4 | 5.4 | 30 | 46.7 | 0.0 | 1.3 |
| India, SAS Nagar | 89 | 75.3 | 1.1 | 3.8 | 39 | 69.2 | 0.0 | 1.8 |
| *India, Tamil Nadu | 3907 | 80.5 | 2.4 | 2.0 | 1328 | 79.9 | 3.0 | 0.6 |
| *India, Tripura | 127 | 79.5 | — | 1.9 | 84 | 83.3 | — | 1.3 |
| India, Trivandrum | 535 | 43.0 | 0.0 | 6.6 | 151 | 49.0 | 0.7 | 1.7 |
| India, Wardha | 168 | 57.7 | 27.4 | 4.4 | 67 | 65.7 | 20.9 | 1.9 |
| India, West Arunachal | 201 | 91.0 | 0.0 | 22.0 | 71 | 93.0 | 1.4 | 8.0 |
| *Iran (Islamic Republic of), Ardabil Province | 94 | 20.2 | 43.6 | 4.8 | 57 | 29.8 | 28.1 | 3.0 |
| *Iran (Islamic Republic of), Golestan Province | 99 | 57.6 | 16.2 | 4.3 | 68 | 57.4 | 13.2 | 3.0 |
| Israel | 917 | 66.3 | 24.9 | 3.6 | 559 | 59.2 | 31.7 | 1.6 |
| *Israel: Jews | 726 | 67.2 | 24.5 | 3.3 | 468 | 58.3 | 32.3 | 1.6 |
| *Israel: Arabs | 116 | 62.1 | 27.6 | 4.1 | 49 | 69.4 | 22.4 | 1.5 |
| Japan | 84102 | 33.4 | 11.2 | 16.2 | 42096 | 26.0 | 15.4 | 5.3 |
| Japan, Aichi Prefecture | 3712 | 34.1 | 6.4 | 13.3 | 1838 | 28.3 | 10.3 | 4.8 |
| *Japan, Akita Prefecture | 583 | 33.6 | 0.0 | 11.8 | 305 | 25.9 | 1.6 | 3.7 |
| Japan, Aomori Prefecture | 1525 | 20.3 | 2.4 | 17.0 | 879 | 16.3 | 4.1 | 5.8 |
| Japan, Gunma Prefecture | 1221 | 25.5 | 3.7 | 14.7 | 679 | 18.6 | 4.7 | 5.5 |
| Japan, Hiroshima Prefecture | 3356 | 49.5 | 3.0 | 20.8 | 1575 | 37.5 | 7.4 | 6.1 |
| Japan, Miyagi Prefecture | 2066 | 33.6 | 6.7 | 13.4 | 1036 | 23.1 | 11.9 | 4.2 |
| Japan, Osaka Prefecture | 7073 | 35.8 | 9.5 | 20.1 | 3502 | 29.6 | 13.0 | 6.7 |
| Kuwait | 237 | 46.4 | 11.8 | 4.2 | 80 | 47.5 | 26.2 | 2.3 |
| *Kuwait: Kuwaitis | 98 | 54.1 | 13.3 | 5.8 | 50 | 56.0 | 22.0 | 2.3 |
| *Kuwait: Non-Kuwaitis | 139 | 41.0 | 10.8 | 3.1 | 30 | 33.3 | 33.3 | 2.2 |
| *Philippines, Manila | 1672 | 49.9 | 14.9 | 16.1 | 724 | 47.7 | 13.1 | 5.5 |
| *Qatar: Qatari | 34 | 38.2 | 5.9 | 9.3 | 21 | 38.1 | 0.0 | 5.2 |
| Republic of Korea | 59464 | 39.8 | 1.3 | 29.9 | 20175 | 38.8 | 2.5 | 8.2 |
| *Republic of Korea, Busan | 5276 | 37.5 | 1.6 | 35.7 | 1824 | 35.6 | 3.5 | 9.5 |
| *Republic of Korea, Daegu | 2736 | 45.3 | 0.9 | 28.8 | 901 | 44.2 | 2.9 | 7.5 |
| *Republic of Korea, Daejeon | 1361 | 39.4 | 1.0 | 25.2 | 490 | 40.2 | 1.8 | 7.5 |
| *Republic of Korea, Gwangju | 1624 | 34.3 | 1.0 | 32.5 | 538 | 32.7 | 2.4 | 8.4 |
| Republic of Korea, Incheon | 2907 | 51.4 | 1.0 | 26.7 | 1007 | 48.1 | 1.2 | 8.1 |
| Republic of Korea, Jeju | 849 | 34.3 | 0.1 | 35.9 | 306 | 32.4 | 0.7 | 9.6 |
| Republic of Korea, Seoul | 10084 | 39.4 | 1.1 | 26.8 | 3376 | 40.9 | 1.7 | 7.4 |
| Republic of Korea, Ulsan | 1244 | 41.1 | 0.7 | 31.5 | 383 | 38.4 | 1.6 | 8.8 |
| Singapore | 2751 | 41.9 | 0.5 | 18.0 | 1022 | 42.2 | 1.1 | 5.4 |
| Singapore: Chinese | 2329 | 43.2 | 0.6 | 18.9 | 873 | 42.5 | 1.0 | 5.5 |
| Singapore: Indian | 124 | 37.1 | 0.8 | 11.7 | 36 | 38.9 | 0.0 | 3.2 |

* Important. See note on population page.

Indices of data quality Liver (C22) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 252 | 32.5 | 0.4 | 15.7 | 96 | 40.6 | 1.0 | 5.7 |
| Thailand, Bangkok | 3177 | 41.0 | 11.0 | 18.0 | 1319 | 42.2 | 14.4 | 6.0 |
| *Thailand, Chiang Mai | 2045 | 15.9 | 1.7 | 35.9 | 867 | 22.5 | 1.8 | 12.6 |
| *Thailand, Khon Kaen | 2437 | 10.1 | 3.9 | 39.3 | 926 | 10.8 | 2.2 | 12.3 |
| Thailand, Lampang | 1242 | 17.4 | 1.6 | 40.9 | 549 | 21.5 | 1.8 | 15.7 |
| Thailand, Lopburi Province | 1018 | 16.5 | 5.9 | 43.7 | 401 | 20.7 | 5.7 | 14.7 |
| *Thailand, Songkhla | 649 | 17.1 | 6.5 | 15.8 | 263 | 24.7 | 4.6 | 5.2 |
| Turkey, Antalya | 280 | 79.6 | 2.5 | 4.6 | 110 | 66.4 | 2.7 | 1.7 |
| Turkey, Bursa | 310 | 81.0 | 13.9 | 4.0 | 141 | 66.0 | 29.1 | 1.5 |
| *Turkey, Edirne | 120 | 49.2 | 5.8 | 7.7 | 31 | 51.6 | 3.2 | 1.8 |
| *Turkey, Erzurum | 92 | 63.0 | 20.7 | 5.0 | 66 | 60.6 | 21.2 | 3.0 |
| Turkey, Eskişehir | 90 | 88.9 | 4.4 | 3.4 | 44 | 86.4 | 4.5 | 1.4 |
| Turkey, Gaziantep | 268 | 34.0 | 4.5 | 8.1 | 99 | 23.2 | 4.0 | 2.6 |
| *Turkey, Izmir | 680 | 49.0 | 7.5 | 5.2 | 328 | 51.2 | 14.0 | 2.0 |
| Turkey, Malatya | 99 | 50.5 | 28.3 | 4.7 | 35 | 51.4 | 34.3 | 1.4 |
| Turkey, Samsun | 147 | 76.9 | 6.1 | 3.6 | 72 | 55.6 | 18.1 | 1.5 |
| Turkey, Trabzon | 137 | 51.1 | 11.7 | 5.5 | 49 | 42.9 | 8.2 | 1.3 |
| Europe | | | | | | | | |
| Austria | 3606 | 68.7 | 14.6 | 8.5 | 1475 | 65.1 | 17.9 | 2.7 |
| Austria, Carinthia | 264 | 71.6 | 2.3 | 8.5 | 106 | 63.2 | 1.9 | 2.4 |
| Austria, Tyrol | 251 | 65.7 | 0.0 | 7.8 | 83 | 66.3 | 1.2 | 1.9 |
| Austria, Vorarlberg | 129 | 73.6 | 3.9 | 6.9 | 60 | 65.0 | 6.7 | 2.4 |
| Belarus | 1452 | 81.5 | 0.3 | 4.6 | 781 | 80.0 | 0.1 | 1.5 |
| *Belgium | 3333 | 69.6 | – | 6.5 | 1345 | 73.8 | – | 2.2 |
| Croatia | 1704 | 65.7 | 10.5 | 8.3 | 809 | 53.4 | 13.1 | 2.6 |
| Cyprus | 160 | 66.9 | 25.6 | 4.1 | 99 | 63.6 | 32.3 | 2.4 |
| *Czech Republic | 3264 | 62.4 | 1.9 | 6.4 | 1724 | 58.5 | 2.1 | 2.5 |
| Denmark | 1593 | 62.3 | 3.1 | 5.6 | 637 | 68.0 | 4.7 | 2.0 |
| Estonia | 335 | 80.6 | 2.1 | 6.2 | 231 | 76.2 | 2.2 | 2.6 |
| Finland | 1780 | 76.6 | 2.2 | 5.8 | 904 | 70.7 | 1.9 | 2.4 |
| *France, Bas-Rhin | 536 | 60.8 | – | 12.8 | 166 | 60.2 | – | 3.1 |
| *France, Calvados | 492 | 41.5 | – | 14.0 | 123 | 43.1 | – | 2.8 |
| *France, Doubs | 333 | 48.0 | – | 12.8 | 102 | 60.8 | – | 3.1 |
| *France, Gironde | 742 | 61.5 | – | 10.7 | 229 | 59.0 | – | 2.4 |
| *France, Haut-Rhin | 449 | 52.8 | – | 11.3 | 147 | 55.1 | – | 3.0 |
| *France, Hérault | 716 | 54.9 | – | 13.9 | 197 | 54.3 | – | 2.7 |
| *France, Isère | 663 | 53.4 | – | 11.6 | 193 | 60.6 | – | 2.5 |
| *France, Lille-Métropole | 456 | 39.3 | – | 16.1 | 146 | 48.6 | – | 3.6 |
| *France, Limousin | 247 | 47.4 | – | 12.5 | 64 | 64.1 | – | 2.8 |
| *France, Loire-Atlantique | 1119 | 40.7 | – | 18.4 | 201 | 44.8 | – | 2.3 |
| *France, Manche | 349 | 46.4 | – | 12.2 | 85 | 51.8 | – | 2.1 |
| *France, Poitou-Charentes | 1112 | 53.8 | – | 11.0 | 325 | 55.4 | – | 2.5 |
| *France, Somme | 312 | 59.3 | – | 11.2 | 94 | 58.5 | – | 2.6 |
| *France, Tarn | 160 | 48.1 | – | 7.4 | 53 | 56.6 | – | 1.8 |
| *France, Territoire de Belfort | 61 | 47.5 | – | 10.8 | 18 | 72.2 | – | 2.4 |
| *France, Vendée | 678 | 49.7 | – | 17.8 | 121 | 47.1 | – | 2.7 |
| Germany, Baden-Württemberg | 2462 | 57.8 | 11.9 | 6.8 | 1028 | 54.0 | 16.7 | 2.3 |
| Germany, Bavaria | 5421 | 69.8 | 17.7 | 7.9 | 2059 | 66.0 | 24.8 | 2.5 |
| Germany, Bremen | 217 | 69.1 | 24.4 | 6.0 | 94 | 64.9 | 28.7 | 2.4 |
| Germany, Hamburg | 620 | 77.9 | 7.9 | 7.1 | 312 | 77.6 | 9.0 | 2.7 |
| Germany, Lower Saxony | 2674 | 70.7 | 16.4 | 5.8 | 1288 | 68.3 | 19.9 | 2.3 |
| Germany, North Rhine-Westphalia | 6127 | 60.2 | 23.1 | 6.2 | 3119 | 54.4 | 31.6 | 2.5 |
| Germany, Rhineland-Palatinate | 1671 | 59.4 | 25.7 | 7.1 | 845 | 53.1 | 31.5 | 3.0 |
| Germany, Saarland | 502 | 64.3 | 17.7 | 8.6 | 242 | 52.9 | 28.9 | 3.3 |
| Germany, Schleswig-Holstein | 854 | 58.4 | 6.8 | 5.0 | 436 | 62.2 | 6.0 | 2.3 |
| Iceland | 73 | 65.8 | 1.4 | 5.2 | 31 | 61.3 | 0.0 | 1.7 |
| Ireland | 1052 | 55.9 | 1.5 | 5.8 | 441 | 55.8 | 2.0 | 2.0 |
| *Italy, Aosta Valley | 90 | 27.8 | – | 16.1 | 38 | 47.4 | – | 6.1 |
| *Italy, Avellino | 183 | 36.1 | 1.1 | 13.3 | 76 | 27.6 | 2.6 | 3.4 |
| Italy, Basilicata | 432 | 26.4 | 0.7 | 13.0 | 178 | 28.7 | 4.5 | 3.7 |
| *Italy, Benevento | 164 | 32.9 | 1.2 | 14.2 | 59 | 23.7 | 10.2 | 3.4 |
| Italy, Bergamo | 958 | 45.4 | 1.9 | 16.2 | 488 | 33.4 | 5.1 | 5.1 |
| *Italy, Brescia | 984 | 49.9 | 3.3 | 15.7 | 436 | 39.4 | 7.1 | 4.5 |
| Italy, Brianza (Lecco and Monza e Brianza) | 496 | 42.5 | 5.2 | 13.0 | 245 | 34.3 | 11.4 | 3.9 |
| Italy, Calabria | 264 | 61.7 | 4.2 | 9.2 | 124 | 49.2 | 6.5 | 3.1 |
| *Italy, Caserta | 473 | 34.2 | 3.4 | 14.5 | 227 | 35.7 | 4.8 | 5.2 |
| *Italy, Catania, Messina, and Enna | 876 | 30.5 | 2.2 | 9.0 | 426 | 32.2 | 6.1 | 3.1 |
| Italy, Emilia-Romagna | 2296 | 45.2 | 0.8 | 11.2 | 1048 | 37.4 | 1.6 | 3.2 |
| Italy, Friuli-Venezia Giulia | 1043 | 50.3 | 0.2 | 13.4 | 387 | 43.2 | 0.5 | 3.4 |
| Italy, Genova | 482 | 37.6 | 2.3 | 11.8 | 215 | 30.2 | 5.1 | 3.0 |
| *Italy, Lombardy, South, Pavia | 480 | 48.8 | 0.8 | 13.7 | 266 | 43.2 | 2.6 | 4.6 |
| Italy, Mantova and Cremona | 467 | 47.5 | 0.4 | 13.0 | 195 | 46.7 | 2.6 | 3.8 |

* Important. See note on population page.

Indices of data quality Liver (C22) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 476 | 60.9 | 2.1 | 6.8 | 206 | 46.1 | 3.9 | 2.0 |
| Italy, Milan | 2422 | 48.0 | 0.8 | 12.8 | 1133 | 40.4 | 1.9 | 3.8 |
| Italy, Molise | 132 | 46.2 | 7.6 | 12.1 | 49 | 34.7 | 12.2 | 2.6 |
| *Italy, Naples Centre | 471 | 29.7 | 5.1 | 17.9 | 258 | 28.7 | 10.1 | 6.4 |
| *Italy, Naples North | 560 | 38.0 | 6.4 | 17.1 | 306 | 28.1 | 13.4 | 7.2 |
| *Italy, Naples South | 915 | 31.6 | 3.2 | 18.2 | 495 | 26.1 | 6.9 | 7.1 |
| *Italy, Nuoro | 123 | 30.9 | 4.1 | 16.6 | 58 | 25.9 | 8.6 | 5.3 |
| *Italy, Palermo | 680 | 38.7 | 6.2 | 11.0 | 373 | 33.8 | 11.3 | 4.1 |
| Italy, Puglia | 2548 | 37.8 | 2.5 | 11.4 | 1169 | 32.6 | 6.1 | 3.4 |
| *Italy, Ragusa and Caltanissetta | 309 | 26.9 | 3.9 | 9.9 | 143 | 22.4 | 5.6 | 3.3 |
| *Italy, Salerno | 455 | 33.0 | 3.5 | 10.2 | 226 | 28.3 | 9.3 | 3.7 |
| Italy, Sassari | 190 | 37.4 | 2.1 | 17.1 | 59 | 30.5 | 6.8 | 3.4 |
| *Italy, Sondrio | 288 | 31.9 | 4.5 | 24.2 | 110 | 34.5 | 11.8 | 6.2 |
| Italy, South Tyrol | 346 | 43.1 | 0.9 | 12.9 | 76 | 40.8 | 5.3 | 2.5 |
| *Italy, Syracuse | 256 | 28.1 | 2.0 | 12.1 | 133 | 18.0 | 7.5 | 4.6 |
| Italy, Trento | 422 | 47.6 | 0.7 | 13.3 | 167 | 45.5 | 1.2 | 4.1 |
| Italy, Turin | 1379 | 54.2 | 4.1 | 10.8 | 602 | 52.0 | 6.0 | 3.3 |
| *Italy, Tuscany | 1288 | 39.1 | 1.9 | 10.9 | 677 | 29.7 | 4.9 | 3.8 |
| Italy, Umbria | 415 | 49.2 | 1.2 | 10.0 | 177 | 38.4 | 5.1 | 2.9 |
| Italy, Varese | 294 | 46.3 | 0.3 | 10.0 | 121 | 38.0 | 2.5 | 2.6 |
| Italy, Veneto | 3573 | 46.9 | 1.3 | 13.0 | 1380 | 40.1 | 3.6 | 3.5 |
| Latvia | 495 | 43.6 | 7.5 | 6.2 | 318 | 49.1 | 7.5 | 2.4 |
| *Liechtenstein | 12 | 41.7 | — | 6.6 | 7 | 85.7 | — | 5.3 |
| *Lithuania | 722 | 46.8 | 32.1 | 6.4 | 408 | 43.1 | 33.8 | 2.0 |
| Malta | 116 | 56.9 | 8.6 | 5.5 | 38 | 42.1 | 10.5 | 1.5 |
| *The Netherlands | 2904 | 59.5 | — | 3.5 | 1292 | 68.9 | — | 1.5 |
| Norway | 897 | 67.8 | 3.5 | 3.9 | 510 | 65.9 | 4.5 | 1.9 |
| Poland, Kielce | 235 | 71.5 | — | 4.2 | 174 | 69.0 | — | 2.2 |
| *Portugal, Azores | 34 | 55.9 | 2.9 | 4.6 | 20 | 50.0 | 15.0 | 2.2 |
| Russian Federation, Arkhangelsk | 166 | 57.2 | 28.3 | 4.6 | 132 | 53.8 | 36.4 | 1.9 |
| Russian Federation, Kaliningrad | 129 | 38.0 | 12.4 | 4.1 | 100 | 27.0 | 21.0 | 1.7 |
| Russian Federation, Karelia | 100 | 46.0 | 35.0 | 4.9 | 70 | 28.6 | 35.7 | 1.8 |
| *Russian Federation, Komi Republic | 158 | 48.7 | 25.3 | 6.9 | 121 | 48.8 | 25.6 | 2.8 |
| Russian Federation, Murmansk | 98 | 64.3 | 35.7 | 4.7 | 72 | 65.3 | 26.4 | 1.9 |
| *Russian Federation, Orenburg | 373 | 93.6 | 2.1 | 5.8 | 301 | 90.0 | 2.7 | 2.7 |
| Russian Federation, Pskov | 113 | 35.4 | 30.1 | 4.9 | 98 | 28.6 | 36.7 | 1.9 |
| *Russian Federation, Samara | 555 | 60.0 | 20.9 | 5.2 | 383 | 61.6 | 21.9 | 2.1 |
| Russian Federation, Vologda Region | 162 | 80.2 | 1.9 | 4.2 | 144 | 75.0 | 6.2 | 2.3 |
| Slovenia | 814 | 55.3 | 0.4 | 7.9 | 308 | 55.5 | 0.6 | 2.3 |
| Spain, Asturias | 489 | 46.6 | 0.8 | 14.1 | 159 | 35.8 | 2.5 | 2.7 |
| Spain, Basque Country | 1184 | 44.8 | 0.7 | 14.0 | 405 | 35.8 | 1.0 | 2.9 |
| Spain, Canary Islands | 555 | 41.1 | 0.5 | 9.2 | 212 | 44.3 | 1.4 | 2.8 |
| Spain, Castellón | 260 | 52.3 | 0.8 | 9.6 | 98 | 56.1 | 2.0 | 2.6 |
| Spain, Girona | 373 | 41.6 | 1.1 | 11.5 | 116 | 32.8 | 0.9 | 2.6 |
| Spain, Granada | 308 | 31.2 | 0.6 | 7.4 | 124 | 41.9 | 5.6 | 2.2 |
| Spain, La Rioja | 161 | 39.1 | 4.3 | 9.9 | 54 | 38.9 | 3.7 | 2.3 |
| Spain, Murcia | 565 | 62.5 | 0.5 | 9.8 | 161 | 67.7 | 3.7 | 2.1 |
| Spain, Navarra | 215 | 52.1 | 0.0 | 8.8 | 66 | 42.4 | 1.5 | 1.7 |
| Spain, Salamanca | 120 | 46.7 | 3.3 | 5.7 | 62 | 46.8 | 3.2 | 1.8 |
| Spain, Tarragona | 409 | 42.5 | 1.0 | 11.1 | 146 | 36.3 | 2.1 | 3.3 |
| *Sweden | 2601 | 57.9 | — | 5.4 | 1193 | 67.3 | — | 2.2 |
| Switzerland, Aargau | 153 | 76.5 | 5.9 | 4.8 | 74 | 70.3 | 8.1 | 2.2 |
| Switzerland, Basel | 183 | 77.0 | 16.9 | 7.0 | 86 | 73.3 | 18.6 | 2.8 |
| Switzerland, Berne Solothurn | 291 | 56.4 | 1.4 | 6.9 | 102 | 59.8 | 3.9 | 1.9 |
| Switzerland, East | 245 | 64.9 | 0.4 | 5.9 | 106 | 71.7 | 0.0 | 2.3 |
| *Switzerland, Fribourg | 114 | 69.3 | 0.9 | 8.4 | 45 | 73.3 | 0.0 | 3.2 |
| Switzerland, Geneva | 294 | 44.2 | 1.7 | 14.4 | 84 | 45.2 | 4.8 | 2.9 |
| *Switzerland, Graubünden and Glarus | 79 | 60.8 | 1.3 | 5.8 | 32 | 65.6 | 0.0 | 2.2 |
| *Switzerland, Lucerne | 146 | 46.6 | 12.3 | 5.3 | 76 | 46.1 | 14.5 | 2.4 |
| *Switzerland, Neuchâtel and Jura | 131 | 57.3 | 0.0 | 10.9 | 43 | 69.8 | 2.3 | 2.8 |
| Switzerland, Ticino | 287 | 47.0 | 1.0 | 14.5 | 81 | 40.7 | 2.5 | 2.7 |
| Switzerland, Valais | 217 | 56.7 | 0.5 | 12.6 | 45 | 53.3 | 0.0 | 2.3 |
| Switzerland, Vaud | 366 | 68.6 | 4.9 | 11.2 | 122 | 64.8 | 9.0 | 2.9 |
| Switzerland, Zurich and Zug | 519 | 61.1 | 0.6 | 7.1 | 202 | 68.8 | 2.0 | 2.3 |
| Ukraine | 4006 | 47.9 | 3.8 | 3.3 | 2891 | 48.5 | 2.6 | 1.5 |
| UK, England | 16259 | 40.5 | 1.8 | 6.1 | 8756 | 42.3 | 2.4 | 2.6 |
| UK, Northern Ireland | 425 | 33.9 | 0.7 | 5.0 | 232 | 40.1 | 0.4 | 2.1 |
| UK, Scotland | 2165 | 28.4 | 0.5 | 8.0 | 977 | 32.8 | 0.3 | 2.9 |
| UK, Wales | 1053 | 44.7 | 2.5 | 6.1 | 512 | 45.9 | 2.3 | 2.4 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 2873 | 55.0 | 3.1 | 8.7 | 1020 | 54.4 | 5.8 | 2.6 |
| *Australia, Northern Territory | 103 | 96.1 | 1.0 | 14.9 | 35 | 100.0 | 0.0 | 5.3 |

* Important. See note on population page.

Indices of data quality Liver (C22) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 55 | 100.0 | – | 9.4 | 10 | 100.0 | – | 2.0 |
| *Australia, Northern Territory: Indigenous | 48 | 91.7 | 2.1 | 49.0 | 25 | 100.0 | 0.0 | 16.9 |
| *Australia, Queensland | 1363 | 34.7 | 1.0 | 7.2 | 469 | 42.0 | 3.4 | 2.2 |
| Australia, South Australia | 627 | 47.4 | 2.2 | 8.3 | 210 | 53.3 | 3.8 | 2.0 |
| Australia, Tasmania | 161 | 45.3 | 1.2 | 6.0 | 58 | 58.6 | 10.3 | 2.0 |
| *Australia, Victoria | 2054 | 52.8 | 4.4 | 8.4 | 828 | 55.0 | 6.3 | 2.7 |
| *Australia, Western Australia | 694 | 51.2 | 2.7 | 7.2 | 286 | 55.9 | 4.5 | 2.6 |
| *France, New Caledonia | 93 | 33.3 | – | 11.8 | 39 | 53.8 | – | 4.5 |
| New Zealand | 1204 | 44.4 | 10.0 | 6.6 | 537 | 42.3 | 15.6 | 2.4 |
| *New Zealand: Maori | 269 | 41.3 | 7.4 | 16.9 | 106 | 41.5 | 17.9 | 6.0 |
| *New Zealand: Pacific peoples | 120 | 37.5 | 6.7 | 19.0 | 38 | 39.5 | 18.4 | 5.4 |
| *New Zealand: Other | 692 | 45.1 | 11.8 | 4.5 | 352 | 42.6 | 15.9 | 1.9 |
| USA, Hawaii | 729 | 62.6 | 4.3 | 11.5 | 314 | 64.0 | 5.4 | 4.1 |
| USA, Hawaii: White | 195 | 63.1 | 5.6 | 8.8 | 63 | 68.3 | 1.6 | 3.1 |
| *USA, Hawaii: Japanese | 167 | 64.7 | 3.6 | 11.6 | 89 | 59.6 | 3.4 | 4.9 |
| *USA, Hawaii: Chinese | 40 | 72.5 | 2.5 | 9.5 | 28 | 60.7 | 10.7 | 4.0 |
| *USA, Hawaii: Hawaiian | 132 | 62.9 | 3.8 | 14.8 | 50 | 66.0 | 12.0 | 5.0 |
| *USA, Hawaii: Filipino | 104 | 65.4 | 3.8 | 10.4 | 48 | 72.9 | 2.1 | 3.4 |

* Important. See note on population page.

Indices of data quality Pancreas (C25)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 68 | 38.2 | – | 4.9 | 32 | 25.0 | – | 2.3 |
| *Algeria, Tizi Ouzou | 74 | 83.8 | – | 5.1 | 55 | 78.2 | – | 3.1 |
| *Benin, Cotonou | 13 | 23.1 | – | 2.1 | 13 | 0.0 | – | 2.1 |
| *France, La Réunion | 139 | 89.9 | – | 6.3 | 119 | 79.0 | – | 4.3 |
| *Kenya, Eldoret | 31 | 51.6 | – | 3.4 | 30 | 53.3 | – | 3.3 |
| *Kenya, Nairobi | 89 | 46.1 | 12.4 | 4.1 | 106 | 46.2 | 11.3 | 5.9 |
| Mauritius | 101 | 49.5 | 19.8 | 2.3 | 108 | 52.8 | 22.2 | 2.3 |
| *Morocco, Casablanca | 285 | 81.1 | 7.0 | 2.8 | 202 | 87.1 | 1.5 | 1.8 |
| *Seychelles | 12 | 25.0 | 41.7 | 4.5 | 6 | 50.0 | 16.7 | 1.5 |
| *South Africa, Eastern Cape | 6 | 16.7 | – | 0.6 | 8 | 25.0 | – | 0.5 |
| *Uganda, Kyadondo County | 41 | 19.5 | 0.0 | 2.6 | 41 | 17.1 | 2.4 | 2.3 |
| *Uganda, Gulu | 8 | 25.0 | 25.0 | 1.1 | 8 | 37.5 | 12.5 | 1.7 |
| *Zimbabwe, Bulawayo: African | 31 | 16.1 | 22.6 | 3.8 | 34 | 11.8 | 32.4 | 3.4 |
| *Zimbabwe, Harare: African | 89 | 32.6 | 39.3 | 6.4 | 89 | 31.5 | 37.1 | 5.2 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 206 | 43.2 | 28.6 | 8.8 | 197 | 42.1 | 27.9 | 5.9 |
| *Argentina, Mendoza | 401 | 56.4 | 34.7 | 7.6 | 464 | 53.2 | 33.2 | 6.4 |
| Brazil, Aracaju | 55 | 58.2 | 18.2 | 5.6 | 64 | 56.2 | 28.1 | 3.9 |
| *Brazil, Barretos | 72 | 52.8 | 29.2 | 5.2 | 62 | 40.3 | 40.3 | 3.3 |
| Brazil, Belo Horizonte | 393 | 71.2 | 27.7 | 5.4 | 449 | 63.7 | 35.2 | 4.0 |
| *Brazil, Campinas | 169 | 55.0 | 30.8 | 7.3 | 192 | 56.8 | 28.1 | 6.2 |
| *Brazil, Curitiba | 239 | 43.5 | 30.5 | 6.0 | 263 | 47.9 | 33.8 | 4.6 |
| Brazil, Goiânia | 125 | 84.8 | 13.6 | 4.9 | 125 | 84.0 | 15.2 | 3.6 |
| *Brazil, Jaú | 12 | 50.0 | – | 2.9 | 13 | 61.5 | – | 2.6 |
| Brazil, João Pessoa | 40 | 37.5 | 20.0 | 3.9 | 55 | 54.5 | 23.6 | 3.5 |
| Brazil, Recife | 166 | 53.6 | 16.9 | 6.9 | 209 | 50.7 | 21.1 | 4.9 |
| Chile, Region of Antofagasta | 57 | 22.8 | 12.3 | 6.0 | 61 | 36.1 | 9.8 | 6.0 |
| Chile, Valdivia | 59 | 20.3 | 11.9 | 4.4 | 80 | 22.5 | 5.0 | 4.6 |
| Colombia, Bucaramanga | 104 | 30.8 | 16.3 | 3.5 | 103 | 38.8 | 15.5 | 2.4 |
| Colombia, Cali | 294 | 60.9 | 8.2 | 5.0 | 336 | 59.2 | 4.2 | 3.9 |
| Colombia, Manizales | 55 | 38.2 | 1.8 | 3.9 | 72 | 54.2 | 0.0 | 3.9 |
| Colombia, Pasto | 47 | 46.8 | 6.4 | 4.5 | 63 | 31.7 | 20.6 | 4.5 |
| Costa Rica | 200 | 56.5 | 4.0 | 2.0 | 256 | 49.6 | 6.2 | 2.4 |
| Ecuador, Guayaquil | 136 | 47.8 | 28.7 | 2.6 | 130 | 46.9 | 26.9 | 2.1 |
| Ecuador, Manabí | 71 | 45.1 | 23.9 | 2.0 | 78 | 35.9 | 19.2 | 2.0 |
| Ecuador, Quito | 146 | 51.4 | 17.8 | 3.6 | 227 | 48.0 | 22.0 | 4.3 |
| *France, Guadeloupe | 108 | 53.7 | – | 5.8 | 95 | 55.8 | – | 3.7 |
| *France, Martinique | 136 | 59.6 | – | 7.3 | 126 | 58.7 | – | 4.6 |
| *Peru, Lima | 717 | 46.2 | 16.7 | 5.2 | 834 | 45.2 | 22.4 | 4.7 |
| *Trinidad and Tobago | 156 | 67.9 | 12.8 | 6.4 | 130 | 66.9 | 13.1 | 4.5 |
| USA, Puerto Rico | 984 | 76.7 | 8.9 | 6.2 | 884 | 70.9 | 9.6 | 4.0 |
| *Uruguay | 1414 | 34.2 | 28.9 | 11.0 | 1615 | 28.4 | 31.1 | 8.2 |
| North America | | | | | | | | |
| Canada, Alberta | 1259 | 78.9 | 0.1 | 7.8 | 1158 | 72.8 | 0.2 | 6.3 |
| Canada, British Columbia | 1916 | 73.6 | 0.8 | 7.6 | 1792 | 66.2 | 0.9 | 6.2 |
| *Canada, Manitoba | 456 | 67.8 | – | 7.8 | 472 | 66.5 | – | 6.7 |
| *Canada, New Brunswick | 378 | 71.2 | 0.5 | 8.8 | 312 | 70.2 | 0.0 | 6.0 |
| *Canada, Newfoundland and Labrador | 173 | 67.1 | 0.6 | 6.0 | 171 | 56.1 | 2.9 | 5.0 |
| Canada, Ontario | 5224 | 70.6 | 4.2 | 8.0 | 4828 | 63.7 | 6.7 | 5.9 |
| *Canada, Prince Edward Island | 68 | 66.2 | – | 8.2 | 53 | 45.3 | – | 5.7 |
| Canada, Quebec | 3641 | 72.6 | 9.9 | 8.4 | 3444 | 64.9 | 15.2 | 6.5 |
| Canada, Saskatchewan | 408 | 77.0 | 1.2 | 7.9 | 352 | 67.9 | 1.7 | 5.5 |
| *Canada, Yukon | 6 | 83.3 | – | 3.9 | 8 | 100.0 | – | 5.7 |
| USA | 126398 | 85.6 | 6.3 | 9.2 | 118421 | 82.0 | 7.4 | 6.9 |
| USA: White | 106884 | 85.7 | 6.2 | 9.1 | 96983 | 81.5 | 7.6 | 6.8 |
| USA: Black | 14485 | 84.9 | 6.8 | 11.1 | 16290 | 84.5 | 6.2 | 9.0 |
| USA, NPCR | 122010 | 85.5 | 6.4 | 9.2 | 114290 | 82.0 | 7.5 | 6.9 |
| USA, NPCR: White | 103220 | 85.6 | 6.3 | 9.1 | 93582 | 81.5 | 7.7 | 6.8 |
| USA, NPCR: Black | 14311 | 84.9 | 6.9 | 11.2 | 16109 | 84.4 | 6.2 | 9.0 |
| USA, NPCR: Asian and Pacific Islander | 3539 | 87.9 | 4.2 | 5.9 | 3777 | 84.5 | 6.2 | 4.8 |
| USA, NPCR: American Indian | 607 | 82.7 | 8.7 | 5.3 | 548 | 83.2 | 7.1 | 4.2 |
| *USA, SEER (18 registries) | 32717 | 85.4 | 2.9 | 9.0 | 31310 | 81.8 | 3.8 | 6.9 |
| *USA, SEER (18 registries): White | 26235 | 85.5 | 2.8 | 9.0 | 24398 | 81.2 | 4.0 | 6.8 |
| *USA, SEER (18 registries): Non-Hispanic White | 22862 | 85.3 | 2.9 | 9.2 | 20792 | 80.6 | 4.1 | 6.8 |
| *USA, SEER (18 registries): Hispanic White | 3373 | 87.2 | 2.5 | 7.9 | 3606 | 84.8 | 3.1 | 6.8 |
| *USA, SEER (18 registries): Black | 3722 | 85.1 | 3.7 | 11.2 | 4065 | 84.5 | 2.7 | 8.9 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2396 | 85.8 | 3.0 | 6.6 | 2577 | 83.6 | 4.0 | 5.3 |
| *USA, SEER (9 registries) | 11428 | 86.0 | 2.5 | 9.1 | 10999 | 81.9 | 3.2 | 7.0 |
| *USA, SEER (9 registries): White | 8977 | 86.1 | 2.2 | 8.9 | 8380 | 81.1 | 3.2 | 6.8 |
| *USA, SEER (9 registries): Black | 1283 | 85.9 | 3.6 | 11.8 | 1403 | 86.7 | 1.9 | 9.2 |
| USA, Alabama | 1993 | 82.9 | 10.4 | 9.5 | 1816 | 79.6 | 14.0 | 6.9 |
| USA, Alabama: White | 1534 | 82.7 | 10.5 | 9.3 | 1275 | 79.0 | 14.3 | 6.3 |

* Important. See note on population page.

Indices of data quality Pancreas (C25) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 439 | 83.6 | 10.0 | 10.6 | 522 | 81.2 | 13.2 | 9.0 |
| USA, Alaska | 230 | 77.4 | 5.7 | 8.6 | 193 | 78.2 | 4.7 | 7.2 |
| *USA, Alaska: Alaska Natives | 43 | 67.4 | 2.3 | 13.3 | 32 | 71.9 | 0.0 | 8.0 |
| USA, Arizona | 2637 | 81.3 | 12.2 | 8.4 | 2248 | 79.7 | 13.2 | 6.0 |
| USA, Arizona: White | 2463 | 81.4 | 12.1 | 8.6 | 2053 | 79.7 | 13.2 | 6.0 |
| USA, Arizona: Black | 90 | 81.1 | 13.3 | 9.6 | 96 | 82.3 | 11.5 | 9.2 |
| *USA, Arizona: Asian and Pacific Islander | 29 | 89.7 | 6.9 | 4.0 | 41 | 70.7 | 17.1 | 3.9 |
| USA, Arizona: American Indian | 50 | 78.0 | 14.0 | 5.5 | 56 | 82.1 | 12.5 | 4.6 |
| USA, Arkansas | 1230 | 82.0 | 9.3 | 9.4 | 1079 | 78.8 | 11.6 | 6.4 |
| USA, Arkansas: White | 1053 | 82.1 | 9.1 | 9.1 | 880 | 79.3 | 10.0 | 6.0 |
| USA, Arkansas: Black | 163 | 82.2 | 9.8 | 11.7 | 190 | 75.8 | 18.9 | 9.7 |
| USA, California | 12717 | 85.8 | 5.7 | 8.2 | 12026 | 81.9 | 7.1 | 6.3 |
| USA, California: White | 10199 | 85.9 | 5.7 | 8.5 | 9383 | 81.3 | 7.5 | 6.5 |
| USA, California: Black | 941 | 84.0 | 7.0 | 10.6 | 930 | 83.7 | 5.6 | 8.2 |
| USA, California: Asian and Pacific Islander | 1503 | 86.3 | 4.9 | 6.3 | 1661 | 83.9 | 5.5 | 5.2 |
| *USA, California, Los Angeles County | 3006 | 86.1 | 3.0 | 7.9 | 3048 | 82.6 | 3.9 | 6.3 |
| *USA, California, Los Angeles County: White | 2183 | 86.9 | 2.6 | 8.0 | 2147 | 83.1 | 3.9 | 6.4 |
| *USA, California, Los Angeles County: Non-Hispanic White | 1400 | 86.1 | 2.9 | 8.7 | 1231 | 81.3 | 4.7 | 6.3 |
| *USA, California, Los Angeles County: Hispanic White | 783 | 88.1 | 2.2 | 7.1 | 916 | 85.6 | 2.7 | 6.4 |
| *USA, California, Los Angeles County: Black | 335 | 82.7 | 5.7 | 9.8 | 401 | 80.0 | 3.5 | 8.4 |
| *USA, California, Los Angeles County: Chinese | 111 | 80.2 | 5.4 | 4.6 | 119 | 76.5 | 9.2 | 3.7 |
| *USA, California, Los Angeles County: Filipino | 96 | 88.5 | 1.0 | 6.6 | 117 | 83.8 | 2.6 | 5.0 |
| *USA, California, Los Angeles County: Korean | 83 | 81.9 | 4.8 | 8.5 | 80 | 85.0 | 3.8 | 5.3 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 443 | 85.1 | 3.4 | 6.4 | 481 | 82.1 | 4.4 | 5.0 |
| *USA, California, San Francisco Bay Area | 1646 | 87.5 | 2.9 | 8.2 | 1603 | 82.2 | 3.4 | 6.4 |
| *USA, California, San Francisco Bay Area: White | 1127 | 87.8 | 2.6 | 8.5 | 1032 | 80.4 | 4.3 | 6.4 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 958 | 88.1 | 2.8 | 8.7 | 831 | 78.8 | 4.3 | 6.2 |
| *USA, California, San Francisco Bay Area: Hispanic White | 169 | 85.8 | 1.2 | 8.3 | 201 | 87.1 | 4.0 | 7.4 |
| *USA, California, San Francisco Bay Area: Black | 177 | 85.3 | 4.5 | 11.9 | 182 | 89.6 | 1.6 | 9.5 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 334 | 87.7 | 3.0 | 6.4 | 383 | 83.0 | 2.1 | 5.4 |
| USA, Colorado | 1755 | 85.7 | 4.8 | 8.0 | 1475 | 80.6 | 7.1 | 5.7 |
| USA, Colorado: White | 1651 | 85.8 | 4.8 | 8.1 | 1381 | 80.2 | 7.0 | 5.8 |
| *USA, Colorado: Black | 66 | 83.3 | 3.0 | 8.3 | 52 | 94.2 | 3.8 | 6.7 |
| *USA, Colorado: Asian and Pacific Islander | 24 | 87.5 | 4.2 | 5.2 | 31 | 80.6 | 16.1 | 4.0 |
| USA, Connecticut | 1583 | 92.8 | 1.3 | 9.6 | 1552 | 87.6 | 1.5 | 7.2 |
| USA, Connecticut: White | 1419 | 92.6 | 1.3 | 9.5 | 1375 | 87.0 | 1.7 | 7.1 |
| USA, Connecticut: Black | 122 | 94.3 | 0.8 | 10.5 | 141 | 91.5 | 0.0 | 8.3 |
| USA, District of Columbia | 256 | 87.5 | 9.4 | 11.8 | 259 | 84.9 | 7.7 | 8.8 |
| USA, District of Columbia: White | 73 | 89.0 | 8.2 | 7.1 | 72 | 79.2 | 13.9 | 6.6 |
| USA, District of Columbia: Black | 172 | 86.6 | 9.9 | 15.2 | 180 | 88.3 | 5.6 | 10.2 |
| USA, Florida | 9613 | 86.7 | 6.0 | 9.2 | 8617 | 83.6 | 5.9 | 6.7 |
| USA, Florida: White | 8445 | 87.1 | 5.5 | 9.2 | 7286 | 83.5 | 5.8 | 6.5 |
| USA, Florida: Black | 937 | 88.4 | 4.2 | 9.1 | 1115 | 86.2 | 4.0 | 8.1 |
| USA, Florida: Asian and Pacific Islander | 87 | 93.1 | 1.1 | 4.2 | 107 | 94.4 | 0.0 | 3.8 |
| USA, Georgia | 3559 | 84.4 | 4.7 | 9.4 | 3395 | 81.2 | 5.7 | 7.1 |
| USA, Georgia: White | 2530 | 84.3 | 4.6 | 9.0 | 2216 | 79.3 | 6.6 | 6.5 |
| USA, Georgia: Black | 953 | 84.5 | 5.0 | 10.8 | 1123 | 84.3 | 4.1 | 8.9 |
| USA, Georgia: Asian and Pacific Islander | 73 | 87.7 | 2.7 | 6.2 | 55 | 90.9 | 5.5 | 4.0 |
| *USA, Georgia, Atlanta | 1053 | 87.3 | 2.5 | 9.1 | 1060 | 84.6 | 2.2 | 7.1 |
| *USA, Georgia, Atlanta: White | 608 | 87.8 | 2.5 | 8.5 | 551 | 84.0 | 2.2 | 6.5 |
| *USA, Georgia, Atlanta: Black | 387 | 86.8 | 2.6 | 10.6 | 470 | 84.9 | 1.9 | 8.6 |
| USA, Idaho | 709 | 79.8 | 6.8 | 9.6 | 599 | 74.8 | 6.2 | 7.2 |
| USA, Indiana | 2722 | 88.7 | 3.0 | 9.8 | 2466 | 86.3 | 2.5 | 7.3 |
| USA, Indiana: White | 2500 | 88.6 | 3.0 | 9.8 | 2217 | 86.2 | 2.5 | 7.1 |
| USA, Indiana: Black | 204 | 90.2 | 3.4 | 11.5 | 234 | 87.6 | 3.0 | 9.8 |
| *USA, Iowa | 1388 | 85.7 | 3.2 | 9.7 | 1289 | 78.8 | 4.5 | 7.1 |
| USA, Kentucky | 1858 | 80.7 | 7.6 | 9.7 | 1745 | 79.9 | 8.2 | 7.4 |
| USA, Louisiana | 1923 | 85.9 | 2.3 | 10.2 | 1811 | 82.8 | 3.9 | 7.7 |
| USA, Louisiana: White | 1368 | 86.3 | 2.2 | 9.7 | 1209 | 82.8 | 4.1 | 7.2 |
| USA, Louisiana: Black | 539 | 85.3 | 2.6 | 11.8 | 582 | 82.6 | 3.4 | 9.2 |
| *USA, Louisiana, New Orleans | 344 | 91.0 | 2.9 | 10.0 | 338 | 87.0 | 4.7 | 7.5 |
| *USA, Louisiana, New Orleans: White | 205 | 88.8 | 3.9 | 9.2 | 188 | 86.7 | 5.3 | 7.2 |
| *USA, Louisiana, New Orleans: Black | 129 | 94.6 | 1.6 | 11.3 | 141 | 86.5 | 4.3 | 8.3 |
| USA, Maine | 634 | 89.6 | 4.6 | 9.0 | 608 | 83.1 | 7.4 | 7.1 |
| USA, Maryland | 2370 | 86.2 | 8.6 | 9.6 | 2265 | 85.1 | 7.3 | 7.3 |
| USA, Maryland: White | 1627 | 87.8 | 7.3 | 9.3 | 1436 | 84.9 | 6.7 | 6.9 |
| USA, Maryland: Black | 647 | 81.8 | 12.4 | 11.0 | 745 | 85.6 | 8.1 | 8.9 |
| USA, Maryland: Asian and Pacific Islander | 86 | 93.0 | 3.5 | 6.2 | 78 | 83.3 | 11.5 | 4.5 |
| USA, Massachusetts | 2796 | 88.9 | 5.3 | 9.3 | 2800 | 83.7 | 9.0 | 7.2 |
| USA, Massachusetts: White | 2532 | 88.7 | 5.5 | 9.3 | 2523 | 83.1 | 9.4 | 7.1 |
| USA, Massachusetts: Black | 166 | 89.2 | 3.6 | 10.1 | 173 | 89.0 | 4.6 | 8.0 |
| USA, Massachusetts: Asian and Pacific Islander | 71 | 93.0 | 4.2 | 5.8 | 76 | 86.8 | 9.2 | 5.0 |

* Important. See note on population page.

Indices of data quality Pancreas (C25) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 4373 | 83.7 | 7.6 | 9.7 | 4123 | 81.2 | 7.6 | 7.3 |
| USA, Michigan: White | 3709 | 83.7 | 7.7 | 9.3 | 3397 | 80.3 | 8.0 | 6.9 |
| USA, Michigan: Black | 597 | 83.4 | 6.9 | 13.3 | 647 | 85.2 | 4.8 | 10.1 |
| USA, Michigan: Asian and Pacific Islander | 37 | 91.9 | 5.4 | 4.2 | 39 | 87.2 | 10.3 | 3.6 |
| *USA, Michigan, Detroit | 1814 | 86.5 | 4.0 | 10.8 | 1847 | 83.7 | 5.1 | 8.4 |
| *USA, Michigan, Detroit: White | 1342 | 87.0 | 3.7 | 10.3 | 1299 | 82.4 | 5.7 | 7.7 |
| *USA, Michigan, Detroit: Black | 443 | 84.7 | 4.7 | 14.1 | 508 | 86.6 | 3.0 | 10.8 |
| USA, Minnesota | 2227 | 90.5 | 3.8 | 9.2 | 2055 | 86.2 | 5.5 | 7.0 |
| USA, Minnesota: White | 2099 | 90.5 | 3.9 | 9.2 | 1920 | 85.8 | 5.6 | 6.9 |
| USA, Minnesota: Black | 73 | 87.7 | 2.7 | 11.5 | 75 | 90.7 | 4.0 | 10.3 |
| *USA, Minnesota: Asian and Pacific Islander | 36 | 91.7 | 2.8 | 6.9 | 31 | 93.5 | 3.2 | 4.7 |
| USA, Mississippi | 1325 | 84.2 | 3.5 | 10.9 | 1185 | 81.8 | 3.2 | 7.5 |
| USA, Missouri | 2512 | 85.2 | 9.3 | 9.4 | 2238 | 80.9 | 10.2 | 6.7 |
| USA, Missouri: White | 2169 | 85.2 | 9.6 | 8.9 | 1907 | 79.8 | 11.0 | 6.3 |
| USA, Missouri: Black | 320 | 85.9 | 6.2 | 15.0 | 311 | 87.8 | 5.8 | 10.4 |
| USA, Montana | 437 | 82.6 | 5.7 | 8.3 | 394 | 78.4 | 5.3 | 6.7 |
| *USA, Montana: American Indian | 16 | 93.8 | — | 8.7 | 14 | 92.9 | — | 6.7 |
| USA, Nebraska | 745 | 89.0 | 4.0 | 9.3 | 670 | 84.9 | 7.0 | 6.6 |
| USA, Nebraska: White | 705 | 88.9 | 4.1 | 9.3 | 633 | 84.4 | 7.3 | 6.6 |
| *USA, Nebraska: Black | 35 | 91.4 | 2.9 | 15.9 | 27 | 92.6 | 3.7 | 9.5 |
| USA, Nevada | 988 | 84.6 | 9.4 | 8.0 | 963 | 83.2 | 10.1 | 6.9 |
| USA, Nevada: White | 850 | 83.8 | 10.1 | 8.1 | 804 | 83.3 | 10.1 | 7.1 |
| USA, Nevada: Black | 78 | 88.5 | 6.4 | 9.2 | 83 | 84.3 | 12.0 | 8.3 |
| *USA, Nevada: Asian and Pacific Islander | 48 | 91.7 | 2.1 | 4.8 | 64 | 82.8 | 6.2 | 4.1 |
| USA, New Jersey | 3851 | 87.1 | 5.4 | 9.9 | 3951 | 83.2 | 7.1 | 7.7 |
| USA, New Jersey: White | 3247 | 86.9 | 5.6 | 10.2 | 3255 | 82.8 | 7.1 | 7.8 |
| USA, New Jersey: Black | 442 | 88.9 | 5.0 | 10.7 | 544 | 84.6 | 6.4 | 8.9 |
| USA, New Mexico | 769 | 83.4 | 3.3 | 8.1 | 690 | 78.4 | 5.1 | 6.1 |
| USA, New Mexico: White | 695 | 82.7 | 3.2 | 8.3 | 629 | 79.0 | 5.1 | 6.3 |
| USA, New Mexico: Non-Hispanic White | 415 | 81.7 | 2.9 | 7.8 | 369 | 79.1 | 5.4 | 5.9 |
| USA, New Mexico: Hispanic White | 280 | 84.3 | 3.6 | 9.1 | 260 | 78.8 | 4.6 | 6.9 |
| *USA, New Mexico: American Indian | 44 | 86.4 | 4.5 | 6.8 | 35 | 71.4 | 5.7 | 3.9 |
| USA, New York State | 8465 | 88.8 | 3.0 | 10.0 | 8480 | 83.4 | 4.6 | 7.5 |
| USA, New York State: White | 6839 | 88.8 | 3.0 | 10.2 | 6588 | 82.5 | 5.0 | 7.6 |
| USA, New York State: Black | 1192 | 89.3 | 2.3 | 10.8 | 1457 | 86.9 | 2.5 | 8.5 |
| USA, New York State: Asian and Pacific Islander | 406 | 89.9 | 2.5 | 6.5 | 413 | 87.4 | 4.6 | 5.5 |
| USA, North Carolina | 3971 | 87.7 | 5.2 | 9.4 | 3796 | 83.6 | 6.5 | 7.1 |
| USA, North Carolina: White | 3062 | 88.1 | 4.9 | 9.0 | 2776 | 83.0 | 7.0 | 6.7 |
| USA, North Carolina: Black | 833 | 85.4 | 6.1 | 11.7 | 946 | 85.8 | 5.0 | 9.2 |
| USA, North Carolina: Asian and Pacific Islander | 34 | 97.1 | 2.9 | 4.7 | 42 | 76.2 | 14.3 | 4.7 |
| *USA, North Carolina: American Indian | 35 | 91.4 | 8.6 | 7.4 | 22 | 86.4 | 4.5 | 3.9 |
| USA, North Dakota | 275 | 85.5 | 8.7 | 8.6 | 240 | 81.7 | 7.9 | 6.5 |
| USA, Ohio | 4799 | 83.5 | 11.6 | 9.2 | 4745 | 80.6 | 12.5 | 7.2 |
| USA, Ohio: White | 4243 | 83.7 | 11.3 | 9.1 | 4100 | 80.4 | 12.6 | 7.0 |
| USA, Ohio: Black | 517 | 80.9 | 14.9 | 11.1 | 604 | 82.0 | 11.4 | 9.1 |
| *USA, Ohio: Asian and Pacific Islander | 35 | 88.6 | 8.6 | 5.1 | 33 | 87.9 | 9.1 | 3.7 |
| USA, Oklahoma | 1292 | 82.2 | 8.4 | 7.9 | 1299 | 76.7 | 9.8 | 6.5 |
| USA, Oklahoma: White | 1089 | 81.5 | 8.6 | 7.6 | 1083 | 76.5 | 9.9 | 6.2 |
| USA, Oklahoma: Black | 90 | 82.2 | 6.7 | 9.9 | 97 | 71.1 | 14.4 | 8.4 |
| USA, Oklahoma: American Indian | 100 | 88.0 | 8.0 | 9.1 | 97 | 83.5 | 6.2 | 7.2 |
| USA, Oregon | 1784 | 83.2 | 9.1 | 9.5 | 1610 | 78.3 | 13.4 | 7.2 |
| USA, Oregon: White | 1669 | 83.2 | 9.2 | 9.5 | 1494 | 77.7 | 13.9 | 7.2 |
| *USA, Oregon: Black | 36 | 83.3 | 5.6 | 13.4 | 28 | 89.3 | 7.1 | 10.5 |
| *USA, Oregon: Asian and Pacific Islander | 44 | 84.1 | 2.3 | 7.3 | 62 | 82.3 | 6.5 | 7.5 |
| USA, Rhode Island | 465 | 86.9 | 6.7 | 9.7 | 410 | 79.8 | 12.4 | 6.5 |
| USA, Rhode Island: White | 429 | 86.9 | 7.0 | 9.7 | 385 | 80.8 | 11.7 | 6.6 |
| *USA, Rhode Island: Black | 29 | 86.2 | 0.0 | 12.7 | 19 | 73.7 | 15.8 | 6.9 |
| USA, South Carolina | 2143 | 83.0 | 9.8 | 9.8 | 1972 | 81.3 | 9.2 | 7.3 |
| USA, South Carolina: White | 1596 | 84.2 | 9.5 | 9.3 | 1358 | 80.9 | 9.6 | 6.6 |
| USA, South Carolina: Black | 529 | 79.6 | 11.0 | 11.7 | 601 | 82.0 | 8.5 | 9.5 |
| USA, South Dakota | 349 | 87.7 | 4.9 | 9.0 | 311 | 82.6 | 4.2 | 6.6 |
| USA, Tennessee | 2610 | 84.3 | 7.8 | 9.3 | 2409 | 80.9 | 8.2 | 6.9 |
| USA, Tennessee: White | 2212 | 84.7 | 7.6 | 9.0 | 1977 | 81.0 | 8.4 | 6.6 |
| USA, Tennessee: Black | 375 | 82.7 | 9.1 | 11.6 | 413 | 80.4 | 7.3 | 9.1 |
| USA, Texas | 8536 | 81.2 | 9.6 | 8.8 | 7950 | 78.7 | 10.4 | 6.7 |
| USA, Texas: White | 7278 | 80.9 | 9.7 | 8.7 | 6567 | 78.3 | 10.7 | 6.5 |
| USA, Texas: Black | 1000 | 81.8 | 9.9 | 10.6 | 1133 | 80.8 | 8.8 | 9.1 |
| USA, Texas: Asian and Pacific Islander | 222 | 88.3 | 4.1 | 5.8 | 217 | 80.6 | 10.6 | 4.7 |
| USA, Utah | 738 | 79.5 | 0.9 | 7.7 | 616 | 75.0 | 1.8 | 5.5 |
| USA, Vermont | 285 | 86.0 | 4.2 | 8.8 | 227 | 82.4 | 5.7 | 6.0 |
| USA, Washington State | 2697 | 82.7 | 5.6 | 8.7 | 2500 | 80.7 | 4.8 | 6.8 |
| *USA, Washington, Seattle | 1789 | 83.0 | 0.6 | 8.5 | 1742 | 80.2 | 0.4 | 6.9 |

* Important. See note on population page.

Indices of data quality Pancreas (C25) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 776 | 85.2 | 3.5 | 8.6 | 766 | 81.9 | 3.7 | 6.9 |
| USA, Wyoming | 213 | 79.8 | 2.8 | 8.2 | 160 | 81.2 | 3.8 | 5.3 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 48 | 87.5 | 2.1 | 4.1 | 37 | 73.0 | 8.1 | 2.9 |
| Brunei Darussalam | 21 | 81.0 | — | 2.6 | 34 | 85.3 | — | 3.9 |
| *China, Anfu County | 32 | 12.5 | 0.0 | 3.0 | 32 | 15.6 | 6.2 | 2.8 |
| *China, Anguo City | 26 | 57.7 | 11.5 | 1.9 | 20 | 65.0 | 0.0 | 1.5 |
| *China, Anshan City | 491 | 25.1 | 1.4 | 6.3 | 386 | 23.8 | 1.3 | 4.2 |
| *China, Aohan Banner, Chifeng City | 106 | 15.1 | 8.5 | 5.6 | 52 | 15.4 | 11.5 | 2.6 |
| *China, Arongqi | 75 | 53.3 | 2.7 | 8.5 | 64 | 45.3 | 7.8 | 8.0 |
| *China, Baoding City | 158 | 50.6 | 10.1 | 4.3 | 128 | 48.4 | 7.0 | 3.2 |
| *China, Beijing City | 2522 | 32.2 | 3.5 | 5.4 | 2174 | 34.2 | 4.3 | 4.1 |
| *China, Binhai County | 220 | 50.0 | 0.0 | 4.6 | 169 | 47.3 | 0.6 | 3.4 |
| *China, Cangzhou City | 84 | 66.7 | 0.0 | 5.1 | 58 | 67.2 | 1.7 | 3.4 |
| China, Changfeng County | 74 | 35.1 | 1.4 | 4.0 | 56 | 32.1 | 0.0 | 3.0 |
| China, Changzhou City | 811 | 35.5 | 1.4 | 7.9 | 672 | 32.3 | 0.6 | 5.5 |
| China, Chengdu City | 300 | 56.7 | 3.7 | 7.8 | 192 | 58.3 | 8.9 | 4.5 |
| China, Cixian County | 44 | 75.0 | 2.3 | 2.8 | 31 | 67.7 | 6.5 | 1.7 |
| China, Cixi City | 340 | 31.8 | 13.2 | 6.5 | 236 | 28.8 | 16.9 | 4.1 |
| *China, Dafeng District, Yancheng City | 241 | 18.7 | 1.7 | 6.6 | 219 | 19.2 | 0.9 | 5.1 |
| China, Dalian City | 1026 | 30.0 | 2.5 | 8.8 | 743 | 26.4 | 1.9 | 5.2 |
| *China, Dancheng County | 88 | 42.0 | 3.4 | 2.8 | 79 | 36.7 | 3.8 | 2.3 |
| China, Dangtu County | 79 | 34.2 | 1.3 | 5.9 | 54 | 37.0 | 1.9 | 3.8 |
| *China, Danyang City | 282 | 44.7 | 1.1 | 7.7 | 240 | 45.0 | 0.8 | 5.4 |
| *China, Dawukou District, Shizuishan City | 59 | 39.0 | 1.7 | 5.6 | 39 | 43.6 | 0.0 | 3.4 |
| *China, Dehui City | 145 | 17.9 | 4.8 | 4.9 | 105 | 9.5 | 6.7 | 3.6 |
| *China, Donggang County | 204 | 13.7 | 8.8 | 6.7 | 149 | 16.1 | 3.4 | 4.8 |
| *China, Dongguan City | 157 | 39.5 | 0.6 | 3.8 | 143 | 32.2 | 2.1 | 2.8 |
| China, Donghai County | 162 | 40.1 | 5.6 | 3.9 | 116 | 37.9 | 6.0 | 2.8 |
| *China, Dongtai City | 352 | 27.8 | 0.0 | 6.5 | 296 | 37.2 | 0.3 | 5.1 |
| China, Duanzhou District, Zhaoqing City | 48 | 31.2 | 0.0 | 3.7 | 57 | 24.6 | 1.8 | 4.4 |
| *China, Evenki Autonomous Banner | 22 | 59.1 | — | 8.5 | 21 | 19.0 | — | 7.1 |
| *China, Faku County | 103 | 25.2 | 1.9 | 5.0 | 75 | 32.0 | 0.0 | 3.6 |
| *China, Fangcheng County | 91 | 76.9 | 6.6 | 3.8 | 64 | 64.1 | 1.6 | 3.1 |
| *China, Feicheng City | 146 | 26.7 | 0.7 | 3.6 | 101 | 22.8 | 1.0 | 2.2 |
| China, Feixi County | 283 | 37.8 | 1.4 | 6.6 | 171 | 31.0 | 0.0 | 3.7 |
| China, Fuqing City | 74 | 58.1 | 10.8 | 2.6 | 58 | 53.4 | 13.8 | 2.0 |
| *China, Ganyu District, Lianyungang City | 198 | 27.8 | 1.0 | 4.3 | 109 | 33.0 | 0.9 | 2.4 |
| *China, Ganzhou District, Zhangye City | 50 | 48.0 | — | 5.7 | 29 | 62.1 | — | 3.4 |
| *China, Gaocheng City | 65 | 76.9 | 3.1 | 2.8 | 49 | 87.8 | 0.0 | 1.8 |
| China, Gaomi City | 103 | 57.3 | 1.9 | 3.3 | 110 | 62.7 | 0.0 | 3.3 |
| China, Gong'an County | 157 | 32.5 | 1.3 | 4.8 | 110 | 39.1 | 0.0 | 3.1 |
| *China, Guang'an District, Guang'an City | 103 | 56.3 | 6.8 | 5.1 | 60 | 51.7 | 1.7 | 3.0 |
| China, Guanghan City | 97 | 53.6 | 0.0 | 5.6 | 49 | 46.9 | 2.0 | 2.4 |
| China, Guangzhou City | 1192 | 43.4 | 1.8 | 3.7 | 1081 | 41.3 | 1.0 | 2.8 |
| *China, Guanyun County | 184 | 49.5 | 1.1 | 5.0 | 140 | 48.6 | 1.4 | 3.9 |
| China, Guilin City | 130 | 35.4 | 0.8 | 5.8 | 84 | 41.7 | 2.4 | 3.4 |
| *China, Hai'an City | 369 | 33.1 | 0.3 | 6.1 | 284 | 33.5 | 0.7 | 4.4 |
| China, Hailar District, Hulun Buir City | 106 | 22.6 | 1.9 | 9.5 | 76 | 27.6 | 1.3 | 6.2 |
| China, Haimen District, Nantong City | 405 | 22.0 | 0.0 | 7.3 | 381 | 17.6 | 0.5 | 6.2 |
| China, Haining City | 288 | 25.7 | 2.4 | 8.1 | 240 | 21.2 | 3.3 | 5.6 |
| China, Hangzhou City | 2343 | 42.4 | 3.2 | 6.8 | 1790 | 36.3 | 4.9 | 4.7 |
| China, Hebi City | 58 | 55.2 | 3.4 | 4.5 | 56 | 44.6 | 3.6 | 4.1 |
| China, Hefei City | 627 | 36.2 | 5.3 | 7.2 | 427 | 34.4 | 4.7 | 4.6 |
| China, Hengdong County | 32 | 40.6 | — | 2.0 | 26 | 46.2 | — | 1.6 |
| *China, Hengfeng County | 15 | 66.7 | 6.7 | 2.5 | 14 | 64.3 | 0.0 | 2.3 |
| *China, Hepu County | 88 | 30.7 | — | 3.0 | 47 | 23.4 | — | 1.5 |
| China, Honghu City | 143 | 56.6 | — | 4.8 | 102 | 51.0 | — | 3.2 |
| China, Hongshan District, Chifeng City | 101 | 15.8 | 0.0 | 8.0 | 67 | 14.9 | 1.5 | 4.4 |
| *China, Hongta District, Yuxi City | 81 | 55.6 | 0.0 | 4.7 | 52 | 44.2 | 5.8 | 2.9 |
| *China, Huaiyin District, Huai'an City | 139 | 38.8 | 1.4 | 3.6 | 115 | 47.8 | 4.3 | 2.9 |
| *China, Jiange County | 77 | 33.8 | — | 4.6 | 49 | 34.7 | — | 2.8 |
| China, Jiangmen City | 90 | 31.1 | 1.1 | 3.6 | 67 | 28.4 | 0.0 | 2.3 |
| *China, Jiangyin City | 431 | 34.8 | 0.0 | 7.1 | 378 | 32.5 | 0.3 | 5.2 |
| *China, Jiashan County | 235 | 32.8 | 0.9 | 10.6 | 150 | 35.3 | 1.3 | 6.1 |
| China, Jiayu County | 25 | 48.0 | 8.0 | 3.2 | 14 | 57.1 | 14.3 | 1.6 |
| *China, Jinan City | 446 | 51.6 | 6.7 | 4.7 | 349 | 52.7 | 4.0 | 3.0 |
| *China, Jingtai County | 61 | 57.4 | 1.6 | 9.0 | 42 | 54.8 | 4.8 | 5.9 |
| *China, Jingxian County | 75 | 62.7 | 1.3 | 5.3 | 52 | 69.2 | 7.7 | 4.2 |
| *China, Jintan District, Changzhou City | 190 | 41.1 | 1.1 | 7.8 | 144 | 49.3 | 3.5 | 5.4 |
| *China, Jiulongpo District, Chongqing City | 239 | 30.1 | 1.7 | 6.9 | 142 | 28.9 | 1.4 | 3.6 |
| *China, Jiyuan City | 103 | 42.7 | 5.8 | 6.1 | 74 | 50.0 | 5.4 | 4.1 |

* Important. See note on population page.

Indices of data quality Pancreas (C25) (contd)

| Asia (contd) | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| China, Kaihua County | 91 | 41.8 | 1.1 | 7.5 | 55 | 30.9 | 1.8 | 4.3 |
| China, Kunshan City | 331 | 38.7 | 0.6 | 9.4 | 263 | 37.3 | 0.4 | 6.1 |
| China, Langzhong City | 86 | 32.6 | 0.0 | 4.5 | 50 | 24.0 | 2.0 | 2.7 |
| *China, Liangshan County | 118 | 28.8 | 4.2 | 3.9 | 69 | 31.9 | 1.4 | 2.1 |
| *China, Lianshui County | 135 | 34.1 | 0.7 | 3.1 | 116 | 35.3 | 0.9 | 2.6 |
| China, Lianyungang City | 254 | 27.6 | 2.8 | 6.3 | 130 | 23.8 | 2.3 | 2.9 |
| China, Linhe District, Bayannur City | 97 | 64.9 | 6.2 | 7.2 | 46 | 67.4 | 8.7 | 3.3 |
| China, Linqu County | 191 | 35.1 | 3.1 | 5.2 | 147 | 44.9 | 2.0 | 3.6 |
| *China, Linzhou City | 75 | 42.7 | 2.7 | 2.1 | 72 | 34.7 | 2.8 | 1.8 |
| China, Liuzhou City | 151 | 23.2 | — | 4.0 | 104 | 26.9 | — | 2.6 |
| China, Liyang City | 265 | 36.6 | 0.4 | 6.2 | 175 | 33.7 | 0.0 | 3.7 |
| *China, Longquan City | 47 | 27.7 | 4.3 | 4.1 | 22 | 31.8 | 0.0 | 2.2 |
| China, Lucheng District, Wenzhou City | 104 | 30.8 | 9.6 | 5.1 | 79 | 20.3 | 5.1 | 3.2 |
| China, Luoding City | 32 | 18.8 | 9.4 | 1.3 | 23 | 30.4 | 4.3 | 1.0 |
| *China, Luohe City | 140 | 34.3 | 4.3 | 3.8 | 104 | 37.5 | 2.9 | 2.4 |
| *China, Luoyang City | 222 | 50.0 | 3.2 | 5.2 | 173 | 38.7 | 3.5 | 3.6 |
| *China, Luquan City | 47 | 57.4 | 2.1 | 4.0 | 22 | 81.8 | 0.0 | 1.6 |
| China, Ma'anshan City | 225 | 33.8 | 1.3 | 10.4 | 134 | 27.6 | 0.0 | 5.4 |
| *China, Macheng City | 96 | 28.1 | 1.0 | 3.9 | 52 | 13.5 | 0.0 | 2.2 |
| China, Meihekou City | 129 | 61.2 | 2.3 | 5.5 | 87 | 51.7 | 4.6 | 3.8 |
| *China, Mengjin County | 46 | 52.2 | 4.3 | 4.1 | 33 | 51.5 | 3.0 | 2.8 |
| China, Nangang District, Harbin City | 220 | 36.8 | 6.4 | 5.2 | 165 | 26.7 | 6.1 | 3.4 |
| *China, Nantai District, Foshan City | 133 | 25.6 | — | 4.6 | 116 | 25.0 | — | 3.2 |
| China, Nanhu District, Jiaying City | 261 | 23.0 | 2.3 | 9.4 | 227 | 26.9 | 2.6 | 7.3 |
| *China, Nantong City | 439 | 36.4 | 1.6 | 7.2 | 396 | 37.9 | 1.8 | 5.6 |
| *China, Nanxiong City | 45 | 17.8 | 2.2 | 3.1 | 33 | 24.2 | 0.0 | 1.9 |
| China, Neixiang County | 61 | 4.9 | 3.3 | 2.5 | 41 | 19.5 | 0.0 | 1.7 |
| *China, Qianxi County | 66 | 86.4 | 3.0 | 4.8 | 24 | 87.5 | 4.2 | 1.7 |
| China, Qidong City | 593 | 23.8 | — | 8.4 | 498 | 23.3 | — | 5.8 |
| China, Qingzhou City | 142 | 8.5 | — | 4.2 | 113 | 6.2 | — | 2.8 |
| *China, Rudong County | 488 | 49.0 | 1.0 | 6.9 | 408 | 47.5 | 0.5 | 5.6 |
| *China, Rugao City | 510 | 48.0 | 0.0 | 6.4 | 429 | 47.6 | 0.5 | 4.7 |
| *China, Rural areas of Shanghai City | 4257 | 41.7 | 0.6 | 8.4 | 3492 | 34.6 | 1.0 | 5.7 |
| China, Ruyang County | 28 | 35.7 | 3.6 | 2.2 | 31 | 35.5 | 6.5 | 2.5 |
| *China, Shan County | 131 | 48.9 | 0.8 | 5.3 | 95 | 58.9 | 0.0 | 2.9 |
| China, Shanghai City | 3338 | 41.7 | 0.4 | 8.2 | 2965 | 38.9 | 0.9 | 6.0 |
| China, Shangyu District, Shaoxing City | 332 | 47.6 | 2.1 | 9.0 | 209 | 39.2 | 1.9 | 5.2 |
| *China, Shapingba District, Chongqing City | 164 | 40.9 | 3.0 | 4.7 | 127 | 31.5 | 3.9 | 3.4 |
| China, Shexian County | 43 | 53.5 | 0.0 | 3.2 | 21 | 52.4 | 9.5 | 1.5 |
| China, Sheyang County | 294 | 38.4 | 0.3 | 6.6 | 232 | 34.9 | 0.4 | 5.1 |
| *China, Shijiazhuang City | 210 | 63.3 | 4.8 | 3.8 | 189 | 63.0 | 7.4 | 3.1 |
| China, Shunde District, Foshan City | 149 | 22.8 | — | 4.3 | 123 | 25.2 | — | 2.7 |
| *China, Song County | 36 | 55.6 | 8.3 | 2.3 | 22 | 63.6 | 4.5 | 1.3 |
| China, Suzhou City | 1421 | 59.5 | 6.1 | 8.3 | 1121 | 57.4 | 6.2 | 5.6 |
| *China, Tengzhou City | 179 | 70.4 | 1.1 | 3.2 | 151 | 64.2 | 0.0 | 2.5 |
| *China, Wangdu County | 15 | 80.0 | 0.0 | 2.1 | 10 | 80.0 | 10.0 | 1.6 |
| *China, Wanzai County | 44 | 47.7 | 2.3 | 3.9 | 39 | 56.4 | 5.1 | 3.0 |
| *China, Wu'an City | 49 | 22.4 | 10.2 | 2.2 | 47 | 34.0 | 4.3 | 1.9 |
| China, Wuhan City | 1154 | 71.9 | 0.0 | 5.1 | 979 | 70.3 | 0.1 | 3.8 |
| *China, Wuhu City | 296 | 24.7 | 1.0 | 5.4 | 187 | 24.1 | 1.1 | 3.1 |
| China, Wuxi City | 922 | 19.2 | 1.2 | 7.1 | 677 | 18.6 | 0.6 | 4.6 |
| China, Wuzhou City | 40 | 22.5 | 0.0 | 2.1 | 43 | 9.3 | 4.7 | 1.9 |
| China, Xiangfu District, Kaifeng City | 87 | 36.8 | 2.3 | 4.4 | 74 | 39.2 | 2.7 | 3.5 |
| China, Xianju County | 88 | 23.9 | 11.4 | 4.2 | 67 | 26.9 | 3.0 | 3.1 |
| *China, Xin'an County | 47 | 57.4 | — | 4.2 | 25 | 56.0 | — | 2.4 |
| *China, Xining City | 186 | 64.0 | 1.1 | 8.8 | 136 | 66.2 | 2.2 | 5.7 |
| *China, Xinji City | 66 | 45.5 | 4.5 | 2.4 | 60 | 46.7 | 8.3 | 2.0 |
| *China, Xinluo District, Longyan City | 45 | 37.8 | — | 3.5 | 23 | 30.4 | — | 1.8 |
| *China, Xinzhou District, Shangrao City | 53 | 56.6 | 1.9 | 3.6 | 45 | 48.9 | 2.2 | 3.3 |
| China, Xiping County | 116 | 21.6 | 3.4 | 4.8 | 92 | 25.0 | 0.0 | 3.2 |
| *China, Xishan District, Kunming City | 72 | 66.7 | 1.4 | 4.1 | 56 | 62.5 | 0.0 | 3.0 |
| *China, Xuyi County | 135 | 44.4 | — | 5.2 | 96 | 38.5 | — | 3.5 |
| *China, Ya'an City | 287 | 45.6 | 1.4 | 5.3 | 236 | 47.9 | 3.4 | 4.4 |
| *China, Yakeshi City | 125 | 54.4 | 4.8 | 8.3 | 85 | 48.2 | 10.6 | 4.8 |
| China, Yancheng City | 406 | 57.9 | 2.0 | 6.8 | 324 | 54.3 | 1.9 | 5.1 |
| *China, Yangquan City | 105 | 67.6 | 9.5 | 4.6 | 67 | 71.6 | 6.0 | 3.0 |
| *China, Yangzhong City | 54 | 1.9 | 0.0 | 3.7 | 58 | 3.4 | 3.4 | 3.1 |
| *China, Yanji City | 145 | 10.3 | 4.1 | 6.9 | 125 | 12.8 | 4.0 | 5.0 |
| *China, Yanshi City | 67 | 17.9 | 6.0 | 2.8 | 53 | 18.9 | 11.3 | 1.9 |
| China, Yanting County | 34 | 76.5 | 2.9 | 1.9 | 29 | 65.5 | 3.4 | 1.4 |
| *China, Yi'an District, Tongling City | 56 | 28.6 | 7.1 | 5.6 | 41 | 22.0 | 4.9 | 4.1 |
| *China, Yingdong District, Fuyang City | 69 | 15.9 | 1.4 | 3.0 | 51 | 19.6 | 0.0 | 2.2 |

* Important. See note on population page.

Indices of data quality Pancreas (C25) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 79 | 31.6 | 1.3 | 7.8 | 72 | 33.3 | 1.4 | 6.6 |
| *China, Yiyuan County | 103 | 31.1 | 1.0 | 5.2 | 52 | 36.5 | 0.0 | 2.4 |
| China, Yong'an City | 47 | 23.4 | 2.1 | 3.5 | 20 | 10.0 | 0.0 | 1.6 |
| *China, Yongding District, Longyan City | 42 | 59.5 | — | 2.7 | 31 | 54.8 | — | 1.7 |
| China, Yongkang City | 114 | 57.0 | 13.2 | 4.5 | 101 | 50.5 | 10.9 | 3.6 |
| *China, Yucheng County | 58 | 74.1 | — | 2.9 | 49 | 59.2 | — | 2.2 |
| China, Yueyanglou District, Yueyang City | 54 | 68.5 | 1.9 | 5.0 | 35 | 68.6 | 0.0 | 3.3 |
| China, Yunmeng County | 87 | 70.1 | — | 5.4 | 61 | 70.5 | — | 3.7 |
| *China, Yunyang District, Shiyuan City | 14 | 50.0 | — | 1.3 | 9 | 22.2 | — | 1.0 |
| China, Yuzhong District, Chongqing City | 150 | 31.3 | 2.0 | 6.7 | 105 | 35.2 | 1.0 | 3.5 |
| *China, Zanzhuang County | 22 | 22.7 | 13.6 | 2.5 | 18 | 27.8 | 11.1 | 2.1 |
| *China, Zhangjiagang City | 392 | 22.2 | 5.4 | 8.0 | 325 | 18.2 | 4.0 | 5.5 |
| *China, Zhaoyuan City | 190 | 24.7 | 1.6 | 6.4 | 132 | 27.3 | 1.5 | 3.8 |
| *China, Zhengding County | 32 | 31.2 | 6.2 | 2.4 | 33 | 45.5 | 3.0 | 2.1 |
| *China, Zhongshan City | 230 | 38.7 | — | 4.3 | 160 | 23.1 | — | 2.5 |
| China, Zhongxiang City | 141 | 58.2 | 0.0 | 4.3 | 115 | 63.5 | 1.7 | 3.3 |
| *China, Zhuanghe City | 269 | 35.7 | 0.0 | 5.7 | 172 | 34.9 | 0.6 | 3.7 |
| *China, Zhuhai City | 135 | 28.9 | 5.2 | 3.9 | 99 | 19.2 | 7.1 | 2.8 |
| India, Ahmedabad, Urban | 121 | 95.0 | — | 1.1 | 62 | 90.3 | — | 0.6 |
| India, Aurangabad | 14 | 92.9 | 0.0 | 0.5 | 11 | 72.7 | 27.3 | 0.4 |
| India, Bangalore | 256 | 89.8 | 5.5 | 2.3 | 173 | 87.3 | 8.1 | 1.6 |
| India, Barshi, Paranda, and Bhum | 15 | 46.7 | 6.7 | 1.0 | 5 | 0.0 | 0.0 | 0.3 |
| *India, Bhopal | 30 | 76.7 | — | 1.1 | 26 | 96.2 | — | 1.1 |
| India, Chandigarh | 34 | 82.4 | 0.0 | 1.5 | 28 | 82.1 | 3.6 | 1.4 |
| *India, Chennai | 275 | 57.5 | 10.5 | 2.2 | 186 | 56.5 | 8.6 | 1.5 |
| India, Dibrugarh | 23 | 39.1 | 17.4 | 0.8 | 15 | 26.7 | 0.0 | 0.5 |
| *India, Dindigul, Ambilikkaik | 48 | 75.0 | 4.2 | 0.8 | 36 | 52.8 | 2.8 | 0.6 |
| India, Kamrup Urban District | 80 | 68.8 | 12.5 | 3.4 | 47 | 68.1 | 10.6 | 2.3 |
| India, Kollam | 166 | 53.6 | 0.6 | 2.6 | 87 | 50.6 | 1.1 | 1.2 |
| *India, Manipur | 29 | 82.8 | — | 0.6 | 22 | 59.1 | — | 0.5 |
| India, Meghalaya | 22 | 45.5 | 36.4 | 0.9 | 22 | 45.5 | 40.9 | 0.8 |
| India, Mizoram | 46 | 28.3 | 2.2 | 2.9 | 40 | 27.5 | 0.0 | 2.6 |
| India, Mumbai | 954 | 72.3 | 16.4 | 3.2 | 669 | 76.1 | 16.7 | 2.2 |
| *India, New Delhi | 523 | 80.9 | 5.9 | 2.5 | 379 | 78.4 | 6.9 | 1.9 |
| India, Poona | 240 | 75.4 | 9.2 | 2.0 | 164 | 78.7 | 11.6 | 1.4 |
| *India, Sangrur District | 42 | 69.0 | 0.0 | 1.6 | 32 | 53.1 | 3.1 | 1.3 |
| India, SAS Nagar | 40 | 90.0 | — | 1.7 | 26 | 88.5 | — | 1.1 |
| *India, Tamil Nadu | 1908 | 65.6 | 2.6 | 0.9 | 1183 | 66.3 | 1.9 | 0.6 |
| *India, Tripura | 57 | 70.2 | — | 0.9 | 40 | 67.5 | — | 0.6 |
| India, Trivandrum | 228 | 67.1 | 0.4 | 2.8 | 154 | 62.3 | 0.0 | 1.6 |
| India, Wardha | 25 | 72.0 | — | 0.6 | 16 | 62.5 | — | 0.4 |
| India, West Arunachal | 16 | 87.5 | — | 1.5 | 8 | 87.5 | — | 1.0 |
| *Iran (Islamic Republic of), Ardabil Province | 67 | 43.3 | 11.9 | 3.8 | 51 | 37.3 | 7.8 | 2.7 |
| *Iran (Islamic Republic of), Golestan Province | 90 | 41.1 | 11.1 | 4.1 | 61 | 49.2 | 13.1 | 2.6 |
| Israel | 2384 | 71.5 | 19.3 | 8.8 | 2314 | 65.3 | 24.5 | 6.6 |
| *Israel: Jews | 2094 | 71.3 | 19.5 | 9.0 | 2083 | 65.1 | 24.6 | 7.0 |
| *Israel: Arabs | 182 | 76.9 | 15.4 | 6.5 | 134 | 75.4 | 17.2 | 4.2 |
| Japan | 58129 | 56.4 | 8.1 | 11.4 | 54046 | 48.4 | 11.4 | 7.4 |
| Japan, Aichi Prefecture | 3019 | 55.0 | 4.1 | 10.9 | 2488 | 49.9 | 7.6 | 6.9 |
| *Japan, Akita Prefecture | 580 | 50.9 | 0.3 | 11.8 | 601 | 41.4 | 1.3 | 7.6 |
| Japan, Aomori Prefecture | 1244 | 42.8 | 2.1 | 13.3 | 1322 | 35.0 | 3.3 | 8.3 |
| Japan, Gunma Prefecture | 774 | 50.9 | 3.4 | 9.4 | 793 | 42.7 | 5.3 | 6.6 |
| Japan, Hiroshima Prefecture | 1873 | 73.2 | 2.3 | 12.0 | 1855 | 63.5 | 5.8 | 7.9 |
| Japan, Miyagi Prefecture | 1863 | 64.5 | 5.0 | 12.0 | 1736 | 51.8 | 9.4 | 7.8 |
| Japan, Osaka Prefecture | 3869 | 67.4 | 6.6 | 11.5 | 3556 | 58.7 | 9.6 | 7.5 |
| Kuwait | 193 | 76.7 | 9.8 | 3.3 | 124 | 73.4 | 8.9 | 3.2 |
| *Kuwait: Kuwaitis | 94 | 68.1 | 12.8 | 5.2 | 69 | 79.7 | 5.8 | 3.2 |
| *Kuwait: Non-Kuwaitis | 99 | 84.8 | 7.1 | 2.1 | 55 | 65.5 | 12.7 | 3.5 |
| *Philippines, Manila | 418 | 46.2 | 6.9 | 4.3 | 501 | 47.7 | 8.2 | 3.9 |
| *Qatar: Qatari | 16 | 81.2 | — | 4.1 | 13 | 84.6 | — | 3.1 |
| Republic of Korea | 16847 | 75.7 | 1.5 | 8.5 | 15088 | 66.3 | 2.7 | 5.8 |
| *Republic of Korea, Busan | 1340 | 69.5 | 1.7 | 8.9 | 1063 | 60.2 | 3.8 | 5.4 |
| *Republic of Korea, Daegu | 753 | 79.8 | 2.3 | 7.9 | 654 | 71.6 | 3.4 | 5.3 |
| *Republic of Korea, Daejeon | 395 | 69.6 | 2.3 | 7.6 | 393 | 66.2 | 1.5 | 5.8 |
| *Republic of Korea, Gwangju | 403 | 68.0 | 0.7 | 8.2 | 420 | 59.0 | 3.3 | 6.5 |
| Republic of Korea, Incheon | 805 | 82.4 | 1.1 | 7.7 | 743 | 72.9 | 1.9 | 5.6 |
| Republic of Korea, Jeju | 178 | 73.6 | 1.1 | 7.4 | 182 | 62.6 | 0.0 | 5.9 |
| Republic of Korea, Seoul | 3242 | 82.0 | 1.5 | 8.6 | 2810 | 73.8 | 2.4 | 6.0 |
| Republic of Korea, Ulsan | 320 | 71.9 | 0.6 | 9.1 | 255 | 58.4 | 2.0 | 5.8 |
| Singapore | 1062 | 81.8 | 0.5 | 6.9 | 942 | 76.2 | 1.3 | 5.3 |
| Singapore: Chinese | 915 | 81.7 | 0.5 | 7.3 | 812 | 75.0 | 1.5 | 5.5 |
| Singapore: Indian | 47 | 87.2 | — | 4.2 | 50 | 90.0 | — | 4.8 |

* Important. See note on population page.

Indices of data quality Pancreas (C25) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 70 | 78.6 | – | 4.6 | 72 | 80.6 | – | 4.1 |
| Thailand, Bangkok | 439 | 55.4 | 14.4 | 2.6 | 408 | 56.6 | 14.7 | 1.9 |
| *Thailand, Chiang Mai | 178 | 32.6 | 0.6 | 3.0 | 152 | 42.8 | 0.0 | 2.3 |
| *Thailand, Khon Kaen | 78 | 24.4 | 1.3 | 1.3 | 74 | 29.7 | 4.1 | 1.1 |
| Thailand, Lampang | 98 | 38.8 | 0.0 | 3.1 | 100 | 32.0 | 2.0 | 2.8 |
| Thailand, Lopburi Province | 78 | 28.2 | 6.4 | 3.4 | 51 | 45.1 | 2.0 | 1.9 |
| *Thailand, Songkhla | 86 | 52.3 | 2.3 | 2.1 | 87 | 65.5 | 8.0 | 1.6 |
| Turkey, Antalya | 411 | 84.2 | 1.7 | 6.7 | 289 | 79.6 | 1.0 | 4.3 |
| Turkey, Bursa | 549 | 73.2 | 14.0 | 7.0 | 357 | 69.7 | 16.2 | 3.8 |
| *Turkey, Edirne | 139 | 57.6 | 7.2 | 8.9 | 98 | 54.1 | 9.2 | 5.2 |
| *Turkey, Erzurum | 111 | 53.2 | 11.7 | 5.9 | 111 | 40.5 | 16.2 | 4.9 |
| Turkey, Eskişehir | 167 | 86.2 | 1.2 | 6.2 | 124 | 81.5 | 4.0 | 3.9 |
| Turkey, Gaziantep | 199 | 65.3 | 3.0 | 6.0 | 158 | 63.3 | 0.6 | 3.9 |
| *Turkey, Izmir | 900 | 75.3 | 4.8 | 6.8 | 746 | 73.1 | 5.9 | 4.6 |
| Turkey, Malatya | 137 | 65.0 | 14.6 | 6.1 | 64 | 59.4 | 17.2 | 2.5 |
| Turkey, Samsun | 283 | 80.2 | 8.8 | 6.9 | 196 | 77.0 | 8.2 | 3.9 |
| Turkey, Trabzon | 166 | 58.4 | 7.2 | 6.4 | 141 | 45.4 | 14.2 | 3.9 |
| Europe | | | | | | | | |
| Austria | 4573 | 71.6 | 11.5 | 10.4 | 4536 | 67.6 | 14.7 | 7.8 |
| Austria, Carinthia | 367 | 69.2 | 1.9 | 11.9 | 364 | 59.6 | 3.0 | 8.3 |
| Austria, Tyrol | 352 | 72.7 | 0.9 | 9.5 | 337 | 65.9 | 0.9 | 7.4 |
| Austria, Vorarlberg | 158 | 76.6 | 2.5 | 8.8 | 154 | 77.3 | 4.5 | 7.1 |
| Belarus | 2913 | 83.8 | 0.1 | 9.2 | 2479 | 81.6 | 0.2 | 4.5 |
| *Belgium | 4504 | 89.3 | – | 8.2 | 4353 | 85.5 | – | 6.6 |
| Croatia | 2014 | 44.1 | 5.2 | 9.8 | 2027 | 40.2 | 7.4 | 6.7 |
| Cyprus | 252 | 82.5 | 15.5 | 7.0 | 191 | 74.9 | 20.4 | 4.4 |
| *Czech Republic | 5750 | 61.5 | 1.6 | 11.5 | 5483 | 56.9 | 1.6 | 8.2 |
| Denmark | 2545 | 82.6 | 1.6 | 8.7 | 2424 | 76.9 | 1.9 | 7.1 |
| Estonia | 617 | 61.8 | 2.3 | 11.4 | 745 | 57.4 | 2.7 | 7.2 |
| Finland | 3060 | 63.5 | 3.0 | 10.1 | 3239 | 57.2 | 2.9 | 7.8 |
| *France, Bas-Rhin | 407 | 86.7 | – | 9.7 | 399 | 75.9 | – | 6.8 |
| *France, Calvados | 320 | 68.4 | – | 9.0 | 327 | 58.1 | – | 6.7 |
| *France, Doubs | 275 | 85.8 | – | 10.7 | 266 | 77.8 | – | 7.7 |
| *France, Gironde | 732 | 83.9 | – | 9.9 | 726 | 77.7 | – | 7.5 |
| *France, Haut-Rhin | 398 | 83.4 | – | 10.5 | 353 | 73.9 | – | 6.7 |
| *France, Hérault | 636 | 81.6 | – | 11.3 | 602 | 75.2 | – | 8.1 |
| *France, Isère | 595 | 89.2 | – | 10.3 | 592 | 79.4 | – | 7.5 |
| *France, Lille-Métropole | 285 | 77.2 | – | 9.9 | 295 | 68.5 | – | 6.8 |
| *France, Limousin | 177 | 83.6 | – | 8.2 | 167 | 79.6 | – | 5.9 |
| *France, Loire-Atlantique | 611 | 81.8 | – | 9.9 | 586 | 76.5 | – | 6.9 |
| *France, Manche | 251 | 65.7 | – | 8.6 | 260 | 54.6 | – | 5.9 |
| *France, Poitou-Charentes | 997 | 81.6 | – | 9.6 | 913 | 71.2 | – | 6.7 |
| *France, Somme | 252 | 91.7 | – | 9.6 | 196 | 81.6 | – | 5.3 |
| *France, Tarn | 189 | 82.5 | – | 8.5 | 229 | 74.7 | – | 7.2 |
| *France, Territoire de Belfort | 62 | 82.3 | – | 10.9 | 57 | 63.2 | – | 7.3 |
| *France, Vendée | 392 | 77.8 | – | 10.1 | 347 | 74.6 | – | 7.1 |
| Germany, Baden-Württemberg | 3272 | 65.9 | 13.4 | 8.9 | 3256 | 58.9 | 16.7 | 6.9 |
| Germany, Bavaria | 6783 | 71.8 | 20.3 | 9.3 | 6690 | 63.8 | 27.3 | 7.0 |
| Germany, Bremen | 364 | 72.5 | 19.8 | 9.7 | 370 | 65.1 | 22.7 | 7.0 |
| Germany, Hamburg | 964 | 74.9 | 7.1 | 10.4 | 1002 | 69.6 | 8.3 | 7.9 |
| Germany, Lower Saxony | 4573 | 73.5 | 13.2 | 9.6 | 4612 | 67.4 | 15.7 | 7.4 |
| Germany, North Rhine-Westphalia | 9612 | 59.3 | 23.0 | 9.7 | 9817 | 51.9 | 30.5 | 7.3 |
| Germany, Rhineland-Palatinate | 2323 | 60.4 | 28.8 | 9.7 | 2326 | 53.8 | 35.1 | 7.3 |
| Germany, Saarland | 495 | 61.4 | 21.6 | 8.2 | 549 | 54.3 | 26.8 | 6.7 |
| Germany, Schleswig-Holstein | 1721 | 68.2 | 5.2 | 9.8 | 1708 | 62.1 | 6.0 | 7.7 |
| Iceland | 130 | 81.5 | – | 8.7 | 106 | 71.7 | – | 6.4 |
| Ireland | 1472 | 78.8 | 1.1 | 7.8 | 1318 | 66.8 | 2.7 | 5.9 |
| *Italy, Aosta Valley | 52 | 46.2 | 1.9 | 9.8 | 56 | 28.6 | 1.8 | 7.1 |
| *Italy, Avellino | 98 | 54.1 | 2.0 | 7.0 | 80 | 40.0 | 7.5 | 3.8 |
| Italy, Basilicata | 266 | 51.5 | 0.4 | 7.8 | 254 | 44.5 | 3.5 | 5.4 |
| *Italy, Benevento | 92 | 56.5 | 2.2 | 7.3 | 72 | 47.2 | 1.4 | 4.1 |
| Italy, Bergamo | 669 | 61.7 | 2.2 | 11.0 | 674 | 51.9 | 3.1 | 7.9 |
| *Italy, Brescia | 677 | 61.9 | 2.2 | 10.7 | 605 | 54.5 | 5.6 | 6.6 |
| Italy, Brianza (Lecco and Monza e Brianza) | 344 | 61.9 | 1.5 | 8.8 | 387 | 49.1 | 7.8 | 7.4 |
| Italy, Calabria | 195 | 57.9 | 3.6 | 6.4 | 234 | 46.6 | 3.4 | 6.6 |
| *Italy, Caserta | 249 | 57.8 | 3.2 | 7.8 | 256 | 48.8 | 4.7 | 5.8 |
| *Italy, Catania, Messina, and Enna | 801 | 57.6 | 3.0 | 7.8 | 855 | 52.5 | 3.7 | 6.5 |
| Italy, Emilia-Romagna | 2233 | 63.1 | 1.1 | 9.9 | 2392 | 53.6 | 1.4 | 7.7 |
| Italy, Friuli-Venezia Giulia | 826 | 57.5 | 0.2 | 10.2 | 885 | 45.6 | 0.8 | 7.6 |
| Italy, Genova | 453 | 51.0 | 1.3 | 9.5 | 535 | 40.6 | 4.1 | 7.5 |
| *Italy, Lombardy, South, Pavia | 357 | 44.5 | 1.4 | 10.6 | 393 | 37.7 | 3.8 | 8.0 |
| Italy, Mantova and Cremona | 395 | 60.8 | 0.5 | 10.6 | 401 | 51.1 | 2.0 | 7.2 |

* Important. See note on population page.

Indices of data quality Pancreas (C25) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 695 | 67.6 | 1.9 | 9.0 | 650 | 57.1 | 2.9 | 6.0 |
| Italy, Milan | 1858 | 62.9 | 1.4 | 9.4 | 2071 | 55.3 | 3.0 | 7.2 |
| Italy, Molise | 74 | 35.1 | 0.0 | 6.6 | 62 | 41.9 | 3.2 | 4.7 |
| *Italy, Naples Centre | 215 | 51.2 | 7.4 | 8.2 | 244 | 41.8 | 7.0 | 5.8 |
| *Italy, Naples North | 250 | 68.8 | 2.0 | 7.9 | 204 | 52.9 | 5.9 | 5.1 |
| *Italy, Naples South | 354 | 63.6 | 3.4 | 7.5 | 383 | 55.1 | 2.6 | 6.1 |
| *Italy, Nuoro | 100 | 35.0 | 6.0 | 12.5 | 76 | 34.2 | 9.2 | 6.2 |
| *Italy, Palermo | 572 | 57.9 | 7.2 | 8.8 | 587 | 50.9 | 7.8 | 6.6 |
| Italy, Puglia | 1636 | 56.0 | 1.5 | 7.4 | 1733 | 47.8 | 2.4 | 5.8 |
| *Italy, Ragusa and Caltanissetta | 241 | 51.0 | 2.5 | 7.8 | 255 | 47.1 | 7.8 | 6.3 |
| *Italy, Salerno | 293 | 56.3 | 3.1 | 6.9 | 302 | 48.7 | 5.0 | 5.2 |
| Italy, Sassari | 122 | 65.6 | 1.6 | 10.0 | 115 | 54.8 | 2.6 | 7.0 |
| *Italy, Sondrio | 152 | 42.8 | 4.6 | 12.2 | 139 | 36.0 | 11.5 | 8.5 |
| Italy, South Tyrol | 249 | 62.7 | 1.2 | 8.6 | 281 | 54.8 | 2.5 | 7.7 |
| *Italy, Syracuse | 184 | 47.8 | 1.6 | 8.6 | 177 | 43.5 | 1.7 | 6.8 |
| Italy, Trento | 316 | 63.0 | 0.6 | 9.9 | 318 | 53.8 | 0.3 | 6.9 |
| Italy, Turin | 1067 | 71.8 | 3.2 | 7.5 | 1088 | 60.2 | 5.9 | 5.5 |
| *Italy, Tuscany | 1220 | 53.3 | 1.2 | 9.3 | 1337 | 43.4 | 3.5 | 7.3 |
| Italy, Umbria | 401 | 52.9 | 1.5 | 9.0 | 457 | 45.1 | 2.0 | 6.8 |
| Italy, Varese | 222 | 71.2 | 0.5 | 7.3 | 246 | 56.1 | 1.2 | 5.3 |
| Italy, Veneto | 2876 | 60.5 | 2.4 | 10.0 | 3002 | 51.1 | 3.5 | 7.4 |
| Latvia | 947 | 40.0 | 5.8 | 11.8 | 1142 | 42.8 | 4.8 | 6.9 |
| *Liechtenstein | 11 | 100.0 | – | 5.9 | 17 | 76.5 | – | 7.6 |
| *Lithuania | 1277 | 56.9 | 24.4 | 10.8 | 1389 | 53.7 | 25.3 | 6.2 |
| Malta | 203 | 44.8 | 3.0 | 9.2 | 172 | 41.3 | 3.5 | 6.2 |
| *The Netherlands | 6703 | 74.6 | – | 7.8 | 6410 | 67.8 | – | 6.5 |
| Norway | 1899 | 70.1 | 3.2 | 7.7 | 1904 | 61.5 | 4.2 | 6.4 |
| Poland, Kielce | 311 | 82.3 | – | 5.6 | 313 | 78.6 | – | 4.2 |
| *Portugal, Azores | 64 | 56.2 | 6.2 | 9.0 | 36 | 38.9 | 2.8 | 3.9 |
| Russian Federation, Arkhangelsk | 441 | 68.0 | 15.2 | 11.6 | 496 | 65.3 | 13.1 | 6.9 |
| Russian Federation, Kaliningrad | 215 | 34.4 | 4.7 | 6.8 | 276 | 37.7 | 3.6 | 4.9 |
| Russian Federation, Karelia | 188 | 58.5 | 10.6 | 9.5 | 222 | 60.8 | 10.8 | 5.6 |
| *Russian Federation, Komi Republic | 280 | 51.1 | 20.7 | 11.7 | 255 | 55.3 | 22.0 | 5.9 |
| Russian Federation, Murmansk | 231 | 76.6 | 16.9 | 10.9 | 267 | 73.0 | 19.1 | 6.8 |
| *Russian Federation, Orenburg | 643 | 92.8 | 1.9 | 9.9 | 649 | 93.2 | 2.0 | 5.6 |
| Russian Federation, Pskov | 232 | 44.0 | 20.3 | 9.7 | 233 | 45.5 | 18.0 | 5.2 |
| *Russian Federation, Samara | 971 | 71.6 | 8.8 | 8.9 | 999 | 72.2 | 7.5 | 5.3 |
| Russian Federation, Vologda Region | 332 | 74.7 | 3.6 | 8.6 | 317 | 74.8 | 4.4 | 4.6 |
| Slovenia | 996 | 66.9 | 0.4 | 9.5 | 955 | 57.6 | 0.8 | 6.5 |
| Spain, Asturias | 317 | 63.7 | 1.6 | 8.4 | 342 | 51.2 | 3.8 | 5.9 |
| Spain, Basque Country | 865 | 74.2 | 0.8 | 9.1 | 802 | 65.6 | 1.4 | 6.0 |
| Spain, Canary Islands | 524 | 69.7 | 1.9 | 8.5 | 496 | 69.0 | 1.8 | 6.4 |
| Spain, Castellón | 223 | 71.7 | 0.0 | 7.8 | 212 | 65.6 | 0.9 | 5.8 |
| Spain, Girona | 284 | 73.2 | 1.1 | 7.9 | 248 | 60.1 | 2.4 | 5.2 |
| Spain, Granada | 280 | 68.9 | 1.1 | 6.5 | 278 | 60.1 | 1.1 | 5.2 |
| Spain, La Rioja | 144 | 75.7 | 1.4 | 8.7 | 129 | 62.0 | 5.4 | 6.0 |
| Spain, Murcia | 496 | 83.3 | 0.6 | 8.2 | 430 | 75.8 | 0.5 | 5.5 |
| Spain, Navarra | 229 | 76.9 | 0.9 | 8.7 | 202 | 63.9 | 1.5 | 5.6 |
| Spain, Salamanca | 173 | 69.4 | 0.6 | 7.7 | 176 | 55.1 | 1.7 | 5.7 |
| Spain, Tarragona | 360 | 68.3 | 1.4 | 9.0 | 245 | 58.8 | 1.6 | 4.7 |
| *Sweden | 3514 | 81.5 | – | 6.8 | 3545 | 81.0 | – | 6.1 |
| Switzerland, Aargau | 269 | 82.9 | 5.6 | 8.4 | 254 | 71.7 | 7.1 | 6.5 |
| Switzerland, Basel | 233 | 80.7 | 13.7 | 8.8 | 260 | 71.2 | 22.7 | 7.8 |
| Switzerland, Berne Solothurn | 398 | 82.2 | 2.0 | 8.7 | 397 | 68.8 | 3.0 | 6.7 |
| Switzerland, East | 345 | 87.5 | 1.2 | 8.1 | 358 | 78.8 | 1.1 | 7.3 |
| *Switzerland, Fribourg | 124 | 83.1 | 0.8 | 9.1 | 92 | 73.9 | 0.0 | 5.8 |
| Switzerland, Geneva | 229 | 84.3 | 3.5 | 10.6 | 217 | 71.0 | 5.1 | 6.9 |
| *Switzerland, Graubünden and Glarus | 109 | 82.6 | 0.0 | 8.1 | 129 | 79.1 | 0.8 | 8.0 |
| *Switzerland, Lucerne | 239 | 77.8 | 5.9 | 9.1 | 202 | 68.3 | 4.0 | 6.1 |
| *Switzerland, Neuchâtel and Jura | 152 | 82.9 | 1.3 | 11.4 | 131 | 72.5 | 0.8 | 7.5 |
| Switzerland, Ticino | 208 | 83.2 | 1.4 | 10.3 | 192 | 68.2 | 2.6 | 7.3 |
| Switzerland, Valais | 161 | 80.7 | 0.0 | 8.9 | 146 | 72.6 | 0.7 | 7.3 |
| Switzerland, Vaud | 325 | 82.5 | 4.6 | 9.4 | 314 | 74.5 | 8.3 | 7.0 |
| Switzerland, Zurich and Zug | 693 | 86.3 | 1.2 | 9.0 | 716 | 75.6 | 3.1 | 6.9 |
| Ukraine | 11777 | 37.6 | 1.6 | 9.4 | 10008 | 36.0 | 1.0 | 4.6 |
| UK, England | 21797 | 56.5 | 1.9 | 7.8 | 21143 | 51.1 | 2.1 | 6.1 |
| UK, Northern Ireland | 654 | 64.4 | 0.9 | 7.6 | 615 | 61.0 | 1.0 | 5.7 |
| UK, Scotland | 2007 | 50.8 | 0.1 | 7.2 | 2080 | 47.1 | 0.3 | 5.8 |
| UK, Wales | 1291 | 51.7 | 2.4 | 7.6 | 1288 | 49.0 | 2.1 | 5.9 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 3051 | 76.1 | 3.6 | 8.3 | 2858 | 70.0 | 5.9 | 6.5 |
| *Australia, Northern Territory | 57 | 78.9 | – | 8.5 | 38 | 84.2 | – | 6.0 |

* Important. See note on population page.

Indices of data quality Pancreas (C25) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 43 | 81.4 | – | 7.6 | 27 | 88.9 | – | 5.5 |
| *Australia, Northern Territory: Indigenous | 14 | 71.4 | – | 13.0 | 11 | 72.7 | – | 8.2 |
| *Australia, Queensland | 1677 | 70.4 | 1.8 | 8.0 | 1407 | 67.9 | 2.8 | 5.9 |
| Australia, South Australia | 700 | 78.9 | 2.0 | 8.2 | 674 | 72.3 | 2.4 | 6.6 |
| Australia, Tasmania | 213 | 77.5 | 0.5 | 7.7 | 232 | 70.3 | 0.9 | 7.2 |
| *Australia, Victoria | 2052 | 72.7 | 4.7 | 7.5 | 1968 | 66.6 | 8.6 | 6.0 |
| *Australia, Western Australia | 832 | 78.1 | 2.3 | 7.8 | 735 | 73.1 | 4.1 | 5.9 |
| *France, New Caledonia | 72 | 68.1 | – | 8.8 | 57 | 59.6 | – | 6.6 |
| New Zealand | 1441 | 54.2 | 8.7 | 7.1 | 1412 | 48.7 | 11.5 | 5.8 |
| *New Zealand: Maori | 171 | 54.4 | 8.2 | 11.3 | 181 | 53.0 | 11.6 | 10.1 |
| *New Zealand: Pacific peoples | 49 | 59.2 | 4.1 | 7.9 | 60 | 56.7 | 5.0 | 7.9 |
| *New Zealand: Other | 1166 | 53.3 | 9.1 | 6.9 | 1114 | 46.4 | 12.4 | 5.4 |
| USA, Hawaii | 648 | 81.3 | 4.8 | 9.7 | 600 | 79.2 | 6.8 | 7.3 |
| USA, Hawaii: White | 197 | 80.7 | 3.0 | 9.4 | 146 | 76.7 | 5.5 | 7.2 |
| *USA, Hawaii: Japanese | 183 | 77.6 | 5.5 | 10.7 | 184 | 75.5 | 10.3 | 7.6 |
| *USA, Hawaii: Chinese | 39 | 76.9 | 12.8 | 8.7 | 40 | 80.0 | 5.0 | 5.0 |
| *USA, Hawaii: Hawaiian | 102 | 86.3 | 4.9 | 11.1 | 102 | 83.3 | 6.9 | 9.7 |
| *USA, Hawaii: Filipino | 70 | 87.1 | 4.3 | 6.9 | 76 | 78.9 | 6.6 | 5.1 |

* Important. See note on population page.

Indices of data quality Larynx (C32)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 51 | 100.0 | — | 4.1 | 4 | 100.0 | — | 0.3 |
| *Algeria, Tizi Ouzou | 40 | 92.5 | — | 2.6 | 5 | 100.0 | — | 0.2 |
| *Benin, Cotonou | 4 | 25.0 | — | 0.9 | 1 | 0.0 | — | 0.1 |
| *France, La Réunion | 116 | 99.1 | — | 5.3 | 5 | 100.0 | — | 0.2 |
| *Kenya, Eldoret | 16 | 93.8 | — | 1.7 | 2 | 50.0 | — | 0.3 |
| *Kenya, Nairobi | 71 | 77.5 | 2.8 | 3.2 | 6 | 66.7 | 0.0 | 0.3 |
| Mauritius | 139 | 94.2 | — | 3.2 | 12 | 75.0 | — | 0.3 |
| *Morocco, Casablanca | 333 | 98.8 | 0.9 | 3.2 | 42 | 92.9 | 4.8 | 0.4 |
| *Seychelles | 19 | 63.2 | 10.5 | 7.1 | 2 | 100.0 | 0.0 | 0.5 |
| *South Africa, Eastern Cape | 32 | 100.0 | — | 3.2 | 6 | 100.0 | — | 0.4 |
| *Uganda, Kyadondo County | 40 | 82.5 | — | 3.2 | 4 | 75.0 | — | 0.1 |
| *Uganda, Gulu | 7 | 14.3 | 14.3 | 1.7 | 3 | 0.0 | 0.0 | 0.4 |
| *Zimbabwe, Bulawayo: African | 18 | 83.3 | 5.6 | 2.3 | 1 | 100.0 | 0.0 | 0.1 |
| *Zimbabwe, Harare: African | 75 | 84.0 | 6.7 | 5.6 | 10 | 80.0 | 10.0 | 0.5 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 116 | 75.0 | 19.8 | 5.2 | 16 | 68.8 | 18.8 | 0.7 |
| *Argentina, Mendoza | 180 | 89.4 | 7.2 | 3.5 | 25 | 92.0 | 8.0 | 0.4 |
| Brazil, Aracaju | 67 | 95.5 | 1.5 | 6.7 | 7 | 85.7 | 0.0 | 0.4 |
| *Brazil, Barretos | 86 | 84.9 | 14.0 | 6.4 | 15 | 73.3 | 26.7 | 0.9 |
| Brazil, Belo Horizonte | 444 | 92.6 | 7.0 | 6.3 | 83 | 92.8 | 7.2 | 0.8 |
| *Brazil, Campinas | 150 | 86.0 | 14.0 | 6.4 | 18 | 83.3 | 16.7 | 0.6 |
| *Brazil, Curitiba | 188 | 87.8 | 3.2 | 4.7 | 40 | 72.5 | 15.0 | 0.7 |
| Brazil, Goiânia | 151 | 95.4 | 4.0 | 5.9 | 18 | 100.0 | 0.0 | 0.5 |
| *Brazil, Jaú | 30 | 100.0 | — | 7.1 | 0 | — | — | — |
| Brazil, João Pessoa | 69 | 91.3 | 4.3 | 6.9 | 12 | 91.7 | 8.3 | 0.9 |
| Brazil, Recife | 158 | 80.4 | 8.9 | 6.6 | 32 | 78.1 | 6.2 | 0.8 |
| Chile, Region of Antofagasta | 25 | 88.0 | 4.0 | 2.6 | 3 | 100.0 | 0.0 | 0.3 |
| Chile, Valdivia | 19 | 94.7 | 5.3 | 1.3 | 1 | 100.0 | 0.0 | 0.0 |
| Colombia, Bucaramanga | 57 | 91.2 | 3.5 | 2.0 | 8 | 75.0 | 25.0 | 0.2 |
| Colombia, Cali | 160 | 94.4 | 0.0 | 2.8 | 31 | 80.6 | 3.2 | 0.3 |
| Colombia, Manizales | 30 | 73.3 | — | 2.1 | 12 | 66.7 | — | 0.6 |
| Colombia, Pasto | 11 | 100.0 | — | 1.1 | 2 | 0.0 | — | 0.1 |
| Costa Rica | 213 | 82.2 | 1.4 | 2.1 | 26 | 80.8 | 0.0 | 0.2 |
| Ecuador, Guayaquil | 113 | 92.0 | 2.7 | 2.2 | 16 | 81.2 | 0.0 | 0.2 |
| Ecuador, Manabí | 44 | 93.2 | — | 1.3 | 5 | 100.0 | — | 0.2 |
| Ecuador, Quito | 58 | 89.7 | 6.9 | 1.5 | 17 | 64.7 | 29.4 | 0.3 |
| *France, Guadeloupe | 67 | 100.0 | — | 4.1 | 4 | 100.0 | — | 0.2 |
| *France, Martinique | 37 | 100.0 | — | 2.1 | 3 | 100.0 | — | 0.1 |
| *Peru, Lima | 244 | 85.2 | 5.7 | 1.8 | 54 | 81.5 | 11.1 | 0.3 |
| *Trinidad and Tobago | 84 | 89.3 | 1.2 | 3.4 | 8 | 87.5 | 12.5 | 0.3 |
| USA, Puerto Rico | 670 | 96.6 | 1.2 | 4.3 | 66 | 97.0 | 0.0 | 0.3 |
| *Uruguay | 631 | 86.5 | 9.0 | 5.3 | 104 | 87.5 | 8.7 | 0.7 |
| North America | | | | | | | | |
| Canada, Alberta | 331 | 98.5 | — | 2.1 | 49 | 98.0 | — | 0.3 |
| Canada, British Columbia | 511 | 96.1 | 0.6 | 2.1 | 73 | 87.7 | 0.0 | 0.3 |
| *Canada, Manitoba | 130 | 96.2 | — | 2.2 | 17 | 100.0 | — | 0.3 |
| *Canada, New Brunswick | 127 | 99.2 | — | 3.1 | 18 | 94.4 | — | 0.4 |
| *Canada, Newfoundland and Labrador | 107 | 96.3 | — | 3.7 | 15 | 100.0 | — | 0.5 |
| Canada, Ontario | 1736 | 96.7 | 0.8 | 2.8 | 327 | 95.1 | 1.8 | 0.5 |
| *Canada, Prince Edward Island | 19 | 100.0 | — | 2.3 | 4 | 100.0 | — | 0.6 |
| Canada, Quebec | 1480 | 95.3 | 2.0 | 3.5 | 337 | 92.0 | 3.0 | 0.7 |
| Canada, Saskatchewan | 115 | 98.3 | — | 2.3 | 19 | 94.7 | — | 0.4 |
| *Canada, Yukon | 8 | 100.0 | — | 5.1 | 0 | — | — | — |
| USA | 49852 | 97.0 | 2.0 | 3.8 | 12848 | 97.0 | 2.0 | 0.9 |
| USA: White | 41415 | 97.0 | 2.0 | 3.8 | 10783 | 97.0 | 1.9 | 0.9 |
| USA: Black | 7089 | 97.0 | 2.2 | 5.5 | 1814 | 97.4 | 1.9 | 1.1 |
| USA, NPCR | 48293 | 97.0 | 2.1 | 3.8 | 12456 | 96.9 | 2.0 | 0.9 |
| USA, NPCR: White | 40054 | 97.0 | 2.0 | 3.8 | 10426 | 96.9 | 2.0 | 0.9 |
| USA, NPCR: Black | 7000 | 97.0 | 2.2 | 5.5 | 1796 | 97.3 | 1.9 | 1.1 |
| USA, NPCR: Asian and Pacific Islander | 726 | 97.2 | 1.9 | 1.2 | 106 | 96.2 | 3.8 | 0.1 |
| USA, NPCR: American Indian | 283 | 96.5 | 2.5 | 2.5 | 80 | 98.8 | 0.0 | 0.6 |
| *USA, SEER (18 registries) | 11372 | 97.7 | 0.9 | 3.3 | 2815 | 97.4 | 0.9 | 0.7 |
| *USA, SEER (18 registries): White | 9039 | 97.6 | 0.9 | 3.3 | 2270 | 97.3 | 0.9 | 0.8 |
| *USA, SEER (18 registries): Non-Hispanic White | 8030 | 97.6 | 0.9 | 3.5 | 2091 | 97.3 | 0.9 | 0.9 |
| *USA, SEER (18 registries): Hispanic White | 1009 | 97.6 | 0.5 | 2.4 | 179 | 96.6 | 1.7 | 0.4 |
| *USA, SEER (18 registries): Black | 1782 | 98.0 | 0.8 | 5.4 | 453 | 98.7 | 0.4 | 1.0 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 398 | 97.2 | 1.0 | 1.1 | 60 | 95.0 | 1.7 | 0.1 |
| *USA, SEER (9 registries) | 3780 | 98.1 | 0.9 | 3.1 | 931 | 97.6 | 0.5 | 0.7 |
| *USA, SEER (9 registries): White | 2958 | 98.2 | 0.9 | 3.1 | 736 | 97.3 | 0.7 | 0.7 |
| *USA, SEER (9 registries): Black | 595 | 98.2 | 0.8 | 5.4 | 160 | 99.4 | 0.0 | 1.1 |
| USA, Alabama | 1022 | 96.0 | 3.3 | 5.2 | 259 | 95.8 | 3.5 | 1.2 |
| USA, Alabama: White | 728 | 95.9 | 3.4 | 4.7 | 212 | 95.8 | 3.3 | 1.4 |

* Important. See note on population page.

Indices of data quality Larynx (C32) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 280 | 96.1 | 3.2 | 6.8 | 41 | 95.1 | 4.9 | 0.8 |
| USA, Alaska | 80 | 95.0 | 3.8 | 2.9 | 15 | 93.3 | 6.7 | 0.6 |
| *USA, Alaska: Alaska Natives | 16 | 100.0 | — | 4.7 | 2 | 100.0 | — | 0.6 |
| USA, Arizona | 760 | 94.5 | 4.5 | 2.5 | 169 | 97.6 | 1.2 | 0.6 |
| USA, Arizona: White | 703 | 94.2 | 4.7 | 2.6 | 158 | 98.1 | 1.3 | 0.6 |
| USA, Arizona: Black | 34 | 97.1 | 2.9 | 3.7 | 8 | 100.0 | 0.0 | 0.8 |
| *USA, Arizona: Asian and Pacific Islander | 9 | 100.0 | — | 1.2 | 1 | 100.0 | — | 0.1 |
| USA, Arizona: American Indian | 9 | 100.0 | — | 1.0 | 2 | 50.0 | — | 0.2 |
| USA, Arkansas | 577 | 98.4 | 0.9 | 4.7 | 173 | 96.5 | 2.9 | 1.4 |
| USA, Arkansas: White | 477 | 99.2 | 0.6 | 4.5 | 150 | 96.0 | 3.3 | 1.4 |
| USA, Arkansas: Black | 93 | 95.7 | 2.2 | 6.6 | 22 | 100.0 | 0.0 | 1.3 |
| USA, California | 3360 | 97.4 | 1.7 | 2.2 | 685 | 96.6 | 1.8 | 0.4 |
| USA, California: White | 2776 | 97.4 | 1.7 | 2.4 | 579 | 96.5 | 1.6 | 0.5 |
| USA, California: Black | 294 | 98.0 | 1.4 | 3.2 | 65 | 98.5 | 1.5 | 0.6 |
| USA, California: Asian and Pacific Islander | 237 | 96.6 | 2.5 | 1.0 | 32 | 93.8 | 6.2 | 0.1 |
| *USA, California, Los Angeles County | 798 | 98.0 | 0.9 | 2.2 | 135 | 95.6 | 0.7 | 0.3 |
| *USA, California, Los Angeles County: White | 601 | 98.2 | 0.7 | 2.3 | 96 | 94.8 | 1.0 | 0.3 |
| *USA, California, Los Angeles County: Non-Hispanic White | 359 | 98.1 | 0.8 | 2.4 | 60 | 93.3 | 1.7 | 0.3 |
| *USA, California, Los Angeles County: Hispanic White | 242 | 98.3 | 0.4 | 2.2 | 36 | 97.2 | 0.0 | 0.3 |
| *USA, California, Los Angeles County: Black | 109 | 98.2 | 1.8 | 3.2 | 25 | 100.0 | 0.0 | 0.6 |
| *USA, California, Los Angeles County: Chinese | 21 | 100.0 | — | 0.9 | 4 | 75.0 | — | 0.1 |
| *USA, California, Los Angeles County: Filipino | 12 | 100.0 | — | 0.8 | 2 | 100.0 | — | 0.1 |
| *USA, California, Los Angeles County: Korean | 12 | 91.7 | — | 1.1 | 1 | 100.0 | — | 0.1 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 75 | 96.0 | 1.3 | 1.1 | 13 | 92.3 | 0.0 | 0.1 |
| *USA, California, San Francisco Bay Area | 413 | 98.5 | 1.0 | 2.1 | 68 | 95.6 | 1.5 | 0.3 |
| *USA, California, San Francisco Bay Area: White | 286 | 98.6 | 0.7 | 2.2 | 47 | 93.6 | 2.1 | 0.4 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 238 | 98.3 | 0.8 | 2.2 | 40 | 95.0 | 2.5 | 0.4 |
| *USA, California, San Francisco Bay Area: Hispanic White | 48 | 100.0 | — | 2.2 | 7 | 85.7 | — | 0.3 |
| *USA, California, San Francisco Bay Area: Black | 71 | 100.0 | — | 4.5 | 15 | 100.0 | — | 0.9 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 48 | 97.9 | 2.1 | 0.9 | 5 | 100.0 | 0.0 | 0.1 |
| USA, Colorado | 548 | 96.4 | 1.8 | 2.6 | 145 | 95.2 | 2.8 | 0.6 |
| USA, Colorado: White | 512 | 96.3 | 2.0 | 2.6 | 140 | 95.0 | 2.9 | 0.7 |
| *USA, Colorado: Black | 21 | 100.0 | — | 2.7 | 5 | 100.0 | — | 0.7 |
| *USA, Colorado: Asian and Pacific Islander | 6 | 100.0 | — | 1.1 | 0 | — | — | — |
| USA, Connecticut | 600 | 98.8 | 0.5 | 3.8 | 167 | 98.8 | 0.0 | 1.0 |
| USA, Connecticut: White | 519 | 98.8 | 0.4 | 3.7 | 149 | 98.7 | 0.0 | 1.0 |
| USA, Connecticut: Black | 63 | 98.4 | 1.6 | 5.4 | 17 | 100.0 | 0.0 | 1.1 |
| USA, District of Columbia | 67 | 95.5 | 4.5 | 3.1 | 29 | 93.1 | 6.9 | 1.2 |
| USA, District of Columbia: White | 10 | 100.0 | — | 1.0 | 2 | 100.0 | — | 0.3 |
| USA, District of Columbia: Black | 56 | 94.6 | 5.4 | 4.7 | 27 | 92.6 | 7.4 | 1.8 |
| USA, Florida | 4325 | 96.3 | 2.7 | 4.6 | 934 | 95.8 | 3.6 | 0.9 |
| USA, Florida: White | 3778 | 96.8 | 2.2 | 4.7 | 837 | 96.7 | 2.9 | 1.0 |
| USA, Florida: Black | 453 | 97.6 | 1.8 | 4.4 | 80 | 96.2 | 2.5 | 0.6 |
| USA, Florida: Asian and Pacific Islander | 30 | 93.3 | 6.7 | 1.5 | 2 | 100.0 | 0.0 | 0.1 |
| USA, Georgia | 1682 | 97.8 | 1.1 | 4.5 | 404 | 97.5 | 2.0 | 0.9 |
| USA, Georgia: White | 1110 | 97.5 | 1.2 | 4.1 | 296 | 97.3 | 2.4 | 1.0 |
| USA, Georgia: Black | 556 | 98.4 | 0.9 | 6.3 | 106 | 98.1 | 0.9 | 0.9 |
| USA, Georgia: Asian and Pacific Islander | 15 | 100.0 | — | 1.2 | 2 | 100.0 | — | 0.1 |
| *USA, Georgia, Atlanta | 415 | 97.8 | 1.2 | 3.6 | 90 | 97.8 | 2.2 | 0.6 |
| *USA, Georgia, Atlanta: White | 202 | 98.0 | 1.0 | 2.9 | 46 | 95.7 | 4.3 | 0.6 |
| *USA, Georgia, Atlanta: Black | 203 | 97.5 | 1.5 | 5.5 | 43 | 100.0 | 0.0 | 0.8 |
| USA, Idaho | 169 | 93.5 | 4.1 | 2.3 | 41 | 100.0 | 0.0 | 0.6 |
| USA, Indiana | 1201 | 98.0 | 0.9 | 4.6 | 355 | 99.2 | 0.3 | 1.3 |
| USA, Indiana: White | 1083 | 97.8 | 1.0 | 4.5 | 321 | 99.1 | 0.3 | 1.3 |
| USA, Indiana: Black | 107 | 100.0 | — | 6.1 | 31 | 100.0 | — | 1.4 |
| *USA, Iowa | 563 | 97.7 | 1.1 | 4.2 | 139 | 96.4 | 0.0 | 1.0 |
| USA, Kentucky | 1091 | 97.1 | 1.7 | 6.1 | 377 | 97.3 | 1.3 | 2.0 |
| USA, Louisiana | 1052 | 98.1 | 0.7 | 5.9 | 303 | 97.4 | 1.7 | 1.5 |
| USA, Louisiana: White | 664 | 97.6 | 1.1 | 5.2 | 215 | 96.3 | 2.3 | 1.6 |
| USA, Louisiana: Black | 384 | 99.0 | — | 8.4 | 87 | 100.0 | — | 1.5 |
| *USA, Louisiana, New Orleans | 193 | 97.9 | 0.5 | 5.5 | 57 | 98.2 | 0.0 | 1.5 |
| *USA, Louisiana, New Orleans: White | 103 | 98.1 | 1.0 | 4.6 | 34 | 97.1 | 0.0 | 1.5 |
| *USA, Louisiana, New Orleans: Black | 88 | 97.7 | — | 7.5 | 22 | 100.0 | — | 1.4 |
| USA, Maine | 271 | 96.3 | 2.6 | 3.9 | 94 | 98.9 | 0.0 | 1.4 |
| USA, Maryland | 776 | 96.0 | 2.8 | 3.3 | 202 | 94.1 | 3.5 | 0.8 |
| USA, Maryland: White | 528 | 97.2 | 1.9 | 3.2 | 141 | 96.5 | 2.1 | 0.8 |
| USA, Maryland: Black | 234 | 93.2 | 5.1 | 4.0 | 61 | 88.5 | 6.6 | 0.8 |
| USA, Maryland: Asian and Pacific Islander | 13 | 100.0 | — | 1.0 | 0 | — | — | — |
| USA, Massachusetts | 1022 | 97.9 | 1.4 | 3.6 | 274 | 97.1 | 2.2 | 0.8 |
| USA, Massachusetts: White | 951 | 97.9 | 1.4 | 3.7 | 252 | 96.8 | 2.4 | 0.9 |
| USA, Massachusetts: Black | 51 | 98.0 | 2.0 | 3.3 | 18 | 100.0 | 0.0 | 0.9 |
| USA, Massachusetts: Asian and Pacific Islander | 9 | 100.0 | — | 0.7 | 2 | 100.0 | — | 0.1 |

* Important. See note on population page.

Indices of data quality Larynx (C32) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 1782 | 96.4 | 2.9 | 4.2 | 508 | 96.5 | 1.8 | 1.1 |
| USA, Michigan: White | 1480 | 96.3 | 3.0 | 4.0 | 395 | 95.7 | 2.0 | 1.0 |
| USA, Michigan: Black | 273 | 97.4 | 1.5 | 6.1 | 99 | 99.0 | 1.0 | 1.7 |
| USA, Michigan: Asian and Pacific Islander | 10 | 100.0 | — | 1.2 | 5 | 100.0 | — | 0.5 |
| *USA, Michigan, Detroit | 708 | 98.0 | 1.4 | 4.5 | 216 | 98.6 | 0.0 | 1.2 |
| *USA, Michigan, Detroit: White | 501 | 98.0 | 1.8 | 4.2 | 141 | 97.9 | 0.0 | 1.1 |
| *USA, Michigan, Detroit: Black | 198 | 98.0 | 0.5 | 6.4 | 73 | 100.0 | 0.0 | 1.7 |
| USA, Minnesota | 749 | 98.0 | 1.2 | 3.2 | 191 | 98.4 | 0.5 | 0.8 |
| USA, Minnesota: White | 687 | 98.0 | 1.2 | 3.1 | 167 | 98.8 | 0.0 | 0.8 |
| USA, Minnesota: Black | 35 | 100.0 | 0.0 | 4.9 | 15 | 93.3 | 6.7 | 2.2 |
| *USA, Minnesota: Asian and Pacific Islander | 6 | 83.3 | 16.7 | 1.2 | 1 | 100.0 | 0.0 | 0.2 |
| USA, Mississippi | 710 | 98.7 | 0.7 | 6.2 | 161 | 99.4 | 0.6 | 1.2 |
| USA, Missouri | 1173 | 97.4 | 2.1 | 4.7 | 345 | 97.4 | 1.2 | 1.3 |
| USA, Missouri: White | 1010 | 97.2 | 2.2 | 4.5 | 299 | 97.3 | 1.3 | 1.3 |
| USA, Missouri: Black | 149 | 98.0 | 2.0 | 7.1 | 46 | 97.8 | 0.0 | 1.8 |
| USA, Montana | 150 | 97.3 | 0.7 | 3.0 | 35 | 100.0 | 0.0 | 0.9 |
| *USA, Montana: American Indian | 8 | 87.5 | — | 4.1 | 3 | 100.0 | — | 1.5 |
| USA, Nebraska | 254 | 98.0 | 0.4 | 3.3 | 74 | 98.6 | 1.4 | 0.9 |
| USA, Nebraska: White | 228 | 97.8 | 0.4 | 3.1 | 69 | 98.6 | 1.4 | 0.9 |
| *USA, Nebraska: Black | 16 | 100.0 | — | 7.2 | 3 | 100.0 | — | 1.1 |
| USA, Nevada | 309 | 96.8 | 2.9 | 2.4 | 78 | 98.7 | 1.3 | 0.6 |
| USA, Nevada: White | 271 | 97.0 | 2.6 | 2.6 | 70 | 98.6 | 1.4 | 0.7 |
| USA, Nevada: Black | 23 | 95.7 | 4.3 | 2.6 | 4 | 100.0 | 0.0 | 0.4 |
| *USA, Nevada: Asian and Pacific Islander | 8 | 100.0 | — | 0.8 | 1 | 100.0 | — | 0.1 |
| USA, New Jersey | 1315 | 97.3 | 2.2 | 3.5 | 298 | 98.3 | 1.3 | 0.7 |
| USA, New Jersey: White | 1104 | 97.4 | 2.1 | 3.6 | 225 | 98.2 | 1.3 | 0.7 |
| USA, New Jersey: Black | 174 | 96.0 | 3.4 | 4.3 | 65 | 98.5 | 1.5 | 1.2 |
| USA, New Mexico | 239 | 96.2 | 2.5 | 2.6 | 64 | 96.9 | 3.1 | 0.7 |
| USA, New Mexico: White | 220 | 95.9 | 2.7 | 2.7 | 60 | 96.7 | 3.3 | 0.7 |
| USA, New Mexico: Non-Hispanic White | 143 | 97.2 | 2.8 | 2.8 | 44 | 100.0 | 0.0 | 0.9 |
| USA, New Mexico: Hispanic White | 77 | 93.5 | 2.6 | 2.5 | 16 | 87.5 | 12.5 | 0.5 |
| *USA, New Mexico: American Indian | 7 | 100.0 | — | 1.1 | 1 | 100.0 | — | 0.1 |
| USA, New York State | 3045 | 98.0 | 0.9 | 3.7 | 804 | 97.0 | 1.6 | 0.9 |
| USA, New York State: White | 2427 | 97.9 | 0.9 | 3.8 | 633 | 96.7 | 1.7 | 0.9 |
| USA, New York State: Black | 474 | 98.7 | 0.4 | 4.3 | 148 | 99.3 | 0.0 | 1.0 |
| USA, New York State: Asian and Pacific Islander | 126 | 97.6 | 0.8 | 2.1 | 17 | 88.2 | 11.8 | 0.3 |
| USA, North Carolina | 1884 | 97.1 | 1.9 | 4.7 | 540 | 97.2 | 1.9 | 1.2 |
| USA, North Carolina: White | 1381 | 97.5 | 1.3 | 4.3 | 408 | 96.8 | 2.0 | 1.2 |
| USA, North Carolina: Black | 466 | 96.4 | 3.0 | 6.6 | 123 | 98.4 | 1.6 | 1.3 |
| USA, North Carolina: Asian and Pacific Islander | 11 | 90.9 | 9.1 | 1.5 | 3 | 100.0 | 0.0 | 0.3 |
| *USA, North Carolina: American Indian | 21 | 95.2 | 4.8 | 4.4 | 6 | 100.0 | 0.0 | 1.2 |
| USA, North Dakota | 117 | 98.3 | 1.7 | 3.9 | 18 | 94.4 | 0.0 | 0.6 |
| USA, Ohio | 2337 | 97.2 | 2.3 | 4.8 | 703 | 97.9 | 1.6 | 1.4 |
| USA, Ohio: White | 2043 | 97.4 | 2.1 | 4.7 | 609 | 97.7 | 1.6 | 1.4 |
| USA, Ohio: Black | 275 | 95.6 | 4.4 | 5.8 | 88 | 98.9 | 1.1 | 1.6 |
| *USA, Ohio: Asian and Pacific Islander | 10 | 100.0 | — | 1.4 | 4 | 100.0 | — | 0.5 |
| USA, Oklahoma | 643 | 96.1 | 3.0 | 4.1 | 207 | 97.1 | 1.4 | 1.3 |
| USA, Oklahoma: White | 540 | 96.1 | 3.0 | 4.0 | 177 | 96.6 | 1.7 | 1.3 |
| USA, Oklahoma: Black | 44 | 100.0 | — | 4.9 | 12 | 100.0 | — | 1.2 |
| USA, Oklahoma: American Indian | 55 | 92.7 | 5.5 | 5.0 | 18 | 100.0 | 0.0 | 1.4 |
| USA, Oregon | 488 | 96.3 | 2.0 | 2.7 | 105 | 99.0 | 1.0 | 0.6 |
| USA, Oregon: White | 468 | 96.2 | 2.1 | 2.8 | 99 | 99.0 | 1.0 | 0.6 |
| *USA, Oregon: Black | 10 | 100.0 | — | 4.0 | 1 | 100.0 | — | 0.4 |
| *USA, Oregon: Asian and Pacific Islander | 5 | 100.0 | — | 0.9 | 4 | 100.0 | — | 0.5 |
| USA, Rhode Island | 179 | 97.8 | 1.7 | 4.1 | 53 | 94.3 | 3.8 | 1.1 |
| USA, Rhode Island: White | 166 | 97.6 | 1.8 | 4.1 | 51 | 94.1 | 3.9 | 1.2 |
| *USA, Rhode Island: Black | 8 | 100.0 | — | 3.4 | 0 | — | — | — |
| USA, South Carolina | 1103 | 96.9 | 2.0 | 5.4 | 247 | 97.2 | 2.0 | 1.1 |
| USA, South Carolina: White | 734 | 96.7 | 1.8 | 4.7 | 181 | 96.1 | 2.8 | 1.1 |
| USA, South Carolina: Black | 365 | 97.3 | 2.5 | 8.0 | 65 | 100.0 | 0.0 | 1.1 |
| USA, South Dakota | 115 | 99.1 | 0.0 | 3.2 | 36 | 97.2 | 2.8 | 1.0 |
| USA, Tennessee | 1355 | 97.2 | 2.3 | 5.1 | 421 | 98.1 | 1.2 | 1.5 |
| USA, Tennessee: White | 1148 | 97.6 | 1.9 | 5.0 | 357 | 98.0 | 1.1 | 1.5 |
| USA, Tennessee: Black | 197 | 94.4 | 4.6 | 6.0 | 62 | 98.4 | 1.6 | 1.5 |
| USA, Texas | 3460 | 93.8 | 4.7 | 3.7 | 704 | 94.9 | 4.0 | 0.7 |
| USA, Texas: White | 2915 | 93.9 | 4.7 | 3.6 | 588 | 94.7 | 4.1 | 0.7 |

* Important. See note on population page.

Indices of data quality Larynx (C32) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 492 | 96.5 | 2.4 | 5.9 | 174 | 96.6 | 2.3 | 2.1 |
| USA, Wyoming | 68 | 98.5 | – | 2.7 | 27 | 100.0 | – | 1.1 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 33 | 100.0 | – | 2.5 | 3 | 100.0 | – | 0.2 |
| Brunei Darussalam | 9 | 100.0 | – | 1.0 | 4 | 75.0 | – | 0.5 |
| *China, Anfu County | 27 | 77.8 | – | 2.6 | 2 | 50.0 | – | 0.2 |
| *China, Anguo City | 12 | 41.7 | 0.0 | 1.0 | 5 | 20.0 | 20.0 | 0.4 |
| *China, Anshan City | 286 | 86.4 | 0.7 | 3.7 | 49 | 79.6 | 0.0 | 0.5 |
| *China, Aohan Banner, Chifeng City | 22 | 9.1 | 13.6 | 1.2 | 4 | 0.0 | 25.0 | 0.3 |
| *China, Arongqi | 31 | 41.9 | 3.2 | 3.4 | 7 | 28.6 | 0.0 | 0.8 |
| *China, Baoding City | 57 | 84.2 | 7.0 | 1.6 | 4 | 100.0 | 0.0 | 0.1 |
| *China, Beijing City | 788 | 83.6 | 1.3 | 1.9 | 82 | 68.3 | 3.7 | 0.1 |
| *China, Binhai County | 43 | 67.4 | – | 0.9 | 8 | 100.0 | – | 0.2 |
| *China, Cangzhou City | 15 | 80.0 | – | 1.0 | 1 | 0.0 | – | 0.0 |
| China, Changfeng County | 37 | 54.1 | 2.7 | 2.1 | 1 | 0.0 | 0.0 | 0.1 |
| China, Changzhou City | 214 | 86.4 | – | 2.2 | 11 | 72.7 | – | 0.1 |
| China, Chengdu City | 141 | 70.2 | 4.3 | 3.7 | 15 | 60.0 | 0.0 | 0.5 |
| China, Cixian County | 36 | 94.4 | – | 2.1 | 9 | 77.8 | – | 0.5 |
| China, Cixi City | 116 | 94.0 | – | 2.3 | 6 | 83.3 | – | 0.1 |
| *China, Dafeng District, Yancheng City | 49 | 91.8 | – | 1.4 | 4 | 75.0 | – | 0.1 |
| China, Dalian City | 391 | 91.6 | 0.8 | 3.4 | 22 | 81.8 | 0.0 | 0.2 |
| *China, Dancheng County | 103 | 79.6 | – | 3.4 | 66 | 71.2 | – | 2.0 |
| China, Dangtu County | 21 | 90.5 | – | 1.5 | 2 | 0.0 | – | 0.1 |
| *China, Danyang City | 59 | 54.2 | – | 1.6 | 5 | 80.0 | – | 0.1 |
| *China, Dawukou District, Shizuishan City | 17 | 58.8 | 5.9 | 1.5 | 3 | 66.7 | 0.0 | 0.3 |
| *China, Dehui City | 111 | 69.4 | 0.9 | 3.6 | 54 | 79.6 | 1.9 | 1.8 |
| *China, Donggang County | 18 | 55.6 | 5.6 | 0.6 | 1 | 0.0 | 0.0 | 0.0 |
| *China, Dongguan City | 119 | 81.5 | – | 3.0 | 7 | 57.1 | – | 0.1 |
| China, Donghai County | 67 | 83.6 | 1.5 | 1.6 | 3 | 0.0 | 0.0 | 0.1 |
| *China, Dongtai City | 51 | 60.8 | – | 1.0 | 3 | 0.0 | – | 0.1 |
| China, Duanzhou District, Zhaoqing City | 29 | 93.1 | – | 2.4 | 2 | 50.0 | – | 0.1 |
| *China, Evenki Autonomous Banner | 19 | 100.0 | – | 7.2 | 2 | 100.0 | – | 0.7 |
| *China, Faku County | 81 | 81.5 | – | 4.0 | 22 | 81.8 | – | 1.1 |
| *China, Fangcheng County | 49 | 75.5 | – | 2.0 | 14 | 78.6 | – | 0.7 |
| *China, Feicheng City | 99 | 75.8 | 0.0 | 2.5 | 13 | 30.8 | 7.7 | 0.3 |
| China, Feixi County | 81 | 55.6 | 1.2 | 2.0 | 8 | 50.0 | 0.0 | 0.2 |
| China, Fuqing City | 35 | 91.4 | 5.7 | 1.3 | 6 | 83.3 | 0.0 | 0.3 |
| *China, Ganyu District, Lianyungang City | 76 | 68.4 | 1.3 | 1.8 | 9 | 66.7 | 0.0 | 0.2 |
| *China, Ganzhou District, Zhangye City | 6 | 66.7 | – | 0.6 | 4 | 75.0 | – | 0.7 |
| *China, Gaocheng City | 33 | 78.8 | 3.0 | 1.4 | 3 | 66.7 | 0.0 | 0.1 |
| China, Gaomi City | 58 | 87.9 | 3.4 | 1.9 | 7 | 71.4 | 0.0 | 0.2 |
| China, Gong'an County | 95 | 98.9 | – | 2.8 | 9 | 77.8 | – | 0.3 |
| *China, Guang'an District, Guang'an City | 33 | 66.7 | 12.1 | 1.7 | 5 | 0.0 | 40.0 | 0.3 |
| China, Guanghan City | 57 | 64.9 | – | 3.2 | 3 | 100.0 | – | 0.1 |
| China, Guangzhou City | 1040 | 84.4 | 0.6 | 3.3 | 68 | 80.9 | 1.5 | 0.2 |
| *China, Guanyun County | 43 | 76.7 | – | 1.2 | 6 | 83.3 | – | 0.2 |
| China, Guilin City | 99 | 68.7 | – | 4.4 | 4 | 50.0 | – | 0.2 |
| *China, Hai'an City | 57 | 70.2 | – | 1.0 | 4 | 75.0 | – | 0.1 |
| China, Hailar District, Hulun Buir City | 33 | 57.6 | 3.0 | 2.8 | 8 | 75.0 | 0.0 | 0.5 |
| China, Haimen District, Nantong City | 80 | 92.5 | – | 1.7 | 8 | 75.0 | – | 0.1 |
| China, Haining City | 49 | 87.8 | – | 1.4 | 2 | 50.0 | – | 0.2 |
| China, Hangzhou City | 670 | 91.5 | 0.3 | 2.0 | 35 | 82.9 | 0.0 | 0.1 |
| China, Hebi City | 14 | 57.1 | 7.1 | 1.1 | 3 | 100.0 | 0.0 | 0.2 |
| China, Hefei City | 183 | 68.3 | 1.6 | 2.2 | 11 | 54.5 | 9.1 | 0.1 |
| China, Hengdong County | 35 | 100.0 | – | 2.1 | 10 | 90.0 | – | 0.6 |
| *China, Hengfeng County | 2 | 50.0 | – | 0.3 | 0 | – | – | – |
| *China, Hepu County | 105 | 60.0 | 1.0 | 3.6 | 17 | 58.8 | 0.0 | 0.6 |
| China, Honghu City | 78 | 93.6 | – | 2.7 | 13 | 92.3 | – | 0.4 |
| China, Hongshan District, Chifeng City | 21 | 66.7 | – | 1.6 | 2 | 50.0 | – | 0.1 |
| *China, Hongta District, Yuxi City | 20 | 70.0 | – | 1.1 | 3 | 66.7 | – | 0.2 |
| *China, Huaiyin District, Huai'an City | 57 | 70.2 | – | 1.6 | 4 | 25.0 | – | 0.1 |
| *China, Jiange County | 13 | 92.3 | – | 0.8 | 3 | 66.7 | – | 0.2 |
| China, Jiangmen City | 88 | 93.2 | 0.0 | 3.6 | 3 | 66.7 | 33.3 | 0.1 |
| *China, Jiangyin City | 131 | 82.4 | – | 2.2 | 3 | 100.0 | – | 0.1 |
| *China, Jiashan County | 27 | 96.3 | – | 1.3 | 0 | – | – | – |
| China, Jiayu County | 19 | 68.4 | – | 2.7 | 0 | – | – | – |
| *China, Jinan City | 195 | 73.3 | 1.5 | 2.0 | 14 | 85.7 | 7.1 | 0.1 |
| *China, Jingtai County | 7 | 57.1 | – | 1.0 | 4 | 75.0 | – | 1.0 |
| *China, Jingxian County | 16 | 87.5 | 12.5 | 1.2 | 1 | 100.0 | 0.0 | 0.1 |
| *China, Jintan District, Changzhou City | 43 | 67.4 | 0.0 | 1.8 | 4 | 25.0 | 25.0 | 0.2 |
| *China, Jiulongpo District, Chongqing City | 107 | 62.6 | – | 3.2 | 6 | 16.7 | – | 0.2 |
| *China, Jiyuan City | 22 | 40.9 | 4.5 | 1.3 | 3 | 0.0 | 33.3 | 0.2 |

* Important. See note on population page.

Indices of data quality Larynx (C32) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 31 | 80.6 | — | 2.5 | 1 | 100.0 | — | 0.1 |
| China, Kunshan City | 75 | 76.0 | 2.7 | 2.2 | 2 | 50.0 | 0.0 | 0.1 |
| China, Langzhong City | 28 | 82.1 | — | 1.4 | 4 | 50.0 | — | 0.2 |
| *China, Liangshan County | 44 | 47.7 | 4.5 | 1.5 | 3 | 0.0 | 0.0 | 0.1 |
| *China, Lianshui County | 52 | 65.4 | — | 1.2 | 0 | — | — | — |
| China, Lianyungang City | 72 | 76.4 | 4.2 | 1.9 | 6 | 16.7 | 0.0 | 0.1 |
| China, Linhe District, Bayannur City | 26 | 84.6 | — | 2.2 | 2 | 50.0 | — | 0.1 |
| China, Linqu County | 52 | 86.5 | — | 1.4 | 2 | 50.0 | — | 0.0 |
| *China, Linzhou City | 60 | 80.0 | 1.7 | 1.6 | 9 | 44.4 | 11.1 | 0.2 |
| China, Liuzhou City | 120 | 78.3 | 0.8 | 3.2 | 5 | 60.0 | 0.0 | 0.1 |
| China, Liyang City | 23 | 78.3 | — | 0.6 | 1 | 0.0 | — | 0.0 |
| *China, Longquan City | 23 | 82.6 | — | 2.5 | 0 | — | — | — |
| China, Lucheng District, Wenzhou City | 43 | 81.4 | 4.7 | 2.2 | 5 | 80.0 | 0.0 | 0.2 |
| China, Luoding City | 35 | 85.7 | 0.0 | 1.5 | 7 | 42.9 | 42.9 | 0.3 |
| *China, Luohe City | 60 | 60.0 | 3.3 | 1.5 | 6 | 66.7 | 0.0 | 0.1 |
| *China, Luoyang City | 73 | 78.1 | 1.4 | 1.6 | 7 | 28.6 | 14.3 | 0.2 |
| *China, Luquan City | 22 | 50.0 | — | 1.8 | 2 | 100.0 | — | 0.1 |
| China, Ma'anshan City | 98 | 87.8 | 1.0 | 4.5 | 3 | 66.7 | 0.0 | 0.1 |
| *China, Macheng City | 67 | 95.5 | — | 2.7 | 8 | 87.5 | — | 0.3 |
| China, Meihekou City | 47 | 68.1 | 4.3 | 2.0 | 8 | 62.5 | 0.0 | 0.4 |
| *China, Mengjin County | 22 | 27.3 | 9.1 | 1.9 | 0 | — | — | — |
| China, Nangang District, Harbin City | 125 | 75.2 | — | 3.0 | 22 | 54.5 | — | 0.4 |
| *China, Nanhai District, Foshan City | 132 | 68.2 | — | 4.8 | 10 | 70.0 | — | 0.3 |
| China, Nanhu District, Jiaxing City | 35 | 85.7 | — | 1.3 | 1 | 0.0 | — | 0.0 |
| *China, Nantong City | 68 | 77.9 | — | 1.2 | 2 | 50.0 | — | 0.0 |
| *China, Nanxiong City | 48 | 66.7 | — | 3.5 | 1 | 0.0 | — | 0.1 |
| China, Neixiang County | 28 | 96.4 | — | 1.1 | 7 | 85.7 | — | 0.3 |
| *China, Qianxi County | 2 | 50.0 | 50.0 | 0.1 | 0 | — | — | — |
| China, Qidong City | 114 | 86.0 | — | 1.8 | 5 | 100.0 | — | 0.1 |
| China, Qingzhou City | 67 | 80.6 | 1.5 | 2.0 | 2 | 50.0 | 0.0 | 0.0 |
| *China, Rudong County | 63 | 71.4 | — | 0.9 | 2 | 50.0 | — | 0.0 |
| *China, Rugao City | 79 | 72.2 | — | 1.1 | 6 | 50.0 | — | 0.1 |
| *China, Rural areas of Shanghai City | 1229 | 90.7 | 0.2 | 2.6 | 48 | 83.3 | 2.1 | 0.1 |
| China, Ruyang County | 19 | 68.4 | 5.3 | 1.6 | 4 | 100.0 | 0.0 | 0.4 |
| *China, Shan County | 71 | 60.6 | — | 3.0 | 7 | 57.1 | — | 0.2 |
| China, Shanghai City | 908 | 86.6 | 0.3 | 2.3 | 52 | 82.7 | 0.0 | 0.1 |
| China, Shangyu District, Shaoxing City | 97 | 80.4 | 1.0 | 2.7 | 5 | 60.0 | 20.0 | 0.1 |
| *China, Shapingba District, Chongqing City | 140 | 72.1 | 2.1 | 4.3 | 10 | 50.0 | 0.0 | 0.3 |
| China, Shexian County | 24 | 75.0 | — | 1.8 | 8 | 62.5 | — | 0.6 |
| China, Sheyang County | 45 | 68.9 | — | 1.0 | 23 | 47.8 | — | 0.4 |
| *China, Shijiazhuang City | 135 | 88.1 | 3.0 | 2.6 | 5 | 100.0 | 0.0 | 0.1 |
| China, Shunde District, Foshan City | 174 | 65.5 | — | 5.0 | 9 | 33.3 | — | 0.2 |
| *China, Song County | 13 | 69.2 | — | 0.8 | 2 | 50.0 | — | 0.2 |
| China, Suzhou City | 258 | 79.8 | 3.1 | 1.6 | 22 | 81.8 | 4.5 | 0.1 |
| *China, Tengzhou City | 139 | 95.7 | 1.4 | 2.6 | 19 | 100.0 | 0.0 | 0.3 |
| *China, Wangdu County | 4 | 75.0 | — | 0.6 | 1 | 100.0 | — | 0.1 |
| *China, Wanzai County | 23 | 65.2 | 0.0 | 1.8 | 9 | 22.2 | 11.1 | 0.7 |
| *China, Wu'an City | 32 | 50.0 | — | 1.4 | 8 | 37.5 | — | 0.3 |
| China, Wuhan City | 708 | 89.8 | — | 3.2 | 52 | 84.6 | — | 0.2 |
| *China, Wuhu City | 113 | 67.3 | 1.8 | 2.1 | 3 | 33.3 | 0.0 | 0.0 |
| China, Wuxi City | 189 | 80.4 | — | 1.6 | 13 | 84.6 | — | 0.1 |
| China, Wuzhou City | 68 | 80.9 | 1.5 | 3.6 | 5 | 60.0 | 20.0 | 0.3 |
| China, Xiangfu District, Kaifeng City | 59 | 93.2 | — | 3.1 | 4 | 100.0 | — | 0.1 |
| China, Xianju County | 20 | 85.0 | 10.0 | 0.9 | 1 | 100.0 | 0.0 | 0.1 |
| *China, Xin'an County | 15 | 80.0 | — | 1.3 | 3 | 33.3 | — | 0.3 |
| *China, Xining City | 37 | 81.1 | 2.7 | 1.7 | 2 | 50.0 | 0.0 | 0.1 |
| *China, Xinji City | 40 | 82.5 | 5.0 | 1.4 | 8 | 75.0 | 0.0 | 0.3 |
| *China, Xinluo District, Longyan City | 33 | 69.7 | — | 2.7 | 0 | — | — | — |
| *China, Xinzhou District, Shangrao City | 16 | 75.0 | 0.0 | 1.2 | 4 | 50.0 | 50.0 | 0.3 |
| China, Xiping County | 52 | 100.0 | — | 1.9 | 6 | 66.7 | — | 0.2 |
| *China, Xishan District, Kunming City | 29 | 65.5 | — | 1.8 | 2 | 0.0 | — | 0.2 |
| *China, Xuyi County | 33 | 87.9 | — | 1.3 | 3 | 100.0 | — | 0.1 |
| *China, Ya'an City | 82 | 82.9 | 0.0 | 1.5 | 6 | 83.3 | 16.7 | 0.1 |
| *China, Yakeshi City | 63 | 76.2 | 7.9 | 4.1 | 9 | 77.8 | 11.1 | 0.6 |
| China, Yancheng City | 77 | 66.2 | — | 1.3 | 11 | 72.7 | — | 0.2 |
| *China, Yangquan City | 54 | 87.0 | 7.4 | 2.6 | 4 | 50.0 | 25.0 | 0.2 |
| *China, Yangzhong City | 6 | 16.7 | 16.7 | 0.4 | 1 | 0.0 | 0.0 | 0.1 |
| *China, Yanji City | 65 | 60.0 | 7.7 | 3.1 | 2 | 50.0 | 0.0 | 0.1 |
| *China, Yanshi City | 20 | 40.0 | 0.0 | 0.9 | 5 | 40.0 | 20.0 | 0.2 |
| China, Yanting County | 14 | 85.7 | — | 0.7 | 8 | 87.5 | — | 0.4 |
| *China, Yi'an District, Tongling City | 27 | 77.8 | 0.0 | 2.5 | 2 | 50.0 | 50.0 | 0.2 |
| *China, Yingdong District, Fuyang City | 29 | 72.4 | — | 1.3 | 8 | 50.0 | — | 0.4 |

* Important. See note on population page.

Indices of data quality Larynx (C32) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 28 | 89.3 | — | 2.9 | 0 | — | — | — |
| *China, Yiyuan County | 25 | 56.0 | 4.0 | 1.3 | 2 | 0.0 | 0.0 | 0.1 |
| China, Yong'an City | 23 | 78.3 | — | 1.9 | 1 | 0.0 | — | 0.1 |
| *China, Yongding District, Longyan City | 50 | 80.0 | — | 3.2 | 4 | 25.0 | — | 0.1 |
| China, Yongkang City | 59 | 78.0 | 6.8 | 2.4 | 7 | 71.4 | 0.0 | 0.3 |
| *China, Yucheng County | 31 | 48.4 | — | 1.6 | 16 | 62.5 | — | 0.7 |
| China, Yueyanglou District, Yueyang City | 46 | 93.5 | 6.5 | 4.3 | 3 | 66.7 | 0.0 | 0.2 |
| China, Yunmeng County | 28 | 46.4 | — | 1.7 | 11 | 63.6 | — | 0.7 |
| *China, Yunyang District, Shiyuan City | 10 | 50.0 | 10.0 | 1.0 | 0 | — | — | — |
| China, Yuzhong District, Chongqing City | 109 | 70.6 | 0.0 | 4.9 | 5 | 40.0 | 20.0 | 0.3 |
| *China, Zhanhuang County | 16 | 75.0 | 6.2 | 1.9 | 2 | 0.0 | 0.0 | 0.3 |
| *China, Zhangjiagang City | 98 | 73.5 | — | 2.0 | 4 | 100.0 | — | 0.1 |
| *China, Zhaoyuan City | 55 | 58.2 | — | 2.0 | 3 | 0.0 | — | 0.1 |
| *China, Zhengding County | 15 | 66.7 | — | 1.1 | 1 | 100.0 | — | 0.1 |
| *China, Zhongshan City | 240 | 97.1 | — | 4.6 | 10 | 80.0 | — | 0.2 |
| China, Zhongxiang City | 43 | 30.2 | — | 1.3 | 6 | 16.7 | — | 0.2 |
| *China, Zhuanghe City | 85 | 87.1 | 0.0 | 1.9 | 6 | 50.0 | 16.7 | 0.1 |
| *China, Zhuhai City | 91 | 74.7 | 4.4 | 2.6 | 2 | 50.0 | 0.0 | 0.1 |
| India, Ahmedabad, Urban | 337 | 97.6 | 0.3 | 2.9 | 46 | 100.0 | 0.0 | 0.4 |
| India, Aurangabad | 109 | 90.8 | 4.6 | 4.2 | 13 | 100.0 | 0.0 | 0.5 |
| India, Bangalore | 470 | 94.7 | 2.8 | 4.4 | 75 | 92.0 | 6.7 | 0.7 |
| India, Barshi, Paranda, and Bhum | 27 | 74.1 | 3.7 | 1.8 | 2 | 50.0 | 50.0 | 0.1 |
| *India, Bhopal | 158 | 98.7 | — | 6.4 | 21 | 100.0 | — | 0.9 |
| India, Chandigarh | 105 | 100.0 | — | 4.7 | 12 | 100.0 | — | 0.5 |
| *India, Chennai | 563 | 86.5 | 3.7 | 4.6 | 88 | 84.1 | 6.8 | 0.7 |
| India, Dibrugarh | 62 | 85.5 | 9.7 | 2.3 | 18 | 94.4 | 0.0 | 0.6 |
| *India, Dindigul, Ambalikkai | 160 | 88.8 | 1.2 | 2.6 | 20 | 95.0 | 0.0 | 0.3 |
| India, Kamrup Urban District | 195 | 76.9 | 19.0 | 8.2 | 20 | 60.0 | 35.0 | 1.0 |
| India, Kollam | 349 | 84.8 | — | 5.4 | 18 | 72.2 | — | 0.2 |
| *India, Manipur | 94 | 92.6 | 1.1 | 2.1 | 31 | 100.0 | 0.0 | 0.7 |
| India, Meghalaya | 273 | 89.7 | 7.0 | 10.3 | 48 | 85.4 | 8.3 | 1.6 |
| India, Mizoram | 75 | 89.3 | — | 4.4 | 24 | 83.3 | — | 1.5 |
| India, Mumbai | 1126 | 82.9 | 10.9 | 3.7 | 183 | 76.0 | 19.1 | 0.6 |
| *India, New Delhi | 1423 | 90.0 | 1.7 | 6.9 | 164 | 90.2 | 2.4 | 0.8 |
| India, Poona | 404 | 86.9 | 4.0 | 3.5 | 55 | 80.0 | 5.5 | 0.5 |
| *India, Sangrur District | 81 | 95.1 | — | 3.1 | 11 | 90.9 | — | 0.4 |
| India, SAS Nagar | 82 | 100.0 | — | 3.7 | 17 | 100.0 | — | 0.7 |
| *India, Tamil Nadu | 6376 | 91.0 | 0.5 | 3.2 | 787 | 90.1 | 1.3 | 0.4 |
| *India, Tripura | 364 | 97.8 | 0.0 | 5.6 | 56 | 98.2 | 1.8 | 0.9 |
| India, Trivandrum | 466 | 88.2 | — | 5.7 | 32 | 87.5 | — | 0.3 |
| India, Wardha | 70 | 95.7 | — | 1.9 | 11 | 90.9 | — | 0.3 |
| India, West Arunachal | 32 | 96.9 | — | 3.5 | 8 | 100.0 | — | 0.9 |
| *Iran (Islamic Republic of), Ardabil Province | 49 | 71.4 | 10.2 | 2.9 | 7 | 28.6 | 57.1 | 0.3 |
| *Iran (Islamic Republic of), Golestan Province | 90 | 80.0 | 4.4 | 3.9 | 32 | 71.9 | 9.4 | 1.3 |
| Israel | 904 | 97.8 | 1.2 | 3.7 | 139 | 95.0 | 3.6 | 0.5 |
| *Israel: Jews | 684 | 97.4 | 1.6 | 3.2 | 125 | 95.2 | 3.2 | 0.5 |
| *Israel: Arabs | 168 | 98.8 | — | 5.9 | 9 | 100.0 | — | 0.3 |
| Japan | 14483 | 93.1 | 3.0 | 2.9 | 1147 | 90.6 | 4.4 | 0.2 |
| Japan, Aichi Prefecture | 708 | 96.5 | 1.6 | 2.6 | 60 | 96.7 | 1.7 | 0.2 |
| *Japan, Akita Prefecture | 154 | 95.5 | — | 3.2 | 9 | 88.9 | — | 0.1 |
| Japan, Aomori Prefecture | 314 | 93.6 | 1.3 | 3.5 | 18 | 61.1 | 11.1 | 0.1 |
| Japan, Gunma Prefecture | 245 | 93.1 | 1.2 | 2.9 | 21 | 90.5 | 0.0 | 0.2 |
| Japan, Hiroshima Prefecture | 423 | 94.8 | 0.9 | 2.8 | 29 | 96.6 | 0.0 | 0.2 |
| Japan, Miyagi Prefecture | 398 | 94.5 | 1.5 | 2.6 | 31 | 87.1 | 6.5 | 0.2 |
| Japan, Osaka Prefecture | 1094 | 95.8 | 1.6 | 3.4 | 91 | 95.6 | 1.1 | 0.3 |
| Kuwait | 106 | 100.0 | — | 1.9 | 10 | 100.0 | — | 0.2 |
| *Kuwait: Kuwaitis | 42 | 100.0 | — | 2.6 | 5 | 100.0 | — | 0.2 |
| *Kuwait: Non-Kuwaitis | 64 | 100.0 | — | 1.6 | 5 | 100.0 | — | 0.2 |
| *Philippines, Manila | 325 | 81.2 | 6.8 | 3.5 | 58 | 67.2 | 13.8 | 0.4 |
| *Qatar: Qatari | 9 | 100.0 | — | 2.0 | 1 | 100.0 | — | 0.3 |
| Republic of Korea | 5581 | 96.8 | 0.8 | 2.8 | 360 | 90.6 | 5.3 | 0.1 |
| *Republic of Korea, Busan | 470 | 95.7 | 0.6 | 3.1 | 38 | 94.7 | 2.6 | 0.2 |
| *Republic of Korea, Daegu | 259 | 96.9 | 1.2 | 2.7 | 26 | 88.5 | 7.7 | 0.2 |
| *Republic of Korea, Daejeon | 152 | 98.7 | 0.0 | 2.9 | 6 | 50.0 | 16.7 | 0.1 |
| *Republic of Korea, Gwangju | 140 | 98.6 | 0.7 | 2.9 | 8 | 87.5 | 12.5 | 0.1 |
| Republic of Korea, Incheon | 281 | 96.8 | 0.7 | 2.7 | 9 | 100.0 | 0.0 | 0.1 |
| Republic of Korea, Jeju | 73 | 95.9 | — | 3.0 | 4 | 50.0 | — | 0.1 |
| Republic of Korea, Seoul | 923 | 98.7 | 0.4 | 2.4 | 61 | 88.5 | 6.6 | 0.1 |
| Republic of Korea, Ulsan | 110 | 99.1 | — | 2.9 | 8 | 100.0 | — | 0.2 |
| Singapore | 407 | 95.8 | — | 2.6 | 34 | 79.4 | — | 0.2 |
| Singapore: Chinese | 335 | 95.8 | — | 2.7 | 29 | 79.3 | — | 0.2 |
| Singapore: Indian | 32 | 96.9 | — | 3.2 | 3 | 100.0 | — | 0.2 |

* Important. See note on population page.

Indices of data quality Larynx (C32) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 35 | 94.3 | – | 2.3 | 2 | 50.0 | – | 0.1 |
| Thailand, Bangkok | 379 | 85.8 | 1.6 | 2.2 | 42 | 76.2 | 7.1 | 0.2 |
| *Thailand, Chiang Mai | 101 | 92.1 | 2.0 | 1.7 | 14 | 64.3 | 0.0 | 0.2 |
| *Thailand, Khon Kaen | 96 | 91.7 | 3.1 | 1.5 | 3 | 100.0 | 0.0 | 0.1 |
| Thailand, Lampang | 39 | 84.6 | – | 1.2 | 12 | 100.0 | – | 0.3 |
| Thailand, Lopburi Province | 84 | 90.5 | 1.2 | 3.6 | 7 | 85.7 | 0.0 | 0.3 |
| *Thailand, Songkhla | 140 | 96.4 | – | 3.3 | 7 | 71.4 | – | 0.1 |
| Turkey, Antalya | 328 | 98.8 | 0.3 | 5.4 | 21 | 100.0 | 0.0 | 0.3 |
| Turkey, Bursa | 522 | 96.4 | 2.7 | 6.5 | 46 | 95.7 | 2.2 | 0.5 |
| *Turkey, Edirne | 157 | 93.6 | 1.3 | 9.8 | 18 | 83.3 | 0.0 | 1.1 |
| *Turkey, Erzurum | 131 | 90.1 | 0.8 | 7.3 | 3 | 66.7 | 0.0 | 0.1 |
| Turkey, Eskişehir | 187 | 98.4 | 0.0 | 7.0 | 10 | 90.0 | 10.0 | 0.3 |
| Turkey, Gaziantep | 231 | 96.5 | 0.9 | 6.9 | 14 | 92.9 | 7.1 | 0.4 |
| *Turkey, Izmir | 1012 | 96.2 | 1.9 | 7.6 | 83 | 96.4 | 2.4 | 0.6 |
| Turkey, Malatya | 91 | 90.1 | 8.8 | 4.3 | 2 | 100.0 | 0.0 | 0.1 |
| Turkey, Samsun | 349 | 98.0 | 0.9 | 8.5 | 18 | 100.0 | 0.0 | 0.4 |
| Turkey, Trabzon | 163 | 90.2 | 5.5 | 6.5 | 5 | 80.0 | 0.0 | 0.2 |
| Europe | | | | | | | | |
| Austria | 1404 | 90.1 | 2.6 | 3.7 | 204 | 89.2 | 4.4 | 0.5 |
| Austria, Carinthia | 129 | 100.0 | – | 4.9 | 14 | 92.9 | – | 0.4 |
| Austria, Tyrol | 113 | 99.1 | 0.0 | 3.5 | 21 | 90.5 | 4.8 | 0.6 |
| Austria, Vorarlberg | 64 | 98.4 | 1.6 | 3.9 | 11 | 90.9 | 9.1 | 0.6 |
| Belarus | 3069 | 99.1 | – | 9.6 | 107 | 100.0 | – | 0.2 |
| *Belgium | 2545 | 98.9 | – | 5.0 | 441 | 98.2 | – | 0.8 |
| Croatia | 1493 | 88.2 | 2.9 | 8.1 | 134 | 79.9 | 6.7 | 0.6 |
| Cyprus | 147 | 96.6 | 3.4 | 4.2 | 12 | 91.7 | 0.0 | 0.3 |
| *Czech Republic | 2357 | 97.1 | 0.2 | 5.1 | 294 | 96.6 | 0.0 | 0.5 |
| Denmark | 1001 | 98.7 | – | 3.7 | 236 | 100.0 | – | 0.8 |
| Estonia | 302 | 96.7 | 0.3 | 5.9 | 25 | 100.0 | 0.0 | 0.4 |
| Finland | 545 | 99.4 | 0.2 | 2.0 | 72 | 97.2 | 0.0 | 0.2 |
| *France, Bas-Rhin | 176 | 99.4 | – | 4.6 | 30 | 100.0 | – | 0.8 |
| *France, Calvados | 167 | 97.6 | – | 5.4 | 21 | 90.5 | – | 0.6 |
| *France, Doubs | 124 | 97.6 | – | 5.2 | 13 | 100.0 | – | 0.5 |
| *France, Gironde | 329 | 97.9 | – | 5.2 | 60 | 100.0 | – | 0.8 |
| *France, Haut-Rhin | 152 | 98.7 | – | 4.2 | 28 | 100.0 | – | 0.8 |
| *France, Hérault | 285 | 98.6 | – | 5.8 | 53 | 100.0 | – | 1.0 |
| *France, Isère | 237 | 97.5 | – | 4.5 | 27 | 100.0 | – | 0.5 |
| *France, Lille-Métropole | 178 | 98.9 | – | 6.7 | 24 | 100.0 | – | 0.8 |
| *France, Limousin | 70 | 100.0 | – | 4.0 | 11 | 100.0 | – | 0.6 |
| *France, Loire-Atlantique | 331 | 99.1 | – | 6.1 | 54 | 100.0 | – | 0.9 |
| *France, Manche | 168 | 98.8 | – | 7.3 | 24 | 100.0 | – | 1.1 |
| *France, Poitou-Charentes | 473 | 98.3 | – | 5.4 | 72 | 98.6 | – | 0.8 |
| *France, Somme | 118 | 100.0 | – | 5.0 | 10 | 100.0 | – | 0.5 |
| *France, Tarn | 97 | 99.0 | – | 5.3 | 17 | 94.1 | – | 0.8 |
| *France, Territoire de Belfort | 22 | 100.0 | – | 4.4 | 7 | 100.0 | – | 1.1 |
| *France, Vendée | 191 | 99.5 | – | 5.6 | 23 | 95.7 | – | 0.7 |
| Germany, Baden-Württemberg | 1032 | 86.4 | 6.8 | 3.2 | 173 | 83.8 | 8.1 | 0.5 |
| Germany, Bavaria | 1906 | 92.6 | 6.0 | 3.0 | 316 | 92.1 | 7.3 | 0.5 |
| Germany, Bremen | 136 | 91.2 | 8.8 | 4.1 | 22 | 90.9 | 9.1 | 0.7 |
| Germany, Hamburg | 315 | 91.1 | 3.5 | 3.9 | 69 | 94.2 | 0.0 | 0.9 |
| Germany, Lower Saxony | 1635 | 91.9 | 7.0 | 4.0 | 297 | 91.2 | 7.4 | 0.7 |
| Germany, North Rhine-Westphalia | 3643 | 87.0 | 6.4 | 4.1 | 744 | 84.1 | 9.3 | 0.8 |
| Germany, Rhineland-Palatinate | 811 | 86.1 | 8.9 | 3.9 | 136 | 89.0 | 4.4 | 0.7 |
| Germany, Saarland | 249 | 86.3 | 2.0 | 4.7 | 46 | 84.8 | 4.3 | 0.9 |
| Germany, Schleswig-Holstein | 595 | 91.6 | 0.5 | 3.9 | 104 | 92.3 | 1.9 | 0.6 |
| Iceland | 33 | 100.0 | – | 2.3 | 4 | 100.0 | – | 0.3 |
| Ireland | 711 | 97.0 | 0.1 | 4.0 | 156 | 99.4 | 0.0 | 0.9 |
| *Italy, Aosta Valley | 25 | 88.0 | – | 4.4 | 4 | 50.0 | – | 0.8 |
| *Italy, Avellino | 74 | 91.9 | 0.0 | 6.3 | 3 | 66.7 | 33.3 | 0.1 |
| Italy, Basilicata | 152 | 85.5 | – | 5.3 | 15 | 86.7 | – | 0.5 |
| *Italy, Benevento | 67 | 97.0 | – | 6.5 | 5 | 100.0 | – | 0.5 |
| Italy, Bergamo | 306 | 99.0 | 0.3 | 5.3 | 42 | 97.6 | 2.4 | 0.7 |
| *Italy, Brescia | 301 | 91.4 | 0.7 | 5.1 | 36 | 75.0 | 0.0 | 0.5 |
| Italy, Brianza (Lecco and Monza e Brianza) | 168 | 96.4 | 1.2 | 4.5 | 21 | 100.0 | 0.0 | 0.5 |
| Italy, Calabria | 147 | 81.0 | 0.7 | 5.5 | 5 | 80.0 | 0.0 | 0.2 |
| *Italy, Caserta | 242 | 95.0 | 0.8 | 8.1 | 35 | 100.0 | 0.0 | 1.1 |
| *Italy, Catania, Messina, and Enna | 450 | 96.7 | 1.1 | 5.0 | 50 | 98.0 | 0.0 | 0.6 |
| Italy, Emilia-Romagna | 1001 | 96.0 | 0.1 | 5.1 | 168 | 93.5 | 1.2 | 0.8 |
| Italy, Friuli-Venezia Giulia | 363 | 99.2 | – | 4.9 | 54 | 98.1 | – | 0.8 |
| Italy, Genova | 250 | 96.4 | 0.4 | 6.0 | 31 | 96.8 | 3.2 | 0.6 |
| *Italy, Lombardy, South, Pavia | 177 | 92.7 | – | 5.6 | 23 | 91.3 | – | 0.7 |
| Italy, Mantova and Cremona | 205 | 97.6 | – | 5.9 | 18 | 100.0 | – | 0.7 |

* Important. See note on population page.

Indices of data quality Larynx (C32) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 323 | 96.9 | 0.9 | 4.7 | 42 | 92.9 | 4.8 | 0.6 |
| Italy, Milan | 887 | 94.3 | 0.5 | 4.9 | 146 | 88.4 | 0.0 | 0.7 |
| Italy, Molise | 55 | 87.3 | 0.0 | 5.2 | 3 | 66.7 | 33.3 | 0.3 |
| *Italy, Naples Centre | 222 | 91.9 | 1.4 | 8.9 | 49 | 95.9 | 0.0 | 1.7 |
| *Italy, Naples North | 260 | 97.3 | 0.8 | 8.3 | 45 | 97.8 | 2.2 | 1.4 |
| *Italy, Naples South | 368 | 96.7 | 0.5 | 8.3 | 41 | 97.6 | 0.0 | 0.9 |
| *Italy, Nuoro | 36 | 100.0 | – | 5.3 | 1 | 100.0 | – | 0.2 |
| *Italy, Palermo | 306 | 88.6 | 2.3 | 5.4 | 47 | 87.2 | 2.1 | 0.8 |
| Italy, Puglia | 1051 | 93.8 | 0.4 | 5.4 | 122 | 87.7 | 1.6 | 0.5 |
| *Italy, Ragusa and Caltanissetta | 117 | 95.7 | – | 4.4 | 16 | 100.0 | – | 0.5 |
| *Italy, Salerno | 233 | 95.3 | 1.3 | 5.6 | 26 | 92.3 | 0.0 | 0.7 |
| Italy, Sassari | 62 | 83.9 | 1.6 | 6.0 | 8 | 75.0 | 0.0 | 0.6 |
| *Italy, Sondrio | 61 | 86.9 | 1.6 | 5.6 | 13 | 76.9 | 7.7 | 1.0 |
| Italy, South Tyrol | 84 | 98.8 | 0.0 | 3.4 | 12 | 91.7 | 8.3 | 0.5 |
| *Italy, Syracuse | 101 | 99.0 | – | 5.3 | 10 | 100.0 | – | 0.3 |
| Italy, Trento | 144 | 97.2 | – | 5.1 | 22 | 100.0 | – | 0.7 |
| Italy, Turin | 678 | 91.9 | 1.9 | 5.4 | 92 | 89.1 | 1.1 | 0.7 |
| *Italy, Tuscany | 745 | 94.2 | 0.8 | 6.7 | 104 | 95.2 | 1.0 | 0.9 |
| Italy, Umbria | 187 | 93.0 | 0.5 | 4.6 | 21 | 85.7 | 0.0 | 0.5 |
| Italy, Varese | 133 | 98.5 | – | 4.5 | 18 | 94.4 | – | 0.5 |
| Italy, Veneto | 1477 | 98.4 | 0.4 | 5.7 | 193 | 96.9 | 1.0 | 0.6 |
| Latvia | 556 | 87.6 | 2.9 | 7.3 | 43 | 95.3 | 0.0 | 0.4 |
| *Liechtenstein | 6 | 100.0 | – | 3.1 | 1 | 100.0 | – | 0.5 |
| *Lithuania | 833 | 81.5 | 14.8 | 7.6 | 64 | 81.2 | 18.8 | 0.5 |
| Malta | 91 | 96.7 | 1.1 | 4.3 | 19 | 89.5 | 5.3 | 0.8 |
| *The Netherlands | 2796 | 99.0 | – | 3.4 | 677 | 98.2 | – | 0.8 |
| Norway | 479 | 98.3 | 0.6 | 2.0 | 100 | 95.0 | 0.0 | 0.4 |
| Poland, Kielce | 368 | 99.2 | – | 6.8 | 48 | 100.0 | – | 0.8 |
| *Portugal, Azores | 82 | 95.1 | 1.2 | 11.8 | 5 | 100.0 | 0.0 | 0.7 |
| Russian Federation, Arkhangelsk | 261 | 95.8 | 2.7 | 6.7 | 27 | 100.0 | 0.0 | 0.5 |
| Russian Federation, Kaliningrad | 245 | 93.9 | 2.0 | 7.8 | 17 | 94.1 | 5.9 | 0.4 |
| Russian Federation, Karelia | 161 | 90.7 | 3.7 | 7.9 | 16 | 100.0 | 0.0 | 0.5 |
| *Russian Federation, Komi Republic | 208 | 88.9 | 6.2 | 8.3 | 14 | 92.9 | 7.1 | 0.4 |
| Russian Federation, Murmansk | 125 | 94.4 | 4.8 | 5.7 | 18 | 100.0 | 0.0 | 0.6 |
| *Russian Federation, Orenburg | 581 | 96.6 | 0.2 | 8.9 | 36 | 91.7 | 8.3 | 0.4 |
| Russian Federation, Pskov | 308 | 94.5 | 4.5 | 13.3 | 15 | 93.3 | 6.7 | 0.5 |
| *Russian Federation, Samara | 717 | 98.5 | 1.5 | 6.7 | 47 | 95.7 | 4.3 | 0.3 |
| Russian Federation, Vologda Region | 260 | 97.3 | 0.4 | 6.5 | 10 | 90.0 | 10.0 | 0.2 |
| Slovenia | 438 | 99.3 | 0.2 | 4.6 | 58 | 100.0 | 0.0 | 0.6 |
| Spain, Asturias | 272 | 98.2 | 0.4 | 8.1 | 21 | 100.0 | 0.0 | 0.6 |
| Spain, Basque Country | 756 | 98.0 | 0.5 | 9.0 | 70 | 98.6 | 0.0 | 0.8 |
| Spain, Canary Islands | 394 | 99.0 | – | 6.9 | 45 | 100.0 | – | 0.7 |
| Spain, Castellón | 199 | 99.5 | – | 8.0 | 14 | 100.0 | – | 0.5 |
| Spain, Girona | 245 | 96.7 | – | 7.4 | 24 | 87.5 | – | 0.7 |
| Spain, Granada | 260 | 98.1 | 0.4 | 6.9 | 23 | 100.0 | 0.0 | 0.6 |
| Spain, La Rioja | 100 | 100.0 | – | 6.7 | 18 | 100.0 | – | 1.4 |
| Spain, Murcia | 459 | 98.7 | 0.4 | 8.4 | 38 | 97.4 | 2.6 | 0.6 |
| Spain, Navarra | 161 | 97.5 | – | 6.8 | 25 | 100.0 | – | 1.2 |
| Spain, Salamanca | 142 | 98.6 | 0.7 | 7.9 | 7 | 100.0 | 0.0 | 0.4 |
| Spain, Tarragona | 282 | 97.2 | 2.1 | 8.0 | 25 | 100.0 | 0.0 | 0.8 |
| *Sweden | 725 | 99.4 | – | 1.4 | 136 | 98.5 | – | 0.3 |
| Switzerland, Aargau | 78 | 97.4 | 1.3 | 2.6 | 19 | 94.7 | 5.3 | 0.6 |
| Switzerland, Basel | 59 | 94.9 | 3.4 | 2.6 | 16 | 100.0 | 0.0 | 0.6 |
| Switzerland, Berne Solothurn | 91 | 96.7 | 1.1 | 2.3 | 15 | 100.0 | 0.0 | 0.3 |
| Switzerland, East | 104 | 96.2 | 1.0 | 2.6 | 15 | 100.0 | 0.0 | 0.4 |
| *Switzerland, Fribourg | 48 | 100.0 | – | 3.7 | 6 | 100.0 | – | 0.5 |
| Switzerland, Geneva | 63 | 95.2 | – | 3.3 | 14 | 100.0 | – | 0.7 |
| *Switzerland, Graubünden and Glarus | 34 | 97.1 | – | 2.9 | 14 | 92.9 | – | 1.2 |
| *Switzerland, Lucerne | 57 | 94.7 | 1.8 | 2.2 | 10 | 80.0 | 20.0 | 0.3 |
| *Switzerland, Neuchâtel and Jura | 50 | 98.0 | 2.0 | 4.5 | 5 | 100.0 | 0.0 | 0.6 |
| Switzerland, Ticino | 86 | 96.5 | 1.2 | 4.4 | 16 | 100.0 | 0.0 | 0.8 |
| Switzerland, Valais | 61 | 100.0 | – | 3.6 | 12 | 100.0 | – | 0.7 |
| Switzerland, Vaud | 120 | 96.7 | – | 4.0 | 26 | 100.0 | – | 0.7 |
| Switzerland, Zurich and Zug | 169 | 98.8 | – | 2.5 | 31 | 100.0 | – | 0.5 |
| Ukraine | 9547 | 93.8 | 0.3 | 7.9 | 447 | 89.9 | 0.9 | 0.3 |
| UK, England | 7606 | 96.5 | 0.3 | 3.0 | 1598 | 94.2 | 0.6 | 0.6 |
| UK, Northern Ireland | 324 | 97.5 | 0.3 | 4.1 | 83 | 98.8 | 0.0 | 1.0 |
| UK, Scotland | 1131 | 94.8 | – | 4.5 | 294 | 95.2 | – | 1.1 |
| UK, Wales | 609 | 96.1 | 1.0 | 4.0 | 139 | 95.0 | 1.4 | 0.8 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 917 | 94.5 | 0.8 | 2.7 | 110 | 91.8 | 0.9 | 0.3 |
| *Australia, Northern Territory | 46 | 100.0 | – | 6.5 | 10 | 100.0 | – | 1.6 |

* Important. See note on population page.

Indices of data quality Larynx (C32) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 34 | 100.0 | – | 5.7 | 3 | 100.0 | – | 0.6 |
| *Australia, Northern Territory: Indigenous | 12 | 100.0 | – | 9.7 | 7 | 100.0 | – | 5.2 |
| *Australia, Queensland | 578 | 94.5 | 0.7 | 2.9 | 74 | 91.9 | 2.7 | 0.4 |
| Australia, South Australia | 193 | 96.9 | 1.6 | 2.5 | 32 | 81.2 | 0.0 | 0.4 |
| Australia, Tasmania | 69 | 92.8 | 2.9 | 2.6 | 5 | 100.0 | 0.0 | 0.2 |
| *Australia, Victoria | 640 | 97.0 | 1.1 | 2.5 | 89 | 91.0 | 4.5 | 0.3 |
| *Australia, Western Australia | 202 | 93.1 | 0.5 | 2.0 | 24 | 79.2 | 0.0 | 0.2 |
| *France, New Caledonia | 30 | 100.0 | – | 3.7 | 6 | 100.0 | – | 0.7 |
| New Zealand | 334 | 97.0 | 1.8 | 1.7 | 52 | 90.4 | 5.8 | 0.2 |
| *New Zealand: Maori | 42 | 100.0 | 0.0 | 2.7 | 11 | 81.8 | 9.1 | 0.6 |
| *New Zealand: Pacific peoples | 6 | 100.0 | – | 1.0 | 2 | 100.0 | – | 0.3 |
| *New Zealand: Other | 274 | 96.7 | 2.2 | 1.7 | 38 | 92.1 | 5.3 | 0.2 |
| USA, Hawaii | 157 | 99.4 | – | 2.5 | 22 | 95.5 | – | 0.4 |
| USA, Hawaii: White | 79 | 100.0 | – | 3.9 | 11 | 100.0 | – | 0.6 |
| *USA, Hawaii: Japanese | 23 | 100.0 | – | 1.4 | 1 | 100.0 | – | 0.1 |
| *USA, Hawaii: Chinese | 2 | 100.0 | – | 0.4 | 1 | 100.0 | – | 0.1 |
| *USA, Hawaii: Hawaiian | 23 | 100.0 | – | 2.5 | 7 | 100.0 | – | 0.8 |
| *USA, Hawaii: Filipino | 16 | 100.0 | – | 1.5 | 1 | 100.0 | – | 0.1 |

* Important. See note on population page.

Indices of data quality Trachea, bronchus, and lung (C33–34)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 201 | 87.1 | – | 15.5 | 28 | 92.9 | – | 2.0 |
| *Algeria, Tizi Ouzou | 333 | 91.0 | – | 21.9 | 49 | 91.8 | – | 2.6 |
| *Benin, Cotonou | 9 | 44.4 | – | 1.4 | 7 | 57.1 | – | 1.2 |
| *France, La Réunion | 701 | 93.3 | – | 32.8 | 268 | 94.0 | – | 10.5 |
| *Kenya, Eldoret | 22 | 63.6 | – | 2.1 | 8 | 87.5 | – | 0.8 |
| *Kenya, Nairobi | 120 | 77.5 | 6.7 | 6.0 | 100 | 76.0 | 11.0 | 5.0 |
| Mauritius | 482 | 68.5 | 16.0 | 11.6 | 224 | 71.0 | 10.3 | 4.7 |
| *Morocco, Casablanca | 2700 | 89.4 | 2.6 | 25.8 | 425 | 89.4 | 4.5 | 3.7 |
| *Seychelles | 43 | 60.5 | 14.0 | 16.3 | 15 | 46.7 | 20.0 | 4.3 |
| *South Africa, Eastern Cape | 54 | 94.4 | – | 5.4 | 42 | 83.3 | – | 2.7 |
| *Uganda, Kyadondo County | 77 | 53.2 | 0.0 | 4.3 | 73 | 46.6 | 2.7 | 3.7 |
| *Uganda, Gulu | 10 | 40.0 | 0.0 | 2.8 | 9 | 22.2 | 22.2 | 1.4 |
| *Zimbabwe, Bulawayo: African | 50 | 36.0 | 22.0 | 6.7 | 29 | 34.5 | 27.6 | 2.6 |
| *Zimbabwe, Harare: African | 219 | 46.6 | 18.7 | 16.0 | 134 | 62.7 | 22.4 | 8.2 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 804 | 58.8 | 23.5 | 35.3 | 274 | 63.1 | 22.6 | 9.9 |
| *Argentina, Mendoza | 1100 | 66.7 | 24.5 | 20.9 | 515 | 68.7 | 24.1 | 8.1 |
| Brazil, Aracaju | 169 | 87.6 | 6.5 | 17.4 | 124 | 87.9 | 6.5 | 7.7 |
| *Brazil, Barretos | 245 | 72.7 | 23.3 | 17.8 | 175 | 75.4 | 22.9 | 10.9 |
| Brazil, Belo Horizonte | 1074 | 81.2 | 18.4 | 14.8 | 896 | 83.3 | 16.5 | 8.6 |
| *Brazil, Campinas | 479 | 69.7 | 24.8 | 20.7 | 360 | 73.3 | 22.2 | 11.8 |
| *Brazil, Curitiba | 633 | 54.2 | 27.8 | 16.2 | 607 | 60.6 | 25.4 | 10.9 |
| Brazil, Goiânia | 449 | 90.6 | 8.2 | 18.0 | 383 | 88.8 | 8.9 | 11.1 |
| *Brazil, Jaú | 59 | 89.8 | – | 13.8 | 32 | 93.8 | – | 6.1 |
| Brazil, João Pessoa | 152 | 65.1 | 11.8 | 15.2 | 149 | 77.2 | 6.7 | 9.9 |
| Brazil, Recife | 466 | 69.5 | 15.2 | 19.7 | 476 | 66.0 | 15.3 | 11.7 |
| Chile, Region of Antofagasta | 358 | 56.1 | 10.6 | 38.9 | 160 | 53.8 | 8.1 | 15.1 |
| Chile, Valdivia | 147 | 61.9 | 10.9 | 10.1 | 96 | 71.9 | 10.4 | 5.3 |
| Colombia, Bucaramanga | 307 | 64.2 | 16.6 | 10.3 | 245 | 71.8 | 11.4 | 6.2 |
| Colombia, Cali | 867 | 67.4 | 5.7 | 14.8 | 667 | 70.8 | 5.5 | 7.7 |
| Colombia, Manizales | 206 | 57.3 | 1.0 | 14.3 | 141 | 58.9 | 0.7 | 7.4 |
| Colombia, Pasto | 77 | 67.5 | 7.8 | 7.3 | 46 | 60.9 | 13.0 | 3.4 |
| Costa Rica | 559 | 76.9 | 4.1 | 5.6 | 360 | 80.3 | 2.8 | 3.4 |
| Ecuador, Guayaquil | 391 | 62.1 | 17.9 | 7.6 | 308 | 62.0 | 18.5 | 5.1 |
| Ecuador, Manabí | 200 | 52.0 | 25.0 | 5.3 | 143 | 65.0 | 19.6 | 3.8 |
| Ecuador, Quito | 333 | 73.9 | 13.5 | 8.2 | 342 | 78.4 | 12.6 | 6.8 |
| *France, Guadeloupe | 229 | 98.3 | – | 13.3 | 126 | 96.0 | – | 6.0 |
| *France, Martinique | 206 | 96.6 | – | 10.9 | 154 | 96.8 | – | 6.9 |
| *Peru, Lima | 1831 | 65.8 | 17.1 | 13.1 | 1689 | 67.8 | 16.8 | 9.8 |
| *Trinidad and Tobago | 465 | 77.4 | 9.5 | 19.0 | 161 | 77.6 | 8.1 | 6.0 |
| USA, Puerto Rico | 2417 | 83.0 | 7.2 | 13.9 | 1534 | 82.7 | 7.2 | 7.3 |
| *Uruguay | 5489 | 60.6 | 18.2 | 44.4 | 2005 | 65.0 | 16.2 | 13.2 |
| North America | | | | | | | | |
| Canada, Alberta | 5475 | 84.3 | 0.1 | 33.8 | 5525 | 85.0 | 0.0 | 31.6 |
| Canada, British Columbia | 8120 | 79.4 | 0.8 | 30.9 | 8535 | 80.1 | 0.6 | 29.9 |
| *Canada, Manitoba | 2185 | 77.7 | – | 36.2 | 2327 | 74.9 | – | 34.6 |
| *Canada, New Brunswick | 2226 | 82.6 | 0.0 | 50.2 | 1869 | 83.7 | 0.2 | 39.2 |
| *Canada, Newfoundland and Labrador | 1374 | 79.1 | 1.0 | 44.8 | 1132 | 81.7 | 0.6 | 35.6 |
| Canada, Ontario | 24376 | 83.7 | 2.8 | 35.9 | 24134 | 83.5 | 3.1 | 31.7 |
| *Canada, Prince Edward Island | 345 | 73.3 | – | 41.4 | 367 | 71.9 | – | 39.2 |
| Canada, Quebec | 23765 | 78.5 | 8.4 | 53.0 | 22771 | 80.4 | 7.2 | 48.6 |
| Canada, Saskatchewan | 1903 | 80.7 | 0.4 | 35.5 | 2008 | 78.1 | 1.0 | 34.8 |
| *Canada, Yukon | 51 | 82.4 | – | 33.8 | 46 | 89.1 | – | 31.8 |
| USA | 580308 | 88.0 | 5.0 | 41.1 | 533824 | 88.2 | 4.3 | 32.3 |
| USA: White | 494647 | 87.8 | 4.9 | 41.0 | 461957 | 87.9 | 4.4 | 33.5 |
| USA: Black | 64550 | 89.0 | 4.9 | 49.5 | 53768 | 90.1 | 3.7 | 30.5 |
| USA, NPCR | 562475 | 88.0 | 5.0 | 41.3 | 517365 | 88.1 | 4.4 | 32.5 |
| USA, NPCR: White | 479505 | 87.8 | 5.0 | 41.1 | 447619 | 87.8 | 4.4 | 33.6 |
| USA, NPCR: Black | 63839 | 89.0 | 4.9 | 49.6 | 53165 | 90.0 | 3.7 | 30.5 |
| USA, NPCR: Asian and Pacific Islander | 14868 | 91.4 | 3.4 | 24.8 | 12666 | 91.8 | 3.4 | 16.7 |
| USA, NPCR: American Indian | 2921 | 84.8 | 6.8 | 26.0 | 2907 | 88.1 | 5.1 | 22.5 |
| *USA, SEER (18 registries) | 131806 | 88.6 | 2.6 | 35.4 | 123432 | 88.4 | 2.4 | 27.9 |
| *USA, SEER (18 registries): White | 105592 | 88.2 | 2.6 | 35.2 | 101677 | 87.9 | 2.5 | 29.2 |
| *USA, SEER (18 registries): Non-Hispanic White | 97753 | 88.1 | 2.6 | 38.3 | 94229 | 87.8 | 2.5 | 32.1 |
| *USA, SEER (18 registries): Hispanic White | 7839 | 89.1 | 2.9 | 18.4 | 7448 | 89.5 | 2.7 | 14.2 |
| *USA, SEER (18 registries): Black | 15663 | 90.0 | 2.5 | 46.9 | 12962 | 90.8 | 1.8 | 28.9 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 9407 | 91.0 | 2.2 | 25.5 | 7683 | 91.2 | 2.3 | 16.5 |
| *USA, SEER (9 registries) | 43899 | 89.0 | 2.4 | 33.9 | 42322 | 88.8 | 2.2 | 27.6 |
| *USA, SEER (9 registries): White | 34456 | 88.8 | 2.4 | 33.3 | 34076 | 88.5 | 2.3 | 28.7 |
| *USA, SEER (9 registries): Black | 4992 | 90.8 | 2.0 | 45.7 | 4544 | 90.8 | 1.5 | 30.4 |
| USA, Alabama | 11465 | 87.4 | 8.3 | 53.4 | 8425 | 87.1 | 8.0 | 33.1 |
| USA, Alabama: White | 9066 | 87.1 | 8.5 | 53.1 | 6965 | 87.0 | 7.9 | 36.1 |

* Important. See note on population page.

Indices of data quality Trachea, bronchus, and lung (C33-34) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 2327 | 88.6 | 7.4 | 56.3 | 1398 | 87.3 | 8.3 | 24.9 |
| USA, Alaska | 1027 | 85.4 | 4.4 | 38.0 | 792 | 87.1 | 3.0 | 29.5 |
| *USA, Alaska: Alaska Natives | 193 | 85.0 | 3.1 | 58.8 | 174 | 88.5 | 1.7 | 46.6 |
| USA, Arizona | 10251 | 86.9 | 9.2 | 30.8 | 9796 | 88.8 | 7.2 | 26.1 |
| USA, Arizona: White | 9677 | 86.8 | 9.3 | 31.6 | 9255 | 88.8 | 7.1 | 27.0 |
| USA, Arizona: Black | 339 | 88.5 | 8.6 | 36.6 | 256 | 91.0 | 5.9 | 25.0 |
| *USA, Arizona: Asian and Pacific Islander | 146 | 95.2 | 2.7 | 20.2 | 176 | 88.1 | 8.5 | 16.7 |
| USA, Arizona: American Indian | 79 | 87.3 | 6.3 | 8.7 | 95 | 90.5 | 5.3 | 8.1 |
| USA, Arkansas | 8164 | 89.6 | 5.5 | 60.6 | 6336 | 89.7 | 5.7 | 41.6 |
| USA, Arkansas: White | 7069 | 89.7 | 5.3 | 59.4 | 5634 | 89.6 | 5.8 | 42.8 |
| USA, Arkansas: Black | 1006 | 89.4 | 6.5 | 71.8 | 623 | 91.5 | 3.9 | 34.8 |
| USA, California | 42777 | 88.3 | 4.8 | 26.7 | 42812 | 88.3 | 4.3 | 22.4 |
| USA, California: White | 32931 | 87.8 | 5.0 | 26.2 | 34251 | 87.6 | 4.6 | 23.3 |
| USA, California: Black | 3340 | 89.3 | 4.8 | 37.4 | 3165 | 91.4 | 3.2 | 28.3 |
| USA, California: Asian and Pacific Islander | 6242 | 91.0 | 3.4 | 25.7 | 5112 | 91.5 | 3.4 | 16.5 |
| *USA, California, Los Angeles County | 9496 | 90.6 | 2.4 | 24.4 | 8741 | 90.5 | 2.3 | 18.2 |
| *USA, California, Los Angeles County: White | 6353 | 90.4 | 2.4 | 22.7 | 5991 | 89.3 | 2.4 | 17.7 |
| *USA, California, Los Angeles County: Non-Hispanic White | 4666 | 90.4 | 2.4 | 27.9 | 4480 | 89.0 | 2.8 | 23.6 |
| *USA, California, Los Angeles County: Hispanic White | 1687 | 90.5 | 2.4 | 15.3 | 1511 | 90.1 | 1.3 | 10.3 |
| *USA, California, Los Angeles County: Black | 1279 | 89.8 | 3.5 | 37.3 | 1289 | 91.9 | 1.9 | 27.5 |
| *USA, California, Los Angeles County: Chinese | 538 | 92.2 | 2.6 | 22.2 | 439 | 93.4 | 2.5 | 15.4 |
| *USA, California, Los Angeles County: Filipino | 397 | 91.4 | 1.8 | 26.3 | 314 | 94.9 | 2.5 | 13.6 |
| *USA, California, Los Angeles County: Korean | 283 | 91.2 | 1.4 | 25.2 | 146 | 95.2 | 1.4 | 10.7 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 1789 | 92.3 | 1.6 | 25.2 | 1385 | 94.2 | 2.2 | 15.4 |
| *USA, California, San Francisco Bay Area | 5221 | 88.1 | 2.6 | 25.2 | 5339 | 87.9 | 2.3 | 21.3 |
| *USA, California, San Francisco Bay Area: White | 3099 | 87.8 | 2.8 | 22.5 | 3518 | 87.0 | 2.5 | 21.8 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 2689 | 87.6 | 3.0 | 23.2 | 3125 | 86.7 | 2.5 | 23.3 |
| *USA, California, San Francisco Bay Area: Hispanic White | 410 | 89.0 | 1.5 | 19.6 | 393 | 89.6 | 2.3 | 14.6 |
| *USA, California, San Francisco Bay Area: Black | 632 | 88.1 | 3.0 | 41.2 | 601 | 89.5 | 2.2 | 31.2 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 1461 | 88.7 | 2.1 | 26.9 | 1201 | 89.8 | 1.8 | 17.3 |
| USA, Colorado | 5738 | 85.9 | 4.9 | 25.4 | 6011 | 84.4 | 5.1 | 23.3 |
| USA, Colorado: White | 5350 | 85.8 | 4.9 | 25.4 | 5653 | 84.3 | 5.3 | 23.5 |
| *USA, Colorado: Black | 221 | 87.8 | 3.2 | 30.1 | 185 | 90.3 | 1.1 | 24.5 |
| *USA, Colorado: Asian and Pacific Islander | 115 | 87.8 | 4.3 | 22.2 | 129 | 86.0 | 3.9 | 17.3 |
| USA, Connecticut | 6366 | 92.5 | 0.8 | 37.6 | 6749 | 92.6 | 0.9 | 33.0 |
| USA, Connecticut: White | 5743 | 92.4 | 0.8 | 37.6 | 6171 | 92.4 | 0.9 | 33.9 |
| USA, Connecticut: Black | 489 | 92.4 | 0.2 | 41.0 | 449 | 94.2 | 0.4 | 26.9 |
| USA, District of Columbia | 712 | 87.9 | 8.0 | 32.9 | 819 | 89.7 | 5.9 | 29.4 |
| USA, District of Columbia: White | 141 | 88.7 | 9.9 | 14.4 | 182 | 90.7 | 7.7 | 17.2 |
| USA, District of Columbia: Black | 549 | 87.8 | 7.7 | 47.2 | 622 | 89.5 | 5.1 | 37.0 |
| USA, Florida | 45233 | 89.5 | 4.9 | 42.0 | 40516 | 90.1 | 3.7 | 32.5 |
| USA, Florida: White | 40316 | 89.9 | 4.4 | 42.6 | 36824 | 90.3 | 3.5 | 34.4 |
| USA, Florida: Black | 3892 | 91.3 | 4.2 | 37.6 | 2915 | 91.7 | 3.0 | 21.7 |
| USA, Florida: Asian and Pacific Islander | 408 | 95.8 | 0.2 | 19.2 | 391 | 95.1 | 0.3 | 13.8 |
| USA, Georgia | 18841 | 87.7 | 3.8 | 48.8 | 15085 | 87.3 | 3.4 | 32.0 |
| USA, Georgia: White | 14129 | 87.0 | 4.0 | 49.4 | 11675 | 86.4 | 3.7 | 35.3 |
| USA, Georgia: Black | 4497 | 89.6 | 3.1 | 51.1 | 3188 | 90.2 | 2.4 | 25.7 |
| USA, Georgia: Asian and Pacific Islander | 192 | 92.7 | 1.0 | 17.1 | 197 | 94.4 | 2.0 | 14.5 |
| *USA, Georgia, Atlanta | 3976 | 90.7 | 1.7 | 34.5 | 3798 | 89.7 | 1.7 | 25.4 |
| *USA, Georgia, Atlanta: White | 2321 | 89.7 | 1.9 | 32.2 | 2345 | 88.7 | 2.2 | 26.9 |
| *USA, Georgia, Atlanta: Black | 1510 | 92.1 | 1.7 | 41.9 | 1330 | 91.1 | 1.0 | 24.9 |
| USA, Idaho | 2431 | 80.7 | 4.7 | 31.5 | 2274 | 82.1 | 3.1 | 27.6 |
| USA, Indiana | 15231 | 89.6 | 2.8 | 53.7 | 13119 | 89.4 | 1.8 | 39.9 |
| USA, Indiana: White | 14194 | 89.5 | 2.8 | 54.2 | 12116 | 89.2 | 1.8 | 40.5 |
| USA, Indiana: Black | 962 | 91.1 | 2.3 | 54.3 | 926 | 92.0 | 1.9 | 38.4 |
| *USA, Iowa | 6555 | 87.6 | 3.1 | 44.4 | 5611 | 87.7 | 2.8 | 33.9 |
| USA, Kentucky | 13333 | 85.5 | 5.9 | 68.5 | 11460 | 86.5 | 4.7 | 51.1 |
| USA, Louisiana | 9929 | 90.5 | 2.2 | 52.0 | 7848 | 89.2 | 2.4 | 34.7 |
| USA, Louisiana: White | 6854 | 90.0 | 2.2 | 48.3 | 5892 | 88.6 | 2.3 | 36.9 |
| USA, Louisiana: Black | 2987 | 91.5 | 2.0 | 64.2 | 1893 | 91.2 | 2.3 | 30.6 |
| *USA, Louisiana, New Orleans | 1664 | 92.4 | 3.1 | 46.8 | 1398 | 90.9 | 3.6 | 32.0 |
| *USA, Louisiana, New Orleans: White | 937 | 91.5 | 3.1 | 41.3 | 899 | 89.5 | 4.4 | 34.5 |
| *USA, Louisiana, New Orleans: Black | 692 | 93.5 | 3.3 | 58.2 | 484 | 93.8 | 2.3 | 29.7 |
| USA, Maine | 3607 | 83.4 | 5.4 | 49.9 | 3420 | 84.2 | 3.7 | 41.6 |
| USA, Maryland | 9549 | 87.4 | 6.4 | 37.9 | 9968 | 87.9 | 5.5 | 32.0 |
| USA, Maryland: White | 6894 | 87.9 | 5.6 | 38.6 | 7140 | 87.5 | 5.3 | 34.1 |
| USA, Maryland: Black | 2360 | 85.3 | 9.0 | 40.3 | 2570 | 89.1 | 5.8 | 30.7 |
| USA, Maryland: Asian and Pacific Islander | 272 | 92.3 | 3.3 | 19.0 | 236 | 89.4 | 6.4 | 14.0 |
| USA, Massachusetts | 12132 | 87.8 | 4.4 | 39.4 | 13840 | 87.6 | 4.4 | 37.2 |
| USA, Massachusetts: White | 11133 | 87.5 | 4.5 | 40.0 | 12929 | 87.2 | 4.4 | 38.7 |
| USA, Massachusetts: Black | 540 | 91.3 | 3.3 | 33.4 | 540 | 92.8 | 3.3 | 25.3 |
| USA, Massachusetts: Asian and Pacific Islander | 395 | 91.6 | 4.3 | 32.3 | 297 | 91.2 | 4.4 | 19.8 |

* Important. See note on population page.

Indices of data quality Trachea, bronchus, and lung (C33-34) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 20637 | 87.4 | 6.2 | 44.3 | 19547 | 88.2 | 4.7 | 36.6 |
| USA, Michigan: White | 17758 | 87.2 | 6.4 | 43.3 | 16815 | 88.1 | 4.8 | 36.7 |
| USA, Michigan: Black | 2531 | 89.5 | 4.0 | 55.7 | 2364 | 89.3 | 3.6 | 38.0 |
| USA, Michigan: Asian and Pacific Islander | 144 | 91.0 | 4.2 | 16.5 | 164 | 93.3 | 3.7 | 15.9 |
| *USA, Michigan, Detroit | 7812 | 90.5 | 3.1 | 45.8 | 7899 | 90.2 | 2.6 | 37.5 |
| *USA, Michigan, Detroit: White | 5843 | 90.6 | 3.3 | 43.9 | 5982 | 90.2 | 2.8 | 38.0 |
| *USA, Michigan, Detroit: Black | 1827 | 90.9 | 2.1 | 57.0 | 1769 | 90.2 | 1.9 | 38.2 |
| USA, Minnesota | 9206 | 89.1 | 2.4 | 37.1 | 9113 | 90.0 | 2.7 | 32.8 |
| USA, Minnesota: White | 8594 | 88.9 | 2.4 | 36.4 | 8536 | 89.9 | 2.8 | 32.4 |
| USA, Minnesota: Black | 318 | 89.3 | 2.2 | 50.0 | 259 | 91.9 | 1.2 | 36.6 |
| *USA, Minnesota: Asian and Pacific Islander | 163 | 95.1 | 3.7 | 32.1 | 122 | 95.1 | 2.5 | 19.1 |
| USA, Mississippi | 7675 | 91.5 | 2.4 | 61.5 | 5641 | 91.5 | 2.0 | 38.3 |
| USA, Missouri | 14369 | 86.0 | 7.1 | 51.9 | 13098 | 86.3 | 5.9 | 40.9 |
| USA, Missouri: White | 12893 | 85.9 | 7.2 | 51.2 | 11729 | 86.2 | 6.2 | 41.2 |
| USA, Missouri: Black | 1359 | 87.2 | 5.8 | 63.5 | 1257 | 88.2 | 3.1 | 42.5 |
| USA, Montana | 1748 | 87.1 | 3.5 | 31.1 | 1973 | 86.4 | 3.4 | 33.5 |
| *USA, Montana: American Indian | 80 | 83.8 | 5.0 | 44.0 | 112 | 83.9 | 3.6 | 50.9 |
| USA, Nebraska | 3322 | 90.7 | 3.3 | 39.5 | 3033 | 90.5 | 3.9 | 32.6 |
| USA, Nebraska: White | 3167 | 90.7 | 3.3 | 39.5 | 2860 | 90.5 | 3.8 | 32.3 |
| *USA, Nebraska: Black | 110 | 91.8 | 3.6 | 46.6 | 131 | 90.1 | 4.6 | 48.0 |
| USA, Nevada | 4240 | 86.8 | 7.6 | 31.8 | 4477 | 89.2 | 6.1 | 31.2 |
| USA, Nevada: White | 3665 | 86.8 | 7.6 | 32.5 | 3868 | 88.7 | 6.3 | 33.2 |
| USA, Nevada: Black | 285 | 83.9 | 8.4 | 32.8 | 299 | 92.0 | 5.4 | 29.1 |
| *USA, Nevada: Asian and Pacific Islander | 249 | 91.2 | 5.6 | 23.6 | 265 | 93.2 | 4.5 | 18.1 |
| USA, New Jersey | 14243 | 89.9 | 3.9 | 35.6 | 15657 | 88.7 | 4.0 | 31.8 |
| USA, New Jersey: White | 12082 | 90.0 | 3.7 | 36.8 | 13472 | 88.4 | 4.0 | 34.1 |
| USA, New Jersey: Black | 1588 | 88.8 | 5.4 | 38.3 | 1727 | 89.6 | 3.9 | 29.1 |
| USA, New Mexico | 2555 | 83.7 | 6.7 | 25.1 | 2352 | 84.2 | 7.0 | 20.5 |
| USA, New Mexico: White | 2400 | 83.6 | 6.8 | 26.1 | 2215 | 83.7 | 7.2 | 21.8 |
| USA, New Mexico: Non-Hispanic White | 1732 | 83.9 | 6.4 | 29.8 | 1602 | 84.5 | 7.1 | 25.5 |
| USA, New Mexico: Hispanic White | 668 | 82.6 | 7.8 | 20.2 | 613 | 81.9 | 7.5 | 15.9 |
| *USA, New Mexico: American Indian | 59 | 86.4 | 1.7 | 9.3 | 53 | 88.7 | 1.9 | 6.0 |
| USA, New York State | 34402 | 90.1 | 2.3 | 39.8 | 35604 | 89.7 | 2.4 | 33.6 |
| USA, New York State: White | 27954 | 89.6 | 2.4 | 40.7 | 29851 | 89.1 | 2.6 | 36.7 |
| USA, New York State: Black | 4285 | 91.7 | 1.8 | 38.3 | 4132 | 91.9 | 1.6 | 25.0 |
| USA, New York State: Asian and Pacific Islander | 2059 | 94.4 | 1.4 | 32.9 | 1534 | 94.6 | 1.6 | 21.4 |
| USA, North Carolina | 22213 | 87.4 | 4.2 | 51.2 | 18871 | 87.7 | 3.9 | 36.4 |
| USA, North Carolina: White | 17664 | 87.1 | 4.1 | 50.1 | 15513 | 87.1 | 4.1 | 38.3 |
| USA, North Carolina: Black | 4125 | 88.4 | 4.7 | 57.6 | 3011 | 90.4 | 2.9 | 30.5 |
| USA, North Carolina: Asian and Pacific Islander | 142 | 93.0 | 2.8 | 20.8 | 162 | 92.0 | 3.1 | 18.4 |
| *USA, North Carolina: American Indian | 238 | 88.7 | 3.8 | 51.0 | 158 | 88.0 | 4.4 | 28.6 |
| USA, North Dakota | 1304 | 91.8 | 3.6 | 38.9 | 1158 | 93.3 | 2.4 | 33.2 |
| USA, Ohio | 26473 | 88.6 | 7.3 | 49.9 | 23597 | 89.3 | 6.0 | 38.2 |
| USA, Ohio: White | 23558 | 88.8 | 7.1 | 49.6 | 20906 | 89.1 | 6.2 | 38.4 |
| USA, Ohio: Black | 2741 | 87.6 | 8.2 | 57.8 | 2523 | 90.5 | 4.8 | 39.8 |
| *USA, Ohio: Asian and Pacific Islander | 134 | 88.8 | 6.7 | 19.3 | 145 | 93.8 | 3.4 | 16.4 |
| USA, Oklahoma | 8450 | 84.1 | 8.9 | 50.3 | 7120 | 87.2 | 6.2 | 37.2 |
| USA, Oklahoma: White | 7262 | 83.8 | 9.2 | 49.8 | 6110 | 86.9 | 6.3 | 37.3 |
| USA, Oklahoma: Black | 483 | 88.8 | 5.8 | 54.0 | 375 | 91.2 | 4.5 | 33.8 |
| USA, Oklahoma: American Indian | 636 | 84.0 | 9.3 | 56.4 | 558 | 88.5 | 6.1 | 42.0 |
| USA, Oregon | 6963 | 82.6 | 7.9 | 35.1 | 6990 | 82.7 | 8.1 | 31.0 |
| USA, Oregon: White | 6489 | 82.5 | 8.0 | 34.5 | 6592 | 82.6 | 8.2 | 31.0 |
| *USA, Oregon: Black | 130 | 83.1 | 5.4 | 48.2 | 94 | 77.7 | 8.5 | 34.2 |
| *USA, Oregon: Asian and Pacific Islander | 182 | 86.8 | 6.0 | 31.3 | 170 | 84.1 | 7.1 | 20.9 |
| USA, Rhode Island | 2295 | 87.8 | 5.5 | 47.0 | 2453 | 88.9 | 5.0 | 41.7 |
| USA, Rhode Island: White | 2165 | 87.4 | 5.7 | 47.6 | 2353 | 88.9 | 5.0 | 43.1 |
| *USA, Rhode Island: Black | 103 | 95.1 | 1.9 | 46.4 | 71 | 88.7 | 4.2 | 27.3 |
| USA, South Carolina | 11247 | 88.1 | 6.1 | 50.2 | 8922 | 88.8 | 5.3 | 34.0 |
| USA, South Carolina: White | 8644 | 87.7 | 6.2 | 49.2 | 7222 | 88.6 | 5.3 | 36.9 |
| USA, South Carolina: Black | 2540 | 89.3 | 5.6 | 55.7 | 1634 | 89.3 | 5.3 | 26.5 |
| USA, South Dakota | 1613 | 89.1 | 2.4 | 38.4 | 1487 | 89.1 | 2.5 | 34.4 |
| USA, Tennessee | 16821 | 87.9 | 6.4 | 58.0 | 13659 | 88.9 | 4.0 | 40.7 |
| USA, Tennessee: White | 14766 | 88.1 | 6.1 | 58.2 | 12066 | 88.6 | 4.0 | 42.3 |
| USA, Tennessee: Black | 1954 | 85.8 | 8.8 | 60.6 | 1499 | 90.9 | 3.5 | 33.5 |
| USA, Texas | 36483 | 85.4 | 7.1 | 36.7 | 30576 | 85.8 | 6.7 | 26.2 |
| USA, Texas: White | 30834 | 85.3 | 7.1 | 35.9 | 26193 | 85.4 | 6.8 | 26.4 |
| USA, Texas: Black | 4667 | 86.1 | 7.2 | 50.8 | 3555 | 87.2 | 5.6 | 28.9 |
| USA, Texas: Asian and Pacific Islander | 852 | 87.9 | 8.2 | 22.3 | 686 | 89.7 | 6.1 | 14.8 |
| USA, Utah | 1726 | 86.8 | 1.4 | 17.4 | 1489 | 87.4 | 1.6 | 13.9 |
| USA, Vermont | 1353 | 88.4 | 2.4 | 41.9 | 1288 | 86.0 | 2.8 | 34.7 |
| USA, Washington State | 11086 | 85.4 | 5.2 | 34.6 | 11040 | 85.9 | 4.2 | 30.4 |
| *USA, Washington, Seattle | 7331 | 87.7 | 1.2 | 33.9 | 7338 | 86.7 | 0.9 | 29.5 |

* Important. See note on population page.

Indices of data quality Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 5728 | 85.3 | 2.6 | 59.9 | 4796 | 85.7 | 1.7 | 46.1 |
| USA, Wyoming | 746 | 85.1 | 2.5 | 27.0 | 709 | 85.9 | 2.7 | 25.0 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 188 | 94.7 | 2.1 | 16.0 | 69 | 92.8 | 1.4 | 5.6 |
| Brunei Darussalam | 200 | 86.5 | 2.5 | 24.0 | 168 | 86.3 | 3.6 | 19.4 |
| *China, Anfu County | 480 | 59.4 | 0.2 | 46.5 | 205 | 54.6 | 0.5 | 19.0 |
| *China, Anguo City | 899 | 71.3 | 3.2 | 69.4 | 519 | 71.1 | 3.9 | 37.9 |
| *China, Anshan City | 4660 | 55.5 | 1.0 | 59.2 | 2850 | 47.1 | 2.5 | 30.5 |
| *China, Aohan Banner, Chifeng City | 778 | 35.5 | 9.4 | 43.5 | 487 | 39.8 | 8.4 | 25.7 |
| *China, Arongqi | 520 | 64.2 | 3.8 | 59.4 | 361 | 65.9 | 4.7 | 44.9 |
| *China, Baoding City | 2233 | 67.6 | 12.5 | 62.7 | 1110 | 63.3 | 10.9 | 27.9 |
| *China, Beijing City | 18083 | 59.5 | 2.4 | 38.9 | 12595 | 62.7 | 1.9 | 25.6 |
| *China, Binhai County | 1993 | 51.2 | 0.2 | 41.2 | 944 | 51.3 | 0.2 | 19.5 |
| *China, Cangzhou City | 759 | 63.0 | 2.4 | 48.5 | 532 | 61.7 | 0.8 | 31.6 |
| China, Changfeng County | 929 | 47.9 | 1.5 | 49.6 | 376 | 39.4 | 0.5 | 20.6 |
| China, Changzhou City | 4927 | 61.3 | 0.7 | 48.6 | 2425 | 63.1 | 0.5 | 21.7 |
| China, Chengdu City | 2590 | 64.7 | 4.4 | 67.3 | 1290 | 64.0 | 5.0 | 31.5 |
| China, Cixian County | 983 | 72.4 | 1.2 | 59.8 | 526 | 62.7 | 2.3 | 28.6 |
| China, Cixi City | 3244 | 57.2 | 13.7 | 61.1 | 1754 | 59.1 | 15.3 | 32.6 |
| *China, Dafeng District, Yancheng City | 1767 | 47.7 | 0.6 | 46.7 | 1027 | 46.8 | 0.5 | 25.1 |
| China, Dalian City | 7504 | 64.8 | 1.8 | 64.0 | 5580 | 71.4 | 1.4 | 44.9 |
| *China, Dancheng County | 2753 | 46.5 | 1.3 | 86.3 | 1053 | 42.2 | 1.5 | 31.8 |
| China, Dangu County | 682 | 55.7 | 2.3 | 50.9 | 218 | 55.0 | 1.4 | 16.3 |
| *China, Danyang City | 1805 | 49.5 | 1.2 | 48.1 | 801 | 48.7 | 1.7 | 19.1 |
| *China, Dawukou District, Shizuishan City | 449 | 63.3 | 2.4 | 41.5 | 235 | 58.3 | 3.0 | 21.0 |
| *China, Dehui City | 1564 | 71.8 | 2.5 | 52.6 | 1142 | 69.5 | 2.0 | 38.3 |
| *China, Donggang County | 1498 | 44.7 | 2.4 | 50.7 | 1011 | 39.9 | 3.0 | 33.2 |
| *China, Dongguan City | 1808 | 57.8 | 1.5 | 44.0 | 1073 | 59.4 | 1.2 | 21.9 |
| China, Donghai County | 2125 | 42.8 | 4.9 | 47.6 | 1139 | 42.9 | 4.3 | 26.9 |
| *China, Dongtai City | 1913 | 56.7 | 0.2 | 35.7 | 1111 | 59.0 | 0.3 | 19.7 |
| China, Duanzhou District, Zhaoqing City | 655 | 43.5 | 3.5 | 50.4 | 329 | 40.1 | 3.3 | 24.7 |
| *China, Evenki Autonomous Banner | 167 | 74.9 | 3.0 | 63.7 | 101 | 74.3 | 0.0 | 33.1 |
| *China, Faku County | 1175 | 54.8 | 1.6 | 56.0 | 864 | 56.5 | 1.9 | 40.1 |
| *China, Fangcheng County | 970 | 67.9 | 0.1 | 40.4 | 461 | 68.5 | 0.0 | 21.2 |
| *China, Feicheng City | 2323 | 65.3 | 1.9 | 57.8 | 1091 | 61.0 | 2.1 | 23.8 |
| China, Feixi County | 2344 | 54.6 | 0.6 | 52.3 | 978 | 52.4 | 0.4 | 21.9 |
| China, Fuqing City | 1279 | 72.6 | 9.1 | 45.3 | 715 | 78.2 | 5.2 | 25.6 |
| *China, Ganyu District, Lianyungang City | 2076 | 56.2 | 1.9 | 46.0 | 1182 | 51.3 | 1.9 | 25.3 |
| *China, Ganzhou District, Zhangye City | 344 | 57.8 | 0.6 | 39.2 | 150 | 64.7 | 0.0 | 16.4 |
| *China, Gaocheng City | 961 | 41.4 | 3.2 | 41.1 | 413 | 37.8 | 3.1 | 15.7 |
| China, Gaomi City | 1973 | 67.9 | 1.8 | 62.3 | 977 | 65.2 | 1.2 | 27.4 |
| China, Gong'an County | 2500 | 62.2 | 0.4 | 74.0 | 941 | 59.0 | 0.3 | 25.6 |
| *China, Guang'an District, Guang'an City | 1599 | 67.4 | 3.7 | 81.4 | 586 | 57.5 | 4.3 | 29.3 |
| China, Guanghan City | 776 | 71.4 | 0.4 | 45.9 | 425 | 73.6 | 0.2 | 22.1 |
| China, Guangzhou City | 16012 | 63.5 | 1.3 | 48.8 | 8218 | 64.5 | 1.0 | 22.4 |
| *China, Guanyun County | 1330 | 47.3 | 1.8 | 35.5 | 791 | 48.9 | 0.9 | 22.1 |
| China, Guilin City | 1518 | 53.3 | 1.2 | 69.7 | 608 | 53.3 | 0.2 | 24.9 |
| *China, Hai'an City | 2092 | 58.7 | 0.4 | 35.6 | 1195 | 60.2 | 0.1 | 19.8 |
| China, Hailar District, Hulun Buir City | 686 | 54.7 | 2.2 | 63.6 | 399 | 48.6 | 2.8 | 31.1 |
| China, Haimen District, Nantong City | 3289 | 31.0 | 0.2 | 58.2 | 1652 | 36.0 | 0.2 | 28.8 |
| China, Haining City | 1813 | 58.2 | 1.3 | 51.4 | 983 | 59.4 | 1.1 | 27.1 |
| China, Hangzhou City | 16426 | 71.7 | 1.4 | 48.8 | 8938 | 75.3 | 1.2 | 26.5 |
| China, Hebi City | 619 | 56.7 | 1.1 | 49.2 | 301 | 59.8 | 1.0 | 21.8 |
| China, Hefei City | 5045 | 55.2 | 4.7 | 58.3 | 2341 | 59.5 | 3.3 | 26.7 |
| China, Hengdong County | 812 | 54.8 | 1.4 | 48.8 | 253 | 53.0 | 0.4 | 15.9 |
| *China, Hengfeng County | 277 | 47.3 | 3.2 | 44.5 | 94 | 41.5 | 7.4 | 15.4 |
| *China, Hepu County | 2049 | 22.7 | 3.9 | 63.9 | 787 | 26.2 | 3.6 | 25.4 |
| China, Honghu City | 1766 | 54.6 | 0.1 | 59.3 | 640 | 54.4 | 0.0 | 20.0 |
| China, Hongshan District, Chifeng City | 556 | 39.9 | – | 43.1 | 367 | 41.1 | – | 24.4 |
| *China, Hongta District, Yuxi City | 744 | 51.3 | 4.7 | 42.8 | 300 | 56.0 | 3.3 | 16.9 |
| *China, Huaiyin District, Huai'an City | 1717 | 33.1 | 2.1 | 44.8 | 667 | 40.2 | 1.3 | 17.1 |
| *China, Jiange County | 899 | 49.4 | 0.6 | 54.5 | 394 | 43.4 | 0.5 | 22.1 |
| China, Jiangmen City | 1202 | 61.6 | 0.6 | 48.8 | 767 | 66.6 | 1.0 | 28.2 |
| *China, Jiangyin City | 2912 | 65.5 | 0.3 | 48.2 | 1211 | 67.3 | 0.2 | 19.2 |
| *China, Jiashan County | 1340 | 67.6 | 0.2 | 60.2 | 788 | 76.8 | 0.1 | 37.9 |
| China, Jiayu County | 447 | 52.6 | 7.6 | 59.1 | 149 | 61.1 | 6.0 | 18.4 |
| *China, Jinan City | 4973 | 68.7 | 3.0 | 51.7 | 2730 | 67.9 | 3.0 | 23.9 |
| *China, Jingtai County | 287 | 40.1 | 7.0 | 42.2 | 151 | 49.0 | 3.3 | 21.8 |
| *China, Jingxian County | 619 | 76.7 | 2.3 | 42.5 | 255 | 75.3 | 1.6 | 20.0 |
| *China, Jintan District, Changzhou City | 1105 | 50.5 | 1.4 | 44.3 | 489 | 46.6 | 1.2 | 19.5 |
| *China, Jiulongpo District, Chongqing City | 2858 | 54.1 | 1.3 | 83.9 | 1036 | 52.2 | 1.1 | 27.6 |
| *China, Jiyuan City | 705 | 50.9 | 1.3 | 42.3 | 396 | 51.3 | 1.0 | 22.3 |

* Important. See note on population page.

Indices of data quality Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 855 | 56.4 | 0.6 | 69.1 | 322 | 56.8 | 0.0 | 26.2 |
| China, Kunshan City | 2062 | 58.5 | 1.0 | 57.1 | 1060 | 67.5 | 1.0 | 29.4 |
| China, Langzhong City | 904 | 59.5 | 0.7 | 46.3 | 383 | 58.5 | 0.5 | 20.5 |
| *China, Liangshan County | 2003 | 76.7 | 3.4 | 64.7 | 947 | 78.6 | 1.9 | 28.8 |
| *China, Lianshui County | 1746 | 37.7 | 0.3 | 39.6 | 689 | 39.2 | 0.1 | 15.2 |
| China, Lianyungang City | 1733 | 53.6 | 3.9 | 43.1 | 921 | 52.7 | 3.5 | 21.1 |
| China, Linhe District, Bayannur City | 658 | 78.4 | 7.9 | 50.5 | 244 | 79.5 | 6.6 | 18.2 |
| China, Linqu County | 2584 | 60.8 | 2.6 | 69.8 | 1449 | 57.8 | 1.8 | 36.6 |
| *China, Linzhou City | 895 | 53.9 | 3.5 | 25.4 | 639 | 54.3 | 1.1 | 16.1 |
| China, Liuzhou City | 1961 | 55.2 | 0.4 | 51.8 | 865 | 54.6 | 0.2 | 21.8 |
| China, Liyang City | 1567 | 60.6 | 0.1 | 36.0 | 695 | 63.0 | 0.0 | 16.4 |
| *China, Longquan City | 594 | 65.0 | 1.0 | 55.4 | 265 | 69.1 | 1.1 | 28.4 |
| China, Lucheng District, Wenzhou City | 920 | 69.7 | 4.3 | 45.2 | 663 | 75.4 | 3.2 | 31.2 |
| China, Luding City | 859 | 37.3 | 9.1 | 36.4 | 386 | 39.1 | 8.8 | 16.6 |
| *China, Luohe City | 2438 | 57.2 | 3.1 | 64.0 | 1146 | 55.1 | 3.7 | 24.9 |
| *China, Luoyang City | 2131 | 68.8 | 3.3 | 48.4 | 928 | 67.7 | 2.7 | 19.9 |
| *China, Luquan City | 501 | 54.5 | 1.4 | 41.6 | 282 | 59.9 | 3.9 | 21.3 |
| China, Ma'anshan City | 1432 | 66.6 | 0.5 | 65.1 | 559 | 62.8 | 0.5 | 23.1 |
| *China, Macheng City | 1494 | 70.4 | 0.3 | 61.9 | 547 | 63.1 | 1.1 | 22.3 |
| China, Meihekou City | 1229 | 63.8 | 0.8 | 52.3 | 792 | 60.2 | 0.8 | 34.6 |
| *China, Mengjin County | 511 | 49.9 | 2.2 | 45.3 | 247 | 51.0 | 1.6 | 19.4 |
| China, Nangang District, Harbin City | 1715 | 56.0 | 4.5 | 41.7 | 1142 | 55.6 | 4.9 | 23.1 |
| *China, Nanhai District, Foshan City | 1871 | 46.1 | – | 65.5 | 1062 | 45.4 | – | 31.5 |
| China, Nanhu District, Jiaying City | 1440 | 63.3 | 1.0 | 52.4 | 995 | 73.1 | 0.6 | 37.4 |
| *China, Nantong City | 2833 | 47.0 | 1.6 | 47.0 | 1604 | 48.5 | 1.0 | 25.6 |
| *China, Nanxiong City | 669 | 43.8 | 2.1 | 49.2 | 364 | 43.7 | 1.1 | 20.7 |
| China, Neixiang County | 1004 | 64.3 | 1.5 | 40.9 | 368 | 63.0 | 1.6 | 14.8 |
| *China, Qianxi County | 533 | 66.2 | 6.9 | 37.9 | 348 | 64.4 | 14.1 | 26.0 |
| China, Qidong City | 3485 | 26.7 | 0.1 | 49.6 | 1757 | 30.3 | 0.0 | 22.8 |
| China, Qingzhou City | 2089 | 62.0 | 0.3 | 61.0 | 1120 | 56.8 | 0.3 | 29.6 |
| *China, Rudong County | 3043 | 71.4 | 0.4 | 43.5 | 1687 | 66.6 | 0.3 | 23.3 |
| *China, Rugao City | 3090 | 65.4 | 0.2 | 39.2 | 1533 | 58.9 | 0.1 | 18.4 |
| *China, Rural areas of Shanghai City | 26172 | 66.2 | 0.6 | 52.5 | 15016 | 73.8 | 0.3 | 31.6 |
| China, Ruyang County | 630 | 65.6 | 3.3 | 51.3 | 255 | 66.7 | 2.0 | 20.3 |
| *China, Shan County | 1943 | 54.9 | 0.6 | 78.0 | 807 | 54.6 | 0.5 | 26.8 |
| China, Shanghai City | 18019 | 64.7 | 0.4 | 44.7 | 12204 | 71.6 | 0.4 | 32.0 |
| China, Shangyu District, Shaoxing City | 2389 | 62.8 | 3.3 | 65.4 | 1187 | 67.3 | 2.6 | 32.6 |
| *China, Shapingba District, Chongqing City | 2682 | 57.7 | 1.3 | 78.8 | 1034 | 57.4 | 1.0 | 29.1 |
| China, Shexian County | 410 | 65.9 | 0.0 | 30.3 | 237 | 61.2 | 0.4 | 16.9 |
| China, Sheyang County | 2182 | 50.0 | 0.1 | 48.8 | 1283 | 49.5 | 0.3 | 28.3 |
| *China, Shijiazhuang City | 2373 | 65.5 | 5.0 | 42.9 | 1264 | 64.6 | 5.5 | 21.9 |
| China, Shunde District, Foshan City | 2322 | 38.6 | 0.0 | 66.9 | 1297 | 35.1 | 0.1 | 28.3 |
| *China, Song County | 415 | 63.6 | 1.9 | 25.2 | 209 | 64.1 | 2.9 | 13.1 |
| China, Suzhou City | 8343 | 61.3 | 4.6 | 48.7 | 4170 | 68.6 | 3.0 | 24.2 |
| *China, Tengzhou City | 4193 | 39.6 | 3.4 | 74.3 | 2068 | 32.5 | 4.6 | 31.8 |
| *China, Wangdu County | 351 | 78.1 | 3.7 | 51.4 | 151 | 68.9 | 2.0 | 21.6 |
| *China, Wanzai County | 697 | 60.0 | 1.6 | 59.3 | 271 | 54.6 | 3.0 | 22.3 |
| *China, Wu'an City | 839 | 52.3 | 1.9 | 37.2 | 349 | 50.1 | 3.2 | 14.2 |
| China, Wuhan City | 12023 | 73.3 | 0.2 | 52.7 | 4950 | 74.0 | 0.2 | 19.8 |
| *China, Wuhu City | 2495 | 55.3 | 1.3 | 43.3 | 888 | 58.4 | 1.1 | 15.9 |
| China, Wuxi City | 4973 | 51.5 | 1.0 | 38.5 | 2484 | 58.7 | 0.6 | 19.3 |
| China, Wuzhou City | 983 | 35.3 | 4.6 | 50.3 | 468 | 34.8 | 4.3 | 22.4 |
| China, Xiangfu District, Kaifeng City | 1049 | 51.8 | 1.0 | 53.8 | 541 | 56.2 | 0.6 | 24.2 |
| China, Xianju County | 1059 | 63.2 | 3.2 | 51.3 | 477 | 67.1 | 4.2 | 23.8 |
| *China, Xin'an County | 611 | 58.3 | 1.1 | 52.5 | 277 | 58.5 | 0.4 | 23.3 |
| *China, Xining City | 1253 | 63.7 | 1.5 | 57.5 | 623 | 58.9 | 2.1 | 26.4 |
| *China, Xinji City | 1078 | 58.2 | 2.1 | 38.6 | 577 | 57.7 | 1.6 | 19.4 |
| *China, Xinluo District, Longyan City | 648 | 51.7 | – | 52.0 | 244 | 54.9 | – | 19.7 |
| *China, Xinzhou District, Shangrao City | 700 | 50.3 | 6.3 | 50.4 | 263 | 47.1 | 11.4 | 18.3 |
| China, Xiping County | 1567 | 48.0 | 4.1 | 59.4 | 720 | 46.0 | 3.3 | 23.5 |
| *China, Xishan District, Kunming City | 612 | 59.6 | 1.8 | 32.6 | 252 | 63.1 | 2.0 | 13.9 |
| *China, Xuyi County | 1092 | 51.5 | 0.7 | 42.4 | 412 | 48.3 | 0.2 | 14.7 |
| *China, Ya'an City | 2042 | 62.1 | 3.1 | 37.7 | 1140 | 58.3 | 2.3 | 20.6 |
| *China, Yakeshi City | 881 | 63.9 | 8.2 | 56.6 | 599 | 62.6 | 5.0 | 32.6 |
| China, Yancheng City | 2958 | 47.1 | 1.3 | 49.0 | 1453 | 44.9 | 1.0 | 23.2 |
| *China, Yangquan City | 1204 | 76.0 | 7.1 | 56.3 | 515 | 77.1 | 8.5 | 23.9 |
| *China, Yangzhong City | 515 | 17.3 | 0.0 | 33.7 | 206 | 22.8 | 0.5 | 12.0 |
| *China, Yanji City | 713 | 44.7 | 4.8 | 35.7 | 413 | 46.2 | 4.4 | 16.5 |
| *China, Yanshi City | 672 | 51.0 | 4.5 | 27.8 | 413 | 54.5 | 2.7 | 15.0 |
| China, Yanting County | 915 | 54.3 | 2.2 | 47.9 | 313 | 50.5 | 5.8 | 16.3 |
| *China, Yi'an District, Tongling City | 483 | 54.7 | 4.1 | 46.7 | 182 | 50.0 | 4.4 | 17.9 |
| *China, Yingdong District, Fuyang City | 1147 | 22.8 | 0.8 | 49.6 | 560 | 21.1 | 0.4 | 23.7 |

* Important. See note on population page.

Indices of data quality Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | Female | | | |
|--|--------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 555 | 77.5 | 1.1 | 56.3 | 439 | 86.3 | 0.0 | 44.3 |
| *China, Yiyuan County | 1346 | 66.6 | 1.5 | 66.2 | 699 | 67.4 | 1.7 | 32.3 |
| China, Yong'an City | 585 | 50.4 | 0.2 | 42.9 | 234 | 53.0 | 0.0 | 18.0 |
| *China, Yongding District, Longyan City | 994 | 75.4 | 0.2 | 61.7 | 322 | 74.2 | 0.3 | 17.4 |
| China, Yongkang City | 1722 | 74.3 | 5.9 | 68.4 | 739 | 72.5 | 4.2 | 29.0 |
| *China, Yucheng County | 830 | 83.9 | 0.1 | 42.0 | 502 | 79.9 | 0.4 | 23.4 |
| China, Yueyanglou District, Yueyang City | 615 | 55.6 | 4.2 | 56.3 | 208 | 53.4 | 5.8 | 19.1 |
| China, Yunmeng County | 1118 | 38.5 | 0.1 | 74.0 | 468 | 40.4 | 0.4 | 28.1 |
| *China, Yunyang District, Shiyan City | 471 | 35.7 | 1.1 | 42.3 | 209 | 29.7 | 1.0 | 18.5 |
| China, Yuzhong District, Chongqing City | 1726 | 54.2 | 1.8 | 78.9 | 756 | 50.8 | 2.1 | 28.6 |
| *China, Zhanhuang County | 295 | 41.4 | 6.1 | 34.1 | 136 | 47.1 | 7.4 | 15.3 |
| *China, Zhangjiagang City | 2880 | 52.6 | 1.9 | 59.4 | 1480 | 58.4 | 1.1 | 29.2 |
| *China, Zhaoyuan City | 1801 | 43.9 | 1.2 | 61.8 | 881 | 45.1 | 0.6 | 27.5 |
| *China, Zhengding County | 651 | 58.7 | 7.1 | 48.8 | 327 | 53.8 | 7.3 | 20.8 |
| *China, Zhongshan City | 3146 | 67.5 | — | 59.6 | 1911 | 65.6 | — | 31.7 |
| China, Zhongxiang City | 1669 | 67.6 | 0.5 | 49.8 | 722 | 71.6 | 0.1 | 20.4 |
| *China, Zhuanghe City | 2128 | 50.6 | 0.1 | 45.3 | 1610 | 57.1 | 0.1 | 34.6 |
| *China, Zhuhai City | 1708 | 46.5 | 3.5 | 48.8 | 1004 | 47.4 | 3.9 | 28.0 |
| India, Ahmedabad, Urban | 988 | 93.2 | 0.4 | 9.0 | 251 | 91.2 | 1.6 | 2.3 |
| India, Aurangabad | 235 | 83.4 | 5.5 | 9.1 | 93 | 89.2 | 2.2 | 3.5 |
| India, Bangalore | 1444 | 89.0 | 8.2 | 13.5 | 655 | 92.2 | 6.0 | 6.1 |
| India, Barshi, Paranda, and Bhum | 32 | 71.9 | 3.1 | 2.2 | 27 | 63.0 | 0.0 | 1.9 |
| *India, Bhopal | 303 | 92.4 | — | 12.2 | 85 | 94.1 | — | 3.5 |
| India, Chandigarh | 280 | 94.6 | 1.4 | 12.6 | 84 | 97.6 | 0.0 | 4.3 |
| *India, Chennai | 1453 | 73.3 | 8.6 | 12.1 | 582 | 72.9 | 9.8 | 4.5 |
| India, Dibrugarh | 133 | 57.1 | 15.0 | 5.0 | 55 | 49.1 | 12.7 | 2.1 |
| *India, Dindigul, Ambilikkaik | 347 | 75.5 | 2.3 | 5.6 | 118 | 74.6 | 5.1 | 1.8 |
| India, Kamrup Urban District | 409 | 71.4 | 11.2 | 18.4 | 148 | 74.3 | 9.5 | 6.7 |
| India, Kollam | 1492 | 77.0 | 0.5 | 23.4 | 294 | 73.8 | 0.3 | 3.9 |
| *India, Manipur | 568 | 88.2 | 1.1 | 13.0 | 532 | 84.4 | 0.8 | 11.9 |
| India, Meghalaya | 323 | 79.9 | 10.5 | 13.7 | 113 | 71.7 | 16.8 | 4.2 |
| India, Mizoram | 510 | 82.4 | 0.6 | 32.5 | 427 | 78.5 | 0.9 | 27.6 |
| India, Mumbai | 3153 | 79.9 | 13.8 | 10.5 | 1734 | 77.0 | 16.7 | 5.8 |
| *India, New Delhi | 3412 | 86.1 | 5.7 | 17.0 | 1008 | 84.8 | 5.3 | 5.0 |
| India, Poona | 812 | 80.5 | 6.0 | 7.0 | 476 | 82.6 | 7.1 | 4.1 |
| *India, Sangrur District | 92 | 87.0 | — | 3.6 | 47 | 76.6 | — | 1.9 |
| India, SAS Nagar | 185 | 95.1 | — | 7.9 | 51 | 86.3 | — | 2.3 |
| *India, Tamil Nadu | 11396 | 81.2 | 1.5 | 5.8 | 4408 | 81.1 | 2.0 | 2.1 |
| *India, Tripura | 873 | 85.7 | 0.2 | 14.1 | 220 | 84.5 | 0.0 | 3.5 |
| India, Trivandrum | 1440 | 79.2 | — | 17.8 | 464 | 84.1 | — | 4.9 |
| India, Wardha | 181 | 86.7 | 4.4 | 4.7 | 108 | 81.5 | 3.7 | 2.9 |
| India, West Arunachal | 60 | 88.3 | — | 6.8 | 38 | 89.5 | — | 5.2 |
| *Iran (Islamic Republic of), Ardabil Province | 304 | 62.2 | 16.8 | 17.1 | 121 | 64.5 | 14.9 | 6.2 |
| *Iran (Islamic Republic of), Golestan Province | 418 | 62.2 | 7.4 | 18.7 | 212 | 59.4 | 5.7 | 8.8 |
| Israel | 8255 | 90.2 | 7.2 | 31.4 | 4817 | 89.6 | 8.1 | 15.3 |
| *Israel: Jews | 6398 | 89.7 | 7.4 | 28.1 | 4344 | 89.6 | 8.2 | 16.3 |
| *Israel: Arabs | 1333 | 91.7 | 6.2 | 47.9 | 249 | 89.2 | 6.8 | 7.8 |
| Japan | 235889 | 77.8 | 7.6 | 43.3 | 111358 | 76.0 | 9.4 | 17.3 |
| Japan, Aichi Prefecture | 12403 | 82.6 | 4.4 | 42.7 | 5367 | 80.2 | 6.2 | 16.6 |
| *Japan, Akita Prefecture | 2187 | 77.0 | 0.5 | 41.0 | 1052 | 77.9 | 0.5 | 16.6 |
| Japan, Aomori Prefecture | 4776 | 77.7 | 1.9 | 47.7 | 2194 | 76.2 | 2.6 | 17.0 |
| Japan, Gunma Prefecture | 3564 | 77.2 | 3.3 | 39.7 | 1607 | 76.2 | 5.7 | 15.5 |
| Japan, Hiroshima Prefecture | 7735 | 83.2 | 2.8 | 46.6 | 3813 | 81.0 | 4.1 | 19.6 |
| Japan, Miyagi Prefecture | 7351 | 78.4 | 6.4 | 44.4 | 3398 | 77.8 | 7.4 | 17.7 |
| Japan, Osaka Prefecture | 17301 | 81.5 | 6.7 | 47.8 | 8382 | 78.3 | 9.2 | 19.0 |
| Kuwait | 524 | 87.0 | 8.4 | 10.6 | 165 | 83.6 | 11.5 | 4.0 |
| *Kuwait: Kuwaitis | 242 | 83.9 | 9.9 | 14.9 | 83 | 86.7 | 8.4 | 3.7 |
| *Kuwait: Non-Kuwaitis | 282 | 89.7 | 7.1 | 8.5 | 82 | 80.5 | 14.6 | 4.4 |
| *Philippines, Manila | 2696 | 61.8 | 10.1 | 29.6 | 1579 | 65.5 | 6.8 | 12.0 |
| *Qatar: Qatari | 63 | 82.5 | 7.9 | 16.2 | 22 | 86.4 | 9.1 | 5.1 |
| Republic of Korea | 87856 | 88.9 | 2.1 | 43.6 | 38711 | 84.8 | 3.8 | 15.4 |
| *Republic of Korea, Busan | 6308 | 87.4 | 2.4 | 41.5 | 2741 | 82.5 | 4.6 | 14.4 |
| *Republic of Korea, Daegu | 4359 | 90.3 | 2.6 | 46.4 | 1862 | 85.2 | 5.4 | 15.0 |
| *Republic of Korea, Daejeon | 2175 | 90.3 | 1.4 | 42.1 | 1127 | 87.0 | 2.8 | 17.7 |
| *Republic of Korea, Gwangju | 1970 | 87.7 | 1.7 | 40.3 | 965 | 83.1 | 4.4 | 15.2 |
| Republic of Korea, Incheon | 4217 | 90.4 | 1.1 | 41.1 | 1933 | 87.0 | 2.7 | 15.1 |
| Republic of Korea, Jeju | 1026 | 86.3 | 0.9 | 42.5 | 444 | 81.3 | 1.6 | 14.1 |
| Republic of Korea, Seoul | 14904 | 92.5 | 1.5 | 39.4 | 7316 | 90.8 | 2.4 | 16.0 |
| Republic of Korea, Ulsan | 1653 | 92.0 | 1.5 | 47.9 | 756 | 88.2 | 2.9 | 17.2 |
| Singapore | 5055 | 85.4 | 0.5 | 32.9 | 2830 | 84.5 | 0.6 | 15.6 |
| Singapore: Chinese | 4213 | 85.2 | 0.5 | 33.5 | 2485 | 84.8 | 0.6 | 16.7 |
| Singapore: Indian | 197 | 87.3 | 0.5 | 19.1 | 68 | 80.9 | 1.5 | 6.4 |

* Important. See note on population page.

Indices of data quality Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 557 | 85.8 | 0.2 | 37.3 | 231 | 83.1 | 0.0 | 12.5 |
| Thailand, Bangkok | 3405 | 72.0 | 11.0 | 20.1 | 2158 | 71.0 | 12.0 | 9.8 |
| *Thailand, Chiang Mai | 2022 | 59.6 | 2.3 | 34.7 | 1489 | 57.0 | 1.7 | 21.4 |
| *Thailand, Khon Kaen | 1071 | 49.7 | 2.7 | 17.1 | 546 | 58.6 | 2.6 | 7.5 |
| Thailand, Lampang | 1177 | 46.1 | 1.8 | 37.5 | 724 | 50.0 | 2.5 | 20.3 |
| Thailand, Lopburi Province | 678 | 88.5 | 5.5 | 28.7 | 347 | 89.9 | 1.4 | 12.5 |
| *Thailand, Songkhla | 1040 | 72.2 | 4.2 | 24.9 | 526 | 73.2 | 4.0 | 10.2 |
| Turkey, Antalya | 2853 | 89.6 | 1.5 | 47.3 | 569 | 88.2 | 2.5 | 8.7 |
| Turkey, Bursa | 5293 | 87.6 | 6.8 | 67.4 | 735 | 82.9 | 9.5 | 8.1 |
| *Turkey, Edirne | 1457 | 76.6 | 4.5 | 91.7 | 160 | 64.4 | 7.5 | 9.1 |
| *Turkey, Erzurum | 922 | 73.1 | 11.2 | 51.4 | 204 | 50.5 | 20.6 | 8.9 |
| Turkey, Eskişehir | 1658 | 93.8 | 1.1 | 62.3 | 245 | 90.6 | 2.9 | 7.9 |
| Turkey, Gaziantep | 1429 | 84.8 | 3.5 | 44.0 | 243 | 76.5 | 7.0 | 6.2 |
| *Turkey, Izmir | 10050 | 86.0 | 3.2 | 75.8 | 1915 | 80.1 | 6.0 | 12.5 |
| Turkey, Malatya | 792 | 83.0 | 11.5 | 36.7 | 202 | 71.3 | 21.8 | 7.6 |
| Turkey, Samsun | 2439 | 92.9 | 2.8 | 59.7 | 359 | 89.1 | 3.9 | 7.7 |
| Turkey, Trabzon | 1514 | 77.1 | 7.9 | 60.4 | 226 | 66.8 | 15.0 | 6.9 |
| Europe | | | | | | | | |
| Austria | 14802 | 79.3 | 8.5 | 36.1 | 9812 | 79.8 | 8.0 | 21.7 |
| Austria, Carinthia | 1088 | 83.1 | 1.7 | 36.7 | 716 | 85.2 | 1.3 | 21.9 |
| Austria, Tyrol | 1227 | 89.2 | 0.7 | 35.3 | 821 | 91.5 | 0.4 | 22.4 |
| Austria, Vorarlberg | 618 | 91.6 | 2.6 | 35.3 | 393 | 89.6 | 4.8 | 21.0 |
| Belarus | 18707 | 86.2 | 0.1 | 58.3 | 3091 | 79.7 | 0.2 | 6.0 |
| *Belgium | 28310 | 91.6 | – | 51.4 | 13457 | 92.3 | – | 24.3 |
| Croatia | 11336 | 69.8 | 6.1 | 56.9 | 4564 | 69.7 | 6.8 | 18.7 |
| Cyprus | 1325 | 89.8 | 9.0 | 35.7 | 381 | 84.3 | 15.0 | 9.8 |
| *Czech Republic | 22033 | 79.9 | 1.0 | 43.5 | 11250 | 79.4 | 1.0 | 18.3 |
| Denmark | 11857 | 93.4 | 1.1 | 39.2 | 11803 | 93.2 | 1.0 | 36.7 |
| Estonia | 3027 | 79.2 | 1.9 | 54.6 | 1197 | 77.7 | 1.3 | 13.3 |
| Finland | 8962 | 81.4 | 2.6 | 28.9 | 5022 | 81.3 | 2.4 | 13.8 |
| *France, Bas-Rhin | 1988 | 94.9 | – | 48.9 | 905 | 94.6 | – | 20.6 |
| *France, Calvados | 1705 | 90.6 | – | 51.8 | 702 | 90.3 | – | 20.3 |
| *France, Doubs | 1266 | 94.2 | – | 50.9 | 530 | 94.3 | – | 19.9 |
| *France, Gironde | 3712 | 89.9 | – | 54.5 | 1767 | 91.6 | – | 23.8 |
| *France, Haut-Rhin | 1707 | 92.1 | – | 45.9 | 786 | 92.4 | – | 19.8 |
| *France, Hérault | 2863 | 94.1 | – | 53.8 | 1450 | 93.0 | – | 24.8 |
| *France, Isère | 2641 | 92.4 | – | 47.2 | 1084 | 92.2 | – | 17.9 |
| *France, Lille-Métropole | 1763 | 86.8 | – | 63.2 | 656 | 88.4 | – | 19.9 |
| *France, Limousin | 800 | 97.5 | – | 41.8 | 346 | 96.2 | – | 17.2 |
| *France, Loire-Atlantique | 2672 | 92.9 | – | 47.5 | 1190 | 93.2 | – | 18.4 |
| *France, Manche | 1281 | 90.0 | – | 47.2 | 454 | 89.6 | – | 16.3 |
| *France, Poitou-Charentes | 4800 | 91.2 | – | 50.9 | 1974 | 93.2 | – | 20.5 |
| *France, Somme | 1448 | 95.5 | – | 57.1 | 482 | 95.6 | – | 18.2 |
| *France, Tarn | 1033 | 91.5 | – | 48.5 | 435 | 94.7 | – | 19.9 |
| *France, Territoire de Belfort | 276 | 92.8 | – | 52.0 | 135 | 95.6 | – | 23.6 |
| *France, Vendée | 1682 | 93.4 | – | 49.0 | 663 | 91.6 | – | 18.4 |
| Germany, Baden-Württemberg | 10706 | 78.2 | 8.3 | 31.1 | 6509 | 77.7 | 9.0 | 17.9 |
| Germany, Bavaria | 20625 | 83.8 | 12.2 | 30.3 | 12376 | 84.0 | 12.4 | 17.2 |
| Germany, Bremen | 1819 | 85.7 | 9.8 | 51.8 | 1147 | 82.7 | 11.9 | 29.3 |
| Germany, Hamburg | 3640 | 79.0 | 6.5 | 41.0 | 2769 | 77.1 | 6.4 | 28.2 |
| Germany, Lower Saxony | 19149 | 82.9 | 10.1 | 42.4 | 10802 | 83.1 | 9.3 | 23.0 |
| Germany, North Rhine-Westphalia | 45909 | 73.1 | 14.7 | 47.7 | 28838 | 71.3 | 16.1 | 28.2 |
| Germany, Rhineland-Palatinate | 9436 | 73.0 | 20.0 | 41.4 | 5508 | 73.9 | 18.5 | 23.3 |
| Germany, Saarland | 2676 | 77.4 | 14.2 | 45.2 | 1657 | 76.9 | 14.2 | 26.4 |
| Germany, Schleswig-Holstein | 7381 | 79.4 | 3.6 | 43.9 | 4680 | 78.3 | 3.3 | 26.8 |
| Iceland | 428 | 90.7 | 0.7 | 29.4 | 474 | 89.0 | 0.0 | 32.0 |
| Ireland | 6857 | 84.2 | 0.8 | 36.1 | 5828 | 82.9 | 0.8 | 28.1 |
| *Italy, Aosta Valley | 224 | 65.6 | 3.6 | 35.4 | 127 | 67.7 | 2.4 | 17.0 |
| *Italy, Avellino | 608 | 71.4 | 3.9 | 41.9 | 168 | 67.9 | 5.4 | 10.8 |
| Italy, Basilicata | 1071 | 74.3 | 0.5 | 31.1 | 283 | 72.4 | 0.4 | 7.8 |
| *Italy, Benevento | 509 | 79.4 | 1.6 | 38.4 | 146 | 74.0 | 3.4 | 9.7 |
| Italy, Bergamo | 2378 | 81.3 | 1.8 | 38.6 | 1144 | 78.3 | 2.8 | 16.5 |
| *Italy, Brescia | 2438 | 76.5 | 2.9 | 37.5 | 1086 | 74.2 | 3.2 | 15.0 |
| Italy, Brianza (Lecco and Monza e Brianza) | 1440 | 76.8 | 3.8 | 34.6 | 675 | 74.7 | 3.6 | 14.7 |
| Italy, Calabria | 1030 | 65.5 | 3.3 | 34.6 | 282 | 72.7 | 5.0 | 9.9 |
| *Italy, Caserta | 1837 | 78.1 | 3.1 | 55.2 | 467 | 76.4 | 2.1 | 13.4 |
| *Italy, Catania, Messina, and Enna | 3748 | 73.9 | 2.4 | 36.8 | 1272 | 75.4 | 2.9 | 11.7 |
| Italy, Emilia-Romagna | 9212 | 77.8 | 0.5 | 39.6 | 4774 | 77.8 | 0.7 | 19.3 |
| Italy, Friuli-Venezia Giulia | 2742 | 82.8 | 0.3 | 33.1 | 1482 | 81.8 | 0.3 | 16.4 |
| Italy, Genova | 1985 | 71.9 | 1.6 | 39.7 | 990 | 73.2 | 1.0 | 18.2 |
| *Italy, Lombardy, South, Pavia | 1569 | 64.2 | 0.3 | 45.5 | 629 | 61.0 | 1.0 | 16.5 |
| Italy, Mantova and Cremona | 1492 | 72.6 | 0.8 | 38.4 | 697 | 72.2 | 2.4 | 16.5 |

* Important. See note on population page.

Indices of data quality Trachea, bronchus, and lung (C33–34) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 2690 | 84.2 | 2.0 | 33.1 | 1168 | 85.3 | 1.4 | 14.1 |
| Italy, Milan | 8253 | 74.6 | 0.5 | 39.9 | 4311 | 74.2 | 2.3 | 18.2 |
| Italy, Molise | 341 | 64.2 | 1.5 | 30.0 | 104 | 66.3 | 4.8 | 9.5 |
| *Italy, Naples Centre | 1627 | 71.2 | 6.1 | 56.9 | 740 | 71.5 | 7.2 | 22.4 |
| *Italy, Naples North | 1902 | 79.2 | 4.9 | 57.4 | 669 | 80.9 | 5.2 | 19.1 |
| *Italy, Naples South | 2586 | 77.0 | 2.3 | 52.0 | 849 | 77.4 | 3.1 | 15.7 |
| *Italy, Nuoro | 258 | 72.5 | 3.9 | 33.2 | 77 | 72.7 | 3.9 | 10.4 |
| *Italy, Palermo | 2691 | 75.0 | 5.9 | 41.0 | 1053 | 78.0 | 5.7 | 14.9 |
| Italy, Puglia | 8730 | 73.0 | 1.6 | 37.5 | 2414 | 74.8 | 2.4 | 9.9 |
| *Italy, Ragusa and Caltanissetta | 1203 | 68.9 | 3.0 | 38.9 | 317 | 70.3 | 2.2 | 9.8 |
| *Italy, Salerno | 1904 | 75.3 | 3.0 | 40.3 | 546 | 77.8 | 4.6 | 11.4 |
| Italy, Sassari | 475 | 75.6 | 2.1 | 41.7 | 187 | 73.3 | 4.3 | 15.3 |
| *Italy, Sondrio | 573 | 72.3 | 3.1 | 46.4 | 268 | 74.6 | 3.0 | 19.0 |
| Italy, South Tyrol | 812 | 84.4 | 0.9 | 28.9 | 476 | 82.6 | 0.4 | 15.1 |
| *Italy, Syracuse | 921 | 68.9 | 2.9 | 40.6 | 279 | 72.8 | 1.1 | 12.7 |
| Italy, Trento | 997 | 76.8 | 0.2 | 31.5 | 510 | 75.9 | 0.2 | 14.1 |
| Italy, Turin | 5716 | 80.7 | 2.9 | 39.1 | 2312 | 82.7 | 3.5 | 14.7 |
| *Italy, Tuscany | 5977 | 68.2 | 1.7 | 44.2 | 2683 | 71.2 | 1.8 | 19.0 |
| Italy, Umbria | 1735 | 76.8 | 1.7 | 36.8 | 720 | 76.4 | 2.2 | 14.5 |
| Italy, Varese | 1191 | 81.3 | 1.1 | 36.5 | 436 | 80.5 | 1.6 | 12.3 |
| Italy, Veneto | 10195 | 74.2 | 1.6 | 33.4 | 4908 | 73.3 | 2.1 | 14.2 |
| Latvia | 4118 | 73.4 | 4.1 | 51.0 | 1292 | 71.5 | 4.6 | 9.9 |
| *Liechtenstein | 56 | 92.9 | – | 30.6 | 47 | 95.7 | – | 24.9 |
| *Lithuania | 5912 | 54.5 | 27.5 | 50.0 | 1547 | 50.6 | 29.3 | 8.0 |
| Malta | 733 | 82.9 | 1.2 | 31.1 | 270 | 82.2 | 1.9 | 11.2 |
| *The Netherlands | 37232 | 85.8 | – | 42.2 | 28154 | 86.8 | – | 32.5 |
| Norway | 8317 | 87.4 | 2.4 | 33.2 | 7450 | 86.3 | 2.3 | 28.2 |
| Poland, Kielce | 2859 | 94.1 | 0.0 | 50.2 | 1076 | 93.7 | 0.1 | 15.7 |
| *Portugal, Azores | 478 | 88.5 | 2.7 | 66.7 | 101 | 85.1 | 3.0 | 11.6 |
| Russian Federation, Arkhangelsk | 2448 | 75.6 | 12.4 | 63.7 | 545 | 69.0 | 15.0 | 8.4 |
| Russian Federation, Kaliningrad | 1270 | 72.8 | 4.4 | 40.8 | 360 | 69.7 | 5.3 | 7.2 |
| Russian Federation, Karelia | 1275 | 72.9 | 9.1 | 61.4 | 253 | 68.8 | 11.1 | 7.1 |
| *Russian Federation, Komi Republic | 1676 | 67.8 | 11.9 | 69.8 | 439 | 61.3 | 12.3 | 10.6 |
| Russian Federation, Murmansk | 1305 | 80.4 | 9.2 | 63.7 | 376 | 78.5 | 8.2 | 10.3 |
| *Russian Federation, Orenburg | 4531 | 94.0 | 1.1 | 69.6 | 1022 | 94.5 | 1.6 | 9.5 |
| Russian Federation, Pskov | 1365 | 66.4 | 11.7 | 58.6 | 324 | 60.2 | 13.3 | 7.8 |
| *Russian Federation, Samara | 5378 | 84.3 | 5.4 | 49.2 | 1308 | 80.7 | 6.4 | 7.3 |
| Russian Federation, Vologda Region | 2026 | 84.4 | 4.2 | 50.7 | 403 | 84.4 | 3.7 | 6.4 |
| Slovenia | 4648 | 92.0 | 0.4 | 46.0 | 2482 | 91.0 | 0.3 | 21.7 |
| Spain, Asturias | 2023 | 85.6 | 1.3 | 55.6 | 609 | 84.9 | 1.5 | 16.0 |
| Spain, Basque Country | 4648 | 89.2 | 0.6 | 51.3 | 1545 | 90.0 | 0.9 | 17.1 |
| Spain, Canary Islands | 2668 | 84.3 | 0.8 | 44.0 | 954 | 88.8 | 0.7 | 15.3 |
| Spain, Castellón | 1341 | 88.3 | 0.4 | 48.8 | 291 | 88.7 | 0.3 | 10.7 |
| Spain, Girona | 1596 | 86.7 | 1.4 | 43.9 | 437 | 90.2 | 0.9 | 12.7 |
| Spain, Granada | 1675 | 81.0 | 0.5 | 39.5 | 367 | 84.7 | 1.6 | 8.6 |
| Spain, La Rioja | 658 | 84.5 | 0.8 | 39.3 | 195 | 89.2 | 3.1 | 12.9 |
| Spain, Murcia | 2890 | 89.7 | 0.4 | 48.6 | 674 | 91.8 | 0.9 | 11.0 |
| Spain, Navarra | 1231 | 81.6 | 0.7 | 48.3 | 379 | 87.1 | 0.5 | 15.6 |
| Spain, Salamanca | 882 | 82.0 | 1.0 | 41.7 | 219 | 87.7 | 0.9 | 10.6 |
| Spain, Tarragona | 1877 | 87.3 | 0.4 | 48.6 | 485 | 87.4 | 1.4 | 13.2 |
| *Sweden | 9955 | 95.5 | – | 17.9 | 10785 | 94.8 | – | 19.1 |
| Switzerland, Aargau | 954 | 91.2 | 4.3 | 29.1 | 686 | 92.0 | 3.8 | 20.5 |
| Switzerland, Basel | 858 | 93.9 | 3.7 | 32.3 | 668 | 93.9 | 3.3 | 22.6 |
| Switzerland, Berne Solothurn | 1469 | 88.2 | 2.1 | 33.6 | 860 | 87.2 | 2.7 | 18.5 |
| Switzerland, East | 1332 | 91.2 | 0.4 | 32.4 | 869 | 93.0 | 0.3 | 20.1 |
| *Switzerland, Fribourg | 488 | 93.2 | 0.2 | 36.6 | 311 | 95.5 | 0.3 | 24.0 |
| Switzerland, Geneva | 773 | 88.9 | 1.0 | 36.0 | 597 | 86.4 | 1.5 | 23.1 |
| *Switzerland, Graubünden and Glarus | 474 | 88.6 | 1.1 | 35.7 | 263 | 91.3 | 0.0 | 19.2 |
| *Switzerland, Lucerne | 726 | 85.5 | 4.5 | 28.4 | 440 | 88.2 | 4.1 | 16.4 |
| *Switzerland, Neuchâtel and Jura | 515 | 92.0 | 0.4 | 41.6 | 334 | 91.9 | 1.2 | 24.3 |
| Switzerland, Ticino | 819 | 91.0 | 1.2 | 40.1 | 470 | 90.6 | 1.1 | 21.1 |
| Switzerland, Valais | 617 | 90.6 | 0.2 | 35.7 | 397 | 91.2 | 0.8 | 21.4 |
| Switzerland, Vaud | 1263 | 91.9 | 3.0 | 37.9 | 884 | 90.8 | 3.1 | 23.0 |
| Switzerland, Zurich and Zug | 2244 | 91.8 | 0.8 | 30.2 | 1676 | 91.6 | 1.0 | 20.5 |
| Ukraine | 53346 | 60.5 | 0.7 | 42.7 | 12723 | 57.7 | 0.8 | 6.4 |
| UK, England | 102375 | 70.7 | 1.1 | 35.2 | 89680 | 68.3 | 1.1 | 27.5 |
| UK, Northern Ireland | 3413 | 68.9 | 0.5 | 39.1 | 3068 | 66.6 | 0.7 | 31.0 |
| UK, Scotland | 13085 | 66.6 | 0.3 | 45.6 | 13119 | 63.6 | 0.3 | 38.4 |
| UK, Wales | 6559 | 70.7 | 2.0 | 35.5 | 5799 | 69.8 | 1.5 | 28.8 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 11691 | 85.7 | 2.6 | 31.0 | 8703 | 85.9 | 3.0 | 21.8 |
| *Australia, Northern Territory | 260 | 86.5 | 0.4 | 39.0 | 168 | 91.7 | 1.2 | 27.4 |

* Important. See note on population page.

**Indices of data quality
Trachea, bronchus, and lung (C33–34) (contd)**

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 201 | 89.1 | 0.5 | 35.4 | 121 | 95.9 | 0.0 | 25.5 |
| *Australia, Northern Territory: Indigenous | 59 | 78.0 | 0.0 | 59.4 | 47 | 80.9 | 4.3 | 34.1 |
| *Australia, Queensland | 7424 | 82.8 | 2.6 | 34.5 | 5328 | 84.3 | 2.3 | 24.0 |
| Australia, South Australia | 2620 | 83.5 | 2.1 | 29.2 | 2059 | 82.0 | 2.6 | 21.1 |
| Australia, Tasmania | 998 | 82.3 | 1.5 | 34.4 | 814 | 81.6 | 1.4 | 27.2 |
| *Australia, Victoria | 7495 | 84.7 | 4.0 | 26.6 | 5762 | 85.2 | 4.1 | 19.3 |
| *Australia, Western Australia | 3272 | 85.2 | 1.9 | 30.1 | 2467 | 85.3 | 1.9 | 21.8 |
| *France, New Caledonia | 466 | 92.9 | – | 58.5 | 225 | 96.0 | – | 26.7 |
| New Zealand | 5695 | 76.7 | 6.8 | 27.3 | 5549 | 77.9 | 6.4 | 24.8 |
| *New Zealand: Maori | 1022 | 79.9 | 6.3 | 68.0 | 1324 | 77.1 | 5.6 | 75.1 |
| *New Zealand: Pacific peoples | 314 | 83.1 | 5.1 | 51.8 | 209 | 87.1 | 2.4 | 28.8 |
| *New Zealand: Other | 4114 | 74.7 | 7.4 | 22.6 | 3755 | 76.9 | 7.2 | 19.8 |
| USA, Hawaii | 2357 | 89.3 | 2.8 | 33.5 | 1747 | 88.8 | 3.0 | 21.8 |
| USA, Hawaii: White | 646 | 89.5 | 1.9 | 29.0 | 481 | 89.6 | 2.9 | 23.3 |
| *USA, Hawaii: Japanese | 523 | 84.9 | 4.2 | 27.5 | 331 | 85.2 | 4.2 | 12.4 |
| *USA, Hawaii: Chinese | 172 | 91.9 | 3.5 | 35.3 | 128 | 89.1 | 4.7 | 20.2 |
| *USA, Hawaii: Hawaiian | 397 | 90.9 | 3.0 | 43.1 | 360 | 90.0 | 1.7 | 34.5 |
| *USA, Hawaii: Filipino | 439 | 90.7 | 2.3 | 40.9 | 269 | 90.0 | 3.0 | 19.1 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 9 | 100.0 | — | 0.6 | 10 | 100.0 | — | 0.7 |
| *Algeria, Tizi Ouzou | 20 | 100.0 | — | 1.4 | 12 | 100.0 | — | 0.6 |
| *Benin, Cotonou | 2 | 100.0 | — | 0.6 | 1 | 0.0 | — | 0.2 |
| *France, La Réunion | 103 | 99.0 | — | 5.1 | 91 | 100.0 | — | 4.1 |
| *Kenya, Eldoret | 13 | 100.0 | — | 1.3 | 8 | 100.0 | — | 0.8 |
| *Kenya, Nairobi | 19 | 100.0 | — | 1.0 | 23 | 100.0 | — | 1.0 |
| Mauritius | 13 | 100.0 | — | 0.3 | 8 | 100.0 | — | 0.2 |
| *Morocco, Casablanca | 36 | 100.0 | — | 0.3 | 44 | 97.7 | — | 0.4 |
| *Seychelles | 1 | 100.0 | — | 0.3 | 1 | 0.0 | — | 0.2 |
| *South Africa, Eastern Cape | 3 | 100.0 | — | 0.3 | 8 | 100.0 | — | 0.4 |
| *Uganda, Kyadondo County | 11 | 100.0 | — | 0.5 | 25 | 76.0 | — | 1.0 |
| *Uganda, Gulu | 1 | 100.0 | — | 0.2 | 6 | 83.3 | — | 1.1 |
| *Zimbabwe, Bulawayo: African | 14 | 92.9 | 0.0 | 1.8 | 30 | 96.7 | 3.3 | 3.2 |
| *Zimbabwe, Harare: African | 37 | 100.0 | 0.0 | 2.4 | 60 | 98.3 | 1.7 | 3.6 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 101 | 98.0 | 1.0 | 4.6 | 120 | 99.2 | 0.8 | 4.9 |
| *Argentina, Mendoza | 151 | 100.0 | — | 3.0 | 140 | 99.3 | — | 2.5 |
| Brazil, Aracaju | 39 | 100.0 | — | 3.5 | 43 | 100.0 | — | 2.7 |
| *Brazil, Barretos | 66 | 93.9 | 3.0 | 4.8 | 54 | 96.3 | 3.7 | 3.4 |
| Brazil, Belo Horizonte | 269 | 98.1 | 1.9 | 3.7 | 276 | 97.8 | 2.2 | 2.9 |
| *Brazil, Campinas | 178 | 94.9 | 5.1 | 7.4 | 176 | 97.7 | 2.3 | 5.8 |
| *Brazil, Curitiba | 219 | 90.0 | 4.6 | 5.5 | 243 | 91.4 | 7.0 | 4.7 |
| Brazil, Goiânia | 105 | 99.0 | 1.0 | 4.0 | 112 | 100.0 | 0.0 | 3.2 |
| *Brazil, Jaú | 22 | 100.0 | — | 5.1 | 30 | 100.0 | — | 6.1 |
| Brazil, João Pessoa | 30 | 96.7 | 0.0 | 2.9 | 34 | 97.1 | 2.9 | 2.5 |
| Brazil, Recife | 73 | 89.0 | 5.5 | 2.9 | 53 | 92.5 | 1.9 | 1.3 |
| Chile, Region of Antofagasta | 23 | 100.0 | — | 2.3 | 29 | 100.0 | — | 2.7 |
| Chile, Valdivia | 35 | 100.0 | — | 2.6 | 40 | 100.0 | — | 2.8 |
| Colombia, Bucaramanga | 65 | 92.3 | 3.1 | 2.2 | 72 | 95.8 | 1.4 | 1.9 |
| Colombia, Cali | 174 | 99.4 | 0.0 | 2.9 | 206 | 99.5 | 0.5 | 2.6 |
| Colombia, Manizales | 44 | 90.9 | — | 3.3 | 47 | 93.6 | — | 2.9 |
| Colombia, Pasto | 22 | 100.0 | — | 2.0 | 38 | 100.0 | — | 2.8 |
| Costa Rica | 229 | 100.0 | — | 2.2 | 207 | 100.0 | — | 1.9 |
| Ecuador, Guayaquil | 90 | 100.0 | — | 1.7 | 76 | 100.0 | — | 1.2 |
| Ecuador, Manabí | 32 | 96.9 | — | 0.9 | 19 | 100.0 | — | 0.5 |
| Ecuador, Quito | 196 | 98.0 | 2.0 | 4.7 | 212 | 97.6 | 0.5 | 4.1 |
| *France, Guadeloupe | 53 | 100.0 | — | 3.3 | 34 | 100.0 | — | 1.7 |
| *France, Martinique | 42 | 100.0 | — | 2.5 | 36 | 100.0 | — | 1.8 |
| *Peru, Lima | 392 | 92.9 | 3.8 | 2.8 | 400 | 95.0 | 2.8 | 2.4 |
| *Trinidad and Tobago | 16 | 93.8 | 6.2 | 0.7 | 6 | 100.0 | 0.0 | 0.2 |
| USA, Puerto Rico | 415 | 97.1 | 1.4 | 2.9 | 312 | 97.4 | 0.0 | 2.1 |
| *Uruguay | 667 | 96.4 | 1.3 | 5.5 | 609 | 96.2 | 2.1 | 4.4 |
| North America | | | | | | | | |
| Canada, Alberta | 1698 | 100.0 | — | 11.1 | 1560 | 100.0 | — | 10.5 |
| Canada, British Columbia | 2946 | 99.2 | 0.2 | 12.9 | 2424 | 98.8 | 0.3 | 11.2 |
| *Canada, Manitoba | 647 | 99.7 | — | 11.7 | 542 | 100.0 | — | 9.9 |
| *Canada, New Brunswick | 491 | 99.8 | — | 12.9 | 473 | 100.0 | — | 13.7 |
| *Canada, Newfoundland and Labrador | 292 | 100.0 | 0.0 | 11.7 | 239 | 99.2 | 0.4 | 9.9 |
| Canada, Ontario | 9713 | 98.2 | 0.4 | 15.8 | 7654 | 98.5 | 0.2 | 12.8 |
| *Canada, Prince Edward Island | 154 | 100.0 | — | 22.1 | 134 | 100.0 | — | 21.0 |
| Canada, Quebec | 4302 | 97.1 | 1.0 | 11.3 | 3558 | 96.6 | 0.7 | 10.2 |
| Canada, Saskatchewan | 468 | 99.6 | 0.0 | 9.9 | 474 | 99.4 | 0.2 | 11.2 |
| *Canada, Yukon | 8 | 100.0 | — | 4.5 | 10 | 100.0 | — | 7.5 |
| USA | 240843 | 99.1 | 0.8 | 18.4 | 166357 | 99.2 | 0.7 | 13.1 |
| USA: White | 230215 | 99.1 | 0.8 | 21.0 | 156817 | 99.3 | 0.7 | 15.5 |
| USA: Black | 922 | 96.2 | 3.3 | 0.7 | 1016 | 95.5 | 4.2 | 0.6 |
| USA, NPCR | 233945 | 99.1 | 0.8 | 18.5 | 161128 | 99.2 | 0.7 | 13.1 |
| USA, NPCR: White | 223726 | 99.1 | 0.8 | 21.1 | 151918 | 99.3 | 0.7 | 15.5 |
| USA, NPCR: Black | 910 | 96.2 | 3.3 | 0.7 | 1002 | 95.4 | 4.3 | 0.6 |
| USA, NPCR: Asian and Pacific Islander | 530 | 98.5 | 1.3 | 0.9 | 579 | 99.3 | 0.3 | 0.9 |
| USA, NPCR: American Indian | 394 | 98.2 | 1.5 | 3.5 | 300 | 99.7 | 0.3 | 2.4 |
| *USA, SEER (18 registries) | 60921 | 99.2 | 0.2 | 17.7 | 43923 | 99.3 | 0.2 | 12.8 |
| *USA, SEER (18 registries): White | 57253 | 99.2 | 0.3 | 21.1 | 40686 | 99.4 | 0.2 | 15.8 |
| *USA, SEER (18 registries): Non-Hispanic White | 55805 | 99.2 | 0.3 | 25.3 | 38835 | 99.4 | 0.2 | 19.5 |
| *USA, SEER (18 registries): Hispanic White | 1448 | 99.2 | 0.3 | 3.2 | 1851 | 99.5 | 0.1 | 3.6 |
| *USA, SEER (18 registries): Black | 233 | 97.4 | 0.9 | 0.7 | 258 | 99.2 | 0.0 | 0.6 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 334 | 99.4 | — | 1.0 | 347 | 99.4 | — | 0.9 |
| *USA, SEER (9 registries) | 21992 | 99.5 | 0.2 | 18.8 | 16667 | 99.6 | 0.1 | 14.4 |
| *USA, SEER (9 registries): White | 21026 | 99.5 | 0.2 | 23.1 | 15818 | 99.6 | 0.2 | 18.7 |
| *USA, SEER (9 registries): Black | 74 | 100.0 | — | 0.7 | 79 | 100.0 | — | 0.6 |
| USA, Alabama | 3637 | 97.1 | 2.7 | 18.3 | 2458 | 96.3 | 3.5 | 12.6 |
| USA, Alabama: White | 3599 | 97.3 | 2.5 | 23.5 | 2413 | 96.6 | 3.2 | 17.5 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 33 | 81.8 | 18.2 | 0.9 | 41 | 80.5 | 19.5 | 0.7 |
| USA, Alaska | 275 | 98.2 | 1.5 | 10.8 | 216 | 98.1 | 0.9 | 9.5 |
| *USA, Alaska: Alaska Natives | 9 | 100.0 | – | 2.9 | 16 | 100.0 | – | 4.8 |
| USA, Arizona | 6350 | 98.5 | 1.4 | 21.2 | 3532 | 98.6 | 1.3 | 12.8 |
| USA, Arizona: White | 6126 | 98.4 | 1.5 | 22.6 | 3383 | 98.6 | 1.3 | 13.9 |
| USA, Arizona: Black | 12 | 100.0 | 0.0 | 1.2 | 14 | 85.7 | 14.3 | 1.4 |
| *USA, Arizona: Asian and Pacific Islander | 4 | 100.0 | – | 0.6 | 7 | 100.0 | – | 0.8 |
| USA, Arizona: American Indian | 26 | 100.0 | – | 2.8 | 25 | 100.0 | – | 2.3 |
| USA, Arkansas | 2283 | 98.8 | 1.1 | 18.2 | 1472 | 99.0 | 1.0 | 12.7 |
| USA, Arkansas: White | 2187 | 99.0 | 0.9 | 20.1 | 1386 | 99.1 | 0.9 | 14.5 |
| USA, Arkansas: Black | 15 | 100.0 | – | 1.1 | 15 | 100.0 | – | 0.8 |
| USA, California | 28886 | 98.9 | 1.0 | 19.3 | 18723 | 98.9 | 1.0 | 12.4 |
| USA, California: White | 26389 | 99.0 | 1.0 | 22.7 | 16597 | 99.0 | 1.0 | 14.7 |
| USA, California: Black | 74 | 97.3 | 2.7 | 0.9 | 57 | 98.2 | 1.8 | 0.6 |
| USA, California: Asian and Pacific Islander | 193 | 99.0 | 0.5 | 0.9 | 223 | 99.6 | 0.0 | 0.9 |
| *USA, California, Los Angeles County | 3948 | 99.6 | 0.2 | 10.8 | 2637 | 99.5 | 0.2 | 6.7 |
| *USA, California, Los Angeles County: White | 3525 | 99.6 | 0.2 | 13.3 | 2271 | 99.5 | 0.2 | 8.1 |
| *USA, California, Los Angeles County: Non-Hispanic White | 3243 | 99.7 | 0.1 | 22.7 | 1959 | 99.5 | 0.3 | 15.1 |
| *USA, California, Los Angeles County: Hispanic White | 282 | 98.6 | 1.1 | 2.5 | 312 | 99.4 | 0.0 | 2.3 |
| *USA, California, Los Angeles County: Black | 26 | 96.2 | 3.8 | 0.8 | 18 | 94.4 | 0.0 | 0.5 |
| *USA, California, Los Angeles County: Chinese | 6 | 100.0 | – | 0.5 | 10 | 100.0 | – | 0.3 |
| *USA, California, Los Angeles County: Filipino | 10 | 90.0 | – | 0.7 | 9 | 100.0 | – | 0.5 |
| *USA, California, Los Angeles County: Korean | 7 | 100.0 | – | 0.7 | 8 | 100.0 | – | 0.7 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 46 | 97.8 | – | 0.7 | 48 | 100.0 | – | 0.6 |
| *USA, California, San Francisco Bay Area | 3682 | 98.9 | 0.2 | 19.9 | 2604 | 99.3 | 0.0 | 14.0 |
| *USA, California, San Francisco Bay Area: White | 3386 | 98.9 | 0.2 | 28.0 | 2363 | 99.2 | 0.0 | 20.8 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 3288 | 98.9 | 0.2 | 34.1 | 2228 | 99.3 | 0.0 | 26.2 |
| *USA, California, San Francisco Bay Area: Hispanic White | 98 | 99.0 | – | 4.6 | 135 | 98.5 | – | 5.3 |
| *USA, California, San Francisco Bay Area: Black | 16 | 100.0 | – | 1.0 | 4 | 100.0 | – | 0.3 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 36 | 100.0 | – | 0.8 | 50 | 100.0 | – | 1.0 |
| USA, Colorado | 3747 | 99.5 | 0.4 | 18.0 | 2718 | 99.3 | 0.6 | 13.6 |
| USA, Colorado: White | 3733 | 99.5 | 0.4 | 19.5 | 2699 | 99.4 | 0.6 | 14.9 |
| *USA, Colorado: Black | 5 | 100.0 | 0.0 | 0.5 | 2 | 50.0 | 50.0 | 0.2 |
| *USA, Colorado: Asian and Pacific Islander | 1 | 100.0 | – | 0.2 | 10 | 100.0 | – | 1.5 |
| USA, Connecticut | 2329 | 99.7 | 0.0 | 14.9 | 1783 | 99.9 | 0.1 | 11.1 |
| USA, Connecticut: White | 2224 | 99.7 | 0.0 | 16.2 | 1687 | 99.9 | 0.1 | 12.5 |
| USA, Connecticut: Black | 10 | 100.0 | – | 0.8 | 9 | 100.0 | – | 0.5 |
| USA, District of Columbia | 213 | 99.5 | 0.5 | 9.8 | 133 | 98.5 | 1.5 | 5.3 |
| USA, District of Columbia: White | 149 | 100.0 | 0.0 | 15.2 | 90 | 97.8 | 2.2 | 7.9 |
| USA, District of Columbia: Black | 9 | 88.9 | 11.1 | 0.7 | 9 | 100.0 | 0.0 | 0.8 |
| USA, Florida | 21930 | 98.8 | 1.1 | 21.6 | 12599 | 99.0 | 1.0 | 13.1 |
| USA, Florida: White | 20939 | 98.8 | 1.1 | 24.1 | 11901 | 99.0 | 0.9 | 15.1 |
| USA, Florida: Black | 109 | 98.2 | 0.9 | 1.0 | 79 | 96.2 | 3.8 | 0.6 |
| USA, Florida: Asian and Pacific Islander | 24 | 100.0 | – | 1.2 | 18 | 100.0 | – | 0.7 |
| USA, Georgia | 8470 | 99.4 | 0.5 | 23.0 | 5749 | 99.6 | 0.3 | 15.2 |
| USA, Georgia: White | 8336 | 99.4 | 0.5 | 31.9 | 5609 | 99.6 | 0.4 | 23.4 |
| USA, Georgia: Black | 61 | 98.4 | 1.6 | 0.7 | 75 | 100.0 | 0.0 | 0.6 |
| USA, Georgia: Asian and Pacific Islander | 12 | 100.0 | – | 1.0 | 8 | 100.0 | – | 0.5 |
| *USA, Georgia, Atlanta | 2424 | 99.6 | 0.2 | 21.4 | 1854 | 99.8 | 0.2 | 14.5 |
| *USA, Georgia, Atlanta: White | 2378 | 99.6 | 0.2 | 35.5 | 1798 | 99.8 | 0.2 | 27.9 |
| *USA, Georgia, Atlanta: Black | 25 | 100.0 | – | 0.6 | 25 | 100.0 | – | 0.5 |
| USA, Idaho | 1481 | 99.2 | 0.7 | 22.2 | 1060 | 99.6 | 0.4 | 17.7 |
| USA, Indiana | 4583 | 99.5 | 0.4 | 17.4 | 3439 | 99.6 | 0.4 | 13.9 |
| USA, Indiana: White | 4413 | 99.5 | 0.4 | 18.4 | 3244 | 99.6 | 0.4 | 14.8 |
| USA, Indiana: Black | 11 | 100.0 | – | 0.6 | 13 | 100.0 | – | 0.6 |
| *USA, Iowa | 2495 | 99.6 | 0.2 | 19.3 | 2075 | 99.9 | 0.1 | 18.4 |
| USA, Kentucky | 3921 | 99.3 | 0.6 | 21.8 | 2953 | 99.5 | 0.4 | 17.4 |
| USA, Louisiana | 2775 | 99.6 | 0.2 | 15.5 | 1692 | 100.0 | 0.0 | 9.7 |
| USA, Louisiana: White | 2737 | 99.7 | 0.2 | 21.4 | 1647 | 100.0 | 0.0 | 14.5 |
| USA, Louisiana: Black | 29 | 93.1 | – | 0.6 | 39 | 100.0 | – | 0.6 |
| *USA, Louisiana, New Orleans | 361 | 99.2 | 0.3 | 10.8 | 275 | 100.0 | 0.0 | 8.5 |
| *USA, Louisiana, New Orleans: White | 351 | 99.4 | 0.3 | 17.1 | 263 | 100.0 | 0.0 | 15.2 |
| *USA, Louisiana, New Orleans: Black | 8 | 87.5 | – | 0.7 | 9 | 100.0 | – | 0.6 |
| USA, Maine | 1252 | 99.1 | 0.8 | 19.0 | 1068 | 99.5 | 0.4 | 18.2 |
| USA, Maryland | 4759 | 99.3 | 0.7 | 20.0 | 3284 | 99.5 | 0.5 | 13.4 |
| USA, Maryland: White | 4662 | 99.3 | 0.7 | 28.8 | 3192 | 99.5 | 0.4 | 21.2 |
| USA, Maryland: Black | 50 | 96.0 | 4.0 | 0.9 | 41 | 97.6 | 2.4 | 0.5 |
| USA, Maryland: Asian and Pacific Islander | 17 | 100.0 | – | 1.1 | 10 | 100.0 | – | 0.6 |
| USA, Massachusetts | 5007 | 99.7 | 0.3 | 17.6 | 4038 | 99.4 | 0.5 | 13.7 |
| USA, Massachusetts: White | 4567 | 99.6 | 0.3 | 18.1 | 3612 | 99.4 | 0.6 | 14.3 |
| USA, Massachusetts: Black | 4 | 100.0 | – | 0.2 | 8 | 87.5 | – | 0.4 |
| USA, Massachusetts: Asian and Pacific Islander | 10 | 100.0 | – | 0.8 | 9 | 100.0 | – | 0.6 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 6647 | 98.7 | 1.2 | 15.6 | 5019 | 99.2 | 0.8 | 13.0 |
| USA, Michigan: White | 6267 | 98.6 | 1.2 | 17.1 | 4662 | 99.1 | 0.8 | 14.7 |
| USA, Michigan: Black | 24 | 100.0 | 0.0 | 0.6 | 42 | 95.2 | 4.8 | 0.7 |
| USA, Michigan: Asian and Pacific Islander | 5 | 100.0 | — | 0.5 | 14 | 100.0 | — | 1.3 |
| *USA, Michigan, Detroit | 2094 | 99.7 | 0.2 | 13.3 | 1625 | 99.5 | 0.4 | 10.5 |
| *USA, Michigan, Detroit: White | 2034 | 99.7 | 0.2 | 17.1 | 1560 | 99.5 | 0.4 | 14.6 |
| *USA, Michigan, Detroit: Black | 15 | 100.0 | — | 0.5 | 29 | 100.0 | — | 0.7 |
| USA, Minnesota | 5516 | 99.9 | 0.1 | 24.7 | 4262 | 99.7 | 0.2 | 21.3 |
| USA, Minnesota: White | 5389 | 99.9 | 0.1 | 26.2 | 4132 | 99.7 | 0.2 | 23.2 |
| USA, Minnesota: Black | 4 | 100.0 | — | 0.5 | 10 | 100.0 | — | 1.3 |
| *USA, Minnesota: Asian and Pacific Islander | 3 | 100.0 | — | 0.6 | 5 | 100.0 | — | 0.7 |
| USA, Mississippi | 1786 | 99.5 | 0.4 | 15.5 | 1188 | 99.6 | 0.3 | 10.4 |
| USA, Missouri | 4060 | 98.7 | 1.3 | 16.3 | 2769 | 99.0 | 1.0 | 11.9 |
| USA, Missouri: White | 3988 | 98.6 | 1.3 | 18.0 | 2698 | 99.0 | 1.0 | 13.5 |
| USA, Missouri: Black | 12 | 100.0 | — | 0.5 | 8 | 100.0 | — | 0.3 |
| USA, Montana | 986 | 99.6 | 0.3 | 21.1 | 746 | 99.7 | 0.3 | 18.6 |
| *USA, Montana: American Indian | 4 | 100.0 | — | 1.9 | 2 | 100.0 | — | 1.2 |
| USA, Nebraska | 1444 | 99.8 | 0.1 | 19.6 | 1264 | 99.7 | 0.2 | 18.9 |
| USA, Nebraska: White | 1400 | 99.8 | 0.1 | 20.2 | 1212 | 99.7 | 0.2 | 19.7 |
| *USA, Nebraska: Black | 1 | 100.0 | — | 0.5 | 1 | 100.0 | — | 0.5 |
| USA, Nevada | 1690 | 98.4 | 1.6 | 14.0 | 1036 | 99.0 | 1.0 | 9.2 |
| USA, Nevada: White | 1658 | 98.4 | 1.6 | 16.6 | 1004 | 99.0 | 1.0 | 11.4 |
| USA, Nevada: Black | 6 | 100.0 | — | 0.7 | 10 | 100.0 | — | 0.9 |
| *USA, Nevada: Asian and Pacific Islander | 9 | 100.0 | — | 0.8 | 13 | 100.0 | — | 1.1 |
| USA, New Jersey | 6825 | 99.4 | 0.6 | 18.2 | 4882 | 99.6 | 0.4 | 12.7 |
| USA, New Jersey: White | 6524 | 99.4 | 0.5 | 21.7 | 4632 | 99.6 | 0.4 | 15.9 |
| USA, New Jersey: Black | 34 | 97.1 | 2.9 | 0.8 | 34 | 100.0 | 0.0 | 0.6 |
| USA, New Mexico | 1079 | 98.8 | 0.7 | 12.1 | 750 | 99.3 | 0.4 | 8.5 |
| USA, New Mexico: White | 1015 | 98.7 | 0.8 | 12.8 | 693 | 99.4 | 0.4 | 9.0 |
| USA, New Mexico: Non-Hispanic White | 929 | 98.6 | 0.9 | 19.8 | 588 | 99.3 | 0.5 | 14.2 |
| USA, New Mexico: Hispanic White | 86 | 100.0 | — | 3.0 | 105 | 100.0 | — | 3.3 |
| *USA, New Mexico: American Indian | 16 | 100.0 | — | 2.5 | 21 | 95.2 | — | 2.8 |
| USA, New York State | 12123 | 99.7 | 0.3 | 14.9 | 8834 | 99.6 | 0.2 | 10.6 |
| USA, New York State: White | 11869 | 99.7 | 0.3 | 19.0 | 8538 | 99.7 | 0.2 | 14.1 |
| USA, New York State: Black | 76 | 98.7 | 1.3 | 0.7 | 97 | 96.9 | 2.1 | 0.6 |
| USA, New York State: Asian and Pacific Islander | 61 | 100.0 | 0.0 | 1.0 | 49 | 98.0 | 2.0 | 0.7 |
| USA, North Carolina | 8915 | 99.6 | 0.4 | 22.1 | 5981 | 99.6 | 0.4 | 14.7 |
| USA, North Carolina: White | 8586 | 99.6 | 0.4 | 27.1 | 5711 | 99.6 | 0.4 | 19.1 |
| USA, North Carolina: Black | 51 | 94.1 | 5.9 | 0.7 | 49 | 100.0 | 0.0 | 0.5 |
| USA, North Carolina: Asian and Pacific Islander | 6 | 100.0 | — | 0.9 | 5 | 100.0 | — | 0.5 |
| *USA, North Carolina: American Indian | 13 | 100.0 | — | 2.9 | 9 | 100.0 | — | 1.6 |
| USA, North Dakota | 507 | 99.6 | 0.4 | 17.9 | 441 | 99.8 | 0.2 | 18.1 |
| USA, Ohio | 9279 | 98.2 | 1.5 | 19.0 | 6925 | 98.7 | 0.9 | 15.1 |
| USA, Ohio: White | 8550 | 98.3 | 1.5 | 19.8 | 6204 | 99.0 | 0.8 | 15.8 |
| USA, Ohio: Black | 20 | 95.0 | 5.0 | 0.4 | 27 | 92.6 | 7.4 | 0.4 |
| *USA, Ohio: Asian and Pacific Islander | 5 | 80.0 | 20.0 | 0.8 | 7 | 100.0 | 0.0 | 0.9 |
| USA, Oklahoma | 2983 | 98.9 | 1.0 | 18.7 | 1820 | 99.0 | 0.7 | 12.1 |
| USA, Oklahoma: White | 2774 | 98.9 | 1.0 | 20.4 | 1648 | 98.9 | 0.8 | 13.3 |
| USA, Oklahoma: Black | 6 | 100.0 | — | 0.6 | 10 | 100.0 | — | 1.0 |
| USA, Oklahoma: American Indian | 81 | 96.3 | 2.5 | 7.3 | 43 | 100.0 | 0.0 | 3.4 |
| USA, Oregon | 3777 | 98.6 | 1.3 | 21.6 | 2876 | 99.3 | 0.7 | 17.7 |
| USA, Oregon: White | 3696 | 98.6 | 1.3 | 22.7 | 2802 | 99.3 | 0.7 | 18.9 |
| *USA, Oregon: Black | 3 | 100.0 | — | 1.1 | 2 | 100.0 | — | 0.7 |
| *USA, Oregon: Asian and Pacific Islander | 2 | 100.0 | — | 0.3 | 12 | 100.0 | — | 1.4 |
| USA, Rhode Island | 891 | 99.2 | 0.7 | 19.5 | 668 | 99.6 | 0.4 | 14.4 |
| USA, Rhode Island: White | 840 | 99.2 | 0.7 | 20.0 | 616 | 99.5 | 0.5 | 14.7 |
| *USA, Rhode Island: Black | 2 | 100.0 | — | 1.1 | 2 | 100.0 | — | 0.6 |
| USA, South Carolina | 4155 | 99.1 | 0.9 | 20.0 | 2726 | 99.0 | 0.9 | 13.4 |
| USA, South Carolina: White | 4102 | 99.1 | 0.9 | 25.9 | 2662 | 99.1 | 0.8 | 18.6 |
| USA, South Carolina: Black | 15 | 93.3 | 6.7 | 0.4 | 29 | 93.1 | 6.9 | 0.5 |
| USA, South Dakota | 685 | 99.3 | 0.7 | 19.0 | 528 | 100.0 | 0.0 | 17.5 |
| USA, Tennessee | 4584 | 99.1 | 0.8 | 17.1 | 3198 | 99.3 | 0.6 | 12.1 |
| USA, Tennessee: White | 4534 | 99.1 | 0.8 | 19.7 | 3132 | 99.4 | 0.6 | 14.5 |
| USA, Tennessee: Black | 12 | 100.0 | 0.0 | 0.4 | 21 | 90.5 | 4.8 | 0.5 |
| USA, Texas | 10869 | 98.1 | 1.7 | 11.4 | 6760 | 97.9 | 1.8 | 7.0 |
| USA, Texas: White | 10536 | 98.1 | 1.7 | 13.1 | 6516 | 98.0 | 1.7 | 8.3 |
| USA, Texas: Black | 68 | 94.1 | 5.9 | 0.7 | 79 | 92.4 | 7.6 | 0.6 |
| USA, Texas: Asian and Pacific Islander | 35 | 97.1 | 2.9 | 0.9 | 22 | 100.0 | 0.0 | 0.5 |
| USA, Utah | 2764 | 99.7 | 0.2 | 30.1 | 2044 | 99.8 | 0.1 | 22.8 |
| USA, Vermont | 876 | 99.8 | 0.1 | 29.6 | 636 | 99.7 | 0.3 | 23.0 |
| USA, Washington State | 5919 | 99.6 | 0.4 | 20.4 | 4589 | 99.6 | 0.4 | 16.6 |
| *USA, Washington, Seattle | 4130 | 99.8 | 0.1 | 21.1 | 3311 | 99.6 | 0.1 | 17.4 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 1485 | 99.3 | 0.7 | 17.7 | 993 | 99.3 | 0.5 | 13.0 |
| USA, Wyoming | 440 | 99.8 | 0.2 | 17.6 | 317 | 100.0 | 0.0 | 15.0 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 6 | 100.0 | – | 0.5 | 0 | – | – | – |
| Brunei Darussalam | 2 | 100.0 | – | 0.2 | 5 | 100.0 | – | 0.5 |
| *China, Anfu County | 7 | 100.0 | – | 0.7 | 3 | 100.0 | – | 0.3 |
| *China, Anguo City | 0 | – | – | – | 0 | – | – | – |
| *China, Anshan City | 24 | 100.0 | – | 0.3 | 23 | 100.0 | – | 0.3 |
| *China, Aohan Banner, Chifeng City | 6 | 100.0 | – | 0.3 | 2 | 100.0 | – | 0.1 |
| *China, Arongqi | 0 | – | – | – | 0 | – | – | – |
| *China, Baoding City | 8 | 100.0 | – | 0.2 | 10 | 100.0 | – | 0.3 |
| *China, Beijing City | 156 | 100.0 | – | 0.4 | 183 | 100.0 | – | 0.5 |
| *China, Binhai County | 10 | 100.0 | – | 0.2 | 8 | 100.0 | – | 0.2 |
| *China, Cangzhou City | 2 | 100.0 | – | 0.1 | 2 | 100.0 | – | 0.1 |
| China, Changfeng County | 9 | 100.0 | – | 0.5 | 8 | 100.0 | – | 0.5 |
| China, Changzhou City | 49 | 98.0 | – | 0.5 | 54 | 98.1 | – | 0.5 |
| China, Chengdu City | 20 | 100.0 | – | 0.5 | 17 | 100.0 | – | 0.4 |
| China, Cixian County | 9 | 100.0 | – | 0.6 | 7 | 100.0 | – | 0.4 |
| China, Cixi City | 10 | 90.0 | 10.0 | 0.2 | 16 | 100.0 | 0.0 | 0.3 |
| *China, Dafeng District, Yancheng City | 23 | 100.0 | – | 0.7 | 25 | 100.0 | – | 0.6 |
| China, Dalian City | 52 | 100.0 | – | 0.5 | 57 | 100.0 | – | 0.5 |
| *China, Dancheng County | 13 | 100.0 | – | 0.3 | 3 | 100.0 | – | 0.1 |
| China, Dangtu County | 12 | 100.0 | – | 0.9 | 11 | 100.0 | – | 1.5 |
| *China, Danyang City | 10 | 90.0 | – | 0.3 | 10 | 90.0 | – | 0.3 |
| *China, Dawukou District, Shizuishan City | 3 | 100.0 | – | 0.3 | 4 | 100.0 | – | 0.4 |
| *China, Dehui City | 5 | 100.0 | – | 0.2 | 4 | 100.0 | – | 0.1 |
| *China, Donggang County | 2 | 100.0 | – | 0.1 | 5 | 100.0 | – | 0.2 |
| *China, Dongguan City | 26 | 96.2 | – | 0.6 | 17 | 100.0 | – | 0.3 |
| China, Donghai County | 13 | 100.0 | – | 0.3 | 12 | 100.0 | – | 0.3 |
| *China, Dongtai City | 13 | 100.0 | – | 0.3 | 11 | 100.0 | – | 0.2 |
| China, Duanzhou District, Zhaoqing City | 2 | 100.0 | – | 0.1 | 3 | 100.0 | – | 0.4 |
| *China, Evenki Autonomous Banner | 0 | – | – | – | 1 | 100.0 | – | 0.3 |
| *China, Faku County | 5 | 100.0 | – | 0.3 | 5 | 100.0 | – | 0.3 |
| *China, Fangcheng County | 2 | 100.0 | – | 0.1 | 0 | – | – | – |
| *China, Feicheng City | 8 | 100.0 | – | 0.2 | 9 | 100.0 | – | 0.2 |
| China, Feixi County | 23 | 100.0 | – | 0.6 | 20 | 100.0 | – | 0.5 |
| China, Fuqing City | 6 | 100.0 | – | 0.2 | 7 | 100.0 | – | 0.3 |
| *China, Ganyu District, Lianyungang City | 7 | 100.0 | – | 0.2 | 9 | 88.9 | – | 0.2 |
| *China, Ganzhou District, Zhangye City | 3 | 100.0 | – | 0.2 | 4 | 100.0 | – | 0.4 |
| *China, Gaocheng City | 2 | 100.0 | – | 0.1 | 4 | 100.0 | – | 0.2 |
| China, Gaomi City | 8 | 100.0 | – | 0.3 | 10 | 100.0 | – | 0.3 |
| China, Gong'an County | 16 | 100.0 | – | 0.5 | 9 | 100.0 | – | 0.3 |
| *China, Guang'an District, Guang'an City | 6 | 100.0 | – | 0.3 | 2 | 100.0 | – | 0.1 |
| China, Guanghan City | 4 | 100.0 | – | 0.2 | 4 | 100.0 | – | 0.2 |
| China, Guangzhou City | 128 | 100.0 | – | 0.4 | 114 | 100.0 | – | 0.3 |
| *China, Guanyun County | 7 | 100.0 | – | 0.2 | 8 | 100.0 | – | 0.2 |
| China, Guilin City | 9 | 100.0 | – | 0.4 | 14 | 92.9 | – | 0.6 |
| *China, Hai'an City | 18 | 100.0 | – | 0.4 | 18 | 100.0 | – | 0.3 |
| China, Hailar District, Hulun Buir City | 4 | 75.0 | 25.0 | 0.3 | 5 | 80.0 | 0.0 | 0.4 |
| China, Haimen District, Nantong City | 35 | 100.0 | – | 0.7 | 25 | 100.0 | – | 0.4 |
| China, Haining City | 11 | 100.0 | – | 0.4 | 21 | 100.0 | – | 0.5 |
| China, Hangzhou City | 182 | 98.9 | – | 0.6 | 138 | 99.3 | – | 0.4 |
| China, Hebi City | 5 | 100.0 | – | 0.4 | 1 | 100.0 | – | 0.1 |
| China, Hefei City | 49 | 100.0 | – | 0.6 | 41 | 100.0 | – | 0.5 |
| China, Hengdong County | 5 | 100.0 | – | 0.3 | 1 | 100.0 | – | 0.1 |
| *China, Hengfeng County | 1 | 100.0 | – | 0.1 | 2 | 100.0 | – | 0.4 |
| *China, Hepu County | 5 | 100.0 | – | 0.2 | 4 | 100.0 | – | 0.1 |
| China, Honghu City | 16 | 100.0 | – | 0.6 | 14 | 100.0 | – | 0.5 |
| China, Hongshan District, Chifeng City | 4 | 100.0 | – | 0.4 | 4 | 100.0 | – | 0.5 |
| *China, Hongta District, Yuxi City | 11 | 100.0 | – | 0.6 | 7 | 100.0 | – | 0.4 |
| *China, Huaiyin District, Huai'an City | 7 | 100.0 | – | 0.2 | 10 | 100.0 | – | 0.3 |
| *China, Jiange County | 2 | 100.0 | – | 0.2 | 0 | – | – | – |
| China, Jiangmen City | 20 | 100.0 | – | 0.8 | 13 | 100.0 | – | 0.5 |
| *China, Jiangyin City | 23 | 100.0 | – | 0.5 | 13 | 100.0 | – | 0.2 |
| *China, Jiashan County | 16 | 100.0 | – | 0.7 | 12 | 100.0 | – | 0.6 |
| China, Jiayu County | 3 | 100.0 | – | 0.3 | 2 | 100.0 | – | 0.3 |
| *China, Jinan City | 23 | 87.0 | 0.0 | 0.2 | 23 | 87.0 | 4.3 | 0.2 |
| *China, Jingtai County | 3 | 100.0 | – | 0.5 | 1 | 100.0 | – | 0.1 |
| *China, Jingxian County | 5 | 100.0 | – | 0.4 | 6 | 100.0 | – | 0.6 |
| *China, Jintan District, Changzhou City | 19 | 100.0 | – | 0.7 | 12 | 100.0 | – | 0.5 |
| *China, Jiulongpo District, Chongqing City | 14 | 100.0 | – | 0.4 | 25 | 96.0 | – | 0.8 |
| *China, Jiyuan City | 5 | 100.0 | – | 0.3 | 4 | 100.0 | – | 0.2 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 8 | 100.0 | — | 0.6 | 8 | 100.0 | — | 0.5 |
| China, Kunshan City | 22 | 90.9 | 0.0 | 0.6 | 24 | 79.2 | 4.2 | 0.7 |
| China, Langzhong City | 5 | 100.0 | — | 0.2 | 5 | 100.0 | — | 0.3 |
| *China, Liangshan County | 1 | 100.0 | — | 0.0 | 4 | 100.0 | — | 0.2 |
| *China, Lianshui County | 11 | 100.0 | — | 0.3 | 8 | 100.0 | — | 0.2 |
| China, Lianyungang City | 15 | 93.3 | — | 0.3 | 8 | 100.0 | — | 0.3 |
| China, Linhe District, Bayannur City | 5 | 100.0 | — | 0.3 | 4 | 100.0 | — | 0.3 |
| China, Linqu County | 11 | 100.0 | — | 0.3 | 8 | 100.0 | — | 0.2 |
| *China, Linzhou City | 17 | 100.0 | — | 0.6 | 19 | 100.0 | — | 0.7 |
| China, Liuzhou City | 22 | 100.0 | — | 0.6 | 17 | 100.0 | — | 0.4 |
| China, Liyang City | 29 | 100.0 | — | 0.7 | 15 | 100.0 | — | 0.4 |
| *China, Longquan City | 6 | 100.0 | — | 0.5 | 3 | 100.0 | — | 0.3 |
| China, Lucheng District, Wenzhou City | 10 | 80.0 | — | 0.6 | 12 | 100.0 | — | 0.6 |
| China, Luoding City | 6 | 100.0 | — | 0.3 | 10 | 90.0 | — | 0.4 |
| *China, Luohe City | 18 | 100.0 | — | 0.5 | 4 | 100.0 | — | 0.1 |
| *China, Luoyang City | 10 | 100.0 | — | 0.2 | 10 | 100.0 | — | 0.2 |
| *China, Luquan City | 1 | 100.0 | — | 0.1 | 2 | 100.0 | — | 0.2 |
| China, Ma'anshan City | 11 | 100.0 | — | 0.5 | 20 | 100.0 | — | 0.8 |
| *China, Macheng City | 8 | 100.0 | — | 0.4 | 8 | 100.0 | — | 0.3 |
| China, Meihekou City | 8 | 100.0 | — | 0.3 | 6 | 100.0 | — | 0.2 |
| *China, Mengjin County | 12 | 100.0 | — | 1.1 | 3 | 100.0 | — | 0.2 |
| China, Nangang District, Harbin City | 14 | 100.0 | — | 0.5 | 9 | 100.0 | — | 0.2 |
| *China, Nanhai District, Foshan City | 9 | 100.0 | — | 0.3 | 20 | 100.0 | — | 0.6 |
| China, Nanhu District, Jiaxing City | 14 | 100.0 | — | 0.5 | 10 | 100.0 | — | 0.4 |
| *China, Nantong City | 23 | 100.0 | — | 0.4 | 24 | 100.0 | — | 0.3 |
| *China, Nanxiong City | 7 | 100.0 | — | 0.5 | 7 | 100.0 | — | 0.5 |
| China, Neixiang County | 5 | 100.0 | — | 0.2 | 3 | 100.0 | — | 0.1 |
| *China, Qianxi County | 1 | 100.0 | — | 0.1 | 0 | — | — | — |
| China, Qidong City | 36 | 97.2 | — | 0.5 | 39 | 100.0 | — | 0.6 |
| China, Qingzhou City | 14 | 100.0 | — | 0.5 | 15 | 100.0 | — | 0.5 |
| *China, Rudong County | 27 | 100.0 | — | 0.5 | 20 | 100.0 | — | 0.3 |
| *China, Rugao City | 21 | 100.0 | — | 0.3 | 38 | 100.0 | — | 0.5 |
| *China, Rural areas of Shanghai City | 229 | 93.0 | 0.4 | 0.5 | 221 | 89.6 | 0.9 | 0.5 |
| China, Ruyang County | 0 | — | — | — | 5 | 100.0 | — | 0.4 |
| *China, Shan County | 1 | 100.0 | — | 0.1 | 3 | 100.0 | — | 0.1 |
| China, Shanghai City | 140 | 89.3 | — | 0.4 | 168 | 88.1 | — | 0.5 |
| China, Shangyu District, Shaoxing City | 24 | 100.0 | — | 0.7 | 23 | 100.0 | — | 0.6 |
| *China, Shapingba District, Chongqing City | 28 | 100.0 | — | 0.9 | 16 | 100.0 | — | 0.4 |
| China, Shexian County | 5 | 100.0 | — | 0.5 | 4 | 100.0 | — | 0.4 |
| China, Sheyang County | 10 | 100.0 | — | 0.2 | 12 | 100.0 | — | 0.3 |
| *China, Shijiazhuang City | 16 | 100.0 | — | 0.3 | 11 | 100.0 | — | 0.2 |
| China, Shunde District, Foshan City | 9 | 100.0 | — | 0.3 | 19 | 100.0 | — | 0.4 |
| *China, Song County | 1 | 100.0 | — | 0.1 | 1 | 100.0 | — | 0.1 |
| China, Suzhou City | 73 | 82.2 | 4.1 | 0.5 | 90 | 84.4 | 0.0 | 0.5 |
| *China, Tengzhou City | 20 | 100.0 | — | 0.5 | 20 | 100.0 | — | 0.4 |
| *China, Wangdu County | 1 | 100.0 | — | 0.2 | 1 | 100.0 | — | 0.4 |
| *China, Wanzai County | 2 | 100.0 | — | 0.2 | 1 | 100.0 | — | 0.1 |
| *China, Wu'an City | 0 | — | — | — | 1 | 100.0 | — | 0.1 |
| China, Wuhan City | 97 | 94.8 | 1.0 | 0.4 | 99 | 96.0 | 0.0 | 0.5 |
| *China, Wuhu City | 27 | 100.0 | — | 0.5 | 20 | 100.0 | — | 0.4 |
| China, Wuxi City | 40 | 90.0 | — | 0.3 | 28 | 92.9 | — | 0.2 |
| China, Wuzhou City | 11 | 100.0 | — | 0.5 | 2 | 100.0 | — | 0.1 |
| China, Xiangfu District, Kaifeng City | 21 | 100.0 | — | 1.1 | 22 | 100.0 | — | 1.2 |
| China, Xianju County | 10 | 100.0 | — | 0.4 | 6 | 100.0 | — | 0.3 |
| *China, Xin'an County | 0 | — | — | — | 1 | 100.0 | — | 0.1 |
| *China, Xining City | 12 | 100.0 | — | 0.5 | 10 | 100.0 | — | 0.4 |
| *China, Xinji City | 4 | 100.0 | — | 0.1 | 3 | 100.0 | — | 0.1 |
| *China, Xinluo District, Longyan City | 2 | 100.0 | — | 0.2 | 4 | 100.0 | — | 0.3 |
| *China, Xinzhou District, Shangrao City | 10 | 100.0 | — | 0.6 | 5 | 100.0 | — | 0.4 |
| China, Xiping County | 10 | 100.0 | — | 0.4 | 13 | 100.0 | — | 0.5 |
| *China, Xishan District, Kunming City | 7 | 100.0 | — | 0.5 | 4 | 100.0 | — | 0.3 |
| *China, Xuyi County | 6 | 100.0 | — | 0.2 | 7 | 100.0 | — | 0.3 |
| *China, Ya'an City | 22 | 100.0 | — | 0.4 | 35 | 100.0 | — | 0.7 |
| *China, Yakeshi City | 0 | — | — | — | 3 | 100.0 | — | 0.2 |
| China, Yancheng City | 32 | 84.4 | — | 0.5 | 22 | 81.8 | — | 0.4 |
| *China, Yangquan City | 11 | 100.0 | — | 0.6 | 7 | 100.0 | — | 0.3 |
| *China, Yangzhong City | 2 | 100.0 | — | 0.1 | 2 | 100.0 | — | 0.1 |
| *China, Yanji City | 4 | 100.0 | — | 0.2 | 6 | 100.0 | — | 0.2 |
| *China, Yanshi City | 8 | 100.0 | — | 0.3 | 14 | 100.0 | — | 0.6 |
| China, Yanting County | 6 | 100.0 | — | 0.4 | 4 | 100.0 | — | 0.2 |
| *China, Yi'an District, Tongling City | 2 | 100.0 | — | 0.2 | 2 | 100.0 | — | 0.2 |
| *China, Yingdong District, Fuyang City | 11 | 100.0 | — | 0.5 | 9 | 100.0 | — | 0.5 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 3 | 100.0 | — | 0.3 | 4 | 100.0 | — | 0.5 |
| *China, Yiyuan County | 6 | 100.0 | — | 0.3 | 4 | 100.0 | — | 0.2 |
| China, Yong'an City | 2 | 100.0 | — | 0.1 | 2 | 100.0 | — | 0.2 |
| *China, Yongding District, Longyan City | 7 | 100.0 | — | 0.5 | 7 | 100.0 | — | 0.5 |
| China, Yongkang City | 14 | 100.0 | 0.0 | 0.5 | 17 | 82.4 | 11.8 | 0.6 |
| *China, Yucheng County | 0 | — | — | — | 2 | 100.0 | — | 0.1 |
| China, Yueyanglou District, Yueyang City | 6 | 100.0 | — | 0.5 | 5 | 100.0 | — | 0.4 |
| China, Yunmeng County | 13 | 100.0 | — | 0.8 | 17 | 100.0 | — | 1.2 |
| *China, Yunyang District, Shiyuan City | 0 | — | — | — | 0 | — | — | — |
| China, Yuzhong District, Chongqing City | 14 | 100.0 | — | 0.6 | 13 | 100.0 | — | 0.6 |
| *China, Zhanhuang County | 5 | 100.0 | — | 0.6 | 0 | — | — | — |
| *China, Zhangjiagang City | 25 | 100.0 | — | 0.5 | 33 | 100.0 | — | 0.6 |
| *China, Zhaoyuan City | 13 | 100.0 | — | 0.5 | 9 | 100.0 | — | 0.3 |
| *China, Zhengding County | 4 | 100.0 | — | 0.3 | 8 | 100.0 | — | 0.5 |
| *China, Zhongshan City | 20 | 100.0 | — | 0.4 | 31 | 100.0 | — | 0.6 |
| China, Zhongxiang City | 23 | 100.0 | — | 0.8 | 21 | 100.0 | — | 0.8 |
| *China, Zhuanghe City | 10 | 100.0 | — | 0.3 | 19 | 100.0 | — | 0.6 |
| *China, Zhuhai City | 15 | 100.0 | — | 0.4 | 18 | 100.0 | — | 0.6 |
| India, Ahmedabad, Urban | 23 | 100.0 | — | 0.2 | 21 | 100.0 | — | 0.2 |
| India, Aurangabad | 2 | 100.0 | — | 0.1 | 3 | 100.0 | — | 0.1 |
| India, Bangalore | 42 | 100.0 | — | 0.4 | 35 | 100.0 | — | 0.3 |
| India, Barshi, Paranda, and Bhum | 1 | 100.0 | — | 0.1 | 2 | 100.0 | — | 0.1 |
| *India, Bhopal | 3 | 100.0 | — | 0.1 | 3 | 100.0 | — | 0.1 |
| India, Chandigarh | 5 | 100.0 | — | 0.2 | 4 | 100.0 | — | 0.2 |
| *India, Chennai | 50 | 98.0 | 2.0 | 0.4 | 50 | 98.0 | 2.0 | 0.4 |
| India, Dibrugarh | 4 | 100.0 | — | 0.1 | 1 | 100.0 | — | 0.0 |
| *India, Dindigul, Ambalikkai | 16 | 100.0 | — | 0.3 | 13 | 100.0 | — | 0.2 |
| India, Kamrup Urban District | 6 | 83.3 | 16.7 | 0.2 | 6 | 100.0 | 0.0 | 0.3 |
| India, Kollam | 26 | 96.2 | — | 0.4 | 26 | 96.2 | — | 0.3 |
| *India, Manipur | 3 | 100.0 | — | 0.0 | 13 | 100.0 | — | 0.2 |
| India, Meghalaya | 8 | 100.0 | — | 0.3 | 4 | 100.0 | — | 0.2 |
| India, Mizoram | 4 | 100.0 | — | 0.3 | 3 | 100.0 | — | 0.2 |
| India, Mumbai | 86 | 100.0 | — | 0.3 | 69 | 100.0 | — | 0.2 |
| *India, New Delhi | 67 | 97.0 | — | 0.3 | 61 | 98.4 | — | 0.3 |
| India, Poona | 43 | 100.0 | — | 0.3 | 15 | 100.0 | — | 0.1 |
| *India, Sangrur District | 2 | 100.0 | — | 0.1 | 3 | 100.0 | — | 0.1 |
| India, SAS Nagar | 0 | — | — | — | 2 | 100.0 | — | 0.1 |
| *India, Tamil Nadu | 610 | 99.5 | 0.5 | 0.3 | 427 | 99.8 | 0.2 | 0.2 |
| *India, Tripura | 8 | 100.0 | — | 0.1 | 4 | 100.0 | — | 0.1 |
| India, Trivandrum | 41 | 100.0 | — | 0.5 | 41 | 100.0 | — | 0.5 |
| India, Wardha | 10 | 100.0 | — | 0.3 | 11 | 100.0 | — | 0.3 |
| India, West Arunachal | 10 | 100.0 | — | 1.4 | 17 | 100.0 | — | 1.9 |
| *Iran (Islamic Republic of), Ardabil Province | 16 | 100.0 | — | 0.9 | 12 | 100.0 | — | 0.6 |
| *Iran (Islamic Republic of), Golestan Province | 14 | 100.0 | — | 0.6 | 8 | 100.0 | — | 0.4 |
| Israel | 3100 | 98.8 | 0.8 | 12.2 | 2591 | 98.7 | 0.7 | 9.4 |
| *Israel: Jews | 2921 | 98.8 | 0.8 | 13.8 | 2393 | 98.8 | 0.6 | 10.8 |
| *Israel: Arabs | 51 | 98.0 | 2.0 | 1.6 | 29 | 100.0 | 0.0 | 0.8 |
| Japan | 2491 | 94.3 | 2.2 | 0.6 | 2724 | 93.2 | 2.5 | 0.6 |
| Japan, Aichi Prefecture | 122 | 89.3 | 0.8 | 0.5 | 127 | 89.8 | 0.0 | 0.5 |
| *Japan, Akita Prefecture | 30 | 100.0 | — | 0.9 | 30 | 100.0 | — | 0.4 |
| Japan, Aomori Prefecture | 51 | 88.2 | 0.0 | 0.6 | 64 | 90.6 | 1.6 | 0.6 |
| Japan, Gunma Prefecture | 30 | 100.0 | — | 0.3 | 45 | 97.8 | — | 0.7 |
| Japan, Hiroshima Prefecture | 61 | 96.7 | 1.6 | 0.5 | 82 | 92.7 | 2.4 | 0.6 |
| Japan, Miyagi Prefecture | 84 | 96.4 | — | 0.7 | 84 | 96.4 | — | 0.7 |
| Japan, Osaka Prefecture | 170 | 99.4 | 0.6 | 0.6 | 174 | 94.8 | 1.1 | 0.6 |
| Kuwait | 23 | 100.0 | — | 0.2 | 16 | 100.0 | — | 0.2 |
| *Kuwait: Kuwaitis | 5 | 100.0 | — | 0.2 | 7 | 100.0 | — | 0.3 |
| *Kuwait: Non-Kuwaitis | 18 | 100.0 | — | 0.2 | 9 | 100.0 | — | 0.2 |
| *Philippines, Manila | 45 | 97.8 | 0.0 | 0.4 | 47 | 93.6 | 2.1 | 0.3 |
| *Qatar: Qatari | 2 | 100.0 | — | 0.4 | 5 | 100.0 | — | 0.9 |
| Republic of Korea | 1384 | 99.1 | 0.2 | 0.7 | 1563 | 98.0 | 1.1 | 0.7 |
| *Republic of Korea, Busan | 84 | 98.8 | 1.2 | 0.6 | 89 | 96.6 | 2.2 | 0.5 |
| *Republic of Korea, Daegu | 44 | 100.0 | 0.0 | 0.5 | 66 | 97.0 | 1.5 | 0.6 |
| *Republic of Korea, Daejeon | 43 | 100.0 | — | 0.8 | 53 | 100.0 | — | 0.9 |
| *Republic of Korea, Gwangju | 28 | 96.4 | — | 0.6 | 39 | 100.0 | — | 0.6 |
| Republic of Korea, Incheon | 71 | 97.2 | 0.0 | 0.7 | 79 | 97.5 | 1.3 | 0.7 |
| Republic of Korea, Jeju | 14 | 100.0 | 0.0 | 0.6 | 25 | 92.0 | 8.0 | 0.9 |
| Republic of Korea, Seoul | 262 | 98.9 | 0.4 | 0.7 | 287 | 98.6 | 0.7 | 0.7 |
| Republic of Korea, Ulsan | 26 | 100.0 | 0.0 | 0.6 | 24 | 91.7 | 4.2 | 0.6 |
| Singapore | 107 | 100.0 | — | 0.7 | 63 | 100.0 | — | 0.4 |
| Singapore: Chinese | 59 | 100.0 | — | 0.5 | 51 | 100.0 | — | 0.4 |
| Singapore: Indian | 4 | 100.0 | — | 0.4 | 1 | 100.0 | — | 0.1 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 4 | 100.0 | – | 0.2 | 5 | 100.0 | – | 0.3 |
| Thailand, Bangkok | 37 | 91.9 | – | 0.2 | 58 | 96.6 | – | 0.3 |
| *Thailand, Chiang Mai | 28 | 100.0 | – | 0.5 | 31 | 100.0 | – | 0.5 |
| *Thailand, Khon Kaen | 26 | 100.0 | – | 0.4 | 28 | 100.0 | – | 0.4 |
| Thailand, Lampang | 16 | 100.0 | – | 0.5 | 17 | 100.0 | – | 0.7 |
| Thailand, Lopburi Province | 28 | 100.0 | – | 1.2 | 36 | 100.0 | – | 1.4 |
| *Thailand, Songkhla | 19 | 100.0 | – | 0.5 | 27 | 100.0 | – | 0.6 |
| Turkey, Antalya | 114 | 100.0 | – | 1.8 | 80 | 100.0 | – | 1.2 |
| Turkey, Bursa | 130 | 99.2 | 0.8 | 1.6 | 106 | 100.0 | 0.0 | 1.2 |
| *Turkey, Edirne | 34 | 100.0 | – | 2.2 | 28 | 100.0 | – | 1.7 |
| *Turkey, Erzurum | 26 | 100.0 | – | 1.3 | 29 | 100.0 | – | 1.4 |
| Turkey, Eskişehir | 48 | 100.0 | – | 1.8 | 45 | 100.0 | – | 1.6 |
| Turkey, Gaziantep | 43 | 100.0 | – | 1.2 | 40 | 95.0 | – | 1.0 |
| *Turkey, Izmir | 294 | 98.3 | 1.0 | 2.2 | 271 | 97.0 | 0.7 | 1.9 |
| Turkey, Malatya | 30 | 93.3 | 3.3 | 1.3 | 25 | 100.0 | 0.0 | 1.0 |
| Turkey, Samsun | 74 | 100.0 | – | 1.8 | 54 | 100.0 | – | 1.2 |
| Turkey, Trabzon | 57 | 100.0 | – | 2.3 | 52 | 100.0 | – | 1.6 |
| Europe | | | | | | | | |
| Austria | 4829 | 93.9 | 2.8 | 12.9 | 4212 | 94.4 | 2.4 | 11.1 |
| Austria, Carinthia | 582 | 99.8 | 0.2 | 22.1 | 515 | 99.6 | 0.2 | 20.8 |
| Austria, Tyrol | 925 | 99.9 | 0.0 | 34.2 | 923 | 99.8 | 0.1 | 35.0 |
| Austria, Vorarlberg | 256 | 99.6 | – | 15.5 | 226 | 99.6 | – | 14.5 |
| Belarus | 1653 | 100.0 | – | 5.3 | 2607 | 100.0 | – | 6.0 |
| *Belgium | 6044 | 100.0 | – | 13.3 | 8436 | 100.0 | – | 19.5 |
| Croatia | 1978 | 98.0 | 1.8 | 11.2 | 1708 | 96.9 | 2.6 | 8.4 |
| Cyprus | 196 | 98.5 | 1.5 | 5.7 | 173 | 96.0 | 4.0 | 5.0 |
| *Czech Republic | 6426 | 100.0 | – | 14.3 | 5883 | 100.0 | – | 12.8 |
| Denmark | 5611 | 99.8 | – | 23.2 | 6392 | 99.9 | – | 29.0 |
| Estonia | 460 | 98.0 | 0.4 | 9.4 | 729 | 99.0 | 0.5 | 11.9 |
| Finland | 4160 | 99.8 | 0.0 | 16.4 | 3851 | 99.8 | 0.1 | 16.2 |
| *France, Bas-Rhin | 569 | 99.8 | – | 15.8 | 589 | 99.8 | – | 16.6 |
| *France, Calvados | 350 | 100.0 | – | 11.6 | 372 | 99.7 | – | 12.2 |
| *France, Doubs | 271 | 100.0 | – | 12.0 | 245 | 100.0 | – | 11.2 |
| *France, Gironde | 992 | 100.0 | – | 15.7 | 972 | 100.0 | – | 14.5 |
| *France, Haut-Rhin | 452 | 100.0 | – | 14.8 | 459 | 100.0 | – | 15.7 |
| *France, Hérault | 470 | 100.0 | – | 9.8 | 437 | 100.0 | – | 9.4 |
| *France, Isère | 798 | 100.0 | – | 16.6 | 858 | 100.0 | – | 18.5 |
| *France, Lille-Métropole | 323 | 100.0 | – | 12.3 | 350 | 100.0 | – | 11.8 |
| *France, Limousin | 304 | 100.0 | – | 16.5 | 288 | 100.0 | – | 16.0 |
| *France, Loire-Atlantique | 846 | 100.0 | – | 15.7 | 882 | 99.9 | – | 15.9 |
| *France, Manche | 225 | 100.0 | – | 8.7 | 308 | 100.0 | – | 13.0 |
| *France, Poitou-Charentes | 1049 | 100.0 | – | 12.1 | 1050 | 100.0 | – | 13.0 |
| *France, Somme | 223 | 100.0 | – | 9.8 | 264 | 99.6 | – | 11.7 |
| *France, Tarn | 192 | 100.0 | – | 10.4 | 199 | 100.0 | – | 10.6 |
| *France, Territoire de Belfort | 52 | 100.0 | – | 10.3 | 41 | 100.0 | – | 9.7 |
| *France, Vendée | 388 | 100.0 | – | 12.6 | 351 | 100.0 | – | 11.3 |
| Germany, Baden-Württemberg | 5272 | 89.7 | 1.1 | 16.5 | 4486 | 85.9 | 1.2 | 15.2 |
| Germany, Bavaria | 9340 | 97.9 | 1.3 | 15.5 | 8143 | 97.2 | 1.5 | 14.5 |
| Germany, Bremen | 413 | 99.0 | 1.0 | 12.5 | 397 | 96.7 | 3.0 | 12.2 |
| Germany, Hamburg | 1017 | 93.8 | 1.5 | 11.6 | 956 | 95.0 | 1.4 | 11.4 |
| Germany, Lower Saxony | 6148 | 96.6 | 2.0 | 15.7 | 6234 | 96.9 | 1.5 | 18.0 |
| Germany, North Rhine-Westphalia | 13090 | 90.4 | 1.4 | 15.8 | 13863 | 91.0 | 1.5 | 18.9 |
| Germany, Rhineland-Palatinate | 3255 | 99.7 | 0.1 | 16.7 | 3073 | 99.8 | 0.1 | 18.0 |
| Germany, Saarland | 669 | 87.1 | 1.3 | 12.9 | 605 | 86.6 | 0.7 | 13.3 |
| Germany, Schleswig-Holstein | 2366 | 95.0 | 1.0 | 15.8 | 2242 | 95.4 | 0.8 | 16.3 |
| Iceland | 106 | 100.0 | – | 8.5 | 121 | 100.0 | – | 10.6 |
| Ireland | 2644 | 99.8 | 0.1 | 15.1 | 2811 | 99.7 | 0.1 | 16.1 |
| *Italy, Aosta Valley | 52 | 100.0 | – | 10.6 | 59 | 96.6 | – | 12.7 |
| *Italy, Avellino | 95 | 98.9 | – | 9.5 | 86 | 97.7 | – | 8.8 |
| Italy, Basilicata | 206 | 94.7 | 0.0 | 8.5 | 230 | 93.5 | 0.4 | 10.1 |
| *Italy, Benevento | 86 | 98.8 | – | 9.1 | 84 | 100.0 | – | 8.2 |
| Italy, Bergamo | 751 | 99.9 | 0.0 | 16.3 | 698 | 99.9 | 0.1 | 16.3 |
| *Italy, Brescia | 557 | 99.6 | – | 11.1 | 470 | 99.8 | – | 10.2 |
| Italy, Brianza (Lecco and Monza e Brianza) | 275 | 98.2 | – | 8.0 | 198 | 100.0 | – | 6.0 |
| Italy, Calabria | 104 | 94.2 | – | 4.6 | 133 | 89.5 | – | 6.2 |
| *Italy, Caserta | 201 | 98.5 | – | 7.3 | 186 | 97.8 | – | 6.7 |
| *Italy, Catania, Messina, and Enna | 591 | 99.5 | 0.0 | 7.7 | 516 | 99.6 | 0.2 | 6.6 |
| Italy, Emilia-Romagna | 2560 | 99.7 | 0.0 | 15.8 | 2190 | 99.5 | 0.1 | 14.7 |
| Italy, Friuli-Venezia Giulia | 1089 | 100.0 | – | 18.3 | 952 | 100.0 | – | 16.6 |
| Italy, Genova | 489 | 97.1 | 0.0 | 16.4 | 454 | 97.8 | 0.4 | 15.5 |
| *Italy, Lombardy, South, Pavia | 213 | 99.1 | – | 7.7 | 168 | 98.2 | – | 5.9 |
| Italy, Mantova and Cremona | 376 | 97.9 | – | 13.2 | 303 | 98.7 | – | 11.3 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 857 | 98.6 | 0.0 | 15.6 | 808 | 98.4 | 0.2 | 15.4 |
| Italy, Milan | 1806 | 98.0 | 0.0 | 12.0 | 1493 | 97.9 | 0.1 | 10.2 |
| Italy, Molise | 76 | 89.5 | 0.0 | 8.5 | 69 | 91.3 | 1.4 | 8.3 |
| *Italy, Naples Centre | 311 | 98.4 | 0.0 | 14.3 | 277 | 97.5 | 0.4 | 11.8 |
| *Italy, Naples North | 319 | 99.7 | 0.0 | 11.2 | 305 | 99.3 | 0.3 | 10.3 |
| *Italy, Naples South | 443 | 99.3 | 0.2 | 11.2 | 430 | 99.3 | 0.2 | 10.7 |
| *Italy, Nuoro | 17 | 94.1 | – | 2.8 | 26 | 96.2 | – | 5.2 |
| *Italy, Palermo | 392 | 89.3 | 1.3 | 7.9 | 328 | 93.3 | 1.2 | 6.9 |
| Italy, Puglia | 1723 | 96.7 | 0.0 | 10.1 | 1620 | 96.8 | 0.5 | 10.0 |
| *Italy, Ragusa and Caltanissetta | 224 | 100.0 | – | 9.6 | 175 | 100.0 | – | 8.2 |
| *Italy, Salerno | 357 | 97.8 | 0.0 | 11.0 | 362 | 97.8 | 0.6 | 11.4 |
| Italy, Sassari | 65 | 96.9 | – | 6.6 | 60 | 98.3 | – | 7.0 |
| *Italy, Sondrio | 101 | 100.0 | – | 10.1 | 74 | 100.0 | – | 7.8 |
| Italy, South Tyrol | 385 | 100.0 | 0.0 | 16.7 | 347 | 99.7 | 0.3 | 14.4 |
| *Italy, Syracuse | 108 | 99.1 | 0.9 | 6.4 | 104 | 99.0 | 1.0 | 6.5 |
| Italy, Trento | 393 | 99.0 | – | 16.5 | 332 | 99.7 | – | 15.7 |
| Italy, Turin | 973 | 100.0 | – | 9.6 | 840 | 99.9 | – | 8.2 |
| *Italy, Tuscany | 1772 | 97.1 | 0.1 | 19.7 | 1578 | 97.3 | 0.1 | 17.9 |
| Italy, Umbria | 550 | 98.5 | 0.0 | 17.0 | 437 | 98.6 | 0.2 | 14.8 |
| Italy, Varese | 208 | 100.0 | – | 8.0 | 144 | 100.0 | – | 5.9 |
| Italy, Veneto | 3614 | 99.3 | 0.0 | 16.9 | 3248 | 99.3 | 0.1 | 16.5 |
| Latvia | 381 | 99.7 | – | 5.1 | 657 | 99.8 | – | 6.3 |
| *Liechtenstein | 42 | 100.0 | – | 25.4 | 37 | 100.0 | – | 22.2 |
| *Lithuania | 626 | 100.0 | – | 5.8 | 963 | 100.0 | – | 6.5 |
| Malta | 166 | 98.8 | – | 8.6 | 143 | 100.0 | – | 8.5 |
| *The Netherlands | 14493 | 100.0 | – | 20.2 | 15735 | 100.0 | – | 23.3 |
| Norway | 5448 | 100.0 | – | 24.5 | 5296 | 100.0 | – | 25.1 |
| Poland, Kielce | 299 | 99.7 | – | 5.7 | 359 | 100.0 | – | 5.9 |
| *Portugal, Azores | 40 | 97.5 | – | 6.1 | 39 | 100.0 | – | 5.3 |
| Russian Federation, Arkhangelsk | 155 | 100.0 | – | 4.2 | 373 | 100.0 | – | 7.3 |
| Russian Federation, Kaliningrad | 154 | 100.0 | – | 4.9 | 266 | 100.0 | – | 5.9 |
| Russian Federation, Karelia | 111 | 100.0 | – | 5.6 | 178 | 100.0 | – | 5.8 |
| *Russian Federation, Komi Republic | 143 | 100.0 | – | 5.6 | 198 | 100.0 | – | 5.6 |
| Russian Federation, Murmansk | 131 | 100.0 | – | 6.2 | 215 | 100.0 | – | 6.8 |
| *Russian Federation, Orenburg | 261 | 98.1 | 0.0 | 4.2 | 428 | 97.2 | 0.2 | 4.7 |
| Russian Federation, Pskov | 83 | 100.0 | – | 3.8 | 152 | 100.0 | – | 4.3 |
| *Russian Federation, Samara | 552 | 99.3 | 0.7 | 5.3 | 892 | 99.7 | 0.3 | 6.0 |
| Russian Federation, Vologda Region | 163 | 100.0 | – | 4.5 | 311 | 100.0 | – | 5.7 |
| Slovenia | 1530 | 100.0 | – | 17.1 | 1339 | 100.0 | – | 14.9 |
| Spain, Asturias | 169 | 100.0 | – | 5.6 | 240 | 100.0 | – | 7.5 |
| Spain, Basque Country | 633 | 99.8 | 0.2 | 7.9 | 707 | 99.3 | 0.4 | 8.7 |
| Spain, Canary Islands | 355 | 100.0 | 0.0 | 6.3 | 392 | 99.7 | 0.3 | 6.9 |
| Spain, Castellón | 161 | 99.4 | – | 6.6 | 142 | 100.0 | – | 5.8 |
| Spain, Girona | 199 | 99.0 | – | 6.0 | 200 | 100.0 | – | 6.8 |
| Spain, Granada | 338 | 99.7 | – | 9.6 | 346 | 100.0 | – | 9.6 |
| Spain, La Rioja | 83 | 98.8 | 0.0 | 5.5 | 84 | 98.8 | 1.2 | 5.8 |
| Spain, Murcia | 452 | 99.3 | 0.2 | 8.0 | 491 | 99.2 | 0.6 | 8.6 |
| Spain, Navarra | 197 | 100.0 | – | 8.3 | 213 | 100.0 | – | 9.0 |
| Spain, Salamanca | 97 | 100.0 | – | 5.3 | 138 | 100.0 | – | 7.7 |
| Spain, Tarragona | 217 | 99.5 | 0.5 | 6.1 | 228 | 100.0 | 0.0 | 6.9 |
| *Sweden | 9495 | 100.0 | – | 20.9 | 9103 | 100.0 | – | 22.0 |
| Switzerland, Aargau | 550 | 99.8 | 0.2 | 18.2 | 455 | 99.8 | 0.2 | 15.7 |
| Switzerland, Basel | 259 | 97.7 | 2.3 | 10.5 | 237 | 99.2 | 0.8 | 9.3 |
| Switzerland, Berne Solothurn | 989 | 99.6 | 0.2 | 25.6 | 837 | 99.8 | 0.2 | 22.4 |
| Switzerland, East | 695 | 99.3 | 0.4 | 17.9 | 612 | 99.8 | 0.0 | 16.7 |
| *Switzerland, Fribourg | 279 | 100.0 | – | 22.8 | 231 | 100.0 | – | 18.8 |
| Switzerland, Geneva | 428 | 99.3 | 0.2 | 22.1 | 368 | 99.7 | 0.0 | 17.5 |
| *Switzerland, Graubünden and Glarus | 206 | 98.5 | – | 17.2 | 178 | 99.4 | – | 14.6 |
| *Switzerland, Lucerne | 501 | 99.6 | 0.2 | 21.4 | 470 | 99.1 | 0.0 | 21.0 |
| *Switzerland, Neuchâtel and Jura | 197 | 100.0 | – | 18.3 | 166 | 100.0 | – | 15.5 |
| Switzerland, Ticino | 377 | 99.7 | – | 23.3 | 307 | 100.0 | – | 20.7 |
| Switzerland, Valais | 276 | 100.0 | – | 18.0 | 257 | 100.0 | – | 17.4 |
| Switzerland, Vaud | 638 | 99.5 | 0.2 | 20.4 | 544 | 98.5 | 0.0 | 17.4 |
| Switzerland, Zurich and Zug | 1572 | 99.9 | 0.1 | 22.0 | 1455 | 100.0 | 0.0 | 20.9 |
| Ukraine | 6263 | 98.8 | 0.0 | 5.2 | 8479 | 98.8 | 0.0 | 5.3 |
| UK, England | 33642 | 99.1 | 0.1 | 14.2 | 33343 | 99.3 | 0.1 | 14.7 |
| UK, Northern Ireland | 882 | 99.8 | – | 12.1 | 1018 | 99.6 | – | 14.4 |
| UK, Scotland | 3068 | 99.8 | – | 12.8 | 3085 | 99.8 | – | 13.3 |
| UK, Wales | 2059 | 98.9 | 0.1 | 13.8 | 1959 | 98.8 | 0.2 | 14.3 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 14113 | 99.3 | 0.1 | 42.1 | 9628 | 99.3 | 0.0 | 29.2 |
| *Australia, Northern Territory | 269 | 100.0 | – | 39.1 | 147 | 100.0 | – | 22.8 |

* Important. See note on population page.

Indices of data quality Melanoma of skin (C43) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 262 | 100.0 | – | 45.5 | 141 | 100.0 | – | 29.1 |
| *Australia, Northern Territory: Indigenous | 2 | 100.0 | – | 1.9 | 1 | 100.0 | – | 0.4 |
| *Australia, Queensland | 12965 | 98.9 | 0.1 | 68.3 | 8630 | 98.7 | 0.1 | 47.4 |
| Australia, South Australia | 2346 | 99.7 | 0.1 | 31.3 | 1577 | 99.7 | 0.0 | 21.0 |
| Australia, Tasmania | 910 | 99.6 | 0.1 | 37.4 | 798 | 99.6 | 0.1 | 35.3 |
| *Australia, Victoria | 7539 | 99.4 | 0.2 | 31.1 | 5803 | 99.4 | 0.3 | 23.6 |
| *Australia, Western Australia | 4256 | 99.2 | 0.2 | 43.7 | 2957 | 99.6 | 0.1 | 30.7 |
| *France, New Caledonia | 83 | 100.0 | – | 10.4 | 41 | 100.0 | – | 5.1 |
| New Zealand | 6693 | 99.6 | 0.3 | 35.7 | 5535 | 99.7 | 0.3 | 28.9 |
| *New Zealand: Maori | 108 | 100.0 | 0.0 | 6.9 | 137 | 99.3 | 0.7 | 7.7 |
| *New Zealand: Pacific peoples | 16 | 93.8 | 6.2 | 2.6 | 18 | 100.0 | 0.0 | 2.4 |
| *New Zealand: Other | 6553 | 99.6 | 0.3 | 44.9 | 5366 | 99.7 | 0.2 | 38.1 |
| USA, Hawaii | 995 | 99.9 | – | 16.7 | 621 | 99.0 | – | 11.1 |
| USA, Hawaii: White | 852 | 99.9 | – | 44.2 | 510 | 98.8 | – | 33.3 |
| *USA, Hawaii: Japanese | 21 | 100.0 | – | 1.5 | 14 | 100.0 | – | 1.5 |
| *USA, Hawaii: Chinese | 6 | 100.0 | – | 1.5 | 6 | 100.0 | – | 1.8 |
| *USA, Hawaii: Hawaiian | 31 | 100.0 | – | 3.6 | 19 | 100.0 | – | 1.7 |
| *USA, Hawaii: Filipino | 13 | 100.0 | – | 1.4 | 9 | 100.0 | – | 1.0 |

* Important. See note on population page.

Indices of data quality Breast (C50)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|---------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 16 | 100.0 | – | 1.1 | 675 | 99.6 | – | 44.5 |
| *Algeria, Tizi Ouzou | 18 | 94.4 | – | 1.2 | 1001 | 95.9 | – | 58.7 |
| *Benin, Cotonou | 7 | 57.1 | – | 1.6 | 225 | 77.3 | – | 25.3 |
| *France, La Réunion | 22 | 100.0 | – | 1.0 | 1416 | 99.9 | – | 60.1 |
| *Kenya, Eldoret | 21 | 95.2 | – | 2.4 | 245 | 91.4 | – | 20.0 |
| *Kenya, Nairobi | 49 | 79.6 | 4.1 | 2.1 | 1522 | 81.1 | 3.6 | 53.1 |
| Mauritius | 53 | 94.3 | 0.0 | 1.3 | 2600 | 93.0 | 4.6 | 58.8 |
| *Morocco, Casablanca | 112 | 99.1 | 0.9 | 1.0 | 5545 | 99.3 | 0.5 | 45.5 |
| *Seychelles | 2 | 100.0 | 0.0 | 0.7 | 175 | 94.9 | 2.9 | 53.4 |
| *South Africa, Eastern Cape | 21 | 95.2 | – | 1.9 | 280 | 98.6 | – | 17.9 |
| *Uganda, Kyadondo County | 70 | 54.3 | 0.0 | 3.5 | 857 | 68.0 | 0.1 | 32.0 |
| *Uganda, Gulu | 15 | 60.0 | – | 3.2 | 64 | 68.8 | – | 10.6 |
| *Zimbabwe, Bulawayo: African | 10 | 90.0 | 0.0 | 1.4 | 422 | 79.6 | 8.8 | 37.3 |
| *Zimbabwe, Harare: African | 29 | 79.3 | 10.3 | 1.6 | 838 | 83.9 | 8.4 | 40.3 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 18 | 94.4 | 5.6 | 0.8 | 1508 | 92.0 | 7.5 | 58.6 |
| *Argentina, Mendoza | 56 | 92.9 | 3.6 | 1.1 | 4157 | 94.6 | 4.4 | 71.6 |
| Brazil, Aracaju | 3 | 66.7 | 33.3 | 0.3 | 830 | 97.8 | 1.7 | 53.4 |
| *Brazil, Barretos | 4 | 100.0 | 0.0 | 0.3 | 817 | 95.6 | 4.0 | 55.2 |
| Brazil, Belo Horizonte | 41 | 95.1 | 4.9 | 0.6 | 6378 | 97.8 | 2.1 | 68.7 |
| *Brazil, Campinas | 12 | 91.7 | 8.3 | 0.5 | 2286 | 94.9 | 4.6 | 76.9 |
| *Brazil, Curitiba | 16 | 87.5 | 6.2 | 0.4 | 2754 | 93.1 | 3.9 | 52.6 |
| Brazil, Goiânia | 18 | 88.9 | 11.1 | 0.7 | 1774 | 98.8 | 1.2 | 50.8 |
| *Brazil, Jaú | 3 | 100.0 | – | 0.7 | 255 | 99.6 | – | 51.9 |
| Brazil, João Pessoa | 4 | 100.0 | 0.0 | 0.4 | 829 | 96.4 | 2.2 | 55.5 |
| Brazil, Recife | 15 | 80.0 | 13.3 | 0.6 | 2265 | 83.4 | 3.6 | 62.0 |
| Chile, Region of Antofagasta | 8 | 100.0 | 0.0 | 0.7 | 384 | 95.1 | 1.6 | 37.7 |
| Chile, Valdivia | 2 | 100.0 | 0.0 | 0.2 | 526 | 97.5 | 1.0 | 37.0 |
| Colombia, Bucaramanga | 9 | 88.9 | 0.0 | 0.3 | 1650 | 94.1 | 1.2 | 44.7 |
| Colombia, Cali | 64 | 93.8 | 3.1 | 1.1 | 3872 | 95.9 | 0.3 | 50.2 |
| Colombia, Manizales | 19 | 94.7 | 0.0 | 1.4 | 701 | 93.3 | 0.3 | 42.5 |
| Colombia, Pasto | 3 | 66.7 | 0.0 | 0.3 | 423 | 97.6 | 0.9 | 33.6 |
| Costa Rica | 38 | 78.9 | 2.6 | 0.4 | 4824 | 86.5 | 1.0 | 46.1 |
| Ecuador, Guayaquil | 29 | 79.3 | 0.0 | 0.5 | 2404 | 96.9 | 0.3 | 39.4 |
| Ecuador, Manabí | 4 | 75.0 | 25.0 | 0.1 | 785 | 97.1 | 1.9 | 23.0 |
| Ecuador, Quito | 23 | 100.0 | 0.0 | 0.6 | 2055 | 97.1 | 1.6 | 41.8 |
| *France, Guadeloupe | 9 | 100.0 | – | 0.6 | 1163 | 99.9 | – | 67.2 |
| *France, Martinique | 16 | 100.0 | – | 0.9 | 1169 | 99.8 | – | 66.6 |
| *Peru, Lima | 31 | 96.8 | 3.2 | 0.2 | 7029 | 90.9 | 4.2 | 43.1 |
| *Trinidad and Tobago | 23 | 78.3 | 4.3 | 0.9 | 1329 | 89.4 | 5.3 | 51.4 |
| USA, Puerto Rico | 97 | 92.8 | 2.1 | 0.7 | 10469 | 97.5 | 0.9 | 66.1 |
| *Uruguay | 81 | 87.7 | 11.1 | 0.6 | 9649 | 94.3 | 3.7 | 71.2 |
| North America | | | | | | | | |
| Canada, Alberta | 96 | 100.0 | 0.0 | 0.6 | 12103 | 99.2 | 0.1 | 80.4 |
| Canada, British Columbia | 142 | 98.6 | 0.0 | 0.6 | 17202 | 98.8 | 0.5 | 77.2 |
| *Canada, Manitoba | 27 | 100.0 | – | 0.4 | 4182 | 98.9 | – | 75.8 |
| *Canada, New Brunswick | 26 | 100.0 | 0.0 | 0.6 | 3017 | 98.3 | 0.2 | 77.4 |
| *Canada, Newfoundland and Labrador | 21 | 100.0 | 0.0 | 0.7 | 2270 | 98.5 | 0.5 | 84.8 |
| Canada, Ontario | 444 | 98.4 | 0.2 | 0.7 | 52335 | 97.9 | 0.6 | 85.5 |
| *Canada, Prince Edward Island | 7 | 100.0 | – | 0.6 | 575 | 98.8 | – | 75.7 |
| Canada, Quebec | 312 | 98.1 | 0.6 | 0.8 | 36019 | 97.1 | 1.9 | 92.7 |
| Canada, Saskatchewan | 34 | 97.1 | 0.0 | 0.7 | 3693 | 98.0 | 0.5 | 78.9 |
| *Canada, Yukon | 0 | – | – | – | 127 | 100.0 | – | 86.7 |
| USA | 11067 | 97.9 | 1.6 | 0.8 | 1219770 | 98.5 | 1.0 | 91.0 |
| USA: White | 9124 | 98.1 | 1.4 | 0.8 | 1011600 | 98.6 | 1.0 | 92.1 |
| USA: Black | 1563 | 97.2 | 2.1 | 1.2 | 144185 | 98.4 | 1.0 | 91.1 |
| USA, NPCR | 10714 | 97.8 | 1.6 | 0.8 | 1180666 | 98.5 | 1.0 | 91.0 |
| USA, NPCR: White | 8823 | 98.1 | 1.4 | 0.8 | 979606 | 98.6 | 1.0 | 92.2 |
| USA, NPCR: Black | 1544 | 97.2 | 2.1 | 1.2 | 142629 | 98.4 | 1.0 | 91.2 |
| USA, NPCR: Asian and Pacific Islander | 256 | 99.2 | 0.4 | 0.4 | 46806 | 99.2 | 0.6 | 70.4 |
| USA, NPCR: American Indian | 23 | 100.0 | 0.0 | 0.2 | 5687 | 98.4 | 1.1 | 45.6 |
| *USA, SEER (18 registries) | 2611 | 98.4 | 0.5 | 0.7 | 308543 | 98.9 | 0.4 | 86.4 |
| *USA, SEER (18 registries): White | 2049 | 98.7 | 0.4 | 0.7 | 240625 | 98.9 | 0.5 | 87.6 |
| *USA, SEER (18 registries): Non-Hispanic White | 1854 | 98.9 | 0.4 | 0.8 | 205498 | 98.8 | 0.5 | 91.7 |
| *USA, SEER (18 registries): Hispanic White | 195 | 96.4 | 0.5 | 0.4 | 35127 | 99.2 | 0.3 | 70.8 |
| *USA, SEER (18 registries): Black | 385 | 96.4 | 1.6 | 1.2 | 34875 | 98.8 | 0.4 | 86.1 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 152 | 99.3 | 0.0 | 0.4 | 28283 | 99.3 | 0.2 | 74.4 |
| *USA, SEER (9 registries) | 930 | 98.6 | 0.5 | 0.8 | 109227 | 99.0 | 0.4 | 89.1 |
| *USA, SEER (9 registries): White | 712 | 99.0 | 0.3 | 0.7 | 83987 | 99.0 | 0.4 | 90.6 |
| *USA, SEER (9 registries): Black | 142 | 97.2 | 2.1 | 1.3 | 11928 | 99.0 | 0.4 | 86.3 |
| USA, Alabama | 225 | 91.1 | 5.3 | 1.1 | 18718 | 95.6 | 2.6 | 87.9 |
| USA, Alabama: White | 171 | 91.2 | 5.3 | 1.1 | 13776 | 95.9 | 2.5 | 86.1 |

* Important. See note on population page.

Indices of data quality Breast (C50) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 52 | 90.4 | 5.8 | 1.3 | 4683 | 94.6 | 3.1 | 93.5 |
| USA, Alaska | 18 | 100.0 | 0.0 | 0.7 | 2134 | 98.6 | 0.8 | 87.9 |
| *USA, Alaska: Alaska Natives | 0 | — | — | — | 343 | 99.1 | 0.6 | 99.4 |
| USA, Arizona | 238 | 98.7 | 1.3 | 0.8 | 23744 | 97.4 | 2.2 | 82.6 |
| USA, Arizona: White | 227 | 98.7 | 1.3 | 0.9 | 21958 | 97.4 | 2.2 | 85.6 |
| USA, Arizona: Black | 6 | 100.0 | 0.0 | 0.6 | 743 | 98.0 | 1.7 | 75.3 |
| *USA, Arizona: Asian and Pacific Islander | 3 | 100.0 | 0.0 | 0.5 | 579 | 97.4 | 2.4 | 60.5 |
| USA, Arizona: American Indian | 2 | 100.0 | 0.0 | 0.2 | 391 | 98.7 | 1.0 | 35.8 |
| USA, Arkansas | 103 | 99.0 | 1.0 | 0.8 | 10962 | 98.1 | 1.5 | 85.7 |
| USA, Arkansas: White | 78 | 98.7 | 1.3 | 0.7 | 9176 | 98.2 | 1.4 | 83.7 |
| USA, Arkansas: Black | 21 | 100.0 | 0.0 | 1.5 | 1485 | 98.2 | 1.5 | 90.7 |
| USA, California | 971 | 98.7 | 0.9 | 0.6 | 132956 | 99.0 | 0.6 | 88.1 |
| USA, California: White | 789 | 98.7 | 0.9 | 0.7 | 103644 | 99.0 | 0.6 | 91.0 |
| USA, California: Black | 88 | 96.6 | 2.3 | 1.0 | 8654 | 98.5 | 0.8 | 86.8 |
| USA, California: Asian and Pacific Islander | 87 | 100.0 | 0.0 | 0.4 | 18907 | 99.4 | 0.4 | 76.3 |
| *USA, California, Los Angeles County | 221 | 99.1 | 0.5 | 0.6 | 30603 | 99.1 | 0.3 | 79.8 |
| *USA, California, Los Angeles County: White | 159 | 98.7 | 0.6 | 0.6 | 21672 | 99.2 | 0.4 | 81.1 |
| *USA, California, Los Angeles County: Non-Hispanic White | 119 | 99.2 | 0.8 | 0.7 | 13296 | 99.0 | 0.4 | 99.2 |
| *USA, California, Los Angeles County: Hispanic White | 40 | 97.5 | 0.0 | 0.3 | 8376 | 99.4 | 0.3 | 63.9 |
| *USA, California, Los Angeles County: Black | 30 | 100.0 | 0.0 | 0.9 | 3249 | 98.6 | 0.3 | 80.5 |
| *USA, California, Los Angeles County: Chinese | 6 | 100.0 | 0.0 | 0.3 | 1066 | 98.8 | 0.4 | 48.1 |
| *USA, California, Los Angeles County: Filipino | 12 | 100.0 | 0.0 | 1.0 | 1477 | 99.5 | 0.1 | 83.2 |
| *USA, California, Los Angeles County: Korean | 2 | 100.0 | 0.0 | 0.3 | 513 | 99.0 | 0.2 | 50.6 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 28 | 100.0 | 0.0 | 0.5 | 5161 | 99.3 | 0.2 | 74.1 |
| *USA, California, San Francisco Bay Area | 124 | 99.2 | 0.0 | 0.6 | 16757 | 99.2 | 0.3 | 87.8 |
| *USA, California, San Francisco Bay Area: White | 89 | 98.9 | 0.0 | 0.7 | 10992 | 99.3 | 0.3 | 92.2 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 77 | 100.0 | 0.0 | 0.7 | 9247 | 99.2 | 0.3 | 98.1 |
| *USA, California, San Francisco Bay Area: Hispanic White | 12 | 91.7 | 0.0 | 0.5 | 1745 | 99.6 | 0.2 | 72.3 |
| *USA, California, San Francisco Bay Area: Black | 14 | 100.0 | 0.0 | 0.9 | 1381 | 98.2 | 0.7 | 83.9 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 18 | 100.0 | 0.0 | 0.4 | 4229 | 99.5 | 0.1 | 78.9 |
| USA, Colorado | 137 | 98.5 | 1.5 | 0.6 | 19295 | 98.5 | 1.1 | 91.5 |
| USA, Colorado: White | 130 | 99.2 | 0.8 | 0.6 | 18069 | 98.5 | 1.1 | 93.4 |
| *USA, Colorado: Black | 4 | 75.0 | 25.0 | 0.5 | 608 | 98.4 | 1.3 | 80.8 |
| *USA, Colorado: Asian and Pacific Islander | 0 | — | — | — | 413 | 99.0 | 1.0 | 59.6 |
| USA, Connecticut | 149 | 100.0 | 0.0 | 1.0 | 15103 | 99.2 | 0.3 | 95.1 |
| USA, Connecticut: White | 127 | 100.0 | 0.0 | 0.9 | 13176 | 99.1 | 0.4 | 95.8 |
| USA, Connecticut: Black | 18 | 100.0 | 0.0 | 1.5 | 1223 | 99.6 | 0.1 | 79.9 |
| USA, District of Columbia | 36 | 97.2 | 2.8 | 1.7 | 2415 | 98.8 | 0.9 | 98.7 |
| USA, District of Columbia: White | 12 | 100.0 | 0.0 | 1.1 | 845 | 98.7 | 1.1 | 97.9 |
| USA, District of Columbia: Black | 24 | 95.8 | 4.2 | 2.3 | 1476 | 98.8 | 0.9 | 99.3 |
| USA, Florida | 804 | 96.6 | 3.2 | 0.8 | 82597 | 98.1 | 1.5 | 86.5 |
| USA, Florida: White | 668 | 98.4 | 1.5 | 0.7 | 69866 | 98.7 | 0.9 | 86.7 |
| USA, Florida: Black | 103 | 98.1 | 1.9 | 1.0 | 9667 | 98.7 | 0.8 | 80.4 |
| USA, Florida: Asian and Pacific Islander | 8 | 100.0 | 0.0 | 0.4 | 1510 | 99.6 | 0.1 | 59.8 |
| USA, Georgia | 342 | 97.1 | 1.8 | 0.9 | 37071 | 98.8 | 0.7 | 91.8 |
| USA, Georgia: White | 231 | 98.7 | 0.9 | 0.9 | 24981 | 98.7 | 0.8 | 91.7 |
| USA, Georgia: Black | 104 | 93.3 | 3.8 | 1.2 | 11111 | 98.9 | 0.7 | 94.9 |
| USA, Georgia: Asian and Pacific Islander | 7 | 100.0 | 0.0 | 0.6 | 905 | 99.4 | 0.2 | 64.6 |
| *USA, Georgia, Atlanta | 113 | 96.5 | 2.7 | 1.0 | 11989 | 99.0 | 0.4 | 89.6 |
| *USA, Georgia, Atlanta: White | 60 | 100.0 | 0.0 | 0.9 | 6642 | 99.0 | 0.4 | 93.1 |
| *USA, Georgia, Atlanta: Black | 48 | 91.7 | 6.2 | 1.3 | 4751 | 99.1 | 0.4 | 89.6 |
| USA, Idaho | 48 | 97.9 | 2.1 | 0.6 | 5950 | 98.3 | 0.9 | 90.0 |
| USA, Indiana | 200 | 99.5 | 0.0 | 0.7 | 24747 | 98.8 | 0.6 | 89.1 |
| USA, Indiana: White | 172 | 99.4 | 0.0 | 0.7 | 22442 | 98.8 | 0.6 | 89.6 |
| USA, Indiana: Black | 26 | 100.0 | 0.0 | 1.5 | 2003 | 98.8 | 0.6 | 91.0 |
| *USA, Iowa | 107 | 98.1 | 1.9 | 0.8 | 11567 | 98.9 | 0.4 | 88.0 |
| USA, Kentucky | 118 | 97.5 | 1.7 | 0.6 | 17488 | 98.5 | 0.9 | 91.8 |
| USA, Louisiana | 160 | 98.1 | 1.2 | 0.9 | 17390 | 99.0 | 0.6 | 91.0 |
| USA, Louisiana: White | 98 | 99.0 | 1.0 | 0.7 | 11778 | 99.1 | 0.6 | 89.0 |
| USA, Louisiana: Black | 59 | 96.6 | 1.7 | 1.3 | 5422 | 98.9 | 0.6 | 98.4 |
| *USA, Louisiana, New Orleans | 37 | 97.3 | 0.0 | 1.1 | 3332 | 99.1 | 0.7 | 90.6 |
| *USA, Louisiana, New Orleans: White | 18 | 100.0 | 0.0 | 0.9 | 1968 | 99.1 | 0.7 | 92.7 |
| *USA, Louisiana, New Orleans: Black | 16 | 93.8 | 0.0 | 1.5 | 1285 | 99.0 | 0.7 | 89.8 |
| USA, Maine | 66 | 97.0 | 3.0 | 0.9 | 6029 | 98.7 | 0.6 | 92.3 |
| USA, Maryland | 264 | 96.2 | 3.0 | 1.1 | 24425 | 98.5 | 1.3 | 96.1 |
| USA, Maryland: White | 159 | 96.9 | 1.9 | 0.9 | 15967 | 98.6 | 1.1 | 97.7 |
| USA, Maryland: Black | 96 | 94.8 | 5.2 | 1.7 | 7287 | 98.2 | 1.6 | 97.8 |
| USA, Maryland: Asian and Pacific Islander | 7 | 100.0 | 0.0 | 0.5 | 1077 | 98.7 | 1.3 | 70.5 |
| USA, Massachusetts | 265 | 98.5 | 1.5 | 0.9 | 29633 | 99.1 | 0.6 | 100.2 |
| USA, Massachusetts: White | 235 | 98.7 | 1.3 | 0.9 | 26713 | 99.1 | 0.7 | 102.5 |
| USA, Massachusetts: Black | 19 | 100.0 | 0.0 | 1.3 | 1695 | 99.2 | 0.5 | 84.7 |
| USA, Massachusetts: Asian and Pacific Islander | 10 | 90.0 | 10.0 | 0.8 | 1007 | 99.7 | 0.1 | 70.2 |

* Important. See note on population page.

Indices of data quality Breast (C50) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 424 | 98.6 | 0.9 | 1.0 | 38541 | 98.5 | 1.1 | 88.2 |
| USA, Michigan: White | 349 | 98.6 | 0.9 | 0.9 | 32688 | 98.5 | 1.1 | 88.7 |
| USA, Michigan: Black | 67 | 98.5 | 1.5 | 1.5 | 4923 | 98.5 | 0.8 | 89.1 |
| USA, Michigan: Asian and Pacific Islander | 4 | 100.0 | 0.0 | 0.4 | 624 | 99.0 | 1.0 | 63.2 |
| *USA, Michigan, Detroit | 159 | 98.7 | 0.0 | 1.0 | 15303 | 98.9 | 0.5 | 90.0 |
| *USA, Michigan, Detroit: White | 108 | 98.1 | 0.0 | 0.8 | 11310 | 98.9 | 0.6 | 92.2 |
| *USA, Michigan, Detroit: Black | 47 | 100.0 | 0.0 | 1.5 | 3557 | 98.9 | 0.3 | 88.1 |
| USA, Minnesota | 157 | 100.0 | 0.0 | 0.7 | 21578 | 99.0 | 0.7 | 95.4 |
| USA, Minnesota: White | 147 | 100.0 | 0.0 | 0.7 | 20331 | 98.9 | 0.7 | 97.0 |
| USA, Minnesota: Black | 7 | 100.0 | 0.0 | 0.9 | 620 | 99.7 | 0.2 | 79.1 |
| *USA, Minnesota: Asian and Pacific Islander | 2 | 100.0 | – | 0.4 | 409 | 100.0 | – | 60.8 |
| USA, Mississippi | 99 | 100.0 | 0.0 | 0.8 | 10730 | 98.8 | 0.5 | 86.5 |
| USA, Missouri | 187 | 97.3 | 2.1 | 0.7 | 24725 | 98.5 | 1.0 | 94.6 |
| USA, Missouri: White | 161 | 96.9 | 2.5 | 0.6 | 21724 | 98.5 | 1.0 | 94.6 |
| USA, Missouri: Black | 24 | 100.0 | 0.0 | 1.1 | 2636 | 98.4 | 0.9 | 99.7 |
| USA, Montana | 49 | 95.9 | 2.0 | 0.9 | 4246 | 98.2 | 0.9 | 92.4 |
| *USA, Montana: American Indian | 1 | 100.0 | 0.0 | 0.6 | 157 | 98.7 | 0.6 | 79.2 |
| USA, Nebraska | 81 | 98.8 | 0.0 | 1.1 | 7035 | 98.7 | 0.7 | 92.4 |
| USA, Nebraska: White | 78 | 98.7 | 0.0 | 1.1 | 6708 | 98.7 | 0.7 | 93.9 |
| *USA, Nebraska: Black | 3 | 100.0 | – | 1.1 | 212 | 99.5 | – | 80.4 |
| USA, Nevada | 106 | 97.2 | 1.9 | 0.9 | 9458 | 98.4 | 1.3 | 81.5 |
| USA, Nevada: White | 90 | 98.9 | 1.1 | 0.9 | 7709 | 98.4 | 1.3 | 83.3 |
| USA, Nevada: Black | 12 | 83.3 | 8.3 | 1.5 | 737 | 98.4 | 1.6 | 79.7 |
| *USA, Nevada: Asian and Pacific Islander | 3 | 100.0 | 0.0 | 0.3 | 875 | 98.2 | 1.3 | 68.8 |
| USA, New Jersey | 365 | 98.1 | 1.1 | 1.0 | 38222 | 98.7 | 0.8 | 98.3 |
| USA, New Jersey: White | 300 | 98.3 | 1.0 | 1.0 | 30671 | 98.7 | 0.9 | 101.2 |
| USA, New Jersey: Black | 52 | 96.2 | 1.9 | 1.3 | 4911 | 98.5 | 0.9 | 93.3 |
| USA, New Mexico | 57 | 100.0 | 0.0 | 0.6 | 6756 | 98.3 | 0.9 | 76.5 |
| USA, New Mexico: White | 54 | 100.0 | 0.0 | 0.6 | 6148 | 98.3 | 1.0 | 79.3 |
| USA, New Mexico: Non-Hispanic White | 39 | 100.0 | 0.0 | 0.8 | 3823 | 98.0 | 1.1 | 81.4 |
| USA, New Mexico: Hispanic White | 15 | 100.0 | 0.0 | 0.5 | 2325 | 98.7 | 0.7 | 74.9 |
| *USA, New Mexico: American Indian | 1 | 100.0 | 0.0 | 0.1 | 343 | 98.3 | 0.6 | 46.8 |
| USA, New York State | 793 | 98.7 | 1.0 | 1.0 | 80970 | 99.2 | 0.4 | 96.1 |
| USA, New York State: White | 628 | 98.7 | 1.0 | 1.0 | 63026 | 99.1 | 0.4 | 100.4 |
| USA, New York State: Black | 134 | 98.5 | 1.5 | 1.2 | 12626 | 99.3 | 0.3 | 88.3 |
| USA, New York State: Asian and Pacific Islander | 27 | 100.0 | 0.0 | 0.4 | 4859 | 99.7 | 0.2 | 76.0 |
| USA, North Carolina | 324 | 99.1 | 0.6 | 0.8 | 41790 | 98.7 | 0.8 | 96.6 |
| USA, North Carolina: White | 240 | 99.2 | 0.4 | 0.7 | 32079 | 98.7 | 0.9 | 97.3 |
| USA, North Carolina: Black | 77 | 98.7 | 1.3 | 1.1 | 8660 | 98.9 | 0.7 | 97.6 |
| USA, North Carolina: Asian and Pacific Islander | 3 | 100.0 | 0.0 | 0.4 | 558 | 99.1 | 0.5 | 61.2 |
| *USA, North Carolina: American Indian | 2 | 100.0 | 0.0 | 0.4 | 326 | 97.9 | 1.5 | 61.3 |
| USA, North Dakota | 27 | 100.0 | 0.0 | 1.0 | 2634 | 98.9 | 0.6 | 93.0 |
| USA, Ohio | 376 | 98.7 | 1.1 | 0.7 | 47691 | 98.4 | 1.3 | 92.3 |
| USA, Ohio: White | 330 | 98.5 | 1.2 | 0.7 | 41937 | 98.4 | 1.3 | 93.1 |
| USA, Ohio: Black | 43 | 100.0 | 0.0 | 1.0 | 5196 | 98.5 | 1.2 | 92.3 |
| *USA, Ohio: Asian and Pacific Islander | 3 | 100.0 | 0.0 | 0.4 | 484 | 98.6 | 1.4 | 58.1 |
| USA, Oklahoma | 122 | 96.7 | 0.8 | 0.8 | 14065 | 97.9 | 1.3 | 87.9 |
| USA, Oklahoma: White | 104 | 97.1 | 1.0 | 0.8 | 11973 | 97.9 | 1.3 | 88.7 |
| USA, Oklahoma: Black | 12 | 91.7 | 0.0 | 1.4 | 900 | 97.2 | 1.8 | 88.5 |
| USA, Oklahoma: American Indian | 3 | 100.0 | 0.0 | 0.3 | 950 | 98.4 | 0.7 | 77.7 |
| USA, Oregon | 136 | 100.0 | 0.0 | 0.7 | 16249 | 98.2 | 1.5 | 91.8 |
| USA, Oregon: White | 128 | 100.0 | 0.0 | 0.7 | 15257 | 98.2 | 1.5 | 92.7 |
| *USA, Oregon: Black | 5 | 100.0 | 0.0 | 2.0 | 214 | 99.1 | 0.9 | 84.3 |
| *USA, Oregon: Asian and Pacific Islander | 1 | 100.0 | 0.0 | 0.2 | 498 | 98.4 | 1.6 | 66.4 |
| USA, Rhode Island | 51 | 100.0 | 0.0 | 1.1 | 4662 | 98.9 | 0.8 | 98.9 |
| USA, Rhode Island: White | 48 | 100.0 | 0.0 | 1.2 | 4363 | 98.9 | 0.8 | 101.5 |
| *USA, Rhode Island: Black | 2 | 100.0 | 0.0 | 1.1 | 201 | 99.5 | 0.5 | 75.6 |
| USA, South Carolina | 192 | 97.4 | 2.6 | 0.9 | 20433 | 98.3 | 1.4 | 93.7 |
| USA, South Carolina: White | 136 | 97.8 | 2.2 | 0.8 | 15180 | 98.3 | 1.4 | 94.2 |
| USA, South Carolina: Black | 54 | 96.3 | 3.7 | 1.3 | 5038 | 98.1 | 1.4 | 93.9 |
| USA, South Dakota | 25 | 100.0 | 0.0 | 0.6 | 3240 | 98.6 | 0.6 | 92.1 |
| USA, Tennessee | 232 | 97.4 | 2.2 | 0.9 | 25481 | 98.6 | 0.9 | 89.3 |
| USA, Tennessee: White | 191 | 97.4 | 2.1 | 0.8 | 21477 | 98.6 | 0.9 | 89.6 |
| USA, Tennessee: Black | 39 | 100.0 | 0.0 | 1.3 | 3721 | 98.5 | 0.9 | 90.9 |
| USA, Texas | 858 | 95.7 | 3.5 | 0.9 | 81382 | 97.3 | 2.0 | 82.3 |
| USA, Texas: White | 712 | 95.6 | 3.5 | 0.9 | 68206 | 97.4 | 2.0 | 83.1 |
| USA, Texas: Black | 122 | 95.9 | 4.1 | 1.3 | 10049 | 96.9 | 2.2 | 86.7 |
| USA, Texas: Asian and Pacific Islander | 21 | 95.2 | 0.0 | 0.5 | 2650 | 97.8 | 1.5 | 58.3 |
| USA, Utah | 55 | 98.2 | 0.0 | 0.6 | 7156 | 98.9 | 0.3 | 77.5 |
| USA, Vermont | 25 | 100.0 | 0.0 | 0.8 | 2772 | 98.4 | 0.6 | 94.5 |
| USA, Washington State | 199 | 99.0 | 0.5 | 0.7 | 28473 | 98.9 | 0.6 | 96.7 |
| *USA, Washington, Seattle | 126 | 99.2 | 0.0 | 0.6 | 18918 | 99.1 | 0.2 | 94.2 |

* Important. See note on population page.

Indices of data quality Breast (C50) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 60 | 98.3 | 0.0 | 0.6 | 7436 | 98.5 | 0.5 | 85.4 |
| USA, Wyoming | 27 | 96.3 | 3.7 | 0.9 | 1879 | 99.1 | 0.4 | 80.7 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 13 | 100.0 | 0.0 | 0.9 | 944 | 98.9 | 0.5 | 67.7 |
| Brunei Darussalam | 2 | 100.0 | 0.0 | 0.2 | 481 | 96.7 | 1.0 | 47.5 |
| *China, Anfu County | 3 | 33.3 | – | 0.2 | 184 | 90.8 | – | 17.7 |
| *China, Anguo City | 10 | 90.0 | 0.0 | 0.7 | 583 | 96.1 | 0.5 | 44.2 |
| *China, Anshan City | 40 | 95.0 | 0.0 | 0.5 | 3176 | 94.6 | 0.1 | 43.2 |
| *China, Aohan Banner, Chifeng City | 1 | 100.0 | – | 0.0 | 254 | 97.6 | – | 12.6 |
| *China, Arongqi | 0 | – | – | – | 289 | 63.7 | 0.7 | 30.2 |
| *China, Baoding City | 15 | 100.0 | 0.0 | 0.4 | 1701 | 90.2 | 1.8 | 44.7 |
| *China, Beijing City | 103 | 93.2 | 1.0 | 0.2 | 16341 | 94.5 | 0.4 | 45.2 |
| *China, Binhai County | 20 | 70.0 | – | 0.4 | 631 | 87.8 | – | 15.4 |
| *China, Cangzhou City | 18 | 100.0 | 0.0 | 1.0 | 685 | 92.6 | 0.4 | 38.8 |
| China, Changfeng County | 10 | 60.0 | 0.0 | 0.6 | 300 | 71.7 | 0.3 | 20.0 |
| China, Changzhou City | 33 | 87.9 | 0.0 | 0.3 | 3588 | 93.5 | 0.1 | 36.9 |
| China, Chengdu City | 20 | 55.0 | 5.0 | 0.5 | 1079 | 77.9 | 2.4 | 29.4 |
| China, Cixian County | 1 | 100.0 | 0.0 | 0.1 | 408 | 92.6 | 0.7 | 21.2 |
| China, Cixi City | 16 | 81.2 | 6.2 | 0.3 | 1379 | 85.2 | 1.0 | 29.8 |
| *China, Dafeng District, Yancheng City | 7 | 100.0 | – | 0.3 | 922 | 97.5 | – | 29.6 |
| China, Dalian City | 40 | 92.5 | 0.0 | 0.4 | 5272 | 96.2 | 0.3 | 50.3 |
| *China, Dancheng County | 4 | 75.0 | – | 0.1 | 1857 | 94.5 | – | 49.4 |
| China, Dangtu County | 2 | 50.0 | 50.0 | 0.2 | 258 | 79.5 | 0.4 | 24.4 |
| *China, Danyang City | 4 | 75.0 | 0.0 | 0.1 | 826 | 73.1 | 0.4 | 23.3 |
| *China, Dawukou District, Shizuishan City | 4 | 100.0 | – | 0.4 | 270 | 93.0 | – | 26.0 |
| *China, Dehui City | 7 | 100.0 | 0.0 | 0.2 | 820 | 88.9 | 0.4 | 25.3 |
| *China, Donggang County | 15 | 80.0 | 0.0 | 0.6 | 684 | 84.5 | 0.6 | 25.6 |
| *China, Dongguan City | 9 | 77.8 | 0.0 | 0.2 | 1450 | 91.2 | 0.1 | 34.3 |
| China, Donghai County | 8 | 87.5 | 0.0 | 0.2 | 868 | 90.2 | 1.0 | 23.6 |
| *China, Dongtai City | 11 | 90.9 | – | 0.3 | 935 | 95.8 | – | 23.4 |
| China, Duanzhou District, Zhaoqing City | 6 | 100.0 | 0.0 | 0.4 | 508 | 91.7 | 1.0 | 42.5 |
| *China, Evenki Autonomous Banner | 0 | – | – | – | 119 | 95.0 | 1.7 | 34.9 |
| *China, Faku County | 3 | 66.7 | – | 0.1 | 477 | 96.9 | – | 25.6 |
| *China, Fangcheng County | 12 | 83.3 | – | 0.5 | 692 | 73.0 | – | 33.9 |
| *China, Feicheng City | 15 | 80.0 | 0.0 | 0.4 | 1133 | 90.1 | 0.4 | 29.1 |
| China, Feixi County | 22 | 68.2 | 9.1 | 0.6 | 774 | 65.4 | 0.1 | 21.4 |
| China, Fuqing City | 6 | 83.3 | 0.0 | 0.2 | 578 | 83.9 | 4.3 | 22.1 |
| *China, Ganyu District, Lianyungang City | 17 | 47.1 | 11.8 | 0.4 | 1017 | 73.8 | 0.5 | 27.8 |
| *China, Ganzhou District, Zhangye City | 8 | 87.5 | – | 0.8 | 251 | 87.6 | – | 26.0 |
| *China, Gaocheng City | 4 | 100.0 | 0.0 | 0.2 | 517 | 92.1 | 0.4 | 22.5 |
| China, Gaomi City | 10 | 70.0 | 10.0 | 0.3 | 823 | 91.9 | 0.4 | 29.5 |
| China, Gong'an County | 20 | 90.0 | – | 0.6 | 832 | 99.6 | – | 24.0 |
| *China, Guang'an District, Guang'an City | 24 | 58.3 | 0.0 | 1.3 | 262 | 87.8 | 1.9 | 14.7 |
| China, Guanghan City | 7 | 42.9 | 0.0 | 0.4 | 285 | 80.4 | 0.4 | 17.5 |
| China, Guangzhou City | 90 | 85.6 | 1.1 | 0.3 | 12292 | 93.6 | 0.2 | 39.1 |
| *China, Guanyun County | 13 | 92.3 | – | 0.4 | 711 | 95.4 | – | 22.4 |
| China, Guilin City | 8 | 100.0 | 0.0 | 0.4 | 1197 | 87.1 | 0.2 | 49.6 |
| *China, Hai'an City | 11 | 72.7 | – | 0.3 | 1133 | 71.5 | – | 25.8 |
| China, Hailar District, Hulun Buir City | 0 | – | – | – | 441 | 90.7 | 0.7 | 33.0 |
| China, Haimen District, Nantong City | 11 | 100.0 | – | 0.2 | 1176 | 96.2 | – | 25.8 |
| China, Haining City | 10 | 80.0 | – | 0.3 | 901 | 86.7 | – | 30.6 |
| China, Hangzhou City | 74 | 87.8 | 2.7 | 0.2 | 9907 | 94.0 | 0.2 | 34.2 |
| China, Hebi City | 0 | – | – | – | 328 | 80.5 | 0.9 | 25.4 |
| China, Hefei City | 45 | 60.0 | 0.0 | 0.5 | 2505 | 72.7 | 0.9 | 30.6 |
| China, Hengdong County | 4 | 100.0 | 0.0 | 0.2 | 272 | 97.1 | 2.9 | 18.1 |
| *China, Hengfeng County | 1 | 0.0 | 100.0 | 0.1 | 114 | 97.4 | 0.0 | 18.8 |
| *China, Hepu County | 0 | – | – | – | 586 | 87.7 | 0.2 | 21.9 |
| China, Honghu City | 8 | 100.0 | – | 0.3 | 678 | 99.4 | – | 23.2 |
| China, Hongshan District, Chifeng City | 3 | 33.3 | – | 0.2 | 398 | 72.6 | – | 25.7 |
| *China, Hongta District, Yuxi City | 9 | 77.8 | 0.0 | 0.6 | 316 | 81.3 | 2.2 | 19.3 |
| *China, Huaiyin District, Huai'an City | 7 | 71.4 | 0.0 | 0.2 | 648 | 95.1 | 0.2 | 20.6 |
| *China, Jiange County | 6 | 83.3 | – | 0.3 | 122 | 77.9 | – | 6.9 |
| China, Jiangmen City | 3 | 100.0 | 0.0 | 0.1 | 1023 | 95.9 | 0.1 | 40.7 |
| *China, Jiangyin City | 20 | 85.0 | 0.0 | 0.3 | 1333 | 92.6 | 0.1 | 25.6 |
| *China, Jiashan County | 4 | 75.0 | – | 0.2 | 632 | 96.8 | – | 36.8 |
| China, Jiayu County | 3 | 100.0 | 0.0 | 0.4 | 160 | 78.8 | 0.6 | 20.7 |
| *China, Jinan City | 30 | 50.0 | 0.0 | 0.3 | 3266 | 82.5 | 0.9 | 35.8 |
| *China, Jingtai County | 2 | 50.0 | – | 0.3 | 215 | 91.6 | – | 27.8 |
| *China, Jingxian County | 0 | – | – | – | 131 | 96.2 | – | 11.7 |
| *China, Jintan District, Changzhou City | 5 | 60.0 | 0.0 | 0.2 | 587 | 81.3 | 0.5 | 26.4 |
| *China, Jiulongpo District, Chongqing City | 9 | 88.9 | 0.0 | 0.3 | 826 | 80.0 | 0.5 | 27.8 |
| *China, Jiyuan City | 3 | 100.0 | 0.0 | 0.2 | 493 | 80.5 | 0.4 | 27.5 |

* Important. See note on population page.

Indices of data quality Breast (C50) (contd)

| Asia (contd) | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| China, Kaihua County | 2 | 100.0 | — | 0.1 | 297 | 84.8 | — | 23.7 |
| China, Kunshan City | 13 | 92.3 | 0.0 | 0.4 | 1114 | 93.5 | 0.2 | 35.8 |
| China, Langzhong City | 0 | — | — | — | 254 | 83.9 | 0.4 | 13.1 |
| *China, Liangshan County | 3 | 100.0 | 0.0 | 0.1 | 1127 | 87.8 | 1.2 | 40.3 |
| *China, Lianshui County | 12 | 75.0 | 0.0 | 0.3 | 610 | 81.5 | 0.7 | 16.1 |
| China, Lianyungang City | 13 | 92.3 | 0.0 | 0.3 | 1184 | 87.1 | 0.8 | 32.5 |
| China, Linhe District, Bayannur City | 9 | 77.8 | 0.0 | 0.6 | 427 | 96.5 | 0.5 | 28.4 |
| China, Linqu County | 9 | 100.0 | 0.0 | 0.2 | 730 | 97.0 | 0.1 | 22.2 |
| *China, Linzhou City | 14 | 100.0 | 0.0 | 0.4 | 814 | 97.1 | 0.2 | 22.2 |
| China, Liuzhou City | 12 | 83.3 | — | 0.3 | 1543 | 88.3 | — | 40.1 |
| China, Liyang City | 10 | 90.0 | — | 0.3 | 765 | 93.1 | — | 22.0 |
| *China, Longquan City | 1 | 100.0 | 0.0 | 0.1 | 235 | 91.5 | 0.4 | 25.8 |
| China, Lucheng District, Wenzhou City | 4 | 100.0 | 0.0 | 0.2 | 908 | 86.0 | 0.6 | 48.5 |
| China, Luoding City | 1 | 100.0 | 0.0 | 0.0 | 384 | 84.9 | 1.8 | 18.0 |
| *China, Luohe City | 21 | 76.2 | 4.8 | 0.5 | 1439 | 89.0 | 0.8 | 35.0 |
| *China, Luoyang City | 25 | 84.0 | 0.0 | 0.5 | 1450 | 86.3 | 0.5 | 33.6 |
| *China, Luquan City | 8 | 75.0 | 0.0 | 0.7 | 258 | 72.1 | 0.4 | 22.4 |
| China, Ma'anshan City | 8 | 100.0 | — | 0.4 | 702 | 95.9 | — | 31.5 |
| *China, Macheng City | 3 | 100.0 | — | 0.1 | 469 | 100.0 | — | 19.5 |
| China, Meihekou City | 4 | 50.0 | 0.0 | 0.2 | 423 | 86.1 | 0.5 | 17.4 |
| *China, Mengjin County | 5 | 80.0 | 0.0 | 0.4 | 337 | 89.3 | 0.6 | 29.9 |
| China, Nangang District, Harbin City | 13 | 84.6 | 0.0 | 0.3 | 2010 | 87.2 | 0.3 | 46.3 |
| *China, Nantai District, Foshan City | 19 | 84.2 | — | 0.7 | 1193 | 79.6 | — | 40.9 |
| China, Nanhu District, Jiaying City | 5 | 100.0 | 0.0 | 0.2 | 802 | 93.3 | 0.1 | 34.7 |
| *China, Nantong City | 10 | 70.0 | 0.0 | 0.2 | 1390 | 80.8 | 1.2 | 27.9 |
| *China, Nanxiong City | 1 | 0.0 | 0.0 | 0.1 | 332 | 73.2 | 0.3 | 21.1 |
| China, Neixiang County | 6 | 100.0 | — | 0.3 | 604 | 98.5 | — | 28.6 |
| *China, Qianxi County | 5 | 100.0 | 0.0 | 0.3 | 264 | 88.6 | 0.4 | 19.8 |
| China, Qidong City | 15 | 100.0 | — | 0.2 | 1433 | 93.9 | — | 26.1 |
| China, Qingzhou City | 3 | 100.0 | — | 0.1 | 924 | 87.7 | — | 31.1 |
| *China, Rudong County | 18 | 72.2 | — | 0.3 | 1170 | 93.4 | — | 22.5 |
| *China, Rugao City | 16 | 87.5 | 0.0 | 0.3 | 1506 | 86.1 | 0.1 | 24.3 |
| *China, Rural areas of Shanghai City | 119 | 94.1 | 0.0 | 0.3 | 13478 | 94.4 | 0.1 | 34.9 |
| China, Ruyang County | 2 | 100.0 | — | 0.2 | 285 | 94.0 | — | 23.9 |
| *China, Shan County | 14 | 64.3 | 0.0 | 0.6 | 589 | 71.0 | 0.5 | 23.7 |
| China, Shanghai City | 95 | 85.3 | 0.0 | 0.2 | 14273 | 92.5 | 0.1 | 46.5 |
| China, Shangyu District, Shaoxing City | 11 | 54.5 | 0.0 | 0.3 | 1061 | 88.0 | 0.9 | 33.4 |
| *China, Shapingba District, Chongqing City | 16 | 56.2 | 0.0 | 0.7 | 1009 | 77.6 | 0.1 | 29.4 |
| China, Shexian County | 1 | 100.0 | — | 0.1 | 236 | 92.4 | — | 17.2 |
| China, Sheyang County | 2 | 100.0 | — | 0.1 | 851 | 92.5 | — | 22.1 |
| *China, Shijiazhuang City | 29 | 89.7 | 0.0 | 0.5 | 1813 | 91.5 | 0.4 | 36.0 |
| China, Shunde District, Foshan City | 15 | 73.3 | — | 0.5 | 1481 | 82.8 | — | 37.9 |
| *China, Song County | 2 | 100.0 | 0.0 | 0.1 | 248 | 84.7 | 0.8 | 17.2 |
| China, Suzhou City | 62 | 74.2 | 0.0 | 0.4 | 4696 | 81.6 | 1.1 | 33.1 |
| *China, Tengzhou City | 12 | 91.7 | 0.0 | 0.2 | 1780 | 98.9 | 0.3 | 31.6 |
| *China, Wangdu County | 7 | 100.0 | 0.0 | 1.0 | 220 | 85.0 | 0.5 | 31.4 |
| *China, Wanzai County | 2 | 100.0 | — | 0.2 | 241 | 87.1 | — | 20.4 |
| *China, Wu'an City | 11 | 100.0 | 0.0 | 0.4 | 363 | 97.8 | 1.1 | 14.2 |
| China, Wuhan City | 48 | 97.9 | 0.0 | 0.2 | 7296 | 96.8 | 0.0 | 35.9 |
| *China, Wuhu City | 15 | 66.7 | 6.7 | 0.3 | 1059 | 86.8 | 0.6 | 22.7 |
| China, Wuxi City | 29 | 79.3 | 0.0 | 0.3 | 2760 | 92.9 | 0.1 | 25.6 |
| China, Wuzhou City | 8 | 87.5 | 0.0 | 0.4 | 622 | 89.2 | 0.3 | 33.7 |
| China, Xiangfu District, Kaifeng City | 18 | 94.4 | — | 1.0 | 692 | 95.7 | — | 33.6 |
| China, Xianju County | 5 | 100.0 | 0.0 | 0.2 | 558 | 83.9 | 0.2 | 29.7 |
| *China, Xin'an County | 3 | 100.0 | — | 0.3 | 230 | 86.1 | — | 22.2 |
| *China, Xining City | 7 | 71.4 | 0.0 | 0.3 | 652 | 85.6 | 0.3 | 25.6 |
| *China, Xinji City | 10 | 100.0 | 0.0 | 0.3 | 830 | 88.6 | 0.6 | 34.5 |
| *China, Xinluo District, Longyan City | 1 | 0.0 | — | 0.1 | 336 | 61.6 | — | 29.1 |
| *China, Xinzhou District, Shangrao City | 4 | 100.0 | 0.0 | 0.3 | 362 | 91.7 | 0.8 | 26.0 |
| China, Xiping County | 6 | 100.0 | 0.0 | 0.2 | 819 | 99.1 | 0.2 | 29.2 |
| *China, Xishan District, Kunming City | 1 | 100.0 | 0.0 | 0.1 | 296 | 84.1 | 0.3 | 20.7 |
| *China, Xuyi County | 4 | 100.0 | — | 0.2 | 405 | 87.7 | — | 17.3 |
| *China, Ya'an City | 14 | 92.9 | 0.0 | 0.3 | 951 | 92.8 | 0.4 | 18.3 |
| *China, Yakeshi City | 4 | 100.0 | 0.0 | 0.2 | 426 | 93.9 | 1.9 | 27.5 |
| China, Yancheng City | 16 | 75.0 | 6.2 | 0.3 | 1368 | 91.2 | 0.4 | 25.7 |
| *China, Yangquan City | 6 | 100.0 | 0.0 | 0.2 | 524 | 93.3 | 1.7 | 21.9 |
| *China, Yangzhong City | 6 | 66.7 | 0.0 | 0.4 | 313 | 75.1 | 0.3 | 24.1 |
| *China, Yanji City | 4 | 100.0 | 0.0 | 0.2 | 520 | 84.8 | 2.7 | 22.2 |
| *China, Yanshi City | 8 | 87.5 | 0.0 | 0.4 | 633 | 95.7 | 0.5 | 28.9 |
| China, Yanting County | 6 | 83.3 | 16.7 | 0.3 | 230 | 92.6 | 0.4 | 12.5 |
| *China, Yi'an District, Tongling City | 6 | 100.0 | 0.0 | 0.7 | 125 | 84.8 | 0.8 | 13.9 |
| *China, Yingdong District, Fuyang City | 11 | 45.5 | 0.0 | 0.6 | 444 | 83.3 | 0.2 | 21.2 |

* Important. See note on population page.

Indices of data quality Breast (C50) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 1 | 0.0 | — | 0.1 | 337 | 95.5 | — | 37.5 |
| *China, Yiyuan County | 3 | 100.0 | 0.0 | 0.1 | 455 | 91.2 | 0.2 | 25.0 |
| China, Yong'an City | 0 | — | — | — | 268 | 93.3 | — | 21.7 |
| *China, Yongding District, Longyan City | 0 | — | — | — | 246 | 84.1 | 0.4 | 14.9 |
| China, Yongkang City | 6 | 83.3 | 0.0 | 0.3 | 656 | 92.2 | 1.8 | 29.6 |
| *China, Yucheng County | 2 | 100.0 | 0.0 | 0.1 | 645 | 82.6 | 0.5 | 33.1 |
| China, Yueyanglou District, Yueyang City | 6 | 100.0 | 0.0 | 0.5 | 303 | 96.7 | 3.3 | 26.6 |
| China, Yunmeng County | 5 | 100.0 | — | 0.3 | 470 | 86.0 | — | 26.9 |
| *China, Yunyang District, Shiyang City | 2 | 0.0 | 0.0 | 0.1 | 197 | 79.2 | 0.5 | 19.0 |
| China, Yuzhong District, Chongqing City | 11 | 54.5 | 0.0 | 0.5 | 861 | 76.5 | 0.3 | 37.8 |
| *China, Zanzhuang County | 5 | 60.0 | — | 0.5 | 152 | 80.9 | — | 18.8 |
| *China, Zhangjiagang City | 13 | 84.6 | — | 0.3 | 1217 | 84.7 | — | 29.9 |
| *China, Zhaoyuan City | 3 | 100.0 | 0.0 | 0.1 | 799 | 82.6 | 0.1 | 32.9 |
| *China, Zhengding County | 3 | 100.0 | 0.0 | 0.3 | 314 | 88.9 | 1.3 | 22.7 |
| *China, Zhongshan City | 9 | 100.0 | — | 0.2 | 1737 | 98.9 | — | 30.8 |
| China, Zhongxiang City | 6 | 83.3 | — | 0.2 | 902 | 96.5 | — | 24.5 |
| *China, Zhuanghe City | 10 | 70.0 | 0.0 | 0.2 | 1129 | 92.7 | 0.1 | 29.2 |
| *China, Zhuhai City | 6 | 66.7 | 0.0 | 0.2 | 1420 | 82.0 | 1.2 | 35.7 |
| India, Ahmedabad, Urban | 94 | 96.8 | 0.0 | 0.8 | 2966 | 95.3 | 0.2 | 24.9 |
| India, Aurangabad | 18 | 94.4 | 5.6 | 0.6 | 700 | 98.0 | 1.6 | 25.1 |
| India, Bangalore | 126 | 92.1 | 4.8 | 1.1 | 5186 | 96.2 | 2.5 | 45.1 |
| India, Barshi, Paranda, and Bhum | 4 | 100.0 | 0.0 | 0.2 | 170 | 91.8 | 0.6 | 12.9 |
| *India, Bhopal | 36 | 100.0 | — | 1.3 | 900 | 99.6 | — | 34.6 |
| India, Chandigarh | 11 | 100.0 | 0.0 | 0.5 | 713 | 99.0 | 0.4 | 32.2 |
| *India, Chennai | 76 | 77.6 | 5.3 | 0.6 | 5819 | 89.8 | 2.3 | 44.1 |
| India, Dibrugarh | 8 | 100.0 | 0.0 | 0.2 | 484 | 91.1 | 7.4 | 15.3 |
| *India, Dindigul, Ambilikkai | 16 | 93.8 | 0.0 | 0.3 | 1135 | 86.6 | 1.2 | 17.2 |
| India, Kamrup Urban District | 18 | 88.9 | 11.1 | 0.7 | 705 | 92.5 | 1.8 | 27.9 |
| India, Kollam | 16 | 100.0 | 0.0 | 0.2 | 2359 | 95.5 | 0.0 | 31.3 |
| *India, Manipur | 9 | 100.0 | 0.0 | 0.2 | 572 | 97.9 | 0.7 | 10.1 |
| India, Meghalaya | 10 | 90.0 | 10.0 | 0.4 | 239 | 91.2 | 5.9 | 7.2 |
| India, Mizoram | 4 | 100.0 | 0.0 | 0.2 | 434 | 98.8 | 0.2 | 22.8 |
| India, Mumbai | 265 | 83.8 | 10.6 | 0.8 | 10588 | 91.6 | 5.6 | 34.2 |
| *India, New Delhi | 305 | 85.6 | 6.2 | 1.4 | 8048 | 92.0 | 1.8 | 37.1 |
| India, Poona | 137 | 92.7 | 0.0 | 1.1 | 3874 | 92.8 | 2.7 | 31.7 |
| *India, Sangrur District | 9 | 88.9 | 0.0 | 0.3 | 476 | 93.5 | 0.8 | 19.1 |
| India, SAS Nagar | 8 | 100.0 | — | 0.3 | 695 | 99.0 | — | 30.5 |
| *India, Tamil Nadu | 730 | 86.7 | 0.7 | 0.4 | 46578 | 89.9 | 0.5 | 21.5 |
| *India, Tripura | 21 | 100.0 | 0.0 | 0.3 | 596 | 98.7 | 0.2 | 8.2 |
| India, Trivandrum | 84 | 92.9 | 0.0 | 1.1 | 3412 | 96.5 | 0.0 | 36.8 |
| India, Wardha | 15 | 93.3 | 6.7 | 0.4 | 785 | 96.9 | 2.2 | 21.2 |
| India, West Arunachal | 3 | 100.0 | — | 0.3 | 106 | 100.0 | — | 9.1 |
| *Iran (Islamic Republic of), Ardabil Province | 5 | 100.0 | 0.0 | 0.3 | 425 | 90.8 | 2.4 | 21.2 |
| *Iran (Islamic Republic of), Golestan Province | 34 | 76.5 | 0.0 | 1.3 | 1082 | 86.7 | 1.9 | 38.0 |
| Israel | 321 | 96.3 | 3.1 | 1.2 | 23152 | 98.0 | 1.3 | 88.9 |
| *Israel: Jews | 286 | 96.5 | 3.1 | 1.3 | 19802 | 98.0 | 1.3 | 93.6 |
| *Israel: Arabs | 21 | 100.0 | 0.0 | 0.7 | 2143 | 98.9 | 0.6 | 62.9 |
| Japan | 1583 | 93.9 | 3.8 | 0.3 | 237540 | 93.6 | 3.7 | 66.8 |
| Japan, Aichi Prefecture | 90 | 92.2 | 4.4 | 0.3 | 12033 | 96.4 | 2.0 | 61.6 |
| *Japan, Akita Prefecture | 26 | 92.3 | 0.0 | 0.6 | 2083 | 98.0 | 0.1 | 67.8 |
| Japan, Aomori Prefecture | 36 | 94.4 | 2.8 | 0.4 | 4995 | 95.6 | 1.2 | 77.9 |
| Japan, Gunma Prefecture | 22 | 95.5 | 4.5 | 0.3 | 3604 | 96.0 | 1.4 | 65.3 |
| Japan, Hiroshima Prefecture | 67 | 98.5 | 0.0 | 0.4 | 7869 | 97.4 | 0.7 | 72.3 |
| Japan, Miyagi Prefecture | 55 | 94.5 | 1.8 | 0.3 | 7962 | 94.3 | 1.6 | 74.6 |
| Japan, Osaka Prefecture | 123 | 99.2 | 0.8 | 0.4 | 16603 | 96.1 | 2.5 | 66.8 |
| Kuwait | 30 | 100.0 | 0.0 | 0.4 | 2976 | 98.7 | 0.9 | 53.0 |
| *Kuwait: Kuwaitis | 15 | 100.0 | 0.0 | 0.8 | 1568 | 98.3 | 1.0 | 64.0 |
| *Kuwait: Non-Kuwaitis | 15 | 100.0 | 0.0 | 0.4 | 1408 | 99.0 | 0.9 | 45.3 |
| *Philippines, Manila | 97 | 86.6 | 4.1 | 0.9 | 8133 | 86.6 | 3.2 | 56.1 |
| *Qatar: Qatari | 4 | 100.0 | 0.0 | 0.8 | 305 | 97.4 | 1.0 | 61.2 |
| Republic of Korea | 433 | 99.3 | 0.5 | 0.2 | 99706 | 99.3 | 0.2 | 51.2 |
| *Republic of Korea, Busan | 29 | 100.0 | 0.0 | 0.2 | 7174 | 98.4 | 0.2 | 50.5 |
| *Republic of Korea, Daegu | 21 | 95.2 | 4.8 | 0.2 | 4989 | 99.4 | 0.3 | 50.8 |
| *Republic of Korea, Daejeon | 11 | 100.0 | 0.0 | 0.2 | 2901 | 99.5 | 0.3 | 51.2 |
| *Republic of Korea, Gwangju | 13 | 100.0 | 0.0 | 0.3 | 2504 | 98.5 | 0.2 | 46.7 |
| Republic of Korea, Incheon | 29 | 100.0 | 0.0 | 0.3 | 5818 | 99.6 | 0.1 | 51.9 |
| Republic of Korea, Jeju | 5 | 100.0 | 0.0 | 0.2 | 942 | 99.0 | 0.3 | 42.0 |
| Republic of Korea, Seoul | 91 | 100.0 | 0.0 | 0.2 | 22250 | 99.5 | 0.2 | 57.5 |
| Republic of Korea, Ulsan | 5 | 100.0 | 0.0 | 0.1 | 2166 | 99.2 | 0.3 | 50.1 |
| Singapore | 38 | 100.0 | 0.0 | 0.3 | 10741 | 99.3 | 0.1 | 69.3 |
| Singapore: Chinese | 29 | 100.0 | 0.0 | 0.3 | 8604 | 99.3 | 0.1 | 70.2 |
| Singapore: Indian | 6 | 100.0 | 0.0 | 0.5 | 716 | 99.6 | 0.1 | 65.6 |

* Important. See note on population page.

Indices of data quality Breast (C50) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 2 | 100.0 | 0.0 | 0.1 | 1125 | 98.9 | 0.1 | 64.8 |
| Thailand, Bangkok | 73 | 91.8 | 1.4 | 0.4 | 8219 | 87.3 | 0.6 | 36.3 |
| *Thailand, Chiang Mai | 15 | 100.0 | 0.0 | 0.3 | 2237 | 98.0 | 0.5 | 35.6 |
| *Thailand, Khon Kaen | 19 | 78.9 | 0.0 | 0.3 | 1664 | 92.5 | 0.6 | 25.8 |
| Thailand, Lampang | 11 | 81.8 | 0.0 | 0.4 | 1004 | 94.3 | 0.5 | 31.6 |
| Thailand, Lopburi Province | 22 | 86.4 | 0.0 | 1.0 | 1214 | 93.1 | 0.5 | 47.0 |
| *Thailand, Songkhla | 8 | 75.0 | 0.0 | 0.2 | 1465 | 96.3 | 0.8 | 31.3 |
| Turkey, Antalya | 24 | 100.0 | 0.0 | 0.4 | 2840 | 99.5 | 0.1 | 42.1 |
| Turkey, Bursa | 49 | 98.0 | 2.0 | 0.6 | 3587 | 98.0 | 0.7 | 40.7 |
| *Turkey, Edirne | 12 | 91.7 | 0.0 | 0.7 | 631 | 92.9 | 0.3 | 42.6 |
| *Turkey, Erzurum | 12 | 100.0 | 0.0 | 0.7 | 575 | 91.7 | 1.7 | 30.3 |
| Turkey, Eskişehir | 14 | 100.0 | 0.0 | 0.5 | 1303 | 97.6 | 0.1 | 46.3 |
| Turkey, Gaziantep | 12 | 100.0 | 0.0 | 0.3 | 1352 | 96.4 | 0.3 | 33.3 |
| *Turkey, Izmir | 75 | 98.7 | 0.0 | 0.6 | 7582 | 97.5 | 0.5 | 53.2 |
| Turkey, Malatya | 6 | 100.0 | 0.0 | 0.3 | 776 | 96.6 | 2.2 | 34.8 |
| Turkey, Samsun | 17 | 100.0 | 0.0 | 0.4 | 1724 | 99.1 | 0.6 | 40.7 |
| Turkey, Trabzon | 15 | 86.7 | 0.0 | 0.6 | 957 | 96.0 | 0.3 | 38.3 |
| Europe | | | | | | | | |
| Austria | 356 | 90.7 | 2.2 | 0.9 | 27606 | 92.0 | 2.6 | 67.7 |
| Austria, Carinthia | 29 | 100.0 | 0.0 | 1.1 | 2206 | 98.4 | 0.5 | 79.1 |
| Austria, Tyrol | 17 | 100.0 | 0.0 | 0.5 | 2505 | 99.1 | 0.2 | 76.0 |
| Austria, Vorarlberg | 11 | 90.9 | 0.0 | 0.6 | 1208 | 98.8 | 0.9 | 71.8 |
| Belarus | 147 | 99.3 | 0.0 | 0.5 | 21263 | 99.3 | 0.0 | 49.0 |
| *Belgium | 479 | 99.8 | – | 0.9 | 53933 | 99.8 | – | 107.9 |
| Croatia | 166 | 88.6 | 3.0 | 0.8 | 13913 | 90.5 | 3.7 | 67.7 |
| Cyprus | 23 | 100.0 | 0.0 | 0.7 | 2967 | 97.4 | 2.5 | 88.2 |
| *Czech Republic | 343 | 98.0 | 0.6 | 0.7 | 35238 | 97.8 | 0.3 | 69.4 |
| Denmark | 190 | 97.4 | 0.0 | 0.7 | 24251 | 99.4 | 0.2 | 94.3 |
| Estonia | 33 | 100.0 | 0.0 | 0.6 | 3773 | 96.8 | 0.9 | 56.9 |
| Finland | 154 | 100.0 | 0.0 | 0.6 | 24286 | 99.3 | 0.3 | 91.0 |
| *France, Bas-Rhin | 25 | 100.0 | – | 0.7 | 3761 | 99.5 | – | 98.8 |
| *France, Calvados | 31 | 100.0 | – | 0.8 | 3153 | 99.0 | – | 101.6 |
| *France, Doubs | 20 | 100.0 | – | 0.8 | 2142 | 99.3 | – | 92.7 |
| *France, Gironde | 40 | 100.0 | – | 0.6 | 6788 | 99.4 | – | 100.2 |
| *France, Haut-Rhin | 35 | 100.0 | – | 0.9 | 3204 | 99.3 | – | 93.5 |
| *France, Hérault | 54 | 100.0 | – | 0.9 | 5115 | 99.4 | – | 100.2 |
| *France, Isère | 42 | 100.0 | – | 0.7 | 5092 | 99.5 | – | 96.1 |
| *France, Lille-Métropole | 29 | 100.0 | – | 1.0 | 3374 | 99.4 | – | 111.2 |
| *France, Limousin | 14 | 100.0 | – | 0.6 | 1760 | 99.6 | – | 98.7 |
| *France, Loire-Atlantique | 65 | 98.5 | – | 1.1 | 5878 | 99.4 | – | 101.9 |
| *France, Manche | 20 | 100.0 | – | 0.6 | 2330 | 99.0 | – | 97.5 |
| *France, Poitou-Charentes | 78 | 100.0 | – | 0.8 | 8480 | 99.5 | – | 97.0 |
| *France, Somme | 22 | 100.0 | – | 0.8 | 2625 | 99.7 | – | 104.1 |
| *France, Tarn | 20 | 95.0 | – | 0.8 | 1756 | 98.8 | – | 92.0 |
| *France, Territoire de Belfort | 6 | 100.0 | – | 1.1 | 460 | 99.3 | – | 90.3 |
| *France, Vendée | 21 | 100.0 | – | 0.5 | 3091 | 99.4 | – | 97.2 |
| Germany, Baden-Württemberg | 289 | 81.3 | 5.2 | 0.8 | 30147 | 85.6 | 4.2 | 93.5 |
| Germany, Bavaria | 560 | 95.2 | 4.1 | 0.8 | 51236 | 94.1 | 4.7 | 80.8 |
| Germany, Bremen | 25 | 92.0 | 4.0 | 0.6 | 3079 | 95.0 | 4.3 | 91.2 |
| Germany, Hamburg | 70 | 90.0 | 1.4 | 0.7 | 7870 | 93.1 | 1.6 | 92.8 |
| Germany, Lower Saxony | 342 | 92.1 | 5.6 | 0.7 | 36955 | 93.4 | 4.6 | 89.5 |
| Germany, North Rhine-Westphalia | 731 | 86.9 | 4.8 | 0.7 | 82665 | 91.1 | 4.4 | 91.5 |
| Germany, Rhineland-Palatinate | 147 | 92.5 | 6.1 | 0.6 | 18370 | 91.2 | 5.0 | 88.4 |
| Germany, Saarland | 54 | 75.9 | 3.7 | 0.9 | 4638 | 91.7 | 3.2 | 85.4 |
| Germany, Schleswig-Holstein | 113 | 94.7 | 0.9 | 0.6 | 14383 | 91.0 | 1.7 | 94.9 |
| Iceland | 20 | 100.0 | – | 1.4 | 1055 | 99.5 | – | 83.8 |
| Ireland | 139 | 98.6 | 0.0 | 0.8 | 15622 | 99.1 | 0.2 | 90.4 |
| *Italy, Aosta Valley | 5 | 100.0 | 0.0 | 0.8 | 509 | 91.7 | 0.6 | 92.7 |
| *Italy, Avellino | 14 | 100.0 | 0.0 | 1.1 | 784 | 93.9 | 0.9 | 65.6 |
| Italy, Basilicata | 28 | 89.3 | 0.0 | 0.9 | 1923 | 91.2 | 0.2 | 73.2 |
| *Italy, Benevento | 7 | 100.0 | 0.0 | 0.5 | 742 | 97.6 | 0.1 | 71.0 |
| Italy, Bergamo | 48 | 100.0 | 0.0 | 0.7 | 4665 | 98.5 | 0.5 | 88.3 |
| *Italy, Brescia | 49 | 93.9 | 0.0 | 0.8 | 5111 | 95.7 | 1.0 | 90.2 |
| Italy, Brianza (Lecco and Monza e Brianza) | 38 | 100.0 | 0.0 | 1.0 | 3315 | 97.6 | 0.6 | 93.9 |
| Italy, Calabria | 28 | 92.9 | 0.0 | 1.1 | 1833 | 91.0 | 0.9 | 73.1 |
| *Italy, Caserta | 20 | 100.0 | 0.0 | 0.6 | 2477 | 98.0 | 0.4 | 81.7 |
| *Italy, Catania, Messina, and Enna | 63 | 98.4 | 1.6 | 0.8 | 7094 | 97.4 | 1.2 | 78.5 |
| Italy, Emilia-Romagna | 142 | 99.3 | 0.0 | 0.6 | 17569 | 97.9 | 0.2 | 94.8 |
| Italy, Friuli-Venezia Giulia | 67 | 98.5 | 0.0 | 0.8 | 6535 | 98.5 | 0.1 | 98.0 |
| Italy, Genova | 39 | 97.4 | 0.0 | 1.0 | 3637 | 96.9 | 0.6 | 90.2 |
| *Italy, Lombardy, South, Pavia | 25 | 100.0 | 0.0 | 0.8 | 2692 | 97.5 | 0.3 | 93.3 |
| Italy, Mantova and Cremona | 35 | 100.0 | 0.0 | 0.9 | 3113 | 95.6 | 0.1 | 96.7 |

* Important. See note on population page.

Indices of data quality Breast (C50) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 59 | 100.0 | 0.0 | 0.8 | 5452 | 97.7 | 0.5 | 85.2 |
| Italy, Milan | 186 | 92.5 | 1.1 | 1.0 | 18054 | 96.1 | 0.5 | 100.6 |
| Italy, Molise | 5 | 60.0 | – | 0.5 | 653 | 81.3 | – | 73.3 |
| *Italy, Naples Centre | 17 | 94.1 | 0.0 | 0.6 | 2153 | 90.3 | 1.9 | 77.1 |
| *Italy, Naples North | 34 | 97.1 | 0.0 | 1.1 | 2431 | 96.6 | 1.2 | 74.1 |
| *Italy, Naples South | 33 | 97.0 | 0.0 | 0.7 | 3647 | 97.6 | 0.6 | 79.3 |
| *Italy, Nuoro | 6 | 83.3 | 0.0 | 0.8 | 513 | 97.1 | 0.2 | 84.4 |
| *Italy, Palermo | 44 | 90.9 | 2.3 | 0.7 | 4474 | 94.2 | 1.5 | 77.6 |
| Italy, Puglia | 217 | 97.7 | 0.9 | 1.1 | 15387 | 94.1 | 0.7 | 80.6 |
| *Italy, Ragusa and Caltanissetta | 19 | 89.5 | 0.0 | 0.7 | 1997 | 95.5 | 0.8 | 74.8 |
| *Italy, Salerno | 28 | 89.3 | 7.1 | 0.6 | 2863 | 95.2 | 0.7 | 71.1 |
| Italy, Sassari | 10 | 90.0 | 0.0 | 0.9 | 807 | 95.7 | 0.4 | 84.1 |
| *Italy, Sondrio | 9 | 100.0 | 0.0 | 0.9 | 950 | 93.6 | 1.5 | 91.2 |
| Italy, South Tyrol | 21 | 100.0 | 0.0 | 0.8 | 1765 | 99.2 | 0.2 | 72.7 |
| *Italy, Syracuse | 16 | 87.5 | 0.0 | 0.7 | 1393 | 97.4 | 1.1 | 75.2 |
| Italy, Trento | 21 | 95.2 | 0.0 | 0.7 | 2427 | 97.1 | 0.3 | 92.7 |
| Italy, Turin | 174 | 99.4 | 0.6 | 1.3 | 10382 | 98.4 | 1.1 | 85.4 |
| *Italy, Tuscany | 127 | 96.9 | 0.0 | 1.1 | 10344 | 94.9 | 0.6 | 95.7 |
| Italy, Umbria | 24 | 95.8 | 0.0 | 0.6 | 3335 | 96.3 | 0.2 | 89.7 |
| Italy, Varese | 13 | 100.0 | 0.0 | 0.4 | 2105 | 98.9 | 0.3 | 78.3 |
| Italy, Veneto | 223 | 99.1 | 0.9 | 0.8 | 23820 | 98.5 | 0.4 | 96.7 |
| Latvia | 41 | 90.2 | 2.4 | 0.5 | 5801 | 91.5 | 2.1 | 58.0 |
| *Liechtenstein | 0 | – | – | – | 151 | 98.7 | – | 87.8 |
| *Lithuania | 59 | 89.8 | 10.2 | 0.5 | 7889 | 91.2 | 6.4 | 55.2 |
| Malta | 20 | 90.0 | 5.0 | 0.9 | 1652 | 96.6 | 1.5 | 78.7 |
| *The Netherlands | 579 | 99.8 | – | 0.7 | 73331 | 99.9 | – | 99.1 |
| Norway | 147 | 98.6 | 1.4 | 0.6 | 17740 | 99.2 | 0.4 | 84.7 |
| Poland, Kielce | 20 | 100.0 | 0.0 | 0.3 | 2725 | 98.7 | 0.0 | 47.8 |
| *Portugal, Azores | 3 | 100.0 | 0.0 | 0.4 | 519 | 98.1 | 1.2 | 65.9 |
| Russian Federation, Arkhangelsk | 18 | 100.0 | 0.0 | 0.5 | 2470 | 96.7 | 1.6 | 45.0 |
| Russian Federation, Kaliningrad | 16 | 87.5 | 0.0 | 0.5 | 2509 | 96.4 | 0.5 | 56.6 |
| Russian Federation, Karelia | 12 | 100.0 | 0.0 | 0.6 | 1694 | 97.8 | 0.4 | 55.2 |
| *Russian Federation, Komi Republic | 16 | 100.0 | 0.0 | 0.7 | 2079 | 96.2 | 1.3 | 56.6 |
| Russian Federation, Murmansk | 19 | 100.0 | 0.0 | 0.9 | 1955 | 98.0 | 1.1 | 58.2 |
| *Russian Federation, Orenburg | 65 | 96.9 | 0.0 | 1.0 | 5158 | 98.2 | 0.4 | 57.5 |
| Russian Federation, Pskov | 10 | 100.0 | 0.0 | 0.4 | 1614 | 97.6 | 1.1 | 48.9 |
| *Russian Federation, Samara | 64 | 98.4 | 1.6 | 0.6 | 8683 | 99.3 | 0.7 | 55.8 |
| Russian Federation, Vologda Region | 18 | 88.9 | 5.6 | 0.5 | 2473 | 98.2 | 0.6 | 45.1 |
| Slovenia | 59 | 98.3 | 0.0 | 0.6 | 6755 | 99.3 | 0.3 | 70.2 |
| Spain, Asturias | 20 | 100.0 | 0.0 | 0.6 | 2202 | 97.7 | 0.6 | 65.7 |
| Spain, Basque Country | 67 | 100.0 | 0.0 | 0.7 | 6387 | 98.8 | 0.2 | 77.2 |
| Spain, Canary Islands | 33 | 100.0 | 0.0 | 0.6 | 3935 | 99.4 | 0.2 | 65.7 |
| Spain, Castellón | 24 | 100.0 | – | 0.9 | 1796 | 99.6 | – | 71.6 |
| Spain, Girona | 29 | 100.0 | 0.0 | 0.7 | 2304 | 98.6 | 0.5 | 72.1 |
| Spain, Granada | 27 | 100.0 | 0.0 | 0.7 | 2643 | 98.9 | 0.1 | 68.9 |
| Spain, La Rioja | 17 | 100.0 | 0.0 | 1.1 | 1052 | 99.3 | 0.1 | 73.7 |
| Spain, Murcia | 51 | 100.0 | 0.0 | 0.8 | 4113 | 98.9 | 0.4 | 71.6 |
| Spain, Navarra | 18 | 100.0 | 0.0 | 0.7 | 1542 | 98.6 | 0.3 | 71.0 |
| Spain, Salamanca | 14 | 100.0 | 0.0 | 0.7 | 1241 | 98.3 | 0.4 | 71.7 |
| Spain, Tarragona | 19 | 100.0 | 0.0 | 0.5 | 2504 | 98.6 | 0.5 | 73.5 |
| *Sweden | 244 | 100.0 | – | 0.5 | 37085 | 100.0 | – | 84.7 |
| Switzerland, Aargau | 15 | 93.3 | 0.0 | 0.4 | 2308 | 97.3 | 2.3 | 76.5 |
| Switzerland, Basel | 13 | 100.0 | 0.0 | 0.4 | 2064 | 97.4 | 2.2 | 86.0 |
| Switzerland, Berne Solothurn | 18 | 100.0 | 0.0 | 0.4 | 3353 | 97.8 | 1.4 | 81.8 |
| Switzerland, East | 15 | 100.0 | 0.0 | 0.4 | 2751 | 98.8 | 0.4 | 73.8 |
| *Switzerland, Fribourg | 9 | 100.0 | 0.0 | 0.7 | 1123 | 99.1 | 0.3 | 89.8 |
| Switzerland, Geneva | 14 | 100.0 | 0.0 | 0.6 | 1905 | 98.7 | 0.4 | 88.5 |
| *Switzerland, Graubünden and Glarus | 6 | 100.0 | 0.0 | 0.5 | 783 | 98.2 | 0.4 | 69.4 |
| *Switzerland, Lucerne | 22 | 100.0 | 0.0 | 1.0 | 1798 | 97.7 | 1.7 | 79.4 |
| *Switzerland, Neuchâtel and Jura | 14 | 100.0 | 0.0 | 1.3 | 1039 | 98.7 | 0.5 | 88.8 |
| Switzerland, Ticino | 19 | 100.0 | 0.0 | 1.0 | 1644 | 98.8 | 0.3 | 90.1 |
| Switzerland, Valais | 15 | 100.0 | 0.0 | 0.9 | 1302 | 99.2 | 0.1 | 86.9 |
| Switzerland, Vaud | 26 | 92.3 | 7.7 | 0.7 | 3075 | 98.0 | 1.1 | 91.9 |
| Switzerland, Zurich and Zug | 43 | 100.0 | 0.0 | 0.6 | 5551 | 98.8 | 0.3 | 78.6 |
| Ukraine | 561 | 92.2 | 0.0 | 0.4 | 71772 | 93.1 | 0.1 | 43.8 |
| UK, England | 1573 | 98.6 | 0.3 | 0.6 | 221668 | 98.2 | 0.4 | 92.4 |
| UK, Northern Ireland | 52 | 96.2 | 0.0 | 0.6 | 6519 | 99.1 | 0.2 | 84.6 |
| UK, Scotland | 140 | 100.0 | 0.0 | 0.5 | 21558 | 98.3 | 0.1 | 86.2 |
| UK, Wales | 85 | 98.8 | 0.0 | 0.5 | 13565 | 97.9 | 0.5 | 91.8 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 225 | 98.2 | 0.4 | 0.6 | 29503 | 98.9 | 0.5 | 93.2 |
| *Australia, Northern Territory | 8 | 100.0 | – | 1.1 | 524 | 99.2 | – | 80.0 |

* Important. See note on population page.

Indices of data quality Breast (C50) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|--------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 8 | 100.0 | – | 1.3 | 431 | 99.8 | – | 86.0 |
| *Australia, Northern Territory: Indigenous | 0 | – | – | – | 89 | 96.6 | – | 60.0 |
| *Australia, Queensland | 161 | 97.5 | 0.6 | 0.8 | 18116 | 98.3 | 0.6 | 97.8 |
| Australia, South Australia | 54 | 100.0 | 0.0 | 0.7 | 6808 | 98.9 | 0.4 | 93.6 |
| Australia, Tasmania | 22 | 100.0 | 0.0 | 0.8 | 2150 | 98.6 | 0.4 | 93.1 |
| *Australia, Victoria | 193 | 98.4 | 0.0 | 0.8 | 21384 | 98.7 | 0.7 | 90.7 |
| *Australia, Western Australia | 78 | 98.7 | 0.0 | 0.8 | 8667 | 98.9 | 0.3 | 92.5 |
| *France, New Caledonia | 9 | 100.0 | – | 1.1 | 679 | 99.6 | – | 84.1 |
| New Zealand | 122 | 97.5 | 0.8 | 0.6 | 16232 | 98.5 | 0.8 | 89.5 |
| *New Zealand: Maori | 8 | 100.0 | 0.0 | 0.6 | 2158 | 98.8 | 0.6 | 117.3 |
| *New Zealand: Pacific peoples | 7 | 100.0 | 0.0 | 1.1 | 848 | 98.3 | 0.1 | 116.1 |
| *New Zealand: Other | 102 | 97.1 | 1.0 | 0.7 | 12260 | 98.4 | 1.0 | 88.4 |
| USA, Hawaii | 40 | 95.0 | 0.0 | 0.6 | 5678 | 99.3 | 0.2 | 97.0 |
| USA, Hawaii: White | 13 | 100.0 | 0.0 | 0.5 | 1456 | 99.5 | 0.1 | 95.4 |
| *USA, Hawaii: Japanese | 4 | 100.0 | 0.0 | 0.3 | 1473 | 99.1 | 0.3 | 118.7 |
| *USA, Hawaii: Chinese | 1 | 100.0 | – | 0.7 | 307 | 99.0 | – | 76.5 |
| *USA, Hawaii: Hawaiian | 10 | 90.0 | 0.0 | 1.1 | 1041 | 99.3 | 0.2 | 112.0 |
| *USA, Hawaii: Filipino | 7 | 100.0 | 0.0 | 0.8 | 902 | 99.3 | 0.2 | 85.9 |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | | 56 | 94.6 | – | 4.1 |
| *Algeria, Tizi Ouzou | | | | | 138 | 96.4 | – | 7.9 |
| *Benin, Cotonou | | | | | 118 | 83.1 | – | 16.1 |
| *France, La Réunion | | | | | 218 | 99.1 | – | 9.2 |
| *Kenya, Eldoret | | | | | 252 | 90.1 | 0.4 | 22.6 |
| *Kenya, Nairobi | | | | | 989 | 70.3 | 5.4 | 33.8 |
| Mauritius | | | | | 460 | 93.5 | 0.4 | 10.7 |
| *Morocco, Casablanca | | | | | 1188 | 99.0 | 0.6 | 10.0 |
| *Seychelles | | | | | 58 | 96.6 | 1.7 | 18.5 |
| *South Africa, Eastern Cape | | | | | 915 | 88.6 | – | 60.8 |
| *Uganda, Kyadondo County | | | | | 1219 | 58.4 | 0.2 | 48.0 |
| *Uganda, Gulu | | | | | 352 | 52.0 | 0.3 | 56.4 |
| *Zimbabwe, Bulawayo: African | | | | | 1043 | 74.8 | 3.9 | 89.9 |
| *Zimbabwe, Harare: African | | | | | 1566 | 85.8 | 5.9 | 75.0 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | | | | | 326 | 92.3 | 5.5 | 14.3 |
| *Argentina, Mendoza | | | | | 656 | 97.0 | 2.3 | 12.7 |
| Brazil, Aracaju | | | | | 188 | 94.7 | 1.6 | 11.6 |
| *Brazil, Barretos | | | | | 127 | 92.9 | 6.3 | 9.2 |
| Brazil, Belo Horizonte | | | | | 906 | 96.5 | 3.4 | 10.0 |
| *Brazil, Campinas | | | | | 198 | 93.4 | 5.6 | 6.8 |
| *Brazil, Curitiba | | | | | 564 | 93.6 | 3.2 | 11.1 |
| Brazil, Goiânia | | | | | 527 | 99.4 | 0.4 | 14.5 |
| *Brazil, Jaú | | | | | 26 | 100.0 | – | 5.7 |
| Brazil, João Pessoa | | | | | 188 | 92.6 | 3.2 | 12.5 |
| Brazil, Recife | | | | | 434 | 86.2 | 3.9 | 12.3 |
| Chile, Region of Antofagasta | | | | | 147 | 93.2 | 3.4 | 14.0 |
| Chile, Valdivia | | | | | 162 | 92.6 | 3.7 | 12.2 |
| Colombia, Bucaramanga | | | | | 438 | 92.9 | 2.3 | 11.7 |
| Colombia, Cali | | | | | 1079 | 91.5 | 1.1 | 14.1 |
| Colombia, Manizales | | | | | 172 | 79.7 | – | 11.2 |
| Colombia, Pasto | | | | | 228 | 94.7 | 1.8 | 17.6 |
| Costa Rica | | | | | 1275 | 77.7 | 1.5 | 11.7 |
| Ecuador, Guayaquil | | | | | 1289 | 97.8 | 0.2 | 20.0 |
| Ecuador, Manabí | | | | | 455 | 93.2 | 4.8 | 13.0 |
| Ecuador, Quito | | | | | 900 | 97.3 | 1.9 | 17.5 |
| *France, Guadeloupe | | | | | 125 | 99.2 | – | 7.4 |
| *France, Martinique | | | | | 106 | 100.0 | – | 6.3 |
| *Peru, Lima | | | | | 3627 | 93.6 | 3.0 | 22.0 |
| *Trinidad and Tobago | | | | | 356 | 87.1 | 7.0 | 14.1 |
| USA, Puerto Rico | | | | | 1211 | 96.2 | 1.3 | 10.1 |
| *Uruguay | | | | | 1550 | 95.9 | 2.5 | 13.7 |
| North America | | | | | | | | |
| Canada, Alberta | | | | | 865 | 99.2 | – | 6.5 |
| Canada, British Columbia | | | | | 903 | 98.2 | 0.7 | 5.4 |
| *Canada, Manitoba | | | | | 239 | 98.3 | – | 5.6 |
| *Canada, New Brunswick | | | | | 149 | 99.3 | – | 6.3 |
| *Canada, Newfoundland and Labrador | | | | | 156 | 97.4 | 0.6 | 8.5 |
| Canada, Ontario | | | | | 2786 | 97.8 | 0.6 | 5.9 |
| *Canada, Prince Edward Island | | | | | 37 | 100.0 | – | 6.9 |
| Canada, Quebec | | | | | 1714 | 98.0 | 0.7 | 6.0 |
| Canada, Saskatchewan | | | | | 241 | 97.5 | 2.1 | 6.8 |
| *Canada, Yukon | | | | | 4 | 100.0 | – | 3.0 |
| USA | | | | | 64070 | 97.1 | 2.1 | 6.0 |
| USA: White | | | | | 49535 | 97.2 | 2.1 | 6.0 |
| USA: Black | | | | | 9972 | 96.7 | 2.5 | 6.8 |
| USA, NPCR | | | | | 62230 | 97.1 | 2.2 | 6.0 |
| USA, NPCR: White | | | | | 48095 | 97.1 | 2.1 | 6.0 |
| USA, NPCR: Black | | | | | 9878 | 96.7 | 2.5 | 6.8 |
| USA, NPCR: Asian and Pacific Islander | | | | | 3123 | 98.1 | 1.1 | 4.7 |
| USA, NPCR: American Indian | | | | | 521 | 97.1 | 2.3 | 4.3 |
| *USA, SEER (18 registries) | | | | | 17281 | 97.8 | 0.7 | 5.9 |
| *USA, SEER (18 registries): White | | | | | 12737 | 97.9 | 0.7 | 5.9 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | | 8992 | 97.8 | 0.7 | 5.6 |
| *USA, SEER (18 registries): Hispanic White | | | | | 3745 | 98.3 | 0.5 | 7.3 |
| *USA, SEER (18 registries): Black | | | | | 2376 | 97.1 | 1.0 | 6.3 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | | 1743 | 97.9 | 0.4 | 4.7 |
| *USA, SEER (9 registries) | | | | | 5201 | 98.1 | 0.7 | 5.2 |
| *USA, SEER (9 registries): White | | | | | 3718 | 98.1 | 0.7 | 5.2 |
| *USA, SEER (9 registries): Black | | | | | 714 | 98.6 | 0.6 | 5.4 |
| USA, Alabama | | | | | 1192 | 89.3 | 10.1 | 7.3 |
| USA, Alabama: White | | | | | 805 | 90.8 | 8.6 | 7.2 |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | | | | | 358 | 85.2 | 14.2 | 7.8 |
| USA, Alaska | | | | | 125 | 99.2 | 0.8 | 5.7 |
| *USA, Alaska: Alaska Natives | | | | | 32 | 100.0 | – | 9.4 |
| USA, Arizona | | | | | 1119 | 94.0 | 5.4 | 5.2 |
| USA, Arizona: White | | | | | 1012 | 93.9 | 5.5 | 5.5 |
| USA, Arizona: Black | | | | | 46 | 97.8 | 2.2 | 4.7 |
| *USA, Arizona: Asian and Pacific Islander | | | | | 28 | 100.0 | – | 3.0 |
| USA, Arizona: American Indian | | | | | 29 | 93.1 | 6.9 | 2.8 |
| USA, Arkansas | | | | | 730 | 95.8 | 3.6 | 7.5 |
| USA, Arkansas: White | | | | | 571 | 95.8 | 3.5 | 7.3 |
| USA, Arkansas: Black | | | | | 122 | 95.9 | 3.3 | 8.1 |
| USA, California | | | | | 7297 | 97.7 | 1.6 | 5.7 |
| USA, California: White | | | | | 5494 | 97.8 | 1.6 | 5.9 |
| USA, California: Black | | | | | 483 | 96.9 | 2.3 | 5.4 |
| USA, California: Asian and Pacific Islander | | | | | 1174 | 98.0 | 1.3 | 4.9 |
| *USA, California, Los Angeles County | | | | | 2027 | 98.0 | 0.7 | 5.9 |
| *USA, California, Los Angeles County: White | | | | | 1416 | 98.1 | 0.7 | 6.0 |
| *USA, California, Los Angeles County: Non-Hispanic White | | | | | 485 | 97.3 | 1.0 | 4.7 |
| *USA, California, Los Angeles County: Hispanic White | | | | | 931 | 98.5 | 0.5 | 7.0 |
| *USA, California, Los Angeles County: Black | | | | | 208 | 96.6 | 1.4 | 6.0 |
| *USA, California, Los Angeles County: Chinese | | | | | 82 | 98.8 | – | 4.1 |
| *USA, California, Los Angeles County: Filipino | | | | | 98 | 99.0 | 1.0 | 6.2 |
| *USA, California, Los Angeles County: Korean | | | | | 59 | 93.2 | – | 5.1 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | | | | | 354 | 98.0 | 0.3 | 5.4 |
| *USA, California, San Francisco Bay Area | | | | | 726 | 97.2 | 0.8 | 4.4 |
| *USA, California, San Francisco Bay Area: White | | | | | 457 | 97.2 | 0.9 | 4.8 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | | | | | 291 | 96.9 | 1.0 | 4.1 |
| *USA, California, San Francisco Bay Area: Hispanic White | | | | | 166 | 97.6 | 0.6 | 6.7 |
| *USA, California, San Francisco Bay Area: Black | | | | | 58 | 100.0 | – | 4.1 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | | | | | 204 | 97.1 | 1.0 | 3.9 |
| USA, Colorado | | | | | 858 | 96.9 | 2.2 | 4.9 |
| USA, Colorado: White | | | | | 786 | 96.8 | 2.4 | 5.0 |
| *USA, Colorado: Black | | | | | 31 | 96.8 | – | 4.1 |
| *USA, Colorado: Asian and Pacific Islander | | | | | 23 | 100.0 | – | 3.2 |
| USA, Connecticut | | | | | 593 | 99.2 | 0.3 | 4.8 |
| USA, Connecticut: White | | | | | 478 | 99.0 | 0.4 | 4.8 |
| USA, Connecticut: Black | | | | | 75 | 100.0 | – | 4.9 |
| USA, District of Columbia | | | | | 147 | 93.9 | 6.1 | 6.2 |
| USA, District of Columbia: White | | | | | 42 | 92.9 | 7.1 | 4.1 |
| USA, District of Columbia: Black | | | | | 96 | 94.8 | 5.2 | 7.4 |
| USA, Florida | | | | | 5033 | 97.2 | 2.0 | 7.1 |
| USA, Florida: White | | | | | 3917 | 97.4 | 1.9 | 7.1 |
| USA, Florida: Black | | | | | 933 | 97.6 | 1.4 | 8.1 |
| USA, Florida: Asian and Pacific Islander | | | | | 100 | 100.0 | – | 4.2 |
| USA, Georgia | | | | | 2106 | 97.2 | 1.9 | 6.2 |
| USA, Georgia: White | | | | | 1335 | 97.2 | 1.6 | 6.5 |
| USA, Georgia: Black | | | | | 681 | 97.1 | 2.6 | 6.1 |
| USA, Georgia: Asian and Pacific Islander | | | | | 74 | 97.3 | – | 5.2 |
| *USA, Georgia, Atlanta | | | | | 673 | 97.8 | 0.6 | 5.4 |
| *USA, Georgia, Atlanta: White | | | | | 317 | 97.2 | 0.6 | 5.4 |
| *USA, Georgia, Atlanta: Black | | | | | 302 | 98.7 | 0.7 | 5.7 |
| USA, Idaho | | | | | 256 | 98.0 | 1.6 | 5.1 |
| USA, Indiana | | | | | 1382 | 98.6 | 0.8 | 6.5 |
| USA, Indiana: White | | | | | 1221 | 98.5 | 0.8 | 6.6 |
| USA, Indiana: Black | | | | | 136 | 98.5 | 0.7 | 6.7 |
| *USA, Iowa | | | | | 579 | 98.4 | 0.9 | 6.0 |
| USA, Kentucky | | | | | 1087 | 98.1 | 1.3 | 7.7 |
| USA, Louisiana | | | | | 1080 | 98.0 | 1.0 | 7.2 |
| USA, Louisiana: White | | | | | 641 | 98.4 | 1.1 | 6.7 |
| USA, Louisiana: Black | | | | | 418 | 97.1 | 1.0 | 8.4 |
| *USA, Louisiana, New Orleans | | | | | 212 | 98.1 | 0.5 | 7.4 |
| *USA, Louisiana, New Orleans: White | | | | | 99 | 100.0 | – | 6.8 |
| *USA, Louisiana, New Orleans: Black | | | | | 95 | 96.8 | – | 7.7 |
| USA, Maine | | | | | 221 | 99.5 | – | 4.8 |
| USA, Maryland | | | | | 1070 | 96.2 | 2.7 | 5.0 |
| USA, Maryland: White | | | | | 646 | 95.8 | 2.8 | 5.2 |
| USA, Maryland: Black | | | | | 356 | 96.6 | 2.5 | 5.2 |
| USA, Maryland: Asian and Pacific Islander | | | | | 59 | 98.3 | 1.7 | 3.8 |
| USA, Massachusetts | | | | | 989 | 99.1 | 0.9 | 4.1 |
| USA, Massachusetts: White | | | | | 789 | 98.9 | 1.1 | 3.9 |
| USA, Massachusetts: Black | | | | | 112 | 100.0 | – | 5.5 |
| USA, Massachusetts: Asian and Pacific Islander | | | | | 71 | 100.0 | – | 4.8 |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 1734 | 98.0 | 1.5 | 5.3 | | | | |
| USA, Michigan: White | 1387 | 97.8 | 1.7 | 5.3 | | | | |
| USA, Michigan: Black | 283 | 98.6 | 0.7 | 5.8 | | | | |
| USA, Michigan: Asian and Pacific Islander | 32 | 100.0 | – | 3.1 | | | | |
| *USA, Michigan, Detroit | 708 | 98.2 | 0.7 | 5.3 | | | | |
| *USA, Michigan, Detroit: White | 478 | 98.1 | 0.6 | 5.3 | | | | |
| *USA, Michigan, Detroit: Black | 211 | 98.1 | 0.9 | 5.9 | | | | |
| USA, Minnesota | 767 | 97.9 | 1.3 | 4.4 | | | | |
| USA, Minnesota: White | 643 | 98.0 | 1.2 | 4.2 | | | | |
| USA, Minnesota: Black | 48 | 97.9 | 2.1 | 6.0 | | | | |
| *USA, Minnesota: Asian and Pacific Islander | 52 | 96.2 | 1.9 | 6.9 | | | | |
| USA, Mississippi | 740 | 98.4 | 1.2 | 7.5 | | | | |
| USA, Missouri | 1257 | 97.6 | 1.7 | 6.4 | | | | |
| USA, Missouri: White | 1057 | 97.7 | 1.5 | 6.3 | | | | |
| USA, Missouri: Black | 169 | 96.4 | 3.0 | 7.2 | | | | |
| USA, Montana | 187 | 97.3 | 2.7 | 5.6 | | | | |
| *USA, Montana: American Indian | 11 | 90.9 | 9.1 | 5.4 | | | | |
| USA, Nebraska | 357 | 96.6 | 2.5 | 6.1 | | | | |
| USA, Nebraska: White | 330 | 96.7 | 2.4 | 6.2 | | | | |
| *USA, Nebraska: Black | 20 | 100.0 | – | 7.8 | | | | |
| USA, Nevada | 647 | 97.5 | 1.9 | 7.0 | | | | |
| USA, Nevada: White | 516 | 97.3 | 1.9 | 7.2 | | | | |
| USA, Nevada: Black | 53 | 98.1 | 1.9 | 6.2 | | | | |
| *USA, Nevada: Asian and Pacific Islander | 64 | 100.0 | – | 5.8 | | | | |
| USA, New Jersey | 1908 | 97.6 | 1.6 | 6.0 | | | | |
| USA, New Jersey: White | 1410 | 98.0 | 1.4 | 6.1 | | | | |
| USA, New Jersey: Black | 374 | 95.7 | 2.7 | 7.4 | | | | |
| USA, New Mexico | 421 | 97.1 | 1.4 | 6.7 | | | | |
| USA, New Mexico: White | 359 | 97.2 | 1.4 | 6.9 | | | | |
| USA, New Mexico: Non-Hispanic White | 159 | 96.2 | 2.5 | 6.2 | | | | |
| USA, New Mexico: Hispanic White | 200 | 98.0 | 0.5 | 7.5 | | | | |
| *USA, New Mexico: American Indian | 46 | 100.0 | – | 6.6 | | | | |
| USA, New York State | 4264 | 98.5 | 0.8 | 6.0 | | | | |
| USA, New York State: White | 2766 | 98.2 | 1.0 | 5.6 | | | | |
| USA, New York State: Black | 1023 | 99.1 | 0.6 | 7.6 | | | | |
| USA, New York State: Asian and Pacific Islander | 411 | 99.5 | – | 6.5 | | | | |
| USA, North Carolina | 1867 | 97.2 | 2.1 | 5.4 | | | | |
| USA, North Carolina: White | 1310 | 97.6 | 2.0 | 5.4 | | | | |
| USA, North Carolina: Black | 482 | 95.9 | 2.9 | 5.9 | | | | |
| USA, North Carolina: Asian and Pacific Islander | 40 | 100.0 | – | 4.0 | | | | |
| *USA, North Carolina: American Indian | 19 | 100.0 | – | 3.9 | | | | |
| USA, North Dakota | 98 | 100.0 | – | 4.5 | | | | |
| USA, Ohio | 2395 | 97.6 | 2.1 | 6.3 | | | | |
| USA, Ohio: White | 2044 | 97.6 | 2.2 | 6.4 | | | | |
| USA, Ohio: Black | 305 | 98.0 | 1.6 | 6.2 | | | | |
| *USA, Ohio: Asian and Pacific Islander | 21 | 95.2 | – | 2.5 | | | | |
| USA, Oklahoma | 866 | 96.8 | 2.0 | 7.3 | | | | |
| USA, Oklahoma: White | 691 | 97.3 | 1.4 | 7.3 | | | | |
| USA, Oklahoma: Black | 49 | 89.8 | 10.2 | 5.2 | | | | |
| USA, Oklahoma: American Indian | 99 | 97.0 | 2.0 | 8.7 | | | | |
| USA, Oregon | 734 | 95.5 | 4.1 | 5.6 | | | | |
| USA, Oregon: White | 668 | 95.2 | 4.3 | 5.7 | | | | |
| *USA, Oregon: Black | 7 | 100.0 | – | 2.8 | | | | |
| *USA, Oregon: Asian and Pacific Islander | 34 | 97.1 | 2.9 | 4.3 | | | | |
| USA, Rhode Island | 198 | 99.0 | 0.5 | 5.7 | | | | |
| USA, Rhode Island: White | 169 | 98.8 | 0.6 | 5.6 | | | | |
| *USA, Rhode Island: Black | 11 | 100.0 | – | 4.0 | | | | |
| USA, South Carolina | 1022 | 97.2 | 1.8 | 6.2 | | | | |
| USA, South Carolina: White | 667 | 97.0 | 1.8 | 6.0 | | | | |
| USA, South Carolina: Black | 333 | 97.3 | 1.8 | 6.8 | | | | |
| USA, South Dakota | 153 | 98.7 | 1.3 | 5.8 | | | | |
| USA, Tennessee | 1491 | 97.6 | 1.6 | 6.7 | | | | |
| USA, Tennessee: White | 1176 | 97.7 | 1.7 | 6.7 | | | | |
| USA, Tennessee: Black | 300 | 97.3 | 1.3 | 7.8 | | | | |
| USA, Texas | 6283 | 93.9 | 4.6 | 7.4 | | | | |
| USA, Texas: White | 5255 | 94.1 | 4.5 | 7.7 | | | | |
| USA, Texas: Black | 788 | 92.4 | 6.2 | 7.0 | | | | |
| USA, Texas: Asian and Pacific Islander | 191 | 93.7 | 4.2 | 4.1 | | | | |
| USA, Utah | 349 | 99.4 | – | 4.2 | | | | |
| USA, Vermont | 72 | 98.6 | 1.4 | 3.5 | | | | |
| USA, Washington State | 1237 | 97.6 | 1.5 | 5.3 | | | | |
| *USA, Washington, Seattle | 905 | 97.8 | 0.7 | 5.5 | | | | |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | | 440 | 98.9 | 1.1 | 7.3 |
| USA, Wyoming | | | | | 94 | 98.9 | 1.1 | 5.2 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | | 42 | 100.0 | – | 2.8 |
| Brunei Darussalam | | | | | 179 | 98.3 | 0.6 | 15.7 |
| *China, Anfu County | | | | | 148 | 87.2 | – | 14.2 |
| *China, Anguo City | | | | | 125 | 96.0 | 1.6 | 9.3 |
| *China, Anshan City | | | | | 1146 | 94.5 | 0.2 | 16.0 |
| *China, Aohan Banner, Chifeng City | | | | | 85 | 69.4 | 2.4 | 4.3 |
| *China, Arongqi | | | | | 81 | 59.3 | 2.5 | 8.5 |
| *China, Baoding City | | | | | 367 | 84.7 | 5.2 | 9.8 |
| *China, Beijing City | | | | | 1976 | 84.2 | 0.7 | 6.1 |
| *China, Binhai County | | | | | 648 | 86.1 | 0.3 | 15.7 |
| *China, Cangzhou City | | | | | 141 | 92.9 | 0.7 | 8.0 |
| China, Changfeng County | | | | | 163 | 67.5 | 0.6 | 10.8 |
| China, Changzhou City | | | | | 963 | 91.8 | – | 10.2 |
| China, Chengdu City | | | | | 453 | 72.2 | 4.4 | 12.4 |
| China, Cixian County | | | | | 193 | 97.4 | – | 10.2 |
| China, Cixi City | | | | | 420 | 87.6 | 2.1 | 9.5 |
| *China, Dafeng District, Yancheng City | | | | | 586 | 98.3 | – | 17.6 |
| China, Dalian City | | | | | 1241 | 95.8 | 0.4 | 12.4 |
| *China, Dancheng County | | | | | 425 | 71.3 | 0.5 | 10.4 |
| China, Dangtu County | | | | | 128 | 80.5 | 0.8 | 11.8 |
| *China, Danyang City | | | | | 343 | 81.9 | 0.6 | 9.8 |
| *China, Dawukou District, Shizuishan City | | | | | 99 | 97.0 | 1.0 | 9.9 |
| *China, Dehui City | | | | | 257 | 86.4 | – | 7.9 |
| *China, Donggang County | | | | | 264 | 74.6 | 0.4 | 9.8 |
| *China, Dongguan City | | | | | 484 | 92.6 | 0.2 | 11.3 |
| China, Donghai County | | | | | 362 | 91.4 | 1.7 | 9.8 |
| *China, Dongtai City | | | | | 416 | 95.9 | – | 9.2 |
| China, Duanzhou District, Zhaoqing City | | | | | 101 | 81.2 | 2.0 | 8.5 |
| *China, Evenki Autonomous Banner | | | | | 53 | 98.1 | – | 15.8 |
| *China, Faku County | | | | | 166 | 97.6 | – | 9.4 |
| *China, Fangcheng County | | | | | 364 | 59.1 | 0.3 | 17.3 |
| *China, Feicheng City | | | | | 192 | 83.3 | 0.5 | 5.2 |
| China, Feixi County | | | | | 630 | 50.2 | – | 17.4 |
| China, Fuqing City | | | | | 431 | 85.6 | 3.5 | 16.5 |
| *China, Ganyu District, Lianyungang City | | | | | 348 | 70.4 | 1.7 | 9.4 |
| *China, Ganzhou District, Zhangye City | | | | | 113 | 91.2 | – | 12.6 |
| *China, Gaocheng City | | | | | 150 | 94.7 | – | 6.4 |
| China, Gaomi City | | | | | 301 | 95.0 | 0.3 | 10.9 |
| China, Gong'an County | | | | | 808 | 98.8 | – | 23.4 |
| *China, Guang'an District, Guang'an City | | | | | 148 | 78.4 | 13.5 | 8.1 |
| China, Guanghan City | | | | | 113 | 85.0 | – | 7.4 |
| China, Guangzhou City | | | | | 3110 | 92.7 | 0.1 | 10.1 |
| *China, Guanyun County | | | | | 302 | 92.1 | 0.7 | 9.7 |
| China, Guilin City | | | | | 380 | 84.2 | – | 15.8 |
| *China, Hai'an City | | | | | 619 | 72.5 | – | 13.5 |
| China, Hailar District, Hulun Buir City | | | | | 109 | 84.4 | 0.9 | 8.4 |
| China, Haimen District, Nantong City | | | | | 610 | 96.4 | – | 14.5 |
| China, Haining City | | | | | 244 | 90.2 | – | 8.9 |
| China, Hangzhou City | | | | | 3592 | 94.9 | 0.3 | 12.9 |
| China, Hebi City | | | | | 161 | 80.1 | 1.2 | 12.4 |
| China, Hefei City | | | | | 1075 | 76.6 | 1.1 | 13.0 |
| China, Hengdong County | | | | | 236 | 98.3 | 1.7 | 15.5 |
| *China, Hengfeng County | | | | | 130 | 99.2 | 0.8 | 21.6 |
| *China, Hepu County | | | | | 596 | 83.9 | 0.5 | 22.1 |
| China, Honghu City | | | | | 382 | 99.2 | – | 12.8 |
| China, Hongshan District, Chifeng City | | | | | 101 | 71.3 | – | 6.8 |
| *China, Hongta District, Yuxi City | | | | | 280 | 87.5 | 1.1 | 18.2 |
| *China, Huaiyin District, Huai'an City | | | | | 270 | 94.8 | 0.4 | 8.7 |
| *China, Jiange County | | | | | 339 | 83.2 | – | 20.3 |
| China, Jiangmen City | | | | | 268 | 91.4 | – | 10.8 |
| *China, Jiangyin City | | | | | 511 | 94.9 | – | 9.9 |
| *China, Jiashan County | | | | | 160 | 98.8 | – | 9.9 |
| China, Jiayu County | | | | | 108 | 93.5 | 0.9 | 13.6 |
| *China, Jinan City | | | | | 673 | 85.1 | 0.9 | 7.7 |
| *China, Jingtai County | | | | | 99 | 87.9 | 1.0 | 12.9 |
| *China, Jingxian County | | | | | 126 | 97.6 | 1.6 | 11.7 |
| *China, Jintan District, Changzhou City | | | | | 387 | 85.0 | 0.5 | 17.0 |
| *China, Jiulongpo District, Chongqing City | | | | | 412 | 80.8 | 0.7 | 14.1 |
| *China, Jiyuan City | | | | | 560 | 82.5 | – | 31.2 |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | | | | | 241 | 91.3 | – | 18.9 |
| China, Kunshan City | | | | | 341 | 89.7 | 0.3 | 11.2 |
| China, Langzhong City | | | | | 232 | 88.4 | – | 12.2 |
| *China, Liangshan County | | | | | 275 | 78.2 | 1.5 | 10.0 |
| *China, Lianshui County | | | | | 345 | 84.6 | – | 8.9 |
| China, Lianyungang City | | | | | 377 | 84.1 | 0.3 | 10.4 |
| China, Linhe District, Bayannur City | | | | | 94 | 96.8 | – | 6.7 |
| China, Linqu County | | | | | 232 | 96.1 | – | 7.4 |
| *China, Linzhou City | | | | | 548 | 91.4 | – | 15.1 |
| China, Liuzhou City | | | | | 502 | 88.8 | – | 13.2 |
| China, Liyang City | | | | | 234 | 89.3 | – | 7.1 |
| *China, Longquan City | | | | | 171 | 91.2 | – | 19.0 |
| China, Lucheng District, Wenzhou City | | | | | 245 | 86.5 | 0.8 | 13.1 |
| China, Luoding City | | | | | 268 | 91.0 | – | 12.1 |
| *China, Luohe City | | | | | 566 | 84.6 | 1.1 | 13.7 |
| *China, Luoyang City | | | | | 441 | 81.0 | 0.5 | 10.3 |
| *China, Luquan City | | | | | 86 | 73.3 | – | 7.1 |
| China, Ma'anshan City | | | | | 336 | 91.4 | – | 15.3 |
| *China, Macheng City | | | | | 233 | 100.0 | – | 9.5 |
| China, Meihekou City | | | | | 247 | 85.0 | – | 10.0 |
| *China, Mengjin County | | | | | 158 | 79.7 | – | 13.7 |
| China, Nangang District, Harbin City | | | | | 481 | 86.7 | 0.4 | 11.2 |
| *China, Nanhai District, Foshan City | | | | | 301 | 71.8 | – | 10.4 |
| China, Nanhu District, Jiaying City | | | | | 153 | 91.5 | – | 7.0 |
| *China, Nantong City | | | | | 520 | 86.5 | 0.6 | 10.6 |
| *China, Nanxiong City | | | | | 144 | 72.9 | – | 9.1 |
| China, Neixiang County | | | | | 172 | 94.2 | – | 7.8 |
| *China, Qianxi County | | | | | 96 | 93.8 | 2.1 | 7.4 |
| China, Qidong City | | | | | 686 | 94.2 | – | 13.8 |
| China, Qingzhou City | | | | | 262 | 88.9 | 0.4 | 8.8 |
| *China, Rudong County | | | | | 646 | 86.7 | 0.2 | 11.9 |
| *China, Rugao City | | | | | 932 | 83.9 | – | 13.4 |
| *China, Rural areas of Shanghai City | | | | | 3137 | 93.9 | 0.1 | 9.4 |
| China, Ruyang County | | | | | 246 | 93.9 | 1.6 | 20.9 |
| *China, Shan County | | | | | 290 | 72.1 | 0.7 | 11.7 |
| China, Shanghai City | | | | | 1861 | 90.9 | 0.1 | 7.8 |
| China, Shangyu District, Shaoxing City | | | | | 478 | 91.0 | 0.2 | 16.4 |
| *China, Shapingba District, Chongqing City | | | | | 409 | 74.1 | – | 11.9 |
| China, Shexian County | | | | | 340 | 93.2 | – | 24.4 |
| China, Sheyang County | | | | | 612 | 85.0 | – | 15.6 |
| *China, Shijiazhuang City | | | | | 405 | 89.9 | 1.7 | 8.3 |
| China, Shunde District, Foshan City | | | | | 383 | 83.0 | – | 9.9 |
| *China, Song County | | | | | 240 | 85.4 | 0.8 | 16.4 |
| China, Suzhou City | | | | | 1193 | 83.5 | 0.9 | 8.8 |
| *China, Tengzhou City | | | | | 590 | 99.7 | 0.2 | 10.4 |
| *China, Wangdu County | | | | | 55 | 92.7 | – | 8.1 |
| *China, Wanzai County | | | | | 191 | 85.3 | 0.5 | 16.3 |
| *China, Wu'an City | | | | | 310 | 83.5 | – | 12.2 |
| China, Wuhan City | | | | | 2155 | 96.0 | 0.0 | 11.0 |
| *China, Wuhu City | | | | | 646 | 82.0 | – | 14.0 |
| China, Wuxi City | | | | | 1207 | 93.5 | 0.1 | 12.1 |
| China, Wuzhou City | | | | | 193 | 95.3 | – | 10.4 |
| China, Xiangfu District, Kaifeng City | | | | | 201 | 94.0 | – | 9.8 |
| China, Xianju County | | | | | 325 | 80.6 | 0.9 | 17.2 |
| *China, Xin'an County | | | | | 154 | 72.1 | – | 14.4 |
| *China, Xining City | | | | | 349 | 90.8 | 0.6 | 13.4 |
| *China, Xinji City | | | | | 155 | 89.0 | 1.9 | 6.6 |
| *China, Xinluo District, Longyan City | | | | | 154 | 64.3 | – | 12.8 |
| *China, Xinzhou District, Shangrao City | | | | | 185 | 94.6 | 0.5 | 13.3 |
| China, Xiping County | | | | | 416 | 98.6 | 0.5 | 14.9 |
| *China, Xishan District, Kunming City | | | | | 85 | 68.2 | 1.2 | 6.1 |
| *China, Xuyi County | | | | | 227 | 89.9 | – | 9.7 |
| *China, Ya'an City | | | | | 554 | 91.9 | 0.5 | 10.7 |
| *China, Yakeshi City | | | | | 127 | 92.1 | 1.6 | 8.3 |
| China, Yancheng City | | | | | 979 | 88.5 | 0.5 | 17.9 |
| *China, Yangquan City | | | | | 351 | 89.2 | 3.7 | 14.9 |
| *China, Yangzhong City | | | | | 128 | 82.0 | – | 10.2 |
| *China, Yanji City | | | | | 177 | 83.1 | 1.1 | 7.6 |
| *China, Yanshi City | | | | | 234 | 94.0 | 0.4 | 10.7 |
| China, Yanting County | | | | | 149 | 89.9 | – | 8.0 |
| *China, Yi'an District, Tongling City | | | | | 69 | 87.0 | – | 7.7 |
| *China, Yingdong District, Fuyang City | | | | | 230 | 89.6 | – | 11.1 |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 49 | 91.8 | – | 5.3 | | | | |
| *China, Yiyuan County | 103 | 78.6 | – | 5.5 | | | | |
| China, Yong'an City | 201 | 86.1 | – | 16.4 | | | | |
| *China, Yongding District, Longyan City | 184 | 88.6 | – | 11.3 | | | | |
| China, Yongkang City | 301 | 93.0 | 1.7 | 13.5 | | | | |
| *China, Yucheng County | 268 | 84.0 | – | 13.3 | | | | |
| China, Yueyanglou District, Yueyang City | 222 | 98.6 | 1.4 | 20.1 | | | | |
| China, Yunmeng County | 278 | 86.7 | – | 15.6 | | | | |
| *China, Yunyang District, Shiyang City | 108 | 87.0 | 0.9 | 10.5 | | | | |
| China, Yuzhong District, Chongqing City | 262 | 70.6 | 1.5 | 11.1 | | | | |
| *China, Zhanhuang County | 99 | 76.8 | – | 12.3 | | | | |
| *China, Zhangjiagang City | 579 | 92.1 | – | 14.7 | | | | |
| *China, Zhaoyuan City | 242 | 80.2 | 0.8 | 10.4 | | | | |
| *China, Zhengding County | 84 | 90.5 | 1.2 | 6.2 | | | | |
| *China, Zhongshan City | 559 | 98.0 | – | 10.0 | | | | |
| China, Zhongxiang City | 555 | 93.7 | – | 15.3 | | | | |
| *China, Zhuanghe City | 480 | 94.0 | – | 12.5 | | | | |
| *China, Zhuhai City | 452 | 75.7 | 1.1 | 12.0 | | | | |
| India, Ahmedabad, Urban | 820 | 97.8 | 0.5 | 6.8 | | | | |
| India, Aurangabad | 399 | 98.7 | 1.0 | 14.6 | | | | |
| India, Bangalore | 2047 | 94.7 | 2.9 | 18.4 | | | | |
| India, Barshi, Paranda, and Bhum | 203 | 87.2 | 1.5 | 14.9 | | | | |
| *India, Bhopal | 327 | 96.3 | 1.8 | 12.9 | | | | |
| India, Chandigarh | 180 | 98.9 | – | 8.1 | | | | |
| *India, Chennai | 1804 | 85.4 | 2.7 | 14.1 | | | | |
| India, Dibrugarh | 137 | 90.5 | 5.8 | 4.6 | | | | |
| *India, Dindigul, Ambalikkai | 1204 | 79.2 | 2.3 | 18.5 | | | | |
| India, Kamrup Urban District | 353 | 91.8 | 4.5 | 14.9 | | | | |
| India, Kollam | 509 | 87.8 | 0.4 | 6.7 | | | | |
| *India, Manipur | 334 | 96.7 | 0.9 | 6.5 | | | | |
| India, Meghalaya | 258 | 92.6 | 2.3 | 7.8 | | | | |
| India, Mizoram | 463 | 95.9 | – | 23.0 | | | | |
| India, Mumbai | 2426 | 89.2 | 7.1 | 7.9 | | | | |
| *India, New Delhi | 2799 | 88.6 | 2.2 | 13.0 | | | | |
| India, Poona | 1198 | 84.7 | 2.5 | 10.1 | | | | |
| *India, Sangrur District | 235 | 86.0 | 4.3 | 9.4 | | | | |
| India, SAS Nagar | 231 | 97.0 | 0.4 | 10.2 | | | | |
| *India, Tamil Nadu | 38579 | 90.2 | 0.3 | 18.1 | | | | |
| *India, Tripura | 644 | 97.7 | – | 9.3 | | | | |
| India, Trivandrum | 630 | 93.3 | – | 6.6 | | | | |
| India, Wardha | 316 | 81.3 | 17.7 | 8.5 | | | | |
| India, West Arunachal | 88 | 97.7 | – | 8.1 | | | | |
| *Iran (Islamic Republic of), Ardabil Province | 41 | 90.2 | 2.4 | 2.1 | | | | |
| *Iran (Islamic Republic of), Golestan Province | 97 | 87.6 | 2.1 | 3.6 | | | | |
| Israel | 1302 | 98.0 | 1.2 | 5.4 | | | | |
| *Israel: Jews | 1027 | 98.3 | 1.2 | 5.4 | | | | |
| *Israel: Arabs | 121 | 96.7 | 1.7 | 3.3 | | | | |
| Japan | 31924 | 95.2 | 2.5 | 10.8 | | | | |
| Japan, Aichi Prefecture | 1868 | 98.0 | 0.9 | 11.3 | | | | |
| *Japan, Akita Prefecture | 207 | 97.1 | – | 9.5 | | | | |
| Japan, Aomori Prefecture | 491 | 96.7 | 0.6 | 9.4 | | | | |
| Japan, Gunma Prefecture | 506 | 96.8 | 1.2 | 11.6 | | | | |
| Japan, Hiroshima Prefecture | 865 | 97.3 | 1.0 | 9.9 | | | | |
| Japan, Miyagi Prefecture | 763 | 94.8 | 0.8 | 8.7 | | | | |
| Japan, Osaka Prefecture | 2458 | 97.2 | 1.7 | 11.8 | | | | |
| Kuwait | 257 | 98.1 | 1.6 | 3.5 | | | | |
| *Kuwait: Kuwaitis | 90 | 97.8 | 2.2 | 3.3 | | | | |
| *Kuwait: Non-Kuwaitis | 167 | 98.2 | 1.2 | 3.9 | | | | |
| *Philippines, Manila | 2208 | 84.3 | 3.9 | 14.4 | | | | |
| *Qatar: Qatari | 23 | 100.0 | – | 5.1 | | | | |
| Republic of Korea | 18109 | 97.7 | 0.6 | 9.3 | | | | |
| *Republic of Korea, Busan | 1491 | 97.2 | 1.1 | 10.7 | | | | |
| *Republic of Korea, Daegu | 997 | 99.2 | 0.2 | 10.2 | | | | |
| *Republic of Korea, Daejeon | 497 | 97.4 | 1.0 | 8.9 | | | | |
| *Republic of Korea, Gwangju | 525 | 97.1 | – | 10.0 | | | | |
| Republic of Korea, Incheon | 1014 | 98.3 | 0.5 | 9.2 | | | | |
| Republic of Korea, Jeju | 244 | 96.3 | – | 10.8 | | | | |
| Republic of Korea, Seoul | 3283 | 97.7 | 0.7 | 8.5 | | | | |
| Republic of Korea, Ulsan | 313 | 98.7 | 0.6 | 7.5 | | | | |
| Singapore | 1083 | 99.6 | – | 7.1 | | | | |
| Singapore: Chinese | 850 | 99.5 | – | 7.0 | | | | |
| Singapore: Indian | 45 | 100.0 | – | 4.2 | | | | |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | | 143 | 100.0 | – | 8.7 |
| Thailand, Bangkok | | | | | 2184 | 85.0 | 1.1 | 9.6 |
| *Thailand, Chiang Mai | | | | | 854 | 98.1 | 0.2 | 14.2 |
| *Thailand, Khon Kaen | | | | | 552 | 86.6 | 1.4 | 8.9 |
| Thailand, Lampang | | | | | 392 | 91.6 | 0.5 | 12.4 |
| Thailand, Lopburi Province | | | | | 478 | 94.4 | – | 18.4 |
| *Thailand, Songkhla | | | | | 485 | 97.7 | – | 10.4 |
| Turkey, Antalya | | | | | 348 | 99.4 | – | 5.1 |
| Turkey, Bursa | | | | | 394 | 97.7 | 1.0 | 4.5 |
| *Turkey, Edirne | | | | | 80 | 91.2 | 2.5 | 5.4 |
| *Turkey, Erzurum | | | | | 74 | 91.9 | 2.7 | 3.9 |
| Turkey, Eskişehir | | | | | 102 | 99.0 | – | 3.8 |
| Turkey, Gaziantep | | | | | 212 | 94.8 | 0.9 | 5.4 |
| *Turkey, Izmir | | | | | 759 | 96.3 | 0.4 | 5.4 |
| Turkey, Malatya | | | | | 53 | 100.0 | – | 2.4 |
| Turkey, Samsun | | | | | 140 | 97.9 | 0.7 | 3.4 |
| Turkey, Trabzon | | | | | 95 | 96.8 | – | 3.7 |
| Europe | | | | | | | | |
| Austria | | | | | 1989 | 89.4 | 3.3 | 6.0 |
| Austria, Carinthia | | | | | 145 | 97.9 | 0.7 | 6.9 |
| Austria, Tyrol | | | | | 177 | 99.4 | 0.6 | 6.5 |
| Austria, Vorarlberg | | | | | 78 | 97.4 | 1.3 | 6.1 |
| Belarus | | | | | 4580 | 99.8 | 0.0 | 12.3 |
| *Belgium | | | | | 3235 | 99.6 | – | 8.0 |
| Croatia | | | | | 1639 | 86.5 | 1.6 | 10.0 |
| Cyprus | | | | | 188 | 97.3 | 2.1 | 6.1 |
| *Czech Republic | | | | | 4211 | 97.9 | 0.3 | 10.2 |
| Denmark | | | | | 1873 | 98.8 | – | 10.1 |
| Estonia | | | | | 801 | 95.5 | 0.5 | 15.4 |
| Finland | | | | | 874 | 98.5 | 0.7 | 4.6 |
| *France, Bas-Rhin | | | | | 153 | 98.7 | – | 4.3 |
| *France, Calvados | | | | | 176 | 97.7 | – | 6.2 |
| *France, Doubs | | | | | 146 | 100.0 | – | 8.2 |
| *France, Gironde | | | | | 439 | 99.8 | – | 7.5 |
| *France, Haut-Rhin | | | | | 188 | 98.4 | – | 6.5 |
| *France, Hérault | | | | | 385 | 99.5 | – | 8.9 |
| *France, Isère | | | | | 245 | 99.2 | – | 5.4 |
| *France, Lille-Métropole | | | | | 209 | 99.5 | – | 7.6 |
| *France, Limousin | | | | | 85 | 100.0 | – | 5.7 |
| *France, Loire-Atlantique | | | | | 253 | 98.4 | – | 5.1 |
| *France, Manche | | | | | 115 | 100.0 | – | 6.0 |
| *France, Poitou-Charentes | | | | | 479 | 98.7 | – | 6.6 |
| *France, Somme | | | | | 155 | 100.0 | – | 7.4 |
| *France, Tarn | | | | | 82 | 100.0 | – | 5.6 |
| *France, Territoire de Belfort | | | | | 15 | 100.0 | – | 4.2 |
| *France, Vendée | | | | | 138 | 99.3 | – | 5.7 |
| Germany, Baden-Württemberg | | | | | 1755 | 79.7 | 4.0 | 7.3 |
| Germany, Bavaria | | | | | 3451 | 94.6 | 3.7 | 7.3 |
| Germany, Bremen | | | | | 185 | 94.1 | 5.9 | 6.9 |
| Germany, Hamburg | | | | | 589 | 91.3 | 3.2 | 8.4 |
| Germany, Lower Saxony | | | | | 2186 | 91.4 | 6.5 | 7.0 |
| Germany, North Rhine-Westphalia | | | | | 4817 | 89.7 | 4.9 | 7.2 |
| Germany, Rhineland-Palatinate | | | | | 1221 | 86.7 | 6.6 | 8.4 |
| Germany, Saarland | | | | | 327 | 87.5 | 2.4 | 8.5 |
| Germany, Schleswig-Holstein | | | | | 903 | 87.8 | 1.8 | 8.1 |
| Iceland | | | | | 88 | 100.0 | – | 8.9 |
| Ireland | | | | | 1404 | 99.4 | 0.1 | 9.2 |
| *Italy, Aosta Valley | | | | | 24 | 75.0 | – | 6.1 |
| *Italy, Avellino | | | | | 60 | 93.3 | 1.7 | 5.6 |
| Italy, Basilicata | | | | | 95 | 85.3 | 1.1 | 3.8 |
| *Italy, Benevento | | | | | 40 | 97.5 | – | 4.7 |
| Italy, Bergamo | | | | | 240 | 97.1 | 0.4 | 5.8 |
| *Italy, Brescia | | | | | 222 | 95.9 | – | 5.1 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | | 126 | 96.8 | 1.6 | 4.4 |
| Italy, Calabria | | | | | 107 | 94.4 | – | 5.4 |
| *Italy, Caserta | | | | | 134 | 95.5 | – | 4.7 |
| *Italy, Catania, Messina, and Enna | | | | | 352 | 98.6 | 0.6 | 4.6 |
| Italy, Emilia-Romagna | | | | | 709 | 96.6 | 0.1 | 4.7 |
| Italy, Friuli-Venezia Giulia | | | | | 254 | 98.8 | – | 5.2 |
| Italy, Genova | | | | | 220 | 98.6 | – | 7.3 |
| *Italy, Lombardy, South, Pavia | | | | | 119 | 92.4 | – | 4.7 |
| Italy, Mantova and Cremona | | | | | 107 | 98.1 | – | 3.9 |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | | 258 | 97.7 | 0.4 | 5.2 |
| Italy, Milan | | | | | 714 | 93.8 | 0.3 | 5.0 |
| Italy, Molise | | | | | 51 | 86.3 | – | 6.9 |
| *Italy, Naples Centre | | | | | 129 | 88.4 | – | 5.3 |
| *Italy, Naples North | | | | | 115 | 96.5 | – | 3.7 |
| *Italy, Naples South | | | | | 209 | 99.0 | – | 5.2 |
| *Italy, Nuoro | | | | | 10 | 90.0 | – | 2.2 |
| *Italy, Palermo | | | | | 217 | 93.1 | 0.5 | 4.2 |
| Italy, Puglia | | | | | 786 | 95.3 | – | 4.8 |
| *Italy, Ragusa and Caltanissetta | | | | | 105 | 98.1 | – | 4.5 |
| *Italy, Salerno | | | | | 183 | 92.9 | 0.5 | 4.9 |
| Italy, Sassari | | | | | 28 | 89.3 | – | 3.6 |
| *Italy, Sondrio | | | | | 52 | 88.5 | 1.9 | 5.5 |
| Italy, South Tyrol | | | | | 104 | 96.2 | 1.9 | 5.4 |
| *Italy, Syracuse | | | | | 82 | 97.6 | 1.2 | 5.1 |
| Italy, Trento | | | | | 96 | 97.9 | – | 4.7 |
| Italy, Turin | | | | | 470 | 97.2 | 0.4 | 4.6 |
| *Italy, Tuscany | | | | | 585 | 93.7 | 0.3 | 6.9 |
| Italy, Umbria | | | | | 183 | 96.7 | – | 6.3 |
| Italy, Varese | | | | | 79 | 97.5 | 1.3 | 3.7 |
| Italy, Veneto | | | | | 836 | 98.3 | 0.1 | 4.3 |
| Latvia | | | | | 1238 | 93.9 | 1.3 | 16.0 |
| *Liechtenstein | | | | | 4 | 100.0 | – | 2.7 |
| *Lithuania | | | | | 1896 | 85.7 | 11.2 | 15.9 |
| Malta | | | | | 66 | 90.9 | 1.5 | 4.0 |
| *The Netherlands | | | | | 3715 | 99.7 | – | 6.6 |
| Norway | | | | | 1737 | 99.4 | 0.3 | 10.8 |
| Poland, Kielce | | | | | 380 | 98.4 | – | 6.9 |
| *Portugal, Azores | | | | | 69 | 98.6 | – | 10.4 |
| Russian Federation, Arkhangelsk | | | | | 764 | 98.8 | 0.7 | 18.1 |
| Russian Federation, Kaliningrad | | | | | 618 | 97.1 | 0.8 | 16.4 |
| Russian Federation, Karelia | | | | | 511 | 98.4 | 0.8 | 23.3 |
| *Russian Federation, Komi Republic | | | | | 623 | 95.3 | 3.0 | 19.3 |
| Russian Federation, Murmansk | | | | | 494 | 97.4 | 2.4 | 17.3 |
| *Russian Federation, Orenburg | | | | | 1162 | 98.3 | 0.4 | 16.2 |
| Russian Federation, Pskov | | | | | 447 | 98.0 | 0.4 | 18.8 |
| *Russian Federation, Samara | | | | | 1702 | 99.3 | 0.7 | 13.3 |
| Russian Federation, Vologda Region | | | | | 781 | 97.2 | 0.5 | 18.7 |
| Slovenia | | | | | 567 | 99.8 | – | 7.0 |
| Spain, Asturias | | | | | 186 | 98.9 | – | 6.7 |
| Spain, Basque Country | | | | | 356 | 98.6 | – | 4.9 |
| Spain, Canary Islands | | | | | 431 | 99.1 | – | 7.8 |
| Spain, Castellón | | | | | 113 | 100.0 | – | 5.0 |
| Spain, Girona | | | | | 146 | 98.6 | – | 5.0 |
| Spain, Granada | | | | | 182 | 98.9 | – | 5.5 |
| Spain, La Rioja | | | | | 68 | 95.6 | 2.9 | 5.1 |
| Spain, Murcia | | | | | 344 | 98.3 | 0.6 | 6.7 |
| Spain, Navarra | | | | | 77 | 100.0 | – | 3.9 |
| Spain, Salamanca | | | | | 70 | 98.6 | – | 4.8 |
| Spain, Tarragona | | | | | 152 | 98.7 | 0.7 | 4.9 |
| *Sweden | | | | | 2745 | 100.0 | – | 8.7 |
| Switzerland, Aargau | | | | | 101 | 98.0 | 2.0 | 4.2 |
| Switzerland, Basel | | | | | 67 | 98.5 | 1.5 | 3.5 |
| Switzerland, Berne Solothurn | | | | | 144 | 98.6 | 0.7 | 4.7 |
| Switzerland, East | | | | | 118 | 98.3 | 0.8 | 4.1 |
| *Switzerland, Fribourg | | | | | 37 | 100.0 | – | 3.6 |
| Switzerland, Geneva | | | | | 58 | 98.3 | – | 2.8 |
| *Switzerland, Graubünden and Glarus | | | | | 38 | 97.4 | 2.6 | 4.3 |
| *Switzerland, Lucerne | | | | | 95 | 92.6 | 2.1 | 5.1 |
| *Switzerland, Neuchâtel and Jura | | | | | 55 | 98.2 | – | 5.0 |
| Switzerland, Ticino | | | | | 73 | 98.6 | – | 4.8 |
| Switzerland, Valais | | | | | 57 | 100.0 | – | 4.9 |
| Switzerland, Vaud | | | | | 98 | 96.9 | 1.0 | 3.4 |
| Switzerland, Zurich and Zug | | | | | 243 | 99.6 | – | 4.2 |
| Ukraine | | | | | 20983 | 98.7 | 0.1 | 15.3 |
| UK, England | | | | | 13099 | 97.6 | 0.3 | 7.7 |
| UK, Northern Ireland | | | | | 416 | 98.1 | 0.5 | 7.3 |
| UK, Scotland | | | | | 1710 | 98.0 | 0.1 | 9.8 |
| UK, Wales | | | | | 819 | 97.2 | 0.4 | 8.4 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | | 1406 | 97.4 | 0.2 | 5.2 |
| *Australia, Northern Territory | | | | | 44 | 100.0 | – | 6.1 |

* Important. See note on population page.

Indices of data quality Cervix uteri (C53) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|---------|--------|-------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 24 | 100.0 | – | | 24 | 100.0 | – | 4.6 |
| *Australia, Northern Territory: Indigenous | 20 | 100.0 | – | | 20 | 100.0 | – | 10.7 |
| *Australia, Queensland | 997 | 97.5 | 0.4 | | 997 | 97.5 | 0.4 | 6.6 |
| Australia, South Australia | 295 | 98.0 | 0.7 | | 295 | 98.0 | 0.7 | 5.3 |
| Australia, Tasmania | 124 | 98.4 | – | | 124 | 98.4 | – | 7.6 |
| *Australia, Victoria | 951 | 98.2 | 1.1 | | 951 | 98.2 | 1.1 | 4.7 |
| *Australia, Western Australia | 455 | 98.5 | 0.2 | | 455 | 98.5 | 0.2 | 5.6 |
| *France, New Caledonia | 106 | 99.1 | – | | 106 | 99.1 | – | 12.9 |
| New Zealand | 784 | 98.9 | 0.3 | | 784 | 98.9 | 0.3 | 5.3 |
| *New Zealand: Maori | 183 | 98.9 | 0.5 | | 183 | 98.9 | 0.5 | 9.7 |
| *New Zealand: Pacific peoples | 47 | 100.0 | – | | 47 | 100.0 | – | 6.3 |
| *New Zealand: Other | 467 | 98.5 | 0.2 | | 467 | 98.5 | 0.2 | 4.9 |
| USA, Hawaii | 247 | 98.4 | – | | 247 | 98.4 | – | 5.4 |
| USA, Hawaii: White | 62 | 100.0 | – | | 62 | 100.0 | – | 5.7 |
| *USA, Hawaii: Japanese | 37 | 100.0 | – | | 37 | 100.0 | – | 3.8 |
| *USA, Hawaii: Chinese | 10 | 90.0 | – | | 10 | 90.0 | – | 3.2 |
| *USA, Hawaii: Hawaiian | 41 | 100.0 | – | | 41 | 100.0 | – | 4.6 |
| *USA, Hawaii: Filipino | 30 | 96.7 | – | | 30 | 96.7 | – | 3.4 |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | | 38 | 94.7 | – | 3.0 |
| *Algeria, Tizi Ouzou | | | | | 49 | 95.9 | – | 2.9 |
| *Benin, Cotonou | | | | | 23 | 91.3 | – | 4.2 |
| *France, La Réunion | | | | | 191 | 97.4 | – | 7.8 |
| *Kenya, Eldoret | | | | | 26 | 88.5 | – | 2.7 |
| *Kenya, Nairobi | | | | | 136 | 80.1 | 2.9 | 7.9 |
| Mauritius | | | | | 327 | 96.3 | 1.2 | 7.2 |
| *Morocco, Casablanca | | | | | 314 | 100.0 | – | 2.8 |
| *Seychelles | | | | | 30 | 93.3 | 3.3 | 9.2 |
| *South Africa, Eastern Cape | | | | | 41 | 100.0 | – | 2.5 |
| *Uganda, Kyadondo County | | | | | 92 | 44.6 | – | 5.2 |
| *Uganda, Gulu | | | | | 2 | 100.0 | – | 0.2 |
| *Zimbabwe, Bulawayo: African | | | | | 108 | 55.6 | 5.6 | 11.6 |
| *Zimbabwe, Harare: African | | | | | 108 | 81.5 | 5.6 | 7.1 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | | | | | 191 | 92.7 | 5.8 | 7.3 |
| *Argentina, Mendoza | | | | | 565 | 95.9 | 4.1 | 9.3 |
| Brazil, Aracaju | | | | | 130 | 98.5 | – | 8.7 |
| *Brazil, Barretos | | | | | 103 | 95.1 | 3.9 | 6.6 |
| Brazil, Belo Horizonte | | | | | 754 | 97.1 | 2.9 | 7.7 |
| *Brazil, Campinas | | | | | 293 | 94.5 | 5.5 | 10.2 |
| *Brazil, Curitiba | | | | | 371 | 96.2 | 1.9 | 6.9 |
| Brazil, Goiânia | | | | | 212 | 100.0 | – | 6.3 |
| *Brazil, Jaú | | | | | 74 | 100.0 | – | 14.6 |
| Brazil, João Pessoa | | | | | 111 | 95.5 | 1.8 | 7.6 |
| Brazil, Recife | | | | | 329 | 81.8 | 4.3 | 9.0 |
| Chile, Region of Antofagasta | | | | | 55 | 96.4 | – | 5.3 |
| Chile, Valdivia | | | | | 108 | 100.0 | – | 7.8 |
| Colombia, Bucaramanga | | | | | 272 | 98.5 | 0.4 | 7.4 |
| Colombia, Cali | | | | | 448 | 95.8 | 0.9 | 5.7 |
| Colombia, Manizales | | | | | 115 | 92.2 | – | 7.0 |
| Colombia, Pasto | | | | | 73 | 91.8 | 5.5 | 5.9 |
| Costa Rica | | | | | 842 | 89.4 | 1.1 | 8.2 |
| Ecuador, Guayaquil | | | | | 381 | 94.5 | 1.6 | 6.4 |
| Ecuador, Manabí | | | | | 145 | 98.6 | – | 4.5 |
| Ecuador, Quito | | | | | 307 | 96.7 | 1.0 | 6.3 |
| *France, Guadeloupe | | | | | 203 | 98.0 | – | 9.7 |
| *France, Martinique | | | | | 211 | 100.0 | – | 9.2 |
| *Peru, Lima | | | | | 928 | 92.1 | 1.6 | 5.8 |
| *Trinidad and Tobago | | | | | 431 | 86.1 | 5.8 | 16.7 |
| USA, Puerto Rico | | | | | 3128 | 98.8 | 0.3 | 20.9 |
| *Uruguay | | | | | 1176 | 95.7 | 2.3 | 8.1 |
| North America | | | | | | | | |
| Canada, Alberta | | | | | 3040 | 99.5 | 0.0 | 20.1 |
| Canada, British Columbia | | | | | 3831 | 99.3 | – | 16.7 |
| *Canada, Manitoba | | | | | 1393 | 99.4 | – | 25.8 |
| *Canada, New Brunswick | | | | | 769 | 99.1 | – | 19.4 |
| *Canada, Newfoundland and Labrador | | | | | 542 | 98.9 | 0.2 | 20.4 |
| Canada, Ontario | | | | | 12880 | 98.8 | 0.2 | 20.7 |
| *Canada, Prince Edward Island | | | | | 129 | 99.2 | – | 17.7 |
| Canada, Quebec | | | | | 6959 | 98.4 | 0.7 | 17.1 |
| Canada, Saskatchewan | | | | | 876 | 99.5 | – | 18.9 |
| *Canada, Yukon | | | | | 24 | 100.0 | – | 17.1 |
| USA | | | | | 265602 | 99.3 | 0.4 | 19.6 |
| USA: White | | | | | 221466 | 99.3 | 0.4 | 20.1 |
| USA: Black | | | | | 30349 | 98.9 | 0.6 | 18.7 |
| USA, NPCR | | | | | 256121 | 99.3 | 0.4 | 19.6 |
| USA, NPCR: White | | | | | 213813 | 99.3 | 0.4 | 20.0 |
| USA, NPCR: Black | | | | | 29976 | 98.8 | 0.6 | 18.7 |
| USA, NPCR: Asian and Pacific Islander | | | | | 9454 | 99.6 | 0.2 | 14.3 |
| USA, NPCR: American Indian | | | | | 1306 | 99.4 | 0.3 | 10.5 |
| *USA, SEER (18 registries) | | | | | 70697 | 99.4 | 0.1 | 19.5 |
| *USA, SEER (18 registries): White | | | | | 55476 | 99.4 | 0.1 | 19.9 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | | 46628 | 99.4 | 0.1 | 20.1 |
| *USA, SEER (18 registries): Hispanic White | | | | | 8848 | 99.4 | 0.1 | 18.1 |
| *USA, SEER (18 registries): Black | | | | | 7626 | 99.0 | 0.2 | 18.5 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | | 6324 | 99.7 | 0.1 | 16.7 |
| *USA, SEER (9 registries) | | | | | 25514 | 99.4 | 0.1 | 20.4 |
| *USA, SEER (9 registries): White | | | | | 19603 | 99.4 | 0.1 | 20.5 |
| *USA, SEER (9 registries): Black | | | | | 2703 | 99.1 | 0.3 | 19.3 |
| USA, Alabama | | | | | 3032 | 98.7 | 1.1 | 14.0 |
| USA, Alabama: White | | | | | 2217 | 99.0 | 0.9 | 13.9 |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | | | | | 773 | 98.1 | 1.7 | 14.8 |
| USA, Alaska | | | | | 443 | 98.4 | 1.1 | 17.5 |
| *USA, Alaska: Alaska Natives | | | | | 45 | 100.0 | – | 12.6 |
| USA, Arizona | | | | | 4617 | 98.9 | 0.8 | 16.5 |
| USA, Arizona: White | | | | | 4198 | 99.0 | 0.7 | 16.8 |
| USA, Arizona: Black | | | | | 136 | 94.9 | 3.7 | 13.7 |
| *USA, Arizona: Asian and Pacific Islander | | | | | 97 | 100.0 | – | 10.3 |
| USA, Arizona: American Indian | | | | | 179 | 98.9 | 0.6 | 16.9 |
| USA, Arkansas | | | | | 2206 | 99.1 | 0.8 | 17.8 |
| USA, Arkansas: White | | | | | 1839 | 99.5 | 0.5 | 17.8 |
| USA, Arkansas: Black | | | | | 308 | 98.7 | 1.0 | 18.1 |
| USA, California | | | | | 28371 | 99.4 | 0.3 | 18.7 |
| USA, California: White | | | | | 22167 | 99.4 | 0.3 | 19.4 |
| USA, California: Black | | | | | 1806 | 98.9 | 0.5 | 17.9 |
| USA, California: Asian and Pacific Islander | | | | | 3997 | 99.7 | 0.1 | 16.1 |
| *USA, California, Los Angeles County | | | | | 7345 | 99.6 | 0.1 | 19.2 |
| *USA, California, Los Angeles County: White | | | | | 5301 | 99.6 | 0.1 | 20.0 |
| *USA, California, Los Angeles County: Non-Hispanic White | | | | | 2813 | 99.6 | 0.1 | 20.0 |
| *USA, California, Los Angeles County: Hispanic White | | | | | 2488 | 99.6 | – | 19.2 |
| *USA, California, Los Angeles County: Black | | | | | 761 | 99.3 | 0.1 | 18.6 |
| *USA, California, Los Angeles County: Chinese | | | | | 216 | 100.0 | – | 9.7 |
| *USA, California, Los Angeles County: Filipino | | | | | 352 | 100.0 | – | 20.1 |
| *USA, California, Los Angeles County: Korean | | | | | 90 | 96.7 | 1.1 | 8.6 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | | | | | 1119 | 99.6 | 0.2 | 16.1 |
| *USA, California, San Francisco Bay Area | | | | | 3853 | 99.5 | 0.1 | 19.6 |
| *USA, California, San Francisco Bay Area: White | | | | | 2504 | 99.4 | 0.1 | 20.3 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | | | | | 2030 | 99.5 | 0.1 | 19.8 |
| *USA, California, San Francisco Bay Area: Hispanic White | | | | | 474 | 99.2 | – | 20.0 |
| *USA, California, San Francisco Bay Area: Black | | | | | 358 | 99.2 | – | 20.5 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | | | | | 943 | 99.8 | – | 17.3 |
| USA, Colorado | | | | | 3606 | 99.1 | 0.4 | 16.7 |
| USA, Colorado: White | | | | | 3361 | 99.2 | 0.4 | 16.9 |
| *USA, Colorado: Black | | | | | 120 | 96.7 | 1.7 | 16.0 |
| *USA, Colorado: Asian and Pacific Islander | | | | | 82 | 100.0 | – | 12.2 |
| USA, Connecticut | | | | | 3567 | 99.6 | 0.2 | 21.3 |
| USA, Connecticut: White | | | | | 3124 | 99.6 | 0.2 | 21.4 |
| USA, Connecticut: Black | | | | | 296 | 99.7 | 0.3 | 19.5 |
| USA, District of Columbia | | | | | 523 | 97.9 | 1.9 | 21.1 |
| USA, District of Columbia: White | | | | | 134 | 98.5 | 1.5 | 15.6 |
| USA, District of Columbia: Black | | | | | 354 | 97.5 | 2.3 | 23.1 |
| USA, Florida | | | | | 17439 | 99.1 | 0.6 | 17.9 |
| USA, Florida: White | | | | | 14450 | 99.3 | 0.4 | 17.7 |
| USA, Florida: Black | | | | | 2498 | 99.0 | 0.4 | 20.3 |
| USA, Florida: Asian and Pacific Islander | | | | | 284 | 100.0 | – | 11.2 |
| USA, Georgia | | | | | 7118 | 99.2 | 0.4 | 17.6 |
| USA, Georgia: White | | | | | 4728 | 99.3 | 0.4 | 17.7 |
| USA, Georgia: Black | | | | | 2219 | 99.1 | 0.4 | 18.8 |
| USA, Georgia: Asian and Pacific Islander | | | | | 149 | 100.0 | – | 10.9 |
| *USA, Georgia, Atlanta | | | | | 2398 | 99.2 | 0.3 | 17.7 |
| *USA, Georgia, Atlanta: White | | | | | 1309 | 99.2 | 0.3 | 18.1 |
| *USA, Georgia, Atlanta: Black | | | | | 985 | 99.1 | 0.3 | 18.6 |
| USA, Idaho | | | | | 1204 | 99.1 | 0.2 | 18.4 |
| USA, Indiana | | | | | 5844 | 99.3 | 0.2 | 21.3 |
| USA, Indiana: White | | | | | 5375 | 99.3 | 0.2 | 21.7 |
| USA, Indiana: Black | | | | | 411 | 98.8 | – | 18.8 |
| *USA, Iowa | | | | | 2999 | 99.4 | 0.1 | 22.0 |
| USA, Kentucky | | | | | 3785 | 99.5 | 0.3 | 20.6 |
| USA, Louisiana | | | | | 2855 | 99.3 | 0.2 | 14.9 |
| USA, Louisiana: White | | | | | 1902 | 99.3 | 0.3 | 14.8 |
| USA, Louisiana: Black | | | | | 912 | 99.1 | 0.2 | 16.0 |
| *USA, Louisiana, New Orleans | | | | | 587 | 99.5 | 0.5 | 15.8 |
| *USA, Louisiana, New Orleans: White | | | | | 336 | 99.4 | 0.6 | 16.3 |
| *USA, Louisiana, New Orleans: Black | | | | | 229 | 99.6 | 0.4 | 15.3 |
| USA, Maine | | | | | 1587 | 99.6 | 0.3 | 23.2 |
| USA, Maryland | | | | | 5210 | 99.0 | 0.7 | 19.9 |
| USA, Maryland: White | | | | | 3471 | 99.0 | 0.7 | 20.6 |
| USA, Maryland: Black | | | | | 1506 | 98.8 | 0.7 | 19.6 |
| USA, Maryland: Asian and Pacific Islander | | | | | 204 | 99.5 | – | 13.2 |
| USA, Massachusetts | | | | | 6526 | 99.4 | 0.4 | 21.3 |
| USA, Massachusetts: White | | | | | 5901 | 99.5 | 0.3 | 21.7 |
| USA, Massachusetts: Black | | | | | 379 | 97.9 | 1.3 | 18.8 |
| USA, Massachusetts: Asian and Pacific Islander | | | | | 171 | 99.4 | 0.6 | 12.3 |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 9405 | 99.2 | 0.5 | 21.1 | | | | |
| USA, Michigan: White | 8135 | 99.3 | 0.4 | 21.7 | | | | |
| USA, Michigan: Black | 1071 | 98.6 | 0.7 | 18.8 | | | | |
| USA, Michigan: Asian and Pacific Islander | 113 | 98.2 | 1.8 | 11.6 | | | | |
| *USA, Michigan, Detroit | 3851 | 99.4 | 0.2 | 22.3 | | | | |
| *USA, Michigan, Detroit: White | 2920 | 99.4 | 0.1 | 23.5 | | | | |
| *USA, Michigan, Detroit: Black | 833 | 99.2 | 0.2 | 20.0 | | | | |
| USA, Minnesota | 5270 | 99.4 | 0.2 | 22.7 | | | | |
| USA, Minnesota: White | 4946 | 99.5 | 0.2 | 22.8 | | | | |
| USA, Minnesota: Black | 165 | 98.8 | – | 23.9 | | | | |
| *USA, Minnesota: Asian and Pacific Islander | 95 | 98.9 | – | 13.0 | | | | |
| USA, Mississippi | 2032 | 99.5 | 0.4 | 16.4 | | | | |
| USA, Missouri | 5187 | 99.2 | 0.5 | 19.6 | | | | |
| USA, Missouri: White | 4628 | 99.2 | 0.6 | 20.0 | | | | |
| USA, Missouri: Black | 495 | 99.4 | 0.4 | 18.4 | | | | |
| USA, Montana | 938 | 99.1 | 0.6 | 20.1 | | | | |
| *USA, Montana: American Indian | 39 | 94.9 | 2.6 | 19.2 | | | | |
| USA, Nebraska | 1544 | 99.5 | 0.2 | 20.5 | | | | |
| USA, Nebraska: White | 1477 | 99.5 | 0.2 | 20.9 | | | | |
| *USA, Nebraska: Black | 44 | 100.0 | – | 17.0 | | | | |
| USA, Nevada | 1748 | 99.5 | 0.3 | 15.3 | | | | |
| USA, Nevada: White | 1458 | 99.5 | 0.3 | 16.0 | | | | |
| USA, Nevada: Black | 115 | 100.0 | – | 12.4 | | | | |
| *USA, Nevada: Asian and Pacific Islander | 153 | 100.0 | – | 12.4 | | | | |
| USA, New Jersey | 9117 | 99.3 | 0.3 | 22.7 | | | | |
| USA, New Jersey: White | 7511 | 99.4 | 0.3 | 23.9 | | | | |
| USA, New Jersey: Black | 1099 | 98.9 | 0.4 | 20.4 | | | | |
| USA, New Mexico | 1522 | 99.1 | 0.2 | 17.5 | | | | |
| USA, New Mexico: White | 1310 | 99.2 | 0.2 | 17.0 | | | | |
| USA, New Mexico: Non-Hispanic White | 827 | 99.4 | 0.1 | 17.8 | | | | |
| USA, New Mexico: Hispanic White | 483 | 99.0 | 0.2 | 15.5 | | | | |
| *USA, New Mexico: American Indian | 142 | 98.6 | – | 20.0 | | | | |
| USA, New York State | 20078 | 99.3 | 0.2 | 23.1 | | | | |
| USA, New York State: White | 15553 | 99.4 | 0.2 | 24.0 | | | | |
| USA, New York State: Black | 3346 | 99.0 | 0.4 | 22.6 | | | | |
| USA, New York State: Asian and Pacific Islander | 1056 | 99.5 | 0.2 | 16.2 | | | | |
| USA, North Carolina | 7970 | 99.5 | 0.3 | 18.2 | | | | |
| USA, North Carolina: White | 6107 | 99.6 | 0.2 | 18.4 | | | | |
| USA, North Carolina: Black | 1652 | 99.1 | 0.5 | 18.1 | | | | |
| USA, North Carolina: Asian and Pacific Islander | 96 | 100.0 | – | 10.7 | | | | |
| *USA, North Carolina: American Indian | 66 | 98.5 | – | 12.4 | | | | |
| USA, North Dakota | 562 | 99.5 | 0.5 | 19.8 | | | | |
| USA, Ohio | 11404 | 99.4 | 0.4 | 22.1 | | | | |
| USA, Ohio: White | 10246 | 99.4 | 0.4 | 22.9 | | | | |
| USA, Ohio: Black | 1027 | 99.0 | 0.8 | 17.9 | | | | |
| *USA, Ohio: Asian and Pacific Islander | 97 | 100.0 | – | 11.9 | | | | |
| USA, Oklahoma | 2611 | 99.3 | 0.4 | 16.7 | | | | |
| USA, Oklahoma: White | 2195 | 99.4 | 0.4 | 16.9 | | | | |
| USA, Oklahoma: Black | 176 | 98.9 | 0.6 | 17.1 | | | | |
| USA, Oklahoma: American Indian | 181 | 99.4 | 0.6 | 14.9 | | | | |
| USA, Oregon | 3679 | 99.0 | 0.7 | 20.9 | | | | |
| USA, Oregon: White | 3471 | 98.9 | 0.7 | 21.1 | | | | |
| *USA, Oregon: Black | 44 | 100.0 | – | 18.4 | | | | |
| *USA, Oregon: Asian and Pacific Islander | 89 | 98.9 | 1.1 | 12.1 | | | | |
| USA, Rhode Island | 1055 | 99.6 | 0.2 | 21.9 | | | | |
| USA, Rhode Island: White | 991 | 99.6 | 0.2 | 22.5 | | | | |
| *USA, Rhode Island: Black | 33 | 100.0 | – | 13.1 | | | | |
| USA, South Carolina | 3717 | 99.1 | 0.6 | 16.7 | | | | |
| USA, South Carolina: White | 2574 | 99.3 | 0.6 | 16.1 | | | | |
| USA, South Carolina: Black | 1074 | 98.8 | 0.7 | 18.7 | | | | |
| USA, South Dakota | 744 | 99.5 | 0.5 | 21.2 | | | | |
| USA, Tennessee | 5052 | 99.3 | 0.4 | 17.9 | | | | |
| USA, Tennessee: White | 4309 | 99.3 | 0.4 | 18.4 | | | | |
| USA, Tennessee: Black | 676 | 99.1 | 0.3 | 16.4 | | | | |
| USA, Texas | 15883 | 98.9 | 0.7 | 16.4 | | | | |
| USA, Texas: White | 13478 | 99.0 | 0.6 | 16.9 | | | | |
| USA, Texas: Black | 1839 | 98.2 | 1.0 | 15.8 | | | | |
| USA, Texas: Asian and Pacific Islander | 455 | 99.3 | 0.4 | 10.2 | | | | |
| USA, Utah | 1827 | 99.2 | – | 20.0 | | | | |
| USA, Vermont | 765 | 99.3 | 0.4 | 24.9 | | | | |
| USA, Washington State | 5740 | 99.2 | 0.4 | 19.2 | | | | |
| *USA, Washington, Seattle | 4104 | 99.1 | 0.1 | 20.0 | | | | |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|---------|--------|-------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | | 1953 | 99.4 | 0.2 | 23.3 |
| USA, Wyoming | | | | | 392 | 99.2 | 0.3 | 17.1 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | | 134 | 100.0 | – | 10.6 |
| Brunei Darussalam | | | | | 126 | 97.6 | – | 12.4 |
| *China, Anfu County | | | | | 33 | 93.9 | – | 3.4 |
| *China, Anguo City | | | | | 87 | 98.9 | – | 6.6 |
| *China, Anshan City | | | | | 548 | 95.3 | 0.2 | 7.1 |
| *China, Aohan Banner, Chifeng City | | | | | 68 | 64.7 | 4.4 | 3.4 |
| *China, Arongqi | | | | | 53 | 69.8 | 1.9 | 5.3 |
| *China, Baoding City | | | | | 252 | 89.7 | 1.2 | 6.6 |
| *China, Beijing City | | | | | 3626 | 95.5 | 0.1 | 9.9 |
| *China, Binhai County | | | | | 94 | 80.9 | – | 2.2 |
| *China, Cangzhou City | | | | | 88 | 95.5 | – | 5.1 |
| China, Changfeng County | | | | | 60 | 78.3 | – | 4.0 |
| China, Changzhou City | | | | | 528 | 90.2 | – | 5.4 |
| China, Chengdu City | | | | | 232 | 81.0 | 0.4 | 6.4 |
| China, Cixian County | | | | | 110 | 94.5 | 0.9 | 5.7 |
| China, Cixi City | | | | | 177 | 93.2 | 2.3 | 3.7 |
| *China, Dafeng District, Yancheng City | | | | | 176 | 98.9 | – | 5.3 |
| China, Dalian City | | | | | 829 | 97.7 | 0.1 | 7.7 |
| *China, Dancheng County | | | | | 88 | 69.3 | 2.3 | 2.2 |
| China, Dangtu County | | | | | 46 | 82.6 | – | 4.1 |
| *China, Danyang City | | | | | 134 | 83.6 | – | 3.6 |
| *China, Dawukou District, Shizuishan City | | | | | 42 | 90.5 | 2.4 | 4.2 |
| *China, Dehui City | | | | | 159 | 89.9 | 1.3 | 4.9 |
| *China, Donggang County | | | | | 93 | 92.5 | – | 3.3 |
| *China, Dongguan City | | | | | 380 | 96.1 | – | 9.0 |
| China, Donghai County | | | | | 159 | 96.2 | – | 4.2 |
| *China, Dongtai City | | | | | 57 | 94.7 | – | 1.3 |
| China, Duanzhou District, Zhaoqing City | | | | | 80 | 96.2 | – | 6.8 |
| *China, Evenki Autonomous Banner | | | | | 5 | 80.0 | – | 1.6 |
| *China, Faku County | | | | | 88 | 90.9 | – | 4.5 |
| *China, Fangcheng County | | | | | 209 | 78.9 | 0.5 | 10.3 |
| *China, Feicheng City | | | | | 159 | 92.5 | – | 4.0 |
| China, Feixi County | | | | | 200 | 63.5 | – | 5.3 |
| China, Fuqing City | | | | | 140 | 80.7 | 0.7 | 5.3 |
| *China, Ganyu District, Lianyungang City | | | | | 118 | 80.5 | – | 2.9 |
| *China, Ganzhou District, Zhangye City | | | | | 60 | 88.3 | – | 6.7 |
| *China, Gaocheng City | | | | | 126 | 93.7 | 0.8 | 5.3 |
| China, Gaomi City | | | | | 164 | 94.5 | – | 5.6 |
| China, Gong'an County | | | | | 164 | 99.4 | – | 4.7 |
| *China, Guang'an District, Guang'an City | | | | | 42 | 88.1 | – | 2.3 |
| China, Guanghan City | | | | | 83 | 79.5 | – | 5.3 |
| China, Guangzhou City | | | | | 3014 | 95.5 | 0.1 | 9.7 |
| *China, Guanyun County | | | | | 125 | 94.4 | 0.8 | 3.9 |
| China, Guilin City | | | | | 229 | 91.3 | – | 9.6 |
| *China, Hai'an City | | | | | 205 | 84.4 | 0.5 | 4.4 |
| China, Hailar District, Hulun Buir City | | | | | 67 | 92.5 | – | 5.2 |
| China, Haimen District, Nantong City | | | | | 257 | 98.4 | – | 5.7 |
| China, Haining City | | | | | 145 | 95.9 | – | 4.7 |
| China, Hangzhou City | | | | | 1569 | 95.3 | 0.1 | 5.3 |
| China, Hebi City | | | | | 45 | 68.9 | – | 3.4 |
| China, Hefei City | | | | | 465 | 77.4 | 0.2 | 5.8 |
| China, Hengdong County | | | | | 71 | 98.6 | 1.4 | 4.6 |
| *China, Hengfeng County | | | | | 38 | 100.0 | – | 6.2 |
| *China, Hefu County | | | | | 94 | 89.4 | – | 3.4 |
| China, Honghu City | | | | | 37 | 100.0 | – | 1.3 |
| China, Hongshan District, Chifeng City | | | | | 61 | 86.9 | – | 4.2 |
| *China, Hongta District, Yuxi City | | | | | 87 | 70.1 | 1.1 | 5.4 |
| *China, Huaiyin District, Huai'an City | | | | | 130 | 93.1 | – | 4.1 |
| *China, Jiange County | | | | | 102 | 75.5 | – | 6.0 |
| China, Jiangmen City | | | | | 215 | 99.1 | – | 8.6 |
| *China, Jiangyin City | | | | | 206 | 90.3 | 0.5 | 3.7 |
| *China, Jiashan County | | | | | 85 | 97.6 | – | 4.6 |
| China, Jiayu County | | | | | 29 | 96.6 | 3.4 | 3.8 |
| *China, Jinan City | | | | | 602 | 83.9 | 0.7 | 6.3 |
| *China, Jingtai County | | | | | 50 | 90.0 | – | 6.7 |
| *China, Jingxian County | | | | | 35 | 97.1 | – | 3.3 |
| *China, Jintan District, Changzhou City | | | | | 98 | 85.7 | – | 4.4 |
| *China, Jiulongpo District, Chongqing City | | | | | 155 | 80.0 | 0.6 | 5.1 |
| *China, Jiyuan City | | | | | 123 | 83.7 | – | 7.1 |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | | | | | 82 | 85.4 | – | 6.2 |
| China, Kunshan City | | | | | 149 | 89.3 | – | 4.7 |
| China, Langzhong City | | | | | 56 | 87.5 | – | 3.0 |
| *China, Liangshan County | | | | | 162 | 75.9 | 0.6 | 5.5 |
| *China, Lianshui County | | | | | 92 | 93.5 | – | 2.4 |
| China, Lianyungang City | | | | | 181 | 91.7 | 1.1 | 4.9 |
| China, Linhe District, Bayannur City | | | | | 70 | 97.1 | – | 5.0 |
| China, Linqu County | | | | | 193 | 98.4 | – | 5.5 |
| *China, Linzhou City | | | | | 208 | 87.5 | – | 5.5 |
| China, Liuzhou City | | | | | 354 | 94.1 | – | 9.4 |
| China, Liyang City | | | | | 94 | 85.1 | – | 2.7 |
| *China, Longquan City | | | | | 48 | 83.3 | 2.1 | 5.2 |
| China, Lucheng District, Wenzhou City | | | | | 93 | 89.2 | 1.1 | 4.9 |
| China, Luoding City | | | | | 109 | 91.7 | – | 5.0 |
| *China, Luohe City | | | | | 244 | 82.4 | 2.9 | 5.9 |
| *China, Luoyang City | | | | | 269 | 88.5 | 0.4 | 6.4 |
| *China, Luquan City | | | | | 102 | 86.3 | – | 8.7 |
| China, Ma'anshan City | | | | | 120 | 86.7 | – | 5.6 |
| *China, Macheng City | | | | | 106 | 100.0 | – | 4.4 |
| China, Meihekou City | | | | | 98 | 83.7 | 1.0 | 3.9 |
| *China, Mengjin County | | | | | 82 | 78.0 | – | 7.2 |
| China, Nangang District, Harbin City | | | | | 252 | 84.5 | 0.4 | 5.8 |
| *China, Nanhai District, Foshan City | | | | | 308 | 82.1 | – | 10.7 |
| China, Nanhu District, Jiaxing City | | | | | 141 | 97.2 | – | 5.9 |
| *China, Nantong City | | | | | 257 | 90.7 | – | 5.2 |
| *China, Nanxiong City | | | | | 107 | 70.1 | – | 6.9 |
| China, Neixiang County | | | | | 154 | 96.8 | 0.6 | 7.1 |
| *China, Qianxi County | | | | | 98 | 90.8 | – | 6.9 |
| China, Qidong City | | | | | 252 | 95.2 | – | 4.4 |
| China, Qingzhou City | | | | | 250 | 94.8 | 0.4 | 7.9 |
| *China, Rudong County | | | | | 196 | 92.3 | – | 3.7 |
| *China, Rugao City | | | | | 259 | 81.5 | – | 4.0 |
| *China, Rural areas of Shanghai City | | | | | 1877 | 95.3 | 0.2 | 4.7 |
| China, Ruyang County | | | | | 51 | 90.2 | – | 4.4 |
| *China, Shan County | | | | | 93 | 68.8 | – | 4.0 |
| China, Shanghai City | | | | | 1816 | 92.8 | 0.2 | 5.8 |
| China, Shangyu District, Shaoxing City | | | | | 155 | 87.1 | 0.6 | 4.6 |
| *China, Shapingba District, Chongqing City | | | | | 182 | 88.5 | – | 5.4 |
| China, Shexian County | | | | | 47 | 100.0 | – | 3.3 |
| China, Sheyang County | | | | | 118 | 72.9 | – | 3.0 |
| *China, Shijiazhuang City | | | | | 405 | 87.9 | 0.2 | 8.3 |
| China, Shunde District, Foshan City | | | | | 474 | 86.9 | – | 12.2 |
| *China, Song County | | | | | 66 | 75.8 | – | 4.2 |
| China, Suzhou City | | | | | 610 | 79.5 | 0.3 | 4.1 |
| *China, Tengzhou City | | | | | 309 | 96.8 | – | 5.5 |
| *China, Wangdu County | | | | | 75 | 88.0 | – | 10.7 |
| *China, Wanzai County | | | | | 61 | 85.2 | – | 5.3 |
| *China, Wu'an City | | | | | 178 | 77.0 | 0.6 | 6.9 |
| China, Wuhan City | | | | | 1223 | 97.0 | – | 5.9 |
| *China, Wuhu City | | | | | 180 | 80.6 | 0.6 | 3.7 |
| China, Wuxi City | | | | | 708 | 93.9 | 0.3 | 6.5 |
| China, Wuzhou City | | | | | 146 | 93.8 | – | 8.5 |
| China, Xiangfu District, Kaifeng City | | | | | 134 | 92.5 | – | 6.6 |
| China, Xianju County | | | | | 80 | 86.2 | – | 4.1 |
| *China, Xin'an County | | | | | 65 | 76.9 | – | 6.2 |
| *China, Xining City | | | | | 112 | 88.4 | – | 4.6 |
| *China, Xinji City | | | | | 178 | 83.1 | – | 7.0 |
| *China, Xinluo District, Longyan City | | | | | 69 | 53.6 | – | 6.1 |
| *China, Xinzhou District, Shangrao City | | | | | 68 | 92.6 | – | 4.9 |
| China, Xiping County | | | | | 111 | 100.0 | – | 4.0 |
| *China, Xishan District, Kunming City | | | | | 46 | 76.1 | – | 3.0 |
| *China, Xuyi County | | | | | 69 | 79.7 | – | 3.0 |
| *China, Ya'an City | | | | | 276 | 90.6 | 1.1 | 5.4 |
| *China, Yakeshi City | | | | | 119 | 95.0 | – | 7.6 |
| China, Yancheng City | | | | | 118 | 77.1 | – | 2.1 |
| *China, Yangquan City | | | | | 132 | 96.2 | 1.5 | 5.8 |
| *China, Yangzhong City | | | | | 42 | 61.9 | – | 3.2 |
| *China, Yanji City | | | | | 69 | 84.1 | 4.3 | 2.9 |
| *China, Yanshi City | | | | | 168 | 88.7 | 1.2 | 7.2 |
| China, Yanting County | | | | | 77 | 76.6 | 1.3 | 4.1 |
| *China, Yi'an District, Tongling City | | | | | 45 | 84.4 | – | 4.8 |
| *China, Yingdong District, Fuyang City | | | | | 78 | 93.6 | – | 3.8 |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|---------|--------|-------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | | | | | 36 | 94.4 | – | 3.8 |
| *China, Yiyuan County | | | | | 101 | 79.2 | – | 5.0 |
| China, Yong'an City | | | | | 62 | 85.5 | – | 5.2 |
| *China, Yongding District, Longyan City | | | | | 54 | 94.4 | – | 3.4 |
| China, Yongkang City | | | | | 141 | 96.5 | 0.7 | 6.2 |
| *China, Yucheng County | | | | | 491 | 87.4 | – | 25.2 |
| China, Yueyanglou District, Yueyang City | | | | | 32 | 100.0 | – | 2.9 |
| China, Yunmeng County | | | | | 160 | 89.4 | 0.6 | 9.2 |
| *China, Yunyang District, Shiyang City | | | | | 32 | 84.4 | – | 3.2 |
| China, Yuzhong District, Chongqing City | | | | | 123 | 65.9 | 0.8 | 5.5 |
| *China, Zanhuang County | | | | | 54 | 75.9 | – | 6.7 |
| *China, Zhangjiagang City | | | | | 250 | 89.6 | – | 5.9 |
| *China, Zhaoyuan City | | | | | 198 | 88.9 | – | 7.6 |
| *China, Zhengding County | | | | | 100 | 98.0 | – | 7.3 |
| *China, Zhongshan City | | | | | 951 | 98.7 | – | 17.0 |
| China, Zhongxiang City | | | | | 76 | 93.4 | – | 2.0 |
| *China, Zhuanghe City | | | | | 236 | 95.3 | – | 5.8 |
| *China, Zhuhai City | | | | | 331 | 84.6 | – | 8.6 |
| India, Ahmedabad, Urban | | | | | 253 | 98.4 | – | 2.3 |
| India, Aurangabad | | | | | 61 | 100.0 | – | 2.4 |
| India, Bangalore | | | | | 691 | 98.8 | 0.9 | 6.5 |
| India, Barshi, Paranda, and Bhum | | | | | 11 | 100.0 | – | 0.8 |
| *India, Bhopal | | | | | 78 | 97.4 | – | 3.3 |
| India, Chandigarh | | | | | 136 | 98.5 | – | 6.7 |
| *India, Chennai | | | | | 843 | 90.6 | 1.1 | 6.7 |
| India, Dibrugarh | | | | | 40 | 87.5 | – | 1.3 |
| *India, Dindigul, Ambilikkai | | | | | 157 | 86.0 | – | 2.5 |
| India, Kamrup Urban District | | | | | 96 | 89.6 | 5.2 | 4.2 |
| India, Kollam | | | | | 263 | 97.0 | – | 3.5 |
| *India, Manipur | | | | | 29 | 93.1 | – | 0.6 |
| India, Meghalaya | | | | | 24 | 91.7 | – | 0.8 |
| India, Mizoram | | | | | 50 | 100.0 | – | 2.6 |
| India, Mumbai | | | | | 1419 | 95.1 | 1.9 | 4.8 |
| *India, New Delhi | | | | | 1203 | 92.1 | 0.2 | 6.1 |
| India, Poona | | | | | 499 | 91.8 | 2.0 | 4.4 |
| *India, Sangrur District | | | | | 50 | 96.0 | – | 2.1 |
| India, SAS Nagar | | | | | 101 | 96.0 | – | 4.6 |
| *India, Tamil Nadu | | | | | 5744 | 91.9 | 0.2 | 2.7 |
| *India, Tripura | | | | | 38 | 94.7 | – | 0.6 |
| India, Trivandrum | | | | | 565 | 97.0 | – | 6.1 |
| India, Wardha | | | | | 60 | 98.3 | – | 1.6 |
| India, West Arunachal | | | | | 3 | 66.7 | – | 0.5 |
| *Iran (Islamic Republic of), Ardabil Province | | | | | 44 | 88.6 | 9.1 | 2.5 |
| *Iran (Islamic Republic of), Golestan Province | | | | | 88 | 97.7 | – | 3.7 |
| Israel | | | | | 3912 | 98.9 | 0.6 | 13.9 |
| *Israel: Jews | | | | | 3229 | 98.9 | 0.6 | 13.6 |
| *Israel: Arabs | | | | | 411 | 98.5 | 1.0 | 13.3 |
| Japan | | | | | 42110 | 96.1 | 1.7 | 12.3 |
| Japan, Aichi Prefecture | | | | | 2104 | 97.8 | 0.6 | 11.3 |
| *Japan, Akita Prefecture | | | | | 436 | 97.7 | – | 13.8 |
| Japan, Aomori Prefecture | | | | | 1013 | 96.3 | 0.5 | 16.0 |
| Japan, Gunma Prefecture | | | | | 661 | 96.8 | 0.3 | 12.8 |
| Japan, Hiroshima Prefecture | | | | | 1362 | 97.7 | 0.4 | 13.7 |
| Japan, Miyagi Prefecture | | | | | 1344 | 97.1 | 0.8 | 13.0 |
| Japan, Osaka Prefecture | | | | | 2940 | 97.8 | 1.0 | 12.6 |
| Kuwait | | | | | 426 | 98.6 | 1.4 | 10.0 |
| *Kuwait: Kuwaitis | | | | | 272 | 98.2 | 1.8 | 12.4 |
| *Kuwait: Non-Kuwaitis | | | | | 154 | 99.4 | 0.6 | 6.3 |
| *Philippines, Manila | | | | | 1390 | 92.8 | 0.3 | 9.6 |
| *Qatar: Qatari | | | | | 59 | 100.0 | – | 13.7 |
| Republic of Korea | | | | | 12774 | 99.1 | 0.1 | 6.5 |
| *Republic of Korea, Busan | | | | | 903 | 98.1 | – | 6.0 |
| *Republic of Korea, Daegu | | | | | 601 | 99.5 | – | 5.9 |
| *Republic of Korea, Daejeon | | | | | 348 | 100.0 | – | 6.1 |
| *Republic of Korea, Gwangju | | | | | 345 | 98.3 | 0.3 | 6.3 |
| Republic of Korea, Incheon | | | | | 715 | 99.2 | – | 6.4 |
| Republic of Korea, Jeju | | | | | 118 | 97.5 | – | 4.8 |
| Republic of Korea, Seoul | | | | | 2935 | 99.4 | 0.1 | 7.5 |
| Republic of Korea, Ulsan | | | | | 267 | 99.3 | – | 6.2 |
| Singapore | | | | | 2609 | 98.9 | – | 16.9 |
| Singapore: Chinese | | | | | 2075 | 98.8 | – | 17.1 |
| Singapore: Indian | | | | | 193 | 100.0 | – | 17.5 |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | | 301 | 99.3 | – | 17.5 |
| Thailand, Bangkok | | | | | 1349 | 90.9 | 0.3 | 6.2 |
| *Thailand, Chiang Mai | | | | | 363 | 98.3 | 0.3 | 5.5 |
| *Thailand, Khon Kaen | | | | | 306 | 98.4 | – | 4.5 |
| Thailand, Lampang | | | | | 169 | 96.4 | – | 5.1 |
| Thailand, Lopburi Province | | | | | 204 | 84.3 | – | 7.8 |
| *Thailand, Songkhla | | | | | 253 | 96.8 | 0.4 | 5.5 |
| Turkey, Antalya | | | | | 723 | 99.2 | 0.3 | 11.1 |
| Turkey, Bursa | | | | | 1056 | 98.5 | 0.8 | 12.3 |
| *Turkey, Edirne | | | | | 200 | 97.5 | 0.5 | 12.9 |
| *Turkey, Erzurum | | | | | 98 | 94.9 | 4.1 | 5.1 |
| Turkey, Eskişehir | | | | | 447 | 99.3 | – | 15.4 |
| Turkey, Gaziantep | | | | | 312 | 97.8 | 0.6 | 8.5 |
| *Turkey, Izmir | | | | | 1642 | 98.1 | 0.7 | 11.5 |
| Turkey, Malatya | | | | | 196 | 98.5 | 0.5 | 8.9 |
| Turkey, Samsun | | | | | 459 | 98.5 | 0.7 | 10.5 |
| Turkey, Trabzon | | | | | 272 | 97.1 | 0.7 | 10.1 |
| Europe | | | | | | | | |
| Austria | | | | | 4597 | 93.6 | 1.9 | 10.0 |
| Austria, Carinthia | | | | | 374 | 97.9 | 0.5 | 11.1 |
| Austria, Tyrol | | | | | 367 | 98.6 | – | 9.5 |
| Austria, Vorarlberg | | | | | 197 | 97.5 | 1.0 | 10.7 |
| Belarus | | | | | 10316 | 99.8 | 0.0 | 23.1 |
| *Belgium | | | | | 7153 | 99.3 | – | 11.6 |
| Croatia | | | | | 3491 | 90.9 | 0.7 | 15.9 |
| Cyprus | | | | | 554 | 99.3 | 0.5 | 15.3 |
| *Czech Republic | | | | | 9716 | 98.8 | 0.1 | 17.8 |
| Denmark | | | | | 4019 | 98.5 | – | 13.5 |
| Estonia | | | | | 1184 | 97.6 | 0.3 | 16.5 |
| Finland | | | | | 4375 | 99.0 | 0.4 | 13.2 |
| *France, Bas-Rhin | | | | | 628 | 99.2 | – | 13.9 |
| *France, Calvados | | | | | 460 | 98.0 | – | 11.2 |
| *France, Doubs | | | | | 326 | 99.7 | – | 11.8 |
| *France, Gironde | | | | | 861 | 99.8 | – | 10.4 |
| *France, Haut-Rhin | | | | | 515 | 98.8 | – | 12.4 |
| *France, Hérault | | | | | 638 | 98.1 | – | 9.4 |
| *France, Isère | | | | | 633 | 99.1 | – | 10.2 |
| *France, Lille-Métropole | | | | | 413 | 98.8 | – | 11.3 |
| *France, Limousin | | | | | 225 | 97.3 | – | 9.4 |
| *France, Loire-Atlantique | | | | | 700 | 98.9 | – | 10.1 |
| *France, Manche | | | | | 325 | 98.5 | – | 10.6 |
| *France, Poitou-Charentes | | | | | 1170 | 99.0 | – | 10.2 |
| *France, Somme | | | | | 366 | 99.5 | – | 12.1 |
| *France, Tarn | | | | | 288 | 99.3 | – | 11.6 |
| *France, Territoire de Belfort | | | | | 75 | 100.0 | – | 12.8 |
| *France, Vendée | | | | | 411 | 98.5 | – | 10.0 |
| Germany, Baden-Württemberg | | | | | 4387 | 88.6 | 1.5 | 12.4 |
| Germany, Bavaria | | | | | 8611 | 96.9 | 2.4 | 12.0 |
| Germany, Bremen | | | | | 442 | 97.3 | 1.4 | 12.0 |
| Germany, Hamburg | | | | | 1036 | 93.9 | 1.4 | 11.4 |
| Germany, Lower Saxony | | | | | 5206 | 97.1 | 1.5 | 11.3 |
| Germany, North Rhine-Westphalia | | | | | 10486 | 95.0 | 1.8 | 10.5 |
| Germany, Rhineland-Palatinate | | | | | 2658 | 95.0 | 1.3 | 11.5 |
| Germany, Saarland | | | | | 689 | 92.0 | 1.2 | 10.8 |
| Germany, Schleswig-Holstein | | | | | 1883 | 94.8 | 0.6 | 10.8 |
| Iceland | | | | | 187 | 98.9 | – | 14.4 |
| Ireland | | | | | 2506 | 97.2 | 0.5 | 14.0 |
| *Italy, Aosta Valley | | | | | 74 | 85.1 | – | 12.5 |
| *Italy, Avellino | | | | | 161 | 98.8 | – | 13.1 |
| Italy, Basilicata | | | | | 402 | 89.6 | – | 13.8 |
| *Italy, Benevento | | | | | 160 | 99.4 | – | 14.6 |
| Italy, Bergamo | | | | | 602 | 99.5 | 0.2 | 10.8 |
| *Italy, Brescia | | | | | 676 | 95.1 | 0.3 | 11.4 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | | 495 | 96.2 | 0.2 | 13.1 |
| Italy, Calabria | | | | | 309 | 92.6 | – | 11.7 |
| *Italy, Caserta | | | | | 397 | 98.0 | – | 12.1 |
| *Italy, Catania, Messina, and Enna | | | | | 1257 | 98.4 | 0.1 | 13.3 |
| Italy, Emilia-Romagna | | | | | 2853 | 96.0 | 0.1 | 14.1 |
| Italy, Friuli-Venezia Giulia | | | | | 1081 | 98.1 | – | 14.9 |
| Italy, Genova | | | | | 561 | 97.9 | 0.2 | 12.0 |
| *Italy, Lombardy, South, Pavia | | | | | 445 | 96.2 | 0.2 | 14.5 |
| Italy, Mantova and Cremona | | | | | 466 | 98.7 | – | 13.6 |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54) (contd)

| | Male | | | Female | | | | |
|-------------------------------------|-------|--------|---------|--------|-------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | | 848 | 98.0 | 0.1 | 12.5 |
| Italy, Milan | | | | | 2050 | 97.2 | 0.3 | 10.7 |
| Italy, Molise | | | | | 128 | 87.5 | 0.8 | 13.7 |
| *Italy, Naples Centre | | | | | 321 | 91.9 | – | 11.2 |
| *Italy, Naples North | | | | | 389 | 99.0 | – | 11.7 |
| *Italy, Naples South | | | | | 639 | 98.9 | 0.2 | 13.6 |
| *Italy, Nuoro | | | | | 77 | 96.1 | 2.6 | 8.8 |
| *Italy, Palermo | | | | | 710 | 96.3 | 0.1 | 11.7 |
| Italy, Puglia | | | | | 2618 | 96.3 | 0.2 | 12.6 |
| *Italy, Ragusa and Caltanissetta | | | | | 361 | 98.9 | – | 12.8 |
| *Italy, Salerno | | | | | 505 | 97.2 | – | 11.7 |
| Italy, Sassari | | | | | 114 | 96.5 | – | 10.7 |
| *Italy, Sondrio | | | | | 134 | 93.3 | 0.7 | 12.2 |
| Italy, South Tyrol | | | | | 310 | 98.4 | 0.3 | 11.6 |
| *Italy, Syracuse | | | | | 238 | 97.9 | 0.4 | 12.3 |
| Italy, Trento | | | | | 414 | 95.7 | 0.7 | 14.4 |
| Italy, Turin | | | | | 1535 | 97.5 | 0.7 | 11.3 |
| *Italy, Tuscany | | | | | 1654 | 96.9 | 0.1 | 14.1 |
| Italy, Umbria | | | | | 518 | 95.9 | 0.2 | 12.6 |
| Italy, Varese | | | | | 301 | 99.0 | – | 10.1 |
| Italy, Veneto | | | | | 3296 | 97.8 | 0.2 | 12.7 |
| Latvia | | | | | 1811 | 96.3 | 0.6 | 15.9 |
| *Liechtenstein | | | | | 21 | 100.0 | – | 10.1 |
| *Lithuania | | | | | 3130 | 94.9 | 3.8 | 19.8 |
| Malta | | | | | 373 | 96.5 | 0.3 | 17.2 |
| *The Netherlands | | | | | 10092 | 99.7 | – | 11.4 |
| Norway | | | | | 3779 | 99.2 | 0.4 | 15.8 |
| Poland, Kielce | | | | | 1099 | 98.7 | – | 17.3 |
| *Portugal, Azores | | | | | 102 | 100.0 | – | 12.5 |
| Russian Federation, Arkhangelsk | | | | | 952 | 94.3 | 4.0 | 16.5 |
| Russian Federation, Kaliningrad | | | | | 811 | 97.7 | 0.7 | 17.1 |
| Russian Federation, Karelia | | | | | 592 | 97.5 | 1.9 | 18.7 |
| *Russian Federation, Komi Republic | | | | | 620 | 94.4 | 3.5 | 16.2 |
| Russian Federation, Murmansk | | | | | 686 | 97.4 | 2.0 | 19.8 |
| *Russian Federation, Orenburg | | | | | 2048 | 98.6 | 0.5 | 22.0 |
| Russian Federation, Pskov | | | | | 702 | 97.0 | 2.7 | 19.4 |
| *Russian Federation, Samara | | | | | 3410 | 98.8 | 1.1 | 20.8 |
| Russian Federation, Vologda Region | | | | | 932 | 97.9 | 1.1 | 15.9 |
| Slovenia | | | | | 1742 | 99.4 | 0.1 | 15.9 |
| Spain, Asturias | | | | | 524 | 97.9 | – | 13.4 |
| Spain, Basque Country | | | | | 1293 | 98.2 | 0.1 | 13.7 |
| Spain, Canary Islands | | | | | 783 | 98.1 | 0.3 | 12.2 |
| Spain, Castellón | | | | | 351 | 99.1 | – | 12.1 |
| Spain, Girona | | | | | 399 | 98.5 | 0.3 | 11.4 |
| Spain, Granada | | | | | 668 | 98.7 | 0.3 | 16.2 |
| Spain, La Rioja | | | | | 190 | 96.8 | 1.1 | 11.6 |
| Spain, Murcia | | | | | 925 | 98.8 | 0.3 | 15.2 |
| Spain, Navarra | | | | | 373 | 97.3 | – | 14.5 |
| Spain, Salamanca | | | | | 273 | 97.4 | 0.4 | 13.7 |
| Spain, Tarragona | | | | | 470 | 98.3 | 0.2 | 12.6 |
| *Sweden | | | | | 6927 | 100.0 | – | 12.7 |
| Switzerland, Aargau | | | | | 318 | 99.4 | 0.6 | 9.6 |
| Switzerland, Basel | | | | | 314 | 99.0 | 1.0 | 12.1 |
| Switzerland, Berne Solothurn | | | | | 437 | 98.2 | – | 9.6 |
| Switzerland, East | | | | | 459 | 98.5 | 0.2 | 11.3 |
| *Switzerland, Fribourg | | | | | 103 | 98.1 | – | 7.8 |
| Switzerland, Geneva | | | | | 257 | 100.0 | – | 10.7 |
| *Switzerland, Graubünden and Glarus | | | | | 157 | 94.3 | 1.9 | 12.5 |
| *Switzerland, Lucerne | | | | | 257 | 98.8 | – | 10.4 |
| *Switzerland, Neuchâtel and Jura | | | | | 159 | 99.4 | – | 11.7 |
| Switzerland, Ticino | | | | | 241 | 99.2 | – | 12.4 |
| Switzerland, Valais | | | | | 208 | 100.0 | – | 12.2 |
| Switzerland, Vaud | | | | | 445 | 97.8 | 0.2 | 11.6 |
| Switzerland, Zurich and Zug | | | | | 772 | 99.2 | 0.1 | 10.1 |
| Ukraine | | | | | 32768 | 97.8 | 0.1 | 19.3 |
| UK, England | | | | | 38079 | 97.7 | 0.4 | 14.5 |
| UK, Northern Ireland | | | | | 1228 | 98.6 | 0.2 | 15.1 |
| UK, Scotland | | | | | 3913 | 96.6 | 0.2 | 14.0 |
| UK, Wales | | | | | 2613 | 96.9 | 0.7 | 16.2 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | | 4196 | 99.0 | 0.3 | 12.5 |
| *Australia, Northern Territory | | | | | 106 | 100.0 | – | 16.0 |

* Important. See note on population page.

Indices of data quality Corpus uteri (C54) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 76 | 100.0 | – | 14.8 | | | | |
| *Australia, Northern Territory: Indigenous | 30 | 100.0 | – | 19.9 | | | | |
| *Australia, Queensland | 2494 | 98.1 | 0.5 | 12.9 | | | | |
| Australia, South Australia | 1095 | 99.0 | 0.1 | 13.7 | | | | |
| Australia, Tasmania | 271 | 98.9 | – | 10.4 | | | | |
| *Australia, Victoria | 3611 | 98.5 | 0.8 | 14.5 | | | | |
| *Australia, Western Australia | 1182 | 98.5 | 0.3 | 12.0 | | | | |
| *France, New Caledonia | 168 | 100.0 | – | 20.9 | | | | |
| New Zealand | 2720 | 97.8 | 1.2 | 14.5 | | | | |
| *New Zealand: Maori | 410 | 98.0 | 1.5 | 22.7 | | | | |
| *New Zealand: Pacific peoples | 382 | 98.4 | 0.8 | 52.5 | | | | |
| *New Zealand: Other | 1749 | 97.4 | 1.3 | 11.2 | | | | |
| USA, Hawaii | 1393 | 99.6 | 0.1 | 24.8 | | | | |
| USA, Hawaii: White | 308 | 99.7 | 0.3 | 18.1 | | | | |
| *USA, Hawaii: Japanese | 267 | 99.6 | – | 23.2 | | | | |
| *USA, Hawaii: Chinese | 82 | 100.0 | – | 21.7 | | | | |
| *USA, Hawaii: Hawaiian | 297 | 99.7 | – | 32.6 | | | | |
| *USA, Hawaii: Filipino | 226 | 99.6 | 0.4 | 21.9 | | | | |

* Important. See note on population page.

Indices of data quality Ovary (C56)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | | | | | 68 | 82.4 | – | 4.9 |
| *Algeria, Tizi Ouzou | | | | | 104 | 85.6 | – | 6.3 |
| *Benin, Cotonou | | | | | 25 | 52.0 | – | 3.3 |
| *France, La Réunion | | | | | 144 | 95.8 | – | 6.1 |
| *Kenya, Eldoret | | | | | 48 | 72.9 | 2.1 | 4.2 |
| *Kenya, Nairobi | | | | | 248 | 65.7 | 6.5 | 10.9 |
| Mauritius | | | | | 281 | 92.5 | 1.8 | 6.6 |
| *Morocco, Casablanca | | | | | 577 | 96.2 | 1.9 | 4.9 |
| *Seychelles | | | | | 19 | 78.9 | 10.5 | 6.2 |
| *South Africa, Eastern Cape | | | | | 58 | 98.3 | – | 3.5 |
| *Uganda, Kyadondo County | | | | | 223 | 48.4 | 0.4 | 7.9 |
| *Uganda, Gulu | | | | | 17 | 35.3 | 5.9 | 2.8 |
| *Zimbabwe, Bulawayo: African | | | | | 95 | 55.8 | 9.5 | 7.8 |
| *Zimbabwe, Harare: African | | | | | 190 | 64.7 | 12.1 | 9.6 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | | | | | 216 | 81.9 | 16.2 | 8.5 |
| *Argentina, Mendoza | | | | | 510 | 89.2 | 7.5 | 9.0 |
| Brazil, Aracaju | | | | | 104 | 88.5 | 2.9 | 6.8 |
| *Brazil, Barretos | | | | | 45 | 77.8 | 20.0 | 3.1 |
| Brazil, Belo Horizonte | | | | | 516 | 90.3 | 9.7 | 5.3 |
| *Brazil, Campinas | | | | | 210 | 84.3 | 11.4 | 6.9 |
| *Brazil, Curitiba | | | | | 301 | 80.1 | 14.0 | 5.8 |
| Brazil, Goiânia | | | | | 226 | 92.5 | 6.6 | 6.7 |
| *Brazil, Jaú | | | | | 23 | 95.7 | – | 4.6 |
| Brazil, João Pessoa | | | | | 111 | 87.4 | 4.5 | 7.5 |
| Brazil, Recife | | | | | 303 | 69.6 | 9.6 | 8.7 |
| Chile, Region of Antofagasta | | | | | 47 | 87.2 | – | 4.8 |
| Chile, Valdivia | | | | | 97 | 91.8 | 1.0 | 6.9 |
| Colombia, Bucaramanga | | | | | 258 | 74.8 | 7.0 | 7.0 |
| Colombia, Cali | | | | | 550 | 81.6 | 2.2 | 7.1 |
| Colombia, Manizales | | | | | 124 | 75.0 | – | 7.3 |
| Colombia, Pasto | | | | | 98 | 81.6 | 5.1 | 7.8 |
| Costa Rica | | | | | 508 | 70.1 | 2.4 | 4.9 |
| Ecuador, Guayaquil | | | | | 396 | 90.9 | 1.8 | 6.3 |
| Ecuador, Manabí | | | | | 151 | 88.7 | 4.6 | 4.3 |
| Ecuador, Quito | | | | | 450 | 85.3 | 5.1 | 9.0 |
| *France, Guadeloupe | | | | | 76 | 97.4 | – | 5.2 |
| *France, Martinique | | | | | 62 | 100.0 | – | 3.5 |
| *Peru, Lima | | | | | 1271 | 76.3 | 6.9 | 7.8 |
| *Trinidad and Tobago | | | | | 266 | 71.8 | 13.9 | 10.1 |
| USA, Puerto Rico | | | | | 940 | 88.4 | 4.9 | 6.1 |
| *Uruguay | | | | | 1125 | 80.6 | 9.3 | 8.2 |
| North America | | | | | | | | |
| Canada, Alberta | | | | | 1098 | 93.1 | 0.3 | 7.2 |
| Canada, British Columbia | | | | | 1767 | 90.7 | 0.7 | 7.8 |
| *Canada, Manitoba | | | | | 424 | 93.6 | – | 8.1 |
| *Canada, New Brunswick | | | | | 295 | 87.5 | 0.3 | 7.5 |
| *Canada, Newfoundland and Labrador | | | | | 197 | 89.3 | 1.0 | 7.6 |
| Canada, Ontario | | | | | 5983 | 89.8 | 1.7 | 9.8 |
| *Canada, Prince Edward Island | | | | | 54 | 79.6 | – | 6.8 |
| Canada, Quebec | | | | | 3181 | 86.6 | 5.3 | 7.9 |
| Canada, Saskatchewan | | | | | 383 | 89.0 | 0.5 | 7.8 |
| *Canada, Yukon | | | | | 13 | 100.0 | – | 10.1 |
| USA | | | | | 107319 | 92.4 | 3.7 | 7.9 |
| USA: White | | | | | 91028 | 92.5 | 3.6 | 8.2 |
| USA: Black | | | | | 10228 | 91.2 | 4.0 | 6.4 |
| USA, NPCR | | | | | 103783 | 92.4 | 3.7 | 7.9 |
| USA, NPCR: White | | | | | 88052 | 92.5 | 3.7 | 8.2 |
| USA, NPCR: Black | | | | | 10106 | 91.1 | 4.0 | 6.4 |
| USA, NPCR: Asian and Pacific Islander | | | | | 4613 | 95.1 | 2.1 | 7.0 |
| USA, NPCR: American Indian | | | | | 579 | 90.7 | 6.2 | 4.6 |
| *USA, SEER (18 registries) | | | | | 29153 | 93.1 | 1.5 | 8.0 |
| *USA, SEER (18 registries): White | | | | | 23360 | 92.9 | 1.6 | 8.3 |
| *USA, SEER (18 registries): Non-Hispanic White | | | | | 19290 | 92.7 | 1.7 | 8.3 |
| *USA, SEER (18 registries): Hispanic White | | | | | 4070 | 94.1 | 1.1 | 8.1 |
| *USA, SEER (18 registries): Black | | | | | 2699 | 92.3 | 1.6 | 6.6 |
| *USA, SEER (18 registries): Asian and Pacific Islander | | | | | 2689 | 95.5 | 1.0 | 7.2 |
| *USA, SEER (9 registries) | | | | | 9983 | 94.0 | 1.3 | 8.0 |
| *USA, SEER (9 registries): White | | | | | 7890 | 93.9 | 1.3 | 8.2 |
| *USA, SEER (9 registries): Black | | | | | 935 | 93.5 | 1.6 | 6.7 |
| USA, Alabama | | | | | 1770 | 90.5 | 7.2 | 8.1 |
| USA, Alabama: White | | | | | 1369 | 91.3 | 6.8 | 8.3 |

* Important. See note on population page.

Indices of data quality Ovary (C56) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 369 | 87.0 | 8.9 | 7.3 | | | | |
| USA, Alaska | 177 | 93.8 | 2.8 | 7.4 | | | | |
| *USA, Alaska: Alaska Natives | 20 | 90.0 | 5.0 | 5.7 | | | | |
| USA, Arizona | 2162 | 91.1 | 6.4 | 7.5 | | | | |
| USA, Arizona: White | 1979 | 91.7 | 6.0 | 7.8 | | | | |
| USA, Arizona: Black | 57 | 86.0 | 8.8 | 5.6 | | | | |
| *USA, Arizona: Asian and Pacific Islander | 51 | 80.4 | 11.8 | 5.3 | | | | |
| USA, Arizona: American Indian | 70 | 90.0 | 10.0 | 6.3 | | | | |
| USA, Arkansas | 1026 | 92.1 | 4.7 | 8.0 | | | | |
| USA, Arkansas: White | 895 | 92.3 | 4.6 | 8.3 | | | | |
| USA, Arkansas: Black | 107 | 90.7 | 5.6 | 6.2 | | | | |
| USA, California | 12423 | 93.1 | 2.9 | 8.2 | | | | |
| USA, California: White | 9930 | 92.6 | 3.1 | 8.7 | | | | |
| USA, California: Black | 653 | 93.1 | 2.3 | 6.5 | | | | |
| USA, California: Asian and Pacific Islander | 1759 | 95.5 | 1.6 | 7.2 | | | | |
| *USA, California, Los Angeles County | 3334 | 94.8 | 1.5 | 8.7 | | | | |
| *USA, California, Los Angeles County: White | 2472 | 94.7 | 1.5 | 9.2 | | | | |
| *USA, California, Los Angeles County: Non-Hispanic White | 1322 | 93.9 | 1.9 | 9.6 | | | | |
| *USA, California, Los Angeles County: Hispanic White | 1150 | 95.5 | 1.1 | 8.7 | | | | |
| *USA, California, Los Angeles County: Black | 261 | 94.3 | 1.9 | 6.4 | | | | |
| *USA, California, Los Angeles County: Chinese | 119 | 97.5 | 1.7 | 5.9 | | | | |
| *USA, California, Los Angeles County: Filipino | 146 | 97.3 | 0.7 | 8.6 | | | | |
| *USA, California, Los Angeles County: Korean | 69 | 89.9 | 2.9 | 6.0 | | | | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 547 | 95.1 | 1.5 | 7.9 | | | | |
| *USA, California, San Francisco Bay Area | 1531 | 94.0 | 1.0 | 7.9 | | | | |
| *USA, California, San Francisco Bay Area: White | 1048 | 94.2 | 1.0 | 8.6 | | | | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 856 | 94.3 | 0.9 | 8.7 | | | | |
| *USA, California, San Francisco Bay Area: Hispanic White | 192 | 93.8 | 1.0 | 7.8 | | | | |
| *USA, California, San Francisco Bay Area: Black | 117 | 89.7 | 2.6 | 6.9 | | | | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 355 | 94.6 | 0.6 | 6.6 | | | | |
| USA, Colorado | 1545 | 92.7 | 4.0 | 7.2 | | | | |
| USA, Colorado: White | 1457 | 92.5 | 4.1 | 7.5 | | | | |
| *USA, Colorado: Black | 37 | 97.3 | – | 4.8 | | | | |
| *USA, Colorado: Asian and Pacific Islander | 42 | 92.9 | 4.8 | 6.1 | | | | |
| USA, Connecticut | 1280 | 96.6 | 1.0 | 7.7 | | | | |
| USA, Connecticut: White | 1135 | 96.3 | 1.1 | 7.7 | | | | |
| USA, Connecticut: Black | 90 | 98.9 | – | 5.9 | | | | |
| USA, District of Columbia | 220 | 91.4 | 8.2 | 9.1 | | | | |
| USA, District of Columbia: White | 78 | 92.3 | 7.7 | 9.0 | | | | |
| USA, District of Columbia: Black | 127 | 90.6 | 8.7 | 8.8 | | | | |
| USA, Florida | 7926 | 92.7 | 3.6 | 8.2 | | | | |
| USA, Florida: White | 6848 | 93.2 | 3.2 | 8.4 | | | | |
| USA, Florida: Black | 793 | 93.2 | 1.9 | 6.5 | | | | |
| USA, Florida: Asian and Pacific Islander | 152 | 97.4 | 0.7 | 6.1 | | | | |
| USA, Georgia | 3193 | 92.3 | 2.9 | 7.8 | | | | |
| USA, Georgia: White | 2263 | 92.3 | 3.0 | 8.2 | | | | |
| USA, Georgia: Black | 818 | 92.1 | 3.1 | 7.0 | | | | |
| USA, Georgia: Asian and Pacific Islander | 108 | 95.4 | – | 8.0 | | | | |
| *USA, Georgia, Atlanta | 1089 | 95.1 | 1.4 | 8.1 | | | | |
| *USA, Georgia, Atlanta: White | 634 | 95.9 | 1.6 | 8.8 | | | | |
| *USA, Georgia, Atlanta: Black | 377 | 93.6 | 1.3 | 7.2 | | | | |
| USA, Idaho | 523 | 89.1 | 4.2 | 7.8 | | | | |
| USA, Indiana | 2126 | 93.7 | 2.4 | 7.5 | | | | |
| USA, Indiana: White | 1970 | 93.7 | 2.3 | 7.7 | | | | |
| USA, Indiana: Black | 127 | 92.1 | 4.7 | 5.6 | | | | |
| *USA, Iowa | 1062 | 91.8 | 1.8 | 7.7 | | | | |
| USA, Kentucky | 1380 | 89.6 | 5.0 | 7.3 | | | | |
| USA, Louisiana | 1337 | 92.7 | 2.5 | 6.9 | | | | |
| USA, Louisiana: White | 961 | 93.2 | 2.5 | 7.1 | | | | |
| USA, Louisiana: Black | 359 | 91.1 | 2.2 | 6.6 | | | | |
| *USA, Louisiana, New Orleans | 276 | 96.0 | 1.8 | 7.4 | | | | |
| *USA, Louisiana, New Orleans: White | 178 | 96.6 | 1.7 | 8.1 | | | | |
| *USA, Louisiana, New Orleans: Black | 92 | 94.6 | 2.2 | 6.4 | | | | |
| USA, Maine | 448 | 93.8 | 2.9 | 6.7 | | | | |
| USA, Maryland | 2022 | 92.0 | 5.2 | 7.8 | | | | |
| USA, Maryland: White | 1411 | 92.9 | 4.3 | 8.5 | | | | |
| USA, Maryland: Black | 490 | 89.4 | 7.8 | 6.5 | | | | |
| USA, Maryland: Asian and Pacific Islander | 112 | 92.0 | 7.1 | 7.5 | | | | |
| USA, Massachusetts | 2338 | 94.0 | 3.2 | 7.6 | | | | |
| USA, Massachusetts: White | 2102 | 93.9 | 3.3 | 7.7 | | | | |
| USA, Massachusetts: Black | 119 | 95.0 | 1.7 | 5.9 | | | | |
| USA, Massachusetts: Asian and Pacific Islander | 83 | 95.2 | 2.4 | 5.7 | | | | |

* Important. See note on population page.

Indices of data quality Ovary (C56) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | | | | | 3468 | 91.7 | 4.4 | 7.9 |
| USA, Michigan: White | | | | | 3027 | 91.8 | 4.2 | 8.1 |
| USA, Michigan: Black | | | | | 343 | 91.3 | 5.0 | 6.0 |
| USA, Michigan: Asian and Pacific Islander | | | | | 59 | 93.2 | 5.1 | 5.9 |
| *USA, Michigan, Detroit | | | | | 1463 | 94.4 | 1.6 | 8.4 |
| *USA, Michigan, Detroit: White | | | | | 1139 | 94.8 | 1.4 | 8.9 |
| *USA, Michigan, Detroit: Black | | | | | 274 | 93.4 | 2.2 | 6.7 |
| USA, Minnesota | | | | | 1696 | 94.2 | 2.2 | 7.5 |
| USA, Minnesota: White | | | | | 1598 | 94.0 | 2.4 | 7.6 |
| USA, Minnesota: Black | | | | | 44 | 97.7 | – | 5.5 |
| *USA, Minnesota: Asian and Pacific Islander | | | | | 30 | 96.7 | – | 4.4 |
| USA, Mississippi | | | | | 868 | 93.0 | 1.7 | 7.0 |
| USA, Missouri | | | | | 1872 | 92.5 | 5.4 | 7.2 |
| USA, Missouri: White | | | | | 1692 | 92.4 | 5.4 | 7.5 |
| USA, Missouri: Black | | | | | 149 | 92.6 | 5.4 | 5.6 |
| USA, Montana | | | | | 372 | 91.1 | 2.7 | 8.1 |
| *USA, Montana: American Indian | | | | | 14 | 92.9 | 7.1 | 7.0 |
| USA, Nebraska | | | | | 583 | 91.6 | 3.8 | 7.7 |
| USA, Nebraska: White | | | | | 561 | 91.6 | 3.7 | 8.0 |
| *USA, Nebraska: Black | | | | | 11 | 90.9 | 9.1 | 3.7 |
| USA, Nevada | | | | | 863 | 91.9 | 7.0 | 7.5 |
| USA, Nevada: White | | | | | 700 | 92.0 | 7.0 | 7.6 |
| USA, Nevada: Black | | | | | 61 | 88.5 | 6.6 | 6.4 |
| *USA, Nevada: Asian and Pacific Islander | | | | | 97 | 94.8 | 5.2 | 8.3 |
| USA, New Jersey | | | | | 3406 | 94.1 | 2.6 | 8.6 |
| USA, New Jersey: White | | | | | 2793 | 94.3 | 2.7 | 8.9 |
| USA, New Jersey: Black | | | | | 363 | 90.6 | 3.0 | 6.9 |
| USA, New Mexico | | | | | 768 | 92.1 | 2.5 | 8.6 |
| USA, New Mexico: White | | | | | 671 | 92.3 | 2.4 | 8.5 |
| USA, New Mexico: Non-Hispanic White | | | | | 413 | 93.0 | 1.9 | 8.8 |
| USA, New Mexico: Hispanic White | | | | | 258 | 91.1 | 3.1 | 8.1 |
| *USA, New Mexico: American Indian | | | | | 74 | 89.2 | 4.1 | 9.8 |
| USA, New York State | | | | | 7484 | 93.7 | 1.8 | 8.8 |
| USA, New York State: White | | | | | 5923 | 93.7 | 2.0 | 9.2 |
| USA, New York State: Black | | | | | 996 | 92.1 | 1.2 | 7.0 |
| USA, New York State: Asian and Pacific Islander | | | | | 513 | 97.1 | 0.2 | 8.2 |
| USA, North Carolina | | | | | 3287 | 92.8 | 3.1 | 7.5 |
| USA, North Carolina: White | | | | | 2697 | 93.1 | 3.0 | 8.1 |
| USA, North Carolina: Black | | | | | 495 | 91.7 | 3.2 | 5.5 |
| USA, North Carolina: Asian and Pacific Islander | | | | | 57 | 91.2 | 5.3 | 6.6 |
| *USA, North Carolina: American Indian | | | | | 26 | 88.5 | 7.7 | 5.0 |
| USA, North Dakota | | | | | 209 | 92.8 | 4.8 | 7.0 |
| USA, Ohio | | | | | 4003 | 92.6 | 5.3 | 7.6 |
| USA, Ohio: White | | | | | 3628 | 92.6 | 5.3 | 7.9 |
| USA, Ohio: Black | | | | | 316 | 93.0 | 6.3 | 5.5 |
| *USA, Ohio: Asian and Pacific Islander | | | | | 52 | 94.2 | 1.9 | 6.5 |
| USA, Oklahoma | | | | | 1310 | 90.3 | 5.0 | 8.0 |
| USA, Oklahoma: White | | | | | 1105 | 90.5 | 5.0 | 8.0 |
| USA, Oklahoma: Black | | | | | 61 | 86.9 | 4.9 | 5.8 |
| USA, Oklahoma: American Indian | | | | | 110 | 90.0 | 5.5 | 8.9 |
| USA, Oregon | | | | | 1536 | 89.9 | 6.8 | 8.5 |
| USA, Oregon: White | | | | | 1431 | 89.9 | 6.8 | 8.5 |
| *USA, Oregon: Black | | | | | 14 | 92.9 | – | 5.8 |
| *USA, Oregon: Asian and Pacific Islander | | | | | 50 | 94.0 | 4.0 | 6.7 |
| USA, Rhode Island | | | | | 359 | 95.3 | 2.5 | 7.7 |
| USA, Rhode Island: White | | | | | 333 | 94.9 | 2.7 | 7.7 |
| *USA, Rhode Island: Black | | | | | 7 | 100.0 | – | 2.8 |
| USA, South Carolina | | | | | 1487 | 90.9 | 5.0 | 6.6 |
| USA, South Carolina: White | | | | | 1136 | 91.2 | 4.7 | 6.8 |
| USA, South Carolina: Black | | | | | 329 | 89.7 | 6.4 | 5.9 |
| USA, South Dakota | | | | | 299 | 95.0 | 0.7 | 8.2 |
| USA, Tennessee | | | | | 2228 | 91.3 | 4.0 | 7.6 |
| USA, Tennessee: White | | | | | 1932 | 91.5 | 4.1 | 7.9 |
| USA, Tennessee: Black | | | | | 267 | 89.9 | 3.7 | 6.3 |
| USA, Texas | | | | | 7797 | 89.6 | 5.2 | 7.9 |
| USA, Texas: White | | | | | 6661 | 89.8 | 5.2 | 8.1 |
| USA, Texas: Black | | | | | 791 | 87.0 | 5.8 | 6.8 |
| USA, Texas: Asian and Pacific Islander | | | | | 299 | 92.3 | 3.3 | 6.7 |
| USA, Utah | | | | | 746 | 91.8 | 1.1 | 8.0 |
| USA, Vermont | | | | | 216 | 91.2 | 1.9 | 7.3 |
| USA, Washington State | | | | | 2315 | 92.6 | 3.7 | 7.7 |
| *USA, Washington, Seattle | | | | | 1618 | 93.9 | 0.7 | 7.8 |

* Important. See note on population page.

Indices of data quality Ovary (C56) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | | | | | 772 | 93.1 | 1.8 | 8.9 |
| USA, Wyoming | | | | | 182 | 95.1 | – | 8.3 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | | | | | 107 | 97.2 | – | 7.7 |
| Brunei Darussalam | | | | | 128 | 91.4 | 3.1 | 12.2 |
| *China, Anfu County | | | | | 43 | 81.4 | – | 4.6 |
| *China, Anguo City | | | | | 38 | 94.7 | – | 2.7 |
| *China, Anshan City | | | | | 530 | 83.8 | 0.6 | 7.1 |
| *China, Aohan Banner, Chifeng City | | | | | 63 | 50.8 | 1.6 | 3.2 |
| *China, Arongqi | | | | | 51 | 37.3 | 3.9 | 6.1 |
| *China, Baoding City | | | | | 241 | 83.8 | 3.3 | 6.3 |
| *China, Beijing City | | | | | 2720 | 84.0 | 0.7 | 7.5 |
| *China, Binhai County | | | | | 145 | 67.6 | – | 3.7 |
| *China, Cangzhou City | | | | | 113 | 92.0 | – | 6.4 |
| China, Changfeng County | | | | | 74 | 71.6 | – | 5.0 |
| China, Changzhou City | | | | | 449 | 81.7 | – | 4.8 |
| China, Chengdu City | | | | | 283 | 69.3 | 2.1 | 7.7 |
| China, Cixian County | | | | | 83 | 96.4 | 1.2 | 4.6 |
| China, Cixi City | | | | | 209 | 76.1 | 1.4 | 4.6 |
| *China, Dafeng District, Yancheng City | | | | | 162 | 93.2 | – | 5.1 |
| China, Dalian City | | | | | 670 | 86.4 | 1.5 | 6.4 |
| *China, Dancheng County | | | | | 241 | 72.2 | – | 6.6 |
| China, Dangtu County | | | | | 61 | 85.2 | – | 5.9 |
| *China, Danyang City | | | | | 157 | 75.8 | – | 4.5 |
| *China, Dawukou District, Shizuishan City | | | | | 46 | 84.8 | – | 4.6 |
| *China, Dehui City | | | | | 151 | 84.8 | – | 4.9 |
| *China, Donggang County | | | | | 128 | 56.2 | 0.8 | 4.8 |
| *China, Dongguan City | | | | | 226 | 78.3 | 0.4 | 5.5 |
| China, Donghai County | | | | | 124 | 83.1 | – | 3.4 |
| *China, Dongtai City | | | | | 153 | 95.4 | – | 3.8 |
| China, Duanzhou District, Zhaoqing City | | | | | 74 | 70.3 | 1.4 | 6.4 |
| *China, Evenki Autonomous Banner | | | | | 27 | 92.6 | – | 9.3 |
| *China, Faku County | | | | | 88 | 89.8 | – | 4.7 |
| *China, Fangcheng County | | | | | 164 | 70.1 | – | 8.5 |
| *China, Feicheng City | | | | | 255 | 77.3 | 0.4 | 6.5 |
| China, Feixi County | | | | | 209 | 67.0 | – | 6.1 |
| China, Fuqing City | | | | | 90 | 83.3 | 3.3 | 3.4 |
| *China, Ganyu District, Lianyungang City | | | | | 152 | 57.9 | 1.3 | 3.9 |
| *China, Ganzhou District, Zhangye City | | | | | 50 | 72.0 | – | 5.7 |
| *China, Gaocheng City | | | | | 87 | 88.5 | – | 3.7 |
| China, Gaomi City | | | | | 137 | 86.1 | – | 4.8 |
| China, Gong'an County | | | | | 233 | 97.9 | – | 7.2 |
| *China, Guang'an District, Guang'an City | | | | | 60 | 76.7 | – | 3.3 |
| China, Guanghan City | | | | | 78 | 69.2 | – | 5.1 |
| China, Guangzhou City | | | | | 1679 | 85.2 | 0.5 | 5.5 |
| *China, Guanyun County | | | | | 119 | 79.8 | – | 3.7 |
| China, Guilin City | | | | | 182 | 74.2 | – | 8.1 |
| *China, Hai'an City | | | | | 209 | 60.3 | – | 4.5 |
| China, Hailar District, Hulun Buir City | | | | | 87 | 74.7 | 1.1 | 6.7 |
| China, Haimen District, Nantong City | | | | | 232 | 89.7 | – | 5.4 |
| China, Haining City | | | | | 156 | 71.2 | – | 5.1 |
| China, Hangzhou City | | | | | 1429 | 86.6 | 0.3 | 5.2 |
| China, Hebi City | | | | | 54 | 75.9 | 1.9 | 4.3 |
| China, Hefei City | | | | | 525 | 70.5 | 1.1 | 6.7 |
| China, Hengdong County | | | | | 62 | 96.8 | 3.2 | 4.2 |
| *China, Hengfeng County | | | | | 19 | 100.0 | – | 4.1 |
| *China, Hepu County | | | | | 73 | 80.8 | – | 2.8 |
| China, Honghu City | | | | | 161 | 98.8 | – | 6.0 |
| China, Hongshan District, Chifeng City | | | | | 83 | 67.5 | – | 5.7 |
| *China, Hongta District, Yuxi City | | | | | 75 | 58.7 | 2.7 | 5.3 |
| *China, Huaiyin District, Huai'an City | | | | | 140 | 78.6 | 1.4 | 4.5 |
| *China, Jiange County | | | | | 42 | 76.2 | – | 2.5 |
| China, Jiangmen City | | | | | 124 | 84.7 | 0.8 | 5.2 |
| *China, Jiange County | | | | | 255 | 83.5 | – | 4.9 |
| *China, Jiashan County | | | | | 89 | 89.9 | – | 5.4 |
| China, Jiayu County | | | | | 41 | 87.8 | – | 5.5 |
| *China, Jinan City | | | | | 585 | 74.4 | 2.2 | 6.7 |
| *China, Jingtai County | | | | | 59 | 72.9 | – | 8.3 |
| *China, Jingxian County | | | | | 39 | 92.3 | – | 4.4 |
| *China, Jintan District, Changzhou City | | | | | 101 | 72.3 | – | 4.6 |
| *China, Jiulongpo District, Chongqing City | | | | | 216 | 67.1 | 0.5 | 7.5 |
| *China, Jiyuan City | | | | | 123 | 80.5 | 1.6 | 6.7 |

* Important. See note on population page.

Indices of data quality Ovary (C56) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | | | | | 80 | 73.8 | – | 6.5 |
| China, Kunshan City | | | | | 197 | 78.2 | 1.5 | 6.2 |
| China, Langzhong City | | | | | 58 | 70.7 | – | 3.3 |
| *China, Liangshan County | | | | | 194 | 70.1 | 2.1 | 7.4 |
| *China, Lianshui County | | | | | 120 | 85.8 | – | 3.1 |
| China, Lianyungang City | | | | | 155 | 70.3 | 1.3 | 4.3 |
| China, Linhe District, Bayannur City | | | | | 99 | 92.9 | 1.0 | 6.8 |
| China, Linqu County | | | | | 193 | 87.6 | – | 5.7 |
| *China, Linzhou City | | | | | 181 | 78.5 | 1.7 | 4.9 |
| China, Liuzhou City | | | | | 263 | 78.3 | – | 6.9 |
| China, Liyang City | | | | | 131 | 81.7 | – | 3.7 |
| *China, Longquan City | | | | | 35 | 80.0 | – | 4.5 |
| China, Lucheng District, Wenzhou City | | | | | 122 | 59.0 | 1.6 | 7.4 |
| China, Luoding City | | | | | 87 | 83.9 | 1.1 | 4.0 |
| *China, Luohe City | | | | | 215 | 75.3 | 1.4 | 5.1 |
| *China, Luoyang City | | | | | 240 | 78.3 | 0.8 | 5.5 |
| *China, Luquan City | | | | | 53 | 79.2 | – | 4.7 |
| China, Ma'anshan City | | | | | 147 | 85.0 | – | 6.6 |
| *China, Macheng City | | | | | 96 | 100.0 | – | 4.4 |
| China, Meihekou City | | | | | 122 | 69.7 | 1.6 | 5.2 |
| *China, Mengjin County | | | | | 76 | 57.9 | 2.6 | 7.1 |
| China, Nangang District, Harbin City | | | | | 262 | 74.0 | 1.1 | 6.4 |
| *China, Nanhai District, Foshan City | | | | | 201 | 66.2 | – | 7.4 |
| China, Nanhu District, Jiaying City | | | | | 111 | 75.7 | 1.8 | 5.1 |
| *China, Nantong City | | | | | 259 | 78.8 | 1.2 | 5.2 |
| *China, Nanxiong City | | | | | 103 | 59.2 | 1.0 | 6.4 |
| China, Neixiang County | | | | | 103 | 93.2 | 1.0 | 4.9 |
| *China, Qianxi County | | | | | 41 | 90.2 | 4.9 | 3.2 |
| China, Qidong City | | | | | 245 | 82.9 | – | 4.4 |
| China, Qingzhou City | | | | | 218 | 74.8 | 0.5 | 6.8 |
| *China, Rudong County | | | | | 240 | 90.4 | 0.4 | 4.7 |
| *China, Rugao City | | | | | 334 | 73.4 | – | 5.4 |
| *China, Rural areas of Shanghai City | | | | | 1891 | 84.7 | 0.4 | 5.0 |
| China, Ruyang County | | | | | 55 | 72.7 | – | 5.2 |
| *China, Shan County | | | | | 116 | 67.2 | – | 4.7 |
| China, Shanghai City | | | | | 1811 | 84.0 | 0.2 | 6.3 |
| China, Shangyu District, Shaoxing City | | | | | 174 | 83.9 | – | 5.4 |
| *China, Shapingba District, Chongqing City | | | | | 259 | 81.1 | 0.4 | 8.0 |
| China, Shexian County | | | | | 61 | 77.0 | – | 4.6 |
| China, Sheyang County | | | | | 171 | 62.6 | – | 4.5 |
| *China, Shijiazhuang City | | | | | 285 | 87.0 | 1.4 | 5.8 |
| China, Shunde District, Foshan City | | | | | 246 | 67.9 | – | 6.5 |
| *China, Song County | | | | | 68 | 73.5 | – | 4.6 |
| China, Suzhou City | | | | | 692 | 76.0 | 2.9 | 4.9 |
| *China, Tengzhou City | | | | | 261 | 93.1 | – | 4.8 |
| *China, Wangdu County | | | | | 21 | 76.2 | – | 2.8 |
| *China, Wanzai County | | | | | 31 | 80.6 | – | 2.7 |
| *China, Wu'an City | | | | | 91 | 59.3 | – | 3.6 |
| China, Wuhan City | | | | | 1288 | 92.8 | – | 6.5 |
| *China, Wuhu City | | | | | 267 | 74.5 | 0.4 | 6.0 |
| China, Wuxi City | | | | | 514 | 72.0 | 0.8 | 4.9 |
| China, Wuzhou City | | | | | 114 | 78.9 | 2.6 | 6.4 |
| China, Xiangfu District, Kaifeng City | | | | | 170 | 95.3 | – | 8.8 |
| China, Xianju County | | | | | 91 | 65.9 | 3.3 | 4.9 |
| *China, Xin'an County | | | | | 44 | 72.7 | – | 4.3 |
| *China, Xining City | | | | | 179 | 84.4 | 0.6 | 7.3 |
| *China, Xinji City | | | | | 184 | 74.5 | 1.6 | 7.0 |
| *China, Xinluo District, Longyan City | | | | | 45 | 60.0 | – | 4.4 |
| *China, Xinzhou District, Shangrao City | | | | | 44 | 84.1 | – | 3.4 |
| China, Xiping County | | | | | 149 | 97.3 | 0.7 | 5.6 |
| *China, Xishan District, Kunming City | | | | | 86 | 73.3 | – | 5.6 |
| *China, Xuyi County | | | | | 113 | 77.0 | 0.9 | 4.9 |
| *China, Ya'an City | | | | | 307 | 87.6 | 1.0 | 6.3 |
| *China, Yakeshi City | | | | | 75 | 72.0 | 4.0 | 5.2 |
| China, Yancheng City | | | | | 238 | 80.7 | 1.3 | 4.4 |
| *China, Yangquan City | | | | | 155 | 83.9 | 2.6 | 7.1 |
| *China, Yangzhong City | | | | | 44 | 18.2 | – | 3.2 |
| *China, Yanji City | | | | | 112 | 64.3 | 3.6 | 5.0 |
| *China, Yanshi City | | | | | 153 | 79.1 | 2.6 | 7.3 |
| China, Yanting County | | | | | 54 | 85.2 | – | 2.9 |
| *China, Yi'an District, Tongling City | | | | | 37 | 81.1 | 2.7 | 3.8 |
| *China, Yingdong District, Fuyang City | | | | | 78 | 87.2 | – | 4.1 |

* Important. See note on population page.

Indices of data quality Ovary (C56) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 46 | 87.0 | – | | 46 | 87.0 | – | 5.1 |
| *China, Yiyuan County | 111 | 69.4 | – | | 111 | 69.4 | – | 5.9 |
| China, Yong'an City | 46 | 73.9 | – | | 46 | 73.9 | – | 4.0 |
| *China, Yongding District, Longyan City | 44 | 75.0 | – | | 44 | 75.0 | – | 3.0 |
| China, Yongkang City | 89 | 84.3 | 2.2 | | 89 | 84.3 | 2.2 | 4.1 |
| *China, Yucheng County | 104 | 75.0 | – | | 104 | 75.0 | – | 5.1 |
| China, Yueyanglou District, Yueyang City | 66 | 89.4 | 9.1 | | 66 | 89.4 | 9.1 | 6.5 |
| China, Yunmeng County | 118 | 67.8 | – | | 118 | 67.8 | – | 7.0 |
| *China, Yunyang District, Shiyang City | 29 | 79.3 | – | | 29 | 79.3 | – | 2.9 |
| China, Yuzhong District, Chongqing City | 136 | 69.1 | 1.5 | | 136 | 69.1 | 1.5 | 6.3 |
| *China, Zhanjiang County | 52 | 40.4 | 1.9 | | 52 | 40.4 | 1.9 | 6.4 |
| *China, Zhangjiagang City | 227 | 72.2 | 0.9 | | 227 | 72.2 | 0.9 | 5.6 |
| *China, Zhaoyuan City | 164 | 68.3 | 1.2 | | 164 | 68.3 | 1.2 | 6.9 |
| *China, Zhengding County | 79 | 83.5 | 3.8 | | 79 | 83.5 | 3.8 | 5.6 |
| *China, Zhongshan City | 298 | 88.6 | – | | 298 | 88.6 | – | 5.5 |
| China, Zhongxiang City | 190 | 96.3 | 0.5 | | 190 | 96.3 | 0.5 | 5.5 |
| *China, Zhuanghe City | 171 | 87.1 | 0.6 | | 171 | 87.1 | 0.6 | 4.4 |
| *China, Zhuhai City | 231 | 72.7 | 1.7 | | 231 | 72.7 | 1.7 | 6.4 |
| India, Ahmedabad, Urban | 512 | 96.1 | 0.2 | | 512 | 96.1 | 0.2 | 4.3 |
| India, Aurangabad | 114 | 91.2 | 4.4 | | 114 | 91.2 | 4.4 | 4.1 |
| India, Bangalore | 1206 | 95.6 | 2.7 | | 1206 | 95.6 | 2.7 | 10.7 |
| India, Barshi, Paranda, and Bhum | 56 | 85.7 | – | | 56 | 85.7 | – | 4.1 |
| *India, Bhopal | 216 | 96.8 | 0.5 | | 216 | 96.8 | 0.5 | 8.3 |
| India, Chandigarh | 145 | 94.5 | 3.4 | | 145 | 94.5 | 3.4 | 6.5 |
| *India, Chennai | 1054 | 77.5 | 4.6 | | 1054 | 77.5 | 4.6 | 8.1 |
| India, Dibrugarh | 229 | 79.5 | 3.1 | | 229 | 79.5 | 3.1 | 6.9 |
| *India, Dindigul, Ambalikkai | 286 | 79.7 | 2.4 | | 286 | 79.7 | 2.4 | 4.4 |
| India, Kamrup Urban District | 238 | 83.2 | 5.9 | | 238 | 83.2 | 5.9 | 9.6 |
| India, Kollam | 417 | 86.8 | – | | 417 | 86.8 | – | 5.8 |
| *India, Manipur | 187 | 78.6 | 1.1 | | 187 | 78.6 | 1.1 | 3.2 |
| India, Meghalaya | 75 | 68.0 | 17.3 | | 75 | 68.0 | 17.3 | 2.2 |
| India, Mizoram | 114 | 86.8 | – | | 114 | 86.8 | – | 5.6 |
| India, Mumbai | 2177 | 82.6 | 9.8 | | 2177 | 82.6 | 9.8 | 7.1 |
| *India, New Delhi | 2012 | 88.0 | 2.9 | | 2012 | 88.0 | 2.9 | 9.2 |
| India, Poona | 788 | 83.1 | 5.1 | | 788 | 83.1 | 5.1 | 6.6 |
| *India, Sangrur District | 130 | 83.8 | – | | 130 | 83.8 | – | 5.2 |
| India, SAS Nagar | 164 | 94.5 | 1.2 | | 164 | 94.5 | 1.2 | 7.2 |
| *India, Tamil Nadu | 9467 | 81.4 | 0.8 | | 9467 | 81.4 | 0.8 | 4.4 |
| *India, Tripura | 219 | 90.4 | 0.5 | | 219 | 90.4 | 0.5 | 3.1 |
| India, Trivandrum | 667 | 87.6 | – | | 667 | 87.6 | – | 7.3 |
| India, Wardha | 196 | 87.2 | 5.6 | | 196 | 87.2 | 5.6 | 5.3 |
| India, West Arunachal | 62 | 75.8 | – | | 62 | 75.8 | – | 5.4 |
| *Iran (Islamic Republic of), Ardabil Province | 77 | 81.8 | 1.3 | | 77 | 81.8 | 1.3 | 4.1 |
| *Iran (Islamic Republic of), Golestan Province | 154 | 76.6 | 2.6 | | 154 | 76.6 | 2.6 | 5.8 |
| Israel | 2038 | 91.1 | 6.4 | | 2038 | 91.1 | 6.4 | 7.5 |
| *Israel: Jews | 1710 | 90.8 | 6.9 | | 1710 | 90.8 | 6.9 | 7.6 |
| *Israel: Arabs | 178 | 93.8 | 2.2 | | 178 | 93.8 | 2.2 | 5.1 |
| Japan | 30949 | 85.2 | 6.8 | | 30949 | 85.2 | 6.8 | 9.2 |
| Japan, Aichi Prefecture | 1581 | 91.3 | 2.4 | | 1581 | 91.3 | 2.4 | 8.8 |
| *Japan, Akita Prefecture | 328 | 82.9 | 1.2 | | 328 | 82.9 | 1.2 | 11.1 |
| Japan, Aomori Prefecture | 716 | 85.2 | 2.4 | | 716 | 85.2 | 2.4 | 11.7 |
| Japan, Gunma Prefecture | 472 | 85.0 | 2.5 | | 472 | 85.0 | 2.5 | 9.2 |
| Japan, Hiroshima Prefecture | 892 | 89.5 | 2.8 | | 892 | 89.5 | 2.8 | 8.8 |
| Japan, Miyagi Prefecture | 1015 | 85.8 | 5.2 | | 1015 | 85.8 | 5.2 | 10.0 |
| Japan, Osaka Prefecture | 2015 | 90.5 | 4.1 | | 2015 | 90.5 | 4.1 | 8.6 |
| Kuwait | 237 | 88.6 | 5.5 | | 237 | 88.6 | 5.5 | 4.4 |
| *Kuwait: Kuwaitis | 108 | 88.0 | 5.6 | | 108 | 88.0 | 5.6 | 4.5 |
| *Kuwait: Non-Kuwaitis | 129 | 89.1 | 5.4 | | 129 | 89.1 | 5.4 | 4.4 |
| *Philippines, Manila | 1698 | 70.9 | 4.1 | | 1698 | 70.9 | 4.1 | 11.4 |
| *Qatar: Qatari | 37 | 86.5 | 5.4 | | 37 | 86.5 | 5.4 | 7.8 |
| Republic of Korea | 12720 | 92.7 | 1.4 | | 12720 | 92.7 | 1.4 | 6.6 |
| *Republic of Korea, Busan | 987 | 92.8 | 1.5 | | 987 | 92.8 | 1.5 | 7.2 |
| *Republic of Korea, Daegu | 661 | 93.2 | 1.1 | | 661 | 93.2 | 1.1 | 6.8 |
| *Republic of Korea, Daejeon | 343 | 96.2 | 0.3 | | 343 | 96.2 | 0.3 | 6.4 |
| *Republic of Korea, Gwangju | 311 | 87.8 | 1.3 | | 311 | 87.8 | 1.3 | 5.8 |
| Republic of Korea, Incheon | 693 | 93.7 | 0.9 | | 693 | 93.7 | 0.9 | 6.4 |
| Republic of Korea, Jeju | 142 | 87.3 | 0.7 | | 142 | 87.3 | 0.7 | 6.2 |
| Republic of Korea, Seoul | 2670 | 95.3 | 1.2 | | 2670 | 95.3 | 1.2 | 7.1 |
| Republic of Korea, Ulsan | 281 | 90.7 | 1.1 | | 281 | 90.7 | 1.1 | 6.8 |
| Singapore | 1489 | 95.2 | 0.1 | | 1489 | 95.2 | 0.1 | 10.1 |
| Singapore: Chinese | 1130 | 95.4 | 0.2 | | 1130 | 95.4 | 0.2 | 9.8 |
| Singapore: Indian | 91 | 95.6 | – | | 91 | 95.6 | – | 8.6 |

* Important. See note on population page.

Indices of data quality Ovary (C56) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | | | | | 238 | 94.5 | – | 13.9 |
| Thailand, Bangkok | | | | | 1299 | 80.4 | 2.0 | 6.0 |
| *Thailand, Chiang Mai | | | | | 333 | 87.7 | 0.9 | 5.6 |
| *Thailand, Khon Kaen | | | | | 363 | 81.5 | 0.3 | 5.8 |
| Thailand, Lampang | | | | | 152 | 89.5 | – | 4.8 |
| Thailand, Lopburi Province | | | | | 204 | 77.5 | 1.0 | 8.1 |
| *Thailand, Songkhla | | | | | 264 | 87.9 | 1.1 | 5.9 |
| Turkey, Antalya | | | | | 398 | 98.0 | – | 6.0 |
| Turkey, Bursa | | | | | 576 | 91.5 | 4.7 | 6.6 |
| *Turkey, Edirne | | | | | 116 | 87.1 | 1.7 | 7.7 |
| *Turkey, Erzurum | | | | | 139 | 85.6 | 5.8 | 7.2 |
| Turkey, Eskişehir | | | | | 184 | 96.2 | – | 6.4 |
| Turkey, Gaziantep | | | | | 232 | 96.1 | 0.4 | 5.9 |
| *Turkey, Izmir | | | | | 1000 | 92.1 | 0.7 | 7.2 |
| Turkey, Malatya | | | | | 127 | 89.8 | 8.7 | 5.6 |
| Turkey, Samsun | | | | | 301 | 94.7 | 1.3 | 7.0 |
| Turkey, Trabzon | | | | | 205 | 81.5 | 3.9 | 6.8 |
| Europe | | | | | | | | |
| Austria | | | | | 3463 | 84.6 | 7.3 | 7.9 |
| Austria, Carinthia | | | | | 264 | 89.8 | 1.5 | 8.6 |
| Austria, Tyrol | | | | | 300 | 92.0 | 2.0 | 8.0 |
| Austria, Vorarlberg | | | | | 148 | 89.9 | 2.7 | 8.3 |
| Belarus | | | | | 4298 | 98.3 | 0.1 | 10.7 |
| *Belgium | | | | | 3913 | 96.7 | – | 7.0 |
| Croatia | | | | | 2122 | 70.4 | 5.4 | 10.2 |
| Cyprus | | | | | 308 | 93.5 | 6.2 | 8.8 |
| *Czech Republic | | | | | 5174 | 89.8 | 0.8 | 10.1 |
| Denmark | | | | | 2539 | 96.3 | 0.8 | 9.1 |
| Estonia | | | | | 749 | 90.3 | 1.2 | 10.6 |
| Finland | | | | | 2356 | 91.3 | 2.2 | 7.9 |
| *France, Bas-Rhin | | | | | 263 | 94.7 | – | 6.2 |
| *France, Calvados | | | | | 274 | 94.2 | – | 7.1 |
| *France, Doubs | | | | | 176 | 94.9 | – | 6.7 |
| *France, Gironde | | | | | 559 | 95.5 | – | 7.2 |
| *France, Haut-Rhin | | | | | 298 | 95.6 | – | 7.8 |
| *France, Hérault | | | | | 427 | 95.6 | – | 7.5 |
| *France, Isère | | | | | 448 | 94.4 | – | 7.1 |
| *France, Lille-Métropole | | | | | 282 | 94.3 | – | 8.2 |
| *France, Limousin | | | | | 170 | 95.9 | – | 7.6 |
| *France, Loire-Atlantique | | | | | 481 | 93.8 | – | 7.1 |
| *France, Manche | | | | | 282 | 89.7 | – | 8.8 |
| *France, Poitou-Charentes | | | | | 719 | 93.9 | – | 6.7 |
| *France, Somme | | | | | 216 | 95.4 | – | 7.3 |
| *France, Tarn | | | | | 167 | 90.4 | – | 7.1 |
| *France, Territoire de Belfort | | | | | 35 | 100.0 | – | 7.5 |
| *France, Vendée | | | | | 288 | 94.8 | – | 7.8 |
| Germany, Baden-Württemberg | | | | | 3028 | 73.0 | 10.1 | 8.8 |
| Germany, Bavaria | | | | | 5751 | 85.2 | 12.1 | 8.0 |
| Germany, Bremen | | | | | 310 | 88.1 | 8.7 | 8.5 |
| Germany, Hamburg | | | | | 940 | 80.3 | 3.5 | 10.2 |
| Germany, Lower Saxony | | | | | 4131 | 84.7 | 7.9 | 9.1 |
| Germany, North Rhine-Westphalia | | | | | 8473 | 71.9 | 14.7 | 8.6 |
| Germany, Rhineland-Palatinate | | | | | 1861 | 75.1 | 16.3 | 8.2 |
| Germany, Saarland | | | | | 511 | 78.5 | 9.8 | 8.6 |
| Germany, Schleswig-Holstein | | | | | 1496 | 77.3 | 4.3 | 8.7 |
| Iceland | | | | | 81 | 95.1 | – | 6.0 |
| Ireland | | | | | 1988 | 89.6 | 1.0 | 10.8 |
| *Italy, Aosta Valley | | | | | 44 | 65.9 | – | 7.1 |
| *Italy, Avellino | | | | | 95 | 82.1 | – | 7.2 |
| Italy, Basilicata | | | | | 265 | 69.8 | 0.8 | 9.1 |
| *Italy, Benevento | | | | | 119 | 91.6 | 1.7 | 11.7 |
| Italy, Bergamo | | | | | 436 | 92.7 | 2.1 | 7.9 |
| *Italy, Brescia | | | | | 430 | 89.3 | 1.9 | 7.3 |
| Italy, Brianza (Lecco and Monza e Brianza) | | | | | 306 | 91.5 | 2.3 | 8.2 |
| Italy, Calabria | | | | | 222 | 77.9 | – | 9.0 |
| *Italy, Caserta | | | | | 254 | 87.8 | 1.6 | 8.0 |
| *Italy, Catania, Messina, and Enna | | | | | 775 | 89.2 | 2.3 | 8.6 |
| Italy, Emilia-Romagna | | | | | 1619 | 83.3 | 1.2 | 8.2 |
| Italy, Friuli-Venezia Giulia | | | | | 538 | 97.2 | – | 8.7 |
| Italy, Genova | | | | | 362 | 84.3 | 1.1 | 8.5 |
| *Italy, Lombardy, South, Pavia | | | | | 224 | 83.9 | 1.8 | 7.9 |
| Italy, Mantova and Cremona | | | | | 245 | 88.6 | – | 7.5 |

* Important. See note on population page.

Indices of data quality Ovary (C56) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | | | | | 545 | 85.3 | 1.1 | 8.1 |
| Italy, Milan | | | | | 1602 | 87.1 | 1.5 | 8.9 |
| Italy, Molise | | | | | 86 | 70.9 | 3.5 | 9.8 |
| *Italy, Naples Centre | | | | | 203 | 81.3 | 1.5 | 7.4 |
| *Italy, Naples North | | | | | 245 | 89.0 | 2.4 | 7.7 |
| *Italy, Naples South | | | | | 367 | 86.4 | 0.5 | 7.8 |
| *Italy, Nuoro | | | | | 36 | 77.8 | – | 6.0 |
| *Italy, Palermo | | | | | 510 | 82.2 | 2.5 | 8.5 |
| Italy, Puglia | | | | | 1753 | 83.1 | 1.8 | 8.8 |
| *Italy, Ragusa and Caltanissetta | | | | | 263 | 85.9 | 3.0 | 9.6 |
| *Italy, Salerno | | | | | 316 | 84.8 | 1.3 | 7.5 |
| Italy, Sassari | | | | | 68 | 76.5 | 1.5 | 6.2 |
| *Italy, Sondrio | | | | | 94 | 79.8 | 1.1 | 8.2 |
| Italy, South Tyrol | | | | | 202 | 88.1 | 1.0 | 7.4 |
| *Italy, Syracuse | | | | | 160 | 89.4 | 0.6 | 9.0 |
| Italy, Trento | | | | | 212 | 87.3 | 0.5 | 7.8 |
| Italy, Turin | | | | | 1104 | 85.2 | 2.0 | 8.7 |
| *Italy, Tuscany | | | | | 1123 | 78.1 | 1.1 | 9.8 |
| Italy, Umbria | | | | | 367 | 83.1 | 0.5 | 8.9 |
| Italy, Varese | | | | | 223 | 93.3 | 0.4 | 7.8 |
| Italy, Veneto | | | | | 2034 | 88.5 | 1.3 | 7.9 |
| Latvia | | | | | 1518 | 83.8 | 2.6 | 15.5 |
| *Liechtenstein | | | | | 14 | 92.9 | – | 8.3 |
| *Lithuania | | | | | 1981 | 78.9 | 14.5 | 13.3 |
| Malta | | | | | 188 | 85.6 | 1.1 | 9.1 |
| *The Netherlands | | | | | 5796 | 96.0 | – | 6.9 |
| Norway | | | | | 1959 | 93.4 | 1.4 | 8.6 |
| Poland, Kielce | | | | | 638 | 94.0 | – | 11.1 |
| *Portugal, Azores | | | | | 53 | 92.5 | 3.8 | 7.4 |
| Russian Federation, Arkhangelsk | | | | | 549 | 90.3 | 5.5 | 10.5 |
| Russian Federation, Kaliningrad | | | | | 474 | 88.0 | 1.3 | 11.1 |
| Russian Federation, Karelia | | | | | 330 | 89.4 | 3.3 | 10.9 |
| *Russian Federation, Komi Republic | | | | | 508 | 88.4 | 6.7 | 14.4 |
| Russian Federation, Murmansk | | | | | 379 | 95.3 | 4.2 | 12.0 |
| *Russian Federation, Orenburg | | | | | 1051 | 94.6 | 0.6 | 12.5 |
| Russian Federation, Pskov | | | | | 397 | 91.9 | 3.3 | 12.7 |
| *Russian Federation, Samara | | | | | 1563 | 95.0 | 1.4 | 10.7 |
| Russian Federation, Vologda Region | | | | | 620 | 97.3 | 1.0 | 12.1 |
| Slovenia | | | | | 788 | 94.4 | 0.4 | 7.7 |
| Spain, Asturias | | | | | 300 | 88.7 | 1.0 | 8.2 |
| Spain, Basque Country | | | | | 729 | 92.0 | 0.8 | 8.4 |
| Spain, Canary Islands | | | | | 412 | 87.6 | 1.2 | 6.7 |
| Spain, Castellón | | | | | 190 | 93.7 | 0.5 | 7.1 |
| Spain, Girona | | | | | 245 | 90.6 | 0.8 | 7.6 |
| Spain, Granada | | | | | 282 | 93.3 | 0.4 | 7.5 |
| Spain, La Rioja | | | | | 114 | 90.4 | 0.9 | 7.6 |
| Spain, Murcia | | | | | 411 | 94.9 | 0.2 | 7.3 |
| Spain, Navarra | | | | | 163 | 90.2 | 0.6 | 6.3 |
| Spain, Salamanca | | | | | 167 | 91.0 | – | 9.9 |
| Spain, Tarragona | | | | | 263 | 89.7 | 0.8 | 7.8 |
| *Sweden | | | | | 2990 | 99.9 | – | 6.9 |
| Switzerland, Aargau | | | | | 236 | 89.8 | 6.8 | 7.3 |
| Switzerland, Basel | | | | | 240 | 92.1 | 6.7 | 9.3 |
| Switzerland, Berne Solothurn | | | | | 350 | 92.3 | 2.6 | 8.0 |
| Switzerland, East | | | | | 337 | 90.8 | 1.5 | 8.4 |
| *Switzerland, Fribourg | | | | | 94 | 98.9 | – | 6.8 |
| Switzerland, Geneva | | | | | 179 | 95.0 | 1.7 | 7.4 |
| *Switzerland, Graubünden and Glarus | | | | | 107 | 92.5 | – | 7.4 |
| *Switzerland, Lucerne | | | | | 189 | 89.9 | 3.2 | 7.9 |
| *Switzerland, Neuchâtel and Jura | | | | | 79 | 93.7 | 1.3 | 6.2 |
| Switzerland, Ticino | | | | | 151 | 94.7 | 1.3 | 7.8 |
| Switzerland, Valais | | | | | 149 | 96.6 | – | 9.2 |
| Switzerland, Vaud | | | | | 243 | 91.4 | 4.9 | 6.7 |
| Switzerland, Zurich and Zug | | | | | 544 | 93.0 | 0.6 | 7.4 |
| Ukraine | | | | | 17392 | 89.9 | 0.3 | 11.4 |
| UK, England | | | | | 24941 | 87.5 | 1.4 | 9.5 |
| UK, Northern Ireland | | | | | 616 | 86.5 | 0.5 | 7.5 |
| UK, Scotland | | | | | 2584 | 85.7 | 0.2 | 9.2 |
| UK, Wales | | | | | 1534 | 83.1 | 1.8 | 9.4 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | | | | | 2425 | 92.1 | 2.1 | 7.2 |
| *Australia, Northern Territory | | | | | 29 | 93.1 | – | 4.5 |

* Important. See note on population page.

Indices of data quality Ovary (C56) (contd)

| | Male | | | Female | | | | |
|--|-------|--------|---------|--------|-------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 24 | 100.0 | – | | | | | 5.0 |
| *Australia, Northern Territory: Indigenous | 5 | 60.0 | – | | | | | 3.0 |
| *Australia, Queensland | 1390 | 88.3 | 1.0 | | | | | 7.0 |
| Australia, South Australia | 533 | 91.4 | 1.1 | | | | | 6.6 |
| Australia, Tasmania | 140 | 92.9 | 1.4 | | | | | 5.7 |
| *Australia, Victoria | 1606 | 90.3 | 3.2 | | | | | 6.5 |
| *Australia, Western Australia | 668 | 90.9 | 1.5 | | | | | 6.7 |
| *France, New Caledonia | 70 | 97.1 | – | | | | | 8.8 |
| New Zealand | 1369 | 87.9 | 3.5 | | | | | 7.0 |
| *New Zealand: Maori | 159 | 87.4 | 1.9 | | | | | 8.7 |
| *New Zealand: Pacific peoples | 98 | 92.9 | 1.0 | | | | | 13.5 |
| *New Zealand: Other | 1030 | 86.7 | 4.3 | | | | | 6.6 |
| USA, Hawaii | 426 | 94.1 | 1.9 | | | | | 7.7 |
| USA, Hawaii: White | 138 | 93.5 | 2.9 | | | | | 9.2 |
| *USA, Hawaii: Japanese | 78 | 88.5 | 3.8 | | | | | 6.2 |
| *USA, Hawaii: Chinese | 19 | 94.7 | – | | | | | 5.6 |
| *USA, Hawaii: Hawaiian | 63 | 96.8 | 1.6 | | | | | 6.7 |
| *USA, Hawaii: Filipino | 68 | 97.1 | – | | | | | 6.9 |

* Important. See note on population page.

Indices of data quality Prostate (C61)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 114 | 99.1 | – | 8.4 | | | | |
| *Algeria, Tizi Ouzou | 386 | 95.1 | – | 25.2 | | | | |
| *Benin, Cotonou | 127 | 59.8 | – | 32.5 | | | | |
| *France, La Réunion | 1445 | 97.8 | – | 68.0 | | | | |
| *Kenya, Eldoret | 167 | 77.2 | 1.2 | 19.6 | | | | |
| *Kenya, Nairobi | 769 | 66.1 | 6.4 | 48.8 | | | | |
| Mauritius | 711 | 91.6 | 1.1 | 17.2 | | | | |
| *Morocco, Casablanca | 1433 | 99.7 | 0.1 | 15.2 | | | | |
| *Seychelles | 195 | 93.3 | 1.0 | 76.4 | | | | |
| *South Africa, Eastern Cape | 214 | 61.7 | – | 19.1 | | | | |
| *Uganda, Kyadondo County | 594 | 51.9 | 0.3 | 53.0 | | | | |
| *Uganda, Gulu | 83 | 57.8 | – | 23.3 | | | | |
| *Zimbabwe, Bulawayo: African | 545 | 51.7 | 12.7 | 80.4 | | | | |
| *Zimbabwe, Harare: African | 1395 | 71.8 | 12.5 | 114.7 | | | | |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 1061 | 87.4 | 10.6 | 44.0 | | | | |
| *Argentina, Mendoza | 2101 | 89.9 | 8.9 | 38.2 | | | | |
| Brazil, Aracaju | 883 | 96.9 | 2.5 | 92.9 | | | | |
| *Brazil, Barretos | 764 | 93.6 | 5.4 | 56.2 | | | | |
| Brazil, Belo Horizonte | 6290 | 97.3 | 2.6 | 90.2 | | | | |
| *Brazil, Campinas | 2051 | 94.5 | 5.5 | 91.0 | | | | |
| *Brazil, Curitiba | 1699 | 87.5 | 7.4 | 43.8 | | | | |
| Brazil, Goiânia | 2009 | 98.6 | 1.4 | 82.7 | | | | |
| *Brazil, Jaú | 203 | 97.5 | – | 48.4 | | | | |
| Brazil, João Pessoa | 754 | 95.6 | 2.0 | 77.4 | | | | |
| Brazil, Recife | 1371 | 79.0 | 6.1 | 57.9 | | | | |
| Chile, Region of Antofagasta | 336 | 91.1 | 3.0 | 36.5 | | | | |
| Chile, Valdivia | 748 | 92.0 | 1.9 | 54.4 | | | | |
| Colombia, Bucaramanga | 1250 | 76.4 | 4.1 | 42.6 | | | | |
| Colombia, Cali | 3380 | 89.5 | 1.5 | 59.0 | | | | |
| Colombia, Manizales | 670 | 86.0 | 0.7 | 47.3 | | | | |
| Colombia, Pasto | 417 | 87.8 | 3.6 | 38.0 | | | | |
| Costa Rica | 3897 | 83.5 | 2.1 | 41.1 | | | | |
| Ecuador, Guayaquil | 1428 | 89.2 | 4.3 | 28.2 | | | | |
| Ecuador, Manabí | 782 | 83.9 | 12.5 | 20.6 | | | | |
| Ecuador, Quito | 2475 | 92.1 | 5.3 | 63.3 | | | | |
| *France, Guadeloupe | 2629 | 99.6 | – | 149.0 | | | | |
| *France, Martinique | 2999 | 99.5 | – | 168.0 | | | | |
| *Peru, Lima | 6192 | 77.9 | 9.6 | 45.1 | | | | |
| *Trinidad and Tobago | 1376 | 73.8 | 16.2 | 55.4 | | | | |
| USA, Puerto Rico | 15031 | 95.4 | 2.6 | 95.9 | | | | |
| *Uruguay | 7363 | 80.6 | 10.3 | 57.4 | | | | |
| North America | | | | | | | | |
| Canada, Alberta | 11705 | 93.1 | 0.1 | 75.8 | | | | |
| Canada, British Columbia | 14225 | 93.8 | 0.4 | 57.4 | | | | |
| *Canada, Manitoba | 3543 | 93.7 | – | 61.1 | | | | |
| *Canada, New Brunswick | 2638 | 96.0 | 0.1 | 65.2 | | | | |
| *Canada, Newfoundland and Labrador | 2163 | 98.0 | 0.4 | 75.8 | | | | |
| Canada, Ontario | 40625 | 96.2 | 0.6 | 64.4 | | | | |
| *Canada, Prince Edward Island | 493 | 95.9 | 0.4 | 64.0 | | | | |
| Canada, Quebec | 30469 | 92.7 | 4.4 | 72.6 | | | | |
| Canada, Saskatchewan | 3362 | 90.4 | 0.8 | 67.6 | | | | |
| *Canada, Yukon | 99 | 97.0 | – | 61.4 | | | | |
| USA | 973357 | 96.4 | 2.2 | 73.8 | | | | |
| USA: White | 761238 | 96.5 | 2.0 | 67.8 | | | | |
| USA: Black | 159124 | 96.4 | 2.2 | 123.9 | | | | |
| USA, NPCR | 941491 | 96.3 | 2.3 | 73.9 | | | | |
| USA, NPCR: White | 735012 | 96.5 | 2.1 | 67.7 | | | | |
| USA, NPCR: Black | 157137 | 96.4 | 2.3 | 123.9 | | | | |
| USA, NPCR: Asian and Pacific Islander | 19973 | 96.4 | 2.0 | 34.9 | | | | |
| USA, NPCR: American Indian | 3458 | 95.4 | 3.0 | 30.9 | | | | |
| *USA, SEER (18 registries) | 261170 | 96.8 | 0.8 | 75.0 | | | | |
| *USA, SEER (18 registries): White | 195271 | 96.7 | 0.8 | 70.1 | | | | |
| *USA, SEER (18 registries): Non-Hispanic White | 172360 | 96.8 | 0.8 | 72.8 | | | | |
| *USA, SEER (18 registries): Hispanic White | 22911 | 96.2 | 0.9 | 56.4 | | | | |
| *USA, SEER (18 registries): Black | 41244 | 96.8 | 0.9 | 125.1 | | | | |
| *USA, SEER (18 registries): Asian and Pacific Islander | 13000 | 95.9 | 0.7 | 37.6 | | | | |
| *USA, SEER (9 registries) | 92168 | 97.0 | 0.6 | 76.6 | | | | |
| *USA, SEER (9 registries): White | 69877 | 97.1 | 0.6 | 73.0 | | | | |
| *USA, SEER (9 registries): Black | 14020 | 97.1 | 0.7 | 128.8 | | | | |
| USA, Alabama | 17423 | 94.7 | 4.6 | 85.1 | | | | |
| USA, Alabama: White | 11117 | 95.3 | 4.1 | 68.4 | | | | |

* Important. See note on population page.

Indices of data quality Prostate (C61) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 5499 | 93.0 | 6.1 | 134.4 | | | | |
| USA, Alaska | 1533 | 90.5 | 6.4 | 56.1 | | | | |
| *USA, Alaska: Alaska Natives | 110 | 87.3 | 0.9 | 33.7 | | | | |
| USA, Arizona | 16542 | 93.4 | 5.3 | 55.7 | | | | |
| USA, Arizona: White | 15097 | 93.4 | 5.4 | 55.6 | | | | |
| USA, Arizona: Black | 787 | 94.5 | 4.1 | 84.9 | | | | |
| *USA, Arizona: Asian and Pacific Islander | 193 | 93.8 | 4.1 | 27.8 | | | | |
| USA, Arizona: American Indian | 231 | 90.5 | 6.1 | 25.6 | | | | |
| USA, Arkansas | 10092 | 97.3 | 1.9 | 79.4 | | | | |
| USA, Arkansas: White | 7893 | 97.9 | 1.3 | 70.2 | | | | |
| USA, Arkansas: Black | 1904 | 97.7 | 1.6 | 136.5 | | | | |
| USA, California | 94568 | 95.7 | 2.2 | 64.4 | | | | |
| USA, California: White | 71329 | 95.6 | 2.2 | 62.5 | | | | |
| USA, California: Black | 8977 | 95.3 | 2.0 | 103.1 | | | | |
| USA, California: Asian and Pacific Islander | 7649 | 95.2 | 2.5 | 33.9 | | | | |
| *USA, California, Los Angeles County | 22587 | 96.1 | 1.0 | 63.4 | | | | |
| *USA, California, Los Angeles County: White | 15013 | 96.0 | 1.0 | 58.9 | | | | |
| *USA, California, Los Angeles County: Non-Hispanic White | 9785 | 96.0 | 1.1 | 66.0 | | | | |
| *USA, California, Los Angeles County: Hispanic White | 5228 | 96.0 | 0.8 | 49.9 | | | | |
| *USA, California, Los Angeles County: Black | 3269 | 95.1 | 1.4 | 100.3 | | | | |
| *USA, California, Los Angeles County: Chinese | 353 | 92.6 | 1.7 | 15.4 | | | | |
| *USA, California, Los Angeles County: Filipino | 577 | 95.1 | 1.0 | 40.3 | | | | |
| *USA, California, Los Angeles County: Korean | 199 | 93.5 | 0.5 | 19.2 | | | | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 2036 | 95.2 | 1.0 | 31.0 | | | | |
| *USA, California, San Francisco Bay Area | 12245 | 95.8 | 0.6 | 65.4 | | | | |
| *USA, California, San Francisco Bay Area: White | 8106 | 96.4 | 0.5 | 65.9 | | | | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 6943 | 96.4 | 0.5 | 67.3 | | | | |
| *USA, California, San Francisco Bay Area: Hispanic White | 1163 | 96.5 | 0.6 | 59.1 | | | | |
| *USA, California, San Francisco Bay Area: Black | 1603 | 93.9 | 0.9 | 108.9 | | | | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 1851 | 94.5 | 0.6 | 37.5 | | | | |
| USA, Colorado | 13691 | 95.6 | 2.2 | 64.1 | | | | |
| USA, Colorado: White | 11961 | 95.3 | 2.4 | 60.0 | | | | |
| *USA, Colorado: Black | 716 | 95.7 | 1.3 | 96.6 | | | | |
| *USA, Colorado: Asian and Pacific Islander | 133 | 95.5 | 2.3 | 27.3 | | | | |
| USA, Connecticut | 12277 | 98.0 | 0.5 | 78.8 | | | | |
| USA, Connecticut: White | 10287 | 97.9 | 0.5 | 73.5 | | | | |
| USA, Connecticut: Black | 1400 | 97.8 | 0.8 | 120.0 | | | | |
| USA, District of Columbia | 1884 | 96.7 | 2.4 | 89.4 | | | | |
| USA, District of Columbia: White | 549 | 96.2 | 3.1 | 61.6 | | | | |
| USA, District of Columbia: Black | 1190 | 96.6 | 2.4 | 103.1 | | | | |
| USA, Florida | 67365 | 94.3 | 4.6 | 68.4 | | | | |
| USA, Florida: White | 52632 | 96.9 | 2.1 | 60.9 | | | | |
| USA, Florida: Black | 11193 | 96.9 | 1.8 | 110.9 | | | | |
| USA, Florida: Asian and Pacific Islander | 590 | 98.3 | 0.7 | 28.1 | | | | |
| USA, Georgia | 32629 | 96.8 | 2.0 | 87.9 | | | | |
| USA, Georgia: White | 19609 | 97.0 | 1.8 | 71.7 | | | | |
| USA, Georgia: Black | 12422 | 96.4 | 2.3 | 139.9 | | | | |
| USA, Georgia: Asian and Pacific Islander | 391 | 98.7 | 0.8 | 35.3 | | | | |
| *USA, Georgia, Atlanta | 11158 | 97.4 | 0.6 | 98.6 | | | | |
| *USA, Georgia, Atlanta: White | 5485 | 97.7 | 0.5 | 79.8 | | | | |
| *USA, Georgia, Atlanta: Black | 5328 | 97.1 | 0.8 | 143.6 | | | | |
| USA, Idaho | 5100 | 95.8 | 2.0 | 71.4 | | | | |
| USA, Indiana | 18121 | 96.9 | 1.5 | 66.5 | | | | |
| USA, Indiana: White | 15756 | 96.9 | 1.5 | 62.5 | | | | |
| USA, Indiana: Black | 2070 | 96.8 | 1.6 | 117.9 | | | | |
| *USA, Iowa | 10413 | 96.7 | 0.8 | 75.8 | | | | |
| USA, Kentucky | 13664 | 96.8 | 1.9 | 72.8 | | | | |
| USA, Louisiana | 16975 | 98.0 | 1.0 | 92.8 | | | | |
| USA, Louisiana: White | 10831 | 98.1 | 1.0 | 80.6 | | | | |
| USA, Louisiana: Black | 5996 | 97.7 | 1.0 | 130.8 | | | | |
| *USA, Louisiana, New Orleans | 3202 | 97.4 | 1.0 | 93.1 | | | | |
| *USA, Louisiana, New Orleans: White | 1616 | 97.2 | 1.1 | 75.0 | | | | |
| *USA, Louisiana, New Orleans: Black | 1496 | 97.6 | 0.9 | 126.8 | | | | |
| USA, Maine | 4334 | 95.5 | 1.5 | 61.6 | | | | |
| USA, Maryland | 21129 | 96.8 | 2.3 | 89.8 | | | | |
| USA, Maryland: White | 12446 | 96.8 | 2.3 | 75.2 | | | | |
| USA, Maryland: Black | 7952 | 96.9 | 2.3 | 137.5 | | | | |
| USA, Maryland: Asian and Pacific Islander | 572 | 97.6 | 1.7 | 43.1 | | | | |
| USA, Massachusetts | 21036 | 96.8 | 1.3 | 74.4 | | | | |
| USA, Massachusetts: White | 17914 | 96.8 | 1.4 | 70.3 | | | | |
| USA, Massachusetts: Black | 1908 | 96.0 | 1.3 | 118.5 | | | | |
| USA, Massachusetts: Asian and Pacific Islander | 432 | 97.5 | 0.5 | 37.0 | | | | |

* Important. See note on population page.

Indices of data quality Prostate (C61) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|--------------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 32896 | 97.5 | 1.7 | 75.1 | | | | |
| USA, Michigan: White | 26131 | 97.4 | 1.8 | 67.9 | | | | |
| USA, Michigan: Black | 5296 | 97.3 | 1.5 | 119.9 | | | | |
| USA, Michigan: Asian and Pacific Islander | 302 | 98.7 | 0.3 | 36.2 | | | | |
| *USA, Michigan, Detroit | 14557 | 98.6 | 0.4 | 91.3 | | | | |
| *USA, Michigan, Detroit: White | 10047 | 98.7 | 0.4 | 81.6 | | | | |
| *USA, Michigan, Detroit: Black | 4115 | 98.3 | 0.6 | 132.6 | | | | |
| USA, Minnesota | 17763 | 97.5 | 1.2 | 77.0 | | | | |
| USA, Minnesota: White | 16437 | 97.5 | 1.3 | 75.5 | | | | |
| USA, Minnesota: Black | 786 | 98.0 | 0.8 | 118.8 | | | | |
| *USA, Minnesota: Asian and Pacific Islander | 150 | 99.3 | - | 31.0 | | | | |
| USA, Mississippi | 11000 | 97.7 | 1.0 | 93.0 | | | | |
| USA, Missouri | 16972 | 96.8 | 2.0 | 65.6 | | | | |
| USA, Missouri: White | 14505 | 96.9 | 2.0 | 61.8 | | | | |
| USA, Missouri: Black | 2326 | 96.3 | 2.1 | 110.8 | | | | |
| USA, Montana | 4291 | 95.5 | 2.0 | 82.9 | | | | |
| *USA, Montana: American Indian | 106 | 93.4 | 3.8 | 60.3 | | | | |
| USA, Nebraska | 6330 | 97.6 | 1.2 | 81.1 | | | | |
| USA, Nebraska: White | 5831 | 97.5 | 1.3 | 78.4 | | | | |
| *USA, Nebraska: Black | 344 | 98.8 | 0.3 | 149.2 | | | | |
| USA, Nevada | 7331 | 96.2 | 2.6 | 59.0 | | | | |
| USA, Nevada: White | 6167 | 96.3 | 2.7 | 59.1 | | | | |
| USA, Nevada: Black | 698 | 95.8 | 2.3 | 82.3 | | | | |
| *USA, Nevada: Asian and Pacific Islander | 323 | 96.3 | 2.5 | 31.1 | | | | |
| USA, New Jersey | 33576 | 98.2 | 0.7 | 91.8 | | | | |
| USA, New Jersey: White | 25431 | 98.1 | 0.7 | 85.6 | | | | |
| USA, New Jersey: Black | 5515 | 98.0 | 0.9 | 136.9 | | | | |
| USA, New Mexico | 5303 | 95.8 | 1.3 | 57.4 | | | | |
| USA, New Mexico: White | 4693 | 95.7 | 1.4 | 56.5 | | | | |
| USA, New Mexico: Non-Hispanic White | 3221 | 95.6 | 1.4 | 61.7 | | | | |
| USA, New Mexico: Hispanic White | 1472 | 96.1 | 1.4 | 48.3 | | | | |
| *USA, New Mexico: American Indian | 194 | 93.3 | - | 30.9 | | | | |
| USA, New York State | 69908 | 97.9 | 0.9 | 87.6 | | | | |
| USA, New York State: White | 50817 | 97.8 | 0.9 | 81.0 | | | | |
| USA, New York State: Black | 15554 | 98.0 | 0.8 | 143.3 | | | | |
| USA, New York State: Asian and Pacific Islander | 2622 | 98.8 | 0.5 | 43.6 | | | | |
| USA, North Carolina | 34192 | 97.3 | 1.7 | 83.4 | | | | |
| USA, North Carolina: White | 23706 | 97.4 | 1.6 | 71.6 | | | | |
| USA, North Carolina: Black | 9231 | 96.9 | 2.0 | 129.9 | | | | |
| USA, North Carolina: Asian and Pacific Islander | 205 | 97.6 | 1.0 | 31.2 | | | | |
| *USA, North Carolina: American Indian | 332 | 97.6 | 2.1 | 70.4 | | | | |
| USA, North Dakota | 2448 | 97.6 | 1.2 | 80.3 | | | | |
| USA, Ohio | 37192 | 97.2 | 2.1 | 73.8 | | | | |
| USA, Ohio: White | 30457 | 97.2 | 2.1 | 67.4 | | | | |
| USA, Ohio: Black | 5402 | 96.4 | 2.6 | 117.3 | | | | |
| *USA, Ohio: Asian and Pacific Islander | 207 | 99.5 | - | 31.1 | | | | |
| USA, Oklahoma | 10435 | 96.1 | 2.7 | 65.5 | | | | |
| USA, Oklahoma: White | 8501 | 96.0 | 2.8 | 61.9 | | | | |
| USA, Oklahoma: Black | 1075 | 96.7 | 2.3 | 118.9 | | | | |
| USA, Oklahoma: American Indian | 469 | 95.1 | 4.1 | 42.3 | | | | |
| USA, Oregon | 12148 | 95.5 | 2.9 | 65.6 | | | | |
| USA, Oregon: White | 11181 | 95.3 | 3.0 | 64.0 | | | | |
| *USA, Oregon: Black | 309 | 97.4 | 1.6 | 112.5 | | | | |
| *USA, Oregon: Asian and Pacific Islander | 187 | 95.7 | 2.7 | 33.7 | | | | |
| USA, Rhode Island | 3201 | 97.5 | 1.7 | 70.6 | | | | |
| USA, Rhode Island: White | 2918 | 97.3 | 1.8 | 69.4 | | | | |
| *USA, Rhode Island: Black | 194 | 98.5 | 1.0 | 84.9 | | | | |
| USA, South Carolina | 17488 | 96.0 | 3.2 | 81.7 | | | | |
| USA, South Carolina: White | 11577 | 96.5 | 2.8 | 68.7 | | | | |
| USA, South Carolina: Black | 5637 | 94.8 | 4.1 | 125.4 | | | | |
| USA, South Dakota | 3027 | 96.7 | 2.0 | 80.3 | | | | |
| USA, Tennessee | 21932 | 97.2 | 2.0 | 79.1 | | | | |
| USA, Tennessee: White | 17591 | 97.5 | 1.8 | 72.5 | | | | |
| USA, Tennessee: Black | 4149 | 95.5 | 2.7 | 128.3 | | | | |
| USA, Texas | 61946 | 92.7 | 5.4 | 65.5 | | | | |
| USA, Texas: White | 49607 | 92.6 | 5.5 | 61.1 | | | | |
| USA, Texas: Black | 10344 | 92.9 | 5.1 | 110.8 | | | | |
| USA, Texas: Asian and Pacific Islander | 1235 | 92.1 | 6.4 | 33.2 | | | | |
| USA, Utah | 7175 | 97.1 | 0.3 | 78.4 | | | | |
| USA, Vermont | 1926 | 96.5 | 1.7 | 60.5 | | | | |
| USA, Washington State | 20512 | 96.2 | 1.2 | 67.8 | | | | |
| *USA, Washington, Seattle | 15167 | 96.3 | 0.4 | 74.5 | | | | |

* Important. See note on population page.

Indices of data quality Prostate (C61) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 5946 | 97.7 | 0.8 | 64.1 | | | | |
| USA, Wyoming | 1962 | 97.8 | 0.5 | 74.7 | | | | |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 182 | 94.5 | 1.6 | 16.2 | | | | |
| Brunei Darussalam | 134 | 88.1 | 3.7 | 18.3 | | | | |
| *China, Anfu County | 46 | 45.7 | – | 4.2 | | | | |
| *China, Anguo City | 16 | 56.2 | 18.8 | 1.3 | | | | |
| *China, Anshan City | 411 | 74.5 | – | 4.7 | | | | |
| *China, Aohan Banner, Chifeng City | 42 | 14.3 | 14.3 | 2.8 | | | | |
| *China, Arongqi | 27 | 48.1 | – | 3.4 | | | | |
| *China, Baoding City | 322 | 68.0 | 4.7 | 9.3 | | | | |
| *China, Beijing City | 5894 | 82.3 | 0.6 | 11.9 | | | | |
| *China, Binhai County | 126 | 68.3 | – | 2.5 | | | | |
| *China, Cangzhou City | 94 | 74.5 | 3.2 | 6.0 | | | | |
| China, Changfeng County | 86 | 45.3 | – | 4.2 | | | | |
| China, Changzhou City | 1383 | 85.5 | 0.1 | 13.1 | | | | |
| China, Chengdu City | 445 | 63.6 | 7.0 | 10.5 | | | | |
| China, Cixian County | 25 | 88.0 | 4.0 | 1.5 | | | | |
| China, Cixi City | 567 | 72.3 | 3.7 | 9.9 | | | | |
| *China, Dafeng District, Yancheng City | 239 | 82.0 | 0.4 | 5.7 | | | | |
| China, Dalian City | 1098 | 77.5 | 0.7 | 8.4 | | | | |
| *China, Dancheng County | 66 | 50.0 | – | 2.3 | | | | |
| China, Dangtu County | 85 | 58.8 | – | 6.1 | | | | |
| *China, Danyang City | 239 | 72.4 | – | 6.3 | | | | |
| *China, Dawukou District, Shizuishan City | 69 | 78.3 | – | 6.0 | | | | |
| *China, Dehui City | 54 | 31.5 | 3.7 | 1.9 | | | | |
| *China, Donggang County | 86 | 54.7 | 4.7 | 2.7 | | | | |
| *China, Dongguan City | 431 | 74.7 | 0.7 | 9.8 | | | | |
| China, Donghai County | 119 | 70.6 | 1.7 | 2.4 | | | | |
| *China, Dongtai City | 211 | 67.8 | 0.5 | 3.4 | | | | |
| China, Duanzhou District, Zhaoqing City | 127 | 70.9 | 1.6 | 8.2 | | | | |
| *China, Evenki Autonomous Banner | 10 | 70.0 | – | 3.8 | | | | |
| *China, Faku County | 52 | 71.2 | – | 2.3 | | | | |
| *China, Fangcheng County | 54 | 79.6 | – | 2.1 | | | | |
| *China, Feicheng City | 165 | 64.2 | – | 4.2 | | | | |
| China, Feixi County | 296 | 48.3 | 0.3 | 6.2 | | | | |
| China, Fuqing City | 147 | 71.4 | 5.4 | 4.8 | | | | |
| *China, Ganyu District, Lianyungang City | 107 | 42.1 | 1.9 | 2.0 | | | | |
| *China, Ganzhou District, Zhangye City | 40 | 72.5 | – | 5.1 | | | | |
| *China, Gaocheng City | 41 | 87.8 | 7.3 | 1.8 | | | | |
| China, Gaomi City | 145 | 77.2 | 0.7 | 4.1 | | | | |
| China, Gong'an County | 177 | 79.1 | – | 5.1 | | | | |
| *China, Guang'an District, Guang'an City | 73 | 56.2 | 8.2 | 3.4 | | | | |
| China, Guanghan City | 93 | 73.1 | – | 4.7 | | | | |
| China, Guangzhou City | 3861 | 75.6 | 0.5 | 10.7 | | | | |
| *China, Guanyun County | 120 | 81.7 | – | 3.0 | | | | |
| China, Guilin City | 252 | 60.7 | 0.4 | 11.2 | | | | |
| *China, Hai'an City | 359 | 56.5 | 0.3 | 5.1 | | | | |
| China, Hailar District, Hulun Buir City | 88 | 47.7 | 1.1 | 9.0 | | | | |
| China, Haimen District, Nantong City | 567 | 53.1 | – | 8.9 | | | | |
| China, Haining City | 433 | 78.8 | 0.2 | 11.6 | | | | |
| China, Hangzhou City | 4703 | 89.1 | 0.3 | 13.3 | | | | |
| China, Hebi City | 47 | 76.6 | – | 3.8 | | | | |
| China, Hefei City | 1011 | 57.8 | 1.3 | 11.0 | | | | |
| China, Hengdong County | 36 | 88.9 | – | 2.1 | | | | |
| *China, Hengfeng County | 23 | 52.2 | 4.3 | 3.8 | | | | |
| *China, Hefu County | 168 | 55.4 | 4.2 | 4.5 | | | | |
| China, Honghu City | 128 | 94.5 | – | 4.2 | | | | |
| China, Hongshan District, Chifeng City | 76 | 36.8 | – | 5.9 | | | | |
| *China, Hongta District, Yuxi City | 138 | 52.2 | – | 6.8 | | | | |
| *China, Huaiyin District, Huai'an City | 138 | 74.6 | 0.7 | 3.1 | | | | |
| *China, Jiange County | 60 | 35.0 | – | 3.5 | | | | |
| China, Jiangmen City | 195 | 79.5 | 0.5 | 7.6 | | | | |
| *China, Jiangyin City | 499 | 72.1 | – | 7.6 | | | | |
| *China, Jiashan County | 299 | 84.3 | – | 12.7 | | | | |
| China, Jiayu County | 28 | 60.7 | 3.6 | 3.8 | | | | |
| *China, Jinan City | 731 | 65.8 | 1.0 | 7.3 | | | | |
| *China, Jingtai County | 36 | 61.1 | 2.8 | 5.5 | | | | |
| *China, Jingxian County | 54 | 83.3 | – | 3.7 | | | | |
| *China, Jintan District, Changzhou City | 232 | 86.2 | 0.4 | 8.9 | | | | |
| *China, Jiulongpo District, Chongqing City | 334 | 60.8 | 1.2 | 8.4 | | | | |
| *China, Jiyuan City | 57 | 57.9 | 8.8 | 3.3 | | | | |

* Important. See note on population page.

Indices of data quality Prostate (C61) (contd)

| Asia (contd) | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| China, Kaihua County | 112 | 62.5 | – | 9.0 | | | | |
| China, Kunshan City | 551 | 72.4 | 0.2 | 14.7 | | | | |
| China, Langzhong City | 87 | 66.7 | – | 4.4 | | | | |
| *China, Liangshan County | 95 | 40.0 | 1.1 | 2.8 | | | | |
| *China, Lianshui County | 108 | 84.3 | 0.9 | 2.2 | | | | |
| China, Lianyungang City | 263 | 62.0 | 0.8 | 5.9 | | | | |
| China, Linhe District, Bayannur City | 53 | 52.8 | 9.4 | 3.9 | | | | |
| China, Linqu County | 153 | 64.1 | 1.3 | 3.9 | | | | |
| *China, Linzhou City | 64 | 71.9 | 1.6 | 2.0 | | | | |
| China, Liuzhou City | 363 | 63.1 | 0.3 | 9.2 | | | | |
| China, Liyang City | 290 | 74.1 | – | 6.0 | | | | |
| *China, Longquan City | 86 | 52.3 | – | 6.6 | | | | |
| China, Lucheng District, Wenzhou City | 297 | 84.5 | 0.7 | 13.0 | | | | |
| China, Luoding City | 116 | 55.2 | 0.9 | 4.4 | | | | |
| *China, Luohe City | 146 | 60.3 | 0.7 | 3.8 | | | | |
| *China, Luoyang City | 336 | 76.2 | 2.4 | 7.1 | | | | |
| *China, Luquan City | 36 | 58.3 | – | 2.9 | | | | |
| China, Ma'anshan City | 271 | 77.1 | 0.4 | 12.0 | | | | |
| *China, Macheng City | 78 | 98.7 | – | 3.3 | | | | |
| China, Meihekou City | 60 | 68.3 | – | 2.8 | | | | |
| *China, Mengjin County | 54 | 66.7 | – | 4.7 | | | | |
| China, Nangang District, Harbin City | 246 | 64.6 | 0.4 | 5.5 | | | | |
| *China, Nanghai District, Foshan City | 303 | 48.8 | – | 9.7 | | | | |
| China, Nanhu District, Jiaying City | 513 | 76.6 | 0.6 | 17.1 | | | | |
| *China, Nantong City | 647 | 53.6 | 0.9 | 9.0 | | | | |
| *China, Nanxiong City | 82 | 47.6 | – | 6.1 | | | | |
| China, Neixiang County | 45 | 97.8 | – | 1.8 | | | | |
| *China, Qianxi County | 35 | 82.9 | 2.9 | 2.5 | | | | |
| China, Qidong City | 639 | 61.2 | – | 8.1 | | | | |
| China, Qingzhou City | 222 | 57.2 | – | 6.0 | | | | |
| *China, Rudong County | 501 | 50.9 | 0.2 | 6.1 | | | | |
| *China, Rugao City | 488 | 71.1 | – | 5.3 | | | | |
| *China, Rural areas of Shanghai City | 7967 | 85.6 | 0.1 | 14.6 | | | | |
| China, Ruyang County | 45 | 71.1 | 2.2 | 3.5 | | | | |
| *China, Shan County | 107 | 61.7 | – | 4.0 | | | | |
| China, Shanghai City | 7556 | 84.3 | 0.3 | 16.8 | | | | |
| China, Shangyu District, Shaoxing City | 351 | 78.1 | 0.6 | 9.1 | | | | |
| *China, Shapingba District, Chongqing City | 362 | 68.0 | 0.3 | 10.3 | | | | |
| China, Shexian County | 15 | 26.7 | – | 1.2 | | | | |
| China, Sheyang County | 186 | 48.9 | – | 3.9 | | | | |
| *China, Shijiazhuang City | 302 | 85.8 | 2.3 | 5.0 | | | | |
| China, Shunde District, Foshan City | 348 | 48.9 | – | 10.1 | | | | |
| *China, Song County | 41 | 48.8 | 2.4 | 2.4 | | | | |
| China, Suzhou City | 2106 | 73.6 | 1.8 | 11.2 | | | | |
| *China, Tengzhou City | 304 | 89.5 | 1.6 | 5.3 | | | | |
| *China, Wangdu County | 12 | 66.7 | – | 2.0 | | | | |
| *China, Wanzai County | 28 | 67.9 | 3.6 | 2.5 | | | | |
| *China, Wu'an City | 37 | 21.6 | 5.4 | 1.8 | | | | |
| China, Wuhan City | 2112 | 86.6 | 0.0 | 8.6 | | | | |
| *China, Wuhu City | 457 | 58.4 | – | 7.1 | | | | |
| China, Wuxi City | 1540 | 80.1 | 0.1 | 10.6 | | | | |
| China, Wuzhou City | 161 | 52.2 | – | 8.0 | | | | |
| China, Xiangfu District, Kaifeng City | 56 | 71.4 | – | 2.7 | | | | |
| China, Xianju County | 198 | 74.2 | 3.5 | 8.7 | | | | |
| *China, Xin'an County | 55 | 74.5 | – | 4.6 | | | | |
| *China, Xining City | 234 | 76.5 | 1.3 | 11.2 | | | | |
| *China, Xinji City | 55 | 63.6 | 5.5 | 2.0 | | | | |
| *China, Xinluo District, Longyan City | 130 | 32.3 | – | 9.2 | | | | |
| *China, Xinzhou District, Shangrao City | 89 | 55.1 | 4.5 | 6.5 | | | | |
| China, Xiping County | 87 | 43.7 | 5.7 | 3.7 | | | | |
| *China, Xishan District, Kunming City | 143 | 74.8 | – | 6.0 | | | | |
| *China, Xuyi County | 109 | 71.6 | – | 4.0 | | | | |
| *China, Ya'an City | 350 | 70.0 | 0.9 | 6.2 | | | | |
| *China, Yakeshi City | 77 | 68.8 | 3.9 | 4.8 | | | | |
| China, Yancheng City | 308 | 70.1 | 1.0 | 4.8 | | | | |
| *China, Yangquan City | 119 | 88.2 | 4.2 | 6.5 | | | | |
| *China, Yangzhong City | 56 | 21.4 | – | 3.6 | | | | |
| *China, Yanji City | 85 | 50.6 | 4.7 | 4.7 | | | | |
| *China, Yanshi City | 102 | 53.9 | 2.0 | 3.9 | | | | |
| China, Yanting County | 14 | 78.6 | – | 0.9 | | | | |
| *China, Yi'an District, Tongling City | 40 | 47.5 | 2.5 | 3.9 | | | | |
| *China, Yingdong District, Fuyang City | 81 | 39.5 | 1.2 | 3.1 | | | | |

* Important. See note on population page.

Indices of data quality Prostate (C61) (contd)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 166 | 93.4 | – | 16.4 | | | | |
| *China, Yiyuan County | 92 | 58.7 | – | 4.2 | | | | |
| China, Yong'an City | 94 | 56.4 | – | 6.0 | | | | |
| *China, Yongding District, Longyan City | 108 | 61.1 | – | 6.2 | | | | |
| China, Yongkang City | 296 | 91.6 | 3.0 | 10.8 | | | | |
| *China, Yucheng County | 55 | 50.9 | – | 2.6 | | | | |
| China, Yueyanglou District, Yueyang City | 60 | 90.0 | 10.0 | 5.5 | | | | |
| China, Yunmeng County | 66 | 59.1 | 3.0 | 5.1 | | | | |
| *China, Yunyang District, Shiyan City | 17 | 35.3 | 11.8 | 1.5 | | | | |
| China, Yuzhong District, Chongqing City | 337 | 59.6 | 1.5 | 13.6 | | | | |
| *China, Zanzhuang County | 13 | 46.2 | – | 1.5 | | | | |
| *China, Zhangjiagang City | 504 | 69.6 | 0.2 | 9.4 | | | | |
| *China, Zhaoyuan City | 205 | 45.9 | – | 6.6 | | | | |
| *China, Zhengding County | 43 | 76.7 | – | 3.2 | | | | |
| *China, Zhongshan City | 560 | 76.6 | – | 10.2 | | | | |
| China, Zhongxiang City | 141 | 59.6 | 0.7 | 4.3 | | | | |
| *China, Zhuanghe City | 208 | 83.7 | – | 3.8 | | | | |
| *China, Zhuhai City | 351 | 65.8 | 1.7 | 10.0 | | | | |
| India, Ahmedabad, Urban | 429 | 97.4 | 0.2 | 4.2 | | | | |
| India, Aurangabad | 71 | 98.6 | 1.4 | 3.0 | | | | |
| India, Bangalore | 946 | 92.7 | 5.3 | 9.3 | | | | |
| India, Barshi, Paranda, and Bhum | 49 | 89.8 | – | 2.9 | | | | |
| *India, Bhopal | 121 | 97.5 | – | 5.1 | | | | |
| India, Chandigarh | 204 | 98.0 | 0.5 | 10.3 | | | | |
| *India, Chennai | 981 | 75.2 | 4.9 | 8.5 | | | | |
| India, Dibrugarh | 53 | 62.3 | 22.6 | 2.2 | | | | |
| *India, Dindigul, Ambilikka | 104 | 70.2 | 1.9 | 1.7 | | | | |
| India, Kamrup Urban District | 222 | 87.8 | 5.0 | 11.0 | | | | |
| India, Kollam | 477 | 83.2 | – | 7.5 | | | | |
| *India, Manipur | 52 | 88.5 | – | 1.2 | | | | |
| India, Meghalaya | 33 | 84.8 | 12.1 | 1.5 | | | | |
| India, Mizoram | 63 | 96.8 | 1.6 | 4.0 | | | | |
| India, Mumbai | 2958 | 82.5 | 12.1 | 10.2 | | | | |
| *India, New Delhi | 2155 | 84.4 | 1.8 | 12.2 | | | | |
| India, Poona | 952 | 85.5 | 8.6 | 8.6 | | | | |
| *India, Sangrur District | 143 | 76.9 | 2.1 | 5.1 | | | | |
| India, SAS Nagar | 203 | 97.5 | – | 8.1 | | | | |
| *India, Tamil Nadu | 5331 | 82.1 | 1.3 | 2.8 | | | | |
| *India, Tripura | 76 | 89.5 | – | 1.2 | | | | |
| India, Trivandrum | 790 | 91.6 | – | 9.8 | | | | |
| India, Wardha | 110 | 86.4 | 6.4 | 2.7 | | | | |
| India, West Arunachal | 10 | 70.0 | – | 1.4 | | | | |
| *Iran (Islamic Republic of), Ardabil Province | 250 | 66.0 | 16.0 | 12.9 | | | | |
| *Iran (Islamic Republic of), Golestan Province | 337 | 78.0 | 6.2 | 16.0 | | | | |
| Israel | 10956 | 96.8 | 1.4 | 41.7 | | | | |
| *Israel: Jews | 9711 | 96.8 | 1.4 | 42.9 | | | | |
| *Israel: Arabs | 638 | 96.7 | 0.8 | 24.4 | | | | |
| Japan | 227949 | 88.9 | 4.0 | 40.8 | | | | |
| Japan, Aichi Prefecture | 12364 | 92.8 | 1.9 | 41.4 | | | | |
| *Japan, Akita Prefecture | 2075 | 91.9 | 0.2 | 39.7 | | | | |
| Japan, Aomori Prefecture | 4521 | 87.1 | 1.3 | 42.9 | | | | |
| Japan, Gunma Prefecture | 4201 | 91.8 | 1.4 | 46.6 | | | | |
| Japan, Hiroshima Prefecture | 7906 | 92.5 | 1.0 | 45.6 | | | | |
| Japan, Miyagi Prefecture | 6654 | 86.4 | 2.6 | 39.9 | | | | |
| Japan, Osaka Prefecture | 15607 | 92.4 | 2.7 | 40.5 | | | | |
| Kuwait | 604 | 96.7 | 1.2 | 14.9 | | | | |
| *Kuwait: Kuwaitis | 303 | 94.7 | 2.0 | 19.5 | | | | |
| *Kuwait: Non-Kuwaitis | 301 | 98.7 | 0.3 | 12.8 | | | | |
| *Philippines, Manila | 1867 | 71.2 | 7.4 | 23.6 | | | | |
| *Qatar: Qatari | 88 | 95.5 | – | 25.5 | | | | |
| Republic of Korea | 55137 | 97.0 | 0.4 | 27.4 | | | | |
| *Republic of Korea, Busan | 4012 | 95.4 | 0.6 | 26.1 | | | | |
| *Republic of Korea, Daegu | 2542 | 98.7 | 0.2 | 27.0 | | | | |
| *Republic of Korea, Daejeon | 1360 | 96.0 | 0.1 | 26.8 | | | | |
| *Republic of Korea, Gwangju | 1345 | 96.4 | 0.5 | 27.4 | | | | |
| Republic of Korea, Incheon | 2311 | 96.8 | 0.2 | 22.9 | | | | |
| Republic of Korea, Jeju | 763 | 97.9 | 0.1 | 31.4 | | | | |
| Republic of Korea, Seoul | 11555 | 98.2 | 0.2 | 30.2 | | | | |
| Republic of Korea, Ulsan | 797 | 96.2 | 1.0 | 23.3 | | | | |
| Singapore | 4908 | 94.8 | 0.1 | 32.3 | | | | |
| Singapore: Chinese | 4229 | 95.0 | 0.1 | 33.8 | | | | |
| Singapore: Indian | 205 | 93.7 | – | 20.6 | | | | |

* Important. See note on population page.

Indices of data quality Prostate (C61) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 323 | 92.9 | – | 22.6 | | | | |
| Thailand, Bangkok | 2146 | 86.5 | 1.0 | 13.7 | | | | |
| *Thailand, Chiang Mai | 495 | 82.0 | 0.6 | 8.2 | | | | |
| *Thailand, Khon Kaen | 324 | 84.9 | 0.6 | 5.1 | | | | |
| Thailand, Lampang | 276 | 89.5 | – | 8.4 | | | | |
| Thailand, Lopburi Province | 342 | 89.5 | 1.8 | 14.8 | | | | |
| *Thailand, Songkhla | 443 | 87.4 | 0.9 | 10.0 | | | | |
| Turkey, Antalya | 2016 | 98.8 | 0.7 | 34.4 | | | | |
| Turkey, Bursa | 2163 | 96.7 | 2.1 | 28.0 | | | | |
| *Turkey, Edirne | 485 | 94.0 | 1.9 | 29.7 | | | | |
| *Turkey, Erzurum | 645 | 85.9 | 6.4 | 34.6 | | | | |
| Turkey, Eskişehir | 869 | 98.8 | 0.2 | 32.0 | | | | |
| Turkey, Gaziantep | 767 | 92.8 | 2.7 | 25.2 | | | | |
| *Turkey, Izmir | 4991 | 95.9 | 1.8 | 37.9 | | | | |
| Turkey, Malatya | 638 | 89.2 | 9.1 | 28.0 | | | | |
| Turkey, Samsun | 1611 | 97.5 | 1.1 | 38.5 | | | | |
| Turkey, Trabzon | 1065 | 90.0 | 3.2 | 41.6 | | | | |
| Europe | | | | | | | | |
| Austria | 25617 | 91.4 | 3.5 | 61.4 | | | | |
| Austria, Carinthia | 2393 | 97.5 | 0.6 | 80.3 | | | | |
| Austria, Tyrol | 2650 | 98.9 | 0.2 | 79.6 | | | | |
| Austria, Vorarlberg | 1081 | 98.1 | 1.0 | 63.4 | | | | |
| Belarus | 20486 | 99.3 | 0.0 | 63.9 | | | | |
| *Belgium | 43088 | 98.8 | – | 78.3 | | | | |
| Croatia | 11372 | 85.4 | 4.4 | 53.7 | | | | |
| Cyprus | 2465 | 94.3 | 4.3 | 63.4 | | | | |
| *Czech Republic | 36292 | 97.6 | 0.3 | 71.8 | | | | |
| Denmark | 22740 | 97.7 | 0.2 | 76.4 | | | | |
| Estonia | 5684 | 96.6 | 1.0 | 104.8 | | | | |
| Finland | 25492 | 98.8 | 0.3 | 82.5 | | | | |
| *France, Bas-Rhin | 3366 | 98.9 | – | 83.5 | | | | |
| *France, Calvados | 2855 | 96.9 | – | 83.2 | | | | |
| *France, Doubs | 2163 | 98.7 | – | 85.3 | | | | |
| *France, Gironde | 5907 | 98.2 | – | 81.3 | | | | |
| *France, Haut-Rhin | 3352 | 98.8 | – | 88.9 | | | | |
| *France, Hérault | 4757 | 97.7 | – | 84.0 | | | | |
| *France, Isère | 4416 | 98.6 | – | 78.5 | | | | |
| *France, Lille-Métropole | 2328 | 98.4 | – | 82.7 | | | | |
| *France, Limousin | 1986 | 98.5 | – | 94.0 | | | | |
| *France, Loire-Atlantique | 5450 | 98.1 | – | 92.6 | | | | |
| *France, Manche | 2263 | 97.1 | – | 78.0 | | | | |
| *France, Poitou-Charentes | 8710 | 98.5 | – | 82.5 | | | | |
| *France, Somme | 2133 | 98.2 | – | 78.2 | | | | |
| *France, Tarn | 1757 | 96.8 | – | 77.2 | | | | |
| *France, Territoire de Belfort | 420 | 98.6 | – | 80.6 | | | | |
| *France, Vendée | 3219 | 97.9 | – | 86.1 | | | | |
| Germany, Baden-Württemberg | 24542 | 82.5 | 5.1 | 66.7 | | | | |
| Germany, Bavaria | 42343 | 92.0 | 5.9 | 60.0 | | | | |
| Germany, Bremen | 2433 | 89.5 | 8.1 | 63.1 | | | | |
| Germany, Hamburg | 5601 | 86.5 | 2.7 | 62.9 | | | | |
| Germany, Lower Saxony | 33323 | 91.4 | 5.2 | 69.2 | | | | |
| Germany, North Rhine-Westphalia | 65630 | 89.2 | 6.3 | 65.0 | | | | |
| Germany, Rhineland-Palatinate | 15778 | 86.9 | 7.2 | 66.7 | | | | |
| Germany, Saarland | 3882 | 90.6 | 3.8 | 60.9 | | | | |
| Germany, Schleswig-Holstein | 12094 | 88.7 | 1.9 | 67.9 | | | | |
| Iceland | 1065 | 95.0 | 0.1 | 75.6 | | | | |
| Ireland | 17253 | 94.8 | 0.3 | 99.1 | | | | |
| *Italy, Aosta Valley | 442 | 86.0 | 0.7 | 75.4 | | | | |
| *Italy, Avellino | 668 | 89.5 | 1.5 | 47.4 | | | | |
| Italy, Basilicata | 1436 | 88.4 | 0.8 | 43.6 | | | | |
| *Italy, Benevento | 654 | 95.7 | 0.6 | 49.5 | | | | |
| Italy, Bergamo | 3471 | 97.7 | 0.5 | 61.1 | | | | |
| *Italy, Brescia | 3186 | 89.9 | 1.0 | 53.5 | | | | |
| Italy, Brianza (Lecco and Monza e Brianza) | 2269 | 96.8 | 0.5 | 58.7 | | | | |
| Italy, Calabria | 1160 | 83.4 | 1.2 | 39.1 | | | | |
| *Italy, Caserta | 1332 | 91.3 | 3.0 | 39.6 | | | | |
| *Italy, Catania, Messina, and Enna | 4596 | 94.0 | 1.7 | 45.7 | | | | |
| Italy, Emilia-Romagna | 11756 | 92.8 | 0.6 | 57.7 | | | | |
| Italy, Friuli-Venezia Giulia | 4790 | 98.2 | 0.1 | 62.4 | | | | |
| Italy, Genova | 2131 | 88.3 | 0.9 | 47.5 | | | | |
| *Italy, Lombardy, South, Pavia | 1614 | 83.5 | 0.1 | 50.1 | | | | |
| Italy, Mantova and Cremona | 1855 | 87.7 | 0.1 | 54.8 | | | | |

* Important. See note on population page.

Indices of data quality Prostate (C61) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 4451 | 94.3 | 1.2 | 62.2 | | | | |
| Italy, Milan | 10394 | 94.4 | 0.3 | 56.2 | | | | |
| Italy, Molise | 562 | 86.8 | 1.1 | 48.7 | | | | |
| *Italy, Naples Centre | 1327 | 93.3 | 0.4 | 47.1 | | | | |
| *Italy, Naples North | 1340 | 96.9 | 1.0 | 40.3 | | | | |
| *Italy, Naples South | 2349 | 94.8 | 0.7 | 46.3 | | | | |
| *Italy, Nuoro | 323 | 82.4 | 4.6 | 41.5 | | | | |
| *Italy, Palermo | 2730 | 85.2 | 4.3 | 41.4 | | | | |
| Italy, Puglia | 10896 | 91.7 | 1.4 | 49.3 | | | | |
| *Italy, Ragusa and Caltanissetta | 1204 | 88.5 | 2.1 | 38.0 | | | | |
| *Italy, Salerno | 1999 | 92.5 | 1.3 | 42.0 | | | | |
| Italy, Sassari | 522 | 91.2 | 1.9 | 45.0 | | | | |
| *Italy, Sondrio | 817 | 90.5 | 1.7 | 69.8 | | | | |
| Italy, South Tyrol | 1808 | 97.7 | 0.9 | 69.9 | | | | |
| *Italy, Syracuse | 968 | 90.3 | 1.7 | 42.4 | | | | |
| Italy, Trento | 1881 | 92.1 | – | 66.1 | | | | |
| Italy, Turin | 7821 | 86.9 | 1.6 | 56.7 | | | | |
| *Italy, Tuscany | 6864 | 90.4 | 1.3 | 54.6 | | | | |
| Italy, Umbria | 2790 | 92.3 | 0.6 | 64.8 | | | | |
| Italy, Varese | 1385 | 98.0 | 0.1 | 49.1 | | | | |
| Italy, Veneto | 17271 | 95.6 | 0.7 | 65.3 | | | | |
| Latvia | 5969 | 87.3 | 2.4 | 72.6 | | | | |
| *Liechtenstein | 93 | 93.5 | – | 50.2 | | | | |
| *Lithuania | 14513 | 94.3 | 3.8 | 128.6 | | | | |
| Malta | 1117 | 91.4 | 1.5 | 47.2 | | | | |
| *The Netherlands | 55805 | 96.8 | – | 63.9 | | | | |
| Norway | 25468 | 95.2 | 1.1 | 106.9 | | | | |
| Poland, Kielce | 2950 | 97.4 | – | 50.4 | | | | |
| *Portugal, Azores | 426 | 96.7 | 2.1 | 59.6 | | | | |
| Russian Federation, Arkhangelsk | 1762 | 94.2 | 4.2 | 47.7 | | | | |
| Russian Federation, Kaliningrad | 1078 | 91.0 | 1.0 | 35.6 | | | | |
| Russian Federation, Karelia | 743 | 92.9 | 1.5 | 37.4 | | | | |
| *Russian Federation, Komi Republic | 935 | 91.6 | 3.2 | 43.5 | | | | |
| Russian Federation, Murmansk | 1173 | 95.4 | 3.8 | 63.9 | | | | |
| *Russian Federation, Orenburg | 2485 | 97.4 | 0.5 | 38.7 | | | | |
| Russian Federation, Pskov | 855 | 89.7 | 3.2 | 35.9 | | | | |
| *Russian Federation, Samara | 6396 | 99.2 | 0.8 | 57.6 | | | | |
| Russian Federation, Vologda Region | 1081 | 96.2 | 1.3 | 28.3 | | | | |
| Slovenia | 8171 | 96.1 | 0.3 | 79.5 | | | | |
| Spain, Asturias | 2199 | 93.6 | 0.3 | 61.9 | | | | |
| Spain, Basque Country | 6532 | 94.2 | 0.2 | 73.5 | | | | |
| Spain, Canary Islands | 3943 | 96.6 | 0.1 | 69.3 | | | | |
| Spain, Castellón | 1878 | 97.2 | 0.2 | 68.2 | | | | |
| Spain, Girona | 2087 | 94.5 | 0.5 | 58.1 | | | | |
| Spain, Granada | 2161 | 92.6 | 0.4 | 52.9 | | | | |
| Spain, La Rioja | 1111 | 91.1 | 0.7 | 69.8 | | | | |
| Spain, Murcia | 4008 | 95.6 | 0.5 | 68.3 | | | | |
| Spain, Navarra | 1835 | 93.2 | 0.1 | 76.2 | | | | |
| Spain, Salamanca | 1632 | 94.1 | 0.2 | 77.2 | | | | |
| Spain, Tarragona | 2100 | 94.2 | 0.8 | 54.0 | | | | |
| *Sweden | 52565 | 98.9 | – | 102.9 | | | | |
| Switzerland, Aargau | 2635 | 96.3 | 2.7 | 83.5 | | | | |
| Switzerland, Basel | 1934 | 94.9 | 3.6 | 77.0 | | | | |
| Switzerland, Berne Solothurn | 3772 | 93.7 | 2.2 | 84.0 | | | | |
| Switzerland, East | 3373 | 96.0 | 0.4 | 81.9 | | | | |
| *Switzerland, Fribourg | 1117 | 98.7 | – | 83.6 | | | | |
| Switzerland, Geneva | 1692 | 94.3 | 0.7 | 82.5 | | | | |
| *Switzerland, Graubünden and Glarus | 1039 | 94.9 | 0.3 | 79.6 | | | | |
| *Switzerland, Lucerne | 1889 | 89.7 | 2.7 | 75.6 | | | | |
| *Switzerland, Neuchâtel and Jura | 816 | 92.9 | 0.7 | 65.7 | | | | |
| Switzerland, Ticino | 1205 | 92.3 | 0.3 | 61.3 | | | | |
| Switzerland, Valais | 1490 | 97.3 | 0.1 | 86.6 | | | | |
| Switzerland, Vaud | 2642 | 95.1 | 1.8 | 80.1 | | | | |
| Switzerland, Zurich and Zug | 5623 | 94.5 | 0.8 | 77.2 | | | | |
| Ukraine | 35911 | 91.2 | 0.2 | 27.2 | | | | |
| UK, England | 208799 | 84.4 | 0.7 | 75.8 | | | | |
| UK, Northern Ireland | 5710 | 85.5 | 0.2 | 68.1 | | | | |
| UK, Scotland | 17602 | 81.9 | 0.1 | 63.4 | | | | |
| UK, Wales | 13549 | 85.1 | 0.7 | 76.8 | | | | |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 34362 | 96.7 | 0.8 | 99.5 | | | | |
| *Australia, Northern Territory | 446 | 100.0 | – | 65.1 | | | | |

* Important. See note on population page.

Indices of data quality Prostate (C61) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 431 | 100.0 | – | 73.1 | | | | |
| *Australia, Northern Territory: Indigenous | 12 | 100.0 | – | 12.8 | | | | |
| *Australia, Queensland | 20578 | 93.9 | 0.6 | 102.6 | | | | |
| Australia, South Australia | 7446 | 97.4 | 0.5 | 90.7 | | | | |
| Australia, Tasmania | 2515 | 94.9 | 0.8 | 94.0 | | | | |
| *Australia, Victoria | 22668 | 95.9 | 1.5 | 90.9 | | | | |
| *Australia, Western Australia | 10102 | 96.7 | 0.7 | 101.5 | | | | |
| *France, New Caledonia | 552 | 98.4 | – | 69.5 | | | | |
| New Zealand | 16837 | 92.4 | 3.0 | 88.1 | | | | |
| *New Zealand: Maori | 1309 | 89.8 | 3.9 | 89.5 | | | | |
| *New Zealand: Pacific peoples | 513 | 89.5 | 3.1 | 86.2 | | | | |
| *New Zealand: Other | 14525 | 92.6 | 2.9 | 93.2 | | | | |
| USA, Hawaii | 3873 | 96.0 | 0.6 | 58.1 | | | | |
| USA, Hawaii: White | 1276 | 95.3 | 0.5 | 58.0 | | | | |
| *USA, Hawaii: Japanese | 908 | 95.6 | 1.0 | 55.0 | | | | |
| *USA, Hawaii: Chinese | 229 | 98.3 | – | 49.1 | | | | |
| *USA, Hawaii: Hawaiian | 438 | 95.7 | 1.1 | 48.2 | | | | |
| *USA, Hawaii: Filipino | 598 | 96.8 | 0.2 | 59.1 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 12 | 100.0 | – | 0.6 | | | | |
| *Algeria, Tizi Ouzou | 19 | 100.0 | – | 1.0 | | | | |
| *Benin, Cotonou | 3 | 0.0 | – | 0.5 | | | | |
| *France, La Réunion | 46 | 100.0 | – | 2.8 | | | | |
| *Kenya, Eldoret | 1 | 100.0 | – | 0.0 | | | | |
| *Kenya, Nairobi | 17 | 94.1 | – | 0.2 | | | | |
| Mauritius | 78 | 97.4 | – | 2.5 | | | | |
| *Morocco, Casablanca | 67 | 98.5 | – | 0.6 | | | | |
| *Seychelles | 2 | 0.0 | 100.0 | 0.8 | | | | |
| *South Africa, Eastern Cape | 2 | 50.0 | – | 0.1 | | | | |
| *Uganda, Kyadondo County | 14 | 78.6 | – | 0.4 | | | | |
| *Uganda, Gulu | 2 | 50.0 | – | 0.5 | | | | |
| *Zimbabwe, Bulawayo: African | 6 | 83.3 | – | 0.5 | | | | |
| *Zimbabwe, Harare: African | 8 | 62.5 | 12.5 | 0.2 | | | | |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 128 | 97.7 | 2.3 | 6.3 | | | | |
| *Argentina, Mendoza | 358 | 97.5 | 1.1 | 7.7 | | | | |
| Brazil, Aracaju | 20 | 100.0 | – | 1.4 | | | | |
| *Brazil, Barretos | 17 | 100.0 | – | 1.4 | | | | |
| Brazil, Belo Horizonte | 166 | 96.4 | 3.6 | 2.4 | | | | |
| *Brazil, Campinas | 106 | 100.0 | – | 3.9 | | | | |
| *Brazil, Curitiba | 152 | 92.8 | 2.0 | 3.6 | | | | |
| Brazil, Goiânia | 56 | 100.0 | – | 1.7 | | | | |
| *Brazil, Jaú | 22 | 100.0 | – | 5.2 | | | | |
| Brazil, João Pessoa | 14 | 100.0 | – | 1.2 | | | | |
| Brazil, Recife | 19 | 73.7 | – | 0.7 | | | | |
| Chile, Region of Antofagasta | 90 | 96.7 | – | 8.2 | | | | |
| Chile, Valdivia | 157 | 97.5 | 1.3 | 15.5 | | | | |
| Colombia, Bucaramanga | 117 | 96.6 | – | 3.8 | | | | |
| Colombia, Cali | 205 | 96.1 | – | 3.3 | | | | |
| Colombia, Manizales | 57 | 84.2 | – | 5.0 | | | | |
| Colombia, Pasto | 70 | 98.6 | – | 6.7 | | | | |
| Costa Rica | 441 | 75.3 | 0.2 | 3.9 | | | | |
| Ecuador, Guayaquil | 143 | 94.4 | 1.4 | 2.1 | | | | |
| Ecuador, Manabí | 64 | 92.2 | 3.1 | 1.7 | | | | |
| Ecuador, Quito | 280 | 95.0 | 0.4 | 5.6 | | | | |
| *France, Guadeloupe | 17 | 94.1 | – | 2.0 | | | | |
| *France, Martinique | 17 | 100.0 | – | 2.6 | | | | |
| *Peru, Lima | 606 | 93.2 | 0.7 | 3.8 | | | | |
| *Trinidad and Tobago | 18 | 83.3 | 16.7 | 0.8 | | | | |
| USA, Puerto Rico | 403 | 99.5 | 0.2 | 4.9 | | | | |
| *Uruguay | 663 | 97.6 | 1.1 | 7.4 | | | | |
| North America | | | | | | | | |
| Canada, Alberta | 728 | 99.7 | – | 6.1 | | | | |
| Canada, British Columbia | 729 | 98.9 | 0.3 | 5.7 | | | | |
| *Canada, Manitoba | 195 | 99.5 | – | 5.6 | | | | |
| *Canada, New Brunswick | 104 | 100.0 | – | 5.7 | | | | |
| *Canada, Newfoundland and Labrador | 53 | 96.2 | – | 4.2 | | | | |
| Canada, Ontario | 2070 | 97.2 | 0.1 | 5.8 | | | | |
| *Canada, Prince Edward Island | 11 | 100.0 | – | 3.2 | | | | |
| Canada, Quebec | 1203 | 98.3 | 0.4 | 5.6 | | | | |
| Canada, Saskatchewan | 165 | 100.0 | – | 5.4 | | | | |
| *Canada, Yukon | 13 | 100.0 | – | 13.2 | | | | |
| USA | 43726 | 99.0 | 0.5 | 5.3 | | | | |
| USA: White | 39962 | 99.1 | 0.5 | 6.3 | | | | |
| USA: Black | 1564 | 98.5 | 0.5 | 1.3 | | | | |
| USA, NPCR | 42141 | 99.0 | 0.5 | 5.3 | | | | |
| USA, NPCR: White | 38631 | 99.1 | 0.5 | 6.3 | | | | |
| USA, NPCR: Black | 1538 | 98.5 | 0.5 | 1.3 | | | | |
| USA, NPCR: Asian and Pacific Islander | 976 | 99.3 | 0.3 | 1.9 | | | | |
| USA, NPCR: American Indian | 330 | 98.8 | 0.3 | 2.8 | | | | |
| *USA, SEER (18 registries) | 12865 | 99.1 | 0.1 | 5.5 | | | | |
| *USA, SEER (18 registries): White | 11283 | 99.2 | 0.1 | 6.6 | | | | |
| *USA, SEER (18 registries): Non-Hispanic White | 8117 | 99.2 | 0.2 | 6.8 | | | | |
| *USA, SEER (18 registries): Hispanic White | 3166 | 99.2 | 0.0 | 5.9 | | | | |
| *USA, SEER (18 registries): Black | 422 | 99.5 | – | 1.4 | | | | |
| *USA, SEER (18 registries): Asian and Pacific Islander | 613 | 99.2 | – | 2.3 | | | | |
| *USA, SEER (9 registries) | 4525 | 99.3 | 0.1 | 5.7 | | | | |
| *USA, SEER (9 registries): White | 3912 | 99.4 | 0.1 | 6.8 | | | | |
| *USA, SEER (9 registries): Black | 150 | 99.3 | – | 1.5 | | | | |
| USA, Alabama | 476 | 96.8 | 2.5 | 4.0 | | | | |
| USA, Alabama: White | 419 | 97.6 | 2.1 | 5.0 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 40 | 90.0 | 7.5 | 1.2 | | | | |
| USA, Alaska | 126 | 99.2 | – | 5.7 | | | | |
| *USA, Alaska: Alaska Natives | 19 | 100.0 | – | 5.5 | | | | |
| USA, Arizona | 865 | 98.2 | 0.7 | 5.0 | | | | |
| USA, Arizona: White | 794 | 98.2 | 0.8 | 5.5 | | | | |
| USA, Arizona: Black | 9 | 88.9 | – | 0.8 | | | | |
| *USA, Arizona: Asian and Pacific Islander | 10 | 90.0 | – | 1.2 | | | | |
| USA, Arizona: American Indian | 43 | 100.0 | – | 4.0 | | | | |
| USA, Arkansas | 354 | 98.9 | 0.6 | 4.7 | | | | |
| USA, Arkansas: White | 333 | 98.8 | 0.6 | 5.6 | | | | |
| USA, Arkansas: Black | 14 | 100.0 | – | 1.2 | | | | |
| USA, California | 6081 | 98.9 | 0.5 | 5.8 | | | | |
| USA, California: White | 5385 | 99.1 | 0.4 | 7.0 | | | | |
| USA, California: Black | 109 | 99.1 | – | 1.4 | | | | |
| USA, California: Asian and Pacific Islander | 362 | 99.2 | 0.3 | 2.2 | | | | |
| *USA, California, Los Angeles County | 1538 | 99.2 | – | 5.6 | | | | |
| *USA, California, Los Angeles County: White | 1346 | 99.3 | – | 6.7 | | | | |
| *USA, California, Los Angeles County: Non-Hispanic White | 570 | 99.5 | – | 7.2 | | | | |
| *USA, California, Los Angeles County: Hispanic White | 776 | 99.1 | – | 6.2 | | | | |
| *USA, California, Los Angeles County: Black | 30 | 100.0 | – | 1.2 | | | | |
| *USA, California, Los Angeles County: Chinese | 14 | 100.0 | – | 1.1 | | | | |
| *USA, California, Los Angeles County: Filipino | 8 | 100.0 | – | 0.9 | | | | |
| *USA, California, Los Angeles County: Korean | 7 | 100.0 | – | 1.3 | | | | |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 88 | 97.7 | – | 2.1 | | | | |
| *USA, California, San Francisco Bay Area | 710 | 99.2 | – | 5.6 | | | | |
| *USA, California, San Francisco Bay Area: White | 592 | 99.2 | – | 7.5 | | | | |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 428 | 98.8 | – | 8.0 | | | | |
| *USA, California, San Francisco Bay Area: Hispanic White | 164 | 100.0 | – | 6.3 | | | | |
| *USA, California, San Francisco Bay Area: Black | 15 | 100.0 | – | 1.3 | | | | |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 81 | 100.0 | – | 2.4 | | | | |
| USA, Colorado | 791 | 99.2 | 0.3 | 5.3 | | | | |
| USA, Colorado: White | 739 | 99.2 | 0.3 | 5.6 | | | | |
| *USA, Colorado: Black | 8 | 100.0 | – | 0.9 | | | | |
| *USA, Colorado: Asian and Pacific Islander | 10 | 100.0 | – | 1.6 | | | | |
| USA, Connecticut | 535 | 99.8 | 0.2 | 5.9 | | | | |
| USA, Connecticut: White | 495 | 99.8 | 0.2 | 6.9 | | | | |
| USA, Connecticut: Black | 13 | 100.0 | – | 1.1 | | | | |
| USA, District of Columbia | 102 | 98.0 | 1.0 | 4.8 | | | | |
| USA, District of Columbia: White | 79 | 100.0 | – | 7.0 | | | | |
| USA, District of Columbia: Black | 17 | 88.2 | 5.9 | 1.9 | | | | |
| USA, Florida | 2234 | 97.8 | 1.8 | 4.5 | | | | |
| USA, Florida: White | 2022 | 98.9 | 0.7 | 5.3 | | | | |
| USA, Florida: Black | 105 | 98.1 | 1.0 | 1.1 | | | | |
| USA, Florida: Asian and Pacific Islander | 25 | 96.0 | 4.0 | 1.5 | | | | |
| USA, Georgia | 1048 | 98.8 | 0.5 | 4.0 | | | | |
| USA, Georgia: White | 905 | 98.8 | 0.6 | 5.6 | | | | |
| USA, Georgia: Black | 117 | 99.1 | – | 1.4 | | | | |
| USA, Georgia: Asian and Pacific Islander | 17 | 94.1 | – | 1.4 | | | | |
| *USA, Georgia, Atlanta | 358 | 98.9 | – | 3.7 | | | | |
| *USA, Georgia, Atlanta: White | 288 | 99.3 | – | 5.9 | | | | |
| *USA, Georgia, Atlanta: Black | 57 | 98.2 | – | 1.5 | | | | |
| USA, Idaho | 265 | 99.6 | – | 6.4 | | | | |
| USA, Indiana | 936 | 99.5 | 0.1 | 5.6 | | | | |
| USA, Indiana: White | 891 | 99.7 | 0.1 | 6.2 | | | | |
| USA, Indiana: Black | 20 | 90.0 | – | 1.2 | | | | |
| *USA, Iowa | 517 | 99.0 | 0.2 | 6.7 | | | | |
| USA, Kentucky | 595 | 99.2 | 0.7 | 5.3 | | | | |
| USA, Louisiana | 510 | 99.8 | – | 4.2 | | | | |
| USA, Louisiana: White | 449 | 99.8 | – | 5.8 | | | | |
| USA, Louisiana: Black | 55 | 100.0 | – | 1.4 | | | | |
| *USA, Louisiana, New Orleans | 97 | 100.0 | – | 4.2 | | | | |
| *USA, Louisiana, New Orleans: White | 85 | 100.0 | – | 6.8 | | | | |
| *USA, Louisiana, New Orleans: Black | 7 | 100.0 | – | 0.8 | | | | |
| USA, Maine | 207 | 99.0 | 0.5 | 6.5 | | | | |
| USA, Maryland | 639 | 98.6 | 1.3 | 4.2 | | | | |
| USA, Maryland: White | 557 | 98.4 | 1.4 | 6.0 | | | | |
| USA, Maryland: Black | 62 | 100.0 | – | 1.3 | | | | |
| USA, Maryland: Asian and Pacific Islander | 14 | 100.0 | – | 1.4 | | | | |
| USA, Massachusetts | 971 | 99.9 | 0.1 | 5.5 | | | | |
| USA, Massachusetts: White | 902 | 99.9 | 0.1 | 6.2 | | | | |
| USA, Massachusetts: Black | 19 | 100.0 | – | 1.2 | | | | |
| USA, Massachusetts: Asian and Pacific Islander | 18 | 100.0 | – | 1.4 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 1360 | 99.2 | 0.4 | 5.5 | | | | |
| USA, Michigan: White | 1266 | 99.1 | 0.4 | 6.4 | | | | |
| USA, Michigan: Black | 53 | 100.0 | – | 1.4 | | | | |
| USA, Michigan: Asian and Pacific Islander | 19 | 100.0 | – | 1.9 | | | | |
| *USA, Michigan, Detroit | 494 | 99.4 | – | 5.1 | | | | |
| *USA, Michigan, Detroit: White | 440 | 99.3 | – | 6.6 | | | | |
| *USA, Michigan, Detroit: Black | 39 | 100.0 | – | 1.7 | | | | |
| USA, Minnesota | 907 | 99.7 | 0.1 | 6.4 | | | | |
| USA, Minnesota: White | 852 | 99.6 | 0.1 | 7.1 | | | | |
| USA, Minnesota: Black | 12 | 100.0 | – | 1.1 | | | | |
| *USA, Minnesota: Asian and Pacific Islander | 17 | 100.0 | – | 2.2 | | | | |
| USA, Mississippi | 271 | 99.3 | – | 3.6 | | | | |
| USA, Missouri | 771 | 99.2 | 0.4 | 5.1 | | | | |
| USA, Missouri: White | 733 | 99.2 | 0.4 | 5.8 | | | | |
| USA, Missouri: Black | 29 | 100.0 | – | 1.5 | | | | |
| USA, Montana | 170 | 100.0 | – | 6.5 | | | | |
| *USA, Montana: American Indian | 7 | 100.0 | – | 3.9 | | | | |
| USA, Nebraska | 320 | 99.1 | – | 6.6 | | | | |
| USA, Nebraska: White | 315 | 99.0 | – | 7.3 | | | | |
| *USA, Nebraska: Black | 1 | 100.0 | – | 0.3 | | | | |
| USA, Nevada | 385 | 98.4 | 0.8 | 5.1 | | | | |
| USA, Nevada: White | 353 | 98.6 | 0.8 | 6.1 | | | | |
| USA, Nevada: Black | 7 | 100.0 | – | 0.9 | | | | |
| *USA, Nevada: Asian and Pacific Islander | 12 | 100.0 | – | 1.5 | | | | |
| USA, New Jersey | 1253 | 99.5 | 0.2 | 5.6 | | | | |
| USA, New Jersey: White | 1113 | 99.5 | 0.2 | 6.9 | | | | |
| USA, New Jersey: Black | 53 | 100.0 | – | 1.5 | | | | |
| USA, New Mexico | 323 | 99.1 | – | 6.3 | | | | |
| USA, New Mexico: White | 269 | 99.3 | – | 6.4 | | | | |
| USA, New Mexico: Non-Hispanic White | 111 | 98.2 | – | 6.1 | | | | |
| USA, New Mexico: Hispanic White | 158 | 100.0 | – | 6.5 | | | | |
| *USA, New Mexico: American Indian | 41 | 97.6 | – | 6.6 | | | | |
| USA, New York State | 2794 | 99.5 | 0.1 | 5.5 | | | | |
| USA, New York State: White | 2488 | 99.4 | 0.1 | 6.9 | | | | |
| USA, New York State: Black | 172 | 100.0 | – | 1.8 | | | | |
| USA, New York State: Asian and Pacific Islander | 102 | 100.0 | – | 2.2 | | | | |
| USA, North Carolina | 1192 | 99.4 | 0.4 | 4.7 | | | | |
| USA, North Carolina: White | 1072 | 99.4 | 0.4 | 5.9 | | | | |
| USA, North Carolina: Black | 92 | 98.9 | 1.1 | 1.6 | | | | |
| USA, North Carolina: Asian and Pacific Islander | 12 | 100.0 | – | 1.3 | | | | |
| *USA, North Carolina: American Indian | 10 | 100.0 | – | 2.2 | | | | |
| USA, North Dakota | 143 | 98.6 | 0.7 | 6.9 | | | | |
| USA, Ohio | 1522 | 99.5 | 0.2 | 5.2 | | | | |
| USA, Ohio: White | 1438 | 99.5 | 0.2 | 6.0 | | | | |
| USA, Ohio: Black | 49 | 98.0 | – | 1.3 | | | | |
| *USA, Ohio: Asian and Pacific Islander | 14 | 100.0 | – | 1.7 | | | | |
| USA, Oklahoma | 487 | 97.7 | 1.2 | 4.9 | | | | |
| USA, Oklahoma: White | 418 | 97.6 | 1.2 | 5.4 | | | | |
| USA, Oklahoma: Black | 13 | 100.0 | – | 1.4 | | | | |
| USA, Oklahoma: American Indian | 49 | 100.0 | – | 4.8 | | | | |
| USA, Oregon | 672 | 99.7 | 0.3 | 6.5 | | | | |
| USA, Oregon: White | 632 | 99.7 | 0.3 | 6.9 | | | | |
| *USA, Oregon: Black | 10 | 100.0 | – | 3.3 | | | | |
| *USA, Oregon: Asian and Pacific Islander | 11 | 100.0 | – | 1.6 | | | | |
| USA, Rhode Island | 148 | 99.3 | 0.7 | 5.4 | | | | |
| USA, Rhode Island: White | 143 | 99.3 | 0.7 | 6.2 | | | | |
| *USA, Rhode Island: Black | 3 | 100.0 | – | 1.1 | | | | |
| USA, South Carolina | 478 | 99.6 | 0.2 | 3.9 | | | | |
| USA, South Carolina: White | 435 | 99.5 | 0.2 | 5.2 | | | | |
| USA, South Carolina: Black | 35 | 100.0 | – | 1.0 | | | | |
| USA, South Dakota | 120 | 96.7 | 1.7 | 5.6 | | | | |
| USA, Tennessee | 827 | 98.8 | 0.7 | 5.0 | | | | |
| USA, Tennessee: White | 768 | 98.7 | 0.8 | 5.9 | | | | |
| USA, Tennessee: Black | 44 | 100.0 | – | 1.5 | | | | |
| USA, Texas | 3574 | 97.3 | 1.3 | 5.0 | | | | |
| USA, Texas: White | 3383 | 97.3 | 1.3 | 5.9 | | | | |
| USA, Texas: Black | 108 | 97.2 | 0.9 | 1.1 | | | | |
| USA, Texas: Asian and Pacific Islander | 49 | 98.0 | 2.0 | 1.4 | | | | |
| USA, Utah | 535 | 99.4 | 0.2 | 6.6 | | | | |
| USA, Vermont | 109 | 99.1 | – | 7.1 | | | | |
| USA, Washington State | 1173 | 99.3 | 0.3 | 6.0 | | | | |
| *USA, Washington, Seattle | 843 | 99.6 | 0.1 | 6.1 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 226 | 100.0 | – | 4.9 | | | | |
| USA, Wyoming | 115 | 100.0 | – | 7.6 | | | | |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 28 | 100.0 | – | 1.7 | | | | |
| Brunei Darussalam | 25 | 88.0 | – | 2.0 | | | | |
| *China, Anfu County | 3 | 100.0 | – | 0.3 | | | | |
| *China, Anguo City | 1 | 0.0 | – | 0.1 | | | | |
| *China, Anshan City | 26 | 92.3 | – | 0.5 | | | | |
| *China, Aohan Banner, Chifeng City | 4 | 50.0 | – | 0.2 | | | | |
| *China, Arongqi | 2 | 0.0 | – | 0.2 | | | | |
| *China, Baoding City | 10 | 70.0 | – | 0.3 | | | | |
| *China, Beijing City | 140 | 93.6 | – | 0.6 | | | | |
| *China, Binhai County | 6 | 33.3 | – | 0.1 | | | | |
| *China, Cangzhou City | 4 | 75.0 | – | 0.3 | | | | |
| China, Changfeng County | 4 | 75.0 | – | 0.2 | | | | |
| China, Changzhou City | 34 | 88.2 | – | 0.5 | | | | |
| China, Chengdu City | 15 | 93.3 | – | 0.4 | | | | |
| China, Cixian County | 11 | 100.0 | – | 0.6 | | | | |
| China, Cixi City | 17 | 70.6 | – | 0.7 | | | | |
| *China, Dafeng District, Yancheng City | 9 | 88.9 | – | 0.4 | | | | |
| China, Dalian City | 21 | 95.2 | – | 0.3 | | | | |
| *China, Dancheng County | 12 | 41.7 | – | 0.3 | | | | |
| China, Dangtu County | 0 | – | – | – | | | | |
| *China, Danyang City | 5 | 80.0 | – | 0.2 | | | | |
| *China, Dawukou District, Shizuishan City | 2 | 100.0 | – | 0.3 | | | | |
| *China, Dehui City | 4 | 75.0 | – | 0.1 | | | | |
| *China, Donggang County | 5 | 80.0 | – | 0.2 | | | | |
| *China, Dongguan City | 34 | 88.2 | – | 1.1 | | | | |
| China, Donghai County | 5 | 80.0 | 20.0 | 0.1 | | | | |
| *China, Dongtai City | 10 | 70.0 | – | 0.4 | | | | |
| China, Duanzhou District, Zhaoqing City | 5 | 100.0 | – | 0.7 | | | | |
| *China, Evenki Autonomous Banner | 5 | 80.0 | – | 1.9 | | | | |
| *China, Faku County | 7 | 71.4 | – | 0.6 | | | | |
| *China, Fangcheng County | 10 | 60.0 | 30.0 | 0.5 | | | | |
| *China, Feicheng City | 4 | 50.0 | – | 0.1 | | | | |
| China, Feixi County | 12 | 58.3 | – | 0.4 | | | | |
| China, Fuqing City | 8 | 50.0 | – | 0.4 | | | | |
| *China, Ganyu District, Lianyungang City | 9 | 88.9 | – | 0.3 | | | | |
| *China, Ganzhou District, Zhangye City | 3 | 100.0 | – | 0.4 | | | | |
| *China, Gaocheng City | 5 | 80.0 | – | 0.2 | | | | |
| China, Gaomi City | 6 | 83.3 | – | 0.2 | | | | |
| China, Gong'an County | 7 | 100.0 | – | 0.2 | | | | |
| *China, Guang'an District, Guang'an City | 6 | 50.0 | – | 0.3 | | | | |
| China, Guanghan City | 5 | 80.0 | – | 0.4 | | | | |
| China, Guangzhou City | 207 | 88.9 | 0.5 | 0.9 | | | | |
| *China, Guanyun County | 12 | 75.0 | – | 0.4 | | | | |
| China, Guilin City | 13 | 76.9 | – | 0.5 | | | | |
| *China, Hai'an City | 7 | 71.4 | – | 0.1 | | | | |
| China, Hailar District, Hulun Buir City | 3 | 66.7 | – | 0.3 | | | | |
| China, Haimen District, Nantong City | 15 | 93.3 | – | 0.5 | | | | |
| China, Haining City | 10 | 90.0 | – | 0.6 | | | | |
| China, Hangzhou City | 106 | 91.5 | 1.9 | 0.5 | | | | |
| China, Hebi City | 11 | 72.7 | – | 0.9 | | | | |
| China, Hefei City | 37 | 64.9 | 2.7 | 0.5 | | | | |
| China, Hengdong County | 4 | 100.0 | – | 0.2 | | | | |
| *China, Hengfeng County | 2 | 100.0 | – | 0.4 | | | | |
| *China, Hepu County | 19 | 68.4 | 5.3 | 0.7 | | | | |
| China, Honghu City | 6 | 66.7 | 16.7 | 0.2 | | | | |
| China, Hongshan District, Chifeng City | 2 | 50.0 | – | 0.1 | | | | |
| *China, Hongta District, Yuxi City | 17 | 58.8 | – | 1.2 | | | | |
| *China, Huaiyin District, Huai'an City | 7 | 28.6 | – | 0.3 | | | | |
| *China, Jiange County | 6 | 83.3 | – | 0.4 | | | | |
| China, Jiangmen City | 15 | 93.3 | – | 0.9 | | | | |
| *China, Jiangyin City | 10 | 80.0 | – | 0.2 | | | | |
| *China, Jiashan County | 7 | 100.0 | – | 0.5 | | | | |
| China, Jiayu County | 0 | – | – | – | | | | |
| *China, Jinan City | 20 | 75.0 | – | 0.3 | | | | |
| *China, Jingtai County | 4 | 100.0 | – | 0.6 | | | | |
| *China, Jingxian County | 0 | – | – | – | | | | |
| *China, Jintan District, Changzhou City | 6 | 33.3 | – | 0.3 | | | | |
| *China, Jiulongpo District, Chongqing City | 15 | 86.7 | – | 0.6 | | | | |
| *China, Jiyuan City | 7 | 28.6 | – | 0.5 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 7 | 100.0 | — | 0.5 | | | | |
| China, Kunshan City | 10 | 90.0 | — | 0.5 | | | | |
| China, Langzhong City | 4 | 0.0 | — | 0.2 | | | | |
| *China, Liangshan County | 5 | 40.0 | — | 0.2 | | | | |
| *China, Lianshui County | 11 | 81.8 | — | 0.4 | | | | |
| China, Lianyungang City | 14 | 35.7 | 7.1 | 0.5 | | | | |
| China, Linhe District, Bayannur City | 3 | 33.3 | 33.3 | 0.2 | | | | |
| China, Linqu County | 5 | 100.0 | — | 0.2 | | | | |
| *China, Linzhou City | 4 | 75.0 | — | 0.1 | | | | |
| China, Liuzhou City | 16 | 93.8 | — | 0.5 | | | | |
| China, Liyang City | 9 | 77.8 | — | 0.3 | | | | |
| *China, Longquan City | 2 | 100.0 | — | 0.2 | | | | |
| China, Lucheng District, Wenzhou City | 4 | 75.0 | — | 0.3 | | | | |
| China, Luoding City | 11 | 90.9 | — | 0.6 | | | | |
| *China, Luohe City | 9 | 77.8 | — | 0.2 | | | | |
| *China, Luoyang City | 13 | 69.2 | — | 0.3 | | | | |
| *China, Luquan City | 2 | 100.0 | — | 0.2 | | | | |
| China, Ma'anshan City | 10 | 100.0 | — | 0.5 | | | | |
| *China, Macheng City | 6 | 100.0 | — | 0.3 | | | | |
| China, Meihekou City | 8 | 62.5 | — | 0.3 | | | | |
| *China, Mengjin County | 1 | 0.0 | — | 0.1 | | | | |
| China, Nangang District, Harbin City | 7 | 85.7 | — | 0.2 | | | | |
| *China, Nanghai District, Foshan City | 25 | 60.0 | — | 1.0 | | | | |
| China, Nanhu District, Jiaying City | 12 | 66.7 | — | 0.7 | | | | |
| *China, Nantong City | 16 | 68.8 | 6.2 | 0.6 | | | | |
| *China, Nanxiong City | 1 | 0.0 | — | 0.2 | | | | |
| China, Neixiang County | 5 | 100.0 | — | 0.2 | | | | |
| *China, Qianxi County | 1 | 100.0 | — | 0.1 | | | | |
| China, Qidong City | 17 | 88.2 | — | 0.5 | | | | |
| China, Qingzhou City | 12 | 75.0 | — | 0.6 | | | | |
| *China, Rudong County | 13 | 76.9 | — | 0.5 | | | | |
| *China, Rugao City | 20 | 85.0 | — | 0.4 | | | | |
| *China, Rural areas of Shanghai City | 189 | 91.5 | — | 0.8 | | | | |
| China, Ruyang County | 4 | 25.0 | — | 0.4 | | | | |
| *China, Shan County | 2 | 100.0 | — | 0.1 | | | | |
| China, Shanghai City | 150 | 86.0 | — | 0.9 | | | | |
| China, Shangyu District, Shaoxing City | 14 | 78.6 | — | 0.8 | | | | |
| *China, Shapingba District, Chongqing City | 14 | 71.4 | — | 0.4 | | | | |
| China, Shexian County | 7 | 71.4 | — | 0.5 | | | | |
| China, Sheyang County | 7 | 0.0 | — | 0.2 | | | | |
| *China, Shijiazhuang City | 16 | 87.5 | — | 0.4 | | | | |
| China, Shunde District, Foshan City | 24 | 87.5 | — | 0.9 | | | | |
| *China, Song County | 4 | 25.0 | — | 0.3 | | | | |
| China, Suzhou City | 38 | 78.9 | — | 0.4 | | | | |
| *China, Tengzhou City | 14 | 100.0 | — | 0.3 | | | | |
| *China, Wangdu County | 0 | — | — | — | | | | |
| *China, Wanzai County | 2 | 50.0 | — | 0.2 | | | | |
| *China, Wu'an City | 2 | 50.0 | — | 0.1 | | | | |
| China, Wuhan City | 55 | 92.7 | — | 0.4 | | | | |
| *China, Wuhu City | 13 | 61.5 | — | 0.3 | | | | |
| China, Wuxi City | 29 | 79.3 | — | 0.4 | | | | |
| China, Wuzhou City | 11 | 81.8 | — | 0.7 | | | | |
| China, Xiangfu District, Kaifeng City | 11 | 90.9 | — | 0.6 | | | | |
| China, Xianju County | 4 | 75.0 | — | 0.3 | | | | |
| *China, Xin'an County | 3 | 100.0 | — | 0.3 | | | | |
| *China, Xining City | 6 | 83.3 | — | 0.3 | | | | |
| *China, Xinji City | 7 | 85.7 | — | 0.4 | | | | |
| *China, Xinluo District, Longyan City | 7 | 57.1 | — | 0.9 | | | | |
| *China, Xinzhou District, Shangrao City | 9 | 100.0 | — | 0.7 | | | | |
| China, Xiping County | 8 | 100.0 | — | 0.3 | | | | |
| *China, Xishan District, Kunming City | 5 | 80.0 | — | 0.7 | | | | |
| *China, Xuyi County | 8 | 87.5 | — | 0.3 | | | | |
| *China, Ya'an City | 24 | 91.7 | 4.2 | 0.5 | | | | |
| *China, Yakeshi City | 4 | 100.0 | — | 0.3 | | | | |
| China, Yancheng City | 18 | 55.6 | — | 0.4 | | | | |
| *China, Yangquan City | 1 | 100.0 | — | 0.0 | | | | |
| *China, Yangzhong City | 2 | 0.0 | — | 0.1 | | | | |
| *China, Yanji City | 3 | 100.0 | — | 0.2 | | | | |
| *China, Yanshi City | 8 | 50.0 | — | 0.5 | | | | |
| China, Yanting County | 3 | 66.7 | — | 0.2 | | | | |
| *China, Yi'an District, Tongling City | 0 | — | — | — | | | | |
| *China, Yingdong District, Fuyang City | 12 | 100.0 | — | 0.6 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 6 | 100.0 | – | 1.2 | | | | |
| *China, Yiyuan County | 3 | 33.3 | – | 0.1 | | | | |
| China, Yong'an City | 13 | 69.2 | – | 1.5 | | | | |
| *China, Yongding District, Longyan City | 3 | 100.0 | – | 0.2 | | | | |
| China, Yongkang City | 3 | 66.7 | 33.3 | 0.1 | | | | |
| *China, Yucheng County | 13 | 38.5 | – | 0.7 | | | | |
| China, Yueyanglou District, Yueyang City | 3 | 100.0 | – | 0.3 | | | | |
| China, Yunmeng County | 1 | 0.0 | – | 0.1 | | | | |
| *China, Yunyang District, Shiyang City | 3 | 33.3 | – | 0.3 | | | | |
| China, Yuzhong District, Chongqing City | 8 | 75.0 | – | 0.3 | | | | |
| *China, Zhanhuang County | 7 | 71.4 | – | 1.0 | | | | |
| *China, Zhangjiagang City | 10 | 90.0 | – | 0.3 | | | | |
| *China, Zhaoyuan City | 13 | 84.6 | – | 0.7 | | | | |
| *China, Zhengding County | 3 | 66.7 | – | 0.3 | | | | |
| *China, Zhongshan City | 31 | 100.0 | – | 0.7 | | | | |
| China, Zhongxiang City | 9 | 66.7 | – | 0.2 | | | | |
| *China, Zhuanghe City | 10 | 60.0 | – | 0.3 | | | | |
| *China, Zhuhai City | 25 | 64.0 | – | 0.8 | | | | |
| India, Ahmedabad, Urban | 74 | 98.6 | – | 0.5 | | | | |
| India, Aurangabad | 19 | 89.5 | 5.3 | 0.5 | | | | |
| India, Bangalore | 57 | 100.0 | – | 0.3 | | | | |
| India, Barshi, Paranda, and Bhum | 9 | 88.9 | – | 0.6 | | | | |
| *India, Bhopal | 25 | 96.0 | – | 0.8 | | | | |
| India, Chandigarh | 21 | 100.0 | – | 0.6 | | | | |
| *India, Chennai | 69 | 94.2 | 2.9 | 0.5 | | | | |
| India, Dibrugarh | 31 | 83.9 | – | 0.8 | | | | |
| *India, Dindigul, Ambilikkai | 21 | 95.2 | – | 0.3 | | | | |
| India, Kamrup Urban District | 12 | 100.0 | – | 0.4 | | | | |
| India, Kollam | 33 | 93.9 | – | 0.6 | | | | |
| *India, Manipur | 10 | 90.0 | – | 0.2 | | | | |
| India, Meghalaya | 9 | 88.9 | – | 0.2 | | | | |
| India, Mizoram | 6 | 83.3 | – | 0.2 | | | | |
| India, Mumbai | 249 | 94.0 | 2.8 | 0.6 | | | | |
| *India, New Delhi | 232 | 94.0 | 0.4 | 0.7 | | | | |
| India, Poona | 52 | 88.5 | 1.9 | 0.3 | | | | |
| *India, Sangrur District | 14 | 100.0 | – | 0.4 | | | | |
| India, SAS Nagar | 15 | 100.0 | – | 0.5 | | | | |
| *India, Tamil Nadu | 934 | 89.7 | 0.3 | 0.4 | | | | |
| *India, Tripura | 30 | 96.7 | – | 0.3 | | | | |
| India, Trivandrum | 56 | 96.4 | – | 0.8 | | | | |
| India, Wardha | 30 | 90.0 | – | 0.8 | | | | |
| India, West Arunachal | 3 | 100.0 | – | 0.2 | | | | |
| *Iran (Islamic Republic of), Ardabil Province | 27 | 88.9 | 3.7 | 1.2 | | | | |
| *Iran (Islamic Republic of), Golestan Province | 63 | 87.3 | 1.6 | 1.9 | | | | |
| Israel | 958 | 97.8 | 0.2 | 4.6 | | | | |
| *Israel: Jews | 775 | 97.9 | 0.3 | 5.1 | | | | |
| *Israel: Arabs | 134 | 97.8 | – | 3.0 | | | | |
| Japan | 5802 | 97.7 | 0.5 | 2.9 | | | | |
| Japan, Aichi Prefecture | 344 | 99.4 | 0.3 | 2.8 | | | | |
| *Japan, Akita Prefecture | 50 | 96.0 | – | 4.0 | | | | |
| Japan, Aomori Prefecture | 86 | 98.8 | – | 3.1 | | | | |
| Japan, Gunma Prefecture | 116 | 96.6 | – | 3.9 | | | | |
| Japan, Hiroshima Prefecture | 158 | 99.4 | – | 2.8 | | | | |
| Japan, Miyagi Prefecture | 199 | 97.5 | 0.5 | 3.4 | | | | |
| Japan, Osaka Prefecture | 369 | 99.5 | 0.3 | 2.8 | | | | |
| Kuwait | 144 | 99.3 | – | 0.8 | | | | |
| *Kuwait: Kuwaitis | 76 | 98.7 | – | 2.3 | | | | |
| *Kuwait: Non-Kuwaitis | 68 | 100.0 | – | 0.5 | | | | |
| *Philippines, Manila | 143 | 90.9 | 0.7 | 0.9 | | | | |
| *Qatar: Qatari | 18 | 100.0 | – | 2.5 | | | | |
| Republic of Korea | 1360 | 98.7 | 0.1 | 1.0 | | | | |
| *Republic of Korea, Busan | 114 | 98.2 | – | 1.3 | | | | |
| *Republic of Korea, Daegu | 75 | 100.0 | – | 1.2 | | | | |
| *Republic of Korea, Daejeon | 35 | 100.0 | – | 1.1 | | | | |
| *Republic of Korea, Gwangju | 29 | 96.6 | – | 0.9 | | | | |
| Republic of Korea, Incheon | 78 | 98.7 | – | 0.9 | | | | |
| Republic of Korea, Jeju | 11 | 100.0 | – | 0.8 | | | | |
| Republic of Korea, Seoul | 318 | 99.4 | – | 1.1 | | | | |
| Republic of Korea, Ulsan | 33 | 100.0 | – | 1.0 | | | | |
| Singapore | 206 | 97.6 | 0.5 | 2.1 | | | | |
| Singapore: Chinese | 129 | 97.7 | 0.8 | 1.8 | | | | |
| Singapore: Indian | 25 | 100.0 | – | 2.9 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 40 | 95.0 | – | 2.9 | | | | |
| Thailand, Bangkok | 85 | 90.6 | 4.7 | 0.5 | | | | |
| *Thailand, Chiang Mai | 22 | 81.8 | – | 0.5 | | | | |
| *Thailand, Khon Kaen | 39 | 87.2 | 2.6 | 1.0 | | | | |
| Thailand, Lampang | 11 | 81.8 | – | 0.5 | | | | |
| Thailand, Lopburi Province | 25 | 68.0 | – | 1.2 | | | | |
| *Thailand, Songkhla | 28 | 85.7 | – | 0.7 | | | | |
| Turkey, Antalya | 208 | 99.5 | – | 3.2 | | | | |
| Turkey, Bursa | 331 | 98.5 | 0.9 | 4.3 | | | | |
| *Turkey, Edirne | 41 | 92.7 | – | 3.4 | | | | |
| *Turkey, Erzurum | 59 | 98.3 | – | 3.0 | | | | |
| Turkey, Eskişehir | 91 | 97.8 | – | 3.7 | | | | |
| Turkey, Gaziantep | 150 | 95.3 | – | 2.9 | | | | |
| *Turkey, Izmir | 543 | 98.9 | 0.2 | 4.5 | | | | |
| Turkey, Malatya | 83 | 97.6 | 2.4 | 3.9 | | | | |
| Turkey, Samsun | 154 | 100.0 | – | 4.7 | | | | |
| Turkey, Trabzon | 134 | 96.3 | – | 6.3 | | | | |
| Europe | | | | | | | | |
| Austria | 1929 | 97.0 | 0.4 | 8.1 | | | | |
| Austria, Carinthia | 166 | 99.4 | 0.6 | 11.3 | | | | |
| Austria, Tyrol | 169 | 100.0 | – | 8.4 | | | | |
| Austria, Vorarlberg | 93 | 100.0 | – | 9.0 | | | | |
| Belarus | 626 | 98.7 | – | 2.4 | | | | |
| *Belgium | 1840 | 99.9 | – | 6.6 | | | | |
| Croatia | 973 | 89.3 | 0.3 | 9.3 | | | | |
| Cyprus | 162 | 98.8 | 1.2 | 6.9 | | | | |
| *Czech Republic | 2485 | 99.3 | – | 8.4 | | | | |
| Denmark | 1499 | 98.7 | – | 10.2 | | | | |
| Estonia | 127 | 97.6 | – | 3.8 | | | | |
| Finland | 843 | 99.2 | 0.1 | 6.2 | | | | |
| *France, Bas-Rhin | 199 | 99.0 | – | 8.6 | | | | |
| *France, Calvados | 140 | 99.3 | – | 8.6 | | | | |
| *France, Doubs | 120 | 100.0 | – | 8.6 | | | | |
| *France, Gironde | 278 | 100.0 | – | 7.1 | | | | |
| *France, Haut-Rhin | 171 | 100.0 | – | 8.7 | | | | |
| *France, Hérault | 201 | 99.5 | – | 7.7 | | | | |
| *France, Isère | 213 | 100.0 | – | 7.0 | | | | |
| *France, Lille-Métropole | 155 | 100.0 | – | 7.1 | | | | |
| *France, Limousin | 58 | 100.0 | – | 7.0 | | | | |
| *France, Loire-Atlantique | 269 | 99.6 | – | 7.6 | | | | |
| *France, Manche | 72 | 97.2 | – | 6.5 | | | | |
| *France, Poitou-Charentes | 338 | 99.1 | – | 8.4 | | | | |
| *France, Somme | 106 | 100.0 | – | 7.1 | | | | |
| *France, Tarn | 59 | 100.0 | – | 7.2 | | | | |
| *France, Territoire de Belfort | 18 | 100.0 | – | 6.0 | | | | |
| *France, Vendée | 125 | 98.4 | – | 7.9 | | | | |
| Germany, Baden-Württemberg | 1613 | 83.8 | 0.7 | 9.0 | | | | |
| Germany, Bavaria | 2963 | 97.6 | 1.0 | 8.6 | | | | |
| Germany, Bremen | 187 | 98.4 | 1.1 | 10.3 | | | | |
| Germany, Hamburg | 538 | 92.6 | 1.1 | 9.7 | | | | |
| Germany, Lower Saxony | 2372 | 95.9 | 2.6 | 11.4 | | | | |
| Germany, North Rhine-Westphalia | 4527 | 94.9 | 0.9 | 9.7 | | | | |
| Germany, Rhineland-Palatinate | 940 | 91.0 | 1.4 | 8.9 | | | | |
| Germany, Saarland | 249 | 96.8 | 0.4 | 9.8 | | | | |
| Germany, Schleswig-Holstein | 774 | 95.1 | 0.4 | 10.6 | | | | |
| Iceland | 62 | 100.0 | – | 7.0 | | | | |
| Ireland | 858 | 98.8 | 0.2 | 6.8 | | | | |
| *Italy, Aosta Valley | 17 | 88.2 | – | 7.2 | | | | |
| *Italy, Avellino | 51 | 98.0 | – | 8.0 | | | | |
| Italy, Basilicata | 107 | 91.6 | – | 7.3 | | | | |
| *Italy, Benevento | 38 | 97.4 | – | 6.5 | | | | |
| Italy, Bergamo | 238 | 99.2 | – | 8.7 | | | | |
| *Italy, Brescia | 230 | 95.2 | – | 7.8 | | | | |
| Italy, Brianza (Lecco and Monza e Brianza) | 155 | 99.4 | – | 8.8 | | | | |
| Italy, Calabria | 84 | 90.5 | – | 6.2 | | | | |
| *Italy, Caserta | 138 | 97.8 | – | 7.5 | | | | |
| *Italy, Catania, Messina, and Enna | 378 | 99.5 | 0.3 | 8.0 | | | | |
| Italy, Emilia-Romagna | 617 | 95.3 | – | 7.3 | | | | |
| Italy, Friuli-Venezia Giulia | 225 | 98.7 | – | 8.0 | | | | |
| Italy, Genova | 90 | 98.9 | – | 6.0 | | | | |
| *Italy, Lombardy, South, Pavia | 112 | 93.8 | – | 8.4 | | | | |
| Italy, Mantova and Cremona | 118 | 98.3 | – | 8.3 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 236 | 96.6 | – | 8.1 | | | | |
| Italy, Milan | 633 | 94.8 | – | 7.4 | | | | |
| Italy, Molise | 29 | 93.1 | – | 6.7 | | | | |
| *Italy, Naples Centre | 107 | 90.7 | – | 7.3 | | | | |
| *Italy, Naples North | 162 | 98.1 | – | 7.4 | | | | |
| *Italy, Naples South | 214 | 98.6 | – | 7.8 | | | | |
| *Italy, Nuoro | 20 | 90.0 | – | 6.1 | | | | |
| *Italy, Palermo | 248 | 90.7 | 0.4 | 8.3 | | | | |
| Italy, Puglia | 894 | 94.4 | 0.1 | 8.8 | | | | |
| *Italy, Ragusa and Caltanissetta | 122 | 98.4 | – | 8.0 | | | | |
| *Italy, Salerno | 166 | 91.6 | 0.6 | 7.4 | | | | |
| Italy, Sassari | 47 | 93.6 | – | 9.6 | | | | |
| *Italy, Sondrio | 45 | 86.7 | – | 8.2 | | | | |
| Italy, South Tyrol | 134 | 100.0 | – | 10.2 | | | | |
| *Italy, Syracuse | 76 | 100.0 | – | 7.5 | | | | |
| Italy, Trento | 106 | 98.1 | – | 7.9 | | | | |
| Italy, Turin | 414 | 90.3 | – | 7.7 | | | | |
| *Italy, Tuscany | 349 | 90.8 | 0.3 | 7.4 | | | | |
| Italy, Umbria | 118 | 93.2 | – | 7.1 | | | | |
| Italy, Varese | 97 | 99.0 | – | 7.3 | | | | |
| Italy, Veneto | 890 | 99.6 | – | 7.6 | | | | |
| Latvia | 163 | 93.3 | 0.6 | 3.2 | | | | |
| *Liechtenstein | 10 | 100.0 | – | 10.0 | | | | |
| *Lithuania | 184 | 97.8 | 1.6 | 2.6 | | | | |
| Malta | 87 | 96.6 | – | 6.8 | | | | |
| *The Netherlands | 3871 | 99.5 | – | 9.3 | | | | |
| Norway | 1579 | 99.9 | – | 11.2 | | | | |
| Poland, Kielce | 190 | 97.9 | – | 5.4 | | | | |
| *Portugal, Azores | 22 | 100.0 | – | 3.8 | | | | |
| Russian Federation, Arkhangelsk | 58 | 98.3 | 1.7 | 1.7 | | | | |
| Russian Federation, Kaliningrad | 55 | 100.0 | – | 2.0 | | | | |
| Russian Federation, Karelia | 41 | 95.1 | – | 2.7 | | | | |
| *Russian Federation, Komi Republic | 46 | 100.0 | – | 1.9 | | | | |
| Russian Federation, Murmansk | 48 | 97.9 | 2.1 | 2.3 | | | | |
| *Russian Federation, Orenburg | 103 | 99.0 | 1.0 | 1.9 | | | | |
| Russian Federation, Pskov | 46 | 95.7 | 2.2 | 2.6 | | | | |
| *Russian Federation, Samara | 216 | 99.5 | 0.5 | 2.4 | | | | |
| Russian Federation, Vologda Region | 77 | 96.1 | 2.6 | 2.4 | | | | |
| Slovenia | 587 | 99.8 | – | 10.6 | | | | |
| Spain, Asturias | 93 | 100.0 | – | 5.7 | | | | |
| Spain, Basque Country | 247 | 100.0 | – | 5.7 | | | | |
| Spain, Canary Islands | 176 | 99.4 | – | 4.4 | | | | |
| Spain, Castellón | 75 | 98.7 | – | 4.9 | | | | |
| Spain, Girona | 112 | 99.1 | – | 5.7 | | | | |
| Spain, Granada | 134 | 100.0 | – | 5.4 | | | | |
| Spain, La Rioja | 54 | 96.3 | 1.9 | 6.8 | | | | |
| Spain, Murcia | 222 | 99.1 | – | 5.3 | | | | |
| Spain, Navarra | 72 | 100.0 | – | 5.6 | | | | |
| Spain, Salamanca | 45 | 100.0 | – | 4.9 | | | | |
| Spain, Tarragona | 110 | 99.1 | – | 4.5 | | | | |
| *Sweden | 1811 | 99.7 | – | 7.1 | | | | |
| Switzerland, Aargau | 210 | 100.0 | – | 11.4 | | | | |
| Switzerland, Basel | 121 | 100.0 | – | 9.4 | | | | |
| Switzerland, Berne Solothurn | 265 | 99.2 | – | 12.6 | | | | |
| Switzerland, East | 261 | 99.2 | – | 11.0 | | | | |
| *Switzerland, Fribourg | 78 | 100.0 | – | 9.5 | | | | |
| Switzerland, Geneva | 84 | 100.0 | – | 6.3 | | | | |
| *Switzerland, Graubünden and Glarus | 90 | 100.0 | – | 14.4 | | | | |
| *Switzerland, Lucerne | 174 | 97.1 | 0.6 | 12.0 | | | | |
| *Switzerland, Neuchâtel and Jura | 58 | 100.0 | – | 8.5 | | | | |
| Switzerland, Ticino | 69 | 100.0 | – | 7.7 | | | | |
| Switzerland, Valais | 93 | 100.0 | – | 9.9 | | | | |
| Switzerland, Vaud | 166 | 100.0 | – | 7.9 | | | | |
| Switzerland, Zurich and Zug | 478 | 100.0 | – | 10.6 | | | | |
| Ukraine | 2261 | 96.1 | – | 2.3 | | | | |
| UK, England | 9758 | 98.3 | 0.1 | 6.8 | | | | |
| UK, Northern Ireland | 306 | 98.7 | – | 6.5 | | | | |
| UK, Scotland | 1002 | 98.7 | – | 7.2 | | | | |
| UK, Wales | 513 | 98.1 | – | 6.5 | | | | |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 1338 | 98.4 | 0.1 | 6.3 | | | | |
| *Australia, Northern Territory | 32 | 100.0 | – | 4.0 | | | | |

* Important. See note on population page.

Indices of data quality Testis (C62) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 27 | 100.0 | – | 4.7 | | | | |
| *Australia, Northern Territory: Indigenous | 5 | 100.0 | – | 2.3 | | | | |
| *Australia, Queensland | 875 | 97.6 | 0.2 | 7.0 | | | | |
| Australia, South Australia | 290 | 99.7 | – | 6.8 | | | | |
| Australia, Tasmania | 125 | 96.8 | – | 9.9 | | | | |
| *Australia, Victoria | 1103 | 99.1 | 0.1 | 6.6 | | | | |
| *Australia, Western Australia | 431 | 98.1 | 0.2 | 6.1 | | | | |
| *France, New Caledonia | 32 | 96.9 | – | 4.3 | | | | |
| New Zealand | 775 | 98.8 | 0.5 | 6.7 | | | | |
| *New Zealand: Maori | 185 | 98.4 | – | 11.0 | | | | |
| *New Zealand: Pacific peoples | 30 | 100.0 | – | 3.9 | | | | |
| *New Zealand: Other | 534 | 98.9 | 0.7 | 7.4 | | | | |
| USA, Hawaii | 210 | 98.6 | – | 5.5 | | | | |
| USA, Hawaii: White | 85 | 98.8 | – | 7.9 | | | | |
| *USA, Hawaii: Japanese | 19 | 100.0 | – | 4.3 | | | | |
| *USA, Hawaii: Chinese | 5 | 100.0 | – | 4.2 | | | | |
| *USA, Hawaii: Hawaiian | 56 | 100.0 | – | 6.6 | | | | |
| *USA, Hawaii: Filipino | 13 | 100.0 | – | 1.9 | | | | |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 32 | 93.8 | – | 2.2 | 27 | 92.6 | – | 1.9 |
| *Algeria, Tizi Ouzou | 43 | 76.7 | – | 2.7 | 40 | 90.0 | – | 2.6 |
| *Benin, Cotonou | 9 | 77.8 | – | 1.6 | 6 | 50.0 | – | 0.8 |
| *France, La Réunion | 137 | 84.7 | – | 6.5 | 72 | 91.7 | – | 2.9 |
| *Kenya, Eldoret | 18 | 88.9 | – | 1.1 | 14 | 85.7 | – | 0.9 |
| *Kenya, Nairobi | 72 | 90.3 | 2.8 | 1.9 | 63 | 85.7 | 4.8 | 1.8 |
| Mauritius | 86 | 93.0 | – | 2.3 | 58 | 94.8 | – | 1.3 |
| *Morocco, Casablanca | 141 | 90.1 | 2.1 | 1.4 | 103 | 87.4 | 1.0 | 1.0 |
| *Seychelles | 3 | 66.7 | 0.0 | 1.4 | 5 | 80.0 | 20.0 | 1.6 |
| *South Africa, Eastern Cape | 5 | 100.0 | – | 0.4 | 14 | 100.0 | – | 0.7 |
| *Uganda, Kyadondo County | 54 | 64.8 | – | 1.2 | 58 | 69.0 | – | 1.0 |
| *Uganda, Gulu | 8 | 100.0 | – | 0.5 | 8 | 75.0 | – | 0.7 |
| *Zimbabwe, Bulawayo: African | 16 | 87.5 | 12.5 | 1.6 | 12 | 91.7 | 0.0 | 0.9 |
| *Zimbabwe, Harare: African | 36 | 86.1 | 2.8 | 1.9 | 51 | 92.2 | 3.9 | 1.9 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 333 | 83.5 | 12.6 | 15.1 | 165 | 85.5 | 10.9 | 5.9 |
| *Argentina, Mendoza | 595 | 86.7 | 8.9 | 12.2 | 306 | 80.7 | 13.7 | 5.0 |
| Brazil, Aracaju | 66 | 93.9 | 4.5 | 6.5 | 52 | 92.3 | 0.0 | 3.6 |
| *Brazil, Barretos | 79 | 81.0 | 13.9 | 6.1 | 40 | 90.0 | 10.0 | 2.7 |
| Brazil, Belo Horizonte | 553 | 93.7 | 6.1 | 7.9 | 346 | 90.5 | 9.5 | 4.0 |
| *Brazil, Campinas | 222 | 90.5 | 7.7 | 9.4 | 119 | 77.3 | 16.0 | 4.0 |
| *Brazil, Curitiba | 280 | 75.7 | 13.9 | 7.3 | 162 | 79.6 | 8.0 | 3.3 |
| Brazil, Goiânia | 177 | 91.0 | 9.0 | 6.8 | 107 | 93.5 | 6.5 | 3.4 |
| *Brazil, Jaú | 31 | 100.0 | – | 7.7 | 21 | 95.2 | – | 4.3 |
| Brazil, João Pessoa | 61 | 90.2 | 1.6 | 6.1 | 57 | 93.0 | 3.5 | 4.3 |
| Brazil, Recife | 119 | 68.1 | 6.7 | 5.1 | 105 | 61.0 | 9.5 | 3.1 |
| Chile, Region of Antofagasta | 96 | 69.8 | 5.2 | 9.8 | 66 | 68.2 | 1.5 | 6.4 |
| Chile, Valdivia | 156 | 78.8 | 3.2 | 11.8 | 81 | 79.0 | 2.5 | 5.3 |
| Colombia, Bucaramanga | 142 | 85.2 | 2.8 | 5.1 | 111 | 88.3 | 1.8 | 3.4 |
| Colombia, Cali | 335 | 86.0 | 2.4 | 5.8 | 264 | 86.0 | 1.5 | 3.5 |
| Colombia, Manizales | 61 | 83.6 | – | 4.7 | 54 | 92.6 | – | 3.6 |
| Colombia, Pasto | 22 | 95.5 | – | 2.2 | 18 | 83.3 | – | 1.5 |
| Costa Rica | 404 | 72.0 | 2.0 | 4.2 | 243 | 78.6 | 0.4 | 2.4 |
| Ecuador, Guayaquil | 283 | 94.0 | 1.1 | 5.4 | 194 | 92.3 | 1.0 | 3.3 |
| Ecuador, Manabí | 77 | 71.4 | 9.1 | 2.2 | 62 | 85.5 | 3.2 | 1.8 |
| Ecuador, Quito | 263 | 90.9 | 4.2 | 6.6 | 184 | 88.6 | 4.3 | 3.8 |
| *France, Guadeloupe | 95 | 95.8 | – | 6.4 | 48 | 89.6 | – | 2.7 |
| *France, Martinique | 59 | 89.8 | – | 3.9 | 43 | 95.3 | – | 2.3 |
| *Peru, Lima | 1279 | 75.9 | 5.2 | 9.5 | 638 | 75.1 | 7.7 | 4.0 |
| *Trinidad and Tobago | 64 | 92.2 | 4.7 | 2.7 | 32 | 96.9 | 3.1 | 1.4 |
| USA, Puerto Rico | 1197 | 90.3 | 2.5 | 8.7 | 694 | 90.2 | 3.3 | 4.5 |
| *Uruguay | 2032 | 80.9 | 9.5 | 17.4 | 1085 | 79.9 | 7.6 | 7.6 |
| North America | | | | | | | | |
| Canada, Alberta | 2000 | 88.2 | – | 13.4 | 1054 | 86.9 | – | 6.8 |
| Canada, British Columbia | 2387 | 87.9 | 0.5 | 10.8 | 1253 | 85.8 | 0.7 | 5.4 |
| *Canada, Manitoba | 774 | 80.2 | – | 15.1 | 380 | 77.4 | – | 6.8 |
| *Canada, New Brunswick | 615 | 91.7 | – | 16.3 | 363 | 86.8 | – | 9.3 |
| *Canada, Newfoundland and Labrador | 459 | 89.1 | 0.4 | 17.5 | 271 | 88.2 | 1.5 | 10.0 |
| Canada, Ontario | 7677 | 92.0 | 1.4 | 13.4 | 4196 | 90.1 | 1.9 | 6.6 |
| *Canada, Prince Edward Island | 98 | 87.8 | 1.0 | 14.0 | 66 | 83.3 | 0.0 | 8.1 |
| Canada, Quebec | 5556 | 88.4 | 3.0 | 14.5 | 3073 | 83.5 | 4.7 | 7.3 |
| Canada, Saskatchewan | 629 | 87.8 | 0.0 | 13.7 | 394 | 84.5 | 0.3 | 8.1 |
| *Canada, Yukon | 14 | 85.7 | – | 10.2 | 10 | 80.0 | – | 7.0 |
| USA | 198731 | 90.3 | 1.7 | 16.1 | 115451 | 88.6 | 2.1 | 8.4 |
| USA: White | 168034 | 90.4 | 1.7 | 16.2 | 96046 | 88.8 | 2.2 | 8.5 |
| USA: Black | 23436 | 89.3 | 1.6 | 18.6 | 15107 | 87.2 | 1.9 | 9.4 |
| USA, NPCR | 192497 | 90.3 | 1.7 | 16.1 | 111920 | 88.5 | 2.2 | 8.4 |
| USA, NPCR: White | 162846 | 90.4 | 1.7 | 16.2 | 93135 | 88.7 | 2.2 | 8.5 |
| USA, NPCR: Black | 23156 | 89.2 | 1.6 | 18.6 | 14953 | 87.2 | 1.9 | 9.5 |
| USA, NPCR: Asian and Pacific Islander | 4315 | 91.9 | 1.5 | 7.7 | 2483 | 89.6 | 2.1 | 3.6 |
| USA, NPCR: American Indian | 1414 | 90.8 | 1.2 | 12.4 | 916 | 88.8 | 2.2 | 7.4 |
| *USA, SEER (18 registries) | 49376 | 90.4 | 0.8 | 15.0 | 28592 | 89.2 | 1.0 | 7.7 |
| *USA, SEER (18 registries): White | 40073 | 90.4 | 0.8 | 15.3 | 22741 | 89.3 | 1.1 | 8.0 |
| *USA, SEER (18 registries): Non-Hispanic White | 33166 | 90.2 | 0.9 | 15.4 | 18266 | 88.6 | 1.2 | 7.8 |
| *USA, SEER (18 registries): Hispanic White | 6907 | 91.8 | 0.6 | 15.7 | 4475 | 92.2 | 0.7 | 9.1 |
| *USA, SEER (18 registries): Black | 5592 | 89.0 | 0.8 | 17.2 | 3641 | 87.5 | 0.7 | 8.9 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2807 | 91.5 | 1.1 | 8.5 | 1627 | 89.8 | 1.0 | 4.0 |
| *USA, SEER (9 registries) | 16567 | 90.1 | 0.7 | 14.5 | 9210 | 88.3 | 0.8 | 7.2 |
| *USA, SEER (9 registries): White | 13015 | 90.1 | 0.8 | 14.5 | 7094 | 88.3 | 0.9 | 7.3 |
| *USA, SEER (9 registries): Black | 1992 | 88.7 | 0.4 | 18.4 | 1207 | 85.9 | 0.7 | 8.7 |
| USA, Alabama | 3211 | 92.0 | 3.2 | 17.1 | 2000 | 89.9 | 5.5 | 9.5 |
| USA, Alabama: White | 2455 | 92.3 | 3.1 | 16.9 | 1495 | 90.4 | 5.2 | 9.6 |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 739 | 90.9 | 3.7 | 18.9 | 487 | 87.9 | 6.6 | 9.6 |
| USA, Alaska | 417 | 90.4 | 0.5 | 16.3 | 246 | 85.4 | 2.4 | 10.2 |
| *USA, Alaska: Alaska Natives | 78 | 89.7 | — | 24.1 | 54 | 79.6 | — | 16.3 |
| USA, Arizona | 4165 | 89.8 | 3.4 | 15.4 | 2286 | 89.5 | 3.5 | 8.0 |
| USA, Arizona: White | 3733 | 89.7 | 3.5 | 15.3 | 2067 | 89.8 | 3.4 | 8.1 |
| USA, Arizona: Black | 166 | 94.6 | 1.8 | 17.5 | 63 | 88.9 | 4.8 | 6.4 |
| *USA, Arizona: Asian and Pacific Islander | 53 | 86.8 | 5.7 | 7.5 | 24 | 83.3 | 4.2 | 2.4 |
| USA, Arizona: American Indian | 210 | 89.5 | 1.9 | 22.8 | 130 | 86.2 | 2.3 | 11.9 |
| USA, Arkansas | 2245 | 90.6 | 1.6 | 19.2 | 1307 | 89.4 | 3.0 | 10.1 |
| USA, Arkansas: White | 1946 | 90.7 | 1.6 | 19.2 | 1091 | 89.6 | 2.9 | 10.0 |
| USA, Arkansas: Black | 267 | 90.3 | 1.1 | 19.8 | 192 | 89.1 | 2.1 | 11.1 |
| USA, California | 19835 | 90.0 | 1.5 | 14.1 | 11029 | 89.3 | 1.7 | 7.1 |
| USA, California: White | 16368 | 90.1 | 1.5 | 15.1 | 8976 | 89.3 | 1.8 | 7.7 |
| USA, California: Black | 1463 | 88.7 | 1.2 | 17.1 | 869 | 89.2 | 0.7 | 8.7 |
| USA, California: Asian and Pacific Islander | 1810 | 90.6 | 2.0 | 8.4 | 1050 | 88.2 | 1.8 | 3.9 |
| *USA, California, Los Angeles County | 4511 | 90.9 | 1.0 | 13.0 | 2649 | 90.9 | 0.8 | 6.7 |
| *USA, California, Los Angeles County: White | 3435 | 91.1 | 0.8 | 13.7 | 1984 | 91.3 | 0.8 | 7.3 |
| *USA, California, Los Angeles County: Non-Hispanic White | 1821 | 90.8 | 0.7 | 13.4 | 871 | 91.4 | 0.9 | 5.9 |
| *USA, California, Los Angeles County: Hispanic White | 1614 | 91.6 | 0.9 | 14.4 | 1113 | 91.2 | 0.7 | 8.5 |
| *USA, California, Los Angeles County: Black | 471 | 88.5 | 1.3 | 15.0 | 296 | 89.2 | 0.0 | 7.4 |
| *USA, California, Los Angeles County: Chinese | 126 | 87.3 | 3.2 | 6.0 | 67 | 89.6 | 1.5 | 2.7 |
| *USA, California, Los Angeles County: Filipino | 131 | 92.4 | 0.8 | 9.9 | 97 | 94.8 | 2.1 | 5.5 |
| *USA, California, Los Angeles County: Korean | 67 | 95.5 | 1.5 | 6.8 | 45 | 86.7 | 2.2 | 3.8 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 530 | 90.9 | 1.9 | 8.6 | 325 | 90.2 | 1.2 | 4.3 |
| *USA, California, San Francisco Bay Area | 2328 | 88.7 | 0.7 | 12.7 | 1163 | 85.9 | 1.0 | 5.6 |
| *USA, California, San Francisco Bay Area: White | 1645 | 88.8 | 0.6 | 13.7 | 756 | 85.4 | 1.2 | 5.9 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1297 | 88.3 | 0.8 | 13.0 | 558 | 84.2 | 1.3 | 5.2 |
| *USA, California, San Francisco Bay Area: Hispanic White | 348 | 90.8 | 0.0 | 16.4 | 198 | 88.9 | 1.0 | 8.3 |
| *USA, California, San Francisco Bay Area: Black | 272 | 87.5 | 0.7 | 18.8 | 171 | 88.9 | 0.6 | 10.1 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 395 | 88.6 | 1.3 | 8.4 | 220 | 84.1 | 0.9 | 3.6 |
| USA, Colorado | 2544 | 89.0 | 1.8 | 12.6 | 1511 | 87.2 | 1.9 | 6.9 |
| USA, Colorado: White | 2361 | 89.2 | 1.8 | 12.6 | 1415 | 87.0 | 2.0 | 7.1 |
| *USA, Colorado: Black | 116 | 85.3 | 1.7 | 15.5 | 56 | 85.7 | 0.0 | 7.3 |
| *USA, Colorado: Asian and Pacific Islander | 34 | 85.3 | 2.9 | 6.7 | 22 | 95.5 | 0.0 | 3.2 |
| USA, Connecticut | 2187 | 95.2 | 0.3 | 15.1 | 1221 | 93.9 | 0.5 | 7.5 |
| USA, Connecticut: White | 1897 | 95.0 | 0.3 | 14.6 | 1055 | 93.7 | 0.5 | 7.2 |
| USA, Connecticut: Black | 202 | 96.5 | 0.0 | 17.4 | 99 | 91.9 | 1.0 | 6.8 |
| USA, District of Columbia | 261 | 92.7 | 2.3 | 12.7 | 169 | 87.6 | 3.6 | 6.8 |
| USA, District of Columbia: White | 72 | 95.8 | 1.4 | 7.9 | 42 | 88.1 | 2.4 | 4.3 |
| USA, District of Columbia: Black | 180 | 91.1 | 2.8 | 16.7 | 123 | 87.0 | 4.1 | 8.5 |
| USA, Florida | 12676 | 90.3 | 1.7 | 14.0 | 7150 | 88.3 | 1.9 | 7.1 |
| USA, Florida: White | 11030 | 90.4 | 1.7 | 14.1 | 6088 | 88.3 | 2.0 | 7.2 |
| USA, Florida: Black | 1365 | 89.3 | 1.2 | 13.7 | 908 | 88.0 | 1.0 | 7.5 |
| USA, Florida: Asian and Pacific Islander | 129 | 95.3 | 0.8 | 6.4 | 72 | 93.1 | 0.0 | 2.7 |
| USA, Georgia | 5849 | 86.7 | 1.3 | 16.4 | 3485 | 85.4 | 1.8 | 8.5 |
| USA, Georgia: White | 4114 | 87.5 | 1.5 | 16.0 | 2345 | 86.9 | 2.0 | 8.5 |
| USA, Georgia: Black | 1642 | 84.7 | 1.0 | 18.6 | 1089 | 82.2 | 1.2 | 9.4 |
| USA, Georgia: Asian and Pacific Islander | 75 | 88.0 | 0.0 | 6.4 | 43 | 81.4 | 2.3 | 3.3 |
| *USA, Georgia, Atlanta | 1660 | 85.1 | 0.7 | 14.7 | 948 | 81.5 | 0.4 | 7.0 |
| *USA, Georgia, Atlanta: White | 908 | 86.8 | 1.0 | 13.4 | 494 | 84.0 | 0.4 | 6.6 |
| *USA, Georgia, Atlanta: Black | 696 | 82.5 | 0.4 | 18.4 | 426 | 78.6 | 0.5 | 8.2 |
| USA, Idaho | 1000 | 84.0 | 1.5 | 14.9 | 561 | 82.4 | 1.6 | 7.9 |
| USA, Indiana | 4576 | 90.8 | 0.9 | 18.0 | 2708 | 89.8 | 1.1 | 9.7 |
| USA, Indiana: White | 4154 | 90.8 | 0.8 | 17.8 | 2481 | 89.6 | 1.2 | 9.9 |
| USA, Indiana: Black | 394 | 91.4 | 1.0 | 22.3 | 212 | 92.0 | 0.5 | 9.7 |
| *USA, Iowa | 2186 | 91.0 | 1.1 | 17.5 | 1237 | 88.3 | 1.3 | 9.1 |
| USA, Kentucky | 3378 | 89.2 | 2.0 | 19.7 | 2107 | 89.3 | 2.3 | 11.2 |
| USA, Louisiana | 3611 | 91.6 | 0.7 | 21.1 | 2211 | 89.9 | 0.6 | 11.2 |
| USA, Louisiana: White | 2687 | 92.6 | 0.7 | 21.9 | 1579 | 90.9 | 0.6 | 11.5 |
| USA, Louisiana: Black | 894 | 88.6 | 1.0 | 20.3 | 615 | 87.6 | 0.7 | 11.1 |
| *USA, Louisiana, New Orleans | 609 | 92.3 | 1.1 | 18.8 | 402 | 89.3 | 1.2 | 10.5 |
| *USA, Louisiana, New Orleans: White | 384 | 93.2 | 0.5 | 19.3 | 220 | 88.6 | 0.9 | 9.5 |
| *USA, Louisiana, New Orleans: Black | 209 | 90.4 | 2.4 | 18.8 | 173 | 89.6 | 1.7 | 11.9 |
| USA, Maine | 951 | 88.1 | 2.5 | 14.9 | 607 | 87.3 | 1.8 | 8.9 |
| USA, Maryland | 3220 | 91.4 | 1.9 | 14.2 | 1984 | 88.4 | 2.9 | 7.6 |
| USA, Maryland: White | 2203 | 92.1 | 1.6 | 14.0 | 1284 | 89.7 | 2.8 | 7.5 |
| USA, Maryland: Black | 925 | 89.5 | 2.6 | 16.3 | 638 | 85.4 | 3.3 | 8.6 |
| USA, Maryland: Asian and Pacific Islander | 84 | 95.2 | 1.2 | 6.4 | 56 | 92.9 | 1.8 | 3.6 |
| USA, Massachusetts | 4248 | 93.8 | 1.2 | 16.0 | 2294 | 91.1 | 2.0 | 7.4 |
| USA, Massachusetts: White | 3879 | 93.7 | 1.2 | 16.5 | 2047 | 91.1 | 2.1 | 7.5 |
| USA, Massachusetts: Black | 220 | 92.7 | 1.4 | 13.6 | 162 | 90.7 | 0.6 | 8.1 |
| USA, Massachusetts: Asian and Pacific Islander | 86 | 98.8 | 0.0 | 7.1 | 45 | 91.1 | 2.2 | 2.9 |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 6361 | 92.0 | 1.9 | 15.8 | 3636 | 89.9 | 2.2 | 8.0 |
| USA, Michigan: White | 5341 | 91.8 | 2.1 | 15.3 | 3028 | 89.8 | 2.2 | 7.9 |
| USA, Michigan: Black | 889 | 93.0 | 1.1 | 20.8 | 543 | 90.2 | 1.8 | 9.6 |
| USA, Michigan: Asian and Pacific Islander | 69 | 97.1 | 0.0 | 8.1 | 20 | 95.0 | 5.0 | 2.1 |
| *USA, Michigan, Detroit | 2493 | 92.4 | 1.1 | 16.7 | 1398 | 90.9 | 1.4 | 7.9 |
| *USA, Michigan, Detroit: White | 1844 | 92.1 | 1.2 | 16.2 | 998 | 91.3 | 1.4 | 7.8 |
| *USA, Michigan, Detroit: Black | 584 | 92.8 | 0.5 | 19.7 | 379 | 90.0 | 1.1 | 9.1 |
| USA, Minnesota | 3642 | 90.9 | 1.4 | 16.8 | 1861 | 91.5 | 2.7 | 8.0 |
| USA, Minnesota: White | 3382 | 90.8 | 1.5 | 16.7 | 1728 | 91.3 | 2.8 | 8.0 |
| USA, Minnesota: Black | 147 | 91.2 | 0.0 | 20.1 | 73 | 93.2 | 1.4 | 9.8 |
| *USA, Minnesota: Asian and Pacific Islander | 31 | 90.3 | 0.0 | 5.5 | 22 | 95.5 | 4.5 | 3.4 |
| USA, Mississippi | 2247 | 90.6 | 0.7 | 20.4 | 1468 | 88.8 | 0.7 | 11.7 |
| USA, Missouri | 4299 | 90.3 | 2.0 | 17.9 | 2650 | 88.2 | 2.5 | 9.8 |
| USA, Missouri: White | 3838 | 90.6 | 1.9 | 17.8 | 2309 | 88.7 | 2.7 | 9.7 |
| USA, Missouri: Black | 420 | 87.6 | 2.4 | 20.4 | 323 | 84.2 | 0.9 | 11.9 |
| USA, Montana | 727 | 88.6 | 2.3 | 15.6 | 393 | 91.3 | 0.5 | 8.7 |
| *USA, Montana: American Indian | 48 | 87.5 | 6.2 | 26.6 | 30 | 93.3 | 3.3 | 14.9 |
| USA, Nebraska | 1234 | 93.2 | 1.1 | 17.0 | 675 | 90.7 | 1.5 | 8.8 |
| USA, Nebraska: White | 1142 | 93.1 | 1.1 | 16.7 | 621 | 90.5 | 1.4 | 8.6 |
| *USA, Nebraska: Black | 76 | 94.7 | 0.0 | 30.9 | 33 | 93.9 | 3.0 | 11.6 |
| USA, Nevada | 1476 | 91.1 | 2.6 | 13.0 | 887 | 92.2 | 2.3 | 7.5 |
| USA, Nevada: White | 1239 | 90.6 | 3.1 | 13.1 | 729 | 91.8 | 2.6 | 7.8 |
| USA, Nevada: Black | 132 | 93.9 | 0.0 | 15.9 | 82 | 92.7 | 1.2 | 8.7 |
| *USA, Nevada: Asian and Pacific Islander | 81 | 96.3 | – | 8.4 | 59 | 94.9 | – | 4.4 |
| USA, New Jersey | 5490 | 92.3 | 1.3 | 15.8 | 3167 | 90.6 | 1.9 | 7.8 |
| USA, New Jersey: White | 4595 | 92.3 | 1.3 | 16.5 | 2614 | 90.1 | 2.2 | 8.2 |
| USA, New Jersey: Black | 666 | 90.7 | 1.4 | 16.7 | 420 | 91.4 | 1.0 | 7.9 |
| USA, New Mexico | 1102 | 90.7 | 1.2 | 13.7 | 696 | 89.8 | 1.3 | 7.9 |
| USA, New Mexico: White | 920 | 90.2 | 1.4 | 12.9 | 589 | 88.8 | 1.5 | 7.6 |
| USA, New Mexico: Non-Hispanic White | 490 | 88.4 | 2.2 | 11.1 | 275 | 86.5 | 1.8 | 6.1 |
| USA, New Mexico: Hispanic White | 430 | 92.3 | 0.5 | 15.2 | 314 | 90.8 | 1.3 | 9.9 |
| *USA, New Mexico: American Indian | 144 | 91.7 | – | 23.5 | 74 | 93.2 | – | 9.7 |
| USA, New York State | 12469 | 92.2 | 0.6 | 16.6 | 6916 | 88.9 | 1.4 | 7.8 |
| USA, New York State: White | 10033 | 92.2 | 0.7 | 17.3 | 5510 | 88.9 | 1.4 | 8.3 |
| USA, New York State: Black | 1811 | 91.2 | 0.6 | 16.9 | 1081 | 88.5 | 1.2 | 7.5 |
| USA, New York State: Asian and Pacific Islander | 536 | 94.8 | 0.4 | 9.2 | 287 | 91.6 | 1.0 | 4.4 |
| USA, North Carolina | 6410 | 89.1 | 1.8 | 16.8 | 3814 | 87.5 | 2.3 | 8.7 |
| USA, North Carolina: White | 4966 | 89.0 | 1.8 | 16.4 | 2800 | 88.0 | 2.4 | 8.3 |
| USA, North Carolina: Black | 1328 | 89.0 | 1.7 | 19.4 | 932 | 86.5 | 2.1 | 10.5 |
| USA, North Carolina: Asian and Pacific Islander | 25 | 96.0 | 4.0 | 3.5 | 27 | 70.4 | 0.0 | 3.1 |
| *USA, North Carolina: American Indian | 62 | 91.9 | 0.0 | 13.5 | 44 | 88.6 | 4.5 | 8.1 |
| USA, North Dakota | 485 | 88.5 | 1.6 | 17.1 | 236 | 85.2 | 1.7 | 7.5 |
| USA, Ohio | 7584 | 92.7 | 2.3 | 16.4 | 4711 | 90.7 | 3.0 | 9.0 |
| USA, Ohio: White | 6663 | 92.6 | 2.3 | 16.3 | 4145 | 90.7 | 2.9 | 9.1 |
| USA, Ohio: Black | 873 | 93.5 | 2.2 | 19.4 | 543 | 90.4 | 3.5 | 9.6 |
| *USA, Ohio: Asian and Pacific Islander | 36 | 91.7 | – | 5.2 | 15 | 100.0 | – | 1.9 |
| USA, Oklahoma | 2644 | 90.4 | 2.6 | 18.2 | 1702 | 88.1 | 3.0 | 10.7 |
| USA, Oklahoma: White | 2165 | 89.8 | 2.7 | 17.6 | 1412 | 88.0 | 3.1 | 10.7 |
| USA, Oklahoma: Black | 173 | 92.5 | 1.7 | 19.5 | 103 | 87.4 | 1.9 | 10.0 |
| USA, Oklahoma: American Indian | 271 | 93.4 | 2.2 | 25.0 | 176 | 90.3 | 2.3 | 14.3 |
| USA, Oregon | 2587 | 90.3 | 2.4 | 15.2 | 1355 | 90.6 | 3.3 | 7.6 |
| USA, Oregon: White | 2447 | 90.2 | 2.5 | 15.4 | 1282 | 90.5 | 3.4 | 7.8 |
| *USA, Oregon: Black | 60 | 91.7 | – | 21.9 | 16 | 93.8 | – | 6.4 |
| *USA, Oregon: Asian and Pacific Islander | 32 | 96.9 | 0.0 | 5.4 | 27 | 92.6 | 3.7 | 3.7 |
| USA, Rhode Island | 646 | 91.3 | 2.2 | 15.0 | 412 | 89.6 | 2.7 | 8.5 |
| USA, Rhode Island: White | 606 | 91.4 | 2.1 | 15.4 | 386 | 89.9 | 2.6 | 8.7 |
| *USA, Rhode Island: Black | 31 | 87.1 | 3.2 | 13.0 | 18 | 77.8 | 5.6 | 6.7 |
| USA, South Carolina | 3361 | 88.9 | 2.8 | 17.2 | 1937 | 87.5 | 2.6 | 8.7 |
| USA, South Carolina: White | 2548 | 89.2 | 2.6 | 16.9 | 1409 | 86.9 | 2.8 | 8.6 |
| USA, South Carolina: Black | 794 | 88.3 | 3.5 | 18.7 | 510 | 88.6 | 2.0 | 9.2 |
| USA, South Dakota | 578 | 87.2 | 1.7 | 16.4 | 303 | 87.5 | 2.3 | 8.5 |
| USA, Tennessee | 4638 | 90.7 | 1.6 | 18.2 | 2744 | 87.9 | 1.7 | 9.5 |
| USA, Tennessee: White | 3972 | 90.7 | 1.7 | 18.2 | 2223 | 88.1 | 1.9 | 9.2 |
| USA, Tennessee: Black | 647 | 90.9 | 1.1 | 20.3 | 496 | 86.9 | 1.2 | 12.0 |
| USA, Texas | 16103 | 86.6 | 2.6 | 17.6 | 9955 | 84.9 | 2.9 | 9.8 |
| USA, Texas: White | 14044 | 86.8 | 2.6 | 18.2 | 8618 | 85.1 | 2.9 | 10.3 |
| USA, Texas: Black | 1749 | 84.8 | 2.7 | 18.7 | 1172 | 83.0 | 2.9 | 10.1 |
| USA, Texas: Asian and Pacific Islander | 242 | 88.8 | 2.1 | 6.3 | 126 | 83.3 | 5.6 | 2.9 |
| USA, Utah | 1156 | 88.7 | 0.6 | 12.9 | 619 | 90.6 | 0.3 | 6.6 |
| USA, Vermont | 383 | 91.1 | 1.3 | 13.7 | 210 | 86.2 | 1.0 | 7.1 |
| USA, Washington State | 4004 | 87.6 | 1.3 | 14.0 | 2338 | 85.5 | 1.5 | 7.7 |
| *USA, Washington, Seattle | 2696 | 86.7 | 0.4 | 13.8 | 1551 | 84.5 | 0.4 | 7.4 |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65) (contd)

| | Male | | | | Female | | |
|--|-------|--------|---------|-------------|--------|--------|---------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) |
| North America (contd) | | | | | | | |
| USA, West Virginia | 1474 | 88.1 | 0.7 | 18.6 | 991 | 86.8 | 0.9 |
| USA, Wyoming | 307 | 93.8 | 0.7 | 13.4 | 166 | 93.4 | 0.6 |
| Asia | | | | | | | |
| Bahrain: Bahrainis | 60 | 96.7 | 1.7 | 4.5 | 36 | 91.7 | 2.8 |
| Brunei Darussalam | 46 | 84.8 | – | 5.3 | 17 | 82.4 | – |
| *China, Anfu County | 20 | 55.0 | – | 2.1 | 13 | 46.2 | – |
| *China, Anguo City | 25 | 52.0 | – | 2.2 | 12 | 58.3 | – |
| *China, Anshan City | 478 | 76.2 | 0.2 | 6.5 | 250 | 70.0 | 0.8 |
| *China, Aohan Banner, Chifeng City | 30 | 40.0 | – | 1.6 | 15 | 26.7 | – |
| *China, Arongqi | 43 | 53.5 | – | 4.9 | 30 | 33.3 | – |
| *China, Baoding City | 206 | 56.8 | 5.8 | 5.8 | 86 | 61.6 | 4.7 |
| *China, Beijing City | 3631 | 87.2 | 0.6 | 9.4 | 2146 | 82.7 | 0.9 |
| *China, Binhai County | 91 | 68.1 | – | 2.1 | 53 | 52.8 | – |
| *China, Cangzhou City | 114 | 90.4 | 0.0 | 6.9 | 53 | 79.2 | 1.9 |
| China, Changfeng County | 48 | 60.4 | – | 3.2 | 20 | 70.0 | – |
| China, Changzhou City | 511 | 84.7 | 0.2 | 5.4 | 282 | 84.0 | 0.0 |
| China, Chengdu City | 99 | 67.7 | 7.1 | 2.6 | 93 | 66.7 | 4.3 |
| China, Cixian County | 34 | 94.1 | – | 2.0 | 21 | 100.0 | – |
| China, Cixi City | 162 | 73.5 | 3.1 | 3.5 | 77 | 70.1 | 9.1 |
| *China, Dafeng District, Yancheng City | 96 | 70.8 | – | 2.9 | 73 | 64.4 | – |
| China, Dalian City | 1244 | 85.9 | 0.7 | 11.5 | 561 | 80.9 | 0.7 |
| *China, Dancheng County | 60 | 35.0 | 3.3 | 1.8 | 38 | 28.9 | 0.0 |
| China, Dangtu County | 30 | 56.7 | 3.3 | 2.7 | 28 | 67.9 | 3.6 |
| *China, Danyang City | 61 | 54.1 | 0.0 | 1.7 | 41 | 58.5 | 2.4 |
| *China, Dawukou District, Shizuishan City | 40 | 75.0 | – | 3.9 | 35 | 65.7 | – |
| *China, Dehui City | 60 | 56.7 | 1.7 | 2.0 | 54 | 64.8 | 0.0 |
| *China, Donggang County | 102 | 52.9 | 0.0 | 3.5 | 65 | 41.5 | 3.1 |
| *China, Dongguan City | 195 | 73.3 | 0.5 | 5.0 | 102 | 75.5 | 1.0 |
| China, Donghai County | 74 | 59.5 | 1.4 | 1.9 | 31 | 58.1 | 0.0 |
| *China, Dongtai City | 70 | 87.1 | – | 1.4 | 46 | 82.6 | – |
| China, Duanzhou District, Zhaoqing City | 38 | 71.1 | 2.6 | 3.0 | 19 | 63.2 | 5.3 |
| *China, Evenki Autonomous Banner | 19 | 63.2 | 5.3 | 6.3 | 15 | 86.7 | 0.0 |
| *China, Faku County | 61 | 78.7 | 3.3 | 3.1 | 28 | 78.6 | 0.0 |
| *China, Fangcheng County | 31 | 67.7 | – | 1.4 | 23 | 73.9 | – |
| *China, Feicheng City | 174 | 60.3 | 0.6 | 4.4 | 99 | 43.4 | 0.0 |
| China, Feixi County | 159 | 57.9 | – | 4.1 | 112 | 53.6 | – |
| China, Fuqing City | 75 | 69.3 | 2.7 | 2.8 | 41 | 85.4 | 7.3 |
| *China, Ganyu District, Lianyungang City | 106 | 54.7 | – | 2.6 | 50 | 36.0 | – |
| *China, Ganzhou District, Zhangye City | 19 | 78.9 | – | 2.1 | 15 | 80.0 | – |
| *China, Gaocheng City | 61 | 88.5 | – | 2.7 | 33 | 90.9 | – |
| China, Gaomi City | 52 | 67.3 | 1.9 | 1.7 | 47 | 68.1 | 0.0 |
| China, Gong'an County | 81 | 86.4 | – | 2.4 | 63 | 90.5 | – |
| *China, Guang'an District, Guang'an City | 19 | 31.6 | – | 1.1 | 13 | 61.5 | – |
| China, Guanghan City | 33 | 45.5 | – | 1.9 | 9 | 55.6 | – |
| China, Guangzhou City | 1199 | 77.4 | 0.5 | 3.9 | 625 | 74.2 | 0.2 |
| *China, Guanyun County | 80 | 72.5 | – | 2.4 | 57 | 64.9 | – |
| China, Guilin City | 106 | 72.6 | 0.9 | 4.8 | 39 | 76.9 | 0.0 |
| *China, Hai'an City | 89 | 57.3 | – | 1.9 | 52 | 63.5 | – |
| China, Hailar District, Hulun Buir City | 97 | 61.9 | 1.0 | 8.1 | 56 | 67.9 | 1.8 |
| China, Haimen District, Nantong City | 169 | 58.6 | – | 3.4 | 123 | 61.0 | – |
| China, Haining City | 132 | 72.0 | 1.5 | 4.3 | 69 | 66.7 | 0.0 |
| China, Hangzhou City | 1313 | 86.2 | 0.5 | 4.4 | 755 | 83.4 | 0.5 |
| China, Hebi City | 37 | 37.8 | 2.7 | 3.0 | 38 | 65.8 | 2.6 |
| China, Hefei City | 436 | 65.8 | 2.5 | 5.3 | 221 | 66.5 | 1.8 |
| China, Hengdong County | 26 | 100.0 | – | 1.6 | 20 | 100.0 | – |
| *China, Hengfeng County | 8 | 87.5 | – | 1.3 | 9 | 88.9 | – |
| *China, Hepu County | 59 | 49.2 | 0.0 | 1.9 | 44 | 52.3 | 4.5 |
| China, Honghu City | 90 | 94.4 | – | 3.2 | 44 | 95.5 | – |
| China, Hongshan District, Chifeng City | 67 | 52.2 | – | 5.1 | 41 | 53.7 | – |
| *China, Hongta District, Yuxi City | 19 | 47.4 | 0.0 | 1.2 | 13 | 30.8 | 7.7 |
| *China, Huaiyin District, Huai'an City | 64 | 46.9 | 1.6 | 1.8 | 25 | 40.0 | 0.0 |
| *China, Jiange County | 25 | 80.0 | – | 1.5 | 12 | 75.0 | – |
| China, Jiangmen City | 98 | 77.6 | 0.0 | 4.3 | 51 | 72.5 | 2.0 |
| *China, Jiangyin City | 186 | 72.0 | 0.5 | 3.4 | 90 | 75.6 | 0.0 |
| *China, Jiashan County | 103 | 80.6 | – | 6.2 | 49 | 81.6 | – |
| China, Jiayu County | 15 | 53.3 | – | 2.2 | 7 | 71.4 | – |
| *China, Jinan City | 493 | 82.4 | 1.2 | 5.7 | 276 | 79.0 | 2.5 |
| *China, Jingtai County | 23 | 52.2 | – | 3.3 | 20 | 55.0 | – |
| *China, Jingxian County | 22 | 90.9 | 0.0 | 2.1 | 15 | 66.7 | 6.7 |
| *China, Jintan District, Changzhou City | 50 | 64.0 | 2.0 | 2.1 | 32 | 71.9 | 0.0 |
| *China, Jiulongpo District, Chongqing City | 165 | 63.0 | 0.0 | 5.1 | 98 | 65.3 | 1.0 |
| *China, Jiyuan City | 77 | 55.8 | 3.9 | 4.5 | 46 | 65.2 | 0.0 |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65) (contd)

| | Male | | | | Female | |
|--|-------|--------|---------|--------|--------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) |
| Asia (contd) | | | | | | |
| China, Kaihua County | 45 | 82.2 | – | 3.8 | 30 | 73.3 |
| China, Kunshan City | 191 | 72.3 | – | 5.9 | 96 | 80.2 |
| China, Langzhong City | 28 | 64.3 | – | 1.4 | 23 | 56.5 |
| *China, Liangshan County | 80 | 67.5 | 1.2 | 2.7 | 45 | 68.9 |
| *China, Lianshui County | 54 | 85.2 | – | 1.4 | 33 | 78.8 |
| China, Lianyungang City | 131 | 65.6 | 0.8 | 3.4 | 75 | 73.3 |
| China, Linhe District, Bayannur City | 42 | 88.1 | 2.4 | 3.4 | 30 | 76.7 |
| China, Linqu County | 135 | 69.6 | 0.7 | 4.0 | 91 | 72.5 |
| *China, Linzhou City | 51 | 68.6 | 0.0 | 1.5 | 29 | 51.7 |
| China, Liuzhou City | 120 | 65.0 | – | 3.2 | 62 | 64.5 |
| China, Liyang City | 71 | 63.4 | – | 1.7 | 43 | 65.1 |
| *China, Longquan City | 42 | 78.6 | – | 4.2 | 26 | 65.4 |
| China, Lucheng District, Wenzhou City | 112 | 75.0 | 0.9 | 5.8 | 87 | 64.4 |
| China, Luoding City | 28 | 64.3 | 3.6 | 1.2 | 18 | 66.7 |
| *China, Luohe City | 94 | 52.1 | 0.0 | 2.5 | 46 | 65.2 |
| *China, Luoyang City | 234 | 77.4 | 0.9 | 5.6 | 122 | 76.2 |
| *China, Luquan City | 25 | 68.0 | – | 2.2 | 19 | 68.4 |
| China, Ma'anshan City | 110 | 77.3 | – | 5.1 | 65 | 72.3 |
| *China, Macheng City | 73 | 90.4 | – | 3.3 | 35 | 94.3 |
| China, Meihekou City | 42 | 66.7 | – | 1.8 | 47 | 74.5 |
| *China, Mengjin County | 32 | 62.5 | 0.0 | 2.9 | 27 | 66.7 |
| China, Nangang District, Harbin City | 262 | 78.2 | 1.1 | 6.4 | 162 | 74.7 |
| *China, Nantai District, Foshan City | 86 | 67.4 | – | 3.3 | 60 | 58.3 |
| China, Nanhu District, Jiaying City | 152 | 74.3 | 0.0 | 6.4 | 96 | 74.0 |
| *China, Nantong City | 173 | 69.9 | 0.0 | 3.2 | 110 | 58.2 |
| *China, Nanxiong City | 39 | 66.7 | – | 2.7 | 21 | 61.9 |
| China, Neixiang County | 35 | 34.3 | – | 1.6 | 30 | 36.7 |
| *China, Qianxi County | 20 | 85.0 | 0.0 | 1.5 | 17 | 82.4 |
| China, Qidong City | 172 | 59.9 | – | 2.8 | 112 | 66.1 |
| China, Qingzhou City | 153 | 75.8 | – | 4.9 | 85 | 74.1 |
| *China, Rudong County | 127 | 84.3 | – | 2.0 | 91 | 82.4 |
| *China, Rugao City | 162 | 61.1 | – | 2.4 | 98 | 57.1 |
| *China, Rural areas of Shanghai City | 3011 | 84.7 | 0.1 | 7.3 | 1512 | 80.6 |
| China, Ruyang County | 16 | 62.5 | 0.0 | 1.3 | 17 | 52.9 |
| *China, Shan County | 62 | 83.9 | – | 2.7 | 32 | 59.4 |
| China, Shanghai City | 2867 | 81.9 | 0.1 | 8.7 | 1424 | 78.9 |
| China, Shangyu District, Shaoxing City | 140 | 73.6 | 0.0 | 4.2 | 77 | 74.0 |
| *China, Shapingba District, Chongqing City | 169 | 71.0 | – | 5.4 | 128 | 73.4 |
| China, Shexian County | 39 | 71.8 | – | 2.9 | 19 | 63.2 |
| China, Sheyang County | 108 | 46.3 | – | 2.8 | 74 | 36.5 |
| *China, Shijiazhuang City | 353 | 81.6 | 2.8 | 7.1 | 167 | 85.6 |
| China, Shunde District, Foshan City | 104 | 71.2 | – | 3.0 | 76 | 57.9 |
| *China, Song County | 25 | 48.0 | – | 1.7 | 9 | 22.2 |
| China, Suzhou City | 680 | 76.2 | 1.6 | 4.5 | 377 | 75.9 |
| *China, Tengzhou City | 220 | 87.7 | 0.0 | 4.1 | 102 | 86.3 |
| *China, Wangdu County | 22 | 81.8 | – | 3.3 | 11 | 72.7 |
| *China, Wanzai County | 13 | 76.9 | – | 1.1 | 14 | 71.4 |
| *China, Wu'an City | 37 | 40.5 | 2.7 | 1.5 | 23 | 34.8 |
| China, Wuhan City | 1045 | 88.0 | 0.0 | 4.9 | 598 | 84.9 |
| *China, Wuhu City | 191 | 63.9 | 0.0 | 3.7 | 102 | 67.6 |
| China, Wuxi City | 636 | 78.5 | 0.3 | 5.5 | 352 | 76.7 |
| China, Wuzhou City | 48 | 56.2 | 0.0 | 2.5 | 36 | 58.3 |
| China, Xiangfu District, Kaifeng City | 78 | 84.6 | – | 4.1 | 36 | 80.6 |
| China, Xianju County | 34 | 76.5 | – | 1.7 | 27 | 81.5 |
| *China, Xin'an County | 29 | 44.8 | – | 2.6 | 22 | 54.5 |
| *China, Xining City | 149 | 72.5 | 0.7 | 7.0 | 82 | 75.6 |
| *China, Xinji City | 97 | 64.9 | 3.1 | 3.8 | 48 | 62.5 |
| *China, Xinluo District, Longyan City | 39 | 23.1 | – | 3.4 | 17 | 29.4 |
| *China, Xinzhou District, Shangrao City | 36 | 75.0 | 0.0 | 2.7 | 29 | 75.9 |
| China, Xiping County | 57 | 89.5 | 0.0 | 2.3 | 41 | 82.9 |
| *China, Xishan District, Kunming City | 30 | 70.0 | – | 1.8 | 14 | 64.3 |
| *China, Xuyi County | 41 | 53.7 | 2.4 | 1.8 | 31 | 64.5 |
| *China, Ya'an City | 122 | 70.5 | 0.8 | 2.3 | 66 | 69.7 |
| *China, Yakeshi City | 105 | 75.2 | 0.0 | 6.9 | 60 | 68.3 |
| China, Yancheng City | 166 | 57.2 | 1.2 | 3.0 | 84 | 58.3 |
| *China, Yangquan City | 116 | 84.5 | 6.9 | 4.9 | 72 | 86.1 |
| *China, Yangzhong City | 25 | 16.0 | – | 1.8 | 26 | 23.1 |
| *China, Yanji City | 104 | 75.0 | 3.8 | 5.2 | 50 | 58.0 |
| *China, Yanshi City | 66 | 68.2 | 0.0 | 3.0 | 42 | 57.1 |
| China, Yanting County | 14 | 92.9 | 0.0 | 0.8 | 4 | 75.0 |
| *China, Yi'an District, Tongling City | 21 | 81.0 | – | 2.1 | 5 | 80.0 |
| *China, Yingdong District, Fuyang City | 44 | 72.7 | – | 2.1 | 21 | 71.4 |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 57 | 87.7 | 1.8 | 5.9 | 36 | 80.6 | 0.0 | 3.4 |
| *China, Yiyuan County | 63 | 58.7 | 0.0 | 3.6 | 36 | 63.9 | 2.8 | 1.8 |
| China, Yong'an City | 46 | 65.2 | – | 3.8 | 21 | 66.7 | – | 1.8 |
| *China, Yongding District, Longyan City | 38 | 71.1 | – | 2.1 | 20 | 70.0 | – | 1.3 |
| China, Yongkang City | 88 | 83.0 | 2.3 | 3.9 | 45 | 88.9 | 0.0 | 2.2 |
| *China, Yucheng County | 40 | 45.0 | – | 2.1 | 24 | 29.2 | – | 1.3 |
| China, Yueyanglou District, Yueyang City | 41 | 70.7 | 2.4 | 3.6 | 36 | 88.9 | 2.8 | 3.6 |
| China, Yunmeng County | 32 | 40.6 | – | 2.2 | 16 | 62.5 | – | 1.0 |
| *China, Yunyang District, Shiyan City | 7 | 14.3 | 0.0 | 0.7 | 10 | 20.0 | 10.0 | 1.1 |
| China, Yuzhong District, Chongqing City | 163 | 65.0 | 3.1 | 6.8 | 124 | 55.6 | 2.4 | 5.5 |
| *China, Zanzhuang County | 39 | 51.3 | – | 4.5 | 23 | 47.8 | – | 2.9 |
| *China, Zhangjiagang City | 248 | 69.4 | 0.4 | 6.0 | 112 | 62.5 | 0.0 | 2.4 |
| *China, Zhaoyuan City | 143 | 60.8 | 0.0 | 5.1 | 70 | 55.7 | 1.4 | 2.3 |
| *China, Zhengding County | 42 | 76.2 | – | 3.2 | 23 | 69.6 | – | 1.6 |
| *China, Zhongshan City | 193 | 82.4 | – | 3.7 | 115 | 82.6 | – | 2.1 |
| China, Zhongxiang City | 66 | 77.3 | – | 2.0 | 38 | 71.1 | – | 1.2 |
| *China, Zhuanghe City | 195 | 83.6 | 0.5 | 4.6 | 91 | 76.9 | 1.1 | 2.6 |
| *China, Zhuhai City | 154 | 61.0 | 1.9 | 4.5 | 76 | 59.2 | 2.6 | 2.2 |
| India, Ahmedabad, Urban | 166 | 95.8 | 2.4 | 1.5 | 89 | 97.8 | 1.1 | 0.8 |
| India, Aurangabad | 17 | 100.0 | – | 0.7 | 7 | 100.0 | – | 0.3 |
| India, Bangalore | 282 | 95.0 | 4.3 | 2.5 | 130 | 96.9 | 2.3 | 1.2 |
| India, Barshi, Paranda, and Bhum | 3 | 100.0 | – | 0.2 | 7 | 71.4 | – | 0.6 |
| *India, Bhopal | 37 | 94.6 | – | 1.5 | 20 | 100.0 | – | 0.8 |
| India, Chandigarh | 43 | 88.4 | 4.7 | 1.8 | 34 | 100.0 | 0.0 | 1.7 |
| *India, Chennai | 229 | 90.0 | 3.1 | 1.9 | 139 | 89.2 | 2.2 | 1.2 |
| India, Dibrugarh | 22 | 45.5 | 9.1 | 0.7 | 14 | 85.7 | 0.0 | 0.5 |
| *India, Dindigul, Ambilikka | 54 | 85.2 | 5.6 | 0.9 | 21 | 90.5 | 0.0 | 0.4 |
| India, Kamrup Urban District | 61 | 83.6 | 1.6 | 2.6 | 27 | 100.0 | 0.0 | 1.3 |
| India, Kollam | 154 | 87.0 | 0.6 | 2.5 | 48 | 89.6 | 4.2 | 0.8 |
| *India, Manipur | 31 | 90.3 | – | 0.7 | 21 | 85.7 | – | 0.5 |
| India, Meghalaya | 7 | 100.0 | 0.0 | 0.2 | 13 | 84.6 | 15.4 | 0.4 |
| India, Mizoram | 19 | 89.5 | – | 1.1 | 7 | 100.0 | – | 0.4 |
| India, Mumbai | 849 | 94.5 | 4.0 | 2.8 | 378 | 94.4 | 3.2 | 1.3 |
| *India, New Delhi | 552 | 90.8 | 1.1 | 2.6 | 260 | 88.5 | 1.2 | 1.3 |
| India, Poona | 287 | 99.3 | – | 2.4 | 119 | 98.3 | – | 1.0 |
| *India, Sangrur District | 36 | 66.7 | 0.0 | 1.4 | 30 | 73.3 | 6.7 | 1.2 |
| India, SAS Nagar | 50 | 90.0 | – | 2.1 | 28 | 96.4 | – | 1.2 |
| *India, Tamil Nadu | 2008 | 86.6 | 1.1 | 1.0 | 927 | 87.5 | 0.9 | 0.5 |
| *India, Tripura | 59 | 84.7 | – | 0.9 | 19 | 89.5 | – | 0.3 |
| India, Trivandrum | 249 | 92.0 | – | 3.2 | 85 | 87.1 | – | 1.0 |
| India, Wardha | 45 | 82.2 | 11.1 | 1.2 | 16 | 68.8 | 18.8 | 0.4 |
| India, West Arunachal | 4 | 100.0 | – | 0.4 | 6 | 83.3 | – | 0.7 |
| *Iran (Islamic Republic of), Ardabil Province | 82 | 76.8 | 4.9 | 4.5 | 48 | 70.8 | 14.6 | 2.5 |
| *Iran (Islamic Republic of), Golestan Province | 62 | 80.6 | 8.1 | 2.8 | 54 | 79.6 | 5.6 | 2.2 |
| Israel | 2696 | 94.9 | 1.9 | 11.1 | 1431 | 92.8 | 2.8 | 5.1 |
| *Israel: Jews | 2319 | 94.7 | 2.0 | 11.5 | 1198 | 92.3 | 3.3 | 5.2 |
| *Israel: Arabs | 204 | 96.1 | 0.5 | 6.4 | 117 | 94.9 | 0.0 | 3.4 |
| Japan | 43257 | 82.5 | 4.1 | 10.0 | 19861 | 76.7 | 5.9 | 3.7 |
| Japan, Aichi Prefecture | 2278 | 86.0 | 2.2 | 9.9 | 963 | 81.9 | 3.7 | 3.5 |
| *Japan, Akita Prefecture | 413 | 82.8 | 0.5 | 10.4 | 199 | 69.8 | 0.5 | 3.6 |
| Japan, Aomori Prefecture | 891 | 78.5 | 1.7 | 11.1 | 466 | 70.8 | 1.3 | 3.8 |
| Japan, Gunma Prefecture | 563 | 82.4 | 1.1 | 8.1 | 340 | 75.3 | 1.8 | 4.0 |
| Japan, Hiroshima Prefecture | 1613 | 86.9 | 0.9 | 12.3 | 711 | 79.3 | 3.4 | 4.5 |
| Japan, Miyagi Prefecture | 1453 | 83.3 | 2.6 | 11.3 | 638 | 76.0 | 4.7 | 3.9 |
| Japan, Osaka Prefecture | 3049 | 87.7 | 2.8 | 10.5 | 1389 | 83.4 | 5.0 | 3.8 |
| Kuwait | 209 | 93.8 | 3.3 | 2.7 | 98 | 90.8 | 5.1 | 2.0 |
| *Kuwait: Kuwaitis | 101 | 92.1 | 3.0 | 5.3 | 61 | 90.2 | 4.9 | 2.5 |
| *Kuwait: Non-Kuwaitis | 108 | 95.4 | 3.7 | 1.6 | 37 | 91.9 | 5.4 | 1.6 |
| *Philippines, Manila | 446 | 88.8 | 3.8 | 4.1 | 254 | 89.8 | 3.9 | 1.9 |
| *Qatar: Qatari | 15 | 93.3 | 0.0 | 3.3 | 18 | 88.9 | 5.6 | 3.5 |
| Republic of Korea | 18298 | 93.4 | 0.5 | 9.5 | 8351 | 89.6 | 1.2 | 3.9 |
| *Republic of Korea, Busan | 1424 | 90.3 | 0.6 | 9.9 | 677 | 87.0 | 1.2 | 4.2 |
| *Republic of Korea, Daegu | 912 | 94.5 | 0.4 | 9.9 | 430 | 93.7 | 1.4 | 4.0 |
| *Republic of Korea, Daejeon | 528 | 92.8 | 0.6 | 10.1 | 228 | 87.3 | 1.3 | 3.9 |
| *Republic of Korea, Gwangju | 430 | 94.7 | 0.5 | 8.6 | 202 | 88.1 | 2.5 | 3.4 |
| Republic of Korea, Incheon | 953 | 94.1 | 0.5 | 9.1 | 475 | 89.7 | 0.4 | 4.1 |
| Republic of Korea, Jeju | 229 | 90.0 | – | 9.8 | 110 | 81.8 | – | 4.5 |
| Republic of Korea, Seoul | 3578 | 95.1 | 0.5 | 9.7 | 1660 | 92.4 | 0.9 | 4.0 |
| Republic of Korea, Ulsan | 404 | 93.8 | 0.2 | 10.2 | 173 | 93.1 | 0.6 | 4.1 |
| Singapore | 1348 | 87.2 | 0.2 | 9.2 | 688 | 85.0 | 0.3 | 4.3 |
| Singapore: Chinese | 1150 | 87.1 | 0.3 | 9.8 | 573 | 85.5 | 0.3 | 4.5 |
| Singapore: Indian | 74 | 86.5 | – | 6.4 | 32 | 87.5 | – | 3.0 |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 103 | 86.4 | – | 6.7 | 71 | 77.5 | – | 4.2 |
| Thailand, Bangkok | 404 | 88.4 | 1.7 | 2.3 | 222 | 86.5 | 2.7 | 1.1 |
| *Thailand, Chiang Mai | 154 | 75.3 | 1.3 | 2.8 | 78 | 75.6 | 0.0 | 1.3 |
| *Thailand, Khon Kaen | 75 | 85.3 | 1.3 | 1.3 | 41 | 80.5 | 0.0 | 0.6 |
| Thailand, Lampang | 83 | 88.0 | 1.2 | 2.9 | 28 | 82.1 | 0.0 | 0.8 |
| Thailand, Lopburi Province | 42 | 73.8 | 2.4 | 1.9 | 24 | 70.8 | 4.2 | 1.0 |
| *Thailand, Songkhla | 80 | 78.8 | 3.8 | 2.0 | 48 | 77.1 | 0.0 | 1.0 |
| Turkey, Antalya | 436 | 96.6 | 0.2 | 7.0 | 211 | 96.2 | 0.5 | 3.3 |
| Turkey, Bursa | 482 | 98.1 | 1.2 | 6.1 | 274 | 97.1 | 2.2 | 3.2 |
| *Turkey, Edirne | 102 | 95.1 | 2.9 | 7.2 | 51 | 92.2 | 2.0 | 3.4 |
| *Turkey, Erzurum | 122 | 89.3 | 2.5 | 6.8 | 82 | 92.7 | 1.2 | 4.3 |
| Turkey, Eskişehir | 183 | 100.0 | 0.0 | 7.1 | 95 | 98.9 | 1.1 | 3.4 |
| Turkey, Gaziantep | 209 | 96.2 | 0.5 | 5.7 | 128 | 86.7 | 0.8 | 3.2 |
| *Turkey, Izmir | 1128 | 91.9 | 2.0 | 8.6 | 576 | 94.4 | 1.0 | 4.0 |
| Turkey, Malatya | 120 | 94.2 | 5.0 | 5.7 | 84 | 96.4 | 2.4 | 3.5 |
| Turkey, Samsun | 374 | 97.3 | 1.3 | 9.2 | 203 | 100.0 | 0.0 | 4.8 |
| Turkey, Trabzon | 250 | 91.6 | 0.8 | 10.5 | 125 | 91.2 | 2.4 | 4.7 |
| Europe | | | | | | | | |
| Austria | 4461 | 91.3 | 3.4 | 11.6 | 2591 | 87.5 | 6.0 | 5.5 |
| Austria, Carinthia | 377 | 94.2 | 0.5 | 13.5 | 247 | 90.7 | 0.8 | 7.8 |
| Austria, Tyrol | 387 | 95.6 | 0.3 | 12.4 | 211 | 91.5 | 1.4 | 6.0 |
| Austria, Vorarlberg | 177 | 87.6 | 0.6 | 10.5 | 94 | 87.2 | 4.3 | 4.4 |
| Belarus | 6353 | 86.0 | 0.0 | 20.3 | 4368 | 86.4 | 0.0 | 9.7 |
| *Belgium | 6041 | 91.6 | – | 12.0 | 3415 | 88.3 | – | 5.8 |
| Croatia | 2673 | 79.4 | 4.2 | 14.6 | 1526 | 72.3 | 6.7 | 6.5 |
| Cyprus | 243 | 93.0 | 5.8 | 7.0 | 128 | 93.8 | 4.7 | 3.5 |
| *Czech Republic | 10326 | 88.3 | 0.5 | 21.9 | 6062 | 83.4 | 0.8 | 10.0 |
| Denmark | 3393 | 97.4 | 0.3 | 13.1 | 1820 | 95.0 | 0.5 | 6.3 |
| Estonia | 926 | 86.4 | 1.4 | 17.7 | 775 | 81.4 | 2.2 | 8.4 |
| Finland | 2984 | 90.4 | 1.8 | 11.1 | 2099 | 87.7 | 2.4 | 6.3 |
| *France, Bas-Rhin | 658 | 93.6 | – | 17.2 | 365 | 87.7 | – | 8.1 |
| *France, Calvados | 465 | 91.8 | – | 15.5 | 253 | 88.5 | – | 6.3 |
| *France, Doubs | 316 | 94.0 | – | 13.8 | 158 | 87.3 | – | 5.3 |
| *France, Gironde | 1146 | 96.0 | – | 17.7 | 559 | 93.0 | – | 7.4 |
| *France, Haut-Rhin | 491 | 87.8 | – | 14.0 | 279 | 81.7 | – | 6.6 |
| *France, Hérault | 818 | 92.5 | – | 16.5 | 365 | 87.4 | – | 5.7 |
| *France, Isère | 706 | 91.8 | – | 13.6 | 291 | 91.8 | – | 5.2 |
| *France, Lille-Métropole | 347 | 93.7 | – | 12.9 | 219 | 87.7 | – | 6.4 |
| *France, Limousin | 341 | 93.3 | – | 17.8 | 120 | 90.8 | – | 5.2 |
| *France, Loire-Atlantique | 827 | 88.1 | – | 14.7 | 417 | 84.9 | – | 5.8 |
| *France, Manche | 370 | 91.4 | – | 14.2 | 193 | 81.3 | – | 6.0 |
| *France, Poitou-Charentes | 1460 | 90.9 | – | 16.2 | 697 | 87.1 | – | 6.6 |
| *France, Somme | 336 | 96.7 | – | 14.3 | 167 | 91.0 | – | 6.6 |
| *France, Tarn | 303 | 86.5 | – | 13.7 | 140 | 79.3 | – | 5.2 |
| *France, Territoire de Belfort | 89 | 86.5 | – | 18.1 | 35 | 80.0 | – | 5.2 |
| *France, Vendée | 499 | 90.8 | – | 14.9 | 229 | 86.9 | – | 6.2 |
| Germany, Baden-Württemberg | 3639 | 79.1 | 5.9 | 11.0 | 1953 | 73.6 | 9.3 | 4.8 |
| Germany, Bavaria | 7261 | 91.1 | 6.2 | 11.4 | 4013 | 84.7 | 12.0 | 5.0 |
| Germany, Bremen | 382 | 91.6 | 6.5 | 11.5 | 219 | 84.5 | 11.9 | 5.6 |
| Germany, Hamburg | 848 | 92.2 | 2.5 | 10.2 | 502 | 88.8 | 4.2 | 5.1 |
| Germany, Lower Saxony | 5244 | 89.6 | 6.4 | 12.6 | 3038 | 83.7 | 9.6 | 5.9 |
| Germany, North Rhine-Westphalia | 10706 | 86.9 | 7.1 | 11.9 | 6381 | 81.4 | 12.6 | 5.8 |
| Germany, Rhineland-Palatinate | 2679 | 85.1 | 9.4 | 12.7 | 1533 | 80.6 | 12.5 | 6.3 |
| Germany, Saarland | 667 | 91.0 | 3.7 | 12.6 | 421 | 85.7 | 9.3 | 6.6 |
| Germany, Schleswig-Holstein | 1734 | 83.9 | 2.4 | 11.1 | 943 | 80.4 | 3.7 | 5.3 |
| Iceland | 175 | 92.0 | – | 13.5 | 112 | 90.2 | – | 8.0 |
| Ireland | 2138 | 79.9 | 0.4 | 12.5 | 1187 | 78.0 | 1.0 | 6.3 |
| *Italy, Aosta Valley | 75 | 74.7 | 2.7 | 14.6 | 26 | 76.9 | 3.8 | 3.9 |
| *Italy, Avellino | 107 | 72.0 | – | 9.1 | 57 | 70.2 | – | 4.3 |
| Italy, Basilicata | 238 | 70.2 | 0.0 | 8.2 | 133 | 63.2 | 0.8 | 3.9 |
| *Italy, Benevento | 109 | 91.7 | 0.9 | 11.5 | 44 | 88.6 | 0.0 | 3.4 |
| Italy, Bergamo | 789 | 93.3 | 0.8 | 15.0 | 372 | 84.7 | 1.1 | 6.2 |
| *Italy, Brescia | 762 | 88.3 | 0.9 | 14.1 | 439 | 76.1 | 1.8 | 6.1 |
| Italy, Brianza (Lecco and Monza e Brianza) | 464 | 93.5 | 0.6 | 13.0 | 249 | 83.1 | 2.8 | 5.8 |
| Italy, Calabria | 239 | 81.2 | 0.0 | 9.9 | 134 | 73.9 | 2.2 | 4.9 |
| *Italy, Caserta | 318 | 89.0 | 0.9 | 11.1 | 171 | 86.0 | 0.0 | 5.4 |
| *Italy, Catania, Messina, and Enna | 809 | 89.1 | 0.5 | 9.9 | 405 | 87.7 | 1.5 | 4.4 |
| Italy, Emilia-Romagna | 3087 | 81.2 | 0.2 | 16.5 | 1590 | 74.7 | 0.3 | 6.9 |
| Italy, Friuli-Venezia Giulia | 947 | 89.4 | – | 14.0 | 472 | 82.4 | – | 5.5 |
| Italy, Genova | 485 | 86.4 | 0.0 | 12.9 | 250 | 80.8 | 0.4 | 5.0 |
| *Italy, Lombardy, South, Pavia | 416 | 86.3 | 0.7 | 14.0 | 224 | 77.2 | 1.8 | 6.7 |
| Italy, Mantova and Cremona | 485 | 86.4 | 0.4 | 15.2 | 260 | 78.5 | 0.4 | 6.0 |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 854 | 89.9 | 0.7 | 13.1 | 493 | 87.2 | 1.6 | 6.5 |
| Italy, Milan | 2265 | 85.4 | 0.8 | 13.2 | 1145 | 80.0 | 0.6 | 5.4 |
| Italy, Molise | 101 | 73.3 | 3.0 | 11.5 | 43 | 88.4 | 2.3 | 3.5 |
| *Italy, Naples Centre | 283 | 86.2 | 0.7 | 11.9 | 169 | 81.1 | 2.4 | 5.9 |
| *Italy, Naples North | 327 | 89.0 | 1.2 | 11.0 | 195 | 86.7 | 3.6 | 5.7 |
| *Italy, Naples South | 427 | 93.0 | – | 10.4 | 232 | 91.4 | – | 4.9 |
| *Italy, Nuoro | 65 | 78.5 | 3.1 | 9.4 | 32 | 96.9 | 0.0 | 5.3 |
| *Italy, Palermo | 600 | 84.5 | 0.5 | 10.9 | 299 | 79.9 | 1.0 | 4.7 |
| Italy, Puglia | 1745 | 82.6 | 0.8 | 9.5 | 980 | 77.4 | 0.8 | 4.6 |
| *Italy, Ragusa and Caltanissetta | 231 | 86.1 | 2.6 | 9.4 | 119 | 81.5 | 1.7 | 4.4 |
| *Italy, Salerno | 369 | 82.1 | 0.3 | 9.8 | 194 | 77.3 | 2.1 | 4.6 |
| Italy, Sassari | 116 | 75.9 | 1.7 | 11.3 | 57 | 77.2 | 1.8 | 4.8 |
| *Italy, Sondrio | 175 | 77.7 | 1.7 | 15.8 | 82 | 69.5 | 1.2 | 6.8 |
| Italy, South Tyrol | 274 | 92.3 | – | 11.3 | 160 | 90.0 | – | 5.3 |
| *Italy, Syracuse | 190 | 88.4 | 0.5 | 10.4 | 83 | 84.3 | 0.0 | 3.6 |
| Italy, Trento | 306 | 82.0 | – | 11.7 | 184 | 77.2 | – | 6.3 |
| Italy, Turin | 1336 | 86.1 | 1.3 | 11.0 | 668 | 81.0 | 1.8 | 4.9 |
| *Italy, Tuscany | 1777 | 83.7 | 0.8 | 16.8 | 969 | 79.7 | 1.4 | 7.2 |
| Italy, Umbria | 596 | 84.4 | 0.7 | 15.5 | 276 | 73.2 | 1.1 | 5.7 |
| Italy, Varese | 346 | 90.5 | 0.0 | 12.3 | 179 | 82.1 | 1.1 | 5.0 |
| Italy, Veneto | 3452 | 91.3 | 0.4 | 14.3 | 1752 | 85.0 | 1.0 | 5.9 |
| Latvia | 1396 | 80.4 | 2.7 | 18.6 | 1142 | 79.0 | 3.7 | 9.3 |
| *Liechtenstein | 20 | 90.0 | – | 11.4 | 11 | 81.8 | – | 4.9 |
| *Lithuania | 2098 | 77.6 | 13.5 | 18.8 | 1450 | 75.4 | 14.3 | 8.2 |
| Malta | 243 | 86.0 | 1.6 | 12.3 | 135 | 82.2 | 4.4 | 6.8 |
| *The Netherlands | 8755 | 84.7 | – | 11.1 | 5095 | 82.3 | – | 5.9 |
| Norway | 3146 | 94.2 | 1.3 | 14.4 | 1529 | 89.0 | 2.5 | 6.5 |
| Poland, Kielce | 583 | 95.5 | – | 11.2 | 416 | 94.2 | – | 6.6 |
| *Portugal, Azores | 77 | 93.5 | 0.0 | 11.0 | 47 | 91.5 | 2.1 | 5.6 |
| Russian Federation, Arkhangelsk | 647 | 75.7 | 7.3 | 17.2 | 627 | 73.7 | 8.5 | 10.2 |
| Russian Federation, Kaliningrad | 404 | 73.8 | 0.7 | 13.1 | 313 | 72.2 | 1.9 | 6.8 |
| Russian Federation, Karelia | 337 | 81.3 | 3.0 | 16.5 | 297 | 83.2 | 1.7 | 9.1 |
| *Russian Federation, Komi Republic | 532 | 73.5 | 5.1 | 21.5 | 430 | 79.1 | 4.2 | 10.9 |
| Russian Federation, Murmansk | 545 | 83.5 | 8.6 | 25.1 | 410 | 83.7 | 6.6 | 11.9 |
| *Russian Federation, Orenburg | 1116 | 96.1 | 0.3 | 17.5 | 922 | 95.2 | 0.5 | 9.8 |
| Russian Federation, Pskov | 320 | 75.9 | 5.6 | 14.4 | 260 | 76.9 | 5.8 | 7.3 |
| *Russian Federation, Samara | 1649 | 89.4 | 3.0 | 15.6 | 1245 | 90.7 | 3.0 | 7.9 |
| Russian Federation, Vologda Region | 513 | 91.0 | 1.8 | 13.3 | 437 | 95.0 | 1.4 | 7.6 |
| Slovenia | 1289 | 90.7 | 0.1 | 13.4 | 687 | 86.8 | 0.0 | 5.6 |
| Spain, Asturias | 499 | 85.4 | 0.2 | 15.2 | 249 | 77.1 | 2.0 | 5.3 |
| Spain, Basque Country | 1386 | 87.7 | 0.1 | 16.8 | 603 | 78.1 | 0.5 | 5.9 |
| Spain, Canary Islands | 495 | 85.3 | 0.6 | 8.7 | 206 | 82.0 | 0.5 | 3.1 |
| Spain, Castellón | 237 | 91.6 | – | 9.4 | 116 | 87.9 | – | 4.0 |
| Spain, Girona | 370 | 84.1 | – | 11.1 | 184 | 76.6 | – | 5.0 |
| Spain, Granada | 395 | 85.3 | 0.5 | 10.0 | 202 | 81.2 | 0.5 | 4.5 |
| Spain, La Rioja | 154 | 86.4 | 1.3 | 9.9 | 75 | 70.7 | 0.0 | 4.0 |
| Spain, Murcia | 545 | 93.9 | 0.2 | 9.6 | 269 | 91.4 | 0.4 | 4.4 |
| Spain, Navarra | 300 | 87.7 | 0.7 | 12.8 | 127 | 84.3 | 0.8 | 4.5 |
| Spain, Salamanca | 206 | 83.5 | 0.5 | 11.1 | 103 | 86.4 | 1.0 | 4.9 |
| Spain, Tarragona | 353 | 87.0 | 0.3 | 10.1 | 177 | 80.2 | 1.1 | 4.6 |
| *Sweden | 4418 | 97.3 | – | 9.6 | 2526 | 96.9 | – | 5.2 |
| Switzerland, Aargau | 286 | 91.6 | 1.7 | 9.6 | 136 | 88.2 | 5.1 | 4.0 |
| Switzerland, Basel | 223 | 94.2 | 2.7 | 9.6 | 124 | 88.7 | 8.9 | 4.2 |
| Switzerland, Berne Solothurn | 420 | 84.3 | 1.0 | 10.1 | 178 | 78.7 | 2.2 | 3.4 |
| Switzerland, East | 373 | 91.4 | – | 9.5 | 171 | 89.5 | – | 3.9 |
| *Switzerland, Fribourg | 118 | 97.5 | 0.0 | 9.4 | 68 | 92.6 | 1.5 | 6.1 |
| Switzerland, Geneva | 180 | 93.3 | 0.6 | 9.5 | 99 | 92.9 | 1.0 | 4.5 |
| *Switzerland, Graubünden and Glarus | 101 | 83.2 | – | 8.6 | 45 | 88.9 | – | 4.2 |
| *Switzerland, Lucerne | 235 | 85.5 | 1.7 | 9.5 | 113 | 81.4 | 3.5 | 4.5 |
| *Switzerland, Neuchâtel and Jura | 124 | 94.4 | – | 11.3 | 52 | 86.5 | – | 3.8 |
| Switzerland, Ticino | 234 | 94.9 | 0.4 | 12.8 | 106 | 86.8 | 0.9 | 4.6 |
| Switzerland, Valais | 150 | 94.0 | – | 9.3 | 65 | 90.8 | – | 3.9 |
| Switzerland, Vaud | 329 | 94.8 | 1.2 | 10.1 | 140 | 93.6 | 0.7 | 3.8 |
| Switzerland, Zurich and Zug | 668 | 92.2 | 0.4 | 9.5 | 334 | 90.1 | 0.6 | 4.2 |
| Ukraine | 14118 | 68.4 | 0.5 | 11.9 | 9980 | 72.0 | 0.3 | 6.0 |
| UK, England | 31126 | 73.7 | 0.9 | 12.6 | 18802 | 69.4 | 1.0 | 6.7 |
| UK, Northern Ireland | 1073 | 75.8 | 0.3 | 14.1 | 618 | 76.2 | 0.5 | 7.2 |
| UK, Scotland | 3244 | 75.7 | 0.3 | 13.2 | 2041 | 71.0 | 0.2 | 7.1 |
| UK, Wales | 1787 | 70.2 | 1.1 | 11.6 | 1084 | 69.1 | 0.8 | 6.4 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 4117 | 93.2 | 0.9 | 12.9 | 2300 | 89.4 | 2.4 | 6.5 |
| *Australia, Northern Territory | 86 | 97.7 | – | 12.1 | 33 | 100.0 | – | 5.3 |

* Important. See note on population page.

Indices of data quality Kidney and renal pelvis (C64–65) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 78 | 97.4 | – | 13.4 | 25 | 100.0 | – | 5.3 |
| *Australia, Northern Territory: Indigenous | 7 | 100.0 | – | 5.7 | 8 | 100.0 | – | 5.7 |
| *Australia, Queensland | 2591 | 88.9 | 1.2 | 14.0 | 1381 | 86.5 | 2.2 | 7.1 |
| Australia, South Australia | 1041 | 90.4 | 1.2 | 14.2 | 548 | 88.9 | 1.5 | 6.6 |
| Australia, Tasmania | 385 | 93.2 | 0.5 | 16.4 | 190 | 90.0 | 0.5 | 7.6 |
| *Australia, Victoria | 3041 | 91.1 | 1.9 | 13.1 | 1639 | 89.4 | 2.7 | 6.5 |
| *Australia, Western Australia | 1267 | 93.0 | 1.1 | 13.4 | 665 | 91.1 | 1.2 | 6.6 |
| *France, New Caledonia | 66 | 98.5 | – | 8.3 | 34 | 91.2 | – | 4.3 |
| New Zealand | 1984 | 88.0 | 5.7 | 11.0 | 1065 | 86.4 | 6.0 | 5.5 |
| *New Zealand: Maori | 203 | 84.7 | 6.9 | 12.9 | 141 | 82.3 | 12.1 | 7.7 |
| *New Zealand: Pacific peoples | 62 | 95.2 | 1.6 | 9.2 | 43 | 90.7 | 4.7 | 6.0 |
| *New Zealand: Other | 1642 | 87.9 | 5.8 | 11.2 | 828 | 86.4 | 5.2 | 5.4 |
| USA, Hawaii | 759 | 94.2 | 0.5 | 12.9 | 377 | 93.4 | 0.8 | 6.0 |
| USA, Hawaii: White | 255 | 94.1 | 0.8 | 13.1 | 88 | 92.0 | 1.1 | 5.2 |
| *USA, Hawaii: Japanese | 167 | 95.2 | 0.0 | 13.8 | 90 | 90.0 | 1.1 | 5.2 |
| *USA, Hawaii: Chinese | 40 | 97.5 | – | 10.5 | 24 | 95.8 | – | 6.0 |
| *USA, Hawaii: Hawaiian | 124 | 92.7 | 0.0 | 14.1 | 61 | 93.4 | 1.6 | 6.2 |
| *USA, Hawaii: Filipino | 114 | 93.9 | 1.8 | 12.1 | 72 | 95.8 | 0.0 | 6.6 |

* Important. See note on population page.

Indices of data quality Bladder (C67)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 96 | 97.9 | — | 7.1 | 8 | 87.5 | — | 0.6 |
| †*Algeria, Tizi Ouzou | 319 | 93.1 | — | 20.6 | 66 | 89.4 | — | 3.3 |
| *Benin, Cotonou | 10 | 20.0 | — | 1.7 | 2 | 50.0 | — | 0.3 |
| *France, La Réunion | 157 | 98.1 | — | 7.2 | 49 | 98.0 | — | 1.5 |
| *Kenya, Eldoret | 10 | 70.0 | — | 0.9 | 8 | 62.5 | — | 0.9 |
| *Kenya, Nairobi | 68 | 69.1 | 7.4 | 3.6 | 41 | 70.7 | 7.3 | 2.1 |
| Mauritius | 235 | 97.4 | 0.0 | 5.6 | 67 | 97.0 | 1.5 | 1.3 |
| *Morocco, Casablanca | 589 | 94.2 | 4.6 | 5.8 | 84 | 96.4 | 2.4 | 0.7 |
| *Seychelles | 13 | 84.6 | 0.0 | 4.5 | 6 | 66.7 | 16.7 | 1.7 |
| *South Africa, Eastern Cape | 14 | 92.9 | — | 1.5 | 8 | 87.5 | — | 0.5 |
| *Uganda, Kyadondo County | 41 | 63.4 | — | 2.7 | 32 | 59.4 | — | 1.4 |
| *Uganda, Gulu | 4 | 75.0 | — | 0.9 | 1 | 0.0 | — | 0.2 |
| *Zimbabwe, Bulawayo: African | 23 | 21.7 | 21.7 | 2.9 | 17 | 35.3 | 23.5 | 1.7 |
| *Zimbabwe, Harare: African | 79 | 58.2 | 19.0 | 5.7 | 74 | 68.9 | 13.5 | 4.5 |
| Central and South America and the Caribbean | | | | | | | | |
| †*Argentina, Entre Ríos Province | 247 | 92.7 | 4.9 | 10.5 | 89 | 89.9 | 10.1 | 2.7 |
| †*Argentina, Mendoza | 558 | 89.6 | 8.6 | 10.6 | 144 | 86.1 | 11.1 | 2.0 |
| Brazil, Aracaju | 71 | 87.3 | 4.2 | 7.3 | 24 | 91.7 | 4.2 | 1.5 |
| †*Brazil, Barretos | 141 | 89.4 | 7.8 | 10.1 | 42 | 90.5 | 9.5 | 2.3 |
| † Brazil, Belo Horizonte | 683 | 94.4 | 5.6 | 9.4 | 346 | 91.3 | 8.7 | 3.2 |
| *Brazil, Campinas | 315 | 90.8 | 8.3 | 13.5 | 130 | 87.7 | 10.0 | 4.0 |
| *Brazil, Curitiba | 340 | 85.6 | 8.2 | 8.6 | 146 | 80.8 | 10.3 | 2.5 |
| † Brazil, Goiânia | 207 | 93.2 | 6.8 | 8.2 | 99 | 88.9 | 11.1 | 2.8 |
| *Brazil, Jaú | 26 | 96.2 | — | 6.2 | 8 | 100.0 | — | 1.4 |
| Brazil, João Pessoa | 48 | 95.8 | 2.1 | 4.9 | 31 | 87.1 | 3.2 | 1.8 |
| Brazil, Recife | 133 | 69.9 | 7.5 | 5.5 | 95 | 68.4 | 10.5 | 2.1 |
| Chile, Region of Antofagasta | 153 | 83.7 | 2.6 | 15.7 | 69 | 79.7 | 2.9 | 6.3 |
| Chile, Valdivia | 47 | 80.9 | 8.5 | 3.2 | 27 | 63.0 | 11.1 | 1.3 |
| Colombia, Bucaramanga | 79 | 82.3 | 7.6 | 2.6 | 41 | 80.5 | 4.9 | 1.0 |
| Colombia, Cali | 335 | 86.0 | 2.4 | 5.7 | 137 | 78.8 | 5.1 | 1.6 |
| † Colombia, Manizales | 77 | 84.4 | — | 5.4 | 40 | 82.5 | — | 2.1 |
| † Colombia, Pasto | 41 | 87.8 | 4.9 | 3.9 | 25 | 84.0 | 8.0 | 1.8 |
| † Costa Rica | 543 | 74.2 | 3.1 | 5.3 | 153 | 66.7 | 8.5 | 1.4 |
| † Ecuador, Guayaquil | 180 | 93.3 | 1.1 | 3.4 | 70 | 90.0 | 0.0 | 1.1 |
| † Ecuador, Manabí | 80 | 90.0 | 6.2 | 2.2 | 24 | 87.5 | 8.3 | 0.6 |
| † Ecuador, Quito | 273 | 93.0 | 2.9 | 6.7 | 98 | 87.8 | 6.1 | 1.8 |
| *France, Guadeloupe | 72 | 100.0 | — | 3.5 | 33 | 97.0 | — | 1.2 |
| *France, Martinique | 94 | 98.9 | — | 4.7 | 38 | 97.4 | — | 1.3 |
| *Peru, Lima | 744 | 83.5 | 5.4 | 5.2 | 367 | 80.1 | 9.5 | 2.0 |
| †*Trinidad and Tobago | 96 | 78.1 | 9.4 | 3.9 | 35 | 80.0 | 11.4 | 1.3 |
| † USA, Puerto Rico | 1620 | 96.2 | 1.6 | 9.0 | 564 | 95.9 | 1.4 | 2.6 |
| †*Uruguay | 2150 | 89.9 | 5.9 | 16.3 | 673 | 87.1 | 5.6 | 3.6 |
| North America | | | | | | | | |
| † Canada, Alberta | 3457 | 97.2 | 0.1 | 21.2 | 1036 | 95.8 | 0.0 | 5.7 |
| † Canada, British Columbia | 5526 | 96.5 | 0.9 | 20.7 | 1621 | 94.1 | 1.3 | 5.5 |
| †*Canada, Manitoba | 1206 | 95.6 | — | 19.3 | 418 | 94.3 | — | 5.9 |
| †*Canada, New Brunswick | 1018 | 97.5 | 0.1 | 23.5 | 319 | 95.9 | 0.0 | 6.7 |
| †*Canada, Newfoundland and Labrador | 637 | 98.4 | 0.6 | 20.8 | 230 | 98.7 | 0.0 | 7.2 |
| † Canada, Ontario | 14798 | 98.1 | 0.7 | 21.5 | 4715 | 96.0 | 1.8 | 5.9 |
| *Canada, Prince Edward Island | 171 | 95.3 | — | 20.0 | 65 | 96.9 | — | 7.1 |
| † Canada, Quebec | 10167 | 96.7 | 1.5 | 22.8 | 3531 | 93.8 | 3.1 | 7.1 |
| † Canada, Saskatchewan | 1166 | 96.6 | 0.1 | 21.0 | 405 | 93.8 | 0.2 | 6.4 |
| †*Canada, Yukon | 40 | 97.5 | — | 25.8 | 6 | 100.0 | — | 4.9 |
| USA | 285975 | 97.8 | 1.4 | 19.4 | 89415 | 96.7 | 2.0 | 5.1 |
| USA: White | 261457 | 98.0 | 1.3 | 20.7 | 79155 | 96.8 | 1.9 | 5.4 |
| USA: Black | 14832 | 97.1 | 1.8 | 11.3 | 7117 | 95.8 | 2.3 | 3.7 |
| † USA, NPCR | 276419 | 97.8 | 1.4 | 19.4 | 86379 | 96.7 | 2.0 | 5.1 |
| † USA, NPCR: White | 252788 | 98.0 | 1.3 | 20.8 | 76456 | 96.8 | 1.9 | 5.4 |
| † USA, NPCR: Black | 14635 | 97.0 | 1.9 | 11.3 | 7024 | 95.8 | 2.3 | 3.7 |
| † USA, NPCR: Asian and Pacific Islander | 4920 | 98.2 | 0.8 | 8.0 | 1574 | 97.0 | 1.4 | 2.0 |
| † USA, NPCR: American Indian | 867 | 97.2 | 1.7 | 7.7 | 278 | 95.0 | 4.0 | 2.1 |
| *USA, SEER (18 registries) | 68159 | 98.0 | 0.6 | 17.7 | 21295 | 96.7 | 1.1 | 4.5 |
| *USA, SEER (18 registries): White | 59999 | 98.0 | 0.6 | 19.4 | 18121 | 96.8 | 1.1 | 4.9 |
| *USA, SEER (18 registries): Non-Hispanic White | 55731 | 98.1 | 0.6 | 21.1 | 16663 | 96.8 | 1.2 | 5.4 |
| *USA, SEER (18 registries): Hispanic White | 4268 | 97.6 | 0.5 | 9.8 | 1458 | 97.0 | 1.0 | 2.7 |
| *USA, SEER (18 registries): Black | 3735 | 97.6 | 0.8 | 11.1 | 1740 | 96.0 | 1.1 | 3.6 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 3088 | 97.6 | 0.5 | 8.1 | 1024 | 96.5 | 0.7 | 2.0 |
| *USA, SEER (9 registries) | 24390 | 98.1 | 0.6 | 18.3 | 7614 | 96.7 | 1.1 | 4.7 |
| *USA, SEER (9 registries): White | 21436 | 98.2 | 0.6 | 20.2 | 6404 | 96.7 | 1.1 | 5.1 |
| *USA, SEER (9 registries): Black | 1290 | 98.4 | 0.6 | 11.7 | 647 | 96.6 | 0.9 | 4.0 |
| USA, Alabama | 4174 | 97.8 | 1.9 | 18.6 | 1230 | 95.4 | 4.1 | 4.5 |
| USA, Alabama: White | 3655 | 98.0 | 1.8 | 20.4 | 989 | 95.8 | 3.8 | 4.8 |

* Important. See note on population page.

Indices of data quality Bladder (C67) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 454 | 96.5 | 2.6 | 11.0 | 226 | 93.4 | 5.3 | 3.6 |
| USA, Alaska | 513 | 95.3 | 2.3 | 19.2 | 148 | 95.3 | 2.0 | 5.5 |
| *USA, Alaska: Alaska Natives | 40 | 87.5 | 5.0 | 12.7 | 14 | 78.6 | 7.1 | 3.5 |
| USA, Arizona | 6194 | 97.2 | 2.3 | 17.8 | 1714 | 96.7 | 2.5 | 4.5 |
| USA, Arizona: White | 6019 | 97.2 | 2.3 | 18.7 | 1635 | 96.6 | 2.6 | 4.7 |
| USA, Arizona: Black | 77 | 96.1 | 2.6 | 8.4 | 41 | 100.0 | 0.0 | 3.8 |
| *USA, Arizona: Asian and Pacific Islander | 52 | 98.1 | — | 7.0 | 17 | 100.0 | — | 1.5 |
| USA, Arizona: American Indian | 27 | 100.0 | 0.0 | 2.9 | 11 | 90.9 | 9.1 | 1.0 |
| USA, Arkansas | 2831 | 97.8 | 1.3 | 20.0 | 803 | 96.4 | 2.9 | 4.9 |
| USA, Arkansas: White | 2646 | 97.9 | 1.2 | 21.2 | 710 | 96.5 | 2.7 | 4.9 |
| USA, Arkansas: Black | 157 | 95.5 | 1.9 | 11.2 | 75 | 96.0 | 4.0 | 3.9 |
| USA, California | 26530 | 97.7 | 1.2 | 16.1 | 7868 | 96.7 | 1.8 | 3.9 |
| USA, California: White | 22819 | 97.7 | 1.2 | 17.7 | 6616 | 96.7 | 1.8 | 4.3 |
| USA, California: Black | 1067 | 97.7 | 1.3 | 11.7 | 415 | 96.4 | 1.7 | 3.4 |
| USA, California: Asian and Pacific Islander | 2062 | 97.9 | 1.1 | 8.1 | 686 | 96.6 | 1.6 | 2.1 |
| *USA, California, Los Angeles County | 5614 | 98.3 | 0.4 | 14.0 | 1759 | 97.4 | 0.7 | 3.4 |
| *USA, California, Los Angeles County: White | 4463 | 98.3 | 0.5 | 15.6 | 1358 | 97.6 | 0.7 | 3.8 |
| *USA, California, Los Angeles County: Non-Hispanic White | 3554 | 98.4 | 0.5 | 20.9 | 1030 | 97.6 | 0.7 | 5.1 |
| *USA, California, Los Angeles County: Hispanic White | 909 | 98.0 | 0.3 | 8.0 | 328 | 97.6 | 0.6 | 2.2 |
| *USA, California, Los Angeles County: Black | 402 | 98.0 | 0.2 | 11.2 | 160 | 95.6 | 1.2 | 3.0 |
| *USA, California, Los Angeles County: Chinese | 158 | 98.1 | 0.6 | 5.6 | 57 | 96.5 | 0.0 | 1.8 |
| *USA, California, Los Angeles County: Filipino | 86 | 100.0 | — | 5.7 | 29 | 100.0 | — | 1.4 |
| *USA, California, Los Angeles County: Korean | 101 | 97.0 | 0.0 | 8.7 | 34 | 97.1 | 2.9 | 2.5 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 613 | 98.5 | 0.2 | 8.0 | 209 | 97.6 | 0.5 | 2.2 |
| *USA, California, San Francisco Bay Area | 3243 | 98.4 | 0.6 | 15.4 | 989 | 97.3 | 0.6 | 3.8 |
| *USA, California, San Francisco Bay Area: White | 2513 | 98.7 | 0.6 | 18.1 | 739 | 96.9 | 0.7 | 4.5 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 2253 | 98.6 | 0.7 | 19.3 | 653 | 96.5 | 0.8 | 4.8 |
| *USA, California, San Francisco Bay Area: Hispanic White | 260 | 99.6 | — | 12.2 | 86 | 100.0 | — | 3.1 |
| *USA, California, San Francisco Bay Area: Black | 179 | 97.8 | 1.1 | 11.7 | 76 | 97.4 | 0.0 | 3.4 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 486 | 96.5 | 0.4 | 8.6 | 153 | 98.7 | 0.7 | 2.1 |
| USA, Colorado | 4020 | 97.6 | 1.1 | 17.7 | 1178 | 96.3 | 2.4 | 4.5 |
| USA, Colorado: White | 3786 | 97.5 | 1.1 | 17.8 | 1094 | 96.3 | 2.3 | 4.4 |
| *USA, Colorado: Black | 82 | 98.8 | — | 11.2 | 22 | 100.0 | — | 2.8 |
| *USA, Colorado: Asian and Pacific Islander | 35 | 100.0 | 0.0 | 6.8 | 17 | 82.4 | 11.8 | 2.1 |
| USA, Connecticut | 4105 | 99.3 | 0.2 | 23.3 | 1405 | 98.2 | 0.6 | 6.5 |
| USA, Connecticut: White | 3880 | 99.3 | 0.2 | 24.5 | 1306 | 98.4 | 0.5 | 6.7 |
| USA, Connecticut: Black | 132 | 100.0 | 0.0 | 10.9 | 74 | 95.9 | 2.7 | 4.3 |
| USA, District of Columbia | 283 | 97.9 | 1.8 | 12.3 | 136 | 97.8 | 2.2 | 4.4 |
| USA, District of Columbia: White | 131 | 97.7 | 2.3 | 13.3 | 35 | 94.3 | 5.7 | 3.4 |
| USA, District of Columbia: Black | 136 | 97.8 | 1.5 | 10.8 | 98 | 99.0 | 1.0 | 5.0 |
| USA, Florida | 22350 | 97.1 | 2.4 | 18.8 | 6774 | 97.0 | 2.0 | 5.0 |
| USA, Florida: White | 20319 | 98.2 | 1.3 | 19.5 | 5982 | 97.7 | 1.3 | 5.1 |
| USA, Florida: Black | 894 | 97.0 | 2.3 | 8.4 | 402 | 96.5 | 2.2 | 2.8 |
| USA, Florida: Asian and Pacific Islander | 131 | 98.5 | — | 5.9 | 38 | 100.0 | — | 1.2 |
| USA, Georgia | 7177 | 97.6 | 1.4 | 18.1 | 2232 | 95.3 | 2.6 | 4.5 |
| USA, Georgia: White | 6128 | 97.6 | 1.4 | 20.8 | 1702 | 95.5 | 2.9 | 5.0 |
| USA, Georgia: Black | 930 | 97.1 | 1.4 | 10.7 | 496 | 94.4 | 1.8 | 3.7 |
| USA, Georgia: Asian and Pacific Islander | 94 | 97.9 | — | 8.3 | 25 | 96.0 | — | 1.8 |
| *USA, Georgia, Atlanta | 1780 | 98.3 | 0.3 | 15.3 | 639 | 95.5 | 1.7 | 4.1 |
| *USA, Georgia, Atlanta: White | 1299 | 98.2 | 0.4 | 17.7 | 410 | 95.6 | 2.0 | 4.6 |
| *USA, Georgia, Atlanta: Black | 403 | 98.5 | 0.2 | 11.4 | 206 | 95.6 | 1.0 | 3.7 |
| USA, Idaho | 1595 | 96.2 | 2.0 | 20.4 | 447 | 94.0 | 2.0 | 5.4 |
| USA, Indiana | 6443 | 98.1 | 1.0 | 21.8 | 1947 | 97.1 | 1.6 | 5.5 |
| USA, Indiana: White | 6110 | 98.1 | 1.0 | 22.4 | 1814 | 97.2 | 1.6 | 5.6 |
| USA, Indiana: Black | 238 | 97.5 | 0.8 | 13.3 | 106 | 95.3 | 1.9 | 3.9 |
| *USA, Iowa | 3121 | 97.8 | 1.0 | 20.2 | 929 | 96.4 | 2.5 | 5.0 |
| USA, Kentucky | 4493 | 98.0 | 1.0 | 22.3 | 1440 | 97.2 | 1.9 | 6.0 |
| USA, Louisiana | 3699 | 98.7 | 0.6 | 18.9 | 1083 | 98.0 | 1.0 | 4.5 |
| USA, Louisiana: White | 3164 | 99.0 | 0.5 | 21.8 | 837 | 98.0 | 0.8 | 5.0 |
| USA, Louisiana: Black | 508 | 97.2 | 1.2 | 11.0 | 237 | 97.9 | 1.7 | 3.5 |
| *USA, Louisiana, New Orleans | 625 | 98.6 | 0.8 | 17.2 | 210 | 98.1 | 1.0 | 4.4 |
| *USA, Louisiana, New Orleans: White | 466 | 98.7 | 0.4 | 19.9 | 141 | 98.6 | 0.0 | 5.0 |
| *USA, Louisiana, New Orleans: Black | 143 | 98.6 | 1.4 | 12.2 | 66 | 97.0 | 3.0 | 3.7 |
| USA, Maine | 1986 | 97.2 | 1.3 | 26.1 | 618 | 96.1 | 1.6 | 6.9 |
| USA, Maryland | 4970 | 96.9 | 2.3 | 18.9 | 1644 | 96.0 | 2.3 | 5.0 |
| USA, Maryland: White | 4116 | 97.0 | 2.3 | 22.0 | 1229 | 96.3 | 2.2 | 5.6 |
| USA, Maryland: Black | 713 | 96.1 | 3.1 | 12.1 | 366 | 94.8 | 2.7 | 4.3 |
| USA, Maryland: Asian and Pacific Islander | 126 | 99.2 | — | 8.7 | 44 | 97.7 | — | 2.4 |
| USA, Massachusetts | 6943 | 98.3 | 1.0 | 21.8 | 2475 | 96.9 | 2.1 | 6.3 |
| USA, Massachusetts: White | 6604 | 98.3 | 1.0 | 22.9 | 2340 | 96.9 | 2.2 | 6.7 |
| USA, Massachusetts: Black | 157 | 98.1 | 1.3 | 9.9 | 77 | 97.4 | 1.3 | 3.3 |
| USA, Massachusetts: Asian and Pacific Islander | 99 | 99.0 | — | 7.6 | 21 | 100.0 | — | 1.5 |

* Important. See note on population page.

Indices of data quality Bladder (C67) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 10364 | 97.7 | 1.8 | 21.4 | 3287 | 96.6 | 1.9 | 5.6 |
| USA, Michigan: White | 9577 | 97.8 | 1.7 | 22.5 | 2932 | 96.5 | 2.0 | 5.9 |
| USA, Michigan: Black | 597 | 96.6 | 2.3 | 12.8 | 304 | 97.4 | 0.7 | 4.4 |
| USA, Michigan: Asian and Pacific Islander | 59 | 100.0 | – | 6.7 | 16 | 100.0 | – | 1.4 |
| *USA, Michigan, Detroit | 3754 | 98.7 | 0.7 | 21.4 | 1290 | 97.5 | 0.9 | 5.6 |
| *USA, Michigan, Detroit: White | 3277 | 98.8 | 0.6 | 24.3 | 1032 | 97.5 | 1.0 | 6.1 |
| *USA, Michigan, Detroit: Black | 408 | 98.3 | 1.0 | 12.3 | 232 | 97.4 | 0.9 | 4.6 |
| USA, Minnesota | 5340 | 98.2 | 0.9 | 20.7 | 1627 | 97.2 | 1.2 | 5.5 |
| USA, Minnesota: White | 5161 | 98.2 | 0.9 | 21.1 | 1550 | 97.1 | 1.3 | 5.6 |
| USA, Minnesota: Black | 83 | 98.8 | 1.2 | 13.8 | 27 | 100.0 | 0.0 | 3.9 |
| *USA, Minnesota: Asian and Pacific Islander | 37 | 100.0 | – | 7.1 | 17 | 100.0 | – | 2.6 |
| USA, Mississippi | 2303 | 98.5 | 0.5 | 17.8 | 678 | 97.8 | 0.9 | 4.3 |
| USA, Missouri | 5746 | 98.0 | 1.5 | 19.8 | 1732 | 97.5 | 1.7 | 4.9 |
| USA, Missouri: White | 5403 | 98.0 | 1.4 | 20.5 | 1553 | 97.6 | 1.7 | 4.9 |
| USA, Missouri: Black | 274 | 97.4 | 2.2 | 12.7 | 152 | 98.0 | 1.3 | 4.8 |
| USA, Montana | 1168 | 98.1 | 1.2 | 21.0 | 367 | 96.7 | 1.9 | 6.3 |
| *USA, Montana: American Indian | 16 | 100.0 | – | 9.6 | 6 | 100.0 | – | 3.1 |
| USA, Nebraska | 1721 | 98.3 | 1.2 | 19.6 | 548 | 97.3 | 1.5 | 5.1 |
| USA, Nebraska: White | 1679 | 98.4 | 1.1 | 20.1 | 526 | 97.5 | 1.1 | 5.1 |
| *USA, Nebraska: Black | 28 | 100.0 | 0.0 | 11.6 | 18 | 94.4 | 5.6 | 6.6 |
| USA, Nevada | 2416 | 98.3 | 1.3 | 17.9 | 767 | 97.8 | 1.4 | 5.3 |
| USA, Nevada: White | 2234 | 98.4 | 1.3 | 19.7 | 693 | 97.8 | 1.4 | 6.0 |
| USA, Nevada: Black | 101 | 95.0 | 2.0 | 11.1 | 34 | 97.1 | 0.0 | 3.2 |
| *USA, Nevada: Asian and Pacific Islander | 55 | 100.0 | 0.0 | 5.2 | 29 | 96.6 | 3.4 | 1.8 |
| USA, New Jersey | 9234 | 98.8 | 0.8 | 22.3 | 3224 | 97.5 | 1.7 | 6.1 |
| USA, New Jersey: White | 8261 | 98.8 | 0.7 | 24.2 | 2840 | 97.5 | 1.7 | 6.7 |
| USA, New Jersey: Black | 510 | 97.8 | 1.8 | 12.2 | 241 | 97.1 | 1.7 | 3.7 |
| USA, New Mexico | 1367 | 97.0 | 1.5 | 13.2 | 436 | 95.2 | 2.1 | 3.8 |
| USA, New Mexico: White | 1291 | 97.0 | 1.5 | 13.8 | 401 | 95.0 | 2.2 | 3.9 |
| USA, New Mexico: Non-Hispanic White | 984 | 97.1 | 1.7 | 16.4 | 290 | 94.8 | 2.1 | 4.5 |
| USA, New Mexico: Hispanic White | 307 | 96.7 | 1.0 | 9.2 | 111 | 95.5 | 2.7 | 2.7 |
| *USA, New Mexico: American Indian | 31 | 93.5 | 3.2 | 4.8 | 19 | 94.7 | 0.0 | 2.4 |
| USA, New York State | 20150 | 98.5 | 0.6 | 22.3 | 6909 | 97.4 | 1.1 | 6.0 |
| USA, New York State: White | 18100 | 98.6 | 0.6 | 25.2 | 6039 | 97.5 | 1.1 | 6.9 |
| USA, New York State: Black | 1294 | 98.3 | 0.5 | 11.3 | 653 | 96.5 | 1.1 | 3.5 |
| USA, New York State: Asian and Pacific Islander | 672 | 98.5 | 0.4 | 10.6 | 187 | 97.3 | 1.1 | 2.5 |
| USA, North Carolina | 8849 | 98.0 | 1.2 | 19.6 | 2909 | 96.9 | 1.5 | 5.3 |
| USA, North Carolina: White | 7858 | 98.1 | 1.1 | 21.4 | 2415 | 97.3 | 1.2 | 5.7 |
| USA, North Carolina: Black | 844 | 97.0 | 1.9 | 11.7 | 452 | 94.7 | 2.4 | 4.3 |
| USA, North Carolina: Asian and Pacific Islander | 44 | 95.5 | 2.3 | 6.3 | 15 | 100.0 | 0.0 | 1.6 |
| *USA, North Carolina: American Indian | 50 | 100.0 | 0.0 | 10.7 | 12 | 83.3 | 16.7 | 2.0 |
| USA, North Dakota | 667 | 98.7 | 0.7 | 19.1 | 184 | 96.2 | 1.6 | 4.7 |
| USA, Ohio | 12072 | 98.1 | 1.6 | 21.6 | 3836 | 96.3 | 2.7 | 5.6 |
| USA, Ohio: White | 11291 | 98.1 | 1.5 | 22.6 | 3486 | 96.3 | 2.8 | 5.7 |
| USA, Ohio: Black | 591 | 96.4 | 3.2 | 12.2 | 286 | 95.1 | 2.4 | 4.3 |
| *USA, Ohio: Asian and Pacific Islander | 46 | 97.8 | 2.2 | 6.2 | 16 | 100.0 | 0.0 | 1.8 |
| USA, Oklahoma | 3384 | 97.4 | 1.8 | 19.1 | 940 | 97.7 | 1.5 | 4.7 |
| USA, Oklahoma: White | 3095 | 97.5 | 1.7 | 20.1 | 838 | 97.7 | 1.4 | 4.9 |
| USA, Oklahoma: Black | 111 | 95.5 | 2.7 | 12.3 | 51 | 100.0 | 0.0 | 4.2 |
| USA, Oklahoma: American Indian | 147 | 95.2 | 3.4 | 13.3 | 39 | 92.3 | 5.1 | 3.0 |
| USA, Oregon | 4221 | 97.6 | 1.5 | 20.7 | 1203 | 95.9 | 3.2 | 5.1 |
| USA, Oregon: White | 4016 | 97.5 | 1.5 | 20.8 | 1130 | 95.8 | 3.3 | 5.0 |
| *USA, Oregon: Black | 24 | 100.0 | 0.0 | 9.0 | 18 | 88.9 | 5.6 | 6.7 |
| *USA, Oregon: Asian and Pacific Islander | 46 | 95.7 | 2.2 | 7.6 | 12 | 100.0 | 0.0 | 1.5 |
| USA, Rhode Island | 1311 | 98.2 | 1.4 | 25.6 | 475 | 97.7 | 2.1 | 7.4 |
| USA, Rhode Island: White | 1279 | 98.2 | 1.4 | 27.0 | 460 | 97.8 | 2.0 | 7.8 |
| *USA, Rhode Island: Black | 20 | 100.0 | – | 9.1 | 10 | 100.0 | – | 3.5 |
| USA, South Carolina | 4253 | 96.9 | 2.4 | 18.0 | 1392 | 95.1 | 3.8 | 4.9 |
| USA, South Carolina: White | 3796 | 97.0 | 2.3 | 20.5 | 1116 | 95.9 | 3.5 | 5.3 |
| USA, South Carolina: Black | 423 | 95.3 | 3.3 | 9.2 | 264 | 91.7 | 5.3 | 3.8 |
| USA, South Dakota | 804 | 98.3 | 1.2 | 18.8 | 234 | 98.3 | 1.7 | 5.2 |
| USA, Tennessee | 5973 | 98.1 | 1.3 | 19.8 | 1879 | 97.4 | 1.5 | 5.2 |
| USA, Tennessee: White | 5591 | 98.2 | 1.2 | 21.1 | 1707 | 97.4 | 1.5 | 5.6 |
| USA, Tennessee: Black | 343 | 97.1 | 2.3 | 10.7 | 160 | 98.1 | 1.9 | 3.3 |
| USA, Texas | 15177 | 96.2 | 2.7 | 14.8 | 4438 | 93.8 | 4.3 | 3.6 |
| USA, Texas: White | 13946 | 96.2 | 2.7 | 15.8 | 3947 | 93.9 | 4.2 | 3.8 |
| USA, Texas: Black | 897 | 96.2 | 2.7 | 9.7 | 399 | 93.2 | 5.0 | 3.2 |
| USA, Texas: Asian and Pacific Islander | 274 | 96.7 | 2.2 | 7.1 | 72 | 95.8 | 4.2 | 1.5 |
| USA, Utah | 1606 | 98.3 | 0.2 | 15.9 | 359 | 96.9 | 0.6 | 3.3 |
| USA, Vermont | 745 | 98.0 | 1.1 | 22.3 | 255 | 96.9 | 2.0 | 6.5 |
| USA, Washington State | 6714 | 97.2 | 1.4 | 20.3 | 1946 | 96.3 | 1.2 | 5.2 |
| *USA, Washington, Seattle | 4451 | 97.2 | 0.6 | 20.1 | 1301 | 95.4 | 0.5 | 5.1 |

* Important. See note on population page.

Indices of data quality Bladder (C67) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 2201 | 98.3 | 0.6 | 22.2 | 697 | 97.0 | 1.4 | 6.4 |
| USA, Wyoming | 540 | 98.9 | 0.6 | 19.1 | 143 | 97.2 | 0.7 | 5.2 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 160 | 98.1 | 0.6 | 13.5 | 34 | 97.1 | 2.9 | 2.6 |
| † Brunei Darussalam | 38 | 89.5 | 5.3 | 4.8 | 14 | 100.0 | 0.0 | 1.5 |
| *China, Anfu County | 53 | 69.8 | 1.9 | 4.9 | 13 | 76.9 | 0.0 | 1.1 |
| *China, Anguo City | 67 | 65.7 | 1.5 | 5.0 | 18 | 61.1 | 11.1 | 1.3 |
| *China, Anshan City | 776 | 84.1 | 0.4 | 9.7 | 195 | 77.9 | 1.0 | 2.1 |
| *China, Aohan Banner, Chifeng City | 82 | 72.0 | 2.4 | 4.5 | 41 | 75.6 | 9.8 | 1.9 |
| *China, Arongqi | 87 | 46.0 | 2.3 | 10.1 | 27 | 44.4 | 0.0 | 3.3 |
| *China, Baoding City | 274 | 74.8 | 3.6 | 7.6 | 58 | 74.1 | 0.0 | 1.5 |
| *China, Beijing City | 4147 | 86.5 | 0.7 | 8.5 | 1445 | 83.0 | 1.3 | 2.8 |
| *China, Binhai County | 160 | 73.1 | – | 3.3 | 61 | 72.1 | – | 1.3 |
| *China, Cangzhou City | 120 | 85.8 | – | 7.5 | 29 | 79.3 | – | 1.7 |
| China, Changfeng County | 70 | 57.1 | – | 3.7 | 23 | 39.1 | – | 1.3 |
| China, Changzhou City | 671 | 87.6 | 0.1 | 6.6 | 160 | 78.8 | 0.0 | 1.3 |
| China, Chengdu City | 304 | 66.8 | 6.9 | 7.6 | 126 | 69.8 | 0.0 | 3.0 |
| China, Cixian County | 42 | 85.7 | – | 2.8 | 20 | 100.0 | – | 1.1 |
| China, Cixi City | 329 | 81.8 | 3.3 | 6.2 | 78 | 76.9 | 6.4 | 1.3 |
| *China, Dafeng District, Yancheng City | 213 | 93.9 | – | 5.6 | 72 | 93.1 | – | 1.7 |
| China, Dalian City | 1380 | 88.5 | 0.4 | 11.5 | 341 | 85.0 | 1.2 | 2.5 |
| *China, Dancheng County | 59 | 64.4 | – | 2.0 | 40 | 55.0 | – | 1.2 |
| China, Dangtu County | 63 | 71.4 | 1.6 | 5.0 | 6 | 66.7 | 0.0 | 0.4 |
| *China, Danyang City | 205 | 75.1 | – | 5.5 | 46 | 78.3 | – | 1.1 |
| *China, Dawukou District, Shizuishan City | 59 | 84.7 | – | 5.3 | 21 | 85.7 | – | 2.0 |
| *China, Dehui City | 187 | 70.6 | 1.6 | 6.3 | 72 | 66.7 | 0.0 | 2.5 |
| †*China, Donggang County | 214 | 71.0 | 0.5 | 7.1 | 64 | 46.9 | 3.1 | 2.1 |
| *China, Dongguan City | 245 | 83.7 | 0.0 | 5.8 | 64 | 89.1 | 1.6 | 1.3 |
| China, Donghai County | 215 | 67.4 | 2.8 | 4.7 | 35 | 80.0 | 0.0 | 0.9 |
| *China, Dongtai City | 169 | 88.2 | 0.0 | 3.0 | 66 | 74.2 | 1.5 | 1.0 |
| China, Duanzhou District, Zhaoqing City | 60 | 70.0 | 6.7 | 4.4 | 15 | 60.0 | 0.0 | 1.2 |
| *China, Evenki Autonomous Banner | 16 | 87.5 | – | 5.1 | 9 | 100.0 | – | 3.2 |
| *China, Faku County | 116 | 90.5 | 0.9 | 5.6 | 42 | 88.1 | 0.0 | 2.0 |
| *China, Fangcheng County | 80 | 86.2 | – | 3.4 | 29 | 100.0 | – | 1.4 |
| *China, Feicheng City | 231 | 74.9 | – | 6.1 | 63 | 71.4 | – | 1.4 |
| China, Feixi County | 216 | 58.8 | – | 4.7 | 41 | 53.7 | – | 0.9 |
| China, Fuqing City | 104 | 78.8 | 8.7 | 3.4 | 23 | 78.3 | 8.7 | 0.7 |
| *China, Ganyu District, Lianyungang City | 250 | 63.2 | – | 5.3 | 45 | 55.6 | – | 0.9 |
| *China, Ganzhou District, Zhangye City | 47 | 44.7 | – | 6.0 | 11 | 45.5 | – | 1.5 |
| †*China, Gaocheng City | 71 | 90.1 | 1.4 | 3.1 | 25 | 92.0 | 0.0 | 0.9 |
| China, Gaomi City | 213 | 81.2 | 0.5 | 6.4 | 48 | 77.1 | 0.0 | 1.2 |
| China, Gong'an County | 253 | 94.5 | 0.0 | 7.4 | 73 | 98.6 | 1.4 | 1.9 |
| *China, Guang'an District, Guang'an City | 50 | 66.0 | 2.0 | 2.5 | 22 | 63.6 | 0.0 | 0.9 |
| China, Guanghan City | 97 | 66.0 | 1.0 | 5.4 | 30 | 56.7 | 0.0 | 1.4 |
| China, Guangzhou City | 1872 | 82.1 | 0.7 | 5.5 | 503 | 80.7 | 0.6 | 1.3 |
| *China, Guanyun County | 172 | 84.9 | 1.7 | 4.6 | 39 | 92.3 | 0.0 | 1.1 |
| China, Guilin City | 166 | 79.5 | – | 7.5 | 40 | 70.0 | – | 1.7 |
| *China, Hai'an City | 288 | 53.5 | 0.0 | 4.8 | 75 | 50.7 | 1.3 | 1.2 |
| China, Hailar District, Hulun Buir City | 99 | 80.8 | – | 9.4 | 25 | 92.0 | – | 2.0 |
| China, Haimen District, Nantong City | 411 | 84.4 | – | 7.1 | 107 | 77.6 | – | 1.8 |
| China, Haining City | 176 | 80.1 | – | 5.0 | 45 | 82.2 | – | 1.2 |
| † China, Hangzhou City | 1889 | 88.8 | 0.3 | 5.3 | 546 | 83.9 | 0.5 | 1.4 |
| China, Hebi City | 40 | 55.0 | 2.5 | 3.1 | 14 | 64.3 | 0.0 | 1.1 |
| China, Hefei City | 521 | 60.1 | 3.6 | 5.9 | 126 | 60.3 | 5.6 | 1.3 |
| China, Hengdong County | 43 | 97.7 | 0.0 | 2.5 | 13 | 84.6 | 7.7 | 0.6 |
| *China, Hengfeng County | 30 | 70.0 | – | 4.8 | 2 | 100.0 | – | 0.3 |
| *China, Hepu County | 139 | 45.3 | – | 4.3 | 39 | 33.3 | – | 1.3 |
| China, Honghu City | 177 | 97.2 | – | 5.7 | 34 | 88.2 | – | 1.1 |
| China, Hongshan District, Chifeng City | 91 | 58.2 | – | 7.1 | 44 | 63.6 | – | 2.7 |
| *China, Hongta District, Yuxi City | 108 | 60.2 | 4.6 | 6.0 | 29 | 34.5 | 3.4 | 1.5 |
| *China, Huaiyin District, Huai'an City | 140 | 69.3 | 0.7 | 3.6 | 24 | 54.2 | 0.0 | 0.6 |
| *China, Jiange County | 49 | 61.2 | – | 2.9 | 12 | 66.7 | – | 0.7 |
| China, Jiangmen City | 189 | 89.9 | 0.5 | 7.7 | 38 | 78.9 | 2.6 | 1.2 |
| *China, Jiangyin City | 379 | 82.8 | 0.3 | 6.4 | 89 | 73.0 | 0.0 | 1.3 |
| *China, Jiashan County | 169 | 91.1 | – | 7.8 | 27 | 96.3 | – | 1.2 |
| China, Jiayu County | 35 | 62.9 | 2.9 | 4.6 | 6 | 66.7 | 0.0 | 0.9 |
| †*China, Jinan City | 591 | 71.6 | 2.2 | 6.1 | 190 | 71.1 | 1.6 | 1.6 |
| *China, Jingtai County | 38 | 65.8 | – | 5.8 | 17 | 70.6 | – | 2.7 |
| *China, Jingxian County | 40 | 87.5 | – | 2.7 | 10 | 90.0 | – | 0.8 |
| *China, Jintan District, Changzhou City | 122 | 77.9 | 0.8 | 4.8 | 47 | 89.4 | 2.1 | 1.8 |
| *China, Jiulongpo District, Chongqing City | 229 | 67.2 | 0.4 | 6.4 | 62 | 66.1 | 1.6 | 1.5 |
| *China, Jiyuan City | 92 | 63.0 | 1.1 | 5.6 | 36 | 72.2 | 0.0 | 2.0 |

* Important. See note on population page.

Indices of data quality Bladder (C67) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 84 | 83.3 | — | 6.6 | 24 | 79.2 | — | 1.8 |
| China, Kunshan City | 269 | 79.6 | 0.0 | 7.5 | 52 | 75.0 | 1.9 | 1.4 |
| China, Langzhong City | 95 | 70.5 | — | 4.8 | 25 | 68.0 | — | 1.4 |
| †*China, Liangshan County | 141 | 61.0 | 2.8 | 4.4 | 31 | 58.1 | 9.7 | 0.9 |
| *China, Lianshui County | 175 | 83.4 | 0.6 | 3.8 | 57 | 89.5 | 0.0 | 1.3 |
| China, Lianyungang City | 264 | 79.2 | — | 6.5 | 59 | 76.3 | — | 1.3 |
| China, Linhe District, Bayannur City | 83 | 90.4 | — | 6.6 | 23 | 91.3 | — | 1.8 |
| China, Linqu County | 189 | 80.4 | 2.1 | 5.0 | 54 | 83.3 | 0.0 | 1.3 |
| *China, Linzhou City | 79 | 55.7 | 1.3 | 2.4 | 45 | 55.6 | 0.0 | 1.1 |
| China, Liuzhou City | 244 | 76.6 | — | 6.4 | 53 | 81.1 | — | 1.4 |
| China, Liyang City | 151 | 79.5 | — | 3.6 | 38 | 65.8 | — | 0.9 |
| *China, Longquan City | 83 | 81.9 | — | 7.5 | 20 | 70.0 | — | 2.4 |
| China, Lucheng District, Wenzhou City | 188 | 80.3 | 2.1 | 8.7 | 43 | 81.4 | 0.0 | 1.9 |
| China, Luoding City | 75 | 72.0 | 2.7 | 3.1 | 8 | 75.0 | 0.0 | 0.4 |
| *China, Luohe City | 157 | 66.2 | 5.1 | 4.0 | 49 | 75.5 | 0.0 | 1.1 |
| *China, Luoyang City | 330 | 68.2 | 1.2 | 7.3 | 101 | 73.3 | 4.0 | 2.2 |
| *China, Luquan City | 50 | 58.0 | 2.0 | 4.1 | 20 | 40.0 | 0.0 | 1.3 |
| China, Ma'anshan City | 188 | 89.4 | — | 8.6 | 43 | 86.0 | — | 1.9 |
| *China, Macheng City | 117 | 96.6 | — | 4.9 | 29 | 93.1 | — | 1.2 |
| China, Meihekou City | 136 | 80.9 | 0.7 | 6.0 | 50 | 82.0 | 0.0 | 2.2 |
| *China, Mengjin County | 53 | 67.9 | 0.0 | 4.6 | 24 | 66.7 | 4.2 | 1.9 |
| China, Nangang District, Harbin City | 292 | 82.9 | 1.4 | 6.9 | 91 | 76.9 | 0.0 | 1.8 |
| *China, Nanhai District, Foshan City | 188 | 66.5 | — | 6.4 | 53 | 54.7 | — | 1.5 |
| China, Nanhu District, Jiaxing City | 189 | 87.3 | 0.5 | 6.6 | 44 | 68.2 | 0.0 | 1.4 |
| *China, Nantong City | 398 | 70.9 | 1.0 | 6.4 | 120 | 65.8 | 3.3 | 1.6 |
| *China, Nanxiong City | 62 | 66.1 | — | 4.5 | 16 | 68.8 | — | 1.0 |
| China, Neixiang County | 56 | 73.2 | 5.4 | 2.3 | 12 | 58.3 | 0.0 | 0.4 |
| *China, Qianxi County | 73 | 91.8 | 5.5 | 5.5 | 10 | 90.0 | 0.0 | 0.6 |
| China, Qidong City | 517 | 74.5 | — | 7.3 | 148 | 76.4 | — | 1.8 |
| China, Qingzhou City | 272 | 77.2 | — | 7.9 | 64 | 79.7 | — | 1.6 |
| *China, Rudong County | 369 | 71.5 | 0.3 | 5.3 | 125 | 66.4 | 0.0 | 1.7 |
| *China, Rugao City | 378 | 74.6 | — | 4.8 | 111 | 66.7 | — | 1.1 |
| *China, Rural areas of Shanghai City | 3671 | 86.4 | 0.1 | 7.4 | 861 | 79.1 | 0.1 | 1.5 |
| China, Ruyang County | 60 | 85.0 | — | 4.9 | 19 | 47.4 | — | 1.5 |
| †*China, Shan County | 114 | 51.8 | 0.0 | 4.5 | 23 | 60.9 | 4.3 | 0.7 |
| China, Shanghai City | 3233 | 83.9 | 0.2 | 7.7 | 984 | 80.0 | 0.3 | 2.1 |
| China, Shangyu District, Shaoxing City | 200 | 77.0 | 1.0 | 5.6 | 57 | 82.5 | 3.5 | 1.7 |
| *China, Shapingba District, Chongqing City | 221 | 72.4 | 0.9 | 6.5 | 53 | 73.6 | 0.0 | 1.4 |
| China, Shexian County | 2 | 50.0 | — | 0.1 | 0 | — | — | — |
| China, Sheyang County | 200 | 57.5 | — | 4.4 | 66 | 45.5 | — | 1.5 |
| *China, Shijiazhuang City | 329 | 84.5 | 0.6 | 5.9 | 82 | 89.0 | 1.2 | 1.5 |
| China, Shunde District, Foshan City | 231 | 69.7 | — | 6.5 | 67 | 55.2 | — | 1.4 |
| *China, Song County | 49 | 34.7 | 6.1 | 3.0 | 10 | 60.0 | 10.0 | 0.5 |
| China, Suzhou City | 1010 | 74.6 | 1.7 | 5.9 | 235 | 74.5 | 1.7 | 1.2 |
| *China, Tengzhou City | 378 | 92.1 | 1.3 | 6.7 | 86 | 93.0 | 0.0 | 1.4 |
| *China, Wangdu County | 22 | 86.4 | — | 3.3 | 9 | 88.9 | — | 1.3 |
| *China, Wanzai County | 48 | 72.9 | 0.0 | 4.1 | 11 | 81.8 | 9.1 | 0.9 |
| *China, Wu'an City | 63 | 46.0 | — | 2.7 | 13 | 53.8 | — | 0.6 |
| China, Wuhan City | 1705 | 89.6 | 0.1 | 7.3 | 453 | 90.1 | 0.0 | 1.7 |
| *China, Wuhu City | 252 | 77.4 | 0.0 | 4.5 | 69 | 73.9 | 2.9 | 1.2 |
| China, Wuxi City | 882 | 87.1 | 0.5 | 6.8 | 226 | 82.7 | 0.4 | 1.6 |
| China, Wuzhou City | 149 | 73.8 | 0.0 | 7.4 | 40 | 70.0 | 2.5 | 2.0 |
| China, Xiangfu District, Kaifeng City | 98 | 72.4 | — | 4.8 | 21 | 57.1 | — | 1.0 |
| China, Xianju County | 89 | 85.4 | 1.1 | 4.2 | 24 | 70.8 | 8.3 | 1.1 |
| *China, Xin'an County | 53 | 67.9 | — | 4.6 | 9 | 66.7 | — | 0.8 |
| *China, Xining City | 165 | 84.8 | — | 7.9 | 45 | 84.4 | — | 1.9 |
| *China, Xinji City | 97 | 74.2 | 3.1 | 3.5 | 30 | 73.3 | 0.0 | 1.0 |
| *China, Xinluo District, Longyan City | 48 | 37.5 | — | 3.5 | 22 | 54.5 | — | 1.7 |
| *China, Xinzhou District, Shangrao City | 70 | 81.4 | 1.4 | 5.1 | 20 | 70.0 | 0.0 | 1.4 |
| China, Xiping County | 116 | 90.5 | 3.4 | 4.5 | 41 | 85.4 | 0.0 | 1.3 |
| *China, Xishan District, Kunming City | 71 | 67.6 | 1.4 | 4.0 | 17 | 76.5 | 0.0 | 0.8 |
| *China, Xuyi County | 120 | 73.3 | 0.8 | 4.4 | 23 | 82.6 | 0.0 | 0.9 |
| *China, Ya'an City | 498 | 80.9 | 0.8 | 9.1 | 113 | 79.6 | 0.0 | 2.0 |
| *China, Yakeshi City | 112 | 83.9 | 3.6 | 6.8 | 25 | 72.0 | 4.0 | 1.5 |
| China, Yancheng City | 251 | 67.7 | 0.8 | 4.2 | 69 | 65.2 | 1.4 | 1.1 |
| *China, Yangquan City | 186 | 88.7 | 3.8 | 9.3 | 57 | 91.2 | 7.0 | 2.8 |
| *China, Yangzhong City | 66 | 63.6 | — | 4.5 | 13 | 69.2 | — | 0.6 |
| *China, Yanji City | 143 | 85.3 | 1.4 | 7.1 | 49 | 73.5 | 2.0 | 1.9 |
| *China, Yanshi City | 96 | 70.8 | — | 4.0 | 33 | 48.5 | — | 1.2 |
| † China, Yanting County | 41 | 85.4 | — | 2.2 | 13 | 84.6 | — | 0.6 |
| *China, Yi'an District, Tongling City | 46 | 76.1 | — | 4.4 | 13 | 92.3 | — | 1.4 |
| *China, Yingdong District, Fuyang City | 89 | 87.6 | — | 3.9 | 24 | 75.0 | — | 1.1 |

* Important. See note on population page.

Indices of data quality Bladder (C67) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 72 | 84.7 | – | 6.8 | 16 | 93.8 | – | 1.5 |
| *China, Yiyuan County | 108 | 68.5 | – | 5.4 | 27 | 59.3 | – | 1.2 |
| China, Yong'an City | 55 | 69.1 | – | 3.5 | 13 | 84.6 | – | 1.1 |
| *China, Yongding District, Longyan City | 57 | 77.2 | – | 3.2 | 19 | 84.2 | – | 0.9 |
| China, Yongkang City | 141 | 81.6 | 2.8 | 5.4 | 41 | 87.8 | 2.4 | 1.4 |
| *China, Yucheng County | 69 | 56.5 | – | 3.5 | 23 | 56.5 | – | 1.0 |
| China, Yueyanglou District, Yueyang City | 80 | 92.5 | 3.8 | 7.0 | 9 | 100.0 | 0.0 | 0.8 |
| China, Yunmeng County | 91 | 44.0 | – | 5.5 | 17 | 47.1 | – | 1.0 |
| *China, Yunyang District, Shiyang City | 13 | 92.3 | – | 1.1 | 16 | 93.8 | – | 1.6 |
| China, Yuzhong District, Chongqing City | 209 | 56.5 | 3.8 | 9.1 | 52 | 63.5 | 3.8 | 1.9 |
| *China, Zanhuang County | 26 | 53.8 | – | 3.1 | 10 | 50.0 | – | 1.1 |
| *China, Zhangjiagang City | 346 | 78.9 | 0.3 | 7.2 | 76 | 75.0 | 1.3 | 1.5 |
| *China, Zhaoyuan City | 235 | 69.4 | 0.9 | 8.1 | 55 | 67.3 | 0.0 | 1.6 |
| *China, Zhengding County | 56 | 87.5 | – | 4.2 | 16 | 93.8 | – | 1.1 |
| †*China, Zhongshan City | 402 | 91.5 | – | 7.7 | 96 | 84.4 | – | 1.5 |
| China, Zhongxiang City | 174 | 70.7 | 0.6 | 5.1 | 48 | 72.9 | 0.0 | 1.3 |
| *China, Zhuanghe City | 410 | 83.4 | 0.2 | 8.6 | 91 | 82.4 | 0.0 | 1.9 |
| *China, Zhuhai City | 220 | 67.7 | 0.5 | 6.2 | 57 | 71.9 | 1.8 | 1.5 |
| India, Ahmedabad, Urban | 199 | 96.0 | – | 1.8 | 63 | 98.4 | – | 0.6 |
| India, Aurangabad | 42 | 88.1 | 9.5 | 1.7 | 24 | 95.8 | 0.0 | 0.9 |
| India, Bangalore | 369 | 95.1 | 3.0 | 3.4 | 96 | 97.9 | 1.0 | 0.9 |
| India, Barshi, Paranda, and Bhum | 23 | 87.0 | – | 1.4 | 4 | 75.0 | – | 0.3 |
| *India, Bhopal | 57 | 100.0 | – | 2.3 | 19 | 100.0 | – | 0.8 |
| India, Chandigarh | 127 | 98.4 | – | 5.6 | 24 | 100.0 | – | 1.1 |
| *India, Chennai | 423 | 80.6 | 2.6 | 3.6 | 131 | 78.6 | 8.4 | 1.0 |
| India, Dibrugarh | 28 | 82.1 | 7.1 | 1.0 | 9 | 77.8 | 0.0 | 0.3 |
| *India, Dindigul, Ambilikkai | 95 | 83.2 | 1.1 | 1.5 | 42 | 78.6 | 0.0 | 0.7 |
| India, Kamrup Urban District | 79 | 89.9 | 1.3 | 3.6 | 24 | 95.8 | 4.2 | 1.1 |
| India, Kollam | 251 | 81.3 | 0.0 | 3.9 | 42 | 69.0 | 2.4 | 0.5 |
| *India, Manipur | 68 | 97.1 | – | 1.5 | 17 | 94.1 | – | 0.4 |
| India, Meghalaya | 34 | 91.2 | 5.9 | 1.4 | 21 | 81.0 | 14.3 | 0.8 |
| India, Mizoram | 50 | 80.0 | – | 3.1 | 20 | 90.0 | – | 1.2 |
| India, Mumbai | 1209 | 89.5 | 5.7 | 4.0 | 360 | 84.7 | 9.4 | 1.2 |
| *India, New Delhi | 1355 | 80.4 | 3.4 | 6.9 | 290 | 77.9 | 11.0 | 1.5 |
| India, Poona | 383 | 91.4 | 3.9 | 3.3 | 117 | 88.9 | 2.6 | 1.0 |
| *India, Sangrur District | 65 | 78.5 | 1.5 | 2.5 | 16 | 93.8 | 0.0 | 0.6 |
| India, SAS Nagar | 122 | 98.4 | – | 5.1 | 22 | 95.5 | – | 1.0 |
| *India, Tamil Nadu | 3288 | 85.2 | 0.6 | 1.7 | 1063 | 84.3 | 1.1 | 0.5 |
| *India, Tripura | 102 | 95.1 | – | 1.6 | 13 | 92.3 | – | 0.2 |
| India, Trivandrum | 398 | 93.5 | – | 4.9 | 89 | 92.1 | – | 0.9 |
| India, Wardha | 64 | 89.1 | 1.6 | 1.7 | 18 | 77.8 | 0.0 | 0.5 |
| India, West Arunachal | 8 | 62.5 | – | 0.8 | 1 | 100.0 | – | 0.1 |
| †*Iran (Islamic Republic of), Ardabil Province | 190 | 93.2 | 1.1 | 10.2 | 53 | 86.8 | 9.4 | 2.8 |
| *Iran (Islamic Republic of), Golestan Province | 201 | 94.0 | 1.5 | 9.1 | 66 | 84.8 | 3.0 | 2.8 |
| † Israel | 6704 | 98.0 | 0.7 | 24.7 | 1498 | 96.1 | 2.3 | 4.5 |
| †*Israel: Jews | 5797 | 97.9 | 0.8 | 24.7 | 1354 | 96.2 | 2.1 | 4.8 |
| †*Israel: Arabs | 661 | 98.9 | 0.2 | 23.6 | 86 | 97.7 | 2.3 | 2.7 |
| † Japan | 46885 | 87.7 | 5.8 | 8.3 | 15561 | 78.5 | 10.7 | 1.9 |
| † Japan, Aichi Prefecture | 4560 | 95.4 | 1.7 | 15.8 | 1154 | 89.2 | 4.4 | 3.2 |
| †*Japan, Akita Prefecture | 788 | 95.3 | 0.3 | 15.1 | 224 | 90.6 | 0.9 | 2.7 |
| † Japan, Aomori Prefecture | 1539 | 92.1 | 0.7 | 15.4 | 556 | 84.9 | 3.4 | 3.7 |
| † Japan, Gunma Prefecture | 1222 | 94.4 | 1.9 | 13.9 | 356 | 87.9 | 4.5 | 3.1 |
| † Japan, Hiroshima Prefecture | 3654 | 97.1 | 0.4 | 22.0 | 938 | 91.7 | 2.0 | 4.0 |
| † Japan, Miyagi Prefecture | 2518 | 93.7 | 2.3 | 15.6 | 771 | 84.0 | 6.9 | 3.7 |
| † Japan, Osaka Prefecture | 6269 | 95.7 | 2.0 | 17.5 | 1605 | 92.6 | 3.9 | 3.5 |
| † Kuwait | 383 | 98.2 | 1.6 | 6.9 | 74 | 86.5 | 12.2 | 2.1 |
| †*Kuwait: Kuwaitis | 148 | 97.3 | 2.0 | 8.2 | 45 | 88.9 | 8.9 | 2.1 |
| †*Kuwait: Non-Kuwaitis | 235 | 98.7 | 1.3 | 7.0 | 29 | 82.8 | 17.2 | 2.3 |
| †*Philippines, Manila | 275 | 83.6 | 1.5 | 3.0 | 169 | 82.2 | 1.8 | 1.3 |
| †*Qatar: Qatari | 35 | 94.3 | 2.9 | 9.6 | 9 | 77.8 | 22.2 | 2.3 |
| Republic of Korea | 16890 | 95.9 | 0.9 | 8.4 | 4126 | 89.2 | 3.1 | 1.5 |
| *Republic of Korea, Busan | 1391 | 95.0 | 1.1 | 9.3 | 344 | 89.2 | 3.2 | 1.8 |
| *Republic of Korea, Daegu | 685 | 96.2 | 1.2 | 7.3 | 185 | 90.8 | 3.2 | 1.4 |
| *Republic of Korea, Daejeon | 320 | 95.3 | 0.6 | 6.1 | 92 | 89.1 | 3.3 | 1.3 |
| *Republic of Korea, Gwangju | 333 | 94.9 | 0.6 | 6.6 | 72 | 84.7 | 5.6 | 0.9 |
| † Republic of Korea, Incheon | 1192 | 98.0 | 0.1 | 11.6 | 263 | 94.3 | 0.8 | 2.0 |
| Republic of Korea, Jeju | 188 | 94.7 | – | 7.8 | 43 | 69.8 | – | 1.1 |
| Republic of Korea, Seoul | 3480 | 97.2 | 0.6 | 9.2 | 825 | 93.7 | 2.3 | 1.7 |
| Republic of Korea, Ulsan | 267 | 96.6 | 1.9 | 7.4 | 69 | 92.8 | 1.4 | 1.5 |
| † Singapore | 1214 | 97.9 | 0.1 | 7.9 | 349 | 96.6 | 0.0 | 1.9 |
| † Singapore: Chinese | 973 | 98.0 | 0.1 | 7.8 | 292 | 96.2 | 0.0 | 1.9 |
| † Singapore: Indian | 69 | 100.0 | – | 6.6 | 27 | 100.0 | – | 2.6 |

* Important. See note on population page.

Indices of data quality Bladder (C67) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| † Singapore: Malay | 131 | 96.2 | – | 8.7 | 21 | 100.0 | – | 1.2 |
| † Thailand, Bangkok | 729 | 83.5 | 1.0 | 4.5 | 294 | 82.7 | 3.7 | 1.3 |
| *Thailand, Chiang Mai | 349 | 88.8 | 0.6 | 6.0 | 132 | 87.1 | 1.5 | 1.8 |
| *Thailand, Khon Kaen | 203 | 82.8 | 0.0 | 3.2 | 51 | 76.5 | 2.0 | 0.7 |
| † Thailand, Lampang | 139 | 95.0 | – | 4.1 | 62 | 95.2 | – | 1.7 |
| † Thailand, Lopburi Province | 142 | 96.5 | 0.7 | 6.1 | 42 | 88.1 | 0.0 | 1.4 |
| *Thailand, Songkhla | 223 | 87.4 | 0.0 | 5.2 | 37 | 83.8 | 2.7 | 0.6 |
| † Turkey, Antalya | 1204 | 99.2 | 0.1 | 19.9 | 158 | 99.4 | 0.6 | 2.3 |
| † Turkey, Bursa | 1685 | 97.8 | 1.0 | 21.5 | 211 | 95.7 | 3.8 | 2.3 |
| †*Turkey, Edirne | 397 | 95.5 | 1.0 | 24.1 | 48 | 97.9 | 2.1 | 2.6 |
| †*Turkey, Erzurum | 362 | 94.5 | 1.4 | 19.7 | 51 | 90.2 | 5.9 | 2.3 |
| † Turkey, Eskişehir | 633 | 99.1 | 0.0 | 23.4 | 124 | 97.6 | 0.8 | 3.8 |
| † Turkey, Gaziantep | 633 | 96.1 | 0.9 | 19.3 | 84 | 92.9 | 1.2 | 2.1 |
| †*Turkey, Izmir | 3415 | 96.0 | 0.5 | 25.7 | 605 | 93.2 | 2.1 | 3.8 |
| † Turkey, Malatya | 398 | 96.7 | 2.8 | 17.6 | 51 | 96.1 | 3.9 | 1.8 |
| † Turkey, Samsun | 819 | 98.8 | 0.4 | 19.6 | 125 | 97.6 | 1.6 | 2.6 |
| † Turkey, Trabzon | 744 | 96.9 | 0.4 | 28.8 | 114 | 94.7 | 0.9 | 3.2 |
| Europe | | | | | | | | |
| † Austria | 5907 | 91.9 | 3.3 | 13.0 | 1955 | 89.3 | 4.9 | 3.4 |
| † Austria, Carinthia | 673 | 97.3 | 0.9 | 20.9 | 247 | 94.3 | 2.8 | 6.2 |
| † Austria, Tyrol | 938 | 99.0 | 0.1 | 25.3 | 263 | 99.2 | 0.0 | 6.2 |
| † Austria, Vorarlberg | 419 | 97.4 | 1.2 | 21.7 | 111 | 98.2 | 0.0 | 5.1 |
| † Belarus | 5052 | 98.1 | – | 15.6 | 1346 | 97.4 | – | 2.4 |
| †*Belgium | 17276 | 99.6 | – | 29.1 | 4376 | 99.0 | – | 6.1 |
| † Croatia | 4359 | 86.3 | 2.3 | 20.8 | 1490 | 82.3 | 3.8 | 5.5 |
| † Cyprus | 956 | 97.5 | 2.4 | 24.8 | 173 | 94.2 | 5.8 | 4.0 |
| †*Czech Republic | 10687 | 96.7 | 0.2 | 20.7 | 3864 | 95.2 | 0.4 | 5.8 |
| † Denmark | 8019 | 99.5 | – | 26.3 | 2657 | 99.2 | – | 7.9 |
| † Estonia | 971 | 94.6 | 0.7 | 16.9 | 355 | 92.4 | 1.7 | 3.5 |
| † Finland | 4521 | 98.3 | 0.3 | 14.2 | 1220 | 94.6 | 1.6 | 3.1 |
| *France, Bas-Rhin | 683 | 99.1 | – | 15.5 | 167 | 95.8 | – | 2.3 |
| *France, Calvados | 531 | 95.9 | – | 13.7 | 168 | 88.1 | – | 2.9 |
| *France, Doubs | 421 | 98.1 | – | 14.4 | 97 | 97.9 | – | 2.7 |
| *France, Gironde | 1307 | 98.9 | – | 16.0 | 290 | 95.5 | – | 2.6 |
| *France, Haut-Rhin | 532 | 96.8 | – | 12.5 | 142 | 87.3 | – | 2.3 |
| *France, Hérault | 995 | 96.8 | – | 14.8 | 240 | 92.5 | – | 2.7 |
| *France, Isère | 969 | 98.2 | – | 15.2 | 213 | 96.7 | – | 2.4 |
| *France, Lille-Métropole | 532 | 97.0 | – | 16.9 | 122 | 94.3 | – | 2.6 |
| *France, Limousin | 397 | 98.7 | – | 16.1 | 86 | 96.5 | – | 2.8 |
| *France, Loire-Atlantique | 865 | 96.9 | – | 12.9 | 224 | 91.1 | – | 2.0 |
| *France, Manche | 400 | 94.8 | – | 12.4 | 100 | 90.0 | – | 2.0 |
| *France, Poitou-Charentes | 1658 | 98.6 | – | 13.9 | 348 | 94.0 | – | 2.2 |
| *France, Somme | 438 | 99.5 | – | 14.7 | 90 | 98.9 | – | 1.9 |
| *France, Tarn | 388 | 98.2 | – | 14.0 | 86 | 91.9 | – | 2.4 |
| *France, Territoire de Belfort | 77 | 98.7 | – | 12.1 | 21 | 90.5 | – | 2.3 |
| *France, Vendée | 597 | 97.8 | – | 14.1 | 119 | 93.3 | – | 1.9 |
| † Germany, Baden-Württemberg | 7912 | 83.2 | 2.8 | 20.6 | 2329 | 80.5 | 5.2 | 5.1 |
| † Germany, Bavaria | 13839 | 95.0 | 4.0 | 18.7 | 4427 | 91.6 | 7.2 | 4.9 |
| † Germany, Bremen | 997 | 95.9 | 3.4 | 25.4 | 333 | 90.1 | 7.8 | 7.0 |
| † Germany, Hamburg | 2298 | 90.0 | 1.6 | 23.6 | 838 | 89.7 | 2.1 | 7.0 |
| † Germany, Lower Saxony | 13018 | 94.7 | 3.4 | 26.3 | 4033 | 90.8 | 6.0 | 6.9 |
| † Germany, North Rhine-Westphalia | 27556 | 93.5 | 2.4 | 26.3 | 9013 | 90.3 | 5.6 | 7.1 |
| † Germany, Rhineland-Palatinate | 5178 | 90.8 | 4.8 | 21.0 | 1578 | 87.1 | 8.7 | 5.4 |
| † Germany, Saarland | 971 | 91.9 | 2.8 | 14.1 | 319 | 88.7 | 6.6 | 3.4 |
| † Germany, Schleswig-Holstein | 4655 | 93.5 | 1.4 | 25.4 | 1494 | 88.1 | 2.5 | 6.9 |
| † Iceland | 301 | 97.3 | – | 20.9 | 72 | 95.8 | – | 4.9 |
| † Ireland | 2892 | 94.8 | 0.4 | 15.0 | 1094 | 93.3 | 0.3 | 5.0 |
| †*Italy, Aosta Valley | 175 | 89.1 | 0.0 | 28.5 | 50 | 90.0 | 2.0 | 6.8 |
| †*Italy, Avellino | 448 | 92.0 | 0.2 | 32.0 | 96 | 86.5 | 2.1 | 4.9 |
| † Italy, Basilicata | 945 | 84.1 | 0.1 | 27.9 | 217 | 75.6 | 1.8 | 5.8 |
| †*Italy, Benevento | 426 | 95.1 | 1.4 | 32.9 | 91 | 96.7 | 0.0 | 5.9 |
| † Italy, Bergamo | 1714 | 97.8 | 0.2 | 28.1 | 435 | 94.5 | 1.4 | 6.1 |
| †*Italy, Brescia | 1746 | 92.6 | 0.5 | 27.3 | 439 | 87.9 | 2.5 | 5.5 |
| † Italy, Brianza (Lecco and Monza e Brianza) | 1283 | 97.5 | 0.2 | 31.1 | 314 | 94.6 | 1.0 | 6.6 |
| † Italy, Calabria | 926 | 86.5 | 0.9 | 30.8 | 168 | 84.5 | 1.2 | 4.6 |
| †*Italy, Caserta | 1302 | 94.5 | 0.4 | 39.7 | 268 | 89.9 | 1.5 | 7.0 |
| †*Italy, Catania, Messina, and Enna | 3439 | 95.6 | 0.6 | 33.9 | 749 | 93.2 | 1.3 | 6.3 |
| † Italy, Emilia-Romagna | 6878 | 93.6 | 0.3 | 30.5 | 1924 | 89.1 | 0.6 | 7.3 |
| † Italy, Friuli-Venezia Giulia | 2107 | 97.2 | – | 25.2 | 669 | 95.5 | – | 6.6 |
| † Italy, Genova | 1583 | 95.3 | 0.2 | 32.5 | 417 | 92.3 | 1.4 | 7.0 |
| †*Italy, Lombardy, South, Pavia | 997 | 90.3 | 0.1 | 29.7 | 248 | 81.0 | 0.4 | 6.2 |
| † Italy, Mantova and Cremona | 1018 | 93.8 | – | 27.2 | 275 | 90.5 | – | 6.2 |

* Important. See note on population page.

Indices of data quality Bladder (C67) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| † Italy, Marche | 2285 | 95.4 | 0.7 | 29.1 | 614 | 93.3 | 1.5 | 6.6 |
| † Italy, Milan | 6417 | 93.4 | 0.2 | 31.8 | 1709 | 90.3 | 1.0 | 6.5 |
| † Italy, Molise | 320 | 88.8 | 0.3 | 27.2 | 75 | 85.3 | 1.3 | 5.4 |
| †*Italy, Naples Centre | 1171 | 89.3 | 1.3 | 42.2 | 285 | 82.5 | 1.8 | 7.9 |
| †*Italy, Naples North | 1361 | 95.9 | 0.7 | 41.6 | 306 | 92.2 | 2.0 | 8.2 |
| †*Italy, Naples South | 2053 | 95.5 | 0.6 | 41.5 | 434 | 94.5 | 0.9 | 7.8 |
| †*Italy, Nuoro | 160 | 88.1 | 1.2 | 20.5 | 42 | 85.7 | 2.4 | 5.0 |
| †*Italy, Palermo | 2322 | 91.9 | 0.7 | 35.7 | 554 | 89.2 | 1.4 | 7.4 |
| † Italy, Puglia | 7741 | 92.5 | 0.5 | 33.9 | 1500 | 90.1 | 1.0 | 5.6 |
| †*Italy, Ragusa and Caltanissetta | 956 | 95.0 | 0.7 | 30.9 | 199 | 94.5 | 1.0 | 6.0 |
| †*Italy, Salerno | 1430 | 90.3 | 0.5 | 30.2 | 309 | 88.7 | 1.3 | 5.9 |
| † Italy, Sassari | 320 | 88.8 | 0.6 | 27.0 | 85 | 90.6 | 1.2 | 6.4 |
| †*Italy, Sondrio | 399 | 91.2 | 1.0 | 31.8 | 139 | 92.1 | 0.7 | 9.8 |
| † Italy, South Tyrol | 810 | 98.8 | 0.2 | 27.7 | 212 | 97.6 | 0.0 | 6.7 |
| †*Italy, Syracuse | 746 | 92.9 | 0.7 | 34.8 | 156 | 89.1 | 1.9 | 6.5 |
| † Italy, Trento | 890 | 93.3 | 0.0 | 28.9 | 276 | 87.3 | 1.1 | 6.9 |
| † Italy, Turin | 4628 | 91.1 | 0.5 | 31.3 | 1091 | 89.2 | 0.7 | 6.3 |
| †*Italy, Tuscany | 4624 | 92.0 | 0.4 | 34.7 | 1149 | 88.9 | 0.6 | 7.5 |
| † Italy, Umbria | 1496 | 94.3 | 0.3 | 32.7 | 373 | 91.4 | 0.3 | 6.8 |
| † Italy, Varese | 1120 | 98.8 | 0.2 | 35.9 | 245 | 95.5 | 0.4 | 6.6 |
| † Italy, Veneto | 7865 | 96.9 | 0.3 | 27.4 | 2193 | 91.9 | 1.0 | 6.2 |
| † Latvia | 1686 | 85.5 | 2.0 | 19.9 | 573 | 80.8 | 3.5 | 3.6 |
| †*Liechtenstein | 35 | 100.0 | – | 17.5 | 18 | 94.4 | – | 8.0 |
| †*Lithuania | 2052 | 80.7 | 15.0 | 16.2 | 624 | 77.6 | 17.9 | 2.8 |
| † Malta | 446 | 95.1 | 2.0 | 18.9 | 131 | 92.4 | 2.3 | 4.6 |
| †*The Netherlands | 24098 | 99.0 | – | 26.9 | 7330 | 98.2 | – | 7.5 |
| † Norway | 5278 | 98.7 | 0.5 | 20.4 | 1769 | 96.9 | 1.2 | 6.0 |
| † Poland, Kielce | 1116 | 97.5 | – | 19.1 | 302 | 97.4 | – | 4.2 |
| †*Portugal, Azores | 150 | 97.3 | 0.7 | 19.6 | 48 | 97.9 | 2.1 | 5.1 |
| † Russian Federation, Arkhangelsk | 518 | 91.5 | 3.3 | 13.7 | 183 | 89.6 | 6.6 | 2.6 |
| † Russian Federation, Kaliningrad | 443 | 91.4 | 0.7 | 14.1 | 118 | 83.1 | 2.5 | 2.2 |
| † Russian Federation, Karelia | 292 | 90.4 | 1.0 | 14.8 | 89 | 83.1 | 4.5 | 2.1 |
| *Russian Federation, Komi Republic | 377 | 87.3 | 2.7 | 16.7 | 138 | 81.2 | 2.9 | 3.3 |
| † Russian Federation, Murmansk | 372 | 96.0 | 2.7 | 18.3 | 108 | 93.5 | 3.7 | 2.9 |
| †*Russian Federation, Orenburg | 1147 | 96.9 | 0.3 | 17.9 | 238 | 95.4 | 2.1 | 2.1 |
| Russian Federation, Pskov | 308 | 84.1 | 4.9 | 13.3 | 104 | 76.0 | 6.7 | 2.2 |
| *Russian Federation, Samara | 1621 | 99.1 | 0.8 | 14.8 | 484 | 98.1 | 1.9 | 2.5 |
| Russian Federation, Vologda Region | 498 | 95.0 | 1.8 | 12.9 | 151 | 94.7 | 2.0 | 2.1 |
| † Slovenia | 1974 | 98.7 | 0.2 | 18.5 | 706 | 97.3 | 0.3 | 5.2 |
| † Spain, Asturias | 1366 | 95.5 | 0.4 | 35.7 | 301 | 91.4 | 1.3 | 6.5 |
| † Spain, Basque Country | 3428 | 96.5 | 0.2 | 36.1 | 824 | 91.7 | 1.0 | 7.2 |
| † Spain, Canary Islands | 1729 | 96.1 | 0.1 | 27.3 | 397 | 95.7 | 0.5 | 5.4 |
| † Spain, Castellón | 1074 | 98.6 | – | 36.7 | 181 | 95.0 | – | 5.0 |
| † Spain, Girona | 1287 | 94.0 | 0.4 | 33.9 | 267 | 91.8 | 1.1 | 6.1 |
| † Spain, Granada | 1347 | 94.2 | 0.2 | 29.8 | 272 | 91.2 | 1.1 | 5.2 |
| † Spain, La Rioja | 581 | 94.5 | 0.5 | 34.1 | 151 | 86.1 | 0.0 | 7.0 |
| † Spain, Murcia | 2294 | 95.6 | 0.2 | 36.9 | 432 | 92.4 | 0.2 | 5.7 |
| † Spain, Navarra | 1056 | 95.7 | 0.2 | 39.2 | 262 | 90.1 | 0.0 | 9.3 |
| Spain, Salamanca | 553 | 93.1 | 0.2 | 23.8 | 117 | 85.5 | 4.3 | 4.5 |
| † Spain, Tarragona | 1509 | 96.8 | 0.3 | 36.4 | 259 | 92.3 | 1.5 | 5.4 |
| *Sweden | 10571 | 99.9 | – | 18.2 | 3520 | 99.9 | – | 5.5 |
| † Switzerland, Aargau | 771 | 98.2 | 1.4 | 22.5 | 208 | 96.2 | 1.9 | 5.6 |
| † Switzerland, Basel | 695 | 97.7 | 2.0 | 24.9 | 203 | 96.6 | 3.0 | 5.9 |
| † Switzerland, Berne Solothurn | 1160 | 97.5 | 0.5 | 25.3 | 336 | 94.6 | 1.2 | 6.1 |
| † Switzerland, East | 1089 | 98.3 | 0.5 | 25.5 | 275 | 96.7 | 0.4 | 5.7 |
| †*Switzerland, Fribourg | 326 | 98.8 | 0.0 | 24.0 | 91 | 97.8 | 1.1 | 6.1 |
| † Switzerland, Geneva | 633 | 97.8 | 0.3 | 26.9 | 173 | 97.1 | 0.6 | 5.9 |
| *Switzerland, Graubünden and Glarus | 343 | 97.4 | 0.0 | 23.7 | 91 | 96.7 | 1.1 | 5.4 |
| †*Switzerland, Lucerne | 578 | 96.4 | 2.1 | 21.1 | 177 | 93.2 | 1.7 | 6.3 |
| *Switzerland, Neuchâtel and Jura | 371 | 98.7 | 0.3 | 27.5 | 109 | 96.3 | 0.9 | 7.4 |
| † Switzerland, Ticino | 335 | 97.6 | 0.3 | 14.8 | 112 | 93.8 | 0.9 | 3.8 |
| † Switzerland, Valais | 477 | 99.0 | 0.2 | 26.4 | 148 | 97.3 | 0.0 | 7.3 |
| † Switzerland, Vaud | 990 | 97.7 | 0.7 | 27.7 | 285 | 96.5 | 1.8 | 6.7 |
| Switzerland, Zurich and Zug | 1947 | 98.8 | 0.2 | 25.1 | 578 | 97.8 | 0.5 | 6.1 |
| Ukraine | 17750 | 86.1 | 0.2 | 13.8 | 3855 | 83.0 | 0.3 | 1.8 |
| † UK, England | 65535 | 95.3 | 0.5 | 22.1 | 22953 | 91.3 | 1.0 | 6.6 |
| † UK, Northern Ireland | 1604 | 93.8 | 0.2 | 18.2 | 629 | 85.9 | 0.3 | 6.0 |
| † UK, Scotland | 5649 | 93.1 | 0.0 | 19.4 | 2577 | 88.3 | 0.1 | 7.2 |
| † UK, Wales | 3919 | 91.9 | 0.6 | 21.1 | 1504 | 87.0 | 1.3 | 7.5 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 3453 | 93.1 | 1.7 | 8.5 | 1101 | 88.0 | 4.5 | 2.2 |
| †*Australia, Northern Territory | 117 | 100.0 | – | 17.2 | 28 | 92.9 | – | 4.6 |

* Important. See note on population page.

Indices of data quality Bladder (C67) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| †*Australia, Northern Territory: Non-Indigenous | 110 | 100.0 | – | 19.1 | 25 | 92.0 | – | 5.2 |
| †*Australia, Northern Territory: Indigenous | 7 | 100.0 | – | 5.0 | 3 | 100.0 | – | 2.8 |
| †*Australia, Queensland | 5077 | 93.8 | 0.6 | 23.1 | 1465 | 90.5 | 1.9 | 6.0 |
| Australia, South Australia | 871 | 93.0 | 2.1 | 8.6 | 267 | 90.3 | 3.4 | 2.2 |
| † Australia, Tasmania | 656 | 96.6 | 0.6 | 22.3 | 186 | 95.2 | 0.5 | 5.8 |
| †*Australia, Victoria | 6241 | 97.2 | 0.8 | 21.8 | 1884 | 94.4 | 2.4 | 5.7 |
| *Australia, Western Australia | 973 | 93.4 | 0.6 | 8.4 | 291 | 87.6 | 2.4 | 2.1 |
| †*France, New Caledonia | 120 | 100.0 | – | 14.7 | 27 | 100.0 | – | 2.9 |
| New Zealand | 1532 | 92.4 | 3.3 | 6.8 | 551 | 86.8 | 6.7 | 2.1 |
| *New Zealand: Maori | 85 | 89.4 | 5.9 | 6.0 | 49 | 83.7 | 10.2 | 2.7 |
| *New Zealand: Pacific peoples | 18 | 100.0 | – | 3.2 | 13 | 92.3 | – | 1.8 |
| *New Zealand: Other | 1396 | 92.3 | 3.3 | 7.3 | 479 | 86.8 | 6.5 | 2.1 |
| USA, Hawaii | 963 | 97.2 | 0.6 | 13.3 | 266 | 96.2 | 0.4 | 3.2 |
| USA, Hawaii: White | 444 | 98.6 | 0.2 | 20.2 | 90 | 96.7 | 0.0 | 4.4 |
| *USA, Hawaii: Japanese | 207 | 95.2 | 1.4 | 9.9 | 74 | 95.9 | 1.4 | 3.6 |
| *USA, Hawaii: Chinese | 52 | 98.1 | – | 9.0 | 19 | 89.5 | – | 2.3 |
| *USA, Hawaii: Hawaiian | 89 | 96.6 | – | 9.4 | 38 | 97.4 | – | 3.5 |
| *USA, Hawaii: Filipino | 94 | 96.8 | 2.1 | 8.5 | 26 | 96.2 | 0.0 | 1.5 |

* Important. See note on population page.

Indices of data quality Brain and nervous system (C70–72)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 66 | 74.2 | – | 4.2 | 88 | 59.1 | – | 5.6 |
| *Algeria, Tizi Ouzou | 114 | 89.5 | – | 7.9 | 85 | 76.5 | – | 5.0 |
| *Benin, Cotonou | 12 | 25.0 | – | 2.2 | 8 | 25.0 | – | 0.9 |
| *France, La Réunion | 90 | 78.9 | – | 4.9 | 82 | 64.6 | – | 3.6 |
| *Kenya, Eldoret | 16 | 87.5 | – | 1.1 | 11 | 90.9 | – | 0.7 |
| *Kenya, Nairobi | 101 | 78.2 | 8.9 | 2.7 | 134 | 73.9 | 6.7 | 4.1 |
| Mauritius | 102 | 72.5 | 2.0 | 2.9 | 90 | 65.6 | 3.3 | 2.3 |
| *Morocco, Casablanca | 244 | 90.6 | 5.3 | 2.3 | 213 | 88.7 | 3.8 | 1.9 |
| *Seychelles | 8 | 25.0 | 0.0 | 2.8 | 9 | 66.7 | 11.1 | 3.2 |
| *South Africa, Eastern Cape | 3 | 66.7 | – | 0.2 | 6 | 83.3 | – | 0.3 |
| *Uganda, Kyadondo County | 50 | 34.0 | 2.0 | 1.7 | 51 | 31.4 | 5.9 | 1.6 |
| *Uganda, Gulu | 4 | 50.0 | – | 0.8 | 0 | – | – | – |
| *Zimbabwe, Bulawayo: African | 15 | 60.0 | 6.7 | 1.1 | 11 | 27.3 | 27.3 | 0.7 |
| *Zimbabwe, Harare: African | 92 | 47.8 | 19.6 | 3.6 | 134 | 56.7 | 20.9 | 5.6 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 106 | 58.5 | 23.6 | 5.0 | 101 | 66.3 | 26.7 | 4.1 |
| *Argentina, Mendoza | 340 | 68.8 | 21.8 | 7.1 | 313 | 70.6 | 22.7 | 5.6 |
| Brazil, Aracaju | 42 | 78.6 | 11.9 | 4.0 | 61 | 75.4 | 14.8 | 4.4 |
| *Brazil, Barretos | 62 | 61.3 | 33.9 | 5.2 | 52 | 46.2 | 53.8 | 3.9 |
| Brazil, Belo Horizonte | 413 | 75.8 | 24.0 | 6.2 | 337 | 76.0 | 23.4 | 4.0 |
| *Brazil, Campinas | 163 | 64.4 | 29.4 | 7.0 | 145 | 57.2 | 35.2 | 5.3 |
| *Brazil, Curitiba | 245 | 60.4 | 23.7 | 6.4 | 207 | 45.4 | 34.8 | 4.4 |
| Brazil, Goiânia | 175 | 88.0 | 11.4 | 6.7 | 147 | 85.0 | 14.3 | 4.7 |
| *Brazil, Jaú | 16 | 75.0 | – | 4.0 | 15 | 80.0 | – | 2.9 |
| Brazil, João Pessoa | 45 | 42.2 | 31.1 | 4.2 | 64 | 43.8 | 23.4 | 4.6 |
| Brazil, Recife | 140 | 55.0 | 20.0 | 6.0 | 126 | 55.6 | 27.0 | 3.9 |
| Chile, Region of Antofagasta | 32 | 59.4 | 6.2 | 3.4 | 21 | 57.1 | 14.3 | 2.2 |
| Chile, Valdivia | 43 | 72.1 | 2.3 | 3.9 | 40 | 47.5 | 7.5 | 3.2 |
| Colombia, Bucaramanga | 147 | 79.6 | 4.8 | 5.2 | 115 | 78.3 | 8.7 | 3.5 |
| Colombia, Cali | 323 | 84.8 | 2.5 | 5.6 | 313 | 76.4 | 4.5 | 4.3 |
| Colombia, Manizales | 57 | 68.4 | 1.8 | 4.9 | 58 | 56.9 | 0.0 | 3.9 |
| Colombia, Pasto | 36 | 75.0 | 5.6 | 3.6 | 45 | 53.3 | 11.1 | 3.5 |
| Costa Rica | 264 | 83.0 | 0.4 | 2.8 | 206 | 78.6 | 0.5 | 2.2 |
| Ecuador, Guayaquil | 284 | 85.6 | 1.8 | 4.8 | 228 | 83.3 | 2.6 | 3.6 |
| Ecuador, Manabí | 119 | 46.2 | 21.0 | 3.3 | 91 | 46.2 | 13.2 | 2.5 |
| Ecuador, Quito | 259 | 69.5 | 11.2 | 5.9 | 251 | 64.9 | 12.0 | 5.2 |
| *France, Guadeloupe | 32 | 87.5 | – | 2.6 | 35 | 88.6 | – | 2.6 |
| *France, Martinique | 42 | 83.3 | – | 2.7 | 30 | 70.0 | – | 2.2 |
| *Peru, Lima | 729 | 67.4 | 11.0 | 5.2 | 576 | 65.3 | 8.2 | 3.7 |
| *Trinidad and Tobago | 68 | 77.9 | 2.9 | 3.2 | 60 | 68.3 | 16.7 | 2.3 |
| USA, Puerto Rico | 445 | 85.8 | 3.6 | 4.2 | 391 | 82.9 | 5.6 | 3.1 |
| *Uruguay | 628 | 67.5 | 18.2 | 6.0 | 550 | 58.2 | 24.5 | 4.1 |
| North America | | | | | | | | |
| Canada, Alberta | 776 | 83.2 | 0.0 | 6.0 | 566 | 81.8 | 0.2 | 4.4 |
| Canada, British Columbia | 1079 | 84.6 | 0.3 | 6.3 | 744 | 81.2 | 0.3 | 4.3 |
| *Canada, Manitoba | 245 | 81.6 | – | 5.8 | 193 | 79.3 | – | 4.5 |
| *Canada, New Brunswick | 188 | 78.2 | – | 6.1 | 137 | 75.9 | – | 5.2 |
| *Canada, Newfoundland and Labrador | 117 | 90.6 | – | 5.6 | 103 | 86.4 | – | 4.8 |
| Canada, Ontario | 3016 | 85.3 | 2.0 | 6.4 | 2336 | 80.4 | 3.1 | 4.7 |
| *Canada, Prince Edward Island | 34 | 76.5 | – | 6.4 | 20 | 70.0 | – | 3.5 |
| Canada, Quebec | 2104 | 79.4 | 6.5 | 6.8 | 1626 | 70.3 | 10.3 | 4.9 |
| Canada, Saskatchewan | 223 | 90.6 | 0.9 | 5.9 | 158 | 83.5 | 1.3 | 4.0 |
| *Canada, Yukon | 2 | 50.0 | – | 2.8 | 7 | 100.0 | – | 6.2 |
| USA | 63504 | 86.5 | 3.8 | 6.2 | 50496 | 82.6 | 5.0 | 4.7 |
| USA: White | 56356 | 86.7 | 3.7 | 6.7 | 44362 | 83.0 | 4.9 | 5.1 |
| USA: Black | 4589 | 84.7 | 4.2 | 4.0 | 4025 | 79.4 | 5.9 | 3.1 |
| USA, NPCR | 61490 | 86.5 | 3.8 | 6.2 | 48891 | 82.5 | 5.1 | 4.7 |
| USA, NPCR: White | 54559 | 86.6 | 3.8 | 6.7 | 42975 | 82.9 | 5.0 | 5.1 |
| USA, NPCR: Black | 4527 | 84.6 | 4.3 | 4.0 | 3973 | 79.3 | 6.0 | 3.1 |
| USA, NPCR: Asian and Pacific Islander | 1841 | 87.8 | 2.9 | 3.8 | 1508 | 81.6 | 5.0 | 2.8 |
| USA, NPCR: American Indian | 298 | 81.9 | 6.4 | 2.7 | 219 | 81.3 | 5.0 | 1.9 |
| *USA, SEER (18 registries) | 16674 | 87.1 | 1.9 | 6.0 | 13156 | 83.8 | 2.7 | 4.5 |
| *USA, SEER (18 registries): White | 14292 | 87.3 | 1.9 | 6.6 | 11132 | 84.0 | 2.7 | 5.0 |
| *USA, SEER (18 registries): Non-Hispanic White | 12111 | 87.2 | 1.9 | 7.2 | 9281 | 83.5 | 2.8 | 5.4 |
| *USA, SEER (18 registries): Hispanic White | 2181 | 88.0 | 1.6 | 4.8 | 1851 | 86.7 | 2.3 | 3.9 |
| *USA, SEER (18 registries): Black | 1143 | 85.4 | 2.1 | 3.9 | 995 | 81.6 | 3.0 | 3.0 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 1010 | 87.6 | 1.5 | 3.7 | 829 | 83.7 | 2.9 | 2.7 |
| *USA, SEER (9 registries) | 5881 | 87.9 | 1.5 | 6.1 | 4501 | 83.8 | 2.1 | 4.5 |
| *USA, SEER (9 registries): White | 5010 | 88.0 | 1.4 | 6.8 | 3774 | 83.9 | 2.1 | 5.1 |
| *USA, SEER (9 registries): Black | 384 | 85.2 | 2.3 | 3.9 | 327 | 82.0 | 2.8 | 2.9 |
| USA, Alabama | 912 | 81.8 | 11.4 | 5.8 | 779 | 77.4 | 13.2 | 4.6 |
| USA, Alabama: White | 751 | 83.4 | 10.5 | 6.3 | 634 | 78.4 | 12.5 | 5.1 |

* Important. See note on population page.

Indices of data quality Brain and nervous system (C70–72) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 150 | 74.0 | 16.7 | 4.4 | 134 | 73.9 | 17.2 | 3.3 |
| USA, Alaska | 137 | 83.9 | 2.9 | 6.1 | 100 | 81.0 | 6.0 | 4.6 |
| *USA, Alaska: Alaska Natives | 17 | 64.7 | 5.9 | 5.3 | 10 | 90.0 | 0.0 | 3.0 |
| USA, Arizona | 1298 | 85.2 | 7.5 | 5.7 | 994 | 81.3 | 9.2 | 4.1 |
| USA, Arizona: White | 1220 | 85.6 | 7.4 | 6.0 | 929 | 81.6 | 8.9 | 4.4 |
| USA, Arizona: Black | 30 | 86.7 | 10.0 | 3.1 | 22 | 72.7 | 13.6 | 2.2 |
| *USA, Arizona: Asian and Pacific Islander | 20 | 80.0 | 10.0 | 2.7 | 21 | 90.5 | 9.5 | 2.3 |
| USA, Arizona: American Indian | 21 | 85.7 | 0.0 | 2.4 | 20 | 75.0 | 5.0 | 1.9 |
| USA, Arkansas | 651 | 83.3 | 6.3 | 6.8 | 487 | 78.9 | 8.2 | 4.6 |
| USA, Arkansas: White | 587 | 84.0 | 5.8 | 7.3 | 445 | 81.1 | 7.4 | 5.2 |
| USA, Arkansas: Black | 57 | 77.2 | 10.5 | 4.5 | 35 | 54.3 | 14.3 | 2.4 |
| USA, California | 6845 | 87.1 | 3.9 | 5.7 | 5289 | 84.1 | 5.0 | 4.2 |
| USA, California: White | 5839 | 87.4 | 3.9 | 6.3 | 4518 | 84.4 | 4.8 | 4.7 |
| USA, California: Black | 315 | 85.4 | 3.5 | 4.1 | 212 | 81.1 | 5.7 | 2.5 |
| USA, California: Asian and Pacific Islander | 639 | 85.6 | 3.9 | 3.7 | 514 | 83.7 | 6.2 | 2.6 |
| *USA, California, Los Angeles County | 1529 | 88.1 | 2.7 | 5.0 | 1244 | 84.6 | 2.6 | 3.9 |
| *USA, California, Los Angeles County: White | 1264 | 88.7 | 2.5 | 5.6 | 1013 | 85.7 | 2.5 | 4.4 |
| *USA, California, Los Angeles County: Non-Hispanic White | 772 | 88.1 | 2.8 | 7.1 | 569 | 84.2 | 2.8 | 5.6 |
| *USA, California, Los Angeles County: Hispanic White | 492 | 89.6 | 1.8 | 4.4 | 444 | 87.6 | 2.0 | 3.7 |
| *USA, California, Los Angeles County: Black | 105 | 86.7 | 4.8 | 3.9 | 81 | 75.3 | 3.7 | 2.4 |
| *USA, California, Los Angeles County: Chinese | 37 | 83.8 | 2.7 | 2.3 | 29 | 69.0 | 3.4 | 1.2 |
| *USA, California, Los Angeles County: Filipino | 29 | 79.3 | 3.4 | 2.8 | 41 | 87.8 | 2.4 | 2.9 |
| *USA, California, Los Angeles County: Korean | 13 | 76.9 | 0.0 | 1.8 | 13 | 84.6 | 15.4 | 1.8 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 141 | 85.1 | 2.1 | 2.9 | 130 | 83.1 | 3.1 | 2.4 |
| *USA, California, San Francisco Bay Area | 872 | 87.5 | 1.0 | 5.9 | 627 | 81.5 | 3.0 | 4.0 |
| *USA, California, San Francisco Bay Area: White | 668 | 87.1 | 1.0 | 6.7 | 475 | 81.3 | 3.2 | 4.8 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 558 | 87.8 | 1.1 | 7.5 | 391 | 81.6 | 2.8 | 5.3 |
| *USA, California, San Francisco Bay Area: Hispanic White | 110 | 83.6 | 0.9 | 5.0 | 84 | 79.8 | 4.8 | 3.6 |
| *USA, California, San Francisco Bay Area: Black | 46 | 87.0 | 2.2 | 3.8 | 31 | 77.4 | 6.5 | 2.3 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 150 | 88.7 | 0.7 | 4.4 | 111 | 83.8 | 0.9 | 2.5 |
| USA, Colorado | 1031 | 83.4 | 4.3 | 6.1 | 808 | 79.2 | 4.0 | 4.8 |
| USA, Colorado: White | 979 | 83.1 | 4.4 | 6.3 | 765 | 79.3 | 4.1 | 4.9 |
| *USA, Colorado: Black | 25 | 88.0 | 0.0 | 3.4 | 17 | 70.6 | 5.9 | 2.7 |
| *USA, Colorado: Asian and Pacific Islander | 22 | 86.4 | 4.5 | 4.6 | 21 | 81.0 | 0.0 | 4.0 |
| USA, Connecticut | 787 | 90.5 | 0.9 | 6.5 | 617 | 88.2 | 0.8 | 4.9 |
| USA, Connecticut: White | 708 | 90.0 | 1.0 | 6.7 | 542 | 88.0 | 0.6 | 4.9 |
| USA, Connecticut: Black | 47 | 97.9 | 0.0 | 4.4 | 36 | 83.3 | 5.6 | 2.6 |
| USA, District of Columbia | 89 | 91.0 | 4.5 | 5.1 | 66 | 90.9 | 4.5 | 3.3 |
| USA, District of Columbia: White | 49 | 93.9 | 2.0 | 6.7 | 23 | 87.0 | 4.3 | 3.1 |
| USA, District of Columbia: Black | 37 | 89.2 | 5.4 | 4.2 | 37 | 91.9 | 5.4 | 3.4 |
| USA, Florida | 4384 | 85.8 | 3.7 | 6.4 | 3440 | 83.1 | 4.2 | 4.6 |
| USA, Florida: White | 3926 | 86.3 | 3.6 | 6.9 | 3040 | 83.7 | 3.9 | 5.0 |
| USA, Florida: Black | 364 | 83.8 | 2.5 | 4.0 | 317 | 77.9 | 6.6 | 3.1 |
| USA, Florida: Asian and Pacific Islander | 40 | 90.0 | – | 2.3 | 46 | 87.0 | – | 2.4 |
| USA, Georgia | 1732 | 84.9 | 2.7 | 5.7 | 1455 | 84.1 | 2.7 | 4.5 |
| USA, Georgia: White | 1380 | 85.1 | 2.7 | 6.7 | 1122 | 85.4 | 2.3 | 5.3 |
| USA, Georgia: Black | 307 | 83.4 | 3.3 | 3.8 | 300 | 79.3 | 4.0 | 3.2 |
| USA, Georgia: Asian and Pacific Islander | 40 | 90.0 | 0.0 | 3.7 | 32 | 84.4 | 3.1 | 2.9 |
| *USA, Georgia, Atlanta | 567 | 82.9 | 1.4 | 5.7 | 445 | 85.2 | 2.0 | 4.1 |
| *USA, Georgia, Atlanta: White | 389 | 83.5 | 1.0 | 6.8 | 316 | 86.4 | 2.2 | 5.5 |
| *USA, Georgia, Atlanta: Black | 150 | 79.3 | 2.7 | 4.3 | 110 | 81.8 | 0.9 | 2.7 |
| USA, Idaho | 392 | 82.7 | 1.8 | 7.0 | 257 | 81.7 | 2.3 | 4.9 |
| USA, Indiana | 1339 | 86.8 | 2.2 | 6.4 | 1034 | 81.8 | 3.8 | 4.6 |
| USA, Indiana: White | 1254 | 86.8 | 2.3 | 6.6 | 952 | 82.1 | 3.7 | 4.7 |
| USA, Indiana: Black | 68 | 88.2 | 0.0 | 4.1 | 67 | 76.1 | 6.0 | 3.4 |
| *USA, Iowa | 690 | 87.5 | 2.6 | 6.7 | 556 | 81.3 | 2.5 | 5.2 |
| USA, Kentucky | 1021 | 83.3 | 4.6 | 7.4 | 827 | 77.0 | 6.2 | 5.5 |
| USA, Louisiana | 835 | 86.9 | 2.4 | 5.8 | 649 | 84.4 | 3.5 | 4.1 |
| USA, Louisiana: White | 681 | 87.4 | 1.8 | 6.8 | 523 | 85.5 | 3.3 | 5.0 |
| USA, Louisiana: Black | 145 | 84.1 | 5.5 | 3.7 | 115 | 80.0 | 4.3 | 2.5 |
| *USA, Louisiana, New Orleans | 147 | 79.6 | 1.4 | 5.5 | 129 | 79.8 | 6.2 | 4.0 |
| *USA, Louisiana, New Orleans: White | 97 | 76.3 | 2.1 | 5.7 | 98 | 81.6 | 6.1 | 5.5 |
| *USA, Louisiana, New Orleans: Black | 43 | 83.7 | 0.0 | 4.7 | 27 | 74.1 | 7.4 | 2.2 |
| USA, Maine | 355 | 85.1 | 5.1 | 7.5 | 275 | 81.8 | 3.3 | 5.7 |
| USA, Maryland | 1087 | 88.7 | 5.4 | 5.8 | 885 | 83.1 | 8.0 | 4.3 |
| USA, Maryland: White | 831 | 89.7 | 4.8 | 6.8 | 680 | 84.4 | 7.5 | 5.2 |
| USA, Maryland: Black | 192 | 83.9 | 8.9 | 3.8 | 161 | 80.1 | 8.1 | 2.7 |
| USA, Maryland: Asian and Pacific Islander | 62 | 91.9 | 3.2 | 5.3 | 38 | 71.1 | 18.4 | 3.0 |
| USA, Massachusetts | 1445 | 89.3 | 2.9 | 6.6 | 1209 | 86.1 | 4.6 | 5.0 |
| USA, Massachusetts: White | 1338 | 89.2 | 3.0 | 7.0 | 1091 | 85.9 | 5.1 | 5.2 |
| USA, Massachusetts: Black | 41 | 80.5 | 4.9 | 2.7 | 58 | 87.9 | 0.0 | 3.4 |
| USA, Massachusetts: Asian and Pacific Islander | 45 | 100.0 | – | 4.2 | 43 | 90.7 | – | 3.7 |

* Important. See note on population page.

Indices of data quality Brain and nervous system (C70–72) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 2057 | 86.3 | 5.5 | 6.3 | 1565 | 83.6 | 5.5 | 4.5 |
| USA, Michigan: White | 1884 | 86.5 | 5.4 | 6.8 | 1391 | 83.8 | 5.5 | 4.8 |
| USA, Michigan: Black | 136 | 85.3 | 7.4 | 3.6 | 133 | 82.7 | 3.8 | 3.2 |
| USA, Michigan: Asian and Pacific Islander | 20 | 100.0 | 0.0 | 2.5 | 31 | 77.4 | 9.7 | 3.5 |
| *USA, Michigan, Detroit | 747 | 91.4 | 2.8 | 5.8 | 596 | 85.7 | 4.0 | 4.4 |
| *USA, Michigan, Detroit: White | 627 | 91.9 | 2.6 | 6.5 | 463 | 85.3 | 4.5 | 4.6 |
| *USA, Michigan, Detroit: Black | 92 | 87.0 | 4.3 | 3.6 | 109 | 84.4 | 2.8 | 3.7 |
| USA, Minnesota | 1203 | 89.2 | 2.8 | 6.8 | 924 | 86.6 | 3.1 | 5.2 |
| USA, Minnesota: White | 1124 | 89.4 | 2.8 | 7.0 | 860 | 86.6 | 3.3 | 5.4 |
| USA, Minnesota: Black | 39 | 82.1 | 5.1 | 4.7 | 31 | 83.9 | 0.0 | 3.5 |
| *USA, Minnesota: Asian and Pacific Islander | 27 | 92.6 | – | 4.1 | 21 | 90.5 | – | 3.0 |
| USA, Mississippi | 536 | 86.6 | 1.1 | 5.5 | 442 | 84.2 | 3.2 | 4.3 |
| USA, Missouri | 1263 | 87.3 | 4.0 | 6.5 | 1028 | 84.8 | 4.3 | 5.0 |
| USA, Missouri: White | 1166 | 87.4 | 4.0 | 6.9 | 945 | 84.8 | 4.4 | 5.3 |
| USA, Missouri: Black | 81 | 85.2 | 2.5 | 4.2 | 69 | 88.4 | 2.9 | 3.2 |
| USA, Montana | 257 | 80.2 | 3.5 | 6.6 | 193 | 81.3 | 4.1 | 5.4 |
| *USA, Montana: American Indian | 9 | 77.8 | 0.0 | 4.9 | 7 | 71.4 | 14.3 | 3.6 |
| USA, Nebraska | 411 | 84.4 | 3.2 | 6.7 | 313 | 83.7 | 5.1 | 5.2 |
| USA, Nebraska: White | 394 | 84.3 | 3.3 | 7.0 | 298 | 84.6 | 5.0 | 5.4 |
| *USA, Nebraska: Black | 7 | 85.7 | 0.0 | 2.6 | 10 | 80.0 | 10.0 | 3.8 |
| USA, Nevada | 571 | 83.9 | 7.7 | 6.1 | 433 | 83.8 | 6.7 | 4.6 |
| USA, Nevada: White | 504 | 84.3 | 7.5 | 6.6 | 380 | 84.2 | 6.1 | 5.1 |
| USA, Nevada: Black | 37 | 78.4 | 5.4 | 4.7 | 30 | 76.7 | 16.7 | 3.6 |
| *USA, Nevada: Asian and Pacific Islander | 21 | 85.7 | 9.5 | 2.5 | 19 | 84.2 | 5.3 | 2.3 |
| USA, New Jersey | 1845 | 88.3 | 1.9 | 6.5 | 1519 | 85.7 | 4.4 | 4.9 |
| USA, New Jersey: White | 1560 | 88.1 | 2.1 | 7.0 | 1283 | 85.7 | 4.5 | 5.4 |
| USA, New Jersey: Black | 155 | 87.1 | 0.6 | 4.3 | 143 | 88.1 | 3.5 | 3.4 |
| USA, New Mexico | 346 | 89.0 | 2.9 | 4.7 | 282 | 85.1 | 3.5 | 3.8 |
| USA, New Mexico: White | 323 | 88.5 | 2.8 | 5.0 | 254 | 85.4 | 3.1 | 4.0 |
| USA, New Mexico: Non-Hispanic White | 214 | 90.7 | 1.9 | 5.9 | 164 | 82.9 | 1.8 | 4.9 |
| USA, New Mexico: Hispanic White | 109 | 84.4 | 4.6 | 4.0 | 90 | 90.0 | 5.6 | 3.3 |
| *USA, New Mexico: American Indian | 15 | 93.3 | 6.7 | 2.6 | 19 | 89.5 | 5.3 | 2.8 |
| USA, New York State | 3985 | 88.2 | 1.5 | 6.6 | 3211 | 82.9 | 2.2 | 4.8 |
| USA, New York State: White | 3380 | 88.4 | 1.4 | 7.4 | 2692 | 83.8 | 2.2 | 5.5 |
| USA, New York State: Black | 378 | 88.1 | 1.3 | 4.1 | 322 | 80.1 | 1.9 | 2.9 |
| USA, New York State: Asian and Pacific Islander | 207 | 86.0 | 1.9 | 4.5 | 181 | 75.7 | 3.3 | 3.4 |
| USA, North Carolina | 1884 | 87.5 | 3.5 | 5.9 | 1590 | 83.3 | 4.7 | 4.5 |
| USA, North Carolina: White | 1584 | 87.6 | 3.5 | 6.5 | 1322 | 83.4 | 4.7 | 5.0 |
| USA, North Carolina: Black | 246 | 87.4 | 2.8 | 4.1 | 237 | 82.3 | 4.6 | 3.3 |
| USA, North Carolina: Asian and Pacific Islander | 35 | 82.9 | 2.9 | 4.8 | 16 | 87.5 | 0.0 | 2.0 |
| *USA, North Carolina: American Indian | 9 | 77.8 | 11.1 | 2.1 | 9 | 77.8 | 11.1 | 2.2 |
| USA, North Dakota | 157 | 84.1 | 1.9 | 6.6 | 101 | 75.2 | 7.9 | 4.4 |
| USA, Ohio | 2583 | 87.3 | 5.3 | 7.0 | 2048 | 83.1 | 7.9 | 5.1 |
| USA, Ohio: White | 2356 | 87.4 | 5.3 | 7.3 | 1863 | 82.9 | 8.2 | 5.4 |
| USA, Ohio: Black | 198 | 85.9 | 6.1 | 5.0 | 163 | 84.0 | 4.9 | 3.6 |
| *USA, Ohio: Asian and Pacific Islander | 20 | 100.0 | 0.0 | 2.9 | 12 | 83.3 | 8.3 | 1.9 |
| USA, Oklahoma | 762 | 85.6 | 5.4 | 6.3 | 626 | 78.8 | 7.5 | 4.8 |
| USA, Oklahoma: White | 661 | 85.9 | 5.9 | 6.7 | 554 | 79.1 | 7.9 | 5.3 |
| USA, Oklahoma: Black | 33 | 87.9 | 3.0 | 3.9 | 25 | 84.0 | 8.0 | 2.6 |
| USA, Oklahoma: American Indian | 56 | 76.8 | 1.8 | 5.2 | 36 | 80.6 | 2.8 | 3.1 |
| USA, Oregon | 969 | 87.6 | 6.3 | 7.1 | 707 | 80.3 | 8.1 | 5.2 |
| USA, Oregon: White | 908 | 87.3 | 6.5 | 7.2 | 677 | 80.5 | 8.1 | 5.5 |
| *USA, Oregon: Black | 16 | 93.8 | – | 5.3 | 8 | 87.5 | – | 3.6 |
| *USA, Oregon: Asian and Pacific Islander | 28 | 92.9 | 3.6 | 5.7 | 14 | 57.1 | 14.3 | 2.5 |
| USA, Rhode Island | 201 | 90.0 | 2.0 | 5.7 | 205 | 85.4 | 5.4 | 5.0 |
| USA, Rhode Island: White | 189 | 90.5 | 2.1 | 5.8 | 195 | 85.6 | 5.6 | 5.3 |
| *USA, Rhode Island: Black | 9 | 77.8 | – | 4.6 | 8 | 75.0 | – | 3.3 |
| USA, South Carolina | 983 | 86.2 | 3.2 | 6.0 | 797 | 81.7 | 5.3 | 4.4 |
| USA, South Carolina: White | 838 | 87.0 | 3.0 | 6.8 | 652 | 82.4 | 5.8 | 5.0 |
| USA, South Carolina: Black | 136 | 81.6 | 3.7 | 3.7 | 137 | 78.8 | 2.9 | 3.0 |
| USA, South Dakota | 189 | 83.1 | 0.5 | 6.6 | 129 | 76.7 | 4.7 | 4.2 |
| USA, Tennessee | 1314 | 88.2 | 3.3 | 6.2 | 1048 | 82.6 | 4.2 | 4.6 |
| USA, Tennessee: White | 1182 | 88.3 | 3.3 | 6.7 | 939 | 83.1 | 4.6 | 5.0 |
| USA, Tennessee: Black | 121 | 86.8 | 4.1 | 4.2 | 93 | 78.5 | 1.1 | 2.7 |
| USA, Texas | 4660 | 81.9 | 4.8 | 5.9 | 3928 | 78.1 | 5.6 | 4.7 |
| USA, Texas: White | 4163 | 82.2 | 4.8 | 6.3 | 3457 | 79.0 | 5.4 | 5.1 |
| USA, Texas: Black | 347 | 79.3 | 4.9 | 4.0 | 333 | 70.3 | 8.1 | 3.4 |
| USA, Texas: Asian and Pacific Islander | 129 | 80.6 | 3.9 | 3.7 | 116 | 78.4 | 2.6 | 3.1 |
| USA, Utah | 541 | 87.6 | 0.9 | 6.6 | 391 | 80.8 | 0.8 | 4.7 |
| USA, Vermont | 144 | 90.3 | 3.5 | 6.6 | 119 | 93.3 | 3.4 | 5.7 |
| USA, Washington State | 1621 | 86.4 | 2.5 | 7.1 | 1175 | 81.7 | 3.3 | 5.1 |
| *USA, Washington, Seattle | 1140 | 86.8 | 0.4 | 7.3 | 837 | 83.3 | 1.0 | 5.4 |

* Important. See note on population page.

Indices of data quality Brain and nervous system (C70–72) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 432 | 88.7 | 1.6 | 6.9 | 334 | 85.6 | 2.1 | 5.2 |
| USA, Wyoming | 111 | 88.3 | 1.8 | 5.7 | 97 | 86.6 | 3.1 | 4.7 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 50 | 78.0 | 6.0 | 3.5 | 30 | 90.0 | 3.3 | 2.1 |
| Brunei Darussalam | 21 | 66.7 | 14.3 | 2.2 | 14 | 64.3 | 0.0 | 1.6 |
| *China, Anfu County | 51 | 47.1 | 0.0 | 5.0 | 36 | 38.9 | 2.8 | 3.8 |
| *China, Anguo City | 66 | 27.3 | 3.0 | 5.5 | 58 | 27.6 | 6.9 | 4.5 |
| *China, Anshan City | 344 | 50.9 | 2.0 | 5.9 | 359 | 52.1 | 0.8 | 5.3 |
| *China, Aohan Banner, Chifeng City | 65 | 27.7 | 6.2 | 3.6 | 88 | 27.3 | 13.6 | 5.2 |
| *China, Arongqi | 27 | 11.1 | 3.7 | 3.2 | 41 | 7.3 | 7.3 | 5.0 |
| *China, Baoding City | 164 | 36.6 | 10.4 | 4.9 | 165 | 27.3 | 7.9 | 4.5 |
| *China, Beijing City | 1075 | 70.0 | 2.9 | 3.5 | 924 | 65.8 | 2.9 | 2.9 |
| *China, Binhai County | 170 | 34.1 | – | 4.0 | 134 | 41.0 | – | 3.4 |
| *China, Cangzhou City | 45 | 44.4 | – | 2.9 | 36 | 50.0 | – | 2.2 |
| China, Changfeng County | 57 | 43.9 | 7.0 | 4.0 | 68 | 50.0 | 0.0 | 5.0 |
| China, Changzhou City | 338 | 41.7 | 1.2 | 4.1 | 266 | 40.2 | 0.0 | 2.9 |
| China, Chengdu City | 148 | 48.6 | 13.5 | 4.5 | 146 | 53.4 | 9.6 | 4.4 |
| China, Cixian County | 59 | 86.4 | 3.4 | 3.4 | 83 | 92.8 | 1.2 | 4.6 |
| China, Cixi City | 143 | 39.2 | 18.9 | 3.6 | 137 | 49.6 | 16.1 | 3.4 |
| *China, Dafeng District, Yancheng City | 162 | 27.8 | 0.6 | 5.5 | 151 | 22.5 | 0.0 | 5.2 |
| China, Dalian City | 371 | 47.2 | 2.4 | 4.0 | 322 | 45.0 | 1.6 | 3.3 |
| *China, Dancheng County | 192 | 18.2 | 1.0 | 5.3 | 169 | 16.6 | 3.6 | 5.0 |
| China, Dangtu County | 37 | 56.8 | 0.0 | 3.4 | 46 | 56.5 | 2.2 | 4.7 |
| *China, Danyang City | 157 | 34.4 | – | 4.5 | 120 | 30.8 | – | 3.4 |
| *China, Dawukou District, Shizuishan City | 29 | 55.2 | 3.4 | 3.5 | 24 | 45.8 | 0.0 | 2.7 |
| *China, Dehui City | 148 | 18.9 | 4.1 | 5.0 | 204 | 14.2 | 2.9 | 6.8 |
| *China, Donggang County | 147 | 12.9 | 4.1 | 5.7 | 139 | 15.8 | 2.2 | 5.3 |
| *China, Dongguan City | 116 | 61.2 | 3.4 | 3.5 | 98 | 48.0 | 2.0 | 2.5 |
| China, Donghai County | 114 | 64.9 | 4.4 | 3.1 | 115 | 57.4 | 8.7 | 3.2 |
| *China, Dongtai City | 167 | 27.5 | 0.6 | 4.4 | 138 | 37.7 | 0.7 | 3.0 |
| China, Duanzhou District, Zhaoqing City | 43 | 34.9 | 0.0 | 4.4 | 37 | 45.9 | 2.7 | 3.1 |
| *China, Evenki Autonomous Banner | 8 | 62.5 | – | 4.4 | 29 | 75.9 | – | 8.6 |
| *China, Faku County | 145 | 19.3 | 1.4 | 8.3 | 103 | 16.5 | 1.0 | 5.1 |
| *China, Fangcheng County | 121 | 70.2 | 0.8 | 5.6 | 122 | 77.0 | 0.0 | 6.4 |
| *China, Feicheng City | 151 | 29.8 | 3.3 | 4.4 | 152 | 33.6 | 3.3 | 3.8 |
| China, Feixi County | 171 | 48.5 | – | 4.9 | 163 | 44.8 | – | 4.5 |
| China, Fuqing City | 164 | 45.1 | 12.8 | 6.5 | 175 | 46.9 | 8.6 | 7.1 |
| *China, Ganyu District, Lianyungang City | 141 | 46.1 | 2.8 | 3.6 | 113 | 37.2 | 1.8 | 2.8 |
| *China, Ganzhou District, Zhangye City | 75 | 32.0 | – | 9.0 | 54 | 46.3 | – | 6.8 |
| *China, Gaocheng City | 51 | 92.2 | 0.0 | 2.3 | 45 | 82.2 | 2.2 | 2.0 |
| China, Gaomi City | 70 | 62.9 | 0.0 | 2.6 | 66 | 66.7 | 1.5 | 2.4 |
| China, Gong'an County | 190 | 46.3 | 0.5 | 6.1 | 211 | 56.4 | 1.4 | 6.8 |
| *China, Guang'an District, Guang'an City | 94 | 23.4 | 2.1 | 5.0 | 42 | 16.7 | 2.4 | 2.2 |
| China, Guanghan City | 74 | 33.8 | 1.4 | 5.9 | 52 | 32.7 | 0.0 | 3.1 |
| China, Guangzhou City | 781 | 69.4 | 1.0 | 3.1 | 655 | 65.3 | 1.2 | 2.5 |
| *China, Guanyun County | 145 | 32.4 | 0.7 | 4.3 | 141 | 32.6 | 0.7 | 4.5 |
| China, Guilin City | 105 | 63.8 | 0.0 | 5.1 | 116 | 69.0 | 0.9 | 5.1 |
| *China, Hai'an City | 141 | 33.3 | – | 3.5 | 143 | 37.8 | – | 3.7 |
| China, Hailar District, Hulun Buir City | 39 | 51.3 | 7.7 | 3.7 | 35 | 48.6 | 0.0 | 2.9 |
| China, Haimen District, Nantong City | 185 | 41.1 | 1.1 | 4.6 | 175 | 41.7 | 0.0 | 4.1 |
| China, Haining City | 94 | 37.2 | 4.3 | 3.9 | 83 | 41.0 | 3.6 | 3.1 |
| China, Hangzhou City | 1039 | 56.1 | 1.6 | 4.2 | 1132 | 53.2 | 1.6 | 4.1 |
| China, Hebi City | 64 | 42.2 | 1.6 | 5.5 | 62 | 50.0 | 0.0 | 5.4 |
| China, Hefei City | 422 | 42.2 | 6.2 | 5.4 | 441 | 41.7 | 3.2 | 5.7 |
| China, Hengdong County | 46 | 97.8 | 2.2 | 3.3 | 41 | 100.0 | 0.0 | 2.8 |
| *China, Hengfeng County | 29 | 37.9 | 3.4 | 5.4 | 29 | 55.2 | 3.4 | 5.3 |
| *China, Hepu County | 94 | 11.7 | 4.3 | 3.4 | 59 | 15.3 | 0.0 | 2.1 |
| China, Honghu City | 137 | 60.6 | – | 5.0 | 117 | 63.2 | – | 4.3 |
| China, Hongshan District, Chifeng City | 46 | 67.4 | – | 3.3 | 41 | 73.2 | – | 3.1 |
| *China, Hongta District, Yuxi City | 70 | 37.1 | 5.7 | 5.3 | 82 | 50.0 | 4.9 | 5.9 |
| *China, Huaiyin District, Huai'an City | 105 | 26.7 | 4.8 | 3.3 | 100 | 18.0 | 4.0 | 3.1 |
| *China, Jiange County | 57 | 29.8 | – | 3.5 | 70 | 27.1 | – | 4.2 |
| China, Jiangmen City | 59 | 50.8 | 3.4 | 2.9 | 63 | 46.0 | 1.6 | 2.8 |
| *China, Jiangyin City | 147 | 40.1 | 0.0 | 3.0 | 133 | 34.6 | 2.3 | 2.6 |
| *China, Jiashan County | 89 | 38.2 | – | 5.2 | 129 | 41.9 | – | 7.1 |
| China, Jiayu County | 30 | 56.7 | 13.3 | 4.6 | 23 | 56.5 | 0.0 | 3.0 |
| *China, Jinan City | 340 | 45.3 | 4.1 | 4.4 | 351 | 49.9 | 3.7 | 4.2 |
| *China, Jingtai County | 74 | 48.6 | 2.7 | 10.9 | 51 | 39.2 | 5.9 | 7.0 |
| *China, Jingxian County | 79 | 58.2 | – | 7.7 | 70 | 61.4 | – | 7.2 |
| *China, Jintan District, Changzhou City | 71 | 31.0 | 4.2 | 2.9 | 72 | 34.7 | 2.8 | 3.5 |
| *China, Jiulongpo District, Chongqing City | 144 | 52.8 | 0.7 | 5.0 | 127 | 66.9 | 2.4 | 4.1 |
| *China, Jiyuan City | 108 | 36.1 | 1.9 | 6.0 | 106 | 35.8 | 0.9 | 6.0 |

* Important. See note on population page.

Indices of data quality Brain and nervous system (C70–72) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 56 | 58.9 | 1.8 | 5.0 | 62 | 58.1 | 0.0 | 6.0 |
| China, Kunshan City | 91 | 51.6 | 4.4 | 3.2 | 88 | 55.7 | 5.7 | 2.8 |
| China, Langzhong City | 74 | 39.2 | 1.4 | 3.9 | 63 | 52.4 | 0.0 | 3.6 |
| *China, Liangshan County | 151 | 43.0 | 1.3 | 5.5 | 159 | 50.9 | 1.3 | 5.8 |
| *China, Lianshui County | 165 | 38.8 | 0.6 | 4.2 | 145 | 34.5 | 2.1 | 3.7 |
| China, Lianyungang City | 112 | 45.5 | 12.5 | 3.3 | 96 | 38.5 | 12.5 | 2.7 |
| China, Linhe District, Bayannur City | 53 | 37.7 | 7.5 | 4.2 | 29 | 37.9 | 20.7 | 2.2 |
| China, Linqu County | 116 | 44.0 | 4.3 | 3.5 | 99 | 36.4 | 2.0 | 2.9 |
| *China, Linzhou City | 218 | 42.7 | 3.2 | 6.6 | 237 | 32.5 | 2.5 | 6.7 |
| China, Liuzhou City | 82 | 73.2 | – | 2.3 | 83 | 66.3 | – | 2.4 |
| China, Liyang City | 124 | 39.5 | 0.8 | 3.8 | 95 | 31.6 | 0.0 | 3.1 |
| *China, Longquan City | 33 | 48.5 | 0.0 | 3.3 | 30 | 73.3 | 3.3 | 3.8 |
| China, Lucheng District, Wenzhou City | 47 | 44.7 | 6.4 | 2.9 | 43 | 55.8 | 7.0 | 2.4 |
| China, Luoding City | 42 | 64.3 | 7.1 | 1.9 | 31 | 74.2 | 9.7 | 1.6 |
| *China, Luohe City | 190 | 47.9 | 4.2 | 5.1 | 131 | 42.7 | 2.3 | 3.3 |
| *China, Luoyang City | 170 | 57.1 | 2.4 | 4.3 | 184 | 51.6 | 4.9 | 4.5 |
| *China, Luquan City | 32 | 65.6 | – | 2.9 | 29 | 72.4 | – | 2.9 |
| China, Ma'anshan City | 80 | 62.5 | 2.5 | 3.9 | 79 | 72.2 | 1.3 | 3.7 |
| *China, Macheng City | 119 | 34.5 | – | 5.5 | 103 | 40.8 | – | 5.0 |
| China, Meihekou City | 68 | 42.6 | 1.5 | 3.2 | 52 | 48.1 | 1.9 | 2.8 |
| *China, Mengjin County | 66 | 36.4 | 3.0 | 6.7 | 66 | 40.9 | 4.5 | 5.8 |
| China, Nangang District, Harbin City | 102 | 54.9 | 4.9 | 2.7 | 72 | 66.7 | 2.8 | 1.8 |
| *China, Nantai District, Foshan City | 92 | 18.5 | – | 3.7 | 93 | 16.1 | – | 3.3 |
| China, Nanhu District, Jiaying City | 152 | 39.5 | 0.0 | 6.5 | 178 | 27.5 | 1.7 | 7.5 |
| *China, Nantong City | 206 | 55.8 | 1.5 | 4.4 | 171 | 55.0 | 1.2 | 3.5 |
| *China, Nanxiong City | 50 | 76.0 | 2.0 | 3.9 | 41 | 63.4 | 2.4 | 2.9 |
| China, Neixiang County | 74 | 32.4 | – | 3.4 | 67 | 25.4 | – | 3.0 |
| *China, Qianxi County | 74 | 29.7 | 4.1 | 6.1 | 73 | 34.2 | 11.0 | 5.7 |
| China, Qidong City | 268 | 30.2 | – | 5.1 | 263 | 33.8 | – | 4.6 |
| China, Qingzhou City | 99 | 44.4 | 3.0 | 3.9 | 78 | 42.3 | 3.8 | 3.2 |
| *China, Rudong County | 263 | 80.2 | 0.8 | 5.5 | 192 | 83.3 | 0.0 | 3.8 |
| *China, Rugao City | 208 | 42.3 | 1.4 | 3.7 | 183 | 49.7 | 0.5 | 3.0 |
| *China, Rural areas of Shanghai City | 1589 | 52.0 | 0.9 | 4.7 | 1734 | 53.0 | 1.3 | 4.4 |
| China, Ruyang County | 71 | 28.2 | 2.8 | 6.0 | 80 | 18.8 | 1.2 | 7.1 |
| *China, Shan County | 100 | 27.0 | 0.0 | 4.5 | 98 | 46.9 | 1.0 | 4.0 |
| China, Shanghai City | 1269 | 53.1 | 0.6 | 4.7 | 1394 | 54.3 | 0.6 | 4.5 |
| China, Shangyu District, Shaoxing City | 123 | 43.9 | 6.5 | 4.3 | 122 | 41.8 | 9.0 | 4.5 |
| *China, Shapingba District, Chongqing City | 82 | 64.6 | 3.7 | 3.0 | 89 | 61.8 | 4.5 | 3.3 |
| China, Shexian County | 83 | 68.7 | – | 6.4 | 48 | 52.1 | – | 3.8 |
| China, Sheyang County | 160 | 6.2 | 0.0 | 4.4 | 186 | 5.9 | 0.5 | 4.9 |
| *China, Shijiazhuang City | 208 | 71.6 | 4.8 | 4.8 | 182 | 71.4 | 3.8 | 4.1 |
| China, Shunde District, Foshan City | 114 | 46.5 | – | 3.6 | 104 | 35.6 | – | 3.0 |
| *China, Song County | 61 | 36.1 | 3.3 | 4.0 | 48 | 29.2 | 6.2 | 3.4 |
| China, Suzhou City | 452 | 57.3 | 5.3 | 3.5 | 385 | 52.7 | 5.2 | 2.8 |
| *China, Tengzhou City | 214 | 39.3 | 1.4 | 4.3 | 166 | 25.3 | 0.6 | 3.0 |
| *China, Wangdu County | 39 | 48.7 | – | 6.2 | 30 | 56.7 | – | 5.2 |
| *China, Wanzai County | 51 | 37.3 | 0.0 | 4.6 | 38 | 42.1 | 2.6 | 3.2 |
| *China, Wu'an City | 71 | 21.1 | 4.2 | 3.1 | 50 | 12.0 | 14.0 | 2.2 |
| China, Wuhan City | 908 | 71.5 | 0.0 | 5.1 | 1130 | 71.0 | 0.3 | 5.6 |
| *China, Wuhu City | 175 | 50.9 | 0.6 | 3.8 | 172 | 50.0 | 1.7 | 3.8 |
| China, Wuxi City | 361 | 45.7 | 0.8 | 3.8 | 374 | 45.7 | 0.3 | 3.5 |
| China, Wuzhou City | 71 | 29.6 | 2.8 | 4.1 | 45 | 33.3 | 6.7 | 2.5 |
| China, Xiangfu District, Kaifeng City | 65 | 26.2 | 4.6 | 3.5 | 64 | 29.7 | 1.6 | 3.3 |
| China, Xianju County | 62 | 43.5 | 8.1 | 3.2 | 44 | 34.1 | 4.5 | 2.4 |
| *China, Xin'an County | 58 | 29.3 | – | 5.6 | 50 | 30.0 | – | 4.8 |
| *China, Xining City | 151 | 74.8 | 1.3 | 7.2 | 142 | 71.8 | 0.7 | 5.6 |
| *China, Xinji City | 77 | 46.8 | 19.5 | 3.4 | 56 | 44.6 | 10.7 | 2.7 |
| *China, Xinluo District, Longyan City | 40 | 32.5 | – | 3.9 | 30 | 36.7 | – | 3.3 |
| *China, Xinzhou District, Shangrao City | 54 | 35.2 | 1.9 | 4.2 | 62 | 46.8 | 4.8 | 4.7 |
| China, Xiping County | 107 | 29.9 | 2.8 | 4.6 | 102 | 36.3 | 4.9 | 3.9 |
| *China, Xishan District, Kunming City | 45 | 55.6 | 2.2 | 4.2 | 71 | 66.2 | 0.0 | 5.6 |
| *China, Xuyi County | 82 | 23.2 | 1.2 | 3.6 | 104 | 19.2 | 2.9 | 4.5 |
| *China, Ya'an City | 305 | 38.0 | 2.6 | 6.2 | 346 | 41.3 | 1.7 | 7.0 |
| *China, Yakeshi City | 91 | 31.9 | 7.7 | 6.6 | 111 | 36.0 | 3.6 | 7.8 |
| China, Yancheng City | 269 | 36.1 | 1.9 | 5.4 | 242 | 30.6 | 2.5 | 4.7 |
| *China, Yangquan City | 95 | 22.1 | 12.6 | 4.6 | 65 | 26.2 | 16.9 | 3.0 |
| *China, Yangzhong City | 25 | 4.0 | – | 1.8 | 20 | 0.0 | – | 1.2 |
| *China, Yanji City | 44 | 40.9 | 9.1 | 2.1 | 39 | 51.3 | 5.1 | 2.4 |
| *China, Yanshi City | 127 | 59.8 | 3.1 | 6.1 | 152 | 52.6 | 3.9 | 6.8 |
| China, Yanting County | 102 | 54.9 | 1.0 | 5.5 | 40 | 57.5 | 2.5 | 2.5 |
| *China, Yi'an District, Tongling City | 33 | 30.3 | 9.1 | 3.9 | 17 | 29.4 | 0.0 | 1.7 |
| *China, Yingdong District, Fuyang City | 116 | 32.8 | 0.9 | 5.8 | 131 | 41.2 | 0.0 | 6.7 |

* Important. See note on population page.

Indices of data quality Brain and nervous system (C70–72) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 39 | 66.7 | 5.1 | 5.3 | 51 | 68.6 | 0.0 | 5.6 |
| *China, Yiyuan County | 54 | 24.1 | 3.7 | 2.8 | 54 | 29.6 | 3.7 | 3.5 |
| China, Yong'an City | 50 | 26.0 | — | 4.3 | 38 | 28.9 | — | 2.7 |
| *China, Yongding District, Longyan City | 58 | 20.7 | 1.7 | 3.8 | 63 | 19.0 | 0.0 | 4.2 |
| China, Yongkang City | 66 | 74.2 | 6.1 | 3.4 | 67 | 74.6 | 3.0 | 3.6 |
| *China, Yucheng County | 100 | 37.0 | — | 5.2 | 88 | 37.5 | — | 4.6 |
| China, Yueyanglou District, Yueyang City | 22 | 100.0 | — | 2.1 | 29 | 100.0 | — | 3.3 |
| China, Yunmeng County | 74 | 8.1 | — | 4.7 | 57 | 10.5 | — | 3.2 |
| *China, Yunyang District, Shiyan City | 36 | 41.7 | 2.8 | 3.5 | 30 | 33.3 | 0.0 | 2.9 |
| China, Yuzhong District, Chongqing City | 58 | 48.3 | 12.1 | 3.1 | 59 | 44.1 | 22.0 | 2.8 |
| *China, Zanzhuang County | 35 | 17.1 | 8.6 | 4.0 | 41 | 26.8 | 9.8 | 5.1 |
| *China, Zhangjiagang City | 140 | 52.1 | 2.9 | 4.2 | 146 | 59.6 | 2.1 | 3.8 |
| *China, Zhaoyuan City | 131 | 29.8 | 2.3 | 6.5 | 165 | 27.3 | 1.8 | 6.5 |
| *China, Zhengding County | 27 | 74.1 | 0.0 | 2.0 | 35 | 65.7 | 2.9 | 2.5 |
| *China, Zhongshan City | 109 | 75.2 | — | 2.4 | 78 | 69.2 | — | 1.7 |
| China, Zhongxiang City | 180 | 55.0 | 0.0 | 5.8 | 222 | 63.1 | 0.5 | 7.1 |
| *China, Zhuanghe City | 138 | 37.0 | — | 4.3 | 120 | 38.3 | — | 3.2 |
| *China, Zhuhai City | 140 | 49.3 | 3.6 | 4.6 | 143 | 59.4 | 3.5 | 4.5 |
| India, Ahmedabad, Urban | 237 | 97.0 | 0.8 | 1.8 | 141 | 95.0 | 2.1 | 1.2 |
| India, Aurangabad | 56 | 98.2 | — | 1.7 | 34 | 94.1 | — | 1.0 |
| India, Bangalore | 494 | 83.4 | 4.9 | 4.1 | 348 | 85.1 | 4.3 | 3.0 |
| India, Barshi, Paranda, and Bhum | 39 | 79.5 | — | 2.9 | 15 | 66.7 | — | 1.2 |
| *India, Bhopal | 67 | 95.5 | — | 2.3 | 31 | 83.9 | — | 1.1 |
| India, Chandigarh | 64 | 92.2 | 3.1 | 2.3 | 44 | 95.5 | 0.0 | 1.9 |
| *India, Chennai | 370 | 87.6 | 6.8 | 3.0 | 267 | 83.9 | 7.1 | 2.2 |
| India, Dibrugarh | 36 | 75.0 | 8.3 | 1.2 | 21 | 71.4 | 4.8 | 0.6 |
| *India, Dindigul, Ambilikkaik | 113 | 88.5 | 2.7 | 1.9 | 71 | 83.1 | 8.5 | 1.2 |
| India, Kamrup Urban District | 86 | 77.9 | 9.3 | 3.3 | 66 | 78.8 | 3.0 | 2.8 |
| India, Kollam | 183 | 71.6 | 2.7 | 3.2 | 123 | 61.8 | 3.3 | 2.0 |
| *India, Manipur | 43 | 67.4 | — | 0.8 | 34 | 55.9 | — | 0.6 |
| India, Meghalaya | 26 | 69.2 | 7.7 | 0.5 | 24 | 70.8 | 8.3 | 0.6 |
| India, Mizoram | 38 | 44.7 | 0.0 | 1.9 | 40 | 27.5 | 2.5 | 2.4 |
| India, Mumbai | 1136 | 88.0 | 9.1 | 3.6 | 768 | 84.1 | 12.5 | 2.6 |
| *India, New Delhi | 1095 | 86.1 | 5.0 | 4.3 | 641 | 83.0 | 7.0 | 2.8 |
| India, Poona | 472 | 98.1 | 0.4 | 3.5 | 258 | 95.7 | 1.6 | 2.1 |
| *India, Sangrur District | 35 | 65.7 | 5.7 | 1.3 | 42 | 66.7 | 0.0 | 1.7 |
| India, SAS Nagar | 85 | 76.5 | 1.2 | 3.1 | 34 | 88.2 | 0.0 | 1.3 |
| *India, Tamil Nadu | 3502 | 92.1 | 1.1 | 1.7 | 2390 | 89.7 | 1.4 | 1.2 |
| *India, Tripura | 99 | 64.6 | — | 1.4 | 79 | 54.4 | — | 1.1 |
| India, Trivandrum | 204 | 80.4 | — | 2.9 | 173 | 85.5 | — | 2.2 |
| India, Wardha | 121 | 46.3 | 27.3 | 3.2 | 57 | 42.1 | 17.5 | 1.7 |
| India, West Arunachal | 8 | 75.0 | — | 0.4 | 9 | 66.7 | — | 0.8 |
| *Iran (Islamic Republic of), Ardabil Province | 132 | 41.7 | 28.8 | 7.0 | 80 | 41.2 | 23.8 | 4.2 |
| *Iran (Islamic Republic of), Golestan Province | 179 | 63.7 | 8.9 | 6.8 | 142 | 54.9 | 9.2 | 5.5 |
| Israel | 1448 | 87.9 | 6.8 | 6.3 | 1182 | 83.8 | 10.2 | 4.6 |
| *Israel: Jews | 1203 | 87.1 | 7.2 | 6.5 | 954 | 83.8 | 10.4 | 4.6 |
| *Israel: Arabs | 164 | 91.5 | 3.7 | 4.5 | 151 | 86.1 | 7.9 | 4.1 |
| Japan | 9037 | 72.3 | 9.4 | 3.1 | 7880 | 64.3 | 13.4 | 2.4 |
| Japan, Aichi Prefecture | 472 | 77.1 | 5.7 | 2.9 | 359 | 73.8 | 7.0 | 2.3 |
| *Japan, Akita Prefecture | 93 | 58.1 | 0.0 | 3.7 | 86 | 44.2 | 2.3 | 2.7 |
| Japan, Aomori Prefecture | 179 | 67.0 | 3.9 | 3.5 | 159 | 61.6 | 5.7 | 2.8 |
| Japan, Gunma Prefecture | 149 | 65.8 | 8.7 | 3.2 | 122 | 68.0 | 12.3 | 2.6 |
| Japan, Hiroshima Prefecture | 285 | 79.3 | 3.5 | 3.7 | 255 | 72.2 | 6.3 | 2.6 |
| Japan, Miyagi Prefecture | 278 | 67.3 | 6.5 | 3.1 | 232 | 65.9 | 12.5 | 2.8 |
| Japan, Osaka Prefecture | 585 | 80.3 | 3.4 | 3.0 | 468 | 73.9 | 4.9 | 2.0 |
| Kuwait | 203 | 90.1 | 8.4 | 1.9 | 96 | 86.5 | 7.3 | 1.7 |
| *Kuwait: Kuwaitis | 71 | 84.5 | 15.5 | 3.0 | 53 | 83.0 | 11.3 | 2.0 |
| *Kuwait: Non-Kuwaitis | 132 | 93.2 | 4.5 | 1.9 | 43 | 90.7 | 2.3 | 1.5 |
| *Philippines, Manila | 300 | 59.0 | 16.0 | 2.3 | 262 | 59.9 | 20.2 | 1.7 |
| *Qatar: Qatari | 33 | 72.7 | 12.1 | 6.9 | 19 | 73.7 | 5.3 | 3.2 |
| Republic of Korea | 5048 | 74.6 | 1.3 | 3.2 | 4450 | 68.3 | 2.4 | 2.7 |
| *Republic of Korea, Busan | 367 | 66.8 | 1.6 | 3.2 | 404 | 56.9 | 3.2 | 3.3 |
| *Republic of Korea, Daegu | 253 | 74.7 | 2.0 | 3.4 | 192 | 70.8 | 3.1 | 2.5 |
| *Republic of Korea, Daejeon | 156 | 75.6 | 0.6 | 3.3 | 151 | 75.5 | 0.0 | 3.5 |
| *Republic of Korea, Gwangju | 120 | 78.3 | 1.7 | 3.0 | 111 | 67.6 | 1.8 | 2.3 |
| Republic of Korea, Incheon | 254 | 79.1 | 0.4 | 2.9 | 245 | 75.9 | 0.8 | 2.7 |
| Republic of Korea, Jeju | 73 | 90.4 | 0.0 | 4.1 | 58 | 75.9 | 1.7 | 2.8 |
| Republic of Korea, Seoul | 956 | 78.3 | 0.7 | 3.3 | 856 | 69.2 | 2.0 | 2.6 |
| Republic of Korea, Ulsan | 109 | 73.4 | 0.9 | 3.2 | 95 | 65.3 | 2.1 | 2.9 |
| Singapore | 360 | 78.6 | 0.6 | 3.0 | 284 | 72.2 | 1.1 | 2.4 |
| Singapore: Chinese | 274 | 78.8 | 0.7 | 3.0 | 219 | 73.5 | 0.9 | 2.3 |
| Singapore: Indian | 32 | 78.1 | — | 3.1 | 23 | 56.5 | — | 3.0 |

* Important. See note on population page.

Indices of data quality Brain and nervous system (C70–72) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 40 | 72.5 | 0.0 | 3.0 | 35 | 68.6 | 2.9 | 2.6 |
| Thailand, Bangkok | 288 | 83.3 | 4.9 | 2.0 | 241 | 79.3 | 7.1 | 1.4 |
| *Thailand, Chiang Mai | 115 | 71.3 | 1.7 | 2.5 | 104 | 60.6 | 1.9 | 2.2 |
| *Thailand, Khon Kaen | 80 | 58.8 | 10.0 | 1.8 | 62 | 54.8 | 14.5 | 1.5 |
| Thailand, Lampang | 63 | 52.4 | 3.2 | 2.5 | 65 | 55.4 | 1.5 | 2.4 |
| Thailand, Lopburi Province | 74 | 40.5 | 9.5 | 3.4 | 98 | 34.7 | 6.1 | 4.0 |
| *Thailand, Songkhla | 113 | 70.8 | 4.4 | 3.1 | 70 | 57.1 | 11.4 | 1.6 |
| Turkey, Antalya | 352 | 84.1 | 2.3 | 5.8 | 299 | 82.3 | 1.7 | 4.9 |
| Turkey, Bursa | 474 | 85.7 | 9.9 | 6.2 | 326 | 79.8 | 14.7 | 4.0 |
| *Turkey, Edirne | 85 | 68.2 | 7.1 | 6.2 | 70 | 61.4 | 12.9 | 4.9 |
| *Turkey, Erzurum | 122 | 77.9 | 9.0 | 6.4 | 114 | 76.3 | 8.8 | 5.6 |
| Turkey, Eskişehir | 132 | 92.4 | 1.5 | 5.4 | 91 | 87.9 | 3.3 | 3.5 |
| Turkey, Gaziantep | 248 | 89.9 | 3.2 | 6.0 | 252 | 81.7 | 4.8 | 5.9 |
| *Turkey, Izmir | 810 | 77.8 | 6.7 | 6.6 | 654 | 72.9 | 7.5 | 5.0 |
| Turkey, Malatya | 99 | 80.8 | 7.1 | 4.5 | 66 | 74.2 | 15.2 | 2.9 |
| Turkey, Samsun | 221 | 89.6 | 1.8 | 5.8 | 173 | 88.4 | 5.2 | 4.2 |
| Turkey, Trabzon | 142 | 73.2 | 8.5 | 6.2 | 115 | 75.7 | 7.0 | 4.8 |
| Europe | | | | | | | | |
| Austria | 1996 | 85.2 | 5.4 | 6.5 | 1583 | 79.7 | 9.3 | 4.8 |
| Austria, Carinthia | 141 | 85.8 | 1.4 | 6.5 | 108 | 79.6 | 4.6 | 4.0 |
| Austria, Tyrol | 158 | 95.6 | – | 6.0 | 132 | 92.4 | – | 5.3 |
| Austria, Vorarlberg | 79 | 87.3 | 3.8 | 5.2 | 68 | 91.2 | 4.4 | 4.8 |
| Belarus | 1484 | 89.2 | 0.4 | 5.6 | 1530 | 87.4 | 0.8 | 4.4 |
| *Belgium | 2614 | 93.8 | – | 6.7 | 1770 | 89.2 | – | 4.2 |
| Croatia | 1100 | 61.8 | 5.5 | 7.2 | 1020 | 56.0 | 9.4 | 5.2 |
| Cyprus | 154 | 87.7 | 10.4 | 5.8 | 120 | 79.2 | 18.3 | 3.8 |
| *Czech Republic | 2373 | 77.8 | 1.2 | 6.0 | 2051 | 70.3 | 1.4 | 4.4 |
| Denmark | 1467 | 83.2 | 0.0 | 6.5 | 1079 | 80.4 | 0.5 | 4.8 |
| Estonia | 286 | 82.9 | 2.1 | 7.0 | 281 | 74.4 | 3.2 | 5.4 |
| Finland | 1165 | 89.4 | 0.9 | 5.9 | 906 | 83.1 | 1.1 | 4.1 |
| *France, Bas-Rhin | 177 | 87.0 | – | 5.7 | 142 | 77.5 | – | 3.8 |
| *France, Calvados | 142 | 84.5 | – | 5.2 | 119 | 78.2 | – | 4.1 |
| *France, Doubs | 136 | 87.5 | – | 7.1 | 94 | 75.5 | – | 3.8 |
| *France, Gironde | 401 | 91.3 | – | 7.0 | 326 | 85.9 | – | 5.2 |
| *France, Haut-Rhin | 180 | 86.7 | – | 6.9 | 147 | 78.2 | – | 4.3 |
| *France, Hérault | 253 | 84.6 | – | 5.9 | 221 | 71.9 | – | 4.9 |
| *France, Isère | 276 | 89.1 | – | 6.3 | 215 | 80.0 | – | 4.3 |
| *France, Lille-Métropole | 150 | 82.7 | – | 6.1 | 115 | 73.9 | – | 4.4 |
| *France, Limousin | 99 | 87.9 | – | 6.4 | 76 | 86.8 | – | 4.5 |
| *France, Loire-Atlantique | 323 | 86.7 | – | 6.9 | 226 | 79.6 | – | 4.1 |
| *France, Manche | 112 | 83.0 | – | 5.5 | 119 | 66.4 | – | 4.8 |
| *France, Poitou-Charentes | 428 | 81.8 | – | 6.0 | 374 | 79.1 | – | 4.6 |
| *France, Somme | 113 | 82.3 | – | 6.2 | 78 | 74.4 | – | 3.6 |
| *France, Tarn | 89 | 92.1 | – | 5.9 | 81 | 77.8 | – | 4.3 |
| *France, Territoire de Belfort | 28 | 78.6 | – | 7.0 | 22 | 86.4 | – | 5.1 |
| *France, Vendée | 190 | 85.3 | – | 7.5 | 126 | 77.0 | – | 3.5 |
| Germany, Baden-Württemberg | 1504 | 64.9 | 12.2 | 5.4 | 1178 | 66.0 | 12.6 | 3.9 |
| Germany, Bavaria | 2861 | 88.0 | 8.3 | 5.6 | 2321 | 81.4 | 13.8 | 4.1 |
| Germany, Bremen | 130 | 83.1 | 15.4 | 4.5 | 149 | 77.2 | 17.4 | 5.0 |
| Germany, Hamburg | 406 | 88.2 | 4.2 | 6.0 | 358 | 88.3 | 5.0 | 5.1 |
| Germany, Lower Saxony | 2035 | 82.1 | 9.7 | 6.4 | 1662 | 79.9 | 11.0 | 4.8 |
| Germany, North Rhine-Westphalia | 4622 | 73.7 | 15.8 | 6.7 | 3747 | 67.2 | 21.8 | 4.8 |
| Germany, Rhineland-Palatinate | 1009 | 80.6 | 13.5 | 6.3 | 745 | 72.5 | 19.7 | 4.3 |
| Germany, Saarland | 291 | 77.3 | 7.9 | 6.8 | 216 | 74.5 | 12.0 | 4.6 |
| Germany, Schleswig-Holstein | 768 | 83.2 | 3.0 | 6.4 | 653 | 77.3 | 2.8 | 5.2 |
| Iceland | 69 | 92.8 | – | 5.9 | 57 | 91.2 | – | 5.0 |
| Ireland | 1100 | 81.9 | 0.7 | 7.2 | 826 | 70.2 | 1.7 | 5.2 |
| *Italy, Aosta Valley | 29 | 24.1 | 3.4 | 6.6 | 22 | 4.5 | 0.0 | 3.3 |
| *Italy, Avellino | 67 | 64.2 | 7.5 | 6.9 | 50 | 46.0 | 6.0 | 4.5 |
| Italy, Basilicata | 156 | 65.4 | 0.0 | 6.8 | 110 | 43.6 | 0.9 | 4.0 |
| *Italy, Benevento | 55 | 65.5 | 1.8 | 5.6 | 52 | 75.0 | 1.9 | 5.1 |
| Italy, Bergamo | 278 | 73.0 | 1.1 | 6.4 | 204 | 63.7 | 1.5 | 4.2 |
| *Italy, Brescia | 250 | 52.8 | 2.0 | 5.4 | 190 | 42.1 | 3.7 | 3.3 |
| Italy, Brianza (Lecco and Monza e Brianza) | 204 | 81.9 | 0.0 | 7.3 | 154 | 66.9 | 1.9 | 4.5 |
| Italy, Calabria | 127 | 80.3 | 0.8 | 6.0 | 106 | 74.5 | 2.8 | 5.6 |
| *Italy, Caserta | 171 | 69.0 | 4.1 | 7.1 | 116 | 62.1 | 1.7 | 4.1 |
| *Italy, Catania, Messina, and Enna | 459 | 68.4 | 5.7 | 6.2 | 370 | 58.4 | 5.4 | 4.2 |
| Italy, Emilia-Romagna | 1062 | 67.1 | 0.8 | 7.2 | 818 | 58.1 | 0.6 | 4.4 |
| Italy, Friuli-Venezia Giulia | 397 | 67.5 | 0.3 | 7.1 | 282 | 56.7 | 0.7 | 4.3 |
| Italy, Genova | 204 | 59.3 | 2.9 | 6.9 | 182 | 50.5 | 2.2 | 4.9 |
| *Italy, Lombardy, South, Pavia | 151 | 69.5 | 2.0 | 6.8 | 118 | 71.2 | 0.8 | 5.0 |
| Italy, Mantova and Cremona | 186 | 78.5 | 1.1 | 7.3 | 146 | 61.0 | 0.0 | 5.1 |

* Important. See note on population page.

Indices of data quality Brain and nervous system (C70–72) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 350 | 66.0 | 1.1 | 6.4 | 273 | 62.3 | 2.6 | 4.4 |
| Italy, Milan | 945 | 70.9 | 0.8 | 6.8 | 753 | 64.7 | 0.7 | 4.6 |
| Italy, Molise | 45 | 53.3 | 4.4 | 6.0 | 46 | 63.0 | 2.2 | 7.0 |
| *Italy, Naples Centre | 140 | 45.0 | 6.4 | 6.5 | 112 | 48.2 | 6.2 | 4.6 |
| *Italy, Naples North | 185 | 77.8 | 4.9 | 6.6 | 116 | 70.7 | 11.2 | 3.7 |
| *Italy, Naples South | 230 | 67.4 | 2.6 | 6.0 | 170 | 60.0 | 4.1 | 3.8 |
| *Italy, Nuoro | 34 | 70.6 | – | 6.2 | 15 | 53.3 | – | 2.1 |
| *Italy, Palermo | 288 | 71.2 | 4.5 | 6.3 | 234 | 58.1 | 8.5 | 4.6 |
| Italy, Puglia | 1056 | 63.7 | 1.5 | 6.7 | 830 | 52.9 | 2.0 | 4.4 |
| *Italy, Ragusa and Caltanissetta | 144 | 61.1 | 2.8 | 6.8 | 79 | 55.7 | 2.5 | 3.8 |
| *Italy, Salerno | 175 | 68.0 | 4.0 | 5.3 | 192 | 65.1 | 5.7 | 5.2 |
| Italy, Sassari | 56 | 42.9 | 1.8 | 8.0 | 39 | 48.7 | 0.0 | 3.0 |
| *Italy, Sondrio | 59 | 59.3 | 1.7 | 6.7 | 53 | 39.6 | 3.8 | 5.1 |
| Italy, South Tyrol | 150 | 85.3 | 0.0 | 7.3 | 89 | 70.8 | 1.1 | 3.7 |
| *Italy, Syracuse | 120 | 69.2 | 0.8 | 8.1 | 91 | 79.1 | 2.2 | 5.5 |
| Italy, Trento | 141 | 62.4 | 0.7 | 6.6 | 92 | 50.0 | 1.1 | 4.2 |
| Italy, Turin | 659 | 66.0 | 7.0 | 7.3 | 503 | 61.0 | 7.2 | 5.0 |
| *Italy, Tuscany | 709 | 59.2 | 1.0 | 7.8 | 562 | 58.9 | 2.1 | 5.7 |
| Italy, Umbria | 204 | 71.1 | 1.0 | 6.7 | 170 | 64.1 | 1.8 | 4.2 |
| Italy, Varese | 138 | 73.2 | 0.7 | 6.5 | 99 | 66.7 | 1.0 | 4.0 |
| Italy, Veneto | 1452 | 66.0 | 0.6 | 7.1 | 1117 | 58.5 | 1.3 | 4.9 |
| Latvia | 505 | 70.5 | 6.1 | 8.2 | 600 | 67.2 | 5.3 | 6.5 |
| *Liechtenstein | 10 | 90.0 | – | 6.1 | 10 | 70.0 | – | 7.3 |
| *Lithuania | 799 | 66.2 | 21.5 | 8.4 | 931 | 48.7 | 31.8 | 6.4 |
| Malta | 99 | 72.7 | 3.0 | 5.6 | 80 | 66.2 | 6.2 | 4.4 |
| *The Netherlands | 3879 | 81.3 | – | 6.3 | 2710 | 75.4 | – | 4.2 |
| Norway | 1569 | 71.2 | 2.9 | 8.4 | 1317 | 58.0 | 5.0 | 6.7 |
| Poland, Kielce | 310 | 76.8 | – | 6.7 | 264 | 69.3 | – | 4.5 |
| *Portugal, Azores | 28 | 75.0 | 3.6 | 4.9 | 22 | 68.2 | 0.0 | 2.7 |
| Russian Federation, Arkhangelsk | 205 | 65.9 | 16.1 | 6.1 | 266 | 56.4 | 18.4 | 5.2 |
| Russian Federation, Kaliningrad | 100 | 80.0 | 6.0 | 3.8 | 101 | 71.3 | 9.9 | 2.8 |
| Russian Federation, Karelia | 101 | 79.2 | 5.9 | 5.6 | 85 | 63.5 | 12.9 | 3.1 |
| *Russian Federation, Komi Republic | 143 | 61.5 | 23.1 | 5.9 | 113 | 60.2 | 24.8 | 4.0 |
| Russian Federation, Murmansk | 102 | 83.3 | 10.8 | 5.3 | 75 | 82.7 | 10.7 | 2.8 |
| *Russian Federation, Orenburg | 310 | 79.0 | 2.3 | 5.3 | 315 | 80.3 | 4.1 | 4.2 |
| Russian Federation, Pskov | 114 | 64.9 | 16.7 | 5.5 | 121 | 62.0 | 24.8 | 4.3 |
| *Russian Federation, Samara | 488 | 86.7 | 5.3 | 5.2 | 490 | 83.3 | 5.7 | 4.4 |
| Russian Federation, Vologda Region | 180 | 88.9 | 6.1 | 5.4 | 196 | 85.7 | 2.6 | 4.2 |
| Slovenia | 506 | 87.9 | 0.2 | 6.5 | 366 | 79.0 | 0.3 | 4.3 |
| Spain, Asturias | 169 | 66.9 | 1.2 | 5.7 | 165 | 58.2 | 0.6 | 5.4 |
| Spain, Basque Country | 505 | 77.4 | 0.8 | 7.2 | 413 | 69.2 | 1.2 | 5.1 |
| Spain, Canary Islands | 279 | 77.4 | 0.7 | 6.1 | 238 | 66.0 | 0.4 | 4.8 |
| Spain, Castellón | 124 | 71.0 | 0.8 | 5.0 | 109 | 65.1 | 0.0 | 4.4 |
| Spain, Girona | 186 | 65.6 | 0.5 | 6.5 | 125 | 61.6 | 0.8 | 4.3 |
| Spain, Granada | 174 | 81.0 | 0.6 | 5.8 | 158 | 65.8 | 0.0 | 4.3 |
| Spain, La Rioja | 71 | 80.3 | – | 5.3 | 56 | 67.9 | – | 4.1 |
| Spain, Murcia | 282 | 78.4 | 0.0 | 5.3 | 236 | 77.5 | 1.7 | 4.6 |
| Spain, Navarra | 149 | 69.8 | 0.0 | 7.3 | 118 | 61.0 | 1.7 | 5.0 |
| Spain, Salamanca | 88 | 77.3 | 0.0 | 7.3 | 86 | 73.3 | 1.2 | 5.2 |
| Spain, Tarragona | 175 | 77.1 | 0.0 | 6.0 | 129 | 65.9 | 2.3 | 4.1 |
| *Sweden | 2218 | 90.2 | – | 6.1 | 1538 | 88.4 | – | 4.4 |
| Switzerland, Aargau | 163 | 87.7 | 9.2 | 6.6 | 97 | 85.6 | 5.2 | 4.5 |
| Switzerland, Basel | 121 | 93.4 | 4.1 | 6.6 | 95 | 89.5 | 4.2 | 4.9 |
| Switzerland, Berne Solothurn | 195 | 88.7 | 2.1 | 6.2 | 125 | 80.0 | 3.2 | 4.2 |
| Switzerland, East | 196 | 88.8 | 0.5 | 6.1 | 138 | 85.5 | 0.7 | 4.7 |
| *Switzerland, Fribourg | 64 | 93.8 | – | 6.2 | 49 | 89.8 | – | 4.5 |
| Switzerland, Geneva | 106 | 90.6 | 0.0 | 6.5 | 61 | 73.8 | 1.6 | 3.2 |
| *Switzerland, Graubünden and Glarus | 51 | 90.2 | 0.0 | 6.0 | 35 | 82.9 | 2.9 | 3.5 |
| *Switzerland, Lucerne | 125 | 80.8 | 2.4 | 6.8 | 93 | 73.1 | 6.5 | 5.2 |
| *Switzerland, Neuchâtel and Jura | 51 | 92.2 | 2.0 | 5.2 | 38 | 92.1 | 0.0 | 4.4 |
| Switzerland, Ticino | 94 | 90.4 | 0.0 | 6.6 | 61 | 77.0 | 4.9 | 4.3 |
| Switzerland, Valais | 76 | 88.2 | – | 5.7 | 45 | 91.1 | – | 3.8 |
| Switzerland, Vaud | 160 | 91.2 | 2.5 | 5.6 | 118 | 83.1 | 5.1 | 4.0 |
| Switzerland, Zurich and Zug | 343 | 93.9 | 0.6 | 5.8 | 262 | 84.7 | 0.0 | 4.0 |
| Ukraine | 5173 | 69.2 | 1.3 | 5.0 | 4968 | 69.3 | 1.4 | 3.9 |
| UK, England | 13248 | 71.5 | 1.2 | 6.6 | 9827 | 65.6 | 1.5 | 4.6 |
| UK, Northern Ireland | 407 | 67.8 | – | 6.3 | 295 | 63.7 | – | 4.2 |
| UK, Scotland | 1241 | 72.4 | 0.1 | 6.2 | 956 | 66.3 | 0.4 | 4.4 |
| UK, Wales | 820 | 66.6 | 0.5 | 6.7 | 621 | 61.7 | 0.6 | 4.7 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 1849 | 90.3 | 1.2 | 6.7 | 1239 | 86.0 | 1.6 | 4.4 |
| *Australia, Northern Territory | 44 | 100.0 | – | 6.6 | 18 | 100.0 | – | 2.8 |

* Important. See note on population page.

**Indices of data quality
Brain and nervous system (C70–72) (contd)**

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 35 | 100.0 | – | 6.9 | 15 | 100.0 | – | 3.1 |
| *Australia, Northern Territory: Indigenous | 9 | 100.0 | – | 5.4 | 3 | 100.0 | – | 1.5 |
| *Australia, Queensland | 1011 | 84.2 | 0.8 | 6.2 | 762 | 78.6 | 1.4 | 4.6 |
| Australia, South Australia | 420 | 81.9 | 1.0 | 6.9 | 310 | 79.4 | 0.6 | 4.4 |
| Australia, Tasmania | 151 | 90.7 | 0.7 | 7.8 | 98 | 74.5 | 1.0 | 4.7 |
| *Australia, Victoria | 1420 | 88.7 | 2.0 | 7.0 | 1004 | 85.6 | 3.3 | 4.6 |
| *Australia, Western Australia | 587 | 86.0 | 0.9 | 6.8 | 378 | 75.4 | 2.1 | 4.3 |
| *France, New Caledonia | 31 | 93.5 | – | 4.0 | 19 | 94.7 | – | 2.6 |
| New Zealand | 963 | 84.1 | 2.3 | 6.4 | 718 | 78.3 | 4.0 | 4.4 |
| *New Zealand: Maori | 103 | 85.4 | 1.9 | 6.1 | 88 | 81.8 | 3.4 | 4.7 |
| *New Zealand: Pacific peoples | 40 | 90.0 | – | 5.7 | 33 | 87.9 | – | 4.5 |
| *New Zealand: Other | 782 | 83.9 | 2.6 | 6.6 | 567 | 76.7 | 4.4 | 4.7 |
| USA, Hawaii | 191 | 87.4 | 1.6 | 4.0 | 150 | 82.0 | 2.7 | 3.1 |
| USA, Hawaii: White | 93 | 88.2 | 2.2 | 6.7 | 57 | 86.0 | 1.8 | 4.9 |
| *USA, Hawaii: Japanese | 16 | 81.2 | – | 1.8 | 23 | 78.3 | – | 2.1 |
| *USA, Hawaii: Chinese | 9 | 100.0 | – | 3.2 | 2 | 0.0 | – | 0.1 |
| *USA, Hawaii: Hawaiian | 26 | 84.6 | 0.0 | 3.0 | 34 | 85.3 | 2.9 | 3.7 |
| *USA, Hawaii: Filipino | 28 | 92.9 | 0.0 | 3.6 | 16 | 75.0 | 12.5 | 1.4 |

* Important. See note on population page.

Indices of data quality Thyroid (C73)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 20 | 100.0 | — | 1.3 | 176 | 100.0 | — | 10.7 |
| *Algeria, Tizi Ouzou | 35 | 97.1 | — | 2.1 | 175 | 98.3 | — | 10.0 |
| *Benin, Cotonou | 0 | — | — | — | 9 | 100.0 | — | 1.0 |
| *France, La Réunion | 36 | 100.0 | — | 1.8 | 162 | 100.0 | — | 7.9 |
| *Kenya, Eldoret | 4 | 100.0 | — | 0.5 | 17 | 94.1 | — | 1.4 |
| *Kenya, Nairobi | 26 | 80.8 | 3.8 | 0.9 | 82 | 91.5 | 3.7 | 2.9 |
| Mauritius | 34 | 97.1 | — | 0.8 | 100 | 91.0 | — | 2.4 |
| *Morocco, Casablanca | 275 | 99.6 | 0.4 | 2.4 | 1654 | 99.9 | 0.0 | 13.5 |
| *Seychelles | 2 | 100.0 | — | 0.6 | 7 | 100.0 | — | 2.1 |
| *South Africa, Eastern Cape | 2 | 100.0 | — | 0.2 | 13 | 100.0 | — | 0.8 |
| *Uganda, Kyadondo County | 18 | 72.2 | 0.0 | 0.7 | 63 | 79.4 | 1.6 | 2.4 |
| *Uganda, Gulu | 4 | 50.0 | — | 1.0 | 10 | 60.0 | — | 1.7 |
| *Zimbabwe, Bulawayo: African | 6 | 83.3 | 0.0 | 0.9 | 31 | 74.2 | 9.7 | 3.2 |
| *Zimbabwe, Harare: African | 19 | 57.9 | 15.8 | 1.0 | 77 | 70.1 | 6.5 | 4.8 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 45 | 97.8 | 2.2 | 2.2 | 238 | 98.3 | 1.7 | 10.9 |
| *Argentina, Mendoza | 69 | 91.3 | 7.2 | 1.4 | 351 | 96.9 | 2.8 | 6.7 |
| Brazil, Aracaju | 131 | 100.0 | — | 10.4 | 692 | 100.0 | — | 43.7 |
| *Brazil, Barretos | 34 | 97.1 | 2.9 | 2.6 | 143 | 99.3 | 0.0 | 10.8 |
| Brazil, Belo Horizonte | 267 | 97.4 | 2.6 | 3.8 | 1094 | 99.5 | 0.5 | 12.9 |
| *Brazil, Campinas | 121 | 99.2 | 0.8 | 4.8 | 520 | 99.2 | 0.6 | 18.1 |
| *Brazil, Curitiba | 70 | 98.6 | 1.4 | 1.7 | 287 | 96.9 | 1.4 | 5.8 |
| Brazil, Goiânia | 102 | 100.0 | 0.0 | 3.4 | 515 | 99.8 | 0.2 | 14.5 |
| *Brazil, Jaú | 5 | 100.0 | — | 1.2 | 46 | 100.0 | — | 10.1 |
| Brazil, João Pessoa | 40 | 97.5 | 2.5 | 3.6 | 196 | 98.0 | 0.0 | 13.2 |
| Brazil, Recife | 51 | 78.4 | 3.9 | 2.0 | 255 | 87.1 | 1.6 | 7.6 |
| Chile, Region of Antofagasta | 43 | 95.3 | 4.7 | 3.7 | 206 | 99.5 | 0.5 | 20.3 |
| Chile, Valdivia | 36 | 94.4 | 2.8 | 3.2 | 197 | 97.5 | 2.0 | 16.7 |
| Colombia, Bucaramanga | 148 | 95.3 | 0.7 | 5.1 | 833 | 95.1 | 0.5 | 23.5 |
| Colombia, Cali | 265 | 97.4 | 0.8 | 4.4 | 1419 | 98.3 | 0.1 | 19.2 |
| Colombia, Manizales | 93 | 91.4 | — | 7.6 | 451 | 93.1 | — | 30.0 |
| Colombia, Pasto | 30 | 100.0 | 0.0 | 3.0 | 262 | 95.0 | 0.4 | 21.3 |
| Costa Rica | 424 | 84.2 | 0.9 | 4.1 | 2393 | 83.0 | 0.8 | 22.4 |
| Ecuador, Guayaquil | 163 | 96.3 | 0.6 | 2.9 | 692 | 97.8 | 0.0 | 10.6 |
| Ecuador, Manabí | 77 | 98.7 | 0.0 | 2.1 | 514 | 95.9 | 1.6 | 14.6 |
| Ecuador, Quito | 445 | 96.6 | 1.3 | 10.2 | 2400 | 97.5 | 0.3 | 47.0 |
| *France, Guadeloupe | 23 | 100.0 | — | 1.6 | 81 | 98.8 | — | 5.5 |
| *France, Martinique | 27 | 96.3 | — | 1.8 | 117 | 100.0 | — | 8.0 |
| *Peru, Lima | 406 | 93.1 | 2.5 | 2.9 | 2240 | 94.6 | 1.2 | 13.5 |
| *Trinidad and Tobago | 18 | 77.8 | 11.1 | 0.7 | 61 | 93.4 | 3.3 | 2.4 |
| USA, Puerto Rico | 1047 | 99.2 | 0.4 | 9.4 | 4284 | 99.4 | 0.2 | 36.5 |
| *Uruguay | 301 | 97.0 | 1.7 | 3.0 | 1405 | 98.1 | 1.3 | 13.3 |
| North America | | | | | | | | |
| Canada, Alberta | 702 | 99.4 | — | 5.1 | 1873 | 99.6 | — | 14.5 |
| Canada, British Columbia | 634 | 98.6 | 0.3 | 3.7 | 1634 | 98.8 | 0.3 | 9.7 |
| *Canada, Manitoba | 201 | 100.0 | — | 4.5 | 549 | 99.5 | — | 13.0 |
| *Canada, New Brunswick | 174 | 100.0 | — | 5.7 | 402 | 99.3 | — | 14.6 |
| *Canada, Newfoundland and Labrador | 149 | 98.0 | 0.0 | 6.6 | 464 | 99.1 | 0.2 | 23.0 |
| Canada, Ontario | 3865 | 99.1 | 0.1 | 8.2 | 11690 | 99.4 | 0.1 | 25.1 |
| *Canada, Prince Edward Island | 18 | 100.0 | — | 3.4 | 36 | 100.0 | — | 6.8 |
| Canada, Quebec | 1972 | 99.0 | 0.4 | 6.2 | 5549 | 99.2 | 0.3 | 19.5 |
| Canada, Saskatchewan | 159 | 98.1 | — | 4.0 | 336 | 99.1 | — | 9.2 |
| *Canada, Yukon | 2 | 100.0 | — | 1.9 | 9 | 100.0 | — | 7.3 |
| USA | 61167 | 99.2 | 0.5 | 5.7 | 178852 | 99.4 | 0.3 | 17.4 |
| USA: White | 53315 | 99.2 | 0.5 | 6.1 | 148432 | 99.5 | 0.3 | 18.5 |
| USA: Black | 3636 | 98.4 | 0.9 | 2.9 | 15523 | 99.1 | 0.5 | 10.8 |
| USA, NPCR | 58898 | 99.2 | 0.5 | 5.7 | 172420 | 99.4 | 0.3 | 17.3 |
| USA, NPCR: White | 51405 | 99.2 | 0.5 | 6.1 | 143291 | 99.5 | 0.3 | 18.5 |
| USA, NPCR: Black | 3581 | 98.4 | 0.9 | 2.9 | 15295 | 99.1 | 0.5 | 10.8 |
| USA, NPCR: Asian and Pacific Islander | 3198 | 99.2 | 0.4 | 5.8 | 11326 | 99.5 | 0.2 | 18.1 |
| USA, NPCR: American Indian | 263 | 97.7 | 1.5 | 2.3 | 940 | 99.3 | 0.3 | 7.9 |
| *USA, SEER (18 registries) | 16929 | 99.3 | 0.2 | 5.8 | 50424 | 99.5 | 0.1 | 17.7 |
| *USA, SEER (18 registries): White | 13961 | 99.4 | 0.1 | 6.2 | 39488 | 99.5 | 0.1 | 18.9 |
| *USA, SEER (18 registries): Non-Hispanic White | 11797 | 99.3 | 0.1 | 6.8 | 30439 | 99.5 | 0.1 | 19.5 |
| *USA, SEER (18 registries): Hispanic White | 2164 | 99.5 | 0.1 | 4.5 | 9049 | 99.6 | 0.1 | 18.0 |
| *USA, SEER (18 registries): Black | 937 | 99.1 | 0.5 | 2.9 | 3913 | 99.0 | 0.0 | 10.6 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 1673 | 99.2 | 0.2 | 5.5 | 5711 | 99.5 | 0.0 | 16.8 |
| *USA, SEER (9 registries) | 5981 | 99.4 | 0.2 | 6.0 | 17347 | 99.4 | 0.1 | 18.0 |
| *USA, SEER (9 registries): White | 4897 | 99.4 | 0.1 | 6.5 | 13386 | 99.5 | 0.1 | 19.5 |
| *USA, SEER (9 registries): Black | 329 | 99.1 | 0.6 | 3.0 | 1356 | 98.8 | 0.0 | 10.6 |
| USA, Alabama | 640 | 98.9 | 0.8 | 3.8 | 1887 | 98.1 | 1.7 | 11.7 |
| USA, Alabama: White | 544 | 98.9 | 0.9 | 4.4 | 1494 | 98.3 | 1.6 | 13.3 |

* Important. See note on population page.

Indices of data quality Thyroid (C73) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 81 | 98.8 | 0.0 | 2.1 | 337 | 96.7 | 2.7 | 7.6 |
| USA, Alaska | 125 | 96.0 | 3.2 | 5.0 | 342 | 98.8 | 1.2 | 16.2 |
| *USA, Alaska: Alaska Natives | 18 | 100.0 | — | 5.4 | 56 | 100.0 | — | 16.8 |
| USA, Arizona | 1175 | 98.9 | 0.7 | 5.1 | 3661 | 99.3 | 0.5 | 17.3 |
| USA, Arizona: White | 1095 | 98.9 | 0.7 | 5.4 | 3306 | 99.4 | 0.5 | 18.4 |
| USA, Arizona: Black | 30 | 96.7 | 0.0 | 3.0 | 100 | 99.0 | 1.0 | 10.4 |
| *USA, Arizona: Asian and Pacific Islander | 27 | 100.0 | — | 3.6 | 135 | 99.3 | — | 14.3 |
| USA, Arizona: American Indian | 23 | 100.0 | — | 2.5 | 117 | 99.1 | — | 11.1 |
| USA, Arkansas | 495 | 97.2 | 2.0 | 4.9 | 1379 | 99.4 | 0.4 | 14.5 |
| USA, Arkansas: White | 449 | 97.6 | 1.6 | 5.2 | 1183 | 99.4 | 0.4 | 15.3 |
| USA, Arkansas: Black | 39 | 94.9 | 5.1 | 3.0 | 142 | 99.3 | 0.7 | 9.5 |
| USA, California | 6524 | 99.4 | 0.3 | 5.1 | 19725 | 99.5 | 0.3 | 16.0 |
| USA, California: White | 5180 | 99.4 | 0.3 | 5.4 | 15112 | 99.5 | 0.3 | 16.8 |
| USA, California: Black | 223 | 98.7 | 0.9 | 2.6 | 703 | 99.1 | 0.3 | 7.9 |
| USA, California: Asian and Pacific Islander | 1034 | 99.3 | 0.4 | 5.3 | 3603 | 99.5 | 0.2 | 16.3 |
| *USA, California, Los Angeles County | 1741 | 99.5 | 0.1 | 5.4 | 5342 | 99.7 | 0.1 | 16.4 |
| *USA, California, Los Angeles County: White | 1312 | 99.5 | 0.1 | 5.6 | 3898 | 99.8 | 0.1 | 17.2 |
| *USA, California, Los Angeles County: Non-Hispanic White | 804 | 99.6 | 0.0 | 7.3 | 1836 | 99.8 | 0.1 | 19.4 |
| *USA, California, Los Angeles County: Hispanic White | 508 | 99.4 | 0.2 | 4.2 | 2062 | 99.8 | 0.1 | 16.1 |
| *USA, California, Los Angeles County: Black | 88 | 98.9 | — | 2.8 | 305 | 99.3 | — | 9.0 |
| *USA, California, Los Angeles County: Chinese | 62 | 98.4 | 0.0 | 3.9 | 218 | 99.1 | 0.5 | 11.6 |
| *USA, California, Los Angeles County: Filipino | 94 | 100.0 | — | 7.6 | 306 | 99.3 | — | 19.7 |
| *USA, California, Los Angeles County: Korean | 46 | 100.0 | — | 6.3 | 142 | 100.0 | — | 14.9 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 310 | 99.4 | 0.0 | 5.9 | 1041 | 99.6 | 0.1 | 17.1 |
| *USA, California, San Francisco Bay Area | 845 | 99.8 | 0.0 | 5.3 | 2177 | 99.6 | 0.0 | 14.1 |
| *USA, California, San Francisco Bay Area: White | 588 | 99.8 | 0.0 | 5.8 | 1369 | 99.6 | 0.1 | 15.0 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 460 | 99.8 | 0.0 | 5.9 | 984 | 99.5 | 0.1 | 14.8 |
| *USA, California, San Francisco Bay Area: Hispanic White | 128 | 100.0 | — | 5.2 | 385 | 99.7 | — | 15.9 |
| *USA, California, San Francisco Bay Area: Black | 29 | 100.0 | — | 2.2 | 80 | 98.8 | — | 5.6 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 215 | 99.5 | — | 5.1 | 697 | 99.9 | — | 14.7 |
| USA, Colorado | 1101 | 99.2 | 0.4 | 6.0 | 3085 | 99.4 | 0.2 | 18.2 |
| USA, Colorado: White | 1037 | 99.2 | 0.4 | 6.2 | 2859 | 99.4 | 0.2 | 18.8 |
| *USA, Colorado: Black | 23 | 95.7 | — | 2.9 | 79 | 100.0 | — | 11.2 |
| *USA, Colorado: Asian and Pacific Islander | 28 | 100.0 | — | 5.4 | 113 | 99.1 | — | 16.3 |
| USA, Connecticut | 935 | 99.7 | 0.1 | 7.8 | 2659 | 99.7 | 0.0 | 22.9 |
| USA, Connecticut: White | 828 | 99.6 | 0.1 | 8.1 | 2225 | 99.7 | 0.0 | 23.4 |
| USA, Connecticut: Black | 42 | 100.0 | — | 3.6 | 183 | 100.0 | — | 12.8 |
| USA, District of Columbia | 120 | 99.2 | 0.8 | 5.8 | 353 | 99.4 | 0.3 | 15.8 |
| USA, District of Columbia: White | 69 | 100.0 | — | 7.0 | 178 | 99.4 | — | 19.6 |
| USA, District of Columbia: Black | 43 | 97.7 | 2.3 | 4.0 | 151 | 99.3 | 0.7 | 12.0 |
| USA, Florida | 3547 | 98.8 | 0.7 | 4.9 | 10251 | 99.5 | 0.3 | 15.1 |
| USA, Florida: White | 3196 | 99.0 | 0.7 | 5.4 | 8760 | 99.6 | 0.3 | 16.4 |
| USA, Florida: Black | 239 | 98.3 | 1.3 | 2.4 | 1079 | 98.9 | 0.6 | 9.7 |
| USA, Florida: Asian and Pacific Islander | 64 | 98.4 | 0.0 | 3.4 | 289 | 99.7 | 0.3 | 12.5 |
| USA, Georgia | 1554 | 98.7 | 0.5 | 4.8 | 4914 | 99.3 | 0.2 | 14.8 |
| USA, Georgia: White | 1247 | 98.6 | 0.5 | 5.6 | 3563 | 99.5 | 0.2 | 17.5 |
| USA, Georgia: Black | 222 | 99.1 | 0.5 | 2.5 | 1108 | 98.6 | 0.5 | 10.1 |
| USA, Georgia: Asian and Pacific Islander | 79 | 98.7 | 1.3 | 6.4 | 220 | 99.5 | 0.0 | 16.0 |
| *USA, Georgia, Atlanta | 486 | 98.8 | 0.4 | 4.4 | 1688 | 99.1 | 0.1 | 14.1 |
| *USA, Georgia, Atlanta: White | 327 | 98.5 | 0.6 | 5.4 | 1006 | 99.4 | 0.1 | 17.6 |
| *USA, Georgia, Atlanta: Black | 101 | 99.0 | — | 2.6 | 514 | 98.1 | — | 10.0 |
| USA, Idaho | 333 | 99.1 | 0.6 | 6.1 | 912 | 99.7 | 0.0 | 18.3 |
| USA, Indiana | 1091 | 99.5 | 0.3 | 5.0 | 3149 | 99.6 | 0.1 | 15.3 |
| USA, Indiana: White | 1005 | 99.4 | 0.3 | 5.1 | 2899 | 99.6 | 0.1 | 16.1 |
| USA, Indiana: Black | 49 | 100.0 | — | 2.8 | 172 | 100.0 | — | 8.6 |
| *USA, Iowa | 637 | 99.7 | 0.0 | 6.1 | 1688 | 99.1 | 0.3 | 17.9 |
| USA, Kentucky | 973 | 99.5 | 0.2 | 6.5 | 2743 | 99.4 | 0.2 | 19.3 |
| USA, Louisiana | 873 | 99.7 | 0.1 | 5.6 | 2598 | 99.8 | 0.1 | 17.0 |
| USA, Louisiana: White | 710 | 99.7 | 0.1 | 6.6 | 1963 | 99.9 | 0.1 | 19.9 |
| USA, Louisiana: Black | 142 | 100.0 | 0.0 | 3.3 | 573 | 99.5 | 0.2 | 11.6 |
| *USA, Louisiana, New Orleans | 134 | 100.0 | — | 4.6 | 427 | 100.0 | — | 14.1 |
| *USA, Louisiana, New Orleans: White | 89 | 100.0 | — | 5.1 | 267 | 100.0 | — | 16.2 |
| *USA, Louisiana, New Orleans: Black | 31 | 100.0 | — | 2.9 | 129 | 100.0 | — | 10.2 |
| USA, Maine | 349 | 99.7 | 0.0 | 7.2 | 842 | 99.4 | 0.2 | 18.5 |
| USA, Maryland | 1073 | 98.5 | 1.3 | 5.5 | 3411 | 99.7 | 0.2 | 17.0 |
| USA, Maryland: White | 789 | 98.9 | 1.0 | 6.2 | 2317 | 99.7 | 0.1 | 19.6 |
| USA, Maryland: Black | 198 | 98.0 | 1.5 | 3.6 | 764 | 99.3 | 0.5 | 11.5 |
| USA, Maryland: Asian and Pacific Islander | 79 | 96.2 | 3.8 | 6.4 | 319 | 100.0 | 0.0 | 22.3 |
| USA, Massachusetts | 1839 | 99.7 | 0.2 | 8.1 | 5143 | 99.7 | 0.2 | 22.6 |
| USA, Massachusetts: White | 1626 | 99.7 | 0.2 | 8.3 | 4366 | 99.8 | 0.1 | 23.0 |
| USA, Massachusetts: Black | 56 | 100.0 | 0.0 | 3.5 | 299 | 99.0 | 1.0 | 15.5 |
| USA, Massachusetts: Asian and Pacific Islander | 114 | 100.0 | 0.0 | 8.3 | 314 | 99.7 | 0.3 | 21.1 |

* Important. See note on population page.

Indices of data quality Thyroid (C73) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 1735 | 99.5 | 0.5 | 5.1 | 5083 | 99.6 | 0.2 | 16.0 |
| USA, Michigan: White | 1551 | 99.6 | 0.4 | 5.5 | 4375 | 99.6 | 0.2 | 17.1 |
| USA, Michigan: Black | 125 | 98.4 | 1.6 | 2.9 | 526 | 99.2 | 0.2 | 11.0 |
| USA, Michigan: Asian and Pacific Islander | 48 | 100.0 | – | 5.5 | 131 | 100.0 | – | 13.3 |
| *USA, Michigan, Detroit | 830 | 99.6 | 0.2 | 6.5 | 2507 | 99.6 | 0.1 | 19.6 |
| *USA, Michigan, Detroit: White | 686 | 99.9 | 0.0 | 7.5 | 1968 | 99.7 | 0.1 | 23.0 |
| *USA, Michigan, Detroit: Black | 111 | 98.2 | 1.8 | 3.7 | 426 | 99.3 | 0.0 | 12.2 |
| USA, Minnesota | 1017 | 99.2 | 0.4 | 5.4 | 2686 | 99.7 | 0.2 | 15.9 |
| USA, Minnesota: White | 950 | 99.3 | 0.4 | 5.6 | 2410 | 99.7 | 0.2 | 16.2 |
| USA, Minnesota: Black | 35 | 100.0 | – | 4.5 | 112 | 100.0 | – | 12.9 |
| *USA, Minnesota: Asian and Pacific Islander | 21 | 95.2 | – | 2.9 | 123 | 100.0 | – | 15.5 |
| USA, Mississippi | 392 | 99.5 | 0.3 | 4.0 | 1254 | 99.8 | 0.2 | 12.9 |
| USA, Missouri | 1007 | 98.9 | 0.6 | 4.8 | 2828 | 99.5 | 0.3 | 14.2 |
| USA, Missouri: White | 935 | 98.8 | 0.6 | 5.1 | 2533 | 99.5 | 0.3 | 15.1 |
| USA, Missouri: Black | 53 | 100.0 | 0.0 | 2.6 | 230 | 99.6 | 0.4 | 9.6 |
| USA, Montana | 224 | 99.6 | 0.4 | 6.0 | 545 | 99.4 | 0.2 | 17.1 |
| *USA, Montana: American Indian | 8 | 87.5 | 12.5 | 4.5 | 17 | 100.0 | 0.0 | 9.0 |
| USA, Nebraska | 358 | 99.4 | 0.0 | 5.9 | 1045 | 99.3 | 0.3 | 18.3 |
| USA, Nebraska: White | 338 | 99.7 | 0.0 | 6.0 | 974 | 99.3 | 0.3 | 18.7 |
| *USA, Nebraska: Black | 10 | 90.0 | – | 4.4 | 30 | 100.0 | – | 11.2 |
| USA, Nevada | 552 | 99.5 | 0.5 | 5.4 | 1730 | 99.6 | 0.3 | 19.0 |
| USA, Nevada: White | 482 | 99.6 | 0.4 | 5.9 | 1397 | 99.7 | 0.1 | 20.1 |
| USA, Nevada: Black | 12 | 100.0 | – | 1.4 | 66 | 100.0 | – | 7.4 |
| *USA, Nevada: Asian and Pacific Islander | 48 | 97.9 | 2.1 | 5.2 | 240 | 99.2 | 0.8 | 21.8 |
| USA, New Jersey | 2313 | 99.3 | 0.3 | 7.9 | 6761 | 99.4 | 0.4 | 23.1 |
| USA, New Jersey: White | 1979 | 99.3 | 0.3 | 8.8 | 5527 | 99.5 | 0.4 | 25.8 |
| USA, New Jersey: Black | 127 | 99.2 | 0.0 | 3.2 | 592 | 98.6 | 0.7 | 12.6 |
| USA, New Mexico | 433 | 99.1 | 0.5 | 6.1 | 1276 | 99.5 | 0.2 | 19.7 |
| USA, New Mexico: White | 385 | 99.0 | 0.5 | 6.3 | 1129 | 99.7 | 0.0 | 20.8 |
| USA, New Mexico: Non-Hispanic White | 219 | 98.6 | 0.9 | 6.6 | 563 | 99.6 | 0.0 | 20.9 |
| USA, New Mexico: Hispanic White | 166 | 99.4 | – | 6.1 | 566 | 99.8 | – | 21.1 |
| *USA, New Mexico: American Indian | 25 | 100.0 | 0.0 | 4.3 | 89 | 96.6 | 2.2 | 12.6 |
| USA, New York State | 5222 | 99.6 | 0.1 | 8.2 | 15299 | 99.7 | 0.1 | 23.9 |
| USA, New York State: White | 4263 | 99.7 | 0.1 | 9.0 | 11591 | 99.7 | 0.1 | 25.8 |
| USA, New York State: Black | 345 | 97.7 | 0.9 | 3.4 | 1687 | 99.5 | 0.2 | 13.4 |
| USA, New York State: Asian and Pacific Islander | 567 | 99.8 | 0.2 | 10.4 | 1814 | 99.9 | 0.1 | 30.3 |
| USA, North Carolina | 1616 | 99.4 | 0.3 | 4.8 | 4828 | 99.5 | 0.3 | 14.5 |
| USA, North Carolina: White | 1398 | 99.6 | 0.3 | 5.5 | 3745 | 99.5 | 0.3 | 15.8 |
| USA, North Carolina: Black | 181 | 98.9 | 0.0 | 2.8 | 856 | 99.9 | 0.1 | 10.9 |
| USA, North Carolina: Asian and Pacific Islander | 24 | 100.0 | – | 2.6 | 140 | 100.0 | – | 14.6 |
| *USA, North Carolina: American Indian | 8 | 87.5 | 12.5 | 1.8 | 47 | 97.9 | 0.0 | 9.4 |
| USA, North Dakota | 166 | 100.0 | – | 6.8 | 481 | 99.8 | – | 22.4 |
| USA, Ohio | 2266 | 99.2 | 0.7 | 5.8 | 7026 | 99.7 | 0.3 | 18.8 |
| USA, Ohio: White | 2068 | 99.3 | 0.7 | 6.1 | 6234 | 99.7 | 0.3 | 20.0 |
| USA, Ohio: Black | 154 | 98.7 | 0.6 | 3.5 | 646 | 99.2 | 0.6 | 13.1 |
| *USA, Ohio: Asian and Pacific Islander | 34 | 100.0 | – | 4.6 | 123 | 100.0 | – | 14.2 |
| USA, Oklahoma | 643 | 97.8 | 1.2 | 5.0 | 1936 | 99.3 | 0.3 | 15.7 |
| USA, Oklahoma: White | 572 | 98.1 | 1.2 | 5.5 | 1667 | 99.3 | 0.3 | 17.0 |
| USA, Oklahoma: Black | 24 | 100.0 | – | 2.6 | 97 | 100.0 | – | 10.2 |
| USA, Oklahoma: American Indian | 29 | 93.1 | 3.4 | 2.6 | 115 | 99.1 | 0.0 | 10.1 |
| USA, Oregon | 789 | 99.4 | 0.4 | 5.6 | 2182 | 99.5 | 0.3 | 16.9 |
| USA, Oregon: White | 737 | 99.5 | 0.4 | 5.8 | 1953 | 99.4 | 0.3 | 16.7 |
| *USA, Oregon: Black | 8 | 100.0 | – | 2.6 | 38 | 100.0 | – | 15.0 |
| *USA, Oregon: Asian and Pacific Islander | 32 | 96.9 | – | 5.4 | 142 | 100.0 | – | 19.6 |
| USA, Rhode Island | 269 | 99.6 | – | 7.4 | 745 | 100.0 | – | 21.8 |
| USA, Rhode Island: White | 250 | 99.6 | – | 7.7 | 687 | 100.0 | – | 23.1 |
| *USA, Rhode Island: Black | 11 | 100.0 | – | 4.5 | 31 | 100.0 | – | 12.4 |
| USA, South Carolina | 803 | 98.8 | 1.2 | 4.7 | 2187 | 99.1 | 0.5 | 13.1 |
| USA, South Carolina: White | 675 | 98.7 | 1.3 | 5.4 | 1660 | 99.3 | 0.3 | 14.7 |
| USA, South Carolina: Black | 115 | 99.1 | 0.9 | 2.8 | 474 | 98.5 | 1.3 | 9.8 |
| USA, South Dakota | 170 | 98.2 | 1.2 | 5.9 | 411 | 99.5 | 0.2 | 16.2 |
| USA, Tennessee | 1155 | 99.4 | 0.3 | 5.1 | 3206 | 99.5 | 0.3 | 15.0 |
| USA, Tennessee: White | 1075 | 99.4 | 0.3 | 5.7 | 2819 | 99.5 | 0.4 | 16.6 |
| USA, Tennessee: Black | 58 | 98.3 | 1.7 | 1.9 | 326 | 98.8 | 0.0 | 8.9 |
| USA, Texas | 4165 | 98.0 | 1.6 | 4.9 | 12224 | 98.2 | 1.4 | 14.6 |
| USA, Texas: White | 3675 | 98.0 | 1.6 | 5.2 | 10418 | 98.4 | 1.4 | 15.5 |
| USA, Texas: Black | 270 | 97.0 | 2.2 | 2.8 | 1040 | 97.4 | 1.8 | 9.3 |
| USA, Texas: Asian and Pacific Islander | 183 | 99.5 | 0.5 | 4.6 | 662 | 97.6 | 1.5 | 14.7 |
| USA, Utah | 566 | 99.8 | 0.0 | 6.7 | 1859 | 99.9 | 0.1 | 22.7 |
| USA, Vermont | 142 | 100.0 | – | 6.2 | 345 | 99.7 | – | 17.3 |
| USA, Washington State | 1341 | 98.7 | 0.3 | 5.5 | 3734 | 99.1 | 0.3 | 16.5 |
| *USA, Washington, Seattle | 985 | 98.6 | 0.3 | 5.8 | 2684 | 99.0 | 0.1 | 16.9 |

* Important. See note on population page.

Indices of data quality Thyroid (C73) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 398 | 99.2 | 0.5 | 5.8 | 1292 | 99.7 | 0.2 | 22.0 |
| USA, Wyoming | 122 | 100.0 | – | 5.8 | 330 | 100.0 | – | 19.6 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 39 | 97.4 | – | 2.6 | 148 | 99.3 | – | 9.7 |
| Brunei Darussalam | 24 | 100.0 | – | 2.4 | 77 | 100.0 | – | 7.4 |
| *China, Anfu County | 7 | 57.1 | – | 0.6 | 19 | 63.2 | – | 1.9 |
| *China, Anguo City | 18 | 83.3 | 5.6 | 1.4 | 31 | 93.5 | 0.0 | 2.5 |
| *China, Anshan City | 148 | 93.9 | 0.0 | 2.5 | 524 | 93.1 | 0.4 | 8.6 |
| *China, Aohan Banner, Chifeng City | 22 | 54.5 | 0.0 | 1.1 | 54 | 70.4 | 1.9 | 2.9 |
| *China, Arongqi | 22 | 68.2 | 0.0 | 2.6 | 122 | 57.4 | 0.8 | 12.8 |
| *China, Baoding City | 141 | 89.4 | 0.0 | 3.8 | 345 | 91.9 | 0.3 | 9.3 |
| *China, Beijing City | 3625 | 98.0 | 0.0 | 12.9 | 9696 | 98.4 | 0.1 | 34.3 |
| *China, Binhai County | 31 | 74.2 | – | 0.7 | 166 | 80.7 | – | 4.2 |
| *China, Cangzhou City | 174 | 93.7 | 0.0 | 10.1 | 461 | 93.1 | 0.2 | 26.2 |
| China, Changfeng County | 31 | 90.3 | – | 2.0 | 170 | 80.6 | – | 11.9 |
| China, Changzhou City | 526 | 94.3 | 0.0 | 6.5 | 1857 | 94.9 | 0.1 | 21.7 |
| China, Chengdu City | 149 | 88.6 | 0.7 | 4.2 | 349 | 89.1 | 0.3 | 9.8 |
| China, Cixian County | 14 | 92.9 | – | 0.8 | 54 | 100.0 | – | 2.8 |
| China, Cixi City | 295 | 93.6 | 0.0 | 8.0 | 1158 | 92.9 | 0.2 | 29.0 |
| *China, Dafeng District, Yancheng City | 53 | 94.3 | – | 1.9 | 176 | 96.6 | – | 6.2 |
| China, Dalian City | 1421 | 97.5 | 0.1 | 16.8 | 4372 | 98.0 | 0.0 | 48.0 |
| *China, Dancheng County | 50 | 88.0 | 0.0 | 1.3 | 85 | 88.2 | 1.2 | 2.2 |
| China, Dangtu County | 17 | 64.7 | – | 1.7 | 92 | 84.8 | – | 10.1 |
| *China, Danyang City | 29 | 75.9 | – | 1.0 | 162 | 76.5 | – | 5.2 |
| *China, Dawukou District, Shizuishan City | 37 | 91.9 | – | 3.7 | 110 | 93.6 | – | 11.0 |
| *China, Dehui City | 138 | 94.9 | – | 4.3 | 823 | 94.4 | – | 25.6 |
| *China, Donggang County | 66 | 81.8 | 1.5 | 2.7 | 143 | 87.4 | 0.0 | 6.1 |
| *China, Dongguan City | 271 | 93.4 | – | 7.0 | 797 | 94.6 | – | 19.8 |
| China, Donghai County | 43 | 90.7 | – | 1.1 | 130 | 92.3 | – | 3.7 |
| *China, Dongtai City | 19 | 89.5 | – | 0.4 | 86 | 93.0 | – | 2.2 |
| China, Duanzhou District, Zhaoqing City | 43 | 93.0 | 0.0 | 4.5 | 100 | 91.0 | 1.0 | 9.8 |
| *China, Evenki Autonomous Banner | 14 | 100.0 | – | 4.2 | 73 | 97.3 | – | 21.1 |
| *China, Faku County | 26 | 100.0 | – | 1.7 | 66 | 100.0 | – | 3.9 |
| *China, Fangcheng County | 35 | 45.7 | 2.9 | 1.5 | 90 | 53.3 | 0.0 | 4.5 |
| *China, Feicheng City | 74 | 89.2 | – | 1.9 | 313 | 89.5 | – | 9.0 |
| China, Feixi County | 95 | 77.9 | – | 2.6 | 345 | 70.1 | – | 10.2 |
| China, Fuqing City | 327 | 89.9 | 0.9 | 12.6 | 1039 | 90.7 | 0.4 | 40.4 |
| *China, Ganyu District, Lianyungang City | 45 | 62.2 | – | 1.1 | 190 | 62.1 | – | 5.4 |
| *China, Ganzhou District, Zhangye City | 5 | 60.0 | – | 0.5 | 42 | 64.3 | – | 4.5 |
| *China, Gaocheng City | 40 | 90.0 | – | 1.9 | 136 | 97.8 | – | 6.4 |
| China, Gaomi City | 34 | 94.1 | – | 1.2 | 111 | 94.6 | – | 4.4 |
| China, Gong'an County | 79 | 96.2 | – | 2.6 | 358 | 98.3 | – | 11.0 |
| *China, Guang'an District, Guang'an City | 10 | 90.0 | – | 0.5 | 24 | 50.0 | – | 1.4 |
| China, Guanghan City | 8 | 87.5 | – | 0.6 | 35 | 71.4 | – | 2.9 |
| China, Guangzhou City | 2145 | 96.9 | 0.1 | 7.6 | 5965 | 97.6 | 0.0 | 20.8 |
| *China, Guanyun County | 30 | 90.0 | – | 0.9 | 204 | 92.6 | – | 6.5 |
| China, Guilin City | 55 | 85.5 | – | 2.1 | 255 | 96.9 | – | 10.2 |
| *China, Hai'an City | 36 | 75.0 | 0.0 | 1.0 | 102 | 70.6 | 1.0 | 2.8 |
| China, Hailar District, Hulun Buir City | 63 | 82.5 | – | 4.7 | 202 | 88.1 | – | 15.8 |
| China, Haimen District, Nantong City | 146 | 91.1 | – | 4.4 | 514 | 91.2 | – | 13.4 |
| China, Haining City | 224 | 91.5 | – | 9.3 | 861 | 88.7 | – | 34.6 |
| China, Hangzhou City | 4383 | 97.9 | 0.0 | 18.0 | 14682 | 97.8 | 0.0 | 57.0 |
| China, Hebi City | 45 | 77.8 | – | 3.6 | 79 | 81.0 | – | 6.4 |
| China, Hefei City | 505 | 85.7 | 0.4 | 5.9 | 1196 | 86.5 | 0.3 | 14.8 |
| China, Hengdong County | 16 | 100.0 | 0.0 | 1.0 | 62 | 98.4 | 1.6 | 4.7 |
| *China, Hengfeng County | 4 | 100.0 | – | 0.7 | 14 | 100.0 | – | 2.6 |
| *China, Hepu County | 52 | 73.1 | – | 1.8 | 113 | 87.6 | – | 4.5 |
| China, Honghu City | 71 | 100.0 | – | 2.5 | 354 | 99.7 | – | 13.0 |
| China, Hongshan District, Chifeng City | 64 | 89.1 | – | 4.2 | 250 | 88.4 | – | 15.9 |
| *China, Hongta District, Yuxi City | 47 | 76.6 | 2.1 | 3.1 | 151 | 80.1 | 0.0 | 9.9 |
| *China, Huaiyin District, Huai'an City | 59 | 94.9 | – | 1.8 | 203 | 95.1 | – | 7.0 |
| *China, Jiange County | 3 | 66.7 | – | 0.2 | 21 | 81.0 | – | 1.4 |
| China, Jiangmen City | 111 | 94.6 | 0.0 | 5.1 | 390 | 94.9 | 0.3 | 17.7 |
| *China, Jiangyin City | 144 | 92.4 | 0.7 | 3.2 | 448 | 92.2 | 0.0 | 9.9 |
| *China, Jiashan County | 235 | 97.0 | 0.0 | 17.6 | 789 | 98.7 | 0.1 | 53.5 |
| China, Jiayu County | 21 | 100.0 | 0.0 | 2.8 | 93 | 94.6 | 1.1 | 12.6 |
| *China, Jinan City | 674 | 93.9 | 0.4 | 9.2 | 2079 | 94.7 | 0.1 | 27.3 |
| *China, Jingtai County | 14 | 78.6 | 7.1 | 1.9 | 55 | 83.6 | 0.0 | 7.5 |
| *China, Jingxian County | 13 | 84.6 | – | 1.1 | 33 | 90.9 | – | 3.5 |
| *China, Jintan District, Changzhou City | 47 | 97.9 | 0.0 | 2.4 | 241 | 95.0 | 0.4 | 12.5 |
| *China, Jiulongpo District, Chongqing City | 83 | 84.3 | 0.0 | 3.2 | 246 | 86.2 | 0.4 | 9.9 |
| *China, Jiyuan City | 62 | 77.4 | – | 3.4 | 220 | 79.1 | – | 12.0 |

* Important. See note on population page.

Indices of data quality Thyroid (C73) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 67 | 91.0 | — | 5.2 | 165 | 90.3 | — | 13.9 |
| China, Kunshan City | 307 | 94.5 | — | 11.4 | 1078 | 95.1 | — | 38.5 |
| China, Langzhong City | 11 | 72.7 | — | 0.6 | 33 | 87.9 | — | 1.7 |
| *China, Liangshan County | 106 | 92.5 | 0.0 | 4.0 | 434 | 89.2 | 0.5 | 16.7 |
| *China, Lianshui County | 21 | 81.0 | — | 0.6 | 106 | 85.8 | — | 3.1 |
| China, Lianyungang City | 148 | 92.6 | 0.7 | 4.5 | 389 | 95.1 | 0.0 | 11.4 |
| China, Linhe District, Bayannur City | 92 | 97.8 | 0.0 | 6.3 | 412 | 94.9 | 0.2 | 26.7 |
| China, Linqu County | 65 | 96.9 | 0.0 | 2.0 | 254 | 97.2 | 0.8 | 8.2 |
| *China, Linzhou City | 47 | 97.9 | — | 1.4 | 173 | 93.1 | — | 4.8 |
| China, Liuzhou City | 103 | 92.2 | — | 2.8 | 397 | 94.0 | — | 10.8 |
| China, Liyang City | 55 | 96.4 | — | 1.9 | 286 | 94.8 | — | 10.1 |
| *China, Longquan City | 82 | 93.9 | 0.0 | 10.1 | 323 | 96.3 | 0.3 | 41.2 |
| China, Lucheng District, Wenzhou City | 339 | 96.8 | — | 21.0 | 822 | 96.5 | — | 50.0 |
| China, Luoding City | 26 | 96.2 | 0.0 | 1.1 | 110 | 91.8 | 0.9 | 5.5 |
| *China, Luohe City | 69 | 82.6 | 0.0 | 1.8 | 222 | 83.3 | 0.9 | 5.6 |
| *China, Luoyang City | 189 | 94.2 | — | 4.6 | 462 | 92.9 | — | 11.5 |
| *China, Luquan City | 20 | 90.0 | — | 1.9 | 66 | 90.9 | — | 6.1 |
| China, Ma'an Shan City | 71 | 97.2 | 0.0 | 3.4 | 244 | 97.5 | 0.4 | 11.9 |
| *China, Macheng City | 35 | 97.1 | — | 1.3 | 145 | 98.6 | — | 6.2 |
| China, Meihekou City | 42 | 100.0 | — | 1.7 | 224 | 96.0 | — | 9.8 |
| *China, Mengjin County | 36 | 77.8 | — | 3.3 | 125 | 68.8 | — | 11.6 |
| China, Nangang District, Harbin City | 426 | 94.4 | 0.0 | 11.6 | 1333 | 95.6 | 0.1 | 33.5 |
| *China, Nantai District, Foshan City | 173 | 91.3 | — | 6.8 | 553 | 91.9 | — | 20.7 |
| China, Nanhu District, Jiaying City | 255 | 99.2 | — | 14.4 | 986 | 97.3 | — | 50.2 |
| *China, Nantong City | 172 | 94.8 | — | 4.6 | 527 | 96.6 | — | 13.8 |
| *China, Nanxiong City | 15 | 60.0 | 6.7 | 1.1 | 68 | 77.9 | 0.0 | 4.5 |
| China, Neixiang County | 26 | 100.0 | — | 1.2 | 108 | 97.2 | — | 5.2 |
| *China, Qianxi County | 14 | 71.4 | 14.3 | 1.0 | 36 | 77.8 | 0.0 | 2.8 |
| China, Qidong City | 125 | 87.2 | — | 2.7 | 515 | 90.9 | — | 12.2 |
| China, Qingzhou City | 97 | 94.8 | 1.0 | 3.3 | 298 | 94.0 | 0.0 | 10.6 |
| *China, Rudong County | 94 | 95.7 | — | 2.3 | 343 | 96.8 | — | 8.4 |
| *China, Rugao City | 60 | 85.0 | — | 1.2 | 235 | 80.4 | — | 4.3 |
| *China, Rural areas of Shanghai City | 5968 | 97.5 | 0.0 | 21.1 | 17242 | 98.0 | 0.0 | 58.3 |
| China, Ruyang County | 34 | 61.8 | — | 2.9 | 130 | 70.0 | — | 11.4 |
| *China, Shan County | 65 | 83.1 | — | 2.8 | 235 | 76.6 | — | 9.7 |
| China, Shanghai City | 3567 | 96.7 | 0.0 | 17.5 | 9797 | 96.8 | 0.0 | 44.1 |
| China, Shangyu District, Shaoxing City | 330 | 86.1 | — | 13.0 | 1331 | 85.9 | — | 49.2 |
| *China, Shapingba District, Chongqing City | 154 | 93.5 | — | 4.7 | 378 | 94.4 | — | 12.0 |
| China, Shexian County | 20 | 65.0 | — | 1.5 | 72 | 52.8 | — | 5.6 |
| China, Sheyang County | 51 | 74.5 | — | 1.4 | 403 | 74.2 | — | 11.4 |
| *China, Shijiazhuang City | 347 | 98.0 | 0.3 | 7.6 | 943 | 97.2 | 0.0 | 20.4 |
| China, Shunde District, Foshan City | 150 | 85.3 | — | 4.4 | 485 | 91.1 | — | 13.6 |
| *China, Song County | 11 | 72.7 | — | 0.8 | 57 | 64.9 | — | 4.0 |
| China, Suzhou City | 559 | 85.2 | 0.9 | 4.9 | 2016 | 85.7 | 0.2 | 16.8 |
| *China, Tengzhou City | 100 | 100.0 | — | 1.9 | 393 | 99.0 | — | 7.4 |
| *China, Wangdu County | 4 | 75.0 | 25.0 | 0.6 | 18 | 61.1 | 0.0 | 2.7 |
| *China, Wanzai County | 10 | 80.0 | — | 1.0 | 19 | 94.7 | — | 1.8 |
| *China, Wu'an City | 23 | 82.6 | — | 1.0 | 67 | 92.5 | — | 2.7 |
| China, Wuhan City | 2245 | 99.1 | 0.0 | 12.7 | 7321 | 99.1 | 0.0 | 41.2 |
| *China, Wuhu City | 195 | 96.4 | — | 5.0 | 541 | 93.7 | — | 13.9 |
| China, Wuxi City | 248 | 90.3 | 0.0 | 3.0 | 641 | 92.2 | 0.3 | 7.0 |
| China, Wuzhou City | 22 | 86.4 | 4.5 | 1.2 | 85 | 87.1 | 1.2 | 4.7 |
| China, Xiangfu District, Kaifeng City | 79 | 97.5 | — | 4.2 | 299 | 97.7 | — | 14.8 |
| China, Xianju County | 102 | 87.3 | 0.0 | 6.1 | 401 | 92.8 | 0.5 | 23.6 |
| *China, Xin'an County | 17 | 94.1 | — | 1.5 | 58 | 81.0 | — | 5.6 |
| *China, Xining City | 56 | 89.3 | 0.0 | 2.4 | 201 | 85.6 | 0.5 | 7.7 |
| *China, Xinji City | 36 | 86.1 | — | 1.7 | 113 | 85.8 | — | 4.7 |
| *China, Xinluo District, Longyan City | 86 | 91.9 | — | 7.8 | 297 | 88.6 | — | 27.6 |
| *China, Xinzhou District, Shangrao City | 18 | 72.2 | 5.6 | 1.3 | 82 | 74.4 | 0.0 | 6.0 |
| China, Xiping County | 34 | 100.0 | — | 1.2 | 161 | 100.0 | — | 5.9 |
| *China, Xishan District, Kunming City | 76 | 92.1 | — | 6.9 | 227 | 92.5 | — | 19.7 |
| *China, Xuyi County | 48 | 81.2 | — | 2.2 | 89 | 88.8 | — | 4.0 |
| *China, Ya'an City | 86 | 88.4 | 0.0 | 1.7 | 285 | 84.2 | 0.4 | 5.8 |
| *China, Yakeshi City | 119 | 92.4 | — | 7.8 | 473 | 95.6 | — | 32.5 |
| China, Yancheng City | 81 | 77.8 | — | 1.6 | 243 | 77.0 | — | 4.7 |
| *China, Yangquan City | 20 | 85.0 | 10.0 | 0.9 | 64 | 92.2 | 1.6 | 2.8 |
| *China, Yangzhong City | 9 | 55.6 | — | 0.8 | 35 | 62.9 | — | 3.0 |
| *China, Yanji City | 78 | 85.9 | 3.8 | 3.8 | 237 | 97.0 | 0.4 | 10.6 |
| *China, Yanshi City | 63 | 85.7 | — | 2.9 | 176 | 86.4 | — | 8.3 |
| China, Yanting County | 7 | 100.0 | — | 0.3 | 7 | 85.7 | — | 0.3 |
| *China, Yi'an District, Tongling City | 3 | 66.7 | — | 0.3 | 41 | 87.8 | — | 4.9 |
| *China, Yingdong District, Fuyang City | 31 | 96.8 | — | 1.4 | 80 | 97.5 | — | 4.3 |

* Important. See note on population page.

Indices of data quality Thyroid (C73) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 140 | 99.3 | – | 18.9 | 442 | 97.7 | – | 57.9 |
| *China, Yiyuan County | 48 | 79.2 | 0.0 | 2.8 | 135 | 85.9 | 0.7 | 8.7 |
| China, Yong'an City | 18 | 77.8 | – | 1.8 | 58 | 91.4 | – | 5.3 |
| *China, Yongding District, Longyan City | 43 | 86.0 | – | 2.5 | 171 | 91.2 | – | 10.8 |
| China, Yongkang City | 196 | 92.9 | 0.5 | 9.8 | 626 | 93.5 | 0.0 | 30.3 |
| *China, Yucheng County | 53 | 77.4 | – | 2.7 | 147 | 84.4 | – | 7.8 |
| China, Yueyanglou District, Yueyang City | 43 | 97.7 | 2.3 | 4.0 | 95 | 100.0 | 0.0 | 9.5 |
| China, Yunmeng County | 30 | 73.3 | – | 1.8 | 168 | 75.6 | – | 9.7 |
| *China, Yunyang District, Shiyang City | 9 | 88.9 | – | 0.9 | 22 | 68.2 | – | 2.3 |
| China, Yuzhong District, Chongqing City | 141 | 87.9 | 1.4 | 6.6 | 335 | 88.1 | 0.0 | 15.6 |
| *China, Zhanhuang County | 9 | 88.9 | – | 1.0 | 36 | 86.1 | – | 4.5 |
| *China, Zhangjiagang City | 186 | 85.5 | – | 6.0 | 637 | 86.7 | – | 19.3 |
| *China, Zhaoyuan City | 53 | 75.5 | – | 2.6 | 164 | 83.5 | – | 7.9 |
| *China, Zhengding County | 32 | 87.5 | – | 2.5 | 91 | 91.2 | – | 7.0 |
| *China, Zhongshan City | 268 | 99.3 | – | 5.2 | 826 | 99.0 | – | 15.6 |
| China, Zhongxiang City | 76 | 89.5 | – | 2.3 | 321 | 94.1 | – | 9.0 |
| *China, Zhuanghe City | 220 | 97.7 | 0.5 | 6.6 | 1099 | 99.0 | 0.0 | 32.4 |
| *China, Zhuhai City | 223 | 85.2 | 0.9 | 5.9 | 665 | 86.2 | 0.2 | 17.5 |
| India, Ahmedabad, Urban | 73 | 98.6 | – | 0.5 | 172 | 98.8 | – | 1.3 |
| India, Aurangabad | 9 | 88.9 | 11.1 | 0.4 | 11 | 100.0 | 0.0 | 0.3 |
| India, Bangalore | 305 | 97.7 | 1.3 | 2.3 | 711 | 98.5 | 1.3 | 5.3 |
| India, Barshi, Paranda, and Bhum | 5 | 80.0 | – | 0.4 | 28 | 89.3 | – | 2.1 |
| *India, Bhopal | 14 | 100.0 | – | 0.5 | 38 | 100.0 | – | 1.3 |
| India, Chandigarh | 16 | 93.8 | – | 0.6 | 51 | 100.0 | – | 1.9 |
| *India, Chennai | 165 | 87.9 | 3.6 | 1.3 | 378 | 84.4 | 3.2 | 2.7 |
| India, Dibrugarh | 10 | 100.0 | 0.0 | 0.3 | 32 | 84.4 | 6.2 | 1.0 |
| *India, Dindigul, Ambalikkai | 48 | 85.4 | 4.2 | 0.8 | 111 | 96.4 | 0.9 | 1.6 |
| India, Kamrup Urban District | 41 | 85.4 | 2.4 | 1.5 | 123 | 89.4 | 0.0 | 4.4 |
| India, Kollam | 205 | 100.0 | – | 3.6 | 904 | 99.4 | – | 13.2 |
| *India, Manipur | 68 | 98.5 | – | 1.2 | 282 | 98.9 | – | 4.7 |
| India, Meghalaya | 27 | 81.5 | 3.7 | 0.8 | 55 | 94.5 | 3.6 | 1.4 |
| India, Mizoram | 25 | 100.0 | 0.0 | 1.5 | 70 | 98.6 | 1.4 | 3.5 |
| India, Mumbai | 317 | 92.1 | 4.7 | 0.9 | 728 | 92.9 | 3.7 | 2.2 |
| *India, New Delhi | 259 | 95.4 | 1.5 | 1.0 | 509 | 92.3 | 1.0 | 2.1 |
| India, Poona | 107 | 90.7 | 3.7 | 0.8 | 205 | 92.2 | 1.5 | 1.5 |
| *India, Sangrur District | 13 | 92.3 | – | 0.5 | 49 | 98.0 | – | 1.9 |
| India, SAS Nagar | 12 | 91.7 | – | 0.4 | 37 | 100.0 | – | 1.5 |
| *India, Tamil Nadu | 1893 | 88.3 | 0.5 | 0.9 | 4899 | 90.6 | 0.3 | 2.2 |
| *India, Tripura | 42 | 95.2 | – | 0.6 | 72 | 100.0 | – | 1.0 |
| India, Trivandrum | 305 | 99.0 | – | 4.1 | 1289 | 99.4 | – | 15.1 |
| India, Wardha | 30 | 66.7 | 30.0 | 0.8 | 91 | 79.1 | 18.7 | 2.4 |
| India, West Arunachal | 13 | 100.0 | – | 1.0 | 72 | 100.0 | – | 6.3 |
| *Iran (Islamic Republic of), Ardabil Province | 38 | 86.8 | 0.0 | 1.8 | 133 | 81.2 | 0.8 | 6.6 |
| *Iran (Islamic Republic of), Golestan Province | 51 | 86.3 | 0.0 | 2.0 | 200 | 85.5 | 2.5 | 6.6 |
| Israel | 1326 | 98.7 | 0.5 | 5.9 | 3859 | 99.2 | 0.3 | 16.7 |
| *Israel: Jews | 1151 | 98.7 | 0.3 | 6.4 | 3178 | 99.2 | 0.4 | 17.7 |
| *Israel: Arabs | 144 | 98.6 | 1.4 | 4.0 | 503 | 99.2 | 0.0 | 12.6 |
| Japan | 11460 | 94.7 | 2.2 | 3.5 | 32153 | 94.4 | 2.5 | 9.9 |
| Japan, Aichi Prefecture | 617 | 97.7 | 1.1 | 3.3 | 1635 | 97.7 | 0.7 | 8.9 |
| *Japan, Akita Prefecture | 87 | 94.3 | 0.0 | 3.0 | 336 | 93.5 | 0.6 | 13.4 |
| Japan, Aomori Prefecture | 210 | 94.3 | 1.0 | 3.4 | 649 | 92.8 | 0.9 | 11.3 |
| Japan, Gunma Prefecture | 118 | 97.5 | 0.0 | 2.5 | 413 | 96.4 | 1.2 | 8.9 |
| Japan, Hiroshima Prefecture | 546 | 96.5 | 0.4 | 5.7 | 1607 | 96.7 | 0.6 | 16.8 |
| Japan, Miyagi Prefecture | 413 | 96.4 | 1.5 | 4.2 | 1291 | 95.9 | 0.9 | 14.6 |
| Japan, Osaka Prefecture | 784 | 95.2 | 1.9 | 3.3 | 2043 | 95.9 | 2.5 | 8.2 |
| Kuwait | 271 | 99.6 | 0.4 | 2.4 | 798 | 100.0 | 0.0 | 9.5 |
| *Kuwait: Kuwaitis | 110 | 100.0 | – | 4.8 | 448 | 100.0 | – | 15.2 |
| *Kuwait: Non-Kuwaitis | 161 | 99.4 | 0.6 | 1.7 | 350 | 100.0 | 0.0 | 6.3 |
| *Philippines, Manila | 464 | 92.7 | 0.2 | 3.5 | 2033 | 95.0 | 0.8 | 12.7 |
| *Qatar: Qatari | 13 | 92.3 | 7.7 | 2.7 | 66 | 98.5 | 1.5 | 11.8 |
| Republic of Korea | 32129 | 99.4 | 0.0 | 18.0 | 121217 | 99.3 | 0.1 | 68.5 |
| *Republic of Korea, Busan | 2210 | 99.2 | 0.1 | 17.8 | 11004 | 99.4 | 0.1 | 85.1 |
| *Republic of Korea, Daegu | 1668 | 96.5 | 0.1 | 19.5 | 7666 | 96.0 | 0.0 | 87.3 |
| *Republic of Korea, Daejeon | 964 | 99.7 | 0.1 | 18.6 | 3753 | 99.8 | 0.0 | 72.0 |
| *Republic of Korea, Gwangju | 1009 | 99.9 | 0.0 | 20.5 | 3715 | 99.8 | 0.1 | 74.7 |
| Republic of Korea, Incheon | 1694 | 99.8 | 0.0 | 16.4 | 6747 | 99.7 | 0.0 | 65.1 |
| Republic of Korea, Jeju | 295 | 99.0 | – | 13.7 | 1042 | 99.8 | – | 51.5 |
| Republic of Korea, Seoul | 7027 | 99.7 | 0.1 | 20.2 | 23189 | 99.8 | 0.0 | 64.7 |
| Republic of Korea, Ulsan | 739 | 100.0 | 0.0 | 17.3 | 3287 | 99.6 | 0.0 | 81.6 |
| Singapore | 505 | 99.4 | 0.0 | 3.7 | 1434 | 99.4 | 0.1 | 10.3 |
| Singapore: Chinese | 394 | 99.5 | 0.0 | 3.7 | 1123 | 99.3 | 0.2 | 10.4 |
| Singapore: Indian | 28 | 100.0 | – | 2.5 | 104 | 100.0 | – | 9.9 |

* Important. See note on population page.

Indices of data quality Thyroid (C73) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 69 | 98.6 | – | 4.4 | 153 | 100.0 | – | 9.5 |
| Thailand, Bangkok | 311 | 92.6 | 0.3 | 1.7 | 1361 | 90.7 | 0.3 | 6.1 |
| *Thailand, Chiang Mai | 95 | 98.9 | 0.0 | 1.9 | 316 | 97.2 | 0.3 | 5.8 |
| *Thailand, Khon Kaen | 63 | 95.2 | – | 1.2 | 322 | 92.9 | – | 5.8 |
| Thailand, Lampang | 34 | 91.2 | – | 1.3 | 164 | 92.7 | – | 6.1 |
| Thailand, Lopburi Province | 48 | 95.8 | – | 2.1 | 157 | 89.8 | – | 6.6 |
| *Thailand, Songkhla | 73 | 95.9 | 0.0 | 1.8 | 340 | 97.9 | 0.3 | 8.0 |
| Turkey, Antalya | 252 | 99.6 | – | 3.8 | 1008 | 99.9 | – | 15.0 |
| Turkey, Bursa | 262 | 99.6 | 0.0 | 3.1 | 970 | 99.6 | 0.2 | 11.4 |
| *Turkey, Edirne | 122 | 100.0 | – | 8.9 | 514 | 98.6 | – | 38.5 |
| *Turkey, Erzurum | 139 | 98.6 | 0.7 | 7.7 | 689 | 99.1 | 0.0 | 36.9 |
| Turkey, Eskişehir | 214 | 99.5 | – | 8.3 | 941 | 99.0 | – | 35.5 |
| Turkey, Gaziantep | 287 | 99.7 | – | 7.0 | 986 | 99.1 | – | 22.7 |
| *Turkey, Izmir | 1064 | 99.5 | 0.2 | 8.2 | 3948 | 99.6 | 0.1 | 30.1 |
| Turkey, Malatya | 96 | 99.0 | 1.0 | 4.4 | 438 | 99.1 | 0.2 | 19.9 |
| Turkey, Samsun | 215 | 100.0 | – | 5.6 | 868 | 99.9 | – | 22.2 |
| Turkey, Trabzon | 307 | 99.0 | 1.0 | 13.2 | 1297 | 99.7 | 0.0 | 55.2 |
| Europe | | | | | | | | |
| Austria | 1219 | 94.3 | 0.6 | 4.0 | 3007 | 95.3 | 0.9 | 10.1 |
| Austria, Carinthia | 151 | 99.3 | – | 7.6 | 334 | 100.0 | – | 17.1 |
| Austria, Tyrol | 199 | 100.0 | – | 8.0 | 541 | 98.9 | – | 22.0 |
| Austria, Vorarlberg | 31 | 100.0 | – | 2.5 | 74 | 100.0 | – | 5.9 |
| Belarus | 1162 | 99.9 | – | 4.3 | 4977 | 99.9 | – | 15.2 |
| *Belgium | 1359 | 99.9 | – | 3.4 | 3779 | 99.9 | – | 10.1 |
| Croatia | 739 | 94.7 | 0.9 | 5.2 | 2672 | 95.3 | 0.4 | 18.4 |
| Cyprus | 313 | 99.0 | 1.0 | 11.6 | 1338 | 99.9 | 0.1 | 48.2 |
| *Czech Republic | 1263 | 98.6 | 0.2 | 3.3 | 4388 | 99.0 | 0.1 | 12.0 |
| Denmark | 550 | 99.8 | – | 2.6 | 1330 | 99.2 | – | 6.9 |
| Estonia | 80 | 98.8 | – | 1.7 | 326 | 98.2 | – | 5.6 |
| Finland | 668 | 99.1 | 0.0 | 3.2 | 1991 | 99.3 | 0.4 | 10.2 |
| *France, Bas-Rhin | 137 | 98.5 | – | 4.5 | 363 | 99.4 | – | 11.8 |
| *France, Calvados | 77 | 98.7 | – | 3.0 | 252 | 99.6 | – | 11.0 |
| *France, Doubs | 67 | 100.0 | – | 3.7 | 237 | 99.2 | – | 13.6 |
| *France, Gironde | 396 | 100.0 | – | 7.6 | 1201 | 99.8 | – | 23.0 |
| *France, Haut-Rhin | 92 | 98.9 | – | 3.1 | 212 | 99.5 | – | 8.0 |
| *France, Hérault | 157 | 100.0 | – | 3.9 | 480 | 99.8 | – | 13.4 |
| *France, Isère | 358 | 99.4 | – | 8.5 | 1135 | 99.9 | – | 27.5 |
| *France, Lille-Métropole | 112 | 99.1 | – | 4.5 | 315 | 100.0 | – | 12.3 |
| *France, Limousin | 76 | 100.0 | – | 5.6 | 190 | 100.0 | – | 15.3 |
| *France, Loire-Atlantique | 195 | 98.5 | – | 4.4 | 561 | 99.8 | – | 12.7 |
| *France, Manche | 46 | 100.0 | – | 2.6 | 137 | 95.6 | – | 8.0 |
| *France, Poitou-Charentes | 408 | 100.0 | – | 6.1 | 1206 | 99.9 | – | 19.4 |
| *France, Somme | 78 | 100.0 | – | 3.9 | 269 | 100.0 | – | 14.7 |
| *France, Tarn | 73 | 100.0 | – | 5.7 | 218 | 99.5 | – | 18.8 |
| *France, Territoire de Belfort | 13 | 100.0 | – | 3.4 | 36 | 97.2 | – | 9.5 |
| *France, Vendée | 143 | 100.0 | – | 5.8 | 437 | 99.5 | – | 19.4 |
| Germany, Baden-Württemberg | 676 | 87.4 | 2.2 | 2.8 | 1573 | 86.8 | 3.0 | 6.9 |
| Germany, Bavaria | 1883 | 97.2 | 1.7 | 4.1 | 4159 | 97.6 | 1.8 | 9.6 |
| Germany, Bremen | 55 | 96.4 | 3.6 | 2.2 | 144 | 95.1 | 4.2 | 6.0 |
| Germany, Hamburg | 198 | 91.9 | 1.0 | 3.0 | 497 | 94.2 | 1.2 | 7.9 |
| Germany, Lower Saxony | 787 | 93.0 | 5.2 | 2.6 | 1808 | 94.6 | 3.8 | 6.5 |
| Germany, North Rhine-Westphalia | 2417 | 91.0 | 2.7 | 3.8 | 5493 | 93.3 | 1.8 | 9.2 |
| Germany, Rhineland-Palatinate | 433 | 90.8 | 6.7 | 2.9 | 1008 | 94.2 | 3.9 | 7.4 |
| Germany, Saarland | 122 | 95.9 | 1.6 | 3.6 | 261 | 97.3 | 1.5 | 7.6 |
| Germany, Schleswig-Holstein | 245 | 91.4 | 1.2 | 2.2 | 583 | 93.8 | 1.4 | 5.7 |
| Iceland | 43 | 97.7 | – | 3.5 | 101 | 100.0 | – | 9.7 |
| Ireland | 374 | 98.7 | 0.3 | 2.4 | 991 | 98.8 | 0.3 | 6.6 |
| *Italy, Aosta Valley | 11 | 81.8 | – | 3.0 | 29 | 79.3 | – | 7.4 |
| *Italy, Avellino | 87 | 92.0 | 1.1 | 11.5 | 264 | 96.2 | 0.0 | 33.9 |
| Italy, Basilicata | 174 | 76.4 | – | 9.1 | 489 | 78.1 | – | 25.9 |
| *Italy, Benevento | 29 | 100.0 | – | 4.5 | 119 | 98.3 | – | 16.5 |
| Italy, Bergamo | 267 | 100.0 | 0.0 | 6.6 | 692 | 99.1 | 0.4 | 18.0 |
| *Italy, Brescia | 282 | 97.9 | – | 6.8 | 1021 | 98.9 | – | 25.0 |
| Italy, Brianza (Lecco and Monza e Brianza) | 161 | 98.8 | – | 6.1 | 442 | 99.5 | – | 17.4 |
| Italy, Calabria | 156 | 78.2 | 0.6 | 9.1 | 385 | 85.2 | 0.3 | 21.8 |
| *Italy, Caserta | 161 | 96.9 | 0.6 | 7.3 | 512 | 96.7 | 0.0 | 22.6 |
| *Italy, Catania, Messina, and Enna | 533 | 99.1 | 0.0 | 8.5 | 1636 | 99.2 | 0.1 | 26.2 |
| Italy, Emilia-Romagna | 1216 | 96.2 | – | 9.4 | 3262 | 97.2 | – | 26.7 |
| Italy, Friuli-Venezia Giulia | 257 | 96.9 | – | 5.8 | 701 | 97.7 | – | 16.6 |
| Italy, Genova | 155 | 98.1 | 0.0 | 6.5 | 378 | 95.0 | 0.3 | 15.3 |
| *Italy, Lombardy, South, Pavia | 122 | 82.8 | 0.0 | 6.1 | 314 | 88.2 | 0.3 | 15.5 |
| Italy, Mantova and Cremona | 164 | 94.5 | – | 7.3 | 465 | 96.3 | – | 21.0 |

* Important. See note on population page.

Indices of data quality Thyroid (C73) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 273 | 93.8 | – | 6.2 | 814 | 92.6 | – | 19.4 |
| Italy, Milan | 575 | 92.3 | 0.0 | 4.9 | 1581 | 94.0 | 0.3 | 12.9 |
| Italy, Molise | 59 | 83.1 | – | 9.0 | 159 | 78.6 | – | 26.5 |
| *Italy, Naples Centre | 103 | 90.3 | – | 5.9 | 394 | 92.1 | – | 21.3 |
| *Italy, Naples North | 191 | 97.4 | 1.0 | 7.6 | 565 | 98.9 | 0.2 | 22.0 |
| *Italy, Naples South | 245 | 100.0 | – | 7.8 | 755 | 99.9 | – | 23.1 |
| *Italy, Nuoro | 44 | 93.2 | – | 11.5 | 154 | 94.8 | – | 34.3 |
| *Italy, Palermo | 272 | 90.1 | 0.0 | 6.4 | 751 | 89.7 | 0.7 | 17.7 |
| Italy, Puglia | 1069 | 91.1 | 0.2 | 8.1 | 3049 | 91.6 | 0.3 | 23.1 |
| *Italy, Ragusa and Caltanissetta | 108 | 97.2 | 0.0 | 5.6 | 379 | 97.9 | 0.5 | 20.1 |
| *Italy, Salerno | 214 | 79.9 | 0.0 | 7.7 | 631 | 85.1 | 0.2 | 23.1 |
| Italy, Sassari | 53 | 92.5 | – | 6.8 | 149 | 89.9 | – | 21.8 |
| *Italy, Sondrio | 41 | 92.7 | – | 5.4 | 113 | 91.2 | – | 15.7 |
| Italy, South Tyrol | 91 | 98.9 | – | 5.1 | 220 | 100.0 | – | 12.0 |
| *Italy, Syracuse | 93 | 98.9 | 0.0 | 7.0 | 241 | 98.3 | 0.4 | 18.3 |
| Italy, Trento | 89 | 96.6 | – | 5.0 | 325 | 92.9 | – | 18.7 |
| Italy, Turin | 377 | 97.6 | 0.3 | 4.4 | 956 | 96.8 | 0.1 | 12.0 |
| *Italy, Tuscany | 762 | 95.1 | 0.0 | 10.5 | 1987 | 94.5 | 0.2 | 27.6 |
| Italy, Umbria | 215 | 95.8 | 0.0 | 8.2 | 595 | 96.6 | 0.2 | 23.8 |
| Italy, Varese | 79 | 100.0 | – | 4.0 | 235 | 99.1 | – | 12.3 |
| Italy, Veneto | 1315 | 99.2 | 0.0 | 7.4 | 3995 | 99.5 | 0.0 | 23.5 |
| Latvia | 208 | 94.7 | 0.5 | 3.2 | 1036 | 94.7 | 0.5 | 12.7 |
| *Liechtenstein | 4 | 100.0 | – | 2.4 | 15 | 100.0 | – | 10.1 |
| *Lithuania | 289 | 95.8 | 3.8 | 3.1 | 1460 | 98.6 | 1.2 | 13.2 |
| Malta | 86 | 96.5 | 1.2 | 5.3 | 231 | 97.4 | 0.4 | 15.2 |
| *The Netherlands | 1080 | 99.7 | – | 1.8 | 2577 | 99.4 | – | 4.4 |
| Norway | 603 | 99.3 | 0.3 | 3.2 | 1404 | 98.8 | 0.6 | 8.1 |
| Poland, Kielce | 137 | 99.3 | – | 3.1 | 705 | 99.3 | – | 16.6 |
| *Portugal, Azores | 21 | 95.2 | 4.8 | 3.2 | 108 | 99.1 | 0.0 | 16.3 |
| Russian Federation, Arkhangelsk | 74 | 94.6 | 4.1 | 2.1 | 453 | 97.6 | 1.5 | 9.9 |
| Russian Federation, Kaliningrad | 43 | 97.7 | 0.0 | 1.4 | 187 | 96.3 | 1.1 | 4.9 |
| Russian Federation, Karelia | 43 | 95.3 | 4.7 | 2.3 | 200 | 99.0 | 0.0 | 8.2 |
| *Russian Federation, Komi Republic | 73 | 97.3 | 2.7 | 3.0 | 542 | 98.2 | 0.7 | 16.3 |
| Russian Federation, Murmansk | 79 | 97.5 | 2.5 | 3.5 | 328 | 97.6 | 2.4 | 10.9 |
| *Russian Federation, Orenburg | 120 | 95.8 | 0.8 | 1.9 | 588 | 98.5 | 0.5 | 7.6 |
| Russian Federation, Pskov | 25 | 88.0 | 8.0 | 1.4 | 205 | 97.6 | 2.0 | 7.7 |
| *Russian Federation, Samara | 214 | 95.8 | 4.2 | 2.2 | 1341 | 99.5 | 0.5 | 10.1 |
| Russian Federation, Vologda Region | 71 | 97.2 | 1.4 | 2.0 | 334 | 98.5 | 0.6 | 6.9 |
| Slovenia | 220 | 100.0 | – | 2.9 | 748 | 99.9 | – | 10.3 |
| Spain, Asturias | 58 | 100.0 | – | 2.4 | 160 | 99.4 | – | 6.1 |
| Spain, Basque Country | 259 | 99.2 | – | 3.9 | 776 | 99.5 | – | 11.8 |
| Spain, Canary Islands | 173 | 99.4 | – | 3.4 | 573 | 99.8 | – | 11.1 |
| Spain, Castellón | 60 | 100.0 | – | 3.0 | 151 | 100.0 | – | 7.8 |
| Spain, Girona | 67 | 100.0 | – | 2.5 | 230 | 99.1 | – | 9.4 |
| Spain, Granada | 119 | 100.0 | – | 3.8 | 397 | 100.0 | – | 12.5 |
| Spain, La Rioja | 25 | 100.0 | – | 2.0 | 73 | 94.5 | – | 6.3 |
| Spain, Murcia | 208 | 99.5 | – | 4.3 | 729 | 99.5 | – | 15.3 |
| Spain, Navarra | 76 | 98.7 | 1.3 | 4.4 | 247 | 100.0 | 0.0 | 14.5 |
| Spain, Salamanca | 53 | 100.0 | – | 3.5 | 142 | 99.3 | – | 11.8 |
| Spain, Tarragona | 78 | 100.0 | – | 2.6 | 213 | 99.5 | – | 8.2 |
| *Sweden | 801 | 100.0 | – | 2.2 | 2149 | 100.0 | – | 6.8 |
| Switzerland, Aargau | 73 | 98.6 | 1.4 | 3.0 | 176 | 99.4 | 0.6 | 8.1 |
| Switzerland, Basel | 72 | 100.0 | 0.0 | 4.1 | 145 | 98.6 | 0.7 | 8.4 |
| Switzerland, Berne Solothurn | 101 | 99.0 | – | 3.3 | 263 | 99.6 | – | 8.9 |
| Switzerland, East | 94 | 100.0 | – | 3.0 | 216 | 99.1 | – | 7.7 |
| *Switzerland, Fribourg | 51 | 100.0 | – | 4.5 | 119 | 100.0 | – | 11.0 |
| Switzerland, Geneva | 92 | 100.0 | 0.0 | 5.5 | 299 | 99.0 | 0.3 | 17.2 |
| *Switzerland, Graubünden and Glarus | 37 | 100.0 | – | 4.3 | 62 | 100.0 | – | 7.0 |
| *Switzerland, Lucerne | 88 | 96.6 | 1.1 | 4.7 | 187 | 97.9 | 0.5 | 10.2 |
| *Switzerland, Neuchâtel and Jura | 44 | 97.7 | – | 5.0 | 96 | 99.0 | – | 11.1 |
| Switzerland, Ticino | 59 | 100.0 | – | 4.9 | 116 | 100.0 | – | 10.1 |
| Switzerland, Valais | 54 | 100.0 | – | 4.5 | 126 | 98.4 | – | 10.7 |
| Switzerland, Vaud | 103 | 100.0 | – | 3.8 | 311 | 98.7 | – | 11.8 |
| Switzerland, Zurich and Zug | 212 | 99.5 | – | 3.7 | 500 | 99.8 | – | 9.3 |
| Ukraine | 2750 | 97.7 | 0.1 | 2.5 | 12668 | 98.5 | 0.1 | 9.9 |
| UK, England | 4181 | 97.8 | 0.3 | 2.2 | 11118 | 97.9 | 0.3 | 6.2 |
| UK, Northern Ireland | 126 | 98.4 | 0.8 | 2.0 | 324 | 97.2 | 0.6 | 5.5 |
| UK, Scotland | 421 | 98.8 | 0.0 | 2.2 | 1003 | 97.6 | 0.1 | 5.5 |
| UK, Wales | 183 | 98.9 | 0.0 | 1.6 | 436 | 96.3 | 0.7 | 4.2 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 1579 | 98.7 | 0.1 | 5.8 | 4448 | 98.8 | 0.1 | 17.0 |
| *Australia, Northern Territory | 36 | 100.0 | – | 5.0 | 68 | 100.0 | – | 10.0 |

* Important. See note on population page.

Indices of data quality Thyroid (C73) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 27 | 100.0 | – | 4.9 | 46 | 100.0 | – | 8.9 |
| *Australia, Northern Territory: Indigenous | 9 | 100.0 | – | 5.8 | 22 | 100.0 | – | 12.8 |
| *Australia, Queensland | 847 | 98.1 | 0.4 | 5.3 | 2263 | 99.2 | 0.1 | 14.7 |
| Australia, South Australia | 214 | 99.1 | – | 3.6 | 522 | 99.0 | – | 9.3 |
| Australia, Tasmania | 88 | 98.9 | 0.0 | 4.5 | 150 | 96.0 | 2.0 | 8.7 |
| *Australia, Victoria | 809 | 98.4 | 0.6 | 4.0 | 2283 | 99.0 | 0.3 | 11.4 |
| *Australia, Western Australia | 431 | 98.4 | 0.0 | 5.1 | 1089 | 98.8 | 0.1 | 13.4 |
| *France, New Caledonia | 40 | 100.0 | – | 5.2 | 135 | 100.0 | – | 17.5 |
| New Zealand | 480 | 92.1 | 7.5 | 3.2 | 1120 | 97.4 | 1.9 | 7.5 |
| *New Zealand: Maori | 72 | 84.7 | 13.9 | 4.4 | 186 | 96.2 | 3.2 | 9.8 |
| *New Zealand: Pacific peoples | 34 | 88.2 | 11.8 | 5.0 | 99 | 99.0 | 1.0 | 12.8 |
| *New Zealand: Other | 320 | 92.8 | 6.9 | 2.9 | 633 | 97.2 | 1.9 | 6.0 |
| USA, Hawaii | 264 | 99.6 | – | 5.5 | 809 | 99.3 | – | 18.3 |
| USA, Hawaii: White | 80 | 100.0 | – | 5.4 | 177 | 99.4 | – | 16.7 |
| *USA, Hawaii: Japanese | 31 | 100.0 | – | 3.6 | 97 | 100.0 | – | 13.9 |
| *USA, Hawaii: Chinese | 16 | 100.0 | – | 8.0 | 43 | 97.7 | – | 15.2 |
| *USA, Hawaii: Hawaiian | 41 | 100.0 | – | 4.8 | 162 | 100.0 | – | 19.0 |
| *USA, Hawaii: Filipino | 63 | 98.4 | – | 7.4 | 224 | 99.6 | – | 26.0 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81–90,C96)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 112 | 98.2 | – | 7.4 | 119 | 98.3 | – | 7.6 |
| *Algeria, Tizi Ouzou | 162 | 100.0 | – | 10.2 | 194 | 100.0 | – | 10.4 |
| *Benin, Cotonou | 26 | 88.5 | – | 3.4 | 20 | 75.0 | – | 2.3 |
| *France, La Réunion | 289 | 99.7 | – | 14.4 | 243 | 98.8 | – | 10.1 |
| *Kenya, Eldoret | 94 | 96.8 | – | 6.2 | 77 | 100.0 | – | 5.9 |
| *Kenya, Nairobi | 371 | 97.8 | 0.5 | 10.4 | 304 | 96.1 | 1.0 | 10.5 |
| Mauritius | 232 | 98.3 | – | 6.1 | 189 | 97.9 | – | 4.7 |
| *Morocco, Casablanca | 799 | 98.5 | 0.4 | 7.5 | 707 | 97.9 | 0.8 | 6.3 |
| *Seychelles | 20 | 100.0 | – | 7.7 | 24 | 100.0 | – | 8.9 |
| *South Africa, Eastern Cape | 22 | 81.8 | – | 2.0 | 28 | 78.6 | – | 1.9 |
| *Uganda, Kyadondo County | 310 | 77.7 | 0.3 | 9.9 | 223 | 80.7 | 0.0 | 6.4 |
| *Uganda, Gulu | 98 | 59.2 | 3.1 | 12.3 | 95 | 66.3 | 3.2 | 11.4 |
| *Zimbabwe, Bulawayo: African | 233 | 98.3 | – | 22.3 | 241 | 97.9 | – | 18.6 |
| *Zimbabwe, Harare: African | 443 | 97.3 | 1.6 | 19.1 | 394 | 94.2 | 3.3 | 16.4 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Rios Province | 176 | 88.6 | 10.2 | 8.0 | 137 | 88.3 | 10.9 | 4.9 |
| *Argentina, Mendoza | 624 | 99.2 | 0.6 | 12.8 | 472 | 98.7 | 0.8 | 8.1 |
| Brazil, Aracaju | 140 | 100.0 | 0.0 | 13.4 | 116 | 96.6 | 2.6 | 7.9 |
| *Brazil, Barretos | 132 | 90.2 | 6.8 | 10.2 | 94 | 87.2 | 10.6 | 6.9 |
| Brazil, Belo Horizonte | 846 | 92.0 | 8.0 | 12.3 | 807 | 89.6 | 10.3 | 8.4 |
| *Brazil, Campinas | 343 | 92.4 | 7.3 | 14.9 | 354 | 92.4 | 7.6 | 12.1 |
| *Brazil, Curitiba | 483 | 88.0 | 8.5 | 12.1 | 432 | 85.9 | 11.3 | 8.7 |
| Brazil, Goiânia | 341 | 95.0 | 5.0 | 12.9 | 289 | 94.5 | 5.2 | 8.6 |
| *Brazil, Jaú | 49 | 100.0 | – | 11.7 | 34 | 100.0 | – | 6.7 |
| Brazil, João Pessoa | 94 | 88.3 | 4.3 | 9.1 | 100 | 89.0 | 6.0 | 6.8 |
| Brazil, Recife | 226 | 87.6 | 7.5 | 9.3 | 274 | 86.5 | 9.5 | 7.4 |
| Chile, Region of Antofagasta | 93 | 95.7 | – | 9.3 | 67 | 100.0 | – | 6.4 |
| Chile, Valdivia | 139 | 99.3 | – | 10.6 | 141 | 95.7 | – | 10.2 |
| Colombia, Bucaramanga | 388 | 92.8 | 3.6 | 13.5 | 365 | 89.9 | 2.5 | 9.8 |
| Colombia, Cali | 999 | 98.9 | 0.2 | 16.9 | 912 | 99.3 | 0.0 | 11.6 |
| Colombia, Manizales | 150 | 89.3 | – | 11.5 | 143 | 93.0 | – | 8.7 |
| Colombia, Pasto | 106 | 91.5 | 2.8 | 10.3 | 103 | 87.4 | 1.0 | 8.1 |
| Costa Rica | 690 | 98.8 | – | 6.9 | 559 | 98.9 | – | 5.3 |
| Ecuador, Guayaquil | 696 | 99.1 | 0.4 | 12.6 | 594 | 99.3 | 0.3 | 9.6 |
| Ecuador, Manabí | 325 | 97.2 | 1.2 | 9.1 | 246 | 96.3 | 1.2 | 6.8 |
| Ecuador, Quito | 855 | 95.9 | 2.6 | 20.4 | 751 | 96.3 | 2.3 | 15.1 |
| *France, Guadeloupe | 212 | 95.8 | – | 13.2 | 191 | 96.3 | – | 9.1 |
| *France, Martinique | 208 | 100.0 | – | 12.0 | 189 | 100.0 | – | 9.4 |
| *Peru, Lima | 2545 | 90.9 | 4.4 | 18.1 | 2061 | 90.6 | 5.6 | 12.4 |
| *Trinidad and Tobago | 225 | 96.9 | 1.3 | 9.5 | 201 | 97.0 | 2.5 | 7.8 |
| USA, Puerto Rico | 2591 | 92.3 | 1.8 | 18.6 | 2342 | 93.3 | 1.9 | 14.3 |
| *Uruguay | 1941 | 90.1 | 6.5 | 17.1 | 1742 | 90.0 | 6.7 | 12.0 |
| North America | | | | | | | | |
| Canada, Alberta | 3171 | 97.0 | 0.0 | 21.3 | 2290 | 97.1 | 0.1 | 14.6 |
| Canada, British Columbia | 4474 | 95.9 | 0.3 | 20.5 | 3424 | 95.2 | 0.8 | 14.4 |
| *Canada, Manitoba | 1266 | 97.6 | – | 24.1 | 979 | 95.5 | – | 16.4 |
| *Canada, New Brunswick | 835 | 98.4 | 0.2 | 22.7 | 691 | 96.2 | 0.0 | 17.6 |
| *Canada, Newfoundland and Labrador | 563 | 97.9 | 0.2 | 22.8 | 477 | 95.2 | 0.6 | 17.7 |
| Canada, Ontario | 14058 | 88.0 | 0.5 | 24.3 | 11230 | 86.4 | 0.7 | 17.3 |
| *Canada, Prince Edward Island | 156 | 37.2 | – | 24.8 | 101 | 29.7 | – | 14.3 |
| Canada, Quebec | 9325 | 96.6 | 3.4 | 24.8 | 7281 | 95.7 | 4.3 | 17.8 |
| Canada, Saskatchewan | 956 | 96.3 | 0.3 | 20.7 | 785 | 95.2 | 0.8 | 15.2 |
| *Canada, Yukon | 24 | 100.0 | – | 16.8 | 14 | 100.0 | – | 9.6 |
| USA | 287117 | 95.2 | 2.6 | 23.0 | 233610 | 94.6 | 2.7 | 16.3 |
| USA: White | 242409 | 95.3 | 2.5 | 23.0 | 192492 | 94.8 | 2.7 | 16.2 |
| USA: Black | 31243 | 93.7 | 3.1 | 24.8 | 29544 | 93.1 | 2.9 | 18.3 |
| USA, NPCR | 277731 | 95.1 | 2.6 | 23.0 | 226204 | 94.6 | 2.8 | 16.3 |
| USA, NPCR: White | 234460 | 95.3 | 2.6 | 23.0 | 186327 | 94.7 | 2.8 | 16.2 |
| USA, NPCR: Black | 30810 | 93.6 | 3.1 | 24.8 | 29201 | 93.1 | 2.9 | 18.3 |
| USA, NPCR: Asian and Pacific Islander | 8463 | 96.2 | 2.1 | 15.1 | 7010 | 96.4 | 1.8 | 10.3 |
| USA, NPCR: American Indian | 1209 | 92.8 | 4.3 | 10.6 | 1087 | 94.4 | 3.6 | 8.6 |
| *USA, SEER (18 registries) | 73512 | 95.7 | 0.4 | 22.2 | 59068 | 95.0 | 0.5 | 15.5 |
| *USA, SEER (18 registries): White | 59116 | 95.9 | 0.4 | 22.5 | 46346 | 95.2 | 0.5 | 15.7 |
| *USA, SEER (18 registries): Non-Hispanic White | 49965 | 95.8 | 0.4 | 23.2 | 38422 | 95.0 | 0.5 | 15.9 |
| *USA, SEER (18 registries): Hispanic White | 9151 | 96.4 | 0.4 | 20.3 | 7924 | 96.1 | 0.3 | 15.7 |
| *USA, SEER (18 registries): Black | 7947 | 93.9 | 0.3 | 24.5 | 7207 | 92.9 | 0.1 | 17.5 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 5008 | 96.7 | 0.2 | 15.2 | 4228 | 96.9 | 0.3 | 10.5 |
| *USA, SEER (9 registries) | 26128 | 96.2 | 0.4 | 22.9 | 20672 | 95.4 | 0.4 | 15.8 |
| *USA, SEER (9 registries): White | 20740 | 96.3 | 0.4 | 23.0 | 15978 | 95.6 | 0.5 | 16.0 |
| *USA, SEER (9 registries): Black | 2846 | 94.8 | 0.2 | 26.5 | 2556 | 93.8 | 0.1 | 18.2 |
| USA, Alabama | 3848 | 92.6 | 5.1 | 20.2 | 3330 | 92.0 | 5.6 | 14.5 |
| USA, Alabama: White | 2906 | 93.2 | 5.2 | 19.4 | 2382 | 92.0 | 5.7 | 13.5 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81–90,C96) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 866 | 91.2 | 4.6 | 22.4 | 868 | 91.6 | 5.6 | 16.9 |
| USA, Alaska | 491 | 93.1 | 4.5 | 19.6 | 321 | 92.2 | 4.0 | 13.2 |
| *USA, Alaska: Alaska Natives | 44 | 97.7 | 0.0 | 13.3 | 45 | 95.6 | 2.2 | 12.8 |
| USA, Arizona | 5089 | 91.6 | 6.0 | 18.2 | 3951 | 91.8 | 6.0 | 12.7 |
| USA, Arizona: White | 4662 | 91.6 | 6.0 | 18.4 | 3604 | 91.9 | 6.0 | 13.0 |
| USA, Arizona: Black | 216 | 93.5 | 5.6 | 22.3 | 132 | 88.6 | 6.8 | 13.2 |
| *USA, Arizona: Asian and Pacific Islander | 75 | 98.7 | 1.3 | 10.2 | 79 | 93.7 | 3.8 | 8.2 |
| USA, Arizona: American Indian | 122 | 87.7 | 7.4 | 13.2 | 127 | 93.7 | 3.1 | 11.1 |
| USA, Arkansas | 2629 | 95.3 | 3.2 | 21.8 | 2171 | 95.4 | 2.4 | 15.7 |
| USA, Arkansas: White | 2239 | 95.1 | 3.3 | 21.3 | 1812 | 95.5 | 2.3 | 15.2 |
| USA, Arkansas: Black | 332 | 95.8 | 2.7 | 25.1 | 295 | 96.6 | 1.0 | 17.5 |
| USA, California | 30344 | 95.5 | 2.3 | 21.4 | 23700 | 95.1 | 2.5 | 14.8 |
| USA, California: White | 24460 | 95.5 | 2.3 | 22.3 | 18801 | 94.8 | 2.7 | 15.5 |
| USA, California: Black | 1969 | 93.8 | 2.8 | 22.8 | 1614 | 94.3 | 1.5 | 15.9 |
| USA, California: Asian and Pacific Islander | 3336 | 96.3 | 1.9 | 15.6 | 2803 | 96.8 | 1.6 | 10.5 |
| *USA, California, Los Angeles County | 7009 | 96.9 | 0.2 | 20.0 | 5795 | 95.8 | 0.3 | 14.1 |
| *USA, California, Los Angeles County: White | 5271 | 97.1 | 0.2 | 20.8 | 4283 | 95.8 | 0.4 | 14.9 |
| *USA, California, Los Angeles County: Non-Hispanic White | 3103 | 96.8 | 0.3 | 23.2 | 2318 | 95.0 | 0.5 | 15.8 |
| *USA, California, Los Angeles County: Hispanic White | 2168 | 97.6 | 0.2 | 19.0 | 1965 | 96.7 | 0.3 | 14.5 |
| *USA, California, Los Angeles County: Black | 709 | 95.8 | – | 22.0 | 622 | 93.6 | – | 15.0 |
| *USA, California, Los Angeles County: Chinese | 213 | 98.1 | 0.5 | 10.1 | 148 | 98.6 | 0.7 | 6.2 |
| *USA, California, Los Angeles County: Filipino | 192 | 95.8 | 0.5 | 14.5 | 226 | 96.5 | 0.4 | 10.9 |
| *USA, California, Los Angeles County: Korean | 81 | 95.1 | – | 7.9 | 62 | 98.4 | – | 5.0 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 855 | 96.1 | 0.4 | 13.7 | 736 | 97.6 | 0.4 | 9.3 |
| *USA, California, San Francisco Bay Area | 3946 | 97.0 | 0.4 | 22.2 | 3033 | 96.0 | 0.7 | 15.0 |
| *USA, California, San Francisco Bay Area: White | 2752 | 97.2 | 0.4 | 23.5 | 2065 | 96.2 | 0.9 | 16.4 |
| *USA, California, San Francisco Bay Area: Hispanic White | 2261 | 97.3 | 0.3 | 24.1 | 1632 | 96.1 | 1.0 | 16.3 |
| *USA, California, San Francisco Bay Area: Hispanic White | 491 | 97.1 | 0.6 | 22.6 | 433 | 96.5 | 0.2 | 17.6 |
| *USA, California, San Francisco Bay Area: Black | 350 | 94.0 | 0.6 | 25.1 | 299 | 94.6 | 0.3 | 17.5 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 775 | 97.2 | 0.3 | 17.1 | 615 | 96.3 | 0.3 | 10.5 |
| USA, Colorado | 4168 | 95.1 | 2.1 | 20.7 | 3041 | 94.7 | 2.8 | 13.7 |
| USA, Colorado: White | 3854 | 95.1 | 2.2 | 20.7 | 2829 | 94.7 | 2.8 | 13.9 |
| *USA, Colorado: Black | 184 | 95.1 | 1.6 | 24.4 | 120 | 93.3 | 3.3 | 15.7 |
| *USA, Colorado: Asian and Pacific Islander | 83 | 94.0 | 3.6 | 15.9 | 53 | 94.3 | 1.9 | 8.1 |
| USA, Connecticut | 3714 | 96.1 | 0.5 | 25.3 | 2935 | 95.8 | 0.2 | 17.1 |
| USA, Connecticut: White | 3235 | 96.2 | 0.5 | 24.9 | 2538 | 95.7 | 0.3 | 16.8 |
| USA, Connecticut: Black | 306 | 94.8 | – | 25.6 | 248 | 96.4 | – | 15.6 |
| USA, District of Columbia | 460 | 95.0 | 3.0 | 22.1 | 415 | 96.6 | 2.4 | 16.1 |
| USA, District of Columbia: White | 185 | 96.2 | 2.2 | 19.7 | 126 | 99.2 | 0.8 | 12.9 |
| USA, District of Columbia: Black | 259 | 93.8 | 3.9 | 24.6 | 269 | 95.5 | 3.0 | 18.1 |
| USA, Florida | 26372 | 97.5 | 1.5 | 28.4 | 21603 | 97.5 | 1.4 | 20.8 |
| USA, Florida: White | 22481 | 97.5 | 1.5 | 27.9 | 17706 | 97.6 | 1.5 | 20.0 |
| USA, Florida: Black | 2739 | 97.1 | 1.5 | 27.3 | 2612 | 96.7 | 1.4 | 21.1 |
| USA, Florida: Asian and Pacific Islander | 294 | 98.0 | 1.7 | 14.7 | 296 | 99.3 | 0.3 | 11.6 |
| USA, Georgia | 8206 | 92.9 | 2.4 | 23.3 | 6932 | 92.1 | 2.6 | 16.6 |
| USA, Georgia: White | 5675 | 93.7 | 2.2 | 22.4 | 4528 | 92.9 | 2.8 | 15.6 |
| USA, Georgia: Black | 2347 | 90.6 | 2.7 | 26.8 | 2250 | 89.9 | 2.5 | 19.2 |
| USA, Georgia: Asian and Pacific Islander | 161 | 96.3 | 2.5 | 14.2 | 129 | 98.4 | 0.0 | 9.6 |
| *USA, Georgia, Atlanta | 2660 | 93.8 | 0.3 | 24.1 | 2278 | 93.3 | 0.3 | 16.8 |
| *USA, Georgia, Atlanta: White | 1501 | 94.2 | 0.3 | 23.2 | 1205 | 94.5 | 0.5 | 16.1 |
| *USA, Georgia, Atlanta: Black | 1040 | 92.9 | 0.3 | 27.6 | 977 | 91.3 | 0.0 | 18.8 |
| USA, Idaho | 1452 | 93.7 | 1.8 | 21.4 | 1104 | 90.9 | 2.2 | 15.2 |
| USA, Indiana | 5691 | 96.1 | 1.6 | 22.4 | 4681 | 95.8 | 1.2 | 15.7 |
| USA, Indiana: White | 5208 | 96.2 | 1.6 | 22.4 | 4235 | 95.9 | 1.1 | 15.7 |
| USA, Indiana: Black | 422 | 94.8 | 2.1 | 24.2 | 386 | 95.1 | 2.3 | 16.8 |
| *USA, Iowa | 3067 | 96.7 | 0.6 | 23.6 | 2413 | 96.3 | 0.6 | 16.6 |
| USA, Kentucky | 4211 | 93.4 | 2.6 | 24.0 | 3340 | 92.3 | 2.7 | 16.6 |
| USA, Louisiana | 4125 | 94.7 | 1.3 | 23.8 | 3393 | 93.4 | 1.5 | 16.7 |
| USA, Louisiana: White | 2971 | 95.4 | 1.3 | 23.7 | 2328 | 94.8 | 1.4 | 16.3 |
| USA, Louisiana: Black | 1108 | 92.7 | 1.4 | 25.2 | 1013 | 90.4 | 1.5 | 17.9 |
| *USA, Louisiana, New Orleans | 785 | 94.8 | 0.6 | 24.7 | 621 | 93.7 | 1.0 | 16.6 |
| *USA, Louisiana, New Orleans: White | 470 | 96.4 | 0.6 | 24.5 | 346 | 94.2 | 1.2 | 15.6 |
| *USA, Louisiana, New Orleans: Black | 290 | 92.1 | 0.7 | 26.5 | 254 | 93.7 | 0.8 | 17.8 |
| USA, Maine | 1501 | 93.3 | 2.7 | 23.9 | 1208 | 94.2 | 2.3 | 17.1 |
| USA, Maryland | 5000 | 92.6 | 4.8 | 22.2 | 4461 | 92.8 | 4.3 | 16.8 |
| USA, Maryland: White | 3476 | 93.6 | 3.9 | 22.1 | 2866 | 92.9 | 4.2 | 16.5 |
| USA, Maryland: Black | 1317 | 90.0 | 7.1 | 23.6 | 1420 | 92.1 | 4.6 | 18.8 |
| USA, Maryland: Asian and Pacific Islander | 180 | 92.2 | 5.6 | 14.0 | 150 | 95.3 | 4.0 | 9.8 |
| USA, Massachusetts | 6226 | 97.2 | 1.1 | 23.2 | 5138 | 95.6 | 2.3 | 16.1 |
| USA, Massachusetts: White | 5597 | 97.1 | 1.2 | 23.5 | 4555 | 95.9 | 2.4 | 16.2 |
| USA, Massachusetts: Black | 385 | 97.9 | 0.5 | 23.5 | 364 | 92.9 | 2.2 | 17.5 |
| USA, Massachusetts: Asian and Pacific Islander | 163 | 98.8 | 0.6 | 13.0 | 143 | 95.1 | 1.4 | 10.0 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81-90,C96) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 9315 | 95.6 | 2.6 | 22.7 | 7671 | 95.4 | 2.4 | 16.4 |
| USA, Michigan: White | 7971 | 95.7 | 2.6 | 22.4 | 6409 | 95.6 | 2.5 | 16.2 |
| USA, Michigan: Black | 1085 | 95.3 | 2.7 | 25.3 | 1052 | 94.0 | 1.9 | 18.4 |
| USA, Michigan: Asian and Pacific Islander | 127 | 95.3 | 2.4 | 15.0 | 93 | 96.8 | 1.1 | 9.5 |
| *USA, Michigan, Detroit | 3691 | 97.7 | 0.5 | 24.7 | 3218 | 97.6 | 0.4 | 17.8 |
| *USA, Michigan, Detroit: White | 2801 | 97.9 | 0.5 | 24.5 | 2344 | 98.0 | 0.5 | 17.9 |
| *USA, Michigan, Detroit: Black | 785 | 96.9 | 0.3 | 26.8 | 792 | 96.1 | 0.3 | 18.8 |
| USA, Minnesota | 5563 | 97.5 | 1.1 | 25.4 | 4167 | 96.5 | 1.6 | 16.9 |
| USA, Minnesota: White | 5195 | 97.4 | 1.2 | 25.5 | 3889 | 96.6 | 1.5 | 17.0 |
| USA, Minnesota: Black | 187 | 97.3 | 1.6 | 26.0 | 123 | 96.7 | 0.0 | 16.2 |
| *USA, Minnesota: Asian and Pacific Islander | 98 | 100.0 | 0.0 | 17.4 | 80 | 93.8 | 3.8 | 12.1 |
| USA, Mississippi | 2385 | 94.6 | 1.4 | 21.2 | 2044 | 95.4 | 0.7 | 15.3 |
| USA, Missouri | 5553 | 94.3 | 3.0 | 22.6 | 4442 | 95.1 | 2.7 | 15.6 |
| USA, Missouri: White | 4978 | 94.5 | 3.1 | 22.6 | 3877 | 95.2 | 2.9 | 15.4 |
| USA, Missouri: Black | 512 | 93.4 | 2.5 | 24.8 | 522 | 93.9 | 1.0 | 19.2 |
| USA, Montana | 1048 | 95.8 | 1.1 | 22.7 | 758 | 93.8 | 2.8 | 15.2 |
| *USA, Montana: American Indian | 29 | 96.6 | 3.4 | 16.1 | 23 | 95.7 | 0.0 | 11.5 |
| USA, Nebraska | 1743 | 95.2 | 2.8 | 23.5 | 1360 | 95.3 | 2.6 | 16.5 |
| USA, Nebraska: White | 1658 | 95.4 | 2.8 | 23.6 | 1273 | 95.3 | 2.6 | 16.3 |
| *USA, Nebraska: Black | 54 | 94.4 | 1.9 | 22.1 | 69 | 94.2 | 4.3 | 24.9 |
| USA, Nevada | 1955 | 95.1 | 3.7 | 17.0 | 1528 | 95.2 | 3.7 | 12.6 |
| USA, Nevada: White | 1684 | 95.2 | 3.7 | 17.8 | 1256 | 95.1 | 3.7 | 12.9 |
| USA, Nevada: Black | 146 | 96.6 | 2.1 | 16.8 | 122 | 95.9 | 2.5 | 12.9 |
| *USA, Nevada: Asian and Pacific Islander | 94 | 92.6 | 5.3 | 9.9 | 122 | 95.1 | 4.1 | 9.4 |
| USA, New Jersey | 8891 | 96.2 | 2.0 | 25.6 | 7595 | 95.5 | 2.5 | 18.5 |
| USA, New Jersey: White | 7423 | 96.4 | 1.9 | 26.8 | 6182 | 95.5 | 2.6 | 19.0 |
| USA, New Jersey: Black | 954 | 94.4 | 2.8 | 23.9 | 993 | 94.2 | 2.3 | 19.1 |
| USA, New Mexico | 1497 | 95.8 | 0.8 | 17.6 | 1223 | 95.3 | 1.4 | 13.0 |
| USA, New Mexico: White | 1358 | 95.9 | 0.9 | 17.9 | 1062 | 95.7 | 1.3 | 12.8 |
| USA, New Mexico: Non-Hispanic White | 853 | 97.1 | 0.6 | 19.0 | 620 | 96.0 | 1.1 | 12.9 |
| USA, New Mexico: Hispanic White | 505 | 94.1 | 1.4 | 17.0 | 442 | 95.2 | 1.6 | 13.2 |
| *USA, New Mexico: American Indian | 75 | 90.7 | 0.0 | 12.4 | 90 | 91.1 | 2.2 | 11.3 |
| USA, New York State | 20355 | 96.5 | 1.3 | 26.9 | 17436 | 96.0 | 1.5 | 19.5 |
| USA, New York State: White | 16299 | 96.5 | 1.3 | 27.8 | 13634 | 96.0 | 1.6 | 20.2 |
| USA, New York State: Black | 2871 | 96.4 | 1.2 | 27.0 | 2951 | 95.5 | 1.6 | 20.4 |
| USA, New York State: Asian and Pacific Islander | 1017 | 97.4 | 1.3 | 17.8 | 725 | 98.3 | 0.7 | 11.2 |
| USA, North Carolina | 8640 | 94.7 | 2.7 | 22.4 | 7275 | 94.0 | 2.8 | 15.8 |
| USA, North Carolina: White | 6667 | 94.9 | 2.6 | 21.6 | 5367 | 94.7 | 2.6 | 15.0 |
| USA, North Carolina: Black | 1783 | 93.9 | 3.1 | 26.4 | 1712 | 91.8 | 3.7 | 18.8 |
| USA, North Carolina: Asian and Pacific Islander | 82 | 97.6 | 1.2 | 11.3 | 97 | 93.8 | 1.0 | 11.3 |
| *USA, North Carolina: American Indian | 46 | 95.7 | 2.2 | 9.7 | 56 | 96.4 | 0.0 | 10.6 |
| USA, North Dakota | 667 | 95.4 | 1.9 | 22.3 | 501 | 96.0 | 1.6 | 15.3 |
| USA, Ohio | 10622 | 94.5 | 4.2 | 22.6 | 8509 | 94.0 | 4.1 | 15.5 |
| USA, Ohio: White | 9363 | 94.5 | 4.3 | 22.4 | 7420 | 94.1 | 4.1 | 15.5 |
| USA, Ohio: Black | 1081 | 94.4 | 3.6 | 24.0 | 954 | 93.4 | 4.9 | 16.5 |
| *USA, Ohio: Asian and Pacific Islander | 78 | 96.2 | 2.6 | 10.8 | 64 | 93.8 | 4.7 | 7.5 |
| USA, Oklahoma | 3082 | 94.3 | 3.3 | 20.4 | 2626 | 94.3 | 2.9 | 15.1 |
| USA, Oklahoma: White | 2618 | 94.4 | 3.4 | 20.3 | 2216 | 94.1 | 3.0 | 15.1 |
| USA, Oklahoma: Black | 213 | 93.4 | 2.3 | 23.6 | 183 | 96.7 | 1.1 | 17.6 |
| USA, Oklahoma: American Indian | 204 | 92.6 | 4.4 | 18.3 | 177 | 92.7 | 4.5 | 13.8 |
| USA, Oregon | 3627 | 94.3 | 3.5 | 21.2 | 2882 | 93.0 | 4.9 | 15.3 |
| USA, Oregon: White | 3409 | 94.5 | 3.4 | 21.3 | 2715 | 92.9 | 5.0 | 15.5 |
| *USA, Oregon: Black | 64 | 95.3 | 1.6 | 24.0 | 33 | 93.9 | 3.0 | 12.2 |
| *USA, Oregon: Asian and Pacific Islander | 87 | 93.1 | 4.6 | 14.6 | 78 | 96.2 | 1.3 | 10.4 |
| USA, Rhode Island | 1028 | 96.6 | 2.3 | 23.8 | 842 | 95.1 | 2.7 | 16.7 |
| USA, Rhode Island: White | 943 | 96.9 | 1.9 | 23.8 | 785 | 95.4 | 2.5 | 17.2 |
| *USA, Rhode Island: Black | 60 | 93.3 | 6.7 | 24.7 | 36 | 91.7 | 5.6 | 12.8 |
| USA, South Carolina | 4302 | 91.5 | 5.6 | 21.8 | 3588 | 92.1 | 4.5 | 15.3 |
| USA, South Carolina: White | 3185 | 91.9 | 5.3 | 20.7 | 2576 | 91.8 | 5.2 | 14.7 |
| USA, South Carolina: Black | 1045 | 89.9 | 6.9 | 24.8 | 960 | 92.4 | 2.9 | 17.0 |
| USA, South Dakota | 794 | 95.3 | 2.3 | 22.1 | 594 | 96.1 | 1.9 | 15.5 |
| USA, Tennessee | 5661 | 93.5 | 4.1 | 21.9 | 4520 | 93.6 | 2.9 | 14.9 |
| USA, Tennessee: White | 4843 | 93.7 | 3.9 | 21.6 | 3756 | 94.1 | 2.8 | 14.7 |
| USA, Tennessee: Black | 746 | 92.4 | 5.1 | 23.8 | 703 | 90.6 | 3.6 | 16.9 |
| USA, Texas | 19676 | 91.5 | 5.8 | 21.5 | 15971 | 90.6 | 6.2 | 15.3 |
| USA, Texas: White | 16707 | 91.7 | 5.6 | 21.5 | 13307 | 90.8 | 6.1 | 15.2 |
| USA, Texas: Black | 2275 | 89.3 | 6.5 | 24.3 | 2153 | 88.9 | 7.1 | 18.5 |
| USA, Texas: Asian and Pacific Islander | 582 | 93.0 | 5.2 | 15.2 | 422 | 91.5 | 5.2 | 9.7 |
| USA, Utah | 1923 | 95.3 | 0.2 | 20.8 | 1396 | 93.8 | 0.2 | 14.2 |
| USA, Vermont | 684 | 96.1 | 1.8 | 24.2 | 499 | 94.4 | 2.6 | 16.1 |
| USA, Washington State | 6455 | 95.2 | 1.9 | 22.7 | 4869 | 93.9 | 2.1 | 15.6 |
| *USA, Washington, Seattle | 4522 | 95.9 | 0.1 | 23.5 | 3341 | 94.0 | 0.1 | 15.7 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81–90,C96) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 1784 | 95.4 | 1.6 | 21.6 | 1476 | 94.2 | 2.0 | 15.9 |
| USA, Wyoming | 453 | 95.4 | 1.1 | 18.6 | 330 | 95.2 | 1.2 | 13.1 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 178 | 98.3 | 0.0 | 12.4 | 143 | 97.2 | 0.7 | 10.0 |
| Brunei Darussalam | 140 | 94.3 | – | 15.0 | 96 | 96.9 | – | 10.9 |
| *China, Anfu County | 66 | 100.0 | – | 6.5 | 49 | 100.0 | – | 5.2 |
| *China, Anguo City | 31 | 100.0 | – | 2.5 | 21 | 100.0 | – | 1.6 |
| *China, Anshan City | 392 | 100.0 | – | 5.8 | 281 | 99.6 | – | 3.6 |
| *China, Aohan Banner, Chifeng City | 90 | 100.0 | – | 5.9 | 51 | 100.0 | – | 3.0 |
| *China, Arongqi | 16 | 87.5 | – | 2.0 | 11 | 81.8 | – | 1.5 |
| *China, Baoding City | 202 | 100.0 | – | 5.6 | 140 | 100.0 | – | 3.7 |
| *China, Beijing City | 2821 | 100.0 | – | 7.1 | 2229 | 100.0 | – | 5.4 |
| *China, Binhai County | 140 | 100.0 | – | 3.1 | 98 | 100.0 | – | 2.3 |
| *China, Cangzhou City | 62 | 100.0 | – | 4.0 | 36 | 100.0 | – | 2.4 |
| China, Changfeng County | 80 | 100.0 | – | 5.3 | 60 | 100.0 | – | 3.9 |
| China, Changzhou City | 723 | 94.7 | 0.3 | 7.7 | 523 | 95.4 | 0.4 | 5.1 |
| China, Chengdu City | 284 | 100.0 | – | 7.5 | 221 | 100.0 | – | 5.9 |
| China, Cixian County | 65 | 93.8 | – | 3.9 | 37 | 100.0 | – | 2.0 |
| China, Cixi City | 313 | 99.4 | 0.3 | 6.6 | 223 | 99.1 | 0.9 | 4.7 |
| *China, Dafeng District, Yancheng City | 177 | 98.9 | – | 5.2 | 137 | 100.0 | – | 4.2 |
| China, Dalian City | 607 | 100.0 | – | 5.9 | 500 | 100.0 | – | 4.3 |
| *China, Dancheng County | 113 | 100.0 | – | 3.4 | 75 | 100.0 | – | 2.1 |
| China, Dangtu County | 67 | 100.0 | – | 5.7 | 45 | 100.0 | – | 4.3 |
| *China, Danyang City | 161 | 68.9 | 1.2 | 4.5 | 114 | 72.8 | 0.9 | 2.9 |
| *China, Dawukou District, Shizuishan City | 52 | 84.6 | 3.8 | 5.8 | 33 | 87.9 | 0.0 | 3.2 |
| *China, Dehui City | 82 | 98.8 | – | 2.9 | 56 | 96.4 | – | 2.0 |
| *China, Donggang County | 38 | 100.0 | – | 1.7 | 38 | 97.4 | – | 1.5 |
| *China, Dongguan City | 321 | 93.8 | 0.0 | 8.4 | 252 | 95.2 | 0.8 | 5.9 |
| China, Donghai County | 185 | 99.5 | – | 4.5 | 128 | 100.0 | – | 3.5 |
| *China, Dongtai City | 152 | 100.0 | – | 3.1 | 112 | 100.0 | – | 2.2 |
| China, Duanzhou District, Zhaoqing City | 57 | 98.2 | – | 4.5 | 48 | 100.0 | – | 4.6 |
| *China, Evenki Autonomous Banner | 6 | 100.0 | – | 2.9 | 8 | 100.0 | – | 2.6 |
| *China, Faku County | 48 | 100.0 | – | 2.7 | 35 | 100.0 | – | 2.4 |
| *China, Fangcheng County | 54 | 100.0 | – | 2.7 | 50 | 100.0 | – | 2.5 |
| *China, Feicheng City | 126 | 100.0 | – | 3.6 | 82 | 100.0 | – | 2.1 |
| China, Feixi County | 251 | 100.0 | – | 6.3 | 173 | 100.0 | – | 4.4 |
| China, Fuqing City | 128 | 99.2 | – | 4.8 | 75 | 100.0 | – | 2.8 |
| *China, Ganyu District, Lianyungang City | 169 | 92.9 | 1.2 | 4.1 | 95 | 93.7 | 0.0 | 2.3 |
| *China, Ganzhou District, Zhangye City | 20 | 100.0 | – | 2.2 | 13 | 100.0 | – | 1.2 |
| *China, Gaocheng City | 102 | 100.0 | – | 4.8 | 68 | 100.0 | – | 3.2 |
| China, Gaomi City | 144 | 98.6 | – | 5.2 | 81 | 98.8 | – | 2.8 |
| China, Gong'an County | 260 | 100.0 | – | 8.3 | 163 | 100.0 | – | 5.1 |
| *China, Guang'an District, Guang'an City | 73 | 100.0 | – | 4.1 | 55 | 100.0 | – | 2.9 |
| China, Guanghan City | 66 | 100.0 | – | 4.1 | 31 | 100.0 | – | 1.8 |
| China, Guangzhou City | 2337 | 100.0 | – | 7.8 | 1814 | 100.0 | – | 5.7 |
| *China, Guanyun County | 167 | 100.0 | – | 4.9 | 95 | 100.0 | – | 2.9 |
| China, Guilin City | 205 | 99.5 | – | 9.4 | 140 | 99.3 | – | 5.9 |
| *China, Hai'an City | 251 | 99.6 | 0.4 | 4.7 | 218 | 99.1 | 0.9 | 4.2 |
| China, Hailar District, Hulun Buir City | 59 | 89.8 | 0.0 | 5.6 | 47 | 95.7 | 2.1 | 3.7 |
| China, Haimen District, Nantong City | 348 | 92.0 | – | 7.1 | 277 | 91.7 | – | 5.8 |
| China, Haining City | 229 | 99.1 | – | 7.3 | 147 | 100.0 | – | 4.9 |
| China, Hangzhou City | 2131 | 98.6 | 0.2 | 7.2 | 1528 | 98.4 | 0.3 | 5.0 |
| China, Hebi City | 68 | 98.5 | – | 5.7 | 42 | 100.0 | – | 3.4 |
| China, Hefei City | 540 | 99.8 | – | 6.5 | 393 | 100.0 | – | 4.7 |
| China, Hengdong County | 66 | 100.0 | – | 4.4 | 50 | 100.0 | – | 3.6 |
| *China, Hengfeng County | 29 | 100.0 | – | 5.3 | 20 | 100.0 | – | 3.5 |
| *China, Hepu County | 88 | 100.0 | – | 3.2 | 46 | 100.0 | – | 1.7 |
| China, Honghu City | 222 | 99.5 | – | 7.6 | 147 | 99.3 | – | 4.9 |
| China, Hongshan District, Chifeng City | 77 | 100.0 | – | 5.6 | 61 | 98.4 | – | 4.6 |
| *China, Hongta District, Yuxi City | 85 | 97.6 | 2.4 | 5.7 | 67 | 100.0 | 0.0 | 4.2 |
| *China, Huaiyin District, Huai'an City | 75 | 100.0 | – | 2.3 | 52 | 100.0 | – | 1.7 |
| *China, Jiange County | 60 | 100.0 | – | 3.8 | 44 | 100.0 | – | 2.7 |
| China, Jiangmen City | 167 | 100.0 | – | 7.7 | 135 | 100.0 | – | 5.7 |
| *China, Jiangyin City | 335 | 98.5 | 0.3 | 6.1 | 225 | 99.1 | 0.4 | 4.0 |
| *China, Jiashan County | 129 | 99.2 | – | 6.8 | 103 | 100.0 | – | 5.2 |
| China, Jiayu County | 40 | 100.0 | – | 5.4 | 26 | 100.0 | – | 3.8 |
| *China, Jinan City | 352 | 95.7 | 0.9 | 4.1 | 249 | 96.4 | 0.4 | 2.5 |
| *China, Jingtai County | 21 | 100.0 | – | 3.4 | 23 | 100.0 | – | 3.3 |
| *China, Jingxian County | 54 | 100.0 | – | 4.8 | 27 | 100.0 | – | 2.2 |
| *China, Jintan District, Changzhou City | 122 | 100.0 | – | 5.3 | 79 | 100.0 | – | 3.6 |
| *China, Jiulongpo District, Chongqing City | 237 | 97.0 | 0.0 | 8.0 | 182 | 97.3 | 0.5 | 5.9 |
| *China, Jiyuan City | 58 | 100.0 | – | 3.4 | 50 | 96.0 | – | 2.8 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81–90,C96) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 79 | 100.0 | – | 6.7 | 64 | 100.0 | – | 5.7 |
| China, Kunshan City | 236 | 91.9 | 0.4 | 7.4 | 192 | 96.4 | 0.5 | 5.5 |
| China, Langzhong City | 90 | 100.0 | – | 4.8 | 52 | 100.0 | – | 3.0 |
| *China, Liangshan County | 114 | 100.0 | – | 4.2 | 98 | 98.0 | – | 3.5 |
| *China, Lianshui County | 107 | 99.1 | 0.9 | 2.6 | 71 | 100.0 | 0.0 | 1.8 |
| China, Lianyungang City | 207 | 94.7 | 0.5 | 5.5 | 95 | 92.6 | 2.1 | 2.3 |
| China, Linhe District, Bayannur City | 49 | 93.9 | – | 3.8 | 34 | 94.1 | – | 2.5 |
| China, Linqu County | 141 | 100.0 | – | 4.3 | 94 | 98.9 | – | 2.6 |
| *China, Linzhou City | 141 | 99.3 | – | 4.0 | 98 | 100.0 | – | 2.7 |
| China, Liuzhou City | 258 | 100.0 | – | 6.9 | 209 | 100.0 | – | 5.6 |
| China, Liyang City | 185 | 100.0 | – | 4.9 | 133 | 100.0 | – | 3.7 |
| *China, Longquan City | 68 | 98.5 | 0.0 | 8.7 | 54 | 98.1 | 1.9 | 6.9 |
| China, Lucheng District, Wenzhou City | 156 | 98.7 | 0.6 | 8.4 | 96 | 97.9 | 1.0 | 4.6 |
| China, Luoding City | 112 | 91.1 | 5.4 | 5.0 | 74 | 91.9 | 2.7 | 3.6 |
| *China, Luohe City | 136 | 95.6 | – | 3.7 | 88 | 96.6 | – | 2.4 |
| *China, Luoyang City | 203 | 99.5 | 0.0 | 4.8 | 132 | 97.0 | 0.8 | 3.1 |
| *China, Luquan City | 58 | 100.0 | – | 5.1 | 43 | 100.0 | – | 3.6 |
| China, Ma'anshan City | 173 | 100.0 | – | 8.0 | 137 | 99.3 | – | 6.0 |
| *China, Macheng City | 142 | 97.2 | – | 6.3 | 96 | 87.5 | – | 4.4 |
| China, Meihekou City | 24 | 95.8 | 4.2 | 1.0 | 14 | 71.4 | 0.0 | 0.6 |
| *China, Mengjin County | 57 | 96.5 | 1.8 | 5.5 | 44 | 97.7 | 0.0 | 3.9 |
| China, Nangang District, Harbin City | 157 | 100.0 | – | 4.0 | 132 | 100.0 | – | 3.1 |
| *China, Nanhai District, Foshan City | 220 | 99.5 | – | 8.2 | 175 | 98.9 | – | 5.8 |
| China, Nanhu District, Jiaying City | 191 | 94.8 | – | 7.9 | 138 | 97.1 | – | 5.5 |
| *China, Nantong City | 306 | 99.3 | 0.3 | 6.1 | 219 | 98.6 | 0.9 | 3.7 |
| *China, Nanxiong City | 83 | 100.0 | – | 6.2 | 66 | 100.0 | – | 4.2 |
| China, Neixiang County | 105 | 100.0 | – | 4.7 | 81 | 100.0 | – | 3.5 |
| *China, Qianxi County | 51 | 100.0 | – | 3.9 | 35 | 100.0 | – | 2.8 |
| China, Qidong City | 448 | 88.8 | – | 7.4 | 349 | 89.4 | – | 5.4 |
| China, Qingzhou City | 155 | 99.4 | – | 5.1 | 124 | 97.6 | – | 4.0 |
| *China, Rudong County | 349 | 100.0 | – | 5.8 | 286 | 100.0 | – | 4.5 |
| *China, Rugao City | 383 | 99.7 | 0.3 | 5.5 | 279 | 99.6 | 0.4 | 3.8 |
| *China, Rural areas of Shanghai City | 3152 | 84.6 | 0.4 | 7.7 | 2374 | 85.8 | 0.3 | 5.6 |
| China, Ruyang County | 43 | 97.7 | – | 3.7 | 27 | 100.0 | – | 2.2 |
| *China, Shan County | 100 | 98.0 | – | 4.2 | 60 | 96.7 | – | 2.4 |
| China, Shanghai City | 2563 | 84.6 | 0.3 | 8.0 | 1856 | 85.3 | 0.2 | 5.4 |
| China, Shangyu District, Shaoxing City | 232 | 100.0 | – | 7.0 | 173 | 100.0 | – | 5.1 |
| *China, Shapingba District, Chongqing City | 254 | 100.0 | – | 8.1 | 224 | 100.0 | – | 7.1 |
| China, Shexian County | 69 | 100.0 | – | 5.2 | 28 | 100.0 | – | 2.2 |
| China, Sheyang County | 194 | 100.0 | – | 4.9 | 171 | 100.0 | – | 4.3 |
| *China, Shijiazhuang City | 383 | 100.0 | – | 7.9 | 290 | 100.0 | – | 5.8 |
| China, Shunde District, Foshan City | 239 | 94.6 | – | 7.0 | 228 | 95.6 | – | 5.9 |
| *China, Song County | 21 | 100.0 | – | 1.3 | 19 | 89.5 | – | 1.4 |
| China, Suzhou City | 957 | 93.8 | 2.4 | 6.4 | 638 | 93.7 | 2.0 | 4.3 |
| *China, Tengzhou City | 263 | 98.9 | 0.4 | 4.9 | 161 | 100.0 | 0.0 | 2.9 |
| *China, Wangdu County | 29 | 100.0 | – | 5.0 | 24 | 100.0 | – | 3.4 |
| *China, Wanzai County | 48 | 100.0 | – | 4.8 | 32 | 100.0 | – | 3.4 |
| *China, Wu'an City | 47 | 100.0 | – | 2.1 | 30 | 100.0 | – | 1.1 |
| China, Wuhan City | 1501 | 93.0 | 0.5 | 7.5 | 1206 | 92.5 | 0.5 | 5.6 |
| *China, Wuhu City | 266 | 100.0 | – | 5.4 | 178 | 100.0 | – | 3.7 |
| China, Wuxi City | 593 | 100.0 | – | 5.1 | 455 | 100.0 | – | 3.7 |
| China, Wuzhou City | 97 | 100.0 | – | 5.2 | 87 | 100.0 | – | 4.5 |
| China, Xiangfu District, Kaifeng City | 125 | 100.0 | – | 6.7 | 100 | 99.0 | – | 4.8 |
| China, Xianju County | 104 | 100.0 | – | 5.5 | 70 | 100.0 | – | 3.7 |
| *China, Xin'an County | 26 | 96.2 | – | 2.5 | 14 | 92.9 | – | 1.5 |
| *China, Xining City | 103 | 100.0 | – | 4.9 | 72 | 100.0 | – | 2.7 |
| *China, Xinji City | 109 | 100.0 | – | 4.5 | 76 | 100.0 | – | 3.1 |
| *China, Xinluo District, Longyan City | 50 | 98.0 | – | 4.2 | 36 | 100.0 | – | 3.7 |
| *China, Xinzhou District, Shangrao City | 64 | 98.4 | 0.0 | 4.9 | 53 | 94.3 | 1.9 | 3.8 |
| China, Xiping County | 201 | 94.0 | 0.0 | 7.7 | 139 | 86.3 | 2.2 | 4.9 |
| *China, Xishan District, Kunming City | 100 | 100.0 | – | 7.2 | 67 | 100.0 | – | 4.4 |
| *China, Xuyi County | 68 | 95.6 | 1.5 | 2.8 | 21 | 95.2 | 4.8 | 0.8 |
| *China, Ya'an City | 304 | 98.0 | – | 5.9 | 187 | 98.4 | – | 3.7 |
| *China, Yakeshi City | 47 | 100.0 | – | 3.5 | 45 | 100.0 | – | 2.8 |
| China, Yancheng City | 228 | 93.4 | – | 4.1 | 140 | 95.0 | – | 2.4 |
| *China, Yangquan City | 134 | 98.5 | 0.7 | 6.5 | 98 | 99.0 | 1.0 | 4.5 |
| *China, Yangzhong City | 19 | 73.7 | – | 1.4 | 13 | 76.9 | – | 1.0 |
| *China, Yanji City | 62 | 91.9 | – | 3.7 | 56 | 87.5 | – | 2.4 |
| *China, Yanshi City | 114 | 99.1 | – | 5.5 | 92 | 98.9 | – | 4.1 |
| China, Yanting County | 105 | 100.0 | – | 7.3 | 65 | 100.0 | – | 4.3 |
| *China, Yi'an District, Tongling City | 52 | 90.4 | 0.0 | 5.5 | 38 | 86.8 | 5.3 | 4.4 |
| *China, Yingdong District, Fuyang City | 91 | 100.0 | – | 4.5 | 56 | 100.0 | – | 2.8 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81–90,C96) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 85 | 100.0 | – | 9.8 | 51 | 100.0 | – | 5.2 |
| *China, Yiyuan County | 55 | 94.5 | 3.6 | 3.1 | 57 | 94.7 | 1.8 | 3.1 |
| China, Yong'an City | 60 | 100.0 | – | 4.7 | 47 | 97.9 | – | 3.9 |
| *China, Yongding District, Longyan City | 92 | 100.0 | – | 6.0 | 60 | 100.0 | – | 3.8 |
| China, Yongkang City | 165 | 98.2 | 1.8 | 7.4 | 108 | 95.4 | 3.7 | 5.1 |
| *China, Yucheng County | 34 | 97.1 | – | 1.8 | 23 | 95.7 | – | 1.2 |
| China, Yueyanglou District, Yueyang City | 79 | 98.7 | 1.3 | 7.1 | 63 | 98.4 | 1.6 | 6.5 |
| China, Yunmeng County | 102 | 100.0 | – | 6.4 | 62 | 100.0 | – | 3.6 |
| *China, Yunyang District, Shiyuan City | 26 | 96.2 | 3.8 | 2.7 | 14 | 100.0 | 0.0 | 1.4 |
| China, Yuzhong District, Chongqing City | 254 | 96.5 | 3.1 | 11.7 | 174 | 97.7 | 1.7 | 7.4 |
| *China, Zhanhuang County | 24 | 95.8 | – | 2.9 | 24 | 95.8 | – | 3.0 |
| *China, Zhangjiagang City | 343 | 100.0 | – | 8.2 | 255 | 100.0 | – | 5.5 |
| *China, Zhaoyuan City | 121 | 99.2 | 0.8 | 5.1 | 105 | 98.1 | 0.0 | 4.0 |
| *China, Zhengding County | 59 | 100.0 | – | 4.7 | 83 | 100.0 | – | 6.0 |
| *China, Zhongshan City | 359 | 99.4 | – | 7.4 | 252 | 100.0 | – | 4.6 |
| China, Zhongxiang City | 214 | 96.3 | – | 6.7 | 162 | 96.3 | – | 5.2 |
| *China, Zhuanghe City | 122 | 100.0 | – | 3.3 | 84 | 100.0 | – | 2.1 |
| *China, Zhuhai City | 269 | 97.0 | 2.6 | 7.8 | 179 | 97.2 | 2.2 | 5.2 |
| India, Ahmedabad, Urban | 654 | 99.2 | 0.2 | 5.4 | 388 | 99.2 | 0.0 | 3.4 |
| India, Aurangabad | 111 | 100.0 | – | 3.7 | 59 | 100.0 | – | 1.9 |
| India, Bangalore | 1155 | 91.8 | 6.8 | 9.8 | 732 | 89.9 | 8.9 | 6.5 |
| India, Barshi, Paranda, and Bhum | 43 | 100.0 | – | 2.9 | 18 | 94.4 | – | 1.3 |
| *India, Bhopal | 158 | 98.7 | – | 6.0 | 91 | 100.0 | – | 3.5 |
| India, Chandigarh | 176 | 100.0 | – | 7.4 | 132 | 100.0 | – | 6.4 |
| *India, Chennai | 919 | 98.4 | 1.6 | 7.7 | 640 | 96.6 | 3.4 | 5.1 |
| India, Dibrugarh | 77 | 96.1 | 3.9 | 2.6 | 60 | 100.0 | 0.0 | 2.2 |
| *India, Dindigul, Ambilikkaik | 170 | 98.2 | 1.8 | 2.8 | 105 | 100.0 | 0.0 | 1.8 |
| India, Kamrup Urban District | 205 | 94.6 | 4.9 | 8.6 | 123 | 98.4 | 1.6 | 5.2 |
| India, Kollam | 597 | 99.2 | 0.2 | 9.8 | 441 | 99.3 | 0.0 | 6.1 |
| *India, Manipur | 213 | 98.6 | 1.4 | 4.2 | 193 | 97.9 | 2.1 | 3.8 |
| India, Meghalaya | 59 | 94.9 | 3.4 | 1.9 | 39 | 100.0 | 0.0 | 1.3 |
| India, Mizoram | 66 | 100.0 | – | 3.6 | 43 | 100.0 | – | 2.3 |
| India, Mumbai | 2331 | 99.1 | 0.5 | 7.4 | 1629 | 99.2 | 0.7 | 5.4 |
| *India, New Delhi | 2386 | 99.0 | 0.4 | 10.5 | 1315 | 98.8 | 0.5 | 6.4 |
| India, Poona | 743 | 99.3 | – | 6.0 | 469 | 99.8 | – | 3.9 |
| *India, Sangrur District | 83 | 98.8 | – | 3.2 | 50 | 100.0 | – | 2.0 |
| India, SAS Nagar | 147 | 100.0 | – | 5.8 | 120 | 100.0 | – | 5.1 |
| *India, Tamil Nadu | 7276 | 99.5 | 0.5 | 3.7 | 4355 | 99.3 | 0.7 | 2.1 |
| *India, Tripura | 263 | 99.6 | – | 3.8 | 116 | 97.4 | – | 1.7 |
| India, Trivandrum | 805 | 99.5 | – | 10.4 | 565 | 99.8 | – | 6.4 |
| India, Wardha | 125 | 100.0 | – | 3.5 | 74 | 100.0 | – | 1.9 |
| India, West Arunachal | 34 | 97.1 | – | 3.4 | 21 | 100.0 | – | 1.8 |
| *Iran (Islamic Republic of), Ardabil Province | 183 | 76.5 | 2.2 | 9.5 | 112 | 89.3 | 0.0 | 5.9 |
| *Iran (Islamic Republic of), Golestan Province | 288 | 99.7 | – | 11.8 | 197 | 100.0 | – | 7.4 |
| Israel | 6789 | 96.2 | 2.9 | 27.7 | 5877 | 96.1 | 3.0 | 21.0 |
| *Israel: Jews | 5859 | 96.1 | 3.0 | 29.0 | 5020 | 96.0 | 3.2 | 21.8 |
| *Israel: Arabs | 695 | 97.0 | 2.0 | 20.6 | 636 | 97.0 | 1.9 | 18.1 |
| Japan | 58557 | 90.2 | 4.9 | 13.1 | 51351 | 88.2 | 6.1 | 9.8 |
| Japan, Aichi Prefecture | 3216 | 93.7 | 2.1 | 13.0 | 2692 | 91.7 | 2.9 | 9.8 |
| *Japan, Akita Prefecture | 476 | 93.5 | 0.2 | 11.9 | 477 | 92.9 | 0.0 | 10.0 |
| Japan, Aomori Prefecture | 946 | 91.4 | 0.7 | 11.9 | 957 | 89.6 | 1.5 | 9.1 |
| Japan, Gunma Prefecture | 858 | 92.8 | 2.2 | 11.6 | 731 | 91.1 | 2.6 | 8.7 |
| Japan, Hiroshima Prefecture | 2244 | 93.8 | 1.2 | 16.5 | 2032 | 90.6 | 2.6 | 12.3 |
| Japan, Miyagi Prefecture | 1771 | 92.3 | 2.9 | 13.3 | 1551 | 89.2 | 4.8 | 10.4 |
| Japan, Osaka Prefecture | 3845 | 92.9 | 3.5 | 13.1 | 3389 | 91.2 | 4.9 | 9.8 |
| Kuwait | 753 | 99.5 | 0.1 | 8.8 | 523 | 99.4 | 0.4 | 9.4 |
| *Kuwait: Kuwaitis | 363 | 99.7 | 0.0 | 16.1 | 308 | 99.7 | 0.3 | 11.5 |
| *Kuwait: Non-Kuwaitis | 390 | 99.2 | 0.3 | 6.3 | 215 | 99.1 | 0.5 | 8.1 |
| *Philippines, Manila | 783 | 93.0 | 2.2 | 6.5 | 765 | 94.9 | 1.3 | 5.4 |
| *Qatar: Qatari | 78 | 98.7 | 1.3 | 14.6 | 45 | 93.3 | 0.0 | 7.7 |
| Republic of Korea | 20151 | 97.7 | 0.7 | 11.2 | 16143 | 96.8 | 1.1 | 7.9 |
| *Republic of Korea, Busan | 1357 | 96.0 | 0.8 | 10.3 | 1171 | 95.5 | 1.0 | 7.7 |
| *Republic of Korea, Daegu | 940 | 97.7 | 1.2 | 11.0 | 767 | 97.5 | 0.5 | 7.7 |
| *Republic of Korea, Daejeon | 570 | 97.9 | 0.7 | 11.6 | 472 | 97.7 | 0.2 | 8.3 |
| *Republic of Korea, Gwangju | 532 | 97.9 | 0.8 | 12.0 | 422 | 98.3 | 1.2 | 7.8 |
| Republic of Korea, Incheon | 1012 | 98.2 | 0.4 | 10.6 | 828 | 97.7 | 1.1 | 7.4 |
| Republic of Korea, Jeju | 198 | 98.5 | 0.5 | 8.8 | 164 | 97.0 | 0.0 | 6.5 |
| Republic of Korea, Seoul | 4140 | 98.2 | 0.6 | 12.2 | 3310 | 97.1 | 1.2 | 8.4 |
| Republic of Korea, Ulsan | 430 | 97.9 | 0.0 | 11.7 | 316 | 98.4 | 0.9 | 8.2 |
| Singapore | 1875 | 98.9 | – | 13.8 | 1457 | 97.5 | – | 9.9 |
| Singapore: Chinese | 1367 | 98.8 | – | 12.7 | 1071 | 97.7 | – | 8.9 |
| Singapore: Indian | 122 | 100.0 | – | 11.5 | 84 | 95.2 | – | 8.8 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81–90,C96) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 328 | 98.8 | – | 22.2 | 264 | 97.3 | – | 16.3 |
| Thailand, Bangkok | 1153 | 98.5 | 0.1 | 6.8 | 1122 | 97.9 | 0.4 | 5.4 |
| *Thailand, Chiang Mai | 499 | 100.0 | – | 9.3 | 450 | 100.0 | – | 7.4 |
| *Thailand, Khon Kaen | 459 | 100.0 | – | 8.0 | 337 | 99.7 | – | 5.1 |
| Thailand, Lampang | 314 | 100.0 | 0.0 | 11.3 | 229 | 99.6 | 0.4 | 7.2 |
| Thailand, Lopburi Province | 296 | 100.0 | – | 14.0 | 250 | 100.0 | – | 10.6 |
| *Thailand, Songkhla | 374 | 100.0 | – | 9.1 | 309 | 100.0 | – | 6.7 |
| Turkey, Antalya | 827 | 99.4 | 0.1 | 13.6 | 619 | 99.7 | 0.2 | 9.7 |
| Turkey, Bursa | 748 | 99.7 | 0.3 | 9.6 | 598 | 98.8 | 1.0 | 7.0 |
| *Turkey, Edirne | 156 | 100.0 | – | 11.0 | 139 | 100.0 | – | 8.6 |
| *Turkey, Erzurum | 267 | 99.3 | 0.4 | 14.3 | 181 | 98.9 | 0.0 | 9.1 |
| Turkey, Eskişehir | 332 | 99.7 | – | 13.1 | 302 | 100.0 | – | 10.5 |
| Turkey, Gaziantep | 532 | 98.9 | 0.4 | 14.3 | 359 | 98.3 | 0.3 | 8.8 |
| *Turkey, Izmir | 1789 | 97.9 | 0.8 | 14.3 | 1476 | 97.4 | 0.9 | 10.6 |
| Turkey, Malatya | 296 | 98.0 | 2.0 | 13.8 | 168 | 98.8 | 0.6 | 7.0 |
| Turkey, Samsun | 556 | 99.6 | – | 14.1 | 464 | 98.9 | – | 10.7 |
| Turkey, Trabzon | 415 | 100.0 | – | 17.7 | 296 | 100.0 | – | 10.6 |
| Europe | | | | | | | | |
| Austria | 5663 | 89.9 | 4.6 | 15.2 | 4853 | 86.9 | 7.0 | 11.0 |
| Austria, Carinthia | 488 | 96.1 | 0.8 | 18.2 | 419 | 96.7 | 1.4 | 13.4 |
| Austria, Tyrol | 535 | 98.9 | 0.0 | 16.9 | 453 | 97.6 | 1.3 | 13.0 |
| Austria, Vorarlberg | 303 | 96.7 | – | 18.2 | 262 | 97.7 | – | 14.2 |
| Belarus | 3158 | 100.0 | – | 11.0 | 3612 | 100.0 | – | 8.9 |
| *Belgium | 10033 | 99.7 | – | 21.1 | 7814 | 99.5 | – | 14.2 |
| Croatia | 2701 | 94.4 | 3.3 | 15.7 | 2620 | 95.2 | 2.4 | 12.5 |
| Cyprus | 633 | 95.9 | 4.1 | 20.9 | 562 | 95.7 | 4.3 | 16.5 |
| *Czech Republic | 6194 | 100.0 | – | 14.1 | 5664 | 100.0 | – | 10.8 |
| Denmark | 5746 | 97.5 | – | 22.5 | 4462 | 97.0 | – | 15.5 |
| Estonia | 814 | 98.6 | 0.7 | 16.7 | 955 | 98.1 | 0.7 | 12.9 |
| Finland | 5081 | 92.2 | 0.8 | 19.9 | 4435 | 90.9 | 0.9 | 14.6 |
| *France, Bas-Rhin | 868 | 98.8 | – | 22.8 | 724 | 98.3 | – | 15.9 |
| *France, Calvados | 632 | 97.6 | – | 20.3 | 519 | 97.5 | – | 13.8 |
| *France, Doubs | 518 | 100.0 | – | 21.8 | 400 | 99.2 | – | 15.3 |
| *France, Gironde | 1583 | 99.2 | – | 25.2 | 1241 | 99.0 | – | 15.7 |
| *France, Haut-Rhin | 703 | 100.0 | – | 21.4 | 602 | 99.7 | – | 14.8 |
| *France, Hérault | 1101 | 99.9 | – | 22.5 | 873 | 99.8 | – | 14.8 |
| *France, Isère | 1147 | 99.4 | – | 22.8 | 904 | 99.2 | – | 15.1 |
| *France, Lille-Métropole | 562 | 99.6 | – | 20.9 | 538 | 99.1 | – | 15.0 |
| *France, Limousin | 391 | 100.0 | – | 20.7 | 323 | 99.7 | – | 13.5 |
| *France, Loire-Atlantique | 1519 | 99.3 | – | 27.2 | 1214 | 99.1 | – | 17.3 |
| *France, Manche | 488 | 98.6 | – | 19.5 | 406 | 96.6 | – | 15.1 |
| *France, Poitou-Charentes | 2379 | 99.2 | – | 25.7 | 1775 | 98.1 | – | 16.8 |
| *France, Somme | 417 | 97.6 | – | 17.7 | 379 | 98.9 | – | 13.8 |
| *France, Tarn | 403 | 99.5 | – | 20.1 | 338 | 98.5 | – | 15.5 |
| *France, Territoire de Belfort | 99 | 100.0 | – | 18.9 | 73 | 98.6 | – | 11.7 |
| *France, Vendée | 820 | 99.0 | – | 25.0 | 658 | 98.3 | – | 17.8 |
| Germany, Baden-Württemberg | 5631 | 70.4 | 5.7 | 17.7 | 4705 | 66.1 | 7.6 | 12.8 |
| Germany, Bavaria | 10304 | 90.4 | 6.6 | 17.1 | 8099 | 88.8 | 7.9 | 11.8 |
| Germany, Bremen | 692 | 90.2 | 9.2 | 22.2 | 536 | 88.6 | 10.4 | 13.6 |
| Germany, Hamburg | 1618 | 87.9 | 2.0 | 20.1 | 1431 | 87.4 | 2.6 | 14.7 |
| Germany, Lower Saxony | 7970 | 90.4 | 6.6 | 19.8 | 6327 | 89.3 | 7.2 | 13.7 |
| Germany, North Rhine-Westphalia | 16388 | 74.2 | 9.6 | 19.4 | 13226 | 71.0 | 12.6 | 13.0 |
| Germany, Rhineland-Palatinate | 3875 | 87.0 | 12.2 | 19.1 | 3118 | 84.6 | 14.9 | 13.3 |
| Germany, Saarland | 996 | 86.3 | 4.6 | 19.4 | 900 | 86.3 | 5.9 | 15.0 |
| Germany, Schleswig-Holstein | 3225 | 84.9 | 2.3 | 22.0 | 2544 | 83.5 | 2.8 | 14.4 |
| Iceland | 247 | 98.4 | – | 19.2 | 228 | 99.6 | – | 17.6 |
| Ireland | 3728 | 96.1 | 0.2 | 22.1 | 2880 | 96.3 | 0.4 | 16.0 |
| *Italy, Aosta Valley | 80 | 91.2 | 1.2 | 15.7 | 72 | 84.7 | 0.0 | 15.1 |
| *Italy, Avellino | 265 | 85.7 | 1.5 | 25.5 | 193 | 83.9 | 1.6 | 16.3 |
| Italy, Basilicata | 453 | 84.5 | 0.0 | 18.3 | 407 | 80.1 | 0.2 | 15.3 |
| *Italy, Benevento | 214 | 97.7 | 0.9 | 22.6 | 179 | 93.9 | 1.7 | 16.9 |
| Italy, Bergamo | 1092 | 99.2 | 0.0 | 22.6 | 919 | 97.8 | 0.4 | 17.3 |
| *Italy, Brescia | 949 | 96.9 | 0.0 | 19.4 | 829 | 94.8 | 0.2 | 15.1 |
| Italy, Brianza (Lecco and Monza e Brianza) | 620 | 94.4 | 0.3 | 20.2 | 518 | 95.0 | 0.6 | 14.2 |
| Italy, Calabria | 431 | 94.7 | 0.2 | 19.6 | 347 | 92.5 | 0.6 | 14.0 |
| *Italy, Caserta | 526 | 93.9 | 0.4 | 20.5 | 495 | 91.9 | 1.2 | 16.7 |
| *Italy, Catania, Messina, and Enna | 1610 | 98.0 | 0.4 | 20.8 | 1220 | 98.4 | 0.4 | 13.6 |
| Italy, Emilia-Romagna | 3964 | 97.4 | 0.5 | 23.1 | 3205 | 97.4 | 0.4 | 16.6 |
| Italy, Friuli-Venezia Giulia | 1271 | 99.8 | – | 21.3 | 1124 | 99.6 | – | 17.2 |
| Italy, Genova | 789 | 91.3 | 0.5 | 22.6 | 699 | 89.8 | 0.3 | 16.1 |
| *Italy, Lombardy, South, Pavia | 553 | 94.6 | 0.2 | 20.5 | 490 | 92.0 | 0.4 | 15.5 |
| Italy, Mantova and Cremona | 691 | 99.7 | 0.1 | 23.1 | 589 | 99.7 | 0.0 | 17.8 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81–90,C96) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 1373 | 96.7 | 0.7 | 23.0 | 1140 | 95.8 | 0.7 | 17.3 |
| Italy, Milan | 3271 | 93.7 | 0.4 | 21.7 | 2934 | 92.8 | 0.2 | 16.4 |
| Italy, Molise | 186 | 88.7 | 1.6 | 22.7 | 159 | 94.3 | 0.0 | 17.4 |
| *Italy, Naples Centre | 461 | 85.0 | 0.7 | 20.7 | 409 | 83.6 | 1.2 | 16.1 |
| *Italy, Naples North | 534 | 96.8 | 0.4 | 19.4 | 431 | 95.4 | 2.6 | 14.1 |
| *Italy, Naples South | 783 | 94.0 | 1.0 | 19.5 | 724 | 93.9 | 0.7 | 16.1 |
| *Italy, Nuoro | 123 | 90.2 | – | 22.1 | 125 | 92.8 | – | 19.3 |
| *Italy, Palermo | 929 | 95.7 | 1.0 | 18.6 | 735 | 93.9 | 1.5 | 13.2 |
| Italy, Puglia | 3409 | 93.1 | 0.6 | 19.6 | 3050 | 91.0 | 1.4 | 16.1 |
| *Italy, Ragusa and Caltanissetta | 473 | 97.0 | 0.6 | 19.6 | 324 | 95.4 | 0.6 | 12.6 |
| *Italy, Salerno | 683 | 91.4 | 0.3 | 19.4 | 618 | 89.5 | 0.8 | 15.9 |
| Italy, Sassari | 180 | 86.7 | 0.6 | 19.9 | 165 | 80.0 | 1.8 | 15.6 |
| *Italy, Sondrio | 190 | 100.0 | – | 19.4 | 159 | 100.0 | – | 14.5 |
| Italy, South Tyrol | 435 | 99.3 | 0.0 | 18.6 | 371 | 97.0 | 0.3 | 14.9 |
| *Italy, Syracuse | 295 | 95.9 | 0.3 | 17.9 | 232 | 97.4 | 0.9 | 13.3 |
| Italy, Trento | 554 | 96.2 | – | 23.7 | 506 | 95.5 | – | 18.3 |
| Italy, Turin | 2463 | 97.7 | 0.8 | 23.1 | 2051 | 97.2 | 0.6 | 16.9 |
| *Italy, Tuscany | 2521 | 88.0 | 0.4 | 26.5 | 2137 | 83.7 | 1.2 | 18.7 |
| Italy, Umbria | 707 | 92.2 | 0.7 | 20.2 | 610 | 91.1 | 1.0 | 14.9 |
| Italy, Varese | 454 | 98.9 | 0.2 | 18.3 | 388 | 99.0 | 0.3 | 13.6 |
| Italy, Veneto | 4832 | 97.1 | 0.5 | 22.0 | 4289 | 96.3 | 0.9 | 17.1 |
| Latvia | 905 | 84.9 | 1.5 | 13.2 | 986 | 86.5 | 1.5 | 9.5 |
| *Liechtenstein | 25 | 100.0 | – | 13.7 | 22 | 100.0 | – | 12.1 |
| *Lithuania | 1361 | 94.3 | 5.3 | 12.9 | 1567 | 93.4 | 6.1 | 10.2 |
| Malta | 385 | 96.1 | 2.1 | 20.8 | 317 | 96.2 | 1.9 | 15.5 |
| *The Netherlands | 15792 | 99.5 | – | 21.4 | 11520 | 99.3 | – | 14.4 |
| Norway | 4720 | 96.7 | 0.6 | 21.9 | 3625 | 96.0 | 0.7 | 15.0 |
| Poland, Kielce | 549 | 99.8 | – | 11.5 | 494 | 100.0 | – | 8.3 |
| *Portugal, Azores | 150 | 98.7 | 0.0 | 21.5 | 106 | 96.2 | 3.8 | 13.9 |
| Russian Federation, Arkhangelsk | 180 | 100.0 | – | 5.3 | 175 | 100.0 | – | 3.8 |
| Russian Federation, Kaliningrad | 136 | 100.0 | – | 4.8 | 182 | 100.0 | – | 5.4 |
| Russian Federation, Karelia | 111 | 100.0 | – | 5.7 | 173 | 100.0 | – | 6.2 |
| *Russian Federation, Komi Republic | 151 | 100.0 | – | 6.5 | 157 | 100.0 | – | 4.9 |
| Russian Federation, Murmansk | 112 | 100.0 | – | 5.7 | 123 | 100.0 | – | 4.3 |
| *Russian Federation, Orenburg | 552 | 86.8 | 2.5 | 9.4 | 631 | 88.0 | 2.4 | 7.8 |
| Russian Federation, Pskov | 117 | 100.0 | – | 5.7 | 164 | 100.0 | – | 6.0 |
| *Russian Federation, Samara | 952 | 95.5 | 4.5 | 9.8 | 1200 | 97.6 | 2.3 | 8.9 |
| Russian Federation, Vologda Region | 161 | 100.0 | – | 4.8 | 207 | 100.0 | – | 4.6 |
| Slovenia | 1504 | 100.0 | – | 17.0 | 1384 | 100.0 | – | 13.2 |
| Spain, Asturias | 647 | 98.8 | 0.6 | 21.0 | 607 | 99.0 | 0.3 | 15.4 |
| Spain, Basque Country | 1670 | 98.4 | 0.3 | 21.6 | 1388 | 98.1 | 0.1 | 15.5 |
| Spain, Canary Islands | 1072 | 97.5 | 0.1 | 19.6 | 918 | 97.1 | 0.2 | 14.9 |
| Spain, Castellón | 364 | 100.0 | – | 15.4 | 317 | 100.0 | – | 11.4 |
| Spain, Girona | 600 | 98.7 | 0.5 | 20.2 | 440 | 98.2 | 0.9 | 12.7 |
| Spain, Granada | 577 | 97.9 | 0.3 | 16.5 | 528 | 97.2 | 0.8 | 13.4 |
| Spain, La Rioja | 236 | 98.7 | 1.3 | 17.1 | 217 | 97.7 | 0.5 | 14.5 |
| Spain, Murcia | 1043 | 98.2 | 0.6 | 19.8 | 849 | 98.7 | 0.7 | 14.3 |
| Spain, Navarra | 402 | 97.0 | 0.2 | 18.8 | 305 | 96.1 | 0.7 | 11.8 |
| Spain, Salamanca | 320 | 98.4 | 0.0 | 20.6 | 326 | 97.9 | 0.9 | 16.6 |
| Spain, Tarragona | 619 | 98.2 | 0.6 | 18.2 | 472 | 99.4 | 0.0 | 13.2 |
| *Sweden | 8376 | 99.0 | – | 17.8 | 6286 | 98.8 | – | 12.3 |
| Switzerland, Aargau | 542 | 96.5 | 3.0 | 18.8 | 439 | 95.2 | 2.7 | 13.5 |
| Switzerland, Basel | 479 | 95.8 | 4.0 | 21.7 | 401 | 94.5 | 4.2 | 14.8 |
| Switzerland, Berne Solothurn | 879 | 97.8 | 0.8 | 23.1 | 685 | 97.5 | 1.0 | 15.4 |
| Switzerland, East | 749 | 98.3 | 0.0 | 20.5 | 564 | 94.9 | 0.5 | 14.1 |
| *Switzerland, Fribourg | 270 | 99.3 | – | 22.6 | 207 | 100.0 | – | 16.1 |
| Switzerland, Geneva | 399 | 97.2 | 0.0 | 21.3 | 369 | 93.8 | 1.6 | 16.3 |
| *Switzerland, Graubünden and Glarus | 226 | 97.3 | 0.9 | 19.7 | 191 | 98.4 | 0.0 | 14.3 |
| *Switzerland, Lucerne | 453 | 96.7 | 1.3 | 20.2 | 360 | 95.6 | 1.7 | 15.0 |
| *Switzerland, Neuchâtel and Jura | 268 | 98.9 | 0.4 | 26.1 | 205 | 98.0 | 0.0 | 16.0 |
| Switzerland, Ticino | 450 | 98.7 | 0.2 | 27.0 | 351 | 97.4 | 0.6 | 17.4 |
| Switzerland, Valais | 321 | 96.0 | – | 21.4 | 241 | 97.9 | – | 15.1 |
| Switzerland, Vaud | 590 | 95.1 | 1.5 | 19.5 | 480 | 93.5 | 2.1 | 13.7 |
| Switzerland, Zurich and Zug | 1529 | 99.1 | 0.4 | 23.4 | 1125 | 98.5 | 0.4 | 15.2 |
| Ukraine | 9535 | 99.2 | 0.0 | 8.9 | 10042 | 99.1 | 0.0 | 7.2 |
| UK, England | 53422 | 90.1 | 0.7 | 22.3 | 42025 | 89.7 | 0.9 | 15.6 |
| UK, Northern Ireland | 1573 | 94.2 | 0.3 | 20.9 | 1244 | 90.8 | 0.5 | 14.1 |
| UK, Scotland | 4890 | 95.6 | 0.1 | 20.5 | 4045 | 94.8 | 0.1 | 14.2 |
| UK, Wales | 2885 | 79.7 | 1.1 | 19.9 | 2354 | 77.7 | 1.2 | 14.4 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 7648 | 95.0 | 0.8 | 23.4 | 5808 | 93.6 | 1.2 | 16.5 |
| *Australia, Northern Territory | 104 | 99.0 | 1.0 | 15.0 | 71 | 100.0 | 0.0 | 11.5 |

* Important. See note on population page.

Indices of data quality Lymphoma (C81–90,C96) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 98 | 99.0 | 1.0 | 17.1 | 63 | 100.0 | 0.0 | 13.7 |
| *Australia, Northern Territory: Indigenous | 6 | 100.0 | – | 4.2 | 8 | 100.0 | – | 5.5 |
| *Australia, Queensland | 4704 | 95.9 | 0.5 | 24.9 | 3554 | 95.4 | 0.8 | 17.7 |
| Australia, South Australia | 1989 | 92.2 | 0.6 | 26.6 | 1493 | 90.9 | 0.8 | 18.0 |
| Australia, Tasmania | 550 | 93.8 | 0.5 | 23.4 | 427 | 89.9 | 1.9 | 16.5 |
| *Australia, Victoria | 6396 | 96.4 | 1.1 | 26.2 | 4849 | 95.6 | 1.6 | 18.2 |
| *Australia, Western Australia | 2268 | 96.5 | 0.7 | 23.8 | 1685 | 96.1 | 1.1 | 16.6 |
| *France, New Caledonia | 141 | 99.3 | – | 18.2 | 89 | 100.0 | – | 10.6 |
| New Zealand | 3999 | 97.8 | 2.1 | 22.0 | 2995 | 97.2 | 2.6 | 14.7 |
| *New Zealand: Maori | 381 | 97.4 | 2.4 | 24.3 | 299 | 96.7 | 3.3 | 16.6 |
| *New Zealand: Pacific peoples | 172 | 98.3 | 1.2 | 26.4 | 160 | 98.8 | 1.2 | 22.1 |
| *New Zealand: Other | 3255 | 97.7 | 2.2 | 22.4 | 2382 | 97.1 | 2.7 | 14.8 |
| USA, Hawaii | 1108 | 96.6 | 0.3 | 18.5 | 835 | 95.6 | 0.5 | 12.8 |
| USA, Hawaii: White | 400 | 97.0 | 0.2 | 21.3 | 242 | 94.6 | 0.4 | 14.9 |
| *USA, Hawaii: Japanese | 192 | 95.8 | 0.5 | 12.7 | 184 | 94.6 | 0.0 | 12.5 |
| *USA, Hawaii: Chinese | 70 | 100.0 | 0.0 | 19.7 | 45 | 95.6 | 2.2 | 9.3 |
| *USA, Hawaii: Hawaiian | 146 | 95.2 | 0.7 | 15.9 | 134 | 97.0 | 0.0 | 13.6 |
| *USA, Hawaii: Filipino | 182 | 97.3 | 0.0 | 19.2 | 146 | 95.9 | 1.4 | 11.9 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95)

| | Male | | | | Female | | | |
|--|--------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Africa | | | | | | | | |
| *Algeria, Batna | 84 | 100.0 | – | 5.0 | 67 | 100.0 | – | 4.0 |
| *Algeria, Tizi Ouzou | 43 | 100.0 | – | 2.6 | 56 | 100.0 | – | 3.3 |
| *Benin, Cotonou | 46 | 97.8 | – | 6.4 | 27 | 100.0 | – | 3.0 |
| *France, La Réunion | 169 | 100.0 | – | 8.8 | 114 | 100.0 | – | 5.0 |
| *Kenya, Eldoret | 82 | 100.0 | – | 5.9 | 75 | 100.0 | – | 5.0 |
| *Kenya, Nairobi | 236 | 93.2 | 6.4 | 5.5 | 183 | 94.5 | 4.9 | 4.6 |
| Mauritius | 193 | 94.3 | – | 5.9 | 162 | 96.9 | – | 4.9 |
| *Morocco, Casablanca | 333 | 95.2 | 4.8 | 3.2 | 271 | 95.9 | 4.1 | 2.5 |
| *Seychelles | 18 | 100.0 | – | 7.7 | 17 | 100.0 | – | 6.0 |
| *South Africa, Eastern Cape | 17 | 41.2 | – | 1.1 | 18 | 50.0 | – | 1.0 |
| *Uganda, Kyadondo County | 139 | 100.0 | – | 3.6 | 101 | 100.0 | – | 2.1 |
| *Uganda, Gulu | 15 | 73.3 | 6.7 | 2.0 | 14 | 64.3 | 7.1 | 1.9 |
| *Zimbabwe, Bulawayo: African | 48 | 97.9 | – | 4.0 | 43 | 100.0 | – | 3.2 |
| *Zimbabwe, Harare: African | 109 | 100.0 | – | 4.2 | 89 | 100.0 | – | 2.9 |
| Central and South America and the Caribbean | | | | | | | | |
| *Argentina, Entre Ríos Province | 79 | 64.6 | 34.2 | 3.8 | 74 | 66.2 | 33.8 | 3.2 |
| *Argentina, Mendoza | 301 | 100.0 | – | 6.2 | 271 | 100.0 | – | 5.0 |
| Brazil, Aracaju | 62 | 95.2 | 4.8 | 5.9 | 56 | 94.6 | 5.4 | 3.8 |
| *Brazil, Barretos | 71 | 77.5 | 21.1 | 6.3 | 67 | 74.6 | 23.9 | 5.4 |
| Brazil, Belo Horizonte | 349 | 78.8 | 21.2 | 5.7 | 293 | 78.8 | 21.2 | 3.3 |
| *Brazil, Campinas | 178 | 84.3 | 15.7 | 8.1 | 154 | 79.2 | 20.1 | 5.5 |
| *Brazil, Curitiba | 231 | 74.0 | 19.5 | 6.4 | 215 | 79.1 | 18.1 | 5.1 |
| Brazil, Goiânia | 129 | 74.4 | 25.6 | 5.3 | 100 | 77.0 | 23.0 | 3.4 |
| *Brazil, Jaú | 19 | 94.7 | – | 5.3 | 19 | 100.0 | – | 4.3 |
| Brazil, João Pessoa | 81 | 72.8 | 16.0 | 8.0 | 72 | 73.6 | 19.4 | 5.2 |
| Brazil, Recife | 148 | 89.9 | 8.8 | 6.9 | 177 | 89.8 | 5.6 | 5.9 |
| Chile, Region of Antofagasta | 42 | 95.2 | 4.8 | 4.6 | 41 | 100.0 | 0.0 | 4.7 |
| Chile, Valdivia | 78 | 89.7 | 2.6 | 7.1 | 61 | 90.2 | 4.9 | 5.2 |
| Colombia, Bucaramanga | 246 | 93.9 | 2.8 | 9.2 | 218 | 89.4 | 6.0 | 6.8 |
| Colombia, Cali | 691 | 98.1 | – | 12.1 | 528 | 97.9 | – | 7.6 |
| Colombia, Manizales | 72 | 66.7 | – | 6.4 | 52 | 61.5 | – | 3.8 |
| Colombia, Pasto | 61 | 86.9 | 9.8 | 6.2 | 62 | 85.5 | 6.5 | 5.6 |
| Costa Rica | 528 | 70.5 | 4.7 | 5.8 | 393 | 61.8 | 6.9 | 4.1 |
| Ecuador, Guayaquil | 425 | 95.5 | 2.8 | 7.2 | 407 | 95.8 | 2.0 | 6.5 |
| Ecuador, Manabí | 197 | 92.9 | 4.1 | 5.2 | 177 | 89.8 | 6.8 | 4.7 |
| Ecuador, Quito | 424 | 96.2 | 3.5 | 10.0 | 394 | 89.3 | 8.4 | 8.4 |
| *France, Guadeloupe | 109 | 90.8 | – | 8.0 | 81 | 88.9 | – | 5.3 |
| *France, Martinique | 128 | 100.0 | – | 8.2 | 108 | 100.0 | – | 5.0 |
| *Peru, Lima | 1063 | 88.6 | 6.7 | 7.8 | 984 | 86.3 | 9.6 | 6.5 |
| *Trinidad and Tobago | 111 | 100.0 | 0.0 | 5.0 | 72 | 98.6 | 1.4 | 3.0 |
| USA, Puerto Rico | 1144 | 90.6 | 2.8 | 8.8 | 969 | 90.5 | 3.1 | 6.9 |
| *Uruguay | 789 | 80.9 | 18.4 | 7.1 | 662 | 76.7 | 22.4 | 5.1 |
| North America | | | | | | | | |
| Canada, Alberta | 1898 | 99.7 | 0.1 | 13.3 | 1208 | 99.2 | 0.1 | 8.3 |
| Canada, British Columbia | 2234 | 98.4 | 0.5 | 10.8 | 1498 | 97.5 | 0.9 | 7.3 |
| *Canada, Manitoba | 675 | 100.0 | – | 13.4 | 432 | 99.1 | – | 8.2 |
| *Canada, New Brunswick | 511 | 98.6 | 0.2 | 13.7 | 370 | 98.1 | 0.0 | 9.6 |
| *Canada, Newfoundland and Labrador | 202 | 96.0 | 0.5 | 9.8 | 147 | 89.8 | 2.0 | 6.4 |
| Canada, Ontario | 8271 | 75.8 | 0.7 | 15.2 | 5859 | 70.8 | 1.3 | 9.6 |
| *Canada, Prince Edward Island | 69 | 27.5 | – | 11.4 | 49 | 34.7 | – | 7.1 |
| Canada, Quebec | 4445 | 92.1 | 7.5 | 12.4 | 3121 | 89.1 | 10.5 | 7.9 |
| Canada, Saskatchewan | 676 | 95.9 | 1.5 | 14.8 | 425 | 93.9 | 1.2 | 8.9 |
| *Canada, Yukon | 13 | 100.0 | – | 12.5 | 5 | 100.0 | – | 4.6 |
| USA | 162708 | 91.0 | 4.1 | 13.6 | 116163 | 90.0 | 4.6 | 8.8 |
| USA: White | 142383 | 90.8 | 4.1 | 14.2 | 99369 | 89.5 | 4.9 | 9.2 |
| USA: Black | 12992 | 91.4 | 3.9 | 10.6 | 11221 | 91.8 | 3.8 | 7.3 |
| USA, NPCR | 157462 | 90.9 | 4.2 | 13.6 | 112299 | 89.9 | 4.8 | 8.8 |
| USA, NPCR: White | 137853 | 90.7 | 4.3 | 14.3 | 96026 | 89.5 | 5.0 | 9.2 |
| USA, NPCR: Black | 12825 | 91.4 | 4.0 | 10.6 | 11083 | 91.8 | 3.8 | 7.3 |
| USA, NPCR: Asian and Pacific Islander | 4022 | 93.8 | 3.3 | 8.0 | 3111 | 94.0 | 2.7 | 5.5 |
| USA, NPCR: American Indian | 689 | 91.0 | 4.5 | 6.4 | 503 | 91.7 | 3.4 | 4.2 |
| *USA, SEER (18 registries) | 40562 | 93.2 | 0.4 | 13.0 | 29373 | 92.1 | 0.5 | 8.5 |
| *USA, SEER (18 registries): White | 34008 | 93.1 | 0.4 | 13.9 | 24151 | 91.7 | 0.5 | 9.0 |
| *USA, SEER (18 registries): Non-Hispanic White | 29156 | 92.6 | 0.4 | 14.1 | 20353 | 91.1 | 0.5 | 9.1 |
| *USA, SEER (18 registries): Hispanic White | 4852 | 95.8 | 0.2 | 10.8 | 3798 | 95.0 | 0.4 | 8.0 |
| *USA, SEER (18 registries): Black | 3292 | 93.5 | 0.4 | 10.5 | 2791 | 93.6 | 0.4 | 7.2 |
| *USA, SEER (18 registries): Asian and Pacific Islander | 2223 | 95.2 | 0.4 | 7.7 | 1749 | 94.1 | 0.2 | 5.5 |
| *USA, SEER (9 registries) | 14590 | 94.0 | 0.3 | 13.4 | 10251 | 92.9 | 0.3 | 8.6 |
| *USA, SEER (9 registries): White | 12182 | 93.8 | 0.2 | 14.3 | 8419 | 92.6 | 0.3 | 9.1 |
| *USA, SEER (9 registries): Black | 1146 | 94.4 | 0.3 | 10.9 | 952 | 94.4 | 0.2 | 7.2 |
| USA, Alabama | 2166 | 86.7 | 8.3 | 12.0 | 1585 | 84.0 | 11.0 | 7.7 |
| USA, Alabama: White | 1709 | 86.3 | 8.9 | 12.4 | 1212 | 83.3 | 11.6 | 8.1 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Alabama: Black | 344 | 86.0 | 7.3 | 9.2 | 293 | 84.0 | 10.2 | 6.0 |
| USA, Alaska | 274 | 85.4 | 6.2 | 11.6 | 165 | 86.7 | 5.5 | 7.5 |
| *USA, Alaska: Alaska Natives | 45 | 95.6 | – | 13.9 | 22 | 86.4 | – | 6.7 |
| USA, Arizona | 2823 | 85.5 | 9.4 | 10.9 | 1878 | 86.0 | 9.9 | 7.2 |
| USA, Arizona: White | 2637 | 85.4 | 9.6 | 11.4 | 1736 | 85.5 | 10.2 | 7.6 |
| USA, Arizona: Black | 68 | 89.7 | 5.9 | 7.1 | 53 | 92.5 | 5.7 | 5.3 |
| *USA, Arizona: Asian and Pacific Islander | 58 | 87.9 | 10.3 | 8.6 | 41 | 97.6 | 2.4 | 5.4 |
| USA, Arizona: American Indian | 54 | 88.9 | 3.7 | 6.0 | 48 | 85.4 | 10.4 | 4.6 |
| USA, Arkansas | 1591 | 93.6 | 5.0 | 13.7 | 1108 | 92.5 | 6.1 | 8.8 |
| USA, Arkansas: White | 1390 | 94.1 | 4.5 | 13.8 | 939 | 92.4 | 6.0 | 8.9 |
| USA, Arkansas: Black | 151 | 96.0 | 2.6 | 11.7 | 123 | 94.3 | 5.7 | 7.4 |
| USA, California | 16164 | 93.2 | 3.6 | 12.5 | 11409 | 92.1 | 4.1 | 8.1 |
| USA, California: White | 13568 | 92.9 | 3.9 | 13.6 | 9389 | 91.6 | 4.4 | 8.7 |
| USA, California: Black | 847 | 94.5 | 2.4 | 10.2 | 648 | 95.2 | 1.5 | 6.9 |
| USA, California: Asian and Pacific Islander | 1403 | 94.9 | 2.4 | 7.6 | 1147 | 92.9 | 3.3 | 5.5 |
| *USA, California, Los Angeles County | 3510 | 96.2 | 0.1 | 11.3 | 2700 | 94.7 | 0.2 | 7.7 |
| *USA, California, Los Angeles County: White | 2812 | 96.1 | 0.1 | 12.5 | 2053 | 94.2 | 0.3 | 8.3 |
| *USA, California, Los Angeles County: Non-Hispanic White | 1690 | 94.8 | 0.1 | 13.5 | 1168 | 92.0 | 0.5 | 8.7 |
| *USA, California, Los Angeles County: Hispanic White | 1122 | 98.0 | – | 10.2 | 885 | 97.1 | – | 7.5 |
| *USA, California, Los Angeles County: Black | 281 | 98.2 | – | 9.5 | 270 | 97.4 | – | 7.5 |
| *USA, California, Los Angeles County: Chinese | 79 | 93.7 | – | 4.3 | 75 | 90.7 | – | 3.7 |
| *USA, California, Los Angeles County: Filipino | 76 | 97.4 | – | 6.7 | 88 | 95.5 | – | 5.9 |
| *USA, California, Los Angeles County: Korean | 36 | 94.4 | 2.8 | 4.2 | 33 | 97.0 | 0.0 | 4.0 |
| *USA, California, Los Angeles County: Asian and Pacific Islander | 333 | 95.8 | 0.3 | 6.5 | 305 | 95.1 | 0.0 | 5.1 |
| *USA, California, San Francisco Bay Area | 1945 | 94.3 | 0.4 | 11.9 | 1258 | 91.8 | 0.2 | 7.1 |
| *USA, California, San Francisco Bay Area: White | 1447 | 94.1 | 0.3 | 13.3 | 922 | 92.1 | 0.2 | 7.9 |
| *USA, California, San Francisco Bay Area: Non-Hispanic White | 1222 | 93.3 | 0.4 | 13.4 | 752 | 91.6 | 0.3 | 7.7 |
| *USA, California, San Francisco Bay Area: Hispanic White | 225 | 98.2 | – | 10.6 | 170 | 94.1 | – | 7.4 |
| *USA, California, San Francisco Bay Area: Black | 142 | 96.5 | – | 10.7 | 101 | 94.1 | – | 6.3 |
| *USA, California, San Francisco Bay Area: Asian and Pacific Islander | 326 | 94.2 | 0.9 | 8.2 | 216 | 89.4 | 0.0 | 5.2 |
| USA, Colorado | 2424 | 90.2 | 3.4 | 12.6 | 1644 | 87.8 | 3.8 | 8.2 |
| USA, Colorado: White | 2271 | 90.2 | 3.5 | 12.8 | 1554 | 87.6 | 3.8 | 8.5 |
| *USA, Colorado: Black | 70 | 91.4 | 1.4 | 9.3 | 40 | 85.0 | 5.0 | 5.5 |
| *USA, Colorado: Asian and Pacific Islander | 41 | 85.4 | 0.0 | 9.3 | 26 | 92.3 | 3.8 | 4.3 |
| USA, Connecticut | 1805 | 86.5 | 0.2 | 12.9 | 1479 | 86.4 | 0.3 | 8.9 |
| USA, Connecticut: White | 1605 | 86.2 | 0.2 | 12.9 | 1327 | 85.8 | 0.3 | 9.1 |
| USA, Connecticut: Black | 109 | 89.9 | – | 9.3 | 99 | 91.9 | – | 6.5 |
| USA, District of Columbia | 178 | 88.2 | 7.3 | 9.4 | 120 | 95.0 | 2.5 | 5.1 |
| USA, District of Columbia: White | 83 | 92.8 | 4.8 | 11.6 | 39 | 92.3 | 2.6 | 4.9 |
| USA, District of Columbia: Black | 88 | 84.1 | 9.1 | 8.1 | 76 | 97.4 | 2.6 | 5.7 |
| USA, Florida | 15427 | 96.1 | 2.1 | 17.0 | 11325 | 96.0 | 2.2 | 11.5 |
| USA, Florida: White | 13624 | 96.0 | 2.2 | 17.4 | 9674 | 95.9 | 2.3 | 11.7 |
| USA, Florida: Black | 1198 | 95.7 | 2.1 | 12.3 | 1052 | 96.3 | 1.7 | 8.9 |
| USA, Florida: Asian and Pacific Islander | 149 | 96.6 | 2.7 | 8.3 | 136 | 95.6 | 0.7 | 5.8 |
| USA, Georgia | 4756 | 90.5 | 3.3 | 13.9 | 3559 | 89.0 | 4.2 | 9.1 |
| USA, Georgia: White | 3640 | 90.1 | 3.7 | 14.9 | 2603 | 88.1 | 4.6 | 9.7 |
| USA, Georgia: Black | 1000 | 90.9 | 2.6 | 11.9 | 860 | 90.9 | 3.0 | 7.8 |
| USA, Georgia: Asian and Pacific Islander | 100 | 99.0 | 0.0 | 9.2 | 78 | 96.2 | 1.3 | 7.1 |
| *USA, Georgia, Atlanta | 1407 | 91.6 | 0.4 | 13.3 | 1048 | 92.5 | 0.6 | 8.3 |
| *USA, Georgia, Atlanta: White | 911 | 91.4 | 0.3 | 14.8 | 654 | 91.6 | 0.8 | 9.5 |
| *USA, Georgia, Atlanta: Black | 430 | 91.2 | 0.5 | 12.0 | 348 | 93.7 | 0.3 | 7.1 |
| USA, Idaho | 960 | 88.0 | 4.2 | 14.9 | 646 | 85.4 | 3.9 | 9.4 |
| USA, Indiana | 3253 | 93.3 | 3.0 | 13.2 | 2300 | 93.5 | 2.3 | 8.3 |
| USA, Indiana: White | 3001 | 93.3 | 3.0 | 13.4 | 2127 | 93.4 | 2.3 | 8.7 |
| USA, Indiana: Black | 202 | 93.6 | 3.0 | 11.5 | 143 | 94.4 | 2.8 | 6.3 |
| *USA, Iowa | 1945 | 97.4 | 0.2 | 15.5 | 1279 | 94.8 | 0.3 | 9.4 |
| USA, Kentucky | 2558 | 88.5 | 3.5 | 15.4 | 1902 | 85.9 | 4.6 | 10.0 |
| USA, Louisiana | 2208 | 91.9 | 2.4 | 13.2 | 1652 | 90.7 | 2.6 | 8.6 |
| USA, Louisiana: White | 1704 | 92.0 | 2.2 | 14.1 | 1242 | 89.8 | 2.9 | 9.5 |
| USA, Louisiana: Black | 482 | 91.9 | 2.5 | 11.3 | 394 | 93.4 | 1.8 | 7.3 |
| *USA, Louisiana, New Orleans | 337 | 91.7 | 0.3 | 11.2 | 303 | 91.1 | 1.0 | 8.2 |
| *USA, Louisiana, New Orleans: White | 216 | 93.1 | 0.5 | 12.4 | 187 | 91.4 | 1.1 | 8.5 |
| *USA, Louisiana, New Orleans: Black | 107 | 90.7 | 0.0 | 9.8 | 106 | 89.6 | 0.9 | 7.8 |
| USA, Maine | 835 | 87.1 | 3.6 | 14.0 | 588 | 87.1 | 4.4 | 9.4 |
| USA, Maryland | 2560 | 84.8 | 6.7 | 12.1 | 1971 | 84.0 | 7.1 | 7.8 |
| USA, Maryland: White | 1938 | 84.7 | 6.2 | 13.3 | 1403 | 80.8 | 8.5 | 8.5 |
| USA, Maryland: Black | 513 | 84.4 | 8.6 | 9.7 | 486 | 90.7 | 4.1 | 6.9 |
| USA, Maryland: Asian and Pacific Islander | 80 | 86.2 | 7.5 | 6.6 | 64 | 96.9 | 1.6 | 4.8 |
| USA, Massachusetts | 3156 | 89.0 | 2.9 | 12.3 | 2371 | 87.0 | 4.8 | 8.0 |
| USA, Massachusetts: White | 2869 | 88.6 | 2.9 | 12.5 | 2114 | 86.3 | 5.3 | 8.0 |
| USA, Massachusetts: Black | 146 | 87.7 | 4.8 | 9.2 | 140 | 92.9 | 0.7 | 7.4 |
| USA, Massachusetts: Asian and Pacific Islander | 88 | 100.0 | 0.0 | 8.0 | 77 | 93.5 | 1.3 | 6.3 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95) (contd)

| | Male | | | | Female | | | |
|---|-------|--------|---------|-------------|--------|--------|---------|-------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, Michigan | 5242 | 90.8 | 4.1 | 13.3 | 3711 | 90.7 | 4.6 | 8.6 |
| USA, Michigan: White | 4656 | 90.2 | 4.4 | 13.8 | 3165 | 89.9 | 5.0 | 8.6 |
| USA, Michigan: Black | 417 | 94.7 | 2.9 | 9.9 | 391 | 94.1 | 3.1 | 7.3 |
| USA, Michigan: Asian and Pacific Islander | 56 | 98.2 | — | 6.7 | 50 | 98.0 | — | 5.6 |
| *USA, Michigan, Detroit | 2149 | 97.4 | 0.3 | 14.8 | 1550 | 96.9 | 0.5 | 9.1 |
| *USA, Michigan, Detroit: White | 1779 | 97.2 | 0.3 | 16.3 | 1207 | 96.9 | 0.5 | 9.7 |
| *USA, Michigan, Detroit: Black | 312 | 98.7 | 0.3 | 10.6 | 298 | 97.0 | 0.3 | 7.6 |
| USA, Minnesota | 3393 | 94.6 | 2.4 | 15.6 | 2146 | 94.2 | 2.9 | 9.3 |
| USA, Minnesota: White | 3214 | 94.5 | 2.5 | 15.9 | 1980 | 93.9 | 3.1 | 9.2 |
| USA, Minnesota: Black | 70 | 94.3 | 2.9 | 10.1 | 50 | 94.0 | 2.0 | 6.3 |
| *USA, Minnesota: Asian and Pacific Islander | 47 | 100.0 | — | 7.8 | 54 | 100.0 | — | 8.1 |
| USA, Mississippi | 1294 | 88.7 | 1.9 | 12.2 | 932 | 89.2 | 2.0 | 7.8 |
| USA, Missouri | 3156 | 90.3 | 5.0 | 13.2 | 2199 | 89.5 | 5.4 | 8.5 |
| USA, Missouri: White | 2900 | 89.9 | 5.3 | 13.6 | 1977 | 89.3 | 5.6 | 8.7 |
| USA, Missouri: Black | 232 | 95.3 | 1.3 | 11.4 | 193 | 90.7 | 3.6 | 7.4 |
| USA, Montana | 676 | 88.8 | 3.8 | 14.6 | 396 | 88.1 | 4.8 | 8.5 |
| *USA, Montana: American Indian | 12 | 91.7 | 8.3 | 6.7 | 17 | 88.2 | 0.0 | 7.9 |
| USA, Nebraska | 1002 | 92.1 | 3.9 | 14.0 | 686 | 91.0 | 5.0 | 9.1 |
| USA, Nebraska: White | 945 | 91.9 | 4.0 | 14.0 | 651 | 90.8 | 5.1 | 9.1 |
| *USA, Nebraska: Black | 26 | 96.2 | 3.8 | 10.2 | 20 | 100.0 | 0.0 | 8.0 |
| USA, Nevada | 1255 | 91.6 | 5.3 | 12.1 | 833 | 92.9 | 4.8 | 7.8 |
| USA, Nevada: White | 1107 | 91.0 | 5.8 | 13.2 | 711 | 91.8 | 5.5 | 8.5 |
| USA, Nevada: Black | 78 | 98.7 | 1.3 | 9.1 | 52 | 98.1 | 1.9 | 5.9 |
| *USA, Nevada: Asian and Pacific Islander | 46 | 95.7 | 4.3 | 5.7 | 55 | 100.0 | 0.0 | 5.1 |
| USA, New Jersey | 4976 | 92.3 | 3.3 | 14.5 | 3786 | 91.3 | 3.9 | 9.7 |
| USA, New Jersey: White | 4177 | 92.2 | 3.3 | 15.2 | 3128 | 90.5 | 4.3 | 10.1 |
| USA, New Jersey: Black | 407 | 91.4 | 2.9 | 10.5 | 383 | 94.0 | 2.6 | 8.0 |
| USA, New Mexico | 938 | 94.1 | 0.5 | 12.2 | 730 | 94.7 | 0.7 | 8.8 |
| USA, New Mexico: White | 841 | 94.1 | 0.6 | 12.5 | 647 | 94.6 | 0.8 | 9.1 |
| USA, New Mexico: Non-Hispanic White | 546 | 94.7 | 0.7 | 12.8 | 411 | 95.1 | 1.0 | 9.9 |
| USA, New Mexico: Hispanic White | 295 | 92.9 | 0.3 | 11.0 | 236 | 93.6 | 0.4 | 8.0 |
| *USA, New Mexico: American Indian | 45 | 91.1 | — | 7.4 | 44 | 97.7 | — | 6.3 |
| USA, New York State | 11724 | 93.6 | 1.9 | 15.7 | 8610 | 92.5 | 2.4 | 9.9 |
| USA, New York State: White | 9985 | 93.3 | 2.0 | 17.2 | 7092 | 91.9 | 2.7 | 10.7 |
| USA, New York State: Black | 1113 | 95.4 | 1.0 | 10.8 | 1094 | 95.2 | 0.9 | 8.0 |
| USA, New York State: Asian and Pacific Islander | 501 | 96.8 | 1.8 | 9.7 | 339 | 95.6 | 0.6 | 6.0 |
| USA, North Carolina | 5147 | 90.9 | 3.7 | 14.0 | 3658 | 90.6 | 4.0 | 8.5 |
| USA, North Carolina: White | 4221 | 90.6 | 3.8 | 14.5 | 2909 | 89.9 | 4.3 | 8.9 |
| USA, North Carolina: Black | 767 | 92.2 | 3.9 | 11.8 | 628 | 92.7 | 3.3 | 7.3 |
| USA, North Carolina: Asian and Pacific Islander | 51 | 94.1 | — | 7.4 | 30 | 96.7 | — | 3.8 |
| *USA, North Carolina: American Indian | 32 | 90.6 | 0.0 | 7.1 | 22 | 90.9 | 4.5 | 3.7 |
| USA, North Dakota | 415 | 92.0 | 3.1 | 15.2 | 279 | 92.5 | 1.8 | 8.4 |
| USA, Ohio | 5396 | 86.1 | 8.2 | 12.0 | 3890 | 84.2 | 9.5 | 7.7 |
| USA, Ohio: White | 4840 | 85.8 | 8.3 | 12.3 | 3427 | 83.6 | 9.9 | 7.9 |
| USA, Ohio: Black | 401 | 85.8 | 8.7 | 9.0 | 372 | 86.0 | 7.8 | 6.6 |
| *USA, Ohio: Asian and Pacific Islander | 55 | 87.3 | 10.9 | 8.3 | 36 | 91.7 | 5.6 | 5.3 |
| USA, Oklahoma | 1936 | 87.7 | 6.2 | 13.0 | 1343 | 88.4 | 5.5 | 8.4 |
| USA, Oklahoma: White | 1667 | 87.2 | 6.2 | 13.2 | 1159 | 87.6 | 6.1 | 8.6 |
| USA, Oklahoma: Black | 118 | 90.7 | 6.8 | 13.3 | 72 | 91.7 | 2.8 | 6.9 |
| USA, Oklahoma: American Indian | 110 | 89.1 | 8.2 | 10.3 | 83 | 94.0 | 1.2 | 7.2 |
| USA, Oregon | 2050 | 91.1 | 5.3 | 13.0 | 1399 | 89.5 | 6.0 | 8.2 |
| USA, Oregon: White | 1931 | 90.9 | 5.5 | 13.1 | 1330 | 89.2 | 6.2 | 8.4 |
| *USA, Oregon: Black | 31 | 93.5 | 0.0 | 12.1 | 19 | 94.7 | 5.3 | 7.6 |
| *USA, Oregon: Asian and Pacific Islander | 46 | 89.1 | 4.3 | 9.4 | 34 | 97.1 | 2.9 | 5.1 |
| USA, Rhode Island | 554 | 92.1 | 4.2 | 13.2 | 409 | 90.2 | 5.1 | 9.2 |
| USA, Rhode Island: White | 522 | 91.8 | 4.4 | 13.7 | 385 | 90.6 | 4.4 | 9.7 |
| *USA, Rhode Island: Black | 21 | 100.0 | 0.0 | 9.3 | 15 | 93.3 | 6.7 | 6.4 |
| USA, South Carolina | 2404 | 87.6 | 7.2 | 12.5 | 1707 | 87.1 | 6.9 | 8.1 |
| USA, South Carolina: White | 1982 | 87.3 | 7.0 | 13.4 | 1318 | 87.5 | 6.8 | 8.5 |
| USA, South Carolina: Black | 376 | 87.8 | 9.0 | 9.2 | 358 | 84.4 | 8.1 | 6.9 |
| USA, South Dakota | 508 | 83.7 | 3.5 | 14.2 | 369 | 82.7 | 2.7 | 11.0 |
| USA, Tennessee | 3281 | 87.4 | 7.3 | 13.4 | 2317 | 87.9 | 6.3 | 8.6 |
| USA, Tennessee: White | 2937 | 87.5 | 7.3 | 14.1 | 1996 | 87.7 | 6.3 | 8.9 |
| USA, Tennessee: Black | 294 | 85.0 | 7.5 | 9.6 | 280 | 89.3 | 7.1 | 7.3 |
| USA, Texas | 11619 | 86.4 | 8.4 | 13.3 | 8276 | 84.6 | 9.5 | 8.6 |
| USA, Texas: White | 10285 | 86.4 | 8.4 | 14.0 | 7225 | 84.3 | 9.6 | 9.1 |
| USA, Texas: Black | 975 | 85.9 | 7.7 | 10.8 | 808 | 85.1 | 9.3 | 7.2 |
| USA, Texas: Asian and Pacific Islander | 294 | 88.1 | 9.5 | 8.6 | 188 | 91.5 | 6.9 | 4.9 |
| USA, Utah | 1205 | 92.9 | 0.2 | 13.4 | 801 | 91.6 | 0.0 | 8.8 |
| USA, Vermont | 324 | 86.7 | 2.8 | 12.1 | 213 | 77.5 | 6.1 | 7.8 |
| USA, Washington State | 3752 | 93.0 | 2.5 | 14.0 | 2492 | 92.7 | 3.1 | 8.8 |
| *USA, Washington, Seattle | 2638 | 95.0 | 0.0 | 14.6 | 1730 | 94.3 | 0.2 | 8.8 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|-------------|--------|--------|---------|------------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| North America (contd) | | | | | | | | |
| USA, West Virginia | 1146 | 90.1 | 2.7 | 14.5 | 819 | 86.6 | 3.7 | 9.5 |
| USA, Wyoming | 277 | 87.7 | 1.8 | 12.1 | 181 | 89.0 | 2.2 | 8.0 |
| Asia | | | | | | | | |
| Bahrain: Bahrainis | 89 | 87.6 | 2.2 | 6.1 | 60 | 85.0 | 1.7 | 4.2 |
| Brunei Darussalam | 69 | 85.5 | 4.3 | 7.9 | 43 | 81.4 | 7.0 | 4.8 |
| *China, Anfu County | 52 | 92.3 | – | 5.6 | 29 | 100.0 | – | 3.6 |
| *China, Anguo City | 52 | 96.2 | – | 5.1 | 44 | 86.4 | – | 4.0 |
| *China, Anshan City | 307 | 96.7 | 0.7 | 6.0 | 223 | 94.6 | 0.9 | 3.5 |
| *China, Aohan Banner, Chifeng City | 60 | 98.3 | – | 4.0 | 62 | 95.2 | – | 3.9 |
| *China, Arongqi | 27 | 92.6 | – | 3.3 | 21 | 90.5 | – | 2.7 |
| *China, Baoding City | 222 | 94.1 | 0.5 | 7.0 | 175 | 92.0 | 0.0 | 5.2 |
| *China, Beijing City | 1559 | 99.6 | 0.1 | 5.4 | 1119 | 98.9 | 0.0 | 3.9 |
| *China, Binhai County | 160 | 100.0 | – | 4.2 | 116 | 100.0 | – | 3.3 |
| *China, Cangzhou City | 76 | 98.7 | 0.0 | 5.8 | 73 | 97.3 | 1.4 | 5.6 |
| China, Changfeng County | 82 | 100.0 | – | 5.9 | 63 | 100.0 | – | 5.6 |
| China, Changzhou City | 515 | 98.8 | – | 6.4 | 390 | 99.5 | – | 4.4 |
| China, Chengdu City | 221 | 97.3 | 0.5 | 7.2 | 148 | 96.6 | 2.7 | 5.2 |
| China, Cixian County | 111 | 97.3 | 0.9 | 7.2 | 51 | 96.1 | 2.0 | 3.3 |
| China, Cixi City | 181 | 93.9 | 5.5 | 5.6 | 143 | 91.6 | 8.4 | 4.3 |
| *China, Dafeng District, Yancheng City | 154 | 99.4 | 0.6 | 5.7 | 128 | 99.2 | 0.8 | 4.7 |
| China, Dalian City | 553 | 91.3 | 3.4 | 6.7 | 421 | 92.2 | 2.1 | 4.9 |
| *China, Dancheng County | 302 | 98.7 | – | 10.8 | 215 | 99.1 | – | 7.4 |
| China, Dangtu County | 55 | 98.2 | 1.8 | 5.5 | 36 | 100.0 | 0.0 | 3.6 |
| *China, Danyang City | 169 | 63.3 | 1.2 | 5.9 | 121 | 61.2 | 0.0 | 3.8 |
| *China, Dawukou District, Shizuishan City | 33 | 97.0 | 0.0 | 4.2 | 23 | 82.6 | 4.3 | 3.6 |
| *China, Dehui City | 127 | 99.2 | – | 5.2 | 135 | 100.0 | – | 5.5 |
| *China, Donggang County | 129 | 80.6 | 1.6 | 5.8 | 94 | 79.8 | 5.3 | 4.5 |
| *China, Dongguan City | 206 | 97.1 | 0.5 | 6.5 | 175 | 92.0 | 0.0 | 5.5 |
| China, Donghai County | 204 | 99.5 | 0.5 | 5.8 | 140 | 99.3 | 0.7 | 4.3 |
| *China, Dongtai City | 156 | 100.0 | – | 4.2 | 106 | 100.0 | – | 3.9 |
| China, Duanzhou District, Zhaoqing City | 68 | 61.8 | 7.4 | 7.8 | 44 | 75.0 | 4.5 | 4.6 |
| *China, Evenki Autonomous Banner | 12 | 83.3 | 8.3 | 5.3 | 9 | 100.0 | 0.0 | 2.9 |
| *China, Faku County | 66 | 100.0 | – | 5.7 | 50 | 100.0 | – | 3.0 |
| *China, Fangcheng County | 105 | 95.2 | – | 5.2 | 67 | 97.0 | – | 3.6 |
| *China, Feicheng City | 186 | 100.0 | – | 6.1 | 136 | 100.0 | – | 4.8 |
| China, Feixi County | 219 | 95.4 | – | 7.4 | 164 | 92.1 | – | 4.9 |
| China, Fuqing City | 150 | 75.3 | 3.3 | 7.0 | 85 | 78.8 | 5.9 | 4.4 |
| *China, Ganyu District, Lianyungang City | 187 | 88.8 | 3.2 | 5.3 | 117 | 94.0 | 0.9 | 3.7 |
| *China, Ganzhou District, Zhangye City | 26 | 92.3 | – | 2.9 | 18 | 100.0 | – | 3.5 |
| *China, Gaocheng City | 80 | 100.0 | – | 4.4 | 79 | 100.0 | – | 5.3 |
| China, Gaomi City | 130 | 99.2 | 0.8 | 5.7 | 98 | 99.0 | 1.0 | 4.5 |
| China, Gong'an County | 169 | 99.4 | 0.6 | 6.1 | 122 | 100.0 | 0.0 | 4.8 |
| *China, Guang'an District, Guang'an City | 79 | 97.5 | 0.0 | 4.5 | 63 | 96.8 | 1.6 | 3.7 |
| China, Guanghan City | 57 | 87.7 | – | 4.9 | 61 | 96.7 | – | 4.3 |
| China, Guangzhou City | 1627 | 96.5 | 0.1 | 6.5 | 1222 | 97.0 | 0.0 | 5.0 |
| *China, Guanyun County | 159 | 100.0 | – | 5.2 | 129 | 100.0 | – | 4.2 |
| China, Guilin City | 160 | 96.9 | 0.0 | 8.0 | 124 | 96.0 | 0.8 | 5.5 |
| *China, Hai'an City | 167 | 100.0 | – | 4.4 | 158 | 100.0 | – | 3.6 |
| China, Hailar District, Hulun Buir City | 50 | 98.0 | 2.0 | 4.4 | 35 | 97.1 | 0.0 | 3.6 |
| China, Haimen District, Nantong City | 196 | 99.5 | 0.5 | 5.0 | 157 | 99.4 | 0.6 | 4.7 |
| China, Haining City | 139 | 100.0 | – | 6.6 | 131 | 99.2 | – | 5.1 |
| China, Hangzhou City | 1239 | 97.3 | 0.6 | 5.6 | 850 | 97.2 | 1.2 | 4.0 |
| China, Hebi City | 63 | 95.2 | 3.2 | 6.1 | 47 | 93.6 | 0.0 | 5.6 |
| China, Hefei City | 488 | 85.9 | 0.8 | 7.0 | 360 | 84.4 | 1.1 | 5.2 |
| China, Hengdong County | 78 | 100.0 | – | 6.3 | 45 | 100.0 | – | 4.0 |
| *China, Hengfeng County | 36 | 100.0 | – | 7.5 | 21 | 95.2 | – | 4.2 |
| *China, Hepu County | 237 | 99.6 | – | 9.0 | 126 | 100.0 | – | 5.2 |
| China, Honghu City | 128 | 97.7 | – | 5.7 | 88 | 100.0 | – | 4.3 |
| China, Hongshan District, Chifeng City | 57 | 98.2 | – | 5.8 | 47 | 93.6 | – | 4.4 |
| *China, Hongta District, Yuxi City | 77 | 97.4 | 2.6 | 6.5 | 75 | 96.0 | 4.0 | 6.6 |
| *China, Huaiyin District, Huai'an City | 168 | 100.0 | 0.0 | 5.8 | 98 | 99.0 | 1.0 | 4.0 |
| *China, Jiange County | 75 | 98.7 | – | 5.5 | 41 | 100.0 | – | 3.3 |
| China, Jiangmen City | 128 | 93.0 | 1.6 | 7.3 | 93 | 96.8 | 1.1 | 5.2 |
| *China, Jiangyin City | 223 | 98.7 | 0.0 | 5.3 | 170 | 97.1 | 1.8 | 3.7 |
| *China, Jiashan County | 85 | 98.8 | – | 6.4 | 61 | 100.0 | – | 4.2 |
| China, Jiayu County | 32 | 90.6 | 9.4 | 4.8 | 31 | 87.1 | 12.9 | 4.9 |
| *China, Jinan City | 391 | 78.8 | 7.2 | 5.7 | 310 | 76.5 | 5.5 | 4.3 |
| *China, Jingtai County | 39 | 92.3 | 5.1 | 6.2 | 32 | 90.6 | 0.0 | 5.8 |
| *China, Jingxian County | 54 | 83.3 | 5.6 | 4.8 | 32 | 87.5 | 3.1 | 3.5 |
| *China, Jintan District, Changzhou City | 111 | 98.2 | 0.9 | 6.2 | 90 | 100.0 | 0.0 | 5.2 |
| *China, Jiulongpo District, Chongqing City | 163 | 85.3 | 0.6 | 6.2 | 124 | 83.9 | 0.8 | 5.4 |
| *China, Jiyuan City | 93 | 97.8 | – | 5.7 | 69 | 98.6 | – | 4.2 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| China, Kaihua County | 77 | 100.0 | – | 7.1 | 46 | 100.0 | – | 5.1 |
| China, Kunshan City | 201 | 98.0 | 1.0 | 8.3 | 124 | 96.0 | 1.6 | 4.3 |
| China, Langzhong City | 67 | 92.5 | – | 3.5 | 58 | 96.6 | – | 3.7 |
| *China, Liangshan County | 185 | 96.2 | 1.6 | 7.9 | 155 | 97.4 | 1.3 | 6.4 |
| *China, Lianshui County | 146 | 99.3 | 0.7 | 4.3 | 93 | 98.9 | 1.1 | 3.0 |
| China, Lianyungang City | 158 | 96.2 | 0.6 | 4.8 | 150 | 93.3 | 1.3 | 4.8 |
| China, Linhe District, Bayannur City | 74 | 94.6 | 1.4 | 5.8 | 26 | 96.2 | 3.8 | 2.2 |
| China, Linqu County | 140 | 99.3 | – | 5.2 | 111 | 100.0 | – | 4.6 |
| *China, Linzhou City | 157 | 94.3 | 3.8 | 5.2 | 152 | 95.4 | 0.7 | 4.9 |
| China, Liuzhou City | 234 | 98.3 | – | 7.1 | 182 | 96.2 | – | 5.6 |
| China, Liyang City | 103 | 100.0 | – | 2.9 | 113 | 100.0 | – | 3.3 |
| *China, Longquan City | 39 | 100.0 | – | 5.3 | 35 | 97.1 | – | 5.4 |
| China, Lucheng District, Wenzhou City | 89 | 97.8 | 2.2 | 6.3 | 58 | 98.3 | 1.7 | 5.0 |
| China, Luoding City | 124 | 79.8 | 8.1 | 6.0 | 67 | 88.1 | 4.5 | 3.8 |
| *China, Luohe City | 211 | 94.3 | 3.8 | 6.0 | 194 | 95.9 | 1.5 | 5.4 |
| *China, Luoyang City | 242 | 93.0 | 1.2 | 6.7 | 154 | 93.5 | 1.9 | 4.5 |
| *China, Luquan City | 38 | 100.0 | – | 3.7 | 42 | 100.0 | – | 5.0 |
| China, Ma'anshan City | 127 | 100.0 | – | 6.3 | 69 | 100.0 | – | 3.4 |
| *China, Macheng City | 100 | 96.0 | – | 5.5 | 75 | 94.7 | – | 4.4 |
| China, Meihekou City | 62 | 100.0 | 0.0 | 3.5 | 52 | 92.3 | 3.8 | 2.9 |
| *China, Mengjin County | 58 | 86.2 | 0.0 | 5.8 | 64 | 93.8 | 1.6 | 6.6 |
| China, Nangang District, Harbin City | 138 | 94.9 | 3.6 | 4.6 | 93 | 90.3 | 5.4 | 2.9 |
| *China, Nantai District, Foshan City | 205 | 96.6 | – | 8.7 | 142 | 96.5 | – | 5.6 |
| China, Nanhu District, Jiaying City | 112 | 93.8 | – | 6.1 | 95 | 96.8 | – | 5.2 |
| *China, Nantong City | 201 | 98.5 | 1.5 | 4.9 | 163 | 100.0 | 0.0 | 3.7 |
| *China, Nanxiong City | 75 | 98.7 | – | 6.1 | 50 | 100.0 | – | 3.8 |
| China, Neixiang County | 87 | 100.0 | – | 4.6 | 60 | 100.0 | – | 3.5 |
| *China, Qianxi County | 65 | 100.0 | 0.0 | 5.9 | 56 | 98.2 | 1.8 | 5.8 |
| China, Qidong City | 241 | 93.8 | 0.4 | 6.0 | 246 | 94.7 | 0.0 | 5.3 |
| China, Qingzhou City | 157 | 100.0 | – | 6.2 | 109 | 98.2 | – | 4.7 |
| *China, Rudong County | 234 | 100.0 | – | 5.9 | 181 | 100.0 | – | 4.5 |
| *China, Rugao City | 242 | 100.0 | 0.0 | 4.4 | 198 | 99.5 | 0.5 | 3.5 |
| *China, Rural areas of Shanghai City | 1590 | 83.9 | 0.3 | 5.4 | 1189 | 83.3 | 0.6 | 3.8 |
| China, Ruyang County | 82 | 96.3 | 1.2 | 7.3 | 64 | 96.9 | 0.0 | 6.0 |
| *China, Shan County | 85 | 95.3 | – | 3.9 | 71 | 93.0 | – | 3.6 |
| China, Shanghai City | 1250 | 78.5 | 0.4 | 5.2 | 932 | 79.5 | 0.8 | 4.1 |
| China, Shangyu District, Shaoxing City | 168 | 100.0 | – | 7.0 | 110 | 100.0 | – | 3.9 |
| *China, Shapingba District, Chongqing City | 100 | 97.0 | 0.0 | 4.1 | 79 | 94.9 | 1.3 | 2.8 |
| China, Shexian County | 60 | 100.0 | – | 5.2 | 53 | 100.0 | – | 4.5 |
| China, Sheyang County | 148 | 100.0 | – | 5.1 | 132 | 100.0 | – | 4.3 |
| *China, Shijiazhuang City | 272 | 99.3 | – | 7.0 | 229 | 99.1 | – | 6.1 |
| China, Shunde District, Foshan City | 210 | 93.3 | – | 7.1 | 173 | 92.5 | – | 5.8 |
| *China, Song County | 51 | 82.4 | 3.9 | 3.5 | 21 | 66.7 | 4.8 | 1.7 |
| China, Suzhou City | 722 | 92.8 | 3.2 | 6.9 | 518 | 92.7 | 2.7 | 4.9 |
| *China, Tengzhou City | 284 | 99.3 | – | 6.3 | 196 | 100.0 | – | 4.2 |
| *China, Wangdu County | 20 | 90.0 | 5.0 | 3.3 | 6 | 100.0 | 0.0 | 0.7 |
| *China, Wanzai County | 30 | 76.7 | 0.0 | 3.2 | 15 | 66.7 | 6.7 | 1.8 |
| *China, Wu'an City | 86 | 97.7 | – | 4.4 | 72 | 95.8 | – | 3.7 |
| China, Wuhan City | 902 | 92.9 | 0.3 | 6.0 | 741 | 92.8 | 0.0 | 5.3 |
| *China, Wuhu City | 181 | 95.6 | – | 4.7 | 150 | 96.0 | – | 4.1 |
| China, Wuxi City | 422 | 87.9 | 0.2 | 5.1 | 348 | 87.4 | 0.0 | 3.8 |
| China, Wuzhou City | 101 | 100.0 | 0.0 | 5.9 | 86 | 98.8 | 1.2 | 5.0 |
| China, Xiangfu District, Kaifeng City | 120 | 99.2 | – | 6.7 | 122 | 98.4 | – | 6.4 |
| China, Xianju County | 103 | 100.0 | – | 7.2 | 65 | 100.0 | – | 5.9 |
| *China, Xin'an County | 49 | 83.7 | – | 5.4 | 36 | 75.0 | – | 3.9 |
| *China, Xining City | 102 | 98.0 | – | 5.2 | 69 | 97.1 | – | 3.2 |
| *China, Xinji City | 78 | 100.0 | – | 4.4 | 75 | 100.0 | – | 4.7 |
| *China, Xinluo District, Longyan City | 61 | 80.3 | – | 5.6 | 42 | 73.8 | – | 5.4 |
| *China, Xinzhou District, Shangrao City | 73 | 94.5 | 2.7 | 6.3 | 68 | 98.5 | 0.0 | 5.3 |
| China, Xiping County | 125 | 100.0 | – | 5.3 | 109 | 100.0 | – | 4.6 |
| *China, Xishan District, Kunming City | 115 | 97.4 | – | 12.6 | 83 | 98.8 | – | 8.4 |
| *China, Xuyi County | 71 | 84.5 | 1.4 | 3.4 | 50 | 90.0 | 0.0 | 2.2 |
| *China, Ya'an City | 266 | 96.6 | 0.4 | 5.8 | 186 | 95.2 | 0.5 | 4.3 |
| *China, Yakeshi City | 67 | 62.7 | 17.9 | 5.7 | 47 | 70.2 | 17.0 | 3.1 |
| China, Yancheng City | 245 | 95.5 | 0.8 | 5.8 | 188 | 97.3 | 0.5 | 4.1 |
| *China, Yangquan City | 93 | 86.0 | 5.4 | 4.8 | 71 | 91.5 | 7.0 | 4.1 |
| *China, Yangzhong City | 25 | 100.0 | 0.0 | 2.7 | 19 | 94.7 | 5.3 | 2.4 |
| *China, Yanji City | 61 | 98.4 | – | 5.2 | 51 | 94.1 | – | 3.9 |
| *China, Yanshi City | 101 | 89.1 | 4.0 | 5.5 | 85 | 98.8 | 0.0 | 4.7 |
| China, Yanting County | 131 | 100.0 | – | 8.3 | 106 | 99.1 | – | 7.1 |
| *China, Yi'an District, Tongling City | 39 | 84.6 | 10.3 | 4.5 | 13 | 92.3 | 0.0 | 1.6 |
| *China, Yingdong District, Fuyang City | 92 | 100.0 | – | 5.2 | 63 | 100.0 | – | 4.0 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| *China, Yinzhou District, Ningbo City | 36 | 100.0 | 0.0 | 4.9 | 33 | 97.0 | 3.0 | 3.9 |
| *China, Yiyuan County | 48 | 97.9 | 0.0 | 3.2 | 40 | 92.5 | 7.5 | 2.7 |
| China, Yong'an City | 55 | 92.7 | – | 5.6 | 56 | 92.9 | – | 5.8 |
| *China, Yongding District, Longyan City | 97 | 99.0 | – | 6.8 | 69 | 97.1 | – | 5.5 |
| China, Yongkang City | 131 | 93.9 | 3.1 | 7.6 | 95 | 89.5 | 7.4 | 4.8 |
| *China, Yucheng County | 95 | 96.8 | – | 5.5 | 94 | 97.9 | – | 5.4 |
| China, Yueyanglou District, Yueyang City | 57 | 100.0 | 0.0 | 6.7 | 40 | 95.0 | 5.0 | 5.3 |
| China, Yunmeng County | 60 | 96.7 | – | 4.2 | 39 | 94.9 | – | 2.6 |
| *China, Yunyang District, Shiyuan City | 44 | 97.7 | – | 5.0 | 43 | 95.3 | – | 4.4 |
| China, Yuzhong District, Chongqing City | 153 | 85.6 | 14.4 | 7.8 | 133 | 88.7 | 10.5 | 6.7 |
| *China, Zhanhuang County | 39 | 84.6 | 5.1 | 5.4 | 32 | 96.9 | 0.0 | 5.5 |
| *China, Zhangjiagang City | 224 | 100.0 | – | 6.9 | 140 | 100.0 | – | 3.3 |
| *China, Zhaoyuan City | 115 | 98.3 | 1.7 | 5.5 | 84 | 98.8 | 1.2 | 4.4 |
| *China, Zhengding County | 43 | 100.0 | – | 4.1 | 41 | 100.0 | – | 4.6 |
| *China, Zhongshan City | 222 | 99.5 | – | 5.4 | 177 | 98.3 | – | 4.1 |
| China, Zhongxiang City | 188 | 99.5 | – | 6.9 | 122 | 99.2 | – | 4.5 |
| *China, Zhuanghe City | 200 | 57.0 | 0.5 | 6.7 | 134 | 63.4 | 0.7 | 4.6 |
| *China, Zhuhai City | 188 | 94.1 | 3.7 | 6.4 | 162 | 93.8 | 4.9 | 6.1 |
| India, Ahmedabad, Urban | 696 | 100.0 | – | 5.6 | 368 | 99.7 | – | 3.2 |
| India, Aurangabad | 126 | 96.0 | 4.0 | 3.9 | 71 | 97.2 | 2.8 | 2.2 |
| India, Bangalore | 783 | 84.7 | 15.3 | 6.5 | 516 | 81.4 | 18.6 | 4.4 |
| India, Barshi, Paranda, and Bhum | 37 | 94.6 | 2.7 | 2.7 | 22 | 100.0 | 0.0 | 2.0 |
| *India, Bhopal | 127 | 100.0 | – | 4.3 | 65 | 100.0 | – | 2.1 |
| India, Chandigarh | 125 | 98.4 | 1.6 | 4.7 | 80 | 98.8 | 1.2 | 3.3 |
| *India, Chennai | 616 | 96.1 | 3.9 | 5.4 | 472 | 95.3 | 4.7 | 4.1 |
| India, Dibrugarh | 51 | 94.1 | 5.9 | 1.5 | 31 | 100.0 | 0.0 | 1.0 |
| *India, Dindigul, Ambalikkai | 177 | 96.0 | 4.0 | 3.1 | 113 | 99.1 | 0.9 | 2.0 |
| India, Kamrup Urban District | 84 | 89.3 | 10.7 | 3.4 | 53 | 90.6 | 9.4 | 2.3 |
| India, Kollam | 265 | 98.9 | – | 5.0 | 215 | 98.1 | – | 3.5 |
| *India, Manipur | 125 | 96.8 | 3.2 | 2.3 | 123 | 100.0 | 0.0 | 2.2 |
| India, Meghalaya | 59 | 91.5 | 8.5 | 1.3 | 34 | 73.5 | 26.5 | 0.9 |
| India, Mizoram | 93 | 100.0 | – | 4.6 | 64 | 100.0 | – | 3.0 |
| India, Mumbai | 1569 | 97.5 | 2.5 | 5.1 | 1048 | 98.4 | 1.6 | 3.6 |
| *India, New Delhi | 2086 | 89.8 | 10.2 | 8.5 | 1148 | 90.2 | 9.8 | 5.1 |
| India, Poona | 348 | 100.0 | – | 2.7 | 250 | 100.0 | – | 2.1 |
| *India, Sangrur District | 125 | 92.0 | 7.2 | 4.6 | 56 | 92.9 | 1.8 | 2.2 |
| India, SAS Nagar | 130 | 97.7 | – | 4.9 | 95 | 97.9 | – | 3.8 |
| *India, Tamil Nadu | 6280 | 99.3 | 0.7 | 3.4 | 4178 | 99.0 | 1.0 | 2.3 |
| *India, Tripura | 168 | 100.0 | – | 2.3 | 109 | 100.0 | – | 1.5 |
| India, Trivandrum | 350 | 98.9 | – | 5.5 | 305 | 96.1 | – | 4.0 |
| India, Wardha | 138 | 92.0 | 8.0 | 4.2 | 91 | 92.3 | 7.7 | 2.9 |
| India, West Arunachal | 24 | 100.0 | – | 1.3 | 26 | 100.0 | – | 2.2 |
| *Iran (Islamic Republic of), Ardabil Province | 159 | 66.7 | 13.2 | 8.7 | 95 | 69.5 | 8.4 | 5.2 |
| *Iran (Islamic Republic of), Golestan Province | 296 | 96.6 | 1.7 | 12.0 | 229 | 93.4 | 1.7 | 8.8 |
| Israel | 2220 | 88.2 | 9.9 | 8.9 | 1732 | 83.7 | 14.7 | 6.0 |
| *Israel: Jews | 1829 | 87.2 | 10.8 | 8.8 | 1428 | 82.8 | 15.5 | 5.9 |
| *Israel: Arabs | 315 | 94.3 | 3.8 | 8.9 | 224 | 88.8 | 10.3 | 6.2 |
| Japan | 22456 | 97.3 | 1.2 | 7.2 | 15934 | 96.0 | 1.8 | 4.7 |
| Japan, Aichi Prefecture | 1291 | 98.3 | 0.4 | 7.7 | 807 | 97.1 | 0.7 | 4.8 |
| *Japan, Akita Prefecture | 177 | 93.8 | – | 7.7 | 143 | 87.4 | – | 4.6 |
| Japan, Aomori Prefecture | 370 | 96.8 | 0.5 | 6.5 | 287 | 95.5 | 0.7 | 4.8 |
| Japan, Gunma Prefecture | 298 | 97.7 | 0.3 | 5.7 | 217 | 97.7 | 0.0 | 4.2 |
| Japan, Hiroshima Prefecture | 748 | 99.1 | 0.1 | 8.3 | 522 | 98.1 | 1.0 | 5.1 |
| Japan, Miyagi Prefecture | 616 | 98.7 | 0.5 | 6.9 | 464 | 98.3 | 1.3 | 5.3 |
| Japan, Osaka Prefecture | 1546 | 98.1 | 0.7 | 7.3 | 1109 | 97.2 | 1.1 | 4.9 |
| Kuwait | 528 | 96.6 | 3.2 | 6.2 | 297 | 96.0 | 4.0 | 4.9 |
| *Kuwait: Kuwaitis | 194 | 94.3 | 5.7 | 7.8 | 151 | 95.4 | 4.6 | 5.3 |
| *Kuwait: Non-Kuwaitis | 334 | 97.9 | 1.8 | 5.9 | 146 | 96.6 | 3.4 | 4.7 |
| *Philippines, Manila | 910 | 97.6 | 2.2 | 6.6 | 805 | 99.0 | 1.0 | 5.4 |
| *Qatar: Qatari | 43 | 97.7 | – | 7.6 | 27 | 100.0 | – | 4.5 |
| Republic of Korea | 9334 | 96.0 | 1.0 | 6.3 | 6969 | 95.1 | 1.9 | 4.4 |
| *Republic of Korea, Busan | 661 | 93.0 | 1.2 | 6.5 | 522 | 92.1 | 2.3 | 4.7 |
| *Republic of Korea, Daegu | 455 | 97.4 | 1.1 | 6.4 | 337 | 97.0 | 2.1 | 4.5 |
| *Republic of Korea, Daejeon | 271 | 96.7 | 1.1 | 6.3 | 191 | 97.9 | 1.6 | 4.2 |
| *Republic of Korea, Gwangju | 252 | 97.6 | 0.4 | 6.5 | 172 | 100.0 | 0.0 | 4.2 |
| Republic of Korea, Incheon | 483 | 97.5 | 0.6 | 5.9 | 362 | 98.3 | 0.0 | 4.1 |
| Republic of Korea, Jeju | 110 | 98.2 | 0.9 | 6.1 | 94 | 98.9 | 0.0 | 5.1 |
| Republic of Korea, Seoul | 1798 | 96.9 | 0.9 | 6.3 | 1295 | 96.0 | 1.2 | 4.4 |
| Republic of Korea, Ulsan | 187 | 97.9 | 0.5 | 5.7 | 137 | 97.1 | 2.9 | 4.4 |
| Singapore | 750 | 97.7 | – | 6.9 | 556 | 97.5 | – | 4.7 |
| Singapore: Chinese | 576 | 98.4 | – | 6.8 | 432 | 97.2 | – | 4.5 |
| Singapore: Indian | 52 | 98.1 | – | 5.9 | 39 | 100.0 | – | 4.9 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Asia (contd) | | | | | | | | |
| Singapore: Malay | 99 | 92.9 | – | 7.8 | 73 | 97.3 | – | 5.6 |
| Thailand, Bangkok | 647 | 95.2 | 2.3 | 4.5 | 593 | 95.8 | 1.3 | 3.5 |
| *Thailand, Chiang Mai | 243 | 99.6 | 0.4 | 5.8 | 214 | 97.2 | 2.8 | 4.7 |
| *Thailand, Khon Kaen | 234 | 95.3 | 2.6 | 5.4 | 203 | 96.6 | 0.5 | 4.3 |
| Thailand, Lampang | 114 | 99.1 | 0.9 | 5.7 | 105 | 100.0 | 0.0 | 5.1 |
| Thailand, Lopburi Province | 137 | 100.0 | – | 7.2 | 107 | 100.0 | – | 5.0 |
| *Thailand, Songkhla | 225 | 92.4 | 6.7 | 6.2 | 170 | 94.7 | 4.7 | 4.4 |
| Turkey, Antalya | 467 | 99.8 | 0.2 | 8.4 | 351 | 99.7 | 0.3 | 6.1 |
| Turkey, Bursa | 476 | 99.2 | 0.8 | 6.9 | 361 | 98.3 | 1.7 | 5.1 |
| *Turkey, Edirne | 80 | 98.8 | 1.2 | 6.2 | 68 | 100.0 | 0.0 | 5.0 |
| *Turkey, Erzurum | 149 | 100.0 | – | 8.1 | 93 | 100.0 | – | 4.6 |
| Turkey, Eskişehir | 165 | 100.0 | – | 6.9 | 160 | 100.0 | – | 6.7 |
| Turkey, Gaziantep | 355 | 99.2 | 0.8 | 8.9 | 260 | 98.1 | 1.9 | 6.0 |
| *Turkey, Izmir | 1053 | 97.6 | 2.4 | 9.1 | 824 | 97.1 | 2.8 | 6.8 |
| Turkey, Malatya | 174 | 89.7 | 10.3 | 8.4 | 129 | 93.8 | 6.2 | 6.1 |
| Turkey, Samsun | 279 | 97.8 | 2.2 | 8.0 | 240 | 98.3 | 1.7 | 6.2 |
| Turkey, Trabzon | 229 | 95.6 | 4.4 | 10.8 | 172 | 94.2 | 5.8 | 7.2 |
| Europe | | | | | | | | |
| Austria | 3047 | 86.1 | 7.7 | 8.8 | 2438 | 82.4 | 11.0 | 6.2 |
| Austria, Carinthia | 223 | 98.7 | 1.3 | 8.3 | 189 | 96.8 | 2.1 | 5.3 |
| Austria, Tyrol | 235 | 99.6 | 0.4 | 7.7 | 181 | 100.0 | 0.0 | 6.4 |
| Austria, Vorarlberg | 127 | 95.3 | 0.0 | 8.7 | 117 | 92.3 | 0.9 | 8.0 |
| Belarus | 2889 | 99.8 | 0.0 | 10.4 | 2597 | 99.5 | 0.1 | 6.4 |
| *Belgium | 5822 | 100.0 | – | 12.7 | 4241 | 100.0 | – | 8.3 |
| Croatia | 1550 | 91.5 | 5.4 | 9.3 | 1295 | 88.9 | 8.1 | 6.4 |
| Cyprus | 320 | 69.1 | 29.7 | 10.8 | 191 | 74.3 | 24.6 | 6.2 |
| *Czech Republic | 4287 | 80.3 | 1.7 | 9.6 | 3202 | 77.9 | 2.5 | 5.8 |
| Denmark | 2988 | 82.0 | 0.0 | 12.0 | 1985 | 81.0 | 0.3 | 7.5 |
| Estonia | 553 | 97.3 | 2.5 | 11.2 | 535 | 98.1 | 1.9 | 7.3 |
| Finland | 2109 | 77.5 | 2.3 | 9.2 | 1526 | 75.0 | 2.0 | 5.9 |
| *France, Bas-Rhin | 505 | 100.0 | – | 13.6 | 352 | 100.0 | – | 8.4 |
| *France, Calvados | 382 | 100.0 | – | 13.3 | 299 | 100.0 | – | 7.7 |
| *France, Doubs | 313 | 100.0 | – | 13.2 | 237 | 100.0 | – | 8.5 |
| *France, Gironde | 842 | 99.9 | – | 13.2 | 695 | 100.0 | – | 8.7 |
| *France, Haut-Rhin | 435 | 100.0 | – | 13.0 | 308 | 100.0 | – | 8.6 |
| *France, Hérault | 637 | 100.0 | – | 13.2 | 426 | 100.0 | – | 7.3 |
| *France, Isère | 625 | 100.0 | – | 12.6 | 408 | 100.0 | – | 7.1 |
| *France, Lille-Métropole | 367 | 100.0 | – | 13.6 | 290 | 100.0 | – | 8.6 |
| *France, Limousin | 205 | 100.0 | – | 11.1 | 157 | 100.0 | – | 6.5 |
| *France, Loire-Atlantique | 707 | 100.0 | – | 13.5 | 532 | 99.8 | – | 8.2 |
| *France, Manche | 275 | 94.5 | – | 10.7 | 203 | 90.6 | – | 7.1 |
| *France, Poitou-Charentes | 1112 | 100.0 | – | 11.8 | 742 | 100.0 | – | 7.4 |
| *France, Somme | 263 | 100.0 | – | 11.2 | 206 | 99.5 | – | 7.7 |
| *France, Tarn | 196 | 99.5 | – | 10.0 | 156 | 100.0 | – | 6.9 |
| *France, Territoire de Belfort | 51 | 100.0 | – | 10.0 | 45 | 100.0 | – | 6.2 |
| *France, Vendée | 433 | 100.0 | – | 13.3 | 328 | 99.7 | – | 8.8 |
| Germany, Baden-Württemberg | 3026 | 56.9 | 10.6 | 8.7 | 2203 | 53.9 | 13.9 | 5.3 |
| Germany, Bavaria | 5535 | 77.7 | 16.6 | 9.0 | 4048 | 72.9 | 22.2 | 5.6 |
| Germany, Bremen | 277 | 78.0 | 22.0 | 8.3 | 214 | 66.4 | 33.2 | 4.6 |
| Germany, Hamburg | 924 | 88.1 | 2.2 | 11.8 | 706 | 88.7 | 3.1 | 7.3 |
| Germany, Lower Saxony | 4434 | 81.7 | 11.4 | 11.3 | 3385 | 76.3 | 15.3 | 7.6 |
| Germany, North Rhine-Westphalia | 8103 | 54.3 | 18.2 | 9.7 | 6330 | 50.1 | 25.5 | 6.4 |
| Germany, Rhineland-Palatinate | 2113 | 76.5 | 21.0 | 10.9 | 1583 | 69.4 | 27.0 | 6.6 |
| Germany, Saarland | 550 | 80.2 | 11.3 | 10.9 | 392 | 75.8 | 17.3 | 7.0 |
| Germany, Schleswig-Holstein | 1641 | 77.0 | 4.6 | 11.7 | 1230 | 72.8 | 5.5 | 7.4 |
| Iceland | 106 | 98.1 | 0.9 | 8.9 | 65 | 100.0 | 0.0 | 6.1 |
| Ireland | 1698 | 93.6 | 1.1 | 10.3 | 1072 | 91.6 | 1.8 | 6.4 |
| *Italy, Aosta Valley | 33 | 54.5 | – | 8.5 | 16 | 56.2 | – | 4.1 |
| *Italy, Avellino | 111 | 78.4 | 5.4 | 11.0 | 80 | 71.2 | 7.5 | 5.3 |
| Italy, Basilicata | 251 | 63.7 | 0.0 | 10.3 | 191 | 62.8 | 3.1 | 6.1 |
| *Italy, Benevento | 89 | 92.1 | 2.2 | 8.5 | 72 | 88.9 | 4.2 | 5.3 |
| Italy, Bergamo | 451 | 99.3 | 0.4 | 10.0 | 304 | 96.7 | 3.0 | 6.5 |
| *Italy, Brescia | 360 | 65.3 | 2.5 | 7.6 | 258 | 58.1 | 5.8 | 4.9 |
| Italy, Brianza (Lecco and Monza e Brianza) | 294 | 87.8 | 2.7 | 10.1 | 197 | 85.8 | 4.6 | 5.9 |
| Italy, Calabria | 260 | 84.6 | 1.5 | 11.1 | 180 | 88.3 | 1.7 | 7.9 |
| *Italy, Caserta | 294 | 86.7 | 1.7 | 10.9 | 244 | 85.2 | 4.1 | 8.3 |
| *Italy, Catania, Messina, and Enna | 767 | 97.1 | 1.7 | 10.0 | 601 | 94.3 | 4.8 | 6.6 |
| Italy, Emilia-Romagna | 1561 | 97.7 | 1.3 | 9.6 | 1264 | 97.7 | 1.1 | 6.7 |
| Italy, Friuli-Venezia Giulia | 499 | 99.8 | – | 8.9 | 348 | 100.0 | – | 5.7 |
| Italy, Genova | 420 | 88.3 | 0.7 | 11.1 | 317 | 87.4 | 0.6 | 6.4 |
| *Italy, Lombardy, South, Pavia | 251 | 80.1 | 0.8 | 10.5 | 194 | 72.7 | 1.0 | 6.4 |
| Italy, Mantova and Cremona | 233 | 100.0 | 0.0 | 8.0 | 188 | 99.5 | 0.5 | 6.2 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95) (contd)

| | Male | | | | Female | | | |
|-------------------------------------|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Europe (contd) | | | | | | | | |
| Italy, Marche | 548 | 90.5 | 1.1 | 9.7 | 380 | 88.7 | 2.6 | 6.4 |
| Italy, Milan | 1430 | 91.3 | 0.3 | 9.8 | 1017 | 90.7 | 0.9 | 6.4 |
| Italy, Molise | 95 | 94.7 | 2.1 | 11.9 | 65 | 92.3 | 1.5 | 8.6 |
| *Italy, Naples Centre | 183 | 67.2 | 3.3 | 8.6 | 156 | 64.7 | 5.8 | 6.0 |
| *Italy, Naples North | 234 | 83.8 | 3.4 | 9.4 | 189 | 83.6 | 4.8 | 6.3 |
| *Italy, Naples South | 396 | 88.6 | 1.3 | 10.6 | 289 | 87.2 | 2.1 | 6.8 |
| *Italy, Nuoro | 59 | 86.4 | – | 9.8 | 33 | 81.8 | – | 5.7 |
| *Italy, Palermo | 468 | 87.8 | 6.0 | 9.5 | 344 | 91.9 | 5.2 | 6.0 |
| Italy, Puglia | 1709 | 87.9 | 1.5 | 10.1 | 1241 | 86.5 | 1.9 | 6.5 |
| *Italy, Ragusa and Caltanissetta | 181 | 96.7 | 2.2 | 7.1 | 128 | 96.1 | 2.3 | 4.6 |
| *Italy, Salerno | 343 | 84.5 | 1.2 | 10.2 | 272 | 76.5 | 3.3 | 7.4 |
| Italy, Sassari | 86 | 65.1 | 2.3 | 9.7 | 53 | 50.9 | 3.8 | 5.6 |
| *Italy, Sondrio | 93 | 73.1 | 5.4 | 10.5 | 71 | 64.8 | 7.0 | 7.3 |
| Italy, South Tyrol | 191 | 91.6 | 2.1 | 9.2 | 156 | 85.9 | 1.9 | 6.3 |
| *Italy, Syracuse | 154 | 87.0 | 5.8 | 8.8 | 108 | 91.7 | 2.8 | 5.3 |
| Italy, Trento | 217 | 92.6 | 0.5 | 9.7 | 163 | 95.7 | 0.6 | 5.2 |
| Italy, Turin | 1120 | 98.3 | 1.5 | 10.5 | 786 | 95.4 | 4.2 | 6.4 |
| *Italy, Tuscany | 1074 | 44.7 | 2.4 | 10.9 | 810 | 37.8 | 3.0 | 6.4 |
| Italy, Umbria | 385 | 85.2 | 2.1 | 10.0 | 307 | 78.2 | 3.6 | 6.7 |
| Italy, Varese | 168 | 98.2 | 0.0 | 7.8 | 145 | 94.5 | 0.7 | 5.7 |
| Italy, Veneto | 1778 | 93.6 | 1.3 | 8.7 | 1370 | 91.0 | 3.5 | 5.5 |
| Latvia | 711 | 77.8 | 1.0 | 10.1 | 790 | 72.9 | 1.8 | 6.9 |
| *Liechtenstein | 16 | 100.0 | – | 11.0 | 7 | 100.0 | – | 3.0 |
| *Lithuania | 1371 | 74.0 | 24.7 | 12.7 | 1375 | 65.9 | 31.9 | 7.7 |
| Malta | 144 | 84.7 | 2.8 | 8.6 | 92 | 80.4 | 6.5 | 5.5 |
| *The Netherlands | 7623 | 100.0 | – | 11.0 | 5036 | 100.0 | – | 7.1 |
| Norway | 2217 | 88.3 | 1.8 | 11.1 | 1585 | 85.2 | 2.8 | 7.5 |
| Poland, Kielce | 436 | 99.5 | 0.2 | 9.3 | 345 | 99.4 | 0.3 | 5.4 |
| *Portugal, Azores | 45 | 97.8 | 2.2 | 7.3 | 30 | 93.3 | 6.7 | 4.2 |
| Russian Federation, Arkhangelsk | 137 | 78.8 | 19.7 | 4.3 | 164 | 74.4 | 23.8 | 3.6 |
| Russian Federation, Kaliningrad | 68 | 85.3 | 11.8 | 2.9 | 73 | 87.7 | 12.3 | 2.2 |
| Russian Federation, Karelia | 82 | 92.7 | 7.3 | 4.5 | 97 | 90.7 | 9.3 | 3.7 |
| *Russian Federation, Komi Republic | 170 | 46.5 | 17.6 | 7.6 | 173 | 46.2 | 16.8 | 4.9 |
| Russian Federation, Murmansk | 119 | 89.1 | 10.9 | 6.1 | 201 | 88.6 | 11.4 | 6.2 |
| *Russian Federation, Orenburg | 422 | 92.2 | 4.7 | 7.6 | 411 | 89.8 | 4.4 | 5.5 |
| Russian Federation, Pskov | 88 | 54.5 | 36.4 | 4.4 | 88 | 61.4 | 33.0 | 2.9 |
| *Russian Federation, Samara | 693 | 97.1 | 2.9 | 7.4 | 992 | 97.8 | 2.2 | 7.3 |
| Russian Federation, Vologda Region | 198 | 93.9 | 3.0 | 5.9 | 210 | 88.6 | 5.2 | 4.1 |
| Slovenia | 822 | 99.6 | 0.2 | 9.6 | 617 | 99.8 | 0.2 | 6.3 |
| Spain, Asturias | 270 | 98.1 | 0.7 | 10.0 | 193 | 97.9 | 1.6 | 5.7 |
| Spain, Basque Country | 876 | 98.3 | 0.7 | 11.4 | 698 | 97.6 | 1.4 | 7.8 |
| Spain, Canary Islands | 329 | 97.0 | 0.3 | 6.8 | 245 | 96.7 | 1.6 | 4.3 |
| Spain, Castellón | 188 | 100.0 | – | 8.1 | 126 | 100.0 | – | 5.4 |
| Spain, Girona | 276 | 99.6 | – | 9.1 | 207 | 100.0 | – | 5.8 |
| Spain, Granada | 211 | 98.6 | 1.4 | 6.2 | 153 | 99.3 | 0.7 | 4.3 |
| Spain, La Rioja | 157 | 98.1 | 1.3 | 10.0 | 107 | 99.1 | 0.9 | 5.4 |
| Spain, Murcia | 409 | 98.8 | 0.2 | 7.9 | 276 | 98.9 | 0.7 | 4.6 |
| Spain, Navarra | 183 | 97.8 | 2.2 | 8.4 | 162 | 99.4 | 0.6 | 7.0 |
| Spain, Salamanca | 147 | 97.3 | 1.4 | 9.0 | 95 | 98.9 | 1.1 | 5.2 |
| Spain, Tarragona | 301 | 98.7 | 1.0 | 8.6 | 213 | 97.2 | 2.3 | 6.5 |
| *Sweden | 4029 | 89.5 | – | 9.7 | 2801 | 89.4 | – | 6.4 |
| Switzerland, Aargau | 276 | 96.0 | 4.0 | 10.7 | 184 | 96.2 | 3.8 | 7.2 |
| Switzerland, Basel | 206 | 86.9 | 11.2 | 10.8 | 140 | 85.7 | 14.3 | 5.1 |
| Switzerland, Berne Solothurn | 375 | 97.6 | 1.6 | 10.0 | 257 | 94.9 | 2.7 | 6.8 |
| Switzerland, East | 331 | 94.9 | 0.6 | 9.7 | 204 | 93.1 | 2.5 | 5.7 |
| *Switzerland, Fribourg | 155 | 98.1 | 1.9 | 14.5 | 72 | 97.2 | 2.8 | 7.1 |
| Switzerland, Geneva | 188 | 97.9 | 2.1 | 10.1 | 148 | 96.6 | 2.7 | 6.1 |
| *Switzerland, Graubünden and Glarus | 107 | 97.2 | 1.9 | 10.2 | 54 | 100.0 | 0.0 | 4.1 |
| *Switzerland, Lucerne | 223 | 94.2 | 4.9 | 10.0 | 139 | 95.0 | 4.3 | 6.2 |
| *Switzerland, Neuchâtel and Jura | 107 | 99.1 | 0.9 | 11.2 | 90 | 98.9 | 1.1 | 6.9 |
| Switzerland, Ticino | 181 | 98.9 | 1.1 | 10.7 | 128 | 96.9 | 3.1 | 8.3 |
| Switzerland, Valais | 169 | 100.0 | 0.0 | 13.0 | 108 | 99.1 | 0.9 | 7.2 |
| Switzerland, Vaud | 261 | 83.5 | 8.4 | 9.0 | 178 | 70.8 | 16.3 | 5.0 |
| Switzerland, Zurich and Zug | 626 | 99.2 | 0.8 | 10.1 | 426 | 97.7 | 2.3 | 6.5 |
| Ukraine | 7914 | 99.8 | 0.0 | 7.7 | 6929 | 99.8 | 0.0 | 5.0 |
| UK, England | 26426 | 73.7 | 1.7 | 11.4 | 17764 | 71.1 | 2.3 | 7.1 |
| UK, Northern Ireland | 689 | 90.3 | 0.1 | 10.2 | 519 | 80.7 | 0.6 | 6.5 |
| UK, Scotland | 2198 | 94.9 | 0.1 | 9.9 | 1499 | 93.2 | 0.1 | 6.2 |
| UK, Wales | 1749 | 58.4 | 1.4 | 12.1 | 1128 | 53.5 | 2.4 | 7.1 |
| Oceania | | | | | | | | |
| *Australia, NSW/ACT | 4211 | 89.0 | 1.8 | 13.4 | 2816 | 87.4 | 3.0 | 8.6 |
| *Australia, Northern Territory | 52 | 100.0 | – | 8.1 | 45 | 100.0 | – | 7.5 |

* Important. See note on population page.

Indices of data quality Leukaemia (C91–95) (contd)

| | Male | | | | Female | | | |
|--|-------|--------|---------|--------|--------|--------|---------|--------|
| | Cases | MV (%) | DCO (%) | ASR(W) | Cases | MV (%) | DCO (%) | ASR(W) |
| Oceania (contd) | | | | | | | | |
| *Australia, Northern Territory: Non-Indigenous | 38 | 100.0 | – | 7.4 | 33 | 100.0 | – | 7.3 |
| *Australia, Northern Territory: Indigenous | 14 | 100.0 | – | 9.8 | 12 | 100.0 | – | 8.0 |
| *Australia, Queensland | 2842 | 94.9 | 1.0 | 15.2 | 1805 | 94.5 | 1.0 | 9.4 |
| Australia, South Australia | 998 | 73.0 | 1.1 | 14.0 | 650 | 69.2 | 3.4 | 8.4 |
| Australia, Tasmania | 309 | 80.3 | 2.6 | 12.1 | 195 | 78.5 | 3.1 | 7.5 |
| *Australia, Victoria | 3434 | 92.5 | 3.1 | 14.7 | 2260 | 91.1 | 4.5 | 9.1 |
| *Australia, Western Australia | 1067 | 97.1 | 1.0 | 11.6 | 660 | 96.4 | 1.4 | 7.0 |
| *France, New Caledonia | 92 | 100.0 | – | 12.0 | 40 | 100.0 | – | 5.2 |
| New Zealand | 2135 | 95.9 | 4.0 | 12.6 | 1313 | 92.6 | 7.3 | 7.2 |
| *New Zealand: Maori | 237 | 95.8 | 4.2 | 15.0 | 163 | 96.9 | 3.1 | 9.0 |
| *New Zealand: Pacific peoples | 82 | 100.0 | – | 12.4 | 62 | 100.0 | – | 8.7 |
| *New Zealand: Other | 1713 | 95.7 | 4.3 | 12.7 | 1021 | 91.2 | 8.7 | 7.0 |
| USA, Hawaii | 558 | 95.9 | 0.2 | 10.6 | 376 | 92.6 | 0.3 | 7.4 |
| USA, Hawaii: White | 206 | 95.1 | – | 11.3 | 127 | 89.0 | – | 9.6 |
| *USA, Hawaii: Japanese | 83 | 95.2 | 1.2 | 7.4 | 59 | 91.5 | 0.0 | 3.8 |
| *USA, Hawaii: Chinese | 32 | 96.9 | – | 9.1 | 27 | 100.0 | – | 6.9 |
| *USA, Hawaii: Hawaiian | 93 | 98.9 | – | 10.8 | 64 | 96.9 | – | 6.9 |
| *USA, Hawaii: Filipino | 84 | 94.0 | – | 10.6 | 50 | 94.0 | – | 5.5 |

* Important. See note on population page.

Disclosures of interests

Esther de Vries reports having received research support and publication fees from Bristol Myers Squibb.

Charles Wiggins reports holding stocks in Medtronic, Novartis, Roche, and Danaher.